



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 1
Finalized Date: 15-OCT-2012
This copy reported on
31-JUL-2013
Account: COUDES

CERTIFICATE WH12235267

Project: AB
P.O. No.:
This report is for 56 Soil samples submitted to our lab in Whitehorse, YT, Canada on 4-OCT-2012.

The following have access to data associated with this certificate:

DANIELE HEON

D. JACOB

R. STROSHEIN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS41L	51 anal. aqua regia ICPMS

To: COUREUR DES BOIS
ATTN: DANIELE HEON
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 2 - A
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 15-OCT-2012
Account: COUDES

Project: AB

CERTIFICATE OF ANALYSIS WH12235267

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	ME-MS41L Au ppm	ME-MS41L Ag ppm	ME-MS41L Al %	ME-MS41L As ppm	ME-MS41L B ppm	ME-MS41L Ba ppm	ME-MS41L Be ppm	ME-MS41L Bi ppm	ME-MS41L Ca %	ME-MS41L Cd ppm	ME-MS41L Ce ppm	ME-MS41L Co ppm	ME-MS41L Cr ppm	ME-MS41L Cs ppm
AB 9 A		0.68	0.0049	0.033	2.11	8.30	<10	102.5	1.64	0.65	0.24	0.14	31.4	8.4	28.8	5.53
AB 9 B		0.77	0.0012	0.038	1.68	7.59	<10	81.9	1.64	0.68	0.24	0.19	38.7	6.0	20.4	6.73
AB 9 C		Not Recvd														
AB 9 D		0.89	0.0007	0.070	2.01	6.44	<10	157.0	0.87	0.88	0.21	0.20	23.6	8.8	27.0	3.44
AB 9 E		Not Recvd														
AB 9 F		Not Recvd														
AB 9 G		Not Recvd														
AB 10 A		0.65	0.0007	0.047	1.72	8.44	<10	80.0	0.59	0.66	0.20	0.15	21.8	7.1	27.1	2.97
AB 10 B		0.75	0.0009	0.067	2.38	8.84	<10	79.8	1.21	0.54	0.15	0.15	28.7	7.7	26.8	4.70
AB 10 C		0.68	0.0008	0.035	1.16	4.09	<10	75.3	0.55	0.58	0.28	0.16	27.2	5.7	19.4	2.37
AB 10 D		Not Recvd														
AB 10 E		0.60	0.0009	0.032	0.94	4.46	<10	83.7	0.43	0.96	0.14	0.19	16.90	11.3	16.2	2.03
AB 10 F		Not Recvd														
AB 10 G		0.66	0.0017	0.106	1.53	7.11	<10	92.3	0.79	0.56	0.16	0.16	17.50	8.9	25.1	2.27
AB 11 A		0.75	0.0006	0.045	1.82	7.80	<10	114.0	0.90	0.57	0.18	0.15	28.0	7.3	25.7	3.54
AB 11 B		1.01	0.0014	0.033	2.54	9.12	<10	173.5	2.49	0.65	0.24	0.15	35.0	10.4	43.6	12.55
AB 11 C		Not Recvd														
AB 11 D		Not Recvd														
AB 11 E		1.01	0.0004	0.052	2.04	6.58	<10	103.0	0.84	1.03	0.24	0.16	26.3	7.6	29.2	2.73
AB 11 F		Not Recvd														
AB 11 G		Not Recvd														
AB 12 A		0.62	0.0011	0.072	2.41	10.65	<10	120.5	1.23	0.57	0.21	0.25	26.7	10.6	31.3	4.89
AB 12 B		0.79	0.0006	0.028	1.61	6.16	<10	144.5	1.87	0.54	0.31	0.20	57.6	7.7	25.5	8.58
AB 12 C		0.80	0.0015	0.108	2.30	7.55	<10	179.0	1.38	0.80	0.23	0.11	22.7	6.5	27.6	3.10
AB 12 D		0.69	0.0008	0.041	1.80	9.73	<10	112.0	0.83	1.13	0.14	0.21	22.2	8.1	26.7	2.19
AB 12 E		Not Recvd														
AB 12 F		Not Recvd														
AB 12 G		0.78	0.0007	0.030	1.59	5.95	<10	88.0	0.54	0.50	0.23	0.12	22.6	5.8	25.4	2.27
AB 13 A		0.80	0.0011	0.035	1.79	5.90	<10	107.5	0.83	0.34	0.27	0.17	30.4	6.9	25.5	3.30
AB 13 B		Not Recvd														
AB 13 C		Not Recvd														
AB 13 D		0.65	0.0010	0.063	1.83	6.86	<10	114.5	0.67	0.96	0.22	0.22	20.0	6.9	27.1	2.23
AB 13 E		Not Recvd														
AB 13 F		Not Recvd														
AB 13 G		Not Recvd														
AB 14 A		0.86	0.0015	0.050	2.48	8.04	<10	190.5	1.51	0.48	0.26	0.13	37.1	12.3	32.9	4.11
AB 14 B		Not Recvd														
AB 14 C		0.69	0.0011	0.051	1.65	6.22	<10	111.5	0.62	0.77	0.25	0.17	18.40	7.5	25.4	1.92
AB 14 D		Not Recvd														
AB 14 E		Not Recvd														



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
 3 RYDER PLACE
 WHITEHORSE YT Y1A 5T5

Page: 2 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 15-OCT-2012
 Account: COUDES

Project: AB

CERTIFICATE OF ANALYSIS WH12235267

Sample Description	Method Analyte Units LOR	ME-MS41L Cu ppm	ME-MS41L Fe %	ME-MS41L Ga ppm	ME-MS41L Ge ppm	ME-MS41L Hf ppm	ME-MS41L Hg ppm	ME-MS41L In ppm	ME-MS41L K %	ME-MS41L La ppm	ME-MS41L Li ppm	ME-MS41L Mg %	ME-MS41L Mn ppm	ME-MS41L Mo ppm	ME-MS41L Na %	ME-MS41L Nb ppm
AB 9 A		13.70	2.87	6.22	0.05	0.04	0.016	0.031	0.15	15.3	39.5	0.46	492	0.79	0.01	2.34
AB 9 B		12.05	2.68	5.75	0.06	0.02	0.017	0.029	0.20	18.5	40.9	0.36	410	0.55	0.01	2.61
AB 9 C																
AB 9 D		15.25	2.73	7.16	<0.05	0.02	0.027	0.026	0.13	11.2	28.0	0.38	463	0.81	0.01	2.18
AB 9 E																
AB 9 F																
AB 9 G																
AB 10 A		12.15	2.70	6.60	<0.05	0.03	0.027	0.023	0.12	10.7	27.5	0.39	354	0.78	0.01	2.30
AB 10 B		13.90	3.08	7.45	<0.05	0.04	0.037	0.032	0.14	14.5	41.2	0.39	385	0.93	0.01	3.15
AB 10 C		9.79	1.81	4.06	0.06	0.04	0.014	0.016	0.11	13.4	25.8	0.33	246	0.45	0.01	2.24
AB 10 D																
AB 10 E		8.82	1.55	3.94	<0.05	<0.02	0.017	0.015	0.08	7.8	15.7	0.22	953	0.63	0.01	1.48
AB 10 F																
AB 10 G		13.20	2.54	7.02	<0.05	0.03	0.202	0.019	0.08	8.6	23.1	0.35	615	1.11	0.01	1.98
AB 11 A		12.50	2.72	7.35	<0.05	0.02	0.029	0.024	0.13	14.0	29.2	0.40	492	0.88	0.01	2.29
AB 11 B		17.95	3.43	7.76	0.06	0.05	0.025	0.036	0.34	18.2	58.3	0.64	692	0.85	0.01	2.72
AB 11 C																
AB 11 D																
AB 11 E		16.60	2.39	5.93	<0.05	0.04	0.028	0.025	0.11	12.7	29.1	0.41	364	0.60	0.01	2.20
AB 11 F																
AB 11 G																
AB 12 A		17.15	3.42	8.08	<0.05	0.02	0.028	0.034	0.13	13.5	36.4	0.48	568	1.02	0.01	2.19
AB 12 B		14.35	3.02	6.07	0.08	0.05	0.017	0.034	0.31	29.6	46.1	0.32	707	1.45	0.01	2.74
AB 12 C		17.70	2.86	7.07	<0.05	0.02	0.046	0.027	0.11	11.0	29.9	0.34	348	0.88	0.01	1.56
AB 12 D		13.95	3.11	7.22	<0.05	0.05	0.021	0.027	0.11	10.8	21.9	0.34	626	1.13	0.01	2.58
AB 12 E																
AB 12 F																
AB 12 G		10.60	2.13	5.41	0.05	0.02	0.016	0.021	0.11	11.5	34.2	0.43	226	0.57	0.01	2.28
AB 13 A		13.10	2.60	5.68	0.05	0.02	0.016	0.024	0.14	14.9	32.8	0.45	331	0.62	0.01	2.13
AB 13 B																
AB 13 C																
AB 13 D		14.55	2.52	6.00	<0.05	0.02	0.024	0.023	0.10	9.6	23.8	0.35	442	0.76	0.01	1.67
AB 13 E																
AB 13 F																
AB 13 G																
AB 14 A		20.4	3.26	6.91	0.05	0.03	0.036	0.038	0.13	18.1	38.0	0.44	753	0.97	0.01	2.08
AB 14 B																
AB 14 C		13.55	2.31	5.26	0.05	0.02	0.021	0.021	0.09	9.1	21.3	0.36	474	0.69	0.01	1.58
AB 14 D																
AB 14 E																



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: 2 - C
Total # Pages: 3 (A - D)
Plus Appendix Pages
Finalized Date: 15-OCT-2012
Account: COUDES

Project: AB

CERTIFICATE OF ANALYSIS WH12235267

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti
		ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1	0.001
AB 9 A		18.7	0.074	14.15	35.6	<0.001	0.02	0.316	4.1	0.8	1.5	14.2	<0.01	0.02	4.3	0.094
AB 9 B		11.9	0.083	14.60	44.2	<0.001	0.01	0.268	3.5	0.7	1.3	13.6	<0.01	0.01	6.1	0.083
AB 9 C																
AB 9 D		15.0	0.066	12.60	45.4	<0.001	0.04	0.296	2.7	0.7	1.4	19.9	<0.01	0.04	1.3	0.104
AB 9 E																
AB 9 F																
AB 9 G																
AB 10 A		15.1	0.051	11.05	26.7	<0.001	0.02	0.367	3.2	0.6	1.0	15.6	<0.01	0.03	3.1	0.101
AB 10 B		15.0	0.054	14.80	37.2	<0.001	0.02	0.333	3.6	0.5	1.3	11.8	<0.01	0.02	5.3	0.089
AB 10 C		12.0	0.073	6.93	28.2	<0.001	0.01	0.236	2.4	0.7	0.9	16.7	<0.01	0.02	5.0	0.101
AB 10 D																
AB 10 E		9.7	0.036	7.61	26.4	<0.001	0.03	0.245	1.4	0.5	0.8	15.0	<0.01	0.01	0.9	0.069
AB 10 F																
AB 10 G		13.6	0.045	14.10	29.9	<0.001	0.03	0.268	2.1	0.3	1.2	16.1	<0.01	0.02	1.2	0.108
AB 11 A		15.0	0.046	11.50	31.8	<0.001	0.02	0.329	3.4	0.3	1.2	16.4	<0.01	0.04	2.8	0.101
AB 11 B		17.5	0.076	15.85	72.1	0.001	0.02	0.280	5.7	0.7	3.5	17.2	<0.01	0.02	6.7	0.102
AB 11 C																
AB 11 D																
AB 11 E		17.5	0.070	10.40	30.7	<0.001	0.02	0.346	3.3	0.8	1.0	16.2	<0.01	0.03	3.0	0.108
AB 11 F																
AB 11 G																
AB 12 A		18.8	0.057	16.45	30.7	<0.001	0.02	0.370	3.7	0.6	1.4	19.1	<0.01	0.02	2.3	0.078
AB 12 B		17.0	0.125	14.45	62.6	<0.001	0.02	0.230	4.8	1.0	4.1	14.7	<0.01	0.02	12.2	0.111
AB 12 C		14.4	0.076	12.60	33.7	<0.001	0.10	0.310	3.4	0.6	1.3	22.9	<0.01	0.02	0.9	0.077
AB 12 D		13.4	0.045	10.65	39.4	<0.001	0.05	0.333	3.1	0.3	1.2	13.5	<0.01	0.04	3.2	0.119
AB 12 E																
AB 12 F																
AB 12 G		14.5	0.052	6.99	30.3	<0.001	0.04	0.245	2.6	0.3	1.5	16.4	<0.01	0.02	2.6	0.111
AB 13 A		14.5	0.067	8.92	29.6	<0.001	0.04	0.261	3.4	0.5	1.2	17.9	<0.01	0.01	3.3	0.096
AB 13 B																
AB 13 C																
AB 13 D		14.1	0.067	9.07	30.5	<0.001	0.07	0.299	2.3	0.4	1.1	19.7	<0.01	0.02	1.6	0.086
AB 13 E																
AB 13 F																
AB 13 G																
AB 14 A		18.8	0.060	12.90	32.9	<0.001	0.07	0.333	5.6	0.6	2.0	23.0	<0.01	0.02	3.1	0.080
AB 14 B																
AB 14 C		13.8	0.069	8.26	26.7	<0.001	0.06	0.283	2.3	0.4	0.9	19.7	<0.01	0.02	1.2	0.087
AB 14 D																
AB 14 E																



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
 3 RYDER PLACE
 WHITEHORSE YT Y1A 5T5

Page: 2 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 15-OCT-2012
 Account: COUDES

Project: AB

CERTIFICATE OF ANALYSIS WH12235267

Sample Description	Method Analyte Units LOR	ME-MS41L Ti ppm 0.02	ME-MS41L U ppm 0.05	ME-MS41L V ppm 1	ME-MS41L W ppm 0.01	ME-MS41L Y ppm 0.05	ME-MS41L Zn ppm 0.1	ME-MS41L Zr ppm 0.5
AB 9 A		0.28	4.33	50	0.18	8.71	72.4	1.6
AB 9 B		0.33	8.61	38	0.18	10.75	79.1	0.7
AB 9 C								
AB 9 D		0.26	4.26	56	0.21	7.42	71.6	1.0
AB 9 E								
AB 9 F								
AB 9 G								
AB 10 A		0.19	1.56	59	0.22	4.45	56.9	1.4
AB 10 B		0.26	3.04	56	0.22	6.63	55.6	1.6
AB 10 C		0.19	1.85	37	0.16	8.28	48.4	1.8
AB 10 D								
AB 10 E		0.15	1.90	35	0.15	4.07	38.3	0.5
AB 10 F								
AB 10 G		0.18	2.55	57	0.32	4.00	49.0	1.1
AB 11 A		0.22	2.54	58	0.18	6.88	60.7	0.8
AB 11 B		0.54	8.39	57	0.18	11.05	81.7	2.5
AB 11 C								
AB 11 D								
AB 11 E		0.22	3.90	51	0.24	7.77	63.4	1.4
AB 11 F								
AB 11 G								
AB 12 A		0.24	3.09	63	0.19	6.75	80.9	0.8
AB 12 B		0.43	8.87	39	0.24	16.10	73.4	2.4
AB 12 C		0.25	8.81	55	0.21	9.92	63.0	0.7
AB 12 D		0.20	3.16	74	0.22	6.25	58.3	2.0
AB 12 E								
AB 12 F								
AB 12 G		0.18	1.32	47	0.23	5.65	52.7	1.1
AB 13 A		0.18	2.08	53	0.17	7.91	62.5	0.9
AB 13 B								
AB 13 C								
AB 13 D		0.18	2.97	52	0.21	6.43	59.5	0.8
AB 13 E								
AB 13 F								
AB 13 G								
AB 14 A		0.23	4.35	59	0.21	10.90	67.1	1.3
AB 14 B								
AB 14 C		0.16	2.19	50	0.23	6.36	56.1	0.9
AB 14 D								
AB 14 E								



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
 3 RYDER PLACE
 WHITEHORSE YT Y1A 5T5

Page: 3 - A
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 15-OCT-2012
 Account: COUDES

Project: AB

CERTIFICATE OF ANALYSIS WH12235267

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	ME-MS41L Au ppm 0.0002	ME-MS41L Ag ppm 0.002	ME-MS41L Al % 0.01	ME-MS41L As ppm 0.02	ME-MS41L B ppm 10	ME-MS41L Ba ppm 0.5	ME-MS41L Be ppm 0.05	ME-MS41L Bi ppm 0.01	ME-MS41L Ca % 0.01	ME-MS41L Cd ppm 0.01	ME-MS41L Ce ppm 0.02	ME-MS41L Co ppm 0.1	ME-MS41L Cr ppm 0.5	ME-MS41L Cs ppm 0.05
AB 14 F		0.79	0.0011	0.024	1.93	7.20	<10	91.3	0.73	0.54	0.25	0.19	24.8	7.4	28.3	2.35
AB 14 G		0.91	0.0005	0.061	1.44	4.18	<10	89.8	0.50	0.56	0.17	0.20	23.7	6.0	20.0	2.53
AB 15 A		0.54	0.0009	0.054	1.54	3.63	<10	61.9	1.99	4.48	0.16	0.20	31.2	2.9	12.5	11.55
AB 15 B		0.55	0.0011	0.066	1.24	5.70	<10	38.8	0.65	2.63	0.07	0.17	22.0	3.4	15.4	4.90
AB 15 C		0.55	0.0008	0.033	1.31	6.42	<10	67.7	1.08	3.13	0.12	0.21	24.2	4.3	17.6	5.83
AB 15 D		0.59	0.0019	0.037	1.01	3.83	<10	68.4	1.83	3.08	0.30	0.19	37.3	3.6	13.5	9.38
AB 15 E		0.78	0.0009	0.025	1.14	2.80	<10	68.0	1.35	1.47	0.36	0.23	31.8	4.6	20.5	5.13
AB 15 F		0.58	0.0023	0.037	2.00	6.46	<10	69.4	1.18	1.55	0.12	0.20	27.5	5.7	22.2	5.02
AB 15 G		0.52	0.0016	0.184	2.98	8.91	<10	117.0	3.76	1.62	0.13	0.19	38.7	9.4	28.2	5.07
AB 16 A		0.53	0.0056	0.038	1.35	6.53	<10	43.1	0.32	1.65	0.08	0.44	18.15	3.4	18.6	2.56
AB 16 B		0.61	0.0023	0.027	1.53	5.27	<10	76.1	0.94	1.67	0.19	0.19	28.9	6.8	20.2	3.24
AB 16 C		0.54	0.0010	0.024	1.23	2.55	<10	52.2	1.37	4.08	0.17	0.17	27.2	3.6	12.7	8.14
AB 16 D		0.65	0.0013	0.024	1.29	4.80	<10	64.3	1.42	2.85	0.14	0.16	28.0	3.8	14.0	7.80
AB 16 E		0.53	0.0009	0.020	1.19	3.84	<10	45.4	1.20	1.94	0.18	0.22	28.2	3.7	15.1	6.40
AB 16 F		0.57	0.0044	0.055	1.85	6.01	<10	63.9	1.35	1.62	0.16	0.20	23.9	5.8	21.6	5.49
AB 16 G		0.69	0.0032	0.026	1.41	5.60	<10	64.0	1.22	1.54	0.18	0.20	24.9	6.2	21.1	4.59



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
 3 RYDER PLACE
 WHITEHORSE YT Y1A 5T5

Page: 3 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 15-OCT-2012
 Account: COUDES

Project: AB

CERTIFICATE OF ANALYSIS WH12235267

Sample Description	Method Analyte Units LOR	ME-MS41L Cu ppm 0.01	ME-MS41L Fe % 0.01	ME-MS41L Ga ppm 0.05	ME-MS41L Ge ppm 0.05	ME-MS41L Hf ppm 0.02	ME-MS41L Hg ppm 0.005	ME-MS41L In ppm 0.005	ME-MS41L K % 0.01	ME-MS41L La ppm 0.2	ME-MS41L Li ppm 0.1	ME-MS41L Mg % 0.01	ME-MS41L Mn ppm 1	ME-MS41L Mo ppm 0.01	ME-MS41L Na % 0.01	ME-MS41L Nb ppm 0.05
AB 14 F		11.10	2.61	5.88	0.05	0.05	0.022	0.022	0.12	12.5	36.4	0.45	395	0.65	0.01	2.66
AB 14 G		12.90	1.94	5.86	0.07	0.02	0.013	0.018	0.14	11.6	26.2	0.28	348	0.59	0.01	2.37
AB 15 A		8.19	1.92	5.69	<0.05	<0.02	0.032	0.016	0.11	15.3	40.2	0.22	490	0.61	0.01	3.62
AB 15 B		9.02	1.86	6.17	<0.05	<0.02	0.064	0.016	0.06	10.8	12.5	0.16	276	1.00	0.01	1.58
AB 15 C		9.26	2.19	5.99	<0.05	<0.02	0.021	0.014	0.07	12.5	20.4	0.25	319	0.89	0.01	2.10
AB 15 D		7.70	1.70	3.09	0.05	0.10	0.017	0.030	0.08	17.1	16.2	0.24	372	0.52	0.01	1.05
AB 15 E		9.08	1.67	3.34	0.05	0.10	0.037	0.017	0.06	15.5	14.7	0.34	221	0.36	0.02	1.07
AB 15 F		13.00	2.48	6.00	<0.05	0.02	0.040	0.022	0.05	13.4	21.5	0.28	341	1.01	0.01	1.74
AB 15 G		26.3	3.06	6.50	0.06	0.02	0.108	0.035	0.06	17.8	21.1	0.35	745	1.35	0.01	1.31
AB 16 A		7.36	2.32	8.18	<0.05	<0.02	0.048	0.015	0.04	9.4	11.4	0.21	316	1.03	0.01	1.53
AB 16 B		13.10	2.09	4.54	<0.05	0.02	0.024	0.016	0.05	13.8	23.8	0.33	437	0.65	0.01	1.74
AB 16 C		6.33	1.59	4.37	<0.05	0.02	0.021	0.012	0.07	14.0	32.8	0.24	266	0.31	0.01	3.13
AB 16 D		8.12	1.96	4.80	<0.05	<0.02	0.016	0.016	0.06	13.9	23.7	0.25	307	0.44	0.01	2.05
AB 16 E		7.75	1.83	3.82	<0.05	<0.02	0.026	0.016	0.05	13.5	17.9	0.23	334	0.42	0.01	1.05
AB 16 F		11.20	2.17	5.03	<0.05	0.04	0.032	0.024	0.07	11.4	25.5	0.34	330	0.73	0.01	2.21
AB 16 G		11.95	2.05	4.94	<0.05	<0.02	0.024	0.019	0.07	12.0	24.4	0.32	436	0.74	0.01	1.74



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
 3 RYDER PLACE
 WHITEHORSE YT Y1A 5T5

Page: 3 - C
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 15-OCT-2012
 Account: COUDES

Project: AB

CERTIFICATE OF ANALYSIS WH12235267

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.001	0.01	0.1	0.001	0.01	0.005	0.1	0.1	0.2	0.2	0.01	0.01	0.1
AB 14 F		15.9	0.068	8.10	29.5	<0.001	0.03	0.284	2.9	0.5	1.3	16.7	<0.01	0.01	3.7
AB 14 G		11.3	0.056	7.07	39.7	<0.001	0.02	0.233	2.1	0.3	1.3	12.8	<0.01	0.01	1.8
AB 15 A		6.5	0.066	16.30	38.4	<0.001	0.19	0.207	1.1	0.6	4.1	11.5	<0.01	0.01	2.1
AB 15 B		6.9	0.051	9.87	17.3	<0.001	0.08	0.333	1.0	0.3	2.0	7.6	<0.01	0.03	0.5
AB 15 C		9.2	0.031	15.40	22.8	<0.001	0.06	0.303	1.7	0.4	1.9	12.1	<0.01	0.01	3.0
AB 15 D		7.2	0.060	32.3	17.3	<0.001	0.04	0.229	2.4	1.0	1.5	18.3	<0.01	0.01	12.2
AB 15 E		10.8	0.073	19.05	11.2	<0.001	0.05	0.266	2.6	0.3	0.9	21.7	<0.01	0.01	6.8
AB 15 F		13.3	0.052	17.55	15.0	<0.001	0.09	0.369	2.0	0.7	1.9	10.6	0.01	0.04	2.5
AB 15 G		15.8	0.175	28.2	16.3	<0.001	0.16	0.514	1.5	1.7	1.1	13.7	0.01	0.04	0.4
AB 16 A		7.7	0.034	11.90	8.4	<0.001	0.05	0.319	1.5	0.2	1.4	7.6	<0.01	0.03	0.9
AB 16 B		15.4	0.069	11.60	12.6	<0.001	0.02	0.328	2.0	0.2	1.3	12.2	0.01	0.02	3.0
AB 16 C		7.6	0.054	17.25	22.8	<0.001	0.27	0.153	1.4	0.2	2.5	9.8	<0.01	0.01	4.6
AB 16 D		8.4	0.042	20.6	22.3	<0.001	0.06	0.217	1.4	0.2	1.9	10.1	<0.01	0.01	3.4
AB 16 E		9.7	0.064	16.00	13.4	<0.001	0.05	0.242	1.1	0.5	1.1	11.3	<0.01	<0.01	1.3
AB 16 F		12.5	0.062	15.65	17.3	<0.001	0.05	0.323	2.2	0.6	1.4	11.8	0.01	0.02	2.3
AB 16 G		13.0	0.060	14.85	15.2	<0.001	0.05	0.337	1.9	0.4	1.5	12.6	<0.01	0.01	1.6



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
 3 RYDER PLACE
 WHITEHORSE YT Y1A 5T5

Page: 3 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 15-OCT-2012
 Account: COUDES

Project: AB

CERTIFICATE OF ANALYSIS WH12235267

Sample Description	Method Analyte Units LOR	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L	ME-MS41L
		Ti	U	V	W	Y	Zn	Zr
		ppm 0.02	ppm 0.05	ppm 1	ppm 0.01	ppm 0.05	ppm 0.1	ppm 0.5
AB 14 F		0.17	1.39	55	0.23	6.59	60.9	2.1
AB 14 G		0.22	1.65	41	0.22	6.54	46.6	0.9
AB 15 A		0.23	6.51	26	0.22	7.40	71.6	<0.5
AB 15 B		0.14	2.23	52	0.18	2.67	42.6	<0.5
AB 15 C		0.15	3.81	49	0.19	3.49	64.4	0.6
AB 15 D		0.15	15.90	24	0.23	23.7	82.9	3.7
AB 15 E		0.10	7.40	38	0.14	11.85	60.2	4.1
AB 15 F		0.17	2.50	52	0.19	5.62	51.4	0.6
AB 15 G		0.23	41.2	54	0.23	19.05	58.2	0.7
AB 16 A		0.15	0.86	71	0.20	1.83	47.0	0.5
AB 16 B		0.11	2.77	42	0.17	5.74	55.9	0.7
AB 16 C		0.15	5.24	24	0.13	6.50	63.0	0.8
AB 16 D		0.15	4.47	33	0.16	5.29	64.4	<0.5
AB 16 E		0.10	8.16	32	0.14	7.01	59.2	<0.5
AB 16 F		0.15	8.14	42	0.19	7.22	63.4	0.9
AB 16 G		0.13	9.40	46	0.22	7.14	60.9	<0.5



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: COUREUR DES BOIS
3 RYDER PLACE
WHITEHORSE YT Y1A 5T5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 15-OCT-2012
Account: COUDES

Project: AB

CERTIFICATE OF ANALYSIS WH12235267

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method:

Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
ME-MS41L