Prospecting, Soil Geochemistry, Ground Magnetic Surveying, and Reverse Circulation Drilling on the Betty Project, White Gold District Yukon Territory, Canada

096545



Betty 1-564 (YD96501-YD97064)

Betty 565-730 (YD133355-YD133520)

Betty 731-860 (YE21301-YE21430)

Hayes 1-100 (YE24001-YE24100)

Hayes 101-1316 (YE22701-YE23916)

NTS MAP-SHEETS 115J/09, 115J/10, 115J/15 &115J16

62° 47' N 138° 34' W

E623860 / N6964825 NAD83, Zone 7N

WHITEHORSE MINING DISTRICT

Work completed: May 1, 2012 to September 30, 2012

Submitted by: Peter Tallman P. Geo.

Final Revision: August 22, 2013

On behalf of

Ethos Gold Corp.

480 - 789 West Pender Street,

Vancouver, BC Canada V6C 1H2

Tel · 604.682.4750 Fax · 604.682.4809

Webpage · www.ethosgold.com

Table of Contents

1 INTRODUCTION 3
1.1 Scope of Work 3
1.2 Work Program 3
1.3 Terms, Definitions & Units 3
1.4 Source Documents 4
1.5 Geotechnical Information 4
1.6 Limitations, Restrictions and Assumptions 4
1.7 Reliance on Other Experts 4
1.8 Qualified Person and Participating Personnel 4

2 PROPERTY LOCATION & DESCRIPTION 4
2.1 Location & Land Tenure 4
2.2 Underlying Agreements 6

3 ACCESSIBILITY, LOCAL RESOURCES, INFRASTRUCTURE, PHYSIOGRAPHY & CLIMATE 7
3.1 Access, Local Resources & Infrastructure 7
3.2 Physiography & Climate 8

4 PROPERTY HISTORY 9

5 GEOLOGICAL SETTING 10
5.1 Regional Geology 10
5.2 Property Geology 11

6 DEPOSIT TYPES & MINERALIZATION 13
6.1 Deposit Type 13
6.2 Mineralization 14
6.2.1 Mineralization on the Betty Property Mascot Area 14
6.2.2 Mineralization in surrounding properties 15

7 2012 ETHOS EXPLORATION WORK 15
7.1 Soil Sampling 15
7.2 Prospecting 18
7.3 Trenching Rehabilitation 20
7.4 Ground Magnetic Geophysics Survey 20

8 REVERSE CIRCULATION DRILLING 22

9 SAMPLING METHOD & ANALYSES 30
9.1 Sampling Methodology 30
9.1.1 Soil Samples 30
9.1.2 Rock and RC Drill Samples 30
9.2 Sample Preparation, Analyses and Security 31

10 DATA VERIFICATION 32

11 ADJACENT PROPERTIES 32

12 MINERAL PROCESSING & METALLURGICAL TESTING 32

13 MINERAL RESOURCE & RESERVE ESTIMATE 32

14 OTHER RELEVANT DATA AND INFORMATION 32

15 INTERPRETATION AND CONCLUSIONS 32

16 RECOMMENDATIONS 33

17 2012 STATEMENT OF EXPLORATION EXPENDITURES 34

18 BIBLIOGRAPHY 35

19 CERTIFICATION, DATE AND SIGNATURE 38

APPENDICES (LOCATED ON ACCOMPANYING CD-ROM)

APPENDIX I - MINERAL TENURE OF THE BETTY PROJECT
Appendix I.I - Betty West
Appendix I.II - Betty East
APPENDIX II-SOIL SAMPLE LOCATIONS AND DESCRIPTIONS
APPENDIX III-ROCK SAMPLE LOCATIONS AND DESCRIPTIONS
APPENDIX IV- BETTY PROPERTY ASSAY CERTIFICATES (2012 EXPLORATION PROGRAM)
Appendix IV.I - Soil Assay Certificates
Appendix IV.II - Rock Assay Certificates
Appendix IV.III - Core Chip Assay Certificates
APPENDIX V- GEOPHYSICS
APPENDIX VI-DRILLING
Appendix VI.I - Drill Collar Locations
Appendix VI.II - Drill Hole Assay Results

LIST OF FIGURES

FIGURE 1. PROPERTY LOCATION MAP
FIGURE 2. CLAIMS LOCATION MAP
FIGURE 3. PROPERTY INFRASTRUCTURE MAP
FIGURE 4. REGIONAL GEOLOGY MAP
FIGURE 5. PROPERTY GEOLOGY MAP
FIGURE 6. 2012 SOIL SAMPLE LOCATION MAP
FIGURE 7. COMPILED GOLD IN SOIL RESULTS MAP
FIGURE 8. MASCOT ZONE GOLD-IN-SOIL RESULTS
FIGURE 9. 2012 ROCK SAMPLE LOCATION MAP
FIGURE 10. COMPILED PROSPECTING RESULTS MAP
FIGURE 11. DRILL LOCATION ON 2011 TMI SURVEY MAP
FIGURE 12. 2012 WALKING MAGNETICS SURVEY MAP
FIGURE 13. MERCEDES & TEEK GEOCHEM AND DRILL HOLE MAP
FIGURE 14. MARSHALL & BOND GEOCHEM AND DRILL HOLE MAP
FIGURE 15. PERRAULT, SPITZ, THORNTON & MILLER GEOCHEM AND DRILL HOLE MAP

LIST OF TABLES

TABLE 1. BETTY PROPERTY CLAIM SUMMARY
TABLE 2. BETTY PROPERTY – WORK HISTORY
TABLE 3. REGIONAL GEOLOGICAL UNITS
TABLE 4. GOLD DEPOSITS IN THE TINTINA GOLD BELT
TABLE 5. RC DRILL HOLE COLLAR LOCATIONS
TABLE 6. SUMMARY OF SIGNIFICANT RC RESULTS
TABLE 7. SUMMARY OF ACME ANALYTICAL PACKAGES USED DURING 2012
TABLE 8. SUMMARY OF 2012 STATEMENT OF EXPLORATION EXPENDITURES

LIST OF PHOTO-PLATES

PHOTO-PLATE 1. DEEP PROSPECTING PITS.

1 Introduction

The 2012 Betty property exploration program tested the large gold-in-soil anomaly outlined in 2011 for bulk-tonnage epithermal gold mineralization similar to the gold mineralization discovered by Kaminak Gold Corp ("Kaminak") on the adjacent "Coffee" gold property. The Betty property was identified and staked as an area of exploration interest by prospector Shawn Ryan following the discovery of gold near Coffee Creek by Kaminak. Mr. Ryan proposed that the east-west trending gold-bearing Coffee fault identified by Kaminak continued through the middle of the Betty Property. He also suggested this structure was transected by the north-east trending Dip Creek fault and that the confluence of these features would be a prime location for near surface gold mineralization. Exploration by Ethos Gold Corp ("Ethos") during 2011 outlined a 17 square kilometer gold-in-soil anomaly within the Betty property near the junction of the Coffee fault and the Dip Creek fault (see Tallman, 2012 for full results of 2011 program). Prospecting and follow up trench pits on these gold-soil anomalies yielded gold in rock grab samples supporting the potential for a bulk tonnage gold deposit.

1.1 Scope of Work

This report describes the exploration history, geology and mineral potential of the Betty property, including work performed by Ethos Gold Corp during the period May 1, 2012 to September 30, 2012. A review of historical industry work and other information within the immediate and surrounding region is included. Regional geology, associated data and current exploration information have been reviewed to determine the geological setting and potential for mineralization.

1.2 Work Program

The objective of 2012 exploration on the Betty property was to follow up on 2011 geochemical results suggesting the possibility of bulk-tonnage epithermal gold mineralization at the Mascot gold target. The 2012 exploration on the Betty property included additional soil sampling, back-filling 2011 trench pits, limited prospecting and rock sampling, ground "walking" magnetic surveying, and reverse circulation drilling. A total of 1800+ man-days work was completed during the 2012 field season plus work by contractors up to September 30, 2012. Ethos moved into the Caribou Rose 'base camp' rented from Castilian Resources Corp as a base for 2012 exploration. The Caribou Rose camp is located 10 km west of Western Copper's Casino airstrip and 20 km west of the Mascot gold target area. The Caribou Rose camp housed up to 22 Ethos and contractor personnel during 2012. Ethos contracted Heli-Dynamics of Whitehorse YT which provided a Bell 407 based at the Caribou Rose camp. Property access was provided via daily helicopter flight from the camp to the targeted areas within the Betty property. The ground magnetics survey was conducted by Ground Truth Exploration personnel and based out of the Caribou Rose camp. Additional soil sampling was conducted by Ground Truth Exploration personnel based in a series of locally mobile field camps on the Betty property and supported primarily by Ethos' Bell 407 helicopter from Caribou Rose camp. Fuel, equipment, supplies, and samples were shipped in/out by various fixed wing aircraft using primarily the Rude Creek airstrip or the Casino airstrip.

1.3 Terms, Definitions & Units

The following terms and abbreviations are used within this report:

- Distances are reported in meters (m), kilometres (km) and feet (ft).
- Costs are reported in Canadian dollars (CAN$).
- Locational information is reported in both Latitude-Longitude and UTM grid (Easting, Northing) NAD83, Zone 7N.
- Geochemical data is reported in parts per million (ppm) the equivalent to grams per tonne (g/t) and ounces per tonne (oz/t), as well as parts per billion (ppb).
- QAQC refers to quality assurance and quality control.
- Geological ages include: Ka (thousand) and Ma (million) years ago.
- Elemental abbreviations include: antimony (Sb), arsenic (As), bismuth (Bi), copper (Cu), gold (Au), iron (Fe), lead (Pb), silver (Ag) and zinc (Zn).
- Mineralogical abbreviations include: pyrite (Pyr) and pyrrhotite (Po) [iron sulphides], limonite (Lim) [hydrated iron oxide], magnetite (Mag) [iron oxide], chalcopyrite (Cpy) [copper sulphide] and molybdenite (Mo) [molybdenum sulphide].
- MINFILE showing refers to documented mineral occurrences compiled by the Yukon Geological Survey.

- Directional units include: north (N), east (E), south (S), west (W) and may be used in combination (*i.e.*, NNE for north-northeast).

1.4 Source Documents

The following sources of information were used in writing this technical report and include private company data and information available on the public domain:

- Review of published and scientific papers on geology on the region and on mineral deposit types
- Review of geological maps and reports completed by the Yukon Geological Survey and the Geological Survey of Canada
- Research on the Yukon Geological Survey's MINFILE database (http://servlet.gov.yk.ca/ygsmin/index.do) and Map Viewer (http://maps.gov.yk.ca/imf.jsp?site=YGS)
- Review of previously written assessment and YMIP reports at the Energy, Mines & Resources Library (http://www.emr.gov.yk.ca/library/)
- Review of publically available data, including news releases, on Ethos Gold Corp. (www.ethosgold.com/s/home.asp)
- Work directed and performed by the author on the Betty property during June through September, 2011.

1.5 Geotechnical Information

Ethos uses UTM NAD83 Zone 7 coordinates for geographic positioning system ("GPS"). Coordinates are expressed in UTM NAD83 Zone 7 unless specified otherwise. Ethos employees and consultants were provided with Garmin "GPSMap 62s" model GPS devices, which can automatically record continuous route tracks as well as set waypoint information. The Garmin GPS devices are assumed accurate to within 5 meters horizontally and within 10 meters on elevation. Cameras were synchronized with clocks on individuals GPS units so that photographs could be geo-tagged using Garmin Basemap software. Tracks were continuously recorded daily for mapping and prospecting surveys, waypoints entered with notes where features of interest were encountered, and photographs tagged to individual waypoint and sample locations.

1.6 Limitations, Restrictions and Assumptions

The author has assumed that the previous and documented work on the property is valid and has not encountered any information to discredit such work.

1.7 Reliance on Other Experts

The author has relied in part upon work and reports completed by others in previous years and in the preparation of this technical report. The authors' opinion contained herein is based on information obtained to date, which in turn reflect various technical and economic conditions; given the nature of the mining industry, these conditions can change rapidly over relatively short periods of time. Furthermore, thorough checks to confirm results of such reports and work has not been completed and unless otherwise stated the author has not independently confirmed the accuracy of the data. To the authors knowledge there are no known litigations potentially affecting the Betty project. Title documents and option agreements were reviewed for this study, this report does not constitute, nor is it intended to represent a legal opinion as to the validity of the title. The project is an early stage exploration property and therefore, limited surface disturbances have been created by the company.

1.8 Qualified Person and Participating Personnel

Mr. Peter Tallman, P.Geo Chief Operating Officer (COO) of Ethos Gold Corporation (Vancouver, British Columbia) directed exploration and worked on the Betty property during the period from May 20 to September 15, 2012. This report describes the property and the work performed in 2012.

2 Property Location & Description

2.1 Location & Land Tenure

The Betty property is located in west-central Yukon in the White Gold district within the Whitehorse Mining District, Canada, (Figure 1) and is at an early exploration phase. For the purposes of this report, the Betty property is comprised of the Betty East and Betty West Claims grouping totaling 1,425 contiguous claims (Table 1; Figure 2). The contiguous Betty property claims (NTS map sheets 115J/09, 10, 15 & 16) are centered at a latitude of 62°47'N and a longitude of 138°34'W (Figure 2) and lie 130 km southeast of Dawson City, located 540 km north of Whitehorse via a paved highway (*Table 1*). The boundaries of the property have not been legally surveyed. Refer to *Appendix I. Mineral Tenure of the Betty* for a detailed statement of claims.



Figure 1: Property location map (Ethos, 2012)

Table 1. Betty Property Claim Summary (see appendix I for full list of claims described in this report)

Claim Group Name	Claim No. (from)	Claim No. (to)	Grant No. (from)	Grant No. (to)	NTS	Expiry Date*	Total No.
Betty	1	564	YD96501	YD97064	115J/09,10, 15 & 16	09/29/20	564
Betty	565	730	YD133355	YD133520	115J/10 & 15	12/29/20	166
Betty	731	860	YD97071	YD97190	115J/09,10, 15 & 16	08/11/21	130
Hayes	1	100	YE24001	YE24100	115J/09 & 16	06/29/21	100
Hayes	101	1077	YE22701	YE23677	115J/09, 16, 115I/12 & 13	06/29/21	466
*Based upon acceptance of this report						Total Claims-	1,425
						Approximate Total Area (ha)-	25,700 ha




Figure 2: Claims Location Map (Ethos, 2012)

2.2 Underlying Agreements

The Betty Property, shown in Figure 2, were optioned from Shawn Ryan (70%) and Wildwood Explorations Inc. (30%) (the "vendors") by the Betty Agreement dated November 30, 2010. Under the terms of the Betty Agreement, Ethos may earn a 100% interest through a series of staged payments of cash and shares over four years, as well as staged exploration expenditures by October 15th 2015. Additional common shares are payable upon Ethos having incurred $4,000,000 in

cumulative expenditures and also having incurred a cumulative total of $7,500,000 in expenditures. The vendors retain a 2% underlying net smelter return royalty (NSR).

The claims are located within the Traditional Territory of the Selkirk First Nation with minor overlap with the Tr'ondëk Hwëch'in (TH) First Nation. Both First Nations have settled their land claims in the area. The closest Selkirk First Nation surveyed land (SFN R-12A) lies approximately 5 km south of the property. The claims are situated on Crown Land and therefore the mineral claims fall under the jurisdiction of the Yukon Government. Surface rights would have to be obtained from the government should the property go into development.

As required by the Yukon Quartz Mining Act, a mineral claim holder must perform $100 assessment work per claim, per year and document this work to maintain the title, or otherwise pay $100 in lieu per claim per year to maintain title to the claims.

2.3 Permits

Early exploration activities do not require permitting, however significant drilling, trenching, blasting, line cutting and excavating may require a Mining Lands Use Permit (MLUP) that must be approved under the Yukon Environmental Socioeconomic Assessment Act (YESAA). Ethos obtained a Class 3 MLUP #LQ00316 for the 2011 exploration year. This permit was renewed for the 2012 exploration year. Ethos also obtained a waste management permit #4201-81-022 for the 2011 exploration year which was also renewed for 2012. The property has been fully remediated and inspected/passed by YT government inspectors in 2013.

3 Accessibility, Local Resources, Infrastructure, Physiography & Climate

3.1 Access, Local Resources & Infrastructure

The project is centered at a latitude of 62°47'N and a longitude of 138°34'W (E623575, N6964825 NAD 83, Zone 7N). There is no road access to the Betty property during the summer months however during the winter the Casino Trail winter road is serviced by "snowcats" which pass along the southern claim boundary of the Betty property. The claims are accessible via helicopter from Dawson City (150 km), 536 km north of Whitehorse via a paved highway, or from the communities of Carmacks (170 km southeast) or Minto (100 km east). The property is also accessible by fixed wing to the Thistle Airstrip (E6995390, N586256 NAD 83, Zone 7N) from airstrips at Dawson, Carmacks, Minto or Whitehorse, followed by a 45 km helicopter flight to the claims. Several charter aircraft companies provide services with a variety of aircraft types. Other airstrips close to the Betty property include the Casino airstrip located 10 km to the southwest built and maintained by Western Copper to service the Casino Au-Cu mine development project, and a smaller 300 meter long airstrip on Hayes Creek located 25 kilometers to the east was built and is maintained by Carmacks-based placer miner George Wilson. Other local airstrips of significance include those at Rude Creek, Black Hills, Kirkman, Barker, Scroggie, Ballarat, and Coffee Creek associated with placer mining operations.

Commercial charter barges are available during summer for bulk transport of materials from Minto or Dawson City along the Yukon River. Barge landing areas have been constructed at Britannia Creek on the Yukon River (maintained by Western Copper for the Casino project) in the northeast corner of the Betty property, and at Isaac Creek used c.1900 to 1930's when there was a telegraph station there. Nearby barge landings along the Yukon River have also been built at the mouths of Ballarat and Thistle Creeks which support placer gold mining operations. A cat-trail from the mouth of Isaac Creek extends along the creek into the surrounding highlands and connects to a cross-country trail constructed in the 1970's from Burwash Landing to Casino. Water is available from the northerly flowing tributaries of the Yukon River including tributaries of Isaac and Britannia Creeks (Pautler, 2011) (Figure 3).

Dawson City, home of the historic 1896-1899 Klondike Gold Rush, has approximately 1300 residents and draws nearly 60,000 visitors each year. Main industries in Dawson City are tourism and placer mining. Heavy equipment repair and rental, a lumber mill, freighting and trucking companies and a mining oriented labour force is available for contract exploration and mining work. An airport with air service to Whitehorse and Fairbanks, Alaska and two permanent and several seasonal helicopter company bases are present providing transportation. Facilities include a health center, grocery stores, a police station, service stations (tire repair and propane sales), welding and machine shops, accommodation and restaurants.

The nearest hydroelectric power source to the Betty claims is the Minto Mine owned by Capstone Mining Corporation which lies approximately 75 km to the south-southeast (Figure 3). The Minto Mine is a 3,600 tonne per day open pit copper mining operation with conventional crushing, grinding, and flotation to produce copper concentrates with significant gold and silver credits. Concentrates are exported via truck through the Port of Skagway, Alaska. The Minto Mine was commissioned in 2007 and has an expected mine life (as of January 2012) sufficient to 2020 (Giroux, G.H., 2010; Hester, M., 2011).

The Casino Deposit owned by Western Copper and Gold Corporation is located on claims adjoining Ethos' Betty Property along the Betty southern claim boundary. The Casino Deposit contains reserves totaling 976M tonnes milling and 82M tonnes heap leachable containing 8M oz gold, 4.5B lbs copper, and 0.5B lbs molybdenum (G. Giroux, 2010; M. Hester, 2011) and a positive final feasibility study was completed (C. Huss, 25 January 2013). A 50 man camp, fuel tanks, equipment shed, plus a large airstrip, a local road network, and other infrastructure is located on the property.

A private 75 km long road from Carmacks, YT is proposed to connect to the Casino Deposit to the Yukon Highway. The completion of this road to Casino has the near-future potential to favourably affect project thresholds and economic costs at the Betty Property.




Figure 3: Property infrastructure (Ethos, 2012)

3.2 Physiography & Climate

The area of interest covers low rolling hills within the Dawson Range on the unglaciated Yukon Plateau. The topography is characterized by rolling terrain with rounded hill tops and local flat plateau areas. Elevations range from just under 1300' (396 m) along the Yukon River to 4400' (1341 m) in the southwestern corner with central ridges reaching 3700' (1128 m). Vegetation is typical boreal forest with sparse vegetation above elevations of 3500' (1067 m). Exploration in the region

typically begins in late May and ends in October as the climate is characterized by continental subarctic conditions with average temperatures ranging from 15.6°C (60°F) in July to -26.7°C (-16°F) in January (Environment Canada, 2012).

The property is drained by the northerly-flowing tributaries of the Yukon River. Vegetation is typical boreal forest (white spruce, birch, poplar and black spruce) with sparse vegetation above elevations of 3500' (1067 m) dominated by buckbrush and sparse tree cover.

4 Property History

The Dawson Range has been placer mined and explored for copper porphyry mineralization since the 1960s. The property covers the Empire, Marguerite, Brewster and Mascot MINFILE occurrences (115J 069, 070, 071 & and 074, respectively). Empire (115J 069) and Mascot are unknown mineral occurrences, Marguerite is a polymetallic Ag-Pb-Zn± Au, Cu and mineralization at Brewster is reported to be plutonic-related gold. Modern gold exploration in the area began in the late 1990's and the area has become a regional focus since the discovery of the Golden Saddle gold deposit 60 km to the northwest in 2007 by Underworld Resources (now owned and operated by Kinross Gold Corporation) and the Coffee gold mineralization 40 km to the west in 2009 by Kaminak Gold Corporation. The area of the Betty property has been staked intermittently although little exploration results are recorded. In 2008 Shawn Ryan collected 33 reconnaissance soils.

The Betty property was staked by Shawn Ryan in August 2010 following the discovery of gold on the adjacent property at Coffee. Exploration by Ethos began in June 2011 with soil surveys, airbourne geophysics, orthophotography and surficial mapping, prospecting, and trenching.

The property history is summarized in *Table 2* and is based upon information from the YGS's MINFILE capsules 115J 069, 070, 071 & and 074 (Empire, Marguerite, Brewster and Mascot; Deklerk (*compiler*), 2011), 'Mineral Industry Reports', and various 'Yukon Exploration and Geology' publications.

Table 2. Betty Property – Work History

April 1924	Mascot occurrence (115J 074) originally staked as Premier (*15032*; Deklerk, 2011).
1966	Marguerite occurrence stakes as the Sun claims (*Y5404*) by Kluane Exploration Ltd. Later that season explored by soil geochemical surveys concentrating on silver-lead veins (Deklerk, 2011).
1969	Marguerite occurrence restaked Arm, Carlo, Folly, Fred etc. claims (*Y43296*) by Marguerite Lake Mines Ltd.
1969-1970	Brewster occurrence staked as Folly (*Y43021, Y43043, Y43065 & Y43089*) in 1969 and Rain (*Y53507*) in 1970 by Brewster Lake Mines Ltd. Later that season explored via geochemical grid soil sampling (593 samples) and prospecting (on Folly and Rain claims to east). Sampling delineated a 240 m X 460 m copper soil anomaly (Brewster anomaly) with copper-in-soil values ≤105 ppm (Radvak, 1971).
1970	Empire occurrence staked as Hop (*Y48919*) in January 1970 by Empire Mercury Corporation Ltd. Later that season, 423 grid soil samples were collected in conjunction with mapping (probably staked as a copper-porphyry target). Reportedly returned no significant anomalies (Scott, 1970). Exploration of the Marguerite via geochemical grid soil sampling, geological mapping and bulldozer trenching by Nippon Mining of Canada Ltd., under option from Marguerite Lake Mines Ltd., resulting in delineating four copper soil anomalies, one up to 550 m-long where trenching exposed a small section of rusty skarn with weakly mineralized chalcopyrite (Marguerite showing) hosted by the metamorphic rocks (Craig & Laporte, 1972).
1999	Brewster occurrence staked as Hiho (*YC09898 & YC13901)* 2 km to the east and subsequently optioned the claims to Prospector International Resources Inc. which carried out geochemical soil sampling later that year. The survey identified an area of weakly anomalous arsenic (≤143.4 ppm), antimony (≤10.36 ppm) and molybdenum (≤4.42 ppm), approximately 1.1 km northeast of the Brewster occurrence in a location underlain by schist and gneiss (Jaworski and Meyer, 2000a).

2007-2008 Brewster staked as Flush claims (*YC60340*) 1.5 km to the northeast and later in 2008, Ryan collected 33 soil samples along a line to follow-up the 1999 arsenic anomaly. Samples returned a broadly arsenic anomalous zone (≤78.5 ppm) and antimony (≤10.1 ppm) at the ends of the line (Ryan, 2008).

5 Geological Setting

5.1 Regional Geology

The Betty property is located on the 1:250,000-scale 115J (Stevenson Ridge) map-sheet, which was completed in 1974 by Templeman-Kluit (Geology, Snag, Yukon (NTS 115J/K), GSC Preliminary Map 16-1973). In 2005, Gordey and Ryan re-compiled map sheets 115N, 115O and part of 115J (GSC Open File 4970).

The property is located in the Yukon-Tanana terrane (*herein* YTT), which underlies much of central and western Yukon. Its history and tectonic evolution, particularly prior to mid-Mesozoic time, has been largely obscured by younger magmatism and tectonism. The YTT is primarily a product of episodic continental arc magmatism forming a sequence of accreted pericratonic terranes that form a large portion of the Omineca Belt. The terrane underlies part of the Tintina gold belt and hosts gold deposits related to Mesozoic intrusions, including the Sonora Gulch gold deposit and the Casino copper-gold-molybdenum porphyry located southeast of the Coffee project (Bennett *et al.*, 2010). The widespread YTT is defined by metamorphosed and deformed sedimentary and volcanic rocks (schists and gneisses) that were accreted along foliation-parallel thrust faults and later deformed in the late Paleozoic, creating multiple penetrative rock fabrics. The TTY was intruded by a number of Mesozoic suites including the Late Cretaceous Dawson Range intrusions (felsic stocks and related rhyolite dykes). The rocks were later tectonically staked along foliation-parallel trust faults during the Early Jurassic (Mortensen, 1996) and subsequent regional extension occurred between the middle Cretaceous and Eocene, accompanied by fault-controlled mafic and felsic magmatism (Gabrielse and Yorath, 1991).




Figure 4: Regional terrane geology (Ethos, 2011)

5.2 Property Geology

The property occurs in the unglaciated Dawson Range, wedged between the northwest-striking Tintina fault to the northeast and the Denali fault to the southwest. The Dawson Range is characterized by metamorphosed basement rocks of the YTT and is intruded by voluminous Jurassic to Cretaceous intrusions, largely the mid-Cretaceous Dawson Range Batholith. The YTT basement rocks in the northern claim area are represented by Devonian to Mississippian-aged Snowcap Assemblage (420 Ma) orthogneiss. The YTT basement rocks in the center of the property are represented by the Permian-aged Sulphur Creek suite (262 Ma). Both YTT basement rocks were intruded upon during the Mid-Cretaceous by smaller felsic stocks and related rhyolite dykes of the Whitehorse Suite (112-105 Ma) (located to the south on the property). The Whitehorse Suite includes the Coffee Creek phase and the Dawson Range Batholith. The Dawson Range Batholith primarily consists of Casino granodiorite phase. However, in the southeastern and southwestern corners, a dioritic phase is exposed (*Table 3) (Ryan et al., 2012)*.

Table 3. Regional Geological Units (Ryan et al., 2012).

Unit	*Age*	*Rock Type*
Dawson Range	Lower Cretaceous 112-102 Ma	Medium to coarse-grained, unfoliated to weakly foliated, hornblende +/- biotite granodiorite with lesser quartz diorite, tonalite, granite and diorite (may contain orthoclase megacrysts and fine-grained diorite enclaves). Leucocratic and aplitic margins.

Sulphur Creek suite	Permian 262 Ma	Quartz and K-fledspar porphyritic to augen monzogranite; strain varies from moderately foliated to gneissic; biotite bearing; is locally the protolith of felsic Klondike Schist.
Simpson Range Suite	Mississippian 345 Ma	Compositionally layered, weakly to intensely foliated, granodiorite to diorite to monzogranite.
Finlayson Assemblage	Devionian-Mississippian 416-318 Ma	Carbonaceous metasilicclastic: interlayered with carbonaceous quartzite and mica-quartz schist; black to white quartzite, garnet schist and rare black phyllite. Also amphibolite schist to garnet-amphibolite; metabasite; usually hornblende+/-garnet, with local chlorite-biotite. These rocks were probably derived from mafic to intermidate volcanic to volcaniclastic units of the Finlayson arc assemblage (some mafic sills).
Snowcap Assemblage	Pre-Devonian 420 Ma	Metasilicilastic rocks – include layered quartzite, psammite and lesser semipelite. The latter commonly contain garnet with local kyanite or andallusite porphyroblasts.

The property covers a major structural intersection with the northeasterly-trending Dip Creek fault intersecting the northwesterly-trending Coffee Creek structure (probable extension of the Big Creek fault; Pautler, 2011). Kaminak Gold Corporations' Coffee project situated 40 km to the southeast, reported significant gold mineralization along the Coffee Creek structure.

The creeks in the claim region have seen some placer mining, Britannia Creek has been a significant gold producer and Isaac Creek has also seen some placer activity. During 2012 field work, two water-filled placer prospecting shafts were located along the upper part of Sunshine Creek. These were constructed with headless hand-forged nails so probably date from before the 1950's.




Figure 5: Betty property geology (after Ryan, 2012)

6 Deposit Types & Mineralization

6.1 Deposit Type

The Betty claims cover a portion of the Tintina Gold Belt, a 200 km-wide by 1,200 km-long arcuate, metallogenic province that extends from British Columbia, through Yukon to Alaska. The province is underlain by rocks of the YTT and is characterized numerous gold deposits including: Pogo and Fort Knox, True North, Donlin Creek, Shotgun (Alaska), and the White Gold (Yukon). The Pogo property has proven and probable reserves of 3.6 million ounces gold and measured and indicated resources of 1.7 million ounces gold. Donlin Creek has proven and probable reserves of 29.3 million ounces of gold and measured and indicated resources of 6 million ounces gold. Kinross Gold Corporations' White Gold deposit (AKA-Golden Saddle) is located thirty-five kilometers to the northeast. The White Gold deposit contains an indicated resource of 9,797.000 tonnes grading 3.2 g/t gold (1,005,000 ounces), primarily mineable by open pit methods using a cutoff of 0.5 g/t Au for the open pit and 2.0 g/t Au for underground (Weiershauser *et al.*, 2010). The deposit has additional inferred resources of 9,391,000 tonnes grading 1.91 g/t gold (578,000 ounces) (Weiershauser *et al.*, 2010).

At Kaminak's Coffee project, gold mineralization is hosted in quartz veins, stockworks and breccia zones. A strong association with gold and pyrite has been established and mineralization is largely structurally controlled and proximal to the Coffee Creek structure. Gold structures on the Coffee project are generally steeply-dipping and cross-cut all rock units; moreover, there is a lack of direct evidence of gold mineralization associated with specific vein or breccia events (Couture, 2011). Host rocks include felsic orthogneiss, an ultramafic horizon and the Cretaceous Coffee Creek granite (Paulter, 2011). Selected intersections from Kaminak's news releases at Coffee include gold grades of 17.1 g/t over 15.5m (Supremo Zone), 1.08 g/t over 83.93m (Latte Zone), 6.3 g/t over 35m (Double Double Zone), 2.21 g/t over 56.75m and 1.92 g/t over 23m

(Kona Zone), 2.36 g/t over 18m (Americano Zone) and 5.5g/t over 11m (Connector Zone). Soil sampling, detailed ground magnetic data, aerial photograph interpretation, trenching and drilling data suggest that the gold mineralization is hydrothermal, structurally controlled and that the auriferous structures crosscut all lithologies on the property (Couture, 2011).

The Betty property is considered prospective for near-surface, bulk tonnage intrusion-related to epithermal, structurally-controlled gold mineralization similar to that recently discovered at Coffee and other gold zones within the Tintina Gold Belt (Table 4). Furthermore, the Coffee fault structure which localizes gold mineralization is interpreted to strike across the Betty property.

Table 4: Gold deposits in the Tintina Gold Belt (Kinross 2012, Kaminak 2012, Donlin Gold 2012, Sumitomo Metal Mining 2012)

Deposit	Owner	Proven & Probable reserves	Measured & indicated	Host & Deposit Type
Pogo	Sumitomo Metal Mining Pogo LLC	3.6 M oz Au	1.7 M oz Au	Quartz-vein hosted in mid-Paleozoic gneiss
Donlin Creek	Donlin Gold	29.3 M oz Au	6 M oz Au	Quartz-vein and breccias hosted in felsic sill and dikes
Fort Knox	Kinross Gold Corp	4.3 M oz Au	1.4 M oz Au	Quartz, quartz-sercite, quartz pegmatite veins, stockwork, and shear zones hosted in intrusive granitic complexes.
White Gold (Golden Saddle)	Kinross Gold Corp.		1.6 M oz Au	Quartz-vein, stockwork and breccias hosted in Devonian-Mississippian felsic orthogneiss and felsic and mafic metavolcanics. Structurally controlled, epithermal and intrusion related
Coffee Project	Kaminak Gold Corp.		Drilling on going* (3.2M oz Au inferred)	Quartz-vein, stockwork and breccias hosted in felsic orthogneiss, ultramafics and granites

*gold grades of 17.1 g/t over 15.5m, 1.08 g/t over 83.93 m, 6.3 g/t over 35 m, 2.21 g/t over 56.75 m and 1.92 g/t over 23 m, 2.36 g/t over 18 m, and 5.5 g/t over 11 m.

6.2 Mineralization

The Betty property has less than 3% outcrop. C-horizon colluvium begins between 0.5 to 1.5 meters depth making prospect pitting a method that yields widespread outcrop information slowly. However, samples collected by Ethos in 2011 and 2012 from outcrops, trenches and pit trenches were used in conjunction with Ryan (2012) mapping plus detailed descriptions of mineralization on adjacent properties describe and constrain the mineralization to the extent possible.

6.2.1 Mineralization on the Betty Property Mascot Area

Based on outcrop and trench results mineralization is associated with quartz veining hosted in unaltered or altered granodiorite or diorite. The quartz veining contains locally massive seams of arsenopyrite, plus pyrite, galena (and silver), sphalerite, stibnite, and rare chalcopyrite and molybdenum. Limonite (+hematite), carbonate, and silica alteration were associated with mineralization. Soil and rock samples from the mineralized areas indicate the strongest correlation to gold was with arsenic, followed by bismuth and silver respectively. The mineralization is associated with magnetic breaks interpreted as faults within the granodiorite. The magnetic breaks / faults where gold-bearing quartz-arsenopyrite veins are present are clearly synchronous with and generated from the northeast trending Big Creek fault. The visual and

geochemical character of mineralization intersected in Ethos' RC drilling are comparable to the silver-lead-zinc veins (such as the Bomber and Helicopter veins) adjacent to the Casino porphyry. The mineralization does not appear to have an epithermal character comparable to Coffee-style gold mineralization.

6.2.2 Mineralization in surrounding properties

Kaminak Gold Corporations' Coffee project is an exploration discovery stage project. The Betty property adjoins Kaminak's Coffee claims however the main zone of mineralization is located 20 km to the west. Gold mineralization is hosted in quartz veins, stockwork and breccia zones associated with the Coffee Creek fault, the probable extension of the government mapped Big Creek fault. A strong association with gold and pyrite has been established and mineralization is largely structurally controlled and proximal to the Coffee Creek structure. Gold structures in the project area are generally steeply-dipping and cross-cut all rock units; moreover, there is a lack of direct evidence of gold mineralization associated with specific vein or breccia events (Couture, 2011). Host rocks include felsic orthogneiss, an ultramafic horizon and the Cretaceous Coffee Creek granite (Pautler, 2011). The age of the gold mineralizing event is reportedly c.100 Ma.

The Casino project is a development stage project owned by Western Copper and Gold Corp ("WCGC"). The Betty property adjoins WCGC's Casino claims however the main zone of mineralization is located 10 km to the southwest. The Casino deposit is comprised of gold-copper-molybdenum mineralization hosted by granodiorite-diorite porphyry. The deposit includes oxide and supergene sulphide zones (M3 PFS, August 2008). Northeasterly-trending Dip Creek fault or parallel sympathetic structures are associated with the mineralization. The age of mineralization is reportedly c.70 Ma.

The Betty property has a prominent intersection of the northeasterly-trending Dip Creek fault and the northwesterly-trending magnetic feature inferred to be the Coffee Creek fault (probable extension of the Big Creek fault). The Betty property has potential to host either or both Coffee or Casino styles of mineralization. The Betty property gold-in-soil anomaly detected in 2011 work is considered to potentially represent the surface expression of Coffee-style mineralization, and the 2012 exploration program was designed with this bulk-tonnage target in view.

7 2012 Ethos Exploration Work

The objective of 2012 Betty property exploration was to locate bedrock sources of gold-in-soil anomalies outlined in Ethos' 2011 exploration program (Tallman, 2012). The exploration program was directed towards the discovery of bulk-tonnage gold mineralization similar to that discovered at the adjoining Coffee project. The minimum economic threshold target of Ethos' exploration program has characteristics of >10-50+ meter wide zones of gold-bearing material with average grade-over-widths of a minimum 1 g/t Au and with substantial mineralized volume with grade-over-widths of minimum 3 g/t Au. These zones would require lateral persistence to have potential to reach a minimum 1 million ounce threshold. The target characteristics determined the drill density and exploration strategy from the outset.

Work by Ethos in 2012 included collection of additional grid soils contracted to Ground Truth Exploration to cover the trace of the Coffee Creek fault and infill areas of anomalous multi-element soil geochemistry identified in recce soils in 2011. Other work included a detailed ground magnetometer surveying (25 meter line spacing) contracted to Ground Truth Exploration over the center of the Mascot Creek soil anomaly intended to image smaller structures than those evident from airborne magnetics surveying (100 meter line spacing) in 2011. Talus Exploration provided Candig backhoe and operators for reclamation work and drill pad construction. Northspan Explorations Limited provided reverse circulation ("RC") drilling services. Ground Truth Exploration tested a bench-scale XRF machine with operators for a limited time at the beginning of the RC program. Kluane Drilling were contracted to provide diamond drilling services however the program was curtailed prior to mobilization of a diamond drill rig. Heli Dynamics provided helicopter support including pilots plus on-site mechanic throughout the summer. Tintina Air and Nomad Air provided fixed-wing air support. Acme Analytical provided soil and rock analyses. Keats Global Exploration Services provided prospecting services. Reliance Remote Logistics provided project management, field logistics, technical, and government regulatory services for all phases of the 2012 program.

A total of ~1800 man-days of explorative work were completed on the Betty property during the 2012 program.

7.1 Soil Sampling

Prior to 2011, Shawn Ryan (2008) collected 33 soil samples along a test line on the Betty Property. During Ethos' 2011 exploration program, 14,677 soil samples were collected by Ground Truth Exploration Ltd ("Ground Truth") and submitted

for analysis. In 2012, Ethos' again contracted Ground Truth who collected 8,107 soil samples during the season to complete the soil-sampling component of the exploration program.

The Ground Truth crews fly-camped in 4 to 5 man crews within the areas being worked on. A Heli-Dynamics Bell 407 was used daily to move them to/from their work areas, and to bring samples to the Rude Creek airstrip for transshipment to Acme Labs in Whitehorse. Tintina Air and Nomad Air fixed wing aircraft provided logistical support to the Rude Creek and Casino airstrips for this program.

Ground Truth planned each job and sample sites using ESRI ArcMap to sample over areas of exploration interest. Grid sampling (typically 100 x 50 m) and reconnaissance ridge and spur (also known as elevation contour) sampling was planned in advance with ESRI. The guide points were transferred to each soil sampler's GPS for use in the field and samplers were supplied with an accompanying small-scale topographic map to assist traversing.

During the 2012 field season 8,107 soil samples, including duplicates, blanks, and standards were collected and submitted for assaying. Infill soil samples were collected on the Mascot Grid (Figure 7: the isolated lines south of the "Coffee Fault") plus grid soil samples collected along and north of the Coffee Fault which were designed to follow up on gold-soil anomalies obtained from the reconnaissance ridge-and-spur soil campaign on the Betty Property in this area (assay certificates are in Appendix IV).

A map of the location of areas soil sampled in 2012 is shown in Figure 6. A map of all soils collected from the Betty property from 2008 through 2012 is shown in Figure 7 and highlights the areas of gold-anomalous soils.




Figure 6: 2012 Soil Sample Locations for the Betty Property (Ethos, 2012)




Figure 7: Gold-in-Soil Results for the Betty Property, combining 2008, 2011, and 2012 survey years.




Figure 8: Mascot zone gold-in-soil results (Ethos, 2012) divided into named sub-areas referred to in some News Releases.

7.2 Prospecting

Ethos contracted Keats Global Exploration Services ("Keats Global") of Gander, Newfoundland to perform prospecting on the Betty property during 2012. A total of 166 rock grab samples were collected in 2012. Prospecting targets were assigned based on areas of anomalous grid soils; prospectors pre-planned traverses and usually stayed in sub-areas for several days, with drop-off and pick up by helicopter.

Locations and descriptions for individual rock grab samples were recorded before being sent for assaying (assay certificates are in Appendix IV). Prospecting traverses focused along and adjacent to the Coffee Fault, as well as in areas of specific gold-in-soil anomalies. Prospecting on gold-in-soil anomalies typically required the prospectors to excavate as deep a pit as possible, to obtain samples of colluvium as near to bedrock as practicable (see photo below).



Photo-plate 1: Deep prospecting pits testing soil geochemical anomalies.

A map of the distribution of prospecting samples and the corresponding gold analyses is shown in Figure 9 and 10.




Figure 9: 2012 Betty prospecting rock sample location (Ethos, 2012)




Figure 10: Betty prospecting rock sample location and assay results (2011 & 2012) (Ethos, 2012)

7.3 Trenching Rehabilitation

During the 2012 field season, Ethos systematically back-filled and remediated all pits and trenches excavated during the 2011 field season. Ethos engaged Talus Exploration Inc. ("Talus") of Dawson City to complete the backfilling component of the 2012 exploration program. A total of 7 km of trenching was systematically backfilled. This work began in June and was completed in August, 2012.

Talus provided a modified 'Can-dig' heli-portable backhoe plus an operator, plus one cutter as needed whose primary job was to clear brush and debris ahead of the progress of the backhoe. Ethos used a Heli-Dynamics Bell 407 helicopter to mobilize/demobilize the backhoe and Talus camp gear between areas once on site. The mobilization point for the backhoe originated from the Black Hills airstrip in June; the demobilization point was also to the Black Hills airstrip in August.

7.4 Ground Magnetic Geophysics Survey

The airborne total field magnetics survey in the main area of exploration interest shows a number of significant "magnetic breaks" interpreted as faults. The technical objective of the ground 'walking mag' survey was to provide a high-resolution total field magnetic map suitable for detailed structural evaluation and to provide local control of magnetic trends to assist with target identification. The survey was commissioned following the result of drilling hole BETR12-022 which intersected 41.1 meters of 2.6 g/t Au and 107 g/t Ag (4.7 g/t AuEq) from 16.8 meters. The intersection is in an area of interpreted faults of different orientations. The detailed survey was intended to help resolve the orientation of faulting and which structure was intersected.

Ethos contracted Ground Truth of Dawson City in 2012 to complete a detailed ground magnetic survey to help refine the structural complexity of the area. A total of 220 line kilometers of walking magnetics surveying covering a 5.7 square kilometer area was completed between July 2 and July 16, 2012. Two portable Gem Systems Overhauser proton magnetometers plus one base station were required to conduct the survey. Survey data was collected by walking in a northeast direction at nominal 25 meter spaced lines with no line gaps to exceed 40 meters. The GPS location of the walking line was also recorded with a Garmin GPSMap 60cx or 76cx GPS device in UTM NAD 83 format as back-up. The data was collected in the field, then sent to Dawson where it was de-spiked, corrected for diurnal variation, and then leveled for plotting as the final total field magnetic product. The final product was delivered to Ethos in .grd format which can be plotted and viewed by most standard mapping programs.




Figure 11: Window of total field magnetic data from 2011 airborne survey with interpreted faults, for the Mascot anomaly area.




Figure 12: Total field magnetic data from 2012 detailed ground 'walking mag' survey, for the Mascot anomaly area.

One recommendation for further work, if warranted, is to have the ground magnetics data and the airborne magnetics data leveled and merged resulting in one composite total field magnetics image for this area of interest.

8 Reverse Circulation Drilling

Northspan Explorations Limited ("Northspan") provided reverse circulation ("RC") drilling services. One 'super hornet' helicopter-mobile fly rig was utilized for the drill program. The RC rig drills a 92 mm (3 5/8") diameter hole to a depth on the Betty project of approximately 150 meters (~500 feet) depth, using individual 5-foot rods. A two man drill crew per 12-hour shift was also provided to operate the drill, except during the latter part of the program when a 3-man drill crew (including a trainee) was utilized. Ethos supplied an additional 1 to 3 man crew to assist with sample collection at the drill, plus to do processing of samples in the field including preliminary logging, splitting; also photography, sample description, and magnetic susceptibility of each sample; and tagging of individual assay samples plus reject samples. A continuous chip log was also created by collecting 250 g of chip material, washing and sieving to remove fines, and placing a large handful per sample (representing every 5 foot of material) in an NQ-size corebox marked with the footage. These continuous chip log trays were transported back to camp where the tray was used for logging, and the tray was photographed as a photolog of each RC hole. For 3 weeks, there was also a bench XRF unit supplied by Ground Truth which analyzed the assay sample (as it was recovered from the drill) and provided on-the-spot analyses (rather than waiting 30 days for chemical analyses).

The magnetic susceptibility logging was valuable in providing magnetic logs which correlate with lithology and alteration types. The field-XRF was not nearly so useful; it identified arsenic (As) anomalous zones but As-elevated rocks are common and thus As-enrichment (as detected by XRF) was not a useful predictor for gold mineralization because there were too many false positives (an abundance of arsenic).

The chip trays provided a visual record of lithology and alteration change which was very useful as long as features intersected were 5 to 10 feet thick at a minimum. Features such as mineralized quartz veins that are 10 to 50 cm thick produce a minority of RC chips which can easily be 'lost' in the majority of uninteresting chips. The exploration target at Betty was bulk tonnage gold in widespread epithermal alteration environment – ideal for testing with RC. The intersected mineralization was narrow gold-bearing 10-50cm quartz-sulphide veins interpreted to be peripheral to the porphyry environment centered at Casino; thus RC is not a useful tool for examining this type of vein system.

A total of 61 reverse circulation ("RC") drill holes were completed on the Betty property which targeted soil geochemical anomalies generated in 2011-2012 programs or were follow-up holes targeting areas of interest. Drill holes were generally spaced 200 meters to 500 meters apart on interpreted soil/fault structures, to maximize the area tested. For example, holes BETR12-023 and -024 tested the same fault target at 500 meter spacing, and holes -004, -003, -002, -001, -018, and -048 tested the Bond target over a 2 km strike length also at ~500 meter spacing.

Highlights of the 2012 RC drilling include:

BETR12-012: 3.0 meters of 29.8 g/t Au and 27 g/t Ag (30.3 g/t AuEq) from 27.2 meters;
BETR12-014: 12.2 meters of 2.0 g/t Au and 19 g/t Ag (2.4 g/t AuEq) from 108.2 meters;
BETR12-022: 41.1 meters of 2.6 g/t Au and 107 g/t Ag (4.7 g/t AuEq) from 16.8 meters;
BETR12-023: 1.5 meters of 3.8 g/t Au and 292 g/t Ag (9.6 g/t AuEq) from 78.7 meters;
BETR12-024: 1.5 meters of 0.9 g/t Au and 280 g/t Ag (6.5 g/t AuEq) from 14.9 meters;
BETR12-027: 1.5 meters of 1.1 g/t Au and 98 g/t Ag (3.1 g/t AuEq) from 15.3 meters
and also 22.9 meters of 0.5 g/t Au from 103.6 meters;
BETR12-052: 3.0 meters of 0.9 g/t Au and 91 g/t Ag (2.7 g/t AuEq) from 83.8 meters;
BETR12-061: 3.0 meters of 0.9 g/t Au and 85 g/t Ag (2.6 g/t AuEq) from 106.7 meters.

Table 5: 2012 RC Drill Program Collar Location Table

Hole ID	UTM East	UTM North	Elev. (m)	Azimuth (°)	Dip (°)	EOH (m)	Target
BETR12-001	628792	6961466	1010	314	-50	143.3	Bond
BETR12-002	628704	6961254	1014	134	-50	152.1	Bond
BETR12-003	628802	6961149	982	314	-50	99.1	Bond
BETR12-004	628802	6961149	982	224	-50	73.8	Bond
BETR12-005	630386	6960476	903	294	-50	86.9	Mercedes
BETR12-006	630384	6960475	904	244	-50	102.1	Mercedes
BETR12-007	630360	6960577	906	234	-50	108.8	Mercedes
BETR12-008	630340	6960631	903	314	-50	152.7	Mercedes
BETR12-009	630413	6960435	907	294	-50	145.1	Mercedes
BETR12-010	629860	6962676	932	354	-50	135.6	Perrault
BETR12-011	629858	6962667	933	309	-50	145.7	Perrault
BETR12-012	629569	6962123	1007	314	-50	158.2	Perrault
BETR12-013	629452	6962124	996	134	-50	91.4	Perrault
BETR12-014	629334	6962052	983	314	-50	153.9	Perrault
BETR12-015	629369	6962011	991	44	-50	143	Perrault
BETR12-016	629369	6962011	991	314	-50	153.9	Perrault
BETR12-017	629655	6961998	986	134	-50	35.7	Perrault
BETR12-018	628775	6961746	973	219	-50	153.9	Bond
BETR12-019	628467	6961477	978	214	-50	149.4	Marshall
BETR12-020	628352	6961347	960	314	-50	42.4	Marshall
BETR12-021	628292	6961414	936	314	-50	151.8	Marshall

BETR12-022	628270	6961589	917	140	-50	152.4	Marshall
BETR12-023	628021	6961338	875	39	-50	150.3	Marshall
BETR12-024	628293	6961049	986	39	-50	91.1	Marshall
BETR12-025	624393	6961080	920	54	-50	151.8	Buck
BETR12-026	624429	6961023	927	54	-50	117	Buck
BETR12-027	630256	6960517	934	54	-50	152.4	Mercedes
BETR12-028	630256	6960417	955	54	-50	152.4	Mercedes
BETR12-029	629829	6959864	980	314	-50	106.7	Teek
BETR12-030	629617	6959794	918	134	-50	140.2	Teek
BETR12-031	629843	6961790	881	320	-50	57.9	Spitz
BETR12-032	629716	6961640	917	320	-50	133.5	Spitz
BETR12-033	630012	6961901	872	320	-50	73.2	Spitz
BETR12-034	630192	6961565	693	320	-50	121.9	Thornton
BETR12-035	630389	6961637	602	320	-50	72.5	Thornton
BETR12-036	630720	6962339	572	320	-50	76.2	Miller
BETR12-037	630671	6962511	589	320	-50	85.3	Miller
BETR12-038	630872	6957958	1158	140	-50	95.7	Wildcat
BETR12-039	630688	6958754	1132	140	-50	121.6	Wildcat
BETR12-040	629320	6959670	831	140	-50	65.5	Teek
BETR12-041	629341	6960098	781	270	-50	65.2	Teek
BETR12-042	629341	6960098	781	124	-50	37.8	Teek
BETR12-043	630274	6961298	617	320	-50	45.1	Thornton
BETR12-044	630452	6961489	601	140	-50	70.1	Thornton
BETR12-045	630920	6962865	548	140	-50	137.2	Miller
BETR12-046	630920	6962865	548	270	-50	143.3	Miller
BETR12-047	629785	6962352	972	320	-50	83.8	Perrault
BETR12-048	628755	6961934	925	50	-50	135.6	Bond
BETR12-049	628170	6961610	898	140	-50	152.4	Marshall
BETR12-050	628360	6961642	923	140	-50	152.4	Marshall
BETR12-051	628253	6961607	912	140	-60	152.4	Marshall
BETR12-052	628333	6961896	837	220	-50	152.4	Marshall
BETR12-053	629569	6962123	1007	320	-75	115.8	Perrault
BETR12-054	629569	6962123	1007	70	-50	100.6	Perrault
BETR12-055	627158	6964051	549	140	-50	79.2	Wildcat
BETR12-056	630245	6960785	838	230	-50	152.4	Mercedes
BETR12-057	629099	6963915	628	140	-50	93	Wildcat
BETR12-058	629569	6962123	1007	60	-50	138.7	Perrault
BETR12-059	629099	6963915	628	320	-50	135.6	Wildcat
BETR12-060	627788	6964323	592	180	-50	140.2	Wildcat
BETR12-061	628340	6961520	941	320	-50	152.4	Marshall

Table 6: 2012 RC Drill Program Summary of Significant Intersections by Hole ID

Hole ID	Target	From (m)	To (m)	Int (m)	Au g/t	Ag g/t	Au Eq
BETR12-001	Bond	27.5	30.5	3.0	0.7	56	1.8
		56.4	57.9	1.5	0.5	34	1.2
		121.9	123.4	1.5	0.5	79	2.1
BETR12-002	Bond	27.2	30.2	3.0	0.4	143	3.3
BETR12-003	Bond	54.8	71.6	16.8	0.6	19	1.0
BETR12-004	Bond	60.1	69.2	9.1	0.8	21	1.2
BETR12-005	Mercedes	2.5	4	1.5	1.0	-	-
BETR12-006	Mercedes	10.7	12.2	1.5	2.6	-	-
BETR12-007	Mercedes	6.7	17.4	10.7	0.3	-	-
		55.5	76.8	21.3	1.5	-	-
		55.5	66.2	10.7	1.3	-	-
		70.7	76.8	6.1	2.9	-	-
BETR12-008	Mercedes	128.3	129.8	1.5	1.6	-	-
BETR12-009	Mercedes	1.8	3.3	1.5	1.1	-	-
		11	14	3.0	1.9	-	-
		59.8	61.3	1.5	1.5	-	-
BETR12-010	Perrault	No significant results Au-Ag-As					
BETR12-011	Perrault	113.7	115.2	1.5	1.4	-	-
BETR12-012	Perrault	27.2	30.2	3.0	29.8	27	30.3
BETR12-013	Perrault	57.9	59.4	1.5	3.3	-	-
BETR12-014	Perrault	108.2	120.4	12.2	2.0	19	2.4
		109.8	112.8	3.0	6.0	27	6.5
BETR12-015	Perrault	62.2	65.2	3.0	2.2	-	-
BETR12-016	Perrault	97.5	99	1.5	0.6	50	1.6
BETR12-017	Perrault	No significant results Au-Ag-As					
BETR12-018	Bond	50.3	51.8	1.5	0.7	-	-
BETR12-019	Marshall	99	103.6	4.6	0.4	20	0.8
BETR12-020	Marshall	7.3	21	13.7	0.4	13	0.7
BETR12-021	Marshall	49.7	52.7	3.0	0.4	68	1.8
BETR12-022	Marshall	16.8	57.9	41.1	2.6	107	4.7
		25.9	39.6	13.7	7.1	209	11.3
BETR12-023	Marshall	78.7	80.2	1.5	3.8	292	9.6
BETR12-024	Marshall	14.9	16.4	1.5	0.9	280	6.5
BETR12-025	Buck	No significant results Au-Ag-As					
BETR12-026	Buck	No significant results Au-Ag-As					
BETR12-027	Mercedes	15.3	16.8	1.5	1.1	98	3.1
		24.4	29	4.6	0.8	-	-
		88.4	89.9	1.5	4.2	-	-
		103.6	126.5	22.9	0.5	-	-
BETR12-028	Mercedes	No significant results Au-Ag-As					
BETR12-029	Teek	No significant results Au-Ag-As					
BETR12-030	Teek	No significant results Au-Ag-As					

BETR12-031	Spitz	No significant results Au-Ag-As					
BETR12-032	Spitz	No significant results Au-Ag-As					
BETR12-033	Spitz	5.2	6.7	1.5	3.5	-	-
BETR12-034	Thornton	120.4	121.9	1.5	2.3	-	-
BETR12-035	Thornton	No significant results Au-Ag-As					
BETR12-036	Miller	62.5	64	1.5	1.6	-	-
BETR12-037	Miller	No significant results Au-Ag-As					
BETR12-038	Wildcat	No significant results Au-Ag-As					
BETR12-039	Wildcat	No significant results Au-Ag-As					
BETR12-040	Teek	No significant results Au-Ag-As					
BETR12-041	Teek	No significant results Au-Ag-As					
BETR12-042	Teek	No significant results Au-Ag-As					
BETR12-043	Thornton	No significant results Au-Ag-As					
BETR12-044	Thornton	10.7	12.2	1.5	0.6	-	-
BETR12-045	Miller	85.4	86.9	1.5	0.5	-	-
BETR12-046	Miller	No significant results Au-Ag-As					
BETR12-047	Perrault	No significant results Au-Ag-As					
BETR12-048	Bond	50.3	51.8	1.5	0.6	37	1.3
		61	62.5	1.5	0.8	93	2.7
BETR12-049	Marshall	No significant results Au-Ag-As					
BETR12-050	Marshall	33.5	35	1.5	0.6	52	1.6
		70.1	71.6	1.5	1.6	46	2.5
		79.3	80.8	1.5	1.2	42	2
		102.1	103.6	1.5	0.3	78	1.9
		132.6	134.1	1.5	0.7	56	1.8
		141.8	144.8	3.0	0.4	23	0.9
BETR12-051	Marshall	No significant results Au-Ag-As					
BETR12-052	Marshall	83.8	86.8	3.0	0.9	91	2.7
		108.2	109.7	1.5	3.0	94	4.9
BETR12-053	Perrault	6.1	7.6	1.5	0.8	-	-
		35.1	36.6	1.5	0.6	-	-
		45.7	47.2	1.5	1.1	-	-
BETR12-054	Perrault	35.1	36.6	1.5	0.8	-	-
BETR12-055	Wildcat	No significant results Au-Ag-As					
BETR12-056	Mercedes	99.1	100.6	1.5	1.6	-	-
BETR12-057	Wildcat	No significant results Au-Ag-As					
BETR12-058	Perrault	30.5	32	1.5	2.8	-	-
		47.3	48.8	1.5	0.8	-	-
BETR12-059	Wildcat	16.8	18.3	1.5	0.3	66	1.6
BETR12-060	Wildcat	50.3	51.8	1.5	0.6	-	-
BETR12-061	Marshall	106.7	109.7	3.0	0.9	85	2.6




Figure 13: Mercedes and Teek area gold-in-soil anomaly, pit trench location, and RC drill hole traces (Ethos, 2012)

The Mercedes area has an interpreted fracture fault set trending north-northwest; there may be two parallel faults with 10-20 meter between them. No arsenopyrite veins were observed in the RC chips however there is some alteration and low gold values consistent perhaps with thin gold-bearing breccia or network veins.




Figure 14: Marshall and Bond area gold-in-soil anomaly, pit trench location, and RC drill hole traces (Ethos, 2012)

The Bond area has interesting soil geochemistry which suggests a north-south oriented feature. This is supported by RC drilling which intersected mineralization or alteration (from north to south) in hole BETR12-048, -018, -001, -003, and -004 suggestive of a continuous gold-silver enriched fracture-fault feature over a 700 meter distance.

The Marshall area yielded the best individual drill hole of the RC program. Hole BETR12-022 intersected four arsenopyrite-enriched veins(?) which assayed 7.1 g/t Au with 209 g/t Ag across a 13.7 meter extended interval. Follow-up holes were drilled to test gold-in-soil geochemistry combined with structural interpretations. Holes -049, -050, and -051 did not yield a recognizable correlative to hole -022. Ultimately hole -061 showed the interval in -022 had been drilled down the dip of a narrow fault structure. The orientation and strike extent of the structure is constrained but still open to interpretation.




Figure 15: Perrault, Spitz, Thornton, Miller areas gold-in-soil anomaly, pit trench location, and RC drill hole traces (Ethos, 2012)

The Miller and Thornton areas are associated with a significant magnetic low interpreted fault that essentially corresponds with Isaac Creek. Gold-in-soil anomalies were targeted to test areas where lower order structures intersected the main Isaac Creek structure, or where lower order structures were in proximity to it. Drilling conditions were difficult in the steep terrain, and the top of the water table is near surface in the valley bottom (as is expected). No significant results were achieved from these tests.

In general, the best results were obtained by drilling gold-in-soil targets on the top of topographic ridges. Mid-slope and slope-bottom targets did not generate significant results.

In general, the broader intersections of low-grade Au-Ag mineralization included a narrow (vein) interval of high-grade mineralization that pulled the Au-Ag average up across adjacent anomalous visually altered samples. RC drilling is useful for testing wide zones and bulk targets; the interesting gold-(silver) mineralization encountered at the Betty property appears to be hosted by narrow veins and to be locally high-grade. RC drilling is not suitable in determining the geological characteristics, orientation, or assay grade of the (narrow) veins nor the host geology adjacent along the vein margins. If further drilling is warranted, a diamond drill program (which was planned in 2012, and cancelled) is recommended to determine the character and extent of these veins.

9 Sampling Method & Analyses

Collection of rock and soil samples on the property during the 2012 field season was completed under the supervision of qualified geologists by experienced geological technicians. Ethos adhered to industry best practices for sample collection and handling of rock and soil samples on location. ACME Analytical Laboratories Ltd. was employed for geochemical sample analysis. ACME is an ISO 9001:2008 credited facility (certificate number FM 63007) and ISO/IEC 17025:2005 credited by the Standards Council of Canada.

9.1 Sampling Methodology

9.1.1 Soil Samples

At each soil sample site, the Soil Technician identified the most appropriate location to collect the sample and laid out a 12" x 20" thick plastic (poly) rock sample bag. The soil sample was taken using an Eijklcamp© hand-auger at a depth of between 20 and 110 cm. Samplers strived to consistently collect C-horizon sample material. Where necessary (rocky or frozen ground) a prospector's pick ('mattock') was used to obtain the sample. The soil was laid out on the sheet of plastic in the order it was recovered removed from the sample hole. Once the necessary amount of soil (400 - 500 g) was obtained the deepest soil was taken and placed in a kraft soil sample bag labeled with the 3-letter project code and a unique 5-6 digit sample identification number. A representative rock chip sample was then taken from the recovered soil and placed in a small (1" x 1.5") bag labeled with the same project code and sample identification number. An aluminum metal tag inscribed with the sample identification number was attached to a rock or branch at the sample site along with a length of pink flagging tape. A duplicate sample was taken once for every 25 samples: at the sample site twice as much of the desired soil was acquired and then placed on the plastic sheet and homogenized before being placed into two sample bags. Both samples were given their own sample identification number. The data for both samples was recorded and a note was made indicating the duplicate and its corresponding sample identification number.

The soil samples were packaged daily into fiber bags, sealed, and delivered via fixed wing to Whitehorse where Ethos or Reliance Remote personnel deliver them to the ACME sample preparation laboratory. ACME issued a receipt upon each delivery. Samples were dried and prepped for analysis in Whitehorse then shipped to ACME's laboratory in Vancouver for analysis.

The GPS location of the sample site was recorded with a Garmin GPSMap 60cx or 76cx GPS device in UTM NAD 83 format, and the waypoint were labeled with the project name and the sample identification number. A Palm PDA device was used in the field to record the characteristics and description of the sample taken which included: sample identification number, soil colour, soil horizon, slope, sample depth, ground and tree vegetation, sample quality, and any other relevant information. Furthermore, the GPS coordinates were entered into the Palm device as a secondary backup in case of GPS failure.

Every night in the field, the GPS and Palm PDA devices were downloaded to a laptop computer and the data verified on a sampler-by-sampler basis in proprietary database auditing software ("Dirtbagger 3000") to ensure accurate data was recorded. The data was also mapped out daily using ESRI ArcMap to assure proper sample spacing and location. A backup of the sample data was made, copied onto a USB memory stick and kept in a separate location from the laptop computer until job completion. When possible, a backup was also sent via e-mail.

9.1.2 Rock and RC Drill Samples

Outcrop, float, and RC rock chip samples were collected during the summer by prospectors and geologists. At each sample location sample descriptions were collected and locations were marked with flagging tape and recorded with a GPS. All samples were photographed with sample ID's before being placed in thick plastic (poly) rock sample bags along with the assay sample tag. The assay tag number was recorded on the flagging tape marking the sample location. The descriptions for each sample were entered into the 'rock sample report form' at the end of each day. Rock samples bags were placed into a rice bag and security sealed and shipped by air to ACME's facility in Whitehorse whereby Ethos personnel were issued a submittal receipt. Rocks were crushed and split in Whitehorse and sample pulps shipped via Air North air-freight to Acme's Vancouver laboratory for analysis. The originating preparation lab is indicated on the final signed assay certificate.

9.2 Sample Preparation, Analyses and Security

Soil samples were analyzed by ACME Analytical Laboratories Ltd. in Vancouver, British Columbia using a 36-element ICP-MS nitric-aqua regia digestion with a mass spectrometer finish, code "1DX2" (Table 5). A 15 g sub-sample material was analyzed for Al, Sb, As, Ba, Bi, B, Cd, Ca, Cr, Co, Cu, Ga, Au, Fe, La, Pb, Mg, Mn, Hg, MO, Na, Ni, P, Ag, K, Sc, Sr, S, Tl, Th, Ti, Sn, W, U, V and Zn. A 0.5 g sub-sample undergoes aqua regia digestion with ICP-MS analysis for Au. Quality control procedures were implemented at the laboratory, involving regular insertion of blanks, standards (approximately every 25th sample) and repeat analyses (approximately every 15th sample). Furthermore, soil sample field duplicates were routinely collected and inserted into the analytical stream (every 25th sample). ACME Labs prepared all samples collected in 2012 for Ethos in Whitehorse. Soil samples are dried at 60°C and sieved to collect up to 500 grams passing the -80 mesh fraction. This prepared sample is shipped to Vancouver for analysis.

Rock samples were crushed in Whitehorse to 80% passing plus-10 mesh, split 250 g and pulverized to 85% passing minus -200 mesh. Rock samples are analyzed in Vancouver using specific ACME rock and drill core packages coded "Geo2" which consists of the code 1DX1 and 3B01procedures as follows (Table 5). Rock samples are analyzed for gold coded "3B01" using a 30 gram sub-sample by fire assay with an atomic absorption finish for concentrations under 10 g/t Au and a gravimetric finish if greater than 10 g/t Au. All rocks are also analyzed coded "1DX1" using a 0.5 g sub-sample which undergoes aqua regia digestion with ICP-MS analysis for 36 reporting elements using the same methodology as per soils.

Ethos uses protocols standard to the industry and professional QA/QC procedures for assaying including the use of duplicates and certified laboratory standards. Furthermore, Ethos ensures the maintenance of chain-of-custody and that ACME Labs retains the pulps.

Table 7: Summary of description and code for Acme Analytical soil and rock analytical packages used by Ethos during the 2012 exploration program

1. Sample Preparation

Package	Description	Code	Unit Cost CDN$
Soils	Dry at 60°C, sieve (up to) 100g to -80mesh, up to ½ kg		
	Soils processed in Dawson City	SS80-DAW	2.85
	Soils processed in Whitehorse	SS80-WHI	1.85
	Sieve large samples 80 mesh per ½ kg		0.80
Rock and Drill Cores	Crush 1kg to 80% passing 10mesh, split 250g and pulverize to 85% -200mesh	R200-250	6.20
	Extra crushing and saving rejects over 1kg. per kg		0.60

2. Sample Analysis

Package	Description	Code	Unit Cost CDN$
Soils	15g sample, aqua regia digestion, ICPMS finish for low detection limits	1DX2	15.20
Rocks and Drill Cores	A Consists of:		
	1 1DX1 – 0.5g sample, aqua regia digestion, ICPMS analysis	Geo2	23.40
	2 3B01 – 30g sample, fire assay, AA or ICP finish (2 – 10,000 ppb	(package)	
	B (Over limit Au > 10,000 ppb)	G601+G612	15.85
	30g sample, fire assay, gravimetric finish		

10 Data Verification

The author directly supervised field exploration during the 2011 and 2012 seasons. The geochemical data was verified by using original analytical certificates and data. Data QA/QC was conducted on an ongoing basis when new data became available. Assay protocols were was met by the favourable reproducibility of the standards, blanks and duplicate samples. No re-assaying was requested at this early stage of exploration. Individual samples which exceeded tolerances for gold analytical 3-sigma errors were noted. No material systemic analytical error was noted.

11 Adjacent Properties

Adjoining the Betty claim block immediately to the west are the Western Copper "Brit" claims; part of the property underlying the Casino porphyry copper-gold-molybdenum deposit. The Casino deposit has 4.4 billion pounds copper, 7.5 million ounces gold, 494 million ounces molybdenum, and 54.3 million ounces silver in proven + probably mill ore contained metal plus an additional 0.1 billion pounds of copper, 0.8 million ounces of gold, and 6.3 million ounces of silver in proven + probable heap leach contained metal (Hester, 2011). The Casino deposit has completed a positive feasibility (January 2013).

Adjoining the Betty claims to the west is Kaminak's Coffee project. Kaminak's 2011 exploration drilling season on the project has defined gold mineralization along the Coffee Creek structure reporting 17.1 g/t Au over 15.5m with wider intervals running 1.08 g/t Au over 83.93 m from drill core (Couture, 2011).

The Kinross' White Gold deposit (or Golden Saddle) is located 55 kilometers to the northeast, reporting 9,797, 000 tonnes measured and indicated of 3.19 g/t gold (1,005,000 ounces), with an additional 9,391,000 tonnes inferred of 1.91 g/t gold (578,000 ounces) (Kinross, 2012).

12 Mineral Processing & Metallurgical Testing

The project is at an early exploration phase and therefore no metallurgical testing has been carried out to date.

13 Mineral Resource & Reserve Estimate

There has not been sufficient work on the property to undertake a resource calculation.

14 Other Relevant Data and Information

To the author's knowledge, there is no additional information relevant to this report.

15 Interpretation and Conclusions

The ~17.5 square kilometre Mascot gold-in-soil anomaly is developed on Cretaceous granitoids. Prospecting, and RC drilling in 2011 and 2012 identified several sources of veins and alteration containing gold. One source of gold mineralization is contained within narrow veins of massive arsenopyrite mineralization that typically assay 20 to 30 g/t Au (eg the Mercedes target). Other quartz-dominated veins were identified that assayed locally up to 4 g/t Au. Samples of altered granodiorite contained disseminated galena-sphalerite-sulphide mineralization associated with carbonate and, with or without veining, assayed up to 1.0 g/t Au (eg the Bond target). Geochemically the Mascot soil anomaly can be subdivided into several geochemical domains. Speculatively the varying styles of vein mineralization and alteration may be an expression of slightly different genetic pressure-temperature-time environments of deposition related to the overall mineralizing event that created the broad Mascot anomaly.

Analysis of airborne magnetic data indicates two large through-going north-east trending fractures in the Cretaceous granitoid, the main fault is the Dip Creek fault and the secondary parallel structure is termed the Mascot Creek fault. Fractures rotate between the two, seem to pass out of the plane of extension, and newer fractures develop which overprint the older rotated structures.

Analysis of detailed ground magnetic surveying shows the same large features as the airborne data, but includes much finer detail and many more smaller structures/fractures that are not evident from the airborne data.

It is interpreted that the Dip Creek fault, and ancilliary structures, progressively fractured the Cretaceous granitoid in the area of the Mascot soil anomaly which allowed the introduction of various types of gold-bearing veins dominated by arsenopyrite and carbonate (in addition to various felsic and andesitic dykes along these faults).

The RC drilling did not find a bedrock source for many of the individual soil anomalies tested, despite the RC program which deliberately tested as many anomalies in all parts of the Mascot soil anomaly as practical. The RC results show there is no widespread ("bulk tonnage" type) gold-bearing alteration system underlying the Mascot anomaly. The RC results do show isolated veins associated with faults. Locally there is massive arsenopyrite veining in the faults; these intersections returned the best gold (and silver) analyses of the drill program and the intervals were elevated in base metals. The veins are similar and comparable to descriptions of the Bomber vein (which is associated with 70 Ma Casino mineralization) and the Rude Creek original discovery vein above the Rude Creek gold placer.

The RC drilling within the Mascot gold soil anomaly did not find evidence of a widespread area of gold bearing alteration, which was the conceptual economic target justification. Instead, there is abundant evidence that the soil anomaly is underlain by a well-fractured granitoid where the fractures contain gold-silver-sulphide mineralization. These narrow veins are not an economic target at this time, and are interpreted to be an outer halo of vein mineralization that is derived from the adjacent Casino gold-copper porphyry deposit.

Soil surveying north of the east-west magnetic break interpreted to be the Coffee fault returned sporadic smaller areas of interesting anomalous soil geochemistry. Prospecting discovered gold in quartz veins containing minor chalcopyrite at the intersection of the Dip Creek fault and the Coffee fault, but hosted by schist or at the contact between granitoid and schist. RC drilling this target did not return positive results. However, the area where the Dip Creek fault passes into the older schists at the intersection with the Coffee fault remains an area of exploration interest not adequately tested by the 2012 program.

16 Recommendations

The 2012 Ethos exploration program failed to detect bulk-tonnage gold mineralization beneath any part of the widespread Mascot gold-in-soil anomaly; the primary exploration target area. The program did detect sporadic intervals of higher grade gold mineralization associated with quartz-sulphide veins that produced interesting values over sample intervals of 5 or 10 feet. In hole BETR12-022 (the best result of the RC drill program) the 2.6 g/t Au with 107 g/t Ag result over 41.1 meter interval was shown with further testing (and interpretation of ground magnetics) to be drilled down-dip on a localized (narrow) structure. In hole BETR-014 (the most interesting result of the RC drill program because of the length of the host structure) the 2.0 g/t Au with 19 g/t Ag over 12.2 meters has potential but is not economic and adjacent drilling shows extension of the structure but not the gold-silver grade. The massive arsenopyrite veins encountered in surface pit trenches in this area were not identified in the RC drilling, but this is a likely effect of narrow veins being "overwhelmed" as they are aggregated into 5mm chips from a 5-foot interval of granodiorite.

Narrow high grade gold veins interpreted to be derived from and peripheral to the Casino gold-copper porphyry system are not an economic exploration target considering current gold/silver prices and contemporary underground narrow-vein mining costs at this time. Future local infrastructure developments including a mill, road, or powerline particularly to serve a mine at Casino may make this type of narrow-vein target attractive at some point in the future. In the meantime, the cost to hold the property under option does not warrant the potential future return on investment.

It is therefore recommended the property be returned to the vendors.

17 2012 Statement of Exploration Expenditures

Betty West Property (676 claims)
Work completed: May 1, 2012 to September 30, 2012
Grouping Certificate: HW07221

	Description (Contractor)	Total Cost
Soils	5,785 (GroundTruth, Acme)	$ 257,000.00
Trench Rehab	(Talus Expl)	$ 72,730.00
Prospecting	124 (50 man days, Supplies, Acme assay)	$ 27,220.00
RC Drilling, Fuel, Transport, Personnel, Assay, Heli		$ 2,303,000.00
Ground Geophysics	(Ground Truth)	$ 12,880.00
		$ 2,672,830.00

Betty East Property (750 claims)
Work completed: May 1, 2012 to September 30, 2012
Grouping Certificate: HW07220

	Description (Contractor)	Total Cost
Soils	2,322 (GroundTruth, Acme,,HeliDynamics)	$ 103,000.00
Trench Rehab	(Talus Expl)	$ 31,170.00
Prospecting	42 (17 man days, Supplies, Acme assay)	$ 9,220.00
RC Drilling, Fuel, Transport, Personnel, Assay, Heli		$ 1,161,000.00
Ground Geophysics	(Ground Truth)	$ 8,180.00
		$ 1,312,570.00

Expenditures certified correct,



Peter Tallman, P.Geo.

18 Bibliography

Bennett, V., Schulze, C., Oullette, D. and Pollries, B., 2010. Deconstructing complex Au-Ag-Cu mineralization, Sonora Gulch project, Dawson Range: A Late Cretaceous evolution to the epithermal environment. *In*: Yukon Exploration and Geology 2009, K.E. MacFarlane, L.H. Weston and L.R. Blackburn (eds.), Yukon Geological Survey, p. 23-45.

Betty Project, Ethos Gold Corporation, 2011. <www.ethosgold.com/s/betty> [accessed November 30th 2011].

Bostock, H.S., 1942. Geology of the Ogilvie map area, YT; Geological Survey of Canada Map 711A, 1:250,000-scale.

Couture, J-F., 2011. Technical Report on the Coffee Gold Project, Yukon Territory, Canada. Kaminak Gold Corporation, by SRK Consulting (Canada) Inc. (available at www.sedar.com).

Craig, D.B. and Laporte, P., 1972. Annual Report, Mineral Industry Report 1969-70. Yukon Geological Survey / DIAND. Shelf No. 6A-1, pp 51-53.

Deklerk, R. (*compiler*), 2011. Yukon MINFILE 2011- A database of mineral occurrences.

Donlin Gold, 2012. Donlin Gold mine < http://www.donlingold.com/> [accessed March 21st, 2012]

Environment Canada, 2012. Dawson, Yukon Territory, Canadian Climate Normals 1971-2000. < http://climate.weatheroffice.gc.ca/climate_normals/results_e.html?stnID=1535&lang=e&dCode=0&province=YT&provBut=Search&month1=0&month2=12> [accessed March 22nd, 2012].

Ethos, 2012. Internal documents.

Fonseca, A. and Giroux, G.H., 2009. Technical report on the Freegold Mountain property, Dawson Range, Yukon. Northern Freegold Resources (available at www.sedar.com).

Gabrielse H. and Yorath, C.J., 1991. Tectonic synthesis, Chapter 18. In: Gabrielse H, Yorath CJ (eds.) Geology of the Cordilleran Orogen in Canada; Geology of Canada, v. 4, p. 677–705.

Giroux, Gary H., 2010. Western Copper and Gold Corporation Technical Resort on Casino Deposit, Yukon Territory, December 2010, www.sedar.com.

Gordey, S.P. and Ryan, J.J., 2005. Geology, Stewart River area, Yukon Territory; Geological Survey of Canada, Open File 4970, 1:250,000-scale.

Gordey, S.P. and Makepeace, A.J., (*compilers*), 2003. Yukon Digital Geology; Geological Survey of Canada, Open File 1749 and Geological Survey Open File 2003-9(D).

Gordey, S.P., Williams, S.P., Cocking, R. and Ryan, J.J. (*compilers*), 2006. Digital Geology, Stewart River area, Yukon (vol. 1, DVD-ROM), Geological Survey of Canada, Open File 5122 (DVD-ROM).

Hester, M., 2011. Western Copper and Gold Corporation Technical Resort on Casino Deposit, Yukon Territory, May 2011, www.sedar.com

Jaworski, B.J. and Meyer, B. 2000a. Geological and geochemical report on the intrusion-related gold target central Yukon Territory. Prospector International Ltd., Yukon Assessment Report #094062.

Jaworski, B.J. and Meyer, B. 2000b. Geological and geochemical report on the Ladue River intrusion-related gold target west central Yukon Territory. Prospector International Ltd., Yukon Assessment Report #094063.

Jilson, G. and Brownlee, D.J., 2000. Geochemical and geological report on the Au and P claims. Deltango Gold Ltd., Yukon Assessment Report #094173.

Johnston, S.T., 1995. Geological compilation with interpretation from geophysical surveys of the northern Dawson Range, central Yukon (115J/9 and 10; 115I/12). Exploration and Geological Services Division, Yukon, Indian and Northern Affairs Canada, Open File 1995-2(G). 1:100,000-scale.

Kaminak Gold Corporation, 2011. < Coffee Project, <www.kaminak.com/projects/core_projects/yukon_gold> [accessed: March 25th, 2012].

Kinross Gold Corporation, 2012. White Gold Exploration Project <www.kinross.com/operations/dp-white-gold,-yukon>, [accessed: March 20th, 2012].

Kinross Gold Corporation, 2012. White Gold Exploration Project <http://kinross.com/operations/reserves-and-resources.aspx, [accessed: March 20th, 2012].

Mortensen J.K., 1992. Pre-mid-Mesozoic tectonic evolution of the Yukon-Tanana Terrane, Yukon and Alaska, Tectonics, vol. 11, p.836–853.

Oliver, T.S., Borntraeger, B., Drielick, T.L., Duke, J.L., Giroux, G.H., Hanks, J.T., Hester, M., Rebagliati, M., 2008. Technical report on the Casino project, pre-feasibility study, Yukon Territory, Canada. Western Copper Corporation, by M3 Engineering and Technology Corporation (available at www.sedar.com).

Pautler, J., 2011. Technical Report on the Wolf and Betty Properties, Dawson Range, Yukon Territory. Ethos Capital Corp., by J.P. Exploration Services Inc., (available at www.sedar.com).

Payne, J.G., Gonzalez, R.A., Akhurst, K. and Sisson, W.G., 1987. Geology of Colorado Creek (115J/10), Selwyn River (NTS 115J/9) and Prospector Mountain (115I/5) map areas, western Dawson Range, west-central Yukon; Geological Survey of Canada, Open File 1987-3.

Radvak, S., 1971. Report for Brewster Lake Mines Ltd., Yukon Assessment Report #060615.

Ryan, J.J. and Gordey, S.P., 2004. Geology, Stewart River area, Yukon Territory; Geological Survey of Canada, Open File 4641.

Ryan, J.J., Zagorevski, A., Roots, C. Knight, E., Hayward, N., Chapman, J., Ciolkiewicz, W. and Williams, S.P. 2012: New geological mapping in the Dawson Range - White Gold district, Yukon; Poster presentation at Mineral Exploration Roundup 2011, January 24, 2012, Vancouver, BC, Canada.

Ryan, S., 2010. Geochemical/geophysical report, Wolf 1-42 claims, Yukon Assessment Report.

Ryan, S., 2008. Geochemical report, Flush 1-6 claims, Yukon Assessment Report.

Ryan, S., 1999. Geochemical report, Cu 1-8 claims. Yukon Assessment Report #094074.

Scott, D.M., 1970. Geochemical report, Hop Claim Group, Dawson Range, Yukon Territory. Report for Empire Mercury Corporation Ltd., Yukon Assessment Report #060241.

Shives, R.B.K., Carson, J.M., Ford, K.L., Holman, P.B., Grant, J.A., Gordey, S. and Abbott, G., 2001. Multisensor airborne geophysical survey, Stewart River Area, Yukon, phases 1 and 2. Geological Survey of Canada Open File 4311, Shelf No. 15-63 (AKA: YGS/DIAND Open File 2002-17(D)).

Shives, R.B.K. and Carson, J.M., 1994. Airborne geophysical survey, Selwyn River, east (NTS 115I/12 and 115J/9) and west (NTS 115I and 115J/10, 11, 14 and 15), Yukon Territory. Geological Survey of Canada, Open File 2816, 119 p.

Statistics Canada, 2012. 2006 Community Profiles: Dawson City <http://www12.statcan.ca/census-recensement/2006/dp-pd/prof/92-

591/details/page.cfm?Lang=E&Geo1=CSD&Code1=6001029&Geo2=PR&Code2=6001029&Data=Count&SearchText=Holman&SearchType=Begins&SearchPR=01&B1=All&Custom=> [accessed March 22nd, 2012].

Sumitomo Metal Mining Co., LTD., 2012. Pogo mine. < http://www.smm.co.jp/E/> [accessed March 20th, 2012].

Tallman, P., 2012. 2011 prospecting, soil geochemistry, airborne magnetic and radiometric surveying, and airphoto-orthophoto surveying on the Betty Project, White Gold District, Yukon Territory, Canada, Yukon Assessment Report.

Templeman-Kluit, D.J., 1974. Reconnaissance geology of the Aishihik Lake, Snag and part of Stewart River map-areas, west-central Yukon. Geological Survey of Canada, Paper 73-41, 97 pp.

Templeman-Kluit, D.J., 1974. Geology, Stewart River, Yukon. Geological Survey of Canada, Preliminary Map 16-1973, 1:250,000-scale.

Watson, R.K., 1970. Report on an airborne magnetic survey, Libra Claims, White River Area. Marguerite Lake Mines Ltd. (NPL) by Metals, Petroleum & Hydraulic Resources Consulting Ltd., Yukon Assessment Report #060244.

Weiershäuser, L., Nowak, M. Barnett, W., 2010. White Gold Property, Dawson Range, Yukon, Canada. Underworld Resources Ltd., by SRK Consulting (Canada) Inc. and reviewed by G. Arseneau (available at: www.sedar.com).

Western Copper Corp., 2012. Casino Project, <http://westerncopperandgold.com/s/home.asp> [accessed March 20th, 2012].

19 Certification, Date and Signature

I, Peter Tallman, of Vancouver, British Columbia hereby certify that:

- I am a graduate of the University of Western Ontario with a Bachelor of Science (Geology) degree (1984).
- I am a practicing Professional Geoscientist (#02366) with the Professional Engineers and Geoscientists of Newfoundland and Labrador (PEGNL) since May 1991.
- I have practiced my profession as a geologist in Canada, throughout the America's as well as Australia and Africa continuously since graduation.
- I have held the position of executive officer and/or director of various publically listed Canadian corporations since 1995.
- I currently hold the position of consultant to Ethos Gold, a company listed publically on the TSXV Exchange.
- I do not own shares, warrants, or options to purchase shares in Ethos Gold Corp.
- I directed work on the Betty Property during the period beginning in 2011 to March 2013 and am the designated Qualified Person as defined by National Instrument 43-101 policy.


Dated in Vancouver, British Columbia this 22th day of August, 2013.





Peter Tallman, P.Geo.


Report Figures 1 - 15



Ethos Gold Corp.
Betty Property Location Map
Klondike Region, Yukon, Canada
Datum: NAD83
Figure 1
Proj: UTM Zone 7
Date: May 15, 2012
140°W
136°W
Fort McPherson
Old Rampart
Fort Good Hope
Eagle Plains
Norman W
Nation
65°N
Eagle
Forty Mile
Chicken
Dawson City
Keno City
Mayo
McQuesten
Betty Property
Pelly Crossing
Minto
Tungsten
Faro
Ross River
Carmacks
Francis Lake
Lower Laberge
Tuchitua
Burwash Landing
Haines Junction
Whitehorse
Teslin
Swift River
Carcross
60°N
Atlin
Yakutat
Skagway
Haines
Dease Lake
0
200.0
kilometers
Scale: 1:4,000,000



Ethos Gold Corp.
Betty Property
2012 Claims Map
Betty West and
Betty East Blocks
Whitehorse Mining District, Yukon
Datum: NAD83
NTS: 115J15/16
UTM Zone 7V
Scale: As Shown
N
620000E
630000E
640000E
6975000N
6965000N
6955000N
BETTY 1-564 (YD96501-YD97064)
BETTY 565-730 (YD133355-YD133520)
BETTY 731-860 (YE21301-YE21430)
HAYES 1-100 (YE24001-YE24100)
HAYES 101-1077 (YE22701-YE23677)
Legend
Betty West
Betty East
0
5.000
kilometers
Scale: 1:165,000
SEE APPENDIX I - MINERAL TENURE OF THE BETTY PROJECT
FOR LIST OF CLAIMS IN EACH BLOCK



Ethos Capital Corp.
The Klondike Regional Infrastructure And Claims Map
Klondike Region, Yukon, Canada
Datum: WGS84
NTS: 115/116
Prj: Lat/Long
Date: Nov. 14, 2011
N
Alaska
Yukon
NWT
Dawson
Whitehorse
The Klondike Gold Fields
Tintina Trench
The Klondike Highway
Stewart Crossing
Alaska
USA
JP Ross
HEN
Golden Saddle
WOLF
Teslin Fault
Coffee Fault
Coffee
Sugar
BRIDGET
BETTY
Buck
Casino
Mascot Creek
HAYES
Pelly Crossing
Minto
Minto
Dip Creek Fault
Proposed Casino Road
Nucleus
Revenue
Carmacks
Carmacks
Legend
Ethos Capital Corp.
Kaminak Gold Corp.
Kinross Gold Corp.
Western Copper Corp.
Northern Freegold Resources Ltd.
Capstone Mining Corp.
Copper North Mining Corp.
Teck Resources Ltd.
Other Claims
0
25.00
kilometers



Ethos Capital Corp.
Terranes and Faults of the Northern Cordillera
Northern Cordillera Region
Datum: NAD83
Date: Jan. 16, 2012
UTM Zone 7V
Scale: 1:10,000,000
N
AG
AA
Kobuk
Yukon
Yukon Flats
Kaltag
RB
AG
Livengood
Fort Knox
NAp
eastern limit of Cordilleran deformation
AG
NAb
Pogo
Brewery Creek (Au)
Rau (Au)
Osiris (Au)
Eagle (Au)
NAp
NAc
KY
Iditarod-Nixon Fork
Nixon Fork
Hines Creek
Big Creek (Coffee?) Fault
Tintina
YT
NAb
FW
Donlin Creek
KS
Golden Saddle (Au)
Selwyn (Pb, Zn)
Farewell
McKinley
WR
Coffee (Au)
Mascot Creek
Nucleus (Au, Cu, Ag)
3Ace (Au)
Denali
SM
SM
YT
Teslin
Border Ranges
Totschunda
KS
Duke River
Denali
KB
Togiak-Tikchik
Castle Mountain
CG
Contact
Fairweather
YA
AX
CA
CC
PE
Thibert
Turnagain
Kensington
Border Ranges
Shasta
Northern Rocky Mountain Trench
ST
Peril Strait
Chatham Strait
Finlay
Pinchi
Brucejack
KS
Coast Shear Zone
CC
Lone Pine
Outboard
YA Yakutat
PW Prince William
CG Chugach
PR Pacific Rim
CR Crescent
KY Koyukuk, Nyak, Togiak
Insular
PE Peninsular
AX Alexander
WR Wrangellia
KS Kluane, Windy, Coast
Northern Alaska
AG Angayucham/ Tozitna/Innoko
AA Arctic-Alaska, Hammond
RB Coldfoot, Ruby, Seward
FW Farewell
KB Kilbuck
Intermontane
MT Methow
CD Cadwallader
BR Bridge River
CC Cache Creek
HA Harrison
CK Chilliwack
ST Stikinia
QN Quesnellia
OK Okanagan
YT Yukon-Tanana
SM Slide Mountain
Ancestral North America
CA Cassiar
NAb North America - basinal (incl. Kootenay)
NAp North America - platform
NAc North America - craton & cover
Adapted from Colpron and Nelson, 2011.



Ethos Gold Corp.
Betty Property
Bedrock Geology Map
Whitehorse Mining District, Yukon
Datum: NAD83
NTS: 115J08/16
UTM Zone 7V
Date: Mar. 21, 2012
N
560000mE
580000mE
600000mE
620000mE
640000mE
7010000mN
6990000mN
6970000mN
6950000mN
Golden Saddle
Bridget
Coffee Structure
Coffee
Sugar
Buck Zone
Mascot Creek
Casino
Dip Creek Fault
100.6
262.2
345.1
261.3
101.3
57.9
77.9
197.
0
15.00
kilometers
Scale: 1:500,000
Legend
Successor rocks
Quaternary
Selkirk Volcanics - mafic volcanic flows, subaerial
Paleocene
Rhyolite Creek complex felsic - Quartz-feldspar porphyry
Rhyolite Creek complex mafic - hbl porphyritic andesites and tuffs
Rhyolite Creek complex sediments - siltstone and conglomerate
Ruby Range batholith - salt and pepper, quartz diorite;
late Cretaceous
Prospector Mountain suite - Quartz-bearing monzonite
upper Carmacks Group - andesite to basaltic flows
lower Carmacks Group - andesite to dacite breccia, tuff and flows
Casino suite - porphyritic, leucocratic quartz monzonite to rhyolite
Katrina Creek granite - variably deformed polyphase leucogranite
late Cretaceous
Colorado Creek conglomerate - polymictic conglomerate, locally breccia
Whitehorse Plutonic suite
Coffee Creek phase - Medium to coarse bt monzogranite (smokey qtz)
Dawson Range - Medium to coarse-grained, hornblende ±biotite granodiorite
metagabbro age unknown
Early Jurassic
Aishihik plutonic suite - granodiorite to monzogranite prominent magmatic epd
Stikinia / Quesnellia arc
Late Triassic
Semenof Formation - augite phyric dacite to andesite volcanic flows
Pyroxene Mountain suite - massive pyroxenite and derived hornblendite
Slide Mountain terrane
Permian and older?
Eikland Mountain gabbro - gabbro coarse grained, foliated and lineated
Eikland Mountain ultramafics - Harzburgite, dunite and lesser lherzolite
Yukon-Tanana terrane
Permian
Klondike Schist - metafelsic and metabasite from tuffs and flows
Sulphur Creek suite - quartz and K-feldspar porphyritic to augen monzogranite
Devonian-Mississippian
Simpson Range Suite - foliated to gneissic mMonzogranite to granodiorite;
Nasina fm - Carbonaceous quartzite to mica-quartz schist
Finlayson assemblage amphibolite schist and gneiss; metabasite;
Snowcap assemblage marble - metacarbonate; associated calcsilicate
Snowcap assemblage quartzite - Quartzite to quartz-mica schist; banded
Laurentia ??
Triassic
Triassic gabbro - foliated and lineated, locally amphibolite
Late Devonian and older
migmatitic paragneiss - metasedimentary paragneiss with leucozome veinlets
Mirror Creek formation - foliated phyllitic argillite calcareous quartz sandstone
White River formation carb schist - carbonaceous musc-quartz phyllite
White River formation metabasite - chl-actinolite schist meta-volcanic
White River formation metafelsite - ms-qtz schist and feldspar augen schist
White River formation undivided
Scottie Creek formati - slabby psammitic bt-ms quartz schist and quartzite



Ethos Gold Corp.
Betty Property
2012 Exploration Program
Soil Sample Locations
Whitehorse Mining District, Yukon
Datum: NAD83
NTS: 115J15/16
UTM Zone 7V
Scale: As Shown
N
6972500mN
6967500mN
6962500mN
617500mE
622500mE
627500mE
Yukon River
Coffee Fault
Dip Creek Fault
0
2.500
kilometers
Scale: 1:82,000
Legend
Soil Sample Location
Inferred Fault
Claim Boundary



Ethos Gold Corp.
Betty Property
2012 Exploration Program
Gold in Soil Results
Whitehorse Mining District, Yukon
Datum: NAD83
NTS: 115J15/16
UTM Zone 7V
Scale: As Shown
N
6972500mN
6967500mN
6962500mN
617500mE
622500mE
627500mE
Yukon River
Coffee Fault
Dip Creek Fault
0
2.500
kilometers
Scale: 1:82,000
Legend
Gold in Soil Results
Au > 75 ppb
Au 50 to 75 ppb
Au 30 to 50 ppb
Au 10 to 30 ppb
Au 0 to 10 ppb
Inferred Fault
Claim Boundary



Ethos Gold Corp.
Betty Property
Mascot Creek Anomaly
2012 Exploration Program
Whitehorse Mining District, Yukon
Datum: NAD83
NTS: 115J15/16
UTM Zone 7V
Date: Jan. 16, 2012
N
6964000mN
6962000mN
6960000mN
626000mE
628000mE
630000mE
4 Km
5 Km
Interpreted Coffee Fault
Dip Creek Fault
MILLER
PERRAULT
MARSHALL
SPITZ
THORNTON
KOONA
BOND
MERCEDES
TEEK
438
1,595
389
1,314
470
24,800
16,375
18,400
Legend
Rock Grab Sample Gold Result
Au >5000 ppb
Au 1000 to 5000 ppb
Au 500 to 1000 ppb
Au 300 to 500 ppb
Au 0 to 300 ppb
Gold in Soil Result
Au > 75 ppb
Au 50 to 75 ppb
Au 30 to 50 ppb
Au 10 to 30 ppb
Au 0 to 10 ppb
Trench Pit Line
0
1,000
kilometers
Scale: 1:30,000



N
6972500mN
6967500mN
6962500mN
617500mE
622500mE
627500mE
Yukon River
Coffee Fault
Dip Creek Fault
0
2.500
kilometers
Scale: 1:82,000
Ethos Gold Corp.
Betty Property
2012 Exploration Program
Rock Sample Locations
Whitehorse Mining District, Yukon
Datum: NAD83
NTS: 115J15/16
UTM Zone 7V
Scale: As Shown
Legend
Rock Sample Location
Outcrop Sample Location
Inferred Fault
Claim Boundary



Ethos Gold Corp.
Betty Property
2012 Exploration Program
Gold in Rock Results
Whitehorse Mining District, Yukon
Datum: NAD83
NTS: 115J15/16
UTM Zone 7V
Scale: As Shown
N
6972500mN
6967500mN
6962500mN
617500mE
622500mE
627500mE
Yukon River
Coffee Fault
Dip Creek Fault
0
2.500
kilometers
Scale: 1:82,000
Legend
Rock Grab Sample
Au >5000 ppb
Au 1000 to 5000 ppb
Au 500 to 1000 ppb
Au 300 to 500 ppb
Au 100 to 300 ppb
Au <100 ppb
Outcrop Sample Location
Inferred Fault
Claim Boundary


Ethos Gold Corp.
Betty Property
2012 Exploration Program
Gold in Soil on TMI Mag
Datum: NAD83
NTS: 115J09/16
UTM Zone 7V
Scale: As Shown
N
6964000mN
6962000mN
6960000mN
626000mE
628000mE
630000mE
4 Km
5 Km
Interpreted Coffee Fault
Dip Creek Fault
MILLER
PERRAULT
MARSHALL
SPITZ
THORNTON
KOONA
BOND
MERCEDES
TEEK
0
1.000
kilometers
Scale: 1:30,000
Legend
Gold in Soil Results
Au > 75 ppb
Au 50 to 75 ppb
Au 30 to 50 ppb
Au 10 to 30 ppb
Au 0 to 10 ppb
Soil Anomaly Outline
Trench Pit Line


Ethos Gold Corp.
Betty Property
2012 Exploration Program
Gold in Soil on Ground Mag
Datum: NAD83
NTS: 115J09/16
UTM Zone 7V
Scale: As Shown
N
6964000mN
6962000mN
6960000mN
626000mE
628000mE
630000mE
4 Km
5 Km
Interpreted Coffee Fault
Dip Creek Fault
MILLER
PERRAULT
MARSHALL
SPITZ
THORNTON
KOONA
BOND
MERCEDES
TEEK
0
1.000
kilometers
Scale: 1:30,000
Legend
Gold in Soil Results
Au > 75 ppb
Au 50 to 75 ppb
Au 30 to 50 ppb
Au 10 to 30 ppb
Au 0 to 10 ppb
Soil Anomaly Outline
Trench Pit Line


Legend
2012 RC Drillholes
Gold-in-Soil Contours
10 ppb
30 ppb
50 ppb
75 ppb
100 ppb
500 ppb
0 0.01 0.05 0.1 0.5 1.0 28.0
2011 Trenching Results (g/t)
Hole ID
Au (g/t) Ag (g/t)
Width (m)
Drill Hole Label
N
629000mE
630000mE
6961000mN
6960000mN
0.4 g/t Au & 78 g/t Ag
1.4 g/t Au & 576 g/t Ag
Mercedes
Teek
BETR12-056
1.6 -
1.5
BETR12-008
1.6 -
1.5
BETR12-007
1.5 -
21.3
BETR12-027
0.5 -
22.9
BETR12-028
BETR12-005
1.0 -
1.5
BETR12-006
2.6 -
1.5
BETR12-009
1.9 -
3.0
BETR12-042
BETR12-041
BETR12-029
BETR12-030
BETR12-040
0
0.5000
kilometers
Scale: 1:10,000
Ethos Gold Corp.
Betty Property
2012 RC Drill Program
Mercedes & Teek Drill Holes
Datum: NAD83
NTS: 115J09/16
UTM Zone 7V
Date: Sep. 19, 2012


N
627500mE
628500mE
6962000mN
6961000mN
Legend
2012 RC Drillholes
Gold-in-Soil Contours
10 ppb
30 ppb
50 ppb
75 ppb
100 ppb
500 ppb
0 0.01 0.05 0.1 0.5 1.0 28.0
2011 Trenching Results (g/t)
Hole ID
Au (g/t) Ag (g/t)
Width (m)
Drill Hole Label
BETR12-052 0.9 91 3.1
BETR12-048 0.8 93 1.5
BETR12-018 0.7 - 1.5
BETR12-022 7.1 209 13.7
BETR12-051
BETR12-050 1.6 46 1.5
BETR12-049
BETR12-061 0.9 85 3.0
BETR12-001 0.7 56 3.0
BETR12-019 0.4 20 4.5
BETR12-023 3.8 292 1.5
BETR12-021 0.4 68 3.0
BETR12-020 0.4 - 13.7
BETR12-002 0.4 143 3.0
BETR12-003 0.6 19 16.8
BETR12-004 0.8 21 9.1
BETR12-024 0.9 280 1.5
0 0.5000
kilometers
Scale: 1:10,000
Ethos Gold Corp.
Betty Property
2012 RC Drill Program
Marshall & Bond Drill Holes
Datum: NAD83
NTS: 115J09/16
UTM Zone 7V
Date: Sep. 19, 2012


N
629000mE
630000mE
631000mE
6962500mN
6961500mN
Legend
2012 RC Drillholes
Gold-in-Soil Contours
10 ppb
30 ppb
50 ppb
75 ppb
100 ppb
500 ppb
0 0.01 0.05 0.1 0.5 1.0 28.0
2011 Trenching Results (g/t)
Hole ID
Au (g/t) Ag (g/t)
Width (m)
Drill Hole Label
Perrault
Miller
Thornton
Spitz
BETR12-010
BETR12-011 1.4 - 1.5
BETR12-012 29.8 27 3.0
BETR12-013 3.3 - 1.5
BETR12-014 2.0 19 12.2
BETR12-015 2.2 - 3.0
BETR12-016 0.6 50 1.5
BETR12-017
BETR12-031
BETR12-032
BETR12-033 3.5 - 1.5
BETR12-034 2.3 - 1.5
BETR12-035
BETR12-036 1.6 - 1.5
BETR12-037
BETR12-043
BETR12-044 0.6 - 1.5
BETR12-045 0.5 - 1.5
BETR12-046
BETR12-047
BETR12-053 1.1 - 1.5
BETR12-054 0.8 - 1.5
BETR12-058 2.8 - 1.5
0 0.5000
kilometers
Scale: 1:10,000
Ethos Gold Corp.
Betty Property
2012 RC Drill Program
Perrault Drill Holes
Datum: NAD83
NTS: 115J09/16
UTM Zone 7V
Date: Sep. 19, 2012

Appendix I – Mineral Tenure of the Betty Property

Appendix I.I – Betty West

Claim Name	Grant Number	Claim Owner	Staking Date	Recorded Date	Expiry Date
BETTY 1	YD96501	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 2	YD96502	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 3	YD96503	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 4	YD96504	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 5	YD96505	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 6	YD96506	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 7	YD96507	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 8	YD96508	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 9	YD96509	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 10	YD96510	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 11	YD96511	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 12	YD96512	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 13	YD96513	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 14	YD96514	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 15	YD96515	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 16	YD96516	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 17	YD96517	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 18	YD96518	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 19	YD96519	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 20	YD96520	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 21	YD96521	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 22	YD96522	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 23	YD96523	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 24	YD96524	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 25	YD96525	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 26	YD96526	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 27	YD96527	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 28	YD96528	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 29	YD96529	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 30	YD96530	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 31	YD96531	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 32	YD96532	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 33	YD96533	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 34	YD96534	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 35	YD96535	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 36	YD96536	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 37	YD96537	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 38	YD96538	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 39	YD96539	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 40	YD96540	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 41	YD96541	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 42	YD96542	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 43	YD96543	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 44	YD96544	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 45	YD96545	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 46	YD96546	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 47	YD96547	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 48	YD96548	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 49	YD96549	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 50	YD96550	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 51	YD96551	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 52	YD96552	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 53	YD96553	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 54	YD96554	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 55	YD96555	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 56	YD96556	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 57	YD96557	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016

Claim Name	Grant Number	Claim Owner	Staking Date	Recorded Date	Expiry Date
BETTY 58	YD96558	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 59	YD96559	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 60	YD96560	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 81	YD96581	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 82	YD96582	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 83	YD96583	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 84	YD96584	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 85	YD96585	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 86	YD96586	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 87	YD96587	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 88	YD96588	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 89	YD96589	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 90	YD96590	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 91	YD96591	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 92	YD96592	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 93	YD96593	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 94	YD96594	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 95	YD96595	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 96	YD96596	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 97	YD96597	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 98	YD96598	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 99	YD96599	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 100	YD96600	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 101	YD96601	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 102	YD96602	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 103	YD96603	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 104	YD96604	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 105	YD96605	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 106	YD96606	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 107	YD96607	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 108	YD96608	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 129	YD96629	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 130	YD96630	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 131	YD96631	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 132	YD96632	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 133	YD96633	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 134	YD96634	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 135	YD96635	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 136	YD96636	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 137	YD96637	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 138	YD96638	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 139	YD96639	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 140	YD96640	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 141	YD96641	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 142	YD96642	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 143	YD96643	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 144	YD96644	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 145	YD96645	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 146	YD96646	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 147	YD96647	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 148	YD96648	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 149	YD96649	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 150	YD96650	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 151	YD96651	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 152	YD96652	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 153	YD96653	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 154	YD96654	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016

Claim Name	Grant Number	Claim Owner	Staking Date	Recorded Date	Expiry Date
BETTY 155	YD96655	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 156	YD96656	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 157	YD96657	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 158	YD96658	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 159	YD96659	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 160	YD96660	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 161	YD96661	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 162	YD96662	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 177	YD96677	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 178	YD96678	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 179	YD96679	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 180	YD96680	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 181	YD96681	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 182	YD96682	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 183	YD96683	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 184	YD96684	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 185	YD96685	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 186	YD96686	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 187	YD96687	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 188	YD96688	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 189	YD96689	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 190	YD96690	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 191	YD96691	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 192	YD96692	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 193	YD96693	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 194	YD96694	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 195	YD96695	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 196	YD96696	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 197	YD96697	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 198	YD96698	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 199	YD96699	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 200	YD96700	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 201	YD96701	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 202	YD96702	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 203	YD96703	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 204	YD96704	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 205	YD96705	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 206	YD96706	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 207	YD96707	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 208	YD96708	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 209	YD96709	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 210	YD96710	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 212	YD96712	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 214	YD96714	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 216	YD96716	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 218	YD96718	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 225	YD96725	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 226	YD96726	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 227	YD96727	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 228	YD96728	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 229	YD96729	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 230	YD96730	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 231	YD96731	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 232	YD96732	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 233	YD96733	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 234	YD96734	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 235	YD96735	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016

Claim Name	Grant Number	Claim Owner	Staking Date	Recorded Date	Expiry Date
BETTY 236	YD96736	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 237	YD96737	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 238	YD96738	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 239	YD96739	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 240	YD96740	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 241	YD96741	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 242	YD96742	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 243	YD96743	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 244	YD96744	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 245	YD96745	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 246	YD96746	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 247	YD96747	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 248	YD96748	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 249	YD96749	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 250	YD96750	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 251	YD96751	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 252	YD96752	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 253	YD96753	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 254	YD96754	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 255	YD96755	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 256	YD96756	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 257	YD96757	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 258	YD96758	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 259	YD96759	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 260	YD96760	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 261	YD96761	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 262	YD96762	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 263	YD96763	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 264	YD96764	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 265	YD96765	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 266	YD96766	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 273	YD96773	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 274	YD96774	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 275	YD96775	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 276	YD96776	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 277	YD96777	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 278	YD96778	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 279	YD96779	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 280	YD96780	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 281	YD96781	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 282	YD96782	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 283	YD96783	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 284	YD96784	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 285	YD96785	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 286	YD96786	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 287	YD96787	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 288	YD96788	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 289	YD96789	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 290	YD96790	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 291	YD96791	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 292	YD96792	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 293	YD96793	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 294	YD96794	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 295	YD96795	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 296	YD96796	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 297	YD96797	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 298	YD96798	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016

Claim Name	Grant Number	Claim Owner	Staking Date	Recorded Date	Expiry Date
BETTY 299	YD96799	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 300	YD96800	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 301	YD96801	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 302	YD96802	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 303	YD96803	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 304	YD96804	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 305	YD96805	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 306	YD96806	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 307	YD96807	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 308	YD96808	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 309	YD96809	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 310	YD96810	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 311	YD96811	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 312	YD96812	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 313	YD96813	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 314	YD96814	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 321	YD96821	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 322	YD96822	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 323	YD96823	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 324	YD96824	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 325	YD96825	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 326	YD96826	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 327	YD96827	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 328	YD96828	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 329	YD96829	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 330	YD96830	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 331	YD96831	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 332	YD96832	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 333	YD96833	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 334	YD96834	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 335	YD96835	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 336	YD96836	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 337	YD96837	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 338	YD96838	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 339	YD96839	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 340	YD96840	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 341	YD96841	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 342	YD96842	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 343	YD96843	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 344	YD96844	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 345	YD96845	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 346	YD96846	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 347	YD96847	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 348	YD96848	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 349	YD96849	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 350	YD96850	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 351	YD96851	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 352	YD96852	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 353	YD96853	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 354	YD96854	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 355	YD96855	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 356	YD96856	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 357	YD96857	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 358	YD96858	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 359	YD96859	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 360	YD96860	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 361	YD96861	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016

Claim Name	Grant Number	Claim Owner	Staking Date	Recorded Date	Expiry Date
BETTY 362	YD96862	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 369	YD96869	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 370	YD96870	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 371	YD96871	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 372	YD96872	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 373	YD96873	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 374	YD96874	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 375	YD96875	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 376	YD96876	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 377	YD96877	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 378	YD96878	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 379	YD96879	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 380	YD96880	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 381	YD96881	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 382	YD96882	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 383	YD96883	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 384	YD96884	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 385	YD96885	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 386	YD96886	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 387	YD96887	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 388	YD96888	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 389	YD96889	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 390	YD96890	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 391	YD96891	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 392	YD96892	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 393	YD96893	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 394	YD96894	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 395	YD96895	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 396	YD96896	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 397	YD96897	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 398	YD96898	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 399	YD96899	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 400	YD96900	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 401	YD96901	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 402	YD96902	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 403	YD96903	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 404	YD96904	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 405	YD96905	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 406	YD96906	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 407	YD96907	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 408	YD96908	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 409	YD96909	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 410	YD96910	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 411	YD96911	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 412	YD96912	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 413	YD96913	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 414	YD96914	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 415	YD96915	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 416	YD96916	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 417	YD96917	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 418	YD96918	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 419	YD96919	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 420	YD96920	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 421	YD96921	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 422	YD96922	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 423	YD96923	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 424	YD96924	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016

Claim Name	Grant Number	Claim Owner	Staking Date	Recorded Date	Expiry Date
BETTY 425	YD96925	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 426	YD96926	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 427	YD96927	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 428	YD96928	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 429	YD96929	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 430	YD96930	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 431	YD96931	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 432	YD96932	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 433	YD96933	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 434	YD96934	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 435	YD96935	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 436	YD96936	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 437	YD96937	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 438	YD96938	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 439	YD96939	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 440	YD96940	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 441	YD96941	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 442	YD96942	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 443	YD96943	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 444	YD96944	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 445	YD96945	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 446	YD96946	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 447	YD96947	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 448	YD96948	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 449	YD96949	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 450	YD96950	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 451	YD96951	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 452	YD96952	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/17/2010	9/29/2010	9/29/2016
BETTY 453	YD96953	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 454	YD96954	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 455	YD96955	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 456	YD96956	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 457	YD96957	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 458	YD96958	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 459	YD96959	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 460	YD96960	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 461	YD96961	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 462	YD96962	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 463	YD96963	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 464	YD96964	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 465	YD96965	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 466	YD96966	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 467	YD96967	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 468	YD96968	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 497	YD96997	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 498	YD96998	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 499	YD96999	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 500	YD97000	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 501	YD97001	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 502	YD97002	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 503	YD97003	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 504	YD97004	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 505	YD97005	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 506	YD97006	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 507	YD97007	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 508	YD97008	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 537	YD97037	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016

Claim Name	Grant Number	Claim Owner	Staking Date	Recorded Date	Expiry Date
BETTY 538	YD97038	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 539	YD97039	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 540	YD97040	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 541	YD97041	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 542	YD97042	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 543	YD97043	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 544	YD97044	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 545	YD97045	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 546	YD97046	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 547	YD97047	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 548	YD97048	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 565	YD133355	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 566	YD133356	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 567	YD133357	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 568	YD133358	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 569	YD133359	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 570	YD133360	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 571	YD133361	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 572	YD133362	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 573	YD133363	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 574	YD133364	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 575	YD133365	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 576	YD133366	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 577	YD133367	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 578	YD133368	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 579	YD133369	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 580	YD133370	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 581	YD133371	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 582	YD133372	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 583	YD133373	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 584	YD133374	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 585	YD133375	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 586	YD133376	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 587	YD133377	Shawn Ryan - 100%	12/15/2010	12/29/2010	12/29/2016
BETTY 588	YD133378	Shawn Ryan - 100%	12/15/2010	12/29/2010	12/29/2016
BETTY 589	YD133379	Shawn Ryan - 100%	12/15/2010	12/29/2010	12/29/2016
BETTY 590	YD133380	Shawn Ryan - 100%	12/15/2010	12/29/2010	12/29/2016
BETTY 591	YD133381	Shawn Ryan - 100%	12/15/2010	12/29/2010	12/29/2016
BETTY 592	YD133382	Shawn Ryan - 100%	12/15/2010	12/29/2010	12/29/2016
BETTY 593	YD133383	Shawn Ryan - 100%	12/15/2010	12/29/2010	12/29/2016
BETTY 594	YD133384	Shawn Ryan - 100%	12/15/2010	12/29/2010	12/29/2016
BETTY 595	YD133385	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 596	YD133386	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 597	YD133387	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 598	YD133388	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 599	YD133389	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 600	YD133390	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 601	YD133391	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 602	YD133392	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 603	YD133393	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 604	YD133394	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 605	YD133395	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 606	YD133396	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 607	YD133397	Shawn Ryan - 100%	12/15/2010	12/29/2010	12/29/2016
BETTY 608	YD133398	Shawn Ryan - 100%	12/15/2010	12/29/2010	12/29/2016
BETTY 609	YD133399	Shawn Ryan - 100%	12/15/2010	12/29/2010	12/29/2016
BETTY 610	YD133400	Shawn Ryan - 100%	12/15/2010	12/29/2010	12/29/2016

Claim Name	Grant Number	Claim Owner	Staking Date	Recorded Date	Expiry Date
BETTY 611	YD133401	Shawn Ryan - 100%	12/15/2010	12/29/2010	12/29/2016
BETTY 612	YD133402	Shawn Ryan - 100%	12/15/2010	12/29/2010	12/29/2016
BETTY 613	YD133403	Shawn Ryan - 100%	12/15/2010	12/29/2010	12/29/2016
BETTY 614	YD133404	Shawn Ryan - 100%	12/15/2010	12/29/2010	12/29/2016
BETTY 615	YD133405	Shawn Ryan - 100%	12/15/2010	12/29/2010	12/29/2016
BETTY 616	YD133406	Shawn Ryan - 100%	12/15/2010	12/29/2010	12/29/2016
BETTY 617	YD133407	Shawn Ryan - 100%	12/15/2010	12/29/2010	12/29/2016
BETTY 618	YD133408	Shawn Ryan - 100%	12/15/2010	12/29/2010	12/29/2016
BETTY 619	YD133409	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 620	YD133410	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 621	YD133411	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 622	YD133412	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 623	YD133413	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 624	YD133414	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 625	YD133415	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 626	YD133416	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 627	YD133417	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 628	YD133418	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 629	YD133419	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 630	YD133420	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 631	YD133421	Shawn Ryan - 100%	12/15/2010	12/29/2010	12/29/2016
BETTY 632	YD133422	Shawn Ryan - 100%	12/15/2010	12/29/2010	12/29/2016
BETTY 633	YD133423	Shawn Ryan - 100%	12/15/2010	12/29/2010	12/29/2016
BETTY 634	YD133424	Shawn Ryan - 100%	12/15/2010	12/29/2010	12/29/2016
BETTY 635	YD133425	Shawn Ryan - 100%	12/15/2010	12/29/2010	12/29/2016
BETTY 636	YD133426	Shawn Ryan - 100%	12/15/2010	12/29/2010	12/29/2016
BETTY 637	YD133427	Shawn Ryan - 100%	12/15/2010	12/29/2010	12/29/2016
BETTY 638	YD133428	Shawn Ryan - 100%	12/15/2010	12/29/2010	12/29/2016
BETTY 639	YD133429	Shawn Ryan - 100%	12/15/2010	12/29/2010	12/29/2016
BETTY 640	YD133430	Shawn Ryan - 100%	12/15/2010	12/29/2010	12/29/2016
BETTY 641	YD133431	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 642	YD133432	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 643	YD133433	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 644	YD133434	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 645	YD133435	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 646	YD133436	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 647	YD133437	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 648	YD133438	Shawn Ryan - 100%	12/1/2010	12/29/2010	12/29/2016
BETTY 649	YD133439	Shawn Ryan - 100%	12/14/2010	12/29/2010	12/29/2016
BETTY 650	YD133440	Shawn Ryan - 100%	12/14/2010	12/29/2010	12/29/2016
BETTY 651	YD133441	Shawn Ryan - 100%	12/14/2010	12/29/2010	12/29/2016
BETTY 652	YD133442	Shawn Ryan - 100%	12/14/2010	12/29/2010	12/29/2016
BETTY 653	YD133443	Shawn Ryan - 100%	12/14/2010	12/29/2010	12/29/2016
BETTY 654	YD133444	Shawn Ryan - 100%	12/14/2010	12/29/2010	12/29/2016
BETTY 655	YD133445	Shawn Ryan - 100%	12/14/2010	12/29/2010	12/29/2016
BETTY 656	YD133446	Shawn Ryan - 100%	12/14/2010	12/29/2010	12/29/2016
BETTY 657	YD133447	Shawn Ryan - 100%	12/14/2010	12/29/2010	12/29/2016
BETTY 658	YD133448	Shawn Ryan - 100%	12/14/2010	12/29/2010	12/29/2016
BETTY 659	YD133449	Shawn Ryan - 100%	12/14/2010	12/29/2010	12/29/2016
BETTY 660	YD133450	Shawn Ryan - 100%	12/14/2010	12/29/2010	12/29/2016
BETTY 661	YD133451	Shawn Ryan - 100%	12/14/2010	12/29/2010	12/29/2016
BETTY 662	YD133452	Shawn Ryan - 100%	12/14/2010	12/29/2010	12/29/2016
BETTY 663	YD133453	Shawn Ryan - 100%	12/14/2010	12/29/2010	12/29/2016
BETTY 664	YD133454	Shawn Ryan - 100%	12/14/2010	12/29/2010	12/29/2016
BETTY 665	YD133455	Shawn Ryan - 100%	12/14/2010	12/29/2010	12/29/2016
BETTY 666	YD133456	Shawn Ryan - 100%	12/14/2010	12/29/2010	12/29/2016
BETTY 667	YD133457	Shawn Ryan - 100%	12/14/2010	12/29/2010	12/29/2016

Claim Name	Grant Number	Claim Owner	Staking Date	Recorded Date	Expiry Date
BETTY 668	YD133458	Shawn Ryan - 100%	12/14/2010	12/29/2010	12/29/2016
BETTY 669	YD133459	Shawn Ryan - 100%	12/14/2010	12/29/2010	12/29/2016
BETTY 670	YD133460	Shawn Ryan - 100%	12/14/2010	12/29/2010	12/29/2016
BETTY 671	YD133461	Shawn Ryan - 100%	12/14/2010	12/29/2010	12/29/2016
BETTY 672	YD133462	Shawn Ryan - 100%	12/14/2010	12/29/2010	12/29/2016
BETTY 673	YD133463	Shawn Ryan - 100%	12/14/2010	12/29/2010	12/29/2016
BETTY 674	YD133464	Shawn Ryan - 100%	12/14/2010	12/29/2010	12/29/2016
BETTY 675	YD133465	Shawn Ryan - 100%	12/14/2010	12/29/2010	12/29/2016
BETTY 676	YD133466	Shawn Ryan - 100%	12/14/2010	12/29/2010	12/29/2016
BETTY 677	YD133467	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 678	YD133468	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 679	YD133469	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 680	YD133470	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 681	YD133471	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 682	YD133472	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 683	YD133473	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 684	YD133474	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 685	YD133475	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 686	YD133476	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 687	YD133477	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 688	YD133478	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 689	YD133479	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 690	YD133480	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 691	YD133481	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 692	YD133482	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 693	YD133483	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 694	YD133484	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 695	YD133485	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 696	YD133486	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 697	YD133487	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 698	YD133488	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 699	YD133489	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 700	YD133490	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 701	YD133491	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 702	YD133492	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 703	YD133493	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 704	YD133494	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 705	YD133495	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 706	YD133496	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 707	YD133497	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 708	YD133498	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 709	YD133499	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 710	YD133500	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 711	YD133501	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 712	YD133502	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 713	YD133503	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 714	YD133504	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 715	YD133505	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 716	YD133506	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 717	YD133507	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 718	YD133508	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 719	YD133509	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 720	YD133510	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 721	YD133511	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 722	YD133512	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 723	YD133513	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 724	YD133514	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016

Claim Name	Grant Number	Claim Owner	Staking Date	Recorded Date	Expiry Date
BETTY 725	YD133515	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 726	YD133516	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 727	YD133517	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 728	YD133518	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 729	YD133519	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 730	YD133520	Shawn Ryan - 100%	12/16/2010	12/29/2010	12/29/2016
BETTY 731	YE21301	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 732	YE21302	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 733	YE21303	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 734	YE21304	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 735	YE21305	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 736	YE21306	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 737	YE21307	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 738	YE21308	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 739	YE21309	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 740	YE21310	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 741	YE21311	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 742	YE21312	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 743	YE21313	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 744	YE21314	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 745	YE21315	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 746	YE21316	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 747	YE21317	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 748	YE21318	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 749	YE21319	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 750	YE21320	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 751	YE21321	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 752	YE21322	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 753	YE21323	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 754	YE21324	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 755	YE21325	Shawn Ryan - 100%	8/11/2011	8/11/2011	8/11/2017
BETTY 756	YE21326	Shawn Ryan - 100%	8/11/2011	8/11/2011	8/11/2017
BETTY 757	YE21327	Shawn Ryan - 100%	8/11/2011	8/11/2011	8/11/2017
BETTY 758	YE21328	Shawn Ryan - 100%	8/11/2011	8/11/2011	8/11/2017
BETTY 759	YE21329	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 760	YE21330	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 761	YE21331	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 762	YE21332	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 763	YE21333	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 764	YE21334	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 765	YE21335	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 766	YE21336	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 768	YE21338	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 769	YE21339	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 770	YE21340	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 771	YE21341	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 772	YE21342	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 773	YE21343	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 774	YE21344	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 775	YE21345	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 776	YE21346	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 777	YE21347	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 778	YE21348	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 779	YE21349	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 780	YE21350	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 781	YE21351	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 782	YE21352	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017

Claim Name	Grant Number	Claim Owner	Staking Date	Recorded Date	Expiry Date
BETTY 783	YE21353	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 784	YE21354	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 785	YE21355	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 786	YE21356	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 787	YE21357	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 788	YE21358	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 789	YE21359	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 790	YE21360	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 791	YE21361	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 792	YE21362	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 793	YE21363	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 794	YE21364	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 795	YE21365	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 796	YE21366	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 797	YE21367	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 798	YE21368	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 799	YE21369	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 800	YE21370	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 801	YE21371	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 802	YE21372	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 803	YE21373	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 804	YE21374	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 805	YE21375	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 806	YE21376	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 817	YE21387	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 818	YE21388	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 819	YE21389	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 820	YE21390	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 841	YE21411	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 842	YE21412	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 843	YE21413	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 844	YE21414	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 845	YE21415	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 846	YE21416	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 847	YE21417	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 848	YE21418	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 849	YE21419	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 850	YE21420	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 851	YE21421	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 852	YE21422	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 853	YE21423	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 854	YE21424	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 856	YE21426	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 857	YE21427	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 858	YE21428	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 859	YE21429	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
HAYES 1	YE24001	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 3	YE24003	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017

Appendix I.II – Betty East

Claim Name	Grant Number	Claim Owner	Staking Date	Recorded Date	Expiry Date
BETTY 61	YD96561	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 62	YD96562	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 63	YD96563	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 64	YD96564	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 65	YD96565	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 66	YD96566	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 67	YD96567	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 68	YD96568	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 69	YD96569	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 70	YD96570	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 71	YD96571	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 72	YD96572	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 73	YD96573	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 74	YD96574	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 75	YD96575	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 76	YD96576	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 77	YD96577	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 78	YD96578	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 79	YD96579	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 80	YD96580	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 109	YD96609	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 110	YD96610	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 111	YD96611	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 112	YD96612	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 113	YD96613	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 114	YD96614	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 115	YD96615	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 116	YD96616	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 117	YD96617	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 118	YD96618	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 119	YD96619	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 120	YD96620	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 121	YD96621	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 122	YD96622	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 123	YD96623	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 124	YD96624	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 125	YD96625	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 126	YD96626	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 127	YD96627	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 128	YD96628	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 163	YD96663	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 164	YD96664	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 165	YD96665	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 166	YD96666	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 167	YD96667	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 168	YD96668	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 169	YD96669	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 170	YD96670	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 171	YD96671	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 172	YD96672	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 173	YD96673	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 174	YD96674	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 175	YD96675	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 176	YD96676	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/29/2010	9/29/2010	9/29/2016
BETTY 211	YD96711	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 213	YD96713	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 215	YD96715	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 217	YD96717	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 219	YD96719	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 220	YD96720	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 221	YD96721	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016

Claim Name	Grant Number	Claim Owner	Staking Date	Recorded Date	Expiry Date
BETTY 222	YD96722	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 223	YD96723	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 224	YD96724	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/20/2010	9/29/2010	9/29/2016
BETTY 267	YD96767	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 268	YD96768	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 269	YD96769	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 270	YD96770	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 271	YD96771	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 272	YD96772	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 315	YD96815	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 316	YD96816	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 317	YD96817	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 318	YD96818	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 319	YD96819	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 320	YD96820	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 363	YD96863	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 364	YD96864	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 365	YD96865	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 366	YD96866	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 367	YD96867	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 368	YD96868	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/18/2010	9/29/2010	9/29/2016
BETTY 469	YD96969	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 470	YD96970	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 471	YD96971	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 472	YD96972	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 473	YD96973	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 474	YD96974	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 475	YD96975	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 476	YD96976	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 477	YD96977	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 478	YD96978	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 479	YD96979	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 480	YD96980	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 481	YD96981	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 482	YD96982	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 483	YD96983	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 484	YD96984	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 485	YD96985	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 486	YD96986	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 487	YD96987	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 488	YD96988	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 489	YD96989	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 490	YD96990	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 491	YD96991	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 492	YD96992	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 493	YD96993	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 494	YD96994	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 495	YD96995	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 496	YD96996	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 509	YD97009	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 510	YD97010	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 511	YD97011	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 512	YD97012	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 513	YD97013	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 514	YD97014	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 515	YD97015	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 516	YD97016	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 517	YD97017	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 518	YD97018	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 519	YD97019	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 520	YD97020	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016

Claim Name	Grant Number	Claim Owner	Staking Date	Recorded Date	Expiry Date
BETTY 521	YD97021	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 522	YD97022	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 523	YD97023	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 524	YD97024	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 525	YD97025	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 526	YD97026	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 527	YD97027	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 528	YD97028	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 529	YD97029	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 530	YD97030	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 531	YD97031	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 532	YD97032	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 533	YD97033	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 534	YD97034	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 535	YD97035	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 536	YD97036	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/21/2010	9/29/2010	9/29/2016
BETTY 549	YD97049	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 550	YD97050	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 551	YD97051	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 552	YD97052	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 553	YD97053	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 554	YD97054	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 555	YD97055	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 556	YD97056	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 557	YD97057	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 558	YD97058	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 559	YD97059	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 560	YD97060	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 561	YD97061	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 562	YD97062	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 563	YD97063	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 564	YD97064	Shawn Ryan - 70%, Wildwood Explorations Inc. - 30%	9/19/2010	9/29/2010	9/29/2016
BETTY 807	YE21377	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 808	YE21378	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 809	YE21379	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 810	YE21380	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 811	YE21381	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 812	YE21382	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 813	YE21383	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 814	YE21384	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 815	YE21385	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 816	YE21386	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 821	YE21391	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 822	YE21392	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 823	YE21393	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 824	YE21394	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 825	YE21395	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 826	YE21396	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 827	YE21397	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 828	YE21398	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 829	YE21399	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 830	YE21400	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 831	YE21401	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 832	YE21402	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 833	YE21403	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 834	YE21404	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 835	YE21405	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 836	YE21406	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 837	YE21407	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 838	YE21408	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 839	YE21409	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017

Claim Name	Grant Number	Claim Owner	Staking Date	Recorded Date	Expiry Date
BETTY 840	YE21410	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 855	YE21425	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
BETTY 860	YE21430	Shawn Ryan - 100%	7/27/2011	8/11/2011	8/11/2017
HAYES 2	YE24002	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 4	YE24004	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 5	YE24005	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 6	YE24006	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 7	YE24007	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 8	YE24008	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 9	YE24009	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 10	YE24010	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 11	YE24011	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 12	YE24012	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 13	YE24013	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 14	YE24014	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 15	YE24015	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 16	YE24016	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 17	YE24017	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 18	YE24018	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 19	YE24019	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 20	YE24020	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 21	YE24021	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 22	YE24022	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 23	YE24023	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 24	YE24024	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 25	YE24025	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 26	YE24026	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 27	YE24027	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 28	YE24028	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 29	YE24029	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 30	YE24030	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 31	YE24031	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 32	YE24032	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 33	YE24033	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 34	YE24034	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 35	YE24035	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 36	YE24036	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 37	YE24037	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 38	YE24038	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 39	YE24039	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 40	YE24040	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 41	YE24041	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 42	YE24042	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 43	YE24043	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 44	YE24044	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 45	YE24045	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 46	YE24046	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 47	YE24047	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 48	YE24048	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 49	YE24049	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 50	YE24050	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 51	YE24051	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 52	YE24052	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 53	YE24053	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 54	YE24054	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 55	YE24055	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 56	YE24056	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 57	YE24057	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 58	YE24058	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 59	YE24059	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 60	YE24060	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017

Claim Name	Grant Number	Claim Owner	Staking Date	Recorded Date	Expiry Date
HAYES 61	YE24061	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 62	YE24062	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 63	YE24063	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 64	YE24064	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 65	YE24065	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 66	YE24066	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 67	YE24067	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 68	YE24068	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 69	YE24069	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 70	YE24070	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 71	YE24071	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 72	YE24072	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 73	YE24073	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 74	YE24074	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 75	YE24075	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 76	YE24076	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 77	YE24077	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 78	YE24078	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 79	YE24079	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 80	YE24080	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 81	YE24081	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 82	YE24082	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 83	YE24083	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 84	YE24084	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 85	YE24085	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 86	YE24086	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 87	YE24087	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 88	YE24088	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 89	YE24089	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 90	YE24090	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 91	YE24091	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 92	YE24092	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 93	YE24093	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 94	YE24094	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 95	YE24095	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 96	YE24096	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 97	YE24097	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 98	YE24098	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 99	YE24099	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 100	YE24100	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 101	YE22701	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 102	YE22702	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 103	YE22703	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 104	YE22704	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 105	YE22705	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 106	YE22706	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 107	YE22707	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 108	YE22708	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 109	YE22709	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 110	YE22710	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 111	YE22711	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 112	YE22712	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 113	YE22713	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 114	YE22714	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 115	YE22715	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 116	YE22716	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 117	YE22717	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 118	YE22718	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 119	YE22719	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 120	YE22720	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 121	YE22721	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017

Claim Name	Grant Number	Claim Owner	Staking Date	Recorded Date	Expiry Date
HAYES 122	YE22722	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 123	YE22723	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 124	YE22724	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 125	YE22725	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 126	YE22726	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 127	YE22727	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 128	YE22728	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 129	YE22729	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 130	YE22730	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 131	YE22731	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 132	YE22732	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 133	YE22733	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 134	YE22734	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 135	YE22735	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 136	YE22736	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 137	YE22737	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 138	YE22738	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 139	YE22739	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 140	YE22740	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 141	YE22741	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 142	YE22742	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 143	YE22743	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 144	YE22744	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 145	YE22745	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 146	YE22746	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 147	YE22747	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 148	YE22748	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 149	YE22749	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 150	YE22750	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 151	YE22751	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 152	YE22752	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 153	YE22753	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 154	YE22754	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 155	YE22755	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 156	YE22756	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 157	YE22757	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 158	YE22758	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 159	YE22759	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 160	YE22760	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 161	YE22761	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 162	YE22762	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 163	YE22763	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 164	YE22764	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 165	YE22765	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 166	YE22766	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 167	YE22767	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 168	YE22768	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 169	YE22769	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 170	YE22770	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 171	YE22771	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 172	YE22772	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 173	YE22773	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 174	YE22774	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 175	YE22775	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 176	YE22776	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 177	YE22777	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 178	YE22778	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 179	YE22779	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 180	YE22780	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 181	YE22781	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 182	YE22782	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017

Claim Name	Grant Number	Claim Owner	Staking Date	Recorded Date	Expiry Date
HAYES 183	YE22783	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 184	YE22784	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 185	YE22785	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 186	YE22786	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 187	YE22787	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 188	YE22788	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 189	YE22789	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 190	YE22790	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 191	YE22791	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 192	YE22792	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 193	YE22793	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 195	YE22795	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 197	YE22797	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 199	YE22799	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 201	YE22801	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 203	YE22803	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 205	YE22805	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 207	YE22807	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 208	YE22808	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 209	YE22809	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 210	YE22810	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 211	YE22811	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 212	YE22812	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 213	YE22813	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 214	YE22814	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 215	YE22815	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 216	YE22816	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 217	YE22817	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 218	YE22818	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 219	YE22819	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 220	YE22820	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 221	YE22821	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 222	YE22822	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 223	YE22823	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 224	YE22824	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 225	YE22825	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 226	YE22826	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 227	YE22827	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 228	YE22828	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 229	YE22829	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 230	YE22830	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 231	YE22831	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 232	YE22832	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 233	YE22833	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 234	YE22834	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 235	YE22835	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 236	YE22836	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 237	YE22837	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 238	YE22838	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 239	YE22839	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 240	YE22840	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 255	YE22855	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 256	YE22856	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 257	YE22857	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 258	YE22858	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 259	YE22859	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 260	YE22860	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 261	YE22861	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 262	YE22862	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 263	YE22863	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 264	YE22864	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017

Claim Name	Grant Number	Claim Owner	Staking Date	Recorded Date	Expiry Date
HAYES 265	YE22865	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 266	YE22866	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 267	YE22867	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 268	YE22868	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 269	YE22869	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 270	YE22870	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 271	YE22871	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 272	YE22872	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 273	YE22873	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 274	YE22874	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 275	YE22875	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 276	YE22876	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 277	YE22877	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 278	YE22878	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 279	YE22879	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 280	YE22880	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 281	YE22881	Ethos Capital Corp. - 100%	6/29/2011	6/29/2011	6/29/2017
HAYES 282	YE22882	Ethos Capital Corp. - 100%	6/29/2011	6/29/2011	6/29/2017
HAYES 283	YE22883	Ethos Capital Corp. - 100%	6/29/2011	6/29/2011	6/29/2017
HAYES 284	YE22884	Ethos Capital Corp. - 100%	6/29/2011	6/29/2011	6/29/2017
HAYES 285	YE22885	Ethos Capital Corp. - 100%	6/29/2011	6/29/2011	6/29/2017
HAYES 286	YE22886	Ethos Capital Corp. - 100%	6/29/2011	6/29/2011	6/29/2017
HAYES 287	YE22887	Ethos Capital Corp. - 100%	6/29/2011	6/29/2011	6/29/2017
HAYES 288	YE22888	Ethos Capital Corp. - 100%	6/29/2011	6/29/2011	6/29/2017
HAYES 303	YE22903	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 304	YE22904	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 305	YE22905	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 306	YE22906	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 307	YE22907	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 308	YE22908	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 309	YE22909	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 310	YE22910	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 311	YE22911	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 312	YE22912	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 313	YE22913	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 314	YE22914	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 315	YE22915	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 316	YE22916	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 317	YE22917	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 318	YE22918	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 319	YE22919	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 320	YE22920	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 321	YE22921	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 322	YE22922	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 323	YE22923	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 324	YE22924	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 325	YE22925	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 326	YE22926	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 327	YE22927	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 328	YE22928	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 329	YE22929	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 330	YE22930	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 331	YE22931	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 332	YE22932	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 333	YE22933	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 334	YE22934	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 335	YE22935	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 336	YE22936	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 367	YE22967	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 369	YE22969	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 370	YE22970	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017

Claim Name	Grant Number	Claim Owner	Staking Date	Recorded Date	Expiry Date
HAYES 371	YE22971	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 372	YE22972	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 373	YE22973	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 374	YE22974	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 375	YE22975	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 376	YE22976	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 377	YE22977	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 378	YE22978	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 379	YE22979	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 380	YE22980	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 381	YE22981	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 382	YE22982	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 383	YE22983	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 384	YE22984	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 385	YE22985	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 386	YE22986	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 387	YE22987	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 388	YE22988	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 389	YE22989	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 390	YE22990	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 391	YE22991	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 392	YE22992	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 393	YE22993	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 394	YE22994	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 395	YE22995	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 396	YE22996	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 397	YE22997	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 398	YE22998	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 399	YE22999	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 400	YE23000	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 401	YE23001	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 403	YE23003	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 405	YE23005	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 407	YE23007	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 409	YE23009	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 411	YE23011	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 413	YE23013	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 435	YE23035	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 436	YE23036	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 437	YE23037	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 438	YE23038	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 439	YE23039	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 440	YE23040	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 441	YE23041	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 442	YE23042	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 443	YE23043	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 444	YE23044	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 445	YE23045	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 446	YE23046	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 447	YE23047	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 448	YE23048	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 449	YE23049	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 450	YE23050	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 451	YE23051	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 452	YE23052	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 453	YE23053	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 454	YE23054	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 489	YE23089	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 490	YE23090	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 491	YE23091	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 492	YE23092	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017

Claim Name	Grant Number	Claim Owner	Staking Date	Recorded Date	Expiry Date
HAYES 493	YE23093	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 494	YE23094	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 495	YE23095	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 496	YE23096	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 497	YE23097	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 498	YE23098	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 499	YE23099	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 500	YE23100	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 501	YE23101	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 502	YE23102	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 503	YE23103	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 504	YE23104	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 505	YE23105	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 506	YE23106	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 507	YE23107	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 508	YE23108	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 543	YE23143	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 544	YE23144	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 545	YE23145	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 546	YE23146	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 547	YE23147	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 548	YE23148	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 549	YE23149	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 550	YE23150	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 551	YE23151	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 552	YE23152	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 553	YE23153	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 554	YE23154	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 555	YE23155	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 556	YE23156	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 557	YE23157	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 558	YE23158	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 559	YE23159	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 560	YE23160	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 561	YE23161	Ethos Capital Corp. - 100%	6/29/2011	6/29/2011	6/29/2017
HAYES 562	YE23162	Ethos Capital Corp. - 100%	6/29/2011	6/29/2011	6/29/2017
HAYES 597	YE23197	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 598	YE23198	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 599	YE23199	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 600	YE23200	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 601	YE23201	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 603	YE23203	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 605	YE23205	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 607	YE23207	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 609	YE23209	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 611	YE23211	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 613	YE23213	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 615	YE23215	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 651	YE23251	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 652	YE23252	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 653	YE23253	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 654	YE23254	Ethos Capital Corp. - 100%	6/15/2011	6/29/2011	6/29/2017
HAYES 705	YE23305	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 706	YE23306	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 707	YE23307	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 708	YE23308	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 759	YE23359	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 761	YE23361	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 813	YE23413	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 814	YE23414	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 815	YE23415	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017

Claim Name	Grant Number	Claim Owner	Staking Date	Recorded Date	Expiry Date
HAYES 816	YE23416	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 817	YE23417	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 818	YE23418	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 819	YE23419	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 820	YE23420	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 821	YE23421	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 822	YE23422	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 823	YE23423	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 824	YE23424	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 825	YE23425	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 826	YE23426	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 827	YE23427	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 828	YE23428	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 829	YE23429	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 830	YE23430	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 831	YE23431	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 832	YE23432	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 833	YE23433	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 834	YE23434	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 835	YE23435	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 836	YE23436	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 837	YE23437	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 838	YE23438	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 839	YE23439	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 840	YE23440	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 841	YE23441	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 842	YE23442	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 843	YE23443	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 844	YE23444	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 845	YE23445	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 846	YE23446	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 847	YE23447	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 848	YE23448	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 849	YE23449	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 850	YE23450	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 851	YE23451	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 852	YE23452	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 853	YE23453	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 854	YE23454	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 855	YE23455	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 856	YE23456	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 857	YE23457	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 858	YE23458	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 859	YE23459	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 860	YE23460	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 861	YE23461	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 862	YE23462	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 863	YE23463	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 864	YE23464	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 865	YE23465	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 866	YE23466	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 867	YE23467	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 868	YE23468	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 869	YE23469	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 870	YE23470	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 871	YE23471	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 872	YE23472	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 873	YE23473	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 874	YE23474	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 875	YE23475	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 876	YE23476	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017

Claim Name	Grant Number	Claim Owner	Staking Date	Recorded Date	Expiry Date
HAYES 877	YE23477	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 878	YE23478	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 881	YE23481	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 882	YE23482	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 883	YE23483	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 884	YE23484	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 885	YE23485	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 886	YE23486	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 887	YE23487	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 888	YE23488	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 889	YE23489	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 890	YE23490	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 891	YE23491	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 892	YE23492	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 893	YE23493	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 894	YE23494	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 895	YE23495	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 896	YE23496	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 897	YE23497	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 898	YE23498	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 899	YE23499	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 900	YE23500	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 901	YE23501	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 902	YE23502	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 903	YE23503	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 904	YE23504	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 905	YE23505	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 906	YE23506	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 907	YE23507	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 908	YE23508	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 909	YE23509	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 910	YE23510	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 911	YE23511	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 912	YE23512	Ethos Capital Corp. - 100%	6/13/2011	6/29/2011	6/29/2017
HAYES 913	YE23513	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 914	YE23514	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 915	YE23515	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 916	YE23516	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 917	YE23517	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 918	YE23518	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 919	YE23519	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 920	YE23520	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 921	YE23521	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 922	YE23522	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 923	YE23523	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 924	YE23524	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 925	YE23525	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 926	YE23526	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 927	YE23527	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 928	YE23528	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 929	YE23529	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 930	YE23530	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 931	YE23531	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 932	YE23532	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 933	YE23533	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 934	YE23534	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 935	YE23535	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 936	YE23536	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 937	YE23537	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 938	YE23538	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 939	YE23539	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017

Claim Name	Grant Number	Claim Owner	Staking Date	Recorded Date	Expiry Date
HAYES 940	YE23540	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 941	YE23541	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 942	YE23542	Ethos Capital Corp. - 100%	6/14/2011	6/29/2011	6/29/2017
HAYES 1001	YE23601	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 1002	YE23602	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 1003	YE23603	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 1004	YE23604	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 1005	YE23605	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 1006	YE23606	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 1007	YE23607	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 1008	YE23608	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 1009	YE23609	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 1010	YE23610	Ethos Capital Corp. - 100%	6/17/2011	6/29/2011	6/29/2017
HAYES 1069	YE23669	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 1071	YE23671	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 1073	YE23673	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 1075	YE23675	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017
HAYES 1077	YE23677	Ethos Capital Corp. - 100%	6/16/2011	6/29/2011	6/29/2017

Appendix II – Soil Sample Locations and Descriptions

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1268274	BET	7	619494	6962907	6/22/2012	11:31:45 AM	BH01	Chocolate Brown	Silt	Dry	Flat	50	B	Poplar	Leaf Cover	Good	Rocky	
1268275	BET	7	619497	6962956	6/22/2012	11:46:00 AM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	50	B	Poplar	Reindeer Moss	Good	Rocky	
1268276	BET	7	619497	6962956	6/22/2012	11:54:53 AM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	50	B	Poplar	Reindeer Moss	Good	Rocky	
1268277	BET	7	619497	6963014	6/22/2012	12:06:11 PM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	60	B	Alders	Reindeer Moss	Good	Rocky	
1268278	BET	7	619496	6963058	6/22/2012	12:16:00 PM	BH01	Chocolate Brown	Clay	Damp	Subtle Slope	70	B	Black Spruce	Grass Cover	Good	Mud	Rocky
1268279	BET	7	619497	6963109	6/22/2012	12:26:48 PM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	60	B	Black Spruce	Leaf Cover	Good	Rocky	
1268280	BET	7	619494	6963156	6/22/2012	12:36:42 PM	BH01	Dark Brown	Clay	Damp	Subtle Slope	50	B	Alders	Reindeer Moss	Good	Rocky	
1268281	BET	7	619497	6963203	6/22/2012	12:47:10 PM	BH01	Dark Brown	Clay	Damp	Subtle Slope	80	B	Alders	Grass Cover	Good	Mud	
1268282	BET	7	619497	6963258	6/22/2012	12:59:17 PM	BH01	Dark Brown	Silt	Damp	Subtle Slope	50	B	Alders	Bare Soil	Good	Rocky	
1268283	BET	7	619497	6963307	6/22/2012	1:09:17 PM	BH01	Dark Brown	Silt	Dry	Subtle Slope	40	B	Alders	Bare Soil	Good	Rocky	Rocky Sample
1268284	BET	7	619497	6963357	6/22/2012	1:21:15 PM	BH01	Dark Brown	Silt	Dry	Pronounced Slope	50	B	Alders	Bare Soil	Good	Rocky	Rocky Sample
1268285	BET	7	619497	6963407	6/22/2012	1:33:30 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Alders	Leaf Cover	Good	Rocky	Small Sample
1268286	BET	7	619497	6963456	6/22/2012	1:56:48 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Black Spruce	Leaf Cover	Good	Rocky	
1268287	BET	7	619497	6963505	6/22/2012	2:11:31 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Alders	Bare Soil	Good	Rocky	Small Sample
1268288	BET	7	619491	6963556	6/22/2012	2:27:16 PM	BH01	Chocolate Brown	Silt	Damp	Subtle Slope	70	B	Birch Forest	Reindeer Moss	Good	Mud	Rocky
1268289	BET	7	619396	6963559	6/22/2012	3:25:07 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Dwarf Birch	Reindeer Moss	Good	Rocky	
1268290	BET	7	619396	6963507	6/22/2012	3:38:39 PM	BH01	Dark Brown	Silt	Dry	Subtle Slope	40	B	Dwarf Birch	Bare Soil	Good	Rocky	Small Sample
1268291	BET	7	619396	6963453	6/22/2012	3:50:56 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Alders	Leaf Cover	Good	Rocky	Rocky Sample
1268292	BET	7	619396	6963410	6/22/2012	4:01:43 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Alders	Leaf Cover	Good	Rocky	Rocky Sample
1268293	BET	7	619396	6963357	6/22/2012	4:18:41 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	B	Alders	Leaf Cover	Good	Rocky	Rocky Sample
1268294	BET	7	619396	6963311	6/22/2012	4:29:02 PM	BH01	Chocolate Brown	Silt	Damp	Steep	70	B	Alders	Leaf Cover	Good	Rocky	Rocky Sample
1268295	BET	7	619396	6963259	6/22/2012	4:41:08 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Dwarf Birch	Reindeer Moss	Good	Rocky	Rocky Sample
1268296	BET	7	619396	6963205	6/22/2012	4:53:08 PM	BH01	Dark Brown	Clay	Damp	Pronounced Slope	70	B	Alders	Reindeer Moss	Good	Rocky	Rocky Sample
1268297	BET	7	619396	6963158	6/22/2012	5:04:16 PM	BH01	Chocolate Brown	Clay	Damp	Pronounced Slope	50	B	Alders	Sphagnum Moss > 30cm	Good	Mud	Rocky
1268298	BET	7	619396	6963106	6/22/2012	5:16:58 PM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	40	B	Birch Forest	Bare Soil	Good	Rocky	
1268299	BET	7	619397	6963053	6/22/2012	5:28:30 PM	BH01	Chocolate Brown	Clay	Dry	Pronounced Slope	70	B	Birch Forest	Bare Soil	Good	Rocky	Bright Orange Rust
1268300	BET	7	619397	6963009	6/22/2012	5:41:20 PM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	60	C	Dwarf Birch	Leaf Cover	Good	Rocky	Rocky Sample
1268702	BET	7	619396	6962956	6/22/2012	5:56:12 PM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	70	C	Dwarf Birch	Bare Soil	Good	Rocky	
1268703	BET	7	619397	6962904	6/22/2012	6:05:39 PM	BH01	Chocolate Brown	Clay	Damp	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Good	Mud	Rocky
1282660	BET	7	626394	6965558	6/22/2012	10:22:27 AM	CK01	Dark Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Grass Cover	Good	Coarse	Dull Red Rust
1282661	BET	7	626397	6964608	6/22/2012	10:40:46 AM	CK01	Dark Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	
1282662	BET	7	626396	6964658	6/22/2012	11:00:21 AM	CK01	Dark Brown	Sand	Damp	Pronounced Slope	90	C	Poplar	Leaf Cover	Excellent	Coarse	
1282663	BET	7	626396	6964708	6/22/2012	11:17:38 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Fine	
1282664	BET	7	626396	6964758	6/22/2012	11:31:35 AM	CK01	Light Brown	Sand	Damp	Pronounced Slope	90	C	Poplar	Leaf Cover	Excellent	Fine	Dull Red Rust
1282665	BET	7	626397	6964807	6/22/2012	11:46:04 AM	CK01	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Poplar	Leaf Cover	Excellent	Fine	Coarse
1282666	BET	7	626396	6964858	6/22/2012	12:07:25 PM	CK01	Dark Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Fine	Coarse
1282667	BET	7	626396	6964908	6/22/2012	12:22:10 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	90	C	Poplar	Leaf Cover	Excellent	Coarse	Dull Red Rust
1282668	BET	7	626396	6964958	6/22/2012	12:37:54 PM	CK01	Chocolate Brown	Silt	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	
1282670	BET	7	626396	6965058	6/22/2012	2:34:26 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Fine	
1282671	BET	7	626396	6965107	6/22/2012	2:58:54 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Poplar	Leaf Cover	Good	Rocky	
1282672	BET	7	626397	6965158	6/22/2012	3:14:23 PM	CK01	Chocolate Brown	Sand	Damp	Steep	70	B	Poplar	Leaf Cover	Good	Coarse	Rocky
1282673	BET	7	626396	6965208	6/22/2012	3:40:49 PM	CK01	Dark Brown	Sand	Damp	Steep	40	B	Poplar	Leaf Cover	Good	Coarse	Rocky
1282674	BET	7	626397	6965258	6/22/2012	3:58:27 PM	CK01	Chocolate Brown	Sand	Damp	Steep	50	B	Poplar	Leaf Cover	Good	Fine	Rocky
1282675	BET	7	626396	6965308	6/22/2012	4:16:07 PM	CK01	Chocolate Brown	Sand	Damp	Steep	50	B	Poplar	Leaf Cover	Good	Fine	Rocky
1282676	BET	7	626394	6965306	6/22/2012	4:27:21 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Poplar	Leaf Cover	Good	Fine	Rocky
1282677	BET	7	626397	6965358	6/22/2012	4:42:23 PM	CK01	Chocolate Brown	Silt	Damp	Steep	60	B	Poplar	Leaf Cover	Good	Coarse	Rocky
1282678	BET	7	626397	6965408	6/22/2012	5:02:32 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Poplar	Leaf Cover	Good	Coarse	Rocky
1282679	BET	7	626397	6965458	6/22/2012	5:20:18 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Poplar	Leaf Cover	Good	Coarse	Rocky Sample
1282680	BET	7	626396	6965508	6/22/2012	5:32:33 PM	CK01	Chocolate Brown	Silt	Damp	Subtle Slope	70	C	Poplar	Leaf Cover	Good	Fine	Rocky
1282681	BET	7	626396	6965558	6/22/2012	5:58:19 PM	CK01	Chocolate Brown	Silt	Damp	Flat	40	B	Poplar	Sphagnum Moss < 30cm	Good	Rocky	
1282682	BET	7	626397	6965756	6/22/2012	6:40:40 PM	CK01	Dark Brown	Sand	Wet	Steep	30	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Fine	Possible Creek Contamination
1282669	BET	7	626396	6965008	6/22/2012	9:27:43 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Good		
1268337	BET	7	619597	6962907	6/22/2012	11:31:53 AM	FP01	Dark Brown	Sand	Dry	Subtle Slope	60	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1268338	BET	7	619597	6962957	6/22/2012	11:45:52 AM	FP01	Dark Brown	Sand	Dry	Flat	60	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1268339	BET	7	619597	6963007	6/22/2012	11:57:59 AM	FP01	Dark Brown	Sand	Dry	Subtle Slope	40	B	Poplar	Leaf Cover	Good	Rocky	Rocky Terrain
1268340	BET	7	619597	6963057	6/22/2012	12:09:57 PM	FP01	Dark Brown	Sand	Dry	Subtle Slope	50	B	Poplar	Leaf Cover	Good	Rocky	Rocky Terrain
1268341	BET	7	619597	6963107	6/22/2012	12:23:59 PM	FP01	Dark Brown	Sand	Dry	Flat	40	B	White Spruce	Needle Cover	Good	Coarse	Rocky Terrain
1268342	BET	7	619597	6963157	6/22/2012	12:34:49 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	70	B	Alders	Leaf Cover	Good	Rocky	littlebit of c
1268343	BET	7	619597	6963207	6/22/2012	12:47:44 PM	FP01	Dark Brown	Sand	Damp	Flat	60	C	Alders	Leaf Cover	Good	Coarse	Rusty Rock Chip
1268344	BET	7	619597	6963257	6/22/2012	1:00:12 PM	FP01	Dark Brown	Sand	Dry	Flat	50	C	Alders	Leaf Cover	Good	Coarse	Rusty Rock Chip
1268345	BET	7	619597	6963307	6/22/2012	1:11:19 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	40	B	Dwarf Birch	Leaf Cover	Good	Rocky Terrain	Rusty Rock Chip
1268346	BET	7	619597	6963357	6/22/2012	1:25:41 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	40	B	Dwarf Birch	Leaf Cover	Good	Rocky Terrain	Rusty Rock Chip
1268347	BET	7	619597	6963407	6/22/2012	1:42:20 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	50	B	Poplar	Grass Cover	Good	Rocky	Rusty Rock Chip
1268348	BET	7	619597	6963457	6/22/2012	1:57:47 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	50	B	Poplar	Grass Cover	Good	Rocky	Rocky Terrain
1268349	BET	7	619597	6963507	6/22/2012	2:23:35 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	50	B	Alders	Leaf Cover	Poor	Rocky	Rocky Terrain
1268350	BET	7	619597	6963557	6/22/2012	2:42:11 PM	FP01	Dark Brown	Sand	Damp	Flat	40	B	Dwarf Birch	Leaf Cover	Poor	Clay	Rocky Terrain
1268352	BET	7	619597	6963607	6/22/2012	2:53:51 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	40	B	Dwarf Birch	Reindeer Moss	Good	Talus	Rusty Rock Chip
1268353	BET	7	619697	6963608	6/22/2012	3:39:14 PM	FP01	Dark Brown	Sand	Damp	Pronounced Slope	30	B	Dwarf Birch	Sphagnum Moss < 30cm	Poor	Rocky Terrain	Talus
1268354	BET	7	619697	6963558	6/22/2012	3:55:05 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	40	B	Alders	Leaf Cover	Poor	Quartz Chips	Rocky Terrain
1268355	BET	7	619697	6963507	6/22/2012	4:08:49 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Poor	Rocky Terrain	
1268356	BET	7	619697	6963457	6/22/2012	4:20:31 PM	FP01	Dark Brown	Sand	Dry	Subtle Slope	40	B	Poplar	Leaf Cover	Good	Rocky Terrain	
1268357	BET	7	619697	6963408	6/22/2012	4:31:05 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	50	B	Alders	Leaf Cover	Good	Coarse	Rusty Rock Chip
1268358	BET	7	619697	6963358	6/22/2012	4:40:47 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	60	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	Rusty Rock Chip
1268359	BET	7	619697	6963308	6/22/2012	4:52:56 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	50	B	Alders	Leaf Cover	Good	Coarse	Rocky
1268360	BET	7	619697	6963258	6/22/2012	5:02:38 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	40	B	Dwarf Birch	Leaf Cover	Good	Clay	Rusty Rock Chip
1268361	BET	7	619697	6963208	6/22/2012	5:12:02 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	60	B	Alders	Sphagnum Moss < 30cm	Good	Clay	Rocky
1268362	BET	7	619697	6963158	6/22/2012	5:22:10 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1268363	BET	7	619697	6963108	6/22/2012	5:33:28 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1268364	BET	7	619697	6963057	6/22/2012	5:43:48 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1268365	BET	7	619697	6963008	6/22/2012	5:56:16 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1268366	BET	7	619697	6962957	6/22/2012	6:07:55 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	50	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1268367	BET	7	619697	6962907	6/22/2012	6:20:32 PM	FP01	Dark Brown	Sand	Dry	Subtle Slope	50	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1269962	BET	7	626297	6964557	6/22/2012	10:44:46 AM	IG01	Reddish Brown	Gravel	Dry	Flat	50	C	White Spruce	Leaf Cover	Good	Rocky	Rocky Sample
1269963	BET	7	626297	6964608	6/22/2012	11:09:53 AM	IG01	Reddish Yellow	Gravel	Dry	Subtle Slope	100	C	White Spruce	Leaf Cover	Excellent		

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1269964	BET	7	626297	6964658	6/22/2012	11:32:01 AM	IG01	Light Bluish Grey	Silt	Dry	Subtle Slope	70	C	White Spruce	Leaf Cover	Excellent	Rocky	
1269965	BET	7	626297	6964708	6/22/2012	11:56:35 AM	IG01	Bluish Grey	Gravel	Dry	Subtle Slope	80	C	White Spruce	Leaf Cover	Excellent	Rocky	Rocky Sample
1269966	BET	7	626296	6964758	6/22/2012	12:18:18 PM	IG01	Reddish Orange	Gravel	Dry	Subtle Slope	70	C	White Spruce	Leaf Cover	Excellent	Rocky	Rocky Sample
1269967	BET	7	626296	6964808	6/22/2012	12:39:59 PM	IG01	Bluish Grey	Gravel	Dry	Subtle Slope	50	C	White Spruce	Leaf Cover	Good	Rocky Sample	Rocky
1269968	BET	7	626295	6964858	6/22/2012	1:10:44 PM	IG01	Chocolate Brown	Gravel	Dry	Subtle Slope	50	C	White Spruce	Leaf Cover	Good	Rocky Sample	Small Sample
1269969	BET	7	626295	6964908	6/22/2012	1:34:35 PM	IG01	Bluish Grey	Gravel	Dry	Subtle Slope	60	C	White Spruce	Leaf Cover	Good	Rocky Sample	Rocky
1269970	BET	7	626294	6964958	6/22/2012	2:03:41 PM	IG01	Reddish Brown	Gravel	Dry	Subtle Slope	80	C	White Spruce	Leaf Cover	Excellent	Rocky	Rocky Sample
1269971	BET	7	626295	6965008	6/22/2012	2:27:06 PM	IG01	Reddish Brown	Gravel	Dry	Subtle Slope	50	C	White Spruce	Leaf Cover	Good	Rocky Sample	Small Sample
1269972	BET	7	626294	6965058	6/22/2012	2:56:11 PM	IG01	Bluish Grey	Gravel	Dry	Subtle Slope	70	C	Black Spruce	Leaf Cover	Good	Rocky Sample	
1269973	BET	7	626295	6965109	6/22/2012	3:20:01 PM	IG01	Reddish Brown	Gravel	Dry	Pronounced Slope	70	C	Black Spruce	Leaf Cover	Excellent	Rocky Sample	
1269974	BET	7	626294	6965158	6/22/2012	3:41:46 PM	IG01	Reddish Brown	Gravel	Dry	Pronounced Slope	50	B	Black Spruce	Leaf Cover	Good	Rocky Sample	Organic 10%
1269975	BET	7	626294	6965209	6/22/2012	4:14:05 PM	IG01	Reddish Brown	Gravel	Dry	Pronounced Slope	40	B	Black Spruce	Leaf Cover	Poor	Small Sample	Rocky
1269977	BET	7	626294	6965258	6/22/2012	5:00:22 PM	IG01	Chocolate Brown	Gravel	Dry	Pronounced Slope	40	B	Black Spruce	Leaf Cover	Poor	Rocky	Small Sample
1269978	BET	7	626297	6965308	6/22/2012	5:34:33 PM	IG01	Chocolate Brown	Gravel	Dry	Pronounced Slope	40	B	White Spruce	Leaf Cover	Poor	Small Sample	Organic 10%
1269979	BET	7	626297	6965356	6/22/2012	5:59:11 PM	IG01	Reddish Brown	Gravel	Dry	Pronounced Slope	60	B	White Spruce	Leaf Cover	Good	Organic 10%	Small Sample
1269980	BET	7	626297	6965407	6/22/2012	6:23:53 PM	IG01	Reddish Yellow	Gravel	Dry	Pronounced Slope	70	C	Black Spruce	Leaf Cover	Excellent	Rocky	
1269981	BET	7	626296	6965457	6/22/2012	6:58:04 PM	IG01	Reddish Yellow	Gravel	Dry	Pronounced Slope	40	B	Black Spruce	Leaf Cover	Poor	Rocky Sample	Organic 10%
1269982	BET	7	626297	6965507	6/22/2012	7:34:46 PM	IG01	Reddish Yellow	Gravel	Dry	Flat	40	B	Black Spruce	Thin Moss Cover	Poor	Rocky Sample	Small Sample
1269983	BET	7	626297	6965557	6/22/2012	7:57:38 PM	IG01	Chocolate Brown	Clay	Damp	Flat	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky	Small Sample
1269976	BET	7	626294	6965209	6/22/2012	9:47:27 PM	IG01	Reddish Brown	Gravel	Dry	Pronounced Slope	40	B	Black Spruce	Leaf Cover	Poor	Small Sample	Rocky
1269688	BET	7	626198	6964557	6/22/2012	12:33:50 PM	JS01	Chocolate Brown	Sand	Damp	Subtle Slope	60	B	Poplar	Sphagnum Moss < 30cm	Poor	Rocky	
1269689	BET	7	626196	6964606	6/22/2012	12:59:49 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Good	Rocky	
1269690	BET	7	626197	6964657	6/22/2012	1:16:15 PM	JS01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Grass Cover	Good	Rocky	
1269691	BET	7	626196	6964706	6/22/2012	1:32:09 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Good	Rocky	
1269692	BET	7	626196	6964756	6/22/2012	1:51:43 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	90	C	Poplar	Grass Cover	Excellent	Rocky	
1269693	BET	7	626195	6964807	6/22/2012	2:05:53 PM	JS01	Grey	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Good	Rocky	
1269694	BET	7	626197	6964857	6/22/2012	2:21:55 PM	JS01	Grey	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent	Dull Red Rust	
1269695	BET	7	626197	6964907	6/22/2012	2:36:23 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Needle Cover	Poor	Rocky	Rocky Sample
1269696	BET	7	626197	6964958	6/22/2012	3:05:38 PM	JS01	Grey	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Good	Bright Orange Rust	Rocky
1269697	BET	7	626197	6965007	6/22/2012	3:19:19 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Good	Bright Orange Rust	Rocky Sample
1269698	BET	7	626196	6965057	6/22/2012	3:35:27 PM	JS01	Grey	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Good	Bright Orange Rust	Rocky Sample
1269699	BET	7	626197	6965107	6/22/2012	3:57:03 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Poor	Fine	Bright Orange Rust
1269700	BET	7	626197	6965157	6/22/2012	4:15:25 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Fine	Bright Orange Rust
1290627	BET	7	626197	6965208	6/22/2012	4:39:10 PM	JS01	Grey	Silt	Damp	Pronounced Slope	90	B	Poplar	Grass Cover	Good	Dull Red Rust	Coarse
1290628	BET	7	626197	6965258	6/22/2012	4:55:33 PM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Poplar	Grass Cover	Poor	Coarse	Rocky
1290629	BET	7	626197	6965309	6/22/2012	5:17:22 PM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Poplar	Grass Cover	Poor	Coarse	Rocky
1290630	BET	7	626197	6965354	6/22/2012	5:36:44 PM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Poplar	Grass Cover	Poor	Coarse	Rocky
1290631	BET	7	626197	6965406	6/22/2012	5:51:18 PM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	70	B	Poplar	Leaf Cover	Poor	Coarse	Rocky
1290632	BET	7	626197	6965456	6/22/2012	6:04:01 PM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Poor	Coarse	Rocky
1290633	BET	7	626197	6965509	6/22/2012	6:19:30 PM	JS01	Chocolate Brown	Silt	Dry	Subtle Slope	60	B	Poplar	Grass Cover	Poor	Coarse	Rocky
1290634	BET	7	626198	6965557	6/22/2012	6:40:55 PM	JS01	Chocolate Brown	Silt	Dry	Flat	30	B	Poplar	Thin Moss Cover	Poor	Coarse	Rocky Sample
1290635	BET	7	626197	6965607	6/22/2012	7:06:42 PM	JS01	Chocolate Brown	Silt	Dry	Flat	40	B	White Spruce	Thin Moss Cover	Poor	Rocky Sample	Coarse
1290636	BET	7	626197	6965656	6/22/2012	7:32:35 PM	JS01	Chocolate Brown	Silt	Dry	Subtle Slope	50	B	Alders	Sphagnum Moss < 30cm	Poor	Rocky	Rocky Sample
1290637	BET	7	626197	6965706	6/22/2012	7:56:55 PM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Alders	Sphagnum Moss < 30cm	Poor	Coarse	Rocky Terrain
1290638	BET	7	626197	6965755	6/22/2012	8:18:19 PM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Rocky Sample	Rocky Terrain
1290639	BET	7	626198	6965808	6/22/2012	8:34:34 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1290640	BET	7	626197	6965857	6/22/2012	8:47:52 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Birch Forest	Leaf Cover	Good	Rocky	
1290641	BET	7	626197	6965907	6/22/2012	9:03:16 PM	JS01	Dark Grey Black	Silt	Damp	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Frozen
1282764	BET	7	625998	6964557	6/22/2012	10:49:20 AM	KH01	Chocolate Brown	Gravel	Dry	Flat	60	C	White Spruce	Sphagnum Moss < 30cm	Good	Frozen	
1282765	BET	7	625996	6964608	6/22/2012	11:11:25 AM	KH01	Chocolate Brown	Gravel	Damp	Flat	80	C	Poplar	Sphagnum Moss < 30cm	Excellent	Frozen	Coarse
1282766	BET	7	625996	6964658	6/22/2012	11:25:37 AM	KH01	Dark Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Frozen	Coarse
1282767	BET	7	625996	6964709	6/22/2012	11:39:18 AM	KH01	Dark Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	Frozen
1282768	BET	7	625996	6964758	6/22/2012	11:54:38 AM	KH01	Reddish Brown	Sand	Damp	Pronounced Slope	90	C	Poplar	Leaf Cover	Excellent	Coarse	
1282769	BET	7	625996	6964808	6/22/2012	12:10:54 PM	KH01	Reddish Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	Frozen
1282770	BET	7	625997	6964858	6/22/2012	12:28:06 PM	KH01	Reddish Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1282771	BET	7	625995	6964909	6/22/2012	12:46:21 PM	KH01	Reddish Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Dull Red Rust
1282772	BET	7	625997	6964958	6/22/2012	1:04:26 PM	KH01	Reddish Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	Dull Red Rust
1282773	BET	7	625996	6965009	6/22/2012	1:36:29 PM	KH01	Reddish Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent	Coarse	Quartz Chips
1282774	BET	7	625997	6965059	6/22/2012	1:54:56 PM	KH01	Dark Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	
1282775	BET	7	625997	6965108	6/22/2012	2:12:07 PM	KH01	Reddish Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	
1282776	BET	7	625997	6965108	6/22/2012	2:25:22 PM	KH01	Reddish Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	
1282777	BET	7	625997	6965158	6/22/2012	2:47:22 PM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Dull Red Rust
1282778	BET	7	625996	6965209	6/22/2012	3:10:10 PM	KH01	Dark Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1282779	BET	7	625997	6965259	6/22/2012	3:42:53 PM	KH01	Reddish Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1282780	BET	7	625997	6965309	6/22/2012	4:03:40 PM	KH01	Reddish Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1282781	BET	7	625997	6965359	6/22/2012	4:23:23 PM	KH01	Reddish Brown	Sand	Dry	Steep	80	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1282782	BET	7	625996	6965409	6/22/2012	4:45:36 PM	KH01	Reddish Brown	Sand	Dry	Steep	70	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1282783	BET	7	625997	6965459	6/22/2012	5:17:46 PM	KH01	Chocolate Brown	Sand	Dry	Steep	50	B	Poplar	Leaf Cover	Good	Coarse	Rocky
1282784	BET	7	625997	6965509	6/22/2012	5:47:35 PM	KH01	Reddish Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1282785	BET	7	625997	6965559	6/22/2012	6:17:37 PM	KH01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Sphagnum Moss < 30cm	Good	Rocky	
1282786	BET	7	625996	6965610	6/22/2012	6:32:44 PM	KH01	Reddish Brown	Sand	Dry	Subtle Slope	50	C	Poplar	Leaf Cover	Good	Rocky	Rocky Sample
1282787	BET	7	625996	6965659	6/22/2012	6:59:35 PM	KH01	Reddish Brown	Clay	Wet	Flat	50	B	White Spruce	Sphagnum Moss < 30cm	Poor	Rocky	
1282788	BET	7	625996	6965760	6/22/2012	7:37:50 PM	KH01	Dark Brown	Sand	Damp	Subtle Slope	50	B	Poplar	Rock Cover	Poor	Rocky	
1282789	BET	7	625996	6965810	6/22/2012	8:00:58 PM	KH01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Sphagnum Moss < 30cm	Good	Rocky	
1282790	BET	7	625997	6965860	6/22/2012	8:18:19 PM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Sphagnum Moss < 30cm	Excellent	Rocky	
1290702	BET	7	625897	6964557	6/22/2012	10:51:05 AM	MT01	Dark Grey Black	Silt	Damp	Flat	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	
1290703	BET	7	625896	6964608	6/22/2012	11:21:21 AM	MT01	Dark Grey Black	Clay	Damp	Flat	30	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	
1290704	BET	7	625896	6964657	6/22/2012	11:37:28 AM	MT01	Chocolate Brown	Sand	Damp	Subtle Slope	110	C	Poplar	Leaf Cover	Excellent	Coarse	
1290705	BET	7	625897	6964708	6/22/2012	11:51:35 AM	MT01	Chocolate Brown	Sand	Damp	Subtle Slope	90	C	Poplar	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1290706	BET	7	625896	6964757	6/22/2012	12:10:14 PM	MT01	Dark Brown	Sand	Dry	Subtle Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	
1290708	BET	7	625895	6964857	6/22/2012	12:36:59 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Excellent	Coarse	
1290707	BET	7	625897	6964805	6/22/2012	12:40:30 PM	MT01	Chocolate Brown	Sand	Dry	Subtle Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	
1290709	BET	7	625898	6964909	6/22/2012	12:53:26 PM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent	Coarse	Dull Red Rust
1290710	BET	7	625897	6964958	6/22/2012	1:12:04 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Good	Rocky	

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1290711	BET	7	625896	6965007	6/22/2012	1:26:25 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent		
1290712	BET	7	625896	6965059	6/22/2012	1:51:12 PM	MT01	Grey	Gravel	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent	Fine	Clay
1290713	BET	7	625896	6965110	6/22/2012	2:10:05 PM	MT01	Light Brown	Sand	Dry	Pronounced Slope	40	B	Poplar	Grass Cover	Good	Rocky	
1290714	BET	7	625896	6965157	6/22/2012	2:24:43 PM	MT01	Reddish Brown	Sand	Dry	Subtle Slope	80	C	Poplar	Grass Cover	Excellent	Dull Red Rust	
1290715	BET	7	625897	6965209	6/22/2012	2:38:43 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Rocky	
1290716	BET	7	625895	6965258	6/22/2012	2:56:40 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Poor	Fine	Rocky
1290717	BET	7	625896	6965308	6/22/2012	3:19:02 PM	MT01	Light Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Poor	Rocky	
1290718	BET	7	625897	6965356	6/22/2012	3:32:24 PM	MT01	Reddish Brown	Silt	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Good	Rocky	
1290719	BET	7	625897	6965407	6/22/2012	3:49:04 PM	MT01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Good	Rocky	
1290720	BET	7	625897	6965455	6/22/2012	4:04:15 PM	MT01	Chocolate Brown	Silt	Dry	Pronounced Slope	30	B	Poplar	Grass Cover	Poor	Rocky	
1290721	BET	7	625897	6965507	6/22/2012	4:24:11 PM	MT01	Chocolate Brown	Silt	Dry	Subtle Slope	40	B	White Spruce	Thin Moss Cover	Good	Rocky	
1290722	BET	7	625897	6965556	6/22/2012	4:49:49 PM	MT01	Reddish Brown	Sand	Damp	Pronounced Slope	50	C	White Spruce	Thin Moss Cover	Good	Clay	Quartz Chips
1290723	BET	7	625897	6965605	6/22/2012	5:06:55 PM	MT01	Chocolate Brown	Silt	Dry	Subtle Slope	40	C	White Spruce	Thin Moss Cover	Poor	Rocky	
1290724	BET	7	625898	6965656	6/22/2012	5:18:52 PM	MT01	Chocolate Brown	Clay	Damp	Flat	50	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1290725	BET	7	625897	6965707	6/22/2012	5:36:28 PM	MT01	Grey	Clay	Damp	Subtle Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Dull Red Rust	
1290726	BET	7	625897	6965757	6/22/2012	5:53:13 PM	MT01	Chocolate Brown	Clay	Wet	Pronounced Slope	50	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1290727	BET	7	625900	6965754	6/22/2012	6:05:22 PM	MT01	Chocolate Brown	Sand	Wet	Pronounced Slope	20	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Rocky	
1290728	BET	7	625897	6965806	6/22/2012	6:21:58 PM	MT01	Chocolate Brown	Sand	Wet	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	Rocky
1290729	BET	7	625897	6965856	6/22/2012	6:36:43 PM	MT01	Dark Brown	Sand	Wet	Pronounced Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Clay	
1290730	BET	7	625897	6965907	6/22/2012	6:46:21 PM	MT01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Reindeer Moss	Good		
1283302	BET	7	625697	6964707	6/22/2012	10:36:58 AM	RL02	Dark Brown	Sand	Damp	Subtle Slope	40	C	Black Spruce	Reindeer Moss	Good	Coarse	
1283303	BET	7	625698	6964758	6/22/2012	10:49:48 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Coarse
1283304	BET	7	625697	6964808	6/22/2012	10:59:57 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Rocky
1283305	BET	7	625697	6964859	6/22/2012	11:11:50 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1283306	BET	7	625698	6964908	6/22/2012	11:25:00 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Coarse
1283307	BET	7	625696	6964957	6/22/2012	11:34:28 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	90	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Coarse
1283308	BET	7	625698	6965008	6/22/2012	11:47:42 AM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1283309	BET	7	625697	6965058	6/22/2012	11:58:40 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	
1283310	BET	7	625698	6965109	6/22/2012	12:17:54 PM	RL02	Reddish Yellow	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1283311	BET	7	625697	6965158	6/22/2012	12:28:50 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	100	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Coarse
1283312	BET	7	625697	6965209	6/22/2012	12:39:08 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Coarse
1283313	BET	7	625697	6965258	6/22/2012	12:48:40 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Quartz Chips
1283314	BET	7	625698	6965309	6/22/2012	12:59:14 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Rocky
1283315	BET	7	625697	6965358	6/22/2012	1:17:28 PM	RL02	Reddish Yellow	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Rocky
1283316	BET	7	625697	6965409	6/22/2012	1:52:57 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1283317	BET	7	625698	6965459	6/22/2012	2:05:16 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1283318	BET	7	625696	6965509	6/22/2012	2:15:15 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	White Spruce	Thin Moss Cover	Excellent	Bright Orange Rust	Coarse
1283319	BET	7	625697	6965559	6/22/2012	2:31:30 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1283320	BET	7	625697	6965609	6/22/2012	2:48:52 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Rocky	Rocky Sample
1283321	BET	7	625696	6965659	6/22/2012	3:03:13 PM	RL02	Chocolate Brown	Silt	Damp	Subtle Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Poor	Rocky	
1283322	BET	7	625697	6965709	6/22/2012	3:14:19 PM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Dull Red Rust	Quartz Chips
1283326	BET	7	625697	6965709	6/22/2012	3:20:36 PM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Dull Red Rust	Quartz Chips
1283323	BET	7	625696	6965757	6/22/2012	3:33:40 PM	RL02	Dark Brown	Gravel	Damp	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Sandy
1283324	BET	7	625697	6965806	6/22/2012	4:05:58 PM	RL02	Chocolate Brown	Sand	Wet	Pronounced Slope	70	C	Black Spruce	Reindeer Moss	Good	Coarse	
1283325	BET	7	625697	6965857	6/22/2012	4:14:27 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Willows	Sphagnum Moss > 30cm	Good	Coarse	Partially Frozen
1283327	BET	7	625697	6965907	6/22/2012	4:27:16 PM	RL02	Dark Brown	Sand	Wet	Pronounced Slope	50	C	Willows	Sphagnum Moss > 30cm	Good	Bright Orange Rust	Quartz Chips
1282866	BET	7	626097	6964558	6/22/2012	11:00:03 AM	RM01	Chocolate Brown	Silt	Dry	Subtle Slope	70	B	Poplar	Leaf Cover	Good	Fine	
1282867	BET	7	626097	6964609	6/22/2012	11:21:00 AM	RM01	Chocolate Brown	Silt	Damp	Subtle Slope	90	C	Poplar	Leaf Cover	Excellent	Fine	
1282868	BET	7	626094	6964659	6/22/2012	11:40:03 AM	RM01	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	
1282869	BET	7	626096	6964709	6/22/2012	12:01:49 PM	RM01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Coarse	
1282870	BET	7	626098	6964758	6/22/2012	12:19:53 PM	RM01	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1282871	BET	7	626097	6964810	6/22/2012	12:42:31 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Subalpine Fir	Leaf Cover	Good	Coarse	Rocky
1282872	BET	7	626097	6964859	6/22/2012	1:07:08 PM	RM01	Reddish Yellow	Clay	Damp	Pronounced Slope	100	C	Poplar	Leaf Cover	Good		
1282873	BET	7	626096	6964909	6/22/2012	1:32:57 PM	RM01	Chocolate Brown	Sand	Damp	Steep	60	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1282874	BET	7	626097	6964956	6/22/2012	1:50:33 PM	RM01	Chocolate Brown	Clay	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Good	Coarse	
1282875	BET	7	626097	6965006	6/22/2012	2:25:15 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1282877	BET	7	626097	6965055	6/22/2012	2:51:19 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Poor	Coarse	Rocky
1282878	BET	7	626098	6965106	6/22/2012	3:06:35 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1282879	BET	7	626097	6965154	6/22/2012	3:25:42 PM	RM01	Chocolate Brown	Gravel	Damp	Pronounced Slope	60	B	Poplar	Leaf Cover	Good	Dull Red Rust	Rocky
1282880	BET	7	626096	6965207	6/22/2012	3:43:58 PM	RM01	Dark Brown	Gravel	Damp	Pronounced Slope	70	B	Poplar	Leaf Cover	Poor	Organic 25%	
1282881	BET	7	626096	6965255	6/22/2012	4:04:52 PM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Poplar	Leaf Cover	Good	Fine	
1282882	BET	7	626097	6965306	6/22/2012	4:28:59 PM	RM01	Dark Blue Black	Silt	Damp	Pronounced Slope	60	B	Poplar	Leaf Cover	Poor	Coarse	
1282883	BET	7	626097	6965356	6/22/2012	4:53:31 PM	RM01	Reddish Yellow	Silt	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Poor	Fine	
1282884	BET	7	626097	6965407	6/22/2012	5:15:39 PM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Poplar	Leaf Cover	Poor	Fine	
1282885	BET	7	626096	6965455	6/22/2012	5:35:02 PM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Poplar	Leaf Cover	Good		
1282886	BET	7	626097	6965507	6/22/2012	5:58:10 PM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Poplar	Leaf Cover	Poor	Fine	
1282887	BET	7	626097	6965556	6/22/2012	6:42:42 PM	RM01	Chocolate Brown	Silt	Damp	Subtle Slope	40	B	Poplar	Leaf Cover	Poor	Frozen	
1282888	BET	7	626097	6965656	6/22/2012	6:59:50 PM	RM01	Chocolate Brown	Clay	Damp	Subtle Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Poor		
1282889	BET	7	626120	6965709	6/22/2012	7:12:20 PM	RM01	Chocolate Brown	Gravel	Damp	Subtle Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Coarse	
1282891	BET	7	626096	6965807	6/22/2012	7:38:39 PM	RM01	Chocolate Brown	Gravel	Damp	Pronounced Slope	60	B	Poplar	Sphagnum Moss < 30cm	Good	Coarse	
1282892	BET	7	626097	6965857	6/22/2012	7:52:27 PM	RM01	Chocolate Brown	Gravel	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Poor	Coarse	
1282893	BET	7	626096	6965907	6/22/2012	8:05:43 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1282896	BET	7	625997	6965906	6/22/2012	8:19:18 PM	RM01	Light Brown	Clay	Damp	Subtle Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1282890	BET	7	626097	6965753	6/22/2012	10:25:51 PM	RM01	Chocolate Brown	Sand	Damp	Subtle Slope	60	B	Poplar	Sphagnum Moss < 30cm	Good	Coarse	
1269849	BET	7	625798	6964558	6/22/2012	10:43:12 AM	RR01	Dark Grey Black	Silt	Wet	Subtle Slope	30	B	Black Spruce	Reindeer Moss	Good	Frozen	Quartz Chips
1269850	BET	7	625797	6964606	6/22/2012	11:03:33 AM	RR01	Dark Grey Black	Silt	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Partially Frozen
1290202	BET	7	625797	6964658	6/22/2012	11:19:13 AM	RR01	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Black Spruce	Reindeer Moss	Good	Coarse	
1290203	BET	7	625796	6964708	6/22/2012	11:35:43 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Quartz Chips
1290204	BET	7	625796	6964757	6/22/2012	11:45:35 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	White Spruce	Leaf Cover	Excellent	Coarse	Dull Red Rust
1290205	BET	7	625796	6964808	6/22/2012	12:01:03 PM	RR01	Chocolate Brown	Sand	Dry	Steep	40	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1290206	BET	7	625796	6964857	6/22/2012	12:11:55 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	100	C	Poplar	Grass Cover	Excellent	Coarse	
1290207	BET	7	625796	6964909	6/22/2012	12:21:35 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1290208	BET	7	625796	6964958	6/22/2012	12:31:47 PM	RR01	Grey	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1290209	BET	7	625797	6965007	6/22/2012	12:58:53 PM	RR01	Chocolate Brown	Gravel	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Rocky	Coarse

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1290210	BET	7	625795	6965059	6/22/2012	1:09:57 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	90	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1290211	BET	7	625794	6965108	6/22/2012	1:19:05 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	90	C	Poplar	Grass Cover	Excellent	Coarse	
1290212	BET	7	625795	6965158	6/22/2012	1:32:26 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent	Coarse	
1290213	BET	7	625796	6965208	6/22/2012	1:47:22 PM	RR01	Reddish Yellow	Gravel	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Good	Coarse	Rocky
1290214	BET	7	625795	6965258	6/22/2012	2:00:41 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	90	C	Poplar	Grass Cover	Excellent	Quartz Chips	Rocky
1290215	BET	7	625793	6965307	6/22/2012	2:16:41 PM	RR01	Reddish Yellow	Sand	Dry	Pronounced Slope	30	C	Poplar	Bare Soil	Excellent	Fine	Top Layer
1290216	BET	7	625799	6965356	6/22/2012	2:34:47 PM	RR01	Reddish Brown	Sand	Dry	Pronounced Slope	30	B	Poplar	Grass Cover	Good	Fine	Sandy
1290217	BET	7	625796	6965406	6/22/2012	2:51:58 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	40	B	Poplar	Frost Boil	Good	Fine	Rocky
1290218	BET	7	625796	6965457	6/22/2012	3:13:10 PM	RR01	Grey	Sand	Dry	Pronounced Slope	30	B	Poplar	Bare Soil	Good	Fine	Sandy
1290219	BET	7	625797	6965507	6/22/2012	3:28:44 PM	RR01	Chocolate Brown	Gravel	Dry	Pronounced Slope	30	B	White Spruce	Grass Cover	Good	Coarse	Rocky
1290220	BET	7	625797	6965557	6/22/2012	3:40:15 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Sandy
1290221	BET	7	625796	6965606	6/22/2012	3:52:10 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	White Spruce	Reindeer Moss	Good	Coarse	Sandy
1290222	BET	7	625798	6965657	6/22/2012	4:17:26 PM	RR01	Chocolate Brown	Silt	Dry	Subtle Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1290223	BET	7	625797	6965707	6/22/2012	4:30:49 PM	RR01	Chocolate Brown	Silt	Damp	Subtle Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Good	Organic 10%	Rocky Terrain
1290224	BET	7	625796	6965757	6/22/2012	4:47:32 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	30	B	Birch Forest	Reindeer Moss	Good	Rocky	
1290225	BET	7	625795	6965807	6/22/2012	4:57:57 PM	RR01	Chocolate Brown	Gravel	Wet	Pronounced Slope	60	C	Black Spruce	Reindeer Moss	Good	Coarse	Sandy
1290226	BET	7	625795	6965807	6/22/2012	4:59:31 PM	RR01	Chocolate Brown	Gravel	Wet	Pronounced Slope	60	C	Black Spruce	Reindeer Moss	Good	Coarse	Sandy
1290227	BET	7	625796	6965858	6/22/2012	5:16:25 PM	RR01	Dark Brown	Silt	Wet	Pronounced Slope	50	B	Dwarf Birch	Sphagnum Moss > 30cm	Good	Partially Frozen	Mud
1290228	BET	7	625797	6965906	6/22/2012	5:29:44 PM	RR01	Chocolate Brown	Gravel	Wet	Pronounced Slope	30	B	Black Spruce	Reindeer Moss	Good	Coarse	Partially Frozen
1260493	BET	7	619193	6962915	6/22/2012	12:00:09 PM	RR02	Dark Brown	Silt	Wet	Subtle Slope	60	B	Willows	Sphagnum Moss > 30cm	Poor	Frozen	site moved away from drainage ar
1260494	BET	7	619197	6962957	6/22/2012	12:18:46 PM	RR02	Chocolate Brown	Sand	Wet	Subtle Slope	50	C	Willows	Sphagnum Moss < 30cm	Good	Partially Frozen	Possible Creek Contamination
1260495	BET	7	619197	6963007	6/22/2012	12:37:03 PM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	40	B	Willows	Thin Moss Cover	Good	Partially Frozen	
1260496	BET	7	619198	6963057	6/22/2012	12:48:45 PM	RR02	Chocolate Brown	Sand	Wet	Subtle Slope	70	C	Willows	Thin Moss Cover	Good	Fine	
1260497	BET	7	619197	6963106	6/22/2012	1:05:25 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Birch Forest	Thin Moss Cover	Good	Fine	Bright Orange Rust
1260498	BET	7	619197	6963157	6/22/2012	1:20:28 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	40	B	White Spruce	Leaf Cover	Good	Coarse	Bright Orange Rust
1260499	BET	7	619198	6963207	6/22/2012	1:35:55 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	50	C	Birch Forest	Leaf Cover	Good	Coarse	
1260500	BET	7	619197	6963256	6/22/2012	1:45:54 PM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Leaf Cover	Good	Fine	Bright Orange Rust
1298502	BET	7	619197	6963306	6/22/2012	2:00:18 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	40	C	Birch Forest	Leaf Cover	Good	Coarse	
1298503	BET	7	619197	6963357	6/22/2012	2:20:33 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Coarse	Rocky
1298504	BET	7	619198	6963407	6/22/2012	2:34:45 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Fine	
1298505	BET	7	619198	6963456	6/22/2012	2:47:38 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	White Spruce	Thin Moss Cover	Good	Coarse	Rusty Rock Chip
1298506	BET	7	619198	6963508	6/22/2012	3:16:25 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Dwarf Birch	Grass Cover	Poor	Rocky	Fine
1298507	BET	7	619198	6963559	6/22/2012	3:33:28 PM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	50	B	Dwarf Birch	Thin Moss Cover	Good	Fine	Rocky
1298508	BET	7	619197	6963607	6/22/2012	3:48:47 PM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	50	B	Dwarf Birch	Thin Moss Cover	Poor	Fine	Rocky
1298509	BET	7	619195	6963658	6/22/2012	4:09:29 PM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Fine	Rocky Terrain
1298510	BET	7	619297	6963609	6/22/2012	4:36:30 PM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	40	B	Dwarf Birch	Thin Moss Cover	Good	Partially Frozen	
1298511	BET	7	619295	6963557	6/22/2012	4:46:48 PM	RR02	Reddish Brown	Sand	Damp	Subtle Slope	80	C	Dwarf Birch	Reindeer Moss	Excellent	Coarse	
1298512	BET	7	619294	6963509	6/22/2012	4:56:29 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	50	C	Dwarf Birch	Thin Moss Cover	Good	Coarse	Bright Orange Rust
1298513	BET	7	619298	6963457	6/22/2012	5:06:15 PM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Dwarf Birch	Grass Cover	Good	Fine	Bright Orange Rust
1298514	BET	7	619295	6963407	6/22/2012	5:16:59 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Poplar	Leaf Cover	Good	Fine	Rocky
1298515	BET	7	619296	6963358	6/22/2012	5:26:39 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Coarse	
1298516	BET	7	619297	6963308	6/22/2012	5:37:16 PM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Fine	Rocky
1298517	BET	7	619297	6963258	6/22/2012	5:47:05 PM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	White Spruce	Thin Moss Cover	Good	Coarse	
1298518	BET	7	619296	6963207	6/22/2012	6:00:16 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Willows	Thin Moss Cover	Good	Fine	Rocky
1298519	BET	7	619294	6963158	6/22/2012	6:08:50 PM	RR02	Dark Brown	Silt	Damp	Pronounced Slope	80	B	Alders	Grass Cover	Good	Fine	
1298520	BET	7	619297	6963106	6/22/2012	6:19:11 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Birch Forest	Leaf Cover	Good	Coarse	Bright Orange Rust
1298521	BET	7	619296	6963056	6/22/2012	6:27:59 PM	RR02	Dark Brown	Silt	Damp	Pronounced Slope	60	C	Birch Forest	Grass Cover	Good	Coarse	Bright Orange Rust
1298522	BET	7	619297	6963009	6/22/2012	6:38:14 PM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	50	B	Alders	Sphagnum Moss < 30cm	Poor	Partially Frozen	
1298523	BET	7	619296	6962957	6/22/2012	6:47:54 PM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Partially Frozen	
1298524	BET	7	619296	6962908	6/22/2012	6:56:00 PM	RR02	Dark Brown	Silt	Wet	Subtle Slope	90	B	Willows	Sphagnum Moss > 30cm	Poor	Partially Frozen	
1290068	BET	7	625599	6964707	6/22/2012	9:02:49 AM	SC01	Dark Brown	Sand	Damp	Subtle Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Dull Red Rust	Partially Frozen
1290069	BET	7	625596	6964758	6/22/2012	10:55:33 AM	SC01	Dark Brown	Sand	Damp	Subtle Slope	80	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Dull Red Rust	
1290070	BET	7	625597	6964808	6/22/2012	11:07:22 AM	SC01	Dark Brown	Sand	Dry	Subtle Slope	50	C	Poplar	Leaf Cover	Good		
1290071	BET	7	625597	6964858	6/22/2012	11:18:28 AM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Quartz Chips
1290072	BET	7	625598	6964908	6/22/2012	11:32:05 AM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	110	C	White Spruce	Leaf Cover	Excellent		
1290073	BET	7	625597	6964958	6/22/2012	11:53:29 AM	SC01	Dark Brown	Sand	Dry	Subtle Slope	70	C	Poplar	Leaf Cover	Excellent	Dull Red Rust	Rocky
1290074	BET	7	625597	6965008	6/22/2012	12:05:04 PM	SC01	Dark Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Excellent	Coarse	
1290075	BET	7	625597	6965058	6/22/2012	12:16:32 PM	SC01	Dark Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	
1290076	BET	7	625597	6965058	6/22/2012	12:23:41 PM	SC01	Dark Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	
1290077	BET	7	625597	6965108	6/22/2012	12:39:34 PM	SC01	Grey	Sand	Damp	Pronounced Slope	90	C	Poplar	Leaf Cover	Excellent	Coarse	
1290078	BET	7	625597	6965158	6/22/2012	12:59:11 PM	SC01	Dark Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Good	Rocky	
1290079	BET	7	625597	6965208	6/22/2012	1:16:10 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	90	C	Poplar	Leaf Cover	Excellent		
1290080	BET	7	625597	6965258	6/22/2012	1:34:48 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Rocky	
1290081	BET	7	625596	6965308	6/22/2012	1:48:31 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	30	C	Poplar	Leaf Cover	Good	Rocky	Coarse
1290082	BET	7	625597	6965358	6/22/2012	2:04:02 PM	SC01	Chocolate Brown	Sand	Dry	Steep	50	C	Poplar	Leaf Cover	Good	Rocky	
1290083	BET	7	625597	6965407	6/22/2012	2:17:07 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Rocky	
1290084	BET	7	625597	6965458	6/22/2012	2:30:28 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Black Spruce	Thin Moss Cover	Excellent	Rocky	
1290085	BET	7	625597	6965508	6/22/2012	2:46:55 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	90	C	White Spruce	Leaf Cover	Excellent	Rocky	
1290086	BET	7	625597	6965557	6/22/2012	3:03:23 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	White Spruce	Leaf Cover	Good	Rocky	
1290087	BET	7	625597	6965608	6/22/2012	3:25:55 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	White Spruce	Grass Cover	Good	Rocky	
1290088	BET	7	625597	6965659	6/22/2012	3:40:17 PM	SC01	Chocolate Brown	Silt	Damp	Subtle Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Poor	Rocky	
1290089	BET	7	625597	6965708	6/22/2012	3:53:43 PM	SC01	Dark Brown	Sand	Dry	Subtle Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1290090	BET	7	625597	6965757	6/22/2012	4:08:05 PM	SC01	Chocolate Brown	Sand	Damp	Steep	50	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Dull Red Rust	Partially Frozen
1290091	BET	7	625598	6965808	6/22/2012	4:21:14 PM	SC01	Dark Brown	Sand	Wet	Pronounced Slope	30	C	Black Spruce	Sphagnum Moss > 30cm	Good	Partially Frozen	
1290092	BET	7	625597	6965858	6/22/2012	4:31:34 PM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss > 30cm	Good	Partially Frozen	
1290093	BET	7	625596	6965908	6/22/2012	4:43:07 PM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss > 30cm	Good	Partially Frozen	
1268579	BET	7	618998	6962908	6/22/2012	2:43:36 AM	SD02	Dark Brown	Gravel	Wet	Subtle Slope	50	B	White Spruce	Sphagnum Moss < 30cm	Good	Wet Soil	Rocky
1268580	BET	7	618997	6962957	6/22/2012	2:53:59 AM	SD02	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	Alders	Sphagnum Moss < 30cm	Good	Rocky	Organic 10%
1268581	BET	7	618998	6963005	6/22/2012	3:03:38 AM	SD02	Dark Brown	Gravel	Damp	Subtle Slope	50	C	Alders	Sphagnum Moss < 30cm	Excellent	Rocky	Fine
1268582	BET	7	618998	6963056	6/22/2012	3:13:30 AM	SD02	Grey	Gravel	Dry	Pronounced Slope	60	C	Birch Forest	Leaf Cover	Excellent	Rocky	
1268583	BET	7	618997	6963107	6/22/2012	3:22:38 AM	SD02	Chocolate Brown	Gravel	Dry	Pronounced Slope	40	B	Alders	Leaf Cover	Excellent	Rocky	Sandy
1268584	BET	7	618997	6963156	6/22/2012	3:33:56 AM	SD02	Dark Brown	Sand	Damp	Pronounced Slope	50	B	Birch Forest	Grass Cover	Excellent	Rocky	
1268585	BET	7	618997	6963207	6/22/2012	3:43:51 AM	SD02	Dark Brown	Gravel	Damp	Pronounced Slope	40	C	Birch Forest	Leaf Cover	Excellent	Rocky	
1268586	BET	7	618997	6963256	6/22/2012	3:57:08 AM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	60	C	Birch Forest	Grass Cover	Excellent	Rocky	Sandy

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1268587	BET	7	618998	6963307	6/22/2012	4:20:00 AM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Rocky	Organic 10%
1268588	BET	7	618997	6963356	6/22/2012	4:30:49 AM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	50	C	Poplar	Thin Moss Cover	Good	Rocky	
1268589	BET	7	618997	6963407	6/22/2012	4:44:13 AM	SD02	Chocolate Brown	Gravel	Dry	Pronounced Slope	30	C	Poplar	Grass Cover	Good	Rocky	Organic 10%
1268590	BET	7	618998	6963457	6/22/2012	5:04:26 AM	SD02	Light Brown	Gravel	Damp	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent	Sandy	
1268591	BET	7	618997	6963507	6/22/2012	5:15:22 AM	SD02	Chocolate Brown	Sand	Damp	Subtle Slope	40	C	Poplar	Leaf Cover	Good	Rocky	Organic 10%
1268592	BET	7	618996	6963556	6/22/2012	5:34:32 AM	SD02	Chocolate Brown	Gravel	Dry	Pronounced Slope	40	C	Poplar	Grass Cover	Good	Rocky	Organic 10%
1268593	BET	7	618998	6963606	6/22/2012	5:47:54 AM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	40	B	Alders	Thin Moss Cover	Good	Rocky	
1268594	BET	7	619097	6963657	6/22/2012	6:12:09 AM	SD02	Dark Blue Black	Sand	Damp	Steep	40	B	Alders	Sphagnum Moss > 30cm	Poor	Frozen	Organic 10%
1268595	BET	7	619097	6963607	6/22/2012	6:24:13 AM	SD02	Chocolate Brown	Sand	Damp	Flat	40	B	Alders	Sphagnum Moss < 30cm	Excellent	Rocky	
1268596	BET	7	619098	6963558	6/22/2012	6:33:47 AM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	40	B	Alders	Grass Cover	Excellent	Organic 10%	
1268597	BET	7	619096	6963507	6/22/2012	6:42:13 AM	SD02	Chocolate Brown	Gravel	Dry	Pronounced Slope	40	B	Poplar	Leaf Cover	Poor	Rocky	Organic 10%
1268598	BET	7	619097	6963457	6/22/2012	6:48:43 AM	SD02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Poplar	Leaf Cover	Poor	Rocky	
1268599	BET	7	619098	6963407	6/22/2012	6:57:59 AM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	50	C	Poplar	Grass Cover	Good	Rocky	Coarse
1268600	BET	7	619098	6963357	6/22/2012	7:08:07 AM	SD02	Chocolate Brown	Gravel	Dry	Pronounced Slope	30	B	Birch Forest	Leaf Cover	Good	Rocky	Small Sample
1268602	BET	7	619096	6963306	6/22/2012	7:20:40 AM	SD02	Dark Brown	Gravel	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Fine	
1268603	BET	7	619095	6963256	6/22/2012	7:29:58 AM	SD02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Alders	Leaf Cover	Excellent	Coarse	Rocky
1268604	BET	7	619097	6963207	6/22/2012	7:37:54 AM	SD02	Chocolate Brown	Gravel	Dry	Pronounced Slope	40	B	Birch Forest	Leaf Cover	Good	Rocky	
1268605	BET	7	619096	6963157	6/22/2012	7:46:28 AM	SD02	Dark Brown	Gravel	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Rocky	
1268606	BET	7	619096	6963105	6/22/2012	7:56:39 AM	SD02	Dark Brown	Gravel	Damp	Subtle Slope	80	B	Alders	Grass Cover	Excellent	Rocky	
1268607	BET	7	619097	6963056	6/22/2012	8:04:52 AM	SD02	Dark Brown	Gravel	Damp	Pronounced Slope	50	B	Birch Forest	Grass Cover	Good	Rocky	
1268608	BET	7	619096	6963007	6/22/2012	8:12:44 AM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	50	C	Alders	Grass Cover	Excellent	Rocky	Organic 10%
1268609	BET	7	619097	6962956	6/22/2012	8:18:51 AM	SD02	Dark Brown	Gravel	Wet	Subtle Slope	60	C	Alders	Sphagnum Moss < 30cm	Good	Wet Soil	Rocky
1268610	BET	7	619096	6962907	6/22/2012	8:26:07 AM	SD02	Dark Brown	Gravel	Wet	Subtle Slope	60	C	Alders	Thin Moss Cover	Good	Fine	Wet Soil
1268704	BET	7	619998	6962909	6/23/2012	9:59:44 AM	BH01	Dark Brown	Silt	Dry	Pronounced Slope	60	B	Black Spruce	Leaf Cover	Good	Rocky Sample	
1268705	BET	7	619996	6962952	6/23/2012	10:17:12 AM	BH01	Dark Brown	Silt	Dry	Pronounced Slope	80	C	Dwarf Birch	Leaf Cover	Good	Rocky	
1268706	BET	7	619996	6963008	6/23/2012	10:30:49 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Alders	Leaf Cover	Excellent	Rocky	
1268707	BET	7	619998	6963053	6/23/2012	10:43:51 AM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Alders	Sphagnum Moss > 30cm	Good	Rocky Sample	
1268708	BET	7	619998	6963107	6/23/2012	10:55:17 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Alders	Leaf Cover	Good	Rocky	
1268709	BET	7	620004	6963158	6/23/2012	11:10:27 AM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Dwarf Birch	Grass Cover	Poor	Rocky	Possible Creek Contamination
1268710	BET	7	619998	6963203	6/23/2012	11:24:10 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	70	B	Alders	Leaf Cover	Good	Bright Orange Rust	Rocky
1268711	BET	7	619995	6963259	6/23/2012	11:37:18 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Poplar	Leaf Cover	Good	Rocky Sample	
1268712	BET	7	619998	6963309	6/23/2012	11:49:36 AM	BH01	Dark Brown	Silt	Dry	Pronounced Slope	40	B	Alders	Leaf Cover	Good	Rocky	Rocky Sample
1268713	BET	7	619998	6963359	6/23/2012	12:01:03 PM	BH01	Dark Brown	Silt	Dry	Pronounced Slope	40	B	Black Spruce	Grass Cover	Good	Rocky	Small Sample
1268714	BET	7	619999	6963407	6/23/2012	12:13:31 PM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Alders	Bare Soil	Good	Rocky Sample	
1268715	BET	7	620002	6963457	6/23/2012	12:37:01 PM	BH01	Chocolate Brown	Silt	Dry	Steep	50	B	Alders	Bare Soil	Good	Rocky	Rocky Sample
1268716	BET	7	619999	6963508	6/23/2012	12:50:40 PM	BH01	Dark Brown	Silt	Dry	Pronounced Slope	50	B	Birch Forest	Leaf Cover	Good	Rocky	Rocky Sample
1268717	BET	7	620004	6963558	6/23/2012	1:02:25 PM	BH01	Chocolate Brown	Silt	Dry	Steep	40	B	Birch Forest	Bare Soil	Good	Rocky	
1268718	BET	7	619998	6963608	6/23/2012	1:15:53 PM	BH01	Dark Blue Black	Silt	Dry	Steep	50	B	Birch Forest	Leaf Cover	Good	Rocky	
1268719	BET	7	619997	6963655	6/23/2012	1:28:36 PM	BH01	Dark Brown	Silt	Dry	Subtle Slope	40	B	Alders	Reindeer Moss	Good	Rocky	
1268720	BET	7	620097	6963607	6/23/2012	1:53:03 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Alders	Leaf Cover	Good	Rocky	
1268721	BET	7	620097	6963559	6/23/2012	2:01:44 PM	BH01	Chocolate Brown	Silt	Dry	Steep	40	B	Alders	Leaf Cover	Good	Rocky	Small Sample
1268722	BET	7	620097	6963508	6/23/2012	2:12:22 PM	BH01	Chocolate Brown	Silt	Dry	Steep	50	B	Alders	Leaf Cover	Good	Rocky	Small Sample
1268723	BET	7	620099	6963458	6/23/2012	2:21:34 PM	BH01	Chocolate Brown	Silt	Dry	Steep	60	B	Birch Forest	Leaf Cover	Good	Rocky Sample	Bright Orange Rust
1268724	BET	7	620099	6963408	6/23/2012	2:32:38 PM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Alders	Leaf Cover	Poor	Rocky	Rocky Sample
1268725	BET	7	620097	6963358	6/23/2012	2:51:32 PM	BH01	Chocolate Brown	Silt	Dry	Steep	40	B	Alders	Leaf Cover	Good	Rocky	Rocky Sample
1268726	BET	7	620094	6963348	6/23/2012	2:59:34 PM	BH01	Chocolate Brown	Silt	Dry	Steep	40	B	Alders	Leaf Cover	Good	Rocky	Rocky Sample
1268727	BET	7	620098	6963314	6/23/2012	3:08:57 PM	BH01	Dark Brown	Silt	Dry	Pronounced Slope	40	B	Alders	Leaf Cover	Good	Rocky	Rocky Sample
1268728	BET	7	620099	6963257	6/23/2012	3:20:20 PM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Alders	Leaf Cover	Good	Rocky	
1268729	BET	7	620097	6963203	6/23/2012	3:29:34 PM	BH01	Dark Brown	Clay	Damp	Pronounced Slope	80	B	Alders	Leaf Cover	Good	Mud	Rocky
1268730	BET	7	620098	6963159	6/23/2012	3:38:56 PM	BH01	Chocolate Brown	Silt	Dry	Steep	60	B	Alders	Leaf Cover	Good	Rocky	
1268731	BET	7	620098	6963107	6/23/2012	3:48:17 PM	BH01	Chocolate Brown	Silt	Dry	Steep	50	B	Alders	Leaf Cover	Good	Rocky	
1268732	BET	7	620100	6963080	6/23/2012	3:57:55 PM	BH01	Chocolate Brown	Silt	Dry	Steep	50	B	Alders	Leaf Cover	Good	Rocky	Rocky Sample
1268733	BET	7	620095	6963013	6/23/2012	4:10:54 PM	BH01	Chocolate Brown	Silt	Dry	Steep	60	B	Alders	Leaf Cover	Good	Rocky	Possible Creek Contamination
1268734	BET	7	620092	6962958	6/23/2012	4:20:46 PM	BH01	Chocolate Brown	Silt	Dry	Steep	80	C	Alders	Leaf Cover	Good		
1268735	BET	7	620098	6962909	6/23/2012	4:31:54 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	C	Alders	Leaf Cover	Excellent	Rocky	
1282683	BET	7	627097	6964658	6/23/2012	9:55:16 AM	CK01	Chocolate Brown	Sand	Damp	Flat	70	B	Black Spruce	Leaf Cover	Good	Coarse	Possible Creek Contamination
1282684	BET	7	627097	6964705	6/23/2012	10:17:10 AM	CK01	Dark Brown	Sand	Damp	Subtle Slope	90	C	Poplar	Leaf Cover	Good	Rusty Rock Chip	
1282685	BET	7	627096	6964755	6/23/2012	10:37:39 AM	CK01	Chocolate Brown	Sand	Damp	Steep	100	C	Poplar	Leaf Cover	Good	Quartz Chips	
1282686	BET	7	627096	6964806	6/23/2012	10:54:55 AM	CK01	Dark Brown	Silt	Damp	Steep	90	C	Poplar	Leaf Cover	Good	Coarse	
1282687	BET	7	627097	6964856	6/23/2012	11:08:53 AM	CK01	Chocolate Brown	Sand	Damp	Steep	80	C	Black Spruce	Leaf Cover	Good	Coarse	Rusty Rock Chip
1282688	BET	7	627098	6964905	6/23/2012	11:24:09 AM	CK01	Chocolate Brown	Silt	Damp	Steep	80	C	Poplar	Leaf Cover	Good	Coarse	Bright Orange Rust
1282689	BET	7	627097	6964955	6/23/2012	11:41:19 AM	CK01	Chocolate Brown	Sand	Damp	Steep	90	C	Poplar	Leaf Cover	Excellent	Fine	Rusty Rock Chip
1282690	BET	7	627096	6965006	6/23/2012	11:56:58 AM	CK01	Chocolate Brown	Sand	Damp	Steep	70	C	Poplar	Leaf Cover	Excellent	Fine	
1282691	BET	7	627097	6965056	6/23/2012	12:20:03 PM	CK01	Chocolate Brown	Sand	Damp	Steep	60	C	Subalpine Fir	Leaf Cover	Excellent	Fine	Rusty Rock Chip
1282693	BET	7	627097	6965105	6/23/2012	12:38:07 PM	CK01	Chocolate Brown	Sand	Damp	Steep	70	C	Poplar	Leaf Cover	Excellent	Rocky Sample	
1282692	BET	7	627096	6965155	6/23/2012	12:59:55 PM	CK01	Chocolate Brown	Sand	Damp	Steep	60	C	Poplar	Leaf Cover	Good	Fine	Rocky
1282694	BET	7	627096	6965205	6/23/2012	1:32:26 PM	CK01	Chocolate Brown	Sand	Damp	Steep	60	B	Poplar	Leaf Cover	Good	Fine	Rocky
1282695	BET	7	627096	6965256	6/23/2012	1:48:40 PM	CK01	Chocolate Brown	Silt	Damp	Steep	40	B	Poplar	Leaf Cover	Good	Coarse	
1282696	BET	7	627096	6965306	6/23/2012	2:05:56 PM	CK01	Chocolate Brown	Sand	Damp	Steep	50	B	Poplar	Leaf Cover	Good	Fine	
1282697	BET	7	627096	6965355	6/23/2012	2:30:48 PM	CK01	Chocolate Brown	Silt	Damp	Steep	50	B	Poplar	Leaf Cover	Poor	Coarse	Talus
1282698	BET	7	627097	6965406	6/23/2012	2:47:46 PM	CK01	Chocolate Brown	Sand	Damp	Steep	50	C	Poplar	Leaf Cover	Good	Rocky	Rusty Rock Chip
1282699	BET	7	627096	6965457	6/23/2012	3:05:07 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Poplar	Leaf Cover	Good	Fine	Rocky
1282700	BET	7	627097	6965506	6/23/2012	3:27:36 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Poplar	Leaf Cover	Good	Fine	Bright Orange Rust
1283353	BET	7	627097	6965606	6/23/2012	4:08:36 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Poplar	Leaf Cover	Good	Coarse	Bright Orange Rust
1283352	BET	7	627097	6965556	6/23/2012	4:11:55 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Poplar	Leaf Cover	Good	Coarse	Rocky
1283354	BET	7	627096	6965657	6/23/2012	4:32:54 PM	CK01	Chocolate Brown	Sand	Damp	Steep	60	B	Poplar	Leaf Cover	Good	Coarse	Bright Orange Rust
1283356	BET	7	627096	6965706	6/23/2012	4:54:45 PM	CK01	Chocolate Brown	Sand	Damp	Steep	60	C	Poplar	Leaf Cover	Good	Coarse	Bright Orange Rust
1283355	BET	7	627095	6965757	6/23/2012	5:16:55 PM	CK01	Dark Brown	Silt	Damp	Subtle Slope	30	B	Poplar	Leaf Cover	Poor	Rocky	
1283359	BET	7	627097	6965807	6/23/2012	5:32:40 PM	CK01	Chocolate Brown	Silt	Damp	Subtle Slope	40	B	Poplar	Sphagnum Moss < 30cm	Good	Rocky	
1283358	BET	7	627097	6965857	6/23/2012	5:47:57 PM	CK01	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Alders	Sphagnum Moss < 30cm	Good	Coarse	Talus
1283357	BET	7	627097	6965907	6/23/2012	6:01:48 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Poplar	Reindeer Moss	Good	Fine	Talus
1268368	BET	7	619797	6962908	6/23/2012	11:02:03 AM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	Rusty Rock Chip
1268369	BET	7	619797	6962958	6/23/2012	11:16:19 AM	FP01	Dark Brown	Sand	Dry	Subtle Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1268370	BET	7	619797	6963005	6/23/2012	11:30:09 AM	FP01	Dark Brown	Sand	Damp	Subtle Slope	90	C	Alders	Grass Cover	Good	Coarse	Rusty Rock Chip

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1268371	BET	7	619797	6963056	6/23/2012	11:41:22 AM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	40	B	Poplar	Sphagnum Moss < 30cm	Good	Rocky	
1268372	BET	7	619797	6963106	6/23/2012	11:50:50 AM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	Willows	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1268373	BET	7	619797	6963156	6/23/2012	12:01:40 PM	FP01	Dark Brown	Sand	Dry	Subtle Slope	50	B	Willows	Grass Cover	Good	Rocky	
1268374	BET	7	619797	6963206	6/23/2012	12:14:15 PM	FP01	Dark Brown	Sand	Dry	Subtle Slope	50	B	Willows	Leaf Cover	Good	Rocky	Rocky Terrain
1268375	BET	7	619797	6963256	6/23/2012	12:26:06 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	70	B	Poplar	Leaf Cover	Good	Clay	Rocky
1268376	BET	7	619797	6963256	6/23/2012	12:27:02 PM	FP01	Dark Brown	Sand	Dry	Subtle Slope	50	B	Poplar	Leaf Cover	Good	Rusty Rock Chip	Rocky
1268377	BET	7	619797	6963306	6/23/2012	12:44:23 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	50	B	Willows	Grass Cover	Good	Rocky Terrain	Rusty Rock Chip
1268378	BET	7	619797	6963356	6/23/2012	12:58:57 PM	FP01	Dark Brown	Sand	Dry	Subtle Slope	40	B	Alders	Leaf Cover	Good	Rocky Terrain	Rusty Rock Chip
1268379	BET	7	619797	6963406	6/23/2012	1:15:26 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	30	B	Poplar	Leaf Cover	Poor	Rocky Terrain	Organic 10%
1268380	BET	7	619797	6963457	6/23/2012	1:34:23 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	90	B	Poplar	Grass Cover	Good	Rocky	Clay
1268381	BET	7	619797	6963507	6/23/2012	1:49:56 PM	FP01	Chocolate Brown	Clay	Damp	Pronounced Slope	50	B	Poplar	Grass Cover	Poor	Rocky Terrain	Organic 10%
1268382	BET	7	619797	6963557	6/23/2012	2:04:02 PM	FP01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Poplar	Leaf Cover	Poor	Rocky	Rusty Rock Chip
1268383	BET	7	619797	6963606	6/23/2012	2:19:02 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	50	C	Dwarf Birch	Reindeer Moss	Good	Bright Orange Rust	Rocky
1268384	BET	7	619897	6963657	6/23/2012	2:48:58 PM	FP01	Chocolate Brown	Sand	Dry	Flat	30	B	Dwarf Birch	Reindeer Moss	Good	Fine	Rocky Terrain
1268385	BET	7	619897	6963607	6/23/2012	3:18:09 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	40	B	Willows	Grass Cover	Poor	Rusty Rock Chip	Rocky Terrain
1268386	BET	7	619897	6963557	6/23/2012	3:33:27 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	40	B	White Spruce	Leaf Cover	Poor	Rocky Terrain	Organic 10%
1268387	BET	7	619897	6963507	6/23/2012	3:44:29 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	30	B	Poplar	Leaf Cover	Poor	Rocky Terrain	Organic 10%
1268388	BET	7	619897	6963458	6/23/2012	3:58:44 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	40	B	Poplar	Leaf Cover	Poor	Rocky	Rocky Terrain
1268389	BET	7	619897	6963407	6/23/2012	4:21:28 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	40	B	Poplar	Leaf Cover	Poor	Rocky	Rocky Terrain
1268390	BET	7	619897	6963357	6/23/2012	4:44:14 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	50	B	Poplar	Leaf Cover	Good	Rocky	Rusty Rock Chip
1268391	BET	7	619897	6963307	6/23/2012	4:55:51 PM	FP01	Dark Brown	Clay	Damp	Subtle Slope	50	B	Poplar	Leaf Cover	Good	Quartz Chips	Rusty Rock Chip
1268392	BET	7	619897	6963257	6/23/2012	5:06:46 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	50	B	Willows	Grass Cover	Good	Rocky	Rusty Rock Chip
1268393	BET	7	619897	6963207	6/23/2012	5:23:21 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	Willows	Leaf Cover	Good	Coarse	Rusty Rock Chip
1268394	BET	7	619897	6963157	6/23/2012	5:34:18 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	40	B	Poplar	Grass Cover	Good	Rocky	Rusty Rock Chip
1268395	BET	7	619897	6963107	6/23/2012	5:50:37 PM	FP01	Dark Brown	Sand	Dry	Subtle Slope	70	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1268396	BET	7	619897	6963057	6/23/2012	6:01:33 PM	FP01	Dark Brown	Sand	Dry	Subtle Slope	40	B	Poplar	Grass Cover	Good	Rocky	
1268397	BET	7	619897	6963007	6/23/2012	6:11:56 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	Poplar	Grass Cover	Good	Coarse	Rusty Rock Chip
1268398	BET	7	619897	6962957	6/23/2012	6:23:40 PM	FP01	Reddish Yellow	Sand	Dry	Subtle Slope	70	C	Poplar	Sphagnum Moss < 30cm	Excellent	Coarse	Rusty Rock Chip
1268399	BET	7	619897	6962907	6/23/2012	6:36:35 PM	FP01	Reddish Yellow	Sand	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Excellent	Coarse	Rocky
1282932	BET	7	626697	6964557	6/23/2012	11:25:29 AM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	
1282933	BET	7	626698	6964607	6/23/2012	11:37:23 AM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	110	C	Poplar	Grass Cover	Excellent	Coarse	Quartz Chips
1282934	BET	7	626697	6964657	6/23/2012	11:49:48 AM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	Quartz Chips
1282935	BET	7	626698	6964707	6/23/2012	12:00:19 PM	JM01	Chocolate Brown	Gravel	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent	Quartz Chips	
1282936	BET	7	626697	6964756	6/23/2012	12:12:44 PM	JM01	Chocolate Brown	Gravel	Damp	Pronounced Slope	50	C	Poplar	Grass Cover	Excellent	Dull Red Rust	Clay
1282937	BET	7	626698	6964808	6/23/2012	12:24:38 PM	JM01	Dark Brown	Gravel	Damp	Pronounced Slope	110	C	Poplar	Thin Moss Cover	Excellent	Coarse	Rusty Rock Chip
1282938	BET	7	626698	6964857	6/23/2012	12:41:04 PM	JM01	Dark Brown	Gravel	Damp	Pronounced Slope	60	C	Poplar	Grass Cover	Excellent	Coarse	
1282939	BET	7	626698	6964908	6/23/2012	12:53:21 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1282940	BET	7	626697	6964958	6/23/2012	1:03:14 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	Quartz Chips
1284515	BET	7	626697	6965007	6/23/2012	1:14:15 PM	JM01	Chocolate Brown	Gravel	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent	Quartz Chips	Coarse
1284516	BET	7	626698	6965057	6/23/2012	1:28:21 PM	JM01	Chocolate Brown	Gravel	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Coarse	Quartz Chips
1284517	BET	7	626697	6965107	6/23/2012	1:42:53 PM	JM01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Excellent	Quartz Chips	Coarse
1284518	BET	7	626697	6965157	6/23/2012	1:58:12 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	60	C	Poplar	Grass Cover	Excellent	Quartz Chips	Coarse
1284519	BET	7	626697	6965207	6/23/2012	2:13:09 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent	Coarse	Quartz Chips
1284520	BET	7	626698	6965257	6/23/2012	2:31:09 PM	JM01	Chocolate Brown	Clay	Dry	Steep	50	B	No Tree Cover	Grass Cover	Good	Rocky	Quartz Chips
1284521	BET	7	626697	6965307	6/23/2012	2:54:42 PM	JM01	Chocolate Brown	Clay	Dry	Steep	60	C	Poplar	Grass Cover	Excellent	Fine	
1284522	BET	7	626698	6965358	6/23/2012	3:32:16 PM	JM01	Chocolate Brown	Clay	Dry	Steep	50	C	Poplar	Grass Cover	Excellent	Fine	Rocky
1284523	BET	7	626697	6965408	6/23/2012	3:44:46 PM	JM01	Chocolate Brown	Clay	Dry	Steep	50	C	Poplar	Grass Cover	Excellent	Quartz Chips	Fine
1284524	BET	7	626697	6965456	6/23/2012	3:58:56 PM	JM01	Chocolate Brown	Clay	Dry	Steep	50	B	Poplar	Grass Cover	Good	Quartz Chips	Fine
1282941	BET	7	626696	6965508	6/23/2012	4:13:31 PM	JM01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Excellent	Coarse	Quartz Chips
1282942	BET	7	626697	6965558	6/23/2012	4:24:21 PM	JM01	Chocolate Brown	Sand	Dry	Subtle Slope	40	C	Dwarf Birch	Thin Moss Cover	Excellent	Coarse	Quartz Chips
1282943	BET	7	626697	6965607	6/23/2012	4:36:04 PM	JM01	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1282944	BET	7	626697	6965657	6/23/2012	4:45:50 PM	JM01	Dark Brown	Sand	Damp	Pronounced Slope	40	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1282945	BET	7	626697	6965707	6/23/2012	5:09:00 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	50	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Quartz Chips	Rocky
1282946	BET	7	626728	6965756	6/23/2012	5:28:28 PM	JM01	Chocolate Brown	Clay	Wet	Pronounced Slope	40	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Rocky Terrain	Quartz Chips
1290602	BET	7	626897	6964606	6/23/2012	12:01:39 PM	JS01	Chocolate Brown	Sand	Dry	Subtle Slope	70	C	Poplar	Grass Cover	Good	Rocky	Quartz Chips
1290603	BET	7	626896	6964660	6/23/2012	12:16:03 PM	JS01	Grey	Sand	Dry	Subtle Slope	70	C	Poplar	Grass Cover	Good	Bright Orange Rust	Rocky
1290604	BET	7	626897	6964708	6/23/2012	12:31:08 PM	JS01	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	Poplar	Grass Cover	Good	Rocky	Bright Orange Rust
1290605	BET	7	626897	6964757	6/23/2012	12:44:05 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	90	C	Poplar	Grass Cover	Good	Rocky	
1290606	BET	7	626897	6964807	6/23/2012	12:56:32 PM	JS01	Chocolate Brown	Sand	Dry	Subtle Slope	70	C	Poplar	Grass Cover	Good	Quartz Chips	Rocky
1290607	BET	7	626896	6964857	6/23/2012	1:12:15 PM	JS01	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	Poplar	Leaf Cover	Good	Rocky	
1290608	BET	7	626897	6964908	6/23/2012	1:34:23 PM	JS01	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	Poplar	Grass Cover	Good	Bright Orange Rust	Rocky
1290609	BET	7	626897	6964957	6/23/2012	1:47:05 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Good	Rocky	
1290610	BET	7	626897	6965007	6/23/2012	2:00:09 PM	JS01	Chocolate Brown	Silt	Dry	Subtle Slope	40	B	Poplar	Grass Cover	Poor	Coarse	Rocky
1290611	BET	7	626897	6965057	6/23/2012	2:15:28 PM	JS01	Chocolate Brown	Silt	Dry	Subtle Slope	70	C	Poplar	Grass Cover	Good	Coarse	Rocky
1290612	BET	7	626897	6965108	6/23/2012	2:29:31 PM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Good	Coarse	Rocky
1290613	BET	7	626897	6965156	6/23/2012	2:46:03 PM	JS01	Chocolate Brown	Silt	Dry	Steep	70	C	Poplar	Grass Cover	Good	Coarse	Rocky
1290614	BET	7	626897	6965207	6/23/2012	3:04:01 PM	JS01	Chocolate Brown	Silt	Dry	Steep	70	C	Poplar	Grass Cover	Good	Coarse	Rocky
1290615	BET	7	626896	6965258	6/23/2012	3:24:13 PM	JS01	Chocolate Brown	Silt	Dry	Steep	40	B	Poplar	Grass Cover	Poor	Coarse	Rocky
1290616	BET	7	626897	6965306	6/23/2012	3:46:48 PM	JS01	Chocolate Brown	Silt	Dry	Steep	40	B	Poplar	Grass Cover	Poor	Coarse	Rocky
1290617	BET	7	626897	6965358	6/23/2012	4:01:34 PM	JS01	Chocolate Brown	Silt	Dry	Steep	50	B	Poplar	Grass Cover	Poor	Coarse	Rocky
1290618	BET	7	626896	6965406	6/23/2012	4:18:06 PM	JS01	Chocolate Brown	Silt	Dry	Steep	50	B	Poplar	Grass Cover	Poor	Coarse	Rocky
1290619	BET	7	626896	6965456	6/23/2012	4:36:21 PM	JS01	Chocolate Brown	Silt	Dry	Steep	40	B	Poplar	Grass Cover	Poor	Rocky Terrain	
1290620	BET	7	626897	6965505	6/23/2012	4:56:57 PM	JS01	Chocolate Brown	Silt	Dry	Steep	60	B	Poplar	Grass Cover	Poor	Rocky	
1290621	BET	7	626897	6965557	6/23/2012	5:21:43 PM	JS01	Chocolate Brown	Silt	Dry	Steep	40	B	Poplar	Grass Cover	Poor	Rocky	
1290622	BET	7	626897	6965607	6/23/2012	5:42:27 PM	JS01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Poplar	Grass Cover	Poor	Quartz Chips	Rocky Sample
1290623	BET	7	626897	6965658	6/23/2012	6:03:58 PM	JS01	Chocolate Brown	Sand	Dry	Flat	50	C	Birch Forest	Leaf Cover	Good	Rocky	
1290624	BET	7	626896	6965706	6/23/2012	6:20:18 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Birch Forest	Reindeer Moss	Good	Fine	Rocky Sample
1290642	BET	7	626897	6965807	6/23/2012	7:22:46 PM	JS01	Chocolate Brown	Sand	Dry	Steep	40	B	Alders	Thin Moss Cover	Good	Fine	Rocky Sample
1290643	BET	7	626896	6965907	6/23/2012	7:43:21 PM	JS01	Chocolate Brown	Silt	Dry	Steep	50	B	Birch Forest	Thin Moss Cover	Poor	Rocky	
1282791	BET	7	626997	6964606	6/23/2012	10:06:58 AM	KH01	Chocolate Brown	Clay	Wet	Flat	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Mud
1282792	BET	7	626997	6964657	6/23/2012	10:21:33 AM	KH01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Sphagnum Moss < 30cm	Excellent	Coarse	
1282793	BET	7	626996	6964707	6/23/2012	10:36:55 AM	KH01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1282794	BET	7	626997	6964758	6/23/2012	10:50:13 AM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1282795	BET	7	626997	6964807	6/23/2012	11:04:12 AM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1282796	BET	7	626997	6964858	6/23/2012	11:18:48 AM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1282797	BET	7	626997	6964908	6/23/2012	11:35:02 AM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	B	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1282798	BET	7	626996	6964957	6/23/2012	11:49:58 AM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1282799	BET	7	626997	6965007	6/23/2012	12:02:21 PM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Fine	Rocky
1282800	BET	7	626996	6965057	6/23/2012	12:25:35 PM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Rocky	
1283602	BET	7	626997	6965107	6/23/2012	1:04:44 PM	KH01	Dark Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1283603	BET	7	626996	6965156	6/23/2012	1:20:20 PM	KH01	Light Brown	Sand	Dry	Steep	80	C	Poplar	Leaf Cover	Excellent	Rocky	
1283604	BET	7	626997	6965207	6/23/2012	1:39:22 PM	KH01	Light Brown	Sand	Dry	Steep	70	C	Poplar	Leaf Cover	Good	Rocky	
1283605	BET	7	626997	6965257	6/23/2012	2:03:57 PM	KH01	Light Brown	Sand	Dry	Steep	70	C	Poplar	Leaf Cover	Good	Fine	Rocky
1283606	BET	7	626996	6965308	6/23/2012	2:20:44 PM	KH01	Chocolate Brown	Sand	Dry	Steep	80	C	Poplar	Leaf Cover	Excellent	Rocky	Fine
1283607	BET	7	626997	6965357	6/23/2012	2:48:41 PM	KH01	Light Brown	Sand	Dry	Steep	70	C	Poplar	Leaf Cover	Good	Rocky	Coarse
1283608	BET	7	626996	6965407	6/23/2012	3:13:29 PM	KH01	Light Brown	Sand	Dry	Steep	60	C	Poplar	Leaf Cover	Good	Rocky	
1283609	BET	7	626997	6965457	6/23/2012	3:36:19 PM	KH01	Light Brown	Sand	Dry	Steep	70	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1283610	BET	7	626997	6965507	6/23/2012	3:56:44 PM	KH01	Light Brown	Sand	Dry	Steep	70	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1283611	BET	7	626997	6965558	6/23/2012	4:18:59 PM	KH01	Light Brown	Sand	Dry	Steep	60	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1283612	BET	7	626996	6965608	6/23/2012	4:39:18 PM	KH01	Light Brown	Sand	Dry	Steep	60	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1283613	BET	7	626996	6965658	6/23/2012	5:00:01 PM	KH01	Light Brown	Gravel	Dry	Steep	70	C	Poplar	Leaf Cover	Good	Rocky	
1283614	BET	7	626997	6965709	6/23/2012	5:16:56 PM	KH01	Reddish Brown	Sand	Damp	Subtle Slope	80	C	Poplar	Leaf Cover	Excellent	Fine	
1283615	BET	7	626997	6965758	6/23/2012	5:33:47 PM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Sphagnum Moss < 30cm	Good	Rocky	
1283616	BET	7	626997	6965808	6/23/2012	5:48:15 PM	KH01	Chocolate Brown	Gravel	Damp	Pronounced Slope	60	B	Poplar	Sphagnum Moss < 30cm	Good	Dull Red Rust	Rocky
1283617	BET	7	626997	6965858	6/23/2012	6:04:58 PM	KH01	Chocolate Brown	Gravel	Damp	Pronounced Slope	60	C	Poplar	Reindeer Moss	Good	Rocky	
1283618	BET	7	626997	6965908	6/23/2012	6:19:18 PM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1290731	BET	7	626797	6964607	6/23/2012	9:44:34 AM	MT01	Dark Brown	Sand	Dry	Subtle Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Quartz Chips
1290732	BET	7	626797	6964658	6/23/2012	10:00:10 AM	MT01	Greyish Green	Sand	Dry	Subtle Slope	90	C	Poplar	Leaf Cover	Excellent	Clay	
1290733	BET	7	626797	6964707	6/23/2012	10:24:30 AM	MT01	Chocolate Brown	Sand	Dry	Subtle Slope	70	C	Poplar	Leaf Cover	Excellent		
1290734	BET	7	626796	6964757	6/23/2012	10:26:12 AM	MT01	Dark Brown	Sand	Dry	Pronounced Slope	90	C	Poplar	Leaf Cover	Excellent		
1290735	BET	7	626796	6964809	6/23/2012	10:42:52 AM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent	Clay	Dull Red Rust
1290736	BET	7	626795	6964858	6/23/2012	10:56:25 AM	MT01	Dark Brown	Sand	Dry	Pronounced Slope	80	B	Poplar	Leaf Cover	Excellent	Clay	Dull Red Rust
1290737	BET	7	626795	6964908	6/23/2012	11:08:24 AM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Good		
1290738	BET	7	626795	6964958	6/23/2012	11:19:05 AM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Good		
1290739	BET	7	626794	6965007	6/23/2012	11:35:02 AM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	40	B	Poplar	Grass Cover	Poor	Rocky	
1290740	BET	7	626795	6965058	6/23/2012	11:50:58 AM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	90	C	Poplar	Leaf Cover	Excellent	Clay	
1290741	BET	7	626793	6965108	6/23/2012	12:13:33 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	90	C	Poplar	Leaf Cover	Excellent		
1290742	BET	7	626796	6965157	6/23/2012	12:29:26 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	90	C	Poplar	Leaf Cover	Excellent	Fine	
1290743	BET	7	626796	6965208	6/23/2012	12:44:59 PM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Fine	
1290744	BET	7	626794	6965258	6/23/2012	1:03:33 PM	MT01	Reddish Brown	Silt	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent	Coarse	
1290745	BET	7	626793	6965308	6/23/2012	1:18:14 PM	MT01	Chocolate Brown	Silt	Dry	Steep	50	B	Poplar	Grass Cover	Good	Coarse	
1290746	BET	7	626796	6965358	6/23/2012	1:36:48 PM	MT01	Light Brown	Silt	Dry	Steep	40	B	No Tree Cover	Grass Cover	Poor	Rocky	
1290747	BET	7	626796	6965406	6/23/2012	1:53:46 PM	MT01	Light Brown	Silt	Dry	Steep	60	B	No Tree Cover	Grass Cover	Good		
1290748	BET	7	626796	6965455	6/23/2012	2:10:40 PM	MT01	Chocolate Brown	Silt	Dry	Steep	70	C	Poplar	Grass Cover	Good	Rocky Terrain	
1290749	BET	7	626797	6965506	6/23/2012	2:32:08 PM	MT01	Chocolate Brown	Silt	Dry	Steep	40	B	Poplar	Grass Cover	Poor	Rocky Terrain	
1290750	BET	7	626796	6965557	6/23/2012	2:46:57 PM	MT01	Chocolate Brown	Clay	Damp	Subtle Slope	40	C	Birch Forest	Reindeer Moss	Good	Rocky	
1290753	BET	7	626796	6965656	6/23/2012	3:10:35 PM	MT01	Reddish Brown	Clay	Damp	Flat	70	C	Birch Forest	Reindeer Moss	Excellent	Dull Red Rust	
1290752	BET	7	626796	6965607	6/23/2012	3:31:03 PM	MT01	Reddish Brown	Silt	Damp	Subtle Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Poor	Rocky Terrain	Quartz Chips
1290754	BET	7	626797	6965706	6/23/2012	3:47:22 PM	MT01	Chocolate Brown	Clay	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky Terrain	
1290755	BET	7	626796	6965756	6/23/2012	4:08:56 PM	MT01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	Rocky Terrain
1290756	BET	7	626797	6965805	6/23/2012	4:27:00 PM	MT01	Dark Brown	Clay	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky	Rusty Rock Chip
1290757	BET	7	626797	6965907	6/23/2012	4:55:26 PM	MT01	Dark Grey Black	Clay	Wet	Pronounced Slope	60	B	Birch Forest	Leaf Cover	Good	Rusty Rock Chip	
1290229	BET	7	626598	6964557	6/23/2012	9:56:19 AM	RR01	Chocolate Brown	Silt	Damp	Subtle Slope	90	B	Poplar	Grass Cover	Good	Quartz Chips	Sandy
1290230	BET	7	626596	6964608	6/23/2012	10:17:36 AM	RR01	Grey	Silt	Damp	Pronounced Slope	80	B	Poplar	Grass Cover	Good	Rocky	Sandy
1290231	BET	7	626597	6964658	6/23/2012	10:38:12 AM	RR01	Chocolate Brown	Silt	Dry	Steep	40	B	Poplar	Grass Cover	Good	Rocky	Rocky Terrain
1290232	BET	7	626597	6964708	6/23/2012	10:49:49 AM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Good	Coarse	Rocky
1290233	BET	7	626597	6964759	6/23/2012	11:03:18 AM	RR01	Dark Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Excellent	Coarse	Quartz Chips
1290234	BET	7	626596	6964808	6/23/2012	11:19:03 AM	RR01	Dark Brown	Gravel	Damp	Pronounced Slope	60	B	Poplar	Grass Cover	Good	Rocky	
1290235	BET	7	626597	6964858	6/23/2012	11:27:09 AM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	
1290236	BET	7	626596	6964908	6/23/2012	11:36:29 AM	RR01	Dark Brown	Silt	Dry	Pronounced Slope	80	B	Poplar	Leaf Cover	Good	Coarse	Quartz Chips
1290237	BET	7	626597	6964958	6/23/2012	11:45:20 AM	RR01	Dark Brown	Sand	Dry	Pronounced Slope	90	C	Poplar	Leaf Cover	Excellent	Coarse	Quartz Chips
1290238	BET	7	626597	6965009	6/23/2012	11:54:36 AM	RR01	Chocolate Brown	Silt	Dry	Pronounced Slope	80	B	Poplar	Leaf Cover	Good	Coarse	Rocky
1290239	BET	7	626597	6965059	6/23/2012	12:10:59 PM	RR01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Coarse	Rocky
1290241	BET	7	626597	6965158	6/23/2012	12:55:39 PM	RR01	Chocolate Brown	Gravel	Dry	Pronounced Slope	40	B	Poplar	Grass Cover	Good	Rocky	
1290242	BET	7	626597	6965208	6/23/2012	1:08:45 PM	RR01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Good	Coarse	Rocky
1290243	BET	7	626596	6965258	6/23/2012	1:26:51 PM	RR01	Light Brown	Silt	Dry	Steep	50	B	Poplar	Bare Soil	Good	Fine	Sandy
1290244	BET	7	626597	6965308	6/23/2012	1:39:35 PM	RR01	Light Brown	Silt	Dry	Steep	50	B	Poplar	Bare Soil	Good	Fine	Sandy
1290245	BET	7	626598	6965356	6/23/2012	1:54:04 PM	RR01	Chocolate Brown	Gravel	Dry	Steep	50	B	Poplar	Bare Soil	Good	Sandy	Rocky
1290246	BET	7	626597	6965406	6/23/2012	2:07:41 PM	RR01	Chocolate Brown	Silt	Dry	Steep	50	B	Poplar	Grass Cover	Good	Coarse	Rocky
1290247	BET	7	626598	6965457	6/23/2012	2:24:29 PM	RR01	Chocolate Brown	Silt	Dry	Steep	30	B	Poplar	Grass Cover	Good	Coarse	Rocky
1290248	BET	7	626598	6965508	6/23/2012	2:35:46 PM	RR01	Light Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Excellent	Coarse	Outcrop Nearby
1290249	BET	7	626597	6965558	6/23/2012	2:52:22 PM	RR01	Chocolate Brown	Sand	Damp	Subtle Slope	40	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1290250	BET	7	626598	6965607	6/23/2012	3:00:28 PM	RR01	Dark Olivine Green	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	
1290251	BET	7	626598	6965657	6/23/2012	3:06:06 PM	RR01											
1290252	BET	7	626598	6965656	6/23/2012	3:13:48 PM	RR01	Grey	Sand	Wet	Pronounced Slope	50	C	Black Spruce	Reindeer Moss	Excellent	Coarse	Wet Soil
1290253	BET	7	626596	6965707	6/23/2012	3:25:52 PM	RR01	Grey	Silt	Wet	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Mud	Sandy
1290254	BET	7	626597	6965756	6/23/2012	3:41:14 PM	RR01	Dark Grey Black	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	Sandy
1290255	BET	7	626596	6965806	6/23/2012	3:51:38 PM	RR01	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Coarse	Sandy
1290256	BET	7	626596	6965857	6/23/2012	4:05:44 PM	RR01	Grey	Sand	Damp	Pronounced Slope	40	C	Black Spruce	Reindeer Moss	Good	Coarse	Partially Frozen
1290257	BET	7	626598	6965906	6/23/2012	4:26:14 PM	RR01	Dark Brown	Sand	Damp	Pronounced Slope	70	B	Alders	Leaf Cover	Good	Rocky Terrain	Quartz Chips
1298525	BET	7	620197	6962908	6/23/2012	10:28:51 AM	RR02	Reddish Brown	Sand	Damp	Pronounced Slope	90	C	Poplar	Thin Moss Cover	Excellent	Bright Orange Rust	Dull Red Rust
1298526	BET	7	620197	6962908	6/23/2012	10:38:32 AM	RR02	Reddish Brown	Sand	Damp	Pronounced Slope	90	C	Poplar	Thin Moss Cover	Excellent	Bright Orange Rust	Dull Red Rust
1298527	BET	7	620199	6962958	6/23/2012	10:52:38 AM	RR02	Dark Brown	Silt	Wet	Pronounced Slope	80	B	Alders	Thin Moss Cover	Good	Coarse	Partially Frozen
1298528	BET	7	620197	6963007	6/23/2012	11:07:47 AM	RR02	Dark Brown	Silt	Damp	Subtle Slope	60	B	Willows	Grass Cover	Poor	Fine	Partially Frozen
1298529	BET	7	620196	6963056	6/23/2012	11:24:02 AM	RR02	Reddish Brown	Silt	Damp	Steep	50	B	Poplar	Grass Cover	Good	Coarse	Organic 10%
1298530	BET	7	620194	6963106	6/23/2012	11:38:04 AM	RR02	Chocolate Brown	Silt	Damp	Steep	50	B	Poplar	Leaf Cover	Good	Outcrop Nearby	Coarse
1298531	BET	7	620195	6963156	6/23/2012	11:52:02 AM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Alders	Grass Cover	Good	Bright Orange Rust	
1298532	BET	7	620197	6963206	6/23/2012	12:11:15 PM	RR02	Greyish Green	Sand	Damp	Pronounced Slope	100	C	Poplar	Bare Soil	Excellent	Coarse	Bright Orange Rust

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1298533	BET	7	620197	6963255	6/23/2012	12:24:20 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	80	B	Poplar	Leaf Cover	Good	Coarse	
1298534	BET	7	620197	6963305	6/23/2012	12:35:02 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Birch Forest	Leaf Cover	Good	Dull Red Rust	Bright Orange Rust
1298535	BET	7	620197	6963356	6/23/2012	12:46:04 PM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Quartz Chips
1298536	BET	7	620197	6963410	6/23/2012	12:58:29 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	70	B	Poplar	Leaf Cover	Good	Coarse	Bright Orange Rust
1298537	BET	7	620196	6963454	6/23/2012	1:30:26 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Coarse	Bright Orange Rust
1298538	BET	7	620197	6963507	6/23/2012	1:54:15 PM	RR02	Reddish Brown	Silt	Damp	Pronounced Slope	70	B	Poplar	Grass Cover	Poor	Rocky	Organic 10%
1298539	BET	7	620197	6963557	6/23/2012	2:09:22 PM	RR02	Reddish Brown	Silt	Damp	Pronounced Slope	50	B	Poplar	Grass Cover	Poor	Rocky	
1298540	BET	7	620196	6963606	6/23/2012	2:37:21 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	White Spruce	Thin Moss Cover	Poor	Rocky Terrain	Small Sample
1298541	BET	7	620196	6963656	6/23/2012	2:49:13 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	Black Spruce	Thin Moss Cover	Good	Fine	
1298542	BET	7	620297	6963657	6/23/2012	3:09:09 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	40	B	Dwarf Birch	Thin Moss Cover	Good	Fine	
1298543	BET	7	620298	6963608	6/23/2012	3:17:10 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Poplar	Grass Cover	Good	Coarse	
1298544	BET	7	620298	6963559	6/23/2012	3:25:57 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Poplar	Leaf Cover	Poor	Rocky	
1298545	BET	7	620299	6963508	6/23/2012	3:34:12 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	70	B	Poplar	Grass Cover	Good	Rocky Terrain	Fine
1298546	BET	7	620297	6963458	6/23/2012	3:44:09 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Coarse	
1298547	BET	7	620296	6963409	6/23/2012	3:55:20 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	30	B	White Spruce	Needle Cover	Good	Fine	Rocky
1298548	BET	7	620298	6963358	6/23/2012	4:05:05 PM	RR02	Reddish Brown	Silt	Damp	Pronounced Slope	50	B	White Spruce	Needle Cover	Good	Coarse	
1298549	BET	7	620297	6963308	6/23/2012	4:21:40 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	White Spruce	Thin Moss Cover	Good	Rocky	
1298550	BET	7	620296	6963259	6/23/2012	4:32:44 PM	RR02	Dark Brown	Silt	Damp	Pronounced Slope	40	C	White Spruce	Leaf Cover	Good	Coarse	
1298552	BET	7	620297	6963206	6/23/2012	4:43:41 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	50	C	Birch Forest	Leaf Cover	Good	Coarse	Bright Orange Rust
1298553	BET	7	620297	6963157	6/23/2012	4:53:11 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	70	B	Poplar	Leaf Cover	Good	Coarse	Bright Orange Rust
1298554	BET	7	620295	6963106	6/23/2012	5:03:29 PM	RR02	Reddish Yellow	Sand	Damp	Pronounced Slope	50	C	Alders	Leaf Cover	Excellent	Bright Orange Rust	Coarse
1298555	BET	7	620295	6963057	6/23/2012	5:14:28 PM	RR02	Greyish Green	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1298556	BET	7	620296	6963008	6/23/2012	5:25:58 PM	RR02	Reddish Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Grass Cover	Excellent	Coarse	
1298557	BET	7	620297	6962954	6/23/2012	5:36:04 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Fine	
1298558	BET	7	620297	6962909	6/23/2012	5:47:33 PM	RR02	Light Brown	Sand	Damp	Subtle Slope	90	C	Poplar	Leaf Cover	Excellent	Coarse	
1290094	BET	7	626497	6964557	6/23/2012	10:12:13 AM	SC01	Chocolate Brown	Silt	Damp	Subtle Slope	90	B	Poplar	Leaf Cover	Good		
1290095	BET	7	626497	6964606	6/23/2012	10:28:52 AM	SC01	Dark Brown	Silt	Damp	Subtle Slope	90	C	White Spruce	Leaf Cover	Good		
1290096	BET	7	626497	6964657	6/23/2012	10:40:15 AM	SC01	Chocolate Brown	Sand	Dry	Subtle Slope	30	C	White Spruce	Leaf Cover	Good	Rocky	
1290097	BET	7	626497	6964707	6/23/2012	10:52:47 AM	SC01	Dark Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent	Rocky	
1290098	BET	7	626498	6964757	6/23/2012	11:05:58 AM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1290099	BET	7	626497	6964807	6/23/2012	11:17:43 AM	SC01	Dark Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Dull Red Rust	Rocky
1290100	BET	7	626495	6964858	6/23/2012	11:29:07 AM	SC01	Dark Brown	Sand	Dry	Pronounced Slope	90	C	Poplar	Leaf Cover	Excellent	Rocky	
1290502	BET	7	626497	6964907	6/23/2012	11:41:00 AM	SC01	Dark Brown	Silt	Damp	Pronounced Slope	100	C	Poplar	Leaf Cover	Good	Sandy	
1290503	BET	7	626498	6964958	6/23/2012	11:54:22 AM	SC01	Dark Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Good	Rocky	Dull Red Rust
1290504	BET	7	626497	6965007	6/23/2012	12:14:57 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	30	C	Poplar	Leaf Cover	Good	Rocky	Coarse
1290505	BET	7	626497	6965058	6/23/2012	12:31:34 PM	SC01	Chocolate Brown	Silt	Dry	Steep	40	B	Poplar	Grass Cover	Poor	Rocky	
1290506	BET	7	626497	6965108	6/23/2012	12:46:11 PM	SC01	Grey	Sand	Damp	Steep	90	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	
1290507	BET	7	626497	6965158	6/23/2012	1:06:09 PM	SC01	Grey	Sand	Dry	Pronounced Slope	90	C	Poplar	Grass Cover	Excellent	Bright Orange Rust	
1290508	BET	7	626497	6965207	6/23/2012	1:18:10 PM	SC01	Chocolate Brown	Silt	Dry	Steep	80	B	Poplar	Leaf Cover	Poor	Rocky	Sandy
1290509	BET	7	626497	6965257	6/23/2012	1:32:29 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	B	Poplar	Leaf Cover	Good	Rocky	Fine
1290510	BET	7	626496	6965307	6/23/2012	1:54:34 PM	SC01	Chocolate Brown	Silt	Dry	Steep	80	B	Poplar	Leaf Cover	Poor	Rocky	
1290511	BET	7	626496	6965356	6/23/2012	2:12:18 PM	SC01	Chocolate Brown	Silt	Damp	Steep	50	B	Poplar	Leaf Cover	Good	Rocky	
1290512	BET	7	626496	6965405	6/23/2012	2:27:06 PM	SC01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Poor	Rocky	
1290513	BET	7	626496	6965457	6/23/2012	2:44:46 PM	SC01	Chocolate Brown	Silt	Dry	Pronounced Slope	30	B	Poplar	Leaf Cover	Poor	Rocky	
1290514	BET	7	626496	6965507	6/23/2012	2:58:20 PM	SC01	Reddish Brown	Sand	Dry	Subtle Slope	50	C	Poplar	Leaf Cover	Excellent	Coarse	Dull Red Rust
1290515	BET	7	626496	6965557	6/23/2012	3:11:18 PM	SC01	Chocolate Brown	Sand	Damp	Flat	30	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1290516	BET	7	626497	6965607	6/23/2012	3:24:37 PM	SC01	Reddish Yellow	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Excellent		
1290517	BET	7	626497	6965657	6/23/2012	3:34:51 PM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss > 30cm	Good	Quartz Chips	
1290518	BET	7	626497	6965757	6/23/2012	3:58:15 PM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss > 30cm	Good	Partially Frozen	Rocky
1290519	BET	7	626497	6965807	6/23/2012	4:09:23 PM	SC01	Dark Brown	Sand	Wet	Pronounced Slope	30	C	Black Spruce	Sphagnum Moss > 30cm	Good	Partially Frozen	
1290520	BET	7	626497	6965857	6/23/2012	4:19:40 PM	SC01	Dark Grey Black	Sand	Damp	Steep	50	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Partially Frozen	
1290521	BET	7	626496	6965907	6/23/2012	4:31:27 PM	SC01	Dark Brown	Sand	Damp	Steep	60	B	Black Spruce	Reindeer Moss	Poor	Small Sample	Rocky
1268611	BET	7	620397	6962906	6/23/2012	1:49:13 AM	SD02	Light Brown	Gravel	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Excellent	Fine	
1268612	BET	7	620397	6962957	6/23/2012	1:59:32 AM	SD02	Pale Greenish	Gravel	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	
1268613	BET	7	620397	6963008	6/23/2012	2:09:52 AM	SD02	Grey	Sand	Damp	Subtle Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	
1268614	BET	7	620398	6963058	6/23/2012	2:18:35 AM	SD02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	
1268615	BET	7	620397	6963107	6/23/2012	2:27:24 AM	SD02	Chocolate Brown	Gravel	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent	Coarse	
1268616	BET	7	620398	6963158	6/23/2012	2:36:46 AM	SD02	Reddish Brown	Gravel	Damp	Pronounced Slope	60	C	Poplar	Grass Cover	Excellent	Dull Red Rust	
1268617	BET	7	620397	6963208	6/23/2012	2:45:46 AM	SD02	Light Brown	Sand	Dry	Subtle Slope	50	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1268618	BET	7	620396	6963258	6/23/2012	2:55:02 AM	SD02	Chocolate Brown	Gravel	Dry	Subtle Slope	40	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Rocky	Quartz Chips
1268619	BET	7	620397	6963308	6/23/2012	3:03:59 AM	SD02	Dark Brown	Gravel	Damp	Subtle Slope	60	C	White Spruce	Leaf Cover	Excellent	Fine	Rocky
1268620	BET	7	620397	6963357	6/23/2012	3:15:30 AM	SD02	Grey	Gravel	Damp	Pronounced Slope	80	C	White Spruce	Leaf Cover	Excellent	Dull Red Rust	Sandy
1268621	BET	7	620397	6963406	6/23/2012	3:25:07 AM	SD02	Dark Brown	Gravel	Damp	Pronounced Slope	60	C	White Spruce	Grass Cover	Excellent	Bright Orange Rust	
1268622	BET	7	620396	6963458	6/23/2012	3:36:06 AM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	50	C	Poplar	Grass Cover	Excellent	Rocky	
1268623	BET	7	620397	6963508	6/23/2012	3:59:41 AM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	40	C	Poplar	Grass Cover	Excellent	Organic 10%	Rocky
1268624	BET	7	620397	6963558	6/23/2012	4:11:36 AM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	40	C	Poplar	Sphagnum Moss < 30cm	Good	Rocky	Organic 10%
1268625	BET	7	620397	6963608	6/23/2012	4:22:35 AM	SD02	Reddish Brown	Gravel	Dry	Pronounced Slope	40	B	Alders	Leaf Cover	Poor	Rocky	Dull Red Rust
1268626	BET	7	620397	6963608	6/23/2012	4:32:47 AM	SD02	Reddish Brown	Gravel	Dry	Pronounced Slope	30	B	Alders	Leaf Cover	Poor	Rocky	Dull Red Rust
1268627	BET	7	620397	6963658	6/23/2012	4:52:08 AM	SD02	Reddish Brown	Gravel	Damp	Subtle Slope	40	B	Dwarf Birch	Thin Moss Cover	Poor	Rocky	Organic 10%
1268628	BET	7	620498	6963656	6/23/2012	5:04:58 AM	SD02	Chocolate Brown	Gravel	Dry	Subtle Slope	40	B	Dwarf Birch	Grass Cover	Poor	Bright Orange Rust	Rocky
1268629	BET	7	620498	6963608	6/23/2012	5:13:39 AM	SD02	Reddish Brown	Gravel	Dry	Pronounced Slope	30	B	Poplar	Grass Cover	Poor	Sandy	Rocky
1268630	BET	7	620497	6963559	6/23/2012	5:28:01 AM	SD02	Chocolate Brown	Sand	Dry	Steep	50	B	Poplar	Grass Cover	Good	Rocky	
1268631	BET	7	620499	6963509	6/23/2012	5:36:27 AM	SD02	Reddish Brown	Sand	Dry	Steep	80	B	Poplar	Grass Cover	Good	Rocky	Dull Red Rust
1268632	BET	7	620496	6963458	6/23/2012	5:45:01 AM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	70	B	Poplar	Grass Cover	Good	Fine	Rocky
1268634	BET	7	620497	6963358	6/23/2012	6:02:00 AM	SD02	Dark Brown	Gravel	Damp	Pronounced Slope	60	C	Birch Forest	Grass Cover	Excellent	Bright Orange Rust	Dull Red Rust
1268633	BET	7	620497	6963408	6/23/2012	6:04:04 AM	SD02	Chocolate Brown	Gravel	Dry	Subtle Slope	50	B	Poplar	Leaf Cover	Excellent	Rocky	
1268635	BET	7	620498	6963306	6/23/2012	6:18:12 AM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	60	C	Birch Forest	Grass Cover	Excellent	Bright Orange Rust	
1268636	BET	7	620499	6963257	6/23/2012	6:27:34 AM	SD02	Dark Brown	Gravel	Damp	Subtle Slope	100	C	Birch Forest	Grass Cover	Excellent	Fine	Bright Orange Rust
1268637	BET	7	620496	6963206	6/23/2012	6:38:27 AM	SD02	Light Brown	Gravel	Damp	Subtle Slope	60	C	Birch Forest	Leaf Cover	Excellent	Bright Orange Rust	
1268638	BET	7	620498	6963158	6/23/2012	6:45:54 AM	SD02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Birch Forest	Leaf Cover	Excellent	Coarse	
1268639	BET	7	620497	6963108	6/23/2012	6:53:43 AM	SD02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Grass Cover	Excellent	Coarse	
1268640	BET	7	620497	6963058	6/23/2012	7:02:29 AM	SD02	Bluish Grey	Gravel	Damp	Pronounced Slope	60	C	Poplar	Grass Cover	Good	Rocky Terrain	
1268641	BET	7	620497	6963007	6/23/2012	7:10:25 AM	SD02	Reddish Brown	Gravel	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Dull Red Rust	
1268642	BET	7	620496	6962957	6/23/2012	7:19:17 AM	SD02	Reddish Brown	Gravel	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Excellent	Rocky	Bright Orange Rust

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1268643	BET	7	620497	6962908	6/23/2012	8:12:03 AM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	
1268736	BET	7	621594	6962906	6/24/2012	11:04:51 AM	BH01	Dark Brown	Silt	Dry	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Good	Rocky	
1268737	BET	7	621597	6963058	6/24/2012	11:45:49 AM	BH01	Dark Grey Black	Silt	Wet	Steep	60	B	Black Spruce	Reindeer Moss	Poor	Mud	Frozen
1268738	BET	7	621596	6963099	6/24/2012	11:56:56 AM	BH01	Dark Grey Black	Silt	Damp	Steep	40	B	Black Spruce	Reindeer Moss	Poor	Mud	Frozen
1268739	BET	7	621596	6963154	6/24/2012	12:08:55 PM	BH01	Dark Grey Black	Silt	Damp	Steep	40	B	Black Spruce	Reindeer Moss	Poor	Mud	Frozen
1268740	BET	7	621593	6963209	6/24/2012	12:21:07 PM	BH01	Dark Grey Black	Silt	Damp	Flat	60	B	Black Spruce	Reindeer Moss	Poor	Partially Frozen	Rocky Sample
1268741	BET	7	621598	6963256	6/24/2012	12:30:47 PM	BH01	Chocolate Brown	Silt	Damp	Flat	40	B	Black Spruce	Bare Soil	Good	Possible Creek Contamination	Partially Frozen
1268742	BET	7	621597	6963303	6/24/2012	12:47:26 PM	BH01	Dark Grey Black	Silt	Damp	Subtle Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	Possible Creek Contamination
1268743	BET	7	621597	6963355	6/24/2012	12:59:07 PM	BH01	Chocolate Brown	Silt	Dry	Steep	60	B	Black Spruce	Leaf Cover	Good	Rocky	
1268744	BET	7	621597	6963406	6/24/2012	1:10:25 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Poplar	Leaf Cover	Excellent	Rocky	Rocky Sample
1268745	BET	7	621597	6963458	6/24/2012	1:31:19 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Alders	Leaf Cover	Good	Rocky	
1268746	BET	7	621596	6963507	6/24/2012	1:40:45 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Rocky	
1268748	BET	7	621497	6963656	6/24/2012	2:35:45 PM	BH01	Dark Grey Black	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	Small Sample
1268749	BET	7	621497	6963612	6/24/2012	2:50:26 PM	BH01	Chocolate Brown	Silt	Dry	Steep	60	B	Black Spruce	Reindeer Moss	Good	Rocky	Small Sample
1268750	BET	7	621497	6963558	6/24/2012	3:05:55 PM	BH01	Chocolate Brown	Silt	Dry	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Rocky Sample
1268752	BET	7	621497	6963506	6/24/2012	3:20:49 PM	BH01	Chocolate Brown	Silt	Dry	Steep	70	B	Poplar	Leaf Cover	Good	Rocky	
1268753	BET	7	621497	6963459	6/24/2012	3:34:12 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Poplar	Grass Cover	Good	Rocky	Small Sample
1268754	BET	7	621498	6963409	6/24/2012	3:43:32 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Rocky	
1268755	BET	7	621498	6963360	6/24/2012	4:04:23 PM	BH01	Chocolate Brown	Silt	Dry	Steep	70	B	Poplar	Leaf Cover	Good	Rocky	
1268756	BET	7	621497	6963310	6/24/2012	4:15:35 PM	BH01	Chocolate Brown	Silt	Dry	Steep	60	B	Poplar	Leaf Cover	Good	Rocky	
1268757	BET	7	621498	6963258	6/24/2012	4:26:21 PM	BH01	Chocolate Brown	Silt	Dry	Steep	100	B	Poplar	Leaf Cover	Good		
1268758	BET	7	621496	6963209	6/24/2012	4:41:30 PM	BH01	Chocolate Brown	Sand	Dry	Flat	60	B	Black Spruce	Reindeer Moss	Good	Possible Creek Contamination	
1268759	BET	7	621500	6963158	6/24/2012	4:50:41 PM	BH01	Chocolate Brown	Sand	Damp	Flat	40	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	Possible Creek Contamination
1268760	BET	7	621496	6963110	6/24/2012	5:06:23 PM	BH01	Dark Grey Black	Silt	Damp	Steep	60	B	Black Spruce	Reindeer Moss	Poor	Frozen	
1268761	BET	7	621496	6963058	6/24/2012	5:19:55 PM	BH01	Chocolate Brown	Silt	Damp	Steep	60	B	Black Spruce	Reindeer Moss	Good	Frozen	
1268762	BET	7	621491	6962961	6/24/2012	5:54:18 PM	BH01	Dark Brown	Silt	Dry	Steep	60	B	Black Spruce	Leaf Cover	Poor	Organic 25%	Rocky
1268763	BET	7	621499	6962919	6/24/2012	6:08:16 PM	BH01	Chocolate Brown	Silt	Dry	Steep	80	B	Dwarf Birch	Grass Cover	Good	Rocky	Outcrop Nearby
1283360	BET	7	625697	6962908	6/24/2012	11:50:37 AM	CK01	Chocolate Brown	Silt	Wet	Steep	60	B	Poplar	Leaf Cover	Good	Coarse	Rocky
1283361	BET	7	625697	6962858	6/24/2012	12:07:44 PM	CK01	Dark Brown	Sand	Damp	Pronounced Slope	70	B	Alders	Leaf Cover	Good	Fine	
1283362	BET	7	625697	6962758	6/24/2012	1:04:19 PM	CK01	Dark Brown	Gravel	Damp	Steep	40	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Rocky Sample	Bright Orange Rust
1283363	BET	7	625697	6962709	6/24/2012	1:28:06 PM	CK01	Chocolate Brown	Sand	Damp	Steep	50	B	Poplar	Sphagnum Moss > 30cm	Good	Coarse	Frozen
1283364	BET	7	625698	6962659	6/24/2012	1:41:18 PM	CK01	Chocolate Brown	Silt	Damp	Steep	70	B	Poplar	Sphagnum Moss < 30cm	Good		
1283365	BET	7	625697	6962608	6/24/2012	1:58:17 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Poplar	Leaf Cover	Good	Fine	
1283366	BET	7	625697	6962557	6/24/2012	2:09:06 PM	CK01	Chocolate Brown	Sand	Damp	Steep	50	B	Poplar	Grass Cover	Good	Fine	
1283367	BET	7	625697	6962508	6/24/2012	2:24:26 PM	CK01	Chocolate Brown	Silt	Damp	Steep	40	B	Poplar	Grass Cover	Good	Coarse	
1283507	BET	7	625697	6962458	6/24/2012	2:40:47 PM	CK01	Chocolate Brown	Sand	Damp	Steep	60	C	Poplar	Grass Cover	Good	Coarse	Rocky
1283508	BET	7	625697	6962409	6/24/2012	2:55:48 PM	CK01	Chocolate Brown	Sand	Damp	Steep	60	B	Poplar	Leaf Cover	Good		
1283509	BET	7	625697	6962358	6/24/2012	3:09:25 PM	CK01	Dark Brown	Sand	Damp	Steep	70	C	Poplar	Leaf Cover	Good		
1283510	BET	7	625697	6962307	6/24/2012	3:20:43 PM	CK01	Dark Grey Black	Sand	Damp	Steep	80	C	Poplar	Leaf Cover	Good		
1283511	BET	7	625696	6962258	6/24/2012	3:32:11 PM	CK01	Chocolate Brown	Sand	Damp	Steep	80	C	Poplar	Leaf Cover	Good		
1283512	BET	7	625696	6962208	6/24/2012	3:42:16 PM	CK01	Grey	Sand	Damp	Steep	50	C	Poplar	Grass Cover	Good	Outcrop Nearby	Bright Orange Rust
1283513	BET	7	625697	6962157	6/24/2012	3:58:46 PM	CK01	Chocolate Brown	Sand	Damp	Steep	50	B	Poplar	Grass Cover	Good	Fine	
1283514	BET	7	625697	6962108	6/24/2012	4:08:31 PM	CK01	Chocolate Brown	Sand	Damp	Steep	60	C	No Tree Cover	Grass Cover	Good	Fine	
1283515	BET	7	625696	6962057	6/24/2012	4:18:27 PM	CK01	Chocolate Brown	Sand	Damp	Steep	60	C	Poplar	Leaf Cover	Good		
1268400	BET	7	621397	6962907	6/24/2012	11:04:29 AM	FP01	Dark Brown	Sand	Wet	Subtle Slope	30	B	Black Spruce	Reindeer Moss	Poor	Frozen	Rusty Rock Chip
1268802	BET	7	621397	6962957	6/24/2012	11:21:42 AM	FP01	Dark Brown	Sand	Wet	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	Rusty Rock Chip
1268803	BET	7	621397	6963007	6/24/2012	11:36:03 AM	FP01	Dark Brown	Sand	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky Terrain	
1268804	BET	7	621397	6963057	6/24/2012	11:47:01 AM	FP01	Dark Brown	Sand	Wet	Subtle Slope	30	B	Black Spruce	Reindeer Moss	Poor	Frozen	
1268805	BET	7	621397	6963107	6/24/2012	12:04:15 PM	FP01	Dark Brown	Sand	Wet	Pronounced Slope	30	B	Black Spruce	Reindeer Moss	Poor	Frozen	Rusty Rock Chip
1268806	BET	7	621397	6963157	6/24/2012	12:20:12 PM	FP01	Dark Brown	Sand	Damp	Flat	60	C	Black Spruce	Reindeer Moss	Good	Coarse	Rocky
1268807	BET	7	621397	6963207	6/24/2012	12:31:51 PM	FP01	Dark Brown	Sand	Damp	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Rocky	Quartz Chips
1268808	BET	7	621397	6963257	6/24/2012	12:46:25 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Good	Coarse	Rocky
1268809	BET	7	621397	6963307	6/24/2012	1:02:46 PM	FP01	Reddish Brown	Sand	Dry	Pronounced Slope	40	B	Poplar	Leaf Cover	Poor	Fine	Rocky Terrain
1268810	BET	7	621397	6963357	6/24/2012	1:19:14 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Rocky	Rocky Terrain
1268811	BET	7	621397	6963407	6/24/2012	1:31:54 PM	FP01	Reddish Brown	Sand	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Fine	Rocky Terrain
1268812	BET	7	621397	6963457	6/24/2012	1:47:47 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	40	B	Poplar	Leaf Cover	Poor	Rocky Terrain	Organic 10%
1268813	BET	7	621397	6963507	6/24/2012	2:01:03 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Fine	Rocky Terrain
1268815	BET	7	621397	6963607	6/24/2012	2:27:28 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	30	B	Poplar	Reindeer Moss	Poor	Fine	Rocky Terrain
1268814	BET	7	621397	6963557	6/24/2012	2:31:23 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	40	B	Poplar	Reindeer Moss	Good	Fine	Rocky Terrain
1268816	BET	7	621397	6963657	6/24/2012	2:45:52 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Poor	Fine	Rocky Terrain
1268817	BET	7	621297	6963607	6/24/2012	3:40:14 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	40	B	Poplar	Reindeer Moss	Good	Fine	Talus
1268818	BET	7	621297	6963557	6/24/2012	3:50:12 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	20	B	Poplar	Leaf Cover	Good	Fine	Rocky Terrain
1268819	BET	7	621297	6963507	6/24/2012	4:07:20 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	30	B	Poplar	Leaf Cover	Good	Fine	Rocky Terrain
1268820	BET	7	621297	6963457	6/24/2012	4:17:59 PM	FP01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Coarse	Rusty Rock Chip
1268821	BET	7	621297	6963407	6/24/2012	4:28:26 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	B	Poplar	Grass Cover	Good	Fine	Rocky Terrain
1268822	BET	7	621297	6963357	6/24/2012	4:39:51 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Fine	Rocky Terrain
1268823	BET	7	621297	6963307	6/24/2012	4:52:44 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	40	B	Poplar	Grass Cover	Good	Rocky Terrain	
1268824	BET	7	621297	6963257	6/24/2012	5:08:53 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	30	B	Poplar	Leaf Cover	Poor	Organic 10%	Rocky Terrain
1268825	BET	7	621297	6963207	6/24/2012	5:28:35 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1268826	BET	7	621297	6963207	6/24/2012	5:49:45 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1268827	BET	7	621297	6963157	6/24/2012	5:50:30 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	50	B	White Spruce	Sphagnum Moss < 30cm	Good	Clay	Rusty Rock Chip
1268828	BET	7	621297	6963107	6/24/2012	6:02:30 PM	FP01	Grey	Sand	Damp	Subtle Slope	40	C	White Spruce	Reindeer Moss	Good	Coarse	Rusty Rock Chip
1268829	BET	7	621297	6963057	6/24/2012	6:13:49 PM	FP01	Dark Brown	Sand	Damp	Flat	50	B	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	Possible Creek Contamination
1268830	BET	7	621297	6963007	6/24/2012	6:23:25 PM	FP01	Dark Brown	Gravel	Wet	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Poor	Possible Creek Contamination	Rocky
1268831	BET	7	621297	6962957	6/24/2012	6:38:20 PM	FP01	Dark Brown	Gravel	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	Rusty Rock Chip
1268832	BET	7	621297	6962907	6/24/2012	6:49:23 PM	FP01	Dark Brown	Gravel	Wet	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	Rusty Rock Chip
1269984	BET	7	625597	6962907	6/24/2012	11:58:16 AM	IG01	Reddish Brown	Gravel	Dry	Pronounced Slope	60	B	Dwarf Birch	Leaf Cover	Good	Rocky Sample	Small Sample
1269985	BET	7	625598	6962808	6/24/2012	12:50:29 PM	IG01	Grey	Silt	Wet	Pronounced Slope	50	B	Alders	Leaf Cover	Poor	Frozen	Small Sample
1269989	BET	7	625598	6962558	6/24/2012	3:00:40 PM	IG01	Reddish Brown	Gravel	Dry	Pronounced Slope	40	A	Poplar	Leaf Cover	Poor	Rocky Sample	Small Sample
1269991	BET	7	625595	6962459	6/24/2012	3:41:46 PM	IG01	Reddish Yellow	Gravel	Dry	Subtle Slope	60	C	Poplar	Burnt Moss	Good		
1269992	BET	7	625597	6962407	6/24/2012	3:59:31 PM	IG01	Light Brown	Gravel	Dry	Pronounced Slope	60	B	Poplar	Leaf Cover	Good		
1269993	BET	7	625597	6962358	6/24/2012	4:17:43 PM	IG01	Reddish Orange	Gravel	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Good		
1269994	BET	7	625597	6962308	6/24/2012	4:33:07 PM	IG01	Reddish Yellow	Gravel	Dry	Flat	60	C	Poplar	Leaf Cover	Excellent		
1290644	BET	7	625496	6962907	6/24/2012	1:46:10 PM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	30	B	Poplar	Grass Cover	Poor	Coarse	Rocky

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1290645	BET	7	625490	6962808	6/24/2012	2:44:03 PM	JS01	Chocolate Brown	Silt	Dry	Steep	30	B	Poplar	Thin Moss Cover	Poor	Coarse	Rocky
1290646	BET	7	625491	6962758	6/24/2012	3:05:44 PM	JS01	Chocolate Brown	Silt	Dry	Steep	30	B	Poplar	Thin Moss Cover	Poor	Bright Orange Rust	Rocky
1290647	BET	7	625490	6962706	6/24/2012	3:19:21 PM	JS01	Chocolate Brown	Silt	Damp	Pronounced Slope	30	B	Poplar	Sphagnum Moss < 30cm	Poor	Rocky	
1290648	BET	7	625493	6962658	6/24/2012	3:34:21 PM	JS01	Chocolate Brown	Silt	Dry	Subtle Slope	30	B	Poplar	Grass Cover	Poor	Rocky Sample	Rocky
1290649	BET	7	625492	6962608	6/24/2012	3:47:56 PM	JS01	Chocolate Brown	Silt	Dry	Subtle Slope	40	B	Poplar	Grass Cover	Poor	Rocky	Bright Orange Rust
1290650	BET	7	625492	6962557	6/24/2012	3:57:38 PM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Poplar	Grass Cover	Poor	Rocky	
1290652	BET	7	625494	6962508	6/24/2012	4:08:24 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	B	Poplar	Grass Cover	Poor	Fine	Rocky
1290653	BET	7	625494	6962457	6/24/2012	4:21:48 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Good	Bright Orange Rust	Rocky
1290654	BET	7	625495	6962407	6/24/2012	4:31:30 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Good	Bright Orange Rust	Rocky
1290655	BET	7	625495	6962358	6/24/2012	4:41:26 PM	JS01	Grey	Sand	Dry	Subtle Slope	80	C	Poplar	Grass Cover	Excellent	Bright Orange Rust	
1290656	BET	7	625496	6962307	6/24/2012	5:03:53 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Good	Rocky	
1290657	BET	7	625497	6962257	6/24/2012	5:07:46 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Good	Rocky	
1290658	BET	7	625498	6962207	6/24/2012	5:18:48 PM	JS01	Chocolate Brown	Silt	Dry	Steep	60	B	Poplar	Grass Cover	Poor	Coarse	Rocky
1290659	BET	7	625497	6962158	6/24/2012	5:33:25 PM	JS01	Chocolate Brown	Sand	Dry	Steep	60	C	Poplar	Grass Cover	Good	Rocky	Quartz Chips
1290660	BET	7	625498	6962107	6/24/2012	5:48:20 PM	JS01	Chocolate Brown	Sand	Dry	Steep	70	C	Poplar	Grass Cover	Good	Rocky	Quartz Chips
1290661	BET	7	625498	6962057	6/24/2012	5:58:26 PM	JS01	Chocolate Brown	Sand	Dry	Steep	70	C	No Tree Cover	Grass Cover	Good	Rocky	
1290662	BET	7	625496	6962006	6/24/2012	6:08:41 PM	JS01	Dark Grey Black	Sand	Damp	Flat	40	C	White Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	
1290663	BET	7	625498	6961958	6/24/2012	6:20:51 PM	JS01	Grey	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Frozen
1290664	BET	7	625596	6961956	6/24/2012	6:33:05 PM	JS01	Dark Grey Black	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Possible Creek Contamination	Frozen
1283619	BET	7	625297	6962908	6/24/2012	10:54:36 AM	KH01	Chocolate Brown	Sand	Dry	Steep	80	C	Poplar	Leaf Cover	Excellent	Rocky	
1283620	BET	7	625297	6962856	6/24/2012	11:19:46 AM	KH01	Chocolate Brown	Sand	Damp	Steep	70	C	Poplar	Leaf Cover	Excellent	Rocky	
1283621	BET	7	625297	6962807	6/24/2012	11:38:18 AM	KH01	Chocolate Brown	Sand	Damp	Steep	70	C	Poplar	Leaf Cover	Excellent	Rocky	
1283622	BET	7	625297	6962757	6/24/2012	11:59:19 AM	KH01	Chocolate Brown	Sand	Damp	Steep	60	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1283623	BET	7	625296	6962707	6/24/2012	12:18:43 PM	KH01	Chocolate Brown	Sand	Dry	Steep	50	C	Poplar	Leaf Cover	Good	Rocky	
1283624	BET	7	625297	6962657	6/24/2012	12:38:28 PM	KH01	Chocolate Brown	Silt	Dry	Steep	60	B	Poplar	Leaf Cover	Good	Fine	Rocky
1283625	BET	7	625296	6962607	6/24/2012	1:00:25 PM	KH01	Chocolate Brown	Sand	Dry	Steep	60	C	Poplar	Leaf Cover	Good	Fine	Rocky
1283576	BET	7	625296	6962607	6/24/2012	1:10:06 PM	KH01	Chocolate Brown	Sand	Dry	Steep	60	C	Poplar	Leaf Cover	Good	Fine	Rocky
1283577	BET	7	625297	6962557	6/24/2012	1:26:46 PM	KH01	Chocolate Brown	Sand	Dry	Steep	80	C	Poplar	Leaf Cover	Excellent	Rocky	
1283578	BET	7	625297	6962507	6/24/2012	1:46:47 PM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Fine	Rocky
1283579	BET	7	625297	6962457	6/24/2012	2:09:14 PM	KH01	Chocolate Brown	Sand	Dry	Steep	70	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1283580	BET	7	625296	6962406	6/24/2012	2:22:20 PM	KH01	Chocolate Brown	Sand	Dry	Steep	80	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1283581	BET	7	625297	6962356	6/24/2012	2:37:20 PM	KH01	Chocolate Brown	Sand	Damp	Steep	80	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1283582	BET	7	625297	6962306	6/24/2012	2:50:56 PM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Rocky	
1283583	BET	7	625296	6962256	6/24/2012	3:06:20 PM	KH01	Light Brown	Silt	Dry	Pronounced Slope	70	B	White Spruce	Sphagnum Moss < 30cm	Good	Fine	
1283584	BET	7	625296	6962206	6/24/2012	3:21:56 PM	KH01	Reddish Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1283585	BET	7	625297	6962156	6/24/2012	3:37:19 PM	KH01	Reddish Brown	Sand	Dry	Steep	50	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1283586	BET	7	625297	6962105	6/24/2012	3:48:49 PM	KH01	Reddish Brown	Sand	Dry	Steep	80	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1283588	BET	7	625297	6961906	6/24/2012	4:33:03 PM	KH01	Chocolate Brown	Sand	Damp	Steep	80	C	Poplar	Sphagnum Moss < 30cm	Excellent	Coarse	
1283587	BET	7	625296	6962056	6/24/2012	5:58:12 PM	KH01	Dark Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Rocky	
1290758	BET	7	625196	6962909	6/24/2012	11:29:30 AM	MT01	Chocolate Brown	Silt	Dry	Pronounced Slope	30	B	Poplar	Grass Cover	Good	Rocky Terrain	
1290759	BET	7	625196	6962857	6/24/2012	11:56:19 AM	MT01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	C	Poplar	Leaf Cover	Poor	Rocky	
1290760	BET	7	625196	6962808	6/24/2012	12:09:54 PM	MT01	Light Brown	Silt	Dry	Pronounced Slope	40	B	Poplar	Grass Cover	Poor	Rocky	
1290761	BET	7	625196	6962758	6/24/2012	12:26:07 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Rocky Sample	
1290762	BET	7	625195	6962708	6/24/2012	12:39:03 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Good	Rocky	
1290763	BET	7	625197	6962657	6/24/2012	12:57:05 PM	MT01	Light Brown	Sand	Dry	Pronounced Slope	90	C	Poplar	Grass Cover	Excellent	Clay	Dull Red Rust
1290764	BET	7	625197	6962608	6/24/2012	1:12:01 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Good	Fine	Rocky
1290765	BET	7	625196	6962558	6/24/2012	1:30:12 PM	MT01	Light Brown	Silt	Dry	Pronounced Slope	40	B	Poplar	Grass Cover	Good	Rocky	
1290766	BET	7	625197	6962508	6/24/2012	1:45:37 PM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	40	B	Poplar	Grass Cover	Good	Rocky Sample	
1290767	BET	7	625196	6962457	6/24/2012	1:58:33 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent	Clay	
1290768	BET	7	625196	6962409	6/24/2012	2:11:38 PM	MT01	Dark Brown	Sand	Dry	Pronounced Slope	70	C	White Spruce	Thin Moss Cover	Excellent	Clay	Rocky
1290769	BET	7	625196	6962357	6/24/2012	2:23:05 PM	MT01	Reddish Brown	Sand	Damp	Pronounced Slope	80	C	White Spruce	Thin Moss Cover	Excellent		
1290770	BET	7	625198	6962306	6/24/2012	2:34:43 PM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent		
1290771	BET	7	625197	6962258	6/24/2012	2:53:10 PM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	40	C	Poplar	Grass Cover	Good		
1290772	BET	7	625196	6962205	6/24/2012	3:06:42 PM	MT01	Reddish Orange	Sand	Dry	Pronounced Slope	50	C	No Tree Cover	Grass Cover	Good		
1290773	BET	7	625196	6962156	6/24/2012	3:16:01 PM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	40	C	Poplar	Grass Cover	Good		
1290774	BET	7	625197	6962107	6/24/2012	3:26:04 PM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent		
1290775	BET	7	625196	6962057	6/24/2012	3:36:24 PM	MT01	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	White Spruce	Leaf Cover	Excellent		
1290777	BET	7	625201	6961961	6/24/2012	4:04:32 PM	MT01	Dark Grey Black	Clay	Wet	Pronounced Slope	30	B	Alders	Sphagnum Moss < 30cm	Poor		
1283328	BET	7	624996	6962907	6/24/2012	10:42:15 AM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1283329	BET	7	624997	6962859	6/24/2012	10:53:41 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	90	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1283330	BET	7	624997	6962808	6/24/2012	11:05:17 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1283331	BET	7	624997	6962758	6/24/2012	11:16:13 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1283332	BET	7	624997	6962706	6/24/2012	11:26:25 AM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Rocky
1283333	BET	7	624997	6962660	6/24/2012	11:41:11 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Rocky
1283334	BET	7	624997	6962608	6/24/2012	11:56:18 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1283335	BET	7	624997	6962558	6/24/2012	12:10:18 PM	RL02	Dark Blue Black	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Excellent	Rocky Sample	Rocky
1283336	BET	7	624996	6962508	6/24/2012	12:20:49 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Quartz Chips	Rocky
1283337	BET	7	624997	6962458	6/24/2012	12:34:37 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Excellent	Quartz Chips	Rusty Rock Chip
1283338	BET	7	624998	6962408	6/24/2012	12:57:33 PM	RL02	Dark Blue Black	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Rocky	Quartz Chips
1283339	BET	7	624997	6962358	6/24/2012	1:06:33 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1283340	BET	7	624997	6962308	6/24/2012	1:21:06 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1283267	BET	7	624997	6962258	6/24/2012	1:30:43 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Coarse
1283268	BET	7	624996	6962207	6/24/2012	1:40:54 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1283269	BET	7	624997	6962158	6/24/2012	1:51:55 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Coarse
1283341	BET	7	624997	6962108	6/24/2012	2:09:19 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	Quartz Chips
1283342	BET	7	624997	6962059	6/24/2012	2:19:45 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1283343	BET	7	624997	6961907	6/24/2012	3:09:08 PM	RL02	Dark Grey Black	Sand	Wet	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Partially Frozen
1283344	BET	7	625396	6961908	6/24/2012	4:14:08 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky Terrain
1282894	BET	7	625426	6962859	6/24/2012	11:40:22 AM	RM01	Light Bluish Grey	Sand	Damp	Pronounced Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1282895	BET	7	625398	6962760	6/24/2012	12:47:26 PM	RM01	Reddish Brown	Clay	Damp	Pronounced Slope	40	B	Poplar	Sphagnum Moss < 30cm	Poor	Rocky	
1282897	BET	7	625396	6962709	6/24/2012	1:06:00 PM	RM01	Chocolate Brown	Silt	Dry	Subtle Slope	50	B	Poplar	Leaf Cover	Poor	Fine	Rocky
1282898	BET	7	625398	6962609	6/24/2012	1:40:46 PM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	30	B	Poplar	Grass Cover	Poor	Fine	Rocky
1282899	BET	7	625397	6962560	6/24/2012	1:53:49 PM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Poplar	Grass Cover	Poor	Fine	Rocky
1283691	BET	7	625397	6962509	6/24/2012	2:14:27 PM	RM01	Chocolate Brown	Silt	Damp	Steep	80	C	Poplar	Leaf Cover	Good	Fine	Rocky

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1283692	BET	7	625397	6962459	6/24/2012	2:29:56 PM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	80	C	Poplar	Grass Cover	Good	Fine	
1283693	BET	7	625397	6962409	6/24/2012	2:42:21 PM	RM01	Dark Brown	Gravel	Wet	Steep	80	C	Poplar	Leaf Cover	Good		
1283694	BET	7	625397	6962355	6/24/2012	2:52:56 PM	RM01	Chocolate Brown	Gravel	Damp	Steep	80	C	Poplar	Grass Cover	Good	Rocky	
1283695	BET	7	625396	6962310	6/24/2012	3:06:45 PM	RM01	Chocolate Brown	Sand	Damp	Steep	80	C	Poplar	Leaf Cover	Good	Coarse	
1283696	BET	7	625398	6962259	6/24/2012	3:23:52 PM	RM01	Chocolate Brown	Silt	Damp	Steep	50	B	Poplar	Leaf Cover	Good	Coarse	
1283697	BET	7	625395	6962209	6/24/2012	3:37:37 PM	RM01	Reddish Yellow	Sand	Dry	Steep	60	B	No Tree Cover	Leaf Cover	Poor	Coarse	
1283698	BET	7	625396	6962158	6/24/2012	3:52:24 PM	RM01	Reddish Yellow	Sand	Dry	Steep	60	C	Poplar	Leaf Cover	Good	Coarse	
1283699	BET	7	625396	6962108	6/24/2012	4:09:16 PM	RM01	Chocolate Brown	Sand	Dry	Steep	60	C	Poplar	Leaf Cover	Good	Coarse	
1283700	BET	7	625397	6962059	6/24/2012	4:16:44 PM	RM01	Bluish Grey	Sand	Damp	Steep	60	C	White Spruce	Leaf Cover	Good	Coarse	
1282900	BET	7	625396	6962007	6/24/2012	4:27:44 PM	RM01	Dark Blue Black	Silt	Damp	Subtle Slope	60	B	White Spruce	Sphagnum Moss < 30cm	Good	Fine	
1290258	BET	7	625096	6962908	6/24/2012	11:10:37 AM	RR01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Poplar	Grass Cover	Good	Coarse	Rocky
1290259	BET	7	625094	6962858	6/24/2012	11:23:20 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Coarse	
1290260	BET	7	625093	6962809	6/24/2012	11:36:06 AM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Bare Soil	Good	Coarse	Quartz Chips
1290261	BET	7	625094	6962758	6/24/2012	11:47:08 AM	RR01	Chocolate Brown	Sand	Dry	Steep	40	C	Poplar	Bare Soil	Good	Quartz Chips	Rocky
1290262	BET	7	625095	6962709	6/24/2012	11:58:11 AM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent	Fine	
1290263	BET	7	625095	6962658	6/24/2012	12:08:36 PM	RR01	Chocolate Brown	Silt	Dry	Pronounced Slope	80	B	Poplar	Grass Cover	Good	Coarse	Rocky
1290264	BET	7	625094	6962607	6/24/2012	12:17:07 PM	RR01	Dark Brown	Silt	Dry	Steep	60	B	Poplar	Grass Cover	Good	Coarse	Sandy
1290265	BET	7	625095	6962560	6/24/2012	12:31:07 PM	RR01	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Rocky	
1290266	BET	7	625098	6962508	6/24/2012	12:54:28 PM	RR01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Good	Coarse	Sandy
1290267	BET	7	625100	6962458	6/24/2012	1:11:35 PM	RR01	Reddish Yellow	Silt	Dry	Steep	30	B	Poplar	Bare Soil	Poor	Loess	Rocky Sample
1290268	BET	7	625100	6962408	6/24/2012	1:24:38 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	
1290269	BET	7	625098	6962357	6/24/2012	1:35:17 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Good	Coarse	
1290270	BET	7	625098	6962308	6/24/2012	1:48:08 PM	RR01	Reddish Yellow	Sand	Dry	Pronounced Slope	40	C	Poplar	Grass Cover	Good	Coarse	Quartz Chips
1290271	BET	7	625100	6962258	6/24/2012	2:00:32 PM	RR01	Reddish Yellow	Gravel	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Good	Coarse	Rocky
1290275	BET	7	625099	6962208	6/24/2012	2:12:40 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Bare Soil	Excellent	Coarse	
1290276	BET	7	625099	6962208	6/24/2012	2:16:19 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Bare Soil	Excellent	Coarse	
1290272	BET	7	625097	6962157	6/24/2012	2:30:22 PM	RR01	Reddish Yellow	Sand	Dry	Steep	40	C	No Tree Cover	Grass Cover	Excellent	Top Layer	Quartz Chips
1290273	BET	7	625099	6962107	6/24/2012	2:43:42 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Coarse	
1290274	BET	7	625098	6962059	6/24/2012	2:55:08 PM	RR01	Dark Brown	Sand	Damp	Subtle Slope	40	C	Poplar	Grass Cover	Excellent	Coarse	
1290277	BET	7	625099	6962006	6/24/2012	3:08:47 PM	RR01	Dark Brown	Silt	Damp	Pronounced Slope	70	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	Sandy
1290278	BET	7	625097	6961958	6/24/2012	3:24:20 PM	RR01	Grey	Sand	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Wet Soil
1290279	BET	7	625097	6961909	6/24/2012	3:34:33 PM	RR01	Grey	Sand	Wet	Pronounced Slope	30	B	Black Spruce	Reindeer Moss	Good	Coarse	
1290280	BET	7	625197	6961906	6/24/2012	3:48:44 PM	RR01	Grey	Sand	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Wet Soil
1290281	BET	7	625498	6961907	6/24/2012	4:02:12 PM	RR01	Grey	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	
1290282	BET	7	625597	6961907	6/24/2012	4:13:06 PM	RR01	Grey	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Sandy
1298559	BET	7	621996	6962906	6/24/2012	11:24:42 AM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	50	B	Black Spruce	Thin Moss Cover	Good	Partially Frozen	
1298560	BET	7	621997	6962957	6/24/2012	11:40:38 AM	RR02	Dark Grey Black	Silt	Wet	Pronounced Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	
1298561	BET	7	621996	6963006	6/24/2012	11:56:47 AM	RR02	Dark Grey Black	Sand	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	
1298562	BET	7	621995	6963058	6/24/2012	12:18:10 PM	RR02	Dark Grey Black	Silt	Wet	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Frozen	
1298563	BET	7	621997	6963108	6/24/2012	12:37:50 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	90	B	Birch Forest	Sphagnum Moss > 30cm	Poor	Fine	Organic 25%
1298564	BET	7	621996	6963156	6/24/2012	1:03:12 PM	RR02	Dark Brown	Silt	Damp	Pronounced Slope	80	B	Birch Forest	Rock Cover	Poor	Fine	Talus
1298565	BET	7	621996	6963208	6/24/2012	1:30:38 PM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	B	Birch Forest	Sphagnum Moss < 30cm	Good	Fine	
1298566	BET	7	621996	6963258	6/24/2012	1:53:41 PM	RR02	Chocolate Brown	Sand	Wet	Steep	80	B	Black Spruce	Sphagnum Moss > 30cm	Good	Frozen	
1298567	BET	7	621997	6963307	6/24/2012	2:14:25 PM	RR02	Dark Brown	Silt	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Good	Frozen	Rocky
1298568	BET	7	621997	6963357	6/24/2012	2:31:31 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	70	C	Birch Forest	Leaf Cover	Good	Coarse	Rusty Rock Chip
1298569	BET	7	621997	6963408	6/24/2012	2:39:23 PM	RR02	Chocolate Brown	Silt	Wet	Flat	30	B	Black Spruce	Reindeer Moss	Good	Frozen	Bright Orange Rust
1298570	BET	7	621996	6963459	6/24/2012	2:50:27 PM	RR02	Chocolate Brown	Silt	Wet	Flat	30	B	Black Spruce	Reindeer Moss	Poor	Partially Frozen	
1298571	BET	7	621997	6963508	6/24/2012	3:12:56 PM	RR02	Chocolate Brown	Sand	Wet	Flat	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	
1298572	BET	7	621997	6963559	6/24/2012	3:30:37 PM	RR02	Dark Brown	Silt	Wet	Flat	50	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Frozen	Organic 25%
1298573	BET	7	621997	6963608	6/24/2012	3:50:37 PM	RR02	Dark Brown	Silt	Wet	Subtle Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Frozen	
1298574	BET	7	621997	6963657	6/24/2012	4:11:39 PM	RR02	Chocolate Brown	Sand	Wet	Subtle Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	Quartz Chips
1298575	BET	7	621897	6963607	6/24/2012	4:45:04 PM	RR02	Chocolate Brown	Sand	Wet	Subtle Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	Quartz Chips
1298576	BET	7	621897	6963607	6/24/2012	4:54:11 PM	RR02	Chocolate Brown	Sand	Wet	Subtle Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	Quartz Chips
1298577	BET	7	621897	6963557	6/24/2012	5:13:48 PM	RR02	Reddish Brown	Silt	Wet	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	Coarse
1298578	BET	7	621897	6963508	6/24/2012	5:35:20 PM	RR02	Grey	Sand	Wet	Subtle Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	Quartz Chips
1298579	BET	7	621897	6963457	6/24/2012	5:59:34 PM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	Quartz Chips
1298580	BET	7	621898	6963407	6/24/2012	6:13:41 PM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1290522	BET	7	624896	6962906	6/24/2012	11:07:47 AM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Rocky	
1290523	BET	7	624896	6962858	6/24/2012	11:21:07 AM	SC01	Dark Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Rocky	
1290524	BET	7	624897	6962809	6/24/2012	11:33:09 AM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Rocky	
1290525	BET	7	624896	6962758	6/24/2012	11:46:52 AM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Rocky	
1290526	BET	7	624896	6962758	6/24/2012	11:59:45 AM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Rocky	
1290527	BET	7	624897	6962708	6/24/2012	12:11:08 PM	SC01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Poplar	Leaf Cover	Good	Sandy	Rocky
1290528	BET	7	624897	6962657	6/24/2012	12:23:06 PM	SC01	Chocolate Brown	Silt	Dry	Pronounced Slope	70	B	Poplar	Leaf Cover	Poor	Dull Red Rust	Sandy
1290529	BET	7	624896	6962609	6/24/2012	12:36:38 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Fine	Rocky
1290530	BET	7	624897	6962558	6/24/2012	12:45:38 PM	SC01	Reddish Yellow	Sand	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Rocky	
1290531	BET	7	624897	6962508	6/24/2012	12:57:32 PM	SC01	Chocolate Brown	Sand	Dry	Steep	40	B	Poplar	Leaf Cover	Poor	Small Sample	Rocky Sample
1290532	BET	7	624897	6962458	6/24/2012	1:08:00 PM	SC01	Dark Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Rocky	
1290533	BET	7	624896	6962408	6/24/2012	1:24:07 PM	SC01	Dark Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Rocky	
1290534	BET	7	624896	6962358	6/24/2012	1:34:42 PM	SC01	Chocolate Brown	Sand	Dry	Steep	70	C	Poplar	Grass Cover	Good	Fine	Rocky
1290535	BET	7	624896	6962307	6/24/2012	1:45:26 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Good	Coarse	
1290536	BET	7	624896	6962259	6/24/2012	1:56:31 PM	SC01	Reddish Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Rocky	Quartz Chips
1290537	BET	7	624896	6962208	6/24/2012	2:07:28 PM	SC01	Reddish Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Good	Rocky	
1290538	BET	7	624897	6962158	6/24/2012	2:17:19 PM	SC01	Chocolate Brown	Sand	Dry	Steep	40	C	No Tree Cover	Grass Cover	Good	Coarse	Rocky
1290539	BET	7	624897	6962108	6/24/2012	2:27:49 PM	SC01	Chocolate Brown	Sand	Dry	Steep	30	C	No Tree Cover	Grass Cover	Good	Coarse	Rocky
1290540	BET	7	624896	6962056	6/24/2012	2:40:58 PM	SC01	Dark Brown	Sand	Dry	Pronounced Slope	100	C	Poplar	Grass Cover	Good		
1290541	BET	7	624897	6962007	6/24/2012	2:52:08 PM	SC01	Dark Grey Black	Silt	Wet	Flat	30	A	Willows	Sphagnum Moss > 30cm	Poor	Organic 25%	
1290542	BET	7	624895	6961958	6/24/2012	3:10:19 PM	SC01	Dark Grey Black	Sand	Damp	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Mud	Rocky
1290543	BET	7	625697	6961907	6/24/2012	3:59:50 PM	SC01	Dark Brown	Sand	Damp	Subtle Slope	30	B	Black Spruce	Reindeer Moss	Poor	Rocky	
1290544	BET	7	625697	6961955	6/24/2012	4:14:26 PM	SC01	Dark Brown	Sand	Damp	Flat	30	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Possible Creek Contamination	
1290545	BET	7	625696	6962005	6/24/2012	4:24:52 PM	SC01	Dark Brown	Sand	Dry	Pronounced Slope	70	C	No Tree Cover	Grass Cover	Excellent	Quartz Chips	
1268644	BET	7	621798	6962909	6/24/2012	2:33:38 AM	SD02	Grey	Gravel	Damp	Subtle Slope	50	C	Birch Forest	Sphagnum Moss > 30cm	Good	Frozen	Rocky
1268645	BET	7	621797	6963106	6/24/2012	3:14:28 AM	SD02	Dark Grey Black	Sand	Damp	Steep	60	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Frozen	Organic 25%
1268646	BET	7	621797	6963205	6/24/2012	3:51:38 AM	SD02	Grey	Sand	Wet	Steep	80	B	White Spruce	Sphagnum Moss > 30cm	Poor	Frozen	Rocky

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1268647	BET	7	621798	6963256	6/24/2012	4:05:11 AM	SD02	Dark Grey Black	Sand	Damp	Steep	50	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Frozen	Organic 10%
1268648	BET	7	621798	6963306	6/24/2012	4:28:29 AM	SD02	Chocolate Brown	Gravel	Dry	Flat	40	C	Black Spruce	Thin Moss Cover	Good	Fine	Possible Creek Contamination
1268649	BET	7	621797	6963356	6/24/2012	4:38:31 AM	SD02	Dark Brown	Gravel	Wet	Flat	60	C	Black Spruce	Thin Moss Cover	Excellent	Possible Creek Contamination	Wet Soil
1268650	BET	7	621797	6963407	6/24/2012	4:50:13 AM	SD02	Chocolate Brown	Gravel	Damp	Flat	40	C	Black Spruce	Thin Moss Cover	Excellent	Fine	Rocky
1268652	BET	7	621797	6963456	6/24/2012	5:03:06 AM	SD02	Light Grey	Gravel	Damp	Flat	40	B	White Spruce	Sphagnum Moss < 30cm	Good	Frozen	Bright Orange Rust
1268653	BET	7	621796	6963507	6/24/2012	5:15:06 AM	SD02	Grey	Sand	Damp	Subtle Slope	50	B	Birch Forest	Grass Cover	Good	Rocky	Bright Orange Rust
1268654	BET	7	621796	6963557	6/24/2012	5:25:43 AM	SD02	Chocolate Brown	Gravel	Damp	Flat	80	C	Birch Forest	Grass Cover	Excellent	Bright Orange Rust	Rocky
1268655	BET	7	621797	6963607	6/24/2012	5:34:39 AM	SD02	Dark Brown	Sand	Damp	Subtle Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Dull Red Rust
1268656	BET	7	621797	6963656	6/24/2012	5:44:09 AM	SD02	Chocolate Brown	Gravel	Wet	Subtle Slope	80	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Wet Soil
1268657	BET	7	621697	6963657	6/24/2012	6:01:29 AM	SD02	Dark Grey Black	Gravel	Damp	Subtle Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Frozen
1268658	BET	7	621697	6963609	6/24/2012	6:10:56 AM	SD02	Dark Brown	Sand	Dry	Flat	50	B	Birch Forest	Leaf Cover	Good	Frozen	
1268659	BET	7	621696	6963557	6/24/2012	6:30:46 AM	SD02	Grey	Sand	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	Small Sample
1268660	BET	7	621697	6963506	6/24/2012	6:39:53 AM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1268661	BET	7	621696	6963458	6/24/2012	6:48:10 AM	SD02	Dark Brown	Sand	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Excellent	Frozen	Bright Orange Rust
1268662	BET	7	621697	6963408	6/24/2012	6:57:26 AM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Excellent	Frozen	Bright Orange Rust
1268663	BET	7	621697	6963358	6/24/2012	7:06:33 AM	SD02	Grey	Gravel	Damp	Subtle Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Frozen	Dull Red Rust
1268664	BET	7	621697	6963308	6/24/2012	7:23:06 AM	SD02	Chocolate Brown	Sand	Damp	Flat	60	C	Alders	Bare Soil	Excellent	Frozen	Possible Creek Contamination
1268666	BET	7	621697	6963159	6/24/2012	8:10:06 AM	SD02	Dark Grey Black	Sand	Damp	Steep	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	Organic 10%
1268665	BET	7	621697	6963259	6/24/2012	8:12:29 AM	SD02	Dark Brown	Sand	Damp	Flat	40	C	Black Spruce	Thin Moss Cover	Good	Coarse	Frozen
1268667	BET	7	621697	6963107	6/24/2012	8:32:02 AM	SD02	Dark Grey Black	Sand	Damp	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	Organic 25%
1268668	BET	7	621697	6963057	6/24/2012	8:54:43 AM	SD02	Dark Grey Black	Sand	Damp	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	Organic 10%
1268669	BET	7	621697	6963008	6/24/2012	9:11:44 AM	SD02	Dark Grey Black	Gravel	Damp	Steep	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	Organic 25%
1268670	BET	7	621695	6962957	6/24/2012	9:26:55 AM	SD02	Grey	Gravel	Wet	Steep	70	C	Alders	Sphagnum Moss < 30cm	Good	Frozen	
1268671	BET	7	621695	6962907	6/24/2012	9:38:35 AM	SD02	Grey	Gravel	Damp	Subtle Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Fine	Rocky
1268764	BET	7	618397	6967358	6/25/2012	9:31:49 AM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	80	C	Black Spruce	Reindeer Moss	Good	Rocky Sample	
1268765	BET	7	618397	6967309	6/25/2012	9:44:40 AM	BH01	Chocolate Brown	Silt	Wet	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	Mud
1268766	BET	7	618397	6967255	6/25/2012	9:53:52 AM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	60	B	Black Spruce	Reindeer Moss	Good	Rocky	Rocky Sample
1268767	BET	7	618397	6967207	6/25/2012	10:04:16 AM	BH01	Chocolate Brown	Silt	Dry	Flat	60	B	Black Spruce	Reindeer Moss	Good	Rocky	Rocky Sample
1268768	BET	7	618397	6967160	6/25/2012	10:14:38 AM	BH01	Dark Grey Black	Silt	Dry	Subtle Slope	70	B	Black Spruce	Reindeer Moss	Poor		
1268769	BET	7	618397	6967106	6/25/2012	10:27:46 AM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Excellent	Bright Orange Rust	Partially Frozen
1268770	BET	7	618397	6967057	6/25/2012	10:39:52 AM	BH01	Dark Brown	Silt	Dry	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Good	Rocky	
1268771	BET	7	618397	6967006	6/25/2012	10:52:35 AM	BH01	Chocolate Brown	Sand	Dry	Subtle Slope	50	C	Black Spruce	Reindeer Moss	Excellent		
1268772	BET	7	618398	6966953	6/25/2012	11:05:21 AM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	60	C	Black Spruce	Reindeer Moss	Excellent		
1268773	BET	7	618397	6966907	6/25/2012	11:17:10 AM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	60	B	Black Spruce	Reindeer Moss	Excellent	Rocky	
1268774	BET	7	618397	6966858	6/25/2012	11:29:31 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	C	Alders	Bare Soil	Excellent	Rocky Terrain	
1268775	BET	7	618398	6966808	6/25/2012	11:55:34 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Alders	Bare Soil	Good	Rocky	Rocky Terrain
1268776	BET	7	618398	6966808	6/25/2012	12:04:05 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Alders	Bare Soil	Good	Rocky	Rocky Terrain
1268777	BET	7	618397	6966755	6/25/2012	12:13:15 PM	BH01	Chocolate Brown	Clay	Damp	Subtle Slope	60	B	Alders	Bare Soil	Good	Rocky	
1268778	BET	7	618397	6966708	6/25/2012	12:23:42 PM	BH01	Chocolate Brown	Clay	Damp	Pronounced Slope	80	B	Alders	Bare Soil	Good		
1268779	BET	7	618397	6966657	6/25/2012	12:34:29 PM	BH01	Chocolate Brown	Clay	Damp	Pronounced Slope	80	C	Alders	Bare Soil	Excellent		
1268780	BET	7	618398	6966604	6/25/2012	12:44:43 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Black Spruce	Burnt Moss	Excellent	Rocky	
1268781	BET	7	618394	6966555	6/25/2012	12:55:49 PM	BH01	Dark Brown	Clay	Damp	Pronounced Slope	40	B	Alders	Sphagnum Moss > 30cm	Good	Rocky	Organic 10%
1268782	BET	7	618397	6966506	6/25/2012	1:08:44 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	80	C	Black Spruce	Leaf Cover	Excellent	Rocky	
1268783	BET	7	618397	6966455	6/25/2012	1:21:25 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	70	B	Black Spruce	Grass Cover	Good	Rocky	
1268784	BET	7	618397	6966399	6/25/2012	1:34:37 PM	BH01	Chocolate Brown	Clay	Dry	Pronounced Slope	80	C	Alders	Sphagnum Moss > 30cm	Good		
1268785	BET	7	618397	6966352	6/25/2012	1:46:05 PM	BH01	Dark Brown	Silt	Dry	Pronounced Slope	40	B	Alders	Leaf Cover	Good	Rocky	
1268786	BET	7	618397	6966310	6/25/2012	2:05:55 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	C	Alders	Leaf Cover	Excellent	Rocky	
1268787	BET	7	618399	6966263	6/25/2012	2:17:18 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Alders	Bare Soil	Good	Quartz Chips	Rocky
1268788	BET	7	618398	6966208	6/25/2012	2:26:52 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Black Spruce	Leaf Cover	Good	Rocky	Rocky Sample
1268789	BET	7	618399	6966160	6/25/2012	2:35:20 PM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	40	B	Black Spruce	Leaf Cover	Good	Rocky	Rocky Sample
1268790	BET	7	618397	6966099	6/25/2012	2:45:20 PM	BH01	Dark Brown	Silt	Dry	Pronounced Slope	60	B	Black Spruce	Leaf Cover	Good	Rocky	Quartz Chips
1268791	BET	7	618397	6966059	6/25/2012	2:57:50 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	C	Black Spruce	Leaf Cover	Good	Rocky	Quartz Chips
1268792	BET	7	618397	6966006	6/25/2012	3:06:03 PM	BH01	Dark Brown	Clay	Damp	Subtle Slope	80	B	Black Spruce	Bare Soil	Good		
1268793	BET	7	618398	6965956	6/25/2012	3:15:37 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	C	Black Spruce	Bare Soil	Good	Rocky	
1268794	BET	7	618397	6965903	6/25/2012	3:25:27 PM	BH01	Dark Brown	Silt	Dry	Subtle Slope	60	B	Black Spruce	Bare Soil	Good	Quartz Chips	
1268795	BET	7	618398	6965855	6/25/2012	3:34:07 PM	BH01	Dark Brown	Silt	Damp	Subtle Slope	60	B	Black Spruce	Sphagnum Moss > 30cm	Good	Rocky	
1283368	BET	7	630197	6966907	6/25/2012	11:47:05 AM	CK01	Chocolate Brown	Sand	Damp	Steep	60	B	Poplar	Leaf Cover	Good	Fine	Outcrop Nearby
1283369	BET	7	630197	6966849	6/25/2012	12:17:13 PM	CK01	Chocolate Brown	Sand	Damp	Steep	60	B	Poplar	Grass Cover	Good	Fine	
1283370	BET	7	630165	6966773	6/25/2012	12:52:51 PM	CK01	Chocolate Brown	Silt	Damp	Steep	30	B	Poplar	Grass Cover	Good	Outcrop Nearby	Dull Red Rust
1283371	BET	7	630147	6966696	6/25/2012	1:20:29 PM	CK01	Chocolate Brown	Sand	Damp	Steep	60	C	Poplar	Leaf Cover	Excellent	Outcrop Nearby	
1283372	BET	7	630169	6966648	6/25/2012	1:37:36 PM	CK01	Chocolate Brown	Sand	Damp	Steep	80	C	Poplar	Leaf Cover	Good	Bright Orange Rust	
1283373	BET	7	630180	6966598	6/25/2012	1:50:15 PM	CK01	Dark Brown	Sand	Damp	Steep	80	C	Poplar	Leaf Cover	Good	Bright Orange Rust	
1283502	BET	7	630197	6966545	6/25/2012	2:17:37 PM	CK01	Dark Brown	Sand	Damp	Steep	50	B	Alders	Grass Cover	Good	Fine	Outcrop Nearby
1283503	BET	7	630198	6966498	6/25/2012	2:38:53 PM	CK01	Reddish Brown	Sand	Damp	Steep	70	C	Poplar	Grass Cover	Excellent	Coarse	
1283516	BET	7	630197	6966448	6/25/2012	2:58:51 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Poplar	Grass Cover	Good	Rocky	
1283533	BET	7	630197	6966397	6/25/2012	3:18:24 PM	CK01	Chocolate Brown	Silt	Damp	Steep	40	B	Poplar	Leaf Cover	Good		
1283532	BET	7	630197	6966349	6/25/2012	3:30:46 PM	CK01	Chocolate Brown	Sand	Damp	Steep	60	C	Poplar	Grass Cover	Good	Bright Orange Rust	
1283531	BET	7	630197	6966298	6/25/2012	3:42:31 PM	CK01	Grey	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Bright Orange Rust
1283530	BET	7	630197	6966248	6/25/2012	3:54:23 PM	CK01	Chocolate Brown	Sand	Damp	Subtle Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Frozen
1283529	BET	7	630196	6966198	6/25/2012	4:06:14 PM	CK01	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Frozen
1283528	BET	7	630197	6966147	6/25/2012	4:22:51 PM	CK01	Chocolate Brown	Sand	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Frozen
1283527	BET	7	630197	6966097	6/25/2012	4:36:43 PM	CK01	Chocolate Brown	Sand	Damp	Subtle Slope	30	B	Black Spruce	Reindeer Moss	Good	Bright Orange Rust	Frozen
1283525	BET	7	630197	6966009	6/25/2012	5:32:13 PM	CK01	Dark Brown	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good		
1283524	BET	7	630197	6965958	6/25/2012	5:51:36 PM	CK01	Chocolate Brown	Sand	Damp	Subtle Slope	60	B	Black Spruce	Leaf Cover	Good		
1283523	BET	7	630197	6965907	6/25/2012	6:03:08 PM	CK01	Grey	Sand	Damp	Pronounced Slope	80	C	Black Spruce	Grass Cover	Excellent		
1283522	BET	7	630197	6965858	6/25/2012	6:16:20 PM	CK01	Grey	Sand	Damp	Pronounced Slope	80	C	Dwarf Birch	Leaf Cover	Excellent	Bright Orange Rust	
1283521	BET	7	630197	6965806	6/25/2012	6:27:12 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	
1283520	BET	7	630196	6965757	6/25/2012	6:37:25 PM	CK01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Coarse	
1283519	BET	7	630197	6965706	6/25/2012	6:55:37 PM	CK01	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1268833	BET	7	618197	6967356	6/25/2012	9:34:11 AM	FP01	Dark Grey Black	Sand	Damp	Subtle Slope	30	B	Black Spruce	Reindeer Moss	Poor	Frozen	Organic 50%
1268834	BET	7	618197	6967306	6/25/2012	9:46:04 AM	FP01	Dark Grey Black	Sand	Wet	Subtle Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Frozen	Rusty Rock Chip
1268835	BET	7	618197	6967256	6/25/2012	9:58:56 AM	FP01	Dark Brown	Sand	Wet	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Good	Rocky	Partially Frozen
1268836	BET	7	618197	6967206	6/25/2012	10:09:20 AM	FP01	Dark Grey Black	Sand	Wet	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Good	Frozen	Quartz Chips
1268837	BET	7	618197	6967156	6/25/2012	10:23:00 AM	FP01	Dark Grey Black	Sand	Wet	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	Quartz Chips

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1268838	BET	7	618197	6967107	6/25/2012	10:35:24 AM	FP01	Dark Brown	Sand	Wet	Subtle Slope	50	C	Willows	Reindeer Moss	Excellent	Partially Frozen	Rusty Rock Chip
1268839	BET	7	618197	6967056	6/25/2012	10:48:07 AM	FP01	Grey	Sand	Wet	Subtle Slope	40	C	White Spruce	Reindeer Moss	Excellent	Frozen	Rusty Rock Chip
1268840	BET	7	618197	6967006	6/25/2012	11:00:31 AM	FP01	Dark Brown	Sand	Damp	Subtle Slope	40	B	Willows	Reindeer Moss	Good	Quartz Chips	Organic 25%
1268841	BET	7	618197	6966956	6/25/2012	11:12:47 AM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	50	C	Dwarf Birch	Reindeer Moss	Good	Coarse	Quartz Chips
1268842	BET	7	618197	6966906	6/25/2012	11:22:31 AM	FP01	Chocolate Brown	Clay	Damp	Subtle Slope	50	B	Willows	Reindeer Moss	Good	Quartz Chips	Rocky
1268843	BET	7	618197	6966856	6/25/2012	11:33:37 AM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	60	B	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	Rusty Rock Chip
1268844	BET	7	618197	6966806	6/25/2012	11:44:26 AM	FP01	Chocolate Brown	Clay	Damp	Subtle Slope	50	B	White Spruce	Reindeer Moss	Good	Rocky	Quartz Chips
1268845	BET	7	618197	6966756	6/25/2012	11:56:26 AM	FP01	Chocolate Brown	Clay	Damp	Subtle Slope	50	B	White Spruce	Reindeer Moss	Good	Quartz Chips	Rocky Terrain
1268846	BET	7	618197	6966706	6/25/2012	12:08:35 PM	FP01	Chocolate Brown	Clay	Damp	Subtle Slope	40	B	White Spruce	Grass Cover	Good	Quartz Chips	Rusty Rock Chip
1268847	BET	7	618197	6966655	6/25/2012	12:17:18 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good	Quartz Chips	Rocky
1268848	BET	7	618197	6966605	6/25/2012	12:31:38 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	30	B	Birch Forest	Leaf Cover	Good	Rocky	Quartz Chips
1268849	BET	7	618197	6966557	6/25/2012	12:59:57 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Birch Forest	Leaf Cover	Excellent	Coarse	Rocky
1268850	BET	7	618197	6966507	6/25/2012	1:10:22 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rusty Rock Chip
1268852	BET	7	618197	6966457	6/25/2012	1:20:45 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Birch Forest	Leaf Cover	Excellent	Coarse	Rocky
1268853	BET	7	618198	6966409	6/25/2012	1:30:39 PM	FP01	Reddish Brown	Sand	Dry	Subtle Slope	70	C	Birch Forest	Leaf Cover	Good	Coarse	Rusty Rock Chip
1268854	BET	7	618197	6966357	6/25/2012	1:42:49 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	50	C	Birch Forest	Leaf Cover	Excellent	Coarse	Quartz Chips
1268855	BET	7	618197	6966307	6/25/2012	1:52:50 PM	FP01	Reddish Yellow	Sand	Dry	Pronounced Slope	60	C	White Spruce	Needle Cover	Excellent	Coarse	Quartz Chips
1268856	BET	7	618196	6966257	6/25/2012	2:06:02 PM	FP01	Reddish Brown	Sand	Dry	Pronounced Slope	60	C	White Spruce	Grass Cover	Excellent	Coarse	Rocky
1268857	BET	7	618197	6966207	6/25/2012	2:20:37 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Birch Forest	Leaf Cover	Excellent	Coarse	Rocky
1268858	BET	7	618197	6966157	6/25/2012	2:35:39 PM	FP01	Reddish Yellow	Sand	Dry	Pronounced Slope	70	C	Birch Forest	Thin Moss Cover	Excellent	Coarse	Quartz Chips
1268859	BET	7	618196	6966107	6/25/2012	2:43:55 PM	FP01	Chocolate Brown	Clay	Damp	Subtle Slope	80	C	Birch Forest	Leaf Cover	Good	Coarse	Rusty Rock Chip
1268860	BET	7	618197	6966057	6/25/2012	2:55:25 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	Birch Forest	Leaf Cover	Good	Coarse	Rusty Rock Chip
1268861	BET	7	618197	6966007	6/25/2012	3:04:26 PM	FP01	Reddish Yellow	Sand	Dry	Subtle Slope	70	C	Birch Forest	Leaf Cover	Excellent	Coarse	Rusty Rock Chip
1268862	BET	7	618197	6965957	6/25/2012	3:14:04 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	40	C	White Spruce	Leaf Cover	Good	Coarse	Rusty Rock Chip
1268863	BET	7	618197	6965907	6/25/2012	3:24:40 PM	FP01	Dark Brown	Sand	Dry	Subtle Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Fine	
1268864	BET	7	618197	6965857	6/25/2012	3:33:49 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	White Spruce	Leaf Cover	Excellent	Fine	Rusty Rock Chip
1282947	BET	7	625797	6961907	6/25/2012	10:12:07 AM	JM01	Dark Brown	Sand	Damp	Subtle Slope	40	C	White Spruce	Thin Moss Cover	Excellent	Coarse	Possible Creek Contamination
1282948	BET	7	625797	6961956	6/25/2012	10:26:14 AM	JM01	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Thin Moss Cover	Excellent	Coarse	Quartz Chips
1282949	BET	7	625797	6962007	6/25/2012	10:35:15 AM	JM01	Chocolate Brown	Sand	Dry	Pronounced Slope	40	C	Poplar	Grass Cover	Excellent	Coarse	Quartz Chips
1282950	BET	7	625797	6962056	6/25/2012	10:48:59 AM	JM01	Chocolate Brown	Gravel	Dry	Pronounced Slope	90	C	Poplar	Grass Cover	Excellent	Coarse	Quartz Chips
1284527	BET	7	625796	6962106	6/25/2012	11:09:56 AM	JM01	Dark Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Excellent	Quartz Chips	Coarse
1284528	BET	7	625797	6962157	6/25/2012	11:26:39 AM	JM01	Chocolate Brown	Sand	Dry	Pronounced Slope	90	C	Pine	Grass Cover	Excellent	Quartz Chips	Coarse
1284529	BET	7	625797	6962207	6/25/2012	11:35:05 AM	JM01	Chocolate Brown	Sand	Damp	Pronounced Slope	90	C	Poplar	Grass Cover	Excellent	Quartz Chips	Coarse
1284530	BET	7	625796	6962256	6/25/2012	11:48:03 AM	JM01	Dark Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent	Coarse	
1284531	BET	7	625796	6962307	6/25/2012	11:58:06 AM	JM01	Light Bluish Grey	Sand	Damp	Pronounced Slope	60	C	Poplar	Grass Cover	Excellent	Coarse	Quartz Chips
1284532	BET	7	625797	6962358	6/25/2012	12:06:13 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	70	C	Poplar	Thin Moss Cover	Excellent	Coarse	Quartz Chips
1284533	BET	7	625797	6962407	6/25/2012	12:18:57 PM	JM01	Chocolate Brown	Clay	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Excellent	Coarse	
1284534	BET	7	625814	6962470	6/25/2012	12:45:06 PM	JM01	Light Brown	Sand	Dry	Steep	60	C	Poplar	Grass Cover	Excellent	Coarse	Quartz Chips
1284535	BET	7	625797	6962508	6/25/2012	1:00:53 PM	JM01	Chocolate Brown	Clay	Dry	Steep	50	C	Poplar	Grass Cover	Excellent	Fine	Rocky
1284536	BET	7	625797	6962557	6/25/2012	1:12:38 PM	JM01	Light Brown	Clay	Dry	Steep	40	B	Poplar	Grass Cover	Excellent	Fine	Rocky
1284537	BET	7	625797	6962607	6/25/2012	1:30:34 PM	JM01	Dark Brown	Clay	Dry	Steep	50	C	Poplar	Grass Cover	Excellent	Coarse	Quartz Chips
1284538	BET	7	625797	6962659	6/25/2012	1:45:42 PM	JM01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent	Coarse	Quartz Chips
1284539	BET	7	625804	6962696	6/25/2012	2:01:36 PM	JM01	Chocolate Brown	Clay	Dry	Pronounced Slope	40	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Rocky Sample	Rocky Terrain
1284540	BET	7	625797	6962756	6/25/2012	2:21:31 PM	JM01	Chocolate Brown	Clay	Dry	Steep	40	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Rocky Terrain	Fine
1284541	BET	7	625789	6962874	6/25/2012	2:47:41 PM	JM01	Chocolate Brown	Clay	Dry	Pronounced Slope	40	B	Poplar	Grass Cover	Good	Rocky	Possible Creek Contamination
1284542	BET	7	625796	6962908	6/25/2012	2:57:47 PM	JM01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Poplar	Grass Cover	Good	Rocky	Fine
1284543	BET	7	625897	6962907	6/25/2012	3:12:17 PM	JM01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Excellent	Coarse	Rocky
1284525	BET	7	625897	6962858	6/25/2012	3:25:21 PM	JM01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Excellent	Coarse	Rocky
1284526	BET	7	625897	6962858	6/25/2012	3:37:23 PM	JM01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Excellent	Coarse	Rocky
1284544	BET	7	625904	6962750	6/25/2012	3:57:50 PM	JM01	Chocolate Brown	Gravel	Damp	Pronounced Slope	40	C	Dwarf Birch	Sphagnum Moss < 30cm	Good	Rocky	Quartz Chips
1284545	BET	7	625897	6962707	6/25/2012	4:10:11 PM	JM01	Chocolate Brown	Clay	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1284546	BET	7	625897	6962658	6/25/2012	4:24:44 PM	JM01	Dark Brown	Sand	Dry	Pronounced Slope	40	B	Poplar	Grass Cover	Good	Rocky	Coarse
1284547	BET	7	625897	6962608	6/25/2012	4:34:36 PM	JM01	Light Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Excellent	Rocky	Coarse
1284548	BET	7	625896	6962557	6/25/2012	4:42:33 PM	JM01	Grey	Clay	Damp	Pronounced Slope	60	C	Poplar	Grass Cover	Excellent	Coarse	Rocky
1284549	BET	7	625897	6962506	6/25/2012	4:51:50 PM	JM01	Chocolate Brown	Clay	Dry	Steep	40	C	Poplar	Grass Cover	Excellent	Coarse	Rocky
1284550	BET	7	625897	6962458	6/25/2012	5:02:49 PM	JM01	Chocolate Brown	Gravel	Damp	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent	Quartz Chips	Coarse
1290665	BET	7	630098	6966907	6/25/2012	1:30:38 PM	JS01	Chocolate Brown	Sand	Dry	Steep	30	C	Poplar	Rock Cover	Good	Rocky Sample	Rocky Terrain
1290666	BET	7	630097	6966862	6/25/2012	2:02:40 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Bright Orange Rust	Rocky
1290667	BET	7	630097	6966809	6/25/2012	2:27:30 PM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Good	Coarse	Rocky
1290625	BET	7	630096	6966759	6/25/2012	2:40:35 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Good	Bright Orange Rust	Rocky
1290626	BET	7	630097	6966761	6/25/2012	2:41:47 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Good	Bright Orange Rust	Rocky
1290669	BET	7	630097	6966710	6/25/2012	2:55:47 PM	JS01	Light Brown	Sand	Dry	Subtle Slope	70	C	Poplar	Grass Cover	Good	Fine	Bright Orange Rust
1290668	BET	7	630097	6966660	6/25/2012	3:10:17 PM	JS01	Chocolate Brown	Sand	Dry	Subtle Slope	90	C	Poplar	Grass Cover	Excellent	Bright Orange Rust	
1290670	BET	7	630097	6966609	6/25/2012	3:22:46 PM	JS01	Light Brown	Sand	Dry	Pronounced Slope	90	C	Poplar	Grass Cover	Excellent	Fine	
1290671	BET	7	630097	6966559	6/25/2012	3:38:21 PM	JS01	Light Brown	Sand	Dry	Pronounced Slope	70	C	Dwarf Birch	Grass Cover	Excellent	Fine	
1290672	BET	7	630097	6966511	6/25/2012	3:50:04 PM	JS01	Grey	Sand	Dry	Steep	90	C	Poplar	Thin Moss Cover	Excellent	Bright Orange Rust	Rocky
1290673	BET	7	630098	6966459	6/25/2012	4:04:50 PM	JS01	Light Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Good	Fine	
1290674	BET	7	630097	6966409	6/25/2012	4:28:12 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Good	Bright Orange Rust	Rocky
1290675	BET	7	630098	6966361	6/25/2012	4:39:33 PM	JS01	Grey	Silt	Damp	Pronounced Slope	90	C	White Spruce	Thin Moss Cover	Good	Coarse	Bright Orange Rust
1290676	BET	7	630096	6966359	6/25/2012	4:48:51 PM	JS01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	C	White Spruce	Thin Moss Cover	Good	Coarse	
1290677	BET	7	630097	6966310	6/25/2012	4:54:08 PM	JS01	Chocolate Brown	Silt	Damp	Pronounced Slope	80	C	White Spruce	Thin Moss Cover	Good	Coarse	
1290678	BET	7	630096	6966261	6/25/2012	5:05:26 PM	JS01	Grey	Sand	Damp	Subtle Slope	60	C	White Spruce	Thin Moss Cover	Good	Dull Red Rust	
1290679	BET	7	630097	6966208	6/25/2012	5:15:59 PM	JS01	Light Brown	Sand	Damp	Subtle Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	
1290680	BET	7	630097	6966158	6/25/2012	5:26:52 PM	JS01	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	Alders	Sphagnum Moss < 30cm	Poor	Organic 25%	Frozen
1290681	BET	7	630096	6966060	6/25/2012	6:19:48 PM	JS01	Chocolate Brown	Silt	Dry	Steep	50	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Rocky	Rocky Sample
1290682	BET	7	630097	6966009	6/25/2012	6:29:02 PM	JS01	Grey	Sand	Dry	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Rocky
1290683	BET	7	630096	6965959	6/25/2012	6:40:22 PM	JS01	Chocolate Brown	Sand	Dry	Subtle Slope	30	C	Poplar	Thin Moss Cover	Good	Bright Orange Rust	Rocky
1290684	BET	7	630097	6965906	6/25/2012	6:48:49 PM	JS01	Grey	Sand	Dry	Subtle Slope	70	C	Poplar	Thin Moss Cover	Excellent	Fine	Bright Orange Rust
1290685	BET	7	630097	6965859	6/25/2012	6:58:43 PM	JS01	Chocolate Brown	Sand	Dry	Subtle Slope	80	C	Poplar	Leaf Cover	Good	Fine	Bright Orange Rust
1290686	BET	7	630097	6965808	6/25/2012	7:08:14 PM	JS01	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	Poplar	Leaf Cover	Good	Bright Orange Rust	Rocky
1290687	BET	7	630097	6965758	6/25/2012	7:19:28 PM	JS01	Chocolate Brown	Sand	Damp	Pronounced Slope	30	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Frozen
1290688	BET	7	630096	6965709	6/25/2012	7:45:29 PM	JS01	Dark Grey Black	Silt	Damp	Pronounced Slope	20	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	
1290689	BET	7	630096	6965658	6/25/2012	8:03:08 PM	JS01	Chocolate Brown	Silt	Damp	Pronounced Slope	30	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Coarse	Frozen
1290690	BET	7	630096	6965609	6/25/2012	8:22:16 PM	JS01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Fine	Rocky Sample

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1290691	BET	7	630097	6965557	6/25/2012	8:37:36 PM	JS01	Dark Brown	Sand	Dry	Subtle Slope	70	C	Black Spruce	Thin Moss Cover	Excellent	Fine	
1290692	BET	7	630097	6965509	6/25/2012	8:49:22 PM	JS01	Chocolate Brown	Silt	Dry	Subtle Slope	50	C	Birch Forest	Leaf Cover	Good	Coarse	Rocky
1290693	BET	7	630097	6965457	6/25/2012	9:01:48 PM	JS01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Fine	Rocky
1290694	BET	7	630096	6965407	6/25/2012	9:13:31 PM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	80	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1283589	BET	7	626097	6962257	6/25/2012	11:19:35 AM	KH01	Chocolate Brown	Sand	Damp	Flat	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Frozen
1283590	BET	7	626097	6962308	6/25/2012	11:41:23 AM	KH01	Dark Brown	Sand	Damp	Subtle Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1283591	BET	7	626097	6962358	6/25/2012	11:58:34 AM	KH01	Chocolate Brown	Sand	Dry	Flat	60	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1283592	BET	7	626097	6962408	6/25/2012	12:12:01 PM	KH01	Chocolate Brown	Sand	Dry	Subtle Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1283593	BET	7	626097	6962458	6/25/2012	12:31:26 PM	KH01	Chocolate Brown	Sand	Dry	Steep	80	C	White Spruce	Grass Cover	Excellent	Coarse	Rocky
1283594	BET	7	626097	6962508	6/25/2012	12:49:16 PM	KH01	Chocolate Brown	Sand	Dry	Steep	90	C	White Spruce	Grass Cover	Excellent	Fine	Rocky
1283595	BET	7	626097	6962559	6/25/2012	1:03:49 PM	KH01	Chocolate Brown	Sand	Dry	Steep	80	C	Poplar	Grass Cover	Excellent	Fine	Rocky
1283596	BET	7	626097	6962608	6/25/2012	1:16:44 PM	KH01	Chocolate Brown	Sand	Dry	Steep	70	C	Poplar	Leaf Cover	Good	Rocky	
1283597	BET	7	626097	6962659	6/25/2012	1:31:54 PM	KH01	Chocolate Brown	Sand	Dry	Steep	80	C	Subalpine Fir	Grass Cover	Excellent	Rocky	
1283598	BET	7	626097	6962708	6/25/2012	1:46:50 PM	KH01	Chocolate Brown	Sand	Dry	Steep	90	C	Poplar	Grass Cover	Excellent	Rocky	
1283599	BET	7	626097	6962758	6/25/2012	2:09:43 PM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Rocky	Coarse
1283600	BET	7	626096	6962808	6/25/2012	2:22:40 PM	KH01	Chocolate Brown	Sand	Wet	Steep	90	C	White Spruce	Sphagnum Moss < 30cm	Good	Clay	Mud
1283552	BET	7	626097	6962858	6/25/2012	2:39:14 PM	KH01	Chocolate Brown	Sand	Dry	Steep	70	C	Poplar	Leaf Cover	Excellent	Coarse	
1283553	BET	7	626097	6962908	6/25/2012	2:57:20 PM	KH01	Chocolate Brown	Sand	Dry	Steep	50	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1283554	BET	7	626197	6962907	6/25/2012	3:15:15 PM	KH01	Chocolate Brown	Sand	Dry	Steep	80	C	Poplar	Grass Cover	Excellent	Coarse	Rocky
1283555	BET	7	626197	6962854	6/25/2012	3:32:36 PM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	B	White Spruce	Sphagnum Moss < 30cm	Good	Fine	
1283556	BET	7	626197	6962804	6/25/2012	3:51:24 PM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Rocky	
1283557	BET	7	626197	6962754	6/25/2012	4:08:15 PM	KH01	Chocolate Brown	Sand	Damp	Steep	80	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Rocky	
1283558	BET	7	626196	6962704	6/25/2012	4:22:25 PM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	90	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	
1283559	BET	7	626196	6962654	6/25/2012	4:35:15 PM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Fine	
1283560	BET	7	626196	6962604	6/25/2012	4:58:02 PM	KH01	Chocolate Brown	Sand	Dry	Steep	80	C	Poplar	Grass Cover	Excellent	Fine	
1283561	BET	7	626197	6962554	6/25/2012	5:08:37 PM	KH01	Dark Grey Black	Silt	Dry	Subtle Slope	70	B	White Spruce	Sphagnum Moss < 30cm	Good	Fine	
1283562	BET	7	626197	6962504	6/25/2012	5:22:51 PM	KH01	Dark Grey Black	Sand	Damp	Flat	60	B	Poplar	Sphagnum Moss < 30cm	Good	Fine	Possible Creek Contamination
1283563	BET	7	626168	6962453	6/25/2012	5:38:19 PM	KH01	Chocolate Brown	Sand	Dry	Subtle Slope	60	B	Poplar	Leaf Cover	Good	Rocky	
1283564	BET	7	626196	6962404	6/25/2012	5:54:08 PM	KH01	Dark Grey Black	Gravel	Wet	Flat	40	B	White Spruce	Sphagnum Moss < 30cm	Poor	Small Sample	Frozen
1290778	BET	7	629998	6966906	6/25/2012	10:57:41 AM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent		
1290779	BET	7	629998	6966859	6/25/2012	11:18:00 AM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Good		
1290780	BET	7	629999	6966808	6/25/2012	11:30:44 AM	MT01	Light Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent	Fine	
1290781	BET	7	629998	6966759	6/25/2012	11:54:35 AM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Good	Rocky	Bright Orange Rust
1290782	BET	7	629997	6966709	6/25/2012	12:08:46 PM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent		
1290783	BET	7	629997	6966660	6/25/2012	12:22:58 PM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	90	C	White Spruce	Grass Cover	Excellent	Bright Orange Rust	
1290784	BET	7	629996	6966608	6/25/2012	12:32:36 PM	MT01	Reddish Brown	Sand	Dry	Subtle Slope	80	C	White Spruce	Leaf Cover	Excellent	Bright Orange Rust	
1290785	BET	7	629997	6966559	6/25/2012	12:44:21 PM	MT01	Reddish Brown	Sand	Damp	Pronounced Slope	100	C	No Tree Cover	Grass Cover	Excellent	Dull Red Rust	
1290786	BET	7	629996	6966509	6/25/2012	12:56:43 PM	MT01	Reddish Brown	Sand	Damp	Pronounced Slope	70	C	No Tree Cover	Grass Cover	Excellent		
1290787	BET	7	629996	6966457	6/25/2012	1:13:46 PM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Dull Red Rust	
1290788	BET	7	629996	6966408	6/25/2012	1:24:32 PM	MT01	Grey	Clay	Damp	Subtle Slope	90	C	Poplar	Leaf Cover	Excellent	Sandy	
1290789	BET	7	629995	6966357	6/25/2012	1:35:58 PM	MT01	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	Poplar	Leaf Cover	Excellent	Clay	Bright Orange Rust
1290790	BET	7	629996	6966308	6/25/2012	1:48:44 PM	MT01	Dark Brown	Sand	Dry	Pronounced Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Excellent		
1290791	BET	7	629997	6966258	6/25/2012	2:02:50 PM	MT01	Chocolate Brown	Clay	Wet	Subtle Slope	60	B	White Spruce	Thin Moss Cover	Good		
1290792	BET	7	629997	6966209	6/25/2012	2:16:30 PM	MT01	Dark Brown	Clay	Wet	Subtle Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Quartz Chips
1290793	BET	7	629997	6966109	6/25/2012	2:53:46 PM	MT01	Dark Brown	Clay	Wet	Pronounced Slope	20	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Bright Orange Rust	Rocky
1290794	BET	7	629996	6966059	6/25/2012	3:09:52 PM	MT01	Reddish Brown	Sand	Wet	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Clay	Quartz Chips
1290795	BET	7	629996	6966008	6/25/2012	3:23:34 PM	MT01	Dark Brown	Clay	Wet	Subtle Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Small Sample	
1290796	BET	7	629997	6965957	6/25/2012	3:34:15 PM	MT01	Dark Brown	Sand	Damp	Subtle Slope	50	B	Poplar	Grass Cover	Good	Clay	
1290797	BET	7	629997	6965907	6/25/2012	3:47:50 PM	MT01	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Thin Moss Cover	Excellent		
1290798	BET	7	629998	6965857	6/25/2012	4:00:23 PM	MT01	Reddish Orange	Sand	Dry	Pronounced Slope	90	C	Black Spruce	Thin Moss Cover	Excellent	Dull Red Rust	
1290799	BET	7	629996	6965808	6/25/2012	4:11:32 PM	MT01	Dark Brown	Sand	Damp	Subtle Slope	110	B	Birch Forest	Grass Cover	Good	Mud	Possible Creek Contamination
1290800	BET	7	629995	6965708	6/25/2012	4:46:50 PM	MT01	Chocolate Brown	Sand	Wet	Pronounced Slope	20	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Small Sample	
1291202	BET	7	629995	6965658	6/25/2012	5:05:06 PM	MT01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Sphagnum Moss < 30cm	Poor		
1291203	BET	7	629995	6965607	6/25/2012	5:21:12 PM	MT01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Poplar	Sphagnum Moss < 30cm	Good	Clay	
1291204	BET	7	629996	6965555	6/25/2012	5:32:59 PM	MT01	Reddish Brown	Sand	Damp	Subtle Slope	30	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1291205	BET	7	629997	6965508	6/25/2012	5:43:28 PM	MT01	Reddish Brown	Sand	Damp	Pronounced Slope	50	C	White Spruce	Reindeer Moss	Good		
1291206	BET	7	629996	6965458	6/25/2012	5:54:52 PM	MT01	Reddish Yellow	Sand	Dry	Pronounced Slope	70	C	White Spruce	Thin Moss Cover	Excellent		
1291207	BET	7	629997	6965407	6/25/2012	6:05:58 PM	MT01	Reddish Brown	Sand	Damp	Pronounced Slope	70	C	White Spruce	Thin Moss Cover	Excellent		
1291208	BET	7	629999	6966808	6/25/2012	8:19:42 PM	MT01	Light Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent	Fine	
1283345	BET	7	625997	6961907	6/25/2012	10:07:44 AM	RL02	Dark Brown	Sand	Damp	Flat	50	C	Willows	Sphagnum Moss < 30cm	Poor	Coarse	Possible Creek Contamination
1283346	BET	7	625997	6962058	6/25/2012	10:34:15 AM	RL02	Dark Grey Black	Sand	Damp	Subtle Slope	40	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1283347	BET	7	625997	6962107	6/25/2012	10:43:38 AM	RL02	Dark Grey Black	Sand	Damp	Subtle Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Partially Frozen
1283348	BET	7	625996	6962156	6/25/2012	10:52:38 AM	RL02	Dark Brown	Sand	Damp	Subtle Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	
1283349	BET	7	625995	6962208	6/25/2012	11:01:20 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Quartz Chips
1283350	BET	7	625997	6962257	6/25/2012	11:11:34 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	White Spruce	Thin Moss Cover	Excellent	Coarse	Rocky
1283270	BET	7	625996	6962308	6/25/2012	11:23:15 AM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Rocky	Rusty Rock Chip
1283271	BET	7	625997	6962357	6/25/2012	11:32:00 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	90	C	Poplar	Leaf Cover	Excellent	Dull Red Rust	Rusty Rock Chip
1283272	BET	7	625997	6962407	6/25/2012	11:42:41 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Rocky
1283273	BET	7	625997	6962456	6/25/2012	11:54:33 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Coarse
1283274	BET	7	625996	6962507	6/25/2012	12:09:15 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	
1283275	BET	7	625996	6962557	6/25/2012	12:31:11 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Coarse
1283276	BET	7	625996	6962557	6/25/2012	12:36:22 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Coarse
1283277	BET	7	625998	6962607	6/25/2012	12:45:43 PM	RL02	Reddish Yellow	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Quartz Chips
1283278	BET	7	625997	6962658	6/25/2012	12:55:12 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Rocky	Rusty Rock Chip
1283279	BET	7	625997	6962707	6/25/2012	1:05:21 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	100	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Quartz Chips
1283280	BET	7	625997	6962758	6/25/2012	1:15:43 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Rocky
1283281	BET	7	625996	6962808	6/25/2012	1:35:34 PM	RL02	Chocolate Brown	Gravel	Damp	Steep	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Rocky Sample
1283282	BET	7	625996	6962858	6/25/2012	1:47:37 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1283283	BET	7	625997	6962907	6/25/2012	1:56:44 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Rocky	
1283284	BET	7	625897	6962407	6/25/2012	2:33:12 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Coarse
1283285	BET	7	625897	6962358	6/25/2012	2:43:59 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Rocky
1283286	BET	7	625896	6962307	6/25/2012	2:52:22 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	Quartz Chips
1283287	BET	7	625897	6962257	6/25/2012	3:01:20 PM	RL02	Bluish Grey	Sand	Damp	Pronounced Slope	90	C	Poplar	Leaf Cover	Excellent	Coarse	
1283288	BET	7	625897	6962207	6/25/2012	3:12:08 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Quartz Chips

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1283289	BET	7	625897	6962157	6/25/2012	3:21:05 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	Quartz Chips
1283290	BET	7	625897	6962107	6/25/2012	3:32:46 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Quartz Chips
1283291	BET	7	625897	6962057	6/25/2012	3:42:29 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Thin Moss Cover	Excellent	Coarse	Quartz Chips
1283292	BET	7	625897	6962006	6/25/2012	3:55:00 PM	RL02	Dark Blue Black	Sand	Damp	Flat	30	C	White Spruce	Sphagnum Moss < 30cm	Poor	Organic 25%	Partially Frozen
1283293	BET	7	625897	6961957	6/25/2012	4:05:21 PM	RL02	Grey	Silt	Damp	Subtle Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	
1283294	BET	7	625898	6961907	6/25/2012	4:17:36 PM	RL02	Dark Brown	Silt	Damp	Subtle Slope	30	B	White Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	Organic 10%
1283295	BET	7	626397	6962506	6/25/2012	5:09:17 PM	RL02	Dark Grey Black	Silt	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Organic 25%	Partially Frozen
1283296	BET	7	626398	6962557	6/25/2012	5:26:10 PM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Possible Creek Contamination
1283297	BET	7	626396	6962606	6/25/2012	5:34:57 PM	RL02	Dark Grey Black	Silt	Damp	Subtle Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Poor	Organic 25%	Partially Frozen
1283298	BET	7	626397	6962657	6/25/2012	5:48:59 PM	RL02	Dark Brown	Sand	Damp	Subtle Slope	60	C	White Spruce	Thin Moss Cover	Good	Fine	
1284785	BET	7	625596	6962006	6/25/2012	11:07:55 AM	RM01	Dark Brown	Sand	Damp	Steep	40	B	Poplar	Grass Cover	Good	Coarse	
1284780	BET	7	625597	6962057	6/25/2012	11:31:31 AM	RM01	Light Bluish Grey	Silt	Damp	Steep	90	C	Poplar	Grass Cover	Excellent	Fine	
1284752	BET	7	625596	6962106	6/25/2012	11:48:40 AM	RM01	Dark Brown	Silt	Dry	Steep	80	C	No Tree Cover	Grass Cover	Good	Coarse	
1284753	BET	7	625597	6962156	6/25/2012	12:06:12 PM	RM01	Chocolate Brown	Sand	Dry	Steep	70	C	Poplar	Grass Cover	Good	Coarse	
1284754	BET	7	625598	6962206	6/25/2012	12:24:10 PM	RM01	Chocolate Brown	Silt	Damp	Steep	50	B	Poplar	Leaf Cover	Poor	Coarse	
1284755	BET	7	625597	6962256	6/25/2012	12:42:02 PM	RM01	Chocolate Brown	Sand	Dry	Steep	50	B	Poplar	Leaf Cover	Good	Coarse	
1284781	BET	7	626297	6962557	6/25/2012	2:38:34 PM	RM01	Grey	Clay	Wet	Subtle Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Poor	Frozen	
1284782	BET	7	626297	6962607	6/25/2012	2:55:53 PM	RM01	Bluish Grey	Clay	Wet	Subtle Slope	70	B	White Spruce	Sphagnum Moss < 30cm	Good	Frozen	
1284783	BET	7	626284	6962651	6/25/2012	3:12:24 PM	RM01	Dark Grey Black	Clay	Wet	Subtle Slope	70	B	White Spruce	Sphagnum Moss < 30cm	Good	Frozen	
1284784	BET	7	626296	6962707	6/25/2012	3:29:05 PM	RM01	Dark Brown	Clay	Wet	Subtle Slope	60	B	White Spruce	Sphagnum Moss < 30cm	Good	Frozen	
1284786	BET	7	626297	6962757	6/25/2012	3:48:52 PM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	White Spruce	Sphagnum Moss < 30cm	Poor	Fine	Organic 50%
1284787	BET	7	626297	6962806	6/25/2012	4:04:54 PM	RM01	Chocolate Brown	Silt	Damp	Subtle Slope	60	B	White Spruce	Sphagnum Moss < 30cm	Good	Fine	Organic 10%
1284788	BET	7	626296	6962856	6/25/2012	4:14:56 PM	RM01	Dark Brown	Sand	Damp	Subtle Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1284789	BET	7	626297	6962907	6/25/2012	4:30:20 PM	RM01	Dark Brown	Clay	Damp	Pronounced Slope	80	B	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1284790	BET	7	626397	6962907	6/25/2012	4:47:20 PM	RM01	Dark Brown	Silt	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1284791	BET	7	626396	6962858	6/25/2012	5:06:19 PM	RM01	Dark Brown	Clay	Wet	Subtle Slope	70	B	White Spruce	Sphagnum Moss < 30cm	Good	Frozen	
1284792	BET	7	626397	6962807	6/25/2012	5:26:01 PM	RM01	Dark Brown	Clay	Wet	Subtle Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Good	Frozen	
1284793	BET	7	626398	6962758	6/25/2012	5:28:11 PM	RM01	Dark Brown	Silt	Damp	Subtle Slope	50	B	White Spruce	Sphagnum Moss < 30cm	Good	Fine	
1284778	BET	7	626397	6962707	6/25/2012	5:48:37 PM	RM01	Dark Brown	Clay	Wet	Subtle Slope	60	B	White Spruce	Sphagnum Moss < 30cm	Good	Frozen	
1290283	BET	7	629897	6966906	6/25/2012	10:52:04 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	White Spruce	Leaf Cover	Good	Coarse	
1290284	BET	7	629896	6966857	6/25/2012	11:07:48 AM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	90	B	White Spruce	Grass Cover	Good	Coarse	Sandy
1290285	BET	7	629898	6966808	6/25/2012	11:20:33 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Grass Cover	Good	Coarse	
1290286	BET	7	629899	6966758	6/25/2012	11:31:45 AM	RR01	Reddish Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Good	Rocky	Sandy
1290287	BET	7	629897	6966707	6/25/2012	11:43:11 AM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Excellent	Coarse	Quartz Chips
1290288	BET	7	629897	6966658	6/25/2012	11:52:32 AM	RR01	Reddish Yellow	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent	Coarse	
1290289	BET	7	629897	6966607	6/25/2012	11:59:52 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent	Coarse	
1290290	BET	7	629899	6966557	6/25/2012	12:11:26 PM	RR01	Reddish Yellow	Sand	Damp	Pronounced Slope	80	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Bright Orange Rust
1290291	BET	7	629898	6966507	6/25/2012	12:21:48 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	80	B	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Sandy
1290292	BET	7	629899	6966457	6/25/2012	12:30:42 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	White Spruce	Thin Moss Cover	Excellent	Coarse	Dull Red Rust
1290293	BET	7	629899	6966407	6/25/2012	12:52:39 PM	RR01	Grey	Sand	Damp	Pronounced Slope	70	C	White Spruce	Needle Cover	Excellent	Coarse	
1290294	BET	7	629899	6966357	6/25/2012	1:05:25 PM	RR01	Dark Brown	Sand	Damp	Pronounced Slope	60	C	White Spruce	Grass Cover	Good	Coarse	Rusty Rock Chip
1290295	BET	7	629898	6966306	6/25/2012	1:14:27 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1290296	BET	7	629898	6966257	6/25/2012	1:23:05 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Partially Frozen
1290297	BET	7	629898	6966207	6/25/2012	1:32:01 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Partially Frozen
1290298	BET	7	629897	6966158	6/25/2012	1:44:58 PM	RR01	Grey	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	Sandy
1290299	BET	7	629896	6966108	6/25/2012	1:59:41 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Mud	Rocky
1290300	BET	7	629896	6966058	6/25/2012	2:11:12 PM	RR01	Grey	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1292302	BET	7	629897	6966007	6/25/2012	2:22:18 PM	RR01	Grey	Silt	Dry	Subtle Slope	60	B	White Spruce	Grass Cover	Good	Coarse	Rocky
1292303	BET	7	629898	6965958	6/25/2012	2:30:22 PM	RR01	Dark Brown	Silt	Dry	Pronounced Slope	60	B	Poplar	Grass Cover	Good	Coarse	Sandy
1292304	BET	7	629898	6965907	6/25/2012	2:40:39 PM	RR01	Chocolate Brown	Silt	Dry	Pronounced Slope	70	B	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1292305	BET	7	629897	6965858	6/25/2012	2:52:49 PM	RR01	Grey	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Grass Cover	Good	Possible Creek Contamination	Partially Frozen
1292306	BET	7	629898	6965759	6/25/2012	3:22:14 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Sandy
1292307	BET	7	629897	6965708	6/25/2012	3:44:33 PM	RR01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Alders	Sphagnum Moss < 30cm	Good	Fine	Rocky
1292308	BET	7	629898	6965657	6/25/2012	4:00:38 PM	RR01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Good	Fine	Rocky Terrain
1292309	BET	7	629898	6965607	6/25/2012	4:16:08 PM	RR01	Reddish Brown	Sand	Dry	Pronounced Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Bright Orange Rust
1292310	BET	7	629897	6965556	6/25/2012	4:24:07 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	40	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	
1292311	BET	7	629896	6965506	6/25/2012	4:33:46 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1292312	BET	7	629896	6965457	6/25/2012	4:41:05 PM	RR01	Reddish Yellow	Sand	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	
1292313	BET	7	629898	6965408	6/25/2012	4:49:54 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1298581	BET	7	618297	6967357	6/25/2012	9:30:35 AM	RR02	Chocolate Brown	Silt	Wet	Flat	40	B	Black Spruce	Thin Moss Cover	Good	Frozen	
1298582	BET	7	618297	6967307	6/25/2012	9:40:22 AM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	40	B	Black Spruce	Thin Moss Cover	Good	Coarse	Partially Frozen
1298583	BET	7	618295	6967256	6/25/2012	9:48:58 AM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	40	B	Dwarf Birch	Thin Moss Cover	Good	Partially Frozen	Coarse
1298584	BET	7	618297	6967206	6/25/2012	9:58:03 AM	RR02	Reddish Brown	Sand	Damp	Subtle Slope	30	C	Dwarf Birch	Thin Moss Cover	Excellent	Coarse	
1298585	BET	7	618296	6967156	6/25/2012	10:07:52 AM	RR02	Reddish Brown	Sand	Damp	Subtle Slope	50	C	Dwarf Birch	Thin Moss Cover	Good	Fine	Bright Orange Rust
1298586	BET	7	618296	6967105	6/25/2012	10:16:52 AM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Dwarf Birch	Thin Moss Cover	Excellent	Coarse	
1298587	BET	7	618296	6967057	6/25/2012	10:29:07 AM	RR02	Reddish Brown	Sand	Damp	Subtle Slope	50	C	Dwarf Birch	Sphagnum Moss < 30cm	Good	Fine	
1298588	BET	7	618296	6967006	6/25/2012	10:40:10 AM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Dwarf Birch	Thin Moss Cover	Excellent	Coarse	
1298589	BET	7	618297	6966955	6/25/2012	10:51:34 AM	RR02	Reddish Yellow	Sand	Damp	Subtle Slope	70	C	White Spruce	Thin Moss Cover	Excellent	Coarse	
1298590	BET	7	618296	6966906	6/25/2012	11:11:04 AM	RR02	Reddish Yellow	Sand	Damp	Subtle Slope	50	C	Birch Forest	Thin Moss Cover	Excellent	Coarse	Outcrop Nearby
1298591	BET	7	618295	6966855	6/25/2012	11:22:40 AM	RR02	Light Brown	Sand	Damp	Subtle Slope	100	C	White Spruce	Thin Moss Cover	Excellent	Fine	
1298592	BET	7	618295	6966805	6/25/2012	11:31:55 AM	RR02	Light Brown	Sand	Damp	Subtle Slope	70	C	Poplar	Thin Moss Cover	Excellent	Fine	Bright Orange Rust
1298593	BET	7	618297	6966756	6/25/2012	12:01:36 PM	RR02	Light Brown	Silt	Damp	Subtle Slope	60	C	Poplar	Leaf Cover	Good	Coarse	
1298594	BET	7	618297	6966706	6/25/2012	12:11:47 PM	RR02	Light Brown	Sand	Damp	Subtle Slope	40	C	White Spruce	Leaf Cover	Good	Fine	Rocky
1298595	BET	7	618298	6966656	6/25/2012	12:22:37 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	White Spruce	Thin Moss Cover	Good	Fine	Rocky
1298596	BET	7	618296	6966606	6/25/2012	12:45:10 PM	RR02	Reddish Orange	Sand	Damp	Subtle Slope	70	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Dull Red Rust
1298597	BET	7	618297	6966556	6/25/2012	12:53:16 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	
1298598	BET	7	618297	6966510	6/25/2012	1:06:20 PM	RR02	Chocolate Brown	Gravel	Damp	Subtle Slope	70	C	White Spruce	Thin Moss Cover	Excellent	Fine	Quartz Chips
1298599	BET	7	618297	6966457	6/25/2012	1:14:14 PM	RR02	Reddish Yellow	Gravel	Damp	Subtle Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	
1298600	BET	7	618297	6966407	6/25/2012	1:26:04 PM	RR02	Reddish Brown	Sand	Damp	Subtle Slope	50	C	Poplar	Leaf Cover	Good	Fine	Rocky
1268902	BET	7	618297	6966357	6/25/2012	1:39:43 PM	RR02	Reddish Brown	Sand	Damp	Subtle Slope	40	B	Poplar	Leaf Cover	Good	Fine	Organic 10%
1268903	BET	7	618296	6966308	6/25/2012	1:49:52 PM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1268904	BET	7	618296	6966258	6/25/2012	1:59:35 PM	RR02	Light Brown	Sand	Dry	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Fine	Rocky
1268905	BET	7	618296	6966207	6/25/2012	2:17:31 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	90	C	White Spruce	Thin Moss Cover	Excellent	Coarse	Bright Orange Rust
1268906	BET	7	618297	6966157	6/25/2012	2:36:42 PM	RR02	Reddish Brown	Silt	Damp	Pronounced Slope	40	B	Poplar	Grass Cover	Good	Coarse	

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1268907	BET	7	618297	6966107	6/25/2012	2:48:43 PM	RR02	Light Brown	Sand	Damp	Subtle Slope	60	C	White Spruce	Thin Moss Cover	Excellent	Coarse	
1268908	BET	7	618297	6966057	6/25/2012	3:02:26 PM	RR02	Reddish Yellow	Sand	Damp	Subtle Slope	80	C	White Spruce	Thin Moss Cover	Excellent	Coarse	
1268909	BET	7	618297	6966007	6/25/2012	3:13:32 PM	RR02	Reddish Yellow	Sand	Damp	Subtle Slope	60	C	White Spruce	Thin Moss Cover	Excellent	Coarse	
1268910	BET	7	618297	6965955	6/25/2012	3:26:26 PM	RR02	Reddish Yellow	Sand	Wet	Subtle Slope	80	C	White Spruce	Thin Moss Cover	Excellent	Coarse	
1268911	BET	7	618297	6965908	6/25/2012	3:38:28 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	White Spruce	Thin Moss Cover	Excellent	Coarse	
1268912	BET	7	618296	6965857	6/25/2012	3:49:36 PM	RR02	Light Brown	Sand	Damp	Subtle Slope	40	C	White Spruce	Thin Moss Cover	Excellent	Coarse	
1290546	BET	7	630296	6966909	6/25/2012	12:10:57 PM	SC01	Chocolate Brown	Silt	Damp	Steep	40	B	Black Spruce	Grass Cover	Good	Rocky	
1290547	BET	7	630297	6966860	6/25/2012	12:25:56 PM	SC01	Chocolate Brown	Silt	Dry	Steep	60	B	Poplar	Grass Cover	Good	Rocky	
1290548	BET	7	630300	6966808	6/25/2012	12:47:36 PM	SC01	Dark Brown	Silt	Dry	Steep	40	B	Poplar	Grass Cover	Poor	Bright Orange Rust	Rocky
1290549	BET	7	630297	6966758	6/25/2012	1:03:22 PM	SC01	Chocolate Brown	Sand	Dry	Steep	70	C	Poplar	Grass Cover	Excellent	Rocky	Dull Red Rust
1290550	BET	7	630295	6966709	6/25/2012	1:22:29 PM	SC01	Dark Brown	Sand	Dry	Steep	60	B	Poplar	Grass Cover	Good	Bright Orange Rust	Quartz Chips
1290552	BET	7	630297	6966658	6/25/2012	1:46:19 PM	SC01	Dark Brown	Sand	Dry	Steep	70	C	Poplar	Grass Cover	Poor	Dull Red Rust	Rocky Sample
1290553	BET	7	630297	6966607	6/25/2012	2:04:12 PM	SC01	Dark Brown	Silt	Dry	Steep	40	B	Poplar	Grass Cover	Poor	Rocky	Bright Orange Rust
1290554	BET	7	630297	6966557	6/25/2012	2:25:57 PM	SC01	Dark Brown	Sand	Dry	Steep	70	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky Sample	Quartz Chips
1290555	BET	7	630298	6966508	6/25/2012	2:48:21 PM	SC01	Chocolate Brown	Sand	Dry	Steep	60	C	Poplar	Grass Cover	Good	Quartz Chips	Rocky
1290556	BET	7	630295	6966458	6/25/2012	3:04:22 PM	SC01	Dark Brown	Silt	Dry	Steep	60	B	Poplar	Grass Cover	Poor	Rocky	
1290557	BET	7	630297	6966407	6/25/2012	3:30:44 PM	SC01	Dark Brown	Sand	Dry	Steep	70	C	Poplar	Grass Cover	Good	Rocky	
1290558	BET	7	630298	6966358	6/25/2012	3:52:58 PM	SC01	Dark Brown	Silt	Dry	Steep	60	B	Poplar	Grass Cover	Poor	Rocky	
1290559	BET	7	630297	6966257	6/25/2012	4:31:20 PM	SC01	Reddish Brown	Silt	Damp	Steep	50	B	Poplar	Grass Cover	Poor	Bright Orange Rust	Rocky
1290560	BET	7	630298	6966207	6/25/2012	4:58:37 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Thin Moss Cover	Excellent	Fine	Rocky
1290561	BET	7	630297	6966157	6/25/2012	5:26:11 PM	SC01	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Poplar	Leaf Cover	Good	Rocky	
1290562	BET	7	630298	6966108	6/25/2012	5:41:49 PM	SC01	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Dwarf Birch	Grass Cover	Good		
1290563	BET	7	630298	6966009	6/25/2012	6:05:19 PM	SC01	Chocolate Brown	Sand	Damp	Steep	70	C	Poplar	Leaf Cover	Good	Rocky	
1290564	BET	7	630298	6965908	6/25/2012	6:30:24 PM	SC01	Grey	Sand	Damp	Pronounced Slope	80	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Rocky	
1290565	BET	7	630298	6965858	6/25/2012	6:43:27 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Poplar	Reindeer Moss	Poor	Rocky	
1290566	BET	7	630296	6965809	6/25/2012	6:56:58 PM	SC01	Grey	Sand	Dry	Pronounced Slope	60	C	Poplar	Sphagnum Moss < 30cm	Poor	Rocky	Small Sample
1268672	BET	7	618495	6967358	6/25/2012	9:30:29 AM	SD02	Grey	Gravel	Damp	Pronounced Slope	50	C	Willows	Sphagnum Moss < 30cm	Excellent	Frozen	Dull Red Rust
1268673	BET	7	618497	6967307	6/25/2012	9:39:55 AM	SD02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Alders	Sphagnum Moss < 30cm	Excellent	Frozen	Bright Orange Rust
1268674	BET	7	618497	6967257	6/25/2012	9:48:50 AM	SD02	Light Brown	Gravel	Damp	Pronounced Slope	40	C	Willows	Sphagnum Moss < 30cm	Excellent	Frozen	Fine
1268675	BET	7	618497	6967208	6/25/2012	9:59:25 AM	SD02	Grey	Gravel	Wet	Subtle Slope	40	B	Willows	Reindeer Moss	Good	Frozen	Rocky
1268676	BET	7	618497	6967208	6/25/2012	10:06:37 AM	SD02	Grey	Gravel	Wet	Subtle Slope	40	B	Willows	Reindeer Moss	Good	Frozen	Rocky
1268677	BET	7	618496	6967157	6/25/2012	10:14:58 AM	SD02	Chocolate Brown	Sand	Wet	Subtle Slope	50	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Rocky	Coarse
1268678	BET	7	618497	6967107	6/25/2012	10:25:41 AM	SD02	Dark Brown	Gravel	Damp	Subtle Slope	70	C	Willows	Thin Moss Cover	Excellent	Quartz Chips	Fine
1268679	BET	7	618497	6967056	6/25/2012	10:37:33 AM	SD02	Reddish Brown	Sand	Damp	Subtle Slope	40	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Rocky	Coarse
1268680	BET	7	618497	6967008	6/25/2012	10:52:16 AM	SD02	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Willows	Thin Moss Cover	Excellent	Rocky	
1268681	BET	7	618497	6966957	6/25/2012	11:03:15 AM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	50	C	White Spruce	Thin Moss Cover	Excellent	Rocky	
1268682	BET	7	618497	6966907	6/25/2012	11:34:09 AM	SD02	Chocolate Brown	Gravel	Dry	Subtle Slope	40	B	Birch Forest	Bare Soil	Poor	Rocky	Organic 10%
1268683	BET	7	618497	6966856	6/25/2012	11:46:01 AM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	100	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Sandy	
1268684	BET	7	618496	6966806	6/25/2012	11:56:32 AM	SD02	Chocolate Brown	Gravel	Dry	Pronounced Slope	40	C	Poplar	Grass Cover	Good	Rocky	
1268685	BET	7	618497	6966756	6/25/2012	12:05:22 PM	SD02	Light Brown	Gravel	Damp	Subtle Slope	50	C	Poplar	Leaf Cover	Excellent	Quartz Chips	Bright Orange Rust
1268686	BET	7	618495	6966707	6/25/2012	12:14:09 PM	SD02	Chocolate Brown	Gravel	Dry	Pronounced Slope	40	B	Poplar	Grass Cover	Good	Rocky	
1268687	BET	7	618496	6966656	6/25/2012	12:23:33 PM	SD02	Grey	Gravel	Damp	Subtle Slope	70	C	Poplar	Leaf Cover	Excellent	Quartz Chips	
1268688	BET	7	618497	6966606	6/25/2012	12:31:30 PM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	
1268689	BET	7	618497	6966556	6/25/2012	12:40:11 PM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent	Coarse	Bright Orange Rust
1268690	BET	7	618496	6966505	6/25/2012	12:49:46 PM	SD02	Light Brown	Gravel	Dry	Pronounced Slope	60	C	Birch Forest	Leaf Cover	Excellent	Bright Orange Rust	Rocky
1268691	BET	7	618497	6966456	6/25/2012	12:59:21 PM	SD02	Light Brown	Gravel	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Quartz Chips	Rocky
1268692	BET	7	618496	6966405	6/25/2012	1:09:08 PM	SD02	Dark Brown	Gravel	Damp	Pronounced Slope	90	C	Poplar	Leaf Cover	Excellent	Fine	
1268693	BET	7	618497	6966357	6/25/2012	1:21:01 PM	SD02	Light Brown	Sand	Damp	Pronounced Slope	90	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Quartz Chips
1268694	BET	7	618497	6966307	6/25/2012	1:32:14 PM	SD02	Chocolate Brown	Gravel	Dry	Pronounced Slope	50	C	White Spruce	Leaf Cover	Excellent	Rocky	
1268695	BET	7	618496	6966257	6/25/2012	1:40:41 PM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Fine	
1268696	BET	7	618497	6966206	6/25/2012	1:56:57 PM	SD02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1268697	BET	7	618497	6966158	6/25/2012	2:06:50 PM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Rocky	
1268698	BET	7	618496	6966106	6/25/2012	2:18:43 PM	SD02	Chocolate Brown	Gravel	Dry	Subtle Slope	30	C	Alders	Sphagnum Moss < 30cm	Excellent	Small Sample	
1268699	BET	7	618497	6966057	6/25/2012	2:26:47 PM	SD02	Dark Brown	Gravel	Dry	Subtle Slope	70	C	White Spruce	Bare Soil	Excellent	Rocky	
1268700	BET	7	618496	6966005	6/25/2012	2:35:42 PM	SD02	Dark Brown	Gravel	Damp	Subtle Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Rocky	Bright Orange Rust
1269101	BET	7	618496	6965955	6/25/2012	2:44:09 PM	SD02	Chocolate Brown	Gravel	Dry	Subtle Slope	50	C	Birch Forest	Leaf Cover	Excellent	Bright Orange Rust	Rocky
1269103	BET	7	618495	6965906	6/25/2012	2:49:03 PM	SD02	Dark Brown	Gravel	Dry	Subtle Slope	40	C	Birch Forest	Leaf Cover	Excellent	Rocky	
1269104	BET	7	618496	6965857	6/25/2012	3:05:22 PM	SD02	Dark Brown	Sand	Damp	Subtle Slope	80	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Fine
1268796	BET	7	618597	6967357	6/26/2012	8:53:36 AM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	80	B	Black Spruce	Sphagnum Moss > 30cm	Good	Partially Frozen	
1268797	BET	7	618597	6967260	6/26/2012	9:15:38 AM	BH01	Dark Brown	Silt	Damp	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Poor	Partially Frozen	Organic 10%
1268798	BET	7	618597	6967208	6/26/2012	9:28:16 AM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	Organic 10%
1268799	BET	7	618597	6967158	6/26/2012	9:42:48 AM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Poor	Frozen	Organic 10%
1268800	BET	7	618598	6967104	6/26/2012	9:55:32 AM	BH01	Dark Brown	Silt	Wet	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Poor	Mud	Frozen
1269002	BET	7	618597	6967057	6/26/2012	10:08:04 AM	BH01	Chocolate Brown	Silt	Wet	Pronounced Slope	60	C	Black Spruce	Reindeer Moss	Good	Mud	Partially Frozen
1269003	BET	7	618600	6967003	6/26/2012	10:16:55 AM	BH01	Chocolate Brown	Silt	Damp	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	
1269004	BET	7	618596	6966955	6/26/2012	10:26:50 AM	BH01	Dark Brown	Silt	Dry	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Rocky Sample	Small Sample
1269005	BET	7	618597	6966900	6/26/2012	10:36:33 AM	BH01	Chocolate Brown	Silt	Damp	Subtle Slope	80	B	Black Spruce	Reindeer Moss	Good	Rocky	
1269006	BET	7	618604	6966847	6/26/2012	10:46:21 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	70	B	Black Spruce	Reindeer Moss	Good	Rocky	
1269007	BET	7	618600	6966805	6/26/2012	11:01:57 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	C	Black Spruce	Reindeer Moss	Good	Rocky	
1269008	BET	7	618597	6966757	6/26/2012	11:12:40 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Black Spruce	Leaf Cover	Good	Rocky	
1269009	BET	7	618597	6966705	6/26/2012	11:23:32 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Black Spruce	Leaf Cover	Good	Rocky	Small Sample
1269010	BET	7	618597	6966660	6/26/2012	11:33:48 AM	BH01	Chocolate Brown	Silt	Wet	Pronounced Slope	80	B	Black Spruce	Leaf Cover	Good	Mud	
1269011	BET	7	618597	6966604	6/26/2012	11:45:07 AM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	B	Poplar	Leaf Cover	Good	Rocky	
1269012	BET	7	618596	6966556	6/26/2012	11:55:40 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Rocky	
1269013	BET	7	618596	6966510	6/26/2012	12:07:17 PM	BH01	Dark Brown	Silt	Dry	Pronounced Slope	40	B	Black Spruce	Leaf Cover	Good	Rocky	Quartz Chips
1269014	BET	7	618597	6966457	6/26/2012	12:25:22 PM	BH01	Dark Grey Black	Clay	Damp	Pronounced Slope	40	B	Black Spruce	Leaf Cover	Poor	Rocky	
1269015	BET	7	618596	6966403	6/26/2012	12:37:02 PM	BH01	Chocolate Brown	Clay	Damp	Pronounced Slope	70	B	Poplar	Reindeer Moss	Good	Mud	Rocky Sample
1269016	BET	7	618592	6966359	6/26/2012	12:47:17 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Rocky	
1269017	BET	7	618599	6966307	6/26/2012	1:16:29 PM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	50	B	Poplar	Leaf Cover	Good	Rocky	Bright Orange Rust
1269018	BET	7	618596	6966254	6/26/2012	1:27:23 PM	BH01	Dark Brown	Clay	Damp	Pronounced Slope	80	B	Poplar	Leaf Cover	Poor	Rocky	Mud
1269019	BET	7	618596	6966210	6/26/2012	1:38:39 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	80	B	Black Spruce	Grass Cover	Good	Rocky	
1269020	BET	7	618597	6966160	6/26/2012	1:47:39 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Good	Rocky	
1269021	BET	7	618597	6966107	6/26/2012	1:56:33 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Black Spruce	Thin Moss Cover	Good	Rocky	
1269022	BET	7	618596	6966056	6/26/2012	2:08:10 PM	BH01	Dark Brown	Silt	Dry	Pronounced Slope	60	B	Black Spruce	Thin Moss Cover	Good	Rocky	

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1269023	BET	7	618596	6966010	6/26/2012	2:18:14 PM	BH01	Dark Brown	Clay	Dry	Pronounced Slope	80	B	Black Spruce	Thin Moss Cover	Good		
1269024	BET	7	618596	6965961	6/26/2012	2:27:19 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss > 30cm	Good	Rocky	Small Sample
1269025	BET	7	618596	6965905	6/26/2012	2:36:03 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Black Spruce	Leaf Cover	Good	Rocky	Rocky Sample
1269026	BET	7	618596	6965905	6/26/2012	2:43:34 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Black Spruce	Leaf Cover	Good	Rocky	Rocky Sample
1269027	BET	7	618592	6965859	6/26/2012	2:53:26 PM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	40	B	Black Spruce	Leaf Cover	Good	Rocky	Rocky Sample
1283517	BET	7	629397	6966907	6/26/2012	10:01:30 AM	CK01											
1283518	BET	7	629397	6966851	6/26/2012	10:24:05 AM	CK01											
1283534	BET	7	629397	6966801	6/26/2012	10:35:34 AM	CK01											
1283535	BET	7	629397	6966750	6/26/2012	10:49:02 AM	CK01											
1283536	BET	7	629397	6966700	6/26/2012	11:01:00 AM	CK01											
1283537	BET	7	629397	6966650	6/26/2012	11:12:23 AM	CK01											
1283538	BET	7	629397	6966601	6/26/2012	11:24:01 AM	CK01											
1283539	BET	7	629397	6966550	6/26/2012	11:35:14 AM	CK01											
1283540	BET	7	629397	6966500	6/26/2012	11:48:15 AM	CK01											
1283541	BET	7	629397	6966449	6/26/2012	12:03:35 PM	CK01											
1283542	BET	7	629397	6966401	6/26/2012	12:27:05 PM	CK01											
1283543	BET	7	629397	6966351	6/26/2012	12:38:28 PM	CK01											
1283544	BET	7	629397	6966301	6/26/2012	12:50:43 PM	CK01											
1283545	BET	7	629397	6966250	6/26/2012	1:12:47 PM	CK01											
1283546	BET	7	629397	6966200	6/26/2012	1:26:01 PM	CK01											
1283547	BET	7	629397	6966150	6/26/2012	1:41:18 PM	CK01											
1283548	BET	7	629397	6966100	6/26/2012	1:53:25 PM	CK01											
1283549	BET	7	629396	6966057	6/26/2012	2:05:14 PM	CK01											
1283550	BET	7	629397	6966007	6/26/2012	2:15:56 PM	CK01											
1292402	BET	7	629397	6965957	6/26/2012	2:32:36 PM	CK01											
1292403	BET	7	629397	6965908	6/26/2012	2:43:33 PM	CK01											
1292404	BET	7	629397	6965858	6/26/2012	3:01:54 PM	CK01											
1292405	BET	7	629397	6965807	6/26/2012	3:15:37 PM	CK01											
1292406	BET	7	629397	6965757	6/26/2012	3:28:57 PM	CK01											
1292407	BET	7	629397	6965707	6/26/2012	3:38:55 PM	CK01											
1292408	BET	7	629397	6965657	6/26/2012	3:49:37 PM	CK01											
1292409	BET	7	629397	6965607	6/26/2012	4:04:05 PM	CK01											
1292410	BET	7	629397	6965558	6/26/2012	4:16:51 PM	CK01											
1292411	BET	7	629397	6965507	6/26/2012	4:36:45 PM	CK01											
1292412	BET	7	629397	6965457	6/26/2012	4:45:25 PM	CK01											
1268865	BET	7	618797	6967358	6/26/2012	9:01:55 AM	FP01	Chocolate Brown	Sand	Wet	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Good	Quartz Chips	Rusty Rock Chip
1268866	BET	7	618796	6967307	6/26/2012	9:19:36 AM	FP01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Poor	Coarse	Rusty Rock Chip
1268867	BET	7	618796	6967257	6/26/2012	9:32:09 AM	FP01	Dark Grey Black	Sand	Wet	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Poor	Frozen	Rusty Rock Chip
1268868	BET	7	618796	6967208	6/26/2012	9:45:01 AM	FP01	Chocolate Brown	Sand	Wet	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rusty Rock Chip	Partially Frozen
1268869	BET	7	618797	6967158	6/26/2012	9:58:20 AM	FP01	Dark Brown	Sand	Damp	Subtle Slope	30	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	Rusty Rock Chip
1268870	BET	7	618797	6967107	6/26/2012	10:08:49 AM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	Rusty Rock Chip
1268871	BET	7	618797	6967057	6/26/2012	10:18:43 AM	FP01	Chocolate Brown	Sand	Wet	Subtle Slope	60	B	Black Spruce	Reindeer Moss	Good	Rusty Rock Chip	Mud
1268872	BET	7	618797	6967007	6/26/2012	10:29:28 AM	FP01	Reddish Yellow	Sand	Dry	Flat	50	C	Dwarf Birch	Reindeer Moss	Excellent	Coarse	Rusty Rock Chip
1268873	BET	7	618797	6966957	6/26/2012	10:44:46 AM	FP01	Chocolate Brown	Sand	Dry	Flat	50	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1268874	BET	7	618797	6966907	6/26/2012	10:54:54 AM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	50	B	Willows	Reindeer Moss	Good	Rocky	Rusty Rock Chip
1268875	BET	7	618796	6966857	6/26/2012	11:06:47 AM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Quartz Chips
1268876	BET	7	618796	6966857	6/26/2012	11:13:41 AM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	60	B	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Quartz Chips
1268877	BET	7	618796	6966807	6/26/2012	11:24:17 AM	FP01	Dark Brown	Sand	Damp	Subtle Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Good	Rusty Rock Chip	Rocky Terrain
1268878	BET	7	618797	6966757	6/26/2012	11:34:51 AM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	70	B	White Spruce	Reindeer Moss	Excellent	Fine	
1268879	BET	7	618797	6966707	6/26/2012	11:45:40 AM	FP01	Dark Brown	Sand	Damp	Subtle Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Rusty Rock Chip
1268880	BET	7	618797	6966657	6/26/2012	11:58:15 AM	FP01	Dark Brown	Sand	Wet	Subtle Slope	50	B	Willows	Sphagnum Moss < 30cm	Good	Rusty Rock Chip	Partially Frozen
1268881	BET	7	618797	6966606	6/26/2012	12:13:30 PM	FP01	Dark Brown	Sand	Wet	Subtle Slope	50	B	White Spruce	Sphagnum Moss < 30cm	Good	Frozen	Rusty Rock Chip
1268882	BET	7	618798	6966558	6/26/2012	12:39:25 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	70	B	Birch Forest	Leaf Cover	Good	Coarse	Rocky
1268883	BET	7	618798	6966507	6/26/2012	12:51:21 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	60	B	Birch Forest	Leaf Cover	Good	Rocky	Rusty Rock Chip
1268884	BET	7	618798	6966458	6/26/2012	1:03:39 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	70	B	White Spruce	Leaf Cover	Good	Coarse	Quartz Chips
1268885	BET	7	618797	6966408	6/26/2012	1:12:32 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	50	B	Birch Forest	Leaf Cover	Good	Rusty Rock Chip	Quartz Chips
1268886	BET	7	618796	6966358	6/26/2012	1:22:03 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	40	B	Poplar	Leaf Cover	Good	Quartz Chips	Rocky Terrain
1268887	BET	7	618797	6966308	6/26/2012	1:33:38 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	70	C	Poplar	Leaf Cover	Good	Coarse	Quartz Chips
1268888	BET	7	618797	6966258	6/26/2012	1:42:35 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	50	B	Poplar	Leaf Cover	Good	Rocky	Rocky Terrain
1268889	BET	7	618797	6966208	6/26/2012	2:04:42 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	40	B	Poplar	Leaf Cover	Good	Rocky	
1268890	BET	7	618797	6966158	6/26/2012	2:17:42 PM	FP01	Reddish Brown	Sand	Dry	Subtle Slope	40	B	Poplar	Leaf Cover	Good	Coarse	Rocky
1268891	BET	7	618797	6966107	6/26/2012	2:27:31 PM	FP01	Reddish Yellow	Gravel	Damp	Subtle Slope	50	C	Poplar	Leaf Cover	Good	Coarse	Quartz Chips
1268892	BET	7	618797	6966057	6/26/2012	2:37:42 PM	FP01	Reddish Yellow	Sand	Damp	Subtle Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	Quartz Chips
1268893	BET	7	618797	6966007	6/26/2012	2:47:58 PM	FP01	Dark Brown	Sand	Dry	Subtle Slope	40	B	Poplar	Leaf Cover	Good	Rocky	Rocky Terrain
1268894	BET	7	618797	6965958	6/26/2012	3:00:27 PM	FP01	Dark Brown	Clay	Damp	Subtle Slope	90	B	Poplar	Leaf Cover	Good	Coarse	Rusty Rock Chip
1268895	BET	7	618797	6965907	6/26/2012	3:15:56 PM	FP01	Chocolate Brown	Clay	Damp	Subtle Slope	90	C	White Spruce	Leaf Cover	Good	Coarse	Quartz Chips
1268896	BET	7	618797	6965858	6/26/2012	3:27:14 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	50	B	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Quartz Chips
1269995	BET	7	625498	6965905	6/26/2012	9:44:18 AM	IG01	Chocolate Brown	Gravel	Damp	Pronounced Slope	50	B	Alders	Sphagnum Moss < 30cm	Good		
1269996	BET	7	625497	6965855	6/26/2012	10:10:18 AM	IG01	Chocolate Brown	Gravel	Dry	Subtle Slope	60	C	Alders	Sphagnum Moss < 30cm	Excellent		
1269997	BET	7	625498	6965805	6/26/2012	10:31:21 AM	IG01	Chocolate Brown	Gravel	Wet	Subtle Slope	50	B	White Spruce	Sphagnum Moss < 30cm	Poor	Mud	
1269998	BET	7	625497	6965756	6/26/2012	10:51:09 AM	IG01	Reddish Brown	Gravel	Damp	Pronounced Slope	50	B	White Spruce	Sphagnum Moss < 30cm	Good	Small Sample	Rocky
1269999	BET	7	625497	6965704	6/26/2012	11:07:34 AM	IG01	Reddish Brown	Gravel	Dry	Flat	50	C	White Spruce	Thin Moss Cover	Good		
1270000	BET	7	625498	6965656	6/26/2012	11:25:13 AM	IG01	Chocolate Brown	Gravel	Dry	Subtle Slope	50	C	Poplar	Leaf Cover	Good	Rocky	
1290102	BET	7	625498	6965605	6/26/2012	11:42:33 AM	IG01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent		
1290103	BET	7	625497	6965554	6/26/2012	12:09:03 PM	IG01	Reddish Brown	Gravel	Dry	Pronounced Slope	50	B	Poplar	Bare Soil	Good	Small Sample	Rocky Sample
1290104	BET	7	625498	6965504	6/26/2012	12:28:41 PM	IG01	Chocolate Brown	Gravel	Dry	Pronounced Slope	50	C	Poplar	Bare Soil	Good	Small Sample	
1290105	BET	7	625497	6965455	6/26/2012	12:50:28 PM	IG01	Chocolate Brown	Gravel	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent		
1290106	BET	7	625497	6965404	6/26/2012	1:17:39 PM	IG01	Reddish Brown	Gravel	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent		
1290107	BET	7	625498	6965355	6/26/2012	1:33:43 PM	IG01	Chocolate Brown	Gravel	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Rocky	
1290108	BET	7	625498	6965304	6/26/2012	1:51:50 PM	IG01	Reddish Brown	Silt	Dry	Subtle Slope	100	C	Poplar	Leaf Cover	Excellent		
1290109	BET	7	625498	6965254	6/26/2012	2:11:35 PM	IG01	Chocolate Brown	Gravel	Dry	Subtle Slope	60	C	Poplar	Leaf Cover	Excellent		
1290110	BET	7	625497	6965204	6/26/2012	2:27:11 PM	IG01	Chocolate Brown	Gravel	Dry	Pronounced Slope	100	C	Poplar	Leaf Cover	Excellent	Rocky	
1290111	BET	7	625498	6965158	6/26/2012	2:46:14 PM	IG01	Reddish Yellow	Clay	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Good		
1290112	BET	7	625497	6965108	6/26/2012	3:08:57 PM	IG01	Chocolate Brown	Gravel	Dry	Subtle Slope	50	C	Poplar	Leaf Cover	Excellent	Rocky	

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1290113	BET	7	625496	6965057	6/26/2012	3:31:05 PM	IG01	Chocolate Brown	Gravel	Dry	Subtle Slope	40	B	Poplar	Leaf Cover	Good	Rocky	Small Sample
1290114	BET	7	625496	6965008	6/26/2012	3:53:12 PM	IG01	Chocolate Brown	Gravel	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Rocky	Rocky Sample
1290115	BET	7	625495	6964957	6/26/2012	4:09:56 PM	IG01	Chocolate Brown	Clay	Damp	Subtle Slope	90	C	White Spruce	Leaf Cover	Good		
1290116	BET	7	625529	6964907	6/26/2012	4:28:56 PM	IG01	Chocolate Brown	Silt	Dry	Subtle Slope	80	C	Poplar	Leaf Cover	Good		
1290117	BET	7	625474	6964857	6/26/2012	4:46:25 PM	IG01	Dark Brown	Silt	Dry	Subtle Slope	70	B	White Spruce	Sphagnum Moss < 30cm	Good		
1290118	BET	7	625496	6964805	6/26/2012	5:01:10 PM	IG01	Chocolate Brown	Gravel	Dry	Subtle Slope	50	B	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	Small Sample
1290119	BET	7	625497	6964757	6/26/2012	5:10:49 PM	IG01	Reddish Yellow	Gravel	Dry	Subtle Slope	70	C	White Spruce	Thin Moss Cover	Excellent	Rocky	
1290120	BET	7	625497	6964708	6/26/2012	5:24:05 PM	IG01	Reddish Yellow	Sand	Dry	Subtle Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Poor	Small Sample	
1284852	BET	7	625397	6965907	6/26/2012	9:21:43 AM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Partially Frozen
1284853	BET	7	625397	6965856	6/26/2012	9:33:25 AM	JM01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Partially Frozen
1284854	BET	7	625396	6965806	6/26/2012	9:41:56 AM	JM01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Quartz Chips	Rocky
1284855	BET	7	625397	6965756	6/26/2012	10:07:26 AM	JM01	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Quartz Chips	Coarse
1284856	BET	7	625397	6965706	6/26/2012	10:23:02 AM	JM01	Chocolate Brown	Sand	Dry	Subtle Slope	30	C	Poplar	Bare Soil	Excellent	Fine	
1284857	BET	7	625397	6965656	6/26/2012	10:35:52 AM	JM01	Light Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Grass Cover	Excellent	Quartz Chips	
1284858	BET	7	625397	6965604	6/26/2012	10:45:57 AM	JM01	Chocolate Brown	Clay	Dry	Pronounced Slope	40	C	Poplar	Grass Cover	Excellent	Rocky	Quartz Chips
1284859	BET	7	625397	6965556	6/26/2012	10:57:02 AM	JM01	Chocolate Brown	Clay	Dry	Pronounced Slope	40	C	Poplar	Grass Cover	Excellent	Fine	Quartz Chips
1284860	BET	7	625396	6965506	6/26/2012	11:09:17 AM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	80	C	Poplar	Bare Soil	Excellent	Fine	Quartz Chips
1284861	BET	7	625397	6965454	6/26/2012	11:25:29 AM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Quartz Chips	
1284862	BET	7	625397	6965405	6/26/2012	11:38:37 AM	JM01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent	Quartz Chips	
1284863	BET	7	625397	6965355	6/26/2012	11:48:56 AM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	90	C	Poplar	Grass Cover	Excellent	Quartz Chips	Bright Orange Rust
1284864	BET	7	625396	6965305	6/26/2012	12:00:25 PM	JM01	Light Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent	Quartz Chips	
1284865	BET	7	625397	6965254	6/26/2012	12:11:29 PM	JM01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent	Quartz Chips	
1284866	BET	7	625397	6965205	6/26/2012	12:24:12 PM	JM01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Rocky	
1284867	BET	7	625374	6965136	6/26/2012	12:34:56 PM	JM01	Chocolate Brown	Gravel	Damp	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Quartz Chips	Possible Creek Contamination
1284868	BET	7	625397	6965105	6/26/2012	12:46:29 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Quartz Chips
1284869	BET	7	625397	6965055	6/26/2012	1:03:41 PM	JM01	Chocolate Brown	Gravel	Dry	Pronounced Slope	40	B	White Spruce	Thin Moss Cover	Good	Rocky Sample	Rocky
1284870	BET	7	625397	6965005	6/26/2012	1:17:30 PM	JM01	Dark Brown	Gravel	Dry	Pronounced Slope	70	C	White Spruce	Thin Moss Cover	Excellent	Quartz Chips	Rocky
1284871	BET	7	625397	6964955	6/26/2012	1:43:13 PM	JM01	Chocolate Brown	Gravel	Dry	Pronounced Slope	40	C	Poplar	Leaf Cover	Excellent	Coarse	
1284872	BET	7	625397	6964907	6/26/2012	1:55:09 PM	JM01	Dark Brown	Sand	Damp	Pronounced Slope	90	C	Poplar	Leaf Cover	Excellent	Quartz Chips	
1284873	BET	7	625397	6964857	6/26/2012	2:08:04 PM	JM01	Chocolate Brown	Gravel	Dry	Pronounced Slope	40	C	Poplar	Grass Cover	Excellent	Quartz Chips	
1284874	BET	7	625397	6964806	6/26/2012	2:18:31 PM	JM01	Chocolate Brown	Gravel	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Excellent	Quartz Chips	Fine
1284875	BET	7	625397	6964757	6/26/2012	2:26:05 PM	JM01	Chocolate Brown	Clay	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Excellent	Coarse	Quartz Chips
1284876	BET	7	625402	6964757	6/26/2012	2:32:31 PM	JM01	Chocolate Brown	Clay	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Excellent	Coarse	Quartz Chips
1284877	BET	7	625398	6964707	6/26/2012	2:48:07 PM	JM01	Chocolate Brown	Clay	Dry	Pronounced Slope	40	C	Poplar	Grass Cover	Excellent	Fine	Rocky
1284878	BET	7	625397	6964657	6/26/2012	3:02:15 PM	JM01	Dark Grey Black	Clay	Damp	Flat	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1284879	BET	7	625397	6964507	6/26/2012	3:28:29 PM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	50	B	Dwarf Birch	Sphagnum Moss > 30cm	Poor	Frozen	Mud
1290695	BET	7	629691	6966905	6/26/2012	9:51:43 AM	JS01											
1290696	BET	7	629697	6966857	6/26/2012	10:13:48 AM	JS01											
1290697	BET	7	629697	6966806	6/26/2012	10:27:31 AM	JS01											
1290698	BET	7	629696	6966755	6/26/2012	10:46:20 AM	JS01											
1290699	BET	7	629696	6966707	6/26/2012	10:58:05 AM	JS01											
1290700	BET	7	629697	6966656	6/26/2012	11:09:13 AM	JS01											
1291102	BET	7	629696	6966605	6/26/2012	11:23:06 AM	JS01											
1291103	BET	7	629697	6966557	6/26/2012	11:36:22 AM	JS01											
1291104	BET	7	629695	6966506	6/26/2012	11:46:18 AM	JS01											
1291105	BET	7	629697	6966454	6/26/2012	11:59:17 AM	JS01											
1291106	BET	7	629696	6966406	6/26/2012	12:29:11 PM	JS01											
1291107	BET	7	629697	6966356	6/26/2012	12:39:28 PM	JS01											
1291108	BET	7	629696	6966306	6/26/2012	12:51:34 PM	JS01											
1291109	BET	7	629697	6966257	6/26/2012	1:03:04 PM	JS01											
1291110	BET	7	629696	6966207	6/26/2012	1:20:36 PM	JS01											
1291111	BET	7	629697	6966156	6/26/2012	1:31:15 PM	JS01											
1291112	BET	7	629697	6966108	6/26/2012	1:46:49 PM	JS01											
1291113	BET	7	629696	6966059	6/26/2012	1:58:17 PM	JS01											
1291114	BET	7	629697	6966007	6/26/2012	2:08:44 PM	JS01											
1291115	BET	7	629697	6965958	6/26/2012	2:32:00 PM	JS01											
1291116	BET	7	629697	6965907	6/26/2012	2:44:14 PM	JS01											
1291117	BET	7	629695	6965859	6/26/2012	2:55:43 PM	JS01											
1291118	BET	7	629696	6965805	6/26/2012	3:11:13 PM	JS01											
1291119	BET	7	629698	6965757	6/26/2012	3:20:59 PM	JS01											
1291120	BET	7	629698	6965706	6/26/2012	3:30:27 PM	JS01											
1291121	BET	7	629697	6965656	6/26/2012	3:41:45 PM	JS01											
1291122	BET	7	629697	6965607	6/26/2012	3:53:43 PM	JS01											
1291123	BET	7	629697	6965557	6/26/2012	4:04:52 PM	JS01											
1291124	BET	7	629695	6965507	6/26/2012	4:16:33 PM	JS01											
1291127	BET	7	629697	6965457	6/26/2012	4:25:15 PM	JS01											
1291128	BET	7	629695	6965407	6/26/2012	4:36:16 PM	JS01											
1283565	BET	7	625297	6965908	6/26/2012	9:27:12 AM	KH01	Light Brown	Sand	Wet	Pronounced Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Rocky
1283566	BET	7	625297	6965858	6/26/2012	9:43:31 AM	KH01	Chocolate Brown	Sand	Wet	Pronounced Slope	70	C	Poplar	Sphagnum Moss < 30cm	Good	Mud	Rocky
1283567	BET	7	625298	6965808	6/26/2012	9:59:43 AM	KH01	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Poplar	Sphagnum Moss < 30cm	Good	Rocky	
1283568	BET	7	625297	6965758	6/26/2012	10:14:13 AM	KH01	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	Mud
1283569	BET	7	625297	6965708	6/26/2012	10:24:15 AM	KH01	Reddish Brown	Sand	Dry	Subtle Slope	80	C	Poplar	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Rocky
1283570	BET	7	625297	6965658	6/26/2012	10:25:52 AM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1283571	BET	7	625297	6965607	6/26/2012	11:00:21 AM	KH01	Reddish Orange	Sand	Dry	Pronounced Slope	90	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Rocky
1283572	BET	7	625297	6965557	6/26/2012	11:19:38 AM	KH01	Reddish Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1283573	BET	7	625297	6965508	6/26/2012	11:37:15 AM	KH01	Chocolate Brown	Sand	Dry	Steep	70	C	Poplar	Leaf Cover	Excellent	Coarse	Dull Red Rust
1283574	BET	7	625297	6965457	6/26/2012	11:51:56 AM	KH01	Reddish Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Fine	
1283575	BET	7	625297	6965407	6/26/2012	12:21:22 PM	KH01	Reddish Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Fine	Rocky
1284727	BET	7	625297	6965357	6/26/2012	12:41:54 PM	KH01	Reddish Brown	Sand	Dry	Steep	70	C	Poplar	Leaf Cover	Excellent	Fine	Rocky
1284726	BET	7	625297	6965357	6/26/2012	12:55:40 PM	KH01	Reddish Brown	Sand	Dry	Steep	70	C	Poplar	Leaf Cover	Excellent	Fine	Rocky
1284728	BET	7	625297	6965307	6/26/2012	1:04:55 PM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Fine	
1284729	BET	7	625297	6965256	6/26/2012	1:17:16 PM	KH01	Reddish Brown	Sand	Dry	Steep	90	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	
1284730	BET	7	625296	6965209	6/26/2012	1:30:42 PM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Dull Red Rust	
1284731	BET	7	625297	6965157	6/26/2012	1:48:10 PM	KH01	Reddish Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Fine	

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1284732	BET	7	625297	6965108	6/26/2012	2:10:33 PM	KH01	Reddish Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1284733	BET	7	625298	6965057	6/26/2012	2:23:05 PM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Frozen	Coarse
1284734	BET	7	625297	6965007	6/26/2012	2:35:50 PM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Sphagnum Moss < 30cm	Excellent	Fine	
1284735	BET	7	625297	6964957	6/26/2012	2:51:27 PM	KH01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Fine	
1284736	BET	7	625297	6964906	6/26/2012	3:11:40 PM	KH01	Reddish Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Fine	Rocky
1284737	BET	7	625297	6964856	6/26/2012	3:29:07 PM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Fine	Rocky
1284738	BET	7	625297	6964806	6/26/2012	3:42:01 PM	KH01	Reddish Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Good	Fine	Rocky
1284739	BET	7	625297	6964756	6/26/2012	3:57:21 PM	KH01	Reddish Brown	Sand	Dry	Steep	80	C	Poplar	Grass Cover	Excellent	Fine	Rocky
1284740	BET	7	625297	6964707	6/26/2012	4:11:24 PM	KH01	Dark Brown	Silt	Dry	Flat	80	B	White Spruce	Sphagnum Moss < 30cm	Poor	Loess	Organic 10%
1284741	BET	7	625296	6964658	6/26/2012	4:13:08 PM	KH01	Dark Brown	Sand	Damp	Flat	60	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Frozen
1284742	BET	7	625297	6964608	6/26/2012	4:47:12 PM	KH01	Dark Brown	Sand	Damp	Flat	60	C	White Spruce	Leaf Cover	Good	Frozen	Possible Creek Contamination
1291209	BET	7	629797	6966908	6/26/2012	9:36:04 AM	MT01											
1291210	BET	7	629796	6966858	6/26/2012	9:52:14 AM	MT01											
1291211	BET	7	629798	6966808	6/26/2012	10:03:57 AM	MT01											
1291212	BET	7	629798	6966758	6/26/2012	10:13:05 AM	MT01											
1291213	BET	7	629798	6966708	6/26/2012	10:23:22 AM	MT01											
1291214	BET	7	629797	6966659	6/26/2012	10:34:06 AM	MT01											
1291215	BET	7	629798	6966609	6/26/2012	10:45:02 AM	MT01											
1291216	BET	7	629797	6966558	6/26/2012	10:53:41 AM	MT01											
1291217	BET	7	629797	6966508	6/26/2012	11:02:27 AM	MT01											
1291218	BET	7	629800	6966459	6/26/2012	11:16:23 AM	MT01											
1291219	BET	7	629799	6966408	6/26/2012	11:34:56 AM	MT01											
1291220	BET	7	629799	6966358	6/26/2012	11:45:29 AM	MT01											
1291225	BET	7	629797	6966308	6/26/2012	11:55:05 AM	MT01											
1291221	BET	7	629797	6966257	6/26/2012	12:13:09 PM	MT01											
1291226	BET	7	629804	6966298	6/26/2012	12:15:47 PM	MT01											
1291222	BET	7	629798	6966160	6/26/2012	12:40:14 PM	MT01											
1291223	BET	7	629797	6966110	6/26/2012	12:57:05 PM	MT01											
1291224	BET	7	629797	6966058	6/26/2012	1:13:09 PM	MT01											
1291227	BET	7	629796	6966009	6/26/2012	1:24:01 PM	MT01											
1291228	BET	7	629796	6965958	6/26/2012	1:39:07 PM	MT01											
1291229	BET	7	629797	6965908	6/26/2012	1:55:24 PM	MT01											
1291230	BET	7	629795	6965858	6/26/2012	2:11:08 PM	MT01											
1291231	BET	7	629797	6965808	6/26/2012	2:37:09 PM	MT01											
1291232	BET	7	629796	6965758	6/26/2012	2:53:53 PM	MT01											
1291233	BET	7	629796	6965707	6/26/2012	3:05:59 PM	MT01											
1291234	BET	7	629798	6965658	6/26/2012	3:15:54 PM	MT01											
1291235	BET	7	629796	6965608	6/26/2012	3:26:06 PM	MT01											
1291236	BET	7	629797	6965558	6/26/2012	3:36:06 PM	MT01											
1291237	BET	7	629797	6965509	6/26/2012	3:47:20 PM	MT01											
1291238	BET	7	629797	6965460	6/26/2012	3:59:04 PM	MT01											
1291239	BET	7	629796	6965408	6/26/2012	4:10:10 PM	MT01											
1283299	BET	7	625197	6965907	6/26/2012	9:12:36 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1283300	BET	7	625197	6965859	6/26/2012	9:22:50 AM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	40	C	Black Spruce	Reindeer Moss	Good	Coarse	Rocky
1284552	BET	7	625197	6965809	6/26/2012	9:31:32 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Willows	Reindeer Moss	Good	Coarse	Rocky
1284553	BET	7	625196	6965760	6/26/2012	9:40:40 AM	RL02	Reddish Brown	Sand	Damp	Subtle Slope	50	C	Willows	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1284554	BET	7	625196	6965709	6/26/2012	9:50:20 AM	RL02	Reddish Yellow	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Quartz Chips
1284555	BET	7	625197	6965659	6/26/2012	9:59:23 AM	RL02	Chocolate Brown	Sand	Dry	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1284556	BET	7	625197	6965609	6/26/2012	10:18:24 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1284557	BET	7	625197	6965560	6/26/2012	10:29:39 AM	RL02	Reddish Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1284558	BET	7	625197	6965509	6/26/2012	10:41:54 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1284559	BET	7	625196	6965459	6/26/2012	10:53:08 AM	RL02	Reddish Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1284560	BET	7	625197	6965409	6/26/2012	11:10:15 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	100	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Quartz Chips
1284561	BET	7	625196	6965359	6/26/2012	11:28:39 AM	RL02	Reddish Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Quartz Chips
1284562	BET	7	625197	6965308	6/26/2012	11:38:31 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1284563	BET	7	625197	6965258	6/26/2012	11:48:44 AM	RL02	Reddish Yellow	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Excellent	Rocky	Quartz Chips
1284564	BET	7	625196	6965208	6/26/2012	11:59:26 AM	RL02	Reddish Yellow	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Quartz Chips
1284565	BET	7	625197	6965158	6/26/2012	12:09:03 PM	RL02	Reddish Yellow	Sand	Damp	Subtle Slope	60	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Quartz Chips
1284566	BET	7	625198	6965107	6/26/2012	12:19:58 PM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Dull Red Rust
1284567	BET	7	625198	6965059	6/26/2012	12:31:22 PM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Quartz Chips
1284568	BET	7	625196	6965008	6/26/2012	1:03:50 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Quartz Chips
1284569	BET	7	625197	6964958	6/26/2012	1:15:39 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Quartz Chips
1284570	BET	7	625197	6964908	6/26/2012	1:27:41 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	
1284571	BET	7	625197	6964858	6/26/2012	1:46:22 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Quartz Chips	Rocky
1284572	BET	7	625196	6964808	6/26/2012	1:59:26 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Rocky	
1284575	BET	7	625197	6964758	6/26/2012	2:13:31 PM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	40	C	Poplar	Leaf Cover	Good	Bright Orange Rust	Rocky
1284576	BET	7	625197	6964758	6/26/2012	2:18:27 PM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	40	C	Poplar	Leaf Cover	Good	Bright Orange Rust	Rocky
1284573	BET	7	625197	6964708	6/26/2012	2:26:42 PM	RL02	Dark Brown	Sand	Damp	Flat	50	B	White Spruce	Sphagnum Moss > 30cm	Poor	Partially Frozen	
1284574	BET	7	625197	6964658	6/26/2012	2:39:47 PM	RL02	Chocolate Brown	Sand	Damp	Flat	60	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Possible Creek Contamination
1284577	BET	7	625196	6964607	6/26/2012	3:05:05 PM	RL02	Dark Brown	Sand	Damp	Subtle Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	Bright Orange Rust
1284578	BET	7	625196	6964558	6/26/2012	3:25:06 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss > 30cm	Good	Bright Orange Rust	Partially Frozen
1284760	BET	7	625097	6965908	6/26/2012	9:20:15 AM	RM01	Grey	Clay	Wet	Pronounced Slope	30	B	Alders	Sphagnum Moss > 30cm	Poor	Frozen	
1284761	BET	7	625097	6965808	6/26/2012	10:00:33 AM	RM01	Chocolate Brown	Clay	Wet	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	
1284762	BET	7	625097	6965758	6/26/2012	10:15:00 AM	RM01	Chocolate Brown	Silt	Damp	Flat	50	C	Black Spruce	Reindeer Moss	Good	Coarse	
1284763	BET	7	625097	6965707	6/26/2012	10:32:21 AM	RM01	Chocolate Brown	Gravel	Damp	Flat	100	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	
1284764	BET	7	625096	6965659	6/26/2012	10:57:07 AM	RM01	Chocolate Brown	Silt	Damp	Subtle Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1284765	BET	7	625097	6965608	6/26/2012	11:11:45 AM	RM01	Dark Brown	Sand	Wet	Steep	50	B	Poplar	Leaf Cover	Good	Rocky	
1284766	BET	7	625098	6965558	6/26/2012	11:26:06 AM	RM01	Chocolate Brown	Gravel	Dry	Steep	50	B	Poplar	Leaf Cover	Good	Rocky	
1284767	BET	7	625097	6965507	6/26/2012	11:44:26 AM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Coarse	
1284768	BET	7	625098	6965456	6/26/2012	12:01:38 PM	RM01	Dark Brown	Clay	Damp	Steep	80	C	Poplar	Leaf Cover	Good	Coarse	
1284769	BET	7	625098	6965407	6/26/2012	12:21:48 PM	RM01	Chocolate Brown	Sand	Dry	Steep	40	B	Poplar	Leaf Cover	Poor	Coarse	
1284770	BET	7	625097	6965357	6/26/2012	12:40:30 PM	RM01	Chocolate Brown	Sand	Dry	Steep	60	C	Poplar	Leaf Cover	Good	Coarse	
1284771	BET	7	625096	6965307	6/26/2012	12:58:33 PM	RM01	Chocolate Brown	Sand	Damp	Steep	60	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1284772	BET	7	625097	6965257	6/26/2012	1:14:42 PM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Coarse	

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1284773	BET	7	625097	6965207	6/26/2012	1:34:21 PM	RM01	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Frozen
1284774	BET	7	625097	6965156	6/26/2012	1:59:26 PM	RM01	Chocolate Brown	Silt	Damp	Subtle Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	
1284775	BET	7	625097	6965109	6/26/2012	2:11:18 PM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	
1283677	BET	7	625097	6965058	6/26/2012	2:23:34 PM	RM01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Coarse	
1283678	BET	7	625097	6965009	6/26/2012	2:37:35 PM	RM01	Chocolate Brown	Silt	Dry	Steep	80	C	Poplar	Leaf Cover	Good	Fine	
1283679	BET	7	625098	6964958	6/26/2012	2:50:10 PM	RM01	Chocolate Brown	Silt	Dry	Steep	60	C	Poplar	Leaf Cover	Excellent	Fine	
1283680	BET	7	625096	6964909	6/26/2012	3:04:48 PM	RM01	Chocolate Brown	Sand	Damp	Steep	50	C	Poplar	Grass Cover	Good	Coarse	
1283681	BET	7	625097	6964858	6/26/2012	3:19:04 PM	RM01	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Poplar	Leaf Cover	Good	Fine	Organic 50%
1283682	BET	7	625097	6964809	6/26/2012	3:31:32 PM	RM01	Dark Brown	Silt	Damp	Pronounced Slope	80	B	Poplar	Grass Cover	Poor	Fine	
1283683	BET	7	625097	6964758	6/26/2012	3:44:20 PM	RM01	Dark Brown	Silt	Damp	Subtle Slope	60	C	Poplar	Sphagnum Moss < 30cm	Good	Fine	
1283684	BET	7	625096	6964707	6/26/2012	4:00:14 PM	RM01	Dark Brown	Silt	Damp	Flat	60	C	White Spruce	Sphagnum Moss < 30cm	Good	Fine	
1282876	BET	7	625097	6965707	6/26/2012	6:09:15 PM	RM01	Chocolate Brown	Gravel	Damp	Flat	60	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	
1292314	BET	7	629498	6966906	6/26/2012	9:43:07 AM	RR01											
1292315	BET	7	629498	6966857	6/26/2012	9:58:08 AM	RR01											
1292316	BET	7	629498	6966807	6/26/2012	10:08:10 AM	RR01											
1292317	BET	7	629498	6966757	6/26/2012	10:17:26 AM	RR01											
1292318	BET	7	629497	6966705	6/26/2012	10:24:55 AM	RR01											
1292319	BET	7	629498	6966657	6/26/2012	10:35:56 AM	RR01											
1292320	BET	7	629497	6966607	6/26/2012	10:48:02 AM	RR01											
1292325	BET	7	629498	6966557	6/26/2012	10:55:26 AM	RR01											
1292326	BET	7	629497	6966557	6/26/2012	10:58:48 AM	RR01											
1292321	BET	7	629498	6966506	6/26/2012	11:08:01 AM	RR01											
1292322	BET	7	629499	6966458	6/26/2012	11:16:58 AM	RR01											
1292323	BET	7	629497	6966406	6/26/2012	11:25:42 AM	RR01											
1292324	BET	7	629498	6966356	6/26/2012	11:38:00 AM	RR01											
1292327	BET	7	629498	6966306	6/26/2012	11:50:01 AM	RR01											
1292328	BET	7	629498	6966256	6/26/2012	12:02:40 PM	RR01											
1292329	BET	7	629496	6966206	6/26/2012	12:12:31 PM	RR01											
1292330	BET	7	629495	6966158	6/26/2012	12:27:33 PM	RR01											
1292331	BET	7	629497	6966108	6/26/2012	12:40:11 PM	RR01											
1292332	BET	7	629497	6966057	6/26/2012	12:48:23 PM	RR01											
1292333	BET	7	629496	6966007	6/26/2012	1:01:41 PM	RR01											
1292334	BET	7	629497	6965959	6/26/2012	1:12:51 PM	RR01											
1292335	BET	7	629496	6965908	6/26/2012	1:25:47 PM	RR01											
1292336	BET	7	629496	6965858	6/26/2012	1:36:42 PM	RR01											
1292337	BET	7	629496	6965809	6/26/2012	1:59:55 PM	RR01											
1292338	BET	7	629496	6965757	6/26/2012	2:09:24 PM	RR01											
1292339	BET	7	629496	6965707	6/26/2012	2:17:26 PM	RR01											
1292340	BET	7	629496	6965658	6/26/2012	2:26:51 PM	RR01											
1292341	BET	7	629497	6965608	6/26/2012	2:40:34 PM	RR01											
1292342	BET	7	629497	6965558	6/26/2012	2:52:53 PM	RR01											
1292343	BET	7	629497	6965505	6/26/2012	3:07:46 PM	RR01											
1292344	BET	7	629496	6965458	6/26/2012	3:30:46 PM	RR01											
1292345	BET	7	629496	6965408	6/26/2012	3:43:00 PM	RR01											
1268913	BET	7	618897	6967358	6/26/2012	8:56:35 AM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	Rocky
1268914	BET	7	618897	6967306	6/26/2012	9:16:59 AM	RR02	Chocolate Brown	Sand	Wet	Subtle Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	Quartz Chips
1268915	BET	7	618896	6967257	6/26/2012	9:29:05 AM	RR02	Dark Brown	Silt	Wet	Subtle Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	
1268916	BET	7	618897	6967208	6/26/2012	9:41:51 AM	RR02	Dark Brown	Silt	Wet	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	Partially Frozen
1268917	BET	7	618896	6967157	6/26/2012	9:53:34 AM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	Bright Orange Rust
1268918	BET	7	618897	6967107	6/26/2012	10:11:24 AM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	40	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Organic 25%	Frozen
1268919	BET	7	618897	6967057	6/26/2012	10:24:30 AM	RR02	Reddish Yellow	Silt	Wet	Subtle Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1268920	BET	7	618896	6967006	6/26/2012	10:40:43 AM	RR02	Reddish Brown	Sand	Damp	Subtle Slope	50	C	Dwarf Birch	Thin Moss Cover	Good	Fine	
1268921	BET	7	618897	6966957	6/26/2012	10:50:08 AM	RR02	Reddish Brown	Silt	Wet	Subtle Slope	50	B	Dwarf Birch	Thin Moss Cover	Good	Coarse	
1268922	BET	7	618896	6966906	6/26/2012	11:13:39 AM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	90	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	
1268923	BET	7	618897	6966857	6/26/2012	11:24:45 AM	RR02	Reddish Brown	Sand	Damp	Subtle Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Quartz Chips	Coarse
1268924	BET	7	618893	6966812	6/26/2012	11:36:51 AM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	White Spruce	Thin Moss Cover	Excellent	Coarse	
1268927	BET	7	618887	6966762	6/26/2012	12:13:28 PM	RR02	Dark Brown	Silt	Wet	Subtle Slope	50	B	White Spruce	Sphagnum Moss > 30cm	Poor	Partially Frozen	
1268928	BET	7	618895	6966706	6/26/2012	12:24:41 PM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	40	B	White Spruce	Sphagnum Moss > 30cm	Poor	Partially Frozen	
1268925	BET	7	618897	6966656	6/26/2012	12:37:07 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	60	B	White Spruce	Thin Moss Cover	Good	Coarse	Bright Orange Rust
1268926	BET	7	618897	6966656	6/26/2012	12:43:59 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	60	B	White Spruce	Thin Moss Cover	Good	Coarse	Bright Orange Rust
1268929	BET	7	618895	6966606	6/26/2012	12:54:25 PM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	50	B	White Spruce	Bare Soil	Good	Fine	
1268930	BET	7	618900	6966554	6/26/2012	1:08:54 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	40	B	White Spruce	Thin Moss Cover	Good	Fine	Rocky
1268931	BET	7	618898	6966509	6/26/2012	1:17:19 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Birch Forest	Leaf Cover	Good	Fine	
1268932	BET	7	618897	6966455	6/26/2012	1:28:21 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	White Spruce	Leaf Cover	Excellent	Coarse	
1268933	BET	7	618896	6966407	6/26/2012	1:37:24 PM	RR02	Reddish Yellow	Gravel	Damp	Subtle Slope	40	C	White Spruce	Leaf Cover	Excellent	Fine	Bright Orange Rust
1268934	BET	7	618897	6966359	6/26/2012	1:46:47 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	30	B	Birch Forest	Leaf Cover	Good	Coarse	Rocky
1268935	BET	7	618897	6966308	6/26/2012	1:56:11 PM	RR02	Light Brown	Sand	Damp	Subtle Slope	70	C	White Spruce	Thin Moss Cover	Good	Fine	
1268936	BET	7	618897	6966258	6/26/2012	2:06:59 PM	RR02	Reddish Brown	Silt	Damp	Pronounced Slope	30	B	Poplar	Leaf Cover	Poor	Coarse	Organic 10%
1268937	BET	7	618897	6966209	6/26/2012	2:22:33 PM	RR02	Reddish Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Fine	
1268938	BET	7	618896	6966157	6/26/2012	2:32:47 PM	RR02	Reddish Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Coarse	Small Sample
1268939	BET	7	618898	6966108	6/26/2012	2:40:40 PM	RR02	Reddish Brown	Silt	Damp	Subtle Slope	50	B	Poplar	Leaf Cover	Good	Coarse	Rocky
1268940	BET	7	618897	6966058	6/26/2012	2:52:09 PM	RR02	Reddish Yellow	Sand	Damp	Subtle Slope	90	C	Poplar	Leaf Cover	Excellent	Coarse	
1268941	BET	7	618898	6966008	6/26/2012	3:02:51 PM	RR02	Reddish Yellow	Sand	Damp	Pronounced Slope	60	C	White Spruce	Thin Moss Cover	Excellent	Coarse	
1268942	BET	7	618896	6965958	6/26/2012	3:11:11 PM	RR02	Reddish Yellow	Sand	Damp	Subtle Slope	50	C	Poplar	Leaf Cover	Excellent	Coarse	
1268943	BET	7	618896	6965908	6/26/2012	3:23:08 PM	RR02	Reddish Yellow	Silt	Damp	Subtle Slope	90	C	Poplar	Leaf Cover	Good	Coarse	
1268944	BET	7	618897	6965857	6/26/2012	3:33:15 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	90	B	White Spruce	Leaf Cover	Good	Fine	
1290567	BET	7	629597	6966907	6/26/2012	9:48:49 AM	SC01											
1290568	BET	7	629596	6966857	6/26/2012	10:02:05 AM	SC01											
1290569	BET	7	629597	6966807	6/26/2012	10:14:14 AM	SC01											
1290570	BET	7	629597	6966757	6/26/2012	10:24:06 AM	SC01											
1290571	BET	7	629596	6966707	6/26/2012	10:32:38 AM	SC01											
1290572	BET	7	629599	6966657	6/26/2012	10:44:43 AM	SC01											
1290573	BET	7	629598	6966608	6/26/2012	11:00:54 AM	SC01											
1290574	BET	7	629598	6966557	6/26/2012	11:11:47 AM	SC01											

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1290575	BET	7	629599	6966507	6/26/2012	11:23:02 AM	SC01											
1290576	BET	7	629598	6966508	6/26/2012	11:28:33 AM	SC01											
1290577	BET	7	629598	6966457	6/26/2012	11:40:23 AM	SC01											
1290578	BET	7	629598	6966407	6/26/2012	11:50:19 AM	SC01											
1290579	BET	7	629597	6966356	6/26/2012	12:00:25 PM	SC01											
1290580	BET	7	629597	6966306	6/26/2012	12:19:56 PM	SC01											
1290581	BET	7	629598	6966256	6/26/2012	12:31:28 PM	SC01											
1290582	BET	7	629600	6966205	6/26/2012	12:42:01 PM	SC01											
1290583	BET	7	629596	6966159	6/26/2012	1:01:03 PM	SC01											
1290584	BET	7	629596	6966108	6/26/2012	1:16:09 PM	SC01											
1290585	BET	7	629596	6966058	6/26/2012	1:28:35 PM	SC01											
1290586	BET	7	629598	6966008	6/26/2012	1:39:08 PM	SC01											
1290587	BET	7	629596	6965958	6/26/2012	1:57:00 PM	SC01											
1290588	BET	7	629597	6965908	6/26/2012	2:09:04 PM	SC01											
1290589	BET	7	629597	6965859	6/26/2012	2:24:00 PM	SC01											
1290590	BET	7	629597	6965807	6/26/2012	2:36:16 PM	SC01											
1290591	BET	7	629596	6965757	6/26/2012	2:46:13 PM	SC01											
1290592	BET	7	629598	6965708	6/26/2012	2:55:07 PM	SC01											
1290593	BET	7	629596	6965657	6/26/2012	3:10:37 PM	SC01											
1290594	BET	7	629596	6965608	6/26/2012	3:23:37 PM	SC01											
1290595	BET	7	629597	6965558	6/26/2012	3:32:35 PM	SC01											
1290596	BET	7	629597	6965508	6/26/2012	3:42:04 PM	SC01											
1290597	BET	7	629598	6965458	6/26/2012	3:51:20 PM	SC01											
1290598	BET	7	629597	6965407	6/26/2012	4:05:20 PM	SC01											
1290599	BET	7	629397	6965408	6/26/2012	4:41:46 PM	SC01											
1269105	BET	7	618696	6967356	6/26/2012	8:51:13 AM	SD02	Dark Brown	Sand	Damp	Subtle Slope		60 C	White Spruce	Bare Soil	Excellent	Bright Orange Rust	
1269106	BET	7	618697	6967306	6/26/2012	9:05:08 AM	SD02	Dark Grey Black	Sand	Damp	Pronounced Slope		50 C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Frozen
1269107	BET	7	618697	6967257	6/26/2012	9:15:06 AM	SD02	Dark Grey Black	Sand	Damp	Subtle Slope		60 C	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1269108	BET	7	618697	6967207	6/26/2012	9:26:48 AM	SD02	Grey	Sand	Damp	Subtle Slope		40 C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Coarse	Partially Frozen
1269109	BET	7	618698	6967157	6/26/2012	9:41:21 AM	SD02	Dark Brown	Sand	Damp	Subtle Slope		40 C	Black Spruce	Reindeer Moss	Excellent	Frozen	Bright Orange Rust
1269110	BET	7	618697	6967107	6/26/2012	10:01:44 AM	SD02	Dark Brown	Gravel	Damp	Subtle Slope		40 C	Willows	Sphagnum Moss < 30cm	Excellent	Rocky	Frozen
1269111	BET	7	618697	6967057	6/26/2012	10:13:57 AM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope		40 C	Dwarf Birch	Reindeer Moss	Excellent	Rocky	
1269112	BET	7	618696	6967006	6/26/2012	10:24:05 AM	SD02	Chocolate Brown	Sand	Damp	Subtle Slope		40 C	White Spruce	Sphagnum Moss < 30cm	Excellent	Rocky	Quartz Chips
1269113	BET	7	618704	6966955	6/26/2012	10:31:45 AM	SD02	Reddish Yellow	Gravel	Damp	Subtle Slope		50 C	White Spruce	Sphagnum Moss < 30cm	Excellent	Quartz Chips	
1269114	BET	7	618697	6966906	6/26/2012	10:41:59 AM	SD02	Dark Brown	Gravel	Damp	Subtle Slope		60 C	Alders	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	
1269115	BET	7	618697	6966856	6/26/2012	10:50:40 AM	SD02	Grey	Sand	Damp	Subtle Slope		70 C	Willows	Reindeer Moss	Excellent	Bright Orange Rust	
1269116	BET	7	618698	6966803	6/26/2012	11:01:42 AM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope		70 C	Willows	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Quartz Chips
1269117	BET	7	618699	6966756	6/26/2012	11:17:36 AM	SD02	Dark Grey Black	Gravel	Damp	Subtle Slope		90 C	Willows	Reindeer Moss	Excellent	Bright Orange Rust	Quartz Chips
1269118	BET	7	618698	6966706	6/26/2012	11:26:10 AM	SD02	Dark Brown	Gravel	Damp	Pronounced Slope		70 C	Alders	Reindeer Moss	Excellent	Rocky	
1269119	BET	7	618699	6966657	6/26/2012	11:35:02 AM	SD02	Dark Grey Black	Gravel	Damp	Pronounced Slope		60 C	Willows	Grass Cover	Excellent	Bright Orange Rust	
1269120	BET	7	618695	6966606	6/26/2012	11:43:26 AM	SD02	Dark Grey Black	Gravel	Damp	Subtle Slope		40 B	Willows	Leaf Cover	Good	Bright Orange Rust	Rocky
1269121	BET	7	618696	6966557	6/26/2012	12:03:09 PM	SD02	Grey	Gravel	Damp	Subtle Slope		60 C	Willows	Thin Moss Cover	Excellent	Rocky	
1269122	BET	7	618697	6966509	6/26/2012	6:20:16 PM	SD02	Dark Brown	Gravel	Damp	Subtle Slope		60 C	Birch Forest	Leaf Cover	Excellent	Rocky	
1269123	BET	7	618696	6966459	6/26/2012	6:22:49 PM	SD02	Light Brown	Gravel	Damp	Subtle Slope		80 C	Birch Forest	Leaf Cover	Excellent	Rocky	
1269124	BET	7	618696	6966410	6/26/2012	6:23:56 PM	SD02	Light Brown	Gravel	Damp	Subtle Slope		40 C	Birch Forest	Leaf Cover	Excellent	Rocky	
1269125	BET	7	618695	6966358	6/26/2012	6:24:58 PM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope		60 C	Birch Forest	Leaf Cover	Excellent	Bright Orange Rust	Rocky
1269126	BET	7	618695	6966358	6/26/2012	6:26:13 PM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope		40 C	Birch Forest	Leaf Cover	Excellent	Bright Orange Rust	Rocky
1269127	BET	7	618696	6966308	6/26/2012	6:26:46 PM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope		40 B	Birch Forest	Leaf Cover	Good	Rocky	
1269128	BET	7	618695	6966257	6/26/2012	6:27:50 PM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope		50 C	Poplar	Leaf Cover	Excellent	Quartz Chips	Rocky
1269129	BET	7	618697	6966207	6/26/2012	6:28:46 PM	SD02	Light Brown	Gravel	Damp	Subtle Slope		70 C	Poplar	Leaf Cover	Excellent	Rocky	Quartz Chips
1269130	BET	7	618696	6966158	6/26/2012	6:29:54 PM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope		80 B	White Spruce	Leaf Cover	Excellent	Rocky	Quartz Chips
1269131	BET	7	618696	6966107	6/26/2012	6:31:36 PM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope		40 C	White Spruce	Sphagnum Moss < 30cm	Excellent	Rocky	Quartz Chips
1269132	BET	7	618696	6966057	6/26/2012	6:33:02 PM	SD02	Light Brown	Gravel	Damp	Subtle Slope		40 C	Birch Forest	Leaf Cover	Excellent	Bright Orange Rust	Rocky
1269133	BET	7	618698	6966007	6/26/2012	6:34:02 PM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope		40 C	Birch Forest	Leaf Cover	Excellent	Rocky	
1269134	BET	7	618697	6965956	6/26/2012	6:34:53 PM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope		60 C	Birch Forest	Leaf Cover	Excellent	Dull Red Rust	Bright Orange Rust
1269135	BET	7	618696	6965905	6/26/2012	6:35:49 PM	SD02	Reddish Yellow	Sand	Damp	Subtle Slope		90 C	Poplar	Sphagnum Moss < 30cm	Excellent	Rocky	
1269136	BET	7	618696	6965857	6/26/2012	6:37:03 PM	SD02	Dark Grey Black	Gravel	Damp	Subtle Slope		90 C	Birch Forest	Leaf Cover	Excellent	Bright Orange Rust	
1269028	BET	7	620797	6962907	6/27/2012	9:21:09 AM	BH01	Dark Brown	Silt	Dry	Steep		100 B	Alders	Leaf Cover	Good		
1269029	BET	7	620793	6962956	6/27/2012	9:35:19 AM	BH01	Chocolate Brown	Silt	Dry	Steep		80 B	Alders	Bare Soil	Good		
1269030	BET	7	620794	6963005	6/27/2012	9:49:51 AM	BH01	Chocolate Brown	Silt	Dry	Steep		80 C	Alders	Leaf Cover	Good		
1269031	BET	7	620794	6963057	6/27/2012	10:02:01 AM	BH01	Chocolate Brown	Silt	Dry	Steep		50 B	Alders	Leaf Cover	Good	Rocky	
1269032	BET	7	620792	6963107	6/27/2012	10:12:52 AM	BH01	Chocolate Brown	Silt	Dry	Steep		70 B	Birch Forest	Leaf Cover	Good	Rocky	
1269033	BET	7	620796	6963151	6/27/2012	10:35:08 AM	BH01	Dark Brown	Silt	Wet	Pronounced Slope		60 B	Alders	Leaf Cover	Poor	Frozen	
1269034	BET	7	620798	6963199	6/27/2012	10:49:59 AM	BH01	Dark Brown	Silt	Dry	Pronounced Slope		40 B	Alders	Leaf Cover	Good	Rocky	Small Sample
1269035	BET	7	620795	6963252	6/27/2012	11:01:41 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope		40 B	Black Spruce	Leaf Cover	Good	Rocky	
1269036	BET	7	620795	6963313	6/27/2012	11:20:58 AM	BH01	Dark Brown	Silt	Dry	Pronounced Slope		60 B	Alders	Leaf Cover	Good	Rocky	
1269037	BET	7	620797	6963350	6/27/2012	11:35:58 AM	BH01	Chocolate Brown	Silt	Dry	Steep		70 B	Black Spruce	Grass Cover	Good	Rocky	
1269038	BET	7	620797	6963402	6/27/2012	11:53:18 AM	BH01	Chocolate Brown	Silt	Dry	Steep		60 B	Black Spruce	Leaf Cover	Good	Rocky	
1269039	BET	7	620798	6963451	6/27/2012	12:23:17 PM	BH01	Chocolate Brown	Silt	Dry	Steep		70 B	Alders	Leaf Cover	Good	Rocky	
1269040	BET	7	620799	6963502	6/27/2012	12:37:44 PM	BH01	Chocolate Brown	Silt	Dry	Steep		60 B	Alders	Leaf Cover	Good	Rocky	
1269041	BET	7	620797	6963553	6/27/2012	12:51:52 PM	BH01	Chocolate Brown	Silt	Dry	Steep		60 B	Alders	Leaf Cover	Good	Rocky	
1269042	BET	7	620801	6963609	6/27/2012	1:04:22 PM	BH01	Chocolate Brown	Silt	Damp	Subtle Slope		50 B	Alders	Bare Soil	Good	Rocky	
1269043	BET	7	620895	6963653	6/27/2012	1:43:13 PM	BH01	Chocolate Brown	Silt	Dry	Steep		80 B	Black Spruce	Rock Cover	Poor	Small Sample	
1269044	BET	7	620902	6963608	6/27/2012	1:59:56 PM	BH01	Chocolate Brown	Clay	Damp	Steep		50 B	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Rocky Terrain
1269045	BET	7	620900	6963560	6/27/2012	2:15:30 PM	BH01	Chocolate Brown	Clay	Damp	Pronounced Slope		40 B	Black Spruce	Sphagnum Moss > 30cm	Good	Rocky	Rocky Sample
1269046	BET	7	620901	6963507	6/27/2012	2:31:04 PM	BH01	Chocolate Brown	Silt	Damp	Steep		60 B	Alders	Leaf Cover	Good	Rocky	Small Sample
1269047	BET	7	620898	6963456	6/27/2012	2:41:43 PM	BH01	Chocolate Brown	Silt	Dry	Steep		60 B	Black Spruce	Leaf Cover	Good	Rocky	
1269048	BET	7	620896	6963408	6/27/2012	3:00:13 PM	BH01	Chocolate Brown	Silt	Dry	Steep		60 B	Alders	Grass Cover	Good	Rocky	
1269049	BET	7	620896	6963357	6/27/2012	3:11:10 PM	BH01	Chocolate Brown	Silt	Dry	Steep		50 B	Alders	Leaf Cover	Good	Rocky	
1269050	BET	7	620897	6963310	6/27/2012	3:22:11 PM	BH01	Chocolate Brown	Silt	Dry	Steep		50 B	Alders	Leaf Cover	Good	Rocky	
1269052	BET	7	620897	6963254	6/27/2012	3:33:55 PM	BH01	Chocolate Brown	Silt	Dry	Steep		70 C	Alders	Leaf Cover	Excellent	Bright Orange Rust	Quartz Chips
1269053	BET	7	620895	6963207	6/27/2012	3:45:22 PM	BH01	Chocolate Brown	Silt	Dry	Steep		80 B	Alders	Leaf Cover	Good	Rocky	
1269054	BET	7	620898	6963162	6/27/2012	3:58:54 PM	BH01	Chocolate Brown	Silt	Dry	Steep		70 B	Black Spruce	Leaf Cover	Good	Bright Orange Rust	Quartz Chips
1269055	BET	7	620896	6963110	6/27/2012	4:08:49 PM	BH01	Chocolate Brown	Silt	Dry	Steep		60 B	Willows	Leaf Cover	Good	Rocky	

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1269056	BET	7	620901	6963051	6/27/2012	4:22:24 PM	BH01	Dark Grey Black	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Leaf Cover	Poor	Frozen	Organic 25%
1269057	BET	7	620899	6963006	6/27/2012	4:33:35 PM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Leaf Cover	Good	Frozen	Organic 25%
1269058	BET	7	620898	6962954	6/27/2012	4:44:30 PM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Leaf Cover	Good	Rocky	
1269059	BET	7	620900	6962905	6/27/2012	4:55:44 PM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	Organic 10%
1292413	BET	7	627496	6964857	6/27/2012	9:34:10 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Fine	Bright Orange Rust
1292414	BET	7	627496	6964908	6/27/2012	9:51:54 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Fine	
1292415	BET	7	627497	6964959	6/27/2012	10:05:26 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	
1292416	BET	7	627497	6965008	6/27/2012	10:19:58 AM	CK01	Chocolate Brown	Sand	Damp	Steep	70	C	Poplar	Leaf Cover	Excellent	Rusty Rock Chip	
1292417	BET	7	627497	6965059	6/27/2012	10:33:31 AM	CK01	Chocolate Brown	Sand	Damp	Steep	80	C	Poplar	Leaf Cover	Excellent		
1292418	BET	7	627497	6965108	6/27/2012	10:46:34 AM	CK01	Chocolate Brown	Silt	Damp	Steep	80	C	Poplar	Leaf Cover	Excellent	Coarse	
1292419	BET	7	627496	6965158	6/27/2012	11:02:07 AM	CK01	Chocolate Brown	Sand	Damp	Steep	70	C	Poplar	Leaf Cover	Good	Rusty Rock Chip	Quartz Chips
1292420	BET	7	627497	6965210	6/27/2012	11:18:34 AM	CK01	Chocolate Brown	Sand	Damp	Steep	80	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	
1292421	BET	7	627497	6965256	6/27/2012	11:36:00 AM	CK01	Chocolate Brown	Sand	Damp	Steep	70	C	Poplar	Leaf Cover	Excellent	Rusty Rock Chip	
1292422	BET	7	627497	6965306	6/27/2012	11:54:05 AM	CK01	Chocolate Brown	Silt	Damp	Steep	60	B	Poplar	Leaf Cover	Good	Coarse	Rusty Rock Chip
1292423	BET	7	627497	6965357	6/27/2012	12:10:15 PM	CK01	Chocolate Brown	Sand	Damp	Steep	70	C	Poplar	Leaf Cover	Good	Bright Orange Rust	Rusty Rock Chip
1292424	BET	7	627497	6965406	6/27/2012	12:31:03 PM	CK01	Chocolate Brown	Sand	Damp	Steep	50	B	Poplar	Leaf Cover	Good	Fine	
1292425	BET	7	627497	6965456	6/27/2012	12:51:35 PM	CK01	Chocolate Brown	Sand	Damp	Steep	50	B	No Tree Cover	Leaf Cover	Good	Rusty Rock Chip	Rocky
1292426	BET	7	627497	6965456	6/27/2012	12:58:13 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	No Tree Cover	Leaf Cover	Good	Rusty Rock Chip	Rocky
1292427	BET	7	627497	6965507	6/27/2012	1:13:55 PM	CK01	Chocolate Brown	Silt	Damp	Steep	50	B	Poplar	Leaf Cover	Good	Coarse	Bright Orange Rust
1292428	BET	7	627497	6965557	6/27/2012	1:38:27 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Poplar	Leaf Cover	Good	Fine	
1292429	BET	7	627497	6965607	6/27/2012	1:54:53 PM	CK01	Chocolate Brown	Sand	Damp	Steep	60	B	Poplar	Leaf Cover	Good	Fine	Rusty Rock Chip
1292430	BET	7	627497	6965656	6/27/2012	2:11:04 PM	CK01	Chocolate Brown	Sand	Damp	Steep	90	C	Poplar	Leaf Cover	Good	Fine	Bright Orange Rust
1292431	BET	7	627497	6965706	6/27/2012	2:27:13 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	30	B	Poplar	Leaf Cover	Good	Fine	
1292432	BET	7	627497	6965758	6/27/2012	2:46:20 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	
1292433	BET	7	627497	6965806	6/27/2012	3:01:39 PM	CK01	Chocolate Brown	Sand	Damp	Steep	30	B	Black Spruce	Reindeer Moss	Poor	Rusty Rock Chip	Small Sample
1292434	BET	7	627497	6965857	6/27/2012	3:18:06 PM	CK01	Dark Grey Black	Silt	Damp	Steep	20	B	Black Spruce	Reindeer Moss	Poor	Coarse	Small Sample
1292435	BET	7	627497	6965907	6/27/2012	3:38:59 PM	CK01	Chocolate Brown	Sand	Damp	Steep	30	B	Black Spruce	Reindeer Moss	Good	Rusty Rock Chip	Small Sample
1268897	BET	7	620997	6962957	6/27/2012	11:15:11 AM	FP01	Dark Brown	Sand	Wet	Subtle Slope	60	B	Poplar	Sphagnum Moss < 30cm	Good	Frozen	Rusty Rock Chip
1268898	BET	7	620996	6963006	6/27/2012	11:31:26 AM	FP01	Dark Grey Black	Sand	Wet	Subtle Slope	50	A	Poplar	Reindeer Moss	Poor	Rusty Rock Chip	Organic 50%
1268899	BET	7	620997	6963057	6/27/2012	11:43:36 AM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	70	C	Poplar	Leaf Cover	Good	Coarse	Rusty Rock Chip
1268900	BET	7	620997	6963106	6/27/2012	11:56:14 AM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1269202	BET	7	620997	6963156	6/27/2012	12:11:18 PM	FP01	Reddish Yellow	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Good	Coarse	Rusty Rock Chip
1269203	BET	7	620997	6963206	6/27/2012	12:22:42 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Coarse	Rusty Rock Chip
1269204	BET	7	620997	6963257	6/27/2012	12:56:11 PM	FP01	Reddish Brown	Sand	Dry	Pronounced Slope	80	B	Poplar	Leaf Cover	Good	Rusty Rock Chip	Coarse
1269205	BET	7	620996	6963308	6/27/2012	1:11:33 PM	FP01	Reddish Brown	Sand	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Rocky	Rocky Terrain
1269206	BET	7	620997	6963357	6/27/2012	1:25:35 PM	FP01	Dark Brown	Sand	Dry	Pronounced Slope	70	B	Poplar	Leaf Cover	Good	Rocky Terrain	
1269207	BET	7	620997	6963407	6/27/2012	1:43:39 PM	FP01	Reddish Brown	Sand	Dry	Pronounced Slope	70	B	Poplar	Leaf Cover	Good	Rocky	Rocky Terrain
1269208	BET	7	620997	6963456	6/27/2012	2:01:28 PM	FP01	Reddish Brown	Sand	Dry	Pronounced Slope	60	B	Poplar	Leaf Cover	Good	Rusty Rock Chip	Rocky Terrain
1269209	BET	7	620997	6963507	6/27/2012	2:29:47 PM	FP01	Reddish Brown	Sand	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Rocky Terrain	
1269210	BET	7	620996	6963558	6/27/2012	2:51:48 PM	FP01	Reddish Brown	Sand	Dry	Pronounced Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Poor	Rocky Terrain	Organic 10%
1269211	BET	7	620997	6963607	6/27/2012	3:10:21 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	30	B	White Spruce	Reindeer Moss	Poor	Talus	Organic 10%
1269212	BET	7	620997	6963657	6/27/2012	3:27:22 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	30	B	Poplar	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Talus
1269213	BET	7	621096	6963608	6/27/2012	4:16:39 PM	FP01	Chocolate Brown	Sand	Wet	Pronounced Slope	30	B	Black Spruce	Reindeer Moss	Poor	Organic 25%	Small Sample
1269214	BET	7	621097	6963557	6/27/2012	4:33:44 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	30	B	Poplar	Sphagnum Moss < 30cm	Poor	Organic 10%	Rocky Terrain
1269215	BET	7	621097	6963508	6/27/2012	4:46:10 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Rocky	Rusty Rock Chip
1269216	BET	7	621097	6963458	6/27/2012	5:04:17 PM	FP01	Dark Brown	Sand	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Rocky	Rusty Rock Chip
1269217	BET	7	621097	6963408	6/27/2012	5:14:31 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	90	B	Poplar	Leaf Cover	Good	Coarse	Rusty Rock Chip
1269218	BET	7	621096	6963356	6/27/2012	5:28:56 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Poor	Rocky Terrain	Organic 10%
1269219	BET	7	621096	6963307	6/27/2012	5:39:51 PM	FP01	Dark Brown	Sand	Damp	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Rocky	Rocky Terrain
1269220	BET	7	621097	6963258	6/27/2012	5:49:03 PM	FP01	Dark Brown	Sand	Dry	Pronounced Slope	60	B	Poplar	Leaf Cover	Good	Rocky	Rusty Rock Chip
1269221	BET	7	621097	6963206	6/27/2012	6:00:14 PM	FP01	Dark Brown	Sand	Damp	Pronounced Slope	60	B	Poplar	Leaf Cover	Good	Coarse	Rusty Rock Chip
1269222	BET	7	621097	6963158	6/27/2012	6:14:57 PM	FP01	Reddish Yellow	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1269223	BET	7	621096	6963107	6/27/2012	6:28:13 PM	FP01	Dark Brown	Sand	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Rocky	Rocky Terrain
1269224	BET	7	621096	6963057	6/27/2012	6:39:17 PM	FP01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	B	Poplar	Grass Cover	Good	Coarse	Rusty Rock Chip
1269225	BET	7	621096	6963006	6/27/2012	7:07:44 PM	FP01	Dark Grey Black	Sand	Wet	Flat	40	B	White Spruce	Reindeer Moss	Poor	Frozen	Rusty Rock Chip
1269226	BET	7	621096	6963006	6/27/2012	7:08:55 PM	FP01	Dark Grey Black	Sand	Wet	Flat	40	B	White Spruce	Reindeer Moss	Poor	Frozen	Rusty Rock Chip
1269227	BET	7	621097	6962956	6/27/2012	7:29:07 PM	FP01	Dark Grey Black	Gravel	Wet	Flat	40	B	Black Spruce	Reindeer Moss	Poor	Rocky Sample	Organic 25%
1269228	BET	7	621096	6962907	6/27/2012	7:41:00 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Good	Rocky Terrain	Rusty Rock Chip
1290121	BET	7	623197	6962808	6/27/2012	11:31:24 AM	IG01	Dark Brown	Gravel	Wet	Subtle Slope	30	B	White Spruce	Thin Moss Cover	Poor	Organic 10%	
1290122	BET	7	623197	6962758	6/27/2012	11:56:07 AM	IG01	Chocolate Brown	Gravel	Wet	Flat	60	B	White Spruce	Sphagnum Moss < 30cm	Good		
1290123	BET	7	623197	6962708	6/27/2012	12:16:28 PM	IG01	Chocolate Brown	Clay	Damp	Flat	30	B	White Spruce	Thin Moss Cover	Good	Rocky	
1290124	BET	7	623196	6962658	6/27/2012	12:40:21 PM	IG01	Chocolate Brown	Gravel	Dry	Flat	50	B	Alders	Sphagnum Moss < 30cm	Good	Rocky	Rocky Sample
1290125	BET	7	623198	6962608	6/27/2012	1:02:55 PM	IG01	Chocolate Brown	Clay	Damp	Flat	50	B	Poplar	Sphagnum Moss < 30cm	Good	Rocky	Rocky Sample
1290126	BET	7	623198	6962608	6/27/2012	1:13:59 PM	IG01	Chocolate Brown	Clay	Damp	Flat	50	B	Poplar	Sphagnum Moss < 30cm	Good	Rocky	Rocky Sample
1290127	BET	7	623197	6962558	6/27/2012	1:38:45 PM	IG01	Chocolate Brown	Gravel	Damp	Subtle Slope	50	C	Poplar	Bare Soil	Good	Rocky	Rocky Sample
1290128	BET	7	623198	6962508	6/27/2012	1:57:34 PM	IG01	Chocolate Brown	Clay	Damp	Subtle Slope	50	B	Poplar	Leaf Cover	Poor		
1290129	BET	7	623197	6962458	6/27/2012	2:18:59 PM	IG01	Chocolate Brown	Gravel	Dry	Subtle Slope	60	C	Alders	Grass Cover	Excellent	Rocky	
1290130	BET	7	623197	6962408	6/27/2012	2:41:53 PM	IG01	Chocolate Brown	Gravel	Dry	Subtle Slope	50	B	Alders	Leaf Cover	Good	Rocky	
1290131	BET	7	623197	6962358	6/27/2012	3:02:28 PM	IG01	Chocolate Brown	Gravel	Damp	Subtle Slope	50	B	Alders	Leaf Cover	Good	Rocky	Rocky Sample
1290132	BET	7	623196	6962308	6/27/2012	3:23:55 PM	IG01	Chocolate Brown	Gravel	Dry	Subtle Slope	60	C	Alders	Leaf Cover	Good		
1290133	BET	7	623197	6962257	6/27/2012	3:53:48 PM	IG01	Dark Brown	Gravel	Wet	Subtle Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Poor	Frozen	Small Sample
1290134	BET	7	623197	6962208	6/27/2012	4:26:18 PM	IG01	Dark Brown	Gravel	Wet	Subtle Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Poor	Frozen	Small Sample
1290135	BET	7	623196	6962157	6/27/2012	4:52:05 PM	IG01	Chocolate Brown	Gravel	Wet	Subtle Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Good	Frozen	Small Sample
1290136	BET	7	623197	6962108	6/27/2012	5:16:39 PM	IG01	Chocolate Brown	Gravel	Wet	Subtle Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Poor	Frozen	Small Sample
1290137	BET	7	623197	6962057	6/27/2012	5:37:05 PM	IG01	Dark Brown	Gravel	Wet	Pronounced Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Poor	Frozen	Small Sample
1290138	BET	7	623198	6962008	6/27/2012	5:56:34 PM	IG01	Chocolate Brown	Gravel	Wet	Pronounced Slope	30	B	White Spruce	Sphagnum Moss < 30cm	Poor	Frozen	Small Sample
1290139	BET	7	623198	6961957	6/27/2012	6:12:59 PM	IG01	Chocolate Brown	Gravel	Wet	Subtle Slope	30	B	White Spruce	Sphagnum Moss < 30cm	Poor	Small Sample	Frozen
1290140	BET	7	623196	6961909	6/27/2012	6:27:35 PM	IG01	Chocolate Brown	Gravel	Wet	Subtle Slope	30	B	White Spruce	Sphagnum Moss < 30cm	Poor	Frozen	Small Sample
1284880	BET	7	622797	6962906	6/27/2012	12:48:53 PM	JM01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Dwarf Birch	Sphagnum Moss < 30cm	Good	Partially Frozen	Coarse
1284881	BET	7	622796	6962809	6/27/2012	1:11:15 PM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Quartz Chips	Partially Frozen
1284882	BET	7	622796	6962610	6/27/2012	2:08:49 PM	JM01	Chocolate Brown	Clay	Wet	Pronounced Slope	40	B	Dwarf Birch	Thin Moss Cover	Good	Rocky Terrain	Rocky
1284883	BET	7	622797	6962558	6/27/2012	2:28:20 PM	JM01	Chocolate Brown	Clay	Wet	Subtle Slope	50	C	Dwarf Birch	Thin Moss Cover	Excellent	Rocky	Coarse
1284884	BET	7	622797	6962509	6/27/2012	2:40:08 PM	JM01	Chocolate Brown	Clay	Dry	Pronounced Slope	30	B	Poplar	Thin Moss Cover	Good	Fine	Rocky
1284885	BET	7	622796	6962459	6/27/2012	3:17:04 PM	JM01	Chocolate Brown	Sand	Dry	Subtle Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1284886	BET	7	622797	6962409	6/27/2012	3:27:17 PM	JM01	Chocolate Brown	Clay	Damp	Subtle Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1284887	BET	7	622797	6962359	6/27/2012	3:42:12 PM	JM01	Dark Brown	Clay	Wet	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	Mud
1284888	BET	7	622797	6962309	6/27/2012	3:52:24 PM	JM01	Chocolate Brown	Clay	Damp	Subtle Slope	50	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Coarse	Partially Frozen
1284889	BET	7	622797	6962259	6/27/2012	4:05:23 PM	JM01	Chocolate Brown	Clay	Damp	Subtle Slope	60	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Rocky	Partially Frozen
1284890	BET	7	622797	6962209	6/27/2012	4:28:57 PM	JM01	Chocolate Brown	Gravel	Wet	Subtle Slope	40	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Mud	Partially Frozen
1284891	BET	7	622796	6962160	6/27/2012	4:43:59 PM	JM01	Chocolate Brown	Clay	Wet	Subtle Slope	50	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Coarse	Partially Frozen
1284892	BET	7	622796	6962108	6/27/2012	4:54:11 PM	JM01	Chocolate Brown	Clay	Wet	Subtle Slope	50	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Coarse	Partially Frozen
1284893	BET	7	622797	6962058	6/27/2012	5:05:20 PM	JM01	Chocolate Brown	Gravel	Wet	Pronounced Slope	60	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Quartz Chips	Mud
1284894	BET	7	622796	6962008	6/27/2012	5:17:30 PM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Partially Frozen
1284895	BET	7	622797	6961959	6/27/2012	5:30:42 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	40	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Partially Frozen	Quartz Chips
1284896	BET	7	622797	6961909	6/27/2012	5:42:10 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	70	C	Dwarf Birch	Thin Moss Cover	Excellent	Quartz Chips	Coarse
1291125	BET	7	627397	6964807	6/27/2012	11:35:14 AM	JS01	Chocolate Brown	Sand	Damp	Subtle Slope	90	C	Poplar	Grass Cover	Good	Bright Orange Rust	Rocky
1291126	BET	7	627396	6964804	6/27/2012	11:51:36 AM	JS01	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	Poplar	Grass Cover	Good	Rocky Sample	Bright Orange Rust
1291129	BET	7	627399	6964856	6/27/2012	12:13:57 PM	JS01	Chocolate Brown	Silt	Dry	Steep	90	B	Poplar	Grass Cover	Poor	Bright Orange Rust	Rocky Sample
1291130	BET	7	627397	6964907	6/27/2012	12:36:42 PM	JS01	Chocolate Brown	Silt	Dry	Subtle Slope	50	C	Poplar	Grass Cover	Good	Coarse	Rocky Sample
1291131	BET	7	627397	6964958	6/27/2012	12:49:08 PM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Poplar	Grass Cover	Poor	Bright Orange Rust	Rocky
1291132	BET	7	627396	6965007	6/27/2012	1:08:33 PM	JS01	Chocolate Brown	Silt	Dry	Steep	30	B	No Tree Cover	Grass Cover	Poor	Rocky Sample	
1291133	BET	7	627397	6965056	6/27/2012	1:27:46 PM	JS01	Chocolate Brown	Sand	Dry	Steep	60	C	Poplar	Grass Cover	Good	Fine	Rocky
1291134	BET	7	627397	6965107	6/27/2012	1:46:53 PM	JS01	Chocolate Brown	Sand	Dry	Steep	50	C	Poplar	Grass Cover	Good	Fine	Rocky
1291135	BET	7	627397	6965157	6/27/2012	2:15:45 PM	JS01	Chocolate Brown	Sand	Dry	Steep	50	C	Poplar	Grass Cover	Good	Fine	Rocky Sample
1291136	BET	7	627398	6965207	6/27/2012	2:27:59 PM	JS01	Light Brown	Silt	Dry	Steep	70	C	Poplar	Grass Cover	Good	Rocky	
1291137	BET	7	627396	6965257	6/27/2012	2:41:37 PM	JS01	Chocolate Brown	Silt	Dry	Steep	70	C	Poplar	Grass Cover	Good	Bright Orange Rust	Rocky
1291138	BET	7	627396	6965307	6/27/2012	2:56:21 PM	JS01	Chocolate Brown	Silt	Dry	Steep	60	C	Poplar	Grass Cover	Good	Rocky	
1291139	BET	7	627396	6965357	6/27/2012	3:15:07 PM	JS01	Chocolate Brown	Silt	Dry	Steep	60	C	Poplar	Grass Cover	Good	Bright Orange Rust	Rocky
1291140	BET	7	627396	6965408	6/27/2012	3:32:55 PM	JS01	Chocolate Brown	Silt	Dry	Steep	60	C	Poplar	Grass Cover	Good	Dull Red Rust	Rocky
1291141	BET	7	627397	6965457	6/27/2012	3:54:10 PM	JS01	Chocolate Brown	Silt	Dry	Steep	40	B	Poplar	Grass Cover	Poor	Rocky Sample	
1291142	BET	7	627396	6965506	6/27/2012	4:14:28 PM	JS01	Chocolate Brown	Silt	Dry	Steep	40	B	Poplar	Grass Cover	Poor	Rocky	
1291143	BET	7	627397	6965558	6/27/2012	4:33:46 PM	JS01	Chocolate Brown	Silt	Dry	Steep	60	B	Poplar	Grass Cover	Poor	Bright Orange Rust	Rocky
1291144	BET	7	627397	6965606	6/27/2012	5:01:58 PM	JS01	Chocolate Brown	Silt	Dry	Steep	40	C	Poplar	Grass Cover	Good	Bright Orange Rust	Rocky Sample
1291145	BET	7	627396	6965657	6/27/2012	5:46:23 PM	JS01	Chocolate Brown	Silt	Dry	Steep	40	B	Poplar	Grass Cover	Poor	Bright Orange Rust	Rocky Sample
1291146	BET	7	627397	6965706	6/27/2012	6:07:04 PM	JS01	Chocolate Brown	Silt	Dry	Subtle Slope	50	B	Poplar	Grass Cover	Poor	Coarse	Rocky
1291147	BET	7	627396	6965757	6/27/2012	6:22:10 PM	JS01	Chocolate Brown	Silt	Damp	Pronounced Slope	40	C	Alders	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1291148	BET	7	627397	6965807	6/27/2012	6:41:30 PM	JS01	Chocolate Brown	Silt	Damp	Steep	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky Sample	
1291149	BET	7	627397	6965856	6/27/2012	7:06:06 PM	JS01	Dark Grey Black	Silt	Damp	Steep	30	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	
1291150	BET	7	627396	6965906	6/27/2012	7:29:26 PM	JS01	Chocolate Brown	Silt	Damp	Steep	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky	
1284743	BET	7	623096	6962907	6/27/2012	10:06:06 AM	KH01	Chocolate Brown	Sand	Wet	Steep	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Mud
1284744	BET	7	623095	6962858	6/27/2012	10:30:21 AM	KH01	Chocolate Brown	Sand	Wet	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Mud
1284745	BET	7	623095	6962807	6/27/2012	12:50:30 PM	KH01	Dark Brown	Sand	Damp	Steep	50	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Organic 10%	Rocky
1284746	BET	7	623096	6962757	6/27/2012	1:17:39 PM	KH01	Dark Olivine Green	Sand	Damp	Steep	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	Rocky
1284747	BET	7	623097	6962710	6/27/2012	1:38:12 PM	KH01	Chocolate Brown	Sand	Wet	Steep	70	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Mud	Rocky
1284748	BET	7	623096	6962610	6/27/2012	2:20:43 PM	KH01	Light Brown	Sand	Wet	Subtle Slope	70	C	Poplar	Leaf Cover	Good	Mud	Rocky
1284749	BET	7	623096	6962560	6/27/2012	2:50:40 PM	KH01	Light Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Fine	Rocky
1284750	BET	7	623097	6962509	6/27/2012	3:10:23 PM	KH01	Dark Olivine Green	Sand	Damp	Pronounced Slope	70	B	Poplar	Sphagnum Moss < 30cm	Poor	Frozen	
1284652	BET	7	623096	6962459	6/27/2012	3:29:04 PM	KH01	Light Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Rocky	
1284653	BET	7	623097	6962408	6/27/2012	3:47:42 PM	KH01	Light Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Fine	
1284654	BET	7	623097	6962357	6/27/2012	3:56:45 PM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Good	Coarse	Bright Orange Rust
1284655	BET	7	623097	6962307	6/27/2012	4:03:53 PM	KH01	Light Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Coarse	
1284656	BET	7	623097	6962257	6/27/2012	4:11:07 PM	KH01	Light Brown	Sand	Dry	Steep	80	C	Poplar	Leaf Cover	Good	Coarse	Bright Orange Rust
1284657	BET	7	623097	6962208	6/27/2012	4:15:40 PM	KH01	Chocolate Brown	Sand	Dry	Steep	60	C	Poplar	Leaf Cover	Excellent	Quartz Chips	Bright Orange Rust
1284658	BET	7	623097	6962157	6/27/2012	4:22:06 PM	KH01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Quartz Chips
1284659	BET	7	623096	6962107	6/27/2012	4:28:34 PM	KH01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1284664	BET	7	623096	6961957	6/27/2012	5:07:51 PM	KH01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1284663	BET	7	623097	6961908	6/27/2012	5:24:00 PM	KH01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Sphagnum Moss < 30cm	Excellent	Coarse	Bright Orange Rust
1291240	BET	7	627297	6964758	6/27/2012	9:50:43 AM	MT01	Chocolate Brown	Silt	Dry	Subtle Slope	30	B	Poplar	Grass Cover	Poor	Rocky	Rocky Sample
1291241	BET	7	627298	6964807	6/27/2012	10:10:59 AM	MT01	Light Brown	Silt	Dry	Subtle Slope	30	B	Poplar	Grass Cover	Poor	Rocky	Small Sample
1291242	BET	7	627297	6964859	6/27/2012	10:25:26 AM	MT01	Chocolate Brown	Sand	Dry	Subtle Slope	50	C	Poplar	Grass Cover	Good	Clay	
1291243	BET	7	627295	6964907	6/27/2012	10:38:12 AM	MT01	Dark Brown	Sand	Dry	Flat	50	C	Poplar	Grass Cover	Good		
1291244	BET	7	627298	6964958	6/27/2012	10:42:02 AM	MT01	Light Brown	Sand	Dry	Subtle Slope	50	C	Poplar	Grass Cover	Good	Coarse	
1291245	BET	7	627297	6965007	6/27/2012	10:53:53 AM	MT01	Reddish Yellow	Sand	Dry	Pronounced Slope	90	C	Poplar	Grass Cover	Excellent		
1291247	BET	7	627297	6965109	6/27/2012	11:31:43 AM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	40	C	Poplar	Grass Cover	Good	Rocky	
1291248	BET	7	627297	6965159	6/27/2012	12:00:19 PM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	40	C	Poplar	Grass Cover	Good	Coarse	
1291246	BET	7	627297	6965058	6/27/2012	12:04:27 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Good		
1291249	BET	7	627297	6965208	6/27/2012	12:25:33 PM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Good		
1291250	BET	7	627295	6965258	6/27/2012	12:43:38 PM	MT01	Dark Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Good	Rocky	
1292252	BET	7	627297	6965309	6/27/2012	12:59:25 PM	MT01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Good	Coarse	
1292253	BET	7	627296	6965359	6/27/2012	1:15:04 PM	MT01	Reddish Brown	Sand	Damp	Pronounced Slope	50	B	Poplar	Grass Cover	Good	Fine	
1292254	BET	7	627297	6965406	6/27/2012	1:30:08 PM	MT01	Chocolate Brown	Silt	Dry	Pronounced Slope	30	B	Poplar	Grass Cover	Good	Rocky	
1292255	BET	7	627298	6965456	6/27/2012	1:47:44 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	40	B	Poplar	Grass Cover	Good		
1292256	BET	7	627296	6965507	6/27/2012	2:04:38 PM	MT01	Reddish Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Good	Rocky	
1292257	BET	7	627297	6965556	6/27/2012	2:21:54 PM	MT01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Good	Rocky	
1292258	BET	7	627296	6965607	6/27/2012	2:39:56 PM	MT01	Reddish Brown	Silt	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Good		
1292259	BET	7	627297	6965656	6/27/2012	2:54:22 PM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	40	C	Poplar	Grass Cover	Good	Fine	Rocky
1292260	BET	7	627297	6965708	6/27/2012	3:25:32 PM	MT01	Reddish Brown	Sand	Dry	Flat	50	C	White Spruce	Reindeer Moss	Good	Fine	
1292261	BET	7	627295	6965757	6/27/2012	3:43:32 PM	MT01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Organic 10%	Rocky
1292262	BET	7	627298	6965807	6/27/2012	4:01:29 PM	MT01	Dark Olivine Green	Clay	Wet	Pronounced Slope	30	A	Black Spruce	Sphagnum Moss > 30cm	Poor	Quartz Chips	Frozen
1292263	BET	7	627297	6965858	6/27/2012	4:20:10 PM	MT01	Dark Brown	Clay	Wet	Steep	20	A	Black Spruce	Sphagnum Moss > 30cm	Poor		
1292264	BET	7	627297	6965907	6/27/2012	4:47:11 PM	MT01	Reddish Brown	Sand	Wet	Pronounced Slope	30	C	Black Spruce	Sphagnum Moss > 30cm	Good	Quartz Chips	Rocky
1284579	BET	7	622897	6962907	6/27/2012	10:41:19 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Willows	Sphagnum Moss < 30cm	Excellent	Dull Red Rust	Quartz Chips
1284580	BET	7	622897	6962858	6/27/2012	10:56:01 AM	RL02	Dark Grey Black	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Partially Frozen	Organic 25%
1284581	BET	7	622897	6962808	6/27/2012	11:08:15 AM	RL02	Dark Grey Black	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss > 30cm	Poor	Coarse	Partially Frozen
1284582	BET	7	622897	6962757	6/27/2012	11:21:54 AM	RL02	Dark Grey Black	Sand	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Coarse	Partially Frozen
1284583	BET	7	622897	6962708	6/27/2012	11:37:05 AM	RL02	Dark Grey Black	Sand	Damp	Pronounced Slope	40	C	Willows	Sphagnum Moss > 30cm	Good	Coarse	Partially Frozen
1284584	BET	7	622896	6962658	6/27/2012	11:58:26 AM	RL02	Reddish Brown	Sand	Damp	Pronounced Slope	40	C	Willows	Sphagnum Moss > 30cm	Good	Coarse	Rocky
1284585	BET	7	622896	6962607	6/27/2012	12:15:20 PM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	30	C	Poplar	Reindeer Moss	Good	Coarse	Rocky

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1284586	BET	7	622898	6962557	6/27/2012	12:25:35 PM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	40	C	Poplar	Leaf Cover	Good	Bright Orange Rust	Rocky
1284587	BET	7	622898	6962507	6/27/2012	12:35:05 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1284588	BET	7	622898	6962457	6/27/2012	12:43:04 PM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	40	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1284589	BET	7	622898	6962407	6/27/2012	12:51:40 PM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Birch Forest	Thin Moss Cover	Excellent	Bright Orange Rust	Rocky
1284590	BET	7	622896	6962356	6/27/2012	1:02:02 PM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Rocky
1284591	BET	7	622896	6962308	6/27/2012	1:10:48 PM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Quartz Chips
1284592	BET	7	622897	6962257	6/27/2012	1:22:33 PM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Quartz Chips
1284593	BET	7	622897	6962208	6/27/2012	1:33:52 PM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Dwarf Birch	Thin Moss Cover	Good	Fine	Rocky
1284594	BET	7	622897	6962156	6/27/2012	1:44:42 PM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1284595	BET	7	622897	6962107	6/27/2012	1:53:56 PM	RL02	Chocolate Brown	Sand	Wet	Pronounced Slope	90	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1284596	BET	7	622898	6962057	6/27/2012	2:04:36 PM	RL02	Chocolate Brown	Sand	Wet	Subtle Slope	40	C	Dwarf Birch	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1284597	BET	7	622898	6962007	6/27/2012	2:15:12 PM	RL02	Chocolate Brown	Sand	Wet	Subtle Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Mud
1284598	BET	7	622897	6961956	6/27/2012	2:26:14 PM	RL02	Chocolate Brown	Sand	Wet	Subtle Slope	50	C	Dwarf Birch	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1284599	BET	7	622898	6961907	6/27/2012	2:37:10 PM	RL02	Chocolate Brown	Sand	Wet	Subtle Slope	80	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Mud
1283685	BET	7	622997	6962908	6/27/2012	10:17:53 AM	RM01	Dark Brown	Sand	Damp	Pronounced Slope	60	B	Alders	Sphagnum Moss < 30cm	Poor	Coarse	
1283686	BET	7	622996	6962809	6/27/2012	10:53:14 AM	RM01	Chocolate Brown	Gravel	Wet	Steep	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	Rocky
1284776	BET	7	622997	6962657	6/27/2012	11:41:36 AM	RM01	Chocolate Brown	Sand	Wet	Steep	50	B	Alders	Reindeer Moss	Good	Coarse	Mud
1284806	BET	7	622998	6962608	6/27/2012	11:59:54 AM	RM01	Chocolate Brown	Sand	Wet	Pronounced Slope	50	B	Alders	Sphagnum Moss < 30cm	Good	Coarse	
1283687	BET	7	622996	6962558	6/27/2012	12:27:55 PM	RM01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Alders	Reindeer Moss	Good	Coarse	Rocky
1283688	BET	7	622996	6962507	6/27/2012	12:45:38 PM	RM01	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Alders	Leaf Cover	Good	Coarse	
1283689	BET	7	622996	6962457	6/27/2012	1:04:52 PM	RM01	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Alders	Leaf Cover	Good	Coarse	
1283690	BET	7	622996	6962408	6/27/2012	1:28:43 PM	RM01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Alders	Leaf Cover	Good	Coarse	
1284757	BET	7	622997	6962356	6/27/2012	1:38:23 PM	RM01	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	Alders	Leaf Cover	Excellent	Coarse	
1284758	BET	7	622997	6962306	6/27/2012	2:08:33 PM	RM01	Dark Brown	Clay	Damp	Pronounced Slope	40	B	Alders	Sphagnum Moss < 30cm	Good	Frozen	
1284759	BET	7	622997	6962257	6/27/2012	2:30:47 PM	RM01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Alders	Leaf Cover	Good	Coarse	
1284756	BET	7	622996	6962207	6/27/2012	2:59:34 PM	RM01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Alders	Sphagnum Moss < 30cm	Poor	Fine	Rocky
1284777	BET	7	622997	6962157	6/27/2012	3:19:05 PM	RM01	Chocolate Brown	Sand	Dry	Pronounced Slope	40	C	Alders	Sphagnum Moss < 30cm	Good	Coarse	
1284779	BET	7	622997	6962106	6/27/2012	3:47:15 PM	RM01	Chocolate Brown	Sand	Wet	Pronounced Slope	40	B	Alders	Sphagnum Moss < 30cm	Poor	Coarse	Mud
1284797	BET	7	622997	6962007	6/27/2012	4:25:14 PM	RM01	Dark Brown	Gravel	Wet	Pronounced Slope	30	C	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	Mud
1284820	BET	7	622997	6962056	6/27/2012	4:31:28 PM	RM01	Dark Brown	Sand	Wet	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Mud
1284798	BET	7	622997	6961957	6/27/2012	4:49:41 PM	RM01	Dark Brown	Sand	Wet	Pronounced Slope	60	C	Alders	Sphagnum Moss < 30cm	Good	Coarse	Mud
1284799	BET	7	622997	6961906	6/27/2012	5:08:42 PM	RM01	Chocolate Brown	Sand	Wet	Pronounced Slope	50	B	Alders	Reindeer Moss	Good	Coarse	
1292346	BET	7	627197	6964705	6/27/2012	9:46:07 AM	RR01	Chocolate Brown	Sand	Damp	Subtle Slope	70	B	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Quartz Chips
1292347	BET	7	627197	6964757	6/27/2012	9:58:38 AM	RR01	Light Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent	Coarse	
1292348	BET	7	627198	6964808	6/27/2012	10:07:02 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Coarse	Rusty Rock Chip
1292349	BET	7	627196	6964858	6/27/2012	10:15:25 AM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Coarse	Quartz Chips
1292350	BET	7	627196	6964909	6/27/2012	10:27:41 AM	RR01	Reddish Yellow	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Excellent	Rocky	
1292352	BET	7	627195	6964956	6/27/2012	10:44:46 AM	RR01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Poplar	Grass Cover	Good	Fine	Sandy
1292353	BET	7	627195	6965009	6/27/2012	10:58:10 AM	RR01	Light Brown	Silt	Dry	Pronounced Slope	70	B	Poplar	Grass Cover	Good	Rocky	Loess
1292354	BET	7	627196	6965058	6/27/2012	11:11:01 AM	RR01	Grey	Silt	Dry	Pronounced Slope	80	B	Poplar	Grass Cover	Good	Coarse	Sandy
1292355	BET	7	627195	6965108	6/27/2012	11:32:03 AM	RR01	Chocolate Brown	Gravel	Dry	Pronounced Slope	40	B	Poplar	Grass Cover	Good	Rocky	Quartz Chips
1292356	BET	7	627197	6965158	6/27/2012	11:49:11 AM	RR01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Good	Rocky	
1292357	BET	7	627195	6965208	6/27/2012	12:25:07 PM	RR01	Light Brown	Gravel	Damp	Pronounced Slope	30	B	Poplar	Grass Cover	Good	Rocky Sample	Rocky Terrain
1292358	BET	7	627195	6965258	6/27/2012	12:46:35 PM	RR01	Chocolate Brown	Silt	Damp	Steep	30	B	Poplar	Grass Cover	Good	Rocky	
1292359	BET	7	627195	6965306	6/27/2012	12:58:07 PM	RR01	Chocolate Brown	Silt	Dry	Steep	70	B	No Tree Cover	Grass Cover	Good	Coarse	Sandy
1292360	BET	7	627195	6965355	6/27/2012	1:15:54 PM	RR01	Chocolate Brown	Silt	Dry	Steep	40	B	Poplar	Grass Cover	Good	Fine	Rocky
1292361	BET	7	627197	6965407	6/27/2012	1:43:53 PM	RR01	Light Brown	Silt	Dry	Steep	40	B	Poplar	Grass Cover	Good	Rocky	Quartz Chips
1292362	BET	7	627198	6965457	6/27/2012	1:59:08 PM	RR01	Light Brown	Silt	Dry	Steep	70	B	Poplar	Grass Cover	Good	Coarse	Rocky
1292363	BET	7	627197	6965507	6/27/2012	2:16:37 PM	RR01	Chocolate Brown	Silt	Dry	Steep	40	B	Poplar	Grass Cover	Good	Coarse	Rocky
1292364	BET	7	627196	6965556	6/27/2012	2:34:37 PM	RR01	Chocolate Brown	Silt	Damp	Steep	40	B	Poplar	Grass Cover	Good	Rocky	
1292365	BET	7	627198	6965608	6/27/2012	2:46:42 PM	RR01	Chocolate Brown	Sand	Dry	Steep	50	C	Poplar	Grass Cover	Good	Coarse	
1292366	BET	7	627197	6965657	6/27/2012	3:03:06 PM	RR01	Reddish Brown	Gravel	Dry	Pronounced Slope	40	B	Poplar	Grass Cover	Good	Sandy	
1292367	BET	7	627197	6965706	6/27/2012	3:31:37 PM	RR01	Chocolate Brown	Gravel	Damp	Pronounced Slope	30	B	Poplar	Grass Cover	Good	Coarse	Rocky
1292368	BET	7	627198	6965757	6/27/2012	3:43:52 PM	RR01	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	
1292369	BET	7	627198	6965807	6/27/2012	4:08:15 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	30	B	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	
1292370	BET	7	627196	6965857	6/27/2012	4:29:36 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Coarse	Rocky Terrain
1292371	BET	7	627198	6965906	6/27/2012	4:45:16 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	20	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rusty Rock Chip	Rocky
1268945	BET	7	620597	6962907	6/27/2012	11:00:09 AM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	90	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Coarse
1268946	BET	7	620596	6962957	6/27/2012	11:10:28 AM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Excellent	Coarse	
1268947	BET	7	620597	6963008	6/27/2012	11:26:38 AM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Coarse	Small Sample
1268948	BET	7	620597	6963057	6/27/2012	11:40:40 AM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Coarse
1268949	BET	7	620596	6963108	6/27/2012	11:59:27 AM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Fine	Rocky
1268950	BET	7	620596	6963157	6/27/2012	12:11:37 PM	RR02	Bluish Grey	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Coarse	
1268952	BET	7	620595	6963207	6/27/2012	12:28:32 PM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Fine	Bright Orange Rust
1268953	BET	7	620596	6963259	6/27/2012	1:08:04 PM	RR02	Dark Brown	Silt	Damp	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Coarse	
1268954	BET	7	620597	6963308	6/27/2012	1:26:48 PM	RR02	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Poplar	Leaf Cover	Poor	Fine	Partially Frozen
1268955	BET	7	620596	6963358	6/27/2012	1:43:33 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Fine	
1268956	BET	7	620597	6963407	6/27/2012	2:00:10 PM	RR02	Light Brown	Silt	Damp	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Coarse	Bright Orange Rust
1268957	BET	7	620597	6963457	6/27/2012	2:17:41 PM	RR02	Light Brown	Silt	Damp	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Coarse	Rocky
1268958	BET	7	620596	6963506	6/27/2012	2:45:52 PM	RR02	Reddish Brown	Silt	Damp	Pronounced Slope	40	B	Poplar	Grass Cover	Good	Rocky Terrain	Fine
1268959	BET	7	620597	6963557	6/27/2012	3:07:17 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Coarse	Rocky
1268960	BET	7	620596	6963609	6/27/2012	3:24:28 PM	RR02	Reddish Brown	Silt	Damp	Pronounced Slope	40	B	Poplar	Leaf Cover	Poor	Small Sample	Rocky Terrain
1268961	BET	7	620597	6963657	6/27/2012	3:37:52 PM	RR02	Reddish Brown	Silt	Damp	Subtle Slope	40	B	Poplar	Leaf Cover	Poor	Fine	
1268962	BET	7	620696	6963658	6/27/2012	4:07:27 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Dwarf Birch	Thin Moss Cover	Good	Fine	
1268963	BET	7	620697	6963608	6/27/2012	4:16:00 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Fine	
1268964	BET	7	620696	6963558	6/27/2012	4:24:07 PM	RR02	Light Brown	Silt	Damp	Pronounced Slope	30	B	Poplar	Leaf Cover	Good	Fine	Rocky
1268965	BET	7	620696	6963509	6/27/2012	4:33:38 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Coarse	
1268966	BET	7	620697	6963456	6/27/2012	4:47:26 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	30	B	Poplar	Leaf Cover	Poor	Fine	Rocky
1268967	BET	7	620696	6963408	6/27/2012	4:58:19 PM	RR02	Reddish Brown	Silt	Damp	Pronounced Slope	30	B	Poplar	Leaf Cover	Poor	Fine	Rocky Terrain
1268968	BET	7	620698	6963358	6/27/2012	5:12:09 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Coarse	
1268969	BET	7	620697	6963308	6/27/2012	5:23:44 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	70	B	Poplar	Leaf Cover	Good	Coarse	Quartz Chips
1268970	BET	7	620698	6963257	6/27/2012	5:39:32 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	80	B	White Spruce	Needle Cover	Good	Coarse	
1268971	BET	7	620690	6963212	6/27/2012	5:53:50 PM	RR02	Dark Brown	Silt	Wet	Subtle Slope	60	B	White Spruce	Sphagnum Moss < 30cm	Poor	Fine	Partially Frozen
1268972	BET	7	620698	6963156	6/27/2012	6:08:25 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Birch Forest	Leaf Cover	Good	Fine	

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1268973	BET	7	620696	6963107	6/27/2012	6:17:52 PM	RR02	Reddish Yellow	Sand	Damp	Subtle Slope	40	C	Poplar	Leaf Cover	Excellent	Coarse	
1268974	BET	7	620698	6963056	6/27/2012	6:28:03 PM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Fine	
1268975	BET	7	620697	6963008	6/27/2012	6:39:20 PM	RR02	Greyish Green	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	
1268976	BET	7	620697	6963008	6/27/2012	6:44:00 PM	RR02	Greyish Green	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	
1268977	BET	7	620696	6962957	6/27/2012	6:53:28 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	
1268978	BET	7	620697	6962907	6/27/2012	7:02:14 PM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	
1290600	BET	7	627696	6964957	6/27/2012	9:59:46 AM	SC01	Reddish Yellow	Sand	Damp	Pronounced Slope	100	C	White Spruce	Leaf Cover	Good	Rocky	
1291002	BET	7	627696	6965007	6/27/2012	10:16:55 AM	SC01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	White Spruce	Grass Cover	Poor	Rocky	
1291003	BET	7	627696	6965058	6/27/2012	10:31:32 AM	SC01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Poor	Rocky	
1291004	BET	7	627696	6965108	6/27/2012	10:46:13 AM	SC01	Light Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Poor	Rocky	Loess
1291005	BET	7	627697	6965157	6/27/2012	11:06:07 AM	SC01	Reddish Yellow	Sand	Dry	Pronounced Slope	90	C	Poplar	Leaf Cover	Good	Fine	Rocky
1291006	BET	7	627696	6965207	6/27/2012	11:19:05 AM	SC01	Chocolate Brown	Silt	Dry	Pronounced Slope	70	B	Poplar	Leaf Cover	Poor	Rocky	
1291007	BET	7	627696	6965257	6/27/2012	11:34:20 AM	SC01	Chocolate Brown	Silt	Dry	Pronounced Slope	70	B	Poplar	Leaf Cover	Poor	Rocky	
1291008	BET	7	627696	6965307	6/27/2012	11:49:24 AM	SC01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Poplar	Leaf Cover	Poor	Rocky	
1291009	BET	7	627696	6965357	6/27/2012	12:08:10 PM	SC01	Reddish Brown	Silt	Dry	Steep	60	B	Poplar	Leaf Cover	Poor	Rocky	
1291010	BET	7	627697	6965407	6/27/2012	12:30:42 PM	SC01	Reddish Yellow	Silt	Dry	Steep	60	B	Poplar	Leaf Cover	Poor	Rocky	
1291011	BET	7	627695	6965457	6/27/2012	12:55:16 PM	SC01	Reddish Yellow	Silt	Dry	Steep	60	B	Poplar	Leaf Cover	Poor	Rocky	Loess
1291012	BET	7	627696	6965508	6/27/2012	1:07:44 PM	SC01	Reddish Brown	Silt	Dry	Pronounced Slope	60	B	Poplar	Leaf Cover	Poor	Rocky	
1291013	BET	7	627696	6965558	6/27/2012	1:23:22 PM	SC01	Chocolate Brown	Silt	Dry	Pronounced Slope	70	B	Poplar	Leaf Cover	Poor	Rocky	
1291014	BET	7	627697	6965606	6/27/2012	1:37:20 PM	SC01	Dark Brown	Silt	Dry	Pronounced Slope	70	B	Poplar	Leaf Cover	Poor	Rocky	Sandy
1291015	BET	7	627697	6965658	6/27/2012	1:57:31 PM	SC01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Poplar	Leaf Cover	Poor	Rocky	
1291016	BET	7	627696	6965707	6/27/2012	2:24:23 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Good	Rocky	
1291017	BET	7	627596	6965707	6/27/2012	2:47:28 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Rocky	
1291018	BET	7	627596	6965658	6/27/2012	3:05:45 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Rocky	
1291019	BET	7	627597	6965608	6/27/2012	3:20:11 PM	SC01	Chocolate Brown	Silt	Dry	Pronounced Slope	70	B	Poplar	Leaf Cover	Poor	Rocky	
1291020	BET	7	627597	6965558	6/27/2012	3:32:14 PM	SC01	Chocolate Brown	Silt	Dry	Pronounced Slope	80	B	Poplar	Leaf Cover	Poor	Rocky	
1291021	BET	7	627598	6965507	6/27/2012	3:50:57 PM	SC01	Chocolate Brown	Silt	Dry	Steep	50	B	Poplar	Leaf Cover	Poor	Rocky	
1291022	BET	7	627596	6965458	6/27/2012	4:08:03 PM	SC01	Chocolate Brown	Silt	Dry	Steep	60	B	Poplar	Leaf Cover	Poor	Rocky	
1291023	BET	7	627597	6965408	6/27/2012	4:24:14 PM	SC01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Poor	Rocky	
1291024	BET	7	627597	6965359	6/27/2012	4:38:00 PM	SC01	Light Brown	Silt	Dry	Pronounced Slope	80	B	Poplar	Grass Cover	Poor	Rocky	
1291027	BET	7	627598	6965307	6/27/2012	4:52:42 PM	SC01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Poor	Rocky	
1291028	BET	7	627597	6965257	6/27/2012	5:07:38 PM	SC01	Chocolate Brown	Silt	Dry	Pronounced Slope	70	B	Poplar	Leaf Cover	Poor	Rocky	
1291029	BET	7	627597	6965207	6/27/2012	5:17:27 PM	SC01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Poor	Rocky	
1291030	BET	7	627597	6965158	6/27/2012	5:25:57 PM	SC01	Chocolate Brown	Silt	Dry	Pronounced Slope	30	B	Poplar	Leaf Cover	Poor	Rocky	Sandy
1291031	BET	7	627596	6965108	6/27/2012	5:35:14 PM	SC01	Dark Brown	Sand	Dry	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Rocky	
1291032	BET	7	627597	6965058	6/27/2012	5:47:29 PM	SC01	Dark Brown	Silt	Dry	Pronounced Slope	40	B	Poplar	Grass Cover	Poor	Rocky	
1291033	BET	7	627597	6965008	6/27/2012	5:59:26 PM	SC01	Dark Brown	Silt	Dry	Pronounced Slope	40	B	Poplar	Leaf Cover	Poor	Rocky	
1291034	BET	7	627597	6964957	6/27/2012	6:10:47 PM	SC01	Dark Brown	Silt	Damp	Subtle Slope	50	B	Poplar	Leaf Cover	Poor		
1269137	BET	7	621196	6963655	6/27/2012	11:20:22 AM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	40	B	Poplar	Sphagnum Moss < 30cm	Poor	Rocky	Small Sample
1269138	BET	7	621197	6963609	6/27/2012	11:32:41 AM	SD02	Chocolate Brown	Gravel	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Poor	Rocky Terrain	Small Sample
1269139	BET	7	621197	6963557	6/27/2012	11:40:47 AM	SD02	Light Brown	Gravel	Dry	Pronounced Slope	50	C	Poplar	Sphagnum Moss < 30cm	Excellent	Rocky	
1269140	BET	7	621196	6963509	6/27/2012	11:54:12 AM	SD02	Chocolate Brown	Gravel	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Rocky	
1269141	BET	7	621195	6963459	6/27/2012	11:55:02 AM	SD02	Light Brown	Gravel	Dry	Pronounced Slope	40	C	Poplar	Grass Cover	Excellent	Coarse	Rocky
1269142	BET	7	621196	6963409	6/27/2012	12:04:15 PM	SD02	Light Brown	Gravel	Dry	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Rocky	
1269143	BET	7	621197	6963359	6/27/2012	12:14:38 PM	SD02	Light Brown	Gravel	Dry	Pronounced Slope	90	B	Poplar	Grass Cover	Excellent	Rocky	
1269144	BET	7	621196	6963309	6/27/2012	12:20:45 PM	SD02	Light Brown	Gravel	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Excellent	Bright Orange Rust	Rocky
1269145	BET	7	621197	6963258	6/27/2012	12:29:15 PM	SD02	Light Brown	Gravel	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent	Bright Orange Rust	Rocky
1269146	BET	7	621197	6963207	6/27/2012	12:41:28 PM	SD02	Pale Greenish	Sand	Dry	Pronounced Slope	90	C	Poplar	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1269148	BET	7	621196	6963107	6/27/2012	1:03:09 PM	SD02	Dark Brown	Gravel	Damp	Subtle Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Rocky
1269150	BET	7	621197	6963007	6/27/2012	1:22:12 PM	SD02	Dark Brown	Gravel	Damp	Subtle Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Frozen	Bright Orange Rust
1269152	BET	7	621196	6962958	6/27/2012	1:47:28 PM	SD02	Grey	Sand	Damp	Flat	60	C	White Spruce	Sphagnum Moss < 30cm	Good	Frozen	Bright Orange Rust
1269147	BET	7	621196	6963157	6/27/2012	2:24:48 PM	SD02	Chocolate Brown	Gravel	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	
1269149	BET	7	621200	6963058	6/27/2012	2:28:11 PM	SD02	Dark Grey Black	Sand	Damp	Subtle Slope	40	C	White Spruce	Reindeer Moss	Good	Partially Frozen	Bright Orange Rust
1269153	BET	7	621197	6962908	6/27/2012	2:30:41 PM	SD02	Reddish Yellow	Sand	Wet	Flat	50	C	White Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Frozen
1269060	BET	7	618997	6967354	6/28/2012	9:14:00 AM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	
1269061	BET	7	618997	6967311	6/28/2012	9:25:59 AM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	Organic 10%
1269062	BET	7	618996	6967258	6/28/2012	9:38:48 AM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Reindeer Moss	Good	Organic 10%	Partially Frozen
1269063	BET	7	618996	6967204	6/28/2012	9:50:13 AM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	Organic 10%
1269064	BET	7	618996	6967157	6/28/2012	10:01:05 AM	BH01	Chocolate Brown	Silt	Damp	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	Organic 10%
1269065	BET	7	618996	6967109	6/28/2012	10:13:32 AM	BH01	Dark Brown	Silt	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss > 30cm	Good	Partially Frozen	Organic 25%
1269066	BET	7	618996	6967056	6/28/2012	10:25:41 AM	BH01	Chocolate Brown	Clay	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Rocky	Quartz Chips
1269067	BET	7	618996	6967006	6/28/2012	10:35:13 AM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Rocky	
1269068	BET	7	618996	6966955	6/28/2012	10:44:11 AM	BH01	Chocolate Brown	Silt	Damp	Subtle Slope	40	B	Dwarf Birch	Reindeer Moss	Good	Mud	Rocky
1269069	BET	7	618995	6966905	6/28/2012	10:53:09 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	C	Black Spruce	Reindeer Moss	Excellent	Rocky	
1269070	BET	7	618996	6966857	6/28/2012	11:05:01 AM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	40	B	Alders	Reindeer Moss	Good	Quartz Chips	Small Sample
1269071	BET	7	618998	6966798	6/28/2012	11:26:47 AM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	80	C	Birch Forest	Reindeer Moss	Good		
1269072	BET	7	618996	6966755	6/28/2012	11:35:44 AM	BH01	Dark Brown	Silt	Damp	Subtle Slope	60	B	Black Spruce	Reindeer Moss	Good	Mud	Bright Orange Rust
1269073	BET	7	618996	6966705	6/28/2012	11:49:20 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Rocky	Rocky Sample
1269074	BET	7	618996	6966654	6/28/2012	12:02:29 PM	BH01	Chocolate Brown	Silt	Damp	Subtle Slope	70	B	Black Spruce	Leaf Cover	Good	Mud	Rocky
1269075	BET	7	618997	6966606	6/28/2012	12:10:32 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Mud	Rocky
1269076	BET	7	618997	6966606	6/28/2012	12:19:06 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Mud	Rocky
1269077	BET	7	618990	6966548	6/28/2012	12:26:51 PM	BH01	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	Black Spruce	Leaf Cover	Good	Mud	Rocky
1269078	BET	7	618999	6966508	6/28/2012	12:35:51 PM	BH01	Dark Brown	Silt	Dry	Subtle Slope	50	B	Poplar	Leaf Cover	Good	Rocky	
1269079	BET	7	618997	6966457	6/28/2012	12:47:24 PM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	60	B	Poplar	Leaf Cover	Good	Rocky	
1269080	BET	7	618997	6966409	6/28/2012	1:01:03 PM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Good	Rocky	
1269081	BET	7	618997	6966357	6/28/2012	1:10:13 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss > 30cm	Good	Mud	Rocky Sample
1269082	BET	7	618998	6966306	6/28/2012	1:36:57 PM	BH01	Dark Blue Black	Silt	Dry	Pronounced Slope	50	C	Black Spruce	Leaf Cover	Good	Rocky	Rocky Sample
1269083	BET	7	618998	6966261	6/28/2012	1:49:26 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Rocky	Rocky Sample
1269084	BET	7	618998	6966210	6/28/2012	1:58:49 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Black Spruce	Thin Moss Cover	Good	Rocky	Rocky Sample
1269085	BET	7	618998	6966158	6/28/2012	2:08:54 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	C	Black Spruce	Leaf Cover	Good	Rocky	Bright Orange Rust
1269086	BET	7	618998	6966111	6/28/2012	2:20:28 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Black Spruce	Leaf Cover	Good	Rocky	Small Sample
1269087	BET	7	618998	6966056	6/28/2012	2:30:52 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Rocky	
1269088	BET	7	618999	6966008	6/28/2012	2:40:56 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Rocky	
1269089	BET	7	618998	6965958	6/28/2012	2:50:35 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Rocky	Rocky Sample

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1269090	BET	7	618997	6965911	6/28/2012	3:01:24 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Black Spruce	Leaf Cover	Good	Rocky	Rocky Sample
1269091	BET	7	618997	6965861	6/28/2012	3:15:11 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Rocky	Rocky Sample
1292436	BET	7	629297	6965407	6/28/2012	9:58:27 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	30	B	Poplar	Sphagnum Moss < 30cm	Good	Rusty Rock Chip	Dull Red Rust
1292437	BET	7	629297	6965458	6/28/2012	10:13:47 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1292438	BET	7	629298	6965507	6/28/2012	10:29:31 AM	CK01	Dark Grey Black	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rusty Rock Chip	Rocky
1292439	BET	7	629297	6965558	6/28/2012	10:39:47 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Rocky
1292440	BET	7	629298	6965608	6/28/2012	10:49:40 AM	CK01	Dark Brown	Sand	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	
1292441	BET	7	629297	6965657	6/28/2012	11:03:12 AM	CK01	Dark Brown	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Rusty Rock Chip
1292442	BET	7	629297	6965708	6/28/2012	11:12:39 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	B	Black Spruce	Sphagnum Moss < 30cm	Good		
1292443	BET	7	629297	6965758	6/28/2012	11:25:03 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good		
1292444	BET	7	629297	6965807	6/28/2012	11:40:11 AM	CK01	Chocolate Brown	Sand	Damp	Steep	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Dull Red Rust
1292445	BET	7	629297	6965856	6/28/2012	11:52:15 AM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	
1292446	BET	7	629297	6965908	6/28/2012	12:04:35 PM	CK01	Chocolate Brown	Sand	Damp	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Quartz Chips	
1292447	BET	7	629297	6965958	6/28/2012	12:16:29 PM	CK01	Dark Brown	Sand	Damp	Subtle Slope	40	B	Poplar	Grass Cover	Good	Possible Creek Contamination	
1292448	BET	7	629297	6966008	6/28/2012	12:28:43 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	
1292449	BET	7	629297	6966058	6/28/2012	12:41:41 PM	CK01	Chocolate Brown	Silt	Damp	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1292450	BET	7	629297	6966107	6/28/2012	12:52:32 PM	CK01	Chocolate Brown	Sand	Damp	Steep	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Rusty Rock Chip
1292452	BET	7	629297	6966158	6/28/2012	1:06:30 PM	CK01	Dark Brown	Sand	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Bright Orange Rust	
1292453	BET	7	629296	6966207	6/28/2012	1:24:32 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	
1292454	BET	7	629297	6966257	6/28/2012	1:36:11 PM	CK01	Chocolate Brown	Sand	Damp	Steep	100	C	Poplar	Grass Cover	Excellent	Fine	
1292455	BET	7	629297	6966308	6/28/2012	1:47:05 PM	CK01	Chocolate Brown	Sand	Damp	Steep	80	C	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Bright Orange Rust
1292456	BET	7	629296	6966357	6/28/2012	2:01:23 PM	CK01	Chocolate Brown	Sand	Damp	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	
1292457	BET	7	629296	6966406	6/28/2012	2:13:21 PM	CK01	Chocolate Brown	Sand	Damp	Steep	80	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	
1292458	BET	7	629296	6966458	6/28/2012	2:28:38 PM	CK01	Chocolate Brown	Sand	Damp	Steep	60	B	Poplar	Leaf Cover	Good		
1292459	BET	7	629296	6966508	6/28/2012	2:42:37 PM	CK01	Chocolate Brown	Sand	Damp	Steep	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rusty Rock Chip	
1292460	BET	7	629297	6966558	6/28/2012	2:53:09 PM	CK01	Chocolate Brown	Sand	Damp	Steep	80	C	Black Spruce	Sphagnum Moss < 30cm	Good		
1292461	BET	7	629297	6966607	6/28/2012	3:08:52 PM	CK01	Chocolate Brown	Sand	Damp	Steep	70	C	Black Spruce	Sphagnum Moss < 30cm	Good		
1292462	BET	7	629297	6966657	6/28/2012	3:21:27 PM	CK01	Chocolate Brown	Sand	Damp	Steep	110	C	Black Spruce	Sphagnum Moss < 30cm	Excellent		
1292463	BET	7	629297	6966708	6/28/2012	3:33:10 PM	CK01	Chocolate Brown	Sand	Damp	Steep	70	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	
1292464	BET	7	629297	6966757	6/28/2012	3:47:16 PM	CK01	Chocolate Brown	Sand	Damp	Steep	70	C	Black Spruce	Sphagnum Moss < 30cm	Excellent		
1292465	BET	7	629297	6966807	6/28/2012	3:59:51 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	
1292466	BET	7	629297	6966858	6/28/2012	4:13:21 PM	CK01	Chocolate Brown	Silt	Damp	Steep	50	B	Poplar	Leaf Cover	Good	Coarse	Rocky
1292467	BET	7	629297	6966908	6/28/2012	4:25:17 PM	CK01	Chocolate Brown	Sand	Damp	Steep	70	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Rusty Rock Chip
1269229	BET	7	619196	6967358	6/28/2012	10:04:58 AM	FP01	Chocolate Brown	Sand	Wet	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Good	Mud	Rocky
1269230	BET	7	619196	6967306	6/28/2012	10:12:24 AM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Good	Rocky	
1269231	BET	7	619197	6967257	6/28/2012	10:21:19 AM	FP01	Chocolate Brown	Sand	Damp	Flat	50	B	Dwarf Birch	Reindeer Moss	Good	Rocky	Rusty Rock Chip
1269232	BET	7	619196	6967206	6/28/2012	10:34:25 AM	FP01	Chocolate Brown	Sand	Damp	Flat	40	B	Dwarf Birch	Reindeer Moss	Good	Rocky	Rocky Terrain
1269233	BET	7	619197	6967156	6/28/2012	10:44:46 AM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	50	B	Dwarf Birch	Reindeer Moss	Good	Rocky	Rusty Rock Chip
1269234	BET	7	619197	6967107	6/28/2012	10:57:21 AM	FP01	Dark Brown	Sand	Damp	Flat	60	C	Dwarf Birch	Reindeer Moss	Good	Partially Frozen	Rusty Rock Chip
1269235	BET	7	619197	6967056	6/28/2012	11:09:58 AM	FP01	Dark Brown	Sand	Dry	Subtle Slope	70	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Coarse	Rusty Rock Chip
1269236	BET	7	619197	6967007	6/28/2012	11:19:47 AM	FP01	Dark Brown	Sand	Damp	Subtle Slope	50	B	Willows	Reindeer Moss	Good	Coarse	Rusty Rock Chip
1269237	BET	7	619196	6966956	6/28/2012	11:31:24 AM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	50	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Coarse	Rusty Rock Chip
1269238	BET	7	619196	6966906	6/28/2012	11:43:18 AM	FP01	Reddish Yellow	Sand	Dry	Subtle Slope	80	C	Dwarf Birch	Reindeer Moss	Excellent	Coarse	Rusty Rock Chip
1269239	BET	7	619197	6966856	6/28/2012	11:54:05 AM	FP01	Light Brown	Sand	Dry	Subtle Slope	70	C	Dwarf Birch	Reindeer Moss	Excellent	Fine	Rocky
1269240	BET	7	619196	6966806	6/28/2012	12:05:47 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	80	C	Dwarf Birch	Reindeer Moss	Good	Fine	Rusty Rock Chip
1269241	BET	7	619197	6966756	6/28/2012	12:19:19 PM	FP01	Dark Brown	Sand	Dry	Subtle Slope	50	B	Dwarf Birch	Reindeer Moss	Good	Fine	Rusty Rock Chip
1269242	BET	7	619196	6966706	6/28/2012	12:29:51 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	Dwarf Birch	Reindeer Moss	Good	Coarse	Rusty Rock Chip
1269243	BET	7	619197	6966656	6/28/2012	12:43:14 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	50	B	Poplar	Grass Cover	Good	Rocky	Outcrop Nearby
1269244	BET	7	619197	6966607	6/28/2012	1:17:31 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	100	B	Poplar	Leaf Cover	Good	Rusty Rock Chip	
1269245	BET	7	619197	6966557	6/28/2012	1:26:33 PM	FP01	Reddish Yellow	Sand	Dry	Subtle Slope	40	B	Poplar	Leaf Cover	Good	Coarse	Rocky Terrain
1269246	BET	7	619197	6966508	6/28/2012	1:37:17 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	40	B	Poplar	Leaf Cover	Good	Rocky Terrain	Rocky
1269247	BET	7	619196	6966458	6/28/2012	1:47:11 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	80	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1269248	BET	7	619196	6966408	6/28/2012	1:58:17 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	60	B	Poplar	Leaf Cover	Good	Rocky	
1269249	BET	7	619197	6966358	6/28/2012	2:09:26 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	60	B	Poplar	Leaf Cover	Good	Rocky	Rocky Terrain
1269250	BET	7	619197	6966308	6/28/2012	2:23:07 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	50	B	Poplar	Leaf Cover	Good	Rocky	Rocky Terrain
1269252	BET	7	619197	6966258	6/28/2012	2:35:39 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	70	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1269253	BET	7	619196	6966207	6/28/2012	2:44:29 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	50	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1269254	BET	7	619197	6966158	6/28/2012	3:07:25 PM	FP01	Dark Brown	Sand	Dry	Subtle Slope	40	B	Poplar	Leaf Cover	Good	Rocky	Rocky Terrain
1269255	BET	7	619197	6966108	6/28/2012	3:18:10 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	80	B	Poplar	Leaf Cover	Good	Coarse	Rusty Rock Chip
1269256	BET	7	619197	6966058	6/28/2012	3:27:57 PM	FP01	Chocolate Brown	Silt	Damp	Subtle Slope	60	B	Poplar	Sphagnum Moss < 30cm	Good	Rocky	Rusty Rock Chip
1269257	BET	7	619197	6966008	6/28/2012	3:40:22 PM	FP01	Dark Brown	Clay	Damp	Subtle Slope	70	B	White Spruce	Sphagnum Moss < 30cm	Good	Rusty Rock Chip	
1269258	BET	7	619197	6965958	6/28/2012	3:51:33 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	110	B	Poplar	Leaf Cover	Good	Rocky	Rusty Rock Chip
1269259	BET	7	619197	6965907	6/28/2012	4:02:39 PM	FP01	Dark Brown	Clay	Damp	Subtle Slope	90	B	Poplar	Sphagnum Moss < 30cm	Good	Rocky	Rusty Rock Chip
1269260	BET	7	619197	6965857	6/28/2012	4:13:44 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	60	B	Poplar	Sphagnum Moss < 30cm	Good	Rocky	Rusty Rock Chip
1290141	BET	7	623797	6962808	6/28/2012	10:16:56 AM	IG01	Chocolate Brown	Gravel	Dry	Flat	50	C	Willows	Thin Moss Cover	Good	Rocky	
1290142	BET	7	623797	6962758	6/28/2012	10:32:44 AM	IG01	Bluish Grey	Gravel	Dry	Subtle Slope	60	C	Poplar	Thin Moss Cover	Excellent	Rocky	
1290143	BET	7	623797	6962708	6/28/2012	10:44:02 AM	IG01	Bluish Grey	Gravel	Dry	Subtle Slope	60	C	Poplar	Leaf Cover	Excellent	Rocky	
1290144	BET	7	623797	6962658	6/28/2012	11:00:11 AM	IG01	Chocolate Brown	Clay	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Rocky	
1290145	BET	7	623797	6962608	6/28/2012	11:02:49 AM	IG01	Chocolate Brown	Gravel	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Rocky	
1290146	BET	7	623797	6962558	6/28/2012	11:34:42 AM	IG01	Chocolate Brown	Gravel	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Rocky	
1290147	BET	7	623797	6962508	6/28/2012	11:50:40 AM	IG01	Chocolate Brown	Gravel	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Rocky	
1290148	BET	7	623798	6962457	6/28/2012	12:06:24 PM	IG01	Chocolate Brown	Gravel	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Rocky	Rocky Sample
1290149	BET	7	623797	6962407	6/28/2012	12:28:12 PM	IG01	Chocolate Brown	Gravel	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Rocky	
1290150	BET	7	623797	6962357	6/28/2012	12:41:37 PM	IG01	Chocolate Brown	Gravel	Dry	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Rocky	Rocky Sample
1290152	BET	7	623797	6962308	6/28/2012	1:00:23 PM	IG01	Chocolate Brown	Gravel	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Rocky	Rocky Sample
1290153	BET	7	623797	6962258	6/28/2012	1:16:58 PM	IG01	Bluish Grey	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent		
1290154	BET	7	623797	6962107	6/28/2012	2:11:53 PM	IG01	Dark Brown	Silt	Damp	Subtle Slope	40	B	White Spruce	Reindeer Moss	Good	Frozen	
1290155	BET	7	623797	6962057	6/28/2012	2:29:21 PM	IG01	Dark Brown	Gravel	Damp	Subtle Slope	30	B	White Spruce	Reindeer Moss	Poor	Frozen	
1290156	BET	7	623798	6962007	6/28/2012	2:42:49 PM	IG01	Chocolate Brown	Gravel	Damp	Subtle Slope	50	B	Alders	Reindeer Moss	Good	Rocky Sample	
1290157	BET	7	623797	6961957	6/28/2012	3:00:26 PM	IG01	Chocolate Brown	Gravel	Damp	Subtle Slope	70	C	Alders	Reindeer Moss	Excellent	Rocky Sample	Rocky
1290158	BET	7	623797	6961907	6/28/2012	3:21:31 PM	IG01	Chocolate Brown	Gravel	Dry	Pronounced Slope	100	C	Alders	Reindeer Moss	Excellent		
1290159	BET	7	623696	6962507	6/28/2012	4:55:54 PM	IG01	Reddish Yellow	Gravel	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Rocky Sample	
1290160	BET	7	623696	6962556	6/28/2012	5:14:06 PM	IG01	Reddish Yellow	Gravel	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent		
1290161	BET	7	623697	6962606	6/28/2012	5:29:07 PM	IG01	Chocolate Brown	Gravel	Dry	Flat	50	C	Poplar	Leaf Cover	Excellent	Rocky	Rocky Sample

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1290162	BET	7	623697	6962656	6/28/2012	5:45:03 PM	IG01	Chocolate Brown	Gravel	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Rocky	
1290163	BET	7	623697	6962707	6/28/2012	6:00:57 PM	IG01	Chocolate Brown	Gravel	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Rocky	
1290164	BET	7	623697	6962757	6/28/2012	6:17:55 PM	IG01	Reddish Yellow	Silt	Damp	Flat	70	C	Poplar	Leaf Cover	Excellent	Rocky	
1290165	BET	7	623697	6962807	6/28/2012	6:33:01 PM	IG01	Chocolate Brown	Silt	Dry	Flat	50	C	Willows	Reindeer Moss	Excellent	Rocky Sample	Rocky
1291152	BET	7	628796	6965408	6/28/2012	9:39:23 AM	JS01	Dark Brown	Silt	Damp	Flat	40	B	White Spruce	Thin Moss Cover	Poor	Coarse	Frozen
1291153	BET	7	628796	6965456	6/28/2012	9:53:14 AM	JS01	Dark Grey Black	Silt	Damp	Flat	30	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Frozen	Possible Creek Contamination
1291154	BET	7	628796	6965506	6/28/2012	10:10:16 AM	JS01	Chocolate Brown	Silt	Damp	Pronounced Slope	30	B	Birch Forest	Thin Moss Cover	Poor	Rocky Sample	Rocky Terrain
1291155	BET	7	628795	6965556	6/28/2012	10:45:08 AM	JS01	Chocolate Brown	Silt	Dry	Steep	50	B	Poplar	Grass Cover	Poor	Rocky	
1291156	BET	7	628794	6965607	6/28/2012	10:59:47 AM	JS01	Chocolate Brown	Silt	Dry	Steep	60	B	Poplar	Grass Cover	Poor	Coarse	Rocky
1291157	BET	7	628794	6965656	6/28/2012	11:16:00 AM	JS01	Chocolate Brown	Silt	Dry	Steep	60	B	No Tree Cover	Grass Cover	Poor	Coarse	Rocky
1291158	BET	7	628793	6965707	6/28/2012	11:28:21 AM	JS01	Chocolate Brown	Silt	Dry	Steep	40	B	Poplar	Grass Cover	Poor	Rocky	Rocky Terrain
1291159	BET	7	628793	6965758	6/28/2012	11:41:29 AM	JS01	Chocolate Brown	Sand	Dry	Steep	60	C	Poplar	Grass Cover	Good	Fine	Rocky
1291160	BET	7	628793	6965810	6/28/2012	11:57:06 AM	JS01	Chocolate Brown	Sand	Dry	Steep	60	C	Poplar	Grass Cover	Good	Rocky	
1291161	BET	7	628792	6965857	6/28/2012	12:11:19 PM	JS01	Chocolate Brown	Silt	Dry	Steep	40	B	Poplar	Grass Cover	Poor	Rocky	Rocky Terrain
1291162	BET	7	628792	6965908	6/28/2012	12:25:28 PM	JS01	Chocolate Brown	Silt	Dry	Steep	50	B	Poplar	Grass Cover	Poor	Bright Orange Rust	Rocky
1291163	BET	7	628792	6965958	6/28/2012	12:37:37 PM	JS01	Chocolate Brown	Silt	Dry	Steep	40	B	Poplar	Grass Cover	Poor	Bright Orange Rust	Rocky
1291164	BET	7	628791	6966008	6/28/2012	12:52:53 PM	JS01	Dark Brown	Sand	Damp	Steep	60	C	Poplar	Thin Moss Cover	Good	Bright Orange Rust	Rocky
1291165	BET	7	628791	6966057	6/28/2012	1:05:44 PM	JS01	Chocolate Brown	Sand	Dry	Steep	60	C	Poplar	Grass Cover	Good	Bright Orange Rust	Rocky
1291166	BET	7	628790	6966108	6/28/2012	1:19:11 PM	JS01	Grey	Sand	Dry	Steep	50	C	Poplar	Grass Cover	Good	Bright Orange Rust	Rocky
1291167	BET	7	628789	6966158	6/28/2012	1:33:48 PM	JS01	Chocolate Brown	Silt	Dry	Steep	30	B	Poplar	Leaf Cover	Poor	Rocky	
1291168	BET	7	628787	6966207	6/28/2012	1:54:38 PM	JS01	Chocolate Brown	Silt	Dry	Steep	50	B	Poplar	Thin Moss Cover	Poor	Coarse	Rocky
1291169	BET	7	628786	6966256	6/28/2012	2:06:06 PM	JS01	Dark Brown	Sand	Damp	Steep	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky Sample	
1291170	BET	7	628784	6966306	6/28/2012	2:20:16 PM	JS01	Light Brown	Sand	Dry	Steep	70	C	Poplar	Grass Cover	Good	Fine	Rocky
1291171	BET	7	628780	6966356	6/28/2012	2:30:46 PM	JS01	Chocolate Brown	Sand	Dry	Steep	50	C	Poplar	Grass Cover	Good	Fine	Rocky
1291172	BET	7	628778	6966407	6/28/2012	2:43:00 PM	JS01	Grey	Sand	Dry	Steep	60	C	Poplar	Leaf Cover	Good	Bright Orange Rust	Rocky
1291173	BET	7	628778	6966456	6/28/2012	2:54:49 PM	JS01	Chocolate Brown	Sand	Dry	Steep	70	C	Poplar	Grass Cover	Good	Quartz Chips	Rocky
1291174	BET	7	628774	6966508	6/28/2012	3:06:33 PM	JS01	Dark Brown	Sand	Dry	Steep	60	C	Poplar	Grass Cover	Good	Bright Orange Rust	Rocky
1291175	BET	7	628771	6966558	6/28/2012	3:19:23 PM	JS01	Chocolate Brown	Silt	Dry	Steep	40	B	Poplar	Grass Cover	Poor	Rocky	
1291176	BET	7	628774	6966559	6/28/2012	3:29:52 PM	JS01	Chocolate Brown	Silt	Dry	Steep	50	B	Poplar	Grass Cover	Poor	Rocky	
1291177	BET	7	628770	6966607	6/28/2012	3:38:17 PM	JS01	Light Brown	Silt	Dry	Steep	30	B	Poplar	Thin Moss Cover	Poor	Rocky	
1291178	BET	7	628768	6966655	6/28/2012	3:50:36 PM	JS01	Dark Grey Black	Silt	Damp	Steep	80	B	Birch Forest	Thin Moss Cover	Poor	Rocky Sample	Rocky
1291179	BET	7	628766	6966706	6/28/2012	4:05:19 PM	JS01	Grey	Sand	Damp	Steep	50	C	Birch Forest	Thin Moss Cover	Good	Rocky Sample	
1291180	BET	7	628761	6966806	6/28/2012	4:31:30 PM	JS01	Dark Brown	Sand	Damp	Flat	50	C	Birch Forest	Thin Moss Cover	Good	Possible Creek Contamination	Partially Frozen
1291181	BET	7	628757	6966847	6/28/2012	4:48:07 PM	JS01	Chocolate Brown	Sand	Damp	Flat	50	C	White Spruce	Thin Moss Cover	Good	Coarse	Possible Creek Contamination
1291182	BET	7	628755	6966908	6/28/2012	4:56:07 PM	JS01	Dark Brown	Silt	Damp	Flat	50	B	White Spruce	Thin Moss Cover	Poor	Possible Creek Contamination	Partially Frozen
1284665	BET	7	623597	6962909	6/28/2012	9:29:46 AM	KH01	Chocolate Brown	Sand	Damp	Steep	80	C	Poplar	Sphagnum Moss < 30cm	Excellent	Coarse	Bright Orange Rust
1284666	BET	7	623596	6962858	6/28/2012	9:55:35 AM	KH01	Chocolate Brown	Gravel	Damp	Subtle Slope	70	C	Poplar	Sphagnum Moss < 30cm	Good	Dull Red Rust	
1284667	BET	7	623596	6962808	6/28/2012	10:04:20 AM	KH01	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1284668	BET	7	623597	6962758	6/28/2012	10:19:31 AM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1284669	BET	7	623597	6962707	6/28/2012	10:31:29 AM	KH01	Chocolate Brown	Sand	Dry	Steep	70	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1284670	BET	7	623597	6962658	6/28/2012	10:43:41 AM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1284671	BET	7	623597	6962608	6/28/2012	10:56:40 AM	KH01	Chocolate Brown	Sand	Dry	Subtle Slope	70	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1284672	BET	7	623597	6962557	6/28/2012	11:11:01 AM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1284673	BET	7	623597	6962507	6/28/2012	11:29:10 AM	KH01	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	Organic 10%
1284674	BET	7	623597	6962458	6/28/2012	11:44:39 AM	KH01	Dark Brown	Sand	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Organic 10%	Rocky
1284675	BET	7	623597	6962407	6/28/2012	11:58:27 AM	KH01	Dark Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1284702	BET	7	623596	6962357	6/28/2012	12:17:33 PM	KH01	Dark Grey Black	Sand	Damp	Pronounced Slope	80	B	Poplar	Sphagnum Moss < 30cm	Good	Clay	Rocky
1284703	BET	7	623597	6962308	6/28/2012	12:28:57 PM	KH01	Chocolate Brown	Sand	Dry	Steep	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1284704	BET	7	623597	6962258	6/28/2012	12:39:58 PM	KH01	Dark Grey Black	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Good	Clay	Possible Creek Contamination
1284705	BET	7	623597	6962208	6/28/2012	12:53:55 PM	KH01	Chocolate Brown	Gravel	Wet	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Rocky
1284706	BET	7	623597	6962107	6/28/2012	1:15:24 PM	KH01	Chocolate Brown	Sand	Wet	Steep	70	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Mud
1284707	BET	7	623597	6962057	6/28/2012	1:28:25 PM	KH01	Chocolate Brown	Sand	Wet	Steep	70	C	Poplar	Sphagnum Moss < 30cm	Good	Mud	Rocky
1284708	BET	7	623597	6962009	6/28/2012	1:38:33 PM	KH01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Alders	Leaf Cover	Good	Coarse	Rocky
1284709	BET	7	623598	6961957	6/28/2012	1:50:51 PM	KH01	Chocolate Brown	Sand	Wet	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Rocky
1284710	BET	7	623597	6961906	6/28/2012	2:01:06 PM	KH01	Chocolate Brown	Sand	Wet	Pronounced Slope	80	C	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Rocky
1284711	BET	7	623697	6961908	6/28/2012	2:31:08 PM	KH01	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Alders	Sphagnum Moss < 30cm	Good	Coarse	
1284712	BET	7	623696	6961957	6/28/2012	2:45:49 PM	KH01	Chocolate Brown	Sand	Wet	Pronounced Slope	60	B	Alders	Sphagnum Moss < 30cm	Good	Mud	Rocky
1284713	BET	7	623697	6962057	6/28/2012	3:03:44 PM	KH01	Chocolate Brown	Sand	Wet	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Frozen
1284714	BET	7	623697	6962158	6/28/2012	3:26:53 PM	KH01	Dark Brown	Sand	Wet	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Frozen
1284715	BET	7	623697	6962258	6/28/2012	3:48:26 PM	KH01	Chocolate Brown	Sand	Damp	Steep	60	B	Poplar	Sphagnum Moss < 30cm	Good	Fine	Rocky
1284716	BET	7	623696	6962308	6/28/2012	4:02:38 PM	KH01	Reddish Brown	Sand	Dry	Steep	80	C	Poplar	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1284717	BET	7	623696	6962358	6/28/2012	4:14:34 PM	KH01	Reddish Orange	Sand	Dry	Steep	80	C	Poplar	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1284718	BET	7	623696	6962408	6/28/2012	4:27:42 PM	KH01	Reddish Orange	Sand	Dry	Steep	90	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Clay
1284719	BET	7	623697	6962455	6/28/2012	4:49:13 PM	KH01	Reddish Orange	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Bright Orange Rust	
1292265	BET	7	628697	6965407	6/28/2012	9:57:22 AM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	70	B	Poplar	Grass Cover	Good	Rocky	
1292266	BET	7	628695	6965458	6/28/2012	10:13:30 AM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Good	Fine	
1292267	BET	7	628694	6965507	6/28/2012	10:26:22 AM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	70	B	Poplar	Grass Cover	Good	Fine	Rocky Terrain
1292268	BET	7	628694	6965558	6/28/2012	10:42:35 AM	MT01	Light Brown	Sand	Dry	Steep	100	C	Poplar	Grass Cover	Excellent		
1292269	BET	7	628691	6965611	6/28/2012	10:54:33 AM	MT01	Reddish Brown	Sand	Dry	Steep	50	B	Poplar	Grass Cover	Good	Fine	Rocky Terrain
1292270	BET	7	628692	6965658	6/28/2012	11:08:11 AM	MT01	Reddish Brown	Sand	Dry	Steep	50	B	Poplar	Grass Cover	Good	Fine	
1292271	BET	7	628691	6965708	6/28/2012	11:23:17 AM	MT01	Chocolate Brown	Sand	Dry	Steep	50	C	Poplar	Grass Cover	Good	Rocky	
1292272	BET	7	628690	6965758	6/28/2012	11:37:56 AM	MT01	Reddish Brown	Silt	Dry	Steep	40	B	Poplar	Grass Cover	Good	Rocky	
1292273	BET	7	628689	6965809	6/28/2012	11:53:16 AM	MT01	Reddish Brown	Sand	Dry	Steep	70	C	Poplar	Grass Cover	Good	Fine	
1292274	BET	7	628689	6965858	6/28/2012	12:06:12 PM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Good	Rocky	
1292275	BET	7	628688	6965907	6/28/2012	12:25:47 PM	MT01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Poplar	Grass Cover	Good	Rocky	
1292276	BET	7	628688	6965907	6/28/2012	12:36:23 PM	MT01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Poplar	Grass Cover	Good	Rocky	
1292277	BET	7	628685	6965959	6/28/2012	12:46:27 PM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Good	Bright Orange Rust	
1292278	BET	7	628684	6966007	6/28/2012	1:01:02 PM	MT01	Dark Brown	Sand	Dry	Pronounced Slope	60	B	Poplar	Grass Cover	Good		
1292279	BET	7	628685	6966058	6/28/2012	1:15:03 PM	MT01	Reddish Yellow	Sand	Dry	Pronounced Slope	60	B	Poplar	Grass Cover	Good	Rocky	
1292280	BET	7	628684	6966108	6/28/2012	1:34:13 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	40	B	Poplar	Grass Cover	Good	Rocky	Small Sample
1292281	BET	7	628682	6966158	6/28/2012	1:50:13 PM	MT01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Thin Moss Cover	Good	Rocky	
1292282	BET	7	628681	6966206	6/28/2012	2:08:37 PM	MT01	Dark Grey Black	Clay	Wet	Pronounced Slope	30	A	Birch Forest	Sphagnum Moss < 30cm	Poor	Quartz Chips	
1292283	BET	7	628679	6966258	6/28/2012	2:23:35 PM	MT01	Dark Grey Black	Sand	Damp	Pronounced Slope	50	B	Alders	Leaf Cover	Good	Clay	Possible Creek Contamination
1292284	BET	7	628679	6966307	6/28/2012	2:38:57 PM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Good		

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1292285	BET	7	628678	6966357	6/28/2012	2:50:24 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Thin Moss Cover	Excellent	Rocky	
1292286	BET	7	628676	6966407	6/28/2012	3:01:42 PM	MT01	Reddish Yellow	Sand	Dry	Pronounced Slope	100	C	Poplar	Grass Cover	Excellent		
1292287	BET	7	628676	6966457	6/28/2012	3:15:55 PM	MT01	Reddish Yellow	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent		
1292288	BET	7	628673	6966508	6/28/2012	3:31:12 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Good	Rocky	
1292289	BET	7	628673	6966557	6/28/2012	3:46:20 PM	MT01	Chocolate Brown	Silt	Dry	Steep	30	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Rocky Terrain	
1292290	BET	7	628672	6966607	6/28/2012	4:05:36 PM	MT01	Grey	Sand	Dry	Pronounced Slope	30	C	Birch Forest	Leaf Cover	Poor	Rocky	Rocky Terrain
1292291	BET	7	628670	6966657	6/28/2012	4:29:46 PM	MT01	Grey	Silt	Dry	Steep	30	B	Poplar	Sphagnum Moss < 30cm	Poor	Rocky	Rocky Terrain
1284600	BET	7	623298	6962908	6/28/2012	9:45:09 AM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Dwarf Birch	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1284602	BET	7	623296	6962859	6/28/2012	9:59:52 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky Sample	Rocky
1284603	BET	7	623297	6962808	6/28/2012	10:11:49 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1284604	BET	7	623297	6962758	6/28/2012	10:21:11 AM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	40	C	Dwarf Birch	Reindeer Moss	Good	Rocky	Rocky Sample
1284605	BET	7	623297	6962709	6/28/2012	10:33:15 AM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1284606	BET	7	623297	6962659	6/28/2012	10:43:31 AM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Willows	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Quartz Chips
1284607	BET	7	623297	6962608	6/28/2012	10:53:17 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Rocky
1284608	BET	7	623296	6962558	6/28/2012	11:01:32 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1284609	BET	7	623297	6962507	6/28/2012	11:12:57 AM	RL02	Dark Brown	Sand	Damp	Subtle Slope	40	C	Birch Forest	Leaf Cover	Good	Coarse	Rocky
1284610	BET	7	623297	6962458	6/28/2012	11:23:45 AM	RL02	Dark Blue Black	Sand	Damp	Pronounced Slope	50	C	Birch Forest	Leaf Cover	Excellent	Coarse	Rocky
1284611	BET	7	623297	6962408	6/28/2012	11:42:41 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Birch Forest	Leaf Cover	Excellent	Bright Orange Rust	Coarse
1284612	BET	7	623296	6962358	6/28/2012	11:52:04 AM	RL02	Dark Grey Black	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Thin Moss Cover	Excellent	Bright Orange Rust	Coarse
1284613	BET	7	623297	6962308	6/28/2012	12:07:46 PM	RL02	Bluish Grey	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Leaf Cover	Excellent	Coarse	Quartz Chips
1284614	BET	7	623297	6962258	6/28/2012	12:19:42 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1284615	BET	7	623297	6962207	6/28/2012	12:31:04 PM	RL02	Chocolate Brown	Sand	Wet	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Mud
1284616	BET	7	623296	6962157	6/28/2012	12:50:20 PM	RL02	Dark Brown	Gravel	Wet	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Partially Frozen
1284617	BET	7	623297	6962107	6/28/2012	1:03:35 PM	RL02	Chocolate Brown	Sand	Wet	Pronounced Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	
1284618	BET	7	623296	6962057	6/28/2012	1:19:01 PM	RL02	Chocolate Brown	Sand	Wet	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Mud
1284619	BET	7	623297	6962007	6/28/2012	1:32:28 PM	RL02	Chocolate Brown	Sand	Wet	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Coarse
1284620	BET	7	623297	6961957	6/28/2012	1:51:25 PM	RL02	Chocolate Brown	Sand	Wet	Pronounced Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Coarse
1284621	BET	7	623296	6961907	6/28/2012	2:01:27 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Dwarf Birch	Reindeer Moss	Excellent	Coarse	Quartz Chips
1284625	BET	7	623397	6961906	6/28/2012	2:22:41 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Coarse	Quartz Chips
1284626	BET	7	623397	6961906	6/28/2012	2:24:40 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Coarse	Quartz Chips
1284622	BET	7	623397	6961957	6/28/2012	2:35:43 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Dwarf Birch	Reindeer Moss	Excellent	Coarse	Quartz Chips
1284623	BET	7	623396	6962006	6/28/2012	2:44:08 PM	RL02	Chocolate Brown	Sand	Wet	Pronounced Slope	50	C	Dwarf Birch	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1284624	BET	7	623397	6962056	6/28/2012	2:55:04 PM	RL02	Chocolate Brown	Sand	Wet	Pronounced Slope	60	C	Dwarf Birch	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1284627	BET	7	623397	6962106	6/28/2012	3:10:44 PM	RL02	Chocolate Brown	Sand	Wet	Pronounced Slope	60	C	Dwarf Birch	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1284628	BET	7	623397	6962156	6/28/2012	3:21:05 PM	RL02	Chocolate Brown	Sand	Wet	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Rocky
1284629	BET	7	623396	6962206	6/28/2012	3:32:38 PM	RL02	Chocolate Brown	Sand	Wet	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Bright Orange Rust
1284630	BET	7	623397	6962306	6/28/2012	3:56:58 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Leaf Cover	Excellent	Bright Orange Rust	Rocky
1284631	BET	7	623396	6962358	6/28/2012	4:06:29 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Birch Forest	Leaf Cover	Good	Quartz Chips	Rocky
1284800	BET	7	623395	6962948	6/28/2012	10:05:24 AM	RM01	Chocolate Brown	Gravel	Wet	Subtle Slope	60	C	Alders	Reindeer Moss	Good	Coarse	Mud
1284802	BET	7	623396	6962897	6/28/2012	10:24:53 AM	RM01	Chocolate Brown	Gravel	Damp	Subtle Slope	60	C	Alders	Reindeer Moss	Good	Coarse	
1284803	BET	7	623397	6962848	6/28/2012	10:42:49 AM	RM01	Dark Brown	Sand	Damp	Subtle Slope	70	C	Alders	Sphagnum Moss < 30cm	Good	Coarse	
1284804	BET	7	623397	6962798	6/28/2012	10:57:51 AM	RM01	Chocolate Brown	Silt	Damp	Subtle Slope	70	C	Poplar	Sphagnum Moss < 30cm	Good	Fine	
1284805	BET	7	623396	6962747	6/28/2012	11:13:32 AM	RM01	Chocolate Brown	Sand	Wet	Subtle Slope	70	C	Poplar	Sphagnum Moss < 30cm	Good	Dull Red Rust	
1284809	BET	7	623397	6962697	6/28/2012	11:34:15 AM	RM01	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	
1284808	BET	7	623396	6962648	6/28/2012	11:52:27 AM	RM01	Chocolate Brown	Gravel	Damp	Subtle Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1284807	BET	7	623397	6962597	6/28/2012	12:07:06 PM	RM01	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1284810	BET	7	623397	6962548	6/28/2012	12:19:43 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1284811	BET	7	623397	6962447	6/28/2012	12:48:24 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1284812	BET	7	623497	6962507	6/28/2012	1:24:20 PM	RM01	Chocolate Brown	Sand	Damp	Steep	50	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1284813	BET	7	623497	6962558	6/28/2012	1:40:36 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Coarse	Bright Orange Rust
1284814	BET	7	623496	6962608	6/28/2012	1:52:46 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Coarse	
1284815	BET	7	623497	6962659	6/28/2012	2:05:28 PM	RM01	Chocolate Brown	Sand	Damp	Steep	60	C	Poplar	Sphagnum Moss < 30cm	Good	Dull Red Rust	
1284816	BET	7	623497	6962707	6/28/2012	2:20:40 PM	RM01	Dark Brown	Gravel	Damp	Subtle Slope	60	B	Poplar	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1284817	BET	7	623496	6962757	6/28/2012	2:37:10 PM	RM01	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	
1284818	BET	7	623497	6962807	6/28/2012	2:51:53 PM	RM01	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	
1284819	BET	7	623496	6962856	6/28/2012	3:09:38 PM	RM01	Dark Brown	Sand	Damp	Subtle Slope	110	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1284821	BET	7	623496	6962907	6/28/2012	3:27:51 PM	RM01	Chocolate Brown	Sand	Damp	Subtle Slope	40	B	Poplar	Reindeer Moss	Good	Coarse	
1284822	BET	7	623496	6962457	6/28/2012	4:01:33 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Coarse	
1284823	BET	7	623497	6962406	6/28/2012	4:16:34 PM	RM01	Chocolate Brown	Sand	Damp	Steep	70	C	White Spruce	Leaf Cover	Good	Coarse	
1284824	BET	7	623497	6962357	6/28/2012	4:35:15 PM	RM01	Dark Brown	Clay	Wet	Pronounced Slope	70	B	White Spruce	Sphagnum Moss < 30cm	Good	Frozen	
1284825	BET	7	623496	6962307	6/28/2012	4:49:54 PM	RM01	Dark Brown	Clay	Wet	Pronounced Slope	70	B	White Spruce	Sphagnum Moss < 30cm	Poor	Fine	
1292372	BET	7	628498	6965407	6/28/2012	10:03:05 AM	RR01	Chocolate Brown	Silt	Damp	Steep	40	B	Poplar	Grass Cover	Good	Fine	Rocky
1292373	BET	7	628496	6965458	6/28/2012	10:21:11 AM	RR01	Bluish Grey	Silt	Damp	Steep	50	B	Poplar	Grass Cover	Good	Sandy	Rocky
1292374	BET	7	628497	6965506	6/28/2012	10:35:17 AM	RR01	Light Brown	Silt	Dry	Steep	50	B	Poplar	Bare Soil	Good	Coarse	Sandy
1292375	BET	7	628496	6965559	6/28/2012	10:48:34 AM	RR01	Chocolate Brown	Silt	Dry	Steep	30	B	Poplar	Grass Cover	Good	Sandy	Rocky
1292376	BET	7	628496	6965559	6/28/2012	10:58:06 AM	RR01	Chocolate Brown	Silt	Dry	Steep	30	B	Poplar	Grass Cover	Good	Sandy	Rocky
1292377	BET	7	628496	6965609	6/28/2012	11:21:36 AM	RR01	Chocolate Brown	Silt	Dry	Steep	30	B	Poplar	Bare Soil	Good	Outcrop Nearby	Rocky
1292378	BET	7	628495	6965657	6/28/2012	11:37:05 AM	RR01	Chocolate Brown	Silt	Dry	Steep	50	B	Poplar	Grass Cover	Good	Sandy	Outcrop Nearby
1292379	BET	7	628495	6965708	6/28/2012	11:49:12 AM	RR01	Chocolate Brown	Silt	Dry	Steep	40	B	Poplar	Grass Cover	Good	Sandy	
1292380	BET	7	628495	6965757	6/28/2012	12:01:55 PM	RR01	Chocolate Brown	Silt	Dry	Steep	60	B	Poplar	Grass Cover	Good	Sandy	Rocky
1292381	BET	7	628495	6965808	6/28/2012	12:32:49 PM	RR01	Chocolate Brown	Silt	Dry	Steep	40	B	Poplar	Grass Cover	Good	Rocky	Sandy
1292382	BET	7	628494	6965858	6/28/2012	12:50:23 PM	RR01	Chocolate Brown	Silt	Dry	Steep	40	B	Poplar	Grass Cover	Good	Sandy	Rocky
1292383	BET	7	628492	6965907	6/28/2012	1:03:46 PM	RR01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Coarse	Rocky
1292384	BET	7	628493	6965957	6/28/2012	1:13:42 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky Terrain
1292385	BET	7	628493	6966008	6/28/2012	1:25:43 PM	RR01	Reddish Yellow	Silt	Damp	Steep	50	B	Poplar	Needle Cover	Good	Coarse	Sandy
1292386	BET	7	628492	6966058	6/28/2012	1:38:59 PM	RR01	Dark Brown	Silt	Damp	Steep	40	B	Poplar	Rock Cover	Good	Fine	Rocky Terrain
1292387	BET	7	628492	6966107	6/28/2012	1:53:37 PM	RR01	Chocolate Brown	Silt	Damp	Steep	80	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Sandy
1292388	BET	7	628494	6966157	6/28/2012	2:09:02 PM	RR01	Grey	Gravel	Damp	Pronounced Slope	50	C	Birch Forest	Bare Soil	Excellent	Coarse	Rocky Terrain
1292389	BET	7	628494	6966207	6/28/2012	2:17:02 PM	RR01	Grey	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1292390	BET	7	628493	6966256	6/28/2012	2:28:17 PM	RR01	Grey	Sand	Damp	Pronounced Slope	80	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	
1292391	BET	7	628493	6966307	6/28/2012	2:37:02 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Poplar	Grass Cover	Good	Coarse	Rocky
1292392	BET	7	628492	6966357	6/28/2012	2:49:13 PM	RR01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Poplar	Grass Cover	Good	Coarse	Rocky
1292393	BET	7	628492	6966406	6/28/2012	3:02:54 PM	RR01	Chocolate Brown	Sand	Damp	Steep	50	C	Poplar	Grass Cover	Good	Dull Red Rust	Coarse
1292394	BET	7	628492	6966457	6/28/2012	3:16:49 PM	RR01	Chocolate Brown	Sand	Damp	Steep	100	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Sandy

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1292395	BET	7	628489	6966558	6/28/2012	3:45:47 PM	RR01	Chocolate Brown	Silt	Dry	Steep	30	B	Poplar	Leaf Cover	Poor	Coarse	Rocky Terrain
1292396	BET	7	628489	6966607	6/28/2012	4:02:35 PM	RR01	Chocolate Brown	Silt	Dry	Pronounced Slope	30	B	Poplar	Reindeer Moss	Good	Rocky	Rocky Terrain
1292397	BET	7	628488	6966657	6/28/2012	4:17:54 PM	RR01	Chocolate Brown	Silt	Dry	Pronounced Slope	70	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	Sandy
1292398	BET	7	628488	6966708	6/28/2012	4:31:03 PM	RR01	Dark Brown	Sand	Damp	Steep	70	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1292399	BET	7	628488	6966758	6/28/2012	4:46:00 PM	RR01	Grey	Sand	Damp	Pronounced Slope	60	C	Alders	Sphagnum Moss < 30cm	Excellent	Coarse	Wet Soil
1292400	BET	7	628487	6966806	6/28/2012	5:09:50 PM	RR01	Dark Brown	Silt	Damp	Steep	50	B	Alders	Sphagnum Moss < 30cm	Good	Fine	Sandy
1268979	BET	7	619096	6967356	6/28/2012	9:30:22 AM	RR02	Reddish Yellow	Silt	Wet	Subtle Slope	30	B	Dwarf Birch	Thin Moss Cover	Good	Coarse	Partially Frozen
1268980	BET	7	619096	6967256	6/28/2012	9:48:06 AM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	40	B	Black Spruce	Thin Moss Cover	Good	Coarse	Bright Orange Rust
1268981	BET	7	619097	6967207	6/28/2012	9:58:17 AM	RR02	Reddish Yellow	Sand	Wet	Subtle Slope	50	C	Black Spruce	Thin Moss Cover	Good	Fine	Partially Frozen
1268982	BET	7	619098	6967106	6/28/2012	10:22:26 AM	RR02	Greyish Green	Sand	Damp	Subtle Slope	70	C	Black Spruce	Thin Moss Cover	Excellent	Coarse	
1268983	BET	7	619097	6967057	6/28/2012	10:33:07 AM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	70	B	Black Spruce	Thin Moss Cover	Good	Fine	
1268984	BET	7	619096	6967006	6/28/2012	10:46:16 AM	RR02	Greyish Green	Sand	Damp	Subtle Slope	60	C	Dwarf Birch	Thin Moss Cover	Excellent	Coarse	
1268985	BET	7	619097	6966956	6/28/2012	10:58:51 AM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Dwarf Birch	Thin Moss Cover	Good	Fine	Quartz Chips
1268986	BET	7	619095	6966907	6/28/2012	11:08:28 AM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Dwarf Birch	Thin Moss Cover	Good	Fine	Bright Orange Rust
1268987	BET	7	619096	6966856	6/28/2012	11:20:05 AM	RR02	Chocolate Brown	Sand	Wet	Subtle Slope	60	C	Dwarf Birch	Thin Moss Cover	Excellent	Coarse	
1268988	BET	7	619097	6966806	6/28/2012	11:30:12 AM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Black Spruce	Thin Moss Cover	Excellent	Coarse	
1268989	BET	7	619096	6966755	6/28/2012	11:52:02 AM	RR02	Greyish Green	Sand	Damp	Subtle Slope	50	C	White Spruce	Thin Moss Cover	Excellent	Coarse	Outcrop Nearby
1268990	BET	7	619087	6966708	6/28/2012	12:17:54 PM	RR02	Grey	Sand	Damp	Subtle Slope	90	C	Birch Forest	Thin Moss Cover	Good	Coarse	Outcrop Nearby
1268991	BET	7	619096	6966657	6/28/2012	12:44:13 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	40	B	White Spruce	Thin Moss Cover	Good	Coarse	Bright Orange Rust
1268992	BET	7	619097	6966606	6/28/2012	12:58:14 PM	RR02	Light Brown	Silt	Damp	Subtle Slope	60	B	White Spruce	Thin Moss Cover	Good	Bright Orange Rust	Fine
1268993	BET	7	619095	6966555	6/28/2012	1:07:26 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	30	B	Birch Forest	Leaf Cover	Good	Fine	
1268994	BET	7	619097	6966506	6/28/2012	1:17:28 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	40	B	Birch Forest	Leaf Cover	Good	Fine	Rocky
1268995	BET	7	619097	6966456	6/28/2012	1:27:17 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	40	B	White Spruce	Leaf Cover	Poor	Fine	Rocky
1268996	BET	7	619097	6966407	6/28/2012	1:40:10 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	White Spruce	Leaf Cover	Good	Fine	
1268997	BET	7	619097	6966358	6/28/2012	1:49:03 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	White Spruce	Needle Cover	Poor	Fine	
1268998	BET	7	619097	6966306	6/28/2012	2:00:55 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	Birch Forest	Leaf Cover	Good	Fine	
1268999	BET	7	619097	6966258	6/28/2012	2:11:18 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	White Spruce	Thin Moss Cover	Good	Fine	
1269000	BET	7	619096	6966208	6/28/2012	2:22:15 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	White Spruce	Thin Moss Cover	Good	Coarse	
1269302	BET	7	619097	6966159	6/28/2012	2:42:39 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	White Spruce	Leaf Cover	Good	Coarse	Rocky
1269303	BET	7	619098	6966108	6/28/2012	2:52:54 PM	RR02	Reddish Yellow	Sand	Wet	Subtle Slope	50	C	White Spruce	Bare Soil	Good	Coarse	
1269304	BET	7	619097	6966058	6/28/2012	3:14:01 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	White Spruce	Grass Cover	Good	Coarse	
1269305	BET	7	619097	6966007	6/28/2012	3:30:20 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	90	C	White Spruce	Thin Moss Cover	Excellent	Fine	Bright Orange Rust
1269306	BET	7	619095	6965958	6/28/2012	3:44:06 PM	RR02	Dark Brown	Silt	Damp	Subtle Slope	60	B	White Spruce	Leaf Cover	Good	Fine	
1269307	BET	7	619097	6965908	6/28/2012	3:55:58 PM	RR02	Dark Brown	Silt	Wet	Subtle Slope	70	B	White Spruce	Thin Moss Cover	Good	Coarse	
1269308	BET	7	619097	6965853	6/28/2012	4:06:32 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	60	B	Birch Forest	Leaf Cover	Good	Fine	Bright Orange Rust
1291025	BET	7	628597	6965407	6/28/2012	10:08:20 AM	SC01	Dark Brown	Silt	Dry	Steep	50	B	Poplar	Leaf Cover	Poor	Rocky	
1291026	BET	7	628597	6965407	6/28/2012	10:10:04 AM	SC01	Dark Brown	Silt	Dry	Steep	50	B	Poplar	Leaf Cover	Poor	Rocky	
1291035	BET	7	628596	6965458	6/28/2012	10:29:02 AM	SC01	Light Brown	Silt	Dry	Steep	50	B	Poplar	Grass Cover	Poor	Rocky	
1291036	BET	7	628595	6965507	6/28/2012	10:46:50 AM	SC01	Chocolate Brown	Silt	Dry	Steep	40	B	Poplar	Grass Cover	Poor	Rocky	
1291037	BET	7	628594	6965558	6/28/2012	11:00:25 AM	SC01	Dark Brown	Silt	Dry	Steep	50	B	Poplar	Grass Cover	Poor	Rocky	
1291038	BET	7	628594	6965607	6/28/2012	11:17:22 AM	SC01	Dark Brown	Silt	Dry	Steep	60	B	Poplar	Leaf Cover	Poor	Rocky	
1291039	BET	7	628594	6965658	6/28/2012	11:30:19 AM	SC01	Chocolate Brown	Silt	Dry	Steep	70	B	Poplar	Grass Cover	Poor	Rocky	
1291040	BET	7	628594	6965708	6/28/2012	11:40:38 AM	SC01	Chocolate Brown	Sand	Dry	Steep	70	C	Poplar	Grass Cover	Good	Fine	Rocky
1291041	BET	7	628594	6965758	6/28/2012	11:57:00 AM	SC01	Reddish Brown	Silt	Dry	Steep	40	B	Poplar	Grass Cover	Poor	Rocky	
1291042	BET	7	628592	6965808	6/28/2012	12:17:01 PM	SC01	Reddish Brown	Silt	Dry	Steep	60	B	Poplar	Grass Cover	Poor	Rocky	Bright Orange Rust
1291043	BET	7	628592	6965858	6/28/2012	12:34:02 PM	SC01	Chocolate Brown	Sand	Dry	Steep	50	C	Poplar	Grass Cover	Good	Rocky	
1291044	BET	7	628593	6965908	6/28/2012	12:47:45 PM	SC01	Chocolate Brown	Silt	Dry	Steep	40	B	Poplar	Grass Cover	Poor	Rocky	Sandy
1291045	BET	7	628592	6965958	6/28/2012	12:57:17 PM	SC01	Chocolate Brown	Sand	Damp	Steep	60	C	Poplar	Leaf Cover	Good	Rocky	
1291046	BET	7	628590	6966009	6/28/2012	1:09:41 PM	SC01	Chocolate Brown	Sand	Dry	Steep	60	C	Poplar	Grass Cover	Good	Rocky	
1291047	BET	7	628592	6966058	6/28/2012	1:24:06 PM	SC01	Light Brown	Silt	Dry	Steep	40	B	Poplar	Leaf Cover	Poor	Rocky	
1291048	BET	7	628590	6966109	6/28/2012	1:39:21 PM	SC01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Poplar	Leaf Cover	Poor	Rocky	Outcrop Nearby
1291049	BET	7	628588	6966161	6/28/2012	1:54:45 PM	SC01	Dark Brown	Silt	Dry	Steep	50	B	Poplar	Sphagnum Moss < 30cm	Poor	Rocky	Rocky Sample
1291050	BET	7	628589	6966207	6/28/2012	2:05:17 PM	SC01	Dark Grey Black	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Leaf Cover	Poor	Possible Creek Contamination	
1291052	BET	7	628588	6966257	6/28/2012	2:23:36 PM	SC01	Dark Brown	Silt	Dry	Pronounced Slope	40	B	White Spruce	Grass Cover	Poor	Rocky	
1291053	BET	7	628588	6966306	6/28/2012	2:35:52 PM	SC01	Dark Brown	Sand	Dry	Steep	50	C	White Spruce	Grass Cover	Good	Rocky	
1291054	BET	7	628586	6966355	6/28/2012	2:48:20 PM	SC01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Poplar	Leaf Cover	Poor	Rocky	
1291055	BET	7	628584	6966406	6/28/2012	2:58:59 PM	SC01	Reddish Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Grass Cover	Excellent	Dull Red Rust	Rocky
1291056	BET	7	628583	6966456	6/28/2012	3:10:43 PM	SC01	Chocolate Brown	Silt	Dry	Steep	40	B	Poplar	Grass Cover	Poor	Outcrop Nearby	Rocky
1291057	BET	7	628583	6966506	6/28/2012	3:21:51 PM	SC01	Chocolate Brown	Sand	Damp	Steep	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Fine	
1291058	BET	7	628582	6966606	6/28/2012	3:43:13 PM	SC01	Reddish Brown	Sand	Dry	Steep	60	C	Poplar	Grass Cover	Good	Fine	Rocky
1291059	BET	7	628579	6966706	6/28/2012	4:05:36 PM	SC01	Chocolate Brown	Silt	Dry	Steep	40	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Rocky	Rocky Terrain
1291060	BET	7	628580	6966757	6/28/2012	4:20:17 PM	SC01	Dark Brown	Silt	Dry	Steep	40	B	Birch Forest	Leaf Cover	Poor	Rocky	
1291061	BET	7	628578	6966807	6/28/2012	4:37:46 PM	SC01	Dark Brown	Sand	Dry	Steep	50	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1291062	BET	7	628577	6966857	6/28/2012	4:49:55 PM	SC01	Dark Brown	Sand	Damp	Steep	70	C	Birch Forest	Grass Cover	Good	Rocky	
1291063	BET	7	628575	6966906	6/28/2012	5:00:26 PM	SC01	Dark Grey Black	Sand	Damp	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Rocky	Possible Creek Contamination
1269154	BET	7	619298	6967357	6/28/2012	9:37:53 AM	SD02	Dark Brown	Sand	Damp	Subtle Slope	60	C	Willows	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Partially Frozen
1269155	BET	7	619294	6967307	6/28/2012	9:47:03 AM	SD02	Light Brown	Gravel	Damp	Subtle Slope	50	C	Alders	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Frozen
1269156	BET	7	619298	6967257	6/28/2012	9:56:37 AM	SD02	Grey	Sand	Damp	Subtle Slope	40	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Frozen	Bright Orange Rust
1269157	BET	7	619297	6967207	6/28/2012	10:03:29 AM	SD02	Dark Brown	Sand	Damp	Subtle Slope	50	C	Dwarf Birch	Reindeer Moss	Excellent	Bright Orange Rust	Quartz Chips
1269158	BET	7	619296	6967156	6/28/2012	10:10:16 AM	SD02	Light Brown	Gravel	Wet	Subtle Slope	60	B	Alders	Reindeer Moss	Excellent	Bright Orange Rust	Wet Soil
1269159	BET	7	619297	6967106	6/28/2012	10:18:24 AM	SD02	Dark Grey Black	Sand	Damp	Subtle Slope	90	B	Alders	Reindeer Moss	Excellent	Bright Orange Rust	Partially Frozen
1269160	BET	7	619296	6967057	6/28/2012	10:25:44 AM	SD02	Dark Brown	Sand	Damp	Subtle Slope	80	C	Willows	Sphagnum Moss < 30cm	Excellent	Frozen	Bright Orange Rust
1269161	BET	7	619297	6967006	6/28/2012	10:35:22 AM	SD02	Grey	Gravel	Damp	Subtle Slope	50	C	Willows	Sphagnum Moss < 30cm	Excellent	Quartz Chips	Frozen
1269162	BET	7	619299	6966957	6/28/2012	10:43:59 AM	SD02	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Alders	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Partially Frozen
1269163	BET	7	619299	6966905	6/28/2012	10:51:32 AM	SD02	Dark Grey Black	Sand	Damp	Subtle Slope	90	C	Alders	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Partially Frozen
1269164	BET	7	619298	6966856	6/28/2012	10:59:21 AM	SD02	Light Brown	Gravel	Dry	Subtle Slope	60	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Rocky
1269165	BET	7	619298	6966806	6/28/2012	11:07:46 AM	SD02	Greyish Green	Sand	Damp	Subtle Slope	90	C	Dwarf Birch	Reindeer Moss	Excellent	Coarse	
1269166	BET	7	619297	6966757	6/28/2012	11:26:56 AM	SD02	Chocolate Brown	Sand	Damp	Subtle Slope	60	B	Alders	Reindeer Moss	Excellent	Fine	
1269167	BET	7	619297	6966706	6/28/2012	11:34:26 AM	SD02	Light Brown	Gravel	Dry	Subtle Slope	70	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	
1269168	BET	7	619297	6966657	6/28/2012	11:42:04 AM	SD02	Grey	Sand	Damp	Subtle Slope	60	C	Willows	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	
1269169	BET	7	619296	6966605	6/28/2012	11:50:29 AM	SD02	Dark Brown	Gravel	Dry	Pronounced Slope	50	C	White Spruce	Reindeer Moss	Good	Rocky Sample	Rocky
1269170	BET	7	619299	6966556	6/28/2012	12:00:38 PM	SD02	Reddish Yellow	Gravel	Damp	Subtle Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Rocky	
1269171	BET	7	619298	6966506	6/28/2012	12:07:55 PM	SD02	Reddish Yellow	Gravel	Damp	Subtle Slope	50	C	Birch Forest	Grass Cover	Excellent	Bright Orange Rust	Quartz Chips
1269172	BET	7	619298	6966456	6/28/2012	12:15:59 PM	SD02	Light Brown	Gravel	Damp	Subtle Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Quartz Chips	

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1269173	BET	7	619299	6966405	6/28/2012	12:25:11 PM	SD02	Reddish Yellow	Gravel	Damp	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Rocky	Fine
1269174	BET	7	619298	6966356	6/28/2012	12:35:51 PM	SD02	Light Brown	Gravel	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Excellent	Quartz Chips	Rocky
1269175	BET	7	619299	6966307	6/28/2012	12:45:01 PM	SD02	Light Brown	Gravel	Damp	Subtle Slope	40	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky Terrain	
1269176	BET	7	619299	6966307	6/28/2012	12:53:16 PM	SD02	Light Brown	Gravel	Damp	Subtle Slope	50	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky Terrain	
1269177	BET	7	619298	6966260	6/28/2012	1:17:05 PM	SD02	Dark Brown	Gravel	Damp	Subtle Slope	70	C	Birch Forest	Leaf Cover	Excellent	Rocky	
1269178	BET	7	619299	6966207	6/28/2012	1:18:08 PM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	80	B	Birch Forest	Leaf Cover	Excellent	Fine	
1269179	BET	7	619297	6966158	6/28/2012	1:32:28 PM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	60	C	Birch Forest	Leaf Cover	Excellent	Rocky	
1269180	BET	7	619297	6966109	6/28/2012	1:43:28 PM	SD02	Grey	Sand	Damp	Subtle Slope	70	C	Birch Forest	Leaf Cover	Excellent	Bright Orange Rust	
1269181	BET	7	619297	6966056	6/28/2012	1:51:01 PM	SD02	Reddish Yellow	Gravel	Dry	Subtle Slope	40	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Rocky	Quartz Chips
1269182	BET	7	619298	6966008	6/28/2012	2:01:59 PM	SD02	Reddish Yellow	Gravel	Dry	Subtle Slope	40	C	Birch Forest	Leaf Cover	Excellent	Coarse	
1269183	BET	7	619298	6965958	6/28/2012	2:08:52 PM	SD02	Yellow	Gravel	Dry	Subtle Slope	40	C	Poplar	Reindeer Moss	Excellent	Bright Orange Rust	
1269185	BET	7	619297	6965858	6/28/2012	2:29:04 PM	SD02	Reddish Yellow	Sand	Dry	Subtle Slope	100	C	Poplar	Leaf Cover	Excellent	Quartz Chips	
1269184	BET	7	619298	6965907	6/28/2012	3:59:47 PM	SD02	Chocolate Brown	Gravel	Dry	Subtle Slope	50	C	Poplar	Leaf Cover	Excellent	Rocky	
1269092	BET	7	619597	6967355	6/29/2012	7:50:40 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Black Spruce	Thin Moss Cover	Good	Rocky	
1269093	BET	7	619597	6967301	6/29/2012	10:40:37 AM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	B	Birch Forest	Sphagnum Moss > 30cm	Good	Rocky Sample	
1269094	BET	7	619596	6967257	6/29/2012	10:49:56 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	C	Birch Forest	Leaf Cover	Good	Rocky	
1269095	BET	7	619596	6967207	6/29/2012	10:59:22 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Birch Forest	Leaf Cover	Good	Rocky	Quartz Chips
1269096	BET	7	619596	6967155	6/29/2012	11:08:42 AM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	70	C	Black Spruce	Leaf Cover	Excellent		
1269097	BET	7	619597	6967100	6/29/2012	11:19:54 AM	BH01	Dark Brown	Silt	Dry	Subtle Slope	60	B	Black Spruce	Sphagnum Moss > 30cm	Good	Rocky	
1269098	BET	7	619596	6967056	6/29/2012	11:32:42 AM	BH01	Dark Grey Black	Silt	Damp	Flat	50	B	Alders	Sphagnum Moss > 30cm	Poor	Mud	Partially Frozen
1269099	BET	7	619596	6966957	6/29/2012	11:57:08 AM	BH01	Dark Brown	Silt	Wet	Pronounced Slope	50	B	Black Spruce	Grass Cover	Poor	Mud	Possible Creek Contamination
1269100	BET	7	619599	6966909	6/29/2012	12:10:07 PM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Mud	Partially Frozen
1269402	BET	7	619596	6966856	6/29/2012	12:24:37 PM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Frozen	
1269403	BET	7	619596	6966811	6/29/2012	12:50:38 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Alders	Reindeer Moss	Good	Rocky	Bright Orange Rust
1269404	BET	7	619599	6966759	6/29/2012	1:01:27 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Reindeer Moss	Good	Rocky	Mud
1269405	BET	7	619594	6966707	6/29/2012	1:10:06 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Alders	Reindeer Moss	Good	Mud	Rocky
1269406	BET	7	619596	6966655	6/29/2012	1:29:57 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Reindeer Moss	Good	Rocky	
1269407	BET	7	619592	6966608	6/29/2012	1:39:29 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Alders	Reindeer Moss	Good	Rocky	
1269408	BET	7	619596	6966556	6/29/2012	1:51:05 PM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	40	B	Black Spruce	Leaf Cover	Good	Rocky	
1269409	BET	7	619597	6966508	6/29/2012	2:00:01 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Reindeer Moss	Good	Mud	Rocky
1269410	BET	7	619597	6966461	6/29/2012	2:09:48 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Rocky	Rocky Sample
1269411	BET	7	619597	6966402	6/29/2012	2:19:58 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Rocky	Rocky Sample
1269412	BET	7	619598	6966353	6/29/2012	2:29:29 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Black Spruce	Leaf Cover	Good	Rocky	
1269413	BET	7	619603	6966307	6/29/2012	2:50:14 PM	BH01	Chocolate Brown	Clay	Damp	Pronounced Slope	70	B	Poplar	Leaf Cover	Good	Mud	Rocky
1269414	BET	7	619596	6966260	6/29/2012	3:00:35 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Rocky	
1269415	BET	7	619597	6966211	6/29/2012	3:08:35 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Poplar	Leaf Cover	Good	Rocky	
1269416	BET	7	619596	6966162	6/29/2012	3:18:04 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Poplar	Leaf Cover	Good	Rocky	
1269417	BET	7	619597	6966111	6/29/2012	3:26:09 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Black Spruce	Leaf Cover	Good	Rocky	
1269418	BET	7	619597	6966052	6/29/2012	3:37:15 PM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	40	B	Poplar	Leaf Cover	Good	Rocky	
1269419	BET	7	619596	6966004	6/29/2012	3:45:53 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Birch Forest	Leaf Cover	Good	Rocky	
1269420	BET	7	619597	6965964	6/29/2012	3:54:42 PM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	80	B	Black Spruce	Leaf Cover	Good	Rocky Sample	
1269421	BET	7	619596	6965911	6/29/2012	4:06:43 PM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	80	B	Black Spruce	Leaf Cover	Good		
1269422	BET	7	619598	6965856	6/29/2012	4:16:54 PM	BH01	Dark Brown	Silt	Dry	Subtle Slope	70	B	Poplar	Leaf Cover	Good		
1292468	BET	7	629297	6967907	6/29/2012	10:48:54 AM	CK01	Dark Brown	Sand	Damp	Steep	50	B	Alders	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Rocky Terrain
1292469	BET	7	629297	6967859	6/29/2012	11:06:48 AM	CK01	Chocolate Brown	Sand	Damp	Steep	50	C	Poplar	Sphagnum Moss < 30cm	Good	Rocky Terrain	
1292470	BET	7	629296	6967809	6/29/2012	11:21:10 AM	CK01	Chocolate Brown	Sand	Damp	Steep	60	C	Alders	Grass Cover	Good	Rocky Terrain	
1292471	BET	7	629296	6967758	6/29/2012	11:32:17 AM	CK01	Chocolate Brown	Sand	Damp	Steep	60	C	Poplar	Leaf Cover	Good	Rusty Rock Chip	Bright Orange Rust
1292472	BET	7	629297	6967708	6/29/2012	11:46:03 AM	CK01	Chocolate Brown	Sand	Damp	Steep	50	C	Alders	Leaf Cover	Good		
1292473	BET	7	629296	6967658	6/29/2012	12:00:52 PM	CK01	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	
1292474	BET	7	629296	6967608	6/29/2012	12:14:45 PM	CK01	Chocolate Brown	Sand	Damp	Steep	90	C	Poplar	Leaf Cover	Excellent		
1292475	BET	7	629297	6967558	6/29/2012	12:33:46 PM	CK01	Chocolate Brown	Sand	Damp	Steep	50	C	Poplar	Leaf Cover	Good		
1292476	BET	7	629297	6967558	6/29/2012	12:40:03 PM	CK01	Chocolate Brown	Sand	Damp	Steep	50	C	Poplar	Leaf Cover	Good		
1292477	BET	7	629296	6967508	6/29/2012	12:53:02 PM	CK01	Chocolate Brown	Sand	Damp	Steep	80	C	Poplar	Grass Cover	Good		
1292478	BET	7	629297	6967459	6/29/2012	1:07:49 PM	CK01	Chocolate Brown	Sand	Damp	Steep	70	C	Poplar	Leaf Cover	Excellent		
1292479	BET	7	629297	6967408	6/29/2012	1:20:28 PM	CK01	Chocolate Brown	Sand	Damp	Steep	70	C	Poplar	Grass Cover	Excellent		
1292480	BET	7	629296	6967358	6/29/2012	1:34:37 PM	CK01	Chocolate Brown	Sand	Damp	Steep	50	B	Poplar	Grass Cover	Good	Fine	
1292481	BET	7	629296	6967308	6/29/2012	1:49:31 PM	CK01	Chocolate Brown	Sand	Damp	Steep	50	C	Poplar	Grass Cover	Good	Rusty Rock Chip	Bright Orange Rust
1292482	BET	7	629296	6967257	6/29/2012	2:02:31 PM	CK01	Chocolate Brown	Sand	Damp	Steep	60	C	Poplar	Leaf Cover	Good	Rusty Rock Chip	
1292483	BET	7	629297	6967208	6/29/2012	2:17:08 PM	CK01	Dark Blue Black	Sand	Damp	Steep	30	B	Poplar	Leaf Cover	Good	Fine	
1292484	BET	7	629297	6967159	6/29/2012	2:36:31 PM	CK01	Chocolate Brown	Sand	Damp	Steep	70	C	Poplar	Grass Cover	Excellent	Coarse	Rusty Rock Chip
1292485	BET	7	629297	6967109	6/29/2012	2:54:46 PM	CK01	Chocolate Brown	Sand	Damp	Steep	60	C	Poplar	Leaf Cover	Good		
1292486	BET	7	629297	6967057	6/29/2012	3:12:50 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Poplar	Grass Cover	Good	Fine	Rocky Terrain
1292487	BET	7	629297	6967008	6/29/2012	3:30:13 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Poplar	Leaf Cover	Good	Fine	
1292488	BET	7	629296	6966958	6/29/2012	3:40:15 PM	CK01	Chocolate Brown	Sand	Damp	Steep	80	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	
1269261	BET	7	619497	6967357	6/29/2012	10:31:24 AM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	60	B	White Spruce	Sphagnum Moss < 30cm	Good	Rusty Rock Chip	
1269262	BET	7	619497	6967307	6/29/2012	10:43:13 AM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1269263	BET	7	619497	6967257	6/29/2012	10:54:27 AM	FP01	Dark Brown	Gravel	Damp	Subtle Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Poor	Rocky	Quartz Chips
1269264	BET	7	619497	6967206	6/29/2012	11:05:17 AM	FP01	Dark Brown	Sand	Damp	Subtle Slope	80	B	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	Quartz Chips
1269265	BET	7	619497	6967157	6/29/2012	11:22:17 AM	FP01	Dark Grey Black	Sand	Wet	Subtle Slope	20	B	White Spruce	Sphagnum Moss < 30cm	Poor	Frozen	Quartz Chips
1269266	BET	7	619496	6967107	6/29/2012	11:38:26 AM	FP01	Dark Brown	Sand	Damp	Subtle Slope	40	B	White Spruce	Reindeer Moss	Good	Quartz Chips	Rusty Rock Chip
1269267	BET	7	619497	6967057	6/29/2012	11:50:00 AM	FP01	Chocolate Brown	Sand	Wet	Subtle Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1269268	BET	7	619497	6967006	6/29/2012	11:59:35 AM	FP01	Reddish Yellow	Sand	Damp	Pronounced Slope	80	C	White Spruce	Reindeer Moss	Excellent	Coarse	Rusty Rock Chip
1269269	BET	7	619496	6966956	6/29/2012	12:10:05 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	80	C	Willows	Reindeer Moss	Good	Coarse	Rusty Rock Chip
1269270	BET	7	619497	6966907	6/29/2012	12:21:55 PM	FP01	Dark Brown	Sand	Wet	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Rusty Rock Chip	Partially Frozen
1269271	BET	7	619497	6966856	6/29/2012	12:38:54 PM	FP01	Dark Brown	Sand	Wet	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Poor	Rocky	Rusty Rock Chip
1269272	BET	7	619497	6966807	6/29/2012	12:47:29 PM	FP01	Dark Brown	Sand	Damp	Pronounced Slope	40	C	Black Spruce	Reindeer Moss	Good	Coarse	Rusty Rock Chip
1269273	BET	7	619496	6966756	6/29/2012	1:04:31 PM	FP01	Dark Brown	Sand	Wet	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Poor	Frozen	Rusty Rock Chip
1269274	BET	7	619496	6966705	6/29/2012	1:11:24 PM	FP01	Chocolate Brown	Silt	Damp	Subtle Slope	60	B	Dwarf Birch	Reindeer Moss	Good	Fine	
1269275	BET	7	619497	6966656	6/29/2012	1:23:09 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	Dwarf Birch	Reindeer Moss	Excellent	Coarse	Rocky
1269276	BET	7	619497	6966656	6/29/2012	1:32:18 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	Dwarf Birch	Reindeer Moss	Excellent	Coarse	Rocky
1269277	BET	7	619497	6966606	6/29/2012	1:41:11 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	60	B	Dwarf Birch	Reindeer Moss	Good	Rocky	
1269278	BET	7	619497	6966557	6/29/2012	1:53:31 PM	FP01	Chocolate Brown	Sand	Damp	Flat	30	B	Dwarf Birch	Reindeer Moss	Poor	Rocky	Rocky Terrain
1269279	BET	7	619496	6966508	6/29/2012	2:18:41 PM	FP01	Reddish Brown	Sand	Damp	Subtle Slope	40	B	Poplar	Leaf Cover	Good	Rocky	
1269280	BET	7	619497	6966458	6/29/2012	2:27:04 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	60	B	Poplar	Sphagnum Moss < 30cm	Good	Rocky	

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1269281	BET	7	619497	6966408	6/29/2012	2:38:10 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	40	B	Poplar	Leaf Cover	Poor	Rocky Sample	Quartz Chips
1269282	BET	7	619497	6966358	6/29/2012	2:50:00 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	40	B	Poplar	Sphagnum Moss < 30cm	Poor	Rocky	
1269283	BET	7	619497	6966308	6/29/2012	3:02:47 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	40	B	Poplar	Leaf Cover	Good	Rocky	
1269284	BET	7	619497	6966258	6/29/2012	3:11:17 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	60	B	Poplar	Leaf Cover	Good	Rocky	
1269285	BET	7	619496	6966208	6/29/2012	3:28:13 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Poplar	Leaf Cover	Good	Coarse	Quartz Chips
1269286	BET	7	619497	6966157	6/29/2012	3:39:54 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Quartz Chips
1269287	BET	7	619496	6966108	6/29/2012	3:49:42 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	40	B	Poplar	Leaf Cover	Good	Rocky	
1269288	BET	7	619496	6966058	6/29/2012	4:01:59 PM	FP01	Dark Brown	Sand	Dry	Subtle Slope	40	B	Poplar	Leaf Cover	Good	Rocky	
1269289	BET	7	619496	6966008	6/29/2012	4:13:22 PM	FP01	Dark Brown	Sand	Dry	Subtle Slope	40	B	Poplar	Leaf Cover	Good	Rocky	Quartz Chips
1269290	BET	7	619497	6965958	6/29/2012	4:24:07 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	70	B	Poplar	Leaf Cover	Good	Quartz Chips	Rusty Rock Chip
1269291	BET	7	619497	6965908	6/29/2012	4:36:04 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	90	C	Poplar	Leaf Cover	Good	Coarse	Rusty Rock Chip
1269292	BET	7	619498	6965858	6/29/2012	4:48:26 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	Poplar	Leaf Cover	Good	Coarse	Rusty Rock Chip
1290166	BET	7	623697	6964757	6/29/2012	11:05:14 AM	IG01	Chocolate Brown	Gravel	Dry	Subtle Slope	40	B	White Spruce	Reindeer Moss	Good	Rocky	Rocky Sample
1290167	BET	7	623697	6964857	6/29/2012	11:46:19 AM	IG01	Chocolate Brown	Gravel	Dry	Subtle Slope	40	B	White Spruce	Thin Moss Cover	Good	Rocky	Rocky Sample
1290168	BET	7	623697	6964908	6/29/2012	12:04:54 PM	IG01	Chocolate Brown	Gravel	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Rocky	Rocky Sample
1290169	BET	7	623697	6964957	6/29/2012	12:26:01 PM	IG01	Chocolate Brown	Gravel	Dry	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Rocky	
1290170	BET	7	623697	6965007	6/29/2012	12:43:01 PM	IG01	Bluish Grey	Sand	Dry	Pronounced Slope	100	C	Poplar	Leaf Cover	Excellent		
1290171	BET	7	623698	6965058	6/29/2012	12:58:52 PM	IG01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Rocky	
1290172	BET	7	623697	6965108	6/29/2012	1:18:39 PM	IG01	Chocolate Brown	Silt	Dry	Pronounced Slope	70	C	White Spruce	Leaf Cover	Excellent	Rocky	
1290173	BET	7	623697	6965157	6/29/2012	1:35:32 PM	IG01	Chocolate Brown	Silt	Dry	Pronounced Slope	70	C	White Spruce	Bare Soil	Excellent	Rocky	
1290174	BET	7	623596	6965157	6/29/2012	2:14:23 PM	IG01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	White Spruce	Leaf Cover	Good	Rocky	Rocky Sample
1290175	BET	7	623596	6965108	6/29/2012	2:46:37 PM	IG01	Dark Brown	Gravel	Dry	Pronounced Slope	60	B	White Spruce	Thin Moss Cover	Poor	Rocky	Rocky Sample
1290176	BET	7	623596	6965108	6/29/2012	3:00:15 PM	IG01	Dark Brown	Gravel	Dry	Pronounced Slope	60	B	White Spruce	Thin Moss Cover	Poor	Rocky	
1290177	BET	7	623597	6965009	6/29/2012	3:47:29 PM	IG01	Chocolate Brown	Silt	Dry	Subtle Slope	90	C	White Spruce	Thin Moss Cover	Excellent	Rocky	Rocky Sample
1290178	BET	7	623614	6964974	6/29/2012	4:07:02 PM	IG01	Chocolate Brown	Gravel	Dry	Subtle Slope	60	B	White Spruce	Thin Moss Cover	Good	Rocky	Rocky Sample
1290179	BET	7	623595	6964857	6/29/2012	4:47:17 PM	IG01	Dark Brown	Clay	Damp	Subtle Slope	40	B	White Spruce	Thin Moss Cover	Poor	Rocky	Rocky Sample
1290180	BET	7	623596	6964809	6/29/2012	5:07:32 PM	IG01	Chocolate Brown	Clay	Damp	Flat	60	B	White Spruce	Reindeer Moss	Good	Rocky	Rocky Sample
1290181	BET	7	623597	6964759	6/29/2012	5:24:17 PM	IG01	Chocolate Brown	Clay	Dry	Flat	50	B	White Spruce	Leaf Cover	Good	Rocky	
1291183	BET	7	629195	6967907	6/29/2012	10:34:51 AM	JS01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Coarse	Rocky
1291184	BET	7	629197	6967858	6/29/2012	10:56:10 AM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	B	Birch Forest	Grass Cover	Good	Fine	Bright Orange Rust
1291185	BET	7	629196	6967809	6/29/2012	11:12:00 AM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	B	Birch Forest	Grass Cover	Good	Fine	Bright Orange Rust
1291186	BET	7	629197	6967759	6/29/2012	11:27:24 AM	JS01	Light Brown	Silt	Dry	Pronounced Slope	50	B	Birch Forest	Grass Cover	Poor	Rocky	
1291187	BET	7	629196	6967707	6/29/2012	11:41:20 AM	JS01	Light Brown	Silt	Dry	Subtle Slope	40	B	Poplar	Grass Cover	Poor	Coarse	Rocky
1291188	BET	7	629197	6967657	6/29/2012	11:57:35 AM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent	Rocky	Fine
1291189	BET	7	629197	6967607	6/29/2012	12:13:33 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent	Fine	Rocky
1291190	BET	7	629197	6967558	6/29/2012	12:43:01 PM	JS01	Grey	Sand	Dry	Pronounced Slope	100	C	Poplar	Grass Cover	Excellent	Fine	
1291191	BET	7	629196	6967508	6/29/2012	12:56:05 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Fine	Rocky
1291192	BET	7	629197	6967457	6/29/2012	1:09:57 PM	JS01	Light Brown	Sand	Dry	Pronounced Slope	50	C	White Spruce	Thin Moss Cover	Good	Fine	Rocky
1291193	BET	7	629197	6967409	6/29/2012	1:29:26 PM	JS01	Light Brown	Sand	Dry	Pronounced Slope	70	C	White Spruce	Thin Moss Cover	Good	Fine	Rocky
1291194	BET	7	629197	6967356	6/29/2012	1:43:53 PM	JS01	Grey	Sand	Dry	Pronounced Slope	90	C	Poplar	Grass Cover	Good	Fine	
1291195	BET	7	629198	6967307	6/29/2012	2:01:21 PM	JS01	Light Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Good	Bright Orange Rust	Rocky
1291196	BET	7	629197	6967256	6/29/2012	2:14:37 PM	JS01	Chocolate Brown	Sand	Dry	Steep	70	C	Poplar	Grass Cover	Good	Bright Orange Rust	Rocky
1291197	BET	7	629196	6967208	6/29/2012	2:29:23 PM	JS01	Light Brown	Sand	Dry	Pronounced Slope	60	C	White Spruce	Thin Moss Cover	Good	Fine	Rocky
1291198	BET	7	629198	6967157	6/29/2012	2:44:40 PM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Poor	Coarse	Rocky
1291199	BET	7	629198	6967107	6/29/2012	2:57:07 PM	JS01	Light Brown	Silt	Dry	Pronounced Slope	70	B	White Spruce	Grass Cover	Poor	Rocky	
1291200	BET	7	629196	6967054	6/29/2012	3:11:26 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Good	Rocky	
1293502	BET	7	629196	6967006	6/29/2012	3:27:47 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	White Spruce	Thin Moss Cover	Good	Rocky	
1293503	BET	7	629196	6966957	6/29/2012	3:40:57 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	White Spruce	Thin Moss Cover	Good	Rocky	Bright Orange Rust
1293504	BET	7	629198	6966906	6/29/2012	3:58:38 PM	JS01	Reddish Yellow	Sand	Dry	Pronounced Slope	50	C	White Spruce	Thin Moss Cover	Good	Rocky	
1284720	BET	7	623898	6965158	6/29/2012	10:59:12 AM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Coarse	Bright Orange Rust
1284721	BET	7	623897	6965109	6/29/2012	11:10:39 AM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Coarse	Bright Orange Rust
1284722	BET	7	623897	6965057	6/29/2012	11:24:51 AM	KH01	Reddish Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Coarse	Bright Orange Rust
1284723	BET	7	623899	6965007	6/29/2012	11:32:53 AM	KH01	Reddish Brown	Sand	Dry	Steep	70	C	Poplar	Leaf Cover	Good	Coarse	Bright Orange Rust
1284724	BET	7	623896	6964958	6/29/2012	11:44:08 AM	KH01	Light Grey	Sand	Dry	Steep	80	C	Poplar	Leaf Cover	Excellent	Fine	Rocky
1284725	BET	7	623897	6964907	6/29/2012	11:54:48 AM	KH01	Reddish Orange	Sand	Dry	Steep	90	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	
1284676	BET	7	623897	6964907	6/29/2012	12:06:41 PM	KH01	Reddish Orange	Sand	Dry	Steep	90	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	
1284677	BET	7	623898	6964858	6/29/2012	12:19:19 PM	KH01	Reddish Orange	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Coarse
1284678	BET	7	623897	6964808	6/29/2012	12:32:40 PM	KH01	Reddish Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Sphagnum Moss < 30cm	Excellent	Coarse	Bright Orange Rust
1284679	BET	7	623897	6964758	6/29/2012	12:44:28 PM	KH01	Reddish Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Clay
1284680	BET	7	623898	6964457	6/29/2012	2:35:29 PM	KH01	Dark Grey Black	Sand	Wet	Steep	60	B	Willows	Sphagnum Moss < 30cm	Poor	Mud	Organic 25%
1284681	BET	7	623896	6964408	6/29/2012	2:56:15 PM	KH01	Dark Grey Black	Sand	Damp	Steep	50	B	Alders	Sphagnum Moss < 30cm	Poor	Rocky	Organic 10%
1284682	BET	7	623796	6964408	6/29/2012	3:10:50 PM	KH01	Chocolate Brown	Sand	Dry	Steep	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1284683	BET	7	623797	6964464	6/29/2012	3:32:02 PM	KH01	Dark Grey Black	Sand	Damp	Steep	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1292292	BET	7	629397	6967908	6/29/2012	10:54:45 AM	MT01	Grey	Sand	Damp	Pronounced Slope	40	B	Birch Forest	Grass Cover	Poor	Clay	Rocky Terrain
1292293	BET	7	629398	6967857	6/29/2012	11:11:54 AM	MT01	Dark Brown	Sand	Damp	Pronounced Slope	80	C	Birch Forest	Thin Moss Cover	Excellent	Rocky Terrain	
1292294	BET	7	629398	6967808	6/29/2012	11:27:32 AM	MT01	Chocolate Brown	Sand	Damp	Pronounced Slope	30	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Clay	Rocky Terrain
1292295	BET	7	629397	6967759	6/29/2012	11:41:51 AM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	60	C	Birch Forest	Thin Moss Cover	Good	Rocky Terrain	
1292296	BET	7	629398	6967708	6/29/2012	11:55:03 AM	MT01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Birch Forest	Thin Moss Cover	Good	Rocky	
1292297	BET	7	629397	6967658	6/29/2012	12:08:32 PM	MT01	Reddish Brown	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Reindeer Moss	Good	Rocky	
1292298	BET	7	629396	6967608	6/29/2012	12:23:37 PM	MT01	Chocolate Brown	Sand	Dry	Subtle Slope	40	C	Birch Forest	Grass Cover	Good	Rocky	
1292299	BET	7	629399	6967557	6/29/2012	12:40:08 PM	MT01	Light Brown	Sand	Dry	Subtle Slope	50	B	Poplar	Grass Cover	Good	Fine	
1292300	BET	7	629399	6967508	6/29/2012	12:55:16 PM	MT01	Reddish Brown	Sand	Dry	Subtle Slope	60	C	Poplar	Grass Cover	Good		
1292802	BET	7	629397	6967458	6/29/2012	1:12:19 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent		
1292803	BET	7	629398	6967406	6/29/2012	1:33:08 PM	MT01	Light Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent		
1292804	BET	7	629398	6967358	6/29/2012	1:45:28 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Good		
1292805	BET	7	629397	6967307	6/29/2012	2:03:35 PM	MT01	Reddish Orange	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent	Bright Orange Rust	
1292806	BET	7	629397	6967258	6/29/2012	2:16:30 PM	MT01	Reddish Orange	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent	Bright Orange Rust	
1292807	BET	7	629398	6967207	6/29/2012	2:32:26 PM	MT01	Dark Brown	Sand	Dry	Pronounced Slope	90	C	Poplar	Grass Cover	Excellent		
1292808	BET	7	629396	6967157	6/29/2012	2:48:04 PM	MT01	Reddish Brown	Sand	Damp	Pronounced Slope	90	C	Poplar	Grass Cover	Excellent	Clay	
1292809	BET	7	629398	6967108	6/29/2012	3:02:07 PM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Good	Rocky	
1292810	BET	7	629397	6967058	6/29/2012	3:14:06 PM	MT01	Reddish Orange	Silt	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Good		
1292811	BET	7	629397	6967007	6/29/2012	3:25:47 PM	MT01	Reddish Orange	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Good		
1292812	BET	7	629398	6966957	6/29/2012	3:37:56 PM	MT01	Chocolate Brown	Silt	Damp	Pronounced Slope	90	B	Poplar	Grass Cover	Good	Clay	
1284632	BET	7	623198	6965158	6/29/2012	11:15:29 AM	RL02	Chocolate Brown	Gravel	Damp	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1284633	BET	7	623197	6965108	6/29/2012	11:27:23 AM	RL02	Chocolate Brown	Sand	Wet	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky Sample
1284634	BET	7	623196	6965057	6/29/2012	11:35:59 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	110	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Quartz Chips
1284635	BET	7	623196	6965007	6/29/2012	11:43:56 AM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	80	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1284636	BET	7	623197	6964957	6/29/2012	11:53:19 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	White Spruce	Thin Moss Cover	Excellent	Coarse	Quartz Chips
1284637	BET	7	623197	6964908	6/29/2012	12:01:09 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Rusty Rock Chip	Quartz Chips
1284638	BET	7	623196	6964858	6/29/2012	12:15:08 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Quartz Chips
1284639	BET	7	623196	6964807	6/29/2012	12:23:28 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1284640	BET	7	623197	6964757	6/29/2012	12:31:53 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Thin Moss Cover	Excellent	Bright Orange Rust	Rocky
1284641	BET	7	623196	6964708	6/29/2012	12:42:06 PM	RL02	Reddish Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Thin Moss Cover	Excellent	Bright Orange Rust	Rocky
1284642	BET	7	623197	6964657	6/29/2012	12:51:22 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Quartz Chips
1284643	BET	7	623197	6964606	6/29/2012	1:08:35 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	White Spruce	Thin Moss Cover	Excellent	Bright Orange Rust	Quartz Chips
1284644	BET	7	623196	6964555	6/29/2012	1:20:48 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	White Spruce	Thin Moss Cover	Excellent	Bright Orange Rust	Quartz Chips
1284645	BET	7	623196	6964507	6/29/2012	1:29:52 PM	RL02	Reddish Brown	Sand	Damp	Pronounced Slope	80	C	White Spruce	Thin Moss Cover	Excellent	Bright Orange Rust	Coarse
1284646	BET	7	623297	6964557	6/29/2012	2:13:52 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Quartz Chips
1284647	BET	7	623296	6964607	6/29/2012	2:24:22 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Quartz Chips
1284648	BET	7	623297	6964657	6/29/2012	2:33:10 PM	RL02	Reddish Brown	Sand	Damp	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Bright Orange Rust
1284649	BET	7	623296	6964706	6/29/2012	2:49:44 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Bright Orange Rust
1284650	BET	7	623297	6964757	6/29/2012	3:01:56 PM	RL02	Reddish Brown	Sand	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Quartz Chips
1283102	BET	7	623296	6964807	6/29/2012	3:11:36 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Coarse	Quartz Chips
1283103	BET	7	623297	6964858	6/29/2012	3:25:02 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Quartz Chips
1283104	BET	7	623296	6964907	6/29/2012	3:35:11 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1283105	BET	7	623296	6964957	6/29/2012	3:45:18 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Rocky
1283106	BET	7	623297	6965007	6/29/2012	3:58:02 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Rocky
1283107	BET	7	623296	6965057	6/29/2012	4:11:13 PM	RL02	Dark Grey Black	Silt	Damp	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Partially Frozen
1283108	BET	7	623296	6965107	6/29/2012	4:20:02 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	90	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Fine	Bright Orange Rust
1283109	BET	7	623297	6965157	6/29/2012	4:30:29 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1284845	BET	7	623496	6964506	6/29/2012	12:05:20 PM	RM01	Dark Brown	Gravel	Wet	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Poor	Rocky	
1284846	BET	7	623508	6964556	6/29/2012	12:24:42 PM	RM01	Chocolate Brown	Gravel	Damp	Subtle Slope	40	B	White Spruce	Reindeer Moss	Poor	Coarse	
1284847	BET	7	623497	6964756	6/29/2012	12:59:50 PM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	C	White Spruce	Needle Cover	Good	Coarse	
1284848	BET	7	623497	6964805	6/29/2012	1:18:01 PM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1284849	BET	7	623497	6964855	6/29/2012	1:27:05 PM	RM01	Chocolate Brown	Gravel	Damp	Pronounced Slope	50	B	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1284850	BET	7	623497	6964907	6/29/2012	1:39:05 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1283202	BET	7	623497	6964956	6/29/2012	1:54:33 PM	RM01	Chocolate Brown	Clay	Damp	Pronounced Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1283203	BET	7	623497	6965006	6/29/2012	2:07:38 PM	RM01	Dark Brown	Silt	Damp	Pronounced Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Fine	
1283204	BET	7	623497	6965056	6/29/2012	2:21:40 PM	RM01	Dark Brown	Silt	Damp	Pronounced Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1283205	BET	7	623497	6965106	6/29/2012	2:39:12 PM	RM01	Dark Brown	Silt	Damp	Steep	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Fine	
1283206	BET	7	623397	6965163	6/29/2012	3:25:47 PM	RM01	Dark Brown	Gravel	Damp	Steep	80	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1283207	BET	7	623398	6965107	6/29/2012	3:37:53 PM	RM01	Dark Brown	Clay	Damp	Pronounced Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Fine	Bright Orange Rust
1283208	BET	7	623399	6965057	6/29/2012	3:51:50 PM	RM01	Dark Brown	Sand	Damp	Steep	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1283209	BET	7	623400	6965007	6/29/2012	4:04:34 PM	RM01	Dark Brown	Silt	Damp	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Good	Fine	
1283210	BET	7	623400	6964958	6/29/2012	4:13:01 PM	RM01	Reddish Brown	Gravel	Wet	Steep	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Frozen
1283211	BET	7	623398	6964907	6/29/2012	4:23:22 PM	RM01	Dark Brown	Sand	Damp	Pronounced Slope	60	B	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1283212	BET	7	623393	6964855	6/29/2012	4:38:21 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1283213	BET	7	623399	6964807	6/29/2012	4:46:56 PM	RM01	Dark Brown	Silt	Damp	Pronounced Slope	60	B	White Spruce	Sphagnum Moss < 30cm	Good	Fine	
1284827	BET	7	623398	6964755	6/29/2012	5:00:50 PM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1284828	BET	7	623399	6964707	6/29/2012	5:15:02 PM	RM01	Dark Brown	Sand	Damp	Pronounced Slope	60	B	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1284829	BET	7	623398	6964656	6/29/2012	5:26:14 PM	RM01	Chocolate Brown	Clay	Wet	Subtle Slope	70	B	White Spruce	Reindeer Moss	Good	Mud	Frozen
1293602	BET	7	629596	6967908	6/29/2012	10:52:50 AM	RR01	Dark Brown	Silt	Wet	Subtle Slope	40	B	Old Burn	Leaf Cover	Good	Mud	Sandy
1293603	BET	7	629597	6967858	6/29/2012	11:10:34 AM	RR01	Dark Grey Black	Silt	Wet	Subtle Slope	50	B	Dwarf Birch	Grass Cover	Poor	Mud	Sandy
1293604	BET	7	629597	6967808	6/29/2012	11:22:02 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Dwarf Birch	Grass Cover	Good	Coarse	Quartz Chips
1293605	BET	7	629598	6967759	6/29/2012	11:36:14 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Old Burn	Grass Cover	Good	Coarse	Rocky Terrain
1293606	BET	7	629598	6967708	6/29/2012	11:50:44 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Birch Forest	Rock Cover	Good	Coarse	Rocky Terrain
1293607	BET	7	629598	6967658	6/29/2012	12:04:44 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Birch Forest	Grass Cover	Good	Coarse	Sandy
1293608	BET	7	629597	6967608	6/29/2012	12:17:09 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Birch Forest	Grass Cover	Good	Coarse	Rocky
1293609	BET	7	629597	6967556	6/29/2012	12:33:33 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	30	C	Dwarf Birch	Thin Moss Cover	Good	Coarse	Top Layer
1293610	BET	7	629598	6967508	6/29/2012	12:45:05 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Old Burn	Grass Cover	Excellent	Coarse	Rocky
1293611	BET	7	629597	6967458	6/29/2012	1:09:41 PM	RR01	Chocolate Brown	Sand	Damp	Steep	80	C	Dwarf Birch	Thin Moss Cover	Excellent	Coarse	Dull Red Rust
1293612	BET	7	629596	6967408	6/29/2012	1:17:36 PM	RR01	Reddish Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	
1293613	BET	7	629597	6967357	6/29/2012	1:29:05 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Dwarf Birch	Bare Soil	Good	Coarse	Sandy
1293614	BET	7	629596	6967309	6/29/2012	1:48:49 PM	RR01	Reddish Yellow	Sand	Damp	Pronounced Slope	80	C	Old Burn	Grass Cover	Excellent	Coarse	Rocky
1293615	BET	7	629597	6967259	6/29/2012	2:02:52 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Excellent	Coarse	Quartz Chips
1293616	BET	7	629597	6967208	6/29/2012	2:27:37 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	B	Poplar	Grass Cover	Good	Fine	Sandy
1293617	BET	7	629596	6967158	6/29/2012	2:37:06 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	No Tree Cover	Bare Soil	Excellent	Fine	
1293618	BET	7	629597	6967108	6/29/2012	2:48:34 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Good	Fine	
1293619	BET	7	629596	6967058	6/29/2012	3:03:45 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Bare Soil	Good	Fine	
1293620	BET	7	629597	6967007	6/29/2012	3:13:40 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Excellent	Fine	
1293621	BET	7	629597	6966958	6/29/2012	3:24:54 PM	RR01	Dark Brown	Silt	Damp	Pronounced Slope	80	B	Old Burn	Thin Moss Cover	Good	Rocky	Sandy
1269309	BET	7	619698	6967356	6/29/2012	10:55:05 AM	RR02	Reddish Brown	Sand	Damp	Subtle Slope	30	C	Birch Forest	Thin Moss Cover	Good	Fine	Rocky Terrain
1269310	BET	7	619695	6967307	6/29/2012	11:06:36 AM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	40	B	Birch Forest	Leaf Cover	Good	Coarse	Bright Orange Rust
1269311	BET	7	619699	6967257	6/29/2012	11:17:22 AM	RR02	Reddish Yellow	Sand	Damp	Subtle Slope	50	C	Birch Forest	Thin Moss Cover	Excellent	Coarse	Quartz Chips
1269312	BET	7	619697	6967208	6/29/2012	11:32:21 AM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	40	B	Birch Forest	Leaf Cover	Good	Coarse	Quartz Chips
1269313	BET	7	619696	6967157	6/29/2012	11:44:36 AM	RR02	Greyish Green	Sand	Damp	Subtle Slope	80	C	Birch Forest	Leaf Cover	Excellent	Coarse	
1269314	BET	7	619681	6967108	6/29/2012	11:58:51 AM	RR02	Reddish Yellow	Sand	Wet	Subtle Slope	50	C	Willows	Thin Moss Cover	Good	Bright Orange Rust	Partially Frozen
1269315	BET	7	619670	6967056	6/29/2012	12:16:20 PM	RR02	Dark Brown	Silt	Wet	Subtle Slope	30	B	Willows	Sphagnum Moss < 30cm	Poor	Partially Frozen	Organic 25%
1269316	BET	7	619697	6966907	6/29/2012	12:47:34 PM	RR02	Reddish Yellow	Sand	Wet	Pronounced Slope	70	C	Birch Forest	Thin Moss Cover	Good	Coarse	Wet Soil
1269317	BET	7	619696	6966857	6/29/2012	1:36:13 PM	RR02	Chocolate Brown	Sand	Wet	Pronounced Slope	60	B	Willows	Thin Moss Cover	Good	Fine	Partially Frozen
1269318	BET	7	619697	6966807	6/29/2012	1:52:51 PM	RR02	Light Brown	Silt	Wet	Pronounced Slope	40	B	Willows	Thin Moss Cover	Poor	Partially Frozen	
1269319	BET	7	619696	6966758	6/29/2012	2:06:59 PM	RR02	Reddish Orange	Sand	Wet	Pronounced Slope	100	C	Willows	Thin Moss Cover	Excellent	Bright Orange Rust	Dull Red Rust
1269320	BET	7	619696	6966707	6/29/2012	2:18:20 PM	RR02	Greyish Green	Sand	Wet	Pronounced Slope	90	C	Black Spruce	Thin Moss Cover	Excellent	Coarse	
1269321	BET	7	619697	6966657	6/29/2012	2:42:35 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	40	C	Dwarf Birch	Thin Moss Cover	Good	Fine	
1269322	BET	7	619696	6966607	6/29/2012	2:43:56 PM	RR02	Chocolate Brown	Sand	Wet	Subtle Slope	50	C	Dwarf Birch	Thin Moss Cover	Excellent	Coarse	
1269323	BET	7	619697	6966557	6/29/2012	2:53:14 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	60	B	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1269324	BET	7	619696	6966507	6/29/2012	3:05:03 PM	RR02	Light Bluish Grey	Sand	Damp	Subtle Slope	80	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Coarse
1269325	BET	7	619697	6966457	6/29/2012	3:15:26 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Partially Frozen

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1269326	BET	7	619697	6966457	6/29/2012	3:23:27 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Partially Frozen
1269327	BET	7	619697	6966408	6/29/2012	3:30:58 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	70	C	White Spruce	Thin Moss Cover	Good	Coarse	
1269328	BET	7	619696	6966360	6/29/2012	3:39:12 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	60	B	White Spruce	Needle Cover	Good	Bright Orange Rust	Rocky
1269329	BET	7	619696	6966308	6/29/2012	3:47:43 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	White Spruce	Thin Moss Cover	Good	Fine	Bright Orange Rust
1269330	BET	7	619697	6966255	6/29/2012	3:56:10 PM	RR02	Dark Brown	Silt	Damp	Subtle Slope	80	B	White Spruce	Leaf Cover	Good	Quartz Chips	Rocky
1269331	BET	7	619696	6966269	6/29/2012	4:05:37 PM	RR02	Dark Brown	Silt	Wet	Subtle Slope	50	B	White Spruce	Grass Cover	Poor	Fine	Organic 25%
1269332	BET	7	619697	6966158	6/29/2012	4:14:43 PM	RR02	Dark Brown	Silt	Damp	Subtle Slope	80	B	White Spruce	Leaf Cover	Good	Coarse	Rocky
1269333	BET	7	619695	6966107	6/29/2012	4:26:37 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	White Spruce	Leaf Cover	Good	Coarse	Rocky
1269334	BET	7	619696	6966057	6/29/2012	4:33:27 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	70	B	Birch Forest	Grass Cover	Good	Coarse	Bright Orange Rust
1269335	BET	7	619697	6966007	6/29/2012	4:41:33 PM	RR02	Reddish Yellow	Sand	Wet	Subtle Slope	100	C	Birch Forest	Leaf Cover	Excellent	Coarse	
1269336	BET	7	619696	6965957	6/29/2012	4:51:23 PM	RR02	Dark Brown	Silt	Wet	Subtle Slope	40	B	White Spruce	Sphagnum Moss > 30cm	Poor	Partially Frozen	Organic 25%
1269337	BET	7	619697	6965906	6/29/2012	4:58:31 PM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	70	B	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1269338	BET	7	619696	6965857	6/29/2012	5:05:08 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	80	B	White Spruce	Thin Moss Cover	Good	Coarse	Bright Orange Rust
1291064	BET	7	629496	6967907	6/29/2012	10:49:23 AM	SC01	Dark Brown	Sand	Damp	Subtle Slope	70	C	Birch Forest	Leaf Cover	Good	Fine	
1291065	BET	7	629496	6967858	6/29/2012	11:03:51 AM	SC01	Dark Brown	Sand	Damp	Subtle Slope	70	C	Dwarf Birch	Leaf Cover	Good	Fine	
1291066	BET	7	629497	6967809	6/29/2012	11:27:04 AM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Dwarf Birch	Leaf Cover	Excellent	Partially Frozen	
1291067	BET	7	629496	6967759	6/29/2012	11:39:51 AM	SC01	Dark Brown	Silt	Damp	Pronounced Slope	80	B	Dwarf Birch	Grass Cover	Good	Sandy	
1291068	BET	7	629497	6967708	6/29/2012	11:54:03 AM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Grass Cover	Excellent	Rocky	Quartz Chips
1291069	BET	7	629499	6967658	6/29/2012	12:08:29 PM	SC01	Light Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Leaf Cover	Excellent	Rocky	
1291070	BET	7	629497	6967608	6/29/2012	12:21:01 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Dwarf Birch	Sphagnum Moss < 30cm	Good	Rocky	
1291071	BET	7	629496	6967558	6/29/2012	12:42:34 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Grass Cover	Good	Rocky	
1291072	BET	7	629496	6967507	6/29/2012	12:58:13 PM	SC01	Chocolate Brown	Sand	Dry	Subtle Slope	50	C	Black Spruce	Leaf Cover	Good	Rocky	Fine
1291073	BET	7	629497	6967458	6/29/2012	1:09:55 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Black Spruce	Leaf Cover	Good	Rocky	
1291074	BET	7	629497	6967409	6/29/2012	1:27:34 PM	SC01	Grey	Sand	Damp	Pronounced Slope	60	C	Poplar	Grass Cover	Excellent	Fine	Rocky
1291075	BET	7	629496	6967358	6/29/2012	1:43:47 PM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Grass Cover	Excellent	Fine	Rocky
1291076	BET	7	629496	6967357	6/29/2012	1:51:15 PM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Grass Cover	Excellent	Fine	Rocky
1291077	BET	7	629496	6967308	6/29/2012	2:07:33 PM	SC01	Dark Brown	Sand	Dry	Steep	50	C	Poplar	Grass Cover	Good	Fine	Rocky
1291078	BET	7	629496	6967257	6/29/2012	2:20:41 PM	SC01	Reddish Yellow	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Excellent	Bright Orange Rust	Rocky
1291079	BET	7	629497	6967207	6/29/2012	2:36:44 PM	SC01	Reddish Yellow	Sand	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Good	Rocky	
1291080	BET	7	629497	6967158	6/29/2012	2:49:26 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent	Fine	
1291081	BET	7	629497	6967108	6/29/2012	3:05:03 PM	SC01	Light Brown	Silt	Damp	Pronounced Slope	90	C	Poplar	Grass Cover	Good		
1291082	BET	7	629497	6967057	6/29/2012	3:17:47 PM	SC01	Chocolate Brown	Silt	Damp	Pronounced Slope	80	C	Poplar	Grass Cover	Good		
1291083	BET	7	629496	6967006	6/29/2012	3:29:00 PM	SC01	Dark Brown	Silt	Damp	Pronounced Slope	60	C	Willows	Grass Cover	Good	Rocky	Sandy
1291084	BET	7	629498	6966957	6/29/2012	3:40:25 PM	SC01	Dark Brown	Sand	Dry	Pronounced Slope	60	C	White Spruce	Grass Cover	Good	Rocky	
1269186	BET	7	619397	6967357	6/29/2012	10:29:15 AM	SD02	Light Brown	Sand	Damp	Subtle Slope	50	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Quartz Chips
1269187	BET	7	619396	6967307	6/29/2012	10:36:56 AM	SD02	Light Brown	Sand	Damp	Subtle Slope	40	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Rocky	Dull Red Rust
1269188	BET	7	619395	6967257	6/29/2012	10:42:35 AM	SD02	Dark Brown	Gravel	Damp	Pronounced Slope	50	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Rocky
1269189	BET	7	619395	6967206	6/29/2012	10:48:46 AM	SD02	Dark Brown	Sand	Damp	Subtle Slope	90	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	
1269190	BET	7	619395	6967156	6/29/2012	10:55:22 AM	SD02	Light Brown	Sand	Damp	Subtle Slope	70	C	Alders	Reindeer Moss	Excellent	Bright Orange Rust	
1269191	BET	7	619395	6967107	6/29/2012	11:02:59 AM	SD02	Light Brown	Gravel	Wet	Subtle Slope	50	B	Alders	Grass Cover	Good	Rocky	
1269192	BET	7	619398	6967055	6/29/2012	11:11:28 AM	SD02	Dark Grey Black	Sand	Damp	Subtle Slope	40	C	Alders	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Frozen
1269193	BET	7	619396	6967005	6/29/2012	11:18:16 AM	SD02	Dark Grey Black	Sand	Damp	Pronounced Slope	80	C	White Spruce	Reindeer Moss	Good	Wet Soil	
1269194	BET	7	619397	6966956	6/29/2012	11:25:18 AM	SD02	Dark Brown	Sand	Damp	Pronounced Slope	70	B	White Spruce	Needle Cover	Excellent	Fine	
1269195	BET	7	619396	6966908	6/29/2012	11:31:24 AM	SD02	Grey	Sand	Damp	Pronounced Slope	80	C	Alders	Sphagnum Moss < 30cm	Excellent	Fine	Bright Orange Rust
1269196	BET	7	619399	6966856	6/29/2012	11:39:59 AM	SD02	Grey	Sand	Damp	Subtle Slope	60	C	Willows	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Rocky
1269197	BET	7	619396	6966806	6/29/2012	11:47:23 AM	SD02	Dark Brown	Sand	Damp	Subtle Slope	40	C	Dwarf Birch	Reindeer Moss	Excellent	Bright Orange Rust	Frozen
1269198	BET	7	619396	6966756	6/29/2012	12:06:24 PM	SD02	Grey	Sand	Damp	Subtle Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Poor	Bright Orange Rust	Organic 25%
1269199	BET	7	619396	6966706	6/29/2012	12:15:39 PM	SD02	Grey	Sand	Damp	Subtle Slope	40	C	Willows	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Coarse
1269200	BET	7	619397	6966656	6/29/2012	12:23:33 PM	SD02	Dark Brown	Gravel	Damp	Flat	50	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Dull Red Rust
1269477	BET	7	619399	6966606	6/29/2012	1:01:33 PM	SD02	Dark Olivine Green	Sand	Damp	Subtle Slope	80	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Fine	
1269478	BET	7	619397	6966556	6/29/2012	1:09:03 PM	SD02	Light Brown	Sand	Damp	Subtle Slope	110	C	White Spruce	Thin Moss Cover	Excellent	Fine	
1269479	BET	7	619399	6966507	6/29/2012	1:15:27 PM	SD02	Reddish Yellow	Gravel	Damp	Subtle Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	
1269480	BET	7	619399	6966455	6/29/2012	1:21:56 PM	SD02	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Rocky	
1269481	BET	7	619396	6966406	6/29/2012	1:30:50 PM	SD02	Light Brown	Gravel	Damp	Subtle Slope	50	C	Poplar	Leaf Cover	Excellent	Sandy	
1269482	BET	7	619398	6966356	6/29/2012	1:38:44 PM	SD02	Dark Brown	Gravel	Damp	Subtle Slope	60	C	White Spruce	Leaf Cover	Excellent	Rocky	Sandy
1269483	BET	7	619396	6966307	6/29/2012	1:45:05 PM	SD02	Chocolate Brown	Sand	Damp	Subtle Slope	60	B	Poplar	Grass Cover	Excellent	Coarse	Rocky
1269484	BET	7	619396	6966258	6/29/2012	1:52:48 PM	SD02	Chocolate Brown	Gravel	Dry	Subtle Slope	40	C	Birch Forest	Leaf Cover	Excellent	Rocky	
1269485	BET	7	619397	6966207	6/29/2012	2:04:36 PM	SD02	Light Brown	Gravel	Dry	Subtle Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Quartz Chips	
1269486	BET	7	619397	6966158	6/29/2012	2:20:25 PM	SD02	Chocolate Brown	Gravel	Dry	Pronounced Slope	40	B	Birch Forest	Thin Moss Cover	Excellent	Rocky	
1269487	BET	7	619395	6966107	6/29/2012	2:28:42 PM	SD02	Reddish Yellow	Gravel	Dry	Subtle Slope	50	C	Birch Forest	Leaf Cover	Excellent	Fine	
1269488	BET	7	619396	6966057	6/29/2012	2:37:46 PM	SD02	Chocolate Brown	Gravel	Dry	Subtle Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1269489	BET	7	619397	6966007	6/29/2012	2:49:02 PM	SD02	Light Brown	Gravel	Dry	Subtle Slope	50	C	Birch Forest	Leaf Cover	Excellent	Sandy	
1269490	BET	7	619397	6965958	6/29/2012	2:56:16 PM	SD02	Reddish Yellow	Gravel	Dry	Subtle Slope	50	C	Birch Forest	Leaf Cover	Excellent	Bright Orange Rust	Quartz Chips
1269491	BET	7	619396	6965908	6/29/2012	3:06:43 PM	SD02	Light Brown	Gravel	Dry	Subtle Slope	100	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Quartz Chips
1269476	BET	7	619396	6965908	6/29/2012	3:15:55 PM	SD02	Light Brown	Gravel	Dry	Subtle Slope	110	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Quartz Chips
1269492	BET	7	619397	6965857	6/29/2012	3:28:43 PM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	Quartz Chips
1292489	BET	7	628097	6965107	6/30/2012	9:25:53 AM	CK01	Chocolate Brown	Sand	Damp	Steep	70	C	No Tree Cover	Leaf Cover	Excellent	Fine	
1292490	BET	7	628097	6965157	6/30/2012	9:41:56 AM	CK01	Chocolate Brown	Sand	Damp	Steep	80	C	Poplar	Leaf Cover	Excellent		
1292491	BET	7	628096	6965207	6/30/2012	9:55:19 AM	CK01	Chocolate Brown	Sand	Damp	Steep	70	C	Poplar	Grass Cover	Good	Fine	Rusty Rock Chip
1292492	BET	7	628097	6965257	6/30/2012	10:09:32 AM	CK01	Chocolate Brown	Sand	Damp	Steep	80	C	Poplar	Leaf Cover	Excellent	Fine	Rusty Rock Chip
1292493	BET	7	628097	6965307	6/30/2012	10:23:30 AM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Poplar	Leaf Cover	Good	Fine	Rocky Terrain
1292494	BET	7	628097	6965357	6/30/2012	10:38:36 AM	CK01	Chocolate Brown	Sand	Damp	Steep	60	C	Poplar	Leaf Cover	Good	Fine	
1292495	BET	7	628097	6965406	6/30/2012	10:51:13 AM	CK01	Chocolate Brown	Sand	Damp	Steep	90	C	Poplar	Leaf Cover	Excellent	Fine	Rusty Rock Chip
1292496	BET	7	628097	6965454	6/30/2012	11:04:55 AM	CK01	Chocolate Brown	Sand	Damp	Steep	60	C	Poplar	Grass Cover	Good	Fine	
1292497	BET	7	628097	6965508	6/30/2012	11:24:17 AM	CK01	Chocolate Brown	Sand	Damp	Steep	50	B	Poplar	Leaf Cover	Good	Fine	Rocky Terrain
1292498	BET	7	628097	6965557	6/30/2012	11:37:54 AM	CK01	Chocolate Brown	Sand	Damp	Steep	70	C	Poplar	Leaf Cover	Good		
1292499	BET	7	628097	6965608	6/30/2012	11:53:37 AM	CK01	Chocolate Brown	Sand	Damp	Steep	40	C	Poplar	Leaf Cover	Good	Fine	Rocky Terrain
1292500	BET	7	628097	6965657	6/30/2012	12:10:16 PM	CK01	Chocolate Brown	Sand	Damp	Steep	60	C	Poplar	Leaf Cover	Good	Fine	
1292702	BET	7	628097	6965707	6/30/2012	12:28:20 PM	CK01	Chocolate Brown	Sand	Damp	Steep	30	B	Poplar	Leaf Cover	Good	Fine	Rocky Terrain
1292703	BET	7	627997	6965707	6/30/2012	12:53:01 PM	CK01	Chocolate Brown	Sand	Damp	Steep	70	C	Poplar	Leaf Cover	Good		
1292704	BET	7	627997	6965657	6/30/2012	1:05:32 PM	CK01	Chocolate Brown	Sand	Damp	Steep	30	C	Poplar	Leaf Cover	Good		
1292705	BET	7	627997	6965607	6/30/2012	1:20:46 PM	CK01	Chocolate Brown	Sand	Damp	Steep	30	B	Poplar	Leaf Cover	Good		
1292706	BET	7	627997	6965557	6/30/2012	1:39:33 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	C	Poplar	Leaf Cover	Good	Fine	
1292707	BET	7	627997	6965509	6/30/2012	1:55:44 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Poplar	Leaf Cover	Good	Fine	

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1292708	BET	7	627997	6965457	6/30/2012	2:10:51 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Poplar	Leaf Cover	Good	Fine	
1292709	BET	7	627997	6965408	6/30/2012	2:22:35 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Poplar	Grass Cover	Good	Fine	Bright Orange Rust
1292710	BET	7	627997	6965358	6/30/2012	2:36:16 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Poplar	Grass Cover	Good	Fine	
1292711	BET	7	627997	6965307	6/30/2012	2:52:23 PM	CK01	Chocolate Brown	Sand	Damp	Steep	50	B	Poplar	Leaf Cover	Good	Fine	
1292712	BET	7	627997	6965257	6/30/2012	3:05:37 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	C	Poplar	Grass Cover	Good	Fine	
1292713	BET	7	627997	6965208	6/30/2012	3:19:33 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Poplar	Grass Cover	Good	Fine	Rocky Terrain
1292714	BET	7	627997	6965157	6/30/2012	3:30:55 PM	CK01	Chocolate Brown	Sand	Damp	Steep	70	C	Poplar	Leaf Cover	Excellent	Rusty Rock Chip	
1292715	BET	7	627997	6965107	6/30/2012	3:43:32 PM	CK01	Chocolate Brown	Sand	Damp	Steep	50	B	Poplar	Leaf Cover	Good	Fine	Rocky Terrain
1283002	BET	7	624597	6962908	6/30/2012	10:35:39 AM	IG01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Rocky	
1283003	BET	7	624597	6962859	6/30/2012	10:50:53 AM	IG01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Rocky	
1283004	BET	7	624596	6962809	6/30/2012	11:08:11 AM	IG01	Bluish Grey	Sand	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Rocky	
1283005	BET	7	624597	6962658	6/30/2012	12:06:01 PM	IG01	Chocolate Brown	Silt	Dry	Steep	60	C	Poplar	Bare Soil	Good	Rocky	
1283006	BET	7	624596	6962608	6/30/2012	12:27:34 PM	IG01	Chocolate Brown	Gravel	Dry	Steep	50	C	Poplar	Leaf Cover	Good	Rocky	Rocky Sample
1283007	BET	7	624591	6962547	6/30/2012	12:44:38 PM	IG01	Chocolate Brown	Silt	Dry	Steep	60	B	Poplar	Leaf Cover	Good	Rocky	
1283008	BET	7	624597	6962507	6/30/2012	1:01:51 PM	IG01	Chocolate Brown	Silt	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent		
1283009	BET	7	624596	6962457	6/30/2012	1:17:47 PM	IG01	Chocolate Brown	Silt	Dry	Steep	70	C	Poplar	Leaf Cover	Excellent	Rocky	Rocky Sample
1283010	BET	7	624587	6962398	6/30/2012	1:36:46 PM	IG01	Chocolate Brown	Silt	Dry	Pronounced Slope	90	C	Alders	Thin Moss Cover	Excellent		
1283011	BET	7	624597	6962359	6/30/2012	1:57:49 PM	IG01	Dark Blue Black	Gravel	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Rocky	
1283012	BET	7	624597	6962307	6/30/2012	2:11:04 PM	IG01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Rocky Sample	Rocky
1283013	BET	7	624597	6962257	6/30/2012	2:24:44 PM	IG01	Chocolate Brown	Gravel	Dry	Pronounced Slope	70	C	Poplar	Bare Soil	Excellent		
1283014	BET	7	624597	6962208	6/30/2012	2:40:24 PM	IG01	Chocolate Brown	Gravel	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent		
1283015	BET	7	624597	6962158	6/30/2012	2:59:41 PM	IG01	Chocolate Brown	Silt	Dry	Steep	60	B	Poplar	Grass Cover	Good		
1283016	BET	7	624596	6962109	6/30/2012	3:21:09 PM	IG01	Chocolate Brown	Gravel	Dry	Steep	60	C	Alders	Grass Cover	Excellent		
1283017	BET	7	624597	6962008	6/30/2012	4:02:46 PM	IG01	Chocolate Brown	Gravel	Dry	Subtle Slope	70	C	Alders	Thin Moss Cover	Excellent		
1283018	BET	7	624696	6962406	6/30/2012	5:50:19 PM	IG01	Chocolate Brown	Gravel	Dry	Steep	80	C	Poplar	Leaf Cover	Excellent		
1284897	BET	7	624797	6962907	6/30/2012	11:09:13 AM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Rocky	Mud
1284898	BET	7	624796	6962858	6/30/2012	11:19:35 AM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Rocky	Mud
1284899	BET	7	624797	6962809	6/30/2012	11:29:16 AM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Rocky	Coarse
1284900	BET	7	624796	6962758	6/30/2012	11:38:16 AM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1284902	BET	7	624796	6962707	6/30/2012	11:48:57 AM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1284903	BET	7	624796	6962659	6/30/2012	11:59:55 AM	JM01	Chocolate Brown	Clay	Dry	Steep	80	C	White Spruce	Thin Moss Cover	Excellent	Coarse	Rocky
1284904	BET	7	624797	6962607	6/30/2012	12:12:34 PM	JM01	Chocolate Brown	Clay	Dry	Pronounced Slope	50	C	White Spruce	Thin Moss Cover	Excellent	Coarse	Rocky
1284905	BET	7	624797	6962559	6/30/2012	12:28:13 PM	JM01	Chocolate Brown	Clay	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Fine	Rocky
1284906	BET	7	624796	6962509	6/30/2012	12:51:16 PM	JM01	Chocolate Brown	Clay	Dry	Pronounced Slope	40	B	Poplar	Grass Cover	Good	Fine	Rocky
1284907	BET	7	624796	6962458	6/30/2012	1:03:27 PM	JM01	Chocolate Brown	Gravel	Dry	Steep	40	C	Poplar	Grass Cover	Excellent	Coarse	Rocky
1284908	BET	7	624796	6962408	6/30/2012	1:14:01 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	50	C	Poplar	Grass Cover	Excellent	Rocky	Coarse
1284909	BET	7	624797	6962359	6/30/2012	1:25:54 PM	JM01	Greyish Green	Clay	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Excellent	Fine	Rocky
1284910	BET	7	624797	6962308	6/30/2012	1:36:18 PM	JM01	Chocolate Brown	Clay	Dry	Steep	40	C	Poplar	Grass Cover	Excellent	Fine	Rocky
1284911	BET	7	624797	6962258	6/30/2012	1:48:10 PM	JM01	Chocolate Brown	Gravel	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Excellent	Coarse	Rocky
1284912	BET	7	624797	6962208	6/30/2012	2:02:40 PM	JM01	Chocolate Brown	Clay	Dry	Steep	40	C	Poplar	Grass Cover	Excellent	Fine	Rocky
1284913	BET	7	624796	6962157	6/30/2012	2:13:00 PM	JM01	Chocolate Brown	Gravel	Dry	Steep	50	C	Poplar	Grass Cover	Excellent	Coarse	Rocky
1284914	BET	7	624796	6962105	6/30/2012	2:25:58 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent	Coarse	Bright Orange Rust
1284915	BET	7	624797	6962058	6/30/2012	2:39:07 PM	JM01	Dark Brown	Gravel	Damp	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Rocky	Coarse
1284916	BET	7	624785	6962023	6/30/2012	2:52:50 PM	JM01	Dark Brown	Clay	Dry	Subtle Slope	50	B	White Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	Possible Creek Contamination
1293505	BET	7	627297	6964307	6/30/2012	8:48:24 AM	JS01	Grey	Sand	Damp	Steep	30	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Fine	Frozen
1293506	BET	7	627297	6964258	6/30/2012	9:08:55 AM	JS01	Dark Brown	Silt	Dry	Steep	60	B	White Spruce	Sphagnum Moss < 30cm	Poor	Coarse	Rocky
1293507	BET	7	627298	6964207	6/30/2012	9:27:41 AM	JS01	Chocolate Brown	Silt	Dry	Steep	60	B	White Spruce	Thin Moss Cover	Poor	Rocky	
1293508	BET	7	627298	6964159	6/30/2012	9:46:25 AM	JS01	Chocolate Brown	Silt	Dry	Steep	50	B	White Spruce	Thin Moss Cover	Poor	Coarse	Rocky
1293509	BET	7	627297	6964107	6/30/2012	10:04:30 AM	JS01	Dark Brown	Sand	Dry	Steep	90	C	White Spruce	Thin Moss Cover	Good	Bright Orange Rust	Rocky
1293510	BET	7	627296	6964057	6/30/2012	10:22:27 AM	JS01	Chocolate Brown	Silt	Dry	Steep	60	B	White Spruce	Thin Moss Cover	Poor	Coarse	Rocky
1293511	BET	7	627297	6964008	6/30/2012	10:41:22 AM	JS01	Light Brown	Silt	Dry	Steep	40	B	Poplar	Grass Cover	Poor	Dull Red Rust	Rocky
1293512	BET	7	627297	6963959	6/30/2012	11:02:36 AM	JS01	Light Brown	Silt	Dry	Steep	70	B	Poplar	Leaf Cover	Poor	Coarse	Rocky
1293513	BET	7	627295	6963907	6/30/2012	11:14:38 AM	JS01	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Leaf Cover	Good	Rocky Sample	Possible Creek Contamination
1293514	BET	7	627296	6963858	6/30/2012	11:30:29 AM	JS01	Light Brown	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Rocky
1293515	BET	7	627297	6963807	6/30/2012	11:44:17 AM	JS01	Dark Brown	Sand	Damp	Steep	70	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Rocky Sample
1293516	BET	7	627296	6963759	6/30/2012	12:05:18 PM	JS01	Chocolate Brown	Silt	Dry	Steep	50	B	Poplar	Leaf Cover	Poor	Rocky	
1293517	BET	7	627297	6963708	6/30/2012	12:15:19 PM	JS01	Dark Brown	Silt	Dry	Steep	60	B	Poplar	Thin Moss Cover	Poor	Rocky Sample	
1293518	BET	7	627296	6963657	6/30/2012	12:28:46 PM	JS01	Chocolate Brown	Silt	Dry	Steep	40	B	Birch Forest	Thin Moss Cover	Poor	Rocky Terrain	Rocky Sample
1293519	BET	7	627296	6963608	6/30/2012	12:42:21 PM	JS01	Chocolate Brown	Silt	Dry	Steep	60	B	Poplar	Thin Moss Cover	Poor	Rocky	
1293520	BET	7	627296	6963556	6/30/2012	12:59:49 PM	JS01	Chocolate Brown	Silt	Dry	Steep	60	B	Poplar	Leaf Cover	Poor	Coarse	Rocky
1293521	BET	7	627297	6963507	6/30/2012	1:14:55 PM	JS01	Grey	Sand	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Bright Orange Rust	Rocky
1293522	BET	7	627297	6963459	6/30/2012	1:25:27 PM	JS01	Reddish Yellow	Sand	Dry	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Rocky Sample	Bright Orange Rust
1293523	BET	7	627295	6963408	6/30/2012	1:38:21 PM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Black Spruce	Thin Moss Cover	Poor	Rocky	
1293524	BET	7	627296	6963358	6/30/2012	1:49:47 PM	JS01	Light Brown	Sand	Dry	Flat	30	C	Poplar	Grass Cover	Good	Coarse	Rocky Sample
1293525	BET	7	627297	6963307	6/30/2012	2:00:43 PM	JS01	Reddish Yellow	Sand	Dry	Subtle Slope	40	C	Poplar	Thin Moss Cover	Good	Rocky	
1293526	BET	7	627296	6963313	6/30/2012	2:10:51 PM	JS01	Reddish Yellow	Sand	Dry	Subtle Slope	40	C	Poplar	Thin Moss Cover	Good	Coarse	Rocky
1293527	BET	7	627297	6963257	6/30/2012	2:22:36 PM	JS01	Reddish Yellow	Sand	Dry	Subtle Slope	50	C	Poplar	Thin Moss Cover	Good	Rocky	
1293528	BET	7	627296	6963207	6/30/2012	2:31:41 PM	JS01	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	Poplar	Grass Cover	Poor	Rocky	
1292813	BET	7	628296	6965108	6/30/2012	9:46:19 AM	MT01	Chocolate Brown	Sand	Dry	Steep	50	C	No Tree Cover	Grass Cover	Good		
1292814	BET	7	628297	6965158	6/30/2012	10:04:33 AM	MT01	Chocolate Brown	Sand	Dry	Steep	40	C	No Tree Cover	Grass Cover	Good	Rocky	
1292815	BET	7	628298	6965207	6/30/2012	10:23:17 AM	MT01	Chocolate Brown	Sand	Dry	Steep	40	B	Poplar	Grass Cover	Good	Rocky	
1292816	BET	7	628297	6965257	6/30/2012	10:39:08 AM	MT01	Chocolate Brown	Silt	Dry	Steep	50	B	No Tree Cover	Grass Cover	Good	Rocky	Rocky Terrain
1292817	BET	7	628297	6965307	6/30/2012	10:55:49 AM	MT01	Light Brown	Silt	Dry	Steep	60	B	Poplar	Grass Cover	Good	Rocky	
1292818	BET	7	628296	6965359	6/30/2012	11:12:22 AM	MT01	Light Brown	Sand	Dry	Steep	80	C	Poplar	Grass Cover	Excellent	Fine	
1292819	BET	7	628297	6965406	6/30/2012	11:27:15 AM	MT01	Chocolate Brown	Sand	Dry	Steep	50	B	Poplar	Grass Cover	Good	Fine	Rocky
1292820	BET	7	628294	6965458	6/30/2012	11:29:34 AM	MT01	Light Brown	Sand	Dry	Steep	60	C	Poplar	Grass Cover	Excellent	Rocky	
1292821	BET	7	628297	6965507	6/30/2012	12:04:31 PM	MT01	Chocolate Brown	Silt	Dry	Steep	40	B	Poplar	Grass Cover	Good		
1292822	BET	7	628297	6965557	6/30/2012	12:24:32 PM	MT01	Light Brown	Silt	Dry	Pronounced Slope	30	B	Poplar	Grass Cover	Poor	Rocky	Rocky Terrain
1292823	BET	7	628297	6965608	6/30/2012	12:38:22 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Good	Clay	Rocky
1292824	BET	7	628296	6965658	6/30/2012	12:52:29 PM	MT01	Light Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Good	Rocky	
1292825	BET	7	628297	6965708	6/30/2012	1:15:39 PM	MT01	Chocolate Brown	Gravel	Dry	Pronounced Slope	30	C	Poplar	Bare Soil	Poor	Sandy	Quartz Chips
1292826	BET	7	628297	6965705	6/30/2012	1:17:09 PM	MT01	Chocolate Brown	Gravel	Dry	Pronounced Slope	30	C	Poplar	Bare Soil	Poor	Sandy	Quartz Chips
1292827	BET	7	628197	6965708	6/30/2012	1:54:03 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Good	Clay	
1292828	BET	7	628197	6965658	6/30/2012	2:11:55 PM	MT01	Chocolate Brown	Silt	Dry	Steep	50	B	Poplar	Grass Cover	Good	Rocky	

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1292830	BET	7	628197	6965558	6/30/2012	2:38:02 PM	MT01	Chocolate Brown	Silt	Dry	Steep	50	B	Poplar	Grass Cover	Good	Rocky	
1292831	BET	7	628196	6965507	6/30/2012	2:50:29 PM	MT01	Light Brown	Sand	Dry	Steep	60	B	Poplar	Leaf Cover	Good	Fine	Rocky Terrain
1292832	BET	7	628197	6965458	6/30/2012	2:54:05 PM	MT01	Chocolate Brown	Silt	Dry	Steep	50	B	Poplar	Grass Cover	Good	Rocky	
1292833	BET	7	628197	6965407	6/30/2012	3:17:14 PM	MT01	Light Brown	Sand	Dry	Pronounced Slope	60	B	Poplar	Grass Cover	Good	Fine	Rocky
1292834	BET	7	628197	6965357	6/30/2012	3:28:30 PM	MT01	Light Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Good	Rocky	
1292835	BET	7	628196	6965308	6/30/2012	3:41:39 PM	MT01	Light Brown	Sand	Dry	Pronounced Slope	40	C	Poplar	Grass Cover	Good	Rocky	
1292836	BET	7	628196	6965256	6/30/2012	3:58:45 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Good	Rocky	
1292837	BET	7	628197	6965208	6/30/2012	4:06:50 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	40	B	Poplar	Grass Cover	Good	Rocky	
1292838	BET	7	628197	6965158	6/30/2012	4:19:23 PM	MT01	Light Brown	Sand	Dry	Pronounced Slope	40	C	Poplar	Grass Cover	Poor	Rocky	
1292839	BET	7	628197	6965106	6/30/2012	4:34:11 PM	MT01	Dark Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Poor	Rocky	
1292829	BET	7	628197	6965608	6/30/2012	7:27:16 PM	MT01	Chocolate Brown	Silt	Dry	Steep	50	B	Poplar	Grass Cover	Good	Rocky	
1283110	BET	7	624397	6962907	6/30/2012	9:52:23 AM	RL02	Light Brown	Sand	Damp	Subtle Slope	60	C	Poplar	Sphagnum Moss < 30cm	Excellent	Coarse	Quartz Chips
1283111	BET	7	624397	6962859	6/30/2012	10:02:30 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Rocky	Bright Orange Rust
1283112	BET	7	624397	6962809	6/30/2012	10:15:18 AM	RL02	Bluish Grey	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Rocky Sample	Rusty Rock Chip
1283113	BET	7	624396	6962758	6/30/2012	10:25:31 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Rocky	Rusty Rock Chip
1283114	BET	7	624396	6962708	6/30/2012	10:36:16 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Rocky
1283115	BET	7	624397	6962659	6/30/2012	10:48:37 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1283116	BET	7	624397	6962608	6/30/2012	11:06:06 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Quartz Chips
1283117	BET	7	624397	6962559	6/30/2012	11:17:17 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Fine	Rocky
1283118	BET	7	624396	6962508	6/30/2012	11:29:54 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Bright Orange Rust	Quartz Chips
1283119	BET	7	624397	6962458	6/30/2012	11:41:25 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Quartz Chips
1283120	BET	7	624397	6962407	6/30/2012	11:55:22 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	90	C	Poplar	Leaf Cover	Excellent	Quartz Chips	Rusty Rock Chip
1283121	BET	7	624497	6961906	6/30/2012	12:47:04 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Rocky
1283122	BET	7	624497	6961956	6/30/2012	12:54:37 PM	RL02	Bluish Grey	Sand	Damp	Pronounced Slope	40	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Rocky	Rusty Rock Chip
1283123	BET	7	624498	6962007	6/30/2012	1:02:13 PM	RL02	Bluish Grey	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Rocky	Rusty Rock Chip
1283124	BET	7	624497	6962057	6/30/2012	1:10:49 PM	RL02	Bluish Grey	Sand	Damp	Pronounced Slope	40	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Rocky	Rusty Rock Chip
1283125	BET	7	624498	6962157	6/30/2012	1:31:22 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Quartz Chips
1283126	BET	7	624498	6962157	6/30/2012	1:33:13 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Quartz Chips
1283127	BET	7	624497	6962207	6/30/2012	1:49:22 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Quartz Chips
1283128	BET	7	624498	6962258	6/30/2012	2:09:31 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1283129	BET	7	624497	6962307	6/30/2012	2:22:12 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	
1283130	BET	7	624497	6962357	6/30/2012	2:34:52 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Quartz Chips
1283131	BET	7	624497	6962408	6/30/2012	2:45:58 PM	RL02	Reddish Yellow	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Quartz Chips
1283132	BET	7	624497	6962458	6/30/2012	2:59:57 PM	RL02	Reddish Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Quartz Chips
1283133	BET	7	624497	6962507	6/30/2012	3:15:14 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1283134	BET	7	624497	6962557	6/30/2012	3:31:45 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1283135	BET	7	624497	6962607	6/30/2012	3:49:03 PM	RL02	Chocolate Brown	Sand	Dry	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Rocky	Fine
1283136	BET	7	624497	6962657	6/30/2012	4:00:16 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Fine
1283137	BET	7	624497	6962707	6/30/2012	4:15:11 PM	RL02	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Rocky	
1283138	BET	7	624497	6962757	6/30/2012	4:30:43 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Rocky
1283139	BET	7	624496	6962808	6/30/2012	4:44:09 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Rocky	Rocky Sample
1283140	BET	7	624496	6962857	6/30/2012	5:05:59 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Rocky	Quartz Chips
1283141	BET	7	624497	6962907	6/30/2012	5:16:06 PM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Poplar	Leaf Cover	Excellent	Coarse	Quartz Chips
1284835	BET	7	623898	6962859	6/30/2012	10:59:24 AM	RM01	Dark Brown	Sand	Damp	Subtle Slope	60	C	Alders	Reindeer Moss	Good	Coarse	Rocky
1284830	BET	7	623897	6962809	6/30/2012	11:13:41 AM	RM01	Chocolate Brown	Gravel	Damp	Subtle Slope	50	B	Poplar	Leaf Cover	Good	Coarse	
1284831	BET	7	623898	6962758	6/30/2012	11:26:42 AM	RM01	Chocolate Brown	Gravel	Damp	Subtle Slope	50	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1284832	BET	7	623897	6962708	6/30/2012	11:42:04 AM	RM01	Chocolate Brown	Gravel	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1284833	BET	7	623898	6962658	6/30/2012	11:58:23 AM	RM01	Chocolate Brown	Gravel	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1284834	BET	7	623898	6962608	6/30/2012	12:15:42 PM	RM01	Chocolate Brown	Gravel	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1283215	BET	7	623897	6962509	6/30/2012	12:49:42 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Coarse	
1283216	BET	7	623897	6962459	6/30/2012	1:09:17 PM	RM01	Chocolate Brown	Gravel	Damp	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Coarse	Rocky
1283217	BET	7	623897	6962408	6/30/2012	1:21:08 PM	RM01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1283218	BET	7	623897	6962358	6/30/2012	1:39:24 PM	RM01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	B	Poplar	Leaf Cover	Good	Coarse	Rocky
1284836	BET	7	623898	6962308	6/30/2012	1:57:40 PM	RM01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	B	Poplar	Leaf Cover	Good	Coarse	Rocky
1284837	BET	7	623897	6962258	6/30/2012	2:14:31 PM	RM01	Chocolate Brown	Sand	Dry	Steep	70	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1284838	BET	7	623897	6962107	6/30/2012	3:13:13 PM	RM01	Dark Grey Black	Clay	Wet	Steep	40	B	Black Spruce	Sphagnum Moss > 30cm	Good	Frozen	
1284839	BET	7	623897	6962058	6/30/2012	3:39:24 PM	RM01	Grey	Clay	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	
1284840	BET	7	623896	6961959	6/30/2012	4:11:54 PM	RM01	Chocolate Brown	Gravel	Damp	Steep	80	C	Birch Forest	Reindeer Moss	Excellent	Coarse	
1284841	BET	7	623897	6961907	6/30/2012	4:26:27 PM	RM01	Dark Brown	Sand	Damp	Pronounced Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1284842	BET	7	623497	6961907	6/30/2012	5:11:07 PM	RM01	Chocolate Brown	Gravel	Damp	Pronounced Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1284843	BET	7	623496	6961956	6/30/2012	5:21:29 PM	RM01	Dark Brown	Gravel	Damp	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1284844	BET	7	623497	6962005	6/30/2012	5:31:58 PM	RM01	Chocolate Brown	Gravel	Damp	Pronounced Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1283219	BET	7	623497	6962056	6/30/2012	5:42:54 PM	RM01	Dark Brown	Gravel	Damp	Pronounced Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1283220	BET	7	623497	6962156	6/30/2012	6:05:13 PM	RM01	Dark Grey Black	Clay	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Good	Frozen	
1283221	BET	7	623496	6962207	6/30/2012	6:16:55 PM	RM01	Dark Brown	Gravel	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss > 30cm	Good	Mud	
1283222	BET	7	623496	6962256	6/30/2012	6:35:08 PM	RM01	Chocolate Brown	Silt	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	
1283214	BET	7	623897	6962558	6/30/2012	8:48:53 PM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Poplar	Leaf Cover	Good	Coarse	
1293622	BET	7	627797	6965007	6/30/2012	9:19:59 AM	RR01	Light Brown	Silt	Dry	Pronounced Slope	70	B	Poplar	Grass Cover	Good	Sandy	
1293623	BET	7	627796	6965057	6/30/2012	9:38:04 AM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Poplar	Grass Cover	Good	Rocky	
1293624	BET	7	627796	6965106	6/30/2012	9:57:30 AM	RR01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Poplar	Grass Cover	Good	Rocky	
1293625	BET	7	627797	6965157	6/30/2012	10:10:10 AM	RR01	Light Brown	Silt	Dry	Pronounced Slope	60	B	No Tree Cover	Grass Cover	Good	Rocky	Loess
1293626	BET	7	627797	6965157	6/30/2012	10:19:48 AM	RR01	Light Brown	Silt	Dry	Pronounced Slope	60	B	No Tree Cover	Grass Cover	Good	Rocky	Loess
1293627	BET	7	627795	6965208	6/30/2012	10:32:39 AM	RR01	Light Brown	Silt	Dry	Pronounced Slope	70	B	Poplar	Grass Cover	Good	Loess	Rocky
1293628	BET	7	627796	6965257	6/30/2012	10:44:20 AM	RR01	Light Brown	Silt	Dry	Pronounced Slope	80	B	Poplar	Grass Cover	Good	Loess	
1293629	BET	7	627796	6965306	6/30/2012	10:59:57 AM	RR01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	No Tree Cover	Grass Cover	Good	Coarse	Rocky
1293630	BET	7	627796	6965357	6/30/2012	11:11:29 AM	RR01	Light Brown	Silt	Dry	Pronounced Slope	80	B	Poplar	Grass Cover	Good	Loess	Rocky
1293631	BET	7	627797	6965409	6/30/2012	11:28:48 AM	RR01	Light Brown	Silt	Dry	Pronounced Slope	30	B	Poplar	Grass Cover	Poor	Loess	Rocky
1293632	BET	7	627797	6965458	6/30/2012	11:51:02 AM	RR01	Light Brown	Silt	Dry	Steep	30	B	Poplar	Bare Soil	Good	Loess	Quartz Chips
1293633	BET	7	627797	6965507	6/30/2012	12:13:25 PM	RR01	Chocolate Brown	Silt	Dry	Steep	30	B	Poplar	Grass Cover	Good	Loess	Rocky
1293634	BET	7	627797	6965557	6/30/2012	12:27:18 PM	RR01	Light Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Good	Coarse	
1293635	BET	7	627796	6965606	6/30/2012	12:57:09 PM	RR01	Chocolate Brown	Silt	Dry	Steep	60	B	White Spruce	Grass Cover	Good	Rocky	Sandy
1293636	BET	7	627797	6965657	6/30/2012	1:11:53 PM	RR01	Chocolate Brown	Sand	Damp	Steep	80	C	Poplar	Grass Cover	Excellent	Coarse	Rocky
1293637	BET	7	627797	6965707	6/30/2012	1:26:03 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	
1293638	BET	7	627894	6965707	6/30/2012	1:42:14 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent	Coarse	Bright Orange Rust

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1293639	BET	7	627898	6965658	6/30/2012	1:53:13 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Good	Coarse	
1293640	BET	7	627897	6965608	6/30/2012	2:10:17 PM	RR01	Grey	Silt	Dry	Steep	70	B	Poplar	Bare Soil	Good	Coarse	Sandy
1293641	BET	7	627897	6965558	6/30/2012	2:25:18 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Grass Cover	Good	Coarse	Rocky
1293642	BET	7	627897	6965508	6/30/2012	2:41:10 PM	RR01	Chocolate Brown	Silt	Dry	Steep	50	B	Poplar	Grass Cover	Good	Fine	Rocky
1293643	BET	7	627896	6965458	6/30/2012	2:57:26 PM	RR01	Chocolate Brown	Silt	Dry	Pronounced Slope	30	B	Poplar	Grass Cover	Poor	Loess	Rocky
1293644	BET	7	627897	6965409	6/30/2012	3:09:56 PM	RR01	Light Brown	Silt	Dry	Steep	30	B	No Tree Cover	Grass Cover	Good	Rocky	Quartz Chips
1293645	BET	7	627896	6965358	6/30/2012	3:22:37 PM	RR01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Poplar	Grass Cover	Good	Coarse	Rocky
1293646	BET	7	627896	6965308	6/30/2012	3:37:55 PM	RR01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Poplar	Grass Cover	Good	Fine	Rocky
1293647	BET	7	627896	6965258	6/30/2012	3:53:51 PM	RR01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Poplar	Grass Cover	Good	Loess	Rocky
1293648	BET	7	627896	6965209	6/30/2012	4:07:53 PM	RR01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Good	Coarse	Rocky
1293649	BET	7	627896	6965158	6/30/2012	4:25:39 PM	RR01	Light Brown	Silt	Dry	Pronounced Slope	110	B	Poplar	Grass Cover	Good	Loess	Volcanic Ash
1293650	BET	7	627899	6965106	6/30/2012	4:40:35 PM	RR01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	No Tree Cover	Grass Cover	Good	Coarse	Rocky
1293652	BET	7	627896	6965057	6/30/2012	4:55:35 PM	RR01	Light Brown	Silt	Dry	Subtle Slope	60	B	White Spruce	Thin Moss Cover	Good	Coarse	Sandy
1269339	BET	7	621897	6962907	6/30/2012	11:40:44 AM	RR02	Reddish Brown	Silt	Damp	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Good	Fine	Rocky Terrain
1269340	BET	7	621896	6962955	6/30/2012	11:56:44 AM	RR02	Reddish Yellow	Sand	Damp	Subtle Slope	30	C	Black Spruce	Sphagnum Moss < 30cm	Good	Organic 25%	Coarse
1269341	BET	7	621897	6963006	6/30/2012	12:11:25 PM	RR02	Dark Brown	Sand	Wet	Subtle Slope	70	C	Black Spruce	Reindeer Moss	Good	Partially Frozen	Wet Soil
1269342	BET	7	621897	6963056	6/30/2012	12:39:20 PM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	Coarse
1269343	BET	7	621899	6963106	6/30/2012	12:52:11 PM	RR02	Dark Brown	Silt	Wet	Pronounced Slope	80	B	Birch Forest	Rock Cover	Poor	Partially Frozen	Rocky Terrain
1269344	BET	7	621898	6963156	6/30/2012	1:10:22 PM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	40	B	Dwarf Birch	Sphagnum Moss > 30cm	Poor	Fine	Organic 25%
1269345	BET	7	621897	6963256	6/30/2012	1:51:34 PM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	90	B	Black Spruce	Reindeer Moss	Good	Organic 10%	Partially Frozen
1269346	BET	7	621896	6963293	6/30/2012	2:29:04 PM	RR02	Dark Brown	Silt	Wet	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Frozen	
1269347	BET	7	621897	6963360	6/30/2012	2:46:14 PM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	Wet Soil
1291085	BET	7	627397	6964406	6/30/2012	9:54:14 AM	SC01	Dark Grey Black	Sand	Damp	Subtle Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1291086	BET	7	627396	6964352	6/30/2012	10:12:28 AM	SC01	Dark Grey Black	Sand	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Frozen	Mud
1291087	BET	7	627398	6964306	6/30/2012	10:28:36 AM	SC01	Dark Grey Black	Silt	Damp	Pronounced Slope	60	B	Birch Forest	Sphagnum Moss > 30cm	Poor	Mud	Partially Frozen
1291088	BET	7	627397	6964257	6/30/2012	10:43:36 AM	SC01	Dark Grey Black	Silt	Damp	Pronounced Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	Mud
1291089	BET	7	627396	6964208	6/30/2012	10:57:32 AM	SC01	Dark Grey Black	Sand	Damp	Pronounced Slope	50	C	Birch Forest	Sphagnum Moss < 30cm	Good	Partially Frozen	
1291090	BET	7	627396	6964158	6/30/2012	11:10:47 AM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	30	C	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1291091	BET	7	627398	6964108	6/30/2012	11:21:29 AM	SC01	Reddish Yellow	Sand	Dry	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Rocky	
1291092	BET	7	627398	6964057	6/30/2012	11:38:01 AM	SC01	Chocolate Brown	Silt	Damp	Subtle Slope	40	B	Poplar	Grass Cover	Poor	Rocky	
1291093	BET	7	627397	6964008	6/30/2012	11:50:51 AM	SC01	Reddish Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Fine	
1291094	BET	7	627397	6963956	6/30/2012	12:01:42 PM	SC01	Reddish Yellow	Sand	Dry	Pronounced Slope	90	C	Poplar	Grass Cover	Excellent	Fine	Rocky
1291095	BET	7	627397	6963908	6/30/2012	12:19:24 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Leaf Cover	Excellent	Rocky	
1291096	BET	7	627396	6963856	6/30/2012	12:33:33 PM	SC01	Light Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Reindeer Moss	Excellent	Rocky	
1291097	BET	7	627397	6963807	6/30/2012	12:45:54 PM	SC01	Grey	Silt	Damp	Pronounced Slope	60	C	Black Spruce	Reindeer Moss	Good	Sandy	Rocky
1291098	BET	7	627397	6963756	6/30/2012	1:02:08 PM	SC01	Grey	Sand	Damp	Steep	110	C	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky	Small Sample
1291099	BET	7	627397	6963707	6/30/2012	1:14:27 PM	SC01	Bluish Grey	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Excellent		
1291100	BET	7	627396	6963657	6/30/2012	1:41:08 PM	SC01	Light Brown	Sand	Damp	Subtle Slope	60	C	Birch Forest	Leaf Cover	Good	Rocky	
1292902	BET	7	627398	6963607	6/30/2012	1:51:40 PM	SC01	Bluish Grey	Sand	Damp	Subtle Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	
1292903	BET	7	627396	6963557	6/30/2012	2:02:48 PM	SC01	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Birch Forest	Leaf Cover	Good	Dull Red Rust	Quartz Chips
1292904	BET	7	627397	6963508	6/30/2012	2:12:50 PM	SC01	Light Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Fine	Rocky
1292905	BET	7	627396	6963457	6/30/2012	2:21:27 PM	SC01	Reddish Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Rocky	
1292906	BET	7	627396	6963406	6/30/2012	2:35:02 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Poor	Fine	Rocky
1292907	BET	7	627397	6963356	6/30/2012	2:44:50 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Rocky	Coarse
1292908	BET	7	627396	6963306	6/30/2012	2:55:14 PM	SC01	Chocolate Brown	Sand	Dry	Subtle Slope	30	B	White Spruce	Leaf Cover	Poor	Fine	Rocky
1292716	BET	7	626697	6964306	7/1/2012	9:19:59 AM	CK01	Dark Grey Black	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Fine	Frozen
1292717	BET	7	626698	6964259	7/1/2012	9:36:56 AM	CK01	Chocolate Brown	Sand	Damp	Subtle Slope	40	C	Black Spruce	Reindeer Moss	Good	Bright Orange Rust	Frozen
1292718	BET	7	626697	6964206	7/1/2012	9:53:34 AM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	
1292719	BET	7	626697	6964156	7/1/2012	10:09:07 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	
1292720	BET	7	626697	6964106	7/1/2012	10:22:19 AM	CK01	Chocolate Brown	Sand	Damp	Steep	70	C	Black Spruce	Bare Soil	Good	Fine	Frozen
1292721	BET	7	626696	6964056	7/1/2012	10:33:34 AM	CK01	Dark Brown	Sand	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Frozen
1292722	BET	7	626697	6964006	7/1/2012	10:48:38 AM	CK01	Grey	Silt	Damp	Subtle Slope	80	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Frozen
1292723	BET	7	626697	6963956	7/1/2012	11:01:38 AM	CK01	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Excellent		
1292724	BET	7	626697	6963906	7/1/2012	11:19:43 AM	CK01	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Black Spruce	Thin Moss Cover	Good	Frozen	Rusty Rock Chip
1292725	BET	7	626697	6963855	7/1/2012	11:31:49 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Thin Moss Cover	Good		
1292726	BET	7	626697	6963855	7/1/2012	11:37:55 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Thin Moss Cover	Good	Rusty Rock Chip	
1292727	BET	7	626697	6963806	7/1/2012	11:49:28 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Black Spruce	Thin Moss Cover	Good	Bright Orange Rust	
1292728	BET	7	626697	6963756	7/1/2012	12:00:37 PM	CK01	Dark Brown	Sand	Damp	Subtle Slope	70	C	Black Spruce	Thin Moss Cover	Good	Coarse	Bright Orange Rust
1292729	BET	7	626697	6963706	7/1/2012	12:11:28 PM	CK01	Dark Grey Black	Sand	Damp	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Good	Fine	Frozen
1292730	BET	7	626697	6963656	7/1/2012	12:23:14 PM	CK01	Dark Grey Black	Sand	Damp	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Good	Frozen	
1292731	BET	7	626697	6963608	7/1/2012	12:41:02 PM	CK01	Dark Brown	Sand	Damp	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Good	Bright Orange Rust	
1292732	BET	7	626697	6963557	7/1/2012	12:52:26 PM	CK01	Dark Brown	Sand	Damp	Subtle Slope	30	B	Black Spruce	Reindeer Moss	Good	Frozen	Rusty Rock Chip
1292733	BET	7	626697	6963506	7/1/2012	1:02:04 PM	CK01	Dark Brown	Sand	Wet	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Good	Fine	Rusty Rock Chip
1292734	BET	7	626676	6963452	7/1/2012	1:21:33 PM	CK01	Dark Brown	Sand	Damp	Subtle Slope	20	B	Black Spruce	Reindeer Moss	Poor	Frozen	Possible Creek Contamination
1292735	BET	7	626697	6963407	7/1/2012	1:36:37 PM	CK01	Dark Brown	Silt	Damp	Subtle Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Possible Creek Contamination
1292736	BET	7	626697	6963358	7/1/2012	1:46:32 PM	CK01	Dark Brown	Sand	Damp	Subtle Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Frozen
1292737	BET	7	626697	6963307	7/1/2012	2:04:24 PM	CK01	Chocolate Brown	Sand	Damp	Subtle Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Rocky Terrain
1292738	BET	7	626697	6963257	7/1/2012	2:17:22 PM	CK01	Chocolate Brown	Silt	Damp	Flat	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Frozen
1292739	BET	7	626697	6963208	7/1/2012	2:27:12 PM	CK01	Dark Brown	Sand	Damp	Flat	30	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Frozen
1292740	BET	7	626697	6963107	7/1/2012	2:54:26 PM	CK01	Chocolate Brown	Sand	Damp	Flat	70	C	Alders	Leaf Cover	Good	Coarse	
1292741	BET	7	626697	6963057	7/1/2012	3:09:33 PM	CK01	Dark Grey Black	Silt	Damp	Subtle Slope	30	B	Black Spruce	Thin Moss Cover	Poor	Frozen	Possible Creek Contamination
1292742	BET	7	626696	6963008	7/1/2012	3:24:33 PM	CK01	Dark Grey Black	Sand	Damp	Subtle Slope	30	B	Black Spruce	Reindeer Moss	Poor	Frozen	Rusty Rock Chip
1293529	BET	7	626998	6963358	7/1/2012	9:27:00 AM	JS01	Chocolate Brown	Silt	Dry	Steep	50	B	White Spruce	Thin Moss Cover	Poor	Rocky	
1293530	BET	7	626996	6963308	7/1/2012	9:40:16 AM	JS01	Chocolate Brown	Silt	Dry	Steep	50	B	White Spruce	Thin Moss Cover	Poor	Rocky	
1293531	BET	7	626996	6963256	7/1/2012	9:53:14 AM	JS01	Chocolate Brown	Silt	Dry	Steep	40	B	White Spruce	Thin Moss Cover	Good	Rocky	
1293532	BET	7	626997	6963207	7/1/2012	10:03:55 AM	JS01	Light Brown	Silt	Damp	Steep	70	C	White Spruce	Thin Moss Cover	Good	Coarse	Rocky
1293533	BET	7	626998	6963158	7/1/2012	10:17:30 AM	JS01	Dark Grey Black	Silt	Wet	Steep	50	B	Alders	Sphagnum Moss < 30cm	Poor	Coarse	Possible Creek Contamination
1293534	BET	7	626996	6963109	7/1/2012	10:33:59 AM	JS01	Greyish Green	Sand	Dry	Steep	80	C	White Spruce	Grass Cover	Good	Rocky	
1293535	BET	7	626996	6963058	7/1/2012	10:49:27 AM	JS01	Dark Brown	Sand	Damp	Steep	70	C	White Spruce	Sphagnum Moss < 30cm	Poor	Rocky Sample	Rocky
1293536	BET	7	626996	6963007	7/1/2012	11:06:37 AM	JS01	Dark Brown	Sand	Damp	Steep	90	C	White Spruce	Sphagnum Moss < 30cm	Good	Rocky Sample	
1293537	BET	7	626997	6962958	7/1/2012	11:46:22 AM	JS01	Chocolate Brown	Silt	Dry	Steep	70	B	White Spruce	Grass Cover	Poor	Rocky	
1293538	BET	7	627097	6962909	7/1/2012	12:21:22 PM	JS01	Light Brown	Sand	Dry	Steep	70	C	Poplar	Grass Cover	Good	Rocky	
1293539	BET	7	627096	6962958	7/1/2012	12:32:16 PM	JS01	Light Brown	Sand	Dry	Subtle Slope	50	C	White Spruce	Grass Cover	Good	Rocky	
1293540	BET	7	627098	6963006	7/1/2012	12:40:55 PM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	White Spruce	Thin Moss Cover	Poor	Coarse	Rocky

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1293541	BET	7	627097	6963057	7/1/2012	12:51:02 PM	JS01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	Rocky
1293542	BET	7	627096	6963107	7/1/2012	1:01:56 PM	JS01	Dark Brown	Silt	Dry	Steep	60	B	White Spruce	Thin Moss Cover	Poor	Coarse	Rocky
1293543	BET	7	627097	6963155	7/1/2012	1:10:48 PM	JS01	Chocolate Brown	Sand	Dry	Steep	60	C	White Spruce	Thin Moss Cover	Good	Fine	Rocky
1293544	BET	7	627097	6963206	7/1/2012	1:23:13 PM	JS01	Light Brown	Sand	Dry	Steep	70	B	White Spruce	Thin Moss Cover	Good	Fine	Rocky
1293545	BET	7	627095	6963257	7/1/2012	1:36:13 PM	JS01	Light Brown	Sand	Dry	Steep	50	C	Poplar	Grass Cover	Good	Rocky Sample	Rocky Terrain
1293546	BET	7	627097	6963307	7/1/2012	1:51:54 PM	JS01	Light Brown	Sand	Dry	Steep	50	C	Poplar	Grass Cover	Good	Quartz Chips	Rocky
1293547	BET	7	627097	6963358	7/1/2012	2:02:15 PM	JS01	Light Brown	Silt	Dry	Steep	50	B	Poplar	Thin Moss Cover	Poor	Rocky Terrain	Rocky
1293548	BET	7	627097	6963407	7/1/2012	2:16:58 PM	JS01	Chocolate Brown	Silt	Dry	Steep	50	B	Poplar	Grass Cover	Poor	Rocky	
1293549	BET	7	627096	6963455	7/1/2012	2:31:12 PM	JS01	Chocolate Brown	Silt	Dry	Steep	50	B	Birch Forest	Thin Moss Cover	Poor	Rocky	
1293550	BET	7	627097	6963507	7/1/2012	2:44:05 PM	JS01	Chocolate Brown	Sand	Dry	Steep	70	C	Poplar	Grass Cover	Good	Bright Orange Rust	Rocky
1292840	BET	7	627598	6964459	7/1/2012	9:57:52 AM	MT01	Dark Grey Black	Sand	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1292841	BET	7	627596	6964408	7/1/2012	10:24:14 AM	MT01	Dark Grey Black	Sand	Damp	Pronounced Slope	40	B	Black Spruce	Grass Cover	Good	Coarse	Frozen
1292842	BET	7	627597	6964358	7/1/2012	10:51:40 AM	MT01	Dark Brown	Sand	Damp	Pronounced Slope	30	B	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Bright Orange Rust
1292843	BET	7	627597	6964307	7/1/2012	10:55:27 AM	MT01	Reddish Yellow	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good		
1292844	BET	7	627598	6964258	7/1/2012	11:27:22 AM	MT01	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Clay	Dull Red Rust
1292846	BET	7	627596	6964157	7/1/2012	11:46:44 AM	MT01	Reddish Yellow	Sand	Damp	Subtle Slope	70	C	Black Spruce	Thin Moss Cover	Excellent	Clay	
1292847	BET	7	627597	6964108	7/1/2012	12:01:47 PM	MT01	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Black Spruce	Reindeer Moss	Good	Rocky	
1292848	BET	7	627598	6964058	7/1/2012	12:27:21 PM	MT01	Reddish Brown	Sand	Dry	Subtle Slope	80	C	Poplar	Grass Cover	Excellent	Clay	
1292849	BET	7	627596	6964008	7/1/2012	12:40:43 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	90	C	Poplar	Grass Cover	Excellent	Rocky	
1292850	BET	7	627598	6963958	7/1/2012	12:58:37 PM	MT01	Reddish Brown	Sand	Dry	Subtle Slope	70	C	Poplar	Grass Cover	Good	Clay	
1292852	BET	7	627598	6963907	7/1/2012	1:16:35 PM	MT01	Chocolate Brown	Sand	Damp	Subtle Slope	60	B	Poplar	Thin Moss Cover	Good	Clay	Bright Orange Rust
1292854	BET	7	627598	6963808	7/1/2012	1:46:48 PM	MT01	Grey	Sand	Damp	Pronounced Slope	50	B	Poplar	Thin Moss Cover	Good	Clay	
1292853	BET	7	627597	6963857	7/1/2012	1:49:55 PM	MT01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Poplar	Thin Moss Cover	Good	Clay	
1292855	BET	7	627596	6963757	7/1/2012	2:04:33 PM	MT01	Grey	Sand	Damp	Subtle Slope	50	B	Poplar	Thin Moss Cover	Good	Rocky	
1292856	BET	7	627597	6963707	7/1/2012	2:17:45 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	40	C	Poplar	Leaf Cover	Poor	Clay	Rocky
1292857	BET	7	627597	6963657	7/1/2012	2:19:20 PM	MT01	Grey	Sand	Damp	Pronounced Slope	50	B	White Spruce	Thin Moss Cover	Good	Clay	
1292858	BET	7	627596	6963607	7/1/2012	2:42:19 PM	MT01	Dark Brown	Sand	Dry	Pronounced Slope	50	C	White Spruce	Reindeer Moss	Good	Rocky	
1292859	BET	7	627596	6963556	7/1/2012	2:53:17 PM	MT01	Grey	Sand	Damp	Pronounced Slope	70	C	White Spruce	Thin Moss Cover	Good	Rocky	
1292860	BET	7	627598	6963507	7/1/2012	3:06:33 PM	MT01	Reddish Yellow	Sand	Dry	Subtle Slope	80	C	White Spruce	Thin Moss Cover	Excellent	Rocky	
1292861	BET	7	627196	6963258	7/1/2012	3:49:27 PM	MT01	Reddish Yellow	Sand	Dry	Subtle Slope	50	C	Poplar	Burnt Moss	Excellent	Coarse	
1292862	BET	7	627197	6963357	7/1/2012	4:05:28 PM	MT01	Reddish Brown	Sand	Dry	Steep	40	C	Poplar	Thin Moss Cover	Good	Coarse	Rocky
1292863	BET	7	627196	6963458	7/1/2012	4:22:52 PM	MT01	Chocolate Brown	Clay	Dry	Steep	50	B	Poplar	Thin Moss Cover	Poor	Rocky	Rocky Terrain
1292864	BET	7	627198	6963558	7/1/2012	4:52:26 PM	MT01	Chocolate Brown	Clay	Damp	Steep	30	B	Poplar	Rock Cover	Poor	Organic 10%	Rocky Terrain
1292865	BET	7	627197	6963658	7/1/2012	4:55:38 PM	MT01	Dark Brown	Clay	Damp	Steep	70	B	Poplar	Thin Moss Cover	Poor	Rocky	
1292866	BET	7	627197	6963758	7/1/2012	5:23:56 PM	MT01	Dark Brown	Clay	Damp	Steep	50	B	Poplar	Thin Moss Cover	Good	Rocky	Quartz Chips
1293653	BET	7	627496	6964457	7/1/2012	9:28:14 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Partially Frozen
1293654	BET	7	627496	6964408	7/1/2012	9:51:17 AM	RR01	Dark Brown	Sand	Damp	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Partially Frozen
1293655	BET	7	627497	6964359	7/1/2012	10:20:50 AM	RR01	Dark Brown	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Frozen	Sandy
1293656	BET	7	627497	6964309	7/1/2012	10:35:59 AM	RR01	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Willows	Reindeer Moss	Good	Coarse	Partially Frozen
1293657	BET	7	627497	6964258	7/1/2012	10:52:37 AM	RR01	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Sandy
1293658	BET	7	627497	6964208	7/1/2012	11:08:34 AM	RR01	Dark Brown	Silt	Damp	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Partially Frozen
1293659	BET	7	627497	6964157	7/1/2012	11:20:17 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	
1293660	BET	7	627497	6964108	7/1/2012	11:28:53 AM	RR01	Reddish Yellow	Gravel	Damp	Subtle Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Bright Orange Rust
1293661	BET	7	627497	6964058	7/1/2012	11:44:12 AM	RR01	Dark Grey Black	Sand	Damp	Subtle Slope	50	C	White Spruce	Grass Cover	Excellent	Coarse	
1293662	BET	7	627498	6964006	7/1/2012	11:54:15 AM	RR01	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Poplar	Grass Cover	Excellent	Coarse	Quartz Chips
1293663	BET	7	627497	6963957	7/1/2012	12:02:36 PM	RR01	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	
1293664	BET	7	627497	6963908	7/1/2012	12:14:45 PM	RR01	Reddish Yellow	Gravel	Damp	Pronounced Slope	60	C	Subalpine Fir	Sphagnum Moss < 30cm	Excellent	Rocky	Quartz Chips
1293665	BET	7	627496	6963857	7/1/2012	12:25:44 PM	RR01	Light Grey	Sand	Damp	Pronounced Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	
1293666	BET	7	627498	6963807	7/1/2012	12:35:58 PM	RR01	Grey	Gravel	Damp	Pronounced Slope	80	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	
1293667	BET	7	627497	6963758	7/1/2012	1:07:53 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1293668	BET	7	627496	6963708	7/1/2012	1:22:32 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1293669	BET	7	627497	6963657	7/1/2012	1:37:40 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1293670	BET	7	627497	6963608	7/1/2012	1:46:38 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	B	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1293671	BET	7	627497	6963558	7/1/2012	2:00:16 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	30	B	Poplar	Thin Moss Cover	Good	Rocky	Sandy
1293672	BET	7	627496	6963508	7/1/2012	2:08:53 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Grass Cover	Good	Coarse	
1293673	BET	7	627497	6963457	7/1/2012	2:19:36 PM	RR01	Reddish Yellow	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	
1293674	BET	7	627496	6963406	7/1/2012	2:34:39 PM	RR01	Dark Brown	Gravel	Damp	Pronounced Slope	30	B	Poplar	Grass Cover	Good	Coarse	Rocky
1293675	BET	7	627198	6963108	7/1/2012	3:02:05 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	White Spruce	Bare Soil	Good	Quartz Chips	Bright Orange Rust
1293676	BET	7	627198	6963108	7/1/2012	3:11:50 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	110	C	White Spruce	Bare Soil	Excellent	Quartz Chips	Bright Orange Rust
1293677	BET	7	627197	6963159	7/1/2012	3:28:31 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	90	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1293678	BET	7	627196	6963207	7/1/2012	3:39:18 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Quartz Chips
1293679	BET	7	627196	6963307	7/1/2012	3:53:22 PM	RR01	Reddish Yellow	Sand	Damp	Pronounced Slope	50	C	White Spruce	Reindeer Moss	Excellent	Rocky	Quartz Chips
1293680	BET	7	627197	6963408	7/1/2012	4:10:48 PM	RR01	Chocolate Brown	Silt	Damp	Steep	30	C	White Spruce	Rock Cover	Good	Rocky	Sandy
1293681	BET	7	627196	6963508	7/1/2012	4:27:33 PM	RR01	Chocolate Brown	Sand	Dry	Steep	50	C	Poplar	Grass Cover	Excellent	Coarse	Rocky
1293682	BET	7	627198	6963607	7/1/2012	4:50:02 PM	RR01	Chocolate Brown	Silt	Damp	Steep	80	B	Poplar	Sphagnum Moss < 30cm	Good	Coarse	Sandy
1293683	BET	7	627196	6963708	7/1/2012	5:07:07 PM	RR01	Grey	Gravel	Damp	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss > 30cm	Good	Rocky	
1292909	BET	7	626597	6964309	7/1/2012	9:19:17 AM	SC01	Grey	Silt	Damp	Subtle Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	
1292911	BET	7	626596	6964259	7/1/2012	9:37:38 AM	SC01	Dark Grey Black	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Sandy
1292910	BET	7	626596	6964210	7/1/2012	9:54:24 AM	SC01	Dark Brown	Sand	Dry	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Bright Orange Rust	
1292912	BET	7	626596	6964159	7/1/2012	10:12:51 AM	SC01	Light Brown	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1292913	BET	7	626597	6964108	7/1/2012	10:25:10 AM	SC01	Grey	Silt	Damp	Subtle Slope	70	B	Black Spruce	Reindeer Moss	Poor	Partially Frozen	
1292914	BET	7	626597	6964059	7/1/2012	10:35:01 AM	SC01	Greyish Green	Sand	Damp	Pronounced Slope	80	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	
1292915	BET	7	626598	6964009	7/1/2012	10:47:16 AM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1292916	BET	7	626597	6963957	7/1/2012	10:59:17 AM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	B	Black Spruce	Leaf Cover	Good	Fine	Rocky
1292917	BET	7	626596	6963908	7/1/2012	11:15:01 AM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	White Spruce	Grass Cover	Excellent	Rocky	
1292918	BET	7	626597	6963857	7/1/2012	11:25:02 AM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	90	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Fine	
1292919	BET	7	626597	6963808	7/1/2012	11:41:02 AM	SC01	Reddish Yellow	Sand	Dry	Subtle Slope	80	C	Black Spruce	Sphagnum Moss < 30cm	Excellent		
1292920	BET	7	626596	6963758	7/1/2012	11:53:21 AM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	40	C	White Spruce	Thin Moss Cover	Good	Rocky	
1292921	BET	7	626596	6963709	7/1/2012	12:03:32 PM	SC01	Bluish Grey	Sand	Damp	Subtle Slope	50	C	White Spruce	Leaf Cover	Excellent	Rocky	
1292922	BET	7	626596	6963657	7/1/2012	12:21:48 PM	SC01	Grey	Sand	Damp	Subtle Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1292923	BET	7	626596	6963608	7/1/2012	12:32:25 PM	SC01	Light Brown	Sand	Damp	Subtle Slope	80	C	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1292924	BET	7	626595	6963557	7/1/2012	12:41:12 PM	SC01	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1292925	BET	7	626596	6963508	7/1/2012	12:52:10 PM	SC01	Light Brown	Sand	Damp	Subtle Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Partially Frozen
1292926	BET	7	626598	6963508	7/1/2012	1:02:08 PM	SC01	Light Brown	Sand	Damp	Subtle Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Partially Frozen

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1292927	BET	7	626597	6963457	7/1/2012	1:20:38 PM	SC01	Dark Brown	Silt	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	
1292928	BET	7	626595	6963407	7/1/2012	1:34:19 PM	SC01	Dark Brown	Sand	Wet	Subtle Slope	40	C	Dwarf Birch	Sphagnum Moss < 30cm	Good	Partially Frozen	
1292929	BET	7	626598	6963358	7/1/2012	1:44:23 PM	SC01	Dark Brown	Sand	Damp	Subtle Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Partially Frozen	
1292930	BET	7	626597	6963308	7/1/2012	1:55:16 PM	SC01	Chocolate Brown	Sand	Damp	Subtle Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1292931	BET	7	626597	6963258	7/1/2012	2:06:23 PM	SC01	Grey	Silt	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1292932	BET	7	626597	6963207	7/1/2012	2:24:51 PM	SC01	Chocolate Brown	Silt	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	
1292933	BET	7	626596	6963158	7/1/2012	2:36:07 PM	SC01	Dark Brown	Sand	Wet	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	
1292934	BET	7	626596	6963107	7/1/2012	2:50:33 PM	SC01	Dark Brown	Silt	Wet	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	Mud
1292935	BET	7	626597	6963057	7/1/2012	3:06:32 PM	SC01	Dark Grey Black	Silt	Wet	Subtle Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Mud	Partially Frozen
1292936	BET	7	626598	6963006	7/1/2012	3:16:03 PM	SC01	Dark Brown	Sand	Damp	Flat	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Mud	Partially Frozen
1269423	BET	7	619897	6967356	7/2/2012	9:14:56 AM	BH01	Dark Brown	Gravel	Damp	Pronounced Slope	40	B	Birch Forest	Sphagnum Moss > 30cm	Poor	Rocky	Rocky Terrain
1269424	BET	7	619897	6967312	7/2/2012	9:28:35 AM	BH01	Dark Brown	Gravel	Damp	Pronounced Slope	50	B	Alders	Reindeer Moss	Good	Rocky	
1269425	BET	7	619896	6967265	7/2/2012	9:41:31 AM	BH01	Dark Brown	Gravel	Damp	Pronounced Slope	60	B	Alders	Reindeer Moss	Good	Partially Frozen	Rocky
1269426	BET	7	619896	6967265	7/2/2012	9:42:32 AM	BH01	Dark Brown	Gravel	Damp	Pronounced Slope	70	B	Alders	Reindeer Moss	Good	Partially Frozen	Rocky
1269427	BET	7	619896	6967213	7/2/2012	10:01:35 AM	BH01	Dark Brown	Gravel	Damp	Pronounced Slope	70	B	Black Spruce	Reindeer Moss	Poor	Rocky	
1269428	BET	7	619897	6967160	7/2/2012	10:11:44 AM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Rocky	
1269429	BET	7	619897	6967109	7/2/2012	10:23:17 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	80	B	Alders	Bare Soil	Excellent		
1269430	BET	7	619895	6967061	7/2/2012	10:40:39 AM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Reindeer Moss	Good	Frozen	
1269431	BET	7	619898	6967007	7/2/2012	10:52:58 AM	BH01	Dark Brown	Silt	Wet	Pronounced Slope	50	B	Alders	Thin Moss Cover	Poor	Mud	Partially Frozen
1269432	BET	7	619897	6966961	7/2/2012	11:03:33 AM	BH01	Dark Brown	Silt	Wet	Pronounced Slope	80	B	Alders	Thin Moss Cover	Good	Mud	Partially Frozen
1269433	BET	7	619896	6966910	7/2/2012	11:13:19 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	80	B	Alders	Leaf Cover	Excellent		
1269434	BET	7	619895	6966859	7/2/2012	11:27:13 AM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	50	B	Alders	Sphagnum Moss > 30cm	Good	Partially Frozen	
1269435	BET	7	619897	6966807	7/2/2012	11:49:09 AM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	Mud
1269436	BET	7	619897	6966758	7/2/2012	12:01:17 PM	BH01	Dark Brown	Silt	Damp	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	Possible Creek Contamination
1269437	BET	7	619897	6966707	7/2/2012	12:14:02 PM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	50	B	Subalpine Fir	Reindeer Moss	Good	Partially Frozen	
1269438	BET	7	619896	6966662	7/2/2012	12:25:32 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	
1269439	BET	7	619897	6966611	7/2/2012	12:39:11 PM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Reindeer Moss	Good	Frozen	
1269440	BET	7	619897	6966556	7/2/2012	12:48:33 PM	BH01	Chocolate Brown	Gravel	Damp	Subtle Slope	50	B	Alders	Thin Moss Cover	Good	Rocky	
1269441	BET	7	619900	6966504	7/2/2012	12:58:12 PM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	50	C	Black Spruce	Reindeer Moss	Good	Rocky	
1269442	BET	7	619897	6966456	7/2/2012	1:07:46 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	C	Black Spruce	Leaf Cover	Excellent		
1269443	BET	7	619898	6966409	7/2/2012	1:17:49 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Good		
1269444	BET	7	619896	6966362	7/2/2012	1:28:49 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Rocky	
1269445	BET	7	619898	6966304	7/2/2012	1:49:17 PM	BH01	Chocolate Brown	Silt	Damp	Subtle Slope	80	C	Black Spruce	Leaf Cover	Good		
1269446	BET	7	619896	6966262	7/2/2012	2:00:47 PM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Leaf Cover	Good	Rocky	
1269447	BET	7	619898	6966207	7/2/2012	2:10:28 PM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Birch Forest	Leaf Cover	Good	Rocky	
1269448	BET	7	619897	6966156	7/2/2012	2:21:16 PM	BH01	Dark Brown	Silt	Damp	Subtle Slope	60	B	Birch Forest	Leaf Cover	Good	Rocky	
1269449	BET	7	619897	6966108	7/2/2012	2:31:08 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Birch Forest	Leaf Cover	Good	Rocky	Small Sample
1269450	BET	7	619897	6966060	7/2/2012	2:42:36 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Leaf Cover	Good	Rocky	Rocky Sample
1269452	BET	7	619894	6966006	7/2/2012	2:54:34 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Birch Forest	Leaf Cover	Good	Rocky	
1269453	BET	7	619896	6965958	7/2/2012	3:03:29 PM	BH01	Chocolate Brown	Clay	Damp	Pronounced Slope	60	B	Birch Forest	Leaf Cover	Good	Mud	Rocky
1269454	BET	7	619895	6965907	7/2/2012	3:14:59 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	80	B	Birch Forest	Leaf Cover	Good		
1269455	BET	7	619897	6965854	7/2/2012	3:30:36 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	80	B	Birch Forest	Leaf Cover	Good		
1292744	BET	7	629797	6966957	7/2/2012	10:01:05 AM	CK01	Chocolate Brown	Sand	Damp	Steep	80	C	Black Spruce	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1292745	BET	7	629797	6967005	7/2/2012	10:18:34 AM	CK01	Chocolate Brown	Sand	Damp	Steep	80	C	Poplar	Grass Cover	Excellent	Coarse	Rocky
1292746	BET	7	629797	6967057	7/2/2012	10:34:19 AM	CK01	Chocolate Brown	Sand	Damp	Steep	70	C	Poplar	Leaf Cover	Excellent	Coarse	
1292747	BET	7	629797	6967105	7/2/2012	10:45:34 AM	CK01	Chocolate Brown	Sand	Damp	Steep	70	C	Poplar	Grass Cover	Excellent		
1292748	BET	7	629797	6967156	7/2/2012	10:57:48 AM	CK01	Chocolate Brown	Sand	Damp	Steep	70	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	
1292749	BET	7	629797	6967205	7/2/2012	11:13:17 AM	CK01	Chocolate Brown	Sand	Damp	Steep	60	C	Poplar	Bare Soil	Excellent	Bright Orange Rust	
1292750	BET	7	629797	6967256	7/2/2012	11:27:46 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1292752	BET	7	629797	6967302	7/2/2012	11:40:36 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Poplar	Grass Cover	Good	Fine	Rocky Terrain
1292753	BET	7	629797	6967357	7/2/2012	11:58:17 AM	CK01	Chocolate Brown	Sand	Damp	Steep	50	B	Poplar	Leaf Cover	Good	Coarse	Rocky Terrain
1292754	BET	7	629797	6967456	7/2/2012	12:24:35 PM	CK01	Dark Brown	Sand	Damp	Steep	50	B	Poplar	Thin Moss Cover	Good	Coarse	Rocky Terrain
1292743	BET	7	629897	6966954	7/2/2012	1:31:12 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Thin Moss Cover	Excellent	Bright Orange Rust	
1292755	BET	7	629897	6967006	7/2/2012	1:45:16 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	C	Poplar	Thin Moss Cover	Good		
1292756	BET	7	629897	6967055	7/2/2012	2:02:16 PM	CK01	Chocolate Brown	Sand	Damp	Steep	60	B	Poplar	Grass Cover	Good	Fine	
1292757	BET	7	629897	6967105	7/2/2012	2:18:45 PM	CK01	Chocolate Brown	Sand	Damp	Steep	70	C	Poplar	Grass Cover	Excellent	Rocky	
1292758	BET	7	629897	6967158	7/2/2012	2:32:17 PM	CK01	Chocolate Brown	Sand	Damp	Steep	30	B	Poplar	Leaf Cover	Good	Fine	
1292759	BET	7	629897	6967206	7/2/2012	2:43:49 PM	CK01	Chocolate Brown	Sand	Damp	Subtle Slope	30	B	Poplar	Thin Moss Cover	Good	Fine	
1292760	BET	7	629897	6967256	7/2/2012	2:59:26 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Dwarf Birch	Sphagnum Moss > 30cm	Good	Fine	
1292761	BET	7	629897	6967306	7/2/2012	3:13:35 PM	CK01	Chocolate Brown	Sand	Damp	Steep	70	C	Poplar	Sphagnum Moss < 30cm	Excellent	Rusty Rock Chip	Rocky Terrain
1292762	BET	7	629897	6967356	7/2/2012	3:35:09 PM	CK01	Chocolate Brown	Sand	Damp	Steep	30	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Fine	Rocky Terrain
1292763	BET	7	629897	6967406	7/2/2012	3:49:43 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Rocky Terrain	
1292764	BET	7	629897	6967457	7/2/2012	4:08:05 PM	CK01	Dark Brown	Sand	Damp	Steep	70	C	Dwarf Birch	Thin Moss Cover	Good	Bright Orange Rust	Rocky Terrain
1292765	BET	7	629897	6967476	7/2/2012	4:24:50 PM	CK01	Dark Brown	Sand	Damp	Steep	40	B	Dwarf Birch	Thin Moss Cover	Good	Rocky Terrain	
1292766	BET	7	629897	6967557	7/2/2012	4:49:10 PM	CK01	Dark Brown	Sand	Damp	Steep	50	B	Dwarf Birch	Grass Cover	Good	Fine	Possible Creek Contamination
1292767	BET	7	629897	6967610	7/2/2012	5:04:27 PM	CK01	Dark Brown	Sand	Damp	Steep	40	B	Dwarf Birch	Grass Cover	Good	Fine	
1269293	BET	7	619797	6965156	7/2/2012	9:20:00 AM	FP01	Dark Brown	Sand	Dry	Subtle Slope	50	B	Poplar	Leaf Cover	Good	Rocky	
1269294	BET	7	619797	6965207	7/2/2012	9:31:19 AM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1269295	BET	7	619796	6965257	7/2/2012	9:43:27 AM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	70	C	Poplar	Sphagnum Moss < 30cm	Excellent	Coarse	Quartz Chips
1269296	BET	7	619797	6965306	7/2/2012	9:59:02 AM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Rusty Rock Chip
1269297	BET	7	619797	6965356	7/2/2012	10:10:35 AM	FP01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Rusty Rock Chip
1269298	BET	7	619797	6965406	7/2/2012	10:24:49 AM	FP01	Dark Brown	Sand	Wet	Subtle Slope	30	B	Willows	Sphagnum Moss < 30cm	Poor	Frozen	Rusty Rock Chip
1269299	BET	7	619797	6965457	7/2/2012	10:38:35 AM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	Rusty Rock Chip
1269300	BET	7	619797	6965507	7/2/2012	10:50:30 AM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	50	B	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1271252	BET	7	619797	6965557	7/2/2012	11:05:12 AM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Birch Forest	Leaf Cover	Good	Coarse	Rusty Rock Chip
1271253	BET	7	619797	6965606	7/2/2012	11:18:05 AM	FP01	Reddish Brown	Sand	Damp	Flat	70	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Quartz Chips	Rusty Rock Chip
1271254	BET	7	619797	6965657	7/2/2012	11:30:11 AM	FP01	Reddish Brown	Sand	Dry	Subtle Slope	50	B	White Spruce	Leaf Cover	Good	Coarse	Rocky
1271255	BET	7	619797	6965706	7/2/2012	11:42:20 AM	FP01	Reddish Brown	Gravel	Dry	Subtle Slope	50	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1271256	BET	7	619797	6965757	7/2/2012	11:59:01 AM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	90	C	Poplar	Leaf Cover	Excellent	Coarse	Quartz Chips
1271257	BET	7	619797	6965807	7/2/2012	12:12:10 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	White Spruce	Leaf Cover	Excellent	Coarse	Rusty Rock Chip
1271258	BET	7	619797	6965857	7/2/2012	12:25:07 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Poplar	Leaf Cover	Good	Coarse	Rusty Rock Chip
1271259	BET	7	619696	6965804	7/2/2012	12:46:53 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	60	B	Poplar	Leaf Cover	Good	Rusty Rock Chip	Clay
1271260	BET	7	619697	6965754	7/2/2012	1:11:59 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	60	B	Poplar	Leaf Cover	Good	Coarse	Rusty Rock Chip
1271261	BET	7	619697	6965703	7/2/2012	1:24:36 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	50	B	Poplar	Leaf Cover	Good	Coarse	Rusty Rock Chip

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1271262	BET	7	619697	6965654	7/2/2012	1:35:57 PM	FP01	Reddish Yellow	Sand	Damp	Subtle Slope	80	C	Poplar	Sphagnum Moss < 30cm	Excellent	Coarse	Rusty Rock Chip
1271263	BET	7	619697	6965604	7/2/2012	1:46:17 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	50	C	White Spruce	Reindeer Moss	Good	Coarse	Rusty Rock Chip
1271264	BET	7	619696	6965553	7/2/2012	2:02:15 PM	FP01	Reddish Yellow	Sand	Damp	Subtle Slope	80	C	Poplar	Sphagnum Moss < 30cm	Good	Rocky	Rusty Rock Chip
1271265	BET	7	619696	6965502	7/2/2012	2:14:08 PM	FP01	Reddish Yellow	Sand	Damp	Subtle Slope	50	C	Poplar	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1271266	BET	7	619697	6965453	7/2/2012	2:35:21 PM	FP01	Light Brown	Sand	Dry	Subtle Slope	40	C	White Spruce	Leaf Cover	Good	Quartz Chips	Rusty Rock Chip
1271267	BET	7	619697	6965403	7/2/2012	2:57:03 PM	FP01	Reddish Yellow	Sand	Dry	Subtle Slope	50	B	Poplar	Reindeer Moss	Good	Rusty Rock Chip	Rocky
1271268	BET	7	619697	6965353	7/2/2012	3:07:50 PM	FP01	Dark Brown	Sand	Wet	Subtle Slope	60	B	Black Spruce	Thin Moss Cover	Poor	Mud	Possible Creek Contamination
1271269	BET	7	619697	6965303	7/2/2012	3:19:43 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Good	Coarse	Rusty Rock Chip
1271270	BET	7	619697	6965253	7/2/2012	3:32:13 PM	FP01	Reddish Yellow	Sand	Dry	Subtle Slope	50	B	Poplar	Sphagnum Moss < 30cm	Good	Coarse	Rusty Rock Chip
1271271	BET	7	619697	6965203	7/2/2012	3:46:08 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Poor	Rusty Rock Chip	
1271272	BET	7	619697	6965154	7/2/2012	4:20:55 PM	FP01	Grey	Sand	Wet	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Good	Frozen	Rusty Rock Chip
1290182	BET	7	622597	6964406	7/2/2012	9:48:18 AM	IG01	Chocolate Brown	Silt	Damp	Subtle Slope	60	B	White Spruce	Reindeer Moss	Good	Rocky Sample	Rocky
1290183	BET	7	622597	6964462	7/2/2012	10:06:00 AM	IG01	Chocolate Brown	Gravel	Dry	Subtle Slope	50	B	Alders	Leaf Cover	Good	Rocky	Rocky Sample
1290184	BET	7	622596	6964505	7/2/2012	10:22:57 AM	IG01	Chocolate Brown	Gravel	Dry	Pronounced Slope	60	B	Alders	Leaf Cover	Good	Rocky	Rocky Sample
1290185	BET	7	622596	6964559	7/2/2012	10:42:57 AM	IG01	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	Alders	Leaf Cover	Poor	Rocky	
1290186	BET	7	622598	6964606	7/2/2012	11:06:12 AM	IG01	Chocolate Brown	Silt	Damp	Subtle Slope	40	B	Alders	Grass Cover	Poor	Rocky	
1290187	BET	7	622596	6964656	7/2/2012	11:12:20 AM	IG01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Alders	Leaf Cover	Excellent	Rocky	
1290189	BET	7	622597	6964707	7/2/2012	11:26:09 AM	IG01	Bluish Grey	Sand	Dry	Pronounced Slope	80	C	Alders	Thin Moss Cover	Excellent	Rocky	
1290191	BET	7	622597	6964810	7/2/2012	12:04:59 PM	IG01	Dark Grey Black	Sand	Wet	Subtle Slope	30	B	Alders	Bare Soil	Poor	Organic 10%	
1290192	BET	7	622596	6964907	7/2/2012	1:00:45 PM	IG01	Dark Brown	Gravel	Wet	Pronounced Slope	40	B	Alders	Sphagnum Moss < 30cm	Good	Frozen	Rocky Sample
1290193	BET	7	622597	6965058	7/2/2012	1:53:19 PM	IG01	Reddish Yellow	Silt	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Rocky	Rocky Sample
1290194	BET	7	622597	6965108	7/2/2012	2:15:59 PM	IG01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Rocky	
1290195	BET	7	622697	6965159	7/2/2012	3:07:51 PM	IG01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Rocky	Rocky Sample
1290196	BET	7	622698	6965109	7/2/2012	3:26:09 PM	IG01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	White Spruce	Leaf Cover	Good	Rocky	Rocky Sample
1290197	BET	7	622696	6965058	7/2/2012	3:52:44 PM	IG01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	C	White Spruce	Needle Cover	Good	Rocky	Rocky Sample
1290198	BET	7	622698	6965007	7/2/2012	4:05:06 PM	IG01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	C	White Spruce	Leaf Cover	Good	Rocky Sample	Rocky
1290199	BET	7	622697	6964958	7/2/2012	4:20:14 PM	IG01	Chocolate Brown	Silt	Dry	Steep	60	C	White Spruce	Thin Moss Cover	Good	Rocky	Rocky Sample
1284917	BET	7	621997	6965157	7/2/2012	9:07:53 AM	JM01	Chocolate Brown	Clay	Wet	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Coarse
1284918	BET	7	621997	6965108	7/2/2012	9:19:05 AM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Dull Red Rust	Quartz Chips
1284919	BET	7	621997	6965058	7/2/2012	9:27:58 AM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Partially Frozen	Quartz Chips
1284920	BET	7	621997	6965008	7/2/2012	9:37:19 AM	JM01	Chocolate Brown	Clay	Wet	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Rocky	Coarse
1284921	BET	7	621996	6964958	7/2/2012	9:48:02 AM	JM01	Dark Brown	Sand	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1284922	BET	7	621996	6964908	7/2/2012	9:59:27 AM	JM01	Dark Brown	Sand	Damp	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Fine	Partially Frozen
1284923	BET	7	621997	6964858	7/2/2012	10:09:49 AM	JM01	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Partially Frozen	Coarse
1284924	BET	7	621996	6964807	7/2/2012	10:18:05 AM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	60	C	White Spruce	Thin Moss Cover	Excellent	Coarse	Quartz Chips
1284925	BET	7	621997	6964757	7/2/2012	10:26:13 AM	JM01	Chocolate Brown	Clay	Damp	Subtle Slope	50	C	White Spruce	Thin Moss Cover	Excellent	Coarse	Partially Frozen
1284926	BET	7	621997	6964757	7/2/2012	10:32:26 AM	JM01	Chocolate Brown	Clay	Damp	Subtle Slope	50	C	White Spruce	Thin Moss Cover	Excellent	Coarse	Partially Frozen
1284927	BET	7	621997	6964707	7/2/2012	10:42:13 AM	JM01	Chocolate Brown	Clay	Damp	Subtle Slope	40	C	Birch Forest	Leaf Cover	Excellent	Coarse	Rocky
1284928	BET	7	621997	6964657	7/2/2012	10:51:15 AM	JM01	Reddish Brown	Clay	Damp	Pronounced Slope	50	C	White Spruce	Thin Moss Cover	Excellent	Coarse	Rocky
1284929	BET	7	621997	6964607	7/2/2012	11:00:59 AM	JM01	Light Brown	Clay	Damp	Pronounced Slope	50	C	Poplar	Grass Cover	Excellent	Rocky	Coarse
1284930	BET	7	621996	6964557	7/2/2012	11:09:20 AM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Rocky	Coarse
1284931	BET	7	621997	6964506	7/2/2012	11:20:24 AM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Quartz Chips
1284932	BET	7	621998	6964457	7/2/2012	11:29:45 AM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Coarse	Quartz Chips
1284933	BET	7	621997	6964408	7/2/2012	11:38:37 AM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent	Coarse	Quartz Chips
1284934	BET	7	621997	6964357	7/2/2012	11:53:05 AM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	70	C	White Spruce	Leaf Cover	Excellent	Coarse	Possible Creek Contamination
1284935	BET	7	621997	6964258	7/2/2012	12:10:54 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Rocky	Coarse
1284936	BET	7	621997	6964208	7/2/2012	12:24:31 PM	JM01	Light Brown	Clay	Dry	Pronounced Slope	40	B	Dwarf Birch	Leaf Cover	Good	Quartz Chips	Rocky
1284937	BET	7	621997	6964158	7/2/2012	12:44:55 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	40	B	White Spruce	Leaf Cover	Good	Rocky	
1284938	BET	7	621997	6964109	7/2/2012	1:56:08 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1284939	BET	7	621997	6964058	7/2/2012	2:08:56 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	70	C	White Spruce	Thin Moss Cover	Excellent	Rocky	Quartz Chips
1284940	BET	7	621997	6964008	7/2/2012	2:19:13 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	50	C	White Spruce	Grass Cover	Excellent	Coarse	Quartz Chips
1284941	BET	7	621997	6963958	7/2/2012	2:29:16 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	40	C	White Spruce	Thin Moss Cover	Excellent	Quartz Chips	Coarse
1284942	BET	7	621997	6963908	7/2/2012	2:41:03 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	70	C	White Spruce	Thin Moss Cover	Excellent	Rocky	
1284943	BET	7	621998	6963858	7/2/2012	3:03:45 PM	JM01	Chocolate Brown	Clay	Wet	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Rocky	Mud
1284944	BET	7	621997	6963808	7/2/2012	3:15:32 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	90	C	Dwarf Birch	Leaf Cover	Excellent	Quartz Chips	Fine
1284945	BET	7	621997	6963757	7/2/2012	3:24:37 PM	JM01	Dark Brown	Clay	Damp	Subtle Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Partially Frozen	Coarse
1284946	BET	7	621998	6963708	7/2/2012	3:32:41 PM	JM01	Light Grey	Clay	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	Rocky
1293552	BET	7	630097	6966954	7/2/2012	9:32:48 AM	JS01	Chocolate Brown	Sand	Dry	Steep	50	C	Birch Forest	Thin Moss Cover	Good	Rocky	Rocky Terrain
1293553	BET	7	630098	6967006	7/2/2012	9:47:22 AM	JS01	Chocolate Brown	Sand	Dry	Steep	50	C	Birch Forest	Grass Cover	Good	Rocky Sample	Rocky Terrain
1293554	BET	7	630096	6967054	7/2/2012	9:59:59 AM	JS01	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	Birch Forest	Grass Cover	Good	Fine	Rocky
1293555	BET	7	630095	6967105	7/2/2012	10:12:42 AM	JS01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Birch Forest	Grass Cover	Poor	Rocky	
1293556	BET	7	630096	6967156	7/2/2012	10:29:03 AM	JS01	Chocolate Brown	Silt	Damp	Pronounced Slope	30	B	Birch Forest	Thin Moss Cover	Poor	Organic 10%	Rocky Terrain
1293557	BET	7	630096	6967204	7/2/2012	10:41:12 AM	JS01	Chocolate Brown	Sand	Dry	Steep	60	B	Birch Forest	Grass Cover	Good	Fine	Rocky
1293558	BET	7	630096	6967255	7/2/2012	10:53:30 AM	JS01	Chocolate Brown	Silt	Dry	Steep	70	B	Birch Forest	Grass Cover	Good	Coarse	Rocky
1293559	BET	7	630097	6967305	7/2/2012	11:05:23 AM	JS01	Chocolate Brown	Silt	Dry	Steep	70	B	Birch Forest	Thin Moss Cover	Good	Coarse	Rocky
1293560	BET	7	630096	6967357	7/2/2012	11:19:13 AM	JS01	Chocolate Brown	Silt	Damp	Steep	60	B	Birch Forest	Thin Moss Cover	Poor	Rocky	
1293561	BET	7	630096	6967405	7/2/2012	11:32:58 AM	JS01	Dark Brown	Silt	Damp	Steep	70	B	Birch Forest	Thin Moss Cover	Poor	Coarse	Rocky
1293562	BET	7	630096	6967454	7/2/2012	11:48:07 AM	JS01	Dark Brown	Silt	Damp	Steep	80	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Partially Frozen	Organic 10%
1293563	BET	7	629997	6966909	7/2/2012	1:09:24 PM	JS01	Light Brown	Sand	Dry	Subtle Slope	50	C	Birch Forest	Grass Cover	Good	Fine	Rocky
1293564	BET	7	629996	6966957	7/2/2012	1:21:07 PM	JS01	Light Brown	Sand	Dry	Subtle Slope	60	C	Poplar	Leaf Cover	Good	Rocky	
1293565	BET	7	629997	6967005	7/2/2012	1:31:49 PM	JS01	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	Poplar	Leaf Cover	Good	Rocky	
1293566	BET	7	629997	6967054	7/2/2012	1:47:49 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	40	C	Dwarf Birch	Grass Cover	Good	Fine	Bright Orange Rust
1293567	BET	7	629998	6967104	7/2/2012	2:03:01 PM	JS01	Light Brown	Silt	Dry	Subtle Slope	50	B	Birch Forest	Grass Cover	Good	Coarse	Rocky
1293568	BET	7	629997	6967157	7/2/2012	2:14:10 PM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Birch Forest	Thin Moss Cover	Good	Coarse	Rocky
1293569	BET	7	629996	6967205	7/2/2012	2:27:39 PM	JS01	Light Brown	Sand	Dry	Steep	70	C	Birch Forest	Thin Moss Cover	Good	Rocky	
1293570	BET	7	629997	6967255	7/2/2012	2:46:35 PM	JS01	Chocolate Brown	Silt	Damp	Steep	50	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Coarse	Rocky Sample
1293571	BET	7	629997	6967357	7/2/2012	3:12:35 PM	JS01	Dark Brown	Silt	Wet	Steep	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1293572	BET	7	629997	6967407	7/2/2012	3:26:25 PM	JS01	Dark Brown	Silt	Wet	Steep	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	Possible Creek Contamination
1293573	BET	7	629997	6967455	7/2/2012	3:39:00 PM	JS01	Dark Brown	Silt	Damp	Steep	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	Partially Frozen
1293574	BET	7	629997	6967507	7/2/2012	3:52:35 PM	JS01	Dark Brown	Silt	Damp	Steep	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	Organic 10%
1293575	BET	7	629998	6967555	7/2/2012	4:02:53 PM	JS01	Chocolate Brown	Silt	Wet	Steep	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	Rocky
1293576	BET	7	629998	6967551	7/2/2012	4:04:59 PM	JS01	Dark Brown	Silt	Wet	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	Rocky
1293577	BET	7	629997	6967606	7/2/2012	4:21:00 PM	JS01	Dark Brown	Silt	Wet	Pronounced Slope	60	B	Birch Forest	Thin Moss Cover	Poor	Coarse	Rocky
1293578	BET	7	629996	6967656	7/2/2012	4:36:37 PM	JS01	Dark Brown	Silt	Wet	Subtle Slope	60	B	Dwarf Birch	Grass Cover	Poor		

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1293579	BET	7	629996	6967705	7/2/2012	4:43:51 PM	JS01	Dark Brown	Silt	Wet	Subtle Slope	60	B	Birch Forest	Grass Cover	Poor		
1293580	BET	7	629997	6967756	7/2/2012	4:54:21 PM	JS01	Grey	Silt	Damp	Subtle Slope	70	B	Dwarf Birch	Grass Cover	Good	Coarse	
1293581	BET	7	629995	6967806	7/2/2012	5:05:36 PM	JS01	Chocolate Brown	Silt	Damp	Subtle Slope	60	B	Dwarf Birch	Grass Cover	Good	Coarse	
1284684	BET	7	622897	6964406	7/2/2012	9:06:19 AM	KH01	Chocolate Brown	Sand	Damp	Subtle Slope	70	B	White Spruce	Sphagnum Moss < 30cm	Good	Frozen	Possible Creek Contamination
1284685	BET	7	622897	6964457	7/2/2012	9:17:08 AM	KH01	Chocolate Brown	Sand	Wet	Subtle Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Mud	Rocky
1284686	BET	7	622896	6964506	7/2/2012	9:27:49 AM	KH01	Dark Grey Black	Sand	Damp	Pronounced Slope	70	B	White Spruce	Sphagnum Moss < 30cm	Good	Frozen	Rocky
1284687	BET	7	622897	6964556	7/2/2012	9:39:47 AM	KH01	Dark Brown	Sand	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Frozen	Rocky
1284688	BET	7	622896	6964656	7/2/2012	10:01:43 AM	KH01	Chocolate Brown	Sand	Damp	Steep	80	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Rocky
1284689	BET	7	622898	6964707	7/2/2012	10:14:07 AM	KH01	Grey	Sand	Damp	Steep	80	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1284690	BET	7	622897	6964757	7/2/2012	10:30:26 AM	KH01	Chocolate Brown	Sand	Dry	Steep	70	C	White Spruce	Grass Cover	Good	Coarse	Bright Orange Rust
1284691	BET	7	622896	6964807	7/2/2012	10:46:02 AM	KH01	Light Brown	Sand	Dry	Steep	80	C	White Spruce	Leaf Cover	Excellent	Fine	Rocky
1284692	BET	7	622896	6964857	7/2/2012	10:54:47 AM	KH01	Light Brown	Sand	Dry	Steep	80	C	White Spruce	Leaf Cover	Excellent	Fine	Rocky
1284693	BET	7	622897	6964907	7/2/2012	11:08:27 AM	KH01	Chocolate Brown	Sand	Damp	Steep	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1284694	BET	7	622896	6964957	7/2/2012	11:21:05 AM	KH01	Chocolate Brown	Gravel	Dry	Steep	60	C	White Spruce	Grass Cover	Good	Bright Orange Rust	
1284695	BET	7	622896	6965006	7/2/2012	11:34:16 AM	KH01	Chocolate Brown	Sand	Dry	Steep	80	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Bright Orange Rust
1284696	BET	7	622897	6965057	7/2/2012	11:47:16 AM	KH01	Chocolate Brown	Sand	Dry	Steep	70	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Coarse
1284697	BET	7	622897	6965108	7/2/2012	11:57:29 AM	KH01	Reddish Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Sphagnum Moss < 30cm	Excellent	Coarse	Bright Orange Rust
1284698	BET	7	622897	6965159	7/2/2012	12:07:45 PM	KH01	Reddish Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Rocky
1283441	BET	7	622797	6965157	7/2/2012	12:29:38 PM	KH01	Reddish Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Mud	Bright Orange Rust
1283442	BET	7	622797	6965107	7/2/2012	12:44:13 PM	KH01	Chocolate Brown	Sand	Wet	Steep	80	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Rocky	
1283443	BET	7	622797	6965058	7/2/2012	1:00:52 PM	KH01	Chocolate Brown	Sand	Damp	Steep	80	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Mud	Rocky
1283444	BET	7	622797	6965007	7/2/2012	1:11:06 PM	KH01	Chocolate Brown	Sand	Damp	Steep	70	C	White Spruce	Leaf Cover	Good	Coarse	Bright Orange Rust
1283445	BET	7	622798	6964957	7/2/2012	1:30:00 PM	KH01	Chocolate Brown	Sand	Dry	Steep	70	C	White Spruce	Leaf Cover	Good	Coarse	Rocky
1283446	BET	7	622795	6964907	7/2/2012	1:42:51 PM	KH01	Dark Brown	Sand	Damp	Steep	80	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Mud	Rocky
1283447	BET	7	622797	6964858	7/2/2012	2:02:32 PM	KH01	Chocolate Brown	Sand	Damp	Steep	70	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1283448	BET	7	622796	6964806	7/2/2012	2:17:36 PM	KH01	Chocolate Brown	Sand	Damp	Steep	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1283449	BET	7	622797	6964756	7/2/2012	2:30:30 PM	KH01	Chocolate Brown	Sand	Dry	Steep	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1283450	BET	7	622796	6964606	7/2/2012	3:03:48 PM	KH01	Dark Brown	Sand	Damp	Pronounced Slope	70	B	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1283452	BET	7	622797	6964556	7/2/2012	3:17:02 PM	KH01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	Mud
1283453	BET	7	622796	6964506	7/2/2012	3:29:08 PM	KH01	Chocolate Brown	Sand	Wet	Subtle Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Mud	Rocky
1283454	BET	7	622796	6964456	7/2/2012	3:41:12 PM	KH01	Chocolate Brown	Sand	Wet	Subtle Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Mud	Rocky
1283455	BET	7	622798	6964407	7/2/2012	3:58:12 PM	KH01	Dark Grey Black	Sand	Dry	Pronounced Slope	70	B	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	Fine
1292867	BET	7	629697	6966956	7/2/2012	8:22:32 AM	MT01	Light Brown	Sand	Dry	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good		
1292868	BET	7	629696	6967006	7/2/2012	10:14:25 AM	MT01	Dark Brown	Sand	Damp	Pronounced Slope	90	C	Poplar	Grass Cover	Excellent	Clay	
1292869	BET	7	629697	6967057	7/2/2012	10:29:17 AM	MT01	Light Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Good	Fine	
1292870	BET	7	629697	6967108	7/2/2012	10:30:26 AM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Good	Rocky	
1292871	BET	7	629696	6967156	7/2/2012	10:59:42 AM	MT01	Light Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Good	Fine	
1292872	BET	7	629697	6967207	7/2/2012	11:13:59 AM	MT01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Poplar	Grass Cover	Good	Coarse	Rocky
1292873	BET	7	629696	6967258	7/2/2012	11:28:48 AM	MT01	Dark Brown	Sand	Damp	Steep	30	C	Poplar	Grass Cover	Poor	Coarse	Rocky
1292875	BET	7	629697	6967308	7/2/2012	11:32:03 AM	MT01	Reddish Yellow	Sand	Damp	Subtle Slope	60	C	Poplar	Grass Cover	Excellent		
1292876	BET	7	629699	6967308	7/2/2012	11:50:41 AM	MT01	Reddish Brown	Sand	Damp	Subtle Slope	60	C	Poplar	Grass Cover	Excellent		
1292874	BET	7	629697	6967357	7/2/2012	12:07:59 PM	MT01	Reddish Brown	Sand	Dry	Flat	50	C	Poplar	Grass Cover	Good	Fine	
1292877	BET	7	629697	6967406	7/2/2012	12:20:30 PM	MT01	Dark Brown	Sand	Damp	Pronounced Slope	80	B	Poplar	Thin Moss Cover	Good	Clay	
1292878	BET	7	629697	6967457	7/2/2012	12:34:45 PM	MT01	Dark Grey Black	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Clay	Rocky Terrain
1292879	BET	7	629696	6967507	7/2/2012	12:49:51 PM	MT01	Grey	Sand	Wet	Steep	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	
1292880	BET	7	629697	6967607	7/2/2012	1:25:46 PM	MT01	Dark Brown	Sand	Wet	Pronounced Slope	60	B	Poplar	Sphagnum Moss < 30cm	Good	Clay	
1292881	BET	7	629699	6967657	7/2/2012	1:44:29 PM	MT01	Chocolate Brown	Sand	Wet	Pronounced Slope	60	B	Birch Forest	Grass Cover	Good	Rocky	
1292882	BET	7	629697	6967708	7/2/2012	2:00:54 PM	MT01	Dark Brown	Sand	Wet	Pronounced Slope	50	B	Birch Forest	Grass Cover	Good	Clay	Rocky Terrain
1292883	BET	7	629697	6967759	7/2/2012	2:19:36 PM	MT01	Chocolate Brown	Sand	Wet	Pronounced Slope	50	B	Birch Forest	Grass Cover	Good	Clay	Rocky Terrain
1292884	BET	7	629696	6967807	7/2/2012	2:36:30 PM	MT01	Grey	Sand	Wet	Flat	110	B	Birch Forest	Grass Cover	Good	Mud	
1292885	BET	7	629698	6967858	7/2/2012	2:42:44 PM	MT01	Dark Brown	Sand	Wet	Flat	60	B	Birch Forest	Grass Cover	Good	Mud	Possible Creek Contamination
1292886	BET	7	629697	6967908	7/2/2012	3:06:31 PM	MT01	Dark Brown	Sand	Wet	Flat	50	B	Birch Forest	Grass Cover	Poor	Mud	
1292887	BET	7	629797	6967907	7/2/2012	3:27:28 PM	MT01	Dark Brown	Sand	Wet	Flat	70	B	Birch Forest	Grass Cover	Poor	Mud	
1292888	BET	7	629797	6967858	7/2/2012	3:30:43 PM	MT01	Dark Brown	Sand	Wet	Flat	70	B	Birch Forest	Grass Cover	Poor	Mud	
1292889	BET	7	629796	6967808	7/2/2012	3:55:10 PM	MT01	Dark Brown	Sand	Wet	Flat	60	B	Birch Forest	Grass Cover	Good	Mud	Frozen
1292890	BET	7	629797	6967759	7/2/2012	4:08:04 PM	MT01	Chocolate Brown	Sand	Wet	Flat	70	B	Birch Forest	Grass Cover	Good	Mud	Frozen
1292891	BET	7	629797	6967709	7/2/2012	4:22:52 PM	MT01	Dark Brown	Sand	Wet	Pronounced Slope	70	B	Birch Forest	Thin Moss Cover	Good		
1292893	BET	7	629795	6967608	7/2/2012	4:58:02 PM	MT01	Dark Brown	Sand	Damp	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good	Clay	Frozen
1292894	BET	7	629795	6967558	7/2/2012	5:12:01 PM	MT01	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Grass Cover	Good	Rocky Terrain	
1292895	BET	7	629798	6967509	7/2/2012	5:27:04 PM	MT01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Birch Forest	Grass Cover	Good	Clay	Rocky Terrain
1292892	BET	7	629796	6967658	7/2/2012	7:52:21 PM	MT01	Dark Brown	Sand	Wet	Pronounced Slope	60	B	Birch Forest	Grass Cover	Good	Clay	
1283142	BET	7	623796	6964508	7/2/2012	9:29:22 AM	RL02	Dark Brown	Sand	Damp	Steep	60	C	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Rocky
1283143	BET	7	623796	6964556	7/2/2012	9:41:51 AM	RL02	Dark Grey Black	Sand	Damp	Steep	50	C	Birch Forest	Sphagnum Moss > 30cm	Good	Coarse	Rocky
1283144	BET	7	623797	6964756	7/2/2012	10:12:39 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	White Spruce	Thin Moss Cover	Excellent	Coarse	Rocky
1283145	BET	7	623796	6964807	7/2/2012	10:24:01 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	White Spruce	Thin Moss Cover	Excellent	Bright Orange Rust	Rocky
1283146	BET	7	623797	6964856	7/2/2012	10:34:51 AM	RL02	Reddish Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Quartz Chips
1283147	BET	7	623797	6964907	7/2/2012	10:46:55 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1283148	BET	7	623797	6964957	7/2/2012	10:58:17 AM	RL02	Reddish Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	Quartz Chips
1283149	BET	7	623797	6965007	7/2/2012	11:12:20 AM	RL02	Reddish Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Quartz Chips
1283150	BET	7	623797	6965057	7/2/2012	11:23:55 AM	RL02	Reddish Brown	Sand	Damp	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Quartz Chips
1283152	BET	7	623797	6965107	7/2/2012	11:40:03 AM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Rocky	
1283153	BET	7	623797	6965157	7/2/2012	11:51:31 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Fine	Dull Red Rust
1283154	BET	7	623696	6964708	7/2/2012	12:25:00 PM	RL02	Dark Brown	Sand	Damp	Subtle Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1283155	BET	7	623697	6964457	7/2/2012	1:23:26 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	40	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1283156	BET	7	623697	6964407	7/2/2012	1:35:44 PM	RL02	Bluish Grey	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rusty Rock Chip	Partially Frozen
1283157	BET	7	623597	6964407	7/2/2012	1:50:53 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Rocky
1283158	BET	7	623597	6964456	7/2/2012	2:02:17 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Rocky
1283159	BET	7	623397	6964607	7/2/2012	3:29:23 PM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Partially Frozen
1283227	BET	7	623097	6964407	7/2/2012	9:16:36 AM	RM01	Grey	Clay	Wet	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	
1283248	BET	7	623097	6964507	7/2/2012	9:48:47 AM	RM01	Chocolate Brown	Silt	Damp	Subtle Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Organic 25%
1283246	BET	7	623097	6964557	7/2/2012	10:03:37 AM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1283249	BET	7	623097	6964608	7/2/2012	10:18:02 AM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	
1283250	BET	7	623097	6964656	7/2/2012	10:33:46 AM	RM01	Chocolate Brown	Clay	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1283402	BET	7	623097	6964706	7/2/2012	10:49:35 AM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1283236	BET	7	623097	6964755	7/2/2012	11:07:15 AM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Coarse	
1283237	BET	7	623097	6964807	7/2/2012	11:20:13 AM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	
1283238	BET	7	623097	6964858	7/2/2012	11:35:18 AM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Coarse	
1283239	BET	7	623097	6964908	7/2/2012	11:52:26 AM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1283240	BET	7	623097	6964957	7/2/2012	12:07:41 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1283241	BET	7	623097	6965006	7/2/2012	12:22:17 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1283242	BET	7	623097	6965058	7/2/2012	12:32:15 PM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Good	Fine	
1283243	BET	7	623097	6965108	7/2/2012	12:48:25 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1283244	BET	7	623097	6965158	7/2/2012	12:50:26 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	90	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1283245	BET	7	622997	6965157	7/2/2012	1:27:49 PM	RM01	Chocolate Brown	Silt	Damp	Subtle Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1283247	BET	7	622997	6965108	7/2/2012	1:42:37 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	
1283403	BET	7	622997	6965057	7/2/2012	1:57:53 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1283404	BET	7	622998	6965006	7/2/2012	2:16:29 PM	RM01	Chocolate Brown	Sand	Wet	Pronounced Slope	30	B	White Spruce	Leaf Cover	Good	Mud	
1283405	BET	7	622997	6964958	7/2/2012	2:28:17 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1283406	BET	7	622997	6964908	7/2/2012	2:41:09 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1283407	BET	7	622996	6964856	7/2/2012	2:57:53 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	
1283419	BET	7	622996	6964808	7/2/2012	3:14:12 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Coarse	
1283418	BET	7	622995	6964759	7/2/2012	3:31:45 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	
1283408	BET	7	622996	6964708	7/2/2012	3:41:58 PM	RM01	Chocolate Brown	Silt	Damp	Steep	60	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1283409	BET	7	622997	6964657	7/2/2012	3:56:27 PM	RM01	Chocolate Brown	Sand	Damp	Steep	80	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1283410	BET	7	622996	6964607	7/2/2012	4:12:59 PM	RM01	Chocolate Brown	Sand	Damp	Steep	90	C	White Spruce	Sphagnum Moss < 30cm	Poor	Coarse	
1283411	BET	7	622997	6964558	7/2/2012	4:23:39 PM	RM01	Chocolate Brown	Sand	Damp	Subtle Slope	70	B	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1283412	BET	7	622998	6964508	7/2/2012	4:37:25 PM	RM01	Grey	Clay	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	
1283413	BET	7	622997	6964455	7/2/2012	4:46:23 PM	RM01	Chocolate Brown	Sand	Damp	Subtle Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Mud
1283414	BET	7	622996	6964406	7/2/2012	4:56:03 PM	RM01	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1293684	BET	7	630196	6966956	7/2/2012	9:39:07 AM	RR01	Chocolate Brown	Sand	Damp	Steep	30	C	Poplar	Rock Cover	Good	Rocky	
1293685	BET	7	630197	6967007	7/2/2012	9:57:40 AM	RR01	Chocolate Brown	Sand	Damp	Steep	70	C	Poplar	Grass Cover	Good	Coarse	Rocky
1293686	BET	7	630197	6967058	7/2/2012	10:14:28 AM	RR01	Chocolate Brown	Gravel	Damp	Pronounced Slope	60	C	Poplar	Rock Cover	Excellent	Coarse	Rocky Terrain
1293687	BET	7	630197	6967107	7/2/2012	10:27:14 AM	RR01	Dark Brown	Sand	Damp	Pronounced Slope	30	C	Poplar	Bare Soil	Excellent	Coarse	Outcrop Nearby
1293688	BET	7	630197	6967156	7/2/2012	10:43:34 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	30	C	Dwarf Birch	Grass Cover	Good	Coarse	Rocky
1293689	BET	7	630197	6967207	7/2/2012	10:53:14 AM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	80	B	Dwarf Birch	Grass Cover	Good	Coarse	Sandy
1293690	BET	7	630198	6967256	7/2/2012	11:04:14 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Dwarf Birch	Grass Cover	Good	Coarse	
1293691	BET	7	630197	6967307	7/2/2012	11:14:50 AM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Dwarf Birch	Grass Cover	Good	Coarse	Sandy
1293692	BET	7	630196	6967357	7/2/2012	11:25:15 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Dwarf Birch	Thin Moss Cover	Good	Coarse	
1293693	BET	7	630196	6967407	7/2/2012	11:37:12 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Dwarf Birch	Grass Cover	Excellent	Coarse	
1293694	BET	7	630197	6967459	7/2/2012	11:47:36 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	100	C	Dwarf Birch	Grass Cover	Good	Coarse	Rocky
1293695	BET	7	630197	6967507	7/2/2012	12:02:02 PM	RR01	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Dwarf Birch	Grass Cover	Good	Coarse	
1293696	BET	7	630197	6967557	7/2/2012	12:33:40 PM	RR01	Dark Brown	Silt	Wet	Pronounced Slope	80	B	Dwarf Birch	Grass Cover	Good	Mud	
1293697	BET	7	630198	6967609	7/2/2012	12:49:46 PM	RR01	Grey	Silt	Wet	Subtle Slope	70	B	Dwarf Birch	Grass Cover	Poor	Fine	Mud
1293698	BET	7	630198	6967657	7/2/2012	1:10:42 PM	RR01	Chocolate Brown	Silt	Wet	Subtle Slope	70	B	Dwarf Birch	Grass Cover	Good	Coarse	Mud
1293699	BET	7	630196	6967707	7/2/2012	1:27:42 PM	RR01	Chocolate Brown	Sand	Wet	Subtle Slope	80	C	Dwarf Birch	Grass Cover	Good	Mud	Wet Soil
1293700	BET	7	630196	6967758	7/2/2012	1:43:02 PM	RR01	Dark Brown	Silt	Damp	Pronounced Slope	70	B	Old Burn	Thin Moss Cover	Good	Fine	Sandy
1292502	BET	7	630197	6967807	7/2/2012	1:56:36 PM	RR01	Grey	Sand	Damp	Pronounced Slope	80	C	Dwarf Birch	Grass Cover	Good	Fine	Sandy
1292503	BET	7	630197	6967907	7/2/2012	2:39:13 PM	RR01	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Birch Forest	Grass Cover	Good	Fine	Possible Creek Contamination
1292504	BET	7	630099	6967907	7/2/2012	3:02:29 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Dwarf Birch	Thin Moss Cover	Excellent	Fine	
1292505	BET	7	630098	6967858	7/2/2012	3:21:34 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Dwarf Birch	Grass Cover	Good	Fine	
1292506	BET	7	630098	6967808	7/2/2012	3:40:01 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Willows	Grass Cover	Excellent	Fine	
1269348	BET	7	619998	6967356	7/2/2012	9:18:51 AM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Wet Soil
1269349	BET	7	619996	6967307	7/2/2012	9:33:21 AM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	80	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Partially Frozen
1269350	BET	7	619997	6967256	7/2/2012	9:47:27 AM	RR02	Light Brown	Sand	Wet	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Wet Soil
1269352	BET	7	619996	6967207	7/2/2012	10:00:57 AM	RR02	Reddish Brown	Sand	Wet	Pronounced Slope	60	C	Black Spruce	Thin Moss Cover	Excellent	Coarse	
1269353	BET	7	619998	6967156	7/2/2012	10:12:01 AM	RR02	Chocolate Brown	Sand	Wet	Pronounced Slope	50	C	Black Spruce	Thin Moss Cover	Good	Coarse	Wet Soil
1269354	BET	7	619997	6967106	7/2/2012	10:25:31 AM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Thin Moss Cover	Excellent	Coarse	
1269355	BET	7	619998	6967057	7/2/2012	10:37:51 AM	RR02	Chocolate Brown	Sand	Wet	Subtle Slope	70	C	Black Spruce	Thin Moss Cover	Good	Coarse	Wet Soil
1269356	BET	7	619997	6967007	7/2/2012	10:55:27 AM	RR02	Dark Brown	Silt	Wet	Subtle Slope	90	B	Black Spruce	Thin Moss Cover	Poor	Wet Soil	Coarse
1269357	BET	7	619997	6966956	7/2/2012	11:16:52 AM	RR02	Chocolate Brown	Sand	Wet	Pronounced Slope	40	B	Black Spruce	Thin Moss Cover	Poor	Wet Soil	Partially Frozen
1269358	BET	7	619997	6966907	7/2/2012	11:29:59 AM	RR02	Chocolate Brown	Sand	Wet	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Wet Soil	Coarse
1269359	BET	7	619997	6966858	7/2/2012	11:43:26 AM	RR02	Light Brown	Sand	Damp	Pronounced Slope	110	C	Black Spruce	Needle Cover	Excellent	Coarse	
1269360	BET	7	619997	6966808	7/2/2012	11:57:50 AM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Partially Frozen	Fine
1269361	BET	7	619997	6966756	7/2/2012	12:29:18 PM	RR02	Dark Brown	Silt	Wet	Subtle Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Partially Frozen	
1269362	BET	7	619996	6966706	7/2/2012	12:50:25 PM	RR02	Dark Brown	Silt	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Frozen	Organic 25%
1269363	BET	7	620004	6966657	7/2/2012	12:58:51 PM	RR02	Light Brown	Sand	Wet	Subtle Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	Coarse
1269364	BET	7	619997	6966607	7/2/2012	1:10:52 PM	RR02	Grey	Sand	Wet	Subtle Slope	60	C	Black Spruce	Thin Moss Cover	Good	Fine	Small Sample
1269365	BET	7	619998	6966555	7/2/2012	1:19:23 PM	RR02	Chocolate Brown	Sand	Wet	Subtle Slope	60	C	Black Spruce	Thin Moss Cover	Good	Coarse	Wet Soil
1269366	BET	7	619995	6966509	7/2/2012	1:29:23 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Dwarf Birch	Thin Moss Cover	Excellent	Coarse	
1269367	BET	7	619997	6966458	7/2/2012	1:40:29 PM	RR02	Light Brown	Sand	Damp	Subtle Slope	40	C	White Spruce	Thin Moss Cover	Good	Fine	
1269368	BET	7	619996	6966410	7/2/2012	1:50:13 PM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Coarse	
1269369	BET	7	619995	6966357	7/2/2012	2:01:20 PM	RR02	Light Brown	Sand	Damp	Subtle Slope	90	C	White Spruce	Needle Cover	Good	Fine	
1269370	BET	7	619996	6966308	7/2/2012	2:11:33 PM	RR02	Light Brown	Sand	Damp	Subtle Slope	50	C	Birch Forest	Leaf Cover	Good	Fine	
1269371	BET	7	619996	6966256	7/2/2012	2:23:05 PM	RR02	Light Brown	Sand	Damp	Subtle Slope	40	C	Poplar	Thin Moss Cover	Excellent	Bright Orange Rust	Quartz Chips
1269372	BET	7	619995	6966207	7/2/2012	2:33:07 PM	RR02	Light Brown	Silt	Damp	Subtle Slope	50	B	Birch Forest	Leaf Cover	Good	Coarse	
1269373	BET	7	619996	6966159	7/2/2012	2:58:14 PM	RR02	Light Brown	Silt	Damp	Subtle Slope	40	B	White Spruce	Thin Moss Cover	Good	Fine	
1269374	BET	7	619996	6966108	7/2/2012	3:09:00 PM	RR02	Reddish Brown	Silt	Wet	Subtle Slope	70	B	White Spruce	Thin Moss Cover	Good	Fine	
1269375	BET	7	619997	6966059	7/2/2012	3:26:04 PM	RR02	Reddish Brown	Gravel	Damp	Subtle Slope	40	C	White Spruce	Thin Moss Cover	Good	Fine	Bright Orange Rust
1269376	BET	7	619997	6966059	7/2/2012	3:32:53 PM	RR02	Reddish Brown	Gravel	Damp	Subtle Slope	60	C	White Spruce	Thin Moss Cover	Good	Fine	Bright Orange Rust
1269377	BET	7	619997	6966008	7/2/2012	3:44:55 PM	RR02	Reddish Orange	Sand	Damp	Subtle Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1269378	BET	7	619998	6965958	7/2/2012	3:55:30 PM	RR02	Reddish Yellow	Sand	Damp	Subtle Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1269379	BET	7	619996	6965908	7/2/2012	4:07:31 PM	RR02	Reddish Brown	Gravel	Damp	Subtle Slope	50	C	Poplar	Leaf Cover	Good	Fine	
1269380	BET	7	619997	6965855	7/2/2012	4:19:28 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	40	C	Poplar	Thin Moss Cover	Good	Coarse	Rocky
1292937	BET	7	630297	6966958	7/2/2012	9:50:23 AM	SC01	Chocolate Brown	Sand	Damp	Steep	40	B	Poplar	Rock Cover	Good	Rocky Terrain	
1292938	BET	7	630297	6967006	7/2/2012	10:08:15 AM	SC01	Dark Brown	Sand	Damp	Steep	40	B	Poplar	Grass Cover	Good	Fine	Rocky
1292939	BET	7	630296	6967058	7/2/2012	10:32:46 AM	SC01	Dark Brown	Sand	Damp	Steep	50	B	Poplar	Grass Cover	Poor	Rocky Terrain	
1292940	BET	7	630298	6967107	7/2/2012	10:49:26 AM	SC01	Chocolate Brown	Silt	Dry	Steep	80	B	Poplar	Grass Cover	Poor	Loess	Rocky Terrain
1292941	BET	7	630296	6967157	7/2/2012	11:12:35 AM	SC01	Light Brown	Silt	Dry	Steep	40	B	Poplar	Thin Moss Cover	Poor	Loess	Outcrop Nearby

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1292942	BET	7	630296	6967207	7/2/2012	11:26:55 AM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Dwarf Birch	Sphagnum Moss < 30cm	Good	Rocky	
1292943	BET	7	630296	6967257	7/2/2012	11:41:04 AM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Birch Forest	Grass Cover	Good	Rocky	
1292944	BET	7	630296	6967307	7/2/2012	11:52:33 AM	SC01	Light Brown	Sand	Damp	Pronounced Slope	80	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent		
1292945	BET	7	630295	6967358	7/2/2012	12:07:02 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Dwarf Birch	Grass Cover	Good	Rocky	
1292946	BET	7	630296	6967407	7/2/2012	12:18:47 PM	SC01	Grey	Silt	Damp	Pronounced Slope	50	B	Dwarf Birch	Leaf Cover	Good	Rocky	
1292947	BET	7	630297	6967457	7/2/2012	12:30:35 PM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Dwarf Birch	Grass Cover	Good	Rocky	
1292948	BET	7	630296	6967507	7/2/2012	12:42:28 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Dwarf Birch	Grass Cover	Good	Rocky	
1292949	BET	7	630296	6967557	7/2/2012	12:53:56 PM	SC01	Grey	Sand	Damp	Pronounced Slope	60	C	Dwarf Birch	Rock Cover	Good	Rocky	
1292950	BET	7	630298	6967608	7/2/2012	1:09:50 PM	SC01	Chocolate Brown	Sand	Wet	Pronounced Slope	110	C	Willows	Grass Cover	Good		
1292952	BET	7	630297	6967658	7/2/2012	1:23:10 PM	SC01	Grey	Sand	Damp	Subtle Slope	60	C	Birch Forest	Leaf Cover	Good		
1292953	BET	7	630296	6967707	7/2/2012	1:31:52 PM	SC01	Grey	Sand	Damp	Subtle Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good		
1292954	BET	7	630297	6967758	7/2/2012	1:46:32 PM	SC01	Grey	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Grass Cover	Good	Partially Frozen	
1292955	BET	7	630297	6967808	7/2/2012	1:56:57 PM	SC01	Grey	Silt	Dry	Subtle Slope	60	B	Black Spruce	Leaf Cover	Poor	Loess	Rocky
1292956	BET	7	630297	6967858	7/2/2012	2:09:46 PM	SC01	Grey	Sand	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky	
1292957	BET	7	630296	6967907	7/2/2012	2:23:43 PM	SC01	Dark Brown	Sand	Damp	Steep	70	C	Willows	Grass Cover	Good	Fine	Rocky
1292958	BET	7	630097	6967758	7/2/2012	4:03:05 PM	SC01	Dark Brown	Silt	Damp	Subtle Slope	110	B	Dwarf Birch	Grass Cover	Good		
1292959	BET	7	630096	6967708	7/2/2012	4:16:13 PM	SC01	Dark Brown	Silt	Wet	Flat	80	B	Dwarf Birch	Grass Cover	Good	Partially Frozen	
1292960	BET	7	630097	6967657	7/2/2012	4:25:45 PM	SC01	Dark Grey Black	Silt	Wet	Subtle Slope	60	B	Willows	Sphagnum Moss < 30cm	Poor	Partially Frozen	
1292961	BET	7	630096	6967608	7/2/2012	4:39:25 PM	SC01	Dark Grey Black	Silt	Wet	Subtle Slope	60	B	Dwarf Birch	Grass Cover	Poor	Partially Frozen	Mud
1292962	BET	7	630096	6967558	7/2/2012	4:50:06 PM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	50	B	Dwarf Birch	Sphagnum Moss < 30cm	Poor	Rocky	
1292963	BET	7	630096	6967509	7/2/2012	5:01:53 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	30	C	Dwarf Birch	Sphagnum Moss < 30cm	Poor	Rocky	
1269493	BET	7	619799	6967356	7/2/2012	9:12:05 AM	SD02	Grey	Gravel	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Rocky
1269494	BET	7	619798	6967307	7/2/2012	9:23:09 AM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Frozen	Organic 10%
1269495	BET	7	619810	6967256	7/2/2012	9:34:36 AM	SD02	Grey	Sand	Damp	Pronounced Slope	50	C	Dwarf Birch	Reindeer Moss	Good	Bright Orange Rust	Frozen
1269496	BET	7	619797	6967206	7/2/2012	9:41:53 AM	SD02	Grey	Sand	Wet	Pronounced Slope	40	C	Willows	Sphagnum Moss < 30cm	Good	Frozen	Wet Soil
1269497	BET	7	619797	6967156	7/2/2012	9:51:05 AM	SD02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Willows	Reindeer Moss	Good	Bright Orange Rust	Frozen
1269498	BET	7	619798	6967107	7/2/2012	9:59:42 AM	SD02	Grey	Sand	Damp	Pronounced Slope	50	C	Alders	Sphagnum Moss < 30cm	Excellent	Frozen	Quartz Chips
1269499	BET	7	619798	6967056	7/2/2012	10:13:24 AM	SD02	Dark Grey Black	Sand	Damp	Pronounced Slope	50	B	Dwarf Birch	Sphagnum Moss < 30cm	Poor	Frozen	
1269500	BET	7	619796	6967007	7/2/2012	10:27:18 AM	SD02	Light Brown	Sand	Damp	Subtle Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	
1271352	BET	7	619803	6966956	7/2/2012	10:36:16 AM	SD02	Grey	Sand	Damp	Subtle Slope	60	C	Willows	Sphagnum Moss < 30cm	Excellent	Frozen	Quartz Chips
1271353	BET	7	619790	6966906	7/2/2012	10:48:33 AM	SD02	Dark Brown	Sand	Damp	Subtle Slope	50	C	Willows	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Frozen
1271354	BET	7	619797	6966857	7/2/2012	11:01:43 AM	SD02	Grey	Sand	Wet	Subtle Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	Rocky
1271355	BET	7	619797	6966807	7/2/2012	11:12:29 AM	SD02	Grey	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	Organic 10%
1271356	BET	7	619795	6966756	7/2/2012	11:34:10 AM	SD02	Grey	Sand	Damp	Pronounced Slope	40	C	Willows	Sphagnum Moss < 30cm	Good	Frozen	Bright Orange Rust
1271357	BET	7	619797	6966707	7/2/2012	11:44:18 AM	SD02	Grey	Sand	Damp	Subtle Slope	60	C	Black Spruce	Reindeer Moss	Excellent	Frozen	
1271358	BET	7	619797	6966656	7/2/2012	11:53:03 AM	SD02	Grey	Sand	Damp	Subtle Slope	40	C	Dwarf Birch	Reindeer Moss	Excellent	Bright Orange Rust	Frozen
1271359	BET	7	619796	6966606	7/2/2012	12:01:03 PM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	40	B	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Quartz Chips	Rocky
1271360	BET	7	619799	6966555	7/2/2012	12:10:25 PM	SD02	Chocolate Brown	Gravel	Damp	Flat	50	B	Dwarf Birch	Reindeer Moss	Excellent	Quartz Chips	Rocky
1271361	BET	7	619799	6966506	7/2/2012	12:19:04 PM	SD02	Chocolate Brown	Gravel	Damp	Flat	40	B	Dwarf Birch	Reindeer Moss	Excellent	Rocky	
1271362	BET	7	619797	6966456	7/2/2012	12:27:36 PM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	50	B	Birch Forest	Leaf Cover	Excellent	Bright Orange Rust	Rocky
1271364	BET	7	619800	6966356	7/2/2012	12:55:09 PM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1271363	BET	7	619795	6966406	7/2/2012	12:58:01 PM	SD02	Grey	Gravel	Damp	Subtle Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Rocky	
1271365	BET	7	619796	6966307	7/2/2012	1:05:12 PM	SD02	Chocolate Brown	Gravel	Dry	Subtle Slope	50	B	Birch Forest	Leaf Cover	Excellent	Rocky	
1271366	BET	7	619798	6966259	7/2/2012	1:16:33 PM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	40	B	White Spruce	Leaf Cover	Good	Rocky	
1271367	BET	7	619798	6966208	7/2/2012	1:29:33 PM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Excellent	Rocky	
1271368	BET	7	619798	6966156	7/2/2012	1:56:30 PM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	50	B	Birch Forest	Leaf Cover	Excellent	Rocky	
1271369	BET	7	619798	6966107	7/2/2012	1:57:28 PM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	90	B	Birch Forest	Leaf Cover	Excellent	Bright Orange Rust	Dull Red Rust
1271370	BET	7	619797	6966054	7/2/2012	2:04:48 PM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	50	B	Birch Forest	Leaf Cover	Excellent	Rocky	
1271371	BET	7	619798	6966006	7/2/2012	2:13:48 PM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	40	B	Birch Forest	Leaf Cover	Excellent	Bright Orange Rust	Rocky
1271372	BET	7	619795	6965957	7/2/2012	2:23:22 PM	SD02	Chocolate Brown	Silt	Damp	Subtle Slope	80	B	Birch Forest	Grass Cover	Excellent	Bright Orange Rust	Quartz Chips
1271373	BET	7	619797	6965906	7/2/2012	2:33:02 PM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	60	C	Birch Forest	Grass Cover	Excellent	Bright Orange Rust	Rocky
1269456	BET	7	622302	6962905	7/3/2012	10:58:32 AM	BH01	Dark Brown	Silt	Damp	Steep	60	B	Alders	Reindeer Moss	Poor	Frozen	
1269457	BET	7	622301	6962961	7/3/2012	11:24:16 AM	BH01	Dark Brown	Silt	Damp	Steep	40	B	Alders	Reindeer Moss	Poor	Frozen	Talus
1269458	BET	7	622297	6963059	7/3/2012	11:48:12 AM	BH01	Chocolate Brown	Gravel	Wet	Pronounced Slope	80	B	Black Spruce	Reindeer Moss	Good	Rocky	Mud
1269459	BET	7	622296	6963106	7/3/2012	12:01:00 PM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Birch Forest	Reindeer Moss	Good	Frozen	Rocky
1269460	BET	7	622301	6963135	7/3/2012	12:19:25 PM	BH01	Dark Brown	Silt	Dry	Pronounced Slope	40	B	Birch Forest	Leaf Cover	Good	Rocky	Rocky Sample
1269461	BET	7	622293	6963205	7/3/2012	12:33:12 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	70	B	Birch Forest	Leaf Cover	Good	Rocky	
1269462	BET	7	622297	6963261	7/3/2012	12:45:35 PM	BH01	Chocolate Brown	Silt	Dry	Steep	100	B	Birch Forest	Leaf Cover	Good	Rocky Sample	
1269463	BET	7	622296	6963309	7/3/2012	12:58:48 PM	BH01	Dark Brown	Silt	Dry	Steep	50	B	Poplar	Leaf Cover	Good	Rocky	
1269464	BET	7	622299	6963355	7/3/2012	1:11:21 PM	BH01	Dark Brown	Gravel	Dry	Steep	70	B	Poplar	Leaf Cover	Good	Rocky	
1269465	BET	7	622297	6963402	7/3/2012	1:23:23 PM	BH01	Chocolate Brown	Silt	Dry	Steep	70	B	Birch Forest	Leaf Cover	Good	Rocky	Quartz Chips
1269466	BET	7	622297	6963463	7/3/2012	1:53:34 PM	BH01	Dark Brown	Gravel	Damp	Steep	70	B	Poplar	Thin Moss Cover	Good	Rocky Sample	
1269467	BET	7	622297	6963512	7/3/2012	2:06:52 PM	BH01	Dark Brown	Gravel	Damp	Steep	60	B	Poplar	Sphagnum Moss > 30cm	Good	Rocky Sample	
1269468	BET	7	622299	6963606	7/3/2012	2:57:57 PM	BH01	Chocolate Brown	Gravel	Dry	Steep	60	B	Black Spruce	Reindeer Moss	Good	Rocky	Outcrop Nearby
1269469	BET	7	622297	6963659	7/3/2012	3:18:21 PM	BH01	Chocolate Brown	Silt	Damp	Steep	60	B	Black Spruce	Reindeer Moss	Good	Frozen	
1269470	BET	7	622305	6963701	7/3/2012	3:31:58 PM	BH01	Chocolate Brown	Silt	Damp	Subtle Slope	60	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	Possible Creek Contamination
1269471	BET	7	622297	6963762	7/3/2012	3:50:47 PM	BH01	Dark Brown	Silt	Damp	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Poor	Partially Frozen	Possible Creek Contamination
1269472	BET	7	622297	6963855	7/3/2012	4:15:16 PM	BH01	Dark Brown	Silt	Damp	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Poor	Partially Frozen	
1269473	BET	7	622296	6963912	7/3/2012	4:33:20 PM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Poor	Frozen	
1269474	BET	7	622296	6963954	7/3/2012	4:55:29 PM	BH01	Dark Brown	Clay	Damp	Subtle Slope	60	B	Black Spruce	Reindeer Moss	Poor	Mud	
1269475	BET	7	622300	6964007	7/3/2012	5:05:27 PM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Bare Soil	Poor	Partially Frozen	Organic 25%
1271476	BET	7	622300	6964007	7/3/2012	5:12:49 PM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Bare Soil	Poor	Partially Frozen	Organic 25%
1271477	BET	7	622297	6964060	7/3/2012	5:23:30 PM	BH01	Dark Brown	Clay	Damp	Pronounced Slope	60	B	Birch Forest	Leaf Cover	Good	Partially Frozen	
1271478	BET	7	622288	6964103	7/3/2012	5:33:01 PM	BH01	Light Brown	Silt	Dry	Pronounced Slope	60	B	Birch Forest	Leaf Cover	Good		
1271479	BET	7	622297	6964157	7/3/2012	5:44:51 PM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Alders	Sphagnum Moss > 30cm	Poor	Partially Frozen	
1271480	BET	7	622297	6964203	7/3/2012	5:58:02 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Black Spruce	Leaf Cover	Good	Rocky	Rocky Sample
1271481	BET	7	622296	6964251	7/3/2012	6:09:18 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Rocky	Quartz Chips
1271482	BET	7	622296	6964302	7/3/2012	6:17:47 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Rocky	
1271483	BET	7	622297	6964359	7/3/2012	6:25:58 PM	BH01	Light Brown	Silt	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Rocky	Bright Orange Rust
1292768	BET	7	626497	6964307	7/3/2012	9:09:00 AM	CK01	Dark Brown	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Fine	Frozen
1292769	BET	7	626497	6964256	7/3/2012	9:29:17 AM	CK01	Dark Brown	Sand	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Fine	Rocky Terrain
1292770	BET	7	626497	6964206	7/3/2012	9:42:06 AM	CK01	Dark Brown	Sand	Damp	Steep	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Frozen
1292771	BET	7	626497	6964156	7/3/2012	9:52:47 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Thin Moss Cover	Good	Rocky	Bright Orange Rust
1292772	BET	7	626497	6964106	7/3/2012	10:04:45 AM	CK01	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1292773	BET	7	626497	6964057	7/3/2012	10:15:10 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Rusty Rock Chip	
1292774	BET	7	626497	6964005	7/3/2012	10:27:40 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Thin Moss Cover	Good	Coarse	Rocky
1292775	BET	7	626497	6963956	7/3/2012	10:37:31 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Grass Cover	Good		
1292776	BET	7	626497	6963908	7/3/2012	10:46:20 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Grass Cover	Good		
1292777	BET	7	626497	6963905	7/3/2012	10:59:23 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	100	C	Poplar	Grass Cover	Excellent		
1292778	BET	7	626497	6963856	7/3/2012	11:10:32 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Grass Cover	Excellent		
1292779	BET	7	626497	6963805	7/3/2012	11:22:05 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent		
1292780	BET	7	626497	6963756	7/3/2012	11:33:45 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Black Spruce	Thin Moss Cover	Good	Fine	
1292781	BET	7	626496	6963706	7/3/2012	11:44:45 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Rusty Rock Chip
1292782	BET	7	626497	6963655	7/3/2012	11:56:19 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Thin Moss Cover	Excellent	Coarse	Quartz Chips
1292783	BET	7	626497	6963608	7/3/2012	12:17:19 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Quartz Chips	Rocky
1292784	BET	7	626497	6963557	7/3/2012	12:29:17 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Poplar	Grass Cover	Good	Fine	Rocky
1292785	BET	7	626497	6963507	7/3/2012	12:39:58 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Rusty Rock Chip
1292786	BET	7	626496	6963457	7/3/2012	12:54:19 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Thin Moss Cover	Good	Rocky	Rusty Rock Chip
1292787	BET	7	626497	6963407	7/3/2012	1:14:31 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	30	B	Poplar	Leaf Cover	Good	Fine	Rusty Rock Chip
1292788	BET	7	626497	6963357	7/3/2012	1:29:49 PM	CK01	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Coarse	Rusty Rock Chip
1292789	BET	7	626497	6963307	7/3/2012	1:42:57 PM	CK01	Dark Brown	Sand	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Frozen
1292790	BET	7	626497	6963256	7/3/2012	1:53:20 PM	CK01	Dark Brown	Silt	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1292791	BET	7	626497	6963207	7/3/2012	2:03:58 PM	CK01	Dark Brown	Sand	Damp	Subtle Slope	60	C	Black Spruce	Thin Moss Cover	Good	Coarse	Bright Orange Rust
1292792	BET	7	626497	6963157	7/3/2012	2:16:17 PM	CK01	Dark Brown	Sand	Damp	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Good	Quartz Chips	
1292793	BET	7	626497	6963106	7/3/2012	2:25:36 PM	CK01	Dark Brown	Sand	Damp	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Good	Fine	
1292794	BET	7	626497	6963058	7/3/2012	2:33:34 PM	CK01	Dark Brown	Sand	Damp	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Good	Frozen	
1292795	BET	7	626497	6963007	7/3/2012	2:48:54 PM	CK01	Dark Brown	Sand	Damp	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Good	Fine	Frozen
1292796	BET	7	626497	6962958	7/3/2012	3:00:06 PM	CK01	Dark Brown	Sand	Damp	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Good	Fine	Frozen
1292797	BET	7	626497	6962907	7/3/2012	3:12:13 PM	CK01	Dark Brown	Sand	Damp	Subtle Slope	30	B	Black Spruce	Reindeer Moss	Good	Fine	Frozen
1271273	BET	7	622198	6962957	7/3/2012	11:15:24 AM	FP01	Dark Brown	Sand	Dry	Steep	70	B	White Spruce	Rock Cover	Poor	Organic 25%	Rocky Terrain
1271274	BET	7	622197	6963007	7/3/2012	11:40:59 AM	FP01	Dark Grey Black	Sand	Wet	Pronounced Slope	60	A	White Spruce	Reindeer Moss	Poor	Frozen	Rusty Rock Chip
1271277	BET	7	622197	6963057	7/3/2012	12:01:21 PM	FP01	Dark Brown	Sand	Dry	Pronounced Slope	30	B	Poplar	Rock Cover	Poor	Organic 25%	Rocky Terrain
1271278	BET	7	622196	6963107	7/3/2012	12:24:36 PM	FP01	Dark Brown	Sand	Damp	Pronounced Slope	20	B	Poplar	Sphagnum Moss < 30cm	Good	Rocky Terrain	Talus
1271279	BET	7	622197	6963257	7/3/2012	1:05:06 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	30	B	Black Spruce	Reindeer Moss	Good	Rusty Rock Chip	Partially Frozen
1271280	BET	7	622197	6963307	7/3/2012	1:19:01 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	60	B	White Spruce	Reindeer Moss	Good	Rocky	
1271281	BET	7	622198	6963358	7/3/2012	1:30:30 PM	FP01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	White Spruce	Sphagnum Moss < 30cm	Good	Rusty Rock Chip	
1271282	BET	7	622197	6963407	7/3/2012	1:46:43 PM	FP01	Dark Brown	Sand	Damp	Pronounced Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1271283	BET	7	622197	6963457	7/3/2012	1:59:30 PM	FP01	Dark Brown	Sand	Damp	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rusty Rock Chip	
1271284	BET	7	622197	6963507	7/3/2012	2:15:16 PM	FP01	Dark Grey Black	Sand	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	Quartz Chips
1271285	BET	7	622197	6963558	7/3/2012	2:36:23 PM	FP01	Dark Brown	Sand	Wet	Flat	40	B	Dwarf Birch	Sphagnum Moss < 30cm	Poor	Partially Frozen	
1271286	BET	7	622197	6963608	7/3/2012	2:51:18 PM	FP01	Dark Grey Black	Sand	Wet	Flat	40	B	Black Spruce	Reindeer Moss	Poor	Frozen	
1271287	BET	7	622197	6963658	7/3/2012	3:03:40 PM	FP01	Dark Brown	Sand	Wet	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rusty Rock Chip	Partially Frozen
1271288	BET	7	622197	6963707	7/3/2012	3:27:49 PM	FP01	Dark Brown	Sand	Wet	Subtle Slope	30	B	Black Spruce	Reindeer Moss	Good	Rusty Rock Chip	Partially Frozen
1271289	BET	7	622197	6963757	7/3/2012	3:39:21 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	60	B	Black Spruce	Reindeer Moss	Good	Rusty Rock Chip	
1271290	BET	7	622197	6963807	7/3/2012	3:49:31 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Good	Rusty Rock Chip	Partially Frozen
1271291	BET	7	622197	6963857	7/3/2012	4:00:41 PM	FP01	Dark Brown	Sand	Wet	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Good	Rusty Rock Chip	Partially Frozen
1271292	BET	7	622185	6963907	7/3/2012	4:18:43 PM	FP01	Dark Brown	Sand	Wet	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Good	Rusty Rock Chip	Partially Frozen
1271275	BET	7	622196	6963957	7/3/2012	4:30:39 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	50	B	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	Rusty Rock Chip
1271276	BET	7	622196	6963957	7/3/2012	4:36:44 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	60	B	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	Rusty Rock Chip
1271293	BET	7	622197	6964007	7/3/2012	4:46:07 PM	FP01	Grey	Sand	Damp	Subtle Slope	50	B	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1271294	BET	7	622197	6964058	7/3/2012	4:56:54 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	White Spruce	Thin Moss Cover	Good	Coarse	Rusty Rock Chip
1271295	BET	7	622198	6964107	7/3/2012	5:08:09 PM	FP01	Light Brown	Clay	Damp	Subtle Slope	40	B	White Spruce	Leaf Cover	Good	Rocky	Quartz Chips
1271296	BET	7	622196	6964158	7/3/2012	5:20:04 PM	FP01	Light Brown	Sand	Damp	Subtle Slope	50	B	Poplar	Leaf Cover	Good	Rocky	Quartz Chips
1271297	BET	7	622197	6964207	7/3/2012	5:36:16 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	60	B	White Spruce	Grass Cover	Good	Rusty Rock Chip	
1271298	BET	7	622197	6964258	7/3/2012	5:47:19 PM	FP01	Reddish Yellow	Sand	Damp	Subtle Slope	50	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Quartz Chips
1271299	BET	7	622197	6964307	7/3/2012	6:00:08 PM	FP01	Reddish Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Good	Coarse	Quartz Chips
1271300	BET	7	622197	6964357	7/3/2012	6:15:09 PM	FP01	Reddish Brown	Sand	Damp	Subtle Slope	50	B	Poplar	Grass Cover	Good	Rocky	Quartz Chips
1271302	BET	7	622197	6964408	7/3/2012	6:27:53 PM	FP01	Reddish Brown	Sand	Dry	Subtle Slope	60	C	Poplar	Grass Cover	Good	Coarse	Rocky
1284947	BET	7	623997	6962407	7/3/2012	10:13:41 AM	JM01	Chocolate Brown	Clay	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	Quartz Chips
1284948	BET	7	623996	6962358	7/3/2012	10:24:49 AM	JM01	Greyish Green	Clay	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Fine	Quartz Chips
1284949	BET	7	623996	6962308	7/3/2012	10:33:53 AM	JM01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Excellent	Fine	Rocky
1284950	BET	7	623997	6962257	7/3/2012	10:44:13 AM	JM01	Chocolate Brown	Gravel	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Excellent	Coarse	Rocky
1284077	BET	7	623996	6962157	7/3/2012	11:03:27 AM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	Mud
1284078	BET	7	623996	6962107	7/3/2012	11:15:08 AM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	Mud
1284079	BET	7	624017	6962018	7/3/2012	11:49:24 AM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	40	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1284080	BET	7	623996	6961956	7/3/2012	12:01:03 PM	JM01	Dark Brown	Gravel	Wet	Pronounced Slope	40	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Mud	Rocky
1284081	BET	7	623996	6961906	7/3/2012	12:10:32 PM	JM01	Dark Brown	Clay	Wet	Subtle Slope	60	C	Dwarf Birch	Thin Moss Cover	Excellent	Coarse	Rusty Rock Chip
1284082	BET	7	624096	6961907	7/3/2012	12:40:58 PM	JM01	Chocolate Brown	Clay	Damp	Subtle Slope	70	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1284083	BET	7	624097	6961958	7/3/2012	12:47:58 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	60	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Coarse	Quartz Chips
1284084	BET	7	624096	6962006	7/3/2012	1:04:57 PM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Quartz Chips
1284085	BET	7	624097	6962106	7/3/2012	1:22:45 PM	JM01	Dark Blue Black	Clay	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	Quartz Chips
1284086	BET	7	624106	6962257	7/3/2012	1:50:48 PM	JM01	Chocolate Brown	Gravel	Dry	Steep	60	C	Poplar	Grass Cover	Excellent	Rocky	Coarse
1284087	BET	7	624097	6962307	7/3/2012	2:05:11 PM	JM01	Chocolate Brown	Gravel	Dry	Steep	60	C	Poplar	Grass Cover	Excellent	Coarse	Quartz Chips
1284088	BET	7	624097	6962357	7/3/2012	2:17:25 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent	Coarse	Quartz Chips
1284089	BET	7	624197	6962407	7/3/2012	2:32:10 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent	Quartz Chips	Coarse
1284090	BET	7	624197	6962358	7/3/2012	2:42:50 PM	JM01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent	Coarse	Quartz Chips
1284091	BET	7	624197	6962307	7/3/2012	2:53:14 PM	JM01	Chocolate Brown	Sand	Dry	Pronounced Slope	90	C	Poplar	Grass Cover	Excellent	Coarse	Quartz Chips
1284092	BET	7	624197	6962257	7/3/2012	3:03:22 PM	JM01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent	Coarse	Quartz Chips
1284093	BET	7	624198	6962206	7/3/2012	3:18:59 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	50	C	Poplar	Grass Cover	Excellent	Rocky	
1284094	BET	7	624197	6962107	7/3/2012	3:44:43 PM	JM01	Dark Grey Black	Clay	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1284095	BET	7	624196	6962057	7/3/2012	3:56:42 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	50	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Rusty Rock Chip	Quartz Chips
1284096	BET	7	624197	6962007	7/3/2012	4:07:00 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	70	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Quartz Chips	Rocky
1284097	BET	7	624197	6961958	7/3/2012	4:16:46 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	70	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Rusty Rock Chip	Quartz Chips
1284098	BET	7	624197	6961907	7/3/2012	4:27:32 PM	JM01	Chocolate Brown	Gravel	Damp	Subtle Slope	70	C	Dwarf Birch	Thin Moss Cover	Excellent	Dull Red Rust	Quartz Chips
1293582	BET	7	626397	6964308	7/3/2012	9:09:51 AM	JS01	Dark Grey Black	Silt	Damp	Pronounced Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	Rocky
1293583	BET	7	626397	6964258	7/3/2012	9:23:13 AM	JS01	Dark Brown	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Bright Orange Rust	Partially Frozen
1293584	BET	7	626398	6964209	7/3/2012	9:37:44 AM	JS01	Dark Grey Black	Silt	Damp	Pronounced Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Bright Orange Rust	Partially Frozen
1293585	BET	7	626397	6964159	7/3/2012	9:51:13 AM	JS01	Dark Brown	Silt	Damp	Pronounced Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	Partially Frozen

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1293586	BET	7	626397	6964106	7/3/2012	10:05:13 AM	JS01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Birch Forest	Thin Moss Cover	Good	Fine	Rocky
1293587	BET	7	626397	6964057	7/3/2012	10:21:17 AM	JS01	Grey	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Bright Orange Rust
1293588	BET	7	626399	6964005	7/3/2012	10:29:56 AM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1293589	BET	7	626398	6963955	7/3/2012	10:40:42 AM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Rocky
1293590	BET	7	626399	6963907	7/3/2012	10:51:26 AM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent	Rocky	
1293591	BET	7	626398	6963858	7/3/2012	11:03:07 AM	JS01	Grey	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent	Rocky	Bright Orange Rust
1293592	BET	7	626397	6963807	7/3/2012	11:30:12 AM	JS01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Rocky Sample	
1293593	BET	7	626399	6963758	7/3/2012	11:41:18 AM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Fine	Rocky
1293594	BET	7	626400	6963706	7/3/2012	11:54:09 AM	JS01	Grey	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Good	Rocky	
1293595	BET	7	626398	6963659	7/3/2012	12:07:31 PM	JS01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Grass Cover	Good	Fine	Bright Orange Rust
1293596	BET	7	626397	6963606	7/3/2012	12:17:26 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Rocky	
1293597	BET	7	626398	6963558	7/3/2012	12:26:22 PM	JS01	Light Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent	Fine	
1293598	BET	7	626400	6963508	7/3/2012	12:35:28 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Excellent	Fine	Rocky
1293599	BET	7	626398	6963457	7/3/2012	12:45:54 PM	JS01	Light Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent	Fine	
1293600	BET	7	626398	6963409	7/3/2012	12:57:37 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Good	Quartz Chips	Rocky
1290402	BET	7	626400	6963358	7/3/2012	1:20:35 PM	JS01	Grey	Silt	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	
1290403	BET	7	626397	6963309	7/3/2012	1:31:20 PM	JS01	Dark Brown	Silt	Damp	Subtle Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	
1290404	BET	7	626397	6963258	7/3/2012	1:42:08 PM	JS01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Poplar	Thin Moss Cover	Poor	Coarse	Rocky
1290405	BET	7	626398	6963208	7/3/2012	1:53:16 PM	JS01	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Poplar	Grass Cover	Poor	Coarse	Rocky
1290406	BET	7	626396	6963158	7/3/2012	2:02:49 PM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Poor	Coarse	Bright Orange Rust
1290407	BET	7	626397	6963107	7/3/2012	2:18:07 PM	JS01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	B	Poplar	Grass Cover	Poor	Coarse	Bright Orange Rust
1290408	BET	7	626397	6963057	7/3/2012	2:31:30 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Good	Bright Orange Rust	Rocky
1290409	BET	7	626397	6963008	7/3/2012	2:41:41 PM	JS01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Poplar	Grass Cover	Poor	Rocky	Coarse
1290410	BET	7	626398	6962957	7/3/2012	2:54:28 PM	JS01	Chocolate Brown	Silt	Dry	Steep	50	B	Black Spruce	Thin Moss Cover	Poor	Coarse	Rocky
1283434	BET	7	624697	6962908	7/3/2012	9:57:30 AM	KH01	Chocolate Brown	Sand	Damp	Steep	80	C	Poplar	Leaf Cover	Excellent	Coarse	
1283435	BET	7	624696	6962857	7/3/2012	10:12:53 AM	KH01	Chocolate Brown	Sand	Damp	Steep	80	C	Poplar	Leaf Cover	Excellent	Mud	Rocky
1283437	BET	7	624698	6962807	7/3/2012	10:26:36 AM	KH01	Chocolate Brown	Sand	Damp	Steep	80	C	Poplar	Leaf Cover	Excellent	Rocky	Quartz Chips
1283438	BET	7	624697	6962757	7/3/2012	10:37:25 AM	KH01	Chocolate Brown	Sand	Damp	Steep	70	C	Poplar	Leaf Cover	Excellent	Mud	Rocky
1283439	BET	7	624696	6962708	7/3/2012	10:47:39 AM	KH01	Chocolate Brown	Sand	Damp	Steep	80	C	Poplar	Leaf Cover	Excellent	Mud	Rocky
1283440	BET	7	624697	6962657	7/3/2012	11:02:32 AM	KH01	Chocolate Brown	Sand	Dry	Steep	60	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1283462	BET	7	624698	6962608	7/3/2012	11:24:18 AM	KH01	Chocolate Brown	Sand	Dry	Steep	60	C	Poplar	Needle Cover	Good	Coarse	Rocky
1283463	BET	7	624697	6962557	7/3/2012	11:40:44 AM	KH01	Chocolate Brown	Sand	Dry	Steep	70	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1283464	BET	7	624697	6962508	7/3/2012	11:54:10 AM	KH01	Chocolate Brown	Sand	Damp	Steep	80	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1283465	BET	7	624696	6962458	7/3/2012	12:04:32 PM	KH01	Reddish Brown	Sand	Damp	Steep	80	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1284700	BET	7	624697	6962408	7/3/2012	12:15:37 PM	KH01	Reddish Brown	Sand	Dry	Steep	80	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Coarse
1283470	BET	7	624697	6962358	7/3/2012	12:32:54 PM	KH01	Reddish Brown	Sand	Dry	Steep	70	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1283432	BET	7	624697	6962305	7/3/2012	12:47:07 PM	KH01	Chocolate Brown	Sand	Damp	Steep	70	C	White Spruce	Leaf Cover	Good	Coarse	Rocky
1283433	BET	7	624698	6962257	7/3/2012	12:58:28 PM	KH01	Dark Grey Black	Sand	Dry	Pronounced Slope	80	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1283469	BET	7	624697	6962207	7/3/2012	1:10:15 PM	KH01	Chocolate Brown	Sand	Damp	Steep	80	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1283487	BET	7	624697	6962156	7/3/2012	1:21:09 PM	KH01	Reddish Brown	Sand	Damp	Pronounced Slope	70	C	White Spruce	Leaf Cover	Good	Bright Orange Rust	Coarse
1283486	BET	7	624697	6962106	7/3/2012	1:32:42 PM	KH01	Reddish Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Good	Coarse	Rocky
1283467	BET	7	624695	6962057	7/3/2012	1:44:02 PM	KH01	Dark Grey Black	Sand	Dry	Subtle Slope	70	C	White Spruce	Leaf Cover	Good	Fine	Possible Creek Contamination
1283466	BET	7	624697	6962007	7/3/2012	1:54:05 PM	KH01	Chocolate Brown	Sand	Wet	Subtle Slope	80	C	Alders	Reindeer Moss	Excellent	Mud	
1283471	BET	7	624697	6961907	7/3/2012	2:25:21 PM	KH01	Dark Grey Black	Sand	Damp	Steep	70	C	Poplar	Sphagnum Moss < 30cm	Good	Fine	Rocky
1283472	BET	7	624396	6962408	7/3/2012	3:50:06 PM	KH01	Reddish Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent	Bright Orange Rust	
1283473	BET	7	624396	6962359	7/3/2012	3:58:48 PM	KH01	Reddish Brown	Sand	Damp	Steep	80	C	Poplar	Grass Cover	Excellent	Bright Orange Rust	
1283474	BET	7	624396	6962308	7/3/2012	4:07:59 PM	KH01	Reddish Brown	Sand	Dry	Steep	80	C	Poplar	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1283475	BET	7	624397	6962258	7/3/2012	4:16:18 PM	KH01	Reddish Brown	Sand	Dry	Steep	70	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	
1283476	BET	7	624397	6962258	7/3/2012	4:24:42 PM	KH01	Reddish Brown	Sand	Dry	Steep	70	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	
1283485	BET	7	624397	6962208	7/3/2012	4:53:44 PM	KH01	Chocolate Brown	Sand	Dry	Steep	60	B	Poplar	Leaf Cover	Good	Coarse	Rocky
1292896	BET	7	627797	6964507	7/3/2012	9:40:13 AM	MT01	Dark Brown	Sand	Wet	Steep	40	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Organic 25%	Quartz Chips
1292897	BET	7	627798	6964458	7/3/2012	9:57:20 AM	MT01	Dark Brown	Sand	Damp	Steep	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1292898	BET	7	627798	6964408	7/3/2012	10:10:12 AM	MT01	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	Black Spruce	Thin Moss Cover	Good	Rocky	
1292899	BET	7	627797	6964357	7/3/2012	10:19:45 AM	MT01	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	Black Spruce	Thin Moss Cover	Excellent		
1292900	BET	7	627797	6964308	7/3/2012	10:32:40 AM	MT01	Reddish Brown	Sand	Dry	Subtle Slope	70	C	Black Spruce	Reindeer Moss	Excellent	Rocky	
1293402	BET	7	627797	6964258	7/3/2012	10:43:53 AM	MT01	Reddish Orange	Sand	Damp	Subtle Slope	70	C	Black Spruce	Thin Moss Cover	Excellent	Rocky	Bright Orange Rust
1293403	BET	7	627796	6964208	7/3/2012	10:54:16 AM	MT01	Reddish Yellow	Sand	Damp	Subtle Slope	70	C	Black Spruce	Reindeer Moss	Excellent	Partially Frozen	
1293404	BET	7	627796	6964158	7/3/2012	11:12:43 AM	MT01	Grey	Silt	Dry	Subtle Slope	90	B	Black Spruce	Thin Moss Cover	Good		
1293406	BET	7	627797	6964107	7/3/2012	11:29:12 AM	MT01	Reddish Yellow	Sand	Dry	Subtle Slope	80	C	Black Spruce	Thin Moss Cover	Excellent	Clay	
1293405	BET	7	627797	6964056	7/3/2012	11:43:58 AM	MT01	Dark Brown	Sand	Damp	Subtle Slope	50	B	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1293407	BET	7	627800	6964007	7/3/2012	12:03:18 PM	MT01	Chocolate Brown	Sand	Dry	Subtle Slope	80	C	White Spruce	Thin Moss Cover	Good	Clay	
1293408	BET	7	627796	6963957	7/3/2012	12:15:17 PM	MT01	Light Brown	Silt	Dry	Subtle Slope	80	B	White Spruce	Thin Moss Cover	Good		
1293409	BET	7	627799	6963907	7/3/2012	12:26:42 PM	MT01	Dark Brown	Gravel	Wet	Flat	50	B	Birch Forest	Grass Cover	Good	Clay	Partially Frozen
1293410	BET	7	627797	6963858	7/3/2012	12:38:28 PM	MT01	Grey	Sand	Wet	Subtle Slope	70	B	Birch Forest	Thin Moss Cover	Good	Clay	
1293411	BET	7	627797	6963807	7/3/2012	12:50:13 PM	MT01	Dark Brown	Clay	Damp	Subtle Slope	80	B	Birch Forest	Grass Cover	Good	Rocky	
1293412	BET	7	627798	6963757	7/3/2012	1:01:49 PM	MT01	Chocolate Brown	Sand	Damp	Subtle Slope	70	B	Birch Forest	Leaf Cover	Good	Clay	
1293413	BET	7	627797	6963708	7/3/2012	1:11:32 PM	MT01	Chocolate Brown	Sand	Damp	Subtle Slope	60	B	Birch Forest	Leaf Cover	Good	Clay	
1293414	BET	7	627896	6963758	7/3/2012	1:35:03 PM	MT01	Dark Brown	Clay	Damp	Subtle Slope	50	B	White Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	
1293415	BET	7	627898	6963807	7/3/2012	1:48:05 PM	MT01	Dark Grey Black	Sand	Wet	Subtle Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Poor	Mud	Partially Frozen
1293416	BET	7	627897	6963857	7/3/2012	2:08:53 PM	MT01	Light Brown	Silt	Dry	Subtle Slope	50	B	White Spruce	Sphagnum Moss < 30cm	Good		
1293417	BET	7	627897	6963906	7/3/2012	2:34:14 PM	MT01	Dark Brown	Sand	Wet	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Partially Frozen
1293418	BET	7	627898	6963957	7/3/2012	2:53:05 PM	MT01	Dark Grey Black	Sand	Damp	Subtle Slope	30	B	White Spruce	Sphagnum Moss < 30cm	Good	Frozen	
1293419	BET	7	627898	6964006	7/3/2012	3:03:25 PM	MT01	Dark Brown	Sand	Dry	Subtle Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Clay	
1293420	BET	7	627897	6964058	7/3/2012	3:14:51 PM	MT01	Reddish Brown	Sand	Wet	Subtle Slope	70	C	Black Spruce	Reindeer Moss	Good	Clay	
1293421	BET	7	627897	6964108	7/3/2012	3:26:10 PM	MT01	Reddish Brown	Sand	Damp	Subtle Slope	110	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Clay	
1293422	BET	7	627897	6964156	7/3/2012	3:37:31 PM	MT01	Reddish Brown	Sand	Wet	Subtle Slope	70	C	Black Spruce	Thin Moss Cover	Excellent		
1293423	BET	7	627896	6964206	7/3/2012	3:52:42 PM	MT01	Reddish Orange	Sand	Dry	Subtle Slope	80	C	Black Spruce	Thin Moss Cover	Excellent		
1293424	BET	7	627898	6964258	7/3/2012	4:05:06 PM	MT01	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Black Spruce	Thin Moss Cover	Good	Clay	Bright Orange Rust
1293425	BET	7	627897	6964307	7/3/2012	4:16:39 PM	MT01	Reddish Brown	Sand	Dry	Subtle Slope	80	C	Black Spruce	Thin Moss Cover	Excellent		
1293426	BET	7	627897	6964307	7/3/2012	4:22:05 PM	MT01	Reddish Brown	Sand	Dry	Subtle Slope	80	C	Black Spruce	Thin Moss Cover	Excellent		
1293427	BET	7	627896	6964357	7/3/2012	4:31:04 PM	MT01	Reddish Brown	Sand	Damp	Pronounced Slope	70	C	White Spruce	Thin Moss Cover	Excellent		
1293428	BET	7	627896	6964406	7/3/2012	4:41:54 PM	MT01	Reddish Brown	Sand	Damp	Pronounced Slope	70	C	White Spruce	Thin Moss Cover	Good	Clay	
1293429	BET	7	627898	6964458	7/3/2012	4:50:55 PM	MT01	Dark Brown	Sand	Damp	Subtle Slope	70	C	White Spruce	Thin Moss Cover	Good	Rocky	
1293430	BET	7	627897	6964507	7/3/2012	5:01:16 PM	MT01	Dark Brown	Sand	Dry	Subtle Slope	70	C	Black Spruce	Thin Moss Cover	Excellent		

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1283160	BET	7	623997	6962907	7/3/2012	9:18:34 AM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Fine	
1283161	BET	7	623996	6962858	7/3/2012	9:30:34 AM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	40	C	Dwarf Birch	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Rocky
1283162	BET	7	623996	6962807	7/3/2012	9:40:09 AM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Rocky	
1283163	BET	7	623997	6962758	7/3/2012	9:49:42 AM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Thin Moss Cover	Poor	Coarse	Rocky
1283164	BET	7	623996	6962708	7/3/2012	10:25:33 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1283165	BET	7	623996	6962657	7/3/2012	10:38:07 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1283166	BET	7	623997	6962607	7/3/2012	10:47:58 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	110	C	Poplar	Leaf Cover	Excellent	Coarse	
1283167	BET	7	623997	6962557	7/3/2012	10:57:59 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1283168	BET	7	623996	6962508	7/3/2012	11:11:47 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	90	C	Poplar	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1283169	BET	7	623996	6962456	7/3/2012	11:23:27 AM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1283170	BET	7	624096	6962407	7/3/2012	11:41:41 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1283171	BET	7	624097	6962457	7/3/2012	11:55:13 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Coarse	Quartz Chips
1283172	BET	7	624096	6962508	7/3/2012	12:08:52 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	110	C	Poplar	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1283175	BET	7	624097	6962557	7/3/2012	12:21:20 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Quartz Chips
1283176	BET	7	624097	6962557	7/3/2012	12:23:01 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Quartz Chips
1283173	BET	7	624097	6962607	7/3/2012	12:42:17 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1283174	BET	7	624096	6962658	7/3/2012	12:57:17 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Rocky	Rocky Sample
1283177	BET	7	624097	6962708	7/3/2012	1:11:36 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1283178	BET	7	624097	6962758	7/3/2012	1:32:06 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1283179	BET	7	624097	6962808	7/3/2012	1:45:34 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1283180	BET	7	624097	6962857	7/3/2012	1:57:11 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Rocky	Rocky Sample
1283181	BET	7	624097	6962908	7/3/2012	2:07:10 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Fine	Rocky
1283182	BET	7	624196	6962457	7/3/2012	2:56:53 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1283183	BET	7	624197	6962506	7/3/2012	3:07:00 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Rocky	Rocky Sample
1283184	BET	7	624198	6962557	7/3/2012	3:18:59 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Rocky	Rocky Sample
1283185	BET	7	624197	6962606	7/3/2012	3:30:26 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Fine	Rocky
1283186	BET	7	624197	6962657	7/3/2012	3:41:39 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Rocky
1283187	BET	7	624197	6962707	7/3/2012	3:52:04 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1283188	BET	7	624196	6962757	7/3/2012	4:04:26 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Rocky	Rocky Sample
1283189	BET	7	624197	6962806	7/3/2012	4:16:01 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Rocky Sample
1283190	BET	7	624197	6962857	7/3/2012	4:26:45 PM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Poplar	Leaf Cover	Good	Rocky	Rocky Sample
1283191	BET	7	624197	6962907	7/3/2012	4:37:27 PM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Dwarf Birch	Sphagnum Moss < 30cm	Good	Rocky	Rocky Sample
1283224	BET	7	624297	6962907	7/3/2012	9:21:03 AM	RM01	Dark Brown	Sand	Damp	Subtle Slope	50	B	Poplar	Reindeer Moss	Good	Coarse	
1283225	BET	7	624296	6962857	7/3/2012	9:22:38 AM	RM01	Chocolate Brown	Silt	Damp	Subtle Slope	50	C	Poplar	Leaf Cover	Good	Coarse	
1283226	BET	7	624296	6962857	7/3/2012	9:47:08 AM	RM01	Chocolate Brown	Silt	Damp	Subtle Slope	60	C	Poplar	Leaf Cover	Good	Coarse	
1283228	BET	7	624296	6962809	7/3/2012	10:06:10 AM	RM01	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Coarse	
1283229	BET	7	624296	6962759	7/3/2012	10:24:24 AM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Coarse	
1283230	BET	7	624296	6962708	7/3/2012	10:38:07 AM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	B	Poplar	Leaf Cover	Good	Coarse	
1283231	BET	7	624296	6962658	7/3/2012	10:55:28 AM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	
1283232	BET	7	624296	6962608	7/3/2012	11:14:41 AM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Coarse	
1283233	BET	7	624296	6962558	7/3/2012	11:36:24 AM	RM01	Chocolate Brown	Gravel	Dry	Steep	60	C	Poplar	Leaf Cover	Poor	Coarse	Rocky
1283234	BET	7	624297	6962508	7/3/2012	11:57:29 AM	RM01	Chocolate Brown	Sand	Dry	Steep	80	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1283235	BET	7	624296	6962459	7/3/2012	12:15:07 PM	RM01	Chocolate Brown	Sand	Dry	Steep	80	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1284794	BET	7	624296	6962407	7/3/2012	12:30:55 PM	RM01	Chocolate Brown	Sand	Dry	Steep	70	C	Poplar	Leaf Cover	Good	Coarse	
1284795	BET	7	624297	6962358	7/3/2012	12:50:51 PM	RM01	Chocolate Brown	Sand	Damp	Steep	70	C	Poplar	Leaf Cover	Good	Coarse	
1284796	BET	7	624297	6962308	7/3/2012	1:11:38 PM	RM01	Chocolate Brown	Silt	Damp	Steep	60	C	Poplar	Leaf Cover	Good	Coarse	
1283415	BET	7	624297	6962259	7/3/2012	1:32:00 PM	RM01	Dark Brown	Gravel	Dry	Steep	50	B	Poplar	Leaf Cover	Good	Coarse	Rocky
1283416	BET	7	624297	6962207	7/3/2012	1:45:09 PM	RM01	Dark Brown	Gravel	Damp	Steep	60	C	Poplar	Leaf Cover	Good	Dull Red Rust	Rocky
1283417	BET	7	624296	6962108	7/3/2012	2:20:45 PM	RM01	Grey	Clay	Wet	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Poor	Frozen	
1283420	BET	7	624296	6962008	7/3/2012	2:46:06 PM	RM01	Dark Brown	Silt	Damp	Pronounced Slope	60	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	
1283421	BET	7	624297	6961957	7/3/2012	2:58:11 PM	RM01	Dark Brown	Sand	Damp	Pronounced Slope	60	C	No Tree Cover	Sphagnum Moss < 30cm	Good	Coarse	
1283422	BET	7	624298	6961908	7/3/2012	3:13:03 PM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Fine	
1283423	BET	7	624397	6961907	7/3/2012	3:28:58 PM	RM01	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1283424	BET	7	624397	6961956	7/3/2012	3:41:37 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1283425	BET	7	624397	6962006	7/3/2012	3:52:16 PM	RM01	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1283223	BET	7	624397	6962105	7/3/2012	4:17:04 PM	RM01	Grey	Clay	Wet	Steep	50	B	Black Spruce	Sphagnum Moss > 30cm	Good	Frozen	
1292507	BET	7	627697	6964508	7/3/2012	9:32:27 AM	RR01	Dark Brown	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Poor	Mud	Frozen
1292508	BET	7	627697	6964459	7/3/2012	9:52:16 AM	RR01	Grey	Silt	Damp	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss > 30cm	Good	Mud	Sandy
1292509	BET	7	627698	6964409	7/3/2012	10:15:03 AM	RR01	Dark Grey Black	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Frozen	
1292510	BET	7	627697	6964359	7/3/2012	10:32:49 AM	RR01	Dark Brown	Sand	Damp	Pronounced Slope	60	B	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1292511	BET	7	627696	6964309	7/3/2012	10:47:30 AM	RR01	Chocolate Brown	Silt	Damp	Subtle Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1292512	BET	7	627696	6964259	7/3/2012	10:57:43 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	
1292513	BET	7	627697	6964208	7/3/2012	11:09:28 AM	RR01	Dark Brown	Sand	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1292514	BET	7	627697	6964158	7/3/2012	11:19:58 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	B	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Partially Frozen
1292515	BET	7	627698	6964108	7/3/2012	11:28:30 AM	RR01	Reddish Yellow	Sand	Damp	Pronounced Slope	70	C	White Spruce	Reindeer Moss	Excellent	Coarse	Quartz Chips
1292516	BET	7	627697	6964059	7/3/2012	11:37:47 AM	RR01	Chocolate Brown	Gravel	Damp	Pronounced Slope	90	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Sandy
1292517	BET	7	627698	6964009	7/3/2012	11:46:01 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1292518	BET	7	627697	6963958	7/3/2012	12:08:06 PM	RR01	Dark Brown	Silt	Damp	Pronounced Slope	80	B	White Spruce	Sphagnum Moss < 30cm	Good	Organic 10%	Sandy
1292519	BET	7	627698	6963908	7/3/2012	12:19:20 PM	RR01	Dark Brown	Sand	Damp	Pronounced Slope	60	B	Birch Forest	Leaf Cover	Good	Coarse	Quartz Chips
1292520	BET	7	627698	6963857	7/3/2012	12:28:23 PM	RR01	Grey	Gravel	Damp	Pronounced Slope	90	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1292521	BET	7	627698	6963807	7/3/2012	12:37:06 PM	RR01	Grey	Gravel	Damp	Pronounced Slope	50	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1292522	BET	7	627698	6963758	7/3/2012	12:46:07 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Birch Forest	Leaf Cover	Good	Coarse	Sandy
1292523	BET	7	627698	6963708	7/3/2012	12:56:13 PM	RR01	Grey	Sand	Damp	Pronounced Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1292524	BET	7	627698	6963657	7/3/2012	1:05:08 PM	RR01	Dark Brown	Sand	Damp	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1292525	BET	7	627696	6963609	7/3/2012	1:15:27 PM	RR01	Dark Brown	Gravel	Damp	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1292526	BET	7	627696	6963609	7/3/2012	1:23:38 PM	RR01	Dark Brown	Gravel	Damp	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1292527	BET	7	627996	6963806	7/3/2012	1:42:25 PM	RR01	Grey	Gravel	Wet	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1292528	BET	7	627996	6963857	7/3/2012	1:58:05 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Sandy
1292529	BET	7	627997	6963907	7/3/2012	2:16:35 PM	RR01	Dark Brown	Silt	Damp	Pronounced Slope	70	B	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1292530	BET	7	627997	6963958	7/3/2012	2:32:30 PM	RR01	Dark Grey Black	Gravel	Wet	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Good	Coarse	Rocky
1292531	BET	7	627998	6964005	7/3/2012	2:58:01 PM	RR01	Dark Grey Black	Gravel	Wet	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Good	Coarse	Rocky
1292532	BET	7	627998	6964056	7/3/2012	2:59:35 PM	RR01	Chocolate Brown	Silt	Wet	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Poor	Frozen	
1292533	BET	7	627997	6964107	7/3/2012	3:13:27 PM	RR01	Dark Grey Black	Silt	Wet	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Good	Frozen	Sandy
1292534	BET	7	627997	6964157	7/3/2012	3:35:53 PM	RR01	Dark Grey Black	Silt	Wet	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Poor	Frozen	Sandy

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1292535	BET	7	627997	6964307	7/3/2012	4:05:21 PM	RR01	Dark Grey Black	Silt	Wet	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Poor	Frozen	Possible Creek Contamination
1292536	BET	7	627997	6964357	7/3/2012	4:15:36 PM	RR01	Dark Grey Black	Silt	Wet	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Poor	Frozen	
1292537	BET	7	627998	6964406	7/3/2012	4:24:54 PM	RR01	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Poor	Frozen	
1292538	BET	7	627997	6964457	7/3/2012	4:36:05 PM	RR01	Dark Brown	Silt	Damp	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Poor	Frozen	
1292539	BET	7	627996	6964506	7/3/2012	4:44:11 PM	RR01	Dark Brown	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	
1269381	BET	7	622396	6962908	7/3/2012	10:50:27 AM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	White Spruce	Sphagnum Moss < 30cm	Good	Fine	Rocky Terrain
1269382	BET	7	622397	6962958	7/3/2012	11:23:30 AM	RR02	Reddish Brown	Silt	Damp	Pronounced Slope	50	B	White Spruce	Thin Moss Cover	Good	Fine	Rocky Terrain
1269383	BET	7	622396	6963008	7/3/2012	11:44:31 AM	RR02	Dark Brown	Silt	Wet	Steep	60	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Frozen	
1269384	BET	7	622397	6963058	7/3/2012	12:06:52 PM	RR02	Dark Brown	Silt	Wet	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Frozen	Organic 25%
1269385	BET	7	622415	6963115	7/3/2012	12:24:42 PM	RR02	Chocolate Brown	Sand	Wet	Subtle Slope	40	C	White Spruce	Sphagnum Moss < 30cm	Good	Frozen	
1269386	BET	7	622396	6963157	7/3/2012	12:34:41 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	100	C	White Spruce	Thin Moss Cover	Excellent	Bright Orange Rust	Quartz Chips
1269387	BET	7	622395	6963208	7/3/2012	12:45:49 PM	RR02	Reddish Brown	Sand	Damp	Pronounced Slope	80	C	White Spruce	Thin Moss Cover	Excellent	Quartz Chips	Coarse
1269388	BET	7	622397	6963258	7/3/2012	12:57:08 PM	RR02	Reddish Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Grass Cover	Good	Fine	Rocky
1269389	BET	7	622395	6963308	7/3/2012	1:09:33 PM	RR02	Reddish Brown	Silt	Damp	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Bright Orange Rust	Coarse
1269390	BET	7	622396	6963358	7/3/2012	1:23:18 PM	RR02	Reddish Brown	Silt	Damp	Pronounced Slope	40	B	Poplar	Grass Cover	Good	Coarse	Organic 10%
1269391	BET	7	622397	6963408	7/3/2012	1:39:53 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Birch Forest	Thin Moss Cover	Good	Rocky Terrain	Organic 25%
1269392	BET	7	622398	6963458	7/3/2012	2:00:13 PM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	80	B	Birch Forest	Sphagnum Moss > 30cm	Good	Fine	Rocky Terrain
1269393	BET	7	622396	6963508	7/3/2012	2:25:12 PM	RR02	Chocolate Brown	Sand	Wet	Pronounced Slope	90	C	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	
1269394	BET	7	622397	6963558	7/3/2012	2:38:39 PM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	70	B	Birch Forest	Sphagnum Moss > 30cm	Poor	Rocky	Organic 25%
1269395	BET	7	622404	6963608	7/3/2012	2:53:14 PM	RR02	Chocolate Brown	Sand	Wet	Subtle Slope	60	B	Black Spruce	Thin Moss Cover	Good	Fine	
1269396	BET	7	622396	6963657	7/3/2012	3:10:37 PM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Rocky Sample
1269397	BET	7	622397	6963709	7/3/2012	3:24:15 PM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	70	B	Birch Forest	Sphagnum Moss > 30cm	Good	Rocky Sample	
1269398	BET	7	622396	6963857	7/3/2012	3:50:28 PM	RR02	Dark Brown	Silt	Damp	Subtle Slope	50	B	Black Spruce	Thin Moss Cover	Good	Fine	
1269399	BET	7	622397	6963907	7/3/2012	4:04:14 PM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	40	B	Black Spruce	Thin Moss Cover	Poor	Partially Frozen	Fine
1269400	BET	7	622397	6963958	7/3/2012	4:14:44 PM	RR02	Grey	Silt	Damp	Subtle Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1271602	BET	7	622395	6964008	7/3/2012	4:31:22 PM	RR02	Grey	Silt	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Partially Frozen
1271603	BET	7	622395	6964058	7/3/2012	4:48:45 PM	RR02	Grey	Silt	Damp	Subtle Slope	60	B	White Spruce	Sphagnum Moss < 30cm	Good	Fine	
1271604	BET	7	622396	6964109	7/3/2012	4:59:44 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	
1271605	BET	7	622397	6964158	7/3/2012	5:09:11 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1271606	BET	7	622395	6964208	7/3/2012	5:25:55 PM	RR02	Reddish Brown	Silt	Damp	Subtle Slope	60	B	White Spruce	Thin Moss Cover	Good	Bright Orange Rust	Coarse
1271607	BET	7	622398	6964258	7/3/2012	5:34:12 PM	RR02	Reddish Yellow	Sand	Damp	Subtle Slope	90	C	White Spruce	Thin Moss Cover	Excellent	Coarse	
1271608	BET	7	622396	6964307	7/3/2012	5:43:37 PM	RR02	Reddish Yellow	Sand	Damp	Subtle Slope	100	C	Birch Forest	Leaf Cover	Excellent	Coarse	
1271609	BET	7	622397	6964358	7/3/2012	5:52:48 PM	RR02	Reddish Yellow	Sand	Damp	Subtle Slope	60	C	White Spruce	Thin Moss Cover	Excellent	Coarse	
1271610	BET	7	622397	6964407	7/3/2012	6:01:06 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	100	C	Birch Forest	Thin Moss Cover	Good	Coarse	
1292964	BET	7	626297	6964257	7/3/2012	9:32:02 AM	SC01	Dark Grey Black	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Mud	Partially Frozen
1292965	BET	7	626297	6964207	7/3/2012	9:43:46 AM	SC01	Dark Grey Black	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Good	Mud	Partially Frozen
1292966	BET	7	626297	6964157	7/3/2012	9:56:08 AM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss > 30cm	Good	Rocky	
1292967	BET	7	626297	6964107	7/3/2012	10:11:31 AM	SC01	Dark Brown	Sand	Damp	Steep	80	B	Black Spruce	Reindeer Moss	Good	Mud	Rocky
1292968	BET	7	626298	6964057	7/3/2012	10:29:15 AM	SC01	Light Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Reindeer Moss	Good	Coarse	Rocky
1292969	BET	7	626297	6964005	7/3/2012	10:43:19 AM	SC01	Grey	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Sandy	
1292970	BET	7	626297	6963956	7/3/2012	10:51:33 AM	SC01	Dark Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1292971	BET	7	626298	6963905	7/3/2012	11:00:18 AM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent		
1292972	BET	7	626296	6963856	7/3/2012	11:12:09 AM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Rocky	
1292973	BET	7	626297	6963807	7/3/2012	11:21:14 AM	SC01	Reddish Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent	Rocky	
1292974	BET	7	626298	6963757	7/3/2012	11:35:45 AM	SC01	Reddish Yellow	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Rocky	
1292975	BET	7	626295	6963706	7/3/2012	11:45:04 AM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Poplar	Grass Cover	Good	Rocky	
1292976	BET	7	626297	6963706	7/3/2012	11:56:05 AM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Poplar	Grass Cover	Good	Rocky	
1292977	BET	7	626296	6963655	7/3/2012	12:04:35 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1292978	BET	7	626296	6963609	7/3/2012	12:15:59 PM	SC01	Reddish Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1292979	BET	7	626296	6963557	7/3/2012	12:27:10 PM	SC01	Reddish Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Rocky	
1292980	BET	7	626297	6963508	7/3/2012	12:37:07 PM	SC01	Reddish Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1292981	BET	7	626296	6963458	7/3/2012	12:49:22 PM	SC01	Dark Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Rocky	
1292982	BET	7	626297	6963407	7/3/2012	1:00:54 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Grass Cover	Good	Rocky	
1292983	BET	7	626298	6963358	7/3/2012	1:35:04 PM	SC01	Dark Grey Black	Silt	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Mud	Partially Frozen
1292984	BET	7	626295	6963308	7/3/2012	1:46:29 PM	SC01	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky	
1292985	BET	7	626296	6963257	7/3/2012	2:00:07 PM	SC01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Poplar	Grass Cover	Good	Rocky	
1292986	BET	7	626296	6963207	7/3/2012	2:08:59 PM	SC01	Chocolate Brown	Silt	Damp	Pronounced Slope	80	C	Subalpine Fir	Grass Cover	Good	Rocky	
1292987	BET	7	626297	6963157	7/3/2012	2:23:41 PM	SC01	Light Brown	Sand	Damp	Pronounced Slope	60	C	Subalpine Fir	Leaf Cover	Good	Rocky	
1292988	BET	7	626295	6963106	7/3/2012	2:32:27 PM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Rocky	
1292989	BET	7	626296	6963056	7/3/2012	2:42:17 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Poplar	Grass Cover	Good	Rocky	
1292990	BET	7	626296	6963007	7/3/2012	2:50:27 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Good	Rocky	
1292991	BET	7	626296	6962957	7/3/2012	2:58:49 PM	SC01	Dark Brown	Silt	Dry	Pronounced Slope	60	B	Black Spruce	Grass Cover	Good	Rocky	
1271374	BET	7	622096	6962907	7/3/2012	10:37:37 AM	SD02	Dark Grey Black	Silt	Wet	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	Rocky
1271375	BET	7	622095	6962957	7/3/2012	11:08:25 AM	SD02	Dark Grey Black	Silt	Damp	Steep	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Bright Orange Rust	Frozen
1271377	BET	7	622096	6963059	7/3/2012	11:09:50 AM	SD02	Chocolate Brown	Sand	Damp	Steep	30	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky Terrain	Coarse
1271378	BET	7	622096	6963108	7/3/2012	12:01:01 PM	SD02	Chocolate Brown	Sand	Damp	Steep	40	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky Terrain	Organic 10%
1271379	BET	7	622095	6963158	7/3/2012	12:10:36 PM	SD02	Chocolate Brown	Sand	Dry	Steep	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky Terrain	Fine
1271380	BET	7	622096	6963208	7/3/2012	12:28:31 PM	SD02	Dark Grey Black	Silt	Damp	Steep	80	B	Alders	Reindeer Moss	Poor	Frozen	Small Sample
1271381	BET	7	622095	6963257	7/3/2012	12:57:46 PM	SD02	Dark Grey Black	Silt	Damp	Pronounced Slope	120	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Frozen	Organic 25%
1271382	BET	7	622094	6963309	7/3/2012	1:08:35 PM	SD02	Dark Grey Black	Sand	Wet	Flat	40	B	Dwarf Birch	Grass Cover	Good	Possible Creek Contamination	Frozen
1271383	BET	7	622093	6963408	7/3/2012	1:24:41 PM	SD02	Chocolate Brown	Silt	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1271384	BET	7	622095	6963458	7/3/2012	1:33:04 PM	SD02	Dark Brown	Silt	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	Small Sample
1271385	BET	7	622096	6963510	7/3/2012	1:43:21 PM	SD02	Dark Brown	Silt	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	
1271386	BET	7	622094	6963559	7/3/2012	1:53:35 PM	SD02	Dark Brown	Silt	Damp	Subtle Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	Possible Creek Contamination
1271387	BET	7	622094	6963610	7/3/2012	2:16:13 PM	SD02	Dark Brown	Silt	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	
1271388	BET	7	622096	6963659	7/3/2012	2:24:11 PM	SD02	Dark Brown	Silt	Damp	Subtle Slope	40	B	Willows	Reindeer Moss	Good	Frozen	
1271389	BET	7	622094	6963709	7/3/2012	2:32:21 PM	SD02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	White Spruce	Reindeer Moss	Good	Frozen	
1271390	BET	7	622094	6963759	7/3/2012	2:39:25 PM	SD02	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Good	Bright Orange Rust	Rocky
1271391	BET	7	622096	6963810	7/3/2012	2:47:50 PM	SD02	Dark Brown	Silt	Damp	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Good	Rocky	
1271392	BET	7	622094	6963859	7/3/2012	2:56:53 PM	SD02	Dark Brown	Gravel	Damp	Subtle Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1271393	BET	7	622098	6963906	7/3/2012	3:07:11 PM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	30	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1271394	BET	7	622096	6963956	7/3/2012	3:15:51 PM	SD02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	White Spruce	Grass Cover	Good	Rocky	Coarse
1271395	BET	7	622096	6964007	7/3/2012	3:23:32 PM	SD02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Birch Forest	Leaf Cover	Good	Rocky	
1271396	BET	7	622097	6964058	7/3/2012	3:34:11 PM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1271397	BET	7	622099	6964107	7/3/2012	3:42:15 PM	SD02	Chocolate Brown	Sand	Damp	Subtle Slope	110	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	
1271398	BET	7	622097	6964158	7/3/2012	3:52:13 PM	SD02	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Rocky
1271399	BET	7	622098	6964206	7/3/2012	4:09:00 PM	SD02	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	Bright Orange Rust
1271400	BET	7	622096	6964258	7/3/2012	4:19:06 PM	SD02	Light Brown	Sand	Wet	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky	Organic 10%
1271402	BET	7	622097	6964307	7/3/2012	4:30:06 PM	SD02	Light Brown	Gravel	Dry	Subtle Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Quartz Chips	Rocky
1271403	BET	7	622097	6964357	7/3/2012	4:39:22 PM	SD02	Chocolate Brown	Gravel	Dry	Pronounced Slope	40	C	Poplar	Grass Cover	Good	Rocky	
1271404	BET	7	622097	6964406	7/3/2012	4:48:10 PM	SD02	Light Brown	Sand	Damp	Subtle Slope	60	C	Poplar	Grass Cover	Excellent	Bright Orange Rust	
1271376	BET	7	622097	6964406	7/3/2012	4:52:29 PM	SD02	Light Brown	Sand	Damp	Subtle Slope	60	C	Poplar	Grass Cover	Excellent	Bright Orange Rust	
1271484	BET	7	619297	6965161	7/4/2012	9:37:09 AM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	C	Black Spruce	Reindeer Moss	Good	Rocky	Partially Frozen
1271485	BET	7	619297	6965202	7/4/2012	9:47:18 AM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Reindeer Moss	Good	Rocky	Partially Frozen
1271486	BET	7	619297	6965255	7/4/2012	9:57:07 AM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Alders	Reindeer Moss	Good	Partially Frozen	
1271487	BET	7	619297	6965308	7/4/2012	10:12:55 AM	BH01	Dark Brown	Silt	Damp	Subtle Slope	60	B	Black Spruce	Grass Cover	Good	Partially Frozen	Organic 25%
1271488	BET	7	619296	6965356	7/4/2012	10:23:47 AM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	C	Black Spruce	Leaf Cover	Good	Rocky	
1271489	BET	7	619297	6965405	7/4/2012	10:32:56 AM	BH01	Dark Brown	Silt	Dry	Subtle Slope	60	B	Birch Forest	Leaf Cover	Good	Rocky	Quartz Chips
1271490	BET	7	619296	6965455	7/4/2012	10:46:29 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	70	C	Birch Forest	Leaf Cover	Excellent	Rocky	
1271491	BET	7	619297	6965505	7/4/2012	10:55:47 AM	BH01	Chocolate Brown	Silt	Damp	Subtle Slope	70	C	Birch Forest	Leaf Cover	Good	Bright Orange Rust	Rocky
1271492	BET	7	619299	6965564	7/4/2012	11:07:59 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	80	C	Birch Forest	Leaf Cover	Good		
1271493	BET	7	619299	6965608	7/4/2012	11:19:37 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Rocky	Quartz Chips
1271494	BET	7	619297	6965657	7/4/2012	11:30:11 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	C	Black Spruce	Leaf Cover	Good	Rocky	Quartz Chips
1271495	BET	7	619298	6965705	7/4/2012	11:46:52 AM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	50	C	Poplar	Leaf Cover	Excellent	Rocky	Quartz Chips
1271496	BET	7	619296	6965756	7/4/2012	11:56:40 AM	BH01	Chocolate Brown	Gravel	Damp	Subtle Slope	60	B	Black Spruce	Leaf Cover	Good	Mud	Rocky Sample
1271497	BET	7	619296	6965809	7/4/2012	12:10:54 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	C	Black Spruce	Leaf Cover	Good	Rocky	Rocky Sample
1271498	BET	7	619396	6965806	7/4/2012	12:24:05 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Rocky	Quartz Chips
1271499	BET	7	619397	6965758	7/4/2012	12:35:16 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	C	Birch Forest	Leaf Cover	Good	Rocky	Rocky Sample
1271500	BET	7	619397	6965706	7/4/2012	12:45:34 PM	BH01	Light Brown	Silt	Dry	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Rocky	
1271502	BET	7	619397	6965657	7/4/2012	12:57:48 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	C	Birch Forest	Leaf Cover	Good	Rocky	Quartz Chips
1271503	BET	7	619397	6965608	7/4/2012	1:19:43 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Black Spruce	Leaf Cover	Good	Rocky	
1271504	BET	7	619396	6965559	7/4/2012	1:32:23 PM	BH01	Dark Brown	Silt	Dry	Pronounced Slope	70	B	Birch Forest	Leaf Cover	Good	Rocky	
1271505	BET	7	619397	6965505	7/4/2012	1:43:57 PM	BH01	Dark Brown	Silt	Dry	Pronounced Slope	40	B	Birch Forest	Grass Cover	Good	Rocky	
1271506	BET	7	619394	6965453	7/4/2012	2:04:15 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	80	C	Birch Forest	Leaf Cover	Excellent	Rocky	
1271507	BET	7	619396	6965409	7/4/2012	2:17:14 PM	BH01	Chocolate Brown	Gravel	Damp	Subtle Slope	70	B	Black Spruce	Bare Soil	Good	Partially Frozen	Rocky
1271508	BET	7	619397	6965354	7/4/2012	2:34:20 PM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Birch Forest	Leaf Cover	Good	Rocky	Partially Frozen
1271509	BET	7	619397	6965307	7/4/2012	2:44:06 PM	BH01	Dark Brown	Silt	Damp	Subtle Slope	70	B	Alders	Bare Soil	Poor	Possible Creek Contamination	Organic 10%
1271510	BET	7	619397	6965257	7/4/2012	2:56:21 PM	BH01	Chocolate Brown	Silt	Damp	Subtle Slope	60	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	
1271511	BET	7	619397	6965209	7/4/2012	3:07:23 PM	BH01	Dark Brown	Silt	Damp	Steep	60	B	Black Spruce	Reindeer Moss	Poor	Partially Frozen	
1271512	BET	7	619396	6965159	7/4/2012	3:22:19 PM	BH01	Dark Brown	Gravel	Damp	Steep	60	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	Rocky Sample
1292798	BET	7	628097	6965757	7/4/2012	9:50:21 AM	CK01	Chocolate Brown	Sand	Damp	Steep	50	C	Poplar	Leaf Cover	Good		
1292799	BET	7	628105	6965803	7/4/2012	10:11:16 AM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Poplar	Leaf Cover	Good	Fine	Outcrop Nearby
1292800	BET	7	628097	6965860	7/4/2012	10:28:43 AM	CK01	Chocolate Brown	Sand	Damp	Subtle Slope	30	B	Black Spruce	Reindeer Moss	Good	Fine	Rocky Terrain
1293202	BET	7	628097	6965908	7/4/2012	10:40:53 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Reindeer Moss	Good	Rocky Terrain	
1293203	BET	7	628096	6965957	7/4/2012	10:54:11 AM	CK01	Dark Grey Black	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	Rocky Terrain
1293204	BET	7	628097	6966008	7/4/2012	11:12:58 AM	CK01	Dark Brown	Sand	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky Terrain	
1293205	BET	7	628097	6966052	7/4/2012	11:28:41 AM	CK01	Chocolate Brown	Sand	Damp	Steep	70	B	Poplar	Sphagnum Moss < 30cm	Good	Rocky Terrain	
1293206	BET	7	628097	6966108	7/4/2012	11:46:13 AM	CK01	Chocolate Brown	Sand	Damp	Steep	60	C	Poplar	Grass Cover	Good	Fine	Rocky Terrain
1293207	BET	7	628097	6966159	7/4/2012	12:05:29 PM	CK01	Chocolate Brown	Sand	Damp	Steep	70	B	Alders	Sphagnum Moss < 30cm	Good	Rocky Terrain	
1293208	BET	7	628101	6966208	7/4/2012	12:24:14 PM	CK01	Dark Brown	Sand	Damp	Pronounced Slope	60	B	Alders	Sphagnum Moss < 30cm	Good	Fine	Possible Creek Contamination
1293209	BET	7	628072	6966253	7/4/2012	12:42:52 PM	CK01	Dark Grey Black	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	
1293210	BET	7	628097	6966358	7/4/2012	1:14:46 PM	CK01	Dark Grey Black	Silt	Damp	Steep	20	A	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky Terrain	
1293211	BET	7	628080	6966410	7/4/2012	1:36:31 PM	CK01	Dark Brown	Sand	Damp	Steep	50	B	Alders	Grass Cover	Good	Partially Frozen	Rusty Rock Chip
1293212	BET	7	628130	6966472	7/4/2012	2:01:29 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Rocky Terrain	Rusty Rock Chip
1293213	BET	7	628097	6966515	7/4/2012	2:22:51 PM	CK01	Dark Brown	Sand	Damp	Pronounced Slope	50	B	Poplar	Grass Cover	Good	Fine	Partially Frozen
1293214	BET	7	628130	6966564	7/4/2012	2:44:17 PM	CK01	Chocolate Brown	Sand	Damp	Steep	50	C	Black Spruce	Grass Cover	Good	Rocky Terrain	Rusty Rock Chip
1293215	BET	7	628122	6966599	7/4/2012	3:10:24 PM	CK01	Dark Brown	Sand	Damp	Steep	30	B	Poplar	Grass Cover	Good	Rocky Terrain	
1293216	BET	7	628097	6966707	7/4/2012	3:41:34 PM	CK01	Dark Brown	Sand	Damp	Steep	30	B	Black Spruce	Reindeer Moss	Good	Rocky Terrain	Rusty Rock Chip
1293217	BET	7	628097	6966756	7/4/2012	4:00:30 PM	CK01	Dark Brown	Sand	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Rusty Rock Chip	Small Sample
1293218	BET	7	628097	6966807	7/4/2012	4:16:03 PM	CK01	Dark Brown	Sand	Damp	Steep	30	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky Terrain	
1293219	BET	7	628097	6966856	7/4/2012	4:31:19 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Rocky Terrain	
1293220	BET	7	628097	6966906	7/4/2012	4:47:04 PM	CK01	Dark Brown	Sand	Damp	Pronounced Slope	30	B	Black Spruce	Reindeer Moss	Good	Rusty Rock Chip	Rocky Terrain
1293221	BET	7	628097	6966957	7/4/2012	5:04:42 PM	CK01	Chocolate Brown	Sand	Damp	Steep	50	B	Poplar	Leaf Cover	Good	Fine	Rocky Terrain
1293222	BET	7	628097	6967008	7/4/2012	5:18:02 PM	CK01	Grey	Sand	Damp	Pronounced Slope	90	C	Black Spruce	Reindeer Moss	Excellent	Fine	Rocky Terrain
1293223	BET	7	628097	6967057	7/4/2012	5:33:01 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Black Spruce	Reindeer Moss	Good	Rusty Rock Chip	Small Sample
1293224	BET	7	628098	6967107	7/4/2012	5:46:15 PM	CK01	Dark Grey Black	Sand	Damp	Steep	50	B	Black Spruce	Reindeer Moss	Good	Fine	Rocky Terrain
1293225	BET	7	628097	6967158	7/4/2012	5:59:42 PM	CK01	Chocolate Brown	Sand	Damp	Subtle Slope	50	B	Black Spruce	Grass Cover	Good	Rusty Rock Chip	Rocky Terrain
1293228	BET	7	628097	6967209	7/4/2012	6:11:06 PM	CK01	Dark Grey Black	Sand	Damp	Subtle Slope	50	B	Poplar	Leaf Cover	Good	Frozen	Rocky Terrain
1271303	BET	7	619097	6965157	7/4/2012	9:53:24 AM	FP01	Chocolate Brown	Sand	Damp	Pronounced Slope	30	B	Black Spruce	Reindeer Moss	Poor	Rocky Terrain	Organic 10%
1271304	BET	7	619097	6965206	7/4/2012	10:05:32 AM	FP01	Dark Grey Black	Sand	Damp	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Good	Rusty Rock Chip	Partially Frozen
1271305	BET	7	619097	6965253	7/4/2012	10:18:16 AM	FP01	Dark Brown	Sand	Damp	Pronounced Slope	80	B	Willows	Sphagnum Moss < 30cm	Poor	Rusty Rock Chip	Possible Creek Contamination
1271306	BET	7	619097	6965307	7/4/2012	10:32:59 AM	FP01	Chocolate Brown	Sand	Damp	Flat	40	B	Black Spruce	Reindeer Moss	Good	Coarse	Rocky
1271307	BET	7	619097	6965357	7/4/2012	10:46:00 AM	FP01	Reddish Brown	Sand	Dry	Subtle Slope	70	B	Poplar	Leaf Cover	Good	Rocky	
1271308	BET	7	619097	6965407	7/4/2012	10:57:48 AM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	60	B	Poplar	Leaf Cover	Good	Coarse	Rusty Rock Chip
1271309	BET	7	619097	6965457	7/4/2012	11:09:11 AM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1271310	BET	7	619097	6965507	7/4/2012	11:18:48 AM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	80	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1271311	BET	7	619097	6965557	7/4/2012	11:39:40 AM	FP01	Dark Brown	Sand	Dry	Subtle Slope	90	C	Poplar	Grass Cover	Good	Coarse	Rusty Rock Chip
1271312	BET	7	619097	6965607	7/4/2012	11:53:15 AM	FP01	Reddish Brown	Sand	Dry	Subtle Slope	60	C	Poplar	Grass Cover	Good	Coarse	Rocky
1271313	BET	7	619097	6965657	7/4/2012	12:04:09 PM	FP01	Greyish Green	Sand	Dry	Subtle Slope	60	C	Poplar	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1271314	BET	7	619097	6965707	7/4/2012	12:18:52 PM	FP01	Dark Grey Black	Sand	Damp	Subtle Slope	80	B	Poplar	Sphagnum Moss < 30cm	Good	Rusty Rock Chip	
1271315	BET	7	619097	6965757	7/4/2012	12:30:03 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	90	B	Poplar	Grass Cover	Good	Coarse	Rusty Rock Chip
1271316	BET	7	619097	6965807	7/4/2012	12:41:46 PM	FP01	Dark Brown	Sand	Dry	Subtle Slope	60	B	Poplar	Grass Cover	Good	Rusty Rock Chip	
1271317	BET	7	619197	6965807	7/4/2012	12:56:57 PM	FP01	Reddish Yellow	Sand	Damp	Subtle Slope	90	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1271325	BET	7	619197	6965758	7/4/2012	1:35:15 PM	FP01	Reddish Brown	Sand	Dry	Subtle Slope	60	C	Poplar	Grass Cover	Good	Coarse	Quartz Chips
1271326	BET	7	619197	6965758	7/4/2012	1:36:10 PM	FP01	Reddish Brown	Sand	Dry	Subtle Slope	60	C	Poplar	Grass Cover	Good	Coarse	Quartz Chips
1271318	BET	7	619197	6965707	7/4/2012	1:52:15 PM	FP01	Light Bluish Grey	Sand	Dry	Subtle Slope	90	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1271319	BET	7	619197	6965658	7/4/2012	2:07:45 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	70	B	Poplar	Leaf Cover	Good	Coarse	Rocky
1271320	BET	7	619197	6965608	7/4/2012	2:32:30 PM	FP01	Reddish Yellow	Sand	Dry	Subtle Slope	50	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	Rusty Rock Chip

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1271321	BET	7	619197	6965558	7/4/2012	2:42:46 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	50	B	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1271323	BET	7	619197	6965457	7/4/2012	3:06:16 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Poor	Rocky	Rocky Terrain
1271322	BET	7	619197	6965508	7/4/2012	3:10:19 PM	FP01	Bluish Grey	Sand	Dry	Subtle Slope	90	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1271324	BET	7	619197	6965408	7/4/2012	3:20:02 PM	FP01	Bluish Grey	Sand	Dry	Subtle Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1271327	BET	7	619197	6965358	7/4/2012	3:35:44 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	50	C	White Spruce	Leaf Cover	Good	Coarse	Rocky
1271328	BET	7	619197	6965308	7/4/2012	3:46:45 PM	FP01	Dark Brown	Sand	Dry	Subtle Slope	50	B	Poplar	Grass Cover	Good	Rocky	
1271329	BET	7	619197	6965258	7/4/2012	3:59:47 PM	FP01	Dark Grey Black	Sand	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Poor	Partially Frozen	Quartz Chips
1271330	BET	7	619197	6965208	7/4/2012	4:16:05 PM	FP01	Dark Grey Black	Sand	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Poor	Rusty Rock Chip	Partially Frozen
1271331	BET	7	619197	6965158	7/4/2012	4:36:21 PM	FP01	Dark Brown	Sand	Damp	Pronounced Slope	30	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Rocky	
1284099	BET	7	622597	6962857	7/4/2012	10:18:40 AM	JM01	Dark Blue Black	Clay	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1284100	BET	7	622598	6962808	7/4/2012	10:27:56 AM	JM01	Dark Blue Black	Clay	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Partially Frozen
1284002	BET	7	622597	6962758	7/4/2012	10:38:24 AM	JM01	Dark Blue Black	Clay	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Partially Frozen
1284003	BET	7	622597	6962708	7/4/2012	10:52:33 AM	JM01	Dark Blue Black	Clay	Wet	Pronounced Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	Partially Frozen
1284004	BET	7	622596	6962658	7/4/2012	11:02:30 AM	JM01	Dark Blue Black	Clay	Wet	Pronounced Slope	60	B	White Spruce	Sphagnum Moss < 30cm	Good	Mud	Rocky
1284005	BET	7	622597	6962608	7/4/2012	11:21:33 AM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	50	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1284006	BET	7	622597	6962558	7/4/2012	11:37:15 AM	JM01	Chocolate Brown	Clay	Wet	Pronounced Slope	50	B	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1284007	BET	7	622597	6962507	7/4/2012	11:50:42 AM	JM01	Chocolate Brown	Sand	Wet	Pronounced Slope	50	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Fine	Partially Frozen
1284008	BET	7	622597	6962457	7/4/2012	12:01:28 PM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Rocky
1284009	BET	7	622597	6962407	7/4/2012	12:12:18 PM	JM01	Dark Brown	Clay	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1284010	BET	7	622696	6962758	7/4/2012	1:57:47 PM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1284011	BET	7	622696	6962707	7/4/2012	2:17:38 PM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	50	B	White Spruce	Sphagnum Moss < 30cm	Good	Rusty Rock Chip	Partially Frozen
1284012	BET	7	622697	6962558	7/4/2012	4:02:06 PM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1284013	BET	7	622696	6962507	7/4/2012	4:11:32 PM	JM01	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Dwarf Birch	Thin Moss Cover	Excellent	Rocky	
1284014	BET	7	622696	6962406	7/4/2012	4:29:08 PM	JM01	Dark Brown	Clay	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Partially Frozen
1290411	BET	7	628297	6965756	7/4/2012	9:57:31 AM	JS01	Chocolate Brown	Sand	Dry	Steep	70	C	Poplar	Grass Cover	Good	Fine	Bright Orange Rust
1290412	BET	7	628298	6965807	7/4/2012	10:14:27 AM	JS01	Chocolate Brown	Silt	Dry	Steep	50	B	Poplar	Grass Cover	Poor	Coarse	Rocky Terrain
1290413	BET	7	628296	6965857	7/4/2012	10:30:30 AM	JS01	Chocolate Brown	Silt	Dry	Steep	30	B	Poplar	Grass Cover	Poor	Rocky	Rocky Terrain
1290414	BET	7	628296	6965908	7/4/2012	10:42:34 AM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Poor	Bright Orange Rust	Rocky
1290415	BET	7	628296	6965957	7/4/2012	10:56:00 AM	JS01	Chocolate Brown	Silt	Dry	Subtle Slope	50	B	Black Spruce	Thin Moss Cover	Poor	Rocky	
1290416	BET	7	628299	6966008	7/4/2012	11:08:27 AM	JS01	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Birch Forest	Thin Moss Cover	Poor	Coarse	Rocky Terrain
1290417	BET	7	628298	6966057	7/4/2012	11:25:50 AM	JS01	Dark Brown	Sand	Damp	Steep	70	C	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Rocky Sample
1290418	BET	7	628298	6966108	7/4/2012	11:38:30 AM	JS01	Grey	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1290419	BET	7	628296	6966157	7/4/2012	11:55:51 AM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Good	Bright Orange Rust	Rocky Sample
1290420	BET	7	628297	6966257	7/4/2012	12:41:58 PM	JS01	Chocolate Brown	Silt	Damp	Steep	30	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Rocky Terrain	Small Sample
1290421	BET	7	628297	6966308	7/4/2012	12:55:50 PM	JS01	Grey	Sand	Dry	Steep	60	B	Birch Forest	Leaf Cover	Poor	Bright Orange Rust	Rocky Sample
1290422	BET	7	628298	6966358	7/4/2012	1:08:52 PM	JS01	Chocolate Brown	Silt	Dry	Steep	70	B	Birch Forest	Thin Moss Cover	Poor	Bright Orange Rust	Rocky
1290423	BET	7	628297	6966407	7/4/2012	1:24:01 PM	JS01	Chocolate Brown	Silt	Dry	Steep	60	B	Poplar	Grass Cover	Poor	Rocky	
1290424	BET	7	628295	6966459	7/4/2012	2:00:08 PM	JS01	Chocolate Brown	Silt	Damp	Steep	60	B	Poplar	Grass Cover	Poor	Rocky Sample	Rocky Terrain
1290425	BET	7	628298	6966507	7/4/2012	2:19:27 PM	JS01	Light Brown	Silt	Dry	Steep	60	B	Poplar	Leaf Cover	Poor	Rocky	Rocky Terrain
1290426	BET	7	628297	6966507	7/4/2012	2:27:02 PM	JS01	Chocolate Brown	Silt	Damp	Steep	50	B	Poplar	Leaf Cover	Poor	Rocky	Rocky Terrain
1290427	BET	7	628299	6966556	7/4/2012	2:48:59 PM	JS01	Light Brown	Silt	Dry	Steep	40	B	Poplar	Leaf Cover	Poor	Rocky	Rocky Terrain
1290428	BET	7	628296	6966605	7/4/2012	3:06:36 PM	JS01	Light Brown	Silt	Dry	Steep	50	B	Poplar	Thin Moss Cover	Poor	Rocky Terrain	Rocky
1290429	BET	7	628298	6966656	7/4/2012	3:28:17 PM	JS01	Chocolate Brown	Silt	Dry	Steep	30	B	Poplar	Thin Moss Cover	Poor	Rocky	Rocky Terrain
1290430	BET	7	628297	6966708	7/4/2012	3:45:37 PM	JS01	Chocolate Brown	Silt	Dry	Steep	30	B	Poplar	Thin Moss Cover	Poor	Rocky	Rocky Terrain
1290431	BET	7	628298	6966806	7/4/2012	4:25:45 PM	JS01	Chocolate Brown	Silt	Dry	Steep	40	B	Birch Forest	Thin Moss Cover	Poor	Rocky	Rocky Terrain
1290432	BET	7	628298	6966859	7/4/2012	4:44:11 PM	JS01	Chocolate Brown	Silt	Dry	Steep	30	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Rocky	Rocky Terrain
1290433	BET	7	628296	6966905	7/4/2012	4:59:44 PM	JS01	Chocolate Brown	Silt	Dry	Steep	30	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Small Sample	Organic 10%
1290434	BET	7	628295	6966956	7/4/2012	5:16:50 PM	JS01	Grey	Sand	Damp	Steep	30	C	Birch Forest	Sphagnum Moss < 30cm	Poor	Rocky Terrain	Rocky Sample
1290435	BET	7	628298	6967056	7/4/2012	5:39:14 PM	JS01	Chocolate Brown	Sand	Damp	Steep	30	B	Birch Forest	Thin Moss Cover	Poor	Rocky Sample	Organic 10%
1290436	BET	7	628298	6967158	7/4/2012	5:51:20 PM	JS01	Chocolate Brown	Silt	Damp	Subtle Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky	Partially Frozen
1283484	BET	7	622296	6962406	7/4/2012	9:38:42 AM	KH01	Dark Grey Black	Sand	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	
1283483	BET	7	622296	6962457	7/4/2012	9:58:08 AM	KH01	Chocolate Brown	Sand	Wet	Subtle Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	Frozen
1283482	BET	7	622297	6962507	7/4/2012	10:15:47 AM	KH01	Dark Brown	Sand	Damp	Steep	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1283481	BET	7	622296	6962557	7/4/2012	10:31:22 AM	KH01	Dark Brown	Sand	Wet	Steep	70	C	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Coarse
1283480	BET	7	622297	6962607	7/4/2012	10:45:51 AM	KH01	Chocolate Brown	Sand	Damp	Steep	80	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1283479	BET	7	622297	6962657	7/4/2012	11:02:08 AM	KH01	Chocolate Brown	Sand	Damp	Steep	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Fine	
1283478	BET	7	622296	6962707	7/4/2012	11:20:55 AM	KH01	Chocolate Brown	Sand	Wet	Steep	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Mud	Rocky
1284972	BET	7	622197	6962659	7/4/2012	2:19:10 PM	KH01	Dark Grey Black	Sand	Damp	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Fine	Organic 10%
1284971	BET	7	622198	6962609	7/4/2012	2:33:52 PM	KH01	Dark Grey Black	Sand	Damp	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Organic 10%
1284970	BET	7	622197	6962559	7/4/2012	2:49:54 PM	KH01	Chocolate Brown	Sand	Wet	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Mud	Frozen
1284969	BET	7	622197	6962508	7/4/2012	3:15:20 PM	KH01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	Frozen
1284968	BET	7	622197	6962459	7/4/2012	3:30:49 PM	KH01	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Frozen
1284967	BET	7	622197	6962409	7/4/2012	3:45:19 PM	KH01	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Frozen
1284966	BET	7	622196	6962308	7/4/2012	4:24:19 PM	KH01	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1293431	BET	7	630397	6967256	7/4/2012	9:43:57 AM	MT01	Reddish Brown	Sand	Damp	Steep	40	C	Poplar	Rock Cover	Good	Rocky	Rocky Terrain
1293432	BET	7	630396	6967307	7/4/2012	10:05:47 AM	MT01	Reddish Brown	Sand	Damp	Steep	90	C	Poplar	Grass Cover	Good	Rocky	
1293433	BET	7	630396	6967356	7/4/2012	10:49:09 AM	MT01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Poplar	Grass Cover	Good	Clay	
1293434	BET	7	630397	6967405	7/4/2012	10:50:31 AM	MT01	Reddish Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Thin Moss Cover	Good	Rocky Terrain	
1293436	BET	7	630397	6967506	7/4/2012	11:24:01 AM	MT01	Light Brown	Sand	Damp	Pronounced Slope	60	B	Birch Forest	Grass Cover	Good	Rocky	
1293435	BET	7	630397	6967456	7/4/2012	11:26:06 AM	MT01	Grey	Sand	Damp	Pronounced Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Good		
1293437	BET	7	630396	6967555	7/4/2012	11:44:24 AM	MT01	Reddish Brown	Sand	Damp	Pronounced Slope	110	C	Birch Forest	Grass Cover	Excellent	Sandy	
1293438	BET	7	630397	6967607	7/4/2012	12:01:33 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	40	C	Birch Forest	Rock Cover	Good	Rocky	Rocky Terrain
1293439	BET	7	630398	6967656	7/4/2012	12:20:03 PM	MT01	Dark Brown	Sand	Dry	Subtle Slope	50	B	Birch Forest	Leaf Cover	Good	Rocky	
1293440	BET	7	630398	6967707	7/4/2012	12:41:00 PM	MT01	Chocolate Brown	Sand	Damp	Pronounced Slope	90	C	Poplar	Grass Cover	Excellent	Rocky	
1293441	BET	7	630397	6967756	7/4/2012	1:03:19 PM	MT01	Light Brown	Sand	Dry	Pronounced Slope	90	B	Black Spruce	Grass Cover	Good	Fine	
1293442	BET	7	630397	6967806	7/4/2012	1:22:22 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	B	White Spruce	Thin Moss Cover	Good	Fine	
1293443	BET	7	630396	6967858	7/4/2012	1:31:28 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1293444	BET	7	630397	6967907	7/4/2012	1:42:03 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	100	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Rocky	
1293445	BET	7	629997	6967856	7/4/2012	2:35:13 PM	MT01	Dark Brown	Silt	Dry	Subtle Slope	110	B	Poplar	Grass Cover	Good		
1293446	BET	7	629997	6967907	7/4/2012	3:01:05 PM	MT01	Dark Brown	Silt	Wet	Flat	50	B	Birch Forest	Grass Cover	Good	Mud	
1293447	BET	7	629897	6967907	7/4/2012	7:06:32 PM	MT01	Dark Brown	Sand	Wet	Flat	100	B	Birch Forest	Grass Cover	Good	Mud	
1293448	BET	7	629896	6967859	7/4/2012	7:09:52 PM	MT01	Dark Brown	Sand	Wet	Flat	100	B	Birch Forest	Grass Cover	Good	Mud	
1293449	BET	7	629897	6967808	7/4/2012	7:11:51 PM	MT01	Chocolate Brown	Sand	Wet	Flat	100	B	Birch Forest	Grass Cover	Good	Mud	
1293450	BET	7	629897	6967758	7/4/2012	7:15:16 PM	MT01	Chocolate Brown	Sand	Wet	Flat	80	B	Birch Forest	Grass Cover	Good	Mud	Partially Frozen

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1293452	BET	7	629897	6967709	7/4/2012	7:17:26 PM	MT01	Chocolate Brown	Sand	Wet	Flat	70	B	Birch Forest	Thin Moss Cover	Good	Mud	Partially Frozen
1293453	BET	7	629897	6967657	7/4/2012	7:19:36 PM	MT01	Dark Brown	Silt	Damp	Pronounced Slope	110	B	Birch Forest	Thin Moss Cover	Good	Mud	
1283192	BET	7	622496	6962907	7/4/2012	10:00:36 AM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Fine	Rocky
1283193	BET	7	622497	6962861	7/4/2012	10:11:33 AM	RL02	Bluish Grey	Sand	Damp	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Fine	Rocky Terrain
1283194	BET	7	622496	6962809	7/4/2012	10:38:39 AM	RL02	Dark Brown	Sand	Damp	Steep	80	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky Terrain
1283195	BET	7	622497	6962759	7/4/2012	10:56:51 AM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Poor	Talus	Coarse
1283196	BET	7	622497	6962709	7/4/2012	11:21:51 AM	RL02	Dark Grey Black	Sand	Damp	Steep	70	B	White Spruce	Sphagnum Moss > 30cm	Poor	Organic 25%	Talus
1283197	BET	7	622496	6962658	7/4/2012	11:38:09 AM	RL02	Dark Grey Black	Sand	Damp	Steep	70	B	White Spruce	Sphagnum Moss > 30cm	Poor	Small Sample	Talus
1283198	BET	7	622498	6962609	7/4/2012	11:51:41 AM	RL02	Grey	Sand	Damp	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Talus
1283199	BET	7	622496	6962508	7/4/2012	12:21:51 PM	RL02	Grey	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Rocky
1283200	BET	7	622496	6962458	7/4/2012	12:36:14 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Rocky
1283802	BET	7	622497	6962408	7/4/2012	12:51:24 PM	RL02	Chocolate Brown	Gravel	Wet	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Rocky
1283803	BET	7	622497	6962359	7/4/2012	1:04:54 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Dwarf Birch	Sphagnum Moss > 30cm	Good	Coarse	Rocky
1283804	BET	7	622497	6962309	7/4/2012	1:23:19 PM	RL02	Chocolate Brown	Sand	Wet	Pronounced Slope	60	C	Dwarf Birch	Sphagnum Moss > 30cm	Good	Bright Orange Rust	Coarse
1283805	BET	7	622497	6962259	7/4/2012	1:37:28 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Rocky
1283806	BET	7	622497	6962208	7/4/2012	1:48:07 PM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Bright Orange Rust
1283807	BET	7	622497	6962158	7/4/2012	1:58:59 PM	RL02	Chocolate Brown	Sand	Wet	Subtle Slope	50	C	Dwarf Birch	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1283808	BET	7	622496	6962107	7/4/2012	2:12:24 PM	RL02	Chocolate Brown	Sand	Wet	Subtle Slope	30	C	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Rocky
1283809	BET	7	622497	6962058	7/4/2012	2:24:46 PM	RL02	Chocolate Brown	Sand	Wet	Subtle Slope	40	C	Dwarf Birch	Sphagnum Moss > 30cm	Good	Coarse	Mud
1283810	BET	7	622497	6962008	7/4/2012	2:37:06 PM	RL02	Chocolate Brown	Sand	Wet	Subtle Slope	40	C	Dwarf Birch	Sphagnum Moss > 30cm	Good	Coarse	Rocky
1283811	BET	7	622497	6961958	7/4/2012	2:48:37 PM	RL02	Chocolate Brown	Sand	Wet	Subtle Slope	40	C	Dwarf Birch	Sphagnum Moss > 30cm	Good	Coarse	Rocky
1283812	BET	7	622496	6961908	7/4/2012	2:58:56 PM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Rocky
1283813	BET	7	622597	6961907	7/4/2012	3:13:27 PM	RL02	Chocolate Brown	Sand	Wet	Subtle Slope	50	C	Dwarf Birch	Sphagnum Moss > 30cm	Good	Coarse	Mud
1283814	BET	7	622597	6961956	7/4/2012	3:24:26 PM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Dwarf Birch	Sphagnum Moss > 30cm	Excellent	Coarse	Quartz Chips
1283815	BET	7	622598	6962006	7/4/2012	3:34:08 PM	RL02	Chocolate Brown	Sand	Wet	Subtle Slope	60	C	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Mud
1283816	BET	7	622597	6962056	7/4/2012	3:47:09 PM	RL02	Chocolate Brown	Sand	Wet	Subtle Slope	60	C	Dwarf Birch	Sphagnum Moss > 30cm	Good	Coarse	Rocky
1283817	BET	7	622597	6962106	7/4/2012	3:56:33 PM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Dwarf Birch	Sphagnum Moss > 30cm	Excellent	Coarse	Quartz Chips
1283818	BET	7	622598	6962156	7/4/2012	4:07:16 PM	RL02	Chocolate Brown	Sand	Wet	Subtle Slope	50	C	Dwarf Birch	Sphagnum Moss > 30cm	Good	Coarse	Mud
1283819	BET	7	622597	6962206	7/4/2012	4:15:53 PM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	40	C	Dwarf Birch	Sphagnum Moss > 30cm	Good	Bright Orange Rust	Partially Frozen
1283820	BET	7	622597	6962256	7/4/2012	4:24:57 PM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Dwarf Birch	Sphagnum Moss > 30cm	Excellent	Coarse	Quartz Chips
1283821	BET	7	622597	6962306	7/4/2012	4:34:30 PM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Dwarf Birch	Sphagnum Moss > 30cm	Good	Coarse	Rocky
1283822	BET	7	622597	6962356	7/4/2012	4:46:29 PM	RL02	Chocolate Brown	Sand	Wet	Subtle Slope	50	C	Black Spruce	Sphagnum Moss > 30cm	Good	Bright Orange Rust	Partially Frozen
1283377	BET	7	622397	6962861	7/4/2012	10:27:54 AM	RM01	Dark Brown	Gravel	Damp	Steep	50	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Coarse	Rocky
1283378	BET	7	622396	6962557	7/4/2012	12:28:25 PM	RM01	Dark Brown	Sand	Wet	Steep	80	B	Birch Forest	Sphagnum Moss > 30cm	Poor	Coarse	Rocky
1283379	BET	7	622396	6962508	7/4/2012	12:47:46 PM	RM01	Chocolate Brown	Gravel	Wet	Steep	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Mud
1283380	BET	7	622397	6962458	7/4/2012	1:03:34 PM	RM01	Chocolate Brown	Gravel	Wet	Steep	70	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1283381	BET	7	622397	6962408	7/4/2012	1:20:12 PM	RM01	Dark Brown	Gravel	Wet	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	
1283382	BET	7	622397	6962358	7/4/2012	1:45:58 PM	RM01	Dark Brown	Clay	Wet	Steep	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	
1283383	BET	7	622396	6962257	7/4/2012	2:14:17 PM	RM01	Dark Brown	Gravel	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	Mud
1283384	BET	7	622397	6962208	7/4/2012	2:27:46 PM	RM01	Chocolate Brown	Gravel	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	Mud
1283385	BET	7	622396	6962157	7/4/2012	2:49:54 PM	RM01	Grey	Clay	Wet	Pronounced Slope	40	B	Alders	Sphagnum Moss < 30cm	Poor	Frozen	
1283851	BET	7	622397	6962107	7/4/2012	3:01:26 PM	RM01	Chocolate Brown	Gravel	Wet	Pronounced Slope	60	B	Alders	Sphagnum Moss < 30cm	Poor	Coarse	Mud
1283386	BET	7	622397	6962057	7/4/2012	3:18:19 PM	RM01	Chocolate Brown	Sand	Wet	Pronounced Slope	50	B	Alders	Reindeer Moss	Good	Coarse	Mud
1283387	BET	7	622396	6962008	7/4/2012	3:30:38 PM	RM01	Chocolate Brown	Gravel	Damp	Subtle Slope	50	B	Alders	Reindeer Moss	Poor	Coarse	
1283388	BET	7	622397	6961957	7/4/2012	3:47:01 PM	RM01	Chocolate Brown	Gravel	Damp	Subtle Slope	60	B	Black Spruce	Reindeer Moss	Good	Coarse	
1283389	BET	7	622396	6961907	7/4/2012	4:02:56 PM	RM01	Chocolate Brown	Gravel	Damp	Subtle Slope	70	B	Alders	Reindeer Moss	Good	Coarse	
1283390	BET	7	622297	6961906	7/4/2012	4:25:59 PM	RM01	Chocolate Brown	Gravel	Wet	Subtle Slope	70	C	Black Spruce	Reindeer Moss	Good	Mud	
1283391	BET	7	622296	6961956	7/4/2012	4:45:34 PM	RM01	Chocolate Brown	Gravel	Wet	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Poor	Coarse	Mud
1292540	BET	7	628196	6965756	7/4/2012	10:00:59 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Grass Cover	Good	Coarse	
1292541	BET	7	628195	6965807	7/4/2012	10:13:10 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1292542	BET	7	628197	6965855	7/4/2012	10:25:37 AM	RR01	Reddish Yellow	Sand	Damp	Pronounced Slope	50	C	Birch Forest	Leaf Cover	Excellent	Coarse	
1292543	BET	7	628196	6965906	7/4/2012	10:41:34 AM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Rocky	
1292544	BET	7	628195	6965956	7/4/2012	10:54:46 AM	RR01	Chocolate Brown	Gravel	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky Terrain	Rocky
1292545	BET	7	628198	6966006	7/4/2012	11:06:01 AM	RR01	Chocolate Brown	Gravel	Damp	Pronounced Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1292546	BET	7	628197	6966055	7/4/2012	11:28:37 AM	RR01	Chocolate Brown	Gravel	Damp	Pronounced Slope	40	B	Birch Forest	Rock Cover	Good	Organic 25%	Talus
1292547	BET	7	628196	6966106	7/4/2012	11:50:12 AM	RR01	Chocolate Brown	Gravel	Wet	Steep	30	B	Black Spruce	Sphagnum Moss > 30cm	Good	Rocky	Rocky Sample
1292548	BET	7	628198	6966156	7/4/2012	12:07:43 PM	RR01	Grey	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Sphagnum Moss > 30cm	Good	Coarse	Rocky
1292549	BET	7	628199	6966207	7/4/2012	12:19:31 PM	RR01	Grey	Sand	Damp	Pronounced Slope	80	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Quartz Chips
1292550	BET	7	628198	6966256	7/4/2012	12:32:37 PM	RR01	Bluish Grey	Sand	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Dull Red Rust
1292552	BET	7	628198	6966306	7/4/2012	1:05:44 PM	RR01	Chocolate Brown	Gravel	Wet	Pronounced Slope	60	B	Birch Forest	Sphagnum Moss > 30cm	Good	Rocky	Quartz Chips
1292553	BET	7	628197	6966358	7/4/2012	1:17:22 PM	RR01	Grey	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Grass Cover	Excellent	Coarse	Rocky
1292554	BET	7	628197	6966407	7/4/2012	1:45:56 PM	RR01	Dark Grey Black	Sand	Damp	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1292555	BET	7	628196	6966454	7/4/2012	1:56:10 PM	RR01	Grey	Sand	Damp	Pronounced Slope	80	C	Alders	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1292556	BET	7	628198	6966506	7/4/2012	2:05:39 PM	RR01	Grey	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	
1292557	BET	7	628198	6966556	7/4/2012	2:17:23 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Sphagnum Moss < 30cm	Excellent	Coarse	
1292558	BET	7	628197	6966607	7/4/2012	2:27:55 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent	Coarse	
1292559	BET	7	628197	6966655	7/4/2012	2:51:15 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Poplar	Sphagnum Moss < 30cm	Good	Sandy	Organic 10%
1292560	BET	7	628196	6966756	7/4/2012	3:29:42 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	Sandy
1292561	BET	7	628196	6966806	7/4/2012	3:51:22 PM	RR01	Light Brown	Silt	Dry	Pronounced Slope	30	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Rocky Sample	Rocky Terrain
1292562	BET	7	628198	6966857	7/4/2012	4:23:15 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	Sandy
1292563	BET	7	628197	6966908	7/4/2012	4:36:06 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Sandy
1292564	BET	7	628196	6967057	7/4/2012	5:31:20 PM	RR01	Grey	Sand	Wet	Steep	40	C	Black Spruce	Sphagnum Moss > 30cm	Good	Organic 10%	Partially Frozen
1292565	BET	7	628199	6967107	7/4/2012	5:46:15 PM	RR01	Chocolate Brown	Gravel	Wet	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Rocky	
1292566	BET	7	628198	6967158	7/4/2012	5:58:52 PM	RR01	Dark Grey Black	Gravel	Wet	Subtle Slope	60	C	Black Spruce	Reindeer Moss	Good	Partially Frozen	
1271611	BET	7	618898	6965157	7/4/2012	10:07:41 AM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Fine	Rocky
1271612	BET	7	618896	6965206	7/4/2012	10:19:17 AM	RR02	Dark Brown	Silt	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	
1271613	BET	7	618896	6965257	7/4/2012	10:33:38 AM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1271614	BET	7	618895	6965308	7/4/2012	10:48:01 AM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	50	B	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1271615	BET	7	618896	6965356	7/4/2012	11:05:47 AM	RR02	Reddish Brown	Sand	Damp	Subtle Slope	70	C	White Spruce	Thin Moss Cover	Excellent	Coarse	Dull Red Rust
1271616	BET	7	618896	6965407	7/4/2012	11:38:06 AM	RR02	Light Brown	Silt	Damp	Subtle Slope	50	B	Poplar	Leaf Cover	Good	Coarse	
1271617	BET	7	618897	6965458	7/4/2012	11:49:57 AM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	White Spruce	Thin Moss Cover	Good	Bright Orange Rust	Fine
1271618	BET	7	618897	6965508	7/4/2012	12:00:16 PM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	70	B	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1271619	BET	7	618897	6965559	7/4/2012	12:17:19 PM	RR02	Reddish Orange	Sand	Damp	Subtle Slope	110	C	Birch Forest	Leaf Cover	Excellent	Bright Orange Rust	Coarse
1271620	BET	7	618897	6965608	7/4/2012	12:27:41 PM	RR02	Reddish Yellow	Sand	Damp	Subtle Slope	50	C	Poplar	Leaf Cover	Excellent	Coarse	Bright Orange Rust

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1271621	BET	7	618896	6965657	7/4/2012	12:45:09 PM	RR02	Reddish Yellow	Sand	Damp	Subtle Slope	50	C	Poplar	Leaf Cover	Excellent	Coarse	
1271622	BET	7	618897	6965708	7/4/2012	1:02:21 PM	RR02	Reddish Yellow	Sand	Damp	Subtle Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	
1271623	BET	7	618897	6965758	7/4/2012	1:20:15 PM	RR02	Reddish Yellow	Sand	Damp	Subtle Slope	50	C	Poplar	Leaf Cover	Excellent	Coarse	
1271624	BET	7	618897	6965808	7/4/2012	1:33:05 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	
1271627	BET	7	618996	6965809	7/4/2012	1:52:03 PM	RR02	Reddish Yellow	Sand	Wet	Subtle Slope	40	B	Poplar	Leaf Cover	Good	Fine	Rocky Sample
1271625	BET	7	618996	6965755	7/4/2012	2:02:48 PM	RR02	Reddish Yellow	Sand	Damp	Subtle Slope	60	C	Poplar	Leaf Cover	Good	Coarse	
1271626	BET	7	618996	6965755	7/4/2012	2:09:48 PM	RR02	Reddish Yellow	Sand	Damp	Subtle Slope	60	C	Poplar	Leaf Cover	Good	Coarse	
1271628	BET	7	618996	6965709	7/4/2012	2:22:26 PM	RR02	Reddish Yellow	Sand	Damp	Subtle Slope	100	C	White Spruce	Thin Moss Cover	Good	Coarse	
1271629	BET	7	618997	6965659	7/4/2012	2:34:23 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Coarse
1271630	BET	7	618996	6965609	7/4/2012	2:46:03 PM	RR02	Dark Brown	Silt	Damp	Subtle Slope	50	B	Birch Forest	Leaf Cover	Good	Fine	
1271631	BET	7	618996	6965558	7/4/2012	2:54:26 PM	RR02	Greyish Green	Silt	Damp	Subtle Slope	50	C	Poplar	Grass Cover	Good	Coarse	
1271632	BET	7	618995	6965508	7/4/2012	3:05:31 PM	RR02	Greyish Green	Sand	Damp	Subtle Slope	90	C	Birch Forest	Leaf Cover	Excellent	Coarse	
1271633	BET	7	618996	6965456	7/4/2012	3:17:37 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	
1271634	BET	7	618995	6965407	7/4/2012	3:27:18 PM	RR02	Reddish Brown	Sand	Damp	Subtle Slope	50	C	Poplar	Leaf Cover	Good	Fine	
1271635	BET	7	618997	6965357	7/4/2012	3:49:59 PM	RR02	Reddish Yellow	Gravel	Wet	Flat	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Wet Soil	Partially Frozen
1271636	BET	7	618998	6965306	7/4/2012	4:02:49 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1271637	BET	7	618997	6965258	7/4/2012	4:18:19 PM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Partially Frozen
1271638	BET	7	618995	6965207	7/4/2012	4:41:43 PM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	
1271639	BET	7	618997	6965157	7/4/2012	4:57:00 PM	RR02	Dark Brown	Silt	Wet	Pronounced Slope	80	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Partially Frozen	Organic 10%
1292992	BET	7	628396	6965408	7/4/2012	9:58:06 AM	SC01	Chocolate Brown	Silt	Dry	Steep	40	B	Poplar	Grass Cover	Poor	Loess	Rocky
1292993	BET	7	628396	6965457	7/4/2012	10:12:12 AM	SC01	Chocolate Brown	Silt	Dry	Steep	40	B	Poplar	Grass Cover	Poor	Rocky	Loess
1292994	BET	7	628397	6965507	7/4/2012	10:23:54 AM	SC01	Chocolate Brown	Silt	Dry	Steep	50	B	Poplar	Grass Cover	Poor	Rocky	
1292995	BET	7	628397	6965557	7/4/2012	10:33:18 AM	SC01	Reddish Brown	Sand	Dry	Steep	50	B	Poplar	Grass Cover	Good	Rocky	
1292996	BET	7	628396	6965608	7/4/2012	10:45:02 AM	SC01	Chocolate Brown	Silt	Dry	Steep	50	B	Poplar	Leaf Cover	Poor	Rocky	
1292997	BET	7	628398	6965657	7/4/2012	10:58:55 AM	SC01	Light Brown	Silt	Dry	Pronounced Slope	30	B	White Spruce	Leaf Cover	Poor	Rocky	Outcrop Nearby
1292998	BET	7	628395	6965707	7/4/2012	11:10:54 AM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Poplar	Sphagnum Moss < 30cm	Good	Rocky	
1292999	BET	7	628396	6965756	7/4/2012	11:22:33 AM	SC01	Chocolate Brown	Silt	Dry	Steep	60	B	Poplar	Leaf Cover	Good	Rocky	Bright Orange Rust
1293000	BET	7	628397	6965808	7/4/2012	11:35:20 AM	SC01	Dark Brown	Sand	Damp	Steep	40	B	Poplar	Leaf Cover	Good	Rocky	
1293302	BET	7	628396	6965856	7/4/2012	11:57:26 AM	SC01	Dark Brown	Silt	Dry	Steep	60	B	Poplar	Leaf Cover	Poor	Rocky	
1293303	BET	7	628398	6965908	7/4/2012	12:17:48 PM	SC01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Poplar	Leaf Cover	Good	Rocky	Sandy
1293304	BET	7	628396	6965957	7/4/2012	12:30:05 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Rocky	
1293305	BET	7	628396	6966007	7/4/2012	12:44:03 PM	SC01	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Poplar	Leaf Cover	Poor	Rocky	
1293306	BET	7	628397	6966056	7/4/2012	12:53:32 PM	SC01	Grey	Sand	Damp	Steep	80	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky Terrain	
1293307	BET	7	628395	6966108	7/4/2012	1:09:23 PM	SC01	Grey	Sand	Damp	Steep	40	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky Terrain	
1293308	BET	7	628397	6966159	7/4/2012	1:22:31 PM	SC01	Bluish Grey	Sand	Damp	Pronounced Slope	90	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	
1293309	BET	7	628398	6966206	7/4/2012	1:34:35 PM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	70	B	Poplar	Leaf Cover	Good	Bright Orange Rust	Rocky
1293310	BET	7	628397	6966256	7/4/2012	1:46:52 PM	SC01	Light Brown	Sand	Damp	Pronounced Slope	40	B	Subalpine Fir	Leaf Cover	Poor	Rocky	
1293311	BET	7	628399	6966307	7/4/2012	1:58:29 PM	SC01	Light Brown	Sand	Damp	Pronounced Slope	90	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1293312	BET	7	628398	6966356	7/4/2012	2:11:15 PM	SC01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Poplar	Grass Cover	Poor	Rocky	
1293313	BET	7	628399	6966407	7/4/2012	2:30:35 PM	SC01	Chocolate Brown	Silt	Damp	Pronounced Slope	30	B	Poplar	Grass Cover	Poor	Rocky	Outcrop Nearby
1293314	BET	7	628396	6966507	7/4/2012	3:00:22 PM	SC01	Dark Brown	Silt	Damp	Steep	50	B	Poplar	Leaf Cover	Poor	Rocky	
1293315	BET	7	628397	6966557	7/4/2012	3:24:41 PM	SC01	Dark Brown	Sand	Dry	Pronounced Slope	30	B	Poplar	Grass Cover	Good	Rocky Terrain	
1293316	BET	7	628399	6966607	7/4/2012	3:36:08 PM	SC01	Dark Brown	Sand	Damp	Steep	30	C	Birch Forest	Sphagnum Moss < 30cm	Poor	Rocky Sample	Rocky Terrain
1293317	BET	7	628396	6966657	7/4/2012	3:50:16 PM	SC01	Chocolate Brown	Silt	Damp	Steep	50	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Rocky Terrain	
1293318	BET	7	628396	6966707	7/4/2012	4:05:34 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Rocky Sample	Rocky Terrain
1293319	BET	7	628398	6966756	7/4/2012	4:26:44 PM	SC01	Dark Brown	Silt	Damp	Steep	60	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Rocky Terrain	
1293320	BET	7	628398	6966807	7/4/2012	4:37:38 PM	SC01	Dark Brown	Sand	Damp	Steep	30	B	Alders	Sphagnum Moss < 30cm	Poor	Rocky Terrain	
1293321	BET	7	628399	6966858	7/4/2012	4:57:31 PM	SC01	Dark Brown	Silt	Dry	Steep	40	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Rocky Sample	Small Sample
1293322	BET	7	628396	6966907	7/4/2012	5:09:46 PM	SC01	Dark Brown	Silt	Dry	Steep	70	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Small Sample	Rocky Terrain
1293323	BET	7	628297	6967209	7/4/2012	5:58:58 PM	SC01	Dark Grey Black	Silt	Wet	Flat	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Mud	Possible Creek Contamination
1271405	BET	7	619597	6965158	7/4/2012	9:36:49 AM	SD02	Dark Brown	Sand	Damp	Steep	40	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Organic 10%	Rocky
1271406	BET	7	619598	6965206	7/4/2012	9:45:12 AM	SD02	Grey	Sand	Damp	Subtle Slope	40	C	Willows	Sphagnum Moss < 30cm	Excellent	Rocky	
1271407	BET	7	619598	6965256	7/4/2012	9:54:47 AM	SD02	Grey	Silt	Damp	Subtle Slope	40	B	Willows	Sphagnum Moss < 30cm	Good	Possible Creek Contamination	Rocky
1271408	BET	7	619597	6965305	7/4/2012	10:03:56 AM	SD02	Dark Brown	Sand	Damp	Subtle Slope	80	B	Willows	Sphagnum Moss < 30cm	Good	Possible Creek Contamination	
1271409	BET	7	619598	6965357	7/4/2012	10:13:19 AM	SD02	Chocolate Brown	Gravel	Dry	Subtle Slope	40	C	Birch Forest	Grass Cover	Excellent	Rocky	
1271410	BET	7	619599	6965408	7/4/2012	10:22:04 AM	SD02	Dark Grey Black	Silt	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	Bright Orange Rust
1271411	BET	7	619598	6965458	7/4/2012	10:30:33 AM	SD02	Light Brown	Gravel	Damp	Subtle Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Rocky
1271412	BET	7	619597	6965507	7/4/2012	10:39:01 AM	SD02	Dark Brown	Silt	Damp	Subtle Slope	50	B	Willows	Sphagnum Moss < 30cm	Good	Frozen	Bright Orange Rust
1271413	BET	7	619597	6965557	7/4/2012	10:49:28 AM	SD02	Dark Brown	Gravel	Damp	Subtle Slope	70	C	Willows	Sphagnum Moss < 30cm	Excellent	Rocky	
1271414	BET	7	619598	6965607	7/4/2012	10:58:23 AM	SD02	Dark Brown	Sand	Damp	Subtle Slope	80	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Quartz Chips
1271415	BET	7	619596	6965658	7/4/2012	11:07:43 AM	SD02	Dark Brown	Gravel	Damp	Subtle Slope	60	C	Alders	Sphagnum Moss < 30cm	Excellent	Possible Creek Contamination	
1271416	BET	7	619597	6965708	7/4/2012	11:16:40 AM	SD02	Dark Brown	Gravel	Damp	Subtle Slope	40	C	Alders	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Rocky
1271417	BET	7	619598	6965758	7/4/2012	11:26:11 AM	SD02	Light Brown	Gravel	Dry	Subtle Slope	50	C	Willows	Sphagnum Moss < 30cm	Excellent	Rocky	
1271418	BET	7	619597	6965808	7/4/2012	11:36:52 AM	SD02	Dark Brown	Silt	Damp	Subtle Slope	80	B	Birch Forest	Sphagnum Moss < 30cm	Good	Bright Orange Rust	
1271419	BET	7	619498	6965807	7/4/2012	11:58:20 AM	SD02	Chocolate Brown	Silt	Damp	Subtle Slope	40	B	Birch Forest	Leaf Cover	Good	Rocky	
1271420	BET	7	619498	6965758	7/4/2012	12:06:21 PM	SD02	Dark Brown	Silt	Damp	Subtle Slope	50	B	Birch Forest	Leaf Cover	Good	Rocky	
1271421	BET	7	619497	6965707	7/4/2012	12:15:00 PM	SD02	Light Brown	Gravel	Dry	Subtle Slope	40	C	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	Quartz Chips
1271422	BET	7	619497	6965657	7/4/2012	12:23:27 PM	SD02	Dark Brown	Sand	Damp	Subtle Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Rocky
1271423	BET	7	619498	6965607	7/4/2012	12:31:20 PM	SD02	Chocolate Brown	Sand	Dry	Subtle Slope	40	B	Birch Forest	Leaf Cover	Good	Rocky	
1271424	BET	7	619497	6965557	7/4/2012	12:39:18 PM	SD02	Dark Blue Black	Sand	Damp	Subtle Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1271425	BET	7	619497	6965506	7/4/2012	12:48:08 PM	SD02	Grey	Sand	Damp	Subtle Slope	80	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Bright Orange Rust
1271426	BET	7	619497	6965506	7/4/2012	12:49:26 PM	SD02	Grey	Sand	Damp	Subtle Slope	80	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Bright Orange Rust
1271427	BET	7	619496	6965457	7/4/2012	1:10:17 PM	SD02	Light Brown	Gravel	Dry	Subtle Slope	50	C	Birch Forest	Leaf Cover	Excellent	Fine	Rocky
1271428	BET	7	619497	6965407	7/4/2012	1:20:30 PM	SD02	Light Brown	Sand	Damp	Subtle Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	
1271429	BET	7	619497	6965356	7/4/2012	1:32:20 PM	SD02	Dark Brown	Sand	Dry	Subtle Slope	90	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Fine	
1271430	BET	7	619498	6965306	7/4/2012	1:58:49 PM	SD02	Dark Brown	Sand	Damp	Subtle Slope	100	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	
1271431	BET	7	619497	6965257	7/4/2012	2:00:14 PM	SD02	Dark Grey Black	Gravel	Wet	Steep	60	C	Black Spruce	Bare Soil	Poor	Wet Soil	
1271432	BET	7	619497	6965207	7/4/2012	2:09:44 PM	SD02	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Partially Frozen
1271433	BET	7	619497	6965158	7/4/2012	2:23:06 PM	SD02	Dark Grey Black	Silt	Damp	Steep	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	Dull Red Rust
1271513	BET	7	618896	6962905	7/5/2012	10:34:04 AM	BH01	Dark Brown	Silt	Damp	Subtle Slope	40	B	Black Spruce	Grass Cover	Good	Partially Frozen	Possible Creek Contamination
1271514	BET	7	618901	6962958	7/5/2012	10:47:20 AM	BH01	Dark Brown	Clay	Damp	Subtle Slope	80	B	Alders	Leaf Cover	Good		
1271515	BET	7	618897	6963006	7/5/2012	10:59:41 AM	BH01	Dark Brown	Silt	Wet	Subtle Slope	60	B	Alders	Bare Soil	Good	Mud	Possible Creek Contamination
1271516	BET	7	618898	6963055	7/5/2012	11:11:17 AM	BH01	Dark Brown	Gravel	Damp	Flat	60	B	Alders	Leaf Cover	Good	Rocky	
1271517	BET	7	618898	6963110	7/5/2012	11:24:46 AM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Alders	Leaf Cover	Good	Rocky	

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1271518	BET	7	618896	6963155	7/5/2012	11:34:25 AM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	B	Birch Forest	Leaf Cover	Good	Rocky	
1271519	BET	7	618899	6963205	7/5/2012	11:44:40 AM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Alders	Leaf Cover	Good	Rocky	
1271520	BET	7	618898	6963257	7/5/2012	11:54:55 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Alders	Leaf Cover	Good	Rocky	
1271521	BET	7	618896	6963306	7/5/2012	12:06:40 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Birch Forest	Leaf Cover	Good	Rocky	
1271522	BET	7	618898	6963357	7/5/2012	12:18:48 PM	BH01	Chocolate Brown	Gravel	Damp	Pronounced Slope	80	B	Poplar	Leaf Cover	Good	Rocky Sample	
1271523	BET	7	618898	6963406	7/5/2012	12:30:18 PM	BH01	Dark Brown	Silt	Dry	Pronounced Slope	70	B	Alders	Leaf Cover	Good	Rocky	
1271524	BET	7	618896	6963459	7/5/2012	12:49:17 PM	BH01	Chocolate Brown	Gravel	Damp	Pronounced Slope	70	B	Poplar	Leaf Cover	Good	Rocky	
1271525	BET	7	618897	6963507	7/5/2012	12:59:37 PM	BH01	Dark Brown	Clay	Damp	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Rocky	Rocky Sample
1271526	BET	7	618897	6963507	7/5/2012	1:05:28 PM	BH01	Dark Brown	Clay	Damp	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Rocky	Rocky Sample
1271527	BET	7	618896	6963556	7/5/2012	1:16:19 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Alders	Leaf Cover	Good	Mud	Rocky
1271528	BET	7	618897	6963607	7/5/2012	1:27:10 PM	BH01	Dark Brown	Gravel	Damp	Pronounced Slope	40	B	Alders	Leaf Cover	Good	Rocky Sample	
1271529	BET	7	618898	6963654	7/5/2012	1:36:40 PM	BH01	Chocolate Brown	Clay	Damp	Flat	50	B	Alders	Reindeer Moss	Good	Rocky	
1271530	BET	7	618796	6963657	7/5/2012	2:05:47 PM	BH01	Chocolate Brown	Gravel	Damp	Subtle Slope	40	B	Alders	Bare Soil	Good	Rocky Sample	Small Sample
1271531	BET	7	618794	6963608	7/5/2012	2:17:08 PM	BH01	Chocolate Brown	Gravel	Dry	Pronounced Slope	50	B	Alders	Grass Cover	Good	Rocky	Rocky Sample
1271532	BET	7	618795	6963555	7/5/2012	2:25:38 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Alders	Leaf Cover	Good	Rocky	
1271533	BET	7	618796	6963507	7/5/2012	2:35:10 PM	BH01	Chocolate Brown	Gravel	Damp	Pronounced Slope	60	B	Alders	Bare Soil	Good	Rocky	Small Sample
1271534	BET	7	618796	6963457	7/5/2012	2:44:22 PM	BH01	Chocolate Brown	Gravel	Dry	Pronounced Slope	50	B	Alders	Leaf Cover	Good	Rocky	Bright Orange Rust
1271535	BET	7	618797	6963410	7/5/2012	2:53:05 PM	BH01	Chocolate Brown	Gravel	Damp	Pronounced Slope	60	B	Alders	Leaf Cover	Good	Rocky	
1271536	BET	7	618797	6963357	7/5/2012	3:09:06 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	A	Alders	Leaf Cover	Good	Rocky	
1271537	BET	7	618795	6963306	7/5/2012	3:19:30 PM	BH01	Dark Brown	Silt	Dry	Steep	60	B	Alders	Leaf Cover	Good	Rocky	
1271538	BET	7	618799	6963258	7/5/2012	3:28:21 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	C	Alders	Bare Soil	Good	Rocky	
1271539	BET	7	618797	6963210	7/5/2012	3:37:30 PM	BH01	Dark Brown	Silt	Dry	Pronounced Slope	40	B	Alders	Bare Soil	Good	Rocky	
1271540	BET	7	618797	6963156	7/5/2012	3:47:09 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Alders	Bare Soil	Good	Rocky	
1271541	BET	7	618798	6963103	7/5/2012	3:59:00 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Alders	Leaf Cover	Good	Mud	Rocky
1271542	BET	7	618797	6963053	7/5/2012	4:19:20 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	120	C	Alders	Leaf Cover	Good		
1271543	BET	7	618797	6962999	7/5/2012	4:29:57 PM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Alders	Leaf Cover	Good	Rocky Sample	
1271544	BET	7	618798	6962958	7/5/2012	4:41:47 PM	BH01	Dark Brown	Clay	Damp	Pronounced Slope	70	B	Alders	Leaf Cover	Good	Mud	Rocky
1271545	BET	7	618797	6962908	7/5/2012	4:53:26 PM	BH01	Chocolate Brown	Gravel	Wet	Pronounced Slope	60	B	Alders	Thin Moss Cover	Poor	Possible Creek Contamination	
1293229	BET	7	627896	6965757	7/5/2012	10:26:53 AM	CK01	Chocolate Brown	Sand	Damp	Steep	80	C	Poplar	Grass Cover	Excellent	Rusty Rock Chip	
1293226	BET	7	627893	6965757	7/5/2012	10:37:00 AM	CK01	Chocolate Brown	Sand	Damp	Steep	90	C	Poplar	Grass Cover	Excellent	Rusty Rock Chip	
1293230	BET	7	627897	6965808	7/5/2012	10:50:23 AM	CK01	Chocolate Brown	Sand	Damp	Subtle Slope	70	B	Poplar	Leaf Cover	Good	Rusty Rock Chip	
1293231	BET	7	627897	6965857	7/5/2012	11:00:50 AM	CK01	Chocolate Brown	Sand	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	
1293232	BET	7	627897	6965908	7/5/2012	11:11:58 AM	CK01	Chocolate Brown	Sand	Damp	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Good	Fine	Bright Orange Rust
1293233	BET	7	627897	6965958	7/5/2012	11:24:20 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	Rusty Rock Chip
1293234	BET	7	627896	6966008	7/5/2012	11:35:00 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	30	B	Black Spruce	Reindeer Moss	Good	Rusty Rock Chip	Rocky Terrain
1293235	BET	7	627897	6966057	7/5/2012	11:43:53 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Rusty Rock Chip
1293236	BET	7	627897	6966108	7/5/2012	11:53:43 AM	CK01	Dark Brown	Sand	Damp	Pronounced Slope	30	B	Black Spruce	Reindeer Moss	Good	Fine	Partially Frozen
1293237	BET	7	627897	6966158	7/5/2012	12:07:27 PM	CK01	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1293238	BET	7	627897	6966209	7/5/2012	12:17:35 PM	CK01	Chocolate Brown	Silt	Damp	Steep	40	B	Poplar	Reindeer Moss	Good	Rocky Terrain	Partially Frozen
1293239	BET	7	627897	6966258	7/5/2012	12:36:39 PM	CK01	Chocolate Brown	Silt	Damp	Steep	50	B	Poplar	Sphagnum Moss < 30cm	Good	Coarse	Partially Frozen
1293240	BET	7	627897	6966308	7/5/2012	12:54:07 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Poplar	Thin Moss Cover	Good	Rusty Rock Chip	Rocky Terrain
1293241	BET	7	627897	6966359	7/5/2012	1:20:10 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Poplar	Sphagnum Moss < 30cm	Good	Fine	Rocky Terrain
1293242	BET	7	627897	6966408	7/5/2012	1:42:10 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Poplar	Thin Moss Cover	Good	Fine	Rocky Terrain
1293243	BET	7	627897	6966457	7/5/2012	2:07:41 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Poplar	Grass Cover	Good	Rocky Terrain	
1293244	BET	7	627896	6966506	7/5/2012	2:23:17 PM	CK01	Chocolate Brown	Sand	Damp	Steep	50	B	Poplar	Thin Moss Cover	Good	Fine	Rocky Terrain
1293245	BET	7	627897	6966556	7/5/2012	2:39:04 PM	CK01	Chocolate Brown	Sand	Damp	Steep	70	C	Black Spruce	Leaf Cover	Good	Fine	Rusty Rock Chip
1293246	BET	7	627897	6966606	7/5/2012	2:52:23 PM	CK01	Chocolate Brown	Sand	Damp	Steep	70	B	White Spruce	Thin Moss Cover	Good	Rusty Rock Chip	Rocky Terrain
1293247	BET	7	627897	6966657	7/5/2012	3:03:48 PM	CK01	Chocolate Brown	Sand	Damp	Steep	60	C	Poplar	Thin Moss Cover	Good	Fine	Rocky Terrain
1293248	BET	7	627897	6966706	7/5/2012	3:17:54 PM	CK01	Chocolate Brown	Sand	Damp	Steep	50	B	Poplar	Thin Moss Cover	Good	Rusty Rock Chip	Rocky Terrain
1293249	BET	7	627897	6966756	7/5/2012	3:38:06 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Poplar	Thin Moss Cover	Good	Quartz Chips	Rocky Terrain
1293250	BET	7	627897	6966807	7/5/2012	3:56:18 PM	CK01	Chocolate Brown	Sand	Damp	Steep	50	B	Poplar	Grass Cover	Good	Fine	Rocky Terrain
1293253	BET	7	627897	6966857	7/5/2012	4:13:40 PM	CK01	Dark Brown	Sand	Damp	Steep	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Rusty Rock Chip
1293252	BET	7	627897	6966907	7/5/2012	4:26:57 PM	CK01	Chocolate Brown	Sand	Damp	Steep	100	C	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Rocky Terrain
1293254	BET	7	627896	6966956	7/5/2012	4:39:04 PM	CK01	Chocolate Brown	Sand	Damp	Steep	70	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky Terrain	Rusty Rock Chip
1293255	BET	7	627897	6967007	7/5/2012	4:50:10 PM	CK01	Chocolate Brown	Sand	Damp	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rusty Rock Chip	Rocky Terrain
1271332	BET	7	618697	6962907	7/5/2012	10:35:49 AM	FP01	Dark Brown	Sand	Wet	Subtle Slope	40	B	Birch Forest	Grass Cover	Poor	Partially Frozen	
1271333	BET	7	618697	6962957	7/5/2012	10:47:30 AM	FP01	Reddish Yellow	Sand	Dry	Subtle Slope	70	C	Birch Forest	Leaf Cover	Good	Coarse	Rocky
1271334	BET	7	618697	6963006	7/5/2012	10:59:12 AM	FP01	Dark Brown	Sand	Damp	Subtle Slope	70	B	Alders	Sphagnum Moss < 30cm	Good	Rocky	Rusty Rock Chip
1271335	BET	7	618697	6963057	7/5/2012	11:11:38 AM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	70	B	Alders	Thin Moss Cover	Good	Rocky	Rusty Rock Chip
1271336	BET	7	618697	6963107	7/5/2012	11:22:19 AM	FP01	Dark Brown	Sand	Damp	Subtle Slope	40	B	Poplar	Leaf Cover	Poor	Quartz Chips	Rusty Rock Chip
1271337	BET	7	618697	6963157	7/5/2012	11:34:45 AM	FP01	Dark Brown	Sand	Damp	Subtle Slope	50	B	Poplar	Grass Cover	Good	Rocky	
1271338	BET	7	618697	6963207	7/5/2012	11:44:47 AM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	B	Poplar	Grass Cover	Good	Coarse	Rocky
1271339	BET	7	618697	6963256	7/5/2012	11:57:38 AM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Alders	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1271340	BET	7	618697	6963307	7/5/2012	12:11:20 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	100	C	Poplar	Grass Cover	Good	Coarse	Rocky
1271341	BET	7	618697	6963357	7/5/2012	12:25:16 PM	FP01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Rocky	Rocky Terrain
1271342	BET	7	618697	6963407	7/5/2012	12:39:23 PM	FP01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	B	Poplar	Leaf Cover	Good	Rocky	Rocky Terrain
1271343	BET	7	618696	6963457	7/5/2012	12:51:53 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Willows	Grass Cover	Good	Coarse	Rusty Rock Chip
1271344	BET	7	618697	6963507	7/5/2012	1:04:47 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	60	B	Poplar	Leaf Cover	Good	Rocky	Rocky Terrain
1271345	BET	7	618697	6963557	7/5/2012	1:16:42 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	100	C	Willows	Grass Cover	Good	Coarse	Rusty Rock Chip
1271346	BET	7	618697	6963607	7/5/2012	1:28:52 PM	FP01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	B	Poplar	Grass Cover	Good	Rocky	Rusty Rock Chip
1271347	BET	7	618697	6963657	7/5/2012	1:44:25 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	30	B	Poplar	Grass Cover	Poor	Organic 25%	Rocky Terrain
1271348	BET	7	618597	6963657	7/5/2012	2:18:47 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	40	B	Birch Forest	Grass Cover	Poor	Rocky Sample	Quartz Chips
1271349	BET	7	618597	6963607	7/5/2012	2:30:20 PM	FP01	Chocolate Brown	Sand	Damp	Pronounced Slope	90	B	Poplar	Leaf Cover	Good	Rusty Rock Chip	
1271350	BET	7	618597	6963559	7/5/2012	2:42:18 PM	FP01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Poplar	Grass Cover	Poor	Rocky Terrain	Rusty Rock Chip
1270002	BET	7	618597	6963509	7/5/2012	2:51:54 PM	FP01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Poplar	Leaf Cover	Good	Rocky	Rocky Terrain
1270003	BET	7	618597	6963459	7/5/2012	3:02:03 PM	FP01	Reddish Brown	Sand	Dry	Pronounced Slope	60	B	Poplar	Grass Cover	Good	Rocky	
1270004	BET	7	618596	6963408	7/5/2012	3:11:54 PM	FP01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Poplar	Leaf Cover	Poor	Rocky	Rocky Terrain
1270005	BET	7	618597	6963358	7/5/2012	3:22:46 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	Poplar	Leaf Cover	Good	Coarse	Rusty Rock Chip
1270006	BET	7	618597	6963307	7/5/2012	3:34:02 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	60	B	Poplar	Leaf Cover	Good	Rocky	Quartz Chips
1270007	BET	7	618597	6963257	7/5/2012	3:48:22 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	40	B	Poplar	Leaf Cover	Good	Rocky Terrain	Rocky Sample
1270008	BET	7	618597	6963208	7/5/2012	3:59:29 PM	FP01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	B	Poplar	Leaf Cover	Good	Rocky	
1270009	BET	7	618598	6963158	7/5/2012	4:09:16 PM	FP01	Grey	Sand	Damp	Subtle Slope	90	C	Poplar	Grass Cover	Good	Rocky	Rusty Rock Chip
1270010	BET	7	618597	6963107	7/5/2012	4:21:20 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	Willows	Grass Cover	Good	Coarse	Rusty Rock Chip
1270011	BET	7	618597	6963058	7/5/2012	4:31:08 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	80	B	Willows	Grass Cover	Good	Rocky	

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1270012	BET	7	618597	6963008	7/5/2012	4:40:21 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	50	B	Willows	Leaf Cover	Good	Rocky	
1270013	BET	7	618597	6962958	7/5/2012	4:52:16 PM	FP01	Chocolate Brown	Gravel	Damp	Pronounced Slope	30	B	Poplar	Grass Cover	Good	Rocky	Rusty Rock Chip
1270014	BET	7	618597	6962908	7/5/2012	5:03:52 PM	FP01	Dark Grey Black	Sand	Damp	Subtle Slope	80	B	Birch Forest	Grass Cover	Good	Bright Orange Rust	Rusty Rock Chip
1284015	BET	7	621997	6962856	7/5/2012	10:41:02 AM	JM01	Dark Grey Black	Clay	Wet	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1284016	BET	7	621996	6962807	7/5/2012	10:50:18 AM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	50	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Rocky	
1284017	BET	7	621997	6962758	7/5/2012	11:04:50 AM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	60	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Rocky Terrain	Coarse
1284018	BET	7	621996	6962706	7/5/2012	11:23:09 AM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	30	C	Poplar	Thin Moss Cover	Excellent	Rocky Terrain	Coarse
1284019	BET	7	621996	6962658	7/5/2012	11:31:29 AM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	40	C	Dwarf Birch	Leaf Cover	Excellent	Coarse	Rocky
1284020	BET	7	621996	6962607	7/5/2012	11:39:02 AM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1284021	BET	7	621996	6962556	7/5/2012	11:47:30 AM	JM01	Chocolate Brown	Clay	Wet	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Quartz Chips
1284022	BET	7	621997	6962508	7/5/2012	12:00:10 PM	JM01	Chocolate Brown	Gravel	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Rocky
1284023	BET	7	621997	6962458	7/5/2012	12:17:30 PM	JM01	Chocolate Brown	Gravel	Wet	Pronounced Slope	60	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Quartz Chips	Coarse
1284024	BET	7	621996	6962407	7/5/2012	12:38:38 PM	JM01	Chocolate Brown	Clay	Wet	Pronounced Slope	40	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Outcrop Nearby	Rocky
1284025	BET	7	621996	6962358	7/5/2012	12:51:06 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	50	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Talus	Coarse
1284026	BET	7	621996	6962358	7/5/2012	12:57:09 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	40	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Talus	Coarse
1284027	BET	7	621997	6962307	7/5/2012	1:06:18 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Good	Quartz Chips	Partially Frozen
1284028	BET	7	621997	6962257	7/5/2012	1:15:43 PM	JM01	Chocolate Brown	Clay	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Coarse
1284029	BET	7	621997	6962206	7/5/2012	1:29:02 PM	JM01	Chocolate Brown	Clay	Wet	Pronounced Slope	40	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Quartz Chips	Coarse
1284030	BET	7	621996	6962157	7/5/2012	1:38:40 PM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Partially Frozen
1284031	BET	7	621997	6962107	7/5/2012	1:48:56 PM	JM01	Dark Brown	Gravel	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Rocky
1284032	BET	7	621997	6962058	7/5/2012	2:22:54 PM	JM01	Chocolate Brown	Gravel	Wet	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Wet Soil	
1284033	BET	7	621996	6962007	7/5/2012	2:31:31 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1284034	BET	7	621996	6961956	7/5/2012	2:41:01 PM	JM01	Dark Brown	Gravel	Damp	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Quartz Chips	Rocky
1284035	BET	7	622695	6961906	7/5/2012	4:44:10 PM	JM01	Dark Brown	Clay	Wet	Subtle Slope	30	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1284036	BET	7	622695	6962006	7/5/2012	4:54:18 PM	JM01	Chocolate Brown	Gravel	Wet	Subtle Slope	60	C	Black Spruce	Reindeer Moss	Good	Mud	Wet Soil
1284037	BET	7	622696	6962106	7/5/2012	5:02:26 PM	JM01	Chocolate Brown	Clay	Wet	Subtle Slope	60	C	Dwarf Birch	Reindeer Moss	Good	Mud	Wet Soil
1284038	BET	7	622696	6962207	7/5/2012	5:10:03 PM	JM01	Chocolate Brown	Clay	Damp	Subtle Slope	50	C	Black Spruce	Reindeer Moss	Excellent	Coarse	Quartz Chips
1284039	BET	7	622696	6962307	7/5/2012	5:17:22 PM	JM01	Chocolate Brown	Clay	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Mud
1284040	BET	7	622695	6962356	7/5/2012	5:25:08 PM	JM01	Chocolate Brown	Clay	Wet	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Wet Soil
1290437	BET	7	627797	6965759	7/5/2012	10:27:19 AM	JS01	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Poplar	Grass Cover	Good	Rocky	
1290438	BET	7	627798	6965807	7/5/2012	10:39:57 AM	JS01	Chocolate Brown	Sand	Dry	Subtle Slope	70	C	Black Spruce	Thin Moss Cover	Excellent	Rocky	
1290439	BET	7	627797	6965857	7/5/2012	10:52:00 AM	JS01	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	Alders	Sphagnum Moss < 30cm	Good	Rocky	Bright Orange Rust
1290440	BET	7	627796	6965907	7/5/2012	11:03:15 AM	JS01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	Rocky
1290441	BET	7	627797	6965958	7/5/2012	11:18:36 AM	JS01	Dark Grey Black	Silt	Wet	Steep	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky Sample	Organic 10%
1290442	BET	7	627796	6966006	7/5/2012	11:28:54 AM	JS01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Rocky
1290443	BET	7	627796	6966056	7/5/2012	11:42:06 AM	JS01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	B	Alders	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1290444	BET	7	627796	6966108	7/5/2012	11:57:42 AM	JS01	Grey	Silt	Damp	Steep	60	C	Birch Forest	Thin Moss Cover	Good	Rocky Terrain	Coarse
1290445	BET	7	627797	6966157	7/5/2012	12:16:14 PM	JS01	Chocolate Brown	Silt	Damp	Pronounced Slope	30	B	Birch Forest	Thin Moss Cover	Poor	Rocky Terrain	Organic 10%
1290446	BET	7	627796	6966207	7/5/2012	12:33:26 PM	JS01	Chocolate Brown	Silt	Damp	Steep	30	B	Poplar	Thin Moss Cover	Poor	Bright Orange Rust	Rocky Terrain
1290447	BET	7	627797	6966258	7/5/2012	12:44:49 PM	JS01	Light Brown	Silt	Dry	Steep	40	B	Poplar	Leaf Cover	Poor	Bright Orange Rust	Rocky Terrain
1290448	BET	7	627797	6966308	7/5/2012	12:57:46 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Poor	Bright Orange Rust	Rocky Terrain
1290449	BET	7	627798	6966357	7/5/2012	1:13:24 PM	JS01	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Poplar	Leaf Cover	Poor	Bright Orange Rust	Rocky Terrain
1290450	BET	7	627797	6966407	7/5/2012	1:33:13 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Rocky Sample	Rocky Terrain
1290452	BET	7	627797	6966458	7/5/2012	1:53:39 PM	JS01	Chocolate Brown	Silt	Dry	Steep	30	B	Poplar	Thin Moss Cover	Poor	Bright Orange Rust	Rocky Terrain
1290453	BET	7	627797	6966504	7/5/2012	2:09:30 PM	JS01	Dark Brown	Silt	Dry	Steep	50	C	Poplar	Thin Moss Cover	Good	Coarse	Bright Orange Rust
1290454	BET	7	627795	6966557	7/5/2012	2:24:09 PM	JS01	Chocolate Brown	Silt	Damp	Steep	30	B	Poplar	Leaf Cover	Poor	Rocky Sample	Rocky Terrain
1290455	BET	7	627796	6966604	7/5/2012	2:40:21 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	40	C	Poplar	Grass Cover	Good	Rocky	Rocky Terrain
1290456	BET	7	627796	6966655	7/5/2012	2:56:07 PM	JS01	Dark Brown	Sand	Dry	Steep	50	C	Poplar	Leaf Cover	Good	Bright Orange Rust	Rocky
1290457	BET	7	627797	6966706	7/5/2012	3:09:35 PM	JS01	Chocolate Brown	Silt	Dry	Steep	20	B	Poplar	Leaf Cover	Poor	Rocky Terrain	Fine
1290458	BET	7	627798	6966755	7/5/2012	3:25:29 PM	JS01	Chocolate Brown	Silt	Dry	Steep	40	B	Poplar	Leaf Cover	Poor	Rocky Terrain	
1290459	BET	7	627798	6966805	7/5/2012	3:42:02 PM	JS01	Chocolate Brown	Silt	Damp	Steep	30	B	Poplar	Leaf Cover	Poor	Organic 10%	Rocky Terrain
1290460	BET	7	627797	6966855	7/5/2012	3:57:31 PM	JS01	Chocolate Brown	Silt	Damp	Steep	30	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky Sample	Rocky Terrain
1290461	BET	7	627797	6966905	7/5/2012	4:17:44 PM	JS01	Grey	Sand	Damp	Steep	70	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky Sample	Coarse
1290462	BET	7	627798	6966955	7/5/2012	4:30:18 PM	JS01	Dark Brown	Silt	Damp	Steep	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	Rocky
1290463	BET	7	627796	6967005	7/5/2012	4:49:26 PM	JS01	Dark Grey Black	Silt	Damp	Steep	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Organic 10%	Partially Frozen
1284965	BET	7	622597	6962957	7/5/2012	7:05:01 PM	KH01	Chocolate Brown	Sand	Damp	Steep	70	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1284964	BET	7	622597	6963006	7/5/2012	7:08:18 PM	KH01	Chocolate Brown	Sand	Damp	Steep	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1284963	BET	7	622597	6963056	7/5/2012	7:09:53 PM	KH01	Chocolate Brown	Sand	Damp	Steep	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1284962	BET	7	622597	6963106	7/5/2012	7:11:17 PM	KH01	Chocolate Brown	Sand	Damp	Steep	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	Quartz Chips
1284961	BET	7	622597	6963158	7/5/2012	7:12:19 PM	KH01	Reddish Brown	Sand	Dry	Steep	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1284960	BET	7	622597	6963208	7/5/2012	7:13:36 PM	KH01	Reddish Brown	Sand	Dry	Steep	80	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1284957	BET	7	622598	6963257	7/5/2012	7:14:31 PM	KH01	Reddish Brown	Sand	Dry	Subtle Slope	80	C	Birch Forest	Grass Cover	Excellent	Rocky	
1284959	BET	7	622596	6963307	7/5/2012	7:15:55 PM	KH01	Grey	Sand	Damp	Pronounced Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Rocky	
1284958	BET	7	622596	6963357	7/5/2012	7:17:12 PM	KH01	Chocolate Brown	Sand	Damp	Steep	80	B	Birch Forest	Sphagnum Moss < 30cm	Excellent	Mud	Rocky
1283457	BET	7	622596	6963408	7/5/2012	7:18:57 PM	KH01	Chocolate Brown	Sand	Wet	Steep	60	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Mud	Rocky
1283459	BET	7	622597	6963457	7/5/2012	7:19:58 PM	KH01	Chocolate Brown	Sand	Damp	Steep	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Rocky	
1283458	BET	7	622597	6963507	7/5/2012	7:21:12 PM	KH01	Chocolate Brown	Sand	Dry	Steep	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1283460	BET	7	622597	6963558	7/5/2012	7:22:43 PM	KH01	Chocolate Brown	Sand	Wet	Steep	50	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Mud	Rocky
1283461	BET	7	622595	6963608	7/5/2012	7:24:11 PM	KH01	Chocolate Brown	Sand	Wet	Steep	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Mud	Rocky
1283477	BET	7	622597	6963658	7/5/2012	7:25:08 PM	KH01	Chocolate Brown	Sand	Wet	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Mud
1284956	BET	7	622596	6963707	7/5/2012	7:26:18 PM	KH01	Chocolate Brown	Sand	Damp	Steep	90	C	Birch Forest	Leaf Cover	Excellent	Coarse	
1283488	BET	7	622596	6963758	7/5/2012	7:27:22 PM	KH01	Chocolate Brown	Sand	Damp	Steep	50	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Rocky	
1283489	BET	7	622595	6963807	7/5/2012	7:32:04 PM	KH01	Dark Grey Black	Sand	Damp	Steep	50	B	White Spruce	Sphagnum Moss < 30cm	Poor	Frozen	Organic 10%
1283490	BET	7	622596	6964006	7/5/2012	7:33:38 PM	KH01	Dark Grey Black	Sand	Damp	Flat	50	B	White Spruce	Sphagnum Moss < 30cm	Poor	Frozen	Organic 10%
1283491	BET	7	622596	6964056	7/5/2012	7:35:55 PM	KH01	Dark Grey Black	Sand	Damp	Flat	50	B	White Spruce	Sphagnum Moss < 30cm	Poor	Frozen	Organic 10%
1293454	BET	7	627696	6965758	7/5/2012	10:34:40 AM	MT01	Reddish Brown	Sand	Dry	Flat	40	C	Poplar	Leaf Cover	Good		
1293455	BET	7	627696	6965808	7/5/2012	10:46:20 AM	MT01	Reddish Brown	Sand	Damp	Subtle Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Good	Clay	
1293456	BET	7	627696	6965858	7/5/2012	10:59:31 AM	MT01	Reddish Brown	Sand	Damp	Subtle Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Clay	Rocky Terrain
1293457	BET	7	627695	6965908	7/5/2012	11:17:39 AM	MT01	Dark Brown	Clay	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky	
1293458	BET	7	627695	6965958	7/5/2012	11:31:27 AM	MT01	Dark Brown	Clay	Damp	Pronounced Slope	50	B	Poplar	Sphagnum Moss < 30cm	Poor	Rocky	
1293459	BET	7	627696	6966009	7/5/2012	11:45:44 AM	MT01	Chocolate Brown	Gravel	Wet	Pronounced Slope	60	C	Poplar	Grass Cover	Good	Sandy	
1293460	BET	7	627695	6966059	7/5/2012	12:07:25 PM	MT01	Chocolate Brown	Gravel	Damp	Pronounced Slope	60	C	Poplar	Sphagnum Moss < 30cm	Good		
1293461	BET	7	627696	6966108	7/5/2012	12:21:59 PM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Rocky	Small Sample
1293462	BET	7	627697	6966158	7/5/2012	12:43:49 PM	MT01	Grey	Gravel	Wet	Pronounced Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Good	Mud	

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1293463	BET	7	627698	6966210	7/5/2012	1:03:59 PM	MT01	Chocolate Brown	Gravel	Damp	Pronounced Slope	40	C	Poplar	Sphagnum Moss < 30cm	Poor	Rocky Sample	
1293464	BET	7	627699	6966309	7/5/2012	1:42:17 PM	MT01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Sphagnum Moss < 30cm	Good	Rocky	Rocky Terrain
1293465	BET	7	627696	6966360	7/5/2012	1:54:56 PM	MT01	Dark Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Grass Cover	Good	Rocky	
1293466	BET	7	627697	6966409	7/5/2012	2:06:53 PM	MT01	Bluish Grey	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1293467	BET	7	627696	6966459	7/5/2012	2:20:26 PM	MT01	Reddish Yellow	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Excellent		
1293468	BET	7	627697	6966506	7/5/2012	2:38:28 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Good	Rocky	
1293469	BET	7	627697	6966556	7/5/2012	2:56:20 PM	MT01	Bluish Grey	Sand	Dry	Pronounced Slope	70	C	Poplar	Sphagnum Moss < 30cm	Good	Rocky	
1293470	BET	7	627696	6966607	7/5/2012	3:08:51 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Rocky	
1293471	BET	7	627697	6966657	7/5/2012	3:23:06 PM	MT01	Chocolate Brown	Clay	Damp	Steep	70	B	Poplar	Rock Cover	Good	Rocky Terrain	
1293472	BET	7	627697	6966707	7/5/2012	3:41:28 PM	MT01	Dark Brown	Sand	Damp	Steep	50	B	Poplar	Sphagnum Moss < 30cm	Poor	Small Sample	Organic 10%
1293473	BET	7	627696	6966756	7/5/2012	3:54:03 PM	MT01	Chocolate Brown	Sand	Dry	Steep	70	C	Poplar	Thin Moss Cover	Excellent		
1293474	BET	7	627697	6966807	7/5/2012	4:10:44 PM	MT01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Rocky Terrain	
1293377	BET	7	627697	6966856	7/5/2012	4:43:40 PM	MT01	Chocolate Brown	Gravel	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good		
1283823	BET	7	622497	6963008	7/5/2012	10:52:50 AM	RL02	Dark Grey Black	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss > 30cm	Poor	Coarse	Partially Frozen
1283824	BET	7	622496	6963108	7/5/2012	11:06:16 AM	RL02	Dark Grey Black	Sand	Damp	Pronounced Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Partially Frozen
1283825	BET	7	622497	6963158	7/5/2012	11:23:45 AM	RL02	Chocolate Brown	Sand	Damp	Steep	80	C	White Spruce	Thin Moss Cover	Excellent	Bright Orange Rust	Coarse
1283826	BET	7	622497	6963158	7/5/2012	11:25:26 AM	RL02	Chocolate Brown	Sand	Damp	Steep	80	C	White Spruce	Thin Moss Cover	Excellent	Bright Orange Rust	Coarse
1283827	BET	7	622497	6963208	7/5/2012	11:38:52 AM	RL02	Chocolate Brown	Sand	Damp	Steep	110	C	Poplar	Grass Cover	Excellent	Bright Orange Rust	Coarse
1283828	BET	7	622497	6963260	7/5/2012	11:51:28 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Coarse
1283829	BET	7	622496	6963306	7/5/2012	12:04:56 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1283830	BET	7	622496	6963358	7/5/2012	12:17:20 PM	RL02	Reddish Yellow	Sand	Damp	Pronounced Slope	50	C	White Spruce	Reindeer Moss	Excellent	Coarse	Bright Orange Rust
1283831	BET	7	622496	6963408	7/5/2012	12:34:11 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss > 30cm	Good	Fine	Partially Frozen
1283832	BET	7	622496	6963458	7/5/2012	12:44:49 PM	RL02	Dark Grey Black	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Partially Frozen
1283833	BET	7	622496	6963509	7/5/2012	12:59:25 PM	RL02	Dark Grey Black	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Partially Frozen
1283834	BET	7	622496	6963559	7/5/2012	1:17:00 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Birch Forest	Leaf Cover	Good	Rocky	Rocky Sample
1283835	BET	7	622497	6963609	7/5/2012	1:29:03 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	Rocky Sample
1283836	BET	7	622497	6963658	7/5/2012	1:41:36 PM	RL02	Dark Brown	Sand	Damp	Steep	40	C	Black Spruce	Sphagnum Moss > 30cm	Good	Dull Red Rust	Partially Frozen
1283837	BET	7	622496	6963708	7/5/2012	1:55:16 PM	RL02	Chocolate Brown	Sand	Wet	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Partially Frozen
1283838	BET	7	622497	6963759	7/5/2012	2:06:27 PM	RL02	Dark Brown	Sand	Wet	Pronounced Slope	80	C	Black Spruce	Reindeer Moss	Good	Coarse	Bright Orange Rust
1283839	BET	7	622496	6963809	7/5/2012	2:24:03 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Partially Frozen
1283840	BET	7	622496	6964006	7/5/2012	2:45:22 PM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Birch Forest	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1283841	BET	7	622498	6964106	7/5/2012	3:05:06 PM	RL02	Dark Brown	Silt	Damp	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Poor	Organic 10%	
1283842	BET	7	622496	6964156	7/5/2012	3:14:13 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	White Spruce	Thin Moss Cover	Excellent	Coarse	Bright Orange Rust
1283843	BET	7	622497	6964207	7/5/2012	3:26:17 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Birch Forest	Thin Moss Cover	Excellent	Coarse	Bright Orange Rust
1283844	BET	7	622496	6964256	7/5/2012	3:34:03 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	White Spruce	Thin Moss Cover	Excellent	Bright Orange Rust	Coarse
1283845	BET	7	622496	6964307	7/5/2012	3:44:49 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	80	C	Birch Forest	Leaf Cover	Good	Coarse	Quartz Chips
1283846	BET	7	622497	6964357	7/5/2012	3:55:04 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Coarse
1283847	BET	7	622497	6964407	7/5/2012	4:04:53 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	90	C	White Spruce	Thin Moss Cover	Excellent	Bright Orange Rust	Coarse
1283392	BET	7	622097	6962806	7/5/2012	11:11:55 AM	RM01	Dark Brown	Gravel	Damp	Steep	50	B	Alders	Sphagnum Moss < 30cm	Good	Coarse	
1283393	BET	7	622096	6962758	7/5/2012	11:26:57 AM	RM01	Dark Brown	Sand	Damp	Pronounced Slope	40	B	Alders	Reindeer Moss	Good	Coarse	
1283394	BET	7	622097	6962709	7/5/2012	11:45:45 AM	RM01	Chocolate Brown	Sand	Damp	Subtle Slope	40	B	Alders	Reindeer Moss	Poor	Coarse	Organic 50%
1283395	BET	7	622097	6962657	7/5/2012	11:57:21 AM	RM01	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Black Spruce	Reindeer Moss	Good	Coarse	
1283396	BET	7	622097	6962608	7/5/2012	12:13:44 PM	RM01	Grey	Silt	Damp	Flat	60	C	Poplar	Reindeer Moss	Good	Fine	
1283397	BET	7	622097	6962558	7/5/2012	12:27:02 PM	RM01	Reddish Brown	Gravel	Damp	Subtle Slope	60	C	Alders	Reindeer Moss	Good	Coarse	
1283398	BET	7	622097	6962508	7/5/2012	12:46:26 PM	RM01	Chocolate Brown	Gravel	Wet	Subtle Slope	60	C	Black Spruce	Reindeer Moss	Good	Coarse	Mud
1283399	BET	7	622096	6962458	7/5/2012	12:58:33 PM	RM01	Chocolate Brown	Gravel	Wet	Subtle Slope	70	C	Black Spruce	Reindeer Moss	Good	Coarse	Mud
1283400	BET	7	622097	6962409	7/5/2012	1:15:21 PM	RM01	Chocolate Brown	Gravel	Wet	Subtle Slope	60	C	Alders	Reindeer Moss	Good	Coarse	Mud
1283864	BET	7	622097	6962357	7/5/2012	1:30:46 PM	RM01	Chocolate Brown	Gravel	Wet	Subtle Slope	50	C	Alders	Reindeer Moss	Good	Coarse	Mud
1283865	BET	7	622097	6962307	7/5/2012	1:49:26 PM	RM01	Chocolate Brown	Gravel	Wet	Subtle Slope	50	C	Alders	Sphagnum Moss < 30cm	Good	Coarse	Mud
1283866	BET	7	622097	6962258	7/5/2012	2:11:20 PM	RM01	Chocolate Brown	Gravel	Wet	Subtle Slope	40	B	Alders	Sphagnum Moss < 30cm	Poor	Coarse	Mud
1283867	BET	7	622097	6962207	7/5/2012	2:25:56 PM	RM01	Chocolate Brown	Sand	Wet	Subtle Slope	50	C	Alders	Sphagnum Moss < 30cm	Good	Coarse	
1283868	BET	7	622096	6962107	7/5/2012	2:53:09 PM	RM01	Chocolate Brown	Gravel	Damp	Subtle Slope	50	C	Black Spruce	Reindeer Moss	Good	Coarse	
1283869	BET	7	622097	6962007	7/5/2012	3:23:09 PM	RM01	Dark Brown	Sand	Damp	Subtle Slope	60	C	Alders	Sphagnum Moss < 30cm	Good	Coarse	Mud
1283870	BET	7	622096	6961957	7/5/2012	3:41:06 PM	RM01	Chocolate Brown	Gravel	Wet	Subtle Slope	50	C	Black Spruce	Reindeer Moss	Poor	Coarse	Mud
1283871	BET	7	622097	6961907	7/5/2012	3:53:03 PM	RM01	Chocolate Brown	Sand	Wet	Subtle Slope	40	B	Alders	Reindeer Moss	Poor	Coarse	
1283872	BET	7	622696	6961957	7/5/2012	4:45:38 PM	RM01	Chocolate Brown	Gravel	Wet	Subtle Slope	90	C	Alders	Reindeer Moss	Good	Coarse	Mud
1283873	BET	7	622697	6962057	7/5/2012	5:00:33 PM	RM01	Chocolate Brown	Gravel	Wet	Subtle Slope	70	C	Alders	Reindeer Moss	Good	Coarse	Mud
1283874	BET	7	622697	6962157	7/5/2012	5:12:11 PM	RM01	Chocolate Brown	Gravel	Wet	Subtle Slope	60	C	Alders	Reindeer Moss	Good	Coarse	Mud
1283875	BET	7	622696	6962258	7/5/2012	5:27:05 PM	RM01	Chocolate Brown	Gravel	Wet	Subtle Slope	40	B	Alders	Reindeer Moss	Poor	Coarse	
1292567	BET	7	627997	6965757	7/5/2012	10:22:09 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Poplar	Grass Cover	Good	Coarse	
1292568	BET	7	627995	6965807	7/5/2012	10:34:14 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Excellent	Coarse	Quartz Chips
1292569	BET	7	627996	6965857	7/5/2012	10:47:26 AM	RR01	Dark Brown	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Sandy
1292570	BET	7	627997	6965906	7/5/2012	10:57:39 AM	RR01	Chocolate Brown	Gravel	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1292571	BET	7	627998	6965957	7/5/2012	11:11:54 AM	RR01	Chocolate Brown	Silt	Wet	Pronounced Slope	30	B	Black Spruce	Reindeer Moss	Poor	Rocky	
1292572	BET	7	627999	6966007	7/5/2012	11:25:18 AM	RR01	Dark Brown	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1292573	BET	7	627999	6966056	7/5/2012	11:35:19 AM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good	Sandy	Rocky Terrain
1292574	BET	7	627996	6966110	7/5/2012	11:49:06 AM	RR01	Dark Brown	Gravel	Damp	Pronounced Slope	30	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1292577	BET	7	627996	6966208	7/5/2012	12:17:14 PM	RR01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Rocky	
1292578	BET	7	627995	6966259	7/5/2012	12:35:19 PM	RR01	Dark Brown	Silt	Damp	Pronounced Slope	30	B	Poplar	Rock Cover	Poor	Rocky Terrain	Organic 10%
1292579	BET	7	627996	6966309	7/5/2012	1:07:40 PM	RR01	Chocolate Brown	Gravel	Damp	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1292580	BET	7	627996	6966359	7/5/2012	1:18:19 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Birch Forest	Bare Soil	Good	Organic 10%	Rocky
1292581	BET	7	627995	6966407	7/5/2012	1:38:45 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	90	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Rocky Terrain	Rocky
1292582	BET	7	627997	6966453	7/5/2012	2:00:57 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Birch Forest	Grass Cover	Good	Rocky	
1292583	BET	7	627997	6966508	7/5/2012	2:17:39 PM	RR01	Dark Grey Black	Sand	Wet	Pronounced Slope	50	B	Birch Forest	Grass Cover	Good	Mud	Rocky
1292584	BET	7	627995	6966607	7/5/2012	2:48:34 PM	RR01	Grey	Gravel	Wet	Pronounced Slope	50	B	Alders	Leaf Cover	Good	Rocky	
1292585	BET	7	627996	6966656	7/5/2012	3:02:09 PM	RR01	Dark Brown	Gravel	Wet	Pronounced Slope	50	B	Alders	Grass Cover	Good	Coarse	Possible Creek Contamination
1292575	BET	7	627998	6966707	7/5/2012	3:10:22 PM	RR01	Dark Brown	Sand	Damp	Pronounced Slope	90	C	Birch Forest	Leaf Cover	Excellent	Coarse	
1292576	BET	7	627998	6966707	7/5/2012	3:12:01 PM	RR01	Dark Brown	Sand	Damp	Pronounced Slope	90	C	Birch Forest	Leaf Cover	Excellent	Coarse	
1292586	BET	7	627998	6966757	7/5/2012	3:23:22 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	
1292587	BET	7	627996	6966806	7/5/2012	3:35:50 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1292588	BET	7	627995	6966856	7/5/2012	3:48:15 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	90	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	
1292589	BET	7	627985	6966907	7/5/2012	3:58:42 PM	RR01	Reddish Yellow	Sand	Damp	Pronounced Slope	80	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Quartz Chips
1292590	BET	7	627996	6966957	7/5/2012	4:11:28 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Reindeer Moss	Excellent	Coarse	Rocky
1292591	BET	7	627968	6967012	7/5/2012	4:31:51 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Sandy

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1292592	BET	7	627957	6967057	7/5/2012	4:55:32 PM	RR01	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Reindeer Moss	Good	Coarse	Rocky
1271640	BET	7	618397	6962907	7/5/2012	10:26:37 AM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	110	B	Birch Forest	Sphagnum Moss < 30cm	Good	Fine	Wet Soil
1271641	BET	7	618398	6962957	7/5/2012	10:35:05 AM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	40	B	Alders	Leaf Cover	Good	Fine	
1271642	BET	7	618397	6963007	7/5/2012	10:47:07 AM	RR02	Reddish Yellow	Sand	Damp	Pronounced Slope	60	C	Poplar	Grass Cover	Good	Fine	
1271643	BET	7	618397	6963057	7/5/2012	11:00:42 AM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	90	B	Poplar	Leaf Cover	Good	Fine	Dull Red Rust
1271644	BET	7	618398	6963107	7/5/2012	11:11:34 AM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	80	B	Poplar	Leaf Cover	Good	Bright Orange Rust	Fine
1271645	BET	7	618397	6963158	7/5/2012	11:22:16 AM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	Alders	Grass Cover	Good	Fine	
1271646	BET	7	618396	6963206	7/5/2012	11:33:11 AM	RR02	Reddish Brown	Silt	Damp	Pronounced Slope	70	B	Alders	Bare Soil	Good	Coarse	Rocky
1271647	BET	7	618397	6963257	7/5/2012	11:46:27 AM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	80	B	Alders	Leaf Cover	Good	Fine	
1271648	BET	7	618398	6963307	7/5/2012	11:57:46 AM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent	Coarse	
1271649	BET	7	618398	6963358	7/5/2012	12:09:29 PM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Fine	
1271650	BET	7	618397	6963408	7/5/2012	12:21:14 PM	RR02	Reddish Yellow	Sand	Damp	Pronounced Slope	60	C	Alders	Leaf Cover	Good	Fine	
1271652	BET	7	618397	6963456	7/5/2012	12:36:15 PM	RR02	Reddish Yellow	Sand	Damp	Pronounced Slope	70	C	Alders	Thin Moss Cover	Excellent	Coarse	Bright Orange Rust
1271653	BET	7	618397	6963508	7/5/2012	1:08:45 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	70	B	Alders	Leaf Cover	Good	Coarse	Bright Orange Rust
1271654	BET	7	618397	6963557	7/5/2012	1:21:15 PM	RR02	Reddish Yellow	Sand	Damp	Pronounced Slope	60	C	Alders	Grass Cover	Good	Fine	Rocky
1271655	BET	7	618399	6963607	7/5/2012	1:34:25 PM	RR02	Reddish Yellow	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Fine	
1271656	BET	7	618397	6963657	7/5/2012	1:47:48 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Coarse	Rocky
1271657	BET	7	618496	6963659	7/5/2012	2:04:44 PM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Fine	
1271658	BET	7	618496	6963608	7/5/2012	2:14:07 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	70	B	Poplar	Leaf Cover	Good	Fine	
1271659	BET	7	618495	6963558	7/5/2012	2:33:52 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Coarse	
1271660	BET	7	618497	6963508	7/5/2012	2:41:20 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	100	B	Alders	Leaf Cover	Good	Fine	Rocky
1271661	BET	7	618495	6963458	7/5/2012	2:50:35 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Alders	Grass Cover	Good	Fine	Rocky
1271662	BET	7	618496	6963408	7/5/2012	2:59:41 PM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Good	Bright Orange Rust	Fine
1271663	BET	7	618496	6963357	7/5/2012	3:16:20 PM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Fine	Small Sample
1271664	BET	7	618496	6963307	7/5/2012	3:25:43 PM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	50	B	Alders	Leaf Cover	Good	Fine	Rocky
1271665	BET	7	618496	6963259	7/5/2012	3:44:12 PM	RR02	Reddish Yellow	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Bright Orange Rust	Fine
1271666	BET	7	618497	6963209	7/5/2012	3:55:09 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Coarse	
1271667	BET	7	618496	6963158	7/5/2012	4:04:29 PM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Bare Soil	Excellent	Coarse	
1271668	BET	7	618497	6963107	7/5/2012	4:19:06 PM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	
1271669	BET	7	618497	6963058	7/5/2012	4:31:24 PM	RR02	Reddish Yellow	Sand	Damp	Subtle Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1271670	BET	7	618497	6963007	7/5/2012	4:40:03 PM	RR02	Reddish Yellow	Sand	Damp	Subtle Slope	70	C	Alders	Leaf Cover	Good	Coarse	
1271671	BET	7	618497	6962956	7/5/2012	4:49:16 PM	RR02	Reddish Yellow	Sand	Damp	Subtle Slope	90	C	Poplar	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1271672	BET	7	618498	6962900	7/5/2012	4:59:56 PM	RR02	Chocolate Brown	Sand	Wet	Subtle Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Good	Partially Frozen	
1293324	BET	7	627598	6965758	7/5/2012	10:35:14 AM	SC01	Chocolate Brown	Silt	Damp	Subtle Slope	40	B	Alders	Leaf Cover	Poor	Rocky	
1293327	BET	7	627595	6965808	7/5/2012	10:49:44 AM	SC01	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky Sample	Small Sample
1293325	BET	7	627596	6965857	7/5/2012	11:04:41 AM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	90	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1293326	BET	7	627596	6965857	7/5/2012	11:06:10 AM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	90	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1293328	BET	7	627596	6965907	7/5/2012	11:20:54 AM	SC01	Dark Brown	Silt	Damp	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss > 30cm	Good	Partially Frozen	Sandy
1293329	BET	7	627596	6965958	7/5/2012	11:37:56 AM	SC01	Dark Brown	Silt	Damp	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1293330	BET	7	627596	6966007	7/5/2012	11:51:14 AM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	70	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky Terrain	
1293331	BET	7	627595	6966058	7/5/2012	12:05:33 PM	SC01	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Partially Frozen	
1293332	BET	7	627598	6966107	7/5/2012	12:19:48 PM	SC01	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky Terrain	
1293333	BET	7	627596	6966157	7/5/2012	12:31:10 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	20	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky Terrain	
1293334	BET	7	627596	6966208	7/5/2012	12:45:27 PM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Partially Frozen	Rocky
1293335	BET	7	627597	6966306	7/5/2012	1:09:53 PM	SC01	Dark Grey Black	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Partially Frozen	
1293336	BET	7	627597	6966408	7/5/2012	1:33:49 PM	SC01	Dark Grey Black	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1293337	BET	7	627596	6966456	7/5/2012	1:51:12 PM	SC01	Chocolate Brown	Silt	Dry	Pronounced Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky	
1293338	BET	7	627597	6966506	7/5/2012	2:01:10 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss > 30cm	Good	Frozen	Rocky
1293339	BET	7	627596	6966556	7/5/2012	2:19:30 PM	SC01	Grey	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss > 30cm	Good	Frozen	
1293340	BET	7	627596	6966606	7/5/2012	2:29:56 PM	SC01	Dark Grey Black	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1293341	BET	7	627597	6966756	7/5/2012	3:09:06 PM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss > 30cm	Poor	Frozen	Rocky
1293342	BET	7	627598	6966806	7/5/2012	3:20:27 PM	SC01	Dark Grey Black	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss > 30cm	Good	Rocky	
1293343	BET	7	627598	6966856	7/5/2012	3:33:25 PM	SC01	Dark Grey Black	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Rocky	Partially Frozen
1293344	BET	7	627597	6966906	7/5/2012	3:43:37 PM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Possible Creek Contamination	
1293345	BET	7	627596	6966957	7/5/2012	3:56:35 PM	SC01	Dark Brown	Silt	Wet	Pronounced Slope	70	B	Birch Forest	Sphagnum Moss < 30cm	Good	Partially Frozen	
1293346	BET	7	627596	6967007	7/5/2012	4:06:56 PM	SC01	Dark Grey Black	Silt	Damp	Pronounced Slope	40	B	Alders	Sphagnum Moss < 30cm	Poor	Partially Frozen	Possible Creek Contamination
1293347	BET	7	627598	6967056	7/5/2012	4:19:01 PM	SC01	Grey	Sand	Damp	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1293348	BET	7	627596	6967107	7/5/2012	4:34:29 PM	SC01	Dark Brown	Silt	Damp	Subtle Slope	90	B	Black Spruce	Leaf Cover	Poor	Partially Frozen	Possible Creek Contamination
1293349	BET	7	627597	6967157	7/5/2012	4:45:31 PM	SC01	Dark Grey Black	Silt	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	
1293350	BET	7	627597	6967206	7/5/2012	4:55:01 PM	SC01	Dark Brown	Silt	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1271434	BET	7	618296	6962906	7/5/2012	10:27:53 AM	SD02	Dark Brown	Sand	Damp	Steep	50	C	Alders	Sphagnum Moss < 30cm	Good	Frozen	Rocky
1271435	BET	7	618196	6962908	7/5/2012	10:38:46 AM	SD02	Grey	Sand	Damp	Pronounced Slope	70	C	Alders	Sphagnum Moss < 30cm	Excellent	Partially Frozen	Small Sample
1271436	BET	7	618198	6962956	7/5/2012	10:48:09 AM	SD02	Dark Brown	Gravel	Damp	Pronounced Slope	60	B	Alders	Sphagnum Moss < 30cm	Good	Partially Frozen	Bright Orange Rust
1271437	BET	7	618199	6963007	7/5/2012	10:57:14 AM	SD02	Dark Grey Black	Silt	Damp	Subtle Slope	80	B	Birch Forest	Leaf Cover	Good	Coarse	
1271438	BET	7	618198	6963056	7/5/2012	11:05:04 AM	SD02	Light Brown	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	
1271439	BET	7	618198	6963106	7/5/2012	11:12:42 AM	SD02	Grey	Sand	Damp	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent	Fine	
1271440	BET	7	618199	6963157	7/5/2012	11:19:28 AM	SD02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Excellent	Rocky	Quartz Chips
1271441	BET	7	618197	6963205	7/5/2012	11:27:38 AM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	70	C	Alders	Grass Cover	Excellent	Sandy	
1271442	BET	7	618196	6963256	7/5/2012	11:38:26 AM	SD02	Grey	Sand	Damp	Pronounced Slope	100	C	Alders	Leaf Cover	Excellent	Coarse	
1271443	BET	7	618196	6963306	7/5/2012	11:46:55 AM	SD02	Dark Brown	Sand	Damp	Pronounced Slope	50	B	Alders	Grass Cover	Good	Rocky	
1271444	BET	7	618198	6963356	7/5/2012	11:55:36 AM	SD02	Dark Brown	Silt	Damp	Pronounced Slope	90	B	Alders	Grass Cover	Good	Bright Orange Rust	
1271445	BET	7	618197	6963407	7/5/2012	12:04:04 PM	SD02	Dark Blue Black	Sand	Damp	Pronounced Slope	60	B	Willows	Leaf Cover	Good	Fine	Rocky
1271446	BET	7	618197	6963456	7/5/2012	12:14:38 PM	SD02	Dark Brown	Silt	Damp	Subtle Slope	80	B	Willows	Grass Cover	Good	Bright Orange Rust	Sandy
1271447	BET	7	618196	6963506	7/5/2012	12:23:36 PM	SD02	Dark Olivine Green	Sand	Damp	Pronounced Slope	80	C	Alders	Leaf Cover	Excellent	Fine	
1271448	BET	7	618197	6963556	7/5/2012	12:31:57 PM	SD02	Greyish Green	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Grass Cover	Excellent	Coarse	
1271449	BET	7	618196	6963607	7/5/2012	12:40:19 PM	SD02	Light Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1271450	BET	7	618197	6963656	7/5/2012	12:48:41 PM	SD02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Alders	Grass Cover	Good	Bright Orange Rust	Outcrop Nearby
1270102	BET	7	618298	6963657	7/5/2012	1:14:32 PM	SD02	Light Brown	Sand	Damp	Subtle Slope	70	C	Poplar	Thin Moss Cover	Excellent	Bright Orange Rust	Fine
1270103	BET	7	618296	6963608	7/5/2012	1:23:02 PM	SD02	Grey	Gravel	Damp	Subtle Slope	70	C	Poplar	Leaf Cover	Excellent	Fine	
1270104	BET	7	618297	6963558	7/5/2012	1:31:39 PM	SD02	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Poplar	Leaf Cover	Good	Fine	Bright Orange Rust
1270105	BET	7	618296	6963508	7/5/2012	1:49:07 PM	SD02	Dark Brown	Gravel	Damp	Subtle Slope	50	C	Birch Forest	Leaf Cover	Excellent	Fine	Rocky
1270106	BET	7	618297	6963458	7/5/2012	1:57:15 PM	SD02	Chocolate Brown	Sand	Dry	Subtle Slope	70	C	Willows	Thin Moss Cover	Excellent	Coarse	
1270107	BET	7	618295	6963408	7/5/2012	2:06:10 PM	SD02	Grey	Sand	Damp	Subtle Slope	40	C	Alders	Leaf Cover	Excellent	Fine	Rocky
1270108	BET	7	618297	6963358	7/5/2012	2:16:27 PM	SD02	Chocolate Brown	Sand	Damp	Pronounced Slope	110	C	Alders	Leaf Cover	Excellent	Quartz Chips	

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1270109	BET	7	618296	6963309	7/5/2012	2:42:19 PM	SD02	Greyish Green	Silt	Damp	Subtle Slope	50	B	Alders	Bare Soil	Good	Coarse	Rocky
1270110	BET	7	618297	6963257	7/5/2012	2:51:14 PM	SD02	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Alders	Bare Soil	Excellent	Coarse	Rocky
1270111	BET	7	618297	6963206	7/5/2012	3:01:57 PM	SD02	Chocolate Brown	Silt	Damp	Subtle Slope	60	B	Willows	Grass Cover	Good	Coarse	Rocky
1270112	BET	7	618296	6963157	7/5/2012	3:10:33 PM	SD02	Light Brown	Sand	Damp	Subtle Slope	90	C	Birch Forest	Leaf Cover	Excellent	Bright Orange Rust	
1270113	BET	7	618297	6963108	7/5/2012	3:19:24 PM	SD02	Light Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent	Coarse	Quartz Chips
1270114	BET	7	618296	6963058	7/5/2012	3:27:59 PM	SD02	Greyish Green	Gravel	Damp	Pronounced Slope	60	C	Poplar	Grass Cover	Excellent	Fine	
1270115	BET	7	618299	6963007	7/5/2012	3:40:29 PM	SD02	Chocolate Brown	Sand	Damp	Steep	40	C	Poplar	Bare Soil	Good	Coarse	Rocky
1270116	BET	7	618297	6962957	7/5/2012	3:54:18 PM	SD02	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Alders	Sphagnum Moss < 30cm	Poor	Bright Orange Rust	Organic 10%
1271546	BET	7	617496	6962906	7/6/2012	9:53:43 AM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	50	B	Birch Forest	Leaf Cover	Good	Organic 50%	Rocky
1271547	BET	7	617515	6962946	7/6/2012	10:09:07 AM	BH01	Dark Brown	Clay	Damp	Pronounced Slope	50	B	Birch Forest	Leaf Cover	Good	Partially Frozen	Rocky
1271548	BET	7	617497	6963009	7/6/2012	10:19:50 AM	BH01	Dark Brown	Gravel	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky Sample	Partially Frozen
1271549	BET	7	617497	6963056	7/6/2012	10:31:28 AM	BH01	Dark Brown	Silt	Damp	Flat	30	B	Birch Forest	Leaf Cover	Good	Possible Creek Contamination	Rocky
1271550	BET	7	617496	6963105	7/6/2012	10:44:48 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	90	C	Birch Forest	Leaf Cover	Good	Rocky	
1271552	BET	7	617497	6963156	7/6/2012	10:56:34 AM	BH01	Chocolate Brown	Silt	Dry	Steep	110	B	Birch Forest	Bare Soil	Good		
1271553	BET	7	617497	6963207	7/6/2012	11:08:30 AM	BH01	Chocolate Brown	Sand	Dry	Steep	60	B	No Tree Cover	Grass Cover	Good	Rocky Terrain	
1271554	BET	7	617497	6963256	7/6/2012	11:23:20 AM	BH01	Chocolate Brown	Silt	Dry	Steep	80	C	Poplar	Leaf Cover	Good		
1271555	BET	7	617495	6963307	7/6/2012	11:33:02 AM	BH01	Chocolate Brown	Silt	Dry	Steep	60	B	Poplar	Leaf Cover	Good	Rocky	
1271556	BET	7	617497	6963355	7/6/2012	11:44:40 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Good		
1271557	BET	7	617498	6963405	7/6/2012	11:55:08 AM	BH01	Dark Brown	Silt	Dry	Pronounced Slope	80	B	Poplar	Leaf Cover	Good	Rocky	
1271558	BET	7	617498	6963460	7/6/2012	12:14:36 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Poplar	Leaf Cover	Good	Rocky	
1271559	BET	7	617492	6963505	7/6/2012	12:24:57 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	100	B	Poplar	Leaf Cover	Good		
1271560	BET	7	617495	6963560	7/6/2012	12:36:31 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Poplar	Leaf Cover	Good	Rocky	
1271561	BET	7	617497	6963606	7/6/2012	12:46:54 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	80	B	Poplar	Leaf Cover	Good	Rocky	
1271562	BET	7	617496	6963658	7/6/2012	12:58:35 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Rocky Sample	
1271563	BET	7	617597	6963658	7/6/2012	1:24:05 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	80	B	Poplar	Leaf Cover	Good	Rocky	
1271564	BET	7	617596	6963605	7/6/2012	1:34:24 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Rocky Sample	
1271565	BET	7	617597	6963556	7/6/2012	1:42:31 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	80	B	Poplar	Leaf Cover	Good	Rocky Sample	
1271566	BET	7	617597	6963508	7/6/2012	1:50:44 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Rocky	Quartz Chips
1271567	BET	7	617593	6963458	7/6/2012	2:01:53 PM	BH01	Dark Grey Black	Clay	Damp	Pronounced Slope	80	B	Alders	Leaf Cover	Poor		
1271568	BET	7	617595	6963410	7/6/2012	2:11:58 PM	BH01	Chocolate Brown	Clay	Dry	Pronounced Slope	60	B	Alders	Leaf Cover	Good	Rocky	
1271569	BET	7	617597	6963361	7/6/2012	2:29:43 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	70	B	Poplar	Leaf Cover	Good		
1271570	BET	7	617598	6963310	7/6/2012	2:38:09 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Poplar	Leaf Cover	Good	Quartz Chips	Rocky
1271571	BET	7	617598	6963259	7/6/2012	2:47:26 PM	BH01	Chocolate Brown	Silt	Dry	Steep	60	C	Poplar	Leaf Cover	Good	Quartz Chips	Rocky
1271572	BET	7	617597	6963208	7/6/2012	2:59:09 PM	BH01	Chocolate Brown	Silt	Dry	Steep	80	C	Poplar	Leaf Cover	Excellent	Rocky Terrain	
1271573	BET	7	617596	6963157	7/6/2012	3:11:15 PM	BH01	Chocolate Brown	Silt	Dry	Steep	60	B	Poplar	Leaf Cover	Good	Rocky	
1271574	BET	7	617595	6963107	7/6/2012	3:22:08 PM	BH01	Chocolate Brown	Silt	Dry	Steep	60	C	Poplar	Leaf Cover	Good	Rocky	
1271575	BET	7	617597	6963059	7/6/2012	3:34:04 PM	BH01	Dark Brown	Silt	Dry	Pronounced Slope	50	B	Birch Forest	Leaf Cover	Good	Rocky	Small Sample
1271576	BET	7	617597	6963059	7/6/2012	3:40:43 PM	BH01	Dark Brown	Silt	Dry	Pronounced Slope	50	B	Birch Forest	Leaf Cover	Good	Rocky	Small Sample
1271577	BET	7	617592	6962996	7/6/2012	3:52:50 PM	BH01	Dark Brown	Clay	Damp	Pronounced Slope	60	B	Birch Forest	Grass Cover	Good	Possible Creek Contamination	Partially Frozen
1271578	BET	7	617597	6962959	7/6/2012	4:01:33 PM	BH01	Dark Brown	Clay	Damp	Pronounced Slope	60	B	Birch Forest	Leaf Cover	Good	Possible Creek Contamination	Partially Frozen
1271579	BET	7	617598	6962910	7/6/2012	4:15:18 PM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Good	Frozen	Organic 25%
1293256	BET	7	627197	6965958	7/6/2012	9:52:41 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Sphagnum Moss < 30cm	Good	Partially Frozen	Rocky Terrain
1293257	BET	7	627196	6966007	7/6/2012	10:05:39 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	30	B	Poplar	Sphagnum Moss < 30cm	Good	Rocky Terrain	Partially Frozen
1293258	BET	7	627197	6966056	7/6/2012	10:16:17 AM	CK01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Poplar	Thin Moss Cover	Good	Coarse	Partially Frozen
1293259	BET	7	627197	6966108	7/6/2012	10:27:05 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	B	Poplar	Thin Moss Cover	Good	Rocky Terrain	Rusty Rock Chip
1293260	BET	7	627197	6966157	7/6/2012	10:41:15 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Alders	Thin Moss Cover	Good	Rocky Terrain	Rusty Rock Chip
1293261	BET	7	627197	6966207	7/6/2012	10:53:04 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Rocky Terrain	Rusty Rock Chip
1293262	BET	7	627196	6966258	7/6/2012	11:05:42 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Thin Moss Cover	Good	Rusty Rock Chip	Rocky Terrain
1293263	BET	7	627197	6966308	7/6/2012	11:20:21 AM	CK01	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Thin Moss Cover	Excellent	Rusty Rock Chip	Rocky Terrain
1293264	BET	7	627196	6966358	7/6/2012	11:35:56 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Thin Moss Cover	Good	Coarse	Rocky Terrain
1293265	BET	7	627197	6966407	7/6/2012	11:46:26 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Reindeer Moss	Excellent	Rocky Terrain	Rusty Rock Chip
1293266	BET	7	627196	6966458	7/6/2012	11:58:06 AM	CK01	Chocolate Brown	Sand	Damp	Steep	60	C	Poplar	Reindeer Moss	Good	Rocky Terrain	
1293267	BET	7	627197	6966508	7/6/2012	12:10:05 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	30	C	Poplar	Thin Moss Cover	Good	Rusty Rock Chip	Rocky Terrain
1293268	BET	7	627196	6966558	7/6/2012	12:22:44 PM	CK01	Chocolate Brown	Sand	Damp	Steep	70	C	Poplar	Grass Cover	Good	Fine	Rocky Terrain
1293269	BET	7	627197	6966608	7/6/2012	12:44:18 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	C	Poplar	Grass Cover	Good	Fine	Rocky Terrain
1293270	BET	7	627196	6966658	7/6/2012	12:59:28 PM	CK01	Chocolate Brown	Sand	Damp	Steep	80	C	Poplar	Leaf Cover	Excellent	Rocky Terrain	Rusty Rock Chip
1293271	BET	7	627197	6966706	7/6/2012	1:13:21 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Poplar	Thin Moss Cover	Good	Rocky Terrain	Bright Orange Rust
1293272	BET	7	627204	6966753	7/6/2012	1:30:27 PM	CK01	Dark Brown	Sand	Damp	Steep	30	B	Poplar	Leaf Cover	Good	Fine	Rocky Terrain
1293273	BET	7	627197	6966806	7/6/2012	1:48:44 PM	CK01	Dark Brown	Sand	Damp	Steep	40	B	Poplar	Leaf Cover	Good	Fine	Outcrop Nearby
1293274	BET	7	627197	6966857	7/6/2012	2:03:37 PM	CK01	Dark Brown	Sand	Damp	Steep	60	B	Black Spruce	Reindeer Moss	Good	Coarse	Partially Frozen
1293275	BET	7	627197	6966906	7/6/2012	2:15:20 PM	CK01	Dark Brown	Silt	Damp	Steep	60	B	Black Spruce	Reindeer Moss	Good	Coarse	Rocky Terrain
1293276	BET	7	627197	6966906	7/6/2012	2:21:07 PM	CK01	Dark Brown	Silt	Damp	Steep	60	B	Black Spruce	Reindeer Moss	Good	Coarse	Rocky Terrain
1293277	BET	7	627197	6966956	7/6/2012	2:30:18 PM	CK01	Dark Brown	Sand	Damp	Steep	50	B	No Tree Cover	Reindeer Moss	Good	Fine	Partially Frozen
1293278	BET	7	627197	6967006	7/6/2012	2:41:38 PM	CK01	Dark Brown	Sand	Damp	Steep	30	B	No Tree Cover	Sphagnum Moss < 30cm	Good	Fine	Frozen
1293279	BET	7	627197	6967056	7/6/2012	2:51:12 PM	CK01	Dark Brown	Sand	Damp	Steep	30	B	Black Spruce	Sphagnum Moss > 30cm	Good	Fine	Rocky Terrain
1293280	BET	7	627197	6967106	7/6/2012	3:09:36 PM	CK01	Dark Brown	Sand	Damp	Steep	30	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky Terrain	
1293281	BET	7	627196	6967157	7/6/2012	3:26:12 PM	CK01	Chocolate Brown	Sand	Damp	Steep	80	C	Black Spruce	Reindeer Moss	Excellent	Coarse	Rocky Terrain
1293282	BET	7	627197	6967206	7/6/2012	3:38:58 PM	CK01	Chocolate Brown	Sand	Damp	Steep	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky Terrain	Rusty Rock Chip
1293283	BET	7	627197	6967256	7/6/2012	3:53:33 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Rusty Rock Chip
1293284	BET	7	627197	6967306	7/6/2012	4:06:50 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good		
1293285	BET	7	627197	6967356	7/6/2012	4:19:33 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Rocky Terrain	Rusty Rock Chip
1293286	BET	7	627197	6967406	7/6/2012	4:29:25 PM	CK01	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Frozen
1270015	BET	7	617797	6962907	7/6/2012	10:09:39 AM	FP01	Dark Brown	Sand	Dry	Pronounced Slope	80	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Quartz Chips
1270016	BET	7	617797	6962956	7/6/2012	10:21:45 AM	FP01	Dark Brown	Sand	Damp	Subtle Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Good	Outcrop Nearby	Rocky
1270017	BET	7	617796	6963007	7/6/2012	10:33:40 AM	FP01	Dark Brown	Sand	Damp	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good	Talus	Rocky
1270018	BET	7	617797	6963057	7/6/2012	10:47:26 AM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	B	Poplar	Grass Cover	Good	Coarse	Rocky
1270019	BET	7	617797	6963106	7/6/2012	11:01:25 AM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	B	Poplar	Grass Cover	Good	Rusty Rock Chip	Rocky Terrain
1270020	BET	7	617797	6963156	7/6/2012	11:13:02 AM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Good	Coarse	Quartz Chips
1270021	BET	7	617797	6963207	7/6/2012	11:24:06 AM	FP01	Grey	Sand	Damp	Pronounced Slope	50	C	Poplar	Thin Moss Cover	Good	Coarse	Quartz Chips
1270022	BET	7	617797	6963257	7/6/2012	11:35:46 AM	FP01	Reddish Brown	Sand	Damp	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Quartz Chips	
1270023	BET	7	617797	6963306	7/6/2012	11:48:07 AM	FP01	Bluish Grey	Sand	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Good	Coarse	Rocky
1270024	BET	7	617797	6963357	7/6/2012	12:02:58 PM	FP01	Dark Brown	Sand	Damp	Pronounced Slope	40	B	Poplar	Leaf Cover	Poor	Quartz Chips	Rocky Terrain
1270025	BET	7	617797	6963406	7/6/2012	12:14:16 PM	FP01	Reddish Orange	Sand	Dry	Flat	40	C	Poplar	Grass Cover	Good	Coarse	Rocky
1270026	BET	7	617797	6963406	7/6/2012	12:15:30 PM	FP01	Reddish Orange	Sand	Dry	Flat	60	C	Poplar	Grass Cover	Good	Coarse	Rocky

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1270027	BET	7	617797	6963457	7/6/2012	12:31:55 PM	FP01	Grey	Sand	Dry	Subtle Slope	70	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1270028	BET	7	617797	6963507	7/6/2012	12:43:14 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	70	C	Poplar	Grass Cover	Good	Coarse	Rusty Rock Chip
1270029	BET	7	617797	6963557	7/6/2012	12:58:46 PM	FP01	Dark Brown	Sand	Dry	Subtle Slope	30	B	Poplar	Leaf Cover	Poor	Organic 10%	
1270030	BET	7	617797	6963607	7/6/2012	1:09:14 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	Poplar	Leaf Cover	Good	Coarse	Quartz Chips
1270031	BET	7	617797	6963657	7/6/2012	1:19:25 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	50	C	Black Spruce	Reindeer Moss	Good	Coarse	Rusty Rock Chip
1270032	BET	7	617697	6963657	7/6/2012	1:54:30 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	50	C	Poplar	Grass Cover	Good	Coarse	Rusty Rock Chip
1270033	BET	7	617697	6963607	7/6/2012	2:06:05 PM	FP01	Dark Brown	Sand	Dry	Subtle Slope	50	B	Poplar	Leaf Cover	Good	Coarse	Rusty Rock Chip
1270034	BET	7	617697	6963557	7/6/2012	2:16:38 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1270035	BET	7	617697	6963509	7/6/2012	2:29:54 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	50	B	Poplar	Grass Cover	Good	Coarse	Rusty Rock Chip
1270036	BET	7	617697	6963457	7/6/2012	2:41:31 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	70	C	Poplar	Grass Cover	Good	Coarse	Rocky
1270037	BET	7	617698	6963407	7/6/2012	2:51:26 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	70	C	Poplar	Grass Cover	Good	Coarse	Rocky
1270038	BET	7	617697	6963358	7/6/2012	3:00:13 PM	FP01	Grey	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1270039	BET	7	617697	6963307	7/6/2012	3:23:30 PM	FP01	Reddish Brown	Sand	Dry	Subtle Slope	50	C	Poplar	Grass Cover	Good	Coarse	Rocky
1270040	BET	7	617697	6963258	7/6/2012	3:33:33 PM	FP01	Light Brown	Sand	Damp	Pronounced Slope	90	C	Poplar	Leaf Cover	Good	Coarse	Rusty Rock Chip
1270041	BET	7	617696	6963208	7/6/2012	3:44:00 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	100	C	Poplar	Leaf Cover	Good	Coarse	Rusty Rock Chip
1270042	BET	7	617697	6963158	7/6/2012	3:54:27 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1270043	BET	7	617697	6963108	7/6/2012	4:08:35 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	B	Subalpine Fir	Grass Cover	Good	Rocky	
1270044	BET	7	617697	6963057	7/6/2012	4:20:48 PM	FP01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	B	Poplar	Grass Cover	Good	Rocky	
1270045	BET	7	617697	6963007	7/6/2012	4:31:28 PM	FP01	Dark Grey Black	Sand	Damp	Flat	80	B	Willows	Sphagnum Moss < 30cm	Good	Rocky	Rusty Rock Chip
1270046	BET	7	617696	6962958	7/6/2012	4:49:06 PM	FP01	Dark Brown	Sand	Damp	Flat	50	B	Black Spruce	Rock Cover	Good	Rocky	
1270047	BET	7	617697	6962908	7/6/2012	5:00:30 PM	FP01	Dark Brown	Sand	Wet	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rusty Rock Chip	Partially Frozen
1290464	BET	7	627497	6965957	7/6/2012	9:51:47 AM	JS01	Chocolate Brown	Silt	Damp	Steep	30	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky Sample	Rocky Terrain
1290465	BET	7	627497	6966007	7/6/2012	10:05:16 AM	JS01	Chocolate Brown	Sand	Dry	Steep	80	B	Birch Forest	Sphagnum Moss < 30cm	Good	Fine	Rocky Terrain
1290466	BET	7	627497	6966056	7/6/2012	10:21:41 AM	JS01	Dark Brown	Sand	Damp	Steep	80	B	Black Spruce	Sphagnum Moss > 30cm	Good	Rocky	Organic 10%
1290467	BET	7	627498	6966108	7/6/2012	10:33:52 AM	JS01	Dark Grey Black	Silt	Dry	Steep	30	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Fine	Rocky Terrain
1290468	BET	7	627496	6966208	7/6/2012	11:00:37 AM	JS01	Dark Grey Black	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Organic 10%	Partially Frozen
1290469	BET	7	627498	6966258	7/6/2012	11:17:47 AM	JS01	Dark Grey Black	Silt	Damp	Pronounced Slope	30	B	Alders	Leaf Cover	Poor	Partially Frozen	Possible Creek Contamination
1290471	BET	7	627498	6966308	7/6/2012	11:30:09 AM	JS01	Dark Grey Black	Silt	Damp	Pronounced Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	Possible Creek Contamination
1290472	BET	7	627495	6966357	7/6/2012	11:42:26 AM	JS01	Dark Grey Black	Silt	Damp	Pronounced Slope	30	A	Black Spruce	Sphagnum Moss < 30cm	Poor	Possible Creek Contamination	Partially Frozen
1290473	BET	7	627497	6966408	7/6/2012	11:55:28 AM	JS01	Dark Grey Black	Silt	Damp	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Organic 10%	Partially Frozen
1290474	BET	7	627496	6966456	7/6/2012	12:19:17 PM	JS01	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Rocky Sample	Small Sample
1290475	BET	7	627497	6966660	7/6/2012	1:32:26 PM	JS01	Dark Grey Black	Silt	Damp	Pronounced Slope	50	B	Birch Forest	Leaf Cover	Poor		
1290476	BET	7	627497	6966662	7/6/2012	1:42:32 PM	JS01	Dark Grey Black	Silt	Damp	Pronounced Slope	40	B	Birch Forest	Leaf Cover	Poor		
1290477	BET	7	627497	6966706	7/6/2012	1:52:35 PM	JS01	Grey	Sand	Damp	Pronounced Slope	60	B	Birch Forest	Leaf Cover	Good	Fine	Rocky
1290478	BET	7	627494	6966756	7/6/2012	2:06:55 PM	JS01	Dark Grey Black	Silt	Damp	Pronounced Slope	50	B	Birch Forest	Leaf Cover	Poor	Organic 10%	Partially Frozen
1290479	BET	7	627497	6966806	7/6/2012	2:18:44 PM	JS01	Dark Grey Black	Silt	Damp	Pronounced Slope	50	B	Birch Forest	Leaf Cover	Poor	Organic 10%	Rocky
1290480	BET	7	627495	6966906	7/6/2012	2:49:53 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	30	B	Poplar	Leaf Cover	Poor	Fine	Rocky
1290481	BET	7	627497	6967008	7/6/2012	3:31:18 PM	JS01	Chocolate Brown	Silt	Dry	Steep	30	B	Poplar	Leaf Cover	Poor	Rocky Sample	Rocky Terrain
1290482	BET	7	627469	6967056	7/6/2012	3:55:05 PM	JS01	Dark Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Bright Orange Rust	Rocky
1290483	BET	7	627477	6967104	7/6/2012	4:08:09 PM	JS01	Grey	Sand	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Bright Orange Rust	Rocky Sample
1290484	BET	7	627457	6967149	7/6/2012	4:21:36 PM	JS01	Grey	Sand	Damp	Steep	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Rocky Sample
1290485	BET	7	627495	6967207	7/6/2012	4:33:05 PM	JS01	Grey	Silt	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Bright Orange Rust	Rocky
1290486	BET	7	627497	6967255	7/6/2012	4:50:47 PM	JS01	Grey	Silt	Damp	Steep	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1290487	BET	7	627497	6967307	7/6/2012	5:00:23 PM	JS01	Grey	Silt	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	Quartz Chips
1290488	BET	7	627496	6967356	7/6/2012	5:20:38 PM	JS01	Grey	Silt	Damp	Flat	30	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	
1284955	BET	7	622896	6962956	7/6/2012	9:42:59 AM	KH01	Chocolate Brown	Gravel	Damp	Pronounced Slope	70	C	Poplar	Sphagnum Moss < 30cm	Good	Rocky	
1284987	BET	7	622897	6963007	7/6/2012	9:57:02 AM	KH01	Chocolate Brown	Gravel	Damp	Steep	70	C	Poplar	Sphagnum Moss < 30cm	Good	Rocky	
1284988	BET	7	622896	6963057	7/6/2012	10:10:22 AM	KH01	Dark Brown	Sand	Damp	Steep	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Organic 10%	Rocky
1284989	BET	7	622898	6963107	7/6/2012	10:24:24 AM	KH01	Chocolate Brown	Gravel	Damp	Steep	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Rocky	Coarse
1284990	BET	7	622897	6963157	7/6/2012	10:37:38 AM	KH01	Dark Grey Black	Sand	Damp	Steep	70	B	Birch Forest	Sphagnum Moss < 30cm	Good	Fine	Organic 10%
1283492	BET	7	622897	6963208	7/6/2012	10:50:34 AM	KH01	Chocolate Brown	Sand	Wet	Steep	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Mud	Rocky
1283493	BET	7	622898	6963258	7/6/2012	11:13:06 AM	KH01	Chocolate Brown	Gravel	Dry	Steep	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1283494	BET	7	622897	6963308	7/6/2012	11:20:53 AM	KH01	Chocolate Brown	Sand	Wet	Steep	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1283495	BET	7	622897	6963358	7/6/2012	11:32:25 AM	KH01	Chocolate Brown	Sand	Wet	Pronounced Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Mud	Rocky
1283496	BET	7	622896	6963458	7/6/2012	11:54:04 AM	KH01	Chocolate Brown	Sand	Damp	Steep	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Frozen
1283497	BET	7	622897	6963508	7/6/2012	12:11:11 PM	KH01	Dark Grey Black	Sand	Wet	Steep	50	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Mud	Fine
1283498	BET	7	622898	6963558	7/6/2012	12:23:24 PM	KH01	Dark Grey Black	Sand	Wet	Steep	60	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Fine	Frozen
1283499	BET	7	622896	6963609	7/6/2012	12:36:10 PM	KH01	Dark Grey Black	Sand	Damp	Steep	60	B	No Tree Cover	Sphagnum Moss < 30cm	Good	Frozen	Organic 10%
1283500	BET	7	622898	6963707	7/6/2012	12:57:53 PM	KH01	Dark Grey Black	Sand	Damp	Steep	70	B	Birch Forest	Sphagnum Moss < 30cm	Good	Frozen	Organic 10%
1284952	BET	7	622898	6963759	7/6/2012	1:14:45 PM	KH01	Chocolate Brown	Sand	Damp	Steep	70	C	Birch Forest	Leaf Cover	Good	Rocky	Organic 10%
1284953	BET	7	622897	6963808	7/6/2012	1:29:22 PM	KH01	Chocolate Brown	Sand	Damp	Steep	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Mud	Rocky
1284954	BET	7	622897	6963858	7/6/2012	1:39:06 PM	KH01	Chocolate Brown	Sand	Wet	Steep	70	B	Birch Forest	Sphagnum Moss < 30cm	Good	Mud	Frozen
1284991	BET	7	622897	6963906	7/6/2012	1:58:36 PM	KH01	Dark Grey Black	Sand	Damp	Steep	60	B	White Spruce	Sphagnum Moss < 30cm	Good	Frozen	
1284978	BET	7	622897	6963957	7/6/2012	2:13:31 PM	KH01	Dark Grey Black	Sand	Wet	Pronounced Slope	60	B	White Spruce	Sphagnum Moss < 30cm	Good	Mud	Frozen
1284992	BET	7	622897	6964007	7/6/2012	2:25:16 PM	KH01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Mud	Rocky
1284993	BET	7	622896	6964058	7/6/2012	2:40:21 PM	KH01	Dark Grey Black	Sand	Wet	Steep	50	B	White Spruce	Sphagnum Moss < 30cm	Poor	Mud	Organic 10%
1284994	BET	7	622897	6964107	7/6/2012	2:53:59 PM	KH01	Chocolate Brown	Sand	Damp	Steep	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Fine	Partially Frozen
1284995	BET	7	622897	6964307	7/6/2012	3:25:21 PM	KH01	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Frozen	Bright Orange Rust
1284996	BET	7	622896	6964357	7/6/2012	3:35:16 PM	KH01	Chocolate Brown	Sand	Damp	Flat	70	B	White Spruce	Sphagnum Moss < 30cm	Good	Frozen	
1293378	BET	7	627097	6965957	7/6/2012	9:51:45 AM	MT01	Chocolate Brown	Clay	Damp	Subtle Slope	50	B	Poplar	Sphagnum Moss < 30cm	Good	Rocky	
1293379	BET	7	627096	6966008	7/6/2012	10:08:14 AM	MT01	Light Brown	Sand	Dry	Subtle Slope	80	C	Poplar	Thin Moss Cover	Excellent	Rocky	
1293380	BET	7	627097	6966058	7/6/2012	10:20:20 AM	MT01	Chocolate Brown	Clay	Damp	Subtle Slope	40	B	Poplar	Thin Moss Cover	Poor	Rocky	
1293381	BET	7	627096	6966107	7/6/2012	10:34:09 AM	MT01	Reddish Brown	Sand	Damp	Subtle Slope	50	B	Poplar	Thin Moss Cover	Good	Clay	
1293382	BET	7	627097	6966157	7/6/2012	10:46:40 AM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	60	B	Poplar	Leaf Cover	Excellent	Clay	Rocky
1293383	BET	7	627096	6966207	7/6/2012	10:55:53 AM	MT01	Reddish Brown	Sand	Dry	Subtle Slope	80	C	Poplar	Leaf Cover	Excellent		
1293384	BET	7	627095	6966258	7/6/2012	11:09:16 AM	MT01	Chocolate Brown	Clay	Dry	Subtle Slope	60	B	Poplar	Leaf Cover	Good	Rocky	
1293475	BET	7	627095	6966308	7/6/2012	11:20:51 AM	MT01	Reddish Yellow	Sand	Dry	Subtle Slope	70	C	Poplar	Leaf Cover	Good	Rocky	
1293376	BET	7	627095	6966308	7/6/2012	11:28:54 AM	MT01	Reddish Yellow	Sand	Dry	Subtle Slope	70	C	Poplar	Leaf Cover	Excellent	Rocky	
1293385	BET	7	627096	6966358	7/6/2012	11:39:09 AM	MT01	Reddish Yellow	Sand	Dry	Subtle Slope	50	C	Poplar	Leaf Cover	Excellent		
1293386	BET	7	627097	6966407	7/6/2012	11:56:07 AM	MT01	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	Poplar	Reindeer Moss	Good		
1293387	BET	7	627096	6966459	7/6/2012	12:09:47 PM	MT01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Poplar	Thin Moss Cover	Good	Clay	Rocky Terrain
1293388	BET	7	627097	6966508	7/6/2012	12:21:19 PM	MT01	Reddish Brown	Sand	Dry	Subtle Slope	90	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	
1293389	BET	7	627096	6966557	7/6/2012	12:33:16 PM	MT01	Chocolate Brown	Sand	Dry	Subtle Slope	60	B	Poplar	Leaf Cover	Good	Fine	
1293390	BET	7	627096	6966609	7/6/2012	12:45:31 PM	MT01	Reddish Yellow	Sand	Dry	Subtle Slope	50	C	Poplar	Leaf Cover	Excellent		

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1293391	BET	7	627097	6966658	7/6/2012	12:56:52 PM	MT01	Chocolate Brown	Silt	Dry	Subtle Slope	60	B	Poplar	Leaf Cover	Good	Rocky Terrain	
1293392	BET	7	627096	6966706	7/6/2012	1:15:58 PM	MT01	Chocolate Brown	Sand	Dry	Subtle Slope	40	B	Poplar	Reindeer Moss	Good	Clay	
1293393	BET	7	627096	6966756	7/6/2012	1:30:00 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	30	B	Poplar	Sphagnum Moss < 30cm	Good	Rocky Terrain	
1293394	BET	7	627095	6966806	7/6/2012	1:45:33 PM	MT01	Dark Brown	Clay	Damp	Pronounced Slope	30	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Rocky	
1293395	BET	7	627098	6966856	7/6/2012	1:48:37 PM	MT01	Dark Grey Black	Clay	Wet	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Rocky	Frozen
1293396	BET	7	627095	6966907	7/6/2012	2:16:16 PM	MT01	Dark Brown	Sand	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Good	Mud	Partially Frozen
1293397	BET	7	627096	6967006	7/6/2012	2:45:35 PM	MT01	Chocolate Brown	Clay	Damp	Pronounced Slope	40	B	Black Spruce	Leaf Cover	Poor	Rocky Terrain	Organic 10%
1293398	BET	7	627097	6967107	7/6/2012	3:16:57 PM	MT01	Dark Brown	Gravel	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Good	Mud	
1293399	BET	7	627097	6967156	7/6/2012	3:28:16 PM	MT01	Reddish Brown	Sand	Damp	Pronounced Slope	80	C	Black Spruce	Sphagnum Moss < 30cm	Good		
1293400	BET	7	627097	6967206	7/6/2012	3:41:17 PM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1293002	BET	7	627096	6967256	7/6/2012	4:04:26 PM	MT01	Dark Brown	Silt	Dry	Pronounced Slope	20	A	Poplar	Thin Moss Cover	Poor	Rocky Terrain	Organic 10%
1293003	BET	7	627098	6967305	7/6/2012	4:21:24 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	40	B	Poplar	Thin Moss Cover	Good	Rocky Terrain	
1293004	BET	7	627095	6967357	7/6/2012	4:33:28 PM	MT01	Dark Brown	Sand	Dry	Pronounced Slope	40	B	Poplar	Sphagnum Moss < 30cm	Good		
1293005	BET	7	627098	6967406	7/6/2012	4:46:51 PM	MT01	Dark Grey Black	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Thin Moss Cover	Good	Rocky Terrain	
1270202	BET	7	617896	6962907	7/6/2012	9:37:57 AM	RF02	Chocolate Brown	Silt	Damp	Pronounced Slope	80	C	Black Spruce	Sphagnum Moss < 30cm	Good		
1270203	BET	7	617895	6963058	7/6/2012	10:16:29 AM	RF02	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Poplar	Grass Cover	Good		
1270204	BET	7	617897	6963107	7/6/2012	10:30:03 AM	RF02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Grass Cover	Good		
1270205	BET	7	617896	6963156	7/6/2012	10:41:26 AM	RF02	Light Brown	Silt	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Excellent		
1270206	BET	7	617897	6963207	7/6/2012	10:53:35 AM	RF02	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent		
1270207	BET	7	617896	6963256	7/6/2012	11:15:26 AM	RF02	Chocolate Brown	Silt	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Good		
1270208	BET	7	617897	6963307	7/6/2012	11:28:38 AM	RF02	Dark Brown	Silt	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Good		
1270209	BET	7	617897	6963357	7/6/2012	11:41:54 AM	RF02	Grey	Sand	Dry	Pronounced Slope	90	C	Poplar	Leaf Cover	Excellent		
1270210	BET	7	617897	6963408	7/6/2012	11:55:52 AM	RF02	Dark Brown	Silt	Damp	Subtle Slope	60	C	Poplar	Leaf Cover	Good		
1270211	BET	7	617897	6963457	7/6/2012	12:12:32 PM	RF02	Light Bluish Grey	Silt	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent		
1270212	BET	7	617897	6963507	7/6/2012	12:23:01 PM	RF02	Chocolate Brown	Silt	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Good		
1270213	BET	7	617896	6963556	7/6/2012	12:35:46 PM	RF02	Dark Brown	Silt	Dry	Subtle Slope	60	C	Poplar	Leaf Cover	Good		
1270214	BET	7	617898	6963608	7/6/2012	12:56:38 PM	RF02	Chocolate Brown	Gravel	Dry	Subtle Slope	40	B	Poplar	Leaf Cover	Poor		
1270215	BET	7	617897	6963657	7/6/2012	1:12:20 PM	RF02	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor		
1270216	BET	7	617997	6963657	7/6/2012	1:30:44 PM	RF02	Chocolate Brown	Silt	Dry	Flat	60	B	Birch Forest	Reindeer Moss	Good		
1270217	BET	7	617997	6963609	7/6/2012	1:44:11 PM	RF02	Dark Brown	Clay	Dry	Subtle Slope	50	B	Poplar	Leaf Cover	Poor		
1270218	BET	7	617996	6963558	7/6/2012	2:02:01 PM	RF02	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Good		
1270219	BET	7	617997	6963507	7/6/2012	2:14:37 PM	RF02	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	Poplar	Leaf Cover	Good		
1270220	BET	7	617997	6963458	7/6/2012	2:26:03 PM	RF02	Dark Brown	Silt	Dry	Subtle Slope	60	C	Poplar	Leaf Cover	Good		
1270221	BET	7	617998	6963408	7/6/2012	2:39:38 PM	RF02	Light Brown	Silt	Dry	Subtle Slope	60	C	Poplar	Grass Cover	Good		
1270222	BET	7	617998	6963358	7/6/2012	2:53:08 PM	RF02	Chocolate Brown	Silt	Dry	Subtle Slope	80	C	Poplar	Leaf Cover	Excellent		
1270223	BET	7	617997	6963308	7/6/2012	3:05:42 PM	RF02	Bluish Grey	Silt	Dry	Subtle Slope	80	C	Poplar	Leaf Cover	Excellent		
1270224	BET	7	617997	6963258	7/6/2012	3:19:23 PM	RF02	Dark Brown	Gravel	Damp	Subtle Slope	40	B	Poplar	Grass Cover	Poor		
1270225	BET	7	617997	6963258	7/6/2012	3:20:35 PM	RF02	Dark Brown	Gravel	Damp	Subtle Slope	40	B	Poplar	Grass Cover	Poor		
1270226	BET	7	617996	6963207	7/6/2012	3:40:13 PM	RF02	Dark Brown	Silt	Dry	Subtle Slope	60	C	Poplar	Grass Cover	Good		
1270227	BET	7	617997	6963157	7/6/2012	3:53:36 PM	RF02	Chocolate Brown	Silt	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Good		
1270228	BET	7	617997	6963107	7/6/2012	4:05:29 PM	RF02	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	Poplar	Leaf Cover	Good		
1270229	BET	7	617996	6963058	7/6/2012	4:18:44 PM	RF02	Chocolate Brown	Silt	Dry	Subtle Slope	50	C	Poplar	Grass Cover	Good		
1283848	BET	7	622697	6962957	7/6/2012	9:32:51 AM	RL02	Dark Grey Black	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Partially Frozen
1283849	BET	7	622697	6963007	7/6/2012	9:42:43 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Thin Moss Cover	Excellent	Coarse	Rocky
1283850	BET	7	622696	6963057	7/6/2012	9:52:12 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Birch Forest	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1283752	BET	7	622697	6963108	7/6/2012	10:02:59 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Dull Red Rust	Bright Orange Rust
1283753	BET	7	622696	6963158	7/6/2012	10:14:18 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1283754	BET	7	622696	6963208	7/6/2012	10:23:32 AM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Rocky
1283755	BET	7	622697	6963257	7/6/2012	10:32:18 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Thin Moss Cover	Excellent	Dull Red Rust	Rocky
1283756	BET	7	622696	6963308	7/6/2012	10:48:06 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Rusty Rock Chip	Rocky Sample
1283757	BET	7	622696	6963359	7/6/2012	11:12:46 AM	RL02	Chocolate Brown	Gravel	Damp	Pronounced Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	Rocky Sample
1283758	BET	7	622697	6963408	7/6/2012	11:23:00 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Reindeer Moss	Excellent	Dull Red Rust	Bright Orange Rust
1283759	BET	7	622696	6963458	7/6/2012	11:33:36 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1283760	BET	7	622696	6963508	7/6/2012	11:49:34 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Rocky	Bright Orange Rust
1283761	BET	7	622696	6963558	7/6/2012	12:05:51 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Thin Moss Cover	Good	Rocky	Rocky Sample
1283762	BET	7	622698	6963608	7/6/2012	12:26:09 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1283763	BET	7	622696	6963658	7/6/2012	12:38:58 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	90	C	Black Spruce	Reindeer Moss	Excellent	Bright Orange Rust	Coarse
1283764	BET	7	622697	6963708	7/6/2012	12:49:14 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Rocky Sample
1283765	BET	7	622696	6963758	7/6/2012	1:06:46 PM	RL02	Bluish Grey	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Reindeer Moss	Excellent	Bright Orange Rust	Coarse
1283766	BET	7	622696	6963808	7/6/2012	1:22:33 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Rocky
1283767	BET	7	622696	6963858	7/6/2012	1:34:28 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1283768	BET	7	622696	6963906	7/6/2012	1:54:25 PM	RL02	Chocolate Brown	Gravel	Damp	Pronounced Slope	50	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	Rocky Sample
1283769	BET	7	622696	6963957	7/6/2012	2:20:55 PM	RL02	Dark Brown	Gravel	Damp	Pronounced Slope	80	C	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	Rocky Sample
1283770	BET	7	622696	6964208	7/6/2012	3:02:38 PM	RL02	Chocolate Brown	Sand	Wet	Subtle Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1283771	BET	7	622697	6964257	7/6/2012	3:11:11 PM	RL02	Dark Brown	Sand	Wet	Subtle Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1283772	BET	7	622697	6964307	7/6/2012	3:24:50 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1283773	BET	7	622697	6964358	7/6/2012	3:32:07 PM	RL02	Dark Grey Black	Sand	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	
1283774	BET	7	622697	6964407	7/6/2012	3:40:19 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	70	C	White Spruce	Thin Moss Cover	Excellent	Bright Orange Rust	Coarse
1283877	BET	7	622797	6963006	7/6/2012	10:09:17 AM	RM01	Chocolate Brown	Silt	Damp	Subtle Slope	60	C	Poplar	Reindeer Moss	Excellent	Fine	
1283878	BET	7	622797	6963058	7/6/2012	10:28:47 AM	RM01	Chocolate Brown	Silt	Damp	Subtle Slope	40	B	Alders	Reindeer Moss	Good	Fine	
1283879	BET	7	622796	6963107	7/6/2012	10:38:36 AM	RM01	Chocolate Brown	Sand	Damp	Subtle Slope	50	B	Alders	Reindeer Moss	Good	Coarse	
1283880	BET	7	622797	6963157	7/6/2012	10:55:08 AM	RM01	Chocolate Brown	Silt	Damp	Subtle Slope	70	C	Alders	Reindeer Moss	Excellent	Coarse	
1283881	BET	7	622786	6963208	7/6/2012	11:13:05 AM	RM01	Dark Brown	Silt	Wet	Pronounced Slope	70	B	Black Spruce	Reindeer Moss	Good	Fine	
1283882	BET	7	622796	6963258	7/6/2012	11:30:58 AM	RM01	Chocolate Brown	Sand	Damp	Steep	80	C	Alders	Reindeer Moss	Poor	Coarse	
1283883	BET	7	622797	6963358	7/6/2012	12:04:31 PM	RM01	Chocolate Brown	Sand	Damp	Steep	70	B	Poplar	Sphagnum Moss < 30cm	Poor	Coarse	Rocky
1283884	BET	7	622797	6963408	7/6/2012	12:25:16 PM	RM01	Chocolate Brown	Gravel	Wet	Steep	70	B	Alders	Sphagnum Moss < 30cm	Poor	Coarse	Organic 50%
1283885	BET	7	622797	6963458	7/6/2012	12:43:25 PM	RM01	Dark Brown	Silt	Damp	Steep	70	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Fine	Organic 25%
1283886	BET	7	622796	6963555	7/6/2012	1:19:23 PM	RM01	Chocolate Brown	Sand	Damp	Steep	40	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Coarse	Rocky
1283887	BET	7	622797	6963605	7/6/2012	1:38:55 PM	RM01	Dark Brown	Sand	Damp	Steep	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	Rocky
1283888	BET	7	622796	6963656	7/6/2012	1:58:13 PM	RM01	Chocolate Brown	Sand	Damp	Steep	50	C	Alders	Reindeer Moss	Good	Coarse	Rocky
1283889	BET	7	622797	6963706	7/6/2012	2:15:43 PM	RM01	Dark Brown	Sand	Damp	Steep	50	B	Alders	Reindeer Moss	Good	Coarse	Organic 25%
1283890	BET	7	622797	6963755	7/6/2012	2:40:37 PM	RM01	Chocolate Brown	Gravel	Damp	Steep	40	B	Black Spruce	Reindeer Moss	Good	Coarse	Rocky
1283852	BET	7	622797	6963806	7/6/2012	2:57:35 PM	RM01	Dark Brown	Sand	Damp	Steep	70	B	Black Spruce	Reindeer Moss	Good	Coarse	
1283853	BET	7	622796	6963856	7/6/2012	3:10:07 PM	RM01	Chocolate Brown	Sand	Wet	Pronounced Slope	60	B	Black Spruce	Reindeer Moss	Good	Coarse	Mud

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1283854	BET	7	622796	6963906	7/6/2012	3:29:40 PM	RM01	Chocolate Brown	Sand	Wet	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Coarse	Frozen
1283855	BET	7	622797	6964106	7/6/2012	4:02:13 PM	RM01	Chocolate Brown	Sand	Wet	Subtle Slope	60	B	Black Spruce	Reindeer Moss	Good	Fine	
1283856	BET	7	622796	6964308	7/6/2012	4:27:28 PM	RM01	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Black Spruce	Reindeer Moss	Good	Coarse	Bright Orange Rust
1283857	BET	7	622797	6964356	7/6/2012	4:38:38 PM	RM01	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Black Spruce	Reindeer Moss	Good	Coarse	Bright Orange Rust
1283858	BET	7	622798	6964407	7/6/2012	4:51:44 PM	RM01	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1292593	BET	7	627296	6965957	7/6/2012	9:54:34 AM	RR01	Chocolate Brown	Silt	Wet	Pronounced Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Organic 10%	Wet Soil
1292594	BET	7	627298	6966007	7/6/2012	10:08:01 AM	RR01	Chocolate Brown	Gravel	Damp	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1292595	BET	7	627298	6966108	7/6/2012	10:33:56 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Sphagnum Moss < 30cm	Good	Rocky	Coarse
1292596	BET	7	627299	6966159	7/6/2012	10:43:49 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	100	C	Poplar	Leaf Cover	Excellent	Coarse	
1292597	BET	7	627298	6966207	7/6/2012	11:00:33 AM	RR01	Dark Brown	Gravel	Damp	Pronounced Slope	50	B	White Spruce	Leaf Cover	Good	Rocky	
1292598	BET	7	627296	6966258	7/6/2012	11:14:03 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1292599	BET	7	627296	6966307	7/6/2012	11:30:02 AM	RR01	Chocolate Brown	Gravel	Damp	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Rocky	
1292600	BET	7	627299	6966358	7/6/2012	11:38:27 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	
1292602	BET	7	627299	6966407	7/6/2012	11:50:18 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1292603	BET	7	627298	6966456	7/6/2012	12:12:04 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky Sample	Rocky
1292604	BET	7	627297	6966507	7/6/2012	12:26:49 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	30	B	Pine	Leaf Cover	Good	Rocky	Rocky Terrain
1292605	BET	7	627299	6966557	7/6/2012	1:11:27 PM	RR01	Dark Brown	Silt	Damp	Pronounced Slope	30	B	Poplar	Leaf Cover	Poor	Rocky	
1292606	BET	7	627297	6966607	7/6/2012	1:25:09 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Grass Cover	Excellent	Coarse	
1292607	BET	7	627298	6966658	7/6/2012	1:36:21 PM	RR01	Reddish Yellow	Sand	Damp	Pronounced Slope	50	C	Poplar	Bare Soil	Excellent	Coarse	Quartz Chips
1292608	BET	7	627296	6966708	7/6/2012	1:51:08 PM	RR01	Dark Brown	Sand	Damp	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Coarse	
1292609	BET	7	627298	6966757	7/6/2012	2:05:42 PM	RR01	Reddish Yellow	Sand	Damp	Steep	50	C	Poplar	Grass Cover	Good	Coarse	
1292610	BET	7	627298	6966805	7/6/2012	2:21:40 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Coarse	Rocky
1292611	BET	7	627297	6966856	7/6/2012	2:39:01 PM	RR01	Light Brown	Silt	Dry	Pronounced Slope	80	B	Poplar	Grass Cover	Good	Loess	Sandy
1292612	BET	7	627297	6966906	7/6/2012	2:48:42 PM	RR01	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	
1292613	BET	7	627296	6967006	7/6/2012	3:20:16 PM	RR01	Dark Brown	Gravel	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Rocky
1292614	BET	7	627297	6967055	7/6/2012	3:35:54 PM	RR01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Loess	Rocky
1292615	BET	7	627297	6967107	7/6/2012	3:42:41 PM	RR01	Grey	Silt	Wet	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Rocky Sample
1292616	BET	7	627321	6967151	7/6/2012	3:59:32 PM	RR01	Chocolate Brown	Gravel	Damp	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Coarse	Rocky
1292617	BET	7	627296	6967256	7/6/2012	4:21:42 PM	RR01	Chocolate Brown	Gravel	Wet	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Mud	Wet Soil
1292618	BET	7	627297	6967307	7/6/2012	4:37:03 PM	RR01	Dark Brown	Sand	Wet	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Coarse	Partially Frozen
1292619	BET	7	627297	6967356	7/6/2012	4:51:54 PM	RR01	Grey	Gravel	Wet	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Mud	Wet Soil
1292620	BET	7	627296	6967405	7/6/2012	5:02:31 PM	RR01	Grey	Gravel	Wet	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	Wet Soil
1271673	BET	7	617296	6962906	7/6/2012	10:05:40 AM	RR02	Chocolate Brown	Sand	Wet	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Wet Soil
1271674	BET	7	617296	6962956	7/6/2012	10:13:41 AM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Partially Frozen
1271677	BET	7	617296	6963006	7/6/2012	10:29:55 AM	RR02	Grey	Silt	Wet	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Frozen	
1271678	BET	7	617296	6963058	7/6/2012	10:39:01 AM	RR02	Chocolate Brown	Sand	Wet	Pronounced Slope	50	C	Birch Forest	Sphagnum Moss < 30cm	Good	Wet Soil	Coarse
1271679	BET	7	617296	6963105	7/6/2012	10:54:07 AM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	60	B	Birch Forest	Leaf Cover	Poor	Organic 10%	Rocky Terrain
1271680	BET	7	617296	6963159	7/6/2012	11:09:09 AM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Partially Frozen
1271681	BET	7	617297	6963209	7/6/2012	11:21:47 AM	RR02	Chocolate Brown	Sand	Wet	Subtle Slope	80	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	
1271682	BET	7	617296	6963257	7/6/2012	11:31:35 AM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Grass Cover	Excellent	Coarse	
1271675	BET	7	617299	6963307	7/6/2012	11:44:28 AM	RR02	Grey	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	
1271676	BET	7	617299	6963307	7/6/2012	11:50:31 AM	RR02	Grey	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	
1271683	BET	7	617298	6963357	7/6/2012	12:01:38 PM	RR02	Dark Brown	Sand	Damp	Subtle Slope	90	C	Alders	Leaf Cover	Good	Fine	Bright Orange Rust
1271684	BET	7	617297	6963407	7/6/2012	12:16:00 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Poplar	Grass Cover	Good	Coarse	Rocky
1271685	BET	7	617297	6963457	7/6/2012	12:58:31 PM	RR02	Light Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Grass Cover	Excellent	Coarse	
1271686	BET	7	617298	6963507	7/6/2012	1:09:51 PM	RR02	Chocolate Brown	Gravel	Damp	Pronounced Slope	30	C	Poplar	Leaf Cover	Good	Fine	
1271687	BET	7	617297	6963557	7/6/2012	1:20:15 PM	RR02	Greyish Green	Sand	Damp	Pronounced Slope	40	C	Poplar	Grass Cover	Good	Coarse	
1271688	BET	7	617298	6963608	7/6/2012	1:31:01 PM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	
1271689	BET	7	617297	6963656	7/6/2012	1:41:12 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Alders	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Coarse
1271690	BET	7	617396	6963657	7/6/2012	1:57:02 PM	RR02	Reddish Brown	Gravel	Damp	Subtle Slope	40	C	Poplar	Leaf Cover	Good	Coarse	
1271691	BET	7	617396	6963607	7/6/2012	2:05:57 PM	RR02	Light Brown	Sand	Damp	Subtle Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	
1271692	BET	7	617398	6963558	7/6/2012	2:13:17 PM	RR02	Chocolate Brown	Gravel	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Fine	
1271693	BET	7	617396	6963508	7/6/2012	2:22:51 PM	RR02	Bluish Grey	Sand	Damp	Subtle Slope	90	C	Poplar	Leaf Cover	Excellent	Coarse	
1271694	BET	7	617395	6963456	7/6/2012	2:31:49 PM	RR02	Reddish Yellow	Silt	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Coarse	
1271695	BET	7	617396	6963407	7/6/2012	2:42:45 PM	RR02	Reddish Brown	Sand	Damp	Pronounced Slope	100	C	Alders	Thin Moss Cover	Good	Fine	
1271696	BET	7	617397	6963356	7/6/2012	2:53:05 PM	RR02	Grey	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Coarse	
1271697	BET	7	617398	6963306	7/6/2012	3:11:55 PM	RR02	Reddish Brown	Gravel	Damp	Pronounced Slope	50	C	Birch Forest	Grass Cover	Excellent	Coarse	
1271698	BET	7	617396	6963258	7/6/2012	3:21:05 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Alders	Grass Cover	Good	Coarse	
1271699	BET	7	617397	6963207	7/6/2012	3:30:50 PM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Coarse	
1271700	BET	7	617396	6963157	7/6/2012	3:40:43 PM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	100	C	Poplar	Grass Cover	Good	Fine	
1270302	BET	7	617397	6963108	7/6/2012	3:53:35 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	Alders	Thin Moss Cover	Good	Coarse	Possible Creek Contamination
1270303	BET	7	617396	6963055	7/6/2012	4:06:55 PM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Partially Frozen	Wet Soil
1270304	BET	7	617395	6963005	7/6/2012	4:20:04 PM	RR02	Grey	Silt	Wet	Pronounced Slope	70	B	Birch Forest	Sphagnum Moss < 30cm	Good	Partially Frozen	Fine
1270305	BET	7	617396	6962957	7/6/2012	4:29:11 PM	RR02	Chocolate Brown	Sand	Wet	Subtle Slope	40	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Wet Soil
1270306	BET	7	617396	6962907	7/6/2012	4:39:57 PM	RR02	Chocolate Brown	Sand	Wet	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss > 30cm	Poor	Coarse	Wet Soil
1293352	BET	7	627397	6965957	7/6/2012	9:51:09 AM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Sphagnum Moss < 30cm	Good	Rocky	Dull Red Rust
1293353	BET	7	627396	6966006	7/6/2012	10:02:38 AM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	Small Sample
1293354	BET	7	627397	6966057	7/6/2012	10:16:53 AM	SC01	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Rocky	
1293355	BET	7	627397	6966107	7/6/2012	10:27:24 AM	SC01	Dark Brown	Silt	Damp	Pronounced Slope	70	B	Alders	Grass Cover	Poor	Possible Creek Contamination	Rocky
1293356	BET	7	627396	6966156	7/6/2012	10:36:55 AM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Birch Forest	Bare Soil	Excellent	Rocky	
1293357	BET	7	627396	6966207	7/6/2012	10:55:15 AM	SC01	Dark Grey Black	Silt	Damp	Pronounced Slope	60	B	Birch Forest	Leaf Cover	Poor	Mud	Rocky
1293358	BET	7	627397	6966257	7/6/2012	11:11:11 AM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	B	Birch Forest	Grass Cover	Poor	Rocky	Small Sample
1293359	BET	7	627395	6966308	7/6/2012	11:22:38 AM	SC01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Rocky	
1293360	BET	7	627398	6966357	7/6/2012	11:32:43 AM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Alders	Grass Cover	Good	Rocky	Bright Orange Rust
1293361	BET	7	627396	6966407	7/6/2012	11:53:12 AM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Rocky	
1293362	BET	7	627396	6966458	7/6/2012	12:05:07 PM	SC01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	C	Poplar	Sphagnum Moss < 30cm	Good	Rocky	Sandy
1293363	BET	7	627397	6966507	7/6/2012	12:18:34 PM	SC01	Dark Grey Black	Sand	Damp	Pronounced Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1293364	BET	7	627397	6966557	7/6/2012	12:32:22 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	B	Poplar	Sphagnum Moss < 30cm	Good	Rocky	
1293365	BET	7	627396	6966608	7/6/2012	12:44:50 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1293366	BET	7	627397	6966657	7/6/2012	12:58:10 PM	SC01	Grey	Silt	Damp	Pronounced Slope	80	B	Poplar	Grass Cover	Good	Sandy	
1293367	BET	7	627397	6966706	7/6/2012	1:15:40 PM	SC01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Poplar	Grass Cover	Poor	Rocky	
1293368	BET	7	627398	6966756	7/6/2012	1:26:26 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent	Rocky	
1293369	BET	7	627397	6966806	7/6/2012	1:40:52 PM	SC01	Dark Brown	Silt	Damp	Pronounced Slope	70	B	Poplar	Grass Cover	Poor	Bright Orange Rust	Rocky
1293370	BET	7	627397	6966856	7/6/2012	1:59:49 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	B	Poplar	Grass Cover	Good	Rocky	

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1293371	BET	7	627397	6966907	7/6/2012	2:15:26 PM	SC01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Poplar	Leaf Cover	Poor	Rocky	Rocky Terrain
1293372	BET	7	627397	6966956	7/6/2012	2:28:50 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Rocky	
1293373	BET	7	627395	6967006	7/6/2012	2:41:52 PM	SC01	Dark Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Rocky	
1293374	BET	7	627398	6967057	7/6/2012	2:52:37 PM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1293375	BET	7	627396	6967106	7/6/2012	3:06:11 PM	SC01	Grey	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1293476	BET	7	627396	6967106	7/6/2012	3:07:12 PM	SC01	Grey	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1293477	BET	7	627397	6967157	7/6/2012	3:26:53 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1293478	BET	7	627395	6967207	7/6/2012	3:39:31 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Reindeer Moss	Excellent	Dull Red Rust	Quartz Chips
1293479	BET	7	627397	6967256	7/6/2012	3:50:59 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1293480	BET	7	627396	6967306	7/6/2012	4:08:55 PM	SC01	Grey	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1293481	BET	7	627395	6967357	7/6/2012	4:20:04 PM	SC01	Dark Grey Black	Silt	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Partially Frozen	
1293482	BET	7	627397	6967407	7/6/2012	4:28:53 PM	SC01	Dark Brown	Sand	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss > 30cm	Good	Mud	Partially Frozen
1270117	BET	7	618097	6962908	7/6/2012	9:24:02 AM	SD02	Grey	Sand	Wet	Pronounced Slope	50	C	Alders	Sphagnum Moss < 30cm	Good	Fine	Frozen
1270118	BET	7	618096	6962956	7/6/2012	9:33:59 AM	SD02	Grey	Sand	Damp	Pronounced Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Fine	Organic 10%
1270119	BET	7	618095	6963006	7/6/2012	9:41:20 AM	SD02	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Good	Frozen	
1270120	BET	7	618094	6963057	7/6/2012	9:55:06 AM	SD02	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1270121	BET	7	618095	6963105	7/6/2012	10:01:36 AM	SD02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Grass Cover	Good	Coarse	Rocky
1270122	BET	7	618096	6963156	7/6/2012	10:09:04 AM	SD02	Light Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent	Coarse	Rocky
1270123	BET	7	618096	6963206	7/6/2012	10:15:04 AM	SD02	Dark Brown	Gravel	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Excellent	Coarse	Rocky
1270124	BET	7	618097	6963257	7/6/2012	10:23:05 AM	SD02	Dark Blue Black	Sand	Wet	Pronounced Slope	80	C	Willows	Grass Cover	Good	Possible Creek Contamination	Partially Frozen
1270125	BET	7	618097	6963307	7/6/2012	10:31:59 AM	SD02	Dark Grey Black	Sand	Wet	Subtle Slope	50	C	Alders	Leaf Cover	Good	Possible Creek Contamination	Coarse
1270126	BET	7	618097	6963307	7/6/2012	10:36:55 AM	SD02	Grey	Sand	Wet	Subtle Slope	60	C	Alders	Leaf Cover	Good	Possible Creek Contamination	
1270127	BET	7	618097	6963357	7/6/2012	10:46:45 AM	SD02	Dark Grey Black	Gravel	Damp	Subtle Slope	60	B	Alders	Sphagnum Moss < 30cm	Good	Rocky	
1270128	BET	7	618094	6963407	7/6/2012	10:54:29 AM	SD02	Grey	Sand	Damp	Subtle Slope	80	C	Alders	Grass Cover	Excellent	Quartz Chips	
1270129	BET	7	618095	6963457	7/6/2012	11:05:44 AM	SD02	Dark Brown	Sand	Damp	Subtle Slope	80	C	Alders	Grass Cover	Good	Coarse	
1270130	BET	7	618096	6963507	7/6/2012	11:13:24 AM	SD02	Greyish Green	Gravel	Damp	Subtle Slope	80	C	Alders	Grass Cover	Excellent	Sandy	
1270131	BET	7	618096	6963557	7/6/2012	11:21:05 AM	SD02	Dark Brown	Sand	Damp	Subtle Slope	80	B	Willows	Leaf Cover	Good	Coarse	
1270132	BET	7	618097	6963606	7/6/2012	11:27:47 AM	SD02	Light Brown	Sand	Damp	Subtle Slope	70	B	Poplar	Grass Cover	Good	Fine	
1270133	BET	7	618095	6963657	7/6/2012	11:35:05 AM	SD02	Chocolate Brown	Sand	Damp	Subtle Slope	40	C	Alders	Thin Moss Cover	Excellent	Coarse	Outcrop Nearby
1270134	BET	7	618796	6965808	7/6/2012	2:16:54 PM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	50	C	Poplar	Leaf Cover	Excellent	Fine	Quartz Chips
1270135	BET	7	618797	6965758	7/6/2012	2:24:00 PM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	60	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Rocky
1270136	BET	7	618797	6965708	7/6/2012	2:30:19 PM	SD02	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1270137	BET	7	618797	6965657	7/6/2012	2:36:49 PM	SD02	Chocolate Brown	Silt	Damp	Flat	90	B	Poplar	Leaf Cover	Good	Bright Orange Rust	
1270138	BET	7	618798	6965608	7/6/2012	2:42:17 PM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	50	C	Poplar	Leaf Cover	Excellent	Quartz Chips	Rocky
1270139	BET	7	618798	6965558	7/6/2012	2:47:39 PM	SD02	Light Brown	Gravel	Damp	Subtle Slope	100	B	Poplar	Thin Moss Cover	Good	Fine	
1270140	BET	7	618797	6965506	7/6/2012	2:54:05 PM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	70	C	Poplar	Leaf Cover	Excellent	Rocky	Bright Orange Rust
1270141	BET	7	618796	6965458	7/6/2012	3:00:21 PM	SD02	Chocolate Brown	Silt	Damp	Subtle Slope	70	B	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	Quartz Chips
1270142	BET	7	618799	6965407	7/6/2012	3:07:48 PM	SD02	Chocolate Brown	Sand	Damp	Subtle Slope	110	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Quartz Chips
1270143	BET	7	618796	6965357	7/6/2012	3:14:46 PM	SD02	Dark Brown	Sand	Damp	Subtle Slope	90	C	White Spruce	Leaf Cover	Excellent	Coarse	
1270144	BET	7	618797	6965308	7/6/2012	3:20:44 PM	SD02	Dark Brown	Gravel	Damp	Subtle Slope	60	B	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	Bright Orange Rust
1270145	BET	7	618797	6965257	7/6/2012	3:29:52 PM	SD02	Light Brown	Sand	Damp	Flat	60	C	Willows	Grass Cover	Good	Possible Creek Contamination	Coarse
1270146	BET	7	618798	6965209	7/6/2012	3:38:48 PM	SD02	Dark Grey Black	Sand	Damp	Subtle Slope	40	B	Alders	Reindeer Moss	Poor	Frozen	Organic 10%
1270147	BET	7	618795	6965157	7/6/2012	4:01:50 PM	SD02	Chocolate Brown	Gravel	Damp	Steep	40	C	Birch Forest	Sphagnum Moss < 30cm	Poor	Rocky	Small Sample
1271580	BET	7	621798	6965150	7/7/2012	9:39:09 AM	BH01	Chocolate Brown	Silt	Damp	Steep	50	B	Black Spruce	Reindeer Moss	Good	Mud	Possible Creek Contamination
1271581	BET	7	621797	6965107	7/7/2012	9:50:09 AM	BH01	Chocolate Brown	Silt	Damp	Steep	60	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	Rocky Sample
1271582	BET	7	621797	6965058	7/7/2012	9:59:37 AM	BH01	Chocolate Brown	Silt	Damp	Steep	60	B	Black Spruce	Reindeer Moss	Good	Organic 25%	Partially Frozen
1271583	BET	7	621798	6965007	7/7/2012	10:11:42 AM	BH01	Chocolate Brown	Silt	Damp	Steep	60	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	
1271584	BET	7	621798	6964957	7/7/2012	10:22:01 AM	BH01	Chocolate Brown	Silt	Damp	Steep	60	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	
1271585	BET	7	621798	6964906	7/7/2012	10:38:53 AM	BH01	Chocolate Brown	Silt	Damp	Steep	60	B	Black Spruce	Reindeer Moss	Good	Frozen	
1271586	BET	7	621797	6964857	7/7/2012	10:49:43 AM	BH01	Chocolate Brown	Silt	Damp	Steep	60	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	
1271587	BET	7	621797	6964806	7/7/2012	11:00:29 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	80	C	Black Spruce	Reindeer Moss	Good		
1271588	BET	7	621798	6964754	7/7/2012	11:07:35 AM	BH01	Chocolate Brown	Silt	Dry	Flat	40	B	Black Spruce	Reindeer Moss	Good	Rocky	Quartz Chips
1271589	BET	7	621797	6964706	7/7/2012	11:15:45 AM	BH01	Chocolate Brown	Sand	Damp	Subtle Slope	40	C	Black Spruce	Leaf Cover	Excellent	Rocky	
1271590	BET	7	621797	6964655	7/7/2012	11:23:47 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Rocky	
1271591	BET	7	621798	6964603	7/7/2012	11:43:29 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	80	B	Black Spruce	Leaf Cover	Good		
1271592	BET	7	621797	6964554	7/7/2012	11:51:25 AM	BH01	Chocolate Brown	Clay	Damp	Pronounced Slope	70	B	Poplar	Thin Moss Cover	Good	Rocky	
1271593	BET	7	621799	6964506	7/7/2012	12:00:26 PM	BH01	Chocolate Brown	Clay	Damp	Pronounced Slope	100	B	Black Spruce	Leaf Cover	Good		
1271594	BET	7	621797	6964455	7/7/2012	12:10:32 PM	BH01	Dark Grey Black	Silt	Damp	Pronounced Slope	80	B	Black Spruce	Thin Moss Cover	Poor	Organic 25%	
1271595	BET	7	621804	6964408	7/7/2012	12:21:08 PM	BH01	Dark Brown	Silt	Wet	Pronounced Slope	50	B	Black Spruce	Grass Cover	Good	Possible Creek Contamination	Mud
1271596	BET	7	621798	6964356	7/7/2012	12:34:05 PM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	
1271597	BET	7	621797	6964304	7/7/2012	12:44:26 PM	BH01	Light Brown	Silt	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss > 30cm	Excellent	Partially Frozen	
1271598	BET	7	621796	6964254	7/7/2012	12:53:29 PM	BH01	Chocolate Brown	Clay	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Good	Rocky	
1271599	BET	7	621798	6964206	7/7/2012	1:01:20 PM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	50	B	Poplar	Leaf Cover	Good	Rocky	Rocky Sample
1271600	BET	7	621797	6964161	7/7/2012	1:10:20 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Rocky Sample	
1270402	BET	7	621796	6964106	7/7/2012	1:29:34 PM	BH01	Light Brown	Silt	Dry	Pronounced Slope	50	C	Black Spruce	Needle Cover	Excellent	Rocky	Quartz Chips
1270403	BET	7	621796	6964054	7/7/2012	1:38:24 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Bright Orange Rust	Quartz Chips
1270404	BET	7	621798	6964006	7/7/2012	1:48:28 PM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	60	B	Black Spruce	Leaf Cover	Good	Rocky	
1270405	BET	7	621796	6963956	7/7/2012	1:58:43 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	70	B	Poplar	Leaf Cover	Good	Rocky	
1270406	BET	7	621796	6963908	7/7/2012	2:10:15 PM	BH01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Black Spruce	Leaf Cover	Good	Rocky	
1270407	BET	7	621796	6963857	7/7/2012	2:17:49 PM	BH01	Light Brown	Sand	Dry	Pronounced Slope	70	C	Black Spruce	Leaf Cover	Excellent	Rocky	
1270408	BET	7	621796	6963807	7/7/2012	2:26:52 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	80	B	Poplar	Leaf Cover	Good	Rocky	
1270409	BET	7	621796	6963757	7/7/2012	2:34:36 PM	BH01	Chocolate Brown	Clay	Dry	Pronounced Slope	80	B	Poplar	Leaf Cover	Good		
1270410	BET	7	621796	6963709	7/7/2012	2:46:05 PM	BH01	Dark Brown	Silt	Dry	Pronounced Slope	70	B	Poplar	Leaf Cover	Good	Quartz Chips	Rocky
1293287	BET	7	626896	6965957	7/7/2012	10:01:40 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	90	C	Poplar	Thin Moss Cover	Excellent	Rusty Rock Chip	Quartz Chips
1293288	BET	7	626897	6966007	7/7/2012	10:17:33 AM	CK01	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Poplar	Thin Moss Cover	Good	Rusty Rock Chip	
1293289	BET	7	626897	6966058	7/7/2012	10:31:24 AM	CK01	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Poplar	Thin Moss Cover	Excellent	Rusty Rock Chip	
1293290	BET	7	626897	6966110	7/7/2012	10:45:47 AM	CK01	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Poplar	Thin Moss Cover	Good	Rocky	Rusty Rock Chip
1293291	BET	7	626896	6966158	7/7/2012	11:00:05 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Thin Moss Cover	Good	Coarse	Bright Orange Rust
1293292	BET	7	626896	6966208	7/7/2012	11:09:57 AM	CK01	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	Poplar	Thin Moss Cover	Excellent	Rusty Rock Chip	
1293293	BET	7	626897	6966258	7/7/2012	11:20:13 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Thin Moss Cover	Excellent	Bright Orange Rust	
1293294	BET	7	626896	6966308	7/7/2012	11:33:28 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Poplar	Thin Moss Cover	Good	Bright Orange Rust	Rocky
1293295	BET	7	626897	6966358	7/7/2012	11:47:44 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Alders	Leaf Cover	Good	Fine	Rocky Terrain
1293296	BET	7	626896	6966408	7/7/2012	12:02:08 PM	CK01	Chocolate Brown	Sand	Damp	Steep	30	B	Poplar	Thin Moss Cover	Good	Fine	Rocky Terrain
1293297	BET	7	626896	6966459	7/7/2012	12:13:05 PM	CK01	Chocolate Brown	Sand	Damp	Steep	50	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1293298	BET	7	626897	6966508	7/7/2012	12:28:42 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Black Spruce	Leaf Cover	Good	Fine	Rocky Terrain
1293299	BET	7	626896	6966559	7/7/2012	12:39:27 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Rocky	Rusty Rock Chip
1293300	BET	7	626896	6966608	7/7/2012	12:54:26 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	C	Poplar	Thin Moss Cover	Excellent	Fine	Bright Orange Rust
1290802	BET	7	626897	6966658	7/7/2012	1:07:25 PM	CK01	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Rocky
1290803	BET	7	626897	6966706	7/7/2012	1:29:57 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Thin Moss Cover	Good	Fine	Bright Orange Rust
1290804	BET	7	626897	6966757	7/7/2012	1:43:50 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Thin Moss Cover	Good	Rocky Terrain	
1290805	BET	7	626897	6966807	7/7/2012	1:55:59 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Poplar	Thin Moss Cover	Good	Fine	Rocky Terrain
1290806	BET	7	626897	6966856	7/7/2012	2:10:17 PM	CK01	Dark Grey Black	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Coarse	Rocky Terrain
1290808	BET	7	626897	6966906	7/7/2012	2:23:37 PM	CK01	Dark Brown	Sand	Damp	Steep	30	B	Poplar	Reindeer Moss	Good	Fine	
1290809	BET	7	626897	6966956	7/7/2012	2:38:43 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Black Spruce	Thin Moss Cover	Good	Fine	Rocky Terrain
1290810	BET	7	626897	6967007	7/7/2012	2:51:20 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Poplar	Sphagnum Moss < 30cm	Good	Fine	Rocky Terrain
1290811	BET	7	626896	6967057	7/7/2012	3:02:07 PM	CK01	Dark Brown	Sand	Damp	Subtle Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Partially Frozen
1290812	BET	7	626897	6967107	7/7/2012	3:14:29 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Rocky Terrain
1290813	BET	7	626897	6967158	7/7/2012	3:23:47 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky Terrain	
1290814	BET	7	626896	6967208	7/7/2012	3:37:50 PM	CK01	Dark Brown	Sand	Damp	Pronounced Slope	30	B	Black Spruce	Reindeer Moss	Good	Coarse	Rocky Terrain
1290815	BET	7	626897	6967257	7/7/2012	3:51:25 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Partially Frozen
1290816	BET	7	626897	6967307	7/7/2012	4:05:18 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Dull Red Rust	Bright Orange Rust
1290817	BET	7	626897	6967357	7/7/2012	4:14:50 PM	CK01	Chocolate Brown	Sand	Damp	Steep	50	C	Poplar	Thin Moss Cover	Excellent	Rocky	Bright Orange Rust
1290818	BET	7	626897	6967407	7/7/2012	4:24:22 PM	CK01	Chocolate Brown	Sand	Damp	Steep	60	C	Poplar	Sphagnum Moss < 30cm	Good	Rocky Terrain	Bright Orange Rust
1270048	BET	7	621897	6965157	7/7/2012	9:42:55 AM	FP01	Chocolate Brown	Sand	Wet	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Rocky	Partially Frozen
1270049	BET	7	621897	6965107	7/7/2012	9:53:36 AM	FP01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	Rusty Rock Chip
1270050	BET	7	621897	6965057	7/7/2012	10:07:22 AM	FP01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	Rusty Rock Chip
1270052	BET	7	621897	6965007	7/7/2012	10:20:51 AM	FP01	Dark Brown	Sand	Wet	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Quartz Chips	Rusty Rock Chip
1270053	BET	7	621897	6964957	7/7/2012	10:35:16 AM	FP01	Dark Brown	Sand	Wet	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Poor	Rusty Rock Chip	Quartz Chips
1270054	BET	7	621897	6964907	7/7/2012	10:47:51 AM	FP01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Black Spruce	Reindeer Moss	Good	Rusty Rock Chip	Partially Frozen
1270055	BET	7	621897	6964856	7/7/2012	11:01:00 AM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Good	Rusty Rock Chip	
1270056	BET	7	621897	6964807	7/7/2012	11:12:21 AM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Good	Rocky	
1270057	BET	7	621897	6964757	7/7/2012	11:24:49 AM	FP01	Reddish Brown	Sand	Damp	Subtle Slope	60	C	White Spruce	Leaf Cover	Good	Coarse	Rocky
1270058	BET	7	621897	6964708	7/7/2012	11:35:42 AM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	50	B	Birch Forest	Leaf Cover	Good	Rocky	Quartz Chips
1270059	BET	7	621897	6964657	7/7/2012	11:59:51 AM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	50	B	Poplar	Leaf Cover	Good	Rocky	
1270060	BET	7	621897	6964606	7/7/2012	12:09:29 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	90	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rusty Rock Chip
1270061	BET	7	621897	6964557	7/7/2012	12:21:26 PM	FP01	Reddish Yellow	Sand	Dry	Subtle Slope	70	C	White Spruce	Leaf Cover	Good	Quartz Chips	Rusty Rock Chip
1270062	BET	7	621897	6964506	7/7/2012	12:32:32 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	70	B	White Spruce	Sphagnum Moss < 30cm	Good	Rusty Rock Chip	
1270063	BET	7	621897	6964457	7/7/2012	12:44:34 PM	FP01	Reddish Yellow	Sand	Dry	Subtle Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Rusty Rock Chip
1270064	BET	7	621897	6964407	7/7/2012	12:56:05 PM	FP01	Dark Grey Black	Sand	Damp	Pronounced Slope	50	B	White Spruce	Sphagnum Moss < 30cm	Poor	Rusty Rock Chip	Quartz Chips
1270065	BET	7	621897	6964357	7/7/2012	1:09:50 PM	FP01	Dark Grey Black	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Partially Frozen	Rusty Rock Chip
1270066	BET	7	621896	6964308	7/7/2012	1:21:12 PM	FP01	Light Brown	Sand	Wet	Subtle Slope	60	B	Poplar	Sphagnum Moss < 30cm	Good	Mud	Rusty Rock Chip
1270067	BET	7	621897	6964257	7/7/2012	1:35:22 PM	FP01	Reddish Brown	Sand	Dry	Subtle Slope	100	C	White Spruce	Reindeer Moss	Excellent	Coarse	Rocky
1270068	BET	7	621898	6964208	7/7/2012	2:05:58 PM	FP01	Chocolate Brown	Clay	Damp	Subtle Slope	70	B	Poplar	Reindeer Moss	Good	Rocky	
1270069	BET	7	621896	6964158	7/7/2012	2:15:56 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Poplar	Sphagnum Moss < 30cm	Good	Rocky	Rusty Rock Chip
1270070	BET	7	621897	6964108	7/7/2012	2:28:29 PM	FP01	Reddish Yellow	Sand	Damp	Subtle Slope	50	B	Poplar	Leaf Cover	Good	Rocky	Rusty Rock Chip
1270071	BET	7	621897	6964056	7/7/2012	2:40:18 PM	FP01	Reddish Yellow	Sand	Damp	Subtle Slope	50	B	Poplar	Sphagnum Moss < 30cm	Good	Rocky	Rusty Rock Chip
1270072	BET	7	621896	6964008	7/7/2012	2:57:41 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	50	B	Poplar	Leaf Cover	Good	Rocky	
1270073	BET	7	621898	6963958	7/7/2012	3:08:01 PM	FP01	Reddish Yellow	Sand	Damp	Subtle Slope	80	C	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	Rusty Rock Chip
1270074	BET	7	621897	6963907	7/7/2012	3:19:31 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	Poplar	Leaf Cover	Good	Coarse	Rusty Rock Chip
1270075	BET	7	621897	6963856	7/7/2012	3:32:14 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	70	B	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1270076	BET	7	621897	6963856	7/7/2012	3:38:35 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	50	B	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1270077	BET	7	621897	6963808	7/7/2012	3:49:07 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	100	C	Poplar	Grass Cover	Good	Coarse	Rusty Rock Chip
1270078	BET	7	621897	6963757	7/7/2012	3:58:48 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	80	B	White Spruce	Grass Cover	Good	Rusty Rock Chip	
1270079	BET	7	621897	6963707	7/7/2012	4:09:46 PM	FP01	Grey	Clay	Wet	Flat	60	B	Black Spruce	Reindeer Moss	Good	Rusty Rock Chip	
1270080	BET	7	621897	6963657	7/7/2012	4:24:18 PM	FP01	Grey	Gravel	Wet	Flat	30	B	Black Spruce	Thin Moss Cover	Poor	Mud	Rusty Rock Chip
1284041	BET	7	622995	6962957	7/7/2012	9:38:45 AM	JM01	Dark Grey Black	Clay	Damp	Pronounced Slope	40	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Partially Frozen	Possible Creek Contamination
1284042	BET	7	622997	6963007	7/7/2012	9:50:45 AM	JM01	Dark Grey Black	Clay	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1284043	BET	7	622997	6963057	7/7/2012	9:58:42 AM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Partially Frozen
1284044	BET	7	622997	6963107	7/7/2012	10:07:45 AM	JM01	Dark Grey Black	Clay	Wet	Pronounced Slope	40	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Mud	Partially Frozen
1284045	BET	7	622997	6963207	7/7/2012	10:23:22 AM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1284046	BET	7	622997	6963359	7/7/2012	10:51:20 AM	JM01	Dark Grey Black	Clay	Wet	Pronounced Slope	40	B	Alders	Sphagnum Moss < 30cm	Good	Partially Frozen	Mud
1284047	BET	7	622995	6963458	7/7/2012	11:44:53 AM	JM01	Dark Grey Black	Clay	Damp	Pronounced Slope	50	B	Dwarf Birch	Leaf Cover	Good	Rusty Rock Chip	Rocky
1284048	BET	7	622996	6963508	7/7/2012	11:54:13 AM	JM01	Dark Grey Black	Clay	Damp	Pronounced Slope	50	B	Birch Forest	Leaf Cover	Good	Rocky	
1284049	BET	7	622997	6963558	7/7/2012	12:04:11 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	50	C	Birch Forest	Thin Moss Cover	Excellent	Coarse	Rocky
1284050	BET	7	622998	6963608	7/7/2012	12:16:32 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	50	B	Birch Forest	Leaf Cover	Good	Rocky	
1284052	BET	7	622997	6963658	7/7/2012	12:30:22 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	40	B	Birch Forest	Thin Moss Cover	Good	Rocky	
1284202	BET	7	622997	6963709	7/7/2012	12:53:59 PM	JM01	Dark Grey Black	Clay	Damp	Pronounced Slope	50	B	Birch Forest	Thin Moss Cover	Good	Rocky	
1284203	BET	7	622997	6963759	7/7/2012	1:07:16 PM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	40	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Partially Frozen	
1284204	BET	7	622998	6963808	7/7/2012	1:16:57 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	Rocky
1284205	BET	7	622997	6963857	7/7/2012	1:28:32 PM	JM01	Grey	Clay	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Partially Frozen
1284206	BET	7	622998	6963908	7/7/2012	1:38:00 PM	JM01	Dark Grey Black	Clay	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Partially Frozen
1284207	BET	7	622997	6963956	7/7/2012	1:47:08 PM	JM01	Grey	Clay	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	Rocky
1284208	BET	7	622997	6964007	7/7/2012	1:57:50 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Quartz Chips	Rusty Rock Chip
1284209	BET	7	622998	6964057	7/7/2012	2:16:39 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	50	B	Poplar	Thin Moss Cover	Good	Rocky	Rocky Sample
1284210	BET	7	622998	6964157	7/7/2012	2:44:35 PM	JM01	Dark Blue Black	Clay	Wet	Steep	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Partially Frozen
1284211	BET	7	622997	6964357	7/7/2012	3:08:47 PM	JM01	Dark Brown	Clay	Damp	Subtle Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1290489	BET	7	626996	6965956	7/7/2012	10:01:45 AM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Black Spruce	Thin Moss Cover	Poor	Rocky	
1290490	BET	7	626996	6966008	7/7/2012	10:17:20 AM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Rocky	
1290491	BET	7	626997	6966057	7/7/2012	10:30:16 AM	JS01	Chocolate Brown	Silt	Dry	Subtle Slope	40	B	Birch Forest	Thin Moss Cover	Poor	Bright Orange Rust	Rocky
1290492	BET	7	626997	6966107	7/7/2012	10:42:21 AM	JS01	Chocolate Brown	Silt	Dry	Subtle Slope	40	B	Birch Forest	Thin Moss Cover	Good	Bright Orange Rust	Rocky
1290493	BET	7	626997	6966157	7/7/2012	10:52:53 AM	JS01	Chocolate Brown	Sand	Dry	Subtle Slope	50	C	Poplar	Leaf Cover	Good	Rocky	
1290494	BET	7	626998	6966207	7/7/2012	11:05:28 AM	JS01	Chocolate Brown	Sand	Dry	Subtle Slope	30	C	Birch Forest	Leaf Cover	Good	Fine	Rocky
1290495	BET	7	626996	6966256	7/7/2012	11:17:15 AM	JS01	Light Brown	Sand	Dry	Pronounced Slope	40	C	Poplar	Leaf Cover	Excellent	Rocky Terrain	
1290496	BET	7	626997	6966306	7/7/2012	11:29:30 AM	JS01	Chocolate Brown	Silt	Dry	Subtle Slope	50	B	Birch Forest	Leaf Cover	Poor	Rocky	Bright Orange Rust
1290497	BET	7	626997	6966357	7/7/2012	12:00:51 PM	JS01	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	Birch Forest	Thin Moss Cover	Excellent	Rocky	
1290498	BET	7	626997	6966409	7/7/2012	12:13:49 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	30	C	Birch Forest	Thin Moss Cover	Good	Fine	Rocky
1290499	BET	7	626996	6966456	7/7/2012	12:25:04 PM	JS01	Grey	Sand	Dry	Pronounced Slope	50	C	Poplar	Thin Moss Cover	Good	Bright Orange Rust	Rocky
1290500	BET	7	626996	6966510	7/7/2012	12:37:04 PM	JS01	Light Brown	Silt	Dry	Subtle Slope	40	B	Birch Forest	Leaf Cover	Good	Coarse	Rocky

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1290902	BET	7	626997	6966556	7/7/2012	12:49:48 PM	JS01	Grey	Sand	Dry	Subtle Slope	70	C	Birch Forest	Thin Moss Cover	Excellent	Rocky	
1290903	BET	7	626998	6966609	7/7/2012	1:02:12 PM	JS01	Chocolate Brown	Silt	Dry	Subtle Slope	40	B	Birch Forest	Thin Moss Cover	Good	Coarse	Rocky
1290904	BET	7	626996	6966657	7/7/2012	1:15:25 PM	JS01	Chocolate Brown	Silt	Dry	Subtle Slope	50	B	Birch Forest	Thin Moss Cover	Poor	Coarse	Bright Orange Rust
1290905	BET	7	626996	6966705	7/7/2012	1:31:21 PM	JS01	Reddish Yellow	Silt	Dry	Subtle Slope	30	B	Birch Forest	Thin Moss Cover	Poor	Rocky Terrain	
1290906	BET	7	626997	6966756	7/7/2012	1:45:48 PM	JS01	Chocolate Brown	Silt	Dry	Subtle Slope	30	B	Birch Forest	Thin Moss Cover	Poor	Rocky Sample	Rocky Terrain
1290907	BET	7	626998	6966806	7/7/2012	2:05:34 PM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	30	B	Poplar	Thin Moss Cover	Poor	Rocky Terrain	
1290908	BET	7	626997	6966855	7/7/2012	2:26:19 PM	JS01	Chocolate Brown	Sand	Dry	Steep	40	C	Poplar	Thin Moss Cover	Good	Fine	Rocky Terrain
1290909	BET	7	626997	6966905	7/7/2012	2:38:13 PM	JS01	Grey	Silt	Damp	Steep	30	B	Poplar	Thin Moss Cover	Poor	Rocky Sample	Rocky Terrain
1290910	BET	7	626997	6966954	7/7/2012	2:55:34 PM	JS01	Grey	Silt	Dry	Steep	30	B	Poplar	Thin Moss Cover	Poor	Rocky Sample	Rocky Terrain
1290911	BET	7	626997	6967005	7/7/2012	3:11:11 PM	JS01	Grey	Sand	Dry	Steep	20	C	Black Spruce	Thin Moss Cover	Good	Rocky Sample	Rocky Terrain
1290912	BET	7	626996	6967056	7/7/2012	3:24:23 PM	JS01	Dark Grey Black	Silt	Damp	Steep	90	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Organic 10%	Rocky
1290913	BET	7	626997	6967107	7/7/2012	3:34:18 PM	JS01	Light Brown	Sand	Dry	Steep	50	C	Poplar	Thin Moss Cover	Excellent	Rocky	
1290914	BET	7	626998	6967155	7/7/2012	3:50:07 PM	JS01	Light Brown	Sand	Dry	Steep	60	C	Poplar	Thin Moss Cover	Good	Fine	Rocky
1290915	BET	7	626996	6967207	7/7/2012	4:03:36 PM	JS01	Dark Brown	Sand	Dry	Steep	50	C	Poplar	Thin Moss Cover	Good	Rocky	
1290916	BET	7	626999	6967255	7/7/2012	4:15:21 PM	JS01	Chocolate Brown	Silt	Dry	Steep	60	B	Birch Forest	Thin Moss Cover	Poor	Bright Orange Rust	Rocky
1290917	BET	7	626996	6967306	7/7/2012	4:28:20 PM	JS01	Dark Brown	Sand	Dry	Steep	50	C	Birch Forest	Leaf Cover	Good	Bright Orange Rust	Rocky
1290918	BET	7	626994	6967355	7/7/2012	4:40:24 PM	JS01	Chocolate Brown	Silt	Dry	Steep	40	B	Birch Forest	Thin Moss Cover	Poor	Rocky	
1290919	BET	7	626997	6967406	7/7/2012	4:53:02 PM	JS01	Grey	Sand	Dry	Steep	50	C	Birch Forest	Thin Moss Cover	Good	Rocky	
1284986	BET	7	623297	6962958	7/7/2012	9:48:06 AM	KH01	Chocolate Brown	Gravel	Damp	Steep	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	Bright Orange Rust
1284985	BET	7	623296	6963007	7/7/2012	10:01:09 AM	KH01	Grey	Gravel	Wet	Steep	70	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Rocky	Quartz Chips
1284984	BET	7	623297	6963058	7/7/2012	10:12:18 AM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Birch Forest	Leaf Cover	Excellent	Rocky	Quartz Chips
1284983	BET	7	623297	6963108	7/7/2012	10:22:30 AM	KH01	Chocolate Brown	Gravel	Dry	Pronounced Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Quartz Chips	Rocky
1284982	BET	7	623296	6963159	7/7/2012	10:35:27 AM	KH01	Chocolate Brown	Gravel	Damp	Steep	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Quartz Chips	Rocky Sample
1284981	BET	7	623297	6963208	7/7/2012	10:48:10 AM	KH01	Chocolate Brown	Gravel	Dry	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Quartz Chips	Rocky
1284980	BET	7	623298	6963308	7/7/2012	11:12:58 AM	KH01	Chocolate Brown	Sand	Damp	Steep	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	Mud
1284979	BET	7	623296	6963359	7/7/2012	11:24:58 AM	KH01	Chocolate Brown	Gravel	Dry	Steep	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	Quartz Chips
1283427	BET	7	623297	6963408	7/7/2012	11:37:36 AM	KH01	Chocolate Brown	Gravel	Dry	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1284699	BET	7	623296	6963458	7/7/2012	11:48:22 AM	KH01	Reddish Brown	Gravel	Damp	Pronounced Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1283431	BET	7	623297	6963509	7/7/2012	12:07:37 PM	KH01	Chocolate Brown	Gravel	Dry	Steep	90	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Rocky	
1283426	BET	7	623297	6963509	7/7/2012	12:09:30 PM	KH01	Chocolate Brown	Gravel	Dry	Steep	90	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Rocky	
1283430	BET	7	623297	6963558	7/7/2012	12:37:19 PM	KH01	Reddish Brown	Sand	Damp	Pronounced Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1283429	BET	7	623297	6963608	7/7/2012	12:50:21 PM	KH01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1283428	BET	7	623297	6963659	7/7/2012	1:03:39 PM	KH01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	Bright Orange Rust
1284977	BET	7	623297	6963709	7/7/2012	1:16:07 PM	KH01	Reddish Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1284107	BET	7	623297	6963757	7/7/2012	1:27:23 PM	KH01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Quartz Chips
1284108	BET	7	623296	6963807	7/7/2012	1:47:48 PM	KH01	Reddish Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	Quartz Chips
1284109	BET	7	623297	6963957	7/7/2012	2:18:09 PM	KH01	Dark Brown	Sand	Damp	Steep	60	B	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	Bright Orange Rust
1284110	BET	7	623297	6964008	7/7/2012	2:33:37 PM	KH01	Dark Grey Black	Silt	Damp	Steep	60	B	White Spruce	Sphagnum Moss < 30cm	Poor	Frozen	Organic 25%
1284111	BET	7	623297	6964058	7/7/2012	2:49:56 PM	KH01	Chocolate Brown	Gravel	Damp	Steep	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	Quartz Chips
1284112	BET	7	623296	6964157	7/7/2012	3:15:20 PM	KH01	Dark Grey Black	Gravel	Wet	Steep	60	B	White Spruce	Sphagnum Moss < 30cm	Poor	Mud	Organic 10%
1284113	BET	7	623296	6964208	7/7/2012	3:30:48 PM	KH01	Dark Grey Black	Sand	Damp	Steep	60	B	White Spruce	Sphagnum Moss < 30cm	Poor	Frozen	Organic 10%
1284114	BET	7	623297	6964257	7/7/2012	3:40:36 PM	KH01	Dark Brown	Sand	Damp	Steep	60	B	White Spruce	Sphagnum Moss < 30cm	Good	Frozen	Dull Red Rust
1284115	BET	7	623297	6964306	7/7/2012	3:51:23 PM	KH01	Dark Grey Black	Silt	Damp	Steep	60	B	White Spruce	Sphagnum Moss < 30cm	Poor	Frozen	
1293006	BET	7	626797	6965955	7/7/2012	10:05:59 AM	MT01	Chocolate Brown	Silt	Dry	Subtle Slope	50	B	Birch Forest	Leaf Cover	Good	Rocky Terrain	
1293007	BET	7	626797	6966008	7/7/2012	10:16:13 AM	MT01	Dark Brown	Sand	Dry	Subtle Slope	70	C	Birch Forest	Leaf Cover	Good	Coarse	
1293008	BET	7	626798	6966057	7/7/2012	10:25:57 AM	MT01	Reddish Brown	Sand	Dry	Subtle Slope	70	C	Birch Forest	Leaf Cover	Excellent		
1293009	BET	7	626796	6966107	7/7/2012	10:37:07 AM	MT01	Light Brown	Sand	Dry	Pronounced Slope	60	C	Birch Forest	Leaf Cover	Good	Rocky	Quartz Chips
1293010	BET	7	626797	6966158	7/7/2012	10:47:15 AM	MT01	Reddish Yellow	Sand	Dry	Subtle Slope	100	C	Birch Forest	Leaf Cover	Excellent	Bright Orange Rust	
1293011	BET	7	626798	6966207	7/7/2012	11:00:30 AM	MT01	Chocolate Brown	Sand	Dry	Subtle Slope	50	C	Birch Forest	Leaf Cover	Good	Rocky	
1293012	BET	7	626796	6966258	7/7/2012	11:12:24 AM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	B	Birch Forest	Thin Moss Cover	Good	Clay	Rocky Terrain
1293013	BET	7	626796	6966308	7/7/2012	11:25:13 AM	MT01	Dark Grey Black	Sand	Dry	Pronounced Slope	70	C	Birch Forest	Grass Cover	Good	Rocky	
1293014	BET	7	626797	6966358	7/7/2012	11:39:13 AM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Rocky	
1293015	BET	7	626796	6966408	7/7/2012	11:48:39 AM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Rocky Terrain	
1293017	BET	7	626796	6966506	7/7/2012	12:24:32 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Good	Clay	
1293018	BET	7	626797	6966557	7/7/2012	12:35:00 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Good	Rocky	
1293019	BET	7	626795	6966609	7/7/2012	1:16:02 PM	MT01	Light Brown	Sand	Dry	Pronounced Slope	30	B	Poplar	Leaf Cover	Good	Rocky	
1293020	BET	7	626795	6966659	7/7/2012	1:29:34 PM	MT01	Reddish Brown	Sand	Dry	Subtle Slope	80	C	Poplar	Grass Cover	Excellent	Bright Orange Rust	Quartz Chips
1293016	BET	7	626796	6966457	7/7/2012	1:32:25 PM	MT01	Chocolate Brown	Sand	Dry	Subtle Slope	40	B	Poplar	Leaf Cover	Good	Rocky	
1293025	BET	7	626797	6966706	7/7/2012	1:47:28 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	110	C	Poplar	Leaf Cover	Excellent	Sandy	
1293026	BET	7	626797	6966706	7/7/2012	1:53:08 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	110	C	Poplar	Leaf Cover	Excellent	Sandy	
1293021	BET	7	626797	6966755	7/7/2012	2:02:21 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Rocky Terrain	
1293022	BET	7	626797	6966806	7/7/2012	2:14:19 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Rocky	
1293023	BET	7	626796	6966856	7/7/2012	2:25:46 PM	MT01	Dark Brown	Gravel	Damp	Pronounced Slope	70	B	Birch Forest	Thin Moss Cover	Good	Bright Orange Rust	Partially Frozen
1293024	BET	7	626796	6966955	7/7/2012	2:56:55 PM	MT01	Grey	Gravel	Dry	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Rocky Terrain	
1293027	BET	7	626799	6967006	7/7/2012	3:11:23 PM	MT01	Grey	Sand	Dry	Pronounced Slope	70	B	Poplar	Reindeer Moss	Good	Rocky	Rocky Terrain
1293028	BET	7	626798	6967056	7/7/2012	3:22:36 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Rocky	
1293029	BET	7	626798	6967106	7/7/2012	3:31:43 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	B	Poplar	Thin Moss Cover	Good	Clay	
1293030	BET	7	626799	6967156	7/7/2012	3:43:35 PM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	40	C	Birch Forest	Leaf Cover	Good	Rocky	
1293031	BET	7	626798	6967208	7/7/2012	3:54:16 PM	MT01	Light Brown	Sand	Dry	Subtle Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Rocky	
1293032	BET	7	626797	6967257	7/7/2012	4:05:02 PM	MT01	Reddish Orange	Clay	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1293033	BET	7	626797	6967306	7/7/2012	4:15:49 PM	MT01	Chocolate Brown	Sand	Wet	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss > 30cm	Good	Partially Frozen	
1293035	BET	7	626796	6967406	7/7/2012	4:45:50 PM	MT01	Grey	Sand	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Good	Rocky	
1270230	BET	7	621497	6965157	7/7/2012	9:51:21 AM	RF02	Chocolate Brown	Clay	Damp	Subtle Slope	70	B	Birch Forest	Sphagnum Moss < 30cm	Poor		
1270231	BET	7	621497	6965106	7/7/2012	10:09:09 AM	RF02	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Poor		
1270232	BET	7	621497	6965056	7/7/2012	10:23:47 AM	RF02	Chocolate Brown	Silt	Dry	Subtle Slope	50	C	Black Spruce	Leaf Cover	Good		
1270233	BET	7	621497	6965006	7/7/2012	10:37:43 AM	RF02	Dark Brown	Silt	Damp	Subtle Slope	50	B	Black Spruce	Leaf Cover	Poor	Organic 10%	Rocky
1270234	BET	7	621498	6964956	7/7/2012	10:56:49 AM	RF02	Dark Brown	Silt	Wet	Subtle Slope	90	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Organic 10%	Possible Creek Contamination
1270235	BET	7	621496	6964905	7/7/2012	11:11:15 AM	RF02	Dark Grey Black	Silt	Damp	Subtle Slope	70	C	Black Spruce	Sphagnum Moss > 30cm	Good		
1270236	BET	7	621497	6964857	7/7/2012	11:27:55 AM	RF02	Dark Grey Black	Clay	Wet	Subtle Slope	60	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Organic 10%	
1270237	BET	7	621496	6964806	7/7/2012	11:41:06 AM	RF02	Chocolate Brown	Clay	Dry	Flat	70	B	Poplar	Sphagnum Moss < 30cm	Good		
1270238	BET	7	621496	6964756	7/7/2012	11:52:53 AM	RF02	Light Brown	Clay	Damp	Flat	40	B	Alders	Sphagnum Moss < 30cm	Poor		
1270239	BET	7	621497	6964706	7/7/2012	12:04:38 PM	RF02	Dark Grey Black	Silt	Damp	Flat	80	C	Black Spruce	Sphagnum Moss < 30cm	Excellent		
1270240	BET	7	621496	6964655	7/7/2012	12:18:25 PM	RF02	Dark Brown	Sand	Damp	Subtle Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Poor		
1270241	BET	7	621498	6964605	7/7/2012	12:30:36 PM	RF02	Chocolate Brown	Silt	Dry	Subtle Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent		

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1270242	BET	7	621497	6964555	7/7/2012	12:44:04 PM	RF02	Dark Brown	Clay	Damp	Subtle Slope	90	C	Birch Forest	Sphagnum Moss < 30cm	Good		
1270243	BET	7	621496	6964505	7/7/2012	12:58:39 PM	RF02	Dark Grey Black	Clay	Damp	Subtle Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor		
1270244	BET	7	621496	6964456	7/7/2012	1:14:26 PM	RF02	Dark Brown	Silt	Damp	Subtle Slope	50	B	Poplar	Sphagnum Moss < 30cm	Good	Quartz Chips	Partially Frozen
1270245	BET	7	621496	6964406	7/7/2012	1:29:45 PM	RF02	Chocolate Brown	Clay	Damp	Flat	40	B	Birch Forest	Sphagnum Moss < 30cm	Poor		
1270246	BET	7	621498	6964356	7/7/2012	1:45:31 PM	RF02	Chocolate Brown	Silt	Damp	Subtle Slope	80	B	Birch Forest	Leaf Cover	Good		
1270247	BET	7	621496	6964306	7/7/2012	2:00:33 PM	RF02	Dark Brown	Clay	Damp	Flat	70	B	Birch Forest	Sphagnum Moss < 30cm	Good		
1270248	BET	7	621492	6964254	7/7/2012	2:16:12 PM	RF02	Dark Brown	Clay	Damp	Subtle Slope	80	B	Birch Forest	Sphagnum Moss < 30cm	Good		
1270249	BET	7	621492	6964204	7/7/2012	2:31:19 PM	RF02	Chocolate Brown	Clay	Damp	Flat	40	B	Birch Forest	Sphagnum Moss < 30cm	Good		
1270250	BET	7	621493	6964155	7/7/2012	2:43:34 PM	RF02	Chocolate Brown	Clay	Damp	Flat	90	C	Birch Forest	Sphagnum Moss < 30cm	Good		
1270252	BET	7	621494	6964105	7/7/2012	2:54:17 PM	RF02	Chocolate Brown	Silt	Dry	Subtle Slope	60	C	Poplar	Leaf Cover	Good		
1270253	BET	7	621495	6964055	7/7/2012	3:04:49 PM	RF02	Dark Brown	Silt	Dry	Subtle Slope	80	C	Poplar	Leaf Cover	Good		
1270254	BET	7	621493	6964004	7/7/2012	3:16:01 PM	RF02	Chocolate Brown	Silt	Damp	Subtle Slope	60	B	Poplar	Leaf Cover	Good		
1270255	BET	7	621494	6963955	7/7/2012	3:28:14 PM	RF02	Chocolate Brown	Silt	Dry	Subtle Slope	40	C	Poplar	Leaf Cover	Good	Rocky	
1270256	BET	7	621495	6963905	7/7/2012	3:39:37 PM	RF02	Light Brown	Silt	Dry	Subtle Slope	50	B	Poplar	Grass Cover	Good		
1270257	BET	7	621495	6963855	7/7/2012	3:50:28 PM	RF02	Dark Brown	Silt	Damp	Subtle Slope	60	C	Poplar	Grass Cover	Good		
1270258	BET	7	621496	6963804	7/7/2012	4:02:36 PM	RF02	Dark Grey Black	Clay	Damp	Flat	60	B	Black Spruce	Sphagnum Moss < 30cm	Good		
1270259	BET	7	621496	6963755	7/7/2012	4:16:28 PM	RF02	Dark Brown	Clay	Damp	Subtle Slope	60	B	Birch Forest	Sphagnum Moss > 30cm	Poor		
1283777	BET	7	623097	6962957	7/7/2012	9:38:59 AM	RL02	Dark Grey Black	Sand	Wet	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss > 30cm	Poor	Coarse	Rocky
1283778	BET	7	623096	6963007	7/7/2012	9:50:52 AM	RL02	Dark Grey Black	Silt	Damp	Pronounced Slope	40	B	Alders	Sphagnum Moss > 30cm	Poor	Sandy	Rocky
1283779	BET	7	623096	6963057	7/7/2012	9:59:10 AM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Birch Forest	Leaf Cover	Excellent	Fine	Rocky
1283780	BET	7	623096	6963107	7/7/2012	10:08:56 AM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	90	C	Birch Forest	Leaf Cover	Excellent	Fine	Rocky
1283781	BET	7	623097	6963157	7/7/2012	10:18:54 AM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	90	C	Birch Forest	Leaf Cover	Good	Rocky Sample	Rocky
1283782	BET	7	623096	6963208	7/7/2012	10:26:05 AM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1283783	BET	7	623096	6963258	7/7/2012	10:34:13 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1283784	BET	7	623097	6963308	7/7/2012	10:45:32 AM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Birch Forest	Thin Moss Cover	Good	Rocky	Rocky Sample
1283785	BET	7	623096	6963358	7/7/2012	11:00:42 AM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Birch Forest	Thin Moss Cover	Excellent	Coarse	Rocky
1283786	BET	7	623096	6963407	7/7/2012	11:10:50 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Leaf Cover	Excellent	Rocky	Rocky Sample
1283787	BET	7	623097	6963458	7/7/2012	11:23:24 AM	RL02	Grey	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Thin Moss Cover	Good	Coarse	Rocky
1283788	BET	7	623097	6963508	7/7/2012	11:35:00 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Rocky	Rocky Sample
1283789	BET	7	623096	6963558	7/7/2012	11:45:49 AM	RL02	Grey	Sand	Damp	Pronounced Slope	70	C	Willows	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1283790	BET	7	623097	6963608	7/7/2012	11:57:12 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Birch Forest	Thin Moss Cover	Good	Rocky	Rocky Sample
1283791	BET	7	623097	6963658	7/7/2012	12:13:22 PM	RL02	Chocolate Brown	Gravel	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	Rocky Sample
1283792	BET	7	623096	6963708	7/7/2012	12:29:44 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1283793	BET	7	623096	6963758	7/7/2012	12:53:55 PM	RL02	Chocolate Brown	Gravel	Damp	Pronounced Slope	50	C	Birch Forest	Reindeer Moss	Good	Rocky	Rocky Sample
1283794	BET	7	623097	6963808	7/7/2012	1:09:17 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Rocky
1283795	BET	7	623097	6963858	7/7/2012	1:26:44 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Reindeer Moss	Excellent	Coarse	Rocky
1283796	BET	7	623097	6963908	7/7/2012	1:38:17 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1283797	BET	7	623097	6963956	7/7/2012	2:00:31 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Rocky
1283798	BET	7	623097	6964006	7/7/2012	2:14:45 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	40	C	Black Spruce	Reindeer Moss	Good	Coarse	Bright Orange Rust
1283799	BET	7	623097	6964057	7/7/2012	2:26:58 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss > 30cm	Good	Bright Orange Rust	Partially Frozen
1283800	BET	7	623097	6964107	7/7/2012	3:04:22 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Sphagnum Moss > 30cm	Good	Bright Orange Rust	Partially Frozen
1284302	BET	7	623096	6964157	7/7/2012	3:16:55 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Willows	Sphagnum Moss > 30cm	Good	Coarse	Partially Frozen
1284303	BET	7	623097	6964207	7/7/2012	3:28:43 PM	RL02	Dark Brown	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Good	Partially Frozen	
1284304	BET	7	623097	6964257	7/7/2012	3:37:56 PM	RL02	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Partially Frozen	
1283859	BET	7	623197	6963006	7/7/2012	9:51:22 AM	RM01	Dark Brown	Silt	Damp	Subtle Slope	40	B	Poplar	Leaf Cover	Good	Coarse	
1283860	BET	7	623196	6963107	7/7/2012	10:28:31 AM	RM01	Dark Brown	Sand	Damp	Steep	80	C	Birch Forest	Leaf Cover	Good	Coarse	
1283861	BET	7	623197	6963156	7/7/2012	10:41:20 AM	RM01	Dark Brown	Sand	Damp	Steep	50	B	Birch Forest	Leaf Cover	Good	Coarse	
1283862	BET	7	623196	6963210	7/7/2012	10:54:07 AM	RM01	Chocolate Brown	Sand	Damp	Steep	70	C	Birch Forest	Leaf Cover	Good	Coarse	
1283863	BET	7	623197	6963259	7/7/2012	11:18:19 AM	RM01	Chocolate Brown	Silt	Damp	Steep	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1283905	BET	7	623197	6963307	7/7/2012	11:33:43 AM	RM01	Chocolate Brown	Sand	Damp	Steep	60	B	Alders	Reindeer Moss	Good	Coarse	Rocky
1283891	BET	7	623197	6963357	7/7/2012	11:47:46 AM	RM01	Chocolate Brown	Silt	Damp	Steep	80	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1283893	BET	7	623197	6963409	7/7/2012	12:03:10 PM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1283894	BET	7	623196	6963459	7/7/2012	12:29:02 PM	RM01	Chocolate Brown	Silt	Damp	Steep	50	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1283895	BET	7	623196	6963511	7/7/2012	12:47:35 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1283896	BET	7	623198	6963562	7/7/2012	1:04:02 PM	RM01	Chocolate Brown	Sand	Damp	Steep	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1283897	BET	7	623197	6963616	7/7/2012	1:23:15 PM	RM01	Chocolate Brown	Sand	Damp	Steep	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1283898	BET	7	623197	6963707	7/7/2012	2:00:49 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Coarse	Organic 25%
1283899	BET	7	623196	6963756	7/7/2012	2:23:11 PM	RM01	Chocolate Brown	Sand	Damp	Steep	50	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1283900	BET	7	623196	6963808	7/7/2012	2:37:58 PM	RM01	Dark Brown	Sand	Damp	Steep	50	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Coarse	Organic 50%
1283902	BET	7	623197	6963858	7/7/2012	2:50:57 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Black Spruce	Reindeer Moss	Good	Coarse	Rocky
1283903	BET	7	623197	6963957	7/7/2012	3:16:25 PM	RM01	Chocolate Brown	Gravel	Wet	Steep	90	C	Black Spruce	Reindeer Moss	Good	Coarse	Organic 25%
1283904	BET	7	623197	6964007	7/7/2012	3:34:31 PM	RM01	Dark Grey Black	Gravel	Damp	Steep	50	B	Black Spruce	Reindeer Moss	Poor	Frozen	
1283906	BET	7	623197	6964056	7/7/2012	3:49:05 PM	RM01	Dark Brown	Sand	Wet	Steep	50	B	Black Spruce	Reindeer Moss	Poor	Coarse	Mud
1283907	BET	7	623161	6964114	7/7/2012	4:01:41 PM	RM01	Dark Brown	Gravel	Damp	Steep	80	B	Black Spruce	Reindeer Moss	Good	Coarse	
1283908	BET	7	623223	6964163	7/7/2012	4:15:30 PM	RM01	Dark Brown	Sand	Wet	Steep	50	B	Black Spruce	Reindeer Moss	Good	Coarse	Organic 25%
1283909	BET	7	623197	6964209	7/7/2012	4:27:30 PM	RM01	Chocolate Brown	Gravel	Damp	Steep	40	B	Black Spruce	Reindeer Moss	Good	Coarse	
1283910	BET	7	623196	6964257	7/7/2012	4:37:26 PM	RM01	Chocolate Brown	Sand	Damp	Steep	60	C	Black Spruce	Reindeer Moss	Good	Coarse	
1292621	BET	7	626596	6965958	7/7/2012	10:03:24 AM	RR01	Chocolate Brown	Sand	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Partially Frozen
1292622	BET	7	626597	6966007	7/7/2012	10:17:32 AM	RR01	Dark Brown	Silt	Damp	Pronounced Slope	70	B	Willows	Sphagnum Moss > 30cm	Good	Partially Frozen	Sandy
1292623	BET	7	626596	6966058	7/7/2012	10:27:47 AM	RR01	Grey	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Sandy	
1292624	BET	7	626596	6966108	7/7/2012	10:40:56 AM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Poplar	Leaf Cover	Good	Coarse	Rocky Sample
1292627	BET	7	626597	6966156	7/7/2012	10:51:38 AM	RR01	Dark Brown	Gravel	Damp	Pronounced Slope	40	B	Alders	Grass Cover	Good	Rocky	Organic 10%
1292628	BET	7	626596	6966207	7/7/2012	11:03:02 AM	RR01	Dark Brown	Sand	Damp	Pronounced Slope	60	B	Birch Forest	Leaf Cover	Good	Coarse	Rocky
1292629	BET	7	626593	6966258	7/7/2012	11:15:16 AM	RR01	Dark Grey Black	Sand	Damp	Pronounced Slope	70	B	Birch Forest	Leaf Cover	Good	Organic 10%	
1292630	BET	7	626594	6966307	7/7/2012	11:28:12 AM	RR01	Dark Brown	Sand	Damp	Pronounced Slope	50	B	Alders	Sphagnum Moss < 30cm	Good	Coarse	
1292631	BET	7	626595	6966358	7/7/2012	11:41:15 AM	RR01	Dark Brown	Sand	Damp	Pronounced Slope	40	B	Poplar	Sphagnum Moss < 30cm	Good	Coarse	
1292632	BET	7	626596	6966408	7/7/2012	12:01:20 PM	RR01	Grey	Gravel	Damp	Pronounced Slope	30	B	Alders	Sphagnum Moss < 30cm	Good	Rocky	Rocky Sample
1292633	BET	7	626593	6966459	7/7/2012	12:17:34 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	30	B	Birch Forest	Leaf Cover	Good	Loess	Sandy
1292634	BET	7	626595	6966507	7/7/2012	12:54:30 PM	RR01	Dark Brown	Sand	Damp	Pronounced Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1292625	BET	7	626595	6966558	7/7/2012	1:04:14 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Birch Forest	Leaf Cover	Good	Coarse	
1292626	BET	7	626595	6966558	7/7/2012	1:11:18 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Birch Forest	Leaf Cover	Good	Coarse	
1292635	BET	7	626594	6966608	7/7/2012	1:32:26 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Poplar	Leaf Cover	Good	Rocky	
1292636	BET	7	626598	6966656	7/7/2012	1:42:19 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Grass Cover	Excellent	Rocky	
1292637	BET	7	626594	6966756	7/7/2012	2:32:42 PM	RR01	Dark Brown	Silt	Dry	Pronounced Slope	30	B	Alders	Sphagnum Moss < 30cm	Good	Rocky	

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1292638	BET	7	626595	6966807	7/7/2012	2:49:34 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1292639	BET	7	626597	6966858	7/7/2012	3:03:12 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Good	Organic 10%	
1292640	BET	7	626596	6966906	7/7/2012	3:15:19 PM	RR01	Dark Brown	Sand	Damp	Pronounced Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky Terrain
1292641	BET	7	626597	6967007	7/7/2012	3:43:30 PM	RR01	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Partially Frozen
1292642	BET	7	626597	6967058	7/7/2012	3:58:02 PM	RR01	Grey	Gravel	Damp	Pronounced Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1292643	BET	7	626596	6967108	7/7/2012	4:06:29 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	Quartz Chips
1292644	BET	7	626596	6967157	7/7/2012	4:21:36 PM	RR01	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Rocky	
1292645	BET	7	626595	6967209	7/7/2012	4:32:26 PM	RR01	Dark Brown	Gravel	Damp	Pronounced Slope	30	B	White Spruce	Grass Cover	Good	Coarse	Rocky
1292646	BET	7	626597	6967257	7/7/2012	4:39:57 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Poplar	Grass Cover	Good	Coarse	Rocky
1292647	BET	7	626600	6967308	7/7/2012	4:50:04 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	B	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Organic 10%
1292648	BET	7	626598	6967357	7/7/2012	4:59:44 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	
1292649	BET	7	626596	6967406	7/7/2012	5:06:32 PM	RR01	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Fine	
1270307	BET	7	621697	6965157	7/7/2012	9:38:58 AM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Birch Forest	Thin Moss Cover	Good	Coarse	
1270308	BET	7	621697	6965108	7/7/2012	9:50:52 AM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	50	B	Willows	Thin Moss Cover	Good	Fine	Partially Frozen
1270309	BET	7	621697	6964958	7/7/2012	10:32:42 AM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Partially Frozen	Organic 25%
1270310	BET	7	621697	6964907	7/7/2012	10:50:38 AM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Coarse	Partially Frozen
1270311	BET	7	621697	6964808	7/7/2012	11:21:00 AM	RR02	Reddish Yellow	Silt	Damp	Subtle Slope	50	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Coarse	
1270312	BET	7	621697	6964758	7/7/2012	11:29:37 AM	RR02	Reddish Yellow	Silt	Damp	Subtle Slope	60	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Coarse	
1270313	BET	7	621697	6964708	7/7/2012	11:38:54 AM	RR02	Reddish Brown	Sand	Damp	Subtle Slope	40	C	Poplar	Leaf Cover	Good	Fine	Outcrop Nearby
1270314	BET	7	621697	6964657	7/7/2012	11:48:12 AM	RR02	Reddish Yellow	Gravel	Damp	Subtle Slope	40	C	Poplar	Leaf Cover	Good	Fine	
1270315	BET	7	621696	6964608	7/7/2012	12:01:54 PM	RR02	Reddish Orange	Sand	Damp	Subtle Slope	110	C	White Spruce	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1270316	BET	7	621698	6964556	7/7/2012	12:13:16 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	80	B	Birch Forest	Leaf Cover	Good	Coarse	Bright Orange Rust
1270317	BET	7	621697	6964507	7/7/2012	12:22:47 PM	RR02	Dark Brown	Silt	Damp	Subtle Slope	80	B	White Spruce	Leaf Cover	Good	Bright Orange Rust	Fine
1270318	BET	7	621698	6964457	7/7/2012	12:34:46 PM	RR02	Dark Brown	Silt	Wet	Subtle Slope	40	B	Dwarf Birch	Sphagnum Moss < 30cm	Poor	Partially Frozen	Organic 25%
1270319	BET	7	621697	6964408	7/7/2012	1:32:10 PM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	50	B	Willows	Thin Moss Cover	Poor	Partially Frozen	Wet Soil
1270320	BET	7	621698	6964358	7/7/2012	1:40:27 PM	RR02	Reddish Yellow	Silt	Damp	Subtle Slope	60	B	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1270321	BET	7	621696	6964308	7/7/2012	1:49:06 PM	RR02	Reddish Yellow	Silt	Damp	Subtle Slope	70	B	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1270322	BET	7	621697	6964256	7/7/2012	1:58:01 PM	RR02	Reddish Yellow	Silt	Damp	Subtle Slope	40	B	Birch Forest	Thin Moss Cover	Good	Bright Orange Rust	Rocky
1270323	BET	7	621697	6964207	7/7/2012	2:10:04 PM	RR02	Reddish Yellow	Silt	Damp	Subtle Slope	40	C	Birch Forest	Leaf Cover	Good	Coarse	
1270324	BET	7	621696	6964158	7/7/2012	2:20:49 PM	RR02	Reddish Yellow	Gravel	Damp	Subtle Slope	50	C	Birch Forest	Leaf Cover	Good	Fine	Bright Orange Rust
1270325	BET	7	621697	6964107	7/7/2012	2:31:45 PM	RR02	Reddish Yellow	Sand	Damp	Subtle Slope	70	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1270327	BET	7	621697	6964056	7/7/2012	2:46:33 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	40	C	White Spruce	Leaf Cover	Good	Rocky	Bright Orange Rust
1270328	BET	7	621697	6964008	7/7/2012	2:56:56 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	70	B	White Spruce	Leaf Cover	Good	Coarse	Rusty Rock Chip
1270329	BET	7	621697	6963958	7/7/2012	3:05:32 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	White Spruce	Thin Moss Cover	Excellent	Coarse	Rusty Rock Chip
1270326	BET	7	621697	6964107	7/7/2012	3:10:38 PM	RR02	Reddish Yellow	Sand	Damp	Subtle Slope	70	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1270330	BET	7	621696	6963908	7/7/2012	3:18:01 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	60	B	White Spruce	Thin Moss Cover	Good	Coarse	
1270331	BET	7	621697	6963858	7/7/2012	3:33:42 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	80	B	White Spruce	Thin Moss Cover	Good	Fine	Bright Orange Rust
1270332	BET	7	621698	6963806	7/7/2012	3:54:12 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	60	B	White Spruce	Thin Moss Cover	Good	Bright Orange Rust	Coarse
1270333	BET	7	621698	6963758	7/7/2012	4:04:31 PM	RR02	Reddish Yellow	Sand	Damp	Subtle Slope	80	C	Poplar	Grass Cover	Excellent	Fine	Bright Orange Rust
1270334	BET	7	621696	6963708	7/7/2012	4:13:50 PM	RR02	Reddish Yellow	Silt	Damp	Subtle Slope	70	B	White Spruce	Thin Moss Cover	Good	Bright Orange Rust	Coarse
1293483	BET	7	626696	6965808	7/7/2012	10:03:14 AM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1293484	BET	7	626697	6965857	7/7/2012	10:18:42 AM	SC01	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Rocky	Rocky Terrain
1293485	BET	7	626696	6965908	7/7/2012	10:31:33 AM	SC01	Dark Grey Black	Sand	Wet	Pronounced Slope	100	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Mud	
1293486	BET	7	626697	6965958	7/7/2012	10:44:05 AM	SC01	Dark Brown	Sand	Wet	Pronounced Slope	100	B	Alders	Sphagnum Moss < 30cm	Good	Rocky	
1293487	BET	7	626697	6966008	7/7/2012	10:55:20 AM	SC01	Dark Grey Black	Silt	Damp	Pronounced Slope	60	B	Willows	Sphagnum Moss < 30cm	Poor	Coarse	Mud
1293488	BET	7	626697	6966058	7/7/2012	11:07:12 AM	SC01	Dark Brown	Silt	Damp	Pronounced Slope	80	B	Birch Forest	Leaf Cover	Good	Rocky	
1293489	BET	7	626696	6966108	7/7/2012	11:23:26 AM	SC01	Dark Brown	Silt	Damp	Pronounced Slope	80	B	Alders	Leaf Cover	Good	Coarse	
1293490	BET	7	626697	6966158	7/7/2012	11:33:12 AM	SC01	Dark Grey Black	Silt	Damp	Pronounced Slope	60	B	Birch Forest	Leaf Cover	Good	Mud	Sandy
1293491	BET	7	626696	6966209	7/7/2012	11:45:36 AM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Alders	Leaf Cover	Excellent	Rocky	
1293492	BET	7	626697	6966258	7/7/2012	12:00:13 PM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	50	B	Alders	Leaf Cover	Good	Rocky	
1293493	BET	7	626696	6966308	7/7/2012	12:14:56 PM	SC01	Dark Grey Black	Sand	Damp	Pronounced Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1293494	BET	7	626697	6966357	7/7/2012	12:31:35 PM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Willows	Sphagnum Moss < 30cm	Good	Rocky	
1293495	BET	7	626697	6966409	7/7/2012	12:44:03 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Birch Forest	Grass Cover	Good	Rocky	
1293496	BET	7	626698	6966458	7/7/2012	12:59:28 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Alders	Leaf Cover	Good	Rocky	
1293497	BET	7	626697	6966507	7/7/2012	1:09:52 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Alders	Grass Cover	Excellent	Rocky	
1293498	BET	7	626697	6966559	7/7/2012	1:21:22 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Alders	Leaf Cover	Good	Rocky	
1293499	BET	7	626697	6966608	7/7/2012	1:32:26 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Alders	Sphagnum Moss < 30cm	Good	Rocky	
1293500	BET	7	626697	6966657	7/7/2012	1:45:21 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Alders	Leaf Cover	Good	Rocky	
1293102	BET	7	626697	6966707	7/7/2012	2:03:33 PM	SC01	Light Brown	Sand	Dry	Pronounced Slope	50	C	Birch Forest	Leaf Cover	Good	Fine	Rocky
1293103	BET	7	626697	6966758	7/7/2012	2:16:11 PM	SC01	Light Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Leaf Cover	Good	Rocky Terrain	
1293104	BET	7	626698	6966807	7/7/2012	2:29:02 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Rocky	
1293105	BET	7	626698	6966857	7/7/2012	2:44:55 PM	SC01	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Birch Forest	Leaf Cover	Poor	Rocky Terrain	
1293106	BET	7	626697	6966908	7/7/2012	2:59:50 PM	SC01	Light Brown	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Rocky	
1293107	BET	7	626697	6967009	7/7/2012	3:19:35 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Rocky	
1293108	BET	7	626696	6967058	7/7/2012	3:32:15 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Rocky	
1293109	BET	7	626697	6967107	7/7/2012	3:45:44 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Rocky	Bright Orange Rust
1293110	BET	7	626697	6967157	7/7/2012	3:55:16 PM	SC01	Chocolate Brown	Sand	Dry	Subtle Slope	40	C	Black Spruce	Leaf Cover	Good	Rocky	
1293111	BET	7	626697	6967208	7/7/2012	4:07:41 PM	SC01	Chocolate Brown	Sand	Damp	Subtle Slope	40	B	Poplar	Leaf Cover	Good	Rocky	
1293112	BET	7	626697	6967258	7/7/2012	4:16:10 PM	SC01	Reddish Brown	Sand	Dry	Subtle Slope	40	C	White Spruce	Leaf Cover	Excellent	Coarse	Rocky
1293113	BET	7	626696	6967308	7/7/2012	4:26:31 PM	SC01	Chocolate Brown	Sand	Dry	Subtle Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Excellent		
1293114	BET	7	626697	6967358	7/7/2012	4:34:38 PM	SC01	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1293115	BET	7	626696	6967407	7/7/2012	4:46:03 PM	SC01	Reddish Brown	Sand	Dry	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss > 30cm	Good	Fine	Rocky
1270148	BET	7	621596	6965157	7/7/2012	9:43:24 AM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	40	C	Alders	Sphagnum Moss < 30cm	Good	Rocky	Rocky Sample
1270149	BET	7	621596	6965105	7/7/2012	9:52:26 AM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	40	C	White Spruce	Sphagnum Moss < 30cm	Poor	Rocky	Organic 10%
1270150	BET	7	621595	6965056	7/7/2012	10:06:17 AM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	30	C	White Spruce	Grass Cover	Poor	Rocky	Organic 25%
1270152	BET	7	621605	6965005	7/7/2012	10:18:57 AM	SD02	Dark Grey Black	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	Organic 10%
1270153	BET	7	621596	6964956	7/7/2012	10:32:37 AM	SD02	Grey	Sand	Wet	Pronounced Slope	60	C	Willows	Sphagnum Moss < 30cm	Excellent	Partially Frozen	
1270154	BET	7	621597	6964906	7/7/2012	10:42:20 AM	SD02	Greyish Green	Sand	Damp	Steep	40	C	Black Spruce	Reindeer Moss	Excellent	Frozen	
1270155	BET	7	621596	6964856	7/7/2012	10:51:42 AM	SD02	Greyish Green	Sand	Damp	Pronounced Slope	60	C	Alders	Reindeer Moss	Good	Coarse	Partially Frozen
1270156	BET	7	621595	6964806	7/7/2012	11:01:55 AM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	30	C	Dwarf Birch	Reindeer Moss	Poor	Rocky	Small Sample
1270157	BET	7	621597	6964758	7/7/2012	11:17:56 AM	SD02	Greyish Green	Sand	Damp	Subtle Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1270158	BET	7	621596	6964704	7/7/2012	11:25:30 AM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	40	B	Poplar	Leaf Cover	Good	Rocky	
1270159	BET	7	621598	6964656	7/7/2012	11:32:54 AM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	40	C	Birch Forest	Leaf Cover	Excellent	Bright Orange Rust	
1270160	BET	7	621597	6964606	7/7/2012	11:39:37 AM	SD02	Dark Brown	Gravel	Damp	Subtle Slope	40	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Rocky	Coarse

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1270161	BET	7	621598	6964556	7/7/2012	11:50:42 AM	SD02	Dark Brown	Sand	Damp	Subtle Slope	70	C	Birch Forest	Leaf Cover	Excellent	Bright Orange Rust	
1270162	BET	7	621597	6964506	7/7/2012	11:56:56 AM	SD02	Light Brown	Gravel	Damp	Subtle Slope	70	C	Alders	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Rocky
1270163	BET	7	621596	6964456	7/7/2012	12:04:44 PM	SD02	Dark Grey Black	Silt	Wet	Subtle Slope	80	B	Alders	Sphagnum Moss < 30cm	Poor	Organic 10%	Bright Orange Rust
1270164	BET	7	621598	6964406	7/7/2012	12:13:25 PM	SD02	Chocolate Brown	Sand	Damp	Subtle Slope	100	C	Willows	Sphagnum Moss < 30cm	Excellent	Dull Red Rust	Bright Orange Rust
1270165	BET	7	621597	6964356	7/7/2012	12:20:09 PM	SD02	Light Brown	Gravel	Damp	Subtle Slope	50	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Rocky
1270166	BET	7	621597	6964307	7/7/2012	12:26:54 PM	SD02	Light Brown	Gravel	Dry	Subtle Slope	70	C	Alders	Leaf Cover	Excellent	Bright Orange Rust	Dull Red Rust
1270167	BET	7	621597	6964255	7/7/2012	12:41:31 PM	SD02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Birch Forest	Leaf Cover	Good	Bright Orange Rust	Rocky
1270168	BET	7	621598	6964205	7/7/2012	12:49:34 PM	SD02	Light Brown	Gravel	Damp	Subtle Slope	50	C	Birch Forest	Leaf Cover	Excellent	Coarse	Rocky
1270169	BET	7	621596	6964154	7/7/2012	12:58:15 PM	SD02	Light Brown	Gravel	Damp	Subtle Slope	40	C	Birch Forest	Leaf Cover	Excellent	Bright Orange Rust	Quartz Chips
1270170	BET	7	621596	6964108	7/7/2012	1:06:04 PM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	50	C	Birch Forest	Leaf Cover	Excellent	Bright Orange Rust	Quartz Chips
1270171	BET	7	621595	6964059	7/7/2012	1:16:02 PM	SD02	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	White Spruce	Needle Cover	Excellent	Bright Orange Rust	Coarse
1270172	BET	7	621593	6964008	7/7/2012	1:25:35 PM	SD02	Grey	Sand	Damp	Subtle Slope	70	C	White Spruce	Leaf Cover	Good	Bright Orange Rust	Partially Frozen
1270173	BET	7	621597	6963957	7/7/2012	1:43:03 PM	SD02	Dark Brown	Silt	Damp	Subtle Slope	70	B	Birch Forest	Leaf Cover	Poor	Partially Frozen	Bright Orange Rust
1270174	BET	7	621594	6963907	7/7/2012	1:51:58 PM	SD02	Dark Blue Black	Sand	Damp	Subtle Slope	100	B	Birch Forest	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Partially Frozen
1270175	BET	7	621596	6963857	7/7/2012	2:01:39 PM	SD02	Grey	Sand	Damp	Subtle Slope	100	C	Birch Forest	Leaf Cover	Good	Bright Orange Rust	
1270176	BET	7	621596	6963857	7/7/2012	2:08:09 PM	SD02	Dark Grey Black	Silt	Damp	Subtle Slope	70	B	Birch Forest	Leaf Cover	Good	Organic 10%	
1270177	BET	7	621596	6963809	7/7/2012	2:16:12 PM	SD02	Dark Grey Black	Sand	Damp	Subtle Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Quartz Chips
1270178	BET	7	621596	6963756	7/7/2012	2:22:38 PM	SD02	Grey	Gravel	Damp	Subtle Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Quartz Chips	Fine
1270179	BET	7	621597	6963708	7/7/2012	2:29:50 PM	SD02	Grey	Sand	Damp	Flat	90	C	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Possible Creek Contamination
1270411	BET	7	620995	6965156	7/8/2012	10:34:19 AM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	C	Alders	Grass Cover	Good	Partially Frozen	
1270412	BET	7	620998	6965107	7/8/2012	10:42:36 AM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Alders	Reindeer Moss	Good	Partially Frozen	
1270413	BET	7	620994	6965057	7/8/2012	10:51:52 AM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Alders	Reindeer Moss	Good	Frozen	Small Sample
1270414	BET	7	620997	6965007	7/8/2012	11:00:08 AM	BH01	Chocolate Brown	Silt	Damp	Subtle Slope	40	B	Alders	Reindeer Moss	Good	Frozen	
1270415	BET	7	620997	6964958	7/8/2012	11:08:23 AM	BH01	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	Alders	Reindeer Moss	Good	Partially Frozen	
1270416	BET	7	620997	6964906	7/8/2012	11:16:04 AM	BH01	Chocolate Brown	Silt	Damp	Subtle Slope	60	B	Alders	Reindeer Moss	Good	Partially Frozen	Rocky
1270417	BET	7	620997	6964859	7/8/2012	11:25:03 AM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	40	B	Alders	Reindeer Moss	Good	Rocky	Rocky Sample
1270418	BET	7	620997	6964808	7/8/2012	11:32:34 AM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	50	B	Alders	Reindeer Moss	Good	Rocky	
1270419	BET	7	620997	6964759	7/8/2012	11:43:01 AM	BH01	Dark Brown	Silt	Dry	Subtle Slope	80	B	Alders	Reindeer Moss	Good		
1270420	BET	7	620996	6964708	7/8/2012	11:52:55 AM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	70	B	Alders	Reindeer Moss	Good	Rocky	
1270421	BET	7	621000	6964659	7/8/2012	12:01:59 PM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	60	B	Alders	Reindeer Moss	Good	Rocky	
1270422	BET	7	620997	6964610	7/8/2012	12:24:34 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Rocky	
1270423	BET	7	620996	6964556	7/8/2012	12:33:59 PM	BH01	Dark Brown	Silt	Dry	Pronounced Slope	100	B	Poplar	Leaf Cover	Good		
1270424	BET	7	620997	6964508	7/8/2012	12:43:46 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	90	B	Alders	Leaf Cover	Good	Bright Orange Rust	
1270425	BET	7	620998	6964454	7/8/2012	12:53:58 PM	BH01	Chocolate Brown	Clay	Dry	Pronounced Slope	80	B	Alders	Leaf Cover	Good	Bright Orange Rust	
1270426	BET	7	620998	6964454	7/8/2012	12:59:39 PM	BH01	Chocolate Brown	Clay	Dry	Pronounced Slope	80	B	Alders	Leaf Cover	Good	Bright Orange Rust	
1270427	BET	7	620998	6964409	7/8/2012	1:10:15 PM	BH01	Dark Brown	Clay	Damp	Pronounced Slope	90	B	Alders	Sphagnum Moss > 30cm	Good		
1270428	BET	7	621000	6964356	7/8/2012	1:21:30 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	70	C	Alders	Leaf Cover	Good	Quartz Chips	Rocky
1270429	BET	7	620997	6964307	7/8/2012	1:29:31 PM	BH01	Dark Brown	Clay	Damp	Pronounced Slope	80	B	Alders	Bare Soil	Good		
1270430	BET	7	620991	6964256	7/8/2012	1:39:31 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	90	B	Birch Forest	Leaf Cover	Good		
1270431	BET	7	620998	6964208	7/8/2012	1:49:54 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Poplar	Leaf Cover	Good	Rocky	
1270432	BET	7	620993	6964154	7/8/2012	2:01:02 PM	BH01	Chocolate Brown	Gravel	Dry	Pronounced Slope	60	B	Black Spruce	Bare Soil	Good	Rocky	Small Sample
1270433	BET	7	620994	6964108	7/8/2012	2:21:22 PM	BH01	Chocolate Brown	Gravel	Dry	Pronounced Slope	60	B	Black Spruce	Thin Moss Cover	Good	Rocky Sample	Rocky
1270434	BET	7	621003	6964058	7/8/2012	2:29:51 PM	BH01	Dark Brown	Gravel	Wet	Subtle Slope	60	B	Alders	Grass Cover	Good	Mud	Rocky Sample
1270435	BET	7	620997	6964008	7/8/2012	2:38:48 PM	BH01	Dark Brown	Silt	Damp	Subtle Slope	50	B	Alders	Sphagnum Moss > 30cm	Good	Rocky	
1270436	BET	7	620996	6963956	7/8/2012	2:46:01 PM	BH01	Dark Brown	Silt	Dry	Pronounced Slope	50	B	Alders	Grass Cover	Good	Rocky	
1270443	BET	7	620998	6963907	7/8/2012	2:59:35 PM	BH01	Chocolate Brown	Gravel	Dry	Pronounced Slope	30	B	Black Spruce	Reindeer Moss	Good	Rocky	Rocky Sample
1270437	BET	7	620996	6963757	7/8/2012	3:38:08 PM	BH01	Chocolate Brown	Silt	Damp	Steep	80	B	Alders	Sphagnum Moss < 30cm	Good	Rocky	
1290827	BET	7	626197	6965957	7/8/2012	10:45:12 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Thin Moss Cover	Excellent	Dull Red Rust	Bright Orange Rust
1290826	BET	7	626197	6965957	7/8/2012	10:54:18 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Thin Moss Cover	Excellent	Dull Red Rust	Bright Orange Rust
1290828	BET	7	626197	6966008	7/8/2012	11:10:10 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Good		
1290829	BET	7	626197	6966057	7/8/2012	11:26:02 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Thin Moss Cover	Good		
1290830	BET	7	626197	6966108	7/8/2012	11:36:37 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1290831	BET	7	626197	6966158	7/8/2012	11:48:39 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Poplar	Thin Moss Cover	Good	Fine	Rocky Terrain
1290832	BET	7	626197	6966209	7/8/2012	11:59:41 AM	CK01	Chocolate Brown	Sand	Damp	Subtle Slope	60	B	Poplar	Thin Moss Cover	Good		
1290833	BET	7	626197	6966258	7/8/2012	12:10:16 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Alders	Thin Moss Cover	Good	Rusty Rock Chip	
1290834	BET	7	626197	6966307	7/8/2012	12:13:11 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Alders	Grass Cover	Good	Rusty Rock Chip	
1290835	BET	7	626197	6966358	7/8/2012	12:34:20 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Alders	Leaf Cover	Excellent	Rusty Rock Chip	
1290836	BET	7	626196	6966408	7/8/2012	12:52:29 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Dull Red Rust
1290837	BET	7	626197	6966458	7/8/2012	1:07:45 PM	CK01	Grey	Sand	Damp	Pronounced Slope	50	C	Poplar	Thin Moss Cover	Excellent	Bright Orange Rust	Rocky
1290838	BET	7	626197	6966507	7/8/2012	1:18:26 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Poplar	Thin Moss Cover	Good	Fine	Rusty Rock Chip
1290839	BET	7	626197	6966559	7/8/2012	1:29:03 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Poplar	Grass Cover	Good	Fine	
1290840	BET	7	626196	6966608	7/8/2012	1:40:40 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	B	Poplar	Sphagnum Moss < 30cm	Good	Fine	Rusty Rock Chip
1290841	BET	7	626197	6966658	7/8/2012	2:09:37 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Thin Moss Cover	Excellent		
1290842	BET	7	626197	6966705	7/8/2012	2:21:03 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Thin Moss Cover	Excellent	Rusty Rock Chip	
1290843	BET	7	626197	6966757	7/8/2012	2:32:02 PM	CK01	Chocolate Brown	Sand	Damp	Steep	50	B	Black Spruce	Reindeer Moss	Good	Fine	
1290844	BET	7	626196	6966807	7/8/2012	2:47:25 PM	CK01	Chocolate Brown	Sand	Damp	Steep	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	
1290845	BET	7	626197	6966856	7/8/2012	2:59:14 PM	CK01	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Partially Frozen
1290846	BET	7	626197	6966907	7/8/2012	3:12:32 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	
1290847	BET	7	626197	6966956	7/8/2012	3:27:49 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Partially Frozen
1290848	BET	7	626196	6967007	7/8/2012	3:39:24 PM	CK01	Dark Brown	Sand	Damp	Steep	30	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Partially Frozen
1290849	BET	7	626197	6967056	7/8/2012	3:53:42 PM	CK01	Chocolate Brown	Sand	Damp	Steep	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rusty Rock Chip
1290850	BET	7	626197	6967107	7/8/2012	4:03:40 PM	CK01	Chocolate Brown	Sand	Damp	Steep	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky Terrain
1290819	BET	7	626197	6967156	7/8/2012	4:14:04 PM	CK01	Dark Brown	Sand	Damp	Steep	80	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky Terrain	Rusty Rock Chip
1290820	BET	7	626197	6967206	7/8/2012	4:25:45 PM	CK01	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	Rusty Rock Chip
1290821	BET	7	626197	6967255	7/8/2012	4:35:53 PM	CK01	Dark Brown	Sand	Damp	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Good	Fine	Frozen
1290822	BET	7	626197	6967306	7/8/2012	4:45:14 PM	CK01	Dark Brown	Sand	Damp	Pronounced Slope	80	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Frozen
1290823	BET	7	626197	6967357	7/8/2012	4:55:00 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Poplar	Grass Cover	Good	Fine	Rocky Terrain
1290824	BET	7	626196	6967408	7/8/2012	5:06:23 PM	CK01	Chocolate Brown	Sand	Damp	Steep	50	C	Poplar	Grass Cover	Good	Fine	
1270081	BET	7	621297	6965157	7/8/2012	10:37:53 AM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	40	B	Willows	Reindeer Moss	Good	Rocky	Quartz Chips
1270082	BET	7	621297	6965108	7/8/2012	10:47:17 AM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	80	B	Willows	Reindeer Moss	Good	Rocky	
1270083	BET	7	621297	6965057	7/8/2012	10:56:57 AM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	50	B	Alders	Sphagnum Moss < 30cm	Good	Rocky	
1270084	BET	7	621297	6965007	7/8/2012	11:08:28 AM	FP01	Chocolate Brown	Sand	Wet	Subtle Slope	110	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1270085	BET	7	621297	6964957	7/8/2012	11:20:58 AM	FP01	Dark Brown	Sand	Wet	Subtle Slope	80	B	Dwarf Birch	Reindeer Moss	Good	Mud	Rocky
1270086	BET	7	621297	6964906	7/8/2012	11:36:01 AM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	Rusty Rock Chip

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1270087	BET	7	621297	6964856	7/8/2012	11:57:45 AM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	50	B	Dwarf Birch	Reindeer Moss	Good	Rocky	Quartz Chips
1270088	BET	7	621297	6964806	7/8/2012	12:09:06 PM	FP01	Reddish Orange	Sand	Damp	Subtle Slope	80	C	Dwarf Birch	Sphagnum Moss < 30cm	Good	Rocky	Rusty Rock Chip
1270089	BET	7	621297	6964757	7/8/2012	12:22:29 PM	FP01	Dark Brown	Sand	Dry	Subtle Slope	70	C	Dwarf Birch	Reindeer Moss	Good	Coarse	Rocky
1270090	BET	7	621296	6964707	7/8/2012	12:34:12 PM	FP01	Reddish Yellow	Sand	Damp	Subtle Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1270091	BET	7	621297	6964657	7/8/2012	12:45:57 PM	FP01	Dark Grey Black	Sand	Damp	Subtle Slope	60	B	Willows	Grass Cover	Poor	Quartz Chips	Rusty Rock Chip
1270092	BET	7	621297	6964606	7/8/2012	12:57:58 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	80	C	White Spruce	Sphagnum Moss < 30cm	Good	Rusty Rock Chip	Quartz Chips
1270093	BET	7	621296	6964555	7/8/2012	1:10:04 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	90	B	White Spruce	Reindeer Moss	Good	Rocky	Rusty Rock Chip
1270094	BET	7	621297	6964507	7/8/2012	1:22:42 PM	FP01	Reddish Yellow	Sand	Damp	Subtle Slope	80	C	Willows	Reindeer Moss	Good	Rusty Rock Chip	Bright Orange Rust
1270095	BET	7	621297	6964457	7/8/2012	1:34:08 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	50	B	Willows	Sphagnum Moss < 30cm	Good	Rusty Rock Chip	
1270096	BET	7	621296	6964407	7/8/2012	1:46:50 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	90	C	White Spruce	Grass Cover	Good	Rusty Rock Chip	
1270097	BET	7	621297	6964358	7/8/2012	2:17:43 PM	FP01	Chocolate Brown	Sand	Dry	Subtle Slope	50	C	Poplar	Leaf Cover	Good	Quartz Chips	Rusty Rock Chip
1270098	BET	7	621296	6964309	7/8/2012	2:28:51 PM	FP01	Dark Brown	Sand	Dry	Subtle Slope	50	B	Poplar	Grass Cover	Good	Quartz Chips	Rusty Rock Chip
1270099	BET	7	621297	6964259	7/8/2012	2:40:41 PM	FP01	Light Brown	Sand	Damp	Subtle Slope	80	C	White Spruce	Thin Moss Cover	Good	Coarse	Rusty Rock Chip
1270100	BET	7	621297	6964208	7/8/2012	2:50:55 PM	FP01	Light Brown	Sand	Damp	Subtle Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Quartz Chips	Rusty Rock Chip
1270502	BET	7	621296	6964158	7/8/2012	3:02:38 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	60	B	Poplar	Leaf Cover	Good	Rocky	
1270503	BET	7	621297	6964109	7/8/2012	3:14:30 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	40	B	Poplar	Leaf Cover	Good	Rocky	Rocky Terrain
1270504	BET	7	621296	6964058	7/8/2012	3:29:52 PM	FP01	Dark Brown	Sand	Dry	Subtle Slope	30	B	Poplar	Leaf Cover	Poor	Organic 25%	Rocky Terrain
1270505	BET	7	621296	6964008	7/8/2012	3:40:44 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	70	B	Poplar	Sphagnum Moss < 30cm	Good	Quartz Chips	Rusty Rock Chip
1270506	BET	7	621296	6963958	7/8/2012	4:07:48 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	110	C	White Spruce	Grass Cover	Good	Quartz Chips	Coarse
1270507	BET	7	621297	6963908	7/8/2012	4:17:37 PM	FP01	Dark Grey Black	Sand	Wet	Flat	40	B	Alders	Sphagnum Moss < 30cm	Poor	Partially Frozen	Organic 25%
1270508	BET	7	621297	6963858	7/8/2012	4:29:02 PM	FP01	Chocolate Brown	Sand	Damp	Flat	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	Rusty Rock Chip
1270509	BET	7	621296	6963807	7/8/2012	4:48:38 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	40	B	Birch Forest	Grass Cover	Poor	Partially Frozen	
1270510	BET	7	621297	6963758	7/8/2012	5:09:51 PM	FP01	Dark Brown	Sand	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Poor	Rocky Terrain	Organic 10%
1270511	BET	7	621297	6963708	7/8/2012	5:23:40 PM	FP01	Reddish Brown	Sand	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Quartz Chips	
1284212	BET	7	623697	6962958	7/8/2012	10:09:11 AM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1284213	BET	7	623696	6963058	7/8/2012	10:25:45 AM	JM01	Dark Blue Black	Clay	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	Rocky
1284214	BET	7	623695	6963108	7/8/2012	10:34:37 AM	JM01	Dark Grey Black	Clay	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1284215	BET	7	623697	6963258	7/8/2012	11:01:34 AM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	40	B	Alders	Sphagnum Moss < 30cm	Good	Partially Frozen	Possible Creek Contamination
1284216	BET	7	623697	6963309	7/8/2012	11:11:01 AM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	40	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Coarse	Partially Frozen
1284217	BET	7	623696	6963358	7/8/2012	11:23:09 AM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	40	C	Dwarf Birch	Thin Moss Cover	Excellent	Coarse	Rocky
1284218	BET	7	623698	6963408	7/8/2012	11:33:47 AM	JM01	Light Grey	Clay	Damp	Pronounced Slope	40	B	Dwarf Birch	Thin Moss Cover	Good	Rocky	
1284219	BET	7	623697	6963458	7/8/2012	11:46:16 AM	JM01	Light Grey	Clay	Wet	Pronounced Slope	50	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Partially Frozen	Rocky
1284220	BET	7	623697	6963508	7/8/2012	12:23:46 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Partially Frozen
1284221	BET	7	623696	6963558	7/8/2012	12:32:13 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	40	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Partially Frozen	
1284222	BET	7	623696	6963609	7/8/2012	12:42:22 PM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	50	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Mud	Rocky
1284223	BET	7	623697	6963659	7/8/2012	12:51:51 PM	JM01	Dark Grey Black	Clay	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Rocky
1284224	BET	7	623696	6963709	7/8/2012	1:02:05 PM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	Mud
1284225	BET	7	623698	6963759	7/8/2012	1:18:50 PM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	Rocky
1284226	BET	7	623698	6963759	7/8/2012	1:25:40 PM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	Rocky
1284227	BET	7	623698	6963805	7/8/2012	1:38:33 PM	JM01	Dark Grey Black	Clay	Wet	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Frozen	
1284228	BET	7	623698	6963857	7/8/2012	1:47:40 PM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Mud	Quartz Chips
1284231	BET	7	623698	6963955	7/8/2012	2:08:59 PM	JM01	Dark Brown	Clay	Damp	Steep	50	B	Alders	Grass Cover	Good	Possible Creek Contamination	
1284229	BET	7	623697	6964005	7/8/2012	2:27:30 PM	JM01	Dark Brown	Clay	Damp	Steep	50	B	Alders	Leaf Cover	Good	Coarse	Rocky
1284230	BET	7	623699	6964058	7/8/2012	2:38:44 PM	JM01	Dark Blue Black	Clay	Damp	Pronounced Slope	40	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Partially Frozen	Rocky
1284232	BET	7	623698	6964107	7/8/2012	2:57:48 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	40	B	Dwarf Birch	Reindeer Moss	Good	Partially Frozen	Rocky
1284233	BET	7	623697	6964156	7/8/2012	3:07:54 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1284234	BET	7	623696	6964207	7/8/2012	3:17:05 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	40	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Partially Frozen	
1284235	BET	7	623697	6964257	7/8/2012	3:27:05 PM	JM01	Dark Blue Black	Clay	Wet	Pronounced Slope	50	B	White Spruce	Sphagnum Moss < 30cm	Good	Mud	Partially Frozen
1284236	BET	7	623697	6964307	7/8/2012	3:40:25 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	40	B	Alders	Sphagnum Moss < 30cm	Good	Frozen	Rocky
1284237	BET	7	623697	6964355	7/8/2012	3:56:01 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	50	B	White Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	Quartz Chips
1284239	BET	7	623496	6964407	7/8/2012	4:22:22 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	50	C	White Spruce	Thin Moss Cover	Excellent	Rocky	Fine
1284238	BET	7	623496	6964357	7/8/2012	4:33:38 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1290920	BET	7	627698	6967208	7/8/2012	10:28:19 AM	JS01	Grey	Silt	Damp	Subtle Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	
1290921	BET	7	627697	6967158	7/8/2012	10:38:13 AM	JS01	Grey	Clay	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Bright Orange Rust	Partially Frozen
1290922	BET	7	627696	6967109	7/8/2012	10:53:57 AM	JS01	Dark Grey Black	Silt	Damp	Steep	40	A	Black Spruce	Sphagnum Moss < 30cm	Poor	Organic 25%	Partially Frozen
1290923	BET	7	627697	6967059	7/8/2012	11:11:33 AM	JS01	Grey	Silt	Damp	Steep	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky Sample
1290924	BET	7	627696	6967010	7/8/2012	11:27:49 AM	JS01	Chocolate Brown	Silt	Damp	Steep	90	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1290925	BET	7	627697	6966960	7/8/2012	11:41:02 AM	JS01	Grey	Sand	Dry	Steep	90	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Rocky	
1290926	BET	7	627697	6966959	7/8/2012	11:51:11 AM	JS01	Grey	Sand	Dry	Steep	100	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Rocky	
1290927	BET	7	627696	6966908	7/8/2012	12:05:41 PM	JS01	Grey	Sand	Damp	Steep	80	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky Sample	
1290928	BET	7	627797	6967056	7/8/2012	12:26:00 PM	JS01	Dark Grey Black	Silt	Damp	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	Organic 10%
1290929	BET	7	627796	6967107	7/8/2012	12:40:08 PM	JS01	Dark Brown	Silt	Damp	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	Partially Frozen
1290930	BET	7	627798	6967158	7/8/2012	12:49:06 PM	JS01	Dark Grey Black	Silt	Damp	Subtle Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	Organic 10%
1290931	BET	7	627797	6967207	7/8/2012	1:01:58 PM	JS01	Dark Brown	Silt	Dry	Pronounced Slope	50	B	Birch Forest	Leaf Cover	Poor	Partially Frozen	Possible Creek Contamination
1290932	BET	7	627897	6967207	7/8/2012	1:25:17 PM	JS01	Chocolate Brown	Silt	Dry	Steep	30	B	Birch Forest	Thin Moss Cover	Poor	Rocky Terrain	Rocky Sample
1290933	BET	7	627898	6967159	7/8/2012	1:39:13 PM	JS01	Grey	Sand	Damp	Pronounced Slope	80	C	Black Spruce	Thin Moss Cover	Good	Rocky Sample	
1290934	BET	7	627896	6967107	7/8/2012	1:53:54 PM	JS01	Grey	Sand	Damp	Steep	70	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky Sample	Rocky Terrain
1290935	BET	7	627896	6967059	7/8/2012	2:08:43 PM	JS01	Grey	Sand	Damp	Steep	80	C	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Rocky Sample
1290936	BET	7	627997	6967157	7/8/2012	2:29:42 PM	JS01	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Bright Orange Rust	Partially Frozen
1290937	BET	7	627997	6967207	7/8/2012	2:42:42 PM	JS01	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Black Spruce	Thin Moss Cover	Good	Rocky	
1290938	BET	7	628667	6966905	7/8/2012	3:37:34 PM	JS01	Dark Brown	Silt	Damp	Steep	70	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky Sample	Small Sample
1290939	BET	7	628669	6966858	7/8/2012	3:52:56 PM	JS01	Grey	Silt	Damp	Steep	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky Sample	Rocky Terrain
1290940	BET	7	628671	6966808	7/8/2012	4:10:17 PM	JS01	Dark Grey Black	Silt	Damp	Steep	50	B	Birch Forest	Leaf Cover	Poor	Small Sample	Organic 10%
1290941	BET	7	628668	6966757	7/8/2012	4:34:32 PM	JS01	Light Brown	Silt	Dry	Steep	30	B	Birch Forest	Thin Moss Cover	Poor	Rocky Terrain	
1290942	BET	7	628671	6966709	7/8/2012	4:52:34 PM	JS01	Light Brown	Silt	Dry	Steep	30	B	Birch Forest	Thin Moss Cover	Poor	Rocky Terrain	Rocky Sample
1290943	BET	7	628487	6966855	7/8/2012	5:11:26 PM	JS01	Chocolate Brown	Silt	Dry	Steep	30	B	Birch Forest	Thin Moss Cover	Poor	Rocky Terrain	Rocky Sample
1290944	BET	7	628487	6966907	7/8/2012	5:21:48 PM	JS01	Dark Brown	Silt	Dry	Steep	40	B	Birch Forest	Thin Moss Cover	Poor	Organic 10%	Rocky Terrain
1284122	BET	7	623498	6962908	7/8/2012	9:35:31 AM	KH01	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	
1284106	BET	7	623496	6962957	7/8/2012	9:53:35 AM	KH01	Chocolate Brown	Gravel	Damp	Subtle Slope	60	B	Alders	Sphagnum Moss < 30cm	Good	Rocky	
1284105	BET	7	623496	6963007	7/8/2012	10:06:58 AM	KH01	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Alders	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1284117	BET	7	623491	6963115	7/8/2012	10:34:45 AM	KH01	Chocolate Brown	Sand	Damp	Steep	80	C	Poplar	Sphagnum Moss < 30cm	Excellent	Rocky	Bright Orange Rust
1284116	BET	7	623497	6963158	7/8/2012	10:50:07 AM	KH01	Chocolate Brown	Gravel	Damp	Steep	80	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1284104	BET	7	623496	6963207	7/8/2012	11:14:58 AM	KH01	Chocolate Brown	Gravel	Damp	Steep	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Quartz Chips	Rocky
1284103	BET	7	623497	6963307	7/8/2012	11:48:07 AM	KH01	Chocolate Brown	Gravel	Damp	Steep	60	C	Poplar	Sphagnum Moss < 30cm	Good	Rocky	

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1284102	BET	7	623497	6963357	7/8/2012	12:06:35 PM	KH01	Chocolate Brown	Sand	Damp	Steep	80	C	Alders	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1285000	BET	7	623497	6963407	7/8/2012	12:20:59 PM	KH01	Chocolate Brown	Sand	Damp	Steep	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1284999	BET	7	623497	6963457	7/8/2012	12:37:30 PM	KH01	Chocolate Brown	Gravel	Damp	Steep	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1284998	BET	7	623497	6963507	7/8/2012	12:49:56 PM	KH01	Chocolate Brown	Sand	Damp	Steep	70	B	Poplar	Sphagnum Moss < 30cm	Good	Fine	Rocky
1284997	BET	7	623497	6963558	7/8/2012	1:08:47 PM	KH01	Chocolate Brown	Gravel	Damp	Steep	60	C	Poplar	Sphagnum Moss < 30cm	Good	Rocky	
1284124	BET	7	623496	6963609	7/8/2012	1:29:30 PM	KH01	Chocolate Brown	Gravel	Damp	Steep	70	C	Poplar	Sphagnum Moss < 30cm	Good	Rocky	Organic 10%
1284123	BET	7	623497	6963657	7/8/2012	1:46:24 PM	KH01	Reddish Brown	Sand	Damp	Steep	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Rocky	Bright Orange Rust
1284140	BET	7	623497	6963807	7/8/2012	2:31:55 PM	KH01	Chocolate Brown	Gravel	Damp	Steep	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1284141	BET	7	623496	6963855	7/8/2012	2:49:33 PM	KH01	Chocolate Brown	Sand	Damp	Steep	50	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1284142	BET	7	623497	6963906	7/8/2012	3:09:19 PM	KH01	Chocolate Brown	Gravel	Damp	Steep	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1284143	BET	7	623495	6963956	7/8/2012	3:24:12 PM	KH01	Chocolate Brown	Sand	Damp	Steep	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1284144	BET	7	623497	6964006	7/8/2012	3:35:20 PM	KH01	Chocolate Brown	Sand	Damp	Steep	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Rocky
1284145	BET	7	623497	6964055	7/8/2012	3:46:30 PM	KH01	Light Brown	Gravel	Damp	Steep	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Rocky
1284146	BET	7	623497	6964107	7/8/2012	3:59:09 PM	KH01	Reddish Brown	Sand	Damp	Steep	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Coarse
1284121	BET	7	623496	6964157	7/8/2012	4:15:29 PM	KH01	Chocolate Brown	Gravel	Damp	Steep	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1284125	BET	7	623495	6964208	7/8/2012	4:28:50 PM	KH01	Chocolate Brown	Gravel	Damp	Steep	90	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Quartz Chips	Rocky
1284120	BET	7	623498	6964257	7/8/2012	4:40:56 PM	KH01	Chocolate Brown	Sand	Damp	Steep	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Rocky	Quartz Chips
1284119	BET	7	623495	6964307	7/8/2012	4:50:16 PM	KH01	Dark Grey Black	Sand	Damp	Steep	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Frozen	
1293036	BET	7	626496	6965958	7/8/2012	10:44:09 AM	MT01	Dark Grey Black	Gravel	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss > 30cm	Good	Partially Frozen	
1293037	BET	7	626497	6966007	7/8/2012	10:56:28 AM	MT01	Dark Grey Black	Gravel	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1293038	BET	7	626495	6966158	7/8/2012	12:01:27 PM	MT01	Reddish Brown	Clay	Damp	Subtle Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky Terrain	Rocky Sample
1293039	BET	7	626496	6966208	7/8/2012	12:13:07 PM	MT01	Chocolate Brown	Sand	Wet	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	
1293040	BET	7	626497	6966257	7/8/2012	12:33:52 PM	MT01	Dark Grey Black	Sand	Wet	Subtle Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Mud	Rocky
1293041	BET	7	626496	6966308	7/8/2012	12:54:32 PM	MT01	Dark Grey Black	Sand	Damp	Subtle Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	Bright Orange Rust
1293042	BET	7	626496	6966356	7/8/2012	1:06:34 PM	MT01	Dark Grey Black	Gravel	Damp	Pronounced Slope	30	A	Black Spruce	Sphagnum Moss < 30cm	Good	Clay	Partially Frozen
1293043	BET	7	626497	6966408	7/8/2012	1:24:30 PM	MT01	Dark Grey Black	Gravel	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Clay	Bright Orange Rust
1293044	BET	7	626496	6966457	7/8/2012	1:41:18 PM	MT01	Dark Grey Black	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1293045	BET	7	626497	6966558	7/8/2012	2:22:21 PM	MT01	Dark Grey Black	Clay	Damp	Pronounced Slope	40	A	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1293046	BET	7	626496	6966808	7/8/2012	3:56:18 PM	MT01	Chocolate Brown	Gravel	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Good	Rocky Sample	
1293047	BET	7	626497	6966856	7/8/2012	4:17:43 PM	MT01	Dark Grey Black	Sand	Damp	Subtle Slope	50	B	Birch Forest	Grass Cover	Good	Rocky	
1293048	BET	7	626497	6966907	7/8/2012	4:32:28 PM	MT01	Dark Brown	Sand	Damp	Pronounced Slope	50	B	Birch Forest	Thin Moss Cover	Good	Coarse	
1293049	BET	7	626497	6967008	7/8/2012	4:50:36 PM	MT01	Dark Grey Black	Sand	Damp	Flat	40	B	Birch Forest	Grass Cover	Poor	Partially Frozen	Possible Creek Contamination
1293050	BET	7	626497	6967058	7/8/2012	5:08:13 PM	MT01	Dark Grey Black	Sand	Wet	Subtle Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Mud	
1293052	BET	7	626496	6967108	7/8/2012	5:29:05 PM	MT01	Dark Grey Black	Gravel	Damp	Subtle Slope	40	C	Black Spruce	Sphagnum Moss > 30cm	Good	Rocky Sample	
1270260	BET	7	621097	6965157	7/8/2012	10:31:19 AM	RF02	Dark Brown	Clay	Damp	Flat	40	B	Alders	Sphagnum Moss < 30cm	Poor		
1270261	BET	7	621098	6965106	7/8/2012	10:43:29 AM	RF02	Dark Brown	Clay	Damp	Flat	50	B	Alders	Sphagnum Moss > 30cm	Poor		
1270262	BET	7	621096	6965058	7/8/2012	10:52:58 AM	RF02	Dark Brown	Clay	Damp	Flat	60	C	Alders	Sphagnum Moss < 30cm	Good		
1270263	BET	7	621097	6965007	7/8/2012	11:02:06 AM	RF02	Dark Brown	Silt	Damp	Flat	60	C	Alders	Sphagnum Moss < 30cm	Good		
1270264	BET	7	621096	6964956	7/8/2012	11:12:05 AM	RF02	Chocolate Brown	Silt	Damp	Flat	80	C	Alders	Reindeer Moss	Good		
1270265	BET	7	621097	6964906	7/8/2012	11:20:30 AM	RF02	Chocolate Brown	Silt	Damp	Flat	50	C	Alders	Reindeer Moss	Good		
1270266	BET	7	621096	6964856	7/8/2012	11:29:45 AM	RF02	Chocolate Brown	Clay	Dry	Flat	60	B	Alders	Reindeer Moss	Good		
1270267	BET	7	621098	6964806	7/8/2012	11:39:02 AM	RF02	Dark Brown	Clay	Damp	Flat	60	B	Alders	Sphagnum Moss < 30cm	Good		
1270268	BET	7	621097	6964757	7/8/2012	11:49:27 AM	RF02	Chocolate Brown	Silt	Dry	Flat	90	C	Alders	Reindeer Moss	Excellent		
1270269	BET	7	621097	6964707	7/8/2012	11:58:00 AM	RF02	Chocolate Brown	Silt	Dry	Subtle Slope	70	C	Alders	Reindeer Moss	Excellent		
1270270	BET	7	621097	6964656	7/8/2012	12:07:55 PM	RF02	Chocolate Brown	Clay	Damp	Flat	60	B	Poplar	Sphagnum Moss < 30cm	Poor		
1270271	BET	7	621097	6964606	7/8/2012	12:18:10 PM	RF02	Chocolate Brown	Silt	Dry	Flat	80	C	Alders	Reindeer Moss	Good		
1270272	BET	7	621096	6964556	7/8/2012	12:27:36 PM	RF02	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	Alders	Thin Moss Cover	Good		
1270273	BET	7	621097	6964506	7/8/2012	12:37:26 PM	RF02	Chocolate Brown	Silt	Dry	Subtle Slope	60	B	Poplar	Leaf Cover	Good		
1270274	BET	7	621096	6964457	7/8/2012	12:48:12 PM	RF02	Chocolate Brown	Silt	Dry	Subtle Slope	80	C	Poplar	Leaf Cover	Good		
1270275	BET	7	621096	6964457	7/8/2012	12:49:11 PM	RF02	Chocolate Brown	Silt	Dry	Subtle Slope	60	C	Poplar	Leaf Cover	Good		
1270276	BET	7	621096	6964406	7/8/2012	1:06:56 PM	RF02	Chocolate Brown	Clay	Dry	Subtle Slope	80	C	Alders	Sphagnum Moss < 30cm	Good		
1270277	BET	7	621097	6964364	7/8/2012	1:19:58 PM	RF02	Chocolate Brown	Clay	Damp	Subtle Slope	70	B	Alders	Leaf Cover	Good		
1270278	BET	7	621098	6964312	7/8/2012	1:30:20 PM	RF02	Light Brown	Clay	Damp	Subtle Slope	80	C	Alders	Sphagnum Moss < 30cm	Good		
1270279	BET	7	621096	6964263	7/8/2012	1:41:38 PM	RF02	Chocolate Brown	Clay	Damp	Subtle Slope	70	B	Poplar	Sphagnum Moss < 30cm	Good		
1270280	BET	7	621096	6964212	7/8/2012	1:54:17 PM	RF02	Dark Brown	Silt	Damp	Subtle Slope	50	B	Alders	Sphagnum Moss > 30cm	Poor		
1270281	BET	7	621097	6964162	7/8/2012	2:05:25 PM	RF02	Chocolate Brown	Clay	Dry	Subtle Slope	90	C	Birch Forest	Leaf Cover	Good		
1270282	BET	7	621096	6964112	7/8/2012	2:15:11 PM	RF02	Chocolate Brown	Silt	Dry	Subtle Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Good		
1270283	BET	7	621097	6964060	7/8/2012	2:27:13 PM	RF02	Dark Brown	Sand	Damp	Subtle Slope	50	B	Birch Forest	Leaf Cover	Poor		
1270284	BET	7	621097	6964013	7/8/2012	2:41:25 PM	RF02	Dark Grey Black	Clay	Damp	Subtle Slope	80	B	Alders	Sphagnum Moss < 30cm	Poor		
1270285	BET	7	621099	6963962	7/8/2012	2:54:39 PM	RF02	Dark Brown	Clay	Damp	Subtle Slope	60	B	Alders	Sphagnum Moss > 30cm	Poor	Partially Frozen	
1270286	BET	7	621097	6963912	7/8/2012	3:10:46 PM	RF02	Dark Grey Black	Clay	Damp	Subtle Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Partially Frozen	
1270287	BET	7	621099	6963862	7/8/2012	3:30:49 PM	RF02	Chocolate Brown	Gravel	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Rocky Sample	
1270288	BET	7	621099	6963814	7/8/2012	3:49:43 PM	RF02	Chocolate Brown	Gravel	Damp	Subtle Slope	60	B	Birch Forest	Sphagnum Moss > 30cm	Poor	Rocky Sample	
1270289	BET	7	621098	6963762	7/8/2012	4:14:22 PM	RF02	Chocolate Brown	Gravel	Damp	Pronounced Slope	90	B	Birch Forest	Sphagnum Moss < 30cm	Good		
1283775	BET	7	623596	6962957	7/8/2012	9:42:37 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Dwarf Birch	Thin Moss Cover	Good	Coarse	Rocky
1283776	BET	7	623596	6962957	7/8/2012	9:44:19 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Dwarf Birch	Thin Moss Cover	Good	Coarse	Rocky
1284305	BET	7	623596	6963007	7/8/2012	10:02:51 AM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Thin Moss Cover	Good	Dull Red Rust	Rocky
1284318	BET	7	623597	6963057	7/8/2012	10:22:42 AM	RL02	Chocolate Brown	Gravel	Damp	Pronounced Slope	40	C	Poplar	Thin Moss Cover	Good	Rocky	Rocky Sample
1284319	BET	7	623596	6963106	7/8/2012	10:43:48 AM	RL02	Chocolate Brown	Gravel	Damp	Pronounced Slope	30	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	Rocky Sample
1284320	BET	7	623605	6963252	7/8/2012	11:30:29 AM	RL02	Dark Grey Black	Silt	Damp	Pronounced Slope	50	B	Birch Forest	Leaf Cover	Poor	Rocky	Rocky Sample
1284321	BET	7	623596	6963307	7/8/2012	11:41:52 AM	RL02	Grey	Sand	Damp	Pronounced Slope	50	C	Birch Forest	Leaf Cover	Good	Coarse	Rocky
1284322	BET	7	623596	6963357	7/8/2012	11:56:13 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	Rocky Sample
1284323	BET	7	623597	6963408	7/8/2012	12:07:00 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1284324	BET	7	623596	6963457	7/8/2012	12:21:38 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	80	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1284306	BET	7	623596	6963507	7/8/2012	12:37:51 PM	RL02	Dark Grey Black	Sand	Damp	Pronounced Slope	50	B	Willows	Sphagnum Moss > 30cm	Good	Coarse	Rocky
1284307	BET	7	623597	6963567	7/8/2012	12:59:57 PM	RL02	Dark Blue Black	Sand	Damp	Pronounced Slope	70	B	Willows	Sphagnum Moss > 30cm	Poor	Coarse	Rocky
1284308	BET	7	623598	6963608	7/8/2012	1:12:56 PM	RL02	Chocolate Brown	Gravel	Wet	Pronounced Slope	80	B	Birch Forest	Sphagnum Moss > 30cm	Poor	Rocky	Rocky Sample
1284309	BET	7	623596	6963657	7/8/2012	1:27:58 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Thin Moss Cover	Good	Rocky	Rocky Sample
1284310	BET	7	623597	6963708	7/8/2012	1:40:37 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	Rocky Sample
1284311	BET	7	623596	6963757	7/8/2012	1:51:05 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1284312	BET	7	623597	6963807	7/8/2012	2:00:07 PM	RL02	Grey	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss > 30cm	Good	Rocky	Rocky Sample
1284313	BET	7	623597	6963857	7/8/2012	2:11:30 PM	RL02	Chocolate Brown	Sand	Wet	Pronounced Slope	80	C	Black Spruce	Reindeer Moss	Good	Coarse	Rocky
1284314	BET	7	623597	6963908	7/8/2012	2:22:52 PM	RL02	Dark Brown	Sand	Wet	Pronounced Slope	70	B	Black Spruce	Reindeer Moss	Good	Coarse	Rocky
1284315	BET	7	623596	6963957	7/8/2012	2:37:46 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Willows	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1284316	BET	7	623597	6964007	7/8/2012	2:49:01 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Reindeer Moss	Good	Bright Orange Rust	Coarse
1284317	BET	7	623597	6964107	7/8/2012	3:18:06 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Bright Orange Rust
1284327	BET	7	623596	6964157	7/8/2012	3:35:56 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Reindeer Moss	Good	Bright Orange Rust	Coarse
1284328	BET	7	623597	6964207	7/8/2012	3:47:44 PM	RL02	Dark Grey Black	Sand	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Organic 10%
1284329	BET	7	623587	6964259	7/8/2012	4:03:59 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	60	B	Black Spruce	Reindeer Moss	Good	Bright Orange Rust	Partially Frozen
1284330	BET	7	623597	6964357	7/8/2012	4:33:13 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	White Spruce	Thin Moss Cover	Good	Bright Orange Rust	Rocky
1283911	BET	7	623397	6962999	7/8/2012	9:50:48 AM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Alders	Reindeer Moss	Good	Coarse	
1283912	BET	7	623397	6963049	7/8/2012	10:05:10 AM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Alders	Reindeer Moss	Good	Coarse	
1283913	BET	7	623397	6963100	7/8/2012	10:20:57 AM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Alders	Reindeer Moss	Good	Coarse	
1283914	BET	7	623397	6963150	7/8/2012	10:37:52 AM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Alders	Reindeer Moss	Good	Coarse	Organic 25%
1283915	BET	7	623397	6963197	7/8/2012	10:54:01 AM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Alders	Reindeer Moss	Good	Coarse	Organic 25%
1283916	BET	7	623397	6963248	7/8/2012	11:06:01 AM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Alders	Reindeer Moss	Good	Coarse	Organic 25%
1283917	BET	7	623396	6963300	7/8/2012	11:18:41 AM	RM01	Chocolate Brown	Silt	Damp	Subtle Slope	60	C	Alders	Reindeer Moss	Good	Fine	
1283918	BET	7	623397	6963349	7/8/2012	11:34:29 AM	RM01	Chocolate Brown	Silt	Damp	Subtle Slope	60	C	Alders	Reindeer Moss	Good	Coarse	
1283919	BET	7	623396	6963400	7/8/2012	11:50:24 AM	RM01	Chocolate Brown	Silt	Damp	Subtle Slope	40	C	Alders	Reindeer Moss	Good	Coarse	
1283920	BET	7	623396	6963450	7/8/2012	12:03:37 PM	RM01	Chocolate Brown	Silt	Damp	Subtle Slope	70	C	Alders	Reindeer Moss	Excellent	Coarse	
1283923	BET	7	623396	6963501	7/8/2012	12:22:17 PM	RM01	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Good	Coarse	
1283921	BET	7	623397	6963550	7/8/2012	12:35:18 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Black Spruce	Reindeer Moss	Good	Coarse	
1283922	BET	7	623396	6963601	7/8/2012	12:49:32 PM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	C	Alders	Reindeer Moss	Good	Coarse	
1283924	BET	7	623397	6963651	7/8/2012	1:07:26 PM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	C	Alders	Reindeer Moss	Good	Fine	
1283925	BET	7	623396	6963706	7/8/2012	1:14:41 PM	RM01	Dark Brown	Sand	Damp	Pronounced Slope	50	B	Poplar	Reindeer Moss	Good	Coarse	
1283892	BET	7	623397	6963756	7/8/2012	1:31:56 PM	RM01	Dark Brown	Sand	Damp	Pronounced Slope	60	B	Poplar	Reindeer Moss	Good	Coarse	
1283927	BET	7	623397	6963806	7/8/2012	1:53:12 PM	RM01	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Poplar	Sphagnum Moss < 30cm	Good	Coarse	Organic 50%
1283928	BET	7	623397	6963906	7/8/2012	2:19:38 PM	RM01	Chocolate Brown	Sand	Damp	Steep	70	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	
1283929	BET	7	623397	6963956	7/8/2012	2:41:00 PM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	C	Poplar	Sphagnum Moss < 30cm	Excellent	Fine	
1283926	BET	7	623395	6963957	7/8/2012	2:50:04 PM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	C	Poplar	Sphagnum Moss < 30cm	Excellent	Fine	
1283930	BET	7	623397	6964006	7/8/2012	3:01:33 PM	RM01	Dark Brown	Sand	Damp	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1283931	BET	7	623397	6964056	7/8/2012	3:12:31 PM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Fine	Bright Orange Rust
1283932	BET	7	623397	6964106	7/8/2012	3:35:41 PM	RM01	Grey	Sand	Wet	Steep	40	C	Black Spruce	Reindeer Moss	Good	Fine	Rocky
1283933	BET	7	623397	6964157	7/8/2012	3:45:26 PM	RM01	Dark Brown	Sand	Damp	Steep	60	C	Black Spruce	Reindeer Moss	Good	Coarse	
1283934	BET	7	623397	6964207	7/8/2012	4:00:56 PM	RM01	Dark Grey Black	Clay	Damp	Steep	60	B	Black Spruce	Reindeer Moss	Good	Coarse	Frozen
1283935	BET	7	623397	6964260	7/8/2012	4:15:28 PM	RM01	Chocolate Brown	Gravel	Damp	Steep	50	B	Black Spruce	Reindeer Moss	Good	Coarse	Organic 10%
1283936	BET	7	623396	6964307	7/8/2012	4:26:42 PM	RM01	Chocolate Brown	Gravel	Damp	Steep	50	B	Black Spruce	Reindeer Moss	Good	Coarse	Frozen
1283937	BET	7	623396	6964357	7/8/2012	4:44:15 PM	RM01	Dark Grey Black	Silt	Damp	Steep	60	B	Black Spruce	Reindeer Moss	Good	Coarse	Frozen
1292650	BET	7	626397	6965807	7/8/2012	10:30:07 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	
1292652	BET	7	626397	6965857	7/8/2012	10:44:21 AM	RR01	Dark Brown	Sand	Damp	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1292653	BET	7	626398	6965907	7/8/2012	10:54:17 AM	RR01	Dark Grey Black	Gravel	Wet	Pronounced Slope	70	B	Black Spruce	Reindeer Moss	Good	Possible Creek Contamination	
1292654	BET	7	626397	6965956	7/8/2012	11:08:42 AM	RR01	Dark Grey Black	Silt	Damp	Pronounced Slope	70	B	Birch Forest	Grass Cover	Good	Sandy	
1292655	BET	7	626397	6966007	7/8/2012	11:17:56 AM	RR01	Dark Brown	Sand	Damp	Pronounced Slope	70	B	Birch Forest	Leaf Cover	Good	Coarse	
1292656	BET	7	626396	6966057	7/8/2012	11:27:03 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1292657	BET	7	626396	6966107	7/8/2012	11:51:12 AM	RR01	Chocolate Brown	Gravel	Damp	Pronounced Slope	40	B	Poplar	Reindeer Moss	Poor	Rocky Sample	Organic 10%
1292658	BET	7	626397	6966157	7/8/2012	12:12:27 PM	RR01	Chocolate Brown	Gravel	Damp	Pronounced Slope	90	B	Poplar	Sphagnum Moss < 30cm	Poor	Rocky	Small Sample
1292659	BET	7	626397	6966207	7/8/2012	12:23:05 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1292660	BET	7	626397	6966257	7/8/2012	12:34:35 PM	RR01	Dark Grey Black	Silt	Damp	Pronounced Slope	50	B	Birch Forest	Leaf Cover	Good	Organic 10%	Rocky
1292661	BET	7	626395	6966307	7/8/2012	12:53:11 PM	RR01	Dark Brown	Silt	Dry	Pronounced Slope	40	B	Alders	Leaf Cover	Good	Sandy	
1292662	BET	7	626397	6966407	7/8/2012	1:40:17 PM	RR01	Dark Brown	Silt	Damp	Pronounced Slope	50	B	Birch Forest	Leaf Cover	Poor	Organic 25%	Rocky
1292663	BET	7	626396	6966458	7/8/2012	1:54:24 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	
1292664	BET	7	626395	6966507	7/8/2012	2:10:12 PM	RR01	Dark Brown	Silt	Dry	Pronounced Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Good	Loess	Rocky
1292665	BET	7	626391	6966557	7/8/2012	2:19:32 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Dwarf Birch	Grass Cover	Excellent	Coarse	
1292666	BET	7	626396	6966607	7/8/2012	2:37:30 PM	RR01	Dark Grey Black	Silt	Damp	Pronounced Slope	40	B	Alders	Sphagnum Moss < 30cm	Poor	Rocky	
1292667	BET	7	626399	6966656	7/8/2012	2:46:18 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Dwarf Birch	Leaf Cover	Excellent	Coarse	
1292668	BET	7	626396	6966707	7/8/2012	2:56:27 PM	RR01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Alders	Bare Soil	Good	Sandy	
1292669	BET	7	626394	6966757	7/8/2012	3:07:20 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1292670	BET	7	626397	6966806	7/8/2012	3:23:28 PM	RR01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Loess	Rocky
1292671	BET	7	626397	6966858	7/8/2012	3:35:25 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Coarse	
1292675	BET	7	626397	6966909	7/8/2012	3:44:36 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	
1292672	BET	7	626397	6966957	7/8/2012	4:02:51 PM	RR01	Grey	Silt	Dry	Pronounced Slope	30	B	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1292676	BET	7	626397	6966909	7/8/2012	4:06:41 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	
1292673	BET	7	626394	6967007	7/8/2012	4:20:59 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	B	Poplar	Sphagnum Moss < 30cm	Good	Rocky	
1292674	BET	7	626392	6967057	7/8/2012	4:29:50 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	
1292677	BET	7	626393	6967106	7/8/2012	4:44:36 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	White Spruce	Reindeer Moss	Excellent	Coarse	
1292678	BET	7	626397	6967156	7/8/2012	4:58:09 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	
1292679	BET	7	626400	6967206	7/8/2012	5:06:33 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	90	C	Black Spruce	Sphagnum Moss > 30cm	Excellent	Coarse	
1292680	BET	7	626399	6967256	7/8/2012	5:19:46 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Reindeer Moss	Good	Coarse	
1292681	BET	7	626398	6967306	7/8/2012	5:27:16 PM	RR01	Chocolate Brown	Sand	Damp	Subtle Slope	60	B	Black Spruce	Reindeer Moss	Good	Coarse	Clay
1292682	BET	7	626396	6967357	7/8/2012	5:37:18 PM	RR01	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Sandy	Partially Frozen
1270335	BET	7	621397	6965158	7/8/2012	10:46:08 AM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	White Spruce	Thin Moss Cover	Good	Fine	Rocky Terrain
1270336	BET	7	621397	6965107	7/8/2012	11:01:24 AM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	70	B	White Spruce	Thin Moss Cover	Good	Fine	
1270337	BET	7	621396	6965058	7/8/2012	11:17:29 AM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	70	B	White Spruce	Grass Cover	Good	Fine	
1270338	BET	7	621396	6965007	7/8/2012	11:30:25 AM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	70	B	White Spruce	Thin Moss Cover	Good	Fine	
1270339	BET	7	621397	6964958	7/8/2012	11:42:38 AM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	60	B	Willows	Grass Cover	Poor	Fine	Partially Frozen
1270340	BET	7	621397	6964907	7/8/2012	11:57:19 AM	RR02	Chocolate Brown	Sand	Wet	Subtle Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Partially Frozen
1270341	BET	7	621398	6964857	7/8/2012	12:07:22 PM	RR02	Dark Brown	Silt	Wet	Pronounced Slope	80	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Partially Frozen	
1270342	BET	7	621397	6964806	7/8/2012	12:17:21 PM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	80	B	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	
1270343	BET	7	621396	6964756	7/8/2012	12:27:53 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	100	C	Dwarf Birch	Thin Moss Cover	Excellent	Coarse	
1270344	BET	7	621396	6964708	7/8/2012	12:37:43 PM	RR02	Chocolate Brown	Sand	Wet	Subtle Slope	40	B	Willows	Sphagnum Moss < 30cm	Poor	Partially Frozen	
1270345	BET	7	621396	6964657	7/8/2012	12:48:17 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	70	B	White Spruce	Thin Moss Cover	Good	Fine	
1270346	BET	7	621396	6964607	7/8/2012	1:01:21 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	90	C	White Spruce	Thin Moss Cover	Excellent	Fine	Rusty Rock Chip
1270347	BET	7	621397	6964557	7/8/2012	2:02:44 PM	RR02	Dark Brown	Sand	Damp	Subtle Slope	90	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Rusty Rock Chip
1270348	BET	7	621397	6964507	7/8/2012	2:11:27 PM	RR02	Dark Brown	Silt	Wet	Subtle Slope	90	B	Willows	Sphagnum Moss < 30cm	Good	Partially Frozen	Fine
1270349	BET	7	621398	6964456	7/8/2012	2:21:06 PM	RR02	Reddish Orange	Sand	Damp	Subtle Slope	90	C	White Spruce	Thin Moss Cover	Excellent	Coarse	Bright Orange Rust
1270350	BET	7	621397	6964408	7/8/2012	2:33:19 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	Birch Forest	Grass Cover	Good	Coarse	Bright Orange Rust
1270352	BET	7	621397	6964357	7/8/2012	2:46:30 PM	RR02	Reddish Orange	Sand	Damp	Subtle Slope	90	C	Birch Forest	Thin Moss Cover	Excellent	Bright Orange Rust	Coarse
1270353	BET	7	621398	6964308	7/8/2012	2:59:34 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	80	C	White Spruce	Leaf Cover	Good	Bright Orange Rust	Coarse

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1270354	BET	7	621397	6964258	7/8/2012	3:12:00 PM	RR02	Reddish Yellow	Silt	Damp	Subtle Slope	80	C	White Spruce	Thin Moss Cover	Good	Coarse	Bright Orange Rust
1270355	BET	7	621397	6964208	7/8/2012	3:20:03 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	White Spruce	Thin Moss Cover	Good	Fine	
1270356	BET	7	621397	6964158	7/8/2012	3:29:53 PM	RR02	Reddish Brown	Sand	Damp	Subtle Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	
1270357	BET	7	621397	6964109	7/8/2012	3:51:13 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Fine	
1270358	BET	7	621396	6964058	7/8/2012	3:52:18 PM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Fine	Bright Orange Rust
1270359	BET	7	621396	6964008	7/8/2012	4:08:27 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Coarse	
1270360	BET	7	621395	6963956	7/8/2012	4:43:51 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Birch Forest	Leaf Cover	Good	Coarse	
1270361	BET	7	621397	6963908	7/8/2012	4:53:02 PM	RR02	Dark Brown	Silt	Damp	Subtle Slope	60	B	Birch Forest	Thin Moss Cover	Poor	Fine	Rocky
1270362	BET	7	621396	6963858	7/8/2012	5:04:03 PM	RR02	Dark Brown	Silt	Wet	Subtle Slope	60	B	White Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	
1270363	BET	7	621396	6963807	7/8/2012	5:18:58 PM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	40	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Partially Frozen	Organic 25%
1270364	BET	7	621397	6963708	7/8/2012	5:56:21 PM	RR02	Light Brown	Silt	Damp	Subtle Slope	60	B	Birch Forest	Sphagnum Moss > 30cm	Poor	Fine	Loess
1293116	BET	7	626298	6965608	7/8/2012	10:28:51 AM	SC01	Reddish Yellow	Sand	Damp	Subtle Slope	60	C	Birch Forest	Reindeer Moss	Excellent	Rocky	
1293117	BET	7	626297	6965658	7/8/2012	10:41:35 AM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1293118	BET	7	626297	6965708	7/8/2012	10:51:05 AM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1293119	BET	7	626297	6965757	7/8/2012	11:01:44 AM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1293120	BET	7	626297	6965807	7/8/2012	11:12:02 AM	SC01	Dark Grey Black	Silt	Wet	Pronounced Slope	80	B	Willows	Reindeer Moss	Poor	Mud	Partially Frozen
1293121	BET	7	626298	6965857	7/8/2012	11:24:49 AM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Alders	Leaf Cover	Good	Rocky	
1293122	BET	7	626296	6965908	7/8/2012	11:36:09 AM	SC01	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Partially Frozen
1293123	BET	7	626297	6965957	7/8/2012	11:50:38 AM	SC01	Dark Brown	Sand	Dry	Pronounced Slope	50	C	Birch Forest	Leaf Cover	Good	Rocky	
1293124	BET	7	626296	6966008	7/8/2012	12:04:22 PM	SC01	Dark Brown	Silt	Dry	Pronounced Slope	40	B	Birch Forest	Leaf Cover	Poor	Rocky	
1293125	BET	7	626297	6966059	7/8/2012	12:13:33 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Rocky	
1293126	BET	7	626297	6966059	7/8/2012	12:19:48 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Rocky	
1293127	BET	7	626296	6966107	7/8/2012	12:30:07 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Birch Forest	Leaf Cover	Good	Rocky	
1293128	BET	7	626295	6966159	7/8/2012	12:41:53 PM	SC01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Rocky	Sandy
1293129	BET	7	626296	6966208	7/8/2012	12:54:45 PM	SC01	Dark Brown	Silt	Dry	Pronounced Slope	40	B	Poplar	Leaf Cover	Poor	Rocky	
1293130	BET	7	626296	6966259	7/8/2012	1:05:57 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Fine	Rocky
1293131	BET	7	626296	6966309	7/8/2012	1:16:10 PM	SC01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Birch Forest	Leaf Cover	Good	Dull Red Rust	
1293132	BET	7	626297	6966358	7/8/2012	1:26:56 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Alders	Leaf Cover	Good	Fine	Rocky
1293133	BET	7	626297	6966407	7/8/2012	1:39:05 PM	SC01	Dark Grey Black	Silt	Damp	Pronounced Slope	70	B	Alders	Leaf Cover	Good	Mud	
1293134	BET	7	626298	6966458	7/8/2012	2:03:02 PM	SC01	Grey	Sand	Dry	Pronounced Slope	90	C	Poplar	Leaf Cover	Excellent		
1293135	BET	7	626297	6966509	7/8/2012	2:13:04 PM	SC01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Poplar	Leaf Cover	Good	Rocky	
1293136	BET	7	626296	6966556	7/8/2012	2:22:46 PM	SC01	Dark Brown	Sand	Dry	Pronounced Slope	50	C	Willows	Sphagnum Moss < 30cm	Good	Rocky	Dull Red Rust
1293137	BET	7	626295	6966606	7/8/2012	2:34:36 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Willows	Leaf Cover	Excellent	Rocky	
1293138	BET	7	626296	6966657	7/8/2012	2:46:27 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Alders	Sphagnum Moss < 30cm	Good	Rocky	
1293139	BET	7	626296	6966707	7/8/2012	3:01:59 PM	SC01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Alders	Sphagnum Moss < 30cm	Poor	Rocky	
1293140	BET	7	626297	6966756	7/8/2012	3:16:12 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1293141	BET	7	626297	6966807	7/8/2012	3:28:06 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Birch Forest	Leaf Cover	Good	Rocky	
1293142	BET	7	626296	6966857	7/8/2012	3:42:10 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Alders	Sphagnum Moss < 30cm	Excellent	Rocky	
1293143	BET	7	626296	6966906	7/8/2012	3:52:50 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	90	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1293144	BET	7	626296	6966957	7/8/2012	4:02:23 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Excellent		
1293145	BET	7	626295	6967007	7/8/2012	4:13:17 PM	SC01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1293146	BET	7	626298	6967058	7/8/2012	4:22:43 PM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Sphagnum Moss > 30cm	Excellent	Rocky	
1293147	BET	7	626298	6967108	7/8/2012	4:35:45 PM	SC01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss > 30cm	Good	Rocky	
1293148	BET	7	626295	6967158	7/8/2012	4:48:09 PM	SC01	Dark Brown	Sand	Damp	Steep	70	C	Black Spruce	Sphagnum Moss > 30cm	Good	Rocky	
1293149	BET	7	626295	6967208	7/8/2012	4:58:17 PM	SC01	Chocolate Brown	Sand	Damp	Steep	80	C	Black Spruce	Sphagnum Moss > 30cm	Good	Rocky	
1293150	BET	7	626297	6967257	7/8/2012	5:12:21 PM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Reindeer Moss	Poor	Rocky	Rocky Terrain
1293152	BET	7	626297	6967309	7/8/2012	5:25:27 PM	SC01	Dark Brown	Sand	Damp	Subtle Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1293153	BET	7	626296	6967359	7/8/2012	5:31:35 PM	SC01	Dark Brown	Silt	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1293154	BET	7	626296	6967409	7/8/2012	5:40:27 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent	Rocky	
1270180	BET	7	621197	6965157	7/8/2012	10:31:23 AM	SD02	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	Dwarf Birch	Reindeer Moss	Good	Rocky	Quartz Chips
1270181	BET	7	621196	6965106	7/8/2012	10:40:13 AM	SD02	Chocolate Brown	Silt	Damp	Subtle Slope	60	B	Dwarf Birch	Reindeer Moss	Good	Rocky	
1270182	BET	7	621196	6965058	7/8/2012	10:49:14 AM	SD02	Dark Brown	Gravel	Damp	Subtle Slope	40	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Rocky	
1270183	BET	7	621197	6965008	7/8/2012	11:02:32 AM	SD02	Dark Brown	Sand	Damp	Subtle Slope	40	C	Dwarf Birch	Sphagnum Moss < 30cm	Good	Rocky	
1270184	BET	7	621198	6964957	7/8/2012	11:09:50 AM	SD02	Dark Brown	Gravel	Damp	Subtle Slope	50	C	Dwarf Birch	Reindeer Moss	Excellent	Bright Orange Rust	Quartz Chips
1270185	BET	7	621197	6964906	7/8/2012	11:17:09 AM	SD02	Reddish Yellow	Sand	Damp	Subtle Slope	100	C	Dwarf Birch	Reindeer Moss	Excellent	Bright Orange Rust	Fine
1270186	BET	7	621200	6964858	7/8/2012	11:24:27 AM	SD02	Light Brown	Sand	Damp	Subtle Slope	70	C	Willows	Reindeer Moss	Excellent	Rocky	
1270193	BET	7	621197	6964807	7/8/2012	11:35:00 AM	SD02	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Dwarf Birch	Reindeer Moss	Excellent	Rocky	Bright Orange Rust
1270187	BET	7	621198	6964757	7/8/2012	11:42:20 AM	SD02	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Coarse	Bright Orange Rust
1270188	BET	7	621196	6964706	7/8/2012	11:49:10 AM	SD02	Dark Brown	Sand	Damp	Subtle Slope	50	C	Dwarf Birch	Reindeer Moss	Excellent	Quartz Chips	Rocky
1270189	BET	7	621198	6964657	7/8/2012	11:55:56 AM	SD02	Chocolate Brown	Silt	Damp	Subtle Slope	60	B	Willows	Reindeer Moss	Good	Bright Orange Rust	Rocky
1270190	BET	7	621198	6964607	7/8/2012	12:03:19 PM	SD02	Dark Brown	Silt	Damp	Subtle Slope	70	B	Willows	Sphagnum Moss < 30cm	Good	Dull Red Rust	
1270191	BET	7	621199	6964556	7/8/2012	12:32:21 PM	SD02	Reddish Yellow	Silt	Damp	Pronounced Slope	80	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Quartz Chips	
1270192	BET	7	621198	6964506	7/8/2012	12:40:52 PM	SD02	Dark Olivine Green	Sand	Damp	Subtle Slope	80	C	Poplar	Leaf Cover	Excellent	Sandy	
1270194	BET	7	621198	6964455	7/8/2012	12:49:41 PM	SD02	Greyish Green	Sand	Dry	Pronounced Slope	110	C	Poplar	Grass Cover	Excellent	Bright Orange Rust	
1270196	BET	7	621200	6964406	7/8/2012	12:59:07 PM	SD02	Dark Brown	Sand	Damp	Pronounced Slope	80	B	Poplar	Leaf Cover	Good	Bright Orange Rust	Fine
1270197	BET	7	621197	6964355	7/8/2012	1:10:39 PM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	60	B	Poplar	Grass Cover	Excellent	Bright Orange Rust	Rocky
1270198	BET	7	621199	6964307	7/8/2012	1:19:03 PM	SD02	Dark Brown	Sand	Damp	Subtle Slope	80	C	Willows	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Dull Red Rust
1270199	BET	7	621203	6964258	7/8/2012	1:26:27 PM	SD02	Light Brown	Gravel	Damp	Pronounced Slope	70	C	Birch Forest	Grass Cover	Excellent	Bright Orange Rust	
1270200	BET	7	621200	6964207	7/8/2012	1:36:56 PM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	80	C	White Spruce	Grass Cover	Excellent	Dull Red Rust	Quartz Chips
1270602	BET	7	621200	6964157	7/8/2012	1:45:16 PM	SD02	Light Brown	Gravel	Damp	Subtle Slope	70	C	Poplar	Leaf Cover	Excellent	Quartz Chips	
1270603	BET	7	621201	6964108	7/8/2012	1:56:31 PM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	40	C	Poplar	Leaf Cover	Good	Rocky	Quartz Chips
1270604	BET	7	621199	6964057	7/8/2012	2:05:05 PM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	80	C	Poplar	Sphagnum Moss < 30cm	Good	Quartz Chips	Bright Orange Rust
1270605	BET	7	621199	6964007	7/8/2012	2:13:30 PM	SD02	Dark Brown	Gravel	Damp	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Quartz Chips
1270606	BET	7	621198	6963958	7/8/2012	2:26:13 PM	SD02	Grey	Sand	Damp	Subtle Slope	40	C	Willows	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Quartz Chips
1270607	BET	7	621199	6963907	7/8/2012	2:37:04 PM	SD02	Dark Grey Black	Sand	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	
1270608	BET	7	621197	6963858	7/8/2012	2:47:37 PM	SD02	Dark Grey Black	Sand	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	Organic 10%
1270609	BET	7	621196	6963807	7/8/2012	2:57:45 PM	SD02	Grey	Sand	Damp	Subtle Slope	50	B	Alders	Grass Cover	Good	Frozen	
1270610	BET	7	621196	6963757	7/8/2012	3:09:25 PM	SD02	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Birch Forest	Grass Cover	Poor	Rocky	Organic 25%
1270611	BET	7	621197	6963707	7/8/2012	3:28:09 PM	SD02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Poplar	Sphagnum Moss < 30cm	Poor	Rocky	Organic 10%
1270438	BET	7	620796	6963806	7/9/2012	10:26:22 AM	BH01	Chocolate Brown	Silt	Dry	Steep	70	B	Alders	Reindeer Moss	Good	Rocky	Small Sample
1270439	BET	7	620795	6963855	7/9/2012	10:38:27 AM	BH01	Dark Brown	Silt	Damp	Steep	60	B	Alders	Reindeer Moss	Good	Frozen	
1270440	BET	7	620797	6963907	7/9/2012	10:50:36 AM	BH01	Chocolate Brown	Silt	Damp	Steep	50	B	Dwarf Birch	Sphagnum Moss > 30cm	Good	Frozen	
1270441	BET	7	620798	6963959	7/9/2012	11:01:59 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Birch Forest	Leaf Cover	Good	Rocky	Small Sample
1270442	BET	7	620796	6964005	7/9/2012	11:12:40 AM	BH01	Chocolate Brown	Gravel	Damp	Pronounced Slope	60	B	Poplar	Leaf Cover	Good	Rocky	

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1270444	BET	7	620796	6964056	7/9/2012	11:22:32 AM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	80	B	Poplar	Leaf Cover	Good	Rocky	
1270446	BET	7	620796	6964106	7/9/2012	11:30:57 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Poplar	Thin Moss Cover	Good	Rocky	
1270447	BET	7	620796	6964157	7/9/2012	11:38:35 AM	BH01	Dark Brown	Silt	Dry	Pronounced Slope	60	B	Poplar	Grass Cover	Good	Rocky	
1270448	BET	7	620794	6964213	7/9/2012	11:50:08 AM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Poplar	Grass Cover	Good	Rocky	
1270449	BET	7	620798	6964260	7/9/2012	11:59:26 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Rocky	
1270450	BET	7	620797	6964306	7/9/2012	12:10:09 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Poplar	Leaf Cover	Good	Rocky	
1270452	BET	7	620797	6964357	7/9/2012	12:42:32 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Rocky	
1270453	BET	7	620796	6964407	7/9/2012	12:51:43 PM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	40	B	Poplar	Leaf Cover	Good	Rocky	
1270454	BET	7	620798	6964458	7/9/2012	12:59:53 PM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	40	B	Alders	Leaf Cover	Good	Rocky	
1270455	BET	7	620793	6964503	7/9/2012	1:09:17 PM	BH01	Reddish Yellow	Silt	Dry	Subtle Slope	80	C	Birch Forest	Leaf Cover	Excellent	Bright Orange Rust	
1270456	BET	7	620798	6964555	7/9/2012	1:21:41 PM	BH01	Chocolate Brown	Sand	Dry	Steep	50	B	Poplar	Leaf Cover	Good	Rocky	
1270457	BET	7	620797	6964608	7/9/2012	1:32:34 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	A	Birch Forest	Leaf Cover	Good	Rocky	
1270458	BET	7	620797	6964656	7/9/2012	1:44:25 PM	BH01	Dark Brown	Gravel	Wet	Pronounced Slope	80	B	Alders	Reindeer Moss	Good	Mud	Partially Frozen
1270459	BET	7	620796	6964707	7/9/2012	1:56:42 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Thin Moss Cover	Good	Partially Frozen	
1270460	BET	7	620797	6964758	7/9/2012	2:07:02 PM	BH01	Chocolate Brown	Silt	Damp	Subtle Slope	80	B	Alders	Grass Cover	Good	Mud	Partially Frozen
1270461	BET	7	620798	6964807	7/9/2012	2:17:28 PM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Alders	Reindeer Moss	Good	Mud	Partially Frozen
1270462	BET	7	620796	6964857	7/9/2012	2:58:16 PM	BH01	Dark Brown	Silt	Damp	Subtle Slope	70	B	Alders	Reindeer Moss	Good	Partially Frozen	
1270463	BET	7	620790	6964903	7/9/2012	3:00:21 PM	BH01	Dark Brown	Silt	Damp	Subtle Slope	60	B	Alders	Reindeer Moss	Good	Mud	Partially Frozen
1270464	BET	7	620797	6964957	7/9/2012	3:16:32 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Alders	Reindeer Moss	Good	Frozen	
1270465	BET	7	620794	6965008	7/9/2012	3:25:34 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Alders	Reindeer Moss	Good	Partially Frozen	
1270466	BET	7	620797	6965060	7/9/2012	3:33:56 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	
1270467	BET	7	620797	6965107	7/9/2012	3:44:58 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	
1270468	BET	7	620797	6965157	7/9/2012	4:13:59 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Alders	Reindeer Moss	Good	Partially Frozen	Quartz Chips
1290825	BET	7	625897	6967908	7/9/2012	10:08:29 AM	CK01	Dark Grey Black	Sand	Damp	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	Rusty Rock Chip
1290852	BET	7	625897	6967858	7/9/2012	10:22:59 AM	CK01	Dark Brown	Silt	Damp	Steep	30	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	Frozen
1290853	BET	7	625897	6967807	7/9/2012	10:37:30 AM	CK01	Dark Brown	Sand	Damp	Steep	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Frozen
1290854	BET	7	625897	6967757	7/9/2012	10:50:31 AM	CK01	Grey	Sand	Damp	Steep	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky Terrain	Rusty Rock Chip
1290855	BET	7	625897	6967707	7/9/2012	11:07:31 AM	CK01	Dark Brown	Sand	Damp	Steep	40	B	Alders	Thin Moss Cover	Good	Rocky Terrain	Rusty Rock Chip
1290856	BET	7	625897	6967657	7/9/2012	11:20:12 AM	CK01	Chocolate Brown	Sand	Damp	Steep	50	C	Alders	Thin Moss Cover	Good	Rocky Terrain	
1290857	BET	7	625897	6967607	7/9/2012	11:31:50 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Fine	Rocky Terrain
1290858	BET	7	625897	6967557	7/9/2012	11:43:44 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Rocky Terrain	Rusty Rock Chip
1290859	BET	7	625897	6967506	7/9/2012	11:54:51 AM	CK01	Chocolate Brown	Sand	Damp	Steep	50	B	Poplar	Leaf Cover	Good	Fine	Rocky Terrain
1290860	BET	7	625897	6967457	7/9/2012	12:08:11 PM	CK01	Chocolate Brown	Sand	Damp	Steep	60	C	Poplar	Leaf Cover	Good	Fine	Rocky
1290861	BET	7	625897	6967406	7/9/2012	12:19:54 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Rocky Terrain	
1290862	BET	7	625997	6967407	7/9/2012	12:33:24 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Fine	
1290863	BET	7	625997	6967456	7/9/2012	12:45:58 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Fine	Rusty Rock Chip
1290864	BET	7	625997	6967506	7/9/2012	12:56:44 PM	CK01	Chocolate Brown	Sand	Damp	Steep	80	C	Poplar	Leaf Cover	Excellent		
1290865	BET	7	625997	6967557	7/9/2012	1:10:14 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Rocky	Rusty Rock Chip
1290866	BET	7	625997	6967606	7/9/2012	1:22:46 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent		
1290867	BET	7	625997	6967656	7/9/2012	1:42:56 PM	CK01	Chocolate Brown	Silt	Damp	Steep	40	B	Alders	Thin Moss Cover	Good	Coarse	
1290868	BET	7	625997	6967705	7/9/2012	2:01:23 PM	CK01	Dark Brown	Sand	Damp	Steep	70	B	Black Spruce	Sphagnum Moss > 30cm	Good	Fine	Partially Frozen
1290869	BET	7	625997	6967756	7/9/2012	2:14:24 PM	CK01	Chocolate Brown	Sand	Damp	Steep	30	B	Alders	Thin Moss Cover	Good	Fine	Rocky Terrain
1290870	BET	7	625997	6967806	7/9/2012	2:25:25 PM	CK01	Dark Brown	Sand	Damp	Steep	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Partially Frozen
1290871	BET	7	625997	6967857	7/9/2012	2:39:52 PM	CK01	Chocolate Brown	Sand	Damp	Steep	100	C	Alders	Leaf Cover	Good		
1290872	BET	7	625997	6967906	7/9/2012	2:49:53 PM	CK01	Dark Grey Black	Sand	Damp	Steep	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Fine	Frozen
1290873	BET	7	626096	6967907	7/9/2012	3:03:00 PM	CK01	Dark Brown	Sand	Damp	Steep	80	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Frozen
1290874	BET	7	626097	6967858	7/9/2012	3:14:27 PM	CK01	Dark Grey Black	Sand	Damp	Steep	70	C	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	Rusty Rock Chip
1290875	BET	7	626097	6967806	7/9/2012	3:28:05 PM	CK01	Dark Grey Black	Sand	Damp	Pronounced Slope	30	B	Alders	Thin Moss Cover	Poor	Fine	Rocky Terrain
1290877	BET	7	626097	6967758	7/9/2012	3:49:04 PM	CK01	Chocolate Brown	Sand	Damp	Steep	50	B	Poplar	Sphagnum Moss < 30cm	Good	Fine	Rocky Terrain
1290878	BET	7	626097	6967707	7/9/2012	4:00:59 PM	CK01	Chocolate Brown	Sand	Damp	Steep	30	B	Poplar	Thin Moss Cover	Good	Fine	Rocky Terrain
1290879	BET	7	626097	6967657	7/9/2012	4:17:23 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Poplar	Thin Moss Cover	Good	Fine	Rocky Terrain
1290880	BET	7	626097	6967607	7/9/2012	4:32:46 PM	CK01	Chocolate Brown	Sand	Damp	Steep	60	C	Poplar	Leaf Cover	Excellent	Rusty Rock Chip	
1290876	BET	7	626097	6967607	7/9/2012	4:37:50 PM	CK01	Chocolate Brown	Sand	Damp	Steep	60	C	Poplar	Leaf Cover	Excellent	Rusty Rock Chip	
1290881	BET	7	626097	6967557	7/9/2012	4:46:37 PM	CK01	Chocolate Brown	Sand	Damp	Steep	60	C	Poplar	Leaf Cover	Good	Rocky Terrain	
1290882	BET	7	626097	6967507	7/9/2012	4:55:24 PM	CK01	Chocolate Brown	Sand	Damp	Steep	50	C	Poplar	Leaf Cover	Good	Quartz Chips	
1290883	BET	7	626097	6967456	7/9/2012	6:21:59 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Fine	Rocky
1270512	BET	7	620596	6963658	7/9/2012	9:49:58 AM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	30	B	Dwarf Birch	Reindeer Moss	Poor	Rocky Terrain	
1270513	BET	7	620596	6963708	7/9/2012	10:09:58 AM	FP01	Reddish Brown	Sand	Damp	Pronounced Slope	30	B	Willows	Reindeer Moss	Poor	Talus	Organic 10%
1270514	BET	7	620597	6963758	7/9/2012	10:23:04 AM	FP01	Dark Brown	Sand	Damp	Steep	20	B	Willows	Rock Cover	Good	Talus	Organic 10%
1270515	BET	7	620597	6963808	7/9/2012	10:43:46 AM	FP01	Dark Brown	Sand	Damp	Steep	40	B	Dwarf Birch	Reindeer Moss	Good	Rocky	Rocky Terrain
1270516	BET	7	620596	6963859	7/9/2012	11:02:53 AM	FP01	Dark Brown	Sand	Damp	Pronounced Slope	40	B	Willows	Reindeer Moss	Poor	Rocky Terrain	Organic 10%
1270517	BET	7	620596	6963909	7/9/2012	11:16:28 AM	FP01	Dark Brown	Sand	Wet	Pronounced Slope	60	B	Poplar	Grass Cover	Good	Rocky	
1270518	BET	7	620597	6963958	7/9/2012	11:30:12 AM	FP01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Poplar	Grass Cover	Good	Rocky	Clay
1270519	BET	7	620595	6964010	7/9/2012	11:40:38 AM	FP01	Reddish Brown	Sand	Damp	Pronounced Slope	50	B	Poplar	Grass Cover	Good	Rocky	Rocky Terrain
1270520	BET	7	620596	6964061	7/9/2012	11:52:04 AM	FP01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Poplar	Grass Cover	Poor	Rocky Terrain	Organic 10%
1270521	BET	7	620596	6964110	7/9/2012	12:08:13 PM	FP01	Chocolate Brown	Gravel	Damp	Pronounced Slope	50	B	Poplar	Reindeer Moss	Poor	Rocky Sample	Rocky Terrain
1270522	BET	7	620596	6964209	7/9/2012	12:29:48 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	70	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Rocky Terrain	Rocky
1270523	BET	7	620595	6964259	7/9/2012	12:41:14 PM	FP01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	B	Dwarf Birch	Reindeer Moss	Good	Rocky	Rocky Terrain
1270524	BET	7	620597	6964309	7/9/2012	1:07:24 PM	FP01	Dark Brown	Sand	Wet	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	Rusty Rock Chip
1270525	BET	7	620596	6964359	7/9/2012	1:18:10 PM	FP01	Dark Brown	Sand	Wet	Subtle Slope	60	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	Rusty Rock Chip
1270526	BET	7	620596	6964359	7/9/2012	1:19:16 PM	FP01	Dark Brown	Sand	Wet	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	Rusty Rock Chip
1270527	BET	7	620596	6964409	7/9/2012	1:34:56 PM	FP01	Dark Brown	Gravel	Damp	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Good	Rocky Sample	Rusty Rock Chip
1270528	BET	7	620596	6964456	7/9/2012	1:49:41 PM	FP01	Dark Brown	Sand	Wet	Subtle Slope	60	B	Dwarf Birch	Reindeer Moss	Good	Partially Frozen	Quartz Chips
1270529	BET	7	620597	6964507	7/9/2012	2:04:56 PM	FP01	Chocolate Brown	Sand	Wet	Subtle Slope	60	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Quartz Chips	Rusty Rock Chip
1270530	BET	7	620596	6964556	7/9/2012	2:32:17 PM	FP01	Chocolate Brown	Sand	Damp	Subtle Slope	110	B	Willows	Reindeer Moss	Good	Rusty Rock Chip	
1270531	BET	7	620597	6964607	7/9/2012	2:43:50 PM	FP01	Chocolate Brown	Sand	Wet	Subtle Slope	110	B	Black Spruce	Reindeer Moss	Good	Dull Red Rust	
1270532	BET	7	620597	6964657	7/9/2012	2:59:27 PM	FP01	Dark Brown	Sand	Wet	Subtle Slope	60	B	Black Spruce	Reindeer Moss	Poor	Partially Frozen	Rusty Rock Chip
1270533	BET	7	620597	6964707	7/9/2012	3:08:21 PM	FP01	Chocolate Brown	Sand	Wet	Subtle Slope	110	B	Birch Forest	Leaf Cover	Good	Coarse	Rusty Rock Chip
1270534	BET	7	620597	6964757	7/9/2012	3:28:38 PM	FP01	Dark Grey Black	Sand	Wet	Subtle Slope	40	B	Willows	Reindeer Moss	Poor	Frozen	Rocky
1270535	BET	7	620598	6964808	7/9/2012	3:41:15 PM	FP01	Dark Grey Black	Sand	Wet	Subtle Slope	40	B	Willows	Sphagnum Moss < 30cm	Poor	Frozen	Organic 10%
1270536	BET	7	620596	6964857	7/9/2012	3:55:55 PM	FP01	Grey	Silt	Damp	Subtle Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1270537	BET	7	620597	6964907	7/9/2012	4:04:46 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	50	B	Willows	Reindeer Moss	Good	Rocky	
1270538	BET	7	620597	6964957	7/9/2012	4:12:53 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	70	B	Willows	Reindeer Moss	Good	Bright Orange Rust	Partially Frozen
1270539	BET	7	620596	6965007	7/9/2012	4:24:44 PM	FP01	Reddish Yellow	Sand	Wet	Subtle Slope	90	C	Black Spruce	Reindeer Moss	Good	Quartz Chips	Rusty Rock Chip

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1270540	BET	7	620597	6965058	7/9/2012	4:34:37 PM	FP01	Dark Brown	Sand	Wet	Pronounced Slope	60	B	Willows	Sphagnum Moss < 30cm	Good	Mud	Rusty Rock Chip
1270541	BET	7	620597	6965109	7/9/2012	4:45:34 PM	FP01	Dark Brown	Sand	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Rusty Rock Chip
1270542	BET	7	620596	6965158	7/9/2012	5:00:45 PM	FP01	Dark Grey Black	Sand	Wet	Pronounced Slope	40	B	Willows	Sphagnum Moss < 30cm	Poor	Possible Creek Contamination	Partially Frozen
1284243	BET	7	623797	6962958	7/9/2012	10:29:40 AM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	Quartz Chips
1284244	BET	7	623797	6963159	7/9/2012	10:58:38 AM	JM01	Dark Blue Black	Clay	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1284245	BET	7	623798	6963258	7/9/2012	11:34:06 AM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	40	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Partially Frozen	
1284246	BET	7	623797	6963328	7/9/2012	11:50:39 AM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Rocky	
1284247	BET	7	623797	6963358	7/9/2012	12:02:09 PM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	40	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Partially Frozen	Rocky
1284248	BET	7	623797	6963408	7/9/2012	12:13:38 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	50	B	Alders	Thin Moss Cover	Good	Rocky	
1284249	BET	7	623797	6963460	7/9/2012	12:32:19 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	80	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Rocky	
1284250	BET	7	623796	6963508	7/9/2012	1:06:16 PM	JM01	Dark Grey Black	Clay	Wet	Pronounced Slope	50	B	Black Spruce	Thin Moss Cover	Good	Mud	Rocky
1284053	BET	7	623796	6963559	7/9/2012	1:14:55 PM	JM01	Chocolate Brown	Clay	Wet	Pronounced Slope	40	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Coarse	Partially Frozen
1284054	BET	7	623796	6963610	7/9/2012	1:22:32 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	90	C	Dwarf Birch	Thin Moss Cover	Excellent	Coarse	Rocky
1284055	BET	7	623797	6963658	7/9/2012	1:33:03 PM	JM01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Alders	Leaf Cover	Good	Rusty Rock Chip	
1284056	BET	7	623795	6963709	7/9/2012	1:44:10 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	50	B	Dwarf Birch	Leaf Cover	Good	Rocky	
1284057	BET	7	623798	6963757	7/9/2012	1:53:48 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	50	C	Birch Forest	Leaf Cover	Excellent	Rocky	Quartz Chips
1284058	BET	7	623798	6963807	7/9/2012	2:02:58 PM	JM01	Dark Blue Black	Clay	Damp	Pronounced Slope	60	B	Birch Forest	Leaf Cover	Good	Rocky	
1284240	BET	7	623798	6963857	7/9/2012	2:12:58 PM	JM01	Dark Grey Black	Clay	Damp	Pronounced Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	Rusty Rock Chip
1284241	BET	7	623798	6963906	7/9/2012	2:21:10 PM	JM01	Dark Brown	Sand	Damp	Pronounced Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Rocky	
1284242	BET	7	623799	6963958	7/9/2012	2:30:06 PM	JM01	Dark Grey Black	Clay	Damp	Pronounced Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1284059	BET	7	623797	6964007	7/9/2012	2:42:24 PM	JM01	Dark Grey Black	Clay	Damp	Pronounced Slope	40	C	Alders	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1284060	BET	7	623797	6964056	7/9/2012	2:58:09 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	Rusty Rock Chip
1284061	BET	7	623798	6964108	7/9/2012	3:11:15 PM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	40	B	Dwarf Birch	Thin Moss Cover	Good	Bright Orange Rust	
1284062	BET	7	623798	6964158	7/9/2012	3:27:52 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	40	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Rusty Rock Chip	Bright Orange Rust
1284063	BET	7	623798	6964207	7/9/2012	3:36:49 PM	JM01	Dark Brown	Sand	Damp	Pronounced Slope	50	C	White Spruce	Thin Moss Cover	Excellent	Fine	Rocky
1284064	BET	7	623796	6964259	7/9/2012	3:44:58 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	40	B	White Spruce	Thin Moss Cover	Good	Partially Frozen	
1284065	BET	7	623796	6964308	7/9/2012	3:56:02 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	50	B	White Spruce	Thin Moss Cover	Good	Quartz Chips	Bright Orange Rust
1284066	BET	7	623798	6964358	7/9/2012	4:09:25 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	50	B	White Spruce	Thin Moss Cover	Good	Quartz Chips	
1284067	BET	7	623896	6964306	7/9/2012	4:25:27 PM	JM01	Pale Greenish	Clay	Damp	Pronounced Slope	60	C	White Spruce	Thin Moss Cover	Excellent	Rocky	
1284068	BET	7	623896	6964256	7/9/2012	4:35:04 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	50	B	White Spruce	Thin Moss Cover	Good	Quartz Chips	Rocky
1284069	BET	7	623897	6964357	7/9/2012	4:45:35 PM	JM01	Dark Brown	Sand	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Rocky	
1290945	BET	7	625897	6965960	7/9/2012	9:57:47 AM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Birch Forest	Leaf Cover	Poor	Rocky	
1290946	BET	7	625899	6966009	7/9/2012	10:11:56 AM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Birch Forest	Grass Cover	Excellent	Rocky	Quartz Chips
1290947	BET	7	625898	6966057	7/9/2012	10:21:38 AM	JS01	Dark Brown	Sand	Dry	Pronounced Slope	90	C	Birch Forest	Leaf Cover	Excellent	Quartz Chips	
1290948	BET	7	625896	6966108	7/9/2012	10:34:27 AM	JS01	Dark Brown	Sand	Dry	Pronounced Slope	80	C	Birch Forest	Thin Moss Cover	Good	Bright Orange Rust	Quartz Chips
1290949	BET	7	625895	6966157	7/9/2012	10:50:08 AM	JS01	Dark Brown	Sand	Dry	Pronounced Slope	40	C	Birch Forest	Leaf Cover	Good	Rocky	
1290950	BET	7	625897	6966206	7/9/2012	11:03:19 AM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	90	C	Poplar	Leaf Cover	Excellent	Rocky	
1290952	BET	7	625898	6966256	7/9/2012	11:14:41 AM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Birch Forest	Leaf Cover	Good	Rocky	
1290953	BET	7	625898	6966308	7/9/2012	11:34:37 AM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Birch Forest	Thin Moss Cover	Good	Rocky	
1290954	BET	7	625899	6966356	7/9/2012	11:44:00 AM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Birch Forest	Leaf Cover	Good	Rocky	
1290955	BET	7	625899	6966408	7/9/2012	11:54:35 AM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Birch Forest	Thin Moss Cover	Poor	Rocky Terrain	
1290956	BET	7	625898	6966457	7/9/2012	12:08:54 PM	JS01	Chocolate Brown	Silt	Damp	Steep	40	B	Birch Forest	Thin Moss Cover	Poor	Rocky Terrain	Rocky Sample
1290957	BET	7	625898	6966507	7/9/2012	12:22:49 PM	JS01	Chocolate Brown	Silt	Damp	Steep	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky Sample	Rocky Terrain
1290958	BET	7	625899	6966556	7/9/2012	12:44:34 PM	JS01	Dark Brown	Silt	Dry	Steep	50	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Organic 25%	Rocky Terrain
1290959	BET	7	625897	6966607	7/9/2012	12:56:53 PM	JS01	Dark Grey Black	Silt	Damp	Steep	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Bright Orange Rust	Partially Frozen
1290960	BET	7	625898	6966657	7/9/2012	1:11:50 PM	JS01	Dark Grey Black	Silt	Wet	Steep	30	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	Possible Creek Contamination
1290961	BET	7	625897	6966706	7/9/2012	1:22:33 PM	JS01	Grey	Silt	Damp	Steep	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky	Bright Orange Rust
1290962	BET	7	625897	6966757	7/9/2012	1:34:48 PM	JS01	Chocolate Brown	Silt	Dry	Steep	60	B	Poplar	Leaf Cover	Poor	Bright Orange Rust	Rocky
1290963	BET	7	625898	6966806	7/9/2012	2:03:02 PM	JS01	Light Brown	Silt	Dry	Steep	40	B	Birch Forest	Thin Moss Cover	Poor	Bright Orange Rust	Rocky
1290964	BET	7	625898	6966856	7/9/2012	2:20:44 PM	JS01	Dark Brown	Silt	Dry	Steep	30	B	Birch Forest	Thin Moss Cover	Poor	Rocky Terrain	
1290965	BET	7	625898	6966906	7/9/2012	2:34:48 PM	JS01	Chocolate Brown	Silt	Wet	Steep	50	B	Black Spruce	Thin Moss Cover	Poor	Rocky Sample	Rocky Terrain
1290966	BET	7	625897	6966955	7/9/2012	2:50:22 PM	JS01	Dark Brown	Silt	Damp	Steep	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky Sample	Rocky Terrain
1290967	BET	7	625896	6967005	7/9/2012	3:07:04 PM	JS01	Dark Brown	Silt	Damp	Steep	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky	Frozen
1290968	BET	7	625897	6967055	7/9/2012	3:20:17 PM	JS01	Dark Brown	Silt	Damp	Steep	50	B	Birch Forest	Leaf Cover	Poor	Possible Creek Contamination	
1290969	BET	7	625897	6967106	7/9/2012	3:32:53 PM	JS01	Dark Brown	Sand	Dry	Subtle Slope	60	B	Birch Forest	Thin Moss Cover	Poor	Partially Frozen	Possible Creek Contamination
1290970	BET	7	625898	6967156	7/9/2012	3:43:41 PM	JS01	Light Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent	Bright Orange Rust	Rocky
1290971	BET	7	625897	6967206	7/9/2012	3:55:38 PM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Poplar	Grass Cover	Poor	Rocky	
1290972	BET	7	625895	6967257	7/9/2012	4:11:03 PM	JS01	Light Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Good	Rocky	
1290973	BET	7	625895	6967304	7/9/2012	4:26:06 PM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Poor	Rocky	
1290974	BET	7	625894	6967358	7/9/2012	4:43:16 PM	JS01	Light Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Good	Bright Orange Rust	Rocky
1284175	BET	7	623996	6962957	7/9/2012	9:46:26 AM	KH01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Alders	Sphagnum Moss < 30cm	Good	Mud	Rocky
1284174	BET	7	623997	6963007	7/9/2012	9:57:18 AM	KH01	Dark Brown	Sand	Damp	Steep	70	C	Alders	Sphagnum Moss < 30cm	Good	Rocky	
1284173	BET	7	623997	6963057	7/9/2012	10:10:04 AM	KH01	Chocolate Brown	Gravel	Damp	Pronounced Slope	90	C	Alders	Sphagnum Moss < 30cm	Excellent	Rocky	
1284172	BET	7	623996	6963107	7/9/2012	10:30:14 AM	KH01	Dark Grey Black	Gravel	Damp	Steep	70	C	Alders	Sphagnum Moss < 30cm	Good	Rocky	Quartz Chips
1284171	BET	7	623996	6963157	7/9/2012	10:50:53 AM	KH01	Chocolate Brown	Gravel	Damp	Steep	70	C	Alders	Sphagnum Moss < 30cm	Good	Rocky	
1284170	BET	7	623997	6963207	7/9/2012	11:03:54 AM	KH01	Chocolate Brown	Sand	Damp	Steep	70	C	Alders	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Rocky
1284169	BET	7	623997	6963257	7/9/2012	11:12:35 AM	KH01	Chocolate Brown	Sand	Damp	Steep	70	C	Alders	Sphagnum Moss < 30cm	Excellent	Coarse	Bright Orange Rust
1284147	BET	7	623997	6963307	7/9/2012	11:21:09 AM	KH01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Alders	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Rocky
1284148	BET	7	623997	6963357	7/9/2012	11:34:50 AM	KH01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Alders	Sphagnum Moss < 30cm	Excellent	Coarse	Bright Orange Rust
1284149	BET	7	623997	6963406	7/9/2012	11:46:47 AM	KH01	Chocolate Brown	Gravel	Damp	Pronounced Slope	70	C	Alders	Sphagnum Moss < 30cm	Good	Rocky	
1284158	BET	7	623997	6963458	7/9/2012	12:05:48 PM	KH01	Reddish Brown	Sand	Damp	Pronounced Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Quartz Chips
1284159	BET	7	623998	6963508	7/9/2012	12:14:19 PM	KH01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Rocky	
1284160	BET	7	623997	6963557	7/9/2012	12:23:19 PM	KH01	Chocolate Brown	Sand	Damp	Steep	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	
1284161	BET	7	623997	6963607	7/9/2012	12:31:15 PM	KH01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Quartz Chips
1284162	BET	7	623997	6963659	7/9/2012	12:42:14 PM	KH01	Chocolate Brown	Sand	Damp	Steep	60	C	Poplar	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Rocky
1284163	BET	7	623998	6963708	7/9/2012	12:52:09 PM	KH01	Dark Blue Black	Sand	Damp	Pronounced Slope	80	C	Poplar	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Rocky
1284165	BET	7	623997	6963759	7/9/2012	1:04:36 PM	KH01	Dark Olivine Green	Sand	Damp	Pronounced Slope	70	C	Poplar	Sphagnum Moss < 30cm	Good	Rocky	
1284164	BET	7	623997	6963808	7/9/2012	1:19:18 PM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1284166	BET	7	623997	6963858	7/9/2012	1:34:28 PM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Sphagnum Moss < 30cm	Good	Rocky	
1284167	BET	7	623997	6963907	7/9/2012	1:50:10 PM	KH01	Chocolate Brown	Sand	Damp	Steep	70	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	Dull Red Rust
1284168	BET	7	623997	6963957	7/9/2012	2:08:11 PM	KH01	Chocolate Brown	Sand	Damp	Steep	90	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Dull Red Rust	Rocky
1284118	BET	7	623997	6964006	7/9/2012	2:19:01 PM	KH01	Chocolate Brown	Sand	Damp	Steep	70	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Rocky	
1284975	BET	7	623997	6964057	7/9/2012	2:29:57 PM	KH01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	
1284126	BET	7	623997	6964057	7/9/2012	2:38:07 PM	KH01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1284974	BET	7	623998	6964107	7/9/2012	2:49:33 PM	KH01	Dark Brown	Sand	Damp	Pronounced Slope	60	B	White Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Rocky
1284973	BET	7	623996	6964156	7/9/2012	2:59:50 PM	KH01	Chocolate Brown	Sand	Damp	Pronounced Slope	90	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Dull Red Rust	
1284150	BET	7	623996	6964208	7/9/2012	3:20:59 PM	KH01	Light Grey	Gravel	Damp	Subtle Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Rocky Sample	
1284157	BET	7	623997	6964258	7/9/2012	3:31:38 PM	KH01	Reddish Orange	Sand	Dry	Subtle Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Coarse
1284156	BET	7	623997	6964307	7/9/2012	3:44:46 PM	KH01	Dark Brown	Sand	Damp	Pronounced Slope	80	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Fine	Quartz Chips
1284155	BET	7	623996	6964357	7/9/2012	3:55:49 PM	KH01	Dark Brown	Sand	Damp	Steep	60	B	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Quartz Chips
1284662	BET	7	623896	6964157	7/9/2012	4:20:59 PM	KH01	Dark Brown	Sand	Damp	Steep	60	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1284152	BET	7	623897	6964207	7/9/2012	4:30:55 PM	KH01	Reddish Orange	Sand	Damp	Pronounced Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	
1284154	BET	7	623996	6964408	7/9/2012	4:50:31 PM	KH01	Dark Grey Black	Sand	Wet	Steep	60	B	White Spruce	Sphagnum Moss < 30cm	Poor	Frozen	Organic 25%
1293053	BET	7	626497	6967159	7/9/2012	9:37:48 AM	MT01	Dark Brown	Sand	Dry	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1293054	BET	7	626496	6967207	7/9/2012	9:49:40 AM	MT01	Dark Brown	Sand	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1293055	BET	7	626496	6967257	7/9/2012	10:00:02 AM	MT01	Dark Brown	Sand	Damp	Subtle Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Clay	
1293056	BET	7	626496	6967308	7/9/2012	10:13:45 AM	MT01	Reddish Yellow	Sand	Dry	Subtle Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	
1293057	BET	7	626495	6967359	7/9/2012	10:27:42 AM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Black Spruce	Grass Cover	Excellent	Rocky	
1293058	BET	7	626497	6967408	7/9/2012	10:38:22 AM	MT01	Dark Brown	Sand	Dry	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky Terrain	
1293059	BET	7	626395	6967408	7/9/2012	10:58:11 AM	MT01	Dark Brown	Silt	Dry	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1293060	BET	7	626397	6967506	7/9/2012	11:24:14 AM	MT01	Reddish Yellow	Sand	Dry	Subtle Slope	90	C	Poplar	Thin Moss Cover	Excellent	Bright Orange Rust	
1293061	BET	7	626397	6967556	7/9/2012	11:36:23 AM	MT01	Reddish Brown	Sand	Damp	Flat	80	C	Black Spruce	Reindeer Moss	Excellent		
1293062	BET	7	626397	6967608	7/9/2012	11:47:48 AM	MT01	Reddish Brown	Sand	Damp	Flat	80	C	Black Spruce	Reindeer Moss	Good		
1293063	BET	7	626397	6967656	7/9/2012	12:00:10 PM	MT01	Chocolate Brown	Sand	Wet	Flat	70	B	Black Spruce	Reindeer Moss	Good	Clay	
1293064	BET	7	626397	6967707	7/9/2012	12:16:24 PM	MT01	Dark Brown	Clay	Damp	Flat	50	B	Black Spruce	Reindeer Moss	Good		
1293065	BET	7	626398	6967756	7/9/2012	12:29:56 PM	MT01	Dark Brown	Clay	Damp	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	
1293066	BET	7	626396	6967807	7/9/2012	12:40:27 PM	MT01	Dark Brown	Silt	Dry	Flat	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	Dull Red Rust
1293068	BET	7	626397	6967907	7/9/2012	1:01:39 PM	MT01	Dark Brown	Sand	Damp	Flat	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Clay	
1293069	BET	7	626298	6967457	7/9/2012	1:48:06 PM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Good		
1293070	BET	7	626297	6967507	7/9/2012	1:58:46 PM	MT01	Reddish Brown	Sand	Dry	Subtle Slope	60	C	Poplar	Grass Cover	Good		
1293071	BET	7	626297	6967557	7/9/2012	2:08:11 PM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent		
1293067	BET	7	626397	6967856	7/9/2012	2:13:48 PM	MT01	Dark Brown	Clay	Damp	Flat	50	B	Black Spruce	Sphagnum Moss < 30cm	Good		
1293072	BET	7	626296	6967608	7/9/2012	2:25:08 PM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	90	C	Poplar	Grass Cover	Excellent		
1293075	BET	7	626298	6967657	7/9/2012	2:39:58 PM	MT01	Chocolate Brown	Sand	Dry	Subtle Slope	50	C	Poplar	Grass Cover	Good		
1293076	BET	7	626296	6967657	7/9/2012	2:46:14 PM	MT01	Chocolate Brown	Sand	Dry	Subtle Slope	50	C	Poplar	Grass Cover	Good		
1293073	BET	7	626296	6967708	7/9/2012	3:00:43 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	B	Black Spruce	Thin Moss Cover	Good		
1293074	BET	7	626296	6967758	7/9/2012	3:12:31 PM	MT01	Dark Brown	Sand	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Partially Frozen
1293077	BET	7	626297	6967808	7/9/2012	3:28:11 PM	MT01	Dark Grey Black	Silt	Dry	Flat	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Quartz Chips	Frozen
1293078	BET	7	626297	6967857	7/9/2012	3:40:32 PM	MT01	Dark Grey Black	Silt	Damp	Flat	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1293079	BET	7	626297	6967907	7/9/2012	3:57:10 PM	MT01	Dark Brown	Sand	Dry	Subtle Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	
1293080	BET	7	626197	6967907	7/9/2012	4:14:36 PM	MT01	Dark Brown	Sand	Dry	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	
1293081	BET	7	626197	6967859	7/9/2012	4:24:22 PM	MT01	Dark Brown	Sand	Damp	Subtle Slope	50	B	Black Spruce	Grass Cover	Good	Partially Frozen	
1293082	BET	7	626197	6967807	7/9/2012	4:36:17 PM	MT01	Dark Brown	Sand	Dry	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	
1293083	BET	7	626198	6967758	7/9/2012	4:47:24 PM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	60	C	Birch Forest	Thin Moss Cover	Excellent		
1270290	BET	7	620498	6963707	7/9/2012	9:31:22 AM	RF02	Dark Brown	Clay	Damp	Flat	30	B	Poplar	Sphagnum Moss < 30cm	Poor	Rocky	
1270291	BET	7	620496	6963758	7/9/2012	9:48:24 AM	RF02	Dark Brown	Silt	Damp	Steep	50	B	Alders	Reindeer Moss	Poor	Rocky	
1270292	BET	7	620499	6963909	7/9/2012	10:23:56 AM	RF02	Dark Brown	Clay	Damp	Pronounced Slope	60	B	Poplar	Thin Moss Cover	Poor		
1270293	BET	7	620497	6963959	7/9/2012	10:40:07 AM	RF02	Dark Brown	Clay	Damp	Pronounced Slope	60	C	Alders	Leaf Cover	Good		
1270294	BET	7	620496	6964009	7/9/2012	10:52:47 AM	RF02	Chocolate Brown	Clay	Damp	Subtle Slope	60	B	Poplar	Sphagnum Moss < 30cm	Poor		
1270295	BET	7	620499	6964059	7/9/2012	11:08:08 AM	RF02	Dark Brown	Clay	Damp	Flat	60	B	Alders	Reindeer Moss	Poor		
1270296	BET	7	620496	6964109	7/9/2012	11:29:45 AM	RF02	Dark Brown	Gravel	Damp	Subtle Slope	60	B	Alders	Sphagnum Moss < 30cm	Poor	Rocky Sample	
1270297	BET	7	620496	6964159	7/9/2012	11:47:04 AM	RF02	Dark Brown	Gravel	Damp	Pronounced Slope	60	B	Alders	Sphagnum Moss < 30cm	Poor	Rocky Sample	
1270298	BET	7	620497	6964210	7/9/2012	12:06:59 PM	RF02	Dark Brown	Gravel	Damp	Pronounced Slope	70	B	Alders	Sphagnum Moss > 30cm	Poor	Partially Frozen	
1270299	BET	7	620497	6964260	7/9/2012	12:20:00 PM	RF02	Dark Brown	Clay	Damp	Pronounced Slope	60	B	Alders	Sphagnum Moss > 30cm	Poor	Rocky Sample	
1270300	BET	7	620496	6964410	7/9/2012	12:46:15 PM	RF02	Chocolate Brown	Clay	Wet	Subtle Slope	80	B	Alders	Reindeer Moss	Good		
1396356	BET	7	620497	6964456	7/9/2012	1:02:43 PM	RF02	Dark Brown	Clay	Damp	Subtle Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good		
1396357	BET	7	620497	6964555	7/9/2012	1:21:07 PM	RF02	Dark Brown	Clay	Wet	Subtle Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1396358	BET	7	620497	6964606	7/9/2012	1:36:46 PM	RF02	Dark Grey Black	Clay	Damp	Subtle Slope	60	B	Alders	Sphagnum Moss < 30cm	Poor	Possible Creek Contamination	Frozen
1396359	BET	7	620496	6964707	7/9/2012	2:00:03 PM	RF02	Dark Brown	Clay	Damp	Subtle Slope	100	B	Birch Forest	Sphagnum Moss < 30cm	Poor		
1396360	BET	7	620497	6964807	7/9/2012	2:24:50 PM	RF02	Dark Brown	Clay	Dry	Flat	50	B	Birch Forest	Sphagnum Moss < 30cm	Poor		
1396361	BET	7	620497	6964857	7/9/2012	2:39:49 PM	RF02	Chocolate Brown	Silt	Dry	Subtle Slope	60	C	Birch Forest	Leaf Cover	Good		
1396362	BET	7	620497	6964908	7/9/2012	2:50:57 PM	RF02	Dark Brown	Silt	Dry	Subtle Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Excellent		
1396363	BET	7	620496	6964957	7/9/2012	3:04:33 PM	RF02	Dark Brown	Silt	Dry	Subtle Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good		
1396364	BET	7	620496	6965007	7/9/2012	3:17:53 PM	RF02	Dark Brown	Clay	Damp	Subtle Slope	30	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Frozen	
1396365	BET	7	620496	6965057	7/9/2012	3:29:55 PM	RF02	Chocolate Brown	Clay	Wet	Flat	80	C	Black Spruce	Sphagnum Moss > 30cm	Good	Partially Frozen	
1396366	BET	7	620496	6965107	7/9/2012	3:40:19 PM	RF02	Dark Brown	Silt	Damp	Subtle Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Good		
1396367	BET	7	620498	6965157	7/9/2012	3:52:04 PM	RF02	Dark Brown	Silt	Damp	Subtle Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Good		
1284331	BET	7	624097	6963008	7/9/2012	9:55:07 AM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Dwarf Birch	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1284332	BET	7	624097	6963058	7/9/2012	10:13:02 AM	RL02	Dark Brown	Gravel	Damp	Pronounced Slope	40	C	Dwarf Birch	Thin Moss Cover	Good	Rocky	Rocky Sample
1284333	BET	7	624097	6963108	7/9/2012	10:30:13 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1284334	BET	7	624097	6963158	7/9/2012	10:51:46 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Rocky	Rocky Sample
1284335	BET	7	624097	6963208	7/9/2012	11:04:44 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Partially Frozen
1284336	BET	7	624096	6963259	7/9/2012	11:12:33 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Fine	Rusty Rock Chip
1284337	BET	7	624097	6963308	7/9/2012	11:22:31 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1284338	BET	7	624097	6963360	7/9/2012	11:31:54 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Dwarf Birch	Reindeer Moss	Excellent	Coarse	Rocky
1284339	BET	7	624097	6963408	7/9/2012	11:41:06 AM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Dwarf Birch	Reindeer Moss	Excellent	Bright Orange Rust	Rocky
1284325	BET	7	624096	6963459	7/9/2012	11:51:24 AM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Dwarf Birch	Reindeer Moss	Excellent	Fine	Bright Orange Rust
1284326	BET	7	624096	6963459	7/9/2012	11:52:53 AM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Dwarf Birch	Reindeer Moss	Excellent	Fine	Bright Orange Rust
1284340	BET	7	624097	6963509	7/9/2012	12:12:04 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Dwarf Birch	Reindeer Moss	Excellent	Coarse	Quartz Chips
1284341	BET	7	624098	6963559	7/9/2012	12:20:04 PM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Dwarf Birch	Reindeer Moss	Excellent	Bright Orange Rust	Quartz Chips
1284342	BET	7	624097	6963609	7/9/2012	12:28:15 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Fine	Rocky
1284343	BET	7	624097	6963659	7/9/2012	12:37:30 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Reindeer Moss	Excellent	Coarse	Rocky
1284344	BET	7	624097	6963709	7/9/2012	12:54:06 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Reindeer Moss	Good	Coarse	Rocky
1284345	BET	7	624097	6963759	7/9/2012	1:08:56 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Reindeer Moss	Excellent	Bright Orange Rust	Rocky
1284346	BET	7	624097	6963809	7/9/2012	1:18:58 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Reindeer Moss	Excellent	Bright Orange Rust	Rocky
1284347	BET	7	624097	6963859	7/9/2012	1:28:03 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Thin Moss Cover	Good	Coarse	Rocky
1284348	BET	7	624097	6963909	7/9/2012	1:39:08 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Birch Forest	Thin Moss Cover	Good	Rocky	Coarse
1284349	BET	7	624098	6963957	7/9/2012	2:08:58 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Birch Forest	Thin Moss Cover	Good	Rocky	Quartz Chips

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1284350	BET	7	624097	6964007	7/9/2012	2:20:56 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Reindeer Moss	Excellent	Fine	Bright Orange Rust
1284352	BET	7	624087	6964058	7/9/2012	2:41:36 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Reindeer Moss	Good	Fine	Rocky
1284353	BET	7	624097	6964107	7/9/2012	2:52:04 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Thin Moss Cover	Excellent	Fine	Bright Orange Rust
1284354	BET	7	624097	6964157	7/9/2012	3:01:50 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Fine	Bright Orange Rust
1284355	BET	7	624098	6964208	7/9/2012	3:12:54 PM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Black Spruce	Reindeer Moss	Excellent	Bright Orange Rust	Quartz Chips
1284356	BET	7	624098	6964258	7/9/2012	3:25:07 PM	RL02	Reddish Yellow	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Reindeer Moss	Good	Coarse	Bright Orange Rust
1284357	BET	7	624097	6964307	7/9/2012	3:38:05 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Reindeer Moss	Good	Bright Orange Rust	Partially Frozen
1284358	BET	7	624097	6964358	7/9/2012	3:58:06 PM	RL02	Dark Grey Black	Sand	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Bright Orange Rust	Partially Frozen
1284359	BET	7	624096	6964407	7/9/2012	4:15:57 PM	RL02	Dark Grey Black	Sand	Damp	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Bright Orange Rust	Partially Frozen
1283938	BET	7	623896	6962958	7/9/2012	10:27:20 AM	RM01	Chocolate Brown	Silt	Damp	Steep	40	B	Poplar	Reindeer Moss	Good	Coarse	
1283939	BET	7	623897	6963008	7/9/2012	10:57:37 AM	RM01	Grey	Sand	Wet	Steep	50	B	Alders	Sphagnum Moss > 30cm	Good	Coarse	Rocky
1283940	BET	7	623896	6963108	7/9/2012	11:26:46 AM	RM01	Chocolate Brown	Sand	Damp	Steep	40	B	No Tree Cover	Sphagnum Moss < 30cm	Good	Organic 25%	Rocky
1283941	BET	7	623897	6963158	7/9/2012	11:42:12 AM	RM01	Chocolate Brown	Sand	Wet	Steep	90	C	Alders	Reindeer Moss	Good	Coarse	Mud
1283942	BET	7	623896	6963210	7/9/2012	11:55:34 AM	RM01	Chocolate Brown	Gravel	Damp	Steep	70	C	Alders	Reindeer Moss	Good	Mud	
1283943	BET	7	623897	6963258	7/9/2012	12:11:40 PM	RM01	Chocolate Brown	Sand	Damp	Steep	60	B	Alders	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1283944	BET	7	623897	6963308	7/9/2012	12:23:35 PM	RM01	Chocolate Brown	Sand	Damp	Steep	60	B	Alders	Sphagnum Moss < 30cm	Good	Coarse	Organic 25%
1283945	BET	7	623897	6963359	7/9/2012	12:34:53 PM	RM01	Dark Brown	Silt	Damp	Steep	70	B	Alders	Sphagnum Moss < 30cm	Good	Coarse	Organic 10%
1283946	BET	7	623928	6963415	7/9/2012	12:50:55 PM	RM01	Chocolate Brown	Gravel	Damp	Steep	60	B	Alders	Sphagnum Moss < 30cm	Good	Coarse	Organic 10%
1283950	BET	7	623897	6963459	7/9/2012	1:07:00 PM	RM01	Chocolate Brown	Sand	Wet	Pronounced Slope	70	C	Alders	Reindeer Moss	Good	Coarse	Mud
1283948	BET	7	623897	6963508	7/9/2012	1:25:18 PM	RM01	Chocolate Brown	Sand	Damp	Steep	50	B	Alders	Sphagnum Moss < 30cm	Good	Coarse	Organic 25%
1283949	BET	7	623905	6963565	7/9/2012	1:44:30 PM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	B	Alders	Sphagnum Moss < 30cm	Good	Coarse	
1283947	BET	7	623896	6963608	7/9/2012	1:59:38 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Alders	Sphagnum Moss < 30cm	Good	Coarse	
1284402	BET	7	623897	6963656	7/9/2012	2:16:18 PM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Alders	Sphagnum Moss < 30cm	Good	Coarse	
1284403	BET	7	623897	6963706	7/9/2012	2:38:56 PM	RM01	Chocolate Brown	Sand	Damp	Steep	50	B	Alders	Sphagnum Moss < 30cm	Good	Coarse	
1284404	BET	7	623896	6963757	7/9/2012	2:49:54 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Alders	Sphagnum Moss < 30cm	Good	Coarse	
1284405	BET	7	623896	6963807	7/9/2012	3:03:13 PM	RM01	Chocolate Brown	Silt	Damp	Steep	60	B	Alders	Sphagnum Moss < 30cm	Good	Coarse	
1284406	BET	7	623897	6963857	7/9/2012	3:16:07 PM	RM01	Chocolate Brown	Silt	Damp	Steep	50	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1284408	BET	7	623897	6963908	7/9/2012	3:28:20 PM	RM01	Chocolate Brown	Silt	Damp	Steep	70	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	
1284407	BET	7	623896	6963956	7/9/2012	3:45:05 PM	RM01	Chocolate Brown	Silt	Damp	Steep	40	B	Alders	Sphagnum Moss < 30cm	Good	Coarse	Organic 50%
1284409	BET	7	623897	6964007	7/9/2012	3:58:51 PM	RM01	Chocolate Brown	Silt	Damp	Steep	50	B	Alders	Reindeer Moss	Good	Coarse	
1284410	BET	7	623897	6964057	7/9/2012	4:08:54 PM	RM01	Chocolate Brown	Sand	Wet	Pronounced Slope	50	C	Black Spruce	Reindeer Moss	Good	Coarse	Frozen
1284411	BET	7	623897	6964107	7/9/2012	4:36:58 PM	RM01	Chocolate Brown	Clay	Wet	Pronounced Slope	40	B	Alders	Reindeer Moss	Good	Frozen	
1292683	BET	7	625998	6965958	7/9/2012	9:56:01 AM	RR01	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1292684	BET	7	625996	6966008	7/9/2012	10:04:45 AM	RR01	Grey	Sand	Dry	Subtle Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	
1292685	BET	7	625998	6966058	7/9/2012	10:12:52 AM	RR01	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1292686	BET	7	625997	6966108	7/9/2012	10:21:32 AM	RR01	Chocolate Brown	Sand	Dry	Subtle Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	
1292687	BET	7	625998	6966157	7/9/2012	10:31:29 AM	RR01	Dark Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	
1292688	BET	7	625996	6966209	7/9/2012	10:40:39 AM	RR01	Chocolate Brown	Sand	Dry	Subtle Slope	70	C	Poplar	Grass Cover	Excellent	Coarse	
1292689	BET	7	625996	6966258	7/9/2012	10:53:25 AM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	
1292690	BET	7	625997	6966307	7/9/2012	11:01:34 AM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Alders	Leaf Cover	Excellent	Coarse	
1292691	BET	7	625997	6966358	7/9/2012	11:13:44 AM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1292692	BET	7	625996	6966408	7/9/2012	11:26:42 AM	RR01	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1292693	BET	7	625997	6966458	7/9/2012	11:47:17 AM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1292694	BET	7	625996	6966508	7/9/2012	12:00:53 PM	RR01	Dark Brown	Gravel	Damp	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Rocky	
1292695	BET	7	625997	6966558	7/9/2012	12:12:11 PM	RR01	Chocolate Brown	Gravel	Damp	Pronounced Slope	80	B	Alders	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1292697	BET	7	625994	6966658	7/9/2012	12:30:18 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Leaf Cover	Excellent	Coarse	
1292698	BET	7	625997	6966705	7/9/2012	12:42:55 PM	RR01	Dark Brown	Gravel	Dry	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1292699	BET	7	625996	6966756	7/9/2012	12:54:48 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Sandy
1292700	BET	7	625996	6966806	7/9/2012	1:16:11 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Birch Forest	Rock Cover	Good	Rocky Terrain	Organic 10%
1296602	BET	7	625996	6966857	7/9/2012	1:30:14 PM	RR01	Chocolate Brown	Silt	Dry	Steep	40	B	Black Spruce	Rock Cover	Good	Sandy	Rocky Terrain
1296603	BET	7	625997	6966907	7/9/2012	1:47:15 PM	RR01	Dark Grey Black	Gravel	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss > 30cm	Good	Rocky	
1296604	BET	7	625995	6966957	7/9/2012	2:06:27 PM	RR01	Dark Brown	Sand	Damp	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	Organic 10%
1296605	BET	7	625996	6967006	7/9/2012	2:22:42 PM	RR01	Dark Grey Black	Silt	Wet	Steep	60	B	Birch Forest	Sphagnum Moss > 30cm	Excellent	Sandy	Coarse
1296606	BET	7	625997	6967056	7/9/2012	2:39:10 PM	RR01	Grey	Sand	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Partially Frozen
1296607	BET	7	625997	6967106	7/9/2012	2:50:56 PM	RR01	Dark Grey Black	Silt	Wet	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Poor	Organic 10%	Mud
1296608	BET	7	625996	6967156	7/9/2012	3:06:24 PM	RR01	Chocolate Brown	Sand	Wet	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss > 30cm	Good	Organic 10%	Rocky
1296609	BET	7	625996	6967208	7/9/2012	3:17:23 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Grass Cover	Excellent	Coarse	
1296610	BET	7	625997	6967257	7/9/2012	3:28:10 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Excellent	Coarse	Quartz Chips
1296611	BET	7	625997	6967307	7/9/2012	3:41:16 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Coarse	Rocky
1296612	BET	7	625998	6967358	7/9/2012	3:54:55 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	40	C	Poplar	Grass Cover	Good	Coarse	
1296613	BET	7	626196	6967606	7/9/2012	4:35:41 PM	RR01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Good	Fine	Sandy
1296614	BET	7	626198	6967706	7/9/2012	4:45:14 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Alders	Sphagnum Moss < 30cm	Excellent	Fine	
1292696	BET	7	625997	6966608	7/9/2012	5:20:11 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1270365	BET	7	620696	6963708	7/9/2012	9:44:49 AM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Dwarf Birch	Thin Moss Cover	Poor	Organic 25%	Rocky Terrain
1270366	BET	7	620695	6963758	7/9/2012	10:06:01 AM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	White Spruce	Reindeer Moss	Good	Fine	Rocky Terrain
1270367	BET	7	620696	6963808	7/9/2012	10:25:17 AM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Dwarf Birch	Thin Moss Cover	Good	Rocky Sample	Coarse
1270368	BET	7	620697	6963908	7/9/2012	10:49:26 AM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Dwarf Birch	Grass Cover	Good	Fine	
1270369	BET	7	620696	6963958	7/9/2012	11:11:51 AM	RR02	Reddish Brown	Silt	Damp	Subtle Slope	40	B	Poplar	Leaf Cover	Poor	Fine	Organic 25%
1270370	BET	7	620698	6964009	7/9/2012	11:25:14 AM	RR02	Reddish Brown	Silt	Damp	Pronounced Slope	30	B	Poplar	Grass Cover	Poor	Fine	Rocky Terrain
1270371	BET	7	620697	6964058	7/9/2012	11:38:33 AM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	60	B	Poplar	Leaf Cover	Good	Coarse	
1270372	BET	7	620696	6964109	7/9/2012	11:53:53 AM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	30	B	Poplar	Thin Moss Cover	Good	Fine	Rocky Terrain
1270373	BET	7	620694	6964158	7/9/2012	12:09:57 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	Dwarf Birch	Thin Moss Cover	Good	Fine	Rocky Terrain
1270374	BET	7	620695	6964209	7/9/2012	12:18:33 PM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	80	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Rocky	Fine
1270375	BET	7	620696	6964260	7/9/2012	12:29:03 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	80	B	Dwarf Birch	Thin Moss Cover	Good	Coarse	Rocky
1270376	BET	7	620696	6964260	7/9/2012	12:35:26 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	80	B	Dwarf Birch	Thin Moss Cover	Good	Coarse	Rocky
1270377	BET	7	620697	6964309	7/9/2012	1:05:54 PM	RR02	Reddish Brown	Sand	Damp	Subtle Slope	60	C	Dwarf Birch	Thin Moss Cover	Excellent	Coarse	
1270378	BET	7	620697	6964359	7/9/2012	1:13:15 PM	RR02	Reddish Brown	Sand	Damp	Subtle Slope	60	C	Dwarf Birch	Thin Moss Cover	Excellent	Bright Orange Rust	Coarse
1270379	BET	7	620697	6964409	7/9/2012	1:21:49 PM	RR02	Light Brown	Sand	Damp	Subtle Slope	60	C	Dwarf Birch	Sphagnum Moss < 30cm	Good	Fine	Small Sample
1270380	BET	7	620697	6964460	7/9/2012	1:32:53 PM	RR02	Dark Brown	Silt	Damp	Subtle Slope	70	B	Dwarf Birch	Thin Moss Cover	Good	Bright Orange Rust	Partially Frozen
1270381	BET	7	620697	6964506	7/9/2012	1:43:40 PM	RR02	Reddish Yellow	Silt	Damp	Subtle Slope	60	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Coarse	
1270382	BET	7	620697	6964557	7/9/2012	1:53:30 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good	Fine	
1270383	BET	7	620705	6964604	7/9/2012	2:17:13 PM	RR02	Dark Brown	Silt	Damp	Subtle Slope	80	B	Willows	Thin Moss Cover	Good	Fine	
1270384	BET	7	620694	6964658	7/9/2012	2:27:10 PM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	120	B	Alders	Sphagnum Moss < 30cm	Good	Coarse	
1270385	BET	7	620696	6964706	7/9/2012	2:40:57 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Willows	Sphagnum Moss < 30cm	Excellent	Coarse	

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1270386	BET	7	620696	6964757	7/9/2012	2:52:05 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Dwarf Birch	Grass Cover	Good	Fine	
1270387	BET	7	620699	6964806	7/9/2012	3:03:29 PM	RR02	Dark Brown	Silt	Wet	Subtle Slope	80	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	
1270388	BET	7	620695	6964858	7/9/2012	3:23:46 PM	RR02	Dark Brown	Silt	Wet	Subtle Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Bright Orange Rust	Partially Frozen
1270389	BET	7	620696	6964907	7/9/2012	3:43:06 PM	RR02	Light Brown	Sand	Wet	Subtle Slope	80	C	Black Spruce	Reindeer Moss	Excellent	Coarse	
1270390	BET	7	620699	6964957	7/9/2012	3:52:18 PM	RR02	Chocolate Brown	Sand	Wet	Subtle Slope	70	C	Black Spruce	Thin Moss Cover	Good	Coarse	Bright Orange Rust
1270391	BET	7	620699	6965007	7/9/2012	4:01:49 PM	RR02	Reddish Orange	Sand	Damp	Subtle Slope	60	C	Black Spruce	Thin Moss Cover	Excellent	Coarse	
1270392	BET	7	620696	6965057	7/9/2012	4:09:57 PM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	60	B	Willows	Sphagnum Moss < 30cm	Good	Coarse	Partially Frozen
1270393	BET	7	620697	6965107	7/9/2012	4:19:40 PM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	80	B	Willows	Thin Moss Cover	Good	Coarse	
1270394	BET	7	620696	6965156	7/9/2012	4:26:05 PM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	
1293155	BET	7	626097	6965958	7/9/2012	9:54:17 AM	SC01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Poplar	Sphagnum Moss < 30cm	Good	Rocky	
1293156	BET	7	626098	6966007	7/9/2012	10:07:44 AM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Alders	Sphagnum Moss < 30cm	Good	Rocky	
1293157	BET	7	626096	6966057	7/9/2012	10:19:06 AM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	90	C	Alders	Leaf Cover	Excellent		
1293158	BET	7	626096	6966109	7/9/2012	10:30:04 AM	SC01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	White Spruce	Leaf Cover	Good	Rocky	
1293159	BET	7	626097	6966158	7/9/2012	10:40:42 AM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Good		
1293160	BET	7	626097	6966207	7/9/2012	10:57:08 AM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Alders	Sphagnum Moss < 30cm	Excellent		
1293161	BET	7	626097	6966257	7/9/2012	11:06:01 AM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Birch Forest	Leaf Cover	Good	Rocky	
1293162	BET	7	626096	6966308	7/9/2012	11:15:20 AM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Leaf Cover	Excellent	Rocky	
1293163	BET	7	626095	6966358	7/9/2012	11:26:23 AM	SC01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1293164	BET	7	626097	6966408	7/9/2012	11:40:22 AM	SC01	Chocolate Brown	Silt	Dry	Pronounced Slope	30	B	Birch Forest	Leaf Cover	Poor	Rocky	Dull Red Rust
1293165	BET	7	626097	6966459	7/9/2012	11:51:13 AM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Bright Orange Rust
1293166	BET	7	626098	6966508	7/9/2012	12:00:27 PM	SC01	Reddish Brown	Sand	Dry	Pronounced Slope	70	C	Black Spruce	Reindeer Moss	Excellent		
1293167	BET	7	626097	6966558	7/9/2012	12:19:27 PM	SC01	Chocolate Brown	Sand	Damp	Subtle Slope	40	C	Alders	Sphagnum Moss < 30cm	Good	Rocky	
1293168	BET	7	626098	6966608	7/9/2012	12:28:05 PM	SC01	Reddish Brown	Sand	Dry	Subtle Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Rocky	
1293169	BET	7	626096	6966657	7/9/2012	12:37:20 PM	SC01	Reddish Brown	Sand	Dry	Subtle Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1293170	BET	7	626096	6966707	7/9/2012	12:48:18 PM	SC01	Chocolate Brown	Silt	Damp	Subtle Slope	30	B	White Spruce	Sphagnum Moss < 30cm	Poor	Rocky	
1293171	BET	7	626096	6966756	7/9/2012	12:49:31 PM	SC01	Bluish Grey	Sand	Dry	Subtle Slope	90	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	
1293172	BET	7	626096	6966806	7/9/2012	1:15:18 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	30	B	Poplar	Reindeer Moss	Poor	Rocky Terrain	
1293173	BET	7	626096	6966856	7/9/2012	1:26:46 PM	SC01	Dark Brown	Sand	Damp	Steep	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky	
1293174	BET	7	626096	6966907	7/9/2012	1:41:35 PM	SC01	Dark Brown	Sand	Damp	Steep	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1293175	BET	7	626097	6967058	7/9/2012	2:23:00 PM	SC01	Dark Brown	Sand	Damp	Steep	50	C	Black Spruce	Sphagnum Moss > 30cm	Good	Rocky	
1293176	BET	7	626097	6967058	7/9/2012	2:26:48 PM	SC01	Dark Brown	Sand	Damp	Steep	50	C	Black Spruce	Sphagnum Moss > 30cm	Good	Rocky	
1293177	BET	7	626096	6967107	7/9/2012	2:42:05 PM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1293178	BET	7	626097	6967156	7/9/2012	2:53:26 PM	SC01	Dark Brown	Silt	Damp	Subtle Slope	40	B	Alders	Sphagnum Moss < 30cm	Poor	Partially Frozen	
1293179	BET	7	626097	6967208	7/9/2012	3:02:17 PM	SC01	Dark Grey Black	Silt	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	
1293180	BET	7	626096	6967256	7/9/2012	3:16:52 PM	SC01	Chocolate Brown	Sand	Dry	Subtle Slope	30	B	Willows	Leaf Cover	Poor	Possible Creek Contamination	Rocky
1293181	BET	7	626096	6967307	7/9/2012	3:29:59 PM	SC01	Light Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent		
1293182	BET	7	626096	6967356	7/9/2012	3:39:08 PM	SC01	Reddish Yellow	Sand	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent		
1293183	BET	7	626097	6967407	7/9/2012	3:49:41 PM	SC01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Rocky	
1293184	BET	7	626197	6967456	7/9/2012	4:12:51 PM	SC01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Poplar	Grass Cover	Good	Rocky	
1293185	BET	7	626195	6967506	7/9/2012	4:21:44 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	B	Poplar	Grass Cover	Good	Rocky	
1293186	BET	7	626197	6967556	7/9/2012	4:30:42 PM	SC01	Reddish Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Excellent	Rocky	
1293187	BET	7	626197	6967657	7/9/2012	4:40:10 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent		
1270612	BET	7	620899	6963708	7/9/2012	10:19:16 AM	SD02	Dark Brown	Sand	Damp	Pronounced Slope	40	B	Poplar	Sphagnum Moss < 30cm	Poor	Rocky Terrain	Small Sample
1270613	BET	7	620897	6963759	7/9/2012	10:28:53 AM	SD02	Dark Brown	Sand	Damp	Pronounced Slope	30	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Rocky Terrain	Small Sample
1270614	BET	7	620899	6963808	7/9/2012	10:48:38 AM	SD02	Dark Grey Black	Sand	Damp	Steep	60	B	Birch Forest	Reindeer Moss	Poor	Rocky	Frozen
1270615	BET	7	620899	6963858	7/9/2012	10:49:43 AM	SD02	Chocolate Brown	Sand	Damp	Pronounced Slope	90	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1270616	BET	7	620897	6963910	7/9/2012	10:58:29 AM	SD02	Grey	Gravel	Damp	Pronounced Slope	80	C	Black Spruce	Sphagnum Moss > 30cm	Good	Rocky	Organic 10%
1270617	BET	7	620897	6963958	7/9/2012	11:08:31 AM	SD02	Grey	Sand	Damp	Subtle Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1270618	BET	7	620897	6964008	7/9/2012	11:16:47 AM	SD02	Dark Brown	Gravel	Dry	Subtle Slope	60	C	Poplar	Leaf Cover	Excellent	Rocky	Coarse
1270619	BET	7	620896	6964059	7/9/2012	11:32:31 AM	SD02	Chocolate Brown	Sand	Damp	Subtle Slope	40	B	Poplar	Sphagnum Moss < 30cm	Good	Rocky	
1270620	BET	7	620897	6964106	7/9/2012	11:41:55 AM	SD02	Dark Brown	Gravel	Dry	Subtle Slope	50	C	Alders	Grass Cover	Good	Rocky	
1270621	BET	7	620897	6964158	7/9/2012	11:50:00 AM	SD02	Dark Brown	Gravel	Damp	Subtle Slope	80	C	Alders	Grass Cover	Good	Bright Orange Rust	Quartz Chips
1270622	BET	7	620895	6964208	7/9/2012	11:58:55 AM	SD02	Chocolate Brown	Gravel	Dry	Subtle Slope	40	C	Poplar	Leaf Cover	Good	Coarse	Bright Orange Rust
1270623	BET	7	620895	6964260	7/9/2012	12:09:04 PM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Dull Red Rust
1270624	BET	7	620896	6964308	7/9/2012	12:24:30 PM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	50	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Dull Red Rust
1270625	BET	7	620898	6964359	7/9/2012	12:33:23 PM	SD02	Light Grey	Sand	Damp	Subtle Slope	70	C	Poplar	Grass Cover	Excellent	Bright Orange Rust	
1270626	BET	7	620898	6964359	7/9/2012	12:37:45 PM	SD02	Reddish Brown	Sand	Damp	Subtle Slope	60	C	Poplar	Grass Cover	Excellent	Bright Orange Rust	
1270627	BET	7	620897	6964410	7/9/2012	12:45:41 PM	SD02	Dark Brown	Gravel	Damp	Subtle Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1270628	BET	7	620895	6964459	7/9/2012	12:55:31 PM	SD02	Dark Brown	Silt	Dry	Pronounced Slope	40	B	Poplar	Grass Cover	Poor	Organic 10%	Rocky
1270629	BET	7	620894	6964509	7/9/2012	1:12:54 PM	SD02	Chocolate Brown	Sand	Damp	Subtle Slope	110	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	
1270630	BET	7	620895	6964558	7/9/2012	1:21:28 PM	SD02	Greyish Green	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Rocky Terrain	
1270631	BET	7	620896	6964610	7/9/2012	1:31:23 PM	SD02	Dark Brown	Sand	Damp	Subtle Slope	70	C	Alders	Reindeer Moss	Excellent	Bright Orange Rust	Partially Frozen
1270632	BET	7	620895	6964657	7/9/2012	1:39:42 PM	SD02	Grey	Silt	Damp	Subtle Slope	70	B	Willows	Sphagnum Moss < 30cm	Good	Dull Red Rust	Partially Frozen
1270633	BET	7	620898	6964708	7/9/2012	1:48:56 PM	SD02	Grey	Sand	Damp	Subtle Slope	70	C	Alders	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	
1270634	BET	7	620896	6964756	7/9/2012	1:57:37 PM	SD02	Grey	Silt	Damp	Subtle Slope	70	B	Alders	Sphagnum Moss < 30cm	Good	Rocky	
1270635	BET	7	620899	6964806	7/9/2012	2:06:20 PM	SD02	Grey	Sand	Wet	Subtle Slope	50	B	Black Spruce	Grass Cover	Good	Frozen	Wet Soil
1270636	BET	7	620898	6964856	7/9/2012	2:20:57 PM	SD02	Dark Brown	Sand	Damp	Subtle Slope	60	C	Black Spruce	Reindeer Moss	Excellent	Bright Orange Rust	Partially Frozen
1270637	BET	7	620897	6964909	7/9/2012	2:29:53 PM	SD02	Grey	Sand	Damp	Subtle Slope	50	C	Black Spruce	Grass Cover	Good	Frozen	
1270638	BET	7	620897	6964957	7/9/2012	2:42:06 PM	SD02	Chocolate Brown	Gravel	Wet	Subtle Slope	40	B	Dwarf Birch	Reindeer Moss	Poor	Mud	Rocky
1270639	BET	7	620898	6965007	7/9/2012	2:50:23 PM	SD02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Willows	Reindeer Moss	Excellent	Bright Orange Rust	Rocky
1270640	BET	7	620897	6965059	7/9/2012	2:58:36 PM	SD02	Dark Brown	Sand	Damp	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Partially Frozen	Bright Orange Rust
1270641	BET	7	620897	6965106	7/9/2012	3:22:13 PM	SD02	Dark Brown	Sand	Damp	Pronounced Slope	70	B	Willows	Reindeer Moss	Good	Partially Frozen	Organic 10%
1270642	BET	7	620896	6965156	7/9/2012	3:31:25 PM	SD02	Grey	Sand	Damp	Subtle Slope	40	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Rocky	Partially Frozen
1270469	BET	7	620096	6963756	7/10/2012	10:34:44 AM	BH01	Dark Brown	Silt	Damp	Steep	60	B	Alders	Reindeer Moss	Poor	Frozen	
1270470	BET	7	620094	6963857	7/10/2012	10:58:36 AM	BH01	Chocolate Brown	Silt	Damp	Steep	60	B	Alders	Reindeer Moss	Good	Rocky Terrain	Partially Frozen
1270471	BET	7	620097	6964054	7/10/2012	11:48:45 AM	BH01	Chocolate Brown	Gravel	Damp	Steep	80	B	Alders	Leaf Cover	Good	Rocky	Partially Frozen
1270472	BET	7	620098	6964106	7/10/2012	12:00:20 PM	BH01	Chocolate Brown	Gravel	Damp	Steep	100	B	Alders	Thin Moss Cover	Good	Rocky	Partially Frozen
1270473	BET	7	620095	6964157	7/10/2012	12:14:05 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Black Spruce	Leaf Cover	Good	Organic 10%	Rocky
1270474	BET	7	620096	6964208	7/10/2012	12:24:22 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	80	B	Alders	Sphagnum Moss > 30cm	Good	Bright Orange Rust	
1270475	BET	7	620097	6964259	7/10/2012	12:44:43 PM	BH01	Chocolate Brown	Silt	Damp	Steep	40	B	Black Spruce	Reindeer Moss	Good	Rocky	
1270476	BET	7	620097	6964259	7/10/2012	12:50:49 PM	BH01	Chocolate Brown	Silt	Damp	Steep	40	B	Black Spruce	Reindeer Moss	Good	Rocky	
1270477	BET	7	620096	6964306	7/10/2012	1:00:09 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Poplar	Sphagnum Moss > 30cm	Good	Rocky	
1270478	BET	7	620096	6964357	7/10/2012	1:12:56 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss > 30cm	Good	Rocky	Small Sample
1270479	BET	7	620097	6964405	7/10/2012	1:39:19 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	90	B	Black Spruce	Reindeer Moss	Good	Rocky	Small Sample

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1270480	BET	7	620097	6964456	7/10/2012	1:57:25 PM	BH01	Chocolate Brown	Gravel	Dry	Steep	60	B	Black Spruce	Reindeer Moss	Poor	Rocky	Small Sample
1270481	BET	7	620097	6964507	7/10/2012	2:09:35 PM	BH01	Chocolate Brown	Gravel	Dry	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky	
1270482	BET	7	620097	6964556	7/10/2012	2:19:49 PM	BH01	Dark Brown	Silt	Damp	Steep	80	B	Black Spruce	Reindeer Moss	Good	Organic 50%	Partially Frozen
1270483	BET	7	620097	6964607	7/10/2012	2:30:37 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	
1270484	BET	7	620096	6964656	7/10/2012	2:51:05 PM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Alders	Sphagnum Moss > 30cm	Good	Partially Frozen	Possible Creek Contamination
1270485	BET	7	620097	6964704	7/10/2012	3:21:32 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Birch Forest	Leaf Cover	Good	Partially Frozen	
1270486	BET	7	620096	6964756	7/10/2012	3:31:47 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	90	B	Birch Forest	Leaf Cover	Good	Rocky	
1270487	BET	7	620095	6964804	7/10/2012	3:42:28 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	80	B	Birch Forest	Leaf Cover	Good	Rocky	
1270488	BET	7	620097	6964857	7/10/2012	3:53:44 PM	BH01	Dark Brown	Silt	Dry	Pronounced Slope	60	B	Alders	Leaf Cover	Good	Rocky	
1270489	BET	7	620097	6964907	7/10/2012	4:16:23 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	70	B	Birch Forest	Leaf Cover	Good	Partially Frozen	Rocky
1270490	BET	7	620097	6964960	7/10/2012	4:27:16 PM	BH01	Dark Brown	Silt	Damp	Subtle Slope	60	B	Birch Forest	Thin Moss Cover	Good	Partially Frozen	
1270491	BET	7	620097	6965007	7/10/2012	4:38:56 PM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	60	B	Birch Forest	Leaf Cover	Good	Rocky	
1270492	BET	7	620095	6965058	7/10/2012	4:51:46 PM	BH01	Dark Brown	Silt	Dry	Pronounced Slope	70	B	Birch Forest	Leaf Cover	Good	Bright Orange Rust	Rocky
1270493	BET	7	620095	6965106	7/10/2012	5:02:54 PM	BH01	Dark Brown	Silt	Dry	Pronounced Slope	70	B	Birch Forest	Leaf Cover	Good	Partially Frozen	Rocky
1270494	BET	7	620097	6965157	7/10/2012	5:13:52 PM	BH01	Light Brown	Silt	Dry	Pronounced Slope	60	B	Black Spruce	Thin Moss Cover	Good	Rocky	
1290884	BET	7	625297	6967556	7/10/2012	10:51:07 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Outcrop Nearby	Bright Orange Rust
1290885	BET	7	625297	6967606	7/10/2012	11:03:36 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Poplar	Thin Moss Cover	Good	Fine	Rocky Terrain
1290886	BET	7	625297	6967655	7/10/2012	11:21:56 AM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Poplar	Thin Moss Cover	Good	Fine	Rocky Terrain
1290887	BET	7	625297	6967705	7/10/2012	11:33:38 AM	CK01	Dark Grey Black	Sand	Damp	Steep	70	B	Alders	Thin Moss Cover	Good	Fine	Rocky
1290888	BET	7	625297	6967756	7/10/2012	11:46:44 AM	CK01	Chocolate Brown	Sand	Damp	Steep	60	B	Poplar	Thin Moss Cover	Good	Fine	Rocky Terrain
1290889	BET	7	625297	6967806	7/10/2012	11:58:18 AM	CK01	Grey	Sand	Damp	Steep	60	B	Poplar	Thin Moss Cover	Good	Fine	Rusty Rock Chip
1290890	BET	7	625297	6967857	7/10/2012	12:12:57 PM	CK01	Dark Brown	Sand	Damp	Steep	70	C	Poplar	Thin Moss Cover	Good	Rocky Terrain	
1290891	BET	7	625297	6967907	7/10/2012	12:28:29 PM	CK01	Chocolate Brown	Sand	Damp	Steep	70	C	Poplar	Thin Moss Cover	Excellent	Rusty Rock Chip	
1290892	BET	7	625397	6967906	7/10/2012	12:50:14 PM	CK01	Chocolate Brown	Sand	Damp	Steep	60	B	Alders	Leaf Cover	Good	Fine	Possible Creek Contamination
1290893	BET	7	625397	6967852	7/10/2012	1:10:24 PM	CK01	Chocolate Brown	Sand	Damp	Steep	30	B	Alders	Thin Moss Cover	Good	Fine	Rocky Terrain
1290894	BET	7	625397	6967807	7/10/2012	1:28:00 PM	CK01	Dark Grey Black	Silt	Damp	Steep	50	B	Poplar	Thin Moss Cover	Poor	Coarse	Rocky Terrain
1290895	BET	7	625397	6967708	7/10/2012	2:13:30 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Poplar	Sphagnum Moss < 30cm	Poor	Fine	Organic 10%
1290896	BET	7	625397	6967656	7/10/2012	2:35:42 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	C	Poplar	Sphagnum Moss < 30cm	Good	Dull Red Rust	Organic 10%
1290897	BET	7	625396	6967608	7/10/2012	2:54:52 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	C	Poplar	Thin Moss Cover	Good	Rocky Terrain	Rusty Rock Chip
1290898	BET	7	625397	6967557	7/10/2012	3:12:55 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Thin Moss Cover	Excellent	Rocky	
1290899	BET	7	625397	6967507	7/10/2012	3:31:00 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Fine	Rusty Rock Chip
1290900	BET	7	625397	6967457	7/10/2012	3:44:39 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Good		
1296902	BET	7	625397	6967406	7/10/2012	3:55:40 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	100	C	Poplar	Leaf Cover	Excellent	Rusty Rock Chip	
1296903	BET	7	625397	6967358	7/10/2012	4:07:20 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	100	C	Poplar	Leaf Cover	Excellent		
1296904	BET	7	625397	6967306	7/10/2012	4:17:20 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Rocky	Rusty Rock Chip
1296905	BET	7	625396	6967256	7/10/2012	4:27:03 PM	CK01	Grey	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	
1296906	BET	7	625396	6967208	7/10/2012	4:38:05 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Thin Moss Cover	Excellent	Rocky	Rusty Rock Chip
1296907	BET	7	625397	6967157	7/10/2012	4:47:27 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Poplar	Thin Moss Cover	Good	Fine	Rocky
1296908	BET	7	625297	6967508	7/10/2012	5:32:57 PM	CK01	Chocolate Brown	Sand	Damp	Steep	80	C	Poplar	Leaf Cover	Excellent		
1296909	BET	7	625297	6967458	7/10/2012	5:42:00 PM	CK01	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	Poplar	Leaf Cover	Excellent	Quartz Chips	
1270543	BET	7	620297	6963707	7/10/2012	10:21:39 AM	FP01	Dark Brown	Sand	Wet	Steep	40	B	Willows	Reindeer Moss	Poor	Frozen	Organic 10%
1270544	BET	7	620297	6963758	7/10/2012	10:33:59 AM	FP01	Dark Brown	Sand	Wet	Steep	50	B	Dwarf Birch	Reindeer Moss	Good	Partially Frozen	Dull Red Rust
1270545	BET	7	620296	6963808	7/10/2012	10:50:10 AM	FP01	Dark Brown	Sand	Wet	Steep	40	B	Black Spruce	Reindeer Moss	Good	Frozen	Rusty Rock Chip
1270546	BET	7	620297	6963858	7/10/2012	11:07:58 AM	FP01	Dark Brown	Sand	Wet	Steep	50	B	Black Spruce	Reindeer Moss	Good	Rocky	Quartz Chips
1270547	BET	7	620296	6963908	7/10/2012	11:26:23 AM	FP01	Dark Brown	Gravel	Damp	Steep	50	B	Dwarf Birch	Reindeer Moss	Poor	Rocky Sample	Quartz Chips
1270548	BET	7	620297	6963958	7/10/2012	11:46:41 AM	FP01	Dark Brown	Gravel	Damp	Pronounced Slope	50	B	Dwarf Birch	Reindeer Moss	Good	Quartz Chips	Rocky Sample
1270549	BET	7	620297	6964008	7/10/2012	12:10:51 PM	FP01	Dark Brown	Gravel	Damp	Pronounced Slope	50	B	Dwarf Birch	Sphagnum Moss < 30cm	Poor	Rocky Sample	Quartz Chips
1270550	BET	7	620297	6964059	7/10/2012	12:21:04 PM	FP01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1270552	BET	7	620297	6964108	7/10/2012	12:35:56 PM	FP01	Dark Brown	Sand	Damp	Pronounced Slope	30	B	Dwarf Birch	Reindeer Moss	Good	Rocky	Rocky Terrain
1270553	BET	7	620296	6964158	7/10/2012	12:51:38 PM	FP01	Grey	Sand	Wet	Pronounced Slope	40	B	Willows	Reindeer Moss	Good	Frozen	Quartz Chips
1270554	BET	7	620297	6964258	7/10/2012	1:27:38 PM	FP01	Reddish Brown	Sand	Dry	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Organic 10%	
1270555	BET	7	620298	6964308	7/10/2012	1:45:47 PM	FP01	Grey	Gravel	Wet	Pronounced Slope	40	B	Willows	Reindeer Moss	Poor	Rocky Sample	Rusty Rock Chip
1270556	BET	7	620297	6964358	7/10/2012	2:04:45 PM	FP01	Reddish Yellow	Sand	Dry	Pronounced Slope	40	B	Poplar	Reindeer Moss	Good	Rusty Rock Chip	Rocky
1270557	BET	7	620297	6964409	7/10/2012	2:17:33 PM	FP01	Chocolate Brown	Sand	Damp	Pronounced Slope	10	B	Poplar	Reindeer Moss	Good	Loess	Rocky
1270558	BET	7	620296	6964457	7/10/2012	2:31:19 PM	FP01	Chocolate Brown	Gravel	Damp	Subtle Slope	40	B	Poplar	Sphagnum Moss < 30cm	Good	Rocky Sample	Rusty Rock Chip
1270559	BET	7	620296	6964507	7/10/2012	2:43:14 PM	FP01	Light Brown	Sand	Damp	Subtle Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1270560	BET	7	620297	6964556	7/10/2012	2:57:43 PM	FP01	Chocolate Brown	Sand	Wet	Subtle Slope	60	B	Black Spruce	Reindeer Moss	Good	Rocky	
1270561	BET	7	620297	6964607	7/10/2012	3:16:39 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	90	C	White Spruce	Grass Cover	Good	Coarse	Quartz Chips
1270562	BET	7	620297	6964657	7/10/2012	3:31:22 PM	FP01	Dark Brown	Silt	Dry	Subtle Slope	50	B	Birch Forest	Grass Cover	Poor	Quartz Chips	Fine
1270563	BET	7	620296	6964709	7/10/2012	3:42:53 PM	FP01	Reddish Yellow	Sand	Dry	Subtle Slope	70	C	Alders	Grass Cover	Good	Coarse	Rusty Rock Chip
1270564	BET	7	620297	6964757	7/10/2012	3:54:23 PM	FP01	Dark Brown	Sand	Dry	Subtle Slope	60	B	Birch Forest	Leaf Cover	Good	Fine	Rocky
1270565	BET	7	620297	6964807	7/10/2012	4:06:12 PM	FP01	Dark Brown	Sand	Dry	Subtle Slope	60	B	White Spruce	Grass Cover	Good	Rusty Rock Chip	
1270566	BET	7	620296	6964857	7/10/2012	4:17:48 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	70	C	Birch Forest	Grass Cover	Good	Coarse	Rusty Rock Chip
1270567	BET	7	620297	6964908	7/10/2012	4:27:41 PM	FP01	Dark Brown	Sand	Damp	Subtle Slope	50	B	Birch Forest	Leaf Cover	Good	Rocky	Rusty Rock Chip
1270568	BET	7	620297	6964958	7/10/2012	4:42:39 PM	FP01	Grey	Sand	Damp	Subtle Slope	90	C	Birch Forest	Grass Cover	Good	Coarse	Quartz Chips
1270569	BET	7	620297	6965007	7/10/2012	4:54:39 PM	FP01	Reddish Yellow	Sand	Dry	Subtle Slope	80	C	Birch Forest	Leaf Cover	Good	Quartz Chips	Rusty Rock Chip
1270570	BET	7	620297	6965057	7/10/2012	5:05:09 PM	FP01	Reddish Orange	Sand	Dry	Subtle Slope	50	C	Birch Forest	Leaf Cover	Good	Coarse	Rocky
1270571	BET	7	620296	6965108	7/10/2012	5:16:33 PM	FP01	Reddish Yellow	Sand	Dry	Subtle Slope	80	C	Birch Forest	Leaf Cover	Good	Coarse	Quartz Chips
1270572	BET	7	620297	6965157	7/10/2012	5:26:51 PM	FP01	Dark Brown	Sand	Dry	Subtle Slope	50	B	Dwarf Birch	Reindeer Moss	Good	Coarse	Rocky
1284070	BET	7	624296	6962958	7/10/2012	11:43:00 AM	JM01	Grey	Clay	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Partially Frozen
1284071	BET	7	624297	6963008	7/10/2012	11:51:17 AM	JM01	Grey	Clay	Damp	Steep	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	Rocky
1284072	BET	7	624296	6963059	7/10/2012	11:59:46 AM	JM01	Dark Grey Black	Clay	Damp	Steep	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	Rocky
1284073	BET	7	624296	6963108	7/10/2012	12:08:59 PM	JM01	Dark Brown	Clay	Damp	Steep	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	Rocky
1284074	BET	7	624296	6963158	7/10/2012	12:19:33 PM	JM01	Dark Brown	Gravel	Damp	Steep	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Quartz Chips	Frozen
1284277	BET	7	624295	6963259	7/10/2012	12:59:25 PM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Rocky
1284278	BET	7	624297	6963309	7/10/2012	1:08:35 PM	JM01	Grey	Clay	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Partially Frozen
1284279	BET	7	624296	6963358	7/10/2012	1:17:25 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	50	B	Dwarf Birch	Thin Moss Cover	Good	Rocky	
1284280	BET	7	624296	6963408	7/10/2012	1:27:26 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	40	B	Alders	Thin Moss Cover	Good	Rocky	
1284281	BET	7	624296	6963459	7/10/2012	1:34:33 PM	JM01	Dark Grey Black	Clay	Wet	Pronounced Slope	50	B	White Spruce	Thin Moss Cover	Good	Rocky	Bright Orange Rust
1284282	BET	7	624296	6963510	7/10/2012	1:53:54 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	60	B	Birch Forest	Leaf Cover	Good	Rocky	
1284283	BET	7	624296	6963558	7/10/2012	2:02:21 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	60	C	White Spruce	Leaf Cover	Excellent	Coarse	Rocky
1284284	BET	7	624297	6963608	7/10/2012	2:12:24 PM	JM01	Dark Grey Black	Clay	Damp	Pronounced Slope	40	B	Alders	Sphagnum Moss < 30cm	Good	Rocky	
1284285	BET	7	624297	6963660	7/10/2012	2:21:48 PM	JM01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Birch Forest	Leaf Cover	Excellent	Fine	Rocky
1284286	BET	7	624298	6963709	7/10/2012	2:35:32 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	60	C	White Spruce	Thin Moss Cover	Excellent	Coarse	Rocky

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1284075	BET	7	624297	6963759	7/10/2012	2:46:58 PM	JM01	Grey	Clay	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Excellent	Coarse	Rusty Rock Chip
1284076	BET	7	624297	6963759	7/10/2012	2:55:24 PM	JM01	Grey	Clay	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Excellent	Coarse	Rusty Rock Chip
1284287	BET	7	624298	6963807	7/10/2012	3:05:37 PM	JM01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Excellent	Fine	Rusty Rock Chip
1284288	BET	7	624296	6963857	7/10/2012	3:14:52 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	50	C	White Spruce	Thin Moss Cover	Excellent	Rocky	Coarse
1284289	BET	7	624297	6963907	7/10/2012	3:25:27 PM	JM01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	White Spruce	Thin Moss Cover	Excellent	Fine	Rocky
1284290	BET	7	624297	6963957	7/10/2012	3:39:47 PM	JM01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Birch Forest	Leaf Cover	Excellent	Fine	Bright Orange Rust
1284291	BET	7	624297	6964008	7/10/2012	3:48:22 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	60	C	White Spruce	Thin Moss Cover	Excellent	Quartz Chips	Bright Orange Rust
1284292	BET	7	624297	6964056	7/10/2012	4:10:33 PM	JM01	Grey	Clay	Damp	Pronounced Slope	40	C	White Spruce	Thin Moss Cover	Excellent	Partially Frozen	Quartz Chips
1284293	BET	7	624297	6964107	7/10/2012	4:22:51 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	60	C	White Spruce	Thin Moss Cover	Excellent	Fine	Bright Orange Rust
1284294	BET	7	624298	6964157	7/10/2012	4:37:32 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	60	C	Alders	Thin Moss Cover	Excellent	Bright Orange Rust	Rusty Rock Chip
1284295	BET	7	624296	6964207	7/10/2012	4:52:57 PM	JM01	Light Grey	Clay	Damp	Pronounced Slope	40	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Rusty Rock Chip
1284296	BET	7	624297	6964257	7/10/2012	5:05:52 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Quartz Chips
1284297	BET	7	624296	6964307	7/10/2012	5:16:07 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	50	C	White Spruce	Thin Moss Cover	Excellent	Coarse	Rocky
1284298	BET	7	624298	6964357	7/10/2012	5:25:12 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1284299	BET	7	624297	6964407	7/10/2012	5:33:57 PM	JM01	Grey	Clay	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Coarse
1290975	BET	7	625497	6967507	7/10/2012	10:44:41 AM	JS01	Chocolate Brown	Silt	Dry	Steep	30	B	Poplar	Grass Cover	Poor	Rocky Terrain	
1290976	BET	7	625498	6967509	7/10/2012	10:53:02 AM	JS01	Chocolate Brown	Silt	Dry	Steep	30	B	Poplar	Grass Cover	Poor	Rocky Terrain	
1290977	BET	7	625497	6967557	7/10/2012	11:08:11 AM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Birch Forest	Thin Moss Cover	Good	Rocky Terrain	Bright Orange Rust
1290978	BET	7	625497	6967604	7/10/2012	11:21:55 AM	JS01	Grey	Sand	Damp	Steep	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky Terrain	
1290979	BET	7	625496	6967655	7/10/2012	11:33:06 AM	JS01	Dark Grey Black	Silt	Damp	Steep	90	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Bright Orange Rust	Rocky
1290980	BET	7	625497	6967706	7/10/2012	11:51:12 AM	JS01	Dark Grey Black	Silt	Damp	Steep	100	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Possible Creek Contamination	
1290981	BET	7	625497	6967756	7/10/2012	12:03:22 PM	JS01	Dark Grey Black	Silt	Damp	Steep	70	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Possible Creek Contamination	Partially Frozen
1290982	BET	7	625496	6967805	7/10/2012	12:19:22 PM	JS01	Dark Brown	Silt	Dry	Steep	70	B	Birch Forest	Thin Moss Cover	Good	Coarse	Rocky
1290983	BET	7	625497	6967857	7/10/2012	12:39:22 PM	JS01	Chocolate Brown	Silt	Dry	Steep	40	C	Birch Forest	Thin Moss Cover	Good	Rocky Sample	Rocky Terrain
1290984	BET	7	625496	6967905	7/10/2012	1:00:00 PM	JS01	Dark Brown	Silt	Damp	Steep	40	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Rocky Terrain	
1290985	BET	7	625596	6967908	7/10/2012	1:19:22 PM	JS01	Dark Brown	Sand	Dry	Steep	80	B	Birch Forest	Thin Moss Cover	Good	Fine	Rocky
1290986	BET	7	625596	6967858	7/10/2012	1:34:11 PM	JS01	Grey	Silt	Damp	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1290987	BET	7	625596	6967807	7/10/2012	1:49:21 PM	JS01	Grey	Silt	Damp	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	Rocky Sample
1290988	BET	7	625594	6967757	7/10/2012	2:16:37 PM	JS01	Dark Grey Black	Silt	Damp	Steep	80	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky	Organic 10%
1290989	BET	7	625596	6967707	7/10/2012	2:37:20 PM	JS01	Grey	Sand	Dry	Steep	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky Sample	
1290990	BET	7	625596	6967659	7/10/2012	2:59:30 PM	JS01	Light Brown	Silt	Dry	Steep	70	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Organic 10%	Small Sample
1290991	BET	7	625596	6967607	7/10/2012	3:15:39 PM	JS01	Chocolate Brown	Silt	Dry	Steep	50	B	Birch Forest	Thin Moss Cover	Poor	Rocky	
1290992	BET	7	625597	6967558	7/10/2012	3:37:07 PM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Thin Moss Cover	Poor	Rocky Terrain	
1290993	BET	7	625596	6967508	7/10/2012	3:47:56 PM	JS01	Chocolate Brown	Silt	Dry	Steep	40	B	Poplar	Grass Cover	Poor	Rocky Terrain	
1290994	BET	7	625595	6967457	7/10/2012	3:59:28 PM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Poplar	Grass Cover	Poor	Rocky	
1290995	BET	7	625596	6967408	7/10/2012	4:16:21 PM	JS01	Chocolate Brown	Silt	Dry	Steep	30	B	Poplar	Grass Cover	Poor	Rocky	
1290996	BET	7	625599	6967358	7/10/2012	4:23:57 PM	JS01	Light Brown	Sand	Dry	Steep	60	C	Poplar	Grass Cover	Good	Rocky	
1290997	BET	7	625597	6967306	7/10/2012	4:42:18 PM	JS01	Chocolate Brown	Silt	Dry	Steep	60	B	Poplar	Grass Cover	Poor	Rocky	
1290998	BET	7	625596	6967258	7/10/2012	5:23:09 PM	JS01	Light Grey	Sand	Dry	Steep	80	C	Poplar	Grass Cover	Good	Fine	
1290999	BET	7	625596	6967208	7/10/2012	5:36:54 PM	JS01	Light Brown	Sand	Dry	Pronounced Slope	60	C	Birch Forest	Leaf Cover	Good	Fine	Rocky
1291000	BET	7	625597	6967158	7/10/2012	5:47:44 PM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	70	B	Poplar	Grass Cover	Poor	Rocky	
1286288	BET	7	624406	6963006	7/10/2012	11:07:34 AM	KH01	Chocolate Brown	Sand	Damp	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Frozen
1286287	BET	7	624412	6963048	7/10/2012	11:22:41 AM	KH01	Dark Grey Black	Clay	Damp	Steep	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	
1286279	BET	7	624397	6963106	7/10/2012	11:38:07 AM	KH01	Chocolate Brown	Sand	Damp	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Quartz Chips	
1286280	BET	7	624396	6963207	7/10/2012	12:00:33 PM	KH01	Chocolate Brown	Sand	Damp	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	Organic 25%
1286286	BET	7	624396	6963257	7/10/2012	12:12:58 PM	KH01	Chocolate Brown	Sand	Damp	Steep	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Frozen	
1286285	BET	7	624397	6963307	7/10/2012	12:28:40 PM	KH01	Chocolate Brown	Sand	Wet	Steep	60	C	Alders	Sphagnum Moss < 30cm	Good	Mud	Rocky
1286284	BET	7	624397	6963358	7/10/2012	12:46:54 PM	KH01	Dark Grey Black	Sand	Damp	Steep	60	B	Alders	Sphagnum Moss < 30cm	Good	Fine	Frozen
1286283	BET	7	624397	6963407	7/10/2012	1:02:16 PM	KH01	Dark Brown	Sand	Damp	Steep	80	B	Alders	Sphagnum Moss < 30cm	Good	Quartz Chips	Rocky
1286281	BET	7	624397	6963456	7/10/2012	1:21:44 PM	KH01	Chocolate Brown	Sand	Wet	Steep	60	B	Alders	Sphagnum Moss < 30cm	Good	Mud	Rocky
1286282	BET	7	624396	6963506	7/10/2012	1:35:44 PM	KH01	Dark Grey Black	Sand	Damp	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Bright Orange Rust	Frozen
1284153	BET	7	624396	6963558	7/10/2012	2:06:53 PM	KH01	Chocolate Brown	Sand	Wet	Steep	50	B	Birch Forest	Sphagnum Moss < 30cm	Good	Mud	Rocky
1286278	BET	7	624397	6963607	7/10/2012	2:31:34 PM	KH01	Dark Grey Black	Gravel	Damp	Steep	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	Frozen
1286277	BET	7	624396	6963658	7/10/2012	2:44:06 PM	KH01	Dark Grey Black	Sand	Damp	Steep	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Quartz Chips
1286271	BET	7	624395	6963708	7/10/2012	3:03:42 PM	KH01	Dark Grey Black	Sand	Dry	Steep	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Rocky	
1286272	BET	7	624396	6963758	7/10/2012	3:19:34 PM	KH01	Light Brown	Sand	Dry	Steep	70	C	Poplar	Sphagnum Moss < 30cm	Good	Fine	Rocky
1286273	BET	7	624395	6963807	7/10/2012	3:37:52 PM	KH01	Chocolate Brown	Sand	Dry	Steep	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1286276	BET	7	624395	6963807	7/10/2012	3:41:11 PM	KH01	Chocolate Brown	Sand	Dry	Steep	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1286275	BET	7	624396	6963857	7/10/2012	3:49:50 PM	KH01	Dark Grey Black	Sand	Dry	Pronounced Slope	70	B	Birch Forest	Sphagnum Moss < 30cm	Good	Frozen	Rocky
1286274	BET	7	624397	6963907	7/10/2012	4:05:15 PM	KH01	Dark Grey Black	Sand	Damp	Steep	70	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1286266	BET	7	624397	6963955	7/10/2012	4:21:49 PM	KH01	Dark Grey Black	Sand	Damp	Steep	50	B	Birch Forest	Sphagnum Moss < 30cm	Good	Frozen	Bright Orange Rust
1286253	BET	7	624397	6964006	7/10/2012	4:35:05 PM	KH01	Dark Grey Black	Sand	Damp	Pronounced Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1286254	BET	7	624398	6964056	7/10/2012	4:48:03 PM	KH01	Dark Brown	Sand	Damp	Steep	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1286255	BET	7	624397	6964106	7/10/2012	5:00:18 PM	KH01	Dark Brown	Sand	Damp	Steep	70	C	Alders	Sphagnum Moss < 30cm	Good	Organic 10%	Rocky
1286256	BET	7	624397	6964155	7/10/2012	5:11:22 PM	KH01	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Rocky
1286257	BET	7	624396	6964206	7/10/2012	5:21:39 PM	KH01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Organic 10%
1293084	BET	7	625696	6967608	7/10/2012	10:55:08 AM	MT01	Reddish Brown	Sand	Dry	Subtle Slope	50	C	Poplar	Grass Cover	Good	Rocky Terrain	
1293085	BET	7	625698	6967657	7/10/2012	11:13:15 AM	MT01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Birch Forest	Leaf Cover	Good	Rocky	
1293086	BET	7	625697	6967708	7/10/2012	11:27:18 AM	MT01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Organic 10%	
1293087	BET	7	625697	6967756	7/10/2012	11:40:46 AM	MT01	Dark Brown	Sand	Dry	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Quartz Chips
1293088	BET	7	625696	6967809	7/10/2012	11:52:24 AM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1293089	BET	7	625698	6967858	7/10/2012	12:07:07 PM	MT01	Dark Grey Black	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Clay	Partially Frozen
1293090	BET	7	625697	6967908	7/10/2012	12:19:10 PM	MT01	Dark Grey Black	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Clay	Partially Frozen
1293091	BET	7	625797	6967907	7/10/2012	12:34:43 PM	MT01	Dark Grey Black	Silt	Wet	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	
1293092	BET	7	625796	6967858	7/10/2012	12:49:54 PM	MT01	Dark Grey Black	Silt	Wet	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1293093	BET	7	625797	6967808	7/10/2012	1:04:44 PM	MT01	Dark Grey Black	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1293094	BET	7	625796	6967757	7/10/2012	1:20:19 PM	MT01	Grey	Sand	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good		
1293095	BET	7	625795	6967708	7/10/2012	1:36:39 PM	MT01	Dark Brown	Sand	Dry	Pronounced Slope	70	C	Black Spruce	Thin Moss Cover	Good	Rocky	Bright Orange Rust
1293096	BET	7	625796	6967660	7/10/2012	1:50:56 PM	MT01	Reddish Brown	Silt	Dry	Pronounced Slope	50	C	Birch Forest	Thin Moss Cover	Good	Rocky	
1293097	BET	7	625797	6967608	7/10/2012	2:10:16 PM	MT01	Light Brown	Silt	Dry	Subtle Slope	50	B	Black Spruce	Grass Cover	Good	Rocky Terrain	
1293098	BET	7	625796	6967558	7/10/2012	2:21:17 PM	MT01	Reddish Brown	Sand	Dry	Subtle Slope	40	C	Poplar	Grass Cover	Good	Rocky Terrain	
1293099	BET	7	625797	6967508	7/10/2012	2:22:43 PM	MT01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Poplar	Grass Cover	Good	Rocky	
1293100	BET	7	625796	6967457	7/10/2012	2:43:18 PM	MT01	Light Brown	Sand	Dry	Pronounced Slope	100	C	Poplar	Grass Cover	Good	Fine	
1296802	BET	7	625796	6967408	7/10/2012	3:00:25 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Good	Rocky	

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1296803	BET	7	625797	6967358	7/10/2012	3:11:00 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Good	Fine	
1296804	BET	7	625796	6967307	7/10/2012	3:25:18 PM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent	Rocky	
1296805	BET	7	625795	6967257	7/10/2012	3:40:28 PM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent	Rocky	
1296806	BET	7	625797	6967207	7/10/2012	3:52:09 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Good	Fine	Rocky
1296807	BET	7	625796	6967157	7/10/2012	4:03:10 PM	MT01	Reddish Yellow	Sand	Dry	Subtle Slope	70	C	Poplar	Grass Cover	Excellent	Rocky	
1296808	BET	7	625697	6967156	7/10/2012	4:19:20 PM	MT01	Grey	Sand	Dry	Subtle Slope	80	C	Poplar	Grass Cover	Excellent		
1296809	BET	7	625697	6967207	7/10/2012	4:31:23 PM	MT01	Reddish Yellow	Sand	Dry	Pronounced Slope	110	C	Poplar	Grass Cover	Good		
1296810	BET	7	625695	6967257	7/10/2012	4:44:59 PM	MT01	Reddish Yellow	Sand	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Good		
1296811	BET	7	625696	6967307	7/10/2012	4:59:59 PM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Good	Rocky	
1296812	BET	7	625695	6967358	7/10/2012	5:14:18 PM	MT01	Dark Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Good	Rocky	
1296813	BET	7	625696	6967407	7/10/2012	5:25:29 PM	MT01	Reddish Yellow	Silt	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Coarse	
1296814	BET	7	625696	6967457	7/10/2012	5:36:49 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	100	C	Poplar	Grass Cover	Good	Fine	
1296815	BET	7	625698	6967509	7/10/2012	5:46:48 PM	MT01	Reddish Yellow	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Good		
1296816	BET	7	625695	6967558	7/10/2012	6:00:05 PM	MT01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Poplar	Grass Cover	Poor	Rocky	Rocky Terrain
1396368	BET	7	619997	6963709	7/10/2012	10:20:08 AM	RF02	Chocolate Brown	Gravel	Damp	Pronounced Slope	60	B	Alders	Reindeer Moss	Poor	Rocky Sample	
1396369	BET	7	619997	6963859	7/10/2012	11:04:57 AM	RF02	Dark Brown	Gravel	Damp	Pronounced Slope	40	B	Alders	Sphagnum Moss < 30cm	Poor	Rocky Sample	
1396370	BET	7	619997	6963908	7/10/2012	11:21:58 AM	RF02	Dark Brown	Clay	Damp	Pronounced Slope	40	B	Alders	Sphagnum Moss < 30cm	Poor	Organic 10%	Rocky Sample
1396371	BET	7	619996	6964059	7/10/2012	11:53:01 AM	RF02	Chocolate Brown	Gravel	Damp	Pronounced Slope	40	B	Alders	Sphagnum Moss < 30cm	Poor	Organic 10%	Rocky Sample
1396372	BET	7	619999	6964108	7/10/2012	12:08:16 PM	RF02	Dark Brown	Sand	Damp	Pronounced Slope	70	B	Alders	Sphagnum Moss < 30cm	Good		
1396373	BET	7	619998	6964160	7/10/2012	12:28:37 PM	RF02	Chocolate Brown	Gravel	Damp	Subtle Slope	60	B	Alders	Sphagnum Moss < 30cm	Poor	Rocky Sample	
1396374	BET	7	619997	6964210	7/10/2012	12:47:27 PM	RF02	Chocolate Brown	Gravel	Damp	Pronounced Slope	40	B	Dwarf Birch	Sphagnum Moss < 30cm	Poor	Rocky Sample	
1396375	BET	7	619997	6964210	7/10/2012	12:52:59 PM	RF02	Chocolate Brown	Gravel	Damp	Pronounced Slope	40	B	Dwarf Birch	Sphagnum Moss < 30cm	Poor	Rocky Sample	
1271802	BET	7	619996	6964260	7/10/2012	1:14:45 PM	RF02	Chocolate Brown	Clay	Damp	Subtle Slope	40	B	Alders	Reindeer Moss	Poor		
1271803	BET	7	619997	6964310	7/10/2012	1:31:28 PM	RF02	Dark Brown	Gravel	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky Sample	
1271804	BET	7	619997	6964361	7/10/2012	1:49:02 PM	RF02	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky Sample	
1271805	BET	7	619995	6964409	7/10/2012	2:06:05 PM	RF02	Chocolate Brown	Gravel	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky Sample	
1271806	BET	7	619997	6964606	7/10/2012	2:51:53 PM	RF02	Grey	Clay	Wet	Subtle Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Mud	
1271807	BET	7	619998	6964658	7/10/2012	3:07:52 PM	RF02	Dark Brown	Silt	Damp	Flat	50	B	Black Spruce	Sphagnum Moss > 30cm	Good	Frozen	
1271808	BET	7	619998	6964708	7/10/2012	3:22:53 PM	RF02	Dark Brown	Silt	Damp	Flat	30	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Frozen	
1271809	BET	7	619997	6964759	7/10/2012	3:36:20 PM	RF02	Dark Grey Black	Clay	Damp	Subtle Slope	60	B	Birch Forest	Leaf Cover	Good	Bright Orange Rust	
1271810	BET	7	619997	6964806	7/10/2012	3:48:38 PM	RF02	Dark Grey Black	Clay	Damp	Subtle Slope	80	B	Birch Forest	Sphagnum Moss < 30cm	Good		
1271811	BET	7	619997	6964857	7/10/2012	4:02:46 PM	RF02	Dark Brown	Clay	Damp	Subtle Slope	80	B	Birch Forest	Thin Moss Cover	Good		
1271812	BET	7	619997	6964909	7/10/2012	4:15:02 PM	RF02	Chocolate Brown	Silt	Dry	Subtle Slope	70	B	Birch Forest	Sphagnum Moss < 30cm	Good		
1271813	BET	7	619997	6964957	7/10/2012	4:27:41 PM	RF02	Dark Brown	Silt	Dry	Subtle Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Good		
1271814	BET	7	619997	6965010	7/10/2012	4:42:36 PM	RF02	Dark Brown	Clay	Dry	Subtle Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Quartz Chips	
1271815	BET	7	619996	6965057	7/10/2012	4:58:00 PM	RF02	Dark Brown	Clay	Dry	Subtle Slope	80	B	Birch Forest	Sphagnum Moss < 30cm	Good		
1271816	BET	7	619997	6965108	7/10/2012	5:09:30 PM	RF02	Dark Brown	Silt	Dry	Subtle Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Poor		
1271817	BET	7	619996	6965157	7/10/2012	5:21:44 PM	RF02	Dark Brown	Clay	Damp	Subtle Slope	60	B	Birch Forest	Leaf Cover	Good		
1284360	BET	7	624497	6962958	7/10/2012	10:39:17 AM	RL02	Bluish Grey	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Fine	Rocky
1284361	BET	7	624497	6963008	7/10/2012	10:52:37 AM	RL02	Dark Grey Black	Sand	Damp	Pronounced Slope	50	B	Willows	Sphagnum Moss < 30cm	Poor	Fine	Rocky
1284362	BET	7	624497	6963058	7/10/2012	11:03:56 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Good	Fine	Rocky
1284363	BET	7	624486	6963093	7/10/2012	11:18:58 AM	RL02	Dark Grey Black	Sand	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Coarse	Rocky
1284364	BET	7	624497	6963158	7/10/2012	11:30:35 AM	RL02	Grey	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Reindeer Moss	Good	Coarse	Rocky
1284365	BET	7	624515	6963208	7/10/2012	11:47:34 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1284366	BET	7	624496	6963259	7/10/2012	12:06:35 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	Rocky Sample
1284367	BET	7	624497	6963307	7/10/2012	12:24:29 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	30	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	Rocky Sample
1284368	BET	7	624493	6963368	7/10/2012	12:43:50 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Sphagnum Moss > 30cm	Good	Coarse	Rocky
1284369	BET	7	624501	6963419	7/10/2012	1:03:16 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	110	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	Coarse
1284371	BET	7	624497	6963509	7/10/2012	1:42:45 PM	RL02	Grey	Sand	Damp	Pronounced Slope	50	B	Willows	Sphagnum Moss > 30cm	Good	Rocky	Rocky Sample
1284372	BET	7	624497	6963559	7/10/2012	1:52:35 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Bright Orange Rust
1284373	BET	7	624497	6963609	7/10/2012	2:02:13 PM	RL02	Grey	Sand	Wet	Pronounced Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Mud
1284374	BET	7	624497	6963659	7/10/2012	2:14:37 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Partially Frozen
1284377	BET	7	624513	6963703	7/10/2012	2:39:11 PM	RL02	Dark Grey Black	Sand	Wet	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Coarse	Rocky
1284370	BET	7	624497	6963809	7/10/2012	3:09:15 PM	RL02	Dark Brown	Sand	Wet	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss > 30cm	Good	Fine	Mud
1284378	BET	7	624497	6963909	7/10/2012	3:32:41 PM	RL02	Dark Grey Black	Silt	Damp	Pronounced Slope	50	B	White Spruce	Sphagnum Moss > 30cm	Poor	Coarse	
1284379	BET	7	624505	6963960	7/10/2012	3:44:34 PM	RL02	Dark Grey Black	Silt	Damp	Pronounced Slope	50	B	White Spruce	Sphagnum Moss > 30cm	Poor	Coarse	Partially Frozen
1284380	BET	7	624481	6964008	7/10/2012	4:09:21 PM	RL02	Dark Grey Black	Sand	Damp	Pronounced Slope	50	B	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Partially Frozen
1284381	BET	7	624497	6964057	7/10/2012	4:19:42 PM	RL02	Grey	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Leaf Cover	Good	Coarse	Bright Orange Rust
1284382	BET	7	624498	6964107	7/10/2012	4:31:19 PM	RL02	Grey	Sand	Damp	Pronounced Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	Bright Orange Rust
1284383	BET	7	624496	6964157	7/10/2012	4:49:12 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Birch Forest	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Partially Frozen
1284384	BET	7	624495	6964207	7/10/2012	5:02:13 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1284385	BET	7	624514	6964245	7/10/2012	5:14:27 PM	RL02	Grey	Sand	Damp	Pronounced Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	
1284386	BET	7	624489	6964308	7/10/2012	5:29:32 PM	RL02	Reddish Yellow	Sand	Damp	Pronounced Slope	80	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Bright Orange Rust
1284387	BET	7	624498	6964357	7/10/2012	5:39:51 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Coarse
1284388	BET	7	624497	6964409	7/10/2012	5:46:42 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1284412	BET	7	624197	6963007	7/10/2012	11:07:28 AM	RM01	Chocolate Brown	Gravel	Wet	Steep	40	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1284413	BET	7	624197	6963207	7/10/2012	12:09:22 PM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	C	Alders	Sphagnum Moss < 30cm	Good	Coarse	
1284414	BET	7	624197	6963257	7/10/2012	12:24:45 PM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1284415	BET	7	624197	6963309	7/10/2012	12:42:39 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1284416	BET	7	624197	6963359	7/10/2012	1:04:07 PM	RM01	Chocolate Brown	Sand	Damp	Steep	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Organic 25%
1284417	BET	7	624197	6963407	7/10/2012	1:19:02 PM	RM01	Chocolate Brown	Gravel	Damp	Pronounced Slope	90	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1284418	BET	7	624198	6963457	7/10/2012	1:20:16 PM	RM01	Chocolate Brown	Gravel	Damp	Pronounced Slope	90	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1284419	BET	7	624197	6963507	7/10/2012	1:45:58 PM	RM01	Chocolate Brown	Gravel	Damp	Pronounced Slope	90	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1284420	BET	7	624197	6963558	7/10/2012	1:59:32 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	90	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1284421	BET	7	624198	6963607	7/10/2012	2:16:08 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1284422	BET	7	624198	6963658	7/10/2012	2:30:15 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1284423	BET	7	624197	6963707	7/10/2012	2:38:42 PM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	C	Poplar	Reindeer Moss	Good	Coarse	
1284424	BET	7	624197	6963756	7/10/2012	2:58:15 PM	RM01	Chocolate Brown	Silt	Damp	Steep	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	Organic 50%
1284425	BET	7	624196	6963806	7/10/2012	3:07:50 PM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1284450	BET	7	624197	6963857	7/10/2012	3:24:58 PM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1284427	BET	7	624206	6963909	7/10/2012	3:41:13 PM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	
1284429	BET	7	624197	6964007	7/10/2012	4:14:37 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1284430	BET	7	624197	6964057	7/10/2012	4:35:03 PM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1284431	BET	7	624198	6964107	7/10/2012	4:53:50 PM	RM01	Dark Blue Black	Silt	Wet	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Coarse	

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1284432	BET	7	624197	6964156	7/10/2012	5:09:35 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1284433	BET	7	624197	6964207	7/10/2012	5:23:35 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1284434	BET	7	624197	6964257	7/10/2012	5:34:49 PM	RM01	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Black Spruce	Reindeer Moss	Good	Coarse	
1284428	BET	7	624197	6963957	7/10/2012	6:15:07 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1296615	BET	7	625097	6967507	7/10/2012	10:34:55 AM	RR01	Dark Brown	Gravel	Dry	Pronounced Slope	50	B	Alders	Sphagnum Moss < 30cm	Good	Rocky	
1296616	BET	7	625096	6967558	7/10/2012	10:46:43 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss > 30cm	Excellent	Coarse	Rocky
1296617	BET	7	625095	6967606	7/10/2012	11:09:28 AM	RR01	Dark Brown	Sand	Damp	Pronounced Slope	60	B	Black Spruce	Reindeer Moss	Good	Rocky	Organic 10%
1296618	BET	7	625096	6967656	7/10/2012	11:19:23 AM	RR01	Grey	Sand	Wet	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Coarse	Rocky
1296619	BET	7	625096	6967706	7/10/2012	11:38:25 AM	RR01	Dark Brown	Silt	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Good	Organic 10%	Sandy
1296620	BET	7	625097	6967756	7/10/2012	11:51:39 AM	RR01	Dark Brown	Gravel	Damp	Pronounced Slope	50	B	Alders	Leaf Cover	Good	Coarse	Rocky
1296621	BET	7	625097	6967808	7/10/2012	12:00:05 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Alders	Sphagnum Moss < 30cm	Good	Coarse	
1296622	BET	7	625096	6967857	7/10/2012	12:22:30 PM	RR01	Chocolate Brown	Sand	Dry	Steep	20	B	Birch Forest	Rock Cover	Good	Talus	Top Layer
1296623	BET	7	625097	6967907	7/10/2012	12:37:53 PM	RR01	Chocolate Brown	Sand	Damp	Steep	70	C	Birch Forest	Sphagnum Moss > 30cm	Good	Coarse	
1296624	BET	7	625195	6967907	7/10/2012	12:57:12 PM	RR01	Chocolate Brown	Sand	Dry	Steep	50	C	White Spruce	Sphagnum Moss < 30cm	Good	Outcrop Nearby	Organic 10%
1296625	BET	7	625196	6967859	7/10/2012	1:08:33 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Grass Cover	Excellent	Coarse	Rocky
1296626	BET	7	625196	6967859	7/10/2012	1:16:13 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent	Coarse	Rocky
1296627	BET	7	625196	6967808	7/10/2012	1:40:41 PM	RR01	Dark Grey Black	Sand	Dry	Pronounced Slope	60	B	Birch Forest	Leaf Cover	Good	Coarse	
1296628	BET	7	625198	6967757	7/10/2012	1:59:05 PM	RR01	Grey	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Wet Soil	Coarse
1296629	BET	7	625197	6967708	7/10/2012	2:12:37 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1296630	BET	7	625199	6967659	7/10/2012	2:25:33 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	Quartz Chips
1296631	BET	7	625197	6967609	7/10/2012	2:38:26 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss > 30cm	Good	Coarse	
1296632	BET	7	625195	6967556	7/10/2012	2:53:13 PM	RR01	Reddish Yellow	Sand	Dry	Subtle Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	
1296633	BET	7	625198	6967507	7/10/2012	3:02:13 PM	RR01	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	
1296634	BET	7	625196	6967456	7/10/2012	3:12:26 PM	RR01	Chocolate Brown	Silt	Damp	Subtle Slope	60	B	Poplar	Leaf Cover	Good	Sandy	Bright Orange Rust
1296635	BET	7	625198	6967405	7/10/2012	3:22:14 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Grass Cover	Good	Coarse	
1296636	BET	7	625197	6967356	7/10/2012	3:30:08 PM	RR01	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Poplar	Grass Cover	Good	Coarse	
1296637	BET	7	625197	6967307	7/10/2012	3:43:54 PM	RR01	Chocolate Brown	Gravel	Damp	Pronounced Slope	80	B	Poplar	Sphagnum Moss < 30cm	Good	Rocky	
1296638	BET	7	625196	6967258	7/10/2012	3:56:15 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Coarse	Rocky
1296639	BET	7	625198	6967206	7/10/2012	4:11:50 PM	RR01	Chocolate Brown	Silt	Damp	Subtle Slope	30	B	Poplar	Grass Cover	Good	Rocky	
1296640	BET	7	625196	6967157	7/10/2012	4:19:46 PM	RR01	Chocolate Brown	Gravel	Damp	Pronounced Slope	50	C	Poplar	Grass Cover	Excellent	Rocky	
1296641	BET	7	625097	6967157	7/10/2012	4:34:50 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Poplar	Grass Cover	Good	Coarse	
1296642	BET	7	625099	6967207	7/10/2012	4:53:22 PM	RR01	Chocolate Brown	Silt	Dry	Pronounced Slope	30	B	Poplar	Leaf Cover	Good	Coarse	Rocky
1296643	BET	7	625099	6967257	7/10/2012	5:03:18 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	30	C	Poplar	Leaf Cover	Excellent	Coarse	
1296644	BET	7	625100	6967309	7/10/2012	5:11:43 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Coarse	
1296645	BET	7	625099	6967359	7/10/2012	5:20:24 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1296646	BET	7	625099	6967407	7/10/2012	5:31:25 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Poplar	Grass Cover	Good	Coarse	Sandy
1296647	BET	7	625096	6967458	7/10/2012	5:40:58 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	30	B	Poplar	Grass Cover	Good	Rocky	
1270395	BET	7	620197	6963706	7/10/2012	10:17:23 AM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	60	B	No Tree Cover	Sphagnum Moss < 30cm	Poor	Fine	Partially Frozen
1270396	BET	7	620197	6963757	7/10/2012	10:31:48 AM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	60	B	No Tree Cover	Sphagnum Moss < 30cm	Good	Frozen	
1270397	BET	7	620196	6963807	7/10/2012	10:50:37 AM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	80	B	No Tree Cover	Sphagnum Moss > 30cm	Good	Coarse	Partially Frozen
1270398	BET	7	620196	6963857	7/10/2012	11:00:28 AM	RR02	Chocolate Brown	Sand	Wet	Pronounced Slope	80	C	Willows	Sphagnum Moss < 30cm	Good	Fine	Wet Soil
1270399	BET	7	620196	6963907	7/10/2012	11:34:33 AM	RR02	Chocolate Brown	Gravel	Damp	Pronounced Slope	100	C	Black Spruce	Reindeer Moss	Good	Quartz Chips	Dull Red Rust
1270400	BET	7	620191	6963958	7/10/2012	12:13:33 PM	RR02	Reddish Yellow	Silt	Wet	Pronounced Slope	80	B	Willows	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1270702	BET	7	620195	6964007	7/10/2012	12:29:23 PM	RR02	Dark Brown	Silt	Wet	Pronounced Slope	80	B	Willows	Sphagnum Moss < 30cm	Good	Fine	
1270703	BET	7	620182	6964049	7/10/2012	1:20:20 PM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	50	B	Willows	Sphagnum Moss < 30cm	Poor	Fine	
1270704	BET	7	620187	6964108	7/10/2012	1:29:16 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	70	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Coarse	
1270705	BET	7	620189	6964158	7/10/2012	1:39:50 PM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	60	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Coarse	
1270706	BET	7	620190	6964207	7/10/2012	1:53:18 PM	RR02	Light Brown	Silt	Damp	Pronounced Slope	60	B	Birch Forest	Thin Moss Cover	Good	Fine	Organic 10%
1270707	BET	7	620196	6964260	7/10/2012	2:06:14 PM	RR02	Reddish Yellow	Silt	Damp	Pronounced Slope	60	B	Birch Forest	Thin Moss Cover	Good	Coarse	Small Sample
1270708	BET	7	620197	6964305	7/10/2012	2:24:56 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Birch Forest	Thin Moss Cover	Good	Fine	
1270709	BET	7	620195	6964358	7/10/2012	2:38:51 PM	RR02	Reddish Yellow	Silt	Damp	Pronounced Slope	50	B	Poplar	Thin Moss Cover	Good	Coarse	Quartz Chips
1270710	BET	7	620198	6964408	7/10/2012	2:52:19 PM	RR02	Reddish Yellow	Silt	Damp	Pronounced Slope	50	B	Poplar	Thin Moss Cover	Good	Bright Orange Rust	Coarse
1270711	BET	7	620196	6964456	7/10/2012	3:07:07 PM	RR02	Reddish Yellow	Sand	Damp	Pronounced Slope	40	B	Black Spruce	Thin Moss Cover	Good	Fine	Rocky Sample
1270712	BET	7	620196	6964505	7/10/2012	3:17:45 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Fine	Organic 10%
1270713	BET	7	620201	6964556	7/10/2012	3:30:15 PM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	50	B	Willows	Sphagnum Moss < 30cm	Good	Coarse	Partially Frozen
1270714	BET	7	620197	6964607	7/10/2012	3:43:33 PM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	50	B	Birch Forest	Leaf Cover	Good	Coarse	Wet Soil
1270715	BET	7	620198	6964656	7/10/2012	3:55:46 PM	RR02	Chocolate Brown	Sand	Wet	Subtle Slope	60	C	Alders	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1270716	BET	7	620197	6964707	7/10/2012	4:04:29 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	90	C	Birch Forest	Leaf Cover	Good	Coarse	Bright Orange Rust
1270717	BET	7	620197	6964758	7/10/2012	4:13:46 PM	RR02	Reddish Yellow	Sand	Damp	Subtle Slope	80	C	Birch Forest	Leaf Cover	Excellent	Fine	Bright Orange Rust
1270718	BET	7	620196	6964808	7/10/2012	4:22:56 PM	RR02	Reddish Yellow	Sand	Damp	Subtle Slope	50	C	Birch Forest	Leaf Cover	Excellent	Bright Orange Rust	Quartz Chips
1270719	BET	7	620197	6964856	7/10/2012	4:31:30 PM	RR02	Reddish Yellow	Sand	Damp	Subtle Slope	80	C	Birch Forest	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1270720	BET	7	620199	6964906	7/10/2012	4:45:30 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Birch Forest	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Fine
1270721	BET	7	620197	6964956	7/10/2012	4:54:52 PM	RR02	Dark Brown	Silt	Damp	Subtle Slope	70	B	Birch Forest	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Coarse
1270722	BET	7	620195	6965007	7/10/2012	5:04:09 PM	RR02	Light Brown	Sand	Damp	Subtle Slope	60	C	Birch Forest	Thin Moss Cover	Excellent	Coarse	
1270723	BET	7	620197	6965056	7/10/2012	5:11:35 PM	RR02	Light Brown	Sand	Damp	Subtle Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1270724	BET	7	620199	6965106	7/10/2012	5:20:14 PM	RR02	Yellow	Sand	Damp	Subtle Slope	70	C	Poplar	Thin Moss Cover	Excellent	Coarse	
1270727	BET	7	620198	6965158	7/10/2012	5:27:52 PM	RR02	Light Brown	Sand	Damp	Subtle Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	
1293188	BET	7	624596	6962958	7/10/2012	10:59:04 AM	SC01											
1293189	BET	7	624597	6963008	7/10/2012	11:09:15 AM	SC01											
1293190	BET	7	624597	6963058	7/10/2012	11:21:10 AM	SC01											
1293191	BET	7	624598	6963108	7/10/2012	11:33:36 AM	SC01											
1293192	BET	7	624597	6963158	7/10/2012	11:43:37 AM	SC01											
1293193	BET	7	624597	6963208	7/10/2012	11:52:13 AM	SC01											
1293194	BET	7	624596	6963260	7/10/2012	12:02:22 PM	SC01											
1293195	BET	7	624597	6963308	7/10/2012	12:13:07 PM	SC01											
1293196	BET	7	624597	6963359	7/10/2012	12:23:41 PM	SC01											
1293197	BET	7	624596	6963408	7/10/2012	12:34:13 PM	SC01											
1293198	BET	7	624596	6963458	7/10/2012	12:56:55 PM	SC01											
1293199	BET	7	624594	6963509	7/10/2012	1:09:08 PM	SC01											
1293200	BET	7	624594	6963558	7/10/2012	1:21:01 PM	SC01											
1296502	BET	7	624595	6963609	7/10/2012	1:31:43 PM	SC01											
1296503	BET	7	624597	6963659	7/10/2012	1:45:48 PM	SC01											
1296504	BET	7	624597	6963707	7/10/2012	2:00:51 PM	SC01											
1296505	BET	7	624597	6963756	7/10/2012	6:44:01 PM	SC01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	B	Black Spruce	Reindeer Moss	Poor	Rocky	

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1296506	BET	7	624598	6963807	7/10/2012	6:47:24 PM	SC01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	
1296507	BET	7	624597	6963857	7/10/2012	6:48:20 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1296508	BET	7	624597	6963957	7/10/2012	6:50:04 PM	SC01	Dark Grey Black	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Poor		
1296509	BET	7	624597	6964006	7/10/2012	6:51:10 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1296510	BET	7	624597	6964057	7/10/2012	6:52:10 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Partially Frozen
1296511	BET	7	624597	6964107	7/10/2012	6:53:45 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Alders	Leaf Cover	Good	Rocky	
1296512	BET	7	624596	6964157	7/10/2012	6:54:46 PM	SC01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Reindeer Moss	Good	Rocky	
1296513	BET	7	624596	6964208	7/10/2012	6:56:09 PM	SC01	Dark Grey Black	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1296514	BET	7	624597	6964257	7/10/2012	7:00:40 PM	SC01	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Poor	Frozen	Possible Creek Contamination
1296515	BET	7	624597	6964307	7/10/2012	7:01:46 PM	SC01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1296516	BET	7	624598	6964357	7/10/2012	7:03:03 PM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1296517	BET	7	624598	6964408	7/10/2012	7:03:45 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1270643	BET	7	620395	6963708	7/10/2012	10:33:46 AM	SD02	Grey	Sand	Damp	Subtle Slope	40	C	Dwarf Birch	Reindeer Moss	Good	Rocky	
1270644	BET	7	620395	6963756	7/10/2012	10:47:00 AM	SD02	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Dwarf Birch	Reindeer Moss	Good	Coarse	Rocky
1270645	BET	7	620396	6963809	7/10/2012	11:02:18 AM	SD02	Dark Brown	Gravel	Dry	Pronounced Slope	30	B	Black Spruce	Rock Cover	Poor	Rocky Terrain	Organic 10%
1270646	BET	7	620396	6963860	7/10/2012	11:22:36 AM	SD02	Dark Grey Black	Sand	Damp	Pronounced Slope	50	B	Dwarf Birch	Reindeer Moss	Poor	Rocky	Organic 25%
1270647	BET	7	620395	6963908	7/10/2012	11:34:49 AM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	40	B	Dwarf Birch	Reindeer Moss	Good	Rocky	
1270648	BET	7	620392	6963960	7/10/2012	11:43:44 AM	SD02	Grey	Sand	Damp	Pronounced Slope	60	C	Willows	Sphagnum Moss < 30cm	Good	Rocky	Bright Orange Rust
1270649	BET	7	620393	6964006	7/10/2012	11:58:12 AM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	40	B	Dwarf Birch	Sphagnum Moss < 30cm	Poor	Rocky	Organic 10%
1270650	BET	7	620398	6964058	7/10/2012	12:14:28 PM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	40	B	Willows	Sphagnum Moss < 30cm	Poor	Rocky	Small Sample
1270652	BET	7	620396	6964108	7/10/2012	12:29:18 PM	SD02	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	Small Sample
1270654	BET	7	620395	6964209	7/10/2012	1:16:30 PM	SD02	Dark Grey Black	Silt	Damp	Pronounced Slope	50	B	Willows	Sphagnum Moss < 30cm	Poor	Rocky	Partially Frozen
1270653	BET	7	620394	6964158	7/10/2012	1:19:29 PM	SD02	Dark Brown	Sand	Damp	Pronounced Slope	40	B	Willows	Sphagnum Moss < 30cm	Good	Rocky	
1270655	BET	7	620395	6964256	7/10/2012	1:28:32 PM	SD02	Dark Brown	Gravel	Dry	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Rocky	
1270656	BET	7	620396	6964307	7/10/2012	1:43:49 PM	SD02	Dark Brown	Gravel	Damp	Pronounced Slope	60	C	Dwarf Birch	Sphagnum Moss < 30cm	Poor	Organic 10%	Small Sample
1270657	BET	7	620400	6964357	7/10/2012	2:01:17 PM	SD02	Dark Brown	Silt	Damp	Pronounced Slope	30	B	Alders	Sphagnum Moss < 30cm	Poor	Organic 25%	Small Sample
1270658	BET	7	620396	6964407	7/10/2012	2:10:57 PM	SD02	Grey	Sand	Damp	Pronounced Slope	50	C	Willows	Sphagnum Moss < 30cm	Good	Rocky	Organic 10%
1270659	BET	7	620396	6964457	7/10/2012	2:18:57 PM	SD02	Grey	Sand	Wet	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1270660	BET	7	620396	6964508	7/10/2012	2:30:15 PM	SD02	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Dwarf Birch	Reindeer Moss	Good	Bright Orange Rust	Partially Frozen
1270661	BET	7	620396	6964558	7/10/2012	2:38:06 PM	SD02	Dark Brown	Sand	Damp	Subtle Slope	50	B	Alders	Grass Cover	Good	Bright Orange Rust	Partially Frozen
1270662	BET	7	620395	6964605	7/10/2012	2:48:24 PM	SD02	Grey	Sand	Damp	Pronounced Slope	100	C	Alders	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	
1270663	BET	7	620398	6964658	7/10/2012	2:58:19 PM	SD02	Grey	Sand	Wet	Subtle Slope	80	C	Alders	Sphagnum Moss < 30cm	Excellent	Coarse	Partially Frozen
1270664	BET	7	620397	6964707	7/10/2012	3:08:28 PM	SD02	Grey	Sand	Damp	Subtle Slope	60	C	Alders	Sphagnum Moss < 30cm	Good	Rocky	
1270665	BET	7	620398	6964758	7/10/2012	3:16:57 PM	SD02	Greyish Green	Sand	Damp	Subtle Slope	60	C	Alders	Sphagnum Moss < 30cm	Excellent	Dull Red Rust	
1270666	BET	7	620398	6964799	7/10/2012	3:26:23 PM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	70	C	Alders	Sphagnum Moss < 30cm	Excellent	Sandy	
1270667	BET	7	620395	6964856	7/10/2012	3:45:03 PM	SD02	Grey	Sand	Damp	Subtle Slope	80	C	Willows	Leaf Cover	Excellent	Bright Orange Rust	
1270668	BET	7	620397	6964908	7/10/2012	3:56:16 PM	SD02	Dark Brown	Sand	Damp	Subtle Slope	50	C	Birch Forest	Grass Cover	Excellent	Rocky	
1270669	BET	7	620395	6964959	7/10/2012	4:06:03 PM	SD02	Reddish Brown	Sand	Damp	Subtle Slope	90	C	Willows	Sphagnum Moss < 30cm	Excellent	Dull Red Rust	
1270670	BET	7	620397	6965008	7/10/2012	4:13:56 PM	SD02	Chocolate Brown	Sand	Dry	Subtle Slope	50	B	Birch Forest	Leaf Cover	Good	Rocky	
1270671	BET	7	620398	6965057	7/10/2012	4:21:32 PM	SD02	Grey	Gravel	Damp	Subtle Slope	40	C	Willows	Sphagnum Moss < 30cm	Good	Rocky	
1270672	BET	7	620395	6965108	7/10/2012	4:30:03 PM	SD02	Grey	Sand	Damp	Subtle Slope	50	C	Willows	Reindeer Moss	Excellent	Coarse	Rocky
1270673	BET	7	620397	6965158	7/10/2012	4:39:25 PM	SD02	Greyish Green	Gravel	Damp	Subtle Slope	50	C	Alders	Reindeer Moss	Excellent	Sandy	Quartz Chips
1270495	BET	7	619697	6963706	7/12/2012	9:46:15 AM	BH01	Dark Brown	Gravel	Damp	Steep	60	B	Alders	Sphagnum Moss < 30cm	Good	Mud	Rocky Sample
1270496	BET	7	619698	6963757	7/12/2012	10:07:21 AM	BH01	Dark Brown	Silt	Damp	Steep	70	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	
1270497	BET	7	619697	6963806	7/12/2012	10:22:09 AM	BH01	Chocolate Brown	Gravel	Damp	Steep	60	B	Alders	Reindeer Moss	Good	Rocky Sample	
1270498	BET	7	619695	6963858	7/12/2012	10:33:38 AM	BH01	Dark Brown	Silt	Damp	Steep	60	B	Alders	Sphagnum Moss > 30cm	Good	Frozen	Small Sample
1270499	BET	7	619697	6963908	7/12/2012	10:54:56 AM	BH01	Dark Brown	Silt	Damp	Steep	60	B	Alders	Sphagnum Moss < 30cm	Good	Frozen	Rocky
1270500	BET	7	619708	6963958	7/12/2012	11:10:36 AM	BH01	Chocolate Brown	Silt	Damp	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	
1271902	BET	7	619693	6964007	7/12/2012	11:33:38 AM	BH01	Dark Brown	Gravel	Dry	Steep	40	B	Birch Forest	Sphagnum Moss > 30cm	Good	Rocky Terrain	Organic 25%
1271903	BET	7	619697	6964057	7/12/2012	11:52:41 AM	BH01	Chocolate Brown	Silt	Damp	Steep	50	B	Alders	Rock Cover	Good	Rocky	Rocky Terrain
1271904	BET	7	619697	6964104	7/12/2012	12:08:18 PM	BH01	Chocolate Brown	Gravel	Damp	Steep	100	B	Alders	Reindeer Moss	Good	Rocky Sample	Small Sample
1271905	BET	7	619696	6964156	7/12/2012	12:19:57 PM	BH01	Dark Brown	Silt	Damp	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	Rocky
1271906	BET	7	619696	6964257	7/12/2012	12:48:23 PM	BH01	Dark Brown	Silt	Damp	Steep	50	B	Alders	Leaf Cover	Good	Frozen	
1271907	BET	7	619696	6964308	7/12/2012	1:26:40 PM	BH01	Dark Brown	Silt	Damp	Steep	60	B	Birch Forest	Grass Cover	Good	Frozen	Rocky
1271908	BET	7	619696	6964357	7/12/2012	1:41:22 PM	BH01	Chocolate Brown	Silt	Damp	Steep	70	B	Alders	Sphagnum Moss < 30cm	Good	Frozen	
1271909	BET	7	619698	6964409	7/12/2012	1:58:35 PM	BH01	Chocolate Brown	Silt	Dry	Steep	80	B	Alders	Leaf Cover	Good	Rocky	Rocky Terrain
1271910	BET	7	619697	6964458	7/12/2012	2:10:31 PM	BH01	Chocolate Brown	Gravel	Dry	Pronounced Slope	60	B	Alders	Leaf Cover	Good	Rocky	
1271911	BET	7	619696	6964558	7/12/2012	2:43:13 PM	BH01	Dark Brown	Gravel	Damp	Pronounced Slope	80	B	Alders	Reindeer Moss	Good	Rocky	
1271912	BET	7	619697	6964609	7/12/2012	2:56:59 PM	BH01	Chocolate Brown	Gravel	Damp	Pronounced Slope	80	C	Black Spruce	Reindeer Moss	Good	Mud	Rocky
1271913	BET	7	619696	6964656	7/12/2012	3:07:46 PM	BH01	Dark Brown	Gravel	Damp	Pronounced Slope	60	B	Black Spruce	Leaf Cover	Good	Rocky	Rocky Sample
1271914	BET	7	619696	6964707	7/12/2012	3:22:36 PM	BH01	Chocolate Brown	Gravel	Damp	Pronounced Slope	80	B	Black Spruce	Reindeer Moss	Good	Rocky	
1271915	BET	7	619697	6964758	7/12/2012	3:35:06 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	80	B	Black Spruce	Leaf Cover	Good	Rocky	Organic 10%
1271916	BET	7	619696	6964808	7/12/2012	3:50:51 PM	BH01	Light Brown	Gravel	Damp	Pronounced Slope	120	C	Black Spruce	Bare Soil	Good	Mud	
1271917	BET	7	619695	6964858	7/12/2012	4:02:00 PM	BH01	Chocolate Brown	Gravel	Damp	Pronounced Slope	100	B	Black Spruce	Thin Moss Cover	Good	Mud	Rocky Sample
1271918	BET	7	619698	6964910	7/12/2012	4:17:59 PM	BH01	Chocolate Brown	Gravel	Damp	Pronounced Slope	100	C	Black Spruce	Sphagnum Moss > 30cm	Good	Mud	Partially Frozen
1271919	BET	7	619697	6964956	7/12/2012	4:29:34 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Black Spruce	Leaf Cover	Good	Rocky	
1271920	BET	7	619695	6965008	7/12/2012	4:44:13 PM	BH01	Dark Brown	Silt	Dry	Steep	60	B	Black Spruce	Leaf Cover	Good	Rocky	Organic 25%
1271921	BET	7	619697	6965058	7/12/2012	4:55:59 PM	BH01	Chocolate Brown	Gravel	Damp	Steep	60	B	Alders	Leaf Cover	Good	Mud	Partially Frozen
1271922	BET	7	619696	6965113	7/12/2012	5:05:13 PM	BH01	Chocolate Brown	Silt	Damp	Steep	70	B	Black Spruce	Sphagnum Moss > 30cm	Good	Rocky	Partially Frozen
1296911	BET	7	626197	6962957	7/12/2012	9:48:59 AM	CK01	Chocolate Brown	Sand	Damp	Steep	50	B	Poplar	Leaf Cover	Good	Rocky Terrain	
1296912	BET	7	626197	6963008	7/12/2012	10:03:47 AM	CK01	Chocolate Brown	Sand	Damp	Steep	80	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	
1296913	BET	7	626197	6963058	7/12/2012	10:15:32 AM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Black Spruce	Leaf Cover	Good	Rocky Terrain	Rusty Rock Chip
1296914	BET	7	626196	6963107	7/12/2012	10:29:38 AM	CK01	Chocolate Brown	Sand	Damp	Steep	60	B	Poplar	Leaf Cover	Good	Rocky	
1296915	BET	7	626197	6963158	7/12/2012	10:41:44 AM	CK01	Chocolate Brown	Sand	Damp	Steep	90	C	Poplar	Leaf Cover	Excellent	Rusty Rock Chip	
1296916	BET	7	626197	6963208	7/12/2012	10:53:22 AM	CK01	Chocolate Brown	Sand	Damp	Steep	60	B	Poplar	Grass Cover	Good	Fine	Rusty Rock Chip
1296917	BET	7	626197	6963257	7/12/2012	11:05:06 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Partially Frozen
1296918	BET	7	626197	6963357	7/12/2012	11:44:17 AM	CK01	Dark Brown	Sand	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Partially Frozen
1296919	BET	7	626197	6963406	7/12/2012	11:56:33 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Poplar	Leaf Cover	Good	Rocky	Possible Creek Contamination
1296920	BET	7	626197	6963458	7/12/2012	12:13:07 PM	CK01	Chocolate Brown	Sand	Damp	Steep	80	C	Poplar	Leaf Cover	Good	Rocky	
1296921	BET	7	626197	6963508	7/12/2012	12:28:57 PM	CK01	Chocolate Brown	Sand	Damp	Steep	60	B	Poplar	Leaf Cover	Good	Rocky	
1296922	BET	7	626197	6963559	7/12/2012	12:44:46 PM	CK01	Chocolate Brown	Sand	Damp	Steep	60	B	Poplar	Leaf Cover	Good	Rocky	
1296923	BET	7	626197	6963607	7/12/2012	12:56:53 PM	CK01	Chocolate Brown	Sand	Dry	Steep	60	C	Poplar	Leaf Cover	Excellent		
1296924	BET	7	626197	6963657	7/12/2012	1:08:26 PM	CK01	Chocolate Brown	Sand	Dry	Steep	80	C	Poplar	Leaf Cover	Excellent	Rusty Rock Chip	
1296925	BET	7	626197	6963707	7/12/2012	1:21:27 PM	CK01	Chocolate Brown	Silt	Damp	Steep	60	B	Poplar	Leaf Cover	Good	Coarse	

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1296926	BET	7	626197	6963707	7/12/2012	1:28:03 PM	CK01	Chocolate Brown	Silt	Damp	Steep	70	B	Poplar	Leaf Cover	Good	Coarse	
1296927	BET	7	626196	6963758	7/12/2012	1:40:15 PM	CK01	Chocolate Brown	Sand	Damp	Steep	90	B	Poplar	Leaf Cover	Good	Fine	Rocky
1296928	BET	7	626197	6963807	7/12/2012	1:51:09 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Rocky	Bright Orange Rust
1296929	BET	7	626197	6963856	7/12/2012	2:03:18 PM	CK01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Rocky	
1296930	BET	7	626197	6963907	7/12/2012	2:16:24 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Rocky	Partially Frozen
1296931	BET	7	626197	6963957	7/12/2012	2:28:45 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Partially Frozen
1296932	BET	7	626197	6964007	7/12/2012	2:40:37 PM	CK01	Dark Brown	Sand	Damp	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky Terrain	Partially Frozen
1296933	BET	7	626227	6964068	7/12/2012	2:59:05 PM	CK01	Dark Brown	Sand	Damp	Steep	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky Terrain	Partially Frozen
1296934	BET	7	626197	6964109	7/12/2012	3:10:00 PM	CK01	Dark Brown	Sand	Damp	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	Rocky Terrain
1296935	BET	7	626197	6964157	7/12/2012	3:20:04 PM	CK01	Dark Brown	Sand	Damp	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Partially Frozen
1296936	BET	7	626197	6964207	7/12/2012	3:30:09 PM	CK01	Dark Brown	Sand	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Rocky Terrain
1296937	BET	7	626197	6964257	7/12/2012	3:40:12 PM	CK01	Dark Brown	Sand	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Partially Frozen
1296938	BET	7	626197	6964307	7/12/2012	3:49:46 PM	CK01	Dark Grey Black	Sand	Damp	Steep	70	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Partially Frozen
1290188	BET	7	624797	6962958	7/12/2012	10:14:20 AM	IG01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent		Rocky
1290200	BET	7	624797	6963008	7/12/2012	10:33:59 AM	IG01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Poplar	Leaf Cover	Good	Rocky	Rocky Sample
1283019	BET	7	624797	6963058	7/12/2012	10:49:22 AM	IG01	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	Poplar	Leaf Cover	Good	Rocky	Rocky Sample
1283020	BET	7	624797	6963209	7/12/2012	11:36:06 AM	IG01	Dark Brown	Silt	Damp	Pronounced Slope	60	B	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	Rocky Sample
1283021	BET	7	624797	6963307	7/12/2012	12:10:52 PM	IG01	Chocolate Brown	Silt	Wet	Pronounced Slope	60	B	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1283022	BET	7	624797	6963357	7/12/2012	12:31:00 PM	IG01	Dark Brown	Silt	Wet	Pronounced Slope	50	B	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	Rocky Sample
1283023	BET	7	624797	6963407	7/12/2012	12:48:48 PM	IG01	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	White Spruce	Reindeer Moss	Poor	Rocky	Rocky Sample
1283024	BET	7	624797	6963556	7/12/2012	1:33:10 PM	IG01	Chocolate Brown	Silt	Wet	Pronounced Slope	50	B	Willows	Reindeer Moss	Good	Rocky	
1283027	BET	7	624797	6963606	7/12/2012	1:50:30 PM	IG01	Chocolate Brown	Silt	Wet	Pronounced Slope	40	B	White Spruce	Reindeer Moss	Good	Frozen	Rocky Sample
1283028	BET	7	624797	6963707	7/12/2012	2:32:57 PM	IG01	Dark Brown	Silt	Dry	Subtle Slope	40	B	White Spruce	Reindeer Moss	Good	Rocky	
1283029	BET	7	624797	6963806	7/12/2012	3:19:52 PM	IG01	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Alders	Leaf Cover	Poor	Rocky	Rocky Sample
1283030	BET	7	624803	6964011	7/12/2012	4:15:59 PM	IG01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Alders	Thin Moss Cover	Good	Rocky	Rocky Sample
1283031	BET	7	624797	6964109	7/12/2012	4:52:49 PM	IG01	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Alders	Sphagnum Moss < 30cm	Poor	Rocky	Rocky Sample
1284300	BET	7	624696	6962958	7/12/2012	10:10:00 AM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Rocky	Coarse
1286352	BET	7	624696	6963007	7/12/2012	10:24:16 AM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Fine	Rocky
1286353	BET	7	624696	6963058	7/12/2012	10:35:09 AM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	50	C	Poplar	Thin Moss Cover	Excellent	Rocky	Fine
1286354	BET	7	624697	6963108	7/12/2012	10:45:33 AM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	40	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Rocky	Fine
1286355	BET	7	624696	6963157	7/12/2012	11:01:36 AM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Frozen
1286356	BET	7	624697	6963209	7/12/2012	11:39:52 AM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	50	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Rocky	Coarse
1286357	BET	7	624697	6963258	7/12/2012	11:53:30 AM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	60	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Rocky	Mud
1286358	BET	7	624697	6963308	7/12/2012	12:05:15 PM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Partially Frozen
1286359	BET	7	624697	6963359	7/12/2012	12:13:36 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Rocky	Mud
1286360	BET	7	624697	6963407	7/12/2012	12:27:27 PM	JM01	Dark Brown	Sand	Wet	Steep	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky Sample	Rocky Terrain
1286361	BET	7	624697	6963456	7/12/2012	12:52:54 PM	JM01	Dark Brown	Clay	Damp	Steep	60	B	Black Spruce	Thin Moss Cover	Good	Rocky Terrain	Rocky
1286362	BET	7	624697	6963509	7/12/2012	1:03:01 PM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Rocky
1286363	BET	7	624696	6963559	7/12/2012	1:11:29 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Mud
1286364	BET	7	624696	6963609	7/12/2012	1:18:53 PM	JM01	Chocolate Brown	Clay	Damp	Subtle Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Rusty Rock Chip
1286365	BET	7	624697	6963658	7/12/2012	1:30:02 PM	JM01	Chocolate Brown	Clay	Damp	Subtle Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Rocky	Coarse
1286366	BET	7	624696	6963708	7/12/2012	1:43:36 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	40	B	Black Spruce	Thin Moss Cover	Good	Rocky	Mud
1286367	BET	7	624697	6963758	7/12/2012	2:00:21 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	50	B	Poplar	Thin Moss Cover	Good	Rocky Sample	Rocky
1286368	BET	7	624696	6963808	7/12/2012	2:12:00 PM	JM01	Dark Brown	Gravel	Damp	Steep	50	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Rusty Rock Chip
1286369	BET	7	624697	6963858	7/12/2012	2:23:03 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1286370	BET	7	624696	6963906	7/12/2012	2:35:53 PM	JM01	Greyish Green	Sand	Dry	Pronounced Slope	40	C	Poplar	Thin Moss Cover	Excellent	Fine	Rocky
1286371	BET	7	624696	6963958	7/12/2012	2:50:18 PM	JM01	Dark Brown	Sand	Damp	Pronounced Slope	50	B	White Spruce	Sphagnum Moss < 30cm	Good	Fine	Rocky
1286372	BET	7	624697	6964007	7/12/2012	3:01:08 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Rocky
1286373	BET	7	624696	6964058	7/12/2012	3:10:29 PM	JM01	Reddish Brown	Gravel	Damp	Pronounced Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Rusty Rock Chip	Coarse
1286374	BET	7	624696	6964108	7/12/2012	3:22:20 PM	JM01	Chocolate Brown	Gravel	Damp	Subtle Slope	40	C	Poplar	Thin Moss Cover	Excellent	Rocky	Coarse
1286377	BET	7	624697	6964158	7/12/2012	3:34:45 PM	JM01	Dark Brown	Sand	Damp	Steep	50	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Fine	Outcrop Nearby
1286378	BET	7	624697	6964206	7/12/2012	3:44:40 PM	JM01	Chocolate Brown	Gravel	Damp	Steep	50	C	White Spruce	Reindeer Moss	Excellent	Quartz Chips	Rusty Rock Chip
1286379	BET	7	624697	6964258	7/12/2012	3:54:49 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Rocky	Coarse
1286375	BET	7	624697	6964307	7/12/2012	4:04:17 PM	JM01	Reddish Brown	Gravel	Damp	Pronounced Slope	100	C	White Spruce	Reindeer Moss	Excellent	Bright Orange Rust	Rusty Rock Chip
1286376	BET	7	624697	6964307	7/12/2012	4:15:02 PM	JM01	Reddish Brown	Gravel	Damp	Pronounced Slope	70	C	White Spruce	Reindeer Moss	Excellent	Bright Orange Rust	Rusty Rock Chip
1286380	BET	7	624696	6964358	7/12/2012	4:25:27 PM	JM01	Dark Brown	Gravel	Damp	Pronounced Slope	50	C	White Spruce	Reindeer Moss	Excellent	Rocky	Coarse
1286381	BET	7	624695	6964408	7/12/2012	4:34:51 PM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Rocky	Bright Orange Rust
1296702	BET	7	626097	6962956	7/12/2012	9:41:46 AM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Good	Rocky	
1296703	BET	7	626097	6963006	7/12/2012	9:56:19 AM	JS01	Dark Brown	Sand	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Good	Fine	Rocky
1296704	BET	7	626097	6963055	7/12/2012	10:10:18 AM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Good	Fine	Rocky
1296705	BET	7	626097	6963107	7/12/2012	10:23:47 AM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Poplar	Grass Cover	Poor	Rocky Terrain	
1296706	BET	7	626097	6963156	7/12/2012	10:38:15 AM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	70	B	Poplar	Leaf Cover	Good	Coarse	Rocky
1296707	BET	7	626095	6963208	7/12/2012	10:55:44 AM	JS01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	Rocky
1296708	BET	7	626097	6963306	7/12/2012	11:23:50 AM	JS01	Dark Brown	Silt	Damp	Steep	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky Sample	Rocky Terrain
1296709	BET	7	626097	6963357	7/12/2012	11:37:46 AM	JS01	Dark Brown	Silt	Damp	Subtle Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Bright Orange Rust	Partially Frozen
1296710	BET	7	626098	6963408	7/12/2012	12:06:09 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Grass Cover	Good	Rocky	
1296711	BET	7	626096	6963457	7/12/2012	12:21:13 PM	JS01	Light Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Good	Fine	Rocky
1296712	BET	7	626097	6963506	7/12/2012	12:39:44 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent	Rocky	
1296713	BET	7	626096	6963558	7/12/2012	12:52:37 PM	JS01	Light Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent	Rocky	
1296714	BET	7	626096	6963607	7/12/2012	1:07:57 PM	JS01	Light Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Good	Rocky	
1296715	BET	7	626097	6963657	7/12/2012	1:24:04 PM	JS01	Light Brown	Silt	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Good	Coarse	Rocky
1296716	BET	7	626097	6963705	7/12/2012	1:52:38 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent	Rocky	
1296717	BET	7	626097	6963756	7/12/2012	2:08:02 PM	JS01	Grey	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Good	Coarse	Rocky Sample
1296718	BET	7	626098	6963806	7/12/2012	2:19:44 PM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	30	B	Poplar	Leaf Cover	Poor	Rocky	
1296719	BET	7	626096	6963856	7/12/2012	2:30:34 PM	JS01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Sphagnum Moss < 30cm	Good	Rocky	
1296720	BET	7	626097	6963905	7/12/2012	2:49:16 PM	JS01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky Terrain	
1296721	BET	7	626097	6963956	7/12/2012	3:01:07 PM	JS01	Grey	Sand	Damp	Steep	70	C	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Rocky
1296722	BET	7	626097	6964005	7/12/2012	3:11:10 PM	JS01	Dark Grey Black	Silt	Damp	Steep	70	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Bright Orange Rust	Possible Creek Contamination
1296723	BET	7	626098	6964057	7/12/2012	3:23:32 PM	JS01	Dark Grey Black	Silt	Damp	Steep	90	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Possible Creek Contamination	Partially Frozen
1296724	BET	7	626097	6964105	7/12/2012	3:32:32 PM	JS01	Grey	Silt	Damp	Steep	70	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky	Bright Orange Rust
1296725	BET	7	626099	6964156	7/12/2012	3:42:42 PM	JS01	Dark Grey Black	Silt	Damp	Steep	70	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Bright Orange Rust	Rocky
1296726	BET	7	626100	6964154	7/12/2012	3:47:46 PM	JS01	Grey	Silt	Damp	Steep	70	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Bright Orange Rust	Rocky
1296727	BET	7	626098	6964206	7/12/2012	3:55:36 PM	JS01	Grey	Silt	Damp	Steep	70	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Bright Orange Rust	Rocky
1296728	BET	7	626097	6964255	7/12/2012	4:03:58 PM	JS01	Dark Brown	Silt	Damp	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Bright Orange Rust	Rocky

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1296729	BET	7	626097	6964306	7/12/2012	4:16:04 PM	JS01	Dark Brown	Silt	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	Rocky
1296730	BET	7	626097	6964356	7/12/2012	4:30:44 PM	JS01	Dark Brown	Silt	Damp	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	Bright Orange Rust
1286258	BET	7	625097	6962957	7/12/2012	10:04:35 AM	KH01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Poplar	Grass Cover	Good	Coarse	Rocky
1286259	BET	7	625097	6963007	7/12/2012	10:15:54 AM	KH01	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	White Spruce	Reindeer Moss	Good	Rocky	
1286260	BET	7	625097	6963058	7/12/2012	10:33:20 AM	KH01	Chocolate Brown	Gravel	Damp	Subtle Slope	60	B	Alders	Sphagnum Moss < 30cm	Good	Rocky	Quartz Chips
1286261	BET	7	625097	6963108	7/12/2012	10:53:57 AM	KH01	Reddish Brown	Sand	Damp	Pronounced Slope	100	C	Alders	Rock Cover	Excellent	Bright Orange Rust	Quartz Chips
1286262	BET	7	625097	6963207	7/12/2012	11:26:09 AM	KH01	Chocolate Brown	Gravel	Damp	Steep	70	C	Alders	Sphagnum Moss < 30cm	Good	Rocky	
1286263	BET	7	625097	6963307	7/12/2012	11:53:02 AM	KH01	Chocolate Brown	Gravel	Dry	Steep	80	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	Organic 50%
1286264	BET	7	625096	6963407	7/12/2012	12:18:27 PM	KH01	Chocolate Brown	Sand	Wet	Pronounced Slope	80	C	Alders	Sphagnum Moss < 30cm	Good	Mud	Rocky
1286265	BET	7	625096	6963458	7/12/2012	12:25:58 PM	KH01	Chocolate Brown	Sand	Wet	Subtle Slope	60	C	Alders	Sphagnum Moss < 30cm	Good	Mud	Rocky
1286303	BET	7	625097	6963508	7/12/2012	12:38:48 PM	KH01	Chocolate Brown	Sand	Wet	Flat	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Mud	Rocky
1286304	BET	7	625097	6963559	7/12/2012	12:47:35 PM	KH01	Reddish Brown	Gravel	Dry	Steep	60	C	Poplar	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Quartz Chips
1286305	BET	7	625097	6963609	7/12/2012	1:09:31 PM	KH01	Chocolate Brown	Gravel	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1286293	BET	7	625096	6963758	7/12/2012	1:49:35 PM	KH01	Chocolate Brown	Gravel	Wet	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1286314	BET	7	625096	6963807	7/12/2012	2:02:59 PM	KH01	Chocolate Brown	Gravel	Wet	Pronounced Slope	60	C	White Spruce	Reindeer Moss	Good	Rocky	
1286313	BET	7	625097	6963858	7/12/2012	2:13:24 PM	KH01	Chocolate Brown	Gravel	Wet	Pronounced Slope	50	B	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1286312	BET	7	625097	6963908	7/12/2012	2:24:34 PM	KH01	Chocolate Brown	Gravel	Damp	Pronounced Slope	70	C	White Spruce	Reindeer Moss	Good	Rocky	
1286311	BET	7	625098	6963958	7/12/2012	2:36:57 PM	KH01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	White Spruce	Reindeer Moss	Good	Coarse	Rocky
1286310	BET	7	625096	6964007	7/12/2012	2:47:35 PM	KH01	Chocolate Brown	Gravel	Wet	Pronounced Slope	60	C	White Spruce	Reindeer Moss	Good	Mud	
1286309	BET	7	625097	6964058	7/12/2012	2:57:28 PM	KH01	Dark Grey Black	Sand	Damp	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Good	Frozen	Organic 10%
1286307	BET	7	625097	6964108	7/12/2012	2:58:46 PM	KH01	Chocolate Brown	Sand	Wet	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Mud	Frozen
1286308	BET	7	625097	6964158	7/12/2012	3:18:47 PM	KH01	Dark Grey Black	Sand	Damp	Pronounced Slope	70	B	White Spruce	Reindeer Moss	Good	Frozen	Organic 10%
1286306	BET	7	625097	6964207	7/12/2012	3:35:32 PM	KH01	Chocolate Brown	Sand	Wet	Pronounced Slope	60	B	White Spruce	Sphagnum Moss < 30cm	Good	Mud	Rocky
1286302	BET	7	625097	6964258	7/12/2012	3:45:28 PM	KH01	Chocolate Brown	Sand	Wet	Steep	80	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1286300	BET	7	625098	6964308	7/12/2012	3:55:17 PM	KH01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1286299	BET	7	625097	6964359	7/12/2012	4:04:56 PM	KH01	Reddish Brown	Sand	Damp	Pronounced Slope	80	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Rocky
1286298	BET	7	625097	6964408	7/12/2012	4:17:21 PM	KH01	Dark Brown	Sand	Damp	Steep	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Quartz Chips
1286297	BET	7	625096	6964459	7/12/2012	4:29:05 PM	KH01	Dark Brown	Sand	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1286296	BET	7	625097	6964508	7/12/2012	4:41:24 PM	KH01	Dark Brown	Sand	Damp	Steep	50	B	White Spruce	Sphagnum Moss < 30cm	Good	Frozen	Rocky
1286295	BET	7	625097	6964557	7/12/2012	4:55:09 PM	KH01	Dark Brown	Sand	Damp	Pronounced Slope	60	B	Alders	Leaf Cover	Good	Bright Orange Rust	Rocky
1296817	BET	7	625896	6962957	7/12/2012	8:31:07 AM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	B	Poplar	Grass Cover	Good	Fine	
1296818	BET	7	625897	6963007	7/12/2012	9:54:16 AM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Good	Fine	
1296819	BET	7	625897	6963057	7/12/2012	10:10:00 AM	MT01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Rocky	
1296820	BET	7	625897	6963108	7/12/2012	10:21:14 AM	MT01	Reddish Brown	Sand	Dry	Subtle Slope	60	C	Poplar	Leaf Cover	Good	Rocky	
1296821	BET	7	625896	6963157	7/12/2012	10:33:17 AM	MT01	Dark Brown	Gravel	Damp	Subtle Slope	100	C	Poplar	Sphagnum Moss < 30cm	Good	Clay	
1296822	BET	7	625897	6963208	7/12/2012	10:56:38 AM	MT01	Chocolate Brown	Clay	Damp	Pronounced Slope	40	B	Black Spruce	Thin Moss Cover	Good	Rocky Terrain	
1296823	BET	7	625897	6963258	7/12/2012	10:59:58 AM	MT01	Dark Grey Black	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Frozen	Rocky
1296824	BET	7	625897	6963307	7/12/2012	11:33:21 AM	MT01	Dark Brown	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	
1296827	BET	7	625897	6963358	7/12/2012	11:55:45 AM	MT01	Dark Brown	Gravel	Wet	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	Rocky
1296828	BET	7	625897	6963408	7/12/2012	12:11:49 PM	MT01	Dark Brown	Silt	Wet	Pronounced Slope	70	B	Birch Forest	Leaf Cover	Good	Mud	Possible Creek Contamination
1296825	BET	7	625896	6963457	7/12/2012	12:27:37 PM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent	Rocky	
1296826	BET	7	625896	6963457	7/12/2012	12:35:29 PM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Grass Cover	Excellent	Rocky	
1296829	BET	7	625896	6963509	7/12/2012	12:49:44 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Good	Clay	
1296830	BET	7	625896	6963557	7/12/2012	1:00:08 PM	MT01	Light Brown	Sand	Dry	Pronounced Slope	90	C	Poplar	Grass Cover	Excellent		
1296831	BET	7	625896	6963608	7/12/2012	1:12:32 PM	MT01	Reddish Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Excellent		
1296832	BET	7	625897	6963657	7/12/2012	1:26:50 PM	MT01	Reddish Brown	Sand	Dry	Subtle Slope	60	C	Poplar	Leaf Cover	Good	Rocky	
1296833	BET	7	625897	6963707	7/12/2012	1:37:41 PM	MT01	Reddish Brown	Sand	Dry	Subtle Slope	50	C	Poplar	Grass Cover	Good		
1296834	BET	7	625897	6963756	7/12/2012	2:07:46 PM	MT01	Chocolate Brown	Gravel	Damp	Subtle Slope	40	B	Black Spruce	Thin Moss Cover	Good	Clay	Bright Orange Rust
1296835	BET	7	625897	6963806	7/12/2012	2:18:12 PM	MT01	Chocolate Brown	Gravel	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Clay	
1296836	BET	7	625897	6963857	7/12/2012	2:29:40 PM	MT01	Dark Grey Black	Sand	Wet	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Bright Orange Rust
1296837	BET	7	625898	6963907	7/12/2012	2:45:46 PM	MT01	Dark Grey Black	Sand	Wet	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Bright Orange Rust
1296838	BET	7	625897	6963956	7/12/2012	2:59:53 PM	MT01	Dark Grey Black	Sand	Wet	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky	Partially Frozen
1296839	BET	7	625897	6964006	7/12/2012	3:11:40 PM	MT01	Dark Brown	Sand	Damp	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	Bright Orange Rust
1296840	BET	7	625897	6964055	7/12/2012	3:22:35 PM	MT01	Dark Brown	Sand	Damp	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Partially Frozen
1296841	BET	7	625898	6964106	7/12/2012	3:41:40 PM	MT01	Dark Brown	Sand	Damp	Pronounced Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Quartz Chips
1296842	BET	7	625897	6964156	7/12/2012	3:57:28 PM	MT01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	Bright Orange Rust
1296843	BET	7	625897	6964206	7/12/2012	4:11:11 PM	MT01	Dark Brown	Sand	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1296844	BET	7	625898	6964256	7/12/2012	4:23:58 PM	MT01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1296845	BET	7	625897	6964307	7/12/2012	4:36:25 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Clay	Rocky Terrain
1296846	BET	7	625897	6964356	7/12/2012	4:46:44 PM	MT01	Dark Grey Black	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	Rocky
1296847	BET	7	625896	6964407	7/12/2012	5:04:27 PM	MT01	Chocolate Brown	Sand	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	Possible Creek Contamination
1271818	BET	7	619599	6963709	7/12/2012	9:49:35 AM	RF02	Dark Grey Black	Clay	Wet	Pronounced Slope	30	B	No Tree Cover	Sphagnum Moss > 30cm	Poor	Frozen	
1271819	BET	7	619597	6963758	7/12/2012	10:14:59 AM	RF02	Dark Brown	Clay	Damp	Pronounced Slope	40	B	Alders	Sphagnum Moss < 30cm	Poor		
1271820	BET	7	619599	6963807	7/12/2012	10:36:29 AM	RF02	Chocolate Brown	Gravel	Damp	Pronounced Slope	60	B	Poplar	Sphagnum Moss < 30cm	Poor	Organic 10%	Rocky Sample
1271821	BET	7	619596	6963859	7/12/2012	10:54:57 AM	RF02	Dark Grey Black	Clay	Damp	Pronounced Slope	60	B	Dwarf Birch	Sphagnum Moss > 30cm	Poor		
1271822	BET	7	619597	6963909	7/12/2012	11:15:20 AM	RF02	Chocolate Brown	Clay	Damp	Pronounced Slope	80	B	Birch Forest	Sphagnum Moss < 30cm	Good		
1271823	BET	7	619598	6963958	7/12/2012	11:28:08 AM	RF02	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Poor		
1271824	BET	7	619597	6964007	7/12/2012	11:44:26 AM	RF02	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Poor		
1271825	BET	7	619597	6964007	7/12/2012	11:45:21 AM	RF02	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Poor		
1271826	BET	7	619598	6964058	7/12/2012	12:12:54 PM	RF02	Dark Brown	Clay	Damp	Pronounced Slope	50	B	Poplar	Sphagnum Moss < 30cm	Poor		
1271827	BET	7	619597	6964108	7/12/2012	12:29:36 PM	RF02	Chocolate Brown	Clay	Dry	Pronounced Slope	50	B	Poplar	Sphagnum Moss < 30cm	Poor	Organic 10%	
1271828	BET	7	619596	6964159	7/12/2012	12:44:53 PM	RF02	Chocolate Brown	Clay	Dry	Pronounced Slope	40	B	Alders	Sphagnum Moss < 30cm	Poor		
1271829	BET	7	619598	6964208	7/12/2012	12:56:56 PM	RF02	Chocolate Brown	Clay	Damp	Pronounced Slope	70	B	Birch Forest	Grass Cover	Good		
1271830	BET	7	619596	6964261	7/12/2012	1:17:12 PM	RF02	Chocolate Brown	Clay	Dry	Pronounced Slope	40	B	Poplar	Sphagnum Moss < 30cm	Poor		
1271831	BET	7	619597	6964309	7/12/2012	1:38:14 PM	RF02	Dark Brown	Clay	Dry	Pronounced Slope	40	B	Poplar	Sphagnum Moss < 30cm	Poor	Rocky	
1271832	BET	7	619597	6964360	7/12/2012	2:02:23 PM	RF02	Dark Brown	Clay	Damp	Pronounced Slope	40	B	Poplar	Sphagnum Moss < 30cm	Poor	Organic 10%	
1271834	BET	7	619594	6964457	7/12/2012	2:38:10 PM	RF02	Chocolate Brown	Clay	Damp	Pronounced Slope	40	B	Poplar	Sphagnum Moss < 30cm	Poor		
1271835	BET	7	619596	6964506	7/12/2012	2:55:06 PM	RF02	Dark Brown	Clay	Damp	Pronounced Slope	50	B	Poplar	Sphagnum Moss < 30cm	Good		
1271836	BET	7	619595	6964558	7/12/2012	3:12:36 PM	RF02	Dark Brown	Clay	Damp	Pronounced Slope	40	B	Poplar	Sphagnum Moss < 30cm	Poor	Organic 10%	
1271837	BET	7	619596	6964606	7/12/2012	3:23:32 PM	RF02	Dark Grey Black	Clay	Damp	Pronounced Slope	60	B	Alders	Sphagnum Moss < 30cm	Good		
1271838	BET	7	619596	6964659	7/12/2012	3:38:01 PM	RF02	Dark Brown	Clay	Damp	Subtle Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good		
1271839	BET	7	619595	6964707	7/12/2012	3:50:30 PM	RF02	Dark Brown	Clay	Damp	Subtle Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good		
1271840	BET	7	619596	6964757	7/12/2012	4:07:01 PM	RF02	Dark Brown	Clay	Damp	Pronounced Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Poor		
1271841	BET	7	619596	6964805	7/12/2012	4:18:14 PM	RF02	Chocolate Brown	Clay	Damp	Subtle Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good		

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1271842	BET	7	619596	6964857	7/12/2012	4:27:39 PM	RF02	Chocolate Brown	Clay	Damp	Subtle Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Quartz Chips	
1271843	BET	7	619594	6964908	7/12/2012	4:36:37 PM	RF02	Dark Brown	Silt	Dry	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good		
1271844	BET	7	619595	6964957	7/12/2012	4:47:00 PM	RF02	Dark Brown	Clay	Damp	Subtle Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Poor		
1271845	BET	7	619596	6965006	7/12/2012	4:56:14 PM	RF02	Chocolate Brown	Silt	Dry	Subtle Slope	50	C	Poplar	Sphagnum Moss < 30cm	Good		
1271846	BET	7	619597	6965057	7/12/2012	5:04:44 PM	RF02	Dark Brown	Clay	Dry	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good		
1271847	BET	7	619596	6965106	7/12/2012	5:14:05 PM	RF02	Dark Brown	Silt	Damp	Pronounced Slope	60	C	Poplar	Sphagnum Moss < 30cm	Good		
1284389	BET	7	624896	6962957	7/12/2012	10:03:46 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Coarse	Bright Orange Rust
1284390	BET	7	624897	6963008	7/12/2012	10:12:58 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1284391	BET	7	624903	6963066	7/12/2012	10:32:52 AM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	30	B	Dwarf Birch	Reindeer Moss	Good	Coarse	Rocky
1284392	BET	7	624890	6963119	7/12/2012	10:43:02 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Dwarf Birch	Reindeer Moss	Good	Coarse	Rocky
1284393	BET	7	624897	6963157	7/12/2012	10:52:15 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Dwarf Birch	Reindeer Moss	Good	Bright Orange Rust	Quartz Chips
1284394	BET	7	624897	6963208	7/12/2012	11:04:27 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Dwarf Birch	Reindeer Moss	Excellent	Coarse	Rocky
1284395	BET	7	624897	6963308	7/12/2012	11:23:03 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1284396	BET	7	624893	6963350	7/12/2012	11:35:38 AM	RL02	Dark Grey Black	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Coarse	Partially Frozen
1284397	BET	7	624897	6963407	7/12/2012	11:47:09 AM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1284398	BET	7	624897	6963458	7/12/2012	12:04:21 PM	RL02	Dark Grey Black	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Coarse	Partially Frozen
1284399	BET	7	624887	6963508	7/12/2012	12:23:05 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Bright Orange Rust
1284400	BET	7	624897	6963558	7/12/2012	12:32:16 PM	RL02	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1286452	BET	7	624897	6963608	7/12/2012	12:41:48 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1286453	BET	7	624896	6963659	7/12/2012	12:56:52 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Birch Forest	Leaf Cover	Excellent	Coarse	Rocky
1286454	BET	7	624897	6963708	7/12/2012	1:06:58 PM	RL02	Grey	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1286455	BET	7	624897	6963758	7/12/2012	1:14:50 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1286456	BET	7	624897	6963807	7/12/2012	1:23:21 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Partially Frozen
1286457	BET	7	624897	6963858	7/12/2012	1:33:24 PM	RL02	Chocolate Brown	Sand	Wet	Pronounced Slope	50	C	Willows	Sphagnum Moss < 30cm	Good	Coarse	Partially Frozen
1286458	BET	7	624887	6963906	7/12/2012	1:47:26 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Dwarf Birch	Sphagnum Moss < 30cm	Good	Coarse	
1286459	BET	7	624898	6963955	7/12/2012	2:14:06 PM	RL02	Dark Brown	Sand	Wet	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	
1286460	BET	7	624896	6964006	7/12/2012	2:32:22 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	40	C	Birch Forest	Leaf Cover	Good	Rocky	Rocky Sample
1284375	BET	7	624896	6964056	7/12/2012	2:43:44 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	80	C	Birch Forest	Leaf Cover	Excellent	Coarse	Rocky
1284376	BET	7	624896	6964056	7/12/2012	2:45:26 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	80	C	Birch Forest	Leaf Cover	Excellent	Coarse	Rocky
1286461	BET	7	624897	6964106	7/12/2012	2:59:22 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	80	C	Birch Forest	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1286462	BET	7	624884	6964154	7/12/2012	3:10:49 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	Dull Red Rust
1286463	BET	7	624897	6964206	7/12/2012	3:23:59 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Leaf Cover	Good	Bright Orange Rust	Dull Red Rust
1286464	BET	7	624897	6964257	7/12/2012	3:33:51 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Partially Frozen
1286465	BET	7	624897	6964306	7/12/2012	3:43:38 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Partially Frozen
1286466	BET	7	624896	6964357	7/12/2012	3:53:57 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Reindeer Moss	Excellent	Coarse	Bright Orange Rust
1286467	BET	7	624896	6964406	7/12/2012	4:03:42 PM	RL02	Dark Grey Black	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Sandy	Bright Orange Rust
1286468	BET	7	624797	6964407	7/12/2012	4:31:12 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	90	C	White Spruce	Reindeer Moss	Excellent	Coarse	Bright Orange Rust
1286469	BET	7	624797	6964357	7/12/2012	4:41:12 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	White Spruce	Thin Moss Cover	Excellent	Coarse	
1286470	BET	7	624797	6964308	7/12/2012	4:49:17 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	White Spruce	Thin Moss Cover	Excellent	Coarse	Dull Red Rust
1286471	BET	7	624797	6964257	7/12/2012	4:56:59 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	110	C	White Spruce	Thin Moss Cover	Excellent	Bright Orange Rust	Coarse
1286472	BET	7	624798	6964217	7/12/2012	5:05:16 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1284435	BET	7	624997	6962959	7/12/2012	10:15:02 AM	RM01	Chocolate Brown	Clay	Damp	Pronounced Slope	60	C	Poplar	Reindeer Moss	Good	Coarse	
1284436	BET	7	624997	6963009	7/12/2012	10:29:13 AM	RM01	Chocolate Brown	Clay	Damp	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1284437	BET	7	624997	6963059	7/12/2012	10:40:33 AM	RM01	Chocolate Brown	Clay	Damp	Subtle Slope	70	C	Poplar	Reindeer Moss	Good	Coarse	
1284438	BET	7	624997	6963110	7/12/2012	11:00:40 AM	RM01	Chocolate Brown	Clay	Damp	Subtle Slope	50	B	Alders	Reindeer Moss	Poor	Coarse	Organic 25%
1284439	BET	7	624997	6963161	7/12/2012	11:10:20 AM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	C	Alders	Reindeer Moss	Good	Coarse	
1284440	BET	7	624997	6963260	7/12/2012	11:38:52 AM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Alders	Reindeer Moss	Good	Coarse	Mud
1284449	BET	7	624997	6963309	7/12/2012	12:08:44 PM	RM01	Chocolate Brown	Sand	Damp	Subtle Slope	50	B	Alders	Reindeer Moss	Poor	Coarse	Rocky
1284441	BET	7	624998	6963359	7/12/2012	12:22:34 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Alders	Reindeer Moss	Poor	Coarse	Rocky
1284442	BET	7	624997	6963409	7/12/2012	12:33:47 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Reindeer Moss	Good	Coarse	
1284443	BET	7	624997	6963459	7/12/2012	12:44:03 PM	RM01	Chocolate Brown	Sand	Wet	Subtle Slope	70	C	Alders	Reindeer Moss	Good	Coarse	Mud
1284444	BET	7	624997	6963509	7/12/2012	12:56:08 PM	RM01	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	Alders	Sphagnum Moss < 30cm	Good	Coarse	
1284445	BET	7	624997	6963559	7/12/2012	1:08:47 PM	RM01	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Poplar	Reindeer Moss	Good	Coarse	Rocky
1284446	BET	7	624996	6963611	7/12/2012	1:19:57 PM	RM01	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Birch Forest	Reindeer Moss	Good	Coarse	Rocky
1284447	BET	7	624997	6963657	7/12/2012	1:36:54 PM	RM01	Chocolate Brown	Sand	Damp	Subtle Slope	60	B	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Organic 25%
1284448	BET	7	624997	6963706	7/12/2012	1:45:03 PM	RM01	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Black Spruce	Reindeer Moss	Good	Coarse	
1284452	BET	7	624996	6963757	7/12/2012	1:54:40 PM	RM01	Chocolate Brown	Sand	Wet	Subtle Slope	60	C	Black Spruce	Reindeer Moss	Good	Coarse	Mud
1284453	BET	7	624997	6963807	7/12/2012	2:12:42 PM	RM01	Chocolate Brown	Sand	Wet	Pronounced Slope	50	C	Black Spruce	Reindeer Moss	Good	Coarse	
1284454	BET	7	624997	6963857	7/12/2012	2:25:30 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Coarse	Organic 10%
1284455	BET	7	624997	6963956	7/12/2012	2:47:21 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Reindeer Moss	Good	Coarse	
1284456	BET	7	624997	6964007	7/12/2012	2:58:40 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Reindeer Moss	Good	Coarse	
1284457	BET	7	624997	6964057	7/12/2012	3:14:24 PM	RM01	Chocolate Brown	Sand	Damp	Steep	60	C	Black Spruce	Reindeer Moss	Good	Coarse	Organic 10%
1284458	BET	7	624997	6964107	7/12/2012	3:27:49 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Black Spruce	Thin Moss Cover	Good	Coarse	
1284459	BET	7	624997	6964158	7/12/2012	3:44:03 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1284460	BET	7	624997	6964207	7/12/2012	3:56:08 PM	RM01	Grey	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	
1284461	BET	7	624996	6964258	7/12/2012	4:06:13 PM	RM01	Chocolate Brown	Silt	Damp	Steep	80	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1284462	BET	7	624997	6964358	7/12/2012	4:29:22 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	Organic 50%
1284463	BET	7	624996	6964407	7/12/2012	4:40:25 PM	RM01	Chocolate Brown	Sand	Damp	Steep	70	C	Black Spruce	Reindeer Moss	Good	Coarse	
1296648	BET	7	625996	6962958	7/12/2012	9:35:29 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	B	Poplar	Grass Cover	Good	Coarse	Rocky
1296649	BET	7	625997	6963008	7/12/2012	9:50:23 AM	RR01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Poplar	Bare Soil	Good	Rocky	
1296650	BET	7	625997	6963058	7/12/2012	10:02:29 AM	RR01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Poplar	Grass Cover	Good	Sandy	
1296652	BET	7	625997	6963108	7/12/2012	10:17:58 AM	RR01	Chocolate Brown	Gravel	Dry	Pronounced Slope	40	B	Poplar	Grass Cover	Good	Coarse	Rocky
1296653	BET	7	625998	6963159	7/12/2012	10:35:20 AM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Rocky	
1296654	BET	7	625998	6963209	7/12/2012	10:57:39 AM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Sandy
1296655	BET	7	625998	6963309	7/12/2012	11:28:00 AM	RR01	Chocolate Brown	Gravel	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Coarse	Sandy
1296656	BET	7	625996	6963408	7/12/2012	11:56:42 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	30	B	Poplar	Grass Cover	Good	Coarse	
1296657	BET	7	625998	6963458	7/12/2012	12:09:32 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	30	B	Poplar	Bare Soil	Good	Coarse	Top Layer
1296658	BET	7	625996	6963509	7/12/2012	12:28:19 PM	RR01	Chocolate Brown	Gravel	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Good	Coarse	Rocky
1296659	BET	7	625998	6963559	7/12/2012	12:39:33 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Grass Cover	Excellent	Coarse	Rocky
1296660	BET	7	625996	6963609	7/12/2012	12:52:58 PM	RR01	Chocolate Brown	Gravel	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Good	Rocky Sample	
1296661	BET	7	625997	6963658	7/12/2012	1:30:03 PM	RR01	Chocolate Brown	Gravel	Dry	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Coarse	Rocky
1296662	BET	7	625995	6963707	7/12/2012	1:44:31 PM	RR01	Chocolate Brown	Silt	Dry	Subtle Slope	50	B	Poplar	Leaf Cover	Good	Coarse	Rocky
1296663	BET	7	625996	6963758	7/12/2012	2:05:11 PM	RR01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Poplar	Sphagnum Moss < 30cm	Good	Rocky	
1296664	BET	7	625996	6963808	7/12/2012	2:29:22 PM	RR01	Chocolate Brown	Gravel	Damp	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Rocky	

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1296665	BET	7	625997	6963856	7/12/2012	2:43:39 PM	RR01	Chocolate Brown	Gravel	Damp	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Rocky Sample	Rocky
1296666	BET	7	625995	6963907	7/12/2012	2:59:17 PM	RR01	Chocolate Brown	Gravel	Damp	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Rocky	
1296667	BET	7	625996	6963958	7/12/2012	3:07:35 PM	RR01	Grey	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss > 30cm	Excellent	Coarse	
1296668	BET	7	625996	6964007	7/12/2012	3:16:40 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Reindeer Moss	Good	Coarse	
1296669	BET	7	625996	6964057	7/12/2012	3:27:03 PM	RR01	Chocolate Brown	Gravel	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Good	Rocky	Sandy
1296670	BET	7	625996	6964107	7/12/2012	3:38:04 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Sandy
1296675	BET	7	625996	6964159	7/12/2012	3:48:50 PM	RR01	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Reindeer Moss	Excellent	Coarse	
1296676	BET	7	625996	6964159	7/12/2012	3:57:58 PM	RR01	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Reindeer Moss	Excellent	Coarse	
1296671	BET	7	625998	6964207	7/12/2012	4:10:17 PM	RR01	Chocolate Brown	Sand	Wet	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Coarse	Rocky
1296672	BET	7	625996	6964257	7/12/2012	4:21:30 PM	RR01	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Reindeer Moss	Excellent	Coarse	
1296673	BET	7	625997	6964308	7/12/2012	4:34:55 PM	RR01	Dark Brown	Sand	Wet	Pronounced Slope	40	C	Black Spruce	Reindeer Moss	Good	Coarse	Partially Frozen
1296674	BET	7	625997	6964357	7/12/2012	4:48:14 PM	RR01	Grey	Silt	Wet	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Good	Sandy	Frozen
1270728	BET	7	619898	6963708	7/12/2012	10:03:51 AM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Dwarf Birch	Reindeer Moss	Good	Coarse	Rocky Sample
1270729	BET	7	619897	6963758	7/12/2012	10:20:11 AM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Dwarf Birch	Thin Moss Cover	Good	Coarse	Rocky Sample
1270730	BET	7	619897	6963808	7/12/2012	10:40:15 AM	RR02	Dark Brown	Silt	Wet	Pronounced Slope	60	B	Dwarf Birch	Thin Moss Cover	Poor	Organic 25%	Rocky Sample
1270731	BET	7	619897	6963858	7/12/2012	10:55:19 AM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	60	B	Dwarf Birch	Thin Moss Cover	Good	Coarse	
1270732	BET	7	619897	6963908	7/12/2012	11:14:02 AM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	50	B	Dwarf Birch	Thin Moss Cover	Good	Rocky Sample	Small Sample
1270733	BET	7	619897	6963958	7/12/2012	11:42:32 AM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Dwarf Birch	Thin Moss Cover	Poor	Fine	Organic 25%
1270734	BET	7	619897	6964008	7/12/2012	11:55:47 AM	RR02	Chocolate Brown	Sand	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Organic 10%
1270735	BET	7	619897	6964057	7/12/2012	12:12:34 PM	RR02	Reddish Brown	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Thin Moss Cover	Good	Coarse	Rocky Sample
1270736	BET	7	619898	6964108	7/12/2012	12:25:53 PM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	50	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Fine	
1270737	BET	7	619897	6964160	7/12/2012	12:37:17 PM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	80	C	Dwarf Birch	Sphagnum Moss < 30cm	Good	Coarse	
1270738	BET	7	619897	6964208	7/12/2012	12:51:34 PM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	40	B	Dwarf Birch	Thin Moss Cover	Good	Fine	Rocky Sample
1270739	BET	7	619896	6964259	7/12/2012	1:11:22 PM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	60	B	Dwarf Birch	Reindeer Moss	Good	Fine	Small Sample
1270740	BET	7	619897	6964309	7/12/2012	1:41:24 PM	RR02	Reddish Brown	Silt	Damp	Pronounced Slope	40	B	Dwarf Birch	Thin Moss Cover	Good	Fine	
1270741	BET	7	619897	6964358	7/12/2012	1:58:34 PM	RR02	Reddish Brown	Silt	Damp	Pronounced Slope	40	B	Poplar	Reindeer Moss	Good	Fine	Rocky
1270742	BET	7	619897	6964408	7/12/2012	2:14:40 PM	RR02	Reddish Yellow	Silt	Damp	Pronounced Slope	50	B	Poplar	Thin Moss Cover	Good	Fine	
1270743	BET	7	619897	6964459	7/12/2012	2:32:02 PM	RR02	Reddish Brown	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Fine	Rocky Sample
1270744	BET	7	619897	6964506	7/12/2012	2:52:52 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss > 30cm	Good	Fine	Rocky
1270745	BET	7	619897	6964556	7/12/2012	3:13:21 PM	RR02	Chocolate Brown	Sand	Wet	Pronounced Slope	80	C	Black Spruce	Thin Moss Cover	Excellent	Coarse	
1270746	BET	7	619898	6964606	7/12/2012	3:30:50 PM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Rocky Sample
1270747	BET	7	619899	6964656	7/12/2012	3:39:22 PM	RR02	Chocolate Brown	Sand	Wet	Subtle Slope	60	C	Black Spruce	Thin Moss Cover	Good	Fine	Rocky
1270748	BET	7	619897	6964710	7/12/2012	3:50:10 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	40	B	Black Spruce	Thin Moss Cover	Good	Fine	
1270749	BET	7	619897	6964757	7/12/2012	3:57:43 PM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Thin Moss Cover	Excellent	Coarse	
1270750	BET	7	619897	6964807	7/12/2012	4:07:26 PM	RR02	Dark Brown	Silt	Damp	Subtle Slope	40	B	Willows	Sphagnum Moss < 30cm	Poor	Partially Frozen	Rusty Rock Chip
1271753	BET	7	619898	6964907	7/12/2012	4:26:40 PM	RR02	Dark Brown	Silt	Wet	Subtle Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Partially Frozen	
1271752	BET	7	619896	6964958	7/12/2012	4:39:36 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Birch Forest	Leaf Cover	Excellent	Coarse	
1271754	BET	7	619898	6965007	7/12/2012	4:48:08 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	Dwarf Birch	Leaf Cover	Good	Fine	
1271755	BET	7	619899	6965057	7/12/2012	4:55:32 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Birch Forest	Leaf Cover	Excellent	Coarse	
1271756	BET	7	619897	6965107	7/12/2012	5:03:33 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Birch Forest	Leaf Cover	Excellent	Coarse	
1270725	BET	7	619897	6965158	7/12/2012	5:12:35 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	Birch Forest	Leaf Cover	Excellent	Coarse	
1270726	BET	7	619897	6965158	7/12/2012	5:13:18 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	Birch Forest	Leaf Cover	Excellent	Coarse	
1296518	BET	7	625196	6962959	7/12/2012	10:26:29 AM	SC01	Chocolate Brown	Sand	Damp	Subtle Slope	40	B	Poplar	Leaf Cover	Good	Rocky	
1296519	BET	7	625197	6963008	7/12/2012	10:42:31 AM	SC01	Chocolate Brown	Sand	Damp	Subtle Slope	50	B	Poplar	Grass Cover	Good	Rocky	
1296520	BET	7	625197	6963058	7/12/2012	10:54:32 AM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1296521	BET	7	625197	6963157	7/12/2012	11:14:13 AM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	70	B	Alders	Sphagnum Moss < 30cm	Good	Rocky	
1296522	BET	7	625197	6963207	7/12/2012	11:28:41 AM	SC01	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky Terrain	
1296523	BET	7	625198	6963258	7/12/2012	11:39:14 AM	SC01	Dark Brown	Silt	Damp	Pronounced Slope	50	B	Willows	Sphagnum Moss < 30cm	Poor	Rocky	Partially Frozen
1296524	BET	7	625198	6963309	7/12/2012	11:52:49 AM	SC01	Dark Brown	Silt	Damp	Pronounced Slope	90	B	Poplar	Sphagnum Moss < 30cm	Poor	Rocky	
1296525	BET	7	625198	6963358	7/12/2012	12:07:43 PM	SC01	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1296527	BET	7	625197	6963407	7/12/2012	12:22:18 PM	SC01	Chocolate Brown	Silt	Dry	Subtle Slope	50	B	Birch Forest	Leaf Cover	Good	Rocky	
1296528	BET	7	625197	6963458	7/12/2012	12:34:23 PM	SC01	Chocolate Brown	Sand	Dry	Subtle Slope	50	C	Birch Forest	Leaf Cover	Good	Rocky	
1296526	BET	7	625198	6963358	7/12/2012	12:37:10 PM	SC01	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1296529	BET	7	625198	6963508	7/12/2012	12:47:14 PM	SC01	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Good		
1296530	BET	7	625195	6963559	7/12/2012	12:59:27 PM	SC01	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	Poplar	Leaf Cover	Good	Rocky	
1296531	BET	7	625196	6963607	7/12/2012	1:18:50 PM	SC01	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	Poplar	Sphagnum Moss < 30cm	Poor	Rocky	
1296532	BET	7	625196	6963658	7/12/2012	1:32:48 PM	SC01	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Poor	Rocky	Small Sample
1296533	BET	7	625196	6963757	7/12/2012	1:54:44 PM	SC01	Dark Grey Black	Silt	Damp	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Mud	Rocky
1296534	BET	7	625198	6963807	7/12/2012	2:05:05 PM	SC01	Dark Brown	Sand	Dry	Pronounced Slope	60	C	Birch Forest	Grass Cover	Good	Dull Red Rust	Rocky
1296535	BET	7	625196	6963858	7/12/2012	2:17:34 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Birch Forest	Leaf Cover	Good	Rocky	
1296536	BET	7	625197	6963907	7/12/2012	2:26:58 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Reindeer Moss	Good	Rocky	
1296537	BET	7	625197	6963958	7/12/2012	2:41:48 PM	SC01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky	
1296538	BET	7	625197	6964008	7/12/2012	2:54:16 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	30	B	Black Spruce	Reindeer Moss	Good	Rocky	Rocky Terrain
1296539	BET	7	625197	6964058	7/12/2012	3:04:13 PM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	90	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Dull Red Rust
1296540	BET	7	625197	6964107	7/12/2012	3:14:07 PM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1296541	BET	7	625197	6964157	7/12/2012	3:25:09 PM	SC01	Dark Grey Black	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Poor	Partially Frozen	
1296542	BET	7	625195	6964207	7/12/2012	3:40:17 PM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1296543	BET	7	625197	6964256	7/12/2012	3:51:18 PM	SC01	Dark Grey Black	Sand	Wet	Pronounced Slope	50	B	Willows	Reindeer Moss	Good	Partially Frozen	Mud
1296544	BET	7	625197	6964307	7/12/2012	4:02:29 PM	SC01	Dark Grey Black	Sand	Damp	Pronounced Slope	90	B	Alders	Bare Soil	Good	Mud	Dull Red Rust
1296545	BET	7	625196	6964357	7/12/2012	4:14:23 PM	SC01	Reddish Brown	Sand	Dry	Subtle Slope	110	C	Birch Forest	Leaf Cover	Excellent		
1296546	BET	7	625196	6964407	7/12/2012	4:23:27 PM	SC01	Dark Grey Black	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Mud	Partially Frozen
1296547	BET	7	625196	6964457	7/12/2012	4:31:38 PM	SC01	Dark Grey Black	Sand	Damp	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss > 30cm	Good	Dull Red Rust	
1270674	BET	7	619798	6963703	7/12/2012	9:48:07 AM	SD02	Dark Brown	Sand	Wet	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Poor	Rocky	
1270675	BET	7	619796	6963756	7/12/2012	10:26:51 AM	SD02	Dark Brown	Gravel	Damp	Steep	50	B	Dwarf Birch	Reindeer Moss	Poor	Rocky Sample	Rocky
1270676	BET	7	619796	6963756	7/12/2012	10:30:02 AM	SD02	Dark Brown	Gravel	Damp	Steep	50	B	Dwarf Birch	Reindeer Moss	Poor	Rocky Sample	Rocky
1270677	BET	7	619795	6963806	7/12/2012	10:40:28 AM	SD02	Dark Brown	Sand	Damp	Steep	60	B	Dwarf Birch	Sphagnum Moss < 30cm	Poor	Frozen	
1270678	BET	7	619796	6963856	7/12/2012	11:07:08 AM	SD02	Dark Brown	Gravel	Damp	Steep	40	B	Willows	Reindeer Moss	Poor	Rocky	
1270679	BET	7	619797	6963904	7/12/2012	11:18:08 AM	SD02	Dark Brown	Gravel	Damp	Steep	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1270680	BET	7	619795	6964007	7/12/2012	11:46:21 AM	SD02	Dark Brown	Gravel	Damp	Steep	60	C	Dwarf Birch	Sphagnum Moss < 30cm	Good	Rocky	
1270681	BET	7	619794	6964105	7/12/2012	12:17:35 PM	SD02	Dark Brown	Sand	Damp	Steep	50	B	Dwarf Birch	Sphagnum Moss < 30cm	Poor	Frozen	Rocky
1270682	BET	7	619795	6964156	7/12/2012	12:39:57 PM	SD02	Dark Brown	Sand	Damp	Steep	60	B	Alders	Sphagnum Moss < 30cm	Poor	Frozen	Rocky
1270683	BET	7	619797	6964207	7/12/2012	1:02:16 PM	SD02	Chocolate Brown	Gravel	Damp	Steep	40	B	Birch Forest	Reindeer Moss	Good	Rocky	
1270684	BET	7	619796	6964257	7/12/2012	1:13:22 PM	SD02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Willows	Reindeer Moss	Good	Rocky	
1270685	BET	7	619796	6964306	7/12/2012	1:29:37 PM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	30	B	Poplar	Reindeer Moss	Good	Rocky	Coarse

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1270686	BET	7	619796	6964356	7/12/2012	1:51:15 PM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	30	B	Birch Forest	Thin Moss Cover	Good	Quartz Chips	Rocky
1270693	BET	7	619797	6964407	7/12/2012	2:01:51 PM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	40	B	Birch Forest	Reindeer Moss	Good	Rocky	
1270687	BET	7	619796	6964458	7/12/2012	2:13:46 PM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	40	B	White Spruce	Reindeer Moss	Good	Rocky	Quartz Chips
1270688	BET	7	619797	6964506	7/12/2012	2:24:24 PM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Rocky	
1270689	BET	7	619796	6964557	7/12/2012	2:44:34 PM	SD02	Grey	Gravel	Wet	Pronounced Slope	50	C	Willows	Reindeer Moss	Good	Frozen	Quartz Chips
1270690	BET	7	619786	6964609	7/12/2012	2:58:57 PM	SD02	Dark Grey Black	Sand	Damp	Subtle Slope	50	B	Alders	Sphagnum Moss < 30cm	Poor	Bright Orange Rust	Partially Frozen
1270691	BET	7	619795	6964655	7/12/2012	3:08:44 PM	SD02	Dark Brown	Sand	Wet	Subtle Slope	60	B	Alders	Grass Cover	Good	Bright Orange Rust	
1270692	BET	7	619798	6964706	7/12/2012	3:19:20 PM	SD02	Grey	Sand	Damp	Subtle Slope	60	C	Willows	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Partially Frozen
1270694	BET	7	619797	6964756	7/12/2012	3:29:50 PM	SD02	Dark Brown	Sand	Damp	Subtle Slope	40	C	Willows	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Partially Frozen
1270696	BET	7	619796	6964805	7/12/2012	3:36:52 PM	SD02	Reddish Brown	Gravel	Damp	Subtle Slope	70	C	Willows	Sphagnum Moss < 30cm	Excellent	Fine	Bright Orange Rust
1270697	BET	7	619796	6964856	7/12/2012	3:48:56 PM	SD02	Light Brown	Sand	Damp	Subtle Slope	70	C	Alders	Reindeer Moss	Good	Bright Orange Rust	Quartz Chips
1270698	BET	7	619797	6964905	7/12/2012	3:57:33 PM	SD02	Dark Brown	Sand	Damp	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Partially Frozen
1270699	BET	7	619795	6964959	7/12/2012	4:09:01 PM	SD02	Greyish Green	Sand	Damp	Pronounced Slope	40	C	Alders	Reindeer Moss	Good	Frozen	Organic 10%
1270700	BET	7	619797	6965007	7/12/2012	4:17:10 PM	SD02	Grey	Sand	Damp	Subtle Slope	60	C	Willows	Reindeer Moss	Good	Bright Orange Rust	Quartz Chips
1271702	BET	7	619805	6965058	7/12/2012	4:28:54 PM	SD02	Grey	Sand	Damp	Subtle Slope	40	C	Alders	Grass Cover	Good	Partially Frozen	
1271703	BET	7	619796	6965107	7/12/2012	4:37:25 PM	SD02	Greyish Green	Sand	Damp	Subtle Slope	40	C	Birch Forest	Grass Cover	Excellent	Bright Orange Rust	Partially Frozen
1271923	BET	7	619297	6963710	7/13/2012	9:54:17 AM	BH01	Chocolate Brown	Silt	Wet	Steep	70	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	Rocky
1271924	BET	7	619296	6963808	7/13/2012	10:19:45 AM	BH01	Chocolate Brown	Gravel	Wet	Steep	90	B	Black Spruce	Reindeer Moss	Poor	Mud	Rocky Sample
1271927	BET	7	619296	6963858	7/13/2012	10:43:16 AM	BH01	Chocolate Brown	Gravel	Damp	Pronounced Slope	60	B	Alders	Leaf Cover	Good	Rocky Sample	Small Sample
1271928	BET	7	619296	6963910	7/13/2012	11:02:36 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	70	B	Black Spruce	Reindeer Moss	Good	Organic 10%	Rocky
1271929	BET	7	619297	6963959	7/13/2012	11:23:47 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	80	B	Black Spruce	Needle Cover	Good	Organic 25%	Rocky
1271930	BET	7	619297	6964008	7/13/2012	11:36:30 AM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Alders	Reindeer Moss	Good	Rocky	
1271931	BET	7	619297	6964059	7/13/2012	11:55:14 AM	BH01	Chocolate Brown	Silt	Dry	Steep	100	B	Alders	Reindeer Moss	Good	Rocky	Organic 10%
1271932	BET	7	619297	6964108	7/13/2012	12:10:53 PM	BH01	Chocolate Brown	Clay	Damp	Pronounced Slope	100	B	Alders	Reindeer Moss	Good	Rocky	
1271933	BET	7	619298	6964161	7/13/2012	12:29:22 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	B	Alders	Reindeer Moss	Good	Organic 10%	Rocky
1271934	BET	7	619296	6964210	7/13/2012	12:44:38 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	B	Black Spruce	Reindeer Moss	Good	Organic 10%	Rocky
1271925	BET	7	619297	6964258	7/13/2012	12:58:07 PM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	60	B	Black Spruce	Thin Moss Cover	Good	Organic 10%	Rocky
1271926	BET	7	619297	6964258	7/13/2012	1:06:53 PM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	60	B	Black Spruce	Thin Moss Cover	Good	Organic 10%	Rocky
1271935	BET	7	619297	6964309	7/13/2012	1:37:41 PM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	50	B	Alders	Reindeer Moss	Poor	Organic 25%	Rocky
1271936	BET	7	619297	6964360	7/13/2012	1:54:19 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Alders	Reindeer Moss	Good	Rocky	
1271937	BET	7	619295	6964462	7/13/2012	2:23:16 PM	BH01	Dark Brown	Silt	Wet	Pronounced Slope	50	B	Alders	Reindeer Moss	Good	Partially Frozen	Rocky
1271938	BET	7	619296	6964510	7/13/2012	2:46:11 PM	BH01	Chocolate Brown	Gravel	Dry	Pronounced Slope	80	B	Black Spruce	Reindeer Moss	Poor	Rocky Sample	
1271939	BET	7	619296	6964559	7/13/2012	2:58:32 PM	BH01	Dark Brown	Gravel	Damp	Pronounced Slope	60	B	Black Spruce	Reindeer Moss	Poor	Rocky	Small Sample
1271940	BET	7	619297	6964611	7/13/2012	3:14:53 PM	BH01	Dark Brown	Gravel	Wet	Pronounced Slope	70	B	Black Spruce	Reindeer Moss	Poor	Partially Frozen	Rocky Sample
1271941	BET	7	619295	6964654	7/13/2012	3:24:11 PM	BH01	Chocolate Brown	Gravel	Damp	Pronounced Slope	50	B	Alders	Reindeer Moss	Poor	Rocky	Small Sample
1271942	BET	7	619297	6964706	7/13/2012	3:34:54 PM	BH01	Chocolate Brown	Gravel	Dry	Pronounced Slope	70	B	Black Spruce	Reindeer Moss	Poor	Rocky	Small Sample
1271943	BET	7	619294	6964808	7/13/2012	3:52:17 PM	BH01	Chocolate Brown	Gravel	Wet	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Mud	Rocky Sample
1271944	BET	7	619290	6964856	7/13/2012	4:03:16 PM	BH01	Dark Brown	Gravel	Wet	Steep	70	B	Black Spruce	Reindeer Moss	Poor	Partially Frozen	Rocky
1271945	BET	7	619295	6964908	7/13/2012	4:12:14 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	100	B	Black Spruce	Reindeer Moss	Good		
1271946	BET	7	619296	6964956	7/13/2012	4:20:12 PM	BH01	Chocolate Brown	Silt	Dry	Steep	70	B	Black Spruce	Sphagnum Moss > 30cm	Good		
1271947	BET	7	619299	6965009	7/13/2012	4:28:43 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	80	C	Black Spruce	Reindeer Moss	Good		
1271948	BET	7	619298	6965056	7/13/2012	4:38:29 PM	BH01	Chocolate Brown	Gravel	Damp	Pronounced Slope	80	B	Black Spruce	Reindeer Moss	Good	Rocky Sample	Small Sample
1271949	BET	7	619298	6965111	7/13/2012	4:45:07 PM	BH01	Dark Brown	Gravel	Damp	Pronounced Slope	80	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Rocky	
1296939	BET	7	618897	6963658	7/13/2012	9:43:50 AM	CK01	Chocolate Brown	Sand	Damp	Subtle Slope	20	B	No Tree Cover	Reindeer Moss	Good	Fine	Rocky Terrain
1296940	BET	7	618897	6963706	7/13/2012	9:57:00 AM	CK01	Dark Brown	Silt	Damp	Steep	20	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	Rocky Terrain
1296941	BET	7	618897	6963757	7/13/2012	10:12:47 AM	CK01	Dark Brown	Silt	Damp	Steep	40	B	No Tree Cover	Sphagnum Moss < 30cm	Good	Coarse	Rocky Terrain
1296942	BET	7	618897	6963806	7/13/2012	10:30:51 AM	CK01	Dark Brown	Sand	Damp	Steep	50	B	No Tree Cover	Sphagnum Moss < 30cm	Poor	Fine	Partially Frozen
1296943	BET	7	618897	6963857	7/13/2012	10:47:17 AM	CK01	Dark Brown	Sand	Damp	Steep	40	B	Black Spruce	Reindeer Moss	Good	Bright Orange Rust	Partially Frozen
1296944	BET	7	618897	6963907	7/13/2012	11:03:16 AM	CK01	Dark Brown	Sand	Damp	Steep	30	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Fine	Partially Frozen
1296945	BET	7	618897	6963957	7/13/2012	11:15:24 AM	CK01	Dark Brown	Sand	Damp	Steep	50	B	Black Spruce	Reindeer Moss	Good	Fine	Rocky Terrain
1296946	BET	7	618897	6964007	7/13/2012	11:32:40 AM	CK01	Dark Brown	Sand	Damp	Steep	30	B	Black Spruce	Reindeer Moss	Good	Fine	Rusty Rock Chip
1296947	BET	7	618866	6964064	7/13/2012	11:46:53 AM	CK01	Dark Brown	Silt	Damp	Steep	20	B	Black Spruce	Reindeer Moss	Good	Coarse	Rocky Terrain
1296948	BET	7	618897	6964107	7/13/2012	12:00:38 PM	CK01	Dark Brown	Silt	Damp	Steep	40	B	Black Spruce	Reindeer Moss	Good	Coarse	Frozen
1296949	BET	7	618897	6964157	7/13/2012	12:17:06 PM	CK01	Chocolate Brown	Silt	Damp	Steep	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky Terrain
1296950	BET	7	618897	6964208	7/13/2012	12:31:29 PM	CK01	Dark Grey Black	Silt	Damp	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky Terrain	Frozen
1296952	BET	7	618897	6964262	7/13/2012	12:48:04 PM	CK01	Chocolate Brown	Gravel	Damp	Steep	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Dull Red Rust
1296953	BET	7	618897	6964307	7/13/2012	1:04:47 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Rocky Terrain
1296954	BET	7	618897	6964357	7/13/2012	1:17:43 PM	CK01	Dark Brown	Sand	Damp	Steep	30	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Rocky Terrain
1296955	BET	7	618897	6964406	7/13/2012	1:30:17 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1296956	BET	7	618897	6964456	7/13/2012	1:43:18 PM	CK01	Dark Brown	Sand	Damp	Steep	50	B	Black Spruce	Reindeer Moss	Good	Fine	Bright Orange Rust
1296957	BET	7	618897	6964507	7/13/2012	1:58:53 PM	CK01	Chocolate Brown	Sand	Damp	Steep	30	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	Rocky
1296958	BET	7	618897	6964557	7/13/2012	2:10:14 PM	CK01	Dark Brown	Silt	Damp	Steep	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky Terrain
1296959	BET	7	618897	6964607	7/13/2012	2:21:34 PM	CK01	Chocolate Brown	Sand	Damp	Steep	30	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1296960	BET	7	618897	6964656	7/13/2012	2:36:41 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Black Spruce	Reindeer Moss	Good	Coarse	Rocky
1296961	BET	7	618897	6964707	7/13/2012	2:51:06 PM	CK01	Chocolate Brown	Sand	Damp	Steep	40	B	Alders	Reindeer Moss	Good	Coarse	Rusty Rock Chip
1296962	BET	7	618897	6964756	7/13/2012	3:00:32 PM	CK01	Chocolate Brown	Sand	Damp	Steep	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Partially Frozen
1296963	BET	7	618897	6964806	7/13/2012	3:13:57 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Poplar	Sphagnum Moss < 30cm	Good	Partially Frozen	Bright Orange Rust
1296964	BET	7	618897	6964858	7/13/2012	3:24:41 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Poplar	Sphagnum Moss < 30cm	Good	Fine	Rocky
1296965	BET	7	618897	6964907	7/13/2012	3:35:37 PM	CK01	Reddish Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1296966	BET	7	618897	6964957	7/13/2012	3:46:23 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	B	Poplar	Sphagnum Moss < 30cm	Good	Bright Orange Rust	
1296967	BET	7	618897	6965007	7/13/2012	3:59:24 PM	CK01	Bluish Grey	Sand	Damp	Steep	110	C	Poplar	Thin Moss Cover	Excellent		
1296968	BET	7	618897	6965056	7/13/2012	4:09:13 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Thin Moss Cover	Excellent		
1296969	BET	7	618897	6965106	7/13/2012	4:21:02 PM	CK01	Dark Grey Black	Silt	Damp	Steep	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky Terrain	Partially Frozen
1283032	BET	7	625397	6962907	7/13/2012	9:41:11 AM	IG01	Chocolate Brown	Gravel	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Poor	Rocky	Rocky Sample
1283033	BET	7	625394	6962948	7/13/2012	11:17:28 AM	IG01	Chocolate Brown	Silt	Damp	Pronounced Slope	30	B	Poplar	Leaf Cover	Poor	Rocky Sample	Rocky
1283034	BET	7	625396	6963006	7/13/2012	11:33:30 AM	IG01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Poplar	Leaf Cover	Good	Rocky	Rocky Sample
1283025	BET	7	625396	6963056	7/13/2012	11:51:20 AM	IG01	Chocolate Brown	Silt	Dry	Subtle Slope	50	B	Poplar	Leaf Cover	Good	Rocky	
1283026	BET	7	625396	6963056	7/13/2012	12:01:05 PM	IG01	Chocolate Brown	Silt	Dry	Subtle Slope	50	B	Poplar	Leaf Cover	Good	Rocky	
1283035	BET	7	625397	6963106	7/13/2012	12:16:20 PM	IG01	Chocolate Brown	Clay	Damp	Subtle Slope	30	B	Poplar	Thin Moss Cover	Poor	Rocky	
1283036	BET	7	625407	6963261	7/13/2012	1:23:30 PM	IG01	Dark Brown	Silt	Damp	Steep	40	B	Black Spruce	Reindeer Moss	Poor	Rocky	Rocky Sample
1283037	BET	7	625386	6963311	7/13/2012	1:54:30 PM	IG01	Chocolate Brown	Gravel	Damp	Pronounced Slope	40	B	Alders	Leaf Cover	Poor	Rocky Sample	Rocky
1283038	BET	7	625399	6963353	7/13/2012	2:10:37 PM	IG01	Chocolate Brown	Sand	Dry	Pronounced Slope	40	B	Alders	Grass Cover	Poor	Rocky	
1283039	BET	7	625402	6963417	7/13/2012	2:26:11 PM	IG01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent		
1283040	BET	7	625399	6963466	7/13/2012	2:40:50 PM	IG01	Chocolate Brown	Gravel	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Rocky	

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1283042	BET	7	625398	6963555	7/13/2012	3:08:40 PM	IG01	Reddish Brown	Gravel	Dry	Pronounced Slope	50	B	Poplar	Bare Soil	Good	Rocky Sample	Rocky
1283043	BET	7	625397	6963606	7/13/2012	3:32:16 PM	IG01	Chocolate Brown	Gravel	Dry	Subtle Slope	40	B	Poplar	Bare Soil	Poor	Rocky	Rocky Sample
1283044	BET	7	625394	6963661	7/13/2012	3:48:12 PM	IG01	Reddish Brown	Silt	Dry	Steep	40	B	Black Spruce	Bare Soil	Good	Rocky Sample	Rocky
1283045	BET	7	625393	6963761	7/13/2012	4:18:08 PM	IG01	Dark Brown	Silt	Damp	Steep	60	B	Black Spruce	Reindeer Moss	Poor	Rocky	Organic 10%
1283046	BET	7	625396	6963806	7/13/2012	4:38:27 PM	IG01	Dark Brown	Gravel	Damp	Steep	40	A	Black Spruce	Reindeer Moss	Poor	Organic 25%	Rocky
1283047	BET	7	625397	6963857	7/13/2012	4:52:19 PM	IG01	Dark Brown	Silt	Damp	Steep	50	B	Black Spruce	Reindeer Moss	Good	Frozen	
1283048	BET	7	625397	6963906	7/13/2012	5:04:16 PM	IG01	Chocolate Brown	Silt	Damp	Steep	40	B	Black Spruce	Reindeer Moss	Good	Frozen	Organic 10%
1283049	BET	7	625398	6963958	7/13/2012	5:18:59 PM	IG01	Dark Brown	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Bare Soil	Good	Frozen	
1283050	BET	7	625379	6964015	7/13/2012	5:39:21 PM	IG01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Alders	Thin Moss Cover	Poor	Rocky	Rocky Sample
1283052	BET	7	625396	6964068	7/13/2012	5:53:32 PM	IG01	Chocolate Brown	Silt	Dry	Steep	40	B	Alders	Bare Soil	Good	Rocky	Rocky Sample
1283053	BET	7	625388	6964110	7/13/2012	6:05:16 PM	IG01	Dark Brown	Silt	Dry	Steep	50	B	Alders	Leaf Cover	Good	Rocky	
1283041	BET	7	625397	6963506	7/13/2012	7:14:44 PM	IG01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Rocky	Rocky Sample
1286382	BET	7	625296	6962958	7/13/2012	9:46:10 AM	JM01	Light Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Excellent	Fine	Rocky
1286383	BET	7	625297	6963008	7/13/2012	12:40:43 PM	JM01	Dark Brown	Clay	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Excellent	Rocky	
1286384	BET	7	625297	6963059	7/13/2012	12:49:53 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	40	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Rocky	Coarse
1286385	BET	7	625297	6963108	7/13/2012	12:58:41 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Rusty Rock Chip
1286386	BET	7	625296	6963159	7/13/2012	1:07:45 PM	JM01	Dark Grey Black	Clay	Damp	Steep	40	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Partially Frozen	Rusty Rock Chip
1286387	BET	7	625296	6963209	7/13/2012	1:24:48 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	40	B	Dwarf Birch	Thin Moss Cover	Good	Rocky Terrain	Rocky
1286388	BET	7	625297	6963257	7/13/2012	1:34:40 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	40	C	Birch Forest	Thin Moss Cover	Excellent	Fine	Rocky
1286389	BET	7	625296	6963309	7/13/2012	1:43:01 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	50	C	Birch Forest	Grass Cover	Excellent	Rocky	
1286390	BET	7	625297	6963360	7/13/2012	1:52:03 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Partially Frozen
1286391	BET	7	625296	6963407	7/13/2012	2:00:19 PM	JM01	Chocolate Brown	Clay	Dry	Pronounced Slope	40	C	Birch Forest	Grass Cover	Excellent	Rocky	
1286392	BET	7	625297	6963459	7/13/2012	2:33:41 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	50	C	Birch Forest	Thin Moss Cover	Excellent	Rocky	
1286393	BET	7	625297	6963510	7/13/2012	2:44:44 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	30	C	Poplar	Bare Soil	Excellent	Rocky	Coarse
1286394	BET	7	625298	6963559	7/13/2012	2:53:19 PM	JM01	Chocolate Brown	Gravel	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Excellent	Quartz Chips	Rocky
1286395	BET	7	625298	6963609	7/13/2012	3:06:31 PM	JM01	Light Brown	Gravel	Damp	Flat	50	C	Pine	Thin Moss Cover	Excellent	Quartz Chips	Coarse
1286396	BET	7	625297	6963658	7/13/2012	3:15:55 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Rocky
1286397	BET	7	625298	6963758	7/13/2012	3:36:05 PM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	50	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Partially Frozen	Mud
1286398	BET	7	625284	6963821	7/13/2012	3:48:24 PM	JM01	Dark Grey Black	Clay	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1286399	BET	7	625298	6963858	7/13/2012	4:02:51 PM	JM01	Dark Grey Black	Clay	Damp	Pronounced Slope	40	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Partially Frozen	Rocky
1286400	BET	7	625298	6963906	7/13/2012	4:13:50 PM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	40	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Partially Frozen	Mud
1286402	BET	7	625299	6963958	7/13/2012	4:14:49 PM	JM01	Light Brown	Sand	Damp	Pronounced Slope	60	C	Dwarf Birch	Leaf Cover	Excellent	Fine	Rocky
1286403	BET	7	625297	6964009	7/13/2012	4:36:54 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	50	C	Black Spruce	Thin Moss Cover	Excellent	Rocky	Coarse
1286404	BET	7	625296	6964057	7/13/2012	4:48:27 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	50	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Rocky	Coarse
1286405	BET	7	625297	6964110	7/13/2012	4:57:03 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	50	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Rusty Rock Chip
1286406	BET	7	625297	6964157	7/13/2012	5:07:30 PM	JM01	Dark Grey Black	Clay	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1286407	BET	7	625296	6964208	7/13/2012	5:17:43 PM	JM01	Dark Blue Black	Clay	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	
1286408	BET	7	625298	6964258	7/13/2012	5:25:13 PM	JM01	Dark Grey Black	Clay	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1286409	BET	7	625296	6964307	7/13/2012	5:33:33 PM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	40	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Partially Frozen	Mud
1286410	BET	7	625297	6964358	7/13/2012	5:42:04 PM	JM01	Dark Brown	Clay	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Partially Frozen	Mud
1286411	BET	7	625296	6964407	7/13/2012	5:52:17 PM	JM01	Dark Grey Black	Clay	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Partially Frozen
1286412	BET	7	625298	6964459	7/13/2012	6:03:04 PM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Partially Frozen
1296731	BET	7	625797	6962957	7/13/2012	10:40:56 AM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Poor	Rocky	
1296732	BET	7	625796	6963007	7/13/2012	10:54:17 AM	JS01	Light Brown	Silt	Dry	Pronounced Slope	40	B	Poplar	Grass Cover	Poor	Rocky	
1296733	BET	7	625797	6963056	7/13/2012	11:03:30 AM	JS01	Light Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Good	Rocky	
1296734	BET	7	625796	6963108	7/13/2012	11:16:18 AM	JS01	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Poplar	Grass Cover	Good	Rocky Sample	Rocky Terrain
1296735	BET	7	625796	6963158	7/13/2012	11:27:49 AM	JS01	Chocolate Brown	Silt	Dry	Steep	40	B	Poplar	Sphagnum Moss < 30cm	Poor	Rocky Sample	Rocky Terrain
1296736	BET	7	625797	6963207	7/13/2012	11:42:03 AM	JS01	Chocolate Brown	Silt	Damp	Steep	50	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Rocky Sample	Rocky Terrain
1296737	BET	7	625796	6963307	7/13/2012	12:07:58 PM	JS01	Dark Grey Black	Silt	Damp	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Organic 25%	Partially Frozen
1296738	BET	7	625797	6963359	7/13/2012	12:16:16 PM	JS01	Dark Brown	Silt	Damp	Subtle Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky	Partially Frozen
1296739	BET	7	625797	6963408	7/13/2012	12:28:50 PM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Poor	Rocky Sample	Organic 10%
1296740	BET	7	625796	6963458	7/13/2012	12:42:46 PM	JS01	Reddish Yellow	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Good	Fine	Rocky
1296741	BET	7	625797	6963508	7/13/2012	12:55:41 PM	JS01	Light Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Grass Cover	Good	Fine	Rocky
1296742	BET	7	625797	6963557	7/13/2012	1:11:04 PM	JS01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Grass Cover	Good	Rocky	
1296743	BET	7	625798	6963607	7/13/2012	1:23:39 PM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Grass Cover	Good	Coarse	Rocky
1296744	BET	7	625797	6963658	7/13/2012	1:35:40 PM	JS01	Chocolate Brown	Sand	Dry	Subtle Slope	30	C	Poplar	Leaf Cover	Good	Rocky Sample	Bright Orange Rust
1296745	BET	7	625796	6963707	7/13/2012	1:58:35 PM	JS01	Chocolate Brown	Silt	Damp	Pronounced Slope	70	B	Black Spruce	Thin Moss Cover	Poor	Rocky Sample	
1296746	BET	7	625795	6963756	7/13/2012	2:08:04 PM	JS01	Grey	Silt	Damp	Steep	90	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	Organic 10%
1296747	BET	7	625797	6963806	7/13/2012	2:22:10 PM	JS01	Grey	Silt	Damp	Steep	80	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	Possible Creek Contamination
1296748	BET	7	625797	6963855	7/13/2012	2:36:04 PM	JS01	Dark Brown	Sand	Damp	Steep	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky Sample	
1296749	BET	7	625796	6963905	7/13/2012	2:50:29 PM	JS01	Grey	Silt	Damp	Steep	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Possible Creek Contamination	Partially Frozen
1296750	BET	7	625796	6963955	7/13/2012	3:06:00 PM	JS01	Dark Grey Black	Silt	Damp	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Possible Creek Contamination	
1296752	BET	7	625796	6964006	7/13/2012	3:16:07 PM	JS01	Dark Brown	Silt	Damp	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Bright Orange Rust	Partially Frozen
1296753	BET	7	625796	6964055	7/13/2012	3:26:26 PM	JS01	Dark Brown	Silt	Damp	Pronounced Slope	50	B	Birch Forest	Thin Moss Cover	Poor	Rocky	Bright Orange Rust
1296754	BET	7	625799	6964109	7/13/2012	3:41:50 PM	JS01	Chocolate Brown	Silt	Damp	Steep	60	B	Birch Forest	Thin Moss Cover	Poor	Rocky Terrain	
1296755	BET	7	625797	6964155	7/13/2012	3:56:09 PM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Birch Forest	Thin Moss Cover	Poor	Small Sample	Rocky
1296756	BET	7	625796	6964205	7/13/2012	4:06:57 PM	JS01	Light Brown	Sand	Dry	Pronounced Slope	90	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Fine	Rocky
1296757	BET	7	625798	6964257	7/13/2012	4:16:49 PM	JS01	Chocolate Brown	Silt	Damp	Steep	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky Sample	
1296758	BET	7	625796	6964306	7/13/2012	4:30:17 PM	JS01	Grey	Silt	Damp	Steep	90	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky	Possible Creek Contamination
1296759	BET	7	625798	6964356	7/13/2012	4:40:58 PM	JS01	Dark Brown	Silt	Damp	Steep	70	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	Possible Creek Contamination
1296760	BET	7	625796	6964406	7/13/2012	4:53:15 PM	JS01	Dark Brown	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	
1296761	BET	7	625398	6964453	7/13/2012	5:30:43 PM	JS01	Dark Brown	Silt	Damp	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1296762	BET	7	625397	6964409	7/13/2012	5:39:42 PM	JS01	Chocolate Brown	Sand	Damp	Steep	70	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1296763	BET	7	625397	6964360	7/13/2012	5:46:40 PM	JS01	Dark Brown	Silt	Damp	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1296764	BET	7	625398	6964311	7/13/2012	5:52:50 PM	JS01	Dark Brown	Sand	Damp	Steep	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	Bright Orange Rust
1296765	BET	7	625398	6964262	7/13/2012	6:04:17 PM	JS01	Dark Brown	Silt	Dry	Steep	50	B	Birch Forest	Thin Moss Cover	Good	Coarse	Rocky Sample
1284139	BET	7	625697	6962957	7/13/2012	10:32:22 AM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Sphagnum Moss < 30cm	Good	Fine	
1286294	BET	7	625709	6963014	7/13/2012	10:47:18 AM	KH01	Light Brown	Sand	Dry	Steep	60	B	Poplar	Grass Cover	Good	Fine	Rocky
1284138	BET	7	625697	6963058	7/13/2012	11:04:36 AM	KH01	Light Brown	Gravel	Dry	Steep	60	B	Poplar	Grass Cover	Good	Fine	Rocky
1284137	BET	7	625697	6963108	7/13/2012	11:20:18 AM	KH01	Light Brown	Sand	Dry	Pronounced Slope	60	B	Poplar	Sphagnum Moss < 30cm	Good	Fine	Rocky
1284136	BET	7	625708	6963159	7/13/2012	11:37:07 AM	KH01	Chocolate Brown	Gravel	Dry	Steep	90	C	Poplar	Sphagnum Moss < 30cm	Good	Bright Orange Rust	
1284135	BET	7	625697	6963208	7/13/2012	11:48:25 AM	KH01	Dark Grey Black	Sand	Wet	Steep	60	B	White Spruce	Sphagnum Moss < 30cm	Good	Organic 10%	Frozen
1284134	BET	7	625697	6963257	7/13/2012	12:01:53 PM	KH01	Dark Grey Black	Silt	Damp	Steep	60	B	White Spruce	Sphagnum Moss < 30cm	Poor	Frozen	Rocky
1284127	BET	7	625720	6963297	7/13/2012	12:23:24 PM	KH01	Dark Brown	Gravel	Wet	Steep	60	B	White Spruce	Reindeer Moss	Good	Organic 10%	Rocky

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1284128	BET	7	625698	6963357	7/13/2012	12:38:22 PM	KH01	Chocolate Brown	Sand	Wet	Subtle Slope	70	C	Birch Forest	Leaf Cover	Good	Mud	Rocky
1284133	BET	7	625696	6963408	7/13/2012	12:50:50 PM	KH01	Dark Brown	Sand	Damp	Subtle Slope	70	B	Birch Forest	Leaf Cover	Good	Bright Orange Rust	Rocky
1284132	BET	7	625697	6963458	7/13/2012	1:10:04 PM	KH01	Reddish Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Good	Coarse	Bright Orange Rust
1284131	BET	7	625697	6963508	7/13/2012	1:21:16 PM	KH01	Reddish Brown	Sand	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Poor	Fine	Rocky
1284130	BET	7	625698	6963559	7/13/2012	1:31:35 PM	KH01	Reddish Yellow	Gravel	Damp	Steep	60	C	Poplar	Leaf Cover	Good	Bright Orange Rust	Rocky
1286292	BET	7	625697	6963608	7/13/2012	1:44:10 PM	KH01	Chocolate Brown	Sand	Dry	Steep	70	C	Poplar	Leaf Cover	Good	Fine	Quartz Chips
1286252	BET	7	625697	6963658	7/13/2012	1:58:49 PM	KH01	Chocolate Brown	Gravel	Dry	Subtle Slope	60	B	Poplar	Leaf Cover	Good	Rocky	
1284129	BET	7	625697	6963709	7/13/2012	2:10:40 PM	KH01	Chocolate Brown	Gravel	Damp	Steep	80	C	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1286267	BET	7	625698	6963758	7/13/2012	2:24:51 PM	KH01	Dark Grey Black	Sand	Damp	Steep	50	B	White Spruce	Reindeer Moss	Poor	Frozen	
1286268	BET	7	625697	6963806	7/13/2012	2:37:22 PM	KH01	Dark Grey Black	Sand	Damp	Steep	50	B	White Spruce	Reindeer Moss	Poor	Frozen	
1286269	BET	7	625697	6963856	7/13/2012	2:47:48 PM	KH01	Grey	Gravel	Wet	Pronounced Slope	60	B	White Spruce	Reindeer Moss	Good	Rocky	Frozen
1286270	BET	7	625697	6963907	7/13/2012	3:06:03 PM	KH01	Grey	Sand	Dry	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1286319	BET	7	625698	6963956	7/13/2012	3:26:27 PM	KH01	Chocolate Brown	Sand	Dry	Steep	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1286318	BET	7	625697	6964006	7/13/2012	3:37:23 PM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Rocky
1286317	BET	7	625697	6964056	7/13/2012	3:47:59 PM	KH01	Chocolate Brown	Gravel	Wet	Subtle Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1286316	BET	7	625698	6964107	7/13/2012	3:54:48 PM	KH01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1286315	BET	7	625696	6964156	7/13/2012	4:11:31 PM	KH01	Chocolate Brown	Gravel	Wet	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	Bright Orange Rust
1286320	BET	7	625697	6964207	7/13/2012	4:25:41 PM	KH01	Grey	Sand	Damp	Steep	90	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Quartz Chips
1286325	BET	7	625697	6964257	7/13/2012	4:34:41 PM	KH01	Chocolate Brown	Gravel	Wet	Pronounced Slope	60	C	White Spruce	Reindeer Moss	Good	Rocky	
1286324	BET	7	625697	6964306	7/13/2012	4:44:46 PM	KH01	Chocolate Brown	Sand	Wet	Steep	60	B	White Spruce	Reindeer Moss	Good	Mud	Rocky
1286323	BET	7	625697	6964357	7/13/2012	4:54:23 PM	KH01	Dark Brown	Sand	Damp	Steep	60	B	White Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Rocky
1286322	BET	7	625698	6964407	7/13/2012	5:08:47 PM	KH01	Dark Brown	Sand	Damp	Steep	50	B	White Spruce	Reindeer Moss	Poor	Frozen	
1286321	BET	7	625296	6964507	7/13/2012	5:52:38 PM	KH01	Chocolate Brown	Sand	Damp	Steep	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Frozen	Rocky
1296848	BET	7	622196	6962209	7/13/2012	9:50:01 AM	MT01	Dark Brown	Sand	Damp	Subtle Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1296849	BET	7	622197	6962159	7/13/2012	10:06:08 AM	MT01	Chocolate Brown	Gravel	Wet	Pronounced Slope	30	C	Black Spruce	Sphagnum Moss < 30cm	Good	Sandy	Rocky Terrain
1296850	BET	7	622197	6962108	7/13/2012	10:18:48 AM	MT01	Dark Brown	Sand	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Coarse	Partially Frozen
1296852	BET	7	622197	6962058	7/13/2012	10:29:57 AM	MT01	Dark Brown	Sand	Damp	Subtle Slope	60	B	Black Spruce	Reindeer Moss	Good	Clay	Partially Frozen
1296853	BET	7	622198	6962008	7/13/2012	10:51:07 AM	MT01	Dark Brown	Sand	Wet	Subtle Slope	30	B	Black Spruce	Reindeer Moss	Good	Clay	Rocky Terrain
1296854	BET	7	622197	6961957	7/13/2012	11:01:06 AM	MT01	Chocolate Brown	Sand	Damp	Subtle Slope	40	C	Black Spruce	Reindeer Moss	Good	Clay	Rocky Terrain
1296855	BET	7	622197	6961908	7/13/2012	11:14:25 AM	MT01	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Black Spruce	Reindeer Moss	Good	Clay	Rocky Terrain
1296856	BET	7	622296	6962006	7/13/2012	11:40:25 AM	MT01	Chocolate Brown	Sand	Wet	Subtle Slope	60	C	Black Spruce	Reindeer Moss	Good	Clay	Partially Frozen
1296857	BET	7	622297	6962056	7/13/2012	11:50:39 AM	MT01	Dark Brown	Sand	Damp	Subtle Slope	60	C	Black Spruce	Reindeer Moss	Excellent	Coarse	Dull Red Rust
1296859	BET	7	622297	6962157	7/13/2012	12:10:14 PM	MT01	Dark Brown	Sand	Damp	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Good	Clay	Partially Frozen
1296858	BET	7	622296	6962107	7/13/2012	12:13:21 PM	MT01	Dark Brown	Sand	Damp	Subtle Slope	60	B	Black Spruce	Reindeer Moss	Good	Clay	Partially Frozen
1296860	BET	7	622295	6962207	7/13/2012	12:25:08 PM	MT01	Chocolate Brown	Gravel	Wet	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Good	Clay	
1296861	BET	7	622296	6962257	7/13/2012	12:33:55 PM	MT01	Dark Brown	Sand	Damp	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Good	Coarse	Partially Frozen
1296862	BET	7	622296	6962307	7/13/2012	12:43:09 PM	MT01	Reddish Brown	Sand	Damp	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Good	Coarse	
1296863	BET	7	622297	6962356	7/13/2012	12:52:13 PM	MT01	Reddish Brown	Sand	Damp	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Good	Coarse	
1296864	BET	7	622597	6964109	7/13/2012	2:20:05 PM	MT01	Dark Brown	Sand	Damp	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Good	Clay	Partially Frozen
1296865	BET	7	622597	6964158	7/13/2012	2:30:23 PM	MT01	Dark Brown	Clay	Damp	Subtle Slope	70	B	Black Spruce	Reindeer Moss	Good	Bright Orange Rust	
1296866	BET	7	622596	6964205	7/13/2012	2:40:34 PM	MT01	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Black Spruce	Reindeer Moss	Good	Clay	Bright Orange Rust
1296867	BET	7	622597	6964256	7/13/2012	2:50:43 PM	MT01	Dark Brown	Sand	Damp	Subtle Slope	80	B	Black Spruce	Thin Moss Cover	Good	Clay	Bright Orange Rust
1296868	BET	7	622598	6964307	7/13/2012	3:04:54 PM	MT01	Reddish Yellow	Sand	Dry	Subtle Slope	70	C	Poplar	Thin Moss Cover	Excellent	Rocky	Quartz Chips
1296869	BET	7	622598	6964356	7/13/2012	3:17:31 PM	MT01	Dark Brown	Sand	Damp	Pronounced Slope	90	B	Black Spruce	Reindeer Moss	Good	Coarse	
1296871	BET	7	622697	6964508	7/13/2012	3:52:13 PM	MT01	Light Brown	Sand	Dry	Pronounced Slope	70	C	Black Spruce	Thin Moss Cover	Good	Rocky	
1296872	BET	7	622697	6964556	7/13/2012	4:03:41 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Black Spruce	Thin Moss Cover	Good		
1296870	BET	7	622697	6964455	7/13/2012	4:05:58 PM	MT01	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Black Spruce	Thin Moss Cover	Good	Rocky	
1296873	BET	7	622699	6964608	7/13/2012	4:17:45 PM	MT01	Dark Brown	Sand	Damp	Pronounced Slope	60	B	Black Spruce	Thin Moss Cover	Good	Clay	
1296874	BET	7	622697	6964658	7/13/2012	4:28:15 PM	MT01	Dark Brown	Sand	Damp	Pronounced Slope	60	C	White Spruce	Thin Moss Cover	Good	Rocky	Bright Orange Rust
1296877	BET	7	622696	6964707	7/13/2012	4:38:39 PM	MT01	Dark Brown	Sand	Dry	Pronounced Slope	50	C	Birch Forest	Thin Moss Cover	Good	Rocky	
1296878	BET	7	622696	6964857	7/13/2012	5:03:59 PM	MT01	Chocolate Brown	Sand	Damp	Flat	40	B	White Spruce	Thin Moss Cover	Good	Partially Frozen	Possible Creek Contamination
1296879	BET	7	622696	6964908	7/13/2012	5:15:27 PM	MT01	Chocolate Brown	Sand	Dry	Pronounced Slope	40	B	White Spruce	Thin Moss Cover	Good	Rocky	
1271848	BET	7	619196	6963709	7/13/2012	9:49:32 AM	RF02	Dark Grey Black	Silt	Wet	Pronounced Slope	50	B	Alders	Sphagnum Moss > 30cm	Poor	Frozen	
1271849	BET	7	619196	6963759	7/13/2012	10:04:14 AM	RF02	Dark Grey Black	Silt	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	
1271850	BET	7	619198	6963811	7/13/2012	10:19:44 AM	RF02	Dark Grey Black	Silt	Wet	Pronounced Slope	50	B	Alders	Sphagnum Moss < 30cm	Poor		
1271852	BET	7	619197	6963859	7/13/2012	10:34:46 AM	RF02	Dark Grey Black	Clay	Wet	Subtle Slope	40	B	Black Spruce	Leaf Cover	Poor	Frozen	
1271853	BET	7	619198	6963908	7/13/2012	10:51:09 AM	RF02	Dark Brown	Gravel	Wet	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good		
1271854	BET	7	619196	6963958	7/13/2012	11:06:04 AM	RF02	Dark Brown	Clay	Wet	Subtle Slope	50	B	Alders	Sphagnum Moss > 30cm	Good		
1271855	BET	7	619197	6964010	7/13/2012	11:19:37 AM	RF02	Dark Brown	Silt	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor		
1271856	BET	7	619196	6964059	7/13/2012	11:32:08 AM	RF02	Dark Brown	Silt	Wet	Subtle Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good		
1271857	BET	7	619196	6964110	7/13/2012	11:46:14 AM	RF02	Chocolate Brown	Silt	Dry	Subtle Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Poor		
1271858	BET	7	619197	6964159	7/13/2012	11:54:23 AM	RF02	Dark Brown	Silt	Dry	Pronounced Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Good		
1271859	BET	7	619198	6964210	7/13/2012	12:04:58 PM	RF02	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	Alders	Sphagnum Moss < 30cm	Poor		
1271860	BET	7	619197	6964260	7/13/2012	12:16:04 PM	RF02	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Alders	Sphagnum Moss < 30cm	Good		
1271861	BET	7	619197	6964309	7/13/2012	12:29:39 PM	RF02	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Poor		
1271862	BET	7	619198	6964359	7/13/2012	12:41:24 PM	RF02	Chocolate Brown	Gravel	Damp	Subtle Slope	70	B	Dwarf Birch	Sphagnum Moss < 30cm	Poor		
1271863	BET	7	619198	6964409	7/13/2012	12:51:37 PM	RF02	Dark Brown	Silt	Dry	Subtle Slope	40	B	Dwarf Birch	Sphagnum Moss < 30cm	Good		
1271864	BET	7	619197	6964506	7/13/2012	1:11:25 PM	RF02	Dark Grey Black	Clay	Wet	Pronounced Slope	60	A	Alders	Sphagnum Moss > 30cm	Poor	Frozen	
1271865	BET	7	619197	6964607	7/13/2012	1:32:56 PM	RF02	Dark Grey Black	Silt	Wet	Subtle Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Possible Creek Contamination	
1271866	BET	7	619196	6964656	7/13/2012	1:49:28 PM	RF02	Dark Grey Black	Clay	Damp	Subtle Slope	70	A	Birch Forest	Leaf Cover	Poor	Possible Creek Contamination	
1271867	BET	7	619196	6964706	7/13/2012	2:04:01 PM	RF02	Dark Grey Black	Clay	Wet	Subtle Slope	50	B	Alders	Sphagnum Moss < 30cm	Poor	Possible Creek Contamination	
1271868	BET	7	619197	6964757	7/13/2012	2:17:54 PM	RF02	Dark Grey Black	Clay	Wet	Subtle Slope	40	A	Alders	Sphagnum Moss < 30cm	Poor	Frozen	
1271869	BET	7	619196	6964807	7/13/2012	2:29:50 PM	RF02	Dark Brown	Sand	Damp	Subtle Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good		
1271870	BET	7	619197	6964857	7/13/2012	2:41:02 PM	RF02	Dark Grey Black	Clay	Wet	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good		
1271871	BET	7	619197	6964906	7/13/2012	2:53:42 PM	RF02	Dark Grey Black	Silt	Wet	Subtle Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good		
1271872	BET	7	619197	6964957	7/13/2012	3:17:23 PM	RF02	Light Brown	Silt	Dry	Subtle Slope	30	B	Birch Forest	Leaf Cover	Poor		
1271873	BET	7	619197	6965007	7/13/2012	3:27:14 PM	RF02	Light Brown	Silt	Damp	Subtle Slope	40	B	Birch Forest	Leaf Cover	Poor		
1271874	BET	7	619196	6965057	7/13/2012	3:40:23 PM	RF02	Light Brown	Silt	Dry	Subtle Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Poor		
1271875	BET	7	619196	6965057	7/13/2012	3:41:15 PM	RF02	Light Brown	Silt	Dry	Subtle Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Poor		
1271876	BET	7	619198	6965106	7/13/2012	3:55:53 PM	RF02	Dark Brown	Silt	Dry	Subtle Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good		
1286473	BET	7	625496	6962957	7/13/2012	10:24:57 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1286474	BET	7	625496	6963008	7/13/2012	10:37:53 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1286475	BET	7	625496	6963057	7/13/2012	10:46:56 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Fine	Bright Orange Rust
1286476	BET	7	625496	6963057	7/13/2012	10:48:18 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Fine	Bright Orange Rust

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1286477	BET	7	625489	6963109	7/13/2012	10:59:41 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Thin Moss Cover	Excellent	Fine	Rocky
1286478	BET	7	625497	6963208	7/13/2012	11:19:20 AM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky	Small Sample
1286479	BET	7	625497	6963257	7/13/2012	11:30:33 AM	RL02	Dark Grey Black	Sand	Damp	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss > 30cm	Good	Rocky	Coarse
1286480	BET	7	625506	6963299	7/13/2012	11:42:43 AM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Rocky	Small Sample
1286481	BET	7	625496	6963409	7/13/2012	11:56:09 AM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Fine	Rocky
1286482	BET	7	625496	6963458	7/13/2012	12:10:48 PM	RL02	Reddish Yellow	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1286483	BET	7	625496	6963508	7/13/2012	12:22:34 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Fine	Rocky
1286484	BET	7	625497	6963558	7/13/2012	12:35:53 PM	RL02	Light Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Fine	Rocky
1286485	BET	7	625505	6963612	7/13/2012	12:46:41 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Fine	Rocky
1286486	BET	7	625496	6963658	7/13/2012	12:57:08 PM	RL02	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Fine	Rocky
1286487	BET	7	625497	6963708	7/13/2012	1:14:04 PM	RL02	Dark Blue Black	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Organic 25%	Rocky
1286488	BET	7	625497	6963758	7/13/2012	1:31:50 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Reindeer Moss	Good	Coarse	Partially Frozen
1286489	BET	7	625501	6963817	7/13/2012	1:41:31 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Rocky
1286490	BET	7	625496	6963858	7/13/2012	1:53:08 PM	RL02	Dark Brown	Sand	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Partially Frozen
1286491	BET	7	625496	6963907	7/13/2012	2:06:00 PM	RL02	Dark Brown	Sand	Wet	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss > 30cm	Good	Coarse	Partially Frozen
1286492	BET	7	625489	6963959	7/13/2012	2:16:59 PM	RL02	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Fine	
1286493	BET	7	625496	6964007	7/13/2012	2:31:41 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Rocky
1286494	BET	7	625487	6964060	7/13/2012	2:42:10 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1286495	BET	7	625499	6964100	7/13/2012	2:53:32 PM	RL02	Dark Brown	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Fine	
1286496	BET	7	625482	6964164	7/13/2012	3:05:39 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	White Spruce	Thin Moss Cover	Excellent	Coarse	Dull Red Rust
1286497	BET	7	625497	6964207	7/13/2012	3:17:50 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	White Spruce	Thin Moss Cover	Good	Coarse	Rocky
1286498	BET	7	625496	6964257	7/13/2012	3:29:03 PM	RL02	Grey	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Thin Moss Cover	Excellent	Coarse	Bright Orange Rust
1286499	BET	7	625497	6964307	7/13/2012	3:40:38 PM	RL02	Grey	Sand	Damp	Pronounced Slope	100	C	White Spruce	Thin Moss Cover	Excellent	Coarse	Bright Orange Rust
1286500	BET	7	625496	6964357	7/13/2012	3:48:59 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Partially Frozen
1283952	BET	7	625496	6964407	7/13/2012	3:58:53 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Partially Frozen
1284464	BET	7	625597	6962957	7/13/2012	10:43:06 AM	RM01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Coarse	
1284465	BET	7	625597	6963008	7/13/2012	10:59:41 AM	RM01	Chocolate Brown	Sand	Dry	Steep	60	C	Poplar	Leaf Cover	Good	Coarse	
1284466	BET	7	625597	6963057	7/13/2012	11:17:44 AM	RM01	Chocolate Brown	Silt	Dry	Steep	40	C	Poplar	Leaf Cover	Good	Fine	
1284467	BET	7	625598	6963107	7/13/2012	11:34:23 AM	RM01	Chocolate Brown	Clay	Dry	Pronounced Slope	40	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	
1284468	BET	7	625597	6963157	7/13/2012	12:07:00 PM	RM01	Chocolate Brown	Clay	Damp	Steep	50	B	Poplar	Sphagnum Moss < 30cm	Poor	Coarse	
1284469	BET	7	625598	6963257	7/13/2012	12:40:59 PM	RM01	Chocolate Brown	Clay	Damp	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	
1284470	BET	7	625590	6963373	7/13/2012	1:15:07 PM	RM01	Chocolate Brown	Sand	Wet	Steep	60	C	Birch Forest	Leaf Cover	Good	Coarse	
1284471	BET	7	625597	6963408	7/13/2012	1:39:59 PM	RM01	Chocolate Brown	Silt	Dry	Steep	60	B	Poplar	Leaf Cover	Poor	Fine	
1284472	BET	7	625597	6963459	7/13/2012	1:52:11 PM	RM01	Chocolate Brown	Sand	Dry	Steep	50	C	Poplar	Leaf Cover	Good	Coarse	
1284473	BET	7	625598	6963508	7/13/2012	2:04:20 PM	RM01	Chocolate Brown	Sand	Damp	Steep	60	C	Poplar	Leaf Cover	Good	Coarse	
1284475	BET	7	625597	6963557	7/13/2012	2:18:02 PM	RM01	Chocolate Brown	Silt	Dry	Steep	50	C	Poplar	Leaf Cover	Good	Fine	
1284474	BET	7	625597	6963607	7/13/2012	2:31:57 PM	RM01	Chocolate Brown	Sand	Dry	Steep	50	C	Poplar	Leaf Cover	Good	Coarse	
1284477	BET	7	625597	6963658	7/13/2012	2:51:17 PM	RM01	Chocolate Brown	Sand	Dry	Steep	50	C	Poplar	Reindeer Moss	Good	Coarse	
1284478	BET	7	625597	6963705	7/13/2012	3:02:36 PM	RM01	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	Black Spruce	Reindeer Moss	Good	Coarse	Mud
1284479	BET	7	625597	6963755	7/13/2012	3:14:04 PM	RM01	Chocolate Brown	Clay	Damp	Subtle Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1284480	BET	7	625596	6963806	7/13/2012	3:25:48 PM	RM01	Dark Brown	Gravel	Damp	Pronounced Slope	70	C	Black Spruce	Reindeer Moss	Good	Coarse	
1284481	BET	7	625597	6963857	7/13/2012	3:37:50 PM	RM01	Chocolate Brown	Gravel	Damp	Pronounced Slope	60	C	Black Spruce	Reindeer Moss	Good	Coarse	Organic 10%
1284482	BET	7	625597	6963906	7/13/2012	3:48:05 PM	RM01	Chocolate Brown	Silt	Wet	Pronounced Slope	60	C	Black Spruce	Reindeer Moss	Good	Coarse	
1284483	BET	7	625597	6963956	7/13/2012	4:03:54 PM	RM01	Dark Brown	Sand	Damp	Pronounced Slope	40	C	Black Spruce	Reindeer Moss	Poor	Coarse	
1284484	BET	7	625597	6964007	7/13/2012	4:14:20 PM	RM01	Chocolate Brown	Gravel	Damp	Steep	60	C	Black Spruce	Reindeer Moss	Good	Rocky	
1284485	BET	7	625597	6964056	7/13/2012	4:34:26 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Black Spruce	Reindeer Moss	Good	Coarse	
1284486	BET	7	625623	6964121	7/13/2012	4:50:42 PM	RM01	Chocolate Brown	Gravel	Damp	Steep	70	C	White Spruce	Reindeer Moss	Good	Rocky	
1284487	BET	7	625647	6964231	7/13/2012	5:22:09 PM	RM01	Chocolate Brown	Gravel	Wet	Pronounced Slope	50	C	Black Spruce	Reindeer Moss	Good	Coarse	
1284488	BET	7	625616	6964274	7/13/2012	5:41:46 PM	RM01	Chocolate Brown	Gravel	Damp	Pronounced Slope	60	C	Black Spruce	Reindeer Moss	Good	Coarse	
1296677	BET	7	619096	6963757	7/13/2012	10:12:37 AM	RR01	Dark Grey Black	Silt	Wet	Pronounced Slope	30	B	Black Spruce	Reindeer Moss	Poor	Frozen	
1296678	BET	7	619098	6963858	7/13/2012	10:43:10 AM	RR01	Chocolate Brown	Gravel	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss > 30cm	Good	Rocky Sample	Partially Frozen
1296679	BET	7	619095	6963957	7/13/2012	11:17:12 AM	RR01	Chocolate Brown	Sand	Wet	Pronounced Slope	50	B	Alders	Sphagnum Moss > 30cm	Good	Coarse	Rocky
1296680	BET	7	619095	6964008	7/13/2012	11:28:46 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1296681	BET	7	619097	6964058	7/13/2012	11:43:47 AM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	
1296682	BET	7	619097	6964107	7/13/2012	12:07:12 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1296683	BET	7	619097	6964159	7/13/2012	12:20:01 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1296684	BET	7	619097	6964208	7/13/2012	12:37:08 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Good	Rocky	Rocky Terrain
1296685	BET	7	619097	6964258	7/13/2012	12:58:53 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	30	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Rocky	
1296686	BET	7	619097	6964308	7/13/2012	1:17:25 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	White Spruce	Sphagnum Moss < 30cm	Good	Rocky Terrain	Rocky
1296687	BET	7	619095	6964358	7/13/2012	1:31:44 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	White Spruce	Sphagnum Moss < 30cm	Poor	Coarse	Rocky
1296688	BET	7	619097	6964456	7/13/2012	2:07:35 PM	RR01	Chocolate Brown	Gravel	Damp	Pronounced Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Rocky	
1296689	BET	7	619096	6964508	7/13/2012	2:17:38 PM	RR01	Chocolate Brown	Gravel	Damp	Pronounced Slope	80	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1296690	BET	7	619097	6964556	7/13/2012	2:30:29 PM	RR01	Chocolate Brown	Gravel	Damp	Pronounced Slope	60	C	Birch Forest	Reindeer Moss	Good	Coarse	Rocky
1296691	BET	7	619097	6964606	7/13/2012	2:44:41 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1296692	BET	7	619096	6964656	7/13/2012	3:00:38 PM	RR01	Chocolate Brown	Gravel	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Poor	Rocky	
1296693	BET	7	619097	6964706	7/13/2012	3:18:13 PM	RR01	Chocolate Brown	Silt	Damp	Subtle Slope	30	B	Black Spruce	Reindeer Moss	Good	Coarse	Rocky
1296694	BET	7	619095	6964757	7/13/2012	3:32:02 PM	RR01	Chocolate Brown	Gravel	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1296695	BET	7	619097	6964805	7/13/2012	3:44:00 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1296696	BET	7	619097	6964855	7/13/2012	3:55:05 PM	RR01	Chocolate Brown	Gravel	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky	Rocky Terrain
1296697	BET	7	619095	6964907	7/13/2012	4:02:56 PM	RR01	Chocolate Brown	Sand	Wet	Pronounced Slope	50	C	Alders	Sphagnum Moss < 30cm	Good	Coarse	Mud
1296698	BET	7	619098	6964957	7/13/2012	4:10:40 PM	RR01	Chocolate Brown	Sand	Wet	Pronounced Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Wet Soil
1296699	BET	7	619096	6965008	7/13/2012	4:19:24 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	
1296700	BET	7	619095	6965055	7/13/2012	4:32:38 PM	RR01	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1293702	BET	7	619097	6965107	7/13/2012	4:46:11 PM	RR01	Dark Brown	Sand	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1271757	BET	7	619397	6963706	7/13/2012	9:48:25 AM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	Dwarf Birch	Thin Moss Cover	Poor	Fine	Organic 10%
1271758	BET	7	619396	6963756	7/13/2012	10:07:23 AM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	Dwarf Birch	Thin Moss Cover	Poor	Fine	Organic 10%
1271759	BET	7	619397	6963807	7/13/2012	10:15:50 AM	RR02	Reddish Brown	Clay	Damp	Subtle Slope	50	B	Dwarf Birch	Thin Moss Cover	Good	Fine	
1271760	BET	7	619398	6963856	7/13/2012	10:30:01 AM	RR02	Reddish Brown	Clay	Damp	Subtle Slope	40	B	Dwarf Birch	Thin Moss Cover	Good	Fine	
1271761	BET	7	619396	6963907	7/13/2012	10:43:55 AM	RR02	Reddish Brown	Sand	Damp	Subtle Slope	100	C	Black Spruce	Thin Moss Cover	Excellent	Bright Orange Rust	Coarse
1271762	BET	7	619397	6963958	7/13/2012	11:04:43 AM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Black Spruce	Thin Moss Cover	Good	Fine	Rocky
1271763	BET	7	619396	6964006	7/13/2012	11:13:12 AM	RR02	Reddish Brown	Silt	Damp	Subtle Slope	70	B	Black Spruce	Thin Moss Cover	Good	Coarse	Outcrop Nearby
1271764	BET	7	619395	6964057	7/13/2012	11:40:05 AM	RR02	Reddish Brown	Silt	Damp	Subtle Slope	40	B	Dwarf Birch	Thin Moss Cover	Good	Fine	
1271765	BET	7	619397	6964107	7/13/2012	11:50:55 AM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	60	B	Dwarf Birch	Thin Moss Cover	Good	Coarse	Rusty Rock Chip
1271766	BET	7	619396	6964157	7/13/2012	12:03:05 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	50	C	Dwarf Birch	Thin Moss Cover	Good	Coarse	Rocky Terrain

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1271767	BET	7	619397	6964207	7/13/2012	12:24:42 PM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	50	B	Dwarf Birch	Thin Moss Cover	Good	Rocky Terrain	Organic 10%
1271768	BET	7	619396	6964257	7/13/2012	12:34:24 PM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	60	B	Dwarf Birch	Thin Moss Cover	Good	Coarse	Wet Soil
1271769	BET	7	619397	6964307	7/13/2012	12:52:27 PM	RR02	Reddish Brown	Sand	Damp	Subtle Slope	60	C	Dwarf Birch	Thin Moss Cover	Good	Fine	
1271770	BET	7	619397	6964357	7/13/2012	1:02:06 PM	RR02	Reddish Brown	Silt	Damp	Subtle Slope	60	B	Dwarf Birch	Thin Moss Cover	Good	Fine	
1271771	BET	7	619397	6964407	7/13/2012	1:20:42 PM	RR02	Reddish Yellow	Silt	Damp	Pronounced Slope	50	B	Dwarf Birch	Thin Moss Cover	Poor	Fine	Organic 10%
1271772	BET	7	619397	6964457	7/13/2012	1:32:17 PM	RR02	Reddish Brown	Silt	Damp	Pronounced Slope	50	B	Dwarf Birch	Thin Moss Cover	Good	Fine	
1271773	BET	7	619398	6964505	7/13/2012	1:42:40 PM	RR02	Reddish Yellow	Silt	Damp	Pronounced Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Fine	
1271774	BET	7	619396	6964556	7/13/2012	1:58:42 PM	RR02	Reddish Brown	Silt	Damp	Pronounced Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Good	Fine	Rocky
1271775	BET	7	619396	6964606	7/13/2012	2:13:12 PM	RR02	Dark Brown	Silt	Damp	Subtle Slope	60	B	Willows	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1271776	BET	7	619396	6964606	7/13/2012	2:18:51 PM	RR02	Dark Brown	Silt	Damp	Subtle Slope	60	B	Willows	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1271777	BET	7	619397	6964656	7/13/2012	2:26:29 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Quartz Chips
1271778	BET	7	619397	6964705	7/13/2012	2:37:35 PM	RR02	Grey	Silt	Wet	Subtle Slope	60	B	Black Spruce	Thin Moss Cover	Good	Coarse	
1271779	BET	7	619397	6964756	7/13/2012	2:49:36 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Black Spruce	Thin Moss Cover	Excellent	Bright Orange Rust	Coarse
1271780	BET	7	619395	6964806	7/13/2012	3:05:50 PM	RR02	Reddish Brown	Silt	Damp	Subtle Slope	60	B	Black Spruce	Thin Moss Cover	Good	Coarse	Rocky Sample
1271781	BET	7	619398	6964856	7/13/2012	3:23:44 PM	RR02	Chocolate Brown	Sand	Wet	Subtle Slope	80	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1271782	BET	7	619397	6964906	7/13/2012	3:36:10 PM	RR02	Light Brown	Silt	Wet	Subtle Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1271783	BET	7	619397	6964956	7/13/2012	3:56:45 PM	RR02	Dark Brown	Silt	Wet	Pronounced Slope	40	B	Black Spruce	Thin Moss Cover	Good	Coarse	Rocky
1271784	BET	7	619398	6965006	7/13/2012	3:58:23 PM	RR02	Chocolate Brown	Sand	Wet	Pronounced Slope	60	C	Black Spruce	Thin Moss Cover	Good	Fine	Wet Soil
1271785	BET	7	619397	6965055	7/13/2012	4:10:49 PM	RR02	Chocolate Brown	Sand	Wet	Pronounced Slope	80	C	Black Spruce	Reindeer Moss	Good	Bright Orange Rust	Coarse
1271786	BET	7	619398	6965108	7/13/2012	4:21:45 PM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Reindeer Moss	Excellent	Coarse	Bright Orange Rust
1296548	BET	7	618997	6963657	7/13/2012	9:50:01 AM	SC01	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	Rocky Terrain
1296549	BET	7	618996	6963707	7/13/2012	10:04:55 AM	SC01	Dark Grey Black	Silt	Damp	Steep	70	B	No Tree Cover	Sphagnum Moss < 30cm	Poor	Rocky	
1296550	BET	7	618997	6963806	7/13/2012	10:32:57 AM	SC01	Dark Grey Black	Silt	Damp	Steep	50	B	Black Spruce	Reindeer Moss	Poor	Rocky	Mud
1296552	BET	7	618997	6963858	7/13/2012	10:49:16 AM	SC01	Dark Brown	Silt	Damp	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Mud	Rocky
1296553	BET	7	618998	6963906	7/13/2012	11:00:14 AM	SC01	Dark Grey Black	Silt	Damp	Steep	90	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Rocky	
1296554	BET	7	618998	6963958	7/13/2012	11:13:56 AM	SC01	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Alders	Grass Cover	Poor	Possible Creek Contamination	Rocky
1296555	BET	7	618996	6964008	7/13/2012	11:27:14 AM	SC01	Dark Grey Black	Silt	Damp	Pronounced Slope	70	B	Alders	Grass Cover	Good	Rocky	
1296556	BET	7	618998	6964058	7/13/2012	11:48:58 AM	SC01	Dark Brown	Silt	Dry	Pronounced Slope	80	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Rocky	
1296557	BET	7	618997	6964107	7/13/2012	12:00:34 PM	SC01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky	Small Sample
1296558	BET	7	618998	6964207	7/13/2012	12:22:40 PM	SC01	Light Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1296559	BET	7	618997	6964257	7/13/2012	12:32:38 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1296560	BET	7	618997	6964308	7/13/2012	12:52:39 PM	SC01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky	Small Sample
1296561	BET	7	618997	6964357	7/13/2012	1:05:51 PM	SC01	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Birch Forest	Leaf Cover	Poor	Rocky	
1296562	BET	7	618997	6964407	7/13/2012	1:23:01 PM	SC01	Reddish Yellow	Silt	Dry	Pronounced Slope	30	B	Birch Forest	Leaf Cover	Poor	Rocky Terrain	
1296563	BET	7	618998	6964456	7/13/2012	1:35:25 PM	SC01	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Birch Forest	Reindeer Moss	Poor	Rocky Terrain	Rocky Sample
1296564	BET	7	618996	6964506	7/13/2012	1:47:25 PM	SC01	Dark Grey Black	Silt	Damp	Pronounced Slope	70	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Partially Frozen	Mud
1296565	BET	7	618996	6964557	7/13/2012	1:59:50 PM	SC01	Chocolate Brown	Silt	Dry	Pronounced Slope	30	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Rocky Sample	Rocky Terrain
1296566	BET	7	618997	6964606	7/13/2012	2:12:26 PM	SC01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky	
1296567	BET	7	618997	6964656	7/13/2012	2:27:49 PM	SC01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky Terrain	
1296568	BET	7	618997	6964706	7/13/2012	2:39:32 PM	SC01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky	Sandy
1296569	BET	7	618997	6964758	7/13/2012	2:52:12 PM	SC01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1296570	BET	7	618996	6964807	7/13/2012	3:04:08 PM	SC01	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1296571	BET	7	618998	6964856	7/13/2012	3:15:31 PM	SC01	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Poor	Rocky	Sandy
1296572	BET	7	618995	6964907	7/13/2012	3:26:01 PM	SC01	Light Brown	Sand	Dry	Subtle Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Excellent		
1296573	BET	7	618996	6964957	7/13/2012	3:35:54 PM	SC01	Reddish Yellow	Sand	Damp	Subtle Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1296574	BET	7	618996	6965007	7/13/2012	3:46:55 PM	SC01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1296575	BET	7	618996	6965056	7/13/2012	4:00:39 PM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1296576	BET	7	618996	6965056	7/13/2012	4:02:03 PM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1296577	BET	7	618997	6965107	7/13/2012	4:17:21 PM	SC01	Dark Grey Black	Silt	Damp	Pronounced Slope	70	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Rocky	Mud
1271704	BET	7	619496	6963707	7/13/2012	9:43:55 AM	SD02	Dark Brown	Sand	Damp	Pronounced Slope	40	B	Dwarf Birch	Sphagnum Moss < 30cm	Poor	Organic 10%	Rocky
1271705	BET	7	619495	6963756	7/13/2012	10:03:26 AM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	50	C	Poplar	Sphagnum Moss < 30cm	Good	Rocky Sample	Rocky
1271706	BET	7	619496	6963809	7/13/2012	10:19:49 AM	SD02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Willows	Sphagnum Moss < 30cm	Poor	Rocky	
1271707	BET	7	619497	6963857	7/13/2012	10:37:07 AM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	40	C	Willows	Reindeer Moss	Poor	Rocky Sample	Rocky
1271708	BET	7	619495	6963907	7/13/2012	10:45:26 AM	SD02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Willows	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1271709	BET	7	619495	6963957	7/13/2012	10:55:24 AM	SD02	Dark Brown	Sand	Damp	Pronounced Slope	50	B	Dwarf Birch	Reindeer Moss	Poor	Rocky	Organic 10%
1271710	BET	7	619494	6964058	7/13/2012	11:14:45 AM	SD02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Rocky	
1271711	BET	7	619494	6964108	7/13/2012	11:33:19 AM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	50	C	Poplar	Sphagnum Moss < 30cm	Good	Fine	Rocky
1271712	BET	7	619496	6964207	7/13/2012	11:50:59 AM	SD02	Dark Brown	Sand	Damp	Pronounced Slope	40	B	Dwarf Birch	Reindeer Moss	Poor	Coarse	Rocky
1271713	BET	7	619496	6964257	7/13/2012	12:00:23 PM	SD02	Grey	Sand	Damp	Pronounced Slope	60	C	Alders	Sphagnum Moss < 30cm	Good	Rocky	
1271714	BET	7	619496	6964308	7/13/2012	12:09:54 PM	SD02	Grey	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1271715	BET	7	619494	6964358	7/13/2012	12:24:59 PM	SD02	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Poplar	Sphagnum Moss < 30cm	Poor	Organic 10%	Rocky
1271716	BET	7	619494	6964406	7/13/2012	12:50:45 PM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	20	B	Poplar	Sphagnum Moss < 30cm	Good	Rocky	
1271717	BET	7	619494	6964456	7/13/2012	1:00:33 PM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	60	B	Poplar	Leaf Cover	Good	Rocky	
1271718	BET	7	619495	6964507	7/13/2012	1:23:32 PM	SD02	Grey	Gravel	Damp	Pronounced Slope	60	B	Poplar	Sphagnum Moss < 30cm	Good	Rocky	Rocky Sample
1271719	BET	7	619496	6964607	7/13/2012	2:00:47 PM	SD02	Grey	Sand	Damp	Pronounced Slope	50	C	Willows	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Rocky
1271720	BET	7	619493	6964657	7/13/2012	2:10:56 PM	SD02	Grey	Sand	Damp	Subtle Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1271721	BET	7	619498	6964708	7/13/2012	2:16:50 PM	SD02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Dull Red Rust
1271722	BET	7	619497	6964757	7/13/2012	2:24:19 PM	SD02	Dark Brown	Sand	Damp	Subtle Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Rocky
1271725	BET	7	619498	6964807	7/13/2012	2:33:15 PM	SD02	Chocolate Brown	Sand	Damp	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Good	Rocky	
1271726	BET	7	619498	6964807	7/13/2012	2:39:17 PM	SD02	Chocolate Brown	Sand	Damp	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Good	Rocky	
1271723	BET	7	619497	6964856	7/13/2012	2:48:49 PM	SD02	Light Brown	Gravel	Damp	Subtle Slope	50	C	Black Spruce	Reindeer Moss	Excellent	Fine	Rocky
1271724	BET	7	619495	6964907	7/13/2012	2:56:28 PM	SD02	Reddish Brown	Sand	Damp	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Good	Rocky	
1271727	BET	7	619496	6964955	7/13/2012	3:06:37 PM	SD02	Dark Brown	Gravel	Damp	Subtle Slope	50	B	Alders	Reindeer Moss	Good	Rocky	
1271728	BET	7	619496	6965007	7/13/2012	3:18:42 PM	SD02	Dark Brown	Sand	Damp	Subtle Slope	60	B	Black Spruce	Reindeer Moss	Good	Rocky	
1271729	BET	7	619498	6965055	7/13/2012	3:27:10 PM	SD02	Chocolate Brown	Sand	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Fine
1271730	BET	7	619495	6965106	7/13/2012	3:36:32 PM	SD02	Dark Grey Black	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1271950	BET	7	618498	6963708	7/14/2012	9:41:57 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Black Spruce	Reindeer Moss	Good	Rocky	Small Sample
1271952	BET	7	618495	6963758	7/14/2012	9:51:17 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Alders	Reindeer Moss	Good	Quartz Chips	Rocky
1271953	BET	7	618497	6963807	7/14/2012	10:03:12 AM	BH01	Chocolate Brown	Gravel	Dry	Pronounced Slope	80	B	Alders	Reindeer Moss	Good	Rocky	Rocky Sample
1271954	BET	7	618497	6963906	7/14/2012	10:35:39 AM	BH01	Chocolate Brown	Gravel	Wet	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	Rocky
1271955	BET	7	618495	6963958	7/14/2012	10:46:03 AM	BH01	Chocolate Brown	Gravel	Wet	Pronounced Slope	80	C	Black Spruce	Reindeer Moss	Good	Partially Frozen	Rocky Sample
1271956	BET	7	618497	6964004	7/14/2012	10:56:32 AM	BH01	Dark Brown	Gravel	Wet	Pronounced Slope	60	B	Black Spruce	Leaf Cover	Good	Rocky Sample	Partially Frozen
1271957	BET	7	618497	6964057	7/14/2012	11:08:49 AM	BH01	Dark Brown	Gravel	Damp	Pronounced Slope	80	B	Birch Forest	Reindeer Moss	Good	Rocky Sample	Partially Frozen
1271958	BET	7	618494	6964107	7/14/2012	11:29:02 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	80	B	Birch Forest	Reindeer Moss	Good	Rocky	Small Sample

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1271959	BET	7	618497	6964206	7/14/2012	11:52:03 AM	BH01	Chocolate Brown	Gravel	Damp	Pronounced Slope	80	B	Birch Forest	Reindeer Moss	Good	Rocky Sample	Small Sample
1271960	BET	7	618497	6964256	7/14/2012	12:02:21 PM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	60	C	Black Spruce	Reindeer Moss	Excellent	Rocky	
1271961	BET	7	618497	6964309	7/14/2012	12:11:39 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Birch Forest	Reindeer Moss	Good	Quartz Chips	Rocky
1271962	BET	7	618496	6964357	7/14/2012	12:22:33 PM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	Small Sample
1271963	BET	7	618496	6964406	7/14/2012	12:51:25 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Rocky	Small Sample
1271964	BET	7	618495	6964458	7/14/2012	1:02:34 PM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Good	Rocky	Small Sample
1271965	BET	7	618497	6964508	7/14/2012	1:09:10 PM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	60	B	Black Spruce	Bare Soil	Good	Rocky	
1271966	BET	7	618495	6964556	7/14/2012	1:18:23 PM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Good	Rocky	
1271967	BET	7	618496	6964608	7/14/2012	1:31:29 PM	BH01	Chocolate Brown	Gravel	Dry	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Small Sample
1271968	BET	7	618501	6964658	7/14/2012	1:47:51 PM	BH01	Chocolate Brown	Silt	Dry	Steep	100	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1271969	BET	7	618496	6964706	7/14/2012	1:58:59 PM	BH01	Chocolate Brown	Silt	Dry	Steep	70	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Organic 10%
1271970	BET	7	618496	6964755	7/14/2012	2:09:04 PM	BH01	Chocolate Brown	Silt	Dry	Steep	80	B	Black Spruce	Reindeer Moss	Good	Rocky	
1271971	BET	7	618496	6964806	7/14/2012	2:23:10 PM	BH01	Chocolate Brown	Silt	Damp	Steep	100	B	Black Spruce	Reindeer Moss	Good	Rocky	Small Sample
1271972	BET	7	618497	6964856	7/14/2012	2:34:21 PM	BH01	Chocolate Brown	Silt	Dry	Steep	70	B	Black Spruce	Leaf Cover	Good	Quartz Chips	Rocky
1271973	BET	7	618496	6964907	7/14/2012	2:51:50 PM	BH01	Chocolate Brown	Silt	Dry	Steep	60	B	Black Spruce	Leaf Cover	Good	Organic 10%	Rocky
1271974	BET	7	618497	6964956	7/14/2012	3:03:39 PM	BH01	Chocolate Brown	Silt	Dry	Steep	60	B	Poplar	Leaf Cover	Good	Organic 10%	Rocky
1271977	BET	7	618497	6965006	7/14/2012	3:40:11 PM	BH01	Chocolate Brown	Silt	Damp	Steep	90	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Small Sample
1271975	BET	7	618496	6965055	7/14/2012	3:56:48 PM	BH01	Dark Brown	Gravel	Damp	Steep	100	B	Black Spruce	Reindeer Moss	Good	Rocky Sample	
1271976	BET	7	618496	6965055	7/14/2012	4:01:37 PM	BH01	Dark Brown	Gravel	Damp	Steep	100	B	Black Spruce	Reindeer Moss	Good	Rocky Sample	
1271978	BET	7	618496	6965106	7/14/2012	4:11:01 PM	BH01	Chocolate Brown	Silt	Wet	Steep	80	B	Black Spruce	Reindeer Moss	Good	Frozen	
1271979	BET	7	618498	6965156	7/14/2012	4:20:03 PM	BH01	Dark Brown	Clay	Wet	Pronounced Slope	70	B	Black Spruce	Reindeer Moss	Poor	Frozen	Rocky
1271877	BET	7	618598	6963709	7/14/2012	9:33:38 AM	RF02	Chocolate Brown	Silt	Damp	Subtle Slope	30	B	Dwarf Birch	Sphagnum Moss < 30cm	Poor		
1271878	BET	7	618598	6963758	7/14/2012	9:45:34 AM	RF02	Chocolate Brown	Silt	Damp	Subtle Slope	40	B	Alders	Sphagnum Moss < 30cm	Poor		
1271879	BET	7	618599	6963809	7/14/2012	9:59:58 AM	RF02	Dark Brown	Silt	Damp	Subtle Slope	40	B	Dwarf Birch	Sphagnum Moss < 30cm	Poor		
1271880	BET	7	618598	6963859	7/14/2012	10:12:29 AM	RF02	Dark Grey Black	Silt	Wet	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	
1271881	BET	7	618598	6963908	7/14/2012	10:25:08 AM	RF02	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	Alders	Sphagnum Moss < 30cm	Poor		
1271882	BET	7	618599	6963960	7/14/2012	10:40:12 AM	RF02	Dark Grey Black	Silt	Wet	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor		
1271883	BET	7	618599	6964009	7/14/2012	10:53:58 AM	RF02	Dark Brown	Silt	Damp	Subtle Slope	40	B	Dwarf Birch	Sphagnum Moss < 30cm	Poor		
1271884	BET	7	618599	6964060	7/14/2012	11:03:42 AM	RF02	Chocolate Brown	Sand	Wet	Subtle Slope	40	C	No Tree Cover	Sphagnum Moss < 30cm	Good		
1271885	BET	7	618597	6964110	7/14/2012	11:15:53 AM	RF02	Dark Brown	Silt	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor		
1271886	BET	7	618598	6964160	7/14/2012	11:33:29 AM	RF02	Dark Brown	Silt	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good		
1271887	BET	7	618598	6964209	7/14/2012	11:51:15 AM	RF02	Dark Brown	Silt	Damp	Subtle Slope	50	B	Poplar	Reindeer Moss	Poor		
1271888	BET	7	618598	6964259	7/14/2012	12:05:32 PM	RF02	Dark Brown	Silt	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good		
1271889	BET	7	618599	6964311	7/14/2012	12:17:43 PM	RF02	Dark Brown	Clay	Damp	Subtle Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Poor		
1271890	BET	7	618596	6964360	7/14/2012	12:28:09 PM	RF02	Chocolate Brown	Silt	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good		
1271891	BET	7	618596	6964410	7/14/2012	12:38:24 PM	RF02	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good	Small Sample	
1271892	BET	7	618597	6964456	7/14/2012	12:51:35 PM	RF02	Chocolate Brown	Silt	Damp	Subtle Slope	50	B	Birch Forest	Leaf Cover	Good		
1271893	BET	7	618596	6964508	7/14/2012	1:04:20 PM	RF02	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Poor		
1271894	BET	7	618598	6964556	7/14/2012	1:25:15 PM	RF02	Dark Brown	Silt	Damp	Subtle Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Poor		
1271895	BET	7	618596	6964606	7/14/2012	1:42:21 PM	RF02	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Poor		
1271896	BET	7	618596	6964655	7/14/2012	1:55:50 PM	RF02	Dark Brown	Silt	Damp	Subtle Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good		
1271897	BET	7	618598	6964706	7/14/2012	2:08:53 PM	RF02	Dark Grey Black	Silt	Wet	Subtle Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good		
1271898	BET	7	618596	6964756	7/14/2012	2:19:55 PM	RF02	Chocolate Brown	Silt	Damp	Subtle Slope	60	C	Birch Forest	Leaf Cover	Excellent		
1271899	BET	7	618597	6964807	7/14/2012	2:33:12 PM	RF02	Chocolate Brown	Silt	Damp	Subtle Slope	60	B	Birch Forest	Leaf Cover	Good		
1271900	BET	7	618596	6964857	7/14/2012	2:48:06 PM	RF02	Dark Brown	Silt	Damp	Subtle Slope	30	C	Birch Forest	Leaf Cover	Good		
1270852	BET	7	618598	6964906	7/14/2012	3:01:17 PM	RF02	Dark Brown	Silt	Dry	Subtle Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Good		
1270853	BET	7	618597	6964957	7/14/2012	3:15:00 PM	RF02	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor		
1270854	BET	7	618597	6965005	7/14/2012	3:27:32 PM	RF02	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Good		
1270855	BET	7	618595	6965057	7/14/2012	3:38:59 PM	RF02	Dark Brown	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good		
1270856	BET	7	618597	6965108	7/14/2012	3:49:41 PM	RF02	Dark Brown	Silt	Wet	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	
1270857	BET	7	618597	6965157	7/14/2012	4:03:45 PM	RF02	Dark Grey Black	Clay	Wet	Subtle Slope	40	A	Black Spruce	Sphagnum Moss > 30cm	Poor	Frozen	
1271787	BET	7	618797	6963707	7/14/2012	9:27:32 AM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Dwarf Birch	Thin Moss Cover	Good	Fine	
1271788	BET	7	618796	6963757	7/14/2012	9:45:24 AM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Dwarf Birch	Thin Moss Cover	Poor	Quartz Chips	Small Sample
1271789	BET	7	618797	6963807	7/14/2012	10:04:11 AM	RR02	Dark Brown	Gravel	Wet	Pronounced Slope	60	B	Dwarf Birch	Thin Moss Cover	Good	Rocky Sample	Coarse
1271790	BET	7	618797	6963857	7/14/2012	10:20:26 AM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	50	B	Black Spruce	Thin Moss Cover	Good	Coarse	
1271791	BET	7	618797	6963907	7/14/2012	10:38:04 AM	RR02	Chocolate Brown	Sand	Wet	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss > 30cm	Good	Frozen	
1271792	BET	7	618796	6963958	7/14/2012	10:59:42 AM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	110	C	Black Spruce	Thin Moss Cover	Excellent	Dull Red Rust	Rocky Terrain
1271793	BET	7	618796	6964008	7/14/2012	11:31:18 AM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Thin Moss Cover	Good	Fine	Rocky Terrain
1271794	BET	7	618797	6964058	7/14/2012	11:47:18 AM	RR02	Dark Brown	Silt	Damp	Subtle Slope	50	B	Black Spruce	Thin Moss Cover	Good	Coarse	Rocky Sample
1271795	BET	7	618796	6964107	7/14/2012	11:55:38 AM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Partially Frozen
1271796	BET	7	618797	6964159	7/14/2012	12:07:52 PM	RR02	Dark Brown	Silt	Damp	Pronounced Slope	100	B	Willows	Sphagnum Moss < 30cm	Poor	Fine	Bright Orange Rust
1271797	BET	7	618798	6964208	7/14/2012	12:23:03 PM	RR02	Dark Brown	Silt	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Organic 10%	Frozen
1271798	BET	7	618796	6964259	7/14/2012	12:35:46 PM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Fine	Bright Orange Rust
1271799	BET	7	618809	6964308	7/14/2012	12:59:18 PM	RR02	Reddish Brown	Silt	Damp	Pronounced Slope	60	B	White Spruce	Sphagnum Moss < 30cm	Poor	Fine	
1271800	BET	7	618800	6964358	7/14/2012	1:13:27 PM	RR02	Reddish Brown	Silt	Damp	Pronounced Slope	60	B	White Spruce	Sphagnum Moss < 30cm	Poor	Fine	Rocky
1270752	BET	7	618797	6964410	7/14/2012	1:27:55 PM	RR02	Dark Brown	Silt	Wet	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Fine	Rocky
1270753	BET	7	618797	6964458	7/14/2012	1:49:07 PM	RR02	Grey	Silt	Wet	Pronounced Slope	90	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky Sample	Coarse
1270754	BET	7	618797	6964507	7/14/2012	2:01:43 PM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	90	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Organic 10%	Rocky
1270755	BET	7	618797	6964558	7/14/2012	2:11:02 PM	RR02	Dark Brown	Silt	Wet	Subtle Slope	70	B	Black Spruce	Thin Moss Cover	Poor	Coarse	Partially Frozen
1270756	BET	7	618798	6964607	7/14/2012	2:21:06 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1270757	BET	7	618797	6964657	7/14/2012	2:31:22 PM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1270758	BET	7	618797	6964706	7/14/2012	2:43:55 PM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	70	B	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1270759	BET	7	618796	6964758	7/14/2012	3:00:09 PM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	60	B	Birch Forest	Grass Cover	Good	Coarse	
1270760	BET	7	618797	6964807	7/14/2012	3:10:28 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Birch Forest	Leaf Cover	Good	Fine	
1270761	BET	7	618796	6964858	7/14/2012	3:25:17 PM	RR02	Dark Brown	Silt	Wet	Pronounced Slope	60	B	Black Spruce	Reindeer Moss	Poor	Partially Frozen	Dull Red Rust
1270762	BET	7	618798	6964907	7/14/2012	3:53:04 PM	RR02	Chocolate Brown	Sand	Wet	Subtle Slope	60	C	Black Spruce	Thin Moss Cover	Good	Fine	Dull Red Rust
1270763	BET	7	618797	6964958	7/14/2012	4:19:25 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	70	B	Birch Forest	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Coarse
1270764	BET	7	618796	6965006	7/14/2012	4:33:08 PM	RR02	Dark Brown	Silt	Damp	Subtle Slope	50	B	Birch Forest	Thin Moss Cover	Poor	Fine	Bright Orange Rust
1270765	BET	7	618797	6965058	7/14/2012	4:42:53 PM	RR02	Bluish Grey	Clay	Damp	Pronounced Slope	90	C	Birch Forest	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Coarse
1270766	BET	7	618797	6965108	7/14/2012	4:54:19 PM	RR02	Reddish Brown	Sand	Damp	Subtle Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1271731	BET	7	618699	6963708	7/14/2012	9:30:34 AM	SD02	Chocolate Brown	Silt	Damp	Subtle Slope	40	B	Dwarf Birch	Reindeer Moss	Good	Rocky	
1271732	BET	7	618697	6963757	7/14/2012	9:41:08 AM	SD02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Dwarf Birch	Reindeer Moss	Good	Rocky	
1271733	BET	7	618698	6963807	7/14/2012	9:48:10 AM	SD02	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Dwarf Birch	Sphagnum Moss < 30cm	Good	Rocky	
1271734	BET	7	618700	6963858	7/14/2012	9:59:17 AM	SD02	Dark Brown	Sand	Damp	Pronounced Slope	30	B	Dwarf Birch	Sphagnum Moss < 30cm	Poor	Rocky Terrain	Organic 10%

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1271735	BET	7	618697	6963958	7/14/2012	10:16:22 AM	SD02	Dark Brown	Sand	Damp	Pronounced Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1271736	BET	7	618698	6964009	7/14/2012	10:31:33 AM	SD02	Dark Brown	Gravel	Damp	Pronounced Slope	40	B	Alders	Reindeer Moss	Good	Rocky	Rocky Sample
1271737	BET	7	618698	6964057	7/14/2012	10:53:02 AM	SD02	Dark Brown	Gravel	Damp	Pronounced Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Quartz Chips	Rocky Terrain
1271738	BET	7	618698	6964158	7/14/2012	11:21:59 AM	SD02	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1271739	BET	7	618696	6964256	7/14/2012	11:46:00 AM	SD02	Dark Brown	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Poor	Rocky	Organic 10%
1271740	BET	7	618698	6964306	7/14/2012	11:54:47 AM	SD02	Dark Grey Black	Gravel	Wet	Subtle Slope	100	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Organic 10%	
1271741	BET	7	618699	6964355	7/14/2012	12:06:43 PM	SD02	Grey	Gravel	Damp	Pronounced Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1271742	BET	7	618698	6964406	7/14/2012	12:17:44 PM	SD02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Birch Forest	Grass Cover	Good	Coarse	Rocky
1271743	BET	7	618699	6964456	7/14/2012	12:39:57 PM	SD02	Dark Brown	Gravel	Damp	Pronounced Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Rocky	Quartz Chips
1271744	BET	7	618697	6964506	7/14/2012	12:50:10 PM	SD02	Dark Brown	Sand	Damp	Pronounced Slope	40	B	Birch Forest	Grass Cover	Poor	Coarse	Rocky
1271745	BET	7	618697	6964558	7/14/2012	1:00:09 PM	SD02	Dark Brown	Silt	Damp	Pronounced Slope	70	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Partially Frozen	
1271746	BET	7	618697	6964706	7/14/2012	1:28:05 PM	SD02	Dark Brown	Sand	Wet	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Rocky	
1271747	BET	7	618696	6964756	7/14/2012	1:35:45 PM	SD02	Grey	Sand	Damp	Subtle Slope	70	B	Willows	Reindeer Moss	Good	Coarse	Possible Creek Contamination
1271748	BET	7	618697	6964806	7/14/2012	1:45:02 PM	SD02	Dark Grey Black	Sand	Wet	Subtle Slope	80	B	Alders	Reindeer Moss	Good	Partially Frozen	Bright Orange Rust
1271749	BET	7	618697	6964856	7/14/2012	2:05:55 PM	SD02	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Willows	Reindeer Moss	Good	Bright Orange Rust	Partially Frozen
1271750	BET	7	618697	6964907	7/14/2012	2:13:13 PM	SD02	Dark Brown	Sand	Damp	Subtle Slope	60	C	Willows	Reindeer Moss	Good	Bright Orange Rust	Partially Frozen
1271452	BET	7	618697	6964956	7/14/2012	2:21:56 PM	SD02	Dark Grey Black	Sand	Damp	Subtle Slope	70	B	Alders	Reindeer Moss	Good	Bright Orange Rust	Partially Frozen
1271453	BET	7	618697	6965005	7/14/2012	2:35:08 PM	SD02	Dark Brown	Sand	Wet	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Poor	Rocky	Wet Soil
1271454	BET	7	618695	6965058	7/14/2012	2:44:52 PM	SD02	Dark Brown	Sand	Damp	Pronounced Slope	70	B	Black Spruce	Grass Cover	Good	Bright Orange Rust	Partially Frozen
1271455	BET	7	618695	6965108	7/14/2012	2:55:01 PM	SD02	Grey	Sand	Damp	Pronounced Slope	80	B	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	
1271456	BET	7	618696	6965157	7/14/2012	3:07:38 PM	SD02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Bright Orange Rust
1271980	BET	7	618196	6963707	7/15/2012	10:21:17 AM	BH01	Dark Brown	Silt	Dry	Subtle Slope	60	B	Birch Forest	Leaf Cover	Good	Rocky	Bright Orange Rust
1271981	BET	7	618198	6963756	7/15/2012	10:29:43 AM	BH01	Chocolate Brown	Silt	Wet	Subtle Slope	60	B	Black Spruce	Sphagnum Moss > 30cm	Good	Partially Frozen	Organic 10%
1271982	BET	7	618197	6963807	7/15/2012	10:36:43 AM	BH01	Chocolate Brown	Gravel	Dry	Pronounced Slope	60	B	Black Spruce	Reindeer Moss	Good	Rocky Sample	
1271983	BET	7	618197	6963856	7/15/2012	10:49:47 AM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Birch Forest	Leaf Cover	Good	Rocky	
1271984	BET	7	618197	6963908	7/15/2012	11:00:15 AM	BH01	Dark Brown	Gravel	Dry	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Organic 25%	Rocky Sample
1271985	BET	7	618196	6963957	7/15/2012	11:12:34 AM	BH01	Chocolate Brown	Gravel	Dry	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Poor	Rocky	Small Sample
1271986	BET	7	618197	6964007	7/15/2012	11:31:26 AM	BH01	Dark Brown	Silt	Wet	Steep	100	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	
1271987	BET	7	618198	6964058	7/15/2012	11:42:15 AM	BH01	Dark Brown	Gravel	Wet	Steep	100	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	
1271988	BET	7	618198	6964108	7/15/2012	11:55:06 AM	BH01	Chocolate Brown	Gravel	Damp	Steep	80	B	Black Spruce	Reindeer Moss	Good	Rocky Sample	Partially Frozen
1271989	BET	7	618198	6964156	7/15/2012	12:05:27 PM	BH01	Chocolate Brown	Gravel	Wet	Steep	60	B	Black Spruce	Reindeer Moss	Good	Rocky Sample	Partially Frozen
1271990	BET	7	618197	6964206	7/15/2012	12:22:57 PM	BH01	Chocolate Brown	Gravel	Damp	Steep	70	B	Black Spruce	Reindeer Moss	Poor	Small Sample	Rocky Sample
1271992	BET	7	618198	6964306	7/15/2012	12:55:33 PM	BH01	Chocolate Brown	Gravel	Damp	Pronounced Slope	90	B	Alders	Leaf Cover	Good	Rocky	
1271993	BET	7	618195	6964356	7/15/2012	1:24:39 PM	BH01	Chocolate Brown	Gravel	Damp	Pronounced Slope	80	B	Alders	Leaf Cover	Good	Rocky	
1271994	BET	7	618196	6964403	7/15/2012	1:35:44 PM	BH01	Chocolate Brown	Gravel	Dry	Steep	70	B	Alders	Leaf Cover	Good	Rocky	
1271995	BET	7	618198	6964456	7/15/2012	1:48:13 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Alders	Leaf Cover	Good	Rocky	
1271996	BET	7	618198	6964507	7/15/2012	1:58:46 PM	BH01	Chocolate Brown	Silt	Dry	Steep	70	B	Birch Forest	Leaf Cover	Good	Organic 10%	Rocky
1271997	BET	7	618198	6964556	7/15/2012	2:08:21 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	80	B	Alders	Leaf Cover	Good	Rocky	
1271998	BET	7	618197	6964608	7/15/2012	2:20:04 PM	BH01	Chocolate Brown	Gravel	Damp	Pronounced Slope	60	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	Rocky
1271999	BET	7	618198	6964654	7/15/2012	2:32:35 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	90	B	Alders	Leaf Cover	Good	Partially Frozen	Rocky
1272000	BET	7	618196	6964706	7/15/2012	2:45:19 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Black Spruce	Leaf Cover	Good	Rocky	Small Sample
1271002	BET	7	618194	6964755	7/15/2012	3:01:08 PM	BH01	Dark Brown	Silt	Dry	Pronounced Slope	60	B	Birch Forest	Leaf Cover	Poor	Organic 25%	Rocky
1271003	BET	7	618194	6964804	7/15/2012	3:12:39 PM	BH01	Dark Brown	Silt	Dry	Steep	60	B	Black Spruce	Thin Moss Cover	Poor	Rocky	Organic 25%
1271004	BET	7	618192	6964856	7/15/2012	3:25:22 PM	BH01	Dark Brown	Silt	Dry	Steep	70	B	Black Spruce	Thin Moss Cover	Poor	Organic 50%	Rocky
1271005	BET	7	618196	6964905	7/15/2012	3:36:20 PM	BH01	Dark Brown	Silt	Dry	Pronounced Slope	60	B	Black Spruce	Needle Cover	Good	Organic 10%	Rocky
1271006	BET	7	618198	6964953	7/15/2012	4:02:05 PM	BH01	Dark Brown	Silt	Dry	Steep	70	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Organic 25%	Rocky
1271007	BET	7	618199	6965055	7/15/2012	4:29:29 PM	BH01	Dark Brown	Silt	Wet	Steep	50	B	Black Spruce	Reindeer Moss	Poor	Frozen	Rocky
1271008	BET	7	618197	6965105	7/15/2012	4:44:46 PM	BH01	Dark Brown	Gravel	Wet	Steep	70	B	Black Spruce	Reindeer Moss	Poor	Partially Frozen	Rocky
1271009	BET	7	618198	6965155	7/15/2012	4:58:53 PM	BH01	Dark Brown	Silt	Wet	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Poor	Frozen	
1270858	BET	7	618297	6963707	7/15/2012	10:15:27 AM	RF02	Chocolate Brown	Silt	Dry	Flat	50	B	Poplar	Sphagnum Moss < 30cm	Good		
1270859	BET	7	618298	6963758	7/15/2012	10:23:58 AM	RF02	Chocolate Brown	Silt	Damp	Flat	50	B	Birch Forest	Leaf Cover	Good		
1270860	BET	7	618297	6963808	7/15/2012	10:32:23 AM	RF02	Chocolate Brown	Clay	Damp	Subtle Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Good		
1270861	BET	7	618297	6963857	7/15/2012	10:40:49 AM	RF02	Dark Brown	Silt	Damp	Subtle Slope	50	B	Dwarf Birch	Sphagnum Moss > 30cm	Poor	Partially Frozen	
1270862	BET	7	618298	6963908	7/15/2012	10:51:21 AM	RF02	Dark Grey Black	Silt	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	Small Sample
1270863	BET	7	618297	6963958	7/15/2012	11:01:58 AM	RF02	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	
1270864	BET	7	618297	6964009	7/15/2012	11:16:47 AM	RF02	Dark Brown	Silt	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	
1270865	BET	7	618299	6964060	7/15/2012	11:28:08 AM	RF02	Dark Brown	Silt	Wet	Subtle Slope	60	C	Alders	Leaf Cover	Good	Possible Creek Contamination	
1270866	BET	7	618297	6964110	7/15/2012	11:40:22 AM	RF02	Dark Grey Black	Silt	Wet	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	
1270867	BET	7	618298	6964159	7/15/2012	11:50:00 AM	RF02	Dark Brown	Sand	Wet	Subtle Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Good		
1270868	BET	7	618297	6964209	7/15/2012	12:01:25 PM	RF02	Dark Grey Black	Silt	Wet	Subtle Slope	70	B	Dwarf Birch	Sphagnum Moss < 30cm	Poor		
1270869	BET	7	618296	6964259	7/15/2012	12:12:14 PM	RF02	Dark Brown	Silt	Damp	Subtle Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good		
1270870	BET	7	618299	6964309	7/15/2012	12:22:22 PM	RF02	Chocolate Brown	Silt	Damp	Subtle Slope	80	B	Birch Forest	Sphagnum Moss < 30cm	Good		
1270871	BET	7	618298	6964359	7/15/2012	12:32:54 PM	RF02	Dark Brown	Silt	Damp	Subtle Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Good		
1270872	BET	7	618297	6964409	7/15/2012	12:47:21 PM	RF02	Dark Grey Black	Silt	Damp	Subtle Slope	40	B	Dwarf Birch	Sphagnum Moss < 30cm	Poor		
1270873	BET	7	618297	6964456	7/15/2012	12:58:53 PM	RF02	Dark Brown	Silt	Dry	Subtle Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Good		
1270874	BET	7	618298	6964506	7/15/2012	1:12:31 PM	RF02	Chocolate Brown	Silt	Damp	Subtle Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Good		
1270875	BET	7	618298	6964506	7/15/2012	1:13:42 PM	RF02	Chocolate Brown	Silt	Damp	Subtle Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Good		
1270876	BET	7	618297	6964557	7/15/2012	1:29:05 PM	RF02	Dark Brown	Silt	Damp	Subtle Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good		
1270877	BET	7	618298	6964607	7/15/2012	1:39:35 PM	RF02	Chocolate Brown	Silt	Dry	Subtle Slope	100	C	Birch Forest	Leaf Cover	Excellent		
1270878	BET	7	618296	6964657	7/15/2012	1:49:41 PM	RF02	Dark Brown	Silt	Dry	Subtle Slope	70	C	Birch Forest	Leaf Cover	Good		
1270879	BET	7	618298	6964707	7/15/2012	2:02:27 PM	RF02	Dark Brown	Silt	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good		
1270880	BET	7	618298	6964757	7/15/2012	2:11:05 PM	RF02	Chocolate Brown	Silt	Damp	Subtle Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Excellent		
1270881	BET	7	618297	6964807	7/15/2012	2:21:09 PM	RF02	Chocolate Brown	Silt	Dry	Subtle Slope	30	B	Birch Forest	Leaf Cover	Poor		
1270882	BET	7	618298	6964859	7/15/2012	2:32:15 PM	RF02	Chocolate Brown	Silt	Damp	Subtle Slope	80	B	Black Spruce	Sphagnum Moss < 30cm	Good		
1270883	BET	7	618299	6964908	7/15/2012	2:42:23 PM	RF02	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good		
1270884	BET	7	618299	6964958	7/15/2012	2:54:13 PM	RF02	Chocolate Brown	Silt	Damp	Subtle Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good		
1270885	BET	7	618298	6965008	7/15/2012	3:08:13 PM	RF02	Dark Grey Black	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor		
1270886	BET	7	618297	6965107	7/15/2012	3:30:58 PM	RF02	Dark Grey Black	Silt	Wet	Pronounced Slope	60	A	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	
1270887	BET	7	618298	6965152	7/15/2012	3:41:47 PM	RF02	Dark Grey Black	Silt	Wet	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Possible Creek Contamination	Partially Frozen
1270767	BET	7	618096	6963707	7/15/2012	10:23:17 AM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Dull Red Rust
1270768	BET	7	618097	6963757	7/15/2012	10:34:11 AM	RR02	Dark Brown	Silt	Damp	Subtle Slope	70	B	Black Spruce	Thin Moss Cover	Good	Fine	Bright Orange Rust
1270769	BET	7	618096	6963806	7/15/2012	10:44:25 AM	RR02	Chocolate Brown	Sand	Wet	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1270770	BET	7	618097	6963858	7/15/2012	10:54:43 AM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1270771	BET	7	618096	6963907	7/15/2012	11:08:28 AM	RR02	Reddish Brown	Sand	Damp	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1270772	BET	7	618097	6963957	7/15/2012	11:23:49 AM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	40	B	Black Spruce	Thin Moss Cover	Good	Coarse	Rocky
1270773	BET	7	618097	6964007	7/15/2012	11:34:42 AM	RR02	Grey	Silt	Wet	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Fine
1270774	BET	7	618096	6964056	7/15/2012	11:46:18 AM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	Black Spruce	Thin Moss Cover	Good	Bright Orange Rust	Quartz Chips
1270775	BET	7	618097	6964107	7/15/2012	11:57:07 AM	RR02	Reddish Brown	Sand	Damp	Subtle Slope	100	C	Black Spruce	Thin Moss Cover	Excellent	Coarse	
1270776	BET	7	618097	6964107	7/15/2012	12:03:13 PM	RR02	Reddish Brown	Sand	Damp	Subtle Slope	110	C	Black Spruce	Thin Moss Cover	Excellent	Coarse	
1270777	BET	7	618097	6964157	7/15/2012	12:11:35 PM	RR02	Chocolate Brown	Silt	Damp	Subtle Slope	50	C	Black Spruce	Thin Moss Cover	Good	Coarse	Bright Orange Rust
1270778	BET	7	618097	6964207	7/15/2012	12:21:52 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Black Spruce	Thin Moss Cover	Good	Coarse	Rocky
1270779	BET	7	618097	6964257	7/15/2012	1:05:27 PM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	B	Birch Forest	Sphagnum Moss < 30cm	Good	Fine	Loess
1270780	BET	7	618094	6964307	7/15/2012	1:16:51 PM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	80	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1270781	BET	7	618097	6964357	7/15/2012	1:29:40 PM	RR02	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Birch Forest	Thin Moss Cover	Good	Fine	
1270782	BET	7	618096	6964407	7/15/2012	2:00:51 PM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Good	Frozen	Bright Orange Rust
1270783	BET	7	618097	6964457	7/15/2012	2:16:52 PM	RR02	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Birch Forest	Thin Moss Cover	Poor	Fine	Organic 10%
1270784	BET	7	618098	6964508	7/15/2012	2:31:43 PM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Quartz Chips
1270785	BET	7	618097	6964557	7/15/2012	2:43:19 PM	RR02	Chocolate Brown	Sand	Wet	Pronounced Slope	60	C	Black Spruce	Thin Moss Cover	Good	Fine	
1270786	BET	7	618095	6964608	7/15/2012	2:50:42 PM	RR02	Dark Brown	Silt	Wet	Pronounced Slope	70	B	Black Spruce	Thin Moss Cover	Good	Fine	Partially Frozen
1270787	BET	7	618096	6964657	7/15/2012	3:00:37 PM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	70	B	Black Spruce	Thin Moss Cover	Good	Coarse	Partially Frozen
1270788	BET	7	618092	6964707	7/15/2012	3:08:55 PM	RR02	Dark Brown	Silt	Wet	Subtle Slope	60	B	Willows	Thin Moss Cover	Poor	Coarse	Partially Frozen
1270789	BET	7	618098	6964758	7/15/2012	3:21:09 PM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	90	B	Black Spruce	Thin Moss Cover	Good	Coarse	Wet Soil
1270790	BET	7	618097	6964808	7/15/2012	3:38:20 PM	RR02	Greyish Green	Silt	Wet	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1270791	BET	7	618098	6964857	7/15/2012	3:52:39 PM	RR02	Dark Brown	Sand	Wet	Pronounced Slope	70	B	Black Spruce	Thin Moss Cover	Good	Fine	Partially Frozen
1270792	BET	7	618099	6964909	7/15/2012	4:03:33 PM	RR02	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Thin Moss Cover	Excellent	Coarse	
1270793	BET	7	618096	6964957	7/15/2012	4:12:46 PM	RR02	Reddish Yellow	Sand	Damp	Pronounced Slope	80	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	
1270794	BET	7	618096	6965007	7/15/2012	4:23:12 PM	RR02	Reddish Yellow	Sand	Damp	Pronounced Slope	110	C	Birch Forest	Thin Moss Cover	Excellent	Coarse	Bright Orange Rust
1270795	BET	7	618097	6965109	7/15/2012	4:45:02 PM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	80	B	Black Spruce	Thin Moss Cover	Good	Coarse	
1270796	BET	7	618097	6965158	7/15/2012	4:57:11 PM	RR02	Light Brown	Silt	Damp	Flat	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1271457	BET	7	618398	6963708	7/15/2012	10:27:42 AM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Rocky	Bright Orange Rust
1271458	BET	7	618398	6963759	7/15/2012	10:43:07 AM	SD02	Light Brown	Sand	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1271459	BET	7	618397	6963808	7/15/2012	10:48:46 AM	SD02	Dark Brown	Sand	Damp	Pronounced Slope	50	B	Alders	Reindeer Moss	Good	Rocky	Bright Orange Rust
1271460	BET	7	618397	6963857	7/15/2012	10:56:51 AM	SD02	Dark Grey Black	Silt	Damp	Pronounced Slope	70	B	Alders	Sphagnum Moss < 30cm	Poor	Frozen	Bright Orange Rust
1271461	BET	7	618398	6963908	7/15/2012	11:04:41 AM	SD02	Dark Brown	Silt	Wet	Subtle Slope	60	B	Alders	Bare Soil	Poor	Frozen	Bright Orange Rust
1271462	BET	7	618397	6963957	7/15/2012	11:12:55 AM	SD02	Dark Brown	Silt	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	
1271463	BET	7	618398	6964010	7/15/2012	11:20:59 AM	SD02	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Reindeer Moss	Poor	Rocky	Organic 10%
1271464	BET	7	618397	6964058	7/15/2012	11:27:49 AM	SD02	Dark Brown	Gravel	Wet	Pronounced Slope	60	B	Black Spruce	Reindeer Moss	Good	Rocky	
1271465	BET	7	618398	6964108	7/15/2012	11:35:43 AM	SD02	Grey	Gravel	Damp	Pronounced Slope	40	C	Birch Forest	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Rocky
1271466	BET	7	618396	6964158	7/15/2012	11:44:27 AM	SD02	Dark Brown	Gravel	Damp	Pronounced Slope	50	C	Black Spruce	Reindeer Moss	Good	Rocky	
1271467	BET	7	618397	6964210	7/15/2012	11:51:42 AM	SD02	Grey	Gravel	Wet	Pronounced Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Mud	Rocky
1271468	BET	7	618397	6964259	7/15/2012	12:00:38 PM	SD02	Dark Brown	Silt	Damp	Pronounced Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Organic 10%	Rocky
1271469	BET	7	618397	6964306	7/15/2012	12:12:39 PM	SD02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Rocky	
1271470	BET	7	618395	6964357	7/15/2012	12:21:22 PM	SD02	Dark Brown	Gravel	Damp	Subtle Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Rocky	Organic 10%
1271471	BET	7	618397	6964406	7/15/2012	12:35:12 PM	SD02	Dark Brown	Gravel	Damp	Subtle Slope	30	B	Birch Forest	Grass Cover	Good	Rocky	
1271472	BET	7	618397	6964457	7/15/2012	12:53:17 PM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	40	B	Birch Forest	Reindeer Moss	Good	Rocky	
1271473	BET	7	618396	6964506	7/15/2012	1:02:33 PM	SD02	Dark Brown	Sand	Damp	Subtle Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1271474	BET	7	618397	6964558	7/15/2012	1:09:17 PM	SD02	Dark Brown	Sand	Damp	Subtle Slope	60	B	Birch Forest	Reindeer Moss	Good	Quartz Chips	Rocky
1271475	BET	7	618398	6964608	7/15/2012	1:16:20 PM	SD02	Reddish Brown	Gravel	Damp	Pronounced Slope	90	C	Black Spruce	Reindeer Moss	Excellent	Sandy	
1270576	BET	7	618398	6964608	7/15/2012	1:21:14 PM	SD02	Reddish Brown	Gravel	Damp	Pronounced Slope	100	C	Black Spruce	Reindeer Moss	Excellent	Sandy	
1270577	BET	7	618394	6964657	7/15/2012	1:27:18 PM	SD02	Chocolate Brown	Sand	Damp	Subtle Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1270578	BET	7	618397	6964707	7/15/2012	1:35:00 PM	SD02	Chocolate Brown	Sand	Damp	Subtle Slope	60	B	Black Spruce	Reindeer Moss	Good	Rocky	
1270579	BET	7	618397	6964757	7/15/2012	1:41:00 PM	SD02	Chocolate Brown	Sand	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Quartz Chips	Rocky
1270580	BET	7	618394	6964808	7/15/2012	1:48:57 PM	SD02	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Quartz Chips	Rocky
1270581	BET	7	618395	6964857	7/15/2012	2:05:48 PM	SD02	Dark Brown	Silt	Damp	Subtle Slope	30	B	Poplar	Bare Soil	Poor	Rocky	Organic 10%
1270582	BET	7	618398	6964907	7/15/2012	2:14:04 PM	SD02	Dark Brown	Gravel	Damp	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	
1270583	BET	7	618395	6964957	7/15/2012	2:23:55 PM	SD02	Dark Brown	Sand	Damp	Steep	50	C	Alders	Sphagnum Moss < 30cm	Good	Rocky	Bright Orange Rust
1270584	BET	7	618397	6965005	7/15/2012	2:34:24 PM	SD02	Grey	Sand	Damp	Steep	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Organic 10%	Small Sample
1270585	BET	7	618396	6965057	7/15/2012	2:48:09 PM	SD02	Grey	Gravel	Wet	Steep	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	Rocky
1270586	BET	7	618397	6965107	7/15/2012	2:58:23 PM	SD02	Dark Brown	Sand	Wet	Steep	70	C	Black Spruce	Reindeer Moss	Good	Coarse	Bright Orange Rust
1270587	BET	7	618397	6965156	7/15/2012	3:06:23 PM	SD02	Dark Brown	Sand	Wet	Steep	50	B	Willows	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Wet Soil
1271010	BET	7	617797	6963707	7/16/2012	9:45:37 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Black Spruce	Reindeer Moss	Good	Rocky	Partially Frozen
1271011	BET	7	617797	6963805	7/16/2012	10:25:58 AM	BH01	Dark Brown	Gravel	Wet	Steep	60	B	Alders	Reindeer Moss	Poor	Frozen	Organic 25%
1271012	BET	7	617797	6963856	7/16/2012	10:41:11 AM	BH01	Dark Brown	Silt	Wet	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Organic 25%	Frozen
1271013	BET	7	617797	6963907	7/16/2012	10:55:55 AM	BH01	Chocolate Brown	Gravel	Wet	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Organic 10%	Frozen
1271014	BET	7	617797	6963955	7/16/2012	11:11:27 AM	BH01	Chocolate Brown	Silt	Wet	Pronounced Slope	80	B	Alders	Sphagnum Moss < 30cm	Good	Organic 10%	Frozen
1271015	BET	7	617797	6964005	7/16/2012	11:24:01 AM	BH01	Grey	Gravel	Damp	Pronounced Slope	60	B	Alders	Thin Moss Cover	Good	Rocky	Partially Frozen
1271016	BET	7	617796	6964057	7/16/2012	11:37:49 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	80	B	Black Spruce	Leaf Cover	Good	Rocky	
1271017	BET	7	617796	6964107	7/16/2012	11:47:28 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	70	B	Alders	Leaf Cover	Good	Rocky	
1271018	BET	7	617798	6964156	7/16/2012	11:57:04 AM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Black Spruce	Leaf Cover	Good	Rocky	Small Sample
1271019	BET	7	617797	6964206	7/16/2012	12:06:08 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	80	C	Black Spruce	Leaf Cover	Good	Rocky	
1271020	BET	7	617796	6964258	7/16/2012	12:15:42 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Rocky	
1271021	BET	7	617797	6964308	7/16/2012	12:26:33 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Poplar	Leaf Cover	Good	Rocky	
1271022	BET	7	617795	6964358	7/16/2012	12:54:15 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Poplar	Leaf Cover	Good	Rocky	Bright Orange Rust
1271023	BET	7	617796	6964407	7/16/2012	1:03:40 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	B	Poplar	Leaf Cover	Good	Organic 10%	Rocky
1271024	BET	7	617798	6964457	7/16/2012	1:15:02 PM	BH01	Dark Brown	Silt	Dry	Subtle Slope	40	B	Black Spruce	Thin Moss Cover	Good	Rocky	Organic 10%
1271025	BET	7	617797	6964509	7/16/2012	1:24:20 PM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	60	C	Black Spruce	Reindeer Moss	Good	Rocky	
1271026	BET	7	617797	6964509	7/16/2012	1:30:31 PM	BH01	Chocolate Brown	Silt	Dry	Subtle Slope	60	C	Black Spruce	Reindeer Moss	Good	Rocky	
1271027	BET	7	617796	6964553	7/16/2012	1:41:28 PM	BH01	Chocolate Brown	Silt	Damp	Subtle Slope	60	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	Rocky
1271028	BET	7	617796	6964607	7/16/2012	1:54:50 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	70	B	Black Spruce	Thin Moss Cover	Good	Rocky	
1271029	BET	7	617797	6964654	7/16/2012	2:04:53 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	80	B	Black Spruce	Sphagnum Moss < 30cm	Good	Organic 10%	Rocky
1271030	BET	7	617797	6964706	7/16/2012	2:17:09 PM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	80	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Organic 25%	Partially Frozen
1271031	BET	7	617797	6964756	7/16/2012	2:26:35 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	80	C	Black Spruce	Reindeer Moss	Good	Partially Frozen	Rocky
1271032	BET	7	617797	6964806	7/16/2012	2:41:29 PM	BH01	Dark Brown	Silt	Damp	Pronounced Slope	80	B	Black Spruce	Reindeer Moss	Good	Rocky	Quartz Chips
1271033	BET	7	617797	6964857	7/16/2012	2:56:11 PM	BH01	Dark Brown	Gravel	Damp	Pronounced Slope	80	B	Black Spruce	Reindeer Moss	Good	Rocky	
1271034	BET	7	617797	6964906	7/16/2012	3:17:26 PM	BH01	Dark Brown	Gravel	Wet	Steep	90	B	Black Spruce	Reindeer Moss	Poor	Mud	Partially Frozen
1271035	BET	7	617797	6964957	7/16/2012	3:28:10 PM	BH01	Chocolate Brown	Silt	Wet	Steep	80	B	Black Spruce	Reindeer Moss	Good	Frozen	Rocky
1271036	BET	7	617797	6965006	7/16/2012	3:37:35 PM	BH01	Dark Brown	Gravel	Wet	Steep	70	B	Black Spruce	Reindeer Moss	Poor	Mud	Rocky
1271037	BET	7	617796	6965056	7/16/2012	3:46:41 PM	BH01	Dark Brown	Silt	Wet	Pronounced Slope	90	B	Black Spruce	Reindeer Moss	Poor	Partially Frozen	Organic 50%

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1271038	BET	7	617797	6965105	7/16/2012	3:55:33 PM	BH01	Chocolate Brown	Silt	Damp	Subtle Slope	60	B	Black Spruce	Reindeer Moss	Good	Organic 10%	Rocky
1271039	BET	7	617797	6965156	7/16/2012	4:03:37 PM	BH01	Chocolate Brown	Gravel	Wet	Pronounced Slope	80	B	Black Spruce	Reindeer Moss	Good	Organic 10%	Partially Frozen
1295821	BET	7	628206	6961738	7/16/2012	10:20:59 AM	CK01	Dark Brown	Sand	Damp	Pronounced Slope	80	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Rusty Rock Chip
1295822	BET	7	628223	6961720	7/16/2012	10:29:52 AM	CK01	Grey	Sand	Damp	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rusty Rock Chip
1295823	BET	7	628239	6961701	7/16/2012	10:38:52 AM	CK01	Dark Brown	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rusty Rock Chip
1295824	BET	7	628256	6961683	7/16/2012	10:47:21 AM	CK01	Dark Brown	Sand	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rusty Rock Chip
1295825	BET	7	628272	6961665	7/16/2012	10:55:57 AM	CK01	Dark Grey Black	Sand	Damp	Pronounced Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Rusty Rock Chip
1295826	BET	7	628272	6961665	7/16/2012	11:01:26 AM	CK01	Dark Grey Black	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Rusty Rock Chip
1295827	BET	7	628290	6961646	7/16/2012	11:09:59 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rusty Rock Chip
1295828	BET	7	628306	6961627	7/16/2012	11:20:31 AM	CK01	Dark Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	Rocky Terrain
1295829	BET	7	628323	6961608	7/16/2012	11:29:23 AM	CK01	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Sphagnum Moss < 30cm	Excellent	Coarse	Rusty Rock Chip
1295830	BET	7	628340	6961589	7/16/2012	11:36:54 AM	CK01	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rusty Rock Chip
1295831	BET	7	628356	6961571	7/16/2012	11:48:26 AM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	Rusty Rock Chip
1295832	BET	7	628374	6961552	7/16/2012	11:57:25 AM	CK01	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Sphagnum Moss < 30cm	Good	Partially Frozen	Rusty Rock Chip
1295833	BET	7	628390	6961534	7/16/2012	12:05:57 PM	CK01	Grey	Sand	Damp	Pronounced Slope	90	C	Poplar	Sphagnum Moss < 30cm	Good	Partially Frozen	Rusty Rock Chip
1295834	BET	7	628406	6961516	7/16/2012	12:14:20 PM	CK01	Chocolate Brown	Sand	Wet	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rusty Rock Chip
1295835	BET	7	628423	6961497	7/16/2012	12:24:28 PM	CK01	Dark Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	Rocky Terrain
1295836	BET	7	628440	6961478	7/16/2012	12:33:22 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Sphagnum Moss < 30cm	Excellent	Coarse	Rusty Rock Chip
1295837	BET	7	628456	6961462	7/16/2012	12:43:39 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Sphagnum Moss < 30cm	Excellent	Coarse	Rusty Rock Chip
1295838	BET	7	628473	6961442	7/16/2012	12:53:51 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Sphagnum Moss < 30cm	Excellent	Coarse	Rusty Rock Chip
1295839	BET	7	628491	6961422	7/16/2012	1:03:15 PM	CK01	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Rusty Rock Chip
1295840	BET	7	628507	6961404	7/16/2012	1:15:56 PM	CK01	Dark Grey Black	Sand	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rusty Rock Chip	Partially Frozen
1295841	BET	7	628524	6961385	7/16/2012	1:26:02 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Sphagnum Moss < 30cm	Excellent	Rusty Rock Chip	Partially Frozen
1295842	BET	7	628541	6961367	7/16/2012	1:36:47 PM	CK01	Reddish Brown	Sand	Damp	Subtle Slope	80	C	Poplar	Sphagnum Moss < 30cm	Excellent	Rusty Rock Chip	
1295843	BET	7	628558	6961347	7/16/2012	1:45:05 PM	CK01	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Poplar	Sphagnum Moss < 30cm	Excellent	Coarse	Dull Red Rust
1295844	BET	7	628575	6961329	7/16/2012	1:56:06 PM	CK01	Grey	Sand	Damp	Subtle Slope	50	C	Poplar	Sphagnum Moss < 30cm	Excellent	Rusty Rock Chip	Frozen
1295845	BET	7	628591	6961310	7/16/2012	2:08:52 PM	CK01	Chocolate Brown	Sand	Damp	Subtle Slope	40	B	Poplar	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1295846	BET	7	628607	6961292	7/16/2012	2:18:56 PM	CK01	Chocolate Brown	Sand	Damp	Subtle Slope	30	B	Poplar	Sphagnum Moss < 30cm	Good	Rocky Terrain	
1295847	BET	7	628625	6961274	7/16/2012	2:31:14 PM	CK01	Grey	Sand	Damp	Pronounced Slope	80	B	Poplar	Sphagnum Moss < 30cm	Good	Fine	
1295848	BET	7	628641	6961255	7/16/2012	2:47:15 PM	CK01	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Quartz Chips
1295849	BET	7	628658	6961236	7/16/2012	2:57:19 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Leaf Cover	Good	Rusty Rock Chip	Rocky
1295850	BET	7	628675	6961218	7/16/2012	3:05:28 PM	CK01	Chocolate Brown	Sand	Damp	Subtle Slope	50	B	Poplar	Leaf Cover	Good	Rusty Rock Chip	
1295852	BET	7	628692	6961199	7/16/2012	3:16:12 PM	CK01	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Poplar	Leaf Cover	Excellent	Rusty Rock Chip	
1295853	BET	7	628708	6961181	7/16/2012	3:22:29 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	B	Poplar	Thin Moss Cover	Good	Rocky Terrain	
1295854	BET	7	628725	6961162	7/16/2012	3:31:40 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Rusty Rock Chip
1295855	BET	7	628742	6961144	7/16/2012	3:38:56 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	Rusty Rock Chip
1295856	BET	7	628705	6961110	7/16/2012	3:49:08 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	Rusty Rock Chip
1295857	BET	7	628671	6961147	7/16/2012	3:59:54 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Thin Moss Cover	Excellent	Rocky Terrain	Rusty Rock Chip
1295858	BET	7	628638	6961184	7/16/2012	4:09:58 PM	CK01	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Poplar	Thin Moss Cover	Excellent	Coarse	Rocky Terrain
1295859	BET	7	628605	6961221	7/16/2012	4:20:00 PM	CK01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	Rusty Rock Chip
1283099	BET	7	628132	6961671	7/16/2012	10:28:01 AM	IG01	Bluish Grey	Gravel	Dry	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	
1283100	BET	7	628148	6961653	7/16/2012	10:37:52 AM	IG01	Chocolate Brown	Gravel	Damp	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Frozen	
1286902	BET	7	628166	6961635	7/16/2012	10:50:06 AM	IG01	Dark Brown	Gravel	Damp	Pronounced Slope	30	B	Black Spruce	Reindeer Moss	Poor	Frozen	Rocky
1286903	BET	7	628182	6961616	7/16/2012	10:59:32 AM	IG01	Chocolate Brown	Gravel	Damp	Pronounced Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Good		
1286904	BET	7	628198	6961598	7/16/2012	11:07:55 AM	IG01	Chocolate Brown	Gravel	Damp	Pronounced Slope	80	C	Black Spruce	Sphagnum Moss < 30cm	Excellent		
1286905	BET	7	628215	6961579	7/16/2012	11:16:21 AM	IG01	Bluish Grey	Sand	Dry	Subtle Slope	70	C	Black Spruce	Thin Moss Cover	Excellent	Rocky	
1286906	BET	7	628232	6961561	7/16/2012	11:24:59 AM	IG01	Chocolate Brown	Gravel	Dry	Pronounced Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Rocky	Rocky Sample
1286907	BET	7	628248	6961542	7/16/2012	11:35:20 AM	IG01	Chocolate Brown	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	
1286908	BET	7	628265	6961523	7/16/2012	11:44:31 AM	IG01	Chocolate Brown	Gravel	Dry	Pronounced Slope	70	C	Alders	Leaf Cover	Excellent	Rocky	
1286909	BET	7	628282	6961505	7/16/2012	12:03:51 PM	IG01	Chocolate Brown	Gravel	Dry	Pronounced Slope	70	C	Alders	Sphagnum Moss < 30cm	Excellent	Rocky	Rocky Sample
1286910	BET	7	628298	6961487	7/16/2012	12:15:59 PM	IG01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Alders	Thin Moss Cover	Good	Rocky	
1286911	BET	7	628315	6961467	7/16/2012	12:24:56 PM	IG01	Chocolate Brown	Gravel	Damp	Pronounced Slope	50	B	Alders	Sphagnum Moss < 30cm	Good	Rocky	Rocky Sample
1286912	BET	7	628332	6961449	7/16/2012	12:38:28 PM	IG01	Chocolate Brown	Gravel	Dry	Pronounced Slope	60	B	Alders	Thin Moss Cover	Good	Rocky	Rocky Sample
1286913	BET	7	628349	6961430	7/16/2012	12:47:55 PM	IG01	Chocolate Brown	Gravel	Dry	Pronounced Slope	50	B	Alders	Leaf Cover	Excellent	Rocky	Rocky Sample
1286914	BET	7	628365	6961411	7/16/2012	12:58:46 PM	IG01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Alders	Thin Moss Cover	Good	Rocky	
1286915	BET	7	628382	6961393	7/16/2012	1:07:53 PM	IG01	Chocolate Brown	Gravel	Dry	Pronounced Slope	60	C	Alders	Leaf Cover	Excellent	Rocky	Rocky Sample
1286916	BET	7	628399	6961374	7/16/2012	1:17:03 PM	IG01	Bluish Grey	Gravel	Dry	Pronounced Slope	70	C	Alders	Leaf Cover	Excellent	Rocky	Rocky Sample
1286917	BET	7	628416	6961355	7/16/2012	1:28:03 PM	IG01	Chocolate Brown	Gravel	Dry	Pronounced Slope	60	C	Alders	Thin Moss Cover	Excellent	Rocky	Rocky Sample
1286918	BET	7	628432	6961337	7/16/2012	1:39:11 PM	IG01	Chocolate Brown	Gravel	Dry	Pronounced Slope	60	C	Birch Forest	Thin Moss Cover	Good	Rocky	Rocky Sample
1286919	BET	7	628449	6961318	7/16/2012	1:49:28 PM	IG01	Chocolate Brown	Silt	Damp	Pronounced Slope	50	B	Willows	Reindeer Moss	Good	Rocky	
1286920	BET	7	628466	6961300	7/16/2012	2:00:19 PM	IG01	Reddish Brown	Gravel	Dry	Pronounced Slope	60	C	Alders	Leaf Cover	Excellent	Rocky	Rocky Sample
1286921	BET	7	628483	6961281	7/16/2012	2:10:35 PM	IG01	Chocolate Brown	Silt	Dry	Pronounced Slope	50	B	Alders	Thin Moss Cover	Good	Rocky	
1286922	BET	7	628500	6961262	7/16/2012	2:19:29 PM	IG01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	C	Alders	Thin Moss Cover	Excellent	Rocky	
1286923	BET	7	628516	6961244	7/16/2012	2:31:10 PM	IG01	Chocolate Brown	Silt	Dry	Pronounced Slope	60	C	Alders	Thin Moss Cover	Good	Rocky	
1286924	BET	7	628533	6961224	7/16/2012	2:39:58 PM	IG01	Chocolate Brown	Silt	Damp	Subtle Slope	60	C	Alders	Thin Moss Cover	Excellent	Rocky	
1286925	BET	7	628551	6961206	7/16/2012	2:50:03 PM	IG01	Chocolate Brown	Gravel	Dry	Subtle Slope	50	B	Poplar	Leaf Cover	Good	Rocky	Rocky Sample
1286926	BET	7	628551	6961206	7/16/2012	2:58:33 PM	IG01	Chocolate Brown	Gravel	Dry	Subtle Slope	50	B	Poplar	Leaf Cover	Good	Rocky	Rocky Sample
1286927	BET	7	628567	6961188	7/16/2012	3:08:29 PM	IG01	Chocolate Brown	Sand	Dry	Subtle Slope	80	C	Poplar	Thin Moss Cover	Excellent		
1286928	BET	7	628584	6961169	7/16/2012	3:20:10 PM	IG01	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	Poplar	Leaf Cover	Excellent	Rocky	
1286929	BET	7	628601	6961150	7/16/2012	3:30:56 PM	IG01	Chocolate Brown	Silt	Dry	Subtle Slope	40	B	Poplar	Thin Moss Cover	Good	Rocky	Rocky Sample
1286930	BET	7	628617	6961132	7/16/2012	3:42:06 PM	IG01	Chocolate Brown	Silt	Dry	Subtle Slope	50	C	Poplar	Thin Moss Cover	Excellent	Rocky	
1286931	BET	7	628633	6961113	7/16/2012	3:52:37 PM	IG01	Chocolate Brown	Silt	Dry	Subtle Slope	60	C	Poplar	Leaf Cover	Excellent	Rocky	
1286932	BET	7	628650	6961094	7/16/2012	4:06:22 PM	IG01	Chocolate Brown	Silt	Dry	Subtle Slope	50	C	Poplar	Leaf Cover	Excellent	Rocky	Rocky Sample
1286933	BET	7	628667	6961076	7/16/2012	4:14:05 PM	IG01	Reddish Brown	Silt	Dry	Subtle Slope	80	C	Poplar	Leaf Cover	Excellent		
1286787	BET	7	627835	6961403	7/16/2012	10:18:46 AM	JM01	Dark Grey Black	Clay	Wet	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Mud	Coarse
1286788	BET	7	627850	6961386	7/16/2012	10:20:33 AM	JM01	Dark Grey Black	Clay	Wet	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Rusty Rock Chip
1286789	BET	7	627868	6961367	7/16/2012	10:39:08 AM	JM01	Dark Grey Black	Clay	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Fine
1286790	BET	7	627885	6961348	7/16/2012	10:46:40 AM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Coarse
1286791	BET	7	627901	6961330	7/16/2012	10:54:00 AM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	40	C	Black Spruce	Reindeer Moss	Excellent	Coarse	Mud
1286792	BET	7	627918	6961311	7/16/2012	11:01:49 AM	JM01	Dark Brown	Sand	Damp	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	Coarse
1286793	BET	7	627935	6961293	7/16/2012	11:02:40 AM	JM01	Chocolate Brown	Clay	Wet	Pronounced Slope	30	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Partially Frozen
1286794	BET	7	627952	6961274	7/16/2012	11:38:19 AM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Partially Frozen
1286795	BET	7	627968	6961255	7/16/2012	11:49:16 AM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Coarse
1286796	BET	7	627985	6961237	7/16/2012	11:57:01 AM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Mud

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1286797	BET	7	628001	6961219	7/16/2012	12:06:57 PM	JM01	Dark Brown	Sand	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Mud
1286798	BET	7	628018	6961199	7/16/2012	12:13:59 PM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Dull Red Rust
1286799	BET	7	628035	6961181	7/16/2012	12:22:18 PM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Mud	Coarse
1286800	BET	7	628052	6961163	7/16/2012	12:32:37 PM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Partially Frozen
1286702	BET	7	628068	6961144	7/16/2012	12:40:58 PM	JM01	Dark Brown	Sand	Wet	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Coarse	Partially Frozen
1286703	BET	7	628085	6961125	7/16/2012	12:48:19 PM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Partially Frozen
1286704	BET	7	628101	6961107	7/16/2012	12:54:50 PM	JM01	Dark Brown	Sand	Damp	Pronounced Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Partially Frozen
1286705	BET	7	628119	6961088	7/16/2012	1:04:40 PM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Mud	Coarse
1286706	BET	7	628136	6961070	7/16/2012	1:12:02 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1286707	BET	7	628152	6961051	7/16/2012	1:23:54 PM	JM01	Dark Brown	Clay	Wet	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Bright Orange Rust	Coarse
1286708	BET	7	628169	6961033	7/16/2012	1:38:45 PM	JM01	Dark Brown	Clay	Wet	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Mud
1286709	BET	7	628186	6961014	7/16/2012	1:45:48 PM	JM01	Light Grey	Clay	Wet	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Coarse
1286710	BET	7	628203	6960995	7/16/2012	1:53:05 PM	JM01	Dark Brown	Clay	Damp	Subtle Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	
1286711	BET	7	628220	6960976	7/16/2012	2:11:15 PM	JM01	Chocolate Brown	Clay	Damp	Subtle Slope	40	C	Dwarf Birch	Sphagnum Moss < 30cm	Excellent	Coarse	Mud
1286712	BET	7	628236	6960958	7/16/2012	2:29:32 PM	JM01	Chocolate Brown	Clay	Wet	Flat	40	C	Willows	Thin Moss Cover	Excellent	Coarse	Bright Orange Rust
1286713	BET	7	628252	6960939	7/16/2012	2:40:36 PM	JM01	Chocolate Brown	Clay	Damp	Subtle Slope	40	B	Willows	Thin Moss Cover	Good	Coarse	Rocky
1286714	BET	7	628269	6960920	7/16/2012	2:49:04 PM	JM01	Chocolate Brown	Clay	Damp	Subtle Slope	40	C	Willows	Thin Moss Cover	Excellent	Coarse	Rocky
1286715	BET	7	628287	6960901	7/16/2012	3:13:57 PM	JM01	Chocolate Brown	Clay	Damp	Subtle Slope	50	C	Dwarf Birch	Thin Moss Cover	Excellent	Coarse	
1286716	BET	7	628304	6960882	7/16/2012	3:24:08 PM	JM01	Chocolate Brown	Clay	Damp	Subtle Slope	50	C	Poplar	Thin Moss Cover	Excellent	Coarse	
1286717	BET	7	628320	6960865	7/16/2012	3:37:17 PM	JM01	Chocolate Brown	Clay	Damp	Subtle Slope	40	C	Alders	Thin Moss Cover	Excellent	Rocky	
1286718	BET	7	628336	6960846	7/16/2012	3:45:50 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	50	C	Poplar	Grass Cover	Excellent	Coarse	Rocky
1286719	BET	7	628354	6960827	7/16/2012	3:52:35 PM	JM01	Chocolate Brown	Clay	Damp	Pronounced Slope	40	C	Poplar	Grass Cover	Excellent	Dull Red Rust	Rusty Rock Chip
1283702	BET	7	628370	6960809	7/16/2012	4:00:48 PM	JM01	Light Brown	Clay	Damp	Pronounced Slope	110	C	Poplar	Grass Cover	Excellent	Bright Orange Rust	Fine
1295611	BET	7	628332	6960775	7/16/2012	10:15:08 AM	JS01	Chocolate Brown	Silt	Dry	Pronounced Slope	80	B	Poplar	Leaf Cover	Good	Coarse	Rocky Terrain
1295612	BET	7	628300	6960812	7/16/2012	10:26:22 AM	JS01	Dark Brown	Sand	Dry	Subtle Slope	70	C	Poplar	Leaf Cover	Good	Coarse	Rocky
1295613	BET	7	628266	6960847	7/16/2012	10:34:52 AM	JS01	Dark Brown	Sand	Dry	Subtle Slope	40	C	Poplar	Thin Moss Cover	Good	Rocky Terrain	Rusty Rock Chip
1295614	BET	7	628233	6960884	7/16/2012	10:49:06 AM	JS01	Grey	Silt	Damp	Subtle Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rusty Rock Chip
1295615	BET	7	628200	6960922	7/16/2012	10:58:49 AM	JS01	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Dwarf Birch	Sphagnum Moss < 30cm	Poor	Rocky Terrain	
1295616	BET	7	628166	6960960	7/16/2012	11:09:05 AM	JS01	Dark Brown	Sand	Damp	Subtle Slope	60	C	Dwarf Birch	Sphagnum Moss < 30cm	Good	Coarse	Rocky Terrain
1295617	BET	7	628131	6960997	7/16/2012	11:18:33 AM	JS01	Grey	Silt	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	Rusty Rock Chip
1295618	BET	7	628099	6961034	7/16/2012	11:28:13 AM	JS01	Grey	Silt	Damp	Pronounced Slope	90	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	Rocky Terrain
1295619	BET	7	628066	6961071	7/16/2012	11:37:05 AM	JS01	Grey	Sand	Damp	Pronounced Slope	80	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1295620	BET	7	628032	6961108	7/16/2012	11:49:35 AM	JS01	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky Terrain
1295621	BET	7	627998	6961146	7/16/2012	12:00:04 PM	JS01	Dark Brown	Silt	Damp	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1295622	BET	7	627965	6961183	7/16/2012	12:07:03 PM	JS01	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Partially Frozen
1295623	BET	7	627931	6961221	7/16/2012	12:07:58 PM	JS01	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky Terrain
1295624	BET	7	627896	6961259	7/16/2012	12:23:45 PM	JS01	Chocolate Brown	Sand	Wet	Pronounced Slope	90	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1295625	BET	7	627865	6961295	7/16/2012	12:32:40 PM	JS01	Chocolate Brown	Sand	Wet	Pronounced Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1295626	BET	7	627866	6961295	7/16/2012	12:39:17 PM	JS01	Chocolate Brown	Sand	Wet	Pronounced Slope	80	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1295627	BET	7	627829	6961333	7/16/2012	12:48:14 PM	JS01	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky Terrain
1295628	BET	7	627797	6961369	7/16/2012	12:58:20 PM	JS01	Dark Brown	Sand	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Partially Frozen
1295629	BET	7	627872	6961437	7/16/2012	1:13:40 PM	JS01	Chocolate Brown	Sand	Wet	Subtle Slope	80	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1295630	BET	7	627905	6961401	7/16/2012	1:23:20 PM	JS01	Grey	Sand	Damp	Subtle Slope	80	C	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky Terrain	Bright Orange Rust
1295631	BET	7	627938	6961364	7/16/2012	1:33:20 PM	JS01	Chocolate Brown	Sand	Wet	Subtle Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Partially Frozen
1295632	BET	7	627971	6961327	7/16/2012	1:44:16 PM	JS01	Dark Brown	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	Possible Creek Contamination
1295633	BET	7	628006	6961291	7/16/2012	1:56:44 PM	JS01	Chocolate Brown	Sand	Wet	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	Rocky Terrain
1295634	BET	7	628038	6961253	7/16/2012	2:07:25 PM	JS01	Grey	Silt	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rocky	Partially Frozen
1295635	BET	7	628071	6961216	7/16/2012	2:18:09 PM	JS01	Grey	Silt	Damp	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	Possible Creek Contamination
1295636	BET	7	628106	6961178	7/16/2012	2:29:58 PM	JS01	Grey	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Partially Frozen
1295637	BET	7	628138	6961143	7/16/2012	2:47:07 PM	JS01	Grey	Silt	Wet	Subtle Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Rusty Rock Chip	Partially Frozen
1295638	BET	7	628173	6961103	7/16/2012	2:57:05 PM	JS01	Grey	Silt	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rusty Rock Chip	Partially Frozen
1295639	BET	7	628206	6961066	7/16/2012	3:09:34 PM	JS01	Chocolate Brown	Silt	Damp	Subtle Slope	60	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rusty Rock Chip	Rocky Terrain
1295640	BET	7	628239	6961030	7/16/2012	3:19:58 PM	JS01	Chocolate Brown	Sand	Damp	Subtle Slope	30	C	Dwarf Birch	Thin Moss Cover	Poor	Fine	Rocky Terrain
1295641	BET	7	628272	6960992	7/16/2012	3:30:47 PM	JS01	Light Brown	Silt	Damp	Subtle Slope	80	B	Dwarf Birch	Thin Moss Cover	Good	Coarse	Rusty Rock Chip
1295642	BET	7	628306	6960955	7/16/2012	3:41:41 PM	JS01	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Dwarf Birch	Thin Moss Cover	Good	Bright Orange Rust	Rocky Terrain
1295643	BET	7	628341	6960917	7/16/2012	3:49:55 PM	JS01	Light Brown	Sand	Damp	Subtle Slope	80	B	Poplar	Thin Moss Cover	Good	Fine	Bright Orange Rust
1295644	BET	7	628373	6960879	7/16/2012	3:59:59 PM	JS01	Reddish Yellow	Sand	Damp	Subtle Slope	60	C	Poplar	Leaf Cover	Good	Fine	Rusty Rock Chip
1295645	BET	7	628405	6960843	7/16/2012	4:10:52 PM	JS01	Light Brown	Sand	Damp	Pronounced Slope	90	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Rocky Terrain
1284177	BET	7	628057	6961604	7/16/2012	10:27:29 AM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Rocky	
1286671	BET	7	628076	6961584	7/16/2012	10:37:59 AM	KH01	Chocolate Brown	Sand	Dry	Subtle Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Dull Red Rust	
1286672	BET	7	628092	6961566	7/16/2012	10:45:57 AM	KH01	Reddish Orange	Sand	Damp	Pronounced Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	Bright Orange Rust
1286658	BET	7	628109	6961548	7/16/2012	10:53:52 AM	KH01	Reddish Brown	Sand	Damp	Subtle Slope	80	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	
1286659	BET	7	628125	6961529	7/16/2012	11:02:58 AM	KH01	Dark Brown	Sand	Wet	Subtle Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Mud	Rocky
1286660	BET	7	628159	6961492	7/16/2012	11:21:19 AM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Dull Red Rust
1286661	BET	7	628176	6961472	7/16/2012	11:32:29 AM	KH01	Dark Brown	Sand	Dry	Pronounced Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	Dull Red Rust
1286662	BET	7	628193	6961454	7/16/2012	11:40:24 AM	KH01	Dark Brown	Sand	Wet	Pronounced Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	Dull Red Rust
1286663	BET	7	628209	6961436	7/16/2012	11:51:00 AM	KH01	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	
1286664	BET	7	628225	6961417	7/16/2012	12:00:46 PM	KH01	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Frozen	Bright Orange Rust
1286665	BET	7	628243	6961399	7/16/2012	12:15:42 PM	KH01	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	Dull Red Rust
1286666	BET	7	628260	6961381	7/16/2012	12:24:00 PM	KH01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	Dull Red Rust
1286667	BET	7	628277	6961360	7/16/2012	12:34:12 PM	KH01	Dark Brown	Sand	Dry	Subtle Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Frozen
1286668	BET	7	628294	6961343	7/16/2012	12:42:29 PM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Bright Orange Rust	
1286669	BET	7	628311	6961324	7/16/2012	12:50:31 PM	KH01	Reddish Brown	Sand	Wet	Pronounced Slope	90	C	Birch Forest	Reindeer Moss	Good	Mud	Bright Orange Rust
1284189	BET	7	628327	6961306	7/16/2012	1:04:34 PM	KH01	Chocolate Brown	Sand	Wet	Pronounced Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Good	Mud	
1284190	BET	7	628344	6961288	7/16/2012	1:15:36 PM	KH01	Chocolate Brown	Sand	Wet	Pronounced Slope	70	C	Birch Forest	Reindeer Moss	Good	Coarse	Frozen
1284191	BET	7	628359	6961270	7/16/2012	1:24:27 PM	KH01	Reddish Brown	Sand	Wet	Pronounced Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Good	Mud	
1284192	BET	7	628376	6961250	7/16/2012	1:37:24 PM	KH01	Dark Brown	Sand	Wet	Pronounced Slope	60	C	White Spruce	Reindeer Moss	Good	Mud	
1284193	BET	7	628393	6961232	7/16/2012	1:47:51 PM	KH01	Chocolate Brown	Sand	Wet	Pronounced Slope	70	C	White Spruce	Reindeer Moss	Good	Frozen	
1284194	BET	7	628409	6961214	7/16/2012	1:56:26 PM	KH01	Chocolate Brown	Sand	Wet	Pronounced Slope	80	C	White Spruce	Reindeer Moss	Excellent	Coarse	
1284176	BET	7	628409	6961214	7/16/2012	2:02:44 PM	KH01	Chocolate Brown	Sand	Wet	Pronounced Slope	80	C	White Spruce	Reindeer Moss	Excellent	Coarse	
1284195	BET	7	628427	6961195	7/16/2012	2:20:54 PM	KH01	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	Birch Forest	Reindeer Moss	Excellent	Frozen	Coarse
1284196	BET	7	628443	6961176	7/16/2012	2:29:17 PM	KH01	Chocolate Brown	Sand	Dry	Subtle Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Frozen
1284197	BET	7	628460	6961158	7/16/2012	2:37:41 PM	KH01	Chocolate Brown	Sand	Dry	Subtle Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Rocky	
1284178	BET	7	628477	6961138	7/16/2012	2:45:57 PM	KH01	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	Birch Forest	Reindeer Moss	Excellent	Fine	Rocky

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1284179	BET	7	628492	6961121	7/16/2012	2:54:27 PM	KH01	Chocolate Brown	Sand	Dry	Subtle Slope	70	C	Birch Forest	Reindeer Moss	Excellent	Coarse	
1284180	BET	7	628510	6961101	7/16/2012	3:07:22 PM	KH01	Light Brown	Sand	Dry	Flat	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Fine	
1284181	BET	7	628527	6961083	7/16/2012	3:22:54 PM	KH01	Chocolate Brown	Sand	Dry	Flat	70	C	Birch Forest	Reindeer Moss	Good	Fine	Rocky
1284182	BET	7	628543	6961065	7/16/2012	3:34:54 PM	KH01	Chocolate Brown	Sand	Dry	Flat	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1284184	BET	7	628577	6961027	7/16/2012	4:00:37 PM	KH01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Sphagnum Moss < 30cm	Excellent	Rocky	Dull Red Rust
1284183	BET	7	628560	6961046	7/16/2012	4:07:39 PM	KH01	Chocolate Brown	Sand	Damp	Subtle Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1284185	BET	7	628595	6961009	7/16/2012	4:15:29 PM	KH01	Reddish Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	
1295744	BET	7	628481	6960910	7/16/2012	10:14:52 AM	MT01	Reddish Brown	Sand	Dry	Subtle Slope	60	C	Poplar	Leaf Cover	Excellent	Rocky	
1295745	BET	7	628448	6960946	7/16/2012	10:28:11 AM	MT01	Reddish Brown	Sand	Damp	Subtle Slope	70	C	Poplar	Grass Cover	Good	Clay	Rocky Terrain
1295746	BET	7	628413	6960983	7/16/2012	10:39:42 AM	MT01	Reddish Brown	Clay	Damp	Subtle Slope	40	B	Poplar	Leaf Cover	Good	Rocky	
1295747	BET	7	628383	6961019	7/16/2012	10:53:32 AM	MT01	Reddish Yellow	Silt	Dry	Flat	50	B	Birch Forest	Sphagnum Moss < 30cm	Good		
1295748	BET	7	628347	6961058	7/16/2012	11:05:22 AM	MT01	Dark Brown	Sand	Damp	Flat	80	B	Black Spruce	Reindeer Moss	Good	Clay	Bright Orange Rust
1295749	BET	7	628314	6961095	7/16/2012	11:17:46 AM	MT01	Dark Brown	Clay	Damp	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	Bright Orange Rust
1295750	BET	7	628281	6961132	7/16/2012	11:34:01 AM	MT01	Chocolate Brown	Sand	Damp	Subtle Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	Bright Orange Rust
1295752	BET	7	628248	6961169	7/16/2012	11:53:40 AM	MT01	Dark Brown	Sand	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Partially Frozen	Bright Orange Rust
1295753	BET	7	628214	6961206	7/16/2012	12:04:39 PM	MT01	Dark Grey Black	Clay	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	
1295754	BET	7	628180	6961243	7/16/2012	12:13:16 PM	MT01	Reddish Brown	Sand	Wet	Pronounced Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	
1295755	BET	7	628145	6961280	7/16/2012	12:25:51 PM	MT01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	
1295756	BET	7	628113	6961319	7/16/2012	12:35:04 PM	MT01	Dark Brown	Sand	Wet	Pronounced Slope	110	B	Black Spruce	Reindeer Moss	Good		
1295757	BET	7	628079	6961355	7/16/2012	12:36:03 PM	MT01	Light Brown	Sand	Wet	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	
1295758	BET	7	628046	6961393	7/16/2012	12:58:59 PM	MT01	Reddish Yellow	Sand	Dry	Subtle Slope	40	C	Birch Forest	Grass Cover	Good	Fine	
1295759	BET	7	628013	6961429	7/16/2012	1:06:26 PM	MT01	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	Birch Forest	Reindeer Moss	Excellent	Coarse	
1295761	BET	7	627947	6961501	7/16/2012	1:25:20 PM	MT01	Dark Brown	Sand	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Clay	Coarse
1295762	BET	7	628020	6961571	7/16/2012	1:40:36 PM	MT01	Chocolate Brown	Sand	Dry	Subtle Slope	40	C	Poplar	Leaf Cover	Good	Coarse	
1295763	BET	7	628055	6961535	7/16/2012	1:53:39 PM	MT01	Dark Brown	Sand	Dry	Subtle Slope	80	C	Birch Forest	Thin Moss Cover	Excellent		
1295764	BET	7	628087	6961498	7/16/2012	2:04:53 PM	MT01	Grey	Sand	Dry	Subtle Slope	50	C	Birch Forest	Thin Moss Cover	Excellent	Coarse	
1295760	BET	7	627978	6961468	7/16/2012	2:09:16 PM	MT01	Dark Brown	Sand	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Clay	Bright Orange Rust
1295765	BET	7	628121	6961458	7/16/2012	2:19:49 PM	MT01	Dark Grey Black	Sand	Damp	Subtle Slope	50	B	Birch Forest	Grass Cover	Good	Clay	
1295766	BET	7	628153	6961422	7/16/2012	2:31:41 PM	MT01	Light Brown	Sand	Damp	Subtle Slope	100	C	Birch Forest	Sphagnum Moss < 30cm	Good	Clay	
1295767	BET	7	628185	6961385	7/16/2012	2:41:44 PM	MT01	Dark Grey Black	Sand	Damp	Subtle Slope	30	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Clay	Frozen
1295768	BET	7	628220	6961348	7/16/2012	2:53:12 PM	MT01	Chocolate Brown	Sand	Dry	Subtle Slope	70	C	Birch Forest	Thin Moss Cover	Good	Rocky	
1295770	BET	7	628287	6961274	7/16/2012	3:15:16 PM	MT01	Dark Brown	Sand	Wet	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	
1295769	BET	7	628254	6961309	7/16/2012	3:22:24 PM	MT01	Reddish Yellow	Sand	Wet	Subtle Slope	90	C	Black Spruce	Reindeer Moss	Good		
1295771	BET	7	628320	6961236	7/16/2012	3:32:26 PM	MT01	Dark Grey Black	Silt	Damp	Pronounced Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	Small Sample
1295772	BET	7	628354	6961199	7/16/2012	3:45:09 PM	MT01	Chocolate Brown	Sand	Wet	Subtle Slope	50	B	Black Spruce	Reindeer Moss	Good	Coarse	
1295773	BET	7	628389	6961162	7/16/2012	3:54:25 PM	MT01	Grey	Sand	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Clay	Coarse
1295774	BET	7	628421	6961124	7/16/2012	4:04:38 PM	MT01	Reddish Yellow	Sand	Damp	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Good	Clay	Rocky Terrain
1295777	BET	7	628455	6961087	7/16/2012	4:15:45 PM	MT01	Chocolate Brown	Sand	Damp	Flat	60	C	Black Spruce	Reindeer Moss	Good	Coarse	
1295778	BET	7	628490	6961051	7/16/2012	4:25:07 PM	MT01	Chocolate Brown	Sand	Damp	Flat	50	C	Poplar	Sphagnum Moss < 30cm	Good	Coarse	
1295779	BET	7	628523	6961013	7/16/2012	4:32:08 PM	MT01	Chocolate Brown	Sand	Damp	Subtle Slope	50	B	Poplar	Leaf Cover	Good	Clay	
1295780	BET	7	628555	6960976	7/16/2012	4:39:40 PM	MT01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Grass Cover	Good	Coarse	
1270888	BET	7	617899	6963709	7/16/2012	9:54:08 AM	RF02	Grey	Silt	Damp	Flat	70	B	Black Spruce	Sphagnum Moss < 30cm	Good		
1270889	BET	7	617899	6963758	7/16/2012	10:07:40 AM	RF02	Dark Brown	Silt	Wet	Subtle Slope	50	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Frozen	Small Sample
1270890	BET	7	617898	6963808	7/16/2012	10:21:25 AM	RF02	Dark Grey Black	Silt	Wet	Subtle Slope	40	B	Alders	Sphagnum Moss > 30cm	Poor	Frozen	Small Sample
1270891	BET	7	617898	6963858	7/16/2012	10:33:26 AM	RF02	Dark Brown	Silt	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	
1270892	BET	7	617899	6963908	7/16/2012	10:43:18 AM	RF02	Dark Brown	Silt	Wet	Subtle Slope	60	B	Birch Forest	Leaf Cover	Good	Possible Creek Contamination	
1270893	BET	7	617896	6963958	7/16/2012	10:54:37 AM	RF02	Dark Brown	Silt	Dry	Subtle Slope	50	B	Birch Forest	Leaf Cover	Good		
1270894	BET	7	617898	6964010	7/16/2012	11:05:12 AM	RF02	Grey	Silt	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good		
1270895	BET	7	617898	6964058	7/16/2012	11:18:19 AM	RF02	Chocolate Brown	Silt	Damp	Subtle Slope	60	B	Black Spruce	Reindeer Moss	Good		
1270896	BET	7	617896	6964109	7/16/2012	11:29:50 AM	RF02	Chocolate Brown	Silt	Damp	Flat	40	B	Black Spruce	Sphagnum Moss < 30cm	Good		
1270897	BET	7	617896	6964159	7/16/2012	11:43:10 AM	RF02	Dark Brown	Silt	Damp	Subtle Slope	50	B	Birch Forest	Leaf Cover	Good		
1270898	BET	7	617898	6964208	7/16/2012	11:53:35 AM	RF02	Chocolate Brown	Silt	Dry	Subtle Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good		
1270899	BET	7	617897	6964259	7/16/2012	12:01:56 PM	RF02	Chocolate Brown	Silt	Dry	Subtle Slope	40	C	Birch Forest	Sphagnum Moss < 30cm	Good		
1270900	BET	7	617897	6964308	7/16/2012	12:14:43 PM	RF02	Chocolate Brown	Silt	Damp	Subtle Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Good		
1270902	BET	7	617897	6964361	7/16/2012	12:27:05 PM	RF02	Chocolate Brown	Silt	Damp	Flat	50	C	Black Spruce	Sphagnum Moss < 30cm	Good		
1270903	BET	7	617898	6964409	7/16/2012	12:38:34 PM	RF02	Chocolate Brown	Silt	Damp	Flat	60	C	Black Spruce	Sphagnum Moss < 30cm	Good		
1270904	BET	7	617897	6964459	7/16/2012	12:49:52 PM	RF02	Chocolate Brown	Silt	Damp	Subtle Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Excellent		
1270905	BET	7	617898	6964506	7/16/2012	1:00:46 PM	RF02	Chocolate Brown	Silt	Damp	Pronounced Slope	60	C	Birch Forest	Leaf Cover	Excellent		
1270906	BET	7	617897	6964556	7/16/2012	1:11:51 PM	RF02	Dark Grey Black	Silt	Damp	Subtle Slope	70	B	Birch Forest	Sphagnum Moss < 30cm	Good		
1270907	BET	7	617898	6964606	7/16/2012	1:23:57 PM	RF02	Chocolate Brown	Silt	Damp	Subtle Slope	70	C	Birch Forest	Leaf Cover	Good		
1270908	BET	7	617898	6964655	7/16/2012	1:39:50 PM	RF02	Dark Brown	Silt	Damp	Subtle Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good		
1270909	BET	7	617898	6964707	7/16/2012	1:50:56 PM	RF02	Dark Brown	Silt	Damp	Subtle Slope	80	C	Black Spruce	Sphagnum Moss < 30cm	Excellent		
1270910	BET	7	617897	6964757	7/16/2012	2:03:00 PM	RF02	Dark Grey Black	Silt	Wet	Subtle Slope	110	B	Alders	Sphagnum Moss < 30cm	Poor		
1270911	BET	7	617898	6964809	7/16/2012	2:13:45 PM	RF02	Dark Brown	Silt	Wet	Subtle Slope	80	B	Black Spruce	Sphagnum Moss < 30cm	Good		
1270912	BET	7	617898	6964856	7/16/2012	2:26:35 PM	RF02	Dark Brown	Silt	Damp	Pronounced Slope	80	B	Black Spruce	Sphagnum Moss < 30cm	Poor		
1270913	BET	7	617897	6964907	7/16/2012	2:36:41 PM	RF02	Dark Brown	Silt	Wet	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Good		
1270914	BET	7	617897	6964957	7/16/2012	2:52:26 PM	RF02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good		
1270915	BET	7	617896	6965007	7/16/2012	3:04:08 PM	RF02	Dark Brown	Silt	Damp	Pronounced Slope	80	B	Black Spruce	Sphagnum Moss < 30cm	Good		
1270916	BET	7	617898	6965057	7/16/2012	3:18:28 PM	RF02	Dark Grey Black	Silt	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	
1270917	BET	7	617898	6965106	7/16/2012	3:31:31 PM	RF02	Dark Grey Black	Silt	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	
1270918	BET	7	617898	6965158	7/16/2012	3:45:38 PM	RF02	Dark Grey Black	Silt	Wet	Flat	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	Possible Creek Contamination
1270919	BET	7	617496	6965157	7/16/2012	4:27:38 PM	RF02	Dark Grey Black	Silt	Wet	Pronounced Slope	30	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	
1270920	BET	7	617496	6965107	7/16/2012	4:40:01 PM	RF02	Dark Grey Black	Silt	Wet	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good		
1270921	BET	7	617497	6965058	7/16/2012	4:50:00 PM	RF02	Dark Grey Black	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good		
1286817	BET	7	627909	6961470	7/16/2012	10:15:50 AM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Reindeer Moss	Excellent	Coarse	Quartz Chips
1286818	BET	7	627924	6961453	7/16/2012	10:24:25 AM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Reindeer Moss	Good	Coarse	
1286819	BET	7	627941	6961434	7/16/2012	10:34:41 AM	RL02	Dark Brown	Sand	Wet	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	
1286820	BET	7	627958	6961416	7/16/2012	10:41:22 AM	RL02	Dark Brown	Sand	Wet	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Mud
1286821	BET	7	627976	6961398	7/16/2012	10:49:13 AM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Reindeer Moss	Good	Coarse	Quartz Chips
1286822	BET	7	627992	6961378	7/16/2012	10:56:14 AM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Reindeer Moss	Good	Coarse	
1286823	BET	7	628009	6961360	7/16/2012	11:02:35 AM	RL02	Dark Brown	Sand	Wet	Pronounced Slope	70	B	Black Spruce	Reindeer Moss	Good	Coarse	Rusty Rock Chip
1286824	BET	7	628026	6961341	7/16/2012	11:10:07 AM	RL02	Chocolate Brown	Sand	Wet	Pronounced Slope	80	B	Black Spruce	Reindeer Moss	Good	Coarse	
1286825	BET	7	628042	6961321	7/16/2012	11:17:53 AM	RL02	Dark Brown	Sand	Wet	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Mud
1286826	BET	7	628042	6961321	7/16/2012	11:19:38 AM	RL02	Dark Brown	Sand	Wet	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Mud

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1286827	BET	7	628059	6961304	7/16/2012	11:36:55 AM	RL02	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Sandy	Partially Frozen
1286828	BET	7	628076	6961285	7/16/2012	11:48:50 AM	RL02	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Sandy	Partially Frozen
1286829	BET	7	628092	6961266	7/16/2012	11:56:21 AM	RL02	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	Sandy
1286830	BET	7	628109	6961248	7/16/2012	12:04:47 PM	RL02	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	Sandy
1286831	BET	7	628127	6961229	7/16/2012	12:23:34 PM	RL02	Dark Brown	Sand	Wet	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Coarse	Mud
1286832	BET	7	628143	6961211	7/16/2012	12:30:29 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Coarse	Partially Frozen
1286833	BET	7	628159	6961192	7/16/2012	12:38:32 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Partially Frozen
1286834	BET	7	628176	6961174	7/16/2012	12:46:31 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Partially Frozen
1286835	BET	7	628192	6961155	7/16/2012	12:55:24 PM	RL02	Bluish Grey	Sand	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Partially Frozen
1286836	BET	7	628210	6961137	7/16/2012	1:10:20 PM	RL02	Bluish Grey	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Partially Frozen
1286837	BET	7	628227	6961118	7/16/2012	1:21:29 PM	RL02	Bluish Grey	Sand	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Partially Frozen
1286838	BET	7	628249	6961105	7/16/2012	1:43:15 PM	RL02	Dark Brown	Silt	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Sandy	Partially Frozen
1286839	BET	7	628260	6961080	7/16/2012	1:52:17 PM	RL02	Chocolate Brown	Silt	Damp	Subtle Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Sandy	
1286840	BET	7	628277	6961062	7/16/2012	2:05:16 PM	RL02	Dark Brown	Sand	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Partially Frozen
1286841	BET	7	628294	6961043	7/16/2012	2:15:07 PM	RL02	Chocolate Brown	Sand	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1286842	BET	7	628310	6961025	7/16/2012	2:23:21 PM	RL02	Light Brown	Clay	Damp	Subtle Slope	80	C	Black Spruce	Reindeer Moss	Excellent	Quartz Chips	
1286843	BET	7	628327	6961007	7/16/2012	2:32:51 PM	RL02	Reddish Brown	Sand	Damp	Subtle Slope	70	C	Dwarf Birch	Thin Moss Cover	Excellent	Bright Orange Rust	Quartz Chips
1286844	BET	7	628344	6960988	7/16/2012	2:41:57 PM	RL02	Reddish Orange	Sand	Damp	Subtle Slope	90	C	Dwarf Birch	Thin Moss Cover	Excellent	Bright Orange Rust	Quartz Chips
1286845	BET	7	628360	6960969	7/16/2012	2:55:03 PM	RL02	Chocolate Brown	Silt	Damp	Subtle Slope	70	B	Poplar	Thin Moss Cover	Good	Bright Orange Rust	Rocky
1286846	BET	7	628377	6960951	7/16/2012	3:04:29 PM	RL02	Light Brown	Sand	Damp	Subtle Slope	70	C	Poplar	Leaf Cover	Excellent	Quartz Chips	Rocky
1286847	BET	7	628394	6960932	7/16/2012	3:13:02 PM	RL02	Light Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Sphagnum Moss < 30cm	Excellent	Quartz Chips	Rocky
1286848	BET	7	628409	6960904	7/16/2012	3:24:40 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Quartz Chips	Rocky
1286549	BET	7	628519	6960943	7/16/2012	10:14:59 AM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Good	Coarse	
1286550	BET	7	628502	6960961	7/16/2012	10:29:19 AM	RM01	Chocolate Brown	Silt	Dry	Steep	60	C	Poplar	Leaf Cover	Excellent	Coarse	
1286584	BET	7	628485	6960980	7/16/2012	10:38:50 AM	RM01	Chocolate Brown	Silt	Dry	Subtle Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	
1286577	BET	7	628469	6960998	7/16/2012	10:46:07 AM	RM01	Chocolate Brown	Silt	Dry	Subtle Slope	70	C	Poplar	Leaf Cover	Excellent	Coarse	
1286576	BET	7	628472	6960998	7/16/2012	10:54:49 AM	RM01	Chocolate Brown	Silt	Dry	Subtle Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	
1286578	BET	7	628453	6961016	7/16/2012	11:04:42 AM	RM01	Chocolate Brown	Clay	Dry	Flat	60	C	Poplar	Leaf Cover	Excellent	Coarse	
1286579	BET	7	628436	6961035	7/16/2012	11:14:22 AM	RM01	Chocolate Brown	Silt	Dry	Subtle Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	
1286580	BET	7	628419	6961055	7/16/2012	11:22:33 AM	RM01	Chocolate Brown	Clay	Dry	Subtle Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	
1286581	BET	7	628403	6961074	7/16/2012	11:32:47 AM	RM01	Chocolate Brown	Clay	Damp	Subtle Slope	60	B	Birch Forest	Reindeer Moss	Good	Coarse	
1286582	BET	7	628386	6961090	7/16/2012	11:46:11 AM	RM01	Chocolate Brown	Sand	Dry	Subtle Slope	70	C	Birch Forest	Leaf Cover	Excellent	Coarse	
1286583	BET	7	628369	6961109	7/16/2012	11:56:59 AM	RM01	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Birch Forest	Leaf Cover	Good	Coarse	
1286585	BET	7	628352	6961128	7/16/2012	12:10:03 PM	RM01	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	
1286586	BET	7	628334	6961146	7/16/2012	12:22:01 PM	RM01	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	
1286587	BET	7	628318	6961164	7/16/2012	12:30:23 PM	RM01	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Birch Forest	Leaf Cover	Excellent	Coarse	
1286588	BET	7	628301	6961184	7/16/2012	12:43:25 PM	RM01	Chocolate Brown	Sand	Damp	Subtle Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	
1286589	BET	7	628284	6961202	7/16/2012	12:53:49 PM	RM01	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Alders	Reindeer Moss	Good	Coarse	
1286590	BET	7	628269	6961221	7/16/2012	1:03:49 PM	RM01	Chocolate Brown	Gravel	Damp	Subtle Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	
1286591	BET	7	628253	6961240	7/16/2012	1:16:01 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	
1286592	BET	7	628234	6961258	7/16/2012	1:28:08 PM	RM01	Dark Brown	Sand	Damp	Subtle Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	
1286593	BET	7	628219	6961277	7/16/2012	1:39:55 PM	RM01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Birch Forest	Leaf Cover	Excellent	Coarse	
1286594	BET	7	628200	6961295	7/16/2012	1:53:05 PM	RM01	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	Birch Forest	Leaf Cover	Excellent	Coarse	
1286595	BET	7	628185	6961314	7/16/2012	2:04:00 PM	RM01	Chocolate Brown	Sand	Dry	Pronounced Slope	90	C	Birch Forest	Leaf Cover	Excellent	Coarse	
1286596	BET	7	628167	6961332	7/16/2012	2:13:47 PM	RM01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Birch Forest	Leaf Cover	Excellent	Coarse	
1286597	BET	7	628152	6961351	7/16/2012	2:24:38 PM	RM01	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	
1286598	BET	7	628134	6961370	7/16/2012	2:38:20 PM	RM01	Dark Brown	Clay	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1286599	BET	7	628117	6961388	7/16/2012	2:49:05 PM	RM01	Dark Brown	Silt	Damp	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Good	Coarse	
1286600	BET	7	628100	6961406	7/16/2012	2:58:44 PM	RM01	Dark Brown	Clay	Damp	Subtle Slope	60	B	Black Spruce	Reindeer Moss	Good	Coarse	Frozen
1286552	BET	7	628083	6961427	7/16/2012	3:09:39 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1286553	BET	7	628067	6961444	7/16/2012	3:21:42 PM	RM01	Dark Brown	Clay	Damp	Subtle Slope	60	C	Birch Forest	Leaf Cover	Good	Coarse	
1286554	BET	7	628051	6961462	7/16/2012	3:33:44 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Birch Forest	Leaf Cover	Excellent	Coarse	
1286555	BET	7	628034	6961482	7/16/2012	3:43:27 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Birch Forest	Leaf Cover	Excellent	Coarse	
1286557	BET	7	628017	6961500	7/16/2012	3:55:09 PM	RM01	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Leaf Cover	Good	Coarse	
1286556	BET	7	627999	6961519	7/16/2012	4:04:16 PM	RM01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Birch Forest	Leaf Cover	Excellent	Coarse	
1283627	BET	7	627985	6961537	7/16/2012	4:08:08 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Birch Forest	Leaf Cover	Good	Coarse	
1293768	BET	7	628852	6961246	7/16/2012	10:23:21 AM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	
1293769	BET	7	628820	6961280	7/16/2012	10:33:03 AM	RR01	Grey	Sand	Dry	Pronounced Slope	80	C	Alders	Sphagnum Moss < 30cm	Excellent	Coarse	
1293770	BET	7	628787	6961319	7/16/2012	10:40:57 AM	RR01	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Poplar	Grass Cover	Excellent	Coarse	
1293771	BET	7	628752	6961356	7/16/2012	10:49:03 AM	RR01	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	Poplar	Sphagnum Moss < 30cm	Excellent	Coarse	
1293772	BET	7	628719	6961391	7/16/2012	10:56:59 AM	RR01	Grey	Sand	Dry	Flat	60	C	Willows	Sphagnum Moss < 30cm	Good	Coarse	
1293773	BET	7	628687	6961429	7/16/2012	11:06:15 AM	RR01	Chocolate Brown	Sand	Dry	Flat	60	C	Willows	Reindeer Moss	Excellent	Coarse	Quartz Chips
1293774	BET	7	628653	6961467	7/16/2012	11:16:45 AM	RR01	Grey	Sand	Dry	Subtle Slope	60	C	Willows	Sphagnum Moss < 30cm	Excellent	Coarse	
1293775	BET	7	628627	6961498	7/16/2012	11:27:12 AM	RR01	Grey	Sand	Damp	Subtle Slope	60	C	Black Spruce	Reindeer Moss	Good	Coarse	Clay
1293776	BET	7	628627	6961498	7/16/2012	11:35:36 AM	RR01	Grey	Sand	Damp	Subtle Slope	60	C	Black Spruce	Reindeer Moss	Good	Coarse	Clay
1293777	BET	7	628585	6961541	7/16/2012	11:44:50 AM	RR01	Dark Grey Black	Sand	Damp	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Organic 10%	Rocky
1293778	BET	7	628551	6961578	7/16/2012	11:56:27 AM	RR01	Chocolate Brown	Gravel	Damp	Pronounced Slope	50	C	Black Spruce	Reindeer Moss	Good	Coarse	Rocky
1293779	BET	7	628519	6961616	7/16/2012	12:07:00 PM	RR01	Grey	Sand	Damp	Pronounced Slope	40	C	Black Spruce	Reindeer Moss	Good	Partially Frozen	Rocky
1293780	BET	7	628485	6961653	7/16/2012	12:28:27 PM	RR01	Chocolate Brown	Sand	Wet	Pronounced Slope	40	B	Black Spruce	Reindeer Moss	Good	Coarse	Mud
1293781	BET	7	628451	6961690	7/16/2012	12:36:59 PM	RR01	Grey	Sand	Wet	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Possible Creek Contamination	
1293782	BET	7	628419	6961728	7/16/2012	12:45:40 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Reindeer Moss	Good	Partially Frozen	
1293783	BET	7	628384	6961764	7/16/2012	12:53:38 PM	RR01	Grey	Sand	Wet	Pronounced Slope	60	C	Black Spruce	Reindeer Moss	Good	Coarse	Partially Frozen
1293784	BET	7	628349	6961800	7/16/2012	1:06:13 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Good	Mud	Partially Frozen
1293785	BET	7	628318	6961838	7/16/2012	1:14:18 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	60	B	Willows	Reindeer Moss	Good	Coarse	Partially Frozen
1293786	BET	7	628465	6961972	7/16/2012	1:33:14 PM	RR01	Chocolate Brown	Sand	Dry	Subtle Slope	50	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1293787	BET	7	628497	6961935	7/16/2012	1:40:30 PM	RR01	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	
1293788	BET	7	628530	6961896	7/16/2012	1:59:41 PM	RR01	Grey	Sand	Damp	Subtle Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	
1293789	BET	7	628564	6961860	7/16/2012	2:07:31 PM	RR01	Chocolate Brown	Sand	Dry	Subtle Slope	40	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	
1293790	BET	7	628597	6961822	7/16/2012	2:15:36 PM	RR01	Chocolate Brown	Sand	Dry	Subtle Slope	70	C	Willows	Reindeer Moss	Excellent	Coarse	
1293791	BET	7	628631	6961786	7/16/2012	2:23:53 PM	RR01	Grey	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	
1293792	BET	7	628665	6961749	7/16/2012	2:34:54 PM	RR01	Chocolate Brown	Sand	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1293793	BET	7	628700	6961711	7/16/2012	2:50:11 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Black Spruce	Reindeer Moss	Excellent	Coarse	Rocky
1293794	BET	7	628732	6961675	7/16/2012	2:57:33 PM	RR01	Grey	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Reindeer Moss	Excellent	Coarse	
1293795	BET	7	628768	6961637	7/16/2012	3:05:44 PM	RR01	Chocolate Brown	Sand	Damp	Subtle Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1293796	BET	7	628800	6961601	7/16/2012	3:13:19 PM	RR01	Grey	Sand	Wet	Subtle Slope	60	B	Black Spruce	Reindeer Moss	Good	Partially Frozen	
1293797	BET	7	628835	6961564	7/16/2012	3:24:51 PM	RR01	Dark Olivine Green	Sand	Dry	Pronounced Slope	70	C	Poplar	Sphagnum Moss < 30cm	Excellent	Coarse	
1293798	BET	7	628868	6961526	7/16/2012	3:32:34 PM	RR01	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Coarse	
1293799	BET	7	628902	6961490	7/16/2012	3:40:45 PM	RR01	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	Poplar	Grass Cover	Good	Coarse	
1293800	BET	7	628936	6961452	7/16/2012	3:53:06 PM	RR01	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Sphagnum Moss < 30cm	Excellent	Coarse	
1295902	BET	7	628968	6961415	7/16/2012	4:04:12 PM	RR01	Reddish Yellow	Sand	Dry	Subtle Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	
1295903	BET	7	629003	6961377	7/16/2012	4:13:27 PM	RR01	Chocolate Brown	Sand	Dry	Subtle Slope	50	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	
1270797	BET	7	617697	6963708	7/16/2012	9:43:40 AM	RR02	Reddish Yellow	Silt	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1270798	BET	7	617697	6963758	7/16/2012	9:59:06 AM	RR02	Reddish Yellow	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Thin Moss Cover	Good	Coarse	Rocky Sample
1270799	BET	7	617696	6963807	7/16/2012	10:09:20 AM	RR02	Dark Brown	Silt	Wet	Pronounced Slope	70	B	Alders	Sphagnum Moss < 30cm	Good	Coarse	Partially Frozen
1270800	BET	7	617697	6963857	7/16/2012	10:37:13 AM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	50	B	Alders	Sphagnum Moss > 30cm	Poor	Frozen	Small Sample
1270802	BET	7	617698	6963957	7/16/2012	11:02:06 AM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	80	B	Alders	Sphagnum Moss > 30cm	Poor	Fine	Organic 10%
1270803	BET	7	617697	6964007	7/16/2012	11:14:10 AM	RR02	Reddish Brown	Silt	Damp	Subtle Slope	50	B	Alders	Sphagnum Moss > 30cm	Good	Fine	
1270804	BET	7	617697	6964056	7/16/2012	11:27:05 AM	RR02	Reddish Yellow	Silt	Damp	Pronounced Slope	60	B	Poplar	Leaf Cover	Good	Quartz Chips	Bright Orange Rust
1270805	BET	7	617697	6964108	7/16/2012	11:37:43 AM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	White Spruce	Thin Moss Cover	Good	Bright Orange Rust	Coarse
1270806	BET	7	617697	6964158	7/16/2012	11:47:56 AM	RR02	Reddish Yellow	Silt	Damp	Pronounced Slope	70	B	Poplar	Leaf Cover	Good	Coarse	Bright Orange Rust
1270807	BET	7	617697	6964207	7/16/2012	12:00:56 PM	RR02	Reddish Orange	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Coarse
1270808	BET	7	617696	6964258	7/16/2012	12:08:28 PM	RR02	Light Brown	Sand	Damp	Pronounced Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	
1270809	BET	7	617697	6964308	7/16/2012	12:19:40 PM	RR02	Light Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Good	Fine	Rusty Rock Chip
1270810	BET	7	617696	6964358	7/16/2012	12:54:00 PM	RR02	Light Brown	Sand	Damp	Subtle Slope	50	C	Poplar	Leaf Cover	Excellent	Coarse	Rusty Rock Chip
1270811	BET	7	617697	6964408	7/16/2012	1:05:08 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Poplar	Thin Moss Cover	Excellent	Coarse	Rusty Rock Chip
1270812	BET	7	617698	6964458	7/16/2012	1:17:04 PM	RR02	Reddish Orange	Sand	Damp	Pronounced Slope	100	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Coarse
1270813	BET	7	617699	6964507	7/16/2012	1:28:29 PM	RR02	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Poplar	Leaf Cover	Excellent	Coarse	
1270814	BET	7	617698	6964559	7/16/2012	1:40:09 PM	RR02	Greyish Green	Sand	Damp	Subtle Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	
1270815	BET	7	617697	6964608	7/16/2012	1:48:54 PM	RR02	Reddish Yellow	Sand	Damp	Flat	40	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	
1270816	BET	7	617696	6964658	7/16/2012	2:01:12 PM	RR02	Chocolate Brown	Silt	Damp	Flat	50	B	Black Spruce	Thin Moss Cover	Good	Fine	
1270817	BET	7	617696	6964708	7/16/2012	2:32:12 PM	RR02	Greyish Green	Sand	Damp	Subtle Slope	80	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Bright Orange Rust
1270818	BET	7	617697	6964757	7/16/2012	2:51:04 PM	RR02	Chocolate Brown	Sand	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky Sample
1270819	BET	7	617696	6964808	7/16/2012	3:02:02 PM	RR02	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Thin Moss Cover	Good	Coarse	
1270820	BET	7	617697	6964857	7/16/2012	3:12:26 PM	RR02	Dark Grey Black	Silt	Wet	Pronounced Slope	80	B	Black Spruce	Thin Moss Cover	Poor	Fine	Partially Frozen
1270821	BET	7	617696	6964908	7/16/2012	3:22:14 PM	RR02	Dark Brown	Silt	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	Fine
1270822	BET	7	617699	6964958	7/16/2012	3:41:35 PM	RR02	Dark Brown	Silt	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Organic 25%	Partially Frozen
1270823	BET	7	617698	6965007	7/16/2012	3:51:33 PM	RR02	Dark Brown	Silt	Wet	Pronounced Slope	80	B	Black Spruce	Bare Soil	Poor	Wet Soil	Possible Creek Contamination
1270824	BET	7	617697	6965058	7/16/2012	4:03:31 PM	RR02	Dark Brown	Silt	Wet	Pronounced Slope	60	B	Black Spruce	Thin Moss Cover	Poor	Partially Frozen	Fine
1270827	BET	7	617697	6965109	7/16/2012	4:12:03 PM	RR02	Dark Brown	Silt	Wet	Pronounced Slope	60	B	Black Spruce	Thin Moss Cover	Poor	Fine	Partially Frozen
1270828	BET	7	617698	6965157	7/16/2012	4:19:53 PM	RR02	Dark Brown	Silt	Wet	Pronounced Slope	60	B	Black Spruce	Thin Moss Cover	Poor	Fine	Partially Frozen
1295548	BET	7	628641	6961927	7/16/2012	10:46:31 AM	SC01	Dark Brown	Sand	Damp	Subtle Slope	50	C	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	
1295549	BET	7	628607	6961964	7/16/2012	11:00:48 AM	SC01	Dark Brown	Sand	Dry	Subtle Slope	50	C	Alders	Sphagnum Moss < 30cm	Excellent	Coarse	
1295550	BET	7	628573	6962001	7/16/2012	11:10:09 AM	SC01	Chocolate Brown	Sand	Dry	Subtle Slope	50	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1295552	BET	7	628540	6962039	7/16/2012	11:18:16 AM	SC01	Dark Grey Black	Sand	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Partially Frozen
1295553	BET	7	628391	6961906	7/16/2012	11:41:01 AM	SC01	Dark Brown	Silt	Dry	Pronounced Slope	50	B	Birch Forest	Grass Cover	Poor	Rocky	Organic 25%
1295554	BET	7	628424	6961868	7/16/2012	11:51:46 AM	SC01	Grey	Sand	Dry	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1295555	BET	7	628458	6961831	7/16/2012	12:02:51 PM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Grass Cover	Good	Coarse	Partially Frozen
1295556	BET	7	628491	6961794	7/16/2012	12:15:23 PM	SC01	Grey	Sand	Damp	Pronounced Slope	60	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1295557	BET	7	628344	6961660	7/16/2012	12:33:55 PM	SC01	Grey	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Reindeer Moss	Good	Rocky	Partially Frozen
1295558	BET	7	628310	6961697	7/16/2012	12:45:32 PM	SC01	Dark Grey Black	Sand	Damp	Pronounced Slope	70	B	Alders	Sphagnum Moss < 30cm	Good	Mud	
1295559	BET	7	628277	6961734	7/16/2012	12:53:29 PM	SC01	Dark Grey Black	Sand	Wet	Pronounced Slope	30	C	Black Spruce	Reindeer Moss	Good	Partially Frozen	
1295560	BET	7	628243	6961771	7/16/2012	1:05:07 PM	SC01	Grey	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Reindeer Moss	Good	Coarse	
1295561	BET	7	628094	6961637	7/16/2012	1:18:56 PM	SC01	Light Brown	Sand	Dry	Subtle Slope	50	C	Birch Forest	Sphagnum Moss < 30cm	Good		
1295562	BET	7	628128	6961600	7/16/2012	1:38:27 PM	SC01	Chocolate Brown	Silt	Dry	Subtle Slope	40	B	Poplar	Leaf Cover	Poor	Rocky	
1295563	BET	7	628161	6961563	7/16/2012	1:48:00 PM	SC01	Grey	Sand	Damp	Subtle Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1295564	BET	7	628195	6961526	7/16/2012	1:57:33 PM	SC01	Grey	Sand	Damp	Pronounced Slope	70	C	Birch Forest	Grass Cover	Good	Coarse	
1295565	BET	7	628170	6961705	7/16/2012	2:12:49 PM	SC01	Dark Brown	Sand	Damp	Subtle Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	
1295566	BET	7	628202	6961668	7/16/2012	2:23:33 PM	SC01	Grey	Sand	Damp	Subtle Slope	70	C	Black Spruce	Reindeer Moss	Good	Coarse	
1295567	BET	7	628235	6961631	7/16/2012	2:36:05 PM	SC01	Dark Brown	Sand	Damp	Subtle Slope	50	C	Black Spruce	Reindeer Moss	Good	Partially Frozen	
1295568	BET	7	628270	6961593	7/16/2012	2:47:18 PM	SC01	Dark Grey Black	Silt	Damp	Subtle Slope	40	B	Black Spruce	Reindeer Moss	Poor	Mud	Partially Frozen
1295569	BET	7	628302	6961557	7/16/2012	3:00:05 PM	SC01	Chocolate Brown	Silt	Dry	Pronounced Slope	40	B	Black Spruce	Leaf Cover	Poor	Rocky	
1295570	BET	7	628336	6961519	7/16/2012	3:09:21 PM	SC01	Dark Grey Black	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Reindeer Moss	Good	Coarse	Mud
1295571	BET	7	628370	6961482	7/16/2012	3:19:40 PM	SC01	Dark Brown	Sand	Damp	Pronounced Slope	90	C	Black Spruce	Sphagnum Moss < 30cm	Excellent		
1295572	BET	7	628403	6961445	7/16/2012	3:28:54 PM	SC01	Grey	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Reindeer Moss	Good	Coarse	Partially Frozen
1295573	BET	7	628436	6961408	7/16/2012	3:41:11 PM	SC01	Grey	Sand	Damp	Subtle Slope	50	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Coarse	
1295574	BET	7	628470	6961370	7/16/2012	3:51:15 PM	SC01	Dark Grey Black	Sand	Damp	Subtle Slope	50	B	Alders	Sphagnum Moss < 30cm	Good	Partially Frozen	Mud
1295575	BET	7	628503	6961333	7/16/2012	4:00:36 PM	SC01	Grey	Sand	Damp	Subtle Slope	60	C	Black Spruce	Reindeer Moss	Good	Coarse	
1295576	BET	7	628503	6961333	7/16/2012	4:01:46 PM	SC01	Grey	Sand	Damp	Subtle Slope	60	C	Black Spruce	Reindeer Moss	Good	Coarse	
1295577	BET	7	628538	6961297	7/16/2012	4:15:40 PM	SC01	Dark Brown	Sand	Damp	Subtle Slope	50	C	Birch Forest	Sphagnum Moss < 30cm	Good	Coarse	
1295578	BET	7	628571	6961259	7/16/2012	4:23:28 PM	SC01	Chocolate Brown	Sand	Damp	Subtle Slope	60	C	Poplar	Sphagnum Moss < 30cm	Good	Bright Orange Rust	
1270588	BET	7	617996	6963708	7/16/2012	9:49:35 AM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	40	B	Alders	Reindeer Moss	Good	Rocky	Coarse
1270589	BET	7	617996	6963807	7/16/2012	10:06:22 AM	SD02	Chocolate Brown	Gravel	Damp	Pronounced Slope	50	B	Black Spruce	Grass Cover	Good	Rocky	Quartz Chips
1270590	BET	7	617996	6963859	7/16/2012	10:14:26 AM	SD02	Dark Brown	Sand	Damp	Pronounced Slope	80	B	Willows	Grass Cover	Good	Bright Orange Rust	
1270591	BET	7	617996	6963908	7/16/2012	10:23:21 AM	SD02	Grey	Gravel	Damp	Pronounced Slope	50	B	Black Spruce	Reindeer Moss	Good	Rocky	Rocky Sample
1270592	BET	7	617995	6963957	7/16/2012	10:30:56 AM	SD02	Dark Brown	Gravel	Damp	Subtle Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	
1270593	BET	7	617996	6964009	7/16/2012	10:36:48 AM	SD02	Dark Brown	Sand	Damp	Subtle Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Bright Orange Rust
1270594	BET	7	617993	6964059	7/16/2012	10:43:14 AM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	70	C	Black Spruce	Reindeer Moss	Excellent	Fine	Quartz Chips
1270595	BET	7	617996	6964106	7/16/2012	10:50:05 AM	SD02	Reddish Brown	Gravel	Damp	Subtle Slope	70	C	Black Spruce	Reindeer Moss	Excellent	Fine	Quartz Chips
1270596	BET	7	617995	6964158	7/16/2012	10:56:48 AM	SD02	Reddish Brown	Gravel	Damp	Subtle Slope	40	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Rocky	Quartz Chips
1270597	BET	7	617995	6964206	7/16/2012	11:02:51 AM	SD02	Reddish Brown	Sand	Damp	Subtle Slope	40	C	Black Spruce	Reindeer Moss	Excellent	Coarse	Quartz Chips
1270598	BET	7	617996	6964256	7/16/2012	11:09:13 AM	SD02	Reddish Brown	Gravel	Damp	Subtle Slope	50	C	Black Spruce	Reindeer Moss	Good	Rocky	Quartz Chips
1270599	BET	7	617996	6964307	7/16/2012	11:14:54 AM	SD02	Reddish Brown	Sand	Damp	Subtle Slope	40	C	Alders	Reindeer Moss	Excellent	Rocky	Quartz Chips
1270600	BET	7	617996	6964356	7/16/2012	11:25:02 AM	SD02	Greyish Green	Gravel	Damp	Subtle Slope	90	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Sandy	
1270952	BET	7	617995	6964408	7/16/2012	11:32:53 AM	SD02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Birch Forest	Leaf Cover	Good	Rocky	
1270953	BET	7	617999	6964456	7/16/2012	11:40:07 AM	SD02	Dark Brown	Sand	Damp	Pronounced Slope	90	C	Birch Forest	Sphagnum Moss < 30cm	Excellent	Rocky	
1270955	BET	7	617996	6964557	7/16/2012	12:12:17 PM	SD02	Dark Brown	Gravel	Damp	Pronounced Slope	70	B	Alders	Sphagnum Moss < 30cm	Good	Fine	Rocky
1270956	BET	7	617996	6964607	7/16/2012	12:18:29 PM	SD02	Dark Brown	Sand	Wet	Pronounced Slope	50	B	Alders	Sphagnum Moss < 30cm	Good	Wet Soil	Rocky
1270957	BET	7	617996	6964655	7/16/2012	12:26:47 PM	SD02	Dark Brown	Gravel	Damp	Pronounced Slope	60	B	Alders	Sphagnum Moss < 30cm	Good	Rocky	

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1270958	BET	7	617998	6964707	7/16/2012	12:48:42 PM	SD02	Dark Brown	Sand	Damp	Pronounced Slope	40	B	Alders	Leaf Cover	Good	Rocky	
1270954	BET	7	617996	6964510	7/16/2012	12:49:56 PM	SD02	Chocolate Brown	Gravel	Damp	Subtle Slope	60	B	Alders	Sphagnum Moss < 30cm	Good	Rocky	
1270959	BET	7	617997	6964758	7/16/2012	1:04:00 PM	SD02	Dark Brown	Sand	Damp	Pronounced Slope	50	C	Birch Forest	Leaf Cover	Good	Bright Orange Rust	Coarse
1270960	BET	7	617997	6964806	7/16/2012	1:13:32 PM	SD02	Dark Brown	Sand	Wet	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Frozen	
1270961	BET	7	617996	6964857	7/16/2012	1:22:20 PM	SD02	Dark Brown	Sand	Wet	Pronounced Slope	60	B	Alders	Reindeer Moss	Good	Rocky	
1270962	BET	7	617997	6964906	7/16/2012	1:33:47 PM	SD02	Dark Brown	Sand	Damp	Pronounced Slope	60	B	Black Spruce	Reindeer Moss	Good	Bright Orange Rust	
1270963	BET	7	617997	6964959	7/16/2012	1:43:34 PM	SD02	Grey	Sand	Wet	Pronounced Slope	50	B	Birch Forest	Sphagnum Moss < 30cm	Good	Wet Soil	
1270964	BET	7	617995	6965007	7/16/2012	1:51:44 PM	SD02	Dark Brown	Sand	Damp	Subtle Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Partially Frozen
1270965	BET	7	617998	6965058	7/16/2012	2:00:11 PM	SD02	Dark Grey Black	Sand	Damp	Pronounced Slope	80	B	Alders	Reindeer Moss	Good	Frozen	Bright Orange Rust
1270966	BET	7	617997	6965107	7/16/2012	2:07:36 PM	SD02	Dark Grey Black	Sand	Damp	Subtle Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Partially Frozen	
1270967	BET	7	617997	6965157	7/16/2012	2:24:25 PM	SD02	Chocolate Brown	Sand	Damp	Subtle Slope	50	C	Willows	Bare Soil	Good	Possible Creek Contamination	Coarse
1270968	BET	7	617597	6965159	7/16/2012	4:21:34 PM	SD02	Dark Brown	Sand	Damp	Steep	50	C	Black Spruce	Reindeer Moss	Good	Bright Orange Rust	Partially Frozen
1270969	BET	7	617598	6965108	7/16/2012	4:31:55 PM	SD02	Dark Grey Black	Sand	Wet	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Poor	Bright Orange Rust	Frozen
1271040	BET	7	617396	6963758	7/17/2012	2:31:06 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	90	C	Birch Forest	Thin Moss Cover	Good	Rocky	
1271041	BET	7	617397	6963858	7/17/2012	2:39:43 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	80	B	Black Spruce	Reindeer Moss	Good	Rocky	
1271042	BET	7	617397	6963959	7/17/2012	2:48:08 PM	BH01	Dark Brown	Gravel	Damp	Pronounced Slope	60	B	Black Spruce	Reindeer Moss	Good	Rocky	Partially Frozen
1271043	BET	7	617397	6964058	7/17/2012	3:03:11 PM	BH01	Chocolate Brown	Gravel	Wet	Steep	60	B	Black Spruce	Reindeer Moss	Good	Frozen	Organic 25%
1271044	BET	7	617396	6964158	7/17/2012	3:12:51 PM	BH01	Chocolate Brown	Gravel	Damp	Steep	70	B	Black Spruce	Bare Soil	Good	Partially Frozen	Rocky
1271045	BET	7	617397	6964257	7/17/2012	3:23:01 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	80	C	Black Spruce	Grass Cover	Good	Organic 10%	Rocky
1271046	BET	7	617395	6964408	7/17/2012	3:36:04 PM	BH01	Chocolate Brown	Silt	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Quartz Chips	
1271047	BET	7	617394	6964556	7/17/2012	3:50:43 PM	BH01	Chocolate Brown	Sand	Dry	Pronounced Slope	60	B	Poplar	Leaf Cover	Good	Rocky	
1271048	BET	7	617396	6964657	7/17/2012	4:01:50 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Frozen	Organic 10%
1271049	BET	7	617397	6964806	7/17/2012	4:15:57 PM	BH01	Chocolate Brown	Silt	Damp	Pronounced Slope	80	C	Birch Forest	Leaf Cover	Excellent	Partially Frozen	
1271050	BET	7	617397	6964958	7/17/2012	4:26:26 PM	BH01	Chocolate Brown	Silt	Wet	Pronounced Slope	80	B	Black Spruce	Reindeer Moss	Good	Organic 10%	Partially Frozen
1271052	BET	7	617397	6965057	7/17/2012	4:27:11 PM	BH01	Dark Brown	Silt	Wet	Steep	60	B	Black Spruce	Reindeer Moss	Good	Frozen	Bright Orange Rust
1271053	BET	7	617396	6965157	7/17/2012	4:46:30 PM	BH01	Dark Brown	Silt	Wet	Steep	70	B	Black Spruce	Reindeer Moss	Poor	Mud	Rocky
1286934	BET	7	617597	6963756	7/17/2012	2:37:05 PM	IG01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Rocky Sample
1286935	BET	7	617596	6963856	7/17/2012	2:51:13 PM	IG01	Chocolate Brown	Sand	Damp	Steep	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Rocky Sample
1286936	BET	7	617596	6963956	7/17/2012	3:04:33 PM	IG01	Dark Brown	Silt	Damp	Steep	60	B	Willows	Reindeer Moss	Poor	Rocky	Organic 10%
1286937	BET	7	617597	6964056	7/17/2012	3:17:08 PM	IG01	Chocolate Brown	Silt	Damp	Steep	40	B	Alders	Leaf Cover	Good	Rocky	
1286938	BET	7	617597	6964157	7/17/2012	3:33:15 PM	IG01	Chocolate Brown	Silt	Damp	Pronounced Slope	80	C	Birch Forest	Leaf Cover	Excellent	Rocky	Rocky Sample
1286939	BET	7	617597	6964257	7/17/2012	3:46:11 PM	IG01	Chocolate Brown	Sand	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Rocky	
1286940	BET	7	617597	6964357	7/17/2012	4:04:26 PM	IG01	Chocolate Brown	Sand	Dry	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Rocky	
1286941	BET	7	617597	6964456	7/17/2012	4:15:56 PM	IG01	Chocolate Brown	Silt	Dry	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Rocky	
1286942	BET	7	617597	6964557	7/17/2012	4:28:46 PM	IG01	Chocolate Brown	Sand	Dry	Subtle Slope	60	C	Poplar	Leaf Cover	Excellent	Rocky	
1286943	BET	7	617598	6964657	7/17/2012	4:39:52 PM	IG01	Chocolate Brown	Silt	Dry	Steep	60	C	Black Spruce	Thin Moss Cover	Excellent	Rocky	
1286944	BET	7	617596	6964757	7/17/2012	4:51:46 PM	IG01	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Reindeer Moss	Poor	Frozen	
1286945	BET	7	617597	6964857	7/17/2012	5:05:50 PM	IG01	Chocolate Brown	Sand	Damp	Steep	60	B	Black Spruce	Reindeer Moss	Good	Rocky	
1286946	BET	7	617597	6964958	7/17/2012	5:17:33 PM	IG01	Dark Brown	Silt	Damp	Steep	60	B	Black Spruce	Reindeer Moss	Good	Rocky	
1286947	BET	7	617597	6965059	7/17/2012	5:26:47 PM	IG01	Dark Brown	Silt	Damp	Steep	60	B	Black Spruce	Reindeer Moss	Poor	Rocky	
1286691	BET	7	617497	6963757	7/17/2012	2:45:19 PM	KH01	Chocolate Brown	Sand	Dry	Steep	50	C	Poplar	Rock Cover	Good	Rocky	
1286690	BET	7	617497	6963957	7/17/2012	3:08:52 PM	KH01	Chocolate Brown	Gravel	Wet	Steep	80	C	Alders	Sphagnum Moss < 30cm	Good	Mud	
1286689	BET	7	617497	6964058	7/17/2012	3:16:17 PM	KH01	Chocolate Brown	Gravel	Wet	Steep	70	C	Willows	Reindeer Moss	Good	Mud	
1286688	BET	7	617497	6964160	7/17/2012	3:27:27 PM	KH01	Chocolate Brown	Sand	Dry	Steep	70	C	Birch Forest	Grass Cover	Good	Rocky	
1286687	BET	7	617497	6964258	7/17/2012	3:37:30 PM	KH01	Chocolate Brown	Sand	Dry	Steep	90	C	Poplar	Leaf Cover	Excellent	Fine	Dull Red Rust
1286686	BET	7	617496	6964359	7/17/2012	3:50:31 PM	KH01	Chocolate Brown	Sand	Dry	Steep	70	C	White Spruce	Leaf Cover	Excellent	Rocky	
1286685	BET	7	617496	6964458	7/17/2012	4:03:28 PM	KH01	Chocolate Brown	Sand	Dry	Steep	70	C	Poplar	Leaf Cover	Excellent	Rocky	
1286684	BET	7	617497	6964558	7/17/2012	4:16:00 PM	KH01	Chocolate Brown	Sand	Dry	Steep	80	C	Poplar	Leaf Cover	Excellent	Rocky	
1286683	BET	7	617496	6964657	7/17/2012	4:27:25 PM	KH01	Chocolate Brown	Sand	Damp	Steep	60	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1286682	BET	7	617495	6964757	7/17/2012	4:45:02 PM	KH01	Dark Brown	Sand	Damp	Pronounced Slope	60	C	White Spruce	Reindeer Moss	Good	Frozen	
1286681	BET	7	617496	6964857	7/17/2012	4:57:53 PM	KH01	Dark Brown	Sand	Damp	Pronounced Slope	70	C	White Spruce	Sphagnum Moss < 30cm	Good	Frozen	Bright Orange Rust
1284187	BET	7	617496	6964957	7/17/2012	5:08:51 PM	KH01	Dark Grey Black	Silt	Damp	Steep	60	B	White Spruce	Reindeer Moss	Poor	Frozen	Organic 25%
1270926	BET	7	617296	6963760	7/17/2012	2:30:43 PM	RF02	Chocolate Brown	Silt	Damp	Subtle Slope	80	C	Poplar	Leaf Cover	Good		
1270927	BET	7	617298	6963859	7/17/2012	2:44:31 PM	RF02	Chocolate Brown	Silt	Damp	Subtle Slope	50	C	Poplar	Leaf Cover	Good		
1270928	BET	7	617297	6963959	7/17/2012	2:54:56 PM	RF02	Dark Brown	Silt	Wet	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor		
1270929	BET	7	617298	6964061	7/17/2012	3:06:45 PM	RF02	Chocolate Brown	Silt	Damp	Subtle Slope	80	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Dull Red Rust	
1270930	BET	7	617298	6964160	7/17/2012	3:18:27 PM	RF02	Dark Brown	Silt	Wet	Pronounced Slope	80	B	Dwarf Birch	Sphagnum Moss > 30cm	Good		
1270931	BET	7	617298	6964260	7/17/2012	3:32:30 PM	RF02	Light Brown	Silt	Dry	Subtle Slope	90	C	Poplar	Thin Moss Cover	Excellent		
1270932	BET	7	617297	6964360	7/17/2012	3:47:40 PM	RF02	Chocolate Brown	Silt	Damp	Pronounced Slope	40	C	Poplar	Thin Moss Cover	Good		
1270933	BET	7	617298	6964454	7/17/2012	3:59:40 PM	RF02	Dark Brown	Silt	Damp	Subtle Slope	60	C	Poplar	Leaf Cover	Excellent		
1270934	BET	7	617298	6964556	7/17/2012	4:12:24 PM	RF02	Dark Brown	Silt	Damp	Subtle Slope	80	C	Birch Forest	Leaf Cover	Excellent		
1270935	BET	7	617297	6964656	7/17/2012	4:23:13 PM	RF02	Dark Brown	Silt	Damp	Subtle Slope	90	C	Birch Forest	Leaf Cover	Good		
1270936	BET	7	617297	6964757	7/17/2012	4:37:13 PM	RF02	Dark Brown	Silt	Wet	Subtle Slope	70	C	Birch Forest	Sphagnum Moss < 30cm	Good		
1270937	BET	7	617296	6964857	7/17/2012	4:49:58 PM	RF02	Dark Brown	Silt	Damp	Subtle Slope	60	C	Poplar	Leaf Cover	Good		
1270938	BET	7	617296	6964956	7/17/2012	5:03:29 PM	RF02	Chocolate Brown	Silt	Damp	Flat	40	B	Black Spruce	Leaf Cover	Poor		
1270939	BET	7	617298	6965057	7/17/2012	5:13:44 PM	RF02	Dark Grey Black	Silt	Wet	Pronounced Slope	40	B	Alders	Sphagnum Moss < 30cm	Poor		
1270940	BET	7	617298	6965156	7/17/2012	5:23:50 PM	RF02	Dark Grey Black	Silt	Damp	Subtle Slope	40	B	Black Spruce	Sphagnum Moss < 30cm	Poor		
1286849	BET	7	617596	6963706	7/17/2012	2:29:30 PM	RL02	Reddish Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Coarse	Bright Orange Rust
1286850	BET	7	617596	6963807	7/17/2012	2:39:36 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Organic 10%
1286852	BET	7	617597	6963907	7/17/2012	2:49:48 PM	RL02	Dark Grey Black	Silt	Damp	Pronounced Slope	70	B	Willows	Sphagnum Moss < 30cm	Poor	Sandy	
1286853	BET	7	617589	6963995	7/17/2012	3:01:24 PM	RL02	Dark Grey Black	Sand	Damp	Pronounced Slope	70	B	Willows	Sphagnum Moss < 30cm	Poor	Coarse	
1286854	BET	7	617596	6964107	7/17/2012	3:11:57 PM	RL02	Reddish Brown	Sand	Damp	Pronounced Slope	80	C	White Spruce	Thin Moss Cover	Excellent	Bright Orange Rust	Quartz Chips
1286855	BET	7	617596	6964209	7/17/2012	3:20:45 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Coarse	Quartz Chips
1286857	BET	7	617596	6964308	7/17/2012	3:31:47 PM	RL02	Dark Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Fine	Bright Orange Rust
1286858	BET	7	617597	6964408	7/17/2012	3:43:44 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Quartz Chips
1286859	BET	7	617598	6964508	7/17/2012	3:53:44 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Fine	Quartz Chips
1286860	BET	7	617596	6964608	7/17/2012	4:07:54 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Thin Moss Cover	Excellent	Fine	Quartz Chips
1286861	BET	7	617588	6964712	7/17/2012	4:18:46 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	60	C	White Spruce	Thin Moss Cover	Excellent	Coarse	Rocky
1286862	BET	7	617597	6964807	7/17/2012	4:27:22 PM	RL02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Rocky
1286863	BET	7	617597	6964908	7/17/2012	4:35:53 PM	RL02	Dark Grey Black	Silt	Damp	Pronounced Slope	60	B	Black Spruce	Sphagnum Moss < 30cm	Good	Quartz Chips	Partially Frozen
1286864	BET	7	617596	6965008	7/17/2012	4:47:06 PM	RL02	Dark Grey Black	Silt	Damp	Pronounced Slope	80	B	Black Spruce	Sphagnum Moss < 30cm	Good	Rocky	Sandy
1286575	BET	7	617497	6963708	7/17/2012	2:38:49 PM	RM01	Dark Brown	Gravel	Damp	Pronounced Slope	40	B	Poplar	Sphagnum Moss < 30cm	Poor	Rocky	
1286574	BET	7	617497	6963908	7/17/2012	3:01:46 PM	RM01	Chocolate Brown	Sand	Wet	Pronounced Slope	80	C	Alders	Reindeer Moss	Good	Coarse	Mud
1286573	BET	7	617497	6964008	7/17/2012	3:10:11 PM	RM01	Dark Brown	Gravel	Wet	Steep	60	C	Alders	Reindeer Moss	Good	Coarse	Mud

Sample ID	Project ID	UTM Zone	UTM Easting	UTM Northing	Sample Date	Sample Time	Technician ID	Soil Colour	Soil Texture	Soil Moisture	Site Slope	Sample Depth	Sample Horizon	Site Vegetation	Site Cover	Sample Quality	Note1	Note2
1286572	BET	7	617497	6964208	7/17/2012	3:27:56 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	80	C	Poplar	Sphagnum Moss < 30cm	Excellent	Coarse	Organic 10%
1286570	BET	7	617497	6964308	7/17/2012	3:42:11 PM	RM01	Dark Brown	Clay	Damp	Pronounced Slope	80	B	White Spruce	Reindeer Moss	Good	Coarse	
1286571	BET	7	617496	6964406	7/17/2012	3:58:20 PM	RM01	Chocolate Brown	Sand	Dry	Steep	80	C	Poplar	Leaf Cover	Excellent	Coarse	
1286569	BET	7	617498	6964507	7/17/2012	4:13:23 PM	RM01	Chocolate Brown	Silt	Dry	Subtle Slope	60	C	Poplar	Leaf Cover	Good	Coarse	
1286568	BET	7	617498	6964608	7/17/2012	4:25:49 PM	RM01	Chocolate Brown	Silt	Damp	Pronounced Slope	60	C	White Spruce	Sphagnum Moss < 30cm	Good	Coarse	Rocky
1286567	BET	7	617497	6964707	7/17/2012	4:36:35 PM	RM01	Dark Brown	Sand	Damp	Pronounced Slope	70	B	White Spruce	Sphagnum Moss < 30cm	Poor	Coarse	Organic 25%
1286566	BET	7	617497	6964806	7/17/2012	4:48:44 PM	RM01	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Black Spruce	Reindeer Moss	Good	Coarse	
1286565	BET	7	617498	6964907	7/17/2012	5:03:46 PM	RM01	Dark Brown	Silt	Damp	Pronounced Slope	60	B	Alders	Sphagnum Moss < 30cm	Poor	Coarse	Organic 25%
1286564	BET	7	617497	6965007	7/17/2012	5:15:05 PM	RM01	Dark Brown	Clay	Damp	Steep	60	B	Alders	Reindeer Moss	Good	Coarse	Frozen
1270825	BET	7	617297	6963708	7/17/2012	2:27:57 PM	RR02	Reddish Yellow	Sand	Damp	Subtle Slope	110	C	Poplar	Leaf Cover	Excellent	Coarse	Quartz Chips
1270826	BET	7	617297	6963708	7/17/2012	2:29:18 PM	RR02	Reddish Yellow	Sand	Damp	Subtle Slope	100	C	Poplar	Leaf Cover	Excellent	Coarse	Quartz Chips
1270829	BET	7	617299	6963809	7/17/2012	2:42:44 PM	RR02	Light Brown	Silt	Damp	Subtle Slope	50	C	Poplar	Leaf Cover	Good	Coarse	Dull Red Rust
1270830	BET	7	617296	6963908	7/17/2012	2:54:05 PM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	Poplar	Thin Moss Cover	Excellent	Coarse	Bright Orange Rust
1270831	BET	7	617297	6964008	7/17/2012	3:03:24 PM	RR02	Reddish Yellow	Sand	Damp	Subtle Slope	50	C	Black Spruce	Thin Moss Cover	Excellent	Coarse	Bright Orange Rust
1270832	BET	7	617297	6964107	7/17/2012	3:14:15 PM	RR02	Dark Brown	Silt	Wet	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Good	Fine	Bright Orange Rust
1270833	BET	7	617297	6964208	7/17/2012	3:26:50 PM	RR02	Chocolate Brown	Silt	Wet	Subtle Slope	50	B	Alders	Sphagnum Moss > 30cm	Poor	Frozen	Organic 25%
1270834	BET	7	617297	6964310	7/17/2012	3:40:19 PM	RR02	Reddish Yellow	Sand	Damp	Pronounced Slope	110	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	Quartz Chips
1270835	BET	7	617297	6964409	7/17/2012	3:59:37 PM	RR02	Reddish Yellow	Sand	Damp	Subtle Slope	110	C	Poplar	Leaf Cover	Excellent	Coarse	
1270836	BET	7	617298	6964506	7/17/2012	4:10:56 PM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Good	Fine	
1270837	BET	7	617298	6964606	7/17/2012	4:21:49 PM	RR02	Grey	Sand	Damp	Pronounced Slope	80	C	Birch Forest	Thin Moss Cover	Excellent	Coarse	
1270838	BET	7	617298	6964707	7/17/2012	4:33:08 PM	RR02	Dark Brown	Sand	Damp	Subtle Slope	70	C	Birch Forest	Leaf Cover	Good	Fine	Bright Orange Rust
1270839	BET	7	617297	6964807	7/17/2012	4:54:42 PM	RR02	Chocolate Brown	Sand	Damp	Pronounced Slope	50	C	White Spruce	Leaf Cover	Good	Fine	
1270840	BET	7	617298	6964907	7/17/2012	5:04:56 PM	RR02	Grey	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	
1270841	BET	7	617297	6965006	7/17/2012	5:14:33 PM	RR02	Chocolate Brown	Silt	Wet	Pronounced Slope	70	B	Black Spruce	Sphagnum Moss < 30cm	Good	Coarse	Bright Orange Rust
1270842	BET	7	617297	6965107	7/17/2012	5:25:15 PM	RR02	Chocolate Brown	Silt	Wet	Steep	80	B	Black Spruce	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Coarse
1270970	BET	7	617396	6963711	7/17/2012	2:24:54 PM	SD02	Chocolate Brown	Gravel	Dry	Pronounced Slope	40	B	Poplar	Leaf Cover	Good	Rocky	
1270971	BET	7	617396	6963810	7/17/2012	2:32:04 PM	SD02	Chocolate Brown	Gravel	Dry	Pronounced Slope	70	B	Poplar	Sphagnum Moss < 30cm	Good	Rocky	Fine
1270972	BET	7	617396	6963910	7/17/2012	2:39:32 PM	SD02	Grey	Gravel	Wet	Pronounced Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Poor	Wet Soil	Rocky
1270973	BET	7	617396	6964009	7/17/2012	2:48:09 PM	SD02	Grey	Sand	Wet	Pronounced Slope	70	C	Black Spruce	Sphagnum Moss < 30cm	Excellent	Coarse	Bright Orange Rust
1270974	BET	7	617398	6964109	7/17/2012	2:56:20 PM	SD02	Dark Grey Black	Sand	Damp	Pronounced Slope	60	B	Willows	Sphagnum Moss < 30cm	Good	Bright Orange Rust	Partially Frozen
1270975	BET	7	617398	6964210	7/17/2012	3:11:11 PM	SD02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Sphagnum Moss < 30cm	Good	Rocky	Bright Orange Rust
1270976	BET	7	617396	6964210	7/17/2012	3:14:28 PM	SD02	Chocolate Brown	Sand	Damp	Pronounced Slope	40	C	Poplar	Sphagnum Moss < 30cm	Good	Rocky	Bright Orange Rust
1270977	BET	7	617397	6964309	7/17/2012	3:21:39 PM	SD02	Reddish Yellow	Gravel	Damp	Subtle Slope	50	C	Poplar	Leaf Cover	Excellent	Dull Red Rust	Fine
1270978	BET	7	617397	6964360	7/17/2012	3:28:29 PM	SD02	Reddish Yellow	Sand	Damp	Pronounced Slope	70	C	Poplar	Leaf Cover	Excellent	Bright Orange Rust	
1270979	BET	7	617395	6964459	7/17/2012	3:36:48 PM	SD02	Chocolate Brown	Sand	Dry	Pronounced Slope	50	C	Poplar	Leaf Cover	Excellent	Rocky	
1270980	BET	7	617397	6964510	7/17/2012	3:43:16 PM	SD02	Light Brown	Sand	Damp	Subtle Slope	90	C	Poplar	Grass Cover	Excellent	Bright Orange Rust	Quartz Chips
1270981	BET	7	617395	6964607	7/17/2012	3:50:01 PM	SD02	Dark Brown	Sand	Damp	Subtle Slope	40	B	Birch Forest	Sphagnum Moss < 30cm	Good	Rocky	Fine
1270982	BET	7	617397	6964707	7/17/2012	3:59:01 PM	SD02	Greyish Green	Sand	Damp	Subtle Slope	40	B	Birch Forest	Leaf Cover	Good	Rocky	
1270983	BET	7	617394	6964757	7/17/2012	4:06:06 PM	SD02	Dark Brown	Sand	Damp	Subtle Slope	60	C	Birch Forest	Leaf Cover	Good	Coarse	Rocky
1270984	BET	7	617398	6964856	7/17/2012	4:13:11 PM	SD02	Dark Brown	Sand	Damp	Subtle Slope	40	C	Birch Forest	Leaf Cover	Good	Rocky	Bright Orange Rust
1270985	BET	7	617397	6964907	7/17/2012	4:21:06 PM	SD02	Dark Brown	Sand	Damp	Pronounced Slope	80	B	Black Spruce	Sphagnum Moss > 30cm	Poor	Organic 10%	
1270986	BET	7	617398	6965008	7/17/2012	4:27:55 PM	SD02	Dark Brown	Sand	Damp	Pronounced Slope	60	C	Black Spruce	Reindeer Moss	Good	Bright Orange Rust	Partially Frozen
1270987	BET	7	617396	6965108	7/17/2012	4:37:13 PM	SD02	Dark Brown	Sand	Wet	Pronounced Slope	40	B	Willows	Reindeer Moss	Good	Bright Orange Rust	Frozen

Appendix III – Rock Sample Locations and Descriptions

Sample_ID	Proj_ID	Easting	Northing	Sample Description	Sample Type (FL/SC/OC/CHIP/CH)	Date (m/dd/yr)	Sampler	Structural Type	Strike	Dip	Lab
1506501	BET	629803	6962524	Angular Float Sampled at 40cm depth	Float	5/29/2012	AG/DG				Acme
1506502	BET	628353	6961501	Weak Lim diorite on soil anomaly, drill target on pad BET12-012	Float	5/30/2012	AG/DG				Acme
1506503	BET	628254	6961319	Heavily silicified diorite, mica degredation along soil line	Float	5/30/2012	AG/DG				Acme
1506504	BET	628256	6961266	lim,, sil, ses alt'd diorite with coxcomb quartz	Float	5/30/2012	AG/DG				Acme
1506505	BET	628149	6961274	Chl, Lim altered diorite frag of contact with silic/felsic dike	Float	5/30/2012	AG/DG				Acme
1506506	BET	628169	6961397	Plagioclase Phyric, andisite/dacite dyke?	Float	5/30/2012	AG/DG				Acme
1506507	BET	628064	6961374	Heavy chertic, lim, ses altered diorite, near 414.1 ppb soil	Float	5/30/2012	AG/DG				Acme
1506508	BET	627402	6961264	Diorite, feldspar …	Float	5/31/2012	AG/DG				Acme
1506509	BET	627426	6961132	Weakly limonized, sericitized diorite, oxidized	Float	5/31/2012	AG/DG				Acme
1506510	BET	627460	6961095	Pot-Chl-Ser altered diorite, moderat to strong lim.	Float	5/31/2012	AG/DG				Acme
1506511	BET	627373	6961094	Weak to strong lim-ser, mild chl altered diorite grab near high grade soil anomaly	Float	5/31/2012	AG/DG				Acme
1506512	BET	627354	6960803	Weakly lim, moderate to strong chl diorite on multielement trend	Float	5/31/2012	AG/DG				Acme
1506513	BET	627324	6960843	Weakly lim-chl diorite on multielement trench of soil anomaly.	Float	5/31/2012	AG/DG				Acme
1506514	BET	629803	6959930	Heavily silicified dirote or dacite dike - possible biodegredation of bio - no vis min.	Float	6/1/2012	AG/DG				Acme
1506515	BET	629685	6959716	fg arspy with qtz inclusion	Float	6/1/2012	AG/DG				Acme
1506516	BET	629685	6959716	Cholritized host wall rock	Float	6/1/2012	AG/DG				Acme
1506517	BET	629535	6959593	fg kspar rick silicified dacite - possible dike	Float	6/1/2012	AG/DG				Acme
1506518	BET	629383	6959620	fg siliceous dacite with kspar 15%, tr hem/lim alter	Float	6/1/2012	AG/DG				Acme
1506519	BET	629149	6959727	limonized diorite with tr oxidized sulfides, some fragments of silicified pot, altered fg dike?	Float	6/1/2012	AG/DG				Acme
1506520	BET	629043	6959836	fg silicified limonized (weakly) dacite, tr ox sulfides	Float	6/1/2012	AG/DG				Acme
1506521	BET	629052	6959978	Weak lim, mod pot, altered dacite, fg 1-2% ox sulfides	Float	6/1/2012	AG/DG				Acme
1506522	BET	630933	6960711	fg felsic dacite dike, highly silicious, weak pot altn, min litho	Float	6/2/2012	AG/DG				Acme
1506523	BET	630839	6960971	Mod lim, wk chl, stron silicified dio/grano	Float	6/2/2012	AG/DG				Acme
1506524	BET	622091	6963341	Massive quartz cobble in S bank Sunshine Creek	Float	6/14/2012	AG				Acme
1506525	BET	628590	6961689	Robin Miller sample from Bond trench pit-altered mafic	Float		RM				Acme
1506526	BET	630220	6966348	QTZ, 2" WIDE, FRACTURED, CARB	O/C	6/27/2012	Wes/BJ				Acme
1506527	BET	630220	6966348	HOST, CERICITE SHIST, QTZ EYES, SHEARED, CARB	O/C	6/27/2012	Wes/BJ				Acme
1506528	BET	630300	6966555	CERICITE SHIST AND QTZ VEIN, CARB, FRACTURED	O/C	6/27/2012	Wes/BJ				Acme
1506529	BET	629897	6966854	FELSIC DYKE WITH QTZ, CARB, FRACTURED	SUBCROP	6/27/2012	Wes/BJ				Acme
1506530	BET	629897	6966803	QTZ VEIN 4" WIDE, FRACTURED, CUBE PY	O/C	6/27/2012	Wes/BJ				Acme
1506531	BET	629293	6967157	SHIST WITH QTZ, SHEARED	SUBCROP	6/27/2012	Wes/BJ				Acme
1506532	BET	629195	6966957	FELSIC DYKE WITH QTZ, SERICITE, TRACE PY	SUBCROP	6/27/2012	Wes/BJ				Acme
1506533	BET	628816	6967229	CERICITE SHIST	FLOAT	6/27/2012	Wes/BJ				Acme
1506534	BET	624391	6963394	FELSIC / ALT GRANITDIORITE WITH QTZ EYES, FRACTURED, CARB	FLOAT	6/29/2012	Wes/BJ				Acme
1506535	BET	624391	6963393	FELSIC WITH DECEMINATED PY	FLOAT	6/29/2012	Wes/BJ				Acme
1506536	BET	624392	6963400	BRECCIA, PY, CARB	FLOAT	6/29/2012	Wes/BJ				Acme
1506537	BET	624398	6963483	FELSIC WITH QTZ, TRACE PY	FLOAT	6/29/2012	Wes/BJ				Acme
1506538	BET	624497	6963513	FELSIC / ALT GRANITDIORITE WITH QTZ VEINING, PY, CARB	FLOAT	6/29/2012	Wes/BJ				Acme
1506539	BET	624498	6963555	FELSIC / ALT GRANITDIORITE, QTZ STOCKWORK, CARB	FLOAT	6/29/2012	Wes/BJ				Acme
1506540	BET	624494	6963600	GRANITE / GNEISS, TRACE PY	FLOAT	6/29/2012	Wes/BJ				Acme
1506541	BET	624509	6963705	FELSIC / ALT GRANITDIORITE, CARB, PY	FLOAT	6/29/2012	Wes/BJ				Acme
1506542	BET	624396	6963802	ALT GRANITDIORITE WITH QTZ EYES	FLOAT	6/29/2012	Wes/BJ				Acme
1506543	BET	624096	6963755	VOLCANIC, FOLIATED, SERICITE SHISTY, QTZ STRINGERS, TRACE PY, CARB	SUBCROP	6/29/2012	Wes/BJ				Acme
1506544	BET	624088	6964213	SERICITE SHISTY, QTZ VEINS, SHEARED, CARB	SUBCROP	6/29/2012	Wes/BJ				Acme
1506545	BET	624106	6964262	SERICITE SHIST WITH K-SPAR, PY THROUGHOUT	FLOAT	6/29/2012	Wes/BJ				Acme
1506546	BET	624508	6964250	GRANITE WITH EPIDOTE VEINS, K-SPAR, PY	FLOAT	6/29/2012	Wes/BJ				Acme
1506547	BET	624489	6964309	ALT GRANITDIORITE / SERICITE SHIST, TRACE PY, CARB	FLOAT	6/29/2012	Wes/BJ				Acme
1506548	BET	623638	6964450	SHIST, QTZ VEINS, TRACE PY, CARB	FLOAT	6/30/2012	Wes/BJ				Acme
1506549	BET	623787	6964545	GRANITDIORITE / ALT GRANITDIORITE, CARB, HEMITITE STAINING	FLOAT	6/30/2012	Wes/BJ				Acme
1506550	BET	623780	6964642	ALT GRANITDIORITE / FELSIC, QTZ THROUGHOUT, PY	FLOAT	6/30/2012	Wes/BJ				Acme
1506551	BET	630814	6962656			5/26/2012	BK/DG				Acme
1506552	BET	630754	6962712			5/26/2012	BK/DG				Acme
1506553	BET	630460	6962192			5/27/2012	BK/DG				Acme
1506554	BET	630472	6962404			5/27/2012	BK/DG				Acme
1506555	BET	630488	6962409			5/27/2012	BK/DG				Acme
1506556	BET	630486	6962405			5/27/2012	BK/DG				Acme
1506557	BET	629247	6962064			5/28/2012	BK/DG				Acme
1506558	BET	629659	6962000			5/30/2012	BK/DG				Acme

Sample_ID	Proj_ID	Easting	Northing	Sample Description	Sample Type (FL/SC/OC/CHIP/CH)	Date (m/dd/yr)	Sampler	Structural Type	Strike	Dip	Lab
1506559	BET	623794	6964946	GRANITDIORITE WITH QTZ, CARB	FLOAT	6/30/2012	Wes/BJ				Acme
1506560	BET	623599	6964815	GRANITDIORITE.	FLOAT	6/30/2012	Wes/BJ				Acme
1506561	BET	623495	6964807	ALT GRANITDIORITE, CUBIC PY, CARB	FLOAT	6/30/2012	Wes/BJ				Acme
1506562	BET	623436	6964758	ALT GRANITDIORITE, CUBIC PY, CARB	FLOAT	6/30/2012	Wes/BJ				Acme
1506563	BET	623399	6964704	FELSIC DYKE WITH SHISTING, PY, QTZ	FLOAT	6/30/2012	Wes/BJ				Acme
1506575	BET	623330	6964316	FELSIC WITH QTZ VEINS THROUGHTOUT, PY, CPY, PUR	FLOAT	8/2/2012	Wes/BJ				Acme
1506576	BET	623332	6964306	CALCITE RICH WITH PY, TRACE CPY	FLOAT	8/2/2012	Wes/BJ				Acme
1506577	BET	623290	6963858	ALT GRANITDIORITE WITH QTZ EYES, PY	FLOAT	8/2/2012	Wes/BJ				Acme
1506578	BET	623114	6963862	SERICITE SHIST WITH QTZ, CARB	FLOAT	8/2/2012	Wes/BJ				Acme
1506579	BET	623090	6963910	ALT FELSIC, QTZ THROUGHOUT, CARB	SUBCROP	8/2/2012	Wes/BJ				Acme
1506580	BET	623098	6963945	ALT GRANITDIORITE / FELSIC DYKE, CARB	SUBCROP	8/2/2012	Wes/BJ				Acme
1506581	BET	622588	6964570	ALT GRANITDIORITE / FELSIC, TRACE PY, CARB	FLOAT	8/2/2012	Wes/BJ				Acme
1506582	BET	623139	6964567	GRANITDIORITE WITH QTZ, CARB, TRACE PY	FLOAT	8/2/2012	Wes/BJ				Acme
1506583	BET	623192	6964505	ALT GRANITDIORITE, QTZ, PY	FLOAT	8/2/2012	Wes/BJ				Acme
1506584	BET	627590	6963999	SHIST WITH QTZ BLOBS	FLOAT	8/3/2012	Wes/BJ				Acme
1506585	BET	627595	6963954	ALT GRANITDIORITE, CARB	FLOAT	8/3/2012	Wes/BJ				Acme
1506586	BET	627799	6964110	ALT GRANITDIORITE, CARB	FLOAT	8/3/2012	Wes/BJ				Acme
1506587	BET	627890	6964102	ALT GRANITDIORITE, CARB	FLOAT	8/3/2012	Wes/BJ				Acme
1506588	BET	627891	6964148	ALT GRANITDIORITE, QTZ FLOODED	SUBCROP	8/3/2012	Wes/BJ				Acme
1506589	BET	627898	6964364	GRANITDIORITE WITH QTZ, TRACE PY	FLOAT	8/3/2012	Wes/BJ				Acme
1506590	BET	627787	6964312	ALT GRANITDIORITE WITH QTZ, CARB, MALICHITE, AZURITE, CPY, PY, PB	SUBCROP	8/3/2012	Wes/BJ				Acme
1506591	BET	627787	6964312	ALT GRANITDIORITE QTZ FLOODED, CARB, MALICHITE, AZURITE, CPY, PY, PB	SUBCROP	8/3/2012	Wes/BJ				Acme
1506592	BET	627803	6964313	ALT GRANITDIORITE WITH QTZ, MALICHITE, AZURITE, CARB, TRACE PY	SUBCROP	8/4/2012	Wes/BJ				Acme
1506593	BET	627782	6964307	ALT GRANITDIORITE WITH QTZ THROUGHOUT, MALICHITE, AZURITE, CARB, PB, PY, CPY	SUBCROP	8/4/2012	Wes/BJ				Acme
1506594	BET	627782	6964307	ALT GRANITDIORITE, MINIOR QTZ, MALICHITE, AZURITE, PB, PY, CPY	SUBCROP	8/4/2012	Wes/BJ				Acme
1506595	BET	627788	6964301	ALT GRANITDIORITE WITH QTZ, MALICHITE, AZURITE, CPY, PB, TRACE PY	SUBCROP	8/4/2012	Wes/BJ				Acme
1506596	BET	627780	6964310	ALT GRANITDIORITE, MALICHITE, AZURITE, CARB, CPY, PY, PB	SUBCROP	8/5/2012	Wes/BJ				Acme
1506597	BET	627780	6964310	QTZ VEIN, FRACTURED, CARB, MALICHITE, AZURITE, CPY, PB	SUBCROP	8/5/2012	Wes/BJ				Acme
1506598	BET	627595	6964154	ALT GRANITDIORITE WITH QTZ, PY, CALCITE	FLOAT	8/5/2012	Wes/BJ				Acme
1506599	BET	627302	6964095	FELSIC DYKE, PY.	TALUS	8/5/2012	Wes/BJ				Acme
1506600	BET	627190	6964000	VOLCANIC DYKE / BASSALT???, PY	SUBCROP	8/5/2012	Wes/BJ				Acme
1506653	BET	626892	6964655	BRECCIA	FLOAT	8/6/2012	WK/BB				Acme
1506654	BET	626600	6964600	Mafic Dyke with QTZ	SUBCROP	8/6/2012	WK/BB				Acme
1506655	BET	626393	6964662	Granitdiorite with QTZ	FLOAT	8/6/2012	WK/BB				Acme
1506656	BET	618495	6967210	Granit with lots of biotite	SUBCROP	8/7/2012	WK/BB				Acme
1506657	BET	619195	6967162	Alt Granitdiorite trace PY	SUBCROP	8/7/2012	WK/BB				Acme
1506658	BET	618690	6966200	Granitdiorite with QTZ	FLOAT	8/7/2012	WK/BB				Acme
1506659	BET	618300	6966200	Granit with lots of biotite pink Kspars	SUBCROP	8/7/2012	WK/BB				Acme
1506660	BET	618306	6966071	Alt Granitdiorite with QTZ and sericite	SUBCROP	8/7/2012	WK/BB				Acme
1506661	BET	618597	6965959	Granitediorite	FLOAT	8/7/2012	WK/BB				Acme
1506662	BET	619800	6966400	Alt Granitediorite with Kspar QTZ veins trace PY	O/C	8/8/2012	WK/BB				Acme
1506663	BET	619600	6966400	Granitdiorite QTZ flooded	SUBCROP	8/8/2012	WK/BB				Acme
1506664	BET	619993	6966162	Granit	SUBCROP	8/8/2012	WK/BB				Acme
1506665	BET	619700	6966150	Granit	FLOAT	8/8/2012	WK/BB				Acme
1506666	BET	619391	6966107	Granitdiorite with QTZ	SUBCROP	8/8/2012	WK/BB				Acme
1506667	BET	619400	6966050	Granitdiorite weakly ALT	FLOAT	8/8/2012	WK/BB				Acme
1506668	BET	628507	6963725	QTZ Porphery	SUBCROP	8/9/2012	WK/BB				Acme
1506669	BET	629271	6963606	Granitdiorite	SUBCROP	8/9/2012	WK/BB				Acme
1506670	BET	629000	6963900	Granitediorite Kspar	SUBCROP	8/9/2012	WK/BB				Acme
1506671	BET	629088	6963971	Granitdiorite weatherd out Kspar QTZ	O/C	8/9/2012	WK/BB				Acme
1506672	BET	628496	6964323	Shist carb	FLOAT	8/9/2012	WK/BB				Acme
1506673	BET	630442	6960817	GRANITDIORITE WITH QTZ VEINS, CARB	FLOAT	8/10/2012	WK/BB				Acme
1506674	BET	630480	6960880	GRANITDIORITE WITH QTZ VEINING, ASPY??	FLOAT	8/10/2012	WK/BB				Acme
1506675	BET	630486	6961072	ALT GRANITDIORITE, CARB	FLOAT	8/10/2012	WK/BB				Acme
1506676	BET	625602	6964505	QTZ, PY, IN CREEK	FLOAT	8/11/2012	WK/BB				Acme
1506677	BET	625615	6964375	FELSIC WITH QTZ VEINS.	FLOAT	8/11/2012	WK/BB				Acme
1506678	BET	625397	6964313	ALT GRANITDIORITE WITH QTZ VEINING, TRACE PY	FLOAT	8/11/2012	WK/BB				Acme
1506679	BET	625092	6964365	SHIST WITH QTZ VEINS, K-SPAR VEINS	FLOAT	8/11/2012	WK/BB				Acme

Sample_ID	Proj_ID	Easting	Northing	Sample Description	Sample Type (FL/SC/OC/CHIP/CH)	Date (m/dd/yr)	Sampler	Structural Type	Strike	Dip	Lab
1506680	BET	625091	6964463	SHIST WITH QTZ	FLOAT	8/11/2012	WK/BB				Acme
1506681	BET	625095	6964551	QTZ AND ALT GRANITDIORITE	FLOAT	8/11/2012	WK/BB				Acme
1506682	BET	624905	6963081	QTZ VEIN WITH TRACE PY	SUBCROP	8/12/2012	WK/BB				Acme
1506683	BET	625500	6963810	ALT GRANITDIORITE WITH QTZ	FLOAT	8/12/2012	WK/BB				Acme
1506685	BET	624886	6964155	QTZ IN SHIST	O/C	8/12/2012	WK/BB				Acme
1506686	BET	624800	6964217	QTZ VEIN IN ALT FELSIC	FLOAT	8/12/2012	WK/BB				Acme
1506687	BET	624799	6964258	SHIST WITH QTZ EYES	FLOAT	8/12/2012	WK/BB				Acme
1506688	BET	624700	6964317	QTZ IN SHIST	SUBCROP	8/12/2012	WK/BB				Acme
1506689	BET	624696	6964361	QTZ IN SHIST	FLOAT	8/12/2012	WK/BB				Acme
1506690	BET	625000	6963550	ALT GRANITDIORITE WITH QTZ	SUBCROP	8/13/2012	WK/BB				Acme
1506691	BET	624895	6963611	SHISTY WITH QTZ, PY	SUBCROP	8/13/2012	WK/BB				Acme
1506692	BET	624900	6964300	SHIST WITH QTZ	FLOAT	8/13/2012	WK/BB				Acme
1506693	BET	625000	6964400	SHIST WITH QTZ	FLOAT	8/13/2012	WK/BB				Acme
1506694	BET	625457	6964493	QTZ VEIN IN VOLCANIC, PY, NEXT TO CREEK	O/C	8/13/2012	WK/BB				Acme
1506695	BET	629549	6961369	ALT GRANITDIORITE	SUBCROP	8/14/2012	WK/BB				Acme
1506696	BET	629329	6961306	GRANITDIORITE WITH QTZ AND K-SPAR VEINS, OLIVINE	SUBCROP	8/14/2012	WK/BB				Acme
1506697	BET	629500	6961123	ALT GRANITDIORITE, LOTS OF CARB, QTZ	SUBCROP	8/14/2012	WK/BB				Acme
1506698	BET	629828	6961061	GRANITDIORITE WITH QTZ AND K-SPAR VEINS, PY, IN RIVER	FLOAT	8/14/2012	WK/BB				Acme
1506699	BET	630506	6961969	ALT GRANITDIORITE	FLOAT	8/15/2012	WK/BB				Acme
1506700	BET	630176	6961718	ALT GRANITDIORITE	FLOAT	8/15/2012	WK/BB				Acme
1506701	BET	624900	6964110	SHIST HOST, FRACTURED AND FILLED WITH QTZ AND K-SPAR VEINS	SUBCROP	8/16/2012	WK/BB				Acme
1506702	BET	624775	6964067	FELSIC DYKE, PY	FLOAT	8/16/2012	WK/BB				Acme
1506703	BET	624799	6964354	QTZ IN SHIST	SUBCROP	8/16/2012	WK/BB				Acme
1506704	BET	624799	6964354	SHIST, CARB	SUBCROP	8/16/2012	WK/BB				Acme
1506705	BET	618763	6963716	FELSIC, CARB, SHIST, QTZ, TRACE PY	O/C	8/17/2012	WK/BB				Acme
1506706	BET	619290	6963692	BRECCIA	FLOAT	8/17/2012	WK/BB				Acme
1506707	BET	619294	6963690	BRECCIA, BIG BOULDERS	FLOAT	8/18/2012	WK/BB				Acme
1506708	BET	619296	6963688	BRECCIA PLATES, PY, CARB	FLOAT	8/18/2012	WK/BB				Acme
1506709	BET	619306	6963671	BRECCIA, PY, CARB	FLOAT	8/18/2012	WK/BB				Acme
1506710	BET	619321	6963667	BRECCIA	FLOAT	8/18/2012	WK/BB				Acme
1506711	BET	619307	6963669	BRECCIA WITH LARGE FRAGMENTS	FLOAT	8/18/2012	WK/BB				Acme
1506712	BET	619984	6963669	VOLCANIC WITH QTZ	SUBCROP	8/18/2012	WK/BB				Acme
1506713	BET	620431	6963737	ALT GRANITDIORITE WITH PY, ASPY??	FLOAT	8/18/2012	WK/BB				Acme
1506714	BET	621094	6964361	ALT GRANITDIORITE WITH QTZ, CARB.	FLOAT	8/19/2012	WK/BB				Acme
1506715	BET	621300	6964350	ALT GRANITDIORITE WITH QTZ, CARB.	SUBCROP	8/19/2012	WK/BB				Acme
1506716	BET	621400	6964354	ALT GRANITDIORITE WITH QTZ, CARB.	SUBCROP	8/19/2012	WK/BB				Acme
1506717	BET	621821	6964347	SOLISIFIED, QTZ, PY, CPY, MALICHITE	FLOAT	8/19/2012	WK/BB				Acme
1506718	BET	621821	6964347	QTZ BRECCIA	FLOAT	8/19/2012	WK/BB				Acme
1506719	BET	621900	6964253	ALT GRANITDIORITE WITH QTZ	SUBCROP	8/19/2012	WK/BB				Acme
1506720	BET	621600	6964152	ALT GRANITDIORITE WITH QTZ	SUBCROP	8/19/2012	WK/BB				Acme
1506721	BET	621293	6963505	FELSIC, TRACE PY	SUBCROP	8/19/2012	WK/BB				Acme
1506684	BET	625498	6963809	FELSIC WITH HEMATITE, ANGULAR	FLOAT	8/12/2012	WK/BB				Acme
1506722	BET	621817	6964345	QTZ BRECCIA	FLOAT	8/20/2012	WK/BB				Acme
1506723	BET	621819	6964341	SOLISIFIED, K-SPAR VEINS, CPY, MALICHITE, CARB	FLOAT	8/20/2012	WK/BB				Acme
1506724	BET	621818	6964342	SOLISIFIED WITH QTZ VEINS, SERICITE? PY	FLOAT	8/20/2012	WK/BB				Acme
1506725	BET	621818	6964341	SOLISIFIED HOST WITH BRECCIA	FLOAT	8/20/2012	WK/BB				Acme
1506726	BET	620892	6963650	FELSIC, FRACTURED, CARB	FLOAT	8/20/2012	WK/BB				Acme

Appendix IV.I – Soil Sample Assay Certificates

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 03, 2012
Report Date: July 14, 2012
Page: 1 of 12

CERTIFICATE OF ANALYSIS WHI12000204.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 320

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	320	Dry at 60C			WHI
SS80	313	Dry at 60C sieve 100g to -80 mesh			WHI
1DX2	320	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000204.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1282660	Soil		6.0	99.0	100.8	275	1.0	93.1	24.1	1720	5.01	149.5	2.0	46.4	8.9	58	3.2	13.1	2.8	59	2.64	0.127
1282662	Soil		3.3	75.5	78.7	305	0.8	50.1	20.9	1820	4.30	288.9	1.9	136.1	10.6	55	1.9	3.7	0.7	46	3.25	0.084
1282661	Soil		4.7	106.4	108.5	286	1.3	106.1	27.5	1438	5.51	114.4	1.9	44.0	9.1	39	2.7	2.6	2.0	85	0.89	0.096
1282668	Soil		1.6	38.9	11.6	66	0.2	31.2	12.1	705	2.69	38.8	1.5	6.7	16.4	78	0.1	2.6	0.2	51	3.07	0.047
1282666	Soil		6.5	102.8	16.1	201	1.0	82.6	16.9	897	4.02	273.1	1.7	3.4	5.5	30	0.7	2.2	0.4	46	0.27	0.070
1282664	Soil		1.3	47.7	21.1	85	1.0	38.7	13.5	850	2.60	73.5	1.4	9.0	6.0	241	0.8	2.8	0.2	35	11.24	0.075
1282665	Soil		3.0	52.1	24.7	184	0.5	41.5	26.4	1344	6.45	50.5	2.6	2.4	5.3	42	0.4	4.0	0.2	126	1.81	0.091
1282663	Soil		2.1	62.6	35.9	128	0.9	51.0	21.9	1522	4.48	65.0	1.8	5.4	14.5	25	0.2	2.4	0.2	39	0.33	0.042
1282673	Soil		1.3	14.6	10.7	49	0.1	19.7	8.9	665	2.44	7.0	0.8	0.6	14.0	25	<0.1	0.8	0.2	50	0.38	0.040
1282671	Soil		1.3	9.9	8.6	41	0.2	16.0	7.2	310	2.26	6.1	0.7	<0.5	10.1	17	<0.1	1.0	0.1	49	0.28	0.031
1282669	Soil		1.4	32.9	9.9	60	0.3	30.2	11.6	734	2.79	19.7	1.4	6.0	18.7	51	<0.1	2.6	0.2	47	2.51	0.034
1282667	Soil		3.0	74.4	45.9	126	0.7	66.8	20.0	1097	4.19	94.5	1.6	3.5	6.3	110	0.5	3.3	0.2	68	5.71	0.061
1282675	Soil		1.3	16.7	12.5	67	<0.1	27.2	10.7	607	3.04	7.9	1.9	<0.5	24.7	28	<0.1	1.0	0.2	63	0.41	0.029
1282674	Soil		1.3	11.6	12.8	78	<0.1	21.5	12.4	813	2.87	4.7	2.1	1.3	20.7	36	<0.1	1.1	0.2	59	0.51	0.040
1282672	Soil		1.2	32.1	9.6	47	<0.1	27.3	10.4	588	2.51	11.5	0.8	4.3	13.9	29	<0.1	1.2	0.1	60	0.51	0.017
1282670	Soil		1.9	39.1	9.9	62	0.2	36.0	11.6	596	3.00	23.1	1.2	5.9	16.5	24	<0.1	2.2	0.2	55	0.39	0.021
1282679	Soil		1.1	11.2	9.6	75	<0.1	23.1	8.1	424	2.53	5.1	0.9	0.7	10.1	17	0.1	0.6	0.2	56	0.18	0.025
1282678	Soil		1.1	13.4	8.5	51	<0.1	19.0	7.3	374	2.36	6.9	0.9	<0.5	10.3	25	<0.1	0.5	0.2	54	0.28	0.017
1282677	Soil		1.0	12.8	8.4	48	<0.1	19.5	9.6	577	2.42	6.8	0.5	<0.5	8.6	28	<0.1	0.5	0.2	56	0.45	0.026
1282676	Soil		1.3	13.0	10.6	56	<0.1	21.9	9.6	610	2.51	6.3	1.6	<0.5	18.9	25	<0.1	0.7	0.1	55	0.31	0.026
1290559	Soil		1.8	31.2	11.1	72	0.2	44.0	14.6	840	3.78	24.2	0.8	<0.5	5.6	22	0.2	0.7	0.1	77	0.53	0.034
1282682	Soil		0.7	31.1	15.9	88	0.2	45.7	13.3	475	3.13	10.8	1.6	2.4	19.7	46	0.1	0.3	0.2	54	0.85	0.088
1282681	Soil		1.6	14.6	12.3	46	<0.1	23.8	10.7	423	2.87	10.0	0.6	0.7	6.7	14	0.1	0.7	0.2	72	0.11	0.028
1282680	Soil		1.0	22.4	10.0	77	<0.1	23.8	11.0	1642	2.83	8.9	0.6	1.2	8.2	39	<0.1	0.7	0.1	72	0.38	0.023
1290548	Soil		7.0	132.6	24.8	145	0.8	66.9	26.9	1324	6.46	14.1	2.8	5.2	7.7	47	0.6	1.3	0.4	125	0.99	0.152
1290556	Soil		3.0	89.5	10.7	150	1.0	68.6	18.7	620	3.77	10.7	1.8	5.7	5.3	50	0.8	1.2	0.2	90	0.90	0.057
1290553	Soil		1.0	49.6	13.6	71	0.2	59.6	18.5	545	3.47	6.2	1.1	6.0	7.2	53	<0.1	0.4	0.2	75	1.49	0.080
1290552	Soil		1.5	101.2	18.2	100	0.6	66.9	30.3	1120	4.55	18.3	1.7	26.1	5.8	46	0.3	0.8	0.6	68	1.88	0.088
1290547	Soil		2.8	95.3	8.9	147	0.3	94.5	44.4	1681	7.14	3.3	1.4	4.5	5.1	61	0.4	0.4	0.1	152	1.49	0.209
1290555	Soil		1.6	45.8	16.6	80	0.5	37.0	15.1	593	3.30	11.3	1.4	2.4	8.9	23	<0.1	0.5	0.2	57	0.42	0.046

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000204.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1282660	Soil	24	43	0.38	612	0.012	2	0.73	0.007	0.11	<0.1	0.05	7.1	0.3	<0.05	3	2.5	<0.2
1282662	Soil	33	25	0.39	574	0.007	3	0.92	0.010	0.11	0.1	0.04	6.3	0.3	<0.05	3	1.2	<0.2
1282661	Soil	29	67	0.71	504	0.017	<1	1.30	0.009	0.11	0.1	0.05	8.4	0.2	<0.05	5	2.4	<0.2
1282668	Soil	36	32	0.54	494	0.040	4	1.06	0.019	0.10	0.1	0.05	5.5	0.1	<0.05	4	0.8	<0.2
1282666	Soil	14	21	0.10	403	0.003	1	0.43	0.004	0.07	<0.1	0.07	4.8	0.2	<0.05	1	3.5	<0.2
1282664	Soil	18	21	0.83	820	0.008	6	0.87	0.015	0.12	<0.1	0.05	4.5	0.2	0.11	3	0.6	<0.2
1282665	Soil	18	18	0.25	331	0.004	4	0.97	0.005	0.09	0.1	0.04	19.0	0.2	0.08	3	2.6	<0.2
1282663	Soil	40	24	0.34	370	0.010	2	1.04	0.009	0.11	<0.1	0.05	7.0	0.1	<0.05	3	1.2	<0.2
1282673	Soil	27	32	0.39	293	0.050	2	1.48	0.012	0.12	0.2	0.02	4.9	0.1	<0.05	5	<0.5	<0.2
1282671	Soil	13	29	0.35	331	0.044	2	1.35	0.012	0.09	0.1	<0.01	3.3	0.1	<0.05	5	<0.5	<0.2
1282669	Soil	46	33	0.53	468	0.047	2	1.01	0.017	0.12	0.2	0.05	5.8	0.2	<0.05	4	0.8	<0.2
1282667	Soil	15	38	0.43	960	0.003	2	0.60	0.006	0.08	<0.1	0.06	9.6	0.2	<0.05	2	2.0	<0.2
1282675	Soil	78	57	0.70	186	0.078	2	2.01	0.011	0.20	0.2	0.02	6.9	0.2	<0.05	8	0.7	<0.2
1282674	Soil	48	52	0.82	249	0.075	3	1.84	0.012	0.42	0.1	<0.01	5.7	0.4	<0.05	8	0.9	<0.2
1282672	Soil	36	37	0.48	222	0.089	3	1.45	0.021	0.11	0.2	0.02	5.7	0.1	<0.05	5	0.6	<0.2
1282670	Soil	46	42	0.48	369	0.053	2	1.32	0.022	0.11	0.1	0.03	6.7	0.1	<0.05	5	1.0	<0.2
1282679	Soil	15	43	0.54	154	0.053	2	1.68	0.008	0.09	0.1	<0.01	3.0	0.2	<0.05	6	<0.5	<0.2
1282678	Soil	19	31	0.45	176	0.052	1	1.54	0.013	0.08	0.1	<0.01	3.1	0.1	<0.05	5	<0.5	<0.2
1282677	Soil	16	33	0.43	256	0.067	2	1.53	0.014	0.13	0.1	<0.01	4.4	<0.1	<0.05	5	<0.5	<0.2
1282676	Soil	54	41	0.53	208	0.084	3	1.51	0.012	0.17	0.2	<0.01	5.1	0.2	<0.05	6	1.1	<0.2
1290559	Soil	18	47	0.39	454	0.043	3	1.33	0.012	0.10	0.2	<0.01	9.5	0.2	<0.05	4	0.9	<0.2
1282682	Soil	68	55	1.18	176	0.058	2	1.59	0.015	0.11	0.2	0.03	6.6	0.1	<0.05	6	1.0	<0.2
1282681	Soil	11	37	0.41	242	0.058	1	2.29	0.010	0.04	0.2	0.02	3.1	<0.1	<0.05	7	<0.5	<0.2
1282680	Soil	11	38	0.46	378	0.086	<1	1.96	0.018	0.07	0.2	<0.01	3.5	0.1	<0.05	7	0.7	<0.2
1290548	Soil	43	78	1.24	379	0.053	2	2.41	0.010	0.64	<0.1	0.04	11.6	0.3	0.14	9	2.1	<0.2
1290556	Soil	24	45	1.05	1062	0.085	2	2.13	0.018	0.48	0.1	0.04	8.1	0.3	0.09	7	2.2	<0.2
1290553	Soil	25	89	1.37	314	0.114	4	1.76	0.017	0.49	0.2	0.01	6.5	0.4	<0.05	6	0.8	<0.2
1290552	Soil	34	87	1.24	384	0.033	3	1.86	0.008	0.44	<0.1	0.03	10.1	0.2	0.12	6	1.0	<0.2
1290547	Soil	47	134	2.39	871	0.164	3	3.46	0.010	1.22	<0.1	<0.01	13.8	0.4	<0.05	14	1.3	<0.2
1290555	Soil	31	36	0.95	232	0.072	2	1.90	0.009	0.27	0.1	0.03	5.0	0.2	<0.05	7	0.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000204.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1290546	Soil	1.1	19.7	8.2	82	0.2	27.0	12.6	530	2.60	4.7	0.6	<0.5	4.0	23	0.2	0.6	0.1	58	0.32	0.047
1290564	Soil	13.3	55.1	11.5	74	0.9	6.3	1.6	127	3.80	2.4	1.8	<0.5	8.1	20	<0.1	0.1	0.3	77	0.04	0.043
1290558	Soil	7.1	76.3	12.7	169	1.2	31.9	9.9	371	4.20	20.1	2.7	1.5	6.3	41	1.0	0.9	0.4	75	0.50	0.081
1290549	Soil	4.6	90.8	49.4	238	1.6	66.3	18.5	926	4.43	41.5	1.2	3.1	5.0	22	0.7	1.5	0.2	81	0.31	0.059
1290550	Soil	1.9	54.9	32.5	97	1.0	61.9	24.0	906	4.34	28.4	1.6	15.5	12.8	77	0.2	3.9	0.2	51	2.91	0.070
1290560	Soil	1.2	55.3	8.4	108	0.2	52.3	15.5	425	4.60	15.6	1.9	1.9	10.8	20	<0.1	0.5	0.2	56	0.19	0.036
1290561	Soil	1.8	39.8	11.9	77	0.2	40.1	14.3	490	3.15	17.4	0.7	11.0	6.9	28	0.1	0.5	0.2	59	0.36	0.050
1290554	Soil	2.9	85.1	24.9	151	1.2	58.6	33.7	3182	5.20	133.4	2.9	75.5	8.6	71	0.8	6.5	0.3	33	2.83	0.064
1290563	Soil	2.1	62.1	8.9	118	0.3	70.9	14.2	434	2.86	6.3	1.3	<0.5	3.4	32	0.1	0.3	0.1	79	0.41	0.044
1290562	Soil	3.7	60.6	8.6	121	0.4	43.1	8.7	337	2.85	13.8	1.7	1.9	4.0	26	0.3	0.7	0.2	67	0.27	0.072
1291142	Soil	1.2	19.5	12.9	47	0.2	27.8	10.1	423	2.64	9.4	0.6	<0.5	8.2	24	<0.1	0.6	0.1	58	0.37	0.024
1290551	Rock Pulp	2.4	24.4	2.3	42	0.3	22.4	9.8	403	2.34	4.4	0.2	1.2	0.9	41	0.2	0.3	<0.1	61	0.79	0.055
1290566	Soil	3.0	19.1	8.4	101	0.5	24.0	7.3	706	2.13	10.7	0.5	<0.5	2.1	20	0.6	0.5	0.2	43	0.20	0.072
1290557	Soil	2.3	56.5	11.8	90	0.4	87.1	21.9	698	3.79	26.7	1.2	8.6	5.5	39	0.2	1.6	0.1	65	1.12	0.056
1291144	Soil	2.0	49.0	19.6	110	1.4	150.7	25.7	985	5.67	21.4	3.0	64.9	17.5	29	0.2	1.5	0.4	94	0.49	0.073
1291145	Soil	1.8	23.4	10.3	67	0.3	33.2	11.8	427	2.92	22.0	1.1	1.1	4.6	20	0.1	0.7	0.1	66	0.35	0.040
1291146	Soil	0.6	37.5	9.2	43	0.2	100.7	21.2	474	3.03	8.0	0.7	0.7	6.6	23	<0.1	0.3	0.1	72	0.45	0.032
1290565	Soil	2.8	29.6	9.2	54	0.3	24.2	6.8	172	2.41	23.8	0.6	0.5	2.0	16	0.1	0.7	<0.1	57	0.13	0.030
1291134	Soil	1.5	19.2	12.1	50	0.2	24.3	9.1	408	2.58	9.8	1.2	1.0	19.8	25	<0.1	0.7	0.2	51	0.34	0.016
1291139	Soil	0.9	23.8	12.0	50	0.1	27.8	10.0	386	2.62	12.0	0.5	2.9	10.8	34	<0.1	0.7	0.2	61	0.47	0.027
1291138	Soil	0.9	23.7	10.0	51	0.1	31.4	11.5	398	2.73	11.2	0.7	<0.5	11.0	33	<0.1	0.7	0.2	63	0.46	0.028
1291150	Soil	2.6	29.7	15.7	110	0.4	31.5	11.3	324	2.95	74.5	0.9	2.2	3.4	18	0.3	0.3	0.2	87	0.22	0.041
1290648	Soil	3.0	51.4	8.0	224	0.4	35.9	17.4	733	2.94	7.3	1.4	1.0	2.5	22	1.1	0.7	0.2	176	0.37	0.098
1290658	Soil	1.0	14.3	9.8	58	0.1	16.2	13.7	685	3.77	5.6	0.7	4.0	8.2	28	<0.1	0.6	<0.1	91	0.44	0.025
1291135	Soil	1.8	19.5	17.4	42	0.1	17.2	7.1	422	2.02	6.0	1.8	<0.5	28.9	24	<0.1	0.7	0.3	36	0.34	0.024
1291143	Soil	1.0	16.8	12.8	51	0.3	29.7	10.3	391	2.79	10.7	0.7	2.7	9.2	24	<0.1	0.6	0.1	60	0.39	0.025
1290652	Soil	1.6	23.3	8.1	63	0.4	31.2	11.5	454	2.75	34.4	0.5	2.1	3.9	22	0.2	2.2	0.1	70	0.34	0.023
1290647	Soil	1.0	28.9	11.4	82	<0.1	41.1	14.0	440	3.56	92.2	1.0	8.7	3.6	21	0.2	6.5	0.1	91	0.39	0.055
1290659	Soil	1.0	12.2	7.7	66	<0.1	13.0	11.8	736	3.81	5.6	0.8	1.0	15.3	25	<0.1	0.8	0.1	75	0.39	0.036
1291136	Soil	0.8	33.3	8.5	44	<0.1	31.4	9.2	293	2.42	11.9	0.8	3.6	10.4	30	<0.1	0.8	0.1	55	0.42	0.030

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000204.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1290546	Soil	15	35	0.53	499	0.069	1	1.38	0.011	0.25	0.1	<0.01	3.6	0.2	<0.05	5	<0.5	<0.2
1290564	Soil	29	35	0.67	340	0.042	1	1.23	0.027	0.51	<0.1	<0.01	2.5	0.5	0.78	5	5.0	0.2
1290558	Soil	22	31	0.51	715	0.028	3	1.39	0.012	0.35	<0.1	0.03	3.6	0.4	0.34	5	4.7	0.2
1290549	Soil	15	43	0.51	726	0.033	2	1.32	0.008	0.23	0.1	0.02	8.8	0.3	<0.05	5	1.8	<0.2
1290550	Soil	47	52	1.04	245	0.015	1	1.72	0.007	0.36	<0.1	0.05	7.8	0.3	0.11	6	1.3	<0.2
1290560	Soil	31	38	0.18	359	0.010	3	0.83	0.005	0.09	<0.1	0.05	8.6	0.3	<0.05	3	1.0	<0.2
1290561	Soil	24	43	0.71	416	0.053	<1	1.72	0.009	0.11	0.1	0.02	5.4	<0.1	<0.05	6	<0.5	<0.2
1290554	Soil	29	25	0.66	359	0.014	4	1.09	0.004	0.19	<0.1	0.08	6.0	0.5	<0.05	3	1.5	0.2
1290563	Soil	15	117	0.96	450	0.074	<1	1.65	0.016	0.31	<0.1	0.02	6.1	0.2	0.13	5	1.2	<0.2
1290562	Soil	14	34	0.44	400	0.060	2	1.35	0.012	0.07	0.2	0.04	4.6	0.2	<0.05	4	1.4	<0.2
1291142	Soil	33	44	0.50	236	0.070	1	1.49	0.015	0.14	0.1	0.01	5.9	<0.1	<0.05	5	<0.5	<0.2
1290551	Rock Pulp	4	31	0.75	92	0.104	2	1.44	0.086	0.12	13.5	<0.01	4.8	<0.1	<0.05	5	<0.5	<0.2
1290566	Soil	8	23	0.31	486	0.025	2	1.04	0.008	0.06	<0.1	0.02	2.4	0.1	<0.05	4	1.1	<0.2
1290557	Soil	19	95	1.12	500	0.021	<1	1.61	0.009	0.24	<0.1	0.03	8.4	0.3	<0.05	4	1.6	<0.2
1291144	Soil	41	102	0.98	314	0.048	2	1.65	0.008	0.28	0.2	0.03	12.7	0.3	<0.05	6	1.0	1.0
1291145	Soil	12	36	0.55	292	0.051	<1	1.50	0.010	0.14	0.1	0.02	5.0	<0.1	<0.05	5	0.6	<0.2
1291146	Soil	9	180	2.24	223	0.070	1	2.70	0.014	0.06	0.1	<0.01	8.1	<0.1	<0.05	6	<0.5	<0.2
1290565	Soil	7	31	0.39	235	0.031	2	1.41	0.008	0.05	0.2	0.05	3.0	<0.1	<0.05	4	1.0	<0.2
1291134	Soil	23	40	0.46	233	0.061	<1	1.54	0.012	0.12	0.2	<0.01	5.9	<0.1	<0.05	5	<0.5	<0.2
1291139	Soil	28	38	0.50	276	0.075	2	1.46	0.017	0.13	0.1	0.02	6.1	<0.1	<0.05	5	<0.5	<0.2
1291138	Soil	26	46	0.58	270	0.076	<1	1.62	0.015	0.11	0.2	0.02	6.7	<0.1	<0.05	5	<0.5	<0.2
1291150	Soil	13	49	0.67	211	0.075	<1	1.49	0.012	0.09	0.2	0.03	3.7	0.1	<0.05	6	0.7	<0.2
1290648	Soil	7	90	0.92	779	0.115	2	2.02	0.008	0.18	<0.1	0.01	7.4	0.2	<0.05	9	1.2	<0.2
1290658	Soil	14	30	1.00	412	0.180	<1	2.29	0.021	0.51	0.1	0.01	9.1	0.4	<0.05	8	<0.5	<0.2
1291135	Soil	20	30	0.30	195	0.030	<1	1.17	0.009	0.09	0.1	0.01	3.6	0.1	<0.05	4	<0.5	<0.2
1291143	Soil	24	43	0.52	237	0.062	<1	1.53	0.013	0.17	0.2	0.02	6.1	0.1	<0.05	5	<0.5	<0.2
1290652	Soil	11	43	0.50	287	0.077	<1	1.57	0.014	0.15	0.2	0.03	6.2	0.2	<0.05	5	0.7	<0.2
1290647	Soil	17	59	0.63	452	0.065	<1	1.96	0.012	0.10	0.2	0.04	8.0	0.3	<0.05	7	<0.5	<0.2
1290659	Soil	23	24	0.86	467	0.217	1	1.99	0.017	0.67	0.1	0.01	9.2	0.6	<0.05	8	<0.5	<0.2
1291136	Soil	37	33	0.54	181	0.077	<1	1.31	0.026	0.08	0.2	0.02	5.5	<0.1	<0.05	4	0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000204.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1290645	Soil	3.3	32.4	11.9	104	0.4	36.6	11.6	318	3.26	52.9	0.7	5.4	1.7	17	0.7	3.9	0.2	92	0.14	0.059
1290646	Soil	1.7	22.6	11.1	62	0.2	26.1	8.0	247	2.75	32.5	0.5	2.9	3.0	17	0.2	2.1	0.1	76	0.22	0.045
1290649	Soil	1.2	18.1	7.8	90	0.3	36.1	14.6	506	2.64	27.8	0.4	1.5	2.7	20	0.3	2.0	<0.1	81	0.27	0.019
1291148	Soil	1.4	21.7	11.2	78	0.3	28.8	9.0	219	2.88	15.9	0.7	1.4	3.3	14	0.3	0.4	0.1	74	0.16	0.045
1291133	Soil	0.9	30.2	9.9	44	0.1	32.6	8.7	283	2.26	11.3	1.0	4.2	23.1	24	<0.1	0.7	0.2	53	0.34	0.019
1291126	Soil	1.9	24.7	12.6	63	0.3	20.2	7.5	499	2.29	7.9	3.1	4.7	38.2	32	0.1	0.6	0.3	39	0.48	0.029
1290650	Soil	2.3	47.5	11.9	129	0.4	49.4	12.6	415	3.23	74.0	1.0	1.0	5.4	28	0.4	7.5	0.1	94	0.28	0.044
1290657	Soil	0.8	12.8	6.8	82	<0.1	16.4	11.0	813	3.73	6.7	1.1	0.6	11.5	18	<0.1	0.7	<0.1	70	0.31	0.053
1291129	Soil	1.3	27.5	11.7	58	0.2	26.0	9.7	556	2.26	7.7	2.2	7.1	20.4	89	0.2	0.8	0.2	44	1.37	0.045
1291131	Soil	1.4	38.0	8.6	49	0.3	23.2	7.2	333	1.96	7.3	1.6	4.6	19.4	177	0.1	0.8	0.3	34	6.38	0.048
1291137	Soil	0.8	31.2	11.5	45	0.2	31.8	9.4	312	2.29	10.9	0.9	3.8	17.0	24	<0.1	0.7	0.1	53	0.37	0.016
1291147	Soil	1.6	19.0	13.4	79	<0.1	29.2	14.0	381	3.38	19.8	0.8	7.6	3.5	15	0.1	0.4	0.1	76	0.22	0.072
1290644	Soil	3.5	68.7	7.4	131	0.5	79.6	14.7	539	3.35	28.9	1.5	4.9	2.6	27	0.3	1.6	0.2	91	0.37	0.059
1291130	Soil	1.3	16.2	7.7	58	<0.1	15.6	5.7	345	2.27	6.4	2.0	6.9	27.8	21	0.1	0.4	0.2	32	0.44	0.053
1291140	Soil	1.0	23.3	8.7	46	0.1	32.4	9.1	352	2.83	9.7	0.6	3.4	11.2	25	<0.1	0.6	0.2	58	0.49	0.020
1291141	Soil	1.5	21.3	10.4	50	<0.1	27.2	8.2	417	2.67	6.2	0.5	2.4	12.8	26	<0.1	0.5	0.2	49	0.56	0.051
1290661	Soil	0.9	22.8	7.6	67	<0.1	21.0	12.0	527	4.18	8.5	1.1	3.0	9.5	19	<0.1	1.3	0.1	107	0.38	0.043
1291125	Soil	2.7	28.7	15.3	60	0.2	30.6	7.7	563	2.79	7.1	3.0	6.1	43.6	25	<0.1	0.7	0.3	39	0.45	0.028
1291132	Soil	1.7	14.2	11.4	51	0.1	19.3	6.1	548	2.18	5.3	2.1	1.7	36.3	21	<0.1	0.5	0.2	30	0.43	0.020
1291149	Soil	2.1	26.9	22.4	97	0.8	35.0	13.0	671	2.51	23.8	1.4	3.3	2.6	29	0.8	0.5	0.1	58	0.83	0.056
1291020	Soil	1.1	27.7	8.8	48	<0.1	28.6	10.9	362	2.81	10.5	0.7	2.5	6.3	25	<0.1	0.6	0.2	59	0.35	0.026
1290662	Soil	0.8	28.5	7.2	59	0.1	16.1	13.2	483	3.51	8.5	1.1	2.7	6.2	42	<0.1	1.7	0.1	96	0.74	0.056
1290654	Soil	1.1	44.0	8.4	44	0.3	23.8	7.2	292	1.82	27.7	0.7	6.3	1.6	108	0.2	3.3	0.1	45	10.76	0.047
1290664	Soil	0.6	20.2	7.3	51	0.1	17.3	9.7	345	2.42	7.0	1.9	2.9	4.0	55	<0.1	0.7	0.1	58	0.83	0.055
1291019	Soil	0.8	19.0	7.4	56	<0.1	22.3	12.0	484	2.92	7.4	0.7	1.1	4.6	25	0.1	0.4	0.1	55	0.42	0.044
1290660	Soil	1.0	21.2	9.9	60	<0.1	19.9	11.7	538	3.62	10.1	1.1	1.8	13.9	26	<0.1	1.0	0.1	78	0.40	0.044
1290655	Soil	1.0	36.4	28.4	104	0.2	28.0	15.0	959	3.68	8.5	0.7	2.1	6.3	169	0.3	5.0	0.2	72	6.25	0.086
1290651	Rock Pulp	2.3	23.5	2.2	40	0.3	22.0	9.9	382	2.24	4.5	0.3	4.8	0.9	39	0.2	0.3	<0.1	57	0.79	0.059
1291021	Soil	1.1	19.5	13.6	59	<0.1	28.6	11.2	573	2.67	7.9	0.7	0.5	10.1	31	0.1	0.5	0.1	58	0.48	0.037
1291016	Soil	3.6	62.7	13.8	172	0.1	99.4	23.5	616	4.41	73.2	1.6	<0.5	7.6	19	0.4	0.2	0.1	101	0.31	0.071

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000204.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1290645	Soil	9	40	0.45	179	0.067	<1	1.42	0.010	0.09	0.2	0.03	3.4	0.4	<0.05	6	0.7	<0.2
1290646	Soil	10	37	0.51	323	0.072	1	1.67	0.010	0.07	0.1	0.01	3.8	0.2	<0.05	6	<0.5	<0.2
1290649	Soil	8	57	0.64	633	0.079	<1	1.63	0.010	0.16	0.1	0.02	5.2	0.1	<0.05	6	0.7	<0.2
1291148	Soil	13	40	0.71	129	0.084	1	1.57	0.010	0.11	<0.1	0.02	3.8	0.1	<0.05	7	<0.5	<0.2
1291133	Soil	37	39	0.58	166	0.068	<1	1.37	0.017	0.09	0.2	0.03	5.5	<0.1	<0.05	4	0.9	<0.2
1291126	Soil	78	28	0.36	163	0.037	2	1.28	0.017	0.11	0.1	0.03	5.1	0.1	<0.05	4	<0.5	<0.2
1290650	Soil	15	51	0.77	557	0.112	1	1.86	0.008	0.31	<0.1	0.02	5.8	0.4	<0.05	7	0.7	<0.2
1290657	Soil	20	28	0.67	248	0.133	<1	1.76	0.011	0.41	0.1	0.02	9.0	0.4	<0.05	7	<0.5	<0.2
1291129	Soil	37	29	0.78	205	0.062	3	1.29	0.039	0.13	0.1	0.03	4.4	0.1	<0.05	4	1.0	<0.2
1291131	Soil	57	22	0.58	244	0.038	2	0.90	0.018	0.14	0.1	0.09	3.7	0.1	0.06	3	1.0	<0.2
1291137	Soil	35	40	0.56	157	0.065	1	1.35	0.015	0.07	0.2	0.03	5.4	<0.1	<0.05	4	0.8	<0.2
1291147	Soil	10	40	0.78	180	0.095	<1	1.82	0.009	0.30	0.1	<0.01	4.1	0.2	<0.05	7	0.7	<0.2
1290644	Soil	13	61	0.78	352	0.114	1	1.70	0.016	0.30	0.2	0.04	5.0	0.3	<0.05	7	0.9	<0.2
1291130	Soil	71	22	0.39	151	0.042	2	1.01	0.016	0.12	0.1	0.02	3.7	0.1	<0.05	4	<0.5	<0.2
1291140	Soil	29	45	0.58	242	0.080	2	1.65	0.018	0.11	0.2	0.02	6.6	<0.1	<0.05	5	<0.5	<0.2
1291141	Soil	35	38	0.53	281	0.064	2	1.55	0.018	0.14	0.1	0.01	5.5	0.1	<0.05	5	<0.5	<0.2
1290661	Soil	41	34	1.11	326	0.193	1	2.43	0.020	0.54	0.1	0.04	11.7	0.6	<0.05	9	<0.5	<0.2
1291125	Soil	158	46	0.42	180	0.036	2	1.70	0.015	0.13	0.1	0.05	6.6	0.2	<0.05	7	<0.5	<0.2
1291132	Soil	70	36	0.34	172	0.024	2	1.25	0.008	0.14	0.2	0.02	4.0	0.1	<0.05	5	<0.5	<0.2
1291149	Soil	20	43	0.56	500	0.049	3	1.50	0.013	0.08	0.1	0.09	4.8	0.2	0.08	6	<0.5	<0.2
1291020	Soil	18	44	0.60	255	0.080	1	1.73	0.012	0.12	0.1	0.04	6.5	<0.1	<0.05	5	<0.5	<0.2
1290662	Soil	21	25	1.03	506	0.221	2	2.10	0.032	0.48	0.2	0.03	7.9	0.4	<0.05	7	<0.5	<0.2
1290654	Soil	10	28	0.41	265	0.027	3	0.93	0.012	0.06	0.2	0.15	4.5	0.2	<0.05	3	0.9	<0.2
1290664	Soil	13	25	0.56	369	0.084	2	1.44	0.023	0.07	0.2	0.03	4.9	<0.1	<0.05	5	<0.5	<0.2
1291019	Soil	11	41	0.63	348	0.050	2	1.88	0.010	0.13	0.2	<0.01	6.3	<0.1	<0.05	5	<0.5	<0.2
1290660	Soil	24	34	0.81	373	0.160	2	2.34	0.015	0.37	0.2	0.02	9.9	0.4	<0.05	7	<0.5	<0.2
1290655	Soil	26	47	1.09	224	0.006	1	1.86	0.006	0.16	0.3	0.09	9.6	0.1	<0.05	8	<0.5	<0.2
1290651	Rock Pulp	3	28	0.73	88	0.105	3	1.46	0.083	0.11	13.6	<0.01	4.9	<0.1	<0.05	5	<0.5	<0.2
1291021	Soil	33	45	0.57	349	0.069	3	1.79	0.012	0.14	1.2	<0.01	6.0	<0.1	<0.05	5	<0.5	<0.2
1291016	Soil	16	103	1.44	292	0.083	1	2.89	0.009	0.32	<0.1	<0.01	7.5	0.2	<0.05	9	1.0	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000204.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1290663	Soil	0.7	18.0	8.0	75	0.1	14.1	12.3	426	3.12	5.3	5.0	4.8	10.1	43	0.2	1.1	<0.1	80	0.75	0.078
1290653	Soil	2.3	45.9	19.8	119	0.2	59.8	20.2	656	4.62	90.4	1.0	2.7	5.4	24	0.4	7.3	0.3	133	0.48	0.044
1291024	Soil	1.0	31.6	9.0	50	<0.1	33.9	10.7	361	2.77	11.5	0.7	5.5	9.4	35	<0.1	0.6	0.1	63	0.45	0.043
1291022	Soil	0.8	23.4	9.6	52	0.1	29.8	10.9	410	2.76	11.7	0.6	2.7	7.6	35	<0.1	0.6	0.1	62	0.51	0.043
1291023	Soil	0.9	14.8	8.6	46	<0.1	21.8	10.6	560	2.57	5.2	0.5	11.5	5.8	36	<0.1	0.4	0.1	53	0.51	0.044
1290656	Soil	0.9	16.9	12.3	93	0.1	11.3	10.6	1245	4.76	5.1	1.7	2.7	24.0	24	<0.1	0.8	0.1	68	0.38	0.045
1290600	Soil	1.5	33.5	13.3	51	<0.1	23.0	7.8	296	2.08	10.0	2.0	9.4	23.9	201	0.2	0.8	0.2	40	6.60	0.035
1291005	Soil	1.2	37.8	7.3	36	0.3	22.8	6.8	245	1.80	9.4	1.9	17.7	14.4	204	0.1	1.0	<0.1	38	9.47	0.034
1291034	Soil	1.7	20.3	14.2	52	<0.1	22.8	10.2	415	2.58	11.3	1.0	2.9	15.3	27	<0.1	0.7	0.2	54	0.45	0.019
1291029	Soil	1.5	22.6	15.8	40	<0.1	28.5	9.8	373	2.36	10.1	0.8	2.2	18.4	29	<0.1	0.6	0.2	54	0.47	0.017
1291002	Soil	1.6	17.6	11.7	49	<0.1	25.2	10.7	480	2.62	8.0	0.6	1.1	11.9	36	0.1	0.5	0.1	56	0.55	0.029
1291004	Soil	1.0	42.0	9.1	53	0.2	33.1	10.9	367	2.51	10.8	0.9	5.0	11.3	90	0.2	0.7	0.1	57	3.76	0.040
1291007	Soil	1.2	25.3	10.7	51	0.2	28.1	10.9	414	2.69	11.8	0.7	3.4	12.2	32	<0.1	0.6	0.2	60	0.51	0.016
1291018	Soil	1.2	16.7	8.0	62	<0.1	18.0	12.4	573	3.30	7.3	0.7	1.1	3.6	28	<0.1	0.5	0.1	55	0.50	0.045
1291028	Soil	0.9	27.2	9.1	44	0.1	27.8	10.5	339	2.61	12.6	0.6	3.4	12.1	34	<0.1	0.8	0.2	59	0.44	0.031
1291003	Soil	1.2	43.4	10.4	54	0.3	36.0	11.6	380	2.66	10.6	0.8	5.6	13.5	82	0.1	0.6	0.2	60	3.00	0.040
1291033	Soil	2.2	16.4	15.6	48	<0.1	19.6	8.6	487	2.41	7.7	1.2	3.5	19.2	29	<0.1	0.8	0.2	47	0.42	0.015
1291017	Soil	2.3	58.4	10.4	178	<0.1	84.1	26.7	812	6.45	6.4	1.5	0.9	5.8	27	<0.1	0.1	0.2	175	0.67	0.171
1291001	Rock Pulp	1.3	451.3	21.4	163	0.2	217.8	77.4	819	14.89	3.2	1.3	37.9	7.8	16	<0.1	0.4	0.1	211	0.28	0.044
1291006	Soil	1.4	20.9	10.0	43	0.2	22.7	9.9	395	2.46	10.1	0.7	2.6	13.4	33	<0.1	0.5	0.2	53	0.51	0.015
1291032	Soil	1.7	17.1	15.1	53	<0.1	15.4	7.7	552	2.28	8.4	1.8	3.2	35.3	25	<0.1	0.7	0.2	39	0.39	0.021
1291027	Soil	1.0	24.2	9.8	53	0.1	29.5	11.4	353	2.90	12.2	0.7	6.1	9.0	30	<0.1	0.7	0.1	67	0.42	0.029
1283547	Soil	3.6	63.4	10.5	118	0.5	49.5	12.8	375	3.07	86.8	2.1	4.7	5.3	30	0.7	0.7	0.2	58	0.30	0.032
1291013	Soil	0.9	19.3	8.9	50	0.2	25.3	10.8	397	2.63	8.6	0.5	4.5	4.5	31	<0.1	0.5	0.1	62	0.48	0.029
1291031	Soil	1.7	18.8	12.7	45	<0.1	20.6	8.5	468	2.31	9.3	1.2	1.9	31.4	26	<0.1	0.6	0.2	47	0.41	0.014
1291009	Soil	1.0	23.8	11.8	53	0.6	27.7	11.6	498	2.80	9.9	0.9	13.0	12.3	32	<0.1	0.6	0.2	62	0.49	0.018
1283546	Soil	5.2	56.1	9.0	88	0.9	30.9	5.6	130	3.34	29.4	0.9	2.0	6.8	15	0.2	0.5	0.2	79	0.08	0.034
1291011	Soil	0.9	28.3	11.8	54	3.4	103.1	22.5	712	3.74	6.6	1.0	85.1	14.7	25	<0.1	0.4	0.3	99	0.54	0.036
1291015	Soil	1.8	39.4	28.7	104	0.3	43.0	18.8	578	3.82	12.4	1.1	2.5	5.6	20	0.1	0.3	0.2	90	0.35	0.044
1291008	Soil	1.3	15.8	10.7	51	0.2	26.2	11.3	616	2.79	7.4	0.9	4.6	17.1	22	<0.1	0.6	0.2	59	0.49	0.021

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000204.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1290663	Soil	27	26	0.86	448	0.125	2	1.87	0.018	0.19	0.2	0.06	10.2	0.2	<0.05	7	0.7	<0.2
1290653	Soil	11	95	1.01	410	0.094	1	2.56	0.011	0.47	0.2	0.02	11.7	0.5	<0.05	9	0.9	<0.2
1291024	Soil	34	42	0.71	228	0.084	2	1.59	0.020	0.14	0.2	0.02	6.3	<0.1	<0.05	5	<0.5	<0.2
1291022	Soil	30	41	0.59	280	0.083	2	1.65	0.017	0.17	1.4	0.02	6.3	<0.1	<0.05	5	<0.5	<0.2
1291023	Soil	17	36	0.50	334	0.072	2	1.54	0.016	0.17	0.2	<0.01	5.5	<0.1	<0.05	5	<0.5	<0.2
1290656	Soil	32	16	1.00	482	0.225	1	2.44	0.010	0.77	0.1	<0.01	11.7	0.7	<0.05	11	<0.5	<0.2
1290600	Soil	59	25	0.77	204	0.051	2	1.20	0.024	0.09	0.2	0.05	3.6	<0.1	<0.05	4	<0.5	<0.2
1291005	Soil	54	22	0.66	251	0.043	2	1.01	0.024	0.08	0.3	0.07	3.9	<0.1	<0.05	4	1.4	<0.2
1291034	Soil	22	38	0.44	263	0.057	1	1.58	0.011	0.10	0.3	0.02	6.0	<0.1	<0.05	5	<0.5	<0.2
1291029	Soil	30	41	0.45	223	0.064	1	1.56	0.012	0.10	0.1	0.03	5.9	<0.1	<0.05	5	<0.5	<0.2
1291002	Soil	17	46	0.58	264	0.071	3	1.70	0.013	0.17	0.4	0.02	5.7	<0.1	<0.05	5	<0.5	<0.2
1291004	Soil	51	39	0.76	259	0.074	3	1.50	0.022	0.10	0.2	0.04	5.6	<0.1	<0.05	5	<0.5	<0.2
1291007	Soil	38	41	0.57	234	0.073	2	1.74	0.015	0.13	0.1	0.02	6.3	<0.1	<0.05	5	<0.5	<0.2
1291018	Soil	9	28	0.62	251	0.046	<1	1.98	0.010	0.16	0.1	<0.01	5.5	<0.1	<0.05	6	<0.5	<0.2
1291028	Soil	26	36	0.55	255	0.082	1	1.53	0.017	0.11	0.1	0.03	6.3	<0.1	<0.05	5	<0.5	<0.2
1291003	Soil	74	43	0.82	268	0.080	2	1.62	0.022	0.10	0.3	0.04	5.8	<0.1	<0.05	5	0.5	<0.2
1291033	Soil	27	34	0.36	287	0.044	1	1.55	0.012	0.09	0.1	0.01	5.0	<0.1	<0.05	5	<0.5	<0.2
1291017	Soil	17	92	2.71	709	0.200	<1	4.88	0.008	0.90	<0.1	<0.01	8.4	0.5	<0.05	15	<0.5	<0.2
1291001	Rock Pulp	18	650	0.13	146	0.220	4	4.36	0.012	0.07	<0.1	0.04	41.3	<0.1	<0.05	21	<0.5	<0.2
1291006	Soil	28	36	0.44	242	0.059	1	1.61	0.012	0.11	0.1	0.02	5.6	<0.1	<0.05	5	<0.5	<0.2
1291032	Soil	53	26	0.32	235	0.035	<1	1.49	0.008	0.14	0.1	0.02	4.7	<0.1	<0.05	5	<0.5	<0.2
1291027	Soil	25	45	0.63	287	0.082	1	1.78	0.016	0.12	0.1	0.01	6.8	<0.1	<0.05	5	<0.5	<0.2
1283547	Soil	20	32	0.37	703	0.045	1	1.20	0.014	0.07	<0.1	0.04	5.7	0.1	<0.05	4	1.8	<0.2
1291013	Soil	11	41	0.55	294	0.073	1	1.66	0.014	0.12	0.2	0.02	5.7	<0.1	<0.05	5	<0.5	<0.2
1291031	Soil	35	35	0.37	253	0.046	1	1.53	0.009	0.09	0.1	0.02	5.7	<0.1	<0.05	5	<0.5	<0.2
1291009	Soil	48	44	0.56	266	0.071	<1	1.85	0.014	0.10	0.1	0.03	6.7	<0.1	<0.05	5	<0.5	<0.2
1283546	Soil	12	32	0.48	428	0.039	1	1.19	0.009	0.19	<0.1	0.03	2.8	0.4	0.15	5	4.2	<0.2
1291011	Soil	72	118	1.72	322	0.113	2	2.54	0.015	0.26	0.2	0.03	10.3	0.3	<0.05	8	<0.5	1.8
1291015	Soil	17	56	0.91	306	0.076	1	2.10	0.012	0.32	<0.1	0.02	6.1	0.2	<0.05	7	0.5	<0.2
1291008	Soil	64	44	0.51	271	0.051	1	1.65	0.012	0.12	0.2	0.01	6.2	0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000204.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1283526	Soil	9.2	69.9	10.0	49	1.0	19.0	2.5	92	3.08	31.9	2.1	3.3	9.2	20	0.2	0.4	0.3	70	0.17	0.039
1283548	Soil	3.4	35.4	7.6	57	0.4	23.7	7.4	277	2.72	19.1	0.6	1.2	3.5	17	0.2	0.3	0.1	73	0.22	0.035
1291012	Soil	0.8	15.3	7.6	55	0.2	27.4	12.4	755	2.77	6.5	0.4	2.4	6.0	24	<0.1	0.4	0.1	64	0.47	0.060
1291030	Soil	2.4	17.1	12.3	42	<0.1	29.6	9.5	495	2.23	5.3	1.4	0.8	40.8	18	<0.1	0.4	0.2	39	0.37	0.015
1283550	Soil	6.6	38.9	11.0	68	0.7	25.8	5.5	135	2.81	138.7	2.0	1.6	5.8	19	0.2	1.4	0.2	125	0.20	0.035
1283549	Soil	1.9	26.3	8.8	89	0.1	31.8	11.0	280	2.90	27.9	1.3	2.0	6.7	18	0.1	0.5	<0.1	53	0.29	0.031
1291010	Soil	1.2	18.3	10.3	59	0.7	27.4	10.4	500	2.75	8.0	1.1	24.4	18.8	26	<0.1	0.5	0.1	59	0.50	0.028
1291014	Soil	1.6	30.2	13.4	85	0.2	46.2	15.4	475	3.35	16.2	0.8	2.0	5.1	18	0.1	0.3	0.1	85	0.37	0.041
1292407	Soil	1.6	15.3	7.8	66	<0.1	19.9	10.9	329	3.13	28.5	0.7	0.7	3.3	17	<0.1	0.3	<0.1	54	0.47	0.050
1292412	Soil	0.8	20.3	7.6	42	<0.1	24.9	10.1	388	2.23	5.3	1.2	3.8	8.0	29	0.2	0.3	0.1	50	0.70	0.055
1283545	Soil	2.5	36.1	6.8	66	0.5	28.7	10.0	367	2.32	14.0	1.1	3.1	2.9	28	0.4	0.4	<0.1	57	0.45	0.063
1283543	Soil	5.0	89.6	9.0	76	0.5	52.0	9.8	221	2.91	36.1	1.3	2.5	7.2	22	0.2	0.4	0.1	74	0.24	0.028
1292409	Soil	1.2	22.3	8.9	60	0.1	26.4	11.2	407	2.63	27.9	1.2	4.1	4.1	28	<0.1	0.4	0.1	57	0.77	0.042
1292411	Soil	0.9	26.1	9.0	58	<0.1	47.2	13.6	334	3.01	10.7	1.7	4.6	10.9	30	0.1	0.4	0.2	66	0.76	0.048
1283544	Soil	10.2	77.0	10.0	55	0.8	21.6	2.4	88	3.06	38.0	2.2	3.0	8.4	17	0.2	0.3	0.3	76	0.11	0.041
1283542	Soil	4.5	24.1	21.7	51	0.7	24.1	5.8	130	2.37	26.6	0.7	1.8	3.9	21	0.1	0.4	0.1	57	0.23	0.040
1292410	Soil	0.8	21.2	6.7	55	<0.1	30.9	11.3	342	2.64	8.7	2.0	1.8	3.7	34	0.1	0.3	<0.1	53	0.93	0.048
1292406	Soil	2.1	24.7	8.2	67	<0.1	26.7	10.5	293	2.99	44.2	0.9	1.1	4.1	18	<0.1	0.5	<0.1	68	0.38	0.049
1292404	Soil	4.4	56.9	24.5	175	0.1	70.4	13.1	291	3.70	227.4	1.9	1.6	8.2	16	0.4	1.4	0.1	95	0.41	0.106
1292402	Soil	2.2	28.5	6.9	72	0.3	26.8	8.9	313	2.51	14.4	1.1	2.5	4.0	22	0.3	0.3	0.1	68	0.42	0.065
1292401	Rock Pulp	1.4	442.4	18.2	150	0.2	218.4	77.4	801	15.46	2.5	0.9	29.8	7.4	12	<0.1	0.3	0.2	251	0.29	0.039
1292408	Soil	1.4	19.1	12.9	70	<0.1	22.8	11.9	318	3.12	20.2	1.0	3.6	4.5	23	0.1	0.5	0.1	60	0.54	0.035
1292405	Soil	2.8	38.9	24.6	101	0.2	36.3	11.6	379	3.40	130.0	1.4	4.4	4.9	22	0.3	0.9	0.1	79	0.44	0.075
1292403	Soil	4.8	40.0	7.6	135	0.1	79.6	14.8	271	4.15	357.4	1.0	2.6	3.2	13	0.3	1.7	0.1	131	0.23	0.066
1282700	Soil	0.8	17.1	8.5	47	0.1	24.3	9.8	360	2.65	9.0	0.5	2.6	15.4	21	<0.1	0.5	0.1	60	0.44	0.023
1283539	Soil	4.6	80.5	10.1	195	0.3	75.7	18.4	431	3.96	35.2	1.4	5.3	5.5	17	0.6	0.8	0.2	79	0.16	0.040
1283535	Soil	2.7	47.8	7.4	103	0.1	49.9	12.4	276	3.75	3.9	1.0	20.8	8.7	10	0.1	0.2	0.2	63	0.35	0.089
1283518	Soil	1.5	53.3	15.7	83	0.7	56.4	17.6	695	4.25	14.8	0.9	8.2	12.3	21	0.1	0.5	0.2	69	1.28	0.071
1282699	Soil	1.1	13.9	11.5	41	<0.1	18.3	7.3	285	2.25	6.7	1.3	2.5	29.5	17	<0.1	0.5	0.2	47	0.30	0.018
1283540	Soil	2.9	65.5	9.4	94	0.4	56.2	13.8	351	2.92	24.4	0.9	13.8	4.6	20	0.1	0.7	0.1	67	0.28	0.035

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000204.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1283526	Soil	25	31	0.38	520	0.026	1	1.02	0.018	0.23	0.1	0.04	4.6	0.7	0.31	4	10.6	<0.2
1283548	Soil	9	35	0.52	438	0.050	<1	1.41	0.009	0.09	0.1	0.01	3.0	0.2	<0.05	5	1.6	<0.2
1291012	Soil	14	42	0.48	399	0.064	2	1.73	0.019	0.17	0.2	0.02	5.4	0.1	<0.05	6	<0.5	<0.2
1291030	Soil	57	69	0.49	175	0.041	1	1.39	0.007	0.14	0.1	0.02	4.2	0.1	<0.05	5	<0.5	<0.2
1283550	Soil	13	39	0.42	456	0.033	<1	1.21	0.006	0.08	0.2	0.02	6.3	0.1	<0.05	5	3.7	<0.2
1283549	Soil	15	26	0.56	355	0.076	1	1.57	0.010	0.25	0.1	0.02	4.8	0.2	<0.05	6	0.7	<0.2
1291010	Soil	118	46	0.57	299	0.046	1	1.83	0.013	0.10	0.2	0.03	6.3	<0.1	<0.05	7	<0.5	0.4
1291014	Soil	15	67	0.97	256	0.075	1	2.02	0.011	0.27	0.1	<0.01	5.5	0.1	<0.05	7	<0.5	<0.2
1292407	Soil	8	30	0.49	272	0.053	<1	1.51	0.014	0.13	0.1	0.01	3.6	<0.1	<0.05	5	<0.5	<0.2
1292412	Soil	23	40	0.52	265	0.046	2	1.39	0.021	0.09	0.1	0.02	4.7	<0.1	<0.05	5	<0.5	<0.2
1283545	Soil	11	31	0.43	496	0.046	2	1.23	0.017	0.07	0.3	0.04	3.7	0.1	<0.05	4	2.1	<0.2
1283543	Soil	18	54	0.44	674	0.041	1	1.42	0.008	0.09	0.1	0.05	6.0	0.2	<0.05	5	3.9	<0.2
1292409	Soil	13	41	0.54	378	0.045	1	1.52	0.024	0.06	0.1	0.04	5.0	<0.1	<0.05	5	0.5	<0.2
1292411	Soil	26	76	0.83	273	0.057	1	1.81	0.019	0.10	0.2	0.04	6.9	0.2	<0.05	6	<0.5	<0.2
1283544	Soil	22	30	0.37	479	0.023	<1	1.04	0.016	0.19	<0.1	0.05	5.3	0.5	0.22	4	10.3	<0.2
1283542	Soil	12	29	0.30	656	0.034	<1	1.05	0.008	0.08	0.2	0.02	2.8	0.2	<0.05	4	2.9	<0.2
1292410	Soil	14	53	0.65	292	0.047	2	1.61	0.019	0.08	0.1	0.04	5.3	<0.1	<0.05	5	0.7	<0.2
1292406	Soil	11	40	0.60	347	0.056	<1	1.64	0.013	0.12	0.3	0.02	4.3	<0.1	<0.05	6	<0.5	<0.2
1292404	Soil	21	54	0.69	425	0.054	<1	1.69	0.008	0.25	0.2	0.03	7.5	0.5	<0.05	6	0.6	<0.2
1292402	Soil	15	41	0.60	388	0.060	1	1.47	0.015	0.11	0.3	0.03	4.4	0.1	<0.05	5	0.7	<0.2
1292401	Rock Pulp	15	793	0.12	144	0.169	3	4.28	0.011	0.07	<0.1	0.03	38.1	0.2	<0.05	22	<0.5	<0.2
1292408	Soil	12	37	0.56	301	0.052	<1	1.80	0.017	0.08	0.1	0.02	5.1	<0.1	<0.05	6	<0.5	<0.2
1292405	Soil	15	50	0.65	390	0.054	<1	1.89	0.011	0.14	0.2	0.02	5.9	0.2	<0.05	7	0.6	<0.2
1292403	Soil	12	87	0.70	323	0.064	1	1.89	0.009	0.21	0.2	0.02	6.5	0.4	<0.05	7	0.8	<0.2
1282700	Soil	19	37	0.54	267	0.077	2	1.48	0.023	0.22	0.1	0.02	5.4	0.1	<0.05	5	<0.5	<0.2
1283539	Soil	13	30	0.32	964	0.017	<1	1.00	0.004	0.12	0.6	0.03	7.9	0.3	<0.05	4	1.5	<0.2
1283535	Soil	10	40	0.97	250	0.087	<1	1.66	0.004	0.56	<0.1	<0.01	3.5	0.6	<0.05	6	1.0	<0.2
1283518	Soil	51	64	0.98	414	0.039	<1	1.85	0.007	0.28	0.1	0.03	6.7	0.2	<0.05	7	0.6	<0.2
1282699	Soil	52	29	0.38	135	0.050	1	1.39	0.010	0.12	0.1	0.01	4.6	<0.1	<0.05	5	<0.5	<0.2
1283540	Soil	14	35	0.30	291	0.031	1	1.08	0.009	0.10	0.2	0.08	6.1	0.1	<0.05	4	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000204.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1283536	Soil	2.8	65.8	10.3	125	0.6	62.4	13.2	448	3.26	28.0	0.7	4.3	6.1	36	0.4	1.1	0.1	65	4.11	0.061
1283541	Soil	2.2	45.3	8.0	58	0.3	33.1	9.2	229	2.97	13.7	0.7	2.0	4.8	25	<0.1	0.7	0.1	73	0.37	0.050
1282698	Soil	0.9	24.1	12.0	50	<0.1	27.0	9.2	317	2.70	10.7	1.1	1.1	20.7	25	0.1	0.6	0.2	58	0.42	0.018
1283351	Rock Pulp	2.4	24.7	2.2	42	0.4	22.3	9.8	387	2.28	4.3	0.2	1.3	0.8	36	0.2	0.3	<0.1	56	0.70	0.058
1283538	Soil	1.2	25.9	9.3	67	0.1	29.6	9.8	271	2.54	13.3	0.5	<0.5	3.6	18	0.1	0.6	0.2	52	0.21	0.027
1283517	Soil	1.0	50.0	12.7	85	0.1	63.7	20.1	595	4.64	12.5	0.9	2.2	15.4	20	<0.1	0.4	0.2	58	0.46	0.046
1282696	Soil	0.9	20.7	11.7	47	0.1	22.8	8.4	297	2.50	9.9	1.0	1.7	18.8	21	<0.1	0.6	0.2	50	0.35	0.019
1282697	Soil	1.0	20.9	11.6	46	<0.1	21.9	8.2	312	2.45	9.6	1.3	1.1	22.5	21	<0.1	0.6	0.2	49	0.33	0.024
1283537	Soil	1.9	41.8	12.0	79	0.1	43.7	12.2	272	3.04	18.3	1.4	2.5	6.0	20	0.1	0.7	0.2	62	0.30	0.031
1283534	Soil	0.8	35.0	10.3	60	0.2	27.4	10.3	352	2.60	12.9	0.6	4.8	3.8	38	0.2	0.6	0.2	52	0.70	0.061
1282691	Soil	1.6	20.9	9.0	55	<0.1	30.4	9.0	528	2.81	8.2	1.7	3.0	20.2	24	<0.1	0.5	0.2	50	0.43	0.035
1282685	Soil	1.7	31.0	13.3	69	0.2	37.2	11.9	773	2.94	34.5	0.8	3.7	12.8	30	0.2	1.2	0.1	46	0.46	0.022
1282683	Soil	2.6	29.2	44.9	92	0.3	29.8	9.8	692	2.68	46.6	1.0	3.3	9.1	24	0.5	1.5	0.3	33	0.36	0.048
1283352	Soil	0.9	15.1	8.4	44	<0.1	23.6	7.3	328	2.61	8.4	0.6	1.5	13.3	19	<0.1	0.5	0.1	48	0.41	0.022
1282690	Soil	1.0	34.4	7.4	48	0.1	33.9	9.0	405	2.36	9.3	1.1	9.1	11.9	86	<0.1	0.6	0.2	46	2.62	0.033
1282687	Soil	1.4	20.0	10.4	48	<0.1	22.7	8.6	601	2.14	6.8	1.6	4.5	20.1	29	0.1	0.8	0.2	35	1.11	0.031
1282684	Soil	2.9	54.9	232.5	228	1.2	47.9	13.9	1127	3.20	71.3	1.2	11.3	4.8	97	2.3	2.4	0.5	30	2.19	0.035
1282695	Soil	1.0	13.0	7.7	44	<0.1	19.2	7.5	386	2.39	6.2	0.8	9.9	14.8	21	<0.1	0.4	0.1	48	0.44	0.027
1283353	Soil	1.1	23.0	11.5	48	<0.1	43.2	9.8	324	3.02	12.0	0.9	0.7	19.8	19	<0.1	0.6	0.1	57	0.44	0.024
1282688	Soil	1.0	25.5	7.9	52	0.1	28.3	9.0	492	2.42	9.9	0.7	6.0	7.5	68	<0.1	0.8	0.1	44	2.11	0.057
1282686	Soil	0.8	26.2	8.6	52	0.1	26.0	9.2	432	2.40	15.6	0.7	3.8	5.3	66	0.2	0.7	<0.1	46	2.01	0.068
1282693	Soil	2.0	16.4	8.3	47	<0.1	13.5	4.8	411	2.00	3.7	2.4	5.9	33.1	14	<0.1	0.4	0.2	22	0.24	0.017
1283354	Soil	1.1	15.0	11.8	37	0.1	22.4	7.3	445	2.47	7.8	0.6	1.1	20.8	15	<0.1	0.5	0.1	43	0.37	0.016
1282689	Soil	1.1	24.9	6.9	45	<0.1	24.3	8.0	369	2.13	7.9	1.0	3.5	11.5	79	0.1	0.6	0.1	42	3.02	0.037
1282692	Soil	1.4	15.9	8.0	50	<0.1	22.3	8.7	385	2.72	7.2	1.2	2.3	15.4	20	<0.1	0.4	0.1	51	0.36	0.023
1282694	Soil	1.5	10.5	9.6	51	<0.1	16.3	6.3	399	2.24	4.7	1.8	10.8	22.4	19	<0.1	0.3	0.2	38	0.39	0.026
1290069	Soil	2.5	54.8	11.4	103	0.4	58.6	17.0	811	4.03	39.2	0.8	2.7	4.0	26	0.2	1.8	0.1	69	0.52	0.032
1290074	Soil	3.9	64.0	9.0	121	0.3	57.1	15.1	593	3.64	31.2	1.7	1.5	2.3	15	0.3	2.5	0.1	63	0.16	0.028
1283355	Soil	1.5	11.0	8.4	56	0.4	18.2	9.5	1046	2.52	6.4	0.3	2.6	1.9	16	0.2	0.4	0.1	58	0.28	0.041
1283357	Soil	1.7	18.4	13.2	73	0.2	30.9	10.7	290	3.76	11.0	0.5	0.8	3.0	10	0.2	0.4	0.1	86	0.16	0.042

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000204.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1283536	Soil		16	31	0.55	268	0.031	<1	0.94	0.009	0.14	0.2	0.05	5.0	0.4	<0.05	4	1.2	<0.2
1283541	Soil		11	43	0.61	465	0.059	1	1.85	0.014	0.09	0.2	0.02	5.3	0.1	<0.05	5	0.7	<0.2
1282698	Soil		36	40	0.53	192	0.073	2	1.70	0.012	0.11	0.1	0.01	6.4	<0.1	<0.05	5	<0.5	<0.2
1283351	Rock Pulp		3	28	0.74	87	0.093	2	1.39	0.076	0.11	12.9	<0.01	4.0	<0.1	<0.05	5	<0.5	<0.2
1283538	Soil		9	30	0.43	297	0.045	<1	1.08	0.008	0.09	<0.1	<0.01	2.9	0.1	<0.05	4	0.6	<0.2
1283517	Soil		50	80	1.33	297	0.036	1	2.44	0.009	0.19	<0.1	0.01	5.2	0.1	<0.05	9	0.5	<0.2
1282696	Soil		33	32	0.43	163	0.063	2	1.41	0.012	0.12	0.2	0.02	5.2	0.1	<0.05	5	<0.5	<0.2
1282697	Soil		45	33	0.44	162	0.056	1	1.47	0.011	0.12	0.2	0.02	5.4	<0.1	<0.05	5	0.7	<0.2
1283537	Soil		16	43	0.68	358	0.051	1	1.51	0.009	0.20	0.1	0.01	6.7	0.2	<0.05	4	0.8	<0.2
1283534	Soil		15	32	0.61	355	0.054	2	1.25	0.020	0.08	0.3	0.02	4.4	<0.1	<0.05	4	<0.5	<0.2
1282691	Soil		68	56	0.59	212	0.072	2	1.40	0.020	0.23	0.2	0.02	5.7	0.3	<0.05	6	<0.5	<0.2
1282685	Soil		30	36	0.42	406	0.041	2	1.19	0.017	0.12	0.1	0.01	5.6	0.1	<0.05	4	<0.5	<0.2
1282683	Soil		20	21	0.21	434	0.019	2	0.59	0.012	0.06	0.1	0.01	3.8	0.1	<0.05	3	0.5	<0.2
1283352	Soil		25	38	0.49	249	0.070	2	1.47	0.017	0.18	0.2	<0.01	5.7	0.1	<0.05	5	<0.5	<0.2
1282690	Soil		31	33	0.67	242	0.070	2	1.24	0.028	0.09	0.2	0.05	4.6	0.1	<0.05	5	<0.5	<0.2
1282687	Soil		43	27	0.38	342	0.056	2	1.04	0.018	0.12	0.2	0.02	4.2	0.2	<0.05	5	<0.5	<0.2
1282684	Soil		14	18	0.15	690	0.002	2	0.49	0.006	0.08	<0.1	0.02	5.0	0.2	<0.05	2	2.0	0.3
1282695	Soil		25	33	0.40	235	0.061	2	1.47	0.014	0.13	0.2	0.01	4.6	0.1	<0.05	5	<0.5	<0.2
1283353	Soil		19	63	0.67	300	0.061	2	1.58	0.019	0.16	0.1	0.02	8.6	0.1	<0.05	5	<0.5	<0.2
1282688	Soil		19	29	0.63	340	0.067	2	1.19	0.032	0.08	0.2	0.03	4.3	0.1	<0.05	4	<0.5	<0.2
1282686	Soil		15	27	0.64	410	0.069	2	1.07	0.034	0.07	0.2	0.02	4.2	<0.1	<0.05	4	<0.5	<0.2
1282693	Soil		117	20	0.25	116	0.025	1	0.90	0.007	0.13	<0.1	0.02	3.1	0.1	<0.05	5	<0.5	<0.2
1283354	Soil		21	35	0.41	452	0.051	1	1.37	0.014	0.13	0.1	0.02	4.9	<0.1	<0.05	5	<0.5	<0.2
1282689	Soil		23	28	0.61	266	0.064	1	1.07	0.030	0.08	0.2	0.02	3.8	<0.1	<0.05	4	<0.5	<0.2
1282692	Soil		38	36	0.47	199	0.066	1	1.63	0.012	0.19	0.1	0.02	5.8	0.1	<0.05	6	<0.5	<0.2
1282694	Soil		52	29	0.38	189	0.044	1	1.42	0.008	0.19	0.1	0.01	4.3	0.1	<0.05	6	<0.5	<0.2
1290069	Soil		12	56	0.61	983	0.025	1	1.43	0.017	0.08	0.1	0.06	9.7	0.3	<0.05	5	0.6	<0.2
1290074	Soil		6	32	0.10	1853	0.003	<1	0.55	0.002	0.06	<0.1	0.06	9.6	0.3	<0.05	3	1.3	<0.2
1283355	Soil		8	31	0.42	571	0.045	<1	1.56	0.009	0.04	0.1	0.02	2.6	0.1	<0.05	6	<0.5	<0.2
1283357	Soil		8	56	0.75	189	0.088	1	2.23	0.008	0.13	0.2	0.02	3.8	0.1	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000204.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1290068	Soil		2.0	44.6	9.6	87	0.3	49.8	14.6	655	3.56	34.3	1.2	3.6	4.3	34	0.2	1.4	0.1	61	0.62	0.044
1290073	Soil		1.6	38.4	15.4	70	0.2	72.7	23.3	826	3.93	10.8	0.8	0.7	2.3	42	0.2	0.5	<0.1	99	2.87	0.047
1290070	Soil		4.2	66.7	13.5	146	0.5	64.9	14.4	596	3.91	71.3	2.0	3.9	3.7	17	0.2	1.9	0.2	53	0.20	0.032
1283359	Soil		0.6	23.7	8.1	44	0.1	29.8	11.2	255	2.84	7.8	1.3	3.4	6.8	21	<0.1	0.4	0.1	55	0.35	0.037
1290087	Soil		0.7	8.6	7.9	50	<0.1	18.0	6.2	283	2.21	3.4	1.2	<0.5	11.9	13	<0.1	0.3	<0.1	43	0.22	0.031
1290076	Soil		2.2	84.6	9.7	116	0.6	82.8	23.5	981	4.22	74.3	1.4	9.7	3.3	15	0.1	2.0	0.1	78	0.19	0.018
1290071	Soil		2.5	48.9	11.7	122	0.5	57.1	15.6	631	3.78	61.7	1.1	8.0	5.5	25	0.3	1.4	0.1	56	0.45	0.045
1283358	Soil		1.3	7.9	8.5	33	<0.1	9.0	3.1	156	2.19	7.6	0.3	2.1	1.1	8	<0.1	0.3	0.1	67	0.10	0.034
1290090	Soil		0.9	20.3	6.8	68	<0.1	30.7	7.4	281	3.87	9.7	1.3	1.1	1.7	14	<0.1	0.3	0.2	52	0.18	0.044
1290072	Soil		2.0	63.2	6.1	87	0.3	56.4	16.4	521	3.26	26.9	1.0	3.8	3.8	59	0.3	1.1	0.1	59	2.55	0.081
1290077	Soil		4.7	96.0	22.3	204	1.0	77.4	26.4	1119	5.30	209.4	2.1	4.2	3.2	33	0.7	3.0	0.3	111	0.26	0.055
1283356	Soil		1.4	13.5	16.3	33	0.1	15.4	5.3	357	1.99	8.4	1.4	2.5	40.8	12	<0.1	0.8	0.3	23	0.25	0.023
1290083	Soil		1.1	23.2	13.3	61	<0.1	43.3	12.3	559	3.31	9.2	1.5	<0.5	20.6	23	<0.1	0.6	0.2	55	0.32	0.038
1290082	Soil		1.3	14.6	12.3	68	<0.1	18.6	7.3	512	2.73	7.6	2.0	0.9	28.0	22	0.2	0.5	0.2	38	0.28	0.019
1290092	Soil		1.1	27.5	8.4	100	0.1	52.9	18.1	432	5.05	16.5	1.3	0.9	6.4	56	<0.1	0.3	0.1	68	0.63	0.069
1290089	Soil		1.1	19.9	14.8	59	0.1	34.4	12.8	1181	2.95	8.0	0.8	2.1	4.9	43	<0.1	0.5	0.2	58	0.62	0.045
1290085	Soil		0.7	36.1	6.8	78	<0.1	51.2	17.7	474	4.08	4.9	1.9	2.1	13.7	13	<0.1	0.1	<0.1	52	0.23	0.046
1290078	Soil		4.9	83.9	15.1	113	0.3	72.5	19.0	1165	4.00	180.8	1.4	0.8	4.5	23	0.4	2.2	0.2	78	0.34	0.064
1290075	Soil		1.7	87.4	10.5	104	0.4	68.0	15.6	596	3.36	92.1	1.2	5.4	4.0	21	0.1	2.0	0.2	64	0.21	0.021
1290091	Soil		1.1	34.0	6.2	78	<0.1	46.6	16.4	362	3.74	7.5	2.1	3.8	5.6	34	<0.1	0.3	<0.1	61	0.33	0.048
1290086	Soil		0.8	16.4	9.6	45	<0.1	23.3	9.3	445	2.42	8.3	0.9	1.1	9.0	22	<0.1	0.5	0.2	52	0.28	0.026
1290084	Soil		0.8	38.2	7.8	91	<0.1	64.5	19.8	497	4.80	5.5	1.6	<0.5	17.0	18	<0.1	0.2	<0.1	58	0.27	0.047
1290080	Soil		0.8	32.0	9.1	54	<0.1	26.4	7.8	313	2.58	11.1	1.2	4.2	17.9	23	<0.1	0.7	0.1	46	0.28	0.016
1290093	Soil		0.9	23.5	8.1	80	<0.1	30.4	14.6	482	3.44	7.6	1.3	0.8	7.2	62	<0.1	0.2	0.1	51	0.67	0.066
1269103	Soil		1.3	15.1	9.1	38	<0.1	18.5	9.6	370	2.31	7.5	1.2	3.2	13.4	23	<0.1	0.4	0.2	44	0.37	0.032
1290079	Soil		0.8	31.0	17.0	144	0.1	40.0	14.8	820	3.97	6.2	1.5	6.9	22.6	34	0.2	0.5	0.3	50	1.33	0.048
1290081	Soil		1.0	10.3	8.9	55	<0.1	12.7	6.4	471	2.29	5.4	1.3	<0.5	14.8	20	<0.1	0.5	0.2	35	0.25	0.022
1290088	Soil		1.2	17.3	9.4	55	<0.1	25.9	9.9	431	2.82	9.1	0.6	2.3	6.2	21	<0.1	0.6	0.1	68	0.23	0.023
1268690	Soil		1.5	14.8	11.3	37	<0.1	20.5	10.2	481	2.41	6.0	3.0	3.0	20.3	25	<0.1	0.2	0.2	44	0.42	0.046
1268684	Soil		1.7	16.7	12.6	52	<0.1	28.8	11.1	359	3.03	9.7	0.5	1.5	6.0	19	<0.1	0.4	0.2	63	0.26	0.023

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000204.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1290068	Soil	14	47	0.56	983	0.036	1	1.30	0.019	0.09	0.1	0.04	8.1	0.2	<0.05	5	0.6	<0.2
1290073	Soil	6	155	1.53	2028	0.044	2	1.68	0.013	0.06	<0.1	0.03	12.3	0.3	<0.05	5	<0.5	<0.2
1290070	Soil	11	31	0.20	1107	0.003	<1	0.82	0.004	0.07	<0.1	0.04	6.9	0.2	<0.05	3	1.4	<0.2
1283359	Soil	25	44	0.56	417	0.053	1	1.82	0.016	0.05	0.2	0.02	4.0	0.1	<0.05	6	<0.5	<0.2
1290087	Soil	31	32	0.41	179	0.045	1	1.41	0.010	0.06	0.2	<0.01	2.9	0.1	<0.05	6	<0.5	<0.2
1290076	Soil	14	49	0.29	2000	0.004	<1	1.05	0.005	0.08	<0.1	0.11	19.1	0.3	<0.05	4	1.7	<0.2
1290071	Soil	17	46	0.50	987	0.019	1	1.08	0.013	0.08	0.1	0.05	7.7	0.3	<0.05	4	0.7	<0.2
1283358	Soil	8	23	0.29	95	0.063	<1	1.00	0.006	0.05	0.1	<0.01	1.8	0.1	<0.05	7	<0.5	<0.2
1290090	Soil	20	43	0.55	75	0.019	<1	1.61	0.005	0.06	<0.1	<0.01	3.9	<0.1	<0.05	7	<0.5	<0.2
1290072	Soil	10	71	0.96	395	0.025	2	1.06	0.013	0.06	<0.1	0.03	6.4	0.1	<0.05	3	0.8	<0.2
1290077	Soil	8	39	0.14	806	0.002	1	0.55	0.003	0.07	0.1	0.10	25.8	0.2	<0.05	2	2.7	<0.2
1283356	Soil	34	22	0.27	373	0.008	<1	0.97	0.005	0.07	0.1	0.02	4.3	<0.1	<0.05	3	0.6	<0.2
1290083	Soil	49	71	0.81	216	0.078	1	1.84	0.011	0.26	0.2	0.02	6.0	0.2	<0.05	6	<0.5	<0.2
1290082	Soil	98	29	0.32	139	0.037	<1	1.38	0.008	0.11	0.3	0.02	5.8	0.1	<0.05	5	0.5	<0.2
1290092	Soil	17	77	1.17	148	0.130	1	2.24	0.010	0.44	0.1	0.03	4.6	0.3	<0.05	7	<0.5	<0.2
1290089	Soil	27	44	0.67	292	0.052	1	2.04	0.010	0.06	0.2	0.03	6.1	0.2	<0.05	6	<0.5	<0.2
1290085	Soil	59	73	1.33	188	0.216	<1	2.29	0.008	0.85	<0.1	<0.01	3.8	0.5	<0.05	9	0.5	<0.2
1290078	Soil	13	53	0.35	829	0.014	1	1.33	0.005	0.13	0.2	0.03	8.1	0.1	<0.05	4	1.0	<0.2
1290075	Soil	16	41	0.37	1098	0.021	2	1.19	0.008	0.08	0.1	0.06	10.1	0.2	<0.05	4	2.0	0.2
1290091	Soil	25	67	0.99	168	0.119	1	2.21	0.011	0.38	<0.1	0.02	4.5	0.2	<0.05	7	<0.5	<0.2
1290086	Soil	23	38	0.52	205	0.062	2	1.46	0.012	0.11	0.2	0.02	4.6	<0.1	<0.05	5	0.5	<0.2
1290084	Soil	24	77	1.35	181	0.126	<1	2.81	0.007	0.65	0.1	<0.01	5.8	0.4	<0.05	9	<0.5	<0.2
1290080	Soil	59	33	0.46	159	0.071	1	1.28	0.014	0.09	0.2	0.03	6.5	<0.1	<0.05	5	0.8	<0.2
1290093	Soil	22	47	0.83	164	0.114	1	1.80	0.012	0.27	<0.1	0.03	4.1	0.2	<0.05	6	<0.5	<0.2
1269103	Soil	19	33	0.55	167	0.072	<1	1.38	0.014	0.06	0.2	0.02	3.6	0.1	<0.05	4	<0.5	<0.2
1290079	Soil	79	54	0.98	170	0.059	2	1.74	0.013	0.22	0.2	0.03	6.7	0.3	<0.05	8	0.6	<0.2
1290081	Soil	42	21	0.25	160	0.025	1	1.00	0.008	0.11	0.2	0.02	3.7	<0.1	<0.05	4	0.8	<0.2
1290088	Soil	14	42	0.58	200	0.064	1	1.93	0.013	0.06	0.1	0.02	3.6	<0.1	<0.05	6	<0.5	<0.2
1268690	Soil	28	48	0.72	146	0.056	<1	1.37	0.008	0.19	0.2	0.02	4.5	0.2	<0.05	4	<0.5	<0.2
1268684	Soil	6	47	0.68	115	0.083	<1	2.05	0.009	0.12	0.3	<0.01	3.4	0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000204.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1268687	Soil	1.3	19.7	12.1	49	<0.1	29.3	11.6	445	2.82	8.2	1.1	2.0	19.1	23	<0.1	0.4	0.1	59	0.32	0.032
1269101	Soil	1.4	13.4	8.4	34	<0.1	14.6	8.6	373	2.24	7.3	1.1	1.2	15.0	21	<0.1	0.4	0.2	47	0.32	0.019
1268699	Soil	1.0	18.9	11.8	42	<0.1	21.0	9.9	422	2.42	10.8	1.5	9.4	19.2	22	0.2	0.4	0.3	48	0.38	0.040
1268698	Soil	1.6	12.1	8.6	34	<0.1	15.9	7.4	258	2.35	8.8	0.8	5.0	7.8	16	<0.1	0.4	0.3	48	0.25	0.018
1268685	Soil	1.5	24.3	12.2	52	<0.1	29.7	11.1	308	3.06	11.1	0.7	3.2	9.4	17	0.1	0.6	0.2	68	0.19	0.018
1268689	Soil	1.1	16.6	10.1	45	<0.1	22.4	11.4	389	2.53	6.8	1.4	2.5	22.7	20	<0.1	0.3	0.1	53	0.33	0.033
1268686	Soil	1.3	12.4	9.7	49	<0.1	19.2	10.2	491	2.60	7.8	0.4	1.5	3.7	23	<0.1	0.5	0.1	63	0.26	0.024
1268697	Soil	1.4	16.4	10.9	45	<0.1	24.7	9.4	265	2.59	10.2	1.0	3.4	14.1	20	<0.1	0.6	0.2	54	0.27	0.020
1268700	Soil	1.5	12.5	10.7	38	<0.1	18.4	7.8	278	2.21	8.1	0.7	2.2	9.0	19	<0.1	0.4	0.2	49	0.28	0.023
1268692	Soil	1.2	19.4	11.0	53	<0.1	23.4	10.0	418	2.78	7.6	1.1	3.1	22.4	23	<0.1	0.3	0.2	54	0.34	0.027
1268694	Soil	1.2	16.3	9.4	45	<0.1	20.2	9.9	319	2.44	6.5	0.7	11.5	11.5	15	<0.1	0.3	0.1	49	0.22	0.022
1269102	Rock Pulp	1.2	417.4	21.1	159	0.2	206.8	74.4	800	14.57	3.5	1.2	32.9	7.0	16	<0.1	0.4	0.2	199	0.30	0.044
1268696	Soil	1.0	13.6	9.4	41	<0.1	19.0	9.3	296	2.42	7.5	0.7	2.1	10.5	18	<0.1	0.4	0.2	45	0.29	0.023
1269104	Soil	1.4	23.4	10.7	42	0.1	22.2	9.6	348	2.38	9.0	2.4	6.4	15.5	28	<0.1	0.4	0.2	47	0.49	0.036
1268677	Soil	1.4	28.0	8.6	62	0.1	25.5	15.1	460	3.58	6.8	1.5	31.1	8.7	29	<0.1	0.4	0.2	78	0.39	0.071
1268678	Soil	0.8	27.3	14.5	85	<0.1	52.0	29.4	966	5.29	4.1	1.6	2.7	16.0	36	<0.1	1.8	0.1	119	0.85	0.139
1268675	Soil	1.1	23.1	15.1	60	<0.1	54.8	23.6	584	4.20	8.2	0.8	19.9	6.6	32	<0.1	0.2	0.2	94	0.75	0.090
1268693	Soil	1.2	21.8	11.6	44	<0.1	25.3	10.6	385	2.42	6.0	1.8	4.3	26.1	20	<0.1	0.3	0.3	48	0.31	0.040
1268679	Soil	1.0	10.6	11.2	44	<0.1	17.1	9.0	357	3.15	9.5	0.6	4.1	4.1	15	0.1	0.5	0.2	61	0.14	0.039
1268683	Soil	0.5	31.3	6.5	68	<0.1	54.7	16.9	464	3.88	12.3	0.6	2.3	9.2	17	<0.1	0.2	<0.1	63	0.33	0.029
1268682	Soil	1.0	20.7	6.5	55	<0.1	23.0	16.5	555	3.62	8.7	0.3	1.3	2.1	19	<0.1	0.4	0.1	92	0.35	0.026
1268688	Soil	0.9	18.8	9.6	43	<0.1	23.9	11.0	369	2.60	7.5	1.1	1.8	15.8	21	<0.1	0.4	0.1	57	0.25	0.019
1268674	Soil	1.1	22.6	9.9	67	<0.1	29.8	17.8	402	4.21	16.2	1.0	29.0	7.1	41	<0.1	0.3	0.2	80	0.84	0.115
1268673	Soil	0.7	15.6	8.7	51	<0.1	32.1	15.1	319	3.83	13.2	0.8	4.1	5.8	45	<0.1	0.6	0.1	73	0.93	0.089
1268681	Soil	0.6	26.8	7.0	51	<0.1	34.4	12.9	331	3.19	6.8	0.6	0.9	6.4	17	<0.1	0.3	0.6	52	0.21	0.036
1268691	Soil	1.3	11.8	18.2	40	<0.1	19.2	9.5	470	2.31	5.6	2.3	2.1	24.6	18	<0.1	0.3	0.8	47	0.34	0.040
1268680	Soil	0.9	39.0	12.0	83	<0.1	64.2	24.2	638	5.00	5.4	1.3	<0.5	7.1	20	<0.1	0.1	0.3	59	0.37	0.099
1268676	Soil	1.1	27.8	14.8	62	<0.1	47.4	23.6	506	4.17	7.5	0.9	3.6	6.7	33	<0.1	0.2	0.2	89	0.74	0.089
1268672	Soil	0.8	23.6	13.5	55	<0.1	46.5	17.4	271	3.40	12.6	0.7	4.3	6.8	36	<0.1	0.5	0.1	69	0.74	0.072
1268695	Soil	1.3	17.2	11.1	35	<0.1	21.6	9.2	277	2.19	5.3	1.2	23.8	16.0	16	<0.1	0.5	0.2	46	0.15	0.014

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000204.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1268687	Soil	38	59	1.01	148	0.109	1	1.85	0.011	0.18	0.2	0.01	4.9	0.3	<0.05	6	<0.5	<0.2
1269101	Soil	20	29	0.44	188	0.067	<1	1.28	0.011	0.09	0.2	0.02	3.3	0.1	<0.05	5	<0.5	<0.2
1268699	Soil	30	37	0.55	181	0.068	<1	1.44	0.012	0.11	0.2	0.04	4.5	0.1	<0.05	5	<0.5	<0.2
1268698	Soil	8	30	0.42	111	0.063	<1	1.23	0.008	0.08	0.2	0.03	2.4	0.2	<0.05	5	<0.5	<0.2
1268685	Soil	11	42	0.66	216	0.087	<1	2.25	0.012	0.08	0.1	0.02	4.0	0.1	<0.05	6	<0.5	<0.2
1268689	Soil	37	49	0.95	127	0.103	1	1.59	0.013	0.20	0.2	0.02	4.6	0.3	<0.05	5	<0.5	<0.2
1268686	Soil	6	32	0.51	212	0.061	1	1.59	0.009	0.08	0.1	0.01	2.8	<0.1	<0.05	5	<0.5	<0.2
1268697	Soil	15	41	0.56	175	0.066	<1	1.64	0.010	0.08	0.2	0.05	4.0	0.1	<0.05	5	0.5	<0.2
1268700	Soil	15	31	0.50	152	0.068	1	1.31	0.012	0.08	0.2	0.02	3.0	<0.1	<0.05	4	<0.5	<0.2
1268692	Soil	21	48	0.86	184	0.102	1	1.73	0.018	0.14	0.2	0.02	5.3	0.2	<0.05	5	<0.5	<0.2
1268694	Soil	15	38	0.73	120	0.085	1	1.54	0.010	0.12	0.3	0.02	3.0	0.2	<0.05	5	<0.5	<0.2
1269102	Rock Pulp	16	613	0.13	141	0.152	3	3.98	0.014	0.06	<0.1	0.04	39.1	<0.1	<0.05	20	<0.5	<0.2
1268696	Soil	14	32	0.56	123	0.071	<1	1.36	0.011	0.07	0.3	0.01	3.4	0.1	<0.05	5	<0.5	<0.2
1269104	Soil	26	35	0.54	227	0.063	<1	1.51	0.015	0.07	0.2	0.04	5.1	0.1	<0.05	5	0.6	<0.2
1268677	Soil	47	40	1.00	324	0.122	2	2.15	0.012	0.24	0.2	0.05	7.2	0.2	<0.05	7	<0.5	<0.2
1268678	Soil	38	96	2.45	366	0.154	2	3.07	0.007	0.63	0.1	0.02	9.4	0.7	<0.05	10	<0.5	<0.2
1268675	Soil	9	103	2.03	347	0.188	<1	2.68	0.010	0.53	0.1	0.01	6.4	0.4	<0.05	9	<0.5	<0.2
1268693	Soil	36	45	0.76	135	0.085	1	1.43	0.011	0.18	1.2	<0.01	6.5	0.3	<0.05	5	<0.5	<0.2
1268679	Soil	9	34	0.44	132	0.067	1	1.78	0.009	0.04	0.2	0.02	2.7	0.2	<0.05	6	<0.5	<0.2
1268683	Soil	20	96	1.65	175	0.142	<1	2.76	0.009	0.50	<0.1	<0.01	3.7	0.4	<0.05	8	<0.5	<0.2
1268682	Soil	5	36	0.89	142	0.109	1	2.43	0.013	0.07	0.1	0.02	4.1	0.1	<0.05	7	<0.5	<0.2
1268688	Soil	19	47	0.85	130	0.107	1	1.75	0.011	0.14	0.1	0.01	3.6	0.2	<0.05	5	<0.5	<0.2
1268674	Soil	22	53	1.58	207	0.127	2	2.32	0.014	0.39	0.1	0.04	6.3	0.4	<0.05	7	<0.5	<0.2
1268673	Soil	12	63	1.24	150	0.108	2	1.91	0.014	0.13	0.1	0.05	4.9	0.3	<0.05	5	<0.5	<0.2
1268681	Soil	11	43	1.14	134	0.153	2	2.25	0.010	0.45	<0.1	0.01	3.0	0.5	<0.05	7	<0.5	<0.2
1268691	Soil	20	60	0.76	126	0.075	1	1.35	0.009	0.25	0.9	0.01	4.6	0.4	<0.05	4	<0.5	<0.2
1268680	Soil	11	70	1.90	118	0.161	1	3.27	0.006	0.85	<0.1	<0.01	3.1	0.6	<0.05	9	<0.5	<0.2
1268676	Soil	20	84	1.87	323	0.178	1	2.60	0.012	0.48	0.1	0.03	6.3	0.4	<0.05	8	<0.5	<0.2
1268672	Soil	16	76	1.04	146	0.104	2	1.86	0.015	0.15	0.1	0.04	5.6	0.2	<0.05	6	<0.5	<0.2
1268695	Soil	16	39	0.57	108	0.073	1	1.45	0.008	0.09	0.2	0.01	3.0	0.2	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000204.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1268735	Soil		1.0	33.4	8.3	50	<0.1	10.2	7.1	640	2.74	9.8	1.1	3.5	10.1	18	<0.1	1.0	0.1	40	0.30	0.057
1268711	Soil		1.3	67.1	9.5	68	0.1	55.7	18.6	500	3.33	17.0	0.7	0.6	2.3	29	0.3	0.6	0.1	97	0.49	0.086
1268707	Soil		0.8	40.3	7.3	37	0.2	16.2	8.6	229	2.50	7.8	0.4	2.6	1.9	27	0.2	0.8	0.1	72	0.29	0.038
1268714	Soil		1.9	46.8	17.0	153	0.4	51.0	11.7	543	3.26	60.4	1.3	4.3	3.1	36	0.9	2.4	0.2	91	0.47	0.054
1268723	Soil		1.9	27.7	11.4	79	0.3	26.4	10.9	554	2.87	20.0	0.6	0.5	2.1	22	0.6	0.9	0.2	84	0.22	0.049
1268712	Soil		2.0	42.7	13.4	103	0.5	38.5	11.0	609	3.04	46.5	1.1	3.0	2.8	28	0.9	1.9	0.2	92	0.36	0.050
1268708	Soil		1.1	45.5	8.1	50	0.1	21.1	11.0	300	2.63	14.6	0.6	1.0	2.0	26	<0.1	1.0	0.1	78	0.34	0.027
1268705	Soil		0.6	89.0	7.7	64	0.2	22.4	16.2	672	3.51	5.0	0.9	2.2	2.7	36	0.1	1.1	0.1	99	0.85	0.077
1268722	Soil		2.1	29.6	13.2	86	0.5	26.1	12.9	938	2.90	20.0	0.9	1.8	2.0	23	0.6	1.0	0.2	95	0.22	0.043
1268713	Soil		1.9	45.5	15.0	134	0.7	44.9	12.8	1178	3.37	46.4	1.1	3.7	2.0	34	0.9	1.7	0.2	88	0.45	0.060
1268710	Soil		1.5	37.1	12.0	80	0.3	26.8	12.5	617	2.78	34.1	1.0	2.5	3.0	33	0.5	1.2	0.2	77	0.39	0.045
1268704	Soil		0.7	95.9	8.8	68	0.1	28.4	18.7	828	3.87	5.7	1.3	3.2	3.4	37	0.2	1.8	0.1	99	0.82	0.073
1268721	Soil		1.8	28.4	12.5	68	0.6	17.3	10.2	853	2.31	13.6	1.2	1.5	1.2	22	1.5	1.0	0.3	69	0.20	0.040
1268724	Soil		2.1	53.1	13.0	89	0.6	35.0	9.4	787	2.58	19.6	1.5	2.0	1.9	42	1.0	0.8	0.2	76	0.44	0.069
1268709	Soil		1.2	61.6	16.1	88	0.5	36.5	14.3	566	2.91	34.2	1.6	5.5	2.5	44	0.6	1.2	0.1	79	0.59	0.048
1268706	Soil		0.9	72.0	6.5	65	<0.1	23.9	15.0	504	3.72	6.2	0.4	0.9	2.2	24	<0.1	0.4	0.1	101	0.38	0.053
1268725	Soil		2.6	35.5	11.0	77	0.6	28.1	8.8	408	2.83	23.0	0.9	0.8	2.3	29	0.5	0.9	0.2	87	0.31	0.052
1268729	Soil		1.8	40.9	12.0	69	0.3	28.0	12.5	516	2.96	19.0	1.1	2.8	3.0	33	0.2	0.8	0.2	88	0.41	0.044
1268718	Soil		3.4	46.8	33.1	110	0.8	32.3	13.9	439	3.41	65.9	1.8	3.1	3.9	18	0.7	3.0	0.2	82	0.10	0.064
1268720	Soil		2.6	27.2	15.4	105	0.5	25.0	9.7	425	3.29	42.3	1.1	<0.5	2.5	15	0.6	1.8	0.3	98	0.14	0.059
1268734	Soil		0.4	36.5	4.4	100	<0.1	13.2	14.4	912	4.16	2.4	0.8	1.5	7.1	39	<0.1	0.8	<0.1	93	1.18	0.167
1268727	Soil		1.7	34.4	9.8	77	0.3	26.4	11.6	500	2.78	19.6	0.9	2.4	2.6	27	0.5	0.8	0.2	84	0.34	0.049
1268719	Soil		1.4	31.3	12.1	56	0.3	22.7	9.7	323	2.80	14.1	1.2	3.2	4.3	18	0.2	0.8	0.2	70	0.15	0.026
1268716	Soil		1.5	26.5	15.0	86	0.5	24.8	12.9	1749	2.72	24.7	0.6	1.2	1.6	17	1.6	1.1	0.2	72	0.17	0.042
1268731	Soil		0.9	35.1	6.9	62	0.2	23.3	10.7	359	2.68	12.7	0.6	1.2	2.5	29	0.2	0.6	<0.1	75	0.39	0.043
1268726	Soil		2.2	30.2	10.0	72	0.7	24.1	8.6	585	2.40	17.4	0.9	<0.5	1.9	21	0.6	0.7	0.2	74	0.22	0.042
1268730	Soil		1.1	40.7	7.0	62	0.2	28.2	11.2	414	2.53	13.4	0.8	4.2	2.7	30	<0.1	0.7	<0.1	76	0.42	0.052
1268715	Soil		1.1	29.7	15.7	90	0.4	35.7	9.7	589	2.58	26.4	1.0	1.4	2.7	22	0.5	0.9	0.2	72	0.26	0.038
1268732	Soil		0.9	47.9	7.1	61	0.3	27.2	9.8	315	3.08	12.7	0.7	3.6	2.3	27	0.1	0.5	0.1	93	0.43	0.031
1268733	Soil		0.4	85.5	4.2	72	<0.1	25.2	18.8	809	4.61	2.9	0.4	2.3	1.9	25	0.1	0.7	<0.1	145	0.75	0.095

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000204.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1268735	Soil		15	15	0.30	219	0.019	<1	0.98	0.008	0.07	<0.1	0.02	4.8	<0.1	<0.05	4	<0.5	<0.2
1268711	Soil		11	110	1.23	608	0.161	1	2.12	0.023	0.29	<0.1	0.03	5.9	0.3	<0.05	7	<0.5	<0.2
1268707	Soil		8	25	0.53	190	0.087	1	1.60	0.024	0.08	0.1	0.01	3.4	<0.1	<0.05	6	<0.5	<0.2
1268714	Soil		12	52	0.56	711	0.071	2	1.61	0.011	0.12	0.1	0.04	5.7	0.5	<0.05	6	1.1	<0.2
1268723	Soil		8	39	0.56	627	0.065	2	1.85	0.011	0.09	0.1	0.01	3.6	0.2	<0.05	7	0.7	<0.2
1268712	Soil		12	47	0.55	891	0.074	2	1.71	0.012	0.09	0.2	0.03	5.1	0.4	<0.05	6	<0.5	<0.2
1268708	Soil		8	33	0.65	288	0.099	1	1.69	0.019	0.07	0.1	0.01	3.8	<0.1	<0.05	6	<0.5	<0.2
1268705	Soil		18	37	1.00	253	0.086	<1	1.85	0.026	0.15	<0.1	0.04	10.3	0.1	<0.05	7	<0.5	<0.2
1268722	Soil		8	40	0.47	841	0.063	<1	1.84	0.011	0.09	0.1	0.02	3.9	0.3	<0.05	7	<0.5	<0.2
1268713	Soil		12	47	0.52	1147	0.055	2	2.27	0.015	0.08	0.1	0.04	5.7	0.4	<0.05	7	0.5	<0.2
1268710	Soil		10	38	0.58	619	0.083	<1	1.67	0.014	0.07	<0.1	0.04	4.9	0.4	<0.05	6	<0.5	<0.2
1268704	Soil		24	46	0.96	277	0.088	<1	1.82	0.026	0.15	<0.1	0.05	11.3	0.2	<0.05	7	<0.5	<0.2
1268721	Soil		10	25	0.24	746	0.053	<1	1.02	0.014	0.07	0.1	0.03	2.7	0.2	<0.05	6	<0.5	<0.2
1268724	Soil		15	39	0.49	1216	0.071	1	1.51	0.013	0.13	0.1	0.05	5.0	0.2	<0.05	6	0.7	<0.2
1268709	Soil		14	53	0.68	750	0.083	1	1.93	0.016	0.11	0.2	0.08	6.4	0.5	<0.05	6	0.6	<0.2
1268706	Soil		8	38	1.15	200	0.131	<1	2.33	0.018	0.10	<0.1	0.01	5.4	<0.1	<0.05	9	<0.5	<0.2
1268725	Soil		10	42	0.59	719	0.074	1	1.63	0.012	0.11	0.2	0.03	4.3	0.3	<0.05	6	0.5	<0.2
1268729	Soil		12	47	0.64	493	0.098	<1	1.70	0.015	0.08	0.2	0.03	4.8	0.2	<0.05	6	<0.5	<0.2
1268718	Soil		11	45	0.41	321	0.065	1	1.89	0.011	0.15	0.1	0.04	3.6	0.9	0.09	5	1.8	<0.2
1268720	Soil		9	40	0.49	428	0.059	<1	1.94	0.008	0.08	0.2	0.03	3.2	0.5	<0.05	7	0.8	<0.2
1268734	Soil		21	19	0.91	292	0.056	<1	1.64	0.010	0.08	<0.1	<0.01	10.7	<0.1	<0.05	9	<0.5	<0.2
1268727	Soil		10	42	0.59	658	0.086	<1	1.68	0.011	0.13	0.2	0.03	4.2	0.2	<0.05	6	0.7	<0.2
1268719	Soil		15	40	0.57	274	0.063	<1	1.87	0.010	0.06	0.2	0.03	5.5	0.2	<0.05	6	<0.5	<0.2
1268716	Soil		8	31	0.38	652	0.051	<1	1.47	0.012	0.08	0.1	0.03	3.1	0.3	<0.05	6	<0.5	<0.2
1268731	Soil		9	35	0.70	317	0.114	1	1.52	0.018	0.13	0.1	0.02	3.6	0.2	<0.05	6	<0.5	<0.2
1268726	Soil		10	35	0.46	664	0.062	1	1.50	0.012	0.11	0.2	0.02	3.6	0.2	<0.05	6	<0.5	<0.2
1268730	Soil		9	45	0.74	385	0.106	<1	1.47	0.017	0.13	0.1	0.01	4.1	0.2	<0.05	6	<0.5	<0.2
1268715	Soil		11	45	0.58	627	0.067	1	1.53	0.010	0.08	0.1	0.03	3.9	0.3	<0.05	5	<0.5	<0.2
1268732	Soil		11	45	0.78	362	0.129	1	1.81	0.021	0.18	0.1	0.03	5.0	0.2	<0.05	7	<0.5	<0.2
1268733	Soil		9	42	1.42	280	0.217	<1	2.15	0.025	0.33	<0.1	0.02	9.2	0.2	<0.05	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000204.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1268728	Soil		2.3	39.3	9.5	67	0.6	29.6	11.6	515	3.18	18.2	1.0	2.3	2.7	24	0.3	0.7	0.2	102	0.33	0.044
1268717	Soil		2.4	34.5	22.6	81	0.6	28.8	7.4	345	3.45	32.5	1.1	3.9	3.1	17	0.5	1.1	0.2	102	0.18	0.038
1269139	Soil		2.2	28.8	9.1	56	0.3	30.2	9.0	424	3.34	46.1	0.5	2.7	2.6	13	0.1	0.9	0.2	94	0.19	0.030
1269143	Soil		1.4	17.9	11.9	65	0.5	28.0	11.1	538	3.14	57.3	0.4	4.0	3.4	19	0.3	1.3	0.2	60	0.36	0.018
1269145	Soil		1.6	32.4	10.2	94	0.2	27.1	12.3	1116	4.81	31.9	1.0	4.3	4.9	25	<0.1	0.8	0.2	94	0.56	0.039
1269152	Soil		1.3	13.8	13.7	90	0.1	15.5	9.1	376	3.60	33.1	0.9	4.6	5.6	29	0.1	1.1	0.1	68	0.80	0.078
1269137	Soil		2.8	23.2	13.1	77	0.2	20.6	6.2	492	3.01	23.9	0.6	0.9	2.8	13	0.4	0.6	0.2	115	0.11	0.040
1269141	Soil		1.6	27.1	10.6	87	0.5	39.1	12.3	514	3.28	26.2	0.6	1.3	3.3	19	0.2	0.9	0.1	92	0.25	0.041
1269144	Soil		1.7	22.2	18.7	84	0.2	33.1	12.4	843	3.99	123.3	0.7	1.3	4.5	20	0.2	2.5	0.2	81	0.46	0.022
1269153	Soil		0.6	11.5	5.9	55	<0.1	7.9	8.1	267	3.07	12.9	1.4	1.5	8.1	35	0.1	1.3	<0.1	68	0.85	0.120
1269138	Soil		2.5	25.9	11.7	86	0.2	34.3	8.9	432	3.29	31.1	0.5	1.4	2.3	13	0.5	0.5	0.2	109	0.14	0.043
1269146	Soil		0.8	40.0	7.8	46	0.2	26.2	9.4	384	2.49	10.8	0.5	3.4	2.3	165	<0.1	0.5	<0.1	52	6.06	0.045
1269147	Soil		1.0	32.7	11.5	62	0.2	35.2	11.4	524	3.13	14.4	0.5	2.9	2.8	101	0.2	0.6	0.1	54	3.21	0.061
1269149	Soil		1.3	36.8	10.5	63	0.2	32.8	10.5	594	2.82	18.7	1.8	2.3	2.6	64	0.2	0.7	0.1	58	1.03	0.056
1269140	Soil		1.7	21.4	11.1	69	0.4	32.1	12.2	1989	3.07	64.7	0.5	2.0	2.5	22	0.5	1.4	0.1	66	0.36	0.035
1269142	Soil		1.6	21.5	12.6	93	0.2	49.8	13.9	575	3.53	39.0	0.4	1.5	2.5	19	0.2	0.6	0.2	107	0.34	0.025
1269148	Soil		2.4	37.5	15.5	89	0.3	44.0	13.2	764	3.74	59.1	1.0	4.2	3.4	35	0.4	1.6	0.2	69	0.74	0.077
1269150	Soil		2.6	47.2	13.6	101	0.3	38.6	13.9	473	3.90	42.8	1.1	2.5	3.0	42	0.3	1.5	0.2	96	1.20	0.086
1268628	Soil		2.0	38.2	8.4	86	0.4	34.1	12.8	908	3.47	20.5	0.9	4.4	2.3	15	0.4	0.6	0.1	93	0.20	0.077
1268623	Soil		2.0	39.2	8.0	86	0.4	38.7	9.5	316	3.31	30.4	0.6	2.0	2.8	21	0.3	0.9	0.1	100	0.26	0.051
1268630	Soil		1.8	36.0	8.8	82	0.4	40.8	11.0	513	3.22	29.3	0.7	3.3	2.7	22	0.3	1.1	0.1	79	0.29	0.039
1268632	Soil		2.5	43.7	12.1	131	0.3	62.9	12.4	652	3.64	47.3	0.9	2.9	3.0	17	0.5	1.8	0.2	92	0.20	0.050
1268611	Soil		1.1	23.3	7.4	67	<0.1	16.2	8.8	454	3.39	8.3	0.5	2.5	3.8	21	<0.1	0.6	<0.1	63	0.38	0.055
1268629	Soil		1.6	23.3	9.4	91	0.4	35.6	14.7	1012	3.27	23.9	0.5	1.2	2.0	23	0.3	0.8	0.1	74	0.29	0.048
1269151	Rock Pulp		2.5	21.7	2.1	42	0.3	25.3	9.4	405	2.50	4.0	0.2	4.5	0.7	33	0.2	0.3	<0.1	57	0.89	0.054
1268631	Soil		1.4	22.1	10.5	114	0.5	40.8	14.3	887	3.26	22.5	0.5	0.8	2.1	26	0.5	0.6	0.1	70	0.37	0.050
1268612	Soil		0.4	139.0	5.0	68	<0.1	23.6	19.8	769	5.07	3.0	0.3	2.9	1.5	28	<0.1	0.4	<0.1	167	0.86	0.101
1268627	Soil		1.5	24.2	7.7	73	0.3	27.5	10.2	494	3.48	24.3	0.5	2.7	1.7	14	0.4	0.7	0.1	87	0.21	0.077
1268626	Soil		1.7	24.6	11.1	53	1.1	20.6	7.8	299	3.22	14.8	0.5	3.9	1.4	13	0.4	0.5	0.2	77	0.18	0.048
1268633	Soil		1.7	24.4	8.9	79	0.3	31.4	9.6	347	3.33	24.2	0.4	2.2	2.0	17	0.4	0.7	0.1	87	0.26	0.043

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000204.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1268728	Soil	10	53	0.62	927	0.090	1	1.96	0.012	0.11	0.2	0.03	4.9	0.3	<0.05	7	<0.5	<0.2
1268717	Soil	10	49	0.61	420	0.076	1	2.15	0.012	0.14	0.1	0.04	4.4	0.4	0.07	7	0.9	<0.2
1269139	Soil	9	50	0.68	153	0.146	1	1.88	0.008	0.12	0.2	0.02	4.3	0.2	<0.05	8	<0.5	<0.2
1269143	Soil	10	44	0.53	670	0.075	2	1.75	0.013	0.18	0.2	0.05	6.2	0.3	<0.05	5	<0.5	<0.2
1269145	Soil	30	37	0.97	398	0.061	2	2.17	0.013	0.16	<0.1	0.10	8.9	0.4	<0.05	10	<0.5	<0.2
1269152	Soil	12	29	0.67	302	0.102	2	1.57	0.021	0.13	0.2	0.07	5.4	0.5	<0.05	6	<0.5	<0.2
1269137	Soil	11	33	0.32	238	0.163	<1	1.11	0.013	0.13	0.1	0.02	2.9	0.3	<0.05	9	<0.5	<0.2
1269141	Soil	9	52	0.69	268	0.083	1	2.26	0.008	0.13	0.1	0.01	5.0	0.2	<0.05	7	<0.5	<0.2
1269144	Soil	14	58	0.54	691	0.059	2	1.94	0.012	0.27	0.1	0.08	8.8	0.6	<0.05	7	<0.5	<0.2
1269153	Soil	15	21	0.71	365	0.089	<1	1.79	0.030	0.16	0.2	0.03	5.8	0.2	<0.05	6	<0.5	<0.2
1269138	Soil	9	45	0.54	265	0.164	2	1.62	0.015	0.21	0.2	0.02	3.8	0.3	0.07	10	0.6	<0.2
1269146	Soil	9	32	0.89	685	0.081	2	1.29	0.031	0.08	0.2	0.05	5.0	0.1	<0.05	5	<0.5	<0.2
1269147	Soil	13	35	0.72	1151	0.060	2	1.54	0.022	0.16	0.1	0.07	6.5	0.3	<0.05	6	<0.5	<0.2
1269149	Soil	13	41	0.67	690	0.076	2	1.55	0.022	0.11	<0.1	0.05	5.6	0.2	<0.05	6	0.8	<0.2
1269140	Soil	9	46	0.58	840	0.079	1	1.87	0.013	0.15	0.1	0.03	4.9	0.2	<0.05	6	<0.5	<0.2
1269142	Soil	8	78	0.89	404	0.153	2	2.38	0.013	0.26	0.1	0.01	6.7	0.4	<0.05	8	<0.5	<0.2
1269148	Soil	14	56	0.74	1082	0.090	2	1.60	0.017	0.26	0.2	0.05	7.3	0.6	0.07	6	0.8	<0.2
1269150	Soil	15	58	0.91	1039	0.068	2	1.82	0.016	0.14	0.1	0.08	8.4	0.4	<0.05	7	0.5	<0.2
1268628	Soil	12	52	0.67	355	0.090	2	2.30	0.010	0.15	0.2	0.04	5.5	0.4	<0.05	8	<0.5	<0.2
1268623	Soil	9	66	0.72	397	0.102	1	1.99	0.011	0.15	0.1	0.03	4.9	0.6	<0.05	7	<0.5	<0.2
1268630	Soil	11	53	0.68	434	0.083	2	2.08	0.009	0.13	0.1	0.02	4.6	0.4	<0.05	7	<0.5	<0.2
1268632	Soil	10	56	0.48	632	0.082	1	1.58	0.009	0.12	0.2	0.03	5.1	0.7	<0.05	6	<0.5	<0.2
1268611	Soil	14	26	0.58	729	0.039	<1	1.77	0.013	0.11	<0.1	0.03	5.7	0.2	<0.05	7	<0.5	<0.2
1268629	Soil	9	49	0.64	736	0.083	4	1.94	0.012	0.12	0.1	0.02	3.9	0.4	0.07	7	<0.5	<0.2
1269151	Rock Pulp	3	35	0.81	95	0.134	2	1.56	0.082	0.12	13.7	0.01	4.6	<0.1	<0.05	5	<0.5	<0.2
1268631	Soil	9	46	0.55	1002	0.066	2	2.09	0.013	0.12	0.1	0.02	4.3	0.4	<0.05	7	<0.5	<0.2
1268612	Soil	8	31	1.54	417	0.076	<1	2.44	0.064	0.06	<0.1	0.02	13.5	<0.1	<0.05	10	<0.5	<0.2
1268627	Soil	8	44	0.54	368	0.072	2	2.01	0.008	0.06	0.1	0.04	4.0	0.3	<0.05	8	<0.5	<0.2
1268626	Soil	8	40	0.42	322	0.062	1	2.04	0.010	0.06	0.1	0.04	3.4	0.3	<0.05	8	<0.5	<0.2
1268633	Soil	9	47	0.56	681	0.081	1	1.85	0.013	0.10	0.2	0.02	3.9	0.3	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000204.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1268615	Soil		0.8	48.1	5.2	61	<0.1	22.4	11.8	437	3.78	5.2	0.4	1.1	2.4	31	<0.1	0.4	<0.1	99	0.39	0.025
1268624	Soil		1.6	24.7	8.7	64	0.3	29.8	9.8	414	3.29	25.6	0.6	2.6	2.3	18	0.3	0.7	0.1	70	0.27	0.065
1268625	Soil		2.0	26.9	8.5	65	0.5	29.7	9.1	371	3.50	25.0	0.5	7.8	1.7	17	0.4	0.9	0.1	79	0.25	0.060
1268634	Soil		1.8	32.0	8.9	66	0.3	31.5	9.8	466	2.99	27.8	0.9	1.9	2.9	21	0.2	1.0	0.1	91	0.46	0.032
1268638	Soil		1.0	18.7	9.5	50	<0.1	20.5	9.3	312	2.87	8.5	0.5	1.3	2.9	20	<0.1	0.5	0.2	73	0.24	0.037
1268617	Soil		0.6	14.0	8.3	70	<0.1	13.5	9.0	485	3.04	5.9	0.5	1.9	2.2	26	<0.1	0.3	0.1	67	0.30	0.046
1268616	Soil		1.0	105.5	8.4	71	<0.1	26.2	23.6	863	5.27	5.8	0.7	1.2	2.7	30	<0.1	0.8	0.1	149	0.60	0.039
1268622	Soil		1.9	38.2	8.5	87	0.3	33.4	9.8	363	2.89	31.8	0.9	2.9	3.1	21	0.4	1.1	0.2	83	0.27	0.042
1268643	Soil		1.2	113.4	8.6	59	0.1	35.1	17.7	526	3.99	17.3	0.6	2.0	3.0	35	<0.1	0.8	0.2	110	0.76	0.039
1268635	Soil		1.1	24.9	7.8	60	<0.1	20.9	10.6	367	3.06	10.1	0.6	1.6	2.7	25	<0.1	0.4	0.1	75	0.49	0.065
1268619	Soil		1.3	33.7	28.4	112	0.2	26.1	11.8	828	4.08	19.2	1.3	2.2	5.4	29	0.2	0.8	0.4	86	0.67	0.108
1268621	Soil		1.9	52.1	11.7	106	0.2	46.9	14.3	634	3.45	33.5	1.1	4.6	3.5	22	0.5	1.2	0.2	100	0.46	0.049
1268639	Soil		0.9	22.8	8.6	75	<0.1	20.7	10.5	433	3.70	7.8	0.6	1.9	3.6	32	<0.1	0.6	0.2	85	0.40	0.049
1268637	Soil		1.0	21.2	9.9	78	<0.1	18.5	12.1	444	3.80	9.4	0.6	1.2	2.7	34	<0.1	0.4	0.1	84	0.41	0.070
1268613	Soil		0.7	59.5	7.8	52	0.2	25.9	13.5	771	3.16	6.2	1.2	2.0	3.0	42	0.1	0.7	0.1	84	1.03	0.050
1268618	Soil		1.2	15.9	8.8	66	<0.1	17.2	9.3	440	3.25	9.0	0.4	0.7	2.3	15	0.1	0.3	0.1	71	0.21	0.041
1268640	Soil		0.9	26.8	9.4	59	<0.1	24.3	12.7	508	3.32	9.1	0.8	2.0	4.5	31	<0.1	0.7	0.1	82	0.46	0.034
1268636	Soil		1.1	36.0	10.6	57	0.2	26.8	10.8	444	2.86	10.8	1.6	1.3	2.7	42	0.2	0.5	0.1	80	0.83	0.047
1268614	Soil		0.9	65.6	11.1	71	<0.1	28.0	16.6	499	4.08	5.5	0.9	2.5	5.2	45	0.1	0.5	0.2	115	0.80	0.062
1268620	Soil		1.1	45.7	10.1	68	0.3	37.3	12.1	473	3.16	20.2	0.9	5.1	4.3	33	0.1	0.8	0.1	85	0.64	0.048

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000204.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1268615	Soil	9	36	0.97	226	0.107	<1	2.35	0.024	0.06	0.1	0.01	6.5	0.1	<0.05	9	<0.5	<0.2
1268624	Soil	9	44	0.58	721	0.074	2	2.05	0.011	0.09	0.1	0.02	4.0	0.4	<0.05	7	<0.5	<0.2
1268625	Soil	10	47	0.51	337	0.076	1	1.78	0.009	0.09	0.2	0.04	3.6	0.3	0.05	7	<0.5	<0.2
1268634	Soil	11	53	0.61	532	0.092	1	1.73	0.016	0.12	0.2	0.03	5.2	0.3	<0.05	6	<0.5	<0.2
1268638	Soil	10	36	0.57	231	0.073	2	1.82	0.010	0.05	0.1	0.02	3.4	0.1	<0.05	6	<0.5	<0.2
1268617	Soil	8	24	0.79	185	0.040	1	2.14	0.009	0.06	<0.1	0.01	3.3	0.1	<0.05	9	<0.5	<0.2
1268616	Soil	13	56	1.47	186	0.040	1	3.07	0.016	0.05	<0.1	0.02	14.9	<0.1	<0.05	11	<0.5	<0.2
1268622	Soil	11	53	0.63	499	0.090	2	1.69	0.011	0.10	0.1	0.02	4.2	0.4	<0.05	6	0.5	<0.2
1268643	Soil	15	67	0.93	194	0.088	2	2.16	0.057	0.06	<0.1	0.07	10.6	0.2	<0.05	8	<0.5	<0.2
1268635	Soil	9	32	0.66	256	0.104	2	1.72	0.017	0.08	0.2	0.01	3.8	0.2	<0.05	6	<0.5	<0.2
1268619	Soil	22	34	0.77	525	0.097	2	1.85	0.021	0.15	0.1	0.08	7.3	0.6	<0.05	8	<0.5	<0.2
1268621	Soil	15	68	0.64	620	0.114	1	1.76	0.015	0.12	0.1	0.03	6.0	0.5	<0.05	7	0.8	<0.2
1268639	Soil	11	34	0.84	206	0.109	1	2.33	0.010	0.15	0.1	0.01	4.6	0.2	<0.05	9	<0.5	<0.2
1268637	Soil	8	32	0.84	171	0.126	1	2.40	0.016	0.08	0.1	0.02	3.9	0.2	<0.05	9	<0.5	<0.2
1268613	Soil	14	43	0.79	371	0.089	2	2.02	0.030	0.05	0.2	0.05	6.6	0.1	<0.05	7	<0.5	<0.2
1268618	Soil	7	30	0.60	253	0.087	1	2.13	0.009	0.11	0.1	0.01	3.3	0.2	<0.05	8	<0.5	<0.2
1268640	Soil	16	42	0.76	265	0.090	1	2.14	0.019	0.11	0.1	0.03	7.9	0.1	<0.05	7	<0.5	<0.2
1268636	Soil	18	38	0.55	425	0.094	2	1.70	0.019	0.07	0.2	0.07	4.9	0.1	<0.05	6	<0.5	<0.2
1268614	Soil	15	50	1.18	251	0.164	1	2.68	0.032	0.08	0.2	0.02	8.5	0.2	<0.05	10	<0.5	<0.2
1268620	Soil	18	47	0.72	648	0.116	2	1.75	0.033	0.08	0.1	0.07	7.5	0.2	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

QUALITY CONTROL REPORT WHI12000204.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
1282674	Soil	1.3	11.6	12.8	78	<0.1	21.5	12.4	813	2.87	4.7	2.1	1.3	20.7	36	<0.1	1.1	0.2	59	0.51	0.040
REP 1282674	QC	1.3	12.0	12.7	82	<0.1	21.8	12.2	821	2.93	4.7	2.1	<0.5	21.0	36	<0.1	1.2	0.2	62	0.53	0.040
1290558	Soil	7.1	76.3	12.7	169	1.2	31.9	9.9	371	4.20	20.1	2.7	1.5	6.3	41	1.0	0.9	0.4	75	0.50	0.081
REP 1290558	QC	6.7	78.1	12.8	170	1.2	32.8	10.2	365	4.04	19.1	2.7	0.8	6.6	43	1.0	0.9	0.4	72	0.50	0.077
1290561	Soil	1.8	39.8	11.9	77	0.2	40.1	14.3	490	3.15	17.4	0.7	11.0	6.9	28	0.1	0.5	0.2	59	0.36	0.050
REP 1290561	QC	1.7	39.2	11.3	75	0.2	40.9	14.0	495	3.14	15.9	0.7	4.2	6.8	27	0.2	0.5	0.2	59	0.36	0.049
1291129	Soil	1.3	27.5	11.7	58	0.2	26.0	9.7	556	2.26	7.7	2.2	7.1	20.4	89	0.2	0.8	0.2	44	1.37	0.045
REP 1291129	QC	1.2	28.2	12.0	59	0.2	24.2	9.7	528	2.24	8.0	2.3	5.8	21.0	90	0.2	0.8	0.2	45	1.42	0.043
1290644	Soil	3.5	68.7	7.4	131	0.5	79.6	14.7	539	3.35	28.9	1.5	4.9	2.6	27	0.3	1.6	0.2	91	0.37	0.059
REP 1290644	QC	3.5	68.7	7.0	129	0.5	79.5	14.8	539	3.40	29.0	1.5	6.0	2.6	27	0.4	1.5	0.2	94	0.36	0.058
1290653	Soil	2.3	45.9	19.8	119	0.2	59.8	20.2	656	4.62	90.4	1.0	2.7	5.4	24	0.4	7.3	0.3	133	0.48	0.044
REP 1290653	QC	2.0	44.8	18.7	115	0.2	57.7	19.5	638	4.44	88.2	1.0	1.9	5.2	23	0.4	7.0	0.2	134	0.49	0.044
1291001	Rock Pulp	1.3	451.3	21.4	163	0.2	217.8	77.4	819	14.89	3.2	1.3	37.9	7.8	16	<0.1	0.4	0.1	211	0.28	0.044
REP 1291001	QC	1.3	457.5	22.9	163	0.2	219.3	76.9	819	14.94	2.9	1.3	32.8	7.9	16	0.1	0.5	0.1	213	0.28	0.045
1291014	Soil	1.6	30.2	13.4	85	0.2	46.2	15.4	475	3.35	16.2	0.8	2.0	5.1	18	0.1	0.3	0.1	85	0.37	0.041
REP 1291014	QC	1.5	28.8	13.4	82	0.2	45.4	15.1	455	3.19	16.0	0.8	0.7	5.1	17	<0.1	0.3	0.1	83	0.36	0.039
1282700	Soil	0.8	17.1	8.5	47	0.1	24.3	9.8	360	2.65	9.0	0.5	2.6	15.4	21	<0.1	0.5	0.1	60	0.44	0.023
REP 1282700	QC	0.8	17.5	8.6	46	<0.1	24.4	9.6	361	2.62	8.9	0.5	1.5	15.4	21	<0.1	0.5	0.1	60	0.44	0.024
1290087	Soil	0.7	8.6	7.9	50	<0.1	18.0	6.2	283	2.21	3.4	1.2	<0.5	11.9	13	<0.1	0.3	<0.1	43	0.22	0.031
REP 1290087	QC	0.7	8.9	7.9	51	<0.1	18.6	6.5	287	2.24	3.6	1.3	<0.5	12.0	13	<0.1	0.3	<0.1	44	0.22	0.032
1290090	Soil	0.9	20.3	6.8	68	<0.1	30.7	7.4	281	3.87	9.7	1.3	1.1	1.7	14	<0.1	0.3	0.2	52	0.18	0.044
REP 1290090	QC	0.9	20.4	7.2	71	<0.1	28.9	7.7	274	3.90	10.3	1.3	2.5	1.6	14	<0.1	0.3	0.2	51	0.18	0.043
1268694	Soil	1.2	16.3	9.4	45	<0.1	20.2	9.9	319	2.44	6.5	0.7	11.5	11.5	15	<0.1	0.3	0.1	49	0.22	0.022
REP 1268694	QC	1.0	16.4	9.2	44	<0.1	20.4	9.6	316	2.39	6.8	0.7	1.4	11.7	16	0.1	0.3	0.1	49	0.22	0.020
1268675	Soil	1.1	23.1	15.1	60	<0.1	54.8	23.6	584	4.20	8.2	0.8	19.9	6.6	32	<0.1	0.2	0.2	94	0.75	0.090
REP 1268675	QC	1.1	23.1	15.2	59	<0.1	56.0	24.1	593	4.25	8.4	0.8	6.4	6.6	33	<0.1	0.1	0.2	94	0.77	0.088
1268679	Soil	1.0	10.6	11.2	44	<0.1	17.1	9.0	357	3.15	9.5	0.6	4.1	4.1	15	0.1	0.5	0.2	61	0.14	0.039
REP 1268679	QC	1.1	10.9	11.2	43	<0.1	18.0	9.0	356	3.21	9.5	0.6	2.9	4.3	17	<0.1	0.4	0.2	62	0.15	0.039

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

QUALITY CONTROL REPORT WHI12000204.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
1282674	Soil	48	52	0.82	249	0.075	3	1.84	0.012	0.42	0.1	<0.01	5.7	0.4	<0.05	8	0.9	<0.2
REP 1282674	QC	50	55	0.80	263	0.078	3	1.78	0.012	0.43	0.2	0.01	6.0	0.4	<0.05	8	<0.5	<0.2
1290558	Soil	22	31	0.51	715	0.028	3	1.39	0.012	0.35	<0.1	0.03	3.6	0.4	0.34	5	4.7	0.2
REP 1290558	QC	22	31	0.54	713	0.026	2	1.43	0.012	0.34	<0.1	0.03	3.3	0.4	0.36	5	4.5	<0.2
1290561	Soil	24	43	0.71	416	0.053	<1	1.72	0.009	0.11	0.1	0.02	5.4	<0.1	<0.05	6	<0.5	<0.2
REP 1290561	QC	25	45	0.72	422	0.061	3	1.73	0.009	0.11	0.2	0.02	5.2	<0.1	<0.05	5	1.1	<0.2
1291129	Soil	37	29	0.78	205	0.062	3	1.29	0.039	0.13	0.1	0.03	4.4	0.1	<0.05	4	1.0	<0.2
REP 1291129	QC	38	27	0.82	213	0.065	3	1.31	0.040	0.13	0.2	0.03	4.5	0.1	<0.05	4	1.1	<0.2
1290644	Soil	13	61	0.78	352	0.114	1	1.70	0.016	0.30	0.2	0.04	5.0	0.3	<0.05	7	0.9	<0.2
REP 1290644	QC	14	60	0.79	355	0.124	1	1.72	0.016	0.30	0.2	0.04	5.0	0.3	<0.05	7	1.0	<0.2
1290653	Soil	11	95	1.01	410	0.094	1	2.56	0.011	0.47	0.2	0.02	11.7	0.5	<0.05	9	0.9	<0.2
REP 1290653	QC	12	92	1.01	398	0.098	2	2.44	0.011	0.47	0.2	0.01	11.8	0.5	<0.05	8	<0.5	<0.2
1291001	Rock Pulp	18	650	0.13	146	0.220	4	4.36	0.012	0.07	<0.1	0.04	41.3	<0.1	<0.05	21	<0.5	<0.2
REP 1291001	QC	18	640	0.13	149	0.212	6	4.23	0.012	0.06	<0.1	0.04	41.5	<0.1	<0.05	20	<0.5	<0.2
1291014	Soil	15	67	0.97	256	0.075	1	2.02	0.011	0.27	0.1	<0.01	5.5	0.1	<0.05	7	<0.5	<0.2
REP 1291014	QC	15	65	0.95	252	0.074	1	1.96	0.011	0.25	0.1	<0.01	5.4	0.1	<0.05	7	<0.5	<0.2
1282700	Soil	19	37	0.54	267	0.077	2	1.48	0.023	0.22	0.1	0.02	5.4	0.1	<0.05	5	<0.5	<0.2
REP 1282700	QC	19	37	0.56	267	0.078	3	1.56	0.024	0.22	0.1	0.01	5.4	0.1	<0.05	5	<0.5	<0.2
1290087	Soil	31	32	0.41	179	0.045	1	1.41	0.010	0.06	0.2	<0.01	2.9	0.1	<0.05	6	<0.5	<0.2
REP 1290087	QC	31	33	0.41	179	0.043	<1	1.42	0.009	0.06	0.1	<0.01	3.1	0.1	<0.05	6	<0.5	<0.2
1290090	Soil	20	43	0.55	75	0.019	<1	1.61	0.005	0.06	<0.1	<0.01	3.9	<0.1	<0.05	7	<0.5	<0.2
REP 1290090	QC	20	43	0.56	75	0.019	1	1.63	0.005	0.06	0.1	<0.01	3.7	0.1	<0.05	6	<0.5	<0.2
1268694	Soil	15	38	0.73	120	0.085	1	1.54	0.010	0.12	0.3	0.02	3.0	0.2	<0.05	5	<0.5	<0.2
REP 1268694	QC	15	38	0.71	119	0.086	1	1.48	0.011	0.12	0.3	0.02	3.3	0.2	<0.05	5	<0.5	<0.2
1268675	Soil	9	103	2.03	347	0.188	<1	2.68	0.010	0.53	0.1	0.01	6.4	0.4	<0.05	9	<0.5	<0.2
REP 1268675	QC	9	106	2.06	356	0.189	1	2.67	0.010	0.54	0.1	0.02	6.4	0.5	<0.05	8	<0.5	<0.2
1268679	Soil	9	34	0.44	132	0.067	1	1.78	0.009	0.04	0.2	0.02	2.7	0.2	<0.05	6	<0.5	<0.2
REP 1268679	QC	10	35	0.44	138	0.069	2	1.78	0.009	0.05	0.1	0.02	2.9	0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

QUALITY CONTROL REPORT WHI12000204.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
1268707	Soil	0.8	40.3	7.3	37	0.2	16.2	8.6	229	2.50	7.8	0.4	2.6	1.9	27	0.2	0.8	0.1	72	0.29	0.038
REP 1268707	QC	0.9	39.3	7.3	38	0.2	16.6	8.3	228	2.53	7.9	0.5	4.6	2.0	27	0.2	0.8	0.1	76	0.29	0.039
1268734	Soil	0.4	36.5	4.4	100	<0.1	13.2	14.4	912	4.16	2.4	0.8	1.5	7.1	39	<0.1	0.8	<0.1	93	1.18	0.167
REP 1268734	QC	0.5	39.3	4.5	105	<0.1	14.4	15.1	938	4.27	2.4	0.8	<0.5	7.2	39	<0.1	0.8	<0.1	95	1.18	0.173
1269153	Soil	0.6	11.5	5.9	55	<0.1	7.9	8.1	267	3.07	12.9	1.4	1.5	8.1	35	0.1	1.3	<0.1	68	0.85	0.120
REP 1269153	QC	0.6	11.7	5.6	55	<0.1	7.7	8.0	270	3.00	12.6	1.5	<0.5	7.9	35	<0.1	1.3	<0.1	67	0.82	0.117
1268612	Soil	0.4	139.0	5.0	68	<0.1	23.6	19.8	769	5.07	3.0	0.3	2.9	1.5	28	<0.1	0.4	<0.1	167	0.86	0.101
REP 1268612	QC	0.4	137.7	4.8	69	<0.1	22.8	19.7	769	5.10	2.8	0.3	2.4	1.4	28	<0.1	0.4	<0.1	164	0.85	0.095
Reference Materials																					
STD DS9	Standard	12.4	99.9	119.7	282	1.7	36.0	7.0	531	2.12	23.7	3.0	110.1	6.7	72	2.0	4.9	6.6	38	0.66	0.077
STD DS9	Standard	12.4	104.1	120.4	303	1.8	38.6	7.3	590	2.37	25.0	2.6	122.1	6.0	75	2.1	5.5	6.8	40	0.69	0.081
STD DS9	Standard	13.9	92.9	109.6	283	1.9	42.1	7.0	593	2.38	21.0	2.3	114.1	5.4	73	1.9	4.8	5.1	38	0.75	0.074
STD DS9	Standard	14.4	95.2	120.3	299	1.8	42.9	6.8	592	2.38	21.2	2.2	118.1	5.6	72	1.9	4.7	5.1	39	0.75	0.074
STD DS9	Standard	14.2	93.2	109.5	299	1.9	41.7	8.0	589	2.36	20.8	2.1	122.2	7.0	74	1.9	4.7	4.9	45	0.74	0.075
STD DS9	Standard	12.1	104.2	122.3	303	1.9	40.0	7.6	572	2.30	25.7	2.7	116.9	6.1	73	2.4	6.1	6.8	40	0.71	0.084
STD DS9	Standard	11.8	105.1	120.7	294	1.8	38.5	7.1	554	2.18	24.4	2.6	116.5	6.0	68	2.3	5.8	6.6	39	0.66	0.078
STD DS9	Standard	12.9	103.2	117.9	289	1.8	38.9	7.2	534	2.15	23.9	2.7	103.5	6.3	78	1.9	5.8	6.4	40	0.68	0.075
STD DS9	Standard	13.8	110.0	125.7	305	1.9	39.4	7.5	587	2.35	25.6	2.8	125.3	7.0	80	2.6	6.1	7.0	42	0.75	0.083
STD DS9	Standard	14.5	109.9	122.3	306	1.8	40.7	7.8	615	2.41	23.9	2.9	114.3	6.7	75	2.3	5.4	6.2	45	0.73	0.082
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	0.1	<0.1	<1	<0.1	0.2	<0.1	2	0.02	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

QUALITY CONTROL REPORT WHI12000204.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
1268707	Soil	8	25	0.53	190	0.087	1	1.60	0.024	0.08	0.1	0.01	3.4	<0.1	<0.05	6	<0.5	<0.2
REP 1268707	QC	8	27	0.52	191	0.093	<1	1.64	0.022	0.08	0.1	0.02	3.5	<0.1	<0.05	6	<0.5	<0.2
1268734	Soil	21	19	0.91	292	0.056	<1	1.64	0.010	0.08	<0.1	<0.01	10.7	<0.1	<0.05	9	<0.5	<0.2
REP 1268734	QC	21	19	0.90	293	0.061	<1	1.68	0.013	0.08	<0.1	0.02	10.5	0.1	<0.05	9	<0.5	<0.2
1269153	Soil	15	21	0.71	365	0.089	<1	1.79	0.030	0.16	0.2	0.03	5.8	0.2	<0.05	6	<0.5	<0.2
REP 1269153	QC	15	21	0.71	365	0.091	<1	1.77	0.031	0.16	0.2	0.02	5.7	0.2	<0.05	6	<0.5	<0.2
1268612	Soil	8	31	1.54	417	0.076	<1	2.44	0.064	0.06	<0.1	0.02	13.5	<0.1	<0.05	10	<0.5	<0.2
REP 1268612	QC	8	31	1.52	422	0.077	<1	2.37	0.063	0.07	<0.1	0.02	13.5	<0.1	<0.05	9	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	13	111	0.57	283	0.105	3	0.88	0.081	0.33	2.8	0.20	2.3	5.1	0.11	4	5.8	4.2
STD DS9	Standard	13	119	0.59	284	0.106	3	0.91	0.096	0.37	2.9	0.21	2.9	5.2	0.14	5	5.1	5.0
STD DS9	Standard	13	152	0.62	305	0.107	3	0.95	0.090	0.35	3.0	0.20	2.7	5.6	0.15	5	5.1	4.9
STD DS9	Standard	12	154	0.63	307	0.124	2	0.95	0.085	0.36	3.1	0.20	2.5	5.6	0.16	5	5.4	5.0
STD DS9	Standard	13	144	0.64	305	0.103	3	0.96	0.090	0.37	2.9	0.19	2.4	5.6	0.18	5	5.9	5.4
STD DS9	Standard	12	120	0.62	296	0.106	2	0.87	0.087	0.36	3.0	0.19	2.6	5.5	0.12	5	5.1	5.1
STD DS9	Standard	12	118	0.59	283	0.101	2	0.85	0.086	0.34	3.0	0.19	2.3	5.4	0.10	5	5.2	4.9
STD DS9	Standard	13	113	0.58	282	0.113	2	0.86	0.079	0.33	2.7	0.20	2.5	5.2	0.18	4	5.7	4.4
STD DS9	Standard	15	123	0.61	318	0.120	3	0.94	0.099	0.38	3.1	0.21	3.0	5.6	0.15	5	6.2	5.5
STD DS9	Standard	15	127	0.64	298	0.122	3	0.93	0.085	0.36	3.2	0.21	2.6	5.5	0.15	5	5.2	5.2
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

QUALITY CONTROL REPORT WHI12000204.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	4	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

QUALITY CONTROL REPORT WHI12000204.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
BLK	Blank	<1	1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 03, 2012
Report Date: July 17, 2012
Page: 1 of 12

CERTIFICATE OF ANALYSIS WHI12000205.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 320

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	320	Dry at 60C			WHI
SS80	313	Dry at 60C sieve 100g to -80 mesh			WHI
1DX2	306	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000205.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1290100	Soil		5.1	102.3	15.6	210	0.8	83.6	21.4	1817	4.33	67.1	1.6	5.3	5.8	49	1.3	1.8	0.4	70	0.85	0.077
1290505	Soil		2.4	48.0	15.2	82	0.3	41.5	13.7	886	3.41	47.7	1.1	2.5	4.5	26	0.2	4.2	0.3	62	0.42	0.034
1290521	Soil		0.8	19.8	9.9	101	<0.1	36.7	11.7	436	2.72	4.0	1.2	1.7	7.4	51	<0.1	0.1	<0.1	46	1.25	0.072
1268642	Soil		1.9	36.2	15.0	44	0.2	20.1	10.0	514	3.10	18.2	0.5	1.6	2.8	22	0.1	2.0	0.2	63	0.49	0.031
1290099	Soil		4.3	109.1	36.7	121	0.8	65.5	33.5	3956	5.26	115.8	2.0	3.5	3.4	78	0.9	4.5	0.3	62	2.80	0.115
1290508	Soil		1.1	24.1	14.0	51	<0.1	26.6	9.5	392	2.63	9.3	1.6	4.0	24.4	22	<0.1	1.5	0.2	52	0.35	0.018
1290511	Soil		0.9	11.6	10.4	44	<0.1	18.8	7.5	335	2.34	7.3	0.9	3.9	10.3	23	<0.1	0.6	0.2	51	0.30	0.032
1268641	Soil		1.3	36.1	16.8	49	0.2	24.1	8.5	260	2.80	53.9	0.7	9.4	4.0	23	0.2	7.9	0.1	60	0.32	0.015
1290095	Soil		1.0	35.7	11.8	66	0.2	29.8	11.0	538	2.76	23.3	1.2	7.2	4.8	59	0.3	1.0	0.1	56	0.99	0.067
1290512	Soil		1.0	12.1	10.3	47	<0.1	17.8	6.3	284	2.29	6.0	0.9	3.3	12.3	22	<0.1	0.4	0.2	50	0.26	0.028
1290510	Soil		0.9	28.8	11.0	53	<0.1	28.3	9.8	419	2.80	10.1	1.3	7.6	12.0	32	<0.1	0.8	0.2	58	0.38	0.036
1290509	Soil		1.3	22.6	14.3	49	<0.1	24.0	8.6	375	2.65	9.2	1.1	3.5	16.6	26	<0.1	0.7	0.2	56	0.41	0.018
1290502	Soil		1.4	42.4	15.9	67	0.2	32.9	12.1	827	2.88	36.4	1.0	4.2	4.0	102	0.4	1.3	0.2	53	3.71	0.086
1290504	Soil		2.1	30.2	12.9	62	0.2	29.8	11.8	650	2.86	42.2	0.6	0.8	3.3	22	0.1	3.3	0.1	66	0.32	0.035
1290516	Soil		1.3	13.5	10.3	61	<0.1	34.1	10.5	338	3.31	4.1	1.8	1.0	18.1	12	<0.1	0.3	0.2	38	0.17	0.040
1290517	Soil		0.8	34.0	9.1	62	<0.1	132.8	20.2	510	3.92	5.3	1.7	0.9	13.6	31	<0.1	0.1	<0.1	94	0.58	0.095
1290515	Soil		1.5	21.3	15.4	58	<0.1	23.1	8.7	299	2.89	10.4	0.8	2.9	11.9	16	<0.1	0.6	0.3	56	0.16	0.021
1290506	Soil		2.9	66.2	18.9	131	0.5	59.4	16.6	816	3.36	172.1	1.3	8.2	6.7	18	0.2	16.9	0.4	49	0.21	0.047
1290503	Soil		2.1	54.2	13.0	90	0.2	45.5	14.2	768	3.20	46.8	1.2	3.1	4.4	48	0.2	2.2	0.2	59	0.79	0.063
1290097	Soil		5.7	125.8	49.1	272	2.0	84.9	24.2	3102	5.37	237.6	2.2	33.0	13.0	51	1.6	5.5	0.5	49	0.83	0.090
1290519	Soil		0.8	36.8	5.8	86	0.1	55.7	18.8	503	3.36	3.4	1.4	1.3	5.9	54	<0.1	0.1	<0.1	51	0.98	0.069
1290518	Soil		0.7	28.5	8.5	75	<0.1	36.1	14.9	421	3.20	5.0	1.3	2.7	7.5	46	<0.1	0.1	<0.1	61	0.96	0.072
1290507	Soil		1.9	52.0	8.1	107	0.3	48.2	13.1	658	2.43	67.0	1.1	5.1	6.6	96	0.4	6.2	0.2	35	6.69	0.080
1290096	Soil		3.5	68.4	46.2	145	0.4	49.0	16.6	941	4.25	83.9	1.5	22.1	9.0	23	0.5	2.1	0.8	44	0.32	0.045
1268581	Soil		1.1	49.3	10.1	62	0.3	24.0	11.2	329	2.78	15.1	0.8	4.3	2.7	42	0.1	0.9	0.1	80	0.60	0.039
1290501	Rock Pulp		2.1	23.4	2.3	41	0.3	21.8	9.1	397	2.29	4.3	0.2	0.6	0.8	40	0.1	0.3	<0.1	56	0.78	0.055
1290513	Soil		0.7	10.5	7.4	45	<0.1	17.8	7.8	762	2.19	5.4	0.5	1.3	6.6	24	<0.1	0.5	0.1	52	0.28	0.020
1290094	Soil		1.0	35.8	12.5	62	0.2	28.3	9.9	402	2.49	16.9	0.8	5.6	4.3	58	0.2	0.9	0.2	55	1.40	0.059
1268580	Soil		0.9	86.5	9.0	68	0.2	26.2	19.0	831	3.71	8.9	1.1	4.6	2.8	49	0.1	0.9	0.1	118	0.86	0.067
1290514	Soil		1.6	11.2	8.8	50	<0.1	12.7	5.3	398	2.23	6.7	3.4	0.6	19.0	12	<0.1	0.3	0.1	35	0.12	0.018

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000205.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1290100	Soil	14	30	0.27	612	0.005	1	0.72	0.011	0.08	0.1	0.07	7.9	0.3	<0.05	2	2.9	0.2
1290505	Soil	13	38	0.31	843	0.019	<1	1.32	0.009	0.11	0.2	0.04	8.6	0.2	<0.05	4	1.3	<0.2
1290521	Soil	24	59	0.92	156	0.089	<1	1.52	0.016	0.18	0.2	0.05	3.9	0.3	0.08	6	1.1	<0.2
1268642	Soil	7	34	0.46	285	0.015	<1	1.51	0.010	0.10	0.2	0.06	4.6	<0.1	<0.05	5	<0.5	<0.2
1290099	Soil	13	21	0.37	302	0.002	2	0.78	0.007	0.12	0.1	0.04	11.8	0.5	<0.05	3	2.2	<0.2
1290508	Soil	71	45	0.54	125	0.066	1	1.64	0.015	0.18	0.2	0.02	6.6	0.1	<0.05	6	0.9	<0.2
1290511	Soil	23	31	0.40	203	0.057	1	1.40	0.012	0.14	0.2	0.01	4.8	<0.1	<0.05	5	0.8	<0.2
1268641	Soil	11	38	0.50	303	0.050	<1	1.69	0.013	0.07	0.1	0.01	5.1	<0.1	<0.05	5	0.6	<0.2
1290095	Soil	16	32	0.71	296	0.069	2	1.41	0.038	0.09	0.2	0.02	4.7	<0.1	<0.05	4	0.7	<0.2
1290512	Soil	22	31	0.43	145	0.056	<1	1.21	0.012	0.11	0.1	0.02	3.6	<0.1	<0.05	4	<0.5	<0.2
1290510	Soil	41	43	0.53	198	0.079	1	1.54	0.021	0.11	0.1	0.04	6.9	<0.1	<0.05	5	0.8	<0.2
1290509	Soil	41	41	0.46	210	0.068	<1	1.49	0.014	0.11	0.1	0.01	6.1	<0.1	<0.05	5	<0.5	<0.2
1290502	Soil	13	28	0.71	465	0.053	<1	1.00	0.034	0.07	0.2	0.03	5.6	0.2	<0.05	3	0.6	<0.2
1290504	Soil	7	34	0.26	736	0.019	<1	1.11	0.009	0.08	<0.1	0.02	6.8	0.2	<0.05	3	0.6	<0.2
1290516	Soil	60	96	0.75	91	0.036	2	2.01	0.007	0.29	0.1	0.01	5.6	0.3	<0.05	7	<0.5	<0.2
1290517	Soil	26	192	2.30	361	0.190	1	2.58	0.013	0.49	0.2	0.02	9.1	0.7	<0.05	9	0.6	<0.2
1290515	Soil	10	41	0.46	209	0.050	<1	2.02	0.013	0.07	0.2	0.02	3.3	0.1	<0.05	5	0.6	<0.2
1290506	Soil	23	25	0.11	693	0.002	<1	0.54	0.004	0.10	0.1	0.10	7.5	0.1	<0.05	2	1.6	<0.2
1290503	Soil	11	30	0.35	662	0.024	1	0.82	0.017	0.07	<0.1	0.04	7.2	0.3	<0.05	3	1.0	<0.2
1290097	Soil	36	27	0.25	446	0.004	<1	0.81	0.007	0.15	<0.1	0.04	5.7	0.3	<0.05	3	4.6	0.3
1290519	Soil	14	78	1.39	167	0.161	2	2.01	0.013	0.47	0.1	0.03	3.5	0.2	0.12	5	<0.5	<0.2
1290518	Soil	25	58	1.15	167	0.102	<1	1.89	0.017	0.17	0.1	0.03	4.9	0.2	<0.05	6	0.7	<0.2
1290507	Soil	23	23	0.25	612	0.006	<1	0.45	0.008	0.08	0.1	0.06	4.5	0.1	0.06	2	0.9	<0.2
1290096	Soil	32	28	0.28	429	0.006	<1	1.20	0.008	0.13	<0.1	0.04	5.4	0.2	<0.05	4	1.5	0.3
1268581	Soil	11	41	0.67	257	0.091	<1	2.05	0.020	0.08	0.1	0.03	5.7	<0.1	<0.05	7	<0.5	<0.2
1290501	Rock Pulp	4	29	0.76	92	0.102	1	1.38	0.084	0.12	13.0	0.01	4.6	<0.1	<0.05	5	<0.5	<0.2
1290513	Soil	15	29	0.38	252	0.065	2	1.27	0.011	0.11	0.1	<0.01	2.8	0.1	<0.05	4	0.5	<0.2
1290094	Soil	14	32	0.71	284	0.072	1	1.32	0.040	0.08	0.2	0.03	4.8	<0.1	<0.05	4	0.6	<0.2
1268580	Soil	13	37	1.10	321	0.132	<1	2.29	0.035	0.11	0.1	0.04	10.6	<0.1	<0.05	8	0.5	<0.2
1290514	Soil	7	22	0.22	148	0.025	<1	1.38	0.006	0.06	<0.1	<0.01	2.0	<0.1	<0.05	4	0.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000205.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1290520	Soil	0.8	22.3	7.3	87	<0.1	36.1	13.3	583	2.90	4.6	1.2	0.5	7.2	42	0.1	0.2	<0.1	51	1.02	0.066
1290098	Soil	2.0	64.1	38.9	152	0.7	61.7	20.1	1185	4.15	101.6	1.6	8.3	11.3	40	0.4	2.4	0.2	45	2.04	0.059
1268579	Soil	0.9	51.4	10.7	71	0.2	28.5	13.0	498	2.85	15.5	1.3	3.4	3.5	39	0.2	0.9	0.1	77	0.59	0.051
1268583	Soil	1.2	33.2	11.6	64	0.2	28.2	9.8	326	2.52	21.6	0.7	1.3	3.3	29	<0.1	1.2	0.1	71	0.40	0.043
1268588	Soil	2.6	40.4	14.6	98	0.3	48.9	16.1	613	3.13	30.0	0.8	0.5	2.5	26	0.7	1.2	0.2	97	0.24	0.038
1268591	Soil	2.0	24.5	12.5	66	0.6	28.3	9.8	278	3.00	17.5	0.5	0.9	2.3	20	0.8	0.8	0.2	78	0.19	0.038
1268592	Soil	4.3	30.2	15.0	140	0.4	42.4	12.7	263	3.30	35.6	0.8	2.4	2.2	21	1.4	1.5	0.2	127	0.17	0.052
1268590	Soil	1.6	38.1	9.6	62	0.2	34.7	12.0	254	3.05	16.8	0.9	3.7	3.2	21	0.3	0.8	0.2	86	0.19	0.021
1268587	Soil	2.5	39.9	14.0	81	0.4	37.9	13.2	502	3.27	27.5	0.9	1.8	2.3	28	0.4	1.0	0.2	97	0.33	0.038
1268589	Soil	2.8	32.8	14.8	91	0.4	31.9	10.2	397	2.72	27.3	0.8	2.2	1.9	27	1.3	0.9	0.2	90	0.26	0.035
1268585	Soil	1.4	48.7	13.7	60	0.5	31.9	13.8	542	2.64	15.0	1.4	2.5	3.0	35	0.3	1.0	0.1	78	0.53	0.042
1268604	Soil	1.4	36.2	11.0	58	0.4	30.4	13.5	447	2.91	19.5	0.9	3.0	3.8	27	0.2	1.3	0.2	83	0.46	0.045
1268599	Soil	2.4	31.7	16.3	90	0.3	45.5	12.4	336	3.19	39.9	0.5	2.2	2.4	18	0.6	2.2	0.1	96	0.22	0.039
1268601	Rock Pulp	1.4	406.0	20.0	148	0.2	201.3	72.1	768	14.88	2.5	1.1	30.8	6.5	15	<0.1	0.4	0.1	214	0.26	0.037
1268602	Soil	1.4	32.2	12.2	59	0.3	33.7	10.6	286	2.88	22.5	0.9	3.6	4.6	21	0.2	0.9	0.1	87	0.29	0.026
1268598	Soil	1.9	24.3	13.3	93	0.4	35.7	17.8	603	3.27	27.1	0.5	3.4	2.4	17	1.0	1.3	0.2	92	0.20	0.034
1268605	Soil	1.8	42.1	11.6	60	0.2	32.1	12.3	397	2.95	23.4	1.0	2.3	3.4	27	0.1	0.9	0.1	87	0.47	0.036
1268586	Soil	1.8	56.8	13.7	69	0.2	36.7	14.4	415	3.03	17.3	0.6	2.9	3.1	38	0.2	0.8	<0.1	89	0.55	0.047
1268609	Soil	1.0	37.6	9.3	74	0.2	27.9	10.8	246	2.52	18.0	1.1	4.2	3.5	37	0.2	1.0	0.1	74	0.66	0.061
1268600	Soil	2.2	30.4	15.1	72	0.3	40.6	11.6	346	3.04	39.2	0.6	6.1	3.3	23	0.3	1.3	0.1	98	0.29	0.036
1268584	Soil	1.4	42.4	10.3	61	0.2	31.2	13.0	333	2.81	21.2	1.2	2.8	4.0	36	0.2	0.9	0.1	82	0.59	0.039
1268593	Soil	2.6	32.8	9.1	72	0.1	27.4	11.0	269	3.06	7.7	1.1	1.6	2.7	34	0.4	0.6	0.1	101	0.18	0.074
1268595	Soil	1.0	11.7	10.4	57	0.2	21.9	10.1	229	3.65	10.7	0.5	2.4	2.7	16	0.4	0.6	0.1	73	0.18	0.038
1268607	Soil	1.2	55.1	12.6	61	0.2	31.3	12.0	334	2.86	17.5	1.5	6.7	3.8	33	0.1	1.1	0.1	84	0.53	0.051
1268603	Soil	1.4	36.0	16.0	66	0.2	40.5	12.3	328	2.85	27.7	1.1	2.9	4.0	20	0.2	1.3	0.1	89	0.37	0.037
1268582	Soil	0.6	89.5	7.2	54	0.1	25.8	19.0	614	2.98	6.3	0.4	3.2	1.2	118	0.1	0.3	<0.1	99	1.19	0.094
1292260	Soil	1.3	12.3	6.9	73	<0.1	14.1	13.2	644	4.04	11.0	0.8	<0.5	3.5	12	<0.1	1.0	0.1	71	0.24	0.033
1268594	Soil	2.6	63.4	8.3	160	0.4	43.7	15.2	466	2.78	20.3	1.8	10.0	2.5	29	2.2	0.9	0.1	78	0.43	0.092
1268596	Soil	1.3	20.2	9.8	50	0.3	21.2	8.4	210	2.82	10.2	0.6	4.7	3.0	15	0.2	0.5	0.1	86	0.19	0.031
1268610	Soil	1.3	43.5	36.2	106	0.3	31.1	13.6	482	2.57	37.3	1.6	4.1	3.7	37	0.6	2.1	0.2	75	0.57	0.064

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000205.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1290520	Soil	18	64	1.02	130	0.112	<1	1.53	0.012	0.24	0.1	0.01	3.6	0.3	0.07	6	<0.5	<0.2
1290098	Soil	35	32	0.29	347	0.002	<1	0.72	0.004	0.10	<0.1	0.04	7.5	0.2	<0.05	2	1.0	<0.2
1268579	Soil	14	45	0.70	292	0.086	<1	1.84	0.019	0.06	0.1	0.06	6.8	0.1	<0.05	6	0.7	<0.2
1268583	Soil	10	45	0.61	233	0.104	<1	1.44	0.015	0.14	0.1	0.02	4.7	0.2	<0.05	5	0.6	<0.2
1268588	Soil	11	66	0.67	958	0.095	<1	2.01	0.013	0.12	0.2	0.02	4.9	0.2	<0.05	7	0.8	<0.2
1268591	Soil	7	37	0.45	807	0.057	<1	1.92	0.011	0.07	0.1	0.01	3.4	0.1	<0.05	6	0.7	<0.2
1268592	Soil	8	49	0.44	1089	0.081	<1	1.83	0.009	0.07	0.2	0.03	3.6	0.2	<0.05	8	0.6	<0.2
1268590	Soil	10	47	0.64	942	0.083	1	2.25	0.011	0.08	0.2	0.04	5.5	<0.1	<0.05	6	<0.5	<0.2
1268587	Soil	12	53	0.66	1219	0.082	1	2.02	0.011	0.10	0.2	0.03	5.2	0.1	<0.05	7	<0.5	<0.2
1268589	Soil	10	40	0.40	1963	0.070	<1	1.53	0.010	0.08	0.2	0.03	4.0	0.1	<0.05	7	<0.5	<0.2
1268585	Soil	16	47	0.57	491	0.092	<1	1.63	0.019	0.07	0.1	0.03	5.0	0.1	<0.05	7	<0.5	<0.2
1268604	Soil	14	46	0.66	327	0.105	1	1.77	0.013	0.10	0.2	0.02	4.8	0.1	<0.05	6	<0.5	<0.2
1268599	Soil	9	58	0.65	393	0.093	<1	2.06	0.010	0.13	0.2	0.02	4.3	0.2	<0.05	7	<0.5	<0.2
1268601	Rock Pulp	16	655	0.10	138	0.135	2	3.44	0.009	0.06	<0.1	0.04	35.3	<0.1	<0.05	21	<0.5	<0.2
1268602	Soil	19	52	0.64	346	0.103	<1	1.91	0.014	0.09	0.2	0.01	6.0	0.1	<0.05	6	<0.5	<0.2
1268598	Soil	8	52	0.56	445	0.079	<1	2.04	0.010	0.07	0.1	0.03	4.1	0.1	<0.05	7	<0.5	<0.2
1268605	Soil	13	50	0.65	383	0.096	<1	1.85	0.014	0.09	0.2	0.03	5.3	0.1	<0.05	7	<0.5	<0.2
1268586	Soil	11	55	0.75	556	0.120	<1	2.03	0.029	0.08	0.2	0.02	5.2	0.1	<0.05	7	<0.5	<0.2
1268609	Soil	12	44	0.67	279	0.093	1	1.66	0.023	0.07	0.2	0.04	5.5	0.1	<0.05	6	<0.5	<0.2
1268600	Soil	11	60	0.66	371	0.118	<1	1.81	0.011	0.16	0.2	0.02	4.7	0.2	<0.05	7	<0.5	<0.2
1268584	Soil	13	45	0.62	287	0.105	<1	1.86	0.020	0.09	0.1	0.03	5.3	0.1	<0.05	7	0.5	<0.2
1268593	Soil	9	45	0.49	2211	0.078	<1	1.98	0.011	0.09	0.2	0.02	4.0	0.1	<0.05	6	0.8	<0.2
1268595	Soil	8	42	0.49	141	0.070	<1	2.56	0.009	0.04	0.1	0.04	3.8	<0.1	<0.05	6	<0.5	<0.2
1268607	Soil	14	50	0.67	301	0.100	<1	1.91	0.021	0.08	0.1	0.03	6.2	0.1	<0.05	6	0.5	<0.2
1268603	Soil	13	58	0.67	378	0.109	<1	1.89	0.012	0.11	0.2	0.02	5.7	0.2	<0.05	6	<0.5	<0.2
1268582	Soil	6	45	1.11	319	0.185	<1	2.58	0.046	0.22	<0.1	0.01	6.8	0.1	<0.05	9	<0.5	<0.2
1292260	Soil	5	20	0.74	288	0.033	<1	2.04	0.006	0.09	<0.1	<0.01	8.7	0.1	<0.05	7	<0.5	<0.2
1268594	Soil	16	43	0.57	600	0.070	2	1.64	0.023	0.07	0.2	0.07	5.0	0.2	<0.05	5	1.4	<0.2
1268596	Soil	9	39	0.50	249	0.090	<1	2.20	0.009	0.05	0.1	0.03	4.4	0.1	<0.05	8	<0.5	<0.2
1268610	Soil	14	43	0.63	517	0.082	1	1.77	0.025	0.06	0.2	0.06	5.7	0.2	<0.05	6	0.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000205.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1292253	Soil	1.1	25.9	10.5	44	<0.1	34.4	12.4	506	2.70	8.6	0.8	0.7	16.2	24	<0.1	0.6	0.1	66	0.45	0.025
1268597	Soil	1.5	15.6	10.6	105	0.4	20.9	15.4	954	3.14	9.7	0.3	2.4	1.5	14	2.4	0.6	0.2	88	0.17	0.047
1268608	Soil	1.1	40.6	8.9	58	<0.1	27.2	11.5	293	2.71	12.5	0.6	2.7	3.5	25	<0.1	0.7	<0.1	80	0.43	0.049
1268606	Soil	1.7	56.7	12.3	67	0.3	36.2	13.9	489	3.17	24.9	1.6	5.5	4.1	33	0.1	1.2	0.1	91	0.61	0.043
1292256	Soil	1.3	16.8	9.8	47	<0.1	25.2	10.3	488	2.44	6.4	0.7	1.3	13.3	23	<0.1	0.5	0.2	64	0.40	0.023
1292257	Soil	1.4	16.0	13.7	53	<0.1	28.9	10.8	601	2.75	6.7	1.2	1.4	25.2	19	<0.1	0.7	0.2	60	0.35	0.030
1292258	Soil	1.0	23.3	16.3	54	0.1	46.2	14.3	575	3.16	6.4	1.1	1.7	19.0	20	<0.1	0.5	0.2	72	0.41	0.025
1292259	Soil	1.2	13.9	17.3	110	0.1	27.7	11.7	782	3.60	5.3	1.4	1.3	12.8	25	0.2	0.5	0.3	58	0.52	0.059
1292254	Soil	1.3	25.4	12.0	49	<0.1	40.6	13.9	514	2.94	8.0	1.0	0.7	19.3	26	<0.1	0.5	0.2	73	0.50	0.034
1292255	Soil	1.7	15.2	11.8	50	<0.1	19.7	9.1	575	2.22	5.2	0.9	0.8	18.5	21	<0.1	0.5	0.2	51	0.45	0.034
1292262	Soil	2.0	25.7	17.8	94	0.4	36.3	14.2	499	2.43	24.6	1.5	1.7	2.9	36	0.5	0.6	0.1	71	0.85	0.076
1292251	Rock Pulp	2.5	25.5	2.2	43	0.3	25.4	11.7	405	2.47	4.3	0.3	1.2	0.9	37	0.2	0.3	<0.1	69	0.86	0.061
1292261	Soil	1.4	17.8	11.3	67	0.1	21.7	9.6	480	2.65	20.5	0.5	2.8	0.9	13	0.3	0.7	0.2	64	0.14	0.077
1290595	Soil	1.9	32.6	11.0	82	0.1	29.8	10.0	436	2.89	70.9	1.4	1.9	4.3	25	0.2	0.7	0.2	56	0.57	0.053
1292252	Soil	1.1	19.5	11.5	45	<0.1	34.6	12.2	564	2.62	6.6	0.8	1.0	15.8	27	<0.1	0.5	0.2	58	0.47	0.039
1291241	Soil	1.7	12.1	11.1	44	<0.1	16.6	5.9	325	2.02	4.3	0.9	3.5	10.4	23	0.2	0.4	0.2	43	0.33	0.055
1290597	Soil	1.0	30.4	11.6	54	<0.1	37.2	11.4	382	2.79	17.2	1.1	2.9	9.3	28	0.2	0.6	0.3	56	0.55	0.034
1290598	Soil	0.4	18.5	7.0	44	<0.1	21.3	8.4	323	2.08	6.1	1.1	2.3	4.4	40	0.1	0.4	0.2	45	0.94	0.047
1290580	Soil	2.1	57.9	9.0	79	0.2	37.3	12.1	432	2.91	14.6	1.1	4.4	4.0	56	0.2	0.7	0.2	65	1.21	0.053
1292263	Soil	0.7	16.9	9.1	50	0.3	15.2	5.0	145	1.61	11.1	0.8	2.3	0.8	18	0.2	0.3	0.2	32	0.24	0.051
1290594	Soil	1.3	33.1	9.3	82	0.1	30.7	12.3	420	3.24	39.5	0.7	1.7	5.2	20	0.1	0.5	0.2	54	0.49	0.049
1291244	Soil	3.0	7.5	11.7	43	<0.1	6.4	3.1	310	1.72	4.0	4.4	4.0	20.9	10	<0.1	0.3	0.3	15	0.14	0.018
1290572	Soil	3.8	55.5	13.8	130	0.3	41.5	13.0	589	3.22	33.7	1.0	1.1	5.1	13	0.3	0.9	0.2	52	0.25	0.029
1292264	Soil	3.6	24.6	17.1	114	0.2	30.1	12.9	572	2.69	44.1	0.9	2.0	1.8	18	0.3	0.6	0.2	93	0.27	0.066
1290578	Soil	4.3	82.2	20.0	110	0.1	51.2	19.9	439	4.00	12.5	1.7	3.3	16.0	13	0.1	0.5	0.2	66	0.23	0.042
1291243	Soil	1.3	21.9	9.2	54	0.1	18.3	7.5	359	2.26	8.0	2.9	34.3	19.9	23	0.1	0.6	0.2	46	0.43	0.044
1290574	Soil	1.8	72.9	10.1	116	0.2	58.3	18.7	336	3.79	4.8	1.5	3.5	9.0	14	0.1	0.3	0.2	85	0.30	0.038
1291240	Soil	1.6	14.3	11.2	48	<0.1	19.6	7.3	206	2.29	6.4	1.5	6.8	15.3	20	0.1	0.5	0.2	49	0.34	0.066
1291242	Soil	1.3	28.9	10.0	53	<0.1	26.5	9.1	427	2.37	8.2	1.7	3.3	22.4	25	<0.1	0.6	0.2	52	0.44	0.036
1291246	Soil	2.1	13.7	12.5	50	<0.1	13.4	6.3	619	2.16	7.6	3.0	6.5	40.8	18	<0.1	0.5	0.2	34	0.32	0.016

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000205.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1292253	Soil	39	55	0.64	255	0.081	1	1.68	0.013	0.17	0.1	0.01	6.4	<0.1	<0.05	6	<0.5	<0.2
1268597	Soil	7	33	0.36	441	0.064	<1	1.52	0.011	0.06	0.1	0.04	2.9	<0.1	<0.05	7	<0.5	<0.2
1268608	Soil	9	46	0.66	169	0.099	<1	1.82	0.021	0.07	0.1	0.01	4.7	<0.1	<0.05	6	0.5	<0.2
1268606	Soil	16	56	0.68	435	0.095	<1	2.13	0.020	0.08	0.1	0.05	7.1	0.1	<0.05	7	<0.5	<0.2
1292256	Soil	26	42	0.53	304	0.069	<1	1.57	0.011	0.10	0.1	<0.01	5.3	<0.1	<0.05	5	<0.5	<0.2
1292257	Soil	55	48	0.50	292	0.061	<1	1.68	0.010	0.18	0.1	0.01	5.9	0.1	<0.05	5	<0.5	<0.2
1292258	Soil	94	63	0.52	360	0.052	<1	1.67	0.010	0.17	0.1	0.02	8.0	0.1	<0.05	6	<0.5	<0.2
1292259	Soil	70	47	0.57	330	0.031	1	1.90	0.008	0.25	0.1	0.02	6.4	0.2	<0.05	7	<0.5	<0.2
1292254	Soil	50	80	0.80	309	0.080	1	1.97	0.012	0.15	0.2	0.01	7.1	0.1	<0.05	6	<0.5	<0.2
1292255	Soil	32	34	0.42	297	0.054	2	1.36	0.011	0.13	0.1	0.02	4.1	<0.1	<0.05	4	<0.5	<0.2
1292262	Soil	13	43	0.57	659	0.061	2	1.18	0.013	0.11	0.2	0.08	5.3	0.2	0.06	4	0.6	<0.2
1292251	Rock Pulp	4	34	0.79	90	0.113	2	1.54	0.085	0.12	13.8	0.01	4.8	<0.1	<0.05	5	<0.5	<0.2
1292261	Soil	10	29	0.39	185	0.030	2	1.25	0.009	0.06	0.2	0.01	3.0	<0.1	<0.05	6	<0.5	<0.2
1290595	Soil	16	43	0.65	435	0.031	<1	1.46	0.015	0.06	0.2	0.05	6.8	<0.1	<0.05	5	<0.5	<0.2
1292252	Soil	35	59	0.71	303	0.071	2	1.60	0.014	0.16	0.2	<0.01	6.1	0.1	<0.05	6	<0.5	<0.2
1291241	Soil	16	26	0.34	285	0.035	1	1.21	0.020	0.08	0.1	0.01	3.0	<0.1	<0.05	4	<0.5	<0.2
1290597	Soil	26	64	0.72	273	0.040	<1	1.79	0.014	0.06	0.2	0.02	7.3	<0.1	<0.05	6	0.6	<0.2
1290598	Soil	17	38	0.56	234	0.043	2	1.34	0.018	0.06	0.1	0.03	4.4	<0.1	<0.05	4	0.6	<0.2
1290580	Soil	15	36	0.67	348	0.070	2	1.36	0.027	0.13	0.2	0.02	6.0	0.1	<0.05	5	0.5	<0.2
1292263	Soil	10	26	0.38	259	0.028	2	1.03	0.013	0.05	<0.1	0.07	2.7	0.1	<0.05	5	0.9	<0.2
1290594	Soil	16	40	0.59	384	0.052	2	1.62	0.013	0.10	0.1	0.04	5.4	0.2	<0.05	5	<0.5	<0.2
1291244	Soil	20	10	0.11	96	0.008	1	0.52	0.004	0.09	<0.1	0.01	1.4	0.1	<0.05	2	<0.5	<0.2
1290572	Soil	11	26	0.29	334	0.022	1	1.04	0.006	0.09	0.4	<0.01	3.8	0.2	<0.05	4	0.8	<0.2
1292264	Soil	10	45	0.65	171	0.053	1	1.38	0.013	0.07	0.2	0.03	3.3	0.2	<0.05	6	<0.5	<0.2
1290578	Soil	30	35	0.69	237	0.087	<1	1.64	0.005	0.49	0.2	0.03	7.2	0.4	<0.05	6	1.0	<0.2
1291243	Soil	38	30	0.40	220	0.054	2	1.14	0.017	0.11	0.2	0.01	4.0	<0.1	<0.05	3	<0.5	<0.2
1290574	Soil	24	49	1.09	488	0.090	1	1.93	0.007	0.40	<0.1	0.03	5.7	0.5	<0.05	6	0.7	<0.2
1291240	Soil	16	31	0.42	127	0.046	2	1.19	0.013	0.11	0.2	0.02	3.1	0.1	<0.05	4	<0.5	<0.2
1291242	Soil	45	33	0.50	174	0.058	2	1.26	0.022	0.08	0.2	0.02	4.5	<0.1	<0.05	4	<0.5	<0.2
1291246	Soil	63	24	0.26	150	0.024	<1	1.14	0.008	0.09	0.1	0.01	3.5	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000205.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1291247	Soil		1.6	17.9	10.5	48	<0.1	25.8	9.9	500	2.40	7.8	1.1	<0.5	22.5	22	<0.1	0.4	0.2	54	0.36	0.021
1291248	Soil		2.0	32.9	15.5	46	<0.1	27.2	8.5	319	2.54	12.2	2.2	0.6	33.2	24	<0.1	0.7	0.2	55	0.39	0.017
1291245	Soil		1.3	22.5	11.4	41	0.2	13.6	5.1	367	1.75	4.0	2.9	176.6	41.5	93	<0.1	0.6	0.2	15	4.02	0.019
1290571	Soil		3.8	62.1	10.8	136	0.8	84.3	21.8	914	3.79	35.3	1.5	15.5	7.8	44	0.8	1.6	0.1	53	4.42	0.065
1291250	Soil		1.2	18.9	12.0	45	<0.1	28.0	10.2	501	2.29	6.7	1.3	<0.5	24.9	25	<0.1	0.6	0.2	54	0.48	0.021
1291249	Soil		1.3	25.9	12.2	46	0.1	30.5	9.4	367	2.45	9.6	1.5	2.0	32.1	22	<0.1	0.6	0.2	56	0.38	0.015
1290579	Soil		4.0	114.9	15.2	62	0.8	23.8	5.5	322	3.16	5.9	3.1	8.2	12.5	31	0.1	0.4	0.2	74	1.32	0.043
1290593	Soil		3.4	75.2	21.3	146	<0.1	60.0	21.0	537	4.63	81.2	1.2	1.0	6.7	15	0.2	0.4	0.1	128	0.35	0.056
1290589	Soil		3.6	62.8	8.4	102	0.2	39.0	11.8	254	3.46	31.8	1.7	1.7	4.6	23	0.2	0.4	0.2	98	0.26	0.059
1290570	Soil		1.6	46.8	11.9	79	0.5	51.6	14.7	507	2.95	25.5	1.4	5.3	5.9	90	0.3	0.7	0.2	38	6.35	0.060
1290581	Soil		1.7	32.7	6.7	79	0.2	29.2	8.6	417	2.09	13.5	2.1	3.7	2.2	34	0.5	0.5	0.1	44	0.63	0.067
1290582	Soil		2.8	46.1	8.9	98	0.4	37.0	8.6	171	2.48	26.5	1.1	1.1	3.1	18	0.5	0.4	0.1	65	0.19	0.052
1290599	Soil		1.2	12.7	11.0	38	<0.1	16.0	8.3	348	2.10	7.5	0.8	0.7	10.1	20	<0.1	0.4	0.2	52	0.34	0.023
1290586	Soil		9.0	51.5	8.8	92	0.4	32.7	6.7	187	3.85	20.4	2.1	<0.5	5.0	25	<0.1	0.6	0.2	59	0.17	0.049
1290567	Soil		2.4	50.0	21.4	110	0.8	49.3	14.2	601	3.20	23.8	1.2	21.1	5.0	41	0.3	1.1	0.2	66	1.57	0.096
1290577	Soil		1.2	44.1	10.6	75	0.5	37.6	12.0	423	3.08	14.9	0.7	12.3	5.1	38	0.2	0.8	0.2	64	0.68	0.056
1290596	Soil		1.1	31.9	9.4	61	0.1	32.3	11.9	434	2.75	23.0	0.9	1.0	5.0	25	0.2	0.5	0.1	63	0.55	0.037
1290584	Soil		3.1	49.0	11.0	68	0.6	30.2	8.7	158	2.73	37.6	1.5	5.5	3.9	21	0.2	0.5	0.1	65	0.21	0.037
1290575	Soil		1.4	58.1	12.7	75	0.4	46.7	13.5	448	3.11	12.4	0.8	6.1	6.4	33	0.1	0.8	0.2	63	1.02	0.048
1290576	Soil		1.4	49.7	13.2	75	0.4	43.3	13.8	573	3.15	12.7	0.8	6.5	6.2	33	0.2	0.8	0.2	62	1.08	0.050
1290573	Soil		1.5	55.1	15.8	81	<0.1	42.6	8.9	188	2.63	4.5	1.3	2.8	5.8	13	<0.1	0.2	0.1	66	0.22	0.042
1290585	Soil		3.9	111.2	11.0	150	0.3	48.7	9.5	161	3.59	24.8	2.8	2.0	5.7	27	0.2	0.5	0.1	95	0.18	0.043
1290591	Soil		2.1	43.2	6.7	82	<0.1	34.0	9.9	199	3.58	38.2	1.0	7.5	6.2	22	<0.1	0.4	0.1	91	0.27	0.050
1290587	Soil		3.3	53.3	7.6	94	0.2	39.9	8.1	265	2.72	29.4	1.3	1.0	4.9	24	0.2	0.6	0.1	93	0.31	0.043
1290590	Soil		1.5	33.5	4.4	65	<0.1	31.6	9.6	179	3.04	32.5	1.3	<0.5	6.1	14	<0.1	0.2	0.1	77	0.22	0.052
1290588	Soil		3.8	67.9	8.5	127	0.2	44.8	11.1	306	3.30	27.6	2.1	0.9	3.7	28	0.4	0.4	0.1	96	0.31	0.077
1290568	Soil		1.4	47.2	11.4	74	0.2	46.1	14.3	399	2.90	10.1	0.8	10.2	5.6	123	0.2	0.8	0.2	54	4.27	0.037
1290569	Soil		1.1	46.8	11.8	97	0.1	59.9	26.3	509	4.81	8.4	1.5	2.5	11.9	18	<0.1	0.2	0.1	92	0.75	0.101
1290592	Soil		2.7	73.9	6.7	105	<0.1	62.3	20.3	329	4.29	48.0	1.2	0.8	5.3	14	0.2	0.2	0.2	154	0.37	0.105
1290583	Soil		2.7	39.4	8.3	66	0.7	30.1	8.4	181	2.99	31.2	0.7	3.8	1.9	15	0.5	0.6	0.2	80	0.12	0.051

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000205.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1291247	Soil	34	51	0.46	221	0.060	2	1.51	0.011	0.13	0.1	0.01	5.1	0.1	<0.05	5	<0.5	<0.2
1291248	Soil	47	44	0.45	168	0.062	2	1.64	0.011	0.11	0.1	0.02	5.9	0.1	<0.05	5	<0.5	<0.2
1291245	Soil	92	18	0.43	82	0.024	2	0.88	0.013	0.09	<0.1	0.04	2.5	0.1	<0.05	3	<0.5	<0.2
1290571	Soil	23	79	0.71	1161	0.011	2	1.04	0.006	0.07	0.3	0.05	8.8	0.5	<0.05	3	1.0	<0.2
1291250	Soil	47	54	0.59	250	0.059	2	1.56	0.011	0.13	0.1	0.01	5.7	0.2	<0.05	5	<0.5	<0.2
1291249	Soil	56	51	0.50	194	0.062	1	1.54	0.010	0.10	0.1	0.02	5.7	0.1	<0.05	5	<0.5	<0.2
1290579	Soil	23	21	0.54	629	0.042	1	1.61	0.007	0.21	<0.1	0.05	5.1	0.3	0.08	5	2.1	<0.2
1290593	Soil	15	99	1.25	497	0.049	<1	2.51	0.009	0.25	0.1	0.01	8.4	0.2	<0.05	9	<0.5	<0.2
1290589	Soil	19	53	0.83	475	0.096	<1	1.93	0.012	0.22	0.1	0.02	4.5	0.2	<0.05	7	1.4	<0.2
1290570	Soil	16	42	0.63	244	0.017	2	0.65	0.010	0.06	0.3	0.05	6.5	0.2	<0.05	2	0.8	<0.2
1290581	Soil	11	26	0.43	416	0.042	2	1.01	0.016	0.06	0.3	0.03	3.2	<0.1	<0.05	3	0.9	<0.2
1290582	Soil	13	36	0.35	271	0.059	<1	1.18	0.011	0.07	0.2	0.02	3.2	0.2	<0.05	4	1.1	<0.2
1290599	Soil	19	30	0.42	191	0.057	1	1.17	0.013	0.06	0.2	<0.01	2.7	<0.1	<0.05	4	<0.5	<0.2
1290586	Soil	19	31	0.28	460	0.039	<1	0.99	0.015	0.15	0.2	0.02	5.4	0.2	0.17	4	2.3	<0.2
1290567	Soil	16	52	0.76	1608	0.042	2	1.47	0.014	0.16	0.2	0.03	7.9	0.1	<0.05	5	0.7	<0.2
1290577	Soil	17	41	0.62	400	0.064	1	1.54	0.018	0.09	0.3	0.05	5.2	0.1	<0.05	5	0.5	<0.2
1290596	Soil	16	47	0.66	344	0.056	1	1.64	0.018	0.05	0.2	0.04	5.8	<0.1	<0.05	5	<0.5	<0.2
1290584	Soil	14	34	0.43	414	0.048	<1	1.34	0.012	0.08	0.2	0.02	4.0	<0.1	<0.05	4	1.2	<0.2
1290575	Soil	23	42	0.67	484	0.052	2	1.56	0.017	0.11	0.2	0.03	6.2	0.2	<0.05	5	<0.5	<0.2
1290576	Soil	22	39	0.65	486	0.051	2	1.48	0.017	0.10	0.2	0.03	5.7	0.2	<0.05	5	<0.5	<0.2
1290573	Soil	24	50	0.86	246	0.087	<1	1.43	0.008	0.29	<0.1	0.02	4.2	0.3	<0.05	5	0.6	<0.2
1290585	Soil	18	59	0.60	390	0.040	<1	1.65	0.010	0.10	0.2	0.02	7.6	0.1	0.05	6	1.6	<0.2
1290591	Soil	22	59	0.93	500	0.112	<1	1.94	0.018	0.45	0.1	0.01	4.4	0.3	0.08	6	0.6	<0.2
1290587	Soil	14	44	0.50	379	0.058	<1	1.16	0.010	0.18	0.2	0.02	5.2	0.2	<0.05	4	1.0	<0.2
1290590	Soil	16	58	1.09	327	0.114	<1	2.04	0.013	0.48	0.1	<0.01	4.4	0.3	<0.05	6	<0.5	<0.2
1290588	Soil	18	50	0.76	346	0.087	1	1.63	0.012	0.19	0.1	0.02	4.9	0.2	<0.05	6	1.8	<0.2
1290568	Soil	17	47	0.87	864	0.068	<1	1.43	0.014	0.11	0.2	0.03	3.8	0.2	<0.05	5	0.6	<0.2
1290569	Soil	31	82	1.67	210	0.118	<1	2.33	0.005	0.29	0.1	0.02	5.6	0.3	<0.05	10	<0.5	<0.2
1290592	Soil	15	101	1.23	729	0.099	<1	2.39	0.007	0.46	0.1	<0.01	6.0	0.2	<0.05	9	0.6	<0.2
1290583	Soil	10	37	0.33	291	0.048	1	1.30	0.007	0.08	0.2	0.02	2.7	0.2	0.07	5	1.1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000205.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1290764	Soil		1.6	33.9	7.8	62	0.1	34.7	11.8	291	2.65	19.4	0.7	2.3	3.9	21	0.2	1.8	0.1	76	0.30	0.027
1290763	Soil		2.0	37.7	7.4	47	0.5	18.5	4.8	177	1.74	35.8	0.7	3.1	2.7	32	0.3	4.0	<0.1	57	1.61	0.037
1290767	Soil		1.6	36.1	8.7	78	0.2	38.6	13.0	403	2.95	18.5	0.9	5.2	4.9	26	0.3	1.8	0.1	79	0.36	0.037
1290759	Soil		2.7	34.2	11.9	206	1.0	52.5	17.2	726	3.52	80.7	0.9	2.0	2.8	16	3.0	5.2	0.2	85	0.18	0.092
1290761	Soil		5.7	74.4	21.0	132	0.5	47.0	14.0	235	3.51	83.8	2.0	3.5	4.1	31	0.6	5.2	0.6	155	0.12	0.068
1290762	Soil		1.8	21.6	9.1	66	0.2	26.7	10.1	217	2.46	13.7	0.6	2.2	2.8	23	0.3	1.0	0.1	76	0.25	0.030
1290765	Soil		2.0	26.8	11.0	73	0.2	41.3	13.8	535	3.29	79.7	1.0	3.2	4.7	24	0.3	7.1	0.2	74	0.33	0.036
1290760	Soil		3.0	42.9	13.3	136	0.3	40.2	12.4	295	3.18	34.9	0.9	2.1	2.7	33	0.7	2.8	0.2	125	0.28	0.063
1290746	Soil		1.1	19.0	9.1	48	<0.1	24.8	10.7	489	2.46	6.8	0.7	1.9	10.8	26	<0.1	0.5	0.2	55	0.44	0.036
1290756	Soil		1.8	11.0	12.5	53	<0.1	20.6	8.4	448	2.70	6.9	1.0	2.9	10.7	15	0.1	0.4	0.2	71	0.19	0.030
1290774	Soil		1.3	30.0	8.4	67	<0.1	23.0	11.4	745	3.20	11.0	1.8	3.5	13.4	23	<0.1	0.9	0.2	68	0.35	0.027
1290766	Soil		1.7	21.5	8.1	60	0.1	30.4	10.5	221	2.68	12.9	0.7	2.7	3.9	19	0.2	1.7	<0.1	78	0.27	0.025
1290745	Soil		0.9	16.2	13.5	60	<0.1	22.0	10.5	678	2.50	5.6	1.2	1.4	21.4	26	0.1	1.1	0.2	51	0.43	0.027
1290772	Soil		1.5	14.4	11.7	84	<0.1	16.7	12.5	1254	3.73	6.9	1.3	0.7	15.8	26	0.1	1.0	0.1	73	0.40	0.021
1290758	Soil		2.2	21.6	8.5	62	0.5	24.1	9.8	503	2.90	23.5	0.5	1.6	2.6	15	0.4	1.2	0.1	76	0.19	0.104
1290768	Soil		1.8	58.7	14.3	100	0.3	41.8	15.2	566	3.22	30.3	0.8	7.2	5.5	29	0.4	2.5	0.3	102	0.56	0.062
1290754	Soil		1.4	15.5	14.0	52	<0.1	21.4	8.6	232	2.74	7.6	0.7	1.6	11.3	10	0.1	0.5	0.2	67	0.11	0.024
1290771	Soil		1.8	14.9	15.4	90	<0.1	14.6	12.0	1212	3.70	7.2	2.0	<0.5	29.6	24	0.1	1.1	0.1	73	0.39	0.033
1290775	Soil		1.0	17.7	10.8	79	<0.1	13.4	12.0	1157	3.50	8.1	1.7	3.0	22.0	45	0.1	3.2	0.1	73	1.45	0.057
1290769	Soil		1.1	17.3	13.2	84	<0.1	12.9	10.9	1193	3.68	14.3	2.1	3.3	27.4	16	<0.1	1.2	0.1	75	0.28	0.041
1290757	Soil		1.1	21.7	10.1	61	0.1	28.3	12.7	547	2.25	5.5	4.0	2.8	22.9	29	0.1	0.4	0.2	55	0.74	0.049
1290770	Soil		1.6	24.9	33.4	71	<0.1	17.7	9.5	953	3.34	7.8	3.5	2.8	20.2	25	<0.1	1.2	0.2	60	0.38	0.036
1290773	Soil		1.2	12.7	9.1	53	<0.1	19.0	10.6	584	2.84	6.7	0.5	2.1	7.7	21	<0.1	0.7	0.1	65	0.35	0.012
1290777	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1290737	Soil		1.3	13.6	9.5	45	0.1	14.7	6.6	328	1.96	6.1	1.3	0.8	25.9	15	<0.1	0.6	0.2	35	0.28	0.030
1290736	Soil		1.6	34.5	11.0	61	<0.1	28.3	10.7	460	2.54	30.4	1.2	4.6	17.2	21	<0.1	1.6	0.2	51	0.30	0.025
1290752	Soil		2.4	11.4	13.5	49	<0.1	14.5	6.9	296	3.44	10.7	0.7	2.4	8.8	9	0.2	0.6	0.3	86	0.09	0.049
1290755	Soil		1.0	13.3	15.3	60	<0.1	31.9	11.6	321	2.77	6.6	1.2	1.2	25.0	15	0.1	0.3	0.2	62	0.24	0.042
1290738	Soil		1.3	18.9	9.9	49	0.1	22.2	9.9	343	2.48	9.0	1.3	1.1	25.2	19	<0.1	0.6	0.2	52	0.33	0.023
1290739	Soil		1.2	16.8	10.4	42	<0.1	17.8	7.9	534	2.01	5.2	1.0	1.6	18.3	16	<0.1	0.6	0.1	40	0.28	0.025

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000205.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1290764	Soil		12	46	0.55	243	0.091	<1	1.45	0.010	0.14	0.2	0.02	5.4	0.1	<0.05	5	<0.5	<0.2
1290763	Soil		12	25	0.48	208	0.047	1	0.80	0.007	0.08	0.2	0.05	2.7	0.1	<0.05	3	1.0	<0.2
1290767	Soil		14	51	0.61	311	0.084	1	1.59	0.011	0.18	0.2	0.04	5.6	0.2	<0.05	5	<0.5	<0.2
1290759	Soil		10	40	0.47	585	0.055	<1	1.82	0.006	0.06	0.2	0.02	3.5	0.3	<0.05	7	<0.5	<0.2
1290761	Soil		18	54	0.51	239	0.057	<1	1.18	0.008	0.20	0.2	0.01	4.6	0.4	0.12	6	1.8	0.2
1290762	Soil		9	40	0.50	319	0.066	<1	1.48	0.008	0.08	0.1	0.02	3.9	0.1	<0.05	5	<0.5	<0.2
1290765	Soil		13	45	0.54	611	0.057	1	1.60	0.007	0.21	0.2	0.02	5.4	0.3	<0.05	6	<0.5	<0.2
1290760	Soil		12	51	0.67	254	0.067	<1	1.88	0.007	0.10	0.1	0.02	4.6	0.2	0.06	7	0.7	<0.2
1290746	Soil		25	36	0.47	240	0.080	2	1.39	0.011	0.18	0.2	0.02	4.9	<0.1	<0.05	4	<0.5	<0.2
1290756	Soil		27	35	0.47	118	0.069	1	1.40	0.008	0.06	0.2	0.04	3.0	0.1	<0.05	6	<0.5	<0.2
1290774	Soil		24	28	0.69	224	0.146	1	1.54	0.016	0.29	0.2	0.05	9.2	0.3	<0.05	6	<0.5	<0.2
1290766	Soil		9	51	0.64	175	0.081	<1	1.60	0.007	0.23	0.2	0.01	4.4	0.2	<0.05	5	<0.5	<0.2
1290745	Soil		51	37	0.50	214	0.070	2	1.45	0.009	0.23	0.2	0.02	4.7	0.1	<0.05	5	<0.5	<0.2
1290772	Soil		21	29	0.66	322	0.152	1	1.98	0.011	0.48	0.2	0.03	10.3	0.4	<0.05	8	<0.5	<0.2
1290758	Soil		9	36	0.49	196	0.062	<1	1.68	0.007	0.08	0.2	0.02	3.0	0.1	<0.05	6	<0.5	<0.2
1290768	Soil		17	48	0.78	309	0.098	1	1.61	0.025	0.14	0.3	0.05	6.8	0.2	<0.05	6	0.6	<0.2
1290754	Soil		15	35	0.39	125	0.065	<1	1.79	0.007	0.05	0.2	0.02	2.7	<0.1	<0.05	6	<0.5	<0.2
1290771	Soil		37	25	0.70	207	0.122	2	1.94	0.009	0.44	0.2	0.02	12.2	0.4	<0.05	8	<0.5	<0.2
1290775	Soil		36	17	0.89	314	0.139	1	1.53	0.016	0.35	0.3	0.03	11.2	0.4	<0.05	7	<0.5	<0.2
1290769	Soil		39	15	0.81	174	0.161	<1	1.51	0.009	0.43	0.4	0.04	12.9	0.5	<0.05	8	<0.5	<0.2
1290757	Soil		81	40	0.52	256	0.041	2	1.49	0.010	0.06	0.1	0.05	4.9	0.1	<0.05	5	<0.5	<0.2
1290770	Soil		42	27	0.57	241	0.119	<1	1.38	0.013	0.27	0.3	0.07	10.8	0.3	<0.05	6	<0.5	<0.2
1290773	Soil		11	33	0.49	245	0.098	<1	1.58	0.009	0.22	0.2	0.02	6.2	0.1	<0.05	6	<0.5	<0.2
1290777	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1290737	Soil		24	22	0.30	245	0.035	<1	1.05	0.006	0.11	0.2	0.01	2.7	<0.1	<0.05	4	<0.5	<0.2
1290736	Soil		37	31	0.34	561	0.039	<1	1.05	0.010	0.07	0.1	0.04	5.4	<0.1	<0.05	3	<0.5	<0.2
1290752	Soil		11	31	0.32	92	0.070	<1	1.54	0.006	0.04	0.2	0.03	2.5	<0.1	<0.05	7	<0.5	<0.2
1290755	Soil		75	42	0.65	129	0.066	1	1.66	0.008	0.06	0.2	0.02	4.0	0.1	<0.05	5	<0.5	<0.2
1290738	Soil		39	34	0.42	188	0.058	<1	1.44	0.009	0.09	0.2	0.02	4.9	<0.1	<0.05	4	<0.5	<0.2
1290739	Soil		30	24	0.32	223	0.045	<1	1.12	0.007	0.13	0.2	0.01	3.3	0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000205.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1290734	Soil		4.1	110.9	60.2	220	1.1	76.5	20.5	1845	4.27	281.6	1.3	8.5	7.7	41	1.7	13.9	0.3	42	0.89	0.047
1290749	Soil		0.8	13.5	9.3	49	<0.1	19.9	9.6	311	2.25	5.1	0.6	0.6	7.5	19	<0.1	0.4	<0.1	56	0.27	0.023
1290751	Rock Pulp		1.4	440.6	22.9	174	0.2	213.2	78.5	860	16.44	3.4	1.4	33.6	8.1	17	0.1	0.4	0.2	211	0.30	0.042
1290740	Soil		1.1	25.1	10.6	50	<0.1	20.8	7.6	375	2.22	8.0	1.4	2.7	28.5	30	<0.1	0.7	0.3	40	0.55	0.023
1290733	Soil		3.7	89.6	443.2	930	7.9	84.3	23.2	2400	4.90	154.1	1.8	11.5	9.4	63	14.8	5.9	10.6	52	2.30	0.059
1290750	Soil		0.9	12.9	11.2	66	<0.1	18.9	8.8	290	2.50	8.6	0.6	0.5	9.9	15	0.1	0.5	0.3	55	0.15	0.032
1290735	Soil		1.8	40.4	23.1	64	0.1	29.3	11.4	491	2.64	20.4	1.2	5.6	18.5	31	0.2	2.0	0.2	53	0.39	0.035
1290731	Soil		3.1	62.2	67.5	152	0.5	46.2	16.9	993	3.61	62.9	1.7	15.2	10.2	30	0.6	4.3	0.9	50	0.43	0.113
1290732	Soil		2.1	48.1	17.1	98	0.4	38.1	12.0	444	2.69	30.0	1.2	7.9	5.7	105	0.8	1.6	0.3	51	5.23	0.065
1290753	Soil		0.7	27.7	9.5	48	<0.1	24.5	10.2	234	2.61	10.1	0.9	2.4	20.4	15	<0.1	0.6	0.2	60	0.13	0.014
1290522	Soil		2.6	42.9	13.1	135	0.5	55.1	14.8	647	3.18	178.7	0.9	4.9	4.8	29	0.5	4.3	0.1	81	0.25	0.038
1290744	Soil		0.7	30.6	9.3	48	<0.1	23.1	8.8	360	2.38	9.8	0.9	3.8	11.3	34	<0.1	0.7	0.2	52	0.47	0.030
1290747	Soil		0.8	16.6	11.8	44	<0.1	28.2	9.9	509	2.44	5.4	1.3	<0.5	18.4	25	<0.1	0.4	0.3	50	0.37	0.040
1290741	Soil		1.1	32.7	9.9	54	<0.1	24.9	8.4	354	2.41	11.4	1.0	3.1	18.7	27	<0.1	0.7	0.2	52	0.39	0.034
1290527	Soil		1.5	25.7	12.1	63	0.1	29.2	8.8	296	2.69	40.8	0.6	2.8	4.6	18	0.1	2.5	<0.1	68	0.19	0.037
1290742	Soil		0.8	37.8	8.0	47	0.2	22.3	8.1	324	2.07	8.9	0.9	7.6	13.3	107	0.1	0.8	0.2	46	4.99	0.039
1290743	Soil		0.9	24.4	8.9	46	0.1	26.8	9.2	342	2.63	13.5	0.7	2.6	10.5	33	<0.1	0.7	0.2	60	0.42	0.042
1290748	Soil		1.1	20.3	8.2	55	<0.1	29.2	11.3	442	2.76	8.1	1.5	0.9	7.8	25	<0.1	0.5	0.1	54	0.36	0.036
1290524	Soil		1.7	31.0	10.5	123	0.6	40.2	12.1	345	2.80	47.1	0.7	1.6	3.3	22	0.6	3.3	0.1	76	0.19	0.043
1290543	Soil		0.8	20.2	9.5	65	<0.1	16.8	12.4	613	3.25	7.5	4.1	5.9	11.7	38	<0.1	1.4	0.1	86	0.53	0.063
1290532	Soil		1.0	26.8	17.1	79	0.2	22.0	13.1	727	3.07	33.3	0.7	2.3	9.5	34	0.2	2.6	0.3	63	0.54	0.019
1290542	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1290523	Soil		2.6	92.1	13.5	183	0.3	59.2	10.5	305	3.78	176.2	1.6	6.1	5.7	14	0.5	5.8	0.2	101	0.07	0.049
1290545	Soil		0.5	35.6	8.2	73	0.1	19.1	17.4	653	4.47	8.6	1.4	2.5	15.4	33	<0.1	1.6	<0.1	124	0.76	0.081
1290540	Soil		0.6	35.0	7.5	69	0.2	23.6	11.6	538	2.99	45.7	0.7	22.4	5.2	88	0.1	29.0	0.1	71	3.40	0.067
1290529	Soil		0.9	40.5	8.2	57	0.2	37.6	10.2	229	3.09	18.2	0.8	0.7	5.8	14	<0.1	3.1	<0.1	75	0.18	0.030
1290534	Soil		1.1	15.3	11.7	69	<0.1	21.3	9.1	541	3.12	10.3	1.2	<0.5	14.2	25	0.1	1.3	0.2	63	0.28	0.024
1290537	Soil		0.7	10.1	10.6	60	<0.1	13.5	8.0	618	2.81	29.8	0.8	6.9	6.6	22	<0.1	5.0	0.2	50	0.44	0.039
1290530	Soil		1.3	52.6	13.1	124	0.3	61.6	13.2	483	3.66	64.4	1.0	1.6	10.2	24	0.3	1.9	0.3	113	0.32	0.053
1290525	Soil		4.6	49.4	14.9	245	0.7	67.7	14.9	484	2.97	31.0	1.5	0.6	3.5	25	1.7	2.8	0.2	119	0.22	0.115

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000205.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1290734	Soil	20	20	0.14	737	0.002	<1	0.38	0.003	0.07	<0.1	0.03	5.9	0.2	<0.05	2	1.8	<0.2
1290749	Soil	15	41	0.55	182	0.070	<1	1.30	0.008	0.09	0.1	<0.01	3.4	<0.1	<0.05	4	<0.5	<0.2
1290751	Rock Pulp	17	597	0.12	148	0.174	4	3.76	0.012	0.07	<0.1	0.04	38.8	<0.1	<0.05	21	0.6	<0.2
1290740	Soil	43	22	0.40	161	0.065	<1	1.16	0.015	0.13	0.2	0.02	4.4	0.1	<0.05	5	<0.5	<0.2
1290733	Soil	21	52	0.65	349	0.011	1	1.07	0.009	0.10	<0.1	0.07	6.4	0.2	<0.05	4	2.0	0.2
1290750	Soil	10	31	0.43	265	0.049	<1	1.95	0.011	0.04	0.1	0.01	3.0	<0.1	<0.05	6	<0.5	<0.2
1290735	Soil	38	35	0.44	482	0.053	<1	1.24	0.018	0.07	0.1	0.05	6.0	<0.1	<0.05	4	0.8	<0.2
1290731	Soil	24	28	0.41	305	0.020	3	1.06	0.012	0.13	0.1	0.06	6.0	0.4	<0.05	4	1.7	0.4
1290732	Soil	15	27	0.62	395	0.042	2	0.99	0.023	0.08	0.1	0.04	4.4	0.1	<0.05	3	1.8	<0.2
1290753	Soil	25	38	0.51	209	0.072	<1	1.92	0.011	0.05	0.1	0.02	4.2	<0.1	<0.05	5	0.5	<0.2
1290522	Soil	14	51	0.63	537	0.077	<1	1.80	0.014	0.12	0.2	0.01	4.9	0.4	<0.05	6	0.7	<0.2
1290744	Soil	30	31	0.54	214	0.069	1	1.35	0.022	0.10	0.1	0.03	5.3	<0.1	<0.05	5	<0.5	<0.2
1290747	Soil	43	46	0.58	189	0.088	2	1.37	0.018	0.25	0.2	0.01	5.0	0.2	<0.05	5	0.5	<0.2
1290741	Soil	34	32	0.51	176	0.074	2	1.36	0.018	0.12	0.1	0.03	5.4	0.1	<0.05	5	<0.5	<0.2
1290527	Soil	12	41	0.63	209	0.080	<1	1.83	0.012	0.10	0.1	0.01	4.1	0.2	<0.05	6	<0.5	<0.2
1290742	Soil	30	27	0.68	232	0.064	2	1.15	0.026	0.08	0.2	0.05	4.2	<0.1	<0.05	4	<0.5	<0.2
1290743	Soil	27	37	0.50	201	0.074	2	1.51	0.019	0.14	0.2	0.03	6.1	0.1	<0.05	5	<0.5	<0.2
1290748	Soil	21	45	0.63	222	0.075	1	1.71	0.013	0.22	0.1	0.01	5.3	0.1	<0.05	5	<0.5	<0.2
1290524	Soil	9	38	0.53	703	0.052	<1	1.86	0.009	0.09	0.1	0.02	4.1	0.3	<0.05	6	<0.5	<0.2
1290543	Soil	28	31	0.73	415	0.147	1	2.24	0.023	0.22	0.2	0.04	9.1	0.3	<0.05	8	<0.5	<0.2
1290532	Soil	19	42	0.48	206	0.063	1	1.85	0.018	0.14	0.5	0.02	6.1	0.2	<0.05	7	<0.5	<0.2
1290542	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1290523	Soil	16	48	0.65	476	0.101	<1	1.89	0.006	0.49	<0.1	0.03	4.6	1.1	<0.05	6	1.0	<0.2
1290545	Soil	40	27	1.31	709	0.294	1	2.21	0.028	0.49	0.2	0.04	9.6	0.6	<0.05	9	<0.5	<0.2
1290540	Soil	19	26	0.88	392	0.092	2	1.52	0.032	0.12	0.2	0.07	6.9	0.2	<0.05	6	0.6	<0.2
1290529	Soil	17	46	0.75	201	0.110	1	1.92	0.009	0.32	0.1	0.01	4.9	0.3	<0.05	6	<0.5	<0.2
1290534	Soil	29	34	0.61	229	0.085	<1	2.00	0.012	0.20	0.1	0.02	9.4	0.2	<0.05	7	<0.5	<0.2
1290537	Soil	16	19	0.31	404	0.025	<1	1.40	0.016	0.15	0.4	0.40	7.1	0.1	<0.05	5	<0.5	<0.2
1290530	Soil	25	150	1.48	159	0.107	<1	3.30	0.016	0.48	0.2	0.01	9.8	0.6	<0.05	13	0.6	<0.2
1290525	Soil	9	50	0.51	353	0.048	2	1.84	0.008	0.08	0.2	0.02	4.5	0.2	<0.05	6	1.2	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000205.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1290535	Soil		0.7	26.7	8.2	74	0.1	29.1	11.1	507	3.57	13.4	0.9	5.1	6.0	33	<0.1	1.0	0.2	79	0.50	0.077
1290541	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1290533	Soil		1.3	35.6	6.0	107	<0.1	21.1	15.9	591	4.65	18.6	0.6	<0.5	3.6	48	0.3	1.3	0.2	151	0.83	0.072
1290528	Soil		1.6	20.3	8.0	46	0.3	25.7	9.2	233	2.56	11.2	0.6	<0.5	3.8	13	0.1	1.3	0.1	68	0.15	0.045
1290538	Soil		0.9	14.5	8.8	82	<0.1	20.1	10.5	612	3.53	14.0	0.6	1.1	6.3	27	<0.1	2.4	0.2	78	0.42	0.058
1290544	Soil		0.6	15.8	5.9	68	<0.1	14.1	10.9	399	2.44	34.1	5.7	4.0	5.5	79	0.2	6.3	<0.1	62	0.67	0.077
1290536	Soil		0.9	6.1	10.3	98	<0.1	10.3	9.0	892	3.93	9.4	0.9	0.7	8.7	20	<0.1	1.6	0.1	72	0.41	0.077
1290531	Soil		0.9	43.0	17.3	121	0.2	30.4	14.1	514	4.23	25.8	1.9	3.1	19.3	40	0.2	2.0	0.4	82	0.61	0.027
1269004	Soil		1.2	20.8	13.7	71	0.2	31.8	16.8	851	3.61	8.6	0.6	3.3	3.7	31	0.2	0.5	0.4	76	0.38	0.033
1269006	Soil		0.7	27.6	7.4	69	<0.1	58.5	20.0	465	3.69	8.8	0.5	1.8	4.7	20	<0.1	0.2	0.1	66	0.39	0.021
1290539	Soil		0.8	9.3	9.7	89	<0.1	13.4	10.6	753	3.77	23.5	0.6	7.1	5.4	30	<0.1	12.1	0.2	83	0.44	0.053
1290526	Soil		3.8	67.2	16.9	254	0.8	79.6	13.0	269	3.11	35.0	1.8	2.3	4.5	24	2.2	3.1	0.2	125	0.18	0.089
1268800	Soil		1.1	28.2	12.9	54	0.1	25.6	13.8	423	2.94	6.6	1.8	6.7	7.2	28	0.1	0.4	0.2	62	0.40	0.078
1269003	Soil		1.5	17.1	19.7	62	<0.1	26.1	13.1	585	3.67	7.6	0.7	1.1	5.3	15	<0.1	0.3	0.2	66	0.18	0.040
1269002	Soil		0.9	28.7	28.3	88	<0.1	47.2	16.3	490	3.98	26.5	2.3	4.3	13.4	23	0.2	1.6	0.4	69	0.38	0.088
1269005	Soil		1.0	26.6	13.0	56	<0.1	40.3	14.7	476	3.50	11.9	1.1	3.1	7.7	24	<0.1	0.3	0.6	64	0.35	0.028
1269023	Soil		1.6	16.5	13.1	37	<0.1	16.0	8.2	294	2.12	7.9	16.6	6.8	17.9	44	0.1	0.4	0.2	44	0.82	0.030
1269001	Rock Pulp		1.3	403.9	22.8	152	0.2	197.9	70.4	760	14.25	2.8	1.3	37.3	7.9	16	0.1	0.3	0.1	177	0.27	0.041
1268797	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1268799	Soil		1.3	16.1	9.8	49	<0.1	18.1	10.6	251	2.60	5.7	1.0	4.2	6.7	28	<0.1	0.3	0.2	63	0.48	0.061
1269024	Soil		1.7	23.2	15.7	38	<0.1	22.1	8.5	329	2.24	6.7	7.7	149.0	27.0	35	<0.1	0.5	0.3	43	0.62	0.026
1269021	Soil		1.4	12.1	14.1	29	<0.1	18.5	6.3	350	1.72	8.1	5.8	15.9	26.0	26	0.1	0.7	0.2	30	0.35	0.026
1268796	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1268798	Soil		1.9	16.8	11.2	55	<0.1	24.8	13.0	506	2.85	6.0	1.5	5.7	6.6	40	<0.1	0.3	<0.1	73	0.73	0.096
1269019	Soil		1.3	15.1	12.0	42	<0.1	19.7	9.0	345	2.33	8.0	0.9	1.9	11.7	21	0.1	0.4	0.2	54	0.30	0.021
1269022	Soil		1.4	14.3	12.7	27	<0.1	13.9	6.6	289	1.70	9.0	9.8	6.1	22.8	34	0.1	0.4	0.2	28	0.61	0.029
1269027	Soil		1.4	26.5	12.4	41	<0.1	21.2	10.7	511	2.45	6.6	2.7	6.3	26.0	43	<0.1	0.6	0.2	51	0.73	0.029
1269020	Soil		1.1	11.9	10.3	36	<0.1	13.8	7.6	333	1.95	8.6	1.0	3.0	12.2	21	0.1	0.4	<0.1	41	0.33	0.027
1269011	Soil		1.5	19.7	13.9	53	<0.1	30.3	14.4	536	3.10	8.4	1.6	0.9	19.6	25	<0.1	0.3	0.3	65	0.44	0.026
1283373	Soil		0.4	86.9	15.1	63	<0.1	112.7	28.1	746	4.73	1.8	1.8	2.9	24.5	57	<0.1	0.2	0.1	111	1.12	0.167

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000205.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1290535	Soil	22	36	0.77	243	0.128	2	1.84	0.019	0.19	0.3	0.02	8.7	0.2	<0.05	7	<0.5	<0.2
1290541	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1290533	Soil	13	25	2.99	364	0.115	1	2.76	0.040	0.29	<0.1	0.02	14.2	0.4	<0.05	9	0.6	<0.2
1290528	Soil	9	37	0.60	200	0.073	<1	1.73	0.008	0.08	0.1	0.02	3.4	0.1	<0.05	6	<0.5	<0.2
1290538	Soil	16	33	0.77	360	0.106	1	2.06	0.015	0.26	0.2	0.02	8.5	0.2	<0.05	8	<0.5	<0.2
1290544	Soil	17	21	0.68	242	0.088	<1	1.36	0.023	0.16	0.2	0.04	5.6	0.2	<0.05	5	0.7	<0.2
1290536	Soil	12	22	0.70	523	0.084	<1	1.93	0.009	0.44	0.3	0.05	8.2	0.3	<0.05	10	<0.5	<0.2
1290531	Soil	36	58	1.06	150	0.106	2	2.93	0.025	0.34	0.2	0.02	10.6	0.5	<0.05	12	0.7	<0.2
1269004	Soil	10	50	0.70	252	0.103	2	2.25	0.012	0.10	0.1	0.02	3.7	0.2	<0.05	8	<0.5	<0.2
1269006	Soil	9	115	1.86	133	0.169	1	2.66	0.011	0.57	0.2	<0.01	3.6	0.4	<0.05	7	<0.5	<0.2
1290539	Soil	11	26	0.89	357	0.132	3	2.10	0.012	0.37	0.1	0.02	7.3	0.2	<0.05	9	<0.5	<0.2
1290526	Soil	11	52	0.49	339	0.052	2	1.86	0.008	0.08	0.2	0.03	4.7	0.4	<0.05	6	1.3	<0.2
1268800	Soil	27	40	0.79	241	0.084	2	1.85	0.013	0.08	0.1	0.05	5.6	0.2	<0.05	6	<0.5	<0.2
1269003	Soil	11	45	0.85	153	0.145	2	1.86	0.008	0.31	<0.1	0.01	3.4	0.3	<0.05	8	<0.5	<0.2
1269002	Soil	27	56	0.68	228	0.083	2	1.59	0.010	0.16	0.1	0.05	8.8	0.4	<0.05	6	<0.5	<0.2
1269005	Soil	16	65	1.12	139	0.136	1	2.15	0.013	0.31	<0.1	0.01	4.3	0.3	<0.05	7	<0.5	<0.2
1269023	Soil	23	33	0.49	148	0.085	2	1.29	0.017	0.10	0.2	0.03	4.0	0.2	<0.05	4	<0.5	<0.2
1269001	Rock Pulp	17	550	0.14	140	0.177	4	3.80	0.013	0.05	<0.1	0.03	37.6	<0.1	<0.05	19	<0.5	<0.2
1268797	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1268799	Soil	15	34	0.84	197	0.117	2	1.69	0.012	0.12	0.1	0.02	3.9	0.2	<0.05	6	<0.5	<0.2
1269024	Soil	28	37	0.53	156	0.077	1	1.30	0.012	0.13	0.2	0.03	4.4	0.2	<0.05	4	<0.5	<0.2
1269021	Soil	28	27	0.36	112	0.048	1	0.80	0.008	0.16	0.2	0.08	3.1	0.2	<0.05	2	<0.5	<0.2
1268796	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1268798	Soil	15	62	0.93	201	0.112	2	1.65	0.014	0.12	0.2	0.03	6.0	0.2	<0.05	6	<0.5	<0.2
1269019	Soil	18	37	0.55	162	0.097	1	1.38	0.013	0.11	0.2	0.01	3.2	0.1	<0.05	5	<0.5	<0.2
1269022	Soil	34	25	0.33	121	0.046	2	0.89	0.011	0.10	0.1	0.07	3.4	0.1	<0.05	3	<0.5	<0.2
1269027	Soil	45	38	0.49	407	0.070	1	1.63	0.015	0.06	0.2	0.05	5.6	0.1	<0.05	5	<0.5	<0.2
1269020	Soil	19	29	0.47	146	0.075	1	1.09	0.011	0.09	0.2	0.02	2.8	0.1	<0.05	4	<0.5	<0.2
1269011	Soil	37	77	1.08	214	0.113	1	2.06	0.010	0.18	0.2	0.02	4.9	0.3	<0.05	6	<0.5	<0.2
1283373	Soil	27	212	2.91	541	0.296	1	2.45	0.012	0.70	0.2	0.01	9.8	1.3	<0.05	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000205.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1269018	Soil	1.5	23.2	14.3	51	0.2	21.4	11.4	589	2.62	8.1	1.6	1.4	14.4	30	0.2	0.4	0.2	60	0.52	0.047
1269025	Soil	1.1	16.4	10.8	39	<0.1	15.8	9.5	293	2.20	6.1	1.4	4.0	19.0	27	<0.1	0.5	0.2	47	0.42	0.026
1269013	Soil	1.4	17.6	12.4	60	<0.1	21.8	12.7	462	2.98	5.5	6.0	0.7	20.1	23	0.1	0.3	0.2	64	0.49	0.031
1283502	Soil	0.9	20.4	9.2	54	<0.1	24.2	11.3	277	2.57	7.5	0.7	0.9	6.5	21	0.1	0.5	0.1	55	0.29	0.039
1269017	Soil	1.0	16.7	10.2	42	<0.1	18.6	9.9	406	2.30	6.9	1.2	3.2	15.7	22	<0.1	0.4	0.2	46	0.37	0.029
1269026	Soil	1.1	18.4	10.2	37	<0.1	16.5	9.8	388	2.10	6.3	1.7	4.7	21.2	25	<0.1	0.5	0.2	44	0.39	0.029
1269014	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1283372	Soil	0.6	35.0	9.8	53	0.1	30.1	10.5	321	2.61	10.6	0.9	5.0	7.6	31	<0.1	0.7	0.1	52	0.42	0.046
1283370	Soil	1.0	27.2	18.1	65	0.2	45.3	21.6	694	3.99	6.9	0.6	1.0	7.1	50	<0.1	0.5	0.1	57	0.71	0.034
1283368	Soil	1.0	52.6	10.7	102	0.5	46.5	10.0	237	3.21	7.0	2.2	2.6	7.7	18	0.1	0.7	0.1	63	0.30	0.056
1269015	Soil	1.3	22.9	14.1	49	<0.1	23.9	10.3	450	2.83	8.7	2.0	8.0	21.1	27	<0.1	0.5	0.2	61	0.52	0.035
1269012	Soil	1.6	23.6	26.0	83	<0.1	29.4	13.6	546	3.03	6.6	1.2	0.7	14.5	26	<0.1	0.3	0.4	65	0.49	0.033
1283371	Soil	0.4	49.9	7.3	74	0.2	55.7	21.1	415	4.02	3.1	0.6	1.1	6.8	164	<0.1	0.1	<0.1	48	5.01	0.058
1283369	Soil	1.3	33.5	9.0	87	0.3	31.7	10.4	265	2.76	8.8	1.1	2.1	5.7	22	0.3	0.7	0.1	63	0.31	0.057
1283523	Soil	4.3	42.9	11.2	64	0.5	9.6	3.0	152	2.75	4.0	1.1	1.3	6.6	20	<0.1	0.2	0.3	66	0.18	0.027
1283519	Soil	1.4	33.8	10.8	80	0.2	25.3	8.1	195	2.76	28.4	1.5	2.2	3.8	18	0.3	0.5	0.2	56	0.26	0.066
1269016	Soil	1.3	12.3	8.7	39	<0.1	15.4	8.3	499	2.24	6.7	0.7	2.7	8.3	19	0.2	0.4	0.2	47	0.35	0.015
1269008	Soil	1.4	27.9	11.8	48	<0.1	28.7	10.0	523	2.65	10.2	1.2	2.0	14.3	23	0.2	0.4	0.3	57	0.45	0.029
1283532	Soil	2.2	50.2	11.0	107	0.3	57.4	16.4	478	3.39	27.2	1.2	2.0	5.9	13	0.2	0.6	0.2	50	0.25	0.050
1283503	Soil	1.1	23.1	10.2	42	<0.1	13.7	5.6	311	2.48	10.3	0.9	5.1	7.3	16	<0.1	0.4	0.2	28	0.28	0.030
1283501	Rock Pulp	1.4	423.8	20.2	153	0.2	199.5	72.3	881	13.34	4.2	1.1	30.5	6.9	15	0.2	0.4	0.2	206	0.29	0.044
1269007	Soil	1.6	20.8	13.5	46	<0.1	22.5	9.8	373	2.58	11.7	0.8	0.9	16.3	12	<0.1	0.4	0.1	51	0.15	0.011
1283533	Soil	1.1	13.4	7.6	67	0.3	20.2	9.9	582	2.32	12.3	0.4	1.5	2.4	17	0.4	0.6	0.1	50	0.32	0.031
1283521	Soil	1.5	30.8	6.7	64	0.2	27.7	6.8	205	2.54	11.3	0.4	0.7	3.0	12	0.2	0.4	0.2	73	0.18	0.040
1283516	Soil	1.8	41.2	8.5	173	0.4	34.7	12.9	814	3.05	6.7	0.8	<0.5	4.0	29	0.9	0.5	0.1	66	0.57	0.128
1269009	Soil	2.1	15.7	16.0	39	<0.1	18.0	8.1	525	2.30	7.3	0.8	0.8	10.2	14	0.1	0.3	0.3	48	0.22	0.019
1283530	Soil	1.7	45.0	9.0	59	0.3	33.8	10.2	480	2.40	15.7	0.8	5.2	2.7	80	0.3	0.8	0.2	53	4.11	0.030
1283522	Soil	6.3	64.9	13.9	66	0.6	16.2	3.4	176	3.32	8.6	2.0	2.1	6.8	24	<0.1	0.4	0.2	75	0.16	0.050
1283520	Soil	1.1	35.9	7.5	56	<0.1	35.0	11.5	262	2.51	9.1	0.9	2.1	3.5	19	<0.1	0.4	0.1	64	0.26	0.035
1269010	Soil	1.7	20.5	17.8	51	0.1	27.8	12.1	641	2.83	9.6	1.6	0.6	20.3	23	<0.1	0.4	0.3	61	0.41	0.021

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000205.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1269018	Soil	39	43	0.61	299	0.081	2	1.73	0.015	0.10	0.3	0.02	5.1	0.2	<0.05	6	<0.5	<0.2
1269025	Soil	20	35	0.51	180	0.088	1	1.33	0.015	0.08	0.2	0.02	3.9	<0.1	<0.05	4	<0.5	<0.2
1269013	Soil	58	57	0.98	194	0.113	2	1.67	0.009	0.41	0.1	0.02	5.1	0.4	<0.05	5	<0.5	<0.2
1283502	Soil	14	34	0.55	209	0.080	<1	1.35	0.010	0.33	0.1	0.03	3.8	0.1	<0.05	4	<0.5	<0.2
1269017	Soil	25	36	0.58	171	0.079	<1	1.34	0.013	0.08	0.2	0.02	3.7	0.1	<0.05	4	<0.5	<0.2
1269026	Soil	24	31	0.47	202	0.074	<1	1.20	0.014	0.08	0.1	0.03	4.0	0.1	<0.05	4	<0.5	<0.2
1269014	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1283372	Soil	24	41	0.56	175	0.059	<1	1.24	0.014	0.07	<0.1	0.02	6.2	<0.1	<0.05	4	<0.5	<0.2
1283370	Soil	19	64	0.93	233	0.096	3	2.00	0.014	0.40	0.1	0.01	5.8	0.2	<0.05	6	<0.5	<0.2
1283368	Soil	22	37	0.67	378	0.055	<1	1.60	0.006	0.41	<0.1	0.02	3.7	0.3	<0.05	5	<0.5	<0.2
1269015	Soil	43	46	0.66	244	0.079	1	1.71	0.013	0.12	0.2	0.03	6.1	0.2	<0.05	6	<0.5	<0.2
1269012	Soil	20	76	1.08	209	0.119	1	1.95	0.011	0.20	0.1	0.01	4.1	0.3	<0.05	6	<0.5	<0.2
1283371	Soil	19	77	1.28	119	0.132	<1	1.83	0.006	0.74	0.1	0.01	3.4	0.5	<0.05	5	<0.5	<0.2
1283369	Soil	16	37	0.59	549	0.078	1	1.46	0.009	0.30	<0.1	0.01	4.0	0.2	<0.05	4	<0.5	<0.2
1283523	Soil	26	35	0.76	366	0.051	1	1.33	0.025	0.28	<0.1	<0.01	3.0	0.3	0.53	5	2.0	<0.2
1283519	Soil	17	37	0.58	282	0.050	1	1.45	0.009	0.07	0.2	0.03	4.7	0.1	<0.05	5	0.7	<0.2
1269016	Soil	16	29	0.50	163	0.053	<1	1.18	0.010	0.07	0.2	<0.01	2.9	<0.1	<0.05	4	<0.5	<0.2
1269008	Soil	120	42	0.72	222	0.061	<1	1.69	0.014	0.07	0.2	0.05	5.5	0.1	<0.05	5	0.6	<0.2
1283532	Soil	13	51	0.52	345	0.011	<1	1.06	0.004	0.16	<0.1	<0.01	6.8	0.2	<0.05	3	3.1	<0.2
1283503	Soil	20	20	0.38	258	0.013	<1	1.20	0.007	0.08	<0.1	<0.01	4.5	<0.1	<0.05	4	<0.5	<0.2
1283501	Rock Pulp	17	628	0.14	142	0.185	5	3.59	0.015	0.07	<0.1	0.03	39.8	<0.1	<0.05	20	1.1	<0.2
1269007	Soil	6	44	0.70	92	0.079	<1	1.69	0.007	0.20	0.2	<0.01	3.4	0.4	<0.05	5	<0.5	<0.2
1283533	Soil	7	28	0.43	577	0.041	<1	1.16	0.009	0.11	0.2	<0.01	3.5	<0.1	<0.05	4	<0.5	<0.2
1283521	Soil	6	37	0.67	276	0.090	<1	1.42	0.006	0.37	0.1	<0.01	2.7	0.2	<0.05	5	<0.5	<0.2
1283516	Soil	15	45	0.87	970	0.064	<1	1.97	0.009	0.44	0.2	0.01	5.2	0.2	<0.05	7	0.5	<0.2
1269009	Soil	27	33	0.48	145	0.049	<1	1.14	0.010	0.11	0.2	0.02	3.0	0.1	<0.05	5	<0.5	<0.2
1283530	Soil	11	34	0.69	563	0.048	<1	1.12	0.018	0.07	0.2	0.04	4.9	<0.1	0.08	4	0.6	<0.2
1283522	Soil	26	44	0.68	368	0.052	<1	1.20	0.015	0.28	<0.1	0.01	3.9	0.3	0.50	4	3.3	<0.2
1283520	Soil	12	52	0.76	428	0.068	<1	1.48	0.011	0.09	0.1	0.01	4.0	0.1	0.06	4	1.0	<0.2
1269010	Soil	38	49	0.84	239	0.082	<1	1.85	0.011	0.14	0.2	0.01	5.2	0.2	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000205.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1268657	Soil		1.2	29.2	9.8	40	0.1	33.2	11.8	573	2.66	10.1	2.3	2.9	13.4	37	0.1	0.7	0.2	56	0.84	0.047
1268659	Soil		1.3	21.5	9.6	55	0.2	18.7	7.2	253	1.79	35.3	0.7	1.2	0.9	24	0.5	1.1	0.2	44	0.29	0.043
1283529	Soil		2.9	71.4	15.5	93	0.3	63.0	19.4	997	3.96	25.8	1.2	3.9	6.7	20	0.3	1.0	0.3	70	0.40	0.033
1283525	Soil		3.9	43.6	9.7	92	0.6	41.6	10.7	277	3.12	34.3	1.1	5.6	2.3	18	0.3	0.7	0.2	72	0.10	0.060
1268665	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1268664	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1283531	Soil		9.5	115.8	13.4	380	1.3	85.6	12.8	609	3.65	33.4	2.5	8.8	5.0	56	3.2	1.0	0.2	115	2.26	0.045
1283524	Soil		3.4	48.7	8.3	97	0.4	39.0	8.6	295	3.38	35.9	1.4	1.9	3.8	24	<0.1	0.3	0.2	95	0.17	0.087
1268660	Soil		1.9	38.7	16.1	81	0.4	28.6	9.0	322	2.47	73.4	1.1	5.6	2.7	20	0.6	2.0	0.2	65	0.22	0.048
1268658	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1268645	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1283527	Soil		2.5	62.9	7.8	99	0.5	36.8	11.9	329	2.55	13.5	2.1	4.5	4.0	21	0.5	0.6	0.2	59	0.22	0.057
1268649	Soil		1.3	29.7	8.7	84	0.2	29.1	12.9	824	2.77	36.8	1.8	3.4	4.4	26	0.5	0.9	<0.1	65	0.47	0.082
1268651	Rock Pulp		2.0	24.0	2.1	41	0.3	21.8	9.8	400	2.23	4.2	0.2	3.6	0.7	36	0.2	0.3	<0.1	53	0.70	0.058
1268662	Soil		1.1	39.5	12.1	65	0.1	31.9	9.1	388	2.47	36.5	0.7	3.3	3.6	33	0.2	1.3	0.1	57	0.58	0.072
1283528	Soil		1.5	37.2	8.4	75	0.2	36.4	8.8	269	2.42	11.4	1.4	3.3	3.3	29	<0.1	0.7	0.1	51	0.44	0.051
1268646	Soil		0.6	26.5	16.8	59	0.1	11.4	8.6	584	1.99	5.5	0.6	1.7	1.2	25	0.2	0.3	0.1	52	0.33	0.047
1268656	Soil		1.7	30.2	12.0	60	0.1	59.0	23.7	709	4.31	27.1	1.4	3.9	17.4	25	0.1	0.9	0.1	89	0.64	0.074
1268663	Soil		1.4	33.6	13.0	69	0.2	24.9	9.4	456	2.34	54.8	1.0	5.0	3.3	31	0.3	1.6	0.2	55	0.44	0.049
1268653	Soil		0.9	27.5	8.7	65	0.1	24.8	11.3	498	2.48	23.8	1.5	2.1	3.8	36	0.2	0.7	<0.1	57	0.66	0.055
1268666	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1268669	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1268670	Soil		0.8	26.7	9.0	81	0.1	20.3	13.4	462	2.94	5.8	1.0	3.2	2.2	43	0.3	0.4	0.2	69	1.13	0.064
1268644	Soil		0.7	108.8	7.0	57	0.1	27.0	18.4	362	2.98	4.7	0.6	5.9	2.5	56	0.1	0.3	0.1	81	0.91	0.049
1268671	Soil		0.8	40.1	9.2	55	0.1	22.4	13.3	328	3.07	6.3	1.0	3.1	3.3	32	0.2	0.4	0.1	75	0.69	0.042
1268655	Soil		1.1	29.4	9.1	48	<0.1	35.5	16.6	549	2.95	8.1	3.6	2.3	10.7	42	0.2	0.7	0.2	65	0.96	0.040
1268668	Soil		0.4	43.9	8.0	59	0.2	25.5	13.2	461	2.03	4.4	0.8	2.2	1.4	49	0.2	0.3	<0.1	55	1.54	0.060
1268648	Soil		0.8	14.7	6.8	58	<0.1	9.3	10.1	355	2.84	9.9	3.1	1.5	9.9	47	0.1	1.4	<0.1	85	0.71	0.108
1268652	Soil		1.4	32.5	8.0	81	0.3	31.4	16.1	1111	2.82	27.8	2.1	4.0	4.9	43	0.5	0.8	<0.1	68	0.89	0.075
1268667	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000205.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1268657	Soil	46	56	0.82	422	0.078	<1	1.62	0.012	0.20	<0.1	0.05	7.4	0.2	0.06	5	0.6	<0.2
1268659	Soil	9	29	0.47	304	0.056	<1	1.12	0.014	0.07	0.2	0.06	2.9	0.1	<0.05	5	<0.5	<0.2
1283529	Soil	22	53	0.60	449	0.015	<1	1.19	0.010	0.10	0.1	0.07	9.7	0.4	<0.05	4	0.9	<0.2
1283525	Soil	11	36	0.44	320	0.031	<1	1.40	0.008	0.07	0.2	0.02	2.9	0.2	<0.05	5	0.8	<0.2
1268665	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1268664	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1283531	Soil	14	36	0.35	595	0.018	1	0.79	0.008	0.08	0.2	0.11	9.6	0.4	0.08	3	4.0	<0.2
1283524	Soil	16	46	0.72	526	0.062	<1	1.60	0.017	0.27	0.2	0.01	3.7	0.2	0.34	6	2.4	<0.2
1268660	Soil	13	40	0.49	400	0.088	<1	1.43	0.010	0.13	0.2	0.04	4.2	0.2	<0.05	6	<0.5	<0.2
1268658	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1268645	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1283527	Soil	15	32	0.58	401	0.048	<1	1.38	0.012	0.07	0.2	0.08	5.3	0.2	0.10	4	0.8	<0.2
1268649	Soil	19	43	0.73	414	0.081	<1	1.32	0.013	0.17	0.1	0.05	5.0	0.3	0.08	5	0.7	<0.2
1268651	Rock Pulp	3	27	0.73	87	0.090	2	1.34	0.072	0.11	12.3	0.03	4.2	<0.1	0.11	5	<0.5	<0.2
1268662	Soil	13	34	0.64	320	0.073	<1	1.34	0.024	0.08	0.3	0.04	5.1	<0.1	0.09	4	<0.5	<0.2
1283528	Soil	11	32	0.55	543	0.035	<1	1.35	0.014	0.04	0.1	0.04	5.1	<0.1	0.08	4	0.9	<0.2
1268646	Soil	7	19	0.55	176	0.059	2	1.02	0.014	0.08	0.1	0.06	4.1	0.1	0.09	5	<0.5	<0.2
1268656	Soil	52	117	1.81	408	0.131	<1	2.54	0.012	0.73	0.1	0.11	11.8	0.4	0.09	8	<0.5	<0.2
1268663	Soil	12	34	0.55	339	0.076	<1	1.38	0.015	0.07	0.2	0.06	4.5	<0.1	<0.05	5	<0.5	<0.2
1268653	Soil	16	35	0.66	363	0.077	1	1.34	0.019	0.07	<0.1	0.04	4.6	0.1	0.11	4	<0.5	<0.2
1268666	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1268669	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1268670	Soil	10	33	0.67	323	0.075	2	1.58	0.025	0.05	0.1	0.04	4.4	<0.1	<0.05	6	<0.5	<0.2
1268644	Soil	9	33	0.93	314	0.119	2	2.03	0.062	0.06	0.1	0.02	3.7	<0.1	<0.05	7	<0.5	<0.2
1268671	Soil	12	35	0.60	380	0.068	1	1.90	0.024	0.04	0.2	0.04	4.6	0.1	<0.05	7	<0.5	<0.2
1268655	Soil	26	56	0.82	372	0.094	2	1.72	0.014	0.14	0.2	0.03	5.6	0.2	<0.05	6	<0.5	<0.2
1268668	Soil	8	35	0.61	250	0.068	4	1.46	0.020	0.05	0.1	0.07	4.1	0.1	0.08	5	<0.5	<0.2
1268648	Soil	20	24	0.61	374	0.102	1	1.61	0.029	0.19	0.4	0.03	5.5	0.2	<0.05	6	<0.5	<0.2
1268652	Soil	23	43	0.74	481	0.083	2	1.39	0.013	0.16	0.2	0.06	5.2	0.3	<0.05	5	0.9	<0.2
1268667	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000205.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1268647	Soil		0.9	41.3	12.1	105	0.2	27.0	20.9	891	3.09	8.2	1.0	3.5	1.6	24	0.2	0.3	0.1	93	0.37	0.057
1268654	Soil		1.9	32.4	10.0	78	0.2	32.5	16.2	770	3.11	30.9	1.9	2.9	6.0	34	0.4	1.0	0.1	74	0.72	0.074
1292420	Soil		1.1	31.7	9.4	47	0.1	36.6	11.4	315	2.76	9.2	0.9	2.3	16.2	28	<0.1	0.7	0.1	69	0.44	0.036
1292419	Soil		1.3	21.5	11.0	44	<0.1	24.4	10.8	436	2.67	10.1	0.9	2.1	15.9	24	<0.1	0.7	0.2	65	0.45	0.038
1283515	Soil		0.8	30.6	5.2	47	<0.1	20.6	17.9	511	3.57	5.4	0.6	1.6	7.3	25	<0.1	1.0	<0.1	115	0.47	0.034
1268650	Soil		2.2	25.3	10.4	111	0.1	32.3	17.8	909	3.10	37.4	1.0	1.7	4.8	21	0.5	1.0	0.1	72	0.34	0.092
1292418	Soil		1.0	36.8	10.0	54	0.1	32.3	13.1	486	2.90	10.0	0.7	4.0	10.5	33	<0.1	0.8	0.1	69	0.47	0.033
1292416	Soil		1.3	53.9	10.2	48	0.1	34.8	10.9	322	2.58	16.8	1.0	5.8	18.3	37	<0.1	1.0	0.1	66	1.27	0.021
1283514	Soil		0.7	17.9	6.3	68	<0.1	14.9	16.9	741	4.44	5.1	1.0	0.6	8.5	27	<0.1	1.2	<0.1	130	0.49	0.055
1283511	Soil		0.3	32.0	3.8	69	<0.1	8.0	21.7	715	4.73	3.3	1.6	0.7	9.5	29	<0.1	0.7	<0.1	170	0.64	0.123
1292417	Soil		1.1	54.1	8.8	42	0.2	27.5	9.1	323	2.03	9.6	1.2	5.9	15.2	105	0.1	0.8	0.1	46	5.08	0.048
1268661	Soil		1.7	37.6	10.5	82	0.2	31.0	10.8	302	2.63	58.3	0.9	4.2	3.7	25	0.4	2.1	0.2	79	0.37	0.064
1283508	Soil		1.6	17.9	13.5	52	0.1	24.2	11.0	679	2.88	9.0	0.9	2.9	10.4	25	0.1	0.8	0.2	64	0.46	0.020
1283512	Soil		0.3	21.3	2.9	45	<0.1	6.7	17.7	419	3.38	2.3	1.5	<0.5	10.1	53	<0.1	0.8	<0.1	132	0.74	0.136
1292415	Soil		1.0	35.8	7.3	43	0.1	23.1	8.9	336	1.90	8.3	1.0	5.5	8.5	133	0.2	0.8	<0.1	46	8.76	0.042
1283509	Soil		0.8	200.3	3.7	79	0.1	22.2	28.8	477	5.79	4.4	0.6	2.1	1.7	20	0.1	1.0	<0.1	266	0.68	0.090
1283510	Soil		2.4	28.4	4.5	55	<0.1	15.2	22.9	670	4.23	3.3	1.4	1.6	8.5	42	<0.1	0.9	<0.1	176	0.88	0.092
1283513	Soil		0.8	22.5	10.1	70	<0.1	17.3	15.9	991	4.28	4.7	0.8	<0.5	8.2	33	<0.1	0.8	0.2	116	0.55	0.040
1292425	Soil		1.1	25.1	11.0	61	0.2	36.6	14.5	640	3.17	9.7	0.8	1.0	11.6	30	<0.1	0.6	0.2	75	0.58	0.021
1292429	Soil		1.2	16.3	8.8	46	<0.1	23.6	10.7	566	2.42	6.1	0.4	1.7	3.2	23	0.1	0.4	<0.1	59	0.44	0.041
1292432	Soil		1.1	44.5	14.3	94	<0.1	62.6	20.3	514	3.67	12.6	1.1	1.8	5.2	16	0.1	0.4	0.1	89	0.28	0.056
1292414	Soil		1.2	36.2	10.3	55	0.1	29.4	10.7	390	2.38	10.8	1.3	4.1	12.1	88	0.2	1.0	0.1	57	3.60	0.050
1292424	Soil		1.7	28.6	16.4	63	0.1	58.4	17.4	848	3.27	7.3	1.0	8.1	21.6	29	0.1	0.7	0.2	75	0.60	0.041
1292428	Soil		1.0	17.8	7.8	48	<0.1	28.4	11.5	438	2.58	7.7	0.5	1.7	5.8	24	<0.1	0.5	0.1	66	0.39	0.023
1292434	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1292413	Soil		1.0	32.8	9.0	46	<0.1	30.1	11.2	371	2.48	12.1	1.0	3.7	8.8	33	<0.1	0.8	0.1	62	0.48	0.058
1292423	Soil		0.9	26.1	9.8	45	<0.1	27.0	8.9	330	2.43	10.8	0.7	4.0	10.2	33	<0.1	0.6	0.1	57	0.43	0.031
1292427	Soil		0.8	14.8	8.1	43	<0.1	20.3	9.3	509	2.35	6.0	0.4	1.2	6.0	31	0.1	0.4	0.1	53	0.40	0.021
1292433	Soil		1.3	16.6	21.1	64	0.2	20.2	8.3	371	2.73	8.6	0.5	1.2	2.4	13	0.3	0.5	0.2	67	0.13	0.041
1292435	Soil		1.2	28.3	11.7	101	0.3	29.5	12.6	397	2.51	24.7	1.0	3.6	3.2	21	0.4	0.3	0.2	70	0.26	0.047

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000205.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1268647	Soil	10	55	1.03	196	0.124	2	1.78	0.013	0.06	0.1	0.07	7.8	0.2	<0.05	8	<0.5	<0.2
1268654	Soil	24	46	0.68	386	0.087	2	1.39	0.013	0.13	0.2	0.05	5.4	0.2	<0.05	5	0.7	<0.2
1292420	Soil	33	52	0.65	199	0.094	2	1.48	0.016	0.11	0.2	0.03	6.3	<0.1	<0.05	5	<0.5	<0.2
1292419	Soil	30	40	0.45	225	0.080	2	1.44	0.013	0.14	0.2	0.03	5.6	<0.1	<0.05	5	<0.5	<0.2
1283515	Soil	11	35	1.03	348	0.155	1	2.06	0.014	0.41	0.1	0.02	9.4	0.3	<0.05	7	<0.5	<0.2
1268650	Soil	13	45	0.67	309	0.090	1	1.36	0.010	0.17	0.2	0.03	3.9	0.3	<0.05	5	0.6	<0.2
1292418	Soil	26	41	0.65	231	0.092	2	1.57	0.025	0.09	0.2	0.05	6.0	<0.1	<0.05	5	<0.5	<0.2
1292416	Soil	49	39	0.52	176	0.078	2	1.41	0.015	0.07	0.2	0.08	5.7	<0.1	<0.05	4	<0.5	<0.2
1283514	Soil	24	26	1.13	532	0.250	1	2.32	0.023	0.61	0.1	0.02	9.8	0.5	<0.05	8	<0.5	<0.2
1283511	Soil	22	22	1.95	638	0.327	<1	2.35	0.033	0.67	0.1	0.01	13.6	0.7	<0.05	9	<0.5	<0.2
1292417	Soil	44	27	0.63	239	0.056	2	1.43	0.031	0.06	0.2	0.09	3.7	<0.1	<0.05	4	<0.5	<0.2
1268661	Soil	13	41	0.55	327	0.095	<1	1.50	0.012	0.12	0.2	0.03	4.7	0.2	<0.05	5	0.5	<0.2
1283508	Soil	18	40	0.45	254	0.070	1	1.84	0.010	0.13	0.1	0.02	6.9	0.1	<0.05	6	<0.5	<0.2
1283512	Soil	17	16	1.20	534	0.219	<1	2.51	0.038	0.54	<0.1	0.01	8.9	0.8	<0.05	7	<0.5	<0.2
1292415	Soil	21	26	0.59	253	0.061	2	0.96	0.023	0.07	0.1	0.07	3.2	<0.1	<0.05	3	<0.5	<0.2
1283509	Soil	9	31	2.06	244	0.311	<1	2.56	0.027	0.70	<0.1	0.02	10.7	0.2	<0.05	11	<0.5	<0.2
1283510	Soil	15	65	1.94	480	0.227	1	2.47	0.041	0.39	<0.1	0.04	12.6	0.6	<0.05	8	<0.5	<0.2
1283513	Soil	19	30	1.32	565	0.190	1	2.55	0.017	0.71	0.1	0.02	11.1	0.5	<0.05	9	<0.5	<0.2
1292425	Soil	54	60	0.65	382	0.079	1	2.00	0.013	0.14	0.2	0.02	7.1	<0.1	<0.05	6	<0.5	<0.2
1292429	Soil	10	38	0.51	301	0.071	2	1.33	0.014	0.14	0.1	0.02	4.1	<0.1	<0.05	4	<0.5	<0.2
1292432	Soil	15	93	1.22	164	0.084	<1	2.11	0.011	0.15	0.1	0.01	5.7	0.2	<0.05	7	<0.5	<0.2
1292414	Soil	28	34	0.71	241	0.076	3	1.23	0.031	0.09	0.2	0.04	4.3	<0.1	<0.05	4	<0.5	<0.2
1292424	Soil	57	87	0.97	365	0.070	2	2.18	0.010	0.21	0.2	0.02	7.6	0.2	<0.05	6	<0.5	<0.2
1292428	Soil	17	45	0.56	220	0.092	2	1.37	0.014	0.20	0.2	0.01	4.7	<0.1	<0.05	4	<0.5	<0.2
1292434	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1292413	Soil	28	35	0.56	209	0.078	2	1.17	0.027	0.08	0.1	0.04	5.1	<0.1	<0.05	4	<0.5	<0.2
1292423	Soil	29	37	0.58	238	0.073	1	1.45	0.019	0.09	<0.1	0.03	6.0	<0.1	<0.05	4	<0.5	<0.2
1292427	Soil	17	37	0.54	291	0.071	<1	1.38	0.018	0.13	0.1	0.02	4.7	<0.1	<0.05	4	<0.5	<0.2
1292433	Soil	9	34	0.58	103	0.063	2	1.54	0.010	0.08	0.1	0.03	2.9	0.1	<0.05	7	<0.5	<0.2
1292435	Soil	13	48	0.69	229	0.063	<1	1.60	0.013	0.10	0.1	0.04	3.8	0.1	<0.05	6	0.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000205.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1292422	Soil	1.5	16.9	14.4	41	0.1	18.8	9.2	509	2.32	6.8	0.6	0.9	18.7	25	<0.1	0.6	0.3	51	0.39	0.018
1292426	Soil	0.8	21.6	10.9	54	0.2	31.3	12.0	592	2.69	9.7	0.8	1.8	10.8	33	<0.1	0.5	0.1	62	0.54	0.023
1292431	Soil	1.1	16.9	10.1	46	0.4	21.7	8.6	475	2.38	9.8	0.5	2.0	2.8	18	<0.1	0.5	0.1	60	0.20	0.051
1292430	Soil	1.3	27.0	17.4	53	0.2	31.5	10.9	477	3.00	16.4	0.7	2.8	5.1	33	<0.1	0.9	<0.1	67	0.43	0.040
1268283	Soil	2.0	30.8	11.8	89	0.8	26.8	8.0	338	2.53	66.2	0.8	4.8	2.1	35	0.8	1.6	0.1	78	0.36	0.055
1283365	Soil	1.2	24.9	6.2	63	0.1	38.0	12.9	343	2.99	24.5	0.5	1.1	3.7	18	0.1	1.4	<0.1	98	0.30	0.023
1283363	Soil	1.5	34.2	8.9	104	0.2	50.3	16.2	442	3.66	33.5	0.6	1.5	2.8	16	0.3	1.9	0.1	123	0.21	0.057
1292421	Soil	1.0	21.9	8.4	42	<0.1	23.1	9.3	387	2.49	11.5	0.5	1.8	13.6	31	<0.1	0.7	0.1	58	0.43	0.022
1268282	Soil	1.5	36.6	14.0	104	0.2	29.5	8.8	377	2.55	58.5	1.0	4.3	3.4	30	0.5	1.8	0.1	77	0.33	0.058
1283366	Soil	1.8	30.9	10.5	88	0.4	37.2	13.3	749	3.07	51.2	0.9	1.6	4.9	30	0.3	2.8	0.2	78	0.43	0.029
1283361	Soil	3.2	45.9	9.3	108	0.4	33.1	12.0	497	2.72	57.3	1.8	2.4	3.4	38	0.6	3.0	0.2	74	0.59	0.091
1283367	Soil	1.5	14.8	8.4	54	0.1	19.6	10.8	556	2.51	29.4	0.4	0.6	3.2	26	0.2	1.5	0.2	61	0.41	0.021
1268280	Soil	1.3	36.7	13.8	82	0.2	27.2	10.3	399	2.41	29.3	1.1	2.9	3.3	33	0.3	1.0	0.1	70	0.40	0.045
1268285	Soil	2.2	32.3	16.8	122	0.3	31.6	12.9	602	3.10	129.6	0.8	2.4	2.4	29	1.2	3.1	0.2	81	0.29	0.062
1283360	Soil	2.1	46.0	11.0	113	0.4	51.1	17.3	500	3.95	25.1	1.1	3.3	4.0	26	0.2	2.8	0.2	89	0.23	0.050
1283507	Soil	1.7	32.9	10.5	85	0.1	29.6	12.3	526	2.80	110.3	0.6	<0.5	4.5	28	0.3	5.8	0.2	70	0.44	0.024
1268281	Soil	1.8	32.4	14.0	82	0.3	28.2	9.5	379	2.53	46.3	1.0	2.5	2.7	34	0.4	1.2	0.1	78	0.37	0.043
1268284	Soil	2.3	30.8	12.1	93	0.5	31.2	12.5	548	2.97	92.5	0.7	3.3	2.4	27	1.0	1.7	0.2	84	0.29	0.058
1283364	Soil	1.4	41.8	10.3	66	<0.1	37.3	13.1	397	3.18	25.7	0.9	2.4	4.9	30	<0.1	1.7	0.1	96	0.42	0.041
1283362	Soil	3.8	31.6	10.7	90	0.3	26.9	4.8	143	2.17	69.6	0.8	6.7	0.7	18	0.3	7.1	<0.1	73	0.13	0.042

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000205.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1292422	Soil	21	34	0.47	277	0.055	1	1.52	0.013	0.12	0.1	<0.01	4.7	<0.1	<0.05	5	<0.5	<0.2
1292426	Soil	54	50	0.64	337	0.068	<1	1.79	0.016	0.15	0.1	0.02	6.5	<0.1	<0.05	5	0.6	<0.2
1292431	Soil	11	32	0.52	242	0.052	<1	1.55	0.010	0.06	0.1	0.02	3.0	0.1	<0.05	6	<0.5	<0.2
1292430	Soil	18	50	0.70	245	0.099	2	1.63	0.020	0.17	0.1	0.04	7.0	<0.1	<0.05	5	<0.5	<0.2
1268283	Soil	10	37	0.60	842	0.081	1	1.64	0.015	0.09	0.1	0.04	4.3	0.2	0.07	6	0.9	<0.2
1283365	Soil	9	64	0.81	433	0.142	<1	1.77	0.014	0.42	<0.1	0.02	6.2	0.2	<0.05	7	<0.5	<0.2
1283363	Soil	9	83	0.94	477	0.132	<1	2.54	0.012	0.19	0.2	0.03	6.5	0.2	<0.05	9	<0.5	<0.2
1292421	Soil	20	38	0.54	248	0.080	3	1.40	0.019	0.16	0.2	0.03	5.5	<0.1	<0.05	4	<0.5	<0.2
1268282	Soil	12	42	0.64	578	0.101	2	1.56	0.022	0.09	0.1	0.04	4.9	0.2	<0.05	5	0.7	<0.2
1283366	Soil	13	49	0.64	576	0.078	1	1.75	0.013	0.20	0.1	0.04	6.6	0.3	<0.05	6	<0.5	<0.2
1283361	Soil	14	41	0.59	340	0.079	1	1.28	0.017	0.18	0.1	0.10	4.7	0.4	<0.05	5	2.1	<0.2
1283367	Soil	9	34	0.49	479	0.064	1	1.53	0.014	0.14	0.1	0.03	4.5	0.2	<0.05	5	<0.5	<0.2
1268280	Soil	12	40	0.63	475	0.082	<1	1.65	0.018	0.06	0.1	0.04	5.4	0.2	<0.05	5	<0.5	<0.2
1268285	Soil	11	40	0.57	803	0.085	2	1.64	0.015	0.10	0.3	0.03	4.0	0.4	0.06	5	1.4	<0.2
1283360	Soil	17	42	0.93	320	0.163	<1	2.61	0.012	0.40	0.1	0.03	5.4	0.3	0.05	9	0.8	<0.2
1283507	Soil	12	40	0.49	532	0.049	<1	1.69	0.012	0.11	0.1	0.04	6.1	0.2	<0.05	6	0.8	<0.2
1268281	Soil	12	41	0.62	617	0.078	1	1.80	0.017	0.07	0.1	0.03	5.0	0.2	<0.05	6	0.9	<0.2
1268284	Soil	10	40	0.57	1013	0.068	1	1.81	0.013	0.07	0.1	0.04	4.3	0.2	<0.05	6	0.5	<0.2
1283364	Soil	16	60	0.75	438	0.121	<1	1.96	0.023	0.13	0.2	0.04	8.9	0.2	<0.05	7	<0.5	<0.2
1283362	Soil	10	36	0.21	190	0.068	2	0.78	0.011	0.12	0.2	0.05	2.5	0.6	0.08	5	1.6	0.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

QUALITY CONTROL REPORT WHI12000205.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
1290099	Soil	4.3	109.1	36.7	121	0.8	65.5	33.5	3956	5.26	115.8	2.0	3.5	3.4	78	0.9	4.5	0.3	62	2.80	0.115
REP 1290099	QC	4.6	112.6	37.7	126	0.8	64.9	33.7	3997	5.42	116.8	2.0	4.1	3.4	78	1.1	4.4	0.3	65	2.86	0.118
1290097	Soil	5.7	125.8	49.1	272	2.0	84.9	24.2	3102	5.37	237.6	2.2	33.0	13.0	51	1.6	5.5	0.5	49	0.83	0.090
REP 1290097	QC	5.0	115.0	46.1	260	1.9	80.7	21.7	2843	5.08	220.9	2.1	34.8	12.0	46	1.4	5.2	0.5	47	0.74	0.088
1268585	Soil	1.4	48.7	13.7	60	0.5	31.9	13.8	542	2.64	15.0	1.4	2.5	3.0	35	0.3	1.0	0.1	78	0.53	0.042
REP 1268585	QC	1.4	53.2	14.7	63	0.5	34.8	14.6	575	2.81	15.0	1.4	2.3	3.2	38	0.2	1.1	0.1	86	0.58	0.046
1268582	Soil	0.6	89.5	7.2	54	0.1	25.8	19.0	614	2.98	6.3	0.4	3.2	1.2	118	0.1	0.3	<0.1	99	1.19	0.094
REP 1268582	QC	0.7	91.6	7.0	55	<0.1	26.6	19.6	627	3.05	6.3	0.4	3.2	1.2	119	0.1	0.4	<0.1	100	1.22	0.096
1290597	Soil	1.0	30.4	11.6	54	<0.1	37.2	11.4	382	2.79	17.2	1.1	2.9	9.3	28	0.2	0.6	0.3	56	0.55	0.034
REP 1290597	QC	1.0	31.8	11.7	57	<0.1	38.2	11.4	398	2.96	17.9	1.1	4.6	10.0	28	0.2	0.8	0.3	58	0.58	0.035
1291247	Soil	1.6	17.9	10.5	48	<0.1	25.8	9.9	500	2.40	7.8	1.1	<0.5	22.5	22	<0.1	0.4	0.2	54	0.36	0.021
REP 1291247	QC	1.3	18.1	10.9	48	<0.1	25.6	10.1	516	2.43	7.5	1.1	<0.5	23.1	22	<0.1	0.4	0.2	55	0.36	0.023
1290570	Soil	1.6	46.8	11.9	79	0.5	51.6	14.7	507	2.95	25.5	1.4	5.3	5.9	90	0.3	0.7	0.2	38	6.35	0.060
REP 1290570	QC	1.5	46.2	11.7	76	0.5	50.3	13.5	486	2.91	24.8	1.4	5.5	5.5	87	0.3	0.8	0.2	35	5.96	0.055
1290762	Soil	1.8	21.6	9.1	66	0.2	26.7	10.1	217	2.46	13.7	0.6	2.2	2.8	23	0.3	1.0	0.1	76	0.25	0.030
REP 1290762	QC	1.7	21.5	9.3	65	0.2	27.0	10.0	211	2.43	13.7	0.6	5.3	2.8	22	0.2	1.0	0.1	76	0.24	0.029
1290768	Soil	1.8	58.7	14.3	100	0.3	41.8	15.2	566	3.22	30.3	0.8	7.2	5.5	29	0.4	2.5	0.3	102	0.56	0.062
REP 1290768	QC	1.9	60.5	15.1	102	0.3	42.6	15.4	579	3.28	31.2	0.8	8.2	5.8	28	0.4	2.5	0.3	101	0.56	0.063
1290744	Soil	0.7	30.6	9.3	48	<0.1	23.1	8.8	360	2.38	9.8	0.9	3.8	11.3	34	<0.1	0.7	0.2	52	0.47	0.030
REP 1290744	QC	0.7	30.3	9.2	47	<0.1	25.2	9.0	358	2.41	9.5	0.8	8.1	11.1	32	<0.1	0.7	0.1	51	0.46	0.030
1268800	Soil	1.1	28.2	12.9	54	0.1	25.6	13.8	423	2.94	6.6	1.8	6.7	7.2	28	0.1	0.4	0.2	62	0.40	0.078
REP 1268800	QC	1.1	27.9	13.1	55	0.1	24.6	13.7	419	2.87	6.5	1.8	4.2	7.3	28	<0.1	0.4	0.2	63	0.41	0.077
1269020	Soil	1.1	11.9	10.3	36	<0.1	13.8	7.6	333	1.95	8.6	1.0	3.0	12.2	21	0.1	0.4	<0.1	41	0.33	0.027
REP 1269020	QC	1.2	12.1	10.5	35	<0.1	14.6	7.6	342	1.95	8.6	1.0	3.2	12.1	21	0.2	0.4	<0.1	41	0.33	0.027
1283501	Rock Pulp	1.4	423.8	20.2	153	0.2	199.5	72.3	881	13.34	4.2	1.1	30.5	6.9	15	0.2	0.4	0.2	206	0.29	0.044
REP 1283501	QC	1.4	417.2	20.8	156	0.2	199.0	69.7	845	12.96	4.3	1.2	35.5	7.2	16	0.2	0.4	0.1	201	0.28	0.041
1269010	Soil	1.7	20.5	17.8	51	0.1	27.8	12.1	641	2.83	9.6	1.6	0.6	20.3	23	<0.1	0.4	0.3	61	0.41	0.021
REP 1269010	QC	1.8	21.1	18.3	51	<0.1	29.2	12.1	602	2.83	9.0	1.5	3.1	20.7	24	0.1	0.3	0.3	63	0.44	0.023

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

QUALITY CONTROL REPORT WHI12000205.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
1290099	Soil	13	21	0.37	302	0.002	2	0.78	0.007	0.12	0.1	0.04	11.8	0.5	<0.05	3	2.2	<0.2
REP 1290099	QC	13	21	0.38	315	0.002	2	0.82	0.007	0.11	0.1	0.04	12.0	0.5	<0.05	3	2.3	<0.2
1290097	Soil	36	27	0.25	446	0.004	<1	0.81	0.007	0.15	<0.1	0.04	5.7	0.3	<0.05	3	4.6	0.3
REP 1290097	QC	33	26	0.24	413	0.005	<1	0.73	0.006	0.14	<0.1	0.04	5.1	0.3	0.05	3	3.5	0.2
1268585	Soil	16	47	0.57	491	0.092	<1	1.63	0.019	0.07	0.1	0.03	5.0	0.1	<0.05	7	<0.5	<0.2
REP 1268585	QC	17	51	0.60	470	0.114	<1	1.80	0.018	0.07	0.2	0.03	5.5	0.1	<0.05	7	0.5	<0.2
1268582	Soil	6	45	1.11	319	0.185	<1	2.58	0.046	0.22	<0.1	0.01	6.8	0.1	<0.05	9	<0.5	<0.2
REP 1268582	QC	6	46	1.12	311	0.189	<1	2.64	0.046	0.22	<0.1	0.01	7.0	0.1	<0.05	9	<0.5	<0.2
1290597	Soil	26	64	0.72	273	0.040	<1	1.79	0.014	0.06	0.2	0.02	7.3	<0.1	<0.05	6	0.6	<0.2
REP 1290597	QC	27	65	0.72	280	0.053	3	1.86	0.016	0.07	0.2	0.03	8.0	<0.1	<0.05	6	0.7	<0.2
1291247	Soil	34	51	0.46	221	0.060	2	1.51	0.011	0.13	0.1	0.01	5.1	0.1	<0.05	5	<0.5	<0.2
REP 1291247	QC	34	51	0.47	221	0.059	2	1.58	0.010	0.13	0.1	0.01	5.2	0.1	<0.05	5	<0.5	<0.2
1290570	Soil	16	42	0.63	244	0.017	2	0.65	0.010	0.06	0.3	0.05	6.5	0.2	<0.05	2	0.8	<0.2
REP 1290570	QC	15	41	0.61	232	0.016	1	0.64	0.009	0.06	0.2	0.04	6.3	0.2	<0.05	2	<0.5	<0.2
1290762	Soil	9	40	0.50	319	0.066	<1	1.48	0.008	0.08	0.1	0.02	3.9	0.1	<0.05	5	<0.5	<0.2
REP 1290762	QC	9	39	0.50	317	0.065	<1	1.47	0.008	0.07	0.1	0.01	3.8	0.1	<0.05	5	<0.5	<0.2
1290768	Soil	17	48	0.78	309	0.098	1	1.61	0.025	0.14	0.3	0.05	6.8	0.2	<0.05	6	0.6	<0.2
REP 1290768	QC	17	49	0.79	321	0.096	1	1.60	0.025	0.14	0.3	0.06	6.9	0.2	<0.05	6	0.6	<0.2
1290744	Soil	30	31	0.54	214	0.069	1	1.35	0.022	0.10	0.1	0.03	5.3	<0.1	<0.05	5	<0.5	<0.2
REP 1290744	QC	29	31	0.52	205	0.070	2	1.29	0.021	0.10	0.2	0.04	5.1	<0.1	<0.05	5	<0.5	<0.2
1268800	Soil	27	40	0.79	241	0.084	2	1.85	0.013	0.08	0.1	0.05	5.6	0.2	<0.05	6	<0.5	<0.2
REP 1268800	QC	27	39	0.80	236	0.083	3	1.90	0.013	0.08	0.2	0.05	5.5	0.2	<0.05	6	<0.5	<0.2
1269020	Soil	19	29	0.47	146	0.075	1	1.09	0.011	0.09	0.2	0.02	2.8	0.1	<0.05	4	<0.5	<0.2
REP 1269020	QC	20	29	0.48	146	0.078	2	1.11	0.011	0.10	0.3	0.02	2.8	0.1	<0.05	4	<0.5	<0.2
1283501	Rock Pulp	17	628	0.14	142	0.185	5	3.59	0.015	0.07	<0.1	0.03	39.8	<0.1	<0.05	20	1.1	<0.2
REP 1283501	QC	17	600	0.14	140	0.181	4	3.40	0.014	0.07	<0.1	0.02	38.3	<0.1	<0.05	19	1.0	<0.2
1269010	Soil	38	49	0.84	239	0.082	<1	1.85	0.011	0.14	0.2	0.01	5.2	0.2	<0.05	6	<0.5	<0.2
REP 1269010	QC	39	51	0.86	247	0.086	<1	1.94	0.012	0.14	0.2	0.03	5.3	0.3	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

QUALITY CONTROL REPORT WHI12000205.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
1268671	Soil	0.8	40.1	9.2	55	0.1	22.4	13.3	328	3.07	6.3	1.0	3.1	3.3	32	0.2	0.4	0.1	75	0.69	0.042
REP 1268671	QC	0.8	40.1	9.1	55	0.1	21.4	13.3	326	3.05	6.4	0.9	3.0	3.4	32	0.2	0.4	0.1	76	0.70	0.041
1268650	Soil	2.2	25.3	10.4	111	0.1	32.3	17.8	909	3.10	37.4	1.0	1.7	4.8	21	0.5	1.0	0.1	72	0.34	0.092
REP 1268650	QC	2.3	27.0	10.5	115	0.1	33.9	19.1	922	3.23	37.8	1.0	2.5	5.2	21	0.5	1.1	<0.1	77	0.35	0.097
1292433	Soil	1.3	16.6	21.1	64	0.2	20.2	8.3	371	2.73	8.6	0.5	1.2	2.4	13	0.3	0.5	0.2	67	0.13	0.041
REP 1292433	QC	1.3	17.7	20.9	65	0.2	20.9	8.4	365	2.71	8.6	0.5	2.4	2.3	13	0.2	0.4	0.2	67	0.12	0.040
1292421	Soil	1.0	21.9	8.4	42	<0.1	23.1	9.3	387	2.49	11.5	0.5	1.8	13.6	31	<0.1	0.7	0.1	58	0.43	0.022
REP 1292421	QC	1.1	21.5	8.1	42	<0.1	23.1	9.6	390	2.47	11.0	0.5	4.7	13.5	31	<0.1	0.7	0.1	60	0.44	0.023
Reference Materials																					
STD DS9	Standard	12.0	104.9	125.0	310	1.8	38.8	7.3	574	2.22	25.5	2.7	116.5	6.2	78	2.5	6.1	6.7	40	0.73	0.079
STD DS9	Standard	12.6	100.2	120.5	291	1.7	37.0	6.9	552	2.19	25.0	2.6	106.9	6.0	79	2.4	5.6	6.4	40	0.71	0.084
STD DS9	Standard	14.2	113.2	129.3	306	1.9	44.5	8.4	580	2.34	24.3	2.9	114.3	6.5	69	2.4	5.7	6.6	45	0.73	0.084
STD DS9	Standard	13.1	114.6	122.8	330	1.8	41.3	8.1	610	2.43	26.3	3.1	121.0	7.3	75	2.6	6.2	7.3	44	0.70	0.084
STD DS9	Standard	14.0	109.6	124.4	305	1.9	43.1	8.4	603	2.41	24.7	2.8	115.6	6.6	73	2.5	5.8	6.4	47	0.77	0.085
STD DS9	Standard	14.1	110.9	124.6	295	1.8	42.8	8.4	571	2.27	23.5	2.6	123.8	6.1	68	2.3	5.7	6.5	45	0.70	0.079
STD DS9	Standard	11.8	100.6	117.4	296	1.8	36.9	7.0	538	2.15	23.5	2.7	110.5	6.1	76	2.0	5.8	6.5	39	0.69	0.076
STD DS9	Standard	11.9	103.1	119.1	290	1.9	38.3	7.1	579	2.25	24.6	2.6	114.0	6.0	70	2.3	5.5	6.9	38	0.68	0.076
STD DS9	Standard	12.9	114.3	129.9	312	2.0	41.3	7.9	566	2.32	26.2	2.8	123.7	6.6	65	2.6	5.1	5.9	40	0.70	0.084
STD DS9	Standard	12.5	111.3	119.2	297	1.7	38.4	7.3	548	2.15	25.2	3.0	118.5	6.9	74	2.4	6.2	6.9	40	0.67	0.083
STD DS9	Standard	12.9	107.6	113.8	303	1.9	39.7	7.3	570	2.20	25.5	2.7	114.6	6.1	75	2.4	6.3	6.7	42	0.68	0.085
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.3	0.2	1	<0.1	0.3	0.1	6	0.03	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

QUALITY CONTROL REPORT WHI12000205.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
1268671	Soil	12	35	0.60	380	0.068	1	1.90	0.024	0.04	0.2	0.04	4.6	0.1	<0.05	7	<0.5	<0.2
REP 1268671	QC	12	36	0.60	380	0.071	1	1.90	0.024	0.04	0.1	0.03	4.4	0.1	<0.05	7	<0.5	<0.2
1268650	Soil	13	45	0.67	309	0.090	1	1.36	0.010	0.17	0.2	0.03	3.9	0.3	<0.05	5	0.6	<0.2
REP 1268650	QC	14	47	0.71	296	0.105	2	1.45	0.011	0.19	0.2	0.03	4.2	0.3	<0.05	5	<0.5	<0.2
1292433	Soil	9	34	0.58	103	0.063	2	1.54	0.010	0.08	0.1	0.03	2.9	0.1	<0.05	7	<0.5	<0.2
REP 1292433	QC	9	34	0.57	103	0.062	1	1.52	0.009	0.08	0.1	0.02	2.9	0.1	<0.05	7	<0.5	<0.2
1292421	Soil	20	38	0.54	248	0.080	3	1.40	0.019	0.16	0.2	0.03	5.5	<0.1	<0.05	4	<0.5	<0.2
REP 1292421	QC	20	38	0.55	248	0.083	2	1.47	0.020	0.16	0.2	0.02	5.9	<0.1	<0.05	4	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	13	120	0.60	302	0.109	2	0.91	0.099	0.38	2.9	0.21	2.9	5.5	0.17	5	6.2	5.4
STD DS9	Standard	13	111	0.61	300	0.104	4	0.95	0.104	0.36	3.0	0.20	3.0	5.5	0.13	5	5.7	5.1
STD DS9	Standard	13	128	0.61	307	0.116	3	0.91	0.082	0.36	3.2	0.21	2.5	5.6	0.18	5	5.6	5.4
STD DS9	Standard	13	122	0.59	303	0.117	1	0.97	0.090	0.37	3.2	0.20	2.6	5.9	0.22	5	5.9	5.2
STD DS9	Standard	14	130	0.64	312	0.116	2	0.97	0.090	0.37	3.1	0.22	2.8	5.5	0.15	5	5.6	5.2
STD DS9	Standard	12	126	0.61	281	0.112	2	0.89	0.083	0.35	3.1	0.20	2.4	5.4	0.17	4	5.3	5.3
STD DS9	Standard	13	115	0.61	276	0.105	3	0.87	0.079	0.34	2.7	0.17	2.4	5.1	0.17	4	6.1	5.2
STD DS9	Standard	11	113	0.66	282	0.102	2	0.86	0.076	0.34	3.1	0.19	2.4	5.5	0.19	4	5.1	4.6
STD DS9	Standard	13	126	0.63	288	0.106	3	0.93	0.082	0.38	2.8	0.21	2.4	5.5	0.17	5	4.9	4.6
STD DS9	Standard	13	115	0.59	287	0.117	2	0.87	0.081	0.34	2.9	0.18	2.3	5.3	0.10	4	4.8	4.6
STD DS9	Standard	13	119	0.61	287	0.111	2	0.92	0.086	0.35	3.0	0.20	2.8	4.9	0.16	4	4.7	5.0
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	3	<0.001	<1	0.02	<0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

QUALITY CONTROL REPORT WHI12000205.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
BLK	Blank	<0.1	0.3	<0.1	<1	<0.1	0.1	<0.1	1	0.01	<0.5	<0.1	<0.5	0.1	<1	<0.1	<0.1	<0.1	2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

QUALITY CONTROL REPORT WHI12000205.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	0.2	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 03, 2012
Report Date: July 15, 2012
Page: 1 of 12

CERTIFICATE OF ANALYSIS WHI12000206.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 320

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	320	Dry at 60C			WHI
SS80	313	Dry at 60C sieve 100g to -80 mesh			WHI
1DX2	317	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 15, 2012

CERTIFICATE OF ANALYSIS WHI12000206.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1268287	Soil	1.5	25.1	14.1	74	0.5	24.1	10.3	492	3.14	115.9	0.8	6.6	2.5	19	0.9	1.7	0.2	79	0.21	0.063
1268290	Soil	2.0	36.4	12.3	141	0.3	34.6	12.3	793	3.54	63.0	0.8	2.4	2.0	27	2.6	1.5	0.2	87	0.31	0.087
1268292	Soil	3.4	43.8	109.5	150	0.5	36.2	10.4	391	3.48	146.1	1.5	5.4	3.6	23	1.5	5.3	0.3	96	0.23	0.068
1268279	Soil	0.7	89.0	5.5	64	<0.1	24.8	13.4	350	3.13	11.9	0.6	<0.5	2.4	49	0.2	0.5	<0.1	93	0.60	0.111
1268296	Soil	2.0	50.2	29.3	123	0.4	37.8	11.0	395	3.07	67.9	2.3	4.1	5.0	39	0.6	2.7	0.2	83	0.49	0.067
1268288	Soil	1.1	46.9	14.8	68	0.2	31.4	12.0	374	3.34	47.1	1.9	3.7	5.4	20	0.5	1.6	0.2	80	0.19	0.045
1268276	Soil	0.6	73.9	6.6	62	<0.1	18.2	16.1	615	3.10	6.4	0.8	0.6	2.7	92	0.1	0.3	0.1	98	0.79	0.089
1268278	Soil	1.1	59.7	9.2	64	0.2	25.7	11.5	354	2.87	14.9	0.9	1.3	3.0	38	0.2	0.6	0.1	84	0.45	0.055
1268297	Soil	1.6	38.3	22.9	104	0.2	34.7	12.1	385	2.98	50.3	1.3	4.1	4.8	31	0.4	1.6	0.2	86	0.38	0.059
1268289	Soil	1.3	47.0	8.4	110	0.2	30.5	9.2	322	2.79	38.8	1.3	3.9	4.0	26	0.7	1.5	0.1	81	0.32	0.079
1268277	Soil	0.9	155.6	4.5	62	<0.1	29.1	14.9	303	3.58	9.1	1.0	<0.5	2.6	65	<0.1	0.2	<0.1	108	0.61	0.091
1268274	Soil	0.4	83.6	5.5	55	<0.1	17.3	11.8	383	3.01	4.4	0.6	2.1	2.8	68	<0.1	0.3	<0.1	82	0.82	0.090
1268299	Soil	1.4	43.5	12.5	84	0.2	30.4	12.0	418	2.90	39.7	1.1	2.9	3.8	32	0.3	1.4	0.2	80	0.40	0.053
1268701	Rock Pulp	1.4	431.7	22.8	168	0.2	212.8	75.6	851	15.60	3.3	1.3	30.2	8.1	17	0.1	0.3	0.2	213	0.29	0.044
1268291	Soil	2.9	35.3	22.6	96	0.6	32.2	10.6	321	3.35	126.2	1.0	4.0	3.2	25	0.9	3.3	0.2	80	0.25	0.070
1268275	Soil	0.6	56.9	6.1	66	<0.1	22.8	12.7	389	3.35	8.9	1.0	1.0	3.6	73	0.1	0.4	<0.1	92	0.64	0.067
1268703	Soil	0.7	49.3	8.0	57	0.1	23.5	9.3	218	2.52	12.9	0.7	2.9	2.9	36	0.1	0.6	0.1	76	0.45	0.061
1268286	Soil	2.0	28.5	12.0	89	0.7	26.1	9.9	469	3.30	99.6	0.8	1.7	2.6	29	1.3	1.7	0.2	88	0.29	0.054
1268300	Soil	1.1	49.1	9.1	67	0.1	22.6	9.3	271	2.73	25.0	0.6	2.5	2.9	29	0.2	0.8	0.1	76	0.38	0.051
1268293	Soil	1.8	44.5	26.0	86	0.2	33.9	11.1	399	3.09	50.1	1.8	4.1	4.7	30	0.7	2.4	0.2	87	0.32	0.044
1268863	Soil	0.7	36.8	5.8	84	<0.1	42.0	18.4	704	4.03	2.9	0.7	<0.5	5.4	19	<0.1	0.2	0.1	97	0.54	0.082
1268861	Soil	1.6	15.2	10.2	40	<0.1	18.4	6.8	324	2.38	9.7	1.4	1.8	21.4	21	<0.1	0.3	0.1	40	0.22	0.024
1268702	Soil	0.7	41.9	8.5	81	<0.1	21.2	10.7	315	3.09	13.3	1.0	1.6	3.7	48	0.1	0.6	0.1	83	0.60	0.093
1268294	Soil	2.0	36.7	45.1	116	0.4	35.5	13.4	692	3.06	58.2	1.0	1.3	3.9	33	1.1	4.3	0.2	88	0.36	0.063
1268858	Soil	9.1	19.3	11.2	31	0.1	10.1	4.1	349	1.40	7.5	2.4	10.5	43.1	27	<0.1	0.6	0.8	17	0.11	0.010
1268864	Soil	0.8	34.2	10.7	48	<0.1	29.8	11.9	356	3.00	3.7	0.9	<0.5	14.0	15	<0.1	0.2	0.4	59	0.35	0.042
1268859	Soil	2.9	33.6	13.3	53	<0.1	31.8	11.0	486	3.05	9.1	2.0	14.3	31.8	33	<0.1	0.8	0.6	66	0.42	0.026
1268295	Soil	2.3	41.9	44.2	148	0.3	36.9	10.0	463	3.02	80.1	2.7	5.7	7.3	33	0.7	4.0	0.5	81	0.48	0.068
1268851	Rock Pulp	1.4	447.9	22.2	166	0.2	207.2	77.0	812	16.03	3.1	1.4	29.2	8.1	18	0.1	0.4	0.2	210	0.29	0.044
1268862	Soil	1.9	30.2	14.9	80	<0.1	23.1	11.1	807	3.52	6.6	1.3	<0.5	20.6	21	0.2	0.3	0.4	74	0.35	0.056

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 15, 2012

CERTIFICATE OF ANALYSIS WHI12000206.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1268287	Soil	11	38	0.54	530	0.079	3	1.83	0.012	0.08	0.2	0.05	3.6	0.2	<0.05	7	0.8	<0.2
1268290	Soil	12	44	0.52	765	0.075	4	1.85	0.012	0.10	0.2	0.03	3.9	0.2	<0.05	7	0.9	<0.2
1268292	Soil	11	42	0.58	752	0.075	2	2.26	0.013	0.09	0.2	0.05	4.8	0.3	<0.05	7	1.3	<0.2
1268279	Soil	8	44	0.86	384	0.130	1	1.99	0.027	0.11	0.2	0.02	4.8	0.2	<0.05	7	<0.5	<0.2
1268296	Soil	19	45	0.64	741	0.097	2	1.71	0.019	0.08	0.2	0.05	6.4	0.2	<0.05	6	1.5	<0.2
1268288	Soil	19	43	0.66	556	0.097	3	2.26	0.015	0.08	0.2	0.07	7.3	0.2	<0.05	6	0.7	<0.2
1268276	Soil	11	32	0.81	222	0.168	<1	2.31	0.032	0.11	<0.1	0.01	4.4	0.1	<0.05	9	<0.5	<0.2
1268278	Soil	11	41	0.73	384	0.105	2	1.84	0.021	0.05	<0.1	0.03	5.0	0.1	<0.05	7	<0.5	<0.2
1268297	Soil	15	46	0.65	475	0.111	2	1.77	0.018	0.07	0.2	0.03	5.0	0.2	<0.05	6	<0.5	<0.2
1268289	Soil	12	40	0.64	438	0.114	3	1.51	0.018	0.15	0.2	0.03	5.3	0.2	<0.05	5	0.6	<0.2
1268277	Soil	12	44	0.80	300	0.167	<1	2.81	0.043	0.21	<0.1	0.01	7.1	0.1	<0.05	10	0.7	<0.2
1268274	Soil	12	30	0.75	216	0.139	1	2.18	0.037	0.08	<0.1	<0.01	5.6	<0.1	<0.05	8	<0.5	<0.2
1268299	Soil	13	48	0.66	417	0.103	2	1.78	0.017	0.05	0.2	0.03	5.1	0.2	<0.05	6	0.6	<0.2
1268701	Rock Pulp	18	601	0.13	147	0.169	4	3.90	0.012	0.06	<0.1	0.03	39.4	<0.1	<0.05	21	0.7	<0.2
1268291	Soil	10	39	0.54	950	0.070	3	2.00	0.011	0.09	0.2	0.04	4.0	0.2	<0.05	6	0.5	<0.2
1268275	Soil	17	37	0.86	235	0.168	2	2.20	0.031	0.08	<0.1	0.01	5.1	<0.1	<0.05	8	<0.5	<0.2
1268703	Soil	9	39	0.62	256	0.120	2	2.16	0.020	0.04	<0.1	0.02	4.4	<0.1	<0.05	6	<0.5	<0.2
1268286	Soil	9	39	0.54	824	0.073	3	1.84	0.011	0.10	0.2	0.04	3.8	0.2	<0.05	7	<0.5	<0.2
1268300	Soil	9	39	0.61	305	0.109	1	1.85	0.020	0.04	0.1	0.02	4.5	0.1	<0.05	6	<0.5	<0.2
1268293	Soil	15	47	0.64	866	0.095	1	2.00	0.018	0.09	0.2	0.03	6.3	0.1	<0.05	6	<0.5	<0.2
1268863	Soil	24	80	2.03	365	0.179	1	2.65	0.010	0.68	0.1	0.01	8.4	0.3	<0.05	8	<0.5	<0.2
1268861	Soil	25	26	0.33	247	0.028	1	1.11	0.007	0.10	0.2	0.04	4.3	0.1	<0.05	4	<0.5	<0.2
1268702	Soil	12	36	0.70	313	0.112	1	1.97	0.020	0.06	0.1	0.02	5.3	<0.1	<0.05	7	<0.5	<0.2
1268294	Soil	11	45	0.56	694	0.075	1	1.83	0.015	0.11	0.2	0.03	4.6	0.2	<0.05	6	<0.5	<0.2
1268858	Soil	48	12	0.20	108	0.009	2	0.78	0.005	0.10	0.4	0.12	3.1	0.1	<0.05	2	<0.5	<0.2
1268864	Soil	26	68	1.49	149	0.156	<1	2.03	0.009	0.51	<0.1	<0.01	4.6	0.4	<0.05	6	<0.5	<0.2
1268859	Soil	46	53	0.62	287	0.089	1	1.96	0.020	0.10	0.5	0.08	7.0	0.2	<0.05	6	<0.5	<0.2
1268295	Soil	26	45	0.59	489	0.101	2	1.56	0.019	0.09	0.2	0.05	5.4	0.3	<0.05	6	1.2	<0.2
1268851	Rock Pulp	18	617	0.13	150	0.178	5	4.19	0.013	0.06	<0.1	0.03	38.8	<0.1	<0.05	21	0.8	<0.2
1268862	Soil	14	43	1.27	240	0.135	1	1.99	0.010	0.45	<0.1	<0.01	6.0	0.3	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 15, 2012

CERTIFICATE OF ANALYSIS WHI12000206.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1268860	Soil	2.1	24.8	13.3	48	<0.1	28.0	9.5	458	2.59	8.1	1.4	9.6	21.7	26	<0.1	0.7	0.4	64	0.36	0.027
1268298	Soil	0.9	55.2	10.8	69	<0.1	29.8	10.7	351	2.70	29.3	1.2	3.2	4.3	35	0.3	1.1	<0.1	78	0.51	0.083
1268848	Soil	1.2	16.0	12.9	54	<0.1	23.3	12.8	686	3.17	9.0	0.8	1.2	8.8	24	0.2	0.5	0.3	77	0.27	0.029
1268845	Soil	1.0	22.3	9.5	47	<0.1	26.1	10.1	319	2.87	7.7	1.2	1.1	13.5	26	<0.1	0.4	0.1	71	0.32	0.032
1268854	Soil	0.8	14.6	12.6	41	<0.1	21.2	8.4	338	2.56	4.7	1.6	<0.5	25.9	21	<0.1	0.4	0.4	47	0.31	0.029
1268846	Soil	1.2	20.9	12.3	50	<0.1	26.0	11.4	436	3.33	8.5	1.3	2.6	13.1	25	0.1	0.4	0.2	81	0.27	0.022
1268855	Soil	0.7	31.2	15.0	45	<0.1	71.7	16.0	430	2.97	6.1	2.0	4.5	32.9	31	<0.1	0.5	0.3	70	0.28	0.035
1268849	Soil	0.8	15.1	11.1	59	<0.1	27.9	12.7	417	3.02	6.8	1.1	3.9	15.0	19	<0.1	0.3	0.3	62	0.22	0.023
1268847	Soil	1.0	19.8	14.9	54	<0.1	27.9	11.7	407	3.06	8.2	1.1	6.3	14.4	23	<0.1	0.5	0.2	70	0.24	0.016
1268856	Soil	0.8	14.1	17.0	27	<0.1	18.2	6.3	237	1.72	4.1	1.9	7.4	31.4	17	<0.1	0.5	1.5	33	0.23	0.018
1268850	Soil	0.6	30.0	12.3	62	<0.1	30.7	12.7	518	3.09	7.7	1.8	6.3	26.0	30	0.1	0.5	0.3	70	0.45	0.044
1268833	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1268857	Soil	1.9	22.9	12.0	42	<0.1	28.7	11.0	573	2.44	6.5	2.3	3.0	19.2	28	<0.1	0.7	0.4	63	0.29	0.013
1268853	Soil	1.0	24.3	10.7	54	<0.1	27.0	11.5	335	2.87	7.9	1.3	19.2	21.8	24	<0.1	0.5	0.4	65	0.35	0.033
1268835	Soil	0.5	54.3	7.6	75	<0.1	56.7	30.5	722	4.59	6.1	0.5	3.4	5.4	45	<0.1	0.1	<0.1	88	0.86	0.196
1268834	Soil	0.3	40.0	12.3	60	<0.1	46.7	22.0	347	3.46	7.4	1.1	11.2	5.3	72	0.2	0.3	0.2	71	1.60	0.128
1268839	Soil	0.7	27.6	8.8	39	<0.1	36.0	14.6	413	2.84	7.5	0.8	4.3	4.5	27	<0.1	0.3	0.2	67	0.70	0.034
1268852	Soil	0.8	22.9	11.9	58	<0.1	27.1	11.9	462	3.38	7.4	1.7	4.1	24.9	26	<0.1	0.4	0.2	74	0.39	0.024
1283282	Soil	2.5	47.8	9.1	93	0.2	38.8	13.2	440	3.35	37.3	2.2	10.9	5.3	29	0.1	3.0	0.2	84	0.40	0.081
1283274	Soil	1.8	27.4	9.8	72	0.1	32.9	11.5	291	2.95	25.6	0.9	0.7	5.0	27	0.2	1.6	0.2	85	0.35	0.029
1268840	Soil	0.4	31.0	4.5	52	<0.1	39.0	18.0	603	4.07	3.3	0.5	0.8	3.4	33	<0.1	0.2	0.3	89	1.10	0.055
1268836	Soil	0.9	27.1	12.8	82	<0.1	30.7	19.3	473	4.50	5.6	3.6	3.3	10.3	42	0.1	0.3	0.2	104	1.05	0.117
1283296	Soil	1.9	31.0	8.3	82	0.1	26.4	10.2	415	2.86	28.8	1.8	2.9	4.5	44	0.3	2.2	0.1	79	0.75	0.098
1283281	Soil	4.4	63.0	18.0	150	0.6	62.7	24.0	745	5.18	187.0	1.5	12.1	4.4	24	0.8	6.1	0.3	144	0.25	0.100
1268841	Soil	0.8	19.9	5.7	56	<0.1	31.4	17.3	470	3.70	4.2	0.7	<0.5	5.6	30	<0.1	0.2	0.2	81	0.57	0.062
1268837	Soil	0.6	43.5	15.6	86	0.2	64.4	21.6	739	4.75	6.3	2.5	1.3	14.8	59	0.2	0.2	0.2	80	1.39	0.117
1283288	Soil	0.7	50.5	8.6	72	<0.1	30.8	18.5	650	5.18	13.6	1.2	3.6	10.3	28	<0.1	1.2	0.1	129	0.50	0.057
1283277	Soil	2.2	66.7	5.7	69	<0.1	56.7	15.7	281	2.62	24.3	2.0	2.6	3.3	9	<0.1	1.3	<0.1	85	0.15	0.027
1268842	Soil	1.1	44.8	12.8	65	<0.1	37.8	17.5	680	3.80	9.8	2.6	5.8	28.2	30	<0.1	0.4	0.3	88	0.46	0.042
1268838	Soil	0.7	57.7	9.4	81	0.1	54.5	20.3	600	3.97	4.6	3.6	3.0	9.8	57	0.1	0.3	0.2	63	1.27	0.096

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 15, 2012

CERTIFICATE OF ANALYSIS WHI12000206.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1268860	Soil		33	49	0.52	269	0.092	1	1.89	0.016	0.09	0.3	0.04	5.7	0.2	<0.05	6	<0.5	<0.2
1268298	Soil		14	46	0.69	380	0.120	<1	1.68	0.025	0.11	0.1	0.02	4.8	0.1	<0.05	6	<0.5	<0.2
1268848	Soil		14	48	0.70	197	0.106	<1	2.02	0.011	0.11	0.2	0.02	3.8	0.2	<0.05	7	<0.5	<0.2
1268845	Soil		25	52	0.74	200	0.112	2	1.95	0.014	0.06	0.2	0.03	4.7	0.2	<0.05	6	<0.5	<0.2
1268854	Soil		35	46	0.82	164	0.102	<1	1.50	0.011	0.38	0.6	0.02	3.7	0.4	<0.05	5	<0.5	<0.2
1268846	Soil		23	61	0.77	167	0.116	<1	2.19	0.011	0.07	0.2	0.02	5.2	0.2	<0.05	7	<0.5	<0.2
1268855	Soil		24	125	1.45	164	0.125	1	2.08	0.010	0.48	0.6	0.02	5.9	0.8	<0.05	7	<0.5	<0.2
1268849	Soil		16	74	1.08	161	0.127	<1	2.02	0.009	0.46	0.3	0.01	3.9	0.3	<0.05	6	<0.5	<0.2
1268847	Soil		23	61	0.91	189	0.119	<1	2.37	0.013	0.09	0.2	0.02	4.6	0.2	<0.05	6	<0.5	<0.2
1268856	Soil		58	37	0.50	147	0.048	<1	1.17	0.007	0.19	1.6	0.02	3.6	0.3	<0.05	4	<0.5	<0.2
1268850	Soil		50	63	1.20	260	0.128	3	2.34	0.016	0.29	0.3	0.03	8.2	0.3	<0.05	7	0.6	<0.2
1268833	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1268857	Soil		17	54	0.63	224	0.067	<1	1.81	0.013	0.09	0.5	0.02	4.8	0.2	<0.05	5	<0.5	<0.2
1268853	Soil		23	52	1.02	158	0.115	1	1.96	0.014	0.22	0.4	0.02	4.7	0.3	<0.05	6	<0.5	<0.2
1268835	Soil		11	175	2.92	312	0.219	<1	3.27	0.011	0.88	0.2	<0.01	4.5	0.5	<0.05	7	<0.5	<0.2
1268834	Soil		16	83	1.48	165	0.112	1	2.06	0.020	0.13	0.1	0.04	6.5	0.2	0.21	6	0.9	<0.2
1268839	Soil		12	74	0.77	163	0.096	<1	1.76	0.014	0.07	0.1	0.03	4.4	0.2	0.22	6	<0.5	<0.2
1268852	Soil		37	61	0.85	187	0.126	1	1.86	0.016	0.17	0.2	0.03	7.0	0.2	<0.05	6	<0.5	<0.2
1283282	Soil		18	47	0.63	340	0.112	<1	1.57	0.018	0.12	0.2	0.06	6.8	0.2	<0.05	5	1.2	<0.2
1283274	Soil		12	49	0.54	243	0.103	<1	1.62	0.013	0.19	0.1	0.02	5.7	0.2	<0.05	5	0.8	<0.2
1268840	Soil		6	61	1.42	205	0.165	<1	2.39	0.018	0.36	<0.1	0.01	4.4	0.3	<0.05	7	<0.5	<0.2
1268836	Soil		30	60	1.46	284	0.193	2	2.45	0.016	0.55	0.1	0.05	7.0	0.4	<0.05	8	0.7	<0.2
1283296	Soil		14	36	0.58	219	0.109	<1	1.26	0.029	0.12	0.3	0.03	5.1	0.2	<0.05	5	1.1	<0.2
1283281	Soil		15	79	0.65	265	0.141	<1	2.24	0.010	0.34	0.2	0.03	5.9	0.3	<0.05	10	0.9	<0.2
1268841	Soil		9	103	1.79	96	0.185	<1	2.42	0.012	0.50	0.6	<0.01	4.8	0.6	<0.05	7	<0.5	<0.2
1268837	Soil		49	138	1.75	198	0.215	<1	2.57	0.015	0.70	0.2	0.04	7.7	0.6	<0.05	9	1.2	<0.2
1283288	Soil		29	47	1.16	479	0.276	<1	2.78	0.026	0.62	0.2	0.04	13.3	0.4	<0.05	8	0.7	<0.2
1283277	Soil		13	55	0.60	147	0.131	<1	1.24	0.008	0.27	0.3	0.02	7.8	0.3	<0.05	6	1.1	<0.2
1268842	Soil		87	61	0.81	215	0.135	<1	2.38	0.020	0.12	0.4	0.07	8.2	0.2	0.45	8	1.0	<0.2
1268838	Soil		57	63	1.09	200	0.144	<1	2.17	0.017	0.40	0.1	0.06	5.9	0.4	<0.05	7	1.1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 15, 2012

CERTIFICATE OF ANALYSIS WHI12000206.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1283287	Soil	0.2	54.8	4.6	59	<0.1	29.0	27.2	622	4.65	6.9	1.1	1.4	9.9	29	<0.1	1.4	<0.1	146	0.67	0.073
1283275	Soil	2.2	75.6	10.0	117	0.4	60.7	15.5	435	4.00	56.0	1.2	6.8	6.5	36	0.3	3.1	0.2	110	0.44	0.043
1268843	Soil	0.9	31.8	10.8	60	<0.1	34.1	13.5	408	3.71	12.1	1.2	3.1	12.1	23	0.1	0.6	0.2	93	0.24	0.013
1268844	Soil	1.4	30.6	14.4	60	<0.1	33.6	13.8	412	3.75	9.6	2.1	6.5	26.0	26	0.1	0.5	0.2	91	0.29	0.019
1283350	Soil	0.4	38.3	6.3	89	0.1	14.8	25.9	1038	6.26	9.9	1.3	12.1	12.8	23	<0.1	2.5	<0.1	183	0.62	0.124
1283348	Soil	0.6	38.2	7.5	82	0.1	21.0	19.7	683	5.66	11.2	1.3	2.3	10.6	52	0.1	2.8	0.2	145	0.75	0.082
1283279	Soil	3.9	91.7	11.1	143	1.0	56.3	12.1	298	2.65	83.8	1.5	9.5	4.2	71	0.9	6.0	0.2	146	1.74	0.059
1283276	Soil	2.0	62.3	8.9	118	0.3	54.2	14.2	367	3.41	48.9	1.1	7.1	6.1	35	0.3	3.5	0.2	98	0.37	0.035
1283270	Soil	0.9	43.0	8.8	65	0.2	28.9	12.3	620	3.10	20.9	0.9	4.7	5.5	74	0.2	1.8	0.2	75	1.88	0.072
1283272	Soil	1.6	51.4	9.0	72	0.3	39.9	12.6	384	3.31	39.6	1.2	7.1	6.9	48	0.2	2.2	0.2	102	0.58	0.038
1283278	Soil	1.2	57.1	8.4	80	0.3	37.5	11.9	408	3.03	21.8	1.0	6.8	4.9	61	0.3	2.5	0.2	78	1.58	0.071
1283291	Soil	0.6	24.2	9.0	75	<0.1	17.2	19.5	826	5.07	6.4	1.2	2.9	19.9	28	<0.1	2.7	0.2	152	0.51	0.072
1283349	Soil	0.6	31.4	8.3	69	0.2	15.2	16.6	845	4.09	6.0	1.0	7.8	8.7	53	<0.1	1.7	0.2	107	2.41	0.086
1283347	Soil	0.9	29.7	6.6	43	<0.1	19.9	12.2	741	2.53	7.2	5.3	2.4	3.3	79	0.2	1.5	0.1	66	1.41	0.062
1283283	Soil	1.4	33.7	8.4	83	0.3	39.6	10.9	255	3.05	25.1	0.8	0.8	4.3	17	0.2	5.0	0.2	81	0.21	0.031
1283271	Soil	1.6	55.5	5.1	80	0.2	16.5	16.1	740	4.14	11.1	0.9	3.9	4.7	80	0.2	1.6	0.2	109	2.70	0.123
1283292	Soil	1.9	28.7	7.3	55	<0.1	18.3	12.0	308	3.10	6.5	11.5	2.5	7.7	110	0.2	2.0	0.1	87	0.93	0.060
1283273	Soil	2.1	68.0	7.2	73	0.5	38.2	11.5	305	2.88	41.3	1.3	7.9	4.4	58	0.3	3.1	0.2	92	2.70	0.042
1283280	Soil	2.2	57.3	7.6	75	0.2	76.2	17.9	626	3.74	49.8	1.0	3.0	3.6	31	0.2	2.4	0.1	110	0.42	0.062
1283286	Soil	0.8	27.2	6.9	65	<0.1	19.2	12.8	576	3.39	14.7	1.2	3.8	8.8	38	<0.1	1.1	0.1	88	0.84	0.068
1283285	Soil	1.6	49.3	15.3	91	0.2	22.4	14.7	861	3.74	28.8	1.7	6.7	14.9	84	0.5	3.4	0.2	98	3.56	0.077
1283284	Soil	2.9	63.4	17.9	140	0.2	43.1	14.7	523	3.87	170.9	2.3	3.4	7.4	46	0.4	8.4	0.2	94	0.47	0.044
1283290	Soil	0.5	43.6	8.2	79	<0.1	26.4	22.2	838	5.68	40.5	1.2	14.1	18.3	31	<0.1	3.4	0.1	164	0.58	0.078
1283297	Soil	2.5	47.9	9.4	79	0.3	35.7	16.9	801	2.82	30.4	1.5	5.0	3.8	53	0.6	3.0	0.2	79	0.92	0.083
1283345	Soil	1.6	17.2	19.2	87	0.2	12.4	14.1	1082	3.59	51.8	4.7	5.4	12.1	42	0.3	2.9	0.4	92	0.66	0.100
1283295	Soil	2.1	54.3	12.8	88	0.2	37.5	16.2	543	3.34	23.5	4.3	4.5	5.9	63	0.6	2.5	0.2	85	1.03	0.097
1283289	Soil	1.0	55.1	12.7	70	0.2	26.0	19.9	1019	4.69	13.2	2.1	5.4	11.3	58	0.1	2.9	0.2	129	1.99	0.088
1283294	Soil	0.8	27.5	9.9	57	<0.1	25.0	12.5	412	3.14	12.9	1.7	3.7	5.7	46	0.1	1.4	0.1	75	0.75	0.092
1291227	Soil	11.2	113.2	12.0	122	0.5	39.0	6.0	206	3.21	6.7	6.9	<0.5	11.8	21	0.4	0.3	0.3	290	0.25	0.065
1291224	Soil	10.9	75.8	10.0	62	0.6	13.0	2.9	174	3.32	3.4	3.6	0.7	8.3	23	0.2	0.2	0.2	111	0.13	0.065

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 15, 2012

CERTIFICATE OF ANALYSIS WHI12000206.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1283287	Soil	15	31	1.78	564	0.371	<1	2.54	0.036	0.96	0.1	0.02	9.6	0.7	<0.05	9	<0.5	<0.2
1283275	Soil	20	61	0.73	292	0.141	2	1.89	0.016	0.35	0.2	0.06	8.8	0.4	<0.05	7	1.5	<0.2
1268843	Soil	20	58	0.65	187	0.131	<1	2.56	0.014	0.08	0.2	0.01	6.5	0.1	<0.05	7	<0.5	<0.2
1268844	Soil	45	64	0.79	201	0.128	<1	2.82	0.016	0.12	0.2	0.02	7.2	0.2	<0.05	8	0.6	<0.2
1283350	Soil	36	34	1.94	797	0.318	<1	2.68	0.021	0.98	0.2	0.04	20.2	0.6	<0.05	11	0.6	<0.2
1283348	Soil	20	34	1.61	549	0.318	<1	2.88	0.034	0.76	0.1	0.04	13.9	0.5	<0.05	10	<0.5	<0.2
1283279	Soil	16	48	0.61	311	0.075	<1	1.48	0.017	0.11	0.3	0.15	5.7	0.3	<0.05	5	1.8	<0.2
1283276	Soil	20	53	0.72	298	0.133	<1	1.92	0.017	0.33	0.1	0.05	7.5	0.4	<0.05	7	1.4	<0.2
1283270	Soil	19	36	0.76	391	0.109	1	1.59	0.032	0.19	0.2	0.07	6.9	0.2	0.09	6	0.7	<0.2
1283272	Soil	21	58	0.73	382	0.134	<1	2.03	0.022	0.19	0.1	0.06	8.4	0.2	0.06	7	0.7	<0.2
1283278	Soil	16	38	0.71	370	0.116	<1	1.37	0.031	0.14	0.2	0.05	5.8	0.2	0.07	5	0.7	<0.2
1283291	Soil	44	31	1.44	655	0.235	<1	2.65	0.022	0.67	0.2	0.02	18.2	0.5	0.08	10	<0.5	<0.2
1283349	Soil	25	28	1.41	660	0.160	<1	2.13	0.021	0.48	0.1	0.04	11.1	0.5	<0.05	9	<0.5	<0.2
1283347	Soil	13	27	0.74	500	0.087	2	1.36	0.029	0.15	0.2	0.04	5.9	0.2	<0.05	5	0.6	<0.2
1283283	Soil	13	49	0.68	300	0.114	<1	1.77	0.009	0.38	0.1	<0.01	3.7	0.3	<0.05	7	<0.5	<0.2
1283271	Soil	19	29	1.28	281	0.106	<1	2.09	0.030	0.26	0.2	0.04	8.9	0.2	<0.05	11	<0.5	<0.2
1283292	Soil	18	29	0.80	504	0.148	2	1.63	0.026	0.20	0.2	0.03	6.8	0.2	0.07	6	2.5	<0.2
1283273	Soil	16	49	0.73	360	0.088	2	1.61	0.019	0.12	0.2	0.08	6.5	0.2	0.08	6	1.1	<0.2
1283280	Soil	14	103	0.97	265	0.149	<1	2.05	0.014	0.38	0.1	0.02	6.2	0.3	<0.05	9	0.6	<0.2
1283286	Soil	34	35	0.94	264	0.149	1	1.67	0.028	0.24	0.2	0.03	8.8	0.3	<0.05	7	<0.5	<0.2
1283285	Soil	23	46	1.02	418	0.091	<1	2.07	0.022	0.18	0.2	0.06	8.3	0.2	0.07	9	<0.5	<0.2
1283284	Soil	20	58	0.73	514	0.059	1	2.13	0.015	0.10	0.2	0.05	8.4	0.3	0.08	7	0.7	<0.2
1283290	Soil	38	37	1.67	562	0.345	<1	2.81	0.026	0.70	0.2	0.03	15.6	0.7	0.05	11	0.7	<0.2
1283297	Soil	15	40	0.61	355	0.100	2	1.48	0.025	0.10	0.2	0.05	4.9	0.2	0.06	5	1.4	<0.2
1283345	Soil	22	26	0.82	348	0.149	<1	1.84	0.025	0.21	0.4	0.04	6.7	0.3	0.05	7	<0.5	<0.2
1283295	Soil	17	42	0.71	381	0.126	2	1.76	0.032	0.12	0.2	0.04	6.3	0.2	0.18	6	1.5	<0.2
1283289	Soil	25	37	1.36	445	0.167	1	2.32	0.026	0.49	0.1	0.05	13.0	0.4	0.19	9	0.6	<0.2
1283294	Soil	16	38	0.71	263	0.132	<1	1.63	0.028	0.09	0.2	0.04	6.0	<0.1	0.15	5	<0.5	<0.2
1291227	Soil	20	69	0.80	541	0.071	<1	1.72	0.007	0.49	0.3	0.02	5.9	0.3	0.18	6	2.5	<0.2
1291224	Soil	29	48	0.77	363	0.084	<1	1.68	0.037	0.39	0.1	<0.01	4.0	0.3	0.71	6	3.3	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 15, 2012

CERTIFICATE OF ANALYSIS WHI12000206.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1283298	Soil	2.0	63.7	11.4	91	0.3	40.6	12.9	533	3.00	36.8	2.0	5.0	4.8	47	0.4	3.2	0.2	88	0.85	0.087
1283346	Soil	1.5	40.4	9.9	65	0.1	29.0	16.3	673	3.91	10.4	5.4	2.2	7.9	73	0.2	1.3	0.1	101	1.34	0.084
1291223	Soil	2.5	25.9	13.1	61	0.4	25.6	8.8	233	2.97	13.2	0.6	2.3	2.1	21	0.3	0.6	0.2	80	0.22	0.047
1291222	Soil	2.7	58.0	11.8	115	0.7	46.6	9.4	366	3.29	22.8	1.6	5.2	3.2	31	0.6	0.6	0.2	87	0.27	0.062
1291220	Soil	3.1	73.4	17.3	101	0.8	58.8	13.4	569	3.39	34.9	1.2	8.0	5.3	64	0.5	1.0	0.2	76	2.27	0.048
1283293	Soil	0.6	22.0	8.6	65	<0.1	21.4	13.7	392	3.39	14.6	1.1	2.4	6.6	38	<0.1	1.6	0.1	80	0.55	0.092
1291229	Soil	4.5	111.3	23.8	178	0.5	85.7	19.0	887	4.51	32.8	2.4	2.9	8.4	31	0.5	0.7	0.2	108	0.46	0.065
1291210	Soil	1.3	41.4	22.6	71	0.5	40.7	12.8	536	3.15	14.2	2.1	10.1	7.1	39	0.2	1.0	0.2	63	0.70	0.067
1291235	Soil	5.5	55.8	15.2	134	0.2	52.9	11.9	599	3.80	65.8	1.0	<0.5	4.7	24	0.4	0.7	0.2	104	0.31	0.072
1291226	Soil	3.9	99.1	24.7	174	0.3	50.2	13.7	669	4.10	50.7	2.6	3.4	18.1	30	0.3	0.6	0.3	102	0.30	0.046
1291236	Soil	3.8	68.0	23.9	134	0.4	66.7	19.3	919	4.71	207.8	1.4	1.8	7.3	18	0.3	1.4	0.3	103	0.35	0.053
1291234	Soil	2.6	31.7	12.7	77	0.4	35.2	11.2	322	3.20	113.6	0.9	2.3	5.0	19	0.2	1.0	0.2	78	0.24	0.038
1291237	Soil	1.9	36.6	15.5	72	<0.1	32.1	12.9	443	3.47	14.7	1.2	3.4	5.5	29	<0.1	0.5	0.1	68	0.59	0.040
1291228	Soil	5.2	88.8	9.7	104	0.5	52.8	9.6	283	3.18	16.9	2.2	4.3	4.8	72	0.2	0.8	0.2	96	3.94	0.055
1291238	Soil	1.3	28.1	16.4	54	<0.1	53.1	14.3	437	2.94	22.8	0.7	2.9	9.8	26	<0.1	0.5	0.1	67	0.54	0.033
1291231	Soil	3.1	35.0	16.5	78	0.2	31.6	13.5	336	3.37	28.3	1.5	2.8	4.5	23	0.3	0.5	0.5	101	0.31	0.055
1291219	Soil	6.0	90.3	21.9	164	1.4	61.9	19.5	799	4.96	52.2	1.6	13.6	5.1	30	0.5	1.9	0.2	98	0.27	0.027
1291221	Soil	3.1	64.6	17.3	111	0.5	57.3	14.8	585	3.48	22.1	0.9	4.4	6.3	42	0.3	1.1	0.2	71	0.69	0.055
1291232	Soil	2.3	69.7	17.9	84	0.2	37.0	11.3	286	3.66	35.3	0.9	1.9	4.1	20	0.3	0.7	0.4	87	0.21	0.036
1291209	Soil	5.9	128.0	23.0	238	2.0	81.5	13.7	286	3.55	71.3	2.3	25.3	7.0	64	1.2	2.1	0.2	74	0.33	0.101
1291225	Soil	4.3	85.9	27.2	137	0.6	72.9	16.9	661	3.78	55.4	1.6	10.5	10.0	29	0.2	0.9	0.2	86	0.31	0.036
1291233	Soil	2.8	45.2	14.4	91	0.3	42.4	10.7	279	3.55	70.3	1.3	2.5	7.5	18	0.2	0.6	0.2	88	0.24	0.039
1268745	Soil	2.2	32.0	27.9	83	0.3	37.5	11.9	485	2.90	117.7	0.7	2.0	4.1	29	0.7	2.9	0.2	79	0.36	0.044
1268746	Soil	2.0	28.0	16.3	67	0.2	28.7	9.9	358	2.63	117.6	0.9	3.4	4.0	25	0.2	2.3	0.2	84	0.27	0.038
1291216	Soil	1.1	42.1	20.5	77	0.4	42.5	15.9	591	3.11	19.7	1.1	12.3	10.0	108	0.2	0.9	0.2	49	6.97	0.059
1291212	Soil	1.2	23.6	9.8	83	0.2	30.5	14.5	517	3.72	7.7	0.7	2.6	4.7	26	0.1	0.4	0.1	86	0.48	0.108
1268748	Soil	3.6	41.8	20.5	58	0.9	26.0	7.2	362	2.35	134.4	2.0	8.4	0.5	32	0.8	1.4	0.2	51	0.25	0.114
1268744	Soil	2.8	32.5	19.8	82	0.2	38.5	11.6	361	2.97	81.2	0.5	2.0	2.5	21	0.5	2.1	0.2	79	0.31	0.061
1291230	Soil	2.0	26.6	9.1	69	0.1	24.2	9.6	278	2.74	16.3	0.9	14.7	4.2	21	0.3	0.4	0.2	65	0.36	0.074
1291218	Soil	6.6	72.5	16.5	139	0.7	62.4	10.1	367	3.44	33.1	1.2	5.9	4.6	28	0.4	1.0	0.2	68	0.30	0.043

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 15, 2012

CERTIFICATE OF ANALYSIS WHI12000206.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1283298	Soil	17	46	0.64	361	0.112	<1	1.51	0.022	0.13	0.2	0.07	5.9	0.2	0.18	5	1.3	<0.2
1283346	Soil	20	40	1.08	511	0.202	2	2.04	0.031	0.25	0.2	0.03	8.2	0.3	0.25	7	0.8	<0.2
1291223	Soil	11	36	0.33	239	0.059	<1	1.60	0.007	0.07	0.1	0.01	2.8	0.1	0.14	6	<0.5	<0.2
1291222	Soil	15	43	0.41	437	0.083	<1	1.64	0.010	0.09	0.2	0.05	4.5	0.2	0.22	6	1.2	<0.2
1291220	Soil	18	45	0.53	777	0.062	1	1.20	0.019	0.09	0.6	0.09	6.8	0.1	0.20	4	1.4	<0.2
1283293	Soil	15	34	0.73	288	0.142	<1	1.66	0.026	0.12	0.2	0.02	5.2	0.2	0.13	6	<0.5	<0.2
1291229	Soil	25	68	0.69	452	0.069	3	1.74	0.010	0.34	0.2	0.05	9.4	0.3	0.16	7	2.0	<0.2
1291210	Soil	20	42	0.53	907	0.065	2	1.28	0.020	0.11	0.2	0.03	6.4	<0.1	0.27	5	1.1	<0.2
1291235	Soil	11	63	0.81	477	0.075	<1	1.68	0.007	0.24	0.2	0.02	4.9	0.2	0.16	7	1.4	<0.2
1291226	Soil	27	59	0.90	543	0.102	<1	1.90	0.007	0.47	0.1	0.03	6.8	0.4	0.21	9	0.8	<0.2
1291236	Soil	19	81	0.92	780	0.071	1	2.06	0.007	0.31	0.1	0.03	9.3	0.3	0.18	7	0.9	<0.2
1291234	Soil	13	44	0.49	427	0.069	<1	1.45	0.009	0.11	0.2	0.02	3.9	0.2	0.21	5	0.6	<0.2
1291237	Soil	16	52	0.67	418	0.087	1	1.79	0.020	0.10	0.1	0.04	6.7	<0.1	0.19	5	<0.5	<0.2
1291228	Soil	17	44	0.60	575	0.085	<1	1.55	0.015	0.19	0.2	0.06	5.2	0.2	0.23	5	2.7	<0.2
1291238	Soil	14	105	0.89	279	0.063	1	1.75	0.019	0.08	0.1	0.03	8.1	<0.1	0.10	6	<0.5	<0.2
1291231	Soil	16	43	0.80	403	0.147	<1	2.18	0.010	0.23	0.2	0.02	4.6	0.2	0.15	10	0.6	<0.2
1291219	Soil	12	48	0.40	1021	0.032	1	1.19	0.007	0.13	0.5	0.07	13.0	0.3	0.11	5	2.9	<0.2
1291221	Soil	18	56	0.62	599	0.081	<1	1.49	0.021	0.10	0.2	0.04	6.9	0.1	0.11	6	0.6	<0.2
1291232	Soil	12	49	0.64	475	0.081	2	2.09	0.009	0.11	0.2	0.02	4.2	0.1	0.19	7	0.9	<0.2
1291209	Soil	21	38	0.36	1083	0.027	2	1.24	0.010	0.15	0.3	0.06	6.3	0.1	0.14	4	6.1	<0.2
1291225	Soil	27	63	0.67	583	0.074	<1	1.67	0.010	0.19	0.3	0.05	8.3	0.3	<0.05	6	1.5	<0.2
1291233	Soil	28	54	0.84	338	0.078	<1	1.72	0.008	0.22	0.1	<0.01	4.9	0.2	<0.05	7	0.9	<0.2
1268745	Soil	13	50	0.53	377	0.090	<1	1.45	0.015	0.15	0.2	0.02	4.1	0.2	<0.05	5	<0.5	<0.2
1268746	Soil	14	44	0.50	344	0.086	<1	1.60	0.011	0.08	0.2	0.02	4.2	0.2	0.06	6	<0.5	<0.2
1291216	Soil	25	47	0.86	481	0.046	<1	1.43	0.011	0.13	0.1	0.04	6.7	0.2	<0.05	5	0.9	<0.2
1291212	Soil	10	91	1.27	411	0.131	2	2.33	0.011	0.30	0.2	<0.01	4.8	0.1	0.06	7	<0.5	<0.2
1268748	Soil	9	42	0.22	412	0.023	3	0.97	0.009	0.09	0.2	0.18	2.5	0.3	0.09	4	1.3	<0.2
1268744	Soil	9	52	0.51	295	0.068	2	1.58	0.011	0.11	0.2	0.01	3.7	0.2	<0.05	6	<0.5	<0.2
1291230	Soil	15	35	0.63	269	0.072	2	1.28	0.014	0.11	0.3	0.02	3.8	0.1	<0.05	5	<0.5	<0.2
1291218	Soil	14	47	0.36	398	0.037	2	1.03	0.011	0.08	0.5	0.05	5.5	0.3	<0.05	3	1.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 15, 2012

CERTIFICATE OF ANALYSIS WHI12000206.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1268749	Soil	4.1	68.2	21.7	196	0.5	62.5	14.9	569	3.95	157.5	1.8	5.7	3.6	35	1.1	2.8	0.2	108	0.24	0.086
1291215	Soil	1.0	45.2	18.9	80	0.6	59.1	19.7	813	4.46	20.0	1.3	8.1	10.8	50	0.1	1.2	0.1	45	3.04	0.056
1291214	Soil	1.5	40.5	22.7	83	0.5	49.2	18.6	782	4.32	35.4	1.8	12.1	11.4	36	<0.1	1.0	0.2	54	1.82	0.069
1291217	Soil	1.8	56.9	14.3	107	0.2	47.6	14.5	505	3.23	9.6	0.8	5.9	8.8	40	0.3	0.6	0.1	60	1.31	0.061
1268750	Soil	1.3	14.7	12.9	66	0.3	19.3	9.4	375	2.40	41.3	0.4	1.5	2.1	18	0.5	1.0	0.2	69	0.22	0.034
1291239	Soil	1.5	30.8	15.0	50	<0.1	49.8	12.4	367	2.99	6.4	1.1	3.9	7.6	33	0.1	0.4	0.2	58	0.85	0.047
1291213	Soil	0.7	38.0	13.5	76	0.4	58.9	21.5	461	4.07	60.5	1.1	8.6	10.3	49	<0.1	2.2	0.1	54	2.87	0.056
1291211	Soil	1.8	30.7	10.9	99	0.1	35.4	14.1	821	3.92	5.2	0.9	0.8	2.5	25	<0.1	0.3	<0.1	86	0.53	0.128
1268742	Soil	2.1	36.1	9.7	44	0.4	28.4	10.3	900	1.74	55.0	7.9	4.4	0.9	100	0.8	2.0	0.1	42	2.20	0.065
1268759	Soil	0.7	13.9	6.1	53	<0.1	8.0	9.5	418	2.90	11.7	2.7	0.8	8.0	31	0.2	1.2	0.1	78	0.76	0.098
1268755	Soil	1.7	42.6	18.4	77	0.3	39.7	12.9	582	2.88	69.5	0.6	5.5	3.3	30	0.3	1.4	0.2	79	0.54	0.030
1268754	Soil	1.6	19.7	11.2	66	0.4	25.3	11.9	709	2.47	36.8	0.5	2.2	2.3	29	0.6	1.0	0.1	66	0.45	0.036
1268743	Soil	2.4	44.2	21.3	90	0.3	49.3	14.5	792	3.13	87.9	0.8	6.8	3.6	25	0.4	2.7	0.2	84	0.43	0.038
1268751	Rock Pulp	2.3	23.2	2.1	40	0.3	22.3	9.8	373	2.29	4.6	0.2	1.1	0.8	35	0.1	0.3	<0.1	59	0.78	0.056
1268756	Soil	2.2	43.0	12.4	96	0.3	44.5	14.2	349	3.37	55.0	0.8	2.2	3.1	27	0.5	1.6	0.2	115	0.33	0.037
1268753	Soil	3.4	33.0	13.6	122	0.3	52.3	16.9	607	3.28	103.2	0.7	1.0	3.0	27	1.0	3.2	0.2	94	0.36	0.081
1268741	Soil	0.8	18.8	6.1	56	<0.1	11.1	10.8	597	2.62	12.3	3.2	5.0	6.9	47	0.1	1.4	0.1	68	0.81	0.094
1268757	Soil	1.7	45.5	16.8	85	0.3	38.7	13.3	593	2.78	54.9	0.8	5.2	3.2	55	0.3	1.5	0.2	84	1.73	0.046
1268760	Soil	0.7	43.3	7.3	49	0.2	19.3	10.4	1014	1.80	4.2	1.0	1.6	0.6	56	0.6	0.4	0.1	41	2.03	0.080
1268752	Soil	1.7	30.4	13.7	66	0.7	30.0	9.1	576	2.39	97.1	0.8	2.5	2.8	27	0.4	2.3	0.1	70	0.36	0.042
1268740	Soil	0.6	29.8	8.5	66	0.1	17.8	9.6	399	2.28	4.2	1.2	4.7	1.6	40	0.2	0.3	0.1	55	1.49	0.078
1268758	Soil	0.8	12.0	8.3	62	<0.1	7.4	12.5	671	3.73	14.9	1.8	0.9	11.8	30	0.1	1.3	<0.1	98	0.52	0.102
1268761	Soil	0.7	34.8	13.0	32	0.1	20.5	5.9	571	1.03	3.4	0.8	<0.5	0.4	63	0.4	0.3	0.1	24	2.55	0.065
1268762	Soil	1.0	56.2	11.7	40	0.2	27.9	15.4	916	2.63	5.2	0.6	1.9	1.8	50	0.1	0.3	0.1	70	1.07	0.037
1290782	Soil	0.9	26.9	10.0	57	<0.1	41.0	13.8	402	3.25	7.2	0.9	1.6	8.3	18	<0.1	0.4	<0.1	61	0.34	0.046
1290781	Soil	1.1	29.3	11.4	64	<0.1	68.1	19.1	555	3.77	6.6	1.2	1.2	12.2	21	<0.1	0.6	0.1	78	0.46	0.047
1268737	Soil	0.5	30.5	13.6	51	0.1	16.5	10.2	492	1.96	3.4	0.8	1.0	0.8	53	0.3	0.3	0.1	48	2.10	0.071
1268739	Soil	0.5	56.9	12.3	53	0.2	16.0	9.5	661	1.54	3.2	1.0	1.3	0.6	50	0.4	0.2	0.1	37	2.58	0.064
1290784	Soil	0.6	36.6	14.1	66	0.2	51.0	16.7	440	3.15	6.4	0.7	3.9	8.0	91	<0.1	0.3	<0.1	50	7.20	0.050
1290786	Soil	2.8	71.0	16.6	77	0.3	57.2	11.9	553	3.26	14.0	1.3	6.8	7.6	22	0.1	0.8	0.2	67	0.33	0.041

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 15, 2012

CERTIFICATE OF ANALYSIS WHI12000206.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1268749	Soil	14	72	0.92	853	0.118	<1	1.96	0.010	0.32	0.2	0.04	6.7	0.8	<0.05	7	1.0	<0.2
1291215	Soil	38	42	0.58	309	0.016	1	0.99	0.006	0.13	<0.1	0.04	7.0	0.2	<0.05	4	0.6	<0.2
1291214	Soil	41	55	0.69	309	0.010	1	1.25	0.004	0.10	0.1	0.04	8.4	0.2	<0.05	5	0.8	<0.2
1291217	Soil	25	46	0.94	386	0.083	<1	1.76	0.011	0.31	0.1	0.02	4.7	0.3	<0.05	6	<0.5	<0.2
1268750	Soil	8	34	0.41	302	0.066	<1	1.36	0.011	0.08	0.1	0.01	2.7	0.1	<0.05	5	<0.5	<0.2
1291239	Soil	18	82	0.93	274	0.058	1	1.80	0.018	0.08	0.2	0.04	7.1	0.1	<0.05	6	<0.5	<0.2
1291213	Soil	34	81	1.20	195	0.090	<1	2.32	0.004	0.62	<0.1	0.02	5.2	0.4	<0.05	8	0.7	<0.2
1291211	Soil	6	107	1.33	526	0.128	1	2.52	0.008	0.43	0.2	<0.01	4.9	0.3	<0.05	9	<0.5	<0.2
1268742	Soil	7	27	0.33	445	0.032	3	0.78	0.014	0.05	0.2	0.08	2.5	0.1	0.12	3	3.9	<0.2
1268759	Soil	18	21	0.61	365	0.108	<1	1.60	0.024	0.16	0.3	0.02	5.1	0.2	<0.05	6	<0.5	<0.2
1268755	Soil	13	47	0.60	358	0.082	2	1.62	0.020	0.12	0.1	0.05	6.0	0.1	<0.05	5	<0.5	<0.2
1268754	Soil	9	35	0.42	455	0.061	2	1.50	0.013	0.09	0.1	0.02	4.1	0.1	<0.05	5	<0.5	<0.2
1268743	Soil	14	58	0.56	377	0.081	2	1.69	0.018	0.15	0.2	0.04	6.4	0.2	<0.05	6	0.6	<0.2
1268751	Rock Pulp	4	29	0.72	89	0.102	2	1.40	0.077	0.11	13.1	<0.01	4.3	<0.1	<0.05	5	<0.5	<0.2
1268756	Soil	10	60	0.71	321	0.127	1	1.99	0.012	0.24	0.2	0.02	5.1	0.3	<0.05	7	<0.5	<0.2
1268753	Soil	11	53	0.51	408	0.083	1	1.63	0.009	0.19	0.2	0.02	4.3	0.3	<0.05	7	<0.5	<0.2
1268741	Soil	21	21	0.64	369	0.100	1	1.71	0.025	0.13	0.3	0.04	5.3	0.2	<0.05	6	<0.5	<0.2
1268757	Soil	13	47	0.68	374	0.092	2	1.59	0.021	0.16	0.2	0.05	5.4	0.2	<0.05	5	<0.5	<0.2
1268760	Soil	8	31	0.42	215	0.037	4	1.14	0.017	0.04	<0.1	0.08	3.2	0.1	0.14	3	<0.5	<0.2
1268752	Soil	14	39	0.51	436	0.077	<1	1.39	0.013	0.11	0.2	0.03	4.0	0.2	<0.05	5	<0.5	<0.2
1268740	Soil	9	30	0.64	336	0.068	2	1.30	0.027	0.06	0.1	0.06	4.1	0.1	0.08	5	<0.5	<0.2
1268758	Soil	24	23	0.80	703	0.156	<1	1.63	0.032	0.34	0.5	0.01	5.3	0.3	<0.05	7	<0.5	<0.2
1268761	Soil	6	34	0.25	198	0.026	5	0.70	0.013	0.03	<0.1	0.09	2.2	0.1	0.17	2	0.6	<0.2
1268762	Soil	8	58	0.70	483	0.081	2	1.79	0.030	0.07	0.1	0.04	5.1	0.1	<0.05	6	<0.5	<0.2
1290782	Soil	18	63	1.00	193	0.123	<1	1.98	0.009	0.68	0.2	0.01	5.3	0.4	<0.05	6	<0.5	<0.2
1290781	Soil	26	99	1.42	206	0.113	1	2.13	0.008	0.45	0.2	0.01	7.1	0.4	<0.05	8	<0.5	<0.2
1268737	Soil	6	27	0.66	180	0.057	3	1.24	0.029	0.04	<0.1	0.06	3.8	<0.1	0.10	4	<0.5	<0.2
1268739	Soil	7	25	0.41	471	0.038	3	1.04	0.018	0.03	0.1	0.06	2.8	0.1	0.13	3	<0.5	<0.2
1290784	Soil	23	64	1.46	193	0.114	<1	1.82	0.007	0.35	0.1	0.03	3.8	0.3	<0.05	6	<0.5	<0.2
1290786	Soil	32	61	0.85	439	0.079	<1	1.85	0.013	0.17	0.2	0.06	7.1	0.2	<0.05	6	0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 15, 2012

CERTIFICATE OF ANALYSIS WHI12000206.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1290780	Soil		0.4	74.1	8.6	37	0.1	234.4	39.7	735	5.32	2.2	1.7	3.1	15.4	30	<0.1	0.2	0.2	164	0.81	0.147
1268738	Soil		0.4	36.8	8.5	52	0.1	18.2	6.4	186	1.48	2.6	0.9	0.9	0.5	44	0.3	0.2	0.1	30	0.96	0.057
1291208	Soil		0.6	65.0	10.0	41	0.2	180.6	32.9	648	4.76	3.2	1.6	3.4	14.9	28	<0.1	0.2	0.1	141	0.68	0.122
1290785	Soil		1.6	40.7	15.8	75	0.1	47.1	17.2	659	3.46	14.8	0.5	19.9	7.3	23	<0.1	0.7	0.1	58	0.46	0.055
1290783	Soil		0.5	40.8	7.4	71	0.2	53.0	19.2	462	3.95	4.1	0.7	6.6	8.5	56	<0.1	0.1	<0.1	41	3.91	0.061
1268763	Soil		1.2	94.9	6.3	65	0.1	54.1	20.4	515	4.14	3.6	0.6	1.6	2.5	30	<0.1	0.5	0.1	110	0.75	0.032
1291204	Soil		2.6	32.6	10.4	115	0.2	28.5	11.1	391	3.25	68.2	0.7	1.0	4.0	12	0.3	0.7	0.2	63	0.19	0.021
1290779	Soil		0.6	24.4	11.3	87	0.2	57.3	24.9	611	4.35	5.6	0.7	4.1	5.2	36	<0.1	0.2	<0.1	78	0.79	0.074
1290778	Soil		4.2	61.1	10.0	81	0.8	32.3	7.7	158	2.91	11.2	1.4	6.7	4.8	18	0.2	1.3	0.1	60	0.19	0.074
1268736	Soil		0.7	35.2	8.7	43	0.1	25.9	11.0	358	2.54	7.8	0.4	3.8	2.2	48	<0.1	0.4	<0.1	60	2.55	0.030
1284591	Soil		0.3	59.6	4.7	84	0.1	17.0	14.9	576	4.22	3.7	0.6	3.9	4.3	28	<0.1	0.4	<0.1	110	0.63	0.109
1284584	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1284594	Soil		1.0	17.0	9.9	64	<0.1	15.7	8.3	361	2.91	26.3	1.3	3.7	6.2	24	<0.1	4.2	<0.1	71	0.33	0.044
1290797	Soil		3.7	52.2	10.1	95	0.4	34.8	7.8	246	3.19	13.4	2.0	1.9	5.3	21	0.2	0.4	0.1	60	0.16	0.047
1284593	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1284580	Soil		0.4	14.7	6.8	74	<0.1	14.3	10.6	585	3.04	6.4	1.9	1.4	3.0	47	0.2	0.4	<0.1	62	1.36	0.092
1284583	Soil		1.1	32.2	7.6	69	0.1	26.8	11.8	494	2.50	4.9	1.2	3.0	3.0	39	0.2	0.3	0.1	66	0.84	0.068
1291207	Soil		1.1	12.0	6.1	70	<0.1	17.5	10.4	459	3.55	3.2	0.6	1.1	5.2	16	<0.1	0.2	<0.1	47	0.46	0.050
1284579	Soil		3.1	67.6	12.7	136	0.4	67.8	21.6	950	4.87	128.1	1.1	4.3	6.7	22	0.6	6.6	0.1	149	0.75	0.119
1284599	Soil		0.7	11.3	10.0	74	<0.1	10.5	7.7	428	3.37	22.8	2.1	1.9	11.8	18	<0.1	1.6	0.1	70	0.31	0.061
1284596	Soil		1.0	12.4	12.1	73	<0.1	14.2	10.3	494	3.34	13.3	2.4	3.6	10.2	23	<0.1	0.7	0.1	77	0.31	0.054
1290800	Soil		2.6	54.4	7.1	126	0.1	47.2	15.6	366	3.99	7.0	1.1	1.1	4.5	18	0.2	0.1	0.1	124	0.31	0.092
1284582	Soil		0.4	24.6	8.0	63	0.1	18.0	11.9	641	2.45	4.0	1.2	4.7	2.0	40	0.2	0.4	<0.1	62	1.59	0.067
1284581	Soil		0.5	23.2	6.2	65	<0.1	18.5	11.5	736	2.84	4.8	1.4	1.6	2.0	40	<0.1	0.4	<0.1	61	1.43	0.091
1284587	Soil		1.2	43.1	7.6	77	0.1	18.7	15.0	498	4.49	9.8	0.4	0.8	2.4	27	<0.1	0.6	0.1	112	0.32	0.039
1290798	Soil		2.8	94.4	7.6	104	<0.1	49.2	17.8	485	4.30	36.3	2.0	2.2	6.1	28	0.1	0.3	0.2	112	0.58	0.149
1291203	Soil		1.9	40.7	9.1	69	0.2	37.5	11.6	277	2.74	12.0	0.7	3.4	5.6	15	0.3	0.5	0.1	72	0.24	0.044
1290793	Soil		3.3	60.8	12.1	91	0.8	37.8	10.2	394	2.86	65.3	1.6	6.5	1.6	19	0.5	0.4	0.2	76	0.19	0.056
1290796	Soil		7.3	101.9	15.8	83	0.7	26.7	5.8	183	4.71	43.0	3.3	1.6	4.8	35	0.2	0.4	0.4	126	0.23	0.085
1290792	Soil		2.1	66.4	10.3	76	0.5	44.3	11.5	346	2.79	25.0	1.1	6.3	3.2	37	0.1	0.9	0.1	66	1.07	0.049

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 15, 2012

CERTIFICATE OF ANALYSIS WHI12000206.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1290780	Soil	30	298	4.97	560	0.347	<1	3.48	0.014	0.72	0.3	0.01	9.5	1.0	<0.05	11	<0.5	<0.2
1268738	Soil	7	27	0.36	223	0.035	2	1.08	0.014	0.04	<0.1	0.09	3.1	0.1	0.10	4	<0.5	<0.2
1291208	Soil	27	190	3.70	581	0.286	2	3.11	0.015	0.92	0.3	0.01	8.8	1.1	<0.05	10	<0.5	<0.2
1290785	Soil	18	49	0.70	412	0.072	1	1.58	0.013	0.16	0.2	0.03	5.2	0.2	<0.05	5	0.7	<0.2
1290783	Soil	26	69	1.28	228	0.131	<1	1.91	0.007	0.75	<0.1	0.02	3.5	0.4	<0.05	6	<0.5	<0.2
1268763	Soil	14	127	1.39	131	0.106	1	2.21	0.033	0.04	<0.1	0.06	10.2	0.3	<0.05	8	<0.5	<0.2
1291204	Soil	8	34	0.66	380	0.076	<1	1.38	0.006	0.28	0.1	0.01	3.8	0.3	<0.05	5	0.6	<0.2
1290779	Soil	21	96	2.63	313	0.196	1	2.96	0.011	0.43	<0.1	0.02	5.7	0.4	<0.05	10	<0.5	<0.2
1290778	Soil	11	31	0.44	671	0.042	<1	1.11	0.008	0.18	0.2	0.02	2.8	0.4	0.11	4	1.9	<0.2
1268736	Soil	12	38	0.60	201	0.064	2	1.62	0.024	0.07	0.2	0.04	5.3	<0.1	<0.05	5	<0.5	<0.2
1284591	Soil	13	31	1.04	254	0.119	<1	2.24	0.019	0.18	<0.1	0.01	8.2	0.2	<0.05	10	<0.5	<0.2
1284584	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1284594	Soil	15	32	0.57	262	0.077	<1	1.73	0.012	0.05	0.1	0.01	4.2	0.2	<0.05	6	<0.5	<0.2
1290797	Soil	18	33	0.42	498	0.066	<1	1.19	0.016	0.20	<0.1	0.01	3.8	0.3	0.16	5	2.4	<0.2
1284593	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1284580	Soil	16	25	0.68	333	0.066	2	1.38	0.021	0.05	0.1	0.04	5.0	0.1	0.06	6	<0.5	<0.2
1284583	Soil	12	44	0.87	192	0.095	1	1.57	0.023	0.08	<0.1	0.07	5.8	0.2	<0.05	6	<0.5	<0.2
1291207	Soil	13	30	0.68	289	0.028	<1	1.87	0.008	0.11	<0.1	0.01	5.1	<0.1	<0.05	5	<0.5	<0.2
1284579	Soil	26	102	1.34	653	0.165	<1	2.03	0.010	0.45	0.1	0.03	12.6	0.5	<0.05	10	0.6	<0.2
1284599	Soil	21	22	0.63	382	0.186	<1	1.95	0.014	0.25	0.2	<0.01	4.6	0.4	<0.05	8	<0.5	<0.2
1284596	Soil	23	27	0.59	378	0.148	<1	2.12	0.013	0.10	0.2	0.03	4.5	0.3	<0.05	8	<0.5	<0.2
1290800	Soil	15	80	1.30	546	0.153	<1	2.51	0.012	0.56	<0.1	<0.01	5.4	0.3	<0.05	9	0.8	<0.2
1284582	Soil	10	35	0.73	613	0.080	1	1.33	0.023	0.04	<0.1	0.08	5.0	0.1	0.08	5	<0.5	<0.2
1284581	Soil	13	31	0.66	386	0.062	1	1.36	0.021	0.04	<0.1	0.08	5.0	0.1	0.06	6	<0.5	<0.2
1284587	Soil	7	30	1.00	218	0.176	<1	2.99	0.014	0.11	0.2	0.03	4.6	0.1	<0.05	11	<0.5	<0.2
1290798	Soil	23	65	1.24	681	0.126	<1	2.50	0.018	0.41	<0.1	0.01	5.8	0.3	0.06	8	0.9	<0.2
1291203	Soil	13	43	0.59	303	0.064	<1	1.84	0.009	0.08	0.2	0.02	3.2	<0.1	<0.05	5	<0.5	<0.2
1290793	Soil	14	35	0.33	641	0.036	1	1.64	0.008	0.10	0.1	0.04	3.6	0.4	<0.05	6	1.1	<0.2
1290796	Soil	22	49	0.50	646	0.051	<1	1.64	0.020	0.18	0.1	0.02	5.3	0.2	0.27	7	3.7	0.2
1290792	Soil	14	40	0.56	717	0.044	2	1.30	0.018	0.06	0.3	0.06	5.1	0.2	<0.05	4	1.2	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 15, 2012

CERTIFICATE OF ANALYSIS WHI12000206.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1291206	Soil	1.2	12.0	5.6	55	<0.1	7.9	8.6	348	3.04	10.7	0.5	2.2	2.8	12	<0.1	0.2	<0.1	38	0.34	0.039
1290787	Soil	4.7	89.7	9.9	138	0.5	28.1	9.3	442	3.69	1.8	3.3	1.4	7.9	26	0.2	0.1	0.2	104	0.22	0.065
1290788	Soil	1.8	50.2	10.2	80	0.3	42.3	12.2	473	2.56	16.4	1.0	4.2	4.7	93	0.3	1.0	0.1	52	5.57	0.037
1290794	Soil	4.0	68.2	12.7	104	0.8	44.8	10.3	270	3.46	63.5	1.7	5.0	5.4	19	0.1	0.6	0.2	59	0.11	0.054
1291205	Soil	2.6	36.2	19.9	105	0.3	26.9	11.8	449	4.02	339.9	0.9	1.4	6.6	11	0.2	1.0	0.3	66	0.23	0.031
1290791	Soil	2.5	55.3	14.3	83	0.3	58.7	14.5	514	3.24	24.8	0.9	7.3	5.8	29	0.2	1.0	0.1	70	0.55	0.050
1290789	Soil	2.3	60.8	12.0	93	1.3	48.8	13.8	553	3.06	22.5	1.1	21.6	5.1	75	0.3	0.9	0.1	59	3.95	0.037
1291201	Rock Pulp	1.3	430.8	20.6	153	0.2	213.4	74.6	798	15.33	3.0	1.2	32.4	7.5	13	<0.1	0.2	0.2	205	0.29	0.041
1291202	Soil	2.3	24.4	9.5	69	0.1	26.4	8.7	245	2.67	15.8	0.8	2.3	4.4	19	0.2	0.3	0.3	76	0.20	0.060
1290799	Soil	1.7	28.2	12.9	82	0.2	26.0	12.2	544	2.59	21.6	1.3	4.1	4.3	24	0.4	0.4	0.2	61	0.41	0.074
1290790	Soil	3.0	61.0	15.8	108	0.5	57.7	14.3	462	3.24	25.7	1.1	9.1	7.3	27	0.2	1.0	0.2	68	0.48	0.040
1290795	Soil	3.1	55.2	10.7	67	0.6	27.0	7.2	214	3.19	11.3	1.6	6.2	5.5	24	0.2	0.6	0.3	68	0.17	0.041
1283341	Soil	0.7	21.0	8.5	69	<0.1	23.0	11.9	498	3.18	80.2	0.8	11.2	6.6	31	<0.1	25.2	0.2	76	0.41	0.038
1284592	Soil	0.7	11.1	7.6	81	<0.1	13.9	8.9	489	2.92	6.8	1.0	5.4	6.2	32	0.2	2.2	0.1	65	0.39	0.087
1284598	Soil	1.1	14.5	12.1	73	<0.1	15.2	9.9	507	3.28	15.1	1.7	2.8	8.8	24	0.1	1.0	0.2	80	0.28	0.039
1284585	Soil	2.4	14.2	10.6	60	<0.1	15.5	11.8	647	3.54	55.7	0.5	4.2	2.8	15	<0.1	1.4	0.2	88	0.15	0.047
1283268	Soil	1.4	8.4	14.9	57	<0.1	13.3	7.7	578	2.92	280.7	1.1	39.4	9.6	24	<0.1	4.0	0.2	49	0.39	0.032
1283340	Soil	0.8	33.2	9.6	59	0.1	26.3	10.2	614	3.07	13.9	1.1	2.3	11.7	38	0.1	1.1	0.2	73	0.63	0.032
1284595	Soil	1.2	18.7	12.9	71	<0.1	17.8	8.9	455	3.20	43.7	1.2	5.4	8.1	23	0.1	6.0	0.1	78	0.27	0.038
1284588	Soil	0.7	35.0	9.2	55	<0.1	24.5	11.8	385	2.89	8.0	0.6	2.1	4.7	31	<0.1	0.7	0.1	77	0.34	0.034
1283331	Soil	1.9	41.7	11.0	122	0.4	41.9	12.4	498	2.78	58.2	1.1	6.9	3.9	32	0.5	4.2	0.1	85	0.35	0.079
1283267	Soil	1.3	26.1	9.4	99	0.1	13.5	9.8	1223	3.74	6.5	2.9	4.7	27.8	23	<0.1	0.6	0.4	71	0.36	0.049
1284597	Soil	0.8	9.8	8.8	65	<0.1	10.2	8.3	468	2.81	8.8	2.1	9.5	10.5	27	<0.1	0.5	0.1	65	0.34	0.058
1284589	Soil	0.8	40.9	8.7	54	0.1	24.4	13.0	429	2.96	8.3	0.6	4.5	3.9	33	<0.1	0.5	0.1	81	0.43	0.047
1283333	Soil	2.5	46.0	12.0	105	0.1	51.3	10.1	326	2.62	52.9	1.0	8.3	5.4	25	0.3	4.1	0.1	78	0.33	0.068
1283342	Soil	0.4	28.5	6.7	56	0.1	15.2	13.6	492	3.16	101.5	0.5	21.9	7.9	45	<0.1	17.0	<0.1	89	0.59	0.050
1284590	Soil	0.6	123.7	5.8	70	<0.1	20.9	18.2	619	4.06	4.5	0.5	2.3	3.0	41	<0.1	0.3	<0.1	130	0.65	0.072
1284586	Soil	0.9	47.7	8.6	55	0.1	25.6	11.8	413	2.86	9.2	0.6	4.7	3.4	27	0.1	0.8	0.1	78	0.33	0.035
1283269	Soil	0.8	13.7	8.5	77	<0.1	14.4	8.6	602	3.10	11.4	1.0	2.2	7.2	26	<0.1	2.5	0.2	66	0.40	0.077
1283337	Soil	1.1	19.7	14.5	58	0.2	23.0	9.7	440	2.84	29.8	0.7	2.9	6.6	24	0.1	1.7	0.2	64	0.35	0.018

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 15, 2012

CERTIFICATE OF ANALYSIS WHI12000206.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1291206	Soil	7	12	0.44	163	0.036	<1	1.52	0.008	0.10	<0.1	0.01	4.7	<0.1	<0.05	4	<0.5	<0.2
1290787	Soil	23	59	1.56	553	0.156	<1	2.46	0.011	0.95	<0.1	0.01	5.4	0.6	0.13	8	1.6	<0.2
1290788	Soil	15	34	0.73	691	0.056	2	1.22	0.020	0.08	0.1	0.03	4.7	0.2	<0.05	4	0.8	<0.2
1290794	Soil	17	36	0.34	398	0.034	<1	1.10	0.008	0.14	0.1	0.02	3.6	0.3	0.17	4	1.7	<0.2
1291205	Soil	22	69	0.72	239	0.033	<1	1.80	0.008	0.11	0.1	<0.01	7.0	0.1	<0.05	6	0.6	<0.2
1290791	Soil	19	50	0.71	648	0.056	2	1.60	0.022	0.08	0.2	0.04	6.2	0.1	<0.05	5	<0.5	<0.2
1290789	Soil	18	33	0.59	673	0.045	1	1.19	0.016	0.09	0.1	0.06	5.9	0.2	<0.05	4	0.8	<0.2
1291201	Rock Pulp	17	693	0.14	141	0.175	4	4.10	0.013	0.06	<0.1	0.03	37.8	0.1	<0.05	20	<0.5	<0.2
1291202	Soil	12	40	0.66	274	0.083	1	1.50	0.009	0.17	0.2	0.02	3.8	0.1	<0.05	7	0.6	<0.2
1290799	Soil	18	37	0.64	337	0.055	<1	1.34	0.010	0.06	0.2	0.04	4.3	<0.1	<0.05	5	0.9	<0.2
1290790	Soil	22	46	0.68	560	0.052	<1	1.58	0.017	0.12	0.2	0.06	6.9	0.2	<0.05	5	<0.5	<0.2
1290795	Soil	22	40	0.54	379	0.057	<1	1.38	0.010	0.14	0.1	0.03	6.1	0.2	0.20	5	1.4	<0.2
1283341	Soil	18	37	0.67	375	0.112	1	1.80	0.014	0.29	0.2	0.03	8.6	0.3	<0.05	7	0.7	<0.2
1284592	Soil	19	26	0.65	271	0.095	<1	1.52	0.012	0.07	0.1	0.03	4.7	0.1	<0.05	6	<0.5	<0.2
1284598	Soil	17	30	0.63	267	0.148	<1	2.25	0.012	0.09	0.2	0.03	4.4	0.2	<0.05	9	<0.5	<0.2
1284585	Soil	8	35	0.59	334	0.091	1	2.14	0.009	0.11	0.3	0.06	5.1	1.8	<0.05	9	<0.5	<0.2
1283268	Soil	23	21	0.36	365	0.028	2	1.47	0.009	0.16	0.2	0.09	6.8	0.2	<0.05	5	0.6	<0.2
1283340	Soil	31	37	0.70	237	0.125	<1	1.84	0.020	0.26	0.2	0.02	10.3	0.2	<0.05	7	0.6	<0.2
1284595	Soil	15	34	0.64	224	0.101	<1	2.02	0.013	0.07	0.1	0.03	4.9	0.2	<0.05	7	<0.5	<0.2
1284588	Soil	14	37	0.69	339	0.077	<1	2.25	0.019	0.06	0.1	0.02	5.4	<0.1	<0.05	7	<0.5	<0.2
1283331	Soil	12	44	0.59	359	0.074	2	1.59	0.011	0.16	0.1	0.03	4.8	0.4	<0.05	5	0.9	<0.2
1283267	Soil	54	14	0.95	260	0.255	<1	1.53	0.015	0.55	0.5	0.04	18.4	0.8	<0.05	9	<0.5	<0.2
1284597	Soil	24	19	0.61	376	0.181	<1	1.76	0.015	0.21	0.2	0.02	4.4	0.4	<0.05	7	<0.5	<0.2
1284589	Soil	11	40	0.76	269	0.097	<1	2.28	0.019	0.06	<0.1	0.03	5.5	0.2	<0.05	7	<0.5	<0.2
1283333	Soil	17	45	0.64	260	0.089	<1	1.54	0.013	0.16	0.2	0.05	4.9	0.4	<0.05	5	0.9	<0.2
1283342	Soil	18	25	0.94	382	0.147	<1	1.95	0.036	0.35	0.2	0.03	8.0	0.4	<0.05	7	<0.5	<0.2
1284590	Soil	11	39	1.21	258	0.195	<1	2.51	0.036	0.09	<0.1	0.02	8.4	0.1	<0.05	10	<0.5	<0.2
1284586	Soil	11	39	0.70	244	0.093	1	2.22	0.017	0.06	0.1	0.03	5.6	0.1	0.06	7	0.5	<0.2
1283269	Soil	20	22	0.62	385	0.090	1	1.54	0.013	0.23	0.4	0.05	7.8	0.3	<0.05	7	0.7	<0.2
1283337	Soil	16	41	0.56	233	0.075	<1	1.79	0.013	0.11	0.1	0.02	5.8	0.2	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 15, 2012

CERTIFICATE OF ANALYSIS WHI12000206.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1283335	Soil		1.9	24.7	11.0	71	0.2	32.4	10.2	272	3.10	35.1	0.9	1.7	5.9	21	0.1	4.2	0.2	75	0.19	0.024
1283339	Soil		0.8	46.5	8.3	54	0.3	25.4	10.3	478	2.55	14.2	1.0	6.3	5.7	95	0.1	1.7	<0.1	64	4.34	0.056
1284572	Soil		1.0	17.4	9.2	46	<0.1	40.8	13.8	458	2.89	26.8	0.5	1.7	8.4	26	<0.1	0.7	<0.1	63	0.35	0.012
1283330	Soil		2.5	29.7	27.8	71	0.4	25.9	9.2	286	2.80	95.1	0.9	2.9	3.4	28	0.2	4.9	0.1	87	0.23	0.076
1283336	Soil		1.0	19.3	10.8	68	0.2	31.7	14.2	599	3.01	9.6	0.8	1.3	8.2	30	0.1	1.0	0.2	73	0.36	0.025
1283332	Soil		2.5	49.2	13.0	113	0.3	38.7	12.0	447	2.89	53.0	1.2	3.6	4.3	38	0.6	3.3	0.1	94	0.41	0.093
1284560	Soil		0.5	45.9	6.1	74	<0.1	40.9	13.2	308	3.60	8.9	0.8	2.0	14.6	16	<0.1	0.2	<0.1	46	0.26	0.045
1283338	Soil		0.7	48.0	12.5	99	0.1	25.9	15.9	787	4.32	42.0	1.4	2.2	6.9	78	0.2	2.9	0.8	109	0.88	0.066
1283344	Soil		1.0	12.2	8.6	77	<0.1	12.4	15.5	700	3.88	6.7	2.6	3.7	10.9	34	0.1	1.2	<0.1	107	0.53	0.068
1283329	Soil		2.2	61.7	22.6	105	0.7	47.0	10.5	365	3.05	141.4	1.3	12.2	5.0	26	0.4	5.2	0.4	90	0.21	0.049
1284557	Soil		0.8	27.9	10.0	58	<0.1	30.7	9.2	515	2.69	9.3	1.3	4.2	13.3	30	<0.1	0.5	0.1	57	0.33	0.040
1283343	Soil		0.6	13.6	7.4	72	<0.1	11.7	14.1	676	3.15	8.2	5.0	2.2	8.8	48	0.1	0.9	<0.1	91	0.78	0.082
1283328	Soil		3.6	72.1	33.5	154	1.1	55.9	11.1	368	3.93	289.3	1.6	10.5	4.6	31	0.4	8.3	0.8	123	0.10	0.058
1283334	Soil		2.5	41.1	9.9	90	0.8	42.6	11.2	458	3.03	88.1	0.9	2.8	4.6	20	0.3	7.8	0.2	87	0.19	0.036
1284571	Soil		1.0	38.0	11.8	63	<0.1	54.1	19.6	620	4.38	46.1	1.2	9.1	17.2	19	<0.1	1.0	0.1	55	0.31	0.026
1284555	Soil		0.6	12.7	12.1	85	<0.1	18.1	8.1	619	2.83	3.7	1.3	1.3	22.7	12	<0.1	0.2	0.2	39	0.16	0.023
1284568	Soil		0.2	7.4	4.0	17	<0.1	7.9	4.0	217	0.71	26.9	0.5	0.7	0.4	586	<0.1	0.2	<0.1	4	25.61	0.044
1284567	Soil		1.2	63.1	5.4	55	<0.1	38.5	23.2	641	4.75	7.5	0.7	2.2	4.6	19	<0.1	0.7	0.1	116	0.61	0.078
1284566	Soil		2.5	54.2	11.9	85	0.3	51.0	13.3	590	3.74	29.6	1.0	4.2	4.7	39	0.3	1.7	0.1	76	0.51	0.038
1284576	Soil		1.1	33.5	10.1	53	0.1	40.5	14.5	411	3.28	54.7	1.4	4.4	11.1	55	<0.1	1.0	0.1	56	1.10	0.044
1284570	Soil		0.3	45.1	4.6	89	<0.1	85.0	18.3	515	3.80	7.1	0.4	1.1	5.5	18	<0.1	0.2	<0.1	56	0.45	0.062
1284562	Soil		1.2	24.7	6.4	78	<0.1	34.6	14.6	405	3.61	8.8	1.2	1.0	4.4	19	<0.1	0.5	0.1	63	0.28	0.023
1284569	Soil		0.4	20.4	6.4	42	<0.1	46.3	17.4	465	2.99	155.3	0.6	1.5	3.4	305	<0.1	1.4	<0.1	24	14.88	0.048
1284558	Soil		1.1	10.0	9.6	87	<0.1	15.0	6.2	534	3.03	4.2	2.7	0.9	27.7	16	0.1	0.3	0.1	33	0.23	0.025
1284561	Soil		0.6	37.6	3.8	72	<0.1	48.7	16.8	319	3.70	4.8	0.9	2.1	4.3	16	<0.1	0.2	<0.1	58	0.29	0.036
1284563	Soil		1.1	27.9	11.6	56	<0.1	38.9	15.1	612	2.92	11.8	1.0	0.6	9.2	109	<0.1	0.4	0.2	47	2.01	0.037
1284565	Soil		2.1	42.9	9.5	97	0.1	39.4	11.8	470	2.87	38.4	1.4	1.3	5.1	39	0.2	1.6	0.1	56	0.27	0.038
1284554	Soil		2.8	61.0	10.3	95	0.1	65.6	20.3	387	5.51	2.8	1.7	<0.5	12.4	45	<0.1	<0.1	0.1	109	0.23	0.078
1284552	Soil		0.9	26.4	10.8	57	<0.1	33.2	12.3	336	3.02	6.9	1.2	2.9	5.6	26	<0.1	0.3	0.1	64	0.40	0.027
1284564	Soil		2.2	29.3	9.3	50	<0.1	26.7	10.0	331	2.98	6.5	1.0	0.8	26.3	9	<0.1	0.4	0.1	39	0.18	0.020

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 15, 2012

CERTIFICATE OF ANALYSIS WHI12000206.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1283335	Soil		12	42	0.60	124	0.078	<1	1.68	0.009	0.16	0.2	0.01	4.2	0.2	<0.05	6	<0.5	<0.2
1283339	Soil		22	32	0.78	274	0.087	2	1.39	0.027	0.13	0.2	0.09	6.8	0.1	0.05	5	0.6	<0.2
1284572	Soil		18	78	0.93	208	0.112	2	1.93	0.013	0.36	0.1	0.02	6.7	0.2	<0.05	6	<0.5	<0.2
1283330	Soil		12	38	0.54	383	0.063	<1	1.38	0.010	0.15	0.2	0.02	4.1	0.2	0.06	5	1.2	<0.2
1283336	Soil		16	49	0.63	315	0.090	<1	2.32	0.012	0.13	1.0	0.01	6.1	0.2	<0.05	8	0.6	<0.2
1283332	Soil		14	46	0.67	305	0.095	1	1.58	0.018	0.27	0.2	0.03	5.6	0.4	0.07	6	1.0	<0.2
1284560	Soil		27	47	0.83	199	0.116	<1	1.93	0.011	0.49	<0.1	0.02	6.3	0.5	<0.05	6	<0.5	<0.2
1283338	Soil		16	58	1.29	211	0.214	1	3.34	0.026	0.41	0.7	0.02	11.5	0.5	<0.05	13	<0.5	<0.2
1283344	Soil		25	24	1.03	456	0.191	<1	2.27	0.023	0.29	0.2	0.05	9.2	0.4	<0.05	8	<0.5	<0.2
1283329	Soil		17	53	0.65	365	0.089	<1	1.72	0.013	0.21	0.1	0.11	6.4	0.5	0.08	6	1.2	<0.2
1284557	Soil		72	42	0.60	218	0.097	2	1.70	0.017	0.13	0.2	0.02	6.8	0.1	<0.05	6	<0.5	<0.2
1283343	Soil		26	24	0.86	506	0.166	2	1.77	0.025	0.20	0.1	0.05	7.4	0.3	0.06	7	<0.5	<0.2
1283328	Soil		15	64	0.67	405	0.100	<1	1.74	0.013	0.37	0.1	0.05	6.4	0.9	0.15	7	1.4	0.3
1283334	Soil		13	47	0.63	348	0.085	<1	1.75	0.009	0.15	0.2	0.02	5.5	0.4	0.06	6	0.6	<0.2
1284571	Soil		39	70	1.06	242	0.117	2	2.22	0.010	0.70	<0.1	0.01	6.1	0.4	<0.05	7	<0.5	<0.2
1284555	Soil		62	33	0.53	106	0.036	1	1.54	0.009	0.18	0.1	0.01	2.9	0.1	<0.05	8	<0.5	<0.2
1284568	Soil		6	12	0.35	45	0.004	1	0.35	0.003	0.03	<0.1	<0.01	0.7	<0.1	<0.05	1	<0.5	<0.2
1284567	Soil		11	80	1.50	317	0.038	2	2.46	0.010	0.10	<0.1	<0.01	11.3	<0.1	<0.05	10	<0.5	<0.2
1284566	Soil		29	43	0.27	995	0.013	1	0.87	0.005	0.05	0.1	0.07	10.6	0.1	<0.05	3	0.9	<0.2
1284576	Soil		37	65	1.04	237	0.085	4	1.70	0.015	0.42	0.1	0.04	6.4	0.4	<0.05	5	<0.5	<0.2
1284570	Soil		18	72	1.99	102	0.165	<1	2.36	0.008	1.23	0.1	0.01	3.3	0.7	<0.05	7	<0.5	<0.2
1284562	Soil		10	52	1.00	179	0.096	<1	2.18	0.009	0.21	0.1	0.01	3.5	0.2	<0.05	6	<0.5	<0.2
1284569	Soil		9	76	1.09	136	0.074	1	1.55	0.006	0.66	<0.1	0.02	3.0	0.4	<0.05	5	<0.5	<0.2
1284558	Soil		91	29	0.34	144	0.052	1	1.44	0.008	0.23	0.3	<0.01	5.4	0.3	<0.05	7	<0.5	<0.2
1284561	Soil		13	66	1.17	174	0.153	<1	2.12	0.010	0.62	<0.1	<0.01	4.4	0.2	<0.05	6	<0.5	<0.2
1284563	Soil		24	48	0.60	150	0.047	3	1.38	0.008	0.11	0.1	<0.01	6.4	0.2	<0.05	5	<0.5	<0.2
1284565	Soil		33	30	0.21	1301	0.009	<1	0.75	0.004	0.06	0.1	0.06	6.6	0.1	<0.05	3	<0.5	<0.2
1284554	Soil		23	107	1.65	218	0.097	<1	3.29	0.012	0.61	<0.1	<0.01	8.0	0.3	0.12	10	<0.5	<0.2
1284552	Soil		27	49	0.68	213	0.085	<1	1.99	0.013	0.05	0.1	0.03	5.0	0.1	<0.05	6	<0.5	<0.2
1284564	Soil		14	28	0.24	177	0.019	<1	0.91	0.005	0.07	0.1	0.02	6.1	<0.1	<0.05	3	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 15, 2012

CERTIFICATE OF ANALYSIS WHI12000206.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1268347	Soil	1.2	38.3	17.1	105	0.2	34.2	10.4	409	2.63	50.0	1.2	2.2	3.8	19	0.6	1.8	0.1	73	0.24	0.039
1284575	Soil	1.3	37.0	10.9	57	0.1	42.5	16.2	455	3.45	76.7	1.6	4.3	11.1	65	<0.1	1.1	0.1	61	1.37	0.047
1284551	Rock Pulp	2.3	23.1	2.1	39	0.3	21.0	9.5	347	2.12	5.0	0.2	1.3	0.8	32	0.2	0.2	<0.1	59	0.70	0.055
1283300	Soil	0.6	28.2	6.8	84	<0.1	52.9	19.5	425	4.20	4.0	0.7	<0.5	5.9	16	<0.1	0.1	<0.1	69	0.31	0.035
1268346	Soil	1.5	45.4	14.8	89	0.4	31.9	9.8	357	2.75	41.8	1.9	10.5	3.2	24	0.4	1.4	0.2	80	0.27	0.040
1284559	Soil	0.9	14.0	10.9	85	<0.1	22.8	8.4	449	3.01	5.8	1.7	<0.5	23.2	22	<0.1	0.4	0.1	50	0.29	0.031
1284553	Soil	1.1	21.2	8.3	60	<0.1	25.7	11.9	346	3.17	5.9	1.3	1.5	8.2	11	<0.1	0.3	<0.1	50	0.14	0.022
1284578	Soil	1.2	23.6	8.9	61	<0.1	47.7	27.0	769	4.79	18.4	1.0	2.7	8.3	39	0.1	2.4	<0.1	75	0.72	0.056
1268345	Soil	1.5	36.6	12.4	111	0.3	33.0	9.4	333	2.69	32.1	1.2	5.0	3.2	24	0.5	1.1	0.1	76	0.30	0.048
1284556	Soil	0.7	12.2	11.6	66	<0.1	21.4	8.0	504	2.32	3.8	1.1	1.0	13.4	17	<0.1	0.3	0.1	45	0.23	0.020
1284573	Soil	1.7	25.5	16.8	76	0.3	25.4	11.7	230	2.45	45.3	4.0	9.9	5.6	76	0.5	2.3	0.1	56	0.71	0.085
1284574	Soil	0.9	18.8	9.8	66	0.2	19.0	12.1	529	3.10	35.2	2.5	5.1	7.3	37	0.3	2.3	0.1	79	0.63	0.119
1268344	Soil	1.3	47.7	12.5	105	0.2	36.2	10.5	382	2.88	35.2	1.6	8.7	3.5	29	0.4	1.2	0.1	78	0.38	0.043
1268343	Soil	1.1	52.0	8.4	69	0.2	205.0	23.2	417	2.99	19.0	1.1	5.7	2.4	30	0.1	0.6	0.1	73	0.46	0.048
1284577	Soil	1.3	32.3	12.5	74	0.2	28.8	10.4	170	3.65	220.9	1.1	14.3	4.8	32	0.3	7.0	0.1	73	0.59	0.073
1283299	Soil	1.1	27.4	8.1	82	<0.1	45.5	19.3	409	3.90	6.6	0.9	1.2	6.0	22	0.1	0.2	<0.1	68	0.41	0.037
1268360	Soil	1.5	44.8	17.4	75	0.3	36.0	10.9	398	2.76	27.4	1.3	2.7	3.1	28	0.4	1.1	0.1	73	0.38	0.049
1268350	Soil	1.7	13.7	12.2	44	0.2	11.8	4.9	159	2.20	10.2	0.5	3.1	1.6	14	0.4	0.5	0.2	76	0.13	0.057
1268341	Soil	1.1	97.6	7.6	70	0.1	40.1	20.3	635	3.95	7.5	0.7	1.5	2.3	46	0.1	0.3	<0.1	125	0.51	0.063
1268337	Soil	0.3	51.8	5.2	98	<0.1	15.2	16.4	758	4.54	4.2	0.5	0.6	3.9	96	0.3	0.2	<0.1	113	0.63	0.126
1268359	Soil	1.3	39.3	16.9	78	0.3	31.0	10.7	382	2.66	30.2	1.3	6.3	3.5	24	0.2	1.0	0.2	71	0.30	0.041
1268352	Soil	1.8	25.5	15.8	73	0.2	20.4	6.4	272	3.28	108.2	0.6	13.0	2.9	9	0.5	2.8	0.2	95	0.09	0.043
1268348	Soil	1.8	50.4	23.2	143	0.3	46.3	14.7	546	3.18	87.1	1.3	12.6	4.1	15	0.6	3.3	0.2	83	0.19	0.054
1268338	Soil	1.1	70.3	18.0	61	<0.1	32.4	16.9	583	3.53	9.1	0.8	4.3	3.4	100	<0.1	0.5	0.2	102	0.77	0.050
1268351	Rock Pulp	2.4	24.3	2.1	38	0.3	21.4	9.8	352	2.15	4.9	0.2	1.0	0.7	31	0.2	0.3	<0.1	61	0.69	0.054
1268353	Soil	1.5	14.5	12.2	55	0.2	16.0	8.3	280	3.48	19.3	0.4	2.4	1.4	11	0.5	0.7	0.2	90	0.12	0.042
1268342	Soil	1.4	42.7	11.0	71	<0.1	46.2	13.6	376	3.23	17.2	1.2	3.7	3.9	29	0.2	0.7	0.2	81	0.32	0.035
1268339	Soil	1.2	77.8	13.1	61	<0.1	33.6	16.6	327	3.41	12.0	0.6	2.1	3.0	45	0.1	0.5	0.1	103	0.34	0.024
1268358	Soil	1.7	53.6	25.5	123	0.3	44.4	13.3	479	3.54	65.4	1.6	7.9	3.9	27	0.7	1.8	0.2	90	0.31	0.053
1268354	Soil	1.6	27.8	13.7	110	0.3	40.8	13.4	586	3.23	37.8	0.6	1.8	2.4	17	1.1	1.1	0.2	86	0.21	0.039

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 15, 2012

CERTIFICATE OF ANALYSIS WHI12000206.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1268347	Soil	14	42	0.58	575	0.089	1	1.47	0.014	0.06	0.2	0.02	5.1	0.2	<0.05	5	<0.5	<0.2
1284575	Soil	42	67	1.15	239	0.090	4	1.78	0.014	0.44	0.2	0.05	6.6	0.4	<0.05	5	<0.5	<0.2
1284551	Rock Pulp	3	27	0.68	83	0.091	2	1.29	0.071	0.10	12.8	<0.01	3.8	<0.1	<0.05	4	<0.5	<0.2
1283300	Soil	12	80	1.17	190	0.181	<1	2.51	0.009	0.51	<0.1	<0.01	4.3	0.4	<0.05	8	<0.5	<0.2
1268346	Soil	14	43	0.58	1015	0.080	1	1.77	0.014	0.07	0.1	0.04	5.8	0.2	<0.05	5	<0.5	<0.2
1284559	Soil	57	45	0.59	107	0.051	<1	1.80	0.008	0.18	0.1	<0.01	5.1	0.2	<0.05	8	<0.5	<0.2
1284553	Soil	23	34	0.62	177	0.123	1	1.74	0.009	0.30	<0.1	0.02	2.9	0.3	<0.05	6	<0.5	<0.2
1284578	Soil	34	63	1.13	484	0.066	3	1.65	0.008	0.41	<0.1	0.02	9.4	0.3	<0.05	5	<0.5	<0.2
1268345	Soil	12	45	0.60	592	0.096	2	1.60	0.017	0.07	0.2	0.02	5.0	0.2	<0.05	6	<0.5	<0.2
1284556	Soil	30	41	0.43	202	0.057	1	1.40	0.011	0.07	0.2	0.01	3.3	0.2	<0.05	6	<0.5	<0.2
1284573	Soil	21	39	0.76	316	0.077	4	1.18	0.016	0.21	0.2	0.03	4.3	0.3	0.07	4	<0.5	<0.2
1284574	Soil	21	34	0.69	412	0.086	<1	1.40	0.022	0.15	0.3	0.02	4.8	0.2	<0.05	5	<0.5	<0.2
1268344	Soil	15	49	0.64	629	0.092	2	1.72	0.021	0.06	0.2	0.05	7.1	0.2	<0.05	5	<0.5	<0.2
1268343	Soil	10	257	1.68	417	0.086	<1	1.89	0.017	0.05	0.1	0.03	5.4	0.2	<0.05	6	<0.5	<0.2
1284577	Soil	19	47	0.63	264	0.063	2	1.24	0.019	0.11	0.2	0.02	5.1	0.1	<0.05	4	<0.5	<0.2
1283299	Soil	18	66	0.99	148	0.163	1	2.10	0.011	0.20	0.1	0.01	3.9	0.2	<0.05	8	<0.5	<0.2
1268360	Soil	14	49	0.64	543	0.082	1	1.66	0.017	0.05	0.1	0.04	6.3	0.1	<0.05	5	<0.5	<0.2
1268350	Soil	10	29	0.29	249	0.069	<1	1.38	0.010	0.04	0.1	<0.01	2.7	0.1	<0.05	8	<0.5	<0.2
1268341	Soil	11	68	1.28	382	0.216	<1	3.07	0.029	0.25	<0.1	0.02	7.0	0.4	<0.05	10	<0.5	<0.2
1268337	Soil	13	21	1.26	434	0.265	<1	3.04	0.027	0.21	<0.1	<0.01	4.6	0.2	<0.05	14	<0.5	<0.2
1268359	Soil	14	44	0.58	603	0.072	1	1.60	0.013	0.05	0.1	0.03	5.9	0.1	<0.05	5	<0.5	<0.2
1268352	Soil	11	30	0.23	77	0.095	1	0.87	0.006	0.04	0.3	0.04	2.5	0.4	<0.05	8	<0.5	<0.2
1268348	Soil	12	49	0.55	465	0.099	2	1.54	0.009	0.11	0.2	0.03	5.3	0.3	<0.05	5	0.7	<0.2
1268338	Soil	15	67	1.12	275	0.090	1	2.83	0.036	0.05	0.1	0.02	8.6	<0.1	<0.05	9	<0.5	<0.2
1268351	Rock Pulp	3	29	0.69	83	0.090	3	1.24	0.070	0.10	12.3	<0.01	3.7	<0.1	0.05	5	<0.5	<0.2
1268353	Soil	9	31	0.30	193	0.063	<1	1.45	0.007	0.03	0.2	0.04	2.4	0.1	<0.05	8	<0.5	<0.2
1268342	Soil	13	68	0.80	363	0.085	1	2.12	0.016	0.04	0.1	0.02	6.0	0.1	<0.05	7	<0.5	<0.2
1268339	Soil	13	55	0.90	292	0.163	1	2.65	0.023	0.08	0.1	0.01	5.2	0.1	<0.05	8	<0.5	<0.2
1268358	Soil	16	53	0.65	1100	0.079	1	2.03	0.013	0.07	0.1	0.04	7.1	0.3	<0.05	6	0.6	<0.2
1268354	Soil	9	43	0.50	559	0.065	1	2.00	0.011	0.05	0.1	0.03	3.6	0.2	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 15, 2012

CERTIFICATE OF ANALYSIS WHI12000206.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1268349	Soil	1.9	25.8	14.1	85	0.5	30.2	9.9	290	3.12	31.2	0.7	10.6	2.9	14	0.7	1.0	0.2	86	0.15	0.034
1268340	Soil	1.0	104.1	9.0	58	<0.1	29.5	16.8	367	3.62	9.7	0.5	1.6	2.2	56	0.1	0.3	0.2	109	0.37	0.024
1283304	Soil	5.9	87.4	20.4	159	0.5	65.9	13.9	368	3.41	93.3	2.0	1.8	4.7	28	0.3	1.7	0.2	47	0.28	0.034
1268365	Soil	1.0	75.7	14.0	55	<0.1	26.4	15.1	418	3.24	7.0	0.8	3.6	3.2	43	<0.1	0.3	0.1	93	0.53	0.052
1268362	Soil	1.4	66.2	10.1	62	0.1	34.6	15.2	473	3.48	9.7	0.9	2.9	3.5	30	<0.1	0.4	0.1	88	0.36	0.042
1268357	Soil	1.2	26.4	13.9	65	0.2	27.2	10.7	306	2.92	22.8	0.6	5.2	2.9	19	0.4	0.7	0.2	75	0.26	0.033
1283316	Soil	1.3	15.2	13.4	65	<0.1	21.4	7.9	348	2.51	7.3	1.3	1.9	17.2	16	<0.1	0.4	0.2	46	0.21	0.017
1268366	Soil	0.8	45.7	8.2	54	0.1	18.1	11.2	381	2.98	7.3	0.9	2.8	3.4	44	<0.1	0.4	0.1	79	0.44	0.060
1268367	Soil	1.1	47.8	9.3	55	0.1	26.6	18.8	619	3.45	9.2	0.4	1.4	2.7	29	<0.1	0.5	0.2	90	0.32	0.070
1268356	Soil	2.7	48.3	26.2	144	0.3	48.1	10.1	359	3.42	93.2	1.1	5.1	2.9	22	0.9	3.0	0.2	97	0.24	0.054
1283319	Soil	0.7	12.5	10.1	41	<0.1	22.3	9.5	415	2.13	4.2	1.2	0.7	12.7	20	<0.1	0.3	0.1	49	0.27	0.021
1283323	Soil	0.8	10.4	13.5	52	<0.1	10.3	7.2	425	3.04	5.9	1.3	1.1	3.3	17	<0.1	0.2	0.1	69	0.17	0.067
1268363	Soil	1.5	136.4	3.7	61	<0.1	29.3	22.1	447	4.17	6.4	1.0	2.9	2.7	30	<0.1	0.3	<0.1	131	0.45	0.064
1268355	Soil	1.6	44.3	18.0	99	0.5	40.5	12.3	369	3.40	43.2	0.9	5.4	3.5	15	0.8	1.5	0.2	94	0.17	0.035
1283324	Soil	1.4	24.3	8.2	86	<0.1	28.6	13.4	387	3.87	33.8	3.8	<0.5	13.5	25	<0.1	0.3	0.1	50	0.25	0.043
1283325	Soil	0.8	35.9	43.4	221	0.1	49.4	20.0	594	3.89	7.1	3.0	1.3	10.5	34	0.2	0.2	0.2	57	0.46	0.057
1268364	Soil	1.0	55.9	7.4	51	0.1	22.1	11.8	323	3.06	9.3	0.6	1.2	2.3	29	<0.1	0.4	0.1	92	0.41	0.036
1268361	Soil	1.0	36.4	10.4	52	0.1	54.8	11.4	355	2.50	11.6	1.1	2.9	2.9	24	<0.1	0.5	0.2	64	0.32	0.033
1283306	Soil	3.2	75.1	11.6	129	0.6	51.3	14.8	622	2.92	54.9	1.5	5.7	2.8	82	0.6	2.5	0.1	56	3.06	0.074
1283312	Soil	0.6	43.0	10.3	109	<0.1	62.5	20.2	735	4.76	3.3	1.6	2.3	24.1	13	<0.1	0.3	<0.1	48	0.29	0.027
1283313	Soil	0.8	20.9	10.8	85	<0.1	40.2	14.7	635	4.04	3.9	1.6	0.7	23.3	17	<0.1	0.2	0.1	55	0.40	0.051
1283320	Soil	0.8	9.4	17.6	61	<0.1	22.2	7.6	419	2.38	4.3	1.7	0.5	17.1	17	<0.1	0.4	0.2	49	0.21	0.018
1283301	Rock Pulp	1.4	415.1	20.2	152	0.2	202.9	74.0	764	14.67	3.0	1.2	35.0	7.1	14	<0.1	0.3	0.1	199	0.28	0.039
1283311	Soil	4.0	55.2	10.0	96	0.2	51.6	18.2	745	4.12	34.0	2.0	3.3	12.1	41	0.3	1.3	0.2	43	2.11	0.041
1283310	Soil	0.9	35.2	10.1	99	<0.1	44.9	15.4	563	4.48	5.2	2.6	4.0	29.9	13	<0.1	0.3	0.1	43	0.27	0.023
1283327	Soil	0.7	19.3	10.7	82	0.1	26.1	13.3	456	3.31	9.7	2.1	1.1	9.8	20	<0.1	0.2	0.1	52	0.26	0.049
1283309	Soil	1.7	55.3	9.4	53	0.8	48.0	11.4	644	2.23	85.9	0.9	7.5	1.7	80	0.2	1.2	0.1	40	6.49	0.035
1283302	Soil	2.4	39.5	12.7	62	0.4	41.5	13.3	728	2.48	71.6	3.4	5.3	2.5	39	0.2	1.5	0.1	39	0.57	0.026
1283315	Soil	1.7	16.8	10.6	70	<0.1	27.8	9.1	444	3.36	12.3	2.1	<0.5	24.3	10	<0.1	0.4	0.1	47	0.21	0.018
1283318	Soil	1.1	25.8	8.8	59	<0.1	55.3	15.7	532	3.43	7.7	2.2	0.5	14.0	18	<0.1	0.2	0.1	60	0.34	0.026

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 15, 2012

CERTIFICATE OF ANALYSIS WHI12000206.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1268349	Soil	10	44	0.51	441	0.075	1	2.11	0.010	0.06	0.2	0.02	4.2	0.2	<0.05	7	<0.5	<0.2
1268340	Soil	8	47	1.06	350	0.195	<1	2.76	0.026	0.08	<0.1	0.01	5.2	0.2	<0.05	9	<0.5	<0.2
1283304	Soil	13	33	0.18	599	0.007	2	0.79	0.005	0.12	0.1	0.02	4.9	0.2	<0.05	2	1.5	0.2
1268365	Soil	10	49	0.89	244	0.117	<1	2.07	0.032	0.07	0.2	0.02	6.0	0.1	<0.05	7	<0.5	<0.2
1268362	Soil	14	53	0.82	292	0.078	<1	2.10	0.017	0.04	0.1	0.03	6.9	0.1	<0.05	8	<0.5	<0.2
1268357	Soil	9	39	0.56	346	0.069	1	1.81	0.011	0.06	0.2	0.03	3.9	0.2	<0.05	6	<0.5	<0.2
1283316	Soil	42	36	0.40	156	0.061	<1	1.40	0.008	0.12	0.2	<0.01	4.5	0.2	<0.05	5	<0.5	<0.2
1268366	Soil	13	34	0.75	237	0.109	1	1.89	0.021	0.11	0.1	0.02	5.1	0.1	<0.05	7	<0.5	<0.2
1268367	Soil	9	49	0.81	161	0.128	<1	2.19	0.017	0.07	0.2	0.02	4.5	<0.1	<0.05	8	<0.5	<0.2
1268356	Soil	9	43	0.50	625	0.073	1	1.60	0.010	0.07	0.2	0.03	4.4	0.9	<0.05	5	<0.5	<0.2
1283319	Soil	28	41	0.50	177	0.072	<1	1.25	0.011	0.12	0.1	<0.01	3.3	0.1	<0.05	5	<0.5	<0.2
1283323	Soil	26	41	0.62	61	0.063	<1	1.48	0.007	0.12	0.1	0.02	3.2	0.3	<0.05	9	<0.5	<0.2
1268363	Soil	12	55	1.27	335	0.201	<1	2.45	0.026	0.43	<0.1	0.02	9.5	0.3	<0.05	9	<0.5	<0.2
1268355	Soil	11	51	0.60	521	0.094	2	2.09	0.009	0.10	0.2	0.03	4.7	0.2	<0.05	7	<0.5	<0.2
1283324	Soil	64	45	0.84	121	0.119	<1	1.83	0.009	0.36	<0.1	0.01	3.6	0.3	0.10	7	<0.5	<0.2
1283325	Soil	44	69	1.06	151	0.142	<1	1.94	0.009	0.35	0.1	0.03	4.1	0.3	<0.05	6	<0.5	<0.2
1268364	Soil	10	41	0.79	236	0.128	<1	1.94	0.019	0.09	0.1	0.01	5.0	0.1	<0.05	7	<0.5	<0.2
1268361	Soil	12	69	0.74	332	0.070	1	1.49	0.014	0.04	0.1	0.02	4.4	0.1	<0.05	5	<0.5	<0.2
1283306	Soil	8	33	0.41	1506	0.027	2	0.87	0.018	0.09	0.1	0.17	6.2	0.8	<0.05	3	1.3	<0.2
1283312	Soil	77	84	1.27	89	0.029	<1	2.01	0.005	0.14	<0.1	0.02	6.2	0.1	<0.05	9	<0.5	<0.2
1283313	Soil	73	69	1.19	161	0.093	2	1.94	0.006	0.74	0.2	0.01	6.4	0.3	<0.05	8	<0.5	<0.2
1283320	Soil	30	44	0.47	177	0.036	<1	1.59	0.007	0.14	0.1	<0.01	3.3	0.2	<0.05	7	<0.5	<0.2
1283301	Rock Pulp	16	645	0.14	133	0.156	3	3.74	0.013	0.06	<0.1	0.02	37.5	0.1	<0.05	21	<0.5	<0.2
1283311	Soil	39	33	0.41	453	0.019	1	0.82	0.005	0.15	0.2	0.06	6.9	0.2	<0.05	3	0.5	<0.2
1283310	Soil	117	60	0.79	118	0.026	2	1.43	0.005	0.16	<0.1	0.03	7.5	0.2	<0.05	6	<0.5	<0.2
1283327	Soil	42	46	0.75	119	0.100	<1	1.79	0.008	0.19	0.1	0.04	3.6	0.3	<0.05	7	<0.5	<0.2
1283309	Soil	9	30	0.34	1000	0.017	1	0.57	0.011	0.04	0.1	0.07	4.9	0.1	<0.05	2	0.9	<0.2
1283302	Soil	11	28	0.35	521	0.022	2	0.80	0.010	0.07	0.1	0.02	4.0	<0.1	<0.05	3	0.6	<0.2
1283315	Soil	49	48	0.51	93	0.050	1	1.48	0.006	0.22	0.2	0.01	5.7	0.3	<0.05	5	<0.5	<0.2
1283318	Soil	42	82	1.13	129	0.109	<1	1.86	0.008	0.36	0.1	0.01	5.2	0.4	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 15, 2012

CERTIFICATE OF ANALYSIS WHI12000206.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1283303	Soil		4.0	62.9	16.9	113	0.7	75.9	22.1	1358	3.94	95.7	2.1	16.1	6.5	26	0.3	2.8	0.2	39	1.38	0.043
1283317	Soil		1.1	38.7	8.8	87	<0.1	50.4	22.6	680	5.07	4.4	0.6	<0.5	3.6	22	<0.1	0.2	<0.1	72	0.43	0.049
1283314	Soil		1.3	21.8	16.3	75	<0.1	61.7	15.2	532	3.94	8.0	1.8	0.8	17.3	17	<0.1	0.6	0.2	72	0.34	0.048
1283305	Soil		3.5	74.2	11.7	123	0.4	77.1	20.8	751	4.48	42.1	1.8	2.4	3.2	27	<0.1	3.1	0.1	92	1.07	0.028
1269123	Soil		1.5	15.7	14.4	51	<0.1	31.3	13.2	495	3.22	5.5	1.2	2.3	22.1	18	<0.1	0.2	0.2	62	0.51	0.055
1269132	Soil		1.6	20.6	12.1	40	0.1	22.6	10.1	562	2.55	6.6	1.7	5.0	19.9	20	<0.1	0.3	0.2	57	0.36	0.028
1283308	Soil		4.6	110.3	11.6	179	0.8	80.0	14.9	568	3.87	73.7	1.6	2.5	3.1	15	0.2	1.6	0.2	63	0.19	0.020
1283322	Soil		0.3	28.8	8.6	71	<0.1	49.8	16.5	567	4.18	1.1	3.7	0.7	39.0	24	<0.1	<0.1	0.3	74	0.39	0.075
1269127	Soil		1.5	18.1	10.9	46	0.1	26.8	12.5	627	2.91	7.1	1.0	1.7	11.2	20	<0.1	0.3	0.1	67	0.40	0.032
1269135	Soil		1.2	12.6	12.2	134	<0.1	13.3	1.8	1052	3.47	3.6	2.5	2.3	52.0	7	<0.1	0.2	0.1	8	0.17	0.021
1269128	Soil		1.8	12.4	15.4	41	<0.1	22.4	9.7	394	2.60	6.1	0.8	21.9	8.2	17	<0.1	0.3	0.1	63	0.30	0.023
1283321	Soil		1.8	25.2	12.4	64	<0.1	34.8	12.1	629	3.63	11.3	0.7	2.1	7.8	16	<0.1	0.6	0.1	95	0.18	0.025
1269134	Soil		2.0	29.3	14.4	49	<0.1	34.1	12.0	502	3.00	8.8	1.0	9.3	21.8	23	<0.1	0.6	0.2	68	0.43	0.024
1269136	Soil		1.8	32.0	19.6	48	0.1	37.5	12.2	657	2.82	7.2	1.8	4.1	13.1	30	<0.1	0.5	0.2	65	0.71	0.040
1269130	Soil		1.4	19.0	13.9	46	<0.1	26.2	10.6	331	2.78	8.2	0.9	6.4	22.0	15	<0.1	0.5	0.2	62	0.25	0.014
1283307	Soil		1.9	55.1	9.6	69	0.4	37.8	9.5	493	1.72	38.0	1.1	5.0	1.1	120	0.5	1.8	<0.1	35	5.75	0.063
1269121	Soil		1.2	19.0	12.5	51	<0.1	27.8	13.4	555	3.11	6.6	1.4	3.3	14.2	23	<0.1	0.2	0.2	71	0.70	0.036
1269133	Soil		1.5	13.5	9.4	32	0.1	15.5	6.9	316	2.12	4.7	0.6	3.1	6.3	17	<0.1	0.3	0.2	54	0.31	0.019
1269131	Soil		2.1	12.3	15.0	31	<0.1	18.9	9.7	452	2.27	5.6	4.7	4.4	24.6	19	<0.1	0.4	0.2	50	0.37	0.016
1283326	Soil		0.3	14.8	8.7	88	<0.1	26.9	10.8	681	4.13	1.0	4.3	0.5	44.6	20	<0.1	<0.1	0.4	51	0.32	0.078

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 15, 2012

CERTIFICATE OF ANALYSIS WHI12000206.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1283303	Soil		20	28	0.19	578	0.007	2	0.60	0.005	0.10	<0.1	0.04	7.3	0.2	<0.05	2	0.9	<0.2
1283317	Soil		7	77	1.27	387	0.165	1	2.42	0.009	0.42	0.2	<0.01	2.9	0.3	<0.05	8	<0.5	<0.2
1283314	Soil		67	91	0.87	138	0.075	2	1.74	0.008	0.46	0.1	0.02	8.7	0.4	<0.05	6	<0.5	<0.2
1283305	Soil		10	57	0.30	1516	0.005	1	0.76	0.005	0.05	<0.1	0.10	11.8	0.7	0.06	3	1.0	<0.2
1269123	Soil		24	74	1.26	151	0.126	2	1.76	0.009	0.46	0.3	0.01	4.5	0.5	<0.05	6	<0.5	<0.2
1269132	Soil		58	42	0.55	314	0.067	1	1.39	0.011	0.09	0.2	0.04	4.6	0.1	<0.05	4	<0.5	<0.2
1283308	Soil		9	32	0.10	543	0.003	1	0.47	0.002	0.05	<0.1	0.10	6.3	0.8	<0.05	2	1.4	<0.2
1283322	Soil		138	90	1.24	158	0.100	<1	1.83	0.007	0.35	0.2	0.01	11.2	0.7	<0.05	8	<0.5	<0.2
1269127	Soil		36	52	0.72	249	0.087	2	1.84	0.012	0.07	0.2	0.03	4.5	0.2	<0.05	6	<0.5	<0.2
1269135	Soil		97	12	0.42	263	0.034	1	1.13	0.006	0.27	0.1	0.02	5.1	0.5	<0.05	9	<0.5	<0.2
1269128	Soil		14	46	0.58	143	0.071	2	1.40	0.011	0.10	0.2	0.02	2.9	0.2	<0.05	5	<0.5	<0.2
1283321	Soil		10	70	0.66	293	0.087	1	2.71	0.010	0.05	0.2	0.01	4.7	0.1	<0.05	8	<0.5	<0.2
1269134	Soil		38	56	0.59	277	0.081	1	1.79	0.018	0.07	0.2	0.07	6.8	0.1	<0.05	5	<0.5	<0.2
1269136	Soil		34	55	0.55	439	0.062	1	1.50	0.022	0.06	0.2	0.05	6.1	0.1	0.05	5	<0.5	<0.2
1269130	Soil		29	48	0.64	125	0.082	1	1.73	0.010	0.14	0.2	0.03	4.1	0.1	<0.05	5	<0.5	<0.2
1283307	Soil		5	20	0.32	881	0.014	1	0.40	0.011	0.04	0.1	0.12	2.8	0.5	<0.05	2	0.7	<0.2
1269121	Soil		45	65	1.01	170	0.107	1	1.92	0.012	0.15	0.2	0.03	5.2	0.3	<0.05	6	<0.5	<0.2
1269133	Soil		13	31	0.43	167	0.066	<1	1.07	0.011	0.10	0.2	0.02	2.4	<0.1	<0.05	4	<0.5	<0.2
1269131	Soil		40	36	0.47	121	0.065	1	1.27	0.011	0.13	0.2	0.02	3.4	0.1	<0.05	4	<0.5	<0.2
1283326	Soil		179	50	0.85	120	0.079	<1	1.65	0.007	0.44	0.1	0.01	8.6	0.6	<0.05	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 15, 2012

QUALITY CONTROL REPORT WHI12000206.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
1268293	Soil	1.8	44.5	26.0	86	0.2	33.9	11.1	399	3.09	50.1	1.8	4.1	4.7	30	0.7	2.4	0.2	87	0.32	0.044
REP 1268293	QC	1.6	43.9	26.7	82	0.2	36.0	10.7	396	3.09	48.9	1.7	7.2	4.8	29	0.5	2.4	0.2	80	0.31	0.041
1268845	Soil	1.0	22.3	9.5	47	<0.1	26.1	10.1	319	2.87	7.7	1.2	1.1	13.5	26	<0.1	0.4	0.1	71	0.32	0.032
REP 1268845	QC	0.9	21.8	9.5	47	<0.1	23.5	9.8	321	2.86	7.8	1.2	1.6	13.5	27	<0.1	0.4	0.1	71	0.32	0.034
1268837	Soil	0.6	43.5	15.6	86	0.2	64.4	21.6	739	4.75	6.3	2.5	1.3	14.8	59	0.2	0.2	0.2	80	1.39	0.117
REP 1268837	QC	0.6	43.8	15.5	88	0.2	61.8	20.7	697	4.41	6.5	2.5	1.0	14.8	58	0.2	0.2	0.2	77	1.27	0.109
1283272	Soil	1.6	51.4	9.0	72	0.3	39.9	12.6	384	3.31	39.6	1.2	7.1	6.9	48	0.2	2.2	0.2	102	0.58	0.038
REP 1283272	QC	1.5	51.3	9.8	69	0.3	39.1	12.3	405	3.47	40.1	1.2	6.0	7.3	47	0.2	2.4	0.2	104	0.62	0.039
1283286	Soil	0.8	27.2	6.9	65	<0.1	19.2	12.8	576	3.39	14.7	1.2	3.8	8.8	38	<0.1	1.1	0.1	88	0.84	0.068
REP 1283286	QC	0.8	27.4	7.1	66	<0.1	19.8	12.9	599	3.50	15.1	1.2	2.8	8.9	41	<0.1	1.3	0.1	96	0.88	0.068
1283290	Soil	0.5	43.6	8.2	79	<0.1	26.4	22.2	838	5.68	40.5	1.2	14.1	18.3	31	<0.1	3.4	0.1	164	0.58	0.078
REP 1283290	QC	0.6	45.2	8.1	86	<0.1	26.4	21.9	841	5.84	40.8	1.3	13.1	18.3	32	<0.1	3.7	0.1	155	0.60	0.078
1291228	Soil	5.2	88.8	9.7	104	0.5	52.8	9.6	283	3.18	16.9	2.2	4.3	4.8	72	0.2	0.8	0.2	96	3.94	0.055
REP 1291228	QC	5.1	93.4	9.2	108	0.5	50.3	10.0	282	3.26	17.3	2.2	4.0	4.9	70	0.3	0.7	0.2	98	3.97	0.050
1291230	Soil	2.0	26.6	9.1	69	0.1	24.2	9.6	278	2.74	16.3	0.9	14.7	4.2	21	0.3	0.4	0.2	65	0.36	0.074
REP 1291230	QC	2.0	26.8	9.6	71	0.1	25.0	9.5	283	2.70	16.5	1.0	1.2	4.3	20	0.2	0.5	0.2	67	0.37	0.073
1268752	Soil	1.7	30.4	13.7	66	0.7	30.0	9.1	576	2.39	97.1	0.8	2.5	2.8	27	0.4	2.3	0.1	70	0.36	0.042
REP 1268752	QC	1.9	31.0	13.7	67	0.7	30.1	9.5	585	2.45	100.0	0.8	3.4	2.9	28	0.4	2.2	0.1	71	0.37	0.043
1290783	Soil	0.5	40.8	7.4	71	0.2	53.0	19.2	462	3.95	4.1	0.7	6.6	8.5	56	<0.1	0.1	<0.1	41	3.91	0.061
REP 1290783	QC	0.5	40.5	7.6	69	0.2	54.4	19.6	479	4.03	4.0	0.7	4.5	8.8	56	<0.1	0.1	<0.1	42	3.89	0.062
1290798	Soil	2.8	94.4	7.6	104	<0.1	49.2	17.8	485	4.30	36.3	2.0	2.2	6.1	28	0.1	0.3	0.2	112	0.58	0.149
REP 1290798	QC	2.8	94.8	7.5	107	0.1	48.1	17.7	490	4.33	36.9	1.9	1.6	5.9	27	0.1	0.3	0.2	115	0.55	0.141
1290790	Soil	3.0	61.0	15.8	108	0.5	57.7	14.3	462	3.24	25.7	1.1	9.1	7.3	27	0.2	1.0	0.2	68	0.48	0.040
REP 1290790	QC	2.7	60.9	15.1	110	0.5	56.0	14.0	472	3.29	25.8	1.2	6.9	7.3	28	0.1	0.9	0.2	67	0.50	0.039
1283339	Soil	0.8	46.5	8.3	54	0.3	25.4	10.3	478	2.55	14.2	1.0	6.3	5.7	95	0.1	1.7	<0.1	64	4.34	0.056
REP 1283339	QC	0.9	45.5	8.4	52	0.3	24.1	9.6	516	2.53	13.8	0.9	5.0	5.5	93	0.2	1.8	0.1	62	4.34	0.057
1284568	Soil	0.2	7.4	4.0	17	<0.1	7.9	4.0	217	0.71	26.9	0.5	0.7	0.4	586	<0.1	0.2	<0.1	4	25.61	0.044
REP 1284568	QC	0.2	8.4	4.0	10	<0.1	9.3	4.5	239	0.81	29.1	0.6	0.5	0.8	639	0.2	0.4	<0.1	5	27.75	0.052

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 15, 2012

QUALITY CONTROL REPORT WHI12000206.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
1268293	Soil	15	47	0.64	866	0.095	1	2.00	0.018	0.09	0.2	0.03	6.3	0.1	<0.05	6	<0.5	<0.2
REP 1268293	QC	15	46	0.62	848	0.095	2	1.94	0.017	0.09	0.2	0.04	6.2	0.1	<0.05	6	0.8	<0.2
1268845	Soil	25	52	0.74	200	0.112	2	1.95	0.014	0.06	0.2	0.03	4.7	0.2	<0.05	6	<0.5	<0.2
REP 1268845	QC	24	51	0.76	197	0.106	2	1.98	0.014	0.06	0.1	0.02	4.3	0.2	<0.05	6	<0.5	<0.2
1268837	Soil	49	138	1.75	198	0.215	<1	2.57	0.015	0.70	0.2	0.04	7.7	0.6	<0.05	9	1.2	<0.2
REP 1268837	QC	48	126	1.80	201	0.209	<1	2.54	0.014	0.63	0.2	0.04	7.5	0.6	<0.05	9	0.9	<0.2
1283272	Soil	21	58	0.73	382	0.134	<1	2.03	0.022	0.19	0.1	0.06	8.4	0.2	0.06	7	0.7	<0.2
REP 1283272	QC	21	54	0.76	387	0.145	2	2.10	0.023	0.20	0.2	0.05	8.9	0.2	0.17	6	1.2	<0.2
1283286	Soil	34	35	0.94	264	0.149	1	1.67	0.028	0.24	0.2	0.03	8.8	0.3	<0.05	7	<0.5	<0.2
REP 1283286	QC	36	37	0.96	272	0.169	2	1.72	0.031	0.25	0.3	0.04	9.1	0.3	0.08	7	<0.5	<0.2
1283290	Soil	38	37	1.67	562	0.345	<1	2.81	0.026	0.70	0.2	0.03	15.6	0.7	0.05	11	0.7	<0.2
REP 1283290	QC	39	37	1.70	604	0.362	3	2.68	0.027	0.70	0.3	0.03	14.9	0.7	0.17	11	<0.5	<0.2
1291228	Soil	17	44	0.60	575	0.085	<1	1.55	0.015	0.19	0.2	0.06	5.2	0.2	0.23	5	2.7	<0.2
REP 1291228	QC	18	45	0.62	597	0.085	<1	1.52	0.014	0.20	0.2	0.07	5.5	0.2	0.27	5	2.6	<0.2
1291230	Soil	15	35	0.63	269	0.072	2	1.28	0.014	0.11	0.3	0.02	3.8	0.1	<0.05	5	<0.5	<0.2
REP 1291230	QC	15	35	0.64	273	0.074	2	1.34	0.014	0.11	0.2	0.02	3.9	0.1	<0.05	5	<0.5	<0.2
1268752	Soil	14	39	0.51	436	0.077	<1	1.39	0.013	0.11	0.2	0.03	4.0	0.2	<0.05	5	<0.5	<0.2
REP 1268752	QC	14	40	0.51	444	0.080	1	1.41	0.015	0.12	0.2	0.03	4.1	0.2	<0.05	5	<0.5	<0.2
1290783	Soil	26	69	1.28	228	0.131	<1	1.91	0.007	0.75	<0.1	0.02	3.5	0.4	<0.05	6	<0.5	<0.2
REP 1290783	QC	27	70	1.31	235	0.133	<1	1.98	0.007	0.74	<0.1	0.02	3.5	0.4	<0.05	6	<0.5	<0.2
1290798	Soil	23	65	1.24	681	0.126	<1	2.50	0.018	0.41	<0.1	0.01	5.8	0.3	0.06	8	0.9	<0.2
REP 1290798	QC	22	67	1.28	692	0.131	<1	2.57	0.018	0.40	<0.1	<0.01	5.8	0.2	0.05	8	1.0	<0.2
1290790	Soil	22	46	0.68	560	0.052	<1	1.58	0.017	0.12	0.2	0.06	6.9	0.2	<0.05	5	<0.5	<0.2
REP 1290790	QC	23	44	0.69	564	0.051	2	1.55	0.017	0.12	0.2	0.03	7.3	0.2	<0.05	5	1.4	<0.2
1283339	Soil	22	32	0.78	274	0.087	2	1.39	0.027	0.13	0.2	0.09	6.8	0.1	0.05	5	0.6	<0.2
REP 1283339	QC	22	32	0.76	268	0.087	2	1.39	0.027	0.13	0.2	0.10	6.6	0.1	0.05	5	<0.5	<0.2
1284568	Soil	6	12	0.35	45	0.004	1	0.35	0.003	0.03	<0.1	<0.01	0.7	<0.1	<0.05	1	<0.5	<0.2
REP 1284568	QC	7	14	0.42	50	0.007	2	0.44	0.003	0.03	<0.1	<0.01	1.3	<0.1	<0.05	1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 15, 2012

QUALITY CONTROL REPORT WHI12000206.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
1268345	Soil	1.5	36.6	12.4	111	0.3	33.0	9.4	333	2.69	32.1	1.2	5.0	3.2	24	0.5	1.1	0.1	76	0.30	0.048
REP 1268345	QC	1.4	36.8	12.9	113	0.3	33.4	9.4	333	2.69	32.4	1.2	4.7	3.1	23	0.5	1.1	0.1	77	0.31	0.049
1268364	Soil	1.0	55.9	7.4	51	0.1	22.1	11.8	323	3.06	9.3	0.6	1.2	2.3	29	<0.1	0.4	0.1	92	0.41	0.036
REP 1268364	QC	0.9	57.0	7.3	52	0.1	23.0	12.2	325	3.10	9.0	0.6	0.9	2.5	30	<0.1	0.3	0.1	90	0.40	0.039
1283310	Soil	0.9	35.2	10.1	99	<0.1	44.9	15.4	563	4.48	5.2	2.6	4.0	29.9	13	<0.1	0.3	0.1	43	0.27	0.023
REP 1283310	QC	1.0	35.8	10.0	100	<0.1	45.8	15.8	575	4.51	4.8	2.6	3.4	30.1	13	<0.1	0.3	0.1	43	0.29	0.022
1283326	Soil	0.3	14.8	8.7	88	<0.1	26.9	10.8	681	4.13	1.0	4.3	0.5	44.6	20	<0.1	<0.1	0.4	51	0.32	0.078
REP 1283326	QC	0.3	15.2	8.7	89	<0.1	27.5	11.0	700	4.25	1.1	4.4	0.7	45.1	21	<0.1	0.1	0.4	52	0.33	0.079
Reference Materials																					
STD DS9	Standard	12.7	108.6	119.2	297	1.9	40.2	7.5	564	2.25	24.2	2.6	121.3	5.9	68	2.3	5.3	6.0	42	0.72	0.080
STD DS9	Standard	12.2	106.7	119.1	298	1.8	39.3	7.5	538	2.21	23.9	2.7	108.8	5.8	61	2.4	5.4	5.8	41	0.66	0.076
STD DS9	Standard	12.9	110.2	119.6	304	1.8	40.6	7.4	594	2.39	25.8	3.0	116.1	7.3	78	2.6	6.4	6.8	44	0.75	0.086
STD DS9	Standard	12.3	107.1	121.0	294	1.7	39.5	7.4	562	2.22	25.1	2.7	121.0	6.0	64	2.6	5.2	5.8	42	0.67	0.078
STD DS9	Standard	14.3	116.3	124.5	327	1.9	41.9	8.4	663	2.57	28.0	3.1	129.6	7.6	86	2.6	6.8	7.3	52	0.80	0.078
STD DS9	Standard	12.8	108.7	125.1	309	1.8	40.6	7.6	571	2.31	25.6	2.8	114.9	6.6	81	2.4	6.0	6.9	41	0.72	0.085
STD DS9	Standard	13.4	110.4	122.4	301	1.7	40.4	7.6	577	2.31	23.9	2.8	107.7	6.6	66	2.4	5.2	5.8	40	0.74	0.079
STD DS9	Standard	14.5	109.9	122.3	306	1.8	40.7	7.8	615	2.41	23.9	2.9	114.3	6.7	75	2.3	5.4	6.2	45	0.73	0.082
STD DS9	Standard	13.7	104.7	123.5	307	1.8	43.5	8.0	599	2.41	23.1	2.5	127.1	5.6	68	2.0	5.2	5.7	44	0.72	0.083
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	0.6	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	4	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	6	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	4	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	2	<0.01	<0.001
BLK	Blank	<0.1	0.3	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 15, 2012

QUALITY CONTROL REPORT WHI12000206.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
1268345	Soil	12	45	0.60	592	0.096	2	1.60	0.017	0.07	0.2	0.02	5.0	0.2	<0.05	6	<0.5	<0.2
REP 1268345	QC	12	46	0.60	596	0.098	1	1.58	0.019	0.07	0.2	0.02	5.0	0.2	<0.05	5	<0.5	<0.2
1268364	Soil	10	41	0.79	236	0.128	<1	1.94	0.019	0.09	0.1	0.01	5.0	0.1	<0.05	7	<0.5	<0.2
REP 1268364	QC	10	41	0.85	243	0.128	<1	2.06	0.019	0.09	<0.1	<0.01	5.1	0.2	<0.05	8	<0.5	<0.2
1283310	Soil	117	60	0.79	118	0.026	2	1.43	0.005	0.16	<0.1	0.03	7.5	0.2	<0.05	6	<0.5	<0.2
REP 1283310	QC	120	60	0.79	118	0.026	1	1.44	0.006	0.16	<0.1	0.03	7.6	0.2	<0.05	7	<0.5	<0.2
1283326	Soil	179	50	0.85	120	0.079	<1	1.65	0.007	0.44	0.1	0.01	8.6	0.6	<0.05	9	<0.5	<0.2
REP 1283326	QC	182	51	0.88	123	0.082	<1	1.71	0.008	0.45	0.2	0.01	8.8	0.6	<0.05	9	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	13	120	0.61	296	0.107	2	0.94	0.089	0.37	3.0	0.22	2.6	5.4	0.14	5	5.3	5.1
STD DS9	Standard	12	117	0.57	282	0.103	2	0.84	0.077	0.33	2.9	0.23	2.2	5.0	0.17	5	5.4	5.3
STD DS9	Standard	14	121	0.60	309	0.128	2	0.93	0.090	0.37	3.2	0.19	2.6	5.5	0.12	5	5.0	4.9
STD DS9	Standard	12	119	0.58	290	0.105	3	0.85	0.082	0.33	3.2	0.20	2.3	5.4	0.17	4	4.7	5.1
STD DS9	Standard	17	131	0.63	326	0.138	1	0.98	0.088	0.40	3.5	0.23	3.2	5.6	0.14	5	6.1	5.3
STD DS9	Standard	14	124	0.62	297	0.116	2	0.94	0.086	0.36	3.1	0.22	2.6	5.5	0.19	5	5.0	4.9
STD DS9	Standard	13	120	0.63	298	0.113	3	0.93	0.087	0.36	2.9	0.18	2.5	5.4	0.17	5	5.7	5.4
STD DS9	Standard	15	127	0.64	298	0.122	3	0.93	0.085	0.36	3.2	0.21	2.6	5.5	0.15	5	5.2	5.2
STD DS9	Standard	11	134	0.63	284	0.110	2	0.91	0.083	0.34	3.2	0.20	2.3	5.6	0.22	5	5.5	5.2
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	0.17	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 03, 2012
Report Date: July 14, 2012
Page: 1 of 12

CERTIFICATE OF ANALYSIS WHI12000208.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 320

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	320	Dry at 60C			WHI
SS80	320	Dry at 60C sieve 100g to -80 mesh			WHI
1DX2	320	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000208.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1268895	Soil		1.7	21.2	14.0	67	<0.1	29.1	9.4	536	2.51	6.3	1.3	3.3	25.4	21	<0.1	0.4	0.2	47	0.34	0.022
1268890	Soil		1.4	8.1	9.0	27	<0.1	10.8	5.9	244	1.78	6.1	1.0	2.8	13.9	15	0.1	0.4	0.3	34	0.12	0.013
1269129	Soil		1.8	12.3	36.2	30	<0.1	18.1	6.2	346	1.89	8.5	1.6	3.2	48.7	16	<0.1	0.5	0.8	32	0.23	0.012
1269125	Soil		1.0	17.6	10.8	43	<0.1	20.6	10.6	495	2.38	7.4	1.1	10.3	15.1	26	<0.1	0.4	0.3	54	0.39	0.029
1268380	Soil		1.6	42.1	18.2	96	0.3	36.5	9.1	398	3.04	54.3	2.0	5.8	4.7	21	0.3	1.4	0.2	81	0.17	0.024
1268387	Soil		1.8	22.3	21.2	123	0.7	28.7	12.0	882	2.96	63.8	0.5	1.8	2.0	23	1.7	1.8	0.2	85	0.20	0.047
1268892	Soil		1.8	18.6	13.2	35	<0.1	22.2	7.4	392	2.07	8.4	1.6	14.6	36.7	20	<0.1	0.5	0.2	36	0.22	0.014
1269126	Soil		1.4	16.4	9.6	41	0.1	20.3	11.9	642	2.30	6.7	0.9	2.8	10.7	29	0.3	0.4	0.3	50	0.45	0.043
1268388	Soil		2.0	36.7	22.1	118	0.3	39.2	12.2	606	2.96	64.5	0.9	6.2	2.9	25	1.2	2.0	0.2	84	0.24	0.037
1268386	Soil		1.5	21.9	17.9	145	0.7	29.3	12.0	915	3.11	47.2	0.6	3.4	2.0	22	2.0	1.2	0.3	88	0.18	0.044
1268891	Soil		1.3	13.4	11.8	25	<0.1	17.8	6.4	305	1.77	6.2	1.7	27.6	30.9	28	<0.1	0.9	0.3	32	0.20	0.015
1269124	Soil		0.9	17.4	7.2	43	0.1	20.2	9.6	409	2.32	7.0	0.8	296.3	10.2	25	<0.1	0.3	0.2	57	0.41	0.038
1268896	Soil		1.3	13.5	13.0	71	<0.1	12.4	5.9	840	2.84	4.5	1.2	<0.5	12.3	17	0.1	0.4	0.1	35	0.20	0.018
1268385	Soil		1.7	31.7	23.0	132	0.9	35.5	17.4	1331	3.19	74.3	0.7	4.2	2.7	27	1.7	2.0	0.2	86	0.23	0.034
1268889	Soil		1.1	10.1	9.3	31	<0.1	18.6	7.7	429	2.10	5.2	1.1	3.0	14.7	19	<0.1	0.4	0.1	43	0.26	0.017
1269122	Soil		1.3	20.2	13.6	55	<0.1	27.0	12.1	525	2.71	7.7	1.3	5.5	14.9	34	0.1	0.3	0.2	65	0.78	0.040
1268871	Soil		1.3	31.5	20.2	101	<0.1	51.1	22.0	620	4.06	11.6	1.3	4.2	12.6	30	<0.1	0.3	0.2	87	0.58	0.075
1268381	Soil		1.6	34.0	27.9	107	0.6	42.1	11.5	449	3.18	51.5	0.9	7.0	3.3	19	0.8	1.4	0.2	85	0.18	0.034
1268383	Soil		1.6	40.1	27.6	138	0.3	42.0	12.9	610	2.83	58.2	1.3	8.6	2.1	26	1.1	2.1	0.5	69	0.22	0.100
1268894	Soil		1.3	26.9	13.9	45	<0.1	27.8	8.7	403	2.46	8.2	1.0	19.5	23.8	29	<0.1	0.5	0.2	53	0.36	0.021
1268872	Soil		0.6	24.0	20.4	70	<0.1	36.6	14.3	540	3.32	19.5	1.9	2.2	27.2	13	0.2	0.7	0.3	34	0.22	0.046
1268368	Soil		0.3	116.5	3.5	62	<0.1	28.3	20.1	534	4.05	3.1	0.6	1.2	2.1	49	<0.1	0.1	<0.1	137	0.70	0.055
1268389	Soil		2.0	32.2	14.4	113	0.6	30.7	12.5	685	2.65	39.0	0.9	3.2	1.5	35	1.4	1.3	0.2	83	0.34	0.053
1268893	Soil		1.2	14.8	9.0	38	0.1	19.4	9.1	526	2.34	7.2	1.0	4.6	12.5	26	<0.1	0.5	0.2	54	0.32	0.015
1268873	Soil		0.6	46.1	32.7	79	<0.1	49.1	16.2	573	4.01	21.5	1.5	1.7	21.0	24	<0.1	0.3	0.3	57	0.39	0.054
1268369	Soil		0.3	82.2	2.8	52	<0.1	17.7	16.7	502	3.48	3.2	0.5	2.0	2.3	48	<0.1	0.1	<0.1	119	0.84	0.108
1268390	Soil		2.0	41.7	13.7	110	0.4	31.3	11.8	577	3.21	45.5	0.9	1.3	2.5	30	1.0	1.4	<0.1	91	0.32	0.050
1268384	Soil		3.6	39.5	11.8	115	0.3	32.9	8.1	263	3.52	170.8	1.5	3.6	3.2	19	0.7	3.1	0.1	75	0.18	0.070
1268869	Soil		0.7	19.4	11.7	64	<0.1	31.3	16.2	497	3.38	5.8	0.9	3.8	6.5	33	<0.1	0.2	0.1	75	0.66	0.079
1268374	Soil		1.0	63.7	7.2	59	0.2	31.8	15.2	427	3.10	9.8	0.8	3.4	2.9	33	0.2	0.3	0.1	93	0.41	0.054

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000208.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1268895	Soil	40	48	0.65	423	0.053	2	1.33	0.014	0.14	0.1	0.03	5.9	0.2	<0.05	5	<0.5	<0.2
1268890	Soil	9	20	0.28	109	0.025	1	1.09	0.006	0.09	0.2	0.02	2.0	<0.1	<0.05	4	<0.5	<0.2
1269129	Soil	30	36	0.51	116	0.047	2	1.15	0.008	0.15	0.2	0.05	3.5	0.3	<0.05	3	<0.5	<0.2
1269125	Soil	32	41	0.66	216	0.090	2	1.59	0.015	0.09	0.2	0.03	4.8	0.2	<0.05	5	<0.5	<0.2
1268380	Soil	17	49	0.68	786	0.091	2	2.20	0.015	0.07	0.2	0.05	8.3	0.7	<0.05	6	0.6	<0.2
1268387	Soil	8	37	0.51	905	0.059	2	2.01	0.010	0.06	0.1	0.04	3.5	1.5	0.08	7	<0.5	<0.2
1268892	Soil	40	30	0.42	198	0.047	1	1.10	0.010	0.08	0.1	0.07	4.3	0.1	0.06	3	<0.5	<0.2
1269126	Soil	25	38	0.59	236	0.074	3	1.51	0.013	0.11	0.1	0.02	3.9	0.2	<0.05	5	<0.5	<0.2
1268388	Soil	10	41	0.60	899	0.075	2	2.02	0.011	0.06	0.1	0.04	4.5	1.4	<0.05	7	<0.5	<0.2
1268386	Soil	9	37	0.46	891	0.069	2	1.94	0.010	0.06	<0.1	0.05	3.6	1.7	<0.05	8	<0.5	<0.2
1268891	Soil	30	31	0.42	142	0.032	2	0.99	0.008	0.11	0.2	0.04	3.5	0.2	<0.05	3	<0.5	<0.2
1269124	Soil	23	40	0.70	190	0.095	2	1.51	0.017	0.07	0.2	0.03	3.9	0.1	0.05	5	<0.5	<0.2
1268896	Soil	186	24	0.47	253	0.090	1	1.43	0.010	0.26	0.1	0.03	4.9	0.2	<0.05	8	<0.5	<0.2
1268385	Soil	10	38	0.48	881	0.075	2	1.89	0.012	0.06	0.1	0.05	4.0	3.2	<0.05	7	0.6	<0.2
1268889	Soil	25	36	0.61	108	0.067	2	1.29	0.008	0.20	0.1	0.02	2.5	0.2	0.05	4	<0.5	<0.2
1269122	Soil	38	59	0.94	207	0.103	2	2.02	0.016	0.12	0.2	0.03	6.1	0.2	0.08	6	<0.5	<0.2
1268871	Soil	28	78	1.63	302	0.156	3	2.59	0.010	0.43	<0.1	0.03	7.2	0.4	0.05	8	<0.5	<0.2
1268381	Soil	10	46	0.62	728	0.081	2	2.46	0.010	0.07	0.1	0.03	5.0	0.7	0.06	7	<0.5	<0.2
1268383	Soil	12	38	0.45	1654	0.060	2	1.47	0.011	0.06	0.2	0.05	5.1	1.0	0.07	5	0.5	<0.2
1268894	Soil	30	39	0.52	239	0.072	1	1.44	0.017	0.07	0.2	0.07	6.0	<0.1	<0.05	4	<0.5	<0.2
1268872	Soil	59	34	0.64	174	0.067	4	1.42	0.006	0.29	<0.1	0.04	5.7	0.6	0.06	5	<0.5	<0.2
1268368	Soil	10	51	1.59	327	0.228	1	2.49	0.053	0.21	<0.1	0.02	7.9	0.1	0.06	9	<0.5	<0.2
1268389	Soil	10	37	0.53	1051	0.067	3	1.54	0.013	0.08	0.2	0.02	3.7	0.5	0.07	6	<0.5	<0.2
1268893	Soil	16	31	0.50	214	0.062	2	1.45	0.011	0.08	0.1	0.03	3.6	0.1	0.06	5	<0.5	<0.2
1268873	Soil	69	55	1.34	148	0.159	2	2.80	0.009	0.47	<0.1	0.01	4.3	0.5	0.09	8	<0.5	<0.2
1268369	Soil	10	28	1.19	300	0.199	1	2.21	0.071	0.20	<0.1	0.02	6.2	<0.1	<0.05	8	<0.5	<0.2
1268390	Soil	12	40	0.66	880	0.091	2	2.00	0.014	0.11	0.3	0.03	5.2	0.7	0.09	7	0.7	<0.2
1268384	Soil	11	34	0.45	265	0.068	2	1.50	0.011	0.05	0.1	0.08	4.0	0.8	0.10	5	1.0	<0.2
1268869	Soil	12	62	1.36	204	0.155	2	2.17	0.012	0.41	0.2	0.01	4.5	0.3	0.13	7	<0.5	<0.2
1268374	Soil	10	50	0.91	298	0.138	1	1.98	0.022	0.11	0.1	0.02	6.2	0.1	0.10	7	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000208.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1268382	Soil		1.9	41.2	45.2	167	0.3	50.3	12.8	485	3.40	83.5	1.1	6.9	3.1	21	1.0	3.7	0.2	93	0.22	0.051
1268391	Soil		3.1	72.4	30.2	181	0.7	55.9	14.0	715	4.58	99.3	2.2	7.5	3.8	45	0.9	2.9	0.3	126	0.38	0.066
1268874	Soil		0.8	16.6	8.4	61	<0.1	31.1	12.6	524	2.84	6.7	0.8	<0.5	6.2	24	<0.1	0.3	0.2	56	0.37	0.030
1268875	Soil		0.7	29.7	8.5	72	<0.1	61.8	20.5	492	4.27	8.3	1.2	0.7	9.8	23	<0.1	0.2	0.2	65	0.45	0.039
1268865	Soil		0.8	17.1	11.4	65	<0.1	26.5	14.4	468	3.15	10.6	0.9	6.8	8.0	42	<0.1	0.3	0.1	65	0.85	0.104
1268886	Soil		0.9	12.1	11.4	41	<0.1	20.2	10.7	461	2.41	5.2	1.1	5.7	17.5	24	0.1	0.4	0.1	53	0.36	0.028
1268393	Soil		0.9	112.0	11.6	76	0.2	22.6	18.0	492	3.41	30.2	1.4	4.8	3.1	39	0.2	1.2	0.2	95	0.59	0.093
1268398	Soil		0.6	109.9	5.9	75	0.1	23.6	19.4	731	4.10	6.9	0.9	6.8	3.3	37	<0.1	4.0	0.2	117	0.69	0.115
1268883	Soil		0.9	20.7	9.9	48	<0.1	23.4	11.3	356	2.65	9.2	0.8	3.4	10.1	22	<0.1	0.5	0.6	61	0.33	0.032
1268887	Soil		1.2	13.7	12.7	47	<0.1	22.0	10.7	354	2.88	6.9	1.3	12.2	20.2	18	<0.1	0.5	0.3	55	0.36	0.025
1268394	Soil		1.5	51.3	10.5	62	0.2	25.4	13.1	341	3.08	14.9	1.2	2.6	3.0	27	0.2	0.6	0.2	78	0.38	0.046
1268392	Soil		1.9	43.0	20.0	93	0.3	28.4	11.4	407	2.87	40.8	1.3	4.2	3.0	35	0.5	1.6	0.2	73	0.53	0.053
1268885	Soil		0.8	17.2	13.6	48	<0.1	21.3	11.7	488	2.76	6.9	1.4	2.6	22.5	24	<0.1	0.4	0.2	56	0.40	0.051
1268888	Soil		1.4	15.9	14.2	45	<0.1	21.8	8.4	304	2.62	10.1	0.9	2.5	9.7	20	0.1	0.6	0.3	60	0.30	0.020
1268395	Soil		0.5	94.9	3.4	60	<0.1	20.8	17.5	475	3.40	3.3	0.9	2.5	2.2	35	<0.1	0.4	<0.1	95	0.69	0.074
1268399	Soil		0.9	48.7	6.6	86	<0.1	9.3	10.9	408	4.25	5.9	0.8	1.3	6.1	49	<0.1	2.7	0.1	83	0.47	0.115
1268884	Soil		0.5	16.5	26.0	82	<0.1	32.2	18.2	756	3.46	3.6	1.6	2.1	25.6	33	0.1	0.2	0.1	67	0.79	0.178
1268879	Soil		1.4	52.6	6.6	66	<0.1	46.6	22.1	627	4.19	7.1	0.9	1.3	4.2	18	<0.1	0.1	0.1	95	0.57	0.049
1268396	Soil		0.8	66.5	6.9	60	0.1	52.8	14.9	512	3.12	5.8	0.9	2.2	3.1	37	<0.1	0.4	<0.1	96	0.69	0.065
1268866	Soil		0.8	37.6	10.1	85	<0.1	37.6	21.9	798	4.41	14.8	1.4	2.9	8.5	49	0.2	0.2	0.1	84	1.22	0.163
1268370	Soil		1.1	72.0	8.0	55	0.1	28.0	14.1	443	3.38	9.1	0.9	2.3	3.2	36	<0.1	0.5	0.1	87	0.60	0.053
1268373	Soil		1.0	127.9	3.4	77	<0.1	27.2	21.2	346	4.43	2.6	0.7	1.0	2.7	24	0.1	0.2	<0.1	139	0.39	0.090
1268397	Soil		0.4	83.3	3.4	87	0.1	24.4	22.9	768	4.61	6.9	1.1	4.0	2.9	59	<0.1	3.9	<0.1	128	0.97	0.145
1268876	Soil		0.7	36.2	11.2	78	<0.1	75.7	23.2	566	4.77	8.6	1.5	3.6	10.9	23	<0.1	0.2	0.2	69	0.52	0.043
1268376	Soil		1.2	58.0	9.6	56	0.2	23.3	12.0	300	2.45	17.7	0.9	3.9	2.5	27	0.4	0.7	0.1	69	0.36	0.045
1268372	Soil		1.6	125.9	11.2	82	0.2	35.2	20.4	613	4.74	18.6	1.1	4.3	3.7	42	<0.1	1.2	0.2	120	0.66	0.085
1268867	Soil		0.7	27.6	20.8	102	<0.1	29.0	19.4	656	3.77	10.9	1.7	2.4	6.2	53	0.3	0.3	0.3	65	1.39	0.103
1268868	Soil		0.7	24.1	17.7	105	<0.1	26.8	21.8	676	5.24	10.8	1.1	2.0	11.5	36	0.2	0.3	0.3	86	0.86	0.156
1268377	Soil		1.3	43.6	16.0	77	0.2	27.2	10.6	369	2.69	24.1	1.2	3.4	3.2	35	0.3	1.0	0.2	77	0.53	0.059
1268378	Soil		1.7	45.4	18.6	100	0.5	37.9	12.8	515	3.30	35.5	1.3	2.7	3.3	31	0.8	1.2	0.2	88	0.37	0.054

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000208.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1268382	Soil	10	43	0.51	574	0.082	2	1.81	0.010	0.06	0.2	0.04	4.5	0.9	0.11	6	<0.5	<0.2
1268391	Soil	17	65	0.83	3039	0.094	3	2.97	0.014	0.15	0.1	0.08	8.8	1.2	0.16	9	2.0	<0.2
1268874	Soil	13	43	1.10	142	0.157	1	2.08	0.011	0.33	<0.1	0.02	2.5	0.4	0.11	8	<0.5	<0.2
1268875	Soil	16	80	1.58	167	0.192	2	2.61	0.011	0.74	<0.1	<0.01	5.5	0.8	0.08	9	<0.5	<0.2
1268865	Soil	18	48	0.95	159	0.108	2	1.56	0.023	0.26	0.1	0.03	5.5	0.3	0.11	5	<0.5	<0.2
1268886	Soil	25	52	0.84	163	0.106	1	1.47	0.012	0.28	0.2	0.02	3.7	0.3	0.09	5	<0.5	<0.2
1268393	Soil	11	33	1.12	377	0.172	1	1.92	0.024	0.39	0.1	0.03	6.5	0.3	<0.05	8	0.5	<0.2
1268398	Soil	12	51	1.35	273	0.077	<1	2.26	0.015	0.19	<0.1	0.04	10.4	0.1	<0.05	9	<0.5	<0.2
1268883	Soil	18	42	0.70	179	0.088	1	1.73	0.023	0.07	0.2	0.02	4.1	0.1	0.08	5	<0.5	<0.2
1268887	Soil	20	58	0.94	173	0.110	<1	1.67	0.008	0.34	0.2	0.02	4.2	0.3	0.11	5	<0.5	<0.2
1268394	Soil	11	38	0.71	306	0.105	1	1.84	0.017	0.06	0.1	0.02	4.8	<0.1	0.13	6	<0.5	<0.2
1268392	Soil	9	43	0.65	615	0.083	2	1.63	0.017	0.06	0.1	0.05	5.9	0.4	<0.05	5	0.9	<0.2
1268885	Soil	37	46	0.88	229	0.098	<1	1.82	0.011	0.18	0.2	0.02	5.1	0.2	0.07	5	0.7	<0.2
1268888	Soil	11	40	0.59	179	0.086	<1	1.62	0.009	0.15	0.1	0.02	3.4	0.1	<0.05	5	<0.5	<0.2
1268395	Soil	10	36	1.10	306	0.120	<1	2.11	0.039	0.18	<0.1	0.01	8.4	0.1	<0.05	8	<0.5	<0.2
1268399	Soil	16	18	0.78	190	0.072	<1	2.09	0.011	0.17	<0.1	<0.01	6.8	0.1	0.09	11	0.6	<0.2
1268884	Soil	53	88	2.02	287	0.167	<1	2.41	0.008	0.78	0.2	0.02	5.5	0.6	<0.05	8	<0.5	<0.2
1268879	Soil	8	71	1.82	176	0.134	1	2.86	0.017	0.52	0.4	0.01	7.5	0.5	<0.05	8	<0.5	<0.2
1268396	Soil	11	110	1.34	257	0.141	<1	2.23	0.021	0.07	<0.1	0.03	6.8	0.1	0.06	8	<0.5	<0.2
1268866	Soil	23	64	1.54	281	0.124	1	2.36	0.011	0.54	0.1	0.03	6.5	0.4	0.07	8	1.0	<0.2
1268370	Soil	11	53	1.00	274	0.113	<1	2.22	0.028	0.06	<0.1	0.01	7.3	<0.1	0.11	7	<0.5	<0.2
1268373	Soil	10	48	1.39	377	0.315	<1	3.02	0.037	0.84	<0.1	<0.01	8.7	0.2	<0.05	11	<0.5	<0.2
1268397	Soil	13	46	1.76	381	0.208	<1	2.82	0.059	0.52	<0.1	0.01	10.4	0.3	0.07	11	<0.5	<0.2
1268876	Soil	18	95	1.77	211	0.195	3	3.21	0.009	0.80	<0.1	<0.01	6.7	0.7	0.09	10	<0.5	<0.2
1268376	Soil	10	36	0.62	335	0.100	<1	1.70	0.019	0.06	<0.1	0.02	4.4	<0.1	<0.05	5	0.7	<0.2
1268372	Soil	16	57	1.02	418	0.144	<1	2.33	0.036	0.16	<0.1	0.11	14.0	0.6	0.05	9	0.6	<0.2
1268867	Soil	26	48	1.16	227	0.096	<1	1.92	0.011	0.33	0.1	0.06	6.4	0.3	0.09	6	0.7	<0.2
1268868	Soil	14	47	1.63	226	0.133	2	2.55	0.010	0.83	0.2	0.03	7.3	0.5	0.09	7	<0.5	<0.2
1268377	Soil	12	41	0.59	452	0.088	1	1.80	0.020	0.06	0.1	0.04	5.2	0.2	0.12	6	0.9	<0.2
1268378	Soil	13	49	0.62	643	0.094	<1	2.08	0.015	0.11	0.2	0.03	5.7	0.3	0.10	7	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000208.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1268870	Soil	1.1	17.7	13.4	79	<0.1	26.2	18.5	677	4.26	12.9	0.9	1.7	8.1	31	0.1	0.2	0.2	92	0.62	0.122
1268375	Soil	1.6	53.1	18.3	65	0.2	28.7	12.5	326	2.86	21.8	1.2	4.9	3.6	31	0.3	0.8	0.2	77	0.40	0.042
1268371	Soil	1.0	99.6	5.6	55	<0.1	27.5	16.1	343	3.52	8.0	0.6	<0.5	2.6	25	<0.1	0.5	<0.1	107	0.39	0.042
1268379	Soil	1.7	33.3	19.7	104	0.3	33.8	11.0	548	3.30	38.3	0.8	3.6	2.6	27	1.2	1.1	0.2	85	0.38	0.056
1290719	Soil	0.8	12.4	11.1	71	<0.1	37.9	10.5	590	2.86	3.5	2.6	1.0	15.6	22	<0.1	0.6	0.4	47	0.28	0.040
1290720	Soil	0.9	16.1	11.8	76	<0.1	25.5	10.8	660	2.59	6.2	1.4	1.3	12.1	31	0.2	0.6	0.2	53	0.41	0.062
1268877	Soil	1.0	33.0	13.4	50	0.2	32.5	15.8	585	3.31	10.1	1.9	9.5	6.5	30	<0.1	0.3	0.9	67	0.57	0.041
1268882	Soil	1.0	25.6	13.7	56	<0.1	31.5	13.7	626	3.20	8.5	1.5	7.6	17.0	28	0.1	0.4	0.3	66	0.52	0.041
1290715	Soil	1.7	15.9	11.8	72	<0.1	26.1	13.6	695	3.68	7.0	1.9	6.5	27.2	31	<0.1	0.7	0.2	60	0.46	0.039
1290712	Soil	2.7	82.4	12.2	111	0.6	57.0	10.8	606	2.96	89.1	1.3	9.3	5.3	85	0.5	3.1	0.2	57	2.62	0.046
1290718	Soil	1.1	15.6	16.9	91	<0.1	17.9	10.2	650	3.24	5.8	2.4	<0.5	27.5	24	<0.1	0.4	0.3	55	0.38	0.091
1268881	Soil	1.2	19.7	15.3	60	<0.1	29.6	13.7	524	3.19	10.4	1.1	3.5	11.2	32	<0.1	0.4	0.3	63	0.76	0.035
1290717	Soil	1.1	10.6	11.6	66	<0.1	16.9	10.1	588	2.83	3.9	2.1	1.0	25.0	17	<0.1	0.3	0.2	50	0.27	0.035
1290713	Soil	1.2	9.7	9.1	44	<0.1	12.3	6.8	292	2.27	4.6	1.7	6.7	17.3	14	<0.1	0.5	0.2	38	0.27	0.027
1290711	Soil	3.4	88.3	13.2	184	0.6	70.7	16.8	528	3.98	75.2	2.0	6.1	3.9	18	0.4	3.3	0.2	59	0.23	0.039
1268880	Soil	1.0	30.7	13.1	48	0.1	64.8	18.5	646	3.42	13.3	3.0	12.9	12.9	33	<0.1	0.3	0.3	85	0.97	0.068
1290707	Soil	5.0	76.4	20.7	132	0.3	54.9	31.9	2436	5.25	186.3	3.9	3.1	5.0	26	0.5	2.9	0.2	47	2.90	0.104
1290716	Soil	1.4	15.0	10.5	49	<0.1	21.8	9.3	434	2.77	7.5	1.4	19.0	21.4	18	<0.1	0.6	0.2	52	0.35	0.021
1290714	Soil	0.9	24.0	9.3	49	<0.1	20.3	7.3	439	2.28	7.4	1.7	7.6	35.9	16	<0.1	0.6	0.2	40	0.27	0.025
1268878	Soil	0.4	41.4	6.7	63	<0.1	125.7	26.3	531	3.94	7.9	0.9	2.4	9.3	21	<0.1	<0.1	0.1	85	0.74	0.056
1290726	Soil	1.1	10.7	14.1	52	<0.1	13.9	5.8	228	2.24	5.2	2.6	8.8	26.6	12	<0.1	0.4	0.2	44	0.09	0.019
1290708	Soil	5.6	72.1	25.4	172	0.5	66.5	22.5	901	4.61	90.8	3.5	7.1	4.0	59	0.4	8.9	0.2	74	0.45	0.083
1290702	Soil	1.1	26.8	8.7	50	0.2	20.2	6.9	439	1.59	18.9	11.7	4.2	1.7	118	0.2	1.1	0.2	35	2.00	0.063
1290709	Soil	3.6	105.1	19.2	180	0.7	55.6	12.2	423	3.17	32.5	2.4	5.6	2.8	60	0.5	2.2	0.2	51	0.66	0.115
1290723	Soil	0.8	18.8	9.9	51	<0.1	26.0	8.8	271	2.50	10.3	0.5	2.7	7.0	15	0.1	0.7	0.1	65	0.12	0.014
1290730	Soil	0.9	18.9	11.3	73	<0.1	30.6	12.4	446	3.06	6.6	0.9	7.4	9.5	19	<0.1	0.3	<0.1	58	0.29	0.050
1290703	Soil	1.2	31.2	7.8	32	0.3	26.3	9.1	653	1.90	15.6	11.7	5.4	1.0	144	0.2	1.0	0.1	36	2.68	0.071
1290704	Soil	3.8	85.9	24.5	219	0.7	76.8	21.0	740	3.78	172.6	2.3	6.8	9.3	33	1.7	2.2	0.2	48	2.26	0.102
1290722	Soil	0.8	15.8	10.9	55	<0.1	21.6	7.5	329	2.40	9.2	1.2	1.3	12.5	13	<0.1	0.6	0.1	55	0.11	0.021
1290725	Soil	1.4	6.8	11.0	24	<0.1	6.3	2.8	128	1.55	5.1	0.5	2.1	4.7	13	<0.1	0.3	0.2	56	0.10	0.016

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000208.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1268870	Soil	14	52	1.50	190	0.152	<1	2.33	0.009	0.35	0.1	0.02	5.4	0.3	0.15	9	<0.5	<0.2
1268375	Soil	12	46	0.69	400	0.100	2	1.93	0.018	0.06	0.1	0.03	5.2	0.1	0.13	6	<0.5	<0.2
1268371	Soil	10	55	1.24	276	0.192	<1	2.59	0.023	0.08	<0.1	<0.01	6.3	0.1	0.11	8	<0.5	<0.2
1268379	Soil	10	39	0.54	645	0.090	2	1.78	0.014	0.11	0.2	0.03	4.4	0.3	0.06	7	<0.5	<0.2
1290719	Soil	72	77	0.70	205	0.069	2	1.70	0.008	0.20	0.1	0.01	4.1	0.2	0.18	7	0.8	<0.2
1290720	Soil	44	44	0.56	218	0.069	3	1.60	0.011	0.21	0.2	<0.01	5.2	0.1	0.08	6	<0.5	<0.2
1268877	Soil	30	60	0.89	253	0.108	1	2.10	0.014	0.15	0.1	0.03	4.9	0.2	0.11	7	0.8	<0.2
1268882	Soil	32	82	1.12	242	0.125	<1	2.14	0.013	0.15	0.1	0.02	6.5	0.2	0.12	6	0.6	<0.2
1290715	Soil	51	35	0.63	222	0.063	4	1.68	0.008	0.25	0.1	0.02	6.9	0.2	0.12	6	<0.5	<0.2
1290712	Soil	15	28	0.37	451	0.034	2	0.87	0.016	0.07	0.1	0.12	4.8	0.4	0.16	3	1.4	<0.2
1290718	Soil	109	33	0.64	166	0.100	2	1.86	0.009	0.45	0.2	0.01	5.8	0.3	0.12	7	0.9	<0.2
1268881	Soil	23	58	0.97	212	0.103	1	2.15	0.014	0.10	0.1	0.02	5.0	0.2	0.07	7	0.8	<0.2
1290717	Soil	50	26	0.50	172	0.063	2	1.33	0.008	0.31	0.2	0.02	4.4	0.2	<0.05	5	<0.5	<0.2
1290713	Soil	28	19	0.31	187	0.023	1	1.03	0.008	0.11	0.1	0.01	3.0	0.2	<0.05	4	<0.5	<0.2
1290711	Soil	10	32	0.13	788	0.002	<1	0.50	0.003	0.06	<0.1	0.11	8.4	0.2	<0.05	2	1.6	<0.2
1268880	Soil	39	99	1.21	251	0.101	2	1.91	0.012	0.23	0.2	0.04	8.3	0.5	<0.05	6	<0.5	<0.2
1290707	Soil	17	16	0.17	624	0.002	2	0.48	0.004	0.10	<0.1	0.04	9.9	0.3	<0.05	2	1.7	<0.2
1290716	Soil	52	36	0.39	194	0.042	1	1.55	0.009	0.17	0.2	0.02	5.6	0.1	<0.05	5	<0.5	<0.2
1290714	Soil	91	23	0.37	144	0.039	1	0.97	0.012	0.10	0.1	0.03	4.1	0.1	<0.05	3	<0.5	<0.2
1268878	Soil	11	211	2.53	205	0.222	<1	2.88	0.011	0.62	0.1	<0.01	3.2	0.7	<0.05	8	<0.5	<0.2
1290726	Soil	60	26	0.31	78	0.051	<1	1.58	0.007	0.05	0.1	0.02	2.6	<0.1	<0.05	5	<0.5	<0.2
1290708	Soil	13	35	0.21	2353	0.005	1	0.91	0.006	0.10	0.1	0.06	9.7	2.8	0.05	3	1.6	<0.2
1290702	Soil	9	22	0.57	386	0.021	7	0.73	0.016	0.06	<0.1	0.03	3.2	0.2	0.21	2	2.8	<0.2
1290709	Soil	7	21	0.14	1217	0.002	2	0.43	0.005	0.11	0.2	0.11	6.4	3.3	0.12	2	2.0	0.3
1290723	Soil	13	38	0.54	208	0.055	<1	1.75	0.010	0.06	0.1	0.01	3.5	0.1	<0.05	5	<0.5	<0.2
1290730	Soil	29	60	1.00	185	0.119	<1	1.87	0.010	0.25	0.2	<0.01	3.3	0.2	<0.05	6	<0.5	<0.2
1290703	Soil	9	22	0.57	437	0.019	6	0.81	0.018	0.07	<0.1	0.04	3.2	0.1	0.23	3	5.7	<0.2
1290704	Soil	26	27	0.27	353	0.005	2	0.46	0.004	0.11	<0.1	<0.01	6.6	<0.1	<0.05	2	1.4	<0.2
1290722	Soil	14	33	0.50	161	0.052	<1	1.65	0.008	0.06	0.1	<0.01	3.1	<0.1	<0.05	5	<0.5	<0.2
1290725	Soil	15	20	0.19	79	0.059	<1	0.98	0.007	0.03	0.1	<0.01	1.9	0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000208.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1290701	Rock Pulp	2.1	24.3	2.1	39	0.3	23.5	9.5	408	2.21	4.2	0.2	4.1	0.7	40	0.2	0.4	<0.1	58	0.73	0.055
1290705	Soil	6.3	114.1	29.4	239	0.3	102.6	36.7	1766	4.25	92.7	3.0	2.9	6.4	48	1.7	13.1	0.5	71	4.60	0.146
1269105	Soil	1.0	27.4	15.1	76	<0.1	29.7	33.8	1398	5.03	27.4	1.1	5.9	7.3	48	0.1	0.2	0.1	74	1.07	0.100
1290727	Soil	1.1	7.5	13.0	62	<0.1	8.8	3.4	339	2.37	5.8	1.4	3.8	10.9	12	<0.1	0.4	0.2	56	0.11	0.031
1290710	Soil	4.0	81.9	14.5	183	0.4	81.1	21.1	795	4.24	54.7	1.7	1.6	3.6	23	0.4	4.7	0.2	93	0.37	0.063
1290706	Soil	5.7	133.2	15.2	125	0.8	56.1	21.3	2304	3.84	77.9	2.9	2.0	7.3	22	0.2	2.4	0.4	33	0.23	0.032
1269110	Soil	1.4	15.7	9.7	81	<0.1	23.8	19.6	610	3.63	5.1	0.8	3.2	8.6	31	<0.1	0.2	0.2	84	0.58	0.080
1290724	Soil	0.9	14.3	16.7	53	<0.1	14.7	6.3	272	2.41	8.1	1.8	2.3	16.2	11	<0.1	0.6	0.2	45	0.08	0.017
1290721	Soil	0.9	19.0	9.0	52	<0.1	23.1	7.4	277	2.26	7.2	1.1	3.3	11.2	24	<0.1	0.5	<0.1	56	0.25	0.018
1269111	Soil	0.7	18.8	12.3	74	<0.1	151.6	26.6	590	4.20	21.0	1.3	2.7	10.8	18	<0.1	0.5	0.2	58	0.32	0.074
1269112	Soil	1.2	25.9	22.9	77	0.1	31.5	16.3	497	3.53	8.4	0.8	3.2	4.7	20	0.3	0.3	0.2	65	0.25	0.034
1269109	Soil	1.8	22.7	14.1	70	<0.1	26.4	16.5	368	3.42	7.1	1.6	16.9	9.7	30	<0.1	0.4	0.2	83	0.51	0.072
1269116	Soil	0.5	27.0	5.9	63	<0.1	68.8	21.5	514	3.62	28.4	0.7	2.6	6.5	22	<0.1	0.2	0.2	66	0.57	0.045
1290729	Soil	1.0	23.3	8.8	60	0.2	30.8	10.3	411	2.61	7.6	2.3	4.5	6.7	42	0.1	0.4	<0.1	49	0.38	0.044
1269107	Soil	0.6	48.5	9.4	62	0.1	35.3	15.8	366	2.83	4.5	2.4	5.6	6.9	46	0.2	0.3	0.5	67	0.97	0.068
1269117	Soil	0.9	32.0	8.9	51	<0.1	40.7	14.6	489	2.91	17.2	1.5	2.4	5.6	38	<0.1	0.3	0.8	55	0.94	0.049
1269114	Soil	0.7	79.7	6.5	46	<0.1	38.7	20.6	507	3.83	10.1	1.3	1.7	6.3	39	0.1	0.2	0.4	101	0.91	0.044
1290728	Soil	1.4	18.6	9.5	70	<0.1	18.8	8.8	279	2.51	14.9	3.3	2.2	14.0	25	<0.1	0.5	0.1	44	0.22	0.041
1269108	Soil	1.3	21.5	7.4	75	<0.1	48.7	23.8	646	4.27	3.6	0.6	2.4	5.9	32	<0.1	0.2	<0.1	90	0.64	0.072
1269118	Soil	1.3	25.2	11.1	52	<0.1	34.5	14.0	533	2.98	15.2	1.2	1.8	11.0	30	<0.1	0.3	0.4	63	0.68	0.026
1269119	Soil	1.6	26.2	9.2	43	<0.1	29.9	13.3	637	2.36	10.1	2.2	4.0	12.4	40	0.2	0.3	0.3	47	0.94	0.039
1269113	Soil	1.1	47.0	19.8	94	<0.1	88.6	27.8	679	5.47	41.2	1.6	2.4	16.4	16	<0.1	0.4	0.2	63	0.26	0.046
1290681	Soil	2.9	35.2	11.7	96	0.7	39.4	15.1	848	2.95	55.7	0.8	8.7	1.7	17	0.5	0.6	0.2	67	0.15	0.079
1269106	Soil	0.7	21.7	9.4	66	<0.1	27.7	18.3	701	3.46	8.3	1.0	16.5	6.0	52	0.1	0.2	0.2	71	1.17	0.087
1290682	Soil	3.8	70.2	9.1	103	0.5	67.6	11.8	458	3.59	32.4	2.7	4.9	5.7	21	0.2	0.9	0.2	65	0.18	0.026
1290626	Soil	1.0	26.8	9.5	55	0.2	30.4	11.2	337	2.56	9.2	0.7	4.5	7.6	19	<0.1	0.7	<0.1	55	0.30	0.041
1290689	Soil	1.6	33.8	10.5	79	0.3	25.5	9.0	199	2.53	24.6	1.1	1.7	0.7	22	0.5	0.3	0.2	69	0.51	0.044
1290685	Soil	2.7	53.9	17.4	107	0.2	47.3	12.4	291	3.08	16.4	1.2	0.7	5.7	23	0.2	0.4	0.2	73	0.31	0.036
1269120	Soil	1.5	42.6	20.8	47	0.2	31.6	12.3	591	2.57	8.1	3.1	5.3	10.6	39	0.2	0.3	0.3	58	1.26	0.052
1290666	Soil	3.1	54.2	7.1	91	0.8	18.0	4.0	126	3.36	11.1	1.3	4.2	7.7	9	0.1	2.1	0.2	62	0.09	0.054

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000208.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1290701	Rock Pulp	4	29	0.74	83	0.107	2	1.35	0.077	0.11	12.9	0.01	4.5	<0.1	0.08	5	<0.5	<0.2
1290705	Soil	18	32	0.20	426	0.003	2	0.53	0.006	0.13	0.2	0.03	7.0	0.4	<0.05	2	1.8	<0.2
1269105	Soil	25	45	1.42	252	0.133	<1	2.05	0.013	0.44	0.2	0.02	5.3	0.4	0.06	7	0.7	<0.2
1290727	Soil	17	19	0.20	84	0.042	<1	1.33	0.007	0.04	0.2	0.03	2.1	0.1	<0.05	7	<0.5	<0.2
1290710	Soil	9	43	0.14	774	0.012	<1	0.69	0.004	0.07	<0.1	0.04	13.6	0.2	<0.05	2	1.2	<0.2
1290706	Soil	25	18	0.13	441	0.002	<1	0.47	0.003	0.09	0.1	0.02	5.1	0.1	<0.05	2	1.4	<0.2
1269110	Soil	10	43	1.34	186	0.152	1	2.08	0.011	0.39	0.1	<0.01	4.9	0.4	<0.05	8	<0.5	<0.2
1290724	Soil	20	28	0.34	138	0.039	<1	1.58	0.008	0.05	0.2	<0.01	2.5	0.1	<0.05	5	<0.5	<0.2
1290721	Soil	28	33	0.59	177	0.069	<1	1.42	0.012	0.07	0.1	<0.01	3.3	<0.1	<0.05	5	<0.5	<0.2
1269111	Soil	19	240	1.99	183	0.146	2	2.72	0.006	0.41	<0.1	<0.01	5.3	0.7	0.06	8	<0.5	<0.2
1269112	Soil	8	50	0.94	122	0.122	<1	2.32	0.008	0.42	0.1	0.02	3.4	0.3	0.05	8	0.6	<0.2
1269109	Soil	23	44	1.07	187	0.125	1	1.99	0.014	0.17	0.2	0.04	5.6	0.3	<0.05	7	<0.5	<0.2
1269116	Soil	11	154	1.83	141	0.160	<1	2.45	0.009	0.59	<0.1	<0.01	3.7	0.6	0.06	7	<0.5	<0.2
1290729	Soil	46	39	0.60	167	0.077	<1	1.54	0.011	0.12	0.1	0.03	4.5	0.1	0.10	6	<0.5	<0.2
1269107	Soil	31	64	1.10	229	0.118	1	1.95	0.014	0.28	0.2	0.06	7.0	0.3	0.14	6	0.9	<0.2
1269117	Soil	26	66	1.05	179	0.096	<1	1.84	0.014	0.23	0.1	0.03	4.7	0.3	0.09	6	0.6	<0.2
1269114	Soil	32	61	1.85	185	0.099	1	2.70	0.012	0.42	0.1	0.02	7.6	0.4	0.10	7	<0.5	<0.2
1290728	Soil	52	29	0.48	87	0.067	<1	1.36	0.012	0.09	0.1	<0.01	3.2	0.1	0.09	5	<0.5	<0.2
1269108	Soil	10	87	1.95	235	0.206	<1	2.58	0.009	0.49	0.1	0.01	3.8	0.4	0.11	8	<0.5	<0.2
1269118	Soil	18	62	0.89	168	0.103	1	1.89	0.015	0.16	0.2	0.03	4.5	0.3	0.09	6	<0.5	<0.2
1269119	Soil	36	48	0.65	158	0.064	1	1.41	0.014	0.12	0.2	0.05	5.1	0.2	0.10	4	<0.5	<0.2
1269113	Soil	18	86	1.20	147	0.119	<1	2.34	0.005	0.46	<0.1	<0.01	6.2	0.6	0.07	7	<0.5	<0.2
1290681	Soil	11	32	0.33	420	0.031	<1	1.18	0.008	0.06	0.2	0.04	3.3	0.2	0.08	4	<0.5	<0.2
1269106	Soil	25	49	1.11	184	0.094	1	1.73	0.013	0.20	0.1	0.04	7.0	0.3	0.08	6	<0.5	<0.2
1290682	Soil	19	34	0.37	656	0.023	<1	1.15	0.006	0.06	0.1	0.06	7.8	0.2	0.09	3	1.6	<0.2
1290626	Soil	18	44	0.63	180	0.070	1	1.32	0.010	0.26	0.2	<0.01	4.9	0.1	0.08	5	<0.5	<0.2
1290689	Soil	14	38	0.48	429	0.035	2	1.32	0.010	0.06	0.1	0.05	3.1	0.1	<0.05	5	0.6	<0.2
1290685	Soil	16	55	0.81	456	0.055	1	1.67	0.010	0.09	0.1	0.03	6.3	<0.1	<0.05	5	1.3	<0.2
1269120	Soil	67	44	0.59	253	0.058	3	1.52	0.013	0.14	0.2	0.08	5.8	0.2	0.06	4	<0.5	<0.2
1290666	Soil	22	44	0.70	620	0.058	<1	1.42	0.006	0.24	<0.1	<0.01	3.2	0.6	0.07	5	2.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000208.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1290684	Soil		7.3	66.8	9.1	63	0.7	10.4	2.8	97	2.85	3.1	2.3	1.4	7.0	12	<0.1	0.2	0.2	90	0.07	0.024
1290690	Soil		2.6	48.1	23.2	192	0.4	47.8	13.3	546	3.82	110.6	1.1	1.0	5.5	11	0.7	0.8	0.2	71	0.20	0.052
1269115	Soil		0.8	43.3	9.0	52	0.1	34.9	14.1	443	3.23	11.8	1.8	3.8	5.6	31	<0.1	0.4	0.4	69	0.79	0.055
1290692	Soil		1.1	15.9	9.1	56	0.1	16.9	9.6	497	2.70	17.8	0.5	1.9	3.4	14	0.1	0.4	0.1	55	0.24	0.029
1290691	Soil		1.7	94.4	8.6	139	<0.1	54.2	26.4	636	5.64	4.1	1.4	1.8	5.1	17	<0.1	<0.1	0.2	178	0.79	0.239
1290693	Soil		1.0	24.8	8.8	61	<0.1	50.0	15.1	424	4.25	11.9	0.7	0.6	3.7	14	<0.1	0.3	0.1	77	0.32	0.037
1290667	Soil		0.9	22.8	10.7	69	0.2	37.6	13.8	429	3.17	6.6	1.0	1.1	9.6	21	0.1	0.4	0.1	61	0.38	0.050
1290683	Soil		6.8	56.8	9.6	103	0.5	50.5	7.9	180	3.53	7.2	1.6	<0.5	4.7	15	0.2	0.3	0.1	144	0.11	0.060
1290688	Soil		2.5	28.7	5.8	55	0.5	20.0	10.7	645	1.87	11.5	2.6	3.0	1.5	46	0.4	0.3	0.2	41	1.55	0.085
1290687	Soil		1.6	21.4	7.7	72	0.2	22.8	7.2	149	2.15	18.0	0.8	1.0	2.2	14	0.1	0.2	0.1	60	0.24	0.070
1290678	Soil		5.4	69.8	12.9	146	0.7	59.0	11.9	302	2.96	59.4	1.2	7.7	4.2	42	0.4	1.1	0.3	67	0.40	0.034
1290625	Soil		0.9	56.5	10.8	97	0.2	51.5	21.8	498	4.56	9.5	1.1	3.3	9.1	16	<0.1	0.6	<0.1	95	0.41	0.066
1290668	Soil		0.4	71.0	24.9	98	0.2	71.8	23.1	637	4.74	4.2	0.6	5.7	8.5	40	<0.1	0.3	0.2	73	1.41	0.096
1290686	Soil		2.0	54.8	4.8	105	<0.1	36.1	10.1	260	3.28	4.2	1.5	<0.5	6.5	19	<0.1	0.1	<0.1	110	0.29	0.072
1290672	Soil		4.4	114.5	13.0	84	0.2	46.8	14.0	712	4.11	18.5	2.9	4.9	12.3	29	0.2	0.6	0.3	62	0.24	0.055
1290694	Soil		0.9	17.4	7.9	42	0.2	20.5	9.2	389	2.56	8.2	0.7	2.6	4.7	22	0.1	0.5	0.1	59	0.33	0.018
1290676	Soil		2.9	65.2	13.0	114	0.2	52.4	13.7	490	3.10	21.8	1.1	4.1	7.2	22	0.3	0.7	0.2	70	0.41	0.042
1290679	Soil		2.4	66.0	11.1	106	0.3	59.3	17.7	1045	4.08	24.7	1.4	4.6	10.9	28	0.3	0.6	0.2	83	1.18	0.060
1290670	Soil		0.4	55.0	11.2	105	0.2	58.4	22.0	572	4.44	4.6	0.8	11.0	10.5	30	<0.1	0.2	<0.1	66	1.21	0.062
1290665	Soil		2.3	102.9	15.6	212	1.4	125.5	19.0	468	6.87	8.4	4.8	7.7	9.0	18	0.3	1.3	0.2	89	0.34	0.119
1290680	Soil		1.8	53.3	10.0	64	0.5	46.8	13.8	798	2.90	12.8	6.7	5.7	4.2	43	0.4	0.6	0.2	68	0.72	0.050
1290673	Soil		1.1	49.9	9.3	84	0.5	37.8	7.0	146	3.31	1.7	2.4	2.3	12.1	26	0.1	0.1	0.2	58	0.27	0.086
1290669	Soil		0.6	35.9	9.8	49	0.3	50.1	15.8	425	2.79	6.7	0.9	9.9	6.0	114	0.1	0.4	<0.1	48	8.28	0.053
1290671	Soil		0.4	42.7	5.7	36	<0.1	58.6	19.6	513	2.61	2.6	0.8	1.9	5.3	191	<0.1	0.2	<0.1	45	7.25	0.111
1268765	Soil		0.7	27.9	12.6	75	0.1	52.0	20.9	704	4.43	20.7	0.8	<0.5	6.0	62	0.2	0.3	<0.1	71	1.79	0.099
1268769	Soil		0.8	26.5	10.5	59	<0.1	30.5	12.6	395	2.84	7.7	1.3	3.7	8.6	20	0.1	0.3	0.1	57	0.32	0.051
1268770	Soil		0.7	17.1	6.1	64	<0.1	25.8	12.0	389	2.75	6.0	0.7	0.6	6.4	20	<0.1	0.3	0.1	52	0.29	0.060
1290677	Soil		1.7	38.5	10.8	70	0.3	43.7	12.2	426	2.84	16.8	0.9	2.4	5.3	19	0.2	0.6	0.1	63	0.31	0.036
1268764	Soil		0.9	78.9	5.7	111	<0.1	83.7	31.8	726	5.07	3.6	0.5	0.9	5.5	29	0.1	<0.1	<0.1	61	0.70	0.070
1268768	Soil		1.1	28.2	2.3	79	<0.1	22.2	29.1	1082	6.12	1.1	0.6	1.4	3.5	61	<0.1	<0.1	<0.1	168	1.62	0.431

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000208.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1290684	Soil	19	34	0.65	402	0.052	1	1.37	0.018	0.24	<0.1	0.02	3.9	0.5	0.41	5	2.5	<0.2
1290690	Soil	19	49	0.51	375	0.031	1	1.29	0.005	0.14	0.1	0.03	6.3	0.3	<0.05	4	1.2	<0.2
1269115	Soil	40	55	1.05	237	0.079	2	1.95	0.017	0.12	0.2	0.05	6.0	0.2	<0.05	6	<0.5	<0.2
1290692	Soil	8	33	0.53	253	0.063	1	1.25	0.007	0.15	0.1	0.01	3.7	0.1	<0.05	4	<0.5	<0.2
1290691	Soil	11	100	2.47	582	0.202	<1	3.96	0.011	1.18	<0.1	<0.01	7.8	0.6	<0.05	15	0.7	<0.2
1290693	Soil	9	76	1.37	212	0.019	<1	2.44	0.007	0.14	<0.1	<0.01	9.4	<0.1	<0.05	8	<0.5	<0.2
1290667	Soil	27	57	0.73	318	0.072	1	1.75	0.008	0.25	0.1	0.01	5.2	0.1	<0.05	6	<0.5	<0.2
1290683	Soil	17	43	0.62	353	0.057	<1	1.53	0.012	0.14	0.2	0.01	3.1	0.2	0.09	5	1.3	<0.2
1290688	Soil	20	28	0.41	592	0.037	4	0.95	0.011	0.10	0.1	0.07	3.6	0.1	0.12	3	1.9	<0.2
1290687	Soil	12	36	0.52	187	0.047	1	1.21	0.007	0.06	0.1	0.02	2.8	<0.1	<0.05	4	0.6	<0.2
1290678	Soil	12	29	0.30	505	0.017	1	0.78	0.007	0.10	0.5	0.06	6.6	0.3	<0.05	3	2.0	<0.2
1290625	Soil	24	82	1.37	280	0.132	1	2.47	0.008	0.93	0.1	0.01	6.9	0.5	<0.05	8	0.5	<0.2
1290668	Soil	23	93	1.59	401	0.152	<1	2.42	0.008	0.68	0.1	0.04	5.4	0.5	<0.05	8	<0.5	<0.2
1290686	Soil	22	69	1.22	506	0.154	<1	2.26	0.012	0.68	<0.1	0.01	4.3	0.3	0.11	7	1.2	<0.2
1290672	Soil	60	39	1.10	358	0.067	<1	2.13	0.014	0.29	0.2	0.05	7.7	0.3	0.06	7	<0.5	<0.2
1290694	Soil	23	33	0.47	302	0.054	<1	1.51	0.013	0.07	0.2	0.02	4.8	<0.1	<0.05	5	0.6	<0.2
1290676	Soil	23	40	0.63	430	0.063	2	1.51	0.010	0.16	0.2	0.05	6.4	0.2	<0.05	5	1.2	<0.2
1290679	Soil	26	51	0.92	510	0.049	<1	1.65	0.008	0.24	<0.1	0.06	8.1	0.6	<0.05	5	1.4	<0.2
1290670	Soil	29	82	1.51	294	0.156	<1	2.39	0.009	0.71	<0.1	0.01	4.3	0.5	<0.05	8	<0.5	<0.2
1290665	Soil	25	44	0.83	378	0.044	<1	2.71	0.007	0.34	<0.1	0.08	6.2	0.6	<0.05	6	<0.5	<0.2
1290680	Soil	20	41	0.55	526	0.055	2	1.64	0.017	0.05	0.2	0.03	6.3	0.1	<0.05	5	0.9	<0.2
1290673	Soil	45	45	1.10	332	0.096	<1	1.94	0.008	0.69	<0.1	0.02	3.9	0.5	0.14	6	0.8	<0.2
1290669	Soil	22	83	1.35	429	0.078	2	1.72	0.013	0.15	0.2	0.04	4.9	0.2	<0.05	5	<0.5	<0.2
1290671	Soil	9	58	1.02	282	0.132	<1	1.12	0.019	0.11	0.3	0.02	4.2	0.4	<0.05	4	<0.5	<0.2
1268765	Soil	19	74	1.65	179	0.116	2	2.43	0.014	0.39	0.2	0.02	6.2	0.4	<0.05	7	<0.5	<0.2
1268769	Soil	26	40	0.66	211	0.087	2	1.77	0.013	0.11	0.1	0.02	4.8	0.2	<0.05	5	<0.5	<0.2
1268770	Soil	18	37	0.87	142	0.114	1	1.91	0.011	0.25	0.1	<0.01	2.7	0.3	<0.05	6	<0.5	<0.2
1290677	Soil	17	41	0.56	479	0.062	2	1.41	0.012	0.12	0.1	0.02	5.4	0.2	<0.05	4	<0.5	<0.2
1268764	Soil	7	93	2.14	104	0.190	<1	2.51	0.005	0.82	0.1	<0.01	2.4	0.7	<0.05	6	<0.5	<0.2
1268768	Soil	29	33	2.11	845	0.137	<1	2.79	0.022	1.33	0.3	<0.01	6.3	0.5	<0.05	10	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000208.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1268771	Soil		0.6	24.3	10.8	65	<0.1	41.2	10.5	447	3.26	4.8	0.5	<0.5	6.2	15	<0.1	<0.1	0.2	47	0.26	0.064
1290675	Soil		2.3	71.1	10.8	107	0.7	47.3	13.4	537	3.06	16.0	1.3	5.7	7.6	64	0.4	0.7	0.2	57	3.61	0.072
1268775	Soil		1.1	20.6	9.6	57	<0.1	36.3	10.7	353	3.25	12.5	0.5	2.8	6.8	20	<0.1	0.5	0.2	74	0.23	0.021
1268767	Soil		0.5	24.3	23.2	52	<0.1	74.7	26.2	636	3.94	4.0	0.6	3.2	6.6	24	<0.1	0.1	0.1	112	0.60	0.074
1268774	Soil		0.6	23.9	5.3	66	<0.1	47.7	19.1	614	4.12	10.3	1.0	1.5	4.6	20	<0.1	0.2	0.2	75	0.44	0.035
1290674	Soil		4.3	60.1	14.7	164	0.7	48.7	13.5	593	3.47	26.5	1.3	2.4	5.1	20	0.6	0.7	0.3	71	0.33	0.085
1268781	Soil		1.3	16.9	12.0	59	0.2	26.6	14.3	976	3.42	9.4	0.6	4.0	5.1	20	0.1	0.4	0.2	80	0.27	0.046
1268766	Soil		0.5	16.8	6.5	76	<0.1	26.3	21.9	588	4.44	10.3	0.5	2.3	4.8	28	0.1	0.2	0.1	76	0.47	0.085
1268772	Soil		1.0	27.1	9.4	45	<0.1	60.1	18.0	467	4.63	24.9	0.7	24.3	10.7	12	<0.1	0.1	1.6	79	0.51	0.058
1268773	Soil		0.5	32.1	3.7	44	<0.1	23.8	20.9	503	3.87	5.7	0.3	0.8	2.0	14	<0.1	0.3	0.1	90	0.38	0.031
1269693	Soil		3.6	109.3	48.2	123	1.7	69.1	15.5	1054	3.44	67.0	1.6	4.5	6.0	40	0.6	2.4	0.3	33	2.24	0.048
1290628	Soil		1.3	15.7	9.8	55	<0.1	21.2	9.8	452	2.59	7.9	1.1	3.0	15.5	20	<0.1	0.9	0.1	56	0.36	0.029
1269690	Soil		5.4	86.7	48.5	276	0.5	73.8	23.1	1888	4.48	265.1	2.2	5.4	10.0	17	1.0	2.3	0.3	49	0.34	0.062
1268783	Soil		1.2	23.6	12.1	47	<0.1	29.9	11.0	379	2.85	8.6	1.2	3.4	17.1	20	<0.1	0.5	0.2	69	0.30	0.017
1269692	Soil		2.2	52.1	21.9	116	0.3	47.8	21.7	1659	4.17	119.2	1.7	3.0	18.4	49	0.1	1.3	0.2	19	4.31	0.044
1269691	Soil		2.8	72.4	46.3	137	0.8	50.5	14.6	1119	3.16	94.9	1.2	5.9	9.1	28	0.4	2.0	0.2	23	0.86	0.041
1269689	Soil		3.1	74.8	100.4	223	0.5	69.3	24.7	1634	4.98	114.3	2.0	5.3	8.6	14	0.6	2.4	0.3	71	0.29	0.039
1268785	Soil		1.4	12.7	10.6	34	0.1	16.2	9.3	635	2.08	3.8	1.0	5.6	12.5	19	<0.1	0.5	0.2	50	0.31	0.019
1290630	Soil		1.0	17.7	9.8	47	0.1	19.9	8.4	421	2.23	8.7	1.0	1.4	14.3	18	<0.1	0.5	0.1	50	0.34	0.024
1290632	Soil		1.1	11.6	8.7	55	<0.1	17.4	8.1	434	2.28	6.0	0.7	2.9	9.7	19	<0.1	0.5	0.1	55	0.28	0.023
1269688	Soil		2.4	61.9	50.4	151	0.6	54.6	19.0	1209	4.09	82.2	2.0	5.8	6.2	61	0.9	1.7	0.3	62	0.58	0.047
1268784	Soil		1.3	19.1	10.5	50	<0.1	19.7	8.3	341	2.40	5.4	1.4	2.6	23.0	14	<0.1	0.3	0.3	46	0.20	0.013
1269697	Soil		3.7	89.1	48.1	143	0.7	58.3	15.0	920	3.71	86.6	1.3	5.8	4.1	21	0.3	4.2	0.2	47	0.29	0.027
1290631	Soil		0.9	14.3	9.1	53	0.1	19.8	9.1	504	2.36	7.0	0.9	2.5	12.2	21	<0.1	0.4	0.1	52	0.34	0.027
1269699	Soil		2.4	61.3	11.9	68	0.2	40.2	17.7	1288	3.27	58.8	1.0	5.2	3.4	30	<0.1	2.8	0.2	71	1.00	0.025
1290641	Soil		0.5	37.7	10.5	65	0.1	38.6	16.7	514	3.22	6.4	2.1	1.4	7.7	40	<0.1	0.2	<0.1	59	1.02	0.048
1268782	Soil		0.9	15.5	9.9	45	<0.1	24.9	13.5	421	2.83	5.6	1.1	0.8	15.2	18	<0.1	0.5	0.2	69	0.33	0.034
1268778	Soil		1.4	26.2	11.7	48	0.1	29.4	11.5	449	3.01	10.2	1.7	4.2	14.0	19	<0.1	0.5	0.2	75	0.24	0.017
1268786	Soil		1.6	11.9	13.0	29	<0.1	14.8	5.7	294	1.59	6.4	0.8	1.4	24.8	13	<0.1	0.5	0.3	38	0.16	0.010
1268791	Soil		1.9	11.9	10.9	36	<0.1	13.1	6.3	244	1.83	5.3	1.1	<0.5	13.9	18	<0.1	0.3	0.3	42	0.25	0.021

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000208.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1268771	Soil	9	50	1.62	139	0.161	1	2.31	0.008	0.78	<0.1	<0.01	1.8	0.5	<0.05	7	<0.5	<0.2
1290675	Soil	23	33	0.80	729	0.062	2	1.47	0.017	0.16	0.1	0.07	5.1	0.3	<0.05	5	1.2	<0.2
1268775	Soil	9	51	0.74	136	0.092	<1	2.62	0.008	0.09	0.3	0.02	3.3	0.1	<0.05	7	<0.5	<0.2
1268767	Soil	17	278	2.60	304	0.138	<1	2.54	0.010	0.53	0.1	0.01	11.8	0.4	<0.05	8	<0.5	<0.2
1268774	Soil	6	120	1.89	118	0.105	<1	2.98	0.009	0.26	0.2	0.01	6.9	0.2	<0.05	9	<0.5	<0.2
1290674	Soil	14	34	0.35	827	0.030	1	1.11	0.006	0.16	0.2	0.02	6.0	0.3	<0.05	4	2.1	<0.2
1268781	Soil	17	47	0.79	220	0.089	1	2.15	0.011	0.12	0.2	0.02	4.1	0.2	<0.05	7	<0.5	<0.2
1268766	Soil	14	47	1.61	190	0.134	<1	2.63	0.012	0.30	0.2	0.01	3.7	0.4	<0.05	6	<0.5	<0.2
1268772	Soil	33	84	1.68	217	0.137	<1	2.71	0.009	0.34	<0.1	<0.01	8.5	0.4	<0.05	9	<0.5	<0.2
1268773	Soil	4	33	1.54	141	0.137	<1	2.59	0.014	0.25	0.1	0.01	4.2	0.2	<0.05	6	<0.5	<0.2
1269693	Soil	22	19	0.21	880	0.007	1	0.55	0.004	0.10	0.1	0.05	3.8	0.1	<0.05	2	2.2	<0.2
1290628	Soil	40	35	0.49	197	0.062	1	1.50	0.010	0.18	0.1	0.01	5.2	0.1	<0.05	5	<0.5	<0.2
1269690	Soil	34	23	0.21	545	0.005	1	0.75	0.006	0.08	0.2	0.06	6.5	0.3	<0.05	2	1.4	<0.2
1268783	Soil	38	51	0.67	228	0.082	1	1.73	0.016	0.08	0.2	0.02	6.3	0.1	<0.05	5	<0.5	<0.2
1269692	Soil	40	15	0.27	388	0.002	1	0.56	0.006	0.09	<0.1	0.02	4.7	0.1	<0.05	2	0.8	<0.2
1269691	Soil	26	17	0.21	339	0.011	1	0.57	0.007	0.08	<0.1	0.04	4.4	0.2	<0.05	2	0.8	<0.2
1269689	Soil	25	51	0.61	480	0.047	<1	1.39	0.005	0.37	<0.1	0.03	9.7	0.3	<0.05	5	0.8	<0.2
1268785	Soil	22	27	0.35	202	0.041	<1	1.05	0.010	0.14	0.4	0.02	2.4	0.1	<0.05	4	<0.5	<0.2
1290630	Soil	31	29	0.35	146	0.057	1	1.16	0.010	0.13	0.2	0.02	4.3	<0.1	<0.05	4	<0.5	<0.2
1290632	Soil	19	30	0.40	231	0.042	<1	1.42	0.009	0.06	0.1	<0.01	3.8	0.1	<0.05	5	<0.5	<0.2
1269688	Soil	21	37	0.57	564	0.025	3	1.18	0.010	0.14	0.1	0.03	6.7	0.2	<0.05	4	0.8	<0.2
1268784	Soil	24	34	0.61	108	0.063	<1	1.34	0.008	0.20	0.4	0.02	3.2	0.3	<0.05	4	<0.5	<0.2
1269697	Soil	13	26	0.20	621	0.006	<1	0.62	0.004	0.07	<0.1	0.08	5.9	0.4	<0.05	2	1.4	<0.2
1290631	Soil	23	34	0.46	226	0.069	1	1.37	0.012	0.16	0.1	<0.01	4.6	0.1	<0.05	4	<0.5	<0.2
1269699	Soil	10	35	0.30	522	0.018	<1	1.03	0.008	0.07	0.1	0.05	8.0	0.2	<0.05	3	0.5	<0.2
1290641	Soil	26	57	0.94	186	0.091	2	1.68	0.014	0.12	<0.1	0.04	5.3	0.2	<0.05	6	<0.5	<0.2
1268782	Soil	25	62	1.04	152	0.086	<1	1.65	0.010	0.23	0.2	0.01	4.5	0.3	<0.05	5	<0.5	<0.2
1268778	Soil	30	50	0.65	192	0.089	<1	1.97	0.012	0.09	0.2	0.07	6.3	0.1	<0.05	6	<0.5	<0.2
1268786	Soil	10	25	0.31	108	0.039	<1	0.91	0.008	0.06	0.2	0.03	3.0	0.1	<0.05	3	<0.5	<0.2
1268791	Soil	12	25	0.35	115	0.052	<1	0.90	0.009	0.10	0.4	<0.01	2.1	0.1	<0.05	3	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000208.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1268780	Soil		1.4	15.2	13.1	51	<0.1	23.2	12.3	519	2.84	7.3	1.3	3.1	13.6	16	<0.1	0.3	0.2	68	0.23	0.015
1268777	Soil		1.3	20.5	11.6	51	<0.1	27.8	9.8	303	2.85	10.6	0.8	1.5	10.1	13	<0.1	0.6	0.1	70	0.13	0.015
1268792	Soil		1.6	25.7	13.8	48	<0.1	26.0	9.8	400	2.51	8.4	1.5	4.5	24.2	29	<0.1	0.6	1.7	56	0.46	0.035
1268793	Soil		1.8	23.3	13.9	42	<0.1	21.5	8.4	331	2.35	9.5	1.3	3.7	19.6	16	<0.1	0.3	0.2	48	0.19	0.032
1268779	Soil		1.1	17.3	11.8	44	<0.1	26.3	11.3	456	2.68	8.8	1.2	1.5	13.2	17	<0.1	0.3	0.2	66	0.23	0.014
1268790	Soil		1.4	12.9	10.4	35	<0.1	15.2	7.6	408	2.00	6.5	0.9	1.3	15.3	16	<0.1	0.4	0.3	47	0.22	0.019
1268788	Soil		1.1	9.2	11.0	28	<0.1	12.5	5.4	295	1.67	5.0	1.1	<0.5	15.5	13	<0.1	0.5	0.2	37	0.17	0.009
1268789	Soil		1.4	11.6	11.3	36	<0.1	16.4	7.6	324	2.20	5.9	0.6	0.8	9.7	18	<0.1	0.5	0.2	52	0.23	0.013
1268776	Soil		1.2	17.9	9.4	53	<0.1	30.7	10.4	414	2.87	9.2	0.5	1.0	5.4	21	<0.1	0.4	0.2	68	0.26	0.021
1268794	Soil		0.9	22.6	6.7	46	<0.1	33.0	22.3	700	4.05	5.8	1.5	3.5	19.4	28	<0.1	0.2	<0.1	106	0.82	0.125
1268795	Soil		0.8	7.9	5.4	70	<0.1	6.6	3.3	1076	3.69	1.6	1.0	<0.5	13.1	13	<0.1	<0.1	<0.1	12	0.38	0.054
1268787	Soil		1.1	15.6	10.0	40	<0.1	22.6	8.5	310	2.36	9.0	0.6	<0.5	11.6	16	<0.1	0.5	0.2	61	0.20	0.011
1290636	Soil		1.2	11.3	12.3	51	<0.1	10.5	4.3	201	2.37	5.9	1.6	<0.5	16.4	7	<0.1	0.3	0.2	42	0.07	0.025
1290637	Soil		1.4	18.5	12.7	70	<0.1	23.8	11.3	309	3.25	8.0	1.1	1.9	12.9	12	0.2	0.4	0.2	63	0.13	0.029
1269700	Soil		2.2	73.0	10.8	79	0.6	51.6	13.4	1259	2.80	123.7	1.0	5.1	2.3	23	0.1	5.3	0.2	44	0.28	0.026
1269694	Soil		10.9	111.5	17.3	207	1.4	81.5	14.3	1003	3.20	73.8	2.1	1.1	5.2	27	1.2	2.1	0.2	57	0.23	0.075
1290640	Soil		1.4	29.5	6.5	78	0.1	37.5	17.5	437	4.23	3.0	1.6	<0.5	9.3	32	0.1	0.2	<0.1	69	0.66	0.064
1290639	Soil		0.4	29.7	4.0	97	<0.1	41.8	26.2	520	4.35	2.4	0.7	<0.5	4.7	29	<0.1	<0.1	<0.1	77	0.83	0.151
1290633	Soil		1.0	7.5	14.0	72	<0.1	7.8	3.2	161	2.10	3.8	3.0	<0.5	26.1	7	<0.1	0.4	0.2	23	0.07	0.011
1269695	Soil		4.4	110.4	15.4	133	0.3	62.3	17.7	1194	4.71	33.5	1.7	0.5	7.8	16	0.2	1.2	0.3	69	0.24	0.036
1290634	Soil		1.2	16.7	11.2	59	<0.1	24.6	9.7	305	3.08	11.6	0.8	<0.5	13.1	17	<0.1	0.5	0.1	64	0.19	0.046
1282764	Soil		1.3	25.5	14.5	66	0.2	24.1	10.4	295	2.43	31.9	2.2	25.8	6.0	46	0.3	1.1	0.2	45	0.92	0.060
1290635	Soil		0.7	13.9	9.4	48	<0.1	19.6	5.7	215	2.30	4.6	1.4	3.2	21.6	11	<0.1	0.4	0.1	41	0.11	0.016
1269696	Soil		4.3	90.7	15.3	163	0.6	66.1	16.6	958	4.23	72.2	1.3	5.5	6.5	27	0.3	2.1	0.2	61	0.93	0.038
1290629	Soil		1.1	27.5	13.7	56	<0.1	57.5	15.7	652	2.91	3.6	1.8	0.9	17.9	30	0.1	0.8	0.2	67	0.52	0.055
1290627	Soil		1.0	27.5	10.2	51	<0.1	32.9	9.9	371	2.52	11.5	0.8	3.9	9.4	26	<0.1	1.1	0.1	53	0.43	0.038
1290638	Soil		1.6	17.1	11.8	58	<0.1	20.8	7.6	284	2.78	7.5	2.0	3.3	16.3	14	<0.1	0.3	0.2	50	0.18	0.024
1269698	Soil		6.5	62.7	16.2	67	0.4	36.1	12.9	869	3.68	242.7	1.5	2.7	4.2	36	0.2	6.6	0.3	60	0.39	0.051
1291119	Soil		2.1	28.2	10.0	68	0.4	31.7	11.2	375	2.88	25.6	0.7	<0.5	3.2	18	0.2	0.4	0.1	85	0.31	0.056
1282787	Soil		1.2	18.8	14.7	49	0.1	21.9	10.1	295	2.89	9.7	1.1	1.3	9.0	14	<0.1	0.7	0.2	69	0.13	0.016

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000208.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1268780	Soil	19	54	0.98	144	0.118	1	1.81	0.009	0.22	0.1	0.02	4.2	0.3	<0.05	6	<0.5	<0.2
1268777	Soil	9	46	0.57	147	0.080	<1	1.94	0.010	0.06	0.2	0.02	3.6	<0.1	<0.05	6	<0.5	<0.2
1268792	Soil	32	44	0.55	272	0.070	<1	1.52	0.013	0.11	0.5	0.06	5.0	0.2	<0.05	5	<0.5	<0.2
1268793	Soil	26	31	0.39	200	0.046	<1	1.14	0.010	0.06	0.2	0.03	3.5	0.1	<0.05	4	<0.5	<0.2
1268779	Soil	20	52	0.84	146	0.099	<1	1.79	0.010	0.13	0.3	0.01	4.3	0.2	<0.05	5	<0.5	<0.2
1268790	Soil	12	28	0.41	122	0.055	<1	1.12	0.010	0.09	0.5	<0.01	2.4	0.1	<0.05	4	<0.5	<0.2
1268788	Soil	7	22	0.34	98	0.039	<1	0.90	0.006	0.09	0.5	0.01	1.8	0.1	<0.05	3	<0.5	<0.2
1268789	Soil	9	29	0.41	143	0.056	<1	1.21	0.011	0.08	0.3	0.01	2.4	<0.1	<0.05	4	<0.5	<0.2
1268776	Soil	7	44	0.64	150	0.088	2	2.16	0.009	0.08	0.3	0.02	2.8	0.1	<0.05	7	<0.5	<0.2
1268794	Soil	39	51	1.90	532	0.132	2	2.12	0.007	0.30	0.2	0.05	8.2	0.3	<0.05	7	<0.5	<0.2
1268795	Soil	60	10	0.76	120	0.087	2	1.63	0.006	0.37	<0.1	0.01	10.9	0.1	<0.05	9	<0.5	<0.2
1268787	Soil	10	36	0.48	145	0.059	1	1.55	0.008	0.07	0.2	0.01	3.0	<0.1	<0.05	5	<0.5	<0.2
1290636	Soil	35	22	0.26	67	0.041	1	1.36	0.006	0.03	0.2	0.02	2.0	<0.1	<0.05	5	<0.5	<0.2
1290637	Soil	23	45	0.60	123	0.081	2	2.12	0.008	0.11	0.2	0.03	3.1	0.2	<0.05	7	<0.5	<0.2
1269700	Soil	8	22	0.20	928	0.008	2	0.67	0.004	0.06	<0.1	0.09	7.5	0.3	<0.05	2	0.8	<0.2
1269694	Soil	17	19	0.09	373	0.002	1	0.42	0.004	0.08	0.2	0.06	4.7	0.2	<0.05	1	2.6	<0.2
1290640	Soil	22	72	1.46	131	0.171	1	1.99	0.010	0.43	0.1	0.02	4.3	0.4	0.06	8	<0.5	<0.2
1290639	Soil	27	49	2.41	340	0.208	1	2.92	0.010	0.73	<0.1	<0.01	2.2	0.4	<0.05	7	<0.5	<0.2
1290633	Soil	44	14	0.28	30	0.032	1	1.08	0.004	0.10	0.2	0.01	2.4	0.2	<0.05	5	<0.5	<0.2
1269695	Soil	20	34	0.23	273	0.009	1	1.03	0.004	0.10	0.1	0.05	10.0	<0.1	<0.05	3	1.5	<0.2
1290634	Soil	11	35	0.46	248	0.047	2	2.21	0.008	0.06	0.2	0.02	3.2	0.1	<0.05	7	<0.5	<0.2
1282764	Soil	15	26	0.36	235	0.031	2	0.79	0.014	0.07	0.1	0.03	3.7	0.1	<0.05	3	0.8	<0.2
1290635	Soil	50	30	0.37	138	0.050	2	1.76	0.007	0.06	0.1	0.01	2.8	0.2	<0.05	5	<0.5	<0.2
1269696	Soil	17	31	0.27	369	0.008	2	0.78	0.006	0.07	<0.1	0.08	6.8	0.2	<0.05	3	1.0	<0.2
1290629	Soil	53	97	1.00	195	0.084	2	1.75	0.012	0.21	0.1	0.02	7.8	0.2	<0.05	6	<0.5	<0.2
1290627	Soil	35	36	0.51	248	0.063	2	1.11	0.022	0.08	0.1	0.03	5.0	<0.1	<0.05	4	<0.5	<0.2
1290638	Soil	38	34	0.48	92	0.051	1	1.47	0.007	0.05	0.1	0.01	3.0	0.1	<0.05	6	<0.5	<0.2
1269698	Soil	11	30	0.29	336	0.024	2	0.76	0.012	0.10	0.2	0.18	7.1	2.1	0.14	3	0.9	<0.2
1291119	Soil	10	69	0.89	307	0.084	1	1.42	0.010	0.20	0.2	0.01	4.2	0.2	<0.05	6	0.7	<0.2
1282787	Soil	20	44	0.46	216	0.070	1	2.01	0.010	0.04	0.1	0.02	4.1	0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000208.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1282782	Soil	0.8	16.7	9.3	42	<0.1	22.8	8.5	334	2.35	6.8	1.0	2.9	10.0	19	<0.1	0.5	0.1	53	0.30	0.029
1282765	Soil	3.9	83.9	29.8	171	0.5	69.0	18.1	925	3.76	84.3	2.3	4.0	7.0	20	0.6	3.3	0.2	53	0.43	0.044
1291110	Soil	3.5	46.6	10.2	97	0.6	33.8	10.6	359	2.48	24.1	1.5	5.3	3.0	26	0.6	0.6	0.2	54	0.40	0.061
1282788	Soil	1.1	24.8	12.9	56	<0.1	21.6	9.7	421	2.62	8.7	2.5	5.8	14.3	19	<0.1	0.5	0.2	58	0.25	0.031
1282773	Soil	2.6	68.4	14.6	88	0.5	46.5	14.1	934	3.05	60.6	1.5	12.9	11.8	43	0.2	3.1	0.3	50	2.18	0.022
1282783	Soil	0.8	14.3	8.8	48	<0.1	18.8	7.4	344	2.16	5.7	1.3	1.3	11.2	19	<0.1	0.4	0.1	54	0.28	0.029
1291107	Soil	1.5	72.4	9.6	66	0.3	35.6	12.4	465	2.79	11.4	1.5	5.3	6.7	28	<0.1	0.4	0.2	76	0.49	0.096
1282789	Soil	2.1	47.3	13.5	84	<0.1	49.1	15.8	475	4.36	9.1	2.8	1.9	12.5	18	0.1	0.2	<0.1	56	0.36	0.048
1282785	Soil	0.9	12.5	9.0	49	<0.1	18.4	9.1	601	2.28	6.2	0.8	<0.5	6.3	16	0.1	0.4	0.1	59	0.19	0.022
1282784	Soil	0.7	17.6	7.8	49	<0.1	26.4	8.9	352	2.37	6.3	0.8	<0.5	6.9	20	0.1	0.9	0.1	63	0.31	0.032
1291121	Soil	2.9	52.7	12.1	100	0.2	45.5	12.8	447	3.06	54.9	1.6	5.6	5.9	20	0.2	0.6	0.2	90	0.34	0.042
1282790	Soil	0.9	35.2	7.9	87	<0.1	41.8	18.3	425	4.48	3.9	1.6	0.9	12.6	22	0.1	0.2	<0.1	75	0.37	0.053
1282786	Soil	1.0	12.0	10.1	75	<0.1	18.5	9.0	1379	2.50	5.9	1.5	2.8	7.6	14	0.2	0.5	0.2	55	0.15	0.029
1282772	Soil	3.5	71.1	15.9	106	0.4	57.6	19.5	1045	3.79	429.1	1.9	6.9	4.1	15	0.4	2.0	0.2	61	0.29	0.046
1291114	Soil	1.2	31.1	3.2	72	0.1	13.5	7.2	357	3.66	2.2	1.7	1.1	5.7	14	<0.1	0.1	<0.1	58	0.18	0.028
1290697	Soil	1.1	26.9	15.6	47	0.1	27.0	9.1	345	2.42	11.6	1.0	7.9	6.2	26	0.1	0.6	0.1	53	0.36	0.036
1291101	Rock Pulp	1.3	438.4	20.8	162	0.2	210.2	74.4	901	13.76	4.2	1.2	30.6	7.2	16	<0.1	0.6	0.1	210	0.30	0.043
1291105	Soil	2.3	40.3	14.4	103	0.5	55.0	12.5	218	2.67	27.7	1.0	5.1	5.0	21	0.3	1.3	0.3	62	0.19	0.040
1291104	Soil	2.2	59.7	11.7	105	0.2	68.0	17.3	520	3.47	18.1	1.3	9.4	8.5	17	0.1	1.1	0.2	56	0.35	0.052
1291113	Soil	2.1	34.9	6.8	50	0.3	15.7	5.9	246	2.47	7.1	1.2	3.0	4.6	22	0.1	0.5	0.1	51	0.14	0.021
1291115	Soil	1.6	51.1	8.5	48	0.5	27.1	7.4	205	2.50	9.7	1.4	3.3	4.5	21	0.1	0.5	<0.1	57	0.25	0.034
1291109	Soil	2.1	60.5	11.5	76	0.5	38.6	11.0	522	2.60	24.5	1.2	7.9	3.7	65	0.2	1.1	0.1	55	1.08	0.045
1291106	Soil	1.5	44.4	9.3	77	0.5	35.7	11.4	385	2.70	14.4	0.8	5.7	4.0	23	0.2	1.0	0.1	64	0.37	0.023
1291123	Soil	3.6	46.1	15.3	114	0.2	49.9	12.6	574	3.41	191.6	1.0	2.2	4.7	17	0.3	1.2	0.2	71	0.29	0.037
1291102	Soil	3.5	61.9	14.2	158	0.2	49.0	13.2	404	3.41	28.6	1.2	2.5	6.2	12	0.4	1.1	0.2	54	0.16	0.031
1291112	Soil	3.1	26.5	10.5	52	0.6	18.7	7.2	202	2.60	17.3	0.9	1.0	3.1	17	0.3	0.7	0.1	70	0.16	0.041
1290700	Soil	2.0	79.8	9.0	62	0.1	44.7	14.6	605	2.65	13.0	0.9	3.9	6.9	11	<0.1	1.0	0.2	50	0.18	0.013
1291117	Soil	1.8	40.4	8.1	83	<0.1	32.5	18.2	551	3.17	12.9	1.0	3.4	6.6	17	0.1	0.3	0.1	76	0.34	0.082
1291108	Soil	2.2	55.8	9.8	80	0.3	41.7	11.5	393	2.63	15.5	1.0	5.9	5.1	22	0.2	0.8	0.1	59	0.29	0.037
1291103	Soil	1.0	49.8	11.0	70	0.3	38.8	11.5	382	2.76	11.4	0.9	7.2	8.5	19	<0.1	0.7	0.2	51	0.33	0.030

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000208.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1282782	Soil	30	38	0.45	154	0.076	2	1.26	0.013	0.17	0.2	0.01	4.8	0.1	<0.05	4	<0.5	<0.2
1282765	Soil	22	31	0.24	509	0.007	2	0.74	0.006	0.08	0.1	0.04	5.8	0.2	<0.05	2	1.5	<0.2
1291110	Soil	13	26	0.34	332	0.034	1	1.06	0.010	0.05	0.2	0.04	3.7	0.1	<0.05	4	2.0	<0.2
1282788	Soil	65	36	0.48	238	0.066	2	1.63	0.011	0.05	0.2	0.04	5.9	0.1	<0.05	5	<0.5	<0.2
1282773	Soil	28	29	0.24	676	0.007	1	0.73	0.006	0.06	0.1	0.09	6.8	0.2	<0.05	3	1.0	<0.2
1282783	Soil	26	30	0.41	158	0.058	1	1.30	0.009	0.08	0.1	0.02	3.9	<0.1	<0.05	4	<0.5	<0.2
1291107	Soil	28	38	0.81	387	0.084	2	1.47	0.015	0.17	0.2	0.04	4.8	0.2	<0.05	5	<0.5	<0.2
1282789	Soil	24	70	1.21	190	0.112	<1	2.12	0.006	0.57	<0.1	0.01	5.7	0.4	<0.05	7	<0.5	<0.2
1282785	Soil	11	30	0.41	216	0.051	<1	1.44	0.009	0.04	0.1	0.01	2.4	0.1	<0.05	5	<0.5	<0.2
1282784	Soil	15	38	0.52	166	0.076	1	1.44	0.010	0.09	0.1	0.02	3.6	<0.1	<0.05	4	<0.5	<0.2
1291121	Soil	21	65	0.86	797	0.084	1	1.76	0.011	0.16	0.2	0.03	5.5	0.2	<0.05	6	0.8	<0.2
1282790	Soil	39	95	1.57	330	0.151	<1	2.71	0.011	0.47	<0.1	<0.01	6.2	0.3	<0.05	9	<0.5	<0.2
1282786	Soil	9	35	0.42	233	0.056	1	1.35	0.008	0.08	0.1	0.01	2.9	0.2	<0.05	6	<0.5	<0.2
1282772	Soil	12	27	0.19	485	0.004	1	0.71	0.004	0.08	0.1	0.09	7.6	1.0	<0.05	2	1.6	<0.2
1291114	Soil	15	9	0.77	452	0.205	<1	1.96	0.012	0.81	0.1	<0.01	3.7	0.4	0.06	7	<0.5	<0.2
1290697	Soil	21	42	0.64	410	0.062	<1	1.39	0.015	0.07	0.2	0.03	5.6	<0.1	<0.05	5	<0.5	<0.2
1291101	Rock Pulp	17	640	0.15	144	0.200	3	3.78	0.014	0.07	<0.1	0.03	39.4	0.1	0.09	20	1.0	<0.2
1291105	Soil	12	40	0.29	298	0.022	<1	0.93	0.007	0.08	0.7	0.03	8.3	0.3	<0.05	3	0.7	<0.2
1291104	Soil	19	43	0.61	306	0.043	<1	1.11	0.009	0.17	0.3	0.01	7.5	0.4	<0.05	4	0.7	<0.2
1291113	Soil	14	30	0.57	253	0.064	<1	1.19	0.013	0.18	<0.1	<0.01	3.2	0.1	0.16	4	1.0	<0.2
1291115	Soil	17	30	0.47	460	0.062	<1	1.20	0.014	0.17	<0.1	0.01	5.8	0.1	0.14	4	1.9	0.2
1291109	Soil	13	34	0.64	581	0.047	2	1.26	0.031	0.07	0.3	0.05	5.3	<0.1	<0.05	4	1.3	<0.2
1291106	Soil	13	31	0.50	471	0.050	1	1.24	0.015	0.08	0.3	0.10	7.6	0.1	0.05	4	1.0	<0.2
1291123	Soil	13	54	0.71	506	0.038	<1	1.40	0.007	0.12	0.1	<0.01	5.7	<0.1	0.06	5	0.8	<0.2
1291102	Soil	14	26	0.23	251	0.017	<1	0.75	0.005	0.08	0.3	<0.01	4.7	0.3	<0.05	3	1.3	<0.2
1291112	Soil	10	34	0.46	367	0.046	<1	1.48	0.010	0.07	0.2	0.03	3.1	<0.1	0.09	5	0.8	<0.2
1290700	Soil	13	31	0.92	222	0.072	<1	1.54	0.006	0.36	0.2	<0.01	4.4	0.3	<0.05	5	<0.5	<0.2
1291117	Soil	18	37	1.08	268	0.114	<1	1.87	0.010	0.45	0.2	<0.01	3.8	0.3	<0.05	7	0.8	<0.2
1291108	Soil	18	34	0.61	402	0.057	1	1.20	0.012	0.12	0.3	0.02	5.5	0.1	<0.05	4	1.4	<0.2
1291103	Soil	25	38	0.75	526	0.058	1	1.35	0.012	0.12	0.1	0.04	5.2	0.2	<0.05	5	0.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000208.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1291128	Soil		0.6	20.0	6.0	37	0.1	22.7	7.0	317	1.76	5.3	1.0	1.8	2.0	79	0.4	0.3	0.2	30	2.77	0.065
1282780	Soil		1.1	24.9	13.1	53	<0.1	26.2	9.0	398	2.65	9.8	1.1	5.0	16.8	23	<0.1	0.6	0.2	57	0.35	0.035
1282778	Soil		1.4	19.4	16.0	54	<0.1	29.1	8.8	349	2.73	10.9	1.2	18.6	19.9	21	0.1	0.6	0.2	56	0.29	0.027
1282777	Soil		1.2	25.1	16.8	49	<0.1	31.3	10.1	417	2.65	11.2	0.9	30.2	17.7	21	<0.1	0.6	0.2	58	0.36	0.025
1291118	Soil		1.6	36.0	9.7	92	0.1	38.5	11.9	249	3.79	18.6	1.1	1.0	6.4	15	<0.1	0.2	0.2	83	0.27	0.066
1282767	Soil		4.5	84.4	28.9	226	0.5	55.0	19.1	1619	4.82	111.0	2.7	8.0	10.5	20	0.3	3.2	0.2	43	0.24	0.048
1282769	Soil		5.4	92.7	31.8	165	0.9	57.8	23.9	2348	4.50	902.7	1.9	6.2	4.1	29	1.0	8.1	0.4	45	0.24	0.034
1282775	Soil		1.3	36.8	16.3	68	0.2	34.6	11.7	555	2.96	36.4	1.1	6.8	16.2	37	0.2	1.5	0.2	56	1.09	0.040
1282766	Soil		3.4	75.2	21.2	144	0.6	128.8	34.8	1785	6.23	108.1	2.9	3.5	8.5	28	0.4	3.1	0.2	78	1.82	0.073
1282768	Soil		3.7	87.2	30.3	166	0.7	70.5	26.7	1859	5.26	185.9	2.4	7.2	6.7	19	0.4	2.4	0.2	58	0.23	0.049
1282771	Soil		4.7	86.5	33.9	221	0.6	76.2	17.9	841	4.67	186.1	2.4	5.4	5.9	23	0.5	10.9	0.2	55	0.28	0.048
1282776	Soil		1.5	38.0	15.2	67	0.2	36.0	11.3	597	2.96	37.3	1.3	8.3	20.1	30	0.2	1.6	0.2	54	0.71	0.032
1282781	Soil		0.9	21.6	11.9	52	0.1	29.8	10.7	388	3.00	10.2	0.8	2.8	10.3	27	<0.1	0.5	0.1	66	0.42	0.037
1282770	Soil		6.1	87.7	35.0	225	1.0	84.8	22.1	624	4.28	127.5	2.7	2.2	3.4	59	0.8	8.8	0.2	80	4.46	0.058
1282779	Soil		1.2	27.1	16.4	50	<0.1	32.9	9.4	363	2.84	10.7	1.3	3.4	23.7	22	<0.1	0.6	0.2	54	0.30	0.029
1282774	Soil		3.6	93.3	18.8	139	0.4	68.6	19.9	1422	4.03	139.2	1.3	7.7	7.5	24	0.3	5.1	0.3	64	0.15	0.026
1284533	Soil		1.2	46.1	10.6	62	0.1	34.8	11.5	371	3.27	27.8	0.7	3.1	5.3	30	<0.1	1.4	0.1	84	0.55	0.030
1291127	Soil		1.2	31.7	16.7	51	<0.1	44.6	14.0	356	3.72	15.0	1.0	6.1	12.7	24	<0.1	0.5	0.1	79	0.52	0.030
1291120	Soil		2.9	30.7	12.0	83	0.4	39.6	10.3	264	3.14	92.2	0.7	3.0	4.1	18	0.2	0.6	0.1	89	0.27	0.043
1291122	Soil		2.7	60.5	16.4	115	0.1	49.3	18.1	462	3.94	82.2	1.6	4.7	7.6	18	0.2	0.6	0.2	100	0.34	0.044
1284546	Soil		3.5	47.8	12.7	157	0.4	53.8	11.1	365	2.84	35.3	0.9	1.7	3.4	21	0.7	2.1	0.1	110	0.23	0.055
1290696	Soil		5.7	72.5	29.0	137	1.2	65.4	13.7	447	3.69	32.2	2.3	22.1	7.8	27	0.5	1.8	0.2	59	0.42	0.074
1291116	Soil		2.3	31.6	11.7	75	0.3	27.4	12.8	503	3.06	16.6	1.5	4.3	3.8	26	0.2	0.4	0.2	78	0.42	0.071
1290698	Soil		1.4	66.8	13.8	77	0.5	174.0	28.7	717	4.97	15.3	1.4	13.1	11.7	62	<0.1	1.0	0.2	126	2.79	0.115
1284536	Soil		1.7	26.6	9.5	68	0.3	33.1	11.9	473	3.02	24.5	0.6	2.2	3.9	24	0.2	1.3	0.2	80	0.41	0.041
1284547	Soil		3.4	70.8	9.8	220	0.6	91.5	14.0	609	3.91	82.5	1.6	8.6	4.8	22	1.0	4.7	0.2	104	0.30	0.060
1291124	Soil		1.0	45.8	11.5	59	0.2	51.6	14.2	494	3.11	19.9	1.2	3.9	5.0	39	0.2	0.5	0.1	72	0.96	0.051
1290699	Soil		1.7	59.2	19.4	127	0.7	80.4	22.0	737	5.40	20.0	2.3	7.3	13.3	36	0.2	0.9	0.1	52	4.15	0.073
1284535	Soil		6.5	80.9	11.6	183	0.3	60.0	12.0	253	3.59	121.1	1.9	6.0	3.9	76	0.8	11.7	0.2	88	0.33	0.099
1284532	Soil		1.9	54.8	13.2	88	0.2	25.7	14.9	826	3.65	27.0	0.8	5.8	5.4	60	0.3	2.2	0.2	83	3.35	0.069

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000208.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1291128	Soil	12	33	0.52	308	0.023	4	1.09	0.014	0.06	0.1	0.05	3.4	<0.1	0.09	3	<0.5	<0.2
1282780	Soil	44	36	0.50	208	0.078	1	1.53	0.015	0.13	0.1	0.05	6.0	0.1	<0.05	5	<0.5	<0.2
1282778	Soil	30	45	0.45	231	0.050	<1	1.62	0.009	0.12	0.1	0.02	6.7	0.1	<0.05	5	<0.5	<0.2
1282777	Soil	30	44	0.49	237	0.067	2	1.53	0.011	0.13	0.1	0.03	5.8	<0.1	<0.05	5	<0.5	<0.2
1291118	Soil	20	60	1.22	324	0.116	<1	2.46	0.010	0.51	0.1	<0.01	4.5	0.4	<0.05	8	0.9	<0.2
1282767	Soil	44	23	0.18	604	0.004	1	0.78	0.005	0.12	0.1	0.04	7.9	0.2	<0.05	3	1.4	<0.2
1282769	Soil	12	24	0.16	723	0.003	<1	0.72	0.004	0.10	<0.1	0.07	8.9	0.2	<0.05	2	1.5	<0.2
1282775	Soil	36	37	0.58	451	0.058	1	1.25	0.024	0.10	0.2	0.05	5.9	0.1	<0.05	5	<0.5	<0.2
1282766	Soil	32	62	0.47	683	0.004	2	1.28	0.005	0.13	<0.1	0.05	12.8	0.3	<0.05	5	1.6	<0.2
1282768	Soil	24	25	0.15	560	0.003	<1	0.56	0.004	0.10	<0.1	0.02	12.8	0.1	<0.05	2	1.4	<0.2
1282771	Soil	20	32	0.13	805	0.002	<1	0.67	0.004	0.10	<0.1	0.10	8.5	0.3	<0.05	2	2.2	<0.2
1282776	Soil	42	36	0.49	423	0.048	<1	1.17	0.019	0.10	0.1	0.06	5.7	0.1	<0.05	4	<0.5	<0.2
1282781	Soil	32	46	0.57	204	0.093	2	1.67	0.018	0.31	0.2	0.02	6.6	0.1	<0.05	5	<0.5	<0.2
1282770	Soil	9	72	0.43	1604	0.002	1	0.89	0.005	0.09	<0.1	0.10	15.7	0.6	0.05	2	2.4	<0.2
1282779	Soil	53	43	0.46	177	0.060	<1	1.49	0.010	0.16	0.1	0.03	6.5	0.1	<0.05	5	<0.5	<0.2
1282774	Soil	18	31	0.15	562	0.002	<1	0.62	0.003	0.08	<0.1	0.09	9.2	0.3	<0.05	3	1.4	<0.2
1284533	Soil	22	44	0.75	275	0.110	1	1.82	0.025	0.10	0.2	0.04	8.3	0.1	<0.05	6	<0.5	<0.2
1291127	Soil	35	77	1.03	308	0.053	<1	2.40	0.013	0.08	0.2	0.03	8.6	<0.1	<0.05	7	<0.5	<0.2
1291120	Soil	12	58	0.76	792	0.091	<1	1.84	0.009	0.21	0.2	0.01	4.0	0.2	<0.05	7	0.5	<0.2
1291122	Soil	44	61	1.10	579	0.086	<1	2.29	0.009	0.21	<0.1	<0.01	6.2	0.2	<0.05	8	0.9	<0.2
1284546	Soil	11	57	0.64	403	0.080	<1	1.75	0.009	0.21	0.2	0.02	5.2	0.5	0.06	6	1.1	<0.2
1290696	Soil	24	41	0.45	700	0.019	<1	1.29	0.007	0.17	0.1	0.04	6.9	0.2	0.07	4	2.3	<0.2
1291116	Soil	18	43	0.66	384	0.076	<1	1.60	0.014	0.10	0.1	0.05	4.8	0.1	0.05	6	0.6	<0.2
1290698	Soil	40	199	2.14	866	0.162	<1	2.50	0.010	0.20	0.2	0.07	15.6	0.4	<0.05	9	0.5	<0.2
1284536	Soil	13	49	0.60	392	0.096	<1	1.67	0.015	0.23	0.2	0.03	6.2	0.2	<0.05	5	0.6	<0.2
1284547	Soil	18	59	0.67	293	0.085	<1	1.94	0.008	0.34	0.2	0.12	9.0	0.9	<0.05	7	1.1	<0.2
1291124	Soil	22	68	0.84	443	0.067	1	1.96	0.027	0.07	0.2	0.06	7.7	<0.1	<0.05	6	0.6	<0.2
1290699	Soil	49	49	0.85	413	0.017	<1	1.54	0.004	0.15	0.2	0.05	7.3	0.2	<0.05	6	1.0	<0.2
1284535	Soil	14	37	0.35	227	0.033	2	1.25	0.007	0.18	0.3	0.07	6.6	0.7	<0.05	4	0.9	<0.2
1284532	Soil	14	37	0.81	711	0.079	3	1.79	0.026	0.18	0.9	0.33	9.7	0.5	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000208.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1291111	Soil	4.5	71.8	12.8	87	0.8	35.6	7.0	139	2.60	58.0	1.5	5.0	1.6	18	0.8	0.6	0.2	62	0.15	0.048
1290695	Soil	3.1	60.7	29.9	113	1.3	55.5	13.9	584	3.43	20.3	1.2	4.9	5.3	18	0.3	2.0	0.2	73	0.40	0.118
1284875	Soil	1.8	35.3	13.0	61	0.1	49.1	24.9	1037	4.60	1019	2.0	7.9	9.0	89	<0.1	15.5	0.6	48	4.25	0.066
1284851	Rock Pulp	1.7	414.4	20.4	152	0.2	201.6	72.6	794	14.84	6.0	1.1	33.7	6.6	13	0.1	0.4	0.2	212	0.30	0.040
1284539	Soil	3.1	56.3	13.0	211	0.4	55.4	15.9	293	3.48	42.5	1.2	5.8	3.8	17	1.1	2.8	0.1	108	0.12	0.039
1284527	Soil	0.4	61.4	5.6	43	<0.1	53.6	31.5	341	3.79	4.6	0.6	0.6	4.0	19	<0.1	0.3	<0.1	111	0.44	0.049
1284867	Soil	3.6	70.1	21.3	106	0.7	52.3	18.7	854	4.04	151.4	2.5	6.8	2.1	51	0.4	7.9	0.2	66	0.45	0.056
1284876	Soil	2.0	21.0	19.4	70	0.1	60.1	22.4	914	3.97	1323	1.5	7.8	9.1	85	<0.1	17.9	0.4	52	3.79	0.080
1284542	Soil	1.6	21.7	10.6	72	0.6	32.0	10.6	214	2.65	16.9	0.4	9.8	2.6	14	0.3	1.3	0.1	69	0.13	0.022
1284544	Soil	2.2	32.7	12.0	83	0.2	30.9	11.7	426	3.63	55.1	0.7	3.4	5.0	20	0.5	3.6	0.1	90	0.38	0.055
1284863	Soil	1.0	27.7	13.4	82	<0.1	39.3	11.4	800	2.93	5.0	2.3	3.2	24.1	47	<0.1	0.4	<0.1	47	2.04	0.034
1284879	Soil	1.7	18.1	23.6	100	0.8	41.5	25.1	1043	3.54	180.2	0.7	24.7	3.3	22	0.2	16.7	0.2	77	0.35	0.068
1284538	Soil	4.0	86.4	9.9	145	0.4	40.4	9.8	679	3.70	39.2	2.0	5.0	5.6	33	0.2	1.3	0.2	118	0.23	0.052
1284549	Soil	1.7	42.0	9.4	71	0.4	37.3	10.8	282	2.91	46.4	0.6	1.0	4.9	25	0.1	1.9	0.1	81	0.33	0.034
1284873	Soil	2.9	26.8	68.0	85	<0.1	66.4	19.4	524	6.13	39.6	1.8	1.3	10.6	15	<0.1	0.7	0.1	73	0.24	0.039
1284861	Soil	0.8	32.3	10.9	51	<0.1	30.0	8.7	350	2.61	9.6	1.1	10.1	13.9	23	<0.1	0.5	0.1	54	0.37	0.023
1284543	Soil	2.5	66.9	15.2	138	0.5	64.6	13.6	350	4.24	111.3	1.6	17.8	8.5	9	0.2	6.1	0.2	85	0.09	0.034
1282947	Soil	0.8	20.5	8.6	52	<0.1	19.2	10.1	282	2.71	14.5	1.4	9.3	5.6	32	<0.1	1.6	<0.1	69	0.50	0.082
1284852	Soil	0.9	43.3	10.9	81	0.1	73.0	22.6	563	3.75	7.2	1.0	1.3	6.6	31	0.1	0.2	<0.1	65	0.67	0.068
1284855	Soil	0.6	44.1	16.3	104	<0.1	76.8	24.3	634	5.39	12.4	0.8	1.4	5.6	25	0.2	0.4	<0.1	89	0.47	0.050
1284864	Soil	0.3	29.2	8.7	87	<0.1	36.4	15.3	746	4.63	1.5	1.5	2.3	23.7	20	<0.1	0.1	<0.1	54	0.40	0.054
1284869	Soil	2.9	63.9	18.8	105	0.1	54.7	17.5	370	4.75	56.1	1.1	0.9	3.3	12	0.2	21.9	0.2	87	0.21	0.026
1284872	Soil	1.0	15.1	9.2	65	<0.1	34.8	21.5	629	4.21	10.2	0.8	5.9	16.1	69	<0.1	1.0	<0.1	70	2.24	0.079
1284857	Soil	1.0	52.3	6.4	81	<0.1	47.2	15.5	433	4.62	6.6	1.9	1.2	11.2	19	<0.1	0.2	0.2	53	0.20	0.032
1284868	Soil	2.1	64.7	11.5	115	0.4	57.7	15.9	544	3.81	21.6	1.4	2.0	3.8	40	0.3	3.0	0.2	63	1.59	0.044
1284871	Soil	4.0	38.8	49.1	56	0.4	16.4	10.6	544	3.06	16.9	1.0	690.3	21.1	16	0.2	1.8	0.2	42	0.30	0.025
1284858	Soil	1.0	23.0	14.6	61	<0.1	34.0	11.4	413	3.11	9.2	1.1	<0.5	15.4	20	<0.1	0.6	0.1	62	0.31	0.029
1284877	Soil	3.8	36.3	19.5	64	<0.1	58.3	21.4	784	4.89	25.9	2.4	4.6	43.2	16	<0.1	2.6	0.2	71	0.23	0.030
1284860	Soil	0.8	46.6	19.2	67	<0.1	150.1	22.6	656	4.27	3.5	2.3	3.6	28.5	38	<0.1	0.2	0.2	102	0.71	0.057
1284874	Soil	1.5	33.8	15.4	54	<0.1	28.5	13.9	537	3.65	14.0	1.2	6.6	26.1	22	<0.1	1.1	0.1	51	0.83	0.022

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000208.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1291111	Soil	11	32	0.29	280	0.031	1	1.16	0.008	0.06	0.2	0.03	2.9	0.2	<0.05	4	1.2	<0.2
1290695	Soil	15	52	0.74	810	0.056	2	1.63	0.007	0.35	0.2	0.03	5.6	0.3	<0.05	5	0.9	<0.2
1284875	Soil	29	48	0.76	229	0.018	2	1.58	0.006	0.26	0.4	0.29	6.6	6.1	<0.05	5	<0.5	<0.2
1284851	Rock Pulp	16	688	0.12	146	0.129	3	3.69	0.012	0.06	<0.1	0.03	39.1	0.1	<0.05	20	<0.5	<0.2
1284539	Soil	12	51	0.61	185	0.073	1	2.08	0.007	0.13	0.2	0.05	4.4	0.4	<0.05	7	0.9	<0.2
1284527	Soil	7	69	2.71	647	0.236	1	2.78	0.015	0.75	<0.1	<0.01	6.6	0.5	<0.05	7	<0.5	<0.2
1284867	Soil	6	35	0.26	1144	0.010	2	0.94	0.006	0.05	<0.1	0.12	8.2	1.4	<0.05	3	2.2	<0.2
1284876	Soil	26	63	1.29	229	0.051	2	1.82	0.005	0.59	0.2	0.53	7.6	8.4	<0.05	6	<0.5	<0.2
1284542	Soil	9	38	0.50	210	0.071	<1	1.47	0.010	0.18	0.1	0.02	2.8	0.2	<0.05	5	<0.5	<0.2
1284544	Soil	16	34	0.68	285	0.060	<1	1.89	0.011	0.12	<0.1	0.04	7.6	0.3	<0.05	6	<0.5	<0.2
1284863	Soil	139	85	1.13	208	0.042	1	1.77	0.023	0.10	0.1	0.01	6.3	0.2	<0.05	9	<0.5	<0.2
1284879	Soil	11	55	0.82	173	0.066	2	1.45	0.013	0.12	0.2	0.06	3.5	0.3	<0.05	5	<0.5	<0.2
1284538	Soil	17	60	1.27	395	0.144	<1	2.17	0.010	0.86	0.1	0.03	6.4	0.6	0.08	9	1.6	<0.2
1284549	Soil	15	46	0.65	300	0.087	2	1.68	0.015	0.26	0.1	0.04	6.7	0.3	<0.05	5	0.8	<0.2
1284873	Soil	26	85	0.89	295	0.080	1	1.98	0.006	0.53	0.1	<0.01	8.2	0.3	<0.05	7	<0.5	<0.2
1284861	Soil	66	40	0.51	176	0.071	1	1.40	0.019	0.10	0.1	0.04	5.7	0.1	<0.05	5	<0.5	<0.2
1284543	Soil	31	54	0.75	358	0.106	1	2.01	0.006	0.71	0.1	0.05	7.7	0.6	<0.05	7	1.5	<0.2
1282947	Soil	17	31	0.65	303	0.097	1	1.44	0.025	0.09	0.2	0.03	6.0	0.1	<0.05	5	<0.5	<0.2
1284852	Soil	28	71	1.13	228	0.107	1	2.36	0.012	0.12	0.1	0.04	5.0	0.2	<0.05	7	<0.5	<0.2
1284855	Soil	12	152	1.36	146	0.201	1	2.33	0.006	0.79	0.1	0.02	9.4	0.8	<0.05	10	<0.5	<0.2
1284864	Soil	76	68	1.46	145	0.118	<1	2.58	0.007	0.84	0.1	0.02	4.1	0.6	<0.05	12	<0.5	<0.2
1284869	Soil	9	47	0.18	1108	0.004	<1	1.27	0.004	0.06	<0.1	0.02	9.1	0.2	<0.05	4	0.7	<0.2
1284872	Soil	37	52	2.17	415	0.165	1	2.67	0.008	1.07	0.1	<0.01	4.6	0.5	<0.05	8	<0.5	<0.2
1284857	Soil	34	62	1.11	110	0.119	<1	2.21	0.006	0.64	<0.1	<0.01	5.0	0.5	<0.05	6	<0.5	<0.2
1284868	Soil	9	37	0.31	664	0.012	<1	0.69	0.009	0.05	<0.1	0.06	7.5	0.1	<0.05	3	1.3	<0.2
1284871	Soil	36	26	0.43	246	0.055	1	1.33	0.008	0.31	0.1	0.02	3.1	0.2	<0.05	5	<0.5	<0.2
1284858	Soil	52	54	0.75	146	0.086	<1	1.98	0.011	0.15	0.1	0.01	6.5	0.1	<0.05	6	<0.5	<0.2
1284877	Soil	72	84	1.12	300	0.074	2	1.95	0.006	0.65	0.4	0.02	10.6	0.7	<0.05	7	<0.5	<0.2
1284860	Soil	210	245	2.79	155	0.174	<1	2.86	0.009	0.11	0.4	0.03	10.6	0.4	<0.05	11	<0.5	<0.2
1284874	Soil	96	45	0.75	280	0.073	1	1.72	0.008	0.38	0.2	0.02	6.7	0.3	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000208.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1284854	Soil		1.0	29.0	8.4	74	<0.1	43.2	12.4	342	3.51	6.9	1.6	4.0	7.5	15	<0.1	0.2	0.1	57	0.21	0.040
1284856	Soil		1.2	31.7	5.8	93	<0.1	64.4	16.1	436	4.34	9.8	0.7	0.6	3.3	28	0.1	0.2	0.1	80	0.43	0.028
1284865	Soil		1.1	56.5	9.1	98	<0.1	67.8	23.0	587	4.96	8.0	1.8	1.9	7.6	17	<0.1	0.2	<0.1	65	0.46	0.050
1284853	Soil		0.8	37.1	5.7	87	<0.1	57.0	21.5	560	4.45	5.1	0.8	1.4	5.9	20	<0.1	0.1	<0.1	76	0.39	0.047
1284545	Soil		2.1	91.1	8.7	115	0.2	84.6	16.5	444	3.73	46.8	0.8	2.2	3.4	21	0.2	2.8	0.1	127	0.34	0.045
1284528	Soil		0.9	23.0	12.1	62	0.2	11.6	13.5	1021	3.83	2.0	1.4	3.3	8.2	92	0.1	0.7	0.1	93	3.91	0.098
1284540	Soil		4.7	50.2	10.3	131	0.7	54.6	11.1	297	3.98	89.1	1.0	2.2	2.8	25	0.7	5.9	0.2	132	0.21	0.070
1284529	Soil		0.5	22.1	4.1	71	0.2	5.4	19.2	1015	5.46	2.9	1.4	1.0	6.1	89	0.1	1.0	<0.1	153	5.32	0.111
1284531	Soil		0.5	19.5	5.7	37	<0.1	12.0	16.7	357	3.25	3.2	1.2	1.1	10.5	26	<0.1	0.6	<0.1	134	0.46	0.071
1284534	Soil		1.6	42.9	9.6	71	0.2	38.1	10.5	277	2.93	36.0	0.9	3.5	4.8	24	0.2	2.3	0.1	75	0.26	0.027
1284550	Soil		2.6	67.3	11.7	90	0.4	50.9	12.7	291	3.14	82.9	1.8	6.3	5.0	39	0.3	5.3	0.3	92	0.30	0.043
1284526	Soil		2.0	34.2	10.0	78	0.4	36.0	10.0	302	2.55	34.3	0.9	6.2	4.0	19	0.2	2.8	0.2	64	0.19	0.033
1284537	Soil		1.8	31.2	6.6	70	0.3	30.2	8.2	289	2.35	34.7	0.7	1.8	3.3	19	0.2	2.5	0.1	71	0.22	0.033
1284541	Soil		2.7	50.3	9.9	149	0.4	55.0	10.8	344	3.21	41.5	1.1	2.5	3.9	29	0.4	3.2	0.3	98	0.17	0.052
1282948	Soil		0.4	19.6	8.4	78	<0.1	9.6	18.3	874	5.15	5.9	2.4	2.0	19.1	24	<0.1	2.1	<0.1	151	0.57	0.106
1284525	Soil		1.6	34.6	10.6	80	0.4	39.5	9.9	350	2.64	35.7	0.8	6.2	4.0	23	0.1	2.8	0.2	67	0.22	0.031
1282949	Soil		0.5	19.6	8.6	62	<0.1	17.6	14.1	562	4.08	8.9	0.9	1.2	16.4	30	<0.1	1.7	0.1	109	0.46	0.047
1282950	Soil		0.2	10.3	9.7	55	<0.1	4.0	12.6	981	3.28	2.1	0.7	0.8	14.9	59	0.1	1.2	<0.1	68	2.90	0.061
1284548	Soil		3.7	60.8	8.9	120	0.7	38.8	7.0	200	2.24	37.5	1.8	5.2	5.1	39	0.3	3.3	0.2	81	0.20	0.042
1284530	Soil		0.5	13.5	3.7	67	<0.1	6.1	18.0	775	5.12	3.3	2.2	1.3	6.4	34	<0.1	1.3	<0.1	150	0.53	0.112

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000208.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1284854	Soil	36	50	0.79	138	0.096	<1	1.93	0.008	0.29	<0.1	<0.01	4.3	0.3	<0.05	6	<0.5	<0.2
1284856	Soil	9	118	1.35	209	0.173	<1	2.78	0.009	0.29	<0.1	<0.01	3.5	0.2	<0.05	8	<0.5	<0.2
1284865	Soil	42	81	1.15	104	0.091	<1	1.98	0.007	0.46	<0.1	0.03	7.8	0.3	<0.05	7	<0.5	<0.2
1284853	Soil	22	97	1.37	214	0.183	<1	2.69	0.008	0.63	0.2	0.01	4.2	0.5	<0.05	8	<0.5	<0.2
1284545	Soil	18	105	1.22	301	0.175	<1	1.96	0.009	0.36	0.1	0.01	7.1	0.4	<0.05	9	1.0	<0.2
1284528	Soil	22	23	1.52	518	0.098	1	2.35	0.021	0.56	<0.1	0.05	12.2	0.4	<0.05	8	<0.5	<0.2
1284540	Soil	10	79	0.74	290	0.128	1	1.95	0.012	0.17	0.2	0.03	4.6	0.3	0.08	9	1.0	<0.2
1284529	Soil	20	20	1.95	1032	0.358	1	2.71	0.029	0.70	<0.1	0.03	15.1	0.6	<0.05	10	<0.5	<0.2
1284531	Soil	15	37	1.52	544	0.325	<1	2.47	0.034	0.57	<0.1	<0.01	7.8	0.4	<0.05	7	<0.5	<0.2
1284534	Soil	15	48	0.58	228	0.094	<1	1.66	0.015	0.09	0.1	0.02	7.3	0.2	<0.05	6	<0.5	<0.2
1284550	Soil	15	65	0.57	331	0.064	2	1.59	0.012	0.16	0.1	0.12	7.2	0.5	0.10	6	1.0	<0.2
1284526	Soil	13	39	0.54	297	0.094	<1	1.40	0.010	0.22	0.2	0.03	3.4	0.3	<0.05	5	<0.5	<0.2
1284537	Soil	10	38	0.59	366	0.097	1	1.35	0.009	0.21	0.1	0.02	3.8	0.2	<0.05	5	<0.5	<0.2
1284541	Soil	15	50	0.77	300	0.125	<1	1.66	0.014	0.42	0.1	<0.01	4.4	0.5	0.16	6	0.8	<0.2
1282948	Soil	48	23	1.46	1082	0.431	<1	2.60	0.021	0.80	0.2	0.02	10.0	0.7	<0.05	11	<0.5	<0.2
1284525	Soil	13	42	0.60	338	0.101	1	1.48	0.010	0.25	<0.1	0.02	3.5	0.3	<0.05	5	<0.5	<0.2
1282949	Soil	20	31	1.02	663	0.264	2	2.44	0.022	0.38	0.2	0.02	8.0	0.5	<0.05	9	<0.5	<0.2
1282950	Soil	36	9	0.93	377	0.030	<1	1.88	0.013	0.22	0.2	0.03	10.6	0.2	<0.05	7	<0.5	<0.2
1284548	Soil	16	39	0.43	269	0.070	<1	1.20	0.010	0.15	0.2	0.05	4.6	0.3	0.05	4	2.5	<0.2
1284530	Soil	18	16	1.27	980	0.263	<1	2.51	0.032	0.72	<0.1	0.01	16.0	0.6	<0.05	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

QUALITY CONTROL REPORT WHI12000208.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
1268390	Soil	2.0	41.7	13.7	110	0.4	31.3	11.8	577	3.21	45.5	0.9	1.3	2.5	30	1.0	1.4	<0.1	91	0.32	0.050
REP 1268390	QC	2.0	40.6	13.2	110	0.3	31.5	12.4	580	3.25	45.1	0.9	7.4	2.5	30	1.0	1.5	0.2	93	0.32	0.050
1268874	Soil	0.8	16.6	8.4	61	<0.1	31.1	12.6	524	2.84	6.7	0.8	<0.5	6.2	24	<0.1	0.3	0.2	56	0.37	0.030
REP 1268874	QC	0.8	17.7	8.5	60	<0.1	31.9	12.7	527	2.90	6.6	0.8	1.2	6.2	24	<0.1	0.2	0.2	55	0.36	0.029
1268393	Soil	0.9	112.0	11.6	76	0.2	22.6	18.0	492	3.41	30.2	1.4	4.8	3.1	39	0.2	1.2	0.2	95	0.59	0.093
REP 1268393	QC	0.9	113.3	11.5	78	0.2	24.7	18.4	528	3.66	33.3	1.3	4.9	3.1	39	0.2	1.1	0.2	94	0.66	0.094
1268372	Soil	1.6	125.9	11.2	82	0.2	35.2	20.4	613	4.74	18.6	1.1	4.3	3.7	42	<0.1	1.2	0.2	120	0.66	0.085
REP 1268372	QC	1.7	129.4	11.1	83	0.2	35.0	20.6	672	4.82	17.9	1.1	3.8	3.8	44	<0.1	1.1	0.2	125	0.65	0.087
1290717	Soil	1.1	10.6	11.6	66	<0.1	16.9	10.1	588	2.83	3.9	2.1	1.0	25.0	17	<0.1	0.3	0.2	50	0.27	0.035
REP 1290717	QC	1.1	11.1	11.6	63	<0.1	16.6	9.8	578	2.77	4.0	1.9	1.7	24.6	16	<0.1	0.3	0.2	50	0.28	0.036
1290701	Rock Pulp	2.1	24.3	2.1	39	0.3	23.5	9.5	408	2.21	4.2	0.2	4.1	0.7	40	0.2	0.4	<0.1	58	0.73	0.055
REP 1290701	QC	2.2	23.6	2.1	39	0.3	21.7	9.4	395	2.16	4.0	0.2	1.7	0.8	39	0.1	0.3	<0.1	55	0.69	0.056
1290728	Soil	1.4	18.6	9.5	70	<0.1	18.8	8.8	279	2.51	14.9	3.3	2.2	14.0	25	<0.1	0.5	0.1	44	0.22	0.041
REP 1290728	QC	1.5	19.2	9.4	70	<0.1	19.8	8.5	278	2.49	14.7	3.4	2.5	13.9	25	<0.1	0.4	0.1	43	0.21	0.042
1290667	Soil	0.9	22.8	10.7	69	0.2	37.6	13.8	429	3.17	6.6	1.0	1.1	9.6	21	0.1	0.4	0.1	61	0.38	0.050
REP 1290667	QC	1.0	23.3	10.9	72	0.2	39.3	14.1	455	3.22	6.4	1.0	1.8	10.0	22	<0.1	0.5	0.1	63	0.39	0.049
1290671	Soil	0.4	42.7	5.7	36	<0.1	58.6	19.6	513	2.61	2.6	0.8	1.9	5.3	191	<0.1	0.2	<0.1	45	7.25	0.111
REP 1290671	QC	0.4	42.2	5.5	36	<0.1	58.4	19.4	502	2.54	2.5	0.8	1.6	5.2	182	<0.1	0.1	<0.1	44	7.22	0.110
1268784	Soil	1.3	19.1	10.5	50	<0.1	19.7	8.3	341	2.40	5.4	1.4	2.6	23.0	14	<0.1	0.3	0.3	46	0.20	0.013
REP 1268784	QC	1.5	20.0	11.3	52	<0.1	20.4	8.6	348	2.47	5.8	1.4	2.7	23.1	14	<0.1	0.4	0.3	46	0.20	0.013
1268776	Soil	1.2	17.9	9.4	53	<0.1	30.7	10.4	414	2.87	9.2	0.5	1.0	5.4	21	<0.1	0.4	0.2	68	0.26	0.021
REP 1268776	QC	0.9	17.7	9.4	54	<0.1	30.2	10.4	411	2.86	9.7	0.5	<0.5	5.2	20	<0.1	0.5	0.2	68	0.25	0.021
1269698	Soil	6.5	62.7	16.2	67	0.4	36.1	12.9	869	3.68	242.7	1.5	2.7	4.2	36	0.2	6.6	0.3	60	0.39	0.051
REP 1269698	QC	6.3	64.9	17.1	69	0.4	36.5	14.0	905	3.95	251.7	1.5	3.1	4.6	39	0.3	7.1	0.2	63	0.39	0.054
1291101	Rock Pulp	1.3	438.4	20.8	162	0.2	210.2	74.4	901	13.76	4.2	1.2	30.6	7.2	16	<0.1	0.6	0.1	210	0.30	0.043
REP 1291101	QC	1.7	426.3	20.5	157	0.2	209.9	73.5	881	13.71	4.2	1.1	41.7	7.2	15	0.2	0.4	<0.1	206	0.30	0.044
1282778	Soil	1.4	19.4	16.0	54	<0.1	29.1	8.8	349	2.73	10.9	1.2	18.6	19.9	21	0.1	0.6	0.2	56	0.29	0.027
REP 1282778	QC	1.5	20.8	16.5	56	0.1	30.9	9.5	368	2.93	11.6	1.3	34.0	20.3	23	<0.1	0.6	0.2	59	0.32	0.027

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

QUALITY CONTROL REPORT WHI12000208.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
1268390	Soil	12	40	0.66	880	0.091	2	2.00	0.014	0.11	0.3	0.03	5.2	0.7	0.09	7	0.7	<0.2
REP 1268390	QC	12	40	0.66	883	0.090	3	2.04	0.014	0.11	0.2	0.05	5.3	0.6	0.09	7	<0.5	<0.2
1268874	Soil	13	43	1.10	142	0.157	1	2.08	0.011	0.33	<0.1	0.02	2.5	0.4	0.11	8	<0.5	<0.2
REP 1268874	QC	13	42	1.08	147	0.153	2	2.11	0.011	0.33	0.1	0.02	2.6	0.5	0.07	7	<0.5	<0.2
1268393	Soil	11	33	1.12	377	0.172	1	1.92	0.024	0.39	0.1	0.03	6.5	0.3	<0.05	8	0.5	<0.2
REP 1268393	QC	11	35	1.24	377	0.179	1	2.20	0.026	0.45	<0.1	0.02	6.8	0.3	0.10	8	0.6	<0.2
1268372	Soil	16	57	1.02	418	0.144	<1	2.33	0.036	0.16	<0.1	0.11	14.0	0.6	0.05	9	0.6	<0.2
REP 1268372	QC	16	56	1.08	417	0.151	<1	2.54	0.036	0.17	<0.1	0.11	14.8	0.6	0.09	10	0.6	<0.2
1290717	Soil	50	26	0.50	172	0.063	2	1.33	0.008	0.31	0.2	0.02	4.4	0.2	<0.05	5	<0.5	<0.2
REP 1290717	QC	49	26	0.49	171	0.063	2	1.31	0.008	0.31	0.2	0.01	4.6	0.2	<0.05	5	<0.5	<0.2
1290701	Rock Pulp	4	29	0.74	83	0.107	2	1.35	0.077	0.11	12.9	0.01	4.5	<0.1	0.08	5	<0.5	<0.2
REP 1290701	QC	3	27	0.71	82	0.097	1	1.30	0.072	0.10	11.9	<0.01	4.1	<0.1	0.05	5	<0.5	<0.2
1290728	Soil	52	29	0.48	87	0.067	<1	1.36	0.012	0.09	0.1	<0.01	3.2	0.1	0.09	5	<0.5	<0.2
REP 1290728	QC	51	29	0.48	86	0.066	<1	1.38	0.011	0.10	0.2	<0.01	3.3	0.1	0.11	5	<0.5	<0.2
1290667	Soil	27	57	0.73	318	0.072	1	1.75	0.008	0.25	0.1	0.01	5.2	0.1	<0.05	6	<0.5	<0.2
REP 1290667	QC	28	58	0.79	318	0.074	1	1.80	0.009	0.25	0.1	0.01	5.2	0.1	<0.05	6	<0.5	<0.2
1290671	Soil	9	58	1.02	282	0.132	<1	1.12	0.019	0.11	0.3	0.02	4.2	0.4	<0.05	4	<0.5	<0.2
REP 1290671	QC	8	58	1.01	276	0.126	<1	1.09	0.018	0.11	0.3	0.01	4.1	0.4	<0.05	4	<0.5	<0.2
1268784	Soil	24	34	0.61	108	0.063	<1	1.34	0.008	0.20	0.4	0.02	3.2	0.3	<0.05	4	<0.5	<0.2
REP 1268784	QC	24	34	0.60	111	0.061	<1	1.30	0.009	0.20	0.3	0.02	3.2	0.3	<0.05	4	<0.5	<0.2
1268776	Soil	7	44	0.64	150	0.088	2	2.16	0.009	0.08	0.3	0.02	2.8	0.1	<0.05	7	<0.5	<0.2
REP 1268776	QC	7	44	0.66	153	0.088	2	2.22	0.009	0.08	0.3	0.02	2.8	0.1	<0.05	7	<0.5	<0.2
1269698	Soil	11	30	0.29	336	0.024	2	0.76	0.012	0.10	0.2	0.18	7.1	2.1	0.14	3	0.9	<0.2
REP 1269698	QC	13	33	0.33	365	0.032	2	0.86	0.013	0.11	0.3	0.17	7.3	2.2	0.13	3	1.0	<0.2
1291101	Rock Pulp	17	640	0.15	144	0.200	3	3.78	0.014	0.07	<0.1	0.03	39.4	0.1	0.09	20	1.0	<0.2
REP 1291101	QC	17	634	0.14	138	0.194	4	3.58	0.014	0.07	<0.1	0.05	39.7	<0.1	0.07	19	<0.5	<0.2
1282778	Soil	30	45	0.45	231	0.050	<1	1.62	0.009	0.12	0.1	0.02	6.7	0.1	<0.05	5	<0.5	<0.2
REP 1282778	QC	31	49	0.47	242	0.054	<1	1.77	0.009	0.12	0.1	0.02	7.1	0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

QUALITY CONTROL REPORT WHI12000208.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
1291122	Soil	2.7	60.5	16.4	115	0.1	49.3	18.1	462	3.94	82.2	1.6	4.7	7.6	18	0.2	0.6	0.2	100	0.34	0.044
REP 1291122	QC	2.8	60.3	16.2	115	0.1	47.9	18.1	450	3.84	81.0	1.6	5.5	7.4	17	0.2	0.6	0.2	98	0.32	0.042
1284542	Soil	1.6	21.7	10.6	72	0.6	32.0	10.6	214	2.65	16.9	0.4	9.8	2.6	14	0.3	1.3	0.1	69	0.13	0.022
REP 1284542	QC	1.7	20.9	10.8	73	0.6	31.6	10.3	212	2.60	15.3	0.4	2.9	2.5	14	0.2	1.2	0.1	67	0.13	0.022
1284871	Soil	4.0	38.8	49.1	56	0.4	16.4	10.6	544	3.06	16.9	1.0	690.3	21.1	16	0.2	1.8	0.2	42	0.30	0.025
REP 1284871	QC	4.0	38.3	48.8	56	0.4	16.7	10.4	548	3.04	16.8	1.0	851.2	21.3	16	0.2	1.7	0.2	43	0.30	0.025
Reference Materials																					
STD DS9	Standard	12.9	103.2	117.9	289	1.8	38.9	7.2	534	2.15	23.9	2.7	103.5	6.3	78	1.9	5.8	6.4	40	0.68	0.075
STD DS9	Standard	12.7	106.3	121.2	295	1.8	39.0	7.5	550	2.22	24.1	2.7	126.5	6.0	63	2.3	5.2	5.8	43	0.67	0.078
STD DS9	Standard	13.2	111.2	126.6	315	1.9	41.0	7.7	575	2.30	28.1	3.1	126.8	7.2	74	2.5	6.2	7.4	39	0.71	0.081
STD DS9	Standard	12.4	106.5	119.3	296	1.9	38.2	7.3	547	2.16	23.9	2.6	152.9	6.3	77	2.0	5.8	6.9	40	0.68	0.075
STD DS9	Standard	13.6	108.4	120.8	306	1.7	39.7	7.8	576	2.28	24.5	2.9	108.2	6.8	84	2.6	5.7	6.7	42	0.73	0.082
STD DS9	Standard	11.7	99.9	116.2	292	1.6	35.9	7.2	575	2.19	24.2	2.5	121.3	5.7	67	2.0	5.7	6.5	36	0.63	0.078
STD DS9	Standard	13.3	108.2	121.2	298	1.8	40.5	7.6	569	2.26	25.2	2.7	121.3	6.3	64	2.3	4.9	5.7	45	0.72	0.080
STD DS9	Standard	13.0	104.6	118.0	295	1.8	38.9	7.4	563	2.25	24.1	2.5	121.1	5.9	66	2.6	4.9	5.9	42	0.72	0.080
STD DS9	Standard	13.1	107.0	123.1	302	1.8	40.6	7.5	576	2.30	23.7	2.8	107.7	6.5	63	2.4	5.0	5.8	43	0.67	0.078
STD DS9	Standard	14.5	107.4	122.7	309	1.9	41.9	7.9	599	2.43	26.1	2.7	120.8	6.1	70	2.4	5.6	5.8	44	0.75	0.081
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	7	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

QUALITY CONTROL REPORT WHI12000208.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
1291122	Soil	44	61	1.10	579	0.086	<1	2.29	0.009	0.21	<0.1	<0.01	6.2	0.2	<0.05	8	0.9	<0.2
REP 1291122	QC	42	60	1.06	564	0.085	<1	2.26	0.009	0.20	0.1	0.01	6.2	0.2	<0.05	8	0.5	<0.2
1284542	Soil	9	38	0.50	210	0.071	<1	1.47	0.010	0.18	0.1	0.02	2.8	0.2	<0.05	5	<0.5	<0.2
REP 1284542	QC	9	36	0.51	207	0.072	<1	1.42	0.010	0.21	0.1	0.02	2.7	0.2	<0.05	5	<0.5	<0.2
1284871	Soil	36	26	0.43	246	0.055	1	1.33	0.008	0.31	0.1	0.02	3.1	0.2	<0.05	5	<0.5	<0.2
REP 1284871	QC	36	26	0.43	247	0.055	1	1.32	0.009	0.27	0.1	0.01	3.1	0.2	<0.05	5	<0.5	0.2
Reference Materials																		
STD DS9	Standard	13	113	0.58	282	0.113	2	0.86	0.079	0.33	2.7	0.20	2.5	5.2	0.18	4	5.7	4.4
STD DS9	Standard	12	121	0.60	288	0.109	3	0.86	0.077	0.34	3.1	0.20	2.3	5.3	0.17	5	4.9	4.6
STD DS9	Standard	13	128	0.62	301	0.112	2	0.89	0.093	0.36	3.1	0.23	2.4	5.5	0.18	5	6.2	5.2
STD DS9	Standard	12	116	0.62	277	0.111	2	0.87	0.085	0.34	3.0	0.18	2.8	5.6	0.19	4	5.9	5.1
STD DS9	Standard	15	122	0.62	304	0.120	3	0.96	0.090	0.35	3.1	0.20	2.6	5.3	0.23	5	5.3	5.0
STD DS9	Standard	11	110	0.63	288	0.099	2	0.82	0.075	0.34	3.0	0.20	2.3	5.4	0.14	4	5.0	5.0
STD DS9	Standard	13	123	0.61	285	0.110	2	0.88	0.082	0.34	3.1	0.21	2.4	5.2	0.17	5	5.2	5.2
STD DS9	Standard	13	121	0.60	293	0.101	2	0.91	0.096	0.35	3.0	0.23	2.5	5.6	0.14	4	5.4	5.0
STD DS9	Standard	12	122	0.60	291	0.107	2	0.87	0.080	0.34	3.0	0.21	2.3	5.3	0.18	4	5.5	5.4
STD DS9	Standard	14	127	0.65	309	0.116	2	0.97	0.089	0.37	3.2	0.22	2.4	5.8	0.17	5	6.1	5.2
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	0.11	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 03, 2012
Report Date: July 16, 2012
Page: 1 of 12

CERTIFICATE OF ANALYSIS WHI12000209.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 320

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	320	Dry at 60C			VAN
SS80	316	Dry at 60C sieve 100g to -80 mesh			VAN
1DX2	320	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000209.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1290642	Soil		1.0	19.8	10.6	48	<0.1	49.4	12.7	298	3.28	8.4	0.8	3.6	12.3	13	<0.1	0.3	0.2	69	0.16	0.040
1290606	Soil		1.3	41.4	14.3	64	0.2	29.7	10.2	519	2.80	23.2	1.1	7.0	19.8	26	<0.1	1.5	0.2	50	0.37	0.028
1284870	Soil		1.9	53.4	44.7	58	0.3	56.7	25.1	611	4.62	9.7	1.0	5.6	10.8	43	0.1	6.6	0.2	83	1.41	0.059
1284862	Soil		0.8	12.2	6.5	81	<0.1	17.6	7.2	552	3.06	1.9	2.9	3.7	35.2	19	<0.1	0.2	0.1	32	0.26	0.045
1290602	Soil		2.5	103.2	123.6	129	0.9	127.4	24.5	770	5.12	69.5	1.5	29.2	8.1	31	0.4	4.7	0.7	89	0.68	0.078
1290615	Soil		1.0	14.6	12.1	60	0.1	21.0	8.8	614	2.43	5.9	1.8	3.9	24.6	24	<0.1	0.5	0.3	44	0.41	0.034
1290618	Soil		1.1	15.9	12.1	46	0.1	19.6	8.9	667	2.36	7.3	1.1	1.8	18.2	24	<0.1	0.7	0.2	52	0.35	0.025
1284878	Soil		2.0	34.4	8.4	62	0.1	31.5	13.5	357	3.08	24.3	2.2	3.3	6.1	53	0.2	1.1	0.1	61	0.85	0.093
1290624	Soil		1.4	10.4	31.4	65	0.1	16.6	12.3	702	3.58	10.9	2.3	2.3	22.8	11	0.2	0.3	0.3	62	0.12	0.244
1290607	Soil		1.2	27.0	9.6	54	0.2	23.0	8.5	415	2.49	16.1	1.4	3.5	23.8	24	<0.1	1.3	0.2	43	0.35	0.028
1290623	Soil		1.3	19.4	10.2	49	<0.1	29.4	10.9	387	3.09	8.1	1.0	1.1	10.5	17	<0.1	0.6	0.1	62	0.20	0.021
1284859	Soil		1.0	15.4	11.6	62	<0.1	24.2	9.6	540	2.88	6.9	1.3	2.1	17.0	21	<0.1	0.4	0.1	52	0.28	0.023
1290610	Soil		0.8	12.2	8.7	48	0.1	18.6	8.5	444	2.40	4.6	0.6	1.6	9.6	23	<0.1	0.4	0.1	51	0.41	0.074
1290604	Soil		1.4	34.5	10.1	67	0.4	26.4	9.0	552	2.56	22.2	1.8	2.9	11.6	39	0.4	1.4	0.2	49	0.62	0.056
1290612	Soil		1.0	21.0	9.7	52	0.1	27.1	10.4	354	2.71	12.1	1.0	2.9	13.8	26	<0.1	0.8	0.2	58	0.38	0.030
1284866	Soil		1.2	42.6	6.9	93	<0.1	64.0	21.0	664	5.08	10.9	2.5	1.3	11.5	17	<0.1	0.3	<0.1	61	0.33	0.044
1284888	Soil		0.6	7.9	7.2	66	<0.1	10.0	7.1	358	2.74	7.4	0.7	1.7	5.0	29	<0.1	1.2	<0.1	48	0.37	0.074
1290609	Soil		1.1	25.3	10.3	58	0.2	24.8	8.3	400	2.53	7.8	1.7	3.5	27.6	24	<0.1	0.8	0.2	47	0.40	0.038
1290619	Soil		0.9	16.1	10.0	48	<0.1	20.8	10.1	607	2.47	6.3	0.8	2.6	9.4	28	<0.1	0.5	0.1	54	0.43	0.044
1290617	Soil		0.9	14.8	10.5	48	<0.1	19.0	8.9	496	2.22	6.8	0.9	1.3	15.3	20	<0.1	0.5	0.2	51	0.35	0.026
1284891	Soil		1.2	25.4	9.1	57	<0.1	17.5	9.2	379	2.95	20.9	2.1	5.1	8.0	22	<0.1	0.8	0.1	71	0.30	0.046
1284893	Soil		1.4	14.8	9.3	69	<0.1	17.3	11.1	508	3.77	20.6	1.0	2.9	8.5	21	<0.1	1.7	0.2	77	0.28	0.050
1290613	Soil		0.9	19.2	9.6	44	0.1	22.3	8.8	333	2.45	9.7	1.2	1.2	24.6	21	<0.1	0.7	0.2	50	0.35	0.016
1290620	Soil		0.8	16.0	9.2	46	0.1	22.4	9.2	390	2.36	7.8	0.8	4.2	9.6	24	<0.1	0.5	0.1	55	0.31	0.032
1284896	Soil		0.8	17.1	9.3	70	<0.1	18.4	11.3	505	3.29	11.9	2.2	3.4	11.4	25	<0.1	0.8	0.1	71	0.34	0.059
1284885	Soil		0.4	39.4	3.7	89	<0.1	13.9	13.3	548	4.32	3.2	0.6	2.2	8.1	43	<0.1	0.8	<0.1	85	0.64	0.160
1290611	Soil		0.9	24.8	8.4	47	0.1	26.0	8.8	304	2.62	12.7	1.1	2.6	16.2	25	<0.1	0.6	0.1	61	0.39	0.042
1290614	Soil		1.0	36.8	9.2	52	0.1	29.5	10.1	386	2.66	11.4	1.2	5.0	21.1	24	<0.1	0.7	0.2	57	0.42	0.016
1284886	Soil		0.7	51.8	4.7	81	<0.1	23.8	19.0	530	4.55	7.2	0.6	0.7	3.0	27	<0.1	0.2	<0.1	103	0.36	0.082
1284894	Soil		1.1	14.7	9.1	57	0.2	14.3	8.1	362	3.02	11.3	3.0	2.3	7.8	26	<0.1	0.9	0.2	66	0.32	0.059

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000209.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1290642	Soil		14	56	0.87	99	0.086	2	1.63	0.010	0.05	0.2	0.02	3.9	0.1	<0.05	6	<0.5	<0.2
1290606	Soil		48	29	0.42	531	0.048	2	1.21	0.016	0.07	0.2	0.05	5.5	0.1	<0.05	4	<0.5	<0.2
1284870	Soil		26	85	1.44	249	0.067	2	1.90	0.006	0.40	0.2	0.03	10.5	0.3	<0.05	7	<0.5	<0.2
1284862	Soil		161	41	0.76	66	0.081	1	1.61	0.008	0.46	0.2	0.02	2.9	0.4	<0.05	10	<0.5	<0.2
1290602	Soil		27	113	1.12	500	0.058	2	1.76	0.011	0.12	0.1	0.07	8.9	0.4	<0.05	7	1.9	0.3
1290615	Soil		66	36	0.43	214	0.049	2	1.39	0.009	0.20	0.2	0.01	4.8	0.1	<0.05	5	<0.5	<0.2
1290618	Soil		45	30	0.38	276	0.053	1	1.43	0.010	0.08	0.2	0.02	4.9	<0.1	<0.05	5	<0.5	<0.2
1284878	Soil		18	40	0.83	252	0.093	2	1.49	0.019	0.25	0.2	0.03	5.0	0.2	<0.05	5	0.7	<0.2
1290624	Soil		77	33	0.38	124	0.032	1	2.31	0.007	0.05	0.2	0.02	3.1	0.1	<0.05	8	<0.5	<0.2
1290607	Soil		58	27	0.40	444	0.050	2	1.17	0.014	0.11	0.2	0.02	4.7	<0.1	<0.05	4	<0.5	<0.2
1290623	Soil		14	50	0.76	244	0.064	<1	1.98	0.006	0.05	0.1	<0.01	4.4	0.1	<0.05	6	<0.5	<0.2
1284859	Soil		71	39	0.52	208	0.067	1	1.71	0.009	0.13	0.1	0.02	5.3	0.1	<0.05	6	<0.5	<0.2
1290610	Soil		17	33	0.42	249	0.065	2	1.34	0.013	0.13	0.2	0.01	4.2	<0.1	<0.05	5	<0.5	<0.2
1290604	Soil		29	29	0.39	708	0.046	2	1.18	0.016	0.09	0.2	0.02	4.9	<0.1	<0.05	4	0.7	<0.2
1290612	Soil		34	39	0.51	215	0.081	2	1.49	0.014	0.13	0.2	0.02	6.1	<0.1	<0.05	5	<0.5	<0.2
1284866	Soil		48	70	0.82	146	0.092	2	1.61	0.006	0.55	0.1	0.04	9.1	0.4	<0.05	6	<0.5	<0.2
1284888	Soil		19	18	0.41	386	0.015	<1	1.57	0.009	0.04	<0.1	0.02	4.1	<0.1	<0.05	6	<0.5	<0.2
1290609	Soil		80	32	0.47	208	0.064	1	1.39	0.013	0.12	0.2	0.02	4.7	0.1	<0.05	5	<0.5	<0.2
1290619	Soil		27	33	0.44	304	0.066	2	1.55	0.012	0.11	0.1	0.02	4.9	<0.1	<0.05	5	<0.5	<0.2
1290617	Soil		35	31	0.38	188	0.072	2	1.23	0.012	0.18	0.1	0.01	4.5	<0.1	<0.05	4	<0.5	<0.2
1284891	Soil		23	36	0.58	279	0.095	1	1.82	0.011	0.05	0.1	0.03	5.3	0.2	<0.05	6	<0.5	<0.2
1284893	Soil		13	32	0.62	209	0.106	<1	2.03	0.011	0.08	0.2	0.02	4.4	0.2	<0.05	7	<0.5	<0.2
1290613	Soil		49	34	0.41	163	0.063	1	1.57	0.011	0.14	0.2	0.02	5.4	0.1	<0.05	5	<0.5	<0.2
1290620	Soil		18	36	0.45	221	0.067	1	1.39	0.012	0.08	0.1	0.02	4.8	<0.1	<0.05	4	<0.5	<0.2
1284896	Soil		30	34	0.68	370	0.140	1	1.95	0.014	0.10	0.2	0.02	5.5	0.2	<0.05	7	<0.5	<0.2
1284885	Soil		31	24	0.86	255	0.048	<1	2.51	0.017	0.05	<0.1	0.01	8.5	<0.1	<0.05	10	<0.5	<0.2
1290611	Soil		30	39	0.52	188	0.086	2	1.45	0.018	0.12	0.2	0.02	6.1	<0.1	<0.05	4	<0.5	<0.2
1290614	Soil		50	37	0.54	173	0.081	1	1.55	0.015	0.10	0.2	0.03	5.8	<0.1	<0.05	5	<0.5	<0.2
1284886	Soil		9	34	1.17	193	0.181	<1	3.12	0.022	0.16	<0.1	0.02	6.3	0.2	<0.05	11	<0.5	<0.2
1284894	Soil		27	27	0.52	357	0.104	1	1.83	0.011	0.10	0.2	0.04	5.0	0.2	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000209.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1290608	Soil	1.2	39.4	9.5	62	0.2	33.6	11.2	582	2.57	13.3	1.1	4.7	14.5	32	<0.1	1.0	0.1	58	0.50	0.038
1290616	Soil	1.0	13.9	12.9	50	<0.1	26.7	9.0	523	2.33	5.6	2.0	2.5	26.6	23	<0.1	1.4	0.2	45	0.35	0.030
1269046	Soil	1.3	16.7	9.1	53	0.3	26.7	11.7	615	2.65	13.7	0.4	1.1	2.7	24	0.1	0.5	0.1	72	0.28	0.032
1269047	Soil	1.5	21.8	8.1	57	0.3	32.4	12.9	631	2.99	15.1	0.5	0.9	3.1	19	0.1	0.6	0.2	77	0.22	0.027
1269028	Soil	0.8	86.9	12.6	70	0.1	30.4	18.0	579	3.93	5.8	0.5	3.9	3.3	57	<0.1	0.3	0.1	113	0.85	0.071
1269032	Soil	0.9	51.4	4.8	57	<0.1	21.2	14.1	324	3.38	5.6	0.4	0.9	2.1	40	<0.1	0.3	<0.1	90	0.59	0.070
1269045	Soil	1.7	12.2	11.1	52	0.2	13.7	9.3	512	2.64	9.2	0.4	1.5	1.3	16	0.5	0.5	0.2	77	0.20	0.054
1269038	Soil	1.5	30.1	9.6	65	0.1	32.8	11.8	474	2.84	33.3	0.6	3.6	2.7	17	0.4	0.9	0.2	70	0.24	0.032
1269035	Soil	1.8	35.2	18.1	104	0.3	41.8	14.4	877	3.05	40.9	0.8	2.9	3.0	29	1.6	1.1	0.2	76	0.46	0.064
1269031	Soil	1.0	53.9	7.8	52	0.2	36.2	16.0	421	3.02	6.6	0.3	2.0	1.5	32	<0.1	0.4	0.1	86	0.39	0.025
1269044	Soil	1.5	16.6	10.3	48	0.5	22.2	10.0	279	3.26	17.3	0.4	2.8	1.7	9	0.6	0.7	0.2	74	0.09	0.046
1269037	Soil	1.8	43.3	12.4	82	0.4	42.3	15.2	840	3.31	49.2	1.0	2.2	3.4	24	0.4	1.4	0.2	79	0.41	0.034
1269034	Soil	2.5	47.9	16.7	80	0.3	41.1	13.6	1133	2.90	33.0	2.5	3.6	2.3	51	0.4	1.1	0.2	73	0.95	0.056
1269030	Soil	3.2	135.8	11.4	74	0.2	27.1	22.6	511	5.25	7.0	0.7	7.2	2.1	61	<0.1	0.2	0.1	172	0.68	0.060
1269043	Soil	2.7	58.1	14.7	138	0.3	85.5	25.5	839	5.24	309.9	1.0	7.6	3.1	16	0.4	4.5	0.2	103	0.27	0.089
1269036	Soil	2.0	44.8	21.3	100	0.3	46.8	15.6	1154	3.27	46.4	1.0	3.6	2.9	40	0.6	1.3	0.2	74	0.92	0.066
1269033	Soil	1.5	43.9	12.0	66	0.2	24.8	9.8	410	2.04	15.6	3.0	2.7	1.8	64	0.4	0.8	0.1	51	1.64	0.055
1269029	Soil	0.5	88.5	10.6	56	0.1	17.1	14.5	460	2.95	3.4	0.4	2.8	1.5	101	<0.1	0.1	<0.1	87	1.40	0.076
1284892	Soil	1.0	30.9	9.0	63	<0.1	21.4	10.7	478	3.04	31.0	2.0	3.4	8.9	23	<0.1	2.0	0.1	74	0.36	0.053
1284880	Soil	1.7	45.1	10.9	101	0.3	48.5	16.3	724	3.51	25.5	1.3	4.5	3.3	30	0.2	4.3	0.1	87	0.71	0.072
1284887	Soil	0.7	55.7	7.0	64	<0.1	29.3	15.9	466	3.41	5.1	0.6	2.2	2.6	31	<0.1	0.3	0.1	105	0.44	0.048
1284890	Soil	1.7	13.2	15.8	58	<0.1	11.4	6.6	370	2.58	18.2	1.3	2.5	5.4	19	0.1	1.0	0.2	71	0.23	0.027
1284882	Soil	1.1	23.9	10.1	52	<0.1	17.0	9.9	210	3.24	8.5	0.4	2.4	1.9	16	0.2	0.4	0.2	89	0.21	0.035
1284881	Soil	1.0	21.1	9.5	71	0.1	17.0	11.5	606	2.60	6.9	1.1	3.3	2.3	45	0.3	0.7	0.1	55	1.43	0.079
1290643	Soil	1.8	13.1	12.8	57	0.2	20.4	7.7	348	3.10	19.7	0.5	9.2	2.9	13	0.3	0.6	0.2	78	0.15	0.021
1290601	Rock Pulp	2.8	24.8	2.3	42	0.3	23.7	10.3	390	2.37	3.6	0.3	2.3	0.9	34	0.2	0.3	<0.1	68	0.78	0.059
1284889	Soil	1.3	20.8	17.3	69	0.1	21.4	11.7	534	3.36	37.2	2.1	14.4	11.2	22	0.1	1.3	0.1	67	0.30	0.054
1284884	Soil	1.8	66.1	8.2	49	0.3	17.1	15.2	431	3.57	4.7	0.4	1.8	1.5	18	<0.1	0.6	0.1	116	0.23	0.024
1290622	Soil	0.9	19.1	14.2	50	0.1	25.7	9.0	220	2.60	9.0	0.9	4.1	12.9	16	<0.1	0.5	0.1	67	0.19	0.015
1290605	Soil	1.3	36.0	11.5	61	0.2	27.9	9.3	385	2.65	27.3	1.2	7.2	21.8	22	<0.1	1.4	0.2	52	0.33	0.017

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000209.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1290608	Soil	31	32	0.62	339	0.086	2	1.43	0.032	0.09	0.2	0.03	4.6	<0.1	<0.05	5	<0.5	<0.2
1290616	Soil	71	42	0.46	187	0.069	2	1.27	0.011	0.16	0.2	0.01	4.4	0.1	<0.05	5	<0.5	<0.2
1269046	Soil	9	38	0.51	807	0.069	1	1.63	0.011	0.10	0.1	0.01	3.3	0.1	<0.05	5	<0.5	<0.2
1269047	Soil	9	46	0.58	389	0.070	<1	1.83	0.010	0.07	0.1	0.02	4.1	0.2	<0.05	6	<0.5	<0.2
1269028	Soil	15	50	1.28	249	0.153	1	2.53	0.043	0.10	<0.1	0.03	9.9	0.1	<0.05	9	<0.5	<0.2
1269032	Soil	8	36	0.84	192	0.127	<1	1.99	0.026	0.07	<0.1	0.02	4.8	<0.1	<0.05	7	<0.5	<0.2
1269045	Soil	8	25	0.30	372	0.042	1	1.21	0.009	0.03	0.2	0.02	2.0	0.1	<0.05	7	<0.5	<0.2
1269038	Soil	8	40	0.52	367	0.059	2	1.58	0.012	0.08	0.2	0.02	4.3	0.2	<0.05	5	<0.5	<0.2
1269035	Soil	9	47	0.56	589	0.090	2	1.44	0.013	0.20	0.1	0.03	5.0	0.4	<0.05	5	<0.5	<0.2
1269031	Soil	5	91	0.82	217	0.134	<1	2.12	0.015	0.09	0.1	<0.01	3.4	0.1	<0.05	7	<0.5	<0.2
1269044	Soil	7	32	0.32	199	0.058	2	2.19	0.007	0.03	0.2	0.06	2.7	0.1	<0.05	7	<0.5	<0.2
1269037	Soil	14	48	0.54	587	0.073	2	1.57	0.014	0.15	0.2	0.04	6.4	0.2	<0.05	5	0.6	<0.2
1269034	Soil	13	45	0.57	603	0.075	2	1.40	0.019	0.13	0.2	0.06	5.0	0.4	<0.05	5	0.6	<0.2
1269030	Soil	11	49	1.43	297	0.286	1	3.23	0.101	0.67	<0.1	0.02	13.5	0.4	<0.05	11	<0.5	<0.2
1269043	Soil	12	82	0.79	567	0.083	1	2.01	0.009	0.17	0.2	0.04	7.0	0.4	<0.05	8	0.5	<0.2
1269036	Soil	12	45	0.58	645	0.081	2	1.38	0.019	0.21	0.1	0.06	6.4	0.6	<0.05	5	<0.5	<0.2
1269033	Soil	9	31	0.50	300	0.062	4	1.05	0.017	0.11	0.2	0.11	4.4	0.5	0.09	4	1.6	<0.2
1269029	Soil	8	24	1.08	154	0.126	<1	2.53	0.029	0.18	<0.1	0.02	5.8	<0.1	<0.05	10	<0.5	<0.2
1284892	Soil	21	39	0.72	337	0.116	<1	1.63	0.013	0.09	0.1	0.01	5.5	0.2	<0.05	6	<0.5	<0.2
1284880	Soil	18	77	1.04	385	0.096	2	1.69	0.014	0.08	<0.1	0.03	6.4	0.2	<0.05	8	<0.5	<0.2
1284887	Soil	11	62	1.16	284	0.092	<1	2.35	0.020	0.07	0.1	0.03	7.7	0.1	<0.05	9	<0.5	<0.2
1284890	Soil	18	25	0.43	265	0.108	1	1.38	0.010	0.07	0.2	0.02	3.9	0.2	<0.05	7	<0.5	<0.2
1284882	Soil	7	32	0.48	112	0.090	1	2.28	0.011	0.05	0.1	0.02	3.2	<0.1	<0.05	9	<0.5	<0.2
1284881	Soil	12	27	0.50	363	0.044	2	1.15	0.017	0.04	0.2	0.10	4.3	0.2	0.07	5	<0.5	<0.2
1290643	Soil	13	40	0.47	206	0.054	<1	1.68	0.009	0.06	0.1	0.01	3.4	0.1	<0.05	6	<0.5	<0.2
1290601	Rock Pulp	4	32	0.77	93	0.109	3	1.46	0.073	0.12	13.0	0.02	4.5	<0.1	<0.05	5	<0.5	<0.2
1284889	Soil	24	37	0.51	270	0.047	1	2.03	0.010	0.06	0.1	0.04	6.1	0.1	<0.05	6	<0.5	<0.2
1284884	Soil	6	29	0.68	140	0.081	<1	1.93	0.015	0.03	0.1	0.01	4.8	0.1	<0.05	8	<0.5	<0.2
1290622	Soil	17	42	0.54	142	0.059	<1	1.74	0.008	0.05	0.1	<0.01	3.2	<0.1	<0.05	5	<0.5	<0.2
1290605	Soil	33	31	0.36	344	0.043	1	1.07	0.013	0.07	0.1	0.03	5.7	0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000209.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1284883	Soil	0.8	47.5	9.3	55	0.1	30.2	12.3	254	3.00	9.2	0.5	2.3	2.8	24	<0.1	0.6	<0.1	71	0.39	0.052
1284895	Soil	1.7	28.0	14.9	78	0.3	23.4	13.2	601	4.04	18.4	5.3	5.3	11.8	34	0.1	0.8	0.3	91	0.42	0.060
1290621	Soil	0.9	14.0	10.9	45	<0.1	18.0	6.8	195	2.17	4.9	0.8	1.1	9.8	15	<0.1	0.4	0.1	58	0.21	0.019
1290603	Soil	5.4	185.2	200.8	236	2.5	86.6	18.5	501	4.21	139.1	2.3	88.2	7.9	44	2.5	13.0	5.9	37	0.18	0.073
1283622	Soil	1.8	24.3	10.2	84	0.6	27.2	9.8	249	2.57	16.0	0.6	1.6	2.5	20	0.5	1.1	0.1	80	0.22	0.049
1269053	Soil	1.0	34.8	11.4	60	0.1	25.0	9.3	379	2.19	23.0	0.6	7.3	2.4	83	0.5	1.4	0.1	44	5.10	0.046
1269059	Soil	0.9	37.4	7.0	44	0.1	16.8	10.4	404	2.25	6.6	0.8	3.6	1.6	42	0.2	0.4	<0.1	55	0.98	0.054
1269048	Soil	2.0	52.1	9.3	97	0.1	57.6	19.4	707	4.07	38.8	1.1	0.9	4.1	17	0.3	0.6	0.2	93	0.32	0.084
1283624	Soil	2.2	46.7	10.1	128	0.4	48.1	15.7	526	3.29	42.4	1.5	3.8	3.8	28	0.6	2.6	0.1	102	0.34	0.050
1269050	Soil	2.2	26.5	23.9	139	0.2	34.6	12.0	745	3.41	91.5	0.6	4.1	2.7	20	0.9	3.0	0.2	89	0.35	0.021
1269057	Soil	1.2	56.0	7.5	51	0.1	19.6	12.0	542	2.38	8.0	1.0	2.2	1.5	50	0.2	0.4	<0.1	65	1.26	0.061
1269049	Soil	2.3	42.8	13.9	86	0.2	36.5	16.9	736	3.88	39.9	1.0	11.8	4.0	19	0.3	0.9	0.2	102	0.31	0.058
1283582	Soil	1.9	42.9	9.3	88	0.3	40.6	13.4	528	3.01	33.9	1.2	6.3	4.0	42	0.5	3.6	0.2	80	1.27	0.065
1269052	Soil	1.5	26.6	19.3	96	0.1	31.2	12.4	547	3.25	53.5	0.5	2.4	4.2	27	0.5	2.2	0.2	76	0.87	0.015
1269055	Soil	1.7	41.3	18.0	90	0.4	36.7	13.6	758	3.24	68.9	1.2	3.5	3.4	31	0.7	1.6	0.2	77	0.63	0.042
1269051	Rock Pulp	2.4	24.3	2.2	41	0.3	23.3	10.5	379	2.35	4.3	0.2	2.2	0.8	34	0.2	0.3	<0.1	67	0.77	0.060
1283584	Soil	1.6	17.7	14.9	88	<0.1	16.6	11.2	1097	3.99	21.4	1.7	2.3	35.6	19	<0.1	1.3	0.1	85	0.28	0.033
1269054	Soil	1.6	36.3	20.2	121	<0.1	25.8	13.1	440	3.60	43.0	0.6	1.5	2.4	24	0.3	2.9	0.1	87	0.41	0.024
1269056	Soil	1.8	32.9	9.1	64	0.2	22.9	9.1	980	1.88	15.2	1.3	2.5	1.3	61	0.4	0.7	<0.1	47	1.47	0.060
1269058	Soil	1.1	36.1	8.0	50	<0.1	17.4	11.5	470	2.45	7.7	0.7	5.8	2.3	38	<0.1	0.3	0.1	68	0.85	0.063
1283568	Soil	1.5	33.9	7.7	65	<0.1	32.5	13.5	287	3.52	12.4	3.8	4.8	10.9	20	<0.1	0.5	0.1	63	0.21	0.012
1284740	Soil	0.8	33.2	5.8	30	0.2	21.3	8.6	517	1.63	12.7	6.7	1.9	1.8	227	0.3	1.3	<0.1	32	3.10	0.067
1283625	Soil	4.9	90.5	12.7	128	0.5	38.1	10.2	213	3.80	86.8	2.5	4.6	4.3	36	0.5	5.4	0.2	127	0.09	0.062
1283586	Soil	0.6	35.2	6.0	69	<0.1	24.3	15.3	549	4.14	14.5	1.4	1.1	12.4	37	<0.1	0.9	<0.1	107	0.68	0.080
1283571	Soil	0.9	25.2	8.8	80	<0.1	37.4	14.0	538	3.80	10.4	1.3	1.0	11.2	24	<0.1	0.2	<0.1	64	0.41	0.055
1283567	Soil	1.1	17.8	9.9	70	<0.1	22.8	11.2	345	3.19	8.5	1.3	2.8	15.4	16	<0.1	0.6	0.1	64	0.19	0.045
1283585	Soil	1.2	10.5	12.2	86	<0.1	15.3	11.1	952	3.60	32.9	1.2	1.7	22.2	21	<0.1	1.4	0.1	75	0.26	0.021
1283587	Soil	0.3	24.2	4.6	50	<0.1	12.3	15.2	396	3.27	9.0	1.3	1.8	7.0	34	<0.1	1.2	<0.1	108	0.60	0.080
1284730	Soil	0.9	40.4	8.3	65	0.1	44.6	17.1	701	4.29	6.9	0.6	4.0	3.8	41	<0.1	0.6	<0.1	74	1.38	0.081
1284729	Soil	1.3	49.2	5.4	103	<0.1	91.7	26.6	865	5.89	6.5	2.9	0.8	5.8	43	<0.1	0.2	<0.1	73	1.47	0.051

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000209.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1284883	Soil	8	36	0.66	204	0.072	1	2.22	0.016	0.05	0.1	0.03	3.6	<0.1	<0.05	6	<0.5	<0.2
1284895	Soil	47	45	0.66	533	0.115	2	2.88	0.013	0.10	0.1	0.07	8.6	0.3	<0.05	10	<0.5	<0.2
1290621	Soil	13	29	0.45	145	0.063	<1	1.22	0.010	0.05	0.2	0.01	2.5	<0.1	<0.05	4	<0.5	<0.2
1290603	Soil	19	22	0.15	330	0.004	1	0.64	0.005	0.10	<0.1	0.24	4.2	0.5	<0.05	2	4.2	3.5
1283622	Soil	9	38	0.55	420	0.059	1	1.48	0.008	0.09	0.2	0.03	3.3	0.2	<0.05	5	<0.5	<0.2
1269053	Soil	10	30	0.65	1067	0.057	2	1.01	0.025	0.06	0.2	0.07	4.4	0.2	<0.05	3	<0.5	<0.2
1269059	Soil	8	25	0.55	197	0.072	1	1.22	0.024	0.06	0.1	0.04	3.9	0.1	<0.05	4	0.5	<0.2
1269048	Soil	12	78	1.17	592	0.225	<1	2.61	0.009	0.66	0.2	<0.01	6.4	0.4	<0.05	10	<0.5	<0.2
1283624	Soil	13	54	0.61	509	0.069	<1	1.92	0.010	0.09	0.1	0.02	7.2	0.2	<0.05	6	0.5	<0.2
1269050	Soil	8	41	0.43	1438	0.047	1	1.68	0.010	0.06	0.1	0.05	5.1	0.7	<0.05	5	<0.5	<0.2
1269057	Soil	8	31	0.62	228	0.067	2	1.26	0.027	0.07	<0.1	0.04	4.3	0.1	0.06	5	<0.5	<0.2
1269049	Soil	12	56	0.97	711	0.177	1	2.17	0.010	0.61	0.2	0.02	7.3	1.1	<0.05	9	0.7	<0.2
1283582	Soil	13	48	0.76	408	0.080	2	1.46	0.023	0.18	0.2	0.05	6.3	0.3	<0.05	6	0.6	<0.2
1269052	Soil	13	44	0.50	1666	0.065	2	1.86	0.016	0.09	0.1	0.04	8.0	0.4	<0.05	5	<0.5	<0.2
1269055	Soil	13	42	0.47	649	0.059	2	1.48	0.017	0.09	0.1	0.05	5.7	0.3	<0.05	5	<0.5	<0.2
1269051	Rock Pulp	4	31	0.77	83	0.105	2	1.43	0.076	0.11	11.8	0.01	4.4	<0.1	<0.05	5	<0.5	<0.2
1283584	Soil	32	28	0.90	195	0.175	1	2.25	0.012	0.38	0.2	0.02	16.9	0.5	<0.05	10	<0.5	<0.2
1269054	Soil	8	43	0.57	1155	0.054	2	1.84	0.018	0.08	<0.1	0.08	7.7	0.6	<0.05	6	<0.5	<0.2
1269056	Soil	8	30	0.45	349	0.049	3	1.01	0.019	0.09	<0.1	0.06	3.7	0.2	0.09	4	1.0	<0.2
1269058	Soil	9	28	0.59	177	0.080	1	1.30	0.033	0.06	0.1	0.02	4.4	0.1	<0.05	5	<0.5	<0.2
1283568	Soil	68	49	0.73	173	0.108	<1	2.10	0.014	0.11	<0.1	0.03	7.1	0.2	<0.05	6	<0.5	<0.2
1284740	Soil	10	28	0.66	615	0.046	10	1.00	0.015	0.13	0.1	0.04	2.3	0.1	0.14	3	1.9	<0.2
1283625	Soil	20	50	0.58	396	0.099	<1	1.46	0.013	0.29	0.2	0.03	6.2	0.6	0.24	6	1.3	<0.2
1283586	Soil	33	29	1.23	501	0.295	1	2.50	0.036	0.61	0.2	0.03	9.1	0.6	<0.05	9	<0.5	<0.2
1283571	Soil	75	73	1.21	139	0.164	<1	2.41	0.011	0.48	0.1	<0.01	5.4	0.3	<0.05	8	<0.5	<0.2
1283567	Soil	28	43	0.49	142	0.073	2	2.83	0.011	0.08	0.2	0.03	4.3	0.2	<0.05	6	<0.5	<0.2
1283585	Soil	14	27	0.79	271	0.165	2	2.09	0.012	0.52	0.2	0.01	13.6	0.5	<0.05	9	<0.5	<0.2
1283587	Soil	20	28	1.14	470	0.254	<1	2.30	0.046	0.60	<0.1	0.02	5.7	0.6	<0.05	7	<0.5	<0.2
1284730	Soil	24	59	0.67	450	0.044	3	1.41	0.019	0.17	0.1	0.06	11.8	0.1	<0.05	5	<0.5	<0.2
1284729	Soil	27	107	1.89	257	0.131	1	2.92	0.006	0.78	0.1	0.07	8.6	1.0	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000209.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1284735	Soil	0.5	48.8	7.0	70	<0.1	89.8	22.8	584	3.93	112.9	0.9	6.4	8.9	59	<0.1	2.2	0.2	61	3.46	0.070
1283581	Soil	3.0	50.3	10.8	123	0.2	51.9	13.9	468	3.36	64.5	1.5	1.9	4.5	19	0.4	6.1	0.2	91	0.34	0.041
1283570	Soil	1.1	13.2	10.3	83	<0.1	20.4	8.6	476	2.93	6.1	1.3	1.6	18.1	21	0.1	0.4	0.1	54	0.24	0.030
1283565	Soil	1.0	24.4	8.6	73	<0.1	33.7	12.1	352	3.42	7.0	1.7	1.8	15.6	25	<0.1	0.3	0.1	65	0.44	0.036
1283574	Soil	0.9	14.1	9.1	58	<0.1	19.6	8.9	499	2.35	5.7	0.9	<0.5	10.7	25	0.1	0.4	0.1	56	0.36	0.021
1283576	Soil	5.3	92.8	13.1	128	0.5	39.6	10.1	219	3.95	90.0	2.6	9.4	4.8	40	0.5	5.7	0.2	130	0.08	0.066
1284738	Soil	1.0	52.1	11.5	63	0.1	51.8	17.6	449	3.62	84.6	1.1	24.2	9.8	57	0.1	1.3	<0.1	61	2.75	0.056
1283569	Soil	0.8	23.2	4.5	83	<0.1	45.3	17.5	255	3.85	4.1	1.9	<0.5	16.1	11	<0.1	0.2	0.1	55	0.18	0.031
1283572	Soil	1.0	11.8	13.0	84	<0.1	17.0	7.1	507	2.70	16.1	2.3	0.7	21.0	18	<0.1	0.4	0.1	49	0.23	0.025
1284726	Soil	0.9	22.8	11.1	89	<0.1	36.1	13.5	803	3.69	3.2	2.3	0.7	19.1	22	<0.1	0.2	0.1	51	0.36	0.033
1284727	Soil	0.9	17.8	11.5	85	<0.1	28.0	12.2	611	3.19	4.0	1.7	<0.5	18.3	23	<0.1	0.3	0.1	51	0.39	0.025
1284731	Soil	1.6	34.6	12.3	58	0.2	33.5	12.7	450	2.98	22.1	1.2	1.6	3.2	27	0.1	2.2	0.1	73	0.29	0.019
1284741	Soil	2.2	26.1	10.4	67	0.1	22.7	11.2	598	2.70	40.3	6.1	4.3	7.6	65	0.3	2.3	0.1	63	0.75	0.087
1284742	Soil	0.6	13.7	6.8	52	<0.1	15.2	9.2	291	2.36	18.4	2.1	7.4	6.5	50	0.2	1.2	<0.1	64	0.73	0.073
1284736	Soil	0.5	18.3	5.4	25	<0.1	39.6	14.8	410	1.64	41.3	0.5	1.7	2.2	230	<0.1	0.6	<0.1	27	8.33	0.035
1284737	Soil	0.9	34.6	7.0	64	<0.1	42.6	21.2	602	4.36	17.2	0.6	7.3	9.4	26	<0.1	0.8	<0.1	76	0.78	0.047
1284739	Soil	1.0	34.8	13.2	55	<0.1	50.3	17.2	603	3.31	281.0	0.8	13.3	10.5	60	<0.1	3.2	0.1	53	2.67	0.040
1283573	Soil	1.0	14.8	9.8	66	<0.1	17.9	7.0	572	2.44	5.3	2.0	1.1	18.9	20	<0.1	0.3	0.1	46	0.25	0.019
1284732	Soil	2.6	60.4	9.3	77	0.1	54.0	19.2	1284	4.11	32.9	1.3	3.5	1.9	57	0.1	10.9	0.1	97	1.83	0.037
1284733	Soil	1.0	33.3	10.9	60	0.2	36.9	12.3	535	3.09	15.5	0.8	3.5	3.8	54	0.1	1.1	0.1	61	1.35	0.060
1284734	Soil	1.9	55.3	4.8	48	0.1	36.6	25.0	962	5.42	6.9	1.0	2.5	5.3	52	<0.1	0.9	<0.1	119	1.41	0.127
1283575	Soil	1.2	16.5	13.1	65	<0.1	26.8	9.0	584	2.89	6.2	1.7	1.3	15.4	21	<0.1	0.5	0.2	50	0.31	0.025
1283580	Soil	1.6	40.5	7.3	61	0.5	31.2	9.5	314	2.43	26.1	0.9	4.5	3.1	59	0.2	1.8	0.1	63	2.73	0.043
1283620	Soil	2.5	24.2	9.1	88	0.7	29.5	10.4	347	3.12	23.0	0.5	2.2	2.4	27	0.7	1.0	0.1	85	0.36	0.067
1283578	Soil	2.1	26.7	7.7	70	0.1	29.6	9.3	257	2.67	36.4	0.5	1.1	2.7	20	0.2	4.7	0.2	73	0.29	0.025
1269039	Soil	1.8	25.5	9.4	66	0.3	35.1	11.1	429	3.27	39.2	0.5	2.8	2.7	20	0.2	0.9	0.1	81	0.30	0.043
1283588	Soil	0.9	15.6	9.0	77	0.1	14.4	14.9	879	4.34	6.9	3.6	4.7	14.3	41	0.1	1.8	<0.1	111	0.85	0.087
1283583	Soil	0.9	25.6	8.1	58	<0.1	31.7	13.0	581	3.44	12.2	0.8	3.4	6.2	38	<0.1	0.8	0.1	77	0.54	0.044
1283623	Soil	4.1	64.0	12.3	168	0.4	55.1	12.3	368	3.63	75.0	1.6	2.8	4.5	32	0.8	6.3	0.2	133	0.20	0.085
1269042	Soil	1.9	35.4	10.3	76	0.5	39.6	13.6	883	3.56	23.2	1.2	3.3	4.6	17	0.2	1.0	0.2	86	0.20	0.048

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000209.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1284735	Soil	30	89	1.46	251	0.099	2	2.39	0.009	0.63	0.1	0.04	6.2	0.7	<0.05	7	<0.5	<0.2
1283581	Soil	13	54	0.54	322	0.073	<1	1.41	0.010	0.25	0.2	0.04	6.0	0.5	<0.05	5	1.0	<0.2
1283570	Soil	24	30	0.44	190	0.062	<1	1.86	0.010	0.13	0.2	0.02	3.7	0.2	<0.05	7	<0.5	<0.2
1283565	Soil	53	50	0.80	189	0.116	1	2.22	0.013	0.13	0.1	0.02	5.6	0.2	<0.05	7	<0.5	<0.2
1283574	Soil	32	32	0.39	209	0.059	<1	1.36	0.010	0.14	0.1	0.01	4.2	<0.1	<0.05	4	<0.5	<0.2
1283576	Soil	21	50	0.58	414	0.100	<1	1.46	0.015	0.31	0.2	0.03	6.3	0.6	0.24	6	1.5	<0.2
1284738	Soil	35	69	1.16	268	0.113	1	1.87	0.020	0.46	0.1	0.03	5.7	0.4	<0.05	6	<0.5	<0.2
1283569	Soil	60	55	0.99	102	0.108	<1	2.26	0.008	0.39	<0.1	0.02	6.9	0.4	<0.05	7	<0.5	<0.2
1283572	Soil	72	30	0.38	157	0.042	<1	1.70	0.009	0.12	<0.1	<0.01	4.5	0.1	<0.05	7	<0.5	<0.2
1284726	Soil	75	55	0.84	158	0.115	1	1.91	0.010	0.56	0.2	0.02	4.9	0.3	<0.05	7	<0.5	<0.2
1284727	Soil	68	48	0.67	150	0.096	1	1.73	0.010	0.38	0.1	<0.01	5.0	0.2	<0.05	7	<0.5	<0.2
1284731	Soil	8	42	0.42	1284	0.046	1	1.59	0.010	0.10	<0.1	0.01	6.5	0.2	<0.05	5	0.5	<0.2
1284741	Soil	19	35	0.75	323	0.089	4	1.15	0.023	0.25	0.2	0.03	4.3	0.2	0.09	4	1.1	<0.2
1284742	Soil	14	26	0.69	263	0.085	<1	1.21	0.039	0.15	0.3	0.02	4.0	0.2	0.10	4	<0.5	<0.2
1284736	Soil	8	63	0.66	97	0.027	<1	0.97	0.006	0.16	<0.1	0.02	3.8	0.2	<0.05	3	<0.5	<0.2
1284737	Soil	40	72	1.76	287	0.128	1	2.61	0.014	0.75	0.1	0.03	7.0	0.4	<0.05	7	<0.5	<0.2
1284739	Soil	35	79	1.02	215	0.070	3	1.70	0.016	0.40	0.2	0.06	7.2	0.8	<0.05	5	<0.5	<0.2
1283573	Soil	107	30	0.37	167	0.051	<1	1.52	0.010	0.11	<0.1	0.02	5.0	0.1	<0.05	6	<0.5	<0.2
1284732	Soil	6	58	0.37	547	0.017	<1	1.12	0.007	0.04	<0.1	0.05	14.8	0.2	<0.05	4	0.5	<0.2
1284733	Soil	16	42	0.75	697	0.052	2	1.40	0.026	0.08	0.1	0.04	7.4	0.1	<0.05	5	<0.5	<0.2
1284734	Soil	24	63	1.56	551	0.081	2	2.50	0.013	0.30	<0.1	0.03	15.5	0.2	<0.05	8	<0.5	<0.2
1283575	Soil	74	44	0.53	140	0.061	<1	1.65	0.011	0.18	0.2	0.02	6.2	0.1	<0.05	6	<0.5	<0.2
1283580	Soil	13	35	0.62	368	0.077	1	1.35	0.023	0.12	0.2	0.06	5.1	0.2	<0.05	5	0.6	<0.2
1283620	Soil	11	41	0.57	245	0.076	1	1.72	0.011	0.10	0.2	0.03	3.6	0.2	<0.05	7	<0.5	<0.2
1283578	Soil	10	36	0.49	259	0.068	<1	1.37	0.012	0.12	0.1	0.02	4.3	0.2	<0.05	5	<0.5	<0.2
1269039	Soil	10	43	0.61	383	0.078	1	2.02	0.014	0.12	0.1	0.03	4.6	0.2	<0.05	6	<0.5	<0.2
1283588	Soil	51	27	1.07	550	0.176	<1	2.33	0.025	0.31	0.2	0.04	15.2	0.4	<0.05	8	<0.5	<0.2
1283583	Soil	22	43	0.70	263	0.114	1	2.01	0.024	0.15	0.1	0.03	9.2	0.1	<0.05	6	<0.5	<0.2
1283623	Soil	17	60	0.71	409	0.083	<1	1.68	0.010	0.34	0.2	0.02	7.5	0.6	0.10	7	1.2	<0.2
1269042	Soil	13	54	0.65	420	0.078	1	2.74	0.013	0.06	0.1	0.05	6.5	0.3	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000209.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1283566	Soil		1.5	31.0	9.2	89	0.2	38.1	12.9	599	4.39	6.7	2.8	7.1	20.7	31	<0.1	0.3	0.1	61	0.54	0.063
1283579	Soil		3.1	34.2	12.6	105	0.3	44.3	12.7	563	3.90	48.2	1.0	2.5	7.0	30	0.4	6.4	0.2	89	0.57	0.035
1283621	Soil		3.3	55.4	9.3	125	0.6	48.5	12.0	356	3.89	27.8	1.0	3.5	3.7	18	0.7	2.0	0.2	105	0.18	0.097
1269041	Soil		1.5	26.9	9.3	60	0.3	41.4	13.3	594	3.27	26.4	0.6	2.5	3.4	29	0.1	0.8	0.1	83	0.31	0.025
1284728	Soil		0.8	36.2	7.2	67	0.1	40.8	12.9	533	3.21	7.5	0.9	2.2	5.7	37	<0.1	0.5	<0.1	57	0.74	0.081
1283619	Soil		3.4	52.5	8.1	155	0.6	48.0	12.1	489	4.41	92.4	1.0	4.2	3.3	26	0.6	3.7	0.1	92	0.42	0.153
1283577	Soil		1.3	38.6	7.4	64	0.2	37.9	11.6	322	3.04	24.8	0.7	3.8	4.0	28	0.2	1.6	0.1	80	0.39	0.028
1269040	Soil		1.8	32.0	9.0	62	0.3	42.9	15.5	1238	3.50	48.6	0.8	3.5	3.0	32	0.1	1.2	0.2	85	0.38	0.038
1284658	Soil		0.9	8.3	11.6	79	<0.1	10.1	9.0	504	3.85	10.1	1.4	<0.5	9.8	12	<0.1	0.7	0.2	82	0.21	0.062
1284749	Soil		1.4	50.0	10.8	72	0.1	35.6	15.0	389	4.60	17.6	0.6	2.5	3.5	33	<0.1	1.5	0.2	107	0.52	0.024
1284748	Soil		1.1	65.4	12.2	86	0.2	36.6	16.2	640	4.21	12.2	0.9	3.8	5.3	41	0.2	1.4	0.3	101	0.55	0.041
1284744	Soil		2.1	36.6	10.3	104	0.3	39.1	17.7	1193	3.87	32.6	1.5	2.1	2.5	55	0.5	3.2	0.1	82	1.31	0.103
1284657	Soil		1.0	14.0	7.5	116	<0.1	13.4	11.4	501	4.80	14.1	0.6	3.1	4.4	34	0.2	7.4	0.1	101	0.34	0.055
1284746	Soil		0.9	33.1	3.7	48	0.1	20.4	9.8	511	2.16	4.1	2.1	4.6	1.3	53	0.2	0.8	<0.1	47	1.82	0.099
1284750	Soil		1.2	37.7	6.9	58	0.2	20.6	12.2	518	3.12	6.3	1.1	11.6	2.5	41	<0.1	0.5	0.1	76	0.77	0.087
1284652	Soil		0.3	44.5	3.0	83	<0.1	44.5	33.5	914	6.02	3.4	0.3	<0.5	2.0	64	<0.1	0.1	<0.1	168	0.85	0.060
1284663	Soil		1.4	13.0	10.8	98	<0.1	13.7	12.5	930	4.80	141.3	1.8	17.0	28.0	26	0.1	6.1	0.1	73	0.50	0.117
1284653	Soil		0.7	72.2	4.8	62	<0.1	25.3	15.3	456	3.86	6.3	0.8	2.0	3.3	49	<0.1	0.4	<0.1	113	0.64	0.044
1284743	Soil		2.9	28.4	13.6	159	0.3	38.6	15.5	485	4.67	31.5	1.1	2.3	4.0	31	0.3	3.7	0.2	152	0.83	0.116
1284664	Soil		1.4	18.2	11.5	74	<0.1	23.1	13.4	625	3.86	59.2	1.9	15.0	10.0	27	0.1	2.3	0.2	83	0.42	0.061
1284659	Soil		1.0	10.9	11.2	76	0.1	15.1	9.2	323	3.45	11.3	2.1	2.8	9.9	22	0.1	0.8	0.2	79	0.32	0.067
1284656	Soil		0.9	18.2	7.9	68	<0.1	25.1	10.5	378	3.56	11.2	0.7	2.5	4.8	15	<0.1	1.0	0.2	86	0.16	0.029
1284745	Soil		4.2	60.3	9.1	207	1.1	61.6	19.3	1315	3.80	57.1	2.0	1.8	3.2	39	0.7	9.6	0.2	98	1.16	0.150
1284747	Soil		5.5	50.2	8.4	92	0.3	33.3	18.1	755	4.80	23.4	2.2	3.2	4.6	32	0.1	1.8	0.4	101	0.74	0.079
1290105	Soil		0.9	32.4	8.6	55	<0.1	37.6	10.5	416	3.06	9.0	1.2	2.1	15.3	22	<0.1	0.5	0.2	67	0.39	0.028
1290110	Soil		1.0	29.7	9.7	86	<0.1	56.0	16.0	725	4.13	6.8	1.5	2.1	17.7	16	<0.1	0.4	0.1	58	0.34	0.031
1284655	Soil		0.9	28.2	12.1	191	0.2	14.7	8.4	616	2.98	3.7	0.8	2.3	5.2	29	1.5	2.1	0.5	54	0.65	0.106
1284654	Soil		0.8	53.0	7.0	60	<0.1	20.9	13.5	499	3.41	5.7	0.6	2.5	3.1	37	<0.1	0.6	0.1	92	0.57	0.059
1290102	Soil		0.5	13.2	3.3	71	<0.1	35.1	15.3	781	3.75	2.8	0.8	<0.5	8.5	16	<0.1	<0.1	<0.1	56	0.39	0.079
1270000	Soil		0.5	9.1	6.4	39	<0.1	29.7	6.5	250	1.85	3.1	2.1	<0.5	28.0	10	<0.1	0.2	0.1	37	0.14	0.026

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000209.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1283566	Soil	169	53	0.96	128	0.145	<1	2.60	0.013	0.34	0.2	0.04	8.6	0.4	<0.05	9	<0.5	<0.2
1283579	Soil	17	48	0.59	585	0.059	1	2.03	0.013	0.17	0.2	0.03	7.3	0.3	0.05	7	0.6	<0.2
1283621	Soil	16	59	0.76	287	0.103	<1	2.29	0.010	0.27	0.2	0.04	5.1	0.7	0.08	8	1.0	<0.2
1269041	Soil	12	50	0.66	565	0.075	<1	2.24	0.014	0.06	0.1	0.03	6.8	0.2	<0.05	6	<0.5	<0.2
1284728	Soil	30	50	0.83	297	0.087	1	1.62	0.023	0.18	0.2	0.03	5.1	0.2	<0.05	5	<0.5	<0.2
1283619	Soil	16	49	0.76	413	0.172	<1	2.27	0.012	0.35	0.2	0.05	5.0	0.5	0.06	9	0.8	<0.2
1283577	Soil	15	45	0.68	265	0.102	1	1.81	0.022	0.14	0.1	0.05	6.8	0.2	<0.05	6	<0.5	<0.2
1269040	Soil	12	50	0.62	650	0.084	2	2.15	0.016	0.12	0.1	0.04	7.5	0.2	0.05	6	<0.5	<0.2
1284658	Soil	15	20	0.66	387	0.237	<1	2.42	0.016	0.32	0.2	0.02	4.4	0.5	0.05	10	<0.5	<0.2
1284749	Soil	8	61	1.04	256	0.099	<1	3.46	0.020	0.05	0.1	0.03	7.6	0.2	<0.05	10	<0.5	<0.2
1284748	Soil	28	65	1.07	260	0.099	<1	2.52	0.022	0.06	0.1	0.09	10.4	0.3	<0.05	8	<0.5	<0.2
1284744	Soil	15	55	0.79	638	0.089	2	1.52	0.017	0.11	0.1	0.09	7.7	0.4	0.08	7	1.0	<0.2
1284657	Soil	12	25	0.79	347	0.091	<1	2.68	0.013	0.13	<0.1	0.02	6.1	0.2	<0.05	12	<0.5	<0.2
1284746	Soil	9	33	0.80	227	0.065	2	1.22	0.024	0.05	0.4	0.27	4.8	0.3	0.09	5	<0.5	<0.2
1284750	Soil	15	33	0.67	331	0.073	<1	1.75	0.025	0.05	0.1	0.06	5.7	0.1	0.07	6	<0.5	<0.2
1284652	Soil	8	92	2.57	342	0.493	<1	4.79	0.028	0.42	<0.1	<0.01	18.1	0.2	<0.05	16	<0.5	<0.2
1284663	Soil	47	24	0.84	621	0.152	<1	2.98	0.014	0.46	0.4	0.02	10.5	0.7	<0.05	10	<0.5	<0.2
1284653	Soil	15	40	1.08	290	0.173	<1	2.44	0.047	0.07	<0.1	0.02	6.9	<0.1	<0.05	8	<0.5	<0.2
1284743	Soil	10	95	1.45	424	0.200	<1	2.50	0.020	0.50	0.1	0.08	10.6	0.8	<0.05	11	0.7	<0.2
1284664	Soil	30	39	0.70	344	0.100	<1	2.62	0.013	0.08	0.2	0.05	6.2	0.3	<0.05	8	<0.5	<0.2
1284659	Soil	22	29	0.65	299	0.157	<1	2.42	0.015	0.08	0.3	0.07	4.9	0.3	0.07	9	<0.5	<0.2
1284656	Soil	15	45	0.69	198	0.112	<1	2.33	0.011	0.10	0.1	0.02	5.8	0.1	<0.05	8	<0.5	<0.2
1284745	Soil	22	77	0.87	501	0.091	1	1.71	0.013	0.12	0.2	0.08	7.3	0.5	0.09	8	2.6	<0.2
1284747	Soil	33	72	0.98	252	0.102	1	2.22	0.023	0.12	0.2	0.18	11.1	0.6	0.05	8	0.5	<0.2
1290105	Soil	98	51	0.75	153	0.101	2	1.78	0.017	0.13	0.2	0.03	6.8	0.2	<0.05	6	<0.5	<0.2
1290110	Soil	111	71	0.89	140	0.078	2	1.70	0.013	0.22	0.2	0.05	7.4	0.3	<0.05	6	<0.5	<0.2
1284655	Soil	19	26	0.64	256	0.033	1	1.34	0.011	0.09	0.1	0.03	5.1	0.1	<0.05	7	<0.5	<0.2
1284654	Soil	12	34	0.85	219	0.099	1	2.00	0.027	0.05	0.1	0.03	6.1	<0.1	<0.05	7	<0.5	<0.2
1290102	Soil	40	76	1.81	142	0.169	<1	2.52	0.008	0.94	0.1	<0.01	4.2	0.4	<0.05	7	<0.5	<0.2
1270000	Soil	91	39	0.47	84	0.046	1	1.23	0.008	0.07	0.2	<0.01	2.2	0.1	0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000209.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1269998	Soil	1.0	51.5	7.2	115	<0.1	79.8	27.0	971	6.90	5.2	0.4	<0.5	3.3	16	<0.1	0.1	<0.1	112	0.27	0.056
1284651	Rock Pulp	2.6	24.2	2.0	42	0.3	24.3	10.2	390	2.37	4.2	0.2	<0.5	0.7	34	0.1	0.3	<0.1	62	0.77	0.061
1290117	Soil	0.9	24.3	18.3	60	<0.1	54.4	17.9	652	3.64	26.8	0.9	26.8	12.9	66	0.1	1.1	<0.1	59	1.69	0.062
1269997	Soil	0.7	33.1	6.1	80	<0.1	50.4	17.5	457	3.86	5.0	1.0	1.6	7.0	15	<0.1	0.2	0.1	76	0.28	0.055
1269995	Soil	0.9	36.4	7.1	125	<0.1	87.9	32.1	761	6.50	10.1	0.5	<0.5	3.9	19	<0.1	<0.1	<0.1	100	0.53	0.066
1290104	Soil	1.2	14.9	8.3	58	<0.1	29.5	9.7	485	2.80	5.9	1.1	<0.5	13.9	19	<0.1	0.4	0.2	58	0.30	0.023
1290112	Soil	5.7	80.2	34.0	168	1.7	74.2	25.1	950	5.75	155.0	2.5	4.9	2.8	20	0.4	2.3	0.3	98	0.19	0.040
1290103	Soil	0.7	8.9	10.3	71	<0.1	13.0	6.1	437	2.21	4.0	1.4	<0.5	30.7	19	<0.1	0.3	0.4	34	0.30	0.025
1269996	Soil	1.4	26.3	6.9	68	<0.1	42.8	15.0	292	3.71	6.9	1.1	<0.5	8.4	22	<0.1	0.2	0.1	65	0.34	0.046
1290106	Soil	0.9	9.5	8.7	85	<0.1	20.1	7.7	560	3.46	3.1	1.9	2.6	32.6	15	<0.1	0.3	0.1	37	0.22	0.037
1283563	Soil	3.4	57.7	15.6	137	0.4	51.3	17.7	564	4.36	41.4	1.2	212.2	3.3	37	0.6	5.7	0.3	107	0.66	0.136
1283591	Soil	2.1	53.4	7.5	90	0.2	32.3	15.9	845	4.16	19.4	1.2	4.7	4.8	69	0.3	2.5	0.2	106	1.28	0.098
1283554	Soil	1.4	52.9	7.6	100	0.5	50.2	9.4	334	2.56	113.5	1.1	30.1	3.8	101	0.4	24.1	0.3	56	5.92	0.039
1283552	Soil	1.6	34.4	7.1	71	0.3	33.3	11.2	409	2.63	30.5	1.1	7.7	3.4	29	0.2	2.7	0.1	70	0.49	0.057
1283596	Soil	3.6	83.1	9.7	166	0.7	75.1	15.2	658	3.34	93.3	1.2	9.5	4.0	39	0.5	6.8	0.2	104	0.41	0.046
1283559	Soil	1.5	45.8	7.1	67	0.2	40.2	11.8	346	2.97	47.1	0.8	7.7	4.1	48	0.2	1.7	0.2	82	1.66	0.059
1283555	Soil	1.6	43.7	7.5	72	0.2	37.1	11.6	463	2.95	35.1	1.1	8.2	3.8	36	0.1	12.4	0.2	74	0.58	0.063
1283553	Soil	2.1	47.3	10.4	94	0.3	52.9	9.5	178	3.31	81.1	1.3	8.1	4.8	15	0.2	17.6	0.2	92	0.19	0.021
1283562	Soil	3.8	78.8	21.3	191	0.7	58.8	15.2	460	3.83	83.6	3.8	7.8	3.8	47	1.6	10.5	0.3	108	0.86	0.109
1283561	Soil	2.8	57.8	8.2	104	0.3	53.6	16.7	582	3.55	69.8	2.7	6.8	4.0	42	0.5	3.1	0.2	95	0.64	0.095
1283556	Soil	3.4	62.4	10.5	163	0.3	68.2	19.2	449	4.69	67.9	1.7	4.7	3.7	35	0.5	4.3	0.1	132	0.60	0.127
1283594	Soil	1.5	42.1	8.1	65	0.3	35.6	11.1	370	2.74	25.4	0.7	6.6	3.5	49	0.2	1.8	0.1	70	1.25	0.053
1283564	Soil	2.5	33.2	6.9	71	0.2	28.8	10.6	272	2.81	15.6	2.9	2.7	3.4	49	0.3	1.3	0.1	79	0.98	0.072
1283560	Soil	1.5	47.8	10.5	70	0.3	45.1	12.5	381	3.38	44.2	0.8	21.9	4.8	36	0.1	1.8	0.2	92	0.60	0.054
1283557	Soil	1.7	55.9	8.0	100	0.1	55.5	13.0	298	3.51	48.9	0.8	5.1	5.3	19	0.1	2.9	0.1	93	0.37	0.051
1283595	Soil	2.6	68.4	8.6	126	0.2	73.0	17.0	414	3.96	73.7	1.6	8.4	6.2	27	0.2	5.5	0.2	115	0.79	0.048
1283592	Soil	3.1	37.1	17.9	85	0.2	39.3	12.4	572	3.31	75.5	1.0	2.7	4.1	34	0.3	3.3	0.2	86	0.65	0.062
1283551	Soil	2.7	26.1	2.0	45	0.3	26.8	11.0	429	2.59	4.5	0.2	0.6	0.8	39	0.2	0.3	<0.1	69	0.88	0.064
1290115	Soil	1.6	40.6	11.4	67	0.2	45.1	13.5	515	3.32	19.2	0.9	3.5	7.6	58	<0.1	0.9	0.2	71	1.25	0.038
1290113	Soil	3.6	56.6	14.6	124	0.6	49.7	12.6	413	3.53	96.4	1.3	1.5	2.6	46	0.6	3.9	0.2	87	0.46	0.068

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000209.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1269998	Soil	6	146	1.88	198	0.312	<1	3.63	0.008	1.02	0.1	<0.01	7.7	0.7	<0.05	11	<0.5	<0.2
1284651	Rock Pulp	3	30	0.76	79	0.102	2	1.40	0.071	0.11	13.8	0.01	4.1	<0.1	0.08	5	<0.5	<0.2
1290117	Soil	47	91	1.49	276	0.077	2	1.95	0.008	0.48	<0.1	0.02	5.9	0.3	<0.05	7	<0.5	<0.2
1269997	Soil	32	74	1.11	187	0.112	1	2.41	0.009	0.28	0.1	0.02	5.2	0.2	<0.05	8	<0.5	<0.2
1269995	Soil	15	158	2.12	193	0.352	<1	3.68	0.008	1.15	0.2	<0.01	5.5	0.6	<0.05	11	<0.5	<0.2
1290104	Soil	75	43	0.56	178	0.060	<1	1.63	0.009	0.16	0.2	0.02	5.3	0.1	0.05	6	<0.5	<0.2
1290112	Soil	10	47	0.16	1148	0.004	1	0.91	0.004	0.08	0.1	0.06	22.0	0.2	0.07	3	1.3	<0.2
1290103	Soil	44	22	0.32	130	0.036	1	1.37	0.008	0.12	0.1	0.01	3.2	0.1	0.05	6	<0.5	<0.2
1269996	Soil	35	64	0.95	132	0.125	1	2.01	0.011	0.27	0.1	0.01	4.4	0.3	0.07	7	<0.5	<0.2
1290106	Soil	149	37	0.57	81	0.063	1	1.66	0.008	0.41	0.2	<0.01	4.9	0.4	<0.05	8	<0.5	<0.2
1283563	Soil	13	43	0.97	533	0.171	1	2.02	0.020	0.41	0.3	0.04	6.4	0.3	0.08	9	0.9	<0.2
1283591	Soil	18	55	1.30	530	0.123	2	2.23	0.025	0.24	0.2	0.05	9.7	0.3	0.05	10	0.7	<0.2
1283554	Soil	11	34	0.60	290	0.079	1	1.20	0.008	0.25	0.2	0.21	4.2	0.7	<0.05	5	0.7	<0.2
1283552	Soil	12	38	0.56	341	0.090	2	1.39	0.013	0.13	0.2	0.03	4.6	0.2	<0.05	5	0.5	<0.2
1283596	Soil	16	56	0.75	308	0.096	1	1.63	0.012	0.17	0.2	0.10	6.6	0.4	0.07	6	1.2	<0.2
1283559	Soil	15	48	0.82	398	0.117	1	1.52	0.024	0.21	0.3	0.05	5.7	0.3	0.05	5	0.7	<0.2
1283555	Soil	15	40	0.64	387	0.093	1	1.58	0.022	0.09	0.2	0.07	5.9	0.1	<0.05	5	0.5	<0.2
1283553	Soil	15	51	0.53	249	0.102	<1	1.88	0.008	0.24	0.2	0.03	7.7	0.3	0.07	6	0.9	<0.2
1283562	Soil	15	65	0.93	370	0.135	2	1.79	0.028	0.29	0.3	0.07	7.1	0.4	0.12	7	1.6	<0.2
1283561	Soil	14	58	0.84	385	0.121	1	1.69	0.025	0.27	0.2	0.05	6.2	0.3	0.08	6	0.9	<0.2
1283556	Soil	15	81	1.12	429	0.159	<1	2.39	0.017	0.50	0.2	0.05	8.8	0.4	0.07	9	1.5	<0.2
1283594	Soil	13	36	0.72	386	0.100	2	1.39	0.025	0.14	0.2	0.05	5.6	0.2	<0.05	5	0.5	<0.2
1283564	Soil	13	36	0.79	314	0.111	2	1.57	0.026	0.08	0.2	0.04	5.2	0.2	0.07	6	0.9	<0.2
1283560	Soil	17	57	0.86	332	0.128	1	1.89	0.029	0.15	0.2	0.06	7.5	0.2	<0.05	6	<0.5	<0.2
1283557	Soil	22	57	0.81	285	0.115	<1	1.84	0.014	0.34	0.1	0.03	6.7	0.3	<0.05	7	0.6	<0.2
1283595	Soil	25	73	0.83	383	0.128	1	1.94	0.013	0.27	0.2	0.11	8.6	0.6	<0.05	7	0.9	<0.2
1283592	Soil	14	51	0.76	384	0.079	1	1.80	0.019	0.14	0.2	0.03	6.3	0.2	0.05	6	0.5	<0.2
1283551	Soil	4	34	0.85	84	0.124	3	1.57	0.079	0.12	13.3	0.01	4.7	<0.1	0.09	6	<0.5	<0.2
1290115	Soil	31	56	0.78	795	0.077	2	1.68	0.025	0.09	0.1	0.05	7.2	0.2	<0.05	5	<0.5	<0.2
1290113	Soil	7	43	0.29	2081	0.016	2	1.32	0.008	0.08	0.2	0.03	5.5	0.4	0.09	4	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000209.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1283558	Soil	2.4	67.2	6.2	102	0.4	56.6	17.9	439	3.69	36.7	1.0	7.7	3.3	63	0.3	2.2	0.2	107	2.87	0.096
1290116	Soil	2.6	57.7	11.7	84	0.4	63.8	19.9	1062	3.73	50.4	1.6	3.2	2.9	66	0.2	1.4	0.2	67	2.77	0.074
1290107	Soil	1.0	14.7	6.8	66	<0.1	22.2	7.9	396	2.98	6.4	1.5	1.3	17.1	15	<0.1	0.3	0.1	42	0.21	0.026
1290114	Soil	3.4	80.9	13.6	118	0.3	66.7	21.3	861	4.90	42.8	2.1	3.6	2.8	26	0.2	8.7	0.2	86	0.34	0.051
1290101	Rock Pulp	1.6	420.1	18.2	149	0.2	209.8	78.6	823	15.90	2.9	1.1	29.9	6.5	13	<0.1	0.3	0.2	215	0.30	0.043
1290120	Soil	4.4	79.3	16.4	82	0.1	40.3	21.1	1004	5.65	794.3	1.9	9.4	20.1	20	0.1	21.1	1.1	67	0.49	0.022
1290118	Soil	1.4	53.5	12.6	74	<0.1	60.4	26.5	771	5.01	29.9	0.9	13.0	24.0	18	<0.1	1.6	0.3	80	0.42	0.067
1290119	Soil	1.8	33.9	3.8	78	<0.1	263.0	31.5	769	5.32	1158	1.0	8.8	14.9	16	<0.1	8.5	<0.1	46	0.33	0.037
1269999	Soil	1.2	10.0	7.4	95	<0.1	10.9	7.4	623	4.23	9.2	2.1	1.9	20.6	14	<0.1	0.4	0.2	37	0.22	0.045
1290111	Soil	1.6	24.9	7.8	41	0.2	33.3	9.8	449	1.96	40.1	1.1	3.1	6.6	52	0.2	1.2	0.1	26	5.00	0.041
1290109	Soil	0.8	23.4	9.9	69	<0.1	30.3	12.2	574	3.52	4.5	1.6	2.0	20.7	18	<0.1	0.3	0.1	47	0.37	0.054
1290108	Soil	0.3	21.1	6.4	79	<0.1	34.7	15.4	736	4.05	1.9	1.4	0.8	19.6	21	<0.1	<0.1	<0.1	43	0.47	0.068
1282884	Soil	0.7	15.0	10.1	76	<0.1	24.6	13.7	639	3.03	3.7	2.2	1.0	13.5	34	<0.1	0.6	0.1	65	0.50	0.069
1283590	Soil	1.5	52.3	7.7	69	0.2	26.0	10.3	568	2.69	26.9	1.0	4.6	3.1	58	0.4	2.6	0.1	59	1.77	0.069
1283599	Soil	2.7	107.0	7.9	109	0.3	107.1	24.9	793	4.40	66.7	1.8	5.9	3.4	39	0.2	3.0	0.2	126	0.46	0.062
1283598	Soil	2.6	52.5	10.0	99	0.3	55.7	14.7	509	3.54	111.7	1.0	4.7	4.6	23	0.2	6.3	0.2	94	0.36	0.038
1282871	Soil	2.7	89.5	14.5	110	0.4	72.9	13.4	750	3.13	101.7	1.2	3.6	6.6	13	0.1	1.8	0.2	30	0.16	0.032
1282892	Soil	0.9	39.9	11.0	84	0.2	71.6	24.0	1051	4.25	32.0	1.1	3.7	8.4	46	0.2	0.3	<0.1	69	1.00	0.091
1283597	Soil	4.3	85.6	7.9	132	0.6	52.8	11.8	324	3.26	59.2	2.2	4.7	3.4	48	0.4	3.0	0.2	139	0.25	0.050
1283589	Soil	2.2	52.3	7.0	75	0.2	29.8	12.1	1047	3.15	27.2	1.4	5.2	4.1	59	0.4	5.3	0.2	73	1.82	0.084
1282896	Soil	0.5	19.6	6.0	39	<0.1	27.5	9.9	289	2.15	6.1	0.7	1.7	4.2	18	<0.1	0.2	<0.1	42	0.35	0.033
1282893	Soil	1.3	19.8	7.7	71	<0.1	35.4	14.7	400	4.03	5.2	0.6	1.8	5.7	21	<0.1	0.2	<0.1	74	0.41	0.044
1282887	Soil	1.1	13.4	7.9	64	<0.1	23.6	8.6	478	2.61	7.4	0.6	1.0	5.9	15	<0.1	0.5	0.1	61	0.17	0.024
1283600	Soil	2.2	30.0	9.4	70	0.2	36.1	12.5	265	3.61	30.1	0.5	8.2	2.3	22	0.2	1.9	0.2	98	0.28	0.032
1282943	Soil	0.6	35.0	7.5	88	<0.1	77.7	21.7	847	4.91	2.2	0.4	<0.5	3.9	27	<0.1	<0.1	<0.1	73	0.47	0.049
1282875	Soil	4.6	71.3	11.9	170	0.8	77.1	17.6	751	4.31	154.5	1.9	3.9	3.4	19	0.6	6.2	0.2	75	0.82	0.070
1282885	Soil	1.0	17.6	11.7	63	<0.1	30.7	10.3	596	2.81	6.0	2.3	7.9	17.1	22	<0.1	0.7	0.2	55	0.36	0.049
1283593	Soil	3.1	42.9	11.1	92	0.3	46.4	17.2	502	4.15	27.5	0.9	4.2	4.0	35	0.2	2.7	0.2	98	0.66	0.091
1282939	Soil	3.3	63.9	11.8	125	0.3	58.8	16.2	576	3.55	41.5	1.2	2.0	4.4	57	0.4	1.8	0.3	59	1.95	0.099
1290127	Soil	1.2	56.8	9.1	57	<0.1	29.7	13.9	307	3.69	7.7	0.5	1.3	3.0	24	<0.1	0.6	0.1	106	0.38	0.018

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000209.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1283558	Soil	13	61	1.14	421	0.149	<1	1.96	0.018	0.55	0.2	0.04	5.8	0.4	<0.05	8	0.8	<0.2
1290116	Soil	8	52	0.75	883	0.004	2	0.79	0.007	0.06	<0.1	0.04	9.3	0.2	<0.05	3	0.8	<0.2
1290107	Soil	81	34	0.52	104	0.067	1	1.44	0.009	0.30	0.2	0.01	4.6	0.3	<0.05	6	<0.5	<0.2
1290114	Soil	10	52	0.24	2438	0.017	1	0.98	0.007	0.07	0.1	0.09	12.6	0.2	0.08	4	0.6	<0.2
1290101	Rock Pulp	16	683	0.13	125	0.153	3	3.90	0.013	0.06	<0.1	0.03	39.0	0.1	<0.05	22	<0.5	<0.2
1290120	Soil	61	34	0.34	435	0.014	1	1.44	0.007	0.23	0.2	0.12	12.9	0.3	<0.05	5	0.7	<0.2
1290118	Soil	54	130	1.98	310	0.120	2	2.51	0.008	0.72	0.1	<0.01	10.2	0.5	<0.05	8	<0.5	<0.2
1290119	Soil	60	415	1.77	248	0.115	2	2.10	0.005	0.73	0.2	0.20	8.1	4.0	<0.05	7	<0.5	<0.2
1269999	Soil	101	23	0.39	179	0.014	<1	1.86	0.007	0.11	0.1	<0.01	4.1	0.1	<0.05	6	<0.5	<0.2
1290111	Soil	13	25	0.31	377	0.005	2	0.77	0.009	0.11	<0.1	0.13	3.9	0.2	<0.05	3	<0.5	<0.2
1290109	Soil	85	45	0.79	120	0.078	<1	1.60	0.011	0.31	0.1	0.02	5.7	0.3	<0.05	7	<0.5	<0.2
1290108	Soil	91	56	1.36	58	0.127	<1	2.30	0.008	0.64	<0.1	<0.01	2.9	0.5	<0.05	10	<0.5	<0.2
1282884	Soil	43	58	0.93	217	0.086	2	1.64	0.011	0.28	0.2	0.01	6.4	0.4	<0.05	7	<0.5	<0.2
1283590	Soil	13	34	0.66	390	0.054	2	1.31	0.019	0.11	0.3	0.09	5.6	0.2	0.05	5	0.6	<0.2
1283599	Soil	18	105	1.08	314	0.117	<1	1.90	0.013	0.22	0.1	0.04	7.9	0.3	0.07	9	1.0	<0.2
1283598	Soil	18	54	0.67	201	0.078	1	1.66	0.012	0.21	0.2	0.06	7.9	0.5	<0.05	7	0.7	<0.2
1282871	Soil	25	21	0.16	711	0.009	<1	0.59	0.005	0.07	0.1	0.03	4.8	<0.1	<0.05	2	1.1	<0.2
1282892	Soil	32	88	1.44	138	0.089	1	2.04	0.009	0.13	0.1	0.03	7.3	0.2	<0.05	7	<0.5	<0.2
1283597	Soil	15	68	0.83	281	0.111	<1	1.65	0.012	0.22	0.2	0.04	6.0	0.3	0.15	8	1.8	<0.2
1283589	Soil	15	40	0.82	425	0.059	2	1.48	0.023	0.12	0.2	0.08	7.6	0.2	0.06	6	0.6	<0.2
1282896	Soil	15	40	0.63	110	0.057	<1	1.26	0.009	0.04	<0.1	0.03	4.4	<0.1	<0.05	4	<0.5	<0.2
1282893	Soil	13	64	1.46	118	0.183	<1	2.37	0.010	0.19	0.2	0.01	3.1	0.2	<0.05	8	<0.5	<0.2
1282887	Soil	16	34	0.46	224	0.056	<1	1.70	0.010	0.05	0.1	0.01	3.4	0.1	<0.05	6	<0.5	<0.2
1283600	Soil	9	47	0.64	220	0.109	<1	2.01	0.013	0.10	0.1	0.03	4.3	0.1	<0.05	8	<0.5	<0.2
1282943	Soil	8	119	1.77	143	0.275	1	2.74	0.008	1.07	0.1	<0.01	3.7	0.7	<0.05	9	<0.5	<0.2
1282875	Soil	11	37	0.22	931	0.005	1	0.78	0.004	0.07	<0.1	0.09	7.7	0.3	0.05	3	1.1	<0.2
1282885	Soil	76	48	0.61	153	0.064	1	1.58	0.011	0.19	0.1	0.02	6.1	0.2	<0.05	6	<0.5	<0.2
1283593	Soil	15	48	0.88	433	0.160	2	2.07	0.021	0.38	0.2	0.03	7.3	0.3	0.06	8	0.8	<0.2
1282939	Soil	8	31	0.14	1423	0.002	<1	0.44	0.006	0.06	<0.1	0.04	8.0	0.1	0.06	2	0.9	<0.2
1290127	Soil	15	46	0.96	239	0.128	<1	2.69	0.023	0.04	0.1	0.01	5.3	0.1	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000209.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1290123	Soil	2.0	31.4	14.5	64	0.2	31.6	12.3	345	3.23	38.8	1.1	29.3	3.3	26	<0.1	3.1	0.2	74	0.43	0.035
1290128	Soil	1.4	59.3	11.3	67	0.2	30.1	14.1	582	3.75	8.2	0.9	3.4	3.8	33	<0.1	1.5	0.1	96	0.61	0.042
1284520	Soil	0.9	32.7	9.6	54	<0.1	32.5	9.4	365	2.93	10.9	1.3	4.0	17.4	29	<0.1	0.6	0.2	58	0.44	0.042
1282934	Soil	3.5	58.8	20.4	196	0.7	52.5	15.6	1324	3.46	139.5	1.6	19.5	7.6	115	1.6	2.8	0.3	28	6.35	0.069
1290124	Soil	1.2	24.1	10.6	61	<0.1	23.6	12.5	370	3.93	10.9	0.7	3.6	4.2	16	<0.1	1.2	0.1	74	0.27	0.035
1290129	Soil	1.2	76.7	11.6	69	0.3	30.7	13.7	827	3.30	6.9	1.5	2.9	2.8	45	0.3	1.1	0.2	80	1.06	0.065
1284516	Soil	1.4	14.6	13.3	52	<0.1	18.0	7.9	437	2.41	11.9	1.5	2.8	22.2	18	<0.1	1.1	0.2	40	0.27	0.027
1284521	Soil	1.0	24.7	13.4	65	0.1	24.8	10.1	586	2.61	9.3	1.8	1.9	22.7	30	0.1	0.8	0.3	56	0.39	0.022
1290122	Soil	4.0	68.7	11.1	139	0.4	80.0	21.2	1154	5.25	94.5	1.6	2.2	6.3	23	0.4	14.8	0.2	139	0.59	0.098
1290121	Soil	2.2	29.4	13.4	108	0.1	53.8	23.5	1053	4.54	32.6	0.7	1.5	6.4	21	0.3	3.2	0.2	91	0.46	0.084
1282945	Soil	1.9	12.2	13.8	59	0.1	18.4	7.3	420	3.35	9.4	1.1	1.1	9.9	14	0.2	0.6	0.2	63	0.17	0.042
1284518	Soil	0.7	36.0	7.7	44	0.2	22.9	8.1	284	1.79	8.0	0.8	3.5	6.8	164	0.2	0.9	0.1	43	5.97	0.049
1290126	Soil	1.1	59.6	15.1	72	0.2	31.1	14.4	740	3.56	10.5	1.4	3.2	5.7	34	0.1	1.5	0.2	89	0.56	0.062
1290131	Soil	1.0	43.3	10.1	64	0.1	20.5	12.3	476	3.18	7.1	0.8	2.8	3.8	46	<0.1	0.5	0.1	80	0.63	0.065
1284524	Soil	0.8	18.5	9.3	49	<0.1	26.1	8.6	348	2.29	6.0	1.3	1.6	13.0	20	<0.1	0.4	0.1	46	0.23	0.034
1290134	Soil	0.8	18.2	10.1	63	0.1	11.9	7.9	243	2.75	18.0	2.2	7.3	4.7	23	0.2	3.8	0.1	67	0.28	0.070
1290135	Soil	0.9	28.5	9.9	60	0.2	14.6	11.1	539	2.32	16.5	1.7	2.0	4.1	26	0.2	3.8	0.2	73	0.28	0.039
1290137	Soil	1.1	13.4	11.8	76	0.3	15.0	11.4	815	2.52	33.9	4.2	7.1	5.8	50	0.3	2.9	0.2	46	0.67	0.076
1290132	Soil	0.8	20.0	7.2	107	<0.1	11.6	10.3	551	3.98	4.8	0.5	1.3	6.5	31	<0.1	2.5	0.1	83	0.45	0.123
1290133	Soil	0.5	20.3	9.6	109	0.1	12.4	11.2	715	2.46	4.4	0.7	4.1	3.0	69	0.7	1.1	0.2	52	1.27	0.056
1290136	Soil	0.8	18.4	11.2	67	0.2	14.7	9.0	306	2.77	17.8	1.9	4.4	5.6	25	0.2	5.7	0.2	64	0.31	0.056
1290138	Soil	1.1	12.1	12.2	62	0.1	11.3	10.1	694	2.65	58.5	1.6	5.8	5.9	23	0.1	2.8	0.2	58	0.30	0.071
1290125	Soil	1.3	56.6	17.7	71	0.2	31.4	13.8	615	3.49	11.3	1.4	4.0	5.9	37	<0.1	1.5	0.2	89	0.52	0.047
1290130	Soil	1.1	60.5	7.9	58	0.2	19.2	12.5	389	3.03	5.7	0.7	1.6	2.7	35	0.2	0.3	<0.1	81	0.48	0.067
1290139	Soil	1.1	11.0	14.9	76	0.1	11.9	9.9	382	3.14	53.1	1.8	5.4	9.7	20	<0.1	6.3	0.2	63	0.29	0.059
1290140	Soil	1.3	8.6	13.3	88	<0.1	9.7	12.2	816	3.64	54.0	1.3	6.1	11.4	25	<0.1	2.7	0.2	63	0.46	0.070
1282869	Soil	3.8	80.1	23.7	136	0.5	49.2	18.9	1078	4.72	59.6	2.2	1.4	10.8	19	0.3	1.2	0.3	58	0.36	0.051
1282890	Soil	2.0	17.9	13.0	65	<0.1	22.7	9.9	309	3.73	34.5	1.2	1.9	10.6	16	0.1	0.8	0.2	66	0.16	0.045
1282867	Soil	1.1	52.6	16.6	69	0.4	34.1	12.6	537	3.03	31.2	1.4	2.1	5.0	47	0.1	1.2	0.2	58	0.84	0.061
1282868	Soil	2.5	77.5	24.5	124	0.4	51.5	17.3	876	4.22	54.7	1.7	3.6	9.9	25	0.3	1.4	0.2	56	0.41	0.058

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000209.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1290123	Soil	11	45	0.61	1239	0.065	2	2.00	0.014	0.05	0.3	0.23	6.3	1.0	0.05	6	<0.5	<0.2
1290128	Soil	17	44	0.80	333	0.067	<1	2.16	0.025	0.05	0.2	0.07	9.8	0.1	<0.05	7	<0.5	<0.2
1284520	Soil	60	39	0.54	151	0.082	2	1.66	0.017	0.13	0.1	0.03	6.6	0.1	<0.05	5	<0.5	<0.2
1282934	Soil	14	15	0.25	756	0.002	1	0.46	0.010	0.09	<0.1	0.04	3.5	0.2	<0.05	1	1.5	<0.2
1290124	Soil	10	33	0.56	315	0.048	<1	2.31	0.011	0.04	0.1	0.06	5.7	0.7	<0.05	7	<0.5	<0.2
1290129	Soil	26	39	0.72	340	0.054	1	1.87	0.027	0.05	0.1	0.12	8.3	0.1	0.05	6	<0.5	<0.2
1284516	Soil	36	26	0.34	307	0.034	2	1.03	0.009	0.14	0.1	0.02	4.0	0.1	<0.05	4	<0.5	<0.2
1284521	Soil	64	35	0.51	189	0.069	3	1.62	0.013	0.12	0.2	0.03	5.5	<0.1	<0.05	6	1.1	<0.2
1290122	Soil	22	117	1.86	730	0.214	2	2.92	0.005	0.51	0.2	0.05	13.4	0.6	<0.05	16	1.1	<0.2
1290121	Soil	14	90	1.27	294	0.207	<1	2.36	0.008	0.40	0.1	0.02	6.7	0.3	<0.05	11	0.6	<0.2
1282945	Soil	39	33	0.42	124	0.057	1	1.73	0.008	0.07	0.2	0.03	3.1	<0.1	<0.05	7	<0.5	<0.2
1284518	Soil	16	23	0.79	315	0.059	3	0.88	0.029	0.06	0.2	0.04	3.0	<0.1	<0.05	3	<0.5	<0.2
1290126	Soil	25	50	0.77	330	0.068	<1	1.98	0.021	0.05	0.2	0.09	9.8	0.1	<0.05	7	0.6	<0.2
1290131	Soil	14	35	0.75	197	0.114	1	1.81	0.024	0.06	0.1	0.03	4.3	<0.1	<0.05	7	<0.5	<0.2
1284524	Soil	23	38	0.57	190	0.072	<1	1.28	0.011	0.14	<0.1	0.01	4.0	0.1	<0.05	4	0.5	<0.2
1290134	Soil	19	23	0.51	271	0.094	2	1.62	0.015	0.05	0.2	0.06	3.5	0.2	<0.05	7	0.6	<0.2
1290135	Soil	16	27	0.55	277	0.098	2	1.61	0.015	0.05	0.1	0.04	3.7	0.2	<0.05	7	<0.5	<0.2
1290137	Soil	40	25	0.49	513	0.050	2	1.59	0.013	0.05	0.2	0.17	5.9	0.2	<0.05	6	0.8	<0.2
1290132	Soil	11	25	0.86	319	0.080	<1	2.05	0.011	0.21	<0.1	<0.01	7.0	0.2	<0.05	10	<0.5	<0.2
1290133	Soil	13	21	0.53	386	0.044	3	1.34	0.016	0.06	<0.1	0.04	4.6	<0.1	<0.05	6	0.5	<0.2
1290136	Soil	17	26	0.51	263	0.084	1	1.79	0.014	0.05	0.2	0.05	4.2	0.2	<0.05	7	<0.5	<0.2
1290138	Soil	21	22	0.48	235	0.077	1	1.54	0.015	0.07	0.2	0.07	4.0	0.2	0.08	7	<0.5	<0.2
1290125	Soil	24	51	0.73	332	0.081	<1	2.04	0.020	0.05	0.3	0.08	10.0	0.1	<0.05	7	0.9	<0.2
1290130	Soil	10	29	0.74	194	0.137	1	1.80	0.024	0.06	0.1	0.03	4.2	<0.1	<0.05	7	<0.5	<0.2
1290139	Soil	18	21	0.47	248	0.088	<1	1.93	0.009	0.08	0.2	0.10	4.4	0.3	<0.05	8	0.5	<0.2
1290140	Soil	13	20	0.58	198	0.086	<1	1.87	0.010	0.11	0.2	0.09	5.2	0.3	<0.05	9	<0.5	<0.2
1282869	Soil	37	30	0.36	554	0.017	1	1.06	0.006	0.21	<0.1	0.03	7.2	0.2	<0.05	5	1.7	<0.2
1282890	Soil	24	38	0.43	154	0.031	<1	2.03	0.007	0.05	0.1	0.03	3.9	0.1	<0.05	6	0.5	<0.2
1282867	Soil	20	32	0.53	512	0.049	2	1.30	0.023	0.07	0.1	0.04	5.2	0.1	0.12	5	1.3	<0.2
1282868	Soil	27	32	0.46	536	0.032	1	1.10	0.015	0.09	0.1	0.03	6.3	0.1	<0.05	4	1.4	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000209.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1282889	Soil		1.4	23.3	8.3	60	<0.1	37.6	12.9	237	3.49	7.9	2.6	1.7	9.8	12	<0.1	0.3	0.2	64	0.16	0.027
1282888	Soil		1.4	17.5	8.6	45	<0.1	19.6	8.5	177	2.65	9.0	0.6	1.9	3.7	12	<0.1	0.5	0.1	65	0.11	0.020
1282880	Soil		1.5	11.5	12.0	46	<0.1	18.0	9.0	499	1.90	2.7	2.3	1.7	17.1	19	<0.1	0.3	0.2	37	0.34	0.053
1282874	Soil		1.2	33.2	8.4	63	0.2	32.1	12.2	496	2.89	25.1	0.8	3.2	4.2	28	0.1	0.9	0.1	65	0.40	0.033
1282891	Soil		1.6	19.8	9.9	64	<0.1	29.6	13.1	255	3.65	13.6	1.0	2.0	6.2	14	<0.1	0.3	0.1	66	0.19	0.033
1282886	Soil		0.6	11.4	10.8	71	<0.1	15.3	7.6	428	2.58	4.6	2.8	4.2	16.7	19	<0.1	0.4	0.2	51	0.24	0.026
1282878	Soil		1.5	23.3	11.3	55	0.2	32.0	10.9	381	2.78	11.0	1.8	2.1	17.6	24	<0.1	0.7	0.2	59	0.35	0.028
1282883	Soil		0.9	12.5	8.7	47	<0.1	17.4	8.0	266	2.19	6.3	1.3	170.1	10.0	19	<0.1	1.0	0.1	52	0.30	0.038
1282877	Soil		3.9	76.1	16.1	155	0.4	86.1	21.7	593	4.21	57.8	1.6	2.7	4.9	21	0.4	2.1	0.2	87	0.43	0.081
1282873	Soil		1.2	29.9	13.8	55	0.1	28.7	9.9	399	2.48	20.6	1.2	4.4	12.2	26	0.1	0.9	0.1	55	0.48	0.034
1282870	Soil		5.7	85.3	49.2	289	0.8	68.4	15.0	1033	3.52	118.0	1.5	5.3	7.3	16	0.8	3.6	0.3	36	0.20	0.058
1282872	Soil		1.1	39.7	10.2	71	0.2	32.9	11.6	525	2.71	20.7	0.7	3.2	4.0	53	0.4	1.0	0.1	60	1.57	0.076
1282866	Soil		1.0	22.4	9.5	49	0.1	24.8	8.8	319	2.29	17.7	1.3	4.1	6.4	29	<0.1	0.8	<0.1	53	0.54	0.036
1282879	Soil		1.6	13.3	10.3	48	<0.1	19.4	7.6	264	2.15	5.5	2.3	0.8	18.7	15	<0.1	0.4	0.2	44	0.24	0.036
1282882	Soil		1.2	14.7	11.0	48	<0.1	24.0	11.1	391	2.30	4.8	2.2	1.6	11.8	21	<0.1	0.9	0.1	54	0.34	0.040
1282881	Soil		1.2	31.0	10.3	48	<0.1	31.0	10.6	339	2.61	13.3	1.3	2.5	10.0	20	<0.1	0.7	0.2	62	0.32	0.027
1269224	Soil		1.6	74.3	14.4	75	0.1	36.3	16.3	494	3.74	23.5	0.6	4.7	3.9	30	<0.1	1.2	0.2	101	0.48	0.032
1282935	Soil		2.4	57.9	17.6	144	0.5	56.2	17.2	1060	3.48	89.4	0.8	19.9	5.9	84	1.2	4.6	0.4	40	3.56	0.048
1282937	Soil		2.5	70.8	34.2	174	0.6	56.1	14.0	865	2.70	96.0	0.9	2.5	5.5	27	0.5	2.3	0.2	26	0.65	0.048
1284515	Soil		2.1	51.0	15.3	88	0.4	41.3	14.7	683	2.94	119.1	1.5	5.2	13.0	53	0.5	2.4	0.2	54	3.05	0.051
1269223	Soil		2.4	49.0	13.8	99	0.2	44.6	16.6	641	3.83	41.6	0.9	2.3	4.0	25	0.4	1.4	0.2	99	0.45	0.054
1269226	Soil		0.7	26.6	7.5	46	<0.1	13.2	7.2	311	1.77	8.1	0.7	2.3	1.5	36	0.1	0.6	<0.1	46	0.81	0.040
1284519	Soil		1.0	52.6	12.0	71	0.1	30.4	14.2	679	3.13	14.1	0.7	3.6	3.9	70	0.2	0.8	0.1	71	3.43	0.077
1282932	Soil		1.4	49.2	30.3	71	0.3	50.5	19.1	693	3.41	24.0	0.7	27.7	3.2	51	0.3	1.1	0.5	80	2.85	0.036
1269222	Soil		0.8	24.5	7.3	32	0.1	17.6	5.8	247	1.51	5.2	1.0	2.9	10.1	168	0.1	0.6	0.1	33	8.51	0.031
1269227	Soil		1.0	34.8	10.8	62	0.1	17.4	9.9	333	2.37	11.1	1.0	2.4	2.0	49	0.2	0.6	0.1	59	1.14	0.054
1284523	Soil		1.0	22.0	8.9	55	<0.1	30.0	10.3	372	2.64	6.9	1.2	4.5	14.0	20	<0.1	0.4	0.2	56	0.34	0.028
1282941	Soil		6.2	36.5	6.3	80	<0.1	45.7	20.3	578	4.15	3.4	1.0	0.9	5.6	19	<0.1	0.1	<0.1	74	0.28	0.040
1269228	Soil		2.0	37.4	17.2	71	0.2	26.7	14.6	1021	2.83	28.3	2.1	2.8	3.1	44	0.4	0.5	0.2	74	0.85	0.042
1269225	Soil		1.4	40.6	14.9	76	0.2	31.3	11.7	923	2.28	41.8	1.0	2.3	1.3	55	0.5	1.4	0.2	51	1.51	0.069

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000209.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1282889	Soil	30	73	0.70	142	0.052	2	2.40	0.009	0.05	0.1	0.04	3.7	0.1	<0.05	6	<0.5	<0.2
1282888	Soil	9	37	0.48	188	0.050	1	2.34	0.009	0.04	0.1	0.05	2.9	0.1	<0.05	6	<0.5	<0.2
1282880	Soil	39	41	0.45	170	0.047	2	1.09	0.007	0.23	0.1	0.01	3.2	0.2	<0.05	4	<0.5	<0.2
1282874	Soil	15	39	0.51	558	0.069	2	1.41	0.020	0.08	0.1	0.05	6.7	0.1	<0.05	4	<0.5	<0.2
1282891	Soil	16	49	0.78	143	0.078	2	2.16	0.007	0.10	<0.1	0.02	3.8	0.2	<0.05	7	<0.5	<0.2
1282886	Soil	68	25	0.44	170	0.049	1	1.60	0.008	0.16	0.1	0.01	3.8	0.1	<0.05	6	<0.5	<0.2
1282878	Soil	41	50	0.56	325	0.067	2	1.63	0.013	0.14	0.1	0.03	6.1	0.2	<0.05	5	<0.5	<0.2
1282883	Soil	30	29	0.41	159	0.054	1	1.26	0.010	0.15	0.1	0.01	4.2	0.1	<0.05	4	<0.5	<0.2
1282877	Soil	14	64	0.32	372	0.019	2	1.29	0.007	0.11	0.1	0.04	11.3	0.2	<0.05	4	1.3	<0.2
1282873	Soil	30	40	0.50	401	0.057	2	1.37	0.021	0.08	0.2	0.04	5.2	0.1	<0.05	4	<0.5	<0.2
1282870	Soil	27	16	0.08	402	0.002	1	0.45	0.003	0.09	<0.1	0.04	4.8	0.4	<0.05	1	3.2	<0.2
1282872	Soil	15	32	0.68	379	0.069	2	1.28	0.031	0.09	0.2	0.03	4.8	0.1	<0.05	4	<0.5	<0.2
1282866	Soil	16	29	0.46	302	0.057	2	1.12	0.020	0.07	0.2	0.02	4.6	<0.1	<0.05	3	<0.5	<0.2
1282879	Soil	35	33	0.43	126	0.055	1	1.20	0.009	0.19	0.1	0.01	4.2	0.2	<0.05	4	<0.5	<0.2
1282882	Soil	35	48	0.55	176	0.056	2	1.36	0.010	0.17	<0.1	<0.01	4.9	0.1	<0.05	5	<0.5	<0.2
1282881	Soil	29	43	0.56	158	0.083	1	1.50	0.014	0.21	0.1	0.03	5.9	0.2	<0.05	5	<0.5	<0.2
1269224	Soil	15	55	0.92	1278	0.086	<1	2.37	0.022	0.07	0.1	0.08	8.4	0.2	<0.05	8	<0.5	<0.2
1282935	Soil	14	25	0.33	496	0.003	2	0.49	0.009	0.10	<0.1	0.09	4.7	0.4	<0.05	2	1.1	<0.2
1282937	Soil	18	14	0.16	247	0.002	2	0.33	0.004	0.08	<0.1	0.03	3.5	0.3	<0.05	1	1.4	<0.2
1284515	Soil	28	33	0.32	728	0.006	2	0.59	0.007	0.10	<0.1	0.04	7.9	0.1	<0.05	2	0.5	<0.2
1269223	Soil	17	56	0.78	1109	0.098	1	1.96	0.014	0.18	0.2	0.03	6.9	0.3	<0.05	7	0.7	<0.2
1269226	Soil	7	20	0.47	440	0.051	1	0.94	0.019	0.04	<0.1	0.04	3.6	0.1	<0.05	4	<0.5	<0.2
1284519	Soil	18	36	0.72	624	0.053	3	1.58	0.027	0.13	0.1	0.06	6.4	0.2	<0.05	6	<0.5	<0.2
1282932	Soil	11	94	1.18	350	0.045	1	1.89	0.029	0.07	<0.1	0.04	9.5	0.2	<0.05	5	0.6	0.3
1269222	Soil	29	21	0.53	274	0.048	2	0.80	0.020	0.07	0.2	0.03	2.6	<0.1	<0.05	3	<0.5	<0.2
1269227	Soil	10	28	0.64	626	0.062	2	1.29	0.025	0.06	0.1	0.05	4.9	0.2	<0.05	4	<0.5	<0.2
1284523	Soil	38	47	0.59	178	0.078	<1	1.55	0.010	0.16	0.1	0.02	5.4	0.1	<0.05	5	<0.5	<0.2
1282941	Soil	12	105	1.54	245	0.189	<1	2.42	0.009	1.03	0.1	<0.01	4.1	0.4	<0.05	7	<0.5	<0.2
1269228	Soil	14	45	0.52	406	0.085	2	1.56	0.020	0.11	0.1	0.07	6.3	0.3	<0.05	6	0.5	<0.2
1269225	Soil	9	29	0.38	668	0.037	2	0.94	0.014	0.06	<0.1	0.10	3.9	0.4	<0.05	3	0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000209.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1284522	Soil	0.9	15.9	8.0	49	<0.1	22.6	9.9	406	2.47	6.7	0.6	4.8	7.8	19	0.1	0.4	0.1	56	0.34	0.029
1284517	Soil	1.0	24.2	9.5	47	<0.1	20.5	6.5	393	2.02	6.9	1.5	4.6	29.2	18	<0.1	0.5	0.2	37	0.25	0.021
1269221	Soil	1.2	44.8	9.9	69	0.2	34.8	12.8	613	2.93	23.4	0.6	3.2	3.6	49	0.2	0.8	0.1	73	1.36	0.061
1269213	Soil	2.8	34.4	12.2	84	0.2	37.4	15.9	765	3.65	73.9	0.8	1.5	2.5	12	0.3	1.1	0.2	121	0.32	0.100
1282940	Soil	1.6	36.4	9.4	52	0.2	27.6	8.3	489	1.89	34.5	1.5	6.0	15.8	92	0.1	2.2	<0.1	36	5.62	0.035
1269201	Rock Pulp	1.3	405.7	18.9	142	0.2	202.1	70.9	718	13.92	2.8	1.1	30.0	6.4	12	<0.1	0.2	0.1	199	0.28	0.040
1269212	Soil	2.2	42.4	9.1	82	0.1	56.3	16.4	426	3.98	22.5	0.7	4.8	2.9	16	0.3	0.6	0.2	108	0.20	0.059
1269214	Soil	1.8	21.8	10.2	71	0.1	28.3	14.0	976	3.52	47.2	0.5	1.5	2.7	14	0.1	0.9	0.2	97	0.21	0.052
1282946	Soil	1.2	19.5	13.1	58	<0.1	21.7	9.8	314	2.70	7.2	2.0	1.9	16.9	18	<0.1	0.4	0.2	61	0.22	0.021
1282933	Soil	1.4	37.0	35.4	54	0.2	28.8	10.4	406	2.25	19.6	1.2	9.4	3.5	164	0.4	1.1	0.2	49	6.09	0.037
1269219	Soil	2.0	32.7	15.2	61	0.3	38.5	15.0	836	3.26	35.7	0.8	1.7	3.4	24	0.3	0.9	0.2	83	0.45	0.034
1269215	Soil	1.1	32.4	10.5	84	0.2	35.4	11.4	497	3.09	102.0	0.8	1.9	3.7	21	0.3	2.7	0.1	97	0.37	0.087
1282944	Soil	1.0	20.6	8.1	78	<0.1	30.8	14.4	441	4.09	4.4	1.2	1.6	8.9	20	<0.1	0.2	0.1	73	0.43	0.043
1282938	Soil	5.8	98.4	15.9	170	0.5	56.5	18.6	1450	4.37	58.8	1.6	4.5	5.0	29	0.8	4.0	0.2	57	0.22	0.056
1269218	Soil	1.8	20.9	10.0	58	0.2	27.5	11.6	384	2.97	22.4	0.5	2.0	2.5	19	0.2	0.7	0.1	78	0.29	0.031
1269220	Soil	2.0	54.3	13.4	79	0.2	49.7	17.0	794	3.67	40.4	1.1	3.9	5.1	25	0.1	1.3	0.2	87	0.48	0.042
1282936	Soil	3.0	64.6	21.6	84	0.7	46.4	15.8	1151	3.52	241.7	1.0	13.3	3.2	57	0.8	6.2	0.4	55	2.14	0.044
1282942	Soil	1.1	37.9	10.9	73	<0.1	55.7	16.5	472	3.45	9.5	0.8	1.6	6.2	26	0.1	0.5	0.1	67	0.50	0.055
1284759	Soil	1.0	11.6	8.1	69	<0.1	14.4	8.9	440	2.97	10.4	0.7	1.9	4.4	23	0.1	0.8	0.1	70	0.36	0.069
1268898	Soil	1.2	28.8	12.9	68	0.2	28.0	9.9	743	2.01	29.0	1.2	3.1	1.3	66	0.3	1.1	0.1	45	1.83	0.056
1269204	Soil	2.1	33.8	11.9	72	0.2	33.0	15.1	577	3.62	21.7	0.8	3.2	3.9	22	0.2	0.9	0.1	84	0.42	0.041
1269217	Soil	2.2	65.8	13.1	126	0.3	59.7	18.7	812	4.45	77.7	1.7	5.5	4.2	16	0.3	1.9	0.1	129	0.42	0.094
1283689	Soil	0.9	53.4	10.5	71	<0.1	20.5	13.5	408	3.87	7.0	0.5	2.7	3.1	30	<0.1	0.4	0.1	101	0.34	0.027
1284777	Soil	1.2	22.9	8.3	84	0.1	12.0	13.1	1691	3.61	22.5	1.9	3.8	4.6	27	0.2	3.3	0.2	87	0.36	0.080
1269205	Soil	1.7	29.5	10.4	68	0.3	34.2	12.9	395	3.22	17.6	0.6	1.6	3.2	19	0.4	0.6	0.1	83	0.29	0.021
1269211	Soil	1.7	19.5	11.6	66	0.4	27.1	9.7	353	3.19	29.1	0.5	3.6	2.2	12	0.4	0.8	0.2	77	0.13	0.043
1283688	Soil	1.1	30.1	9.2	61	<0.1	20.3	11.0	325	3.30	8.2	0.6	1.1	3.5	29	<0.1	0.4	0.2	80	0.24	0.025
1284756	Soil	1.3	12.7	10.1	78	<0.1	17.9	8.4	449	3.24	11.3	0.4	1.3	2.7	20	0.2	0.9	0.2	79	0.25	0.041
1268897	Soil	2.0	48.5	10.8	72	0.2	29.2	12.6	849	2.85	23.3	2.1	3.5	2.6	48	0.4	0.9	0.1	73	1.07	0.057
1269210	Soil	1.7	18.8	13.5	92	0.7	24.2	11.5	829	3.40	53.6	0.5	4.0	1.9	34	0.6	1.3	0.2	90	0.44	0.071

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000209.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1284522	Soil	19	38	0.47	197	0.076	1	1.42	0.012	0.19	0.1	<0.01	4.9	<0.1	<0.05	4	<0.5	<0.2
1284517	Soil	49	23	0.36	150	0.050	1	0.97	0.014	0.09	0.2	0.04	3.5	0.1	<0.05	4	<0.5	<0.2
1269221	Soil	16	43	0.73	542	0.087	2	1.61	0.022	0.18	0.1	0.04	5.8	0.2	<0.05	6	<0.5	<0.2
1269213	Soil	13	63	0.81	441	0.147	<1	1.63	0.010	0.21	0.2	0.03	5.7	0.4	<0.05	9	<0.5	<0.2
1282940	Soil	34	29	0.45	636	0.022	2	0.79	0.015	0.09	0.2	0.04	3.9	0.1	<0.05	3	<0.5	<0.2
1269201	Rock Pulp	16	665	0.12	132	0.147	3	3.77	0.012	0.07	<0.1	0.04	36.7	<0.1	<0.05	19	0.5	<0.2
1269212	Soil	12	105	1.15	329	0.188	1	2.31	0.014	0.33	0.2	0.02	6.0	0.2	<0.05	9	<0.5	<0.2
1269214	Soil	9	48	0.58	233	0.098	1	1.69	0.008	0.09	0.2	0.04	4.1	0.2	<0.05	7	<0.5	<0.2
1282946	Soil	51	41	0.48	197	0.056	<1	1.86	0.010	0.05	0.2	0.03	4.4	0.1	<0.05	6	<0.5	<0.2
1282933	Soil	10	33	0.93	347	0.066	2	1.18	0.043	0.08	0.2	0.03	4.5	<0.1	<0.05	3	<0.5	<0.2
1269219	Soil	13	55	0.68	630	0.119	2	1.83	0.014	0.30	0.2	0.03	6.0	0.2	<0.05	6	<0.5	<0.2
1269215	Soil	12	55	0.59	482	0.109	1	1.50	0.008	0.22	0.2	0.02	5.9	0.4	<0.05	6	0.5	<0.2
1282944	Soil	47	63	1.01	208	0.171	<1	2.24	0.010	0.32	0.1	0.01	4.6	0.5	<0.05	8	<0.5	<0.2
1282938	Soil	12	24	0.13	354	0.003	<1	0.59	0.006	0.07	<0.1	0.20	8.7	0.4	<0.05	2	1.8	<0.2
1269218	Soil	9	40	0.56	513	0.097	1	1.76	0.013	0.18	0.1	<0.01	3.8	0.2	<0.05	6	<0.5	<0.2
1269220	Soil	19	59	0.76	468	0.110	1	1.82	0.015	0.30	0.1	0.05	7.9	0.3	<0.05	7	<0.5	<0.2
1282936	Soil	9	23	0.31	701	0.003	<1	0.50	0.004	0.07	<0.1	0.07	7.3	0.2	<0.05	2	1.1	0.3
1282942	Soil	14	63	0.74	211	0.070	1	2.06	0.008	0.05	0.2	0.01	4.8	0.1	<0.05	5	<0.5	<0.2
1284759	Soil	16	28	0.57	297	0.071	<1	1.71	0.013	0.06	<0.1	0.02	4.0	<0.1	<0.05	7	<0.5	<0.2
1268898	Soil	8	32	0.41	497	0.043	3	0.91	0.017	0.07	0.1	0.09	3.7	0.3	0.08	3	1.1	<0.2
1269204	Soil	11	50	0.75	518	0.072	1	1.92	0.013	0.19	<0.1	0.01	6.0	0.2	<0.05	7	<0.5	<0.2
1269217	Soil	18	73	1.22	703	0.213	<1	2.26	0.012	0.73	0.2	0.05	11.0	0.9	<0.05	10	0.7	<0.2
1283689	Soil	10	32	0.95	219	0.165	<1	2.79	0.022	0.06	0.1	0.02	4.7	0.2	<0.05	10	<0.5	<0.2
1284777	Soil	23	21	0.59	339	0.093	1	1.60	0.014	0.10	0.7	0.05	6.0	0.2	<0.05	9	<0.5	<0.2
1269205	Soil	9	52	0.72	415	0.114	1	1.81	0.013	0.22	0.2	0.02	4.8	0.2	<0.05	7	<0.5	<0.2
1269211	Soil	9	35	0.39	263	0.067	<1	1.71	0.008	0.05	0.2	0.07	3.1	0.2	<0.05	6	<0.5	<0.2
1283688	Soil	11	35	0.75	235	0.109	<1	2.63	0.014	0.07	0.1	0.02	3.9	0.2	<0.05	9	<0.5	<0.2
1284756	Soil	8	32	0.45	234	0.072	<1	2.02	0.010	0.07	0.1	0.02	3.3	0.1	<0.05	8	<0.5	<0.2
1268897	Soil	13	39	0.58	483	0.075	1	1.50	0.021	0.07	0.1	0.08	5.4	0.3	<0.05	6	1.4	<0.2
1269210	Soil	9	33	0.35	513	0.069	<1	1.46	0.009	0.06	0.1	0.02	2.9	0.2	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000209.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1284799	Soil	1.1	10.8	14.4	67	<0.1	11.4	9.2	518	3.25	87.1	2.1	8.1	13.0	18	<0.1	5.7	0.1	56	0.28	0.060
1284757	Soil	0.8	45.1	36.8	91	<0.1	25.5	13.5	567	4.24	5.6	0.6	2.3	6.2	28	<0.1	0.6	0.1	104	0.73	0.098
1268899	Soil	0.9	75.6	15.6	71	0.1	26.5	15.4	478	3.79	8.7	0.6	2.7	3.8	46	<0.1	0.7	0.1	102	0.79	0.055
1269216	Soil	1.9	43.2	19.1	93	0.3	58.2	18.1	734	4.42	158.1	1.0	3.1	4.4	16	0.3	3.2	0.2	95	0.29	0.045
1284820	Soil	0.9	13.1	13.5	73	<0.1	15.9	9.5	394	3.41	11.9	2.4	4.3	12.5	23	0.1	0.7	0.2	77	0.30	0.056
1284797	Soil	1.6	19.6	28.5	79	0.2	16.6	12.4	626	4.22	37.8	5.4	5.4	18.1	31	0.2	2.2	0.3	95	0.40	0.074
1284806	Soil	0.7	49.0	11.1	61	0.2	35.1	12.5	907	2.74	9.3	0.7	2.7	1.8	37	0.2	1.4	0.1	68	1.12	0.068
1269202	Soil	1.2	93.6	34.9	79	0.2	35.3	21.9	738	4.39	14.2	0.7	3.2	3.8	55	0.2	0.7	0.2	124	2.62	0.099
1284758	Soil	1.2	61.4	12.5	202	0.3	20.2	8.9	439	2.67	8.2	2.0	8.8	4.3	43	1.3	2.1	0.2	70	0.90	0.044
1284776	Soil	1.6	29.5	15.3	78	0.2	21.5	10.6	546	3.40	10.5	2.2	6.4	5.5	27	<0.1	0.6	0.2	76	0.47	0.044
1269206	Soil	2.0	49.2	11.9	71	0.1	43.5	16.4	501	3.44	22.5	1.0	1.7	3.9	23	0.2	0.6	0.1	93	0.29	0.037
1269203	Soil	2.1	78.2	19.6	124	0.2	54.2	22.8	955	5.66	66.2	1.3	3.7	6.2	25	0.3	2.0	0.2	120	0.72	0.145
1283685	Soil	0.8	23.3	8.9	79	0.1	19.1	9.5	520	2.13	16.2	1.2	8.7	1.6	40	0.2	1.4	0.2	57	1.31	0.072
1283687	Soil	0.8	35.5	7.5	60	<0.1	22.2	13.1	369	2.96	5.7	0.4	1.6	2.5	19	0.1	0.4	0.1	86	0.25	0.030
1268900	Soil	0.7	111.7	6.9	43	<0.1	42.1	17.6	396	2.80	6.7	0.6	2.4	1.7	92	<0.1	0.3	<0.1	101	0.89	0.041
1269209	Soil	0.9	21.8	13.6	74	0.4	31.8	12.9	490	2.58	17.8	0.6	0.5	3.0	17	0.2	0.6	0.2	72	0.16	0.027
1283686	Soil	0.3	41.5	9.4	59	0.1	22.7	9.8	502	2.29	3.8	1.4	1.0	2.0	57	0.2	0.4	0.1	55	1.69	0.077
1283690	Soil	0.8	47.6	13.4	60	<0.1	22.4	11.6	379	3.06	7.0	0.7	1.8	3.7	31	<0.1	0.6	<0.1	82	0.42	0.031
1269207	Soil	1.8	48.2	11.9	85	0.2	45.5	13.6	481	2.81	23.5	1.1	0.7	3.6	24	0.3	1.0	0.2	86	0.21	0.025
1269208	Soil	1.7	68.4	9.9	71	0.2	58.8	15.8	688	3.37	23.5	1.2	3.1	4.2	25	0.2	0.8	0.2	91	0.28	0.045

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000209.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1284799	Soil	39	22	0.49	354	0.074	1	2.02	0.008	0.16	0.2	0.07	5.8	0.5	<0.05	8	<0.5	<0.2
1284757	Soil	12	53	0.96	261	0.085	<1	2.24	0.019	0.05	<0.1	<0.01	7.7	0.1	<0.05	10	<0.5	<0.2
1268899	Soil	16	44	1.01	632	0.107	<1	2.18	0.035	0.07	0.1	0.05	9.2	0.1	<0.05	8	<0.5	<0.2
1269216	Soil	14	74	0.69	537	0.118	<1	1.64	0.009	0.42	0.2	0.02	8.3	0.5	<0.05	7	<0.5	<0.2
1284820	Soil	19	30	0.65	277	0.136	1	2.27	0.013	0.09	0.2	0.02	4.8	0.3	<0.05	8	<0.5	<0.2
1284797	Soil	35	30	0.61	547	0.172	1	3.01	0.015	0.16	0.2	0.06	6.3	0.4	<0.05	11	<0.5	<0.2
1284806	Soil	12	57	0.66	258	0.054	1	1.37	0.025	0.04	0.2	0.15	6.4	0.3	<0.05	5	<0.5	<0.2
1269202	Soil	15	79	1.25	859	0.063	<1	2.34	0.064	0.12	<0.1	0.09	12.8	0.3	<0.05	10	<0.5	<0.2
1284758	Soil	53	32	0.56	404	0.056	1	1.85	0.015	0.07	0.1	0.09	6.7	0.1	<0.05	7	<0.5	<0.2
1284776	Soil	25	34	0.71	316	0.098	<1	2.01	0.017	0.09	0.1	0.08	8.4	0.2	<0.05	7	<0.5	<0.2
1269206	Soil	13	54	0.89	354	0.137	<1	1.98	0.014	0.20	0.2	0.02	6.2	0.2	<0.05	7	<0.5	<0.2
1269203	Soil	37	65	1.25	1116	0.113	1	2.42	0.014	0.24	0.1	0.16	11.7	0.5	<0.05	10	<0.5	<0.2
1283685	Soil	10	32	0.59	232	0.063	2	1.09	0.017	0.05	<0.1	0.05	3.7	0.1	0.10	5	0.9	<0.2
1283687	Soil	7	35	0.88	176	0.166	<1	2.69	0.021	0.07	<0.1	0.02	4.2	<0.1	<0.05	9	<0.5	<0.2
1268900	Soil	8	73	1.26	500	0.135	<1	2.49	0.119	0.05	<0.1	0.01	7.1	0.1	<0.05	8	0.6	<0.2
1269209	Soil	9	42	0.61	386	0.082	<1	1.53	0.011	0.12	0.1	<0.01	3.8	0.2	<0.05	5	<0.5	<0.2
1283686	Soil	11	39	0.72	293	0.082	2	1.34	0.029	0.05	<0.1	0.08	4.7	<0.1	<0.05	5	<0.5	<0.2
1283690	Soil	16	36	0.84	233	0.097	<1	2.21	0.023	0.05	0.1	0.02	5.9	0.1	<0.05	7	<0.5	<0.2
1269207	Soil	13	54	0.72	419	0.115	<1	1.65	0.016	0.27	0.1	0.02	6.1	0.2	<0.05	6	1.0	<0.2
1269208	Soil	17	83	1.28	639	0.205	1	2.07	0.013	0.53	0.2	0.03	8.8	0.4	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

QUALITY CONTROL REPORT WHI12000209.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
1284894	Soil	1.1	14.7	9.1	57	0.2	14.3	8.1	362	3.02	11.3	3.0	2.3	7.8	26	<0.1	0.9	0.2	66	0.32	0.059
REP 1284894	QC	1.1	14.9	9.0	57	0.1	14.4	8.2	371	3.00	11.4	3.0	2.3	7.8	27	<0.1	0.9	0.1	67	0.33	0.056
1269028	Soil	0.8	86.9	12.6	70	0.1	30.4	18.0	579	3.93	5.8	0.5	3.9	3.3	57	<0.1	0.3	0.1	113	0.85	0.071
REP 1269028	QC	0.8	84.0	11.4	68	0.1	29.4	17.7	559	3.90	5.8	0.5	3.3	3.2	55	<0.1	0.3	0.1	107	0.85	0.069
1269053	Soil	1.0	34.8	11.4	60	0.1	25.0	9.3	379	2.19	23.0	0.6	7.3	2.4	83	0.5	1.4	0.1	44	5.10	0.046
REP 1269053	QC	1.0	35.0	11.3	58	0.2	25.1	9.4	379	2.22	22.5	0.6	4.4	2.5	81	0.4	1.5	<0.1	41	5.07	0.045
1269057	Soil	1.2	56.0	7.5	51	0.1	19.6	12.0	542	2.38	8.0	1.0	2.2	1.5	50	0.2	0.4	<0.1	65	1.26	0.061
REP 1269057	QC	1.2	54.7	7.4	51	0.1	20.1	12.0	546	2.37	7.2	0.9	2.8	1.4	48	0.2	0.3	<0.1	63	1.25	0.062
1284731	Soil	1.6	34.6	12.3	58	0.2	33.5	12.7	450	2.98	22.1	1.2	1.6	3.2	27	0.1	2.2	0.1	73	0.29	0.019
REP 1284731	QC	1.3	33.9	12.1	58	0.2	31.2	12.3	432	2.81	21.8	1.1	1.0	3.1	27	0.1	2.0	0.1	67	0.27	0.018
1284739	Soil	1.0	34.8	13.2	55	<0.1	50.3	17.2	603	3.31	281.0	0.8	13.3	10.5	60	<0.1	3.2	0.1	53	2.67	0.040
REP 1284739	QC	1.0	35.6	13.5	55	0.1	53.3	16.7	609	3.33	284.9	0.9	9.9	10.6	61	0.1	3.3	0.1	54	2.80	0.040
1284653	Soil	0.7	72.2	4.8	62	<0.1	25.3	15.3	456	3.86	6.3	0.8	2.0	3.3	49	<0.1	0.4	<0.1	113	0.64	0.044
REP 1284653	QC	0.7	72.8	5.0	60	<0.1	25.0	15.4	451	3.81	6.1	0.8	16.2	3.2	48	<0.1	0.4	<0.1	110	0.63	0.044
1284745	Soil	4.2	60.3	9.1	207	1.1	61.6	19.3	1315	3.80	57.1	2.0	1.8	3.2	39	0.7	9.6	0.2	98	1.16	0.150
REP 1284745	QC	4.2	59.5	9.1	204	1.1	60.9	19.1	1287	3.70	55.7	2.0	1.8	3.2	39	0.8	9.7	0.2	97	1.16	0.145
1283560	Soil	1.5	47.8	10.5	70	0.3	45.1	12.5	381	3.38	44.2	0.8	21.9	4.8	36	0.1	1.8	0.2	92	0.60	0.054
REP 1283560	QC	1.5	45.7	10.4	69	0.2	43.4	12.1	369	3.20	42.5	0.8	26.0	4.6	34	0.1	1.7	0.2	87	0.58	0.052
1290115	Soil	1.6	40.6	11.4	67	0.2	45.1	13.5	515	3.32	19.2	0.9	3.5	7.6	58	<0.1	0.9	0.2	71	1.25	0.038
REP 1290115	QC	1.4	44.7	11.0	74	0.2	46.6	13.7	534	3.40	20.5	0.8	2.4	7.9	58	<0.1	1.0	0.1	74	1.29	0.040
1290127	Soil	1.2	56.8	9.1	57	<0.1	29.7	13.9	307	3.69	7.7	0.5	1.3	3.0	24	<0.1	0.6	0.1	106	0.38	0.018
REP 1290127	QC	1.2	58.4	8.9	59	<0.1	29.7	14.4	319	3.82	8.1	0.5	2.2	3.0	26	<0.1	0.6	0.1	109	0.39	0.019
1290124	Soil	1.2	24.1	10.6	61	<0.1	23.6	12.5	370	3.93	10.9	0.7	3.6	4.2	16	<0.1	1.2	0.1	74	0.27	0.035
REP 1290124	QC	1.3	24.7	10.8	62	<0.1	24.4	12.8	383	4.03	11.3	0.7	3.4	4.5	17	0.1	1.2	0.1	78	0.28	0.036
1290136	Soil	0.8	18.4	11.2	67	0.2	14.7	9.0	306	2.77	17.8	1.9	4.4	5.6	25	0.2	5.7	0.2	64	0.31	0.056
REP 1290136	QC	0.8	18.5	11.0	66	0.2	14.6	9.5	339	2.79	17.7	1.9	3.9	5.5	27	0.1	5.6	0.2	63	0.31	0.056
1290130	Soil	1.1	60.5	7.9	58	0.2	19.2	12.5	389	3.03	5.7	0.7	1.6	2.7	35	0.2	0.3	<0.1	81	0.48	0.067
REP 1290130	QC	1.0	59.0	7.4	56	0.2	17.8	12.2	359	2.98	5.5	0.7	1.4	2.8	35	0.1	0.4	<0.1	84	0.49	0.060

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

QUALITY CONTROL REPORT WHI12000209.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
1284894	Soil	27	27	0.52	357	0.104	1	1.83	0.011	0.10	0.2	0.04	5.0	0.2	<0.05	7	<0.5	<0.2
REP 1284894	QC	27	27	0.52	359	0.106	1	1.88	0.011	0.10	0.2	0.03	5.1	0.3	<0.05	7	<0.5	<0.2
1269028	Soil	15	50	1.28	249	0.153	1	2.53	0.043	0.10	<0.1	0.03	9.9	0.1	<0.05	9	<0.5	<0.2
REP 1269028	QC	15	48	1.19	240	0.148	1	2.29	0.038	0.09	<0.1	0.02	9.4	0.1	<0.05	9	<0.5	<0.2
1269053	Soil	10	30	0.65	1067	0.057	2	1.01	0.025	0.06	0.2	0.07	4.4	0.2	<0.05	3	<0.5	<0.2
REP 1269053	QC	10	30	0.65	1074	0.058	2	1.04	0.025	0.06	0.1	0.06	4.6	0.2	<0.05	3	<0.5	<0.2
1269057	Soil	8	31	0.62	228	0.067	2	1.26	0.027	0.07	<0.1	0.04	4.3	0.1	0.06	5	<0.5	<0.2
REP 1269057	QC	8	31	0.60	225	0.070	2	1.27	0.026	0.07	0.1	0.04	4.5	0.1	0.07	5	0.5	<0.2
1284731	Soil	8	42	0.42	1284	0.046	1	1.59	0.010	0.10	<0.1	0.01	6.5	0.2	<0.05	5	0.5	<0.2
REP 1284731	QC	8	39	0.41	1228	0.043	<1	1.53	0.009	0.09	<0.1	0.02	6.0	0.2	<0.05	5	<0.5	<0.2
1284739	Soil	35	79	1.02	215	0.070	3	1.70	0.016	0.40	0.2	0.06	7.2	0.8	<0.05	5	<0.5	<0.2
REP 1284739	QC	36	81	1.03	226	0.072	3	1.74	0.017	0.41	0.2	0.08	7.3	0.8	<0.05	5	<0.5	<0.2
1284653	Soil	15	40	1.08	290	0.173	<1	2.44	0.047	0.07	<0.1	0.02	6.9	<0.1	<0.05	8	<0.5	<0.2
REP 1284653	QC	14	40	1.09	289	0.165	<1	2.39	0.047	0.06	<0.1	0.02	6.7	<0.1	<0.05	8	<0.5	<0.2
1284745	Soil	22	77	0.87	501	0.091	1	1.71	0.013	0.12	0.2	0.08	7.3	0.5	0.09	8	2.6	<0.2
REP 1284745	QC	22	76	0.86	487	0.092	<1	1.68	0.012	0.12	0.2	0.08	7.0	0.5	0.08	8	2.6	<0.2
1283560	Soil	17	57	0.86	332	0.128	1	1.89	0.029	0.15	0.2	0.06	7.5	0.2	<0.05	6	<0.5	<0.2
REP 1283560	QC	17	55	0.82	319	0.122	1	1.81	0.029	0.14	0.2	0.05	7.1	0.2	<0.05	6	<0.5	<0.2
1290115	Soil	31	56	0.78	795	0.077	2	1.68	0.025	0.09	0.1	0.05	7.2	0.2	<0.05	5	<0.5	<0.2
REP 1290115	QC	29	58	0.78	803	0.088	2	1.74	0.025	0.10	0.2	0.05	7.4	0.2	0.10	6	<0.5	<0.2
1290127	Soil	15	46	0.96	239	0.128	<1	2.69	0.023	0.04	0.1	0.01	5.3	0.1	<0.05	8	<0.5	<0.2
REP 1290127	QC	15	47	1.00	245	0.136	<1	2.82	0.024	0.04	0.1	0.02	5.6	0.1	<0.05	8	<0.5	<0.2
1290124	Soil	10	33	0.56	315	0.048	<1	2.31	0.011	0.04	0.1	0.06	5.7	0.7	<0.05	7	<0.5	<0.2
REP 1290124	QC	11	34	0.59	327	0.050	1	2.42	0.011	0.05	0.1	0.06	6.1	0.7	<0.05	7	<0.5	<0.2
1290136	Soil	17	26	0.51	263	0.084	1	1.79	0.014	0.05	0.2	0.05	4.2	0.2	<0.05	7	<0.5	<0.2
REP 1290136	QC	17	28	0.51	268	0.089	1	1.78	0.016	0.05	0.2	0.04	4.3	0.2	<0.05	7	<0.5	<0.2
1290130	Soil	10	29	0.74	194	0.137	1	1.80	0.024	0.06	0.1	0.03	4.2	<0.1	<0.05	7	<0.5	<0.2
REP 1290130	QC	11	28	0.71	195	0.142	<1	1.77	0.024	0.06	0.1	0.03	4.1	<0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

QUALITY CONTROL REPORT WHI12000209.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
1282880	Soil	1.5	11.5	12.0	46	<0.1	18.0	9.0	499	1.90	2.7	2.3	1.7	17.1	19	<0.1	0.3	0.2	37	0.34	0.053
REP 1282880	QC	1.5	11.1	11.6	44	<0.1	16.7	8.8	481	1.88	2.6	2.3	1.8	17.6	19	<0.1	0.4	0.1	37	0.33	0.053
1282941	Soil	6.2	36.5	6.3	80	<0.1	45.7	20.3	578	4.15	3.4	1.0	0.9	5.6	19	<0.1	0.1	<0.1	74	0.28	0.040
REP 1282941	QC	5.5	34.2	6.2	77	<0.1	43.6	19.6	537	3.99	3.5	1.0	<0.5	5.5	18	<0.1	0.1	<0.1	71	0.28	0.039
1282946	Soil	1.2	19.5	13.1	58	<0.1	21.7	9.8	314	2.70	7.2	2.0	1.9	16.9	18	<0.1	0.4	0.2	61	0.22	0.021
REP 1282946	QC	1.3	19.8	13.6	58	<0.1	21.8	10.5	326	2.79	7.2	2.0	2.3	17.2	19	<0.1	0.5	0.2	65	0.22	0.022
1269216	Soil	1.9	43.2	19.1	93	0.3	58.2	18.1	734	4.42	158.1	1.0	3.1	4.4	16	0.3	3.2	0.2	95	0.29	0.045
REP 1269216	QC	2.0	41.8	19.0	91	0.3	55.9	17.5	713	4.35	155.0	1.0	0.6	4.6	17	0.3	3.2	0.2	93	0.29	0.046
Reference Materials																					
STD DS9	Standard	13.1	114.6	122.8	330	1.8	41.3	8.1	610	2.43	26.3	3.1	121.0	7.3	75	2.6	6.2	7.3	44	0.70	0.084
STD DS9	Standard	11.8	100.6	117.4	296	1.8	36.9	7.0	538	2.15	23.5	2.7	110.5	6.1	76	2.0	5.8	6.5	39	0.69	0.076
STD DS9	Standard	13.6	108.0	116.9	302	1.8	41.2	7.4	566	2.31	24.2	2.6	113.5	6.1	69	2.4	5.1	5.8	44	0.73	0.079
STD DS9	Standard	13.5	107.9	123.7	304	1.8	39.3	7.6	576	2.26	24.4	2.9	109.0	6.7	70	2.2	5.1	5.5	47	0.75	0.081
STD DS9	Standard	13.5	109.3	123.0	305	1.8	39.6	7.8	573	2.31	23.7	2.8	121.9	6.4	65	2.4	4.9	5.8	46	0.72	0.083
STD DS9	Standard	13.4	106.7	123.2	300	1.8	40.1	7.9	570	2.30	24.2	2.8	106.9	6.6	65	2.2	5.3	5.7	45	0.71	0.076
STD DS9	Standard	13.9	107.2	127.6	338	1.9	43.2	7.9	621	2.48	25.7	2.5	122.4	6.0	76	2.3	5.5	6.2	41	0.78	0.091
STD DS9	Standard	14.5	109.5	127.4	350	1.9	45.3	8.1	620	2.47	24.4	2.6	132.7	6.1	71	2.2	5.3	6.0	42	0.76	0.087
STD DS9	Standard	13.6	110.1	121.0	301	1.8	40.9	7.5	599	2.35	24.3	2.6	111.1	6.3	69	2.3	5.6	5.6	43	0.72	0.086
STD DS9	Standard	14.5	106.3	127.5	306	1.8	44.3	8.0	618	2.51	24.4	2.6	120.6	6.1	71	2.2	5.5	6.0	43	0.75	0.086
STD DS9	Standard	12.2	103.3	117.7	292	1.9	39.2	7.2	541	2.21	23.9	2.4	126.2	5.6	62	2.1	5.1	5.4	39	0.69	0.076
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	3	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	8	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

QUALITY CONTROL REPORT WHI12000209.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
1282880	Soil	39	41	0.45	170	0.047	2	1.09	0.007	0.23	0.1	0.01	3.2	0.2	<0.05	4	<0.5	<0.2
REP 1282880	QC	38	41	0.45	163	0.046	2	1.04	0.007	0.25	<0.1	0.01	2.9	0.2	<0.05	3	<0.5	<0.2
1282941	Soil	12	105	1.54	245	0.189	<1	2.42	0.009	1.03	0.1	<0.01	4.1	0.4	<0.05	7	<0.5	<0.2
REP 1282941	QC	12	101	1.43	234	0.184	<1	2.37	0.010	0.90	0.1	<0.01	4.1	0.4	<0.05	6	<0.5	<0.2
1282946	Soil	51	41	0.48	197	0.056	<1	1.86	0.010	0.05	0.2	0.03	4.4	0.1	<0.05	6	<0.5	<0.2
REP 1282946	QC	52	43	0.50	202	0.060	<1	1.90	0.012	0.05	0.1	0.02	4.7	0.1	<0.05	6	<0.5	<0.2
1269216	Soil	14	74	0.69	537	0.118	<1	1.64	0.009	0.42	0.2	0.02	8.3	0.5	<0.05	7	<0.5	<0.2
REP 1269216	QC	14	73	0.68	531	0.116	<1	1.58	0.009	0.42	0.2	0.02	8.3	0.5	<0.05	7	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	13	122	0.59	303	0.117	1	0.97	0.090	0.37	3.2	0.20	2.6	5.9	0.22	5	5.9	5.2
STD DS9	Standard	13	115	0.61	276	0.105	3	0.87	0.079	0.34	2.7	0.17	2.4	5.1	0.17	4	6.1	5.2
STD DS9	Standard	14	122	0.61	307	0.109	3	0.94	0.093	0.37	3.1	0.20	2.6	5.5	0.13	5	5.1	5.4
STD DS9	Standard	14	123	0.63	293	0.116	2	0.95	0.094	0.36	2.9	0.19	2.8	5.5	0.16	5	5.5	4.9
STD DS9	Standard	13	127	0.62	300	0.112	2	0.91	0.090	0.37	3.0	0.20	2.6	5.4	0.18	5	5.5	5.9
STD DS9	Standard	14	122	0.60	287	0.112	2	0.92	0.082	0.34	3.1	0.20	2.6	5.4	0.14	5	5.4	4.7
STD DS9	Standard	14	129	0.67	315	0.121	3	1.00	0.093	0.38	3.2	0.22	2.7	5.8	0.19	5	5.5	5.3
STD DS9	Standard	13	134	0.65	301	0.125	3	0.94	0.081	0.36	3.3	0.22	2.4	5.8	0.22	5	5.5	5.4
STD DS9	Standard	13	127	0.61	292	0.122	2	0.89	0.077	0.35	3.2	0.20	2.4	5.4	0.16	5	5.4	5.4
STD DS9	Standard	13	132	0.66	310	0.120	3	0.97	0.085	0.36	3.1	0.21	2.6	5.8	0.22	5	5.4	5.6
STD DS9	Standard	12	117	0.59	275	0.095	3	0.86	0.082	0.37	2.7	0.20	2.1	5.2	0.15	4	5.6	5.6
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

QUALITY CONTROL REPORT WHI12000209.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	3	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	3	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

QUALITY CONTROL REPORT WHI12000209.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 05, 2012
Report Date: July 16, 2012
Page: 1 of 12

CERTIFICATE OF ANALYSIS WHI12000210.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 320

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	320	Dry at 60C			WHI
SS80	313	Dry at 60C sieve 100g to -80 mesh			WHI
1DX2	319	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000210.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1298508	Soil		0.9	25.2	11.8	61	0.2	28.3	9.2	267	2.39	26.2	0.6	1.9	1.7	13	0.3	0.9	0.2	77	0.17	0.046
1298523	Soil		1.5	51.0	12.1	76	0.4	28.2	15.0	858	2.50	34.3	1.6	3.5	2.2	47	0.4	1.1	0.2	69	0.60	0.066
1298520	Soil		1.5	43.7	54.3	89	0.3	29.4	9.8	390	2.48	50.0	1.4	6.2	4.4	33	0.4	2.6	0.2	65	0.41	0.056
1284798	Soil		0.9	10.7	12.2	68	<0.1	12.2	10.0	532	2.80	26.2	1.3	3.3	8.7	16	0.3	3.4	0.1	57	0.23	0.062
1298509	Soil		1.8	53.5	96.1	205	0.7	66.8	20.8	698	3.49	101.3	1.1	5.3	1.6	28	1.8	4.2	0.3	97	0.43	0.115
1298501	Rock Pulp		1.5	402.7	20.5	147	0.2	190.5	70.9	749	13.52	3.4	1.2	30.8	6.9	17	0.1	0.4	0.2	196	0.30	0.042
1298521	Soil		1.5	42.3	25.2	94	0.3	34.8	11.3	557	2.65	42.8	1.9	5.8	3.8	35	0.4	2.1	0.2	70	0.47	0.064
1284779	Soil		0.8	11.7	12.5	69	0.2	12.1	8.3	402	2.77	10.9	2.2	2.0	9.9	28	0.2	0.8	0.2	64	0.29	0.052
1298510	Soil		1.7	66.1	10.5	203	0.3	84.1	23.2	900	4.33	84.6	1.1	8.7	2.7	25	0.9	3.3	<0.1	132	0.47	0.098
1298506	Soil		1.4	23.4	11.7	60	0.5	25.6	9.6	372	2.62	19.2	0.5	<0.5	2.3	21	0.7	0.6	0.2	79	0.25	0.042
1298522	Soil		1.3	31.9	15.7	83	0.2	26.3	10.8	503	2.31	33.1	1.3	3.3	3.0	37	0.6	1.2	0.2	63	0.52	0.059
1298518	Soil		1.9	40.7	22.5	107	0.3	35.8	11.1	445	2.62	56.9	1.7	3.8	4.6	28	0.3	2.0	0.2	75	0.42	0.049
1298511	Soil		1.8	74.9	10.8	151	<0.1	78.5	17.8	661	3.96	99.8	1.7	9.2	4.3	29	0.3	3.6	0.1	120	0.29	0.052
1298507	Soil		1.4	28.7	10.5	63	0.2	33.5	13.1	395	3.08	29.6	0.7	3.9	3.2	17	0.2	0.9	0.2	83	0.21	0.041
1298524	Soil		1.5	52.7	13.8	73	0.2	28.7	13.4	440	2.71	29.5	1.3	4.2	3.4	40	0.2	1.0	0.1	75	0.51	0.059
1298519	Soil		2.1	38.5	31.4	135	0.2	35.4	11.0	475	2.54	69.4	1.5	5.6	5.5	28	0.5	3.0	0.2	67	0.40	0.058
1260493	Soil		1.9	37.4	12.6	62	0.3	23.3	15.4	1338	2.43	38.3	1.7	4.1	1.6	61	0.6	1.3	0.1	62	0.82	0.068
1260494	Soil		1.3	25.3	64.5	79	0.2	22.9	10.2	449	2.40	39.1	1.3	2.0	2.8	53	0.4	1.6	0.2	63	0.74	0.067
1298512	Soil		1.6	39.4	14.2	166	0.4	57.3	13.2	512	3.37	51.7	0.8	6.4	3.7	22	0.6	1.6	0.1	87	0.20	0.031
1298516	Soil		1.1	43.3	11.5	99	0.2	43.0	14.7	584	3.02	37.9	0.9	1.6	3.8	24	0.4	1.3	0.1	96	0.28	0.050
1260500	Soil		1.7	39.0	14.6	72	0.2	39.6	12.5	479	3.04	30.8	1.1	6.5	5.0	25	0.2	1.2	0.2	87	0.38	0.034
1260495	Soil		1.7	47.8	38.1	114	0.2	28.5	16.1	748	2.67	52.7	1.2	1.4	3.7	34	0.4	2.4	0.2	69	0.44	0.054
1298513	Soil		1.7	46.1	16.7	117	0.4	43.6	12.0	482	3.15	47.4	1.0	6.0	3.5	20	0.7	1.5	0.1	87	0.20	0.034
1298517	Soil		1.3	43.8	15.2	101	0.4	39.6	12.2	406	3.08	47.2	0.9	2.7	3.7	32	0.3	1.5	0.1	93	0.46	0.048
1298503	Soil		1.7	45.8	13.9	78	0.3	47.7	21.5	585	3.45	79.7	0.9	4.4	3.4	22	0.2	1.3	0.2	109	0.23	0.031
1260496	Soil		1.3	49.0	15.5	84	0.2	29.1	13.9	354	2.85	34.9	1.6	1.6	3.9	39	0.3	1.2	0.2	86	0.60	0.052
1298504	Soil		1.4	35.6	8.3	68	0.2	42.2	12.0	353	3.06	29.3	0.5	1.4	2.7	15	0.1	0.9	<0.1	95	0.18	0.029
1298515	Soil		1.8	39.5	22.6	121	0.3	47.8	12.7	529	3.23	73.4	0.8	6.8	3.2	22	0.6	1.8	0.1	94	0.22	0.037
1298502	Soil		1.8	34.9	10.5	70	0.2	38.4	11.3	350	3.01	42.5	0.8	4.1	3.1	22	0.1	1.0	0.1	94	0.29	0.032
1260497	Soil		1.2	56.9	11.6	69	0.3	31.1	13.4	517	2.70	23.6	1.7	3.5	4.1	32	0.1	0.8	0.1	80	0.42	0.048

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000210.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1298508	Soil		8	44	0.61	164	0.099	<1	1.45	0.010	0.13	0.1	0.04	4.1	0.2	<0.05	7	0.7	<0.2
1298523	Soil		15	42	0.64	499	0.060	<1	1.57	0.014	0.05	0.1	0.08	5.6	0.1	0.05	5	0.9	<0.2
1298520	Soil		14	43	0.63	652	0.072	1	1.49	0.017	0.05	0.2	0.06	5.3	0.1	<0.05	5	0.7	<0.2
1284798	Soil		16	22	0.58	213	0.098	<1	1.52	0.009	0.08	0.2	0.04	3.6	0.2	<0.05	7	<0.5	<0.2
1298509	Soil		11	72	0.67	392	0.071	2	1.59	0.013	0.10	0.1	0.06	5.9	0.5	0.10	7	1.3	<0.2
1298501	Rock Pulp		16	588	0.13	141	0.136	4	3.47	0.014	0.06	<0.1	0.04	37.8	<0.1	0.07	19	0.6	<0.2
1298521	Soil		14	46	0.68	550	0.074	<1	1.51	0.016	0.06	0.3	0.06	5.3	0.1	<0.05	5	0.8	<0.2
1284779	Soil		19	23	0.61	380	0.134	<1	1.85	0.012	0.09	0.2	0.04	3.9	0.2	<0.05	8	<0.5	<0.2
1298510	Soil		14	83	1.17	804	0.144	<1	2.16	0.018	0.23	<0.1	0.05	12.1	0.5	<0.05	8	0.8	<0.2
1298506	Soil		8	41	0.61	240	0.085	<1	1.68	0.009	0.08	0.1	0.03	4.0	0.1	<0.05	7	<0.5	<0.2
1298522	Soil		10	37	0.59	350	0.071	<1	1.35	0.013	0.07	0.2	0.04	4.6	0.1	0.05	5	0.6	<0.2
1298518	Soil		14	50	0.65	529	0.097	<1	1.54	0.013	0.09	0.2	0.04	5.8	0.2	0.06	5	1.0	<0.2
1298511	Soil		18	89	0.96	562	0.189	<1	2.18	0.011	0.28	0.3	0.03	10.2	0.4	0.12	8	0.7	<0.2
1298507	Soil		10	46	0.66	221	0.101	1	2.15	0.011	0.07	0.2	0.02	5.3	0.2	0.08	7	0.7	<0.2
1298524	Soil		12	43	0.67	317	0.085	<1	1.63	0.020	0.05	0.1	0.05	5.7	<0.1	0.08	6	0.7	<0.2
1298519	Soil		15	41	0.57	489	0.083	<1	1.32	0.014	0.06	0.2	0.03	5.0	0.2	0.10	5	<0.5	<0.2
1260493	Soil		11	35	0.58	456	0.050	1	1.28	0.017	0.04	0.2	0.08	4.4	0.1	0.18	4	1.2	<0.2
1260494	Soil		10	36	0.65	409	0.060	<1	1.34	0.017	0.05	0.1	0.05	4.0	<0.1	0.13	5	0.7	<0.2
1298512	Soil		10	50	0.68	455	0.091	<1	2.23	0.011	0.07	0.1	0.04	5.5	0.3	0.10	7	0.5	<0.2
1298516	Soil		13	59	0.84	678	0.148	<1	1.99	0.015	0.21	0.2	0.05	7.7	0.3	0.11	7	<0.5	<0.2
1260500	Soil		12	57	0.73	359	0.121	1	1.98	0.016	0.11	0.1	0.02	6.0	0.1	0.05	7	0.6	<0.2
1260495	Soil		13	41	0.66	519	0.088	<1	1.59	0.016	0.06	0.2	0.04	4.7	0.1	0.10	5	0.6	<0.2
1298513	Soil		12	49	0.69	728	0.079	<1	2.26	0.011	0.10	0.1	0.06	5.7	0.2	0.09	7	<0.5	<0.2
1298517	Soil		11	55	0.83	579	0.123	<1	2.05	0.016	0.12	0.2	0.03	6.2	0.2	0.07	7	<0.5	<0.2
1298503	Soil		14	68	0.81	452	0.143	<1	2.50	0.012	0.18	0.3	0.02	6.8	0.2	0.06	9	0.6	<0.2
1260496	Soil		13	48	0.72	325	0.117	<1	1.78	0.017	0.09	0.2	0.03	5.9	0.2	0.08	7	0.9	<0.2
1298504	Soil		9	60	0.80	263	0.131	<1	2.26	0.012	0.14	0.1	0.02	5.3	0.2	<0.05	7	<0.5	<0.2
1298515	Soil		11	56	0.73	580	0.107	1	2.06	0.011	0.13	0.2	0.04	5.5	0.2	0.05	7	0.6	<0.2
1298502	Soil		10	56	0.70	338	0.130	<1	1.93	0.011	0.17	0.2	0.01	5.0	0.2	<0.05	7	<0.5	<0.2
1260497	Soil		17	48	0.69	422	0.106	<1	1.87	0.017	0.07	0.2	0.03	7.1	0.2	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000210.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1298505	Soil		1.2	39.5	11.8	82	0.2	48.6	18.4	505	3.41	39.5	0.6	0.7	3.0	17	0.2	1.1	0.1	112	0.22	0.032
1298514	Soil		1.1	36.7	16.7	87	0.2	42.3	12.4	357	3.04	30.7	0.7	3.2	4.1	21	0.3	0.8	0.1	91	0.21	0.026
1269964	Soil		1.8	78.3	80.0	253	1.4	60.7	28.0	2546	4.87	94.4	2.2	13.4	14.9	50	1.5	2.5	0.1	35	2.51	0.040
1269970	Soil		3.9	97.5	30.8	144	0.5	61.0	26.7	2454	4.48	465.1	1.8	6.6	4.7	61	0.4	8.0	0.2	39	1.91	0.067
1269966	Soil		2.0	69.9	18.4	108	0.6	44.2	18.9	1122	3.67	50.0	1.4	3.3	8.5	38	0.3	2.4	0.2	56	1.54	0.031
1260498	Soil		1.0	48.0	12.8	68	0.1	30.2	13.0	399	2.87	19.3	0.9	1.4	4.2	29	0.1	0.7	0.1	86	0.41	0.031
1269969	Soil		2.9	79.9	16.0	148	0.5	64.9	17.9	788	4.32	103.1	1.8	6.0	5.9	24	0.2	2.6	0.3	65	0.29	0.037
1269967	Soil		3.9	96.1	20.8	91	0.6	48.1	16.1	1389	3.86	82.2	1.4	8.3	6.6	31	0.2	2.2	0.3	59	0.42	0.038
1269971	Soil		2.4	74.2	13.1	95	0.4	52.2	17.1	1240	4.19	81.8	1.3	8.8	10.9	31	0.1	6.3	0.2	71	0.70	0.030
1260499	Soil		1.5	50.2	15.4	63	0.3	31.5	13.5	588	2.98	22.1	2.2	3.3	4.4	35	0.2	0.8	0.2	87	0.57	0.036
1268830	Soil		0.5	18.1	6.7	78	<0.1	19.2	14.9	629	3.04	6.5	0.6	1.7	4.0	21	0.2	0.5	0.1	71	0.37	0.089
1268829	Soil		0.6	14.1	7.9	51	<0.1	18.6	8.9	388	2.31	8.2	1.2	1.2	5.2	35	0.2	0.8	0.1	64	0.42	0.065
1269976	Soil		1.2	12.1	10.1	58	<0.1	16.7	9.1	436	2.28	6.4	0.7	1.1	8.1	20	0.2	0.6	0.1	51	0.31	0.047
1269963	Soil		1.7	63.8	11.3	250	0.6	55.4	39.4	1188	8.59	68.5	2.9	5.8	3.9	69	0.7	2.5	0.6	177	3.17	0.154
1268832	Soil		1.1	24.3	9.6	63	0.1	15.0	10.5	405	3.02	8.4	1.1	0.7	4.4	29	0.2	0.4	0.2	80	0.31	0.056
1268831	Soil		0.9	49.6	10.8	76	0.2	18.7	15.4	702	3.49	6.5	1.1	<0.5	3.0	34	0.2	1.5	0.2	92	0.70	0.088
1268826	Soil		0.8	50.4	27.6	74	0.4	29.5	11.7	436	2.86	42.8	0.7	4.8	3.8	89	0.4	1.0	0.2	74	3.20	0.069
1268825	Soil		0.7	56.0	20.9	79	0.3	30.6	12.9	532	3.07	36.1	0.6	3.7	3.2	88	0.4	0.8	0.1	77	3.40	0.084
1268828	Soil		1.0	37.1	12.4	75	0.1	28.4	11.4	479	2.87	20.9	0.6	2.7	3.5	49	0.4	0.9	0.1	64	1.14	0.079
1269968	Soil		4.3	99.3	12.2	143	0.4	65.5	20.9	1198	4.23	44.8	1.9	9.7	7.1	36	0.4	1.7	0.2	78	1.95	0.054
1269978	Soil		1.0	12.7	11.1	48	<0.1	17.4	8.7	404	2.24	6.1	0.6	<0.5	6.8	23	<0.1	0.5	0.1	50	0.36	0.046
1269980	Soil		0.9	22.2	9.8	56	<0.1	19.4	7.9	434	2.28	7.3	1.4	1.0	23.2	18	0.1	0.5	0.1	42	0.23	0.023
1268827	Soil		1.2	43.1	17.7	86	0.2	28.3	11.6	487	3.10	60.3	0.9	2.7	4.0	40	0.4	1.7	0.2	65	0.83	0.082
1269962	Soil		2.6	75.1	41.2	187	0.5	60.4	20.1	931	4.54	175.6	2.1	15.7	8.8	24	0.8	2.2	0.6	68	0.71	0.048
1269977	Soil		1.0	10.5	12.5	57	<0.1	23.4	9.9	461	2.41	4.4	1.7	<0.5	19.5	22	<0.1	2.3	0.2	45	0.38	0.059
1269974	Soil		1.3	20.3	13.3	56	0.1	27.1	10.6	610	2.47	8.8	1.0	0.7	20.9	23	<0.1	1.8	0.1	51	0.39	0.039
1269975	Soil		1.1	12.2	9.5	53	<0.1	16.7	7.3	325	2.26	6.7	0.7	<0.5	6.8	20	<0.1	0.6	0.1	50	0.33	0.052
1269982	Soil		1.2	11.1	11.0	70	<0.1	16.4	7.0	379	2.52	5.9	1.1	<0.5	12.8	15	<0.1	0.5	0.1	50	0.15	0.023
1269979	Soil		1.0	18.1	11.9	53	<0.1	21.0	9.5	451	2.56	9.0	1.2	<0.5	18.0	25	<0.1	0.7	0.2	51	0.38	0.029
1269981	Soil		0.8	11.3	9.0	53	<0.1	15.4	6.2	291	2.11	6.8	1.0	2.0	10.2	18	<0.1	0.5	0.1	44	0.19	0.017

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000210.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1298505	Soil	10	71	0.91	346	0.162	<1	2.39	0.013	0.21	0.2	0.02	6.9	0.3	<0.05	8	<0.5	<0.2
1298514	Soil	10	53	0.76	422	0.113	<1	2.20	0.010	0.13	0.2	0.03	5.7	0.1	<0.05	7	<0.5	<0.2
1269964	Soil	35	21	0.56	484	0.032	1	1.05	0.006	0.20	<0.1	0.10	7.1	0.4	0.08	4	0.9	<0.2
1269970	Soil	13	19	0.20	546	0.003	1	0.53	0.004	0.07	0.1	0.11	8.6	0.7	<0.05	2	0.9	<0.2
1269966	Soil	25	25	0.48	362	0.021	1	1.03	0.012	0.10	<0.1	0.07	7.8	0.2	0.06	3	0.8	<0.2
1260498	Soil	12	51	0.75	264	0.134	<1	1.86	0.017	0.11	0.2	0.02	5.5	0.2	0.05	7	<0.5	<0.2
1269969	Soil	14	31	0.19	849	0.002	2	0.79	0.004	0.08	<0.1	0.09	8.3	0.2	<0.05	3	1.1	<0.2
1269967	Soil	21	29	0.31	494	0.021	3	1.03	0.011	0.12	0.2	0.06	6.6	0.1	0.08	3	1.4	<0.2
1269971	Soil	31	46	0.51	525	0.017	2	1.29	0.008	0.08	0.1	0.05	9.9	0.3	<0.05	4	0.7	<0.2
1260499	Soil	21	48	0.66	347	0.110	2	1.97	0.016	0.11	0.2	0.04	6.4	0.2	<0.05	7	<0.5	<0.2
1268830	Soil	10	31	0.76	164	0.106	1	1.77	0.019	0.08	0.2	0.01	3.9	0.1	<0.05	6	<0.5	<0.2
1268829	Soil	15	51	0.61	327	0.111	2	1.46	0.019	0.14	0.2	0.05	4.2	0.2	<0.05	7	<0.5	<0.2
1269976	Soil	15	32	0.44	218	0.063	2	1.38	0.009	0.14	0.1	0.01	4.5	<0.1	<0.05	4	<0.5	<0.2
1269963	Soil	27	54	1.73	584	0.116	3	2.65	0.018	0.55	<0.1	0.02	18.5	0.4	<0.05	13	1.1	<0.2
1268832	Soil	13	30	0.61	207	0.101	1	1.92	0.014	0.07	0.1	0.03	4.0	0.2	<0.05	8	<0.5	<0.2
1268831	Soil	13	29	0.76	424	0.082	3	1.70	0.021	0.10	0.2	0.05	7.7	0.1	<0.05	6	<0.5	<0.2
1268826	Soil	13	39	0.90	339	0.103	3	1.70	0.029	0.12	0.2	0.07	5.9	0.2	<0.05	6	<0.5	<0.2
1268825	Soil	11	40	1.07	353	0.120	3	1.62	0.036	0.15	0.1	0.05	5.5	0.2	<0.05	6	<0.5	<0.2
1268828	Soil	13	35	0.83	393	0.089	3	1.57	0.038	0.12	0.1	0.06	5.4	0.2	<0.05	5	<0.5	<0.2
1269968	Soil	17	31	0.31	402	0.006	1	0.88	0.007	0.09	<0.1	0.11	9.4	0.1	<0.05	3	1.8	0.3
1269978	Soil	13	31	0.43	237	0.065	1	1.30	0.011	0.14	0.2	0.01	4.2	<0.1	<0.05	4	<0.5	<0.2
1269980	Soil	24	26	0.38	148	0.058	1	1.25	0.009	0.11	0.1	0.02	4.6	0.1	<0.05	4	<0.5	<0.2
1268827	Soil	17	36	0.65	576	0.063	2	1.52	0.022	0.11	0.2	0.12	6.4	0.3	<0.05	5	0.8	<0.2
1269962	Soil	26	44	0.47	435	0.009	2	1.16	0.010	0.08	<0.1	0.05	8.6	0.1	<0.05	4	1.3	<0.2
1269977	Soil	32	51	0.66	223	0.054	2	1.36	0.010	0.33	0.2	<0.01	4.6	0.3	<0.05	6	<0.5	<0.2
1269974	Soil	38	42	0.56	230	0.067	2	1.57	0.016	0.26	0.2	0.03	5.5	0.2	<0.05	5	<0.5	<0.2
1269975	Soil	13	29	0.43	203	0.056	2	1.28	0.009	0.10	0.2	<0.01	3.3	<0.1	<0.05	4	<0.5	<0.2
1269982	Soil	9	25	0.33	170	0.042	<1	1.64	0.006	0.07	0.2	0.02	2.6	0.1	<0.05	5	<0.5	<0.2
1269979	Soil	53	35	0.42	188	0.062	1	1.59	0.010	0.15	0.1	0.03	5.6	0.1	<0.05	5	<0.5	<0.2
1269981	Soil	13	24	0.36	151	0.043	<1	1.33	0.006	0.07	0.2	<0.01	2.6	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000210.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1269965	Soil	7.1	93.2	22.5	263	0.7	81.8	14.7	649	3.81	51.7	1.7	4.7	9.3	19	0.6	1.8	0.4	95	0.38	0.112
1269983	Soil	1.5	25.9	11.4	47	0.1	21.0	8.9	312	3.01	11.0	1.7	2.0	8.3	20	<0.1	0.7	0.2	71	0.17	0.022
1269973	Soil	4.0	106.5	25.1	115	0.5	68.7	22.9	1898	4.66	156.8	1.2	8.0	4.8	23	0.3	7.8	0.3	69	0.31	0.036
1269972	Soil	2.9	108.6	16.4	130	0.5	60.7	16.4	1043	3.41	107.4	1.4	3.7	5.1	22	0.2	7.2	0.3	55	0.21	0.021
1268814	Soil	1.9	25.2	11.3	62	0.6	22.1	10.7	312	2.73	156.1	0.6	0.9	2.3	17	0.5	2.2	0.2	81	0.15	0.029
1268816	Soil	4.1	37.2	14.2	138	0.4	29.1	8.4	349	3.77	174.9	1.0	<0.5	2.7	17	0.9	2.7	0.2	136	0.07	0.059
1268817	Soil	2.5	30.4	30.4	132	0.2	26.3	9.2	337	3.34	240.7	0.7	<0.5	1.5	14	0.9	6.0	0.3	76	0.12	0.050
1268823	Soil	1.4	22.7	12.0	80	0.6	28.1	14.8	719	2.86	42.5	0.6	1.3	3.6	32	0.5	1.1	0.2	68	0.45	0.025
1268813	Soil	2.0	35.5	11.8	87	0.3	32.4	11.1	352	3.04	183.1	0.8	2.4	3.7	19	0.3	3.0	0.2	82	0.18	0.030
1268815	Soil	2.4	20.6	11.2	67	0.5	20.8	7.8	245	3.30	61.3	0.5	1.6	2.3	12	0.6	1.4	0.2	84	0.11	0.042
1268824	Soil	1.2	37.9	22.5	144	0.5	20.3	13.3	1502	2.65	31.0	0.5	1.5	2.1	38	1.8	0.6	0.2	55	0.89	0.046
1268822	Soil	1.9	22.8	10.0	110	0.4	32.6	12.8	261	2.89	91.0	0.6	1.3	2.8	18	0.3	1.4	0.2	94	0.16	0.029
1268802	Soil	0.5	23.4	7.4	60	<0.1	17.2	9.0	242	2.76	8.9	1.0	2.4	3.0	26	0.2	0.5	0.1	65	0.31	0.079
1268400	Soil	1.0	14.8	6.1	49	<0.1	12.4	8.2	309	2.34	6.8	0.7	3.8	1.6	24	<0.1	0.3	0.2	60	0.30	0.063
1268818	Soil	2.3	22.9	11.7	75	0.2	24.9	8.4	465	2.71	175.0	0.5	3.3	2.5	15	0.3	2.5	0.2	81	0.12	0.041
1268821	Soil	2.1	53.0	13.7	120	0.4	58.1	13.8	464	3.61	107.5	1.5	5.7	4.2	20	0.2	3.6	0.2	113	0.18	0.024
1268808	Soil	0.7	60.7	22.2	71	0.5	29.0	10.5	397	2.37	21.7	0.5	5.6	2.1	67	0.3	0.7	0.2	59	3.49	0.066
1268807	Soil	0.9	44.6	29.4	84	0.3	28.0	12.3	475	2.88	16.4	0.6	3.6	3.3	42	0.3	0.6	0.2	66	1.13	0.046
1268819	Soil	3.1	45.2	13.9	105	0.5	38.6	11.7	515	2.92	171.4	0.8	2.8	2.5	18	0.7	5.5	0.2	90	0.14	0.051
1268820	Soil	1.4	42.3	10.7	87	0.3	46.5	12.1	481	3.09	132.2	1.0	5.2	3.7	23	0.4	2.5	0.1	87	0.18	0.024
1282792	Soil	2.8	227.5	473.5	254	2.1	41.6	16.1	820	3.39	99.9	2.5	46.2	10.1	36	2.6	5.5	5.5	43	0.40	0.056
1282795	Soil	1.4	25.8	11.7	57	0.2	23.8	9.1	421	2.32	15.1	1.9	4.1	20.9	31	<0.1	1.0	0.3	44	0.35	0.030
1268804	Soil	1.3	30.2	10.3	50	<0.1	14.1	10.2	429	2.35	4.6	0.6	1.5	0.7	26	0.2	0.3	0.2	63	0.34	0.051
1268803	Soil	1.6	107.1	28.3	77	0.2	32.9	25.0	575	4.78	24.0	0.3	1.8	1.2	32	0.2	1.6	0.4	125	0.46	0.071
1283610	Soil	0.7	13.3	9.5	38	<0.1	16.7	7.0	326	1.94	6.1	0.7	0.7	12.8	23	<0.1	0.4	0.1	43	0.34	0.026
1282794	Soil	1.0	25.8	12.9	49	0.1	25.3	9.2	400	2.40	13.1	0.6	6.1	8.0	36	0.1	0.8	0.1	51	0.39	0.043
1268805	Soil	1.3	16.6	9.2	48	<0.1	12.7	6.6	239	1.94	5.2	0.4	7.0	1.1	23	<0.1	0.3	0.2	59	0.31	0.050
1268809	Soil	2.1	30.8	35.6	217	1.0	47.3	14.7	658	3.07	49.5	0.8	3.4	3.1	26	1.8	1.3	0.3	87	0.25	0.029
1283609	Soil	1.1	18.3	12.1	50	<0.1	20.0	7.8	417	2.22	7.2	1.2	4.7	22.1	28	<0.1	0.6	0.2	45	0.38	0.030
1268801	Rock Pulp	1.3	416.6	20.6	152	0.2	205.2	73.9	790	15.10	2.8	1.2	30.8	6.9	17	0.1	0.3	0.2	204	0.30	0.042

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000210.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1269965	Soil	29	34	0.36	713	0.009	1	0.92	0.005	0.08	<0.1	0.05	5.7	0.1	<0.05	3	2.2	<0.2
1269983	Soil	28	47	0.53	312	0.064	<1	2.06	0.010	0.04	0.2	0.03	8.8	<0.1	<0.05	6	<0.5	<0.2
1269973	Soil	13	29	0.11	1043	0.003	<1	0.47	0.003	0.07	0.2	0.09	9.7	0.4	<0.05	2	1.6	<0.2
1269972	Soil	15	28	0.13	569	0.004	1	0.56	0.004	0.06	<0.1	0.07	7.5	0.2	<0.05	2	1.4	<0.2
1268814	Soil	10	34	0.41	271	0.075	<1	1.41	0.009	0.07	0.2	0.04	3.4	0.2	<0.05	7	<0.5	<0.2
1268816	Soil	10	47	0.60	289	0.107	<1	1.64	0.009	0.13	0.2	0.03	4.1	0.4	0.06	9	0.8	<0.2
1268817	Soil	10	26	0.28	236	0.050	1	1.09	0.008	0.07	0.2	0.03	2.8	0.6	<0.05	6	<0.5	<0.2
1268823	Soil	10	40	0.55	415	0.080	<1	1.75	0.014	0.14	0.2	0.03	5.6	0.2	<0.05	6	<0.5	<0.2
1268813	Soil	9	42	0.54	256	0.070	1	1.89	0.009	0.07	0.2	0.05	4.3	0.2	<0.05	6	<0.5	<0.2
1268815	Soil	9	33	0.39	214	0.074	<1	1.77	0.007	0.08	0.2	0.05	2.8	0.2	<0.05	7	<0.5	<0.2
1268824	Soil	9	27	0.48	435	0.059	2	1.72	0.018	0.12	0.1	0.04	4.2	0.1	<0.05	6	<0.5	<0.2
1268822	Soil	8	47	0.60	247	0.074	<1	1.79	0.008	0.08	0.3	0.02	4.0	0.2	<0.05	7	<0.5	<0.2
1268802	Soil	13	29	0.54	152	0.074	1	1.51	0.018	0.05	0.2	0.04	3.9	0.1	<0.05	5	<0.5	<0.2
1268400	Soil	9	22	0.47	127	0.059	2	1.19	0.014	0.05	0.3	0.04	2.7	0.1	<0.05	5	<0.5	<0.2
1268818	Soil	9	34	0.47	159	0.083	<1	1.31	0.007	0.08	0.2	<0.01	3.2	0.3	<0.05	7	<0.5	<0.2
1268821	Soil	15	63	0.82	479	0.137	<1	1.89	0.007	0.36	0.2	0.04	8.9	0.5	<0.05	7	0.6	<0.2
1268808	Soil	10	31	0.69	274	0.070	3	1.27	0.025	0.12	0.1	0.08	4.0	0.1	<0.05	4	<0.5	<0.2
1268807	Soil	14	35	0.69	254	0.095	2	1.65	0.025	0.21	0.2	0.03	5.3	0.2	<0.05	6	<0.5	<0.2
1268819	Soil	10	42	0.48	342	0.073	<1	1.27	0.008	0.14	0.3	0.02	4.2	0.5	<0.05	5	0.7	<0.2
1268820	Soil	13	53	0.66	396	0.109	<1	1.64	0.010	0.19	0.3	0.06	7.6	0.4	<0.05	6	0.6	<0.2
1282792	Soil	28	27	0.35	579	0.024	1	0.95	0.015	0.08	0.1	0.07	5.2	0.3	<0.05	3	1.7	2.7
1282795	Soil	40	30	0.49	235	0.056	<1	1.23	0.018	0.09	0.2	0.02	4.5	<0.1	<0.05	4	<0.5	<0.2
1268804	Soil	7	29	0.49	146	0.052	1	1.19	0.014	0.05	<0.1	0.04	2.9	0.1	<0.05	5	<0.5	<0.2
1268803	Soil	6	59	1.00	139	0.154	<1	2.07	0.021	0.22	<0.1	0.02	7.1	0.8	<0.05	8	<0.5	<0.2
1283610	Soil	22	27	0.40	195	0.063	1	1.08	0.013	0.11	0.2	<0.01	3.9	<0.1	<0.05	3	<0.5	<0.2
1282794	Soil	21	31	0.51	287	0.064	2	1.17	0.022	0.07	0.2	0.03	5.1	<0.1	<0.05	4	<0.5	<0.2
1268805	Soil	6	26	0.48	89	0.058	<1	1.07	0.016	0.05	0.2	0.05	3.0	0.1	<0.05	5	<0.5	<0.2
1268809	Soil	10	44	0.49	542	0.057	<1	1.97	0.009	0.08	0.2	0.02	5.2	0.2	<0.05	6	<0.5	<0.2
1283609	Soil	55	31	0.43	191	0.059	1	1.34	0.010	0.12	0.1	<0.01	4.9	<0.1	<0.05	4	<0.5	<0.2
1268801	Rock Pulp	17	551	0.14	141	0.157	3	3.93	0.013	0.06	<0.1	0.04	39.3	<0.1	<0.05	21	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000210.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1268806	Soil	0.6	14.4	6.4	56	<0.1	11.4	11.1	461	3.28	12.9	1.9	3.8	10.6	30	<0.1	1.3	<0.1	88	0.45	0.095
1268810	Soil	2.6	31.5	15.1	90	0.3	34.0	11.4	495	2.78	60.1	0.9	2.1	3.0	35	0.5	1.6	0.2	91	0.31	0.058
1283604	Soil	1.0	18.5	10.0	52	<0.1	20.4	8.8	415	2.45	9.7	1.6	2.0	19.2	27	<0.1	0.7	0.2	51	0.39	0.023
1282793	Soil	1.1	40.0	13.4	57	0.3	26.5	9.7	510	2.38	17.0	1.2	9.4	14.3	41	0.4	1.2	0.2	46	0.56	0.034
1268812	Soil	2.1	25.3	14.6	90	0.9	28.4	14.9	1380	2.79	102.2	0.5	2.6	1.3	25	0.9	1.9	0.2	71	0.25	0.064
1268811	Soil	1.4	16.2	11.6	58	0.4	23.1	10.2	410	2.59	43.1	0.5	0.9	2.8	30	0.4	0.9	0.1	64	0.34	0.031
1283602	Soil	1.7	13.2	10.7	47	<0.1	14.2	6.7	418	2.06	6.2	2.5	3.4	38.5	21	<0.1	0.8	0.2	34	0.29	0.018
1283606	Soil	0.7	30.8	10.2	47	0.1	49.6	12.1	382	2.69	10.2	0.9	8.7	11.3	32	<0.1	0.7	0.2	64	0.40	0.038
1283607	Soil	0.7	28.0	9.5	46	<0.1	26.9	8.9	353	2.55	12.3	0.9	2.7	17.1	28	<0.1	0.9	0.2	58	0.42	0.040
1282791	Soil	2.2	31.7	16.7	64	0.1	33.1	9.1	468	2.46	19.1	1.5	8.5	21.5	33	0.2	1.2	0.2	43	0.43	0.039
1282797	Soil	0.8	24.9	9.2	49	0.1	22.7	8.7	427	2.16	8.1	1.1	3.3	16.9	33	<0.1	0.8	0.2	44	0.53	0.041
1283603	Soil	1.2	20.8	10.4	50	0.1	22.8	9.4	374	2.48	10.1	1.2	1.5	21.1	26	<0.1	0.8	0.2	52	0.38	0.013
1283605	Soil	1.0	19.5	10.8	54	<0.1	63.0	13.8	585	2.78	5.5	1.5	2.9	19.7	29	<0.1	0.5	0.2	60	0.45	0.040
1283608	Soil	0.7	17.7	12.2	45	0.1	20.6	7.8	384	2.42	9.8	0.7	1.7	20.6	26	<0.1	0.8	0.2	49	0.46	0.027
1282796	Soil	1.0	17.6	9.3	47	<0.1	18.1	7.1	314	2.04	6.4	1.0	2.1	21.8	22	<0.1	0.7	0.2	39	0.27	0.022
1283612	Soil	0.6	17.1	11.2	39	<0.1	20.9	7.5	343	2.05	6.9	0.8	1.5	12.6	24	<0.1	0.7	0.2	46	0.30	0.023
1283615	Soil	1.2	14.8	11.9	45	<0.1	21.3	8.5	293	2.84	9.6	0.5	1.6	5.7	15	<0.1	0.5	0.1	66	0.15	0.032
1283611	Soil	0.8	28.7	11.0	42	<0.1	29.6	8.3	290	2.36	13.5	1.0	2.5	13.4	23	<0.1	0.7	0.1	55	0.32	0.032
1282798	Soil	0.9	28.9	8.0	45	<0.1	24.2	7.6	276	2.02	11.3	1.1	3.7	13.9	36	<0.1	0.8	0.2	46	0.84	0.052
1283616	Soil	1.7	31.6	21.4	87	0.3	48.0	14.7	451	3.67	29.8	3.2	2.7	3.6	45	0.2	1.3	0.3	61	1.09	0.066
1283617	Soil	2.0	30.0	25.5	125	0.2	42.7	11.1	352	3.45	36.0	0.8	2.0	4.9	18	0.3	0.7	0.2	72	0.29	0.074
1283618	Soil	2.5	46.7	14.4	114	0.2	48.1	17.0	534	4.42	35.5	1.1	1.6	4.3	11	0.1	0.5	0.3	103	0.30	0.087
1284783	Soil	3.4	66.7	15.7	75	0.4	42.8	11.2	279	2.86	76.9	9.3	6.7	2.6	61	0.4	4.6	0.2	79	0.93	0.063
1284754	Soil	1.1	24.1	6.3	46	0.1	19.7	14.9	378	3.50	8.5	0.7	0.8	6.4	34	<0.1	0.6	<0.1	99	0.46	0.038
1284780	Soil	0.4	17.8	3.6	71	<0.1	6.8	17.7	792	4.77	3.6	1.2	<0.5	4.6	160	0.1	1.7	<0.1	138	6.42	0.127
1283601	Rock Pulp	1.5	436.3	21.7	163	0.2	206.5	72.4	791	15.54	3.1	1.2	32.7	7.0	14	0.1	0.4	0.2	206	0.30	0.043
1284782	Soil	1.8	58.6	11.3	88	0.3	40.3	13.1	474	2.90	36.0	4.0	8.8	3.4	65	0.8	2.4	0.2	73	1.80	0.067
1284755	Soil	1.7	13.9	4.6	52	<0.1	15.0	20.1	407	4.43	5.5	0.8	0.8	8.3	24	<0.1	0.8	<0.1	128	0.38	0.043
1284788	Soil	2.1	45.5	12.5	92	0.2	34.2	10.3	243	2.40	38.8	0.7	6.8	4.5	22	0.2	5.3	0.2	81	0.24	0.043
1283614	Soil	2.4	54.7	9.2	41	<0.1	141.6	24.0	460	4.16	8.9	2.4	1.5	25.6	31	<0.1	0.4	0.2	110	0.42	0.059

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000210.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1268806	Soil	19	24	0.66	421	0.120	<1	1.53	0.022	0.17	0.3	0.02	4.8	0.2	<0.05	6	<0.5	<0.2
1268810	Soil	10	48	0.52	311	0.072	<1	1.49	0.013	0.17	0.2	0.02	5.3	0.2	<0.05	6	<0.5	<0.2
1283604	Soil	46	33	0.50	189	0.058	<1	1.52	0.012	0.11	0.1	0.02	5.5	<0.1	<0.05	5	<0.5	<0.2
1282793	Soil	38	28	0.46	463	0.051	1	1.19	0.021	0.10	0.2	0.03	4.6	0.1	<0.05	4	<0.5	<0.2
1268812	Soil	8	32	0.37	618	0.045	<1	1.46	0.011	0.09	0.1	0.05	2.9	0.2	<0.05	5	0.5	<0.2
1268811	Soil	9	35	0.45	319	0.061	<1	1.40	0.011	0.10	0.1	0.02	3.9	0.1	<0.05	5	<0.5	<0.2
1283602	Soil	90	30	0.37	153	0.031	1	1.24	0.009	0.17	<0.1	0.03	4.2	0.2	<0.05	5	<0.5	<0.2
1283606	Soil	33	60	0.73	218	0.096	2	1.49	0.017	0.17	0.2	0.03	6.8	0.2	<0.05	5	<0.5	<0.2
1283607	Soil	48	35	0.50	189	0.072	<1	1.32	0.018	0.13	0.2	0.03	5.4	<0.1	<0.05	4	<0.5	<0.2
1282791	Soil	47	38	0.45	372	0.042	2	1.05	0.018	0.09	0.2	0.03	5.0	0.1	<0.05	4	<0.5	<0.2
1282797	Soil	33	29	0.48	210	0.059	<1	1.23	0.022	0.08	0.2	0.03	4.3	<0.1	<0.05	4	<0.5	<0.2
1283603	Soil	45	33	0.45	169	0.061	<1	1.54	0.012	0.13	0.2	0.03	5.6	<0.1	<0.05	5	<0.5	<0.2
1283605	Soil	46	78	0.76	272	0.097	2	1.60	0.011	0.17	0.1	0.02	7.0	0.2	<0.05	6	<0.5	<0.2
1283608	Soil	38	32	0.45	179	0.051	<1	1.42	0.011	0.14	0.2	0.02	5.4	<0.1	<0.05	4	<0.5	<0.2
1282796	Soil	47	27	0.43	174	0.048	<1	1.15	0.012	0.08	0.1	0.03	3.9	<0.1	<0.05	4	<0.5	<0.2
1283612	Soil	19	29	0.48	157	0.064	<1	1.07	0.010	0.10	0.2	<0.01	3.8	<0.1	<0.05	4	<0.5	<0.2
1283615	Soil	8	38	0.48	161	0.047	<1	1.80	0.008	0.05	0.2	0.02	2.9	<0.1	<0.05	6	<0.5	<0.2
1283611	Soil	37	36	0.49	130	0.068	1	1.31	0.012	0.14	0.1	0.02	6.0	<0.1	<0.05	4	<0.5	<0.2
1282798	Soil	27	25	0.49	188	0.060	2	1.00	0.018	0.06	0.2	0.03	3.9	<0.1	<0.05	3	<0.5	<0.2
1283616	Soil	10	50	0.50	586	0.022	1	0.66	0.010	0.06	0.2	0.13	8.9	0.1	<0.05	2	<0.5	<0.2
1283617	Soil	16	53	0.70	348	0.059	1	1.70	0.007	0.09	0.1	0.04	4.3	0.2	<0.05	5	<0.5	<0.2
1283618	Soil	8	71	1.15	309	0.134	<1	2.22	0.005	0.32	0.2	0.02	6.6	0.3	<0.05	7	<0.5	<0.2
1284783	Soil	12	45	0.62	339	0.096	2	1.48	0.014	0.25	0.2	0.05	5.5	0.2	0.06	6	2.3	<0.2
1284754	Soil	15	36	1.00	456	0.240	1	2.67	0.021	0.60	0.1	0.03	6.8	0.4	<0.05	7	<0.5	<0.2
1284780	Soil	17	13	1.72	1339	0.277	<1	2.40	0.045	0.85	<0.1	0.03	12.3	0.6	<0.05	8	<0.5	<0.2
1283601	Rock Pulp	17	650	0.12	148	0.162	4	3.82	0.012	0.06	<0.1	0.04	39.2	<0.1	<0.05	20	<0.5	<0.2
1284782	Soil	13	43	0.82	369	0.105	2	1.42	0.029	0.18	0.2	0.04	5.4	0.2	<0.05	5	1.0	<0.2
1284755	Soil	8	47	1.68	376	0.231	<1	2.85	0.013	0.66	0.1	0.01	9.4	0.6	<0.05	8	<0.5	<0.2
1284788	Soil	13	43	0.54	379	0.094	<1	1.30	0.009	0.22	0.2	0.06	4.9	0.3	<0.05	5	<0.5	<0.2
1283614	Soil	94	145	2.32	408	0.185	<1	2.65	0.010	0.34	0.2	0.02	15.5	0.7	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000210.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1284786	Soil	2.5	40.0	9.1	88	0.3	30.3	10.9	497	2.76	38.4	1.3	4.2	3.3	34	0.3	2.8	0.2	73	0.58	0.084
1284785	Soil	1.0	41.7	11.4	64	<0.1	16.3	19.1	903	4.72	14.3	0.9	<0.5	8.0	32	0.1	6.3	0.1	127	0.73	0.051
1284751	Rock Pulp	2.3	24.2	2.2	40	0.3	21.8	9.4	376	2.21	4.1	0.2	<0.5	0.8	36	0.2	0.3	<0.1	55	0.70	0.059
1283613	Soil	1.1	17.0	14.0	48	0.2	24.1	9.0	351	2.46	8.2	0.6	1.4	7.4	26	0.1	0.6	0.2	63	0.32	0.019
1284753	Soil	0.6	21.1	5.4	70	0.1	11.1	16.5	628	4.40	7.1	1.1	3.4	11.6	32	<0.1	7.3	<0.1	117	0.59	0.086
1284752	Soil	0.5	34.2	6.1	59	<0.1	22.2	13.5	457	3.69	10.1	1.0	0.8	6.6	36	<0.1	1.2	<0.1	96	0.51	0.061
1282799	Soil	1.1	24.3	10.2	54	<0.1	25.5	10.6	407	2.64	9.8	0.9	2.2	11.6	23	0.1	0.8	0.2	55	0.33	0.024
1282800	Soil	1.2	15.2	11.6	50	<0.1	16.5	8.2	307	2.27	6.4	1.5	<0.5	19.3	20	<0.1	1.0	0.2	44	0.30	0.030
1269992	Soil	0.7	31.8	5.0	32	0.1	22.3	7.0	244	1.57	12.6	0.4	2.6	1.5	89	0.1	0.8	<0.1	38	7.57	0.045
1284789	Soil	1.5	49.8	13.7	65	0.2	36.6	9.9	282	2.42	34.9	0.8	8.1	3.2	88	0.2	3.9	0.2	63	4.29	0.041
1284784	Soil	1.1	42.2	8.6	84	0.1	28.8	9.4	262	2.75	19.7	1.0	5.1	3.8	40	0.4	2.0	0.2	65	0.73	0.077
1284791	Soil	2.4	53.3	11.5	114	0.3	42.3	12.5	356	3.41	41.9	2.1	6.9	4.8	33	0.4	3.9	0.2	99	0.45	0.065
1269991	Soil	0.5	379.0	4.0	95	<0.1	19.1	17.3	719	4.68	5.3	0.6	2.9	2.5	66	<0.1	0.7	0.3	104	1.01	0.183
1269993	Soil	2.3	25.6	18.3	82	0.3	19.2	12.6	931	4.00	434.6	1.3	161.8	6.5	49	0.1	8.6	0.2	58	1.20	0.058
1284792	Soil	3.0	38.2	8.7	96	0.4	32.0	13.4	590	2.66	44.1	1.2	3.6	2.6	39	0.4	3.6	0.2	70	0.71	0.073
1284793	Soil	2.5	26.0	8.9	86	0.2	27.4	13.4	407	2.84	44.9	0.8	34.5	3.3	25	0.2	3.7	0.2	72	0.36	0.069
1269985	Soil	2.1	43.2	9.8	115	0.4	42.7	12.3	386	2.82	59.6	1.7	8.6	3.5	29	0.8	5.2	0.1	73	0.64	0.082
1269989	Soil	2.5	51.9	17.8	122	0.1	54.3	17.4	491	5.03	52.1	1.3	1.9	9.8	11	0.2	3.8	0.2	112	0.23	0.029
1284790	Soil	2.3	73.9	11.9	166	0.2	66.4	18.7	303	4.54	63.0	1.7	2.5	4.4	25	0.4	3.4	0.2	119	0.25	0.067
1284781	Soil	1.9	48.2	12.1	74	0.2	33.3	11.4	471	2.75	25.4	1.2	6.6	3.7	49	0.5	1.9	0.2	68	1.26	0.073
1269984	Soil	1.9	73.0	10.9	96	0.3	63.1	15.7	402	3.86	41.6	1.3	9.0	4.8	29	0.2	2.7	0.3	102	0.34	0.070
1269994	Soil	1.2	14.1	11.1	77	<0.1	10.6	10.6	1116	4.29	9.6	2.6	1.3	30.8	20	<0.1	2.3	<0.1	58	0.43	0.101
1284778	Soil	2.3	46.3	8.4	84	0.4	30.2	10.6	370	2.69	35.0	1.4	5.0	3.1	34	0.3	3.0	0.2	70	0.61	0.070
1284787	Soil	2.7	60.2	8.9	98	0.4	38.0	13.8	650	2.89	45.7	1.9	7.3	3.5	40	0.3	3.6	0.2	74	0.70	0.074
1292333	Soil	3.3	56.2	6.3	59	0.5	25.5	5.1	204	2.60	11.9	2.0	<0.5	5.6	31	0.1	0.3	0.2	128	0.25	0.044
1292327	Soil	1.0	38.5	7.5	60	0.2	31.2	10.2	408	2.39	14.7	0.7	4.6	3.9	60	0.2	0.9	0.2	56	2.13	0.077
1292316	Soil	3.5	30.4	20.3	64	0.5	24.9	10.0	611	3.28	34.6	1.0	4.9	5.0	20	<0.1	0.6	0.3	48	0.44	0.048
1292329	Soil	3.5	35.0	8.9	82	0.5	32.5	7.5	183	2.68	24.5	0.7	3.3	2.9	17	0.3	0.5	0.2	64	0.15	0.035
1292328	Soil	2.0	27.1	7.0	67	0.2	23.5	8.8	467	2.05	16.9	1.3	3.5	2.5	31	0.3	0.6	0.1	44	0.45	0.061
1292335	Soil	3.4	38.1	9.2	112	0.2	42.1	13.7	401	3.48	165.0	1.4	0.5	4.1	23	0.2	0.9	0.2	89	0.30	0.080

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000210.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1284786	Soil	13	38	0.62	299	0.084	2	1.36	0.018	0.13	0.2	0.06	5.0	0.2	<0.05	5	0.7	<0.2
1284785	Soil	28	30	1.50	355	0.118	<1	2.53	0.014	0.27	0.2	0.03	15.9	0.2	<0.05	9	<0.5	<0.2
1284751	Rock Pulp	3	28	0.71	89	0.094	1	1.34	0.075	0.11	11.6	<0.01	4.0	<0.1	<0.05	4	<0.5	<0.2
1283613	Soil	14	38	0.51	286	0.057	<1	1.61	0.010	0.06	0.2	0.02	3.3	<0.1	<0.05	5	<0.5	<0.2
1284753	Soil	30	22	1.48	710	0.339	<1	2.79	0.020	0.81	0.1	0.02	7.5	0.9	<0.05	9	<0.5	<0.2
1284752	Soil	25	29	1.06	520	0.244	<1	2.01	0.028	0.47	0.2	0.04	7.4	0.5	<0.05	7	<0.5	<0.2
1282799	Soil	41	36	0.45	201	0.074	2	1.41	0.013	0.12	0.2	0.03	5.7	<0.1	<0.05	4	0.7	<0.2
1282800	Soil	33	31	0.39	158	0.059	<1	1.26	0.009	0.12	0.2	0.01	4.4	0.1	<0.05	4	<0.5	<0.2
1269992	Soil	8	28	0.52	361	0.041	1	0.89	0.015	0.05	0.1	0.04	2.8	<0.1	<0.05	3	<0.5	<0.2
1284789	Soil	12	41	0.61	410	0.077	2	1.30	0.022	0.13	0.2	0.07	4.3	0.2	<0.05	4	0.7	<0.2
1284784	Soil	13	34	0.69	296	0.094	2	1.40	0.027	0.12	0.2	0.05	4.9	0.1	<0.05	5	0.6	<0.2
1284791	Soil	15	55	0.82	563	0.140	<1	1.80	0.014	0.44	0.2	0.05	6.3	0.4	<0.05	7	0.7	<0.2
1269991	Soil	10	33	1.31	356	0.245	<1	2.60	0.019	0.35	0.1	0.01	10.2	0.2	<0.05	12	<0.5	<0.2
1269993	Soil	36	28	0.38	260	0.020	2	1.29	0.007	0.15	0.2	0.14	10.0	0.2	<0.05	5	<0.5	<0.2
1284792	Soil	12	38	0.57	366	0.077	<1	1.29	0.014	0.12	0.2	0.07	4.3	0.2	<0.05	5	0.9	<0.2
1284793	Soil	11	40	0.57	251	0.082	<1	1.32	0.011	0.14	0.1	0.03	3.8	0.2	<0.05	5	0.7	<0.2
1269985	Soil	17	45	0.55	473	0.072	1	1.24	0.016	0.13	0.2	0.10	5.6	0.5	<0.05	5	1.2	<0.2
1269989	Soil	22	74	0.81	291	0.115	<1	2.00	0.006	0.58	0.1	0.01	8.9	0.6	<0.05	8	<0.5	<0.2
1284790	Soil	13	71	0.99	395	0.189	<1	2.30	0.011	0.79	0.2	0.02	8.0	0.5	0.06	8	1.1	<0.2
1284781	Soil	14	38	0.73	378	0.096	2	1.48	0.028	0.12	0.2	0.05	5.2	0.1	<0.05	5	0.8	<0.2
1269984	Soil	19	71	1.05	448	0.140	<1	2.08	0.014	0.44	0.1	0.04	8.3	0.4	<0.05	8	<0.5	<0.2
1269994	Soil	118	14	0.86	381	0.179	<1	2.00	0.008	0.58	0.2	0.04	13.5	0.9	<0.05	10	0.5	<0.2
1284778	Soil	14	38	0.57	357	0.085	<1	1.38	0.016	0.11	0.2	0.07	5.0	0.2	<0.05	5	0.6	<0.2
1284787	Soil	16	41	0.59	387	0.083	1	1.32	0.015	0.12	0.2	0.10	5.7	0.2	<0.05	5	2.1	<0.2
1292333	Soil	18	58	0.86	606	0.087	<1	1.66	0.024	0.31	0.1	0.03	5.9	0.2	0.13	7	1.6	<0.2
1292327	Soil	13	31	0.69	366	0.068	2	1.12	0.022	0.09	0.3	0.03	4.3	<0.1	<0.05	4	<0.5	<0.2
1292316	Soil	17	29	0.51	329	0.032	<1	1.18	0.009	0.08	0.2	0.02	7.9	<0.1	<0.05	4	<0.5	<0.2
1292329	Soil	10	30	0.34	301	0.054	<1	1.23	0.008	0.05	0.2	0.01	3.0	0.2	<0.05	4	<0.5	<0.2
1292328	Soil	11	23	0.36	339	0.040	<1	0.88	0.011	0.06	0.3	0.03	3.2	<0.1	<0.05	3	0.7	<0.2
1292335	Soil	18	53	0.92	336	0.073	<1	1.88	0.009	0.29	0.2	0.03	5.3	0.3	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000210.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1292315	Soil		1.4	51.9	15.7	124	0.3	50.1	16.0	500	3.65	14.6	0.8	39.2	7.2	105	0.2	0.6	0.3	53	4.66	0.046
1292324	Soil		5.3	158.5	13.1	177	1.0	106.0	18.1	234	3.64	33.7	4.4	4.8	15.9	70	0.7	0.6	0.3	104	0.35	0.075
1292320	Soil		1.6	68.2	10.2	123	0.2	60.9	14.9	286	3.77	11.8	1.3	3.1	10.4	12	0.2	0.5	0.3	66	0.25	0.057
1292325	Soil		3.0	87.5	16.8	166	0.2	87.7	17.5	240	4.38	37.1	1.7	5.2	8.9	11	0.7	0.9	0.4	51	0.15	0.060
1292314	Soil		1.3	43.3	13.7	64	0.2	42.5	11.3	315	2.76	13.6	0.9	15.7	6.7	23	<0.1	0.7	0.2	67	0.35	0.047
1292323	Soil		9.2	113.1	13.9	147	0.4	75.2	13.4	203	3.55	39.5	2.2	3.7	4.0	29	0.5	1.1	0.2	77	0.18	0.050
1292341	Soil		0.5	19.3	5.2	69	<0.1	18.5	10.0	290	2.57	4.6	0.9	0.9	4.2	14	0.2	0.2	0.1	33	0.47	0.058
1292321	Soil		1.6	44.1	15.0	77	0.3	45.8	11.2	260	3.21	12.4	1.3	6.0	6.1	25	<0.1	0.8	0.2	60	0.35	0.034
1292331	Soil		2.0	42.7	8.5	129	0.2	40.6	11.5	289	3.85	30.4	1.5	1.9	4.7	24	0.4	0.3	0.2	57	0.17	0.052
1292343	Soil		1.0	23.4	8.7	47	<0.1	27.8	10.0	376	2.54	10.8	1.2	1.7	3.8	39	0.2	0.6	0.2	52	0.86	0.037
1292318	Soil		3.0	122.4	12.2	162	0.8	60.9	16.6	488	3.54	11.7	1.6	5.4	8.9	52	0.5	0.4	0.3	81	2.40	0.251
1292339	Soil		0.8	65.2	6.3	98	0.1	38.7	12.9	358	3.50	23.5	1.9	<0.5	12.5	12	0.2	0.3	0.2	73	0.48	0.140
1292338	Soil		3.2	76.8	8.8	164	0.1	55.7	11.8	384	4.20	103.7	2.0	<0.5	7.3	20	0.2	0.8	0.2	121	0.39	0.078
1292322	Soil		2.0	55.0	11.7	110	0.3	50.7	14.9	489	3.04	22.3	0.9	6.1	4.3	34	0.5	0.9	0.2	59	0.68	0.077
1292337	Soil		2.3	40.1	7.0	80	<0.1	30.7	8.2	269	3.34	105.4	1.6	1.0	6.6	26	<0.1	0.6	0.2	78	0.25	0.071
1292345	Soil		1.6	21.1	18.5	44	0.1	28.1	9.4	490	2.34	8.8	1.3	2.0	12.1	28	0.1	0.6	0.2	50	0.52	0.034
1292334	Soil		2.1	35.2	7.8	72	0.3	24.3	8.2	264	2.77	18.4	1.2	4.4	4.3	28	0.1	0.5	0.2	70	0.31	0.046
1292326	Soil		2.8	61.4	19.8	135	0.3	65.9	16.6	257	4.10	37.1	1.3	3.2	6.6	15	0.2	1.4	0.4	59	0.16	0.035
1292330	Soil		3.6	58.2	7.5	110	0.2	50.6	10.2	210	2.92	32.4	1.1	<0.5	3.5	20	0.4	0.7	0.2	75	0.14	0.035
1292342	Soil		0.9	24.5	8.6	91	<0.1	22.6	12.5	394	3.27	10.6	1.4	<0.5	4.2	23	0.2	0.5	0.1	42	0.54	0.054
1292336	Soil		2.0	38.9	11.0	92	0.2	44.9	11.5	242	3.22	82.3	1.4	<0.5	6.2	19	0.1	0.6	0.2	74	0.22	0.053
1292332	Soil		4.6	54.5	40.8	99	0.7	33.1	6.9	194	2.96	79.9	1.1	<0.5	3.1	28	0.3	0.9	0.2	62	0.18	0.050
1292344	Soil		0.8	27.2	9.6	48	<0.1	29.8	11.1	343	2.42	15.2	1.8	2.8	5.6	31	<0.1	0.6	0.2	49	0.62	0.035
1292317	Soil		1.1	56.6	11.4	95	0.2	49.3	19.5	791	4.09	7.8	1.0	1.5	14.2	26	<0.1	0.3	0.1	52	0.94	0.055
1292340	Soil		1.7	46.7	14.0	88	0.1	34.5	11.1	325	2.93	52.0	2.2	2.2	4.9	27	0.1	0.8	0.2	66	0.54	0.059
1292319	Soil		4.2	58.2	9.5	116	0.4	23.9	5.2	256	2.62	11.0	2.1	<0.5	5.3	25	0.3	0.5	0.2	65	0.21	0.043
1290238	Soil		0.7	24.5	8.3	51	0.1	19.8	7.9	451	2.18	8.7	0.9	4.9	13.9	43	0.2	0.7	0.2	44	1.31	0.044
1290249	Soil		1.3	20.7	10.8	80	<0.1	23.5	10.7	626	3.74	15.9	0.6	4.6	5.8	15	0.1	0.4	0.2	54	0.16	0.027
1290236	Soil		2.5	57.6	13.0	101	0.2	41.3	15.5	773	3.43	46.4	1.2	0.8	8.0	40	0.2	1.4	0.2	59	1.00	0.052
1290242	Soil		1.0	15.3	11.1	48	<0.1	19.3	8.6	436	2.42	7.5	0.7	<0.5	12.5	24	<0.1	0.4	0.2	49	0.36	0.016

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000210.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1292315	Soil	20	59	1.20	670	0.057	<1	1.68	0.011	0.09	0.1	0.02	4.7	0.1	<0.05	6	<0.5	<0.2
1292324	Soil	28	114	0.83	464	0.065	<1	1.60	0.010	0.25	0.2	0.05	8.9	0.5	0.06	6	3.1	<0.2
1292320	Soil	36	39	0.83	222	0.076	<1	1.41	0.005	0.38	0.2	0.04	6.3	0.4	<0.05	5	<0.5	<0.2
1292325	Soil	23	44	0.34	145	0.016	<1	0.79	0.003	0.09	0.2	0.01	7.2	0.4	<0.05	3	<0.5	0.3
1292314	Soil	23	48	0.81	600	0.056	<1	1.52	0.012	0.07	0.1	0.02	6.1	<0.1	<0.05	5	<0.5	0.2
1292323	Soil	19	39	0.21	224	0.018	<1	0.92	0.005	0.06	0.2	0.07	7.5	<0.1	<0.05	3	4.0	<0.2
1292341	Soil	11	27	0.43	193	0.040	<1	1.31	0.007	0.15	0.1	<0.01	3.7	<0.1	<0.05	4	<0.5	<0.2
1292321	Soil	16	46	0.69	342	0.063	<1	1.45	0.016	0.10	0.2	0.03	5.5	0.2	<0.05	4	<0.5	<0.2
1292331	Soil	21	22	0.51	405	0.089	<1	1.51	0.013	0.34	0.1	0.02	3.5	0.2	0.08	6	<0.5	<0.2
1292343	Soil	14	49	0.66	290	0.049	<1	1.53	0.017	0.06	0.2	0.03	5.2	<0.1	<0.05	5	<0.5	<0.2
1292318	Soil	36	33	1.13	383	0.070	<1	1.44	0.004	0.40	0.2	0.03	4.3	0.5	<0.05	5	1.0	<0.2
1292339	Soil	31	43	1.14	372	0.101	<1	1.92	0.006	0.64	<0.1	0.02	4.6	0.4	<0.05	8	<0.5	<0.2
1292338	Soil	22	68	1.05	645	0.098	<1	2.15	0.008	0.48	0.2	0.03	9.1	0.4	<0.05	8	<0.5	<0.2
1292322	Soil	15	35	0.53	283	0.038	<1	1.10	0.014	0.10	0.2	0.02	5.8	0.2	<0.05	3	<0.5	<0.2
1292337	Soil	27	56	0.71	455	0.072	<1	1.44	0.007	0.29	0.2	0.01	4.6	0.2	<0.05	5	<0.5	<0.2
1292345	Soil	24	48	0.46	241	0.055	<1	1.32	0.016	0.07	0.2	0.03	4.7	<0.1	<0.05	4	<0.5	<0.2
1292334	Soil	18	37	0.49	401	0.061	<1	1.24	0.014	0.17	0.1	<0.01	5.6	0.1	0.09	4	<0.5	<0.2
1292326	Soil	16	51	0.50	183	0.028	<1	1.21	0.005	0.13	0.2	0.03	8.7	0.2	<0.05	4	<0.5	0.3
1292330	Soil	11	36	0.42	381	0.050	<1	1.25	0.008	0.09	<0.1	0.02	3.6	0.1	0.05	4	1.6	<0.2
1292342	Soil	9	44	0.64	225	0.031	<1	1.57	0.008	0.15	0.1	0.01	5.3	<0.1	<0.05	6	<0.5	<0.2
1292336	Soil	23	45	0.76	317	0.075	<1	1.76	0.007	0.25	0.1	0.02	4.7	0.2	<0.05	6	0.6	<0.2
1292332	Soil	11	28	0.23	378	0.024	<1	0.94	0.006	0.09	0.2	0.02	3.5	0.1	<0.05	3	1.9	<0.2
1292344	Soil	17	49	0.66	267	0.042	<1	1.51	0.013	0.05	0.1	0.03	5.4	<0.1	<0.05	4	0.6	<0.2
1292317	Soil	34	37	1.15	330	0.152	1	1.83	0.011	0.70	0.1	0.03	4.8	0.5	<0.05	6	<0.5	<0.2
1292340	Soil	17	40	0.56	449	0.045	<1	1.35	0.012	0.08	0.1	0.03	5.3	<0.1	<0.05	5	<0.5	<0.2
1292319	Soil	14	42	0.76	494	0.062	<1	1.23	0.005	0.40	0.1	0.01	3.4	0.3	0.17	5	1.4	<0.2
1290238	Soil	33	25	0.53	197	0.058	1	1.09	0.021	0.08	0.2	0.02	3.8	<0.1	<0.05	4	<0.5	<0.2
1290249	Soil	10	40	0.60	210	0.057	<1	2.00	0.007	0.14	<0.1	0.01	3.6	0.1	<0.05	7	<0.5	<0.2
1290236	Soil	19	33	0.40	492	0.026	<1	0.92	0.013	0.07	<0.1	0.04	8.4	0.1	<0.05	3	<0.5	<0.2
1290242	Soil	29	32	0.41	183	0.065	<1	1.34	0.012	0.14	0.1	0.02	5.1	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000210.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1290251	Rock Pulp	2.4	24.0	2.0	39	0.3	20.2	9.4	369	2.16	3.9	0.2	34.4	0.7	33	0.2	0.3	<0.1	53	0.65	0.056
1290250	Soil	1.2	73.6	2.8	110	<0.1	93.9	33.5	669	5.07	1.5	0.3	0.8	1.5	13	<0.1	<0.1	<0.1	85	0.40	0.099
1290230	Soil	1.0	42.3	26.4	64	0.2	40.2	14.1	531	2.66	19.4	0.7	107.6	3.0	143	0.3	1.2	0.3	66	5.62	0.051
1290254	Soil	0.4	25.2	8.4	64	<0.1	28.1	22.8	1121	3.02	7.7	1.4	1.4	5.2	50	0.2	0.3	0.2	49	1.15	0.067
1290234	Soil	1.8	38.2	114.7	136	0.7	30.0	12.9	2006	3.38	188.9	0.7	31.0	4.1	28	1.6	2.7	0.2	57	0.39	0.037
1290243	Soil	1.0	21.5	13.7	58	0.1	20.5	9.8	577	2.69	7.5	1.4	<0.5	19.5	25	<0.1	0.6	0.2	54	0.41	0.024
1290246	Soil	1.1	20.0	14.5	55	<0.1	24.4	9.5	459	2.45	10.2	1.0	2.6	14.4	24	<0.1	0.6	0.3	51	0.35	0.024
1290245	Soil	1.1	21.1	12.7	49	0.1	24.1	8.7	395	2.40	9.0	1.0	2.0	13.8	21	<0.1	0.6	0.2	50	0.32	0.028
1290235	Soil	2.2	58.2	14.3	151	0.5	52.0	15.5	787	3.64	68.4	1.3	3.0	8.8	17	0.2	1.4	0.3	35	0.20	0.042
1290244	Soil	0.8	14.0	10.4	48	<0.1	15.5	7.6	495	2.33	6.0	1.2	2.6	17.3	21	<0.1	0.5	0.2	44	0.33	0.020
1290241	Soil	1.3	18.2	12.5	64	<0.1	17.4	8.2	631	2.59	6.5	2.1	2.2	35.2	22	<0.1	1.1	0.2	39	0.39	0.021
1290229	Soil	0.7	59.1	18.1	61	0.1	59.6	20.8	752	3.12	12.5	0.6	8.5	2.7	93	0.2	1.0	0.2	78	3.71	0.048
1290237	Soil	2.6	51.1	15.0	81	0.1	33.1	13.3	1566	3.19	90.1	1.0	5.9	6.5	46	0.3	1.8	0.3	49	1.07	0.061
1290239	Soil	1.0	24.8	9.3	53	<0.1	20.1	8.5	401	2.37	8.1	2.1	<0.5	17.6	27	<0.1	0.5	0.2	48	0.41	0.027
1290248	Soil	0.6	33.3	10.2	75	<0.1	47.4	13.8	445	3.73	18.4	2.5	1.3	9.0	14	<0.1	0.1	0.2	44	0.23	0.038
1290257	Soil	0.7	16.3	9.7	74	<0.1	33.0	11.8	451	3.27	4.6	1.1	1.2	10.2	28	<0.1	0.2	<0.1	55	0.51	0.053
1290231	Soil	1.3	51.6	20.8	65	0.2	60.1	20.6	814	3.68	16.1	0.5	2.4	2.9	25	0.2	1.1	0.2	96	0.56	0.026
1290256	Soil	0.3	15.9	8.2	63	<0.1	26.5	8.7	238	2.56	6.3	1.3	3.1	8.8	32	<0.1	0.2	0.1	47	0.67	0.054
1290252	Soil	0.6	20.9	7.0	59	<0.1	33.7	14.4	367	3.09	3.0	0.4	1.4	3.7	16	<0.1	0.1	<0.1	69	0.27	0.056
1290296	Soil	2.4	56.5	14.3	80	0.3	55.2	12.9	528	3.05	25.7	1.0	9.6	4.5	42	0.3	1.1	0.2	61	0.86	0.050
1290255	Soil	0.3	27.2	9.5	71	<0.1	28.6	10.9	315	2.92	6.3	1.8	<0.5	8.7	40	<0.1	0.3	0.2	51	0.90	0.064
1290233	Soil	2.0	52.6	22.1	151	0.2	44.2	19.5	1401	4.17	22.7	1.3	0.7	14.0	17	0.3	1.0	0.3	40	0.33	0.058
1290232	Soil	4.8	136.8	23.6	220	0.8	90.9	29.1	1896	5.94	87.8	1.9	9.2	11.5	17	0.7	2.6	0.4	64	0.34	0.096
1290300	Soil	4.0	36.2	11.0	61	0.6	20.9	6.5	145	2.89	22.9	0.8	4.4	4.1	13	<0.1	0.5	0.2	66	0.09	0.027
1290247	Soil	1.1	12.3	12.3	61	<0.1	21.5	9.2	565	2.45	7.0	1.1	3.0	14.9	24	0.2	0.4	0.4	53	0.28	0.021
1290240	Soil	1.3	23.1	12.8	52	0.1	21.1	7.9	494	2.34	7.4	3.2	2.6	23.2	28	<0.1	0.8	0.3	41	0.43	0.018
1290253	Soil	0.5	38.8	11.4	80	0.1	60.3	19.8	507	3.26	4.6	0.7	3.3	5.6	40	0.1	0.2	0.1	61	0.86	0.076
1290294	Soil	4.3	92.5	17.1	155	1.4	79.4	15.6	558	3.76	50.0	1.3	11.9	6.3	28	0.5	1.8	0.2	93	0.27	0.034
1292304	Soil	4.2	86.8	13.0	102	0.2	57.4	16.3	617	4.12	21.3	1.5	1.9	5.1	23	0.2	0.6	0.2	109	0.35	0.087
1292301	Rock Pulp	1.1	400.3	20.3	149	0.2	193.9	67.1	739	13.90	2.8	1.1	32.3	7.1	15	0.1	0.3	0.2	198	0.27	0.039

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000210.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1290251	Rock Pulp	3	28	0.67	86	0.088	3	1.27	0.061	0.11	12.8	0.02	3.6	<0.1	<0.05	4	<0.5	<0.2
1290250	Soil	3	110	1.67	210	0.211	1	2.49	0.005	1.04	0.2	<0.01	2.3	0.6	<0.05	5	<0.5	<0.2
1290230	Soil	10	62	1.24	313	0.062	2	1.45	0.034	0.07	<0.1	0.03	5.6	<0.1	<0.05	4	<0.5	<0.2
1290254	Soil	22	41	0.62	179	0.067	3	1.28	0.011	0.08	0.1	0.05	4.0	0.1	<0.05	4	<0.5	<0.2
1290234	Soil	12	32	0.35	541	0.033	2	1.33	0.008	0.07	0.1	0.05	5.7	0.3	<0.05	4	<0.5	<0.2
1290243	Soil	57	36	0.44	173	0.062	3	1.50	0.010	0.20	0.2	0.07	5.5	<0.1	<0.05	5	<0.5	<0.2
1290246	Soil	32	40	0.43	214	0.063	2	1.46	0.010	0.11	0.2	0.03	5.6	<0.1	<0.05	4	<0.5	<0.2
1290245	Soil	30	38	0.44	139	0.067	3	1.34	0.010	0.14	0.2	0.04	5.0	<0.1	<0.05	4	<0.5	<0.2
1290235	Soil	24	20	0.17	394	0.003	<1	0.53	0.002	0.07	<0.1	0.07	6.8	0.2	<0.05	2	0.5	<0.2
1290244	Soil	39	28	0.39	155	0.059	1	1.16	0.012	0.17	0.2	0.02	4.3	<0.1	<0.05	4	<0.5	<0.2
1290241	Soil	87	27	0.46	134	0.041	3	1.23	0.010	0.26	0.2	0.02	5.1	0.2	<0.05	4	<0.5	<0.2
1290229	Soil	8	118	1.74	237	0.049	1	1.94	0.028	0.07	0.1	0.05	8.3	<0.1	<0.05	5	<0.5	<0.2
1290237	Soil	17	25	0.31	521	0.033	1	0.83	0.014	0.06	0.2	0.04	4.6	0.5	<0.05	3	<0.5	<0.2
1290239	Soil	37	29	0.51	172	0.072	3	1.24	0.018	0.12	0.1	0.01	4.5	<0.1	<0.05	4	<0.5	<0.2
1290248	Soil	19	63	0.96	118	0.110	1	1.57	0.003	0.67	<0.1	0.02	5.3	0.8	<0.05	5	<0.5	<0.2
1290257	Soil	23	61	1.04	161	0.104	2	1.63	0.010	0.18	0.2	0.03	4.2	0.2	<0.05	7	<0.5	<0.2
1290231	Soil	9	165	1.33	311	0.040	1	2.38	0.010	0.10	0.1	0.02	11.5	<0.1	<0.05	7	<0.5	<0.2
1290256	Soil	22	47	0.80	129	0.074	2	1.38	0.011	0.07	0.2	0.04	3.8	0.1	<0.05	5	<0.5	<0.2
1290252	Soil	7	80	1.49	177	0.180	<1	1.99	0.008	0.50	0.2	0.02	2.0	0.3	<0.05	7	<0.5	<0.2
1290296	Soil	17	47	0.69	631	0.048	2	1.48	0.020	0.09	0.1	0.04	5.9	0.1	<0.05	4	<0.5	<0.2
1290255	Soil	34	53	0.80	129	0.081	2	1.54	0.012	0.09	<0.1	0.04	5.2	0.1	<0.05	6	<0.5	<0.2
1290233	Soil	38	26	0.27	338	0.026	2	0.91	0.005	0.16	0.1	0.07	6.1	0.1	<0.05	3	<0.5	<0.2
1290232	Soil	35	38	0.53	447	0.008	1	1.24	0.004	0.11	<0.1	0.03	8.9	0.2	<0.05	4	<0.5	0.3
1290300	Soil	11	35	0.37	306	0.040	1	1.53	0.007	0.09	0.2	0.03	3.5	0.2	0.11	5	<0.5	<0.2
1290247	Soil	30	33	0.40	264	0.051	1	1.58	0.008	0.10	0.1	0.01	5.1	0.1	<0.05	5	<0.5	<0.2
1290240	Soil	70	26	0.41	146	0.053	2	1.17	0.013	0.16	0.2	0.02	4.8	<0.1	<0.05	4	<0.5	<0.2
1290253	Soil	17	78	1.34	146	0.123	2	1.88	0.011	0.31	0.2	0.02	4.6	0.4	<0.05	6	<0.5	<0.2
1290294	Soil	22	46	0.40	527	0.030	2	1.07	0.008	0.07	2.3	0.15	8.8	0.2	<0.05	3	1.7	0.2
1292304	Soil	19	58	0.85	628	0.081	1	1.77	0.009	0.40	0.1	0.04	9.1	0.3	<0.05	7	0.7	<0.2
1292301	Rock Pulp	16	600	0.12	138	0.161	4	3.89	0.011	0.06	<0.1	0.04	37.1	<0.1	<0.05	19	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000210.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1290286	Soil		3.1	47.1	21.9	108	1.3	78.7	18.7	928	4.48	42.4	2.5	69.6	7.0	30	<0.1	2.0	0.3	68	2.20	0.092
1290291	Soil		0.8	43.2	12.8	68	0.2	36.8	11.7	481	2.80	11.7	0.7	2.0	5.3	36	0.1	0.8	0.2	55	0.60	0.060
1290288	Soil		0.4	41.4	12.3	83	0.1	54.7	18.3	609	4.08	4.5	0.7	7.5	8.6	78	<0.1	0.5	<0.1	57	4.42	0.055
1292309	Soil		3.2	54.5	8.0	139	0.2	39.6	10.4	271	3.70	8.2	1.8	<0.5	3.5	23	0.1	0.2	0.3	119	0.36	0.101
1290292	Soil		2.0	70.3	11.3	138	0.4	63.4	12.7	358	3.59	28.8	1.2	11.4	8.7	11	<0.1	1.5	0.3	50	0.24	0.054
1290283	Soil		1.6	43.1	11.4	99	0.3	40.5	9.2	153	3.40	6.9	1.2	3.8	6.0	12	<0.1	0.8	0.2	77	0.12	0.044
1292305	Soil		1.8	21.4	8.5	65	0.1	22.0	9.0	271	2.32	13.0	1.0	2.1	3.2	21	0.2	0.4	0.1	59	0.31	0.072
1292308	Soil		2.1	22.2	9.1	74	0.1	30.0	9.2	279	3.06	9.6	0.6	0.6	2.3	16	0.2	0.4	0.3	99	0.21	0.057
1292303	Soil		2.6	92.3	7.6	101	0.4	42.3	14.6	472	3.94	15.4	1.6	1.9	6.6	25	0.1	0.5	0.1	94	0.42	0.092
1290293	Soil		9.1	98.6	13.9	240	1.9	73.0	13.9	466	3.66	34.0	1.8	6.0	5.2	83	0.9	1.3	0.2	79	1.76	0.048
1290297	Soil		2.0	46.7	12.3	74	0.3	43.8	11.4	370	2.94	26.5	1.3	3.9	4.6	36	0.2	1.0	0.1	56	0.51	0.050
1290298	Soil		1.8	48.3	9.8	96	0.6	31.1	9.1	286	2.35	18.4	1.6	4.8	4.0	22	0.5	0.8	0.1	50	0.25	0.062
1292307	Soil		2.0	20.3	9.4	63	0.2	21.4	7.8	236	2.83	12.3	0.8	<0.5	3.5	16	<0.1	0.3	0.3	76	0.18	0.057
1290284	Soil		1.1	37.4	52.5	100	0.9	34.7	13.0	529	3.06	13.7	1.0	203.5	5.9	47	0.3	0.9	0.2	51	1.47	0.052
1290285	Soil		1.6	30.9	17.4	85	0.3	50.0	14.0	541	4.16	14.1	1.5	79.9	8.4	20	<0.1	1.0	0.2	85	0.31	0.056
1292312	Soil		1.1	11.8	10.3	52	<0.1	10.2	7.2	211	2.27	11.8	0.5	1.8	2.9	13	<0.1	0.2	21.8	34	0.35	0.043
1290287	Soil		1.3	30.4	11.5	53	0.3	36.6	13.0	428	3.21	15.0	1.3	15.8	11.2	18	<0.1	1.3	0.2	56	0.37	0.039
1290290	Soil		1.1	53.1	17.1	79	0.5	54.9	20.9	705	4.47	15.1	1.0	11.2	12.2	53	<0.1	0.9	0.2	61	3.46	0.075
1290299	Soil		3.2	32.0	9.9	71	0.6	20.3	5.6	159	2.59	14.5	0.9	1.8	2.8	17	0.5	0.5	0.2	66	0.11	0.050
1290295	Soil		3.2	66.2	18.7	119	0.5	57.0	15.9	733	3.50	35.9	1.0	6.6	5.4	32	0.4	1.3	0.2	66	0.38	0.038
1292302	Soil		6.8	108.7	10.5	155	0.9	95.6	15.3	285	3.89	73.4	1.4	3.7	4.3	33	0.6	1.5	0.2	39	0.12	0.020
1292310	Soil		2.4	41.3	10.0	88	0.3	33.4	10.1	270	3.03	22.2	0.8	<0.5	3.8	15	0.1	0.5	<0.1	67	0.18	0.035
1292313	Soil		1.0	24.2	15.2	62	<0.1	78.7	14.6	444	3.32	7.5	0.8	1.9	7.6	22	<0.1	0.3	<0.1	57	0.43	0.046
1292311	Soil		5.0	95.9	17.7	195	0.3	66.2	16.1	792	5.02	99.7	2.0	1.9	6.5	30	0.5	1.1	0.3	134	0.63	0.153
1292352	Soil		0.7	36.0	7.9	49	0.1	27.3	9.5	370	2.33	12.0	0.8	3.3	6.5	64	<0.1	1.0	0.2	50	1.68	0.056
1292360	Soil		0.9	21.1	9.6	42	0.1	27.8	9.6	330	2.54	10.2	0.7	1.0	13.1	25	<0.1	0.6	0.2	56	0.35	0.020
1290289	Soil		0.6	34.4	10.8	59	0.2	36.1	12.1	357	2.95	9.3	0.6	5.4	6.3	55	<0.1	0.7	<0.1	47	2.00	0.052
1292306	Soil		1.7	35.3	9.2	79	0.2	31.1	13.2	301	3.19	5.7	1.3	2.1	4.7	19	0.1	0.2	0.2	78	0.27	0.059
1292347	Soil		2.2	61.0	7.1	134	0.4	43.8	12.6	275	3.15	29.9	1.8	1.5	8.3	19	0.3	0.7	0.2	28	0.16	0.047
1292357	Soil		1.0	23.2	12.4	39	<0.1	25.6	7.9	353	2.13	9.3	0.9	<0.5	18.8	29	<0.1	0.6	0.1	45	0.43	0.022

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000210.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1290286	Soil	31	82	0.32	1731	0.007	2	1.16	0.007	0.10	0.1	0.05	11.5	<0.1	<0.05	4	<0.5	<0.2
1290291	Soil	18	43	0.65	344	0.066	2	1.41	0.016	0.11	0.2	0.04	5.4	0.1	<0.05	5	<0.5	<0.2
1290288	Soil	22	80	1.49	262	0.109	2	2.12	0.007	0.36	<0.1	0.03	4.9	0.3	<0.05	7	<0.5	<0.2
1292309	Soil	12	54	1.04	648	0.144	<1	2.21	0.006	0.48	<0.1	<0.01	3.8	0.3	<0.05	7	0.7	<0.2
1290292	Soil	19	30	0.42	418	0.026	1	1.10	0.004	0.17	0.1	0.06	6.4	0.5	<0.05	3	0.6	<0.2
1290283	Soil	19	46	0.76	419	0.088	1	1.80	0.006	0.37	0.2	<0.01	3.7	0.4	<0.05	6	0.8	<0.2
1292305	Soil	13	36	0.57	275	0.067	<1	1.19	0.009	0.09	0.2	0.05	3.1	<0.1	<0.05	4	<0.5	<0.2
1292308	Soil	8	59	0.77	294	0.106	1	1.70	0.008	0.24	0.2	0.02	3.3	0.2	<0.05	6	<0.5	<0.2
1292303	Soil	26	42	0.99	576	0.095	<1	2.00	0.010	0.41	<0.1	0.07	7.0	0.3	<0.05	8	0.5	<0.2
1290293	Soil	11	22	0.49	675	0.022	<1	0.87	0.010	0.13	0.4	0.08	7.8	0.8	0.08	3	4.6	<0.2
1290297	Soil	16	39	0.60	497	0.049	<1	1.33	0.016	0.09	0.2	0.04	5.2	0.2	<0.05	4	<0.5	<0.2
1290298	Soil	14	28	0.42	499	0.052	<1	1.11	0.009	0.06	0.2	0.06	3.9	0.2	<0.05	4	1.0	<0.2
1292307	Soil	11	39	0.70	244	0.108	<1	1.62	0.008	0.23	0.2	0.01	3.2	0.1	<0.05	7	0.5	<0.2
1290284	Soil	26	41	0.76	687	0.043	<1	1.37	0.015	0.07	0.2	0.06	5.8	<0.1	<0.05	5	<0.5	<0.2
1290285	Soil	21	104	1.41	626	0.027	<1	2.18	0.007	0.06	0.1	0.02	10.9	<0.1	<0.05	9	0.5	<0.2
1292312	Soil	6	15	0.38	207	0.018	<1	1.19	0.006	0.13	<0.1	0.02	4.7	<0.1	<0.05	5	<0.5	<0.2
1290287	Soil	25	53	0.72	206	0.040	<1	1.53	0.008	0.14	0.1	0.02	7.2	0.1	<0.05	5	<0.5	<0.2
1290290	Soil	45	77	1.19	305	0.072	<1	2.00	0.006	0.34	<0.1	0.05	8.4	0.3	<0.05	7	<0.5	<0.2
1290299	Soil	11	26	0.27	286	0.050	<1	1.22	0.007	0.07	0.1	0.03	2.6	0.2	0.07	5	0.8	<0.2
1290295	Soil	16	43	0.50	728	0.038	<1	1.26	0.012	0.08	0.2	0.08	7.7	0.2	<0.05	4	1.5	<0.2
1292302	Soil	9	17	0.14	752	0.002	<1	0.69	0.003	0.06	0.1	0.06	6.0	0.1	<0.05	2	1.7	<0.2
1292310	Soil	11	44	0.74	314	0.093	<1	1.65	0.007	0.27	0.1	0.02	4.4	0.3	<0.05	5	1.0	<0.2
1292313	Soil	19	124	1.49	219	0.045	<1	2.05	0.010	0.06	<0.1	0.02	7.8	<0.1	<0.05	6	<0.5	<0.2
1292311	Soil	27	70	0.97	618	0.044	<1	1.95	0.006	0.21	0.1	0.11	10.8	0.2	<0.05	8	1.4	<0.2
1292352	Soil	20	27	0.59	235	0.075	<1	1.13	0.026	0.07	0.2	0.04	4.5	0.1	<0.05	3	<0.5	<0.2
1292360	Soil	24	41	0.52	233	0.079	<1	1.46	0.013	0.11	0.1	0.02	5.9	<0.1	<0.05	4	<0.5	<0.2
1290289	Soil	30	44	0.82	277	0.073	<1	1.44	0.014	0.19	0.1	0.04	4.8	0.2	<0.05	5	<0.5	<0.2
1292306	Soil	26	46	0.95	363	0.151	<1	1.99	0.011	0.34	0.1	0.02	3.9	0.2	<0.05	7	<0.5	<0.2
1292347	Soil	22	15	0.08	167	0.002	<1	0.26	0.002	0.05	<0.1	0.04	3.8	<0.1	<0.05	1	4.4	<0.2
1292357	Soil	41	34	0.44	207	0.063	<1	1.17	0.013	0.08	0.2	0.02	4.6	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000210.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1292369	Soil	1.2	27.1	12.1	82	0.2	38.8	13.9	323	3.20	47.6	1.0	1.3	4.6	16	0.3	0.8	0.2	61	0.25	0.075
1292358	Soil	1.0	21.3	13.0	45	<0.1	28.0	9.5	358	2.34	9.6	0.7	<0.5	15.3	27	<0.1	0.7	0.2	51	0.38	0.020
1292365	Soil	0.5	32.7	13.4	46	<0.1	110.0	19.2	522	3.66	8.8	1.0	1.0	21.6	24	<0.1	0.5	0.1	86	0.48	0.041
1292362	Soil	0.9	18.8	11.6	41	0.1	33.3	10.4	401	2.57	7.5	0.6	2.1	18.3	22	<0.1	0.6	0.2	54	0.40	0.020
1292349	Soil	2.3	63.9	15.6	82	0.3	43.8	13.3	1029	2.80	37.5	2.2	8.0	9.1	99	0.3	2.1	0.2	38	4.47	0.068
1292350	Soil	2.5	17.9	11.0	54	<0.1	22.3	8.0	461	2.21	6.4	4.7	5.4	38.5	19	<0.1	0.9	0.2	27	0.20	0.032
1292367	Soil	1.1	19.1	22.4	57	0.2	26.6	9.5	369	2.65	14.7	0.7	1.4	7.6	21	0.1	0.9	0.2	57	0.35	0.027
1292363	Soil	1.3	22.4	15.2	43	<0.1	38.6	11.8	481	2.69	8.6	0.8	2.1	17.0	24	<0.1	0.7	0.3	60	0.40	0.023
1292351	Rock Pulp	2.2	21.9	2.0	36	0.3	19.2	8.5	326	2.02	4.0	0.2	4.1	0.7	34	0.1	0.3	<0.1	48	0.60	0.053
1292359	Soil	0.8	30.4	11.9	45	0.1	28.9	9.4	331	2.31	11.2	0.7	2.3	10.9	30	<0.1	0.7	0.1	51	0.41	0.035
1292364	Soil	1.2	22.1	15.6	49	0.1	41.4	11.7	516	2.65	6.0	1.1	1.2	20.4	21	<0.1	0.6	0.2	54	0.38	0.040
1292354	Soil	0.8	29.9	9.3	54	<0.1	23.3	9.6	429	2.25	10.1	0.9	3.4	5.6	80	0.3	1.0	<0.1	50	2.36	0.074
1292348	Soil	1.2	25.9	11.6	51	<0.1	28.7	9.7	413	2.33	12.0	1.1	6.7	18.6	21	<0.1	0.7	0.2	43	0.42	0.034
1292346	Soil	2.1	46.2	21.6	76	0.2	40.0	13.1	618	2.79	34.3	1.4	4.3	11.2	59	0.3	1.2	0.2	49	0.76	0.062
1292368	Soil	6.1	39.1	10.0	104	<0.1	45.2	10.3	342	3.23	40.3	4.7	1.5	6.7	16	0.3	1.1	0.5	161	0.32	0.063
1292355	Soil	1.2	30.0	16.0	54	<0.1	28.7	11.3	458	2.77	9.5	2.3	7.0	17.9	28	<0.1	0.6	0.2	60	0.71	0.048
1290211	Soil	3.1	69.5	6.5	92	1.2	50.4	18.8	2148	3.19	85.5	1.1	9.4	2.3	31	0.2	1.7	0.1	45	2.69	0.030
1290216	Soil	0.9	12.5	14.0	61	<0.1	26.7	10.6	580	3.00	4.4	1.2	1.3	23.5	14	<0.1	0.2	0.2	50	0.30	0.027
1292366	Soil	1.3	23.5	16.5	70	0.1	97.2	20.8	895	4.16	31.8	1.6	2.2	12.8	16	0.1	1.0	0.2	96	0.43	0.049
1292353	Soil	1.5	39.5	11.7	59	0.1	33.4	12.2	724	2.85	8.7	2.5	16.6	26.0	30	<0.1	0.7	0.1	56	0.63	0.039
1290217	Soil	0.7	11.4	7.5	50	<0.1	28.2	12.5	345	2.72	3.7	0.5	1.0	8.1	15	<0.1	0.2	<0.1	60	0.36	0.025
1290227	Soil	0.7	15.4	11.1	65	<0.1	20.3	7.9	301	2.21	4.5	1.4	4.4	9.1	16	0.1	0.4	0.1	53	0.27	0.048
1292371	Soil	2.6	21.9	11.4	60	0.2	20.3	5.2	215	2.04	15.1	0.7	1.2	0.9	8	0.3	0.3	0.1	60	0.11	0.047
1292370	Soil	2.1	23.0	13.9	90	0.4	32.7	13.1	306	3.49	27.1	0.7	2.7	3.6	13	0.3	0.5	0.1	79	0.25	0.045
1290223	Soil	1.3	10.8	11.0	49	<0.1	17.3	7.2	261	2.96	7.9	0.4	3.1	4.6	13	<0.1	0.4	0.1	72	0.15	0.046
1290228	Soil	0.6	14.3	12.2	69	<0.1	21.2	8.8	262	2.41	4.7	1.7	2.2	13.5	15	0.1	0.3	0.1	52	0.24	0.034
1290222	Soil	1.1	20.3	10.0	51	<0.1	27.4	10.0	264	2.85	9.8	0.7	3.5	10.2	15	<0.1	0.5	0.1	71	0.18	0.015
1292356	Soil	1.0	31.9	13.8	51	0.1	32.1	10.5	393	2.41	8.8	0.7	6.1	12.7	39	<0.1	0.6	0.1	57	1.48	0.034
1290220	Soil	1.0	26.8	12.6	59	<0.1	40.0	10.4	323	3.04	6.5	1.5	3.3	25.8	16	<0.1	0.4	0.1	65	0.24	0.018
1290204	Soil	6.1	70.3	68.7	152	0.6	69.4	23.7	3011	4.16	91.2	2.2	14.6	8.3	25	1.1	2.6	0.2	38	0.91	0.028

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000210.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1292369	Soil	19	43	0.75	193	0.063	<1	1.59	0.007	0.15	0.1	0.04	4.2	0.2	<0.05	5	<0.5	<0.2
1292358	Soil	30	39	0.49	222	0.073	<1	1.31	0.014	0.09	0.2	0.02	5.0	<0.1	<0.05	4	<0.5	<0.2
1292365	Soil	21	175	2.25	236	0.083	<1	2.51	0.012	0.27	<0.1	<0.01	9.8	0.3	<0.05	7	<0.5	<0.2
1292362	Soil	37	51	0.63	200	0.070	<1	1.52	0.012	0.16	0.2	0.03	5.9	<0.1	<0.05	4	<0.5	<0.2
1292349	Soil	20	22	0.28	658	0.005	<1	0.54	0.008	0.08	<0.1	0.08	6.0	0.2	<0.05	2	0.6	<0.2
1292350	Soil	89	28	0.30	120	0.030	<1	0.86	0.008	0.14	0.1	0.02	4.2	0.2	<0.05	3	<0.5	<0.2
1292367	Soil	26	39	0.46	433	0.045	<1	1.62	0.009	0.06	0.1	0.03	5.3	<0.1	<0.05	5	<0.5	<0.2
1292363	Soil	26	52	0.65	310	0.076	<1	1.63	0.011	0.11	0.2	0.01	6.4	0.1	<0.05	5	<0.5	<0.2
1292351	Rock Pulp	3	24	0.63	78	0.083	<1	1.16	0.069	0.10	12.1	0.02	3.7	<0.1	<0.05	4	<0.5	<0.2
1292359	Soil	29	32	0.57	155	0.074	<1	1.24	0.019	0.07	0.2	0.03	5.1	<0.1	<0.05	4	<0.5	<0.2
1292364	Soil	42	65	0.77	259	0.062	<1	1.68	0.010	0.18	0.1	0.02	6.1	0.1	<0.05	5	<0.5	<0.2
1292354	Soil	15	25	0.71	299	0.079	<1	1.00	0.031	0.06	0.3	0.02	3.8	<0.1	<0.05	3	<0.5	<0.2
1292348	Soil	33	29	0.38	397	0.049	1	1.24	0.021	0.08	0.2	0.04	4.4	0.1	<0.05	4	<0.5	<0.2
1292346	Soil	29	30	0.42	786	0.024	3	0.91	0.016	0.09	0.1	0.03	5.2	0.2	<0.05	3	1.1	<0.2
1292368	Soil	24	53	0.91	371	0.049	<1	1.82	0.004	0.17	<0.1	0.09	6.0	0.5	<0.05	6	1.3	<0.2
1292355	Soil	37	37	0.60	211	0.062	2	1.25	0.025	0.11	0.2	0.05	4.8	0.1	<0.05	5	<0.5	<0.2
1290211	Soil	5	22	0.17	850	0.002	1	0.55	0.003	0.08	<0.1	0.10	5.6	0.5	<0.05	2	0.7	<0.2
1290216	Soil	39	53	0.58	182	0.057	1	1.55	0.007	0.33	0.2	<0.01	4.9	0.3	<0.05	7	<0.5	<0.2
1292366	Soil	22	103	0.84	414	0.068	1	1.70	0.010	0.16	0.1	0.03	10.2	0.2	<0.05	6	<0.5	<0.2
1292353	Soil	57	38	0.61	242	0.056	1	1.61	0.031	0.11	0.1	0.07	5.2	0.2	<0.05	6	<0.5	<0.2
1290217	Soil	23	83	0.95	158	0.083	1	1.71	0.009	0.27	0.2	<0.01	4.0	0.2	<0.05	6	<0.5	<0.2
1290227	Soil	26	36	0.51	170	0.054	1	1.50	0.012	0.05	0.2	0.05	3.6	0.1	0.07	5	<0.5	<0.2
1292371	Soil	9	28	0.34	195	0.055	<1	0.88	0.008	0.16	0.1	<0.01	1.7	0.2	<0.05	6	<0.5	<0.2
1292370	Soil	12	45	0.66	264	0.060	<1	1.60	0.008	0.08	0.2	0.03	4.1	0.2	<0.05	6	<0.5	<0.2
1290223	Soil	10	34	0.40	168	0.051	<1	1.69	0.007	0.04	0.2	0.02	2.5	<0.1	<0.05	7	<0.5	<0.2
1290228	Soil	32	36	0.53	160	0.061	<1	1.53	0.009	0.07	0.2	0.03	3.4	0.1	<0.05	6	<0.5	<0.2
1290222	Soil	15	49	0.57	204	0.062	1	1.99	0.008	0.05	0.2	0.01	4.2	<0.1	<0.05	6	<0.5	<0.2
1292356	Soil	26	35	0.64	194	0.065	2	1.16	0.024	0.08	0.2	0.04	4.2	<0.1	<0.05	4	<0.5	<0.2
1290220	Soil	50	72	0.78	136	0.082	<1	1.75	0.010	0.09	0.2	0.02	8.6	0.2	<0.05	7	<0.5	<0.2
1290204	Soil	21	22	0.25	851	0.005	2	0.58	0.005	0.08	<0.1	0.05	6.4	0.2	<0.05	2	1.1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000210.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1290221	Soil		1.3	12.8	13.4	70	<0.1	31.7	8.7	559	2.96	5.7	1.1	0.6	17.4	17	<0.1	0.3	0.1	53	0.28	0.019
1292361	Soil		1.0	31.3	12.2	48	0.1	35.2	10.1	297	2.75	11.9	0.7	4.7	19.5	22	<0.1	0.6	0.1	63	0.41	0.020
1268937	Soil		1.2	10.7	9.4	36	0.2	23.1	12.1	1037	2.55	5.0	0.5	2.1	8.9	21	<0.1	0.4	0.1	59	0.32	0.018
1290205	Soil		4.4	54.7	19.0	123	0.6	70.7	17.6	696	4.61	69.6	1.6	2.9	7.0	14	0.2	1.3	0.3	79	0.28	0.024
1290209	Soil		3.3	69.8	11.5	119	0.9	54.3	12.1	468	3.29	170.2	0.8	17.8	3.5	20	0.2	2.6	0.1	59	0.26	0.022
1290214	Soil		1.1	36.1	18.9	58	0.2	31.1	10.7	394	2.97	8.9	1.2	6.6	16.6	20	<0.1	0.6	0.1	58	0.38	0.017
1268942	Soil		2.1	17.0	10.4	27	<0.1	15.9	5.3	232	1.69	4.3	0.9	0.9	26.3	8	<0.1	0.2	0.9	27	0.13	0.015
1268939	Soil		1.6	11.8	13.0	41	0.1	23.0	9.9	389	2.70	6.6	0.6	3.2	8.6	12	<0.1	0.5	0.1	64	0.16	0.016
1290224	Soil		0.9	9.5	12.1	50	<0.1	21.1	5.9	215	3.05	4.8	0.9	0.7	7.7	8	<0.1	0.3	0.1	71	0.12	0.029
1290225	Soil		0.9	22.0	14.8	71	<0.1	54.2	15.0	366	3.34	5.3	1.7	3.9	11.2	18	<0.1	0.3	<0.1	68	0.33	0.036
1268941	Soil		1.9	16.1	16.0	31	<0.1	28.5	7.0	243	1.94	3.2	1.1	<0.5	21.3	9	<0.1	0.1	0.3	31	0.11	0.015
1268940	Soil		2.4	22.4	38.6	41	<0.1	39.3	7.9	421	2.56	6.6	1.3	4.9	43.8	15	<0.1	0.4	0.2	45	0.31	0.021
1290215	Soil		1.3	7.0	8.7	39	<0.1	16.4	5.4	257	2.03	3.5	1.2	1.6	14.3	11	<0.1	0.3	0.2	36	0.21	0.017
1269850	Soil		1.7	54.8	18.1	63	0.4	41.8	8.1	296	1.83	19.9	6.6	2.5	3.6	118	0.6	1.8	0.2	42	2.07	0.070
1268943	Soil		2.9	60.4	16.5	55	0.1	28.6	14.5	702	3.37	5.9	1.2	3.6	27.9	17	<0.1	0.4	0.4	61	0.49	0.040
1268938	Soil		1.9	10.2	10.6	37	<0.1	30.2	12.5	738	2.67	4.1	1.6	3.9	17.8	17	<0.1	0.3	0.1	55	0.30	0.015
1290212	Soil		1.2	24.6	9.2	89	<0.1	31.5	22.6	788	4.82	2.8	1.6	3.7	24.1	15	<0.1	0.3	0.1	78	0.40	0.050
1290226	Soil		0.8	22.5	12.7	70	<0.1	54.4	15.4	370	3.38	5.7	1.6	1.6	10.8	18	<0.1	0.2	<0.1	69	0.33	0.039
1268935	Soil		1.0	20.1	11.7	49	<0.1	27.1	11.0	315	2.88	8.9	1.0	5.1	16.3	23	<0.1	0.5	0.2	65	0.25	0.014
1268934	Soil		1.1	14.9	14.9	50	<0.1	22.9	12.4	545	3.11	6.8	1.1	0.9	17.9	22	<0.1	0.3	0.3	64	0.36	0.025
1268936	Soil		1.1	13.0	9.5	43	<0.1	20.5	11.3	791	2.65	5.5	0.5	1.7	4.9	23	0.1	0.4	0.2	61	0.27	0.022
1268914	Soil		0.6	25.0	14.2	74	<0.1	34.8	23.4	1413	3.78	12.1	1.0	3.3	4.9	47	0.2	0.2	0.2	64	1.14	0.102
1268931	Soil		1.1	16.9	10.5	50	<0.1	26.1	13.2	430	2.98	7.4	0.9	1.5	11.5	24	<0.1	0.4	0.1	70	0.34	0.036
1268932	Soil		0.9	19.1	19.6	78	<0.1	26.4	15.0	909	3.80	6.5	1.6	2.1	26.4	32	<0.1	0.4	0.5	75	0.61	0.103
1268933	Soil		1.4	9.9	11.5	40	<0.1	19.8	9.7	529	2.60	8.1	1.5	0.7	21.4	17	<0.1	0.3	0.8	44	0.35	0.038
1268913	Soil		0.5	16.8	13.5	67	<0.1	60.7	17.9	327	3.70	20.6	0.8	10.4	8.4	39	<0.1	0.3	0.2	64	0.98	0.085
1268928	Soil		1.2	17.8	13.6	56	<0.1	23.5	13.1	745	3.10	9.3	1.1	2.1	7.4	29	0.1	0.3	0.3	70	0.59	0.027
1268930	Soil		1.6	14.4	15.0	48	0.1	21.8	9.2	372	3.02	11.7	0.7	4.2	6.3	19	0.1	0.4	0.2	74	0.24	0.029
1290207	Soil		3.7	87.8	11.5	160	0.5	69.4	19.2	774	4.26	91.7	1.9	5.1	2.9	34	0.4	3.1	0.2	89	0.38	0.037
1268915	Soil		0.9	26.4	6.1	25	0.2	18.5	5.2	183	0.87	7.6	21.6	<0.5	0.6	149	0.2	0.5	0.2	21	2.23	0.049

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000210.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1290221	Soil	16	48	0.66	172	0.058	<1	1.92	0.007	0.18	0.2	0.01	3.5	0.2	<0.05	7	<0.5	<0.2
1292361	Soil	55	41	0.59	179	0.072	1	1.55	0.015	0.09	0.2	0.03	6.2	<0.1	<0.05	5	<0.5	<0.2
1268937	Soil	10	34	0.44	304	0.044	<1	1.60	0.010	0.12	0.1	0.02	3.5	0.1	0.08	5	<0.5	<0.2
1290205	Soil	18	39	0.33	1540	0.012	<1	1.06	0.005	0.10	0.1	0.05	8.5	0.2	<0.05	4	1.3	<0.2
1290209	Soil	11	33	0.29	373	0.024	<1	0.88	0.007	0.08	0.1	0.08	5.8	0.4	0.05	3	1.4	<0.2
1290214	Soil	55	39	0.62	164	0.063	1	1.40	0.018	0.10	0.1	0.06	6.0	0.1	<0.05	6	<0.5	<0.2
1268942	Soil	17	25	0.22	180	0.022	<1	0.65	0.003	0.07	0.1	<0.01	2.5	0.1	<0.05	3	<0.5	<0.2
1268939	Soil	8	42	0.45	180	0.044	<1	1.77	0.007	0.08	0.1	0.02	3.4	0.1	<0.05	5	<0.5	<0.2
1290224	Soil	18	43	0.45	52	0.089	<1	1.43	0.007	0.06	0.2	<0.01	2.9	0.1	0.05	8	<0.5	<0.2
1290225	Soil	40	98	1.15	103	0.106	1	1.93	0.010	0.17	0.2	<0.01	5.1	0.3	<0.05	8	<0.5	<0.2
1268941	Soil	7	35	0.29	176	0.031	<1	0.63	0.003	0.11	0.2	0.01	2.7	0.2	0.07	3	<0.5	<0.2
1268940	Soil	61	54	0.38	372	0.038	<1	1.11	0.015	0.08	0.2	0.07	7.2	0.1	<0.05	4	<0.5	<0.2
1290215	Soil	27	25	0.26	129	0.014	<1	1.13	0.006	0.06	<0.1	<0.01	2.6	<0.1	<0.05	5	<0.5	<0.2
1269850	Soil	12	38	0.59	463	0.015	10	0.72	0.011	0.05	<0.1	0.09	5.1	0.2	0.39	3	6.3	<0.2
1268943	Soil	37	33	0.88	464	0.050	1	1.41	0.013	0.18	0.1	0.06	6.8	0.2	<0.05	6	<0.5	<0.2
1268938	Soil	9	60	0.63	147	0.042	<1	1.38	0.007	0.23	0.2	0.01	3.8	0.3	<0.05	5	<0.5	<0.2
1290212	Soil	140	60	1.77	193	0.073	2	2.40	0.006	0.58	0.1	0.04	8.8	0.3	<0.05	9	<0.5	<0.2
1290226	Soil	43	95	1.16	103	0.101	<1	1.95	0.009	0.16	0.2	0.01	5.0	0.3	<0.05	7	<0.5	<0.2
1268935	Soil	24	52	0.71	204	0.096	2	1.64	0.012	0.08	0.1	0.02	5.8	<0.1	<0.05	5	<0.5	<0.2
1268934	Soil	35	54	0.84	270	0.091	<1	1.73	0.008	0.14	0.1	0.01	5.0	0.2	<0.05	5	<0.5	<0.2
1268936	Soil	9	36	0.55	270	0.063	2	1.48	0.008	0.12	0.1	0.02	2.8	<0.1	<0.05	5	<0.5	<0.2
1268914	Soil	35	50	1.12	332	0.089	1	1.84	0.009	0.34	<0.1	0.07	4.8	0.3	<0.05	6	<0.5	<0.2
1268931	Soil	27	69	1.14	153	0.121	<1	2.06	0.009	0.09	0.1	<0.01	3.6	0.2	<0.05	6	<0.5	<0.2
1268932	Soil	52	70	1.53	232	0.155	<1	2.27	0.013	0.44	0.1	<0.01	8.0	0.5	<0.05	7	<0.5	<0.2
1268933	Soil	19	49	0.78	134	0.071	1	1.38	0.008	0.26	0.8	0.03	3.4	0.4	<0.05	5	<0.5	<0.2
1268913	Soil	26	121	1.29	202	0.096	2	1.85	0.009	0.31	<0.1	0.04	5.4	0.4	<0.05	6	<0.5	<0.2
1268928	Soil	16	46	0.70	237	0.063	<1	2.02	0.012	0.06	0.1	0.02	4.4	0.1	<0.05	7	<0.5	<0.2
1268930	Soil	10	44	0.64	162	0.076	<1	1.82	0.008	0.05	0.2	0.01	3.3	0.1	<0.05	7	<0.5	<0.2
1290207	Soil	12	34	0.19	1398	0.005	<1	0.72	0.005	0.05	<0.1	0.10	13.5	0.4	<0.05	2	1.6	<0.2
1268915	Soil	5	17	0.49	197	0.008	10	0.40	0.007	0.02	<0.1	0.03	2.3	<0.1	0.28	1	4.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000210.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1268927	Soil		0.8	35.9	11.2	52	0.1	36.6	14.5	438	3.20	10.2	1.6	2.1	4.6	42	<0.1	0.3	0.5	67	0.98	0.049
1268944	Soil		0.7	26.4	12.8	52	<0.1	24.4	12.5	525	2.94	8.0	1.5	1.2	10.6	29	<0.1	0.4	0.1	62	0.50	0.037
1290203	Soil		2.8	46.5	11.2	82	0.3	42.3	12.7	456	3.16	69.5	2.3	4.0	4.0	53	0.3	1.5	0.2	56	0.60	0.068
1269849	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1290208	Soil		5.2	123.5	12.2	149	0.6	77.3	10.3	375	3.44	186.9	1.5	7.7	2.8	21	0.4	2.5	0.2	71	0.08	0.021
1290219	Soil		0.8	10.9	10.9	48	<0.1	22.5	8.4	340	2.34	5.0	0.9	1.8	9.3	20	<0.1	0.4	0.2	57	0.26	0.029
1268917	Soil		0.6	24.9	9.3	52	<0.1	27.1	11.8	248	2.64	4.9	1.3	2.3	3.9	41	0.1	0.3	0.1	64	1.04	0.078
1268921	Soil		1.2	20.5	13.7	96	<0.1	24.7	10.3	326	3.09	8.8	0.9	1.9	8.7	15	<0.1	0.4	0.2	66	0.14	0.023
1290202	Soil		1.9	42.9	11.4	73	0.3	27.8	8.8	202	2.51	41.0	3.5	2.9	3.4	66	0.3	1.0	0.2	51	0.87	0.082
1290210	Soil		1.4	44.2	10.3	74	0.4	37.5	11.3	593	2.65	62.0	0.6	4.4	3.0	115	0.3	1.3	0.1	53	5.14	0.045
1268918	Soil		1.9	27.4	3.9	22	0.3	18.2	14.3	1905	1.78	4.1	1.5	0.9	0.6	75	0.2	0.4	<0.1	28	1.89	0.117
1268922	Soil		0.3	41.5	12.1	95	0.2	60.9	24.7	662	5.24	4.0	0.8	0.5	9.9	163	<0.1	<0.1	0.1	56	4.80	0.077
1290213	Soil		1.6	24.6	11.9	51	0.1	21.4	6.4	448	2.40	7.2	2.5	4.2	31.7	14	<0.1	0.4	0.2	31	0.25	0.024
1290218	Soil		0.7	57.3	126.4	95	<0.1	37.1	15.5	521	3.04	3.2	1.2	<0.5	7.0	28	0.1	0.2	0.6	65	0.47	0.061
1268919	Soil		1.2	23.8	30.9	66	<0.1	28.3	17.2	490	3.90	8.0	1.3	0.5	5.4	29	0.1	1.7	0.2	81	0.56	0.067
1268923	Soil		0.6	27.2	10.0	69	<0.1	40.1	14.4	448	4.00	5.9	0.9	0.7	7.2	16	<0.1	0.2	0.3	57	0.17	0.031
1290206	Soil		3.1	80.5	13.1	138	0.4	63.7	18.5	693	4.46	37.5	2.2	2.5	4.1	25	0.5	3.5	0.2	74	0.54	0.080
1268916	Soil		0.7	20.8	12.2	71	0.1	18.4	13.9	362	3.21	7.6	1.1	4.2	3.5	59	0.2	0.2	0.1	52	1.46	0.117
1268920	Soil		1.0	24.1	8.6	69	<0.1	22.3	18.8	647	4.16	4.7	1.2	0.5	8.7	23	<0.1	0.3	0.1	82	0.41	0.088
1268924	Soil		1.0	43.3	20.8	75	0.1	60.4	15.9	509	3.78	37.7	1.9	18.0	13.4	27	0.2	0.5	0.8	61	0.50	0.040

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000210.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1268927	Soil	21	56	1.01	205	0.085	1	2.02	0.013	0.10	0.1	0.05	5.6	0.2	<0.05	6	<0.5	<0.2
1268944	Soil	28	34	0.75	437	0.092	2	1.57	0.020	0.10	0.1	0.04	6.3	<0.1	<0.05	5	<0.5	<0.2
1290203	Soil	15	33	0.46	1001	0.024	3	0.81	0.017	0.07	0.1	0.04	5.8	0.2	<0.05	3	1.2	<0.2
1269849	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1290208	Soil	10	31	0.11	605	0.003	<1	0.47	0.004	0.05	<0.1	0.13	6.0	0.7	<0.05	2	1.8	0.3
1290219	Soil	18	45	0.54	186	0.063	1	1.57	0.009	0.09	0.1	0.01	3.7	0.1	<0.05	5	<0.5	<0.2
1268917	Soil	14	49	0.97	251	0.096	<1	1.72	0.011	0.09	0.1	0.05	5.0	0.1	<0.05	5	<0.5	<0.2
1268921	Soil	13	41	0.72	166	0.083	<1	2.20	0.007	0.10	0.1	0.03	4.2	0.2	<0.05	7	<0.5	<0.2
1290202	Soil	13	33	0.51	647	0.017	4	0.80	0.011	0.07	0.1	0.03	6.1	0.2	<0.05	3	2.7	<0.2
1290210	Soil	12	32	0.74	610	0.060	1	1.24	0.030	0.07	0.1	0.04	4.6	0.2	<0.05	4	<0.5	<0.2
1268918	Soil	8	24	0.38	417	0.023	4	0.82	0.010	0.04	0.1	0.06	1.6	<0.1	0.14	3	0.6	<0.2
1268922	Soil	27	77	2.47	173	0.173	<1	2.88	0.005	1.11	0.2	0.02	6.1	1.0	<0.05	8	<0.5	<0.2
1290213	Soil	138	22	0.27	136	0.025	1	0.86	0.009	0.10	0.1	0.03	4.4	<0.1	<0.05	3	<0.5	<0.2
1290218	Soil	29	110	1.36	183	0.097	<1	2.14	0.008	0.11	0.2	<0.01	5.0	0.1	<0.05	8	<0.5	<0.2
1268919	Soil	14	46	1.10	298	0.118	2	2.14	0.008	0.31	0.1	0.06	5.8	0.3	<0.05	7	<0.5	<0.2
1268923	Soil	7	69	1.62	108	0.156	1	2.82	0.006	0.73	0.1	<0.01	3.6	0.8	<0.05	10	<0.5	<0.2
1290206	Soil	8	36	0.20	771	0.001	1	0.59	0.003	0.05	<0.1	0.07	10.3	0.3	<0.05	2	1.5	<0.2
1268916	Soil	16	34	0.90	239	0.076	1	1.61	0.011	0.12	0.2	0.05	4.0	0.1	<0.05	5	<0.5	<0.2
1268920	Soil	21	35	1.32	305	0.153	1	2.44	0.008	0.42	0.1	<0.01	5.9	0.3	<0.05	8	<0.5	<0.2
1268924	Soil	98	74	1.18	384	0.090	1	2.26	0.010	0.29	0.1	0.05	7.7	0.3	<0.05	7	0.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

QUALITY CONTROL REPORT WHI12000210.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
1298516	Soil	1.1	43.3	11.5	99	0.2	43.0	14.7	584	3.02	37.9	0.9	1.6	3.8	24	0.4	1.3	0.1	96	0.28	0.050
REP 1298516	QC	1.4	43.5	11.4	98	0.3	42.5	14.9	564	3.02	38.5	0.9	3.9	3.9	23	0.4	1.3	0.1	98	0.28	0.051
1269970	Soil	3.9	97.5	30.8	144	0.5	61.0	26.7	2454	4.48	465.1	1.8	6.6	4.7	61	0.4	8.0	0.2	39	1.91	0.067
REP 1269970	QC	3.8	95.7	31.1	138	0.6	60.1	27.0	2479	4.52	471.1	1.9	5.9	4.7	61	0.6	8.2	0.2	40	1.92	0.069
1269974	Soil	1.3	20.3	13.3	56	0.1	27.1	10.6	610	2.47	8.8	1.0	0.7	20.9	23	<0.1	1.8	0.1	51	0.39	0.039
REP 1269974	QC	1.3	20.2	13.3	58	0.1	28.4	11.0	634	2.59	8.7	1.0	1.2	21.1	24	0.1	1.9	0.1	52	0.41	0.040
1268815	Soil	2.4	20.6	11.2	67	0.5	20.8	7.8	245	3.30	61.3	0.5	1.6	2.3	12	0.6	1.4	0.2	84	0.11	0.042
REP 1268815	QC	2.3	20.2	11.0	67	0.6	20.1	7.4	235	3.15	59.8	0.5	1.3	2.2	12	0.6	1.4	0.2	81	0.10	0.042
1268810	Soil	2.6	31.5	15.1	90	0.3	34.0	11.4	495	2.78	60.1	0.9	2.1	3.0	35	0.5	1.6	0.2	91	0.31	0.058
REP 1268810	QC	2.5	32.7	15.7	92	0.3	33.6	11.4	501	2.76	62.1	0.9	2.5	3.0	35	0.5	1.3	0.2	91	0.31	0.061
1283612	Soil	0.6	17.1	11.2	39	<0.1	20.9	7.5	343	2.05	6.9	0.8	1.5	12.6	24	<0.1	0.7	0.2	46	0.30	0.023
REP 1283612	QC	0.9	17.6	11.3	42	<0.1	20.0	7.8	347	2.04	6.5	0.8	3.1	12.6	24	<0.1	0.6	0.1	48	0.28	0.022
1282800	Soil	1.2	15.2	11.6	50	<0.1	16.5	8.2	307	2.27	6.4	1.5	<0.5	19.3	20	<0.1	1.0	0.2	44	0.30	0.030
REP 1282800	QC	1.3	14.9	11.6	50	<0.1	17.6	8.2	301	2.24	6.4	1.6	0.7	19.6	19	<0.1	1.0	0.2	45	0.27	0.029
1269994	Soil	1.2	14.1	11.1	77	<0.1	10.6	10.6	1116	4.29	9.6	2.6	1.3	30.8	20	<0.1	2.3	<0.1	58	0.43	0.101
REP 1269994	QC	1.1	13.7	11.2	73	<0.1	10.1	10.4	1085	4.08	9.8	2.6	<0.5	30.6	20	<0.1	2.3	<0.1	57	0.44	0.107
1292322	Soil	2.0	55.0	11.7	110	0.3	50.7	14.9	489	3.04	22.3	0.9	6.1	4.3	34	0.5	0.9	0.2	59	0.68	0.077
REP 1292322	QC	2.4	52.9	11.2	107	0.2	51.0	14.1	482	3.06	21.3	0.9	1.5	4.2	34	0.4	0.8	0.2	58	0.69	0.075
1290249	Soil	1.3	20.7	10.8	80	<0.1	23.5	10.7	626	3.74	15.9	0.6	4.6	5.8	15	0.1	0.4	0.2	54	0.16	0.027
REP 1290249	QC	1.4	21.0	10.9	80	<0.1	25.3	11.6	645	3.85	15.6	0.7	<0.5	5.7	16	<0.1	0.5	0.2	56	0.18	0.029
1290296	Soil	2.4	56.5	14.3	80	0.3	55.2	12.9	528	3.05	25.7	1.0	9.6	4.5	42	0.3	1.1	0.2	61	0.86	0.050
REP 1290296	QC	2.5	55.9	15.5	77	0.3	55.0	13.0	524	3.06	26.7	1.0	6.3	4.8	43	0.2	1.0	0.2	61	0.85	0.050
1292309	Soil	3.2	54.5	8.0	139	0.2	39.6	10.4	271	3.70	8.2	1.8	<0.5	3.5	23	0.1	0.2	0.3	119	0.36	0.101
REP 1292309	QC	3.5	53.1	8.1	139	0.2	39.7	10.3	263	3.62	7.9	1.9	1.0	3.5	23	0.2	0.3	0.2	117	0.33	0.101
1292360	Soil	0.9	21.1	9.6	42	0.1	27.8	9.6	330	2.54	10.2	0.7	1.0	13.1	25	<0.1	0.6	0.2	56	0.35	0.020
REP 1292360	QC	0.9	21.3	10.0	42	0.1	27.3	9.6	335	2.53	10.3	0.7	0.7	13.1	25	<0.1	0.7	0.1	55	0.36	0.020
1292359	Soil	0.8	30.4	11.9	45	0.1	28.9	9.4	331	2.31	11.2	0.7	2.3	10.9	30	<0.1	0.7	0.1	51	0.41	0.035
REP 1292359	QC	0.7	30.5	11.5	45	0.1	28.7	9.4	338	2.33	11.5	0.7	1.2	10.9	29	<0.1	0.8	0.1	53	0.41	0.034

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

QUALITY CONTROL REPORT WHI12000210.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
1298516	Soil	13	59	0.84	678	0.148	<1	1.99	0.015	0.21	0.2	0.05	7.7	0.3	0.11	7	<0.5	<0.2
REP 1298516	QC	12	59	0.84	658	0.147	<1	1.96	0.014	0.21	0.2	0.04	7.4	0.3	0.07	7	<0.5	<0.2
1269970	Soil	13	19	0.20	546	0.003	1	0.53	0.004	0.07	0.1	0.11	8.6	0.7	<0.05	2	0.9	<0.2
REP 1269970	QC	13	19	0.20	543	0.001	<1	0.52	0.004	0.08	<0.1	0.09	8.6	0.7	0.05	2	<0.5	0.2
1269974	Soil	38	42	0.56	230	0.067	2	1.57	0.016	0.26	0.2	0.03	5.5	0.2	<0.05	5	<0.5	<0.2
REP 1269974	QC	40	42	0.57	244	0.077	3	1.57	0.015	0.27	0.2	0.02	5.5	0.3	<0.05	5	<0.5	<0.2
1268815	Soil	9	33	0.39	214	0.074	<1	1.77	0.007	0.08	0.2	0.05	2.8	0.2	<0.05	7	<0.5	<0.2
REP 1268815	QC	8	32	0.38	208	0.071	<1	1.74	0.007	0.08	0.2	0.03	2.8	0.2	<0.05	7	<0.5	<0.2
1268810	Soil	10	48	0.52	311	0.072	<1	1.49	0.013	0.17	0.2	0.02	5.3	0.2	<0.05	6	<0.5	<0.2
REP 1268810	QC	10	50	0.54	320	0.074	1	1.50	0.014	0.17	0.1	0.02	5.1	0.2	<0.05	6	<0.5	<0.2
1283612	Soil	19	29	0.48	157	0.064	<1	1.07	0.010	0.10	0.2	<0.01	3.8	<0.1	<0.05	4	<0.5	<0.2
REP 1283612	QC	19	30	0.48	160	0.064	<1	1.09	0.011	0.10	<0.1	0.02	3.8	<0.1	<0.05	4	<0.5	<0.2
1282800	Soil	33	31	0.39	158	0.059	<1	1.26	0.009	0.12	0.2	0.01	4.4	0.1	<0.05	4	<0.5	<0.2
REP 1282800	QC	32	30	0.39	154	0.059	1	1.21	0.009	0.13	0.1	0.02	4.4	0.1	<0.05	4	<0.5	<0.2
1269994	Soil	118	14	0.86	381	0.179	<1	2.00	0.008	0.58	0.2	0.04	13.5	0.9	<0.05	10	0.5	<0.2
REP 1269994	QC	115	13	0.84	382	0.170	<1	2.08	0.008	0.57	0.3	0.06	12.7	0.8	<0.05	9	<0.5	<0.2
1292322	Soil	15	35	0.53	283	0.038	<1	1.10	0.014	0.10	0.2	0.02	5.8	0.2	<0.05	3	<0.5	<0.2
REP 1292322	QC	15	34	0.51	275	0.038	<1	1.07	0.014	0.10	0.2	0.02	5.5	0.2	<0.05	3	<0.5	<0.2
1290249	Soil	10	40	0.60	210	0.057	<1	2.00	0.007	0.14	<0.1	0.01	3.6	0.1	<0.05	7	<0.5	<0.2
REP 1290249	QC	10	42	0.64	214	0.060	<1	2.09	0.007	0.15	0.1	0.02	3.4	0.2	<0.05	8	<0.5	<0.2
1290296	Soil	17	47	0.69	631	0.048	2	1.48	0.020	0.09	0.1	0.04	5.9	0.1	<0.05	4	<0.5	<0.2
REP 1290296	QC	17	51	0.69	635	0.049	3	1.48	0.020	0.09	0.2	0.03	5.7	0.1	<0.05	4	0.9	<0.2
1292309	Soil	12	54	1.04	648	0.144	<1	2.21	0.006	0.48	<0.1	<0.01	3.8	0.3	<0.05	7	0.7	<0.2
REP 1292309	QC	11	53	1.03	637	0.141	1	2.21	0.006	0.48	0.1	0.01	4.2	0.3	<0.05	7	0.7	<0.2
1292360	Soil	24	41	0.52	233	0.079	<1	1.46	0.013	0.11	0.1	0.02	5.9	<0.1	<0.05	4	<0.5	<0.2
REP 1292360	QC	25	41	0.52	232	0.080	<1	1.52	0.013	0.11	0.2	0.02	6.2	<0.1	<0.05	4	<0.5	<0.2
1292359	Soil	29	32	0.57	155	0.074	<1	1.24	0.019	0.07	0.2	0.03	5.1	<0.1	<0.05	4	<0.5	<0.2
REP 1292359	QC	30	32	0.57	158	0.074	<1	1.25	0.019	0.07	0.1	0.03	5.0	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

QUALITY CONTROL REPORT WHI12000210.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
1292361	Soil	1.0	31.3	12.2	48	0.1	35.2	10.1	297	2.75	11.9	0.7	4.7	19.5	22	<0.1	0.6	0.1	63	0.41	0.020
REP 1292361	QC	1.1	31.8	12.3	47	0.1	36.3	10.5	293	2.77	12.1	0.7	3.9	19.5	23	<0.1	0.6	0.1	65	0.44	0.020
1268938	Soil	1.9	10.2	10.6	37	<0.1	30.2	12.5	738	2.67	4.1	1.6	3.9	17.8	17	<0.1	0.3	0.1	55	0.30	0.015
REP 1268938	QC	1.9	10.2	10.3	37	<0.1	31.1	13.0	756	2.75	4.0	1.6	1.6	18.0	17	<0.1	0.4	<0.1	57	0.29	0.015
1268919	Soil	1.2	23.8	30.9	66	<0.1	28.3	17.2	490	3.90	8.0	1.3	0.5	5.4	29	0.1	1.7	0.2	81	0.56	0.067
REP 1268919	QC	1.1	23.8	30.1	66	<0.1	28.2	17.1	486	3.85	8.0	1.3	<0.5	5.2	29	0.1	1.8	0.2	82	0.58	0.069
Reference Materials																					
STD DS9	Standard	11.7	98.9	116.4	288	1.7	37.0	6.9	528	2.15	23.3	2.5	130.3	5.7	72	2.1	6.0	6.7	37	0.65	0.078
STD DS9	Standard	13.2	96.8	108.5	310	1.9	43.5	8.2	603	2.43	21.0	2.0	121.7	6.1	61	1.9	4.7	5.1	47	0.72	0.076
STD DS9	Standard	12.8	107.1	122.2	303	1.8	38.7	7.2	549	2.25	25.3	2.6	115.6	6.1	70	2.6	6.0	6.9	38	0.66	0.081
STD DS9	Standard	11.8	105.7	119.7	307	1.8	38.6	7.3	559	2.16	25.3	2.8	121.9	6.6	70	2.2	5.9	7.0	39	0.70	0.086
STD DS9	Standard	11.8	100.3	118.6	282	1.8	37.1	7.3	520	2.14	24.3	2.5	129.0	5.9	72	2.1	5.8	6.7	36	0.65	0.079
STD DS9	Standard	12.5	108.2	120.8	295	1.8	39.1	7.5	584	2.28	25.4	2.6	114.7	6.2	74	2.4	5.8	6.7	39	0.67	0.078
STD DS9	Standard	11.9	107.3	123.6	302	1.8	38.8	7.5	560	2.24	24.9	2.8	130.2	6.1	71	2.5	5.4	6.9	40	0.69	0.085
STD DS9	Standard	11.3	100.1	117.0	294	1.9	36.9	7.0	586	2.21	24.2	2.4	109.0	5.6	70	1.8	6.0	7.0	38	0.64	0.080
STD DS9	Standard	12.5	104.1	119.6	301	1.8	39.9	6.9	579	2.22	24.1	2.5	125.8	5.8	68	2.4	5.9	6.8	39	0.64	0.083
STD DS9	Standard	14.0	107.6	124.4	302	1.8	41.2	7.8	591	2.41	25.0	2.7	124.5	6.4	75	2.2	5.5	5.7	48	0.75	0.086
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	6	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

QUALITY CONTROL REPORT WHI12000210.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
1292361	Soil	55	41	0.59	179	0.072	1	1.55	0.015	0.09	0.2	0.03	6.2	<0.1	<0.05	5	<0.5	<0.2
REP 1292361	QC	57	42	0.59	180	0.073	1	1.56	0.017	0.09	0.1	0.03	6.2	<0.1	<0.05	5	<0.5	<0.2
1268938	Soil	9	60	0.63	147	0.042	<1	1.38	0.007	0.23	0.2	0.01	3.8	0.3	<0.05	5	<0.5	<0.2
REP 1268938	QC	9	62	0.64	147	0.043	1	1.40	0.007	0.24	0.2	0.01	4.0	0.3	<0.05	5	<0.5	<0.2
1268919	Soil	14	46	1.10	298	0.118	2	2.14	0.008	0.31	0.1	0.06	5.8	0.3	<0.05	7	<0.5	<0.2
REP 1268919	QC	14	45	1.07	305	0.120	2	2.15	0.008	0.31	0.2	0.05	5.9	0.3	<0.05	7	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	11	111	0.58	277	0.109	<1	0.83	0.082	0.34	2.8	0.20	2.4	5.2	0.17	4	5.1	5.1
STD DS9	Standard	11	130	0.64	289	0.101	2	0.96	0.093	0.37	3.0	0.21	2.5	5.6	0.28	5	5.4	5.3
STD DS9	Standard	12	118	0.60	296	0.102	3	0.87	0.082	0.36	3.0	0.20	2.2	5.5	0.16	4	5.4	5.2
STD DS9	Standard	12	115	0.59	289	0.105	2	0.87	0.084	0.35	3.1	0.20	2.4	5.5	0.14	5	4.8	5.0
STD DS9	Standard	11	113	0.57	279	0.100	2	0.84	0.078	0.34	2.9	0.20	2.2	5.2	0.15	4	4.7	5.1
STD DS9	Standard	12	121	0.65	293	0.107	2	0.86	0.080	0.35	2.8	0.17	2.3	5.3	0.21	5	5.5	5.7
STD DS9	Standard	12	121	0.61	274	0.104	2	0.92	0.077	0.35	2.8	0.19	2.3	5.6	0.13	4	3.9	4.9
STD DS9	Standard	12	116	0.58	301	0.106	<1	0.88	0.072	0.35	3.1	0.17	2.4	5.2	0.14	4	4.5	5.7
STD DS9	Standard	11	118	0.57	291	0.105	3	0.87	0.069	0.34	3.1	0.22	2.2	5.4	0.15	5	5.7	5.2
STD DS9	Standard	14	130	0.63	315	0.127	2	0.95	0.089	0.35	3.1	0.21	2.6	5.7	0.12	5	5.7	5.2
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 03, 2012
Report Date: July 17, 2012
Page: 1 of 8

CERTIFICATE OF ANALYSIS WHI12000211.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 192

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	192	Dry at 60C			WHI
SS80	188	Dry at 60C sieve 100g to -80 mesh			WHI
1DX2	191	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000211.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1282895	Soil	2.0	28.3	12.1	87	0.5	36.6	15.9	403	4.78	44.7	0.4	1.1	2.5	20	0.2	1.9	0.2	137	0.28	0.051
1283694	Soil	1.7	58.2	17.4	98	0.2	45.4	16.2	630	4.00	42.9	0.8	3.8	6.7	28	0.2	3.5	0.3	101	0.65	0.039
1268929	Soil	1.2	22.7	11.3	56	<0.1	28.6	12.9	501	3.09	10.9	0.9	2.2	9.6	22	<0.1	0.4	0.2	67	0.46	0.041
1290201	Rock Pulp	1.5	430.2	22.8	168	0.2	205.9	73.9	832	15.35	4.0	1.2	37.1	7.5	16	0.2	0.3	0.2	210	0.30	0.047
1283700	Soil	0.3	24.3	4.6	47	<0.1	10.3	15.1	401	3.38	6.2	1.0	<0.5	10.8	27	<0.1	1.4	<0.1	96	0.42	0.069
1283693	Soil	1.1	50.9	10.6	62	0.4	35.0	10.0	352	2.51	23.4	0.9	4.4	3.1	111	0.3	2.2	0.1	63	5.57	0.045
1282900	Soil	1.8	51.9	9.2	69	0.4	36.3	13.1	969	2.59	28.3	2.3	4.4	3.1	75	0.6	2.4	0.1	64	1.69	0.064
1268926	Soil	1.5	22.5	12.1	58	<0.1	28.6	13.1	405	3.39	12.1	0.8	3.1	11.6	19	<0.1	0.5	0.3	72	0.32	0.034
1283691	Soil	2.5	56.1	10.4	105	0.4	44.7	12.4	378	3.19	34.2	0.9	4.2	5.0	24	0.2	3.0	0.2	87	0.31	0.037
1282894	Soil	4.0	72.5	15.8	221	0.6	77.0	16.1	678	3.88	98.6	1.5	5.6	6.2	27	1.2	6.1	0.2	95	0.85	0.090
1282897	Soil	1.6	38.4	10.7	164	0.3	44.0	12.5	474	3.16	39.3	0.7	3.3	3.7	15	0.6	1.9	0.1	88	0.23	0.042
1268925	Soil	1.4	22.9	12.8	59	<0.1	30.3	14.3	412	3.54	12.1	0.9	3.7	13.0	21	<0.1	0.4	0.3	76	0.34	0.031
1282898	Soil	2.8	31.1	12.0	189	0.6	46.6	12.4	472	3.26	54.5	1.0	1.8	3.7	31	0.6	3.8	0.1	107	0.45	0.045
1282899	Soil	1.7	21.8	10.4	84	0.5	26.4	10.6	492	2.51	20.6	0.6	1.8	2.9	28	0.3	1.7	0.1	63	0.47	0.045
1283695	Soil	1.6	73.2	19.4	90	0.4	23.4	10.1	1023	3.35	34.7	1.6	5.8	15.0	72	0.2	5.1	0.4	55	4.20	0.048
1283696	Soil	1.6	67.7	19.6	90	0.4	22.9	10.8	973	3.29	33.0	1.5	4.9	15.0	69	0.3	4.4	0.4	59	4.03	0.045
1284760	Soil	0.5	28.3	9.0	89	<0.1	62.9	15.9	322	3.91	7.4	1.5	1.8	9.0	26	0.2	0.4	0.1	69	0.48	0.063
1282876	Soil	0.5	38.2	3.8	81	<0.1	49.1	15.3	341	3.85	3.3	0.6	<0.5	2.7	19	<0.1	0.1	<0.1	40	0.32	0.048
1284764	Soil	0.9	15.6	10.2	78	<0.1	26.6	11.5	513	3.14	8.3	0.8	<0.5	4.5	16	<0.1	0.5	0.1	59	0.18	0.032
1283697	Soil	1.1	16.8	12.3	64	<0.1	20.6	11.9	740	3.52	10.3	1.2	<0.5	16.1	28	<0.1	1.1	0.2	75	0.38	0.018
1284773	Soil	1.6	56.8	22.6	127	<0.1	78.6	26.5	937	5.51	20.9	2.2	0.6	7.6	29	<0.1	0.6	0.2	76	1.07	0.037
1284772	Soil	0.9	29.5	9.9	52	<0.1	33.0	13.2	457	2.60	6.5	0.5	1.5	4.3	142	<0.1	0.4	<0.1	47	3.85	0.041
1284768	Soil	0.8	38.7	9.2	62	<0.1	35.9	11.2	392	3.08	10.2	0.9	6.0	5.9	33	<0.1	0.6	0.1	59	0.48	0.062
1283692	Soil	1.3	53.1	9.1	76	0.2	43.4	12.1	366	3.20	29.3	0.8	11.1	5.2	25	0.1	2.9	0.2	85	0.49	0.037
1290271	Soil	0.9	17.0	21.7	72	<0.1	34.0	10.0	802	3.39	15.4	1.8	2.7	25.8	15	<0.1	2.8	0.1	57	0.37	0.022
1284763	Soil	0.2	24.4	49.5	118	<0.1	42.3	14.1	589	3.77	3.2	0.6	1.4	3.8	24	<0.1	<0.1	<0.1	41	0.48	0.041
1284761	Soil	0.9	22.1	11.0	79	<0.1	33.9	13.6	351	3.39	8.2	0.7	1.3	5.4	22	<0.1	0.3	0.1	66	0.30	0.037
1283699	Soil	1.1	35.3	7.0	57	<0.1	18.5	16.2	388	3.89	8.3	0.9	<0.5	10.5	34	<0.1	0.7	<0.1	120	0.47	0.049
1290277	Soil	0.7	17.2	8.0	72	<0.1	12.6	14.1	526	3.50	20.8	3.3	5.6	6.1	50	0.2	10.8	0.1	90	0.69	0.076
1290266	Soil	1.3	44.2	15.0	64	0.1	35.9	11.8	354	3.07	19.5	0.9	4.6	7.7	24	<0.1	1.4	0.2	77	0.28	0.026

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000211.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1282895	Soil		8	92	0.95	325	0.046	<1	2.74	0.008	0.07	0.2	0.01	6.8	0.1	<0.05	10	<0.5	<0.2
1283694	Soil		27	61	0.94	359	0.093	2	2.20	0.020	0.17	0.8	0.08	10.4	0.2	<0.05	8	1.0	<0.2
1268929	Soil		21	45	0.84	209	0.085	2	1.99	0.012	0.10	0.2	0.05	4.8	0.1	<0.05	6	<0.5	<0.2
1290201	Rock Pulp		17	627	0.13	148	0.148	5	3.93	0.014	0.06	<0.1	0.04	40.2	<0.1	<0.05	21	0.6	<0.2
1283700	Soil		18	19	1.31	423	0.256	<1	2.32	0.025	0.62	<0.1	0.01	5.6	0.5	<0.05	7	<0.5	<0.2
1283693	Soil		14	37	0.74	426	0.077	3	1.26	0.024	0.11	0.3	0.09	5.1	0.2	<0.05	4	0.7	<0.2
1282900	Soil		15	34	0.65	452	0.069	2	1.41	0.020	0.12	0.1	0.07	5.5	0.2	<0.05	5	1.6	<0.2
1268926	Soil		16	46	0.86	196	0.075	2	2.26	0.013	0.07	0.2	0.03	5.1	0.2	<0.05	7	<0.5	<0.2
1283691	Soil		15	51	0.69	379	0.089	<1	1.54	0.011	0.28	0.1	0.06	7.0	0.4	<0.05	6	1.0	<0.2
1282894	Soil		23	58	0.76	483	0.107	2	1.52	0.009	0.33	0.2	0.10	6.5	1.1	<0.05	6	1.9	<0.2
1282897	Soil		10	49	0.68	717	0.105	<1	1.73	0.007	0.25	0.2	0.01	5.3	0.3	<0.05	6	<0.5	<0.2
1268925	Soil		18	50	0.83	204	0.080	2	2.26	0.013	0.07	0.2	0.03	5.3	0.2	<0.05	7	<0.5	<0.2
1282898	Soil		10	54	0.61	870	0.061	1	1.78	0.009	0.12	0.1	0.03	6.2	0.5	<0.05	6	0.6	<0.2
1282899	Soil		9	35	0.48	526	0.055	1	1.42	0.009	0.10	0.2	0.03	4.5	0.1	<0.05	5	<0.5	<0.2
1283695	Soil		36	27	0.72	227	0.070	<1	1.49	0.009	0.32	0.2	0.18	9.8	0.4	<0.05	8	0.9	<0.2
1283696	Soil		34	28	0.72	241	0.077	<1	1.62	0.010	0.33	0.2	0.14	10.1	0.4	<0.05	8	1.0	<0.2
1284760	Soil		43	98	1.33	162	0.119	1	2.16	0.013	0.22	0.3	0.03	5.4	0.3	<0.05	8	<0.5	<0.2
1282876	Soil		5	67	1.40	173	0.120	<1	2.63	0.007	0.34	0.1	0.01	2.2	0.2	<0.05	5	<0.5	<0.2
1284764	Soil		9	39	0.61	155	0.073	<1	1.66	0.010	0.20	0.1	0.01	3.2	0.1	<0.05	6	<0.5	<0.2
1283697	Soil		21	35	0.78	267	0.122	<1	2.31	0.013	0.25	0.1	0.02	11.8	0.3	<0.05	8	<0.5	<0.2
1284773	Soil		49	72	0.73	372	0.019	1	1.50	0.010	0.16	0.1	0.15	16.3	0.3	<0.05	6	0.7	<0.2
1284772	Soil		16	41	0.62	154	0.058	2	1.35	0.008	0.14	0.2	0.03	4.8	0.1	<0.05	5	<0.5	<0.2
1284768	Soil		22	45	0.79	264	0.078	1	1.46	0.027	0.13	0.2	0.03	6.6	0.1	<0.05	5	<0.5	<0.2
1283692	Soil		20	51	0.79	338	0.092	<1	1.71	0.020	0.18	0.2	0.06	7.8	0.2	<0.05	6	0.9	<0.2
1290271	Soil		54	55	0.38	172	0.049	1	1.17	0.007	0.18	0.3	0.08	14.9	0.2	<0.05	5	1.2	<0.2
1284763	Soil		12	78	1.27	144	0.007	<1	1.93	0.003	0.07	<0.1	<0.01	3.2	<0.1	<0.05	6	<0.5	<0.2
1284761	Soil		14	49	0.79	181	0.093	<1	2.04	0.009	0.15	0.2	<0.01	3.7	0.2	<0.05	7	<0.5	<0.2
1283699	Soil		21	31	1.21	495	0.334	<1	2.75	0.027	0.69	0.1	<0.01	6.6	0.7	<0.05	9	<0.5	<0.2
1290277	Soil		17	26	0.94	454	0.123	2	1.85	0.019	0.15	0.1	0.05	7.7	0.3	<0.05	7	0.5	<0.2
1290266	Soil		31	47	0.74	205	0.088	1	1.79	0.016	0.17	0.2	0.08	8.6	0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000211.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1283677	Soil	1.1	26.3	24.8	61	0.1	37.1	14.2	478	3.34	14.0	0.6	2.2	6.8	22	<0.1	1.2	0.2	57	0.66	0.026
1283698	Soil	1.5	64.4	11.0	74	<0.1	13.9	11.1	875	4.17	7.2	1.7	<0.5	30.3	22	<0.1	4.3	0.1	69	0.43	0.086
1290278	Soil	0.7	12.6	7.6	74	<0.1	9.7	14.7	655	3.41	19.2	2.2	1.7	7.4	56	0.1	1.3	<0.1	94	0.75	0.071
1290282	Soil	0.7	18.4	7.9	62	<0.1	15.2	12.6	567	2.87	7.3	4.1	2.7	7.2	44	0.1	0.9	0.1	69	0.77	0.069
1290280	Soil	0.8	12.1	10.1	73	<0.1	12.2	14.4	816	3.25	32.2	3.3	3.3	7.1	60	0.2	1.1	0.1	85	0.88	0.055
1290269	Soil	1.2	20.0	14.1	43	0.2	7.9	5.9	578	1.86	104.0	2.5	31.5	9.1	196	0.1	4.7	0.1	26	7.52	0.045
1290275	Soil	1.2	19.1	14.2	86	<0.1	21.6	11.8	1037	4.01	17.3	2.1	<0.5	25.3	26	<0.1	1.7	1.5	79	0.36	0.029
1290272	Soil	0.6	16.5	8.4	82	<0.1	19.9	11.2	739	3.53	9.8	0.9	1.5	8.6	33	<0.1	1.1	0.2	80	0.54	0.066
1290270	Soil	1.2	26.7	15.3	64	<0.1	32.1	12.7	649	3.57	46.7	1.3	2.9	20.0	23	<0.1	2.1	0.2	75	0.34	0.022
1290281	Soil	0.6	19.8	8.5	67	0.1	15.5	13.5	614	3.29	6.9	3.6	1.4	11.9	40	0.2	1.3	0.1	84	0.76	0.074
1290267	Soil	1.4	14.0	20.8	97	0.3	26.2	10.6	333	2.75	12.0	0.6	0.9	4.6	23	0.9	1.2	0.2	61	0.24	0.031
1290268	Soil	0.5	49.2	10.4	88	0.2	17.9	15.3	927	3.60	53.8	1.2	49.9	4.6	167	0.3	4.6	0.2	76	4.68	0.104
1290279	Soil	0.5	11.5	8.8	80	<0.1	11.3	14.1	559	3.49	23.3	3.3	3.7	9.3	66	0.2	1.1	0.1	92	0.89	0.064
1290264	Soil	1.4	47.7	11.9	86	0.3	39.7	11.4	401	2.87	40.8	1.0	5.9	4.1	36	0.3	2.5	0.1	72	0.73	0.068
1290260	Soil	3.1	51.8	13.1	88	0.5	26.7	6.0	198	3.18	47.7	1.4	1.6	4.2	29	0.2	2.9	0.2	94	0.08	0.054
1290262	Soil	4.7	138.1	14.8	224	0.8	76.1	15.3	275	4.66	67.0	3.1	3.2	5.2	37	0.9	4.7	0.2	152	0.08	0.066
1290263	Soil	2.0	56.3	13.4	76	0.5	37.0	9.1	284	2.84	24.5	1.2	4.7	4.4	28	0.2	1.7	0.2	81	0.33	0.051
1290273	Soil	0.6	35.8	7.9	80	<0.1	25.5	10.4	568	3.26	12.2	0.9	5.3	6.9	29	0.1	1.8	0.2	79	0.50	0.075
1283678	Soil	0.6	54.8	10.5	97	0.1	74.2	23.1	697	4.86	8.9	0.8	4.0	7.0	50	<0.1	0.3	0.3	59	2.20	0.065
1283681	Soil	0.8	36.4	10.4	56	<0.1	42.7	14.9	517	3.34	41.6	0.5	8.1	8.6	51	<0.1	0.8	0.1	62	1.48	0.023
1283684	Soil	0.8	29.1	12.1	55	<0.1	38.2	15.3	714	2.91	24.5	0.9	2.5	4.7	45	0.2	0.9	0.2	55	0.84	0.080
1284767	Soil	1.3	15.9	10.9	62	<0.1	22.3	8.1	408	2.70	7.2	0.9	1.9	12.1	20	<0.1	0.5	0.1	51	0.23	0.019
1284766	Soil	1.3	16.7	11.5	71	<0.1	22.7	8.2	301	3.08	7.7	1.3	2.4	16.3	18	<0.1	0.5	0.1	54	0.19	0.023
1284770	Soil	1.3	42.4	5.4	93	<0.1	54.3	22.8	503	4.70	18.6	0.8	0.5	11.2	17	0.1	0.4	0.1	64	0.29	0.052
1284765	Soil	1.1	14.1	10.8	53	<0.1	25.0	8.9	312	2.72	7.1	0.6	2.4	6.5	23	<0.1	0.4	0.1	58	0.26	0.018
1284771	Soil	1.0	58.4	5.1	100	<0.1	65.3	23.9	662	5.24	5.4	0.6	1.2	6.2	23	<0.1	0.2	<0.1	87	0.36	0.040
1284769	Soil	0.8	17.4	6.9	77	<0.1	34.5	15.1	454	3.06	4.7	0.5	1.3	3.5	27	<0.1	0.4	0.1	58	0.33	0.042
1284774	Soil	0.5	58.6	3.5	50	<0.1	99.0	29.5	889	3.94	2.1	0.2	0.5	0.8	162	<0.1	0.6	1.2	102	5.49	0.037
1283682	Soil	0.6	35.2	15.0	56	0.2	40.7	13.0	564	3.06	13.4	0.6	3.9	3.5	65	<0.1	0.8	0.2	58	1.39	0.063
1284762	Soil	0.6	47.9	10.2	69	<0.1	46.3	15.6	389	4.22	5.8	0.6	1.7	9.6	18	<0.1	0.3	<0.1	79	0.25	0.018

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000211.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1283677	Soil	25	47	0.83	167	0.058	1	1.85	0.009	0.30	0.2	0.03	7.2	0.2	<0.05	6	0.5	<0.2
1283698	Soil	60	23	0.82	448	0.132	<1	2.04	0.013	0.51	0.1	<0.01	10.7	0.5	<0.05	9	<0.5	<0.2
1290278	Soil	13	20	0.99	405	0.149	<1	1.66	0.021	0.20	0.1	0.03	6.4	0.3	<0.05	7	<0.5	<0.2
1290282	Soil	19	25	0.68	406	0.091	2	1.44	0.023	0.11	0.2	0.04	7.6	0.2	<0.05	5	0.6	<0.2
1290280	Soil	15	24	0.84	405	0.141	2	1.70	0.017	0.18	0.2	0.04	7.0	0.2	<0.05	7	0.7	<0.2
1290269	Soil	26	7	0.48	316	0.017	1	0.67	0.013	0.09	0.2	0.15	5.6	<0.1	<0.05	4	<0.5	<0.2
1290275	Soil	32	33	0.80	264	0.170	2	2.22	0.009	0.46	0.3	0.02	14.3	0.4	<0.05	9	<0.5	<0.2
1290272	Soil	20	38	0.85	279	0.139	2	1.94	0.010	0.21	0.3	0.02	7.2	0.2	<0.05	8	<0.5	<0.2
1290270	Soil	29	47	0.73	243	0.123	3	2.00	0.010	0.23	0.3	0.03	13.6	0.2	<0.05	7	<0.5	<0.2
1290281	Soil	30	26	0.84	517	0.126	2	1.70	0.016	0.17	0.2	0.03	9.7	0.2	<0.05	6	<0.5	<0.2
1290267	Soil	12	32	0.49	241	0.043	1	1.60	0.007	0.13	0.2	0.02	3.4	0.1	<0.05	5	<0.5	<0.2
1290268	Soil	18	30	0.83	188	0.017	1	1.59	0.011	0.10	0.1	0.11	8.4	0.1	<0.05	7	<0.5	<0.2
1290279	Soil	15	23	0.89	438	0.162	2	1.70	0.014	0.19	0.2	0.06	6.8	0.3	<0.05	7	<0.5	<0.2
1290264	Soil	15	40	0.65	368	0.095	2	1.37	0.019	0.18	0.2	0.07	5.5	0.3	<0.05	5	0.6	<0.2
1290260	Soil	17	45	0.60	325	0.096	1	1.33	0.013	0.34	0.1	0.01	3.9	0.4	0.19	5	1.2	<0.2
1290262	Soil	24	90	0.71	267	0.123	<1	1.50	0.016	0.31	0.1	0.03	6.0	0.5	0.20	6	1.7	<0.2
1290263	Soil	15	47	0.68	238	0.095	2	1.46	0.017	0.10	0.2	0.06	6.5	0.1	<0.05	5	0.7	<0.2
1290273	Soil	24	31	0.85	231	0.135	2	1.46	0.016	0.13	0.2	0.04	7.3	0.2	<0.05	7	<0.5	<0.2
1283678	Soil	22	85	1.76	242	0.198	2	2.56	0.008	0.99	<0.1	0.04	4.8	0.6	<0.05	8	<0.5	<0.2
1283681	Soil	31	53	0.86	298	0.121	3	1.80	0.016	0.35	0.1	0.02	5.6	0.2	<0.05	6	<0.5	<0.2
1283684	Soil	18	51	0.87	316	0.077	2	1.28	0.019	0.24	0.1	0.03	4.5	0.2	<0.05	4	<0.5	<0.2
1284767	Soil	44	33	0.49	141	0.055	1	1.53	0.009	0.11	0.1	0.01	3.4	0.1	<0.05	6	<0.5	<0.2
1284766	Soil	83	35	0.50	160	0.049	1	1.89	0.007	0.13	0.1	0.01	4.9	0.1	<0.05	7	<0.5	<0.2
1284770	Soil	19	57	1.19	163	0.066	1	2.38	0.005	0.34	<0.1	0.01	6.0	0.2	<0.05	7	<0.5	<0.2
1284765	Soil	23	38	0.56	164	0.071	<1	1.61	0.008	0.13	0.1	0.02	3.3	0.1	<0.05	5	<0.5	<0.2
1284771	Soil	11	107	1.48	164	0.197	2	2.75	0.007	0.89	0.1	<0.01	7.9	0.5	<0.05	10	<0.5	<0.2
1284769	Soil	8	46	0.72	238	0.079	1	1.86	0.008	0.15	0.1	0.01	3.3	0.1	<0.05	6	<0.5	<0.2
1284774	Soil	4	134	2.21	432	0.003	2	1.53	0.003	0.08	<0.1	0.01	16.3	<0.1	<0.05	4	<0.5	<0.2
1283682	Soil	19	60	0.95	400	0.070	4	1.60	0.017	0.28	0.1	0.03	5.8	0.2	<0.05	5	<0.5	<0.2
1284762	Soil	49	86	1.17	181	0.093	1	2.66	0.009	0.06	<0.1	0.02	5.4	0.2	<0.05	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000211.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1283679	Soil		0.8	20.4	8.9	54	<0.1	34.4	13.4	359	2.97	11.7	0.4	<0.5	5.6	32	<0.1	1.0	0.2	58	0.71	0.016
1283680	Soil		0.9	27.2	10.9	60	<0.1	45.0	16.4	370	3.67	42.9	0.7	<0.5	9.4	20	<0.1	0.9	0.1	65	0.29	0.018
1283683	Soil		0.8	34.2	12.1	58	0.1	43.2	13.4	458	3.04	29.1	0.7	4.2	5.1	78	0.1	0.8	0.1	55	2.72	0.076
1284775	Soil		1.1	59.6	26.5	78	0.4	129.3	33.8	1331	5.82	59.7	0.8	14.4	3.0	130	0.3	4.3	0.2	93	3.85	0.059
1268976	Soil		1.3	77.8	6.4	76	<0.1	26.0	15.3	514	3.67	6.7	0.6	2.7	3.0	39	<0.1	0.6	<0.1	88	1.25	0.090
1268970	Soil		1.0	42.7	13.9	79	0.1	30.1	12.7	483	3.42	17.6	0.8	3.5	4.6	31	0.1	0.8	0.2	78	0.48	0.037
1290274	Soil		0.5	20.8	8.7	72	<0.1	12.9	14.5	641	3.89	11.8	0.8	0.6	9.5	33	<0.1	3.1	0.1	103	0.61	0.101
1290259	Soil		4.0	79.3	12.2	132	1.1	41.3	7.3	219	3.83	80.3	1.7	3.5	5.1	30	0.5	5.2	0.2	118	0.06	0.063
1268974	Soil		1.3	41.9	14.1	56	0.1	28.4	13.3	407	3.42	11.1	0.7	2.3	4.0	30	<0.1	0.7	0.2	83	0.40	0.034
1268977	Soil		0.9	71.9	7.1	67	0.2	27.5	13.0	484	3.48	8.5	0.5	4.3	2.6	40	<0.1	0.7	0.1	81	0.80	0.077
1290258	Soil		2.0	39.1	13.3	115	0.8	46.7	12.3	358	3.28	75.1	0.8	1.9	3.5	21	0.4	4.5	0.2	92	0.16	0.036
1290265	Soil		2.2	34.4	11.3	90	0.5	38.1	11.4	313	3.05	30.1	0.8	2.8	3.5	26	0.5	2.0	0.2	79	0.28	0.036
1268972	Soil		0.6	71.5	7.5	43	0.2	19.9	13.1	463	2.47	13.0	0.5	5.0	1.7	68	0.1	0.5	0.2	55	1.17	0.053
1268975	Soil		1.4	67.9	5.7	68	0.1	23.2	14.1	480	3.24	7.4	0.6	3.3	2.8	50	<0.1	0.7	0.1	78	1.58	0.084
1268971	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1290261	Soil		3.4	45.9	15.2	79	0.6	22.4	6.6	208	3.12	53.1	1.4	2.5	3.3	40	0.4	2.4	0.2	93	0.14	0.058
1268966	Soil		1.4	17.8	13.9	84	0.2	27.7	11.8	1019	2.72	27.6	0.4	1.8	1.1	25	0.6	0.9	0.2	61	0.29	0.069
1268973	Soil		0.6	51.0	5.3	68	<0.1	28.5	13.8	441	3.55	6.9	0.4	<0.5	3.0	22	<0.1	0.4	<0.1	70	0.42	0.088
1268978	Soil		0.7	93.8	5.9	65	<0.1	20.6	18.2	611	4.01	4.5	0.5	1.0	2.5	47	<0.1	0.3	<0.1	115	0.78	0.097
1290276	Soil		1.0	17.4	12.1	76	<0.1	19.4	10.7	1102	3.54	15.5	1.8	7.8	24.1	25	<0.1	1.9	1.2	69	0.32	0.024
1268948	Soil		0.6	23.6	7.6	95	<0.1	13.0	10.2	738	3.95	5.7	0.9	<0.5	7.8	26	<0.1	0.4	0.1	63	0.51	0.111
1268953	Soil		1.2	34.2	7.5	49	0.2	18.9	8.2	446	2.30	16.5	1.2	6.2	2.3	60	0.3	0.9	0.1	45	1.40	0.059
1268947	Soil		1.1	47.0	8.2	51	0.1	25.1	12.9	410	3.15	8.3	0.4	1.9	2.7	32	<0.1	0.7	0.1	74	0.34	0.027
1268945	Soil		0.9	85.3	10.0	72	0.1	26.4	15.3	608	4.07	16.3	0.6	2.9	4.0	32	<0.1	0.9	0.1	93	0.58	0.059
1268960	Soil		1.3	16.8	9.9	57	0.3	22.7	10.3	665	2.66	18.3	0.3	1.4	1.5	25	0.3	0.7	0.2	65	0.25	0.037
1268952	Soil		1.1	44.3	12.3	49	0.2	18.6	10.5	498	2.70	8.1	1.2	2.1	1.9	49	0.2	1.1	0.1	58	1.23	0.050
1268956	Soil		1.3	26.0	13.9	71	0.2	30.9	10.8	411	2.62	28.6	0.5	1.1	2.4	25	0.2	1.1	0.2	68	0.28	0.029
1268946	Soil		1.0	35.1	12.3	53	<0.1	26.1	13.0	412	3.25	8.8	0.6	<0.5	3.2	23	<0.1	0.8	0.1	80	0.36	0.020
1268959	Soil		1.4	29.4	13.2	86	0.3	42.1	11.2	741	2.74	24.2	0.6	0.9	2.7	32	0.5	1.1	0.1	68	0.31	0.031
1268950	Soil		0.9	30.4	7.8	47	<0.1	23.6	12.7	262	2.76	6.8	0.4	1.2	1.9	23	<0.1	0.4	<0.1	74	0.25	0.031

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000211.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1283679	Soil	14	47	0.83	167	0.097	1	1.71	0.008	0.39	0.1	0.01	5.3	0.2	<0.05	5	<0.5	<0.2
1283680	Soil	18	61	0.82	220	0.097	2	1.94	0.011	0.31	0.1	0.02	7.1	0.2	<0.05	6	<0.5	<0.2
1283683	Soil	21	61	1.06	324	0.094	2	1.51	0.017	0.36	0.1	0.03	4.6	0.2	<0.05	5	<0.5	<0.2
1284775	Soil	13	168	1.69	690	0.005	3	1.43	0.005	0.11	<0.1	0.08	21.4	0.2	<0.05	5	<0.5	<0.2
1268976	Soil	13	38	1.11	237	0.099	2	1.74	0.037	0.12	<0.1	0.03	7.1	<0.1	<0.05	7	<0.5	<0.2
1268970	Soil	17	38	0.76	329	0.107	2	1.78	0.023	0.12	0.1	0.07	8.3	0.3	<0.05	7	<0.5	<0.2
1290274	Soil	17	24	1.13	349	0.140	<1	2.23	0.018	0.52	0.2	0.01	10.2	0.4	<0.05	8	<0.5	<0.2
1290259	Soil	21	59	0.76	407	0.116	<1	1.63	0.019	0.49	0.1	0.02	4.5	0.5	0.28	6	1.9	<0.2
1268974	Soil	14	44	0.69	224	0.088	2	1.93	0.019	0.13	0.1	0.03	8.1	<0.1	<0.05	7	<0.5	<0.2
1268977	Soil	13	38	0.88	275	0.078	1	1.62	0.026	0.11	0.1	0.06	7.5	<0.1	<0.05	7	<0.5	<0.2
1290258	Soil	12	52	0.67	444	0.086	1	1.72	0.007	0.14	0.1	0.02	4.4	0.3	<0.05	6	<0.5	<0.2
1290265	Soil	10	50	0.66	322	0.103	2	1.51	0.011	0.23	0.2	0.02	3.9	0.2	<0.05	5	0.9	<0.2
1268972	Soil	8	26	0.64	184	0.067	2	1.29	0.025	0.06	0.2	0.08	5.1	0.1	0.07	4	<0.5	<0.2
1268975	Soil	12	33	1.00	234	0.089	1	1.54	0.034	0.09	<0.1	0.03	6.3	0.1	<0.05	6	<0.5	<0.2
1268971	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1290261	Soil	15	41	0.49	248	0.066	<1	1.31	0.018	0.17	0.1	0.02	3.3	0.2	0.22	5	0.9	<0.2
1268966	Soil	6	29	0.41	693	0.041	2	1.35	0.010	0.08	0.1	0.03	2.7	0.2	<0.05	6	<0.5	<0.2
1268973	Soil	7	50	0.93	177	0.049	<1	1.95	0.014	0.13	<0.1	<0.01	5.5	<0.1	<0.05	8	<0.5	<0.2
1268978	Soil	11	33	1.29	208	0.148	<1	2.16	0.044	0.18	<0.1	0.03	9.0	0.1	<0.05	9	<0.5	<0.2
1290276	Soil	34	28	0.73	236	0.148	<1	1.93	0.010	0.41	0.2	0.02	13.3	0.4	<0.05	8	<0.5	<0.2
1268948	Soil	15	16	0.63	257	0.020	1	1.76	0.009	0.17	<0.1	0.06	9.5	0.3	<0.05	9	<0.5	<0.2
1268953	Soil	17	23	0.45	452	0.044	2	1.12	0.016	0.07	0.1	0.08	4.7	0.2	0.07	4	<0.5	<0.2
1268947	Soil	7	42	0.73	243	0.073	<1	1.82	0.013	0.14	<0.1	0.02	5.5	<0.1	<0.05	6	<0.5	<0.2
1268945	Soil	19	44	1.10	357	0.040	<1	2.03	0.044	0.10	<0.1	0.09	9.4	0.2	<0.05	8	<0.5	<0.2
1268960	Soil	7	32	0.46	918	0.043	<1	1.63	0.009	0.05	0.2	0.03	2.8	0.3	<0.05	6	<0.5	<0.2
1268952	Soil	16	29	0.63	555	0.032	1	1.44	0.015	0.04	<0.1	0.10	6.1	0.1	<0.05	5	<0.5	<0.2
1268956	Soil	8	39	0.52	506	0.093	<1	1.28	0.011	0.18	0.2	0.01	4.1	0.4	<0.05	5	<0.5	<0.2
1268946	Soil	8	50	0.85	220	0.072	<1	1.86	0.014	0.16	0.1	0.01	6.0	0.2	<0.05	7	<0.5	<0.2
1268959	Soil	8	40	0.49	654	0.059	<1	1.54	0.009	0.10	0.2	0.02	4.1	0.3	<0.05	5	<0.5	<0.2
1268950	Soil	6	69	0.86	170	0.131	<1	1.78	0.011	0.19	0.1	0.01	2.7	0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000211.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1268955	Soil	1.5	29.3	12.2	67	0.2	27.3	10.1	742	2.47	21.8	1.0	4.2	1.5	40	0.4	0.9	0.2	63	0.49	0.040
1268951	Rock Pulp	2.2	21.6	2.0	37	0.3	19.7	9.0	357	2.01	4.0	0.2	1.9	0.8	33	0.1	0.3	<0.1	48	0.63	0.051
1268961	Soil	1.6	24.4	11.6	61	0.4	23.6	10.5	393	3.24	18.8	0.6	5.7	1.5	19	0.4	1.1	0.2	77	0.18	0.051
1268949	Soil	0.7	26.1	6.9	70	<0.1	35.3	11.9	382	3.21	4.5	0.5	<0.5	2.4	37	<0.1	0.2	<0.1	66	0.62	0.074
1268954	Soil	0.7	70.2	6.7	43	0.3	26.4	8.6	500	1.59	11.4	2.5	7.5	0.8	105	0.5	0.7	0.2	36	3.44	0.067
1268957	Soil	1.7	23.6	14.3	68	0.3	35.6	12.6	971	2.70	26.4	0.5	1.6	2.4	28	0.4	1.0	0.1	66	0.30	0.034
1298594	Soil	1.0	19.7	9.8	44	<0.1	24.4	10.3	315	2.78	7.4	0.7	1.7	6.0	15	<0.1	0.4	0.2	60	0.20	0.022
1268964	Soil	1.0	19.6	9.9	63	0.3	27.5	9.8	566	2.40	15.1	0.4	1.4	2.1	27	0.3	0.7	0.1	60	0.25	0.023
1268963	Soil	1.4	19.5	12.9	84	0.4	29.1	12.3	632	2.88	14.5	0.5	0.6	2.9	17	0.4	0.7	0.1	75	0.16	0.031
1268962	Soil	1.5	16.5	11.8	48	0.2	14.2	6.7	284	3.19	14.3	0.5	2.9	1.5	11	0.2	0.6	0.2	84	0.11	0.040
1268967	Soil	1.4	25.2	13.1	70	0.5	32.0	12.6	978	2.84	26.7	0.6	<0.5	2.2	30	0.3	1.0	0.2	70	0.36	0.036
1298596	Soil	0.6	18.8	16.8	60	<0.1	19.4	11.6	377	3.61	7.2	1.7	<0.5	23.6	16	<0.1	0.5	0.2	70	0.17	0.015
1298593	Soil	1.3	25.0	15.9	43	<0.1	24.8	9.3	351	2.52	8.5	1.1	8.9	7.1	25	<0.1	0.3	0.2	56	0.35	0.030
1268969	Soil	1.3	25.7	12.6	55	0.1	32.5	11.9	461	2.89	18.8	0.7	0.8	3.6	27	0.1	0.8	0.2	66	0.37	0.021
1298598	Soil	0.8	15.9	17.4	46	<0.1	39.5	15.5	429	2.78	4.7	1.0	<0.5	16.9	16	<0.1	0.2	0.2	59	0.19	0.019
1268905	Soil	0.9	32.2	13.4	45	<0.1	25.5	8.0	289	2.46	9.2	1.2	114.6	21.2	24	<0.1	0.7	0.6	54	0.29	0.022
1268965	Soil	1.3	21.9	11.5	63	0.3	30.7	13.6	980	2.89	19.1	0.6	1.2	2.6	30	0.1	0.8	0.2	74	0.29	0.026
1268968	Soil	1.3	30.7	11.8	61	0.2	31.2	10.6	485	2.58	23.0	0.8	2.8	2.8	30	0.2	0.8	0.2	64	0.46	0.038
1268903	Soil	1.3	6.0	13.0	27	<0.1	10.1	4.9	183	1.56	4.3	1.0	0.9	15.9	19	<0.1	0.3	0.2	32	0.15	0.014
1268904	Soil	1.1	15.5	13.0	42	<0.1	20.2	7.1	201	2.53	8.5	0.8	<0.5	20.7	18	<0.1	0.6	0.3	57	0.21	0.013
1298597	Soil	0.3	33.2	24.2	88	<0.1	26.5	16.1	713	3.96	3.3	1.3	<0.5	15.5	17	<0.1	<0.1	0.5	86	0.32	0.098
1268958	Soil	1.7	36.1	14.4	98	0.3	47.4	14.4	619	3.34	37.4	0.7	<0.5	2.8	21	0.3	1.3	0.2	81	0.20	0.032
1298582	Soil	0.8	21.1	9.2	75	<0.1	22.3	23.0	738	4.07	7.6	0.8	<0.5	3.2	34	<0.1	0.2	0.1	67	0.91	0.106
1298592	Soil	0.9	22.9	10.3	48	<0.1	26.8	9.7	360	2.65	8.7	0.7	1.4	5.2	26	<0.1	0.3	0.2	58	0.43	0.051
1298599	Soil	1.9	11.0	13.3	41	<0.1	17.9	10.3	289	2.49	5.7	1.3	9.3	21.8	17	<0.1	0.3	0.3	44	0.12	0.018
1298600	Soil	1.4	13.2	15.6	50	<0.1	20.7	9.1	400	2.61	8.2	1.2	4.1	11.1	14	<0.1	0.5	0.4	53	0.14	0.018
1298591	Soil	0.6	28.9	8.1	57	<0.1	33.5	11.4	412	2.93	7.8	0.5	2.4	5.0	30	<0.1	0.3	0.1	63	0.53	0.071
1298590	Soil	0.9	28.7	10.7	71	<0.1	43.1	15.9	399	3.87	10.2	0.6	<0.5	6.0	14	<0.1	0.3	0.1	70	0.20	0.018
1298595	Soil	1.7	23.5	18.2	52	<0.1	40.4	12.5	368	3.24	9.8	0.9	16.0	13.9	17	<0.1	0.4	0.2	76	0.21	0.016
1268902	Soil	1.0	7.4	10.8	38	<0.1	14.4	5.4	362	2.13	4.9	0.6	4.6	10.0	11	<0.1	0.5	0.3	40	0.11	0.020

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000211.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1268955	Soil	8	33	0.44	766	0.054	1	1.38	0.013	0.10	0.1	0.05	3.4	0.4	<0.05	5	<0.5	<0.2
1268951	Rock Pulp	3	25	0.64	80	0.077	2	1.17	0.066	0.10	11.2	0.01	3.7	<0.1	<0.05	4	<0.5	<0.2
1268961	Soil	8	35	0.47	355	0.049	<1	1.93	0.008	0.05	0.1	0.03	3.0	0.4	<0.05	7	<0.5	<0.2
1268949	Soil	9	34	1.38	230	0.164	2	2.12	0.022	0.33	0.1	0.02	5.0	0.2	<0.05	8	<0.5	<0.2
1268954	Soil	12	28	0.48	599	0.043	15	1.16	0.013	0.08	<0.1	0.14	5.7	0.3	0.13	3	3.1	<0.2
1268957	Soil	8	39	0.47	585	0.055	<1	1.51	0.010	0.09	0.1	0.03	3.7	0.3	<0.05	5	<0.5	<0.2
1298594	Soil	10	45	0.74	130	0.080	1	1.90	0.010	0.07	0.3	0.02	3.2	0.1	<0.05	5	<0.5	<0.2
1268964	Soil	7	32	0.46	603	0.049	<1	1.42	0.009	0.08	0.2	0.02	3.1	0.1	<0.05	5	<0.5	<0.2
1268963	Soil	8	43	0.50	439	0.061	<1	1.82	0.008	0.05	0.2	0.02	3.8	0.1	<0.05	6	<0.5	<0.2
1268962	Soil	9	32	0.39	157	0.055	<1	1.41	0.006	0.04	0.1	0.03	2.6	0.2	<0.05	8	<0.5	<0.2
1268967	Soil	10	40	0.50	715	0.079	2	1.50	0.012	0.18	0.2	0.02	4.5	0.3	<0.05	5	<0.5	<0.2
1298596	Soil	80	71	1.24	134	0.112	1	2.12	0.007	0.24	0.2	0.03	7.6	0.4	<0.05	6	<0.5	<0.2
1298593	Soil	15	44	0.59	222	0.073	<1	1.42	0.014	0.05	0.2	0.02	5.5	0.1	<0.05	5	<0.5	<0.2
1268969	Soil	11	45	0.55	311	0.082	1	1.58	0.014	0.13	0.1	0.04	6.1	0.2	<0.05	5	<0.5	<0.2
1298598	Soil	18	97	1.51	100	0.082	<1	1.94	0.006	0.33	0.3	<0.01	3.8	0.4	<0.05	6	<0.5	<0.2
1268905	Soil	36	38	0.53	129	0.082	<1	1.30	0.016	0.10	1.4	0.02	7.4	0.1	<0.05	4	<0.5	<0.2
1268965	Soil	9	42	0.57	896	0.055	<1	1.90	0.011	0.05	0.1	0.02	5.6	0.2	<0.05	6	<0.5	<0.2
1268968	Soil	11	37	0.52	497	0.076	1	1.41	0.013	0.14	0.1	0.03	4.8	0.3	<0.05	5	<0.5	<0.2
1268903	Soil	7	20	0.29	100	0.019	2	1.18	0.006	0.10	0.3	0.02	1.7	0.1	<0.05	4	<0.5	<0.2
1268904	Soil	10	33	0.49	100	0.051	2	1.82	0.008	0.09	0.3	0.01	2.9	0.1	<0.05	6	<0.5	<0.2
1298597	Soil	34	111	2.18	268	0.191	2	2.51	0.007	1.14	0.2	<0.01	5.8	0.6	<0.05	8	<0.5	<0.2
1268958	Soil	10	45	0.51	704	0.066	2	2.18	0.008	0.06	0.1	0.05	4.7	0.5	<0.05	7	<0.5	<0.2
1298582	Soil	14	31	1.51	262	0.109	2	2.35	0.014	0.38	0.1	0.05	4.6	0.4	<0.05	6	<0.5	<0.2
1298592	Soil	13	45	0.74	182	0.098	2	1.49	0.014	0.06	0.3	0.03	5.0	0.1	<0.05	5	<0.5	<0.2
1298599	Soil	20	63	0.63	116	0.070	2	1.31	0.007	0.21	0.1	0.01	3.5	0.2	<0.05	4	<0.5	<0.2
1298600	Soil	10	47	0.65	144	0.058	1	1.54	0.007	0.21	0.3	<0.01	3.4	0.2	<0.05	5	<0.5	<0.2
1298591	Soil	15	48	0.95	223	0.107	2	1.64	0.022	0.20	0.2	0.02	5.7	0.2	<0.05	5	<0.5	<0.2
1298590	Soil	13	67	1.25	152	0.207	1	2.71	0.007	0.57	0.3	<0.01	3.0	0.5	<0.05	7	<0.5	<0.2
1298595	Soil	16	79	0.97	138	0.119	2	2.32	0.009	0.13	0.2	0.02	5.1	0.3	<0.05	7	<0.5	<0.2
1268902	Soil	14	26	0.29	150	0.022	1	1.39	0.005	0.10	0.4	0.01	2.1	0.2	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000211.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1298588	Soil	0.2	55.2	3.3	38	<0.1	33.0	31.2	583	4.34	4.1	0.3	<0.5	3.5	16	<0.1	<0.1	0.1	120	0.53	0.028
1298586	Soil	0.5	28.0	15.3	87	0.1	59.1	30.5	1167	5.44	4.9	0.8	<0.5	12.1	35	<0.1	<0.1	0.1	114	0.89	0.126
1298583	Soil	1.1	15.7	10.9	52	<0.1	27.2	13.8	341	3.19	5.8	0.6	2.4	3.8	27	<0.1	0.2	0.2	82	0.47	0.057
1298584	Soil	1.9	57.7	9.4	84	<0.1	45.0	29.0	971	6.18	47.8	0.8	3.2	6.1	17	<0.1	0.6	0.1	59	0.25	0.075
1298589	Soil	0.5	30.7	5.7	58	<0.1	59.1	16.2	446	4.06	5.7	0.4	<0.5	6.1	16	<0.1	<0.1	0.5	64	0.42	0.037
1298587	Soil	0.8	35.1	14.5	72	<0.1	48.8	16.8	468	3.74	11.1	1.3	17.1	10.0	26	<0.1	0.2	0.2	46	0.50	0.064
1298581	Soil	0.5	35.7	14.9	59	0.1	44.8	18.1	294	3.33	11.6	1.3	2.7	6.5	48	0.1	0.5	0.2	71	0.95	0.062
1298585	Soil	1.5	30.6	31.0	106	0.3	91.7	20.5	793	4.68	80.1	1.5	6.8	8.7	30	0.3	2.3	0.6	58	0.49	0.055
1298554	Soil	1.4	54.9	16.0	69	<0.1	27.1	14.0	378	3.02	18.4	0.6	<0.5	2.5	30	0.2	1.0	0.2	83	0.45	0.042
1298552	Soil	1.7	28.4	13.1	66	0.2	26.2	10.2	504	2.68	20.7	0.7	<0.5	2.8	28	0.2	0.8	0.2	77	0.40	0.037
1268911	Soil	1.2	27.2	8.3	60	<0.1	21.0	16.2	751	3.92	2.0	0.6	<0.5	3.7	18	<0.1	0.1	<0.1	75	0.42	0.060
1268906	Soil	2.3	15.1	13.4	39	<0.1	36.2	11.6	484	2.52	4.4	1.3	4.0	14.2	22	<0.1	0.4	0.7	53	0.28	0.018
1298549	Soil	1.9	42.7	14.9	74	0.6	33.6	12.3	644	3.01	22.4	1.0	1.4	2.3	35	0.5	0.9	0.2	85	0.46	0.038
1298550	Soil	1.9	32.0	12.7	64	0.3	29.5	10.9	739	2.62	23.2	0.9	1.5	2.8	35	0.5	1.0	0.2	77	0.46	0.038
1268908	Soil	2.0	11.3	156.5	135	0.3	5.6	3.1	188	1.43	18.2	2.2	63.3	38.8	18	0.8	0.2	0.2	9	0.05	0.011
1268909	Soil	1.7	51.4	34.4	22	<0.1	8.3	4.1	221	1.61	11.7	1.8	<0.5	33.3	31	<0.1	0.4	0.2	16	0.05	0.013
1298555	Soil	0.9	68.9	16.6	56	0.2	24.5	15.5	662	3.26	9.6	0.5	<0.5	2.2	37	0.1	0.7	0.1	89	0.70	0.045
1298553	Soil	1.3	52.5	21.8	67	0.2	30.5	12.1	473	2.88	19.5	1.0	1.5	3.5	36	0.1	0.8	0.2	82	0.50	0.039
1268907	Soil	6.2	10.3	16.4	37	<0.1	6.7	4.3	246	1.58	6.9	2.3	2.1	15.9	14	0.2	0.5	0.4	23	0.12	0.021
1268912	Soil	1.8	7.0	5.3	59	<0.1	7.7	7.0	541	3.42	4.2	1.1	<0.5	4.6	10	<0.1	0.1	0.4	46	0.27	0.058
1298557	Soil	0.8	50.6	12.3	56	0.1	19.9	13.9	477	3.47	8.3	0.7	<0.5	2.8	30	<0.1	0.7	0.2	88	0.57	0.032
1298556	Soil	0.8	56.9	11.2	61	0.1	25.5	13.6	355	3.41	9.5	0.6	0.6	3.5	31	<0.1	0.6	0.2	93	0.53	0.029
1268901	Rock Pulp	1.3	414.4	21.4	156	0.2	203.9	73.8	779	14.79	2.7	1.2	35.4	7.2	15	<0.1	0.3	0.2	203	0.28	0.045
1268910	Soil	2.7	20.9	42.0	32	<0.1	23.3	7.9	550	1.86	14.7	2.3	7.7	42.4	43	<0.1	0.3	0.4	17	0.17	0.020
1298547	Soil	1.7	31.4	11.5	70	0.4	29.8	12.6	676	2.89	21.9	0.9	5.6	2.3	27	0.4	1.0	0.2	79	0.22	0.034
1298539	Soil	1.9	25.3	13.1	60	0.5	22.5	9.7	375	3.07	19.2	0.5	2.8	2.4	27	0.5	0.9	0.2	79	0.24	0.038
1298540	Soil	1.7	19.6	11.4	79	0.3	16.0	7.5	322	2.91	22.0	0.5	2.7	1.5	21	1.2	1.1	0.2	80	0.18	0.051
1298558	Soil	0.2	11.4	11.3	110	<0.1	5.0	10.0	854	3.91	2.3	0.9	3.1	10.5	38	<0.1	0.4	0.2	73	0.78	0.147
1298537	Soil	1.6	38.4	20.5	135	0.3	40.4	10.5	798	3.28	42.6	1.1	5.6	3.4	28	0.8	2.5	0.2	72	0.58	0.056
1298546	Soil	1.8	28.7	17.5	84	0.4	32.6	11.5	826	2.82	24.3	0.7	5.4	2.6	25	1.1	1.0	0.2	81	0.24	0.038

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000211.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1298588	Soil	7	37	2.57	284	0.141	3	3.23	0.017	0.64	0.3	<0.01	9.9	0.6	<0.05	7	<0.5	<0.2
1298586	Soil	53	167	3.27	234	0.196	2	3.73	0.009	1.38	0.1	0.02	11.1	1.1	<0.05	11	<0.5	<0.2
1298583	Soil	10	57	1.24	183	0.111	2	2.05	0.010	0.07	0.2	0.03	5.1	0.2	<0.05	7	<0.5	<0.2
1298584	Soil	9	63	1.44	143	0.176	2	2.95	0.008	0.60	0.2	<0.01	2.5	0.6	<0.05	8	<0.5	<0.2
1298589	Soil	10	83	1.96	252	0.194	1	2.78	0.011	0.73	<0.1	<0.01	4.2	0.6	<0.05	9	<0.5	<0.2
1298587	Soil	23	54	1.10	168	0.097	2	2.05	0.009	0.33	0.1	0.03	5.4	0.4	<0.05	7	<0.5	<0.2
1298581	Soil	25	79	1.15	194	0.092	2	2.05	0.014	0.12	0.2	0.07	7.2	0.2	<0.05	7	<0.5	<0.2
1298585	Soil	29	106	0.91	550	0.074	3	1.79	0.013	0.11	0.1	0.17	7.2	0.3	<0.05	5	0.8	<0.2
1298554	Soil	9	43	0.74	542	0.098	2	1.77	0.026	0.09	0.2	0.02	5.3	0.3	<0.05	6	<0.5	<0.2
1298552	Soil	10	43	0.58	452	0.094	3	1.51	0.015	0.09	0.2	0.02	4.3	0.3	<0.05	5	<0.5	<0.2
1268911	Soil	8	46	1.64	150	0.077	2	2.15	0.007	0.35	<0.1	<0.01	8.7	0.1	<0.05	8	<0.5	<0.2
1268906	Soil	12	71	0.85	215	0.081	2	1.54	0.009	0.24	0.8	0.02	3.4	0.4	<0.05	5	<0.5	<0.2
1298549	Soil	12	46	0.52	771	0.076	2	1.81	0.014	0.10	0.1	0.05	5.0	0.3	<0.05	7	<0.5	<0.2
1298550	Soil	11	44	0.55	666	0.087	2	1.50	0.014	0.09	0.1	0.03	4.7	0.3	<0.05	5	0.7	<0.2
1268908	Soil	22	8	0.05	62	0.004	<1	0.36	0.003	0.06	0.2	0.07	1.6	<0.1	<0.05	1	<0.5	<0.2
1268909	Soil	19	14	0.10	124	0.008	1	0.53	0.003	0.05	0.4	0.02	1.6	<0.1	<0.05	2	<0.5	<0.2
1298555	Soil	9	34	0.89	414	0.065	<1	2.32	0.036	0.15	<0.1	0.02	6.4	0.1	<0.05	7	<0.5	<0.2
1298553	Soil	14	45	0.66	481	0.105	1	1.71	0.024	0.09	0.1	0.05	6.1	0.2	<0.05	6	<0.5	<0.2
1268907	Soil	9	14	0.16	82	0.016	<1	0.67	0.005	0.09	0.2	0.05	1.6	0.1	<0.05	2	<0.5	<0.2
1268912	Soil	6	12	1.93	185	0.152	1	2.42	0.010	0.72	0.1	<0.01	7.3	0.2	<0.05	12	<0.5	<0.2
1298557	Soil	10	35	0.79	306	0.071	2	1.93	0.016	0.11	0.1	0.01	6.2	<0.1	<0.05	7	<0.5	<0.2
1298556	Soil	11	41	0.96	190	0.112	1	2.23	0.017	0.11	0.2	0.01	7.8	0.1	<0.05	7	<0.5	<0.2
1268901	Rock Pulp	17	630	0.13	152	0.167	6	4.03	0.015	0.06	<0.1	0.03	40.5	<0.1	<0.05	19	0.7	<0.2
1268910	Soil	51	26	0.14	207	0.003	3	0.66	0.003	0.10	0.3	0.08	6.0	0.3	<0.05	2	0.6	<0.2
1298547	Soil	13	43	0.51	677	0.067	1	1.73	0.013	0.08	0.2	0.02	4.6	0.2	<0.05	6	<0.5	<0.2
1298539	Soil	8	39	0.45	606	0.058	2	1.79	0.011	0.09	0.2	0.03	3.0	0.2	0.06	6	<0.5	<0.2
1298540	Soil	9	32	0.37	401	0.057	1	1.26	0.009	0.09	0.1	0.02	2.5	0.2	0.08	7	<0.5	<0.2
1298558	Soil	49	10	0.84	305	0.061	<1	1.48	0.009	0.12	<0.1	0.02	9.2	0.1	<0.05	10	<0.5	<0.2
1298537	Soil	13	51	0.52	1162	0.064	2	1.52	0.019	0.08	0.1	0.16	7.7	0.5	0.07	5	<0.5	<0.2
1298546	Soil	9	45	0.52	633	0.080	1	1.67	0.015	0.12	0.1	0.01	3.9	0.3	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000211.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1298544	Soil	2.2	25.4	9.4	66	0.8	26.4	9.3	315	3.24	27.2	0.6	4.7	2.0	21	0.6	0.9	0.2	94	0.21	0.056
1298543	Soil	1.4	20.8	10.0	61	0.6	27.8	10.1	321	3.12	22.3	0.6	3.9	2.5	19	0.5	0.8	0.1	78	0.19	0.046
1298536	Soil	1.7	46.7	21.2	130	0.3	39.7	11.0	1178	3.27	55.3	1.6	4.2	3.0	36	0.6	2.3	0.2	75	0.69	0.048
1298548	Soil	2.0	31.5	14.1	74	0.3	31.8	10.3	423	2.98	33.0	0.6	2.3	2.4	29	0.7	1.4	0.2	85	0.34	0.037
1298551	Rock Pulp	2.0	23.0	2.1	39	0.3	21.4	9.5	356	2.18	4.2	0.2	2.5	0.8	39	0.2	0.3	<0.1	54	0.74	0.054
1298542	Soil	2.1	31.3	10.1	81	0.3	27.6	8.8	254	3.71	19.3	0.7	6.1	2.8	18	1.3	1.0	0.2	101	0.18	0.051
1298535	Soil	1.5	24.0	16.0	105	0.1	22.3	10.9	638	3.47	19.6	0.6	4.3	3.1	66	0.2	1.2	<0.1	72	0.63	0.087
1298538	Soil	1.7	27.1	11.7	72	0.5	24.1	11.2	353	3.16	17.6	0.6	1.3	2.7	16	0.5	0.8	0.2	85	0.17	0.034
1298545	Soil	1.9	33.3	11.7	58	0.3	30.4	9.3	364	2.91	23.6	1.0	5.3	3.7	33	0.4	1.0	0.2	79	0.31	0.034
1298541	Soil	2.0	48.9	11.2	75	<0.1	31.6	11.9	305	3.38	24.2	0.9	1.9	3.1	21	0.4	1.2	0.1	81	0.22	0.062
1298530	Soil	0.9	45.4	70.5	53	0.4	20.7	11.6	478	2.72	11.3	0.7	4.8	1.9	45	0.2	0.8	0.7	79	0.46	0.029
1298532	Soil	0.4	39.6	9.4	77	<0.1	171.4	32.0	786	4.69	17.6	1.3	3.0	9.8	80	0.4	1.8	0.2	132	3.74	0.102
1298526	Soil	0.6	6.8	9.3	98	<0.1	6.2	8.1	708	3.12	4.3	0.6	2.2	7.4	32	<0.1	1.5	<0.1	56	0.78	0.114
1298528	Soil	0.5	122.1	8.9	51	0.6	24.9	10.9	380	2.30	8.8	3.1	8.9	2.1	70	0.2	0.8	<0.1	78	1.35	0.054
1298529	Soil	0.6	68.1	9.1	63	0.3	33.7	17.9	529	3.81	5.0	0.4	1.0	1.7	40	0.1	0.4	0.1	116	0.53	0.035
1298531	Soil	1.1	68.9	14.0	77	0.4	60.3	17.8	739	3.67	27.9	1.5	6.6	3.3	56	0.3	1.8	0.2	99	0.98	0.076
1298527	Soil	0.8	64.7	8.0	58	0.1	23.1	15.7	777	3.53	5.5	0.7	6.3	2.9	49	0.1	0.7	0.1	100	1.05	0.049
1298525	Soil	0.5	7.3	7.3	91	<0.1	6.8	7.6	726	2.92	4.0	0.6	1.5	6.8	32	<0.1	1.2	<0.1	59	0.75	0.130
1298576	Soil	0.8	24.6	7.9	42	<0.1	25.9	12.2	409	2.70	8.6	2.4	12.4	13.3	43	0.1	0.7	<0.1	56	0.77	0.036
1298580	Soil	0.9	28.5	8.9	59	0.1	22.6	8.7	211	2.32	14.8	1.3	2.3	4.3	26	0.2	0.6	0.1	56	0.34	0.058
1298533	Soil	1.2	28.9	11.2	66	0.1	25.8	10.2	379	2.78	16.7	0.7	3.3	3.4	30	0.2	0.9	0.1	66	0.37	0.038
1298534	Soil	1.3	27.1	9.5	61	0.2	21.0	8.0	339	2.55	19.4	0.8	1.9	3.1	30	0.3	0.9	0.1	66	0.36	0.035
1298571	Soil	1.0	23.0	8.1	69	0.1	24.5	13.4	663	2.63	15.6	1.1	3.8	3.6	49	0.2	0.7	<0.1	63	0.85	0.058
1298577	Soil	3.4	22.7	3.9	63	0.1	31.5	26.1	7404	3.57	91.4	1.3	2.4	2.2	80	0.9	0.7	<0.1	47	1.82	0.083
1298578	Soil	0.9	26.8	7.2	60	0.1	23.7	10.7	439	2.50	11.3	0.6	11.2	3.0	41	0.2	0.8	<0.1	59	0.72	0.079
1298579	Soil	0.8	31.1	7.3	59	<0.1	24.8	10.8	374	2.63	14.4	0.8	6.5	4.6	34	<0.1	0.8	0.1	61	0.54	0.068
1298560	Soil	0.4	40.4	4.9	52	<0.1	18.1	9.1	395	1.91	4.0	0.9	2.6	1.2	55	0.2	0.3	<0.1	44	2.39	0.059
1298564	Soil	1.7	17.5	9.8	54	0.1	13.6	9.7	451	2.33	5.7	2.5	3.5	5.4	45	0.1	0.4	0.1	56	0.92	0.049
1298566	Soil	1.0	35.0	12.5	72	0.4	20.7	10.3	255	2.68	24.9	0.8	3.3	1.8	65	0.3	1.0	0.1	86	1.14	0.047
1298572	Soil	2.6	25.8	7.6	70	0.2	27.3	41.2	3862	2.83	23.2	1.8	9.1	4.6	64	0.8	0.8	0.1	60	1.35	0.068

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000211.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1298544	Soil	9	42	0.54	556	0.061	1	2.05	0.010	0.07	0.2	0.04	3.5	0.3	<0.05	7	<0.5	<0.2
1298543	Soil	9	40	0.54	476	0.063	1	2.10	0.010	0.05	0.2	0.03	3.7	0.2	<0.05	6	<0.5	<0.2
1298536	Soil	15	48	0.48	1835	0.062	1	1.55	0.018	0.09	<0.1	0.11	7.8	0.7	0.10	5	0.9	<0.2
1298548	Soil	9	45	0.51	529	0.082	<1	1.61	0.011	0.15	0.1	0.02	3.8	0.3	0.05	6	<0.5	<0.2
1298551	Rock Pulp	3	28	0.70	85	0.098	3	1.33	0.074	0.11	13.5	0.02	4.3	<0.1	0.05	5	<0.5	<0.2
1298542	Soil	10	40	0.49	220	0.083	<1	1.97	0.011	0.06	0.2	0.03	3.5	0.2	0.07	8	<0.5	<0.2
1298535	Soil	8	31	0.72	742	0.120	2	1.71	0.021	0.12	0.1	0.01	3.9	0.4	0.06	7	<0.5	<0.2
1298538	Soil	9	43	0.48	583	0.068	1	2.05	0.011	0.08	0.1	0.03	4.0	0.3	<0.05	7	<0.5	<0.2
1298545	Soil	10	44	0.58	626	0.068	2	2.07	0.011	0.09	0.2	0.03	4.3	0.2	<0.05	6	0.6	<0.2
1298541	Soil	10	42	0.55	386	0.086	1	1.99	0.013	0.08	0.2	0.03	4.3	0.4	0.09	6	<0.5	<0.2
1298530	Soil	10	33	0.57	296	0.089	<1	1.81	0.017	0.11	0.1	0.19	4.1	0.1	0.08	6	<0.5	<0.2
1298532	Soil	20	327	2.50	517	0.056	2	2.61	0.014	0.10	<0.1	0.16	21.4	0.3	<0.05	8	<0.5	<0.2
1298526	Soil	36	10	0.35	237	0.008	<1	0.91	0.007	0.05	<0.1	0.05	10.3	<0.1	<0.05	5	<0.5	<0.2
1298528	Soil	20	37	0.67	438	0.093	2	1.58	0.024	0.11	<0.1	0.12	6.8	0.2	<0.05	5	0.6	<0.2
1298529	Soil	7	63	1.14	221	0.162	1	2.73	0.022	0.12	<0.1	0.02	6.4	<0.1	<0.05	9	<0.5	<0.2
1298531	Soil	17	106	0.92	893	0.053	2	1.84	0.018	0.12	0.1	0.12	13.3	0.2	<0.05	6	1.1	<0.2
1298527	Soil	13	33	0.92	310	0.118	1	1.81	0.022	0.13	0.1	0.04	8.6	0.1	<0.05	6	<0.5	<0.2
1298525	Soil	33	11	0.29	287	0.010	<1	0.89	0.010	0.06	<0.1	0.04	9.4	<0.1	<0.05	5	<0.5	<0.2
1298576	Soil	35	40	0.82	252	0.099	1	1.74	0.018	0.15	0.1	0.03	5.3	0.2	<0.05	6	<0.5	<0.2
1298580	Soil	16	32	0.54	261	0.067	1	1.54	0.014	0.06	0.1	0.06	4.4	0.2	<0.05	5	<0.5	<0.2
1298533	Soil	10	36	0.59	780	0.094	1	1.68	0.023	0.08	<0.1	0.03	4.5	0.2	0.08	5	<0.5	<0.2
1298534	Soil	11	34	0.50	871	0.074	<1	1.46	0.016	0.06	0.1	0.02	4.1	0.2	0.07	5	0.5	<0.2
1298571	Soil	14	35	0.67	381	0.089	2	1.39	0.028	0.08	0.2	0.04	4.8	0.1	0.07	5	<0.5	<0.2
1298577	Soil	18	24	0.56	937	0.041	4	0.90	0.013	0.11	<0.1	0.05	3.1	0.2	0.15	3	0.9	<0.2
1298578	Soil	12	32	0.56	296	0.089	2	1.43	0.030	0.07	0.2	0.03	4.5	<0.1	0.06	5	<0.5	<0.2
1298579	Soil	15	34	0.62	263	0.091	1	1.48	0.024	0.06	0.2	0.03	5.1	<0.1	0.05	5	<0.5	<0.2
1298560	Soil	7	26	0.52	322	0.067	2	1.17	0.027	0.04	<0.1	0.05	3.2	<0.1	0.13	4	0.5	<0.2
1298564	Soil	19	24	0.47	226	0.064	<1	1.49	0.020	0.04	0.1	0.06	5.0	0.1	0.09	6	<0.5	<0.2
1298566	Soil	6	44	0.60	155	0.098	<1	1.35	0.020	0.09	0.1	0.05	4.7	0.2	0.07	7	0.6	<0.2
1298572	Soil	20	39	0.70	495	0.064	3	1.39	0.017	0.16	<0.1	0.06	4.7	0.3	0.13	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000211.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1298559	Soil	0.3	36.6	9.2	66	<0.1	82.2	18.8	537	3.25	4.0	0.6	2.0	2.5	46	0.2	0.3	<0.1	83	1.51	0.113
1298563	Soil	1.1	11.2	9.6	59	<0.1	14.1	7.6	253	2.97	6.1	0.5	2.1	2.4	17	0.1	0.3	0.1	74	0.23	0.029
1298565	Soil	1.4	113.5	10.1	70	0.2	46.0	20.5	581	3.80	6.9	0.7	2.4	3.5	40	0.1	0.6	0.1	93	0.70	0.070
1298575	Soil	0.8	25.0	7.5	47	<0.1	26.0	12.7	445	2.87	9.4	2.2	3.3	14.2	39	0.1	0.7	<0.1	59	0.75	0.035
1298562	Soil	0.4	13.9	6.3	58	<0.1	13.8	6.1	295	1.84	3.7	0.9	2.0	1.7	45	0.2	0.3	<0.1	44	1.35	0.079
1298570	Soil	0.7	26.8	6.9	59	0.1	23.0	10.4	407	2.52	10.2	0.8	3.4	3.3	37	0.2	0.6	0.1	57	0.56	0.070
1298568	Soil	0.9	27.5	8.1	62	0.1	22.2	11.4	338	2.58	20.3	1.5	3.9	4.1	38	0.2	0.9	0.1	64	0.67	0.074
1298573	Soil	1.0	28.7	7.2	49	0.1	23.4	11.1	414	2.65	12.5	1.7	2.5	4.7	52	0.1	0.7	0.1	56	0.99	0.059
1298561	Soil	0.3	21.0	5.0	73	<0.1	17.7	11.5	477	2.59	4.1	0.9	1.0	1.8	45	0.2	0.3	<0.1	60	1.59	0.071
1298569	Soil	0.9	36.3	8.1	61	0.2	30.6	12.9	598	2.84	15.1	1.5	2.6	4.3	41	0.3	1.0	0.1	63	0.67	0.069
1298567	Soil	1.1	61.5	16.2	75	0.2	29.6	17.0	797	3.38	18.4	1.4	2.6	3.6	70	0.4	1.8	0.2	73	1.44	0.054
1298574	Soil	0.7	20.9	5.9	35	<0.1	19.3	9.6	500	2.04	6.3	1.5	1.3	4.0	81	0.2	0.5	0.1	40	2.13	0.065

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000211.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1298559	Soil	11	282	1.62	181	0.176	2	1.97	0.032	0.07	<0.1	0.02	4.7	0.2	<0.05	7	<0.5	<0.2
1298563	Soil	8	28	0.50	122	0.093	<1	1.55	0.020	0.06	0.2	0.03	3.3	<0.1	<0.05	7	<0.5	<0.2
1298565	Soil	11	68	1.34	214	0.131	1	2.44	0.044	0.09	0.1	0.03	7.1	0.2	<0.05	8	0.6	<0.2
1298575	Soil	36	41	0.87	265	0.105	<1	1.81	0.017	0.16	0.2	0.03	5.6	0.2	<0.05	6	0.7	<0.2
1298562	Soil	8	27	0.56	209	0.068	2	1.24	0.021	0.04	0.1	0.03	4.1	<0.1	<0.05	5	<0.5	<0.2
1298570	Soil	12	30	0.59	241	0.080	2	1.45	0.023	0.06	0.2	0.04	4.7	<0.1	<0.05	5	<0.5	<0.2
1298568	Soil	15	31	0.54	291	0.078	1	1.35	0.018	0.06	0.2	0.04	4.6	0.1	<0.05	5	0.6	<0.2
1298573	Soil	16	30	0.61	261	0.084	2	1.50	0.028	0.07	0.2	0.04	4.7	<0.1	<0.05	5	0.9	<0.2
1298561	Soil	8	31	0.75	218	0.108	3	1.45	0.029	0.06	0.1	0.04	4.6	<0.1	<0.05	6	<0.5	<0.2
1298569	Soil	17	35	0.57	338	0.076	2	1.52	0.020	0.06	0.2	0.05	5.6	0.1	<0.05	5	1.1	<0.2
1298567	Soil	14	34	0.72	243	0.066	2	1.52	0.023	0.07	0.1	0.05	8.1	0.2	<0.05	6	0.8	<0.2
1298574	Soil	24	30	0.61	293	0.064	3	1.26	0.021	0.10	0.2	0.05	3.5	0.1	0.07	4	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

QUALITY CONTROL REPORT WHI12000211.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
1290277	Soil	0.7	17.2	8.0	72	<0.1	12.6	14.1	526	3.50	20.8	3.3	5.6	6.1	50	0.2	10.8	0.1	90	0.69	0.076
REP 1290277	QC	0.7	17.1	8.2	74	<0.1	12.1	13.7	492	3.42	19.8	3.4	3.5	6.1	50	0.1	10.3	<0.1	88	0.68	0.072
1283698	Soil	1.5	64.4	11.0	74	<0.1	13.9	11.1	875	4.17	7.2	1.7	<0.5	30.3	22	<0.1	4.3	0.1	69	0.43	0.086
REP 1283698	QC	1.3	70.1	11.2	79	<0.1	14.2	11.4	910	4.24	6.9	1.8	1.6	31.9	22	<0.1	4.6	0.1	71	0.44	0.081
1268976	Soil	1.3	77.8	6.4	76	<0.1	26.0	15.3	514	3.67	6.7	0.6	2.7	3.0	39	<0.1	0.6	<0.1	88	1.25	0.090
REP 1268976	QC	1.4	81.3	6.4	82	0.1	26.1	16.1	542	3.86	6.8	0.6	4.1	3.0	41	<0.1	0.6	<0.1	91	1.24	0.090
1290259	Soil	4.0	79.3	12.2	132	1.1	41.3	7.3	219	3.83	80.3	1.7	3.5	5.1	30	0.5	5.2	0.2	118	0.06	0.063
REP 1290259	QC	4.0	81.8	13.2	138	1.0	45.1	7.7	225	4.06	82.3	1.8	3.2	5.6	32	0.5	5.7	0.3	122	0.06	0.064
1268954	Soil	0.7	70.2	6.7	43	0.3	26.4	8.6	500	1.59	11.4	2.5	7.5	0.8	105	0.5	0.7	0.2	36	3.44	0.067
REP 1268954	QC	0.7	70.7	6.9	44	0.3	26.8	8.9	506	1.67	11.7	2.4	6.3	0.8	101	0.7	0.8	0.1	38	3.50	0.068
1268967	Soil	1.4	25.2	13.1	70	0.5	32.0	12.6	978	2.84	26.7	0.6	<0.5	2.2	30	0.3	1.0	0.2	70	0.36	0.036
REP 1268967	QC	1.5	24.2	13.6	69	0.5	31.7	12.3	956	2.78	26.3	0.7	2.1	2.2	30	0.2	0.9	0.2	69	0.36	0.034
1268969	Soil	1.3	25.7	12.6	55	0.1	32.5	11.9	461	2.89	18.8	0.7	0.8	3.6	27	0.1	0.8	0.2	66	0.37	0.021
REP 1268969	QC	1.5	26.5	14.4	58	0.1	33.2	11.8	465	2.88	18.6	0.7	<0.5	3.8	27	<0.1	0.8	0.1	66	0.36	0.021
1298555	Soil	0.9	68.9	16.6	56	0.2	24.5	15.5	662	3.26	9.6	0.5	<0.5	2.2	37	0.1	0.7	0.1	89	0.70	0.045
REP 1298555	QC	1.1	69.2	17.7	57	0.2	24.9	15.2	667	3.23	9.5	0.4	<0.5	2.2	37	0.2	0.7	<0.1	86	0.71	0.043
1268912	Soil	1.8	7.0	5.3	59	<0.1	7.7	7.0	541	3.42	4.2	1.1	<0.5	4.6	10	<0.1	0.1	0.4	46	0.27	0.058
REP 1268912	QC	2.0	6.7	5.2	57	<0.1	6.6	6.9	538	3.41	4.0	1.2	<0.5	4.6	10	<0.1	<0.1	0.4	44	0.24	0.056
1298571	Soil	1.0	23.0	8.1	69	0.1	24.5	13.4	663	2.63	15.6	1.1	3.8	3.6	49	0.2	0.7	<0.1	63	0.85	0.058
REP 1298571	QC	1.1	22.2	7.7	68	0.1	23.8	13.5	661	2.62	16.1	1.1	21.6	3.9	48	0.3	0.7	<0.1	64	0.86	0.058
1298579	Soil	0.8	31.1	7.3	59	<0.1	24.8	10.8	374	2.63	14.4	0.8	6.5	4.6	34	<0.1	0.8	0.1	61	0.54	0.068
REP 1298579	QC	0.8	31.5	7.4	58	<0.1	25.2	11.1	376	2.63	14.5	0.8	4.5	4.8	34	<0.1	0.9	<0.1	61	0.53	0.067
1298569	Soil	0.9	36.3	8.1	61	0.2	30.6	12.9	598	2.84	15.1	1.5	2.6	4.3	41	0.3	1.0	0.1	63	0.67	0.069
REP 1298569	QC	0.8	34.8	8.1	59	0.2	29.9	12.8	566	2.76	14.3	1.5	3.5	4.2	39	0.3	0.9	0.1	62	0.65	0.064
Reference Materials																					
STD DS9	Standard	11.9	108.0	120.4	308	1.8	40.1	7.5	585	2.36	25.5	2.7	114.8	6.0	74	2.2	6.1	6.7	41	0.71	0.083
STD DS9	Standard	12.9	109.1	122.8	315	1.9	40.5	7.6	572	2.33	26.6	2.6	120.8	6.1	73	2.3	5.9	7.1	41	0.69	0.083
STD DS9	Standard	12.9	105.1	118.8	289	1.8	37.7	7.3	541	2.22	24.0	2.6	114.7	6.4	76	2.3	5.8	6.9	39	0.70	0.076

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

QUALITY CONTROL REPORT WHI12000211.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
1290277	Soil	17	26	0.94	454	0.123	2	1.85	0.019	0.15	0.1	0.05	7.7	0.3	<0.05	7	0.5	<0.2
REP 1290277	QC	17	25	0.91	442	0.124	2	1.82	0.018	0.15	0.1	0.06	7.7	0.3	<0.05	7	0.6	<0.2
1283698	Soil	60	23	0.82	448	0.132	<1	2.04	0.013	0.51	0.1	<0.01	10.7	0.5	<0.05	9	<0.5	<0.2
REP 1283698	QC	61	23	0.89	482	0.150	<1	2.12	0.014	0.58	0.1	0.02	11.5	0.6	<0.05	10	0.7	<0.2
1268976	Soil	13	38	1.11	237	0.099	2	1.74	0.037	0.12	<0.1	0.03	7.1	<0.1	<0.05	7	<0.5	<0.2
REP 1268976	QC	14	39	1.12	244	0.107	2	1.78	0.032	0.12	<0.1	0.03	7.5	<0.1	<0.05	8	<0.5	<0.2
1290259	Soil	21	59	0.76	407	0.116	<1	1.63	0.019	0.49	0.1	0.02	4.5	0.5	0.28	6	1.9	<0.2
REP 1290259	QC	22	63	0.75	423	0.125	<1	1.68	0.019	0.50	0.1	0.02	4.7	0.6	0.28	7	2.5	<0.2
1268954	Soil	12	28	0.48	599	0.043	15	1.16	0.013	0.08	<0.1	0.14	5.7	0.3	0.13	3	3.1	<0.2
REP 1268954	QC	12	29	0.51	604	0.047	7	1.11	0.014	0.08	<0.1	0.15	6.4	0.3	0.13	4	1.8	<0.2
1268967	Soil	10	40	0.50	715	0.079	2	1.50	0.012	0.18	0.2	0.02	4.5	0.3	<0.05	5	<0.5	<0.2
REP 1268967	QC	10	40	0.49	709	0.078	1	1.45	0.012	0.18	0.1	0.02	4.6	0.2	<0.05	5	<0.5	<0.2
1268969	Soil	11	45	0.55	311	0.082	1	1.58	0.014	0.13	0.1	0.04	6.1	0.2	<0.05	5	<0.5	<0.2
REP 1268969	QC	12	45	0.56	313	0.087	1	1.55	0.014	0.13	0.1	0.04	6.5	0.2	<0.05	5	<0.5	<0.2
1298555	Soil	9	34	0.89	414	0.065	<1	2.32	0.036	0.15	<0.1	0.02	6.4	0.1	<0.05	7	<0.5	<0.2
REP 1298555	QC	9	33	0.90	427	0.061	<1	2.15	0.037	0.15	<0.1	0.02	6.4	0.1	<0.05	7	<0.5	<0.2
1268912	Soil	6	12	1.93	185	0.152	1	2.42	0.010	0.72	0.1	<0.01	7.3	0.2	<0.05	12	<0.5	<0.2
REP 1268912	QC	6	12	1.97	186	0.151	1	2.46	0.009	0.71	0.1	0.01	7.2	0.2	<0.05	12	<0.5	<0.2
1298571	Soil	14	35	0.67	381	0.089	2	1.39	0.028	0.08	0.2	0.04	4.8	0.1	0.07	5	<0.5	<0.2
REP 1298571	QC	14	37	0.67	377	0.093	3	1.43	0.028	0.08	0.1	0.05	4.9	0.2	0.09	5	<0.5	<0.2
1298579	Soil	15	34	0.62	263	0.091	1	1.48	0.024	0.06	0.2	0.03	5.1	<0.1	0.05	5	<0.5	<0.2
REP 1298579	QC	14	34	0.61	257	0.089	2	1.47	0.022	0.06	0.2	0.04	5.0	0.1	0.06	5	0.7	<0.2
1298569	Soil	17	35	0.57	338	0.076	2	1.52	0.020	0.06	0.2	0.05	5.6	0.1	<0.05	5	1.1	<0.2
REP 1298569	QC	16	34	0.56	322	0.073	2	1.47	0.020	0.06	0.2	0.04	5.5	0.1	<0.05	5	0.6	<0.2
Reference Materials																		
STD DS9	Standard	12	116	0.62	302	0.108	2	0.89	0.095	0.35	3.2	0.20	2.5	5.5	0.15	5	5.9	5.6
STD DS9	Standard	12	125	0.60	300	0.113	3	0.92	0.085	0.38	3.2	0.21	2.7	5.5	0.15	5	5.5	5.4
STD DS9	Standard	12	116	0.59	289	0.109	3	0.87	0.096	0.34	2.9	0.19	2.8	5.3	0.14	4	4.8	4.9

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

QUALITY CONTROL REPORT WHI12000211.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
STD DS9	Standard	12.3	109.4	129.4	315	1.9	40.3	7.7	596	2.38	26.7	2.6	121.1	6.3	73	2.5	5.9	7.0	41	0.71	0.082
STD DS9	Standard	12.8	104.1	122.9	307	1.9	37.2	7.3	558	2.28	25.9	2.7	116.8	6.3	76	2.5	5.7	6.6	40	0.70	0.080
STD DS9	Standard	11.3	104.1	117.7	287	1.8	39.5	7.2	525	2.13	24.0	2.6	116.6	5.8	72	2.3	5.8	6.6	37	0.65	0.077
STD DS9	Standard	12.8	108.1	120.8	301	1.9	42.2	7.6	577	2.32	25.0	2.4	115.2	5.7	65	2.3	4.9	5.5	40	0.69	0.081
STD DS9	Standard	13.2	110.7	127.1	304	1.9	41.6	7.7	587	2.32	26.0	2.2	115.0	5.2	57	2.3	4.4	5.2	43	0.71	0.078
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	0.3	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

QUALITY CONTROL REPORT WHI12000211.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
STD DS9	Standard	12	122	0.63	310	0.102	3	0.90	0.091	0.38	3.2	0.22	3.1	5.7	0.16	4	5.5	5.7
STD DS9	Standard	13	116	0.61	300	0.111	3	0.92	0.095	0.36	2.8	0.22	2.9	5.6	0.14	5	6.1	5.1
STD DS9	Standard	11	114	0.56	275	0.100	2	0.80	0.090	0.34	2.8	0.19	2.7	5.3	0.17	4	5.7	4.8
STD DS9	Standard	13	118	0.62	298	0.106	4	0.89	0.082	0.35	3.1	0.22	2.4	5.5	0.12	5	5.4	5.5
STD DS9	Standard	11	128	0.61	298	0.095	2	0.91	0.089	0.37	3.1	0.20	2.6	5.5	0.20	5	5.1	4.7
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	0.08	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 05, 2012
Report Date: July 16, 2012
Page: 1 of 12

CERTIFICATE OF ANALYSIS WHI12000229.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 320

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	320	Dry at 60C			WHI
SS80	313	Dry at 60C sieve 100g to -80 mesh			WHI
1DX2	320	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000229.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1292505	Soil	2.1	48.6	9.3	81	0.2	36.9	10.6	286	2.91	7.0	1.3	3.1	4.8	39	0.2	0.7	0.2	70	0.61	0.073
1293696	Soil	1.7	29.3	7.9	89	0.2	32.5	10.4	245	2.63	8.4	1.5	2.3	5.0	21	0.2	0.7	0.2	58	0.43	0.088
1292501	Rock Pulp	2.5	24.4	2.0	41	0.2	23.2	10.6	371	2.29	4.7	0.2	1.0	0.6	31	0.2	0.3	<0.1	63	0.74	0.055
1292504	Soil	2.0	26.6	6.9	73	0.1	27.6	10.3	388	2.59	7.1	1.2	3.5	4.1	26	0.3	0.7	0.1	60	0.44	0.080
1293699	Soil	1.6	32.7	7.3	97	0.1	31.1	13.2	311	3.28	6.0	1.4	3.4	4.9	18	0.2	0.5	0.2	80	0.30	0.085
1293691	Soil	1.5	37.4	7.3	101	0.3	38.8	11.6	226	2.84	4.7	1.3	2.9	4.5	19	0.4	0.4	0.2	70	0.27	0.068
1293686	Soil	1.3	57.7	10.7	130	0.2	61.7	18.7	300	3.78	3.2	2.3	1.7	8.6	12	0.2	1.2	0.2	82	0.31	0.089
1293695	Soil	1.6	32.4	7.5	88	0.3	33.8	12.1	213	2.83	4.8	1.4	2.3	4.2	16	0.2	0.3	0.2	71	0.24	0.067
1293685	Soil	1.5	54.7	11.9	129	0.2	83.6	17.9	381	3.89	3.2	1.5	1.4	8.0	23	0.4	0.6	0.2	105	0.51	0.105
1293692	Soil	1.9	35.0	8.5	87	0.3	38.7	10.4	183	2.99	5.4	1.5	3.6	4.9	19	0.2	0.4	0.2	74	0.27	0.063
1293690	Soil	2.3	41.5	7.9	140	0.3	55.5	12.5	234	3.89	4.0	1.3	2.1	5.8	15	0.4	0.6	0.2	83	0.23	0.074
1293684	Soil	1.6	56.7	8.2	100	0.2	52.8	11.8	149	4.25	2.6	1.7	1.1	8.1	12	<0.1	0.3	0.2	72	0.26	0.072
1292506	Soil	1.7	44.0	6.9	90	0.2	33.4	10.5	437	3.09	7.0	0.9	3.0	4.8	34	0.1	0.6	0.2	72	0.52	0.067
1293694	Soil	1.8	41.2	9.3	107	0.3	45.2	13.9	266	3.34	5.3	1.7	3.7	5.1	20	0.2	0.5	0.2	88	0.31	0.070
1293698	Soil	2.9	37.8	7.8	110	0.2	31.8	12.0	343	3.81	6.6	1.4	3.5	4.8	23	0.4	0.7	0.2	80	0.37	0.088
1293689	Soil	1.4	33.0	9.3	96	0.2	44.5	12.6	226	3.23	5.4	1.3	3.1	5.1	19	0.3	0.4	0.1	80	0.26	0.051
1292743	Soil	3.4	67.7	9.0	105	0.4	42.3	8.7	195	3.23	4.8	1.7	2.8	5.5	20	0.2	1.3	0.2	76	0.20	0.049
1292750	Soil	2.7	87.9	6.9	111	0.3	21.0	3.7	164	4.36	1.7	1.8	4.6	4.5	10	0.2	1.4	0.2	60	0.10	0.089
1293693	Soil	2.2	29.4	7.2	101	0.2	34.8	10.4	213	2.96	4.4	1.0	2.3	4.5	15	0.1	0.4	0.3	78	0.24	0.075
1293700	Soil	1.2	27.1	6.7	60	0.1	27.0	9.3	370	2.14	7.7	0.6	1.8	3.5	49	0.3	0.7	0.1	53	1.25	0.069
1292747	Soil	2.5	77.0	7.9	103	0.8	55.1	13.7	301	2.83	12.8	1.2	6.8	5.1	27	0.3	0.9	0.1	74	0.48	0.083
1292746	Soil	2.0	42.2	8.2	97	0.3	52.0	13.2	283	3.03	6.9	1.1	1.8	5.8	22	0.2	0.8	0.1	77	0.34	0.064
1293697	Soil	1.7	31.8	7.2	88	0.1	33.2	11.2	247	2.87	7.0	1.6	2.7	4.5	24	0.2	0.5	0.2	72	0.42	0.076
1293687	Soil	1.8	57.2	9.3	118	0.2	70.2	13.5	152	4.56	3.5	1.4	0.6	6.1	11	0.1	0.4	0.2	114	0.12	0.037
1292748	Soil	1.7	51.4	8.0	104	0.1	35.9	11.6	203	3.47	5.8	1.9	1.4	7.2	19	0.2	0.4	0.1	87	0.28	0.066
1292749	Soil	7.0	48.8	10.0	80	1.0	24.0	6.6	277	2.90	5.4	1.8	<0.5	4.8	41	0.4	0.4	0.2	87	0.30	0.075
1292503	Soil	1.4	23.4	6.5	68	0.1	25.1	11.4	527	2.35	6.9	1.1	1.3	3.6	33	0.3	0.6	0.1	59	0.58	0.063
1293688	Soil	1.4	31.8	9.3	104	0.2	44.1	10.9	367	3.21	4.8	1.0	1.5	4.3	18	0.3	0.4	0.2	79	0.30	0.126
1292744	Soil	2.7	70.0	12.6	137	0.4	59.9	22.0	406	3.80	15.3	1.7	2.9	5.9	23	0.4	1.3	0.2	66	0.23	0.058
1292745	Soil	4.2	76.4	12.3	183	0.7	64.2	13.6	294	3.84	12.1	2.0	53.6	6.3	22	0.7	1.5	0.2	63	0.20	0.059

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000229.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1292505	Soil	17	41	0.60	397	0.089	2	1.32	0.021	0.15	0.2	0.05	4.4	0.2	<0.05	5	0.7	<0.2
1293696	Soil	17	34	0.58	361	0.068	2	1.19	0.010	0.12	0.3	0.04	3.2	0.2	<0.05	4	0.7	<0.2
1292501	Rock Pulp	3	30	0.71	87	0.092	3	1.30	0.068	0.11	12.4	0.01	3.7	<0.1	<0.05	5	<0.5	<0.2
1292504	Soil	15	33	0.50	349	0.065	1	1.12	0.014	0.10	0.3	0.04	3.3	0.1	<0.05	4	0.8	<0.2
1293699	Soil	18	42	0.73	398	0.107	1	1.64	0.012	0.21	0.2	0.03	3.9	0.3	<0.05	6	0.7	<0.2
1293691	Soil	20	43	0.67	379	0.077	1	1.38	0.007	0.25	0.2	0.03	3.2	0.3	<0.05	5	0.5	<0.2
1293686	Soil	37	56	1.04	268	0.084	<1	2.14	0.006	0.70	<0.1	0.01	3.6	0.6	<0.05	6	<0.5	<0.2
1293695	Soil	20	41	0.63	295	0.082	1	1.46	0.007	0.21	0.1	0.02	3.0	0.2	<0.05	5	<0.5	<0.2
1293685	Soil	32	114	1.41	313	0.075	<1	2.55	0.012	0.41	<0.1	<0.01	5.9	0.3	0.07	8	0.8	<0.2
1293692	Soil	21	43	0.68	305	0.081	1	1.59	0.008	0.20	0.1	0.05	3.5	0.2	<0.05	5	<0.5	<0.2
1293690	Soil	20	52	0.78	338	0.089	<1	1.72	0.007	0.34	0.1	0.01	3.8	0.4	<0.05	6	0.5	<0.2
1293684	Soil	31	51	0.91	265	0.095	<1	1.87	0.005	0.46	<0.1	<0.01	3.3	0.4	<0.05	7	<0.5	<0.2
1292506	Soil	16	42	0.70	430	0.087	1	1.37	0.021	0.16	0.2	0.03	4.0	0.2	<0.05	5	0.5	<0.2
1293694	Soil	21	53	0.80	359	0.099	1	1.87	0.009	0.27	0.1	0.02	3.9	0.3	<0.05	6	<0.5	<0.2
1293698	Soil	19	44	0.71	425	0.103	1	1.59	0.012	0.22	0.2	0.03	4.2	0.3	<0.05	6	1.0	<0.2
1293689	Soil	18	56	0.76	271	0.080	1	1.79	0.008	0.15	0.1	0.02	4.3	0.2	<0.05	6	0.5	<0.2
1292743	Soil	20	57	0.80	643	0.088	<1	1.60	0.007	0.23	0.2	0.02	3.3	0.4	0.08	5	2.3	<0.2
1292750	Soil	7	36	0.30	400	0.046	<1	0.97	0.003	0.23	<0.1	0.01	2.6	0.6	<0.05	4	3.2	<0.2
1293693	Soil	20	43	0.67	211	0.091	1	1.53	0.007	0.26	0.1	0.02	2.9	0.3	<0.05	5	<0.5	<0.2
1293700	Soil	13	29	0.55	364	0.061	2	0.91	0.019	0.06	0.3	0.03	3.3	0.1	0.10	3	0.5	<0.2
1292747	Soil	19	47	0.66	383	0.076	1	1.49	0.014	0.18	0.2	0.11	5.1	0.1	<0.05	5	1.1	<0.2
1292746	Soil	19	58	0.81	485	0.095	1	1.51	0.011	0.32	0.2	0.01	4.9	0.3	<0.05	5	<0.5	<0.2
1293697	Soil	17	40	0.62	379	0.081	1	1.38	0.014	0.11	0.2	0.03	3.6	0.2	<0.05	5	0.5	<0.2
1293687	Soil	22	74	1.04	260	0.145	<1	2.32	0.006	0.51	<0.1	0.01	4.5	0.5	<0.05	7	0.5	<0.2
1292748	Soil	22	62	0.92	366	0.111	<1	1.85	0.012	0.46	0.5	0.02	5.2	0.4	<0.05	6	0.8	<0.2
1292749	Soil	19	45	0.64	922	0.084	1	1.35	0.017	0.26	0.2	0.02	3.2	0.3	0.29	5	3.6	<0.2
1292503	Soil	14	32	0.51	335	0.066	1	1.13	0.018	0.08	0.2	0.03	3.2	0.1	<0.05	4	0.5	<0.2
1293688	Soil	21	55	0.75	267	0.079	1	1.54	0.008	0.25	0.2	0.04	3.3	0.3	<0.05	5	<0.5	<0.2
1292744	Soil	18	37	0.41	1073	0.026	<1	1.24	0.007	0.23	0.1	0.02	5.9	0.3	0.09	4	2.1	<0.2
1292745	Soil	17	41	0.33	715	0.024	<1	1.14	0.006	0.11	0.1	0.03	4.5	0.3	<0.05	4	2.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000229.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1292751	Rock Pulp	2.6	23.6	2.1	40	0.3	23.2	10.2	378	2.30	3.8	0.2	0.7	0.7	33	0.2	0.3	<0.1	66	0.75	0.055
1292502	Soil	2.7	59.8	8.8	131	0.2	41.1	13.5	229	3.68	4.9	1.9	3.1	6.8	34	0.4	0.8	0.2	103	0.50	0.084
1292760	Soil	2.0	27.1	9.4	78	0.2	22.1	8.5	240	3.27	7.8	0.7	3.3	1.7	14	0.2	0.5	0.2	79	0.14	0.049
1292766	Soil	1.0	37.9	6.5	56	0.2	24.0	5.5	77	1.86	3.4	1.7	1.9	1.6	16	0.4	0.2	0.1	47	0.18	0.042
1292754	Soil	2.3	44.4	9.3	122	0.2	45.2	14.7	228	3.13	3.8	1.4	1.8	4.2	18	0.6	0.3	0.2	85	0.27	0.089
1292758	Soil	5.2	38.9	9.1	131	1.9	27.9	10.1	214	3.43	5.5	1.3	<0.5	3.1	34	1.0	0.8	0.2	78	0.41	0.246
1292763	Soil	3.8	37.0	9.2	130	0.3	32.0	9.4	272	3.11	5.0	1.0	3.1	3.1	14	0.6	0.4	0.2	83	0.14	0.076
1292765	Soil	4.2	55.4	9.3	145	0.6	43.6	15.4	412	3.36	4.2	1.8	4.7	4.1	21	0.4	0.4	0.2	94	0.25	0.080
1292755	Soil	3.7	47.8	10.4	85	0.8	28.2	7.5	197	3.10	9.8	1.0	1.4	4.5	24	0.2	0.9	0.2	94	0.28	0.075
1292759	Soil	1.4	19.9	7.7	79	0.3	17.6	9.6	512	2.74	6.7	0.4	1.5	2.7	18	0.4	0.4	0.2	72	0.25	0.061
1292762	Soil	2.5	30.2	8.8	84	0.1	23.7	6.1	114	2.92	5.8	0.8	2.7	3.2	10	0.2	0.5	0.2	78	0.07	0.049
1292764	Soil	2.8	65.6	8.2	125	0.6	43.9	11.4	197	3.01	4.4	3.0	3.1	4.4	20	0.7	0.4	0.2	78	0.27	0.083
1292756	Soil	1.2	20.2	8.9	67	0.3	26.6	11.3	399	2.53	9.0	0.6	3.4	3.7	22	0.2	0.5	0.1	62	0.28	0.049
1292753	Soil	9.1	72.6	9.2	164	0.8	21.2	6.5	262	4.02	3.6	1.8	2.1	4.3	26	0.9	0.4	0.2	90	0.14	0.176
1292761	Soil	3.1	72.5	7.1	142	0.5	22.5	6.8	178	3.54	1.7	1.5	7.4	4.4	19	0.4	0.3	0.2	74	0.13	0.074
1292767	Soil	1.8	18.9	7.0	54	0.2	18.7	5.3	95	1.72	4.8	0.7	2.1	2.3	15	0.2	0.2	0.2	64	0.16	0.027
1292757	Soil	4.5	69.8	13.5	335	0.6	108.7	17.3	318	4.51	3.8	2.6	1.6	8.3	26	1.3	0.6	0.2	99	0.43	0.102
1292752	Soil	1.8	34.8	6.6	53	0.3	21.2	8.9	197	3.09	8.5	0.6	11.2	3.0	21	0.2	0.5	0.1	72	0.20	0.042
1292539	Soil	1.2	25.2	9.1	49	<0.1	32.2	22.3	572	4.64	10.1	0.9	7.1	6.3	31	<0.1	1.0	0.1	122	0.63	0.085
1292534	Soil	1.2	32.7	7.9	59	0.1	26.7	13.9	438	3.03	15.4	1.7	9.8	5.0	44	0.3	1.2	0.1	68	1.00	0.069
1292524	Soil	3.3	77.7	16.7	209	<0.1	80.8	19.7	444	5.39	91.5	2.8	1.4	7.4	22	0.6	4.7	0.2	160	0.47	0.124
1292518	Soil	1.5	39.5	8.2	71	0.2	38.5	13.3	408	3.29	50.5	0.8	9.0	4.7	36	0.2	1.9	0.1	75	0.73	0.079
1292515	Soil	2.3	51.5	10.8	51	<0.1	14.7	8.4	316	2.97	19.5	0.8	4.3	9.1	12	<0.1	2.6	0.3	40	0.26	0.025
1292528	Soil	2.6	72.5	9.9	131	0.3	115.4	23.9	395	4.50	23.3	1.3	6.3	6.4	38	0.3	2.0	0.2	132	0.58	0.092
1292527	Soil	6.3	88.2	15.4	299	0.4	114.3	24.1	775	4.21	90.8	1.9	3.0	5.7	33	1.4	12.4	0.2	92	0.21	0.092
1292520	Soil	1.4	31.5	12.8	71	<0.1	18.3	7.5	218	2.13	20.6	3.4	1.4	23.5	35	<0.1	1.5	0.3	52	0.28	0.058
1292537	Soil	1.6	39.5	16.1	47	0.1	32.2	14.9	527	3.00	12.6	1.3	3.9	5.3	37	0.1	0.8	0.1	72	0.75	0.055
1292517	Soil	1.2	36.3	7.2	77	<0.1	30.0	13.4	763	3.77	31.4	0.9	9.1	4.7	20	<0.1	1.9	0.1	62	0.38	0.046
1292530	Soil	2.5	46.1	8.8	94	0.2	53.2	15.0	494	3.47	30.6	2.4	4.4	8.7	35	0.3	2.0	0.2	91	0.64	0.086
1292513	Soil	1.3	31.4	7.1	92	0.2	41.6	22.0	1357	5.00	15.0	1.3	4.8	12.1	88	<0.1	4.0	0.3	48	4.87	0.060

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000229.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1292751	Rock Pulp	4	34	0.74	88	0.103	2	1.34	0.069	0.10	12.2	0.01	3.8	<0.1	<0.05	5	<0.5	<0.2
1292502	Soil	22	57	0.76	476	0.138	1	1.97	0.018	0.25	0.1	0.04	5.6	0.3	<0.05	7	1.1	<0.2
1292760	Soil	13	43	0.58	297	0.062	<1	1.79	0.008	0.12	0.1	<0.01	2.7	0.2	0.05	6	0.8	<0.2
1292766	Soil	15	33	0.42	216	0.057	<1	1.13	0.007	0.09	0.1	0.03	2.5	0.2	<0.05	5	1.4	<0.2
1292754	Soil	23	48	0.74	300	0.097	<1	1.80	0.007	0.31	0.2	0.02	3.4	0.3	<0.05	6	0.7	<0.2
1292758	Soil	14	44	0.58	579	0.060	1	1.98	0.008	0.12	0.4	0.04	3.4	0.2	0.08	6	1.1	<0.2
1292763	Soil	16	40	0.58	286	0.071	2	1.42	0.006	0.19	0.1	0.02	2.6	0.3	<0.05	6	0.9	<0.2
1292765	Soil	20	47	0.69	424	0.083	2	1.66	0.008	0.23	0.1	0.03	3.4	0.3	<0.05	6	1.8	<0.2
1292755	Soil	16	53	0.78	714	0.083	1	1.71	0.008	0.28	0.2	0.01	3.7	0.3	<0.05	7	1.7	<0.2
1292759	Soil	11	39	0.55	397	0.074	1	1.43	0.009	0.18	0.2	0.01	2.4	0.2	<0.05	6	<0.5	<0.2
1292762	Soil	14	34	0.44	213	0.080	1	1.22	0.008	0.17	0.1	<0.01	2.2	0.3	<0.05	6	0.6	<0.2
1292764	Soil	19	45	0.68	518	0.084	1	1.57	0.008	0.21	0.2	0.04	4.1	0.3	<0.05	6	2.3	<0.2
1292756	Soil	11	40	0.55	302	0.075	1	1.37	0.008	0.12	0.2	0.01	3.0	0.1	<0.05	4	<0.5	<0.2
1292753	Soil	23	41	0.60	664	0.082	<1	1.58	0.021	0.27	0.1	0.01	2.8	0.4	0.31	7	3.5	<0.2
1292761	Soil	21	46	0.80	582	0.089	<1	1.63	0.020	0.48	0.3	<0.01	2.9	0.6	0.29	6	2.4	<0.2
1292767	Soil	12	29	0.39	178	0.074	1	1.04	0.006	0.08	0.1	0.02	2.2	0.2	<0.05	5	0.5	<0.2
1292757	Soil	31	62	0.97	656	0.082	1	2.52	0.007	0.55	<0.1	0.01	5.5	0.6	<0.05	7	1.0	<0.2
1292752	Soil	10	41	0.55	304	0.051	1	1.64	0.017	0.08	<0.1	0.02	2.8	0.2	0.12	5	1.0	<0.2
1292539	Soil	19	49	1.35	339	0.130	2	2.28	0.020	0.36	0.1	0.04	10.2	0.3	<0.05	8	<0.5	<0.2
1292534	Soil	21	34	0.63	366	0.079	2	1.31	0.023	0.11	0.2	0.06	5.1	0.1	0.05	4	0.7	<0.2
1292524	Soil	26	93	0.89	412	0.080	<1	2.06	0.008	0.36	0.2	0.02	10.7	0.3	<0.05	9	1.4	<0.2
1292518	Soil	16	52	0.67	321	0.068	2	1.40	0.021	0.10	0.2	0.03	5.8	0.2	<0.05	5	0.7	<0.2
1292515	Soil	16	23	0.46	152	0.010	<1	1.43	0.007	0.12	<0.1	0.01	6.7	<0.1	<0.05	5	<0.5	<0.2
1292528	Soil	20	119	1.26	713	0.143	2	1.96	0.033	0.51	0.2	0.04	7.7	0.5	0.16	8	1.5	<0.2
1292527	Soil	16	53	0.32	209	0.026	1	0.91	0.011	0.17	0.9	0.03	5.5	0.7	0.06	4	2.7	<0.2
1292520	Soil	53	36	0.56	212	0.110	<1	1.38	0.012	0.39	<0.1	0.03	5.3	0.8	<0.05	6	<0.5	<0.2
1292537	Soil	18	44	0.80	331	0.090	2	1.68	0.021	0.13	0.2	0.02	5.3	0.1	0.08	5	<0.5	<0.2
1292517	Soil	18	28	0.62	337	0.028	2	1.48	0.015	0.11	0.1	0.05	10.0	0.1	<0.05	5	<0.5	<0.2
1292530	Soil	29	70	0.85	435	0.076	2	1.55	0.023	0.29	0.2	0.05	6.1	0.4	0.10	6	1.0	<0.2
1292513	Soil	35	60	1.91	402	0.116	2	2.49	0.008	0.61	0.2	0.03	4.8	0.5	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000229.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1292516	Soil	1.7	49.4	5.7	94	0.3	47.3	25.2	966	5.21	6.7	0.6	4.4	2.1	48	<0.1	0.5	<0.1	125	1.14	0.178
1292525	Soil	6.0	87.8	15.8	151	0.3	47.5	11.0	291	3.98	114.8	3.3	2.7	4.3	43	0.6	7.2	0.1	156	0.34	0.110
1292529	Soil	2.8	64.2	11.9	98	0.3	109.3	22.2	655	3.85	22.2	1.9	4.8	4.8	34	0.3	2.3	0.2	114	0.65	0.090
1292538	Soil	1.2	41.3	10.3	54	0.1	34.1	16.8	429	3.42	9.6	1.0	5.5	4.3	37	0.2	0.8	0.1	84	0.81	0.064
1292531	Soil	1.2	26.4	14.3	86	0.3	21.2	13.4	470	3.06	25.6	1.6	4.5	6.9	40	0.2	1.6	0.2	81	0.89	0.082
1292508	Soil	1.2	9.6	7.6	49	<0.1	13.1	6.1	168	2.00	9.7	0.4	4.7	2.4	21	<0.1	0.6	0.2	63	0.39	0.034
1292522	Soil	2.5	44.8	9.4	71	0.1	28.2	11.0	243	2.77	30.2	1.3	3.4	4.6	30	0.2	2.0	0.2	84	0.30	0.053
1292536	Soil	1.0	95.8	208.8	67	0.3	36.0	14.7	492	3.03	12.7	0.7	14.7	4.2	41	0.3	1.7	0.1	75	0.86	0.074
1292512	Soil	1.3	39.4	10.8	88	0.2	44.5	18.6	710	4.15	14.5	1.0	4.7	18.2	32	<0.1	2.2	0.1	57	1.16	0.081
1292523	Soil	5.3	77.9	16.7	72	0.2	36.8	9.3	180	2.72	62.1	2.8	3.8	6.2	75	0.2	3.7	0.2	111	0.27	0.073
1292535	Soil	1.0	66.2	57.2	58	0.2	32.7	13.3	424	2.96	10.5	1.1	7.0	4.9	40	0.2	1.1	0.1	74	0.81	0.083
1292514	Soil	1.0	19.9	12.0	62	<0.1	34.7	17.3	581	3.90	8.8	1.0	3.5	10.2	75	<0.1	1.3	<0.1	62	2.28	0.081
1292526	Soil	4.7	67.2	13.0	138	0.3	50.2	11.6	310	3.99	71.7	2.3	6.8	3.5	42	0.6	5.5	0.2	136	0.39	0.102
1292509	Soil	1.0	11.3	8.5	63	<0.1	19.3	9.4	265	2.53	9.7	0.6	5.1	3.8	26	<0.1	0.7	0.1	62	0.55	0.073
1292532	Soil	1.4	34.8	7.5	64	0.1	33.7	14.1	793	2.91	13.1	0.7	2.8	4.2	37	0.3	1.1	0.1	65	0.74	0.083
1292510	Soil	2.1	14.3	12.6	65	<0.1	23.8	13.7	460	3.66	75.0	1.0	5.2	16.0	19	0.1	1.8	0.1	57	0.45	0.049
1292521	Soil	3.3	28.2	10.8	29	0.2	13.7	4.3	89	1.54	46.3	1.1	3.4	5.0	51	0.1	4.6	0.2	50	0.16	0.058
1292519	Soil	2.3	39.0	12.9	64	0.1	39.5	15.6	393	3.12	21.3	4.0	4.4	13.1	34	<0.1	1.6	0.3	79	0.46	0.085
1292507	Soil	0.8	20.6	9.3	61	<0.1	20.3	9.2	284	2.87	11.9	0.9	2.6	3.4	26	<0.1	0.7	0.1	72	0.53	0.072
1292533	Soil	1.6	40.4	8.5	81	0.2	31.8	14.0	359	3.63	33.3	1.7	11.8	4.0	45	0.2	1.2	0.2	93	0.93	0.062
1293561	Soil	1.9	36.8	6.7	93	0.5	35.3	12.8	282	3.43	4.2	1.2	3.1	3.6	20	0.3	0.2	0.1	88	0.34	0.099
1293575	Soil	1.7	25.7	7.1	98	0.3	31.4	10.2	181	2.78	4.9	1.0	17.8	3.0	17	0.2	0.3	0.2	71	0.24	0.073
1293577	Soil	2.1	28.2	6.5	84	0.2	26.6	8.8	257	2.57	5.6	1.1	3.6	2.8	19	0.2	0.4	0.2	75	0.32	0.071
1292511	Soil	1.3	17.8	12.0	56	<0.1	25.2	12.4	325	3.16	13.5	0.8	3.4	9.0	20	<0.1	0.9	0.1	69	0.35	0.044
1293565	Soil	8.6	81.4	11.0	146	1.4	19.5	4.4	299	5.75	10.9	2.2	1.7	4.3	34	0.3	0.9	0.4	218	0.24	0.133
1293564	Soil	1.6	50.9	9.6	109	0.2	56.8	9.0	151	3.30	5.6	1.6	1.3	5.1	11	<0.1	0.9	0.2	85	0.14	0.040
1293569	Soil	4.7	65.1	13.0	143	0.5	42.2	8.1	241	3.48	2.9	1.9	6.0	2.8	27	0.7	0.6	0.2	99	0.27	0.102
1293559	Soil	2.9	44.4	7.8	137	0.3	50.0	11.9	250	3.83	4.5	1.2	2.8	4.1	20	0.4	0.4	0.2	93	0.27	0.081
1293574	Soil	1.7	28.5	6.1	79	0.3	26.6	8.1	149	2.67	4.1	0.9	2.4	1.8	12	0.2	0.2	0.1	78	0.14	0.047
1293551	Rock Pulp	2.7	25.4	2.0	43	0.3	26.4	10.9	430	2.60	4.6	0.2	1.1	0.8	38	0.1	0.3	<0.1	64	0.86	0.064

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000229.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1292516	Soil	26	111	1.34	382	0.053	<1	2.74	0.022	0.07	<0.1	0.03	11.1	<0.1	<0.05	9	<0.5	<0.2
1292525	Soil	16	75	0.72	340	0.091	<1	1.67	0.015	0.31	0.4	0.02	6.4	0.3	0.09	7	3.1	<0.2
1292529	Soil	18	103	0.91	793	0.083	3	1.67	0.028	0.21	0.4	0.19	8.2	0.4	<0.05	6	1.2	<0.2
1292538	Soil	15	55	1.15	322	0.116	2	1.89	0.022	0.29	0.2	0.03	6.5	0.2	0.06	6	0.5	<0.2
1292531	Soil	17	34	0.89	320	0.118	2	1.65	0.022	0.22	0.2	0.05	6.8	0.3	0.05	6	0.6	<0.2
1292508	Soil	8	35	0.54	79	0.086	2	1.05	0.015	0.10	0.2	0.03	3.0	0.1	<0.05	5	<0.5	<0.2
1292522	Soil	16	53	0.56	373	0.097	<1	1.51	0.010	0.15	<0.1	0.03	5.2	0.3	<0.05	5	0.7	<0.2
1292536	Soil	15	42	0.85	416	0.101	2	1.57	0.030	0.14	0.3	0.04	6.2	0.1	0.07	5	0.8	<0.2
1292512	Soil	54	62	1.59	246	0.140	1	2.29	0.009	0.80	0.6	0.03	5.2	0.7	<0.05	7	<0.5	<0.2
1292523	Soil	22	63	0.54	463	0.080	<1	1.31	0.009	0.28	0.2	0.03	7.7	0.5	0.11	5	3.6	<0.2
1292535	Soil	18	43	0.87	378	0.098	2	1.66	0.030	0.17	0.2	0.04	5.9	0.1	0.07	5	<0.5	<0.2
1292514	Soil	36	44	1.13	389	0.063	4	1.53	0.012	0.43	0.1	0.03	8.2	0.3	<0.05	5	<0.5	<0.2
1292526	Soil	15	65	0.84	320	0.096	1	1.89	0.014	0.27	0.3	0.02	5.8	0.3	0.14	8	2.1	<0.2
1292509	Soil	11	39	0.72	115	0.098	2	1.28	0.016	0.14	0.8	0.05	4.1	0.2	0.06	5	<0.5	<0.2
1292532	Soil	14	39	0.77	273	0.087	2	1.34	0.027	0.12	0.2	0.03	5.6	0.1	<0.05	5	<0.5	<0.2
1292510	Soil	34	38	0.66	238	0.061	3	1.64	0.010	0.20	0.2	0.02	4.9	0.3	<0.05	6	<0.5	<0.2
1292521	Soil	16	35	0.24	495	0.040	<1	0.87	0.007	0.07	0.2	0.03	4.4	0.3	0.08	3	1.9	<0.2
1292519	Soil	36	66	0.67	308	0.096	1	1.59	0.018	0.17	0.2	0.04	7.9	0.3	0.05	6	<0.5	<0.2
1292507	Soil	13	39	0.74	191	0.094	2	1.53	0.016	0.10	0.2	0.04	4.9	0.2	0.07	6	<0.5	<0.2
1292533	Soil	15	53	1.04	269	0.059	3	1.67	0.014	0.23	<0.1	0.04	8.3	0.3	0.06	6	0.8	<0.2
1293561	Soil	21	34	0.74	396	0.135	1	1.79	0.010	0.27	0.1	0.03	3.8	0.3	0.05	7	0.9	<0.2
1293575	Soil	16	39	0.63	221	0.091	1	1.61	0.010	0.19	0.2	0.04	2.9	0.3	0.07	6	0.7	<0.2
1293577	Soil	15	35	0.59	236	0.076	1	1.32	0.012	0.14	0.2	0.04	2.9	0.2	0.07	5	1.0	<0.2
1292511	Soil	16	39	0.61	261	0.079	2	1.89	0.015	0.09	0.2	0.02	4.5	0.1	<0.05	6	<0.5	<0.2
1293565	Soil	19	67	1.39	1178	0.190	<1	2.67	0.015	0.74	0.1	0.01	5.3	0.7	0.37	10	6.4	<0.2
1293564	Soil	18	53	0.92	222	0.104	<1	2.02	0.006	0.44	<0.1	<0.01	3.9	0.5	<0.05	6	0.9	<0.2
1293569	Soil	19	54	0.88	587	0.071	<1	1.85	0.014	0.24	0.1	0.02	3.8	0.4	0.21	6	5.9	<0.2
1293559	Soil	28	50	0.89	420	0.112	1	2.03	0.010	0.36	0.1	0.02	3.6	0.3	0.09	6	0.7	<0.2
1293574	Soil	13	31	0.47	153	0.079	1	1.27	0.008	0.11	0.1	0.03	2.3	0.2	0.08	5	<0.5	<0.2
1293551	Rock Pulp	4	33	0.83	84	0.123	2	1.56	0.081	0.12	14.9	0.02	4.6	<0.1	0.09	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000229.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1293568	Soil		1.8	21.8	9.2	66	0.9	28.8	10.9	259	3.33	9.8	0.5	1.7	2.9	14	0.3	0.6	0.2	80	0.16	0.039
1293557	Soil		3.1	32.4	7.3	94	0.2	34.5	11.3	210	3.24	7.7	0.7	2.2	3.3	18	0.5	0.4	0.1	85	0.21	0.081
1293563	Soil		1.6	45.4	9.7	85	0.2	42.0	10.1	243	3.57	8.3	1.4	5.6	6.0	16	<0.1	1.1	0.1	83	0.27	0.067
1293562	Soil		1.6	40.4	5.9	55	0.6	26.9	7.8	99	2.25	3.1	1.7	4.2	1.7	17	0.3	0.3	0.1	56	0.23	0.042
1293556	Soil		3.3	29.1	9.9	135	0.8	39.5	10.5	241	3.21	6.1	0.9	2.8	3.9	26	1.5	0.4	0.2	86	0.24	0.207
1293560	Soil		3.4	67.6	9.3	120	1.1	56.9	16.0	227	4.44	5.4	2.7	7.1	5.7	22	0.4	0.4	0.2	109	0.20	0.063
1293566	Soil		2.4	28.3	9.3	122	0.7	28.2	9.6	514	3.22	6.8	0.7	2.3	1.8	28	0.7	0.3	0.2	85	0.23	0.101
1293576	Soil		1.5	31.9	7.6	100	0.3	33.7	11.4	196	2.97	4.9	1.3	2.8	2.9	18	0.2	0.3	0.2	77	0.25	0.076
1293552	Soil		1.4	30.6	11.7	120	0.3	39.2	9.4	344	3.14	5.8	0.7	1.4	2.4	16	0.3	0.5	0.2	93	0.24	0.049
1293572	Soil		1.3	35.0	6.7	89	0.3	29.1	8.3	133	2.90	3.5	1.1	2.1	2.4	17	0.2	0.2	0.1	65	0.23	0.078
1293571	Soil		2.0	37.4	6.9	102	0.2	33.0	9.8	195	2.95	4.5	1.2	2.5	2.7	21	0.3	0.3	0.1	73	0.33	0.092
1293558	Soil		3.3	48.1	7.3	131	0.8	44.0	11.6	218	3.58	4.5	1.4	4.6	5.3	20	0.5	0.4	0.2	91	0.25	0.080
1293555	Soil		1.7	37.9	11.6	269	0.3	124.2	18.3	367	4.42	5.0	1.0	3.3	5.8	24	1.5	0.3	0.2	97	0.33	0.253
1293554	Soil		1.9	45.6	7.0	98	<0.1	93.0	17.9	362	4.55	4.0	1.1	1.0	5.8	29	0.2	0.4	0.1	125	0.44	0.061
1293570	Soil		3.4	40.2	8.3	120	0.4	54.6	21.3	625	3.81	5.9	0.8	8.8	2.5	16	1.0	0.4	0.2	72	0.20	0.082
1293578	Soil		2.0	35.9	7.6	100	0.3	37.2	12.4	254	3.26	6.1	1.6	3.3	4.6	21	0.3	0.4	0.2	80	0.33	0.077
1293581	Soil		1.8	44.9	8.0	100	0.2	34.6	12.7	349	3.28	9.0	2.1	4.0	4.7	30	0.2	0.7	0.2	76	0.41	0.085
1293580	Soil		1.8	38.3	7.1	86	0.2	34.3	11.7	331	2.99	6.5	1.5	2.9	3.5	24	0.2	0.4	0.1	71	0.46	0.075
1293573	Soil		1.5	31.9	7.2	58	0.3	20.0	6.6	101	2.32	4.3	1.1	4.4	1.8	14	0.2	0.2	0.2	66	0.16	0.041
1293579	Soil		1.9	33.1	7.4	72	0.2	27.4	8.7	137	2.46	5.2	1.5	2.4	1.5	20	0.2	0.4	0.2	65	0.31	0.060
1293553	Soil		10.5	58.7	14.7	124	1.1	15.3	6.1	447	4.22	3.9	1.9	0.9	4.8	37	0.7	1.2	0.3	102	0.35	0.182
1293567	Soil		1.8	38.4	8.4	52	0.7	42.3	9.1	235	2.44	8.1	1.1	4.4	3.8	17	0.2	0.5	0.1	59	0.18	0.029
1292988	Soil		2.7	62.0	12.8	107	0.2	39.7	8.2	248	3.60	60.6	1.9	3.6	6.0	26	0.3	4.6	0.2	111	0.20	0.060
1292983	Soil		1.6	35.1	8.2	67	0.2	27.1	12.5	530	2.58	20.3	1.3	3.7	3.4	30	0.2	1.8	0.1	66	0.47	0.070
1292990	Soil		2.7	68.1	14.5	136	0.3	68.1	14.8	306	3.63	62.6	1.9	5.8	7.3	30	0.4	6.7	0.2	81	0.22	0.036
1292991	Soil		3.0	76.2	13.6	121	0.2	61.5	15.0	316	3.69	107.0	1.4	11.1	5.9	36	0.4	8.0	0.4	128	0.31	0.032
1292987	Soil		2.7	62.0	12.4	125	0.2	49.3	11.3	311	3.35	65.6	1.9	2.4	5.4	25	0.3	8.2	0.2	117	0.20	0.050
1292986	Soil		1.6	63.6	5.1	96	<0.1	146.7	23.7	212	4.05	37.8	1.7	2.4	5.4	23	0.1	2.3	0.1	102	0.47	0.081
1292982	Soil		2.7	47.9	12.7	102	0.2	62.9	17.0	380	3.13	69.0	2.8	3.1	4.3	25	0.4	3.5	0.1	76	0.32	0.066
1292989	Soil		2.1	40.2	11.9	72	0.2	41.2	12.2	329	2.99	42.6	1.0	4.3	4.1	25	0.1	3.5	0.2	84	0.30	0.022

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000229.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1293568	Soil	10	43	0.56	284	0.065	1	2.08	0.008	0.06	0.1	0.02	3.2	0.1	0.06	6	0.5	<0.2
1293557	Soil	14	42	0.64	299	0.083	2	1.69	0.010	0.15	0.2	0.02	3.2	0.2	0.08	6	0.6	<0.2
1293563	Soil	24	52	0.91	455	0.111	1	2.06	0.009	0.34	0.1	0.01	4.2	0.4	<0.05	6	0.6	<0.2
1293562	Soil	19	27	0.45	349	0.075	1	1.29	0.010	0.09	0.1	0.05	3.0	0.2	0.09	5	1.0	<0.2
1293556	Soil	16	40	0.51	467	0.081	1	1.58	0.010	0.15	0.2	0.02	3.7	0.3	0.13	8	0.6	<0.2
1293560	Soil	45	53	0.89	570	0.127	2	2.79	0.011	0.26	0.1	0.08	5.9	0.3	0.09	9	1.0	<0.2
1293566	Soil	14	44	0.57	472	0.059	1	1.62	0.012	0.14	0.1	0.02	3.0	0.2	0.11	7	0.8	<0.2
1293576	Soil	17	40	0.62	253	0.089	1	1.72	0.010	0.18	0.2	0.04	3.2	0.2	0.08	6	0.6	<0.2
1293552	Soil	11	46	0.63	342	0.102	1	2.02	0.008	0.24	0.1	0.01	3.0	0.3	0.07	7	<0.5	<0.2
1293572	Soil	18	34	0.63	305	0.114	1	1.60	0.009	0.28	0.1	0.04	3.2	0.3	0.08	7	1.2	<0.2
1293571	Soil	16	35	0.64	286	0.083	2	1.55	0.014	0.18	0.2	0.04	3.9	0.2	0.08	6	1.2	<0.2
1293558	Soil	24	51	0.87	357	0.111	1	2.02	0.011	0.32	0.1	0.02	4.0	0.4	0.08	6	0.6	<0.2
1293555	Soil	15	65	1.13	493	0.130	1	2.18	0.010	0.23	0.2	0.02	5.8	0.4	0.05	7	<0.5	<0.2
1293554	Soil	23	130	1.66	359	0.096	<1	3.42	0.016	0.15	<0.1	<0.01	6.9	0.3	<0.05	9	0.6	<0.2
1293570	Soil	13	40	0.52	236	0.084	1	1.52	0.011	0.13	0.1	0.02	3.2	0.2	0.10	6	1.0	<0.2
1293578	Soil	18	43	0.73	319	0.096	1	1.77	0.010	0.16	0.2	0.04	3.9	0.3	<0.05	6	0.9	<0.2
1293581	Soil	19	41	0.73	512	0.094	2	1.58	0.019	0.12	0.2	0.04	5.3	0.2	0.08	5	0.9	<0.2
1293580	Soil	17	38	0.66	339	0.082	1	1.59	0.014	0.11	0.2	0.05	3.7	0.2	0.06	5	0.8	<0.2
1293573	Soil	13	29	0.42	251	0.067	1	1.17	0.008	0.08	0.1	0.04	2.4	0.2	<0.05	5	0.7	<0.2
1293579	Soil	14	35	0.54	280	0.058	1	1.45	0.010	0.08	0.2	0.04	2.5	0.2	<0.05	5	0.8	<0.2
1293553	Soil	22	43	0.77	1293	0.075	1	1.41	0.012	0.44	0.2	0.02	2.4	0.4	0.29	6	5.4	0.2
1293567	Soil	9	40	0.58	236	0.055	<1	1.51	0.007	0.06	0.2	0.02	2.7	0.1	<0.05	4	<0.5	<0.2
1292988	Soil	21	62	0.79	442	0.108	<1	1.61	0.011	0.51	0.1	0.02	5.4	0.5	0.08	7	1.4	<0.2
1292983	Soil	16	38	0.63	258	0.087	2	1.49	0.019	0.10	0.1	0.05	4.4	0.2	0.06	5	0.7	<0.2
1292990	Soil	23	51	0.54	333	0.085	<1	1.63	0.006	0.36	0.2	0.09	5.8	0.6	<0.05	6	2.0	<0.2
1292991	Soil	17	66	0.59	309	0.085	1	1.83	0.007	0.20	0.3	0.05	7.9	0.4	0.08	7	1.2	<0.2
1292987	Soil	20	68	0.79	455	0.112	<1	1.58	0.007	0.35	0.1	0.02	4.8	0.5	<0.05	6	1.3	<0.2
1292986	Soil	24	180	1.67	796	0.140	<1	2.00	0.015	0.32	<0.1	0.03	5.9	0.5	<0.05	8	0.8	<0.2
1292982	Soil	13	85	0.65	336	0.067	1	1.52	0.009	0.21	0.1	0.02	5.5	0.4	<0.05	5	0.9	<0.2
1292989	Soil	14	52	0.56	326	0.101	<1	1.57	0.009	0.24	0.2	0.02	5.1	0.3	<0.05	5	1.0	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000229.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1292967	Soil	1.8	34.6	12.3	92	0.2	43.9	17.0	380	3.40	17.2	1.5	4.7	4.2	19	0.3	0.7	0.2	84	0.28	0.051
1292971	Soil	2.0	64.2	8.4	163	<0.1	72.2	19.0	609	4.30	2.2	1.4	1.4	6.5	17	0.4	0.1	0.1	94	0.58	0.157
1292985	Soil	2.0	68.3	17.9	80	0.3	49.4	11.0	670	3.57	92.6	1.4	6.6	5.4	45	0.3	3.5	0.2	111	0.28	0.038
1292984	Soil	2.7	29.8	11.5	53	<0.1	24.2	8.7	242	3.64	39.0	0.6	1.9	2.0	14	0.2	1.7	0.2	97	0.10	0.039
1292972	Soil	1.8	32.2	13.6	77	0.2	41.5	12.5	207	3.36	23.7	0.8	1.8	4.9	15	0.1	1.6	0.1	89	0.26	0.042
1292968	Soil	1.8	40.9	7.8	103	<0.1	59.6	15.8	404	4.06	27.1	1.4	1.1	6.2	17	0.2	1.3	0.2	92	0.27	0.072
1292964	Soil	0.9	22.2	8.5	80	0.2	30.4	13.5	375	2.90	19.0	1.2	2.7	3.3	33	0.2	0.8	0.1	66	0.65	0.066
1292965	Soil	1.4	29.8	9.3	100	0.2	34.1	17.3	889	3.28	15.8	1.5	4.2	4.2	26	0.3	0.8	0.1	72	0.50	0.070
1293219	Soil	5.6	101.7	11.2	190	1.1	54.5	12.4	410	4.30	12.8	2.1	2.8	3.6	31	0.6	0.3	0.2	123	0.21	0.089
1292981	Soil	5.4	141.5	11.5	112	0.4	60.6	24.6	322	4.39	35.1	4.5	2.9	7.5	64	0.3	2.6	0.2	147	0.13	0.059
1292980	Soil	1.9	90.8	8.4	86	<0.1	59.3	18.4	724	3.89	43.7	1.7	2.4	7.4	9	<0.1	2.0	0.1	80	0.13	0.026
1292970	Soil	0.6	30.3	10.3	88	0.2	49.8	20.7	546	3.96	25.3	0.9	2.2	5.2	142	0.1	0.8	<0.1	53	3.79	0.094
1293220	Soil	6.8	67.3	9.5	124	1.4	39.7	8.6	239	2.91	19.3	1.9	6.1	3.7	31	0.6	0.8	0.1	70	0.53	0.064
1292978	Soil	3.6	77.1	14.4	117	0.3	40.4	7.2	271	3.36	63.9	1.9	1.3	5.2	31	0.3	4.0	0.2	105	0.15	0.042
1292979	Soil	2.8	45.8	12.4	102	0.3	45.7	12.6	327	3.82	20.2	1.4	1.3	6.1	19	0.2	1.6	0.1	78	0.20	0.024
1292973	Soil	1.2	52.0	8.5	103	0.2	56.2	19.7	483	4.92	11.3	1.4	<0.5	4.3	9	<0.1	0.4	<0.1	181	0.27	0.062
1293221	Soil	3.7	51.7	11.6	120	0.8	53.4	11.7	292	3.56	30.7	0.9	6.7	2.5	20	0.4	0.9	0.2	92	0.34	0.027
1292977	Soil	2.7	38.7	9.2	99	0.2	43.7	10.1	331	3.10	20.1	1.1	0.8	3.7	17	0.2	1.6	0.1	79	0.18	0.025
1292975	Soil	2.4	53.7	13.2	104	0.2	54.6	12.4	410	3.13	57.0	1.4	3.6	5.2	29	0.3	3.4	0.2	79	0.29	0.032
1292969	Soil	1.1	12.9	8.0	57	<0.1	25.1	9.6	166	2.48	11.1	0.4	<0.5	2.9	14	<0.1	0.4	0.1	68	0.28	0.041
1293222	Soil	8.1	96.3	16.6	124	2.5	42.1	7.4	140	3.53	72.7	2.6	9.0	3.3	52	0.5	1.5	0.2	59	0.06	0.066
1292976	Soil	2.1	53.2	9.7	84	0.2	44.4	11.5	329	2.93	42.7	1.4	5.2	5.2	26	0.2	2.6	0.2	70	0.30	0.035
1292974	Soil	1.1	20.2	10.9	98	<0.1	14.1	9.7	283	2.76	11.6	0.8	1.5	5.9	18	<0.1	0.7	0.1	42	0.43	0.074
1292966	Soil	1.6	34.0	9.1	106	<0.1	57.1	21.8	732	3.57	10.7	0.9	2.9	3.5	17	0.2	0.7	0.1	92	0.35	0.057
1293214	Soil	9.2	90.5	10.8	184	0.9	53.0	7.5	232	3.69	17.9	2.5	1.3	3.5	29	0.7	0.5	0.2	108	0.21	0.061
1293213	Soil	10.8	87.4	31.3	256	0.9	80.2	13.6	524	4.04	40.3	2.7	3.3	4.6	43	1.6	0.5	0.3	101	0.88	0.067
1293209	Soil	0.9	23.0	1.3	60	0.2	10.8	1.3	215	0.33	1.1	1.1	2.4	0.3	72	0.3	0.2	0.2	<2	3.46	0.076
1293223	Soil	10.9	90.1	17.0	250	1.6	115.4	13.2	405	3.70	52.1	2.2	4.0	1.9	46	1.4	1.3	0.2	98	0.40	0.112
1293215	Soil	6.9	122.3	13.1	263	1.6	96.6	12.5	362	3.82	44.6	3.3	3.7	3.9	52	1.6	0.6	0.3	84	0.91	0.098
1293217	Soil	5.0	115.4	14.2	305	1.9	90.7	20.4	990	3.74	55.6	3.4	3.0	2.4	45	3.1	0.9	0.2	80	1.50	0.069

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000229.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1292967	Soil		27	64	0.87	585	0.092	2	1.88	0.010	0.15	0.1	0.04	4.4	0.2	<0.05	7	<0.5	<0.2
1292971	Soil		38	80	1.69	292	0.171	<1	2.52	0.007	0.89	0.2	0.01	3.2	0.7	<0.05	7	1.2	<0.2
1292985	Soil		23	79	0.78	367	0.098	<1	1.76	0.012	0.15	0.3	0.06	7.9	0.4	<0.05	7	1.0	<0.2
1292984	Soil		9	44	0.50	145	0.101	<1	1.99	0.009	0.11	0.2	0.01	3.3	0.2	<0.05	8	<0.5	<0.2
1292972	Soil		10	54	0.61	205	0.066	1	1.75	0.006	0.15	0.1	0.01	3.9	0.2	<0.05	6	<0.5	<0.2
1292968	Soil		21	70	1.21	572	0.091	<1	2.17	0.009	0.35	<0.1	<0.01	4.1	0.3	<0.05	7	<0.5	<0.2
1292964	Soil		11	50	0.83	236	0.056	2	1.51	0.014	0.08	0.1	0.04	4.8	0.1	0.06	5	0.6	<0.2
1292965	Soil		18	57	0.85	311	0.064	1	1.60	0.013	0.15	0.2	0.05	5.9	0.2	<0.05	6	0.7	<0.2
1293219	Soil		18	52	0.83	457	0.063	<1	1.45	0.015	0.17	0.1	0.01	4.6	0.2	0.18	5	4.8	0.3
1292981	Soil		24	126	0.90	1281	0.157	<1	1.71	0.008	0.80	<0.1	0.02	7.7	0.8	<0.05	8	6.0	<0.2
1292980	Soil		28	58	1.35	383	0.155	<1	2.25	0.008	0.91	<0.1	0.03	6.6	0.6	<0.05	8	0.5	<0.2
1292970	Soil		19	68	1.44	220	0.124	1	1.98	0.008	0.54	0.2	0.03	3.6	0.6	<0.05	6	<0.5	<0.2
1293220	Soil		14	34	0.43	407	0.038	<1	0.85	0.014	0.08	0.4	0.06	4.5	0.3	0.07	3	4.1	<0.2
1292978	Soil		18	54	0.75	392	0.068	<1	1.55	0.010	0.39	0.2	0.01	4.4	0.3	0.13	7	1.6	<0.2
1292979	Soil		15	52	0.60	357	0.082	1	1.50	0.006	0.37	0.1	0.02	5.6	0.6	<0.05	6	0.7	<0.2
1292973	Soil		11	107	1.97	502	0.233	<1	3.26	0.013	1.21	0.1	<0.01	7.2	0.6	<0.05	11	0.6	<0.2
1293221	Soil		9	41	0.42	703	0.032	<1	1.55	0.009	0.04	2.0	0.08	5.4	0.6	<0.05	5	2.3	<0.2
1292977	Soil		10	59	0.68	273	0.079	<1	1.49	0.008	0.17	0.2	<0.01	3.8	0.2	<0.05	5	0.8	<0.2
1292975	Soil		15	60	0.73	349	0.083	<1	1.48	0.010	0.16	0.3	0.03	5.4	0.3	<0.05	5	0.8	<0.2
1292969	Soil		8	44	0.65	166	0.108	<1	1.52	0.008	0.23	0.1	0.01	2.3	0.2	<0.05	6	<0.5	<0.2
1293222	Soil		18	25	0.08	487	0.008	<1	0.49	0.005	0.10	0.3	0.03	2.7	1.0	0.23	2	6.6	0.5
1292976	Soil		18	45	0.62	336	0.083	1	1.38	0.011	0.15	0.2	0.03	4.9	0.3	<0.05	5	0.9	<0.2
1292974	Soil		17	20	0.88	213	0.109	1	1.73	0.009	0.38	0.1	<0.01	3.1	0.5	<0.05	6	<0.5	<0.2
1292966	Soil		12	94	1.20	277	0.091	1	1.79	0.009	0.20	0.1	<0.01	4.7	0.3	<0.05	8	<0.5	<0.2
1293214	Soil		16	50	0.76	568	0.095	1	1.50	0.018	0.17	0.2	0.01	4.2	0.2	0.32	6	5.6	<0.2
1293213	Soil		18	47	0.63	530	0.051	2	1.13	0.019	0.22	0.1	0.03	6.0	0.2	0.38	4	5.3	<0.2
1293209	Soil		2	6	0.37	859	0.010	8	0.18	0.012	0.02	<0.1	0.07	1.0	<0.1	0.27	<1	4.0	<0.2
1293223	Soil		12	35	0.21	824	0.027	2	1.22	0.009	0.04	0.6	0.09	4.3	0.4	0.06	4	1.9	<0.2
1293215	Soil		20	43	0.58	774	0.047	1	1.32	0.017	0.15	0.2	0.04	6.1	0.3	0.30	4	13.6	<0.2
1293217	Soil		17	43	0.50	767	0.021	3	0.96	0.012	0.05	0.2	0.09	8.3	0.4	0.09	3	3.3	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000229.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1293210	Soil	0.7	20.2	1.2	35	0.2	5.3	1.4	105	0.31	0.5	2.1	3.3	0.1	42	0.3	0.2	<0.1	<2	3.23	0.056
1293224	Soil	2.9	59.0	9.4	116	1.1	35.8	10.0	459	2.53	16.8	2.1	5.3	2.1	46	0.7	0.4	0.2	57	0.87	0.078
1293218	Soil	3.6	74.4	10.3	173	1.0	49.3	12.7	301	3.07	30.6	3.2	3.2	2.8	40	1.2	0.6	0.2	83	0.88	0.043
1293216	Soil	3.1	25.1	7.6	82	0.7	21.3	4.7	134	2.03	24.6	0.5	1.8	1.6	13	0.3	0.4	0.1	62	0.33	0.028
1293212	Soil	15.1	70.9	34.6	170	0.8	48.8	9.3	212	3.73	27.0	4.5	2.4	5.1	40	0.8	0.3	0.2	97	0.44	0.058
1293225	Soil	5.4	42.7	9.4	128	0.5	35.3	11.8	495	2.71	24.0	2.2	2.2	2.5	34	0.6	0.4	0.1	74	0.77	0.073
1292800	Soil	1.1	17.4	7.1	56	<0.1	18.6	8.0	243	2.78	10.1	0.5	5.7	1.7	17	0.1	0.3	0.1	65	0.21	0.051
1293208	Soil	2.9	35.0	8.0	82	0.5	29.3	10.1	326	2.61	11.6	1.5	5.8	2.1	22	0.2	0.2	0.3	73	0.36	0.069
1293211	Soil	10.2	88.2	9.6	149	1.1	55.8	10.2	248	4.81	26.0	3.6	1.5	5.0	42	0.6	0.2	0.2	145	0.56	0.095
1293228	Soil	5.5	60.7	8.8	110	0.6	38.5	13.0	603	2.67	21.1	2.8	2.3	1.8	45	0.5	0.3	0.2	77	1.13	0.074
1293452	Soil	1.4	27.7	7.6	79	0.2	25.1	8.1	143	2.55	6.1	1.1	2.1	3.2	18	0.2	0.4	0.1	66	0.22	0.066
1293441	Soil	1.9	44.5	14.1	99	0.3	41.0	12.3	400	3.38	10.7	1.4	2.8	6.6	30	0.2	0.9	0.2	71	0.46	0.083
1293204	Soil	3.7	25.2	7.7	80	0.1	25.5	9.3	344	3.07	8.2	0.7	0.6	2.1	15	<0.1	0.2	0.2	89	0.16	0.041
1293207	Soil	2.2	33.5	8.1	78	0.3	26.7	10.7	292	2.98	17.1	1.3	4.6	2.7	17	0.2	0.2	0.2	83	0.19	0.042
1293448	Soil	1.0	42.1	7.0	66	0.2	30.4	11.0	448	2.60	7.5	0.7	3.3	3.2	51	<0.1	0.6	0.1	63	0.98	0.066
1293451	Rock Pulp	2.4	24.5	2.1	41	0.3	23.0	9.9	390	2.35	4.3	0.2	1.4	0.8	37	0.1	0.3	<0.1	62	0.81	0.062
1293201	Rock Pulp	1.3	418.3	20.1	150	0.2	210.0	74.7	801	15.54	3.3	1.1	33.6	6.9	15	<0.1	0.3	0.1	204	0.29	0.045
1293202	Soil	1.6	24.5	9.0	61	0.1	24.0	10.6	228	3.36	13.2	0.7	2.0	3.4	13	0.2	0.3	0.2	78	0.14	0.029
1293453	Soil	1.1	31.0	7.8	87	0.2	29.7	10.4	384	2.20	7.0	1.4	4.2	4.0	30	0.4	0.6	0.2	51	0.41	0.087
1293440	Soil	5.1	68.5	13.2	151	0.3	58.1	16.9	564	4.35	21.5	1.6	3.7	7.8	33	0.4	1.4	0.2	73	0.52	0.123
1292798	Soil	2.5	41.6	8.4	77	0.4	33.5	15.7	735	3.67	47.5	1.4	0.6	4.4	24	<0.1	0.8	0.2	106	0.45	0.059
1293205	Soil	1.9	15.7	11.3	34	0.5	12.8	4.6	146	2.62	7.9	0.4	2.3	2.1	12	<0.1	0.3	0.2	73	0.13	0.024
1293447	Soil	1.4	29.2	8.3	73	0.2	25.0	9.3	391	2.47	8.2	1.8	5.3	3.6	45	0.3	0.7	0.1	59	0.74	0.078
1293203	Soil	1.3	16.4	5.5	25	0.4	10.0	2.9	66	1.26	3.4	1.1	2.9	0.5	27	0.1	0.2	<0.1	22	0.35	0.093
1292799	Soil	1.6	31.0	9.2	114	0.5	34.7	20.2	861	3.86	10.3	0.8	3.8	4.9	24	0.2	0.4	0.3	74	0.36	0.051
1293206	Soil	2.6	40.9	11.4	78	0.4	27.2	14.1	550	3.68	13.0	1.6	1.7	4.1	18	0.2	0.2	0.2	91	0.22	0.037
1293431	Soil	2.3	58.0	10.8	146	0.4	71.4	18.2	468	3.46	5.2	1.9	2.1	4.7	34	0.5	1.1	0.2	67	0.41	0.111
1293434	Soil	2.2	20.5	6.9	61	0.3	21.2	6.0	142	2.50	8.0	0.7	1.5	2.6	15	0.1	0.4	0.1	81	0.12	0.037
1293445	Soil	1.1	34.6	6.9	66	0.1	28.4	10.0	401	2.31	8.0	0.8	2.9	3.2	58	0.2	0.7	0.1	54	1.18	0.067
1293446	Soil	1.3	22.5	6.5	66	0.2	23.0	11.0	507	2.19	6.8	1.3	2.2	3.4	30	0.3	0.5	<0.1	53	0.55	0.080

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000229.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1293210	Soil	2	5	0.29	357	0.010	5	0.17	0.013	0.02	<0.1	0.09	0.8	<0.1	0.17	<1	4.3	<0.2
1293224	Soil	12	34	0.44	922	0.041	2	1.01	0.013	0.07	0.3	0.08	5.6	0.2	0.09	4	3.1	<0.2
1293218	Soil	12	35	0.51	684	0.035	1	1.32	0.015	0.07	0.1	0.06	6.1	0.2	<0.05	4	2.9	<0.2
1293216	Soil	8	23	0.18	144	0.039	1	0.63	0.011	0.06	0.1	0.02	2.4	0.1	<0.05	4	1.3	<0.2
1293212	Soil	18	41	0.60	550	0.070	<1	1.37	0.026	0.19	0.2	0.02	5.1	0.2	0.33	4	5.4	<0.2
1293225	Soil	13	35	0.55	555	0.059	2	1.07	0.013	0.10	0.3	0.03	4.1	0.2	0.06	4	2.9	<0.2
1292800	Soil	10	28	0.55	253	0.091	<1	1.79	0.010	0.12	0.2	0.02	2.7	0.1	<0.05	6	<0.5	<0.2
1293208	Soil	18	46	0.77	312	0.093	1	1.60	0.012	0.10	0.2	0.04	4.1	0.2	<0.05	7	<0.5	<0.2
1293211	Soil	25	56	0.80	448	0.091	<1	1.63	0.027	0.21	0.1	0.02	6.4	0.3	0.43	7	5.8	<0.2
1293228	Soil	15	33	0.56	678	0.044	1	1.11	0.013	0.08	0.2	0.05	4.2	0.2	0.11	4	3.1	<0.2
1293452	Soil	14	33	0.51	181	0.077	1	1.38	0.009	0.11	0.2	0.03	2.8	0.2	<0.05	5	0.8	<0.2
1293441	Soil	21	46	0.70	425	0.091	2	1.72	0.014	0.32	0.1	0.05	4.9	0.2	<0.05	5	0.6	<0.2
1293204	Soil	9	40	0.83	200	0.128	<1	1.45	0.010	0.25	0.2	0.02	3.5	0.2	<0.05	7	<0.5	<0.2
1293207	Soil	17	43	0.77	219	0.094	1	1.75	0.013	0.07	0.1	0.03	4.1	0.2	<0.05	7	<0.5	<0.2
1293448	Soil	13	34	0.65	340	0.091	2	1.34	0.035	0.09	0.2	0.03	4.2	0.1	<0.05	5	0.6	<0.2
1293451	Rock Pulp	4	30	0.75	88	0.114	2	1.46	0.075	0.12	12.1	0.01	4.4	<0.1	<0.05	5	<0.5	<0.2
1293201	Rock Pulp	17	647	0.13	137	0.175	4	3.99	0.013	0.06	<0.1	0.02	39.5	0.1	<0.05	21	0.5	<0.2
1293202	Soil	11	39	0.64	194	0.110	<1	2.22	0.010	0.10	0.1	0.02	3.5	0.2	<0.05	8	<0.5	<0.2
1293453	Soil	17	30	0.51	341	0.067	1	1.12	0.013	0.11	0.3	0.04	3.5	0.2	<0.05	4	0.9	<0.2
1293440	Soil	21	54	0.94	572	0.085	2	1.75	0.010	0.38	0.1	0.04	5.5	0.3	<0.05	6	1.3	<0.2
1292798	Soil	17	43	0.79	443	0.115	1	1.90	0.011	0.41	0.1	0.03	6.1	0.3	<0.05	7	<0.5	<0.2
1293205	Soil	8	32	0.37	120	0.081	<1	1.43	0.009	0.06	0.1	0.02	2.5	0.1	<0.05	7	<0.5	<0.2
1293447	Soil	15	33	0.52	339	0.078	1	1.34	0.022	0.07	0.2	0.04	4.1	<0.1	<0.05	5	0.9	<0.2
1293203	Soil	11	23	0.22	214	0.028	1	0.75	0.013	0.07	<0.1	0.08	2.3	<0.1	0.07	3	0.7	<0.2
1292799	Soil	20	49	0.88	520	0.159	<1	2.07	0.013	0.53	0.4	0.02	5.3	0.3	<0.05	7	<0.5	<0.2
1293206	Soil	14	50	0.77	200	0.115	<1	2.02	0.013	0.10	0.1	0.04	4.4	0.2	<0.05	8	<0.5	<0.2
1293431	Soil	30	35	0.62	368	0.071	1	1.74	0.012	0.23	0.1	0.02	3.4	0.2	<0.05	5	0.7	<0.2
1293434	Soil	13	29	0.38	170	0.083	<1	1.15	0.007	0.09	0.2	0.04	2.4	0.2	<0.05	6	<0.5	<0.2
1293445	Soil	13	30	0.58	358	0.070	1	1.13	0.032	0.07	0.2	0.03	3.7	<0.1	<0.05	4	0.7	<0.2
1293446	Soil	15	28	0.49	339	0.062	1	1.20	0.019	0.06	0.3	0.03	3.5	0.1	<0.05	4	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000229.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1293444	Soil	2.4	36.0	9.4	87	0.2	34.2	11.2	333	2.70	7.2	1.4	2.5	5.2	27	0.3	0.7	0.2	59	0.46	0.082
1293439	Soil	1.7	100.4	12.7	139	0.3	54.4	11.4	230	2.66	8.0	3.2	4.7	9.6	22	0.7	0.6	0.3	70	0.34	0.081
1293449	Soil	1.6	33.2	7.8	65	0.2	30.8	10.2	278	2.45	8.0	0.8	5.1	3.6	27	0.2	0.6	0.1	61	0.43	0.067
1293450	Soil	1.6	38.4	8.1	77	0.2	30.1	10.4	204	2.70	6.0	1.7	2.7	2.2	20	0.3	0.5	0.2	66	0.28	0.068
1293442	Soil	1.8	34.7	9.5	99	0.2	33.3	12.6	425	3.05	9.8	1.4	2.7	4.7	32	0.4	0.9	0.2	68	0.56	0.091
1293443	Soil	6.2	41.7	14.2	117	0.2	43.0	16.0	641	4.24	24.4	1.5	1.5	6.4	24	0.8	0.9	0.2	74	0.41	0.104
1293436	Soil	2.1	29.6	8.3	115	0.2	32.0	9.6	190	2.40	4.6	1.4	1.1	3.8	19	0.2	0.5	0.3	81	0.23	0.076
1293433	Soil	2.4	25.5	8.4	71	0.3	24.4	9.6	219	2.60	7.9	1.3	2.9	3.3	21	0.2	0.5	0.2	71	0.28	0.058
1293437	Soil	1.5	23.9	9.1	58	0.2	25.0	9.5	879	1.87	9.9	1.2	2.0	4.5	20	0.3	1.3	0.2	34	0.24	0.085
1293438	Soil	1.3	28.7	6.7	76	0.1	26.4	8.4	227	2.34	5.5	1.1	1.9	4.8	21	0.2	0.4	0.1	62	0.32	0.078
1293435	Soil	2.0	44.4	8.2	103	0.5	36.1	12.0	219	2.64	6.6	2.1	2.5	1.8	20	0.5	0.4	0.2	72	0.21	0.069
1293432	Soil	1.9	40.8	9.4	83	0.2	32.0	10.2	294	2.65	8.2	2.1	3.6	4.4	26	0.1	0.6	0.1	62	0.31	0.064
1291054	Soil	2.4	42.1	8.3	87	0.4	41.9	10.9	377	2.61	13.5	1.1	2.5	3.7	29	0.3	0.6	0.1	80	0.74	0.038
1291038	Soil	1.0	21.3	9.4	50	0.1	29.5	12.2	501	2.90	9.1	0.6	1.1	5.2	23	<0.1	0.6	0.1	63	0.47	0.021
1291041	Soil	1.3	29.6	11.5	70	0.2	41.5	14.2	457	3.17	48.7	0.9	0.7	5.1	24	0.2	0.9	0.2	83	0.45	0.032
1291036	Soil	0.8	20.9	7.5	50	<0.1	24.2	11.5	466	2.79	10.5	0.4	5.9	5.0	29	<0.1	0.5	0.2	68	0.52	0.024
1291058	Soil	4.4	53.0	7.2	69	0.6	25.1	6.8	219	2.78	6.0	1.8	1.7	5.8	36	0.2	0.3	0.2	68	0.29	0.059
1291044	Soil	1.0	13.8	7.2	45	<0.1	19.8	11.2	479	2.61	14.1	0.4	0.7	3.2	17	<0.1	0.5	0.1	61	0.31	0.015
1291048	Soil	4.2	40.9	16.9	96	0.3	44.9	11.3	332	3.28	83.9	1.1	0.9	4.5	22	0.3	1.5	3.8	57	0.30	0.028
1291056	Soil	4.8	65.1	9.1	248	1.0	34.4	15.0	367	3.10	4.8	2.2	0.8	3.5	41	2.4	0.2	0.3	104	0.48	0.090
1291052	Soil	4.0	45.5	9.2	131	0.5	57.7	13.9	481	3.12	43.2	1.2	<0.5	2.7	23	0.5	0.8	0.2	84	0.31	0.039
1291046	Soil	1.8	24.8	7.2	65	0.1	30.3	14.4	434	3.20	19.4	0.7	2.3	3.1	15	0.1	0.6	0.1	74	0.25	0.025
1291043	Soil	2.6	45.4	10.9	109	<0.1	50.3	12.5	324	3.11	81.0	1.1	<0.5	4.6	22	0.2	2.2	0.1	94	0.36	0.049
1291063	Soil	13.8	123.4	10.9	207	1.6	72.4	9.7	267	3.59	13.7	4.1	1.7	4.0	34	1.4	0.4	0.2	102	0.25	0.072
1291040	Soil	1.1	31.0	8.9	62	0.2	33.6	13.1	424	3.03	20.2	0.7	1.2	5.2	23	0.1	0.5	0.1	76	0.44	0.034
1291061	Soil	3.5	48.6	8.6	119	1.1	25.3	7.1	281	3.26	10.1	1.1	0.8	2.9	22	0.4	0.3	0.1	87	0.21	0.060
1291045	Soil	3.3	62.1	8.7	106	0.1	45.6	17.4	510	4.38	146.1	1.4	<0.5	4.8	21	0.1	2.7	0.2	114	0.44	0.072
1291062	Soil	7.7	91.4	10.3	199	1.2	59.2	8.9	258	4.06	9.1	2.6	1.5	4.3	28	0.9	0.3	0.2	94	0.24	0.073
1291047	Soil	2.1	23.7	6.8	55	0.1	24.0	11.6	343	2.94	23.7	0.6	0.8	3.1	18	<0.1	0.6	0.1	77	0.34	0.018
1291035	Soil	0.9	21.1	8.6	50	<0.1	25.1	11.2	470	2.74	9.4	0.9	<0.5	8.7	24	<0.1	0.7	0.2	60	0.45	0.023

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000229.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1293444	Soil	15	38	0.63	339	0.068	2	1.40	0.010	0.23	0.1	0.03	3.6	0.2	<0.05	5	0.5	<0.2
1293439	Soil	28	51	0.72	254	0.115	2	1.80	0.011	0.28	0.1	0.05	5.7	0.3	<0.05	6	0.8	<0.2
1293449	Soil	13	35	0.54	321	0.062	2	1.14	0.018	0.05	0.2	0.03	3.6	0.1	<0.05	4	0.6	<0.2
1293450	Soil	15	39	0.55	276	0.061	2	1.42	0.009	0.09	0.2	0.04	2.9	0.2	<0.05	5	0.8	<0.2
1293442	Soil	16	41	0.68	360	0.072	3	1.48	0.009	0.33	0.2	0.03	3.9	0.2	<0.05	5	0.8	<0.2
1293443	Soil	19	54	0.82	390	0.078	2	1.69	0.008	0.31	0.1	0.02	4.3	0.2	<0.05	6	<0.5	<0.2
1293436	Soil	16	38	0.56	253	0.073	1	1.17	0.006	0.14	0.1	0.02	2.3	0.3	<0.05	5	<0.5	<0.2
1293433	Soil	13	34	0.52	239	0.063	2	1.34	0.009	0.08	0.2	0.02	2.9	0.1	<0.05	5	<0.5	<0.2
1293437	Soil	13	22	0.28	239	0.033	1	0.57	0.006	0.08	0.2	0.04	2.4	0.1	<0.05	2	<0.5	<0.2
1293438	Soil	16	38	0.56	227	0.085	<1	1.19	0.011	0.19	0.1	0.02	3.0	0.2	<0.05	4	<0.5	<0.2
1293435	Soil	17	41	0.57	295	0.059	1	1.42	0.008	0.15	<0.1	0.04	2.6	0.2	0.05	5	<0.5	<0.2
1293432	Soil	18	39	0.56	309	0.067	2	1.22	0.012	0.11	0.2	0.04	4.0	0.1	<0.05	4	0.5	<0.2
1291054	Soil	14	41	0.63	446	0.082	2	1.32	0.018	0.18	0.2	0.03	4.7	0.1	0.08	4	0.8	<0.2
1291038	Soil	26	49	0.59	265	0.057	2	1.78	0.011	0.14	0.2	0.02	6.1	<0.1	<0.05	5	<0.5	<0.2
1291041	Soil	16	63	0.82	400	0.093	2	1.87	0.012	0.24	0.1	0.02	6.2	0.2	<0.05	6	<0.5	<0.2
1291036	Soil	18	45	0.60	316	0.065	2	1.64	0.012	0.17	0.2	0.02	5.5	<0.1	<0.05	5	<0.5	<0.2
1291058	Soil	16	39	0.80	376	0.081	2	1.39	0.028	0.21	0.1	0.02	3.7	0.2	0.27	5	2.0	<0.2
1291044	Soil	9	36	0.52	311	0.091	2	1.31	0.013	0.25	0.1	0.01	3.9	0.1	<0.05	5	<0.5	<0.2
1291048	Soil	12	30	0.45	433	0.044	1	1.27	0.008	0.10	0.1	0.02	3.2	0.2	<0.05	4	1.0	<0.2
1291056	Soil	15	54	0.70	1045	0.067	2	1.92	0.025	0.25	<0.1	0.04	4.6	0.2	0.28	8	2.3	<0.2
1291052	Soil	9	41	0.44	975	0.045	2	1.35	0.013	0.07	0.2	0.02	4.8	0.3	0.09	5	1.2	<0.2
1291046	Soil	8	45	0.86	341	0.124	1	1.57	0.012	0.36	0.1	<0.01	3.5	0.2	<0.05	6	<0.5	<0.2
1291043	Soil	14	60	0.76	385	0.090	2	1.69	0.011	0.30	0.2	<0.01	4.9	0.2	0.06	6	0.8	<0.2
1291063	Soil	18	39	0.43	739	0.042	1	0.92	0.015	0.15	0.2	0.05	5.2	0.4	0.37	4	5.9	<0.2
1291040	Soil	20	46	0.68	271	0.094	2	1.67	0.015	0.22	0.1	0.02	5.7	0.1	<0.05	5	<0.5	<0.2
1291061	Soil	12	34	0.50	438	0.084	<1	0.96	0.017	0.21	<0.1	0.03	2.8	0.2	0.19	6	1.9	<0.2
1291045	Soil	14	66	1.43	502	0.140	1	2.50	0.013	0.76	0.1	<0.01	6.1	0.6	0.18	9	1.0	<0.2
1291062	Soil	19	47	0.69	722	0.074	<1	1.23	0.016	0.23	0.1	0.04	3.9	0.3	0.33	6	4.9	0.2
1291047	Soil	10	38	0.62	369	0.065	1	1.53	0.009	0.15	0.1	0.01	3.7	0.1	<0.05	5	<0.5	<0.2
1291035	Soil	36	46	0.59	265	0.055	2	1.64	0.012	0.15	0.2	0.01	5.9	<0.1	0.06	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000229.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1291055	Soil	7.1	90.1	8.7	272	1.0	112.3	14.6	836	4.17	45.1	2.8	1.8	4.6	32	2.4	0.9	0.1	179	0.40	0.052
1291025	Soil	0.9	15.8	6.5	49	<0.1	17.0	9.2	368	2.67	8.8	0.4	<0.5	4.1	24	<0.1	0.4	0.1	45	0.53	0.028
1291060	Soil	6.3	90.9	11.2	178	1.7	56.6	14.8	832	4.72	10.2	3.3	4.6	4.4	42	1.2	0.4	0.2	95	0.49	0.106
1291051	Rock Pulp	2.5	24.5	2.1	40	0.3	22.9	10.2	382	2.28	4.2	0.2	1.0	0.7	33	0.2	0.3	<0.1	61	0.75	0.056
1291053	Soil	5.5	52.2	23.7	181	0.5	50.9	12.3	521	3.25	28.2	1.4	1.0	3.1	25	0.8	0.5	0.1	102	0.41	0.037
1291059	Soil	4.2	27.2	12.0	164	2.2	40.0	11.8	574	2.54	18.2	0.7	1.6	1.2	24	1.4	0.4	0.1	55	0.38	0.080
1293401	Rock Pulp	1.4	395.9	18.7	141	0.2	195.6	72.2	745	13.81	3.0	1.0	29.3	6.3	13	<0.1	0.3	0.2	189	0.26	0.042
1291039	Soil	1.0	20.3	9.5	47	<0.1	26.3	10.0	383	2.61	12.0	0.5	1.2	4.5	17	<0.1	0.5	0.1	51	0.30	0.032
1291026	Soil	0.9	14.0	6.0	44	<0.1	15.4	8.8	333	2.52	9.0	0.4	<0.5	3.9	23	<0.1	0.4	0.1	43	0.48	0.030
1291057	Soil	4.4	78.4	8.9	279	0.9	64.3	13.4	496	3.75	5.2	1.7	0.5	5.8	30	0.9	0.1	0.1	97	0.42	0.053
1291049	Soil	3.3	36.0	11.1	97	0.4	43.7	15.1	574	3.23	40.9	0.7	1.4	3.1	15	0.4	0.9	0.2	78	0.29	0.034
1291042	Soil	2.9	39.4	35.5	121	0.5	47.9	17.4	619	3.48	219.0	1.0	1.1	5.0	17	0.4	3.8	0.2	75	0.32	0.035
1291037	Soil	0.9	23.1	8.8	49	<0.1	29.1	12.4	506	2.74	11.0	0.5	1.2	4.9	24	<0.1	0.5	0.2	61	0.40	0.027
1291050	Soil	6.3	65.5	10.1	125	0.6	53.0	9.8	409	2.34	57.8	3.1	1.5	1.8	44	0.8	0.7	0.2	70	1.07	0.066
1293410	Soil	2.6	27.4	11.3	50	0.2	22.5	8.7	243	2.28	31.8	1.1	3.7	4.9	37	0.1	2.3	0.2	68	0.35	0.064
1293412	Soil	3.3	101.1	17.8	114	0.3	28.3	8.2	411	4.02	34.0	1.8	3.1	4.1	47	0.1	3.3	0.3	163	0.39	0.091
1293429	Soil	2.2	102.2	6.9	55	<0.1	42.2	32.9	841	6.33	8.0	0.8	1.7	7.7	32	<0.1	2.4	<0.1	155	0.86	0.181
1293403	Soil	5.4	39.6	45.6	99	0.3	55.2	20.2	1052	4.52	49.1	1.5	19.5	12.9	26	0.2	4.7	0.6	45	1.04	0.087
1293413	Soil	1.9	32.7	9.6	61	<0.1	28.6	11.6	312	2.54	20.1	1.2	2.8	4.4	28	0.1	1.6	0.1	70	0.35	0.051
1292896	Soil	1.3	10.3	6.5	40	<0.1	33.1	23.3	515	4.11	8.2	0.5	1.3	4.3	25	<0.1	0.4	0.4	108	0.61	0.063
1293407	Soil	1.3	31.9	8.1	64	<0.1	27.1	13.0	455	3.30	27.1	0.8	3.4	5.8	27	<0.1	1.6	<0.1	79	0.47	0.081
1292898	Soil	1.0	33.2	5.9	36	<0.1	50.4	20.2	346	3.31	9.5	0.4	<0.5	2.1	15	<0.1	0.4	<0.1	76	0.32	0.046
1293408	Soil	1.1	38.0	9.2	58	0.2	32.0	11.3	422	2.68	22.1	0.6	5.5	3.9	49	<0.1	1.3	0.1	64	0.93	0.073
1293411	Soil	1.7	44.1	10.0	56	0.2	30.0	9.8	398	2.45	20.9	1.5	2.7	4.3	39	0.2	1.6	0.1	67	0.53	0.066
1293415	Soil	1.3	37.3	7.8	63	0.2	27.9	10.6	388	2.47	15.1	1.1	3.1	3.5	40	0.2	1.3	0.2	63	0.59	0.078
1293406	Soil	1.4	25.6	6.9	52	0.1	20.5	7.6	504	2.78	44.2	0.7	76.6	5.6	19	<0.1	1.3	<0.1	35	0.37	0.062
1293424	Soil	1.4	51.7	8.8	49	0.1	38.6	20.0	637	3.90	11.3	1.1	5.1	9.2	38	<0.1	1.1	0.1	81	0.92	0.073
1293409	Soil	1.2	34.0	9.4	53	0.1	25.2	10.4	480	2.26	12.1	1.0	3.6	3.8	40	0.2	1.2	0.1	59	0.65	0.066
1293414	Soil	0.8	34.4	7.5	56	0.1	26.9	10.7	424	2.46	11.7	0.6	3.0	3.3	48	0.1	0.9	0.1	62	0.98	0.071
1293405	Soil	1.2	33.3	7.2	46	<0.1	20.8	14.5	516	3.06	7.8	0.5	4.7	2.2	32	<0.1	0.6	<0.1	78	0.66	0.035

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000229.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1291055	Soil	26	54	0.48	429	0.041	1	1.19	0.010	0.11	0.2	0.03	11.4	0.3	0.11	4	2.7	<0.2
1291025	Soil	11	29	0.56	258	0.068	2	1.53	0.011	0.24	0.2	0.01	4.2	0.1	<0.05	5	<0.5	<0.2
1291060	Soil	27	37	0.49	669	0.041	2	1.06	0.029	0.23	0.1	0.05	5.9	0.3	0.61	4	5.3	<0.2
1291051	Rock Pulp	4	31	0.74	87	0.099	2	1.37	0.075	0.11	13.2	0.01	3.9	<0.1	<0.05	5	<0.5	<0.2
1291053	Soil	12	38	0.48	502	0.043	2	1.35	0.012	0.17	0.2	0.02	6.6	0.3	0.12	4	1.6	<0.2
1291059	Soil	8	24	0.27	461	0.038	2	0.83	0.011	0.09	0.1	0.04	2.1	0.2	0.08	4	0.6	<0.2
1293401	Rock Pulp	15	586	0.12	128	0.157	4	3.39	0.012	0.06	<0.1	0.03	34.4	0.1	<0.05	18	<0.5	<0.2
1291039	Soil	17	35	0.52	185	0.070	2	1.27	0.011	0.21	0.2	0.02	4.7	0.1	<0.05	4	<0.5	<0.2
1291026	Soil	11	26	0.50	243	0.068	2	1.42	0.010	0.23	0.1	0.02	3.9	<0.1	<0.05	4	<0.5	<0.2
1291057	Soil	17	39	1.03	656	0.094	2	1.67	0.021	0.39	<0.1	0.02	6.4	0.4	0.35	6	3.4	<0.2
1291049	Soil	10	34	0.49	346	0.058	<1	1.34	0.010	0.12	0.1	0.03	3.8	0.2	<0.05	6	<0.5	<0.2
1291042	Soil	20	50	0.68	446	0.080	1	1.49	0.009	0.29	0.1	0.05	5.8	0.3	<0.05	5	0.7	<0.2
1291037	Soil	16	43	0.65	265	0.079	2	1.66	0.013	0.21	0.2	0.01	6.1	0.1	<0.05	5	<0.5	<0.2
1291050	Soil	12	34	0.46	612	0.030	2	0.76	0.011	0.10	0.1	0.04	3.5	0.3	0.20	3	3.5	<0.2
1293410	Soil	14	38	0.45	313	0.073	<1	1.33	0.014	0.07	0.2	0.05	4.3	0.1	<0.05	5	0.6	<0.2
1293412	Soil	14	80	1.07	696	0.154	<1	1.73	0.036	0.58	0.2	0.03	10.9	0.5	0.29	8	3.7	<0.2
1293429	Soil	28	65	2.21	422	0.148	2	2.64	0.008	0.76	<0.1	0.03	14.0	0.4	<0.05	11	<0.5	<0.2
1293403	Soil	41	40	0.63	421	0.026	4	1.19	0.006	0.41	0.2	0.05	7.5	0.3	<0.05	4	0.6	<0.2
1293413	Soil	14	42	0.50	316	0.093	<1	1.33	0.015	0.09	0.2	0.02	4.6	0.1	<0.05	5	<0.5	<0.2
1292896	Soil	9	65	1.50	154	0.160	1	1.92	0.011	0.39	<0.1	0.03	6.7	0.3	<0.05	8	<0.5	<0.2
1293407	Soil	17	40	0.74	284	0.077	1	1.39	0.020	0.12	0.1	0.03	7.7	0.2	<0.05	5	<0.5	<0.2
1292898	Soil	7	87	1.32	202	0.087	<1	1.94	0.013	0.08	0.1	0.01	5.4	<0.1	<0.05	6	<0.5	<0.2
1293408	Soil	13	37	0.67	345	0.083	2	1.36	0.032	0.07	0.2	0.04	4.9	0.1	<0.05	4	<0.5	<0.2
1293411	Soil	16	37	0.50	376	0.081	<1	1.28	0.026	0.08	0.2	0.05	5.3	0.1	<0.05	4	0.9	<0.2
1293415	Soil	13	33	0.54	327	0.081	1	1.36	0.028	0.07	0.2	0.04	4.5	0.2	<0.05	5	0.9	<0.2
1293406	Soil	22	21	0.44	280	0.035	2	0.90	0.016	0.11	0.1	0.04	5.8	0.1	<0.05	5	0.5	<0.2
1293424	Soil	24	52	1.22	402	0.122	2	1.89	0.014	0.46	0.1	0.03	7.7	0.3	<0.05	7	<0.5	<0.2
1293409	Soil	13	30	0.50	285	0.076	1	1.28	0.034	0.05	0.2	0.03	4.3	<0.1	<0.05	4	0.6	<0.2
1293414	Soil	12	30	0.63	297	0.087	2	1.34	0.038	0.08	0.2	0.03	4.2	<0.1	<0.05	4	0.6	<0.2
1293405	Soil	8	32	0.72	330	0.038	1	1.58	0.018	0.05	0.1	0.02	8.0	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000229.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1292899	Soil	1.6	54.4	39.2	83	0.2	71.1	26.1	525	4.96	10.8	1.3	10.9	20.2	14	<0.1	0.5	0.3	55	0.32	0.051
1293416	Soil	0.7	33.3	6.9	54	<0.1	25.6	10.1	385	2.40	9.7	0.4	3.2	3.4	46	0.1	0.9	0.1	59	1.13	0.076
1293402	Soil	0.9	58.1	8.2	51	0.1	51.1	29.3	858	5.17	14.6	0.7	3.8	6.5	42	<0.1	4.4	<0.1	111	2.88	0.145
1292900	Soil	3.7	123.2	1345	40	1.2	38.2	23.3	660	3.59	23.0	1.1	288.4	12.8	19	<0.1	5.8	0.2	41	0.33	0.040
1293430	Soil	0.9	25.7	4.0	41	<0.1	24.7	24.6	697	4.52	5.5	0.6	1.6	8.9	41	<0.1	0.4	<0.1	111	1.56	0.222
1293404	Soil	0.6	28.2	9.8	49	0.1	29.3	11.3	375	2.56	12.9	0.5	4.2	4.0	45	0.1	1.0	<0.1	51	1.01	0.075
1292897	Soil	0.9	18.6	4.6	36	<0.1	27.5	27.0	894	5.01	15.8	0.7	2.0	4.2	29	<0.1	0.6	<0.1	116	0.76	0.123
1293426	Soil	1.3	117.1	53.5	48	0.1	36.3	28.1	785	4.78	4.7	0.6	1.7	4.0	36	<0.1	1.1	<0.1	105	1.06	0.180
1293428	Soil	1.8	29.6	19.5	50	0.1	29.6	14.8	467	3.25	19.6	1.1	3.2	13.0	24	<0.1	1.2	0.2	64	0.41	0.039
1293422	Soil	2.1	14.0	7.3	61	0.1	11.8	6.2	643	3.42	61.5	1.2	216.6	11.8	14	<0.1	1.3	0.1	21	0.23	0.051
1293425	Soil	1.0	98.0	7.6	48	0.2	52.1	29.5	1033	4.53	4.0	0.6	2.4	3.6	35	<0.1	1.3	<0.1	105	1.06	0.161
1293427	Soil	5.8	392.2	2058	36	4.0	27.1	15.9	257	2.94	24.4	0.9	165.2	4.1	34	0.2	16.5	0.2	58	0.30	0.037
1293419	Soil	1.1	43.1	9.8	61	0.1	26.9	11.6	396	2.73	12.0	1.7	6.4	4.8	50	0.2	1.4	0.2	67	0.89	0.075
1293423	Soil	4.7	25.8	54.4	82	0.4	26.6	14.6	625	3.49	20.1	2.3	7.8	39.5	31	0.3	1.4	0.2	43	0.52	0.080
1293420	Soil	2.5	62.2	5.0	68	<0.1	41.4	25.8	896	5.23	8.4	0.6	3.0	2.2	36	<0.1	1.2	<0.1	117	0.93	0.046
1293421	Soil	2.4	21.2	15.5	58	<0.1	26.3	9.9	483	3.37	17.8	1.2	47.2	12.7	25	<0.1	1.3	0.1	50	0.40	0.032
1292813	Soil	0.6	46.8	7.9	75	<0.1	77.7	26.3	544	4.16	6.9	1.1	1.0	6.6	36	<0.1	0.3	<0.1	78	0.69	0.144
1292816	Soil	0.8	28.4	13.7	60	<0.1	31.6	12.2	537	2.70	10.9	0.7	1.7	10.3	36	0.1	0.8	0.1	63	0.50	0.049
1292819	Soil	1.0	23.2	9.9	68	<0.1	35.8	14.4	643	3.46	9.8	1.0	<0.5	10.4	39	0.1	0.7	0.2	62	0.55	0.051
1293417	Soil	1.2	34.2	10.8	58	0.1	27.6	11.4	416	2.64	12.0	1.4	1.6	5.3	50	0.1	1.1	0.1	66	0.74	0.067
1292815	Soil	0.9	23.0	11.0	56	<0.1	23.9	12.0	500	2.62	8.8	0.7	1.1	15.1	35	<0.1	0.7	0.1	58	0.50	0.035
1292828	Soil	0.8	15.4	8.2	46	<0.1	22.6	9.9	438	2.43	6.8	0.5	<0.5	4.6	24	<0.1	0.5	0.1	57	0.38	0.049
1292818	Soil	0.8	21.9	7.3	47	<0.1	19.9	11.5	373	2.74	8.6	0.6	1.4	5.5	34	<0.1	0.5	0.1	55	0.86	0.050
1293418	Soil	1.1	31.7	9.4	50	0.2	20.8	11.3	376	2.38	16.7	3.9	0.7	4.8	67	0.2	1.1	0.2	60	1.10	0.069
1292823	Soil	0.9	21.2	10.0	51	<0.1	25.9	11.5	367	2.89	17.0	0.6	0.9	5.1	26	<0.1	0.6	0.1	57	0.46	0.025
1292822	Soil	0.6	13.1	6.4	56	<0.1	18.6	11.2	425	2.74	5.5	0.7	<0.5	4.4	24	<0.1	0.4	<0.1	46	0.39	0.057
1292817	Soil	0.7	44.5	10.2	57	0.2	29.2	11.3	481	2.54	12.1	0.9	4.7	6.4	66	0.2	1.0	0.1	57	2.12	0.072
1292839	Soil	1.2	29.2	14.7	66	0.1	24.2	11.8	879	2.63	8.3	1.2	2.4	12.3	36	0.3	0.7	0.2	45	0.66	0.061
1292830	Soil	0.8	26.3	6.5	66	0.1	29.8	14.1	402	3.31	9.0	0.5	1.8	4.0	33	<0.1	0.5	0.1	56	0.54	0.044
1292821	Soil	0.9	17.8	9.7	58	<0.1	17.6	10.8	433	2.56	11.0	0.5	0.7	4.6	28	<0.1	0.5	0.1	49	0.42	0.028

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000229.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1292899	Soil	48	72	1.41	343	0.141	1	2.04	0.009	0.80	0.1	0.03	7.3	0.5	<0.05	8	<0.5	<0.2
1293416	Soil	12	28	0.62	269	0.083	2	1.25	0.034	0.08	0.2	0.03	4.1	<0.1	<0.05	4	<0.5	<0.2
1293402	Soil	20	106	2.01	536	0.172	<1	2.41	0.010	0.82	0.1	0.05	11.2	0.4	<0.05	9	<0.5	<0.2
1292900	Soil	26	32	0.40	474	0.041	1	1.07	0.013	0.17	0.9	0.09	6.1	0.2	<0.05	4	<0.5	<0.2
1293430	Soil	20	37	1.78	607	0.208	<1	2.27	0.017	0.80	0.1	0.02	6.0	0.4	<0.05	8	<0.5	<0.2
1293404	Soil	17	36	0.60	362	0.050	2	1.10	0.021	0.10	0.2	0.05	4.8	0.1	<0.05	4	<0.5	<0.2
1292897	Soil	13	47	1.36	467	0.148	2	2.34	0.015	0.48	<0.1	0.02	9.7	0.4	<0.05	8	<0.5	<0.2
1293426	Soil	13	49	2.13	822	0.195	<1	2.43	0.012	0.86	<0.1	0.02	7.2	0.4	<0.05	8	<0.5	<0.2
1293428	Soil	34	42	0.84	335	0.080	2	1.54	0.015	0.17	0.2	0.03	6.2	0.2	<0.05	5	<0.5	<0.2
1293422	Soil	39	18	0.51	182	0.055	2	1.04	0.010	0.28	<0.1	0.05	4.8	0.3	<0.05	6	<0.5	<0.2
1293425	Soil	14	83	2.33	616	0.191	<1	2.48	0.012	0.86	<0.1	0.02	8.7	0.3	<0.05	8	<0.5	<0.2
1293427	Soil	11	33	0.46	991	0.062	<1	1.36	0.014	0.11	0.4	0.05	4.7	<0.1	0.11	5	<0.5	<0.2
1293419	Soil	14	33	0.65	300	0.097	1	1.35	0.030	0.09	0.2	0.03	5.6	0.1	<0.05	4	<0.5	<0.2
1293423	Soil	67	31	0.67	335	0.065	<1	1.21	0.009	0.35	0.1	0.02	5.6	0.2	<0.05	5	<0.5	<0.2
1293420	Soil	6	62	0.84	310	0.007	3	1.60	0.013	0.09	<0.1	0.05	23.1	0.1	<0.05	5	<0.5	<0.2
1293421	Soil	54	42	0.52	332	0.060	1	1.55	0.021	0.10	0.1	0.05	7.1	0.1	<0.05	6	<0.5	<0.2
1292813	Soil	11	109	2.04	393	0.204	<1	2.60	0.015	0.40	0.1	<0.01	4.2	0.3	<0.05	7	<0.5	<0.2
1292816	Soil	25	43	0.63	305	0.091	2	1.56	0.019	0.16	0.2	0.02	5.6	<0.1	<0.05	5	<0.5	<0.2
1292819	Soil	40	59	0.71	282	0.081	1	1.83	0.021	0.31	<0.1	0.02	7.5	0.2	<0.05	6	<0.5	<0.2
1293417	Soil	16	37	0.63	290	0.106	1	1.51	0.033	0.08	0.2	0.03	5.2	<0.1	<0.05	5	<0.5	<0.2
1292815	Soil	28	38	0.62	272	0.088	<1	1.68	0.016	0.18	0.2	0.02	5.3	<0.1	<0.05	5	<0.5	<0.2
1292828	Soil	11	39	0.49	311	0.086	1	1.33	0.015	0.13	0.2	<0.01	4.5	<0.1	<0.05	4	<0.5	<0.2
1292818	Soil	16	26	0.64	266	0.112	<1	1.45	0.017	0.25	0.2	0.01	4.0	0.1	<0.05	4	<0.5	<0.2
1293418	Soil	18	33	0.51	253	0.082	1	1.40	0.024	0.09	0.2	0.02	5.0	0.2	<0.05	4	<0.5	<0.2
1292823	Soil	15	44	0.56	294	0.090	1	1.71	0.018	0.12	0.2	0.01	6.3	0.1	<0.05	5	<0.5	<0.2
1292822	Soil	11	34	0.56	306	0.129	<1	1.76	0.013	0.25	0.1	<0.01	4.0	0.1	<0.05	5	<0.5	<0.2
1292817	Soil	33	35	0.71	247	0.077	1	1.43	0.022	0.11	0.2	0.06	4.5	<0.1	<0.05	4	<0.5	<0.2
1292839	Soil	44	40	0.61	304	0.066	2	1.51	0.016	0.31	0.1	0.01	4.9	<0.1	<0.05	5	<0.5	<0.2
1292830	Soil	12	45	0.77	377	0.137	1	1.79	0.018	0.31	0.1	0.02	5.1	0.2	<0.05	5	<0.5	<0.2
1292821	Soil	12	29	0.48	296	0.097	<1	1.51	0.013	0.25	0.1	<0.01	4.4	<0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000229.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1292814	Soil		0.8	46.7	7.5	77	0.1	91.4	27.7	666	3.95	12.3	1.4	1.1	9.3	46	0.1	0.4	<0.1	86	0.97	0.125
1292820	Soil		0.8	23.6	7.2	59	<0.1	18.9	10.7	383	2.77	11.6	0.5	0.8	5.0	26	<0.1	0.5	<0.1	46	0.39	0.026
1292837	Soil		1.1	23.1	12.1	55	<0.1	23.2	10.3	448	2.68	13.9	1.3	<0.5	18.1	35	<0.1	0.8	0.2	57	0.50	0.036
1292833	Soil		1.0	21.6	12.9	59	0.1	24.6	11.7	582	2.69	9.1	0.7	1.0	9.5	37	0.1	0.7	0.2	61	0.51	0.026
1292831	Soil		0.9	29.6	7.4	58	<0.1	34.3	11.9	360	2.98	9.2	0.6	0.9	5.0	40	<0.1	0.6	0.1	63	0.55	0.053
1292827	Soil		1.4	22.9	10.5	67	<0.1	34.3	11.7	450	2.77	18.0	0.8	<0.5	5.3	26	0.2	0.6	0.1	66	0.40	0.049
1293546	Soil		1.4	13.5	12.8	44	<0.1	13.8	6.1	195	2.32	15.5	1.2	<0.5	14.2	16	<0.1	1.2	1.3	51	0.16	0.011
1292832	Soil		0.9	21.7	10.5	73	<0.1	25.1	11.5	502	2.87	9.5	0.6	5.0	6.8	34	<0.1	0.7	0.1	57	0.54	0.032
1292836	Soil		1.2	20.2	12.5	53	<0.1	23.4	10.9	456	2.71	14.2	1.0	1.2	14.1	34	0.1	0.7	0.2	61	0.48	0.030
1292824	Soil		0.7	18.0	7.9	54	<0.1	29.2	13.1	451	3.02	13.2	0.7	0.6	6.3	27	<0.1	0.5	0.1	62	0.46	0.032
1293541	Soil		0.6	25.7	7.7	76	0.1	11.2	10.7	463	3.30	113.3	1.3	15.4	3.9	85	0.2	3.2	0.1	65	1.53	0.092
1292835	Soil		1.2	22.3	12.2	57	<0.1	20.6	9.5	469	2.56	19.7	1.5	0.7	23.6	34	0.1	0.8	0.2	52	0.47	0.029
1292834	Soil		0.9	25.6	13.5	57	0.1	26.4	11.1	453	2.65	14.0	0.9	0.9	13.5	35	0.1	0.8	0.2	60	0.48	0.034
1292826	Soil		0.8	19.0	8.6	61	<0.1	28.8	12.6	610	3.01	7.7	1.1	<0.5	8.2	27	0.1	0.6	0.2	57	0.51	0.059
1293547	Soil		1.9	12.7	16.8	41	<0.1	11.1	4.9	191	2.38	55.7	1.1	6.4	12.6	21	0.1	1.6	1.6	54	0.20	0.016
1292829	Soil		0.7	16.3	8.6	57	<0.1	21.8	11.6	533	2.84	12.6	0.6	<0.5	4.5	27	<0.1	0.5	0.1	53	0.46	0.035
1292838	Soil		1.2	26.0	12.8	63	0.1	27.6	11.5	434	2.97	10.6	0.8	1.5	12.7	27	<0.1	0.8	0.2	56	0.45	0.034
1292825	Soil		0.8	18.0	9.0	65	<0.1	26.6	12.3	741	2.89	7.4	1.0	1.6	6.5	28	0.2	0.6	0.2	53	0.56	0.060
1291166	Soil		8.7	81.0	15.0	183	0.5	81.1	15.9	616	3.88	73.1	1.4	2.0	4.7	22	0.6	1.7	0.3	98	0.33	0.030
1291162	Soil		2.0	27.5	16.6	71	0.2	53.1	13.5	344	3.01	60.2	0.8	2.5	8.6	18	0.3	1.1	0.2	78	0.29	0.024
1293531	Soil		3.7	40.1	14.3	80	0.2	56.0	13.8	272	3.87	69.2	2.0	3.0	9.4	19	0.1	4.2	0.2	100	0.22	0.035
1293548	Soil		1.3	17.0	12.3	53	0.1	22.3	10.9	330	2.67	30.2	1.4	3.8	9.4	25	0.3	1.4	0.7	60	0.30	0.020
1291163	Soil		2.6	36.2	12.1	125	0.2	61.2	16.3	503	3.93	93.3	1.0	1.0	4.7	17	0.3	1.6	0.2	100	0.33	0.051
1291165	Soil		3.5	56.3	10.6	103	0.2	49.3	18.6	627	3.55	55.0	1.5	<0.5	7.8	20	0.2	0.9	0.2	83	0.28	0.033
1293533	Soil		1.1	69.5	11.2	66	0.2	31.2	12.6	516	2.53	10.8	1.5	3.4	1.5	80	0.4	2.3	0.2	61	3.20	0.074
1293534	Soil		1.9	118.6	4.3	86	0.2	41.0	27.3	1008	6.12	4.3	0.5	5.0	3.2	56	0.1	2.9	<0.1	172	2.61	0.093
1291157	Soil		0.9	22.5	8.8	60	0.1	20.7	11.6	379	3.03	12.7	0.6	<0.5	5.1	28	<0.1	0.5	0.1	64	0.50	0.024
1291161	Soil		1.9	31.2	20.9	98	0.2	30.6	11.4	524	3.08	58.4	2.0	1.5	18.3	34	0.3	1.0	0.2	62	0.56	0.042
1293537	Soil		0.5	24.0	5.8	26	<0.1	17.4	7.2	252	1.75	8.7	0.3	1.5	1.2	80	0.2	0.5	0.2	37	8.16	0.037
1293535	Soil		1.0	59.4	15.2	93	0.2	36.5	17.2	718	3.44	10.5	0.6	3.0	3.4	72	0.4	1.1	0.3	79	2.07	0.048

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000229.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1292814	Soil	15	119	2.14	547	0.208	<1	2.55	0.019	0.51	0.2	0.03	4.9	0.6	<0.05	7	<0.5	<0.2
1292820	Soil	14	27	0.51	288	0.100	<1	1.62	0.013	0.20	0.1	0.01	4.7	0.1	<0.05	5	<0.5	<0.2
1292837	Soil	50	40	0.55	241	0.086	1	1.57	0.015	0.16	0.1	0.01	5.7	<0.1	<0.05	5	<0.5	<0.2
1292833	Soil	31	43	0.53	304	0.100	1	1.57	0.019	0.15	0.1	0.01	5.5	<0.1	<0.05	5	<0.5	<0.2
1292831	Soil	21	42	0.69	237	0.105	<1	1.63	0.029	0.13	0.1	0.02	6.8	<0.1	<0.05	5	<0.5	<0.2
1292827	Soil	15	52	0.65	293	0.080	<1	1.68	0.016	0.16	0.2	0.01	5.4	0.1	<0.05	5	<0.5	<0.2
1293546	Soil	12	24	0.35	119	0.064	<1	1.15	0.010	0.06	0.1	<0.01	3.5	0.1	<0.05	4	<0.5	<0.2
1292832	Soil	24	41	0.61	295	0.101	1	1.73	0.017	0.22	0.1	0.01	6.0	0.1	<0.05	5	<0.5	<0.2
1292836	Soil	31	42	0.57	286	0.080	<1	1.67	0.015	0.13	0.2	0.02	6.0	<0.1	<0.05	5	<0.5	<0.2
1292824	Soil	15	52	0.71	296	0.106	<1	1.82	0.012	0.24	0.2	<0.01	6.0	0.1	<0.05	6	<0.5	<0.2
1293541	Soil	19	15	0.57	245	0.037	<1	1.98	0.015	0.09	<0.1	0.07	5.3	<0.1	<0.05	8	<0.5	<0.2
1292835	Soil	72	37	0.51	262	0.070	1	1.49	0.018	0.16	0.1	0.01	5.2	<0.1	<0.05	5	<0.5	<0.2
1292834	Soil	46	38	0.54	256	0.090	<1	1.46	0.018	0.14	0.1	0.02	5.6	<0.1	<0.05	5	<0.5	<0.2
1292826	Soil	24	60	0.69	317	0.046	<1	2.08	0.011	0.26	0.4	0.02	6.7	0.1	<0.05	6	<0.5	<0.2
1293547	Soil	18	22	0.32	203	0.054	<1	1.23	0.011	0.07	0.2	0.02	3.2	0.2	<0.05	5	<0.5	<0.2
1292829	Soil	12	37	0.55	288	0.097	<1	1.59	0.014	0.20	0.2	0.01	5.4	0.1	<0.05	5	<0.5	<0.2
1292838	Soil	44	41	0.62	240	0.075	<1	1.69	0.014	0.15	0.2	0.03	6.3	0.1	<0.05	5	<0.5	<0.2
1292825	Soil	20	55	0.65	345	0.048	<1	1.97	0.011	0.26	0.5	0.01	6.1	0.1	<0.05	6	<0.5	<0.2
1291166	Soil	14	39	0.32	905	0.026	<1	1.19	0.009	0.08	0.2	0.05	7.4	0.2	<0.05	4	2.1	<0.2
1291162	Soil	15	66	0.78	348	0.113	<1	1.66	0.012	0.21	0.2	0.02	6.7	0.2	<0.05	5	<0.5	<0.2
1293531	Soil	17	69	0.90	335	0.141	<1	2.35	0.009	0.57	0.3	<0.01	5.9	0.4	<0.05	9	<0.5	<0.2
1293548	Soil	18	33	0.42	215	0.069	<1	1.42	0.011	0.13	0.1	0.02	4.0	<0.1	<0.05	5	<0.5	<0.2
1291163	Soil	9	67	0.85	506	0.065	<1	1.73	0.009	0.26	0.1	0.01	5.3	0.2	<0.05	7	0.7	<0.2
1291165	Soil	15	40	0.88	449	0.112	<1	1.75	0.010	0.54	<0.1	<0.01	6.4	0.3	<0.05	6	<0.5	<0.2
1293533	Soil	11	58	0.85	229	0.042	2	1.33	0.019	0.05	0.1	0.06	5.5	<0.1	<0.05	5	<0.5	<0.2
1293534	Soil	13	83	2.27	273	0.149	1	2.96	0.016	0.25	<0.1	0.03	20.1	0.1	<0.05	12	<0.5	<0.2
1291157	Soil	14	41	0.64	279	0.108	1	1.78	0.013	0.22	0.2	0.02	5.9	0.1	<0.05	5	<0.5	<0.2
1291161	Soil	95	45	0.59	348	0.071	2	1.72	0.012	0.26	0.1	0.02	6.0	0.1	<0.05	6	<0.5	<0.2
1293537	Soil	8	24	0.38	137	0.033	1	1.02	0.016	0.04	0.1	0.02	2.9	0.1	<0.05	3	<0.5	<0.2
1293535	Soil	15	73	1.16	148	0.096	1	2.13	0.025	0.06	0.1	0.05	7.7	<0.1	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000229.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1291155	Soil	1.8	40.8	14.9	85	0.2	41.8	14.9	478	3.42	58.0	1.0	1.3	7.2	31	0.2	1.1	0.3	80	0.57	0.057
1291156	Soil	1.3	33.7	11.3	60	0.2	32.5	11.0	326	2.84	23.5	0.9	4.4	7.8	31	<0.1	0.8	0.1	70	0.45	0.038
1293536	Soil	1.5	59.2	11.3	57	<0.1	53.2	15.1	330	2.95	10.8	1.0	2.7	2.7	34	0.2	1.0	0.2	70	1.06	0.022
1293550	Soil	1.7	49.6	12.4	89	0.2	61.7	16.1	375	3.86	35.6	1.3	4.6	7.7	23	<0.1	4.1	0.2	101	0.31	0.032
1291151	Rock Pulp	2.3	26.2	2.5	42	0.3	24.6	10.7	395	2.38	4.5	0.3	0.8	1.0	43	0.2	0.3	<0.1	65	0.84	0.058
1291159	Soil	1.9	41.7	14.9	102	0.1	47.3	15.8	377	3.65	361.4	1.7	<0.5	14.8	22	0.2	6.9	0.2	80	0.41	0.060
1291158	Soil	0.8	22.2	8.3	60	0.1	21.3	11.6	496	2.70	9.9	0.5	2.0	4.3	32	0.1	0.5	0.1	58	0.54	0.032
1291168	Soil	2.7	65.6	7.4	88	1.3	19.3	8.1	307	3.34	10.5	1.4	0.8	2.7	35	0.2	0.3	0.1	103	0.29	0.085
1293543	Soil	0.9	34.2	8.7	72	<0.1	20.1	12.3	588	3.25	9.1	0.9	2.3	4.3	75	0.1	1.8	0.1	72	2.94	0.072
1293542	Soil	0.7	40.4	7.5	58	<0.1	37.1	12.7	429	2.62	10.1	0.7	1.5	2.9	71	0.2	1.3	0.1	63	2.54	0.073
1293545	Soil	1.3	11.3	29.0	40	<0.1	7.2	2.6	109	1.79	168.4	2.5	10.2	30.7	14	<0.1	3.8	6.0	22	0.09	0.008
1291160	Soil	2.0	32.5	10.8	74	0.2	35.8	13.1	375	3.05	32.5	1.1	1.7	9.7	22	0.1	0.6	0.2	78	0.36	0.026
1293544	Soil	2.0	17.2	13.9	53	<0.1	22.9	10.2	317	2.96	29.2	1.2	2.3	13.0	28	<0.1	2.1	0.3	61	0.40	0.013
1293538	Soil	13.2	21.0	31.8	59	<0.1	9.2	5.6	285	2.72	82.9	5.1	4.5	32.3	23	0.3	16.3	0.2	31	0.36	0.020
1293532	Soil	2.7	44.9	18.0	87	0.2	44.2	14.2	264	4.15	62.3	3.8	5.9	12.4	36	<0.1	4.0	0.3	94	0.38	0.038
1293529	Soil	3.2	34.1	16.5	79	0.3	29.7	7.3	497	2.72	21.4	3.2	4.4	18.2	33	0.5	1.3	0.7	50	0.36	0.071
1293539	Soil	0.7	8.8	10.0	71	<0.1	12.0	9.5	456	3.85	9.5	1.3	1.3	9.8	21	0.1	3.4	0.1	52	0.41	0.040
1293540	Soil	1.1	25.8	9.2	82	0.2	15.3	12.0	440	3.57	10.4	0.6	0.8	3.6	80	0.2	2.5	0.3	86	0.82	0.077
1293530	Soil	4.7	17.6	13.0	66	<0.1	20.8	9.3	639	3.17	15.5	3.5	1.6	14.4	23	<0.1	1.1	0.4	63	0.25	0.024
1293549	Soil	2.9	42.2	9.3	139	0.5	39.3	11.6	1139	3.00	31.2	1.2	2.0	3.5	22	1.0	2.6	0.2	79	0.22	0.075

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000229.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1291155	Soil	21	58	0.87	332	0.092	1	1.76	0.014	0.34	0.2	0.02	6.3	0.2	<0.05	6	<0.5	<0.2
1291156	Soil	22	44	0.70	244	0.103	1	1.61	0.018	0.12	0.1	0.02	6.0	<0.1	<0.05	5	<0.5	<0.2
1293536	Soil	8	92	0.75	112	0.096	<1	2.02	0.020	0.04	<0.1	0.01	5.7	<0.1	<0.05	7	<0.5	<0.2
1293550	Soil	21	75	0.86	240	0.132	<1	2.08	0.013	0.39	0.2	0.03	9.0	0.3	<0.05	7	0.8	<0.2
1291151	Rock Pulp	4	33	0.76	95	0.144	3	1.49	0.086	0.11	13.5	0.01	4.7	<0.1	<0.05	5	<0.5	<0.2
1291159	Soil	65	62	0.93	248	0.102	<1	1.90	0.009	0.46	0.1	0.02	7.2	0.4	<0.05	6	1.1	<0.2
1291158	Soil	12	33	0.58	389	0.099	1	1.65	0.015	0.19	0.1	0.01	4.9	<0.1	<0.05	5	<0.5	<0.2
1291168	Soil	8	43	0.69	876	0.133	<1	1.68	0.028	0.28	0.1	0.01	3.5	0.2	0.23	6	3.2	<0.2
1293543	Soil	17	32	0.87	363	0.068	2	1.64	0.021	0.12	0.1	0.03	6.3	<0.1	<0.05	7	<0.5	<0.2
1293542	Soil	11	71	0.78	203	0.078	2	1.43	0.024	0.07	0.1	0.04	5.3	<0.1	<0.05	5	<0.5	<0.2
1293545	Soil	25	12	0.17	65	0.014	<1	0.77	0.008	0.05	0.1	0.01	2.8	<0.1	<0.05	2	<0.5	0.5
1291160	Soil	23	42	0.74	307	0.118	<1	1.77	0.014	0.31	0.1	0.02	5.4	0.2	<0.05	6	<0.5	<0.2
1293544	Soil	19	44	0.52	197	0.117	1	1.80	0.012	0.30	0.9	0.02	7.1	0.2	<0.05	6	<0.5	<0.2
1293538	Soil	35	15	0.35	277	0.035	<1	1.60	0.010	0.15	0.1	0.02	3.8	0.3	<0.05	7	<0.5	<0.2
1293532	Soil	25	69	0.81	265	0.101	<1	2.43	0.008	0.42	0.3	0.01	6.7	0.3	<0.05	8	0.6	<0.2
1293529	Soil	39	28	0.37	195	0.052	1	1.17	0.013	0.19	0.2	0.03	4.9	0.1	<0.05	4	<0.5	<0.2
1293539	Soil	14	13	0.19	360	0.004	<1	1.10	0.008	0.08	0.1	0.02	9.0	<0.1	<0.05	3	<0.5	<0.2
1293540	Soil	10	26	0.69	370	0.101	<1	2.18	0.018	0.15	<0.1	0.02	4.5	<0.1	<0.05	9	<0.5	<0.2
1293530	Soil	27	40	0.49	191	0.107	<1	1.61	0.011	0.23	1.4	0.02	5.0	0.2	<0.05	6	<0.5	<0.2
1293549	Soil	13	41	0.34	241	0.069	<1	1.38	0.015	0.09	0.3	0.04	4.3	0.3	<0.05	7	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

QUALITY CONTROL REPORT WHI12000229.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
1293694	Soil	1.8	41.2	9.3	107	0.3	45.2	13.9	266	3.34	5.3	1.7	3.7	5.1	20	0.2	0.5	0.2	88	0.31	0.070
REP 1293694	QC	1.9	39.2	8.6	102	0.3	43.5	12.8	259	3.25	4.9	1.7	2.9	5.0	19	0.2	0.4	0.2	82	0.29	0.069
1292502	Soil	2.7	59.8	8.8	131	0.2	41.1	13.5	229	3.68	4.9	1.9	3.1	6.8	34	0.4	0.8	0.2	103	0.50	0.084
REP 1292502	QC	2.6	59.8	8.9	127	0.2	41.2	13.3	230	3.51	5.4	1.9	4.0	6.7	33	0.5	0.8	0.2	100	0.50	0.084
1292534	Soil	1.2	32.7	7.9	59	0.1	26.7	13.9	438	3.03	15.4	1.7	9.8	5.0	44	0.3	1.2	0.1	68	1.00	0.069
REP 1292534	QC	1.2	32.0	7.9	57	0.1	26.9	13.6	428	2.89	15.2	1.7	10.4	5.0	42	0.4	1.2	0.1	69	1.00	0.070
1292536	Soil	1.0	95.8	208.8	67	0.3	36.0	14.7	492	3.03	12.7	0.7	14.7	4.2	41	0.3	1.7	0.1	75	0.86	0.074
REP 1292536	QC	1.1	94.9	204.8	65	0.4	35.1	14.6	490	3.02	12.5	0.8	13.6	4.2	40	0.4	1.7	0.2	76	0.82	0.072
1293564	Soil	1.6	50.9	9.6	109	0.2	56.8	9.0	151	3.30	5.6	1.6	1.3	5.1	11	<0.1	0.9	0.2	85	0.14	0.040
REP 1293564	QC	1.6	50.2	9.7	109	0.2	57.2	9.0	151	3.34	5.5	1.6	2.2	5.1	11	<0.1	0.9	0.2	88	0.14	0.041
1293554	Soil	1.9	45.6	7.0	98	<0.1	93.0	17.9	362	4.55	4.0	1.1	1.0	5.8	29	0.2	0.4	0.1	125	0.44	0.061
REP 1293554	QC	1.8	45.7	6.8	97	<0.1	92.0	17.4	354	4.40	3.9	1.0	1.0	5.6	25	0.1	0.5	0.1	123	0.42	0.061
1292971	Soil	2.0	64.2	8.4	163	<0.1	72.2	19.0	609	4.30	2.2	1.4	1.4	6.5	17	0.4	0.1	0.1	94	0.58	0.157
REP 1292971	QC	2.1	63.8	8.5	159	<0.1	72.7	18.3	591	4.21	2.4	1.4	1.5	6.5	17	0.3	0.1	<0.1	93	0.59	0.149
1292969	Soil	1.1	12.9	8.0	57	<0.1	25.1	9.6	166	2.48	11.1	0.4	<0.5	2.9	14	<0.1	0.4	0.1	68	0.28	0.041
REP 1292969	QC	1.1	13.0	8.0	60	<0.1	26.4	9.9	166	2.54	11.1	0.4	1.2	3.0	14	0.1	0.4	0.1	67	0.28	0.040
1293208	Soil	2.9	35.0	8.0	82	0.5	29.3	10.1	326	2.61	11.6	1.5	5.8	2.1	22	0.2	0.2	0.3	73	0.36	0.069
REP 1293208	QC	2.9	34.3	8.0	81	0.5	28.6	9.8	324	2.58	11.4	1.5	2.7	2.2	22	0.3	0.2	0.2	72	0.35	0.069
1293206	Soil	2.6	40.9	11.4	78	0.4	27.2	14.1	550	3.68	13.0	1.6	1.7	4.1	18	0.2	0.2	0.2	91	0.22	0.037
REP 1293206	QC	2.7	43.2	11.7	81	0.4	28.0	14.7	566	3.82	13.1	1.7	2.2	4.3	17	0.2	0.3	0.2	94	0.21	0.040
1291038	Soil	1.0	21.3	9.4	50	0.1	29.5	12.2	501	2.90	9.1	0.6	1.1	5.2	23	<0.1	0.6	0.1	63	0.47	0.021
REP 1291038	QC	1.0	20.8	9.3	48	0.1	28.7	11.5	481	2.76	9.0	0.6	1.0	5.4	24	<0.1	0.5	0.2	63	0.45	0.021
1291025	Soil	0.9	15.8	6.5	49	<0.1	17.0	9.2	368	2.67	8.8	0.4	<0.5	4.1	24	<0.1	0.4	0.1	45	0.53	0.028
REP 1291025	QC	0.9	16.0	6.4	51	<0.1	17.4	9.9	387	2.82	9.0	0.4	<0.5	4.0	24	<0.1	0.4	0.1	50	0.54	0.028
1292896	Soil	1.3	10.3	6.5	40	<0.1	33.1	23.3	515	4.11	8.2	0.5	1.3	4.3	25	<0.1	0.4	0.4	108	0.61	0.063
REP 1292896	QC	1.0	9.8	6.4	40	<0.1	32.2	22.9	498	4.00	7.7	0.5	0.7	4.2	24	<0.1	0.3	0.4	106	0.56	0.062
1293426	Soil	1.3	117.1	53.5	48	0.1	36.3	28.1	785	4.78	4.7	0.6	1.7	4.0	36	<0.1	1.1	<0.1	105	1.06	0.180
REP 1293426	QC	1.2	120.8	52.6	50	0.1	36.3	28.8	799	4.89	4.6	0.7	1.7	4.0	36	<0.1	1.2	<0.1	106	1.07	0.178

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

QUALITY CONTROL REPORT WHI12000229.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
1293694	Soil	21	53	0.80	359	0.099	1	1.87	0.009	0.27	0.1	0.02	3.9	0.3	<0.05	6	<0.5	<0.2
REP 1293694	QC	20	50	0.76	345	0.095	<1	1.82	0.009	0.25	0.1	0.02	3.7	0.3	<0.05	6	0.5	<0.2
1292502	Soil	22	57	0.76	476	0.138	1	1.97	0.018	0.25	0.1	0.04	5.6	0.3	<0.05	7	1.1	<0.2
REP 1292502	QC	22	57	0.76	482	0.136	1	1.94	0.018	0.26	0.2	0.03	5.5	0.3	0.07	6	0.8	<0.2
1292534	Soil	21	34	0.63	366	0.079	2	1.31	0.023	0.11	0.2	0.06	5.1	0.1	0.05	4	0.7	<0.2
REP 1292534	QC	21	34	0.60	362	0.078	2	1.23	0.022	0.10	0.2	0.05	5.2	0.1	0.11	4	0.7	<0.2
1292536	Soil	15	42	0.85	416	0.101	2	1.57	0.030	0.14	0.3	0.04	6.2	0.1	0.07	5	0.8	<0.2
REP 1292536	QC	15	41	0.83	415	0.099	2	1.57	0.030	0.13	0.3	0.04	5.8	0.1	<0.05	5	0.8	<0.2
1293564	Soil	18	53	0.92	222	0.104	<1	2.02	0.006	0.44	<0.1	<0.01	3.9	0.5	<0.05	6	0.9	<0.2
REP 1293564	QC	19	54	0.92	230	0.102	<1	2.03	0.006	0.44	<0.1	<0.01	3.9	0.5	<0.05	6	0.9	<0.2
1293554	Soil	23	130	1.66	359	0.096	<1	3.42	0.016	0.15	<0.1	<0.01	6.9	0.3	<0.05	9	0.6	<0.2
REP 1293554	QC	21	128	1.62	353	0.093	<1	3.26	0.015	0.15	<0.1	<0.01	6.8	0.3	<0.05	9	0.6	<0.2
1292971	Soil	38	80	1.69	292	0.171	<1	2.52	0.007	0.89	0.2	0.01	3.2	0.7	<0.05	7	1.2	<0.2
REP 1292971	QC	38	82	1.68	288	0.166	<1	2.57	0.008	0.95	0.2	<0.01	3.2	0.7	<0.05	7	1.4	<0.2
1292969	Soil	8	44	0.65	166	0.108	<1	1.52	0.008	0.23	0.1	0.01	2.3	0.2	<0.05	6	<0.5	<0.2
REP 1292969	QC	8	43	0.66	172	0.103	<1	1.52	0.008	0.22	0.1	<0.01	2.3	0.2	<0.05	6	<0.5	<0.2
1293208	Soil	18	46	0.77	312	0.093	1	1.60	0.012	0.10	0.2	0.04	4.1	0.2	<0.05	7	<0.5	<0.2
REP 1293208	QC	17	45	0.77	301	0.090	<1	1.60	0.012	0.10	0.1	0.04	4.0	0.2	<0.05	7	0.6	<0.2
1293206	Soil	14	50	0.77	200	0.115	<1	2.02	0.013	0.10	0.1	0.04	4.4	0.2	<0.05	8	<0.5	<0.2
REP 1293206	QC	14	51	0.79	197	0.118	1	2.11	0.013	0.10	0.1	0.02	4.4	0.2	<0.05	8	0.5	<0.2
1291038	Soil	26	49	0.59	265	0.057	2	1.78	0.011	0.14	0.2	0.02	6.1	<0.1	<0.05	5	<0.5	<0.2
REP 1291038	QC	27	48	0.62	278	0.056	2	1.82	0.012	0.14	0.2	0.02	6.0	<0.1	<0.05	5	<0.5	<0.2
1291025	Soil	11	29	0.56	258	0.068	2	1.53	0.011	0.24	0.2	0.01	4.2	0.1	<0.05	5	<0.5	<0.2
REP 1291025	QC	12	32	0.55	260	0.071	2	1.46	0.011	0.24	0.2	0.02	4.1	0.1	0.06	5	<0.5	<0.2
1292896	Soil	9	65	1.50	154	0.160	1	1.92	0.011	0.39	<0.1	0.03	6.7	0.3	<0.05	8	<0.5	<0.2
REP 1292896	QC	8	63	1.41	151	0.151	1	1.82	0.011	0.37	<0.1	0.03	6.3	0.3	<0.05	8	<0.5	<0.2
1293426	Soil	13	49	2.13	822	0.195	<1	2.43	0.012	0.86	<0.1	0.02	7.2	0.4	<0.05	8	<0.5	<0.2
REP 1293426	QC	13	50	2.10	823	0.202	<1	2.36	0.012	0.84	<0.1	0.02	7.5	0.3	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

QUALITY CONTROL REPORT WHI12000229.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
1292822	Soil	0.6	13.1	6.4	56	<0.1	18.6	11.2	425	2.74	5.5	0.7	<0.5	4.4	24	<0.1	0.4	<0.1	46	0.39	0.057
REP 1292822	QC	0.7	13.2	6.5	58	<0.1	18.8	11.2	426	2.75	5.5	0.7	1.0	4.4	24	<0.1	0.4	<0.1	46	0.39	0.057
1292826	Soil	0.8	19.0	8.6	61	<0.1	28.8	12.6	610	3.01	7.7	1.1	<0.5	8.2	27	0.1	0.6	0.2	57	0.51	0.059
REP 1292826	QC	0.7	18.2	8.6	63	<0.1	28.1	12.8	628	2.99	7.8	1.1	1.0	8.0	26	<0.1	0.6	0.2	55	0.53	0.058
1293543	Soil	0.9	34.2	8.7	72	<0.1	20.1	12.3	588	3.25	9.1	0.9	2.3	4.3	75	0.1	1.8	0.1	72	2.94	0.072
REP 1293543	QC	0.8	33.3	8.5	70	<0.1	20.0	12.0	571	3.18	8.9	0.9	1.8	4.2	73	0.2	1.8	0.1	71	2.96	0.072
1293529	Soil	3.2	34.1	16.5	79	0.3	29.7	7.3	497	2.72	21.4	3.2	4.4	18.2	33	0.5	1.3	0.7	50	0.36	0.071
REP 1293529	QC	3.3	34.3	16.7	79	0.3	30.8	7.4	502	2.76	21.6	3.2	11.2	18.5	34	0.5	1.2	0.7	52	0.37	0.072
Reference Materials																					
STD DS9	Standard	12.5	109.4	117.8	308	1.8	39.8	7.5	548	2.23	24.1	2.4	108.7	5.7	65	2.1	5.5	5.8	42	0.67	0.087
STD DS9	Standard	13.2	108.1	120.9	304	1.8	41.3	7.8	582	2.29	24.1	2.7	113.3	5.6	63	2.1	5.7	5.8	46	0.69	0.075
STD DS9	Standard	13.3	111.4	121.2	310	1.8	42.1	7.7	590	2.35	24.8	2.6	118.3	5.8	64	2.2	5.5	6.0	47	0.75	0.076
STD DS9	Standard	14.2	108.4	124.2	303	1.7	41.1	8.1	578	2.31	24.8	2.8	114.6	5.8	67	2.1	5.6	6.0	48	0.71	0.081
STD DS9	Standard	14.7	108.3	126.3	308	1.9	44.9	7.9	618	2.49	24.3	2.5	130.9	5.9	74	2.2	5.3	5.9	44	0.77	0.086
STD DS9	Standard	13.6	111.4	121.7	309	1.7	42.4	8.1	592	2.36	24.0	2.7	107.4	5.7	63	2.2	5.5	5.9	48	0.74	0.082
STD DS9	Standard	12.8	103.8	123.7	299	1.9	39.7	7.4	565	2.29	24.5	2.6	120.0	6.1	69	2.1	5.4	5.5	40	0.68	0.084
STD DS9	Standard	14.7	114.9	125.1	307	1.7	42.0	7.9	585	2.36	25.9	3.2	119.1	7.9	83	2.5	6.4	6.8	45	0.73	0.080
STD DS9	Standard	14.7	117.6	122.3	308	1.8	42.1	8.0	578	2.32	25.4	3.2	114.8	7.6	80	2.3	6.4	6.7	44	0.73	0.083
STD DS9	Standard	12.2	103.3	117.7	292	1.9	39.2	7.2	541	2.21	23.9	2.4	126.2	5.6	62	2.1	5.1	5.4	39	0.69	0.076
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	7	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

QUALITY CONTROL REPORT WHI12000229.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
1292822	Soil	11	34	0.56	306	0.129	<1	1.76	0.013	0.25	0.1	<0.01	4.0	0.1	<0.05	5	<0.5	<0.2
REP 1292822	QC	11	34	0.57	316	0.131	<1	1.73	0.013	0.25	0.1	0.01	3.9	0.1	<0.05	5	<0.5	<0.2
1292826	Soil	24	60	0.69	317	0.046	<1	2.08	0.011	0.26	0.4	0.02	6.7	0.1	<0.05	6	<0.5	<0.2
REP 1292826	QC	24	60	0.69	317	0.043	<1	2.01	0.010	0.26	0.5	0.02	6.4	0.1	<0.05	6	<0.5	<0.2
1293543	Soil	17	32	0.87	363	0.068	2	1.64	0.021	0.12	0.1	0.03	6.3	<0.1	<0.05	7	<0.5	<0.2
REP 1293543	QC	17	32	0.85	354	0.065	2	1.57	0.020	0.12	0.1	0.03	6.4	<0.1	<0.05	7	<0.5	<0.2
1293529	Soil	39	28	0.37	195	0.052	1	1.17	0.013	0.19	0.2	0.03	4.9	0.1	<0.05	4	<0.5	<0.2
REP 1293529	QC	40	28	0.37	195	0.054	1	1.20	0.014	0.19	0.2	0.03	4.8	0.1	<0.05	4	0.8	<0.2
Reference Materials																		
STD DS9	Standard	11	116	0.58	275	0.114	2	0.86	0.082	0.34	2.9	0.19	2.2	5.4	0.15	5	5.2	4.8
STD DS9	Standard	12	128	0.61	281	0.106	2	0.88	0.078	0.36	3.1	0.20	2.4	5.6	0.21	5	5.3	5.1
STD DS9	Standard	13	129	0.61	302	0.114	2	0.87	0.090	0.36	3.1	0.20	2.5	5.6	0.18	5	5.2	5.3
STD DS9	Standard	13	128	0.63	297	0.113	3	0.92	0.094	0.38	3.1	0.20	2.8	5.6	0.21	5	5.2	5.4
STD DS9	Standard	13	133	0.66	314	0.127	3	1.00	0.092	0.37	3.2	0.21	2.6	5.7	0.22	5	6.1	5.5
STD DS9	Standard	13	133	0.65	289	0.120	3	0.96	0.088	0.34	3.1	0.20	2.8	5.7	0.20	5	5.6	5.6
STD DS9	Standard	12	118	0.61	288	0.112	2	0.91	0.086	0.35	3.0	0.20	2.2	5.5	0.12	5	4.9	5.0
STD DS9	Standard	15	128	0.62	310	0.138	1	0.99	0.104	0.38	3.1	0.21	3.2	5.6	0.14	5	5.3	4.8
STD DS9	Standard	14	128	0.62	307	0.135	2	0.96	0.096	0.37	3.0	0.20	3.0	5.4	0.15	5	5.4	5.1
STD DS9	Standard	12	117	0.59	275	0.095	3	0.86	0.082	0.37	2.7	0.20	2.1	5.2	0.15	4	5.6	5.6
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	0.06	<1	<0.5	<0.2
BLK	Blank	<1	1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

QUALITY CONTROL REPORT WHI12000229.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	3	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

QUALITY CONTROL REPORT WHI12000229.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 09, 2012
Report Date: July 14, 2012
Page: 1 of 12

CERTIFICATE OF ANALYSIS WHI12000230.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 320

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	320	Dry at 60C			WHI
SS80	314	Dry at 60C sieve 100g to -80 mesh			WHI
1DX2	320	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000230.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1291182	Soil	1.0	23.4	11.4	71	0.2	18.9	12.3	612	2.72	28.0	6.3	9.8	6.6	51	0.4	2.1	0.2	67	0.82	0.074
1291152	Soil	1.1	19.6	13.1	67	0.2	17.1	11.8	578	2.80	29.9	5.4	6.4	8.1	49	0.4	2.1	0.2	66	0.77	0.078
1291154	Soil	2.0	30.1	23.2	95	0.3	27.9	12.2	1020	3.28	15.7	2.9	3.1	28.7	29	0.6	0.5	0.4	48	0.59	0.038
1291181	Soil	0.8	13.8	9.2	67	0.1	12.0	10.8	530	2.83	25.9	2.7	17.1	6.8	36	0.4	2.2	0.2	76	0.61	0.088
1291178	Soil	5.5	83.4	10.9	414	1.3	104.7	16.2	679	3.48	44.0	2.3	2.2	1.7	41	2.4	0.6	0.2	88	1.08	0.096
1291176	Soil	3.1	42.6	9.8	101	0.8	33.1	9.3	243	2.78	16.0	1.2	1.8	2.4	29	0.7	0.4	0.1	71	0.30	0.052
1291172	Soil	11.8	93.3	10.2	129	2.7	24.7	6.7	238	4.49	7.5	3.8	1.4	3.7	48	0.6	0.2	0.2	123	0.17	0.107
1291173	Soil	4.7	67.4	10.5	113	0.9	46.4	10.4	232	2.94	21.1	2.0	2.2	3.8	30	0.4	0.4	0.2	79	0.29	0.047
1291167	Soil	2.0	30.0	8.2	117	0.8	36.3	13.2	490	2.61	32.3	0.6	1.6	1.6	23	0.4	0.6	0.1	65	0.35	0.031
1291179	Soil	15.8	98.2	12.0	218	1.1	61.4	9.2	169	3.40	16.0	3.1	2.8	4.9	33	1.5	0.2	0.3	68	0.17	0.074
1291171	Soil	4.4	45.4	7.7	98	0.7	29.3	14.2	329	2.88	5.3	2.2	1.2	3.8	32	1.0	0.3	0.1	88	0.36	0.044
1291174	Soil	3.1	69.5	10.3	183	0.7	70.3	14.0	528	3.32	44.9	1.4	3.0	3.5	31	0.9	0.7	0.2	74	0.55	0.057
1291170	Soil	5.3	88.6	7.9	100	1.2	35.6	7.5	241	3.85	57.5	2.8	1.6	4.6	44	0.3	0.4	0.2	109	0.29	0.059
1291180	Soil	1.1	18.9	10.2	64	0.2	15.1	11.2	530	2.75	28.8	3.9	5.4	6.6	35	0.3	2.0	0.2	67	0.59	0.077
1291164	Soil	3.1	56.2	40.0	115	0.4	72.0	21.2	636	3.96	316.4	1.3	5.4	6.1	23	0.4	1.9	0.2	98	0.59	0.078
1291153	Soil	1.4	11.5	14.3	61	0.3	11.2	5.8	245	1.84	18.6	1.3	2.5	2.9	74	0.4	1.2	0.2	46	1.72	0.079
1291190	Soil	3.6	52.1	5.3	75	0.6	16.7	3.4	128	2.26	1.3	1.2	3.2	5.7	28	<0.1	0.2	0.1	97	1.28	0.034
1291177	Soil	3.4	33.6	8.6	91	0.6	27.9	4.7	185	2.23	18.1	0.9	2.5	2.6	23	0.5	0.4	0.2	58	0.16	0.056
1291175	Soil	2.1	25.3	8.0	78	0.8	26.3	11.5	360	2.52	10.2	0.8	4.3	1.9	24	0.7	0.4	0.2	69	0.32	0.047
1291169	Soil	6.3	65.3	8.9	72	1.2	18.6	4.2	128	3.63	31.2	2.1	2.7	2.8	33	0.3	0.5	0.2	89	0.09	0.079
1291193	Soil	2.0	95.9	6.1	105	0.1	83.2	21.6	429	4.05	14.3	1.0	6.6	4.1	32	0.4	0.5	0.1	104	1.09	0.115
1291196	Soil	2.1	57.3	8.4	80	0.5	40.0	12.0	350	3.08	10.6	1.0	9.3	4.6	31	<0.1	0.6	0.2	75	0.44	0.063
1291183	Soil	1.1	26.5	7.2	64	0.2	27.4	9.1	187	2.65	5.8	0.9	6.6	3.8	18	0.1	0.3	0.1	63	0.24	0.047
1291192	Soil	2.6	97.2	7.7	150	0.3	153.0	27.4	522	4.41	2.5	1.3	2.4	4.7	25	0.3	0.2	0.2	86	0.45	0.135
1291195	Soil	4.6	77.9	12.8	172	0.5	80.2	16.7	440	3.83	33.4	1.5	2.3	5.8	25	0.5	0.6	0.3	108	0.42	0.098
1291191	Soil	3.8	36.9	6.9	65	0.8	31.1	8.3	188	2.45	8.6	1.0	3.2	3.8	22	0.2	0.6	0.1	63	0.28	0.076
1291194	Soil	1.4	46.9	5.5	54	0.4	31.0	10.0	292	2.20	8.5	0.7	3.7	2.2	226	0.4	0.7	<0.1	56	8.02	0.074
1291184	Soil	0.8	26.6	6.5	70	0.1	28.7	9.5	170	2.56	4.3	0.8	1.4	4.2	14	<0.1	0.3	0.1	64	0.21	0.054
1291200	Soil	1.4	54.3	7.8	99	<0.1	48.8	17.8	622	4.46	14.3	0.8	3.2	4.4	22	<0.1	0.4	0.1	101	0.54	0.101
1293501	Rock Pulp	1.4	411.2	20.0	144	0.2	205.2	73.2	769	14.82	3.1	1.1	29.2	6.5	13	<0.1	0.3	0.1	209	0.28	0.040

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000230.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1291182	Soil		23	28	0.72	373	0.082	2	1.52	0.025	0.17	0.2	0.05	5.8	0.2	<0.05	5	<0.5	<0.2
1291152	Soil		20	26	0.69	331	0.088	2	1.49	0.020	0.14	0.3	0.05	5.6	0.2	<0.05	5	<0.5	<0.2
1291154	Soil		142	47	0.62	323	0.034	3	1.67	0.015	0.19	0.2	0.05	4.7	0.1	<0.05	6	<0.5	<0.2
1291181	Soil		16	22	0.67	314	0.088	2	1.24	0.020	0.20	0.3	0.02	4.6	0.2	<0.05	4	<0.5	<0.2
1291178	Soil		11	31	0.47	593	0.020	3	0.91	0.010	0.09	0.2	0.08	6.1	0.4	0.08	3	4.4	<0.2
1291176	Soil		11	30	0.41	822	0.043	<1	1.34	0.012	0.09	0.1	0.03	3.5	0.1	<0.05	5	1.4	<0.2
1291172	Soil		23	33	0.65	454	0.081	<1	1.29	0.024	0.16	0.2	0.03	3.1	0.2	0.33	4	5.5	<0.2
1291173	Soil		14	36	0.60	499	0.065	1	1.21	0.013	0.14	0.1	0.02	4.2	0.2	0.11	4	2.4	<0.2
1291167	Soil		7	28	0.42	1105	0.040	1	1.29	0.010	0.11	0.1	0.02	3.7	0.1	<0.05	4	0.9	<0.2
1291179	Soil		18	26	0.34	379	0.018	<1	0.70	0.012	0.18	0.2	0.02	3.2	0.3	0.26	3	4.6	0.3
1291171	Soil		13	41	0.65	472	0.093	1	1.47	0.014	0.17	<0.1	0.02	3.1	0.1	0.09	5	1.3	<0.2
1291174	Soil		16	36	0.56	518	0.048	2	1.25	0.015	0.15	0.2	0.06	6.1	0.2	<0.05	4	2.2	<0.2
1291170	Soil		21	41	0.64	490	0.060	<1	1.32	0.013	0.26	0.1	0.02	5.8	0.2	0.36	5	4.2	0.2
1291180	Soil		19	22	0.65	364	0.086	<1	1.29	0.022	0.13	0.2	0.02	5.0	0.2	<0.05	5	<0.5	<0.2
1291164	Soil		23	76	1.02	944	0.072	1	1.80	0.012	0.20	0.1	0.04	8.7	0.2	<0.05	6	0.9	<0.2
1291153	Soil		10	22	0.52	248	0.068	4	1.07	0.018	0.14	0.3	0.05	3.5	0.2	0.10	4	<0.5	<0.2
1291190	Soil		13	57	0.99	826	0.130	<1	1.41	0.011	0.55	<0.1	0.03	3.2	0.5	0.10	5	4.3	<0.2
1291177	Soil		11	23	0.33	396	0.049	<1	0.89	0.010	0.12	0.1	0.02	2.4	0.1	0.09	4	1.6	<0.2
1291175	Soil		9	31	0.40	866	0.045	1	1.48	0.012	0.06	0.1	0.01	3.2	0.1	<0.05	5	0.6	<0.2
1291169	Soil		17	37	0.53	593	0.076	<1	1.22	0.021	0.21	0.1	0.02	2.5	0.2	0.35	5	3.7	0.3
1291193	Soil		24	58	1.56	722	0.154	<1	2.30	0.016	0.31	0.2	0.05	7.4	0.1	<0.05	8	0.6	<0.2
1291196	Soil		18	37	0.71	1340	0.083	1	1.58	0.018	0.16	0.2	0.06	5.3	0.2	<0.05	5	0.9	<0.2
1291183	Soil		14	36	0.56	260	0.065	<1	1.44	0.011	0.12	0.1	0.02	3.1	0.1	<0.05	5	<0.5	<0.2
1291192	Soil		19	124	1.72	1644	0.184	<1	2.37	0.008	0.90	0.1	0.01	6.1	0.3	<0.05	9	0.6	<0.2
1291195	Soil		13	69	1.00	546	0.076	<1	1.72	0.009	0.34	0.2	0.02	8.5	0.4	<0.05	6	1.6	<0.2
1291191	Soil		12	35	0.48	316	0.063	<1	1.31	0.010	0.15	0.2	0.04	4.2	0.1	<0.05	4	1.3	<0.2
1291194	Soil		11	29	1.02	617	0.064	2	1.19	0.028	0.14	0.1	0.03	3.4	0.1	<0.05	4	0.7	<0.2
1291184	Soil		15	35	0.57	234	0.076	<1	1.44	0.008	0.21	<0.1	<0.01	2.8	0.2	<0.05	5	<0.5	<0.2
1291200	Soil		15	117	1.48	680	0.123	<1	2.47	0.012	0.33	0.3	0.04	7.4	0.2	<0.05	9	<0.5	<0.2
1293501	Rock Pulp		16	679	0.12	139	0.147	3	3.70	0.012	0.06	<0.1	0.03	37.7	0.1	<0.05	19	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000230.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1291197	Soil		0.9	48.7	11.2	77	0.2	45.1	14.6	338	3.53	10.3	0.8	2.9	8.6	12	<0.1	0.3	0.2	73	0.26	0.055
1291188	Soil		0.6	48.2	6.9	118	0.2	61.4	10.5	147	3.69	2.4	1.7	2.8	9.6	12	<0.1	0.3	0.1	77	0.25	0.082
1292385	Soil		1.4	25.6	5.9	58	0.2	21.6	8.6	221	2.56	10.5	0.6	1.4	2.5	15	<0.1	0.4	<0.1	62	0.17	0.021
1292388	Soil		13.3	141.4	13.9	185	1.0	115.5	20.2	460	4.84	38.5	4.0	1.5	5.8	40	1.0	0.3	0.2	196	0.35	0.101
1292389	Soil		12.0	138.1	11.2	291	1.2	84.2	11.1	431	3.91	187.9	4.0	3.1	5.5	44	1.2	2.4	0.2	176	0.30	0.080
1292383	Soil		1.4	52.7	10.4	56	0.1	132.6	25.6	522	4.42	20.1	1.4	1.5	9.0	22	<0.1	0.6	0.1	123	0.46	0.057
1292384	Soil		1.9	40.0	9.7	77	0.2	66.1	14.8	285	3.67	45.2	1.2	1.2	6.8	17	0.1	0.4	0.4	85	0.29	0.053
1292391	Soil		3.3	54.1	8.7	111	0.6	48.0	11.3	411	2.85	32.6	1.3	3.1	4.2	23	0.2	0.6	0.1	63	0.38	0.028
1292399	Soil		12.6	130.8	13.7	235	2.7	69.6	11.7	417	4.06	6.2	5.8	2.0	3.6	37	2.2	0.4	0.3	82	0.25	0.109
1292397	Soil		2.0	40.5	6.9	98	0.5	34.3	9.3	184	2.64	7.6	0.9	3.7	2.7	20	0.5	0.5	0.1	59	0.25	0.038
1291199	Soil		1.2	30.0	8.1	61	0.3	30.5	13.1	565	2.91	8.4	0.5	3.4	3.9	24	0.1	0.6	0.2	64	0.36	0.036
1293504	Soil		2.3	49.6	21.1	87	0.1	105.1	22.5	275	5.36	38.0	1.9	7.5	15.2	15	0.1	0.9	0.3	79	0.35	0.073
1292386	Soil		2.0	44.9	10.6	127	0.9	55.0	40.9	2619	4.07	4.9	1.2	1.5	3.6	37	0.6	0.4	0.2	76	0.49	0.097
1292392	Soil		1.8	29.0	7.8	86	0.3	32.7	10.0	226	2.68	11.1	1.0	1.8	4.1	19	0.3	0.5	0.1	67	0.33	0.021
1291185	Soil		1.0	40.5	7.6	86	0.1	34.5	11.1	230	2.94	4.6	1.2	1.8	5.6	25	0.1	0.4	0.1	71	0.28	0.055
1291198	Soil		1.5	38.1	9.5	65	0.3	36.9	13.1	376	3.21	13.6	0.9	2.8	5.4	20	<0.1	0.7	0.1	70	0.31	0.032
1293502	Soil		1.4	50.0	7.3	139	0.2	48.1	24.7	819	6.66	18.6	1.2	9.5	6.1	30	<0.1	0.3	<0.1	137	0.73	0.157
1293503	Soil		1.6	61.3	39.6	113	0.9	55.2	21.6	585	5.05	18.5	0.9	84.7	10.0	26	0.1	0.5	0.5	94	0.56	0.118
1292373	Soil		0.8	27.6	8.1	51	<0.1	30.4	11.5	364	2.86	10.4	0.8	4.5	7.3	27	<0.1	0.8	0.1	60	0.46	0.028
1292396	Soil		2.0	28.5	7.1	72	0.4	30.6	8.9	161	2.66	7.0	0.7	2.3	2.9	19	0.4	0.5	0.1	65	0.17	0.023
1292390	Soil		8.4	86.5	9.3	185	0.9	76.1	12.5	362	3.44	53.4	2.3	3.1	5.4	26	0.6	0.8	0.2	100	0.26	0.052
1292387	Soil		4.9	51.2	5.8	99	0.6	29.2	6.6	213	3.07	4.6	1.5	1.1	3.0	22	0.5	0.2	0.2	107	0.23	0.064
1292382	Soil		1.4	26.9	132.1	93	0.2	29.6	16.7	754	3.55	89.4	0.8	3.2	5.1	21	0.2	0.9	0.3	73	0.46	0.026
1292381	Soil		1.7	40.5	9.9	90	0.2	46.3	18.8	494	3.68	31.3	1.0	0.8	5.0	24	0.2	0.7	0.2	92	0.43	0.045
1292380	Soil		1.9	27.8	9.5	67	0.1	36.2	11.7	347	3.10	37.7	0.9	1.0	5.4	19	0.1	0.8	0.1	71	0.34	0.037
1292376	Soil		0.6	32.1	5.2	59	<0.1	48.3	16.8	495	2.93	9.2	0.4	0.8	3.6	21	<0.1	0.4	<0.1	69	0.49	0.022
1291187	Soil		0.8	16.4	15.4	75	0.2	39.6	11.8	259	2.88	1.9	0.7	1.1	5.0	18	0.1	0.2	0.3	51	0.31	0.070
1291189	Soil		1.3	58.3	7.8	127	0.2	63.9	12.0	185	3.94	2.0	1.9	2.1	10.2	13	<0.1	0.2	0.2	103	0.18	0.058
1291186	Soil		0.8	29.8	7.0	54	0.1	28.8	11.0	194	2.74	8.4	0.6	2.3	3.6	25	<0.1	0.6	0.1	63	0.31	0.057
1292400	Soil		13.3	136.0	11.4	256	1.9	92.5	13.0	335	4.24	14.0	4.4	5.7	3.3	35	1.7	0.5	0.2	105	0.21	0.081

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000230.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1291197	Soil	14	49	0.86	528	0.110	<1	1.84	0.006	0.61	<0.1	0.01	6.0	0.5	<0.05	6	0.7	<0.2
1291188	Soil	30	52	0.80	226	0.071	<1	1.83	0.005	0.62	<0.1	0.01	4.4	0.4	<0.05	5	<0.5	<0.2
1292385	Soil	8	31	0.65	290	0.100	<1	1.32	0.011	0.27	0.1	0.01	3.0	0.2	<0.05	5	<0.5	<0.2
1292388	Soil	23	120	1.40	827	0.115	<1	2.04	0.027	0.46	0.2	0.03	8.0	0.4	0.32	7	3.7	<0.2
1292389	Soil	21	50	0.60	640	0.033	<1	1.05	0.013	0.17	0.2	0.05	7.2	0.3	0.29	5	4.3	<0.2
1292383	Soil	20	187	2.53	300	0.142	<1	2.86	0.009	0.27	0.2	0.01	11.7	0.4	<0.05	9	<0.5	<0.2
1292384	Soil	17	77	1.28	172	0.103	2	1.98	0.009	0.31	0.1	<0.01	5.5	0.3	<0.05	7	<0.5	<0.2
1292391	Soil	14	34	0.51	560	0.048	2	1.09	0.014	0.08	0.2	0.04	6.3	0.2	<0.05	4	1.2	<0.2
1292399	Soil	22	39	0.38	482	0.035	<1	0.94	0.017	0.16	0.3	0.04	5.5	0.4	0.37	4	8.8	0.2
1292397	Soil	10	30	0.43	296	0.053	<1	1.21	0.011	0.07	0.1	0.02	3.4	<0.1	<0.05	5	1.1	<0.2
1291199	Soil	12	38	0.59	747	0.070	1	1.49	0.015	0.17	0.1	0.02	4.9	<0.1	<0.05	5	<0.5	<0.2
1293504	Soil	39	101	0.64	426	0.067	1	1.42	0.004	0.25	0.3	<0.01	10.0	0.3	<0.05	5	<0.5	<0.2
1292386	Soil	15	42	0.83	928	0.091	2	2.33	0.017	0.24	<0.1	0.05	5.5	0.2	0.08	9	<0.5	<0.2
1292392	Soil	11	43	0.62	534	0.066	1	1.69	0.011	0.11	0.1	0.01	5.7	0.1	<0.05	5	0.9	<0.2
1291185	Soil	18	45	0.70	498	0.094	<1	1.63	0.012	0.26	0.1	0.02	4.6	0.3	0.06	5	0.5	<0.2
1291198	Soil	17	48	0.60	600	0.085	1	1.71	0.013	0.18	0.1	0.02	6.4	0.2	<0.05	5	0.5	<0.2
1293502	Soil	20	183	2.67	1045	0.204	2	3.76	0.010	1.28	0.2	0.01	13.2	0.6	<0.05	12	<0.5	<0.2
1293503	Soil	38	107	1.42	649	0.104	1	2.42	0.007	0.54	0.3	0.04	8.2	0.4	<0.05	10	<0.5	0.4
1292373	Soil	31	44	0.62	206	0.084	1	1.56	0.016	0.11	0.1	0.02	6.1	0.1	<0.05	5	<0.5	<0.2
1292396	Soil	10	36	0.48	263	0.062	<1	1.47	0.013	0.08	0.1	0.02	3.5	0.1	<0.05	5	1.0	<0.2
1292390	Soil	22	57	0.73	702	0.064	1	1.40	0.014	0.15	0.2	0.03	8.1	0.3	0.26	5	2.8	<0.2
1292387	Soil	13	51	0.65	626	0.115	<1	1.31	0.021	0.24	0.1	0.02	3.2	0.2	0.23	7	2.0	<0.2
1292382	Soil	17	55	0.77	275	0.086	2	2.14	0.014	0.22	0.1	0.02	7.4	0.1	<0.05	7	0.5	<0.2
1292381	Soil	17	62	0.90	421	0.112	1	2.11	0.013	0.36	0.1	0.01	7.1	0.2	0.09	7	<0.5	<0.2
1292380	Soil	15	52	0.76	297	0.084	1	1.63	0.014	0.25	0.1	0.01	5.9	0.2	0.07	5	<0.5	<0.2
1292376	Soil	11	91	1.09	222	0.102	1	1.81	0.016	0.15	0.1	0.01	5.9	0.1	<0.05	5	<0.5	<0.2
1291187	Soil	19	47	0.57	271	0.032	<1	1.48	0.006	0.21	0.1	<0.01	3.7	0.2	<0.05	5	<0.5	<0.2
1291189	Soil	32	71	1.09	336	0.140	<1	2.12	0.008	0.86	<0.1	0.01	5.1	0.6	0.09	7	<0.5	<0.2
1291186	Soil	11	39	0.56	265	0.069	<1	1.49	0.011	0.12	<0.1	0.02	3.5	0.1	0.07	4	<0.5	<0.2
1292400	Soil	19	41	0.36	788	0.036	<1	1.02	0.015	0.15	0.2	0.05	6.8	0.4	0.27	4	6.1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000230.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1292379	Soil		1.3	18.7	6.9	54	<0.1	27.0	11.1	284	2.78	30.9	0.6	0.7	4.2	16	<0.1	0.9	0.1	63	0.29	0.019
1292374	Soil		0.9	19.5	7.1	51	<0.1	23.3	11.3	349	3.11	9.4	0.8	1.1	10.6	23	<0.1	0.7	0.3	60	0.46	0.023
1292377	Soil		0.5	28.7	5.7	50	<0.1	43.9	16.0	494	2.86	7.6	0.3	1.9	3.2	20	<0.1	0.3	0.1	66	0.48	0.043
1292372	Soil		0.9	24.1	10.4	56	<0.1	25.5	10.9	486	2.63	9.3	1.0	1.8	19.9	28	<0.1	0.7	0.2	57	0.47	0.026
1292791	Soil		2.1	71.7	9.6	95	0.2	48.5	10.9	270	3.94	45.0	1.7	8.9	6.7	39	0.2	2.6	0.3	103	0.43	0.065
1292787	Soil		1.2	11.0	8.2	49	<0.1	13.5	6.3	130	2.11	6.9	0.8	1.5	5.4	14	0.2	0.6	0.2	47	0.17	0.034
1292378	Soil		0.6	53.2	2.9	36	<0.1	79.4	15.4	242	2.40	12.4	0.6	1.5	2.6	14	<0.1	0.3	<0.1	50	0.38	0.028
1292394	Soil		4.9	45.6	8.5	102	1.4	30.3	8.0	190	2.93	7.9	1.8	0.7	3.2	24	0.6	0.5	0.2	118	0.28	0.041
1292792	Soil		2.1	54.9	10.7	91	0.2	38.9	12.1	353	3.21	42.8	1.2	9.3	5.1	41	0.3	3.2	0.2	84	0.59	0.067
1292788	Soil		1.1	31.3	7.2	66	0.1	24.2	10.7	357	2.54	14.3	0.6	3.3	3.4	41	0.2	1.2	0.1	63	0.83	0.069
1292395	Soil		4.9	40.5	7.5	81	0.7	22.3	6.3	149	2.79	5.3	1.6	4.7	2.7	19	0.5	0.4	0.2	89	0.17	0.034
1292398	Soil		5.8	70.1	8.5	75	1.6	24.1	5.2	149	3.75	4.8	2.2	2.4	3.1	30	0.4	0.2	0.2	81	0.18	0.065
1292793	Soil		1.6	48.6	9.7	85	0.3	34.2	9.2	339	2.55	32.3	1.4	7.9	4.4	45	0.2	3.4	0.3	66	0.49	0.052
1292790	Soil		1.8	35.4	9.1	67	0.2	25.4	9.5	380	2.48	22.1	1.3	1.8	3.7	36	0.2	1.3	0.2	64	0.47	0.056
1292796	Soil		3.0	48.7	8.9	72	0.2	34.1	10.8	416	2.49	34.1	6.2	7.5	2.9	55	0.3	3.2	0.2	69	0.79	0.055
1292393	Soil		1.8	45.6	9.5	112	0.4	67.2	12.2	430	2.79	22.3	1.3	3.5	5.4	20	0.2	0.7	0.2	69	0.28	0.023
1292795	Soil		2.6	53.2	9.0	77	0.2	36.1	10.7	397	2.63	42.9	5.7	7.6	3.3	56	0.1	3.7	0.2	69	0.80	0.050
1292789	Soil		0.8	39.0	7.9	62	0.1	30.5	10.8	444	2.49	13.0	0.7	3.6	3.3	46	0.2	1.1	0.1	63	0.82	0.067
1292797	Soil		1.5	39.1	8.6	64	0.2	27.8	11.0	460	2.55	25.8	3.2	3.5	2.8	48	0.2	1.7	0.1	70	0.73	0.072
1292375	Soil		0.6	25.4	6.0	57	<0.1	35.0	14.7	543	2.63	11.8	0.6	2.6	8.4	24	0.1	0.4	<0.1	59	0.42	0.027
1292878	Soil		4.6	85.9	8.5	133	0.8	36.4	9.0	237	3.09	4.0	2.6	6.3	3.4	29	1.0	0.4	0.2	87	0.22	0.089
1292781	Soil		1.7	42.7	11.5	79	0.2	36.5	10.9	412	2.60	23.0	0.9	4.2	4.6	38	0.2	1.3	0.1	62	0.47	0.039
1292778	Soil		1.2	63.1	8.3	97	<0.1	78.6	25.8	582	4.60	19.1	1.7	<0.5	6.4	22	<0.1	0.7	<0.1	159	0.53	0.057
1292794	Soil		2.2	57.4	9.4	82	0.3	41.9	11.7	342	2.83	40.0	2.2	6.4	3.8	51	0.1	4.8	0.2	75	0.64	0.060
1292887	Soil		1.3	35.8	8.2	82	0.1	32.0	11.4	381	2.55	7.8	1.2	4.5	4.3	44	0.3	0.7	0.1	65	0.59	0.064
1292783	Soil		2.3	70.1	16.0	73	0.1	32.4	9.2	358	2.46	126.9	2.0	<0.5	7.2	47	0.2	7.8	0.2	69	0.28	0.035
1292779	Soil		0.3	25.7	7.4	44	<0.1	124.3	23.0	601	3.48	11.5	0.6	<0.5	5.2	67	<0.1	0.3	<0.1	123	3.31	0.076
1292786	Soil		2.1	50.6	10.9	125	<0.1	51.4	17.6	612	3.99	45.5	6.1	2.1	10.4	27	0.1	1.5	<0.1	76	0.49	0.082
1292874	Soil		1.3	54.3	8.2	120	0.3	28.8	9.5	301	4.19	6.2	1.5	3.7	7.8	19	0.2	0.4	0.2	102	0.16	0.047
1292880	Soil		1.2	45.3	9.0	97	0.3	36.9	12.0	185	2.91	4.5	1.8	4.7	3.4	20	0.4	0.5	0.2	71	0.24	0.077

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000230.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1292379	Soil	11	46	0.58	225	0.083	<1	1.44	0.011	0.25	0.1	0.01	5.1	0.2	<0.05	5	<0.5	<0.2
1292374	Soil	26	36	0.68	208	0.087	1	1.67	0.013	0.22	0.2	0.02	6.7	0.2	<0.05	7	<0.5	<0.2
1292377	Soil	10	89	0.99	176	0.068	2	1.77	0.015	0.24	0.2	0.01	6.6	<0.1	<0.05	6	<0.5	<0.2
1292372	Soil	37	38	0.56	280	0.067	2	1.46	0.015	0.12	0.2	0.02	5.4	0.1	<0.05	5	<0.5	<0.2
1292791	Soil	18	91	1.03	530	0.136	<1	2.01	0.023	0.49	0.1	0.04	6.5	0.5	0.24	7	1.2	<0.2
1292787	Soil	17	24	0.31	164	0.039	<1	1.28	0.008	0.05	0.1	<0.01	2.2	0.1	0.06	6	<0.5	<0.2
1292378	Soil	9	106	1.07	92	0.056	<1	1.45	0.018	0.10	<0.1	<0.01	4.9	<0.1	<0.05	4	<0.5	<0.2
1292394	Soil	13	44	0.58	621	0.080	<1	1.68	0.016	0.13	0.2	0.01	3.2	0.2	0.20	6	2.8	<0.2
1292792	Soil	17	53	0.71	410	0.108	1	1.60	0.025	0.20	0.2	0.04	5.7	0.3	0.09	6	1.3	<0.2
1292788	Soil	13	33	0.63	224	0.086	1	1.40	0.033	0.10	0.2	0.03	4.3	0.1	<0.05	5	<0.5	<0.2
1292395	Soil	13	39	0.46	372	0.051	<1	1.51	0.017	0.09	0.1	0.02	4.0	0.2	0.07	6	1.6	<0.2
1292398	Soil	18	35	0.40	508	0.070	<1	1.04	0.032	0.19	0.1	0.02	3.2	0.2	0.54	5	5.1	0.2
1292793	Soil	15	39	0.61	362	0.084	3	1.41	0.018	0.11	0.2	0.06	5.2	0.3	0.05	5	0.6	<0.2
1292790	Soil	14	36	0.62	277	0.093	3	1.50	0.019	0.10	0.2	0.03	4.3	0.2	<0.05	6	<0.5	<0.2
1292796	Soil	14	38	0.63	383	0.084	2	1.51	0.017	0.14	0.2	0.06	5.0	0.2	0.09	5	0.9	<0.2
1292393	Soil	14	53	0.63	480	0.077	2	1.38	0.012	0.11	0.1	0.01	6.9	0.1	0.08	4	<0.5	<0.2
1292795	Soil	14	40	0.62	361	0.094	2	1.54	0.017	0.12	0.2	0.07	4.9	0.2	0.09	5	1.3	<0.2
1292789	Soil	13	31	0.66	283	0.093	3	1.40	0.036	0.10	0.1	0.02	4.5	<0.1	0.06	4	<0.5	<0.2
1292797	Soil	13	33	0.62	307	0.083	2	1.42	0.025	0.08	0.2	0.07	4.8	0.1	0.09	5	1.2	<0.2
1292375	Soil	26	61	0.93	254	0.102	3	1.74	0.014	0.35	0.2	<0.01	5.2	0.2	<0.05	5	<0.5	<0.2
1292878	Soil	20	42	0.81	586	0.091	1	1.83	0.015	0.28	0.1	0.04	4.0	0.3	0.17	6	2.3	<0.2
1292781	Soil	15	37	0.62	365	0.075	2	1.48	0.033	0.08	0.2	0.07	5.9	0.1	<0.05	5	<0.5	<0.2
1292778	Soil	13	138	1.85	474	0.187	1	2.81	0.014	0.91	<0.1	0.01	11.0	0.5	<0.05	11	0.8	<0.2
1292794	Soil	16	42	0.61	427	0.099	2	1.63	0.018	0.14	0.2	0.04	5.4	0.2	0.08	6	1.1	0.3
1292887	Soil	15	36	0.67	372	0.090	2	1.51	0.028	0.08	0.2	0.02	4.4	0.1	0.07	5	<0.5	<0.2
1292783	Soil	23	52	0.69	274	0.057	2	1.31	0.009	0.22	0.2	0.03	6.5	0.4	0.16	4	6.0	<0.2
1292779	Soil	11	254	3.14	385	0.140	<1	3.48	0.065	0.51	<0.1	<0.01	8.3	0.5	<0.05	8	<0.5	<0.2
1292786	Soil	37	70	1.34	432	0.151	<1	2.54	0.011	0.94	<0.1	0.02	6.6	0.6	<0.05	9	<0.5	<0.2
1292874	Soil	21	66	1.13	478	0.123	1	2.56	0.011	0.38	<0.1	<0.01	5.4	0.6	0.11	7	<0.5	<0.2
1292880	Soil	21	43	0.64	290	0.075	2	1.64	0.008	0.22	0.1	0.03	4.1	0.3	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000230.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1292780	Soil	1.1	40.4	8.5	65	0.2	30.8	10.4	491	2.41	21.4	1.7	5.9	3.3	57	0.2	1.2	0.1	61	1.32	0.065
1292785	Soil	2.4	86.9	10.9	119	0.2	59.0	17.5	490	4.12	39.8	11.1	2.2	10.8	50	0.2	4.0	<0.1	137	0.69	0.130
1292877	Soil	3.9	89.8	8.4	138	0.7	26.9	9.0	302	3.85	4.1	2.0	6.0	4.7	39	0.7	0.3	0.2	94	0.19	0.130
1292784	Soil	1.8	54.3	11.2	90	0.1	63.6	16.0	412	3.07	28.6	1.2	5.6	5.6	37	0.2	2.5	0.1	85	0.48	0.034
1292782	Soil	2.7	69.4	13.5	119	0.2	55.6	12.3	330	3.05	52.3	2.0	4.2	6.3	32	0.5	3.9	0.3	69	0.32	0.069
1292777	Soil	1.0	64.6	5.6	111	0.1	94.6	31.3	852	4.96	28.9	0.7	1.6	5.2	49	0.1	0.6	<0.1	89	3.21	0.124
1292774	Soil	1.6	48.0	9.7	84	0.1	44.3	11.7	273	2.86	36.0	1.1	3.8	7.7	15	<0.1	2.5	0.1	48	0.19	0.024
1292775	Soil	1.1	30.4	6.7	79	<0.1	42.5	12.4	120	2.94	13.1	1.2	2.6	8.9	14	0.1	0.5	<0.1	59	0.32	0.046
1292884	Soil	1.4	30.7	8.8	95	0.3	29.9	9.5	221	2.52	6.6	1.4	7.4	4.4	24	0.2	0.5	0.2	67	0.29	0.063
1292879	Soil	1.6	36.4	6.9	92	0.2	35.6	11.4	210	2.74	4.3	0.7	5.3	4.1	19	0.2	0.4	0.3	74	0.23	0.059
1292772	Soil	0.7	51.2	4.7	64	<0.1	56.7	21.9	728	4.28	13.4	0.8	3.7	3.4	29	<0.1	0.7	<0.1	125	0.69	0.056
1292771	Soil	0.9	31.7	6.2	68	0.1	58.8	19.3	592	3.59	13.8	0.8	2.1	6.8	44	<0.1	0.8	<0.1	88	0.87	0.069
1292768	Soil	0.9	31.2	8.3	57	<0.1	32.9	11.9	357	2.42	34.4	1.6	10.9	4.1	51	0.2	0.8	0.1	54	0.94	0.065
1292891	Soil	1.2	28.3	8.3	82	0.2	26.1	8.7	211	2.39	5.3	1.1	2.4	3.3	18	0.2	0.4	0.1	63	0.23	0.066
1292770	Soil	0.9	31.6	7.8	59	0.1	36.5	13.2	499	2.67	10.8	1.3	4.6	4.5	39	0.1	0.7	<0.1	67	0.62	0.054
1292769	Soil	0.5	24.6	7.6	66	<0.1	30.5	12.7	353	2.52	32.9	1.3	7.1	5.8	53	0.1	1.0	<0.1	55	0.88	0.057
1292776	Soil	1.0	30.9	7.9	78	<0.1	40.4	12.1	130	2.93	13.0	1.2	0.8	8.2	14	0.1	0.6	<0.1	57	0.33	0.049
1292885	Soil	1.0	38.6	8.4	79	0.2	35.1	12.1	367	2.52	8.7	1.4	3.4	4.6	37	0.4	0.6	0.1	65	0.52	0.069
1292893	Soil	0.9	29.7	7.6	74	0.2	27.4	8.0	101	2.36	4.3	1.5	3.3	1.6	17	0.3	0.3	0.2	50	0.20	0.049
1292892	Soil	1.3	31.7	7.1	76	0.2	27.3	8.5	123	2.50	4.4	1.3	2.8	2.3	15	0.3	0.3	0.2	57	0.19	0.048
1292773	Soil	0.8	49.2	4.1	59	<0.1	72.8	16.4	333	3.49	5.2	0.4	1.2	2.8	14	<0.1	0.3	<0.1	85	0.36	0.028
1292890	Soil	2.0	28.3	7.9	79	0.2	28.7	11.9	292	3.02	6.5	1.3	3.6	4.4	20	0.3	0.6	0.2	61	0.28	0.063
1292869	Soil	1.8	84.8	8.2	74	0.3	61.5	20.3	601	3.69	7.7	1.0	7.3	5.5	28	0.1	0.6	0.2	81	0.45	0.053
1292888	Soil	1.4	34.3	7.9	75	0.2	29.2	10.0	232	2.86	5.7	1.7	2.9	2.0	31	0.2	0.5	0.2	66	0.65	0.063
1292882	Soil	1.5	36.0	9.6	82	0.4	34.1	13.6	309	2.87	5.0	1.4	3.4	3.6	16	0.2	0.3	0.2	70	0.21	0.059
1292894	Soil	2.0	37.1	7.5	92	0.3	40.0	12.1	167	2.91	4.5	1.4	2.1	4.3	23	0.4	0.3	0.1	66	0.34	0.072
1292873	Soil	4.3	48.9	10.1	110	0.7	30.3	7.3	221	2.61	5.0	1.6	5.4	2.7	36	0.7	0.7	0.2	50	0.37	0.083
1292870	Soil	3.3	62.1	7.8	142	0.3	48.3	12.6	300	3.23	4.8	1.7	1.4	4.3	32	0.5	0.5	0.2	105	0.40	0.098
1292881	Soil	1.5	27.8	7.9	91	0.2	34.8	11.4	309	3.01	4.6	0.8	2.1	4.1	12	0.1	0.4	0.2	80	0.19	0.052
1292895	Soil	2.8	47.4	10.0	141	0.4	49.7	16.7	317	3.62	4.9	1.4	3.0	4.5	19	0.4	0.3	0.2	101	0.25	0.076

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000230.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1292780	Soil		18	37	0.65	500	0.073	3	1.37	0.025	0.18	0.2	0.04	4.8	0.2	0.12	5	<0.5	<0.2
1292785	Soil		33	163	1.74	502	0.103	<1	2.97	0.015	0.60	<0.1	0.03	11.8	0.5	0.19	11	1.1	<0.2
1292877	Soil		22	52	0.87	989	0.142	1	2.11	0.033	0.45	<0.1	0.03	3.8	0.5	0.32	7	1.8	<0.2
1292784	Soil		16	88	0.97	351	0.104	2	1.88	0.019	0.19	<0.1	0.02	7.1	0.2	0.10	6	0.7	<0.2
1292782	Soil		23	42	0.51	265	0.061	2	1.36	0.015	0.13	0.2	0.07	8.2	0.4	0.09	4	2.5	<0.2
1292777	Soil		19	124	2.30	561	0.219	<1	3.06	0.011	1.27	0.2	0.02	2.9	0.6	0.08	8	0.6	<0.2
1292774	Soil		18	31	0.46	233	0.035	<1	1.11	0.009	0.07	<0.1	0.02	5.1	0.2	<0.05	4	0.6	<0.2
1292775	Soil		9	47	0.83	171	0.100	1	1.91	0.008	0.50	0.1	0.02	3.4	0.3	<0.05	6	0.9	<0.2
1292884	Soil		17	38	0.63	283	0.087	1	1.53	0.011	0.12	0.2	0.04	3.7	0.2	<0.05	5	<0.5	<0.2
1292879	Soil		18	41	0.74	223	0.098	1	1.43	0.010	0.39	0.2	0.02	3.5	0.4	<0.05	5	<0.5	<0.2
1292772	Soil		14	98	2.00	362	0.056	2	2.66	0.015	0.20	<0.1	0.04	16.6	<0.1	<0.05	8	<0.5	<0.2
1292771	Soil		21	131	1.81	279	0.100	3	2.30	0.019	0.38	<0.1	0.03	8.5	0.3	0.06	7	<0.5	<0.2
1292768	Soil		18	50	0.77	211	0.075	2	1.38	0.017	0.13	0.2	0.04	4.6	0.2	0.07	4	<0.5	<0.2
1292891	Soil		16	35	0.59	207	0.072	1	1.37	0.009	0.14	0.1	0.03	3.1	0.2	0.06	5	1.0	<0.2
1292770	Soil		16	57	0.89	293	0.095	2	1.74	0.020	0.10	0.2	0.03	5.5	0.1	0.05	5	0.6	<0.2
1292769	Soil		20	61	0.97	209	0.095	2	1.56	0.020	0.18	0.2	0.04	4.9	0.2	0.05	5	1.0	<0.2
1292776	Soil		9	47	0.87	172	0.104	1	1.93	0.008	0.54	<0.1	0.01	3.3	0.4	0.07	5	0.6	<0.2
1292885	Soil		17	37	0.63	349	0.085	2	1.40	0.018	0.09	0.2	0.03	4.5	0.2	0.08	4	0.6	<0.2
1292893	Soil		15	33	0.44	192	0.049	2	1.30	0.007	0.10	0.1	0.04	2.5	0.2	<0.05	5	0.8	<0.2
1292892	Soil		16	36	0.48	248	0.066	1	1.30	0.007	0.13	0.1	0.03	2.8	0.2	<0.05	5	0.8	<0.2
1292773	Soil		7	145	1.69	302	0.138	1	2.38	0.014	0.41	<0.1	<0.01	4.9	0.2	<0.05	7	<0.5	<0.2
1292890	Soil		15	33	0.55	280	0.070	2	1.33	0.010	0.09	0.2	0.03	3.4	0.2	<0.05	4	<0.5	<0.2
1292869	Soil		23	50	1.10	574	0.133	1	2.15	0.021	0.40	0.2	0.05	6.4	0.2	0.06	7	0.8	<0.2
1292888	Soil		14	37	0.58	290	0.065	2	1.40	0.015	0.09	0.2	0.04	3.2	0.2	0.08	5	0.5	<0.2
1292882	Soil		18	40	0.61	261	0.083	1	1.64	0.008	0.16	0.1	0.03	3.3	0.2	0.07	6	0.6	<0.2
1292894	Soil		18	41	0.62	258	0.088	<1	1.39	0.008	0.25	0.1	0.01	3.2	0.3	<0.05	5	0.6	<0.2
1292873	Soil		12	26	0.30	1648	0.040	1	1.01	0.011	0.11	0.3	0.03	2.1	0.1	0.17	4	2.1	<0.2
1292870	Soil		15	60	0.89	2989	0.109	<1	1.81	0.012	0.41	0.2	0.02	4.7	0.3	0.16	6	1.2	<0.2
1292881	Soil		19	39	0.61	191	0.087	1	1.53	0.006	0.21	0.1	0.02	2.8	0.2	0.11	6	<0.5	<0.2
1292895	Soil		21	55	0.89	289	0.102	1	2.10	0.009	0.31	0.1	0.03	4.0	0.3	<0.05	7	1.0	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000230.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1292872	Soil		2.9	46.9	8.8	129	0.5	40.3	10.5	272	2.69	6.7	1.2	1.6	3.9	30	0.4	0.6	0.1	61	0.44	0.115
1292871	Soil		3.2	87.7	7.7	110	0.6	66.7	11.4	265	2.74	10.1	2.3	5.0	5.1	47	0.4	0.8	0.1	102	0.75	0.058
1292889	Soil		1.4	42.0	8.7	80	0.2	33.6	11.2	324	2.86	6.0	3.0	3.5	3.1	28	0.3	0.5	0.2	69	0.52	0.063
1292868	Soil		3.4	68.8	7.9	110	0.2	48.4	13.6	395	3.25	7.7	1.7	7.0	6.1	25	0.2	0.8	0.1	67	0.37	0.074
1292875	Soil		3.9	105.2	8.5	163	0.6	16.9	4.0	287	3.61	1.0	1.6	1.1	6.8	20	0.3	0.3	0.2	87	0.26	0.065
1292876	Soil		5.3	73.4	8.3	138	0.7	26.4	6.3	277	3.31	4.5	1.3	0.8	5.1	21	0.4	0.6	0.2	75	0.23	0.063
1292886	Soil		1.5	30.7	7.8	77	0.1	30.3	13.4	321	2.69	6.7	1.7	3.1	4.5	25	0.2	0.6	0.2	58	0.39	0.066
1292883	Soil		1.5	26.7	8.6	88	0.3	31.8	11.4	221	3.06	4.9	0.9	2.1	4.1	12	0.1	0.3	0.2	76	0.17	0.056
1292272	Soil		2.2	21.8	10.6	80	0.1	33.4	18.1	929	3.70	21.7	0.8	1.1	4.6	26	0.1	0.5	0.1	76	0.49	0.035
1292269	Soil		1.4	23.6	9.1	61	0.1	31.7	13.3	423	3.21	30.9	0.7	1.3	6.1	23	<0.1	0.7	0.2	66	0.39	0.035
1292274	Soil		4.1	61.8	14.2	142	0.3	60.3	16.8	441	3.80	296.9	1.3	1.3	6.6	17	0.5	6.8	0.2	87	0.29	0.041
1292867	Soil		3.6	73.9	11.3	104	2.0	49.7	17.2	766	4.54	37.2	2.1	66.2	7.3	34	0.2	1.9	0.2	72	0.46	0.114
1292290	Soil		8.9	87.4	9.3	189	1.1	63.3	9.2	300	3.65	13.9	2.5	1.0	5.4	35	0.8	0.3	0.2	90	0.25	0.079
1292270	Soil		2.0	40.2	16.2	77	0.2	36.2	13.8	595	3.37	72.5	1.0	2.7	6.7	32	0.2	1.6	0.2	68	0.63	0.037
1292271	Soil		2.2	38.6	23.4	97	0.2	33.6	13.8	768	3.51	28.4	1.1	1.3	4.8	28	0.3	0.8	0.2	67	0.85	0.056
1292265	Soil		1.4	25.4	11.8	47	0.1	23.9	9.7	352	2.59	9.2	1.1	2.2	12.3	34	<0.1	0.7	0.2	53	0.79	0.024
1292266	Soil		1.3	19.5	9.5	55	<0.1	25.8	11.9	618	2.85	6.1	1.0	0.8	14.7	24	<0.1	0.5	0.2	53	0.45	0.032
1292285	Soil		6.8	70.5	9.9	133	1.0	49.7	9.2	282	3.28	21.0	2.4	0.7	3.5	33	0.5	0.3	0.2	112	0.29	0.056
1292276	Soil		2.8	26.8	9.9	81	0.2	37.9	16.1	438	3.31	116.3	0.8	0.6	4.7	17	0.2	1.8	0.2	87	0.29	0.034
1292275	Soil		2.2	24.5	9.9	75	0.2	36.4	14.5	379	3.27	101.8	0.8	1.0	4.4	17	0.2	1.6	0.2	79	0.30	0.029
1292267	Soil		0.9	25.5	8.0	52	<0.1	29.7	11.5	405	2.75	10.1	0.5	2.5	6.3	31	<0.1	0.6	0.1	58	0.50	0.032
1292289	Soil		3.7	24.0	7.9	119	0.6	22.0	7.2	215	2.58	8.0	0.9	3.4	1.3	20	0.7	0.5	0.2	83	0.25	0.049
1292268	Soil		0.8	33.1	7.5	43	0.2	26.8	9.5	324	2.14	9.9	0.6	4.1	4.7	73	0.1	0.8	0.1	41	3.14	0.054
1292273	Soil		1.7	34.0	10.1	67	0.2	38.7	12.7	330	3.04	61.0	1.0	3.3	5.8	20	<0.1	1.2	0.2	70	0.37	0.031
1292287	Soil		2.6	58.6	7.6	102	0.7	43.8	12.6	373	2.44	14.0	1.8	3.3	4.1	61	0.6	0.3	0.1	68	3.31	0.061
1292291	Soil		4.7	98.9	15.3	165	1.9	55.5	13.0	421	3.70	21.2	2.2	3.1	4.0	37	1.4	0.4	0.2	99	0.34	0.102
1292286	Soil		5.4	81.5	8.6	111	1.1	38.6	9.1	351	2.38	11.9	2.9	4.4	3.6	31	0.9	0.4	0.1	81	0.51	0.059
1292288	Soil		3.0	37.2	8.1	110	0.7	31.0	12.9	438	2.83	8.4	0.9	1.2	2.2	28	0.6	0.4	0.2	81	0.35	0.059
1292281	Soil		5.2	73.3	9.5	151	0.4	101.6	14.0	374	3.82	63.7	2.1	1.6	3.1	25	0.8	1.0	0.2	98	0.19	0.056
1292282	Soil		7.2	138.2	7.7	144	1.2	83.4	17.8	448	2.62	56.6	7.0	1.8	0.5	29	3.9	0.6	0.2	85	0.44	0.129

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000230.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1292872	Soil	11	38	0.45	1239	0.058	2	1.41	0.010	0.17	0.2	0.02	4.1	0.1	0.05	4	1.2	<0.2
1292871	Soil	19	46	0.65	6528	0.082	1	1.52	0.017	0.14	0.2	0.16	5.3	0.1	0.11	5	1.2	<0.2
1292889	Soil	17	39	0.59	316	0.073	<1	1.58	0.013	0.10	0.1	0.04	3.7	0.2	0.06	5	0.7	<0.2
1292868	Soil	20	48	0.70	1088	0.077	<1	1.59	0.009	0.23	0.2	0.03	5.7	0.3	<0.05	6	1.3	<0.2
1292875	Soil	29	58	1.09	766	0.129	<1	2.02	0.010	0.76	<0.1	<0.01	3.1	0.7	0.56	7	4.0	<0.2
1292876	Soil	20	46	0.75	793	0.088	<1	1.63	0.010	0.37	0.1	0.01	2.7	0.4	0.32	5	3.2	<0.2
1292886	Soil	16	37	0.57	297	0.071	1	1.51	0.014	0.06	0.2	0.05	4.1	0.1	0.05	5	0.5	<0.2
1292883	Soil	17	40	0.65	185	0.096	<1	1.61	0.007	0.19	0.2	0.02	2.8	0.3	<0.05	6	<0.5	<0.2
1292272	Soil	15	51	0.94	512	0.111	2	2.49	0.012	0.36	0.2	0.02	6.1	0.2	0.10	8	<0.5	<0.2
1292269	Soil	18	49	0.74	284	0.090	2	1.69	0.017	0.32	0.2	0.01	5.8	0.2	0.06	6	<0.5	<0.2
1292274	Soil	16	57	0.80	504	0.070	<1	1.53	0.009	0.38	0.1	0.04	5.7	0.3	<0.05	6	1.4	<0.2
1292867	Soil	31	32	0.62	2366	0.028	<1	1.63	0.010	0.19	0.1	0.07	9.1	0.2	<0.05	6	1.7	<0.2
1292290	Soil	19	45	0.73	563	0.069	1	1.32	0.019	0.28	0.1	0.01	3.9	0.3	0.41	5	5.4	<0.2
1292270	Soil	27	45	0.73	358	0.066	2	1.81	0.014	0.20	0.1	0.03	6.9	0.1	0.12	6	<0.5	<0.2
1292271	Soil	25	39	0.77	309	0.047	2	1.76	0.012	0.22	0.1	0.04	8.4	0.1	0.12	6	0.6	<0.2
1292265	Soil	52	36	0.56	195	0.054	2	1.53	0.014	0.10	0.2	0.02	5.3	<0.1	0.07	5	<0.5	<0.2
1292266	Soil	61	52	0.75	290	0.055	2	1.76	0.013	0.16	0.2	0.02	5.2	<0.1	0.06	6	<0.5	<0.2
1292285	Soil	14	54	0.73	627	0.093	1	1.48	0.021	0.26	0.2	<0.01	3.9	0.3	0.36	6	3.7	<0.2
1292276	Soil	13	62	0.74	520	0.085	1	1.78	0.011	0.31	0.1	0.02	6.0	0.2	0.10	6	<0.5	<0.2
1292275	Soil	12	61	0.70	526	0.077	<1	1.70	0.010	0.29	0.2	0.01	5.6	0.2	0.09	6	<0.5	<0.2
1292267	Soil	20	43	0.63	241	0.075	2	1.49	0.017	0.16	0.2	0.02	5.5	<0.1	0.06	5	<0.5	<0.2
1292289	Soil	9	30	0.39	355	0.048	<1	1.25	0.011	0.09	0.1	0.02	2.3	0.1	0.06	5	0.8	<0.2
1292268	Soil	23	31	0.77	243	0.065	2	1.15	0.041	0.10	0.2	0.03	4.1	<0.1	0.15	4	<0.5	<0.2
1292273	Soil	19	52	0.80	310	0.090	1	1.59	0.012	0.33	0.2	0.03	5.4	0.2	0.06	5	0.5	<0.2
1292287	Soil	16	41	0.90	628	0.086	2	1.20	0.021	0.15	0.2	0.03	4.3	0.2	0.08	4	1.9	<0.2
1292291	Soil	18	45	0.54	560	0.055	2	1.40	0.021	0.19	0.1	0.05	5.3	0.3	0.19	5	3.7	<0.2
1292286	Soil	15	32	0.59	470	0.071	2	1.07	0.020	0.13	0.2	0.03	4.0	0.1	0.11	4	2.3	<0.2
1292288	Soil	9	33	0.45	525	0.046	2	1.38	0.014	0.11	<0.1	<0.01	3.8	0.2	<0.05	5	1.1	<0.2
1292281	Soil	14	80	0.57	571	0.048	1	1.76	0.009	0.10	0.2	0.02	5.1	0.3	0.06	5	1.5	<0.2
1292282	Soil	27	40	0.38	1204	0.013	2	1.26	0.008	0.10	0.1	0.10	3.2	0.1	0.10	4	3.0	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000230.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1292283	Soil		4.7	119.4	10.2	143	1.2	63.5	12.1	511	2.65	62.3	6.5	1.6	2.0	52	2.0	0.8	0.2	83	1.26	0.064
1292280	Soil		3.6	27.9	8.2	147	0.3	37.7	10.8	506	2.61	25.6	0.7	2.8	2.3	24	1.5	0.6	0.1	79	0.55	0.033
1292865	Soil		2.5	52.1	12.6	115	0.3	79.3	18.9	646	3.99	59.9	1.2	4.1	5.9	21	0.5	6.2	0.2	109	0.37	0.058
1292862	Soil		2.2	13.5	22.3	45	<0.1	10.0	4.9	238	2.45	211.9	2.0	38.2	15.1	17	0.1	3.9	1.8	33	0.15	0.030
1292284	Soil		5.1	43.2	10.8	119	0.7	34.5	9.6	331	2.88	19.9	1.2	1.5	2.7	23	0.5	0.4	0.2	87	0.29	0.029
1292279	Soil		1.6	23.2	10.0	48	0.2	26.8	8.9	244	2.38	21.3	0.7	1.0	3.0	17	0.2	0.6	0.1	69	0.26	0.018
1292866	Soil		2.2	52.8	10.1	63	0.2	36.5	12.0	265	2.78	31.7	1.7	5.9	4.9	25	0.2	1.9	0.2	79	0.24	0.042
1292864	Soil		2.3	40.2	8.5	93	0.3	37.8	12.9	374	3.34	32.6	0.7	1.3	2.4	16	0.6	2.1	0.1	90	0.19	0.058
1292277	Soil		1.7	24.8	8.7	62	0.2	30.0	9.9	213	2.66	20.0	0.7	<0.5	3.4	16	0.2	0.6	0.1	73	0.26	0.023
1292278	Soil		2.4	34.1	9.7	72	0.2	34.9	15.0	611	3.23	61.3	1.2	0.7	3.7	21	0.2	0.9	0.2	81	0.45	0.050
1292858	Soil		2.5	61.5	11.4	122	<0.1	62.6	13.2	359	3.93	80.3	1.1	1.4	5.4	12	0.2	2.8	0.2	117	0.17	0.065
1292852	Soil		1.7	22.1	11.8	46	<0.1	18.8	8.0	240	2.09	25.1	2.6	3.8	10.7	35	<0.1	1.6	0.2	58	0.25	0.061
1292861	Soil		3.7	12.9	31.9	60	<0.1	6.9	2.6	165	2.34	89.0	1.8	8.5	28.9	8	0.1	3.2	1.7	24	0.07	0.011
1292860	Soil		5.3	24.8	20.0	69	<0.1	20.8	9.1	916	3.48	39.7	2.3	5.0	23.0	19	<0.1	2.4	0.7	68	0.35	0.078
1292859	Soil		6.8	94.8	9.9	136	0.3	29.9	5.9	174	3.12	105.5	2.5	3.6	4.7	28	0.9	6.2	0.2	137	0.09	0.061
1292853	Soil		1.5	30.6	13.0	55	<0.1	24.3	9.5	307	2.77	14.8	3.3	3.5	12.0	28	<0.1	1.2	0.2	62	0.35	0.060
1292863	Soil		5.1	50.0	9.9	143	1.0	51.7	11.2	233	3.57	43.2	1.4	1.3	3.1	24	0.7	2.7	0.2	111	0.18	0.075
1292856	Soil		2.5	38.7	10.5	82	0.3	40.4	10.5	287	3.07	34.0	0.8	2.7	3.2	22	0.3	2.0	0.2	95	0.32	0.061
1292855	Soil		2.8	52.3	8.5	42	0.3	18.7	7.3	182	2.01	27.9	1.7	2.0	4.6	36	0.1	2.3	0.2	71	0.21	0.057
1292845	Soil		1.2	38.8	7.0	81	0.1	114.6	28.7	697	5.71	22.2	1.6	2.0	16.4	73	<0.1	1.8	<0.1	72	1.32	0.048
1292840	Soil		0.9	19.6	5.6	48	<0.1	38.7	25.7	953	4.40	10.8	1.6	1.9	7.0	48	<0.1	1.0	0.1	101	1.34	0.115
1292857	Soil		2.5	46.4	11.4	104	0.1	46.4	13.7	352	3.40	42.1	1.0	1.5	4.3	21	0.2	2.8	0.1	96	0.28	0.057
1292854	Soil		2.6	31.0	11.8	24	0.1	11.6	4.3	103	1.54	83.4	1.4	1.4	5.5	45	0.1	6.5	0.2	47	0.15	0.041
1292844	Soil		0.9	29.7	11.0	71	0.2	45.1	22.7	603	4.55	18.5	1.2	2.5	12.1	57	<0.1	2.1	<0.1	78	1.56	0.080
1292846	Soil		2.2	28.5	17.5	61	0.3	37.2	13.7	1135	3.34	61.4	1.0	31.3	11.2	33	0.4	4.1	0.1	33	0.98	0.044
1292850	Soil		2.5	55.1	16.7	94	0.5	79.0	21.7	1049	4.79	589.7	1.1	181.3	6.3	40	0.3	5.9	0.2	66	0.59	0.132
1292721	Soil		0.8	37.6	7.2	54	0.1	30.9	11.3	456	2.49	11.0	1.5	3.9	3.3	50	0.1	0.7	0.1	60	1.13	0.056
1292717	Soil		0.9	29.9	18.6	67	0.1	56.5	22.5	799	4.62	30.9	1.8	5.8	12.0	50	0.1	4.3	0.1	72	1.28	0.069
1292847	Soil		0.6	56.5	4.6	19	<0.1	74.1	15.4	185	1.63	4.4	<0.1	<0.5	0.8	5	<0.1	0.3	<0.1	47	0.21	0.009
1292843	Soil		2.7	22.0	15.4	54	0.1	53.7	18.9	525	3.45	32.0	1.6	7.8	20.7	54	<0.1	1.5	0.2	51	1.55	0.061

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000230.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1292283	Soil		14	38	0.54	1113	0.035	2	1.04	0.013	0.09	<0.1	0.06	5.1	0.3	0.11	3	3.6	<0.2
1292280	Soil		9	37	0.38	962	0.042	1	1.59	0.009	0.08	0.2	0.03	4.2	0.2	<0.05	5	0.6	<0.2
1292865	Soil		16	92	0.84	297	0.090	1	1.91	0.013	0.35	0.2	0.03	7.6	0.6	<0.05	7	0.9	<0.2
1292862	Soil		38	17	0.23	193	0.016	2	1.14	0.010	0.09	0.2	0.03	3.1	0.3	<0.05	4	<0.5	0.2
1292284	Soil		10	35	0.51	504	0.054	1	1.16	0.013	0.18	<0.1	0.02	3.8	0.2	0.09	4	1.9	<0.2
1292279	Soil		10	41	0.49	326	0.068	<1	1.38	0.012	0.12	0.1	0.01	4.1	<0.1	<0.05	4	<0.5	<0.2
1292866	Soil		14	47	0.61	208	0.083	1	1.63	0.013	0.17	0.2	0.05	5.5	0.3	<0.05	5	0.6	<0.2
1292864	Soil		11	45	0.67	165	0.096	1	1.79	0.009	0.21	0.2	0.02	3.8	0.2	<0.05	7	<0.5	<0.2
1292277	Soil		10	44	0.61	324	0.096	1	1.47	0.013	0.24	0.1	0.01	3.5	0.1	<0.05	5	0.5	<0.2
1292278	Soil		13	45	0.75	504	0.090	1	1.73	0.014	0.29	0.1	0.01	5.4	0.2	<0.05	6	0.8	<0.2
1292858	Soil		14	72	0.83	364	0.151	<1	2.06	0.007	0.64	0.3	0.01	4.5	0.5	<0.05	7	0.6	<0.2
1292852	Soil		26	44	0.46	232	0.067	<1	1.25	0.011	0.09	0.1	0.02	4.8	0.2	<0.05	4	<0.5	<0.2
1292861	Soil		19	15	0.13	73	0.010	<1	0.92	0.007	0.06	0.4	0.02	2.6	<0.1	<0.05	3	<0.5	<0.2
1292860	Soil		31	25	0.48	301	0.032	<1	1.61	0.016	0.17	0.4	0.05	7.5	0.1	<0.05	6	<0.5	<0.2
1292859	Soil		16	55	0.58	377	0.085	<1	1.43	0.017	0.38	0.4	0.02	5.3	0.5	0.18	6	2.6	<0.2
1292853	Soil		31	39	0.61	275	0.098	1	1.57	0.017	0.27	0.1	0.03	5.6	0.3	<0.05	6	<0.5	<0.2
1292863	Soil		13	51	0.54	310	0.052	1	2.04	0.008	0.11	0.2	0.02	4.1	0.2	<0.05	7	1.5	<0.2
1292856	Soil		11	66	0.69	275	0.113	<1	1.69	0.010	0.22	0.2	0.02	4.2	0.3	<0.05	6	0.7	<0.2
1292855	Soil		15	41	0.42	360	0.066	<1	1.10	0.012	0.15	0.1	0.03	4.4	0.3	0.09	4	2.3	<0.2
1292845	Soil		52	161	1.35	364	0.077	2	1.79	0.007	0.54	<0.1	0.04	10.9	0.4	<0.05	7	<0.5	<0.2
1292840	Soil		20	98	1.75	352	0.118	3	2.10	0.014	0.47	0.1	0.03	9.2	0.3	<0.05	7	<0.5	<0.2
1292857	Soil		14	57	0.65	307	0.107	<1	1.67	0.009	0.29	0.2	0.01	5.3	0.3	<0.05	7	0.8	<0.2
1292854	Soil		18	30	0.24	309	0.041	<1	0.75	0.009	0.08	0.1	0.02	6.0	0.5	<0.05	3	1.5	<0.2
1292844	Soil		45	81	1.65	471	0.104	3	2.33	0.011	0.79	0.1	0.05	9.9	0.4	<0.05	7	<0.5	<0.2
1292846	Soil		39	27	0.42	362	0.005	1	0.88	0.007	0.10	0.1	0.08	9.3	0.1	<0.05	3	<0.5	<0.2
1292850	Soil		29	89	0.53	449	0.024	2	1.37	0.018	0.14	0.1	0.05	10.9	0.4	<0.05	4	0.7	<0.2
1292721	Soil		13	41	0.68	305	0.075	2	1.45	0.026	0.09	0.1	0.03	4.3	<0.1	<0.05	4	<0.5	<0.2
1292717	Soil		44	104	1.12	149	0.026	2	1.73	0.006	0.22	0.1	0.08	11.9	0.3	<0.05	7	<0.5	<0.2
1292847	Soil		1	123	0.92	61	0.030	<1	1.25	0.013	0.02	<0.1	<0.01	4.3	<0.1	<0.05	3	<0.5	<0.2
1292843	Soil		48	82	1.35	338	0.065	2	1.66	0.008	0.47	0.1	0.03	6.1	0.3	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000230.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1292723	Soil	1.3	66.6	7.1	87	<0.1	55.6	16.7	222	3.63	13.2	1.2	4.4	6.3	19	<0.1	0.3	0.2	74	0.32	0.043
1292719	Soil	4.1	19.3	12.0	54	<0.1	16.6	10.8	443	3.11	30.6	3.1	2.4	32.8	60	0.1	1.0	0.1	27	1.59	0.074
1292851	Rock Pulp	2.3	23.8	2.1	40	0.3	23.2	10.2	377	2.31	4.5	0.2	1.1	0.8	35	0.2	0.3	<0.1	60	0.79	0.056
1292842	Soil	1.0	22.4	26.4	65	0.2	46.8	17.4	738	3.70	25.1	3.1	8.8	8.8	54	0.2	1.7	0.3	54	1.30	0.067
1292722	Soil	1.2	56.1	10.3	79	0.1	46.2	16.6	445	3.20	13.5	0.7	3.7	5.0	32	0.2	0.5	0.1	68	0.61	0.068
1292718	Soil	1.3	21.7	12.1	59	<0.1	49.2	18.4	382	4.32	53.3	0.5	5.9	3.9	18	0.1	0.8	0.1	89	0.33	0.037
1292841	Soil	0.8	20.7	6.5	41	<0.1	20.7	17.5	725	3.23	23.9	1.7	2.4	3.2	61	0.1	1.1	<0.1	76	1.70	0.079
1292848	Soil	3.7	89.6	2.5	100	<0.1	50.4	26.9	1012	5.42	11.6	0.5	4.8	6.4	26	<0.1	1.1	<0.1	115	1.02	0.048
1292720	Soil	0.7	24.7	8.4	48	0.1	28.0	11.6	585	2.63	15.5	0.5	3.1	4.9	30	<0.1	0.8	0.1	57	0.52	0.031
1292716	Soil	0.7	21.1	7.9	53	<0.1	25.4	11.0	640	2.45	17.4	1.5	2.6	2.6	60	0.1	1.0	0.1	48	1.35	0.079
1292724	Soil	2.0	52.4	14.2	69	0.2	28.3	10.9	388	2.94	30.1	2.2	5.8	8.3	29	0.2	1.1	0.2	68	0.41	0.059
1292849	Soil	2.8	89.7	10.0	183	0.4	81.7	19.2	597	4.81	163.1	1.1	37.1	9.9	15	0.2	6.3	0.1	98	0.37	0.093
1292742	Soil	1.3	38.2	7.5	56	0.1	20.1	9.9	469	2.34	16.4	2.1	4.8	3.4	63	0.2	2.8	0.1	52	2.16	0.072
1292726	Soil	1.8	41.9	11.7	101	0.1	52.5	22.5	613	3.33	33.1	1.1	2.7	7.3	22	0.3	1.8	0.2	71	0.56	0.093
1292729	Soil	1.2	36.9	8.2	77	0.2	26.5	9.0	220	2.28	21.7	2.4	3.4	2.8	52	0.3	1.2	0.1	58	1.37	0.068
1292733	Soil	2.0	44.1	9.3	71	0.2	34.0	11.9	444	2.69	17.8	2.8	3.5	3.4	45	0.2	1.2	0.1	73	0.70	0.060
1292738	Soil	1.4	29.9	8.8	82	0.2	28.1	12.4	442	2.70	32.3	1.5	2.3	4.1	29	0.4	1.5	0.1	68	0.52	0.081
1292740	Soil	1.3	19.3	11.4	81	0.1	12.6	12.6	486	3.17	36.5	4.8	4.0	7.4	49	0.5	2.6	0.2	82	0.70	0.087
1292728	Soil	2.1	57.9	11.7	129	0.2	71.5	21.1	435	3.83	43.5	3.4	5.0	6.8	31	0.7	1.8	0.2	108	0.80	0.084
1292732	Soil	1.7	45.2	9.9	73	0.1	36.5	11.7	383	2.95	19.4	1.9	2.7	4.6	32	0.1	1.2	0.2	79	0.46	0.046
1292737	Soil	2.1	36.7	11.4	152	0.2	35.7	15.6	993	3.05	40.5	1.2	5.0	3.1	21	1.2	1.8	0.1	78	0.33	0.085
1292739	Soil	1.1	16.1	12.9	79	0.2	13.8	11.0	510	2.85	27.4	4.6	4.4	6.0	62	0.3	1.9	0.2	75	0.88	0.080
1292727	Soil	1.7	49.0	10.6	108	0.1	52.0	16.4	421	4.36	51.2	2.0	3.7	8.2	26	0.2	1.3	0.1	91	0.65	0.098
1292725	Soil	1.8	34.7	14.3	88	0.2	38.8	15.7	465	3.23	41.1	1.6	2.2	9.3	24	0.2	1.9	0.2	75	0.54	0.090
1292736	Soil	2.2	39.0	9.9	94	0.3	33.8	16.6	903	3.08	39.4	1.9	5.9	3.7	30	0.6	1.6	0.2	78	0.46	0.072
1292741	Soil	1.3	23.2	8.8	62	0.2	19.8	10.1	883	2.43	18.5	1.9	3.4	3.8	61	0.1	2.4	0.1	52	1.96	0.072
1292730	Soil	1.7	42.5	10.5	73	0.2	32.6	12.3	583	2.55	23.6	1.2	3.0	2.8	46	0.3	1.2	0.2	63	0.80	0.049
1292731	Soil	2.3	47.1	12.3	75	0.2	32.3	10.7	371	2.71	33.6	1.8	3.4	4.6	38	0.3	1.8	0.2	72	0.48	0.066
1293598	Soil	1.5	91.2	8.2	120	0.1	45.9	22.2	825	5.48	6.5	3.3	1.7	6.1	25	<0.1	0.2	<0.1	165	0.53	0.163
1293584	Soil	0.7	25.3	5.9	72	0.1	36.5	13.6	444	2.68	7.6	0.8	4.8	3.4	35	0.1	0.6	<0.1	72	0.91	0.062

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000230.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1292723	Soil	21	77	1.31	281	0.099	2	2.24	0.010	0.35	<0.1	0.01	4.4	0.2	<0.05	7	<0.5	<0.2
1292719	Soil	78	20	0.49	174	0.018	3	0.88	0.008	0.20	<0.1	0.07	4.7	0.2	<0.05	4	<0.5	<0.2
1292851	Rock Pulp	4	30	0.77	93	0.097	3	1.52	0.080	0.12	12.4	0.02	4.5	<0.1	<0.05	5	<0.5	<0.2
1292842	Soil	36	88	0.90	356	0.057	4	1.47	0.011	0.28	0.2	0.07	7.3	0.3	<0.05	5	<0.5	<0.2
1292722	Soil	18	65	0.98	280	0.120	2	1.96	0.035	0.31	0.1	0.04	5.9	0.2	<0.05	6	<0.5	<0.2
1292718	Soil	13	121	1.54	184	0.117	1	2.63	0.008	0.25	0.1	0.02	4.7	0.3	<0.05	8	<0.5	<0.2
1292841	Soil	16	36	1.07	344	0.076	3	1.49	0.014	0.24	0.1	0.06	6.5	0.2	<0.05	5	<0.5	<0.2
1292848	Soil	12	77	1.75	185	0.020	1	2.73	0.013	0.04	<0.1	0.02	13.6	<0.1	<0.05	9	<0.5	<0.2
1292720	Soil	15	36	0.60	262	0.075	2	1.36	0.021	0.14	0.1	0.03	4.8	0.1	<0.05	4	<0.5	<0.2
1292716	Soil	14	37	0.57	222	0.047	3	1.19	0.017	0.09	0.1	0.05	4.2	0.1	<0.05	4	<0.5	<0.2
1292724	Soil	21	41	0.63	305	0.085	1	1.57	0.017	0.24	0.2	0.05	5.1	0.2	<0.05	5	0.5	<0.2
1292849	Soil	23	71	0.87	340	0.054	1	1.61	0.006	0.31	<0.1	0.04	8.5	0.5	<0.05	6	1.6	<0.2
1292742	Soil	14	37	0.65	240	0.042	2	1.27	0.016	0.05	0.1	0.05	5.4	0.1	<0.05	5	<0.5	<0.2
1292726	Soil	22	54	0.82	292	0.089	1	1.71	0.012	0.36	0.2	0.03	5.2	0.3	<0.05	6	0.7	<0.2
1292729	Soil	13	34	0.59	335	0.058	2	1.24	0.017	0.14	0.1	0.06	4.6	0.2	<0.05	4	1.2	<0.2
1292733	Soil	17	49	0.71	409	0.074	1	1.65	0.015	0.19	0.1	0.05	5.7	0.2	<0.05	6	0.7	<0.2
1292738	Soil	16	41	0.63	270	0.083	<1	1.35	0.017	0.14	0.2	0.04	4.3	0.2	<0.05	5	0.5	<0.2
1292740	Soil	18	22	0.76	349	0.106	<1	1.52	0.022	0.17	0.3	0.04	6.0	0.2	<0.05	6	<0.5	<0.2
1292728	Soil	27	94	1.18	458	0.104	1	2.23	0.020	0.41	0.2	0.06	8.4	0.4	<0.05	8	1.6	<0.2
1292732	Soil	17	56	0.75	395	0.098	1	1.81	0.019	0.17	0.1	0.03	6.0	0.2	<0.05	6	0.6	<0.2
1292737	Soil	16	55	0.69	299	0.075	1	1.69	0.014	0.20	0.1	0.04	4.3	0.3	<0.05	6	<0.5	<0.2
1292739	Soil	19	25	0.72	360	0.090	2	1.79	0.024	0.11	0.2	0.05	6.6	0.3	<0.05	6	<0.5	<0.2
1292727	Soil	24	67	1.11	337	0.138	<1	2.23	0.014	0.63	0.1	0.02	5.5	0.4	<0.05	8	0.7	<0.2
1292725	Soil	21	49	0.79	295	0.098	1	1.67	0.014	0.33	0.2	0.04	5.6	0.3	<0.05	6	0.7	<0.2
1292736	Soil	21	49	0.65	373	0.085	1	1.72	0.018	0.11	0.2	0.05	5.3	0.2	<0.05	6	0.6	<0.2
1292741	Soil	13	31	0.71	213	0.069	4	1.26	0.023	0.11	<0.1	0.05	5.3	0.2	0.08	5	<0.5	<0.2
1292730	Soil	13	35	0.54	376	0.063	2	1.53	0.022	0.08	0.2	0.04	4.6	0.2	<0.05	5	0.6	<0.2
1292731	Soil	16	47	0.58	463	0.077	1	1.57	0.015	0.13	0.2	0.04	5.5	0.3	<0.05	5	0.7	<0.2
1293598	Soil	19	73	1.82	453	0.177	<1	3.08	0.010	1.53	<0.1	<0.01	11.3	0.6	<0.05	12	0.5	<0.2
1293584	Soil	11	61	1.03	200	0.074	2	1.61	0.018	0.13	0.1	0.04	5.9	0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000230.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1290409	Soil	1.3	61.1	9.5	64	0.2	41.9	12.9	377	2.93	30.1	0.6	10.0	4.1	36	0.2	2.4	0.1	79	0.87	0.046
1292735	Soil	2.3	36.5	9.8	102	0.3	33.1	15.9	784	2.87	39.0	2.4	2.8	3.6	39	0.5	1.7	0.1	73	0.79	0.080
1290401	Rock Pulp	1.5	437.1	20.2	150	0.2	217.1	77.2	788	15.22	3.0	1.1	32.3	6.7	13	<0.1	0.3	0.1	218	0.29	0.041
1293597	Soil	3.6	108.3	11.3	144	0.3	53.2	11.8	329	3.81	27.8	3.5	4.2	7.4	31	0.2	2.9	0.2	117	0.27	0.035
1293594	Soil	3.0	50.4	15.0	111	0.3	44.4	12.2	207	2.81	69.3	1.1	1.6	4.7	34	0.4	3.4	0.2	65	0.37	0.053
1292734	Soil	2.7	40.2	9.5	106	0.4	38.7	19.9	1756	2.93	36.8	1.9	3.5	3.9	45	1.0	1.6	0.2	71	0.88	0.072
1290406	Soil	1.8	30.6	9.5	73	0.2	32.1	9.8	232	2.65	37.6	0.8	3.5	3.5	22	0.1	2.8	0.1	69	0.25	0.028
1293596	Soil	4.2	82.3	13.8	162	0.1	67.2	14.6	384	3.76	51.8	2.0	2.5	6.9	19	0.4	4.2	0.2	91	0.12	0.034
1293592	Soil	1.5	43.6	11.7	84	<0.1	48.4	16.5	383	3.96	22.9	1.0	<0.5	4.9	10	0.1	0.7	0.1	123	0.19	0.041
1293599	Soil	1.4	45.4	11.3	138	0.1	70.6	20.0	617	4.48	24.9	6.3	2.8	34.5	16	0.2	1.6	0.1	75	0.29	0.036
1290407	Soil	2.5	40.8	12.6	82	0.2	44.8	13.3	348	3.01	40.1	1.6	3.5	3.7	24	0.1	3.8	0.3	85	0.31	0.036
1293600	Soil	1.7	31.7	9.1	73	<0.1	33.4	14.0	374	3.16	43.3	1.9	1.5	12.4	21	0.1	1.6	0.2	67	0.32	0.068
1293583	Soil	1.2	39.8	10.1	89	0.2	45.6	15.2	607	3.13	17.3	1.6	4.7	4.4	30	0.3	1.2	0.2	63	0.80	0.059
1290402	Soil	1.0	32.5	7.6	58	0.1	26.4	10.7	325	2.41	13.7	0.7	2.9	3.1	30	0.1	1.2	0.1	59	0.59	0.060
1293585	Soil	1.1	29.9	8.0	87	<0.1	44.9	15.6	423	3.14	6.5	0.6	1.7	3.0	17	0.2	0.4	0.1	71	0.45	0.076
1293593	Soil	1.0	42.3	9.7	75	0.3	29.8	10.3	444	2.46	29.1	1.1	4.0	3.2	34	0.4	1.5	0.2	54	0.96	0.053
1293582	Soil	0.8	29.2	8.4	67	0.1	44.2	16.6	548	3.02	15.0	1.4	2.1	3.9	36	0.2	0.8	0.1	66	0.89	0.055
1293591	Soil	9.2	109.1	60.8	335	1.1	126.1	22.9	591	3.93	11.7	2.9	18.2	7.8	53	2.4	0.3	0.2	167	5.45	0.387
1293595	Soil	2.8	43.3	13.8	102	0.2	50.3	12.0	241	2.94	30.6	1.0	4.7	3.8	21	0.3	2.9	0.2	66	0.22	0.034
1290408	Soil	2.6	45.1	9.6	85	0.1	35.8	8.2	213	2.92	57.1	0.8	1.5	3.0	18	0.1	5.9	0.2	76	0.16	0.032
1290405	Soil	2.5	43.4	8.9	87	0.1	39.9	9.8	198	3.20	47.6	1.0	4.0	3.5	21	0.2	2.4	0.1	88	0.25	0.051
1293586	Soil	1.4	51.7	9.0	120	0.2	87.6	20.8	452	4.15	9.4	1.0	0.9	7.3	14	0.2	0.4	0.1	86	0.37	0.112
1293587	Soil	3.0	49.8	8.4	138	0.3	54.7	15.4	360	3.10	14.2	1.3	1.9	5.2	18	0.9	0.9	0.2	76	0.26	0.058
1293589	Soil	1.0	48.2	9.3	96	0.1	59.1	18.8	641	4.00	15.9	0.7	4.4	5.8	20	0.1	0.7	0.3	82	0.60	0.082
1293590	Soil	0.9	61.2	5.6	116	0.2	67.0	23.3	654	4.37	3.4	1.1	2.1	7.0	41	0.1	0.1	<0.1	77	2.78	0.193
1293588	Soil	1.0	25.7	8.1	58	0.2	27.8	10.4	209	2.72	8.7	0.6	0.9	2.8	10	<0.1	0.6	<0.1	75	0.20	0.026
1293611	Soil	2.6	83.3	9.5	185	0.4	32.4	8.4	220	4.94	0.5	3.2	4.8	6.2	42	0.6	0.2	0.2	105	0.40	0.144
1290403	Soil	1.2	40.1	7.7	63	0.2	28.4	9.7	285	2.40	15.4	1.3	4.4	3.1	32	0.1	1.5	0.1	60	0.54	0.061
1290410	Soil	2.1	51.9	11.8	97	0.2	38.5	10.6	233	3.06	52.1	1.5	4.3	4.5	23	0.2	3.8	0.2	89	0.27	0.034
1290404	Soil	2.6	62.8	10.5	122	0.2	57.1	15.8	385	3.90	47.4	1.5	3.0	3.1	24	0.4	2.9	0.2	120	0.24	0.073

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000230.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1290409	Soil	18	41	0.70	305	0.096	1	1.60	0.027	0.10	0.1	0.07	6.4	0.1	<0.05	5	<0.5	<0.2
1292735	Soil	21	46	0.72	336	0.080	2	1.48	0.018	0.16	0.2	0.06	4.9	0.2	<0.05	5	0.7	<0.2
1290401	Rock Pulp	17	723	0.13	143	0.163	3	4.06	0.012	0.06	<0.1	0.02	39.4	0.1	<0.05	20	<0.5	<0.2
1293597	Soil	30	77	1.35	635	0.121	<1	2.01	0.014	0.42	<0.1	0.05	8.1	0.6	<0.05	8	2.1	<0.2
1293594	Soil	11	37	0.44	234	0.053	<1	1.41	0.011	0.10	0.3	0.04	4.0	0.3	<0.05	4	1.1	<0.2
1292734	Soil	21	47	0.70	449	0.078	2	1.53	0.016	0.20	0.1	0.04	4.9	0.3	<0.05	5	0.6	<0.2
1290406	Soil	9	44	0.60	253	0.074	<1	1.33	0.010	0.20	0.2	0.02	3.5	0.2	<0.05	5	<0.5	<0.2
1293596	Soil	19	51	0.55	231	0.055	<1	1.20	0.004	0.29	0.4	0.03	5.5	0.4	<0.05	4	1.5	<0.2
1293592	Soil	7	77	1.19	352	0.133	<1	2.30	0.008	0.87	0.1	0.01	6.7	0.4	<0.05	9	<0.5	<0.2
1293599	Soil	65	81	1.40	485	0.089	1	2.38	0.009	0.64	<0.1	0.03	6.7	0.6	<0.05	12	<0.5	<0.2
1290407	Soil	13	63	0.66	340	0.077	1	1.55	0.010	0.16	0.2	0.03	5.2	0.2	<0.05	6	0.7	<0.2
1293600	Soil	19	42	0.74	249	0.082	1	1.65	0.009	0.38	<0.1	0.02	6.2	0.3	<0.05	6	<0.5	<0.2
1293583	Soil	15	57	0.86	324	0.040	2	1.41	0.008	0.15	0.1	0.06	6.5	0.4	<0.05	5	<0.5	<0.2
1290402	Soil	12	32	0.58	261	0.068	2	1.29	0.021	0.06	0.2	0.04	4.0	<0.1	<0.05	4	0.7	<0.2
1293585	Soil	8	67	1.06	223	0.090	1	1.75	0.009	0.23	0.1	0.02	3.7	0.2	<0.05	6	<0.5	<0.2
1293593	Soil	19	30	0.54	395	0.045	2	1.23	0.015	0.11	0.2	0.06	4.4	0.2	<0.05	4	0.7	<0.2
1293582	Soil	15	95	1.08	335	0.061	2	1.67	0.011	0.13	0.1	0.05	6.3	0.2	<0.05	6	<0.5	<0.2
1293591	Soil	40	65	1.32	231	0.064	2	1.64	0.007	0.44	0.3	0.08	6.2	0.4	<0.05	5	2.5	<0.2
1293595	Soil	9	46	0.52	298	0.052	2	1.41	0.007	0.10	0.2	0.06	4.3	0.3	<0.05	4	1.2	<0.2
1290408	Soil	10	39	0.46	364	0.085	<1	1.18	0.005	0.29	0.7	0.01	3.1	0.3	<0.05	4	1.1	<0.2
1290405	Soil	12	61	0.74	353	0.099	1	1.54	0.011	0.33	<0.1	0.01	3.7	0.3	<0.05	6	1.0	<0.2
1293586	Soil	16	85	1.44	290	0.126	1	2.21	0.007	0.62	0.1	0.02	4.4	0.4	<0.05	7	<0.5	<0.2
1293587	Soil	27	50	0.85	580	0.055	<1	1.72	0.009	0.15	0.1	0.03	4.6	0.3	<0.05	5	<0.5	<0.2
1293589	Soil	25	74	1.33	372	0.134	<1	2.09	0.011	0.60	0.2	0.02	5.3	0.4	<0.05	6	<0.5	<0.2
1293590	Soil	20	106	2.06	263	0.172	<1	2.58	0.008	1.46	0.2	0.02	3.8	0.8	<0.05	7	<0.5	<0.2
1293588	Soil	7	46	0.72	219	0.090	<1	1.64	0.007	0.34	0.1	<0.01	2.8	0.2	<0.05	5	<0.5	<0.2
1293611	Soil	29	70	0.91	1116	0.113	<1	1.94	0.010	0.51	<0.1	0.01	5.7	0.5	0.11	6	1.8	<0.2
1290403	Soil	13	35	0.60	274	0.074	1	1.44	0.016	0.09	0.2	0.05	4.5	0.1	<0.05	5	0.5	<0.2
1290410	Soil	15	53	0.59	276	0.096	<1	1.64	0.011	0.33	0.2	0.04	6.0	0.3	<0.05	6	1.2	<0.2
1290404	Soil	15	87	0.98	436	0.139	<1	1.92	0.008	0.52	0.2	<0.01	5.7	0.5	<0.05	8	0.9	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000230.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1293616	Soil	1.5	33.6	7.0	55	0.3	29.5	9.5	244	2.36	11.9	0.7	1.8	3.8	24	0.1	0.6	0.1	59	0.39	0.061
1293609	Soil	1.4	30.0	7.5	93	0.2	35.4	10.0	208	2.94	5.5	0.9	1.5	3.4	11	0.3	0.3	0.1	70	0.18	0.069
1293605	Soil	1.7	21.7	8.0	73	0.2	25.8	7.5	140	2.29	4.7	0.6	2.7	2.5	12	<0.1	0.3	0.2	66	0.17	0.053
1293621	Soil	1.4	41.4	8.2	72	0.3	31.9	11.2	388	2.76	9.7	0.7	8.2	3.9	30	0.2	0.7	0.1	56	0.62	0.072
1293607	Soil	1.3	23.6	9.1	79	0.4	32.6	10.3	168	2.86	5.7	0.9	3.2	3.7	16	0.2	0.3	0.2	68	0.23	0.083
1293615	Soil	1.5	74.2	7.6	93	0.6	21.7	5.9	77	3.67	2.9	1.7	1.2	6.1	17	0.2	0.2	0.2	88	0.10	0.055
1293602	Soil	1.5	28.4	8.0	70	0.2	27.3	10.1	347	2.67	8.6	1.2	12.4	3.6	23	0.2	0.5	0.1	60	0.36	0.079
1293606	Soil	1.6	36.5	9.0	82	0.4	32.7	15.0	432	2.80	5.4	1.2	2.4	3.1	17	0.2	0.3	0.2	65	0.22	0.083
1293619	Soil	2.1	85.7	9.8	119	0.2	64.6	19.0	572	3.53	5.5	1.0	12.2	6.4	19	0.3	0.4	0.2	70	0.31	0.063
1293601	Rock Pulp	1.4	387.6	18.4	141	0.2	178.1	67.4	710	13.18	3.1	1.0	30.8	5.8	12	<0.1	0.4	0.1	189	0.24	0.037
1293604	Soil	1.5	27.3	7.7	80	0.3	26.6	10.0	254	2.31	4.9	1.0	2.5	2.8	14	0.2	0.3	0.1	60	0.20	0.062
1293612	Soil	2.5	66.9	6.9	98	0.3	18.6	5.2	144	4.83	2.8	1.1	3.8	8.0	18	<0.1	0.2	0.2	75	0.11	0.062
1293618	Soil	1.4	71.1	7.5	77	0.4	58.0	21.2	396	3.95	5.8	1.1	3.8	5.3	23	0.1	0.4	0.2	94	0.42	0.122
1293617	Soil	2.0	99.1	3.3	96	<0.1	62.0	26.2	325	4.87	2.5	2.4	3.7	4.1	18	0.1	0.1	0.1	135	0.42	0.155
1293603	Soil	1.2	31.5	8.2	72	0.3	27.9	8.5	197	2.26	6.1	1.4	5.5	3.1	19	0.2	0.4	0.2	57	0.26	0.062
1293610	Soil	1.5	44.0	7.2	144	0.2	45.1	12.2	276	2.86	4.8	1.2	5.8	3.2	14	0.4	0.3	0.2	75	0.18	0.086
1293317	Soil	2.3	41.6	8.8	91	1.0	31.8	7.6	183	3.03	9.9	1.0	2.2	2.1	13	0.5	0.5	0.2	79	0.16	0.049
1293307	Soil	11.5	152.4	13.4	183	1.1	86.4	16.9	356	4.70	7.6	4.1	0.9	5.2	43	1.3	<0.1	0.3	155	0.31	0.140
1293306	Soil	10.4	77.9	8.6	109	0.9	56.9	11.7	329	4.26	35.8	2.5	3.0	4.6	33	0.4	0.3	0.2	199	0.19	0.065
1293614	Soil	6.1	110.2	8.0	185	0.6	31.3	4.2	149	3.88	3.1	3.1	3.8	4.1	27	0.3	0.9	0.1	59	0.25	0.142
1293319	Soil	6.7	81.1	10.9	258	1.6	76.5	12.7	531	3.42	41.5	1.7	1.0	1.8	24	1.0	0.8	0.2	84	0.25	0.088
1293322	Soil	2.4	41.7	7.7	106	0.8	40.4	12.3	1153	2.58	14.0	0.9	0.9	1.4	31	1.2	0.5	0.1	63	0.85	0.050
1293303	Soil	1.4	32.7	7.2	71	0.2	28.8	8.8	213	2.83	11.6	0.9	0.9	4.7	16	<0.1	0.4	0.1	68	0.20	0.031
1293620	Soil	2.5	61.6	7.6	83	0.3	45.1	15.8	382	2.93	5.7	1.0	6.4	4.5	23	0.2	0.4	0.1	72	0.39	0.093
1292992	Soil	0.8	25.1	8.2	65	<0.1	40.1	14.2	646	3.00	8.2	0.6	1.9	7.8	25	0.1	0.5	0.2	62	0.50	0.031
1293311	Soil	15.3	131.0	10.8	163	1.7	51.9	7.4	263	4.00	22.9	3.7	2.5	5.2	32	0.3	0.3	0.2	143	0.18	0.084
1293305	Soil	1.6	19.8	9.1	46	1.5	24.2	7.9	194	2.60	118.9	0.4	1.2	2.0	15	0.2	0.7	0.1	64	0.16	0.026
1293613	Soil	8.3	104.5	7.6	164	1.0	37.4	5.7	137	3.69	6.3	2.8	8.3	5.7	35	0.3	1.0	0.1	91	0.23	0.158
1292995	Soil	0.7	16.0	6.6	51	<0.1	26.5	10.6	402	2.85	28.6	0.5	<0.5	3.8	18	<0.1	0.4	<0.1	43	0.41	0.034
1293320	Soil	3.1	52.4	10.6	196	0.6	58.9	13.7	415	3.50	27.1	0.8	1.4	0.8	26	1.0	0.6	0.2	73	0.27	0.081

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000230.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1293616	Soil	13	36	0.52	678	0.061	1	1.23	0.012	0.11	0.2	0.03	4.5	0.1	<0.05	4	0.7	<0.2
1293609	Soil	18	40	0.63	216	0.064	<1	1.52	0.007	0.27	<0.1	<0.01	2.7	0.3	<0.05	5	<0.5	<0.2
1293605	Soil	12	32	0.46	115	0.074	<1	1.18	0.006	0.13	0.1	0.02	2.1	0.2	<0.05	5	<0.5	<0.2
1293621	Soil	14	34	0.57	669	0.048	1	1.15	0.013	0.08	0.2	0.03	4.4	0.1	<0.05	4	<0.5	<0.2
1293607	Soil	14	41	0.64	220	0.063	<1	1.53	0.006	0.17	0.2	0.02	2.9	0.2	<0.05	5	<0.5	<0.2
1293615	Soil	24	57	1.04	633	0.158	<1	2.09	0.018	1.08	<0.1	0.01	5.3	0.6	0.16	7	1.7	<0.2
1293602	Soil	14	34	0.53	287	0.057	<1	1.20	0.011	0.08	0.2	0.03	3.1	0.1	<0.05	4	<0.5	<0.2
1293606	Soil	14	35	0.53	271	0.060	<1	1.44	0.007	0.15	0.1	0.04	2.9	0.2	<0.05	5	<0.5	<0.2
1293619	Soil	22	59	1.19	938	0.125	<1	1.93	0.006	0.87	0.1	0.04	6.3	0.5	<0.05	7	<0.5	<0.2
1293601	Rock Pulp	14	626	0.10	127	0.117	3	3.08	0.011	0.05	<0.1	0.03	32.8	<0.1	<0.05	18	<0.5	<0.2
1293604	Soil	12	31	0.50	174	0.067	<1	1.28	0.006	0.14	0.1	0.03	2.3	0.2	<0.05	4	<0.5	<0.2
1293612	Soil	25	53	0.92	350	0.085	<1	2.02	0.017	0.47	<0.1	<0.01	3.2	0.5	0.18	6	1.5	<0.2
1293618	Soil	17	59	1.39	885	0.148	2	2.08	0.010	0.84	0.2	0.04	6.4	0.4	<0.05	8	<0.5	<0.2
1293617	Soil	22	68	1.98	928	0.209	<1	2.89	0.017	1.31	<0.1	0.02	8.9	0.3	<0.05	11	<0.5	<0.2
1293603	Soil	15	33	0.53	262	0.058	1	1.36	0.010	0.09	0.2	0.04	3.1	0.1	<0.05	5	0.6	<0.2
1293610	Soil	16	39	0.63	353	0.064	1	1.50	0.007	0.21	0.1	0.02	3.0	0.3	<0.05	5	<0.5	<0.2
1293317	Soil	7	32	0.31	476	0.045	1	1.28	0.007	0.09	0.1	0.04	2.9	0.1	<0.05	5	0.8	<0.2
1293307	Soil	16	87	1.40	620	0.160	1	1.80	0.026	0.49	0.2	0.02	5.5	0.5	0.35	7	5.9	0.2
1293306	Soil	19	107	1.20	532	0.111	2	2.10	0.026	0.30	0.2	0.03	4.7	0.3	0.31	8	3.7	<0.2
1293614	Soil	18	34	0.53	1799	0.065	<1	1.27	0.007	0.22	0.2	0.06	3.5	0.3	<0.05	4	3.1	<0.2
1293319	Soil	11	38	0.41	646	0.032	2	1.05	0.011	0.09	0.1	0.03	3.5	0.1	0.08	4	2.8	<0.2
1293322	Soil	9	30	0.39	1394	0.025	3	1.17	0.011	0.06	0.4	0.07	3.6	0.2	<0.05	4	1.0	<0.2
1293303	Soil	16	49	0.86	206	0.084	1	1.74	0.010	0.25	0.2	0.02	4.2	0.2	<0.05	6	<0.5	<0.2
1293620	Soil	15	47	0.80	1030	0.092	<1	1.56	0.008	0.36	0.1	0.05	5.0	0.2	<0.05	5	0.6	<0.2
1292992	Soil	43	72	0.93	285	0.069	2	1.83	0.012	0.20	0.2	0.02	6.1	0.1	<0.05	5	<0.5	<0.2
1293311	Soil	29	63	0.70	486	0.055	<1	1.40	0.019	0.20	0.2	0.03	8.5	0.2	0.39	6	6.0	0.2
1293305	Soil	7	31	0.44	226	0.046	<1	1.22	0.008	0.07	0.2	0.01	2.3	<0.1	<0.05	5	<0.5	<0.2
1293613	Soil	23	43	0.66	975	0.078	1	1.75	0.013	0.35	0.4	0.14	3.8	0.5	0.22	5	3.8	<0.2
1292995	Soil	10	43	0.66	307	0.071	1	1.48	0.009	0.19	0.4	0.02	4.1	0.1	<0.05	5	<0.5	<0.2
1293320	Soil	9	27	0.31	565	0.023	1	1.00	0.008	0.08	<0.1	0.05	3.1	0.2	0.07	4	1.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000230.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1293304	Soil	2.0	26.1	11.5	72	0.7	30.1	11.6	385	2.77	40.0	0.6	4.9	2.5	17	0.3	0.8	0.1	62	0.22	0.034
1293608	Soil	1.2	37.7	7.5	84	0.3	41.6	10.0	180	3.01	5.4	1.1	3.8	4.1	15	0.1	0.3	0.1	67	0.20	0.052
1293314	Soil	4.0	40.5	8.0	81	1.1	23.1	6.2	203	2.79	8.9	0.8	0.5	3.2	26	0.5	0.4	0.1	72	0.24	0.089
1293301	Rock Pulp	1.3	406.6	19.4	144	0.2	198.5	72.4	745	14.05	3.3	1.1	28.1	6.5	13	0.1	0.4	0.2	204	0.28	0.040
1292998	Soil	1.3	11.8	9.5	45	<0.1	20.2	8.7	310	2.43	6.8	0.4	<0.5	2.4	16	<0.1	0.4	<0.1	45	0.35	0.039
1293302	Soil	1.8	29.9	9.6	64	0.2	30.4	13.9	536	3.15	56.9	0.8	<0.5	4.7	17	0.1	0.8	0.1	66	0.42	0.049
1293315	Soil	4.7	70.2	14.5	228	0.7	137.2	17.1	495	4.06	64.9	0.9	2.0	2.7	29	0.5	0.9	0.2	88	0.40	0.053
1293323	Soil	3.9	48.7	8.2	127	0.5	34.9	7.3	151	1.96	9.9	1.6	1.5	2.7	23	0.5	0.4	0.1	60	0.45	0.060
1292993	Soil	0.8	23.1	6.9	74	<0.1	27.3	14.0	857	2.91	5.4	0.4	<0.5	3.8	28	0.1	0.4	0.1	54	0.58	0.047
1293000	Soil	2.0	32.3	12.0	93	0.3	40.4	15.1	655	3.02	86.1	0.9	<0.5	4.7	20	0.4	2.6	0.1	70	0.34	0.043
1293308	Soil	10.9	63.9	17.7	127	1.0	57.5	8.5	235	3.76	111.4	1.8	4.5	6.5	56	0.7	1.0	0.3	54	0.26	0.044
1293316	Soil	5.1	125.4	16.7	317	3.7	146.5	20.2	613	4.31	74.6	2.0	3.4	3.4	40	1.4	0.9	0.2	87	0.24	0.151
1292994	Soil	0.8	16.2	7.8	47	<0.1	20.7	10.0	399	2.74	8.8	0.5	0.8	4.3	22	<0.1	0.5	0.1	53	0.42	0.027
1292999	Soil	1.5	39.5	12.7	62	0.3	130.5	21.9	476	3.57	160.3	1.0	1.5	12.5	28	0.1	2.4	0.2	90	0.63	0.063
1293321	Soil	8.0	105.4	18.7	331	2.1	136.5	19.9	681	4.60	62.0	2.2	3.6	3.1	40	3.3	1.0	0.2	99	0.83	0.115
1293313	Soil	2.3	28.9	9.4	112	0.4	41.0	11.3	250	2.51	7.9	0.9	1.4	2.5	19	0.5	0.4	0.2	82	0.23	0.027
1292997	Soil	1.4	11.8	7.9	53	<0.1	33.2	12.7	490	2.94	7.1	0.9	0.9	9.4	17	<0.1	0.4	0.1	55	0.36	0.027
1292996	Soil	0.7	17.1	7.0	47	<0.1	22.4	10.7	422	2.75	9.6	0.5	2.1	4.9	23	<0.1	0.5	0.1	56	0.39	0.025
1293318	Soil	3.8	54.7	10.6	98	1.0	30.5	9.3	276	4.41	10.5	1.2	2.5	3.0	25	0.2	0.4	0.1	96	0.15	0.051
1293310	Soil	2.6	25.7	6.7	79	0.4	37.4	10.0	231	2.76	12.3	0.7	3.6	2.6	22	0.4	0.5	0.1	78	0.29	0.050
1293312	Soil	4.8	68.7	9.7	204	1.1	66.4	13.5	307	3.87	8.4	1.8	1.9	3.2	28	0.8	0.3	0.1	95	0.20	0.051
1293309	Soil	7.8	62.2	8.6	151	0.9	64.6	11.2	310	3.26	52.5	1.2	2.8	2.7	29	0.7	0.9	0.2	92	0.79	0.043
1293525	Soil	2.3	6.7	14.2	68	<0.1	5.9	4.5	512	2.98	7.2	2.2	0.9	23.5	9	<0.1	0.9	0.7	34	0.10	0.192
1293522	Soil	2.4	7.4	33.7	29	0.2	6.1	2.7	67	1.96	448.1	1.3	62.2	17.9	22	<0.1	5.3	3.1	28	0.10	0.020
1293527	Soil	0.8	55.6	9.0	399	0.2	21.9	17.9	687	6.35	4.0	1.2	2.5	11.1	23	2.7	0.8	1.3	96	0.70	0.101
1293519	Soil	1.4	33.8	7.0	82	0.3	42.0	16.5	298	3.92	17.4	0.6	2.2	3.1	17	0.2	1.0	0.1	93	0.27	0.046
1293516	Soil	3.4	55.1	10.7	78	0.2	36.0	12.3	308	3.70	36.0	1.3	4.0	3.9	24	0.5	2.2	0.2	119	0.24	0.071
1293524	Soil	2.5	15.2	18.2	118	0.2	20.5	7.9	743	5.05	17.7	2.8	2.8	26.3	26	<0.1	1.6	0.6	50	0.31	0.036
1293528	Soil	1.3	51.9	12.8	69	0.1	61.7	17.4	632	3.46	10.4	0.8	3.5	4.9	34	0.1	2.1	0.2	92	1.47	0.041
1293520	Soil	4.7	45.5	8.8	248	0.4	82.6	19.6	460	4.17	45.3	0.8	3.0	1.9	17	1.0	2.4	0.2	91	0.15	0.102

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000230.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1293304	Soil	8	35	0.51	354	0.062	1	1.13	0.009	0.19	0.1	0.01	2.7	0.1	<0.05	4	<0.5	<0.2
1293608	Soil	17	39	0.64	275	0.059	1	1.51	0.006	0.21	0.1	0.02	3.2	0.2	<0.05	5	<0.5	<0.2
1293314	Soil	15	35	0.44	512	0.041	1	1.20	0.018	0.18	0.1	0.02	2.8	0.2	0.24	5	1.9	<0.2
1293301	Rock Pulp	16	665	0.11	133	0.136	3	3.50	0.011	0.06	<0.1	0.04	36.8	0.1	<0.05	19	<0.5	<0.2
1292998	Soil	7	29	0.47	221	0.036	1	1.34	0.008	0.14	0.2	0.01	2.9	<0.1	<0.05	4	<0.5	<0.2
1293302	Soil	19	40	0.69	302	0.044	1	1.56	0.008	0.19	<0.1	0.02	5.6	0.1	<0.05	5	<0.5	<0.2
1293315	Soil	11	44	0.33	526	0.016	<1	1.28	0.007	0.06	0.2	0.03	5.7	0.1	<0.05	4	1.5	<0.2
1293323	Soil	11	34	0.57	435	0.050	1	0.98	0.008	0.11	0.2	0.03	3.6	0.2	0.06	4	1.7	<0.2
1292993	Soil	14	49	0.79	387	0.082	3	1.68	0.011	0.42	0.2	0.03	4.8	0.2	<0.05	5	<0.5	<0.2
1293000	Soil	31	44	0.59	588	0.069	1	1.42	0.010	0.26	0.1	0.02	5.5	0.3	<0.05	5	<0.5	<0.2
1293308	Soil	21	36	0.38	510	0.007	<1	0.64	0.010	0.18	<0.1	0.04	3.8	0.4	0.34	3	3.7	<0.2
1293316	Soil	17	43	0.37	518	0.043	2	1.33	0.026	0.16	0.1	0.10	4.8	0.3	0.23	4	4.0	<0.2
1292994	Soil	14	35	0.47	293	0.059	1	1.54	0.010	0.16	0.1	0.02	5.5	<0.1	<0.05	5	<0.5	<0.2
1292999	Soil	30	146	1.22	376	0.131	1	1.78	0.009	0.51	0.2	0.03	9.6	0.5	<0.05	7	<0.5	<0.2
1293321	Soil	14	54	0.42	804	0.025	2	1.22	0.010	0.08	0.2	0.11	6.7	0.4	<0.05	4	3.7	<0.2
1293313	Soil	9	32	0.51	475	0.048	<1	1.24	0.011	0.13	<0.1	0.02	3.9	0.2	<0.05	4	1.0	<0.2
1292997	Soil	25	58	0.72	258	0.040	<1	1.82	0.008	0.13	0.2	0.02	5.2	0.1	<0.05	6	<0.5	<0.2
1292996	Soil	14	37	0.54	307	0.068	<1	1.60	0.011	0.15	0.2	0.03	5.2	<0.1	<0.05	5	<0.5	<0.2
1293318	Soil	16	40	0.61	455	0.080	1	1.75	0.028	0.16	0.1	0.03	4.4	0.2	0.33	7	1.9	<0.2
1293310	Soil	9	40	0.55	419	0.064	2	1.50	0.011	0.08	0.1	0.02	3.5	0.1	<0.05	5	0.5	<0.2
1293312	Soil	17	41	0.63	411	0.068	<1	1.56	0.018	0.15	<0.1	<0.01	4.5	0.2	0.25	5	2.3	<0.2
1293309	Soil	10	40	0.41	1031	0.035	2	1.29	0.009	0.06	0.2	0.08	5.2	0.5	0.07	4	1.8	<0.2
1293525	Soil	49	14	0.15	185	0.035	1	1.23	0.007	0.10	0.3	0.01	4.6	0.3	<0.05	6	<0.5	<0.2
1293522	Soil	43	12	0.13	154	0.007	1	0.95	0.009	0.11	0.1	0.02	1.5	<0.1	0.14	3	<0.5	0.6
1293527	Soil	41	32	1.35	427	0.003	<1	3.14	0.010	0.07	<0.1	0.03	13.6	<0.1	<0.05	15	<0.5	<0.2
1293519	Soil	12	49	0.83	165	0.139	1	2.02	0.013	0.35	0.1	0.01	5.0	0.2	<0.05	8	<0.5	<0.2
1293516	Soil	13	56	0.66	291	0.099	2	1.88	0.013	0.28	0.1	0.02	5.8	0.5	0.12	7	0.6	<0.2
1293524	Soil	66	28	0.46	458	0.134	1	3.29	0.010	0.34	0.2	0.02	10.3	0.6	0.05	11	<0.5	<0.2
1293528	Soil	17	97	0.86	191	0.074	2	2.19	0.022	0.05	0.2	0.03	9.5	0.1	<0.05	7	<0.5	<0.2
1293520	Soil	9	52	0.45	267	0.042	1	1.89	0.009	0.16	0.2	0.01	3.3	0.2	0.09	6	0.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000230.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1293515	Soil	4.0	70.2	17.2	112	0.3	45.6	14.5	372	3.34	54.2	2.3	3.0	4.3	49	0.7	3.0	0.3	107	0.22	0.129
1293526	Soil	2.2	13.1	11.4	64	<0.1	16.6	7.4	309	3.22	11.5	1.6	1.7	14.9	11	<0.1	1.1	0.7	58	0.13	0.042
1293523	Soil	1.5	13.6	10.0	56	<0.1	24.8	9.5	308	3.34	9.5	0.5	2.4	4.5	17	<0.1	0.7	0.2	80	0.19	0.025
1293521	Soil	6.3	80.6	8.8	222	0.5	86.5	13.3	441	3.15	42.3	1.1	1.6	3.2	31	1.3	2.4	0.2	92	0.25	0.064
1293517	Soil	4.3	51.3	10.8	184	0.5	68.6	11.1	348	4.27	60.8	1.2	2.1	3.3	20	0.8	5.1	0.2	155	0.24	0.081
1293514	Soil	1.0	11.1	20.0	40	<0.1	12.1	5.4	151	1.43	24.1	5.5	4.6	14.7	33	<0.1	1.6	0.3	32	0.10	0.067
1293512	Soil	1.3	45.6	4.8	52	0.2	46.1	20.0	677	3.76	13.3	0.5	7.7	3.9	113	<0.1	1.3	<0.1	102	3.70	0.050
1293506	Soil	2.5	54.0	9.6	69	0.2	47.2	26.9	883	3.96	4.7	1.3	6.6	11.5	53	0.1	0.4	0.1	73	1.50	0.101
1293513	Soil	2.7	31.7	10.8	57	0.2	18.2	5.9	166	2.10	27.0	2.0	3.3	5.1	27	0.2	1.6	0.3	60	0.23	0.081
1293518	Soil	2.6	43.1	7.8	128	0.5	50.6	24.3	1033	5.12	33.1	0.7	5.4	2.8	30	0.9	2.7	0.5	134	0.71	0.131
1293509	Soil	1.2	35.9	14.6	64	0.3	89.0	22.7	565	4.09	96.3	1.3	3.9	13.8	64	<0.1	4.0	0.1	48	1.98	0.069
1293508	Soil	6.0	37.4	13.6	80	0.1	67.5	25.6	691	5.30	60.7	1.2	1.3	12.3	26	<0.1	0.9	0.2	111	0.53	0.037
1293511	Soil	4.4	55.7	6.5	50	0.2	39.7	19.5	375	4.16	12.0	0.5	0.9	4.4	24	<0.1	0.9	0.1	119	0.49	0.013
1293510	Soil	1.1	81.3	9.6	51	0.3	41.6	24.8	735	4.16	24.3	0.3	24.1	1.9	41	0.2	3.3	0.1	115	1.45	0.023
1293505	Soil	2.1	16.5	7.1	76	<0.1	45.7	17.4	519	4.25	7.6	0.6	1.2	4.9	19	<0.1	0.7	0.2	109	0.40	0.048
1293507	Soil	5.4	22.0	10.0	64	0.1	34.3	22.8	777	4.68	10.4	1.3	1.7	16.2	35	<0.1	0.9	0.1	104	0.71	0.049
1292961	Soil	1.5	41.5	7.5	101	0.3	37.4	12.4	205	2.96	4.3	1.6	3.1	4.5	20	0.3	0.4	0.2	80	0.32	0.087
1292960	Soil	1.4	38.6	7.3	101	0.2	34.8	12.1	269	2.91	5.1	1.3	36.2	3.7	29	0.5	0.5	0.1	71	0.57	0.082
1292951	Rock Pulp	2.8	26.0	2.0	43	0.3	27.1	12.1	419	2.55	4.2	0.2	1.0	0.8	37	0.2	0.3	<0.1	73	0.88	0.061
1292958	Soil	1.6	35.4	6.5	77	0.2	33.9	12.7	351	2.91	9.0	1.0	3.2	3.8	40	0.3	0.7	0.1	69	0.80	0.082

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

CERTIFICATE OF ANALYSIS WHI12000230.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1293515	Soil	25	66	0.54	386	0.045	2	1.66	0.018	0.28	0.1	0.04	7.3	0.4	0.25	6	1.6	<0.2
1293526	Soil	24	30	0.35	195	0.044	<1	1.86	0.008	0.07	0.2	0.01	4.1	0.3	<0.05	6	<0.5	<0.2
1293523	Soil	11	39	0.45	228	0.072	1	2.10	0.010	0.07	0.1	0.02	3.4	0.1	<0.05	7	<0.5	<0.2
1293521	Soil	11	39	0.34	333	0.024	<1	1.37	0.008	0.10	0.3	0.02	3.4	0.2	0.15	5	3.0	<0.2
1293517	Soil	14	71	0.55	233	0.087	1	1.54	0.008	0.24	0.1	0.02	4.5	0.5	0.06	9	1.0	<0.2
1293514	Soil	59	20	0.14	122	0.003	<1	0.72	0.005	0.10	0.2	0.05	8.8	0.2	0.09	2	<0.5	<0.2
1293512	Soil	11	77	1.47	277	0.064	2	1.95	0.023	0.09	<0.1	0.02	10.3	0.1	<0.05	6	<0.5	<0.2
1293506	Soil	49	71	1.47	424	0.132	3	2.07	0.016	0.70	0.1	0.03	7.3	0.4	<0.05	6	<0.5	<0.2
1293513	Soil	22	43	0.46	180	0.071	2	1.28	0.012	0.18	0.1	0.07	4.1	0.3	0.08	6	0.7	<0.2
1293518	Soil	9	52	0.82	333	0.117	2	2.19	0.019	0.36	0.1	0.03	6.3	0.4	<0.05	10	<0.5	0.3
1293509	Soil	65	102	1.25	238	0.049	4	1.60	0.008	0.48	<0.1	0.04	7.2	0.5	<0.05	5	<0.5	<0.2
1293508	Soil	34	99	2.05	257	0.194	2	3.08	0.007	0.85	0.1	0.02	7.2	0.7	<0.05	10	<0.5	<0.2
1293511	Soil	12	77	1.05	164	0.065	1	2.84	0.017	0.07	0.1	0.04	10.3	0.2	<0.05	8	<0.5	<0.2
1293510	Soil	8	65	1.10	228	0.031	2	2.05	0.015	0.11	<0.1	0.03	12.0	<0.1	<0.05	6	<0.5	<0.2
1293505	Soil	13	104	1.37	112	0.150	2	1.85	0.012	0.34	0.1	0.02	4.7	0.3	<0.05	9	<0.5	<0.2
1293507	Soil	39	81	1.77	338	0.149	2	2.69	0.012	0.84	0.2	0.01	8.5	0.5	<0.05	8	<0.5	<0.2
1292961	Soil	20	42	0.70	412	0.107	1	1.76	0.011	0.21	0.2	0.05	4.2	0.3	<0.05	6	0.6	<0.2
1292960	Soil	17	40	0.62	413	0.088	2	1.45	0.015	0.13	0.2	0.04	4.2	0.2	0.09	5	0.7	<0.2
1292951	Rock Pulp	4	37	0.82	83	0.119	3	1.54	0.081	0.12	12.6	<0.01	4.5	<0.1	0.09	5	<0.5	<0.2
1292958	Soil	16	38	0.66	403	0.078	2	1.32	0.022	0.09	0.2	0.03	3.9	0.1	0.06	4	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

QUALITY CONTROL REPORT WHI12000230.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
1291174	Soil	3.1	69.5	10.3	183	0.7	70.3	14.0	528	3.32	44.9	1.4	3.0	3.5	31	0.9	0.7	0.2	74	0.55	0.057
REP 1291174	QC	3.2	69.2	10.7	181	0.7	70.3	13.9	531	3.29	43.8	1.4	2.2	3.4	30	0.7	0.7	0.2	73	0.52	0.055
1291177	Soil	3.4	33.6	8.6	91	0.6	27.9	4.7	185	2.23	18.1	0.9	2.5	2.6	23	0.5	0.4	0.2	58	0.16	0.056
REP 1291177	QC	3.4	32.9	8.4	91	0.6	27.6	4.7	185	2.25	17.4	0.9	2.5	2.5	22	0.4	0.4	0.2	57	0.15	0.056
1293503	Soil	1.6	61.3	39.6	113	0.9	55.2	21.6	585	5.05	18.5	0.9	84.7	10.0	26	0.1	0.5	0.5	94	0.56	0.118
REP 1293503	QC	1.6	63.1	40.5	117	0.9	53.8	21.9	594	5.07	19.1	0.9	71.4	10.2	27	<0.1	0.4	0.5	91	0.61	0.121
1292381	Soil	1.7	40.5	9.9	90	0.2	46.3	18.8	494	3.68	31.3	1.0	0.8	5.0	24	0.2	0.7	0.2	92	0.43	0.045
REP 1292381	QC	1.4	37.9	9.3	84	0.2	42.0	17.6	464	3.41	29.3	0.9	0.7	4.8	22	0.2	0.7	0.2	85	0.39	0.042
1292794	Soil	2.2	57.4	9.4	82	0.3	41.9	11.7	342	2.83	40.0	2.2	6.4	3.8	51	0.1	4.8	0.2	75	0.64	0.060
REP 1292794	QC	2.3	57.7	9.3	83	0.3	41.5	12.2	339	2.83	39.1	2.2	5.4	3.9	51	0.2	4.5	0.2	77	0.63	0.059
1292880	Soil	1.2	45.3	9.0	97	0.3	36.9	12.0	185	2.91	4.5	1.8	4.7	3.4	20	0.4	0.5	0.2	71	0.24	0.077
REP 1292880	QC	1.5	45.0	8.7	94	0.3	36.9	12.1	185	2.84	4.9	1.9	3.6	3.3	20	0.3	0.5	0.1	68	0.24	0.077
1292895	Soil	2.8	47.4	10.0	141	0.4	49.7	16.7	317	3.62	4.9	1.4	3.0	4.5	19	0.4	0.3	0.2	101	0.25	0.076
REP 1292895	QC	2.7	48.3	9.8	140	0.4	51.4	16.8	322	3.74	4.3	1.3	3.1	4.3	18	0.5	0.3	0.2	100	0.26	0.073
1292876	Soil	5.3	73.4	8.3	138	0.7	26.4	6.3	277	3.31	4.5	1.3	0.8	5.1	21	0.4	0.6	0.2	75	0.23	0.063
REP 1292876	QC	5.2	73.2	8.1	134	0.7	26.0	6.2	271	3.29	4.3	1.3	2.4	5.0	21	0.3	0.6	0.2	77	0.25	0.061
1292279	Soil	1.6	23.2	10.0	48	0.2	26.8	8.9	244	2.38	21.3	0.7	1.0	3.0	17	0.2	0.6	0.1	69	0.26	0.018
REP 1292279	QC	1.7	23.5	9.9	47	0.2	26.5	9.0	243	2.34	21.4	0.7	1.2	3.0	18	0.1	0.6	0.1	68	0.26	0.018
1292852	Soil	1.7	22.1	11.8	46	<0.1	18.8	8.0	240	2.09	25.1	2.6	3.8	10.7	35	<0.1	1.6	0.2	58	0.25	0.061
REP 1292852	QC	1.7	21.9	11.9	46	<0.1	19.3	8.4	244	2.14	25.1	2.6	3.4	11.1	36	0.1	1.6	0.2	58	0.27	0.061
1292849	Soil	2.8	89.7	10.0	183	0.4	81.7	19.2	597	4.81	163.1	1.1	37.1	9.9	15	0.2	6.3	0.1	98	0.37	0.093
REP 1292849	QC	2.8	87.0	10.0	179	0.4	79.0	18.7	593	4.62	162.4	1.0	34.1	9.4	16	0.2	6.1	0.1	95	0.36	0.090
1292740	Soil	1.3	19.3	11.4	81	0.1	12.6	12.6	486	3.17	36.5	4.8	4.0	7.4	49	0.5	2.6	0.2	82	0.70	0.087
REP 1292740	QC	1.4	19.1	11.4	79	0.1	13.2	12.5	479	3.16	36.1	4.5	3.5	7.4	49	0.5	2.5	0.2	82	0.67	0.088
1293591	Soil	9.2	109.1	60.8	335	1.1	126.1	22.9	591	3.93	11.7	2.9	18.2	7.8	53	2.4	0.3	0.2	167	5.45	0.387
REP 1293591	QC	9.5	111.4	62.1	340	1.1	128.9	22.8	610	4.03	11.7	3.0	19.4	7.8	53	2.4	0.4	0.2	168	5.61	0.401
1293589	Soil	1.0	48.2	9.3	96	0.1	59.1	18.8	641	4.00	15.9	0.7	4.4	5.8	20	0.1	0.7	0.3	82	0.60	0.082
REP 1293589	QC	0.9	49.7	9.4	98	0.1	59.7	19.2	647	4.07	15.7	0.7	2.9	6.1	20	0.1	0.8	0.3	85	0.61	0.081

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

QUALITY CONTROL REPORT WHI12000230.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
1291174	Soil	16	36	0.56	518	0.048	2	1.25	0.015	0.15	0.2	0.06	6.1	0.2	<0.05	4	2.2	<0.2
REP 1291174	QC	15	34	0.55	494	0.044	2	1.19	0.015	0.13	0.1	0.05	6.0	0.2	<0.05	4	1.9	<0.2
1291177	Soil	11	23	0.33	396	0.049	<1	0.89	0.010	0.12	0.1	0.02	2.4	0.1	0.09	4	1.6	<0.2
REP 1291177	QC	11	23	0.32	395	0.048	<1	0.85	0.009	0.12	0.1	0.01	2.3	0.1	0.07	4	1.4	<0.2
1293503	Soil	38	107	1.42	649	0.104	1	2.42	0.007	0.54	0.3	0.04	8.2	0.4	<0.05	10	<0.5	0.4
REP 1293503	QC	38	105	1.45	642	0.106	1	2.53	0.008	0.55	0.3	0.05	8.7	0.4	0.07	10	<0.5	0.4
1292381	Soil	17	62	0.90	421	0.112	1	2.11	0.013	0.36	0.1	0.01	7.1	0.2	0.09	7	<0.5	<0.2
REP 1292381	QC	16	58	0.87	394	0.101	<1	1.91	0.012	0.31	0.1	0.01	6.3	0.2	<0.05	6	<0.5	<0.2
1292794	Soil	16	42	0.61	427	0.099	2	1.63	0.018	0.14	0.2	0.04	5.4	0.2	0.08	6	1.1	0.3
REP 1292794	QC	16	43	0.66	425	0.099	2	1.65	0.019	0.14	0.2	0.04	5.4	0.2	0.09	5	1.7	<0.2
1292880	Soil	21	43	0.64	290	0.075	2	1.64	0.008	0.22	0.1	0.03	4.1	0.3	<0.05	5	<0.5	<0.2
REP 1292880	QC	20	42	0.64	283	0.073	1	1.63	0.008	0.21	0.1	0.04	4.0	0.3	0.10	5	<0.5	<0.2
1292895	Soil	21	55	0.89	289	0.102	1	2.10	0.009	0.31	0.1	0.03	4.0	0.3	<0.05	7	1.0	<0.2
REP 1292895	QC	22	56	0.87	289	0.102	1	1.99	0.008	0.32	0.1	0.03	3.9	0.3	<0.05	7	0.8	<0.2
1292876	Soil	20	46	0.75	793	0.088	<1	1.63	0.010	0.37	0.1	0.01	2.7	0.4	0.32	5	3.2	<0.2
REP 1292876	QC	20	47	0.82	773	0.090	<1	1.63	0.011	0.40	0.1	<0.01	2.8	0.4	0.32	5	2.9	<0.2
1292279	Soil	10	41	0.49	326	0.068	<1	1.38	0.012	0.12	0.1	0.01	4.1	<0.1	<0.05	4	<0.5	<0.2
REP 1292279	QC	9	39	0.49	326	0.065	1	1.32	0.012	0.11	0.1	0.02	4.1	<0.1	<0.05	4	<0.5	<0.2
1292852	Soil	26	44	0.46	232	0.067	<1	1.25	0.011	0.09	0.1	0.02	4.8	0.2	<0.05	4	<0.5	<0.2
REP 1292852	QC	27	44	0.46	234	0.068	<1	1.27	0.011	0.09	0.1	0.01	4.9	0.2	<0.05	4	<0.5	<0.2
1292849	Soil	23	71	0.87	340	0.054	1	1.61	0.006	0.31	<0.1	0.04	8.5	0.5	<0.05	6	1.6	<0.2
REP 1292849	QC	22	69	0.86	333	0.052	1	1.56	0.006	0.31	<0.1	0.05	8.2	0.5	<0.05	5	1.2	<0.2
1292740	Soil	18	22	0.76	349	0.106	<1	1.52	0.022	0.17	0.3	0.04	6.0	0.2	<0.05	6	<0.5	<0.2
REP 1292740	QC	18	22	0.75	348	0.106	<1	1.51	0.021	0.16	0.2	0.03	5.8	0.2	<0.05	6	<0.5	<0.2
1293591	Soil	40	65	1.32	231	0.064	2	1.64	0.007	0.44	0.3	0.08	6.2	0.4	<0.05	5	2.5	<0.2
REP 1293591	QC	40	67	1.31	235	0.065	3	1.66	0.007	0.49	0.3	0.09	6.3	0.5	<0.05	5	2.8	<0.2
1293589	Soil	25	74	1.33	372	0.134	<1	2.09	0.011	0.60	0.2	0.02	5.3	0.4	<0.05	6	<0.5	<0.2
REP 1293589	QC	26	76	1.37	378	0.137	2	2.17	0.012	0.54	0.2	0.03	5.3	0.5	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

QUALITY CONTROL REPORT WHI12000230.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
1293620	Soil	2.5	61.6	7.6	83	0.3	45.1	15.8	382	2.93	5.7	1.0	6.4	4.5	23	0.2	0.4	0.1	72	0.39	0.093
REP 1293620	QC	2.3	63.7	7.7	85	0.3	46.2	16.0	376	2.96	5.7	1.0	4.7	4.3	23	0.1	0.4	0.1	72	0.38	0.093
1293320	Soil	3.1	52.4	10.6	196	0.6	58.9	13.7	415	3.50	27.1	0.8	1.4	0.8	26	1.0	0.6	0.2	73	0.27	0.081
REP 1293320	QC	3.1	48.2	9.9	184	0.6	55.0	12.6	386	3.26	26.6	0.8	2.3	0.7	25	0.9	0.6	0.2	70	0.25	0.078
1293520	Soil	4.7	45.5	8.8	248	0.4	82.6	19.6	460	4.17	45.3	0.8	3.0	1.9	17	1.0	2.4	0.2	91	0.15	0.102
REP 1293520	QC	4.9	45.5	8.6	245	0.4	83.8	19.7	454	4.11	45.0	0.8	8.6	2.0	18	1.0	2.3	0.2	91	0.17	0.102
1293514	Soil	1.0	11.1	20.0	40	<0.1	12.1	5.4	151	1.43	24.1	5.5	4.6	14.7	33	<0.1	1.6	0.3	32	0.10	0.067
REP 1293514	QC	1.0	11.5	20.0	40	<0.1	12.3	5.4	154	1.43	24.2	5.6	5.0	14.9	31	<0.1	1.5	0.4	33	0.10	0.066
Reference Materials																					
STD DS9	Standard	12.3	108.1	119.8	293	1.9	41.2	7.6	553	2.20	24.1	2.5	112.1	5.1	60	2.0	5.5	6.1	40	0.66	0.079
STD DS9	Standard	13.6	109.6	120.4	303	1.9	40.8	7.6	582	2.27	24.9	2.7	118.2	6.4	79	2.2	6.2	6.9	41	0.72	0.083
STD DS9	Standard	12.5	107.2	117.3	297	1.8	40.3	7.5	554	2.25	24.0	2.4	109.4	5.7	60	2.1	5.4	5.8	40	0.66	0.081
STD DS9	Standard	12.0	110.1	115.2	290	1.9	40.0	7.5	548	2.23	23.8	2.4	118.7	5.3	58	2.2	5.1	6.0	40	0.65	0.076
STD DS9	Standard	13.6	110.2	116.6	302	1.9	41.2	7.5	570	2.25	24.9	2.6	110.3	5.7	65	2.2	5.2	5.9	43	0.70	0.079
STD DS9	Standard	13.7	109.6	118.9	299	1.8	41.6	7.7	576	2.28	24.9	2.7	112.1	6.3	70	2.5	5.2	5.9	44	0.72	0.081
STD DS9	Standard	13.5	112.0	121.9	312	1.8	42.1	8.0	608	2.39	24.2	2.7	119.5	6.3	71	2.2	5.2	6.1	44	0.70	0.080
STD DS9	Standard	13.9	112.0	122.8	310	1.8	42.8	8.0	597	2.37	23.8	2.7	114.4	6.3	70	2.1	5.6	6.3	43	0.73	0.083
STD DS9	Standard	15.5	113.9	130.8	313	1.8	46.8	8.9	650	2.59	23.8	2.6	115.5	6.3	74	2.1	5.2	5.8	49	0.79	0.086
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	0.02	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	4	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 14, 2012

QUALITY CONTROL REPORT WHI12000230.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
1293620	Soil	15	47	0.80	1030	0.092	<1	1.56	0.008	0.36	0.1	0.05	5.0	0.2	<0.05	5	0.6	<0.2
REP 1293620	QC	15	47	0.80	1014	0.091	1	1.50	0.008	0.34	0.2	0.05	5.2	0.2	<0.05	5	0.7	<0.2
1293320	Soil	9	27	0.31	565	0.023	1	1.00	0.008	0.08	<0.1	0.05	3.1	0.2	0.07	4	1.5	<0.2
REP 1293320	QC	8	26	0.30	529	0.023	2	0.96	0.008	0.08	<0.1	0.04	3.0	0.2	<0.05	4	1.1	<0.2
1293520	Soil	9	52	0.45	267	0.042	1	1.89	0.009	0.16	0.2	0.01	3.3	0.2	0.09	6	0.8	<0.2
REP 1293520	QC	10	53	0.45	267	0.043	1	1.94	0.009	0.16	0.2	0.02	3.4	0.2	0.09	6	0.7	<0.2
1293514	Soil	59	20	0.14	122	0.003	<1	0.72	0.005	0.10	0.2	0.05	8.8	0.2	0.09	2	<0.5	<0.2
REP 1293514	QC	60	21	0.14	122	0.003	<1	0.74	0.005	0.10	0.2	0.05	8.7	0.2	0.09	3	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	11	119	0.60	284	0.099	2	0.85	0.080	0.36	3.0	0.21	2.2	5.3	0.15	4	5.2	4.6
STD DS9	Standard	13	122	0.62	298	0.118	3	0.94	0.084	0.35	3.2	0.22	2.6	5.7	0.19	5	5.6	4.8
STD DS9	Standard	11	120	0.59	275	0.095	3	0.86	0.081	0.35	2.8	0.21	2.2	5.3	0.14	4	4.8	4.6
STD DS9	Standard	10	116	0.58	284	0.094	1	0.82	0.080	0.33	2.9	0.20	2.0	5.3	0.12	4	5.4	4.7
STD DS9	Standard	12	125	0.60	281	0.107	3	0.90	0.086	0.34	2.8	0.23	2.2	5.4	0.14	5	5.4	5.1
STD DS9	Standard	14	125	0.63	304	0.110	3	1.00	0.104	0.37	3.0	0.20	2.7	5.5	0.12	5	4.8	5.1
STD DS9	Standard	14	131	0.64	293	0.117	2	0.93	0.084	0.34	3.0	0.20	2.4	5.5	0.25	5	5.5	4.9
STD DS9	Standard	13	129	0.64	278	0.114	2	0.94	0.087	0.35	2.9	0.19	2.4	5.6	0.27	5	5.2	5.5
STD DS9	Standard	14	142	0.67	313	0.126	3	0.99	0.087	0.36	3.3	0.21	2.6	5.8	0.22	5	5.6	5.5
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 09, 2012
Report Date: July 17, 2012
Page: 1 of 12

CERTIFICATE OF ANALYSIS WHI12000231.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 320

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	320	Dry at 60C			WHI
SS80	315	Dry at 60C sieve 100g to -80 mesh			WHI
1DX2	320	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000231.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1292938	Soil	1.5	50.2	9.9	98	0.6	61.2	16.6	419	3.96	3.6	1.6	4.9	7.5	19	0.2	0.6	0.2	93	0.41	0.122
1292948	Soil	1.9	26.6	8.0	82	0.2	32.2	9.3	180	2.94	6.5	1.0	5.6	4.5	16	0.1	0.4	0.2	74	0.24	0.068
1292941	Soil	1.5	27.8	7.4	70	0.5	38.3	12.8	158	3.07	6.8	0.8	1.8	3.5	13	0.1	0.5	0.1	69	0.16	0.034
1292943	Soil	2.2	34.9	7.5	87	0.5	40.6	9.2	138	3.47	4.8	1.0	1.6	4.1	13	0.2	0.6	0.2	84	0.19	0.089
1292959	Soil	1.6	33.2	7.2	88	0.2	33.4	12.0	311	2.94	5.8	1.5	3.6	4.6	28	0.3	0.5	0.2	69	0.42	0.082
1292945	Soil	2.0	32.9	6.6	117	0.3	48.3	10.8	197	3.15	4.2	1.1	2.3	4.3	15	0.2	0.4	0.2	74	0.23	0.071
1292963	Soil	2.5	28.0	7.3	89	0.1	35.2	10.0	200	3.77	4.7	0.7	1.0	3.3	11	0.1	0.5	0.2	89	0.13	0.049
1292940	Soil	1.7	40.1	9.1	100	0.3	44.1	18.4	539	3.54	4.7	1.0	1.2	5.5	23	0.2	0.6	0.2	70	0.37	0.056
1292954	Soil	1.6	30.5	7.1	77	0.2	31.7	11.7	484	2.66	7.7	1.2	2.5	4.0	32	0.3	0.6	0.1	63	0.54	0.080
1292947	Soil	2.0	39.2	7.8	111	0.3	45.3	13.6	295	3.27	5.1	1.5	3.6	4.9	23	0.3	0.4	0.2	80	0.31	0.079
1292962	Soil	1.7	28.9	8.0	98	0.5	31.8	10.6	166	3.07	4.7	1.1	2.7	3.4	15	0.2	0.3	0.2	78	0.22	0.072
1292950	Soil	1.8	37.5	7.4	91	0.2	34.9	10.3	256	2.80	5.7	1.6	2.7	5.3	28	0.2	0.5	0.2	70	0.38	0.084
1292957	Soil	9.3	49.3	10.8	101	0.3	44.1	12.4	482	4.08	18.5	3.2	4.1	7.4	58	0.4	1.2	0.2	65	0.70	0.100
1292939	Soil	1.4	42.5	15.0	172	0.4	48.7	19.5	822	3.02	2.8	1.1	1.1	4.6	42	0.8	0.5	0.2	64	0.96	0.111
1292937	Soil	2.5	65.6	17.2	140	0.5	89.8	26.9	492	4.16	7.0	2.6	1.9	7.1	17	0.3	1.0	0.2	84	0.34	0.087
1292946	Soil	1.8	38.9	8.8	90	0.6	43.0	9.7	182	3.05	6.1	1.7	4.5	3.7	25	0.3	0.3	0.2	76	0.32	0.064
1292952	Soil	1.4	25.5	5.9	78	0.1	30.7	9.3	269	2.56	5.6	1.0	3.0	4.5	27	0.2	0.4	0.1	62	0.43	0.080
1292949	Soil	2.4	41.3	7.4	124	0.2	43.3	10.2	199	3.40	3.9	1.7	2.6	6.6	25	0.3	0.4	0.2	81	0.33	0.093
1292944	Soil	2.0	33.9	7.1	90	0.3	40.0	11.0	199	3.19	5.1	1.0	7.7	4.8	18	0.1	0.4	0.1	77	0.27	0.074
1292942	Soil	1.7	34.3	8.3	94	0.2	41.0	10.6	298	3.41	4.5	1.1	1.5	1.5	13	0.2	0.6	0.2	78	0.18	0.109
1292442	Soil	1.9	30.3	9.8	78	<0.1	37.5	14.7	535	3.74	21.9	1.7	1.6	5.0	32	<0.1	0.5	0.2	77	0.58	0.046
1292955	Soil	0.9	39.6	8.3	74	0.1	38.4	10.7	430	2.73	6.8	1.1	3.1	5.1	35	0.2	0.5	0.2	59	0.54	0.097
1292956	Soil	1.7	46.6	10.5	104	0.3	45.2	12.9	407	3.24	7.0	1.6	3.4	6.2	36	0.4	0.9	0.2	65	0.64	0.097
1292953	Soil	1.4	26.8	6.3	73	0.2	30.5	10.1	377	2.66	6.8	1.5	2.9	4.7	31	0.1	0.5	0.1	65	0.51	0.085
1292450	Soil	4.0	35.7	6.9	76	0.4	31.3	8.8	228	3.40	35.6	1.4	1.7	3.0	33	0.2	0.5	0.2	93	0.33	0.059
1292437	Soil	0.8	9.0	7.5	32	<0.1	13.3	5.5	209	1.72	5.5	0.6	3.9	6.0	19	<0.1	0.3	0.2	44	0.29	0.026
1292439	Soil	1.1	11.1	6.5	42	<0.1	15.0	5.8	169	1.86	8.4	1.2	1.0	10.9	15	<0.1	0.3	0.1	32	0.31	0.021
1292441	Soil	1.6	26.8	13.5	68	0.1	25.1	11.1	476	2.88	20.3	1.6	2.1	4.5	31	0.3	0.5	0.1	57	0.64	0.053
1292801	Rock Pulp	1.5	441.8	18.7	142	0.2	233.4	78.5	841	15.90	2.5	1.1	29.2	6.7	14	<0.1	0.3	0.2	218	0.31	0.043
1292436	Soil	1.3	13.0	7.0	32	<0.1	12.0	4.4	222	1.59	4.1	0.6	1.3	1.2	22	0.1	0.2	0.2	35	0.29	0.056

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000231.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1292938	Soil	30	60	1.19	447	0.109	<1	2.03	0.009	0.55	<0.1	0.01	5.7	0.5	<0.05	7	<0.5	<0.2
1292948	Soil	19	41	0.67	297	0.103	<1	1.52	0.009	0.20	0.1	0.02	3.2	0.2	<0.05	6	<0.5	<0.2
1292941	Soil	12	39	0.58	156	0.062	<1	1.69	0.008	0.14	0.1	0.02	2.9	0.1	<0.05	5	<0.5	<0.2
1292943	Soil	22	43	0.72	235	0.091	<1	1.78	0.008	0.34	<0.1	0.02	3.2	0.3	<0.05	6	<0.5	<0.2
1292959	Soil	20	37	0.66	408	0.089	1	1.56	0.013	0.15	0.2	0.03	4.1	0.2	<0.05	5	0.6	<0.2
1292945	Soil	25	43	0.71	230	0.079	<1	1.58	0.007	0.31	0.1	0.01	3.1	0.4	<0.05	5	<0.5	<0.2
1292963	Soil	14	36	0.62	182	0.115	<1	1.59	0.007	0.21	0.1	0.01	2.7	0.2	<0.05	6	<0.5	<0.2
1292940	Soil	21	43	0.69	327	0.088	3	1.81	0.013	0.62	0.1	0.02	5.2	0.3	<0.05	6	<0.5	<0.2
1292954	Soil	17	34	0.57	397	0.076	1	1.33	0.018	0.10	0.2	0.03	4.1	0.1	<0.05	4	0.6	<0.2
1292947	Soil	29	46	0.76	385	0.091	<1	1.78	0.009	0.26	0.1	0.02	3.8	0.3	<0.05	6	<0.5	<0.2
1292962	Soil	21	38	0.66	284	0.095	<1	1.78	0.009	0.21	0.1	0.03	3.4	0.3	<0.05	6	0.5	<0.2
1292950	Soil	19	42	0.64	350	0.101	1	1.54	0.016	0.19	0.2	0.03	4.3	0.2	<0.05	5	0.5	<0.2
1292957	Soil	26	48	0.74	490	0.081	2	1.74	0.030	0.38	0.1	0.08	5.5	0.3	0.21	6	0.9	<0.2
1292939	Soil	30	44	0.77	581	0.075	4	1.81	0.013	0.43	<0.1	0.03	4.0	0.3	<0.05	6	<0.5	<0.2
1292937	Soil	41	62	0.97	309	0.082	<1	2.07	0.009	0.46	<0.1	0.03	4.0	0.4	<0.05	6	<0.5	<0.2
1292946	Soil	23	41	0.66	356	0.076	<1	1.69	0.011	0.14	0.1	0.05	4.1	0.2	<0.05	6	<0.5	<0.2
1292952	Soil	15	35	0.60	304	0.086	<1	1.33	0.015	0.14	0.2	0.02	3.5	0.2	<0.05	4	<0.5	<0.2
1292949	Soil	22	48	0.76	341	0.117	<1	1.76	0.013	0.33	0.1	0.02	4.3	0.3	<0.05	6	0.6	<0.2
1292944	Soil	19	44	0.75	229	0.096	<1	1.65	0.010	0.27	0.1	0.02	3.4	0.3	<0.05	5	<0.5	<0.2
1292942	Soil	21	41	0.64	233	0.068	<1	1.66	0.008	0.32	<0.1	0.01	2.4	0.3	<0.05	7	<0.5	<0.2
1292442	Soil	15	68	0.82	293	0.089	1	2.11	0.016	0.10	0.2	0.02	6.7	0.1	<0.05	7	<0.5	<0.2
1292955	Soil	19	36	0.64	339	0.097	1	1.40	0.025	0.19	0.2	0.04	4.8	0.2	<0.05	5	<0.5	<0.2
1292956	Soil	22	42	0.79	422	0.082	2	1.70	0.022	0.23	0.2	0.08	5.3	0.2	<0.05	5	0.7	<0.2
1292953	Soil	18	36	0.62	386	0.088	1	1.36	0.017	0.14	0.2	0.03	4.6	0.2	<0.05	4	<0.5	<0.2
1292450	Soil	11	51	0.60	627	0.062	1	1.58	0.016	0.16	0.1	0.02	4.7	0.2	0.11	6	1.2	<0.2
1292437	Soil	13	25	0.37	154	0.063	<1	1.09	0.011	0.06	0.2	0.01	2.5	<0.1	<0.05	4	<0.5	<0.2
1292439	Soil	31	26	0.32	110	0.043	<1	1.00	0.011	0.06	0.2	<0.01	2.8	<0.1	<0.05	3	<0.5	<0.2
1292441	Soil	22	38	0.55	296	0.059	1	1.68	0.016	0.12	0.1	0.03	4.9	<0.1	<0.05	5	<0.5	<0.2
1292801	Rock Pulp	17	718	0.13	127	0.176	3	4.36	0.013	0.07	<0.1	0.03	40.0	0.1	<0.05	22	<0.5	<0.2
1292436	Soil	15	20	0.23	177	0.031	1	0.94	0.009	0.07	0.2	0.02	1.6	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000231.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1292438	Soil	0.8	23.1	7.5	36	<0.1	25.6	8.7	338	1.94	5.5	2.1	2.1	7.3	54	0.1	0.5	0.2	43	1.22	0.052
1292440	Soil	1.7	28.9	9.6	65	<0.1	35.8	12.0	444	2.93	19.9	2.3	2.6	4.2	39	0.2	0.4	0.1	58	0.90	0.059
1292462	Soil	1.3	46.4	9.6	91	0.2	46.9	14.9	333	3.26	15.3	0.6	4.1	4.8	33	0.1	0.7	0.2	72	0.58	0.055
1292444	Soil	1.7	20.6	7.8	68	<0.1	23.9	8.6	299	2.72	27.5	0.9	3.2	4.5	24	<0.1	0.4	0.1	58	0.38	0.051
1292446	Soil	5.9	63.4	8.3	104	0.2	43.1	10.2	331	3.55	48.7	7.7	1.5	6.8	29	0.2	0.6	0.2	98	0.29	0.076
1292449	Soil	2.4	22.6	9.1	57	0.7	23.7	10.0	289	2.76	16.1	1.3	1.4	3.6	30	0.1	0.6	0.2	73	0.36	0.032
1292461	Soil	2.2	59.8	9.7	103	0.2	45.5	11.3	192	2.96	16.2	1.3	7.4	5.9	12	0.2	0.6	0.2	57	0.21	0.047
1292445	Soil	2.3	29.6	16.5	75	0.1	26.9	11.2	282	2.92	68.8	1.8	2.6	4.8	24	0.1	0.7	0.2	71	0.36	0.040
1292443	Soil	2.1	25.0	10.3	70	<0.1	24.9	8.7	261	2.81	31.9	0.9	0.7	3.8	22	0.2	0.4	0.2	75	0.34	0.044
1292448	Soil	1.9	29.7	7.8	62	0.1	27.9	10.1	319	2.55	12.9	2.1	3.7	4.5	33	0.1	0.5	0.1	62	0.48	0.078
1292464	Soil	2.4	77.8	10.2	107	0.3	59.0	15.8	520	4.10	35.0	1.3	4.3	10.5	14	0.2	0.8	0.2	56	0.33	0.064
1292466	Soil	1.3	14.0	9.0	46	0.2	21.7	9.7	295	2.57	8.3	0.4	2.3	3.7	23	0.1	0.6	0.2	62	0.35	0.021
1292463	Soil	2.8	64.8	19.6	118	0.2	57.3	15.0	229	2.99	17.9	1.2	2.7	7.2	25	0.1	0.6	0.3	76	0.42	0.069
1292447	Soil	2.3	28.9	6.2	63	0.2	23.3	9.8	391	2.20	17.2	1.4	1.3	3.0	21	0.3	0.3	0.1	62	0.35	0.070
1292465	Soil	1.8	36.5	10.1	73	0.2	35.1	11.7	383	2.86	16.2	1.1	4.9	4.4	34	0.3	0.7	0.2	58	0.74	0.075
1292467	Soil	1.6	46.7	18.1	84	0.3	47.8	15.5	384	3.72	16.4	1.0	13.8	12.3	22	0.1	0.6	0.4	69	0.45	0.054
1292452	Soil	2.4	51.7	21.2	90	0.5	41.5	10.7	376	2.73	40.7	2.9	5.0	3.7	43	0.7	0.8	0.2	59	0.78	0.071
1292460	Soil	2.4	77.7	8.8	103	0.4	49.3	14.6	362	3.10	32.8	1.5	2.8	4.2	30	0.1	0.9	0.1	89	0.53	0.070
1292451	Rock Pulp	2.4	23.2	2.1	41	0.3	22.7	10.2	374	2.27	4.4	0.2	0.9	0.7	35	0.2	0.3	<0.1	67	0.80	0.054
1292459	Soil	1.6	40.8	8.2	62	0.3	35.5	11.0	310	2.80	20.2	1.1	6.8	4.5	26	0.1	0.8	0.2	71	0.37	0.044
1292456	Soil	3.7	28.3	7.3	58	0.3	15.4	5.8	194	2.72	11.2	0.9	1.9	3.4	21	0.1	0.4	0.2	71	0.21	0.032
1292458	Soil	3.6	32.1	11.0	47	0.8	23.7	5.4	114	2.60	19.0	1.3	1.6	2.5	22	0.2	0.6	0.2	74	0.17	0.035
1292296	Soil	1.9	41.9	8.5	111	0.2	50.3	12.5	280	3.58	4.1	1.4	1.6	5.9	15	0.2	0.3	0.2	97	0.22	0.110
1292298	Soil	1.1	55.5	5.8	121	0.1	59.0	15.2	267	2.99	2.7	1.5	1.6	7.4	17	0.1	0.1	0.1	61	0.23	0.068
1292453	Soil	4.8	53.4	8.1	76	0.5	29.4	8.8	253	2.82	25.3	2.1	2.1	4.3	37	0.6	0.6	0.2	73	0.48	0.056
1292457	Soil	1.2	48.5	9.4	67	0.3	38.0	11.9	434	2.83	11.8	1.0	4.7	4.2	54	0.2	0.8	0.2	64	1.14	0.061
1292297	Soil	1.6	40.9	7.7	77	0.2	34.7	12.2	192	3.36	7.5	0.8	5.1	3.2	17	0.2	0.4	0.2	93	0.18	0.049
1292812	Soil	1.8	44.6	11.7	69	0.4	36.6	11.8	414	2.61	9.9	0.8	5.0	4.6	58	0.2	0.7	0.2	67	1.76	0.052
1292807	Soil	2.4	78.9	6.5	134	2.5	57.1	12.2	304	2.35	12.1	1.4	42.9	2.7	92	0.6	0.9	0.1	87	4.92	0.134
1292455	Soil	7.0	79.6	6.8	82	0.6	19.3	2.9	238	3.82	15.7	2.0	3.8	9.1	31	<0.1	0.1	0.2	103	0.19	0.044

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000231.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1292438	Soil	29	36	0.49	278	0.045	2	1.26	0.018	0.05	0.2	0.05	4.3	<0.1	0.06	4	<0.5	<0.2
1292440	Soil	15	55	0.65	396	0.057	1	1.64	0.018	0.07	0.2	0.04	5.9	<0.1	<0.05	5	<0.5	<0.2
1292462	Soil	22	38	0.74	354	0.071	2	1.65	0.023	0.14	0.2	0.04	6.8	0.2	<0.05	5	<0.5	<0.2
1292444	Soil	21	35	0.56	275	0.064	1	1.49	0.011	0.16	0.2	0.02	3.6	0.1	<0.05	5	<0.5	<0.2
1292446	Soil	26	75	0.84	876	0.111	<1	1.60	0.011	0.33	<0.1	0.02	6.1	0.2	0.05	6	1.4	<0.2
1292449	Soil	12	41	0.56	341	0.073	1	1.62	0.013	0.10	0.2	0.02	4.6	0.1	<0.05	5	<0.5	<0.2
1292461	Soil	22	31	0.51	212	0.049	1	1.07	0.008	0.13	0.2	0.02	4.1	0.3	<0.05	4	0.8	<0.2
1292445	Soil	25	45	0.52	314	0.066	2	1.51	0.011	0.11	0.2	0.03	4.7	<0.1	<0.05	5	<0.5	<0.2
1292443	Soil	18	45	0.58	268	0.068	1	1.48	0.010	0.17	0.2	0.02	3.2	0.1	<0.05	6	<0.5	<0.2
1292448	Soil	15	36	0.64	330	0.071	1	1.28	0.022	0.07	0.1	0.03	4.7	<0.1	<0.05	4	0.8	<0.2
1292464	Soil	28	41	0.61	229	0.066	1	1.28	0.005	0.31	0.2	0.02	5.3	0.6	<0.05	5	0.9	<0.2
1292466	Soil	11	40	0.45	383	0.063	1	1.49	0.011	0.10	0.1	0.02	3.9	<0.1	<0.05	5	<0.5	<0.2
1292463	Soil	30	45	0.67	1230	0.057	1	1.36	0.007	0.25	0.2	0.03	4.7	0.4	0.05	5	0.6	<0.2
1292447	Soil	13	35	0.52	272	0.058	<1	1.12	0.011	0.09	0.3	0.03	3.0	<0.1	<0.05	4	0.8	<0.2
1292465	Soil	20	38	0.56	472	0.050	2	1.22	0.017	0.15	0.2	0.02	4.1	0.1	0.08	4	0.6	<0.2
1292467	Soil	39	58	0.72	668	0.058	1	1.75	0.010	0.17	0.5	0.02	7.0	0.2	<0.05	6	<0.5	<0.2
1292452	Soil	15	30	0.53	396	0.050	2	1.03	0.024	0.06	0.2	0.05	4.7	0.1	0.11	3	2.1	<0.2
1292460	Soil	17	35	0.78	586	0.071	1	1.60	0.018	0.10	0.2	0.05	7.0	0.2	<0.05	5	0.7	<0.2
1292451	Rock Pulp	4	32	0.76	88	0.107	2	1.40	0.076	0.10	12.0	<0.01	4.0	<0.1	<0.05	5	<0.5	<0.2
1292459	Soil	16	41	0.54	408	0.070	1	1.37	0.017	0.12	0.2	0.03	5.5	0.1	<0.05	5	0.7	<0.2
1292456	Soil	11	38	0.53	451	0.054	<1	1.30	0.013	0.13	0.1	<0.01	2.9	0.2	0.12	5	1.0	<0.2
1292458	Soil	12	35	0.32	466	0.030	<1	1.12	0.010	0.09	0.2	0.01	2.6	0.2	0.09	4	3.1	<0.2
1292296	Soil	24	59	0.89	259	0.092	<1	1.98	0.006	0.37	<0.1	0.01	3.6	0.4	<0.05	7	<0.5	<0.2
1292298	Soil	24	35	0.64	343	0.086	<1	1.23	0.005	0.39	<0.1	<0.01	3.9	0.4	<0.05	4	0.7	<0.2
1292453	Soil	14	37	0.51	561	0.055	1	1.20	0.016	0.10	0.2	0.05	4.0	0.2	0.08	5	3.4	<0.2
1292457	Soil	18	42	0.66	553	0.066	2	1.49	0.022	0.13	0.2	0.05	4.6	0.2	0.08	5	0.7	<0.2
1292297	Soil	12	52	0.67	253	0.108	<1	1.91	0.009	0.25	0.1	0.02	3.5	0.3	<0.05	6	<0.5	<0.2
1292812	Soil	16	39	0.71	1150	0.076	1	1.40	0.022	0.13	0.2	0.03	4.4	0.1	0.16	5	0.8	<0.2
1292807	Soil	15	44	0.68	1883	0.040	<1	1.16	0.008	0.08	0.2	0.06	5.5	0.1	0.12	4	2.5	<0.2
1292455	Soil	16	64	0.96	443	0.056	<1	1.38	0.021	0.38	<0.1	0.03	4.1	0.6	0.39	6	2.2	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000231.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1292810	Soil		1.8	43.3	10.2	72	0.4	114.4	18.2	590	3.37	19.9	0.9	11.1	5.6	24	0.2	1.0	0.2	78	0.47	0.034
1292808	Soil		2.2	76.8	8.3	95	0.3	55.3	20.2	628	4.17	40.7	1.1	9.6	4.7	30	0.1	0.6	0.1	89	0.70	0.147
1292809	Soil		3.4	65.2	10.9	131	0.2	52.3	17.6	515	3.94	104.3	1.4	1.5	5.9	17	0.4	0.6	0.2	85	0.29	0.064
1292454	Soil		1.5	31.1	7.7	63	0.2	28.3	11.2	471	2.55	12.1	1.0	2.3	4.0	62	0.3	0.7	0.1	65	1.64	0.063
1291080	Soil		1.1	51.1	3.6	68	0.3	33.3	12.1	314	2.39	3.7	1.0	3.2	2.4	167	0.4	0.6	<0.1	64	7.85	0.096
1292804	Soil		4.1	78.4	8.5	166	1.0	38.6	7.2	278	3.74	4.6	2.4	1.9	6.8	30	0.3	0.3	0.2	142	0.31	0.104
1292811	Soil		3.0	73.8	15.9	117	0.6	75.6	19.2	628	4.41	16.9	1.7	29.4	8.5	20	0.2	1.1	0.3	84	0.46	0.078
1292299	Soil		1.4	32.3	6.7	67	0.2	33.0	12.3	299	3.09	7.4	0.8	1.5	4.9	17	<0.1	0.4	0.1	78	0.17	0.032
1291083	Soil		3.1	59.3	10.3	108	0.3	52.3	14.3	417	3.22	15.5	1.9	4.6	5.2	27	0.3	0.8	0.2	91	0.50	0.091
1292295	Soil		1.4	32.4	8.2	96	0.2	41.7	10.1	207	2.97	4.2	1.1	1.9	4.3	13	0.2	0.3	0.1	75	0.19	0.075
1292802	Soil		4.3	46.4	6.6	62	0.8	26.1	8.0	225	2.43	6.5	2.2	3.1	4.5	29	0.2	0.5	0.2	85	0.42	0.109
1292300	Soil		1.4	42.4	7.2	97	0.1	45.4	10.7	230	3.45	4.2	1.7	0.6	8.1	16	<0.1	0.3	0.2	81	0.21	0.066
1291072	Soil		2.0	60.3	8.2	92	0.9	28.3	8.6	329	3.99	4.9	1.0	1.6	4.2	32	<0.1	0.3	0.3	108	0.16	0.066
1292294	Soil		1.6	25.3	7.6	99	0.4	33.3	8.7	208	3.08	4.6	0.9	2.2	3.6	15	0.3	0.3	0.2	73	0.20	0.080
1292806	Soil		1.4	77.7	2.6	84	0.2	46.1	25.9	535	5.45	3.7	0.8	3.1	3.6	23	<0.1	0.4	<0.1	142	0.91	0.214
1292293	Soil		1.3	35.2	8.4	85	0.5	36.1	10.1	176	3.05	5.7	1.8	4.8	4.9	20	0.1	0.3	0.2	73	0.29	0.084
1291066	Soil		1.3	23.9	7.2	94	0.2	32.9	8.0	139	2.49	3.5	0.8	1.9	4.2	14	0.2	0.3	0.2	63	0.22	0.068
1292292	Soil		1.3	30.2	7.4	83	0.4	35.3	10.0	188	2.77	5.1	1.7	15.2	4.4	22	0.2	0.4	0.2	67	0.31	0.072
1292805	Soil		3.4	47.5	6.7	100	0.2	26.3	10.4	260	3.42	3.4	1.6	1.4	4.8	26	0.2	0.3	0.2	92	0.25	0.054
1292803	Soil		3.6	69.9	7.8	93	0.8	23.6	5.1	194	2.59	4.6	3.1	5.2	5.4	28	0.2	0.4	0.2	84	0.30	0.055
1291081	Soil		1.4	44.3	5.1	56	0.3	28.0	9.7	318	2.15	8.0	0.9	4.3	1.9	206	0.3	0.8	<0.1	52	8.75	0.068
1291074	Soil		3.1	67.2	6.3	102	0.5	27.0	5.3	139	2.82	5.3	1.5	1.9	6.2	27	0.4	0.6	0.1	66	0.25	0.085
1291065	Soil		1.1	31.3	8.1	95	0.3	35.3	8.4	199	2.80	5.5	1.4	7.0	4.5	22	0.3	0.5	0.2	66	0.35	0.080
1291082	Soil		1.8	43.9	6.7	56	0.3	33.0	10.0	296	2.29	8.2	0.9	4.2	2.8	146	0.3	0.8	0.1	55	5.67	0.070
1291073	Soil		3.0	78.4	9.1	164	0.4	54.0	11.6	205	2.99	5.7	1.2	2.2	4.7	15	0.3	0.6	0.2	86	0.18	0.052
1291076	Soil		5.3	51.8	7.8	111	0.6	30.5	8.8	314	3.38	5.8	1.4	1.3	4.4	39	0.3	0.3	0.2	131	0.28	0.093
1291079	Soil		3.3	46.5	10.5	61	0.2	30.5	8.0	169	2.65	6.9	1.3	1.9	4.4	30	0.2	0.5	0.2	73	0.25	0.053
1291067	Soil		1.4	34.5	7.9	78	0.4	37.7	9.2	171	2.88	6.2	1.7	5.0	3.9	21	0.3	0.4	0.2	72	0.29	0.076
1291084	Soil		1.9	49.9	14.8	75	0.2	77.6	16.6	470	3.48	7.8	1.3	5.8	8.3	33	0.1	0.5	0.2	85	0.54	0.112
1291077	Soil		4.5	35.0	8.6	122	1.1	22.8	10.4	372	2.94	3.4	1.1	0.7	3.7	33	0.7	0.4	0.2	67	0.28	0.106

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000231.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1292810	Soil	19	96	0.82	819	0.060	1	1.65	0.013	0.17	0.2	0.02	7.0	0.2	<0.05	5	0.6	<0.2
1292808	Soil	21	57	1.42	1066	0.141	<1	2.37	0.015	0.30	0.2	0.04	6.4	0.2	<0.05	9	0.7	<0.2
1292809	Soil	16	56	0.89	1195	0.096	<1	1.84	0.006	0.55	0.1	<0.01	5.3	0.4	<0.05	7	0.6	<0.2
1292454	Soil	13	33	0.70	351	0.084	2	1.30	0.042	0.10	0.2	0.02	4.4	0.1	0.08	4	0.7	<0.2
1291080	Soil	12	26	0.97	2098	0.095	1	1.20	0.017	0.23	0.1	0.03	3.6	0.1	0.09	5	<0.5	<0.2
1292804	Soil	22	68	1.03	990	0.123	<1	2.07	0.012	0.60	0.1	0.01	5.8	0.6	0.16	7	2.1	<0.2
1292811	Soil	31	66	0.56	750	0.039	1	1.44	0.006	0.21	0.2	0.03	8.6	0.2	<0.05	5	1.0	<0.2
1292299	Soil	15	46	0.71	316	0.090	<1	1.71	0.008	0.19	0.1	<0.01	3.4	0.2	<0.05	6	<0.5	<0.2
1291083	Soil	18	57	0.76	1301	0.082	1	1.58	0.012	0.18	0.2	0.02	6.2	0.2	<0.05	6	1.1	<0.2
1292295	Soil	23	44	0.74	186	0.088	<1	1.68	0.005	0.25	0.1	<0.01	2.6	0.3	<0.05	6	<0.5	<0.2
1292802	Soil	14	40	0.62	360	0.075	<1	1.30	0.018	0.13	0.3	0.02	3.8	0.2	0.08	5	1.6	<0.2
1292300	Soil	25	56	0.88	303	0.111	<1	1.88	0.006	0.55	<0.1	<0.01	3.8	0.4	0.05	7	<0.5	<0.2
1291072	Soil	19	80	1.15	878	0.181	1	2.43	0.019	0.55	<0.1	0.01	5.9	0.4	0.24	8	1.6	<0.2
1292294	Soil	20	38	0.68	220	0.097	1	1.80	0.009	0.25	0.1	0.03	3.2	0.3	<0.05	6	<0.5	<0.2
1292806	Soil	28	42	1.68	1506	0.179	<1	2.66	0.014	0.87	0.1	0.02	11.0	0.2	<0.05	12	0.6	<0.2
1292293	Soil	22	40	0.68	339	0.089	1	1.79	0.010	0.23	0.1	0.05	4.3	0.2	<0.05	6	<0.5	<0.2
1291066	Soil	19	34	0.58	166	0.095	<1	1.44	0.008	0.26	0.1	0.01	2.6	0.3	<0.05	5	<0.5	<0.2
1292292	Soil	21	35	0.60	257	0.075	2	1.62	0.010	0.16	0.1	0.03	3.8	0.2	<0.05	5	<0.5	<0.2
1292805	Soil	17	47	0.87	1914	0.118	1	1.85	0.015	0.59	0.1	0.02	5.2	0.4	0.14	7	1.6	<0.2
1292803	Soil	28	48	0.74	591	0.140	1	1.71	0.014	0.38	<0.1	0.05	5.0	0.3	0.16	6	2.4	<0.2
1291081	Soil	9	27	0.84	1532	0.057	<1	1.05	0.020	0.10	0.1	0.03	3.7	<0.1	<0.05	4	0.8	<0.2
1291074	Soil	18	39	0.63	579	0.061	1	1.74	0.009	0.31	0.1	0.02	4.7	0.5	0.12	5	2.0	<0.2
1291065	Soil	19	36	0.62	300	0.096	1	1.57	0.014	0.21	0.2	0.04	3.8	0.2	<0.05	5	<0.5	<0.2
1291082	Soil	12	31	0.77	1413	0.069	2	1.26	0.027	0.11	0.2	0.04	4.0	0.1	<0.05	4	0.7	<0.2
1291073	Soil	12	40	0.58	419	0.068	1	1.47	0.006	0.30	<0.1	<0.01	4.1	0.4	<0.05	5	1.2	<0.2
1291076	Soil	18	49	0.75	740	0.103	1	1.75	0.025	0.49	0.2	0.01	5.1	0.4	0.24	6	3.4	<0.2
1291079	Soil	14	38	0.48	5882	0.065	1	1.75	0.012	0.23	0.2	0.02	5.6	0.2	0.08	6	1.6	<0.2
1291067	Soil	20	37	0.58	289	0.077	1	1.59	0.011	0.15	0.2	0.05	4.2	0.2	<0.05	5	<0.5	<0.2
1291084	Soil	26	90	1.46	1103	0.139	1	1.91	0.014	0.35	0.2	0.03	6.5	0.3	<0.05	7	0.7	<0.2
1291077	Soil	16	33	0.54	1118	0.083	1	1.50	0.015	0.27	0.2	0.02	3.0	0.3	0.12	5	1.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000231.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1291075	Soil	5.1	56.5	9.9	109	0.6	33.2	8.8	297	3.38	6.7	1.7	2.1	4.8	40	0.3	0.4	0.2	128	0.32	0.088
1291070	Soil	1.4	34.4	6.6	91	0.3	35.0	10.9	234	3.12	4.8	0.8	3.5	3.1	16	0.2	0.3	0.2	76	0.20	0.066
1291068	Soil	1.4	25.3	7.7	82	0.2	34.5	11.6	267	2.91	5.3	0.8	3.5	4.1	18	0.2	0.3	0.1	74	0.26	0.080
1291064	Soil	1.2	26.7	9.0	86	0.3	33.9	8.8	178	2.58	6.2	1.3	4.0	3.5	20	0.2	0.4	0.2	68	0.30	0.072
1291078	Soil	2.9	52.2	7.4	59	0.3	30.7	6.4	112	2.41	5.1	1.9	5.6	4.0	39	0.2	0.4	0.2	85	0.26	0.082
1291069	Soil	1.2	29.9	7.5	63	0.2	30.9	9.7	203	2.62	6.4	1.0	3.9	4.3	21	0.2	0.4	0.1	64	0.28	0.059
1292476	Soil	1.2	51.0	7.9	93	0.2	60.9	14.4	309	3.58	4.6	1.2	2.5	5.5	21	0.1	0.4	0.2	102	0.33	0.070
1292472	Soil	1.1	37.7	8.8	120	0.2	46.1	10.2	307	3.20	5.8	1.0	1.8	3.7	14	0.3	0.4	0.2	85	0.20	0.057
1292474	Soil	4.9	82.5	8.1	167	0.1	33.5	6.1	317	4.09	2.0	1.7	2.8	6.2	16	0.2	0.3	0.2	121	0.23	0.058
1291071	Soil	1.4	43.7	7.1	87	<0.1	44.6	14.3	214	3.73	5.6	0.8	3.3	4.4	13	0.1	0.4	0.2	94	0.16	0.047
1292478	Soil	4.3	147.0	7.6	160	0.6	55.3	20.3	258	4.11	3.7	2.3	19.3	7.4	31	0.3	0.3	0.2	111	0.21	0.069
1292471	Soil	0.7	37.3	6.2	84	0.1	45.8	10.7	200	3.07	3.7	1.3	1.7	5.4	14	0.1	0.3	0.1	85	0.23	0.066
1292473	Soil	0.6	48.1	6.7	106	0.1	78.1	15.7	247	4.92	2.3	1.4	5.9	6.0	15	0.1	0.2	0.2	99	0.30	0.082
1292486	Soil	1.1	20.5	8.9	58	0.1	28.5	11.6	401	2.98	8.2	0.7	2.1	5.2	23	<0.1	0.5	0.2	72	0.38	0.043
1292469	Soil	1.2	20.2	7.0	66	0.1	25.1	7.5	248	2.46	4.9	0.9	1.9	2.5	15	0.2	0.3	0.1	68	0.22	0.067
1292468	Soil	1.4	23.8	7.9	70	0.3	27.8	8.4	179	2.62	5.3	1.1	3.4	2.8	17	0.2	0.3	0.2	75	0.24	0.064
1292477	Soil	1.2	48.7	8.2	66	0.2	47.4	11.0	294	2.89	8.5	1.0	63.6	5.9	22	<0.1	0.5	0.1	76	0.34	0.060
1292470	Soil	1.0	31.1	7.4	64	<0.1	36.5	11.0	200	3.05	6.5	1.0	3.4	4.4	17	<0.1	0.4	0.1	80	0.24	0.042
1292484	Soil	1.9	53.7	12.2	87	0.5	43.4	13.9	621	3.61	20.4	1.5	35.7	6.2	21	0.2	1.2	0.2	58	0.34	0.045
1292488	Soil	1.1	46.6	5.4	126	<0.1	41.8	22.2	775	5.43	7.1	0.7	2.8	3.8	22	<0.1	0.2	<0.1	141	0.62	0.163
1292475	Soil	0.9	38.4	8.1	76	0.2	42.2	13.1	283	3.11	4.0	0.9	19.4	4.1	20	0.1	0.3	0.2	85	0.31	0.060
1292487	Soil	0.9	23.0	14.9	68	0.9	29.9	13.5	627	3.27	8.3	0.5	9.7	3.9	26	<0.1	0.5	0.5	80	0.48	0.034
1292903	Soil	7.3	53.4	7.6	72	0.3	21.4	4.6	140	2.56	64.7	2.3	4.4	4.1	25	0.2	3.8	0.2	174	0.14	0.051
1291089	Soil	0.6	30.0	6.6	60	0.1	30.0	14.0	523	2.73	17.1	2.0	1.9	6.3	62	0.2	1.0	<0.1	49	1.85	0.069
1291100	Soil	3.9	63.5	11.2	157	0.4	55.8	10.1	320	2.97	44.6	2.8	2.5	5.5	23	0.5	4.1	0.2	146	0.33	0.035
1292485	Soil	1.2	36.3	9.1	63	0.2	36.3	11.5	367	2.94	12.0	0.9	3.8	4.6	19	0.2	0.6	0.2	64	0.36	0.041
1292906	Soil	1.2	18.7	13.1	51	<0.1	24.5	10.4	319	2.86	23.1	0.6	1.2	5.1	26	<0.1	0.9	0.2	68	0.28	0.023
1291091	Soil	1.6	59.5	15.4	95	0.2	57.7	22.3	652	4.78	59.1	1.8	6.0	20.5	17	<0.1	3.1	0.1	37	0.35	0.053
1292482	Soil	2.6	55.0	9.5	82	0.3	45.4	16.3	513	3.43	10.4	1.1	3.8	4.7	19	0.2	0.8	0.2	77	0.29	0.069
1292479	Soil	5.3	103.3	6.0	168	1.0	33.3	5.0	156	3.59	<0.5	3.2	11.1	7.1	30	0.3	0.1	0.2	129	0.30	0.136

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000231.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1291075	Soil	18	50	0.78	808	0.106	2	1.80	0.024	0.49	0.2	0.02	5.4	0.4	0.22	6	3.0	<0.2
1291070	Soil	15	39	0.65	229	0.081	1	1.68	0.009	0.24	0.1	0.02	3.3	0.3	<0.05	6	<0.5	<0.2
1291068	Soil	16	40	0.65	226	0.087	1	1.61	0.009	0.18	0.1	0.02	3.1	0.2	<0.05	5	<0.5	<0.2
1291064	Soil	18	38	0.61	241	0.091	1	1.72	0.014	0.14	0.2	0.04	3.4	0.2	<0.05	6	0.6	<0.2
1291078	Soil	11	36	0.44	7049	0.062	1	1.88	0.012	0.22	0.1	0.02	4.1	0.2	0.10	6	1.7	<0.2
1291069	Soil	16	35	0.55	258	0.068	1	1.49	0.011	0.12	0.1	0.05	3.5	0.2	<0.05	5	<0.5	<0.2
1292476	Soil	20	58	0.92	353	0.142	2	2.04	0.014	0.75	0.1	0.02	5.8	0.4	<0.05	7	<0.5	<0.2
1292472	Soil	12	47	0.71	357	0.098	<1	1.94	0.007	0.27	0.1	0.01	3.3	0.3	<0.05	6	<0.5	<0.2
1292474	Soil	17	71	1.34	441	0.123	<1	2.14	0.009	0.74	<0.1	0.01	6.4	0.6	<0.05	8	1.8	<0.2
1291071	Soil	14	52	0.83	305	0.120	1	2.27	0.008	0.38	<0.1	<0.01	4.2	0.4	<0.05	7	<0.5	<0.2
1292478	Soil	34	59	0.94	789	0.125	<1	2.22	0.011	0.65	<0.1	0.03	6.1	0.5	0.12	7	2.8	<0.2
1292471	Soil	21	49	0.85	331	0.104	<1	1.83	0.009	0.41	<0.1	0.02	4.0	0.4	<0.05	6	<0.5	<0.2
1292473	Soil	22	76	1.29	299	0.148	<1	2.64	0.006	0.88	<0.1	<0.01	5.9	0.6	<0.05	8	<0.5	<0.2
1292486	Soil	13	50	0.60	549	0.084	1	1.76	0.011	0.23	0.2	0.02	5.8	0.1	<0.05	6	<0.5	<0.2
1292469	Soil	15	32	0.48	213	0.065	1	1.36	0.008	0.14	0.1	0.02	2.5	0.2	<0.05	5	<0.5	<0.2
1292468	Soil	17	37	0.56	234	0.076	1	1.70	0.010	0.14	0.1	0.03	3.0	0.2	<0.05	6	<0.5	<0.2
1292477	Soil	21	42	0.71	615	0.102	1	1.46	0.017	0.32	0.1	0.04	5.1	0.3	<0.05	5	<0.5	<0.2
1292470	Soil	14	44	0.67	236	0.087	1	1.82	0.010	0.17	<0.1	0.02	3.8	0.2	<0.05	6	<0.5	<0.2
1292484	Soil	18	35	0.35	729	0.032	1	1.01	0.007	0.10	0.1	0.02	6.8	0.1	<0.05	3	1.0	<0.2
1292488	Soil	21	167	2.24	1328	0.225	1	3.23	0.012	1.55	0.2	<0.01	8.7	0.6	<0.05	10	0.6	<0.2
1292475	Soil	14	51	0.78	307	0.114	1	1.66	0.010	0.58	0.1	<0.01	4.7	0.3	<0.05	6	<0.5	<0.2
1292487	Soil	11	74	0.88	839	0.109	1	1.90	0.014	0.31	0.5	0.02	5.7	0.2	<0.05	6	<0.5	<0.2
1292903	Soil	19	64	0.44	246	0.043	<1	1.10	0.016	0.12	0.6	<0.01	6.4	0.1	0.18	6	2.9	<0.2
1291089	Soil	39	46	0.98	473	0.084	3	1.61	0.012	0.33	0.1	0.06	5.2	0.3	0.07	5	<0.5	<0.2
1291100	Soil	21	56	0.85	272	0.091	<1	1.54	0.010	0.10	0.2	0.04	7.6	0.3	<0.05	6	1.0	<0.2
1292485	Soil	15	47	0.59	567	0.062	1	1.42	0.009	0.18	0.2	0.02	6.0	0.2	<0.05	5	<0.5	<0.2
1292906	Soil	10	40	0.50	279	0.065	1	1.69	0.008	0.10	0.2	<0.01	4.2	<0.1	<0.05	5	<0.5	<0.2
1291091	Soil	49	37	0.51	175	0.034	3	1.10	0.004	0.38	<0.1	0.03	9.2	0.5	<0.05	4	<0.5	<0.2
1292482	Soil	15	46	0.73	849	0.094	<1	1.57	0.009	0.39	0.2	0.01	5.9	0.2	<0.05	6	0.9	<0.2
1292479	Soil	22	59	1.02	857	0.122	<1	1.95	0.011	0.69	0.1	0.02	4.0	0.7	0.26	6	3.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000231.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1292905	Soil	1.7	10.6	17.0	44	<0.1	12.0	6.8	278	2.36	53.7	1.0	5.7	12.7	12	<0.1	1.8	0.8	40	0.10	0.025
1292907	Soil	1.3	34.3	10.7	77	<0.1	25.4	9.3	509	3.91	9.8	1.2	6.0	10.4	26	<0.1	0.9	0.2	60	0.32	0.029
1292483	Soil	1.7	21.1	7.4	54	0.3	26.4	12.9	579	2.86	6.5	0.4	1.7	2.4	23	0.2	0.5	0.2	66	0.41	0.035
1292481	Soil	4.1	55.1	7.4	101	0.6	40.9	13.7	290	3.13	4.3	1.2	2.4	3.8	25	0.2	0.4	0.2	76	0.37	0.111
1292904	Soil	3.1	85.4	9.8	85	0.3	30.1	6.4	149	2.71	41.6	4.4	1.8	6.0	14	0.2	3.6	0.2	108	0.09	0.034
1291090	Soil	0.7	28.1	7.7	72	0.1	52.3	18.8	898	3.62	43.7	0.9	1.2	5.2	47	0.1	1.4	0.1	64	1.33	0.063
1291088	Soil	0.8	21.2	6.8	48	0.1	19.7	10.0	467	1.93	9.9	1.7	2.3	3.7	67	0.2	0.6	0.1	45	1.76	0.054
1292480	Soil	3.4	40.5	7.3	123	0.3	29.6	11.0	480	3.43	4.1	0.9	0.9	4.0	25	0.9	0.6	0.1	79	0.37	0.065
1291097	Soil	2.5	41.1	13.8	51	0.2	20.3	9.3	251	2.49	31.1	1.9	7.9	4.4	34	0.2	2.3	0.2	72	0.21	0.058
1291087	Soil	0.8	31.0	7.6	47	0.1	29.7	12.3	480	2.28	13.4	1.3	5.3	4.8	68	<0.1	0.6	0.1	49	1.80	0.052
1291099	Soil	2.2	46.6	13.9	100	0.2	33.3	5.4	231	2.25	36.1	1.8	2.3	5.1	46	0.3	3.3	0.5	87	0.17	0.086
1292908	Soil	2.1	14.9	11.2	49	<0.1	15.1	6.0	345	2.72	7.7	0.9	2.5	12.7	16	<0.1	0.9	0.3	49	0.22	0.019
1291092	Soil	1.2	24.0	11.5	53	0.1	24.3	12.3	384	3.04	7.8	0.5	1.1	3.0	23	0.1	0.8	0.1	83	0.48	0.018
1291098	Soil	3.3	40.4	15.0	70	0.3	21.0	7.3	251	2.68	51.0	1.6	2.5	2.6	35	0.5	2.7	0.3	94	0.12	0.094
1292901	Rock Pulp	1.5	413.5	20.2	146	0.2	213.4	73.0	743	14.42	2.2	1.2	32.7	6.8	13	<0.1	0.3	0.1	201	0.27	0.038
1291085	Soil	1.0	17.8	5.9	52	<0.1	27.1	15.7	298	3.47	12.6	0.5	2.6	3.2	24	<0.1	0.5	<0.1	84	0.58	0.076
1293669	Soil	3.2	75.9	10.6	166	<0.1	74.8	19.3	504	4.48	32.6	1.3	2.5	5.1	18	0.4	3.9	0.2	167	0.41	0.106
1291094	Soil	2.4	45.2	13.6	123	0.4	73.1	24.2	898	4.03	201.9	0.8	21.5	3.8	155	0.5	7.3	<0.1	40	4.18	0.148
1291096	Soil	2.0	23.0	20.6	38	0.1	9.8	4.5	220	1.76	21.1	1.7	0.9	6.2	41	0.2	1.5	0.6	72	0.36	0.089
1292902	Soil	1.8	72.6	10.2	113	0.2	62.9	13.7	669	3.14	137.1	1.4	18.4	6.5	24	0.3	3.7	0.2	46	0.19	0.063
1293667	Soil	2.2	62.9	11.2	88	0.1	57.4	15.4	312	3.34	41.2	2.0	14.9	5.0	30	0.5	2.9	0.2	84	0.23	0.064
1291093	Soil	0.8	48.3	5.9	75	<0.1	18.7	22.3	1228	6.16	7.5	0.5	3.2	1.8	39	<0.1	2.6	<0.1	157	0.94	0.016
1291095	Soil	1.4	16.6	12.0	85	<0.1	28.0	24.4	796	4.90	2.6	5.3	<0.5	23.8	31	<0.1	0.8	0.2	85	0.52	0.104
1291086	Soil	1.0	33.5	4.7	41	<0.1	26.6	16.8	370	2.99	8.1	0.6	1.9	2.4	39	<0.1	0.4	<0.1	76	1.01	0.074
1293678	Soil	0.9	34.2	4.9	59	<0.1	53.8	17.2	566	3.09	4.5	0.6	2.5	1.5	88	0.2	1.2	0.4	74	4.21	0.057
1293680	Soil	2.4	14.6	17.7	56	<0.1	15.5	7.0	267	3.13	23.8	1.4	4.3	14.3	14	<0.1	1.5	1.1	58	0.18	0.021
1293653	Soil	1.5	31.9	11.6	68	<0.1	45.5	17.5	515	3.63	28.4	0.9	19.6	8.0	31	<0.1	1.2	0.2	76	0.65	0.070
1293670	Soil	2.5	87.7	9.3	144	0.2	74.4	14.9	387	4.82	59.5	1.9	3.2	4.8	22	0.2	3.2	0.2	126	0.44	0.105
1293676	Soil	0.4	36.4	2.6	71	<0.1	5.2	16.8	431	3.95	38.2	1.0	0.6	0.6	65	0.2	2.3	<0.1	106	6.17	0.081
1293677	Soil	1.6	68.1	5.9	34	<0.1	21.1	9.6	468	1.64	11.6	0.8	1.8	0.9	124	0.3	3.7	<0.1	55	13.62	0.045

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000231.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1292905	Soil	17	26	0.28	154	0.035	<1	1.06	0.008	0.06	0.2	0.01	3.2	<0.1	<0.05	4	<0.5	<0.2
1292907	Soil	26	36	0.65	420	0.156	2	1.78	0.022	0.37	0.2	0.05	8.2	0.3	<0.05	7	<0.5	<0.2
1292483	Soil	9	36	0.52	866	0.064	1	1.50	0.010	0.16	0.2	0.02	3.8	0.2	<0.05	5	<0.5	<0.2
1292481	Soil	15	41	0.74	628	0.095	1	1.52	0.011	0.28	0.2	0.02	3.7	0.2	<0.05	5	1.4	<0.2
1292904	Soil	17	61	0.71	324	0.150	<1	1.97	0.010	0.36	0.1	0.02	4.2	0.4	<0.05	7	1.4	<0.2
1291090	Soil	21	64	1.30	445	0.080	3	1.94	0.015	0.22	0.2	0.05	6.5	0.3	<0.05	6	<0.5	<0.2
1291088	Soil	18	34	0.55	334	0.059	2	1.12	0.014	0.09	0.1	0.06	4.0	0.1	<0.05	4	<0.5	<0.2
1292480	Soil	14	44	0.70	681	0.107	1	1.75	0.010	0.46	0.1	0.01	3.8	0.3	<0.05	6	1.2	<0.2
1291097	Soil	18	46	0.51	341	0.065	<1	1.58	0.010	0.11	<0.1	0.03	5.4	0.3	<0.05	5	0.6	<0.2
1291087	Soil	22	50	0.80	325	0.074	2	1.40	0.015	0.17	0.1	0.06	4.8	0.2	0.05	4	<0.5	<0.2
1291099	Soil	21	49	0.30	310	0.017	<1	1.16	0.017	0.18	0.1	0.04	3.9	0.7	0.21	5	1.4	<0.2
1292908	Soil	19	25	0.39	192	0.085	<1	1.39	0.009	0.15	0.2	0.01	4.3	0.2	<0.05	6	<0.5	<0.2
1291092	Soil	10	43	0.60	289	0.053	<1	1.81	0.011	0.06	0.1	<0.01	5.1	<0.1	<0.05	6	<0.5	<0.2
1291098	Soil	14	57	0.34	298	0.048	<1	1.32	0.008	0.15	0.1	0.07	4.6	0.5	0.11	7	1.8	<0.2
1292901	Rock Pulp	16	648	0.12	131	0.165	3	3.64	0.011	0.06	<0.1	0.02	35.7	0.1	<0.05	19	0.5	<0.2
1291085	Soil	9	46	1.20	164	0.134	<1	1.66	0.012	0.25	0.2	0.02	4.1	0.3	<0.05	6	<0.5	<0.2
1293669	Soil	16	98	1.23	475	0.196	<1	2.65	0.006	0.65	0.2	0.01	8.9	0.7	<0.05	10	1.4	<0.2
1291094	Soil	29	53	0.90	482	0.010	3	0.90	0.010	0.12	<0.1	0.05	7.4	0.2	<0.05	3	<0.5	<0.2
1291096	Soil	30	40	0.29	319	0.032	<1	1.17	0.007	0.17	0.1	0.01	3.2	0.3	0.07	5	0.8	<0.2
1292902	Soil	23	30	0.11	113	0.001	<1	0.50	0.004	0.05	0.2	0.07	4.3	0.2	<0.05	3	0.9	<0.2
1293667	Soil	18	82	0.65	411	0.103	<1	1.72	0.009	0.30	<0.1	0.02	5.5	0.4	<0.05	7	1.5	<0.2
1291093	Soil	10	17	1.10	486	0.056	1	2.22	0.009	0.20	<0.1	0.03	21.8	0.2	<0.05	8	<0.5	<0.2
1291095	Soil	71	69	1.38	197	0.112	<1	2.35	0.006	0.71	<0.1	0.04	8.8	0.6	<0.05	8	<0.5	<0.2
1291086	Soil	9	51	1.09	213	0.113	2	1.50	0.013	0.24	0.1	0.04	4.0	0.2	0.08	6	<0.5	<0.2
1293678	Soil	11	84	1.20	240	0.029	<1	1.99	0.009	0.11	<0.1	0.02	7.1	0.2	<0.05	8	<0.5	<0.2
1293680	Soil	16	26	0.40	190	0.047	1	1.68	0.007	0.07	0.2	0.02	3.8	0.2	<0.05	5	<0.5	<0.2
1293653	Soil	22	76	1.05	306	0.095	2	1.70	0.018	0.16	0.2	0.03	6.0	0.2	<0.05	6	<0.5	<0.2
1293670	Soil	20	74	1.16	420	0.160	<1	2.26	0.011	0.34	0.2	0.03	8.9	0.4	<0.05	11	1.1	<0.2
1293676	Soil	7	3	0.96	120	0.044	<1	1.88	0.020	0.02	<0.1	0.02	9.7	<0.1	<0.05	9	<0.5	<0.2
1293677	Soil	5	32	0.68	106	0.017	<1	1.09	0.014	0.02	0.1	0.02	4.3	<0.1	<0.05	3	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000231.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1293660	Soil		0.6	49.0	4.0	49	0.1	52.4	21.4	980	3.90	87.1	0.7	18.5	1.7	60	<0.1	20.4	<0.1	47	7.49	0.019
1293673	Soil		1.4	10.2	17.6	63	<0.1	7.1	4.4	442	2.36	34.9	2.7	4.6	23.1	11	<0.1	1.3	0.4	19	0.14	0.018
1293683	Soil		2.9	50.7	12.8	65	0.2	55.7	14.7	278	3.24	66.7	1.3	2.5	4.3	42	0.3	4.2	0.3	95	0.23	0.092
1293675	Soil		0.6	46.4	2.9	41	<0.1	9.9	11.0	343	2.50	11.4	0.6	<0.5	0.6	88	0.2	1.4	<0.1	65	9.82	0.055
1293665	Soil		2.2	23.4	17.3	14	0.1	6.3	1.8	54	1.01	65.1	3.9	2.1	24.3	85	<0.1	7.9	0.7	47	0.15	0.069
1293664	Soil		1.3	12.6	25.0	41	<0.1	11.3	5.9	104	1.87	6.7	6.2	0.9	27.9	24	0.1	1.0	0.5	35	0.13	0.047
1293674	Soil		1.5	8.2	16.5	48	<0.1	12.4	6.3	357	2.18	70.9	1.3	0.8	12.7	13	0.1	1.5	0.2	43	0.18	0.022
1293681	Soil		3.8	97.1	11.5	186	0.5	80.2	23.0	795	6.08	108.4	1.7	13.2	6.0	24	0.8	6.6	0.2	148	0.46	0.147
1293671	Soil		1.6	38.3	8.8	87	0.4	43.0	12.5	305	3.11	25.5	0.9	1.7	4.4	20	0.3	1.4	0.1	85	0.22	0.044
1293658	Soil		0.8	29.6	12.3	64	0.1	37.1	15.3	443	3.08	18.9	1.6	4.3	7.9	46	0.3	1.7	0.1	57	1.39	0.075
1293654	Soil		1.0	23.0	7.2	61	<0.1	42.0	30.1	832	5.52	11.0	0.9	3.6	5.4	28	<0.1	0.7	0.1	135	0.64	0.073
1293657	Soil		0.7	24.8	8.5	67	0.1	45.1	18.2	726	3.51	25.7	1.8	4.4	6.2	53	0.1	1.2	<0.1	58	1.40	0.070
1293662	Soil		1.7	28.0	2.5	188	<0.1	53.5	32.2	1618	7.99	5.8	1.7	2.0	1.2	34	<0.1	16.4	<0.1	130	0.78	0.052
1293682	Soil		3.4	68.7	10.0	137	0.3	80.3	17.9	406	4.39	44.7	1.2	6.8	4.1	22	0.6	3.0	0.2	123	0.34	0.075
1293656	Soil		1.0	24.6	10.4	60	0.1	52.4	17.8	739	3.53	21.0	1.4	1.8	7.5	55	0.1	1.0	0.1	64	1.44	0.064
1293661	Soil		1.0	211.3	1.9	68	0.1	114.9	34.9	1117	6.13	9.5	0.5	4.6	2.1	16	<0.1	3.0	<0.1	157	0.73	0.050
1293672	Soil		5.0	97.9	10.0	135	0.4	28.4	5.3	357	4.67	72.1	6.3	2.0	5.9	36	0.3	3.7	0.2	242	0.24	0.096
1293663	Soil		6.4	65.4	20.5	113	0.3	56.7	16.8	1001	4.10	97.2	1.3	15.8	4.3	269	0.4	4.8	0.3	87	4.95	0.199
1290422	Soil		2.3	27.1	9.8	139	0.6	32.7	12.0	575	2.95	15.8	0.9	5.9	3.0	22	0.9	0.5	0.1	78	0.50	0.034
1293668	Soil		1.5	36.5	9.7	71	0.2	36.7	12.2	283	2.92	24.1	1.2	2.9	4.5	22	0.1	1.7	0.1	82	0.28	0.034
1293659	Soil		0.9	37.6	10.4	92	0.3	85.2	22.2	790	4.19	40.6	1.0	1.8	9.5	35	0.3	1.0	0.1	84	1.62	0.141
1293679	Soil		1.3	20.5	21.7	44	<0.1	20.0	7.9	184	2.80	104.6	1.2	6.7	16.9	13	<0.1	2.1	1.2	59	0.16	0.013
1290426	Soil		2.4	88.9	8.8	290	0.9	169.8	25.1	359	4.05	36.9	1.3	1.2	4.6	23	0.7	0.7	0.1	111	0.20	0.059
1290427	Soil		9.1	95.2	9.5	114	1.3	33.0	5.2	176	3.94	6.3	2.4	1.0	4.9	28	0.4	0.3	0.2	107	0.09	0.069
1293655	Soil		1.5	24.0	12.9	58	0.1	35.8	17.3	617	3.34	16.1	1.9	2.6	7.6	51	0.1	0.8	0.2	60	1.24	0.048
1293666	Soil		3.0	93.5	23.3	33	0.4	11.3	3.8	137	1.66	62.1	5.0	4.9	8.3	81	0.3	5.6	0.2	152	0.17	0.103
1290428	Soil		2.6	43.8	8.1	126	1.4	50.1	11.8	279	3.53	19.0	0.8	1.4	2.5	18	0.5	0.5	0.1	97	0.20	0.035
1290415	Soil		1.5	17.6	8.2	53	0.3	21.7	11.1	260	2.73	10.5	0.5	1.0	3.0	16	0.1	0.6	<0.1	74	0.18	0.023
1290436	Soil		4.2	41.8	9.7	138	0.8	32.3	9.6	223	3.87	28.3	1.0	6.0	2.9	29	0.4	0.7	0.2	87	0.38	0.074
1290430	Soil		1.8	26.3	8.4	177	0.5	43.4	19.3	839	2.68	6.6	0.8	1.5	2.9	16	1.5	0.5	0.1	73	0.22	0.029

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000231.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1293660	Soil	7	36	0.97	97	<0.001	4	0.46	0.005	0.15	<0.1	0.10	19.5	0.2	<0.05	1	<0.5	<0.2
1293673	Soil	36	13	0.17	108	0.030	1	0.79	0.006	0.12	0.6	0.03	4.7	0.2	<0.05	3	<0.5	<0.2
1293683	Soil	15	76	0.70	347	0.068	1	1.68	0.012	0.20	0.2	0.04	5.2	0.6	0.09	6	3.0	<0.2
1293675	Soil	4	12	0.77	117	0.042	<1	1.29	0.021	0.02	<0.1	0.03	5.4	<0.1	<0.05	5	<0.5	<0.2
1293665	Soil	45	71	0.12	503	0.026	<1	0.59	0.008	0.12	0.1	0.02	21.1	0.5	0.15	2	<0.5	<0.2
1293664	Soil	65	34	0.29	100	0.023	<1	0.97	0.006	0.18	<0.1	0.01	4.2	0.3	<0.05	3	0.6	<0.2
1293674	Soil	18	25	0.24	124	0.025	<1	1.31	0.007	0.07	0.2	0.01	2.8	<0.1	<0.05	4	<0.5	<0.2
1293681	Soil	22	80	1.08	292	0.145	<1	2.52	0.008	0.75	0.2	0.04	8.5	0.7	<0.05	12	1.9	<0.2
1293671	Soil	11	50	0.61	192	0.077	1	1.76	0.009	0.18	0.3	0.01	5.1	0.2	<0.05	6	<0.5	<0.2
1293658	Soil	30	55	0.79	284	0.047	2	1.32	0.014	0.17	0.1	0.06	6.4	0.2	<0.05	5	<0.5	<0.2
1293654	Soil	12	79	1.97	311	0.154	2	2.47	0.015	0.43	<0.1	0.02	9.0	0.4	<0.05	9	<0.5	<0.2
1293657	Soil	25	71	1.13	308	0.064	3	1.69	0.012	0.23	0.1	0.05	6.3	0.3	<0.05	5	<0.5	<0.2
1293662	Soil	7	38	1.63	252	0.014	<1	2.75	0.005	0.02	<0.1	0.01	20.8	0.2	<0.05	8	0.5	<0.2
1293682	Soil	17	90	0.96	302	0.150	<1	2.09	0.011	0.47	0.2	0.02	6.5	0.4	<0.05	9	0.8	<0.2
1293656	Soil	27	101	1.10	293	0.071	2	1.64	0.014	0.22	0.1	0.05	6.4	0.3	<0.05	5	<0.5	<0.2
1293661	Soil	7	154	2.07	105	0.031	<1	2.78	0.025	0.03	<0.1	0.03	19.2	<0.1	<0.05	10	<0.5	<0.2
1293672	Soil	27	121	0.92	558	0.147	<1	2.24	0.015	0.54	0.2	0.02	10.8	0.4	0.29	11	2.6	<0.2
1293663	Soil	29	58	0.55	246	0.003	2	0.76	0.006	0.08	0.2	0.04	10.6	0.3	<0.05	3	0.6	<0.2
1290422	Soil	12	35	0.45	643	0.043	<1	1.51	0.011	0.08	0.1	0.03	5.4	0.1	<0.05	5	1.8	<0.2
1293668	Soil	15	45	0.56	323	0.069	<1	1.69	0.009	0.09	0.2	0.02	5.3	0.2	<0.05	5	<0.5	<0.2
1293659	Soil	35	133	1.76	544	0.138	2	2.24	0.015	0.50	0.2	0.04	6.8	0.6	<0.05	8	<0.5	<0.2
1293679	Soil	15	31	0.45	157	0.041	1	1.83	0.009	0.07	0.1	<0.01	3.8	0.2	<0.05	5	<0.5	<0.2
1290426	Soil	12	108	1.06	590	0.101	1	2.24	0.012	0.09	0.2	0.02	7.1	0.3	<0.05	7	2.3	<0.2
1290427	Soil	22	49	0.61	458	0.047	<1	1.54	0.016	0.25	0.2	0.02	3.6	0.3	0.47	6	5.4	<0.2
1293655	Soil	29	62	0.87	273	0.078	2	1.50	0.014	0.21	0.1	0.04	6.1	0.2	<0.05	5	<0.5	<0.2
1293666	Soil	28	82	0.38	941	0.063	<1	1.71	0.010	0.35	<0.1	0.02	13.9	0.7	0.18	6	2.2	<0.2
1290428	Soil	9	41	0.63	703	0.049	<1	1.70	0.009	0.08	0.1	0.01	5.1	0.2	<0.05	6	1.1	<0.2
1290415	Soil	10	39	0.52	247	0.059	<1	1.82	0.008	0.06	0.1	0.02	2.9	0.1	<0.05	5	<0.5	<0.2
1290436	Soil	12	37	0.62	290	0.066	1	1.32	0.012	0.07	2.4	0.08	3.8	0.3	<0.05	5	2.3	<0.2
1290430	Soil	11	37	0.44	513	0.049	<1	1.63	0.009	0.09	0.1	0.03	3.9	<0.1	<0.05	6	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000231.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1290435	Soil	7.3	78.1	20.6	230	1.6	75.6	9.4	303	4.35	55.8	1.2	5.7	2.7	33	0.8	1.8	0.3	83	0.12	0.092
1290413	Soil	1.9	29.9	8.4	101	0.2	45.7	16.5	419	3.20	16.3	1.0	3.4	4.4	20	0.4	0.4	0.2	83	0.28	0.038
1290431	Soil	2.5	39.7	10.8	179	0.9	53.3	14.5	783	3.81	26.7	0.8	4.8	3.0	19	0.9	0.8	0.3	78	0.22	0.112
1290411	Soil	1.2	19.7	7.6	49	0.1	28.3	11.0	309	2.69	38.3	0.6	1.7	4.8	20	0.1	0.8	0.2	63	0.33	0.023
1290412	Soil	1.3	17.7	10.0	62	0.1	31.2	16.3	370	3.20	16.5	0.9	1.8	5.8	17	<0.1	0.4	0.1	84	0.26	0.037
1290418	Soil	6.6	63.0	10.8	111	1.1	33.9	11.4	433	3.59	52.6	3.4	4.4	4.4	32	0.4	0.7	0.2	97	0.27	0.080
1290416	Soil	1.1	13.1	9.6	77	0.4	15.1	6.5	290	2.60	11.7	0.4	1.1	1.5	10	0.4	0.5	0.2	69	0.11	0.095
1290423	Soil	3.6	32.6	13.0	178	0.8	43.1	8.4	193	2.92	21.6	0.9	1.6	2.4	22	1.1	0.5	0.2	77	0.23	0.050
1290432	Soil	1.5	21.4	8.3	115	0.4	30.7	10.1	609	2.74	18.1	0.6	2.6	2.3	18	0.8	0.6	0.1	68	0.47	0.054
1290420	Soil	5.3	21.7	9.5	113	0.8	16.8	5.0	277	2.71	21.1	0.7	2.6	0.9	18	1.0	0.5	0.2	66	0.17	0.116
1290434	Soil	7.5	138.7	14.3	301	2.6	135.2	19.2	776	4.15	86.0	2.4	23.5	4.0	41	1.4	2.2	0.2	88	0.37	0.066
1290421	Soil	6.2	40.3	12.3	161	1.0	31.8	6.2	256	2.83	23.8	1.2	3.8	2.9	27	2.7	0.6	0.2	73	0.23	0.047
1293639	Soil	0.7	14.5	6.5	53	<0.1	20.6	8.5	285	2.45	11.2	0.6	0.8	4.6	17	<0.1	0.4	<0.1	48	0.28	0.041
1293630	Soil	0.8	44.3	8.0	48	0.2	37.3	11.6	379	2.66	13.0	0.7	7.7	6.3	50	0.1	0.8	0.2	66	1.73	0.070
1290429	Soil	1.5	23.5	8.9	74	0.5	18.1	6.7	256	2.73	7.6	0.5	2.3	1.8	16	0.4	0.4	0.1	68	0.16	0.034
1290419	Soil	2.7	42.3	9.3	216	1.2	49.1	12.5	614	3.28	31.1	0.8	1.1	2.4	27	1.3	0.7	0.1	95	0.42	0.047
1293635	Soil	0.9	24.9	8.0	60	0.1	31.4	12.5	370	2.87	9.3	0.7	0.8	3.8	21	<0.1	0.5	<0.1	62	0.33	0.031
1293632	Soil	0.9	26.6	12.2	65	0.1	39.5	12.7	533	3.03	9.1	1.7	1.9	17.7	28	0.1	0.5	0.2	65	0.48	0.040
1290417	Soil	6.6	69.9	11.5	140	1.0	43.6	9.4	285	4.26	102.2	2.1	2.7	2.5	37	0.5	1.5	0.2	116	0.15	0.111
1290425	Soil	2.0	49.1	9.9	168	0.8	86.8	16.9	275	3.48	34.9	0.9	1.8	2.9	25	0.6	0.6	0.1	87	0.21	0.075
1293628	Soil	0.6	36.8	5.9	36	0.2	24.8	8.2	241	1.86	10.2	0.7	5.7	5.2	206	0.1	0.8	<0.1	45	9.33	0.032
1293629	Soil	1.1	20.5	10.1	48	<0.1	37.8	12.0	451	2.86	7.8	1.3	2.3	21.2	29	<0.1	0.6	0.2	62	0.63	0.019
1290414	Soil	1.3	16.9	9.4	53	0.2	31.3	9.8	263	2.64	21.6	0.5	1.0	3.3	20	0.1	0.6	0.1	63	0.29	0.020
1290433	Soil	1.6	35.3	8.8	99	0.6	51.3	15.0	494	3.47	9.5	0.7	4.9	2.0	17	0.4	0.5	0.1	75	0.24	0.058
1293644	Soil	0.8	24.7	9.4	55	0.1	27.9	11.1	424	2.81	11.0	0.6	2.0	8.4	29	<0.1	0.7	0.1	61	0.47	0.029
1293626	Soil	1.0	47.0	10.0	48	0.2	33.9	10.6	395	2.59	11.3	1.2	11.5	14.0	57	<0.1	0.8	0.2	52	2.79	0.025
1293622	Soil	0.8	47.3	6.7	42	0.2	27.7	9.1	306	1.99	12.5	0.8	9.4	5.9	212	0.2	1.0	<0.1	48	8.19	0.048
1290424	Soil	3.4	103.4	15.4	273	1.4	97.5	19.6	690	4.08	23.0	2.1	1.9	3.3	41	2.1	0.6	0.2	91	0.65	0.056
1293641	Soil	0.7	23.4	7.3	47	<0.1	26.9	9.6	306	2.81	10.7	0.6	3.7	4.9	28	<0.1	0.5	<0.1	59	0.41	0.048
1293642	Soil	0.7	13.9	7.8	47	0.1	20.0	10.5	424	2.66	7.4	0.4	1.0	4.2	22	<0.1	0.4	<0.1	57	0.35	0.028

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000231.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1290435	Soil	11	33	0.18	397	0.031	2	0.74	0.006	0.08	15.2	0.06	3.1	0.8	0.06	4	3.6	0.3
1290413	Soil	14	58	0.80	352	0.094	2	1.77	0.011	0.26	0.1	0.01	5.3	0.1	<0.05	6	<0.5	<0.2
1290431	Soil	12	33	0.48	685	0.038	1	1.38	0.008	0.09	0.2	0.03	4.9	0.4	<0.05	5	<0.5	<0.2
1290411	Soil	14	38	0.56	246	0.071	1	1.41	0.011	0.18	0.2	0.02	5.1	0.1	<0.05	4	<0.5	<0.2
1290412	Soil	14	51	0.83	426	0.119	2	1.92	0.010	0.36	0.1	<0.01	6.4	0.2	<0.05	7	<0.5	<0.2
1290418	Soil	18	45	0.68	688	0.066	1	1.44	0.012	0.10	0.2	0.06	4.6	0.2	<0.05	6	2.9	<0.2
1290416	Soil	10	28	0.39	185	0.040	<1	1.34	0.008	0.06	0.2	0.02	2.4	0.1	<0.05	6	<0.5	<0.2
1290423	Soil	10	33	0.46	479	0.045	1	1.20	0.011	0.11	0.1	0.02	3.3	0.1	<0.05	5	1.8	<0.2
1290432	Soil	8	31	0.39	599	0.038	2	1.37	0.011	0.14	1.2	0.04	4.0	0.2	<0.05	5	0.7	<0.2
1290420	Soil	10	23	0.29	515	0.039	1	1.01	0.009	0.07	0.2	0.02	2.2	0.2	<0.05	5	1.6	<0.2
1290434	Soil	14	36	0.39	1309	0.026	2	1.20	0.013	0.08	20.4	0.40	9.2	0.9	<0.05	4	3.0	<0.2
1290421	Soil	11	28	0.30	705	0.044	1	0.94	0.010	0.09	0.2	<0.01	2.6	0.2	<0.05	4	2.2	<0.2
1293639	Soil	10	29	0.50	200	0.078	1	1.30	0.012	0.22	0.1	0.02	3.9	0.1	<0.05	4	<0.5	<0.2
1293630	Soil	23	40	0.81	233	0.085	2	1.35	0.026	0.10	0.3	0.03	5.1	0.1	<0.05	4	<0.5	<0.2
1290429	Soil	9	28	0.49	266	0.050	<1	1.33	0.015	0.11	0.1	0.02	3.2	0.1	<0.05	5	0.7	<0.2
1290419	Soil	8	37	0.43	2248	0.037	2	1.87	0.010	0.04	0.2	0.02	4.8	0.3	<0.05	6	1.4	<0.2
1293635	Soil	12	45	0.77	226	0.096	2	1.65	0.013	0.28	0.2	0.02	5.4	0.2	<0.05	5	<0.5	<0.2
1293632	Soil	108	76	0.87	235	0.083	1	1.85	0.011	0.19	0.2	0.02	7.3	0.2	<0.05	6	<0.5	<0.2
1290417	Soil	17	55	0.65	649	0.065	<1	1.75	0.045	0.27	0.1	0.03	4.2	0.3	0.35	7	2.8	0.2
1290425	Soil	9	63	0.73	870	0.069	1	1.78	0.015	0.07	0.2	0.01	5.2	0.2	<0.05	6	1.7	<0.2
1293628	Soil	21	25	0.84	321	0.061	3	1.02	0.029	0.06	0.2	0.05	3.7	<0.1	<0.05	3	<0.5	<0.2
1293629	Soil	52	77	0.80	206	0.044	2	1.82	0.010	0.11	0.2	0.01	7.5	0.1	<0.05	6	<0.5	<0.2
1290414	Soil	10	41	0.57	251	0.047	1	1.49	0.010	0.06	0.2	0.02	3.4	0.1	<0.05	5	<0.5	<0.2
1290433	Soil	9	51	0.58	562	0.035	1	1.56	0.010	0.07	0.2	0.03	5.0	0.3	<0.05	5	0.5	<0.2
1293644	Soil	36	40	0.68	226	0.068	2	1.69	0.014	0.11	0.2	0.03	6.3	<0.1	<0.05	5	<0.5	<0.2
1293626	Soil	49	35	0.65	246	0.055	2	1.43	0.019	0.09	0.2	0.08	5.6	0.1	<0.05	5	<0.5	<0.2
1293622	Soil	19	26	0.83	287	0.060	3	1.13	0.035	0.08	0.1	0.06	3.7	<0.1	<0.05	4	0.5	<0.2
1290424	Soil	16	41	0.58	913	0.042	2	1.55	0.018	0.13	<0.1	0.04	8.1	0.2	0.14	5	1.8	<0.2
1293641	Soil	16	38	0.59	218	0.083	3	1.56	0.019	0.13	0.1	0.03	6.3	0.1	<0.05	5	<0.5	<0.2
1293642	Soil	11	34	0.51	245	0.079	2	1.45	0.014	0.24	0.1	0.02	5.3	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000231.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1293638	Soil	1.1	34.3	7.3	64	0.2	23.9	11.2	690	3.46	13.6	1.1	3.9	4.6	14	<0.1	0.5	<0.1	59	0.37	0.045
1293651	Rock Pulp	2.4	22.7	2.0	41	0.3	22.2	9.8	373	2.25	4.3	0.2	1.0	0.8	35	0.2	0.3	<0.1	59	0.75	0.056
1293648	Soil	0.9	21.8	9.8	53	0.2	26.6	10.9	379	2.93	10.8	0.8	6.1	10.9	27	<0.1	0.6	0.1	61	0.43	0.036
1293643	Soil	0.8	14.6	11.5	58	0.1	18.4	10.6	575	2.74	6.5	0.4	1.0	4.8	23	0.1	0.4	<0.1	47	0.44	0.038
1293646	Soil	0.7	19.5	10.0	52	0.1	24.8	10.3	408	2.67	9.4	0.9	3.0	12.9	27	<0.1	0.6	0.1	58	0.41	0.028
1293631	Soil	0.7	23.9	9.0	48	<0.1	28.6	11.2	395	2.90	12.2	0.5	4.5	7.7	28	<0.1	0.7	0.1	66	0.46	0.025
1293650	Soil	0.8	24.3	8.2	44	<0.1	26.4	9.5	287	2.45	11.4	0.6	7.8	11.5	25	<0.1	0.8	0.1	57	0.40	0.033
1293647	Soil	0.9	15.4	7.4	49	0.2	21.3	11.0	524	2.51	5.2	0.3	1.3	5.6	22	<0.1	0.3	<0.1	55	0.43	0.045
1293627	Soil	0.8	35.1	6.0	36	0.2	30.0	9.6	253	2.11	10.9	0.6	6.6	7.3	108	<0.1	0.6	<0.1	50	3.67	0.023
1293624	Soil	0.8	39.6	7.0	41	0.3	28.4	10.0	337	2.12	12.6	0.6	6.9	6.1	62	<0.1	0.7	0.1	51	3.65	0.040
1293640	Soil	0.7	41.4	6.0	47	0.4	41.8	12.0	383	2.69	8.9	0.6	5.3	3.7	67	<0.1	0.5	<0.1	50	4.32	0.049
1293652	Soil	0.8	31.1	7.8	42	<0.1	27.7	9.9	326	2.36	11.8	0.5	3.6	8.8	24	<0.1	0.7	0.1	56	0.70	0.015
1293637	Soil	1.1	28.7	6.9	68	0.2	27.2	9.5	289	2.66	12.1	0.6	0.9	3.0	18	<0.1	0.4	<0.1	61	0.31	0.029
1293625	Soil	0.6	22.0	6.2	22	0.2	17.0	5.5	216	1.26	5.8	1.1	10.0	7.6	175	<0.1	0.7	<0.1	23	9.29	0.031
1292542	Soil	1.8	38.8	4.2	79	<0.1	48.1	14.6	208	3.23	4.3	0.8	1.0	4.8	10	<0.1	0.2	<0.1	93	0.14	0.040
1293645	Soil	0.7	27.0	7.4	44	<0.1	28.6	9.7	309	2.46	10.5	0.6	2.9	7.8	23	<0.1	0.5	0.1	58	0.42	0.022
1293636	Soil	1.0	40.5	6.2	54	0.2	26.6	10.0	293	2.87	8.5	0.9	2.5	4.6	17	<0.1	0.3	<0.1	80	0.32	0.070
1293633	Soil	0.9	19.9	9.0	49	0.1	24.7	11.3	496	2.49	8.0	0.5	3.4	9.4	25	<0.1	0.4	0.1	57	0.51	0.027
1292555	Soil	15.5	90.0	125.0	190	1.6	42.7	5.9	188	3.93	57.1	2.3	11.5	5.4	32	0.7	0.4	0.3	71	0.26	0.054
1292553	Soil	15.8	106.5	11.7	598	1.1	94.9	12.2	347	3.36	33.3	4.7	1.6	3.2	29	4.6	0.4	0.2	247	0.46	0.076
1292547	Soil	5.8	78.6	9.9	139	0.5	57.9	10.9	318	4.42	16.1	1.9	1.3	4.1	28	0.2	0.1	0.2	132	0.14	0.072
1293634	Soil	0.8	32.4	6.5	60	0.1	35.0	12.4	322	2.89	10.4	0.5	3.4	3.7	19	<0.1	0.4	<0.1	63	0.35	0.039
1292546	Soil	2.7	28.7	6.0	70	0.3	17.7	6.8	237	3.27	14.9	0.7	1.8	1.6	13	0.1	0.2	0.1	88	0.12	0.053
1292545	Soil	2.3	40.6	4.7	94	0.2	29.8	16.0	501	4.10	9.8	0.9	1.1	3.2	22	<0.1	0.2	0.1	83	0.25	0.068
1292548	Soil	15.1	63.6	11.8	149	0.8	44.7	5.2	182	3.72	94.8	1.3	1.4	3.2	26	0.4	1.1	0.2	104	0.07	0.051
1293623	Soil	0.8	39.4	7.7	47	<0.1	32.4	10.7	288	2.48	14.5	0.6	6.7	9.0	24	<0.1	0.7	0.1	62	0.41	0.012
1292557	Soil	4.4	66.7	11.2	99	0.7	27.3	9.9	283	4.40	14.1	0.9	1.1	2.4	27	0.4	0.3	0.1	105	0.28	0.048
1292554	Soil	8.4	90.8	10.7	295	1.2	85.8	13.3	376	3.52	34.0	3.6	1.8	2.4	31	3.5	0.6	0.2	124	0.63	0.085
1292552	Soil	4.5	62.9	8.6	167	0.9	64.9	14.3	290	3.45	23.8	2.3	1.9	2.6	29	0.9	0.5	0.1	94	0.53	0.055
1293649	Soil	0.6	28.8	5.8	43	0.1	24.9	10.1	394	2.12	10.0	0.6	5.0	4.1	135	<0.1	0.7	<0.1	53	3.74	0.074

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000231.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1293638	Soil	22	32	0.65	206	0.032	1	1.70	0.009	0.11	<0.1	0.05	8.5	<0.1	<0.05	5	<0.5	<0.2
1293651	Rock Pulp	3	29	0.74	92	0.101	2	1.39	0.076	0.11	13.3	0.01	4.2	<0.1	<0.05	5	<0.5	<0.2
1293648	Soil	49	44	0.59	228	0.078	2	1.67	0.015	0.19	0.2	0.02	6.7	<0.1	<0.05	5	<0.5	<0.2
1293643	Soil	13	35	0.52	274	0.051	2	1.53	0.011	0.24	0.2	0.02	5.1	<0.1	<0.05	5	<0.5	<0.2
1293646	Soil	56	40	0.56	252	0.070	2	1.61	0.013	0.18	0.1	0.02	6.2	<0.1	<0.05	5	<0.5	<0.2
1293631	Soil	33	43	0.58	247	0.083	2	1.57	0.017	0.17	0.2	0.03	6.4	<0.1	<0.05	5	<0.5	<0.2
1293650	Soil	29	34	0.47	190	0.063	2	1.28	0.014	0.07	0.2	0.06	5.6	<0.1	<0.05	4	<0.5	<0.2
1293647	Soil	15	37	0.54	242	0.066	2	1.36	0.012	0.27	0.2	0.01	4.2	<0.1	<0.05	4	<0.5	<0.2
1293627	Soil	28	30	0.73	230	0.064	2	1.11	0.022	0.08	0.2	0.04	4.4	<0.1	<0.05	4	<0.5	<0.2
1293624	Soil	22	30	0.56	221	0.045	2	1.23	0.014	0.06	0.2	0.07	3.7	<0.1	<0.05	4	<0.5	<0.2
1293640	Soil	18	63	0.96	221	0.060	2	1.40	0.018	0.15	0.1	0.08	5.0	<0.1	<0.05	4	<0.5	<0.2
1293652	Soil	22	33	0.48	230	0.059	1	1.27	0.015	0.06	0.2	0.05	5.3	<0.1	<0.05	4	<0.5	<0.2
1293637	Soil	9	33	0.67	197	0.088	1	1.44	0.011	0.23	0.1	0.01	4.4	0.1	<0.05	5	<0.5	<0.2
1293625	Soil	31	20	0.69	284	0.021	2	0.65	0.020	0.05	0.2	0.10	2.8	<0.1	<0.05	2	<0.5	<0.2
1292542	Soil	22	51	0.97	291	0.116	<1	2.19	0.013	0.41	<0.1	<0.01	3.7	0.2	0.20	7	0.5	<0.2
1293645	Soil	48	36	0.53	191	0.069	2	1.26	0.017	0.07	0.2	0.03	5.3	<0.1	<0.05	4	<0.5	<0.2
1293636	Soil	17	37	0.72	294	0.109	<1	1.51	0.015	0.35	0.2	0.02	4.6	0.2	<0.05	5	<0.5	<0.2
1293633	Soil	38	38	0.49	256	0.056	1	1.53	0.012	0.16	0.3	0.01	4.9	<0.1	<0.05	4	<0.5	<0.2
1292555	Soil	16	30	0.35	357	0.017	1	0.69	0.018	0.18	0.2	0.01	3.1	0.2	0.56	3	6.2	<0.2
1292553	Soil	18	53	0.57	826	0.036	1	1.30	0.013	0.10	0.2	0.04	6.6	0.3	0.13	5	4.5	<0.2
1292547	Soil	19	54	1.00	672	0.133	<1	2.05	0.029	0.39	0.1	0.01	4.4	0.2	0.38	8	2.5	<0.2
1293634	Soil	12	42	0.72	218	0.096	2	1.57	0.014	0.24	0.2	0.02	5.2	0.1	<0.05	5	<0.5	<0.2
1292546	Soil	9	28	0.52	272	0.108	<1	1.40	0.013	0.17	0.1	0.03	3.1	0.2	0.11	8	0.8	<0.2
1292545	Soil	12	39	1.14	451	0.152	<1	2.10	0.019	0.45	0.1	0.01	4.2	0.3	0.21	7	0.6	<0.2
1292548	Soil	14	29	0.15	533	0.008	1	0.51	0.006	0.16	0.2	0.02	2.6	0.4	0.39	3	3.6	<0.2
1293623	Soil	27	34	0.54	174	0.080	1	1.23	0.019	0.07	0.2	0.05	5.3	<0.1	<0.05	4	<0.5	<0.2
1292557	Soil	12	41	0.74	535	0.071	1	1.56	0.019	0.18	<0.1	0.02	6.4	0.1	0.25	6	3.6	<0.2
1292554	Soil	16	35	0.32	802	0.019	2	1.14	0.009	0.11	0.1	0.04	5.0	0.2	0.21	4	5.0	<0.2
1292552	Soil	11	46	0.51	1023	0.051	1	1.37	0.011	0.08	0.2	0.06	7.4	0.3	0.09	5	2.0	<0.2
1293649	Soil	13	26	0.83	268	0.069	2	0.93	0.047	0.08	0.3	0.03	3.8	<0.1	<0.05	3	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000231.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1292560	Soil	2.9	64.8	11.2	170	0.9	63.2	14.1	417	3.54	43.8	1.3	11.9	2.5	26	0.7	0.8	0.1	76	0.88	0.050
1292551	Rock Pulp	2.4	22.1	1.8	38	0.3	22.4	10.0	357	2.16	4.1	0.2	1.0	0.7	29	0.1	0.2	<0.1	57	0.69	0.058
1292562	Soil	1.9	45.2	12.3	71	0.3	117.2	23.6	592	4.09	12.5	2.3	1.9	17.3	28	0.2	0.4	0.2	104	0.74	0.080
1292544	Soil	1.6	28.0	5.0	103	0.1	27.3	16.7	524	4.03	10.7	0.7	0.9	3.0	15	<0.1	0.2	<0.1	84	0.23	0.056
1292549	Soil	25.7	178.2	14.6	531	2.1	156.3	17.7	632	4.74	80.3	6.5	1.9	5.7	50	1.8	0.8	0.2	305	0.27	0.115
1292550	Soil	14.9	73.0	13.9	191	1.4	56.7	8.4	291	3.83	163.2	1.7	4.1	3.2	38	1.5	1.1	0.2	64	0.42	0.059
1292565	Soil	4.6	29.0	9.3	136	0.8	30.5	11.3	368	2.54	12.1	0.9	1.6	1.8	20	0.2	0.5	0.1	65	0.24	0.064
1292566	Soil	11.8	87.8	9.0	112	1.7	38.3	18.5	1130	3.93	28.4	3.0	3.6	1.3	28	0.9	0.7	0.2	82	0.34	0.106
1292543	Soil	2.4	19.5	10.4	62	0.1	22.3	7.7	234	2.79	14.3	0.6	3.2	2.5	12	0.1	0.3	0.2	85	0.13	0.039
1292541	Soil	1.3	21.9	4.9	67	0.2	25.3	11.8	408	2.96	6.9	0.6	1.2	3.0	16	<0.1	0.2	<0.1	69	0.27	0.035
1292558	Soil	8.2	97.2	7.6	169	0.9	54.7	8.0	282	3.78	8.4	2.4	1.1	4.3	33	0.4	0.3	0.2	135	0.17	0.053
1292556	Soil	18.7	94.8	32.0	268	2.2	73.6	5.3	90	4.56	40.5	3.7	2.0	3.5	39	1.4	0.5	0.2	136	0.15	0.170
1292564	Soil	9.6	39.3	14.2	102	1.7	28.3	2.3	58	2.17	21.8	1.4	1.0	0.2	33	0.2	0.8	0.2	48	0.09	0.065
1292540	Soil	1.7	31.0	8.2	68	0.2	38.3	14.8	529	3.24	22.2	0.9	0.9	4.7	22	0.1	0.5	0.1	76	0.43	0.036
1292563	Soil	1.9	36.7	11.0	86	0.3	30.2	10.3	422	3.67	12.9	1.4	5.6	4.7	16	0.2	0.7	0.1	62	0.29	0.019
1292561	Soil	5.0	91.4	11.3	213	1.0	91.7	12.3	358	4.16	91.3	2.0	3.4	1.8	29	1.2	1.0	0.1	77	0.28	0.076
1292930	Soil	1.6	36.9	9.4	70	0.2	33.0	11.0	349	2.94	28.1	1.0	6.9	4.7	28	0.2	1.5	0.1	74	0.44	0.055
1292913	Soil	0.9	43.5	7.2	58	0.1	40.1	12.1	414	2.75	11.3	0.9	3.0	3.6	44	0.1	0.8	<0.1	66	0.99	0.057
1292909	Soil	0.5	32.2	7.6	65	<0.1	26.4	9.7	250	2.35	9.9	0.6	17.0	3.9	32	0.3	0.9	<0.1	58	0.62	0.078
1292559	Soil	2.8	64.6	11.6	178	1.4	70.4	16.7	738	4.10	70.4	1.1	1.3	3.2	30	0.9	0.8	0.2	87	0.47	0.049
1292932	Soil	2.1	43.5	9.3	67	0.3	31.8	14.7	806	3.13	29.2	1.4	5.6	3.6	33	0.3	2.0	0.1	69	0.50	0.067
1292928	Soil	2.3	35.3	10.5	97	0.3	35.5	15.2	704	3.09	43.5	1.8	2.0	5.0	28	0.5	2.0	0.1	76	0.57	0.087
1292911	Soil	1.0	30.3	13.8	62	0.1	42.0	20.5	820	3.52	58.5	1.4	3.1	8.7	51	0.1	1.5	0.2	69	1.20	0.060
1292916	Soil	1.2	56.6	3.6	83	<0.1	79.1	25.0	423	3.91	9.2	0.6	1.7	3.3	16	<0.1	0.5	<0.1	86	0.42	0.061
1292927	Soil	1.9	38.8	10.1	70	0.2	34.4	13.1	380	3.41	15.0	2.9	2.4	13.2	37	0.2	1.1	0.2	69	0.60	0.065
1292929	Soil	2.2	52.9	11.2	113	0.4	42.1	16.0	655	3.17	41.2	3.4	4.1	4.8	33	0.9	2.1	0.2	76	0.62	0.097
1292912	Soil	1.3	24.5	9.6	59	<0.1	33.6	13.9	307	3.47	45.8	0.5	2.1	8.6	15	<0.1	0.6	<0.1	61	0.23	0.019
1292918	Soil	0.6	30.5	11.0	87	<0.1	68.0	23.3	668	4.24	56.1	0.4	0.9	6.8	32	0.2	1.2	0.1	58	2.36	0.061
1292933	Soil	2.2	57.4	9.0	84	0.2	54.7	14.7	395	3.18	35.5	3.5	12.3	4.1	42	0.3	2.4	0.2	89	0.65	0.070
1292931	Soil	1.4	43.7	9.5	72	0.2	35.6	12.3	442	2.96	25.9	0.8	6.0	4.9	30	0.2	1.5	0.1	75	0.51	0.056

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000231.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1292560	Soil	13	39	0.53	845	0.031	2	1.18	0.015	0.06	0.2	0.08	8.9	0.2	<0.05	4	1.3	<0.2
1292551	Rock Pulp	3	29	0.68	83	0.090	2	1.23	0.068	0.11	12.8	<0.01	3.9	<0.1	<0.05	4	<0.5	<0.2
1292562	Soil	17	169	1.36	770	0.139	2	1.88	0.016	0.17	0.7	0.04	10.2	0.8	<0.05	6	<0.5	<0.2
1292544	Soil	10	40	1.17	486	0.207	<1	2.20	0.011	0.59	0.1	0.02	2.8	0.3	0.09	7	<0.5	<0.2
1292549	Soil	25	85	0.69	594	0.038	2	1.34	0.025	0.21	0.2	0.06	13.3	0.5	0.45	6	11.0	<0.2
1292550	Soil	10	18	0.15	548	0.010	2	0.40	0.007	0.14	0.3	0.04	3.3	0.4	0.43	2	4.8	<0.2
1292565	Soil	9	29	0.41	178	0.055	2	0.90	0.012	0.05	0.4	0.09	2.4	0.4	<0.05	4	1.6	<0.2
1292566	Soil	12	32	0.26	508	0.029	1	0.84	0.007	0.04	1.7	0.08	3.0	0.3	0.06	3	6.0	<0.2
1292543	Soil	11	38	0.45	167	0.065	<1	1.53	0.008	0.08	0.1	0.01	3.0	0.1	<0.05	7	<0.5	<0.2
1292541	Soil	8	36	0.74	339	0.126	1	1.59	0.009	0.35	0.1	0.01	4.1	0.2	<0.05	5	<0.5	<0.2
1292558	Soil	20	53	0.73	610	0.051	<1	1.51	0.023	0.16	0.1	0.01	4.8	0.1	0.35	5	3.9	<0.2
1292556	Soil	20	44	0.20	540	0.009	<1	0.86	0.015	0.22	0.2	0.02	4.8	0.2	0.57	3	8.3	<0.2
1292564	Soil	14	16	0.04	290	0.005	1	0.24	0.003	0.04	1.3	0.07	0.6	0.4	0.08	2	5.2	0.3
1292540	Soil	15	52	0.73	323	0.067	<1	1.86	0.009	0.21	0.2	0.01	6.1	0.1	<0.05	6	<0.5	<0.2
1292563	Soil	20	31	0.48	386	0.042	<1	1.38	0.009	0.06	0.9	0.07	9.7	0.4	<0.05	4	1.0	<0.2
1292561	Soil	12	32	0.35	513	0.027	<1	1.44	0.007	0.07	0.2	0.03	3.8	0.3	<0.05	5	3.4	<0.2
1292930	Soil	15	47	0.68	312	0.096	<1	1.63	0.016	0.11	0.2	0.03	5.6	0.2	<0.05	6	0.6	<0.2
1292913	Soil	14	52	0.79	342	0.075	1	1.51	0.023	0.08	0.1	0.04	5.3	0.1	<0.05	5	0.5	<0.2
1292909	Soil	14	35	0.68	224	0.081	1	1.24	0.021	0.12	0.2	0.03	4.5	0.2	<0.05	4	<0.5	<0.2
1292559	Soil	12	42	0.50	888	0.037	<1	1.52	0.013	0.14	0.1	0.03	6.3	0.2	<0.05	5	2.1	<0.2
1292932	Soil	15	40	0.57	346	0.075	1	1.50	0.016	0.10	0.2	0.07	5.1	0.2	<0.05	5	0.8	<0.2
1292928	Soil	22	52	0.81	321	0.083	<1	1.54	0.013	0.26	0.2	0.04	4.7	0.3	<0.05	6	0.7	<0.2
1292911	Soil	34	72	1.18	240	0.104	2	1.75	0.014	0.31	0.2	0.04	5.8	0.4	<0.05	6	<0.5	<0.2
1292916	Soil	12	88	1.45	504	0.125	<1	2.13	0.011	0.34	<0.1	<0.01	4.4	0.3	<0.05	5	0.5	<0.2
1292927	Soil	40	49	0.81	360	0.085	<1	1.84	0.017	0.28	0.1	0.03	6.3	0.2	<0.05	7	1.0	<0.2
1292929	Soil	28	54	0.77	360	0.077	<1	1.64	0.015	0.20	0.1	0.08	6.6	0.3	<0.05	6	0.8	<0.2
1292912	Soil	12	50	0.91	244	0.101	<1	1.95	0.009	0.33	0.1	<0.01	3.4	0.3	<0.05	6	<0.5	<0.2
1292918	Soil	21	71	2.13	302	0.090	<1	2.78	0.005	0.86	0.1	<0.01	4.0	0.4	<0.05	8	<0.5	<0.2
1292933	Soil	16	80	0.86	541	0.094	<1	1.79	0.015	0.18	0.1	0.06	6.2	0.3	<0.05	6	1.4	<0.2
1292931	Soil	15	44	0.71	341	0.092	<1	1.61	0.024	0.10	0.2	0.05	5.4	0.2	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000231.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1292914	Soil	1.0	69.4	14.5	59	0.3	109.5	33.4	1108	6.37	33.7	0.8	193.2	5.8	15	0.2	0.4	0.2	168	0.45	0.061
1292910	Soil	0.6	32.5	9.5	81	<0.1	69.4	22.0	672	4.51	64.0	0.8	2.1	9.3	122	<0.1	1.1	<0.1	57	3.21	0.086
1292915	Soil	1.3	49.7	8.6	57	0.3	45.0	15.6	382	3.02	7.5	0.5	2.6	2.8	14	0.1	0.4	<0.1	75	0.35	0.019
1292925	Soil	3.0	60.7	11.4	100	0.1	45.7	12.8	369	3.61	32.5	2.4	3.8	5.7	35	0.2	2.2	0.1	105	0.46	0.062
1292921	Soil	5.5	91.9	15.7	165	0.4	57.7	13.1	312	2.90	65.5	2.4	3.5	4.2	39	1.0	3.9	0.3	79	0.70	0.090
1292934	Soil	2.1	38.5	8.1	70	0.2	31.8	12.8	735	2.73	23.6	1.7	3.0	2.2	45	0.2	2.1	0.1	70	0.78	0.071
1292705	Soil	1.4	11.8	6.6	55	<0.1	18.1	9.8	730	3.31	4.8	0.4	3.3	2.1	15	<0.1	0.4	<0.1	52	0.42	0.027
1292926	Soil	3.4	60.6	11.8	104	0.1	45.1	14.2	393	3.81	33.7	2.3	2.6	6.2	35	0.2	2.4	0.1	113	0.48	0.068
1292919	Soil	2.4	72.8	17.7	143	0.1	84.0	19.2	410	5.55	96.6	1.3	2.7	8.6	14	0.4	2.1	<0.1	164	0.49	0.113
1292936	Soil	1.2	16.8	10.8	71	0.2	11.2	11.6	661	2.91	30.8	4.2	3.1	8.6	44	0.4	2.8	0.3	79	0.73	0.089
1292704	Soil	0.7	12.2	4.4	68	<0.1	21.5	10.6	339	2.88	4.2	0.3	<0.5	1.9	16	<0.1	0.2	<0.1	52	0.28	0.024
1292924	Soil	2.0	51.2	10.7	92	0.1	50.6	14.4	380	3.40	26.2	1.5	3.2	5.1	28	0.1	1.8	0.1	94	0.41	0.045
1292920	Soil	3.0	73.5	10.4	194	0.1	84.2	18.2	298	3.87	60.0	1.3	2.5	7.0	13	0.8	2.0	0.1	112	0.36	0.065
1292935	Soil	1.9	28.2	7.9	66	0.2	22.6	9.9	266	2.56	21.2	1.6	2.8	2.5	41	0.2	1.5	0.1	70	0.79	0.067
1292702	Soil	1.4	21.6	8.2	60	0.1	25.9	14.5	922	3.15	8.5	0.4	1.5	3.1	26	0.1	0.4	0.1	65	0.54	0.061
1292923	Soil	2.0	42.0	10.5	60	0.2	31.6	10.6	375	2.71	25.2	1.1	9.5	3.5	37	0.3	1.6	0.2	71	0.51	0.035
1292917	Soil	1.7	64.5	9.2	81	<0.1	60.2	13.8	141	3.57	59.6	0.9	0.8	9.2	7	0.2	2.0	0.2	63	0.20	0.033
1292922	Soil	3.7	73.0	12.7	123	0.2	46.9	10.7	300	3.37	51.8	2.0	3.7	5.5	32	0.4	6.2	0.2	75	0.38	0.062
1292498	Soil	0.8	20.5	7.7	54	<0.1	25.6	10.9	328	2.78	9.9	0.5	2.6	4.1	23	<0.1	0.5	0.2	62	0.41	0.033
1292499	Soil	0.7	14.6	7.5	52	<0.1	20.7	10.6	560	2.80	5.8	0.4	1.7	3.2	21	<0.1	0.4	0.2	59	0.36	0.052
1292703	Soil	0.7	12.1	4.4	70	<0.1	15.7	12.7	413	3.34	4.1	0.3	<0.5	2.1	17	<0.1	0.3	<0.1	66	0.30	0.037
1292706	Soil	0.8	19.4	8.1	58	<0.1	22.3	11.3	468	3.00	11.3	0.4	3.9	3.9	24	<0.1	0.6	0.2	69	0.47	0.024
1292701	Rock Pulp	1.4	471.7	20.4	159	0.2	223.8	79.6	780	14.37	3.6	1.2	30.8	7.0	12	<0.1	0.3	0.2	225	0.28	0.040
1292712	Soil	0.9	29.2	9.7	57	<0.1	66.2	15.5	544	3.02	8.9	1.0	1.1	12.4	28	<0.1	0.5	0.2	77	0.54	0.038
1292714	Soil	1.0	39.0	9.2	53	0.1	39.8	12.8	351	3.03	13.0	0.8	2.3	12.3	29	<0.1	0.7	0.2	73	0.49	0.028
1292496	Soil	0.8	23.6	9.2	61	<0.1	30.4	12.9	540	2.85	9.2	0.5	0.7	6.5	27	<0.1	0.6	0.2	70	0.47	0.024
1292708	Soil	0.9	23.9	10.2	63	0.1	29.4	13.6	615	3.02	10.5	0.5	1.5	6.7	29	0.1	0.6	0.2	74	0.59	0.031
1292490	Soil	0.9	41.9	10.0	51	<0.1	54.5	15.3	452	3.06	13.1	0.6	16.5	11.6	31	<0.1	0.6	0.2	83	0.62	0.018
1292715	Soil	1.0	15.8	9.0	48	<0.1	25.9	13.0	471	2.89	7.9	0.5	2.9	9.0	24	<0.1	0.5	0.2	71	0.42	0.018
1292713	Soil	0.9	20.8	10.2	53	0.1	41.8	14.5	579	3.10	8.6	1.0	4.7	14.0	27	<0.1	0.5	0.2	76	0.49	0.022

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000231.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1292914	Soil	29	187	2.89	342	0.077	<1	3.22	0.009	0.31	<0.1	0.04	24.1	0.2	<0.05	10	0.5	<0.2
1292910	Soil	39	89	1.52	288	0.075	<1	2.41	0.007	0.41	0.1	0.04	7.3	0.6	<0.05	8	<0.5	<0.2
1292915	Soil	12	82	0.99	406	0.090	<1	1.78	0.011	0.25	0.1	0.01	4.7	0.2	<0.05	5	<0.5	<0.2
1292925	Soil	20	75	1.02	478	0.112	<1	1.91	0.015	0.43	0.1	0.02	6.9	0.3	0.06	7	1.0	<0.2
1292921	Soil	15	35	0.37	315	0.034	2	0.94	0.011	0.10	0.4	0.21	6.3	0.5	<0.05	3	1.8	<0.2
1292934	Soil	12	36	0.61	331	0.072	1	1.52	0.019	0.07	0.2	0.04	4.7	0.1	<0.05	5	0.8	<0.2
1292705	Soil	7	36	0.52	510	0.015	<1	1.66	0.007	0.17	0.1	0.01	4.9	0.1	<0.05	5	<0.5	<0.2
1292926	Soil	21	79	1.08	491	0.120	<1	1.98	0.013	0.50	0.1	0.03	7.0	0.4	0.07	7	1.4	<0.2
1292919	Soil	33	107	1.48	333	0.112	<1	2.51	0.012	0.60	0.2	0.03	8.3	0.3	<0.05	11	0.6	<0.2
1292936	Soil	19	21	0.71	365	0.099	<1	1.58	0.020	0.16	0.4	0.04	6.2	0.2	<0.05	5	<0.5	<0.2
1292704	Soil	5	44	0.77	265	0.103	<1	1.69	0.010	0.26	<0.1	<0.01	2.5	0.1	<0.05	5	<0.5	<0.2
1292924	Soil	17	82	0.91	400	0.108	<1	1.94	0.016	0.29	0.1	0.03	6.4	0.3	<0.05	7	0.6	<0.2
1292920	Soil	31	90	1.10	388	0.072	<1	1.84	0.007	0.39	<0.1	0.05	7.9	0.7	<0.05	7	1.0	<0.2
1292935	Soil	12	35	0.61	243	0.073	1	1.57	0.016	0.08	0.2	0.05	4.5	0.1	0.05	5	<0.5	<0.2
1292702	Soil	10	49	0.62	460	0.059	1	1.72	0.012	0.22	0.1	0.01	5.1	0.1	<0.05	5	<0.5	<0.2
1292923	Soil	14	40	0.51	472	0.068	<1	1.63	0.014	0.08	0.2	0.04	4.9	0.1	<0.05	5	0.5	<0.2
1292917	Soil	9	45	0.85	221	0.068	<1	1.66	0.005	0.48	<0.1	<0.01	4.4	0.4	<0.05	6	<0.5	<0.2
1292922	Soil	17	40	0.56	352	0.067	<1	1.31	0.016	0.17	0.9	0.06	6.1	0.3	<0.05	4	1.6	<0.2
1292498	Soil	13	44	0.63	214	0.100	2	1.58	0.018	0.23	0.2	0.01	6.0	0.1	<0.05	5	<0.5	<0.2
1292499	Soil	10	36	0.54	291	0.091	2	1.51	0.017	0.25	0.2	0.01	4.9	0.1	<0.05	5	<0.5	<0.2
1292703	Soil	5	34	0.90	313	0.135	1	1.89	0.012	0.40	0.1	<0.01	3.6	0.2	<0.05	5	<0.5	<0.2
1292706	Soil	13	41	0.56	346	0.085	2	1.88	0.013	0.18	0.2	0.02	6.2	0.1	<0.05	6	<0.5	<0.2
1292701	Rock Pulp	17	706	0.12	136	0.210	3	3.47	0.010	0.06	<0.1	0.02	35.1	0.1	<0.05	21	<0.5	<0.2
1292712	Soil	50	77	0.97	332	0.100	2	1.75	0.014	0.14	0.2	0.03	6.5	0.2	<0.05	6	<0.5	<0.2
1292714	Soil	35	52	0.74	206	0.096	2	1.62	0.018	0.11	0.2	0.03	5.7	<0.1	<0.05	5	<0.5	<0.2
1292496	Soil	28	48	0.65	262	0.088	2	1.59	0.016	0.17	0.2	0.01	5.0	<0.1	<0.05	5	<0.5	<0.2
1292708	Soil	30	49	0.63	311	0.075	2	1.80	0.012	0.16	0.2	0.03	5.6	<0.1	<0.05	5	<0.5	<0.2
1292490	Soil	31	67	0.89	254	0.110	2	1.81	0.017	0.14	0.2	0.02	6.3	0.1	<0.05	6	<0.5	<0.2
1292715	Soil	15	52	0.59	236	0.087	2	1.79	0.011	0.18	0.1	0.01	5.7	<0.1	<0.05	6	<0.5	<0.2
1292713	Soil	34	72	0.72	276	0.075	1	1.79	0.011	0.16	0.2	0.02	6.7	0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000231.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1292492	Soil		0.9	40.5	8.0	46	<0.1	33.6	11.6	331	2.59	15.0	0.7	7.0	8.2	27	<0.1	0.7	0.1	69	0.49	0.044
1292500	Soil		1.0	20.7	7.3	52	0.1	24.4	11.2	435	2.84	10.4	0.5	1.0	3.8	21	<0.1	0.4	0.1	65	0.39	0.033
1292495	Soil		0.9	41.4	9.0	51	0.1	38.8	12.6	366	2.87	14.6	0.8	2.8	8.9	27	<0.1	0.7	0.2	77	0.46	0.041
1292497	Soil		0.7	19.8	7.5	46	<0.1	23.0	11.6	387	2.81	8.9	0.4	2.0	3.8	23	<0.1	0.5	0.1	68	0.42	0.024
1292707	Soil		0.8	16.7	9.3	84	<0.1	25.2	11.6	558	2.68	6.8	0.6	<0.5	8.0	21	0.1	0.4	0.2	61	0.43	0.024
1292494	Soil		0.8	26.0	9.4	50	0.1	30.1	12.8	409	2.99	13.2	0.5	1.3	7.1	29	0.1	0.6	0.2	77	0.51	0.041
1292489	Soil		0.8	47.8	7.6	48	0.1	41.8	13.5	349	2.52	13.6	0.7	8.0	10.3	39	<0.1	0.6	0.3	66	1.61	0.031
1292493	Soil		0.8	22.5	11.8	61	0.1	30.4	12.2	538	2.76	9.2	0.9	3.3	14.5	29	<0.1	0.5	0.2	64	0.51	0.027
1292709	Soil		0.8	27.6	11.5	66	<0.1	32.8	15.0	744	3.07	9.5	0.7	1.2	10.1	27	0.1	0.6	0.2	74	0.51	0.026
1292710	Soil		0.9	21.6	10.3	58	0.1	28.0	12.6	590	2.88	9.1	0.7	1.5	9.3	27	<0.1	0.5	0.2	71	0.48	0.022
1292711	Soil		0.9	20.4	9.4	49	<0.1	27.2	12.2	472	2.75	9.4	0.7	6.4	11.3	24	<0.1	0.5	0.2	71	0.42	0.022
1292491	Soil		0.6	33.8	8.1	46	<0.1	34.9	12.8	378	2.76	14.2	0.6	6.7	6.2	32	<0.1	0.7	0.1	74	0.50	0.056
1290145	Soil		6.3	99.2	23.6	153	0.3	50.6	7.6	307	3.19	106.5	2.5	4.2	6.1	41	0.9	9.5	0.2	185	0.24	0.091
1290154	Soil		1.1	14.7	8.6	60	0.1	15.0	15.5	789	3.45	26.5	1.8	7.1	6.4	22	<0.1	1.7	0.2	78	0.39	0.056
1290148	Soil		0.7	13.1	5.7	98	<0.1	15.1	13.2	601	4.05	5.1	0.5	0.5	3.7	23	<0.1	0.5	0.1	101	0.55	0.125
1290161	Soil		1.9	46.6	22.2	102	0.1	47.3	17.4	570	4.81	36.5	1.9	2.9	17.5	22	0.1	2.4	0.1	82	0.40	0.045
1290147	Soil		0.8	20.1	5.9	66	<0.1	38.6	12.6	590	3.08	7.8	0.9	9.5	7.2	25	0.1	1.2	<0.1	73	0.61	0.102
1290146	Soil		2.0	52.2	19.7	170	0.2	56.0	17.8	615	3.72	58.4	1.6	4.1	12.6	15	0.4	4.4	0.2	91	0.37	0.055
1290143	Soil		2.4	82.6	12.9	113	0.6	86.7	12.7	418	3.44	122.9	1.0	10.4	4.2	16	0.4	8.1	0.2	101	0.12	0.034
1290144	Soil		2.9	64.5	11.6	84	0.3	62.7	9.0	281	3.07	83.2	1.2	3.7	4.7	13	0.2	9.5	0.2	115	0.08	0.032

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000231.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1292492	Soil	27	36	0.59	187	0.082	1	1.30	0.020	0.08	0.2	0.03	4.8	<0.1	<0.05	4	<0.5	<0.2
1292500	Soil	12	41	0.58	202	0.083	2	1.50	0.016	0.25	0.1	0.01	5.3	0.1	<0.05	5	<0.5	<0.2
1292495	Soil	38	44	0.67	189	0.098	1	1.52	0.021	0.08	0.2	0.04	5.7	<0.1	<0.05	5	<0.5	<0.2
1292497	Soil	11	42	0.59	256	0.086	1	1.61	0.012	0.15	0.2	0.02	4.9	<0.1	<0.05	5	<0.5	<0.2
1292707	Soil	33	41	0.64	241	0.090	2	1.75	0.010	0.26	0.3	<0.01	4.3	0.1	<0.05	5	<0.5	<0.2
1292494	Soil	28	45	0.57	268	0.088	2	1.63	0.016	0.11	0.2	0.02	5.8	<0.1	<0.05	5	<0.5	<0.2
1292489	Soil	32	49	0.79	173	0.089	2	1.37	0.019	0.10	0.2	0.05	4.3	0.1	<0.05	5	<0.5	<0.2
1292493	Soil	74	48	0.58	271	0.066	2	1.72	0.012	0.13	0.2	0.02	5.7	<0.1	<0.05	6	<0.5	<0.2
1292709	Soil	49	53	0.74	332	0.070	2	1.80	0.014	0.16	0.2	0.03	6.7	0.1	<0.05	6	<0.5	<0.2
1292710	Soil	44	45	0.56	294	0.074	1	1.71	0.014	0.12	0.2	0.02	5.7	<0.1	<0.05	5	<0.5	<0.2
1292711	Soil	40	45	0.53	219	0.084	2	1.55	0.013	0.13	0.1	0.02	5.4	0.1	<0.05	5	<0.5	<0.2
1292491	Soil	24	39	0.58	197	0.088	2	1.39	0.020	0.11	0.2	0.04	5.4	0.1	<0.05	4	<0.5	<0.2
1290145	Soil	17	78	0.70	365	0.086	<1	1.40	0.010	0.30	0.1	0.04	7.3	0.6	0.09	7	3.2	<0.2
1290154	Soil	19	28	0.56	257	0.105	1	1.64	0.014	0.06	0.2	0.05	4.1	0.2	<0.05	7	<0.5	<0.2
1290148	Soil	12	31	0.99	234	0.144	<1	1.97	0.013	0.29	0.1	0.01	4.7	0.2	<0.05	11	<0.5	<0.2
1290161	Soil	38	67	0.83	557	0.095	1	2.39	0.010	0.30	0.1	0.03	6.6	0.4	<0.05	10	0.6	<0.2
1290147	Soil	19	61	0.74	440	0.076	<1	1.45	0.021	0.09	0.1	0.05	7.0	0.2	<0.05	6	<0.5	<0.2
1290146	Soil	35	67	0.89	357	0.120	<1	2.01	0.008	0.33	0.2	0.04	6.1	0.5	<0.05	9	0.9	<0.2
1290143	Soil	14	96	0.73	554	0.091	<1	1.50	0.006	0.24	0.1	0.14	7.3	0.9	<0.05	6	1.3	<0.2
1290144	Soil	18	115	0.83	456	0.118	<1	1.61	0.005	0.30	0.1	0.03	5.3	0.9	<0.05	7	1.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

QUALITY CONTROL REPORT WHI12000231.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
1292938	Soil	1.5	50.2	9.9	98	0.6	61.2	16.6	419	3.96	3.6	1.6	4.9	7.5	19	0.2	0.6	0.2	93	0.41	0.122
REP 1292938	QC	1.5	51.3	9.8	99	0.6	63.7	17.2	440	4.16	3.8	1.6	3.9	7.6	21	0.2	0.6	0.2	98	0.44	0.128
1292442	Soil	1.9	30.3	9.8	78	<0.1	37.5	14.7	535	3.74	21.9	1.7	1.6	5.0	32	<0.1	0.5	0.2	77	0.58	0.046
REP 1292442	QC	1.8	30.2	9.7	78	<0.1	37.2	14.3	521	3.68	21.8	1.6	1.8	5.0	31	<0.1	0.5	0.2	75	0.56	0.048
1292461	Soil	2.2	59.8	9.7	103	0.2	45.5	11.3	192	2.96	16.2	1.3	7.4	5.9	12	0.2	0.6	0.2	57	0.21	0.047
REP 1292461	QC	2.3	61.0	9.4	103	0.2	46.4	11.8	198	3.06	16.4	1.3	10.7	6.0	13	0.2	0.6	0.2	56	0.23	0.048
1292297	Soil	1.6	40.9	7.7	77	0.2	34.7	12.2	192	3.36	7.5	0.8	5.1	3.2	17	0.2	0.4	0.2	93	0.18	0.049
REP 1292297	QC	1.5	38.4	7.4	74	0.2	33.3	11.7	186	3.13	6.9	0.8	2.9	3.1	17	0.2	0.4	0.2	89	0.18	0.048
1291072	Soil	2.0	60.3	8.2	92	0.9	28.3	8.6	329	3.99	4.9	1.0	1.6	4.2	32	<0.1	0.3	0.3	108	0.16	0.066
REP 1291072	QC	2.2	65.5	8.9	100	0.9	30.8	9.4	360	4.25	5.4	1.1	1.4	4.4	35	<0.1	0.3	0.3	116	0.17	0.070
1291068	Soil	1.4	25.3	7.7	82	0.2	34.5	11.6	267	2.91	5.3	0.8	3.5	4.1	18	0.2	0.3	0.1	74	0.26	0.080
REP 1291068	QC	1.4	25.0	7.4	81	0.2	33.3	11.6	266	2.83	4.9	0.8	2.8	4.1	18	0.2	0.3	0.1	73	0.25	0.077
1292484	Soil	1.9	53.7	12.2	87	0.5	43.4	13.9	621	3.61	20.4	1.5	35.7	6.2	21	0.2	1.2	0.2	58	0.34	0.045
REP 1292484	QC	2.0	52.4	12.4	81	0.6	42.8	13.7	623	3.62	20.0	1.5	132.3	6.3	20	0.2	1.1	0.2	59	0.34	0.046
1291097	Soil	2.5	41.1	13.8	51	0.2	20.3	9.3	251	2.49	31.1	1.9	7.9	4.4	34	0.2	2.3	0.2	72	0.21	0.058
REP 1291097	QC	2.3	40.4	13.2	50	0.2	19.8	9.1	255	2.42	29.7	1.9	3.7	4.4	33	0.2	2.4	0.2	71	0.21	0.055
1293678	Soil	0.9	34.2	4.9	59	<0.1	53.8	17.2	566	3.09	4.5	0.6	2.5	1.5	88	0.2	1.2	0.4	74	4.21	0.057
REP 1293678	QC	1.0	32.7	4.7	59	<0.1	52.8	16.6	552	3.02	3.8	0.6	1.9	1.5	85	0.3	1.2	0.4	72	4.11	0.054
1293656	Soil	1.0	24.6	10.4	60	0.1	52.4	17.8	739	3.53	21.0	1.4	1.8	7.5	55	0.1	1.0	0.1	64	1.44	0.064
REP 1293656	QC	1.0	24.3	10.4	60	0.1	53.3	17.6	741	3.51	20.8	1.4	2.5	7.6	54	0.1	1.0	0.1	64	1.39	0.062
1290413	Soil	1.9	29.9	8.4	101	0.2	45.7	16.5	419	3.20	16.3	1.0	3.4	4.4	20	0.4	0.4	0.2	83	0.28	0.038
REP 1290413	QC	2.0	30.6	8.2	103	0.2	45.3	16.6	436	3.24	16.1	0.9	2.8	4.5	20	0.4	0.4	0.2	84	0.29	0.037
1293628	Soil	0.6	36.8	5.9	36	0.2	24.8	8.2	241	1.86	10.2	0.7	5.7	5.2	206	0.1	0.8	<0.1	45	9.33	0.032
REP 1293628	QC	0.7	36.9	5.8	36	0.3	25.2	8.3	245	1.88	10.5	0.7	4.5	5.4	212	0.1	0.8	<0.1	47	9.31	0.032
1293650	Soil	0.8	24.3	8.2	44	<0.1	26.4	9.5	287	2.45	11.4	0.6	7.8	11.5	25	<0.1	0.8	0.1	57	0.40	0.033
REP 1293650	QC	0.9	25.6	8.5	47	<0.1	28.5	10.0	307	2.63	12.4	0.6	3.7	12.2	26	<0.1	0.7	0.1	61	0.42	0.035
1292557	Soil	4.4	66.7	11.2	99	0.7	27.3	9.9	283	4.40	14.1	0.9	1.1	2.4	27	0.4	0.3	0.1	105	0.28	0.048
REP 1292557	QC	4.4	68.2	10.8	103	0.7	27.6	10.2	286	4.45	14.2	0.9	2.7	2.5	27	0.3	0.3	0.1	110	0.28	0.049

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

QUALITY CONTROL REPORT WHI12000231.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
1292938	Soil	30	60	1.19	447	0.109	<1	2.03	0.009	0.55	<0.1	0.01	5.7	0.5	<0.05	7	<0.5	<0.2
REP 1292938	QC	32	62	1.26	462	0.118	<1	2.16	0.010	0.58	<0.1	0.01	6.0	0.5	<0.05	7	<0.5	<0.2
1292442	Soil	15	68	0.82	293	0.089	1	2.11	0.016	0.10	0.2	0.02	6.7	0.1	<0.05	7	<0.5	<0.2
REP 1292442	QC	14	67	0.82	290	0.087	1	2.05	0.016	0.10	0.2	0.02	6.5	0.1	<0.05	7	<0.5	<0.2
1292461	Soil	22	31	0.51	212	0.049	1	1.07	0.008	0.13	0.2	0.02	4.1	0.3	<0.05	4	0.8	<0.2
REP 1292461	QC	22	33	0.52	212	0.050	<1	1.10	0.007	0.14	0.2	0.03	4.3	0.3	<0.05	4	0.8	<0.2
1292297	Soil	12	52	0.67	253	0.108	<1	1.91	0.009	0.25	0.1	0.02	3.5	0.3	<0.05	6	<0.5	<0.2
REP 1292297	QC	12	48	0.62	255	0.105	1	1.74	0.009	0.22	0.2	0.01	3.5	0.3	<0.05	6	<0.5	<0.2
1291072	Soil	19	80	1.15	878	0.181	1	2.43	0.019	0.55	<0.1	0.01	5.9	0.4	0.24	8	1.6	<0.2
REP 1291072	QC	21	84	1.24	784	0.191	1	2.70	0.021	0.60	<0.1	0.02	6.5	0.5	0.26	9	1.7	<0.2
1291068	Soil	16	40	0.65	226	0.087	1	1.61	0.009	0.18	0.1	0.02	3.1	0.2	<0.05	5	<0.5	<0.2
REP 1291068	QC	16	39	0.63	224	0.084	1	1.53	0.008	0.18	0.1	0.01	3.0	0.2	<0.05	5	<0.5	<0.2
1292484	Soil	18	35	0.35	729	0.032	1	1.01	0.007	0.10	0.1	0.02	6.8	0.1	<0.05	3	1.0	<0.2
REP 1292484	QC	18	35	0.36	723	0.031	2	1.05	0.007	0.10	0.2	0.03	6.5	0.1	<0.05	3	1.0	<0.2
1291097	Soil	18	46	0.51	341	0.065	<1	1.58	0.010	0.11	<0.1	0.03	5.4	0.3	<0.05	5	0.6	<0.2
REP 1291097	QC	17	45	0.45	319	0.063	<1	1.40	0.009	0.10	0.1	0.03	5.2	0.3	<0.05	5	0.8	<0.2
1293678	Soil	11	84	1.20	240	0.029	<1	1.99	0.009	0.11	<0.1	0.02	7.1	0.2	<0.05	8	<0.5	<0.2
REP 1293678	QC	10	82	1.13	232	0.028	<1	1.96	0.008	0.11	<0.1	0.03	7.0	0.2	<0.05	8	<0.5	<0.2
1293656	Soil	27	101	1.10	293	0.071	2	1.64	0.014	0.22	0.1	0.05	6.4	0.3	<0.05	5	<0.5	<0.2
REP 1293656	QC	27	101	1.08	288	0.071	2	1.59	0.013	0.23	0.1	0.05	6.2	0.2	<0.05	5	<0.5	<0.2
1290413	Soil	14	58	0.80	352	0.094	2	1.77	0.011	0.26	0.1	0.01	5.3	0.1	<0.05	6	<0.5	<0.2
REP 1290413	QC	14	59	0.79	357	0.093	2	1.75	0.011	0.27	0.1	0.02	5.2	0.2	<0.05	6	<0.5	<0.2
1293628	Soil	21	25	0.84	321	0.061	3	1.02	0.029	0.06	0.2	0.05	3.7	<0.1	<0.05	3	<0.5	<0.2
REP 1293628	QC	22	26	0.86	325	0.063	3	1.07	0.030	0.06	0.2	0.05	4.0	<0.1	<0.05	3	<0.5	<0.2
1293650	Soil	29	34	0.47	190	0.063	2	1.28	0.014	0.07	0.2	0.06	5.6	<0.1	<0.05	4	<0.5	<0.2
REP 1293650	QC	31	38	0.51	204	0.069	2	1.38	0.016	0.08	0.2	0.05	6.0	<0.1	<0.05	4	<0.5	<0.2
1292557	Soil	12	41	0.74	535	0.071	1	1.56	0.019	0.18	<0.1	0.02	6.4	0.1	0.25	6	3.6	<0.2
REP 1292557	QC	12	41	0.74	544	0.071	<1	1.57	0.020	0.19	0.1	0.02	6.3	0.1	0.27	6	3.4	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

QUALITY CONTROL REPORT WHI12000231.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
1292564	Soil	9.6	39.3	14.2	102	1.7	28.3	2.3	58	2.17	21.8	1.4	1.0	0.2	33	0.2	0.8	0.2	48	0.09	0.065
REP 1292564	QC	9.9	39.9	14.0	104	1.8	29.1	2.4	58	2.23	21.5	1.4	1.9	0.2	33	0.2	0.8	0.2	49	0.09	0.066
1292915	Soil	1.3	49.7	8.6	57	0.3	45.0	15.6	382	3.02	7.5	0.5	2.6	2.8	14	0.1	0.4	<0.1	75	0.35	0.019
REP 1292915	QC	1.2	49.8	8.8	57	0.3	44.5	15.2	386	3.01	7.5	0.5	2.4	2.9	15	<0.1	0.4	<0.1	74	0.34	0.019
1292709	Soil	0.8	27.6	11.5	66	<0.1	32.8	15.0	744	3.07	9.5	0.7	1.2	10.1	27	0.1	0.6	0.2	74	0.51	0.026
REP 1292709	QC	0.8	27.7	11.4	66	<0.1	33.7	15.4	765	3.19	9.8	0.6	<0.5	10.0	27	<0.1	0.6	0.2	76	0.52	0.026
Reference Materials																					
STD DS9	Standard	14.5	113.7	124.7	318	1.9	43.4	7.6	587	2.36	23.4	2.6	128.1	6.2	72	2.2	5.3	5.9	42	0.76	0.084
STD DS9	Standard	14.2	106.3	121.9	301	1.8	40.2	7.8	582	2.28	24.9	3.0	114.2	6.1	71	2.2	5.7	6.0	46	0.75	0.078
STD DS9	Standard	14.5	114.1	123.7	333	1.9	43.0	7.5	598	2.38	24.0	2.5	115.7	6.1	75	2.2	5.1	5.9	41	0.76	0.084
STD DS9	Standard	13.1	106.6	118.8	300	1.8	42.2	7.8	561	2.31	23.1	2.6	110.1	5.7	62	2.3	5.6	6.2	46	0.71	0.077
STD DS9	Standard	12.7	100.5	121.6	295	1.8	42.6	8.1	564	2.27	22.7	2.3	113.4	5.5	67	2.0	5.2	5.6	43	0.68	0.080
STD DS9	Standard	13.0	104.1	122.0	304	1.9	40.3	7.5	586	2.34	25.9	2.6	128.4	6.1	69	2.2	6.0	6.2	41	0.69	0.083
STD DS9	Standard	13.1	112.5	119.3	298	1.9	42.5	7.7	580	2.32	25.1	2.5	115.2	5.7	64	2.4	5.4	5.3	45	0.71	0.080
STD DS9	Standard	13.3	107.8	116.4	287	1.8	39.8	7.5	565	2.27	23.4	2.5	109.5	5.8	65	2.1	5.0	4.9	44	0.70	0.076
STD DS9	Standard	13.6	117.4	119.9	300	1.8	44.1	8.6	597	2.33	23.5	2.7	114.7	6.3	63	2.1	5.2	5.9	50	0.73	0.078
STD DS9	Standard	13.2	110.7	127.1	304	1.9	41.6	7.7	587	2.32	26.0	2.2	115.0	5.2	57	2.3	4.4	5.2	43	0.71	0.078
STD DS9	Standard	14.3	107.7	126.0	305	1.9	42.6	7.9	623	2.43	25.4	2.6	120.0	6.3	74	2.4	5.6	6.1	51	0.78	0.086
STD DS9	Standard	14.2	114.4	133.1	320	1.9	45.3	8.2	621	2.51	27.1	2.8	110.2	6.5	75	2.5	5.5	6.4	53	0.80	0.083
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	3	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	6	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

QUALITY CONTROL REPORT WHI12000231.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
1292564	Soil	14	16	0.04	290	0.005	1	0.24	0.003	0.04	1.3	0.07	0.6	0.4	0.08	2	5.2	0.3
REP 1292564	QC	14	16	0.04	293	0.005	<1	0.25	0.003	0.05	1.3	0.07	0.6	0.4	0.08	2	4.9	0.3
1292915	Soil	12	82	0.99	406	0.090	<1	1.78	0.011	0.25	0.1	0.01	4.7	0.2	<0.05	5	<0.5	<0.2
REP 1292915	QC	12	81	0.98	408	0.090	<1	1.75	0.012	0.24	0.1	0.02	4.6	0.1	<0.05	6	<0.5	<0.2
1292709	Soil	49	53	0.74	332	0.070	2	1.80	0.014	0.16	0.2	0.03	6.7	0.1	<0.05	6	<0.5	<0.2
REP 1292709	QC	49	54	0.75	342	0.069	2	1.86	0.013	0.16	0.2	0.02	6.7	<0.1	<0.05	5	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	13	128	0.63	300	0.121	3	0.96	0.086	0.35	3.1	0.21	2.6	5.6	0.19	5	5.2	5.1
STD DS9	Standard	14	130	0.66	298	0.117	2	0.94	0.079	0.33	3.2	0.20	2.4	5.6	0.23	5	5.3	5.5
STD DS9	Standard	14	126	0.64	311	0.121	3	0.97	0.091	0.37	2.9	0.21	2.7	5.5	0.19	5	5.1	5.5
STD DS9	Standard	12	127	0.60	285	0.107	3	0.87	0.078	0.35	3.2	0.21	2.3	5.6	0.15	4	5.9	5.0
STD DS9	Standard	11	122	0.60	273	0.105	3	0.88	0.082	0.34	3.0	0.20	2.3	5.4	0.18	5	5.3	5.1
STD DS9	Standard	12	124	0.62	295	0.107	3	0.92	0.085	0.38	3.1	0.22	2.3	5.8	0.09	4	4.9	5.0
STD DS9	Standard	12	125	0.61	293	0.104	2	0.89	0.087	0.39	3.0	0.21	2.4	5.6	0.14	4	5.3	5.2
STD DS9	Standard	13	123	0.60	285	0.103	2	0.92	0.094	0.33	2.9	0.19	2.4	5.5	0.14	5	5.4	4.7
STD DS9	Standard	14	132	0.63	295	0.113	3	0.92	0.075	0.35	3.2	0.21	2.3	5.7	0.19	5	5.7	5.2
STD DS9	Standard	11	128	0.61	298	0.095	2	0.91	0.089	0.37	3.1	0.20	2.6	5.5	0.20	5	5.1	4.7
STD DS9	Standard	14	137	0.68	322	0.126	3	1.03	0.085	0.38	3.3	0.25	3.5	5.7	0.15	5	5.6	5.4
STD DS9	Standard	14	141	0.66	326	0.126	3	1.05	0.092	0.42	3.4	0.22	3.3	5.8	0.11	5	6.1	5.2
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

QUALITY CONTROL REPORT WHI12000231.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	5	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

QUALITY CONTROL REPORT WHI12000231.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	0.08	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	2	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 10, 2012
Report Date: July 19, 2012
Page: 1 of 12

CERTIFICATE OF ANALYSIS WHI12000232.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 320

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	320	Dry at 60C			WHI
SS80	313	Dry at 60C sieve 100g to -80 mesh			WHI
1DX2	320	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 19, 2012

CERTIFICATE OF ANALYSIS WHI12000232.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1290141	Soil		2.8	82.3	6.1	86	0.1	129.1	28.8	601	4.85	143.5	1.0	1.8	4.8	39	<0.1	2.7	0.1	157	0.38	0.093
1290162	Soil		2.1	66.0	11.4	110	0.2	53.0	10.9	491	3.30	52.9	1.0	4.7	4.6	20	0.2	3.9	0.1	102	0.29	0.059
1290159	Soil		0.5	6.4	4.8	114	<0.1	10.0	11.5	728	4.43	4.8	0.6	0.5	5.1	33	<0.1	0.4	<0.1	89	0.61	0.169
1290149	Soil		0.8	19.6	8.8	94	<0.1	39.3	12.5	529	3.98	6.4	0.8	<0.5	7.1	22	0.1	0.8	0.2	79	0.25	0.066
1290157	Soil		1.1	17.4	8.6	90	<0.1	12.0	9.4	651	3.75	27.9	1.5	3.2	18.2	21	0.1	6.7	0.1	69	0.47	0.110
1290165	Soil		2.6	91.8	9.3	146	0.1	100.6	25.3	881	5.60	172.4	1.3	4.2	5.3	9	0.5	6.5	0.1	103	0.19	0.076
1290163	Soil		4.8	100.4	13.3	208	0.1	86.9	12.7	457	3.71	103.7	1.4	8.1	5.5	22	0.8	8.2	0.1	134	0.11	0.047
1290150	Soil		0.7	14.1	6.5	110	<0.1	14.3	13.0	898	4.85	6.3	0.5	0.8	3.3	29	<0.1	0.5	0.1	105	0.45	0.098
1290155	Soil		0.8	20.8	9.2	69	0.1	17.4	10.8	487	3.16	16.8	4.9	3.5	9.0	28	<0.1	1.4	0.1	70	0.54	0.066
1290152	Soil		0.3	177.0	4.2	89	0.1	74.2	27.4	1049	5.57	2.5	0.6	3.7	6.2	19	0.1	0.6	<0.1	205	0.60	0.108
1290151	Rock Pulp		2.5	24.2	2.0	40	0.3	23.4	10.0	386	2.31	4.4	0.2	1.6	0.7	33	0.2	0.2	<0.1	63	0.79	0.059
1290142	Soil		3.4	72.6	15.6	159	0.5	45.5	10.1	185	4.55	488.1	1.3	16.1	4.2	38	1.1	7.1	0.2	80	0.10	0.059
1290153	Soil		0.4	130.4	3.1	85	0.2	30.6	21.1	621	4.75	8.4	0.3	3.7	1.5	42	0.1	0.4	<0.1	147	0.88	0.113
1290156	Soil		1.4	12.6	10.2	73	0.1	13.3	9.9	571	3.34	18.2	1.3	3.8	11.5	21	0.1	2.0	0.1	65	0.42	0.068
1290160	Soil		0.5	5.3	4.3	119	<0.1	9.7	11.3	781	4.59	5.3	0.8	0.9	8.1	23	<0.1	1.1	<0.1	91	0.59	0.191
1290164	Soil		2.7	81.9	8.6	146	0.4	148.5	24.2	727	4.96	76.7	1.5	9.1	5.8	30	0.3	3.8	<0.1	114	0.56	0.111
1269250	Soil		2.4	19.2	11.1	48	<0.1	27.0	11.9	457	2.78	8.9	2.0	7.9	13.3	21	0.1	0.3	0.5	63	0.50	0.033
1269249	Soil		1.9	16.1	12.8	47	<0.1	25.7	11.7	539	2.98	10.3	1.0	2.1	10.8	22	0.1	0.3	0.2	67	0.46	0.034
1269242	Soil		1.1	20.2	5.0	56	<0.1	77.4	23.1	579	4.45	8.8	0.8	2.9	5.3	22	<0.1	0.2	0.6	162	0.73	0.132
1290158	Soil		1.7	31.9	10.4	93	0.1	9.9	7.6	617	4.17	150.8	4.0	16.2	21.7	24	0.1	28.9	<0.1	50	0.51	0.099
1269233	Soil		0.8	20.6	8.4	52	<0.1	36.2	13.4	329	3.05	9.6	0.9	161.9	5.7	23	<0.1	0.3	0.1	70	0.46	0.050
1269243	Soil		0.4	9.1	3.8	59	<0.1	50.1	19.2	900	4.36	16.2	0.5	1.0	5.0	20	<0.1	0.2	<0.1	82	0.55	0.037
1269252	Soil		1.8	21.9	9.4	76	<0.1	39.0	17.3	641	3.92	7.4	2.6	1.4	15.4	36	<0.1	0.2	0.2	84	0.74	0.157
1269241	Soil		2.9	80.2	2.0	58	<0.1	58.5	25.9	610	6.32	15.5	0.9	1.2	4.1	17	<0.1	<0.1	0.1	134	0.75	0.209
1269229	Soil		0.9	37.1	4.9	74	<0.1	26.9	26.5	512	4.45	6.0	0.5	0.9	3.6	22	0.1	0.2	<0.1	119	0.51	0.125
1269244	Soil		1.2	40.8	12.9	73	<0.1	32.6	14.7	692	3.53	14.0	0.8	6.7	4.2	32	<0.1	0.3	0.2	76	1.80	0.114
1269253	Soil		1.2	16.0	8.8	45	<0.1	23.7	10.4	376	2.76	10.0	0.7	1.7	9.4	19	<0.1	0.3	0.2	67	0.34	0.021
1269247	Soil		0.8	13.4	8.4	55	<0.1	26.6	14.9	414	3.74	16.1	1.5	2.9	12.7	20	<0.1	0.3	<0.1	85	0.35	0.037
1269231	Soil		1.1	32.8	10.0	57	<0.1	47.5	16.2	487	3.71	8.9	0.8	3.5	5.6	21	<0.1	0.3	0.1	76	0.32	0.045
1269245	Soil		2.2	18.7	13.5	50	<0.1	28.6	10.1	270	2.96	16.4	1.1	2.5	12.2	13	<0.1	0.4	0.2	62	0.15	0.016

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 19, 2012

CERTIFICATE OF ANALYSIS WHI12000232.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1290141	Soil	16	234	2.61	1416	0.249	<1	3.49	0.009	1.19	<0.1	<0.01	12.9	0.5	0.07	13	1.4	<0.2
1290162	Soil	19	57	0.87	573	0.096	<1	1.79	0.009	0.24	0.1	0.04	9.0	0.3	<0.05	7	<0.5	<0.2
1290159	Soil	12	21	1.05	352	0.062	<1	2.26	0.007	0.30	<0.1	<0.01	8.5	0.2	<0.05	12	<0.5	<0.2
1290149	Soil	19	67	1.02	188	0.064	<1	2.27	0.011	0.20	0.2	<0.01	7.9	0.2	<0.05	9	<0.5	<0.2
1290157	Soil	34	23	0.76	588	0.157	1	1.90	0.013	0.39	0.2	0.02	7.8	0.6	<0.05	8	<0.5	<0.2
1290165	Soil	30	120	1.02	468	0.103	<1	2.02	0.003	0.44	<0.1	0.02	11.2	1.3	<0.05	8	1.6	<0.2
1290163	Soil	18	67	0.68	454	0.071	1	1.47	0.004	0.18	0.2	0.03	8.8	0.7	<0.05	6	1.2	<0.2
1290150	Soil	8	24	1.17	278	0.125	<1	2.48	0.012	0.27	0.1	<0.01	6.6	0.1	<0.05	11	<0.5	<0.2
1290155	Soil	34	29	0.64	401	0.103	<1	1.76	0.014	0.09	0.1	0.04	6.7	0.3	<0.05	6	<0.5	<0.2
1290152	Soil	25	195	2.66	200	0.172	1	2.97	0.016	0.42	0.1	0.02	20.5	0.3	<0.05	10	<0.5	<0.2
1290151	Rock Pulp	3	31	0.78	94	0.107	2	1.49	0.085	0.11	13.6	<0.01	4.8	<0.1	<0.05	5	<0.5	<0.2
1290142	Soil	11	42	0.28	662	0.031	<1	1.25	0.009	0.16	0.2	0.05	6.4	1.0	0.18	4	2.9	0.3
1290153	Soil	8	56	1.56	265	0.223	<1	2.71	0.105	0.72	0.2	0.02	8.7	0.5	<0.05	10	<0.5	<0.2
1290156	Soil	25	25	0.60	353	0.104	<1	1.80	0.010	0.15	0.2	0.02	5.4	0.3	<0.05	7	<0.5	<0.2
1290160	Soil	20	16	0.77	381	0.064	<1	1.87	0.009	0.34	<0.1	0.03	10.4	0.3	<0.05	11	<0.5	<0.2
1290164	Soil	39	185	2.02	1455	0.196	<1	3.13	0.014	0.54	<0.1	0.09	10.1	0.6	<0.05	11	1.1	<0.2
1269250	Soil	25	52	0.85	162	0.087	<1	1.70	0.011	0.22	0.1	0.02	4.2	0.2	<0.05	5	<0.5	<0.2
1269249	Soil	22	59	0.87	215	0.091	<1	1.84	0.011	0.18	0.2	0.02	4.6	0.2	<0.05	6	<0.5	<0.2
1269242	Soil	17	115	2.40	281	0.128	<1	3.16	0.012	0.80	0.2	0.02	11.4	0.6	<0.05	9	<0.5	<0.2
1290158	Soil	41	14	0.54	482	0.034	<1	2.04	0.010	0.18	<0.1	0.10	9.6	0.3	<0.05	7	<0.5	<0.2
1269233	Soil	20	62	0.80	252	0.075	<1	1.99	0.010	0.07	0.1	0.02	5.1	0.2	<0.05	6	<0.5	<0.2
1269243	Soil	10	79	1.87	93	0.110	<1	2.62	0.008	0.20	0.1	<0.01	7.6	0.2	<0.05	8	<0.5	<0.2
1269252	Soil	48	100	1.37	322	0.122	<1	2.17	0.019	0.43	<0.1	0.02	6.9	0.3	<0.05	7	<0.5	<0.2
1269241	Soil	8	102	3.19	395	0.229	<1	4.54	0.011	1.69	0.6	<0.01	3.0	1.0	<0.05	10	<0.5	<0.2
1269229	Soil	7	40	1.83	248	0.164	<1	2.51	0.008	0.59	0.1	0.01	3.0	0.4	<0.05	6	<0.5	<0.2
1269244	Soil	19	41	1.22	308	0.101	1	2.02	0.020	0.26	0.1	0.02	6.5	0.3	<0.05	6	<0.5	<0.2
1269253	Soil	17	48	0.78	167	0.097	1	1.68	0.012	0.12	0.1	0.01	4.2	0.1	<0.05	5	<0.5	<0.2
1269247	Soil	20	80	1.38	225	0.096	<1	2.42	0.011	0.46	0.1	0.01	6.4	0.3	<0.05	7	<0.5	<0.2
1269231	Soil	23	60	0.83	235	0.067	1	2.45	0.022	0.06	0.1	0.03	6.8	0.2	<0.05	7	<0.5	<0.2
1269245	Soil	10	44	0.62	183	0.040	<1	2.32	0.007	0.11	0.1	0.01	3.5	0.2	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 19, 2012

CERTIFICATE OF ANALYSIS WHI12000232.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1269246	Soil	1.5	18.3	12.7	54	<0.1	31.7	11.9	645	3.32	13.2	1.0	1.9	8.8	19	<0.1	0.4	0.2	84	0.24	0.021
1269248	Soil	1.3	19.3	10.0	45	<0.1	25.8	10.3	455	2.75	12.8	1.4	3.5	14.1	21	<0.1	0.4	0.1	65	0.41	0.029
1269230	Soil	0.8	39.3	4.0	82	<0.1	59.2	29.1	541	5.36	8.0	0.4	<0.5	3.9	20	<0.1	0.2	<0.1	92	0.58	0.094
1269237	Soil	0.8	26.9	7.0	57	0.1	25.8	16.0	804	3.66	5.8	1.2	2.1	4.5	36	0.2	0.3	0.1	91	1.05	0.110
1269235	Soil	0.8	35.8	4.7	96	<0.1	49.6	27.9	863	7.10	1.9	0.6	0.6	6.5	31	0.2	<0.1	<0.1	162	0.86	0.197
1269236	Soil	0.8	30.9	8.2	57	<0.1	46.9	21.3	737	3.93	9.1	0.6	1.8	5.0	46	0.1	0.3	0.1	85	1.13	0.085
1269232	Soil	1.3	14.8	10.1	53	<0.1	26.3	10.8	321	3.20	8.1	0.6	1.2	4.2	20	0.2	0.3	0.1	77	0.37	0.022
1269238	Soil	0.5	20.5	5.8	65	<0.1	125.6	18.9	640	3.86	5.0	1.2	<0.5	14.8	27	<0.1	0.3	0.2	69	0.74	0.107
1269257	Soil	2.1	24.5	17.4	53	<0.1	30.9	11.8	565	2.97	8.2	2.5	10.2	21.1	31	<0.1	0.5	0.4	77	0.54	0.057
1269258	Soil	1.3	21.9	16.1	47	<0.1	24.7	9.2	402	2.41	7.4	1.8	7.4	18.4	24	0.1	0.5	0.3	50	0.44	0.028
1269234	Soil	0.7	28.3	10.5	56	<0.1	33.0	15.1	391	3.07	6.5	0.9	<0.5	3.5	46	<0.1	0.2	0.1	62	1.15	0.077
1269239	Soil	0.7	46.1	12.5	73	<0.1	51.8	18.7	610	3.99	8.0	1.6	<0.5	14.5	16	<0.1	0.1	0.4	49	0.38	0.061
1269240	Soil	4.9	96.5	23.2	153	0.2	107.4	24.7	1124	6.71	1069	1.5	57.1	6.2	17	0.3	1.3	1.0	264	1.25	0.286
1269254	Soil	1.3	17.9	12.2	46	<0.1	22.1	12.8	582	2.83	9.8	1.2	1.7	13.9	26	0.1	0.3	0.3	63	0.44	0.031
1269260	Soil	1.2	22.6	10.6	42	0.1	21.6	8.1	400	2.31	12.3	4.5	4.7	10.7	37	0.2	0.4	0.2	50	0.66	0.036
1269251	Rock Pulp	2.3	24.5	2.3	41	0.3	23.1	10.3	394	2.33	4.9	0.2	<0.5	0.8	36	0.1	0.2	<0.1	62	0.82	0.060
1269256	Soil	1.3	23.9	14.9	51	0.1	25.9	10.5	443	2.70	8.7	1.3	65.4	16.2	26	<0.1	0.5	0.5	54	0.42	0.048
1269259	Soil	1.5	22.8	15.5	47	0.1	25.9	10.6	476	2.60	9.4	2.1	2.5	16.1	29	<0.1	0.4	0.2	56	0.56	0.033
1283243	Soil	1.1	40.5	19.8	78	<0.1	31.0	18.4	602	4.96	4.2	1.7	<0.5	44.6	18	<0.1	0.7	0.5	106	0.47	0.121
1283244	Soil	1.2	26.7	8.1	43	0.1	21.4	11.3	858	2.58	5.1	1.6	0.7	2.7	59	0.2	0.4	0.1	58	1.94	0.064
1283418	Soil	1.6	27.5	19.0	52	<0.1	48.4	12.6	374	3.05	9.0	1.4	16.8	28.9	16	<0.1	0.5	0.3	57	0.30	0.035
1269255	Soil	1.3	23.2	13.8	63	<0.1	28.9	12.2	450	3.11	9.1	1.4	14.5	18.9	28	<0.1	0.5	0.4	65	0.49	0.045
1283241	Soil	1.4	29.4	17.0	87	<0.1	17.1	25.0	690	5.77	5.6	1.2	<0.5	9.6	20	<0.1	0.4	0.1	116	0.43	0.085
1283404	Soil	1.3	14.6	11.6	51	<0.1	23.3	10.7	395	2.91	6.3	0.6	<0.5	7.8	18	<0.1	0.6	0.1	64	0.28	0.019
1283414	Soil	1.0	23.8	10.1	45	<0.1	34.4	11.5	266	2.66	13.6	0.9	4.4	8.1	24	<0.1	1.0	0.2	55	0.37	0.046
1283413	Soil	1.0	24.4	10.1	52	<0.1	24.0	10.6	325	2.75	9.0	0.7	4.6	7.4	26	0.2	0.8	0.2	57	0.40	0.051
1283245	Soil	1.2	46.3	9.0	104	<0.1	51.3	32.3	1096	5.41	4.0	1.0	1.8	3.8	22	<0.1	0.1	0.5	109	0.47	0.076
1283247	Soil	1.1	17.4	9.0	46	<0.1	22.3	9.3	325	2.67	10.7	0.4	1.6	4.3	14	<0.1	0.6	0.2	63	0.19	0.018
1283409	Soil	1.3	28.9	10.3	61	<0.1	30.2	11.2	447	3.22	10.0	1.1	1.6	11.6	43	<0.1	0.5	<0.1	62	0.51	0.073
1283419	Soil	1.2	21.3	13.1	46	0.1	25.0	9.2	343	2.72	12.3	0.6	<0.5	7.8	22	<0.1	0.6	0.2	62	0.35	0.016

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 19, 2012

CERTIFICATE OF ANALYSIS WHI12000232.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1269246	Soil	11	49	0.80	221	0.083	2	2.31	0.008	0.16	0.2	0.02	5.0	0.2	<0.05	6	<0.5	<0.2
1269248	Soil	32	43	0.69	266	0.073	<1	1.72	0.015	0.09	0.2	0.02	5.7	0.1	<0.05	5	<0.5	<0.2
1269230	Soil	11	103	2.12	172	0.162	<1	3.08	0.007	0.45	0.1	<0.01	3.7	0.4	<0.05	7	<0.5	<0.2
1269237	Soil	19	37	0.91	409	0.087	<1	1.97	0.013	0.25	0.1	0.05	7.7	0.2	<0.05	7	<0.5	<0.2
1269235	Soil	17	105	1.99	410	0.278	<1	3.48	0.010	1.17	0.1	<0.01	12.0	0.7	<0.05	12	<0.5	<0.2
1269236	Soil	16	74	1.30	259	0.091	<1	2.21	0.014	0.19	0.1	0.04	7.7	0.3	<0.05	7	<0.5	<0.2
1269232	Soil	13	48	0.81	153	0.139	<1	1.76	0.008	0.16	0.1	0.02	3.5	0.3	<0.05	8	<0.5	<0.2
1269238	Soil	26	181	2.87	223	0.102	<1	2.93	0.007	0.37	<0.1	0.05	7.9	0.5	<0.05	10	<0.5	<0.2
1269257	Soil	40	62	0.71	262	0.100	2	1.71	0.019	0.17	0.3	0.06	6.6	0.2	<0.05	6	<0.5	<0.2
1269258	Soil	30	41	0.53	275	0.073	<1	1.45	0.017	0.11	0.2	0.03	4.7	0.1	<0.05	5	0.6	<0.2
1269234	Soil	14	48	0.98	256	0.097	<1	1.86	0.017	0.14	0.2	0.03	4.4	0.2	<0.05	6	<0.5	<0.2
1269239	Soil	23	60	1.32	165	0.107	<1	2.20	0.005	0.51	<0.1	<0.01	5.2	0.6	<0.05	7	<0.5	<0.2
1269240	Soil	22	106	3.13	448	0.069	<1	4.18	0.004	0.57	0.2	0.01	10.2	0.8	<0.05	13	<0.5	<0.2
1269254	Soil	26	45	0.79	190	0.104	<1	1.69	0.012	0.17	0.2	0.02	4.1	0.2	<0.05	5	<0.5	<0.2
1269260	Soil	32	31	0.53	480	0.064	<1	1.30	0.020	0.07	0.1	0.05	4.9	0.1	<0.05	4	<0.5	<0.2
1269251	Rock Pulp	3	30	0.77	89	0.104	<1	1.50	0.079	0.12	12.7	<0.01	4.6	<0.1	<0.05	5	<0.5	<0.2
1269256	Soil	29	45	0.70	251	0.085	<1	1.49	0.019	0.12	0.1	0.05	4.9	0.2	<0.05	4	<0.5	<0.2
1269259	Soil	25	45	0.60	296	0.086	<1	1.68	0.019	0.13	0.2	0.03	5.4	0.1	<0.05	5	<0.5	<0.2
1283243	Soil	168	52	1.68	302	0.180	<1	2.67	0.007	0.72	0.2	<0.01	8.9	0.6	<0.05	9	<0.5	<0.2
1283244	Soil	19	27	0.65	503	0.039	<1	1.29	0.019	0.09	<0.1	0.04	8.0	0.1	0.08	4	0.9	<0.2
1283418	Soil	27	71	0.73	250	0.064	<1	1.47	0.008	0.38	0.2	0.02	6.5	0.6	<0.05	5	<0.5	<0.2
1269255	Soil	38	60	0.96	257	0.108	<1	1.84	0.018	0.15	0.2	0.03	5.9	0.2	<0.05	6	<0.5	<0.2
1283241	Soil	30	28	2.44	397	0.245	<1	3.19	0.009	1.43	0.2	<0.01	4.1	0.6	<0.05	11	<0.5	<0.2
1283404	Soil	15	43	0.59	238	0.077	<1	1.83	0.011	0.17	0.1	0.02	4.5	0.1	<0.05	6	<0.5	<0.2
1283414	Soil	16	57	0.63	290	0.061	1	1.40	0.013	0.07	0.2	0.03	5.0	<0.1	<0.05	4	<0.5	<0.2
1283413	Soil	21	39	0.55	337	0.067	2	1.49	0.013	0.08	0.2	0.04	5.5	0.1	<0.05	5	<0.5	<0.2
1283245	Soil	10	86	3.14	266	0.129	1	2.70	0.008	0.31	0.1	0.01	7.0	0.1	<0.05	9	0.5	<0.2
1283247	Soil	8	33	0.54	168	0.060	1	1.67	0.007	0.07	0.2	0.02	2.9	<0.1	<0.05	5	<0.5	<0.2
1283409	Soil	52	54	0.99	217	0.078	<1	1.66	0.028	0.12	0.1	0.02	7.2	0.1	<0.05	6	<0.5	<0.2
1283419	Soil	12	40	0.51	259	0.063	<1	1.79	0.010	0.08	0.1	0.01	4.6	0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 19, 2012

CERTIFICATE OF ANALYSIS WHI12000232.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1283412	Soil	0.9	23.4	10.1	51	0.1	22.0	12.3	397	2.74	8.8	1.4	2.6	4.3	33	0.1	0.6	0.1	60	0.55	0.061
1283410	Soil	2.2	15.9	16.5	71	<0.1	16.9	9.5	560	3.80	8.2	3.4	<0.5	36.7	66	<0.1	0.3	0.2	42	0.95	0.056
1283405	Soil	1.5	18.6	14.0	52	<0.1	23.4	10.8	313	3.26	8.4	1.6	<0.5	20.2	20	<0.1	0.6	0.1	51	0.35	0.035
1283407	Soil	1.5	23.8	10.6	52	<0.1	24.2	11.5	352	3.31	9.4	1.2	<0.5	25.7	15	<0.1	0.4	0.3	47	0.28	0.019
1283240	Soil	1.9	19.3	18.6	41	<0.1	11.9	9.3	502	3.06	8.6	1.4	<0.5	20.5	16	<0.1	0.7	0.2	35	0.24	0.046
1283402	Soil	0.8	28.4	6.7	89	<0.1	28.3	25.7	1010	5.41	4.6	1.1	1.4	20.2	29	<0.1	0.4	<0.1	86	0.91	0.209
1283248	Soil	1.3	46.1	15.9	72	0.1	62.0	21.4	502	4.37	11.8	1.2	4.0	5.6	47	0.1	3.3	0.2	61	2.88	0.072
1283408	Soil	0.9	47.4	7.9	68	0.1	35.4	21.5	591	3.87	6.6	0.8	3.6	7.6	57	<0.1	0.5	<0.1	75	2.61	0.085
1283237	Soil	0.9	25.3	10.5	48	<0.1	25.4	9.5	394	2.54	8.7	1.3	7.6	15.3	38	<0.1	0.5	0.2	49	1.30	0.043
1283403	Soil	1.0	17.9	21.8	68	<0.1	18.9	26.8	844	5.72	2.7	0.8	<0.5	11.7	21	<0.1	0.3	<0.1	123	0.67	0.157
1283246	Soil	1.5	33.3	9.2	58	0.1	56.6	21.2	1095	4.01	10.2	1.9	9.4	7.3	61	0.3	1.3	0.1	45	5.66	0.092
1283411	Soil	1.5	29.7	11.8	57	0.1	29.1	12.0	742	3.07	6.9	2.4	2.2	11.1	94	0.2	0.5	0.2	57	1.60	0.076
1283238	Soil	1.8	23.3	13.5	54	<0.1	24.8	11.0	384	3.15	8.8	1.4	1.7	23.3	18	<0.1	0.7	0.3	49	0.36	0.020
1283236	Soil	1.0	33.3	12.4	50	0.1	28.2	9.7	452	2.36	7.9	1.0	7.1	16.3	29	<0.1	0.6	0.2	46	0.95	0.036
1283401	Rock Pulp	1.4	421.7	19.6	152	0.2	203.5	73.1	773	14.45	2.7	1.1	29.7	6.5	14	<0.1	0.3	0.2	202	0.27	0.041
1283406	Soil	1.5	17.9	16.9	63	<0.1	23.6	10.7	321	3.11	6.1	1.0	0.9	10.0	15	<0.1	0.5	0.2	54	0.30	0.020
1283250	Soil	1.3	37.8	15.0	56	0.1	30.9	10.3	388	2.71	10.0	0.7	3.4	15.8	31	<0.1	0.7	0.2	56	0.52	0.029
1283239	Soil	2.1	15.8	14.5	48	<0.1	14.9	12.0	394	3.59	6.1	2.2	0.6	32.4	13	<0.1	0.7	0.2	58	0.27	0.033
1283249	Soil	2.6	21.7	19.5	81	<0.1	23.2	11.9	676	3.84	11.8	2.6	5.1	30.7	22	<0.1	0.7	0.2	38	0.45	0.074
1283227	Soil	0.8	29.7	7.4	56	<0.1	24.8	10.6	286	2.68	10.7	1.0	4.8	3.3	31	0.1	0.6	0.1	62	0.48	0.071
1271624	Soil	0.9	12.4	4.2	78	<0.1	5.5	1.2	1457	5.18	2.3	0.9	1.2	17.7	10	<0.1	0.2	<0.1	6	0.11	0.029
1271627	Soil	1.5	9.1	8.9	36	<0.1	11.2	4.3	171	2.01	7.5	0.7	<0.5	15.7	8	<0.1	0.4	0.1	38	0.08	0.013
1271623	Soil	1.4	9.3	5.7	79	<0.1	7.3	2.5	780	3.68	3.6	0.7	<0.5	11.7	8	<0.1	0.3	<0.1	16	0.09	0.015
1283242	Soil	1.4	9.5	7.6	85	<0.1	14.3	26.4	1212	6.23	1.9	1.1	<0.5	22.1	31	<0.1	0.1	0.1	133	0.96	0.224
1271625	Soil	1.6	16.6	8.9	79	<0.1	13.5	4.0	839	3.81	5.3	1.8	1.0	24.2	11	<0.1	0.5	<0.1	24	0.12	0.019
1271626	Soil	1.4	16.2	5.9	73	<0.1	13.1	4.5	744	3.69	6.5	1.8	<0.5	18.5	10	<0.1	0.5	<0.1	28	0.10	0.016
1271631	Soil	0.8	12.7	3.9	28	<0.1	22.2	14.9	238	3.75	4.7	0.8	1.0	10.2	24	<0.1	0.2	<0.1	94	0.55	0.094
1271634	Soil	1.0	12.4	7.8	39	<0.1	17.0	8.0	291	2.33	7.8	0.7	1.0	8.4	14	<0.1	0.4	0.2	50	0.17	0.017
1271611	Soil	0.9	22.6	11.5	79	<0.1	59.8	25.6	606	4.62	5.2	1.9	<0.5	14.6	40	<0.1	0.1	<0.1	85	0.92	0.082
1271628	Soil	1.6	18.8	7.4	59	<0.1	19.5	7.3	943	3.42	8.8	1.6	1.2	16.9	14	<0.1	0.5	0.1	43	0.23	0.016

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 19, 2012

CERTIFICATE OF ANALYSIS WHI12000232.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1283412	Soil	15	36	0.64	296	0.068	<1	1.62	0.016	0.05	0.3	0.03	4.6	<0.1	<0.05	5	<0.5	<0.2
1283410	Soil	116	25	0.43	181	0.016	<1	1.20	0.008	0.14	0.1	0.02	6.5	<0.1	<0.05	4	<0.5	<0.2
1283405	Soil	24	36	0.74	447	0.084	<1	1.64	0.008	0.17	0.1	<0.01	5.1	0.2	<0.05	5	<0.5	<0.2
1283407	Soil	29	35	0.49	214	0.054	<1	1.33	0.006	0.27	0.1	0.02	7.3	0.3	<0.05	5	<0.5	<0.2
1283240	Soil	25	21	0.41	589	0.043	<1	1.01	0.005	0.26	0.1	0.04	3.7	0.2	<0.05	3	<0.5	<0.2
1283402	Soil	49	52	2.55	483	0.217	<1	3.19	0.006	1.15	0.2	0.03	4.6	0.7	<0.05	9	<0.5	<0.2
1283248	Soil	21	59	0.69	301	0.026	<1	1.13	0.011	0.22	0.1	0.05	9.6	0.2	<0.05	3	<0.5	<0.2
1283408	Soil	21	70	1.92	229	0.112	<1	2.21	0.019	0.29	0.2	0.06	5.6	0.2	<0.05	7	<0.5	<0.2
1283237	Soil	32	31	0.60	330	0.073	<1	1.23	0.026	0.12	0.1	0.04	4.8	0.2	<0.05	4	<0.5	<0.2
1283403	Soil	17	27	2.85	834	0.284	<1	3.57	0.009	1.64	0.1	<0.01	6.0	0.6	<0.05	10	<0.5	<0.2
1283246	Soil	24	61	0.45	557	0.009	1	0.91	0.008	0.12	<0.1	0.08	8.7	0.3	<0.05	3	0.6	<0.2
1283411	Soil	38	39	0.72	468	0.058	2	1.43	0.024	0.13	0.1	0.03	5.7	0.1	<0.05	5	<0.5	<0.2
1283238	Soil	20	40	0.65	157	0.086	1	1.37	0.009	0.28	0.1	0.02	5.5	0.3	<0.05	5	<0.5	<0.2
1283236	Soil	50	28	0.54	253	0.063	1	1.16	0.022	0.10	0.1	0.08	4.4	0.2	<0.05	4	<0.5	<0.2
1283401	Rock Pulp	16	622	0.13	129	0.160	3	3.46	0.012	0.06	<0.1	0.03	36.4	0.1	<0.05	19	<0.5	<0.2
1283406	Soil	8	43	0.79	172	0.091	<1	1.48	0.007	0.29	0.2	0.02	3.8	0.3	<0.05	6	<0.5	<0.2
1283250	Soil	44	40	0.57	243	0.071	1	1.46	0.023	0.09	0.2	0.06	5.4	0.2	<0.05	5	<0.5	<0.2
1283239	Soil	71	27	0.81	340	0.106	1	1.52	0.007	0.41	0.2	0.02	6.6	0.5	<0.05	5	<0.5	<0.2
1283249	Soil	81	23	0.30	220	0.011	<1	1.06	0.008	0.10	<0.1	0.05	6.5	0.1	<0.05	4	<0.5	<0.2
1283227	Soil	13	32	0.55	242	0.076	<1	1.51	0.021	0.05	0.2	0.03	4.5	<0.1	<0.05	5	<0.5	<0.2
1271624	Soil	127	6	0.68	238	0.199	<1	1.55	0.008	0.93	<0.1	0.02	13.4	0.3	<0.05	11	<0.5	<0.2
1271627	Soil	8	19	0.25	74	0.034	<1	1.05	0.005	0.06	0.1	0.02	1.7	<0.1	<0.05	4	<0.5	<0.2
1271623	Soil	13	11	0.51	156	0.127	<1	1.36	0.006	0.57	<0.1	<0.01	7.2	0.3	<0.05	9	<0.5	<0.2
1283242	Soil	76	19	3.01	832	0.316	<1	3.67	0.012	1.59	0.2	0.01	7.6	0.8	<0.05	13	<0.5	<0.2
1271625	Soil	75	20	0.31	145	0.044	<1	1.17	0.006	0.21	<0.1	0.02	11.2	0.2	<0.05	6	<0.5	<0.2
1271626	Soil	38	21	0.28	145	0.035	<1	1.14	0.004	0.18	<0.1	0.02	8.8	0.2	<0.05	5	<0.5	<0.2
1271631	Soil	25	41	1.16	199	0.094	<1	1.90	0.025	0.10	<0.1	<0.01	8.6	0.1	<0.05	9	<0.5	<0.2
1271634	Soil	11	33	0.45	113	0.065	<1	1.21	0.009	0.11	0.1	<0.01	2.7	<0.1	<0.05	4	<0.5	<0.2
1271611	Soil	56	119	1.95	144	0.151	1	2.52	0.010	0.51	0.3	0.02	5.9	0.6	<0.05	10	<0.5	<0.2
1271628	Soil	46	30	0.38	185	0.062	<1	1.22	0.010	0.11	<0.1	0.04	8.2	0.2	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 19, 2012

CERTIFICATE OF ANALYSIS WHI12000232.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1271630	Soil	0.9	25.3	8.2	46	<0.1	21.1	9.8	550	2.38	5.7	4.9	4.9	13.6	43	<0.1	0.3	0.2	45	1.13	0.053
1271633	Soil	1.4	20.9	3.6	108	<0.1	37.9	39.5	937	5.48	4.1	1.1	1.5	3.8	19	0.3	0.2	0.1	124	0.71	0.069
1271613	Soil	0.9	18.0	8.6	71	<0.1	33.5	18.5	485	3.51	5.9	1.1	0.9	7.6	35	<0.1	0.4	0.1	74	0.68	0.073
1271612	Soil	0.6	27.4	5.6	53	<0.1	33.2	18.1	947	2.47	2.5	2.3	<0.5	6.5	68	0.2	0.2	<0.1	50	1.63	0.087
1271629	Soil	1.6	50.3	6.4	81	<0.1	16.9	5.3	860	4.63	5.2	1.9	<0.5	10.4	9	<0.1	0.3	<0.1	28	0.12	0.019
1271632	Soil	0.7	50.1	3.9	49	<0.1	19.4	11.9	335	2.44	5.4	0.7	<0.5	6.5	23	<0.1	0.2	0.2	56	0.56	0.057
1271614	Soil	1.0	35.1	9.8	63	<0.1	31.6	16.5	855	3.33	4.8	4.1	2.2	10.7	33	<0.1	0.3	0.2	74	0.84	0.055
1271617	Soil	1.1	37.7	7.5	70	<0.1	19.4	8.6	771	3.26	4.4	1.5	1.4	12.7	19	<0.1	0.3	<0.1	46	0.50	0.049
1271619	Soil	1.3	23.1	6.6	69	<0.1	39.3	13.8	975	3.87	6.3	1.9	<0.5	11.0	19	0.1	0.3	<0.1	57	0.53	0.058
1271621	Soil	1.2	8.8	3.6	53	<0.1	9.3	3.0	520	2.74	3.8	0.6	<0.5	9.9	6	<0.1	0.2	<0.1	19	0.07	0.011
1269189	Soil	0.6	33.0	5.1	68	<0.1	44.1	24.6	451	4.14	10.6	0.5	<0.5	3.3	31	<0.1	0.1	<0.1	80	0.65	0.079
1271615	Soil	1.2	30.8	11.8	100	<0.1	29.6	18.3	756	4.53	4.6	1.6	<0.5	17.3	16	<0.1	0.2	0.5	87	0.40	0.079
1271620	Soil	1.0	10.5	4.7	45	<0.1	10.1	3.6	553	2.71	3.7	1.1	<0.5	12.5	10	<0.1	0.3	<0.1	24	0.16	0.011
1271622	Soil	1.2	8.9	2.4	74	<0.1	3.9	1.4	1289	3.55	1.1	0.7	<0.5	16.4	6	<0.1	0.1	<0.1	4	0.08	0.016
1269197	Soil	1.2	52.4	13.1	43	0.1	29.7	29.7	601	4.44	14.7	0.6	1.0	2.7	16	<0.1	0.1	0.3	129	0.68	0.027
1271616	Soil	1.7	24.5	10.3	54	<0.1	25.6	9.0	601	2.85	5.9	1.3	2.0	10.5	22	<0.1	0.4	0.1	50	0.44	0.033
1271618	Soil	1.1	29.9	11.8	70	<0.1	23.1	11.4	570	3.05	7.8	1.0	6.2	13.3	27	0.2	0.4	0.2	55	0.58	0.063
1271635	Soil	1.5	19.7	12.6	52	<0.1	24.8	12.6	346	2.93	4.4	2.3	1.9	18.2	22	<0.1	0.3	0.3	50	0.55	0.033
1271638	Soil	0.8	14.0	6.4	92	<0.1	29.1	21.3	777	3.71	3.8	1.0	1.7	4.6	44	0.1	0.2	0.1	71	1.15	0.076
1271639	Soil	0.9	14.9	5.4	80	<0.1	41.3	19.9	547	3.78	4.7	1.0	2.0	4.7	33	0.1	0.1	<0.1	72	0.87	0.079
1271637	Soil	0.6	16.3	7.0	65	<0.1	25.4	12.9	354	2.78	5.5	0.8	8.1	4.1	33	0.1	0.4	0.1	60	0.66	0.086
1271636	Soil	1.4	15.7	11.8	49	<0.1	20.2	12.6	543	2.75	5.2	7.0	1.9	16.1	25	<0.1	0.3	0.3	47	0.65	0.035
1269191	Soil	1.1	14.8	10.3	52	<0.1	29.0	11.9	389	3.05	8.3	1.1	2.3	12.0	26	<0.1	0.3	0.2	65	0.55	0.034
1269186	Soil	1.2	17.6	13.6	65	<0.1	24.2	10.7	363	3.54	12.6	1.9	2.2	18.5	16	<0.1	0.4	0.3	64	0.24	0.033
1269187	Soil	2.0	13.8	16.4	63	<0.1	22.3	9.8	319	4.19	16.3	0.9	2.5	8.9	17	<0.1	0.5	0.2	77	0.29	0.032
1269195	Soil	0.8	47.1	16.9	76	0.2	49.2	17.6	508	4.40	16.6	2.5	2.7	13.9	32	0.2	0.3	0.3	55	0.87	0.077
1269192	Soil	0.6	25.5	6.9	51	<0.1	33.3	14.2	394	3.03	8.6	1.6	4.0	3.8	62	<0.1	0.3	0.1	54	1.80	0.069
1269190	Soil	1.0	27.0	7.9	68	<0.1	73.1	19.9	548	4.28	343.7	1.8	2.4	7.0	32	0.1	2.6	0.1	61	0.77	0.038
1269193	Soil	1.2	21.8	7.8	69	<0.1	36.5	22.2	626	4.76	35.6	0.6	2.6	4.7	29	0.1	0.2	<0.1	106	0.56	0.081
1269188	Soil	0.5	25.3	7.1	61	<0.1	39.1	15.8	435	3.04	9.1	0.9	1.9	4.3	54	<0.1	0.2	<0.1	54	1.58	0.077

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 19, 2012

CERTIFICATE OF ANALYSIS WHI12000232.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1271630	Soil	95	32	0.61	285	0.062	2	1.23	0.013	0.14	0.2	0.06	5.4	0.2	<0.05	5	<0.5	<0.2
1271633	Soil	11	97	2.84	201	0.123	<1	3.10	0.024	0.07	<0.1	0.01	14.3	<0.1	<0.05	10	0.7	<0.2
1271613	Soil	22	74	1.36	134	0.126	1	1.93	0.024	0.32	0.2	0.03	5.6	0.3	<0.05	6	<0.5	<0.2
1271612	Soil	58	63	1.06	246	0.081	2	1.51	0.012	0.24	0.1	0.07	4.8	0.3	0.06	5	<0.5	<0.2
1271629	Soil	16	21	0.62	140	0.126	<1	1.73	0.006	0.45	0.1	0.01	8.6	0.2	<0.05	8	<0.5	<0.2
1271632	Soil	9	38	0.68	136	0.111	<1	1.22	0.027	0.07	<0.1	<0.01	4.9	<0.1	<0.05	5	<0.5	<0.2
1271614	Soil	51	71	0.97	383	0.071	1	1.92	0.015	0.13	0.1	0.05	8.1	0.1	<0.05	6	<0.5	<0.2
1271617	Soil	56	29	0.44	173	0.068	<1	1.28	0.010	0.22	0.1	0.03	7.3	0.2	<0.05	5	<0.5	<0.2
1271619	Soil	29	107	0.86	535	0.056	1	1.66	0.012	0.25	<0.1	0.02	9.7	0.2	<0.05	7	<0.5	<0.2
1271621	Soil	7	17	0.25	73	0.057	<1	0.88	0.006	0.19	<0.1	<0.01	4.9	0.1	<0.05	4	<0.5	<0.2
1269189	Soil	8	76	1.99	219	0.171	<1	2.73	0.012	0.26	0.1	0.01	2.7	0.3	<0.05	7	<0.5	<0.2
1271615	Soil	24	57	1.22	161	0.060	2	1.71	0.005	0.31	0.2	<0.01	8.9	0.2	<0.05	7	<0.5	<0.2
1271620	Soil	21	18	0.32	132	0.069	<1	1.15	0.007	0.22	<0.1	<0.01	5.2	0.2	<0.05	5	<0.5	<0.2
1271622	Soil	95	5	0.58	141	0.130	<1	1.13	0.005	0.66	<0.1	0.02	9.1	0.2	<0.05	8	<0.5	<0.2
1269197	Soil	8	41	1.93	206	0.167	<1	2.51	0.014	0.48	0.1	0.03	6.0	0.5	<0.05	5	<0.5	<0.2
1271616	Soil	33	42	0.52	254	0.088	<1	1.57	0.016	0.09	0.1	0.04	6.6	0.1	<0.05	6	<0.5	<0.2
1271618	Soil	37	32	0.51	222	0.092	<1	1.61	0.023	0.14	0.1	0.03	6.2	0.1	<0.05	5	<0.5	<0.2
1271635	Soil	49	50	0.54	230	0.037	1	1.35	0.009	0.13	<0.1	0.03	5.7	0.1	<0.05	4	<0.5	<0.2
1271638	Soil	15	76	1.70	217	0.136	3	2.20	0.014	0.30	0.1	0.04	4.0	0.4	<0.05	7	<0.5	<0.2
1271639	Soil	15	103	1.81	144	0.129	2	2.24	0.011	0.26	0.2	0.03	4.3	0.4	<0.05	8	<0.5	<0.2
1271637	Soil	16	49	0.93	161	0.097	2	1.51	0.025	0.20	0.2	0.03	4.3	0.2	<0.05	5	<0.5	<0.2
1271636	Soil	30	40	0.49	267	0.046	1	1.27	0.013	0.10	0.2	0.02	5.2	0.1	<0.05	4	<0.5	<0.2
1269191	Soil	23	47	0.85	209	0.084	2	1.79	0.012	0.14	0.2	0.02	4.5	0.2	<0.05	6	<0.5	<0.2
1269186	Soil	88	39	0.69	157	0.079	1	2.18	0.010	0.13	0.4	0.02	4.7	0.4	<0.05	8	<0.5	<0.2
1269187	Soil	19	41	0.62	117	0.098	2	1.92	0.009	0.14	0.4	0.02	3.6	0.3	<0.05	9	<0.5	<0.2
1269195	Soil	99	58	1.10	194	0.110	2	2.13	0.011	0.40	0.1	0.06	7.5	0.5	<0.05	7	<0.5	<0.2
1269192	Soil	32	47	0.89	299	0.081	3	1.63	0.016	0.19	0.1	0.09	5.2	0.3	<0.05	5	0.5	<0.2
1269190	Soil	34	90	0.76	155	0.047	2	1.56	0.011	0.09	0.2	0.56	8.9	0.5	<0.05	5	0.6	<0.2
1269193	Soil	13	76	1.65	187	0.137	2	2.31	0.009	0.10	0.2	0.02	5.2	0.3	<0.05	8	<0.5	<0.2
1269188	Soil	15	63	1.11	179	0.089	2	1.57	0.012	0.30	0.1	0.06	4.6	0.4	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 19, 2012

CERTIFICATE OF ANALYSIS WHI12000232.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1269194	Soil	0.8	30.2	11.9	80	<0.1	43.3	23.5	650	4.46	9.8	1.5	2.8	11.0	29	<0.1	0.3	0.2	98	0.69	0.076
1269196	Soil	0.8	34.5	7.7	59	<0.1	29.4	21.7	588	3.71	13.7	0.9	1.4	5.6	22	<0.1	0.2	0.3	95	0.67	0.043
1269487	Soil	3.7	24.6	10.8	53	0.6	31.1	15.6	654	3.74	21.4	3.4	593.9	16.2	21	0.1	3.0	0.4	58	0.15	0.028
1269486	Soil	1.8	10.4	9.6	50	<0.1	17.4	14.6	614	3.54	4.7	1.7	2.9	21.2	17	<0.1	0.3	0.3	81	0.27	0.051
1269492	Soil	1.6	19.2	9.5	62	<0.1	20.3	11.2	468	3.24	7.5	0.7	4.4	6.0	9	<0.1	0.4	0.1	68	0.09	0.014
1269490	Soil	0.6	5.1	6.9	17	<0.1	9.1	3.4	135	1.05	4.5	0.8	2.3	15.9	9	<0.1	0.2	<0.1	14	0.07	0.009
1269476	Soil	1.7	21.4	17.0	69	<0.1	29.1	10.4	719	3.27	6.4	1.4	5.0	19.9	7	0.1	0.3	0.3	54	0.15	0.034
1269491	Soil	1.6	25.4	16.3	70	<0.1	48.0	15.6	918	3.68	4.5	1.6	2.0	18.5	8	0.1	0.3	0.2	60	0.14	0.035
1269478	Soil	0.7	23.7	14.3	55	0.2	66.5	25.9	805	4.53	58.0	0.7	3.2	14.9	11	<0.1	0.7	1.2	62	0.54	0.043
1269483	Soil	1.3	15.3	10.6	66	<0.1	28.6	11.0	300	3.25	10.4	1.5	1.3	18.4	17	<0.1	0.4	0.2	59	0.22	0.047
1269477	Soil	0.2	55.9	3.8	26	<0.1	101.3	29.2	502	5.27	14.1	0.5	1.9	4.6	16	<0.1	<0.1	3.4	219	0.78	0.059
1269488	Soil	2.3	14.0	9.5	39	0.4	16.8	9.0	463	2.68	6.3	1.5	99.3	9.2	18	0.1	1.2	0.4	53	0.20	0.020
1269199	Soil	1.5	62.6	7.4	52	<0.1	59.1	23.3	324	3.81	70.2	1.5	6.1	5.0	18	<0.1	0.5	0.7	103	0.61	0.087
1269479	Soil	2.4	44.3	22.6	56	<0.1	172.3	30.9	894	5.93	70.7	4.2	2.0	29.2	15	<0.1	1.2	0.2	130	0.15	0.036
1269485	Soil	1.1	13.8	16.8	46	<0.1	26.6	12.1	246	2.42	6.2	3.4	6.3	16.8	17	<0.1	0.3	0.2	49	0.22	0.035
1269489	Soil	1.4	16.4	12.3	43	<0.1	26.7	8.3	194	2.28	7.4	1.6	2.1	19.1	16	<0.1	0.5	0.2	41	0.09	0.012
1284847	Soil	1.0	26.6	9.5	48	0.2	30.6	18.5	680	3.81	7.0	1.2	15.1	3.6	43	<0.1	1.4	0.1	61	1.32	0.056
1269198	Soil	1.5	43.3	8.3	38	0.2	36.5	18.1	1064	2.94	145.8	1.3	4.3	1.8	33	0.2	0.5	0.4	80	1.29	0.103
1269484	Soil	4.3	13.6	13.6	50	<0.1	29.6	13.1	345	3.05	6.5	3.5	1.1	19.3	19	<0.1	0.3	0.6	64	0.25	0.042
1269480	Soil	0.9	24.0	9.5	49	<0.1	30.9	10.9	275	3.00	18.5	0.6	3.0	10.7	13	<0.1	0.6	0.2	70	0.13	0.012
1284849	Soil	2.2	76.0	12.7	68	0.3	42.0	27.2	1005	6.41	16.2	3.9	30.9	8.9	28	0.2	10.5	0.3	58	0.77	0.066
1269481	Soil	1.5	17.9	14.2	51	<0.1	24.0	13.8	493	3.31	11.7	1.9	6.8	21.8	18	<0.1	0.4	0.2	69	0.25	0.018
1269482	Soil	1.1	20.7	10.8	57	<0.1	41.1	13.9	581	3.57	15.6	1.1	2.7	20.0	19	<0.1	0.4	0.2	75	0.24	0.019
1269200	Soil	1.7	33.6	9.3	48	<0.1	32.8	13.5	324	3.53	17.3	1.1	4.0	5.2	17	<0.1	0.3	0.5	92	0.36	0.061
1283202	Soil	1.3	20.4	9.7	48	<0.1	27.1	12.3	340	3.32	9.5	1.5	39.9	11.6	21	<0.1	1.0	0.2	65	0.42	0.048
1284848	Soil	1.6	33.7	8.5	50	0.2	34.5	27.1	804	5.47	5.9	1.4	56.0	3.5	35	0.1	2.4	0.1	82	1.06	0.070
1283213	Soil	0.8	27.7	7.7	43	<0.1	52.7	13.3	323	2.91	8.8	1.1	3.5	12.4	26	<0.1	0.6	0.1	70	0.53	0.053
1283207	Soil	1.3	23.2	7.3	39	<0.1	23.9	12.3	379	2.82	3.8	2.4	1.6	12.7	49	0.1	0.5	0.1	56	1.35	0.074
1283210	Soil	1.9	26.8	16.5	52	<0.1	25.0	13.4	332	3.91	8.4	2.2	3.1	50.6	20	<0.1	0.8	0.2	65	0.33	0.019
1283212	Soil	1.2	35.9	13.0	48	<0.1	79.8	20.0	779	3.66	9.8	2.0	2.0	22.0	51	<0.1	0.6	0.2	74	1.69	0.078

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 19, 2012

CERTIFICATE OF ANALYSIS WHI12000232.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1269194	Soil	41	77	1.78	325	0.143	2	2.77	0.012	0.41	0.1	0.04	8.6	0.3	<0.05	8	<0.5	<0.2
1269196	Soil	18	42	1.45	186	0.136	<1	2.22	0.012	0.33	<0.1	0.01	5.0	0.4	<0.05	6	<0.5	<0.2
1269487	Soil	17	64	0.42	150	0.031	2	1.19	0.006	0.21	0.1	0.07	5.5	0.3	<0.05	4	<0.5	0.2
1269486	Soil	21	52	1.38	204	0.144	1	2.13	0.010	0.83	0.2	<0.01	4.9	0.5	<0.05	6	<0.5	<0.2
1269492	Soil	10	35	0.58	244	0.078	<1	1.75	0.008	0.22	0.1	0.02	6.5	0.2	<0.05	5	<0.5	<0.2
1269490	Soil	7	10	0.10	86	0.012	<1	0.44	0.003	0.04	0.1	<0.01	1.1	<0.1	<0.05	2	<0.5	<0.2
1269476	Soil	23	37	0.16	239	0.019	2	0.68	0.004	0.14	<0.1	<0.01	12.5	<0.1	<0.05	2	<0.5	<0.2
1269491	Soil	21	56	0.24	382	0.010	2	0.65	0.004	0.11	<0.1	0.02	13.8	<0.1	<0.05	2	<0.5	<0.2
1269478	Soil	32	95	1.79	173	0.119	2	2.49	0.007	0.59	0.3	0.04	8.1	0.6	<0.05	7	<0.5	<0.2
1269483	Soil	26	44	0.87	214	0.115	1	2.08	0.010	0.33	0.1	0.01	4.6	0.3	<0.05	7	<0.5	<0.2
1269477	Soil	8	163	4.13	243	0.223	<1	3.90	0.010	1.08	0.2	<0.01	11.0	0.7	<0.05	10	<0.5	<0.2
1269488	Soil	13	39	0.44	162	0.062	<1	1.11	0.009	0.24	0.1	0.02	2.9	0.2	<0.05	4	<0.5	<0.2
1269199	Soil	17	74	1.49	230	0.090	1	2.34	0.013	0.18	0.1	0.13	8.8	0.4	<0.05	7	<0.5	<0.2
1269479	Soil	51	162	1.23	141	0.081	1	2.03	0.004	0.37	0.2	0.18	16.7	0.6	<0.05	7	<0.5	<0.2
1269485	Soil	41	106	0.91	182	0.081	<1	1.69	0.008	0.31	<0.1	0.01	4.8	0.3	<0.05	5	<0.5	<0.2
1269489	Soil	10	38	0.23	130	0.016	<1	1.23	0.004	0.06	0.2	0.01	3.7	0.1	<0.05	3	<0.5	<0.2
1284847	Soil	18	32	0.49	427	0.027	3	1.23	0.015	0.12	<0.1	0.07	9.2	0.1	<0.05	4	<0.5	<0.2
1269198	Soil	14	40	0.86	398	0.044	2	1.57	0.013	0.08	0.1	0.21	5.2	0.3	<0.05	4	<0.5	<0.2
1269484	Soil	22	72	1.00	156	0.090	<1	2.03	0.009	0.39	0.2	0.01	3.9	0.3	<0.05	7	<0.5	<0.2
1269480	Soil	12	49	0.65	112	0.091	<1	2.28	0.009	0.07	0.1	0.02	4.7	0.1	<0.05	6	<0.5	<0.2
1284849	Soil	34	28	0.27	373	0.004	1	1.00	0.004	0.09	<0.1	0.08	14.5	0.1	<0.05	3	<0.5	<0.2
1269481	Soil	61	59	1.24	160	0.115	<1	2.15	0.010	0.29	0.2	0.01	6.2	0.4	<0.05	6	<0.5	<0.2
1269482	Soil	44	81	1.35	180	0.127	1	2.44	0.010	0.36	0.2	0.02	5.9	0.4	<0.05	7	<0.5	<0.2
1269200	Soil	15	50	0.94	191	0.100	1	2.22	0.014	0.15	0.2	0.03	5.5	0.3	<0.05	7	<0.5	<0.2
1283202	Soil	29	43	0.60	245	0.054	2	1.58	0.010	0.07	0.2	0.02	5.5	0.1	<0.05	5	<0.5	<0.2
1284848	Soil	17	37	0.87	386	0.012	2	1.55	0.008	0.11	0.1	0.05	13.1	0.1	<0.05	5	<0.5	<0.2
1283213	Soil	33	64	0.85	317	0.094	2	1.58	0.018	0.18	0.2	0.03	7.3	0.3	<0.05	5	<0.5	<0.2
1283207	Soil	55	47	0.74	507	0.071	2	1.27	0.013	0.26	0.1	0.05	6.6	0.2	<0.05	4	0.5	<0.2
1283210	Soil	169	47	0.75	273	0.052	2	2.00	0.007	0.13	0.1	0.04	9.2	0.5	<0.05	7	<0.5	<0.2
1283212	Soil	46	108	1.21	498	0.086	2	1.61	0.015	0.28	0.2	0.06	8.6	0.5	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 19, 2012

CERTIFICATE OF ANALYSIS WHI12000232.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1284850	Soil	1.2	20.9	12.8	46	<0.1	18.8	9.0	211	2.90	6.8	1.0	1.3	17.7	16	<0.1	0.6	0.4	53	0.27	0.016
1283206	Soil	1.4	18.8	9.2	49	<0.1	26.6	12.9	393	3.09	6.4	1.5	1.4	14.9	23	<0.1	0.5	0.2	69	0.51	0.052
1284829	Soil	0.9	30.9	11.3	59	0.1	28.8	13.5	588	3.31	8.7	0.9	6.4	13.3	27	0.1	0.7	0.2	63	0.58	0.045
1284828	Soil	1.1	31.8	9.9	52	0.2	35.2	15.3	550	3.35	11.9	1.1	48.4	10.8	32	<0.1	1.1	0.2	62	0.78	0.035
1283203	Soil	0.8	28.8	8.3	79	<0.1	33.2	31.3	1213	5.87	2.1	1.2	<0.5	8.6	24	<0.1	0.8	<0.1	110	0.78	0.137
1283209	Soil	1.0	29.5	9.8	55	0.1	26.3	13.0	541	3.24	8.4	0.8	1.6	9.5	29	<0.1	0.6	0.1	65	0.58	0.036
1284827	Soil	0.9	24.2	11.1	54	<0.1	25.1	11.8	358	3.25	7.2	1.1	5.9	16.5	19	<0.1	0.7	0.2	58	0.42	0.033
1283204	Soil	1.2	24.0	8.3	53	<0.1	34.6	21.0	634	4.17	5.7	1.4	3.8	17.0	28	<0.1	0.6	<0.1	90	0.59	0.075
1283211	Soil	1.2	24.0	12.2	48	<0.1	30.9	12.7	535	3.18	10.3	2.0	1.7	15.0	23	<0.1	0.7	0.2	71	0.45	0.016
1283208	Soil	1.6	17.8	9.8	38	<0.1	20.6	12.4	335	2.76	5.7	0.8	0.6	17.4	19	<0.1	0.4	0.2	59	0.39	0.047
1284008	Soil	0.9	15.3	11.1	147	0.2	49.0	18.4	1092	3.29	5.5	1.0	1.2	2.5	29	0.3	0.5	0.4	86	0.49	0.089
1284011	Soil	1.0	42.8	11.5	51	0.1	23.4	11.2	561	2.53	7.6	1.5	2.4	3.0	29	0.4	1.0	0.2	60	1.69	0.052
1283205	Soil	0.8	21.3	9.0	36	<0.1	24.4	11.9	359	2.63	4.4	2.0	1.3	9.8	54	0.1	0.4	0.1	62	1.31	0.039
1284846	Soil	1.6	26.4	14.9	96	0.2	37.0	15.7	527	3.48	57.5	0.7	2.3	4.0	15	0.3	2.2	0.1	75	0.29	0.069
1284009	Soil	0.7	11.1	8.1	62	0.1	12.9	9.7	486	2.79	5.5	2.6	2.1	3.5	32	0.1	0.8	0.1	59	0.49	0.091
1284014	Soil	0.6	23.6	11.1	64	0.2	17.3	11.8	274	2.63	4.9	2.9	1.8	4.4	33	0.2	0.9	0.1	61	0.51	0.089
1284002	Soil	0.7	44.1	8.2	54	0.1	23.5	11.3	604	2.32	5.6	1.1	2.3	2.0	39	0.3	0.8	0.1	56	2.09	0.052
1284845	Soil	1.8	26.2	24.0	127	0.2	39.9	23.6	873	4.41	72.0	1.1	5.4	6.9	18	0.6	2.3	0.2	99	0.31	0.069
1284004	Soil	1.1	55.1	10.2	63	0.2	27.2	14.2	608	2.93	6.2	2.3	1.3	3.2	41	0.2	0.5	0.1	72	1.00	0.053
1284099	Soil	1.0	43.6	7.6	63	0.2	26.1	15.5	741	2.86	5.5	1.1	1.1	2.1	47	0.1	0.3	0.1	74	1.13	0.055
1283201	Rock Pulp	1.4	455.7	20.3	155	0.2	220.2	78.5	811	15.50	3.0	1.1	29.6	6.9	13	0.1	0.3	0.1	222	0.30	0.041
1284007	Soil	0.5	95.6	2.2	70	<0.1	30.5	20.7	646	4.60	1.8	0.4	1.6	1.5	38	<0.1	0.5	<0.1	133	0.90	0.083
1284005	Soil	0.7	41.8	6.1	79	<0.1	19.8	14.0	576	3.52	5.7	0.7	1.2	3.1	31	<0.1	0.7	<0.1	86	0.79	0.088
1284010	Soil	1.7	29.2	9.7	58	0.1	21.0	13.4	548	2.70	5.9	2.1	3.1	3.5	51	<0.1	0.4	0.1	73	0.81	0.057
1284100	Soil	1.0	43.1	8.1	57	0.1	24.2	12.6	372	2.80	6.7	1.9	2.2	2.4	43	0.2	1.1	0.1	70	1.13	0.056
1284013	Soil	1.1	33.0	3.3	72	<0.1	10.2	14.2	676	4.13	4.2	0.7	<0.5	2.8	18	<0.1	0.2	<0.1	56	0.53	0.166
1269172	Soil	0.9	22.4	13.8	53	<0.1	33.2	14.2	507	3.39	26.2	1.7	1.7	34.5	16	<0.1	0.4	0.2	68	0.22	0.016
1269168	Soil	0.1	200.3	1.1	28	<0.1	22.2	24.4	475	5.15	2.2	0.2	<0.5	0.6	15	<0.1	<0.1	0.1	141	0.63	0.076
1284012	Soil	1.2	40.0	8.6	60	0.1	20.1	14.4	611	3.30	6.8	0.7	1.7	2.8	31	<0.1	0.6	0.1	89	0.80	0.066
1284003	Soil	0.6	41.6	7.2	59	0.1	22.4	11.3	458	2.43	4.8	0.6	2.6	1.6	36	0.2	0.7	0.1	62	1.55	0.059

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 19, 2012

CERTIFICATE OF ANALYSIS WHI12000232.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1284850	Soil	23	35	0.46	197	0.054	<1	1.62	0.007	0.11	0.1	0.02	4.1	0.2	<0.05	5	<0.5	<0.2
1283206	Soil	36	47	0.74	307	0.078	2	1.59	0.013	0.17	0.1	0.02	5.9	0.2	<0.05	5	<0.5	<0.2
1284829	Soil	39	37	0.68	328	0.062	2	1.54	0.018	0.16	0.2	0.05	6.5	0.1	<0.05	5	<0.5	<0.2
1284828	Soil	33	44	0.61	362	0.049	2	1.41	0.016	0.10	0.1	0.05	7.4	<0.1	<0.05	4	<0.5	<0.2
1283203	Soil	63	53	2.21	1008	0.149	2	2.62	0.007	0.92	0.1	0.02	16.0	0.4	<0.05	8	<0.5	<0.2
1283209	Soil	36	34	0.72	462	0.066	1	1.54	0.019	0.11	0.1	0.04	6.6	0.1	<0.05	5	<0.5	<0.2
1284827	Soil	50	38	0.69	316	0.053	2	1.70	0.012	0.11	0.1	0.03	5.6	0.1	<0.05	6	<0.5	<0.2
1283204	Soil	52	89	1.54	556	0.132	2	2.13	0.012	0.52	0.1	0.02	8.8	0.3	<0.05	7	<0.5	<0.2
1283211	Soil	72	55	0.65	343	0.085	2	1.79	0.015	0.12	0.2	0.04	7.3	0.1	<0.05	6	<0.5	<0.2
1283208	Soil	21	47	0.83	195	0.089	1	1.31	0.011	0.29	0.1	0.02	4.3	0.2	<0.05	5	<0.5	<0.2
1284008	Soil	16	114	0.93	259	0.036	1	1.70	0.009	0.05	0.1	0.06	4.9	0.2	<0.05	8	<0.5	<0.2
1284011	Soil	12	39	0.56	384	0.051	2	1.35	0.021	0.05	0.1	0.10	4.8	0.2	<0.05	5	<0.5	<0.2
1283205	Soil	40	52	0.75	350	0.090	1	1.47	0.015	0.19	0.1	0.05	5.7	0.2	<0.05	5	<0.5	<0.2
1284846	Soil	9	55	0.83	185	0.082	2	1.43	0.008	0.22	0.1	0.02	3.6	0.3	<0.05	5	<0.5	<0.2
1284009	Soil	34	25	0.44	464	0.021	<1	1.49	0.008	0.04	0.1	0.05	5.3	0.1	<0.05	6	<0.5	<0.2
1284014	Soil	47	29	0.52	380	0.013	<1	1.73	0.010	0.04	0.1	0.18	6.1	0.1	<0.05	7	<0.5	<0.2
1284002	Soil	12	33	0.56	430	0.055	3	1.35	0.023	0.04	0.1	0.09	4.9	0.1	0.08	4	<0.5	<0.2
1284845	Soil	15	68	0.88	198	0.104	1	1.91	0.013	0.20	0.2	0.04	5.4	0.4	<0.05	7	<0.5	<0.2
1284004	Soil	22	41	0.81	308	0.071	2	2.09	0.022	0.07	<0.1	0.07	6.2	0.1	<0.05	6	<0.5	<0.2
1284099	Soil	12	36	0.76	557	0.070	2	1.76	0.027	0.05	0.1	0.11	5.2	0.3	<0.05	6	<0.5	<0.2
1283201	Rock Pulp	17	738	0.13	141	0.156	4	3.93	0.012	0.06	<0.1	0.04	38.8	0.1	<0.05	20	<0.5	<0.2
1284007	Soil	6	43	1.28	308	0.097	<1	2.29	0.038	0.20	<0.1	0.03	9.4	<0.1	<0.05	8	<0.5	<0.2
1284005	Soil	12	35	0.86	257	0.096	1	1.83	0.027	0.07	0.1	0.06	5.8	0.1	<0.05	7	<0.5	<0.2
1284010	Soil	13	36	0.72	283	0.074	2	1.76	0.020	0.07	0.1	0.10	5.7	0.2	0.05	6	<0.5	<0.2
1284100	Soil	13	35	0.69	559	0.069	2	1.65	0.023	0.05	0.1	0.07	5.2	0.1	<0.05	6	<0.5	<0.2
1284013	Soil	17	12	1.04	259	0.243	<1	2.42	0.025	0.45	<0.1	<0.01	2.7	0.2	<0.05	8	<0.5	<0.2
1269172	Soil	111	76	1.15	155	0.084	1	2.07	0.013	0.14	0.5	0.03	8.1	0.3	<0.05	6	<0.5	<0.2
1269168	Soil	2	18	2.35	294	0.243	<1	3.07	0.013	1.03	0.2	<0.01	4.9	0.5	<0.05	6	<0.5	<0.2
1284012	Soil	12	35	0.81	225	0.066	1	1.89	0.025	0.06	0.1	0.03	5.4	<0.1	<0.05	7	<0.5	<0.2
1284003	Soil	11	37	0.73	230	0.055	2	1.43	0.026	0.04	0.1	0.09	4.6	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 19, 2012

CERTIFICATE OF ANALYSIS WHI12000232.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1269169	Soil	0.8	13.4	5.8	38	<0.1	36.1	12.9	1014	3.47	8.2	0.7	2.9	12.2	16	<0.1	0.3	1.0	57	0.37	0.030
1269173	Soil	1.0	17.7	9.9	48	<0.1	27.4	11.2	338	3.17	10.5	0.6	3.0	7.9	15	<0.1	0.5	0.2	71	0.19	0.023
1284001	Rock Pulp	1.4	399.9	20.0	154	0.2	188.7	69.4	774	14.62	2.8	1.1	34.4	6.6	14	0.1	0.4	0.2	198	0.28	0.042
1284006	Soil	1.3	67.8	5.9	58	0.1	16.4	13.5	344	3.29	26.0	0.4	4.1	1.9	22	0.1	0.6	0.1	92	0.32	0.038
1269175	Soil	0.9	13.8	10.7	41	0.1	21.0	9.0	347	2.62	7.4	0.7	1.9	7.5	23	<0.1	0.4	0.1	59	0.40	0.022
1269166	Soil	2.7	41.5	9.2	64	0.3	45.3	15.0	471	3.80	58.8	1.4	11.0	7.0	16	<0.1	0.6	0.5	106	0.25	0.055
1269167	Soil	0.4	26.8	5.8	39	<0.1	29.2	19.1	396	3.18	15.3	0.6	2.1	3.3	18	<0.1	0.2	0.3	69	0.49	0.033
1269171	Soil	1.3	9.0	14.3	64	<0.1	61.4	13.4	587	3.54	61.1	1.9	1.0	23.2	13	<0.1	0.4	0.3	59	0.10	0.031
1269177	Soil	0.9	18.4	12.2	43	<0.1	23.3	10.1	380	2.66	7.7	1.0	<0.5	12.0	24	0.1	0.5	0.2	60	0.42	0.028
1269174	Soil	1.0	20.6	9.4	54	<0.1	32.7	11.2	406	3.11	11.4	0.7	3.3	8.5	20	0.1	0.5	0.2	68	0.27	0.024
1269176	Soil	1.2	19.7	11.4	53	<0.1	26.8	10.9	364	2.99	9.6	1.3	5.2	14.0	28	<0.1	0.5	0.2	65	0.47	0.050
1269170	Soil	3.1	23.2	17.6	43	<0.1	57.7	15.7	726	3.45	14.7	3.9	1.2	10.3	7	<0.1	0.4	0.2	38	0.07	0.018
1269183	Soil	0.6	26.9	7.2	58	<0.1	30.6	17.3	316	4.02	6.5	1.4	4.3	5.0	41	<0.1	0.3	0.1	68	1.03	0.071
1269162	Soil	1.5	73.8	25.5	124	0.4	92.7	36.2	5802	6.89	12.4	4.4	5.6	14.3	115	0.6	1.0	0.5	105	2.86	0.173
1269163	Soil	0.5	9.1	5.7	30	<0.1	14.3	7.2	227	1.76	3.6	0.5	<0.5	4.2	13	<0.1	0.2	<0.1	38	0.32	0.034
1269160	Soil	1.3	11.0	11.0	44	<0.1	16.7	6.7	172	2.64	7.8	0.5	1.0	7.4	14	<0.1	0.5	0.1	62	0.17	0.014
1269184	Soil	0.7	57.5	13.0	64	<0.1	11.6	19.8	465	4.80	40.9	0.3	<0.5	1.8	10	<0.1	0.3	<0.1	107	0.33	0.025
1269161	Soil	0.5	31.9	10.1	53	<0.1	32.3	14.9	348	3.05	7.0	1.1	4.1	3.3	55	0.1	0.3	0.1	58	1.53	0.072
1269164	Soil	0.8	34.5	15.0	73	<0.1	60.4	18.0	581	4.25	29.8	1.1	0.7	13.0	15	<0.1	0.1	0.3	65	0.42	0.080
1269157	Soil	0.8	26.3	9.4	48	0.1	272.9	27.9	725	3.46	8.7	1.5	2.0	4.1	55	0.1	0.4	<0.1	63	1.05	0.061
1269178	Soil	1.2	17.9	15.3	47	0.2	25.1	11.1	475	2.73	8.0	1.1	31.7	8.6	27	<0.1	0.4	0.2	64	0.45	0.020
1269158	Soil	0.9	16.4	9.6	58	<0.1	26.2	11.8	427	2.87	9.2	0.9	1.4	5.1	37	<0.1	0.4	0.2	61	0.76	0.034
1269155	Soil	1.7	41.7	10.1	75	0.2	53.0	25.0	1294	4.41	627.8	1.1	1.8	5.8	40	0.2	3.5	<0.1	74	0.91	0.069
1269165	Soil	0.9	21.6	1.6	47	<0.1	46.0	42.2	427	3.46	4.2	0.2	0.7	2.5	15	<0.1	<0.1	<0.1	81	0.60	0.016
1269182	Soil	1.2	8.1	10.2	32	<0.1	11.2	5.1	233	1.87	5.9	0.8	1.9	11.4	13	0.1	0.3	0.1	38	0.13	0.018
1269156	Soil	0.8	36.4	6.4	59	0.1	32.4	20.1	422	3.92	31.0	1.4	0.7	4.6	38	<0.1	0.2	<0.1	79	0.81	0.098
1269159	Soil	0.7	25.2	13.0	57	<0.1	32.6	16.8	546	3.29	8.5	1.5	7.7	4.5	39	<0.1	0.3	0.1	60	0.93	0.065
1269154	Soil	1.2	29.4	10.7	48	0.2	38.5	18.5	1852	3.21	66.1	1.5	1.1	2.8	40	0.1	0.5	0.1	64	0.86	0.081
1284082	Soil	0.6	20.5	9.0	53	<0.1	14.7	13.0	411	3.34	10.0	1.9	7.4	9.7	32	<0.1	1.9	<0.1	86	0.49	0.055
1284089	Soil	0.7	57.1	8.8	89	0.2	20.3	11.2	660	3.63	24.7	0.7	16.6	5.4	29	<0.1	6.4	0.2	80	1.00	0.103

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 19, 2012

CERTIFICATE OF ANALYSIS WHI12000232.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1269169	Soil	10	71	0.76	127	0.101	2	1.73	0.024	0.23	0.1	0.02	4.9	0.2	<0.05	6	<0.5	<0.2
1269173	Soil	9	49	0.81	133	0.093	<1	2.18	0.009	0.12	0.2	0.01	3.3	0.2	<0.05	6	<0.5	<0.2
1284001	Rock Pulp	16	626	0.13	139	0.145	4	3.72	0.013	0.06	<0.1	0.03	37.6	0.1	<0.05	19	<0.5	<0.2
1284006	Soil	8	29	0.79	114	0.092	1	2.04	0.019	0.05	0.1	0.03	4.7	0.2	<0.05	8	<0.5	<0.2
1269175	Soil	12	38	0.63	184	0.083	<1	1.58	0.013	0.08	0.1	0.02	3.6	0.1	<0.05	5	<0.5	<0.2
1269166	Soil	14	48	0.74	201	0.063	1	2.14	0.010	0.06	0.2	0.12	5.6	0.5	<0.05	6	<0.5	<0.2
1269167	Soil	9	52	1.41	190	0.081	1	2.16	0.016	0.13	0.2	0.04	5.9	0.3	<0.05	5	<0.5	<0.2
1269171	Soil	19	110	1.11	123	0.056	2	2.21	0.008	0.40	2.5	0.04	6.6	0.6	<0.05	8	<0.5	<0.2
1269177	Soil	23	41	0.61	225	0.091	2	1.52	0.017	0.08	0.2	0.02	5.2	0.2	<0.05	5	<0.5	<0.2
1269174	Soil	11	51	0.79	210	0.099	2	2.07	0.010	0.15	0.1	0.02	4.0	0.1	<0.05	6	<0.5	<0.2
1269176	Soil	22	50	0.79	210	0.096	2	1.70	0.020	0.11	0.2	0.02	5.0	0.2	<0.05	5	<0.5	<0.2
1269170	Soil	22	42	0.11	408	0.004	<1	0.70	0.002	0.10	<0.1	0.01	4.8	0.3	<0.05	2	0.7	<0.2
1269183	Soil	32	45	1.10	298	0.115	2	2.06	0.017	0.31	0.1	0.04	4.9	0.3	<0.05	6	<0.5	<0.2
1269162	Soil	132	114	1.98	854	0.116	3	4.05	0.027	0.18	0.2	0.15	11.5	0.6	<0.05	13	1.0	<0.2
1269163	Soil	12	24	0.51	181	0.070	1	0.97	0.007	0.11	<0.1	0.01	2.9	0.1	<0.05	3	<0.5	<0.2
1269160	Soil	8	31	0.41	261	0.053	<1	1.70	0.008	0.08	0.1	<0.01	2.7	0.1	<0.05	6	<0.5	<0.2
1269184	Soil	4	22	1.41	82	0.062	1	2.84	0.015	0.19	0.1	<0.01	8.0	0.3	<0.05	6	<0.5	<0.2
1269161	Soil	17	46	0.87	215	0.071	3	1.63	0.016	0.11	0.1	0.08	5.2	0.2	<0.05	5	0.6	<0.2
1269164	Soil	17	96	1.80	211	0.154	2	2.68	0.007	0.90	<0.1	<0.01	6.0	0.9	<0.05	9	<0.5	<0.2
1269157	Soil	37	298	1.96	262	0.055	4	2.31	0.016	0.08	0.1	0.06	7.3	0.2	<0.05	6	<0.5	<0.2
1269178	Soil	24	45	0.62	255	0.086	<1	1.69	0.024	0.07	0.1	0.02	4.5	0.1	<0.05	5	<0.5	<0.2
1269158	Soil	15	41	0.72	195	0.082	1	1.62	0.012	0.09	0.2	0.02	4.0	0.1	<0.05	6	<0.5	<0.2
1269155	Soil	20	69	1.26	209	0.066	2	2.04	0.010	0.10	0.1	1.61	7.5	0.5	<0.05	7	<0.5	<0.2
1269165	Soil	11	57	3.22	167	0.123	2	3.20	0.009	0.60	<0.1	<0.01	2.6	0.5	<0.05	5	<0.5	<0.2
1269182	Soil	9	19	0.23	306	0.023	<1	1.08	0.005	0.04	0.1	0.03	1.7	0.1	<0.05	4	<0.5	<0.2
1269156	Soil	21	51	1.46	194	0.100	2	2.15	0.011	0.10	0.2	0.12	6.2	0.2	<0.05	7	<0.5	<0.2
1269159	Soil	20	50	0.98	309	0.098	2	1.89	0.016	0.12	0.1	0.09	5.1	0.4	<0.05	6	0.5	<0.2
1269154	Soil	24	65	0.64	314	0.029	2	1.72	0.014	0.06	0.1	0.11	7.0	0.4	<0.05	6	<0.5	<0.2
1284082	Soil	21	28	0.81	324	0.068	<1	2.17	0.018	0.06	0.1	0.03	9.3	0.2	<0.05	6	<0.5	<0.2
1284089	Soil	28	26	1.03	303	0.099	2	1.69	0.020	0.18	0.1	0.09	7.6	0.3	<0.05	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 19, 2012

CERTIFICATE OF ANALYSIS WHI12000232.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1284091	Soil		1.4	72.8	5.5	124	0.1	17.3	13.7	833	6.55	10.5	0.9	1.4	3.7	29	0.2	2.3	0.3	145	0.56	0.082
1269180	Soil		1.4	22.2	11.5	48	0.1	25.2	9.5	453	2.58	8.0	2.2	9.1	13.8	30	<0.1	0.6	0.2	55	0.55	0.054
1284949	Soil		0.8	27.6	12.4	66	<0.1	14.9	15.7	712	5.12	5.1	1.1	0.8	11.8	36	<0.1	0.5	<0.1	123	0.47	0.073
1284079	Soil		1.9	14.1	8.4	61	<0.1	9.9	8.2	414	3.17	107.7	1.8	5.7	8.0	24	<0.1	10.7	<0.1	76	0.38	0.075
1284080	Soil		1.2	14.1	9.7	67	<0.1	13.6	9.2	509	2.97	25.3	2.6	2.8	11.5	29	0.1	2.0	<0.1	59	0.53	0.069
1269181	Soil		2.9	12.5	9.4	22	<0.1	21.2	6.5	326	1.60	6.3	1.1	3.7	14.5	20	<0.1	0.4	0.3	22	0.10	0.014
1284093	Soil		1.3	46.3	14.5	81	0.2	15.9	9.3	635	3.61	51.1	1.1	3.7	8.6	20	0.2	17.3	0.3	61	0.37	0.042
1284090	Soil		0.5	32.0	8.4	119	0.1	42.3	17.0	959	5.00	36.6	0.7	25.5	7.9	20	0.1	9.9	0.2	108	0.64	0.129
1284097	Soil		1.2	65.7	15.4	77	0.1	12.7	12.7	620	4.56	9.0	4.8	1.6	15.0	23	<0.1	6.4	0.2	85	0.50	0.104
1269179	Soil		1.1	21.8	8.8	48	<0.1	28.8	12.1	382	2.89	7.4	1.4	21.2	21.9	21	<0.1	0.5	0.2	64	0.44	0.035
1284087	Soil		0.6	17.9	8.3	114	<0.1	11.4	10.3	783	4.73	207.0	1.7	46.2	9.5	23	<0.1	3.5	0.2	82	0.52	0.129
1284098	Soil		1.4	14.7	8.4	93	<0.1	11.3	13.2	751	4.91	5.5	1.3	1.0	12.5	24	<0.1	2.2	<0.1	87	0.55	0.115
1284077	Soil		1.8	11.5	9.9	65	0.1	12.2	16.1	1068	3.21	33.5	1.8	4.5	4.6	21	0.1	4.0	0.2	77	0.34	0.064
1269185	Soil		0.4	5.4	6.8	12	<0.1	9.9	2.6	632	1.27	4.8	2.6	1.4	11.6	6	<0.1	0.1	<0.1	8	0.16	0.006
1284950	Soil		2.4	18.3	11.9	87	<0.1	14.8	11.5	614	4.47	10.2	1.6	0.6	7.4	38	<0.1	1.0	0.1	98	0.57	0.089
1284948	Soil		0.4	138.5	2.1	80	0.2	35.7	29.7	817	5.30	1.7	0.3	0.9	1.2	45	0.1	0.7	0.1	168	1.94	0.100
1284947	Soil		0.3	9.9	8.2	99	<0.1	27.9	11.5	879	3.66	5.2	0.7	2.6	6.7	22	<0.1	1.7	0.1	70	0.65	0.127
1284088	Soil		1.4	59.3	6.8	90	<0.1	22.5	13.6	657	4.59	22.1	1.3	5.3	5.4	30	0.1	3.2	0.4	121	0.56	0.087
1284078	Soil		2.1	14.4	11.4	70	0.1	13.0	13.2	837	3.52	95.4	2.8	3.8	6.6	23	0.2	2.6	0.1	79	0.38	0.068
1284095	Soil		1.0	17.8	8.9	75	0.2	13.1	10.4	525	3.21	51.8	1.9	9.7	8.0	31	<0.1	4.6	0.2	68	0.64	0.077
1284083	Soil		0.9	31.0	10.1	69	0.1	11.7	12.9	634	3.76	11.4	2.7	1.3	11.6	30	0.1	3.9	0.1	81	0.59	0.085
1284096	Soil		1.6	20.5	10.0	72	0.3	14.6	12.4	637	3.54	66.1	1.6	14.1	9.6	32	<0.1	3.6	2.0	78	0.63	0.075
1284092	Soil		2.6	39.3	6.1	135	<0.1	11.9	13.3	871	5.58	8.2	0.9	2.6	8.2	21	0.1	4.2	0.4	100	0.65	0.192
1284081	Soil		1.2	22.9	10.8	78	<0.1	16.2	10.3	517	3.39	16.4	2.0	7.0	12.8	23	0.3	1.7	0.2	70	0.39	0.067
1284085	Soil		1.6	12.6	7.8	60	0.1	12.9	11.0	545	2.72	18.1	2.6	3.3	5.7	51	0.1	1.3	0.2	64	0.90	0.063
1284086	Soil		0.9	15.7	9.6	102	<0.1	12.8	12.0	764	4.70	25.5	0.9	3.3	6.4	32	<0.1	6.0	0.2	92	0.58	0.106
1269374	Soil		1.6	25.0	15.0	59	<0.1	34.6	14.4	415	3.54	11.0	1.1	2.9	14.2	18	<0.1	0.5	0.2	83	0.22	0.017
1269373	Soil		2.2	23.4	14.1	51	<0.1	27.6	11.2	476	3.22	12.1	1.0	55.2	10.5	21	<0.1	0.7	0.2	77	0.30	0.018
1284084	Soil		0.6	18.7	8.1	61	<0.1	10.8	12.4	499	3.59	102.6	1.6	29.2	7.7	35	<0.1	3.8	0.2	96	0.71	0.071
1284094	Soil		1.7	15.3	8.0	55	0.1	13.2	17.6	1556	2.94	19.3	2.8	3.1	5.3	50	0.2	1.8	0.1	76	0.80	0.069

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 19, 2012

CERTIFICATE OF ANALYSIS WHI12000232.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1284091	Soil	17	40	1.51	432	0.183	<1	2.79	0.047	0.65	0.2	0.06	12.3	0.5	<0.05	11	<0.5	<0.2
1269180	Soil	37	43	0.63	296	0.092	2	1.47	0.022	0.10	0.2	0.04	6.1	0.2	<0.05	5	<0.5	<0.2
1284949	Soil	22	24	1.53	525	0.178	1	3.28	0.028	0.53	<0.1	0.02	15.5	0.5	<0.05	11	<0.5	<0.2
1284079	Soil	22	19	0.64	175	0.130	<1	1.61	0.015	0.12	0.2	0.03	5.5	0.3	<0.05	7	<0.5	<0.2
1284080	Soil	36	24	0.57	321	0.102	<1	1.74	0.013	0.12	0.2	0.03	5.4	0.3	<0.05	6	<0.5	<0.2
1269181	Soil	9	20	0.12	83	0.008	1	0.54	0.002	0.07	<0.1	0.03	1.5	<0.1	<0.05	2	<0.5	<0.2
1284093	Soil	17	24	0.39	331	0.048	1	1.53	0.007	0.14	0.3	0.03	5.7	0.2	<0.05	6	<0.5	<0.2
1284090	Soil	33	73	1.31	305	0.092	<1	2.06	0.011	0.44	0.2	0.10	11.6	0.5	<0.05	11	<0.5	<0.2
1284097	Soil	45	23	0.63	332	0.070	<1	1.90	0.010	0.13	0.1	0.03	10.0	0.3	<0.05	7	0.5	<0.2
1269179	Soil	26	65	0.97	206	0.100	<1	1.67	0.012	0.16	0.2	0.01	4.8	0.2	<0.05	5	<0.5	<0.2
1284087	Soil	43	15	0.71	306	0.077	<1	1.67	0.011	0.15	0.2	0.05	10.2	0.2	<0.05	9	<0.5	<0.2
1284098	Soil	26	19	1.00	577	0.133	<1	2.49	0.012	0.30	0.1	0.02	8.5	0.5	<0.05	10	<0.5	<0.2
1284077	Soil	15	25	0.56	225	0.098	<1	1.51	0.013	0.07	0.2	0.04	4.1	0.2	<0.05	7	<0.5	<0.2
1269185	Soil	28	6	0.06	430	0.002	<1	0.41	0.004	0.09	<0.1	0.02	2.8	<0.1	<0.05	1	<0.5	<0.2
1284950	Soil	23	24	1.07	402	0.137	<1	2.13	0.012	0.35	0.2	0.01	8.0	0.3	<0.05	10	<0.5	<0.2
1284948	Soil	8	36	1.60	374	0.164	<1	2.59	0.075	0.37	<0.1	0.02	12.9	0.4	<0.05	10	<0.5	<0.2
1284947	Soil	27	45	0.81	318	0.043	<1	1.59	0.008	0.16	0.2	0.04	7.6	0.2	<0.05	9	<0.5	<0.2
1284088	Soil	27	34	1.27	369	0.169	<1	2.26	0.031	0.31	0.3	0.02	12.1	0.7	<0.05	10	<0.5	<0.2
1284078	Soil	21	25	0.57	269	0.106	<1	1.61	0.013	0.07	0.2	0.05	4.7	0.2	<0.05	7	<0.5	<0.2
1284095	Soil	23	25	0.66	213	0.087	<1	1.59	0.017	0.09	0.5	0.03	5.6	0.2	<0.05	6	<0.5	<0.2
1284083	Soil	39	22	0.78	449	0.156	<1	2.10	0.015	0.22	0.2	0.05	6.8	0.5	<0.05	9	<0.5	<0.2
1284096	Soil	22	26	0.72	255	0.114	<1	1.82	0.015	0.20	0.2	0.03	6.6	0.3	<0.05	7	<0.5	<0.2
1284092	Soil	36	17	1.02	279	0.123	<1	2.08	0.013	0.57	0.4	0.04	10.0	0.4	<0.05	13	<0.5	<0.2
1284081	Soil	34	29	0.69	331	0.125	<1	1.80	0.013	0.15	0.2	0.02	6.2	0.3	<0.05	7	<0.5	<0.2
1284085	Soil	18	23	0.63	248	0.098	<1	1.42	0.019	0.08	0.2	0.06	4.7	0.2	<0.05	6	0.7	<0.2
1284086	Soil	13	24	0.98	360	0.074	<1	2.23	0.009	0.25	0.2	0.02	7.2	0.2	<0.05	11	<0.5	<0.2
1269374	Soil	19	61	0.76	173	0.095	1	2.25	0.012	0.09	0.1	0.02	6.1	0.2	<0.05	6	<0.5	<0.2
1269373	Soil	13	48	0.72	211	0.081	<1	2.02	0.011	0.08	0.2	0.02	4.6	0.2	<0.05	6	<0.5	<0.2
1284084	Soil	19	21	0.94	311	0.151	<1	1.92	0.016	0.14	0.2	0.02	5.8	0.4	<0.05	7	<0.5	<0.2
1284094	Soil	18	27	0.63	273	0.088	<1	1.43	0.018	0.06	0.3	0.04	5.3	0.2	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 19, 2012

CERTIFICATE OF ANALYSIS WHI12000232.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1269378	Soil	2.1	29.2	8.0	29	<0.1	27.2	9.5	459	3.00	17.9	3.3	<0.5	7.2	5	<0.1	0.5	0.2	22	0.06	0.013
1269377	Soil	1.8	20.4	5.1	35	<0.1	31.1	18.5	1099	3.33	3.8	0.9	1.5	11.2	97	<0.1	0.3	<0.1	60	5.14	0.036
1269376	Soil	2.0	26.7	16.5	61	<0.1	34.0	13.3	449	3.77	10.6	1.5	4.8	28.9	15	<0.1	0.6	0.2	78	0.20	0.017
1269375	Soil	1.9	16.7	12.0	52	<0.1	26.2	12.5	386	3.46	9.5	1.2	1.5	12.2	16	<0.1	0.5	0.2	76	0.22	0.020
1269353	Soil	1.2	42.2	2.5	121	<0.1	71.0	29.6	858	6.48	2.8	0.4	<0.5	5.0	19	<0.1	<0.1	<0.1	83	0.45	0.093
1269354	Soil	1.1	52.0	3.8	114	<0.1	65.1	29.8	714	5.87	6.4	0.7	<0.5	5.4	22	<0.1	<0.1	<0.1	77	0.33	0.063
1269380	Soil	1.0	9.1	8.2	95	<0.1	9.9	10.2	633	3.29	4.2	0.4	<0.5	1.7	16	0.2	0.2	<0.1	57	0.29	0.039
1269379	Soil	1.7	10.9	9.2	39	0.1	9.2	4.9	324	2.49	4.7	0.6	<0.5	3.7	8	<0.1	0.4	0.2	49	0.11	0.020
1269356	Soil	0.6	44.5	7.0	81	<0.1	68.2	22.7	495	3.74	14.5	0.7	0.8	4.3	42	<0.1	0.2	<0.1	58	1.29	0.066
1269355	Soil	0.9	74.2	3.3	97	0.1	191.2	43.2	676	5.55	5.9	0.3	0.5	2.7	33	<0.1	<0.1	<0.1	88	1.00	0.126
1269360	Soil	0.6	19.4	5.2	68	<0.1	23.8	18.0	524	3.64	5.2	0.7	1.4	3.5	55	<0.1	0.2	<0.1	60	1.51	0.057
1269352	Soil	2.7	59.8	6.4	107	<0.1	72.8	33.0	824	6.31	50.5	0.9	<0.5	8.7	14	<0.1	0.2	<0.1	76	0.43	0.094
1269358	Soil	0.9	34.4	10.5	72	<0.1	72.3	21.7	538	3.92	13.5	0.9	0.8	5.0	39	<0.1	0.1	<0.1	58	0.93	0.042
1269357	Soil	0.8	34.3	7.8	71	<0.1	53.4	16.1	560	3.07	25.4	0.9	1.3	2.9	59	0.2	0.2	<0.1	43	1.72	0.048
1269359	Soil	0.5	26.1	3.9	110	<0.1	32.5	29.1	795	5.17	4.0	0.5	0.8	6.2	24	<0.1	<0.1	<0.1	65	0.71	0.137
1269350	Soil	1.0	25.2	6.5	75	<0.1	34.7	20.3	539	3.48	4.8	0.5	0.5	3.5	26	<0.1	0.1	<0.1	67	0.52	0.065
1269371	Soil	1.4	30.7	13.1	48	<0.1	25.8	13.8	460	2.78	8.4	0.9	4.9	10.5	20	<0.1	0.3	0.2	62	0.38	0.029
1269369	Soil	0.7	47.2	5.6	42	<0.1	26.4	16.2	392	3.27	6.0	0.5	0.6	2.6	20	<0.1	0.2	0.2	75	0.46	0.020
1269366	Soil	1.3	21.7	7.6	49	<0.1	30.4	12.7	457	3.51	13.7	1.1	<0.5	5.5	8	<0.1	0.2	1.3	64	0.14	0.072
1269348	Soil	0.6	21.2	9.4	76	<0.1	28.2	22.5	637	3.51	6.2	1.5	1.6	6.2	28	<0.1	0.1	0.1	69	0.49	0.077
1269372	Soil	1.2	26.3	11.9	45	<0.1	22.8	11.4	382	2.89	9.0	0.8	1.7	11.0	20	<0.1	0.3	0.2	64	0.42	0.022
1269370	Soil	0.8	33.5	9.7	56	<0.1	29.6	13.1	405	2.85	7.5	1.0	1.2	6.7	24	<0.1	0.2	0.3	51	0.47	0.042
1269368	Soil	0.8	90.3	5.1	74	<0.1	21.8	28.3	795	5.83	7.0	0.4	<0.5	3.3	16	<0.1	0.2	0.1	186	0.46	0.023
1269351	Rock Pulp	2.6	25.1	2.1	40	0.3	22.9	10.0	366	2.25	4.6	0.2	<0.5	0.8	35	0.1	0.2	<0.1	56	0.75	0.056
1269362	Soil	0.6	23.6	8.7	74	<0.1	44.1	15.0	1112	2.65	11.9	1.0	2.5	4.4	59	0.2	0.2	0.1	51	1.50	0.106
1269364	Soil	0.8	18.5	12.7	70	0.1	23.4	15.8	546	3.16	5.3	1.1	2.3	7.9	30	<0.1	0.2	0.2	62	0.67	0.071
1269361	Soil	2.2	26.1	3.0	39	0.1	26.4	126.5	7342	3.02	7.0	1.9	1.8	2.7	79	0.3	0.3	<0.1	29	2.20	0.096
1269349	Soil	0.4	38.7	5.7	70	<0.1	42.4	21.6	750	3.28	4.1	1.0	1.3	4.2	56	0.1	0.2	<0.1	63	1.33	0.084
1269303	Soil	1.6	25.8	13.3	55	<0.1	30.7	11.7	430	3.03	10.5	1.6	10.8	24.3	24	<0.1	0.5	0.3	60	0.36	0.027
1269365	Soil	0.7	29.1	13.8	67	0.1	35.0	14.0	589	2.97	7.0	1.0	0.5	8.6	37	0.1	0.2	0.2	46	0.91	0.051

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 19, 2012

CERTIFICATE OF ANALYSIS WHI12000232.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1269378	Soil	9	10	0.07	275	0.003	<1	0.64	0.002	0.10	<0.1	0.02	5.8	0.2	<0.05	2	<0.5	<0.2
1269377	Soil	16	33	0.49	536	0.002	<1	0.39	0.003	0.05	<0.1	0.04	9.3	<0.1	<0.05	1	<0.5	<0.2
1269376	Soil	23	63	0.74	137	0.080	<1	2.17	0.008	0.11	0.1	0.02	5.4	0.2	<0.05	6	<0.5	<0.2
1269375	Soil	10	59	0.72	162	0.059	<1	2.06	0.007	0.12	0.2	0.02	4.3	0.2	<0.05	7	<0.5	<0.2
1269353	Soil	14	124	2.47	202	0.253	<1	3.69	0.005	1.20	0.2	<0.01	4.0	0.6	0.10	10	<0.5	<0.2
1269354	Soil	11	85	1.90	272	0.225	<1	3.25	0.008	1.05	<0.1	<0.01	2.4	0.5	0.09	8	<0.5	<0.2
1269380	Soil	4	18	0.68	333	0.094	<1	1.72	0.008	0.36	0.1	<0.01	2.6	0.1	<0.05	7	<0.5	<0.2
1269379	Soil	7	24	0.17	226	0.021	<1	0.99	0.004	0.09	<0.1	0.01	3.6	0.1	<0.05	5	<0.5	<0.2
1269356	Soil	11	81	1.19	108	0.107	<1	1.69	0.009	0.27	0.1	0.03	4.6	0.4	<0.05	5	<0.5	<0.2
1269355	Soil	6	266	2.18	142	0.209	<1	2.69	0.010	1.15	<0.1	0.01	3.1	0.9	<0.05	8	<0.5	<0.2
1269360	Soil	15	48	1.35	305	0.134	<1	2.09	0.011	0.39	<0.1	0.03	3.4	0.3	<0.05	6	<0.5	<0.2
1269352	Soil	20	79	1.10	116	0.081	<1	2.13	0.005	0.37	<0.1	<0.01	6.9	0.5	<0.05	8	<0.5	<0.2
1269358	Soil	15	99	1.19	143	0.114	2	1.87	0.009	0.32	0.1	0.03	5.9	0.4	<0.05	6	<0.5	<0.2
1269357	Soil	16	59	0.81	160	0.056	3	1.34	0.010	0.18	0.3	0.04	5.1	0.2	<0.05	4	<0.5	<0.2
1269359	Soil	11	73	2.73	157	0.201	<1	3.06	0.007	1.26	<0.1	<0.01	1.3	0.8	<0.05	9	<0.5	<0.2
1269350	Soil	10	50	1.38	178	0.170	1	2.11	0.011	0.24	0.2	0.02	2.5	0.3	<0.05	7	<0.5	<0.2
1269371	Soil	15	42	0.77	170	0.082	<1	1.57	0.017	0.09	0.2	0.02	5.6	0.1	<0.05	5	<0.5	<0.2
1269369	Soil	8	37	1.50	134	0.119	<1	2.17	0.013	0.16	0.2	0.02	3.5	0.2	<0.05	5	<0.5	<0.2
1269366	Soil	12	51	1.28	93	0.120	1	2.01	0.008	0.52	0.1	0.01	4.2	0.5	<0.05	10	<0.5	<0.2
1269348	Soil	14	51	1.23	163	0.125	<1	1.95	0.011	0.15	0.1	0.03	3.4	0.2	<0.05	6	<0.5	<0.2
1269372	Soil	20	38	0.77	160	0.072	<1	1.77	0.014	0.06	0.2	0.03	4.6	0.1	<0.05	5	<0.5	<0.2
1269370	Soil	16	39	1.10	144	0.107	<1	1.78	0.012	0.22	0.2	0.03	3.4	0.3	<0.05	6	<0.5	<0.2
1269368	Soil	5	35	2.32	153	0.153	<1	3.40	0.016	0.63	0.1	0.02	8.5	0.6	<0.05	7	<0.5	<0.2
1269351	Rock Pulp	4	29	0.72	89	0.098	2	1.38	0.076	0.11	13.9	0.01	4.5	<0.1	<0.05	5	<0.5	<0.2
1269362	Soil	27	75	0.78	191	0.049	3	1.63	0.015	0.07	0.1	0.05	5.0	0.2	0.08	6	<0.5	<0.2
1269364	Soil	25	43	1.02	187	0.097	1	1.88	0.013	0.19	0.1	0.07	4.7	0.3	<0.05	6	<0.5	<0.2
1269361	Soil	88	27	0.52	719	0.037	3	1.03	0.009	0.15	<0.1	0.08	2.6	0.3	0.12	3	<0.5	<0.2
1269349	Soil	15	68	1.51	211	0.134	1	2.03	0.012	0.29	0.1	0.04	3.9	0.4	<0.05	5	<0.5	<0.2
1269303	Soil	45	53	0.77	187	0.089	<1	1.80	0.015	0.11	0.2	0.05	7.5	0.2	<0.05	6	<0.5	<0.2
1269365	Soil	32	43	1.11	136	0.117	1	1.83	0.013	0.36	0.1	0.04	4.3	0.5	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 19, 2012

CERTIFICATE OF ANALYSIS WHI12000232.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1269363	Soil	0.5	21.7	9.0	51	<0.1	30.9	17.2	226	3.48	6.1	2.1	2.0	11.1	41	0.1	0.5	0.1	69	0.99	0.100
1269367	Soil	1.0	153.8	6.0	34	<0.1	41.2	27.8	239	4.13	7.5	0.6	<0.5	3.6	14	<0.1	0.2	0.2	82	0.25	0.015
1268996	Soil	1.8	17.4	12.8	50	0.1	26.6	11.4	434	2.99	11.1	0.8	6.3	8.1	21	<0.1	0.3	0.2	72	0.28	0.021
1268998	Soil	1.2	23.2	13.5	46	<0.1	28.8	9.9	387	2.65	8.1	1.2	2.0	10.9	25	<0.1	0.4	0.1	61	0.45	0.046
1269000	Soil	1.1	21.6	11.1	45	<0.1	25.5	11.2	414	2.80	8.9	1.3	3.5	10.9	23	<0.1	0.3	0.2	65	0.42	0.023
1268994	Soil	2.0	16.5	14.7	51	0.2	24.0	9.9	411	3.25	11.7	0.7	1.4	5.1	20	0.1	0.4	0.2	78	0.26	0.033
1268995	Soil	1.4	16.9	12.7	48	<0.1	27.4	10.8	379	3.03	12.2	1.0	2.6	11.2	22	<0.1	0.4	0.2	69	0.30	0.024
1268999	Soil	1.4	15.0	13.4	47	<0.1	21.9	10.6	444	2.70	8.7	0.8	9.5	8.6	18	<0.1	0.3	0.2	62	0.31	0.031
1269302	Soil	1.7	19.8	14.6	48	0.1	26.0	11.3	523	2.77	9.4	1.3	8.1	14.7	24	0.2	0.4	0.2	60	0.44	0.032
1268991	Soil	1.2	28.3	10.3	51	<0.1	28.4	12.4	449	3.02	10.8	0.6	3.7	5.2	28	<0.1	0.2	0.1	63	0.55	0.059
1269304	Soil	1.8	22.3	17.3	52	<0.1	27.8	10.5	439	2.84	9.6	3.5	7.6	17.8	27	<0.1	0.4	0.2	60	0.53	0.036
1269305	Soil	2.2	23.2	23.9	43	<0.1	27.9	9.6	295	2.82	8.0	1.7	7.2	28.9	19	<0.1	0.5	0.2	54	0.25	0.018
1269307	Soil	1.7	21.4	11.0	43	0.1	22.3	10.3	398	2.49	10.0	5.4	6.1	14.1	33	0.1	0.2	0.4	53	0.73	0.046
1268992	Soil	1.5	37.2	13.3	55	0.1	33.4	11.8	391	3.01	11.7	1.9	5.4	23.2	21	<0.1	0.4	0.1	73	0.34	0.031
1268997	Soil	1.7	18.8	14.2	43	0.2	24.2	13.0	789	2.84	8.3	1.0	6.5	8.1	25	0.2	0.3	0.2	70	0.38	0.023
1269308	Soil	1.8	19.1	15.6	43	0.1	21.8	9.9	355	2.21	8.4	5.6	5.4	13.9	37	0.2	0.3	0.3	47	0.87	0.051
1269306	Soil	1.8	20.2	13.8	41	0.1	24.6	10.2	522	2.47	7.6	11.1	4.8	14.1	46	0.1	0.5	0.3	52	1.20	0.047
1268993	Soil	2.1	18.2	15.9	49	<0.1	23.1	9.6	349	3.10	11.2	1.1	2.3	12.1	18	<0.1	0.4	0.1	78	0.25	0.018
1268981	Soil	1.3	15.6	11.5	57	<0.1	67.9	15.6	358	3.76	9.8	0.9	3.2	5.9	29	<0.1	0.2	0.2	71	0.77	0.053
1269301	Rock Pulp	1.5	410.9	20.4	144	0.2	202.6	72.0	748	14.04	3.6	1.2	30.0	6.9	13	0.2	0.3	0.1	202	0.26	0.038
1268989	Soil	0.5	87.2	2.9	44	<0.1	34.9	16.7	235	3.45	3.4	<0.1	<0.5	0.2	13	<0.1	0.1	<0.1	130	0.43	0.020
1268979	Soil	1.0	19.1	6.4	49	<0.1	27.4	15.3	298	3.39	12.8	0.2	1.5	2.4	19	<0.1	0.2	<0.1	77	0.40	0.018
1269475	Soil	0.9	27.0	7.2	42	0.1	19.6	8.2	342	2.19	7.3	2.4	2.1	2.7	55	0.3	0.5	<0.1	51	1.09	0.050
1268985	Soil	0.8	17.8	6.1	57	<0.1	27.8	16.2	559	3.50	5.7	0.6	1.8	6.6	13	<0.1	0.3	<0.1	76	0.21	0.041
1268988	Soil	1.2	15.5	3.3	67	<0.1	38.1	44.6	2030	6.27	3.3	0.6	0.9	1.9	8	<0.1	<0.1	0.3	129	0.38	0.024
1268980	Soil	0.8	40.8	14.0	57	0.2	47.7	17.3	570	3.01	17.2	3.5	2.8	5.7	36	0.2	0.4	0.2	57	0.98	0.073
1269474	Soil	0.6	35.3	8.4	52	0.1	27.7	10.9	384	2.35	7.8	1.5	2.6	4.4	41	0.1	0.6	0.1	54	0.96	0.045
1268983	Soil	0.5	51.9	9.0	48	0.2	28.7	14.5	707	2.92	8.2	0.7	3.1	1.6	57	<0.1	0.3	<0.1	64	1.33	0.101
1268986	Soil	1.2	31.8	25.0	85	0.1	67.8	19.1	761	4.14	57.0	1.6	7.5	9.6	24	<0.1	1.5	0.2	73	0.44	0.056
1268990	Soil	0.6	46.2	5.3	80	<0.1	50.3	22.0	743	4.40	10.3	0.6	2.6	4.2	27	<0.1	0.1	<0.1	73	0.82	0.077

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 19, 2012

CERTIFICATE OF ANALYSIS WHI12000232.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1269363	Soil	58	56	0.84	253	0.064	1	1.78	0.010	0.22	0.1	0.12	7.3	0.4	<0.05	6	<0.5	<0.2
1269367	Soil	6	48	2.26	125	0.101	<1	3.00	0.009	0.59	0.2	<0.01	4.0	0.4	<0.05	6	<0.5	<0.2
1268996	Soil	12	49	0.66	187	0.083	<1	2.01	0.011	0.08	0.1	0.03	4.0	0.1	<0.05	7	<0.5	<0.2
1268998	Soil	26	52	0.71	212	0.097	<1	1.49	0.019	0.07	0.2	0.03	5.2	0.1	<0.05	5	<0.5	<0.2
1269000	Soil	27	46	0.68	252	0.087	<1	1.67	0.014	0.08	0.1	0.02	5.4	0.1	<0.05	6	<0.5	<0.2
1268994	Soil	10	46	0.64	200	0.076	1	2.03	0.010	0.08	0.2	0.02	3.6	0.1	<0.05	7	<0.5	<0.2
1268995	Soil	15	54	0.78	169	0.088	1	1.94	0.012	0.09	0.2	0.02	4.4	0.1	<0.05	6	<0.5	<0.2
1268999	Soil	16	47	0.73	161	0.090	<1	1.52	0.013	0.16	0.1	0.02	3.6	0.1	<0.05	6	<0.5	<0.2
1269302	Soil	26	49	0.70	231	0.087	<1	1.61	0.014	0.09	0.1	0.03	5.2	0.1	<0.05	5	<0.5	<0.2
1268991	Soil	15	41	0.82	174	0.102	1	1.74	0.018	0.07	0.2	0.02	4.7	0.1	<0.05	5	<0.5	<0.2
1269304	Soil	36	55	0.75	236	0.089	<1	1.71	0.018	0.10	0.2	0.04	5.6	0.1	<0.05	6	<0.5	<0.2
1269305	Soil	32	54	0.65	157	0.081	<1	1.70	0.012	0.12	0.2	0.04	5.9	0.2	<0.05	5	<0.5	<0.2
1269307	Soil	27	43	0.65	215	0.075	<1	1.44	0.017	0.10	0.2	0.04	4.7	0.1	<0.05	5	<0.5	<0.2
1268992	Soil	45	49	0.67	236	0.076	<1	2.12	0.015	0.06	0.2	0.04	5.9	0.1	<0.05	6	<0.5	<0.2
1268997	Soil	20	47	0.66	219	0.091	<1	1.60	0.013	0.11	0.2	0.02	4.0	0.1	<0.05	6	<0.5	<0.2
1269308	Soil	27	42	0.61	237	0.067	1	1.35	0.015	0.10	0.2	0.06	4.6	0.2	0.06	5	<0.5	<0.2
1269306	Soil	38	46	0.62	304	0.069	<1	1.50	0.015	0.10	0.2	0.06	5.1	0.2	0.07	5	<0.5	<0.2
1268993	Soil	17	45	0.59	203	0.059	<1	2.03	0.010	0.05	0.2	0.02	4.3	0.1	<0.05	7	<0.5	<0.2
1268981	Soil	16	141	1.33	147	0.121	2	2.03	0.009	0.10	<0.1	0.02	4.3	0.3	<0.05	8	<0.5	<0.2
1269301	Rock Pulp	16	667	0.13	132	0.151	3	3.58	0.012	0.06	<0.1	0.03	37.6	0.1	<0.05	19	0.5	<0.2
1268989	Soil	1	40	2.19	92	0.235	<1	2.34	0.010	0.74	0.2	<0.01	2.3	0.4	<0.05	6	<0.5	<0.2
1268979	Soil	5	57	1.19	86	0.163	1	1.94	0.009	0.05	0.2	<0.01	2.5	0.1	<0.05	7	<0.5	<0.2
1269475	Soil	10	28	0.51	258	0.069	2	1.25	0.026	0.05	0.3	0.05	4.2	<0.1	0.06	4	<0.5	<0.2
1268985	Soil	12	43	1.18	192	0.119	1	2.13	0.010	0.29	0.1	0.01	4.0	0.2	<0.05	7	<0.5	<0.2
1268988	Soil	7	54	3.73	225	0.103	<1	3.75	0.008	0.44	0.3	0.01	12.3	0.4	<0.05	7	<0.5	<0.2
1268980	Soil	38	58	0.71	302	0.057	2	1.82	0.014	0.07	0.2	0.19	6.4	0.3	<0.05	5	0.5	<0.2
1269474	Soil	14	34	0.59	280	0.074	2	1.44	0.026	0.06	0.2	0.05	5.3	<0.1	<0.05	5	<0.5	<0.2
1268983	Soil	14	33	0.69	257	0.054	1	1.60	0.020	0.06	0.1	0.10	4.2	0.1	<0.05	5	<0.5	<0.2
1268986	Soil	33	65	1.10	429	0.101	<1	1.91	0.013	0.26	0.1	0.06	6.3	0.3	<0.05	6	0.6	<0.2
1268990	Soil	10	68	1.58	153	0.183	<1	2.29	0.016	0.47	0.3	0.02	3.9	0.5	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 19, 2012

CERTIFICATE OF ANALYSIS WHI12000232.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1271476	Soil	0.5	22.8	6.4	42	0.1	19.9	8.9	413	2.04	6.5	2.5	3.3	2.5	60	0.3	0.5	<0.1	46	1.20	0.054
1268982	Soil	1.0	17.7	0.7	81	<0.1	8.3	25.4	616	4.96	0.8	0.3	<0.5	1.8	30	<0.1	<0.1	<0.1	57	0.87	0.167
1268984	Soil	1.4	25.8	13.0	50	<0.1	47.6	20.6	517	3.32	5.1	0.6	<0.5	5.5	24	<0.1	0.1	<0.1	69	0.57	0.097
1268987	Soil	0.7	36.6	9.1	61	<0.1	65.7	24.2	651	3.92	5.4	1.0	1.3	8.6	23	<0.1	0.2	0.6	68	0.41	0.049
1269471	Soil	1.2	20.6	7.9	45	<0.1	16.3	6.3	579	1.99	6.8	1.5	2.4	6.2	55	<0.1	0.5	0.1	46	1.10	0.050
1269469	Soil	1.2	27.1	11.9	83	0.3	34.1	15.3	1150	2.72	31.8	4.9	3.8	7.9	56	0.4	0.5	0.1	61	1.28	0.054
1271480	Soil	1.4	18.2	12.1	45	<0.1	24.9	13.7	716	3.37	7.9	0.8	10.2	6.1	21	0.1	0.5	0.1	58	0.39	0.037
1271478	Soil	0.7	28.7	7.1	53	0.1	24.6	10.2	412	2.39	8.3	1.1	3.9	3.5	43	0.2	0.4	0.1	53	0.86	0.070
1269472	Soil	1.0	22.9	7.6	42	<0.1	19.2	9.1	413	2.11	6.8	0.9	3.1	4.6	53	<0.1	0.5	<0.1	45	1.01	0.048
1269470	Soil	1.7	23.9	14.0	89	0.2	24.6	8.6	222	3.24	82.3	1.9	2.2	6.4	22	<0.1	1.5	0.1	70	0.46	0.062
1271482	Soil	0.9	68.6	8.2	66	<0.1	26.6	25.8	1056	4.90	7.8	1.0	9.2	4.0	15	<0.1	1.7	0.2	88	0.73	0.017
1271477	Soil	0.9	39.2	8.5	53	0.1	27.6	11.3	452	2.43	8.2	1.9	3.5	3.6	53	<0.1	0.6	0.1	57	1.08	0.056
1269473	Soil	0.8	32.0	6.7	43	<0.1	30.3	9.5	422	2.20	5.9	1.2	6.4	3.8	53	0.5	0.5	<0.1	47	1.12	0.044
1269467	Soil	3.4	67.2	15.0	180	0.7	86.1	20.1	1020	4.28	61.6	2.8	5.1	5.5	51	1.1	1.4	0.1	82	0.92	0.083
1271483	Soil	0.9	29.3	8.3	38	0.1	22.8	9.4	441	2.38	11.7	0.8	5.1	4.7	45	<0.1	1.4	0.1	44	2.46	0.019
1271479	Soil	0.8	16.6	7.6	40	<0.1	19.8	10.0	422	2.10	5.2	1.8	21.3	3.0	49	0.2	0.5	<0.1	39	1.38	0.057
1269466	Soil	3.0	60.7	15.3	165	0.5	63.5	21.3	980	4.68	56.9	3.2	10.7	9.5	36	0.8	1.4	0.1	98	0.69	0.079
1269465	Soil	0.9	12.6	13.8	56	0.1	20.8	13.1	476	3.80	17.4	2.4	4.2	19.1	25	<0.1	0.5	0.2	52	0.45	0.040
1269464	Soil	1.8	13.1	18.0	54	<0.1	25.0	13.8	552	3.76	11.7	3.1	1.2	27.1	18	<0.1	0.7	0.4	51	0.34	0.018
1271481	Soil	1.6	13.1	10.1	41	<0.1	14.3	11.4	804	3.63	12.3	1.0	2.3	3.9	13	<0.1	0.7	0.2	30	0.28	0.018

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 19, 2012

CERTIFICATE OF ANALYSIS WHI12000232.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1271476	Soil	11	27	0.51	265	0.065	2	1.28	0.028	0.06	0.2	0.04	4.2	<0.1	0.05	4	<0.5	<0.2
1268982	Soil	7	8	1.98	408	0.209	<1	2.71	0.011	1.03	0.1	<0.01	1.8	0.6	<0.05	5	<0.5	<0.2
1268984	Soil	9	77	1.43	169	0.081	<1	1.77	0.010	0.18	0.1	0.03	5.6	0.3	<0.05	5	<0.5	<0.2
1268987	Soil	24	86	1.57	262	0.092	<1	2.40	0.011	0.31	0.1	<0.01	7.5	0.4	<0.05	7	<0.5	<0.2
1269471	Soil	14	29	0.53	198	0.060	2	1.27	0.021	0.06	0.1	0.04	4.2	0.1	0.07	4	<0.5	<0.2
1269469	Soil	38	61	0.76	480	0.061	2	1.30	0.013	0.13	<0.1	0.08	7.1	0.4	0.07	5	0.8	<0.2
1271480	Soil	18	36	0.60	327	0.056	1	1.42	0.018	0.12	0.2	0.04	6.6	0.1	<0.05	5	<0.5	<0.2
1271478	Soil	12	29	0.60	267	0.073	1	1.35	0.031	0.09	0.2	0.04	4.4	<0.1	<0.05	4	0.6	<0.2
1269472	Soil	13	27	0.50	203	0.061	2	1.14	0.022	0.06	0.1	0.05	3.5	<0.1	<0.05	4	<0.5	<0.2
1269470	Soil	19	48	0.65	215	0.062	1	1.23	0.012	0.13	0.2	0.07	6.2	0.4	<0.05	5	<0.5	<0.2
1271482	Soil	11	40	1.64	257	0.069	1	2.12	0.005	0.29	0.1	0.05	14.7	0.3	<0.05	5	<0.5	<0.2
1271477	Soil	13	32	0.66	297	0.077	1	1.50	0.036	0.06	0.2	0.03	4.6	<0.1	<0.05	4	<0.5	<0.2
1269473	Soil	12	31	0.58	281	0.060	1	1.33	0.024	0.07	<0.1	0.03	4.2	<0.1	<0.05	4	0.6	<0.2
1269467	Soil	19	82	0.80	550	0.039	2	1.25	0.007	0.27	<0.1	0.18	12.0	1.2	0.08	5	1.4	<0.2
1271483	Soil	14	27	0.48	274	0.050	1	1.08	0.020	0.08	0.2	0.07	5.0	<0.1	<0.05	3	<0.5	<0.2
1271479	Soil	14	29	0.55	283	0.038	2	1.01	0.015	0.08	0.2	0.05	4.0	<0.1	0.07	3	<0.5	<0.2
1269466	Soil	26	72	1.05	521	0.069	<1	1.77	0.009	0.37	0.2	0.07	12.2	1.1	<0.05	7	0.8	<0.2
1269465	Soil	45	33	0.73	210	0.066	<1	1.57	0.009	0.40	0.2	0.02	8.3	0.4	<0.05	6	<0.5	<0.2
1269464	Soil	54	34	0.54	136	0.051	<1	1.39	0.011	0.28	0.2	0.02	7.6	0.3	<0.05	5	<0.5	<0.2
1271481	Soil	7	19	0.19	243	0.014	<1	0.85	0.005	0.12	<0.1	0.03	8.0	0.1	<0.05	2	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 19, 2012

QUALITY CONTROL REPORT WHI12000232.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
1269252	Soil	1.8	21.9	9.4	76	<0.1	39.0	17.3	641	3.92	7.4	2.6	1.4	15.4	36	<0.1	0.2	0.2	84	0.74	0.157
REP 1269252	QC	1.6	21.1	9.4	72	<0.1	38.1	17.0	618	3.81	6.9	2.6	4.0	15.2	36	<0.1	0.2	0.2	85	0.75	0.156
1269229	Soil	0.9	37.1	4.9	74	<0.1	26.9	26.5	512	4.45	6.0	0.5	0.9	3.6	22	0.1	0.2	<0.1	119	0.51	0.125
REP 1269229	QC	0.8	36.0	4.8	73	<0.1	25.5	26.2	513	4.40	5.5	0.5	0.8	3.7	22	<0.1	0.2	<0.1	119	0.51	0.126
1283409	Soil	1.3	28.9	10.3	61	<0.1	30.2	11.2	447	3.22	10.0	1.1	1.6	11.6	43	<0.1	0.5	<0.1	62	0.51	0.073
REP 1283409	QC	1.3	28.1	10.3	60	<0.1	29.9	11.6	440	3.23	9.7	1.1	2.3	11.3	42	<0.1	0.5	<0.1	63	0.50	0.077
1283412	Soil	0.9	23.4	10.1	51	0.1	22.0	12.3	397	2.74	8.8	1.4	2.6	4.3	33	0.1	0.6	0.1	60	0.55	0.061
REP 1283412	QC	0.9	24.3	10.1	52	<0.1	21.9	12.6	386	2.76	8.6	1.3	3.9	4.3	34	0.2	0.5	<0.1	59	0.56	0.062
1271629	Soil	1.6	50.3	6.4	81	<0.1	16.9	5.3	860	4.63	5.2	1.9	<0.5	10.4	9	<0.1	0.3	<0.1	28	0.12	0.019
REP 1271629	QC	1.7	50.5	6.3	83	<0.1	17.1	5.5	875	4.78	5.5	1.9	<0.5	10.8	11	<0.1	0.3	<0.1	30	0.12	0.021
1271614	Soil	1.0	35.1	9.8	63	<0.1	31.6	16.5	855	3.33	4.8	4.1	2.2	10.7	33	<0.1	0.3	0.2	74	0.84	0.055
REP 1271614	QC	1.0	34.8	9.5	64	<0.1	31.7	16.4	832	3.19	4.8	4.0	3.2	10.5	33	<0.1	0.3	0.2	71	0.85	0.053
1269477	Soil	0.2	55.9	3.8	26	<0.1	101.3	29.2	502	5.27	14.1	0.5	1.9	4.6	16	<0.1	<0.1	3.4	219	0.78	0.059
REP 1269477	QC	0.2	55.9	4.0	24	<0.1	99.2	28.2	470	5.05	14.3	0.6	2.5	4.6	16	<0.1	<0.1	3.8	204	0.76	0.062
1269199	Soil	1.5	62.6	7.4	52	<0.1	59.1	23.3	324	3.81	70.2	1.5	6.1	5.0	18	<0.1	0.5	0.7	103	0.61	0.087
REP 1269199	QC	1.4	63.4	7.1	51	<0.1	58.9	22.8	317	3.77	71.2	1.5	5.8	5.0	17	<0.1	0.5	0.7	101	0.57	0.085
1284002	Soil	0.7	44.1	8.2	54	0.1	23.5	11.3	604	2.32	5.6	1.1	2.3	2.0	39	0.3	0.8	0.1	56	2.09	0.052
REP 1284002	QC	0.7	42.4	8.0	53	0.1	22.1	11.1	590	2.27	5.3	1.1	3.6	2.0	37	0.2	0.7	0.1	54	2.04	0.051
1284004	Soil	1.1	55.1	10.2	63	0.2	27.2	14.2	608	2.93	6.2	2.3	1.3	3.2	41	0.2	0.5	0.1	72	1.00	0.053
REP 1284004	QC	1.0	54.5	10.5	63	0.2	27.4	14.6	630	2.97	6.1	2.4	2.1	3.2	41	0.2	0.5	0.1	74	1.03	0.055
1269155	Soil	1.7	41.7	10.1	75	0.2	53.0	25.0	1294	4.41	627.8	1.1	1.8	5.8	40	0.2	3.5	<0.1	74	0.91	0.069
REP 1269155	QC	1.7	41.0	9.8	74	0.2	51.4	24.5	1277	4.37	603.2	1.1	2.3	5.7	40	0.2	3.4	<0.1	73	0.90	0.069
1269182	Soil	1.2	8.1	10.2	32	<0.1	11.2	5.1	233	1.87	5.9	0.8	1.9	11.4	13	0.1	0.3	0.1	38	0.13	0.018
REP 1269182	QC	1.3	7.9	10.5	31	<0.1	10.7	5.0	238	1.87	5.9	0.8	<0.5	11.8	13	0.1	0.4	0.2	38	0.13	0.018
1284084	Soil	0.6	18.7	8.1	61	<0.1	10.8	12.4	499	3.59	102.6	1.6	29.2	7.7	35	<0.1	3.8	0.2	96	0.71	0.071
REP 1284084	QC	0.7	18.5	7.9	62	<0.1	10.9	12.1	487	3.50	99.2	1.5	32.3	7.7	34	0.1	3.7	0.2	93	0.70	0.069
1269378	Soil	2.1	29.2	8.0	29	<0.1	27.2	9.5	459	3.00	17.9	3.3	<0.5	7.2	5	<0.1	0.5	0.2	22	0.06	0.013
REP 1269378	QC	2.1	27.9	8.2	28	<0.1	26.4	9.1	455	2.86	17.7	3.3	<0.5	7.3	6	<0.1	0.5	0.2	22	0.06	0.014

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 19, 2012

QUALITY CONTROL REPORT WHI12000232.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
1269252	Soil	48	100	1.37	322	0.122	<1	2.17	0.019	0.43	<0.1	0.02	6.9	0.3	<0.05	7	<0.5	<0.2
REP 1269252	QC	46	99	1.39	317	0.119	<1	2.24	0.018	0.43	<0.1	0.02	6.7	0.4	<0.05	6	<0.5	<0.2
1269229	Soil	7	40	1.83	248	0.164	<1	2.51	0.008	0.59	0.1	0.01	3.0	0.4	<0.05	6	<0.5	<0.2
REP 1269229	QC	7	40	1.80	245	0.160	<1	2.48	0.011	0.57	0.1	0.01	3.0	0.4	<0.05	6	<0.5	<0.2
1283409	Soil	52	54	0.99	217	0.078	<1	1.66	0.028	0.12	0.1	0.02	7.2	0.1	<0.05	6	<0.5	<0.2
REP 1283409	QC	52	52	0.97	215	0.073	<1	1.57	0.025	0.11	0.1	0.02	6.9	<0.1	<0.05	6	<0.5	<0.2
1283412	Soil	15	36	0.64	296	0.068	<1	1.62	0.016	0.05	0.3	0.03	4.6	<0.1	<0.05	5	<0.5	<0.2
REP 1283412	QC	15	36	0.66	297	0.068	<1	1.69	0.017	0.05	0.2	0.04	4.7	<0.1	<0.05	5	<0.5	<0.2
1271629	Soil	16	21	0.62	140	0.126	<1	1.73	0.006	0.45	0.1	0.01	8.6	0.2	<0.05	8	<0.5	<0.2
REP 1271629	QC	17	22	0.63	137	0.132	<1	1.87	0.006	0.47	<0.1	0.01	9.0	0.2	<0.05	8	<0.5	<0.2
1271614	Soil	51	71	0.97	383	0.071	1	1.92	0.015	0.13	0.1	0.05	8.1	0.1	<0.05	6	<0.5	<0.2
REP 1271614	QC	50	71	0.94	380	0.070	2	1.85	0.015	0.13	0.1	0.04	7.8	0.1	<0.05	6	<0.5	<0.2
1269477	Soil	8	163	4.13	243	0.223	<1	3.90	0.010	1.08	0.2	<0.01	11.0	0.7	<0.05	10	<0.5	<0.2
REP 1269477	QC	8	160	4.00	236	0.217	<1	3.68	0.009	1.03	0.2	<0.01	10.5	0.7	<0.05	10	<0.5	<0.2
1269199	Soil	17	74	1.49	230	0.090	1	2.34	0.013	0.18	0.1	0.13	8.8	0.4	<0.05	7	<0.5	<0.2
REP 1269199	QC	16	74	1.45	223	0.085	1	2.29	0.013	0.18	0.1	0.13	8.8	0.4	<0.05	6	<0.5	<0.2
1284002	Soil	12	33	0.56	430	0.055	3	1.35	0.023	0.04	0.1	0.09	4.9	0.1	0.08	4	<0.5	<0.2
REP 1284002	QC	12	31	0.53	423	0.054	3	1.25	0.022	0.04	0.1	0.09	4.5	0.2	0.06	4	<0.5	<0.2
1284004	Soil	22	41	0.81	308	0.071	2	2.09	0.022	0.07	<0.1	0.07	6.2	0.1	<0.05	6	<0.5	<0.2
REP 1284004	QC	23	42	0.83	319	0.072	2	2.09	0.022	0.07	0.1	0.07	6.5	0.1	<0.05	6	<0.5	<0.2
1269155	Soil	20	69	1.26	209	0.066	2	2.04	0.010	0.10	0.1	1.61	7.5	0.5	<0.05	7	<0.5	<0.2
REP 1269155	QC	20	67	1.24	209	0.067	1	2.04	0.010	0.10	0.1	1.54	7.4	0.4	<0.05	7	<0.5	<0.2
1269182	Soil	9	19	0.23	306	0.023	<1	1.08	0.005	0.04	0.1	0.03	1.7	0.1	<0.05	4	<0.5	<0.2
REP 1269182	QC	9	19	0.22	307	0.022	<1	1.06	0.005	0.04	0.1	0.02	1.6	0.1	<0.05	4	<0.5	<0.2
1284084	Soil	19	21	0.94	311	0.151	<1	1.92	0.016	0.14	0.2	0.02	5.8	0.4	<0.05	7	<0.5	<0.2
REP 1284084	QC	18	21	0.90	297	0.143	<1	1.87	0.016	0.14	0.2	0.02	5.9	0.3	<0.05	7	<0.5	<0.2
1269378	Soil	9	10	0.07	275	0.003	<1	0.64	0.002	0.10	<0.1	0.02	5.8	0.2	<0.05	2	<0.5	<0.2
REP 1269378	QC	9	10	0.07	274	0.003	<1	0.66	0.002	0.09	<0.1	0.03	5.7	0.2	<0.05	2	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 19, 2012

QUALITY CONTROL REPORT WHI12000232.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
1269000	Soil	1.1	21.6	11.1	45	<0.1	25.5	11.2	414	2.80	8.9	1.3	3.5	10.9	23	<0.1	0.3	0.2	65	0.42	0.023
REP 1269000	QC	1.2	21.2	10.9	47	<0.1	25.3	11.5	427	2.79	9.2	1.3	7.1	10.9	23	<0.1	0.4	0.2	65	0.41	0.023
1268995	Soil	1.4	16.9	12.7	48	<0.1	27.4	10.8	379	3.03	12.2	1.0	2.6	11.2	22	<0.1	0.4	0.2	69	0.30	0.024
REP 1268995	QC	1.5	16.6	12.8	46	<0.1	27.2	10.6	395	2.92	11.9	1.0	2.9	11.0	22	<0.1	0.4	0.2	66	0.30	0.024
1268986	Soil	1.2	31.8	25.0	85	0.1	67.8	19.1	761	4.14	57.0	1.6	7.5	9.6	24	<0.1	1.5	0.2	73	0.44	0.056
REP 1268986	QC	1.0	32.4	25.5	88	0.1	66.6	18.7	775	4.23	56.5	1.7	6.0	9.9	24	0.1	1.5	0.2	72	0.43	0.054
1268982	Soil	1.0	17.7	0.7	81	<0.1	8.3	25.4	616	4.96	0.8	0.3	<0.5	1.8	30	<0.1	<0.1	<0.1	57	0.87	0.167
REP 1268982	QC	1.0	17.3	0.6	79	<0.1	8.0	24.8	620	4.86	0.9	0.3	<0.5	1.8	31	<0.1	<0.1	<0.1	56	0.90	0.175
Reference Materials																					
STD DS9	Standard	13.8	105.5	126.7	314	1.9	39.8	7.5	592	2.41	25.5	2.7	133.3	6.4	71	2.2	5.9	6.4	42	0.73	0.081
STD DS9	Standard	13.7	113.0	120.8	308	1.9	41.6	8.0	605	2.41	24.9	2.6	119.8	6.0	67	2.4	5.2	5.5	46	0.75	0.081
STD DS9	Standard	13.1	106.7	122.8	307	1.9	40.7	7.6	585	2.34	25.0	2.6	134.2	6.2	72	2.3	5.7	6.0	44	0.72	0.081
STD DS9	Standard	14.1	114.1	121.5	307	1.9	43.2	7.9	597	2.38	25.0	2.6	124.3	6.1	68	2.3	5.2	5.2	48	0.73	0.080
STD DS9	Standard	13.5	111.9	112.3	311	1.8	42.8	7.8	593	2.37	26.8	2.3	115.0	5.6	62	2.4	4.9	5.5	47	0.74	0.084
STD DS9	Standard	13.1	106.5	124.8	301	1.8	39.8	7.6	580	2.29	24.0	2.6	114.8	6.1	68	2.1	5.4	5.8	43	0.71	0.086
STD DS9	Standard	13.6	115.1	126.3	317	1.9	40.9	7.5	606	2.39	25.9	2.7	116.5	6.2	66	2.4	5.4	6.0	41	0.74	0.090
STD DS9	Standard	12.7	112.8	124.7	305	1.8	41.9	7.8	567	2.22	24.6	2.8	123.8	6.4	65	2.3	5.2	5.8	41	0.69	0.078
STD DS9	Standard	12.5	105.1	120.7	294	1.9	39.2	7.5	535	2.22	25.2	2.6	113.1	6.0	63	2.3	5.2	5.7	42	0.68	0.080
STD DS9	Standard	14.3	107.7	126.0	305	1.9	42.6	7.9	623	2.43	25.4	2.6	120.0	6.3	74	2.4	5.6	6.1	51	0.78	0.086
STD DS9	Standard	14.2	114.4	133.1	320	1.9	45.3	8.2	621	2.51	27.1	2.8	110.2	6.5	75	2.5	5.5	6.4	53	0.80	0.083
STD DS9	Standard	10.9	100.8	116.1	281	1.6	37.3	6.6	502	2.20	22.8	2.3	111.9	5.5	57	2.0	4.9	5.7	36	0.64	0.072
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.2	<0.1	<1	<0.1	0.2	<0.1	3	0.03	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	3	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 19, 2012

QUALITY CONTROL REPORT WHI12000232.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
1269000	Soil	27	46	0.68	252	0.087	<1	1.67	0.014	0.08	0.1	0.02	5.4	0.1	<0.05	6	<0.5	<0.2
REP 1269000	QC	26	46	0.69	254	0.088	<1	1.77	0.015	0.08	0.1	0.03	5.6	0.1	<0.05	6	<0.5	<0.2
1268995	Soil	15	54	0.78	169	0.088	1	1.94	0.012	0.09	0.2	0.02	4.4	0.1	<0.05	6	<0.5	<0.2
REP 1268995	QC	15	51	0.80	167	0.085	<1	1.85	0.011	0.08	0.2	0.01	4.0	0.2	<0.05	6	<0.5	<0.2
1268986	Soil	33	65	1.10	429	0.101	<1	1.91	0.013	0.26	0.1	0.06	6.3	0.3	<0.05	6	0.6	<0.2
REP 1268986	QC	33	64	1.15	433	0.099	<1	1.91	0.012	0.26	0.1	0.07	6.5	0.3	<0.05	6	<0.5	<0.2
1268982	Soil	7	8	1.98	408	0.209	<1	2.71	0.011	1.03	0.1	<0.01	1.8	0.6	<0.05	5	<0.5	<0.2
REP 1268982	QC	7	8	1.97	398	0.205	<1	2.68	0.011	1.03	0.1	<0.01	1.7	0.6	<0.05	5	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	13	124	0.61	305	0.113	3	0.92	0.087	0.36	3.2	0.20	2.4	6.1	0.09	5	5.0	5.0
STD DS9	Standard	13	129	0.65	303	0.113	2	0.94	0.089	0.36	3.2	0.19	2.4	5.6	0.19	5	5.4	5.2
STD DS9	Standard	13	127	0.62	303	0.113	3	0.95	0.092	0.37	3.0	0.20	2.6	5.6	0.09	5	5.2	5.0
STD DS9	Standard	13	132	0.64	307	0.111	3	0.97	0.101	0.37	3.2	0.20	2.6	5.7	0.16	5	5.1	4.8
STD DS9	Standard	13	130	0.65	319	0.107	<1	0.95	0.094	0.37	3.1	0.19	2.8	5.4	0.17	5	5.5	5.1
STD DS9	Standard	13	123	0.63	281	0.116	2	0.93	0.089	0.35	3.0	0.21	2.1	5.7	0.10	5	5.4	5.2
STD DS9	Standard	13	122	0.65	309	0.112	<1	0.96	0.087	0.37	3.0	0.25	2.6	5.8	0.17	5	6.0	5.5
STD DS9	Standard	12	119	0.60	290	0.104	2	0.84	0.083	0.34	2.8	0.21	2.6	5.6	0.17	5	4.8	5.5
STD DS9	Standard	12	120	0.58	280	0.103	2	0.87	0.081	0.33	2.9	0.24	2.4	5.3	0.18	4	5.1	5.4
STD DS9	Standard	14	137	0.68	322	0.126	3	1.03	0.085	0.38	3.3	0.25	3.5	5.7	0.15	5	5.6	5.4
STD DS9	Standard	14	141	0.66	326	0.126	3	1.05	0.092	0.42	3.4	0.22	3.3	5.8	0.11	5	6.1	5.2
STD DS9	Standard	10	110	0.56	282	0.086	2	0.85	0.073	0.40	2.9	0.21	2.2	4.9	0.12	4	4.8	5.0
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	2	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 19, 2012

QUALITY CONTROL REPORT WHI12000232.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	5	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 19, 2012

QUALITY CONTROL REPORT WHI12000232.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	2	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 10, 2012
Report Date: July 17, 2012
Page: 1 of 12

CERTIFICATE OF ANALYSIS WHI12000233.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 320

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	320	Dry at 60C			WHI
SS80	316	Dry at 60C sieve 100g to -80 mesh			WHI
1DX2	319	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000233.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1269468	Soil		1.8	61.8	7.7	72	0.2	44.7	19.8	941	4.55	87.2	0.9	5.8	1.7	36	0.3	4.7	0.1	80	1.71	0.051
1269456	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1269457	Soil		1.7	52.9	17.0	66	0.2	43.3	14.8	825	3.34	11.0	3.9	2.7	6.1	115	0.3	0.5	0.2	69	1.08	0.058
1269458	Soil		6.0	116.4	15.5	241	1.3	129.2	30.4	1043	5.62	462.3	6.0	38.2	7.1	71	1.1	14.5	0.3	153	0.64	0.085
1269462	Soil		1.1	21.2	11.1	60	0.2	38.1	13.6	571	3.45	11.0	1.6	2.7	14.9	67	<0.1	0.4	0.4	54	2.24	0.072
1269461	Soil		1.8	20.3	13.9	55	0.2	30.0	11.7	458	3.23	17.4	2.0	4.4	15.8	34	0.1	0.8	0.5	48	0.85	0.048
1269460	Soil		2.7	33.9	10.8	98	0.8	35.9	11.2	434	3.42	49.2	0.8	1.3	3.1	21	0.7	2.0	0.2	100	0.25	0.035
1269459	Soil		2.7	24.6	11.0	116	0.4	28.8	14.6	1047	3.02	143.7	1.1	11.4	2.1	66	0.2	5.3	0.2	111	0.77	0.074
1283453	Soil		0.9	28.1	8.1	59	<0.1	33.1	14.9	473	3.65	8.5	1.2	10.4	8.3	26	<0.1	0.6	0.2	74	0.55	0.045
1284687	Soil		1.4	19.8	6.8	48	<0.1	25.4	14.2	1015	2.76	7.7	2.8	2.2	4.2	54	<0.1	0.4	0.1	58	1.16	0.056
1284684	Soil		1.3	24.4	7.6	48	0.2	27.5	15.0	802	3.25	11.7	2.6	16.0	4.0	60	0.2	1.1	0.1	48	1.28	0.068
1269463	Soil		1.3	17.8	12.6	49	<0.1	49.5	14.2	639	3.61	14.1	1.6	1.0	19.6	41	<0.1	0.4	0.1	65	0.83	0.031
1283455	Soil		0.7	20.2	6.2	41	0.1	26.2	14.4	628	2.83	6.2	1.2	9.5	3.3	59	0.2	0.5	0.1	49	1.73	0.057
1283452	Soil		1.3	17.1	7.3	49	<0.1	25.3	13.5	334	3.16	6.6	0.5	4.1	3.5	23	<0.1	0.4	0.1	72	0.48	0.046
1284690	Soil		1.1	21.6	8.8	47	<0.1	36.2	11.2	350	2.97	8.2	1.0	1.2	22.9	21	<0.1	0.5	0.2	57	0.48	0.025
1283448	Soil		1.4	17.8	12.3	54	<0.1	34.5	11.3	367	2.93	7.4	1.2	1.5	24.9	20	<0.1	0.5	0.2	50	0.42	0.031
1284691	Soil		1.0	33.2	9.6	57	<0.1	40.4	12.8	374	2.97	10.8	1.1	4.1	11.8	25	<0.1	0.7	0.2	68	0.55	0.016
1284696	Soil		3.6	35.6	12.8	59	<0.1	29.3	17.3	562	4.55	4.1	2.0	0.5	32.8	13	<0.1	0.5	0.1	94	0.36	0.067
1284685	Soil		1.2	22.4	7.2	68	0.2	28.7	16.0	448	4.05	14.8	0.9	20.4	6.3	49	0.2	0.8	0.2	57	0.92	0.119
1284692	Soil		1.1	28.9	9.8	54	<0.1	48.9	12.7	400	3.08	7.8	1.3	2.6	19.3	24	<0.1	0.5	0.2	74	0.55	0.026
1284689	Soil		0.9	30.1	6.0	44	<0.1	28.1	10.5	400	2.44	6.1	0.8	2.7	9.3	75	<0.1	0.5	0.1	48	3.63	0.065
1284698	Soil		3.5	17.2	10.5	63	<0.1	24.5	15.8	902	3.76	4.2	0.7	<0.5	7.4	38	<0.1	0.2	0.4	61	3.62	0.055
1283447	Soil		1.5	13.2	13.7	51	<0.1	16.1	7.1	325	2.28	4.7	1.2	0.9	20.1	21	<0.1	0.3	0.3	37	0.59	0.024
1284688	Soil		1.4	19.2	7.7	57	<0.1	23.1	11.7	568	3.06	6.2	1.9	1.9	12.7	130	0.1	0.3	0.1	50	2.68	0.072
1283446	Soil		1.1	27.5	11.2	46	0.2	29.1	9.9	389	2.14	7.5	1.4	8.5	11.6	65	0.1	0.5	0.2	39	3.62	0.054
1284686	Soil		0.9	25.8	7.1	51	0.1	25.9	13.0	374	2.74	6.6	2.0	6.2	5.7	42	<0.1	0.5	0.1	57	0.89	0.063
1283454	Soil		1.0	27.8	7.8	52	0.2	28.7	14.4	526	3.17	7.2	0.8	14.5	7.2	36	0.2	0.7	0.1	54	0.86	0.060
1283449	Soil		1.3	20.9	12.3	54	<0.1	42.6	15.0	532	3.26	7.0	1.4	2.3	19.5	27	<0.1	0.4	0.2	53	0.91	0.040
1283445	Soil		1.5	19.2	13.5	49	<0.1	27.9	14.1	592	3.57	8.2	1.8	1.5	32.3	32	<0.1	0.7	0.3	58	0.99	0.028
1283444	Soil		1.1	23.9	9.6	45	<0.1	27.6	11.1	526	2.88	7.6	0.5	3.2	15.6	30	<0.1	0.4	0.2	60	0.79	0.023

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000233.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1269468	Soil	10	44	0.57	202	0.010	2	1.15	0.012	0.06	0.1	0.12	14.7	0.3	<0.05	3	0.6	<0.2
1269456	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1269457	Soil	29	58	0.74	272	0.063	3	1.99	0.021	0.11	0.1	0.10	6.0	0.2	0.05	6	<0.5	<0.2
1269458	Soil	29	121	1.27	1722	0.155	1	3.15	0.016	0.25	0.3	0.20	9.6	0.7	0.10	11	1.8	<0.2
1269462	Soil	48	50	0.96	211	0.096	1	1.54	0.019	0.29	0.2	0.04	7.3	0.4	<0.05	7	<0.5	<0.2
1269461	Soil	48	38	0.58	224	0.055	1	1.33	0.012	0.20	0.2	0.04	6.5	0.3	<0.05	5	0.5	<0.2
1269460	Soil	11	47	0.58	205	0.088	1	1.82	0.010	0.16	0.2	0.04	3.9	0.3	<0.05	7	0.5	<0.2
1269459	Soil	10	62	0.51	345	0.038	2	1.13	0.013	0.07	0.3	0.10	4.7	0.3	0.06	6	0.9	<0.2
1283453	Soil	23	59	0.86	491	0.094	1	2.15	0.015	0.08	0.2	0.04	8.4	0.1	<0.05	6	<0.5	<0.2
1284687	Soil	15	44	0.80	253	0.070	2	1.60	0.016	0.06	0.1	0.04	4.8	0.1	0.06	5	<0.5	<0.2
1284684	Soil	15	33	0.50	374	0.036	3	1.12	0.015	0.09	0.1	0.07	6.2	0.1	0.05	3	<0.5	<0.2
1269463	Soil	22	81	0.97	234	0.102	1	2.06	0.014	0.54	0.1	0.02	7.5	0.5	<0.05	8	<0.5	<0.2
1283455	Soil	16	42	0.60	455	0.031	2	1.09	0.015	0.09	0.1	0.06	6.4	0.1	<0.05	3	<0.5	<0.2
1283452	Soil	12	49	0.93	219	0.087	<1	2.00	0.012	0.09	0.1	0.02	4.8	0.1	<0.05	6	<0.5	<0.2
1284690	Soil	68	47	0.61	209	0.083	2	1.55	0.015	0.24	0.1	0.03	7.0	0.2	<0.05	5	<0.5	<0.2
1283448	Soil	71	55	0.62	194	0.081	2	1.38	0.016	0.28	0.2	0.03	6.9	0.3	<0.05	4	<0.5	<0.2
1284691	Soil	35	50	0.63	244	0.096	2	1.59	0.021	0.11	0.1	0.06	7.8	0.2	<0.05	5	<0.5	<0.2
1284696	Soil	114	101	1.60	134	0.188	1	2.32	0.009	0.80	0.2	0.01	9.8	0.7	<0.05	8	<0.5	<0.2
1284685	Soil	21	43	0.54	357	0.046	3	1.26	0.019	0.12	0.1	0.05	8.9	0.2	<0.05	4	<0.5	<0.2
1284692	Soil	56	64	0.81	451	0.099	2	1.69	0.018	0.21	0.1	0.03	8.9	0.4	<0.05	6	<0.5	<0.2
1284689	Soil	32	33	0.80	293	0.080	2	1.22	0.025	0.14	0.2	0.05	4.7	0.2	<0.05	4	<0.5	<0.2
1284698	Soil	19	29	0.60	168	0.005	2	0.63	0.004	0.14	<0.1	<0.01	14.7	<0.1	0.36	2	0.7	<0.2
1283447	Soil	43	29	0.40	240	0.051	2	1.04	0.011	0.25	<0.1	0.04	4.1	0.2	<0.05	4	<0.5	<0.2
1284688	Soil	48	37	1.03	271	0.084	3	1.45	0.024	0.22	0.1	0.03	5.1	0.2	<0.05	5	<0.5	<0.2
1283446	Soil	30	33	0.64	218	0.060	2	1.02	0.019	0.13	0.1	0.10	4.1	0.5	<0.05	3	<0.5	<0.2
1284686	Soil	16	42	0.78	289	0.071	2	1.61	0.016	0.07	0.1	0.06	5.2	<0.1	<0.05	5	<0.5	<0.2
1283454	Soil	21	38	0.63	468	0.050	2	1.41	0.020	0.09	0.1	0.07	7.1	0.1	<0.05	4	<0.5	<0.2
1283449	Soil	61	58	1.01	321	0.104	3	1.64	0.013	0.49	0.1	0.03	8.2	0.5	<0.05	6	<0.5	<0.2
1283445	Soil	116	39	0.56	635	0.062	2	1.40	0.010	0.28	0.1	0.04	8.9	0.2	<0.05	4	<0.5	<0.2
1283444	Soil	80	40	0.68	325	0.088	2	1.56	0.020	0.22	0.1	0.03	6.0	0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000233.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1283443	Soil	1.0	10.0	7.4	47	<0.1	18.4	19.4	680	5.08	4.1	1.2	0.7	18.9	58	<0.1	0.5	<0.1	111	1.80	0.101
1283450	Soil	1.1	29.8	6.3	52	0.1	23.4	18.4	490	3.37	6.2	1.2	8.8	4.2	41	<0.1	0.3	<0.1	71	1.08	0.080
1284697	Soil	1.5	18.9	5.9	44	<0.1	22.8	11.1	437	3.14	3.6	1.2	3.8	27.8	11	<0.1	0.5	0.1	59	0.35	0.084
1284693	Soil	1.1	25.8	10.0	45	<0.1	27.8	10.1	315	2.85	7.6	0.8	1.9	14.0	21	<0.1	0.5	0.1	60	0.45	0.022
1283442	Soil	1.1	22.5	13.2	86	<0.1	31.5	19.1	725	4.76	4.7	1.3	0.7	24.5	25	<0.1	0.4	0.3	100	0.61	0.046
1283441	Soil	1.8	52.7	5.0	55	0.1	95.8	29.8	1218	4.96	8.1	0.8	1.7	3.2	77	<0.1	0.7	0.1	102	4.25	0.065
1284706	Soil	1.6	10.3	10.1	66	<0.1	11.6	13.7	667	3.20	11.8	2.7	10.8	8.1	33	0.1	0.8	0.3	76	0.42	0.071
1284695	Soil	1.9	25.5	15.2	55	<0.1	23.7	17.3	420	4.20	6.5	1.8	3.5	23.5	18	<0.1	1.0	0.3	77	0.39	0.038
1284694	Soil	2.7	18.1	16.4	46	<0.1	20.5	12.7	448	3.48	6.9	2.2	2.5	47.2	12	<0.1	1.2	0.8	55	0.24	0.038
1284716	Soil	0.3	15.6	6.0	113	<0.1	13.8	11.5	944	5.43	4.7	0.9	2.1	15.3	30	<0.1	0.5	0.1	100	0.59	0.171
1284702	Soil	1.1	38.7	7.6	68	0.2	25.0	10.2	471	2.50	16.2	1.4	7.0	2.6	60	0.4	2.1	0.1	64	1.32	0.070
1284704	Soil	0.6	136.5	7.1	69	0.3	27.1	10.3	245	2.43	9.6	2.2	8.2	3.2	73	0.8	1.9	0.1	68	1.35	0.058
1284670	Soil	1.4	32.5	8.8	65	0.2	29.4	9.2	299	2.59	30.6	0.8	4.5	4.3	23	0.2	2.5	<0.1	70	0.23	0.037
1284717	Soil	0.7	15.4	6.0	115	<0.1	14.8	13.0	842	4.34	4.8	0.6	1.3	8.0	27	0.1	0.7	<0.1	97	0.48	0.125
1284665	Soil	2.9	73.8	15.0	164	0.3	81.0	23.0	1136	5.22	46.1	1.3	<0.5	8.7	16	0.6	6.3	0.4	100	0.26	0.066
1284705	Soil	0.7	8.3	8.1	84	<0.1	12.3	14.2	839	3.24	10.4	1.4	6.6	6.5	35	0.1	0.6	0.1	72	0.46	0.083
1284710	Soil	0.8	9.8	8.2	84	<0.1	10.7	9.3	600	3.46	6.0	1.5	1.8	18.5	23	0.1	1.0	<0.1	59	0.37	0.094
1284703	Soil	0.7	74.9	6.2	56	<0.1	22.8	13.9	352	2.86	8.4	0.4	0.5	2.2	30	0.2	0.8	<0.1	82	0.51	0.019
1284671	Soil	2.9	43.4	13.8	90	0.4	37.5	12.2	466	3.20	58.3	2.6	13.4	8.7	31	0.3	3.9	0.1	75	0.51	0.050
1284672	Soil	2.2	38.7	11.7	100	0.1	35.0	11.3	404	3.31	61.2	1.5	3.9	10.1	25	0.2	5.3	<0.1	79	0.33	0.051
1284709	Soil	1.1	14.3	10.7	67	0.1	14.4	9.5	412	3.29	11.7	2.5	1.6	12.1	28	0.1	0.8	0.1	75	0.31	0.056
1284666	Soil	3.7	92.6	21.8	391	0.8	104.2	17.3	588	4.01	47.9	1.3	3.0	3.6	23	1.2	7.3	0.1	122	0.31	0.161
1284668	Soil	3.1	43.2	12.2	159	0.9	48.3	13.5	628	3.54	79.8	0.8	0.6	3.5	14	0.8	4.7	0.2	109	0.13	0.055
1284675	Soil	1.6	34.9	8.8	78	0.2	23.9	11.7	647	2.48	24.8	1.5	4.6	2.7	58	0.3	2.8	<0.1	67	1.20	0.073
1284667	Soil	5.0	60.2	11.8	233	0.5	121.9	24.5	778	5.26	99.8	1.4	1.9	5.8	28	0.7	12.2	<0.1	141	0.30	0.079
1284673	Soil	2.2	48.0	8.8	76	0.4	36.5	11.2	714	2.38	36.8	2.8	4.6	3.8	67	0.7	3.9	0.1	59	1.36	0.071
1284707	Soil	1.1	12.5	8.1	80	0.1	13.4	10.4	494	3.37	10.1	3.2	9.1	12.6	31	0.1	0.7	<0.1	68	0.47	0.080
1284669	Soil	2.8	43.0	9.8	115	0.2	37.8	7.6	238	2.19	54.7	1.0	1.5	3.2	16	0.3	7.8	<0.1	79	0.08	0.031
1284719	Soil	0.9	11.3	7.0	70	<0.1	12.1	7.9	331	3.14	6.8	0.6	2.1	4.3	20	<0.1	0.8	<0.1	59	0.23	0.044
1284718	Soil	0.8	52.2	7.4	78	<0.1	24.9	13.0	446	3.92	9.8	0.8	0.9	5.6	33	<0.1	1.5	<0.1	99	0.42	0.038

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000233.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1283443	Soil	72	36	1.15	429	0.080	2	1.61	0.011	0.58	0.1	0.02	13.8	0.2	<0.05	5	<0.5	<0.2
1283450	Soil	16	43	1.13	276	0.079	2	1.87	0.015	0.13	0.1	0.05	6.0	0.1	<0.05	5	<0.5	<0.2
1284697	Soil	70	44	0.59	448	0.043	1	1.22	0.004	0.19	<0.1	<0.01	6.5	0.1	<0.05	4	<0.5	<0.2
1284693	Soil	50	39	0.58	185	0.092	2	1.42	0.021	0.18	0.1	0.03	6.8	0.2	<0.05	5	<0.5	<0.2
1283442	Soil	84	91	1.69	380	0.169	2	2.48	0.011	0.54	0.2	0.02	10.7	0.4	<0.05	8	<0.5	<0.2
1283441	Soil	17	163	0.92	588	0.003	2	1.22	0.005	0.14	<0.1	0.04	18.5	0.2	<0.05	5	<0.5	<0.2
1284706	Soil	25	24	0.57	306	0.118	2	1.55	0.013	0.06	0.2	0.05	4.8	0.2	<0.05	7	<0.5	<0.2
1284695	Soil	57	51	1.25	217	0.149	3	1.92	0.008	0.40	0.2	0.01	6.8	0.3	<0.05	6	<0.5	<0.2
1284694	Soil	96	38	0.76	137	0.105	2	1.39	0.005	0.47	0.2	0.02	8.0	0.4	<0.05	5	<0.5	<0.2
1284716	Soil	36	15	1.07	245	0.121	1	2.28	0.012	0.33	0.1	0.03	11.7	0.3	<0.05	11	<0.5	<0.2
1284702	Soil	21	33	0.54	377	0.063	3	1.31	0.017	0.07	0.1	0.08	5.3	0.2	0.08	5	0.9	<0.2
1284704	Soil	28	31	0.71	347	0.092	2	1.44	0.026	0.09	0.1	0.12	7.6	0.1	0.06	5	1.4	<0.2
1284670	Soil	11	39	0.55	388	0.076	2	1.55	0.012	0.07	0.1	0.03	4.7	0.1	<0.05	5	0.6	<0.2
1284717	Soil	11	27	0.97	303	0.131	1	2.03	0.014	0.38	<0.1	0.01	9.8	0.2	<0.05	11	<0.5	<0.2
1284665	Soil	32	92	1.08	418	0.173	1	2.25	0.007	0.28	0.1	0.04	9.1	0.9	<0.05	9	1.0	<0.2
1284705	Soil	16	24	0.68	256	0.124	1	1.62	0.016	0.08	0.2	0.03	4.7	0.2	<0.05	7	<0.5	<0.2
1284710	Soil	23	18	0.65	489	0.154	<1	1.93	0.013	0.32	0.2	0.01	6.0	0.5	<0.05	8	<0.5	<0.2
1284703	Soil	6	34	0.75	228	0.185	2	2.19	0.034	0.20	<0.1	0.02	4.0	0.1	<0.05	6	<0.5	<0.2
1284671	Soil	36	47	0.57	470	0.095	1	1.65	0.010	0.21	0.1	0.08	6.7	0.4	<0.05	7	1.2	<0.2
1284672	Soil	26	47	0.69	331	0.103	1	1.78	0.012	0.23	0.1	0.03	6.1	0.4	<0.05	7	1.1	<0.2
1284709	Soil	29	29	0.56	291	0.136	2	2.02	0.012	0.08	0.2	0.03	5.1	0.2	<0.05	8	<0.5	<0.2
1284666	Soil	11	60	0.52	244	0.064	2	2.50	0.010	0.05	0.2	0.05	6.3	0.3	<0.05	6	1.8	<0.2
1284668	Soil	10	52	0.47	423	0.064	1	1.69	0.007	0.10	0.1	0.03	5.1	1.0	<0.05	7	0.6	<0.2
1284675	Soil	14	33	0.51	384	0.056	3	1.17	0.015	0.10	<0.1	0.10	5.0	0.3	0.05	5	1.3	<0.2
1284667	Soil	21	155	1.64	866	0.230	1	2.83	0.008	0.51	0.1	0.02	10.0	0.7	<0.05	12	3.6	<0.2
1284673	Soil	26	36	0.47	551	0.061	3	1.23	0.012	0.11	0.1	0.14	5.2	0.5	0.08	4	1.8	<0.2
1284707	Soil	30	26	0.69	343	0.157	2	1.81	0.015	0.12	0.2	0.02	5.7	0.3	<0.05	7	<0.5	<0.2
1284669	Soil	8	36	0.35	244	0.049	<1	1.01	0.004	0.08	0.1	0.02	3.5	0.5	<0.05	4	1.0	<0.2
1284719	Soil	10	21	0.52	210	0.045	<1	1.76	0.010	0.15	<0.1	0.03	5.3	<0.1	<0.05	7	<0.5	<0.2
1284718	Soil	13	45	0.88	278	0.108	<1	2.15	0.025	0.22	0.1	0.02	10.1	0.1	<0.05	8	0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000233.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1284711	Soil	0.8	17.3	9.7	66	<0.1	10.6	8.6	521	3.25	13.9	1.6	2.4	15.6	21	0.1	1.5	<0.1	60	0.28	0.079
1284713	Soil	1.1	10.6	11.4	64	0.1	11.8	9.8	400	2.94	44.3	2.2	6.9	8.5	20	0.1	2.4	0.2	64	0.24	0.065
1284674	Soil	2.1	39.8	8.5	80	0.2	28.2	8.9	363	2.48	37.7	2.2	4.5	4.7	54	0.4	4.0	0.1	65	1.12	0.072
1284708	Soil	1.2	12.8	8.8	72	0.1	14.1	10.7	533	3.26	14.7	4.0	4.0	15.5	35	0.1	0.8	<0.1	64	0.50	0.073
1284623	Soil	1.1	11.6	9.3	75	<0.1	12.2	9.3	539	3.24	8.3	1.8	1.4	13.4	24	<0.1	0.9	<0.1	62	0.34	0.072
1284611	Soil	0.8	34.4	8.9	46	<0.1	23.2	10.2	270	2.80	9.6	0.7	3.7	4.3	30	<0.1	1.8	<0.1	66	0.36	0.027
1284615	Soil	0.9	70.7	5.2	86	<0.1	14.9	15.6	467	4.01	14.1	1.2	2.5	5.1	28	0.1	5.0	0.2	104	0.44	0.105
1284712	Soil	1.3	11.9	10.4	73	0.1	9.5	9.8	858	3.45	13.4	3.6	3.0	17.6	38	0.1	1.3	<0.1	63	0.50	0.072
1284613	Soil	1.2	44.7	7.3	59	0.1	19.8	14.4	759	2.93	6.0	1.1	2.1	4.5	44	0.1	0.6	<0.1	71	0.66	0.061
1284612	Soil	0.7	57.3	8.3	56	0.1	20.1	12.3	476	2.86	6.1	1.1	2.8	3.0	55	<0.1	1.0	<0.1	74	0.94	0.057
1284614	Soil	0.5	38.1	5.8	57	<0.1	17.8	11.7	408	2.78	6.6	0.6	1.7	3.5	40	0.1	0.5	<0.1	70	0.59	0.070
1284714	Soil	0.8	9.5	7.1	62	0.1	11.4	8.8	469	2.41	7.5	2.7	3.4	6.8	41	<0.1	0.6	<0.1	54	0.53	0.070
1284618	Soil	0.6	13.0	6.9	82	<0.1	28.8	13.4	657	3.34	11.6	1.1	3.2	8.9	17	<0.1	1.1	0.1	76	0.35	0.095
1284627	Soil	1.2	10.6	7.3	102	<0.1	11.3	11.3	660	3.80	6.9	1.9	2.5	10.6	21	<0.1	0.9	0.1	82	0.42	0.102
1284617	Soil	0.6	14.6	4.4	119	<0.1	13.2	12.7	857	4.43	7.6	1.0	1.9	7.3	22	<0.1	1.2	0.1	99	0.57	0.167
1284701	Rock Pulp	1.4	445.7	20.0	152	0.2	216.0	79.0	786	15.12	2.8	1.2	29.4	6.9	13	<0.1	0.3	0.2	215	0.28	0.042
1284621	Soil	0.8	11.3	11.1	77	<0.1	10.5	9.0	801	3.58	5.6	1.4	2.0	22.6	18	0.1	1.4	0.3	55	0.32	0.083
1284620	Soil	1.2	11.8	9.4	90	<0.1	12.4	10.6	606	3.82	10.3	1.8	2.3	16.9	18	<0.1	1.9	0.1	60	0.36	0.094
1284616	Soil	0.9	23.0	7.9	89	<0.1	18.3	13.2	720	3.12	8.9	1.4	1.7	4.8	28	0.1	0.9	0.1	77	0.42	0.082
1284715	Soil	0.9	23.3	4.8	95	<0.1	60.1	20.1	737	4.30	6.0	0.6	4.8	6.6	23	0.1	0.4	0.1	137	0.37	0.050
1284802	Soil	2.4	59.3	9.7	108	0.3	88.9	27.7	616	5.10	30.3	1.0	3.6	3.6	27	0.2	5.8	0.2	112	0.63	0.099
1284624	Soil	1.3	13.1	10.5	70	<0.1	15.9	10.6	521	3.40	11.0	1.5	2.6	9.2	20	<0.1	0.7	0.2	77	0.31	0.055
1284602	Soil	2.2	69.4	25.1	150	0.6	71.6	26.8	980	4.81	28.8	1.1	2.6	5.3	21	1.0	3.5	0.2	118	0.46	0.062
1284628	Soil	1.9	10.0	10.3	87	<0.1	14.3	14.4	777	3.53	10.5	1.4	5.1	7.2	22	<0.1	0.8	0.2	88	0.37	0.077
1284809	Soil	3.9	80.7	16.5	147	0.2	82.6	17.1	692	4.21	169.0	1.5	8.4	5.6	16	0.4	9.7	0.2	104	0.22	0.039
1284804	Soil	2.3	90.5	9.2	580	0.6	242.1	45.1	1108	7.69	46.0	0.9	2.3	2.0	33	2.6	4.2	<0.1	184	0.82	0.150
1284629	Soil	1.5	9.9	8.6	90	<0.1	14.0	12.7	803	3.70	12.3	1.2	6.3	5.9	25	<0.1	0.8	0.2	95	0.39	0.087
1284600	Soil	2.0	78.7	6.7	116	0.1	128.9	35.9	688	5.87	13.9	0.7	5.1	2.4	32	0.2	1.1	0.1	113	0.66	0.174
1284800	Soil	2.3	59.1	13.8	132	0.4	78.2	22.9	881	4.62	29.0	1.4	3.8	4.8	23	0.5	3.5	0.1	120	0.47	0.092
1284606	Soil	0.6	22.3	9.4	58	<0.1	25.1	8.6	330	2.79	6.3	0.7	2.3	2.7	22	<0.1	0.7	<0.1	59	0.51	0.053

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000233.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1284711	Soil	27	20	0.62	435	0.164	1	1.88	0.014	0.27	0.2	0.02	5.4	0.4	<0.05	8	<0.5	<0.2
1284713	Soil	23	23	0.50	231	0.108	1	1.76	0.013	0.08	0.2	0.05	4.3	0.2	<0.05	7	<0.5	<0.2
1284674	Soil	22	32	0.53	398	0.064	2	1.21	0.011	0.15	0.1	0.09	5.1	0.3	<0.05	5	1.2	<0.2
1284708	Soil	47	26	0.64	418	0.153	1	1.81	0.015	0.12	0.1	0.04	6.0	0.3	<0.05	7	<0.5	<0.2
1284623	Soil	29	23	0.64	401	0.159	<1	1.78	0.012	0.20	0.1	0.02	5.1	0.4	<0.05	8	<0.5	<0.2
1284611	Soil	12	36	0.58	222	0.083	1	1.84	0.015	0.04	0.1	0.02	4.5	<0.1	<0.05	6	<0.5	<0.2
1284615	Soil	12	23	0.93	223	0.142	1	2.15	0.021	0.23	0.1	0.02	7.2	0.2	<0.05	8	<0.5	<0.2
1284712	Soil	75	18	0.67	643	0.204	1	1.82	0.015	0.32	0.1	0.04	6.5	0.5	<0.05	9	<0.5	<0.2
1284613	Soil	18	34	0.70	309	0.112	1	1.77	0.023	0.05	0.1	0.05	6.7	<0.1	<0.05	7	<0.5	<0.2
1284612	Soil	15	31	0.76	284	0.075	1	1.81	0.025	0.04	<0.1	0.04	6.5	<0.1	<0.05	6	<0.5	<0.2
1284614	Soil	13	29	0.75	237	0.124	<1	1.64	0.030	0.05	0.1	0.03	5.1	<0.1	<0.05	6	<0.5	<0.2
1284714	Soil	26	20	0.54	294	0.116	1	1.44	0.015	0.06	0.3	0.06	4.6	0.2	<0.05	6	<0.5	<0.2
1284618	Soil	16	54	0.89	218	0.123	1	1.84	0.011	0.12	0.1	0.02	4.5	0.3	<0.05	7	<0.5	<0.2
1284627	Soil	25	22	0.81	257	0.144	<1	1.84	0.011	0.14	0.2	0.03	5.2	0.3	<0.05	9	<0.5	<0.2
1284617	Soil	17	23	1.07	270	0.150	<1	2.03	0.013	0.26	0.2	0.02	6.0	0.4	<0.05	10	<0.5	<0.2
1284701	Rock Pulp	16	670	0.13	134	0.170	4	3.67	0.012	0.06	<0.1	0.03	36.5	0.1	<0.05	20	<0.5	<0.2
1284621	Soil	44	15	0.61	534	0.095	<1	1.90	0.011	0.25	0.1	0.02	6.0	0.4	<0.05	8	<0.5	<0.2
1284620	Soil	28	22	0.58	435	0.099	1	1.79	0.011	0.21	0.2	0.02	5.6	0.4	<0.05	8	<0.5	<0.2
1284616	Soil	15	36	0.78	243	0.104	<1	1.80	0.013	0.11	0.2	0.03	4.8	0.2	<0.05	8	<0.5	<0.2
1284715	Soil	11	160	1.95	163	0.225	1	2.53	0.015	0.15	0.2	<0.01	9.6	0.3	<0.05	10	<0.5	<0.2
1284802	Soil	17	125	1.13	610	0.153	1	2.14	0.014	0.15	0.1	0.04	8.0	0.4	<0.05	9	1.3	<0.2
1284624	Soil	23	31	0.59	257	0.120	1	1.93	0.016	0.09	0.2	0.02	4.4	0.2	<0.05	8	<0.5	<0.2
1284602	Soil	19	109	1.25	383	0.217	1	2.33	0.017	0.39	0.1	0.04	8.4	0.4	<0.05	11	0.6	<0.2
1284628	Soil	20	25	0.68	216	0.144	1	1.87	0.012	0.08	0.3	0.03	4.5	0.3	<0.05	9	<0.5	<0.2
1284809	Soil	19	74	0.77	628	0.122	<1	1.62	0.006	0.34	0.2	0.06	7.6	0.8	<0.05	6	1.5	<0.2
1284804	Soil	19	335	3.73	1198	0.264	<1	3.75	0.011	0.86	<0.1	0.04	13.7	0.5	<0.05	15	1.8	<0.2
1284629	Soil	17	25	0.76	199	0.150	1	1.74	0.021	0.10	0.2	0.03	4.7	0.3	<0.05	9	<0.5	<0.2
1284600	Soil	11	195	1.66	452	0.294	<1	2.63	0.015	0.92	0.1	0.02	5.6	0.4	<0.05	13	0.6	<0.2
1284800	Soil	17	113	1.33	501	0.179	1	2.45	0.011	0.51	0.1	0.07	9.0	0.8	<0.05	9	1.1	<0.2
1284606	Soil	12	44	0.68	493	0.029	<1	1.64	0.011	0.06	<0.1	0.04	5.6	<0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000233.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1284622	Soil	1.1	9.8	9.8	76	<0.1	13.4	10.1	603	3.58	29.1	1.4	4.6	14.6	22	<0.1	0.9	0.1	69	0.38	0.065
1284603	Soil	4.8	87.0	24.9	179	0.4	121.3	33.3	1186	6.13	60.6	1.4	3.0	4.3	27	0.3	10.3	0.1	119	0.51	0.094
1284805	Soil	2.6	111.2	16.3	250	0.9	177.1	25.7	654	5.89	142.3	1.1	10.3	3.3	29	0.4	8.4	0.1	187	0.61	0.093
1284824	Soil	0.9	55.4	5.8	60	0.3	20.4	10.3	451	2.46	8.8	3.5	2.9	1.6	82	0.2	1.5	<0.1	66	1.91	0.087
1284619	Soil	1.0	13.6	10.9	69	0.1	15.4	10.1	429	3.05	26.0	2.1	6.5	11.0	20	<0.1	1.1	0.1	65	0.33	0.064
1284625	Soil	1.7	11.2	14.1	89	<0.1	12.7	14.8	912	4.77	7.7	1.4	1.5	24.7	17	<0.1	1.0	0.1	79	0.39	0.113
1269077	Soil	1.3	16.3	12.8	44	0.1	22.5	10.3	526	3.00	9.6	0.6	2.2	7.0	16	<0.1	0.4	0.2	79	0.21	0.020
1269078	Soil	1.1	15.3	11.2	53	<0.1	27.5	11.4	427	3.25	9.4	0.7	0.9	7.3	18	<0.1	0.3	0.2	80	0.26	0.028
1269081	Soil	1.3	26.4	22.6	56	<0.1	31.3	11.2	356	3.08	9.0	1.1	3.8	20.7	20	<0.1	0.5	0.3	72	0.28	0.032
1284608	Soil	0.4	142.0	3.5	57	<0.1	18.1	20.3	458	4.80	4.3	0.3	0.9	1.7	19	<0.1	0.5	<0.1	161	0.36	0.033
1284626	Soil	1.6	10.5	13.2	86	<0.1	12.0	13.1	815	4.42	7.4	1.2	0.8	23.3	16	<0.1	1.0	0.1	73	0.36	0.100
1269079	Soil	1.4	16.2	11.2	55	<0.1	28.1	16.3	823	3.15	8.0	0.8	3.1	13.1	14	<0.1	0.4	0.1	71	0.16	0.021
1269080	Soil	1.3	13.5	9.5	57	<0.1	29.0	16.1	771	3.70	5.0	1.1	<0.5	10.2	19	<0.1	0.3	0.2	77	0.27	0.039
1284801	Rock Pulp	1.4	437.6	20.2	155	0.2	221.1	77.9	813	15.82	3.1	1.2	31.0	6.7	14	<0.1	0.3	0.2	213	0.29	0.041
1284607	Soil	0.7	86.6	9.3	75	0.1	22.9	13.0	507	3.48	8.5	0.8	2.2	2.6	25	0.1	1.0	<0.1	91	0.48	0.040
1284609	Soil	1.1	45.3	8.2	60	<0.1	21.4	13.4	630	3.75	18.4	0.6	1.8	2.7	29	<0.1	1.0	0.1	102	0.50	0.036
1284604	Soil	9.1	100.7	15.3	332	0.3	116.2	16.1	647	4.44	168.4	1.4	1.4	3.8	30	0.7	23.3	0.2	237	0.53	0.225
1284610	Soil	0.6	68.9	6.9	56	<0.1	22.1	15.9	416	3.75	6.7	0.4	1.4	2.6	34	<0.1	0.7	<0.1	110	0.56	0.055
1284631	Soil	0.6	18.9	7.3	59	<0.1	14.7	10.7	501	3.48	8.0	0.4	2.3	3.6	31	<0.1	1.7	<0.1	84	0.53	0.076
1284605	Soil	2.6	48.9	10.1	90	0.5	35.9	10.1	323	3.38	44.5	1.6	9.4	3.8	25	0.2	3.0	0.2	87	0.22	0.055
1284814	Soil	1.2	13.0	9.9	73	0.1	18.0	9.4	511	3.27	9.6	0.3	2.1	2.3	20	0.2	0.9	0.1	75	0.31	0.037
1284816	Soil	2.2	39.1	10.1	85	0.3	40.3	10.6	314	3.21	23.4	0.7	4.9	3.6	16	0.3	2.0	0.1	104	0.14	0.032
1284630	Soil	0.8	29.9	8.3	74	<0.1	15.2	13.9	747	4.30	32.3	0.7	6.6	7.0	36	<0.1	1.7	<0.1	92	0.71	0.124
1284821	Soil	1.9	48.6	10.8	56	<0.1	40.4	15.8	529	3.29	25.8	0.7	3.9	3.3	14	0.2	3.0	0.2	87	0.16	0.035
1284818	Soil	1.3	41.9	7.0	80	0.1	32.8	9.2	262	2.94	14.2	0.9	6.2	4.6	15	0.2	1.2	0.1	80	0.16	0.029
1284823	Soil	0.4	23.9	3.4	84	<0.1	37.8	13.7	525	4.11	3.9	0.6	1.6	5.5	31	<0.1	0.6	<0.1	100	0.72	0.144
1284819	Soil	3.2	73.7	14.5	121	0.2	92.9	25.5	1016	5.33	74.9	1.0	3.2	5.3	21	0.3	9.6	0.1	179	0.56	0.120
1284815	Soil	2.4	44.0	9.1	94	0.2	38.4	11.9	353	3.08	25.0	0.9	8.0	3.4	20	0.3	3.0	0.1	93	0.24	0.037
1284812	Soil	0.7	14.1	5.1	77	<0.1	11.5	10.4	555	3.58	9.2	0.4	1.8	3.4	24	<0.1	1.7	<0.1	76	0.34	0.069
1284817	Soil	1.9	43.4	8.2	77	0.2	39.5	10.2	307	3.10	23.6	1.0	7.0	4.4	19	0.2	1.7	0.1	93	0.20	0.022

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000233.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1284622	Soil	32	25	0.75	556	0.175	<1	2.03	0.013	0.22	0.1	0.02	5.2	0.5	<0.05	8	<0.5	<0.2
1284603	Soil	16	161	1.30	509	0.171	<1	2.61	0.011	0.46	0.1	0.03	11.0	0.4	<0.05	11	1.8	<0.2
1284805	Soil	18	220	2.30	747	0.170	<1	2.88	0.012	0.24	0.2	0.18	11.9	1.2	<0.05	12	2.3	<0.2
1284824	Soil	32	29	0.62	494	0.063	3	1.44	0.018	0.07	0.1	0.11	5.2	0.2	<0.05	6	1.8	<0.2
1284619	Soil	35	29	0.57	422	0.090	<1	1.83	0.012	0.10	0.1	0.05	5.5	0.3	<0.05	7	<0.5	<0.2
1284625	Soil	34	27	0.79	661	0.183	<1	2.67	0.013	0.42	0.1	0.01	6.9	0.6	<0.05	11	<0.5	<0.2
1269077	Soil	15	44	0.58	166	0.096	<1	1.84	0.010	0.06	<0.1	0.03	3.7	0.2	<0.05	7	<0.5	<0.2
1269078	Soil	12	62	1.02	160	0.132	<1	2.14	0.011	0.15	0.2	0.01	3.8	0.3	<0.05	7	<0.5	<0.2
1269081	Soil	30	56	0.77	198	0.103	<1	1.89	0.012	0.10	0.2	0.02	5.0	0.2	<0.05	6	<0.5	<0.2
1284608	Soil	8	28	1.25	192	0.178	<1	2.73	0.021	0.03	<0.1	0.02	6.1	<0.1	<0.05	9	<0.5	<0.2
1284626	Soil	30	24	0.80	612	0.174	<1	2.63	0.015	0.39	0.2	0.01	6.2	0.6	<0.05	10	<0.5	<0.2
1269079	Soil	17	66	0.97	147	0.127	<1	2.19	0.009	0.25	0.2	0.03	4.0	0.3	<0.05	7	<0.5	<0.2
1269080	Soil	8	89	1.74	151	0.185	<1	2.34	0.009	0.89	0.2	<0.01	3.5	0.7	<0.05	8	<0.5	<0.2
1284801	Rock Pulp	17	675	0.13	143	0.170	3	3.83	0.014	0.06	<0.1	0.04	38.7	0.1	<0.05	21	<0.5	<0.2
1284607	Soil	12	38	0.86	318	0.089	<1	1.93	0.017	0.05	<0.1	0.05	7.7	0.2	<0.05	7	<0.5	<0.2
1284609	Soil	9	36	0.84	289	0.096	<1	2.24	0.015	0.05	0.1	0.03	5.2	0.1	<0.05	8	<0.5	<0.2
1284604	Soil	18	123	1.06	327	0.128	<1	1.87	0.005	0.34	0.2	0.02	7.4	1.0	0.06	10	4.2	<0.2
1284610	Soil	9	31	1.15	259	0.121	<1	2.55	0.040	0.04	0.1	0.02	5.6	<0.1	<0.05	8	<0.5	<0.2
1284631	Soil	9	24	0.94	207	0.094	1	2.00	0.018	0.11	0.1	0.02	4.9	0.1	<0.05	7	<0.5	<0.2
1284605	Soil	12	49	0.58	525	0.059	2	1.74	0.009	0.11	0.2	0.18	5.6	0.8	0.08	6	1.2	<0.2
1284814	Soil	7	31	0.66	218	0.065	1	1.83	0.009	0.10	0.1	0.02	3.6	0.1	<0.05	7	<0.5	<0.2
1284816	Soil	10	58	0.68	295	0.081	2	2.11	0.011	0.10	0.2	0.07	5.3	0.5	<0.05	7	0.6	<0.2
1284630	Soil	20	23	0.90	458	0.064	<1	2.28	0.029	0.18	0.1	0.02	9.0	0.3	<0.05	9	<0.5	<0.2
1284821	Soil	10	47	0.94	242	0.110	1	2.27	0.009	0.27	0.2	0.01	5.0	0.2	<0.05	7	<0.5	<0.2
1284818	Soil	16	51	0.68	279	0.097	1	1.80	0.012	0.12	0.2	0.03	6.1	0.4	<0.05	6	0.5	<0.2
1284823	Soil	20	77	1.37	288	0.134	<1	1.91	0.017	0.24	0.1	0.01	7.0	0.2	<0.05	10	<0.5	<0.2
1284819	Soil	26	157	1.67	1071	0.140	<1	2.59	0.008	0.52	<0.1	0.04	13.9	0.6	<0.05	13	1.7	<0.2
1284815	Soil	11	51	0.67	317	0.080	1	1.63	0.014	0.09	0.1	0.08	6.3	0.5	<0.05	6	0.7	<0.2
1284812	Soil	11	20	0.68	267	0.055	<1	1.86	0.011	0.14	0.1	0.02	4.5	0.1	<0.05	8	<0.5	<0.2
1284817	Soil	16	56	0.72	302	0.095	1	1.93	0.013	0.09	0.1	0.08	7.1	0.3	<0.05	6	0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000233.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1284825	Soil		0.9	27.6	8.0	57	<0.1	34.6	12.5	337	3.24	9.9	0.5	9.0	3.6	25	<0.1	0.7	0.1	83	0.38	0.030
1284808	Soil		1.5	40.2	9.9	87	0.3	38.0	13.7	438	3.61	29.1	1.0	5.3	5.9	22	0.2	2.6	<0.1	83	0.50	0.045
1284811	Soil		0.8	27.7	10.7	66	<0.1	18.4	11.5	516	3.55	7.8	0.5	2.8	3.5	30	<0.1	1.0	<0.1	90	0.54	0.084
1284807	Soil		1.4	37.3	8.6	74	0.1	22.4	13.8	704	3.81	14.1	0.7	1.7	3.2	21	0.1	2.7	<0.1	90	0.51	0.062
1284803	Soil		4.0	73.2	13.3	161	0.7	78.6	19.4	827	3.89	58.7	1.2	3.3	3.7	28	0.4	4.9	0.1	141	0.49	0.106
1284813	Soil		0.8	16.5	5.7	82	<0.1	11.8	11.7	952	4.39	5.1	0.5	0.6	3.4	30	<0.1	1.4	<0.1	93	0.48	0.086
1284822	Soil		0.6	33.8	6.4	83	<0.1	22.9	13.5	475	4.33	8.6	0.6	2.9	5.6	25	<0.1	1.4	<0.1	109	0.37	0.034
1284810	Soil		0.6	11.6	3.4	126	<0.1	11.5	12.8	814	5.38	5.8	0.6	1.3	5.7	29	<0.1	1.3	<0.1	127	1.03	0.246
1269067	Soil		0.9	22.2	8.1	63	<0.1	31.6	18.4	511	4.03	7.2	0.7	2.5	6.6	22	<0.1	0.3	0.1	91	0.37	0.069
1269063	Soil		0.9	16.8	5.6	80	<0.1	22.6	23.1	661	4.61	4.7	0.8	1.1	3.2	43	<0.1	0.1	<0.1	75	1.18	0.114
1269073	Soil		1.2	30.1	13.4	62	0.1	40.9	17.8	671	3.58	10.1	1.0	13.9	4.7	25	<0.1	0.2	0.2	79	0.83	0.065
1269076	Soil		1.2	27.0	10.7	58	<0.1	34.2	13.8	568	3.49	12.1	1.1	6.7	10.6	22	<0.1	0.4	0.1	81	0.32	0.031
1269068	Soil		0.8	15.7	6.4	66	<0.1	23.5	14.5	470	3.66	6.3	0.6	6.2	5.4	19	<0.1	0.3	<0.1	83	0.31	0.075
1269064	Soil		0.9	12.4	4.3	60	<0.1	12.9	18.4	520	4.06	3.9	0.5	1.4	2.9	34	<0.1	0.1	<0.1	77	0.96	0.097
1269074	Soil		1.7	19.5	11.1	55	<0.1	29.5	12.6	321	3.51	11.2	0.5	3.5	5.7	22	<0.1	0.4	0.1	84	0.31	0.022
1269075	Soil		1.5	18.0	9.5	48	0.1	25.6	11.9	504	3.08	9.3	0.6	2.2	5.5	18	<0.1	0.4	0.1	78	0.27	0.031
1269069	Soil		1.4	22.9	24.6	94	<0.1	49.9	19.5	522	4.84	17.5	1.5	0.7	10.4	8	<0.1	2.2	0.2	78	0.14	0.049
1269065	Soil		1.8	29.1	11.3	49	0.2	31.9	20.0	1562	3.04	7.8	2.2	2.0	3.0	54	0.2	0.4	<0.1	59	1.38	0.091
1269061	Soil		0.5	27.4	8.4	65	<0.1	89.1	17.2	500	3.32	39.8	1.1	2.2	3.7	51	0.1	0.4	0.1	65	1.50	0.063
1269071	Soil		0.5	28.7	2.0	56	<0.1	35.2	21.2	602	4.26	1.8	0.2	1.0	1.8	16	<0.1	<0.1	0.3	177	0.74	0.026
1269070	Soil		1.2	18.7	17.0	64	<0.1	38.1	15.8	564	3.58	7.4	0.5	1.2	5.9	17	<0.1	0.4	0.2	71	0.23	0.025
1269066	Soil		0.6	27.2	8.2	58	0.1	37.6	17.7	491	3.47	5.7	0.9	3.0	5.3	63	<0.1	0.2	<0.1	80	1.91	0.080
1269062	Soil		0.7	20.4	9.3	54	<0.1	71.1	18.0	585	3.19	19.3	1.3	4.2	6.4	51	<0.1	0.2	0.1	60	1.35	0.067
1269072	Soil		0.7	26.7	6.4	49	<0.1	34.3	14.2	406	3.02	7.4	0.7	7.8	3.8	24	<0.1	0.2	0.3	70	0.62	0.065
1269082	Soil		1.3	15.6	13.5	50	<0.1	28.5	15.1	969	3.25	5.7	1.2	6.7	18.1	19	0.1	0.4	0.2	79	0.25	0.016
1269086	Soil		1.7	11.5	10.2	39	<0.1	17.5	8.3	412	2.24	5.0	0.9	1.3	10.8	16	<0.1	0.5	0.2	50	0.22	0.016
1269089	Soil		1.2	13.0	11.1	42	<0.1	18.0	7.6	218	2.38	5.8	0.7	0.8	12.2	12	0.1	0.4	0.2	56	0.21	0.014
1269060	Soil		0.6	43.1	8.5	52	<0.1	175.3	25.2	399	3.04	17.2	1.0	2.9	5.0	29	<0.1	0.3	0.1	71	0.86	0.038
1269084	Soil		1.3	18.6	11.6	52	<0.1	29.5	12.5	388	3.16	7.0	1.1	1.3	12.6	19	<0.1	0.5	0.2	77	0.26	0.022
1269087	Soil		1.4	24.5	15.0	30	<0.1	45.6	9.3	318	2.42	4.6	2.1	1.8	37.0	13	<0.1	0.3	0.2	43	0.04	0.013

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000233.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1284825	Soil	12	61	0.86	204	0.087	1	2.01	0.020	0.06	0.1	0.03	5.7	0.1	<0.05	7	<0.5	<0.2
1284808	Soil	14	47	0.93	522	0.063	<1	2.11	0.009	0.14	<0.1	0.11	8.3	0.2	<0.05	9	<0.5	<0.2
1284811	Soil	13	33	0.81	218	0.110	1	1.89	0.022	0.06	0.1	0.02	5.3	0.1	<0.05	8	<0.5	<0.2
1284807	Soil	11	32	0.71	318	0.034	<1	1.85	0.016	0.11	0.1	0.03	6.9	0.2	<0.05	7	<0.5	<0.2
1284803	Soil	17	109	1.10	483	0.113	<1	1.87	0.011	0.47	0.2	0.03	7.4	0.4	0.15	9	1.2	<0.2
1284813	Soil	9	20	0.78	421	0.094	1	2.02	0.012	0.23	<0.1	0.03	5.3	0.3	<0.05	10	<0.5	<0.2
1284822	Soil	14	36	0.93	173	0.120	<1	2.18	0.018	0.15	<0.1	0.02	8.4	0.1	<0.05	10	<0.5	<0.2
1284810	Soil	18	17	1.20	286	0.174	<1	2.16	0.020	0.34	<0.1	0.02	7.7	0.3	<0.05	13	<0.5	<0.2
1269067	Soil	25	57	1.33	233	0.143	1	2.49	0.012	0.31	0.1	0.02	6.3	0.3	<0.05	8	<0.5	<0.2
1269063	Soil	13	39	1.72	287	0.175	1	2.53	0.012	0.71	0.1	0.04	3.5	0.5	<0.05	7	<0.5	<0.2
1269073	Soil	17	63	1.35	210	0.122	2	2.25	0.024	0.22	0.1	0.04	6.2	0.3	<0.05	6	<0.5	<0.2
1269076	Soil	27	59	0.85	222	0.096	1	2.24	0.013	0.08	0.1	0.03	5.8	0.2	<0.05	7	<0.5	<0.2
1269068	Soil	17	40	1.06	154	0.134	1	2.21	0.012	0.22	0.2	0.02	3.9	0.3	<0.05	7	<0.5	<0.2
1269064	Soil	14	27	1.39	390	0.143	1	2.27	0.014	0.35	0.1	0.01	3.0	0.3	<0.05	7	<0.5	<0.2
1269074	Soil	11	52	0.75	197	0.102	1	2.54	0.014	0.05	0.1	0.02	4.2	0.2	<0.05	8	<0.5	<0.2
1269075	Soil	12	45	0.67	195	0.078	1	2.02	0.011	0.05	0.2	0.04	4.4	0.2	<0.05	7	<0.5	<0.2
1269069	Soil	9	91	0.91	103	0.090	4	2.00	0.007	0.42	<0.1	0.01	8.4	0.5	<0.05	8	<0.5	<0.2
1269065	Soil	19	50	0.83	273	0.057	2	1.77	0.016	0.08	0.1	0.11	5.3	0.2	0.09	5	0.6	<0.2
1269061	Soil	16	114	1.10	191	0.071	2	1.76	0.016	0.10	0.1	0.07	5.6	0.3	<0.05	6	<0.5	<0.2
1269071	Soil	9	68	3.24	207	0.240	<1	3.07	0.012	1.03	0.2	<0.01	6.0	0.8	<0.05	7	<0.5	<0.2
1269070	Soil	9	54	0.97	171	0.081	1	2.44	0.011	0.13	0.1	0.02	4.0	0.2	<0.05	8	<0.5	<0.2
1269066	Soil	24	61	1.23	197	0.106	2	2.13	0.016	0.16	0.1	0.04	7.5	0.3	<0.05	6	<0.5	<0.2
1269062	Soil	34	111	1.00	276	0.082	2	1.81	0.014	0.13	0.1	0.09	5.8	0.3	<0.05	6	<0.5	<0.2
1269072	Soil	15	49	1.01	198	0.088	1	1.90	0.016	0.09	0.2	0.03	5.5	0.2	<0.05	6	<0.5	<0.2
1269082	Soil	24	60	1.01	239	0.117	2	2.13	0.009	0.17	0.2	0.02	4.7	0.3	<0.05	6	<0.5	<0.2
1269086	Soil	8	30	0.41	166	0.043	1	1.35	0.008	0.09	0.1	<0.01	2.3	0.2	<0.05	4	<0.5	<0.2
1269089	Soil	12	31	0.33	250	0.047	<1	1.26	0.007	0.08	0.1	0.01	2.4	0.1	<0.05	5	<0.5	<0.2
1269060	Soil	17	182	1.61	164	0.090	2	1.90	0.014	0.07	0.1	0.06	5.8	0.3	<0.05	6	<0.5	<0.2
1269084	Soil	11	47	1.04	139	0.110	1	2.36	0.007	0.11	0.2	0.01	3.4	0.2	<0.05	6	<0.5	<0.2
1269087	Soil	21	43	0.24	429	0.021	1	0.80	0.002	0.10	0.1	0.03	4.9	0.2	<0.05	3	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000233.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1269091	Soil	1.4	8.9	8.7	43	<0.1	12.8	5.8	316	2.21	6.1	1.0	<0.5	16.1	12	<0.1	0.5	0.1	41	0.19	0.015
1269090	Soil	1.6	16.9	9.7	68	<0.1	18.3	11.3	682	3.78	5.5	1.6	<0.5	17.6	14	<0.1	0.3	<0.1	55	0.28	0.057
1271255	Soil	1.0	20.3	11.2	107	<0.1	11.4	6.3	385	3.25	5.3	1.1	<0.5	6.5	12	<0.1	0.3	0.2	38	0.19	0.013
1269298	Soil	1.0	36.4	10.0	71	0.1	32.8	10.8	260	2.71	4.0	2.6	2.8	7.9	33	0.2	0.5	0.4	74	0.72	0.052
1269085	Soil	1.9	16.8	13.1	41	<0.1	26.9	10.5	304	2.69	6.5	1.7	6.7	23.1	13	<0.1	0.4	0.2	62	0.16	0.013
1269088	Soil	1.4	16.0	14.1	37	<0.1	26.0	9.7	531	2.58	5.1	0.8	0.9	16.5	12	<0.1	0.4	0.2	55	0.18	0.017
1269297	Soil	1.4	35.6	14.5	75	<0.1	25.5	18.2	818	4.37	6.0	1.4	4.8	6.0	27	<0.1	0.2	0.8	89	0.69	0.040
1271252	Soil	1.7	18.0	9.9	60	<0.1	17.3	8.7	676	3.59	4.7	1.4	0.7	9.1	14	<0.1	0.6	0.1	49	0.26	0.024
1269293	Soil	1.7	18.3	16.2	67	<0.1	27.3	15.1	474	3.29	6.1	1.5	1.4	12.3	22	<0.1	0.3	0.2	72	0.47	0.057
1269083	Soil	1.6	9.3	12.3	39	<0.1	18.9	8.6	543	2.61	4.8	0.8	2.1	8.9	17	0.1	0.4	0.1	62	0.17	0.026
1269295	Soil	1.3	22.6	17.7	64	<0.1	28.4	15.8	527	3.34	5.8	1.4	1.5	14.7	19	<0.1	0.2	0.3	71	0.46	0.040
1271253	Soil	1.6	19.4	9.7	63	<0.1	30.0	12.7	1127	4.00	6.0	2.1	1.1	16.6	14	0.2	0.5	0.3	52	0.28	0.038
1271254	Soil	1.3	12.1	10.2	59	<0.1	16.7	7.7	321	2.60	6.9	0.9	<0.5	6.6	15	<0.1	0.4	0.1	44	0.18	0.013
1269296	Soil	1.7	22.2	57.7	73	0.2	16.8	8.7	369	3.18	3.2	2.5	1.0	15.2	25	0.1	0.2	0.9	58	0.48	0.051
1269294	Soil	1.2	24.7	16.4	63	<0.1	29.3	15.5	410	3.49	5.8	1.1	0.6	10.0	21	<0.1	0.4	0.2	75	0.44	0.064
1269300	Soil	2.6	18.8	12.9	55	<0.1	25.4	10.9	462	3.38	6.1	1.8	1.7	16.7	22	0.1	0.4	0.3	56	0.39	0.029
1271259	Soil	2.3	30.7	18.5	57	<0.1	28.3	15.2	391	3.02	9.5	14.9	6.2	12.6	40	0.2	0.5	0.3	68	0.78	0.041
1271257	Soil	1.7	19.0	17.6	78	<0.1	18.8	9.4	837	3.13	7.1	1.8	2.4	15.7	22	0.2	0.4	0.3	44	0.45	0.036
1271251	Soil	2.6	25.4	2.2	43	0.3	25.3	11.0	417	2.51	4.2	0.3	1.0	0.8	38	0.1	0.3	<0.1	74	0.89	0.060
1271261	Soil	2.1	27.9	22.0	59	<0.1	24.3	11.1	441	2.75	5.6	8.4	1.8	10.4	33	0.2	0.4	0.2	56	0.61	0.031
1271260	Soil	2.1	27.9	8.5	45	<0.1	22.6	13.6	448	2.49	6.8	12.5	5.5	8.6	39	0.1	0.4	0.3	59	0.85	0.047
1271258	Soil	2.1	28.9	19.2	53	0.1	32.4	14.1	518	3.14	8.0	8.6	7.2	14.0	30	0.2	0.5	0.2	71	0.59	0.033
1271272	Soil	0.5	12.7	6.0	66	<0.1	25.8	14.1	337	2.92	3.5	0.6	0.7	3.7	46	<0.1	0.3	0.2	74	0.93	0.093
1271271	Soil	1.8	25.1	19.0	62	0.4	25.6	16.5	797	3.26	5.2	3.7	3.4	18.6	38	0.2	0.3	0.2	67	0.90	0.088
1269299	Soil	1.8	19.5	9.1	52	<0.1	22.0	11.6	449	2.79	6.6	2.6	3.8	10.5	26	0.1	0.4	0.2	55	0.49	0.034
1271256	Soil	1.3	38.1	14.5	70	<0.1	19.1	8.5	497	3.18	6.8	2.2	1.6	9.4	20	<0.1	0.3	0.5	47	0.42	0.022
1271268	Soil	1.5	97.8	9.8	59	0.1	35.8	28.6	660	6.31	7.9	4.9	1.7	13.3	47	0.1	0.2	0.3	157	0.97	0.161
1271269	Soil	1.7	25.2	14.1	64	0.2	28.3	18.9	513	4.09	7.0	2.1	2.9	13.7	24	<0.1	0.3	0.4	68	0.53	0.066
1271270	Soil	1.4	31.7	11.2	63	<0.1	76.6	24.2	488	4.38	4.9	1.5	10.5	11.5	19	<0.1	0.4	0.3	76	0.42	0.070
1271262	Soil	1.5	15.7	10.2	65	<0.1	17.0	5.7	253	2.25	4.4	2.4	1.4	9.3	15	<0.1	0.3	0.2	35	0.23	0.014

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000233.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1269091	Soil	8	24	0.36	138	0.055	<1	1.13	0.007	0.12	0.1	<0.01	2.2	0.1	<0.05	4	<0.5	<0.2
1269090	Soil	13	30	0.72	222	0.109	2	1.66	0.008	0.51	0.2	<0.01	4.4	0.3	<0.05	7	<0.5	<0.2
1271255	Soil	8	20	0.31	297	0.090	1	1.52	0.008	0.34	0.1	<0.01	5.3	0.3	<0.05	7	<0.5	<0.2
1269298	Soil	28	57	0.96	231	0.101	2	1.76	0.020	0.13	0.2	0.05	7.8	0.2	<0.05	7	0.6	<0.2
1269085	Soil	19	56	0.66	100	0.079	1	1.77	0.008	0.18	0.1	0.01	4.9	0.2	<0.05	6	<0.5	<0.2
1269088	Soil	20	37	0.25	503	0.026	<1	1.17	0.006	0.07	0.1	0.02	3.3	0.1	<0.05	4	<0.5	<0.2
1269297	Soil	16	41	0.90	283	0.062	2	1.66	0.011	0.10	0.1	0.02	8.9	0.1	<0.05	7	<0.5	<0.2
1271252	Soil	30	33	0.33	268	0.032	2	1.08	0.006	0.14	0.1	0.02	9.6	0.1	<0.05	5	<0.5	<0.2
1269293	Soil	28	54	1.04	196	0.122	1	1.91	0.013	0.23	0.2	0.02	4.5	0.3	<0.05	7	<0.5	<0.2
1269083	Soil	12	38	0.54	189	0.069	<1	1.67	0.009	0.12	0.1	0.02	2.8	0.2	<0.05	6	<0.5	<0.2
1269295	Soil	16	52	1.23	156	0.094	2	1.74	0.011	0.23	0.2	0.01	4.8	0.4	<0.05	7	<0.5	<0.2
1271253	Soil	63	41	0.26	752	0.009	2	0.87	0.004	0.13	0.3	0.01	14.3	<0.1	<0.05	4	<0.5	<0.2
1271254	Soil	9	35	0.35	255	0.056	1	1.43	0.007	0.15	0.2	0.01	4.9	0.1	<0.05	5	<0.5	<0.2
1269296	Soil	40	32	1.03	177	0.100	1	1.55	0.011	0.28	0.1	0.02	3.7	0.3	0.07	7	<0.5	<0.2
1269294	Soil	21	48	1.10	189	0.102	2	1.99	0.012	0.19	0.1	0.01	4.8	0.3	<0.05	7	<0.5	<0.2
1269300	Soil	34	39	0.36	325	0.041	1	1.30	0.010	0.09	0.1	0.02	4.9	<0.1	<0.05	5	<0.5	<0.2
1271259	Soil	33	47	0.94	200	0.079	2	1.88	0.018	0.12	0.2	0.05	6.6	0.2	<0.05	5	<0.5	<0.2
1271257	Soil	30	25	0.39	456	0.043	2	1.07	0.015	0.09	0.1	0.03	9.1	<0.1	<0.05	4	<0.5	<0.2
1271251	Soil	4	35	0.83	92	0.127	3	1.59	0.089	0.11	13.9	0.01	5.1	<0.1	0.06	6	<0.5	<0.2
1271261	Soil	29	40	0.63	245	0.062	1	1.60	0.015	0.13	0.2	0.03	7.4	0.1	<0.05	5	<0.5	<0.2
1271260	Soil	24	36	0.79	217	0.068	2	1.53	0.016	0.09	0.2	0.04	5.2	0.2	0.06	4	<0.5	<0.2
1271258	Soil	23	50	0.76	344	0.090	2	1.87	0.018	0.11	0.2	0.04	6.8	0.2	<0.05	6	<0.5	<0.2
1271272	Soil	11	46	1.00	164	0.120	3	1.53	0.033	0.23	0.2	0.04	4.7	0.2	<0.05	6	<0.5	<0.2
1271271	Soil	81	52	0.85	248	0.067	2	1.78	0.012	0.14	0.2	0.07	7.7	0.2	0.05	6	<0.5	<0.2
1269299	Soil	16	35	0.52	174	0.054	1	1.17	0.014	0.11	0.2	0.02	5.2	0.1	<0.05	4	<0.5	<0.2
1271256	Soil	14	42	0.47	350	0.063	2	1.41	0.014	0.18	0.2	0.02	7.2	0.2	<0.05	5	<0.5	<0.2
1271268	Soil	56	48	2.35	290	0.180	2	2.72	0.010	0.80	0.2	0.03	8.0	0.7	<0.05	11	0.5	<0.2
1271269	Soil	34	55	0.96	186	0.061	1	1.66	0.010	0.12	0.2	0.04	6.8	0.2	<0.05	6	<0.5	<0.2
1271270	Soil	32	107	0.97	255	0.054	2	1.66	0.012	0.22	<0.1	0.02	10.8	0.2	<0.05	5	<0.5	<0.2
1271262	Soil	19	41	0.46	149	0.059	1	1.02	0.010	0.21	0.1	0.02	5.8	0.2	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000233.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1271267	Soil	1.8	34.5	27.4	48	<0.1	40.5	13.9	313	3.12	7.5	0.8	<0.5	15.8	13	<0.1	0.4	0.4	70	0.22	0.022
1271265	Soil	2.3	22.3	13.9	50	<0.1	29.2	12.3	622	3.04	8.5	4.0	8.9	12.2	23	<0.1	0.4	0.2	55	0.39	0.034
1271264	Soil	3.1	20.9	10.4	66	<0.1	27.4	10.4	564	3.26	8.3	5.1	2.6	11.4	26	0.2	0.5	0.2	50	0.44	0.028
1271263	Soil	1.8	28.0	9.0	47	0.1	22.1	12.3	485	2.58	7.6	12.9	13.1	7.6	52	0.1	0.4	0.3	55	0.97	0.040
1271266	Soil	2.4	10.0	6.9	31	<0.1	20.2	7.5	254	1.95	5.0	1.0	0.7	14.1	17	<0.1	0.3	0.2	35	0.24	0.023
1283016	Soil	0.7	17.0	8.4	83	0.2	11.8	9.2	888	3.32	10.6	1.1	5.2	5.8	118	0.1	2.9	0.3	53	3.95	0.100
1283012	Soil	0.5	8.8	3.0	88	<0.1	4.4	11.7	653	4.24	2.2	1.4	2.2	5.1	20	<0.1	1.1	0.2	150	0.36	0.078
1283013	Soil	0.9	8.8	6.1	86	<0.1	10.0	8.3	665	3.74	4.4	1.1	0.8	11.6	27	<0.1	1.2	0.2	85	0.53	0.144
1283014	Soil	0.5	25.1	5.7	90	<0.1	22.2	11.2	745	4.42	8.2	0.6	2.6	5.8	21	<0.1	0.5	0.2	94	0.46	0.080
1283011	Soil	0.7	13.2	7.7	83	<0.1	16.3	9.7	567	3.82	8.3	1.1	1.5	6.5	24	<0.1	0.9	0.2	77	0.40	0.080
1283010	Soil	0.3	6.7	7.9	108	<0.1	5.7	8.4	874	3.58	3.6	0.5	0.7	7.7	68	<0.1	2.0	0.1	62	1.47	0.202
1283015	Soil	0.7	29.9	8.5	60	<0.1	32.5	10.9	383	3.20	12.7	0.8	3.9	5.3	30	<0.1	0.9	0.2	75	0.50	0.030
1269100	Soil	0.6	22.5	12.5	84	<0.1	33.9	16.1	726	3.38	31.0	1.4	4.1	11.2	38	0.2	0.1	0.3	68	1.14	0.082
1283004	Soil	2.9	66.4	12.3	174	0.3	52.7	7.1	406	2.92	93.3	1.7	3.3	5.4	14	0.6	4.6	0.2	104	0.08	0.051
1283018	Soil	0.8	29.7	6.1	133	<0.1	12.2	14.2	1245	6.09	65.6	1.1	41.5	10.7	26	<0.1	11.1	0.5	114	0.76	0.217
1283003	Soil	1.4	49.3	12.7	80	0.4	44.5	11.7	509	3.27	79.0	1.3	11.5	4.9	21	0.2	1.6	0.2	79	0.26	0.047
1269332	Soil	1.9	27.7	13.4	42	0.3	27.9	13.3	665	2.88	31.6	6.4	37.0	14.4	38	0.2	0.5	0.6	61	1.08	0.051
1283006	Soil	3.3	55.9	14.4	138	0.5	56.7	11.2	279	3.49	44.5	1.9	1.9	5.0	36	0.7	2.2	0.2	128	0.30	0.079
1283002	Soil	1.4	50.0	7.0	94	0.2	69.8	22.0	677	4.62	49.8	1.2	4.8	5.2	25	0.1	1.9	0.1	121	0.38	0.059
1283001	Rock Pulp	1.4	455.3	20.1	163	0.2	227.3	80.7	836	16.40	3.5	1.2	34.1	7.2	15	0.1	0.3	0.1	241	0.30	0.043
1269402	Soil	0.8	33.3	16.1	76	0.2	38.9	14.9	635	3.21	26.0	2.2	2.7	8.7	49	0.1	0.3	0.2	51	1.51	0.077
1269094	Soil	1.2	14.7	12.3	64	<0.1	23.3	10.6	394	3.55	11.3	1.6	1.9	16.2	22	<0.1	0.3	0.2	60	0.36	0.032
1283005	Soil	4.3	50.3	14.4	213	0.5	53.9	10.2	373	3.87	56.9	2.7	4.1	8.1	26	1.1	3.9	0.1	83	0.14	0.067
1283008	Soil	1.6	62.7	4.5	111	0.3	103.8	42.4	2141	6.99	51.8	1.1	3.7	2.5	26	0.6	2.2	<0.1	264	1.12	0.086
1269093	Soil	1.6	12.6	14.4	59	<0.1	21.8	8.8	287	3.44	9.8	1.0	1.8	10.1	18	<0.1	0.4	0.2	72	0.25	0.022
1283007	Soil	1.8	47.6	8.0	99	0.3	47.2	11.9	454	3.39	38.2	1.2	6.8	4.8	24	0.4	3.1	0.1	107	0.43	0.065
1283009	Soil	2.5	65.7	15.9	122	0.3	93.0	20.0	768	4.22	125.1	1.3	12.0	7.8	25	0.5	40.4	0.2	122	0.51	0.061
1283017	Soil	1.1	23.2	8.5	96	<0.1	13.3	16.9	1336	5.56	5.6	1.6	4.4	23.7	24	0.1	0.8	0.1	101	0.58	0.141
1269098	Soil	0.5	14.5	5.4	63	<0.1	30.8	18.9	609	3.85	6.1	1.1	0.8	6.5	51	<0.1	0.2	<0.1	69	1.16	0.102
1269403	Soil	0.6	29.9	16.9	93	<0.1	60.1	17.6	590	4.16	30.6	0.9	3.0	11.9	23	0.2	0.1	0.2	57	0.65	0.065

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000233.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1271267	Soil	13	79	1.33	105	0.079	3	1.69	0.006	0.33	<0.1	0.01	6.7	0.5	<0.05	5	<0.5	<0.2
1271265	Soil	26	42	0.52	268	0.046	2	1.30	0.011	0.08	0.2	0.03	6.8	0.1	<0.05	5	<0.5	<0.2
1271264	Soil	34	47	0.55	244	0.048	2	1.26	0.011	0.11	0.2	0.02	6.3	0.1	<0.05	4	<0.5	<0.2
1271263	Soil	33	36	0.75	362	0.054	2	1.50	0.014	0.10	0.2	0.05	5.9	0.2	0.09	5	0.6	<0.2
1271266	Soil	50	32	0.31	147	0.030	2	0.69	0.006	0.10	<0.1	0.02	2.8	<0.1	<0.05	3	<0.5	<0.2
1283016	Soil	33	12	0.76	623	0.034	2	1.39	0.013	0.13	0.6	0.05	7.1	0.2	<0.05	8	<0.5	<0.2
1283012	Soil	32	4	0.73	320	0.124	<1	1.48	0.011	0.32	0.2	0.03	15.2	0.4	<0.05	7	<0.5	<0.2
1283013	Soil	39	16	0.82	240	0.101	<1	1.92	0.016	0.24	1.3	<0.01	9.4	0.4	<0.05	11	<0.5	<0.2
1283014	Soil	25	24	1.09	246	0.128	<1	1.77	0.014	0.41	0.2	0.03	8.5	0.3	<0.05	10	<0.5	<0.2
1283011	Soil	26	30	0.72	535	0.083	<1	1.64	0.014	0.10	0.2	0.01	8.7	0.1	<0.05	8	<0.5	<0.2
1283010	Soil	38	10	0.70	204	0.057	<1	1.28	0.007	0.19	0.1	0.02	8.1	0.2	0.07	8	<0.5	<0.2
1283015	Soil	26	40	0.68	248	0.100	2	1.79	0.018	0.10	0.2	0.06	7.7	0.1	<0.05	6	0.5	<0.2
1269100	Soil	43	51	1.24	209	0.121	2	1.83	0.011	0.55	0.1	0.05	5.5	0.4	0.06	8	0.5	<0.2
1283004	Soil	20	54	0.63	413	0.084	<1	1.26	0.004	0.39	<0.1	0.11	5.7	1.0	0.06	7	1.5	<0.2
1283018	Soil	43	14	1.56	428	0.143	<1	2.34	0.009	0.50	0.1	0.05	11.4	0.5	<0.05	14	0.6	<0.2
1283003	Soil	20	53	0.69	358	0.099	1	1.84	0.014	0.08	0.1	0.04	9.0	0.2	<0.05	6	<0.5	<0.2
1269332	Soil	65	48	0.70	188	0.056	2	1.71	0.013	0.12	0.3	0.09	6.8	0.2	0.07	6	0.5	<0.2
1283006	Soil	18	71	0.85	478	0.104	<1	2.13	0.013	0.30	0.2	0.02	6.7	0.4	0.11	8	1.7	<0.2
1283002	Soil	16	130	1.45	782	0.203	<1	2.89	0.009	0.49	<0.1	0.03	11.0	0.4	<0.05	11	0.9	<0.2
1283001	Rock Pulp	17	742	0.14	149	0.179	4	4.28	0.013	0.07	<0.1	0.03	42.5	0.1	0.06	23	0.6	<0.2
1269402	Soil	105	49	0.96	225	0.088	2	1.79	0.012	0.31	0.1	0.07	6.0	0.4	0.07	7	0.9	<0.2
1269094	Soil	58	40	0.74	177	0.100	1	2.11	0.014	0.19	0.3	0.02	4.2	0.4	<0.05	9	<0.5	<0.2
1283005	Soil	20	39	0.42	954	0.053	<1	1.55	0.007	0.27	0.1	0.09	4.7	0.9	0.10	5	1.2	<0.2
1283008	Soil	14	155	2.25	447	0.135	<1	3.37	0.019	0.28	<0.1	0.04	22.8	0.3	<0.05	13	0.7	<0.2
1269093	Soil	25	43	0.62	110	0.117	1	2.04	0.010	0.11	0.3	0.01	3.4	0.3	<0.05	9	<0.5	<0.2
1283007	Soil	19	61	0.78	338	0.123	1	1.73	0.014	0.23	0.2	0.05	8.7	0.5	<0.05	7	0.9	<0.2
1283009	Soil	23	151	1.49	496	0.118	1	2.40	0.013	0.41	0.2	0.06	8.9	0.8	<0.05	9	1.0	<0.2
1283017	Soil	57	24	1.21	951	0.296	<1	2.28	0.025	0.78	0.2	<0.01	11.6	1.0	<0.05	11	<0.5	<0.2
1269098	Soil	31	66	1.62	231	0.145	1	2.24	0.010	0.51	0.2	0.04	5.2	0.4	0.07	7	<0.5	<0.2
1269403	Soil	18	75	1.49	175	0.148	2	2.33	0.010	0.63	<0.1	0.01	5.0	0.6	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000233.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1269099	Soil		0.6	23.0	14.4	82	<0.1	42.3	13.6	352	4.00	36.7	1.1	3.7	12.8	26	<0.1	0.2	0.3	78	0.77	0.073
1269096	Soil		0.7	22.3	6.4	91	<0.1	23.1	16.0	702	4.15	16.3	1.0	<0.5	24.8	12	<0.1	0.2	0.2	52	0.29	0.075
1269406	Soil		0.8	39.8	1.9	36	<0.1	37.0	39.2	407	5.24	3.6	0.3	<0.5	1.8	13	<0.1	<0.1	0.1	172	0.43	0.011
1269097	Soil		1.3	12.8	12.7	73	<0.1	14.2	9.5	639	3.68	9.3	1.6	<0.5	12.9	12	0.2	0.3	0.5	56	0.21	0.029
1269409	Soil		1.4	33.4	13.2	41	<0.1	32.1	18.1	389	4.61	21.7	1.1	4.3	12.1	22	<0.1	0.4	0.5	141	0.43	0.022
1269095	Soil		1.3	9.7	10.3	49	<0.1	16.8	7.6	321	2.61	8.0	0.8	2.2	8.4	18	<0.1	0.2	0.2	57	0.30	0.020
1269407	Soil		1.5	54.5	8.2	69	<0.1	37.2	18.2	397	4.13	15.8	0.9	5.4	4.3	20	0.1	0.3	0.2	118	0.52	0.176
1269410	Soil		2.0	14.7	12.8	71	<0.1	30.0	16.1	849	3.23	26.8	1.5	2.0	6.7	18	0.1	0.5	1.2	67	0.30	0.036
1269405	Soil		1.1	30.3	9.3	52	<0.1	31.0	14.1	299	3.51	18.7	0.6	2.1	3.9	15	<0.1	0.2	3.4	77	0.36	0.025
1269404	Soil		0.8	21.3	12.0	55	0.2	27.6	11.1	279	2.87	21.6	0.9	5.7	6.9	22	<0.1	0.3	0.3	56	0.45	0.039
1269411	Soil		6.6	20.7	19.6	41	<0.1	23.4	9.1	478	2.62	15.9	1.8	30.8	26.9	11	<0.1	0.4	0.3	52	0.15	0.012
1269412	Soil		1.6	18.4	11.3	43	<0.1	28.1	11.3	704	2.87	10.4	1.0	5.0	13.9	19	<0.1	0.5	0.2	68	0.24	0.022
1269092	Soil		1.6	9.3	13.6	51	<0.1	14.3	5.9	261	2.54	8.9	0.9	2.0	5.3	17	0.1	0.2	0.3	67	0.24	0.048
1269408	Soil		2.0	30.4	20.5	60	0.2	16.0	13.0	462	4.46	21.1	0.6	1.7	2.0	10	0.1	0.5	0.1	105	0.19	0.039
1269415	Soil		1.6	16.0	12.7	45	<0.1	20.3	11.0	320	3.02	9.8	2.9	10.3	17.1	23	<0.1	0.4	0.3	61	0.31	0.019
1269416	Soil		1.9	17.1	13.6	56	<0.1	26.5	14.2	396	3.58	9.6	2.8	2.9	16.6	19	<0.1	0.2	0.5	73	0.31	0.035
1269414	Soil		1.1	11.0	9.9	46	<0.1	21.2	12.6	761	2.90	7.5	1.4	1.1	8.6	19	<0.1	0.3	0.1	67	0.22	0.024
1269413	Soil		1.9	20.0	13.7	48	0.1	29.9	11.9	470	3.22	12.2	1.2	0.6	15.3	17	<0.1	0.5	0.3	78	0.20	0.018
1269330	Soil		1.4	29.2	14.7	40	0.2	28.1	12.6	619	2.76	44.1	2.5	5.7	10.7	33	0.2	0.5	0.6	62	1.29	0.059
1269418	Soil		3.2	15.5	12.0	62	<0.1	27.4	13.9	579	3.80	6.5	2.3	29.8	18.2	29	<0.1	0.4	0.3	58	0.49	0.094
1269420	Soil		2.9	19.7	13.5	50	<0.1	30.2	11.9	449	3.12	7.0	12.0	3.2	17.2	52	<0.1	0.4	0.3	64	0.88	0.056
1269422	Soil		1.9	13.8	8.3	45	<0.1	19.2	10.3	403	2.73	7.0	3.9	2.4	9.3	27	<0.1	0.3	0.2	54	0.38	0.029
1269331	Soil		1.3	26.1	12.9	43	0.2	28.0	13.0	603	2.78	36.9	2.1	6.9	9.8	30	0.2	0.4	0.5	65	1.04	0.061
1269417	Soil		2.6	17.2	10.8	65	<0.1	26.9	14.8	549	4.11	7.3	3.3	3.8	17.0	26	<0.1	0.3	0.3	81	0.44	0.075
1269419	Soil		2.4	18.6	11.9	54	<0.1	34.3	12.4	537	3.07	6.4	2.8	4.5	26.3	28	<0.1	0.4	0.3	52	0.39	0.058
1269421	Soil		1.8	17.6	6.7	76	<0.1	16.4	10.6	495	3.33	5.3	8.7	2.0	9.0	31	<0.1	0.2	0.2	57	0.46	0.041
1269329	Soil		1.9	30.6	14.9	46	0.2	33.6	13.3	538	3.01	56.6	2.2	8.1	16.6	29	0.1	0.6	0.7	71	1.02	0.046
1269328	Soil		1.4	22.6	10.6	48	0.1	27.2	12.9	397	3.09	69.1	0.8	2.2	5.1	26	0.2	0.5	0.8	77	0.89	0.025
1269323	Soil		0.8	21.2	7.0	30	0.1	43.5	21.5	310	3.12	9.7	1.1	2.1	4.1	14	<0.1	0.3	0.9	60	0.38	0.019
1269321	Soil		1.2	15.7	9.5	38	<0.1	17.9	7.7	298	2.49	14.5	0.5	1.9	3.2	13	<0.1	0.2	0.4	72	0.19	0.036

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000233.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1269099	Soil	25	69	1.45	203	0.141	1	2.19	0.012	0.61	0.1	0.04	6.2	0.5	0.05	8	<0.5	<0.2
1269096	Soil	46	40	0.91	119	0.130	1	2.35	0.008	0.83	0.4	<0.01	7.3	0.7	0.05	12	<0.5	<0.2
1269406	Soil	3	43	3.60	241	0.211	<1	4.02	0.009	1.03	0.1	<0.01	3.4	0.7	<0.05	6	<0.5	<0.2
1269097	Soil	14	29	0.45	157	0.080	<1	1.68	0.011	0.33	0.2	0.02	3.8	0.4	0.07	11	<0.5	<0.2
1269409	Soil	16	59	1.46	196	0.104	<1	2.85	0.015	0.17	0.2	0.01	10.2	0.3	<0.05	8	<0.5	<0.2
1269095	Soil	21	36	0.59	121	0.091	1	1.43	0.010	0.14	0.6	0.02	3.3	0.2	<0.05	7	<0.5	<0.2
1269407	Soil	12	60	1.39	344	0.128	2	3.43	0.014	0.36	0.1	0.02	5.3	0.3	<0.05	9	<0.5	<0.2
1269410	Soil	8	48	0.74	198	0.062	2	2.29	0.013	0.21	0.9	0.02	3.6	0.3	<0.05	8	<0.5	<0.2
1269405	Soil	9	53	1.24	176	0.122	2	2.12	0.010	0.18	0.2	0.02	3.9	0.2	<0.05	7	<0.5	<0.2
1269404	Soil	62	37	0.83	179	0.081	2	1.87	0.012	0.11	0.1	0.04	4.3	0.2	<0.05	6	<0.5	<0.2
1269411	Soil	21	47	0.66	95	0.053	<1	1.95	0.007	0.07	0.3	0.02	4.2	0.2	<0.05	6	<0.5	<0.2
1269412	Soil	18	51	0.70	161	0.078	1	1.91	0.011	0.08	0.2	0.03	4.3	0.2	<0.05	6	<0.5	<0.2
1269092	Soil	32	30	0.44	127	0.092	1	1.41	0.009	0.13	0.3	0.02	2.8	0.2	<0.05	9	<0.5	<0.2
1269408	Soil	5	29	0.77	126	0.103	<1	2.77	0.013	0.17	0.2	0.02	5.5	0.2	<0.05	9	<0.5	<0.2
1269415	Soil	26	46	0.84	153	0.088	<1	1.87	0.011	0.15	0.1	0.02	4.2	0.2	<0.05	6	<0.5	<0.2
1269416	Soil	19	86	1.51	136	0.154	1	2.39	0.007	0.54	0.1	0.01	5.1	0.5	<0.05	7	<0.5	<0.2
1269414	Soil	8	64	1.13	175	0.100	1	2.17	0.009	0.39	<0.1	0.01	3.5	0.3	<0.05	7	<0.5	<0.2
1269413	Soil	17	57	0.86	151	0.095	1	2.47	0.011	0.12	0.1	0.02	5.2	0.3	<0.05	7	<0.5	<0.2
1269330	Soil	45	45	0.73	180	0.054	2	1.71	0.016	0.11	0.1	0.09	6.1	0.2	0.12	5	0.5	<0.2
1269418	Soil	40	70	0.89	208	0.081	1	1.65	0.011	0.31	0.1	0.01	5.4	0.3	<0.05	6	<0.5	<0.2
1269420	Soil	35	62	0.75	319	0.064	2	1.67	0.014	0.20	0.1	0.03	6.7	0.2	<0.05	6	<0.5	<0.2
1269422	Soil	14	36	0.51	175	0.069	1	1.34	0.017	0.13	0.1	0.01	4.8	0.1	<0.05	5	<0.5	<0.2
1269331	Soil	33	48	0.77	165	0.058	2	1.73	0.016	0.14	0.2	0.07	6.0	0.2	0.06	5	<0.5	<0.2
1269417	Soil	31	82	1.22	217	0.119	1	2.32	0.011	0.41	0.1	0.01	5.8	0.4	<0.05	8	<0.5	<0.2
1269419	Soil	54	58	0.59	339	0.049	2	1.32	0.010	0.19	<0.1	0.04	7.5	0.2	<0.05	5	<0.5	<0.2
1269421	Soil	15	30	0.67	278	0.099	1	1.72	0.014	0.36	<0.1	0.03	4.7	0.2	<0.05	6	<0.5	<0.2
1269329	Soil	44	51	0.79	183	0.067	2	1.89	0.016	0.11	0.2	0.09	7.1	0.2	<0.05	6	<0.5	<0.2
1269328	Soil	9	49	0.87	147	0.086	2	1.85	0.018	0.11	0.3	0.03	4.6	0.2	0.05	6	<0.5	<0.2
1269323	Soil	13	32	1.89	160	0.056	<1	2.68	0.015	0.05	0.1	0.02	5.1	0.3	<0.05	6	<0.5	<0.2
1269321	Soil	10	36	0.67	80	0.120	<1	1.37	0.008	0.20	0.1	0.02	2.9	0.2	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000233.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1269324	Soil	0.3	31.8	3.0	22	<0.1	71.0	35.6	330	3.71	12.0	0.7	2.2	3.4	13	<0.1	0.1	2.0	54	0.75	0.028
1269327	Soil	1.1	38.6	12.5	49	<0.1	37.4	15.3	482	3.45	83.0	0.9	4.8	4.7	23	<0.1	0.5	1.0	78	0.82	0.032
1269326	Soil	1.2	58.1	15.8	47	0.3	99.2	29.4	821	4.67	591.1	1.0	27.2	6.7	28	0.1	3.1	4.5	106	0.92	0.073
1269322	Soil	1.1	87.8	3.2	39	<0.1	24.9	23.4	408	4.37	5.0	0.6	0.8	3.1	13	<0.1	0.1	0.2	104	0.50	0.033
1269325	Soil	1.3	44.0	15.6	45	0.3	64.1	23.6	1102	4.79	558.9	1.3	29.7	5.6	27	0.1	3.2	6.7	99	0.97	0.070
1269318	Soil	0.9	29.2	17.7	80	0.3	56.8	24.1	1027	3.91	17.1	2.0	2.1	17.5	34	0.3	0.2	0.3	72	1.03	0.074
1269313	Soil	1.0	20.2	3.9	98	<0.1	22.7	26.8	658	6.41	16.1	1.1	<0.5	10.8	21	<0.1	0.2	0.2	110	0.63	0.056
1269312	Soil	1.4	8.4	10.7	43	<0.1	11.8	5.6	284	2.20	6.4	0.7	0.8	4.0	16	0.1	0.2	0.3	63	0.24	0.030
1269319	Soil	1.6	45.4	19.6	103	<0.1	198.5	31.1	946	6.20	22.6	2.2	1.3	18.5	20	0.3	0.5	0.5	81	0.60	0.100
1269317	Soil	0.7	23.6	12.7	81	<0.1	45.4	25.9	1338	4.54	30.3	1.3	16.7	11.8	37	0.2	0.2	0.3	87	1.17	0.107
1269314	Soil	0.9	25.0	5.5	60	<0.1	35.9	18.8	644	3.72	12.7	1.8	2.3	8.6	54	<0.1	0.2	<0.1	81	1.13	0.095
1269311	Soil	1.6	14.4	11.7	60	<0.1	20.7	9.2	324	3.31	10.6	1.0	4.8	17.5	14	<0.1	0.5	0.2	66	0.19	0.023
1269320	Soil	0.7	35.0	12.5	89	0.1	134.7	22.3	669	4.31	67.1	1.6	3.1	11.2	22	0.2	0.1	0.2	56	0.68	0.072
1269316	Soil	0.8	23.4	11.2	75	<0.1	36.1	18.3	567	3.95	34.1	0.7	3.0	7.6	22	<0.1	0.8	0.3	85	0.50	0.065
1269315	Soil	0.4	19.6	5.8	68	<0.1	34.2	17.7	489	3.60	8.1	1.2	2.3	5.7	47	0.1	0.2	0.1	71	1.28	0.080
1269309	Soil	1.6	10.9	13.3	45	<0.1	11.9	6.0	332	3.12	13.3	0.7	4.8	3.9	13	<0.1	0.5	0.7	86	0.19	0.058
1290177	Soil	0.8	39.8	14.7	76	<0.1	26.0	28.0	943	5.06	5.2	1.3	2.0	13.1	91	<0.1	1.1	0.1	81	3.34	0.129
1290178	Soil	1.2	20.8	13.7	52	0.1	26.1	19.1	742	3.69	7.2	2.0	4.0	19.7	80	0.1	1.5	0.2	50	3.94	0.091
1269336	Soil	1.2	25.7	8.7	42	0.1	26.2	10.9	481	2.48	14.2	7.1	9.9	11.1	60	0.2	0.5	0.5	46	1.46	0.051
1269338	Soil	1.6	35.9	10.9	51	<0.1	28.1	15.5	435	3.11	24.3	5.9	5.8	14.8	31	0.1	0.5	0.4	70	0.56	0.040
1290170	Soil	0.6	37.6	13.6	87	<0.1	11.0	25.7	965	5.87	3.8	1.6	2.2	17.1	135	0.2	1.3	0.3	113	3.54	0.168
1290171	Soil	0.8	36.3	10.5	84	0.2	45.3	24.7	867	4.77	3.9	1.2	3.6	18.0	39	<0.1	1.2	0.2	93	1.73	0.071
1269310	Soil	1.9	14.2	14.0	59	<0.1	21.5	8.8	360	3.13	11.1	1.2	3.7	11.9	19	<0.1	0.8	0.2	67	0.32	0.027
1269334	Soil	2.7	25.7	11.5	38	0.2	24.4	11.3	486	2.53	19.4	14.8	24.4	11.5	40	0.1	0.5	0.3	57	1.16	0.051
1290176	Soil	1.3	60.6	7.6	74	0.1	64.0	31.9	1159	5.28	6.1	1.3	2.1	3.9	87	<0.1	1.5	0.4	83	2.76	0.074
1290180	Soil	1.5	46.7	27.9	70	0.2	50.0	21.9	959	4.63	10.0	1.2	50.8	10.0	33	0.2	1.7	0.2	75	0.66	0.078
1269333	Soil	2.1	23.8	11.4	46	0.1	26.1	13.2	591	2.80	24.5	2.8	19.0	12.1	29	0.2	0.4	0.4	64	0.80	0.040
1269337	Soil	1.5	28.1	11.0	49	0.1	28.9	12.7	364	3.01	16.2	3.6	7.2	16.1	31	0.1	0.4	0.7	66	0.65	0.052
1284835	Soil	1.2	45.4	7.2	85	<0.1	113.0	32.0	348	4.92	13.9	0.5	2.2	1.7	24	0.2	0.3	<0.1	89	0.49	0.104
1290166	Soil	1.0	26.2	6.0	60	<0.1	39.0	15.7	486	3.37	8.0	1.1	1.8	9.5	23	0.1	0.4	<0.1	56	0.37	0.057

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000233.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1269324	Soil	4	36	3.65	105	0.076	<1	3.40	0.017	0.24	0.1	<0.01	4.5	0.2	<0.05	6	<0.5	<0.2
1269327	Soil	9	55	1.15	155	0.114	1	2.18	0.021	0.17	0.2	0.05	6.0	0.3	<0.05	6	<0.5	<0.2
1269326	Soil	11	253	2.00	120	0.096	1	2.24	0.042	0.15	0.2	0.25	11.7	0.5	<0.05	6	<0.5	<0.2
1269322	Soil	11	40	1.80	178	0.213	<1	2.80	0.021	0.51	0.1	<0.01	4.3	0.5	<0.05	6	<0.5	<0.2
1269325	Soil	15	120	1.25	172	0.057	2	2.01	0.023	0.11	0.3	0.35	12.0	0.5	<0.05	6	<0.5	<0.2
1269318	Soil	78	88	1.31	268	0.111	2	2.21	0.014	0.41	<0.1	0.05	8.6	0.5	<0.05	7	<0.5	<0.2
1269313	Soil	67	23	1.84	219	0.203	<1	3.33	0.012	1.07	0.2	0.01	9.3	0.6	0.08	10	<0.5	<0.2
1269312	Soil	16	28	0.44	102	0.098	<1	1.30	0.009	0.15	0.2	0.02	2.5	0.2	0.05	8	<0.5	<0.2
1269319	Soil	35	195	1.57	298	0.093	3	2.44	0.008	0.65	0.1	0.03	11.0	0.7	<0.05	8	<0.5	<0.2
1269317	Soil	36	70	1.45	275	0.161	1	2.32	0.014	0.65	0.1	0.05	6.2	0.5	0.11	8	<0.5	<0.2
1269314	Soil	73	82	1.45	243	0.127	2	2.29	0.017	0.28	0.1	0.05	7.3	0.3	0.06	7	<0.5	<0.2
1269311	Soil	29	39	0.56	96	0.079	2	2.01	0.010	0.12	0.3	0.03	3.5	0.2	<0.05	7	<0.5	<0.2
1269320	Soil	46	180	2.25	181	0.186	1	2.79	0.010	0.80	0.1	0.01	4.9	0.7	<0.05	9	<0.5	<0.2
1269316	Soil	13	58	1.27	136	0.134	1	2.08	0.013	0.42	0.2	0.02	5.5	0.9	<0.05	7	<0.5	<0.2
1269315	Soil	29	71	1.54	230	0.126	2	2.22	0.010	0.40	0.2	0.03	5.3	0.4	<0.05	7	<0.5	<0.2
1269309	Soil	9	24	0.28	70	0.097	1	1.25	0.008	0.09	0.4	<0.01	2.1	0.2	<0.05	10	<0.5	<0.2
1290177	Soil	54	41	2.07	603	0.097	2	2.32	0.011	0.78	0.2	0.02	10.8	0.3	<0.05	7	<0.5	<0.2
1290178	Soil	60	50	1.21	490	0.071	2	1.52	0.009	0.42	0.2	0.04	7.5	0.3	<0.05	5	<0.5	<0.2
1269336	Soil	48	43	0.69	292	0.056	2	1.39	0.012	0.14	0.3	0.05	5.0	0.2	<0.05	4	<0.5	<0.2
1269338	Soil	39	48	0.89	256	0.081	1	1.89	0.016	0.12	0.2	0.04	6.9	0.2	<0.05	5	0.6	<0.2
1290170	Soil	104	15	2.23	1051	0.184	2	2.85	0.010	1.34	0.2	<0.01	10.6	0.5	<0.05	9	<0.5	<0.2
1290171	Soil	84	101	2.46	289	0.140	2	2.78	0.009	0.65	0.1	0.05	8.6	0.4	<0.05	10	<0.5	<0.2
1269310	Soil	41	42	0.55	129	0.065	2	1.88	0.009	0.09	0.3	0.03	4.0	0.3	<0.05	8	<0.5	<0.2
1269334	Soil	31	42	0.64	190	0.057	2	1.44	0.015	0.10	0.4	0.08	5.2	0.2	<0.05	4	<0.5	<0.2
1290176	Soil	12	81	1.58	505	0.023	3	1.61	0.011	0.30	<0.1	0.06	19.1	0.3	<0.05	5	0.9	0.4
1290180	Soil	27	53	0.70	501	0.056	2	1.75	0.020	0.09	0.2	0.05	9.4	0.1	<0.05	6	<0.5	<0.2
1269333	Soil	25	49	0.75	167	0.074	2	1.65	0.016	0.11	0.2	0.05	4.9	0.2	<0.05	5	<0.5	<0.2
1269337	Soil	41	53	0.92	234	0.070	2	1.78	0.014	0.12	0.2	0.04	6.0	0.2	<0.05	5	<0.5	<0.2
1284835	Soil	8	106	1.40	436	0.203	<1	2.67	0.024	0.45	<0.1	0.01	5.3	0.2	<0.05	10	<0.5	<0.2
1290166	Soil	26	61	1.04	285	0.093	<1	1.74	0.008	0.18	0.2	<0.01	5.9	0.2	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000233.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1290167	Soil		0.8	31.1	5.3	40	0.2	71.1	22.9	591	3.60	7.3	1.3	6.8	2.9	126	0.1	0.6	<0.1	62	6.12	0.104
1269335	Soil		3.7	24.5	26.0	76	0.2	35.0	17.0	664	3.92	12.7	6.8	67.5	33.8	26	0.2	0.7	1.4	56	0.59	0.092
1283219	Soil		1.4	12.4	8.4	79	<0.1	13.6	10.0	490	3.40	23.9	2.3	2.8	11.3	23	<0.1	0.9	0.1	71	0.40	0.072
1290175	Soil		0.9	86.4	6.5	79	0.1	47.8	24.9	849	4.32	5.0	1.3	2.9	4.9	67	0.1	0.5	0.3	94	1.43	0.052
1290169	Soil		1.6	26.7	21.2	64	0.3	23.6	10.0	363	2.93	11.9	1.3	3.9	14.2	20	0.3	1.7	0.3	60	0.37	0.017
1290168	Soil		1.6	57.0	9.1	80	0.2	45.1	27.6	1096	6.03	10.4	1.6	6.4	11.6	61	<0.1	1.5	0.1	91	2.01	0.122
1284841	Soil		2.0	22.1	10.1	86	<0.1	18.1	11.3	615	4.00	35.5	3.6	6.4	18.7	28	0.1	4.6	0.1	77	0.52	0.091
1284838	Soil		0.7	12.6	7.7	59	0.1	13.7	6.3	219	2.14	13.7	1.5	4.2	3.0	28	0.2	2.1	0.1	46	0.45	0.060
1290181	Soil		1.6	22.6	7.1	57	0.1	72.9	31.1	885	6.09	9.2	1.7	9.0	9.7	30	<0.1	2.3	0.2	85	0.75	0.119
1290172	Soil		0.9	51.9	3.7	61	<0.1	81.5	32.2	956	4.53	2.6	0.7	2.4	6.1	22	<0.1	0.5	<0.1	127	0.74	0.082
1284839	Soil		1.7	11.3	8.6	61	0.1	15.3	8.7	327	2.57	20.2	1.4	4.2	5.1	26	0.1	2.4	0.1	69	0.45	0.068
1283222	Soil		0.9	12.0	9.0	69	0.1	16.5	17.9	1243	3.35	20.1	1.3	6.4	4.7	25	0.1	1.3	0.1	81	0.38	0.070
1290179	Soil		2.2	37.6	13.6	53	0.1	36.2	20.3	801	4.43	7.9	1.2	7.1	12.6	27	0.3	1.5	0.3	81	0.62	0.077
1290173	Soil		1.6	57.8	7.5	100	0.1	38.2	30.3	1181	5.40	3.1	0.9	6.0	8.1	28	0.1	0.2	0.2	118	2.58	0.111
1283220	Soil		2.6	11.1	7.1	72	<0.1	12.2	8.2	352	2.69	7.8	1.5	2.6	3.6	24	<0.1	0.5	0.1	72	0.33	0.044
1284831	Soil		3.5	73.0	10.6	134	0.5	63.8	13.5	532	4.62	118.0	1.4	2.8	3.7	13	0.3	5.2	0.1	116	0.14	0.035
1283221	Soil		1.3	9.9	8.4	77	<0.1	14.3	11.4	529	3.25	11.2	1.4	4.0	4.5	24	<0.1	0.7	0.1	86	0.38	0.077
1290174	Soil		0.7	79.2	9.4	65	<0.1	49.6	34.4	797	4.04	4.7	1.1	1.1	10.1	20	0.1	0.4	0.3	94	0.65	0.044
1284844	Soil		1.0	12.1	8.2	83	<0.1	11.6	9.1	566	3.95	7.7	1.7	3.7	15.1	33	<0.1	0.9	0.2	67	0.54	0.091
1284840	Soil		1.8	24.1	12.9	84	0.1	9.0	7.5	596	3.44	251.5	2.7	25.0	20.6	23	0.2	9.5	0.2	49	0.40	0.088
1284842	Soil		0.8	9.8	7.9	80	<0.1	11.9	9.9	597	3.62	17.3	1.3	4.9	15.1	27	0.2	1.1	0.2	65	0.40	0.092
1284832	Soil		1.1	38.7	9.0	67	0.6	34.4	8.3	282	2.70	43.3	0.9	6.7	4.5	16	0.3	2.8	0.2	75	0.13	0.025
1283217	Soil		0.8	5.6	4.6	101	<0.1	9.9	9.3	667	4.02	4.4	0.5	3.3	3.5	24	<0.1	0.4	0.1	84	0.46	0.114
1283214	Soil		1.8	52.1	14.5	88	0.1	43.8	11.7	422	3.36	84.0	1.2	4.3	7.4	19	0.2	4.4	0.2	81	0.17	0.045
1283215	Soil		0.4	4.9	4.0	131	<0.1	8.2	10.8	843	4.42	4.5	0.7	2.4	5.4	32	<0.1	1.0	<0.1	97	0.60	0.209
1284830	Soil		1.5	45.2	11.1	87	0.9	41.1	11.7	268	3.09	79.0	1.1	7.4	4.6	16	0.5	4.5	0.2	79	0.14	0.019
1284833	Soil		1.8	49.0	13.2	85	0.5	41.7	8.6	340	2.89	47.3	1.2	10.2	4.3	25	0.4	3.2	0.2	80	0.23	0.034
1284836	Soil		0.3	95.1	4.0	94	0.1	27.4	22.6	769	4.72	4.5	0.4	4.6	3.3	34	<0.1	1.3	0.1	132	0.80	0.109
1284843	Soil		0.9	9.0	8.2	101	<0.1	10.6	11.4	871	4.09	7.2	1.5	8.2	17.4	25	0.2	1.2	0.1	71	0.45	0.116
1283218	Soil		0.8	21.7	10.7	83	0.1	25.0	11.3	707	3.70	12.0	1.1	5.0	5.1	26	0.1	1.9	0.2	73	0.47	0.049

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000233.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1290167	Soil	15	122	1.80	433	0.045	3	1.76	0.014	0.14	<0.1	0.13	8.5	0.3	0.06	5	<0.5	<0.2
1269335	Soil	66	87	0.99	216	0.065	3	1.66	0.010	0.46	0.2	0.06	7.9	0.5	<0.05	5	<0.5	<0.2
1283219	Soil	30	27	0.69	291	0.130	<1	1.90	0.014	0.11	0.2	0.02	5.2	0.3	<0.05	7	<0.5	<0.2
1290175	Soil	13	72	1.66	328	0.066	3	2.09	0.014	0.27	<0.1	0.04	14.1	0.2	<0.05	6	<0.5	<0.2
1290169	Soil	23	36	0.43	275	0.059	<1	1.41	0.011	0.09	0.1	0.03	6.4	0.1	<0.05	5	0.6	<0.2
1290168	Soil	73	79	1.18	455	0.011	2	1.90	0.009	0.12	0.1	0.07	11.5	0.1	<0.05	6	<0.5	<0.2
1284841	Soil	52	31	0.75	523	0.150	1	2.35	0.014	0.22	0.2	0.04	8.9	0.4	<0.05	9	<0.5	<0.2
1284838	Soil	19	27	0.54	244	0.101	2	1.57	0.015	0.07	0.2	0.06	4.0	0.2	<0.05	7	<0.5	<0.2
1290181	Soil	45	116	1.27	430	0.010	2	1.81	0.006	0.15	<0.1	0.08	13.2	0.3	<0.05	6	<0.5	<0.2
1290172	Soil	57	180	3.90	297	0.234	1	3.48	0.009	1.49	0.2	0.02	8.5	0.9	<0.05	8	<0.5	<0.2
1284839	Soil	18	28	0.62	205	0.104	1	1.52	0.019	0.06	0.2	0.04	4.4	0.2	<0.05	6	<0.5	<0.2
1283222	Soil	17	28	0.59	214	0.089	2	1.61	0.021	0.06	0.2	0.06	4.1	0.2	<0.05	6	<0.5	<0.2
1290179	Soil	38	51	0.59	421	0.048	2	1.53	0.013	0.13	<0.1	0.04	11.9	0.2	<0.05	5	<0.5	<0.2
1290173	Soil	26	77	2.41	394	0.201	1	2.78	0.010	0.93	<0.1	0.03	13.5	0.5	<0.05	9	<0.5	<0.2
1283220	Soil	12	23	0.67	211	0.137	<1	1.63	0.014	0.08	0.2	0.03	4.1	0.2	<0.05	8	<0.5	<0.2
1284831	Soil	14	106	1.67	417	0.254	<1	3.22	0.008	0.75	0.1	0.02	8.2	0.6	<0.05	11	1.0	<0.2
1283221	Soil	15	27	0.71	212	0.117	2	1.74	0.015	0.07	0.2	0.03	4.3	0.2	<0.05	7	<0.5	<0.2
1290174	Soil	15	85	2.32	171	0.095	2	2.38	0.013	0.27	<0.1	0.02	9.2	0.3	<0.05	6	<0.5	<0.2
1284844	Soil	32	22	0.79	442	0.149	<1	1.78	0.014	0.24	0.2	<0.01	6.6	0.5	<0.05	8	0.6	<0.2
1284840	Soil	37	16	0.63	442	0.108	<1	1.61	0.010	0.28	0.2	0.03	6.1	0.4	<0.05	7	0.7	<0.2
1284842	Soil	26	22	0.73	503	0.178	<1	1.83	0.013	0.31	0.1	0.01	5.5	0.5	<0.05	7	0.6	<0.2
1284832	Soil	13	42	0.60	262	0.075	<1	1.63	0.008	0.08	0.2	0.02	5.6	0.1	<0.05	5	0.6	<0.2
1283217	Soil	9	18	0.91	232	0.146	<1	1.67	0.013	0.34	<0.1	<0.01	4.1	0.2	<0.05	10	<0.5	<0.2
1283214	Soil	15	53	0.80	228	0.081	<1	1.82	0.007	0.31	0.2	<0.01	5.4	0.3	<0.05	7	1.1	<0.2
1283215	Soil	19	18	1.28	286	0.130	<1	1.94	0.009	0.47	<0.1	0.01	8.5	0.3	<0.05	13	<0.5	<0.2
1284830	Soil	12	46	0.67	228	0.085	1	2.44	0.009	0.05	0.2	0.04	4.5	0.1	<0.05	6	<0.5	<0.2
1284833	Soil	16	45	0.63	423	0.080	<1	1.60	0.013	0.09	0.2	0.07	7.8	0.2	<0.05	5	1.1	<0.2
1284836	Soil	17	34	1.54	412	0.186	<1	2.27	0.028	0.20	0.1	<0.01	11.4	0.2	<0.05	9	<0.5	<0.2
1284843	Soil	27	19	0.91	742	0.225	<1	2.18	0.016	0.51	0.1	<0.01	6.8	0.8	<0.05	9	<0.5	<0.2
1283218	Soil	31	36	0.62	399	0.059	<1	1.58	0.014	0.12	0.1	0.07	8.0	0.2	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000233.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1283216	Soil		0.9	9.6	6.7	96	<0.1	15.3	10.7	560	3.72	7.3	0.5	9.9	4.6	33	<0.1	0.7	0.1	80	0.41	0.086
1284834	Soil		1.2	48.5	7.5	104	0.1	37.3	16.2	413	4.75	62.7	0.7	16.1	3.2	20	0.1	1.8	0.2	177	0.37	0.080
1284837	Soil		0.5	8.4	4.6	147	<0.1	9.5	12.1	983	5.33	5.1	0.6	2.2	7.3	33	<0.1	0.6	<0.1	112	0.66	0.208
1271418	Soil		2.7	26.7	11.8	47	<0.1	30.6	13.1	765	3.08	9.3	28.0	7.4	15.3	68	<0.1	0.5	0.3	56	0.81	0.068
1271415	Soil		1.7	22.9	10.6	39	<0.1	19.1	8.4	218	2.19	15.5	11.7	7.2	11.5	59	0.2	0.4	0.5	42	0.82	0.042
1271416	Soil		1.5	15.7	10.4	41	<0.1	17.2	8.0	528	2.12	7.5	10.0	8.6	11.2	49	0.2	0.4	0.3	38	0.64	0.034
1271407	Soil		0.9	31.1	10.1	84	0.1	28.1	11.2	356	2.87	19.8	1.5	3.8	5.2	35	0.2	1.0	0.1	64	0.53	0.097
1271405	Soil		0.6	29.8	5.5	83	<0.1	24.3	15.7	613	3.17	3.0	0.6	2.3	2.7	62	0.2	0.2	<0.1	72	1.45	0.105
1271412	Soil		1.2	24.6	8.0	39	<0.1	20.5	8.2	244	2.32	15.7	19.1	6.8	7.4	80	0.1	0.5	0.5	44	1.18	0.048
1271414	Soil		1.7	20.7	12.7	41	<0.1	20.4	9.8	288	2.37	14.1	8.9	6.5	11.3	47	0.2	0.4	0.6	43	0.65	0.037
1271408	Soil		1.9	25.6	10.6	49	0.1	21.4	10.4	364	2.67	12.6	11.8	6.0	10.8	58	0.2	0.5	0.4	54	1.00	0.045
1271417	Soil		2.2	16.1	11.0	40	<0.1	19.6	11.5	518	2.47	7.0	9.4	3.2	10.8	44	<0.1	0.3	0.2	42	0.49	0.029
1271410	Soil		1.6	38.7	8.7	42	0.1	27.0	11.2	629	2.36	11.4	19.2	5.1	7.5	81	0.3	0.6	0.4	42	1.56	0.045
1271413	Soil		1.4	16.6	10.0	35	<0.1	16.8	9.7	397	2.14	16.8	11.5	9.2	8.2	68	0.2	0.3	0.4	37	0.93	0.038
1271406	Soil		1.4	35.9	5.0	88	<0.1	42.3	27.0	1191	4.80	3.3	1.1	1.3	5.0	53	0.1	0.1	0.1	107	1.05	0.118
1271411	Soil		1.5	23.2	11.8	45	0.1	23.6	13.5	495	2.65	16.8	11.2	7.8	10.1	63	0.1	0.4	0.5	48	0.93	0.035
1271409	Soil		1.6	25.1	14.7	68	<0.1	22.7	15.8	692	3.13	11.2	4.1	7.0	10.7	50	0.1	0.3	0.5	56	0.81	0.055
1271430	Soil		1.4	26.4	13.4	48	0.1	23.7	8.1	254	2.30	8.5	10.5	9.6	13.3	66	0.2	0.5	0.3	52	0.96	0.040
1271432	Soil		0.9	49.5	7.4	82	<0.1	60.8	28.5	817	5.20	2.6	2.7	2.2	10.6	71	<0.1	0.1	<0.1	114	1.40	0.128
1271433	Soil		0.7	29.6	8.0	66	<0.1	37.5	22.7	823	4.40	1.7	2.7	<0.5	10.7	101	0.2	0.2	<0.1	98	1.81	0.136

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000233.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1283216	Soil	9	28	0.84	285	0.075	<1	1.95	0.011	0.15	<0.1	0.02	5.6	<0.1	<0.05	9	<0.5	<0.2
1284834	Soil	10	53	1.09	584	0.147	<1	2.21	0.014	0.53	0.1	<0.01	12.3	0.3	<0.05	9	<0.5	<0.2
1284837	Soil	17	16	1.42	313	0.191	<1	2.46	0.011	0.63	0.1	<0.01	8.3	0.4	<0.05	12	<0.5	<0.2
1271418	Soil	31	52	0.68	322	0.057	<1	1.43	0.014	0.11	0.1	0.04	6.5	0.2	<0.05	5	<0.5	<0.2
1271415	Soil	48	33	0.55	166	0.043	2	1.18	0.013	0.10	0.2	0.05	5.9	0.1	<0.05	4	2.1	<0.2
1271416	Soil	33	29	0.41	209	0.042	1	1.08	0.010	0.12	0.1	0.02	6.1	<0.1	<0.05	3	0.7	<0.2
1271407	Soil	18	38	0.71	376	0.094	1	1.37	0.023	0.11	0.1	0.02	6.0	0.2	<0.05	5	0.7	<0.2
1271405	Soil	10	49	1.26	426	0.119	<1	1.71	0.015	0.30	0.1	0.04	5.2	0.2	<0.05	7	<0.5	<0.2
1271412	Soil	29	32	0.63	211	0.047	<1	1.32	0.014	0.10	0.2	0.06	4.8	0.1	0.05	4	1.1	<0.2
1271414	Soil	27	34	0.61	154	0.050	<1	1.29	0.013	0.10	0.2	0.03	5.7	0.1	<0.05	4	0.8	<0.2
1271408	Soil	39	39	0.74	237	0.063	1	1.47	0.018	0.15	0.2	0.06	5.6	0.1	<0.05	5	<0.5	<0.2
1271417	Soil	24	35	0.46	223	0.054	<1	1.17	0.012	0.10	0.2	0.03	4.6	0.1	<0.05	4	<0.5	<0.2
1271410	Soil	52	32	0.66	357	0.048	3	1.37	0.013	0.10	0.2	0.05	5.3	0.1	0.09	4	0.9	<0.2
1271413	Soil	21	28	0.53	179	0.042	<1	1.07	0.013	0.09	0.3	0.04	4.3	<0.1	0.06	3	0.8	<0.2
1271406	Soil	13	84	1.91	423	0.157	1	2.26	0.012	0.46	0.1	0.01	7.3	0.3	0.06	9	<0.5	<0.2
1271411	Soil	28	36	0.64	262	0.053	<1	1.40	0.013	0.10	0.2	0.03	5.6	0.1	0.08	4	1.0	<0.2
1271409	Soil	15	41	0.98	209	0.081	<1	1.51	0.014	0.28	0.2	0.03	6.2	0.2	<0.05	5	<0.5	<0.2
1271430	Soil	33	40	0.66	310	0.063	1	1.48	0.015	0.11	0.2	0.02	5.9	0.1	0.06	5	0.9	<0.2
1271432	Soil	44	150	2.46	364	0.121	2	2.53	0.010	0.54	<0.1	0.01	16.3	0.3	<0.05	9	<0.5	<0.2
1271433	Soil	40	96	1.86	400	0.110	5	2.15	0.010	0.49	0.2	0.02	12.6	0.3	0.07	7	1.0	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

QUALITY CONTROL REPORT WHI12000233.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
1283453	Soil	0.9	28.1	8.1	59	<0.1	33.1	14.9	473	3.65	8.5	1.2	10.4	8.3	26	<0.1	0.6	0.2	74	0.55	0.045
REP 1283453	QC	0.9	28.0	8.2	59	<0.1	32.6	14.7	467	3.58	8.2	1.3	10.1	8.0	26	<0.1	0.5	0.2	73	0.55	0.045
1284696	Soil	3.6	35.6	12.8	59	<0.1	29.3	17.3	562	4.55	4.1	2.0	0.5	32.8	13	<0.1	0.5	0.1	94	0.36	0.067
REP 1284696	QC	3.6	35.3	12.6	58	<0.1	28.5	16.9	556	4.50	4.0	2.0	<0.5	32.3	13	<0.1	0.5	0.1	94	0.37	0.071
1284665	Soil	2.9	73.8	15.0	164	0.3	81.0	23.0	1136	5.22	46.1	1.3	<0.5	8.7	16	0.6	6.3	0.4	100	0.26	0.066
REP 1284665	QC	3.0	74.1	15.2	164	0.3	79.7	23.3	1130	5.23	45.5	1.3	5.3	8.7	17	0.6	6.4	0.2	101	0.25	0.065
1284675	Soil	1.6	34.9	8.8	78	0.2	23.9	11.7	647	2.48	24.8	1.5	4.6	2.7	58	0.3	2.8	<0.1	67	1.20	0.073
REP 1284675	QC	1.5	33.3	8.5	76	0.2	23.6	11.2	612	2.45	24.0	1.4	2.9	2.7	55	0.3	2.7	<0.1	65	1.13	0.073
1284802	Soil	2.4	59.3	9.7	108	0.3	88.9	27.7	616	5.10	30.3	1.0	3.6	3.6	27	0.2	5.8	0.2	112	0.63	0.099
REP 1284802	QC	2.3	57.6	9.9	109	0.3	87.4	26.7	605	5.00	30.5	1.1	4.9	3.6	28	0.2	6.0	0.1	109	0.63	0.101
1284606	Soil	0.6	22.3	9.4	58	<0.1	25.1	8.6	330	2.79	6.3	0.7	2.3	2.7	22	<0.1	0.7	<0.1	59	0.51	0.053
REP 1284606	QC	0.6	24.0	11.9	60	<0.1	27.2	9.2	341	2.97	6.5	0.7	2.4	2.9	24	<0.1	0.7	<0.1	66	0.54	0.056
1284819	Soil	3.2	73.7	14.5	121	0.2	92.9	25.5	1016	5.33	74.9	1.0	3.2	5.3	21	0.3	9.6	0.1	179	0.56	0.120
REP 1284819	QC	3.2	73.6	14.7	123	0.2	94.9	26.0	1029	5.47	76.3	1.0	2.5	5.4	21	0.3	9.9	0.1	180	0.57	0.117
1284813	Soil	0.8	16.5	5.7	82	<0.1	11.8	11.7	952	4.39	5.1	0.5	0.6	3.4	30	<0.1	1.4	<0.1	93	0.48	0.086
REP 1284813	QC	0.8	15.9	5.6	79	<0.1	11.7	11.4	915	4.30	5.1	0.5	1.0	3.4	30	<0.1	1.4	<0.1	93	0.48	0.085
1271255	Soil	1.0	20.3	11.2	107	<0.1	11.4	6.3	385	3.25	5.3	1.1	<0.5	6.5	12	<0.1	0.3	0.2	38	0.19	0.013
REP 1271255	QC	1.2	19.9	10.8	104	<0.1	11.2	6.1	379	3.19	4.8	1.1	<0.5	6.2	12	<0.1	0.3	0.2	37	0.18	0.013
1271253	Soil	1.6	19.4	9.7	63	<0.1	30.0	12.7	1127	4.00	6.0	2.1	1.1	16.6	14	0.2	0.5	0.3	52	0.28	0.038
REP 1271253	QC	1.5	19.2	9.3	65	<0.1	28.9	12.8	1122	3.94	5.9	2.1	1.0	16.4	15	0.2	0.5	0.3	54	0.28	0.037
1283014	Soil	0.5	25.1	5.7	90	<0.1	22.2	11.2	745	4.42	8.2	0.6	2.6	5.8	21	<0.1	0.5	0.2	94	0.46	0.080
REP 1283014	QC	0.5	23.9	5.6	87	<0.1	21.6	11.1	721	4.37	8.1	0.6	2.2	5.6	20	<0.1	0.5	0.2	95	0.46	0.084
1283006	Soil	3.3	55.9	14.4	138	0.5	56.7	11.2	279	3.49	44.5	1.9	1.9	5.0	36	0.7	2.2	0.2	128	0.30	0.079
REP 1283006	QC	3.2	56.0	14.5	141	0.5	56.8	11.3	283	3.48	44.6	1.9	1.7	5.1	35	0.6	2.4	0.2	125	0.30	0.078
1269312	Soil	1.4	8.4	10.7	43	<0.1	11.8	5.6	284	2.20	6.4	0.7	0.8	4.0	16	0.1	0.2	0.3	63	0.24	0.030
REP 1269312	QC	1.3	8.5	10.3	42	<0.1	12.1	5.7	304	2.30	6.0	0.7	1.1	3.8	17	0.1	0.3	0.3	64	0.23	0.031
1269314	Soil	0.9	25.0	5.5	60	<0.1	35.9	18.8	644	3.72	12.7	1.8	2.3	8.6	54	<0.1	0.2	<0.1	81	1.13	0.095
REP 1269314	QC	0.8	25.0	5.6	59	<0.1	34.2	18.2	646	3.71	12.3	1.8	1.3	8.5	51	<0.1	0.2	<0.1	80	1.06	0.089

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

QUALITY CONTROL REPORT WHI12000233.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
1283453	Soil	23	59	0.86	491	0.094	1	2.15	0.015	0.08	0.2	0.04	8.4	0.1	<0.05	6	<0.5	<0.2
REP 1283453	QC	22	57	0.88	492	0.091	1	2.13	0.016	0.08	0.2	0.04	8.3	0.1	<0.05	6	<0.5	<0.2
1284696	Soil	114	101	1.60	134	0.188	1	2.32	0.009	0.80	0.2	0.01	9.8	0.7	<0.05	8	<0.5	<0.2
REP 1284696	QC	109	100	1.56	131	0.184	1	2.29	0.009	0.78	0.2	<0.01	9.8	0.7	<0.05	8	<0.5	<0.2
1284665	Soil	32	92	1.08	418	0.173	1	2.25	0.007	0.28	0.1	0.04	9.1	0.9	<0.05	9	1.0	<0.2
REP 1284665	QC	32	92	1.05	418	0.171	1	2.26	0.007	0.28	0.1	0.04	9.0	0.8	<0.05	8	0.9	<0.2
1284675	Soil	14	33	0.51	384	0.056	3	1.17	0.015	0.10	<0.1	0.10	5.0	0.3	0.05	5	1.3	<0.2
REP 1284675	QC	13	31	0.50	373	0.057	2	1.18	0.016	0.09	0.1	0.10	5.0	0.3	0.07	5	1.0	<0.2
1284802	Soil	17	125	1.13	610	0.153	1	2.14	0.014	0.15	0.1	0.04	8.0	0.4	<0.05	9	1.3	<0.2
REP 1284802	QC	17	122	1.16	595	0.151	<1	2.21	0.014	0.15	0.1	0.05	7.9	0.3	<0.05	9	1.2	<0.2
1284606	Soil	12	44	0.68	493	0.029	<1	1.64	0.011	0.06	<0.1	0.04	5.6	<0.1	<0.05	7	<0.5	<0.2
REP 1284606	QC	12	47	0.71	483	0.043	<1	1.77	0.013	0.05	0.1	0.03	5.9	<0.1	<0.05	7	<0.5	<0.2
1284819	Soil	26	157	1.67	1071	0.140	<1	2.59	0.008	0.52	<0.1	0.04	13.9	0.6	<0.05	13	1.7	<0.2
REP 1284819	QC	26	162	1.70	1080	0.144	<1	2.67	0.008	0.53	<0.1	0.05	14.4	0.6	<0.05	13	1.9	<0.2
1284813	Soil	9	20	0.78	421	0.094	1	2.02	0.012	0.23	<0.1	0.03	5.3	0.3	<0.05	10	<0.5	<0.2
REP 1284813	QC	10	21	0.75	422	0.092	1	1.99	0.012	0.22	<0.1	0.02	5.4	0.3	<0.05	10	<0.5	<0.2
1271255	Soil	8	20	0.31	297	0.090	1	1.52	0.008	0.34	0.1	<0.01	5.3	0.3	<0.05	7	<0.5	<0.2
REP 1271255	QC	8	20	0.32	295	0.087	1	1.43	0.007	0.32	0.1	0.02	5.3	0.3	<0.05	6	<0.5	<0.2
1271253	Soil	63	41	0.26	752	0.009	2	0.87	0.004	0.13	0.3	0.01	14.3	<0.1	<0.05	4	<0.5	<0.2
REP 1271253	QC	61	41	0.26	724	0.009	2	0.89	0.005	0.13	0.3	0.03	14.4	0.1	<0.05	4	<0.5	<0.2
1283014	Soil	25	24	1.09	246	0.128	<1	1.77	0.014	0.41	0.2	0.03	8.5	0.3	<0.05	10	<0.5	<0.2
REP 1283014	QC	25	24	1.05	238	0.125	1	1.69	0.014	0.38	0.2	0.03	8.2	0.3	<0.05	10	<0.5	<0.2
1283006	Soil	18	71	0.85	478	0.104	<1	2.13	0.013	0.30	0.2	0.02	6.7	0.4	0.11	8	1.7	<0.2
REP 1283006	QC	20	72	0.84	476	0.114	1	2.10	0.012	0.30	0.2	0.02	6.5	0.4	0.13	8	2.3	<0.2
1269312	Soil	16	28	0.44	102	0.098	<1	1.30	0.009	0.15	0.2	0.02	2.5	0.2	0.05	8	<0.5	<0.2
REP 1269312	QC	16	28	0.46	96	0.104	1	1.25	0.010	0.15	0.3	0.02	2.6	0.2	<0.05	8	<0.5	<0.2
1269314	Soil	73	82	1.45	243	0.127	2	2.29	0.017	0.28	0.1	0.05	7.3	0.3	0.06	7	<0.5	<0.2
REP 1269314	QC	76	79	1.42	243	0.123	2	2.22	0.017	0.28	0.1	0.05	7.1	0.3	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

QUALITY CONTROL REPORT WHI12000233.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
1290173	Soil	1.6	57.8	7.5	100	0.1	38.2	30.3	1181	5.40	3.1	0.9	6.0	8.1	28	0.1	0.2	0.2	118	2.58	0.111
REP 1290173	QC	1.6	53.9	7.2	96	0.1	37.0	29.1	1194	5.19	3.0	0.8	5.1	8.1	29	<0.1	0.2	0.2	112	2.62	0.114
1283221	Soil	1.3	9.9	8.4	77	<0.1	14.3	11.4	529	3.25	11.2	1.4	4.0	4.5	24	<0.1	0.7	0.1	86	0.38	0.077
REP 1283221	QC	1.0	9.3	7.9	75	<0.1	13.9	11.2	534	3.16	10.3	1.3	4.1	4.4	23	0.1	0.6	0.1	85	0.36	0.078
1271433	Soil	0.7	29.6	8.0	66	<0.1	37.5	22.7	823	4.40	1.7	2.7	<0.5	10.7	101	0.2	0.2	<0.1	98	1.81	0.136
REP 1271433	QC	0.7	29.3	8.1	63	<0.1	37.3	22.4	831	4.24	2.5	2.8	5.0	9.8	95	<0.1	0.3	<0.1	98	1.82	0.122
Reference Materials																					
STD DS9	Standard	14.5	105.9	124.3	310	1.9	41.9	7.9	601	2.42	26.0	2.7	126.0	6.2	74	2.4	5.9	6.5	48	0.79	0.089
STD DS9	Standard	14.0	107.8	128.6	312	1.9	43.3	8.3	620	2.48	26.0	2.8	126.9	6.6	71	2.3	5.6	6.1	46	0.77	0.082
STD DS9	Standard	13.3	103.3	126.6	309	2.0	42.7	7.8	592	2.40	23.3	2.4	133.4	5.5	70	2.2	5.3	5.7	44	0.72	0.086
STD DS9	Standard	13.9	102.2	123.8	296	1.8	42.5	7.3	572	2.30	22.5	2.4	110.9	5.7	65	2.0	4.9	5.7	42	0.71	0.079
STD DS9	Standard	15.2	110.2	125.8	310	1.9	45.3	8.3	630	2.45	24.4	2.9	117.5	6.4	71	2.2	5.6	6.3	51	0.76	0.082
STD DS9	Standard	13.2	110.5	124.2	298	1.8	40.4	7.8	575	2.34	25.8	3.0	137.1	7.3	77	2.3	6.5	6.5	43	0.70	0.084
STD DS9	Standard	13.5	119.8	125.0	306	1.8	42.5	8.0	599	2.41	23.8	2.6	107.4	6.4	66	2.3	5.5	5.8	46	0.73	0.085
STD DS9	Standard	14.6	114.3	126.0	327	1.9	44.1	8.2	630	2.55	27.0	2.9	120.8	6.5	74	2.3	5.7	6.3	54	0.81	0.088
STD DS9	Standard	12.9	102.3	120.5	303	1.9	40.0	7.1	567	2.19	26.0	2.8	115.8	6.4	79	2.2	6.5	6.9	39	0.69	0.086
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	6	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	3	<0.01	<0.001
BLK	Blank	<0.1	0.2	<0.1	<1	<0.1	0.1	<0.1	1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	9	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	8	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

QUALITY CONTROL REPORT WHI12000233.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
1290173	Soil	26	77	2.41	394	0.201	1	2.78	0.010	0.93	<0.1	0.03	13.5	0.5	<0.05	9	<0.5	<0.2
REP 1290173	QC	26	74	2.37	391	0.196	<1	2.67	0.010	0.84	<0.1	0.05	13.5	0.5	<0.05	9	<0.5	<0.2
1283221	Soil	15	27	0.71	212	0.117	2	1.74	0.015	0.07	0.2	0.03	4.3	0.2	<0.05	7	<0.5	<0.2
REP 1283221	QC	15	27	0.67	210	0.114	<1	1.69	0.014	0.07	0.2	0.03	4.1	0.2	<0.05	7	<0.5	<0.2
1271433	Soil	40	96	1.86	400	0.110	5	2.15	0.010	0.49	0.2	0.02	12.6	0.3	0.07	7	1.0	<0.2
REP 1271433	QC	42	92	1.80	405	0.108	3	2.02	0.010	0.45	0.1	0.04	11.9	0.3	<0.05	7	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	14	129	0.67	323	0.117	3	1.02	0.095	0.40	3.2	0.23	3.0	5.8	0.17	5	5.4	4.9
STD DS9	Standard	14	132	0.65	322	0.119	3	0.97	0.094	0.37	3.2	0.21	2.7	5.9	0.21	5	5.4	5.3
STD DS9	Standard	12	127	0.64	273	0.109	3	0.95	0.091	0.37	3.1	0.22	2.4	5.5	0.19	5	5.4	5.3
STD DS9	Standard	12	135	0.61	281	0.112	2	0.88	0.075	0.35	3.2	0.22	2.4	5.5	0.18	4	5.2	5.0
STD DS9	Standard	15	132	0.66	307	0.124	3	0.98	0.090	0.36	3.2	0.21	2.9	6.0	0.12	5	5.8	5.5
STD DS9	Standard	14	120	0.62	298	0.130	3	0.93	0.084	0.34	2.8	0.19	2.7	5.8	0.19	4	5.5	4.9
STD DS9	Standard	13	132	0.63	289	0.123	3	0.90	0.084	0.35	3.1	0.21	2.4	5.7	0.10	5	5.8	5.3
STD DS9	Standard	15	131	0.69	321	0.128	3	1.05	0.101	0.38	3.3	0.22	2.9	6.0	0.10	5	6.7	5.9
STD DS9	Standard	13	115	0.63	319	0.112	3	0.88	0.094	0.35	3.1	0.19	2.7	5.3	0.09	5	4.5	5.2
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	2	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 10, 2012
Report Date: July 17, 2012
Page: 1 of 12

CERTIFICATE OF ANALYSIS WHI12000234.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 320

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	320	Dry at 60C			WHI
SS80	313	Dry at 60C sieve 100g to -80 mesh			WHI
1DX2	319	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000234.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1283170	Soil	0.8	55.4	5.5	77	<0.1	31.2	15.3	675	3.89	29.9	0.5	32.5	3.3	19	0.1	7.8	0.2	111	0.52	0.064
1283177	Soil	1.6	69.6	10.2	119	0.6	73.2	13.7	387	3.44	53.1	1.5	8.3	4.8	15	0.3	3.2	0.2	98	0.19	0.049
1283189	Soil	2.8	59.7	12.4	123	0.9	47.0	9.9	203	3.87	83.2	1.5	4.4	5.8	15	0.5	3.4	0.2	93	0.11	0.047
1283178	Soil	1.5	38.7	9.5	98	0.4	45.0	12.6	312	3.20	34.1	1.1	2.1	4.4	19	0.3	2.2	0.2	82	0.24	0.039
1283176	Soil	2.0	75.8	8.6	119	0.2	65.4	15.1	665	4.04	103.0	1.2	8.1	4.9	22	0.3	6.0	0.2	148	0.43	0.069
1283191	Soil	1.0	22.1	8.0	72	<0.1	43.3	17.7	331	3.88	17.2	0.5	4.3	3.0	15	0.2	0.9	0.1	76	0.17	0.036
1283173	Soil	2.2	55.3	8.9	121	0.3	55.1	14.4	509	3.58	77.6	1.1	3.7	4.3	25	0.3	4.8	0.1	124	0.37	0.066
1283174	Soil	1.7	35.6	9.2	83	0.5	43.8	12.4	446	3.24	45.0	0.9	2.6	4.0	22	0.4	2.2	0.1	80	0.33	0.050
1283175	Soil	1.5	67.4	7.7	109	0.2	63.7	16.7	652	4.30	85.6	1.3	7.9	5.6	21	0.2	5.0	0.2	145	0.43	0.064
1283179	Soil	1.6	50.1	6.9	104	0.5	101.2	25.4	486	4.83	22.6	0.8	1.2	3.8	14	0.1	1.3	<0.1	134	0.27	0.052
1283181	Soil	1.9	19.9	5.3	74	<0.1	180.6	33.9	355	4.75	3.3	0.4	<0.5	2.5	11	<0.1	<0.1	<0.1	123	0.30	0.077
1283187	Soil	1.8	56.9	10.1	81	0.7	51.5	13.2	295	3.50	45.4	1.1	7.4	4.7	19	0.2	1.6	0.1	90	0.23	0.027
1283167	Soil	1.7	55.1	7.9	107	0.2	65.0	12.4	251	3.86	28.7	1.0	2.0	5.3	19	0.1	1.6	0.2	130	0.27	0.036
1283164	Soil	2.2	33.8	10.7	98	0.7	42.2	14.0	327	3.31	73.5	0.7	1.2	2.8	23	0.6	2.5	0.2	90	0.36	0.055
1283166	Soil	2.0	68.9	9.7	154	0.2	77.8	14.3	495	4.04	94.5	1.4	8.9	5.0	23	0.4	6.0	0.1	138	0.43	0.068
1283162	Soil	0.6	43.7	5.1	75	0.4	128.9	30.3	445	4.54	11.7	0.4	1.3	1.4	23	0.1	0.5	<0.1	103	0.84	0.135
1283165	Soil	2.0	48.1	9.1	110	0.3	43.5	12.0	564	3.41	62.0	1.0	1.7	3.5	20	0.4	4.5	0.1	112	0.28	0.083
1283169	Soil	0.9	30.3	5.9	67	0.1	30.3	11.9	483	3.22	14.5	0.8	16.4	3.8	32	<0.1	1.0	0.1	85	0.68	0.073
1283186	Soil	1.8	57.9	8.3	70	0.8	45.2	10.1	266	3.16	61.0	1.1	9.0	4.8	19	0.1	2.3	0.1	97	0.29	0.037
1283168	Soil	1.8	55.1	8.9	107	0.1	54.1	13.3	465	3.92	53.5	1.1	1.9	5.4	18	0.1	2.5	0.1	126	0.37	0.052
1271279	Soil	1.6	13.9	10.8	56	0.1	26.2	10.9	503	2.83	14.7	4.7	2.2	12.6	55	0.1	0.6	0.3	43	1.22	0.056
1271280	Soil	0.9	10.1	13.4	53	0.1	21.0	17.0	601	3.96	15.3	3.5	2.0	18.3	44	<0.1	0.5	0.3	68	1.10	0.053
1271286	Soil	0.6	22.1	5.8	53	<0.1	21.6	8.5	345	1.97	3.8	1.1	2.7	3.1	45	<0.1	0.4	<0.1	51	0.95	0.051
1283160	Soil	1.4	46.7	4.2	64	<0.1	140.8	39.0	717	5.68	19.0	0.5	0.6	2.1	24	<0.1	0.4	<0.1	138	0.94	0.143
1271285	Soil	0.8	16.6	4.6	50	<0.1	17.8	8.8	360	2.00	11.6	1.2	1.8	3.9	38	0.2	0.5	<0.1	52	0.68	0.070
1271284	Soil	1.4	23.4	7.8	88	0.2	28.6	13.3	702	2.82	15.7	1.7	1.9	4.3	45	0.2	0.5	0.1	66	0.96	0.066
1271282	Soil	4.9	86.7	15.3	168	0.6	75.2	20.8	1380	4.72	68.0	4.3	7.1	4.6	63	0.8	2.1	0.3	83	0.75	0.070
1271281	Soil	2.2	31.5	18.0	105	0.2	79.1	24.1	674	4.91	36.9	2.6	7.9	18.8	28	0.3	0.4	0.2	99	0.65	0.054
1283185	Soil	0.9	47.8	7.2	67	0.1	50.4	10.9	309	3.09	32.7	1.0	3.0	6.4	19	<0.1	2.0	0.1	96	0.73	0.050
1271273	Soil	1.0	27.9	7.1	71	<0.1	29.2	15.3	1021	3.32	6.2	0.4	<0.5	1.1	51	0.4	0.4	0.1	79	1.32	0.049

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000234.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1283170	Soil	19	52	0.80	333	0.074	2	1.67	0.014	0.14	0.1	0.06	10.0	0.3	<0.05	7	<0.5	<0.2
1283177	Soil	18	85	0.89	331	0.118	1	1.95	0.010	0.26	0.1	0.07	6.6	0.4	<0.05	7	0.7	<0.2
1283189	Soil	14	57	0.61	426	0.080	<1	2.11	0.010	0.16	0.2	0.05	5.8	0.8	0.10	7	1.7	<0.2
1283178	Soil	12	54	0.66	329	0.089	1	2.01	0.008	0.18	0.1	0.02	5.6	0.3	<0.05	6	<0.5	<0.2
1283176	Soil	19	84	1.04	329	0.123	<1	2.02	0.013	0.27	0.2	0.06	9.4	0.4	<0.05	9	<0.5	<0.2
1283191	Soil	10	57	0.62	168	0.079	1	2.69	0.016	0.05	0.1	0.03	3.9	0.1	<0.05	6	0.6	<0.2
1283173	Soil	15	80	0.98	403	0.135	1	1.88	0.018	0.44	0.1	0.03	7.1	0.4	0.07	8	0.7	<0.2
1283174	Soil	11	50	0.63	367	0.101	1	1.72	0.013	0.22	0.1	0.02	5.2	0.3	<0.05	6	<0.5	<0.2
1283175	Soil	20	87	1.12	334	0.161	<1	2.23	0.013	0.35	0.3	0.05	10.1	0.4	<0.05	10	0.5	<0.2
1283179	Soil	17	147	1.86	583	0.274	<1	2.83	0.010	1.12	<0.1	0.01	6.6	0.5	<0.05	11	<0.5	<0.2
1283181	Soil	14	400	2.81	1258	0.345	<1	3.32	0.014	1.00	<0.1	<0.01	4.4	0.3	<0.05	11	<0.5	<0.2
1283187	Soil	16	59	0.77	372	0.103	1	2.31	0.012	0.11	0.1	0.08	7.5	0.2	<0.05	7	0.6	<0.2
1283167	Soil	13	79	0.94	265	0.143	1	2.56	0.012	0.30	0.2	0.01	6.6	0.4	0.05	9	0.7	<0.2
1283164	Soil	11	54	0.63	589	0.077	<1	1.82	0.013	0.14	0.1	0.02	4.2	0.3	0.06	7	0.9	<0.2
1283166	Soil	22	83	0.97	511	0.130	<1	2.01	0.017	0.31	0.2	0.05	9.0	0.5	0.06	8	0.6	<0.2
1283162	Soil	10	221	1.95	533	0.205	<1	2.47	0.025	0.37	<0.1	0.02	5.1	0.3	<0.05	11	<0.5	<0.2
1283165	Soil	13	60	0.74	427	0.114	1	1.84	0.014	0.32	0.2	0.02	5.0	0.3	0.10	7	0.6	<0.2
1283169	Soil	18	47	0.75	344	0.102	1	1.61	0.027	0.11	0.1	0.03	6.4	0.1	<0.05	6	<0.5	<0.2
1283186	Soil	16	56	0.68	490	0.101	1	1.85	0.015	0.15	0.2	0.14	6.8	0.3	<0.05	6	<0.5	<0.2
1283168	Soil	17	71	1.04	287	0.146	1	2.20	0.012	0.38	0.2	0.02	8.0	0.4	<0.05	9	0.6	<0.2
1271279	Soil	36	35	0.56	160	0.049	2	1.14	0.012	0.20	0.2	0.03	4.8	0.3	0.08	5	<0.5	<0.2
1271280	Soil	41	49	1.03	177	0.058	1	1.74	0.011	0.23	0.2	0.03	8.8	0.4	0.06	7	<0.5	<0.2
1271286	Soil	11	36	0.65	170	0.087	2	1.49	0.029	0.07	0.1	0.04	4.4	<0.1	0.09	5	<0.5	<0.2
1283160	Soil	10	208	2.43	1011	0.294	<1	3.55	0.014	0.73	<0.1	0.01	7.0	0.3	<0.05	13	<0.5	<0.2
1271285	Soil	15	27	0.55	248	0.078	1	1.08	0.019	0.10	0.2	0.03	3.2	0.2	0.06	4	<0.5	<0.2
1271284	Soil	12	45	0.80	158	0.084	2	1.32	0.023	0.16	0.1	0.05	5.7	0.5	0.07	5	0.7	<0.2
1271282	Soil	14	58	0.63	414	0.049	3	1.19	0.009	0.26	0.2	0.22	7.8	2.7	0.13	5	1.8	<0.2
1271281	Soil	65	182	1.78	313	0.107	<1	2.70	0.017	0.54	0.1	0.02	11.5	0.7	<0.05	10	<0.5	<0.2
1283185	Soil	25	65	0.94	392	0.158	<1	1.81	0.017	0.27	0.1	0.04	7.1	0.4	<0.05	7	<0.5	<0.2
1271273	Soil	9	47	0.73	331	0.095	2	1.72	0.025	0.11	0.1	0.07	3.9	0.1	0.06	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000234.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1271274	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1271283	Soil	2.7	62.4	11.0	138	0.5	60.9	17.4	598	3.67	47.5	5.7	13.8	5.5	47	0.7	1.1	0.2	68	0.96	0.080
1283180	Soil	2.7	33.8	15.4	189	0.7	44.6	14.3	645	4.05	22.8	0.9	1.4	4.8	11	1.1	2.0	0.2	88	0.17	0.040
1271278	Soil	1.3	13.4	10.4	65	<0.1	25.5	14.9	430	3.80	9.3	0.6	<0.5	3.0	23	<0.1	0.5	0.2	90	0.37	0.029
1283183	Soil	3.7	57.1	12.6	186	0.2	99.8	22.3	776	6.11	562.9	1.7	58.5	6.6	20	0.6	19.4	0.1	143	0.45	0.102
1283161	Soil	1.2	47.2	6.2	54	0.2	48.4	12.5	366	2.55	49.6	0.8	4.1	3.1	17	<0.1	3.1	<0.1	65	0.28	0.039
1283182	Soil	3.2	53.6	11.3	87	0.1	59.4	15.4	459	3.91	192.6	1.0	19.0	7.3	15	0.1	8.1	0.2	110	0.25	0.025
1271277	Soil	0.8	12.6	8.9	52	<0.1	17.3	10.4	383	2.62	8.6	0.9	9.2	3.2	30	0.1	0.6	0.1	62	0.84	0.038
1283190	Soil	5.5	91.8	19.1	419	0.5	139.9	26.7	755	5.58	487.9	2.0	20.9	4.5	15	1.3	8.6	0.2	141	0.11	0.068
1283188	Soil	1.3	23.8	9.6	69	0.3	34.6	10.7	209	2.83	22.7	0.5	2.6	3.4	17	0.3	1.0	0.1	77	0.19	0.027
1269432	Soil	0.9	42.1	10.2	69	0.1	72.3	23.8	548	4.00	20.0	1.2	1.9	5.6	36	0.1	0.3	0.1	67	0.96	0.049
1269434	Soil	0.7	24.0	4.9	66	0.1	32.3	18.5	535	3.89	5.1	1.1	1.8	5.3	35	<0.1	0.2	<0.1	71	0.85	0.079
1283172	Soil	1.0	35.6	7.5	85	0.1	32.3	11.1	536	3.36	32.4	0.9	4.0	4.4	20	0.1	1.9	0.1	94	0.51	0.085
1283171	Soil	0.7	8.4	7.5	114	<0.1	16.1	13.0	928	4.96	9.3	0.7	6.2	7.8	20	<0.1	9.2	0.2	96	0.57	0.139
1269451	Rock Pulp	2.6	24.6	2.0	42	0.3	26.5	10.8	406	2.47	4.4	0.2	0.6	0.9	37	0.2	0.2	<0.1	70	0.84	0.056
1269433	Soil	0.6	27.5	4.3	78	<0.1	43.4	23.9	573	4.22	4.7	0.5	<0.5	4.4	35	<0.1	<0.1	<0.1	72	0.82	0.106
1283184	Soil	1.3	23.9	8.2	93	0.3	45.8	13.1	759	3.10	45.1	0.7	0.7	3.9	23	0.3	6.6	0.1	91	0.37	0.054
1283163	Soil	0.9	44.1	8.7	78	0.4	60.4	19.0	672	3.53	17.0	0.9	3.3	3.3	27	0.2	1.0	0.1	89	0.57	0.054
1271300	Soil	1.3	24.7	8.6	31	0.2	16.5	8.9	283	2.50	9.2	0.7	6.1	7.1	18	0.1	4.7	0.2	54	0.29	0.015
1271299	Soil	1.0	23.6	9.2	37	0.1	9.0	12.2	1086	4.08	6.1	0.9	5.9	4.1	22	<0.1	1.1	0.2	43	1.14	0.023
1271297	Soil	0.9	19.2	7.3	48	<0.1	29.4	11.0	285	2.87	6.8	0.9	2.9	5.0	22	<0.1	0.5	0.2	73	0.57	0.038
1271298	Soil	1.3	17.2	56.4	74	0.1	15.8	9.9	633	3.04	6.2	0.9	5.6	6.5	20	0.3	0.8	0.2	37	0.85	0.021
1271302	Soil	1.4	21.5	7.4	45	0.2	39.6	24.2	1061	5.01	6.1	1.3	19.7	7.9	78	0.3	2.1	0.3	22	2.35	0.065
1269431	Soil	0.9	26.6	6.3	59	<0.1	43.4	19.3	623	3.01	20.1	0.7	5.2	2.5	41	0.1	0.2	<0.1	58	1.20	0.057
1269423	Soil	1.1	15.0	9.8	65	<0.1	20.6	10.4	326	2.80	4.4	1.1	0.9	10.6	19	<0.1	0.2	0.1	56	0.38	0.056
1269426	Soil	0.8	24.8	10.4	64	<0.1	53.3	24.5	648	3.49	3.6	0.7	<0.5	9.2	24	<0.1	0.1	0.2	70	0.52	0.078
1269425	Soil	1.1	31.1	5.3	66	0.2	42.2	26.8	811	3.39	4.7	0.9	4.3	3.4	20	<0.1	0.2	<0.1	64	0.43	0.065
1269429	Soil	1.1	38.7	4.9	92	<0.1	62.4	25.2	512	4.89	4.4	0.7	<0.5	5.2	28	<0.1	<0.1	<0.1	80	0.62	0.050
1269428	Soil	1.3	45.7	4.4	90	<0.1	84.7	28.9	622	5.32	3.8	0.7	0.7	4.9	35	<0.1	<0.1	<0.1	91	0.96	0.099
1271301	Rock Pulp	1.4	422.7	17.4	135	0.2	208.7	75.0	749	14.41	2.4	1.1	30.8	6.5	12	<0.1	0.3	0.1	213	0.27	0.037

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000234.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1271274	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1271283	Soil	18	49	0.66	326	0.050	2	1.06	0.010	0.22	0.1	0.12	8.1	1.6	0.08	4	1.2	<0.2
1283180	Soil	12	45	0.56	310	0.089	1	1.86	0.008	0.22	0.1	0.02	3.8	1.4	<0.05	7	<0.5	<0.2
1271278	Soil	9	42	0.58	151	0.095	1	2.41	0.019	0.05	0.1	0.03	3.7	0.2	0.05	9	<0.5	<0.2
1283183	Soil	21	101	0.85	729	0.093	1	2.04	0.007	0.58	0.2	0.06	11.8	0.7	<0.05	8	0.7	<0.2
1283161	Soil	11	45	0.64	188	0.080	<1	1.43	0.012	0.08	0.1	0.03	4.2	0.2	<0.05	5	<0.5	<0.2
1283182	Soil	21	66	0.85	416	0.128	1	2.18	0.010	0.42	0.2	0.07	8.3	0.6	<0.05	8	<0.5	<0.2
1271277	Soil	11	30	0.48	169	0.061	2	1.32	0.017	0.07	0.2	0.07	3.8	0.1	0.05	5	<0.5	<0.2
1283190	Soil	15	114	0.69	252	0.042	1	2.36	0.005	0.09	0.2	0.04	7.9	0.9	<0.05	7	1.3	0.2
1283188	Soil	9	42	0.57	353	0.066	1	1.86	0.009	0.08	0.2	0.02	4.1	0.1	<0.05	6	<0.5	<0.2
1269432	Soil	34	98	1.13	141	0.096	2	1.92	0.009	0.22	0.1	0.04	6.7	0.3	<0.05	6	<0.5	<0.2
1269434	Soil	22	57	1.55	227	0.143	1	2.27	0.011	0.41	0.1	0.04	4.6	0.3	<0.05	7	<0.5	<0.2
1283172	Soil	23	42	0.94	236	0.069	<1	1.60	0.014	0.08	0.1	0.04	7.6	0.1	<0.05	8	<0.5	<0.2
1283171	Soil	13	24	1.14	336	0.107	<1	2.18	0.010	0.41	0.1	0.02	8.0	0.4	<0.05	13	<0.5	<0.2
1269451	Rock Pulp	4	33	0.79	81	0.121	3	1.47	0.074	0.11	13.4	0.01	4.6	<0.1	0.05	5	<0.5	<0.2
1269433	Soil	12	86	2.01	196	0.206	<1	2.48	0.008	0.74	0.1	<0.01	2.9	0.5	<0.05	7	<0.5	<0.2
1283184	Soil	12	52	0.66	572	0.101	2	1.70	0.011	0.26	0.1	0.02	5.1	0.2	<0.05	7	<0.5	<0.2
1283163	Soil	14	75	0.93	652	0.132	2	1.95	0.023	0.13	0.1	0.04	6.5	0.2	<0.05	7	<0.5	<0.2
1271300	Soil	22	27	0.34	397	0.025	1	1.36	0.008	0.09	0.1	0.07	3.0	0.1	<0.05	4	<0.5	<0.2
1271299	Soil	10	9	0.55	297	0.037	2	0.94	0.006	0.16	<0.1	0.06	11.4	0.4	0.05	3	<0.5	<0.2
1271297	Soil	18	44	0.70	327	0.101	1	1.87	0.016	0.07	0.2	0.03	6.2	0.1	<0.05	6	<0.5	<0.2
1271298	Soil	18	18	0.38	265	0.028	1	1.04	0.010	0.09	0.1	0.04	6.8	0.2	<0.05	3	<0.5	<0.2
1271302	Soil	43	21	0.42	335	0.006	1	0.59	0.004	0.10	<0.1	0.07	7.9	<0.1	<0.05	1	<0.5	<0.2
1269431	Soil	12	62	0.91	95	0.063	2	1.37	0.012	0.06	<0.1	0.03	5.0	0.1	<0.05	5	<0.5	<0.2
1269423	Soil	48	34	0.67	112	0.116	1	1.42	0.012	0.19	0.3	0.02	3.1	0.3	<0.05	7	<0.5	<0.2
1269426	Soil	20	136	1.63	93	0.121	<1	1.92	0.008	0.18	0.2	<0.01	3.6	0.3	<0.05	6	<0.5	<0.2
1269425	Soil	13	66	1.01	111	0.112	1	1.69	0.010	0.12	0.2	0.04	3.7	0.2	<0.05	5	<0.5	<0.2
1269429	Soil	13	92	1.63	161	0.204	<1	2.60	0.011	0.44	<0.1	0.01	3.8	0.4	<0.05	8	<0.5	<0.2
1269428	Soil	10	124	1.76	158	0.230	<1	2.39	0.009	0.72	0.1	0.02	3.0	0.6	0.05	7	<0.5	<0.2
1271301	Rock Pulp	16	678	0.12	117	0.169	4	3.78	0.012	0.05	<0.1	0.02	35.5	0.1	<0.05	20	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000234.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1269427	Soil	0.8	43.0	10.1	80	0.1	73.9	24.1	713	3.32	3.7	0.9	0.6	5.2	38	0.2	0.1	<0.1	53	0.86	0.069
1269430	Soil	0.9	36.1	4.3	63	<0.1	56.4	19.9	499	3.54	6.6	0.8	0.5	2.9	45	<0.1	0.2	<0.1	58	1.29	0.053
1269424	Soil	1.5	19.2	6.8	70	<0.1	41.4	25.6	808	3.67	5.5	0.6	<0.5	4.3	27	<0.1	0.1	<0.1	80	0.52	0.085
1269455	Soil	1.5	25.7	8.8	76	<0.1	31.4	16.6	649	4.55	7.6	1.2	1.7	9.1	14	<0.1	0.3	0.1	107	0.43	0.043
1269442	Soil	0.7	32.8	3.0	48	<0.1	107.0	44.8	606	5.59	10.7	0.5	<0.5	4.7	11	<0.1	<0.1	0.7	108	0.36	0.019
1269443	Soil	0.7	65.3	3.7	47	<0.1	35.5	22.5	491	4.81	6.4	0.6	1.3	4.6	19	<0.1	0.2	0.3	126	0.49	0.012
1269444	Soil	0.5	53.3	2.2	22	<0.1	38.1	21.3	275	3.75	73.6	0.3	<0.5	1.9	11	<0.1	0.3	<0.1	107	0.41	0.023
1269435	Soil	0.5	17.2	6.5	49	<0.1	27.0	12.4	391	2.58	7.0	1.3	4.1	9.6	40	0.1	0.3	0.1	52	0.99	0.063
1269438	Soil	0.9	26.1	9.2	61	<0.1	28.3	12.3	267	3.30	13.1	1.9	1.8	9.2	33	<0.1	0.3	0.3	70	0.76	0.054
1269439	Soil	0.8	26.8	10.7	52	0.2	31.3	13.9	715	3.30	11.0	2.2	0.8	10.8	44	0.1	0.3	0.3	45	1.01	0.092
1269440	Soil	2.0	22.0	10.7	67	<0.1	29.5	12.5	420	3.52	5.6	1.1	1.2	6.7	12	0.1	0.3	0.3	62	0.21	0.053
1269441	Soil	0.6	17.3	1.9	20	<0.1	41.9	19.0	255	4.64	3.2	0.4	<0.5	3.0	10	<0.1	<0.1	<0.1	101	0.32	0.016
1271291	Soil	1.2	21.5	7.8	41	<0.1	21.7	9.4	379	2.24	5.4	1.7	3.0	7.7	44	0.1	0.4	0.1	48	0.89	0.038
1271292	Soil	1.1	27.0	9.4	49	<0.1	28.0	10.2	340	2.57	6.1	2.4	2.2	10.8	35	<0.1	0.5	0.3	60	0.60	0.030
1269436	Soil	0.8	22.1	7.4	67	<0.1	27.5	16.3	407	3.84	7.0	1.1	1.4	6.6	34	<0.1	0.2	0.2	81	0.81	0.081
1269437	Soil	0.9	21.0	8.6	56	<0.1	23.7	15.1	602	2.97	7.8	1.3	1.4	6.2	32	<0.1	0.2	0.2	62	0.75	0.055
1271288	Soil	1.0	28.2	7.4	47	<0.1	24.6	11.4	398	2.59	7.4	1.1	2.9	7.3	34	<0.1	0.6	0.2	62	0.73	0.044
1271289	Soil	1.1	20.7	8.7	44	<0.1	21.1	10.3	558	2.29	5.7	1.0	3.2	9.6	38	<0.1	0.5	0.3	52	0.85	0.040
1271290	Soil	1.1	21.0	6.5	40	<0.1	22.5	11.3	537	2.49	6.6	1.6	2.0	7.1	38	<0.1	0.5	0.2	57	0.79	0.041
1271287	Soil	1.0	30.9	8.1	54	0.1	28.3	11.1	414	2.46	7.1	0.8	2.8	5.1	35	0.2	0.5	0.1	61	0.72	0.053
1269449	Soil	1.4	33.1	7.7	42	<0.1	29.1	16.2	480	2.96	6.5	0.8	2.5	8.0	18	<0.1	0.3	0.3	72	0.52	0.030
1271295	Soil	0.8	20.1	7.7	46	<0.1	24.4	10.6	273	2.64	6.8	0.5	4.0	4.1	26	<0.1	0.5	0.1	71	0.39	0.028
1271294	Soil	0.8	26.0	6.4	43	<0.1	26.1	10.0	359	2.73	6.2	0.6	2.8	5.9	25	<0.1	0.5	0.1	65	0.44	0.035
1271296	Soil	0.8	15.2	6.5	38	<0.1	20.8	9.5	223	2.35	4.7	0.5	1.5	4.8	18	<0.1	0.3	<0.1	60	0.27	0.026
1269454	Soil	1.4	21.7	6.7	80	<0.1	7.3	9.4	470	3.54	5.1	0.8	<0.5	4.1	9	<0.1	0.1	<0.1	50	0.29	0.045
1269450	Soil	1.6	30.5	12.5	49	<0.1	28.3	14.6	519	3.18	7.3	1.4	4.9	15.6	20	<0.1	0.4	0.2	76	0.58	0.034
1271275	Soil	1.2	21.9	11.4	53	<0.1	27.7	10.4	375	2.78	6.3	1.0	4.1	6.8	42	0.1	0.5	0.2	64	0.80	0.045
1269445	Soil	2.9	47.1	29.9	63	<0.1	73.0	23.0	940	4.35	52.8	1.5	9.4	20.2	31	0.1	1.2	0.5	89	0.49	0.032
1269448	Soil	1.3	41.7	9.2	48	<0.1	35.6	16.8	440	3.39	7.1	0.8	1.6	6.7	20	<0.1	0.3	0.3	81	0.62	0.023
1269452	Soil	2.4	28.2	16.9	55	0.1	36.9	14.6	652	3.37	9.6	1.7	12.3	18.6	25	0.2	0.6	0.2	81	0.51	0.033

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000234.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1269427	Soil	15	66	1.16	132	0.132	1	1.86	0.013	0.20	0.2	0.03	4.2	0.3	<0.05	5	<0.5	<0.2
1269430	Soil	8	78	1.13	118	0.130	1	1.62	0.010	0.26	0.1	0.03	3.1	0.4	<0.05	5	<0.5	<0.2
1269424	Soil	12	73	1.42	104	0.139	1	1.97	0.010	0.18	0.1	0.03	3.0	0.3	<0.05	7	<0.5	<0.2
1269455	Soil	21	62	1.31	415	0.033	2	2.20	0.007	0.12	<0.1	0.01	10.1	<0.1	<0.05	8	<0.5	<0.2
1269442	Soil	5	124	5.03	96	0.147	<1	3.91	0.010	0.18	0.2	<0.01	8.8	0.3	<0.05	9	<0.5	<0.2
1269443	Soil	11	58	2.10	162	0.165	<1	3.01	0.019	0.26	<0.1	<0.01	10.1	0.4	<0.05	7	<0.5	<0.2
1269444	Soil	3	55	1.70	97	0.123	<1	2.34	0.016	0.25	0.2	<0.01	6.2	0.3	<0.05	6	<0.5	<0.2
1269435	Soil	45	69	0.89	172	0.079	2	1.61	0.012	0.18	0.1	0.06	4.4	0.2	0.06	6	<0.5	<0.2
1269438	Soil	48	50	1.03	106	0.122	2	1.77	0.012	0.24	0.1	0.05	4.6	0.4	<0.05	6	<0.5	<0.2
1269439	Soil	52	34	0.81	160	0.078	3	1.57	0.010	0.25	0.1	0.05	5.1	0.4	0.05	7	<0.5	<0.2
1269440	Soil	14	35	0.78	76	0.110	2	1.55	0.008	0.26	0.1	0.01	3.5	0.3	<0.05	7	<0.5	<0.2
1269441	Soil	4	78	4.25	122	0.088	<1	4.27	0.010	0.99	0.2	0.01	5.4	0.6	<0.05	8	<0.5	<0.2
1271291	Soil	19	31	0.57	190	0.071	2	1.22	0.017	0.08	0.2	0.04	4.1	0.1	<0.05	4	<0.5	<0.2
1271292	Soil	23	36	0.60	252	0.089	1	1.47	0.018	0.09	0.2	0.04	5.5	0.1	<0.05	5	<0.5	<0.2
1269436	Soil	32	45	1.35	218	0.153	1	1.96	0.010	0.41	0.1	0.03	4.7	0.4	<0.05	7	<0.5	<0.2
1269437	Soil	31	37	0.89	144	0.105	1	1.57	0.011	0.20	0.1	0.03	3.9	0.3	<0.05	6	<0.5	<0.2
1271288	Soil	19	34	0.58	231	0.077	1	1.35	0.021	0.07	0.2	0.04	4.9	0.1	<0.05	5	<0.5	<0.2
1271289	Soil	22	31	0.53	169	0.066	1	1.23	0.019	0.07	0.2	0.03	4.2	0.1	<0.05	4	<0.5	<0.2
1271290	Soil	19	34	0.56	223	0.067	1	1.31	0.018	0.06	0.1	0.04	4.6	<0.1	<0.05	4	<0.5	<0.2
1271287	Soil	17	34	0.61	225	0.088	2	1.30	0.025	0.07	0.2	0.03	4.6	0.1	<0.05	4	<0.5	<0.2
1269449	Soil	15	42	1.13	129	0.102	1	1.82	0.015	0.16	0.2	0.02	4.6	0.2	<0.05	5	<0.5	<0.2
1271295	Soil	13	38	0.62	224	0.100	<1	1.76	0.021	0.06	0.1	0.02	5.0	<0.1	<0.05	6	<0.5	<0.2
1271294	Soil	17	36	0.69	218	0.092	1	1.58	0.023	0.06	0.2	0.04	7.6	<0.1	<0.05	5	<0.5	<0.2
1271296	Soil	16	35	0.63	144	0.100	<1	1.46	0.014	0.05	0.1	0.01	4.6	<0.1	<0.05	5	<0.5	<0.2
1269454	Soil	10	10	0.57	427	0.044	2	1.33	0.005	0.20	<0.1	<0.01	6.3	<0.1	<0.05	5	<0.5	<0.2
1269450	Soil	51	50	0.94	171	0.098	1	1.88	0.017	0.12	0.2	0.05	7.0	0.2	<0.05	5	<0.5	<0.2
1271275	Soil	18	41	0.74	192	0.100	2	1.54	0.023	0.11	0.2	0.03	6.1	0.1	<0.05	5	<0.5	<0.2
1269445	Soil	23	79	1.25	140	0.069	2	2.06	0.018	0.17	0.2	0.34	12.2	0.4	<0.05	6	<0.5	<0.2
1269448	Soil	15	49	1.29	170	0.120	1	2.20	0.017	0.11	0.2	0.02	5.0	0.2	<0.05	6	<0.5	<0.2
1269452	Soil	35	62	0.78	277	0.098	1	2.08	0.016	0.10	0.2	0.06	7.5	0.2	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000234.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1271293	Soil	1.2	36.0	10.3	55	<0.1	41.8	13.6	428	3.25	7.5	0.5	4.7	7.4	33	<0.1	0.6	0.1	81	0.64	0.044
1269446	Soil	1.6	41.3	20.4	53	0.2	49.1	17.4	692	3.51	18.8	1.7	15.4	16.5	22	0.1	0.6	0.3	80	0.53	0.027
1271506	Soil	1.8	13.7	8.4	57	<0.1	19.8	10.5	336	3.16	5.9	1.1	1.2	10.0	21	<0.1	0.3	0.2	66	0.35	0.022
1269453	Soil	2.4	24.6	19.6	52	<0.1	36.5	14.1	574	3.28	8.3	1.6	5.3	21.0	22	<0.1	0.4	0.2	79	0.54	0.032
1271276	Soil	1.4	29.2	13.2	56	0.1	33.8	11.5	447	3.01	6.7	0.9	3.3	6.8	41	<0.1	0.5	0.2	70	0.77	0.047
1269447	Soil	1.8	36.0	17.1	55	0.2	42.2	18.0	724	3.66	10.6	1.7	8.1	17.0	22	<0.1	0.4	0.3	91	0.63	0.030
1271512	Soil	1.7	27.4	17.4	68	<0.1	73.2	18.7	709	4.18	3.4	2.2	1.0	20.0	55	<0.1	0.1	0.2	82	1.11	0.053
1271511	Soil	1.2	38.4	9.5	95	0.1	32.1	25.9	780	4.82	3.1	3.2	1.1	9.5	51	<0.1	<0.1	0.1	117	1.26	0.065
1271510	Soil	1.5	28.3	14.0	78	<0.1	43.3	17.8	588	4.19	8.7	3.3	2.4	13.8	29	0.1	0.3	0.3	78	0.74	0.070
1271508	Soil	1.6	20.9	9.9	63	<0.1	29.1	11.4	484	2.65	4.5	6.4	1.5	7.6	54	0.2	0.2	0.2	52	0.86	0.049
1271484	Soil	1.0	28.3	7.4	65	<0.1	48.1	28.0	845	5.40	3.0	1.2	1.8	8.8	71	<0.1	0.1	<0.1	128	1.75	0.173
1271507	Soil	2.0	30.8	13.4	81	<0.1	43.1	15.8	611	3.93	5.2	3.2	1.4	13.4	24	<0.1	0.3	0.5	72	0.47	0.030
1271509	Soil	0.8	30.8	5.6	63	<0.1	34.3	16.6	478	3.19	3.3	3.8	0.9	6.1	62	<0.1	0.1	<0.1	66	0.98	0.052
1271485	Soil	0.8	22.6	6.8	57	<0.1	46.2	24.5	776	5.06	2.4	2.6	2.8	10.9	54	<0.1	<0.1	<0.1	118	1.35	0.121
1271486	Soil	1.4	28.6	10.7	66	<0.1	57.1	23.5	1633	4.75	2.9	2.6	1.1	10.8	33	<0.1	0.1	0.1	93	0.78	0.099
1271490	Soil	1.2	47.8	12.1	112	<0.1	52.0	21.0	836	4.58	4.0	1.3	1.3	10.1	19	<0.1	0.2	0.2	85	0.66	0.082
1271492	Soil	1.3	20.5	8.6	60	<0.1	20.8	8.0	575	3.11	4.6	1.6	0.6	22.7	12	<0.1	0.2	0.1	40	0.30	0.037
1271494	Soil	1.6	23.4	9.3	43	<0.1	25.1	9.9	501	3.02	5.9	0.8	2.2	7.5	16	<0.1	0.5	0.1	76	0.31	0.026
1271487	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1271489	Soil	1.0	34.8	8.3	67	<0.1	50.7	22.1	529	3.08	4.5	1.0	2.2	5.8	21	<0.1	0.1	0.2	55	0.59	0.038
1271491	Soil	2.0	28.5	12.8	87	0.1	20.1	6.0	804	3.27	6.5	2.5	3.6	25.3	15	<0.1	0.3	0.2	33	0.43	0.032
1271493	Soil	1.3	18.1	6.2	63	<0.1	32.0	12.2	786	3.63	4.0	1.1	1.2	11.9	11	<0.1	0.3	<0.1	51	0.32	0.032
1271495	Soil	1.4	12.9	6.6	39	<0.1	15.2	7.0	254	2.88	6.2	0.7	1.0	6.0	8	<0.1	0.5	0.2	48	0.13	0.014
1271505	Soil	1.9	24.7	10.5	120	<0.1	25.9	15.1	783	3.61	3.6	6.0	1.1	8.4	40	0.1	0.3	0.2	74	0.81	0.069
1271488	Soil	1.0	21.1	14.3	92	<0.1	50.6	21.5	652	4.01	3.4	0.8	0.7	8.2	17	<0.1	0.1	0.8	74	0.51	0.057
1271501	Rock Pulp	1.2	352.8	14.6	117	0.2	174.1	56.0	630	11.63	2.2	0.9	26.7	5.3	10	<0.1	0.2	0.1	176	0.23	0.032
1271496	Soil	1.4	15.8	10.4	43	<0.1	22.3	8.1	331	2.58	8.3	0.6	1.4	4.9	15	<0.1	0.4	0.2	49	0.20	0.013
1271502	Soil	1.6	7.7	5.8	39	<0.1	6.5	5.0	471	2.71	7.1	2.2	<0.5	8.2	8	<0.1	0.6	0.2	28	0.13	0.014
1271503	Soil	1.5	16.6	6.9	80	<0.1	30.8	9.5	847	3.70	4.3	5.0	2.1	13.6	30	<0.1	0.4	<0.1	42	0.52	0.035
1284722	Soil	1.6	18.4	42.3	70	0.5	24.2	11.1	419	3.08	10.6	1.2	29.7	13.5	16	0.2	2.1	0.4	47	0.28	0.024

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000234.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1271293	Soil	20	58	0.94	300	0.120	2	1.94	0.029	0.13	0.2	0.04	8.1	0.2	<0.05	6	<0.5	<0.2
1269446	Soil	42	63	0.97	259	0.081	2	2.03	0.018	0.11	0.1	0.09	9.4	0.2	<0.05	6	<0.5	<0.2
1271506	Soil	23	40	0.58	206	0.061	<1	1.44	0.010	0.10	0.1	<0.01	4.5	0.1	<0.05	5	<0.5	<0.2
1269453	Soil	23	70	0.83	347	0.098	2	2.02	0.019	0.12	0.2	0.04	6.7	0.2	<0.05	6	<0.5	<0.2
1271276	Soil	22	46	0.79	264	0.103	2	1.73	0.027	0.09	0.2	0.04	6.4	0.1	<0.05	5	<0.5	<0.2
1269447	Soil	52	60	1.12	256	0.103	1	2.30	0.017	0.11	0.2	0.05	7.8	0.3	<0.05	6	<0.5	<0.2
1271512	Soil	53	131	1.20	158	0.061	3	1.76	0.009	0.21	<0.1	0.03	7.6	0.2	<0.05	7	<0.5	<0.2
1271511	Soil	35	53	2.45	354	0.192	2	2.53	0.013	0.53	<0.1	0.03	6.9	0.4	<0.05	8	<0.5	<0.2
1271510	Soil	48	65	1.02	299	0.075	2	1.55	0.011	0.27	0.1	0.04	8.5	0.3	<0.05	6	<0.5	<0.2
1271508	Soil	23	49	0.81	257	0.066	2	1.43	0.013	0.17	0.1	0.04	5.2	0.2	<0.05	5	<0.5	<0.2
1271484	Soil	38	137	1.74	411	0.051	2	1.96	0.009	0.32	<0.1	0.02	12.9	0.2	<0.05	7	<0.5	<0.2
1271507	Soil	41	53	0.54	272	0.033	2	1.23	0.008	0.14	<0.1	0.02	9.5	0.1	<0.05	4	<0.5	<0.2
1271509	Soil	24	52	1.48	242	0.156	2	1.87	0.013	0.43	0.1	0.02	3.7	0.3	<0.05	6	<0.5	<0.2
1271485	Soil	64	129	1.76	493	0.104	3	2.24	0.009	0.41	0.1	0.02	11.2	0.3	<0.05	8	<0.5	<0.2
1271486	Soil	47	95	1.29	421	0.074	2	1.82	0.009	0.33	<0.1	0.03	9.4	0.3	<0.05	7	<0.5	<0.2
1271490	Soil	33	72	1.52	282	0.125	<1	2.33	0.009	0.34	<0.1	0.01	8.9	0.3	<0.05	9	<0.5	<0.2
1271492	Soil	45	35	0.56	280	0.085	1	1.31	0.010	0.34	0.1	0.02	6.6	0.2	<0.05	6	<0.5	<0.2
1271494	Soil	32	42	0.43	386	0.070	1	1.80	0.016	0.12	0.1	0.04	5.6	0.2	<0.05	6	<0.5	<0.2
1271487	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1271489	Soil	14	96	1.82	164	0.085	1	1.91	0.008	0.09	0.1	0.02	4.6	0.1	<0.05	6	<0.5	<0.2
1271491	Soil	115	29	0.32	295	0.042	2	1.42	0.008	0.15	<0.1	0.08	8.0	0.1	<0.05	5	<0.5	<0.2
1271493	Soil	37	76	0.61	300	0.052	2	1.28	0.007	0.29	<0.1	0.02	10.8	0.2	<0.05	6	<0.5	<0.2
1271495	Soil	8	25	0.42	142	0.057	1	1.33	0.006	0.16	0.1	0.01	4.2	0.2	<0.05	4	<0.5	<0.2
1271505	Soil	47	51	0.98	430	0.063	2	1.65	0.011	0.23	0.1	0.03	8.6	0.1	<0.05	7	<0.5	<0.2
1271488	Soil	13	100	2.21	184	0.082	2	2.48	0.007	0.27	<0.1	<0.01	5.3	0.2	<0.05	8	<0.5	<0.2
1271501	Rock Pulp	13	551	0.10	98	0.149	3	3.05	0.011	0.05	<0.1	0.02	29.7	<0.1	<0.05	16	<0.5	<0.2
1271496	Soil	7	33	0.44	197	0.059	2	1.41	0.008	0.09	0.2	0.02	3.8	0.1	<0.05	5	<0.5	<0.2
1271502	Soil	10	11	0.10	125	0.016	2	0.56	0.005	0.07	0.1	<0.01	6.6	<0.1	<0.05	2	<0.5	<0.2
1271503	Soil	42	68	0.82	607	0.082	2	1.38	0.008	0.45	<0.1	0.03	9.8	0.3	<0.05	8	<0.5	<0.2
1284722	Soil	34	32	0.37	280	0.030	1	1.13	0.007	0.17	0.1	0.04	6.2	0.2	<0.05	3	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000234.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1271497	Soil	1.6	9.5	11.0	47	<0.1	12.9	5.1	313	2.18	4.6	0.8	1.2	7.5	7	<0.1	0.3	0.2	29	0.09	0.016
1271499	Soil	1.3	9.4	9.6	47	<0.1	15.8	5.2	274	2.25	4.9	0.9	0.9	6.3	8	<0.1	0.2	0.1	34	0.11	0.015
1271504	Soil	2.3	19.6	11.8	51	<0.1	21.0	8.1	614	3.01	4.9	6.4	1.5	11.6	30	<0.1	0.3	0.1	43	0.45	0.031
1284720	Soil	0.9	33.7	3.5	59	<0.1	27.2	20.3	1183	5.34	6.0	0.8	1.2	13.3	18	<0.1	0.6	<0.1	104	0.69	0.101
1271498	Soil	1.1	7.0	8.0	40	<0.1	7.5	2.7	241	1.71	3.4	0.8	<0.5	7.1	4	<0.1	0.2	<0.1	16	0.05	0.009
1271500	Soil	1.3	14.0	7.8	42	<0.1	19.7	7.3	315	2.41	5.5	3.7	2.1	8.7	20	<0.1	0.3	0.1	47	0.30	0.012
1284721	Soil	1.3	24.6	8.9	54	0.1	34.0	14.5	544	3.44	6.8	0.6	0.7	5.7	17	0.1	0.8	0.2	75	0.40	0.026
1284724	Soil	0.8	22.1	9.5	28	0.3	18.5	7.0	277	1.55	4.9	0.9	4.7	5.4	114	0.1	0.8	0.1	30	6.68	0.027
1284680	Soil	0.7	17.9	7.5	57	<0.1	45.4	17.1	673	3.15	10.2	0.9	4.7	5.3	66	<0.1	0.4	<0.1	51	1.64	0.069
1284682	Soil	1.5	31.2	11.1	60	<0.1	74.1	22.4	631	3.98	9.2	1.5	3.6	15.0	42	<0.1	1.3	0.1	70	0.92	0.067
1284683	Soil	0.9	17.1	14.0	71	0.1	40.4	17.4	927	3.57	18.5	1.3	3.2	9.4	40	0.1	1.1	0.2	53	1.08	0.069
1284681	Soil	1.0	20.9	13.3	51	<0.1	37.3	15.5	591	3.13	8.0	1.2	2.1	6.2	56	<0.1	0.4	<0.1	52	1.39	0.055
1284725	Soil	1.0	35.4	9.7	37	0.4	30.5	15.6	654	3.41	6.6	2.3	10.2	4.7	115	0.1	1.6	0.1	42	7.65	0.100
1284676	Soil	1.0	31.6	8.5	33	0.3	26.6	14.1	587	2.99	6.5	2.1	8.9	6.0	101	0.1	1.5	0.1	35	6.60	0.075
1284679	Soil	1.4	28.7	6.4	45	<0.1	36.9	24.4	985	5.14	9.6	1.3	2.8	5.6	91	<0.1	1.8	<0.1	99	5.16	0.133
1284677	Soil	1.0	46.9	6.1	76	0.1	34.6	23.2	1012	5.23	16.5	1.9	3.3	5.3	142	<0.1	1.0	<0.1	80	5.10	0.123
1284908	Soil	2.0	40.9	17.1	108	0.2	43.2	12.6	690	3.75	70.2	1.1	9.1	6.2	18	0.2	7.7	0.3	88	0.40	0.052
1284901	Rock Pulp	1.3	398.0	16.6	133	0.2	193.5	69.8	725	13.86	2.6	1.0	29.4	6.1	12	<0.1	0.2	0.1	197	0.27	0.038
1284678	Soil	1.1	37.0	11.2	58	0.2	36.5	17.8	686	3.93	8.8	1.3	3.3	5.9	80	0.1	1.9	<0.1	74	3.34	0.103
1284723	Soil	1.3	13.3	8.0	38	<0.1	23.4	11.4	389	2.90	5.4	0.7	0.7	14.8	13	<0.1	0.5	<0.1	52	0.26	0.022
1284911	Soil	0.7	15.2	5.3	64	<0.1	26.4	12.4	468	3.38	7.5	0.6	0.9	5.4	17	<0.1	2.0	0.1	83	0.38	0.036
1284909	Soil	0.8	15.1	3.9	54	<0.1	30.5	13.1	413	2.92	6.4	0.5	0.7	4.4	17	<0.1	0.5	0.1	80	0.39	0.031
1284910	Soil	0.9	11.8	6.4	74	<0.1	19.5	10.9	628	3.70	8.1	0.5	0.9	4.3	23	<0.1	0.5	0.6	87	0.46	0.054
1284913	Soil	0.8	17.8	6.1	75	<0.1	20.4	11.2	807	3.89	8.2	0.6	0.9	5.5	25	<0.1	0.9	0.1	87	0.54	0.053
1284912	Soil	0.9	9.0	7.1	54	<0.1	14.8	9.2	529	2.78	5.9	0.3	2.0	3.4	22	<0.1	0.6	0.2	63	0.41	0.029
1284916	Soil	2.0	34.3	6.6	68	0.3	31.1	8.8	574	1.90	29.0	3.1	5.8	1.8	78	0.4	3.7	0.2	51	1.59	0.066
1284914	Soil	0.8	18.0	8.5	86	<0.1	13.8	11.2	1071	3.63	109.2	0.8	34.2	5.1	36	<0.1	3.8	0.1	71	0.90	0.140
1284907	Soil	1.2	24.3	28.6	94	0.1	31.2	10.8	398	3.09	59.6	0.9	3.6	7.6	22	0.3	155.9	0.2	67	0.33	0.025
1284904	Soil	2.1	46.1	8.5	75	0.2	48.5	11.2	305	3.01	29.3	1.0	2.9	6.7	14	0.2	3.5	0.1	85	0.20	0.042
1284906	Soil	2.0	35.3	8.6	127	0.4	58.3	13.4	313	3.17	75.5	1.0	2.4	3.5	26	0.5	7.9	0.2	90	0.26	0.039

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000234.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1271497	Soil	5	23	0.19	161	0.024	1	0.99	0.009	0.08	0.1	<0.01	4.0	<0.1	<0.05	3	<0.5	<0.2
1271499	Soil	8	24	0.21	168	0.025	1	1.10	0.006	0.08	<0.1	0.01	4.1	0.1	<0.05	4	<0.5	<0.2
1271504	Soil	39	39	0.41	596	0.050	2	1.19	0.011	0.10	0.2	0.03	5.9	0.1	<0.05	5	<0.5	<0.2
1284720	Soil	55	47	1.46	340	0.148	1	2.32	0.009	0.60	<0.1	0.03	13.0	0.3	<0.05	13	<0.5	<0.2
1271498	Soil	7	12	0.12	80	0.015	<1	0.71	0.005	0.07	<0.1	<0.01	4.0	<0.1	<0.05	2	<0.5	<0.2
1271500	Soil	30	31	0.38	443	0.051	1	1.28	0.011	0.09	0.1	0.02	5.6	<0.1	<0.05	4	<0.5	<0.2
1284721	Soil	11	57	0.88	296	0.074	2	1.81	0.012	0.25	0.1	0.01	6.5	0.2	<0.05	6	<0.5	<0.2
1284724	Soil	20	21	0.48	349	0.031	2	0.76	0.014	0.07	0.1	0.04	2.7	<0.1	<0.05	2	<0.5	<0.2
1284680	Soil	21	66	1.48	169	0.090	2	1.76	0.011	0.31	0.1	0.04	4.3	0.3	<0.05	5	<0.5	<0.2
1284682	Soil	43	167	1.93	242	0.100	2	2.20	0.010	0.53	0.1	0.03	6.7	0.4	<0.05	7	<0.5	<0.2
1284683	Soil	31	55	1.19	182	0.085	2	1.55	0.012	0.29	0.2	0.07	6.0	0.4	<0.05	5	<0.5	<0.2
1284681	Soil	33	60	1.38	417	0.091	2	1.87	0.012	0.32	0.1	0.04	4.3	0.3	<0.05	6	<0.5	<0.2
1284725	Soil	18	24	0.84	265	0.004	2	0.49	0.007	0.10	<0.1	0.09	7.5	0.1	<0.05	1	0.6	<0.2
1284676	Soil	22	21	0.65	208	0.004	2	0.49	0.007	0.10	<0.1	0.09	6.4	0.1	<0.05	1	<0.5	<0.2
1284679	Soil	22	50	1.33	422	0.049	2	1.58	0.008	0.45	<0.1	0.07	13.6	0.3	<0.05	5	<0.5	<0.2
1284677	Soil	34	56	0.62	566	0.001	3	0.75	0.008	0.12	<0.1	0.08	15.0	0.2	<0.05	2	<0.5	<0.2
1284908	Soil	21	39	0.63	376	0.025	1	1.83	0.008	0.22	0.2	0.09	8.4	0.4	<0.05	8	0.5	<0.2
1284901	Rock Pulp	15	616	0.11	118	0.150	3	3.54	0.011	0.06	<0.1	0.03	34.1	0.1	<0.05	19	<0.5	<0.2
1284678	Soil	24	57	1.14	288	0.029	3	1.32	0.019	0.12	0.1	0.06	9.3	0.2	<0.05	5	<0.5	<0.2
1284723	Soil	22	45	0.73	202	0.066	1	1.46	0.010	0.22	0.1	0.01	5.0	0.1	<0.05	5	<0.5	<0.2
1284911	Soil	15	75	0.78	414	0.104	<1	1.82	0.012	0.29	0.2	0.02	9.5	0.2	<0.05	7	<0.5	<0.2
1284909	Soil	12	105	1.26	187	0.176	1	1.86	0.016	0.34	0.2	0.01	5.6	0.3	<0.05	6	<0.5	<0.2
1284910	Soil	11	35	0.77	372	0.133	2	2.00	0.014	0.27	0.2	0.01	6.8	0.2	<0.05	8	<0.5	<0.2
1284913	Soil	22	29	1.07	337	0.164	1	2.17	0.014	0.28	0.2	0.02	9.6	0.3	<0.05	10	<0.5	<0.2
1284912	Soil	8	27	0.48	369	0.075	1	1.47	0.011	0.19	0.2	0.02	4.7	0.1	<0.05	6	<0.5	<0.2
1284916	Soil	11	32	0.54	325	0.055	3	0.95	0.011	0.14	0.1	0.06	3.5	0.3	0.10	4	4.5	<0.2
1284914	Soil	29	15	0.98	298	0.081	1	1.64	0.011	0.20	0.6	0.04	6.3	0.2	<0.05	8	<0.5	<0.2
1284907	Soil	14	60	0.64	213	0.057	<1	1.77	0.008	0.19	0.4	0.02	6.4	0.3	<0.05	7	<0.5	<0.2
1284904	Soil	17	56	0.84	244	0.121	1	1.86	0.009	0.45	0.1	0.02	5.2	0.4	<0.05	7	0.6	<0.2
1284906	Soil	10	53	0.56	847	0.065	1	1.68	0.008	0.12	0.2	0.02	4.6	0.2	<0.05	6	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000234.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1284905	Soil	1.6	37.7	8.5	83	0.3	39.4	11.1	357	2.89	28.0	1.0	3.6	4.2	20	0.3	3.5	0.1	83	0.23	0.036
1284902	Soil	2.0	68.4	10.3	103	0.2	56.4	13.5	382	3.28	22.6	1.4	5.3	4.4	25	0.1	2.2	0.1	97	0.29	0.052
1290197	Soil	1.8	22.8	13.1	53	<0.1	20.6	14.0	471	3.58	10.9	2.3	0.7	17.4	27	<0.1	1.0	0.2	59	0.56	0.028
1284899	Soil	1.9	42.6	13.0	128	0.4	72.2	13.3	367	3.20	46.8	1.0	3.4	4.4	19	0.3	3.1	0.1	95	0.27	0.043
1284900	Soil	2.3	54.1	8.8	109	0.2	39.3	8.4	225	2.61	62.6	1.0	4.5	5.5	17	0.2	4.0	0.1	71	0.15	0.029
1284903	Soil	2.7	57.5	8.0	95	0.3	53.8	13.1	299	3.10	21.2	1.6	5.7	4.8	18	0.2	2.4	0.1	90	0.17	0.038
1290198	Soil	1.0	34.3	10.7	51	<0.1	28.8	12.6	426	2.95	34.8	1.3	3.5	12.7	37	<0.1	0.9	0.3	61	1.23	0.033
1284898	Soil	3.4	87.5	22.4	162	0.6	88.6	17.4	866	3.62	149.3	1.2	8.3	4.9	26	0.4	5.5	0.2	92	0.39	0.035
1284897	Soil	1.8	32.7	13.0	89	0.2	59.2	17.0	477	3.55	98.3	0.7	2.0	3.7	24	0.2	1.7	0.2	94	0.39	0.050
1284915	Soil	1.0	13.0	6.9	94	<0.1	15.6	9.2	693	3.49	18.3	1.1	16.4	5.6	50	<0.1	2.0	0.7	80	0.82	0.129
1290194	Soil	1.4	20.8	12.0	55	<0.1	32.6	18.7	661	3.93	5.7	1.5	1.9	14.9	68	<0.1	0.5	0.1	79	2.54	0.086
1290195	Soil	1.1	35.2	16.2	85	<0.1	30.3	24.3	919	4.79	6.9	2.0	1.0	26.1	29	<0.1	0.7	0.3	110	0.83	0.096
1290191	Soil	1.1	22.3	6.4	53	<0.1	20.1	14.4	614	2.81	3.4	2.7	1.7	8.1	79	0.1	0.2	0.1	63	1.72	0.085
1290193	Soil	2.0	35.0	16.9	56	<0.1	22.0	17.4	650	4.07	6.1	2.7	0.5	35.1	24	<0.1	0.5	0.4	67	0.72	0.056
1290189	Soil	1.9	44.9	7.6	114	<0.1	44.4	30.9	938	5.55	3.2	1.7	2.2	22.5	31	<0.1	<0.1	0.3	95	0.99	0.215
1290196	Soil	2.1	19.1	15.3	46	<0.1	37.7	18.5	559	3.90	22.0	2.8	1.7	27.9	42	<0.1	0.7	0.1	73	1.26	0.066
1290199	Soil	1.7	19.2	30.4	49	<0.1	24.5	10.5	472	2.57	9.5	2.2	2.3	26.5	30	<0.1	0.6	0.4	44	1.53	0.032
1290187	Soil	3.2	11.8	23.2	119	<0.1	12.3	11.2	604	4.04	4.4	2.7	0.8	33.9	16	<0.1	0.2	0.3	38	0.43	0.095
1290192	Soil	1.0	10.2	7.9	57	<0.1	17.0	14.8	569	3.13	5.2	1.5	1.3	8.2	37	<0.1	0.2	0.1	70	0.77	0.057
1290185	Soil	1.9	32.1	18.0	61	0.3	29.9	16.8	744	3.84	6.2	2.6	190.0	17.9	37	0.2	0.4	0.2	62	0.80	0.081
1290186	Soil	1.8	13.7	9.2	50	<0.1	16.2	9.6	358	2.86	6.2	2.3	3.1	27.6	16	<0.1	0.3	0.1	45	0.28	0.042
1290182	Soil	1.0	24.9	9.8	58	0.1	36.3	18.3	542	3.68	10.1	1.2	11.0	8.0	56	0.2	3.0	0.2	60	1.26	0.067
1290184	Soil	1.3	24.6	10.9	58	<0.1	24.6	16.7	502	3.42	6.7	1.0	1.0	8.5	30	<0.1	0.4	0.1	81	0.64	0.047
1290183	Soil	1.2	19.4	13.3	58	<0.1	28.1	14.7	504	3.19	13.9	1.1	9.1	11.0	35	0.1	0.8	0.1	65	0.67	0.075
1283439	Soil	2.0	40.8	11.7	74	0.3	37.0	9.5	371	2.46	29.2	1.1	4.3	3.8	25	0.2	2.0	0.1	76	0.33	0.050
1283437	Soil	2.2	40.9	13.2	103	0.4	42.4	10.4	326	2.69	157.2	0.8	3.5	4.1	19	0.4	3.7	0.2	73	0.14	0.036
1283434	Soil	2.2	59.3	11.1	100	<0.1	103.3	23.4	519	4.15	98.4	0.9	5.9	4.8	28	0.1	5.1	0.1	122	0.45	0.072
1283435	Soil	2.4	43.2	13.7	105	0.6	43.9	11.4	347	3.37	232.5	1.2	9.6	4.1	21	0.4	4.1	0.2	87	0.20	0.028
1283438	Soil	4.2	79.5	16.2	157	0.5	72.1	9.3	183	2.79	44.1	1.5	2.3	4.1	29	0.8	2.5	0.1	190	0.15	0.058
1283467+1283468	Soil	0.5	16.3	4.8	76	<0.1	9.6	11.3	551	3.82	7.3	1.1	1.0	11.5	145	<0.1	1.3	<0.1	88	0.98	0.141

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000234.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1284905	Soil		15	51	0.64	308	0.097	2	1.57	0.013	0.20	0.2	0.02	5.6	0.2	<0.05	6	<0.5	<0.2
1284902	Soil		17	63	0.80	284	0.120	1	1.68	0.016	0.22	0.2	0.05	7.4	0.3	<0.05	6	0.6	<0.2
1290197	Soil		68	33	0.45	545	0.023	2	1.20	0.007	0.15	<0.1	0.03	6.5	0.2	<0.05	5	<0.5	<0.2
1284899	Soil		14	94	0.90	429	0.116	1	1.86	0.009	0.37	0.1	0.03	5.0	0.4	<0.05	6	0.8	<0.2
1284900	Soil		17	39	0.67	274	0.089	<1	1.36	0.005	0.22	0.1	0.05	3.8	0.5	<0.05	5	1.3	<0.2
1284903	Soil		19	59	0.78	294	0.137	<1	1.61	0.013	0.32	0.2	0.03	6.5	0.4	<0.05	6	<0.5	<0.2
1290198	Soil		65	34	0.55	376	0.052	3	1.20	0.016	0.12	0.1	0.07	6.7	0.2	<0.05	4	<0.5	<0.2
1284898	Soil		18	62	0.67	657	0.077	1	1.35	0.012	0.19	0.1	0.19	6.5	1.2	<0.05	5	0.9	<0.2
1284897	Soil		10	92	1.12	587	0.164	1	2.04	0.016	0.42	0.2	0.03	5.0	0.5	<0.05	7	0.6	<0.2
1284915	Soil		15	22	0.87	223	0.125	2	1.42	0.018	0.25	0.1	0.03	6.6	0.3	<0.05	7	0.9	<0.2
1290194	Soil		53	53	1.25	331	0.104	2	1.62	0.017	0.34	0.1	0.03	9.3	0.3	<0.05	5	<0.5	<0.2
1290195	Soil		92	54	1.55	659	0.158	2	2.11	0.006	0.65	0.1	0.03	13.2	0.5	<0.05	7	<0.5	<0.2
1290191	Soil		41	43	0.85	293	0.098	3	1.44	0.014	0.19	0.2	0.05	5.7	0.3	<0.05	5	<0.5	<0.2
1290193	Soil		101	46	0.84	215	0.049	2	1.47	0.006	0.45	0.1	0.02	10.5	0.3	<0.05	6	<0.5	<0.2
1290189	Soil		72	102	2.83	403	0.243	<1	3.08	0.008	0.99	0.3	0.02	7.0	0.8	<0.05	8	<0.5	<0.2
1290196	Soil		83	97	1.15	332	0.103	2	1.64	0.007	0.44	0.2	0.08	9.0	0.4	<0.05	6	<0.5	<0.2
1290199	Soil		50	38	0.51	265	0.051	3	0.99	0.005	0.32	0.1	0.04	6.0	0.5	<0.05	4	<0.5	<0.2
1290187	Soil		58	17	0.86	162	0.152	1	1.52	0.008	0.51	0.1	0.02	4.1	0.6	<0.05	6	<0.5	<0.2
1290192	Soil		23	40	0.88	219	0.120	2	1.51	0.015	0.19	0.2	0.02	4.1	0.2	<0.05	6	<0.5	<0.2
1290185	Soil		80	34	0.70	385	0.045	2	1.29	0.014	0.14	0.1	0.05	7.8	0.1	<0.05	4	<0.5	<0.2
1290186	Soil		133	25	0.50	264	0.069	1	1.29	0.010	0.16	0.1	0.02	4.7	0.2	<0.05	5	<0.5	<0.2
1290182	Soil		28	56	0.62	401	0.020	2	0.89	0.010	0.13	0.2	0.13	11.3	0.3	<0.05	3	<0.5	<0.2
1290184	Soil		21	40	1.09	416	0.113	1	1.76	0.015	0.33	0.2	0.02	6.4	0.2	<0.05	5	<0.5	<0.2
1290183	Soil		25	43	0.84	327	0.075	2	1.18	0.017	0.19	0.2	0.02	5.5	0.2	<0.05	4	<0.5	<0.2
1283439	Soil		14	46	0.55	409	0.085	<1	1.24	0.022	0.09	0.1	0.05	5.5	0.2	<0.05	4	0.8	<0.2
1283437	Soil		12	44	0.57	370	0.071	<1	1.51	0.008	0.18	0.1	0.02	3.5	0.6	<0.05	5	0.7	<0.2
1283434	Soil		18	131	1.42	442	0.164	<1	2.56	0.011	0.51	0.1	0.02	6.1	0.4	<0.05	9	0.8	<0.2
1283435	Soil		15	54	0.62	389	0.092	<1	1.80	0.013	0.12	0.1	0.07	6.5	0.6	<0.05	6	<0.5	<0.2
1283438	Soil		16	87	0.63	215	0.084	<1	1.38	0.009	0.13	0.1	0.03	5.1	0.2	0.06	6	1.4	<0.2
1283467+1283468	Soil		31	16	1.00	772	0.377	2	2.13	0.028	0.74	0.2	0.02	5.0	0.8	<0.05	9	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000234.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1283432	Soil	0.9	9.2	7.9	123	<0.1	13.9	11.2	760	4.44	7.6	0.7	2.7	3.5	28	0.2	1.0	0.2	103	0.53	0.098
1283440	Soil	1.8	47.0	9.5	111	0.4	41.7	11.4	415	2.64	27.0	1.3	6.3	3.6	35	1.1	2.2	0.1	72	0.58	0.070
1284700	Soil	1.4	55.1	11.4	81	0.1	47.1	10.5	397	3.34	72.8	1.0	16.1	6.9	25	0.2	13.5	0.2	89	0.36	0.028
1283433	Soil	1.3	28.9	7.5	55	0.2	26.2	9.8	580	2.54	14.5	1.4	6.3	3.2	66	0.2	2.3	0.2	63	1.19	0.051
1283469	Soil	2.8	61.3	31.7	380	0.2	53.5	36.9	2473	15.56	26.6	2.0	15.4	20.7	88	<0.1	3.0	0.5	363	1.97	0.487
1283462	Soil	4.5	85.8	13.6	204	0.4	81.7	13.5	463	4.62	120.6	1.6	4.8	4.9	20	0.7	10.4	0.1	152	0.17	0.058
1283464	Soil	1.8	80.6	11.2	98	0.3	80.3	24.2	398	4.07	36.7	0.8	9.8	3.4	30	0.3	3.5	0.2	129	0.54	0.052
1283451	Rock Pulp	2.4	24.9	2.1	42	0.3	23.5	10.3	377	2.32	3.7	0.2	2.5	0.8	36	0.1	0.3	<0.1	61	0.77	0.058
1283463	Soil	2.1	30.7	10.5	95	0.5	43.0	11.7	351	3.14	47.5	0.6	5.0	2.9	15	0.5	2.7	0.1	90	0.14	0.037
1283470	Soil	1.0	14.6	9.6	90	<0.1	21.8	12.2	622	3.75	11.9	0.6	1.4	6.9	22	0.1	1.6	0.2	79	0.37	0.047
1283465	Soil	2.4	64.8	26.2	107	0.3	61.9	17.8	557	4.07	71.5	1.0	4.5	5.3	24	0.3	7.6	0.2	96	0.32	0.039
1283486	Soil	0.4	5.8	6.6	128	<0.1	9.7	9.6	1020	4.65	8.0	0.7	1.6	7.6	24	<0.1	1.7	<0.1	93	0.57	0.171
1283487	Soil	1.2	16.2	11.2	53	<0.1	20.5	8.0	404	3.14	9.1	0.7	1.9	4.7	24	<0.1	1.9	<0.1	64	0.43	0.041
1283485	Soil	1.1	13.4	11.9	88	0.1	19.6	10.8	590	3.48	8.3	0.5	2.8	3.9	35	<0.1	1.1	0.1	82	0.57	0.075
1283472	Soil	0.8	30.7	11.3	85	0.2	31.3	12.3	674	3.82	56.1	1.2	17.7	7.7	24	0.1	5.3	0.2	81	0.57	0.132
1283476	Soil	0.8	26.0	8.7	65	<0.1	29.0	10.4	371	3.15	61.4	0.7	4.4	5.4	26	<0.1	2.0	0.1	71	0.36	0.034
1283471	Soil	0.6	34.4	5.7	58	<0.1	17.1	25.6	862	4.17	10.4	2.7	2.8	4.3	53	0.1	2.9	<0.1	131	1.07	0.068
1283475	Soil	0.7	30.3	15.6	61	0.1	25.7	9.4	364	2.97	95.1	0.7	33.5	5.5	26	<0.1	3.2	0.1	65	0.36	0.048
1283473	Soil	1.2	45.0	14.0	95	0.3	44.1	13.2	557	3.90	83.6	1.0	16.0	7.9	30	<0.1	6.5	0.2	99	0.50	0.065
1283474	Soil	0.8	31.3	10.1	89	0.1	27.8	11.3	549	3.80	31.9	0.7	4.5	6.3	26	<0.1	3.0	0.4	85	0.44	0.070
1271375	Soil	0.4	30.0	6.0	47	0.1	17.4	10.0	544	1.97	4.4	1.0	3.8	1.0	47	0.2	0.3	0.2	50	2.30	0.058
1271382	Soil	1.2	39.6	7.3	83	0.2	22.3	9.9	338	2.66	13.6	1.5	2.5	2.9	29	0.3	1.2	0.1	68	0.61	0.078
1271385	Soil	0.6	23.1	6.5	68	0.1	22.3	9.2	244	2.19	8.4	0.9	2.5	4.0	36	0.2	0.5	<0.1	59	0.72	0.078
1283466	Soil	2.0	22.3	5.2	63	<0.1	24.4	22.9	867	3.94	12.0	2.2	5.5	10.5	70	<0.1	2.2	<0.1	114	1.56	0.112
1271386	Soil	2.7	17.7	6.1	61	<0.1	19.8	12.7	853	4.99	96.8	1.2	2.6	4.6	36	0.4	0.7	<0.1	61	0.78	0.076
1271381	Soil	0.4	41.3	5.8	69	<0.1	22.8	11.6	378	1.93	8.8	0.9	3.3	1.9	43	0.2	0.3	0.1	52	1.04	0.048
1271374	Soil	0.5	32.5	6.3	43	<0.1	17.8	10.5	653	2.04	5.4	0.8	1.9	1.4	34	0.2	0.3	<0.1	54	1.48	0.052
1271377	Soil	10.3	15.6	12.6	66	0.1	17.1	11.6	479	3.34	8.8	1.7	4.1	9.2	23	0.1	0.5	0.2	79	0.44	0.039
1271379	Soil	1.3	11.4	11.8	58	<0.1	14.3	8.9	291	2.91	7.0	0.9	15.9	5.4	20	<0.1	0.4	0.2	69	0.27	0.028
1271383	Soil	1.0	25.3	7.1	59	<0.1	21.7	10.2	370	2.53	9.5	0.6	2.1	3.0	32	<0.1	0.6	<0.1	62	0.55	0.066

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000234.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1283432	Soil	11	23	1.06	253	0.188	2	1.98	0.012	0.44	0.2	0.02	6.0	0.3	<0.05	11	0.6	<0.2
1283440	Soil	14	40	0.61	358	0.087	3	1.39	0.020	0.26	0.2	0.07	5.2	0.3	<0.05	5	0.9	<0.2
1284700	Soil	24	50	0.82	312	0.101	2	1.90	0.017	0.19	0.2	0.05	7.5	0.3	<0.05	7	0.7	<0.2
1283433	Soil	18	32	0.65	431	0.077	4	1.44	0.025	0.14	0.2	0.04	5.0	0.1	0.06	5	1.9	<0.2
1283469	Soil	65	84	3.61	1164	0.529	7	6.02	0.060	0.73	1.0	0.06	24.3	1.1	<0.05	33	1.4	0.2
1283462	Soil	18	78	0.90	343	0.145	2	1.97	0.008	0.47	0.1	0.02	8.5	0.7	<0.05	8	1.3	<0.2
1283464	Soil	14	85	1.14	273	0.185	2	2.41	0.032	0.34	11.0	0.03	10.3	0.4	<0.05	8	0.7	<0.2
1283451	Rock Pulp	4	31	0.76	89	0.111	3	1.37	0.088	0.11	12.7	<0.01	4.2	<0.1	<0.05	5	<0.5	<0.2
1283463	Soil	10	51	0.62	214	0.088	1	1.87	0.010	0.13	0.2	0.02	4.4	0.2	<0.05	6	0.6	<0.2
1283470	Soil	17	40	0.69	410	0.096	2	2.03	0.013	0.26	0.2	0.02	8.9	0.2	<0.05	8	<0.5	<0.2
1283465	Soil	14	75	1.03	351	0.122	1	2.45	0.011	0.22	0.2	0.02	7.0	0.4	<0.05	8	0.7	<0.2
1283486	Soil	17	16	1.02	346	0.103	<1	1.86	0.010	0.27	0.1	<0.01	8.2	0.3	<0.05	12	<0.5	<0.2
1283487	Soil	11	27	0.53	213	0.084	2	1.71	0.015	0.16	0.3	0.03	5.9	0.2	<0.05	7	<0.5	<0.2
1283485	Soil	12	34	0.75	333	0.122	2	1.91	0.014	0.16	0.3	<0.01	5.7	0.2	<0.05	8	<0.5	<0.2
1283472	Soil	43	33	0.77	315	0.056	<1	1.83	0.013	0.20	0.2	0.09	8.6	0.3	<0.05	9	<0.5	<0.2
1283476	Soil	19	45	0.63	289	0.087	1	1.70	0.017	0.11	0.2	0.03	7.0	0.1	<0.05	6	<0.5	<0.2
1283471	Soil	18	48	1.18	319	0.048	1	2.34	0.017	0.11	0.1	0.10	17.2	0.3	<0.05	6	<0.5	<0.2
1283475	Soil	20	38	0.55	280	0.083	1	1.50	0.019	0.10	0.2	0.06	6.9	<0.1	<0.05	5	<0.5	<0.2
1283473	Soil	49	57	0.90	379	0.103	2	2.13	0.020	0.14	0.2	0.15	8.8	0.2	<0.05	8	0.8	<0.2
1283474	Soil	24	39	0.85	300	0.098	2	1.89	0.018	0.19	0.1	0.04	7.6	0.2	<0.05	8	<0.5	<0.2
1271375	Soil	9	30	0.50	351	0.072	3	1.25	0.025	0.04	0.1	0.06	3.4	<0.1	0.09	4	<0.5	<0.2
1271382	Soil	14	39	0.74	256	0.090	1	1.49	0.021	0.08	0.1	0.05	5.1	0.2	<0.05	6	<0.5	<0.2
1271385	Soil	14	34	0.67	220	0.098	3	1.27	0.029	0.11	0.2	0.03	4.4	0.1	<0.05	4	<0.5	<0.2
1283466	Soil	21	67	1.24	265	0.076	1	1.93	0.028	0.18	<0.1	0.02	17.9	0.3	<0.05	7	<0.5	<0.2
1271386	Soil	19	32	0.58	313	0.080	2	1.16	0.017	0.12	0.2	0.05	3.8	0.2	<0.05	4	<0.5	<0.2
1271381	Soil	10	29	0.68	199	0.073	2	1.50	0.028	0.06	0.1	0.05	3.8	0.1	<0.05	5	<0.5	<0.2
1271374	Soil	9	27	0.49	248	0.066	2	1.26	0.025	0.04	0.1	0.04	3.6	<0.1	<0.05	4	<0.5	<0.2
1271377	Soil	16	30	0.71	163	0.115	1	1.84	0.021	0.06	0.2	0.06	6.2	0.2	<0.05	7	<0.5	<0.2
1271379	Soil	15	27	0.53	104	0.095	1	1.70	0.017	0.06	0.2	0.02	3.9	0.1	<0.05	7	<0.5	<0.2
1271383	Soil	12	31	0.58	203	0.086	2	1.45	0.024	0.06	0.2	0.03	4.2	0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000234.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1271380	Soil		1.4	36.3	7.1	60	0.1	27.1	13.7	301	2.24	4.4	0.7	3.3	1.7	36	0.1	0.2	0.1	58	0.68	0.056
1271384	Soil		0.7	34.5	7.3	64	0.1	25.7	10.3	307	2.42	10.3	1.0	3.3	2.6	39	0.4	0.6	0.1	63	0.70	0.073
1271331	Soil		0.3	19.7	5.1	44	<0.1	65.9	15.1	404	2.23	1.4	0.7	1.2	3.5	70	<0.1	<0.1	<0.1	49	1.72	0.242
1271329	Soil		0.5	18.4	5.5	55	<0.1	29.3	12.9	372	2.70	5.4	1.3	4.8	4.5	56	<0.1	0.3	<0.1	64	1.16	0.079
1271330	Soil		0.6	19.6	8.2	57	<0.1	62.8	19.6	642	3.71	6.5	2.2	2.5	7.0	76	<0.1	0.5	<0.1	85	1.09	0.069
1271378	Soil		1.1	9.7	17.1	49	0.2	12.0	7.0	269	2.71	35.0	0.6	3.4	5.2	17	<0.1	0.5	0.3	74	0.24	0.027
1271328	Soil		1.1	30.7	5.5	66	0.1	39.3	23.0	794	4.97	3.5	1.1	1.4	11.9	21	<0.1	0.2	0.1	127	0.60	0.135
1271327	Soil		1.0	35.7	13.3	76	<0.1	46.8	21.6	588	4.78	2.5	1.0	0.7	10.8	15	<0.1	<0.1	0.2	87	0.45	0.111
1271303	Soil		1.4	12.3	7.9	47	<0.1	16.9	11.8	284	3.75	7.8	0.5	2.0	3.4	17	<0.1	0.4	0.1	92	0.23	0.043
1271304	Soil		1.3	16.4	7.2	65	<0.1	29.1	16.0	341	3.66	6.4	2.7	3.4	4.7	40	<0.1	0.3	0.1	76	0.85	0.094
1271307	Soil		1.8	46.0	16.9	85	<0.1	43.7	23.0	606	5.14	6.2	1.5	2.5	17.3	18	<0.1	0.3	0.2	102	0.45	0.057
1271309	Soil		2.2	46.8	27.7	91	0.1	28.2	19.6	680	5.56	6.2	1.9	3.0	16.5	18	0.1	0.5	0.9	86	0.34	0.062
1271305	Soil		0.8	19.2	11.7	71	<0.1	26.8	13.8	575	2.83	8.8	1.9	3.3	6.0	37	0.2	0.5	0.2	55	0.80	0.081
1271306	Soil		0.8	37.6	8.8	77	0.1	58.3	26.8	715	5.64	2.6	1.2	2.8	15.5	24	<0.1	0.1	0.2	143	0.72	0.100
1271308	Soil		1.5	29.9	13.8	80	<0.1	50.8	19.2	645	4.03	7.0	1.4	2.6	14.5	24	<0.1	0.3	0.2	68	0.60	0.071
1271310	Soil		1.0	33.5	8.0	70	<0.1	46.5	17.4	589	3.82	6.5	1.5	2.1	10.1	30	<0.1	0.4	0.1	83	0.65	0.059
1271311	Soil		1.0	29.1	7.4	71	<0.1	24.5	13.9	638	3.00	5.9	2.6	4.0	9.6	41	0.1	0.4	0.3	67	0.93	0.073
1271388	Soil		0.8	27.1	7.8	54	<0.1	24.1	11.6	307	2.87	10.8	1.2	3.0	4.3	51	<0.1	0.6	0.1	68	0.94	0.060
1271312	Soil		1.5	41.1	7.5	46	<0.1	18.6	14.7	981	4.86	5.1	1.6	1.7	29.1	22	<0.1	0.3	<0.1	76	0.44	0.077
1271313	Soil		0.6	87.0	3.2	33	<0.1	45.3	26.0	374	2.66	3.8	0.5	1.2	8.2	32	<0.1	<0.1	<0.1	70	0.70	0.089
1271387	Soil		0.8	22.2	6.8	50	<0.1	20.0	8.2	256	2.24	5.9	1.8	3.3	4.3	46	<0.1	0.4	0.1	56	0.78	0.058
1271314	Soil		1.2	26.6	8.4	40	0.1	25.9	10.7	520	2.32	6.6	4.3	4.2	9.1	58	<0.1	0.5	0.2	53	1.20	0.042
1271389	Soil		0.8	24.0	7.2	39	<0.1	25.9	14.3	559	2.62	6.0	1.8	9.5	7.3	48	<0.1	0.6	<0.1	62	1.02	0.047
1271326	Soil		1.6	8.2	7.3	56	<0.1	8.8	11.5	609	3.92	7.0	1.2	<0.5	8.6	6	<0.1	0.3	0.1	49	0.11	0.029
1271396	Soil		1.2	28.2	11.0	54	<0.1	30.5	11.8	400	3.04	8.2	0.7	3.2	7.8	32	<0.1	0.6	0.1	69	0.51	0.034
1271397	Soil		1.3	18.7	10.6	43	<0.1	26.8	11.2	256	2.70	8.1	0.5	3.1	6.0	25	<0.1	0.4	<0.1	65	0.35	0.022
1271390	Soil		1.3	34.8	10.1	48	<0.1	30.8	10.6	379	2.99	6.4	2.2	5.7	15.6	32	<0.1	0.8	0.2	63	0.64	0.040
1271376	Soil		0.8	30.6	12.4	57	0.1	61.2	17.5	572	3.58	8.0	1.1	4.6	8.4	64	<0.1	0.7	0.1	66	3.70	0.065
1271398	Soil		1.0	23.1	10.4	46	<0.1	27.1	10.4	313	2.82	7.6	0.9	3.7	5.6	26	<0.1	0.5	0.1	69	0.43	0.028
1271395	Soil		2.0	21.5	15.0	52	<0.1	27.2	11.2	457	2.73	7.0	1.0	2.3	12.4	29	<0.1	0.6	0.2	69	0.51	0.029

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000234.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1271380	Soil	9	39	0.80	196	0.080	2	1.58	0.023	0.05	<0.1	0.03	3.5	0.2	<0.05	6	<0.5	<0.2
1271384	Soil	14	32	0.59	259	0.073	2	1.52	0.022	0.05	0.2	0.04	4.5	0.1	<0.05	5	<0.5	<0.2
1271331	Soil	11	94	3.92	235	0.078	2	1.97	0.014	0.05	0.1	0.02	3.3	0.1	<0.05	5	<0.5	<0.2
1271329	Soil	19	65	1.02	170	0.089	2	1.56	0.023	0.15	0.2	0.04	5.3	0.1	0.08	5	<0.5	<0.2
1271330	Soil	32	120	1.52	256	0.107	2	2.09	0.021	0.20	0.1	0.04	7.4	0.3	<0.05	7	<0.5	<0.2
1271378	Soil	12	24	0.45	86	0.091	<1	1.35	0.016	0.06	0.2	0.04	3.3	0.1	<0.05	7	<0.5	<0.2
1271328	Soil	32	78	1.97	411	0.235	2	2.71	0.011	1.10	0.1	0.01	9.8	0.5	<0.05	10	<0.5	<0.2
1271327	Soil	17	77	1.78	199	0.202	2	2.62	0.007	1.01	<0.1	<0.01	5.1	0.6	<0.05	11	<0.5	<0.2
1271303	Soil	11	40	0.86	135	0.161	<1	1.72	0.009	0.16	0.2	<0.01	2.6	0.2	<0.05	8	<0.5	<0.2
1271304	Soil	17	72	1.49	152	0.118	1	2.09	0.018	0.21	0.2	0.02	5.0	0.3	<0.05	7	<0.5	<0.2
1271307	Soil	38	84	1.48	305	0.148	2	2.51	0.012	0.67	0.2	0.02	10.6	0.5	<0.05	9	<0.5	<0.2
1271309	Soil	35	30	0.42	206	0.018	3	1.21	0.008	0.12	0.1	0.02	8.8	<0.1	<0.05	5	0.6	<0.2
1271305	Soil	18	39	0.75	239	0.084	2	1.37	0.020	0.11	0.2	0.04	5.1	0.2	<0.05	5	<0.5	<0.2
1271306	Soil	48	126	2.68	488	0.267	1	3.31	0.013	1.44	0.1	0.03	11.2	0.7	<0.05	11	<0.5	<0.2
1271308	Soil	33	81	1.42	324	0.134	2	2.14	0.016	0.34	0.1	0.02	6.4	0.3	<0.05	7	<0.5	<0.2
1271310	Soil	25	86	1.68	312	0.088	1	2.49	0.021	0.17	0.1	0.02	7.5	0.2	<0.05	8	<0.5	<0.2
1271311	Soil	27	45	1.12	336	0.077	2	1.60	0.019	0.17	0.1	0.03	6.9	0.2	<0.05	6	<0.5	<0.2
1271388	Soil	16	37	0.71	221	0.094	2	1.57	0.032	0.08	0.2	0.04	4.7	0.1	<0.05	5	0.6	<0.2
1271312	Soil	41	29	1.10	315	0.055	2	1.94	0.011	0.33	0.1	0.01	8.4	0.2	<0.05	15	<0.5	<0.2
1271313	Soil	20	55	1.65	169	0.099	<1	1.74	0.009	0.10	0.1	<0.01	6.6	<0.1	<0.05	4	<0.5	<0.2
1271387	Soil	15	35	0.68	206	0.096	2	1.46	0.037	0.08	0.2	0.03	4.2	<0.1	<0.05	5	0.7	<0.2
1271314	Soil	29	36	0.59	413	0.066	2	1.44	0.022	0.07	0.1	0.05	5.0	0.1	<0.05	4	<0.5	<0.2
1271389	Soil	24	53	0.76	304	0.097	1	1.54	0.020	0.15	0.2	0.03	5.0	0.2	<0.05	5	<0.5	<0.2
1271326	Soil	5	15	0.55	193	0.152	2	1.59	0.010	0.61	<0.1	<0.01	8.2	0.3	<0.05	6	<0.5	<0.2
1271396	Soil	21	47	0.81	270	0.107	1	1.82	0.028	0.08	0.2	0.04	7.1	0.1	<0.05	6	<0.5	<0.2
1271397	Soil	11	43	0.67	195	0.091	<1	1.71	0.028	0.06	0.2	0.02	5.4	<0.1	<0.05	5	<0.5	<0.2
1271390	Soil	43	49	0.74	299	0.097	1	1.76	0.021	0.18	0.2	0.05	7.3	0.2	<0.05	6	0.6	<0.2
1271376	Soil	30	99	0.93	581	0.068	2	1.39	0.019	0.18	0.2	0.05	8.2	0.2	<0.05	5	0.5	<0.2
1271398	Soil	19	43	0.61	312	0.088	<1	1.86	0.019	0.06	0.1	0.02	6.7	<0.1	<0.05	5	<0.5	<0.2
1271395	Soil	23	47	0.64	202	0.110	1	1.67	0.027	0.11	0.2	0.03	5.3	0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000234.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1271404	Soil	0.9	33.0	13.0	58	0.1	52.4	17.5	532	3.53	6.8	1.1	3.8	9.6	64	<0.1	0.6	0.2	66	3.51	0.056
1271401	Rock Pulp	1.6	457.1	20.1	162	0.2	231.1	76.9	817	15.06	3.1	1.1	35.7	7.1	13	<0.1	0.4	0.2	218	0.29	0.044
1271399	Soil	0.7	16.6	6.9	38	<0.1	20.7	9.2	284	2.58	5.7	0.7	2.5	6.6	22	<0.1	0.5	0.1	56	0.46	0.042
1271402	Soil	1.1	20.4	10.8	41	0.2	26.2	16.0	519	3.39	7.2	0.9	11.3	6.5	42	0.2	1.1	0.2	55	1.04	0.044
1271324	Soil	0.5	44.6	9.4	76	<0.1	85.7	28.4	877	5.04	1.6	1.0	1.4	10.6	18	<0.1	<0.1	0.2	111	0.62	0.148
1271400	Soil	1.3	18.0	8.8	51	<0.1	19.8	9.3	206	3.06	12.5	0.8	5.1	6.0	29	0.2	0.7	0.1	60	0.68	0.056
1271322	Soil	0.8	97.3	3.7	90	<0.1	37.9	22.4	711	3.66	4.5	0.9	3.6	9.9	28	<0.1	0.2	<0.1	82	0.91	0.115
1271325	Soil	1.6	8.1	5.8	60	<0.1	7.1	9.9	650	4.17	7.0	1.3	0.7	8.8	5	<0.1	0.2	0.1	50	0.09	0.026
1271403	Soil	1.3	31.7	10.8	56	0.2	94.5	29.0	789	5.60	10.7	1.5	5.3	10.7	29	<0.1	2.0	0.4	108	0.84	0.072
1271323	Soil	2.0	22.3	10.6	60	0.1	25.9	12.9	495	3.80	7.0	1.1	3.6	11.3	20	<0.1	0.5	0.3	72	0.33	0.026
1271317	Soil	1.3	18.8	7.8	77	<0.1	20.4	7.5	533	3.18	6.4	1.3	1.4	12.5	10	<0.1	0.5	0.3	35	0.17	0.011
1271316	Soil	1.6	23.5	13.2	43	<0.1	26.1	11.9	561	2.62	8.4	3.8	4.4	14.5	37	<0.1	0.5	0.4	59	0.74	0.046
1271318	Soil	0.5	63.8	1.7	34	<0.1	67.4	28.0	551	2.40	2.2	0.3	0.5	1.9	15	<0.1	0.6	<0.1	43	0.65	0.060
1271321	Soil	2.4	16.1	10.8	94	<0.1	13.3	4.7	411	2.94	5.2	1.5	1.6	19.0	7	<0.1	0.3	0.1	22	0.14	0.034
1271320	Soil	1.8	11.7	3.7	47	<0.1	11.2	3.5	870	2.31	2.4	1.1	1.8	9.1	6	<0.1	0.3	<0.1	16	0.15	0.042
1271315	Soil	1.3	22.6	11.5	44	0.1	24.5	12.9	696	2.37	8.6	4.5	4.3	12.1	37	0.1	0.4	0.3	54	0.71	0.045
1271391	Soil	1.0	30.4	8.9	48	0.1	27.8	11.8	374	2.85	5.8	2.3	3.3	14.7	35	<0.1	0.8	0.3	60	0.88	0.039
1271394	Soil	1.2	16.2	9.3	47	<0.1	18.9	11.4	433	2.71	6.4	0.7	2.7	11.9	22	<0.1	0.6	0.2	61	0.41	0.023
1271393	Soil	1.1	18.4	9.3	52	<0.1	23.9	11.8	449	2.96	7.8	1.5	4.2	13.5	32	<0.1	0.6	0.2	59	0.62	0.035
1271319	Soil	0.9	30.6	4.9	91	<0.1	21.7	12.3	900	4.18	2.3	1.1	1.3	15.6	10	<0.1	0.2	<0.1	57	0.31	0.064
1271392	Soil	1.0	30.0	8.7	43	0.1	22.3	9.9	375	2.49	5.7	2.7	2.4	10.8	54	0.1	0.6	0.3	54	1.25	0.039
1283802	Soil	1.0	13.7	13.0	135	<0.1	15.9	10.1	1079	2.89	13.9	1.1	<0.5	4.9	18	0.3	2.6	0.4	57	0.32	0.084
1283194	Soil	1.3	28.2	7.4	52	<0.1	18.9	10.0	265	2.95	6.7	0.3	1.4	1.7	21	0.2	0.5	0.2	86	0.38	0.019
1283196	Soil	0.5	51.1	8.3	57	0.1	28.9	12.6	499	2.52	5.4	0.8	2.1	1.6	51	0.2	0.8	0.1	56	1.74	0.057
1283193	Soil	0.9	22.2	3.4	57	<0.1	38.1	22.4	444	3.58	3.7	0.2	0.6	1.1	13	<0.1	0.2	<0.1	87	0.21	0.019
1283199	Soil	0.3	52.3	5.4	82	0.1	20.9	15.8	610	3.23	3.1	0.9	3.5	3.0	42	<0.1	0.3	<0.1	95	0.63	0.092
1283804	Soil	1.2	10.6	11.0	87	<0.1	11.9	10.2	909	3.01	8.0	2.0	3.7	8.8	23	0.1	0.8	0.1	54	0.35	0.057
1283803	Soil	0.8	9.6	12.9	93	<0.1	9.7	10.1	1046	2.95	5.2	1.1	1.9	5.5	23	0.2	0.9	0.1	63	0.36	0.077
1283197	Soil	0.8	44.3	8.0	66	<0.1	29.4	11.3	441	2.65	5.2	0.7	2.2	2.3	38	0.3	0.9	0.1	59	1.29	0.059
1283809	Soil	0.9	26.9	12.0	69	0.2	22.0	10.2	409	3.06	11.0	5.9	4.6	12.3	31	0.1	0.6	0.1	69	0.47	0.065

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000234.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1271404	Soil	31	81	0.85	611	0.065	2	1.44	0.019	0.17	0.2	0.04	8.2	0.2	<0.05	5	<0.5	<0.2
1271401	Rock Pulp	18	680	0.15	137	0.242	4	4.12	0.014	0.07	<0.1	0.02	39.3	0.1	<0.05	21	0.5	<0.2
1271399	Soil	19	36	0.56	184	0.081	1	1.51	0.016	0.07	0.1	0.02	7.8	0.1	<0.05	5	<0.5	<0.2
1271402	Soil	31	35	0.52	429	0.031	2	1.30	0.015	0.12	0.2	0.05	7.4	0.1	<0.05	4	<0.5	<0.2
1271324	Soil	30	145	2.42	379	0.172	1	2.78	0.017	0.85	<0.1	<0.01	12.3	0.7	<0.05	9	<0.5	<0.2
1271400	Soil	17	31	0.58	191	0.078	2	1.21	0.028	0.07	0.2	0.03	6.3	0.1	<0.05	4	<0.5	<0.2
1271322	Soil	48	88	1.38	206	0.106	<1	2.17	0.040	0.12	<0.1	0.03	11.0	<0.1	<0.05	8	<0.5	<0.2
1271325	Soil	5	12	0.57	191	0.158	1	1.55	0.006	0.63	<0.1	<0.01	8.2	0.4	<0.05	7	<0.5	<0.2
1271403	Soil	30	170	1.57	240	0.054	2	2.03	0.008	0.30	0.2	0.05	14.0	0.3	<0.05	8	0.6	<0.2
1271323	Soil	38	52	0.62	264	0.066	1	1.85	0.014	0.09	0.1	0.02	7.1	0.1	<0.05	6	<0.5	<0.2
1271317	Soil	12	49	0.54	335	0.082	2	1.32	0.008	0.37	0.1	0.01	8.4	0.9	<0.05	6	<0.5	<0.2
1271316	Soil	32	46	0.68	312	0.080	1	1.63	0.018	0.08	0.1	0.04	5.8	0.2	<0.05	5	0.5	<0.2
1271318	Soil	9	101	1.15	236	0.041	<1	1.20	0.010	0.13	<0.1	0.01	8.6	<0.1	<0.05	3	<0.5	<0.2
1271321	Soil	53	18	0.13	93	0.022	<1	0.76	0.006	0.08	<0.1	0.03	5.1	<0.1	<0.05	4	<0.5	<0.2
1271320	Soil	26	13	0.17	181	0.023	<1	0.62	0.006	0.08	<0.1	0.03	7.5	<0.1	<0.05	3	<0.5	<0.2
1271315	Soil	32	40	0.61	285	0.066	1	1.46	0.016	0.07	0.2	0.04	4.8	0.1	<0.05	5	<0.5	<0.2
1271391	Soil	44	43	0.69	348	0.074	2	1.53	0.016	0.14	0.1	0.05	6.4	0.2	<0.05	5	0.7	<0.2
1271394	Soil	15	36	0.60	140	0.091	2	1.35	0.013	0.17	0.1	0.02	3.9	0.2	<0.05	5	<0.5	<0.2
1271393	Soil	23	41	0.65	209	0.080	2	1.53	0.017	0.11	0.2	0.02	5.7	0.2	<0.05	5	<0.5	<0.2
1271319	Soil	67	28	0.88	294	0.079	1	1.52	0.007	0.57	<0.1	<0.01	9.6	0.3	<0.05	11	<0.5	<0.2
1271392	Soil	38	32	0.54	313	0.065	2	1.52	0.020	0.08	0.1	0.05	4.9	0.1	<0.05	5	<0.5	<0.2
1283802	Soil	16	30	0.41	175	0.044	<1	1.18	0.009	0.09	0.2	<0.01	4.7	0.2	<0.05	6	<0.5	<0.2
1283194	Soil	7	33	0.60	173	0.081	1	1.98	0.016	0.06	0.2	0.01	3.4	0.2	<0.05	7	<0.5	<0.2
1283196	Soil	11	48	0.75	288	0.058	3	1.34	0.024	0.05	0.2	0.12	5.4	0.3	<0.05	5	<0.5	<0.2
1283193	Soil	5	38	1.92	77	0.218	<1	2.78	0.018	0.07	<0.1	<0.01	3.2	<0.1	<0.05	8	<0.5	<0.2
1283199	Soil	14	42	1.00	253	0.168	2	1.88	0.036	0.12	<0.1	0.03	5.3	0.1	<0.05	8	<0.5	<0.2
1283804	Soil	19	23	0.44	225	0.066	1	1.29	0.012	0.06	0.2	0.05	4.8	0.2	<0.05	5	<0.5	<0.2
1283803	Soil	15	21	0.45	218	0.052	<1	1.37	0.009	0.06	0.2	0.04	4.2	0.2	<0.05	7	<0.5	<0.2
1283197	Soil	14	46	0.67	236	0.064	2	1.66	0.022	0.06	0.1	0.06	5.7	0.2	<0.05	6	<0.5	<0.2
1283809	Soil	40	35	0.65	460	0.135	1	1.94	0.015	0.10	0.1	0.06	7.2	0.3	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000234.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1283200	Soil	0.5	26.0	8.1	101	0.1	16.3	11.5	569	3.40	5.8	1.5	1.2	4.9	37	0.2	1.1	0.2	77	0.61	0.102
1283195	Soil	1.5	20.1	8.5	71	<0.1	19.8	10.8	368	3.72	5.4	0.5	0.5	2.3	19	0.2	0.6	0.1	96	0.30	0.028
1283815	Soil	1.1	12.9	9.5	62	<0.1	17.4	8.9	426	3.06	17.6	1.5	3.1	7.7	21	0.1	0.5	0.2	68	0.30	0.049
1283821	Soil	0.9	11.8	9.4	82	<0.1	12.8	9.0	653	2.89	19.5	1.4	5.9	6.4	18	0.2	1.2	<0.1	58	0.27	0.064
1283819	Soil	1.1	19.7	10.0	59	0.1	16.9	8.6	328	2.74	6.1	2.7	3.5	7.5	25	<0.1	0.6	0.1	58	0.31	0.051
1283198	Soil	0.4	55.0	7.4	59	<0.1	18.0	13.7	432	3.18	4.5	0.5	0.9	2.8	27	0.1	0.6	<0.1	77	0.72	0.052
1283810	Soil	0.9	15.3	8.5	72	<0.1	16.3	10.0	495	3.24	14.1	1.7	2.9	10.8	25	<0.1	0.5	0.1	69	0.37	0.071
1283806	Soil	1.3	20.0	13.0	72	0.1	19.2	11.0	452	3.48	45.3	9.4	18.6	17.1	26	<0.1	1.1	0.1	69	0.35	0.064
1283812	Soil	1.1	15.5	9.3	65	<0.1	19.2	10.7	443	3.21	18.3	1.3	3.3	9.5	18	0.1	0.7	0.2	68	0.29	0.053
1283801	Rock Pulp	1.4	442.7	19.4	156	0.2	218.5	76.1	812	15.62	3.1	1.1	36.4	6.6	14	<0.1	0.3	0.1	204	0.28	0.044
1283807	Soil	1.7	18.3	13.6	72	0.1	18.6	9.5	467	3.23	42.5	4.9	11.2	13.2	32	<0.1	0.6	0.1	59	0.44	0.065
1283808	Soil	1.1	14.8	10.5	62	<0.1	16.3	10.6	531	3.12	21.1	2.5	4.8	9.8	26	<0.1	0.6	0.1	65	0.39	0.058
1283813	Soil	1.2	30.6	11.5	82	0.1	23.9	11.6	573	3.49	26.0	5.5	7.0	16.9	30	0.1	1.9	0.3	70	0.42	0.074
1283820	Soil	1.3	11.8	18.5	103	<0.1	13.0	9.2	792	3.55	38.7	1.1	1.5	18.2	15	0.1	1.7	<0.1	47	0.24	0.061
1283192	Soil	1.0	150.1	4.0	209	<0.1	9.6	29.1	1301	9.61	7.3	0.3	1.7	2.9	52	<0.1	0.2	<0.1	331	0.46	0.112
1283805	Soil	1.1	16.6	10.5	78	<0.1	17.9	10.4	476	2.91	11.4	3.2	5.7	10.9	25	<0.1	0.6	0.1	56	0.39	0.057
1283817	Soil	0.8	16.7	10.6	60	<0.1	19.1	9.2	364	2.88	8.1	1.9	5.7	10.9	24	<0.1	0.5	0.1	64	0.35	0.056
1283818	Soil	1.3	22.1	9.4	61	0.1	15.4	9.4	434	3.25	8.4	3.4	2.8	7.7	27	<0.1	0.8	0.1	76	0.33	0.041
1283811	Soil	1.1	10.8	11.0	56	<0.1	16.3	9.1	356	3.09	12.1	1.3	3.3	6.2	20	<0.1	0.5	0.2	72	0.29	0.038
1283814	Soil	1.0	16.0	11.1	74	<0.1	17.7	12.8	657	3.51	22.4	1.7	4.8	13.1	18	0.1	0.9	0.3	73	0.29	0.056
1283816	Soil	0.8	12.2	10.9	56	0.1	15.6	8.5	347	2.86	10.2	1.2	4.3	8.3	18	<0.1	0.7	0.2	63	0.29	0.045
1283822	Soil	1.2	11.1	8.8	92	0.1	14.3	10.2	627	3.33	10.2	1.9	4.6	6.9	27	0.1	1.0	0.2	64	0.43	0.076
1283123	Soil	0.9	26.3	11.1	56	0.1	21.5	11.9	409	2.79	21.1	2.2	4.3	6.3	37	0.1	2.4	0.2	70	0.63	0.055
1283115	Soil	1.8	30.8	9.8	80	0.5	35.7	11.0	271	2.85	110.8	0.9	5.9	3.7	15	0.4	3.2	0.2	79	0.18	0.054
1283125	Soil	0.5	16.3	10.3	92	0.1	12.0	8.8	985	3.20	21.2	1.2	12.2	5.8	34	<0.1	4.8	0.3	58	1.41	0.091
1283122	Soil	0.8	22.7	7.3	50	<0.1	18.8	11.7	384	2.69	13.3	1.8	9.1	5.7	35	<0.1	1.8	0.1	70	0.57	0.055
1283121	Soil	1.0	24.6	10.6	51	0.2	16.5	11.2	352	2.99	23.8	2.4	4.7	7.8	29	<0.1	5.1	0.1	74	0.48	0.055
1283124	Soil	1.1	19.3	9.0	53	<0.1	18.8	11.4	449	2.61	14.6	1.8	6.4	5.4	42	<0.1	2.0	0.1	71	0.65	0.048
1283126	Soil	0.6	20.5	10.7	84	0.2	12.3	8.3	899	3.13	24.3	1.2	11.4	5.4	28	<0.1	5.6	0.3	55	1.06	0.078
1283112	Soil	4.4	51.0	18.1	156	1.3	54.3	12.1	235	3.48	124.9	1.5	3.1	3.5	23	0.7	5.4	0.2	107	0.19	0.070

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000234.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1283200	Soil	26	30	0.76	403	0.073	<1	1.64	0.014	0.05	0.1	0.03	6.6	0.1	<0.05	8	<0.5	<0.2
1283195	Soil	8	39	0.76	218	0.109	2	2.27	0.013	0.07	0.2	0.02	4.3	0.2	<0.05	9	<0.5	<0.2
1283815	Soil	17	30	0.58	244	0.110	1	1.80	0.011	0.08	0.2	0.02	4.2	0.2	<0.05	7	<0.5	<0.2
1283821	Soil	17	25	0.47	164	0.071	<1	1.40	0.010	0.07	0.2	0.10	4.1	0.3	<0.05	6	<0.5	<0.2
1283819	Soil	25	30	0.54	306	0.079	<1	1.61	0.010	0.07	0.1	0.04	5.7	0.2	<0.05	6	<0.5	<0.2
1283198	Soil	13	36	0.77	157	0.105	1	1.60	0.027	0.07	0.1	0.06	5.5	0.1	<0.05	6	<0.5	<0.2
1283810	Soil	18	30	0.70	364	0.168	<1	1.88	0.015	0.17	0.2	0.02	4.9	0.4	<0.05	7	<0.5	<0.2
1283806	Soil	56	34	0.61	428	0.120	1	2.17	0.013	0.10	0.2	0.08	8.5	0.4	<0.05	8	<0.5	<0.2
1283812	Soil	16	32	0.63	285	0.130	<1	2.07	0.012	0.12	0.2	0.02	4.6	0.3	<0.05	7	<0.5	<0.2
1283801	Rock Pulp	16	658	0.14	134	0.176	3	4.00	0.013	0.06	<0.1	0.04	38.3	0.1	<0.05	21	<0.5	<0.2
1283807	Soil	34	28	0.60	423	0.094	1	2.19	0.011	0.10	0.2	0.04	6.3	0.3	<0.05	7	<0.5	<0.2
1283808	Soil	21	30	0.61	342	0.122	<1	1.84	0.013	0.07	0.3	0.04	4.9	0.3	<0.05	6	<0.5	<0.2
1283813	Soil	56	36	0.70	557	0.148	1	2.06	0.014	0.19	0.1	0.05	9.3	0.4	<0.05	8	<0.5	<0.2
1283820	Soil	13	22	0.52	314	0.121	<1	1.81	0.011	0.27	0.2	0.01	5.7	0.6	<0.05	8	<0.5	<0.2
1283192	Soil	10	12	3.48	322	0.811	<1	5.22	0.010	0.81	<0.1	<0.01	25.2	0.6	<0.05	20	0.5	<0.2
1283805	Soil	23	32	0.62	287	0.093	<1	1.70	0.013	0.07	0.2	0.03	6.1	0.2	<0.05	7	<0.5	<0.2
1283817	Soil	21	32	0.60	309	0.119	<1	1.93	0.012	0.10	0.2	0.02	4.6	0.3	<0.05	6	<0.5	<0.2
1283818	Soil	26	29	0.53	314	0.095	<1	1.95	0.010	0.06	0.1	0.03	6.2	0.3	<0.05	8	<0.5	<0.2
1283811	Soil	14	29	0.61	235	0.116	2	1.89	0.010	0.08	0.2	0.02	4.1	0.2	<0.05	7	<0.5	<0.2
1283814	Soil	18	32	0.74	300	0.147	1	2.10	0.011	0.17	0.2	0.03	5.4	0.4	<0.05	8	<0.5	<0.2
1283816	Soil	14	29	0.56	196	0.082	<1	1.80	0.009	0.07	0.2	0.03	3.7	0.2	<0.05	6	<0.5	<0.2
1283822	Soil	21	27	0.49	364	0.042	<1	1.67	0.009	0.07	0.1	0.08	5.5	0.2	<0.05	7	<0.5	<0.2
1283123	Soil	19	33	0.66	312	0.093	1	1.67	0.025	0.06	0.2	0.04	5.8	0.2	<0.05	6	<0.5	<0.2
1283115	Soil	12	47	0.57	279	0.076	1	1.53	0.010	0.23	0.2	0.03	4.7	0.3	<0.05	6	<0.5	<0.2
1283125	Soil	26	12	0.56	320	0.053	1	1.20	0.009	0.18	0.3	0.10	6.1	0.3	<0.05	7	<0.5	<0.2
1283122	Soil	17	32	0.64	274	0.105	<1	1.55	0.025	0.09	0.2	0.05	5.2	0.2	<0.05	5	<0.5	<0.2
1283121	Soil	29	30	0.66	274	0.119	<1	1.74	0.020	0.12	0.2	0.03	5.7	0.2	<0.05	6	<0.5	<0.2
1283124	Soil	19	33	0.59	331	0.095	1	1.65	0.021	0.07	0.2	0.03	5.4	0.2	<0.05	6	<0.5	<0.2
1283126	Soil	25	13	0.49	296	0.043	1	1.13	0.009	0.15	0.3	0.09	5.8	0.2	<0.05	6	0.5	<0.2
1283112	Soil	12	45	0.57	453	0.054	<1	1.77	0.007	0.17	0.2	0.05	4.3	0.5	<0.05	7	2.1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000234.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1283118	Soil		1.2	19.0	11.6	61	0.1	30.4	11.7	343	2.92	29.5	0.6	1.9	5.5	23	0.2	1.6	0.1	77	0.31	0.022
1283135	Soil		2.8	58.2	10.4	224	0.3	66.4	20.5	529	4.15	19.7	1.5	<0.5	3.9	22	0.7	1.5	0.1	151	0.24	0.083
1283130	Soil		0.5	14.7	13.1	120	<0.1	55.7	13.7	1008	4.11	22.5	1.2	2.2	10.4	24	0.1	3.9	0.2	80	0.51	0.091
1283111	Soil		1.4	34.1	8.6	85	0.4	35.1	17.2	543	3.53	10.2	0.6	0.7	2.7	23	0.3	0.6	0.1	80	0.27	0.087
1283114	Soil		1.9	41.9	10.8	80	0.3	40.0	9.0	236	2.80	73.8	0.9	2.9	4.0	19	0.2	3.3	0.1	85	0.23	0.028
1283129	Soil		0.7	20.7	7.3	73	<0.1	22.2	11.8	689	3.38	9.4	0.6	1.9	4.8	29	<0.1	0.7	0.1	76	0.41	0.046
1283128	Soil		0.9	30.0	7.9	94	<0.1	20.5	10.6	501	4.02	32.0	1.2	4.8	5.3	22	0.2	2.3	0.2	104	0.41	0.066
1283131	Soil		0.3	6.8	9.7	91	<0.1	6.9	8.3	722	3.90	9.3	0.9	12.2	9.5	26	<0.1	4.3	<0.1	64	0.63	0.175
1283110	Soil		1.3	60.2	7.1	78	0.1	18.3	5.6	569	3.07	20.7	1.2	2.9	3.2	20	0.1	1.1	<0.1	91	0.17	0.049
1283134	Soil		1.6	37.9	8.6	86	0.3	40.7	11.9	331	3.04	17.8	0.8	1.3	4.2	20	0.3	1.4	0.1	92	0.27	0.029
1283132	Soil		1.0	76.6	9.2	65	0.2	34.8	14.8	322	4.30	9.2	0.6	7.4	3.7	18	<0.1	3.1	0.3	82	0.45	0.114
1283140	Soil		4.3	84.1	24.0	186	0.8	61.3	10.1	240	4.08	241.0	1.9	10.0	6.2	20	1.0	8.4	0.2	90	0.08	0.040
1283119	Soil		1.3	43.9	13.1	69	0.2	41.4	12.0	337	3.23	83.6	0.8	10.5	6.2	23	0.1	3.9	0.2	87	0.36	0.021
1283120	Soil		1.6	49.3	16.1	78	0.3	42.8	12.6	523	3.16	98.8	0.9	14.9	5.9	56	0.2	5.8	0.2	85	2.01	0.036
1283137	Soil		1.2	18.3	9.1	58	0.3	24.8	9.3	307	2.63	21.2	0.5	1.1	2.6	18	0.2	1.0	<0.1	73	0.23	0.027
1283138	Soil		2.7	50.7	12.4	109	0.4	40.6	10.3	336	3.14	98.5	1.0	3.9	4.4	22	0.3	3.8	0.1	87	0.22	0.035
1283117	Soil		1.3	31.4	10.9	64	0.1	33.5	11.5	304	3.20	22.9	1.1	6.4	5.1	23	<0.1	1.5	0.1	79	0.25	0.032
1283113	Soil		2.2	52.3	11.0	82	0.4	48.1	12.0	294	3.07	132.8	0.9	2.4	4.2	19	0.3	3.0	0.1	99	0.21	0.053
1283127	Soil		1.1	46.3	9.3	66	0.1	39.2	13.0	426	3.50	22.6	0.8	4.0	5.7	30	<0.1	1.1	0.2	93	0.56	0.024
1283136	Soil		1.7	55.8	9.8	132	0.3	61.7	12.1	561	3.52	39.3	1.1	2.7	4.6	25	0.4	4.3	0.1	115	0.33	0.057

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

CERTIFICATE OF ANALYSIS WHI12000234.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1283118	Soil		13	47	0.56	260	0.059	<1	2.09	0.010	0.07	0.1	0.02	5.4	0.1	<0.05	7	<0.5	<0.2
1283135	Soil		18	78	0.80	413	0.106	<1	2.02	0.008	0.12	0.1	0.01	7.0	0.5	<0.05	9	0.6	<0.2
1283130	Soil		33	111	0.86	357	0.062	<1	1.88	0.008	0.14	0.4	0.02	9.6	0.3	<0.05	10	<0.5	<0.2
1283111	Soil		11	53	0.80	403	0.113	<1	2.04	0.009	0.28	0.2	0.01	4.1	0.2	<0.05	7	<0.5	<0.2
1283114	Soil		13	50	0.63	369	0.075	<1	1.50	0.010	0.11	0.1	0.03	4.8	0.2	<0.05	5	0.7	<0.2
1283129	Soil		16	36	0.66	378	0.100	<1	1.78	0.012	0.21	0.1	0.01	6.3	0.2	<0.05	7	<0.5	<0.2
1283128	Soil		16	31	0.77	246	0.130	<1	1.91	0.013	0.30	0.7	0.02	8.1	0.4	<0.05	8	<0.5	<0.2
1283131	Soil		34	10	0.40	416	0.015	<1	1.41	0.007	0.06	0.3	0.02	8.4	<0.1	<0.05	8	<0.5	<0.2
1283110	Soil		12	63	1.34	537	0.169	<1	2.10	0.014	0.80	0.3	<0.01	6.7	0.5	0.11	8	0.8	<0.2
1283134	Soil		15	53	0.66	253	0.098	<1	1.84	0.011	0.20	0.1	0.02	6.2	0.3	<0.05	6	0.6	<0.2
1283132	Soil		7	69	0.90	194	0.065	<1	2.02	0.010	0.18	2.2	0.02	6.5	0.2	<0.05	9	0.7	<0.2
1283140	Soil		15	44	0.37	286	0.046	<1	1.58	0.005	0.13	0.2	0.05	4.3	0.7	<0.05	5	2.1	<0.2
1283119	Soil		22	58	0.70	231	0.092	<1	1.86	0.016	0.11	0.2	0.05	8.1	0.2	<0.05	6	<0.5	<0.2
1283120	Soil		31	53	0.81	336	0.089	1	1.69	0.023	0.14	0.2	0.08	6.7	0.2	<0.05	6	0.6	<0.2
1283137	Soil		9	38	0.53	293	0.078	<1	1.50	0.010	0.12	0.1	0.02	3.2	0.1	<0.05	5	<0.5	<0.2
1283138	Soil		12	47	0.65	371	0.087	<1	1.50	0.009	0.27	0.1	0.03	4.2	0.7	0.06	5	1.0	<0.2
1283117	Soil		25	51	0.64	183	0.104	<1	1.78	0.015	0.10	0.1	0.02	4.9	0.1	<0.05	6	0.5	<0.2
1283113	Soil		10	55	0.75	337	0.081	<1	2.00	0.009	0.12	0.2	0.02	5.1	0.3	<0.05	6	0.7	<0.2
1283127	Soil		30	42	0.81	281	0.116	1	1.96	0.023	0.09	0.2	0.06	7.7	0.1	<0.05	7	<0.5	<0.2
1283136	Soil		19	79	0.87	356	0.102	<1	1.78	0.016	0.28	0.1	0.04	8.4	0.4	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

QUALITY CONTROL REPORT WHI12000234.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
1283189	Soil	2.8	59.7	12.4	123	0.9	47.0	9.9	203	3.87	83.2	1.5	4.4	5.8	15	0.5	3.4	0.2	93	0.11	0.047
REP 1283189	QC	2.8	60.3	12.1	123	0.9	45.9	9.7	200	3.80	83.1	1.5	6.0	5.7	15	0.5	3.4	0.2	88	0.10	0.047
1271281	Soil	2.2	31.5	18.0	105	0.2	79.1	24.1	674	4.91	36.9	2.6	7.9	18.8	28	0.3	0.4	0.2	99	0.65	0.054
REP 1271281	QC	2.2	31.8	17.9	107	0.2	78.6	24.3	695	4.97	37.1	2.6	1.9	18.9	28	0.3	0.5	0.2	101	0.67	0.056
1283190	Soil	5.5	91.8	19.1	419	0.5	139.9	26.7	755	5.58	487.9	2.0	20.9	4.5	15	1.3	8.6	0.2	141	0.11	0.068
REP 1283190	QC	5.4	90.6	18.7	404	0.4	137.5	25.8	725	5.51	483.8	2.0	19.0	4.5	15	1.2	8.6	0.2	134	0.10	0.069
1269455	Soil	1.5	25.7	8.8	76	<0.1	31.4	16.6	649	4.55	7.6	1.2	1.7	9.1	14	<0.1	0.3	0.1	107	0.43	0.043
REP 1269455	QC	1.5	26.0	8.7	78	<0.1	32.5	16.9	664	4.67	7.8	1.2	1.5	9.2	15	<0.1	0.3	0.1	109	0.44	0.041
1269436	Soil	0.8	22.1	7.4	67	<0.1	27.5	16.3	407	3.84	7.0	1.1	1.4	6.6	34	<0.1	0.2	0.2	81	0.81	0.081
REP 1269436	QC	0.7	21.3	7.2	66	<0.1	27.0	15.6	403	3.72	7.1	1.1	1.0	6.5	34	<0.1	0.2	0.1	79	0.80	0.080
1271508	Soil	1.6	20.9	9.9	63	<0.1	29.1	11.4	484	2.65	4.5	6.4	1.5	7.6	54	0.2	0.2	0.2	52	0.86	0.049
REP 1271508	QC	1.6	21.1	10.0	63	<0.1	29.4	11.2	480	2.60	4.6	6.3	1.6	7.7	53	0.1	0.2	0.2	50	0.86	0.048
1271487	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
REP 1271487	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1271491	Soil	2.0	28.5	12.8	87	0.1	20.1	6.0	804	3.27	6.5	2.5	3.6	25.3	15	<0.1	0.3	0.2	33	0.43	0.032
REP 1271491	QC	2.0	30.2	13.4	93	<0.1	21.2	6.3	848	3.46	6.7	2.5	4.1	26.8	16	<0.1	0.3	0.2	37	0.46	0.035
1284677	Soil	1.0	46.9	6.1	76	0.1	34.6	23.2	1012	5.23	16.5	1.9	3.3	5.3	142	<0.1	1.0	<0.1	80	5.10	0.123
REP 1284677	QC	1.0	51.2	6.3	84	0.1	37.6	24.3	1038	5.27	16.9	2.0	2.8	5.6	141	<0.1	1.2	<0.1	77	4.87	0.130
1284914	Soil	0.8	18.0	8.5	86	<0.1	13.8	11.2	1071	3.63	109.2	0.8	34.2	5.1	36	<0.1	3.8	0.1	71	0.90	0.140
REP 1284914	QC	0.8	18.3	8.5	87	<0.1	14.6	11.7	1059	3.68	111.7	0.8	31.7	5.1	36	0.1	3.9	0.1	72	0.92	0.150
1290182	Soil	1.0	24.9	9.8	58	0.1	36.3	18.3	542	3.68	10.1	1.2	11.0	8.0	56	0.2	3.0	0.2	60	1.26	0.067
REP 1290182	QC	0.9	25.6	10.4	59	0.1	38.2	18.4	538	3.75	10.4	1.2	11.2	8.6	57	0.1	3.2	0.1	62	1.22	0.068
1283462	Soil	4.5	85.8	13.6	204	0.4	81.7	13.5	463	4.62	120.6	1.6	4.8	4.9	20	0.7	10.4	0.1	152	0.17	0.058
REP 1283462	QC	4.6	85.8	13.5	201	0.4	81.6	13.5	456	4.64	122.9	1.6	5.3	5.1	21	0.8	10.4	0.2	150	0.19	0.060
1271329	Soil	0.5	18.4	5.5	55	<0.1	29.3	12.9	372	2.70	5.4	1.3	4.8	4.5	56	<0.1	0.3	<0.1	64	1.16	0.079
REP 1271329	QC	0.6	17.8	5.5	53	<0.1	29.7	12.9	378	2.69	5.5	1.3	8.8	4.7	56	<0.1	0.3	<0.1	63	1.17	0.078
1271309	Soil	2.2	46.8	27.7	91	0.1	28.2	19.6	680	5.56	6.2	1.9	3.0	16.5	18	0.1	0.5	0.9	86	0.34	0.062
REP 1271309	QC	2.1	44.3	26.3	87	0.1	26.7	18.6	662	5.39	6.2	1.8	3.5	15.9	17	<0.1	0.5	0.8	82	0.32	0.060

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

QUALITY CONTROL REPORT WHI12000234.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
1283189	Soil	14	57	0.61	426	0.080	<1	2.11	0.010	0.16	0.2	0.05	5.8	0.8	0.10	7	1.7	<0.2
REP 1283189	QC	13	56	0.61	421	0.078	<1	2.08	0.010	0.16	0.2	0.05	5.7	0.9	0.11	6	1.9	<0.2
1271281	Soil	65	182	1.78	313	0.107	<1	2.70	0.017	0.54	0.1	0.02	11.5	0.7	<0.05	10	<0.5	<0.2
REP 1271281	QC	65	182	1.85	324	0.111	<1	2.76	0.017	0.54	0.1	0.02	11.6	0.7	<0.05	10	<0.5	<0.2
1283190	Soil	15	114	0.69	252	0.042	1	2.36	0.005	0.09	0.2	0.04	7.9	0.9	<0.05	7	1.3	0.2
REP 1283190	QC	15	110	0.67	254	0.040	<1	2.33	0.005	0.09	0.2	0.03	7.6	0.9	<0.05	7	1.3	0.3
1269455	Soil	21	62	1.31	415	0.033	2	2.20	0.007	0.12	<0.1	0.01	10.1	<0.1	<0.05	8	<0.5	<0.2
REP 1269455	QC	22	64	1.33	413	0.035	2	2.20	0.007	0.12	<0.1	0.02	10.2	<0.1	<0.05	8	<0.5	<0.2
1269436	Soil	32	45	1.35	218	0.153	1	1.96	0.010	0.41	0.1	0.03	4.7	0.4	<0.05	7	<0.5	<0.2
REP 1269436	QC	31	44	1.34	205	0.150	1	1.94	0.010	0.41	0.1	0.03	4.7	0.4	<0.05	7	<0.5	<0.2
1271508	Soil	23	49	0.81	257	0.066	2	1.43	0.013	0.17	0.1	0.04	5.2	0.2	<0.05	5	<0.5	<0.2
REP 1271508	QC	23	49	0.81	257	0.063	2	1.41	0.013	0.17	0.1	0.04	5.2	0.1	<0.05	5	<0.5	<0.2
1271487	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
REP 1271487	QC	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1271491	Soil	115	29	0.32	295	0.042	2	1.42	0.008	0.15	<0.1	0.08	8.0	0.1	<0.05	5	<0.5	<0.2
REP 1271491	QC	121	31	0.34	273	0.051	2	1.49	0.008	0.15	0.1	0.08	8.5	0.2	<0.05	6	<0.5	<0.2
1284677	Soil	34	56	0.62	566	0.001	3	0.75	0.008	0.12	<0.1	0.08	15.0	0.2	<0.05	2	<0.5	<0.2
REP 1284677	QC	31	59	0.63	601	0.002	4	0.80	0.009	0.15	<0.1	0.06	15.8	0.2	<0.05	2	<0.5	<0.2
1284914	Soil	29	15	0.98	298	0.081	1	1.64	0.011	0.20	0.6	0.04	6.3	0.2	<0.05	8	<0.5	<0.2
REP 1284914	QC	29	16	0.97	299	0.081	1	1.65	0.011	0.20	0.5	0.04	6.3	0.3	<0.05	8	<0.5	<0.2
1290182	Soil	28	56	0.62	401	0.020	2	0.89	0.010	0.13	0.2	0.13	11.3	0.3	<0.05	3	<0.5	<0.2
REP 1290182	QC	30	58	0.60	423	0.026	3	0.94	0.011	0.14	0.2	0.12	11.6	0.4	<0.05	3	<0.5	<0.2
1283462	Soil	18	78	0.90	343	0.145	2	1.97	0.008	0.47	0.1	0.02	8.5	0.7	<0.05	8	1.3	<0.2
REP 1283462	QC	19	78	0.90	357	0.147	<1	2.06	0.008	0.47	0.2	0.02	9.2	0.8	<0.05	8	1.4	<0.2
1271329	Soil	19	65	1.02	170	0.089	2	1.56	0.023	0.15	0.2	0.04	5.3	0.1	0.08	5	<0.5	<0.2
REP 1271329	QC	19	66	1.00	172	0.089	2	1.56	0.022	0.14	0.1	0.03	5.5	0.2	<0.05	5	<0.5	<0.2
1271309	Soil	35	30	0.42	206	0.018	3	1.21	0.008	0.12	0.1	0.02	8.8	<0.1	<0.05	5	0.6	<0.2
REP 1271309	QC	33	28	0.39	191	0.022	2	1.11	0.007	0.11	<0.1	0.02	8.3	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

QUALITY CONTROL REPORT WHI12000234.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
1271323	Soil	2.0	22.3	10.6	60	0.1	25.9	12.9	495	3.80	7.0	1.1	3.6	11.3	20	<0.1	0.5	0.3	72	0.33	0.026
REP 1271323	QC	2.0	22.3	10.4	60	<0.1	27.0	13.2	485	3.78	6.7	1.1	3.6	11.6	20	<0.1	0.5	0.3	74	0.33	0.028
1271394	Soil	1.2	16.2	9.3	47	<0.1	18.9	11.4	433	2.71	6.4	0.7	2.7	11.9	22	<0.1	0.6	0.2	61	0.41	0.023
REP 1271394	QC	1.2	15.1	9.4	46	<0.1	18.7	11.1	417	2.61	6.3	0.7	1.7	11.7	21	<0.1	0.5	0.2	58	0.39	0.024
1283805	Soil	1.1	16.6	10.5	78	<0.1	17.9	10.4	476	2.91	11.4	3.2	5.7	10.9	25	<0.1	0.6	0.1	56	0.39	0.057
REP 1283805	QC	1.2	17.1	10.5	77	<0.1	17.6	10.1	475	2.94	11.1	3.1	3.6	11.0	26	<0.1	0.6	0.1	61	0.38	0.060
1283119	Soil	1.3	43.9	13.1	69	0.2	41.4	12.0	337	3.23	83.6	0.8	10.5	6.2	23	0.1	3.9	0.2	87	0.36	0.021
REP 1283119	QC	1.3	45.3	13.6	71	0.2	43.3	12.1	341	3.30	84.2	0.9	10.7	6.3	23	0.1	4.1	0.2	89	0.37	0.022
1283137	Soil	1.2	18.3	9.1	58	0.3	24.8	9.3	307	2.63	21.2	0.5	1.1	2.6	18	0.2	1.0	<0.1	73	0.23	0.027
REP 1283137	QC	1.3	19.5	9.2	59	0.3	26.0	9.6	318	2.73	21.4	0.5	2.1	2.7	19	0.2	1.0	0.1	74	0.23	0.027
Reference Materials																					
STD DS9	Standard	14.5	105.8	126.4	296	1.8	44.4	8.0	598	2.44	22.4	2.6	110.5	6.2	68	1.9	4.9	5.6	45	0.75	0.080
STD DS9	Standard	14.4	117.4	123.5	325	1.7	44.0	7.7	587	2.32	22.4	2.5	109.3	6.0	68	1.9	4.8	5.6	44	0.73	0.079
STD DS9	Standard	15.1	107.8	127.0	299	1.8	45.5	7.9	607	2.46	22.4	2.6	123.0	6.1	72	2.0	4.9	5.7	46	0.77	0.079
STD DS9	Standard	13.6	95.4	119.0	278	1.7	41.0	7.0	553	2.25	20.8	2.3	111.1	5.4	68	2.0	4.6	5.5	39	0.68	0.078
STD DS9	Standard	12.2	106.9	120.8	300	1.8	40.7	7.5	555	2.28	23.2	2.4	126.8	5.7	64	2.3	5.3	5.4	43	0.67	0.083
STD DS9	Standard	13.0	109.9	118.7	296	1.8	41.7	7.7	570	2.25	24.3	2.5	113.6	6.0	68	2.2	5.5	5.3	43	0.69	0.083
STD DS9	Standard	12.3	105.0	115.7	301	1.7	39.7	7.3	555	2.19	23.3	2.5	119.6	5.8	67	2.2	5.6	5.1	43	0.68	0.085
STD DS9	Standard	13.1	104.3	119.5	299	1.8	40.1	7.7	567	2.32	24.3	2.5	129.2	5.9	65	2.1	5.3	5.5	45	0.70	0.078
STD DS9	Standard	13.5	107.8	119.7	307	1.8	41.2	7.8	598	2.39	23.7	2.6	120.4	6.4	70	2.3	5.6	4.9	45	0.75	0.085
STD DS9	Standard	13.2	110.7	127.1	304	1.9	41.6	7.7	587	2.32	26.0	2.2	115.0	5.2	57	2.3	4.4	5.2	43	0.71	0.078
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	0.4	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.2	<0.1	<1	<0.1	0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	3	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	3	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	5	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	3	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

QUALITY CONTROL REPORT WHI12000234.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
1271323	Soil	38	52	0.62	264	0.066	1	1.85	0.014	0.09	0.1	0.02	7.1	0.1	<0.05	6	<0.5	<0.2
REP 1271323	QC	38	53	0.65	266	0.068	<1	1.99	0.013	0.09	0.1	0.03	7.0	<0.1	<0.05	7	<0.5	<0.2
1271394	Soil	15	36	0.60	140	0.091	2	1.35	0.013	0.17	0.1	0.02	3.9	0.2	<0.05	5	<0.5	<0.2
REP 1271394	QC	15	35	0.59	134	0.088	1	1.37	0.013	0.17	0.2	0.02	3.9	0.2	<0.05	5	<0.5	<0.2
1283805	Soil	23	32	0.62	287	0.093	<1	1.70	0.013	0.07	0.2	0.03	6.1	0.2	<0.05	7	<0.5	<0.2
REP 1283805	QC	24	32	0.65	287	0.092	1	1.79	0.013	0.07	0.2	0.03	6.2	0.2	<0.05	7	<0.5	<0.2
1283119	Soil	22	58	0.70	231	0.092	<1	1.86	0.016	0.11	0.2	0.05	8.1	0.2	<0.05	6	<0.5	<0.2
REP 1283119	QC	22	59	0.74	234	0.093	1	1.91	0.017	0.11	0.1	0.05	8.4	0.2	<0.05	6	0.6	<0.2
1283137	Soil	9	38	0.53	293	0.078	<1	1.50	0.010	0.12	0.1	0.02	3.2	0.1	<0.05	5	<0.5	<0.2
REP 1283137	QC	9	39	0.55	301	0.080	<1	1.55	0.011	0.13	0.1	0.02	3.4	0.1	<0.05	5	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	13	141	0.65	294	0.119	3	0.96	0.097	0.36	3.2	0.20	2.4	5.8	0.21	5	5.3	5.2
STD DS9	Standard	13	131	0.63	292	0.123	2	0.91	0.081	0.34	3.0	0.20	2.4	5.5	0.19	5	5.0	5.1
STD DS9	Standard	14	138	0.64	305	0.132	2	0.97	0.086	0.36	3.2	0.21	2.4	5.7	0.19	5	5.1	5.7
STD DS9	Standard	12	120	0.59	278	0.110	3	0.90	0.083	0.34	2.9	0.22	2.3	5.4	0.17	5	5.1	5.0
STD DS9	Standard	12	120	0.58	278	0.110	2	0.88	0.081	0.34	2.9	0.20	2.2	5.8	0.12	4	5.1	4.8
STD DS9	Standard	13	125	0.61	297	0.116	3	0.89	0.092	0.36	3.0	0.21	2.4	5.3	0.09	5	5.2	5.0
STD DS9	Standard	12	119	0.61	283	0.112	3	0.90	0.085	0.34	2.8	0.20	2.3	5.3	0.09	5	5.2	5.4
STD DS9	Standard	12	124	0.60	291	0.106	2	0.89	0.088	0.35	3.2	0.22	2.3	5.5	0.17	5	5.7	5.0
STD DS9	Standard	14	126	0.61	298	0.126	2	0.95	0.086	0.38	3.2	0.21	2.6	5.6	0.08	5	5.7	5.1
STD DS9	Standard	11	128	0.61	298	0.095	2	0.91	0.089	0.37	3.1	0.20	2.6	5.5	0.20	5	5.1	4.7
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

QUALITY CONTROL REPORT WHI12000234.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	3	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	7	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 17, 2012

QUALITY CONTROL REPORT WHI12000234.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	0.08	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 10, 2012
Report Date: July 16, 2012
Page: 1 of 10

CERTIFICATE OF ANALYSIS WHI12000235.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 249

SAMPLE DISPOSAL

DISP-PLP Dispose of Pulp After 90 days
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	249	Dry at 60C			WHI
SS80	244	Dry at 60C sieve 100g to -80 mesh			WHI
1DX2	248	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000235.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1269289	Soil	1.1	18.1	13.8	43	<0.1	26.0	10.1	371	2.58	11.5	1.2	1.6	11.3	26	0.1	0.3	0.4	59	0.40	0.033
1271425	Soil	1.6	26.4	10.4	41	0.1	24.7	10.3	535	2.31	8.3	10.8	3.8	9.3	78	0.2	0.5	0.3	50	1.08	0.045
1271423	Soil	1.6	24.2	8.9	57	<0.1	50.0	14.0	517	3.41	8.4	4.1	3.8	11.7	31	<0.1	0.4	0.2	75	0.43	0.022
1271427	Soil	1.6	13.1	10.1	42	<0.1	17.2	12.3	401	2.65	8.5	2.3	2.6	11.5	27	<0.1	0.3	0.2	56	0.34	0.022
1269288	Soil	1.1	22.2	11.2	46	<0.1	29.6	11.6	429	2.88	11.7	1.5	4.0	16.7	35	<0.1	0.4	0.2	66	0.56	0.041
1271421	Soil	1.4	22.0	13.4	48	0.1	25.4	8.0	675	2.43	8.2	3.9	2.6	15.7	32	0.1	0.3	0.2	35	0.43	0.027
1271422	Soil	2.4	26.3	19.7	44	<0.1	34.2	12.3	586	2.77	11.3	7.9	3.9	17.5	52	0.2	0.4	0.3	57	0.63	0.037
1271431	Soil	0.7	54.0	8.5	74	<0.1	46.0	20.5	658	3.58	6.8	1.9	2.0	5.9	65	0.3	0.5	<0.1	92	1.42	0.090
1269290	Soil	1.3	19.7	13.6	46	<0.1	30.3	11.5	408	2.84	13.5	1.1	1.9	13.3	24	<0.1	0.4	0.2	65	0.37	0.024
1271420	Soil	1.5	32.8	15.8	47	<0.1	32.4	11.9	469	2.94	12.0	2.8	3.6	12.3	33	<0.1	0.4	0.2	68	0.45	0.038
1271419	Soil	1.3	22.6	17.1	53	<0.1	32.2	13.7	386	3.23	15.7	1.6	3.7	16.3	29	<0.1	0.4	0.3	74	0.43	0.024
1271429	Soil	1.3	30.6	7.4	88	<0.1	28.0	31.8	577	4.85	3.9	1.4	1.3	4.5	38	<0.1	0.1	<0.1	110	0.85	0.139
1269292	Soil	1.3	24.5	14.7	47	<0.1	28.8	12.1	476	2.83	11.2	1.2	4.2	16.8	26	<0.1	0.5	0.2	65	0.39	0.026
1271426	Soil	1.7	27.9	16.0	45	<0.1	25.9	11.1	588	2.52	8.8	10.9	3.7	10.6	74	0.2	0.4	0.2	55	1.01	0.046
1271424	Soil	1.6	25.4	11.9	42	0.1	27.7	11.8	589	2.48	8.4	11.8	3.2	10.7	62	0.1	0.4	0.2	53	0.96	0.041
1271428	Soil	4.5	61.3	20.2	102	0.1	69.0	27.1	1008	6.12	7.1	4.4	5.6	22.1	25	0.1	0.4	0.5	79	0.35	0.058
1269273	Soil	1.1	84.3	8.9	43	0.2	37.9	20.7	246	4.20	36.5	1.4	3.3	3.2	21	<0.1	0.3	0.2	139	0.87	0.066
1269285	Soil	1.6	22.2	31.3	53	<0.1	35.3	15.4	544	3.27	18.0	2.4	8.0	30.0	25	<0.1	0.3	0.7	68	0.40	0.033
1269291	Soil	1.5	30.6	16.5	49	0.1	35.6	13.9	526	3.16	15.5	1.5	4.6	18.6	32	<0.1	0.4	0.3	73	0.45	0.027
1269287	Soil	1.3	19.7	15.8	42	0.1	27.5	11.2	331	2.86	11.7	1.0	2.8	10.8	24	<0.1	0.4	0.3	71	0.36	0.021
1269281	Soil	1.7	18.7	20.8	49	<0.1	26.3	13.5	445	3.22	25.6	1.3	2.9	13.6	20	<0.1	0.4	0.2	78	0.33	0.017
1269279	Soil	1.7	17.7	13.5	54	0.1	27.5	15.4	1185	3.26	10.4	0.6	2.3	6.0	23	<0.1	0.5	0.2	89	0.27	0.020
1269274	Soil	0.8	68.8	4.0	43	<0.1	55.3	32.7	464	5.70	46.8	0.5	1.5	6.0	18	0.2	<0.1	<0.1	219	0.83	0.070
1269276	Soil	4.1	77.4	12.3	121	0.2	75.8	25.7	892	7.25	393.2	1.4	6.9	3.6	19	0.2	0.8	0.8	143	1.02	0.284
1269282	Soil	2.3	22.8	32.7	53	0.2	42.5	16.2	648	3.68	29.1	1.3	4.1	14.1	23	<0.1	0.5	0.2	88	0.35	0.024
1269280	Soil	1.9	27.3	15.2	54	<0.1	33.7	12.7	386	3.44	15.1	1.4	10.3	17.9	18	<0.1	0.4	0.1	89	0.24	0.012
1269275	Soil	3.5	79.8	18.3	113	0.2	85.5	23.8	739	5.63	301.8	1.4	8.1	4.6	21	0.3	1.0	0.3	145	0.64	0.131
1269286	Soil	1.6	26.8	18.9	58	<0.1	34.8	13.2	516	3.29	17.5	1.9	4.5	26.2	24	<0.1	0.4	0.6	65	0.42	0.048
1269277	Soil	1.4	42.8	25.4	51	<0.1	39.2	18.5	456	4.01	22.8	0.9	4.3	3.5	19	<0.1	0.3	0.4	115	0.43	0.061
1269278	Soil	1.9	25.9	14.0	54	<0.1	30.4	18.2	412	3.57	14.0	0.8	5.0	6.2	15	0.1	0.5	0.2	87	0.17	0.031

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000235.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1269289	Soil	24	48	0.70	179	0.092	2	1.42	0.010	0.09	0.2	0.02	3.8	0.1	<0.05	5	<0.5	<0.2
1271425	Soil	29	35	0.60	438	0.059	2	1.41	0.013	0.07	0.2	0.06	5.3	0.1	0.10	4	<0.5	<0.2
1271423	Soil	28	81	0.72	424	0.094	2	1.50	0.011	0.12	0.1	0.03	7.7	0.2	<0.05	6	<0.5	<0.2
1271427	Soil	16	36	0.50	165	0.072	1	1.34	0.010	0.12	0.1	0.02	3.4	0.1	0.07	5	<0.5	<0.2
1269288	Soil	28	57	0.79	238	0.104	<1	1.66	0.014	0.10	0.2	0.03	5.6	0.1	0.07	5	<0.5	<0.2
1271421	Soil	47	30	0.30	361	0.037	3	1.30	0.008	0.11	0.1	0.04	7.4	0.2	0.07	4	<0.5	<0.2
1271422	Soil	42	50	0.54	392	0.073	2	1.61	0.012	0.07	0.1	0.06	6.3	0.1	0.08	4	<0.5	<0.2
1271431	Soil	22	79	1.52	275	0.116	5	1.74	0.022	0.28	0.1	0.03	7.8	0.2	0.11	6	0.9	<0.2
1269290	Soil	20	56	0.78	185	0.110	1	1.64	0.012	0.11	0.2	0.02	4.5	0.1	0.06	5	<0.5	<0.2
1271420	Soil	25	53	0.65	303	0.095	1	1.65	0.020	0.06	0.2	0.05	6.2	<0.1	<0.05	5	<0.5	<0.2
1271419	Soil	21	60	0.78	231	0.111	2	2.04	0.012	0.09	0.2	0.02	5.2	0.1	<0.05	6	<0.5	<0.2
1271429	Soil	21	50	3.18	519	0.156	<1	2.75	0.011	0.42	<0.1	<0.01	5.3	0.4	<0.05	7	<0.5	<0.2
1269292	Soil	25	50	0.60	220	0.096	2	1.60	0.013	0.08	0.2	0.03	5.5	0.1	<0.05	5	<0.5	<0.2
1271426	Soil	33	43	0.61	427	0.067	3	1.59	0.015	0.07	0.1	0.06	6.1	0.1	0.10	5	0.6	<0.2
1271424	Soil	26	43	0.54	401	0.064	2	1.31	0.011	0.09	0.2	0.04	5.7	0.1	0.10	4	<0.5	<0.2
1271428	Soil	44	95	0.47	371	0.024	2	1.12	0.004	0.19	0.2	0.03	12.7	0.1	0.05	4	<0.5	<0.2
1269273	Soil	17	53	1.70	279	0.108	2	2.30	0.012	0.24	<0.1	0.12	7.4	0.3	0.09	5	0.7	<0.2
1269285	Soil	61	78	1.04	199	0.113	2	1.96	0.010	0.18	0.2	0.04	6.4	0.3	<0.05	6	<0.5	<0.2
1269291	Soil	28	60	0.77	259	0.109	2	1.92	0.019	0.09	0.2	0.04	6.9	0.1	0.06	6	<0.5	<0.2
1269287	Soil	18	47	0.66	210	0.103	<1	1.75	0.012	0.10	0.2	0.02	4.1	0.1	<0.05	5	<0.5	<0.2
1269281	Soil	22	51	0.76	149	0.108	3	1.99	0.009	0.10	0.1	0.04	4.9	0.2	0.05	6	<0.5	<0.2
1269279	Soil	13	47	0.51	320	0.079	<1	2.22	0.009	0.04	0.1	0.02	3.8	0.1	0.05	7	<0.5	<0.2
1269274	Soil	9	106	4.10	272	0.218	2	3.80	0.008	0.84	0.1	0.02	6.7	0.8	<0.05	7	<0.5	<0.2
1269276	Soil	14	55	2.16	521	0.114	3	3.25	0.006	0.60	<0.1	0.06	11.8	1.0	<0.05	9	1.4	<0.2
1269282	Soil	17	68	0.70	193	0.086	2	2.27	0.009	0.11	0.1	0.03	5.5	0.2	0.05	7	<0.5	<0.2
1269280	Soil	25	63	0.87	180	0.126	2	2.51	0.009	0.07	0.1	0.02	5.4	0.2	<0.05	6	<0.5	<0.2
1269275	Soil	13	101	1.76	439	0.109	2	2.73	0.009	0.29	<0.1	0.06	11.5	0.8	<0.05	8	1.6	<0.2
1269286	Soil	41	65	0.85	231	0.114	2	1.78	0.012	0.19	0.1	0.04	6.6	0.2	<0.05	6	<0.5	<0.2
1269277	Soil	12	61	1.44	198	0.115	2	2.42	0.011	0.15	0.1	0.03	7.1	0.2	0.05	7	<0.5	<0.2
1269278	Soil	11	52	0.52	185	0.090	1	2.78	0.008	0.05	0.2	0.03	5.0	0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000235.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1269284	Soil		1.7	23.3	27.7	46	0.1	31.9	14.0	485	3.27	17.0	1.4	6.1	19.6	23	<0.1	0.4	0.3	78	0.32	0.021
1269283	Soil		1.5	19.4	40.6	45	0.1	26.3	11.0	596	2.81	17.2	1.0	1.7	12.7	21	<0.1	0.3	0.3	73	0.30	0.018
1284639	Soil		1.1	30.5	10.5	51	<0.1	30.6	10.4	245	2.78	11.0	1.0	2.3	19.7	18	<0.1	0.6	0.3	59	0.29	0.008
1269263	Soil		1.5	18.6	14.6	68	<0.1	25.2	13.2	467	3.56	13.5	1.5	1.3	14.2	25	<0.1	0.2	0.3	72	0.43	0.045
1269266	Soil		0.8	26.9	8.3	57	<0.1	42.5	16.4	435	3.26	12.0	2.0	2.7	8.5	41	0.1	0.3	<0.1	65	1.10	0.067
1269264	Soil		1.0	47.7	9.1	58	0.1	44.5	20.3	484	3.54	12.0	2.3	3.4	12.3	32	<0.1	0.2	<0.1	78	0.58	0.081
1284643	Soil		1.4	28.1	15.3	53	<0.1	27.1	11.8	441	3.10	8.9	2.2	3.3	20.8	23	<0.1	0.7	0.3	56	0.49	0.040
1269268	Soil		0.7	32.9	9.7	79	<0.1	70.1	20.7	593	4.01	15.4	0.9	2.0	9.7	39	<0.1	0.6	0.1	62	0.91	0.044
1269265	Soil		0.7	36.7	5.7	61	0.1	37.0	19.0	546	3.53	11.1	1.4	2.1	3.7	52	0.1	0.2	0.1	71	1.14	0.063
1269272	Soil		1.1	51.9	11.3	63	0.1	36.4	24.9	699	3.94	13.5	1.1	3.1	5.6	26	0.2	0.2	0.3	97	0.96	0.047
1284635	Soil		1.0	32.7	10.1	60	<0.1	27.0	18.3	685	3.97	8.7	0.7	1.7	13.1	32	<0.1	0.6	0.1	79	0.61	0.040
1269261	Soil		2.1	15.1	14.6	68	0.1	22.1	10.1	356	3.77	13.4	0.8	0.9	9.2	15	<0.1	0.3	0.3	81	0.20	0.029
1269262	Soil		1.2	13.3	17.6	73	<0.1	19.2	9.8	482	3.54	6.9	1.4	0.9	14.8	21	<0.1	0.2	0.2	64	0.37	0.030
1269271	Soil		0.8	39.0	15.7	89	0.1	50.1	20.4	497	4.15	65.3	1.1	1.7	10.9	26	0.2	0.3	0.2	67	0.78	0.062
1284642	Soil		1.3	26.8	12.7	64	<0.1	31.9	16.3	660	3.51	8.0	1.2	14.2	21.3	26	<0.1	0.7	0.2	64	0.58	0.059
1269267	Soil		1.1	21.6	19.4	66	<0.1	41.5	16.9	416	3.66	7.8	0.9	1.4	8.7	28	<0.1	0.2	0.1	64	0.55	0.026
1269269	Soil		0.7	29.6	15.7	84	<0.1	52.1	20.0	436	4.31	19.6	1.7	1.6	12.9	33	<0.1	0.2	0.3	68	0.96	0.076
1269270	Soil		1.0	40.7	15.9	75	0.2	42.3	21.9	750	3.78	49.7	1.9	1.9	10.2	32	0.2	0.2	0.3	69	1.03	0.062
1283104	Soil		1.6	17.3	13.9	45	<0.1	22.1	13.8	668	3.31	5.7	2.0	5.6	14.7	20	<0.1	0.6	0.2	64	0.37	0.028
1284648	Soil		1.8	45.4	13.4	68	0.1	43.8	20.9	694	4.95	9.4	1.0	12.0	12.2	41	0.1	1.0	0.2	77	0.93	0.090
1284646	Soil		1.0	37.7	10.7	64	0.1	29.0	13.5	468	3.34	8.2	1.1	3.5	12.1	33	0.2	0.6	0.2	65	0.72	0.057
1283107	Soil		0.7	33.4	9.1	44	0.1	28.7	12.3	763	2.56	5.5	2.5	3.3	9.2	67	0.2	0.6	0.1	53	1.49	0.055
1284634	Soil		1.3	23.5	10.1	32	<0.1	18.5	10.5	522	2.51	2.6	1.2	<0.5	39.7	26	<0.1	0.5	0.4	32	0.82	0.045
1284637	Soil		2.3	12.6	14.9	54	<0.1	18.5	14.7	490	3.97	6.4	2.0	1.2	23.4	11	<0.1	1.2	0.2	61	0.24	0.055
1284650	Soil		1.0	23.8	14.4	60	<0.1	26.6	14.4	655	3.71	5.5	1.5	1.3	25.5	23	<0.1	0.7	0.3	54	0.60	0.054
1283105	Soil		1.2	39.6	13.3	66	0.1	25.1	18.6	664	4.51	7.6	2.0	4.5	24.1	27	<0.1	1.2	0.1	86	0.54	0.063
1283108	Soil		1.6	26.4	10.0	113	<0.1	72.0	27.0	1001	5.53	2.7	2.2	1.1	28.2	23	<0.1	0.7	0.3	102	0.77	0.172
1284649	Soil		1.4	24.7	16.1	62	<0.1	26.7	13.4	538	3.36	8.7	1.1	5.6	23.7	24	<0.1	0.7	0.2	61	0.53	0.040
1284633	Soil		1.5	18.2	13.2	54	<0.1	35.4	13.0	311	3.35	6.5	0.7	1.2	15.7	21	<0.1	0.6	0.2	78	0.41	0.045
1283103	Soil		1.5	27.3	15.1	52	<0.1	35.6	12.8	345	3.29	12.4	1.2	2.6	18.2	23	<0.1	0.7	0.4	70	0.40	0.014

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000235.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1269284	Soil	40	65	0.80	203	0.118	2	2.04	0.011	0.11	0.1	0.06	6.3	0.2	<0.05	6	<0.5	<0.2
1269283	Soil	22	48	0.65	164	0.092	2	1.77	0.011	0.10	0.1	0.02	4.5	0.2	<0.05	6	<0.5	<0.2
1284639	Soil	27	48	0.63	263	0.088	2	1.61	0.008	0.09	0.1	0.03	6.9	0.1	<0.05	5	<0.5	<0.2
1269263	Soil	57	48	0.80	187	0.121	1	1.86	0.010	0.17	0.4	0.03	4.6	0.3	<0.05	8	<0.5	<0.2
1269266	Soil	38	70	0.93	182	0.068	<1	1.62	0.010	0.13	0.2	0.06	6.7	0.2	0.08	5	<0.5	<0.2
1269264	Soil	77	65	1.36	316	0.109	1	2.16	0.011	0.10	0.2	0.06	8.7	0.2	0.07	6	<0.5	<0.2
1284643	Soil	56	40	0.56	328	0.065	2	1.35	0.011	0.12	0.2	0.05	6.3	0.2	<0.05	4	<0.5	<0.2
1269268	Soil	30	85	1.43	219	0.123	2	2.04	0.009	0.30	0.2	0.05	5.6	0.5	<0.05	7	<0.5	<0.2
1269265	Soil	16	62	1.46	224	0.119	2	1.93	0.011	0.06	0.2	0.04	4.3	0.2	0.07	6	<0.5	<0.2
1269272	Soil	16	47	1.48	289	0.109	3	1.91	0.009	0.38	0.1	0.05	7.0	0.5	0.08	5	<0.5	<0.2
1284635	Soil	34	35	1.40	486	0.149	2	2.07	0.013	0.43	0.2	0.03	5.4	0.2	<0.05	7	<0.5	<0.2
1269261	Soil	25	41	0.62	114	0.125	2	1.92	0.007	0.19	0.3	0.02	3.6	0.4	<0.05	9	<0.5	<0.2
1269262	Soil	49	32	0.77	166	0.149	2	1.94	0.009	0.17	0.5	0.02	3.3	0.4	<0.05	9	<0.5	<0.2
1269271	Soil	31	66	1.43	200	0.132	2	2.07	0.008	0.48	0.1	0.05	6.4	0.5	0.06	7	<0.5	<0.2
1284642	Soil	53	44	0.91	319	0.092	2	1.67	0.012	0.24	0.2	0.05	6.2	0.3	<0.05	6	<0.5	<0.2
1269267	Soil	15	65	1.05	148	0.148	2	1.91	0.010	0.42	0.1	0.01	3.6	0.4	<0.05	7	<0.5	<0.2
1269269	Soil	51	94	1.60	184	0.138	3	2.18	0.008	0.53	0.1	0.06	6.1	0.5	0.08	7	<0.5	<0.2
1269270	Soil	80	63	1.35	218	0.111	1	1.89	0.008	0.38	0.1	0.06	7.0	0.4	0.11	5	<0.5	<0.2
1283104	Soil	75	43	0.71	515	0.071	2	1.59	0.009	0.24	0.2	0.02	5.2	0.1	<0.05	5	<0.5	<0.2
1284648	Soil	40	53	0.83	393	0.043	2	1.49	0.013	0.15	0.1	0.06	10.8	0.2	0.06	5	0.5	<0.2
1284646	Soil	34	41	0.78	350	0.081	3	1.54	0.015	0.17	0.2	0.05	6.1	0.1	0.05	5	<0.5	<0.2
1283107	Soil	48	40	0.67	622	0.075	3	1.39	0.017	0.13	0.2	0.05	5.4	0.1	0.13	4	0.6	<0.2
1284634	Soil	63	35	0.64	229	0.038	3	0.94	0.004	0.21	<0.1	0.02	4.2	0.1	0.12	3	<0.5	<0.2
1284637	Soil	18	41	0.65	238	0.074	2	1.30	0.004	0.45	0.3	0.02	5.5	0.3	0.07	4	<0.5	<0.2
1284650	Soil	51	44	0.75	438	0.059	3	1.64	0.009	0.27	0.1	0.03	6.9	0.2	0.07	6	<0.5	<0.2
1283105	Soil	155	36	0.97	488	0.074	3	1.71	0.011	0.22	0.2	0.05	11.1	0.2	0.07	6	<0.5	<0.2
1283108	Soil	94	159	2.35	348	0.215	2	2.54	0.007	1.08	0.2	<0.01	14.3	1.0	0.07	8	<0.5	<0.2
1284649	Soil	72	40	0.60	392	0.076	4	1.59	0.013	0.12	0.2	0.07	6.9	0.2	<0.05	5	<0.5	<0.2
1284633	Soil	23	62	0.92	218	0.107	2	1.91	0.009	0.18	0.2	0.01	5.7	0.2	0.06	7	<0.5	<0.2
1283103	Soil	50	54	0.57	457	0.098	2	1.63	0.015	0.12	0.2	0.04	7.9	0.1	0.07	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000235.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1283106	Soil	1.1	29.8	9.7	56	<0.1	30.5	15.7	586	3.66	7.2	1.1	2.8	15.5	35	<0.1	0.6	0.2	76	0.65	0.058
1283101	Rock Pulp	1.4	475.2	21.4	164	0.2	233.0	83.8	832	16.84	3.3	1.3	35.6	7.5	16	<0.1	0.3	0.1	229	0.29	0.041
1283109	Soil	1.5	17.4	8.7	56	<0.1	29.4	16.5	554	3.67	4.4	0.8	1.6	9.5	20	<0.1	0.7	0.2	82	0.47	0.066
1284638	Soil	1.6	30.9	14.2	70	<0.1	37.5	18.1	639	4.24	7.5	2.1	1.9	31.0	27	<0.1	0.8	0.2	76	1.05	0.091
1269397	Soil	2.1	61.6	35.0	118	0.7	53.2	19.9	1060	3.95	154.7	2.8	12.8	3.7	37	1.0	5.0	0.2	72	0.83	0.067
1269394	Soil	2.4	28.7	20.9	124	0.4	38.4	29.5	2166	4.94	16.6	3.1	0.6	14.1	23	0.3	0.4	0.1	98	0.40	0.099
1284632	Soil	1.9	13.1	10.5	47	<0.1	14.8	8.2	314	2.86	5.1	1.3	1.6	23.8	15	<0.1	0.5	0.2	28	0.24	0.046
1284641	Soil	1.1	18.3	13.8	50	<0.1	19.6	12.3	327	3.31	7.1	1.5	1.5	15.8	12	<0.1	0.6	0.2	48	0.25	0.031
1269398	Soil	0.8	28.6	7.6	49	<0.1	24.5	13.0	339	2.83	10.0	1.2	3.7	3.2	41	0.2	0.6	<0.1	69	0.82	0.062
1269395	Soil	2.1	30.5	11.6	67	0.3	39.3	16.1	432	3.63	35.7	1.9	2.5	2.6	46	0.4	1.2	0.1	84	1.22	0.029
1284640	Soil	1.1	23.5	10.0	48	<0.1	25.1	10.3	288	2.83	9.7	0.9	2.1	13.9	20	0.1	0.6	0.2	61	0.34	0.014
1284636	Soil	1.7	18.3	13.4	63	<0.1	26.9	16.8	503	4.18	6.7	1.8	0.8	38.1	12	<0.1	0.9	0.2	58	0.24	0.038
1269400	Soil	0.9	33.6	7.8	54	0.1	28.9	12.2	530	2.57	9.6	1.0	3.8	3.3	45	0.2	0.6	0.1	61	0.87	0.068
1269396	Soil	2.3	40.0	31.8	126	0.9	40.5	13.9	731	3.15	132.4	1.9	7.6	2.4	27	0.9	4.0	0.2	66	0.65	0.051
1284644	Soil	1.2	47.2	13.4	63	<0.1	74.2	23.6	1087	4.57	18.7	1.2	9.1	16.5	29	0.1	2.4	0.1	82	0.89	0.088
1284647	Soil	2.0	29.7	12.5	64	0.1	34.6	12.9	464	3.22	9.7	0.7	12.5	13.2	32	0.1	0.6	0.2	55	0.66	0.054
1269399	Soil	0.9	35.7	8.4	57	0.1	27.6	12.5	331	2.78	10.0	1.2	2.9	3.7	39	0.1	0.6	0.1	68	0.76	0.056
1269393	Soil	4.0	43.0	18.0	170	0.3	60.2	22.6	743	5.55	35.8	2.4	0.7	10.6	24	0.4	0.8	0.2	114	0.58	0.112
1283102	Soil	0.9	23.1	11.3	65	0.1	30.3	12.9	572	3.46	5.7	1.5	1.9	18.9	43	<0.1	0.5	0.2	49	2.53	0.076
1284645	Soil	1.6	36.9	16.0	77	0.1	70.1	23.5	913	4.72	70.9	1.3	32.5	16.7	23	0.2	3.9	0.2	61	0.61	0.077
1269384	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1271607	Soil	1.6	14.9	8.1	40	<0.1	12.2	10.0	852	3.49	5.6	0.8	4.2	2.2	33	<0.1	0.6	0.2	28	2.76	0.024
1271602	Soil	0.8	37.7	7.8	58	0.1	30.7	11.2	411	2.67	9.9	0.9	2.8	3.5	43	0.2	0.6	0.1	63	0.87	0.065
1271609	Soil	1.6	19.9	15.2	33	<0.1	14.8	7.2	251	2.16	9.0	0.8	17.9	16.6	12	<0.1	1.4	0.3	32	0.13	0.009
1269382	Soil	1.1	24.3	11.4	49	0.1	16.9	11.4	436	3.19	5.9	0.9	1.8	3.2	42	0.2	0.9	0.1	62	0.71	0.029
1271601	Rock Pulp	1.6	448.2	20.6	160	0.2	216.2	73.6	783	15.16	3.3	1.1	34.6	6.8	13	0.1	0.3	0.1	210	0.30	0.039
1271603	Soil	0.9	38.0	8.1	66	0.1	31.0	12.5	521	2.82	11.4	0.5	1.1	3.9	60	0.2	0.7	0.1	68	1.64	0.072
1271606	Soil	1.8	25.2	11.8	44	<0.1	36.0	12.2	417	3.07	11.0	0.9	6.9	5.5	22	<0.1	0.7	0.2	65	0.44	0.015
1269381	Soil	2.0	102.5	18.1	94	0.3	33.3	20.0	1049	5.10	7.3	1.7	1.8	9.6	36	0.5	4.2	0.2	105	0.83	0.038
1269389	Soil	1.4	19.3	18.5	62	0.1	28.0	12.2	429	3.70	10.5	1.6	2.4	19.1	25	<0.1	0.5	0.2	69	0.47	0.028

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000235.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1283106	Soil	59	55	1.02	492	0.106	3	1.76	0.017	0.18	0.1	0.04	7.1	0.2	0.06	6	<0.5	<0.2
1283101	Rock Pulp	18	700	0.12	152	0.176	3	3.67	0.009	0.06	<0.1	0.04	38.5	<0.1	<0.05	22	0.8	<0.2
1283109	Soil	15	60	0.94	165	0.115	2	1.48	0.008	0.31	0.1	0.01	5.5	0.2	<0.05	6	<0.5	<0.2
1284638	Soil	100	77	1.37	442	0.140	3	1.88	0.007	0.52	0.2	0.06	10.2	0.5	<0.05	6	<0.5	<0.2
1269397	Soil	20	42	0.45	497	0.023	3	0.95	0.008	0.08	0.1	0.24	11.1	0.7	0.11	3	1.7	<0.2
1269394	Soil	26	98	1.35	203	0.115	2	2.11	0.008	0.30	0.1	0.04	6.8	0.5	0.11	9	<0.5	<0.2
1284632	Soil	21	22	0.45	158	0.073	1	1.20	0.006	0.23	0.1	<0.01	4.0	0.2	0.06	4	<0.5	<0.2
1284641	Soil	19	31	0.58	202	0.058	2	1.33	0.005	0.25	0.1	0.02	5.0	0.2	0.07	4	<0.5	<0.2
1269398	Soil	13	35	0.57	255	0.079	3	1.47	0.017	0.05	0.1	0.04	4.8	<0.1	0.10	5	<0.5	<0.2
1269395	Soil	8	46	0.64	438	0.065	3	1.40	0.009	0.11	0.1	0.04	4.8	0.5	0.09	5	1.1	<0.2
1284640	Soil	21	41	0.52	257	0.090	2	1.53	0.011	0.14	0.1	0.03	6.6	<0.1	0.08	5	<0.5	<0.2
1284636	Soil	39	50	0.92	171	0.064	1	1.55	0.004	0.45	0.2	0.01	8.0	0.3	0.06	5	<0.5	<0.2
1269400	Soil	13	32	0.60	283	0.078	2	1.47	0.036	0.07	0.2	0.04	4.8	<0.1	<0.05	4	<0.5	<0.2
1269396	Soil	11	31	0.34	451	0.023	4	1.00	0.006	0.07	0.3	0.15	5.7	0.7	<0.05	4	1.1	<0.2
1284644	Soil	48	117	1.30	507	0.039	2	1.69	0.007	0.32	0.2	0.08	11.1	0.4	<0.05	6	<0.5	<0.2
1284647	Soil	35	46	0.75	352	0.071	6	1.64	0.021	0.19	0.2	0.05	5.5	0.2	<0.05	5	<0.5	<0.2
1269399	Soil	15	35	0.59	304	0.079	<1	1.66	0.025	0.06	0.2	0.05	5.4	<0.1	<0.05	5	<0.5	<0.2
1269393	Soil	21	96	1.71	399	0.133	2	2.94	0.010	0.63	0.1	0.02	8.5	0.7	<0.05	11	1.2	<0.2
1283102	Soil	67	43	0.94	440	0.081	2	1.48	0.013	0.42	0.1	0.05	6.7	0.4	<0.05	6	<0.5	<0.2
1284645	Soil	42	71	0.57	412	0.030	<1	1.26	0.009	0.17	0.2	0.15	9.5	0.3	<0.05	4	<0.5	<0.2
1269384	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1271607	Soil	8	12	0.40	282	0.014	3	0.75	0.010	0.10	<0.1	0.06	8.5	0.2	<0.05	2	<0.5	<0.2
1271602	Soil	14	34	0.66	297	0.086	5	1.57	0.037	0.08	0.2	0.05	5.1	<0.1	<0.05	5	<0.5	<0.2
1271609	Soil	16	22	0.23	150	0.027	3	0.93	0.006	0.10	0.1	0.02	3.9	<0.1	<0.05	2	<0.5	<0.2
1269382	Soil	12	26	0.42	442	0.027	2	1.71	0.017	0.12	0.1	0.02	3.8	0.1	<0.05	6	<0.5	<0.2
1271601	Rock Pulp	17	694	0.12	147	0.150	<1	3.99	0.011	0.06	<0.1	0.04	39.0	<0.1	<0.05	21	<0.5	<0.2
1271603	Soil	13	32	0.81	297	0.104	4	1.58	0.046	0.10	0.2	0.03	4.8	<0.1	<0.05	5	<0.5	<0.2
1271606	Soil	27	47	0.53	399	0.072	2	1.61	0.019	0.09	0.3	0.06	7.2	0.1	<0.05	5	<0.5	<0.2
1269381	Soil	34	55	0.83	191	0.053	<1	1.99	0.018	0.16	0.5	0.08	12.3	0.4	<0.05	8	0.7	<0.2
1269389	Soil	33	44	0.77	169	0.116	<1	2.20	0.014	0.47	0.2	0.03	6.8	0.4	<0.05	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000235.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1271604	Soil	0.5	29.7	6.8	52	0.1	25.9	10.0	293	2.48	7.6	1.5	5.5	3.3	49	0.2	0.5	<0.1	56	1.08	0.065
1271608	Soil	1.0	13.0	5.6	45	<0.1	7.8	10.8	1031	4.10	5.2	0.6	2.9	2.9	27	<0.1	1.6	0.1	49	1.79	0.032
1269385	Soil	4.1	46.6	14.2	196	0.4	55.8	19.9	796	3.89	46.0	1.3	2.4	4.2	46	1.0	1.8	0.1	99	1.15	0.067
1269390	Soil	1.4	13.1	17.7	50	0.1	20.9	10.6	496	3.48	8.6	1.3	0.8	8.8	25	<0.1	0.4	0.2	61	0.55	0.026
1271605	Soil	0.7	25.1	9.4	58	<0.1	30.0	13.3	461	3.30	10.3	0.8	5.7	7.3	33	0.1	0.5	0.1	71	0.67	0.069
1271610	Soil	1.3	26.4	17.1	41	0.2	23.8	11.4	407	3.03	12.1	1.6	11.3	17.6	22	<0.1	1.9	0.3	43	0.34	0.011
1269391	Soil	1.7	18.2	18.4	59	0.1	30.8	12.9	741	3.60	6.7	1.5	1.7	10.8	40	0.4	0.4	0.3	71	0.71	0.030
1269388	Soil	1.9	33.2	13.5	58	0.1	82.3	19.6	556	3.95	17.8	1.6	2.5	15.3	30	0.1	0.5	0.3	95	0.72	0.025
1269386	Soil	1.9	30.7	36.5	82	0.3	32.3	11.9	553	2.69	48.6	2.0	5.9	16.9	49	0.4	1.2	0.3	39	2.61	0.091
1269383	Soil	0.2	29.7	2.8	12	0.2	3.9	1.0	15	0.40	5.0	0.5	9.1	0.1	39	0.3	0.2	<0.1	8	0.47	0.033
1269387	Soil	0.8	5.9	17.6	49	<0.1	25.6	12.5	325	3.44	10.9	2.5	1.3	27.8	18	<0.1	0.5	0.4	40	0.39	0.061
1284946	Soil	0.9	33.9	8.3	57	0.1	35.6	15.2	689	2.90	7.2	2.6	2.9	11.2	48	0.2	0.5	0.1	65	0.88	0.048
1284929	Soil	1.1	18.0	26.8	112	<0.1	23.1	31.4	882	6.51	3.1	0.7	1.5	6.3	25	<0.1	0.3	0.1	125	0.45	0.072
1269392	Soil	1.4	11.8	10.6	42	<0.1	15.7	9.0	329	2.74	4.3	1.2	1.1	7.0	21	0.1	0.3	0.2	64	0.35	0.032
1284926	Soil	1.5	9.5	8.8	71	<0.1	13.9	14.6	592	3.97	5.6	0.9	<0.5	21.2	10	<0.1	0.6	<0.1	49	0.24	0.092
1284927	Soil	1.4	19.1	10.1	55	<0.1	26.0	12.4	292	3.40	11.9	0.7	0.9	7.1	16	<0.1	0.5	0.1	72	0.20	0.024
1284918	Soil	1.6	16.0	10.9	76	<0.1	27.5	15.2	580	3.66	4.7	1.7	1.8	14.9	29	0.1	0.4	0.3	72	0.72	0.095
1284930	Soil	1.1	36.8	9.4	72	<0.1	27.3	23.5	599	4.65	4.9	1.1	<0.5	13.6	24	<0.1	0.2	0.2	103	0.54	0.130
1284934	Soil	0.8	31.5	12.0	56	0.1	44.8	16.5	581	3.73	9.6	1.5	14.0	6.0	64	0.1	1.0	0.2	61	1.83	0.082
1284928	Soil	1.4	14.1	13.9	91	<0.1	8.5	11.4	724	4.29	4.2	2.0	2.2	20.3	13	<0.1	0.2	0.2	41	0.20	0.078
1284945	Soil	0.8	26.0	8.4	52	<0.1	27.8	13.9	359	2.84	7.5	1.5	10.1	14.2	34	<0.1	0.5	0.2	58	0.74	0.047
1284933	Soil	1.1	44.1	10.8	66	0.2	49.5	18.7	600	4.14	21.3	1.3	19.2	6.0	66	0.1	1.3	0.2	64	2.24	0.079
1284920	Soil	1.3	10.5	11.1	91	<0.1	14.2	12.2	614	3.46	4.4	1.4	2.0	25.3	21	0.1	0.2	0.4	51	0.49	0.104
1284931	Soil	1.6	23.4	23.3	66	<0.1	28.9	13.8	456	3.60	7.4	1.9	2.9	22.3	17	<0.1	0.5	0.3	67	0.27	0.024
1284919	Soil	1.4	14.1	10.0	69	<0.1	17.3	15.9	999	3.60	4.9	2.6	4.8	15.3	33	<0.1	0.3	0.2	57	0.79	0.105
1284942	Soil	1.5	34.4	12.4	59	0.2	27.7	12.7	597	3.26	7.4	1.6	7.0	27.4	29	<0.1	0.9	0.5	60	0.60	0.035
1284939	Soil	1.8	22.2	17.1	54	<0.1	28.3	10.5	321	3.07	9.1	1.2	7.4	27.5	26	<0.1	0.6	0.2	60	0.35	0.017
1284924	Soil	2.5	16.6	11.7	80	<0.1	15.9	10.1	476	4.03	5.6	2.7	1.9	36.4	30	<0.1	0.4	0.3	49	0.32	0.084
1284935	Soil	1.5	13.9	9.4	47	<0.1	23.9	10.3	339	3.09	6.0	0.8	8.4	5.4	29	0.1	0.7	0.2	64	0.58	0.038
1284938	Soil	1.3	36.6	11.3	55	0.1	33.1	11.2	436	3.10	11.0	0.9	6.0	10.3	30	<0.1	0.7	0.2	68	0.42	0.017

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000235.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1271604	Soil	14	31	0.68	235	0.075	1	1.37	0.027	0.08	0.1	0.04	4.6	<0.1	0.05	4	<0.5	<0.2
1271608	Soil	8	7	1.40	512	0.049	1	1.71	0.008	0.19	0.1	0.04	11.8	0.2	<0.05	6	<0.5	<0.2
1269385	Soil	20	55	0.97	592	0.101	<1	1.70	0.013	0.37	0.1	0.06	7.4	0.5	0.08	7	1.2	<0.2
1269390	Soil	36	33	0.62	210	0.082	<1	2.30	0.013	0.21	0.1	0.02	4.9	0.3	<0.05	10	<0.5	<0.2
1271605	Soil	27	38	0.79	331	0.099	<1	1.59	0.028	0.11	0.2	0.04	7.0	0.1	<0.05	5	<0.5	<0.2
1271610	Soil	29	31	0.34	243	0.036	<1	1.21	0.013	0.08	<0.1	0.05	7.0	<0.1	<0.05	4	<0.5	<0.2
1269391	Soil	32	44	0.56	290	0.092	2	1.95	0.018	0.28	0.2	0.03	4.7	0.2	<0.05	9	<0.5	<0.2
1269388	Soil	36	117	1.44	260	0.118	<1	2.50	0.022	0.33	0.1	0.02	9.8	0.4	<0.05	8	<0.5	<0.2
1269386	Soil	38	26	0.60	212	0.019	1	0.93	0.006	0.14	0.2	0.03	5.6	0.2	<0.05	5	0.8	<0.2
1269383	Soil	5	12	0.05	152	0.010	2	0.34	0.009	0.03	<0.1	0.09	1.0	<0.1	0.10	2	<0.5	<0.2
1269387	Soil	55	51	0.82	263	0.037	<1	1.68	0.005	0.28	0.4	0.02	7.7	0.4	<0.05	10	<0.5	<0.2
1284946	Soil	51	58	1.00	394	0.105	<1	1.87	0.026	0.22	0.1	0.05	5.6	0.2	<0.05	6	0.6	<0.2
1284929	Soil	11	48	3.65	203	0.148	<1	3.66	0.004	0.62	2.0	<0.01	7.5	0.6	<0.05	10	<0.5	<0.2
1269392	Soil	34	34	0.56	222	0.092	<1	1.51	0.010	0.25	0.2	0.04	3.9	0.3	<0.05	8	<0.5	<0.2
1284926	Soil	20	20	0.79	112	0.125	<1	2.14	0.006	0.51	0.2	0.01	4.1	0.5	<0.05	8	<0.5	<0.2
1284927	Soil	12	38	0.63	191	0.073	<1	2.43	0.008	0.08	0.2	0.02	3.9	0.1	<0.05	7	<0.5	<0.2
1284918	Soil	50	47	0.98	279	0.090	2	1.66	0.014	0.26	0.2	0.03	7.2	0.3	<0.05	6	<0.5	<0.2
1284930	Soil	13	53	2.25	323	0.168	<1	2.61	0.008	0.99	0.3	<0.01	5.0	0.6	<0.05	10	<0.5	<0.2
1284934	Soil	29	62	0.97	472	0.048	3	1.38	0.015	0.20	0.3	0.05	8.4	0.2	<0.05	5	<0.5	<0.2
1284928	Soil	16	15	1.01	115	0.110	<1	1.98	0.006	0.48	0.2	<0.01	2.9	0.5	<0.05	10	<0.5	<0.2
1284945	Soil	45	51	0.96	291	0.114	1	1.69	0.016	0.26	0.2	0.03	5.0	0.2	<0.05	6	<0.5	<0.2
1284933	Soil	24	56	0.87	491	0.040	2	1.20	0.016	0.16	0.3	0.06	9.1	0.1	<0.05	4	<0.5	<0.2
1284920	Soil	20	30	0.80	153	0.094	<1	1.39	0.013	0.31	0.2	0.01	5.4	0.4	<0.05	6	<0.5	<0.2
1284931	Soil	37	55	0.94	677	0.085	<1	1.67	0.012	0.29	0.3	0.01	7.6	0.3	<0.05	6	<0.5	<0.2
1284919	Soil	42	37	1.00	268	0.100	1	1.74	0.012	0.22	0.2	0.04	5.5	0.3	<0.05	6	<0.5	<0.2
1284942	Soil	71	43	0.71	312	0.078	2	1.68	0.017	0.18	0.2	0.05	7.7	0.3	<0.05	6	<0.5	<0.2
1284939	Soil	44	44	0.63	199	0.079	1	1.75	0.017	0.10	0.1	0.04	7.1	0.1	<0.05	6	<0.5	<0.2
1284924	Soil	244	25	0.71	267	0.093	<1	1.58	0.013	0.24	0.2	0.02	5.8	0.4	<0.05	7	<0.5	<0.2
1284935	Soil	17	35	0.70	353	0.062	1	1.56	0.018	0.08	0.2	0.04	6.3	0.1	<0.05	5	<0.5	<0.2
1284938	Soil	27	43	0.65	293	0.090	<1	1.62	0.026	0.08	0.1	0.07	7.6	0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000235.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1284943	Soil	1.8	17.6	13.6	46	<0.1	25.4	11.0	282	3.19	7.5	1.2	4.4	11.4	23	<0.1	0.8	0.2	62	0.46	0.023
1284940	Soil	1.7	18.4	13.2	55	<0.1	31.2	13.8	394	3.62	11.0	1.2	1.7	15.2	23	<0.1	0.6	0.2	67	0.37	0.024
1284923	Soil	2.1	11.9	12.0	80	<0.1	16.4	10.3	542	3.79	6.4	2.2	2.1	21.1	19	0.1	0.3	0.2	57	0.38	0.087
1284925	Soil	1.3	14.7	9.2	61	<0.1	19.8	13.9	415	3.63	7.8	0.8	2.6	17.2	17	<0.1	0.6	0.2	59	0.24	0.071
1284937	Soil	1.3	17.2	10.9	56	<0.1	25.6	11.7	399	3.28	7.3	0.7	5.2	7.1	34	<0.1	0.5	0.2	72	0.54	0.052
1284941	Soil	1.8	24.1	15.8	67	<0.1	30.6	14.1	523	3.44	11.5	1.3	3.2	19.8	26	<0.1	1.0	0.3	70	0.45	0.036
1284932	Soil	1.5	25.1	41.9	70	0.2	56.0	19.2	804	4.12	6.9	2.6	3.4	29.9	21	<0.1	0.4	0.3	68	0.60	0.060
1284936	Soil	0.8	13.6	9.0	49	<0.1	22.8	9.2	249	2.78	6.3	0.5	4.1	4.9	22	<0.1	0.6	0.2	61	0.40	0.032
1269339	Soil	1.8	18.7	13.1	49	<0.1	24.7	12.3	212	3.44	12.0	0.8	5.2	7.0	12	0.1	0.6	0.2	80	0.15	0.035
1269343	Soil	0.5	17.2	4.8	46	<0.1	10.9	5.7	208	1.47	3.1	0.6	4.5	1.0	40	0.2	0.3	<0.1	33	1.09	0.064
1269347	Soil	1.2	26.3	8.3	73	0.2	25.1	11.0	497	2.49	19.1	1.7	13.2	5.0	40	0.2	0.7	0.1	68	0.80	0.089
1284921	Soil	1.7	22.5	10.4	100	<0.1	29.9	28.6	1523	5.95	2.9	0.9	2.5	10.2	41	<0.1	<0.1	<0.1	112	1.06	0.164
1284794	Soil	1.5	40.0	16.7	124	0.2	41.8	15.5	756	4.53	121.2	1.5	25.3	6.8	19	0.2	24.8	0.3	120	0.47	0.104
1269341	Soil	0.4	19.2	7.1	70	<0.1	20.1	12.4	525	2.80	6.2	0.8	5.9	3.1	39	0.1	0.4	0.1	66	0.94	0.072
1269346	Soil	3.3	70.4	11.7	54	0.9	37.4	3.4	103	1.56	34.8	2.6	23.2	0.1	29	0.5	1.6	0.1	44	0.46	0.128
1284917	Soil	1.3	14.9	14.1	82	<0.1	25.0	17.3	760	4.01	5.3	2.3	2.0	15.5	35	0.1	0.3	0.4	79	0.85	0.101
1284795	Soil	1.0	15.0	8.1	88	<0.1	8.9	6.9	786	3.50	40.5	1.5	21.7	7.6	20	0.1	4.9	0.4	49	0.46	0.104
1269340	Soil	0.9	15.3	8.4	62	<0.1	19.6	10.7	219	3.96	6.4	0.5	3.2	3.2	12	0.1	0.3	0.2	101	0.19	0.028
1269345	Soil	1.0	34.3	20.4	29	1.4	11.2	2.3	85	1.54	80.6	2.1	17.2	0.5	35	0.8	2.4	0.3	22	0.63	0.078
1284944	Soil	0.9	22.5	8.3	71	<0.1	99.1	31.6	932	5.01	5.8	1.2	3.4	15.1	27	<0.1	0.4	<0.1	104	0.92	0.084
1283223	Soil	1.3	15.8	7.2	54	0.1	15.5	11.6	682	2.56	20.0	2.4	8.1	4.1	67	0.2	5.9	0.2	64	1.09	0.059
1269342	Soil	0.3	23.0	7.2	59	<0.1	18.3	7.3	178	1.91	2.9	1.2	3.7	1.9	41	0.1	0.4	0.1	50	1.17	0.067
1269344	Soil	0.5	13.7	9.5	69	<0.1	14.0	10.6	695	2.47	5.5	0.9	5.1	1.8	52	0.3	0.4	0.1	63	1.27	0.058
1284922	Soil	2.3	38.9	8.8	98	<0.1	35.5	27.7	914	5.80	4.4	2.4	1.6	19.6	34	<0.1	0.2	0.3	114	0.88	0.167
1283233	Soil	2.8	19.2	56.6	76	0.3	21.2	7.7	447	2.90	446.5	1.3	29.7	7.5	15	0.3	11.0	0.3	39	0.14	0.021
1283417	Soil	1.0	16.2	9.3	73	0.1	15.3	10.9	779	2.69	25.7	3.3	8.3	5.7	41	0.1	2.3	0.2	66	0.64	0.062
1283235	Soil	1.3	66.9	15.6	60	0.3	45.6	9.2	263	3.29	55.7	1.6	3.8	8.4	16	0.1	2.4	0.2	103	0.22	0.032
1283415	Soil	1.0	14.5	12.6	104	0.1	14.7	9.5	677	3.86	14.0	0.8	1.0	5.1	34	0.3	3.8	0.3	81	0.46	0.060
1283421	Soil	1.3	24.0	9.6	58	0.1	16.5	13.4	397	3.74	100.2	1.5	16.3	8.9	32	0.1	15.6	0.2	90	0.52	0.066
1283231	Soil	2.0	51.2	8.4	91	0.3	53.0	10.6	339	3.33	39.1	0.9	5.0	4.0	14	0.3	1.7	0.2	118	0.21	0.051

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000235.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1284943	Soil	27	46	0.68	206	0.089	<1	1.74	0.013	0.16	0.2	0.02	5.2	0.2	<0.05	6	<0.5	<0.2
1284940	Soil	20	49	0.63	219	0.077	<1	1.98	0.014	0.18	0.1	0.02	6.9	0.2	<0.05	6	<0.5	<0.2
1284923	Soil	43	29	0.69	345	0.114	1	1.91	0.010	0.25	0.2	0.02	4.6	0.3	<0.05	7	<0.5	<0.2
1284925	Soil	19	31	0.62	153	0.094	<1	2.02	0.009	0.23	0.1	0.02	4.4	0.3	<0.05	7	<0.5	<0.2
1284937	Soil	14	48	0.92	242	0.101	<1	1.99	0.020	0.15	0.2	0.02	5.9	0.2	<0.05	7	<0.5	<0.2
1284941	Soil	42	51	0.79	231	0.098	1	1.81	0.020	0.15	0.2	0.03	7.3	0.2	<0.05	6	<0.5	<0.2
1284932	Soil	70	118	1.36	746	0.084	1	1.70	0.006	0.50	0.1	0.06	12.9	0.6	<0.05	6	<0.5	<0.2
1284936	Soil	11	38	0.61	200	0.061	<1	1.67	0.014	0.07	0.1	0.02	4.6	0.1	<0.05	5	<0.5	<0.2
1269339	Soil	11	42	0.37	131	0.075	<1	2.94	0.011	0.04	0.1	0.04	3.7	0.1	<0.05	7	<0.5	<0.2
1269343	Soil	7	19	0.33	157	0.042	1	0.84	0.016	0.03	0.1	0.05	2.5	<0.1	0.09	3	<0.5	<0.2
1269347	Soil	21	42	0.78	369	0.094	1	1.48	0.016	0.16	0.2	0.06	5.2	0.3	<0.05	6	0.7	<0.2
1284921	Soil	12	82	2.77	376	0.230	1	3.29	0.011	0.70	0.2	0.01	5.3	0.7	<0.05	10	<0.5	<0.2
1284794	Soil	16	66	1.08	287	0.088	<1	2.22	0.011	0.38	0.1	0.05	12.1	0.4	<0.05	10	<0.5	<0.2
1269341	Soil	12	31	0.73	182	0.090	1	1.47	0.032	0.04	0.2	0.03	4.3	0.1	<0.05	6	<0.5	<0.2
1269346	Soil	10	45	0.27	169	0.031	<1	0.75	0.015	0.09	0.1	0.20	1.8	0.3	0.05	4	2.4	<0.2
1284917	Soil	60	49	1.02	397	0.107	1	1.79	0.015	0.26	0.2	0.03	9.8	0.3	<0.05	7	<0.5	<0.2
1284795	Soil	32	10	0.45	266	0.020	<1	1.59	0.010	0.24	0.2	0.08	7.5	0.2	<0.05	8	<0.5	<0.2
1269340	Soil	11	29	0.79	54	0.156	<1	1.80	0.016	0.05	0.1	0.02	3.5	0.1	<0.05	9	<0.5	<0.2
1269345	Soil	7	31	0.13	279	0.031	<1	0.68	0.010	0.03	<0.1	0.38	2.5	0.4	<0.05	3	1.0	<0.2
1284944	Soil	54	350	3.78	662	0.226	<1	3.56	0.016	1.20	0.2	0.02	12.3	0.6	<0.05	11	<0.5	<0.2
1283223	Soil	18	25	0.59	261	0.087	1	1.43	0.021	0.06	0.2	0.06	5.1	0.2	<0.05	5	<0.5	<0.2
1269342	Soil	12	30	0.61	179	0.060	1	1.42	0.024	0.04	0.1	0.06	3.8	0.1	<0.05	5	<0.5	<0.2
1269344	Soil	12	22	0.56	228	0.061	1	1.37	0.017	0.04	0.1	0.05	3.6	0.1	<0.05	6	<0.5	<0.2
1284922	Soil	70	93	2.23	432	0.175	1	2.72	0.012	0.61	0.2	0.02	10.4	0.5	<0.05	10	<0.5	<0.2
1283233	Soil	17	23	0.28	275	0.013	3	1.17	0.005	0.09	0.1	0.02	2.8	0.2	<0.05	4	<0.5	<0.2
1283417	Soil	15	26	0.58	284	0.082	3	1.50	0.017	0.08	0.3	0.05	5.6	0.1	<0.05	6	<0.5	<0.2
1283235	Soil	28	67	1.02	241	0.159	<1	1.99	0.009	0.49	0.2	0.04	6.5	0.5	<0.05	7	0.8	<0.2
1283415	Soil	14	29	0.68	345	0.110	3	2.07	0.010	0.21	0.2	<0.01	5.9	0.2	<0.05	8	<0.5	<0.2
1283421	Soil	20	33	0.80	373	0.117	<1	2.29	0.015	0.12	0.1	0.01	7.5	0.3	<0.05	8	<0.5	<0.2
1283231	Soil	13	82	0.91	504	0.125	<1	2.15	0.008	0.26	0.1	0.02	7.7	0.3	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000235.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1283230	Soil	0.9	25.9	8.6	58	0.2	28.0	9.1	289	2.61	23.2	0.7	<0.5	3.9	23	0.2	1.4	0.1	68	0.26	0.026
1283234	Soil	1.0	56.4	10.5	51	0.1	44.2	10.6	246	3.00	69.3	1.0	1.8	7.5	12	<0.1	3.0	0.2	83	0.15	0.024
1283422	Soil	1.3	13.0	9.8	48	<0.1	15.3	8.7	260	3.09	21.6	0.8	6.9	5.9	16	<0.1	4.2	0.2	71	0.18	0.026
1283420	Soil	0.9	15.4	7.8	59	<0.1	14.8	10.5	372	3.03	37.9	1.4	9.0	7.7	28	<0.1	5.9	0.1	74	0.50	0.074
1283229	Soil	2.0	33.3	12.3	110	0.8	38.9	11.1	427	3.16	196.7	0.8	5.4	4.1	18	0.8	4.3	0.2	78	0.17	0.051
1284796	Soil	1.2	8.6	10.3	138	<0.1	6.9	9.9	911	4.35	18.1	1.1	<0.5	11.7	22	0.4	5.8	0.5	86	0.46	0.121
1283423	Soil	0.9	19.0	9.5	55	<0.1	16.9	9.4	362	3.07	30.1	1.0	5.2	8.0	23	0.1	9.0	0.1	69	0.34	0.050
1283226	Soil	2.8	78.0	10.5	68	<0.1	28.0	8.6	450	2.64	38.6	1.5	3.6	4.2	19	0.1	2.6	0.2	71	0.11	0.030
1283232	Soil	1.2	30.1	9.6	55	0.1	35.7	9.1	405	2.92	37.3	0.8	4.0	4.9	16	0.2	3.2	0.1	86	0.19	0.049
1283416	Soil	1.8	17.9	19.0	76	<0.1	24.4	9.4	492	3.61	32.7	0.7	2.3	4.7	26	0.1	4.8	0.2	75	0.41	0.064
1269493	Soil	1.0	13.8	13.0	68	<0.1	22.1	11.1	432	3.02	7.5	1.3	7.8	19.7	21	<0.1	0.3	0.2	48	0.30	0.035
1269494	Soil	1.5	18.6	15.4	70	0.5	24.1	10.2	602	3.01	10.2	10.3	5.9	30.5	70	0.2	0.4	0.3	44	1.02	0.093
1283424	Soil	2.0	20.6	11.1	61	0.1	19.7	15.6	503	3.58	25.2	1.5	2.2	11.1	34	<0.1	4.3	0.8	96	0.54	0.063
1283425	Soil	1.2	20.5	13.8	68	<0.1	16.6	11.4	522	3.46	20.1	1.9	5.0	11.1	30	<0.1	6.2	0.1	76	0.54	0.089
1271355	Soil	0.5	29.2	8.2	74	<0.1	45.7	23.6	658	4.56	11.8	1.8	1.1	9.4	41	0.2	0.2	0.3	99	1.09	0.140
1269495	Soil	1.0	26.5	6.2	70	<0.1	40.1	15.5	684	2.89	6.0	0.7	3.7	3.7	36	0.3	0.2	<0.1	47	0.77	0.081
1269499	Soil	0.3	30.7	4.3	62	<0.1	39.0	27.9	482	3.35	5.7	0.8	<0.5	3.4	44	<0.1	0.1	<0.1	65	1.15	0.079
1283225	Soil	2.7	54.0	9.5	63	<0.1	22.0	7.2	424	2.34	33.1	1.2	2.9	3.2	16	<0.1	1.9	0.2	71	0.11	0.031
1271353	Soil	0.6	15.0	9.1	60	<0.1	24.4	10.3	275	3.57	25.9	1.1	2.3	7.2	28	<0.1	0.5	0.3	64	0.61	0.072
1271354	Soil	1.5	11.0	8.3	81	<0.1	21.6	22.4	865	3.72	14.0	0.7	<0.5	6.6	31	<0.1	0.2	0.3	64	0.76	0.097
1269500	Soil	0.4	36.1	5.6	62	<0.1	52.6	20.3	431	3.76	34.6	0.9	1.2	3.4	55	0.1	0.2	<0.1	63	1.26	0.075
1283224	Soil	1.5	139.4	5.2	141	0.1	130.9	40.1	1918	8.28	19.9	0.9	10.8	3.3	38	0.3	1.2	0.3	311	0.41	0.102
1271352	Soil	0.3	37.1	6.2	79	<0.1	49.4	22.7	472	4.46	9.0	0.8	0.5	5.4	65	0.2	0.1	<0.1	80	1.07	0.102
1269497	Soil	2.4	32.7	5.1	73	<0.1	42.0	22.8	707	5.00	19.6	0.8	<0.5	5.0	37	<0.1	0.2	<0.1	69	0.86	0.101
1269498	Soil	0.5	23.6	3.5	91	<0.1	26.2	29.3	827	5.39	6.3	0.4	<0.5	3.5	38	<0.1	0.1	<0.1	85	1.02	0.169
1283228	Soil	1.6	64.6	10.3	97	0.6	43.9	11.5	434	3.24	114.8	1.8	19.4	5.3	19	0.4	2.6	0.2	84	0.17	0.029
1271360	Soil	2.5	29.0	6.8	51	<0.1	50.2	16.6	584	4.11	127.3	1.8	<0.5	17.6	21	<0.1	0.6	0.8	69	0.27	0.052
1271363	Soil	0.2	80.3	3.5	45	<0.1	22.8	20.9	552	5.17	232.5	0.6	<0.5	3.3	20	<0.1	0.6	<0.1	170	0.54	0.024
1271373	Soil	1.3	31.7	8.6	53	0.1	22.6	10.5	595	2.76	7.4	5.2	5.6	10.3	22	<0.1	0.5	0.2	50	0.61	0.042
1269496	Soil	0.9	22.1	6.3	73	<0.1	37.7	19.2	412	3.91	5.6	0.6	1.1	4.8	31	<0.1	0.1	<0.1	69	0.71	0.069

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000235.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1283230	Soil	14	39	0.58	268	0.092	1	1.50	0.014	0.10	0.1	<0.01	5.7	0.1	<0.05	5	<0.5	<0.2
1283234	Soil	20	55	0.87	201	0.116	1	1.90	0.009	0.35	0.1	0.02	6.0	0.4	<0.05	7	<0.5	<0.2
1283422	Soil	13	32	0.48	190	0.062	<1	1.96	0.009	0.07	0.1	0.01	4.7	0.2	<0.05	7	<0.5	<0.2
1283420	Soil	29	24	0.71	263	0.141	1	1.72	0.018	0.12	0.2	0.03	5.6	0.2	<0.05	6	<0.5	<0.2
1283229	Soil	12	40	0.54	274	0.063	1	1.94	0.009	0.11	0.1	0.02	4.4	0.2	<0.05	6	<0.5	<0.2
1284796	Soil	11	15	1.18	223	0.085	1	2.18	0.011	0.32	0.3	<0.01	7.5	0.2	<0.05	13	<0.5	<0.2
1283423	Soil	20	29	0.64	261	0.127	<1	1.88	0.012	0.13	0.1	0.01	4.6	0.2	<0.05	7	<0.5	<0.2
1283226	Soil	16	36	0.78	239	0.106	<1	1.76	0.009	0.24	0.1	<0.01	3.9	0.3	0.08	5	<0.5	<0.2
1283232	Soil	14	52	0.83	294	0.104	<1	2.13	0.008	0.17	0.1	0.02	5.4	0.2	<0.05	7	<0.5	<0.2
1283416	Soil	10	43	0.69	238	0.097	<1	1.89	0.014	0.23	0.2	<0.01	6.2	0.2	<0.05	8	<0.5	<0.2
1269493	Soil	46	34	0.72	127	0.089	2	1.82	0.012	0.16	0.3	0.02	3.9	0.2	<0.05	7	<0.5	<0.2
1269494	Soil	586	36	0.50	293	0.038	3	2.65	0.010	0.14	0.3	0.18	9.6	0.2	0.08	8	<0.5	<0.2
1283424	Soil	20	43	0.96	231	0.104	1	2.24	0.015	0.13	0.2	0.01	9.7	0.2	<0.05	7	<0.5	<0.2
1283425	Soil	32	30	0.78	359	0.148	2	1.79	0.023	0.21	0.2	0.02	7.7	0.4	<0.05	7	<0.5	<0.2
1271355	Soil	47	87	1.79	328	0.151	3	2.46	0.011	0.77	0.1	0.04	7.8	0.5	<0.05	8	<0.5	<0.2
1269495	Soil	9	57	0.89	104	0.095	1	1.48	0.011	0.16	0.1	0.04	3.5	0.2	<0.05	4	<0.5	<0.2
1269499	Soil	10	60	1.51	237	0.134	1	1.99	0.010	0.32	0.1	0.04	3.2	0.3	<0.05	6	<0.5	<0.2
1283225	Soil	14	32	0.74	221	0.096	<1	1.66	0.008	0.25	<0.1	0.01	3.6	0.3	0.07	5	<0.5	<0.2
1271353	Soil	21	40	0.99	157	0.104	1	1.77	0.022	0.28	0.1	0.04	4.6	0.3	<0.05	6	<0.5	<0.2
1271354	Soil	12	35	1.12	176	0.115	2	1.74	0.013	0.38	0.2	0.02	3.6	0.3	<0.05	7	<0.5	<0.2
1269500	Soil	15	73	1.24	178	0.099	1	1.77	0.011	0.18	0.1	0.03	5.8	0.3	<0.05	6	<0.5	0.2
1283224	Soil	16	224	3.11	1921	0.367	<1	4.16	0.014	1.64	0.9	0.08	20.0	2.2	<0.05	17	<0.5	<0.2
1271352	Soil	18	86	1.92	179	0.179	1	2.57	0.010	0.66	0.2	0.01	5.0	0.5	<0.05	8	<0.5	<0.2
1269497	Soil	14	67	1.50	164	0.139	2	2.06	0.010	0.38	0.1	0.01	3.6	0.3	<0.05	6	<0.5	<0.2
1269498	Soil	7	52	3.07	176	0.217	<1	3.28	0.006	0.74	0.1	<0.01	1.9	0.7	<0.05	9	<0.5	<0.2
1283228	Soil	20	49	0.60	403	0.090	1	2.00	0.010	0.09	0.1	0.20	9.0	0.4	<0.05	6	<0.5	<0.2
1271360	Soil	57	38	1.08	167	0.070	2	1.91	0.008	0.29	<0.1	0.09	8.4	1.2	<0.05	5	<0.5	<0.2
1271363	Soil	7	31	2.12	95	0.028	<1	3.40	0.010	0.26	<0.1	0.02	17.1	0.2	<0.05	9	<0.5	<0.2
1271373	Soil	37	30	0.48	341	0.041	2	1.37	0.011	0.12	<0.1	0.03	9.3	0.1	<0.05	4	<0.5	<0.2
1269496	Soil	11	74	1.81	177	0.162	1	2.40	0.009	0.36	<0.1	0.01	2.9	0.4	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000235.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1271367	Soil	1.3	14.4	8.2	54	<0.1	30.1	18.7	651	3.92	16.6	1.4	0.7	16.7	22	<0.1	0.2	0.3	88	0.46	0.033
1271365	Soil	1.3	20.8	10.9	47	<0.1	27.6	13.7	398	3.15	34.0	0.6	0.8	7.0	16	<0.1	0.6	0.5	77	0.32	0.015
1271372	Soil	1.0	35.8	8.8	56	<0.1	28.9	14.0	363	3.25	9.4	1.5	4.4	14.5	23	0.1	0.5	0.4	70	0.52	0.039
1271368	Soil	1.1	18.9	13.6	46	<0.1	24.8	16.1	511	3.46	17.0	1.6	1.9	26.2	19	<0.1	0.3	0.3	79	0.47	0.034
1271362	Soil	0.6	56.3	5.2	42	<0.1	29.7	17.6	428	4.01	14.2	0.4	<0.5	4.3	15	<0.1	0.5	0.2	99	0.34	0.016
1271357	Soil	0.7	22.3	14.5	99	<0.1	32.1	13.5	278	2.88	11.5	1.4	1.9	11.1	33	0.2	0.3	0.2	54	0.80	0.057
1271370	Soil	1.4	23.7	10.4	47	<0.1	27.3	16.3	492	3.11	12.1	1.4	6.6	21.8	19	<0.1	0.5	0.3	69	0.44	0.033
1271369	Soil	1.3	24.8	12.9	57	<0.1	29.3	14.9	477	3.44	21.8	1.5	4.0	28.3	19	0.1	0.5	0.3	74	0.43	0.035
1271364	Soil	1.5	24.5	10.7	59	<0.1	33.3	16.6	516	3.52	24.9	0.6	23.2	8.0	20	0.2	0.5	0.3	84	0.32	0.021
1271359	Soil	1.9	25.9	18.0	72	<0.1	33.1	19.0	490	3.58	16.5	0.9	0.6	8.2	14	<0.1	0.4	0.3	66	0.18	0.036
1271351	Rock Pulp	2.7	27.0	2.3	41	0.3	25.4	11.0	392	2.45	4.8	0.3	<0.5	0.9	39	0.2	0.3	<0.1	68	0.83	0.056
1271371	Soil	1.4	25.1	11.6	50	<0.1	30.2	17.8	481	3.56	11.7	1.1	30.3	16.2	19	<0.1	0.6	0.3	78	0.48	0.029
1284971	Soil	0.9	57.3	8.6	79	0.4	21.7	15.0	560	3.24	4.0	3.1	2.4	3.6	51	0.1	0.3	<0.1	81	0.61	0.100
1284972	Soil	1.0	95.9	4.1	41	0.4	16.4	13.9	983	2.00	2.8	3.1	2.3	1.2	107	0.4	0.3	<0.1	54	1.52	0.097
1284968	Soil	1.3	11.6	12.6	90	<0.1	14.9	16.4	1223	4.01	12.3	0.8	0.7	5.7	17	0.1	0.4	0.1	107	0.28	0.087
1271366	Soil	1.6	14.6	10.2	51	0.1	22.4	13.8	731	3.20	17.3	1.0	2.4	9.9	20	<0.1	0.4	0.2	78	0.40	0.025
1283482	Soil	0.7	10.4	10.4	86	<0.1	12.8	8.1	371	3.32	18.8	2.0	6.8	9.2	26	0.2	0.5	0.1	67	0.36	0.077
1283481	Soil	0.7	31.8	7.4	81	0.1	18.6	14.7	580	3.47	6.5	1.3	2.4	4.8	39	0.2	0.5	<0.1	93	0.55	0.072
1283480	Soil	0.6	83.0	8.6	104	0.1	22.1	21.2	959	5.11	12.3	1.5	3.2	5.6	46	0.1	1.4	<0.1	131	0.79	0.113
1271358	Soil	1.3	35.8	15.8	60	0.1	39.2	15.9	253	3.47	16.9	2.6	2.5	8.7	39	0.1	0.4	0.2	57	0.89	0.048
1284951	Rock Pulp	2.7	26.4	2.5	42	0.3	25.3	11.1	387	2.42	4.8	0.2	1.6	0.9	38	0.2	0.3	<0.1	64	0.80	0.058
1283479	Soil	0.7	145.3	3.5	61	<0.1	13.6	21.5	388	5.00	3.7	0.3	<0.5	1.2	20	<0.1	0.2	<0.1	183	0.25	0.045
1283484	Soil	1.2	19.1	9.4	63	0.3	15.5	7.2	352	2.51	7.5	3.4	1.7	3.4	31	0.2	0.4	0.1	54	0.33	0.084
1271361	Soil	4.3	67.2	12.9	81	0.2	97.7	44.2	761	6.30	112.6	1.2	127.8	8.0	14	0.3	1.1	2.6	61	0.25	0.072
1284969	Soil	1.3	12.8	8.4	93	<0.1	14.4	16.1	861	4.01	10.1	2.6	1.1	7.5	30	0.2	0.4	0.1	89	0.38	0.077
1284967	Soil	1.0	17.3	10.2	87	0.1	18.1	12.4	367	3.48	7.5	2.8	2.7	8.3	26	0.1	0.7	0.2	77	0.38	0.077
1283483	Soil	1.2	14.6	9.9	83	0.2	14.6	12.1	826	3.00	21.7	2.3	4.1	7.9	28	0.2	0.6	0.1	63	0.36	0.074
1271356	Soil	0.8	19.3	8.3	68	<0.1	25.7	16.9	604	3.46	10.7	1.4	1.0	10.2	35	0.1	0.2	0.1	63	0.86	0.073
1284966	Soil	1.3	27.2	10.2	79	0.1	24.1	14.8	558	3.66	13.3	2.7	3.6	9.8	22	0.1	0.6	0.2	83	0.29	0.053
1284970	Soil	0.7	28.0	6.6	91	0.1	19.6	16.3	572	4.12	4.6	1.7	1.8	6.3	36	0.2	0.4	0.1	103	0.48	0.095

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000235.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1271367	Soil	19	87	1.97	133	0.140	2	2.46	0.005	0.57	0.1	0.01	4.8	0.6	<0.05	8	<0.5	<0.2
1271365	Soil	12	44	0.74	153	0.073	1	1.80	0.010	0.07	0.1	0.02	4.3	0.1	<0.05	6	<0.5	<0.2
1271372	Soil	31	49	1.00	216	0.113	2	1.94	0.014	0.14	0.2	0.03	5.8	0.2	<0.05	5	<0.5	<0.2
1271368	Soil	57	62	1.53	146	0.134	<1	2.11	0.008	0.37	0.1	0.02	4.8	0.4	<0.05	6	<0.5	<0.2
1271362	Soil	7	42	1.31	147	0.113	<1	2.36	0.013	0.21	0.1	0.02	6.8	0.3	<0.05	5	<0.5	<0.2
1271357	Soil	31	48	0.97	153	0.109	3	1.76	0.011	0.26	0.1	0.04	4.6	0.3	0.07	6	<0.5	<0.2
1271370	Soil	46	49	0.89	141	0.093	<1	1.75	0.010	0.13	0.2	0.02	5.7	0.2	<0.05	5	<0.5	<0.2
1271369	Soil	47	59	0.96	169	0.111	<1	2.07	0.011	0.15	0.2	0.03	6.2	0.3	<0.05	6	<0.5	<0.2
1271364	Soil	9	54	0.84	193	0.087	2	2.41	0.009	0.14	0.2	0.03	4.6	0.2	<0.05	6	<0.5	<0.2
1271359	Soil	13	44	0.75	166	0.089	2	2.08	0.007	0.11	0.1	0.02	4.4	0.3	<0.05	6	<0.5	<0.2
1271351	Rock Pulp	4	32	0.78	94	0.124	4	1.48	0.066	0.11	13.4	0.01	4.8	<0.1	0.08	5	<0.5	<0.2
1271371	Soil	26	56	1.24	139	0.104	1	2.08	0.010	0.20	0.1	0.02	5.3	0.2	<0.05	5	<0.5	<0.2
1284971	Soil	32	37	0.76	302	0.065	1	2.05	0.022	0.06	0.1	0.08	9.0	0.1	0.09	7	<0.5	<0.2
1284972	Soil	39	25	0.42	289	0.048	2	1.25	0.012	0.05	0.1	0.12	7.5	0.2	0.17	3	<0.5	<0.2
1284968	Soil	11	30	0.72	185	0.128	<1	1.77	0.009	0.12	0.1	0.02	5.2	0.2	0.05	9	<0.5	<0.2
1271366	Soil	18	48	0.97	168	0.127	2	1.89	0.014	0.35	0.1	0.02	4.5	0.3	0.05	6	<0.5	<0.2
1283482	Soil	21	25	0.61	302	0.079	<1	1.76	0.009	0.08	<0.1	0.05	5.9	0.2	0.07	8	<0.5	<0.2
1283481	Soil	19	35	0.82	309	0.081	<1	1.64	0.021	0.07	<0.1	0.03	7.2	0.1	0.07	7	<0.5	<0.2
1283480	Soil	23	38	1.03	380	0.110	<1	2.09	0.021	0.13	<0.1	0.04	11.3	0.1	<0.05	10	<0.5	<0.2
1271358	Soil	30	47	0.89	174	0.100	2	1.82	0.011	0.22	0.1	0.05	5.5	0.3	0.08	6	<0.5	<0.2
1284951	Rock Pulp	4	34	0.77	92	0.121	2	1.47	0.067	0.11	12.5	0.01	4.7	<0.1	0.08	5	<0.5	<0.2
1283479	Soil	8	18	1.56	207	0.436	<1	2.31	0.011	0.53	<0.1	<0.01	4.5	0.2	<0.05	9	<0.5	<0.2
1283484	Soil	34	30	0.44	377	0.055	<1	1.77	0.009	0.06	0.1	0.06	5.2	0.2	0.09	7	0.5	<0.2
1271361	Soil	24	33	0.42	169	0.016	1	1.36	0.005	0.11	<0.1	0.04	9.5	0.4	<0.05	4	<0.5	<0.2
1284969	Soil	21	29	0.69	315	0.102	1	1.68	0.010	0.08	0.1	0.02	5.5	0.1	<0.05	8	<0.5	<0.2
1284967	Soil	27	31	0.66	314	0.092	2	1.78	0.019	0.07	0.2	0.06	6.5	0.2	0.05	7	<0.5	<0.2
1283483	Soil	25	27	0.57	316	0.073	1	1.66	0.010	0.09	0.1	0.05	6.0	0.2	0.06	7	<0.5	<0.2
1271356	Soil	32	41	1.25	216	0.131	2	1.66	0.009	0.43	0.2	0.02	4.4	0.3	0.05	6	<0.5	<0.2
1284966	Soil	19	41	0.70	247	0.119	<1	2.44	0.011	0.09	0.1	0.04	5.6	0.2	<0.05	8	<0.5	<0.2
1284970	Soil	20	42	0.80	284	0.076	<1	2.00	0.014	0.09	<0.1	0.04	7.7	0.1	<0.05	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000235.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1283478	Soil	0.9	71.7	4.4	65	<0.1	16.4	20.2	785	3.60	4.3	0.6	0.7	2.0	31	0.1	0.3	<0.1	123	0.46	0.067
1283155	Soil	1.8	16.6	9.3	54	<0.1	28.4	14.0	943	3.00	5.9	0.5	0.8	3.4	27	<0.1	0.5	0.1	74	0.56	0.016
1283152	Soil	1.6	22.6	8.0	53	<0.1	25.0	14.8	474	3.70	8.9	0.6	<0.5	5.2	20	<0.1	0.9	0.1	72	0.38	0.021
1283148	Soil	0.9	13.2	16.8	43	0.1	9.1	3.6	135	1.43	8.7	1.1	36.1	21.5	9	<0.1	1.3	0.2	20	0.17	0.009
1283144	Soil	0.6	15.7	4.2	40	<0.1	70.3	24.9	399	3.61	7.8	0.6	<0.5	10.3	24	<0.1	0.3	<0.1	81	0.45	0.055
1283143	Soil	0.9	103.4	9.6	54	0.2	40.6	27.4	894	4.27	8.6	1.8	132.3	4.0	38	0.2	0.5	<0.1	105	0.85	0.087
1283147	Soil	1.1	27.5	23.2	54	0.6	28.7	11.6	375	2.98	13.7	0.9	9.6	10.3	21	0.1	1.8	0.2	65	0.37	0.015
1283154	Soil	0.6	25.1	7.1	58	<0.1	57.9	23.5	663	4.05	6.5	1.4	3.5	8.0	36	0.1	0.4	<0.1	86	0.67	0.110
1283139	Soil	1.6	26.2	15.1	102	0.6	33.4	9.8	282	3.02	43.1	0.6	2.3	3.2	20	0.5	1.7	0.2	77	0.22	0.038
1283141	Soil	1.8	58.5	4.1	112	0.1	169.9	44.7	627	6.71	9.2	0.7	1.0	2.1	32	0.2	0.6	<0.1	165	0.88	0.174
1283149	Soil	1.2	21.4	12.9	54	0.1	32.3	17.8	657	3.85	12.3	2.7	4.6	20.1	52	0.1	1.4	0.3	53	2.75	0.061
1283142	Soil	1.0	61.8	8.6	57	<0.1	38.7	26.1	605	4.87	8.7	0.5	3.2	2.5	23	<0.1	0.4	0.1	108	0.50	0.057
1283153	Soil	1.0	57.0	2.5	28	<0.1	43.4	23.9	769	4.84	4.2	0.6	2.6	3.3	16	<0.1	1.0	<0.1	107	0.62	0.121
1283145	Soil	1.0	46.4	9.3	62	0.1	45.6	24.1	875	4.85	9.9	0.9	5.5	7.5	58	<0.1	1.2	0.1	97	2.62	0.079
1283150	Soil	1.8	35.7	8.5	74	<0.1	50.6	24.4	775	5.68	5.2	1.2	1.3	23.2	20	<0.1	1.3	0.1	141	0.60	0.106
1283158	Soil	1.6	27.9	13.1	51	0.1	55.3	16.2	659	3.52	22.7	2.0	8.0	12.3	37	0.1	4.5	0.1	51	0.89	0.048
1283157	Soil	0.7	32.4	7.9	53	0.1	238.3	29.2	570	3.70	28.1	0.9	6.7	7.7	50	0.1	2.3	<0.1	64	1.57	0.056
1283151	Rock Pulp	2.4	24.5	2.1	40	0.3	23.4	10.1	396	2.36	4.5	0.2	1.0	0.9	34	0.2	0.3	<0.1	65	0.80	0.056
1283146	Soil	0.7	40.3	7.4	64	0.2	53.0	28.4	960	5.85	5.5	1.5	7.5	8.3	81	0.1	0.8	<0.1	96	4.11	0.144
1283159	Soil	1.0	32.0	10.1	57	0.1	27.4	11.3	397	3.02	8.0	1.0	7.6	13.2	27	<0.1	0.7	0.2	58	0.62	0.047
1283381	Soil	1.6	9.8	10.6	86	<0.1	10.4	8.2	480	2.63	16.7	1.2	2.0	2.8	20	0.1	2.7	0.2	56	0.29	0.083
1283378	Soil	0.7	66.8	4.8	62	<0.1	17.1	12.9	326	3.08	4.3	1.1	1.1	2.1	20	0.1	0.3	<0.1	92	0.30	0.050
1283391	Soil	0.9	15.9	12.3	81	<0.1	17.9	11.1	595	3.17	33.9	2.5	6.8	11.2	26	0.2	0.7	0.1	74	0.46	0.078
1283851	Soil	1.1	13.0	12.4	62	<0.1	19.1	10.7	543	3.22	15.2	1.2	2.5	7.0	20	0.1	1.0	0.1	74	0.32	0.054
1283383	Soil	1.6	12.0	9.3	70	<0.1	14.6	9.2	404	3.89	70.0	3.0	5.3	8.5	31	<0.1	19.1	0.1	83	0.50	0.073
1283382	Soil	1.4	12.6	13.5	61	0.3	12.9	12.9	753	2.41	27.9	2.3	5.3	2.8	28	0.2	4.6	0.2	78	0.38	0.092
1283377	Soil	3.1	104.5	12.0	89	0.2	15.3	23.7	1114	6.10	6.8	1.9	4.2	9.5	52	<0.1	1.2	0.2	114	0.79	0.075
1283380	Soil	0.5	9.6	7.0	113	<0.1	11.1	8.7	542	3.41	4.7	1.1	1.6	8.5	23	0.2	1.1	<0.1	63	0.46	0.119
1283384	Soil	1.0	11.9	9.4	69	<0.1	15.8	10.1	464	3.18	22.6	1.6	2.4	7.5	22	<0.1	6.1	<0.1	73	0.35	0.058
1283385	Soil	2.7	28.0	24.8	66	0.4	22.1	30.7	3980	3.85	153.9	11.5	21.1	4.4	38	0.5	20.1	0.2	77	0.47	0.114

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000235.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1283478	Soil	10	30	0.88	175	0.194	<1	1.56	0.023	0.14	<0.1	0.02	5.0	0.1	0.05	7	<0.5	<0.2
1283155	Soil	10	47	0.57	341	0.084	<1	1.81	0.011	0.12	0.1	0.02	3.6	0.1	<0.05	6	<0.5	<0.2
1283152	Soil	11	43	0.70	278	0.093	1	1.75	0.011	0.27	0.1	0.02	8.5	0.1	<0.05	6	<0.5	<0.2
1283148	Soil	10	14	0.14	102	0.010	<1	0.67	0.003	0.08	0.1	0.01	2.7	<0.1	0.05	2	<0.5	<0.2
1283144	Soil	18	172	2.08	210	0.164	2	2.26	0.008	0.65	0.1	<0.01	5.6	0.3	<0.05	6	<0.5	<0.2
1283143	Soil	20	79	1.83	268	0.099	1	2.08	0.011	0.22	0.1	0.06	11.0	0.2	0.07	7	<0.5	<0.2
1283147	Soil	21	43	0.52	249	0.076	2	1.48	0.014	0.11	0.2	0.06	6.6	<0.1	<0.05	5	<0.5	<0.2
1283154	Soil	44	237	1.98	444	0.132	2	2.36	0.010	0.21	0.2	0.02	7.7	0.2	<0.05	8	<0.5	<0.2
1283139	Soil	9	38	0.52	298	0.057	1	1.69	0.007	0.12	0.2	0.04	3.2	0.4	<0.05	6	0.5	<0.2
1283141	Soil	14	219	2.96	1491	0.346	1	3.75	0.021	1.26	0.2	<0.01	6.8	1.1	<0.05	18	0.5	<0.2
1283149	Soil	56	50	0.53	429	0.015	3	0.90	0.004	0.22	0.1	0.08	9.3	0.3	<0.05	4	<0.5	<0.2
1283142	Soil	12	65	1.51	272	0.104	3	2.51	0.012	0.18	0.1	0.02	7.1	0.2	<0.05	8	<0.5	<0.2
1283153	Soil	38	92	2.21	208	0.047	3	2.63	0.007	0.42	<0.1	0.03	17.7	0.5	<0.05	9	<0.5	<0.2
1283145	Soil	30	64	1.60	267	0.052	2	2.12	0.014	0.19	0.1	0.05	9.8	0.2	<0.05	8	<0.5	<0.2
1283150	Soil	29	114	2.10	264	0.159	2	2.76	0.007	0.62	0.1	0.01	13.4	0.6	<0.05	10	<0.5	<0.2
1283158	Soil	37	61	0.62	453	0.031	4	1.24	0.012	0.15	0.2	0.07	7.6	0.2	<0.05	5	<0.5	<0.2
1283157	Soil	28	261	1.85	298	0.084	3	1.71	0.009	0.47	0.2	0.03	7.7	0.3	<0.05	6	0.5	<0.2
1283151	Rock Pulp	4	30	0.76	91	0.110	2	1.41	0.075	0.10	13.7	<0.01	4.4	<0.1	<0.05	5	<0.5	<0.2
1283146	Soil	47	87	1.52	470	0.004	3	1.86	0.005	0.15	<0.1	0.07	15.1	0.2	<0.05	7	<0.5	<0.2
1283159	Soil	36	36	0.65	323	0.068	1	1.53	0.019	0.11	0.2	0.07	6.1	0.1	<0.05	5	<0.5	<0.2
1283381	Soil	10	26	0.39	147	0.027	<1	1.05	0.010	0.07	0.2	0.05	3.8	0.1	<0.05	7	<0.5	<0.2
1283378	Soil	13	34	0.87	197	0.148	1	1.61	0.021	0.14	<0.1	0.03	4.7	0.1	<0.05	8	<0.5	<0.2
1283391	Soil	25	32	0.66	359	0.119	2	1.84	0.014	0.09	0.2	0.03	5.4	0.3	<0.05	7	<0.5	<0.2
1283851	Soil	18	32	0.61	263	0.111	2	1.86	0.012	0.08	0.2	0.01	4.5	0.2	<0.05	7	<0.5	<0.2
1283383	Soil	24	30	0.56	296	0.098	2	1.55	0.014	0.07	0.2	0.07	4.8	0.2	<0.05	6	0.5	<0.2
1283382	Soil	15	28	0.42	255	0.052	2	1.42	0.011	0.06	0.2	0.07	3.8	0.2	<0.05	7	<0.5	<0.2
1283377	Soil	22	27	1.09	236	0.169	2	2.00	0.023	0.28	0.1	0.08	12.6	0.4	<0.05	10	<0.5	<0.2
1283380	Soil	20	18	0.54	269	0.050	<1	1.40	0.009	0.11	<0.1	0.01	6.1	0.1	<0.05	7	<0.5	<0.2
1283384	Soil	20	29	0.63	288	0.135	1	1.83	0.013	0.08	0.2	0.03	4.4	0.3	<0.05	7	<0.5	<0.2
1283385	Soil	128	35	0.41	650	0.040	2	2.32	0.013	0.07	0.1	0.13	6.1	0.4	0.07	9	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000235.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1283388	Soil	1.0	22.1	13.6	68	0.1	22.0	10.8	349	3.31	7.5	4.1	3.6	13.7	29	0.1	0.6	0.1	70	0.48	0.078
1283379	Soil	0.6	64.4	6.0	73	<0.1	20.2	16.1	548	3.58	4.4	0.7	2.2	3.3	34	<0.1	0.4	<0.1	106	0.52	0.092
1283387	Soil	1.4	15.7	10.6	72	<0.1	19.3	12.0	486	3.50	28.7	2.0	4.6	9.4	26	0.1	0.7	0.1	74	0.44	0.090
1283386	Soil	1.3	19.6	13.2	76	<0.1	20.0	12.3	429	3.47	27.5	3.2	6.1	13.1	24	0.2	0.8	0.1	77	0.39	0.076
1283156	Soil	1.0	42.4	11.4	61	0.1	70.2	18.8	536	3.75	10.9	1.9	9.9	11.5	47	0.2	1.6	<0.1	70	1.02	0.063
1283133	Soil	2.3	86.9	12.3	185	0.3	109.7	29.5	937	6.40	120.0	1.5	11.4	4.5	22	1.0	5.5	0.1	253	0.56	0.102
1283389	Soil	1.5	23.8	10.4	63	0.1	24.9	10.7	436	2.94	10.5	7.0	2.4	8.0	36	<0.1	0.5	0.1	67	0.51	0.075
1283390	Soil	1.1	16.5	10.6	72	<0.1	18.2	11.2	584	3.13	6.7	2.0	3.5	8.7	23	0.2	0.6	0.1	71	0.37	0.063
1283116	Soil	2.2	43.6	10.1	98	0.4	52.3	11.5	557	3.16	54.9	1.0	3.0	3.9	21	0.3	3.8	<0.1	91	0.29	0.051

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

CERTIFICATE OF ANALYSIS WHI12000235.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1283388	Soil	43	34	0.62	360	0.107	1	1.85	0.015	0.08	0.2	0.04	6.1	0.2	<0.05	7	0.5	<0.2
1283379	Soil	12	36	1.04	257	0.126	1	1.95	0.041	0.17	<0.1	0.02	5.6	0.1	<0.05	8	<0.5	<0.2
1283387	Soil	19	33	0.68	285	0.113	1	1.82	0.014	0.09	0.2	0.04	4.7	0.3	<0.05	7	<0.5	<0.2
1283386	Soil	28	35	0.70	378	0.125	2	2.04	0.014	0.10	0.1	0.05	6.1	0.4	<0.05	8	<0.5	<0.2
1283156	Soil	35	102	1.46	369	0.086	2	1.82	0.013	0.46	0.1	0.04	8.4	0.4	<0.05	6	0.6	<0.2
1283133	Soil	19	165	1.85	651	0.144	<1	3.11	0.011	0.48	0.1	0.02	17.3	0.4	<0.05	14	1.2	<0.2
1283389	Soil	27	40	0.64	359	0.095	2	1.81	0.017	0.07	0.2	0.05	6.1	0.2	<0.05	6	<0.5	<0.2
1283390	Soil	20	32	0.64	284	0.105	1	1.81	0.011	0.10	0.1	0.03	5.4	0.2	<0.05	7	<0.5	<0.2
1283116	Soil	17	56	0.64	447	0.087	1	1.56	0.011	0.18	0.1	0.04	5.7	0.3	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

QUALITY CONTROL REPORT WHI12000235.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
1269289	Soil	1.1	18.1	13.8	43	<0.1	26.0	10.1	371	2.58	11.5	1.2	1.6	11.3	26	0.1	0.3	0.4	59	0.40	0.033
REP 1269289	QC	1.0	18.1	11.0	41	<0.1	24.6	10.1	374	2.60	11.2	1.3	1.8	11.6	26	<0.1	0.4	0.3	59	0.40	0.032
1269290	Soil	1.3	19.7	13.6	46	<0.1	30.3	11.5	408	2.84	13.5	1.1	1.9	13.3	24	<0.1	0.4	0.2	65	0.37	0.024
REP 1269290	QC	1.3	19.2	15.0	43	<0.1	29.9	11.3	401	2.81	13.0	1.1	5.8	13.4	24	<0.1	0.4	0.3	65	0.36	0.026
1269268	Soil	0.7	32.9	9.7	79	<0.1	70.1	20.7	593	4.01	15.4	0.9	2.0	9.7	39	<0.1	0.6	0.1	62	0.91	0.044
REP 1269268	QC	0.6	32.1	10.3	80	<0.1	68.0	21.4	592	4.04	15.5	1.0	2.6	10.2	38	<0.1	0.6	0.1	63	0.89	0.044
1284642	Soil	1.3	26.8	12.7	64	<0.1	31.9	16.3	660	3.51	8.0	1.2	14.2	21.3	26	<0.1	0.7	0.2	64	0.58	0.059
REP 1284642	QC	1.2	28.9	12.6	65	<0.1	31.9	16.5	663	3.53	7.9	1.2	3.8	21.1	26	0.1	0.6	0.3	63	0.59	0.059
1269400	Soil	0.9	33.6	7.8	54	0.1	28.9	12.2	530	2.57	9.6	1.0	3.8	3.3	45	0.2	0.6	0.1	61	0.87	0.068
REP 1269400	QC	0.9	33.7	8.0	54	0.1	29.5	11.9	527	2.59	10.0	1.0	3.2	3.4	45	0.2	0.6	0.1	62	0.88	0.065
1271607	Soil	1.6	14.9	8.1	40	<0.1	12.2	10.0	852	3.49	5.6	0.8	4.2	2.2	33	<0.1	0.6	0.2	28	2.76	0.024
REP 1271607	QC	1.5	15.0	8.8	40	<0.1	12.4	10.4	836	3.47	5.7	0.8	4.3	2.3	34	<0.1	0.6	0.1	30	2.81	0.024
1284934	Soil	0.8	31.5	12.0	56	0.1	44.8	16.5	581	3.73	9.6	1.5	14.0	6.0	64	0.1	1.0	0.2	61	1.83	0.082
REP 1284934	QC	0.9	31.4	12.1	56	0.2	44.5	16.1	572	3.56	9.6	1.5	15.6	6.0	62	0.1	1.0	0.2	61	1.85	0.084
1284939	Soil	1.8	22.2	17.1	54	<0.1	28.3	10.5	321	3.07	9.1	1.2	7.4	27.5	26	<0.1	0.6	0.2	60	0.35	0.017
REP 1284939	QC	1.9	22.2	16.7	54	<0.1	28.6	10.4	322	3.07	9.3	1.2	7.7	27.8	25	<0.1	0.6	0.2	60	0.34	0.018
1283417	Soil	1.0	16.2	9.3	73	0.1	15.3	10.9	779	2.69	25.7	3.3	8.3	5.7	41	0.1	2.3	0.2	66	0.64	0.062
REP 1283417	QC	1.0	16.6	9.4	72	0.1	15.3	11.8	786	2.73	27.0	3.6	6.1	5.5	43	0.1	2.1	0.3	67	0.67	0.065
1283422	Soil	1.3	13.0	9.8	48	<0.1	15.3	8.7	260	3.09	21.6	0.8	6.9	5.9	16	<0.1	4.2	0.2	71	0.18	0.026
REP 1283422	QC	1.1	12.6	9.4	49	<0.1	14.3	7.8	257	3.02	23.2	0.9	4.8	5.7	16	<0.1	3.7	0.2	71	0.17	0.027
1271367	Soil	1.3	14.4	8.2	54	<0.1	30.1	18.7	651	3.92	16.6	1.4	0.7	16.7	22	<0.1	0.2	0.3	88	0.46	0.033
REP 1271367	QC	1.2	14.9	8.0	53	<0.1	31.2	19.1	653	3.99	17.2	1.4	1.4	16.6	21	<0.1	0.2	0.3	91	0.47	0.034
1271364	Soil	1.5	24.5	10.7	59	<0.1	33.3	16.6	516	3.52	24.9	0.6	23.2	8.0	20	0.2	0.5	0.3	84	0.32	0.021
REP 1271364	QC	1.5	24.0	10.9	57	<0.1	33.0	16.5	514	3.45	24.6	0.6	2.8	8.1	20	0.2	0.5	0.3	83	0.32	0.023
1283147	Soil	1.1	27.5	23.2	54	0.6	28.7	11.6	375	2.98	13.7	0.9	9.6	10.3	21	0.1	1.8	0.2	65	0.37	0.015
REP 1283147	QC	1.1	28.8	23.2	56	0.6	29.0	11.7	378	3.02	13.7	0.9	11.8	10.4	21	0.1	1.7	0.2	66	0.41	0.016
1283150	Soil	1.8	35.7	8.5	74	<0.1	50.6	24.4	775	5.68	5.2	1.2	1.3	23.2	20	<0.1	1.3	0.1	141	0.60	0.106
REP 1283150	QC	1.7	36.1	8.8	76	<0.1	51.7	24.7	788	5.82	5.4	1.2	0.8	24.1	21	<0.1	1.2	0.1	145	0.62	0.106

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

QUALITY CONTROL REPORT WHI12000235.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
1269289	Soil	24	48	0.70	179	0.092	2	1.42	0.010	0.09	0.2	0.02	3.8	0.1	<0.05	5	<0.5	<0.2
REP 1269289	QC	24	48	0.71	176	0.095	2	1.44	0.010	0.09	0.2	0.03	3.7	0.1	<0.05	5	<0.5	<0.2
1269290	Soil	20	56	0.78	185	0.110	1	1.64	0.012	0.11	0.2	0.02	4.5	0.1	0.06	5	<0.5	<0.2
REP 1269290	QC	20	56	0.79	186	0.107	2	1.65	0.016	0.11	0.2	0.02	4.4	0.1	<0.05	5	<0.5	<0.2
1269268	Soil	30	85	1.43	219	0.123	2	2.04	0.009	0.30	0.2	0.05	5.6	0.5	<0.05	7	<0.5	<0.2
REP 1269268	QC	30	84	1.40	220	0.124	2	2.03	0.009	0.30	0.3	0.05	5.7	0.5	<0.05	7	0.6	<0.2
1284642	Soil	53	44	0.91	319	0.092	2	1.67	0.012	0.24	0.2	0.05	6.2	0.3	<0.05	6	<0.5	<0.2
REP 1284642	QC	54	44	0.90	323	0.092	2	1.70	0.013	0.24	0.2	0.04	6.3	0.3	<0.05	6	<0.5	<0.2
1269400	Soil	13	32	0.60	283	0.078	2	1.47	0.036	0.07	0.2	0.04	4.8	<0.1	<0.05	4	<0.5	<0.2
REP 1269400	QC	14	32	0.62	286	0.078	<1	1.45	0.034	0.07	0.2	0.03	4.7	<0.1	<0.05	4	<0.5	<0.2
1271607	Soil	8	12	0.40	282	0.014	3	0.75	0.010	0.10	<0.1	0.06	8.5	0.2	<0.05	2	<0.5	<0.2
REP 1271607	QC	8	12	0.41	281	0.014	4	0.79	0.011	0.10	<0.1	0.05	8.5	0.1	<0.05	2	0.6	<0.2
1284934	Soil	29	62	0.97	472	0.048	3	1.38	0.015	0.20	0.3	0.05	8.4	0.2	<0.05	5	<0.5	<0.2
REP 1284934	QC	30	62	0.95	484	0.049	3	1.37	0.015	0.20	0.3	0.05	8.5	0.2	<0.05	5	<0.5	<0.2
1284939	Soil	44	44	0.63	199	0.079	1	1.75	0.017	0.10	0.1	0.04	7.1	0.1	<0.05	6	<0.5	<0.2
REP 1284939	QC	44	43	0.64	200	0.079	1	1.83	0.019	0.09	0.1	0.03	7.5	0.1	<0.05	6	<0.5	<0.2
1283417	Soil	15	26	0.58	284	0.082	3	1.50	0.017	0.08	0.3	0.05	5.6	0.1	<0.05	6	<0.5	<0.2
REP 1283417	QC	17	26	0.57	287	0.085	2	1.50	0.017	0.08	0.4	0.05	5.9	0.2	<0.05	6	<0.5	<0.2
1283422	Soil	13	32	0.48	190	0.062	<1	1.96	0.009	0.07	0.1	0.01	4.7	0.2	<0.05	7	<0.5	<0.2
REP 1283422	QC	13	31	0.45	192	0.062	<1	1.86	0.008	0.06	0.2	<0.01	4.8	0.1	<0.05	7	<0.5	<0.2
1271367	Soil	19	87	1.97	133	0.140	2	2.46	0.005	0.57	0.1	0.01	4.8	0.6	<0.05	8	<0.5	<0.2
REP 1271367	QC	18	87	2.05	133	0.140	2	2.54	0.006	0.58	0.1	0.02	5.2	0.6	<0.05	7	<0.5	<0.2
1271364	Soil	9	54	0.84	193	0.087	2	2.41	0.009	0.14	0.2	0.03	4.6	0.2	<0.05	6	<0.5	<0.2
REP 1271364	QC	9	53	0.83	190	0.081	1	2.36	0.008	0.13	0.2	0.02	4.5	0.2	<0.05	6	<0.5	<0.2
1283147	Soil	21	43	0.52	249	0.076	2	1.48	0.014	0.11	0.2	0.06	6.6	<0.1	<0.05	5	<0.5	<0.2
REP 1283147	QC	21	45	0.52	253	0.078	2	1.55	0.015	0.11	0.2	0.06	6.8	0.1	<0.05	5	<0.5	<0.2
1283150	Soil	29	114	2.10	264	0.159	2	2.76	0.007	0.62	0.1	0.01	13.4	0.6	<0.05	10	<0.5	<0.2
REP 1283150	QC	30	117	2.11	270	0.157	2	2.74	0.007	0.64	0.1	<0.01	14.0	0.5	<0.05	11	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

QUALITY CONTROL REPORT WHI12000235.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
Reference Materials																					
STD DS9	Standard	13.5	111.8	115.2	311	2.0	41.8	7.5	595	2.43	25.8	2.5	133.2	5.9	67	2.4	4.9	5.6	47	0.74	0.082
STD DS9	Standard	14.0	103.0	119.6	296	1.8	36.6	7.0	601	2.28	25.7	2.5	107.7	6.0	74	2.2	6.1	7.0	40	0.69	0.077
STD DS9	Standard	13.9	121.2	131.3	320	1.9	44.1	8.0	593	2.47	26.5	2.7	117.3	6.6	71	2.5	5.8	6.6	47	0.72	0.084
STD DS9	Standard	14.4	116.6	124.7	307	1.8	44.6	8.2	589	2.45	25.2	2.7	106.5	6.9	77	2.3	5.8	6.2	46	0.76	0.082
STD DS9	Standard	14.5	120.4	132.0	320	1.8	45.0	8.5	597	2.49	25.2	3.0	119.4	6.8	70	2.4	5.9	6.6	47	0.75	0.085
STD DS9	Standard	13.8	112.2	119.9	302	1.9	42.1	8.0	593	2.38	25.0	2.6	113.9	6.2	65	2.3	5.2	5.3	45	0.70	0.081
STD DS9	Standard	13.3	110.8	126.9	314	1.9	41.4	7.6	600	2.45	25.9	2.6	122.0	6.2	72	2.3	5.7	6.4	44	0.75	0.090
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	3	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 16, 2012

QUALITY CONTROL REPORT WHI12000235.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
Reference Materials																		
STD DS9	Standard	13	124	0.65	313	0.112	2	0.97	0.096	0.40	3.3	0.23	2.7	5.7	0.17	5	6.1	5.5
STD DS9	Standard	14	117	0.59	308	0.110	2	0.98	0.100	0.38	2.9	0.19	2.9	5.5	0.16	5	5.0	5.7
STD DS9	Standard	13	136	0.64	302	0.125	4	0.93	0.068	0.36	3.2	0.22	2.3	5.5	0.21	5	6.1	5.0
STD DS9	Standard	14	132	0.65	305	0.131	3	0.99	0.077	0.36	3.1	0.19	2.9	5.5	0.22	5	4.7	4.8
STD DS9	Standard	14	137	0.65	305	0.129	4	0.95	0.070	0.36	3.1	0.21	2.6	5.4	0.22	4	5.4	5.7
STD DS9	Standard	13	124	0.62	290	0.106	2	0.92	0.079	0.37	3.1	0.21	2.5	5.6	0.15	5	4.9	5.3
STD DS9	Standard	13	121	0.65	300	0.117	3	0.94	0.088	0.37	3.1	0.21	2.5	5.7	0.13	5	5.6	5.4
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	0.08	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	0.10	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 12, 2012
Report Date: July 25, 2012
Page: 1 of 12

CERTIFICATE OF ANALYSIS WHI12000317.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 320

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	314	Dry at 60C sieve 100g to -80 mesh			WHI
Dry at 60C	320	Dry at 60C			WHI
1DX2	320	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000317.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1290450	Soil		6.2	80.5	9.2	125	0.7	94.1	15.0	263	4.36	11.1	1.6	1.8	3.7	34	0.3	0.3	0.2	160	0.17	0.073
1290462	Soil		3.7	45.7	7.4	68	1.6	16.8	4.1	140	2.86	10.5	1.3	2.6	1.0	19	0.2	0.2	0.1	75	0.18	0.075
1290453	Soil		13.2	56.1	22.8	312	0.7	111.8	18.5	1060	3.89	122.1	1.1	1.3	3.3	30	1.7	0.6	0.2	103	1.21	0.052
1290447	Soil		2.2	12.6	7.8	53	0.4	16.9	6.7	218	2.34	9.9	0.4	2.6	1.8	16	0.2	0.4	0.1	64	0.23	0.020
1290459	Soil		2.4	38.3	9.6	230	2.8	55.5	20.5	853	3.60	9.5	0.8	2.5	2.2	23	2.8	0.4	0.1	82	0.34	0.055
1290446	Soil		2.3	14.5	27.5	87	0.4	16.1	7.1	291	3.52	709.4	0.5	2.0	2.4	12	0.4	0.6	0.4	61	0.19	0.044
1290460	Soil		3.4	52.9	12.3	104	2.7	17.8	5.1	315	4.43	4.2	1.4	3.2	3.0	37	0.4	0.3	0.2	77	0.13	0.108
1290463	Soil		2.5	23.0	8.2	50	0.8	10.1	2.7	104	1.66	9.6	0.6	1.7	0.5	14	0.1	0.2	0.1	54	0.10	0.039
1290445	Soil		4.9	17.8	8.8	58	1.0	17.1	3.8	170	2.99	14.5	1.0	1.6	1.3	11	0.3	0.4	0.2	144	0.08	0.090
1290455	Soil		1.5	36.4	10.2	132	0.2	40.8	13.2	453	4.03	15.0	0.8	1.9	2.6	14	0.2	0.3	0.1	83	0.36	0.037
1290439	Soil		2.1	19.5	10.9	68	0.2	28.5	9.7	311	3.37	13.8	0.5	1.9	2.6	10	0.2	0.4	0.2	86	0.10	0.047
1290444	Soil		5.2	43.2	8.3	138	0.4	57.4	11.5	292	3.32	78.0	0.8	2.6	2.6	18	0.3	1.0	0.1	90	0.13	0.037
1290441	Soil		4.0	30.1	11.9	83	0.4	30.6	8.9	265	2.54	54.6	1.3	2.9	2.4	33	0.3	0.3	0.2	74	0.68	0.058
1290442	Soil		2.9	53.7	13.5	157	0.3	84.8	21.0	402	4.08	54.8	1.4	2.1	3.9	21	0.5	0.8	0.2	106	0.33	0.067
1290437	Soil		3.3	51.9	11.2	147	0.6	57.0	11.0	403	3.37	14.3	1.3	3.3	2.6	27	0.3	0.4	0.2	83	0.29	0.055
1290443	Soil		3.4	38.1	13.3	76	0.4	35.5	9.2	267	3.44	36.8	1.2	4.5	2.4	24	0.2	0.5	0.2	96	0.26	0.044
1270375	Soil		2.5	53.2	11.0	150	0.4	47.2	16.2	604	4.31	40.2	1.6	4.8	3.9	21	0.4	0.8	0.1	101	0.43	0.109
1270374	Soil		2.5	39.9	12.0	118	1.0	38.5	14.8	1008	3.80	36.3	1.0	4.0	2.5	18	0.9	0.8	0.1	100	0.27	0.058
1270373	Soil		2.2	39.9	11.9	99	0.4	51.9	14.3	533	4.09	40.4	0.7	3.3	2.9	18	0.6	0.8	0.1	100	0.32	0.067
1270372	Soil		2.3	19.6	9.8	68	0.6	22.2	9.7	648	2.81	25.9	0.4	2.8	1.8	14	0.7	0.7	0.1	81	0.20	0.053
1270371	Soil		2.7	46.6	15.4	146	0.4	56.3	16.6	648	4.22	65.6	0.9	4.3	3.3	24	0.7	1.4	0.1	92	0.49	0.105
1270369	Soil		2.2	34.6	12.4	127	0.5	31.3	8.2	442	2.70	29.7	0.5	2.7	1.7	16	1.9	0.9	0.1	72	0.20	0.041
1270370	Soil		2.2	22.5	15.7	146	0.4	34.1	12.0	675	2.99	30.6	0.5	1.3	1.6	21	1.1	0.9	0.1	80	0.29	0.034
1270367	Soil		2.6	35.7	14.2	112	0.3	44.2	16.2	1347	3.84	137.9	1.0	4.3	1.7	21	0.9	2.0	0.2	82	0.30	0.095
1270366	Soil		2.5	34.6	9.8	76	0.4	28.6	9.6	391	2.93	33.1	0.6	6.0	1.0	9	0.8	0.8	0.2	78	0.09	0.053
1270368	Soil		4.0	66.9	10.8	134	0.7	65.3	19.9	812	4.10	88.3	1.8	4.7	2.3	35	0.4	1.7	0.2	117	0.56	0.088
1270365	Soil		1.7	25.2	9.5	76	0.2	30.1	11.3	376	3.51	24.6	0.4	2.3	2.2	10	0.5	0.7	0.2	87	0.11	0.040
1270377	Soil		1.0	12.1	6.1	34	<0.1	14.7	7.7	315	2.50	8.0	1.4	0.7	7.1	15	<0.1	0.4	0.1	45	0.23	0.024
1270389	Soil		0.9	36.6	10.8	111	<0.1	47.4	29.9	996	6.46	4.6	1.5	<0.5	12.5	27	<0.1	0.2	0.4	141	1.06	0.128
1270391	Soil		1.7	43.7	19.9	91	0.2	47.0	21.3	529	5.11	44.4	1.7	3.5	11.2	30	<0.1	0.7	0.4	62	0.82	0.130

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000317.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1290450	Soil	15	91	1.00	480	0.107	1	1.99	0.031	0.13	0.2	0.02	4.3	0.2	0.21	8	2.6	<0.2
1290462	Soil	11	28	0.52	497	0.048	1	0.90	0.007	0.11	0.1	0.04	2.4	0.2	0.10	5	3.1	0.3
1290453	Soil	20	30	0.58	1112	0.011	2	0.99	0.006	0.05	0.2	0.04	8.1	0.2	<0.05	3	3.2	<0.2
1290447	Soil	7	31	0.41	414	0.054	<1	1.16	0.009	0.07	0.2	0.01	2.1	0.1	<0.05	5	0.5	<0.2
1290459	Soil	8	38	0.44	1069	0.039	1	1.64	0.010	0.08	0.2	0.05	4.0	0.2	<0.05	6	1.1	<0.2
1290446	Soil	9	24	0.40	313	0.034	1	1.40	0.006	0.09	0.2	0.03	3.0	0.1	<0.05	6	<0.5	<0.2
1290460	Soil	19	32	0.35	647	0.072	1	1.01	0.047	0.20	0.1	0.07	2.5	0.2	0.49	7	3.4	0.3
1290463	Soil	9	28	0.48	286	0.056	1	0.86	0.007	0.07	<0.1	0.04	1.7	0.1	0.06	6	1.1	<0.2
1290445	Soil	8	33	0.16	335	0.089	<1	0.82	0.009	0.05	0.2	0.04	1.7	0.2	0.05	9	1.3	<0.2
1290455	Soil	7	36	1.06	527	0.057	1	1.84	0.007	0.13	<0.1	<0.01	6.5	0.2	<0.05	6	0.7	<0.2
1290439	Soil	10	45	0.54	150	0.064	1	1.76	0.008	0.06	0.2	0.04	3.4	0.2	<0.05	8	<0.5	<0.2
1290444	Soil	9	44	0.35	348	0.025	1	1.21	0.007	0.05	0.1	0.04	3.7	0.4	<0.05	4	1.8	<0.2
1290441	Soil	10	46	0.62	366	0.056	2	1.29	0.011	0.10	0.2	0.05	3.8	0.1	0.07	5	0.9	<0.2
1290442	Soil	16	84	1.14	312	0.056	2	2.14	0.012	0.08	0.1	0.03	7.9	0.2	<0.05	7	1.2	<0.2
1290437	Soil	12	47	0.64	734	0.051	2	1.62	0.015	0.11	0.1	0.01	3.8	0.1	0.11	7	1.3	<0.2
1290443	Soil	15	56	0.60	380	0.053	1	1.82	0.010	0.06	0.1	0.04	4.4	0.1	<0.05	8	1.0	<0.2
1270375	Soil	23	60	1.05	771	0.128	1	2.08	0.012	0.20	0.2	0.06	7.8	0.6	<0.05	8	1.0	<0.2
1270374	Soil	18	53	0.53	759	0.081	2	1.69	0.010	0.08	0.2	0.05	5.3	0.3	<0.05	7	0.8	<0.2
1270373	Soil	16	64	0.87	386	0.142	1	1.89	0.009	0.19	0.2	0.04	5.7	0.3	<0.05	8	0.6	<0.2
1270372	Soil	9	29	0.28	341	0.087	1	0.93	0.008	0.09	0.2	0.03	2.5	0.2	<0.05	7	<0.5	<0.2
1270371	Soil	17	59	0.79	369	0.123	2	1.90	0.012	0.34	0.2	0.05	5.6	0.7	<0.05	7	0.9	<0.2
1270369	Soil	9	31	0.21	616	0.064	1	1.02	0.013	0.10	<0.1	0.03	2.9	0.7	<0.05	6	<0.5	<0.2
1270370	Soil	8	36	0.43	412	0.058	1	1.37	0.009	0.10	0.2	0.03	2.8	0.5	<0.05	5	<0.5	<0.2
1270367	Soil	16	39	0.31	1417	0.048	1	1.19	0.011	0.07	0.2	0.07	6.2	0.6	<0.05	5	0.8	<0.2
1270366	Soil	9	34	0.29	313	0.045	1	1.63	0.007	0.04	0.1	0.05	2.6	0.5	<0.05	7	0.6	<0.2
1270368	Soil	18	75	0.93	1048	0.103	2	2.16	0.013	0.17	0.1	0.15	7.4	0.7	0.14	9	1.5	<0.2
1270365	Soil	8	38	0.37	491	0.066	1	2.02	0.008	0.04	0.1	0.04	3.2	0.2	<0.05	8	<0.5	<0.2
1270377	Soil	20	23	1.09	206	0.068	1	1.84	0.010	0.11	0.1	0.02	7.3	0.2	<0.05	7	<0.5	<0.2
1270389	Soil	23	111	3.20	293	0.200	2	3.48	0.006	0.59	0.4	0.02	10.4	0.4	<0.05	12	<0.5	<0.2
1270391	Soil	44	57	0.40	276	0.027	2	0.98	0.007	0.20	0.2	0.03	10.0	0.3	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000317.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1270390	Soil	0.7	34.5	12.2	80	0.1	56.9	18.1	632	4.08	6.8	1.0	1.3	9.9	48	<0.1	0.2	0.3	71	1.33	0.064
1270393	Soil	1.6	9.4	20.7	65	<0.1	17.3	14.3	642	2.93	7.0	1.4	2.9	10.7	20	<0.1	0.2	0.3	53	0.42	0.061
1284961	Soil	6.3	67.5	15.9	268	0.5	71.9	16.3	481	4.17	38.7	1.4	2.9	3.9	26	1.5	1.9	0.2	143	0.37	0.061
1284358	Soil	0.5	24.7	11.7	52	0.1	56.5	14.3	549	2.94	27.0	1.0	3.2	3.6	51	0.1	1.0	0.1	44	1.61	0.060
1284335	Soil	2.2	48.4	14.0	90	0.4	38.6	19.0	741	3.59	25.4	2.2	3.2	5.5	23	0.2	1.4	0.2	80	0.41	0.068
1284336	Soil	2.1	56.4	5.6	93	<0.1	51.1	23.3	745	5.56	22.0	1.0	1.0	3.5	29	0.1	1.1	<0.1	110	0.90	0.278
1284965	Soil	1.3	18.3	7.7	102	<0.1	30.2	19.6	763	3.26	17.4	0.7	2.2	1.8	33	0.1	0.5	0.2	88	0.82	0.122
1284355	Soil	2.5	28.5	25.9	66	0.7	40.3	11.9	530	3.36	151.7	1.9	22.5	15.1	31	0.2	9.3	0.5	25	0.23	0.041
1284353	Soil	2.2	56.6	6.1	120	0.2	62.1	23.4	707	4.92	4.4	1.2	1.6	4.7	22	0.3	0.1	<0.1	99	1.64	0.179
1284332	Soil	3.4	53.8	22.4	98	0.1	33.6	14.0	911	4.61	62.5	1.0	2.4	3.6	16	0.2	1.5	0.2	143	0.11	0.116
1284962	Soil	2.3	55.5	11.2	103	0.5	50.4	23.0	1087	4.91	45.7	1.7	4.8	3.4	64	0.8	1.9	0.1	88	1.75	0.165
1284964	Soil	1.4	18.9	9.7	62	<0.1	17.4	20.7	1262	2.47	5.2	0.5	1.8	1.4	23	0.1	0.3	0.1	76	0.39	0.048
1284350	Soil	1.2	37.7	10.3	81	<0.1	55.1	17.8	446	4.12	25.3	0.9	2.2	7.1	19	<0.1	1.2	0.1	78	0.51	0.089
1284326	Soil	1.3	70.9	10.3	91	0.2	51.1	15.8	489	3.64	18.7	1.2	7.4	6.4	17	<0.1	1.3	0.1	84	0.26	0.045
1283459	Soil	1.6	19.3	14.4	70	0.4	28.6	12.8	541	3.37	37.0	2.4	5.4	8.3	21	0.2	0.7	0.3	62	0.42	0.047
1283457	Soil	2.3	31.5	16.6	110	0.5	46.4	17.8	615	4.02	31.0	3.8	6.2	12.8	26	0.4	1.1	0.3	85	0.64	0.072
1284357	Soil	0.7	36.5	11.3	64	0.1	107.5	20.8	529	3.77	35.1	0.9	3.9	5.5	50	0.1	2.6	0.2	60	1.73	0.086
1284334	Soil	3.3	64.7	14.7	89	0.5	53.3	17.9	821	3.93	22.5	2.3	3.9	4.8	23	0.3	1.2	0.2	106	0.31	0.079
1283458	Soil	1.2	15.7	16.8	67	<0.1	35.7	15.0	439	3.71	13.7	1.7	2.3	14.5	17	0.1	0.5	0.2	67	0.36	0.064
1284963	Soil	2.3	48.3	14.7	118	0.4	55.2	20.9	972	4.61	52.9	1.6	5.3	4.1	47	0.7	2.7	0.1	95	1.12	0.070
1284958	Soil	4.1	67.4	22.0	235	0.6	100.0	26.8	662	5.00	74.6	1.8	3.5	5.8	17	1.1	2.5	0.4	152	0.43	0.133
1286266	Soil	0.9	41.5	9.0	69	0.2	52.1	18.7	644	3.90	44.3	1.5	9.3	4.9	42	0.1	0.7	0.1	74	1.35	0.067
1283491	Soil	1.6	22.1	9.0	44	<0.1	25.3	13.5	840	2.82	9.5	1.4	4.1	3.5	37	0.1	1.0	0.2	53	0.81	0.047
1284959	Soil	3.1	45.2	22.5	356	0.6	61.4	13.8	554	3.50	31.3	1.2	4.3	4.6	18	1.9	1.5	0.2	86	0.34	0.095
1284960	Soil	4.2	67.4	9.8	138	0.5	107.7	28.5	863	5.22	55.0	1.3	3.8	4.5	22	0.5	2.2	0.1	153	0.58	0.083
1286251	Rock Pulp	2.7	23.6	1.9	43	0.3	25.4	11.2	410	2.47	4.2	0.2	3.2	0.7	32	0.1	0.2	<0.1	68	0.81	0.061
1283460	Soil	2.1	25.8	16.1	105	0.3	73.9	23.0	738	4.88	31.9	6.3	4.4	16.4	24	0.3	0.9	0.1	86	0.77	0.088
1283490	Soil	0.5	21.8	8.1	49	<0.1	25.3	11.0	280	2.20	3.9	2.0	32.4	4.0	35	0.1	0.5	0.1	53	0.92	0.068
1283488	Soil	2.5	53.9	22.0	119	0.7	52.5	18.9	673	3.98	77.1	1.9	4.2	3.4	29	0.4	3.7	0.2	68	1.03	0.058
1283477	Soil	4.9	48.3	15.0	148	0.6	68.7	25.8	1405	4.65	85.6	2.1	7.3	5.3	32	0.3	1.1	0.2	114	0.42	0.094

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000317.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1270390	Soil	67	96	1.23	227	0.085	2	1.98	0.012	0.21	0.2	0.04	8.4	0.3	<0.05	8	<0.5	<0.2
1270393	Soil	20	30	0.67	157	0.069	2	1.23	0.009	0.11	0.1	0.02	3.3	0.2	<0.05	5	<0.5	<0.2
1284961	Soil	17	60	0.93	660	0.115	2	1.81	0.011	0.33	0.2	0.03	6.0	0.6	0.08	8	1.9	<0.2
1284358	Soil	20	65	0.89	191	0.051	3	1.37	0.012	0.12	0.1	0.05	4.4	0.2	0.08	5	<0.5	<0.2
1284335	Soil	36	53	0.87	236	0.119	2	1.96	0.010	0.25	0.1	0.06	6.9	0.4	<0.05	8	0.8	<0.2
1284336	Soil	22	66	1.90	1102	0.203	<1	3.14	0.010	0.99	0.1	0.02	7.7	0.3	<0.05	12	0.7	<0.2
1284965	Soil	7	73	0.97	124	0.076	2	1.45	0.019	0.07	0.3	0.08	3.7	0.2	<0.05	6	<0.5	<0.2
1284355	Soil	24	27	0.14	304	0.004	2	0.44	0.006	0.10	0.1	0.09	5.9	0.2	0.07	1	<0.5	<0.2
1284353	Soil	20	80	1.83	552	0.201	<1	2.81	0.010	0.84	0.2	0.02	5.4	0.5	<0.05	7	<0.5	<0.2
1284332	Soil	16	51	1.03	247	0.204	<1	1.95	0.012	0.50	0.1	0.02	4.1	0.5	0.14	10	<0.5	<0.2
1284962	Soil	29	58	1.20	808	0.103	2	1.75	0.010	0.41	0.2	0.07	9.8	0.4	0.07	8	0.8	<0.2
1284964	Soil	8	32	0.60	184	0.077	1	1.30	0.017	0.05	0.2	0.03	3.0	0.2	<0.05	7	<0.5	<0.2
1284350	Soil	28	67	0.97	308	0.061	1	1.98	0.008	0.17	0.1	0.03	8.5	0.4	<0.05	6	<0.5	<0.2
1284326	Soil	63	49	0.96	484	0.117	1	2.30	0.009	0.28	0.1	0.03	6.7	0.4	<0.05	7	<0.5	<0.2
1283459	Soil	55	41	0.57	319	0.053	1	1.48	0.008	0.13	0.1	0.04	4.6	0.2	<0.05	6	<0.5	<0.2
1283457	Soil	54	67	0.86	682	0.070	1	1.72	0.010	0.22	0.1	0.06	7.9	0.5	0.06	7	0.6	<0.2
1284357	Soil	27	135	1.30	285	0.044	2	1.66	0.010	0.16	0.2	0.12	7.9	0.2	<0.05	6	<0.5	<0.2
1284334	Soil	32	71	1.15	355	0.153	<1	2.31	0.015	0.43	0.1	0.04	5.4	0.4	0.11	10	<0.5	<0.2
1283458	Soil	35	51	0.83	197	0.109	2	1.98	0.012	0.26	0.2	0.03	5.1	0.5	<0.05	8	<0.5	<0.2
1284963	Soil	21	62	0.95	501	0.107	2	1.58	0.012	0.30	0.1	0.08	8.6	0.5	0.07	7	1.0	<0.2
1284958	Soil	20	97	1.15	770	0.100	<1	2.38	0.009	0.35	0.1	0.03	7.4	0.6	<0.05	9	0.9	<0.2
1286266	Soil	25	66	1.06	285	0.103	1	1.71	0.014	0.31	0.2	0.05	5.7	0.4	0.06	6	0.7	<0.2
1283491	Soil	12	36	0.50	277	0.042	1	1.18	0.013	0.06	0.2	0.05	5.1	<0.1	0.06	4	<0.5	<0.2
1284959	Soil	10	47	0.39	642	0.036	<1	1.21	0.008	0.08	0.2	0.06	5.3	0.8	<0.05	5	0.8	<0.2
1284960	Soil	29	172	1.55	693	0.139	<1	2.43	0.010	0.54	0.1	0.03	9.7	0.5	<0.05	10	0.9	<0.2
1286251	Rock Pulp	3	33	0.80	95	0.108	2	1.49	0.081	0.11	14.4	0.01	4.5	<0.1	0.05	5	<0.5	<0.2
1283460	Soil	69	129	1.51	359	0.090	<1	2.31	0.008	0.44	0.1	0.05	12.1	0.7	<0.05	9	<0.5	<0.2
1283490	Soil	18	39	0.65	252	0.057	2	1.19	0.015	0.08	0.2	0.04	5.0	0.1	0.08	4	<0.5	<0.2
1283488	Soil	24	44	0.44	650	0.031	3	0.95	0.006	0.10	0.1	0.16	8.5	0.7	0.09	4	0.9	<0.2
1283477	Soil	13	129	1.21	384	0.100	2	1.65	0.011	0.37	0.2	0.08	6.5	1.4	0.08	7	1.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000317.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1283461	Soil	3.2	31.4	19.3	156	0.3	46.3	19.7	978	4.40	38.9	3.3	4.0	10.1	29	0.8	1.2	0.1	106	0.84	0.107
1284957	Soil	4.9	61.7	12.3	177	0.7	87.2	21.1	424	5.31	38.6	1.2	2.5	3.7	22	0.5	2.5	0.1	154	0.28	0.042
1283489	Soil	1.7	35.4	16.0	79	0.4	42.5	16.7	736	3.35	117.4	1.9	8.7	2.4	40	0.3	2.7	0.1	56	1.64	0.068
1284956	Soil	5.4	111.4	19.2	214	0.9	104.9	26.6	868	5.66	169.3	2.6	9.3	5.4	22	0.8	4.6	0.2	84	0.36	0.059
1293232	Soil	1.8	26.2	7.7	69	0.2	32.7	12.1	326	3.23	20.5	0.9	4.1	2.9	26	<0.1	0.3	0.1	80	0.31	0.059
1293233	Soil	2.7	26.4	10.1	81	0.3	34.8	12.4	244	3.42	25.6	0.8	4.7	3.2	16	0.2	0.3	0.2	93	0.21	0.054
1293236	Soil	4.2	36.8	8.2	73	0.5	27.5	6.2	191	2.09	11.2	1.0	1.3	2.0	15	0.9	0.3	0.2	89	0.14	0.030
1293240	Soil	2.6	20.0	7.1	134	0.2	35.9	13.5	432	3.18	5.0	0.8	1.8	2.2	22	0.2	0.3	0.1	89	0.29	0.025
1293231	Soil	0.9	31.9	8.3	60	0.2	35.3	13.4	276	3.06	17.2	0.5	12.8	2.9	19	0.2	0.5	0.1	76	0.29	0.064
1293230	Soil	2.7	38.0	11.5	86	0.1	91.5	19.7	543	4.55	27.4	1.0	1.2	6.8	22	0.2	0.5	0.2	119	0.27	0.045
1293235	Soil	1.8	24.8	11.2	65	0.3	23.5	8.5	245	3.13	18.7	0.6	2.5	2.2	13	0.2	0.3	0.2	78	0.16	0.029
1293239	Soil	1.9	11.5	9.1	66	0.4	17.3	8.0	203	2.74	11.6	0.3	1.2	1.6	14	0.7	0.3	0.2	85	0.19	0.050
1293226	Soil	2.5	63.0	8.6	116	0.6	22.4	4.4	178	4.27	23.1	2.2	1.7	12.4	30	0.2	0.1	0.3	80	0.11	0.086
1293229	Soil	2.9	66.7	8.9	117	0.6	23.2	4.6	181	4.21	24.9	2.2	1.4	10.5	29	0.1	0.2	0.3	79	0.11	0.090
1293234	Soil	2.8	32.3	12.8	87	0.2	33.7	12.6	314	3.92	66.2	1.1	4.0	4.8	16	0.3	0.6	0.3	93	0.19	0.045
1293238	Soil	2.8	41.8	11.2	69	0.3	47.8	12.4	283	3.47	14.3	1.4	7.8	5.6	14	0.2	0.6	0.2	106	0.13	0.027
1293243	Soil	4.2	115.5	23.4	250	2.6	113.6	15.6	263	4.02	30.3	1.8	3.5	3.4	31	1.4	0.4	0.3	105	0.27	0.060
1293241	Soil	7.8	56.6	9.1	46	1.0	20.7	5.1	100	3.44	12.8	1.2	1.6	1.6	31	0.6	0.3	0.2	82	0.14	0.080
1293242	Soil	3.1	47.3	9.8	135	1.1	45.9	12.4	312	3.53	5.3	1.4	2.9	2.5	24	0.8	0.3	0.2	127	0.22	0.062
1293237	Soil	2.8	36.8	12.9	91	0.2	42.0	12.5	401	3.76	35.1	1.1	2.7	4.6	17	0.4	0.7	0.2	87	0.20	0.076
1293246	Soil	1.7	29.1	10.4	110	0.5	43.3	13.4	569	3.11	25.3	0.9	1.1	3.0	23	0.6	0.6	0.2	78	0.45	0.029
1293247	Soil	3.2	46.6	8.5	75	1.1	27.9	8.4	172	3.21	23.0	1.0	1.9	3.4	14	0.3	0.6	0.2	78	0.16	0.041
1293244	Soil	3.5	27.1	12.7	141	0.5	42.2	13.4	412	3.40	35.8	1.0	1.4	2.2	20	1.0	0.6	0.2	91	0.30	0.032
1293245	Soil	2.8	30.9	9.5	116	1.3	46.1	13.7	221	3.15	18.6	0.9	4.0	2.6	19	1.2	0.6	0.2	79	0.18	0.025
1293249	Soil	2.8	49.5	10.7	88	1.1	27.6	11.9	776	3.59	20.4	1.0	7.3	2.6	33	0.7	0.4	0.2	85	0.40	0.071
1293253	Soil	1.8	26.6	7.9	93	1.1	36.4	9.9	185	2.96	16.0	0.6	2.0	2.3	13	0.4	0.5	0.1	76	0.11	0.029
1293255	Soil	2.2	28.6	10.0	76	1.2	27.0	11.4	1146	2.76	11.1	0.7	<0.5	2.2	26	1.3	0.6	0.2	78	0.42	0.029
1284046	Soil	1.7	60.0	13.3	112	0.6	61.8	19.8	773	3.50	43.5	3.8	7.3	4.7	85	1.3	1.8	0.2	96	1.70	0.083
1293250	Soil	2.3	27.0	8.2	117	0.7	36.5	14.4	524	2.51	14.2	0.5	3.2	1.2	26	1.3	0.4	0.1	74	0.38	0.045
1293248	Soil	3.1	36.9	10.2	89	0.8	29.0	10.4	209	3.45	27.7	0.8	1.7	2.9	20	0.6	0.5	0.1	88	0.25	0.034

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000317.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1283461	Soil	26	83	1.14	383	0.091	<1	1.85	0.009	0.30	0.2	0.05	8.7	0.6	0.10	8	0.7	<0.2
1284957	Soil	9	80	0.98	1330	0.119	1	2.20	0.009	0.33	0.1	0.03	7.5	1.4	0.09	8	1.3	<0.2
1283489	Soil	18	43	0.52	484	0.015	3	0.75	0.006	0.08	0.1	0.15	9.9	0.6	0.10	3	0.7	<0.2
1284956	Soil	20	60	0.42	648	0.033	2	0.95	0.004	0.13	0.1	0.22	10.7	1.1	<0.05	4	2.6	<0.2
1293232	Soil	14	49	0.58	358	0.064	1	1.95	0.013	0.06	0.1	0.03	5.4	0.2	<0.05	6	<0.5	<0.2
1293233	Soil	13	51	0.69	271	0.076	1	1.89	0.011	0.10	0.2	0.03	3.8	0.2	0.06	7	<0.5	<0.2
1293236	Soil	14	38	0.38	592	0.070	<1	1.12	0.010	0.08	0.1	0.02	3.4	0.2	0.06	6	0.7	<0.2
1293240	Soil	9	50	0.99	542	0.100	<1	2.06	0.009	0.27	0.1	0.02	2.8	0.2	0.05	6	<0.5	<0.2
1293231	Soil	11	44	0.61	366	0.072	<1	1.97	0.013	0.05	0.2	0.03	4.0	0.1	<0.05	6	<0.5	<0.2
1293230	Soil	14	114	1.17	309	0.077	1	2.33	0.009	0.14	0.2	0.01	7.7	0.3	<0.05	8	0.7	<0.2
1293235	Soil	11	40	0.54	235	0.055	1	2.03	0.009	0.06	0.1	0.02	4.0	0.2	<0.05	8	<0.5	<0.2
1293239	Soil	8	31	0.31	446	0.060	<1	1.29	0.007	0.06	0.2	0.01	2.0	<0.1	<0.05	7	<0.5	<0.2
1293226	Soil	58	51	1.03	410	0.077	1	1.91	0.019	0.78	<0.1	<0.01	4.0	0.6	0.52	6	2.0	<0.2
1293229	Soil	55	50	0.99	458	0.078	2	1.88	0.016	0.79	0.1	0.01	4.1	0.6	0.49	5	2.0	0.2
1293234	Soil	12	51	0.61	233	0.056	2	1.90	0.007	0.06	0.2	0.03	4.3	0.2	<0.05	6	<0.5	<0.2
1293238	Soil	12	57	0.58	509	0.071	2	2.18	0.009	0.06	0.2	0.04	4.5	0.1	<0.05	6	1.1	<0.2
1293243	Soil	15	48	0.59	2615	0.059	2	1.67	0.010	0.10	0.2	0.04	6.0	0.1	0.09	6	3.4	<0.2
1293241	Soil	14	29	0.18	662	0.063	4	0.84	0.032	0.18	0.1	0.04	2.4	0.1	0.37	5	1.4	<0.2
1293242	Soil	10	54	0.61	681	0.109	1	1.47	0.021	0.19	0.1	0.02	3.8	0.2	0.10	7	1.4	<0.2
1293237	Soil	12	48	0.56	587	0.058	2	2.16	0.009	0.07	0.3	0.03	4.4	0.1	<0.05	7	0.6	<0.2
1293246	Soil	9	39	0.55	942	0.050	2	1.51	0.011	0.06	0.2	<0.01	4.8	<0.1	<0.05	5	0.6	<0.2
1293247	Soil	11	36	0.48	382	0.046	1	1.67	0.009	0.10	0.2	0.02	3.6	0.1	<0.05	5	1.9	<0.2
1293244	Soil	9	41	0.38	967	0.045	1	1.53	0.012	0.07	0.2	0.03	4.6	0.2	<0.05	5	0.7	<0.2
1293245	Soil	9	41	0.50	529	0.043	1	1.47	0.009	0.07	0.2	0.02	3.6	0.2	<0.05	5	0.5	<0.2
1293249	Soil	11	36	0.56	1221	0.060	1	1.42	0.014	0.14	0.2	0.04	4.2	0.3	0.16	6	1.4	<0.2
1293253	Soil	9	30	0.42	336	0.061	1	1.29	0.009	0.08	0.4	0.02	3.2	0.2	<0.05	5	0.6	<0.2
1293255	Soil	9	31	0.32	1658	0.046	1	1.28	0.013	0.04	0.8	0.04	3.5	0.2	<0.05	5	0.8	<0.2
1284046	Soil	21	96	1.22	663	0.114	3	1.77	0.017	0.31	0.1	0.08	8.6	0.5	0.11	6	1.0	<0.2
1293250	Soil	7	30	0.41	1225	0.044	1	1.37	0.011	0.05	0.2	0.03	2.8	<0.1	<0.05	5	0.7	<0.2
1293248	Soil	10	36	0.56	504	0.063	1	1.36	0.012	0.15	<0.1	0.02	4.1	0.1	0.11	6	1.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000317.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1293254	Soil	1.9	46.2	8.8	75	0.5	27.6	10.4	178	3.08	10.2	1.1	10.0	1.9	25	0.3	0.4	0.1	81	0.17	0.048
1284052	Soil	1.4	16.2	19.7	60	0.2	22.6	12.7	414	3.63	28.8	2.8	5.2	15.8	21	0.2	0.6	0.3	58	0.30	0.041
1293252	Soil	4.8	83.0	9.8	135	1.5	52.9	12.2	220	3.72	12.4	1.8	4.1	3.9	35	0.3	0.4	0.2	86	0.15	0.055
1293251	Rock Pulp	3.0	27.8	2.4	45	0.3	26.4	11.3	430	2.58	5.1	0.2	1.7	1.0	38	0.2	0.3	<0.1	68	0.84	0.064
1284047	Soil	1.8	53.6	18.7	92	0.5	60.3	14.8	630	2.93	35.8	3.0	5.4	8.0	59	1.0	1.6	0.3	67	1.36	0.068
1284048	Soil	2.1	53.7	19.7	88	0.5	66.2	17.8	620	3.62	39.3	5.5	9.6	12.7	68	0.5	1.3	0.4	93	1.57	0.079
1284343	Soil	2.0	62.8	10.3	87	0.6	51.5	15.4	426	3.98	21.9	2.2	10.5	6.8	21	0.4	1.4	0.2	90	0.20	0.050
1284325	Soil	1.5	98.7	12.8	110	0.2	61.2	18.5	629	4.16	26.8	1.5	5.5	8.9	20	<0.1	1.9	0.2	94	0.29	0.052
1284352	Soil	1.1	41.9	9.3	106	<0.1	45.4	13.7	226	3.98	16.5	1.8	2.5	10.9	21	<0.1	0.7	0.2	70	0.21	0.086
1284331	Soil	2.9	74.4	10.9	152	0.3	107.8	32.0	913	5.77	66.8	1.6	3.8	4.4	28	0.7	6.3	0.2	127	0.57	0.117
1284351	Rock Pulp	2.8	28.9	2.5	47	0.3	27.1	12.0	454	2.76	5.1	0.3	1.6	1.0	40	0.2	0.3	<0.1	73	0.89	0.065
1284354	Soil	2.1	39.2	12.3	81	<0.1	60.4	31.1	707	5.11	12.8	1.8	0.7	13.6	38	0.1	0.5	0.3	126	0.85	0.121
1284333	Soil	3.2	36.5	14.9	66	0.2	15.9	6.1	390	2.87	23.0	1.4	1.8	3.4	17	0.2	1.9	0.3	95	0.09	0.059
1284337	Soil	3.0	49.0	13.4	109	0.1	59.4	20.4	623	4.99	51.8	0.9	1.5	4.6	16	0.3	3.6	0.2	143	0.22	0.078
1284347	Soil	1.5	37.6	10.2	68	0.5	39.7	14.1	307	3.73	17.2	0.9	2.1	4.7	16	<0.1	0.7	0.2	119	0.20	0.033
1284339	Soil	1.3	67.9	15.4	106	0.3	60.6	24.7	1007	5.21	86.2	1.5	5.7	7.7	22	0.3	4.2	0.2	101	0.32	0.060
1284356	Soil	0.8	40.7	221.9	501	3.7	61.4	19.8	779	4.82	40.3	1.7	52.1	14.8	38	20.8	11.3	0.4	61	1.07	0.094
1284338	Soil	3.8	54.9	14.1	166	0.2	80.2	23.5	632	5.20	126.5	1.2	2.1	5.3	23	0.7	6.8	0.2	130	0.34	0.109
1284349	Soil	1.1	32.6	9.4	60	<0.1	33.9	15.6	315	3.94	20.0	0.5	2.7	3.4	13	0.2	0.6	0.2	101	0.21	0.032
1284348	Soil	1.8	22.6	9.2	59	0.1	25.3	11.3	384	3.13	17.9	0.6	3.4	3.5	15	<0.1	0.5	0.2	80	0.23	0.055
1284346	Soil	2.6	54.0	10.8	129	0.4	46.7	13.8	525	3.58	181.1	1.2	37.1	2.6	20	0.4	3.7	0.2	77	0.18	0.036
1284344	Soil	2.5	46.9	10.7	111	0.2	37.5	12.6	464	3.82	16.6	1.5	3.8	6.3	22	0.2	0.6	0.2	79	0.14	0.054
1284341	Soil	1.8	56.1	20.3	109	0.4	142.7	34.4	1085	6.42	52.0	1.2	15.6	7.0	23	0.3	2.7	0.2	198	0.67	0.109
1284342	Soil	1.5	63.2	8.7	109	0.2	77.8	27.4	534	5.80	70.3	1.6	1.9	5.0	14	0.2	2.0	0.1	121	0.26	0.077
1284340	Soil	2.5	78.4	12.7	155	0.3	72.4	28.4	1193	7.04	32.7	1.1	6.3	6.1	25	0.3	1.9	0.2	138	0.76	0.222
1284345	Soil	4.4	82.0	11.7	191	0.3	76.5	23.7	914	4.91	5238	2.7	136.5	2.5	57	1.3	21.6	0.2	49	0.15	0.055
1284359	Soil	0.7	25.0	10.4	62	0.1	61.9	16.2	637	3.27	25.7	1.0	1.5	4.9	51	0.2	0.7	0.1	59	1.38	0.066
1286253	Soil	0.8	38.9	9.0	82	0.2	47.6	16.5	493	3.43	36.7	1.1	2.4	4.8	33	0.3	0.7	0.1	68	1.36	0.070
1286282	Soil	1.5	38.0	26.5	141	0.5	44.7	17.1	886	3.49	48.2	3.3	9.2	4.7	58	1.4	2.8	0.4	79	1.44	0.101
1286283	Soil	2.8	57.2	12.2	116	0.3	51.2	24.0	1071	4.58	37.7	2.3	2.3	5.7	46	0.5	1.6	0.2	113	0.85	0.077

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000317.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1293254	Soil	11	38	0.61	356	0.082	2	1.57	0.011	0.13	0.2	0.02	3.2	0.1	0.07	6	1.4	<0.2
1284052	Soil	40	35	0.64	321	0.079	3	1.79	0.013	0.22	0.2	0.04	5.0	0.4	<0.05	7	<0.5	<0.2
1293252	Soil	16	44	0.69	523	0.064	2	1.73	0.018	0.15	0.2	0.02	4.5	0.1	0.18	5	3.5	<0.2
1293251	Rock Pulp	4	34	0.82	103	0.111	3	1.54	0.082	0.13	13.3	0.02	5.1	<0.1	<0.05	5	<0.5	<0.2
1284047	Soil	34	81	0.84	894	0.078	3	1.31	0.015	0.19	0.1	0.11	8.0	0.5	0.10	5	0.9	<0.2
1284048	Soil	44	116	1.22	840	0.106	2	1.92	0.014	0.33	0.2	0.11	10.4	0.6	<0.05	7	1.4	<0.2
1284343	Soil	17	63	0.88	459	0.100	2	2.60	0.011	0.26	0.2	0.04	5.6	0.2	<0.05	7	0.9	<0.2
1284325	Soil	79	52	1.19	542	0.146	2	2.64	0.010	0.46	0.1	0.03	8.3	0.5	<0.05	8	0.6	<0.2
1284352	Soil	36	56	0.87	171	0.109	2	2.02	0.020	0.49	<0.1	0.02	4.2	0.4	0.12	6	0.6	<0.2
1284331	Soil	20	138	1.58	790	0.183	1	2.68	0.013	0.55	<0.1	0.08	9.6	0.6	<0.05	10	<0.5	<0.2
1284351	Rock Pulp	4	35	0.88	106	0.118	3	1.67	0.086	0.13	14.2	<0.01	5.3	<0.1	<0.05	6	<0.5	<0.2
1284354	Soil	22	142	1.91	558	0.210	1	2.67	0.021	0.57	1.1	0.02	9.5	0.8	<0.05	8	<0.5	<0.2
1284333	Soil	13	32	0.61	161	0.126	<1	1.48	0.011	0.28	0.2	0.02	3.1	0.4	0.10	8	<0.5	<0.2
1284337	Soil	11	95	1.22	279	0.138	1	2.67	0.010	0.41	0.2	0.02	7.5	0.4	<0.05	10	0.7	<0.2
1284347	Soil	12	66	0.83	380	0.103	1	2.74	0.010	0.18	0.1	0.03	6.1	0.2	<0.05	8	<0.5	<0.2
1284339	Soil	23	76	0.88	433	0.038	1	2.10	0.008	0.11	<0.1	0.03	12.2	0.3	<0.05	6	<0.5	<0.2
1284356	Soil	27	52	0.56	601	0.007	3	1.45	0.007	0.13	0.1	0.62	13.7	0.1	<0.05	3	<0.5	<0.2
1284338	Soil	14	102	1.15	919	0.121	1	2.85	0.008	0.36	0.2	0.02	6.8	0.4	<0.05	9	0.8	<0.2
1284349	Soil	8	53	0.84	185	0.095	1	2.35	0.010	0.11	0.1	0.01	5.6	0.2	<0.05	8	<0.5	<0.2
1284348	Soil	12	43	0.63	254	0.082	2	1.81	0.009	0.16	0.2	0.02	3.5	0.1	<0.05	7	<0.5	<0.2
1284346	Soil	11	36	0.41	371	0.035	2	1.34	0.009	0.04	0.1	0.18	8.0	1.0	<0.05	4	1.1	<0.2
1284344	Soil	23	45	0.73	281	0.082	1	1.85	0.014	0.37	0.1	0.02	3.9	0.4	0.08	6	0.8	<0.2
1284341	Soil	29	190	3.37	766	0.181	1	3.62	0.007	0.82	<0.1	0.06	22.1	0.9	<0.05	12	0.6	<0.2
1284342	Soil	13	131	1.84	458	0.187	1	3.70	0.007	0.79	<0.1	0.02	8.4	0.5	<0.05	12	0.6	<0.2
1284340	Soil	41	103	1.96	736	0.198	1	3.58	0.007	0.73	0.2	0.03	13.0	0.5	<0.05	14	0.7	<0.2
1284345	Soil	14	29	0.22	461	0.015	1	1.21	0.006	0.06	0.1	0.04	4.8	0.6	<0.05	3	1.9	<0.2
1284359	Soil	21	79	1.10	204	0.075	3	1.74	0.019	0.18	0.1	0.04	4.8	0.2	<0.05	6	<0.5	<0.2
1286253	Soil	22	56	0.97	319	0.096	2	1.70	0.014	0.33	0.2	0.03	5.0	0.3	<0.05	5	0.7	<0.2
1286282	Soil	20	77	1.14	437	0.100	3	1.58	0.011	0.32	0.1	0.04	6.3	0.5	<0.05	6	0.7	<0.2
1286283	Soil	32	76	1.26	578	0.158	2	2.32	0.014	0.39	0.2	0.05	7.3	0.5	0.09	9	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000317.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1286274	Soil		0.9	52.3	8.9	72	0.2	54.8	17.7	569	3.54	34.2	1.3	4.5	4.4	50	0.2	1.1	0.1	67	1.61	0.079
1286287	Soil		1.6	61.0	8.0	105	0.5	51.4	11.7	486	2.95	17.8	2.6	4.2	2.0	27	0.7	0.9	0.1	79	0.45	0.119
1286281	Soil		1.0	31.0	10.2	89	0.2	36.1	16.4	661	3.10	21.2	0.6	11.2	4.8	32	0.3	1.2	0.1	76	0.53	0.098
1286275	Soil		1.5	43.4	12.9	74	0.4	76.3	19.8	597	3.55	64.5	2.6	9.5	7.1	46	0.4	1.5	0.1	90	1.21	0.093
1286276	Soil		2.5	46.3	27.6	121	0.7	85.0	19.2	647	4.59	310.5	1.3	72.8	6.1	27	0.7	4.0	0.2	104	0.56	0.076
1286279	Soil		4.7	57.3	14.8	195	1.0	56.5	37.8	1931	4.16	54.0	1.7	3.3	3.1	24	0.9	2.5	0.2	148	0.27	0.084
1286254	Soil		1.3	39.6	12.0	106	0.2	58.6	19.3	492	4.15	50.4	1.5	4.4	8.9	29	0.2	2.4	0.1	69	1.02	0.081
1286288	Soil		4.4	34.1	12.3	127	0.8	32.4	28.5	1679	4.16	298.4	1.0	2.8	2.0	16	0.3	6.6	0.2	128	0.21	0.085
1286277	Soil		2.3	61.1	12.0	105	0.6	80.6	17.7	663	3.40	57.1	3.2	3.5	5.9	60	0.6	3.6	0.1	77	1.33	0.087
1286271	Soil		4.5	53.6	18.2	168	1.0	59.4	15.7	864	3.62	592.6	1.8	13.6	4.1	45	1.5	6.7	0.2	70	0.38	0.085
1286286	Soil		1.8	47.1	12.1	106	0.3	38.8	21.3	1014	3.98	48.4	1.8	4.2	4.3	34	0.3	1.9	0.2	101	0.65	0.099
1293148	Soil		1.5	18.0	8.7	51	0.1	37.5	9.4	453	2.65	6.3	0.9	1.5	4.9	15	0.2	0.2	0.1	79	0.17	0.034
1286256	Soil		1.2	40.6	13.0	92	0.2	55.8	17.7	604	4.04	60.7	1.5	3.3	6.9	34	0.2	3.4	0.1	67	1.43	0.095
1286285	Soil		2.3	46.0	16.3	110	0.3	68.0	25.6	932	4.02	20.4	2.5	5.3	9.7	43	0.3	1.2	0.2	110	0.86	0.087
1286273	Soil		2.6	43.9	31.2	119	0.7	80.5	18.7	609	4.30	266.0	1.3	67.7	5.7	26	0.5	3.7	0.1	106	0.53	0.075
1293147	Soil		1.9	25.1	8.5	82	<0.1	39.0	13.1	269	3.32	7.9	0.7	<0.5	3.2	13	0.3	0.3	0.2	83	0.13	0.045
1286257	Soil		1.3	40.4	17.1	72	0.4	48.7	16.5	654	3.55	262.4	1.3	28.9	3.8	35	0.2	8.0	0.1	59	1.02	0.061
1286280	Soil		2.6	38.3	24.9	145	0.3	56.5	23.1	668	4.24	101.5	1.2	3.6	3.5	27	0.3	2.1	0.2	130	0.40	0.111
1286272	Soil		1.8	40.0	13.2	89	0.3	50.2	16.9	484	4.17	104.8	0.9	10.1	4.5	17	0.2	1.9	0.1	117	0.38	0.064
1293149	Soil		2.6	34.5	13.9	96	0.5	44.5	12.7	194	3.69	8.0	1.0	5.6	4.4	16	0.2	0.3	0.2	89	0.15	0.040
1286278	Soil		2.7	51.4	24.3	147	0.8	58.9	18.4	749	4.14	242.7	1.9	13.2	4.4	49	1.2	5.5	0.1	96	0.96	0.093
1286255	Soil		0.7	36.7	14.8	91	0.2	54.9	17.9	727	3.94	26.1	1.1	2.1	7.3	38	0.3	1.6	0.2	70	1.52	0.059
1284153	Soil		2.8	53.7	27.8	113	0.6	61.2	24.5	687	4.84	60.5	2.5	9.6	4.4	35	0.7	2.8	0.1	124	0.62	0.085
1286284	Soil		1.5	27.3	11.8	114	0.2	37.0	18.4	565	3.76	28.0	1.3	2.8	6.5	53	0.1	1.2	0.2	85	1.13	0.081
1270392	Soil		1.3	24.9	14.1	71	0.1	31.8	30.3	1137	4.36	10.4	1.6	1.6	8.8	30	0.2	0.2	0.3	66	0.80	0.065
1270394	Soil		1.6	14.0	21.3	64	<0.1	17.3	11.8	402	3.32	6.4	1.4	1.1	6.3	15	0.1	0.4	0.3	72	0.27	0.059
1292669	Soil		5.0	75.4	48.3	156	0.8	76.2	13.3	247	3.43	26.6	2.3	8.4	3.4	24	0.7	0.5	0.2	112	0.19	0.046
1292670	Soil		3.0	32.0	9.7	97	0.7	40.9	9.6	396	2.89	31.3	0.5	0.9	1.9	19	0.7	0.5	0.2	79	0.26	0.045
1292664	Soil		5.0	39.9	9.4	88	0.6	44.1	10.1	267	3.04	34.1	0.9	<0.5	3.1	15	0.3	0.4	0.1	75	0.16	0.041
1292667	Soil		6.4	75.1	9.5	209	1.0	97.8	11.8	341	3.85	11.0	2.9	<0.5	4.8	35	0.9	0.3	0.2	122	0.30	0.063

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000317.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1286274	Soil	27	64	0.98	356	0.087	2	1.50	0.012	0.37	0.1	0.07	6.1	0.4	<0.05	5	0.9	<0.2
1286287	Soil	17	82	0.96	416	0.133	1	1.82	0.014	0.47	0.1	0.13	5.9	0.5	0.16	8	2.2	<0.2
1286281	Soil	15	45	0.88	327	0.108	2	1.51	0.030	0.24	0.2	0.03	4.6	0.3	<0.05	5	<0.5	<0.2
1286275	Soil	25	97	1.21	530	0.110	2	1.84	0.013	0.37	0.2	0.09	8.2	0.5	<0.05	6	0.8	<0.2
1286276	Soil	22	101	1.13	510	0.091	2	1.86	0.012	0.34	0.1	0.11	10.8	0.7	<0.05	6	0.7	<0.2
1286279	Soil	18	89	1.17	503	0.153	1	2.26	0.012	0.41	0.1	0.06	6.4	0.8	0.08	11	1.1	<0.2
1286254	Soil	39	69	1.08	260	0.098	1	1.77	0.013	0.41	0.2	0.05	6.4	0.5	<0.05	6	0.6	<0.2
1286288	Soil	11	47	0.46	244	0.055	<1	1.19	0.007	0.07	0.2	0.15	3.3	0.5	<0.05	6	1.9	<0.2
1286277	Soil	22	86	1.11	510	0.088	3	1.64	0.015	0.33	0.1	0.08	7.8	0.4	0.08	6	1.6	<0.2
1286271	Soil	15	43	0.44	359	0.040	2	1.27	0.010	0.13	0.1	0.13	4.7	0.7	0.06	5	1.4	<0.2
1286286	Soil	23	62	1.01	509	0.131	1	1.86	0.018	0.35	0.1	0.06	6.6	0.4	<0.05	7	0.8	<0.2
1293148	Soil	11	65	0.67	182	0.119	<1	1.37	0.009	0.11	0.2	0.03	2.6	0.3	<0.05	7	<0.5	<0.2
1286256	Soil	38	57	0.99	391	0.077	2	1.57	0.013	0.31	<0.1	0.05	6.8	0.4	0.05	5	0.6	<0.2
1286285	Soil	33	129	1.30	307	0.144	2	2.20	0.016	0.37	0.2	0.04	6.8	0.6	<0.05	9	0.9	<0.2
1286273	Soil	21	91	1.07	487	0.091	2	1.80	0.011	0.31	0.1	0.10	10.3	0.7	<0.05	6	0.7	<0.2
1293147	Soil	12	42	0.61	139	0.093	<1	1.71	0.010	0.11	0.1	0.03	2.7	0.2	<0.05	7	<0.5	<0.2
1286257	Soil	21	41	0.46	453	0.024	2	1.09	0.012	0.08	<0.1	0.08	7.1	0.2	<0.05	4	0.6	<0.2
1286280	Soil	17	108	1.39	417	0.172	2	2.30	0.019	0.49	0.2	0.05	6.6	0.6	0.06	9	1.0	<0.2
1286272	Soil	13	74	1.06	369	0.133	1	2.04	0.011	0.42	0.1	0.02	6.3	0.5	<0.05	8	0.6	<0.2
1293149	Soil	17	50	0.74	226	0.106	1	1.87	0.009	0.13	0.1	0.03	3.5	0.2	<0.05	8	<0.5	<0.2
1286278	Soil	21	74	1.12	550	0.107	2	1.75	0.017	0.42	0.1	0.04	7.0	0.5	0.08	7	0.9	<0.2
1286255	Soil	38	62	1.15	409	0.100	2	1.83	0.019	0.34	0.1	0.04	6.5	0.4	0.05	6	<0.5	<0.2
1284153	Soil	18	86	1.45	590	0.163	2	2.45	0.016	0.50	0.1	0.03	6.5	0.4	<0.05	10	0.6	<0.2
1286284	Soil	21	60	1.02	234	0.143	2	1.81	0.016	0.44	0.2	0.04	5.7	0.5	0.10	7	0.6	<0.2
1270392	Soil	31	52	0.79	257	0.068	2	1.43	0.009	0.17	0.1	0.03	5.2	0.2	<0.05	6	<0.5	<0.2
1270394	Soil	22	40	0.99	158	0.112	2	1.71	0.007	0.19	0.2	0.04	2.9	0.3	<0.05	7	<0.5	<0.2
1292669	Soil	13	46	0.53	948	0.057	1	1.62	0.009	0.11	0.2	0.03	4.5	0.1	<0.05	5	2.3	<0.2
1292670	Soil	8	36	0.46	663	0.066	1	1.22	0.010	0.11	0.2	0.02	3.3	0.1	<0.05	5	0.8	<0.2
1292664	Soil	12	37	0.44	631	0.059	<1	1.34	0.007	0.17	0.1	0.03	2.8	0.2	<0.05	5	0.9	<0.2
1292667	Soil	23	69	0.82	1060	0.112	2	1.76	0.025	0.28	0.2	0.02	5.6	0.2	0.31	7	3.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000317.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1292668	Soil	2.7	50.9	12.3	129	1.5	38.2	13.5	602	2.97	12.3	1.3	<0.5	3.3	29	1.3	0.3	0.1	78	0.32	0.040
1292654	Soil	0.8	28.2	7.4	74	0.1	31.9	14.1	561	3.47	4.9	2.1	2.0	8.3	52	0.2	0.2	0.1	55	1.44	0.067
1292652	Soil	0.8	23.8	8.8	84	0.1	50.6	20.2	667	4.04	6.3	2.0	1.2	11.0	33	0.1	0.2	<0.1	76	1.02	0.061
1292660	Soil	0.8	38.4	9.2	56	0.1	61.5	19.2	660	3.55	10.1	2.4	3.2	6.2	35	0.2	0.6	0.1	73	1.53	0.060
1292672	Soil	5.7	47.8	10.9	138	0.9	72.4	12.8	265	3.04	40.1	0.9	3.1	2.4	26	0.9	0.6	0.1	74	0.16	0.034
1292677	Soil	2.9	57.0	12.1	115	0.5	75.2	17.4	260	4.32	21.9	1.4	0.6	6.8	16	0.2	0.3	0.2	78	0.16	0.037
1293127	Soil	1.3	13.2	13.7	56	0.1	23.6	9.0	354	3.41	6.7	1.0	1.0	10.8	18	<0.1	0.2	0.1	54	0.31	0.041
1293152	Soil	1.7	29.3	9.3	93	0.2	30.1	8.7	197	2.73	5.8	0.9	1.1	3.3	22	0.2	0.2	0.1	72	0.25	0.045
1293150	Soil	2.6	41.6	12.6	82	0.1	26.2	6.6	166	3.10	5.2	1.2	<0.5	2.7	20	0.2	0.2	0.2	73	0.09	0.052
1293118	Soil	1.0	32.2	11.4	69	<0.1	75.8	19.8	373	3.73	9.0	2.2	3.0	18.4	15	<0.1	0.3	0.2	69	0.33	0.044
1293120	Soil	0.5	42.6	5.6	67	0.1	47.5	16.0	660	2.81	4.8	3.4	1.4	7.3	61	0.2	0.2	<0.1	49	1.93	0.069
1293119	Soil	0.8	54.6	9.8	101	0.1	81.2	25.6	632	4.30	16.4	1.1	<0.5	12.1	34	0.1	0.2	<0.1	78	0.95	0.084
1293122	Soil	0.9	31.7	7.4	64	0.1	33.5	14.4	524	3.25	4.9	2.2	1.3	8.7	47	0.1	0.3	<0.1	56	1.49	0.063
1293123	Soil	1.0	24.7	6.2	78	<0.1	26.2	13.8	532	4.20	7.3	1.9	0.8	9.6	41	<0.1	0.2	<0.1	52	0.93	0.081
1293121	Soil	1.1	23.0	7.1	72	<0.1	37.9	18.2	362	4.10	10.4	1.2	<0.5	9.2	21	<0.1	0.2	<0.1	74	0.41	0.046
1293117	Soil	1.9	10.3	10.9	48	<0.1	17.4	7.8	409	3.16	8.6	0.7	<0.5	9.7	10	<0.1	0.4	0.3	70	0.13	0.028
1293125	Soil	1.2	11.3	8.3	54	<0.1	29.1	10.0	326	3.19	6.0	0.6	<0.5	6.0	19	<0.1	0.2	<0.1	65	0.33	0.050
1293116	Soil	1.5	13.4	10.5	57	<0.1	14.1	6.2	229	2.58	4.5	1.1	2.2	32.7	11	<0.1	0.3	0.3	45	0.11	0.010
1293136	Soil	1.9	24.4	4.6	83	0.1	22.8	15.8	487	3.81	6.6	0.5	2.8	2.0	18	0.2	0.2	<0.1	88	0.33	0.059
1293132	Soil	1.0	21.2	7.5	68	0.2	29.9	19.0	576	3.94	20.2	1.0	5.5	7.8	19	0.2	0.7	<0.1	78	0.48	0.057
1293128	Soil	1.7	13.8	9.7	43	<0.1	26.2	10.0	310	2.74	7.2	0.7	1.2	7.0	17	<0.1	0.3	0.1	70	0.30	0.019
1293129	Soil	1.0	20.1	7.6	72	0.1	39.4	19.3	541	3.62	5.1	0.6	1.0	7.3	28	0.2	0.2	<0.1	80	0.83	0.058
1293131	Soil	1.1	21.7	9.8	53	0.1	28.6	12.2	372	3.20	8.9	2.3	1.8	15.1	24	<0.1	0.4	0.1	68	0.54	0.029
1293133	Soil	1.0	33.4	6.6	52	0.3	32.9	10.4	390	2.42	11.4	4.2	4.2	3.6	35	0.2	1.1	<0.1	50	1.76	0.052
1293153	Soil	1.1	47.1	8.0	78	0.1	33.3	13.0	303	2.58	7.0	0.9	2.7	4.5	26	0.4	0.5	0.1	70	0.43	0.062
1293126	Soil	1.4	12.8	8.1	57	0.1	29.3	10.6	587	3.30	5.8	0.6	<0.5	5.6	23	<0.1	0.2	<0.1	66	0.43	0.055
1293144	Soil	3.7	85.5	10.3	146	0.5	98.6	15.4	413	3.88	13.2	2.6	2.9	5.9	28	0.5	0.4	0.1	107	0.29	0.036
1293145	Soil	1.4	41.4	8.6	59	0.3	43.0	12.7	364	3.17	9.8	1.1	5.3	5.7	18	<0.1	0.5	0.1	82	0.20	0.015
1293151	Rock Pulp	2.8	26.1	2.2	44	0.3	26.9	11.8	437	2.61	4.8	0.2	1.0	0.9	37	0.1	0.2	<0.1	80	0.91	0.055
1293135	Soil	2.4	44.9	9.6	86	0.6	34.9	10.7	291	3.64	25.5	0.8	3.2	2.9	20	0.3	0.5	0.2	123	0.18	0.038

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000317.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1292668	Soil	14	48	0.64	920	0.072	2	1.47	0.017	0.17	<0.1	0.03	4.1	0.2	0.14	5	2.5	<0.2
1292654	Soil	41	46	0.81	318	0.107	2	1.60	0.013	0.24	0.1	0.03	5.8	0.2	0.05	6	<0.5	<0.2
1292652	Soil	28	83	1.46	174	0.134	2	2.10	0.013	0.33	0.1	0.03	5.3	0.3	<0.05	8	<0.5	<0.2
1292660	Soil	49	86	0.89	382	0.050	2	1.29	0.015	0.17	0.1	0.08	11.0	0.2	<0.05	4	<0.5	<0.2
1292672	Soil	8	42	0.38	514	0.047	1	1.01	0.006	0.10	0.7	0.03	3.8	0.2	<0.05	4	1.4	<0.2
1292677	Soil	22	53	1.01	155	0.083	1	2.11	0.007	0.22	0.1	0.01	3.9	0.3	<0.05	7	0.7	<0.2
1293127	Soil	19	40	0.71	167	0.123	1	1.66	0.009	0.21	0.2	0.03	3.9	0.3	<0.05	7	<0.5	<0.2
1293152	Soil	14	45	0.81	183	0.113	1	1.53	0.012	0.23	0.2	0.03	3.2	0.3	<0.05	6	0.5	<0.2
1293150	Soil	24	35	0.55	206	0.094	1	1.20	0.016	0.32	<0.1	0.02	2.3	0.3	0.20	7	0.6	<0.2
1293118	Soil	39	69	0.91	154	0.079	2	2.68	0.011	0.09	0.1	0.03	6.0	0.2	<0.05	6	<0.5	<0.2
1293120	Soil	57	51	0.80	257	0.081	3	1.45	0.011	0.18	0.2	0.05	4.7	0.2	0.07	5	<0.5	<0.2
1293119	Soil	73	93	1.57	170	0.111	1	2.07	0.009	0.32	0.2	0.04	6.3	0.3	<0.05	7	<0.5	<0.2
1293122	Soil	46	46	0.80	250	0.094	2	1.53	0.013	0.22	0.2	0.04	5.6	0.2	<0.05	6	<0.5	<0.2
1293123	Soil	37	41	0.85	308	0.154	2	1.92	0.012	0.38	0.2	0.03	5.8	0.3	<0.05	8	<0.5	<0.2
1293121	Soil	19	65	1.20	208	0.138	1	2.12	0.010	0.41	0.1	0.01	3.8	0.3	<0.05	8	<0.5	<0.2
1293117	Soil	13	29	0.29	116	0.052	1	1.66	0.007	0.05	0.1	0.03	2.3	0.1	<0.05	7	<0.5	<0.2
1293125	Soil	14	48	0.83	173	0.132	1	1.62	0.010	0.19	0.2	0.03	3.1	0.2	<0.05	7	<0.5	<0.2
1293116	Soil	40	31	0.32	108	0.040	<1	1.69	0.007	0.04	0.2	0.02	3.1	0.1	<0.05	5	<0.5	<0.2
1293136	Soil	6	36	0.94	568	0.163	1	1.91	0.012	0.45	0.1	0.03	4.2	0.2	<0.05	6	0.5	<0.2
1293132	Soil	40	48	0.98	333	0.077	2	1.75	0.009	0.15	0.1	0.04	8.4	0.2	<0.05	5	<0.5	<0.2
1293128	Soil	17	47	0.62	198	0.085	<1	1.61	0.010	0.08	0.1	0.02	3.4	0.1	<0.05	6	<0.5	<0.2
1293129	Soil	25	63	1.40	208	0.106	2	2.16	0.011	0.20	0.1	0.03	3.8	0.1	0.06	7	<0.5	<0.2
1293131	Soil	105	45	0.63	373	0.066	1	1.69	0.014	0.08	0.1	0.05	6.5	0.1	<0.05	6	<0.5	<0.2
1293133	Soil	37	43	0.59	563	0.040	2	1.14	0.010	0.10	0.1	0.09	6.0	0.1	0.05	4	0.9	<0.2
1293153	Soil	19	42	0.70	335	0.095	2	1.62	0.020	0.09	0.2	0.04	4.9	0.2	<0.05	5	0.9	<0.2
1293126	Soil	15	50	0.82	244	0.121	2	1.64	0.011	0.19	0.2	0.03	3.2	0.2	<0.05	7	<0.5	<0.2
1293144	Soil	20	73	0.86	1431	0.068	1	1.84	0.010	0.12	0.2	0.06	8.7	0.3	<0.05	6	1.8	<0.2
1293145	Soil	17	50	0.74	362	0.094	1	1.91	0.011	0.07	0.2	0.02	6.2	0.1	<0.05	6	<0.5	<0.2
1293151	Rock Pulp	4	37	0.88	101	0.124	3	1.61	0.080	0.12	14.2	<0.01	4.9	<0.1	0.06	6	<0.5	<0.2
1293135	Soil	10	54	0.65	684	0.084	<1	2.21	0.011	0.15	0.2	0.02	3.8	0.3	0.13	8	1.4	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000317.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1293140	Soil		9.8	74.1	21.2	127	0.5	61.4	11.8	364	3.77	68.3	1.4	3.1	3.1	30	0.4	0.6	0.2	113	0.35	0.077
1293139	Soil		3.0	27.7	9.1	76	0.9	30.1	7.8	195	3.06	22.1	0.6	2.2	2.2	19	0.3	0.5	0.2	74	0.16	0.039
1293134	Soil		6.8	76.2	9.3	165	0.2	87.7	11.1	245	3.91	11.2	2.1	1.9	8.2	27	0.2	0.2	0.1	88	0.05	0.046
1293130	Soil		0.4	51.9	7.8	54	<0.1	185.8	32.5	831	5.49	7.7	3.3	1.6	23.3	61	<0.1	0.4	<0.1	141	1.89	0.167
1293141	Soil		1.9	40.8	6.9	70	0.3	36.8	13.3	338	3.87	10.0	0.7	1.3	2.1	23	0.1	0.3	0.1	103	0.29	0.036
1293146	Soil		2.1	47.5	7.2	107	<0.1	33.3	14.5	361	4.45	5.9	1.3	1.8	4.8	21	0.2	0.3	0.2	90	0.13	0.071
1293138	Soil		5.5	59.8	19.0	231	1.2	79.0	11.6	264	3.44	46.5	1.5	2.9	3.9	31	0.8	0.7	0.2	164	0.22	0.048
1293137	Soil		1.7	20.0	4.5	82	0.2	17.1	13.0	385	4.05	5.4	0.7	2.2	2.5	21	<0.1	0.2	<0.1	85	0.44	0.072
1293142	Soil		3.8	76.3	9.2	79	0.2	30.2	13.8	684	3.79	6.4	1.3	1.3	4.4	28	<0.1	0.2	0.2	116	0.19	0.048
1293143	Soil		3.3	96.7	9.3	131	0.4	64.5	18.2	846	5.00	40.4	2.1	7.3	6.1	36	0.1	0.8	0.3	128	0.39	0.062
1293124	Soil		1.4	13.8	4.9	74	<0.1	25.9	14.1	389	4.33	3.3	0.7	2.2	4.3	37	<0.1	0.2	<0.1	69	0.65	0.105
1293154	Soil		2.4	81.4	9.1	124	0.2	65.3	24.9	766	4.93	3.4	1.9	2.9	18.3	18	0.1	<0.1	0.2	64	0.28	0.097
1270147	Soil		1.5	19.6	11.8	79	<0.1	62.1	28.6	891	5.61	4.4	1.0	1.8	8.2	33	<0.1	0.2	<0.1	132	0.79	0.093
1270130	Soil		0.3	92.8	4.4	58	0.1	19.2	18.0	473	4.03	2.4	0.2	3.8	1.5	99	<0.1	<0.1	<0.1	142	1.09	0.127
1270133	Soil		1.5	28.0	12.3	93	0.3	28.0	16.3	471	4.82	10.7	0.4	1.3	1.6	28	0.2	0.5	0.1	121	0.36	0.049
1270131	Soil		1.2	81.2	10.8	63	0.3	28.4	15.4	566	3.60	6.7	0.7	6.8	2.2	52	0.1	0.4	0.2	97	1.31	0.057
1270119	Soil		0.9	55.6	5.4	60	0.1	18.5	13.1	500	2.95	5.7	0.7	3.3	1.9	42	0.2	0.3	0.1	86	0.79	0.095
1270118	Soil		1.8	63.7	5.1	47	0.1	13.9	10.4	300	2.96	3.8	0.4	3.6	1.2	27	<0.1	0.2	0.2	92	0.27	0.056
1270117	Soil		1.4	61.4	5.8	70	0.2	19.8	13.9	373	3.80	6.0	0.6	3.8	2.6	34	<0.1	0.3	0.1	114	0.51	0.079
1270145	Soil		1.0	14.4	6.5	59	<0.1	23.6	13.4	465	2.97	10.4	1.7	1.5	5.0	35	0.2	0.3	0.1	56	0.57	0.107
1270124	Soil		0.9	59.9	8.7	69	0.2	24.0	13.3	647	3.03	14.4	1.4	4.5	2.3	119	0.2	0.8	<0.1	85	1.12	0.075
1270121	Soil		1.2	15.2	9.0	67	0.1	18.2	10.8	454	3.26	6.5	0.4	3.3	2.6	32	0.1	0.5	0.1	80	0.43	0.035
1270123	Soil		0.7	126.0	9.2	73	0.2	25.0	15.0	663	3.78	6.2	1.1	4.8	2.3	112	0.2	0.4	0.1	107	1.32	0.102
1270120	Soil		1.0	27.6	7.4	72	<0.1	20.0	12.0	570	3.29	8.7	0.4	1.9	3.0	45	<0.1	0.5	0.1	83	0.53	0.047
1270128	Soil		0.5	38.4	4.0	120	<0.1	18.9	14.1	767	5.06	3.1	0.3	2.3	2.0	71	<0.1	0.1	<0.1	133	0.82	0.161
1270126	Soil		0.6	88.6	6.2	64	0.2	23.3	16.1	442	3.50	4.8	0.7	5.5	2.0	76	<0.1	0.3	0.1	107	1.25	0.069
1270125	Soil		0.7	84.0	6.8	60	0.2	22.8	14.7	452	3.29	4.9	0.7	4.8	1.8	79	<0.1	0.3	0.1	100	1.25	0.062
1270122	Soil		0.7	17.9	7.9	107	<0.1	14.1	13.3	602	4.38	7.2	0.5	1.1	3.8	51	<0.1	0.3	<0.1	91	0.71	0.141
1270379	Soil		1.9	18.4	9.4	58	<0.1	52.3	15.7	451	4.44	9.8	0.5	1.5	4.5	16	<0.1	0.4	0.2	111	0.21	0.031
1270378	Soil		0.8	14.5	19.6	79	<0.1	14.6	16.9	768	4.37	5.6	1.0	2.6	8.7	18	<0.1	0.5	0.2	89	0.41	0.117

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000317.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1293140	Soil	14	52	0.89	1047	0.062	2	1.85	0.009	0.10	0.1	0.03	7.0	0.2	<0.05	7	1.9	<0.2
1293139	Soil	9	36	0.45	734	0.063	<1	1.60	0.011	0.09	0.2	0.03	3.3	0.2	<0.05	6	1.1	<0.2
1293134	Soil	26	41	0.71	577	0.080	<1	1.49	0.021	0.47	<0.1	0.01	4.5	0.8	0.31	6	2.7	<0.2
1293130	Soil	30	216	2.24	657	0.102	2	2.12	0.015	0.45	0.1	0.04	23.4	0.8	<0.05	8	<0.5	<0.2
1293141	Soil	8	48	1.12	817	0.149	1	2.17	0.013	0.40	0.1	0.03	5.0	0.2	<0.05	8	0.6	<0.2
1293146	Soil	26	48	0.98	205	0.128	<1	2.13	0.014	0.51	<0.1	0.02	4.2	0.5	0.14	7	0.8	<0.2
1293138	Soil	11	50	0.50	1044	0.049	1	1.74	0.010	0.08	0.2	0.05	5.4	0.3	<0.05	6	3.1	<0.2
1293137	Soil	10	26	1.02	695	0.169	1	1.99	0.017	0.46	0.1	0.03	4.8	0.3	<0.05	7	0.7	<0.2
1293142	Soil	19	64	1.22	554	0.163	<1	2.54	0.014	0.58	0.1	0.02	5.7	0.4	0.15	9	1.1	<0.2
1293143	Soil	28	64	1.45	1198	0.090	1	2.77	0.015	0.15	<0.1	0.05	13.4	0.3	<0.05	10	2.1	<0.2
1293124	Soil	15	41	1.30	340	0.222	1	2.26	0.015	0.58	0.2	0.04	3.3	0.4	<0.05	9	<0.5	<0.2
1293154	Soil	31	47	1.51	212	0.181	<1	2.58	0.008	1.22	<0.1	0.02	5.9	0.7	<0.05	9	0.5	<0.2
1270147	Soil	26	227	2.68	150	0.168	2	3.77	0.013	0.15	0.2	0.04	8.9	0.4	<0.05	11	<0.5	<0.2
1270130	Soil	6	31	1.35	282	0.202	<1	2.32	0.059	0.13	0.1	<0.01	6.7	0.1	<0.05	9	<0.5	<0.2
1270133	Soil	5	49	1.02	191	0.149	<1	3.39	0.016	0.10	0.1	0.02	5.2	0.2	<0.05	13	<0.5	<0.2
1270131	Soil	12	42	1.04	310	0.102	2	2.28	0.046	0.09	0.2	0.06	8.2	0.1	<0.05	8	<0.5	<0.2
1270119	Soil	11	33	0.80	242	0.118	2	1.57	0.025	0.09	0.2	0.04	5.2	0.1	<0.05	6	<0.5	<0.2
1270118	Soil	7	27	0.69	133	0.180	1	1.50	0.025	0.13	0.1	0.08	3.3	0.1	<0.05	7	<0.5	<0.2
1270117	Soil	10	35	0.94	178	0.154	1	2.30	0.019	0.12	0.1	0.03	6.5	0.2	<0.05	9	<0.5	<0.2
1270145	Soil	16	48	0.98	265	0.070	2	1.33	0.012	0.21	0.2	0.01	4.1	0.2	<0.05	5	<0.5	<0.2
1270124	Soil	13	34	0.82	305	0.109	2	1.86	0.031	0.14	0.1	0.05	6.2	0.1	<0.05	7	<0.5	<0.2
1270121	Soil	10	37	0.59	302	0.078	1	1.93	0.021	0.12	0.2	0.01	4.3	0.1	<0.05	7	<0.5	<0.2
1270123	Soil	16	39	1.13	218	0.129	1	2.33	0.027	0.15	0.1	0.04	8.8	<0.1	<0.05	9	<0.5	<0.2
1270120	Soil	11	36	0.70	350	0.090	1	2.01	0.018	0.19	0.1	0.02	5.1	0.1	<0.05	8	<0.5	<0.2
1270128	Soil	7	46	1.69	338	0.249	<1	2.51	0.026	0.70	<0.1	0.02	8.6	0.4	<0.05	13	<0.5	<0.2
1270126	Soil	9	37	1.07	260	0.161	1	2.43	0.050	0.19	<0.1	0.02	7.8	0.2	<0.05	9	0.7	<0.2
1270125	Soil	9	36	0.98	254	0.147	2	2.18	0.049	0.16	0.1	0.04	7.1	0.2	<0.05	8	0.5	<0.2
1270122	Soil	12	27	1.12	145	0.103	<1	2.33	0.015	0.09	0.1	0.01	6.0	<0.1	<0.05	12	<0.5	<0.2
1270379	Soil	10	167	1.35	150	0.075	<1	2.35	0.008	0.06	0.1	<0.01	4.6	<0.1	<0.05	11	<0.5	<0.2
1270378	Soil	24	24	0.99	525	0.114	1	2.31	0.009	0.42	0.1	0.02	7.9	0.3	<0.05	7	0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000317.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1270387	Soil	0.6	24.9	10.6	59	<0.1	31.9	14.2	504	3.18	4.8	2.1	1.2	3.8	78	0.2	0.3	0.3	55	2.18	0.082
1270127	Soil	0.9	70.7	6.7	55	0.2	25.8	14.8	499	3.02	5.3	0.6	3.8	1.8	60	0.1	0.3	0.1	88	1.26	0.060
1270388	Soil	0.5	25.2	5.2	35	<0.1	17.7	7.2	357	1.66	2.8	2.0	1.8	1.4	115	0.1	0.2	0.1	28	3.49	0.079
1270381	Soil	1.0	34.9	12.2	79	0.1	53.9	18.8	584	4.60	12.2	1.3	3.0	8.1	36	0.1	1.6	0.1	77	0.73	0.069
1270380	Soil	0.8	27.0	13.7	63	0.1	35.1	22.0	789	4.56	13.6	1.6	2.7	3.6	44	0.1	0.6	<0.1	96	1.22	0.085
1270385	Soil	0.6	33.4	51.3	73	0.2	54.3	25.2	841	5.19	7.5	1.1	2.5	8.9	31	<0.1	0.3	0.4	84	0.72	0.056
1270383	Soil	0.6	30.0	4.3	51	0.1	20.9	17.2	495	3.95	4.0	2.0	2.9	4.3	77	<0.1	0.2	<0.1	82	1.95	0.096
1292662	Soil	1.4	15.7	6.6	75	0.2	18.8	12.6	437	3.64	14.0	0.6	4.7	2.0	20	0.2	0.4	0.1	79	0.57	0.041
1270382	Soil	0.9	26.5	7.1	51	<0.1	36.4	20.2	656	4.13	6.4	1.0	2.3	5.3	39	<0.1	0.4	<0.1	93	1.02	0.083
1270386	Soil	1.0	47.5	9.8	97	<0.1	63.7	32.4	882	5.29	5.2	0.5	1.1	2.8	22	<0.1	0.2	0.1	136	0.72	0.061
1270384	Soil	0.9	37.7	113.4	71	0.5	49.5	20.5	817	4.71	6.6	1.2	23.8	7.2	44	0.2	0.4	0.4	80	1.30	0.111
1292651	Rock Pulp	2.6	22.5	1.8	45	0.4	24.6	10.9	423	2.61	5.0	0.2	2.2	0.7	37	0.2	0.2	<0.1	67	0.89	0.067
1292663	Soil	6.8	86.0	18.2	155	0.7	65.8	15.9	700	4.15	33.3	2.1	2.8	5.9	23	0.5	0.5	0.1	113	0.53	0.079
1270376	Soil	2.2	43.8	9.8	133	0.4	41.5	14.8	595	4.26	40.8	1.4	3.7	3.9	24	0.5	0.7	0.1	94	0.46	0.102
1292665	Soil	2.1	25.0	5.5	90	0.2	30.3	16.6	540	4.49	5.2	0.8	1.3	2.4	22	<0.1	0.2	<0.1	98	0.54	0.090
1292679	Soil	1.9	38.2	10.3	85	0.2	44.9	15.7	265	3.47	9.3	1.4	4.5	5.6	25	0.2	0.4	0.1	66	0.27	0.043
1292661	Soil	0.8	20.8	6.6	66	0.3	24.2	14.8	650	3.98	12.1	2.3	4.9	8.2	26	<0.1	0.5	0.1	73	0.79	0.060
1292671	Soil	4.0	43.1	8.3	74	0.4	34.4	10.2	340	3.31	8.4	1.5	1.6	4.4	26	0.1	0.3	0.3	114	0.31	0.037
1292658	Soil	1.2	12.7	9.3	63	<0.1	24.6	10.7	397	3.97	7.0	1.1	1.1	10.3	21	<0.1	0.4	0.1	75	0.39	0.026
1292657	Soil	1.4	12.2	11.6	46	<0.1	20.6	8.7	651	2.83	7.0	0.8	2.3	7.3	23	<0.1	0.4	0.1	66	0.37	0.030
1292659	Soil	1.4	13.1	6.8	67	<0.1	32.3	14.4	644	4.76	6.6	1.8	1.9	10.2	19	<0.1	0.7	<0.1	75	0.53	0.079
1292655	Soil	1.0	18.6	6.3	95	<0.1	68.4	23.8	658	6.73	3.6	1.3	1.2	9.4	50	<0.1	0.1	<0.1	76	1.19	0.218
1292666	Soil	1.3	40.3	4.8	82	0.4	28.3	13.6	535	3.41	7.5	1.3	5.0	2.2	47	0.3	0.3	<0.1	74	1.31	0.073
1292673	Soil	9.0	50.1	11.0	192	0.9	69.8	9.5	246	3.47	7.3	1.3	0.7	3.0	29	0.5	0.4	0.3	68	0.15	0.053
1292653	Soil	0.9	24.0	6.2	75	<0.1	36.5	16.3	578	3.76	7.2	2.2	1.2	9.0	46	0.1	0.2	<0.1	62	1.30	0.075
1292675	Soil	4.1	87.9	8.1	126	0.3	40.9	18.0	869	5.35	6.6	2.0	0.5	5.2	40	<0.1	0.2	0.2	188	0.38	0.095
1292656	Soil	0.8	33.5	4.2	75	<0.1	67.0	28.8	594	5.45	6.8	0.9	<0.5	6.6	32	<0.1	0.1	<0.1	86	0.88	0.165
1292676	Soil	4.3	79.2	9.3	113	0.3	32.8	15.4	770	4.86	5.9	1.8	<0.5	4.1	44	<0.1	0.2	0.2	182	0.34	0.091
1292650	Soil	1.1	30.7	6.7	108	<0.1	53.1	25.6	753	5.80	3.9	1.8	<0.5	9.3	39	<0.1	<0.1	<0.1	73	1.01	0.094
1292674	Soil	3.1	56.0	9.6	116	0.3	43.5	14.1	359	5.14	3.7	1.3	0.5	4.2	30	0.1	0.2	0.1	164	0.19	0.054

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000317.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1270387	Soil	26	48	0.74	331	0.047	3	1.26	0.012	0.10	0.3	0.05	6.3	0.2	0.11	5	0.6	<0.2
1270127	Soil	10	38	0.85	267	0.128	1	1.96	0.049	0.16	0.1	0.04	6.6	0.2	<0.05	7	0.7	<0.2
1270388	Soil	22	27	0.42	347	0.031	3	0.88	0.011	0.05	0.1	0.06	3.2	0.1	0.18	3	0.7	<0.2
1270381	Soil	70	55	0.77	268	0.035	1	1.83	0.011	0.10	0.1	0.05	10.3	0.1	<0.05	7	0.8	<0.2
1270380	Soil	25	76	0.68	256	0.029	2	1.41	0.010	0.05	<0.1	0.10	12.1	0.2	<0.05	5	0.7	<0.2
1270385	Soil	28	91	1.65	220	0.146	<1	2.40	0.013	0.47	2.3	0.02	8.9	0.4	<0.05	8	<0.5	<0.2
1270383	Soil	50	39	1.43	516	0.097	3	2.12	0.013	0.34	<0.1	0.08	9.2	0.2	0.05	7	0.6	<0.2
1292662	Soil	9	44	0.76	356	0.062	2	1.86	0.016	0.14	0.1	0.04	6.0	0.1	<0.05	7	<0.5	<0.2
1270382	Soil	24	66	1.35	316	0.060	2	2.02	0.015	0.14	0.1	0.05	12.9	0.2	<0.05	7	<0.5	<0.2
1270386	Soil	6	185	2.65	392	0.237	2	3.26	0.015	0.38	0.2	0.01	5.4	0.3	<0.05	11	<0.5	<0.2
1270384	Soil	34	76	0.98	337	0.065	3	1.69	0.011	0.31	1.9	0.06	11.8	0.3	<0.05	6	0.6	<0.2
1292651	Rock Pulp	4	33	0.87	105	0.104	2	1.68	0.093	0.13	13.8	0.02	5.2	<0.1	0.05	6	<0.5	<0.2
1292663	Soil	33	48	0.86	923	0.067	1	1.82	0.008	0.22	0.2	0.09	9.4	0.7	<0.05	7	1.7	<0.2
1270376	Soil	21	56	1.05	858	0.117	2	2.16	0.014	0.17	0.2	0.06	8.1	0.5	<0.05	8	0.7	<0.2
1292665	Soil	7	58	1.26	623	0.119	1	2.32	0.014	0.50	0.1	0.02	9.3	0.4	<0.05	8	0.6	<0.2
1292679	Soil	22	42	0.76	276	0.064	1	1.76	0.014	0.15	0.1	0.02	4.7	0.2	<0.05	5	0.5	<0.2
1292661	Soil	61	40	0.93	612	0.079	2	2.08	0.016	0.24	0.1	0.06	10.3	0.2	<0.05	7	<0.5	<0.2
1292671	Soil	12	58	0.93	825	0.098	1	1.89	0.014	0.25	<0.1	0.02	5.7	0.2	0.09	8	1.0	<0.2
1292658	Soil	33	48	0.79	240	0.105	2	2.10	0.015	0.24	0.1	0.02	6.4	0.3	<0.05	7	<0.5	<0.2
1292657	Soil	17	39	0.37	331	0.063	1	1.54	0.015	0.08	0.1	0.03	3.5	0.1	<0.05	7	<0.5	<0.2
1292659	Soil	64	55	0.77	288	0.049	2	1.77	0.010	0.27	<0.1	0.03	11.3	0.2	<0.05	6	<0.5	<0.2
1292655	Soil	19	82	2.27	719	0.261	1	3.34	0.020	0.92	0.2	0.02	7.8	0.8	<0.05	12	<0.5	<0.2
1292666	Soil	10	31	0.84	1001	0.099	2	1.74	0.022	0.30	0.2	0.05	7.8	0.2	0.09	6	0.9	<0.2
1292673	Soil	11	40	0.32	444	0.032	<1	1.12	0.007	0.12	0.1	0.02	4.2	0.4	0.10	5	2.2	<0.2
1292653	Soil	29	60	1.13	208	0.104	2	1.79	0.013	0.29	0.1	0.04	5.6	0.3	0.05	7	<0.5	<0.2
1292675	Soil	24	77	1.99	1571	0.196	<1	3.06	0.012	0.78	<0.1	0.01	8.4	0.5	0.10	14	2.0	<0.2
1292656	Soil	16	125	2.32	576	0.177	<1	2.93	0.016	0.80	0.2	0.02	7.0	0.5	<0.05	8	<0.5	<0.2
1292676	Soil	20	73	1.85	1601	0.191	<1	2.98	0.013	0.82	<0.1	0.01	7.7	0.5	0.12	13	1.8	<0.2
1292650	Soil	24	95	2.43	190	0.224	<1	2.94	0.010	0.81	0.1	0.01	5.2	0.7	0.13	9	<0.5	<0.2
1292674	Soil	17	72	1.85	551	0.220	<1	3.20	0.018	0.64	<0.1	0.02	6.7	0.6	0.15	11	0.9	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000317.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1292680	Soil	1.7	34.8	8.8	82	0.1	42.5	14.7	238	3.88	17.5	0.7	1.5	3.6	26	0.3	0.4	0.1	78	0.20	0.043
1270135	Soil	1.3	15.8	7.1	68	<0.1	14.8	4.7	701	3.50	5.1	0.9	2.8	15.2	10	<0.1	0.3	<0.1	32	0.15	0.014
1270134	Soil	2.5	11.8	12.3	61	<0.1	16.3	4.2	875	3.48	6.6	1.2	0.8	16.2	10	<0.1	0.4	<0.1	24	0.15	0.020
1270143	Soil	1.2	23.1	6.9	103	<0.1	23.0	14.1	1255	4.78	2.0	0.8	0.6	7.2	17	<0.1	<0.1	<0.1	59	0.58	0.122
1292678	Soil	2.5	45.8	9.3	103	0.2	49.7	13.3	270	4.93	8.3	1.3	1.3	5.5	23	0.1	0.2	0.2	97	0.18	0.098
1270140	Soil	1.6	14.2	8.2	62	<0.1	17.4	5.9	612	3.13	6.3	0.9	2.1	8.8	15	<0.1	0.4	<0.1	43	0.19	0.015
1270138	Soil	2.3	7.9	7.8	40	<0.1	9.3	2.5	456	2.81	4.3	1.6	<0.5	18.2	7	<0.1	0.3	<0.1	17	0.10	0.014
1270146	Soil	1.1	20.3	6.9	74	<0.1	27.6	18.5	864	3.38	5.6	1.8	1.6	3.6	53	0.1	0.3	<0.1	69	1.42	0.097
1292682	Soil	1.4	34.0	8.0	73	0.1	33.9	13.6	430	3.12	10.4	1.1	2.9	3.8	33	0.2	0.5	<0.1	71	0.62	0.079
1270139	Soil	1.8	25.9	10.8	62	<0.1	27.0	7.8	578	3.55	7.2	1.1	3.8	19.9	22	<0.1	0.5	0.1	57	0.33	0.023
1270136	Soil	1.8	25.5	10.7	117	<0.1	16.9	4.7	1176	4.09	3.9	1.5	2.7	27.9	14	<0.1	0.4	0.1	31	0.25	0.020
1270142	Soil	1.4	17.5	4.7	74	<0.1	8.3	4.9	421	3.57	1.8	1.1	0.7	7.3	10	<0.1	<0.1	<0.1	18	0.33	0.087
1292681	Soil	1.7	48.8	8.9	77	0.2	35.1	12.8	319	3.03	10.4	1.0	5.5	4.7	26	0.2	0.5	0.2	67	0.38	0.073
1270137	Soil	1.5	18.5	11.5	69	<0.1	22.4	9.1	673	3.40	9.3	1.3	2.5	8.2	20	<0.1	0.5	0.1	58	0.28	0.022
1270141	Soil	1.7	17.6	13.9	53	<0.1	27.5	10.8	633	3.06	6.6	0.9	1.2	11.7	20	<0.1	0.4	0.1	54	0.37	0.024
1270144	Soil	1.2	24.7	12.1	57	<0.1	24.3	14.3	465	3.25	5.6	1.7	2.1	13.2	22	<0.1	0.3	0.2	67	0.47	0.046
1270132	Soil	1.4	102.5	11.2	72	0.3	36.0	21.7	703	4.57	6.7	0.4	4.7	2.2	42	<0.1	0.3	0.1	148	0.96	0.059
1270129	Soil	0.7	97.3	7.3	56	0.2	23.2	15.7	451	3.36	4.2	0.5	3.2	1.5	66	<0.1	0.2	0.1	104	1.11	0.063
1270272	Soil	0.4	37.2	11.0	38	<0.1	143.5	33.2	609	3.38	5.2	0.4	<0.5	3.5	10	<0.1	0.2	<0.1	97	0.19	0.029
1270268	Soil	1.0	45.3	21.5	95	<0.1	32.8	32.0	1376	6.83	3.8	2.1	2.2	16.7	17	<0.1	0.4	0.2	160	0.70	0.180
1270284	Soil	0.6	23.4	7.9	40	0.1	28.6	12.1	615	2.60	4.4	1.7	2.2	14.7	44	0.1	0.4	<0.1	47	1.07	0.050
1270288	Soil	3.7	66.6	15.4	174	0.5	75.2	21.0	899	4.59	164.0	1.5	3.3	4.1	35	0.8	1.6	0.2	123	0.51	0.117
1270289	Soil	3.1	67.2	13.9	108	0.3	64.7	20.0	784	4.63	74.0	1.2	2.5	3.9	30	0.3	0.6	0.2	125	0.38	0.101
1270269	Soil	0.7	13.5	28.9	68	<0.1	19.0	10.8	648	2.95	7.7	1.8	<0.5	29.3	18	<0.1	0.2	0.3	41	0.21	0.039
1270273	Soil	0.7	21.0	8.9	64	<0.1	33.2	22.3	581	4.80	8.4	0.5	1.1	8.5	23	<0.1	0.2	<0.1	101	0.57	0.091
1270275	Soil	0.7	23.4	7.3	69	<0.1	38.9	28.3	826	5.80	4.1	0.6	1.4	7.2	30	<0.1	0.1	<0.1	118	0.84	0.137
1270270	Soil	0.8	28.4	12.2	50	0.2	32.6	13.5	1076	2.82	6.1	1.5	2.1	2.6	79	0.1	0.3	0.1	53	2.78	0.088
1270271	Soil	0.7	29.0	15.4	77	<0.1	43.7	23.1	692	5.00	4.8	1.3	1.9	16.1	32	<0.1	0.2	0.1	98	0.74	0.082
1270262	Soil	1.8	51.6	16.5	79	0.3	25.0	15.7	529	4.32	7.8	3.0	2.8	23.2	19	0.1	0.4	0.4	57	0.39	0.078
1270261	Soil	1.3	17.2	9.4	56	0.1	21.1	12.9	345	3.29	6.8	1.0	2.5	6.5	20	<0.1	0.3	0.2	67	0.34	0.048

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000317.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1292680	Soil	14	49	0.76	269	0.099	<1	2.18	0.019	0.16	0.1	0.03	3.9	0.2	0.12	7	<0.5	<0.2
1270135	Soil	212	25	0.48	252	0.084	<1	1.66	0.010	0.22	0.1	0.04	9.3	0.2	<0.05	7	<0.5	<0.2
1270134	Soil	8	27	0.30	229	0.053	1	1.29	0.008	0.25	0.1	0.02	6.0	0.1	<0.05	5	<0.5	<0.2
1270143	Soil	16	48	1.64	289	0.155	<1	2.04	0.011	0.78	<0.1	<0.01	10.5	0.4	<0.05	10	<0.5	<0.2
1292678	Soil	19	67	1.26	235	0.114	<1	2.20	0.014	0.31	<0.1	0.01	4.4	0.3	0.14	8	0.8	<0.2
1270140	Soil	26	33	0.42	191	0.068	<1	1.35	0.015	0.13	<0.1	0.02	6.5	0.1	<0.05	5	<0.5	<0.2
1270138	Soil	9	15	0.32	113	0.049	1	1.06	0.007	0.23	<0.1	0.01	3.3	0.2	<0.05	6	<0.5	<0.2
1270146	Soil	20	52	1.09	193	0.076	2	1.64	0.020	0.18	0.1	0.06	5.5	0.3	0.08	6	<0.5	<0.2
1292682	Soil	16	40	0.70	337	0.086	1	1.62	0.026	0.08	0.2	0.05	5.6	0.1	<0.05	5	0.6	<0.2
1270139	Soil	117	42	0.67	318	0.105	2	1.86	0.022	0.20	0.1	0.05	9.5	0.1	<0.05	7	<0.5	<0.2
1270136	Soil	283	24	0.67	329	0.123	1	1.86	0.011	0.43	0.1	0.05	9.2	0.3	<0.05	10	<0.5	<0.2
1270142	Soil	20	15	0.45	114	0.069	<1	1.03	0.008	0.32	<0.1	<0.01	8.9	0.1	<0.05	5	<0.5	<0.2
1292681	Soil	19	42	0.75	356	0.081	2	1.56	0.016	0.15	0.2	0.03	5.0	0.2	<0.05	5	<0.5	<0.2
1270137	Soil	31	39	0.56	412	0.090	2	1.75	0.017	0.15	0.2	0.02	6.9	0.1	<0.05	6	<0.5	<0.2
1270141	Soil	24	57	0.59	233	0.076	2	1.68	0.013	0.11	0.1	0.02	5.6	0.1	<0.05	6	<0.5	<0.2
1270144	Soil	31	101	1.04	236	0.075	2	1.64	0.012	0.21	0.1	0.02	8.3	0.2	<0.05	6	<0.5	<0.2
1270132	Soil	10	69	1.59	280	0.161	2	2.56	0.063	0.32	0.1	0.03	10.3	0.3	<0.05	10	<0.5	<0.2
1270129	Soil	8	38	1.06	338	0.178	1	2.35	0.066	0.25	0.1	0.03	6.2	0.2	<0.05	9	<0.5	<0.2
1270272	Soil	4	681	2.86	84	0.047	1	2.40	0.005	0.04	<0.1	<0.01	8.6	<0.1	<0.05	7	<0.5	<0.2
1270268	Soil	70	90	1.75	1662	0.092	2	2.15	0.009	1.14	0.2	0.03	29.4	0.5	<0.05	6	<0.5	<0.2
1270284	Soil	110	49	0.94	306	0.069	2	1.48	0.011	0.23	0.1	0.05	5.4	0.2	<0.05	5	<0.5	<0.2
1270288	Soil	18	87	1.25	901	0.171	1	2.08	0.016	0.48	0.2	0.04	7.9	0.5	0.09	8	1.1	<0.2
1270289	Soil	18	90	1.34	701	0.192	1	2.43	0.016	0.54	0.2	0.03	7.0	0.4	0.10	10	0.6	<0.2
1270269	Soil	39	40	1.10	222	0.061	<1	1.51	0.005	0.25	0.2	<0.01	4.5	0.4	<0.05	5	<0.5	<0.2
1270273	Soil	32	57	1.82	260	0.115	<1	2.74	0.010	0.28	0.1	0.01	6.9	0.2	<0.05	9	<0.5	<0.2
1270275	Soil	25	70	2.15	253	0.098	2	2.90	0.009	0.32	0.1	0.01	9.7	0.2	<0.05	10	<0.5	<0.2
1270270	Soil	24	39	0.55	423	0.044	2	1.42	0.016	0.07	0.2	0.07	4.9	0.1	0.06	5	<0.5	<0.2
1270271	Soil	52	119	2.02	310	0.120	2	2.96	0.010	0.22	0.1	0.02	12.1	0.3	<0.05	11	<0.5	<0.2
1270262	Soil	71	35	0.86	365	0.108	2	1.61	0.009	0.39	0.1	0.03	7.6	0.3	<0.05	5	<0.5	<0.2
1270261	Soil	18	36	0.84	190	0.101	2	2.03	0.010	0.09	0.2	0.03	4.2	0.2	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000317.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1270264	Soil	1.1	7.9	6.6	43	<0.1	10.3	5.6	256	2.35	2.4	0.9	0.8	15.0	18	0.1	0.2	0.1	34	0.25	0.052
1270274	Soil	0.5	27.4	6.1	70	<0.1	70.9	31.7	1079	6.24	2.8	0.7	1.9	9.6	30	<0.1	<0.1	<0.1	132	0.91	0.133
1283395	Soil	1.5	40.4	7.4	52	<0.1	16.9	10.6	292	3.28	9.1	0.8	1.4	3.3	25	<0.1	0.3	0.1	88	0.31	0.039
1283869	Soil	2.0	14.7	11.4	79	0.2	17.1	11.7	691	3.82	30.7	1.8	3.7	7.0	22	0.2	0.8	0.4	96	0.33	0.042
1283864	Soil	1.1	15.4	7.4	84	<0.1	16.1	11.7	496	3.30	13.8	1.0	2.4	4.8	22	<0.1	0.5	0.2	77	0.36	0.068
1283867	Soil	1.2	12.7	9.9	64	0.1	12.3	8.1	486	2.90	14.6	2.2	2.3	7.8	21	0.2	0.6	0.1	70	0.27	0.043
1270281	Soil	1.3	21.8	11.2	52	<0.1	22.0	10.2	506	3.31	8.1	0.9	4.2	19.0	29	<0.1	1.1	0.2	54	0.50	0.024
1270278	Soil	1.0	49.9	16.1	82	0.1	58.8	22.5	814	5.45	11.2	1.2	6.6	11.8	36	0.2	1.3	0.3	74	1.34	0.066
1283394	Soil	2.8	24.5	7.9	62	<0.1	22.0	12.5	312	3.40	8.9	0.5	3.5	2.7	17	0.1	0.4	0.1	80	0.24	0.046
1283392	Soil	1.0	24.4	3.4	62	<0.1	46.1	11.6	345	2.14	8.9	0.4	2.3	1.3	38	0.1	0.4	<0.1	53	0.77	0.056
1270277	Soil	1.0	47.6	10.3	54	0.2	38.8	23.4	681	4.79	134.9	0.7	42.6	5.6	28	0.1	2.9	0.2	96	0.64	0.073
1270276	Soil	1.7	40.8	9.2	68	<0.1	50.6	27.9	883	5.66	13.6	1.1	2.3	8.7	39	<0.1	2.3	<0.1	129	1.23	0.111
1283396	Soil	1.9	66.5	1.3	44	<0.1	158.6	22.7	360	3.01	2.9	0.2	1.0	0.6	24	<0.1	<0.1	<0.1	73	0.54	0.043
1283871	Soil	1.5	12.3	11.7	58	0.1	13.5	6.9	318	3.23	20.5	0.9	3.0	4.6	17	0.2	0.6	0.2	86	0.24	0.027
1270280	Soil	0.6	24.8	14.2	50	0.1	26.5	17.4	915	3.56	9.2	1.0	11.3	2.8	60	0.2	1.0	0.2	66	1.54	0.054
1270279	Soil	0.8	36.8	46.2	79	0.3	35.8	22.4	625	4.94	15.9	0.8	28.3	7.9	66	0.4	1.5	0.3	75	1.91	0.079
1283398	Soil	1.2	9.7	7.1	80	<0.1	13.3	10.5	515	3.37	7.8	0.8	1.8	4.3	18	<0.1	0.3	0.1	80	0.30	0.071
1283393	Soil	0.8	105.2	6.4	68	0.2	29.1	19.3	465	3.29	5.4	0.9	1.1	2.4	30	0.1	0.3	<0.1	95	0.52	0.060
1290440	Soil	2.3	17.5	12.2	80	<0.1	24.0	10.4	312	3.55	34.9	0.4	2.9	2.2	10	0.3	0.3	0.5	81	0.17	0.052
1290456	Soil	2.7	73.1	10.6	198	0.6	73.1	12.2	397	3.87	38.8	1.0	2.6	4.8	19	0.5	0.7	0.2	111	0.33	0.056
1290438	Soil	1.3	34.5	9.1	69	0.1	34.0	13.9	389	3.22	9.0	0.7	3.9	4.7	15	<0.1	0.5	0.2	75	0.20	0.032
1290458	Soil	1.1	17.3	13.5	105	1.2	27.9	12.2	760	2.47	8.9	0.3	<0.5	2.0	19	1.3	0.5	0.2	64	0.24	0.042
1290452	Soil	4.3	88.3	10.9	287	0.9	127.4	13.2	226	4.03	31.5	1.3	0.9	3.4	29	0.8	0.5	0.2	119	0.17	0.096
1290454	Soil	2.1	23.1	8.5	110	1.7	26.2	10.8	268	2.86	14.0	0.6	3.7	1.9	10	0.7	0.6	0.2	75	0.11	0.031
1290449	Soil	1.4	15.3	8.6	57	0.4	19.1	8.7	187	2.57	8.8	0.4	7.6	2.0	21	0.3	0.3	0.1	66	0.31	0.067
1290461	Soil	4.7	90.8	7.6	78	2.3	23.3	5.0	184	3.57	0.6	2.7	2.8	3.5	33	0.3	<0.1	0.2	82	0.14	0.078
1290457	Soil	2.7	22.1	9.2	75	0.6	21.9	6.6	158	2.64	8.8	0.7	1.6	2.7	10	0.4	0.6	0.1	71	0.10	0.021
1290448	Soil	7.3	63.6	11.4	326	0.5	89.0	13.9	486	4.15	98.6	1.4	5.0	3.1	18	0.8	0.5	0.2	244	0.31	0.036
1290451	Rock Pulp	2.7	25.0	2.2	41	0.3	22.7	10.4	378	2.32	4.6	0.2	1.2	0.8	32	0.2	0.3	<0.1	57	0.73	0.058
1283868	Soil	1.1	13.5	10.8	67	0.2	13.5	12.6	596	2.73	25.8	3.7	2.9	5.1	24	0.2	0.6	0.2	60	0.32	0.072

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000317.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1270264	Soil	22	19	0.59	148	0.043	2	1.21	0.010	0.25	0.3	0.02	5.0	0.3	<0.05	5	<0.5	<0.2
1270274	Soil	59	142	2.62	350	0.101	2	3.34	0.006	0.42	<0.1	0.03	15.6	0.3	<0.05	11	<0.5	<0.2
1283395	Soil	22	32	0.57	255	0.076	1	2.15	0.017	0.08	<0.1	0.03	6.4	0.2	<0.05	8	<0.5	<0.2
1283869	Soil	16	33	0.68	360	0.135	2	2.22	0.011	0.11	0.2	0.05	5.2	0.3	<0.05	9	<0.5	<0.2
1283864	Soil	14	28	0.69	216	0.096	1	1.73	0.011	0.08	0.2	0.03	4.6	0.2	<0.05	7	<0.5	<0.2
1283867	Soil	20	27	0.51	268	0.093	1	1.68	0.009	0.09	0.1	0.04	4.6	0.3	<0.05	8	<0.5	<0.2
1270281	Soil	31	30	0.55	226	0.040	2	1.15	0.010	0.14	0.2	0.03	7.6	0.2	<0.05	5	<0.5	<0.2
1270278	Soil	43	74	0.87	169	0.009	2	1.28	0.004	0.11	0.2	0.04	11.9	0.1	<0.05	5	<0.5	<0.2
1283394	Soil	9	34	0.52	165	0.083	1	2.11	0.011	0.06	0.2	0.02	3.6	0.1	<0.05	7	<0.5	<0.2
1283392	Soil	5	75	0.78	97	0.067	1	1.20	0.025	0.04	0.1	0.04	3.1	<0.1	<0.05	5	<0.5	<0.2
1270277	Soil	18	67	1.29	293	0.065	1	2.32	0.012	0.11	0.1	0.03	7.8	0.2	<0.05	7	<0.5	<0.2
1270276	Soil	37	88	1.13	244	0.035	1	1.62	0.006	0.24	0.2	0.05	18.0	0.2	<0.05	6	<0.5	<0.2
1283396	Soil	5	507	2.15	265	0.196	<1	2.31	0.013	0.25	<0.1	<0.01	4.4	0.2	<0.05	6	<0.5	<0.2
1283871	Soil	13	27	0.52	259	0.112	<1	1.89	0.009	0.10	0.1	0.02	4.3	0.3	<0.05	9	<0.5	<0.2
1270280	Soil	22	46	0.85	464	0.027	3	1.53	0.012	0.06	0.2	0.05	6.6	<0.1	<0.05	6	<0.5	<0.2
1270279	Soil	49	54	0.87	521	0.014	1	1.40	0.009	0.09	0.2	0.04	11.0	<0.1	<0.05	5	<0.5	<0.2
1283398	Soil	12	25	0.71	184	0.101	<1	1.63	0.010	0.09	0.1	0.02	4.4	0.2	<0.05	8	<0.5	<0.2
1283393	Soil	12	51	0.93	222	0.128	1	2.31	0.032	0.06	<0.1	0.03	5.9	0.1	<0.05	7	<0.5	<0.2
1290440	Soil	9	41	0.64	136	0.060	1	1.85	0.009	0.06	0.2	0.03	4.1	0.2	<0.05	8	<0.5	<0.2
1290456	Soil	14	54	1.10	616	0.070	<1	1.84	0.007	0.17	0.1	0.01	6.5	0.3	<0.05	8	2.4	<0.2
1290438	Soil	9	39	0.77	242	0.082	<1	2.29	0.014	0.12	0.2	0.02	4.2	0.1	<0.05	7	<0.5	<0.2
1290458	Soil	7	28	0.37	763	0.035	<1	1.39	0.010	0.04	0.2	0.02	2.5	0.2	<0.05	5	<0.5	<0.2
1290452	Soil	11	52	0.40	838	0.044	<1	1.56	0.010	0.09	0.2	0.03	4.9	0.4	0.12	6	4.0	<0.2
1290454	Soil	7	30	0.34	369	0.035	<1	1.47	0.009	0.05	0.1	0.02	2.7	0.2	<0.05	6	0.7	<0.2
1290449	Soil	8	28	0.43	399	0.051	<1	1.35	0.008	0.10	0.2	0.02	2.5	<0.1	0.05	6	<0.5	<0.2
1290461	Soil	19	31	0.65	404	0.047	<1	0.98	0.022	0.34	<0.1	0.01	3.7	0.2	0.53	5	4.8	0.4
1290457	Soil	9	34	0.45	217	0.059	<1	1.61	0.009	0.10	0.2	0.03	2.7	<0.1	0.07	5	<0.5	<0.2
1290448	Soil	8	48	0.81	2135	0.075	<1	1.64	0.007	0.17	0.2	0.02	5.6	0.2	0.06	7	1.1	<0.2
1290451	Rock Pulp	3	30	0.73	85	0.090	2	1.34	0.070	0.12	13.0	0.02	4.0	<0.1	0.09	5	<0.5	<0.2
1283868	Soil	22	26	0.52	299	0.073	<1	1.57	0.011	0.07	0.2	0.03	4.3	0.2	0.09	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000317.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1283397	Soil		0.6	55.6	6.7	94	<0.1	21.6	15.3	522	4.45	6.1	2.6	3.3	9.1	30	<0.1	1.0	0.2	90	0.42	0.077
1283866	Soil		1.4	14.3	15.6	96	<0.1	15.9	10.0	666	3.40	8.8	2.6	3.0	10.4	24	0.2	0.9	0.3	73	0.32	0.051
1283399	Soil		1.0	16.0	9.0	94	0.1	17.0	11.0	429	3.26	8.5	2.0	3.8	8.8	24	0.2	0.4	0.2	67	0.35	0.068
1283875	Soil		1.9	7.0	9.8	40	<0.1	5.2	3.1	205	1.97	90.8	0.9	1.1	4.3	9	<0.1	1.7	0.1	66	0.08	0.016
1283400	Soil		1.4	16.9	10.5	76	0.2	13.8	13.1	899	3.18	24.3	2.2	3.5	5.9	20	0.2	0.5	0.8	69	0.26	0.065
1283870	Soil		1.6	13.0	12.9	93	<0.1	14.5	12.1	823	3.53	71.1	2.1	2.8	11.1	22	0.3	3.3	0.3	73	0.38	0.063
1283873	Soil		0.9	21.0	8.4	64	<0.1	31.1	10.3	403	2.83	8.0	3.1	2.5	11.5	24	<0.1	0.5	0.1	64	0.35	0.052
1283872	Soil		0.8	17.3	10.0	71	<0.1	17.1	9.9	443	3.30	16.1	2.9	5.2	13.7	22	<0.1	1.2	0.2	73	0.34	0.058
1283874	Soil		1.2	29.2	10.2	66	0.1	23.1	10.8	407	3.02	24.7	2.0	7.7	7.9	24	0.1	1.2	0.2	73	0.34	0.054
1283865	Soil		1.1	24.5	11.1	85	0.1	19.4	12.2	428	3.33	7.6	4.3	3.8	11.9	23	0.2	0.5	0.2	73	0.35	0.065
1270283	Soil		1.2	20.7	9.4	45	<0.1	31.7	12.9	344	3.08	5.6	0.9	1.4	12.6	23	<0.1	0.4	0.1	63	0.47	0.015
1270282	Soil		1.3	12.5	9.4	31	<0.1	11.3	5.7	449	1.97	4.3	1.1	6.5	21.6	42	<0.1	0.5	0.2	29	0.48	0.020
1270260	Soil		1.2	10.5	9.9	48	<0.1	16.4	9.1	287	3.10	6.9	0.6	3.3	4.9	12	<0.1	0.3	0.2	67	0.19	0.036
1270263	Soil		1.0	20.6	6.3	60	<0.1	22.2	16.9	435	3.48	5.6	1.1	2.6	4.6	27	<0.1	0.2	0.1	74	0.41	0.086
1270267	Soil		1.0	29.8	11.2	63	<0.1	30.6	16.1	506	3.76	7.4	1.6	2.8	12.2	22	<0.1	0.4	0.1	83	0.36	0.059
1270285	Soil		3.0	52.1	11.3	116	0.5	36.7	15.9	1023	3.05	42.2	1.6	3.7	2.8	27	0.7	1.0	0.2	81	0.46	0.068
1270265	Soil		2.2	91.8	8.6	24	<0.1	14.3	16.0	225	2.91	5.4	0.9	1.0	20.1	6	<0.1	0.2	0.3	35	0.14	0.066
1270286	Soil		2.5	30.4	9.8	110	0.5	35.1	18.8	1871	3.06	38.3	1.2	5.1	2.8	28	0.7	0.8	0.2	83	0.47	0.066
1270287	Soil		4.2	58.4	12.5	136	0.4	49.8	29.7	1278	4.57	69.6	1.8	5.4	4.7	23	0.4	0.7	0.2	141	0.17	0.065
1270266	Soil		0.8	32.2	13.9	61	<0.1	32.6	14.2	457	3.44	8.7	1.8	5.4	18.6	24	<0.1	0.4	0.2	76	0.29	0.027

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000317.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1283397	Soil	37	30	0.69	340	0.045	<1	1.93	0.011	0.10	<0.1	0.02	10.1	0.1	<0.05	8	<0.5	<0.2
1283866	Soil	32	27	0.61	357	0.106	<1	1.81	0.010	0.13	0.2	0.03	5.1	0.3	<0.05	9	<0.5	<0.2
1283399	Soil	20	30	0.68	273	0.082	<1	1.82	0.010	0.08	0.2	0.04	5.5	0.2	<0.05	7	<0.5	<0.2
1283875	Soil	11	11	0.19	196	0.106	<1	0.85	0.007	0.06	0.2	<0.01	2.4	0.2	<0.05	8	<0.5	<0.2
1283400	Soil	17	27	0.50	259	0.057	<1	1.75	0.010	0.08	0.1	0.04	4.4	0.2	<0.05	7	<0.5	<0.2
1283870	Soil	22	25	0.66	405	0.146	<1	1.69	0.012	0.19	0.2	0.02	5.0	0.5	<0.05	8	<0.5	<0.2
1283873	Soil	29	47	0.76	305	0.119	<1	1.68	0.012	0.09	0.2	0.02	4.9	0.3	<0.05	6	<0.5	<0.2
1283872	Soil	31	31	0.71	393	0.163	<1	2.08	0.012	0.15	0.1	0.02	5.6	0.4	<0.05	7	<0.5	<0.2
1283874	Soil	24	39	0.64	272	0.084	<1	1.84	0.012	0.07	0.2	0.04	5.6	0.2	0.06	6	<0.5	<0.2
1283865	Soil	33	32	0.72	297	0.118	<1	1.91	0.012	0.10	0.2	0.05	5.8	0.3	<0.05	7	<0.5	<0.2
1270283	Soil	25	63	1.13	201	0.098	<1	1.90	0.008	0.19	0.1	0.01	4.0	0.2	0.06	7	<0.5	<0.2
1270282	Soil	30	16	0.30	161	0.028	<1	0.73	0.007	0.09	0.1	0.01	3.2	0.1	0.07	3	<0.5	<0.2
1270260	Soil	11	33	0.68	99	0.111	<1	1.49	0.008	0.14	0.2	0.01	2.9	0.2	<0.05	7	<0.5	<0.2
1270263	Soil	14	45	1.35	396	0.102	<1	1.97	0.010	0.24	0.2	0.02	4.6	0.2	<0.05	6	<0.5	<0.2
1270267	Soil	42	53	0.79	382	0.077	1	2.24	0.010	0.09	0.1	0.03	7.2	0.2	<0.05	7	<0.5	<0.2
1270285	Soil	14	43	0.64	486	0.092	<1	1.42	0.013	0.11	0.1	0.08	4.9	0.6	<0.05	6	0.7	<0.2
1270265	Soil	11	22	0.86	77	0.053	1	1.60	0.006	0.15	0.1	<0.01	3.5	0.2	<0.05	5	<0.5	<0.2
1270286	Soil	14	45	0.67	678	0.090	<1	1.55	0.013	0.10	0.1	0.08	5.7	0.4	0.06	6	0.8	<0.2
1270287	Soil	17	74	1.00	590	0.176	<1	2.43	0.016	0.26	0.2	0.02	6.7	0.3	0.10	11	0.7	<0.2
1270266	Soil	53	53	0.85	403	0.096	<1	2.01	0.011	0.09	0.1	0.03	10.6	0.2	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

QUALITY CONTROL REPORT WHI12000317.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
1270366	Soil	2.5	34.6	9.8	76	0.4	28.6	9.6	391	2.93	33.1	0.6	6.0	1.0	9	0.8	0.8	0.2	78	0.09	0.053
REP 1270366	QC	2.6	34.6	9.6	78	0.4	28.3	9.6	387	2.88	32.8	0.6	3.7	1.0	9	0.8	0.8	0.2	76	0.08	0.052
1283461	Soil	3.2	31.4	19.3	156	0.3	46.3	19.7	978	4.40	38.9	3.3	4.0	10.1	29	0.8	1.2	0.1	106	0.84	0.107
REP 1283461	QC	3.2	31.8	19.9	159	0.3	47.4	20.3	976	4.43	40.2	3.3	4.9	9.9	30	0.8	1.2	0.1	106	0.86	0.112
1284343	Soil	2.0	62.8	10.3	87	0.6	51.5	15.4	426	3.98	21.9	2.2	10.5	6.8	21	0.4	1.4	0.2	90	0.20	0.050
REP 1284343	QC	1.7	62.7	9.9	91	0.7	51.9	15.7	434	4.03	21.9	2.2	6.8	6.9	22	0.4	1.4	0.1	90	0.21	0.051
1286256	Soil	1.2	40.6	13.0	92	0.2	55.8	17.7	604	4.04	60.7	1.5	3.3	6.9	34	0.2	3.4	0.1	67	1.43	0.095
REP 1286256	QC	1.2	41.6	12.7	91	0.2	55.7	17.8	610	4.08	59.0	1.5	3.5	6.8	33	0.2	3.3	0.1	66	1.39	0.089
1293136	Soil	1.9	24.4	4.6	83	0.1	22.8	15.8	487	3.81	6.6	0.5	2.8	2.0	18	0.2	0.2	<0.1	88	0.33	0.059
REP 1293136	QC	1.9	25.2	4.7	84	0.1	23.7	16.2	500	3.76	7.0	0.5	<0.5	2.0	18	0.1	0.2	<0.1	88	0.33	0.062
1270128	Soil	0.5	38.4	4.0	120	<0.1	18.9	14.1	767	5.06	3.1	0.3	2.3	2.0	71	<0.1	0.1	<0.1	133	0.82	0.161
REP 1270128	QC	0.5	39.6	4.4	123	<0.1	19.3	14.4	790	5.07	3.5	0.3	3.0	2.0	71	<0.1	0.1	<0.1	133	0.83	0.161
1292680	Soil	1.7	34.8	8.8	82	0.1	42.5	14.7	238	3.88	17.5	0.7	1.5	3.6	26	0.3	0.4	0.1	78	0.20	0.043
REP 1292680	QC	1.7	35.4	8.8	84	0.1	42.7	15.0	241	3.91	18.0	0.7	3.2	3.5	26	0.3	0.3	0.1	79	0.20	0.043
1283869	Soil	2.0	14.7	11.4	79	0.2	17.1	11.7	691	3.82	30.7	1.8	3.7	7.0	22	0.2	0.8	0.4	96	0.33	0.042
REP 1283869	QC	2.1	15.0	11.4	78	0.2	17.3	11.7	696	3.88	30.8	1.8	2.1	7.0	22	0.2	0.8	0.4	97	0.33	0.042
1270281	Soil	1.3	21.8	11.2	52	<0.1	22.0	10.2	506	3.31	8.1	0.9	4.2	19.0	29	<0.1	1.1	0.2	54	0.50	0.024
REP 1270281	QC	1.2	21.9	11.1	52	0.1	21.8	10.1	500	3.27	8.0	1.0	8.0	18.5	29	<0.1	1.1	0.2	55	0.48	0.024
1290438	Soil	1.3	34.5	9.1	69	0.1	34.0	13.9	389	3.22	9.0	0.7	3.9	4.7	15	<0.1	0.5	0.2	75	0.20	0.032
REP 1290438	QC	1.1	34.7	9.1	68	0.1	33.7	14.0	393	3.26	9.4	0.7	2.0	4.7	15	<0.1	0.4	0.1	75	0.19	0.032
1283874	Soil	1.2	29.2	10.2	66	0.1	23.1	10.8	407	3.02	24.7	2.0	7.7	7.9	24	0.1	1.2	0.2	73	0.34	0.054
REP 1283874	QC	1.2	27.5	9.6	65	<0.1	22.7	10.1	392	2.91	23.8	1.9	7.1	7.4	23	0.2	1.1	0.2	68	0.33	0.050
Reference Materials																					
STD DS9	Standard	12.7	113.0	125.0	316	1.9	41.7	7.9	581	2.34	24.9	2.6	130.2	6.0	63	2.3	5.2	5.8	43	0.69	0.080
STD DS9	Standard	15.4	123.1	140.7	338	2.0	44.7	8.7	653	2.52	27.0	3.1	120.1	7.3	74	2.6	6.3	6.8	49	0.79	0.090
STD DS9	Standard	13.7	104.7	131.3	322	2.0	42.3	8.0	623	2.52	24.9	2.4	133.8	5.6	81	2.3	5.3	5.9	46	0.78	0.093
STD DS9	Standard	15.3	113.9	124.0	322	1.9	42.6	9.2	661	2.50	25.8	2.6	123.8	6.3	64	2.4	5.2	5.6	56	0.79	0.088
STD DS9	Standard	13.3	103.4	125.9	311	1.9	41.7	7.8	599	2.38	23.1	2.3	116.1	5.4	69	1.9	5.3	5.5	45	0.73	0.084

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

QUALITY CONTROL REPORT WHI12000317.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
1270366	Soil	9	34	0.29	313	0.045	1	1.63	0.007	0.04	0.1	0.05	2.6	0.5	<0.05	7	0.6	<0.2
REP 1270366	QC	9	35	0.29	306	0.048	1	1.63	0.008	0.04	0.1	0.06	2.8	0.5	<0.05	7	<0.5	<0.2
1283461	Soil	26	83	1.14	383	0.091	<1	1.85	0.009	0.30	0.2	0.05	8.7	0.6	0.10	8	0.7	<0.2
REP 1283461	QC	27	84	1.17	395	0.092	1	1.86	0.009	0.31	0.2	0.06	9.2	0.7	0.08	8	1.0	<0.2
1284343	Soil	17	63	0.88	459	0.100	2	2.60	0.011	0.26	0.2	0.04	5.6	0.2	<0.05	7	0.9	<0.2
REP 1284343	QC	17	64	0.88	467	0.101	2	2.63	0.012	0.26	0.2	0.05	5.9	0.3	<0.05	7	0.8	<0.2
1286256	Soil	38	57	0.99	391	0.077	2	1.57	0.013	0.31	<0.1	0.05	6.8	0.4	0.05	5	0.6	<0.2
REP 1286256	QC	37	58	0.94	382	0.075	2	1.53	0.012	0.29	0.1	0.05	6.5	0.4	<0.05	5	0.5	<0.2
1293136	Soil	6	36	0.94	568	0.163	1	1.91	0.012	0.45	0.1	0.03	4.2	0.2	<0.05	6	0.5	<0.2
REP 1293136	QC	6	37	0.98	564	0.166	1	1.97	0.015	0.47	0.1	0.03	4.2	0.3	<0.05	6	<0.5	<0.2
1270128	Soil	7	46	1.69	338	0.249	<1	2.51	0.026	0.70	<0.1	0.02	8.6	0.4	<0.05	13	<0.5	<0.2
REP 1270128	QC	7	46	1.66	347	0.255	<1	2.55	0.026	0.70	<0.1	0.02	8.5	0.4	<0.05	13	<0.5	<0.2
1292680	Soil	14	49	0.76	269	0.099	<1	2.18	0.019	0.16	0.1	0.03	3.9	0.2	0.12	7	<0.5	<0.2
REP 1292680	QC	15	50	0.77	274	0.102	1	2.19	0.020	0.16	0.1	0.02	4.0	0.2	0.12	7	<0.5	<0.2
1283869	Soil	16	33	0.68	360	0.135	2	2.22	0.011	0.11	0.2	0.05	5.2	0.3	<0.05	9	<0.5	<0.2
REP 1283869	QC	16	33	0.68	362	0.138	2	2.22	0.011	0.10	0.2	0.04	5.3	0.3	<0.05	9	<0.5	<0.2
1270281	Soil	31	30	0.55	226	0.040	2	1.15	0.010	0.14	0.2	0.03	7.6	0.2	<0.05	5	<0.5	<0.2
REP 1270281	QC	31	30	0.54	223	0.039	2	1.13	0.010	0.15	0.2	0.03	7.3	0.2	<0.05	5	<0.5	<0.2
1290438	Soil	9	39	0.77	242	0.082	<1	2.29	0.014	0.12	0.2	0.02	4.2	0.1	<0.05	7	<0.5	<0.2
REP 1290438	QC	9	40	0.79	248	0.082	<1	2.26	0.012	0.12	0.2	0.02	4.2	0.1	<0.05	7	0.6	<0.2
1283874	Soil	24	39	0.64	272	0.084	<1	1.84	0.012	0.07	0.2	0.04	5.6	0.2	0.06	6	<0.5	<0.2
REP 1283874	QC	23	36	0.58	263	0.076	<1	1.72	0.012	0.07	0.1	0.06	5.2	0.2	<0.05	6	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	12	123	0.61	281	0.102	3	0.90	0.092	0.37	3.1	0.21	2.6	5.6	0.19	4	5.0	5.1
STD DS9	Standard	14	137	0.67	344	0.125	3	1.04	0.094	0.41	3.3	0.25	2.9	6.1	0.14	5	5.6	5.3
STD DS9	Standard	14	130	0.68	326	0.120	3	1.07	0.090	0.40	3.3	0.21	2.6	5.9	0.16	5	6.4	5.5
STD DS9	Standard	14	144	0.67	316	0.128	3	1.02	0.101	0.39	3.3	0.20	2.9	6.1	0.20	5	5.8	5.9
STD DS9	Standard	12	129	0.63	298	0.111	3	0.91	0.082	0.36	3.0	0.22	2.3	5.7	0.15	5	5.4	5.5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

QUALITY CONTROL REPORT WHI12000317.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
STD DS9	Standard	15.4	117.4	117.9	323	1.9	44.7	8.7	631	2.53	25.5	2.7	115.0	6.7	71	2.4	5.2	5.6	51	0.81	0.079
STD DS9	Standard	14.2	100.3	127.6	303	1.9	42.9	8.4	601	2.42	22.8	2.4	122.0	5.5	72	2.0	4.9	5.5	47	0.74	0.084
STD DS9	Standard	13.4	113.2	115.6	300	1.8	41.2	7.9	590	2.39	25.1	2.5	117.8	5.7	67	2.2	4.9	5.2	47	0.73	0.082
STD DS9	Standard	14.3	99.5	131.4	316	2.0	42.9	8.3	627	2.54	23.6	2.5	122.4	5.7	80	2.0	5.2	5.5	49	0.80	0.087
STD DS9	Standard	13.1	106.1	119.7	328	1.9	39.9	7.9	621	2.46	26.3	2.5	140.5	6.0	67	2.3	5.5	5.4	44	0.79	0.085
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	7	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	3	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	3	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

QUALITY CONTROL REPORT WHI12000317.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
STD DS9	Standard	14	139	0.72	331	0.125	3	1.04	0.097	0.37	3.4	0.21	3.0	6.0	0.22	5	5.9	5.4
STD DS9	Standard	12	131	0.65	304	0.111	2	0.95	0.090	0.35	3.2	0.21	2.6	5.7	0.20	5	5.6	5.2
STD DS9	Standard	13	127	0.63	310	0.105	3	0.96	0.090	0.37	2.9	0.22	2.6	5.5	0.16	5	5.4	5.3
STD DS9	Standard	14	132	0.69	329	0.118	3	1.08	0.088	0.40	3.3	0.23	2.8	6.1	0.20	5	5.9	5.3
STD DS9	Standard	13	124	0.67	307	0.117	3	1.05	0.090	0.44	3.1	0.23	2.8	5.8	0.16	5	5.2	5.6
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 12, 2012
Report Date: July 30, 2012
Page: 1 of 12

CERTIFICATE OF ANALYSIS WHI12000318.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 320

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	313	Dry at 60C sieve 100g to -80 mesh			WHI
Dry at 60C	320	Dry at 60C			WHI
1DX2	318	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI12000318.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1293069	Soil		3.8	41.7	17.7	195	0.7	51.4	12.8	401	3.33	30.0	0.9	2.4	3.6	22	0.2	0.9	0.2	70	0.32	0.040
1296907	Soil		3.6	38.8	15.2	120	0.5	51.7	12.0	331	3.10	21.7	0.9	3.0	2.8	32	0.6	0.6	0.2	88	0.32	0.038
1296903	Soil		2.0	74.5	9.1	104	0.2	56.1	16.3	666	4.04	6.0	1.7	6.2	7.7	20	0.1	0.3	0.2	94	0.39	0.069
1290900	Soil		1.9	56.9	10.8	76	0.3	54.9	14.9	325	3.59	19.8	1.1	8.1	6.9	20	<0.1	0.6	0.2	81	0.30	0.029
1293070	Soil		1.0	17.1	8.1	51	<0.1	24.0	11.4	356	2.65	7.2	0.6	1.5	8.0	18	<0.1	0.3	0.1	53	0.31	0.029
1296909	Soil		2.1	61.0	13.9	90	0.3	38.3	12.8	627	4.50	5.7	1.8	2.7	9.1	24	<0.1	0.2	0.2	91	0.19	0.060
1296901	Rock Pulp		1.5	470.6	17.6	169	0.2	228.9	80.8	867	15.92	3.5	1.0	37.2	6.5	14	<0.1	0.3	0.1	251	0.31	0.046
1296902	Soil		1.3	47.0	8.1	57	0.3	37.6	12.7	493	2.70	9.8	0.8	4.5	4.7	68	0.1	0.5	0.1	57	2.90	0.055
1293076	Soil		1.9	60.7	11.1	111	<0.1	78.3	29.5	600	5.18	3.5	0.8	4.0	8.5	28	<0.1	0.2	0.1	55	0.61	0.096
1293075	Soil		1.4	57.5	9.9	81	0.1	67.4	23.2	700	4.10	3.7	0.7	3.8	9.2	59	<0.1	0.2	0.1	41	1.44	0.069
1296905	Soil		4.5	69.6	8.2	84	0.7	11.2	3.5	274	3.31	1.5	1.4	4.9	6.0	18	0.1	<0.1	0.2	80	0.17	0.050
1290899	Soil		1.6	22.6	9.3	47	0.3	25.0	10.4	280	2.62	6.7	0.6	5.8	4.6	19	<0.1	0.5	0.1	60	0.33	0.025
1293071	Soil		1.6	53.6	13.7	114	0.2	97.0	20.5	507	4.61	3.2	0.9	7.7	10.6	19	<0.1	0.1	<0.1	86	0.67	0.108
1293072	Soil		1.5	65.2	10.0	104	<0.1	71.0	24.1	565	5.03	3.1	0.8	10.6	6.9	26	<0.1	0.2	<0.1	77	0.55	0.060
1296906	Soil		3.1	46.5	10.8	111	0.3	49.9	13.3	338	3.48	10.3	1.2	1.7	4.9	27	0.2	0.4	0.1	82	0.31	0.044
1296904	Soil		3.8	42.3	10.6	94	0.9	33.3	8.2	463	3.34	12.1	1.0	1.5	2.8	23	0.3	0.4	0.1	82	0.23	0.059
1284206	Soil		3.0	45.0	11.0	99	0.6	42.6	16.5	832	3.55	99.0	5.8	46.6	4.4	33	0.6	2.2	0.1	82	0.84	0.067
1284205	Soil		2.8	40.0	17.4	106	0.4	81.8	21.1	713	3.92	130.9	3.0	109.8	6.5	37	0.6	3.6	0.2	84	0.80	0.072
1284204	Soil		1.4	17.1	15.4	62	0.2	23.2	13.3	606	3.21	104.6	2.6	15.5	11.1	46	0.3	1.8	0.2	52	1.09	0.047
1284202	Soil		1.1	23.0	13.3	55	0.2	37.6	15.0	635	3.33	12.1	6.0	4.7	15.8	76	0.2	0.5	0.2	64	1.19	0.058
1284211	Soil		0.8	24.0	6.7	54	0.1	25.3	13.9	584	2.70	7.8	1.6	6.4	3.3	58	0.2	0.6	0.1	59	1.04	0.074
1284203	Soil		1.7	15.4	16.3	61	0.2	23.6	12.2	497	3.38	13.8	4.1	3.0	15.8	55	0.2	0.6	0.3	60	1.10	0.041
1284207	Soil		1.9	36.6	12.0	93	0.4	43.5	18.6	578	3.90	161.0	2.7	39.0	4.6	31	0.3	2.2	0.2	85	0.86	0.074
1284208	Soil		1.9	38.3	17.5	102	0.4	47.5	18.7	1048	4.18	177.4	2.1	16.4	4.0	39	0.5	3.3	0.2	68	1.22	0.087
1284041	Soil		0.4	13.7	5.0	63	<0.1	14.5	8.8	558	1.98	8.0	1.0	1.4	1.3	36	0.2	0.6	<0.1	50	1.44	0.072
1284050	Soil		1.4	20.5	14.1	60	0.2	28.8	11.9	380	3.40	22.5	2.5	3.2	11.6	27	0.1	0.6	0.3	70	0.56	0.035
1284042	Soil		3.2	55.1	15.1	139	0.5	66.2	22.1	807	4.22	65.4	3.0	5.5	5.7	45	0.6	3.6	0.2	102	0.95	0.082
1284209	Soil		2.2	9.1	7.0	44	<0.1	19.2	16.2	312	4.51	8.1	1.1	0.8	7.1	13	<0.1	0.6	0.2	82	0.26	0.027
1284045	Soil		4.0	46.7	8.4	151	0.3	54.6	23.5	966	5.19	121.9	1.4	4.0	3.7	29	0.7	3.1	0.1	141	0.91	0.173
1284043	Soil		2.9	64.2	9.1	134	0.3	65.7	29.3	1029	6.01	55.1	1.7	2.8	4.2	29	0.5	3.7	0.1	156	0.93	0.219

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI12000318.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1293069	Soil	10	37	0.43	584	0.045	2	1.47	0.009	0.11	0.2	0.02	5.2	<0.1	<0.05	5	<0.5	<0.2
1296907	Soil	10	47	0.55	2175	0.060	2	1.75	0.012	0.06	0.2	0.03	4.5	0.2	<0.05	5	0.8	<0.2
1296903	Soil	24	57	1.35	595	0.120	1	2.24	0.014	0.61	0.1	0.04	6.9	0.4	<0.05	8	0.5	<0.2
1290900	Soil	17	60	0.84	745	0.090	2	2.10	0.012	0.15	0.2	0.02	9.2	0.2	<0.05	6	<0.5	<0.2
1293070	Soil	15	43	0.57	279	0.079	1	1.40	0.012	0.20	0.2	0.01	4.2	0.1	<0.05	5	<0.5	<0.2
1296909	Soil	27	69	1.52	567	0.208	<1	2.60	0.013	1.17	<0.1	<0.01	7.4	0.6	0.23	9	0.6	<0.2
1296901	Rock Pulp	17	777	0.15	152	0.226	5	4.22	0.014	0.06	<0.1	0.03	43.2	0.1	0.05	23	<0.5	<0.2
1296902	Soil	17	37	0.78	359	0.081	2	1.38	0.023	0.17	0.2	0.04	5.0	0.2	<0.05	5	<0.5	<0.2
1293076	Soil	28	94	1.74	148	0.097	<1	2.39	0.006	0.35	0.2	0.02	5.1	0.2	<0.05	7	<0.5	<0.2
1293075	Soil	34	64	1.20	138	0.084	<1	1.78	0.006	0.27	0.2	0.02	5.2	0.2	<0.05	5	<0.5	<0.2
1296905	Soil	22	52	1.19	755	0.105	<1	1.88	0.022	0.75	<0.1	<0.01	3.5	0.6	0.57	7	1.7	<0.2
1290899	Soil	14	44	0.59	278	0.091	2	1.45	0.014	0.19	0.2	0.01	5.2	0.1	<0.05	5	<0.5	<0.2
1293071	Soil	57	118	1.99	288	0.165	<1	2.69	0.006	0.87	0.2	0.04	5.3	0.6	<0.05	8	<0.5	<0.2
1293072	Soil	23	121	1.82	201	0.194	<1	2.76	0.009	0.74	0.1	0.04	5.9	0.4	<0.05	9	<0.5	<0.2
1296906	Soil	18	55	0.84	673	0.085	1	1.77	0.012	0.14	0.1	0.02	5.5	0.2	0.05	6	0.9	<0.2
1296904	Soil	12	40	0.53	899	0.066	<1	1.27	0.010	0.17	0.2	0.02	3.9	0.2	0.15	5	1.9	<0.2
1284206	Soil	27	49	0.71	567	0.060	2	1.49	0.013	0.15	0.1	0.11	9.3	0.3	0.07	5	2.0	<0.2
1284205	Soil	15	104	1.08	290	0.070	2	1.58	0.015	0.15	0.1	0.08	8.4	0.5	<0.05	6	0.8	<0.2
1284204	Soil	25	39	0.71	244	0.061	2	1.37	0.013	0.18	0.1	0.09	6.4	0.3	<0.05	5	<0.5	<0.2
1284202	Soil	69	73	0.91	570	0.084	2	1.83	0.016	0.26	0.1	0.07	9.6	0.5	<0.05	6	<0.5	<0.2
1284211	Soil	15	37	0.62	336	0.063	2	1.48	0.020	0.07	0.1	0.04	5.4	<0.1	<0.05	5	<0.5	<0.2
1284203	Soil	49	42	0.77	377	0.077	3	1.71	0.017	0.23	0.1	0.06	7.5	0.5	<0.05	7	<0.5	<0.2
1284207	Soil	19	57	0.83	358	0.070	2	1.56	0.013	0.19	0.1	0.09	8.9	0.5	0.05	6	0.9	<0.2
1284208	Soil	23	44	0.44	363	0.023	3	0.91	0.008	0.10	<0.1	0.11	9.9	0.6	0.07	3	0.5	<0.2
1284041	Soil	8	25	0.50	248	0.056	2	1.07	0.017	0.03	<0.1	0.03	3.3	0.1	0.07	5	<0.5	<0.2
1284050	Soil	36	47	0.71	360	0.091	2	1.82	0.016	0.21	0.1	0.04	5.7	0.4	<0.05	7	<0.5	<0.2
1284042	Soil	27	80	1.31	719	0.142	1	2.29	0.011	0.50	0.1	0.05	8.7	0.5	0.05	9	1.2	<0.2
1284209	Soil	18	27	1.21	207	0.099	2	2.42	0.011	0.31	0.1	0.01	8.8	0.3	<0.05	8	<0.5	<0.2
1284045	Soil	14	80	1.56	872	0.204	<1	2.19	0.010	0.64	0.1	0.03	9.7	0.5	<0.05	10	1.0	<0.2
1284043	Soil	22	93	1.85	798	0.206	<1	2.73	0.012	0.68	<0.1	0.05	12.2	0.5	<0.05	12	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI12000318.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1284044	Soil	2.4	44.6	11.0	127	0.5	46.5	18.4	985	4.13	33.1	1.5	7.2	3.3	40	0.6	3.4	0.1	101	1.10	0.093
1284049	Soil	2.0	21.3	20.9	62	0.2	46.5	16.6	408	3.84	22.9	1.8	5.1	15.7	23	0.1	0.7	0.3	74	0.44	0.049
1284201	Rock Pulp	1.5	443.3	17.4	152	0.2	214.3	77.7	804	15.95	3.1	1.1	30.9	6.2	13	<0.1	0.2	0.1	239	0.30	0.041
1284051	Rock Pulp	1.3	426.1	17.0	145	0.2	211.0	77.1	805	15.34	2.6	1.1	26.9	6.2	13	<0.1	0.2	0.1	232	0.29	0.041
1284210	Soil	0.9	17.6	9.2	73	0.1	54.3	20.2	1223	3.55	12.5	3.1	3.2	8.1	36	0.1	0.3	0.1	71	1.16	0.062
1296908	Soil	2.9	53.3	40.8	68	0.2	19.1	11.8	526	3.48	5.6	1.1	35.0	6.4	14	<0.1	0.3	0.5	59	0.26	0.038
1290894	Soil	0.9	45.0	11.2	68	0.2	45.9	18.0	382	3.35	2.9	2.4	11.4	7.0	66	0.1	0.2	0.3	61	1.35	0.065
1290895	Soil	2.0	23.2	12.6	60	0.2	30.4	11.6	243	3.25	4.0	0.9	2.4	4.3	14	<0.1	0.2	0.2	78	0.16	0.030
1290896	Soil	1.2	17.7	10.9	47	<0.1	24.3	9.2	197	2.67	3.1	0.7	2.6	3.5	20	<0.1	0.2	0.2	75	0.33	0.026
1290897	Soil	1.7	26.2	10.6	52	0.1	24.3	12.1	369	2.75	2.8	0.9	1.5	4.4	20	0.1	0.2	0.2	75	0.30	0.048
1290898	Soil	0.7	51.6	7.2	54	0.1	81.2	12.0	303	2.67	3.6	0.4	1.2	1.9	19	<0.1	0.2	<0.1	74	0.34	0.024
1290892	Soil	1.4	27.6	15.9	84	0.1	46.7	18.5	373	4.21	4.3	0.9	2.7	4.5	33	<0.1	0.2	0.2	81	0.58	0.033
1290893	Soil	0.8	34.0	13.6	71	0.2	46.8	18.1	353	4.02	3.1	1.2	3.3	6.2	23	0.1	0.2	0.2	81	0.33	0.038
1290884	Soil	1.0	31.2	8.2	106	0.2	52.4	18.8	670	3.80	4.2	1.2	0.7	6.1	19	<0.1	0.2	<0.1	65	0.39	0.076
1290909	Soil	5.9	30.4	26.4	82	0.8	26.4	2.9	123	2.91	30.6	1.3	4.9	2.1	30	0.3	1.2	0.2	96	0.09	0.071
1290891	Soil	1.2	48.6	11.0	79	0.2	61.2	20.5	612	3.98	2.7	1.1	1.9	7.6	41	<0.1	0.2	<0.1	82	3.00	0.101
1290890	Soil	1.2	26.8	9.1	76	<0.1	44.4	18.1	391	3.58	4.0	1.0	1.8	4.6	34	0.1	0.2	<0.1	68	0.68	0.044
1290889	Soil	2.1	24.6	10.4	79	0.1	40.1	18.4	712	3.19	5.5	1.1	3.9	4.5	31	0.1	0.3	0.1	63	0.65	0.071
1290887	Soil	1.2	31.8	10.7	64	0.2	40.7	15.7	373	3.05	5.3	2.3	2.5	5.2	48	0.2	0.3	0.1	61	0.79	0.082
1290910	Soil	5.1	30.7	20.8	93	0.8	24.5	4.3	171	2.77	37.6	0.8	3.1	0.8	32	0.6	1.1	0.2	77	0.19	0.093
1290497	Soil	1.4	52.5	4.0	76	<0.1	19.9	14.5	534	4.28	2.4	1.8	0.8	2.8	26	0.1	0.2	<0.1	119	0.47	0.145
1290903	Soil	2.5	34.6	8.8	62	0.3	35.4	13.4	266	3.26	10.0	0.9	3.1	3.9	27	0.2	0.5	0.1	78	0.18	0.043
1290885	Soil	1.3	18.9	11.7	58	<0.1	28.1	12.8	328	3.23	9.3	0.6	2.3	4.0	20	0.1	0.4	0.1	75	0.28	0.110
1290490	Soil	2.9	47.3	9.5	93	0.2	39.0	13.3	379	3.67	32.7	1.2	3.3	5.4	26	0.2	0.7	0.1	98	0.33	0.029
1290499	Soil	4.4	100.5	5.2	78	0.2	35.2	17.3	469	4.56	3.4	2.7	1.3	3.1	29	<0.1	0.1	<0.1	158	0.70	0.257
1290905	Soil	2.2	15.8	10.3	89	0.3	18.0	8.4	225	3.32	11.4	0.5	6.6	2.7	17	1.2	0.6	0.2	70	0.18	0.086
1290888	Soil	2.1	23.5	10.0	62	0.1	30.8	13.0	290	3.22	5.5	1.2	1.4	3.9	28	0.1	0.3	0.1	69	0.42	0.043
1290913	Soil	2.4	52.7	8.8	154	0.4	67.1	11.9	453	4.31	13.2	1.6	1.5	7.6	10	0.4	0.6	0.1	61	0.08	0.051
1290906	Soil	4.2	66.4	12.1	90	1.1	30.0	8.0	219	3.67	23.1	1.4	3.6	4.2	33	0.3	0.7	0.1	82	0.14	0.055
1290498	Soil	2.3	34.8	12.6	78	0.2	51.6	12.2	494	3.06	9.2	1.2	1.4	4.2	28	0.3	0.4	0.1	82	0.35	0.117

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI12000318.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1284044	Soil	17	64	1.12	538	0.119	2	1.75	0.010	0.32	0.1	0.06	8.0	0.4	0.06	8	0.7	<0.2
1284049	Soil	44	94	1.03	323	0.104	1	1.99	0.015	0.23	0.2	0.04	6.8	0.5	<0.05	8	<0.5	<0.2
1284201	Rock Pulp	16	745	0.13	148	0.150	3	3.96	0.013	0.06	<0.1	0.03	39.2	0.1	<0.05	21	<0.5	<0.2
1284051	Rock Pulp	16	741	0.13	146	0.154	3	3.97	0.013	0.06	<0.1	0.03	38.7	0.1	<0.05	20	<0.5	<0.2
1284210	Soil	26	117	1.45	235	0.080	2	1.77	0.011	0.29	<0.1	0.04	8.4	0.4	<0.05	6	<0.5	<0.2
1296908	Soil	12	23	0.78	401	0.101	<1	1.69	0.009	0.41	0.1	0.03	7.0	0.2	<0.05	6	<0.5	<0.2
1290894	Soil	41	61	1.20	284	0.134	1	1.89	0.011	0.38	0.2	0.06	4.5	0.3	0.06	6	<0.5	<0.2
1290895	Soil	13	49	0.93	130	0.147	2	1.71	0.011	0.40	0.1	0.03	2.9	0.3	<0.05	7	<0.5	<0.2
1290896	Soil	12	40	0.78	127	0.164	1	1.41	0.008	0.28	0.1	0.02	2.7	0.2	<0.05	8	<0.5	<0.2
1290897	Soil	17	40	0.80	254	0.172	<1	1.41	0.011	0.40	0.1	0.02	3.3	0.3	<0.05	8	<0.5	<0.2
1290898	Soil	4	189	1.46	259	0.167	<1	1.95	0.015	0.28	<0.1	<0.01	2.3	0.1	<0.05	6	<0.5	<0.2
1290892	Soil	13	74	1.44	219	0.188	1	2.32	0.012	0.35	0.1	0.01	3.4	0.3	<0.05	8	<0.5	<0.2
1290893	Soil	27	72	1.30	212	0.187	1	2.27	0.014	0.46	0.2	0.02	4.0	0.4	<0.05	8	<0.5	<0.2
1290884	Soil	14	72	1.36	375	0.183	1	2.40	0.009	0.87	<0.1	0.01	2.8	0.4	<0.05	7	<0.5	<0.2
1290909	Soil	11	28	0.08	614	0.049	1	0.70	0.007	0.07	0.2	0.02	3.2	0.1	0.10	5	1.0	<0.2
1290891	Soil	23	101	3.00	353	0.193	1	2.88	0.009	0.86	0.2	0.03	5.6	0.6	<0.05	10	<0.5	<0.2
1290890	Soil	13	75	1.24	220	0.157	1	1.88	0.013	0.25	0.1	0.03	3.5	0.3	<0.05	6	<0.5	<0.2
1290889	Soil	13	67	1.08	245	0.122	2	1.63	0.011	0.25	0.2	0.04	4.1	0.2	<0.05	6	<0.5	<0.2
1290887	Soil	21	57	1.05	319	0.109	1	1.69	0.012	0.32	0.1	0.05	4.6	0.3	0.06	6	<0.5	<0.2
1290910	Soil	13	31	0.22	683	0.034	<1	0.84	0.007	0.09	0.2	0.02	2.3	0.2	0.12	6	2.5	0.2
1290497	Soil	18	34	1.60	492	0.133	<1	2.60	0.029	0.69	<0.1	<0.01	5.3	0.3	0.32	9	0.6	<0.2
1290903	Soil	11	49	0.74	341	0.064	<1	2.19	0.013	0.13	0.1	0.02	3.7	0.1	0.09	6	<0.5	<0.2
1290885	Soil	9	44	0.85	204	0.101	<1	1.69	0.008	0.22	0.2	0.02	3.2	0.2	<0.05	6	<0.5	<0.2
1290490	Soil	27	54	1.12	807	0.109	<1	2.01	0.010	0.12	0.1	0.02	8.6	0.2	<0.05	7	0.5	<0.2
1290499	Soil	20	57	1.33	678	0.146	<1	2.47	0.030	0.77	<0.1	<0.01	4.7	0.3	0.37	9	0.9	<0.2
1290905	Soil	8	34	0.36	307	0.041	<1	1.83	0.007	0.06	0.2	0.02	2.8	<0.1	<0.05	6	<0.5	<0.2
1290888	Soil	13	51	1.03	241	0.133	1	1.64	0.013	0.25	0.2	0.03	3.1	0.2	<0.05	6	<0.5	<0.2
1290913	Soil	19	37	0.66	307	0.041	<1	1.39	0.003	0.16	<0.1	0.02	4.7	0.5	<0.05	5	0.7	<0.2
1290906	Soil	13	48	0.51	570	0.062	<1	1.83	0.013	0.13	0.1	0.04	4.7	0.1	0.17	5	1.3	<0.2
1290498	Soil	11	68	0.91	268	0.088	1	1.80	0.009	0.14	0.2	0.02	4.3	0.2	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI12000318.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1290886	Soil	1.4	21.8	8.9	61	<0.1	35.0	13.9	326	3.46	5.6	0.9	0.7	4.7	27	<0.1	0.2	0.1	80	0.35	0.067
1290494	Soil	1.3	23.3	9.9	73	0.3	18.5	7.0	288	3.07	17.7	0.6	3.6	2.9	22	0.1	0.6	<0.1	83	0.21	0.160
1290496	Soil	1.0	22.6	10.7	49	0.2	23.2	8.6	335	2.86	23.4	0.9	8.3	4.0	23	<0.1	1.2	0.1	58	0.29	0.026
1290491	Soil	1.9	18.7	12.5	80	0.5	23.5	7.5	348	3.02	24.7	0.4	2.0	2.4	18	0.5	0.7	0.1	69	0.27	0.051
1290904	Soil	5.0	47.5	15.8	66	0.4	26.1	9.2	293	2.95	10.6	1.1	5.2	3.8	25	0.1	0.6	0.2	71	0.20	0.040
1290489	Soil	2.0	32.6	18.6	113	0.3	34.1	11.7	679	4.13	182.4	0.6	2.7	3.4	17	0.3	0.8	0.2	86	0.25	0.083
1290493	Soil	0.9	14.6	8.3	61	0.1	17.5	8.1	329	2.87	9.5	0.4	5.5	2.6	17	<0.1	0.6	<0.1	57	0.18	0.024
1290495	Soil	1.0	74.2	4.1	126	0.1	89.1	26.9	538	5.61	2.8	0.9	<0.5	2.5	23	0.2	0.1	<0.1	136	0.53	0.147
1293057	Soil	1.2	56.0	20.7	86	<0.1	47.2	16.8	369	4.20	5.1	0.9	4.3	7.6	18	<0.1	0.3	0.2	88	0.30	0.067
1293073	Soil	1.1	29.6	11.2	60	<0.1	39.0	13.8	398	3.29	6.3	0.7	2.9	6.6	28	<0.1	0.4	0.2	57	0.48	0.045
1290500	Soil	1.2	41.9	7.3	78	0.2	26.0	10.3	427	3.25	8.0	0.9	2.0	4.5	22	<0.1	0.3	0.1	65	0.24	0.075
1290902	Soil	10.9	75.8	6.6	82	0.7	7.9	2.5	200	3.51	4.1	3.4	0.6	5.5	37	0.5	0.2	0.2	140	0.22	0.133
1293067	Soil	1.4	26.1	10.6	61	0.2	24.5	11.4	590	2.64	9.0	1.5	4.6	3.3	44	0.2	0.6	0.3	57	0.74	0.061
1293058	Soil	0.8	35.2	9.7	94	<0.1	33.6	20.4	457	4.18	3.2	1.0	12.2	9.9	23	<0.1	0.2	0.1	83	0.48	0.087
1293078	Soil	1.4	37.1	12.0	63	0.1	29.4	12.2	335	2.67	7.3	1.3	4.1	4.9	42	0.2	0.6	0.2	52	0.81	0.060
1293083	Soil	1.6	31.8	16.8	84	0.1	51.9	17.3	544	3.65	2.7	1.6	3.0	11.0	25	0.1	0.1	0.2	70	0.70	0.096
1293056	Soil	3.3	97.9	21.0	150	0.3	55.2	16.6	501	4.69	6.9	2.0	5.6	15.2	21	0.4	0.3	0.4	61	0.29	0.081
1293068	Soil	0.7	29.6	10.6	66	0.1	27.4	11.2	382	2.58	6.0	0.8	3.6	4.9	38	0.2	0.6	0.2	55	0.65	0.067
1293082	Soil	1.1	46.6	9.5	73	0.1	41.0	13.8	515	2.90	3.1	3.1	2.6	5.0	56	0.2	0.3	0.1	53	1.81	0.067
1293079	Soil	1.3	25.0	10.4	56	0.1	22.8	11.2	448	2.47	7.2	1.1	3.7	3.3	33	0.2	0.5	0.2	56	0.66	0.054
1293080	Soil	0.9	19.7	8.8	61	<0.1	24.2	11.0	246	2.59	6.6	1.1	3.0	4.6	35	0.2	0.4	0.1	50	0.87	0.060
1293081	Soil	1.1	30.9	10.9	61	0.1	33.6	12.0	287	2.63	3.7	1.2	2.8	4.5	50	0.2	0.3	0.1	48	1.59	0.072
1293054	Soil	1.7	51.2	10.7	93	0.2	42.4	15.2	414	3.33	9.3	1.5	4.5	6.3	35	0.2	0.5	0.2	72	0.47	0.060
1293055	Soil	1.2	48.8	9.8	84	0.2	37.2	14.3	426	3.03	9.7	1.5	4.6	5.3	39	0.3	0.7	0.2	65	0.61	0.065
1293060	Soil	3.3	65.9	12.4	121	0.2	90.2	29.6	481	6.28	15.6	1.1	3.8	10.1	29	0.2	0.3	<0.1	79	0.60	0.094
1293065	Soil	0.7	34.9	10.0	61	0.1	31.1	11.4	438	2.59	7.5	0.8	3.0	5.1	39	0.1	0.6	0.1	55	0.68	0.061
1293066	Soil	1.3	25.6	9.6	58	0.1	24.3	11.1	438	2.60	9.9	1.4	3.1	4.1	38	<0.1	0.6	0.1	57	0.57	0.053
1293064	Soil	0.7	37.8	9.4	60	0.1	29.1	10.9	412	2.51	8.3	0.8	3.0	5.1	46	0.1	0.7	0.1	51	0.91	0.058
1293077	Soil	1.0	28.4	10.5	63	0.1	25.3	11.2	323	2.59	6.7	1.3	3.3	5.0	60	0.2	0.5	0.2	51	1.26	0.058
1293074	Soil	0.8	33.1	13.7	69	0.1	29.6	11.4	353	2.67	5.9	1.6	3.0	5.9	49	0.2	0.5	0.2	52	0.94	0.058

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI12000318.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1290886	Soil	20	47	1.11	243	0.146	<1	1.75	0.010	0.35	0.2	0.02	3.6	0.3	<0.05	7	<0.5	<0.2
1290494	Soil	9	39	0.64	548	0.052	<1	1.97	0.010	0.10	0.2	0.02	3.5	0.1	<0.05	6	<0.5	<0.2
1290496	Soil	13	33	0.51	515	0.043	<1	1.61	0.010	0.05	0.1	0.03	5.6	0.1	<0.05	5	<0.5	<0.2
1290491	Soil	7	29	0.41	451	0.044	<1	1.55	0.007	0.05	0.1	0.02	3.1	0.1	<0.05	6	<0.5	<0.2
1290904	Soil	13	43	0.55	762	0.062	<1	1.77	0.012	0.07	0.1	0.02	5.0	0.1	0.06	6	0.8	<0.2
1290489	Soil	9	41	0.69	331	0.057	1	1.78	0.008	0.11	0.2	0.02	5.6	0.1	<0.05	7	<0.5	<0.2
1290493	Soil	6	28	0.64	322	0.085	<1	1.74	0.010	0.09	0.1	0.02	3.0	<0.1	<0.05	5	<0.5	<0.2
1290495	Soil	13	53	1.94	776	0.183	<1	3.23	0.013	1.12	<0.1	0.01	7.9	0.4	0.14	12	<0.5	<0.2
1293057	Soil	12	86	1.50	387	0.175	<1	2.30	0.009	0.91	0.2	0.01	5.1	0.4	<0.05	8	<0.5	<0.2
1293073	Soil	19	61	0.93	267	0.097	1	1.78	0.013	0.16	0.1	0.02	5.1	0.2	<0.05	6	<0.5	<0.2
1290500	Soil	15	39	0.89	352	0.106	1	1.78	0.011	0.30	0.1	0.01	5.1	0.3	<0.05	7	<0.5	<0.2
1290902	Soil	30	54	0.86	318	0.063	<1	1.48	0.023	0.56	0.1	<0.01	2.8	0.4	0.76	6	8.6	<0.2
1293067	Soil	13	33	0.56	316	0.057	<1	1.45	0.019	0.05	0.2	0.03	4.5	<0.1	<0.05	4	<0.5	<0.2
1293058	Soil	32	36	1.68	456	0.192	<1	2.78	0.012	1.11	0.2	0.02	4.0	0.5	<0.05	7	<0.5	<0.2
1293078	Soil	17	38	0.68	286	0.082	<1	1.41	0.017	0.12	0.2	0.04	4.3	0.1	<0.05	5	<0.5	<0.2
1293083	Soil	34	66	2.25	211	0.156	<1	2.57	0.008	0.41	0.2	0.01	6.0	0.4	<0.05	9	0.5	<0.2
1293056	Soil	36	39	0.93	765	0.076	<1	1.70	0.007	0.58	0.1	0.03	8.0	0.7	0.15	6	1.7	<0.2
1293068	Soil	14	40	0.66	227	0.108	<1	1.45	0.030	0.13	0.2	0.03	4.8	0.1	<0.05	5	0.6	<0.2
1293082	Soil	20	53	1.10	242	0.107	2	1.62	0.013	0.31	0.1	0.03	4.1	0.3	0.07	6	0.8	<0.2
1293079	Soil	13	35	0.59	258	0.068	1	1.41	0.018	0.06	0.2	0.03	4.0	<0.1	<0.05	5	<0.5	<0.2
1293080	Soil	14	38	0.67	151	0.087	2	1.31	0.019	0.13	0.3	0.03	3.7	0.1	<0.05	4	<0.5	<0.2
1293081	Soil	21	50	0.95	182	0.094	2	1.38	0.012	0.24	0.1	0.03	3.5	0.2	<0.05	5	<0.5	<0.2
1293054	Soil	20	50	1.00	307	0.104	1	1.82	0.023	0.18	0.1	0.03	5.4	0.2	<0.05	6	0.6	<0.2
1293055	Soil	18	42	0.82	310	0.088	<1	1.62	0.024	0.11	0.1	0.04	5.5	0.1	<0.05	5	0.8	<0.2
1293060	Soil	17	112	1.72	295	0.104	<1	2.56	0.009	0.51	0.1	0.01	6.6	0.3	<0.05	9	<0.5	<0.2
1293065	Soil	17	39	0.68	312	0.080	1	1.61	0.023	0.07	0.2	0.05	4.8	<0.1	<0.05	5	<0.5	<0.2
1293066	Soil	14	31	0.59	283	0.069	<1	1.47	0.022	0.05	0.2	0.04	4.1	<0.1	<0.05	4	<0.5	<0.2
1293064	Soil	20	35	0.65	337	0.067	<1	1.44	0.023	0.07	0.2	0.03	4.6	<0.1	<0.05	4	<0.5	<0.2
1293077	Soil	17	38	0.65	291	0.085	1	1.37	0.020	0.12	0.2	0.05	4.5	0.2	<0.05	5	<0.5	<0.2
1293074	Soil	20	42	0.69	249	0.090	1	1.56	0.019	0.13	0.2	0.04	4.7	0.1	<0.05	5	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI12000318.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1293063	Soil	0.7	45.1	10.5	72	0.1	39.0	14.3	492	3.02	6.0	0.7	5.0	6.3	56	0.2	0.6	0.1	60	1.17	0.070
1293059	Soil	0.8	36.2	7.9	66	0.1	29.7	11.2	462	2.56	9.2	0.8	3.2	4.1	44	0.3	0.6	0.1	59	0.75	0.077
1290919	Soil	0.7	29.6	9.2	86	<0.1	50.8	20.2	360	3.68	5.1	0.9	3.2	4.6	28	<0.1	0.2	0.1	69	0.48	0.044
1293061	Soil	1.2	53.8	13.2	88	<0.1	56.6	17.2	428	4.36	4.7	0.8	6.6	13.4	25	0.1	0.3	0.1	56	0.48	0.060
1293062	Soil	0.9	46.0	13.8	97	0.1	48.4	17.2	484	3.90	5.5	0.7	5.8	8.6	40	0.2	0.4	0.1	65	0.84	0.089
1293053	Soil	1.4	35.9	9.7	95	0.2	39.7	13.6	368	3.24	11.6	1.2	2.7	4.7	39	0.2	0.6	0.2	71	0.52	0.071
1270405	Soil	0.6	24.6	7.3	40	<0.1	21.5	11.6	370	2.79	4.6	1.2	2.2	35.6	16	<0.1	0.3	<0.1	53	0.28	0.022
1290492	Soil	2.2	23.4	10.5	98	1.1	24.8	9.0	421	3.02	20.2	0.7	1.7	3.3	20	0.6	0.6	0.2	81	0.26	0.061
1290916	Soil	1.9	49.7	14.6	90	0.6	25.7	10.2	610	3.14	6.4	1.2	14.7	4.5	25	0.2	0.3	0.2	64	0.31	0.048
1290915	Soil	2.0	38.6	8.3	92	0.4	31.6	11.2	419	3.01	6.3	1.0	2.0	4.9	23	0.2	0.3	0.2	66	0.27	0.067
1270407	Soil	0.6	11.3	5.3	35	<0.1	16.7	9.8	302	2.75	12.4	1.6	1.7	26.2	18	<0.1	0.3	<0.1	39	0.35	0.047
1290917	Soil	1.1	20.1	7.7	83	0.2	25.0	16.3	793	3.24	2.7	0.7	7.8	3.9	21	0.1	0.2	<0.1	67	0.41	0.075
1290912	Soil	3.9	56.5	10.8	78	0.5	20.9	4.9	142	2.23	13.6	2.0	2.2	1.8	28	0.6	0.4	0.1	59	0.19	0.058
1290911	Soil	8.6	87.5	19.8	83	0.5	23.1	3.8	114	3.01	24.2	2.2	10.9	2.9	31	0.7	0.8	0.2	96	0.08	0.064
1270402	Soil	1.5	10.8	7.7	42	<0.1	13.0	6.5	315	2.31	7.8	0.9	0.7	17.9	28	<0.1	0.7	0.3	40	0.29	0.018
1290918	Soil	0.8	29.0	12.5	71	<0.1	41.9	16.1	332	3.59	5.4	0.9	11.5	5.4	21	<0.1	0.3	0.1	69	0.38	0.038
1290907	Soil	1.5	43.4	11.1	93	0.6	43.1	13.8	314	3.15	14.3	1.1	5.8	5.7	18	0.3	0.8	0.3	68	0.15	0.029
1290901	Rock Pulp	2.5	25.0	2.4	45	0.3	22.8	9.7	405	2.35	4.6	0.3	1.3	1.0	43	0.2	0.4	<0.1	60	0.89	0.058
1270404	Soil	0.9	19.9	9.9	45	<0.1	36.5	14.1	534	3.61	6.1	0.9	2.6	29.7	16	<0.1	0.6	0.1	61	0.44	0.063
1270403	Soil	1.2	19.1	7.1	43	<0.1	24.5	9.8	379	3.10	9.4	1.0	2.4	8.8	20	<0.1	0.6	0.1	60	0.33	0.015
1290914	Soil	2.5	48.2	8.7	81	0.3	31.5	10.7	507	3.13	9.5	1.1	2.2	5.0	19	0.2	0.4	0.2	57	0.18	0.036
1290908	Soil	3.5	51.4	9.1	92	0.3	24.6	9.7	252	4.02	9.3	0.7	4.2	2.5	26	0.2	0.5	0.1	94	0.13	0.062
1270408	Soil	0.6	17.7	5.3	41	<0.1	21.7	9.2	342	2.85	5.6	1.2	1.2	24.1	13	<0.1	0.4	0.1	40	0.26	0.035
1270409	Soil	0.9	26.8	7.3	51	<0.1	30.5	14.1	451	3.27	10.1	0.8	3.7	15.0	21	<0.1	0.6	0.1	68	0.47	0.020
1271599	Soil	1.1	13.2	5.7	37	<0.1	23.7	10.2	483	2.65	7.8	0.4	1.0	2.7	19	<0.1	0.4	0.1	58	0.26	0.021
1271591	Soil	0.7	25.5	3.5	80	<0.1	26.8	29.2	735	5.24	3.5	0.3	<0.5	3.7	28	<0.1	0.1	<0.1	105	0.57	0.104
1270406	Soil	1.3	14.0	7.5	47	<0.1	65.4	20.7	456	4.13	6.2	1.0	<0.5	19.6	11	<0.1	0.5	0.4	79	0.34	0.016
1270410	Soil	0.4	16.1	6.8	58	<0.1	90.3	27.4	993	5.07	3.1	1.2	1.8	18.2	24	<0.1	0.4	<0.1	100	0.86	0.137
1271592	Soil	1.0	21.1	12.4	53	<0.1	24.7	12.5	448	3.19	6.5	1.3	<0.5	10.3	24	<0.1	0.3	0.1	65	0.58	0.040
1271593	Soil	0.9	31.3	11.2	70	0.1	41.0	17.7	713	4.03	7.3	1.1	2.2	13.0	36	<0.1	0.4	0.3	66	0.84	0.040

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI12000318.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1293063	Soil	16	48	0.83	219	0.115	<1	1.90	0.044	0.20	0.1	0.03	5.8	0.1	<0.05	6	<0.5	<0.2
1293059	Soil	15	32	0.65	320	0.080	2	1.38	0.033	0.09	0.2	0.03	4.9	0.1	<0.05	4	0.6	<0.2
1290919	Soil	13	86	1.32	285	0.172	<1	2.21	0.015	0.42	0.1	0.02	3.5	0.3	<0.05	7	<0.5	<0.2
1293061	Soil	28	74	1.14	245	0.121	<1	2.20	0.009	0.55	0.2	0.02	5.2	0.3	<0.05	8	<0.5	<0.2
1293062	Soil	26	58	1.25	257	0.128	<1	2.17	0.020	0.51	0.1	0.02	5.6	0.4	<0.05	7	<0.5	<0.2
1293053	Soil	16	45	0.87	279	0.090	1	1.70	0.027	0.09	0.1	0.04	5.5	0.1	<0.05	6	0.7	<0.2
1270405	Soil	109	34	1.20	272	0.113	1	1.68	0.010	0.42	0.1	0.03	6.4	0.4	<0.05	5	<0.5	<0.2
1290492	Soil	10	33	0.42	519	0.048	<1	1.86	0.013	0.06	0.1	0.04	4.5	0.1	<0.05	7	0.9	<0.2
1290916	Soil	15	37	0.68	495	0.086	<1	1.77	0.010	0.22	<0.1	0.05	4.1	0.2	<0.05	6	<0.5	<0.2
1290915	Soil	17	44	0.63	363	0.084	<1	1.50	0.011	0.23	<0.1	0.02	3.5	0.2	<0.05	6	<0.5	<0.2
1270407	Soil	25	21	0.96	148	0.141	<1	1.65	0.009	0.65	0.2	<0.01	3.6	0.4	<0.05	6	<0.5	<0.2
1290917	Soil	9	50	1.33	389	0.175	<1	2.05	0.012	0.90	0.1	0.01	2.6	0.3	<0.05	6	<0.5	<0.2
1290912	Soil	14	30	0.41	352	0.048	1	1.27	0.010	0.15	0.1	0.06	3.2	0.2	<0.05	5	1.8	<0.2
1290911	Soil	18	34	0.35	497	0.043	<1	1.33	0.010	0.16	0.2	0.01	3.0	0.3	0.12	6	4.1	<0.2
1270402	Soil	18	24	0.30	155	0.029	<1	1.06	0.007	0.10	0.1	0.01	2.6	0.1	<0.05	4	<0.5	<0.2
1290918	Soil	16	61	1.05	344	0.154	<1	2.18	0.017	0.47	0.2	0.01	3.7	0.3	<0.05	7	<0.5	<0.2
1290907	Soil	12	48	0.52	606	0.060	1	2.66	0.014	0.07	0.1	0.04	5.1	0.2	<0.05	5	<0.5	<0.2
1290901	Rock Pulp	4	30	0.78	93	0.131	2	1.48	0.093	0.13	14.0	0.02	4.9	<0.1	<0.05	5	<0.5	<0.2
1270404	Soil	103	101	1.54	312	0.118	1	1.94	0.010	0.64	0.2	0.02	8.9	0.4	<0.05	7	<0.5	<0.2
1270403	Soil	20	37	0.48	253	0.064	2	1.54	0.013	0.09	0.1	0.03	5.1	<0.1	<0.05	5	<0.5	<0.2
1290914	Soil	16	29	0.45	276	0.055	1	1.38	0.010	0.14	0.2	0.02	3.4	0.2	<0.05	5	<0.5	<0.2
1290908	Soil	12	46	0.71	772	0.083	2	2.14	0.012	0.20	0.2	0.01	4.0	0.2	0.13	8	1.3	<0.2
1270408	Soil	24	33	1.04	125	0.114	1	1.63	0.009	0.51	0.2	0.01	4.1	0.5	<0.05	8	<0.5	<0.2
1270409	Soil	36	45	0.95	251	0.109	2	1.88	0.025	0.21	0.2	0.04	7.0	0.2	<0.05	7	<0.5	<0.2
1271599	Soil	7	40	0.62	236	0.044	1	1.74	0.010	0.07	0.1	0.01	3.6	<0.1	<0.05	6	<0.5	<0.2
1271591	Soil	8	44	2.93	516	0.208	1	3.13	0.010	0.81	0.2	<0.01	3.2	0.4	<0.05	9	<0.5	<0.2
1270406	Soil	131	139	2.24	154	0.145	1	2.55	0.007	0.83	0.2	<0.01	10.0	0.7	<0.05	9	<0.5	<0.2
1270410	Soil	44	221	3.08	584	0.177	1	3.24	0.008	1.24	0.2	0.02	9.5	0.6	<0.05	13	<0.5	<0.2
1271592	Soil	28	48	1.24	391	0.103	2	1.91	0.016	0.28	0.2	0.03	5.7	0.3	<0.05	7	<0.5	<0.2
1271593	Soil	46	67	1.15	464	0.082	2	2.04	0.020	0.23	0.2	0.03	8.8	0.2	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI12000318.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1271581	Soil	1.1	11.6	12.0	68	<0.1	24.0	15.7	939	3.23	4.6	1.5	1.5	14.4	24	0.1	0.3	0.2	72	0.55	0.087
1271600	Soil	0.9	8.4	4.7	32	<0.1	15.5	6.5	255	2.07	6.4	0.2	0.9	1.8	18	<0.1	0.3	<0.1	46	0.30	0.021
1271594	Soil	0.7	21.9	7.9	43	<0.1	27.0	14.1	646	2.86	6.1	2.5	1.4	6.1	48	0.1	0.3	0.1	54	1.52	0.062
1271595	Soil	0.8	18.6	8.1	48	<0.1	23.5	12.8	895	2.64	6.1	2.4	1.7	6.6	42	0.1	0.3	0.1	48	1.43	0.062
1270401	Rock Pulp	1.4	460.7	18.6	164	0.2	234.1	79.0	849	15.76	3.8	1.0	34.0	6.2	14	<0.1	0.4	0.1	221	0.31	0.046
1271598	Soil	0.7	21.4	7.0	47	<0.1	32.8	12.8	294	3.12	8.4	0.6	4.4	4.1	20	<0.1	0.5	0.1	66	0.34	0.039
1271597	Soil	10.9	44.4	7.2	92	0.2	12.8	12.1	398	4.26	3.3	1.2	4.2	7.0	20	0.2	0.5	0.4	18	0.48	0.035
1271596	Soil	0.9	15.2	7.4	52	0.2	27.5	18.3	1301	3.82	5.8	1.0	9.6	2.4	68	0.3	0.8	0.2	36	1.36	0.070
1283882	Soil	5.9	65.4	13.7	366	0.6	67.6	18.1	734	4.60	43.9	1.7	5.1	4.6	24	2.2	2.0	0.2	119	0.43	0.130
1283890	Soil	4.3	27.2	17.6	99	0.4	26.1	16.9	1839	4.01	215.8	0.9	3.9	1.2	22	0.2	2.4	0.2	96	0.20	0.067
1283886	Soil	1.1	11.4	17.9	60	0.1	29.5	11.3	322	3.58	10.2	1.1	2.3	7.7	21	0.1	0.5	0.3	59	0.35	0.044
1283879	Soil	2.0	41.2	11.3	123	<0.1	53.0	17.4	466	4.58	32.0	0.7	2.0	4.6	7	0.2	4.2	0.2	101	0.16	0.058
1283881	Soil	2.1	62.9	10.4	131	0.4	49.0	23.8	1135	6.19	299.3	2.7	5.2	5.1	32	0.4	2.8	0.1	133	1.38	0.206
1283889	Soil	5.7	43.2	10.9	81	0.6	32.1	30.8	1663	3.10	335.7	1.4	4.9	1.8	35	0.6	2.7	0.1	52	0.72	0.072
1283854	Soil	1.6	45.4	13.7	143	0.2	47.8	31.3	1344	5.64	6.7	0.6	1.8	5.4	43	<0.1	0.4	0.3	131	0.91	0.064
1283857	Soil	1.1	25.1	8.0	62	0.2	39.5	18.6	572	4.04	11.4	1.4	11.7	5.8	41	0.2	1.6	0.1	61	1.13	0.071
1283877	Soil	1.5	69.8	3.3	93	<0.1	43.9	30.2	951	7.80	25.4	0.8	1.5	2.7	26	<0.1	0.7	<0.1	170	0.73	0.188
1283853	Soil	0.8	37.2	6.0	80	0.1	53.6	23.0	846	4.72	14.7	0.8	2.2	4.4	43	0.1	2.1	0.1	97	0.77	0.049
1283856	Soil	1.1	31.5	10.1	69	0.2	57.3	20.4	586	4.50	18.1	1.2	8.6	8.2	33	0.2	2.6	0.3	63	0.89	0.092
1283855	Soil	0.8	17.1	6.4	62	<0.1	14.2	12.7	526	3.32	16.7	2.7	2.1	8.1	37	0.1	1.6	0.1	84	0.56	0.099
1283880	Soil	1.8	60.4	9.3	110	0.5	78.1	23.8	888	5.35	63.6	1.1	10.5	4.6	20	0.2	3.2	0.1	115	0.58	0.114
1283878	Soil	1.7	44.2	11.6	104	<0.1	42.4	21.7	984	5.64	47.5	0.8	4.2	4.6	19	0.3	2.5	0.2	96	0.49	0.179
1283884	Soil	1.7	33.0	12.3	92	0.3	49.1	14.6	353	3.31	27.5	1.3	2.2	6.4	31	0.4	1.2	0.2	98	0.63	0.040
1283858	Soil	0.9	27.7	7.5	62	0.2	60.7	23.1	678	4.16	12.2	0.9	11.2	6.4	46	0.2	1.9	0.2	63	2.05	0.088
1283888	Soil	4.2	40.0	14.1	121	0.4	41.8	17.9	644	4.31	24.9	4.9	3.9	13.1	64	0.6	1.4	0.3	96	0.89	0.100
1283887	Soil	1.3	10.9	21.1	60	0.2	24.2	10.8	611	2.35	11.0	6.1	5.7	16.5	70	0.3	0.4	0.4	39	1.36	0.065
1283948	Soil	2.8	39.5	45.4	160	0.6	36.0	13.9	465	3.95	36.3	0.7	1.5	2.7	20	1.1	1.8	0.3	98	0.28	0.057
1284405	Soil	1.8	43.9	13.6	103	0.5	43.5	15.4	427	3.85	61.8	1.6	4.6	6.1	21	0.4	3.1	0.2	98	0.36	0.061
1284214	Soil	4.4	30.3	12.3	106	0.4	26.5	8.4	268	2.87	33.8	0.9	4.6	4.2	28	0.3	2.3	0.2	92	0.26	0.055
1283883	Soil	2.8	71.9	25.4	220	0.4	79.3	28.1	826	5.60	62.6	1.5	5.2	5.9	26	1.5	3.5	0.2	167	0.58	0.099

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI12000318.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1271581	Soil		33	61	0.78	232	0.073	2	1.34	0.011	0.21	0.1	0.03	6.6	0.4	<0.05	6	<0.5	<0.2
1271600	Soil		5	23	0.58	176	0.046	1	1.65	0.009	0.06	<0.1	0.02	2.8	<0.1	<0.05	5	<0.5	<0.2
1271594	Soil		24	43	0.90	494	0.068	2	1.45	0.016	0.15	0.2	0.04	5.0	0.2	0.07	5	<0.5	<0.2
1271595	Soil		23	38	0.84	315	0.064	3	1.23	0.016	0.16	0.2	0.04	4.4	0.2	0.06	5	<0.5	<0.2
1270401	Rock Pulp		17	727	0.15	147	0.219	5	4.26	0.014	0.07	<0.1	0.04	42.2	0.1	<0.05	23	0.7	<0.2
1271598	Soil		15	45	0.61	307	0.059	<1	2.17	0.016	0.05	0.2	0.05	6.2	0.1	<0.05	6	<0.5	<0.2
1271597	Soil		30	14	0.28	241	0.008	2	0.72	0.009	0.09	<0.1	0.04	3.5	<0.1	0.11	3	1.0	0.2
1271596	Soil		15	25	0.43	287	0.021	2	0.88	0.012	0.06	<0.1	0.05	6.8	<0.1	0.07	3	<0.5	<0.2
1283882	Soil		23	57	0.96	834	0.115	1	1.86	0.008	0.36	0.2	0.05	7.8	0.7	<0.05	8	2.2	<0.2
1283890	Soil		8	40	0.29	213	0.030	3	0.87	0.007	0.07	0.1	0.12	3.3	1.3	<0.05	5	2.1	<0.2
1283886	Soil		14	39	0.64	202	0.069	2	2.05	0.010	0.13	0.1	0.02	3.7	0.3	<0.05	8	<0.5	<0.2
1283879	Soil		15	59	0.99	253	0.120	<1	2.02	0.005	0.38	<0.1	0.01	7.3	0.7	<0.05	8	<0.5	<0.2
1283881	Soil		25	67	1.97	1139	0.288	2	3.04	0.008	0.89	0.1	0.08	13.5	0.9	<0.05	13	1.0	<0.2
1283889	Soil		8	28	0.20	531	0.018	3	0.44	0.010	0.07	0.1	0.18	4.8	0.7	0.09	2	2.8	<0.2
1283854	Soil		11	104	2.58	356	0.157	2	2.83	0.013	0.63	0.1	0.02	11.1	0.4	<0.05	10	<0.5	<0.2
1283857	Soil		23	61	0.66	489	0.033	3	1.29	0.018	0.15	0.2	0.16	9.5	0.4	<0.05	4	<0.5	<0.2
1283877	Soil		22	66	2.61	1238	0.319	<1	3.77	0.009	1.39	<0.1	0.01	15.4	0.4	<0.05	16	<0.5	<0.2
1283853	Soil		17	85	1.20	627	0.035	1	1.77	0.014	0.14	0.1	0.07	18.4	0.3	<0.05	6	<0.5	<0.2
1283856	Soil		30	78	0.81	425	0.036	2	1.45	0.015	0.20	0.1	0.13	9.8	0.3	<0.05	5	<0.5	<0.2
1283855	Soil		21	29	0.76	533	0.121	<1	1.76	0.028	0.15	0.3	0.04	6.3	0.3	<0.05	7	<0.5	<0.2
1283880	Soil		28	117	1.78	834	0.193	<1	2.51	0.011	0.57	0.1	0.06	13.8	0.5	<0.05	11	0.7	<0.2
1283878	Soil		28	60	1.52	399	0.202	<1	2.94	0.009	0.75	0.1	0.02	8.9	0.5	<0.05	12	0.6	<0.2
1283884	Soil		19	102	1.01	555	0.096	2	1.61	0.017	0.15	0.1	0.04	6.3	0.5	<0.05	8	<0.5	<0.2
1283858	Soil		21	69	0.78	424	0.028	2	1.18	0.014	0.15	0.2	0.11	10.8	0.3	<0.05	4	<0.5	<0.2
1283888	Soil		39	91	1.41	320	0.123	2	2.20	0.014	0.56	0.1	0.02	8.2	0.7	0.05	8	1.6	<0.2
1283887	Soil		28	63	0.71	181	0.062	2	1.19	0.013	0.20	0.2	0.07	5.2	0.3	0.05	5	<0.5	<0.2
1283948	Soil		10	52	0.89	451	0.150	1	1.77	0.010	0.37	0.1	0.03	5.2	0.4	<0.05	8	<0.5	<0.2
1284405	Soil		19	54	0.64	412	0.077	1	1.46	0.010	0.20	<0.1	0.07	8.7	0.6	<0.05	6	0.6	<0.2
1284214	Soil		14	62	0.91	446	0.166	<1	1.58	0.016	0.50	0.1	0.05	4.8	0.6	0.09	8	1.9	<0.2
1283883	Soil		18	107	1.41	572	0.154	1	2.21	0.015	0.44	<0.1	0.05	11.5	0.8	<0.05	9	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI12000318.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1284238	Soil	1.6	22.2	12.6	86	<0.1	70.0	24.3	713	4.98	38.1	1.5	<0.5	13.2	64	<0.1	6.9	0.1	67	1.58	0.138
1284403	Soil	1.8	39.1	18.2	121	0.4	78.7	16.5	503	3.66	72.6	1.6	7.7	8.8	30	0.4	2.2	0.2	88	0.38	0.066
1284222	Soil	2.4	24.6	49.0	103	0.5	21.0	10.0	392	2.84	36.1	3.4	72.6	19.8	34	0.7	1.4	0.6	44	0.54	0.059
1283885	Soil	1.4	40.0	14.0	84	0.3	46.6	14.6	657	2.86	22.7	3.2	1.2	7.5	73	0.6	1.3	0.3	75	1.58	0.073
1284233	Soil	0.9	29.3	28.2	62	0.4	40.2	16.1	713	3.40	49.3	2.1	4.8	11.6	49	0.3	3.9	0.4	53	1.10	0.041
1284402	Soil	3.2	64.2	17.7	114	0.3	59.6	17.1	586	4.21	86.2	1.7	1.6	5.3	30	0.5	3.7	0.3	106	0.24	0.067
1284225	Soil	1.5	27.8	25.8	86	0.4	29.5	12.6	755	2.98	68.2	7.8	7.0	14.7	68	0.6	2.0	0.3	55	0.89	0.058
1283852	Soil	1.6	40.5	129.2	131	1.5	46.5	18.8	1031	4.29	206.6	3.5	6.6	6.3	36	1.2	6.6	0.2	67	1.17	0.078
1284227	Soil	0.9	24.4	10.7	53	0.2	23.9	11.2	699	2.24	23.9	6.0	3.5	6.4	95	0.2	0.9	0.2	48	1.96	0.059
1283947	Soil	1.1	14.0	20.9	57	0.4	19.0	9.7	399	2.68	173.9	3.7	4.5	24.1	30	0.2	2.0	0.5	36	0.33	0.046
1284236	Soil	0.6	31.5	14.7	62	<0.1	74.3	21.0	596	3.53	21.1	1.2	2.2	6.6	87	0.2	1.0	0.2	57	2.09	0.066
1284230	Soil	1.2	48.6	24.3	75	0.2	47.4	20.8	670	3.90	21.1	1.7	29.8	7.4	72	0.3	1.5	0.1	58	1.70	0.056
1284216	Soil	4.4	67.3	14.3	188	0.6	47.3	17.1	1239	3.43	62.9	4.6	2.5	4.5	96	1.4	4.0	0.1	102	1.60	0.094
1284229	Soil	2.2	91.0	495.1	134	12.7	58.9	19.6	529	4.49	596.7	1.7	302.0	7.0	65	1.7	167.1	0.6	55	0.75	0.087
1284239	Soil	0.8	27.4	7.4	62	<0.1	56.1	22.4	556	4.35	14.3	1.7	0.6	22.3	72	<0.1	4.2	<0.1	63	2.02	0.098
1284212	Soil	3.8	78.9	11.4	176	0.6	60.6	21.2	642	4.45	36.2	2.4	2.5	5.0	34	0.7	2.7	0.1	142	0.31	0.099
1284226	Soil	1.5	28.7	20.8	80	0.4	31.4	11.8	563	2.76	49.6	8.1	6.4	12.6	58	0.5	1.5	0.3	50	0.92	0.057
1284237	Soil	1.1	40.7	20.6	62	0.1	41.7	17.9	588	3.41	17.1	1.4	32.2	6.0	54	0.1	1.1	0.1	47	1.53	0.047
1284218	Soil	2.2	63.4	13.1	155	0.4	86.1	25.3	750	4.43	22.8	2.5	3.4	4.6	49	0.9	1.2	0.2	124	0.84	0.093
1284224	Soil	1.0	13.2	29.4	50	0.2	20.7	10.9	496	2.78	11.9	2.4	10.9	13.1	37	<0.1	0.7	0.5	47	0.73	0.034
1284220	Soil	2.2	39.8	17.5	114	0.6	34.6	15.5	570	3.32	20.7	1.4	2.9	4.2	23	0.5	1.3	0.2	95	0.28	0.062
1284217	Soil	3.7	72.4	15.6	183	0.6	54.4	20.2	863	4.02	23.1	3.1	1.6	5.7	49	1.5	2.4	0.2	118	0.70	0.124
1284234	Soil	0.7	41.4	15.1	70	0.1	35.9	18.1	691	3.52	11.3	1.7	2.9	8.1	40	0.1	0.9	0.2	63	1.07	0.031
1284223	Soil	1.5	26.1	27.5	68	0.4	30.4	11.6	633	2.71	12.0	10.5	4.0	15.6	76	0.4	0.8	0.5	55	1.37	0.060
1284221	Soil	2.2	38.7	21.9	119	0.7	41.7	17.0	779	3.40	51.6	3.2	3.0	6.8	41	0.5	1.8	0.3	100	0.76	0.070
1284219	Soil	2.2	61.0	27.0	158	0.6	66.0	21.5	714	4.39	29.3	2.1	1.9	5.5	41	1.1	1.9	0.1	121	0.69	0.094
1284235	Soil	0.6	30.3	10.3	57	0.1	51.6	15.2	530	2.92	39.0	1.4	2.9	3.9	142	0.2	4.1	0.1	45	4.87	0.072
1271582	Soil	1.0	16.5	13.9	58	<0.1	19.6	15.4	689	2.87	4.5	3.0	<0.5	12.5	37	0.1	0.3	0.3	61	0.71	0.069
1271587	Soil	1.8	8.8	7.2	77	<0.1	10.9	9.3	619	3.62	4.9	3.6	1.9	38.4	21	<0.1	0.2	0.2	37	0.29	0.071
1271589	Soil	0.5	8.8	2.4	33	<0.1	6.3	9.2	183	1.26	2.7	0.2	<0.5	1.5	28	<0.1	0.1	<0.1	18	0.33	0.069

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI12000318.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1284238	Soil	54	119	2.27	128	0.116	2	2.82	0.009	0.54	0.2	0.02	7.4	0.6	<0.05	9	<0.5	<0.2
1284403	Soil	17	94	1.28	361	0.150	1	2.10	0.013	0.30	0.2	0.05	5.7	0.6	<0.05	7	0.7	<0.2
1284222	Soil	35	29	0.60	270	0.071	2	1.23	0.018	0.22	<0.1	0.08	5.6	0.4	<0.05	5	0.7	<0.2
1283885	Soil	34	81	0.87	613	0.067	2	1.38	0.015	0.14	<0.1	0.07	8.3	0.4	0.05	5	1.1	<0.2
1284233	Soil	33	58	0.69	322	0.047	2	1.20	0.014	0.17	<0.1	0.06	7.5	0.3	<0.05	4	0.7	<0.2
1284402	Soil	20	77	1.27	423	0.152	<1	2.25	0.011	0.57	0.1	0.02	5.8	0.5	0.09	9	0.8	<0.2
1284225	Soil	38	37	0.60	396	0.057	2	1.27	0.017	0.18	0.1	0.13	7.8	0.7	<0.05	5	0.6	<0.2
1283852	Soil	28	44	0.47	288	0.029	3	0.88	0.010	0.09	<0.1	0.13	9.6	0.5	<0.05	3	0.8	<0.2
1284227	Soil	34	38	0.68	372	0.061	3	1.17	0.019	0.13	<0.1	0.09	6.0	0.3	0.09	4	<0.5	<0.2
1283947	Soil	64	27	0.47	245	0.037	2	1.11	0.010	0.18	<0.1	0.05	4.9	0.3	<0.05	4	<0.5	<0.2
1284236	Soil	23	116	1.62	198	0.132	3	1.99	0.016	0.34	0.1	0.04	4.8	0.4	<0.05	6	<0.5	<0.2
1284230	Soil	34	59	1.22	324	0.103	2	1.84	0.015	0.34	<0.1	0.04	6.2	0.3	<0.05	6	<0.5	<0.2
1284216	Soil	25	56	0.86	718	0.106	5	1.50	0.015	0.39	0.1	0.08	6.8	0.6	0.17	6	3.1	<0.2
1284229	Soil	23	53	0.74	349	0.054	2	1.10	0.010	0.34	<0.1	0.14	7.4	0.5	0.25	4	1.6	<0.2
1284239	Soil	77	71	1.61	285	0.079	3	1.83	0.010	0.54	<0.1	0.03	8.4	0.5	<0.05	6	<0.5	<0.2
1284212	Soil	23	79	1.18	502	0.208	<1	2.45	0.021	0.52	0.1	0.04	7.3	0.5	0.13	10	1.4	<0.2
1284226	Soil	36	35	0.58	374	0.051	3	1.14	0.013	0.16	0.1	0.13	6.9	0.6	0.06	4	<0.5	<0.2
1284237	Soil	29	52	1.06	281	0.079	2	1.54	0.012	0.28	0.1	0.04	4.8	0.3	<0.05	5	<0.5	<0.2
1284218	Soil	19	96	1.47	649	0.190	2	2.31	0.018	0.66	0.1	0.04	7.7	0.5	0.11	9	0.9	<0.2
1284224	Soil	28	35	0.62	194	0.078	2	1.19	0.014	0.22	0.2	0.04	5.4	0.4	0.06	5	<0.5	<0.2
1284220	Soil	18	57	0.87	336	0.142	1	1.70	0.016	0.18	0.1	0.05	5.6	0.3	<0.05	7	<0.5	<0.2
1284217	Soil	25	69	1.20	537	0.173	1	2.04	0.017	0.49	0.1	0.06	7.4	0.5	<0.05	9	1.5	<0.2
1284234	Soil	28	58	1.26	288	0.131	2	1.85	0.017	0.35	0.1	0.04	5.3	0.3	<0.05	5	<0.5	<0.2
1284223	Soil	69	52	0.84	475	0.081	2	1.36	0.018	0.20	<0.1	0.10	6.6	0.4	0.06	5	1.1	<0.2
1284221	Soil	32	67	0.94	634	0.118	1	1.72	0.014	0.30	<0.1	0.07	7.9	0.5	<0.05	7	1.2	<0.2
1284219	Soil	23	87	1.32	685	0.180	1	2.22	0.016	0.52	<0.1	0.05	8.2	0.5	<0.05	9	0.8	<0.2
1284235	Soil	22	63	0.80	246	0.041	2	1.16	0.013	0.14	<0.1	0.06	5.7	0.2	<0.05	4	<0.5	<0.2
1271582	Soil	74	48	0.81	291	0.075	2	1.30	0.015	0.11	0.2	0.03	5.8	0.3	<0.05	5	<0.5	<0.2
1271587	Soil	94	15	0.45	148	0.073	2	1.11	0.008	0.21	<0.1	0.03	5.4	0.4	<0.05	5	<0.5	<0.2
1271589	Soil	4	6	0.68	90	0.064	1	1.12	0.004	0.13	<0.1	<0.01	0.7	0.1	<0.05	2	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI12000318.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1284213	Soil	3.0	65.3	16.5	150	0.6	46.7	19.6	1120	3.74	41.2	3.9	7.8	4.6	58	1.3	2.1	0.3	94	1.20	0.076
1271583	Soil	1.8	7.9	10.0	86	<0.1	12.3	16.6	1033	3.73	6.0	2.1	1.0	18.5	26	0.1	0.3	0.2	56	0.66	0.100
1271586	Soil	2.9	8.3	12.8	87	<0.1	11.7	14.0	940	4.11	4.9	2.7	1.2	33.5	24	<0.1	0.2	0.3	48	0.70	0.097
1271588	Soil	1.3	23.7	9.8	45	<0.1	22.0	12.6	330	3.03	9.3	1.3	3.3	12.3	15	<0.1	0.6	0.2	64	0.16	0.034
1284232	Soil	1.0	38.2	42.4	78	1.0	41.7	16.5	738	3.39	101.9	2.7	13.2	5.2	50	0.3	6.9	0.3	47	1.59	0.055
1284228	Soil	1.6	53.7	9.8	94	0.3	44.8	19.9	793	3.97	36.0	4.4	4.8	7.2	49	0.3	1.3	0.2	101	1.20	0.076
1271585	Soil	1.5	14.9	7.0	54	<0.1	13.1	7.1	619	1.82	3.2	3.9	6.5	10.6	47	0.2	0.3	0.1	33	1.35	0.058
1271590	Soil	0.9	36.2	3.2	79	<0.1	34.0	34.0	572	3.98	7.9	0.3	<0.5	2.3	81	<0.1	0.1	<0.1	66	0.64	0.110
1284231	Soil	0.7	46.8	13.2	69	0.1	148.4	24.0	488	3.53	48.4	1.6	2.3	10.3	60	0.3	1.2	0.1	85	1.97	0.100
1284215	Soil	5.7	43.4	38.8	164	1.2	41.3	54.0	4151	4.04	49.8	2.7	4.1	4.4	34	1.8	2.2	0.3	115	0.63	0.079
1271584	Soil	1.5	9.1	9.3	76	<0.1	10.9	9.8	435	3.36	4.2	2.5	0.7	27.6	28	<0.1	0.3	0.2	45	0.76	0.126
1271580	Soil	2.0	10.9	13.1	75	<0.1	16.1	17.8	809	4.20	8.5	3.0	1.6	17.8	33	<0.1	0.2	0.2	67	0.80	0.099
1270440	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1270450	Soil	1.3	17.9	12.3	57	<0.1	25.5	12.8	455	3.55	9.4	1.0	<0.5	15.8	15	<0.1	0.6	0.3	80	0.17	0.018
1270448	Soil	2.2	50.4	12.3	120	0.6	39.8	14.7	716	3.20	30.9	4.4	5.2	9.3	37	1.4	0.8	0.2	79	0.70	0.080
1270446	Soil	1.9	40.1	10.6	96	0.3	40.8	13.6	496	3.52	34.6	0.8	4.3	3.9	18	0.5	1.1	0.2	88	0.29	0.063
1270449	Soil	1.3	17.3	11.3	48	<0.1	23.3	11.6	583	3.10	11.7	1.8	4.4	19.1	21	0.1	1.0	0.2	56	0.33	0.030
1270447	Soil	1.8	41.5	10.1	100	0.5	39.0	13.0	415	3.60	31.6	1.0	4.2	3.2	21	0.9	0.8	0.1	94	0.34	0.083
1270442	Soil	2.1	29.3	16.4	81	0.9	38.1	15.7	1071	3.83	35.2	0.5	1.4	2.5	25	0.4	1.0	0.2	83	0.35	0.068
1270468	Soil	1.2	14.6	8.3	73	<0.1	20.8	16.4	471	3.76	4.1	1.8	0.5	11.4	36	<0.1	0.4	0.1	78	0.78	0.093
1270463	Soil	0.9	36.4	15.8	64	0.2	33.8	15.6	520	3.44	8.1	3.8	0.8	12.1	42	0.1	0.4	0.2	65	1.00	0.065
1270444	Soil	2.2	38.3	12.0	95	0.5	45.9	14.1	425	4.15	45.7	0.8	2.8	3.5	18	0.3	1.3	0.2	101	0.27	0.058
1270438	Soil	3.9	59.9	13.3	184	0.4	54.1	16.9	1060	4.53	135.3	1.4	2.0	4.9	22	1.3	3.1	0.2	123	0.25	0.108
1270467	Soil	1.6	22.3	67.0	85	<0.1	16.1	17.6	784	3.09	4.4	1.0	0.9	7.5	16	<0.1	0.3	0.3	69	0.32	0.082
1270441	Soil	2.8	50.1	12.9	165	0.6	56.3	15.9	691	3.96	52.6	1.3	3.1	4.6	23	1.1	1.4	0.2	90	0.42	0.087
1270439	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1270451	Rock Pulp	2.5	26.2	2.3	43	0.3	24.9	11.1	414	2.49	4.8	0.3	<0.5	0.9	39	0.2	0.3	<0.1	68	0.87	0.059
1270466	Soil	1.6	22.1	29.9	66	0.1	21.7	13.6	320	4.25	8.1	3.4	0.8	20.2	25	<0.1	0.3	0.4	72	0.52	0.075
1270465	Soil	1.3	22.9	14.1	76	<0.1	33.2	16.4	397	4.17	7.1	1.5	1.4	15.4	22	<0.1	0.3	0.2	91	0.50	0.076
1270461	Soil	0.8	58.6	12.3	68	0.2	42.6	16.6	517	3.63	7.1	2.4	3.6	8.7	61	0.1	0.3	0.5	62	1.34	0.074

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI12000318.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1284213	Soil	24	59	1.11	655	0.126	2	1.85	0.023	0.37	0.2	0.12	8.1	0.8	0.09	7	2.6	<0.2
1271583	Soil	25	28	0.81	210	0.086	1	1.35	0.010	0.17	0.2	0.02	4.2	0.4	<0.05	5	<0.5	<0.2
1271586	Soil	51	20	0.75	168	0.104	3	1.46	0.010	0.24	0.2	0.05	5.8	0.4	<0.05	6	<0.5	<0.2
1271588	Soil	15	43	0.56	185	0.072	<1	2.31	0.010	0.08	0.2	0.02	4.5	0.2	<0.05	6	<0.5	<0.2
1284232	Soil	21	41	0.67	276	0.048	3	1.06	0.009	0.23	<0.1	0.08	5.3	0.3	0.06	4	0.9	<0.2
1284228	Soil	32	61	1.06	414	0.088	2	1.66	0.014	0.32	0.1	0.09	10.2	0.6	<0.05	6	0.8	<0.2
1271585	Soil	32	20	0.39	267	0.042	3	0.83	0.012	0.09	0.1	0.05	3.7	0.2	0.13	3	<0.5	<0.2
1271590	Soil	4	55	3.39	264	0.161	1	3.03	0.006	0.34	0.2	<0.01	2.2	0.1	<0.05	6	<0.5	<0.2
1284231	Soil	23	199	2.40	402	0.156	2	2.14	0.011	0.63	0.2	0.04	6.5	0.7	0.06	7	0.5	<0.2
1284215	Soil	31	59	0.77	464	0.087	2	1.64	0.011	0.12	0.1	0.12	6.2	0.5	0.05	7	1.0	<0.2
1271584	Soil	43	22	0.60	135	0.075	2	1.12	0.010	0.21	0.3	0.03	4.6	0.3	<0.05	5	<0.5	<0.2
1271580	Soil	34	39	0.96	207	0.093	2	1.45	0.011	0.18	0.1	0.02	5.0	0.3	<0.05	6	<0.5	<0.2
1270440	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1270450	Soil	12	47	0.81	164	0.097	1	2.27	0.008	0.09	0.2	0.02	3.9	0.2	<0.05	8	<0.5	<0.2
1270448	Soil	60	43	0.66	870	0.070	2	1.74	0.010	0.10	0.2	0.10	7.6	0.3	<0.05	6	0.6	<0.2
1270446	Soil	16	51	0.63	438	0.096	1	1.83	0.009	0.13	0.1	0.04	5.0	0.3	<0.05	7	<0.5	<0.2
1270449	Soil	23	32	0.54	226	0.057	2	1.27	0.010	0.09	0.1	0.05	5.6	0.2	<0.05	5	<0.5	<0.2
1270447	Soil	17	50	0.79	453	0.118	<1	1.84	0.010	0.18	0.1	0.06	5.5	0.3	<0.05	7	0.8	<0.2
1270442	Soil	10	44	0.58	372	0.107	<1	1.73	0.010	0.21	0.1	0.02	3.6	0.4	<0.05	7	0.6	<0.2
1270468	Soil	27	54	1.49	317	0.166	1	2.19	0.010	0.53	0.2	0.04	4.9	0.4	<0.05	8	<0.5	<0.2
1270463	Soil	47	47	0.83	384	0.101	2	1.78	0.012	0.16	0.1	0.06	6.4	0.2	<0.05	6	0.5	<0.2
1270444	Soil	14	63	0.72	362	0.100	<1	2.10	0.008	0.11	0.1	0.03	5.3	0.3	<0.05	8	0.6	<0.2
1270438	Soil	20	59	0.74	749	0.149	2	1.79	0.013	0.36	0.2	0.06	7.1	0.9	0.06	8	1.5	<0.2
1270467	Soil	16	32	1.18	160	0.118	1	1.63	0.009	0.41	0.1	<0.01	3.2	0.4	<0.05	6	<0.5	<0.2
1270441	Soil	20	54	0.70	408	0.112	2	1.64	0.012	0.31	0.1	0.06	6.1	1.0	<0.05	7	0.9	<0.2
1270439	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1270451	Rock Pulp	4	32	0.79	93	0.119	3	1.51	0.080	0.11	12.8	0.02	4.7	<0.1	<0.05	5	<0.5	<0.2
1270466	Soil	32	40	0.95	181	0.092	2	1.69	0.009	0.24	<0.1	0.03	5.6	0.3	<0.05	6	<0.5	<0.2
1270465	Soil	28	70	1.12	240	0.109	1	1.88	0.008	0.32	0.2	0.02	6.5	0.3	<0.05	7	<0.5	<0.2
1270461	Soil	48	78	0.90	257	0.065	2	1.64	0.012	0.15	0.2	0.08	8.0	0.1	<0.05	6	0.9	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI12000318.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1270462	Soil	1.2	40.0	14.1	63	<0.1	27.7	13.1	501	3.58	7.6	1.8	1.7	13.6	36	0.1	0.4	0.4	63	0.70	0.035
1283943	Soil	2.3	59.6	13.8	117	0.5	42.0	16.6	728	3.72	34.0	2.4	3.7	4.4	41	1.0	3.1	0.2	80	0.72	0.081
1270464	Soil	0.9	28.7	24.8	66	0.1	33.5	15.3	463	3.83	6.5	2.5	1.3	17.4	37	0.1	0.2	0.2	79	0.90	0.071
1284407	Soil	1.1	38.1	9.6	63	0.2	50.4	16.8	426	3.53	14.3	1.3	4.6	7.4	37	0.2	0.6	0.1	80	1.12	0.040
1283950	Soil	3.6	92.5	37.6	248	0.7	78.4	24.4	1004	5.37	87.9	2.1	13.7	5.1	41	1.9	3.6	0.2	134	0.83	0.149
1283940	Soil	3.1	59.4	20.4	154	0.3	43.4	17.4	648	4.16	97.2	1.2	4.2	4.0	25	0.7	4.1	0.3	102	0.21	0.073
1283949	Soil	2.0	71.1	25.4	166	0.7	94.9	26.2	952	5.09	76.4	2.5	8.7	3.0	49	2.1	2.9	0.2	98	1.35	0.124
1284404	Soil	8.6	117.4	12.7	342	1.0	107.4	19.4	618	4.43	175.7	2.4	21.3	4.5	40	2.3	4.5	0.3	90	0.38	0.121
1284408	Soil	1.1	36.8	6.7	79	<0.1	57.7	19.3	407	4.17	13.1	1.1	0.9	3.8	29	0.1	0.4	0.1	90	0.57	0.056
1283941	Soil	2.7	59.6	19.0	156	0.3	74.9	23.2	937	5.27	80.8	1.2	4.9	5.1	28	0.8	2.8	0.2	110	0.56	0.118
1284401	Rock Pulp	1.4	428.0	19.8	154	0.2	208.1	73.6	814	15.39	3.6	1.1	31.2	6.4	13	0.1	0.3	0.2	211	0.30	0.044
1284411	Soil	1.2	40.6	10.8	95	0.2	54.1	17.3	610	4.35	112.3	1.2	2.1	7.5	31	0.3	2.1	0.1	67	1.05	0.071
1283939	Soil	2.3	58.6	10.6	108	0.5	51.2	20.8	973	3.80	26.7	2.0	5.8	4.3	37	0.4	1.9	0.2	88	0.77	0.095
1283946	Soil	1.2	90.4	9.8	112	0.3	55.3	24.6	733	4.41	77.0	1.0	4.6	2.6	26	0.5	2.8	0.1	120	0.65	0.062
1270453	Soil	1.3	24.7	9.3	56	<0.1	32.8	23.3	765	4.52	9.9	0.6	7.8	6.1	13	<0.1	0.5	0.2	79	0.22	0.072
1270459	Soil	1.8	68.3	14.5	87	<0.1	45.8	20.7	612	5.24	5.4	1.9	2.4	17.9	27	0.1	0.5	0.3	78	0.70	0.077
1284409	Soil	1.2	39.4	9.5	85	0.2	57.6	16.7	501	3.92	49.5	2.1	3.7	6.9	33	0.2	1.8	0.1	75	1.03	0.071
1292629	Soil	1.7	47.6	8.0	87	0.5	47.0	14.2	572	3.21	23.3	2.7	6.0	3.3	29	0.3	0.5	0.1	80	0.93	0.059
1270455	Soil	0.8	30.9	21.2	78	0.1	90.3	28.0	1372	6.21	7.2	2.0	2.2	12.7	25	0.2	2.2	<0.1	115	0.49	0.070
1270458	Soil	0.6	25.9	17.0	47	<0.1	29.3	18.7	620	4.99	4.1	1.4	1.7	2.9	57	0.2	0.3	<0.1	107	1.74	0.101
1292624	Soil	1.9	32.8	12.3	66	0.5	28.2	13.9	633	3.47	19.5	2.4	5.9	4.7	23	0.1	0.6	0.1	69	0.52	0.043
1292648	Soil	0.8	26.4	91.7	79	0.2	48.1	21.9	406	4.75	2.9	1.0	0.7	7.0	22	<0.1	0.1	0.2	128	0.46	0.094
1270454	Soil	1.3	16.1	13.1	44	<0.1	26.7	12.2	303	3.53	10.1	0.7	1.2	4.9	20	<0.1	0.6	0.1	74	0.32	0.027
1270457	Soil	1.1	18.6	6.5	49	<0.1	39.8	19.2	393	4.17	9.2	0.4	3.0	2.9	18	<0.1	0.4	<0.1	90	0.30	0.036
1292631	Soil	2.9	45.8	8.4	82	0.3	44.5	14.4	448	3.59	39.8	1.1	1.6	3.1	24	0.3	0.4	0.1	102	0.43	0.039
1292645	Soil	2.6	102.7	14.7	150	1.2	75.5	13.8	880	3.80	35.7	1.2	10.2	3.0	33	0.7	0.7	0.2	69	0.67	0.054
1270452	Soil	1.0	110.1	7.8	107	<0.1	38.6	35.3	1062	7.03	6.7	0.4	1.2	4.6	21	<0.1	0.3	0.1	162	0.48	0.103
1270456	Soil	0.7	50.6	3.3	56	<0.1	18.8	25.1	590	4.97	6.0	0.3	<0.5	2.3	18	<0.1	0.1	<0.1	110	0.50	0.110
1292628	Soil	1.2	26.7	7.3	62	0.3	20.5	13.5	577	3.22	11.8	2.0	4.5	3.1	33	0.2	0.4	<0.1	64	1.03	0.047
1292649	Soil	0.5	28.6	14.3	81	<0.1	67.9	24.3	749	4.91	1.7	0.7	1.5	4.6	22	<0.1	<0.1	<0.1	75	0.73	0.070

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI12000318.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1270462	Soil	32	48	0.55	401	0.075	2	1.48	0.009	0.13	0.2	0.02	5.0	0.2	<0.05	6	<0.5	<0.2
1283943	Soil	28	50	0.86	515	0.104	2	1.75	0.010	0.31	0.1	0.09	6.2	0.6	0.09	7	1.0	<0.2
1270464	Soil	67	54	1.02	294	0.116	2	1.91	0.010	0.34	0.2	0.04	7.7	0.3	<0.05	7	<0.5	<0.2
1284407	Soil	23	62	0.97	282	0.110	2	1.93	0.012	0.32	0.1	0.03	5.5	0.3	<0.05	6	<0.5	<0.2
1283950	Soil	28	80	1.37	718	0.147	<1	2.31	0.009	0.62	0.1	0.07	10.9	0.7	<0.05	9	1.4	<0.2
1283940	Soil	15	43	0.85	320	0.136	2	1.78	0.011	0.25	0.1	0.04	4.7	0.5	0.07	8	<0.5	<0.2
1283949	Soil	31	102	1.06	676	0.050	2	1.70	0.007	0.30	0.1	0.11	15.2	0.6	<0.05	6	1.1	<0.2
1284404	Soil	13	49	0.36	374	0.022	2	0.88	0.006	0.08	0.2	0.19	7.6	0.8	<0.05	3	5.6	<0.2
1284408	Soil	9	79	1.48	238	0.136	2	2.24	0.011	0.53	<0.1	0.01	4.2	0.4	<0.05	7	<0.5	<0.2
1283941	Soil	17	90	1.63	436	0.156	1	2.46	0.015	0.66	0.1	0.04	8.3	0.8	<0.05	9	0.6	<0.2
1284401	Rock Pulp	16	732	0.12	147	0.145	4	3.90	0.012	0.06	<0.1	0.03	41.7	0.1	<0.05	20	<0.5	<0.2
1284411	Soil	29	59	1.09	325	0.094	3	1.86	0.012	0.50	0.1	0.06	7.7	0.6	<0.05	6	<0.5	<0.2
1283939	Soil	19	67	1.03	437	0.136	2	2.02	0.012	0.43	0.1	0.08	7.1	0.5	0.05	8	0.7	<0.2
1283946	Soil	12	87	1.28	678	0.092	1	2.04	0.016	0.32	<0.1	0.04	10.3	0.3	<0.05	7	0.5	<0.2
1270453	Soil	15	79	1.33	208	0.036	2	2.92	0.011	0.09	0.2	0.02	6.0	0.1	<0.05	8	<0.5	<0.2
1270459	Soil	58	62	0.79	310	0.082	2	1.55	0.008	0.45	0.7	0.03	14.3	0.4	<0.05	7	0.7	<0.2
1284409	Soil	26	62	0.88	303	0.073	2	1.67	0.012	0.27	<0.1	0.05	7.8	0.4	<0.05	5	<0.5	<0.2
1292629	Soil	16	71	0.87	919	0.071	2	1.72	0.015	0.12	0.1	0.05	7.5	0.2	<0.05	6	0.8	<0.2
1270455	Soil	27	117	0.71	300	0.019	2	1.25	0.004	0.25	0.1	0.05	23.2	0.3	<0.05	5	<0.5	<0.2
1270458	Soil	25	50	0.75	816	0.017	2	1.36	0.008	0.05	1.1	0.04	14.2	<0.1	0.06	5	<0.5	<0.2
1292624	Soil	23	41	0.63	456	0.060	1	1.75	0.014	0.15	0.1	0.05	7.8	0.1	<0.05	6	<0.5	<0.2
1292648	Soil	16	74	2.01	531	0.253	<1	3.27	0.011	1.20	0.2	0.01	5.2	0.6	<0.05	10	<0.5	<0.2
1270454	Soil	21	41	0.53	235	0.048	2	2.14	0.014	0.05	0.2	0.01	4.7	0.1	<0.05	7	<0.5	<0.2
1270457	Soil	8	91	1.39	204	0.107	1	2.68	0.014	0.16	0.1	0.02	4.8	0.1	<0.05	8	<0.5	<0.2
1292631	Soil	12	49	0.77	681	0.077	<1	1.87	0.011	0.19	0.1	0.03	5.4	0.2	<0.05	6	0.9	<0.2
1292645	Soil	17	36	0.44	1847	0.035	2	1.18	0.015	0.08	0.2	0.08	7.4	0.2	<0.05	4	1.7	<0.2
1270452	Soil	9	89	2.86	135	0.043	2	3.84	0.005	0.05	0.1	0.01	9.2	<0.1	<0.05	14	<0.5	<0.2
1270456	Soil	8	25	1.96	282	0.188	<1	2.87	0.018	0.74	0.1	<0.01	3.4	0.4	<0.05	8	<0.5	<0.2
1292628	Soil	14	31	0.74	584	0.081	2	1.57	0.016	0.20	<0.1	0.04	7.1	0.1	<0.05	5	0.7	<0.2
1292649	Soil	10	92	2.20	281	0.204	<1	2.85	0.008	0.88	0.2	0.02	3.0	0.5	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI12000318.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1292642	Soil		7.6	41.2	9.9	109	0.5	49.2	8.8	180	3.07	10.9	0.9	2.6	3.0	23	0.8	0.4	0.1	87	0.17	0.043
1292634	Soil		3.4	93.1	10.2	77	0.4	55.3	20.5	801	3.77	17.4	4.2	3.3	5.1	33	0.2	0.3	<0.1	96	0.96	0.079
1292638	Soil		4.1	56.1	8.6	87	0.3	37.6	13.7	388	3.91	12.3	1.0	2.5	2.8	23	0.2	0.2	0.1	116	0.26	0.079
1283942	Soil		3.5	70.2	12.1	168	0.3	67.3	23.2	1023	5.25	41.4	1.8	2.9	4.6	31	1.0	2.8	0.1	118	0.66	0.181
1292636	Soil		2.7	60.7	7.6	98	0.3	50.4	15.5	477	3.80	8.2	1.5	2.5	3.6	27	0.2	0.2	<0.1	100	0.46	0.062
1292627	Soil		1.5	29.1	13.5	70	0.6	25.0	12.3	506	3.28	13.4	2.0	6.7	4.5	27	0.3	0.4	0.1	63	0.76	0.046
1270460	Soil		1.8	43.5	9.6	76	0.1	41.2	14.6	503	4.09	6.7	2.6	3.1	13.9	29	<0.1	0.4	0.2	62	0.76	0.070
1283938	Soil		3.6	110.1	13.6	211	0.6	95.4	28.6	926	5.67	59.7	2.4	7.8	6.1	36	0.9	2.4	0.1	122	0.34	0.125
1292635	Soil		4.8	54.7	8.3	194	0.5	65.9	12.0	555	3.46	6.1	1.3	0.6	2.5	30	1.0	0.2	0.1	149	0.33	0.056
1292641	Soil		6.2	86.6	16.7	162	1.9	62.8	17.3	596	3.72	40.3	2.8	8.1	3.0	39	1.2	1.0	0.2	91	0.40	0.090
1284410	Soil		0.9	47.3	8.8	72	0.2	54.3	16.3	526	3.68	32.7	2.1	1.9	6.7	35	0.2	0.5	<0.1	68	1.14	0.052
1283945	Soil		1.5	73.4	24.9	88	0.6	133.5	25.4	797	4.24	34.5	2.1	8.9	10.6	69	0.8	3.9	0.3	120	1.36	0.175
1292639	Soil		3.1	60.5	13.7	178	0.7	106.0	16.8	349	4.13	7.9	1.4	1.5	5.8	35	0.4	0.3	0.2	114	0.32	0.067
1292623	Soil		1.7	38.3	10.3	64	0.2	31.3	12.9	470	2.98	10.1	2.8	2.9	4.5	33	0.2	0.4	0.2	72	1.06	0.041
1284406	Soil		1.9	38.4	12.0	79	0.1	51.4	18.5	485	4.08	38.2	1.0	5.9	5.0	17	0.1	1.8	0.2	107	0.43	0.034
1283944	Soil		2.7	47.7	15.8	117	0.4	59.5	19.9	612	4.07	23.2	1.1	3.1	3.3	24	0.3	1.7	0.2	127	0.41	0.075
1284280	Soil		1.8	60.2	19.6	99	0.8	49.8	21.0	579	4.47	34.0	1.2	10.6	4.1	28	1.1	2.4	0.2	109	0.54	0.046
1284316	Soil		1.1	48.0	19.5	87	0.5	53.3	17.0	562	3.85	170.6	2.1	12.5	7.0	38	0.3	5.7	0.1	68	1.39	0.065
1284308	Soil		1.5	23.1	66.6	100	0.7	29.6	11.2	375	3.03	18.0	3.6	4.6	12.4	66	0.9	1.0	0.6	60	1.10	0.044
1284321	Soil		2.3	61.2	13.8	102	0.3	78.0	23.8	808	4.86	23.0	2.4	3.1	7.3	45	0.4	1.1	0.2	112	0.98	0.165
1284306	Soil		2.7	52.2	19.7	157	0.6	74.2	22.6	799	4.32	91.5	1.5	3.9	4.1	36	0.9	1.7	0.2	132	0.90	0.081
1284314	Soil		1.2	36.7	14.7	83	0.2	58.4	19.3	666	3.85	85.2	1.9	9.0	6.2	46	0.3	2.5	0.1	82	1.22	0.089
1284305	Soil		3.4	41.6	24.7	229	0.3	49.3	15.7	838	4.35	81.8	1.0	4.0	3.1	22	1.6	2.3	0.3	99	0.25	0.060
1284320	Soil		2.5	67.1	18.0	103	0.4	125.2	32.3	981	5.51	31.2	2.0	3.6	6.8	56	0.5	0.9	0.2	134	1.27	0.107
1284324	Soil		2.5	53.8	11.9	107	0.6	52.1	21.0	583	4.23	24.4	1.4	3.7	3.3	23	0.5	1.0	0.1	118	0.32	0.070
1284328	Soil		1.0	26.1	13.3	58	0.1	32.5	14.7	872	3.05	33.1	2.7	5.6	5.2	48	0.2	1.8	0.3	47	1.32	0.048
1284312	Soil		2.2	27.2	14.7	82	0.3	41.4	16.9	795	3.60	69.9	3.1	14.7	11.7	42	0.5	2.0	0.2	75	0.86	0.038
1284327	Soil		1.1	35.5	15.1	65	0.1	67.7	19.1	617	4.04	72.0	1.4	2.1	7.5	37	0.1	3.9	0.3	67	0.99	0.044
1284323	Soil		2.4	55.7	31.8	160	0.4	62.2	23.3	837	5.08	25.9	1.7	3.1	3.8	28	0.9	1.2	0.2	145	0.52	0.099
1284311	Soil		1.2	17.1	20.7	61	0.2	30.3	14.8	803	3.36	17.6	3.9	2.9	10.4	39	0.2	0.6	0.3	67	0.87	0.049

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI12000318.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1292642	Soil	10	34	0.43	364	0.048	<1	1.30	0.012	0.11	0.1	<0.01	3.2	0.1	0.07	5	1.5	<0.2
1292634	Soil	22	74	1.21	580	0.105	<1	1.99	0.018	0.29	0.1	0.04	8.2	0.3	0.07	7	1.4	<0.2
1292638	Soil	13	49	1.06	484	0.137	1	2.05	0.013	0.43	0.2	0.02	4.6	0.4	0.11	8	0.6	<0.2
1283942	Soil	24	78	1.53	618	0.172	<1	2.39	0.014	0.81	0.2	0.03	8.2	0.6	0.07	10	1.1	<0.2
1292636	Soil	17	55	1.24	847	0.146	2	2.15	0.017	0.57	0.1	0.03	6.1	0.3	0.07	8	0.9	<0.2
1292627	Soil	21	39	0.70	460	0.078	2	1.63	0.014	0.19	0.1	0.05	7.1	0.2	<0.05	5	0.7	<0.2
1270460	Soil	40	52	0.73	325	0.076	2	1.48	0.011	0.31	0.2	0.04	9.4	0.3	<0.05	6	<0.5	<0.2
1283938	Soil	32	85	1.50	581	0.187	<1	2.81	0.024	0.76	0.1	0.04	7.9	0.7	0.19	10	1.2	<0.2
1292635	Soil	13	69	0.96	1036	0.117	1	1.69	0.019	0.44	0.1	0.02	4.7	0.3	0.11	8	1.3	<0.2
1292641	Soil	16	44	0.49	1526	0.044	2	1.66	0.013	0.07	0.3	0.09	6.8	0.2	<0.05	6	3.3	<0.2
1284410	Soil	29	59	0.97	346	0.104	2	1.90	0.017	0.30	0.1	0.04	6.0	0.3	<0.05	6	0.6	<0.2
1283945	Soil	37	280	1.85	893	0.123	2	2.48	0.012	0.39	0.2	0.06	12.6	0.9	<0.05	9	0.8	<0.2
1292639	Soil	14	102	1.13	580	0.145	<1	1.81	0.016	0.30	0.3	0.02	4.8	0.5	0.09	7	2.0	<0.2
1292623	Soil	28	38	0.64	389	0.076	2	1.54	0.013	0.16	0.2	0.04	7.2	0.1	<0.05	5	0.7	<0.2
1284406	Soil	11	63	0.73	308	0.091	1	1.67	0.009	0.26	<0.1	0.03	7.5	0.4	<0.05	6	<0.5	<0.2
1283944	Soil	17	97	1.13	438	0.160	<1	2.21	0.009	0.26	0.2	0.04	5.9	0.3	<0.05	10	0.6	<0.2
1284280	Soil	18	64	0.90	307	0.117	1	1.89	0.012	0.28	0.1	0.04	7.1	0.4	<0.05	8	<0.5	<0.2
1284316	Soil	28	59	0.88	285	0.068	2	1.46	0.009	0.25	0.1	0.13	8.0	0.5	<0.05	5	0.6	<0.2
1284308	Soil	24	37	0.77	414	0.060	1	1.28	0.013	0.18	0.1	0.07	5.0	0.4	0.07	5	<0.5	<0.2
1284321	Soil	47	105	1.62	597	0.174	1	2.56	0.018	0.59	0.2	0.05	8.7	0.5	<0.05	10	<0.5	<0.2
1284306	Soil	17	88	1.21	674	0.126	1	1.97	0.013	0.45	0.1	0.06	8.6	0.7	<0.05	8	0.9	<0.2
1284314	Soil	23	63	0.93	332	0.063	2	1.48	0.011	0.19	0.1	0.12	9.8	0.8	<0.05	5	<0.5	<0.2
1284305	Soil	11	52	0.71	421	0.084	1	2.17	0.009	0.15	0.1	0.05	4.8	1.0	<0.05	7	0.6	<0.2
1284320	Soil	23	186	1.79	637	0.181	1	2.66	0.014	0.78	0.2	0.04	9.5	0.6	<0.05	10	1.2	<0.2
1284324	Soil	22	74	1.18	514	0.165	1	2.25	0.015	0.31	0.1	0.05	6.8	0.3	<0.05	9	0.7	<0.2
1284328	Soil	20	38	0.67	243	0.035	2	1.04	0.010	0.10	0.2	0.06	6.5	0.2	<0.05	3	<0.5	<0.2
1284312	Soil	32	53	0.75	291	0.077	2	1.44	0.013	0.24	0.2	0.09	7.4	0.7	<0.05	5	0.7	<0.2
1284327	Soil	31	82	1.10	215	0.057	2	1.60	0.012	0.17	0.1	0.09	8.9	0.4	<0.05	5	<0.5	<0.2
1284323	Soil	18	90	1.46	399	0.228	<1	2.12	0.011	0.53	0.1	0.04	7.3	0.6	<0.05	12	0.6	<0.2
1284311	Soil	26	60	0.76	375	0.062	2	1.48	0.014	0.14	0.2	0.08	7.6	0.3	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI12000318.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1284317	Soil		1.1	30.1	17.7	65	0.4	45.6	15.7	506	3.64	35.4	4.1	4.6	11.6	32	0.2	2.5	0.4	43	0.85	0.040
1284310	Soil		1.5	12.5	21.2	47	<0.1	25.3	9.7	330	2.96	12.4	0.9	2.5	3.9	15	0.4	0.9	0.3	71	0.25	0.029
1284315	Soil		1.4	40.9	10.8	91	0.2	60.8	20.1	583	4.47	154.4	1.8	10.1	7.2	35	0.2	2.7	0.1	93	1.14	0.088
1284281	Soil		1.6	69.8	33.4	129	0.9	95.3	21.6	690	4.35	51.6	2.2	7.9	10.9	54	0.9	2.5	0.1	128	1.40	0.157
1284319	Soil		4.7	46.7	24.3	139	0.3	44.0	17.1	794	4.57	47.2	1.5	2.0	2.9	14	1.2	2.6	0.2	116	0.23	0.080
1284329	Soil		0.7	28.4	9.7	59	0.1	23.5	11.8	532	2.92	16.2	2.2	2.6	4.1	35	0.3	1.0	0.2	50	1.28	0.052
1284309	Soil		1.8	27.8	40.9	99	0.4	63.4	19.4	480	3.91	13.8	1.9	37.1	12.1	28	0.9	1.0	0.4	91	0.48	0.047
1284279	Soil		1.6	56.6	18.3	100	0.4	53.1	20.2	790	4.03	25.3	2.1	3.0	7.8	46	0.4	2.0	0.2	86	0.95	0.049
1284283	Soil		3.0	62.9	14.5	139	0.5	62.1	20.1	607	4.57	35.6	2.2	2.7	6.2	38	0.9	2.0	0.1	135	0.71	0.104
1284285	Soil		2.9	76.1	14.4	137	0.5	103.0	20.6	780	4.50	93.0	3.5	4.1	7.9	44	0.8	5.7	0.2	107	0.68	0.108
1284278	Soil		2.0	58.4	11.0	98	0.3	76.1	22.0	876	4.11	26.5	2.1	2.2	5.8	46	0.4	1.8	0.1	116	0.87	0.121
1284330	Soil		1.4	39.6	26.6	66	0.1	44.0	18.3	498	3.90	18.0	1.6	23.1	14.6	31	0.1	1.8	0.1	68	0.73	0.034
1284295	Soil		3.3	41.1	48.9	91	1.6	39.8	14.0	648	3.46	1329	1.0	226.5	5.6	50	0.7	62.4	0.2	38	0.57	0.051
1284071	Soil		2.2	30.8	11.2	131	0.3	66.7	23.5	550	3.86	29.4	0.8	2.3	2.3	24	0.2	1.2	0.1	103	0.49	0.139
1284313	Soil		2.0	43.0	13.9	107	0.4	54.6	17.4	654	4.07	204.8	2.9	5.6	9.1	31	0.3	4.3	0.2	87	0.81	0.079
1284073	Soil		4.4	33.7	15.5	138	0.4	36.7	12.9	522	3.29	36.1	0.9	1.7	1.3	19	0.3	1.9	0.2	125	0.20	0.067
1284072	Soil		3.3	34.0	7.5	88	0.4	29.0	8.0	294	3.00	13.0	1.1	1.3	1.3	19	0.2	0.8	0.1	101	0.18	0.077
1284277	Soil		1.9	68.7	13.1	86	0.3	89.1	23.9	700	4.36	24.2	2.4	3.1	6.2	75	0.3	1.3	0.2	112	1.26	0.147
1284074	Soil		3.9	36.7	16.1	112	0.5	31.7	12.9	646	3.38	37.6	1.5	1.5	2.7	18	0.4	2.0	0.2	99	0.20	0.087
1284297	Soil		1.3	43.7	20.7	74	<0.1	49.4	18.9	548	4.02	12.0	1.3	2.3	14.6	28	<0.1	0.5	0.1	75	0.54	0.045
1284296	Soil		1.4	30.4	13.8	55	0.4	49.4	14.7	431	3.06	78.6	1.6	13.9	7.3	30	0.2	7.8	0.3	35	0.52	0.032
1284282	Soil		1.9	18.3	28.9	90	0.3	29.4	15.5	437	3.82	31.6	0.8	2.8	5.7	17	0.4	1.3	0.2	83	0.28	0.040
1284076	Soil		4.9	39.4	19.4	123	0.7	43.0	10.2	273	2.80	216.8	1.1	18.9	2.5	34	0.9	4.8	0.2	67	0.17	0.049
1284291	Soil		1.1	38.8	12.7	94	0.3	55.7	20.4	585	4.28	85.8	1.2	9.9	7.4	32	0.3	1.5	0.1	80	1.09	0.061
1284293	Soil		0.9	41.1	9.1	72	0.2	49.6	15.2	470	3.26	11.8	2.0	1.9	6.0	37	0.1	1.0	<0.1	67	1.61	0.077
1284070	Soil		3.0	71.8	8.7	102	0.3	57.2	17.7	386	3.43	19.3	2.4	5.7	4.1	28	0.4	1.2	0.2	88	0.71	0.106
1284294	Soil		1.1	40.2	11.9	88	0.2	44.0	16.5	510	3.44	33.7	1.5	1.8	6.0	33	0.3	3.6	0.1	64	1.44	0.071
1284289	Soil		1.5	43.2	7.7	65	0.1	54.8	21.4	373	3.66	15.5	0.8	2.2	3.6	19	<0.1	0.6	<0.1	93	0.53	0.066
1284299	Soil		1.1	20.4	14.1	74	0.1	71.0	23.5	713	4.29	7.6	0.9	4.4	8.9	33	0.1	0.2	0.2	88	1.08	0.083
1284287	Soil		1.7	44.0	14.1	107	0.3	54.6	19.2	501	4.51	75.5	1.1	17.8	5.2	15	0.1	1.7	0.1	148	0.40	0.079

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI12000318.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1284317	Soil	32	44	0.41	284	0.018	1	0.86	0.009	0.09	0.1	0.08	8.0	0.2	<0.05	3	<0.5	<0.2
1284310	Soil	9	46	0.48	183	0.072	1	1.12	0.009	0.13	0.1	0.02	3.4	0.3	<0.05	6	<0.5	<0.2
1284315	Soil	29	74	1.00	277	0.078	2	1.73	0.012	0.26	0.1	0.11	10.4	0.7	<0.05	6	0.6	<0.2
1284281	Soil	26	253	2.31	630	0.173	1	2.64	0.011	0.59	0.1	0.05	10.2	0.9	<0.05	9	0.7	<0.2
1284319	Soil	12	53	0.86	274	0.125	<1	1.85	0.008	0.30	0.2	0.04	5.7	0.5	<0.05	9	0.5	<0.2
1284329	Soil	16	36	0.80	284	0.056	2	1.21	0.017	0.11	0.1	0.04	5.6	0.2	<0.05	4	<0.5	<0.2
1284309	Soil	32	115	1.04	377	0.114	1	1.85	0.014	0.27	0.2	0.08	7.8	0.5	<0.05	7	<0.5	<0.2
1284279	Soil	38	63	1.04	359	0.149	1	2.20	0.012	0.50	0.1	0.04	6.9	0.5	<0.05	9	0.6	<0.2
1284283	Soil	26	114	1.73	620	0.158	1	2.66	0.017	0.55	0.1	0.04	8.7	0.5	<0.05	10	1.0	<0.2
1284285	Soil	26	105	1.41	643	0.136	<1	2.33	0.018	0.58	0.1	0.07	9.2	0.6	0.07	8	1.6	<0.2
1284278	Soil	26	136	1.59	532	0.166	<1	2.17	0.013	0.44	0.2	0.04	8.3	0.5	<0.05	8	<0.5	<0.2
1284330	Soil	53	65	1.13	453	0.089	2	1.82	0.024	0.23	0.1	0.05	6.5	0.3	<0.05	6	<0.5	<0.2
1284295	Soil	18	24	0.24	445	0.015	<1	0.66	0.007	0.11	0.1	0.06	3.2	0.2	<0.05	2	0.8	<0.2
1284071	Soil	11	112	1.41	394	0.181	<1	2.21	0.016	0.38	0.1	0.05	5.0	0.4	<0.05	10	0.5	<0.2
1284313	Soil	26	69	0.90	336	0.074	1	1.44	0.008	0.33	0.1	0.07	9.8	0.8	<0.05	6	0.6	<0.2
1284073	Soil	12	76	1.00	328	0.128	<1	1.72	0.010	0.44	0.1	0.05	4.0	0.7	<0.05	10	0.9	<0.2
1284072	Soil	13	67	0.83	418	0.129	<1	1.50	0.012	0.51	0.1	0.04	4.1	0.3	<0.05	9	1.4	<0.2
1284277	Soil	24	159	1.93	669	0.180	1	2.53	0.017	0.61	0.2	0.05	8.3	0.6	<0.05	9	0.6	<0.2
1284074	Soil	17	66	0.97	376	0.130	1	1.79	0.008	0.48	0.1	0.06	4.9	0.6	<0.05	9	1.2	<0.2
1284297	Soil	33	102	1.96	270	0.132	1	2.60	0.012	0.43	0.2	0.02	7.0	0.5	<0.05	8	<0.5	<0.2
1284296	Soil	22	34	0.30	320	0.011	2	0.88	0.008	0.10	0.1	0.14	5.2	0.1	<0.05	2	<0.5	<0.2
1284282	Soil	15	58	0.96	233	0.122	1	2.07	0.009	0.26	0.1	0.02	4.1	0.3	<0.05	8	<0.5	<0.2
1284076	Soil	7	36	0.27	344	0.020	2	1.01	0.007	0.08	0.2	0.14	3.5	1.1	<0.05	3	1.7	<0.2
1284291	Soil	22	72	1.05	378	0.113	2	1.80	0.011	0.35	0.1	0.06	6.6	0.4	<0.05	6	<0.5	<0.2
1284293	Soil	28	60	1.07	434	0.101	2	1.61	0.013	0.38	<0.1	0.08	5.3	0.4	<0.05	5	<0.5	<0.2
1284070	Soil	22	66	1.05	464	0.140	2	1.90	0.018	0.35	0.1	0.10	6.6	0.3	<0.05	7	2.4	<0.2
1284294	Soil	29	49	0.77	313	0.073	2	1.38	0.016	0.22	0.1	0.05	5.9	0.3	<0.05	5	0.9	<0.2
1284289	Soil	11	70	1.07	235	0.126	<1	1.78	0.015	0.35	0.1	0.02	4.9	0.3	<0.05	6	<0.5	<0.2
1284299	Soil	29	140	2.14	279	0.151	2	2.65	0.013	0.61	0.1	0.03	7.1	0.5	<0.05	8	<0.5	<0.2
1284287	Soil	19	92	1.36	499	0.155	<1	2.45	0.008	0.54	0.1	0.03	8.1	0.6	<0.05	9	0.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI12000318.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1284298	Soil	0.8	28.6	12.4	66	<0.1	50.4	27.2	724	4.27	25.5	0.8	1.2	6.0	39	<0.1	0.4	<0.1	82	0.77	0.058
1284292	Soil	1.0	42.6	9.4	86	0.2	62.2	15.9	420	3.30	26.3	1.5	5.2	5.6	30	0.3	0.8	0.1	73	1.19	0.087
1284284	Soil	3.3	60.9	18.6	145	0.6	64.2	19.3	688	3.85	52.6	3.0	3.5	4.3	63	1.1	1.9	0.1	107	1.28	0.092
1284286	Soil	3.7	59.1	18.4	141	0.7	56.0	14.0	452	3.42	533.1	2.1	6.8	4.6	26	0.8	5.9	0.2	77	0.33	0.058
1292632	Soil	4.7	31.8	15.7	85	0.3	35.3	10.1	507	2.60	55.8	0.7	1.7	2.4	20	0.6	0.4	0.1	80	0.29	0.041
1292637	Soil	4.9	58.0	10.0	80	0.4	51.9	14.1	399	3.25	16.3	1.5	1.2	2.6	23	0.3	0.3	0.1	111	0.44	0.059
1292643	Soil	2.2	47.2	8.4	94	0.3	44.7	13.9	347	3.60	4.1	1.5	1.6	5.5	23	0.1	0.2	0.1	86	0.26	0.044
1292646	Soil	3.5	66.3	13.2	139	0.3	59.3	14.6	311	3.58	33.0	1.6	3.9	6.4	23	0.3	0.6	0.2	72	0.36	0.081
1284290	Soil	1.4	52.9	9.2	109	0.2	84.3	24.5	708	4.82	22.0	1.0	1.7	8.2	31	0.2	0.3	<0.1	93	1.64	0.122
1292633	Soil	3.7	58.2	8.8	84	0.3	41.8	19.1	1212	3.81	28.9	1.5	0.9	3.1	23	0.4	0.3	0.1	110	0.46	0.056
1292640	Soil	6.0	113.6	12.0	141	0.4	42.1	13.7	643	4.59	2.9	2.6	1.3	3.9	42	0.2	<0.1	0.2	196	0.41	0.122
1292630	Soil	2.2	40.2	10.8	94	0.6	34.7	23.6	587	4.00	37.0	1.6	4.2	3.3	21	0.3	0.5	<0.1	121	0.71	0.032
1284288	Soil	1.8	27.5	14.3	73	0.4	35.3	15.1	360	3.70	53.7	1.0	12.2	3.8	17	0.2	1.1	0.1	99	0.32	0.042
1292621	Soil	0.6	20.4	8.6	77	<0.1	37.3	14.0	654	3.22	4.5	1.7	2.7	11.2	34	0.1	0.2	<0.1	59	0.82	0.074
1292626	Soil	3.5	76.3	15.0	139	0.4	73.7	17.9	503	3.90	24.7	2.0	1.7	6.0	30	0.3	0.3	0.2	111	0.57	0.054
1292625	Soil	3.3	76.9	11.7	134	0.3	64.1	17.3	473	3.60	19.0	2.4	2.4	5.4	32	0.2	0.3	0.1	107	0.62	0.048
1284075	Soil	5.3	47.3	23.8	134	0.6	51.2	12.5	347	3.05	197.8	1.1	16.2	2.5	41	1.1	5.0	0.2	74	0.18	0.047
1292644	Soil	1.8	23.1	10.7	62	0.3	28.2	9.1	318	2.50	8.6	0.7	1.8	3.0	15	0.3	0.4	0.1	60	0.20	0.022
1292622	Soil	0.8	22.6	9.3	77	<0.1	58.8	15.7	835	3.57	4.4	1.8	2.9	13.2	35	0.1	0.2	<0.1	66	0.82	0.085
1292647	Soil	1.0	14.5	11.3	43	0.4	18.4	7.6	313	2.04	6.3	0.7	1.7	3.2	17	<0.1	0.3	0.3	50	0.29	0.033

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI12000318.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1284298	Soil	18	93	1.94	246	0.121	<1	2.87	0.013	0.28	0.2	0.02	5.3	0.4	<0.05	7	<0.5	<0.2
1284292	Soil	23	64	1.04	338	0.108	2	1.73	0.014	0.42	0.1	0.04	4.7	0.3	<0.05	5	0.9	<0.2
1284284	Soil	19	101	1.31	571	0.108	2	1.94	0.012	0.41	0.1	0.05	7.5	0.4	0.10	7	1.5	<0.2
1284286	Soil	17	50	0.71	303	0.065	<1	1.52	0.012	0.14	0.1	0.04	4.7	0.3	<0.05	5	1.2	<0.2
1292632	Soil	10	33	0.37	855	0.046	1	1.25	0.008	0.09	0.1	0.02	3.0	0.2	<0.05	5	0.6	<0.2
1292637	Soil	12	59	0.91	560	0.126	1	1.68	0.012	0.25	0.1	0.03	3.9	0.3	<0.05	7	1.0	<0.2
1292643	Soil	22	55	1.10	318	0.116	<1	2.01	0.012	0.38	0.1	0.02	4.8	0.4	<0.05	6	1.1	<0.2
1292646	Soil	18	52	0.59	1103	0.056	1	1.55	0.009	0.12	0.4	0.05	5.1	0.2	<0.05	4	1.3	<0.2
1284290	Soil	28	104	2.08	318	0.191	<1	2.73	0.012	0.77	0.1	0.02	4.5	0.7	<0.05	8	<0.5	<0.2
1292633	Soil	15	54	1.02	621	0.135	1	1.95	0.013	0.48	0.1	0.03	5.5	0.3	<0.05	8	<0.5	<0.2
1292640	Soil	22	70	1.72	875	0.196	<1	2.58	0.025	0.77	0.1	0.02	5.7	0.5	0.33	11	1.9	0.2
1292630	Soil	14	40	1.34	642	0.065	1	1.98	0.013	0.14	<0.1	0.07	13.8	0.3	<0.05	6	0.5	<0.2
1284288	Soil	18	57	0.78	381	0.104	<1	1.84	0.009	0.19	0.1	0.05	5.4	0.3	<0.05	6	<0.5	<0.2
1292621	Soil	37	64	1.02	187	0.090	2	1.76	0.011	0.16	0.2	0.04	5.0	0.2	<0.05	7	<0.5	<0.2
1292626	Soil	20	70	1.28	632	0.109	<1	2.03	0.016	0.36	<0.1	0.03	6.4	0.4	<0.05	7	1.3	<0.2
1292625	Soil	20	64	1.27	600	0.113	<1	2.00	0.016	0.32	<0.1	0.02	6.3	0.4	<0.05	7	1.4	<0.2
1284075	Soil	7	44	0.28	308	0.022	2	1.06	0.007	0.10	0.2	0.12	3.8	1.2	<0.05	3	1.8	<0.2
1292644	Soil	13	34	0.36	352	0.042	<1	1.13	0.009	0.09	0.1	0.02	3.1	0.1	<0.05	4	<0.5	<0.2
1292622	Soil	37	116	1.51	244	0.102	1	2.03	0.011	0.23	0.2	0.04	5.7	0.3	<0.05	8	<0.5	<0.2
1292647	Soil	9	31	0.56	275	0.079	<1	1.23	0.009	0.17	0.2	0.02	2.1	0.2	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 30, 2012

QUALITY CONTROL REPORT WHI12000318.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
1284208	Soil	1.9	38.3	17.5	102	0.4	47.5	18.7	1048	4.18	177.4	2.1	16.4	4.0	39	0.5	3.3	0.2	68	1.22	0.087
REP 1284208	QC	1.8	38.0	17.0	102	0.4	47.7	18.8	1044	4.10	176.6	2.0	16.7	4.0	38	0.5	3.3	0.2	67	1.18	0.082
1296908	Soil	2.9	53.3	40.8	68	0.2	19.1	11.8	526	3.48	5.6	1.1	35.0	6.4	14	<0.1	0.3	0.5	59	0.26	0.038
REP 1296908	QC	3.1	56.4	42.2	72	0.2	20.1	12.4	544	3.62	5.7	1.1	36.0	6.5	14	<0.1	0.3	0.5	61	0.28	0.038
1290498	Soil	2.3	34.8	12.6	78	0.2	51.6	12.2	494	3.06	9.2	1.2	1.4	4.2	28	0.3	0.4	0.1	82	0.35	0.117
REP 1290498	QC	2.2	35.2	12.5	81	0.2	51.3	12.6	497	3.12	9.3	1.2	2.2	4.2	28	0.4	0.4	0.2	82	0.37	0.119
1290902	Soil	10.9	75.8	6.6	82	0.7	7.9	2.5	200	3.51	4.1	3.4	0.6	5.5	37	0.5	0.2	0.2	140	0.22	0.133
REP 1290902	QC	10.9	74.2	6.7	82	0.7	7.9	2.4	194	3.43	3.6	3.4	<0.5	5.4	37	0.4	0.2	0.2	136	0.21	0.141
1293053	Soil	1.4	35.9	9.7	95	0.2	39.7	13.6	368	3.24	11.6	1.2	2.7	4.7	39	0.2	0.6	0.2	71	0.52	0.071
REP 1293053	QC	1.5	34.9	9.6	92	0.2	38.5	13.6	365	3.11	11.2	1.2	2.9	4.6	39	0.2	0.6	0.2	72	0.53	0.069
1290901	Rock Pulp	2.5	25.0	2.4	45	0.3	22.8	9.7	405	2.35	4.6	0.3	1.3	1.0	43	0.2	0.4	<0.1	60	0.89	0.058
REP 1290901	QC	2.4	24.3	2.5	43	0.3	23.6	9.4	399	2.28	4.5	0.3	1.9	0.9	44	0.2	0.3	<0.1	62	0.87	0.058
1283879	Soil	2.0	41.2	11.3	123	<0.1	53.0	17.4	466	4.58	32.0	0.7	2.0	4.6	7	0.2	4.2	0.2	101	0.16	0.058
REP 1283879	QC	1.9	40.6	11.2	124	<0.1	51.1	17.1	448	4.47	31.7	0.6	2.7	4.6	7	0.2	4.1	0.2	99	0.16	0.059
1283858	Soil	0.9	27.7	7.5	62	0.2	60.7	23.1	678	4.16	12.2	0.9	11.2	6.4	46	0.2	1.9	0.2	63	2.05	0.088
REP 1283858	QC	0.9	27.2	7.5	62	0.2	59.7	23.1	669	4.13	11.8	0.9	14.9	6.3	45	0.2	1.9	0.1	61	2.05	0.084
1271589	Soil	0.5	8.8	2.4	33	<0.1	6.3	9.2	183	1.26	2.7	0.2	<0.5	1.5	28	<0.1	0.1	<0.1	18	0.33	0.069
REP 1271589	QC	0.4	8.9	2.4	31	<0.1	6.2	9.1	181	1.22	2.5	0.2	<0.5	1.5	27	<0.1	0.1	<0.1	18	0.31	0.070
1270467	Soil	1.6	22.3	67.0	85	<0.1	16.1	17.6	784	3.09	4.4	1.0	0.9	7.5	16	<0.1	0.3	0.3	69	0.32	0.082
REP 1270467	QC	1.6	21.5	65.3	81	<0.1	16.1	17.4	786	3.03	4.6	1.0	0.8	7.9	16	<0.1	0.2	0.3	69	0.31	0.077
1283940	Soil	3.1	59.4	20.4	154	0.3	43.4	17.4	648	4.16	97.2	1.2	4.2	4.0	25	0.7	4.1	0.3	102	0.21	0.073
REP 1283940	QC	3.1	61.5	20.6	153	0.4	45.1	17.3	665	4.10	96.4	1.2	4.7	4.1	26	0.7	4.2	0.2	102	0.22	0.076
1292649	Soil	0.5	28.6	14.3	81	<0.1	67.9	24.3	749	4.91	1.7	0.7	1.5	4.6	22	<0.1	<0.1	<0.1	75	0.73	0.070
REP 1292649	QC	0.6	28.9	14.9	81	<0.1	68.2	24.5	743	4.83	1.3	0.7	0.9	4.7	23	<0.1	<0.1	0.1	74	0.73	0.074
1283945	Soil	1.5	73.4	24.9	88	0.6	133.5	25.4	797	4.24	34.5	2.1	8.9	10.6	69	0.8	3.9	0.3	120	1.36	0.175
REP 1283945	QC	1.7	72.2	24.7	89	0.6	132.8	25.4	793	4.23	34.1	2.1	2.4	10.3	69	0.9	3.9	0.2	117	1.35	0.175
1284329	Soil	0.7	28.4	9.7	59	0.1	23.5	11.8	532	2.92	16.2	2.2	2.6	4.1	35	0.3	1.0	0.2	50	1.28	0.052
REP 1284329	QC	0.7	29.4	9.6	61	0.1	22.3	11.3	513	2.83	13.1	2.2	2.1	4.1	35	0.2	0.8	0.2	51	1.26	0.052

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 30, 2012

QUALITY CONTROL REPORT WHI12000318.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
1284208	Soil	23	44	0.44	363	0.023	3	0.91	0.008	0.10	<0.1	0.11	9.9	0.6	0.07	3	0.5	<0.2
REP 1284208	QC	22	44	0.42	358	0.021	2	0.90	0.008	0.10	<0.1	0.11	9.6	0.5	0.05	3	1.2	<0.2
1296908	Soil	12	23	0.78	401	0.101	<1	1.69	0.009	0.41	0.1	0.03	7.0	0.2	<0.05	6	<0.5	<0.2
REP 1296908	QC	12	25	0.81	381	0.104	<1	1.72	0.009	0.41	0.1	0.03	7.2	0.2	<0.05	7	<0.5	<0.2
1290498	Soil	11	68	0.91	268	0.088	1	1.80	0.009	0.14	0.2	0.02	4.3	0.2	<0.05	7	<0.5	<0.2
REP 1290498	QC	11	67	0.91	271	0.090	<1	1.80	0.010	0.15	0.1	0.02	4.2	0.2	<0.05	7	<0.5	<0.2
1290902	Soil	30	54	0.86	318	0.063	<1	1.48	0.023	0.56	0.1	<0.01	2.8	0.4	0.76	6	8.6	<0.2
REP 1290902	QC	29	53	0.89	307	0.062	<1	1.49	0.023	0.55	0.2	<0.01	2.7	0.4	0.76	6	7.8	<0.2
1293053	Soil	16	45	0.87	279	0.090	1	1.70	0.027	0.09	0.1	0.04	5.5	0.1	<0.05	6	0.7	<0.2
REP 1293053	QC	16	45	0.93	274	0.089	2	1.70	0.027	0.10	0.1	0.03	5.6	0.1	<0.05	5	<0.5	<0.2
1290901	Rock Pulp	4	30	0.78	93	0.131	2	1.48	0.093	0.13	14.0	0.02	4.9	<0.1	<0.05	5	<0.5	<0.2
REP 1290901	QC	4	30	0.77	97	0.136	2	1.55	0.087	0.13	14.2	0.02	5.4	<0.1	<0.05	5	<0.5	<0.2
1283879	Soil	15	59	0.99	253	0.120	<1	2.02	0.005	0.38	<0.1	0.01	7.3	0.7	<0.05	8	<0.5	<0.2
REP 1283879	QC	14	59	0.98	245	0.119	<1	2.00	0.005	0.37	0.1	0.02	7.0	0.7	<0.05	8	<0.5	<0.2
1283858	Soil	21	69	0.78	424	0.028	2	1.18	0.014	0.15	0.2	0.11	10.8	0.3	<0.05	4	<0.5	<0.2
REP 1283858	QC	20	69	0.78	418	0.026	2	1.14	0.013	0.14	0.1	0.11	10.2	0.3	<0.05	4	<0.5	<0.2
1271589	Soil	4	6	0.68	90	0.064	1	1.12	0.004	0.13	<0.1	<0.01	0.7	0.1	<0.05	2	<0.5	<0.2
REP 1271589	QC	4	6	0.65	90	0.061	1	1.07	0.004	0.13	<0.1	<0.01	0.7	0.1	<0.05	2	<0.5	<0.2
1270467	Soil	16	32	1.18	160	0.118	1	1.63	0.009	0.41	0.1	<0.01	3.2	0.4	<0.05	6	<0.5	<0.2
REP 1270467	QC	16	32	1.13	160	0.116	<1	1.62	0.008	0.41	0.1	<0.01	3.2	0.3	<0.05	6	<0.5	<0.2
1283940	Soil	15	43	0.85	320	0.136	2	1.78	0.011	0.25	0.1	0.04	4.7	0.5	0.07	8	<0.5	<0.2
REP 1283940	QC	15	42	0.86	315	0.139	2	1.82	0.010	0.26	0.1	0.03	4.6	0.4	0.07	8	0.8	<0.2
1292649	Soil	10	92	2.20	281	0.204	<1	2.85	0.008	0.88	0.2	0.02	3.0	0.5	<0.05	7	<0.5	<0.2
REP 1292649	QC	11	90	2.22	286	0.206	<1	2.92	0.008	0.93	0.2	0.01	3.1	0.5	<0.05	7	<0.5	<0.2
1283945	Soil	37	280	1.85	893	0.123	2	2.48	0.012	0.39	0.2	0.06	12.6	0.9	<0.05	9	0.8	<0.2
REP 1283945	QC	36	276	1.82	884	0.120	2	2.46	0.012	0.42	0.2	0.07	12.4	0.9	<0.05	9	0.5	<0.2
1284329	Soil	16	36	0.80	284	0.056	2	1.21	0.017	0.11	0.1	0.04	5.6	0.2	<0.05	4	<0.5	<0.2
REP 1284329	QC	16	34	0.80	293	0.057	2	1.22	0.018	0.12	0.1	0.06	5.4	0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 30, 2012

QUALITY CONTROL REPORT WHI12000318.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
1284277	Soil	1.9	68.7	13.1	86	0.3	89.1	23.9	700	4.36	24.2	2.4	3.1	6.2	75	0.3	1.3	0.2	112	1.26	0.147
REP 1284277	QC	1.9	67.8	13.2	87	0.3	89.1	24.4	700	4.30	24.1	2.4	2.4	6.1	75	0.3	1.2	0.2	113	1.22	0.134
1284292	Soil	1.0	42.6	9.4	86	0.2	62.2	15.9	420	3.30	26.3	1.5	5.2	5.6	30	0.3	0.8	0.1	73	1.19	0.087
REP 1284292	QC	1.0	43.1	9.3	85	0.2	62.1	16.1	444	3.46	26.0	1.5	4.2	5.4	28	0.3	0.8	0.1	75	1.19	0.084
1292621	Soil	0.6	20.4	8.6	77	<0.1	37.3	14.0	654	3.22	4.5	1.7	2.7	11.2	34	0.1	0.2	<0.1	59	0.82	0.074
REP 1292621	QC	0.6	21.1	8.6	76	<0.1	37.0	14.2	672	3.31	4.4	1.6	2.0	11.0	33	0.1	0.2	<0.1	62	0.84	0.072
Reference Materials																					
STD DS9	Standard	13.2	105.7	131.0	308	1.9	38.6	7.3	589	2.39	25.9	2.8	139.0	6.8	85	2.2	6.0	6.7	41	0.75	0.082
STD DS9	Standard	14.8	97.4	125.2	301	1.8	42.2	8.3	598	2.40	22.8	2.4	118.8	5.6	74	2.0	5.1	5.5	45	0.75	0.086
STD DS9	Standard	13.1	99.9	129.5	304	1.9	40.2	7.6	588	2.33	22.6	2.3	155.3	5.4	74	2.1	5.1	5.3	43	0.73	0.082
STD DS9	Standard	13.4	113.0	116.7	305	1.8	42.7	8.0	607	2.46	25.8	2.5	119.4	5.8	68	2.3	5.1	5.2	47	0.76	0.080
STD DS9	Standard	12.2	100.3	118.9	306	1.8	36.6	7.2	594	2.34	26.5	2.5	119.2	5.8	71	2.3	6.3	6.7	37	0.70	0.087
STD DS9	Standard	14.1	107.5	121.1	312	1.8	42.9	7.9	586	2.37	24.9	2.5	120.4	6.1	65	2.3	5.2	5.8	51	0.73	0.076
STD DS9	Standard	14.3	104.9	114.7	292	1.8	41.8	8.0	584	2.34	23.9	2.5	115.7	5.8	59	2.5	5.3	5.5	48	0.68	0.074
STD DS9	Standard	13.1	106.1	119.7	328	1.9	39.9	7.9	621	2.46	26.3	2.5	140.5	6.0	67	2.3	5.5	5.4	44	0.79	0.085
STD DS9	Standard	13.4	112.9	125.0	319	1.9	40.5	7.6	577	2.32	26.8	3.0	129.1	7.1	79	2.5	6.7	6.3	42	0.70	0.081
STD DS9	Standard	14.1	113.4	119.0	310	1.7	42.4	7.9	596	2.40	26.1	2.8	118.3	6.6	73	2.5	5.6	6.6	47	0.74	0.083
STD DS9	Standard	14.3	110.5	123.4	301	1.8	42.6	7.9	597	2.39	24.1	2.8	113.7	6.7	72	2.3	5.5	6.5	43	0.75	0.078
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	0.1	<0.1	<1	0.02	2.5	<0.1	<0.5	<0.1	<1	<0.1	0.1	<0.1	3	<0.01	<0.001
BLK	Blank	<0.1	0.6	0.4	1	<0.1	0.4	0.3	5	0.04	0.6	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	3	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 30, 2012

QUALITY CONTROL REPORT WHI12000318.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
1284277	Soil	24	159	1.93	669	0.180	1	2.53	0.017	0.61	0.2	0.05	8.3	0.6	<0.05	9	0.6	<0.2
REP 1284277	QC	24	158	1.90	666	0.183	1	2.45	0.016	0.58	0.1	0.05	8.0	0.6	<0.05	9	0.7	<0.2
1284292	Soil	23	64	1.04	338	0.108	2	1.73	0.014	0.42	0.1	0.04	4.7	0.3	<0.05	5	0.9	<0.2
REP 1284292	QC	23	65	1.00	331	0.109	2	1.69	0.015	0.40	0.1	0.04	4.7	0.3	<0.05	5	0.6	<0.2
1292621	Soil	37	64	1.02	187	0.090	2	1.76	0.011	0.16	0.2	0.04	5.0	0.2	<0.05	7	<0.5	<0.2
REP 1292621	QC	36	66	1.07	188	0.091	<1	1.77	0.011	0.16	0.2	0.04	5.1	0.2	<0.05	7	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	14	121	0.63	316	0.114	2	1.03	0.080	0.41	2.8	0.21	2.5	5.4	0.16	5	5.0	5.0
STD DS9	Standard	13	127	0.64	310	0.112	3	0.96	0.091	0.37	3.2	0.21	2.6	5.7	0.18	5	5.6	5.2
STD DS9	Standard	12	125	0.64	303	0.111	3	0.93	0.092	0.38	3.2	0.21	2.4	5.9	0.18	5	5.6	5.5
STD DS9	Standard	13	126	0.64	306	0.105	2	0.98	0.092	0.39	3.0	0.21	3.0	5.8	0.15	5	5.2	5.4
STD DS9	Standard	11	112	0.60	295	0.096	2	0.89	0.089	0.37	3.2	0.20	2.5	5.5	0.15	4	5.2	5.2
STD DS9	Standard	13	130	0.62	289	0.115	2	0.94	0.085	0.35	3.2	0.23	2.7	5.7	0.15	5	5.7	5.7
STD DS9	Standard	13	129	0.62	288	0.111	2	0.92	0.080	0.33	3.2	0.22	2.3	5.5	0.14	4	5.4	5.4
STD DS9	Standard	13	124	0.67	307	0.117	3	1.05	0.090	0.44	3.1	0.23	2.8	5.8	0.16	5	5.2	5.6
STD DS9	Standard	14	123	0.61	299	0.125	3	0.92	0.092	0.36	2.9	0.19	2.3	5.7	0.14	5	5.2	5.0
STD DS9	Standard	15	126	0.62	313	0.121	3	0.92	0.089	0.35	3.1	0.22	2.5	5.5	0.16	5	5.2	5.1
STD DS9	Standard	14	134	0.63	298	0.116	3	0.98	0.103	0.37	3.2	0.21	2.5	5.6	0.19	5	5.3	5.1
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	2	0.02	5	0.001	<1	0.03	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 30, 2012

QUALITY CONTROL REPORT WHI12000318.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
BLK	Blank	<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 30, 2012

QUALITY CONTROL REPORT WHI12000318.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 12, 2012
Report Date: July 25, 2012
Page: 1 of 12

CERTIFICATE OF ANALYSIS WHI12000319.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 320

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	313	Dry at 60C sieve 100g to -80 mesh			WHI
Dry at 60C	320	Dry at 60C			WHI
1DX2	319	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000319.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1283775	Soil	1.7	31.8	9.0	73	0.2	33.9	10.9	368	3.25	24.8	1.0	4.5	4.2	14	0.2	1.3	0.1	83	0.19	0.045
1284318	Soil	4.5	61.4	18.4	214	1.1	75.7	19.7	1013	5.94	52.6	2.5	47.5	7.2	20	0.9	2.6	0.3	121	0.35	0.096
1283776	Soil	1.7	29.4	9.1	72	0.3	31.5	9.9	372	3.19	26.6	0.9	3.6	3.5	14	0.4	1.4	0.2	84	0.19	0.045
1284307	Soil	1.9	32.3	125.8	258	0.6	39.1	12.7	739	3.32	121.5	2.2	12.0	9.5	71	4.5	2.1	0.5	56	1.15	0.056
1270162	Soil	1.0	31.5	14.9	63	<0.1	47.6	16.8	744	4.10	11.4	1.7	1.7	16.0	22	<0.1	0.3	0.5	60	0.55	0.041
1270167	Soil	1.3	52.8	35.4	59	0.5	33.5	20.0	801	3.99	10.2	1.0	24.6	4.2	47	0.2	6.5	0.4	43	1.10	0.065
1270165	Soil	1.1	15.3	9.0	53	<0.1	26.7	13.6	331	3.41	9.2	0.6	3.3	3.5	21	<0.1	0.5	0.2	76	0.40	0.039
1284322	Soil	3.2	65.6	13.5	198	0.3	60.1	18.1	735	5.00	25.0	2.0	6.2	4.9	28	0.8	1.6	0.2	127	0.54	0.150
1270161	Soil	1.0	26.7	14.2	63	0.1	33.4	12.7	536	3.53	5.8	3.2	3.4	20.9	25	<0.1	0.2	0.2	58	0.53	0.053
1270172	Soil	0.6	24.0	5.8	40	0.1	40.8	12.9	597	2.62	4.3	1.8	5.7	5.5	54	0.1	0.9	0.1	47	1.50	0.064
1270171	Soil	1.0	19.6	6.2	46	<0.1	24.5	10.3	466	2.77	6.8	0.8	12.4	9.6	23	<0.1	0.8	0.2	50	0.48	0.027
1270164	Soil	0.6	20.2	3.3	38	<0.1	101.0	35.5	951	6.82	8.2	0.5	2.8	4.5	24	<0.1	0.9	<0.1	142	0.80	0.126
1270163	Soil	0.7	18.7	4.6	32	<0.1	33.5	11.1	556	2.29	4.7	1.5	3.1	3.2	62	0.1	0.7	<0.1	39	1.73	0.061
1270168	Soil	2.9	21.0	7.8	55	<0.1	25.4	12.7	255	3.85	7.4	0.8	1.9	4.8	13	<0.1	2.5	0.2	41	0.20	0.026
1270169	Soil	1.6	18.9	6.8	41	0.2	21.8	9.5	394	2.79	5.9	0.8	88.5	4.6	21	0.1	1.5	0.2	36	0.39	0.024
1270170	Soil	1.6	15.4	4.9	27	0.1	16.9	7.7	464	2.42	6.7	1.2	9.7	3.2	24	0.2	1.0	0.2	28	0.59	0.029
1270166	Soil	0.9	21.3	6.6	49	0.1	27.5	14.9	689	3.72	10.7	1.0	6.3	4.9	26	0.1	1.6	0.1	57	0.52	0.030
1270173	Soil	0.6	17.6	7.3	44	<0.1	29.1	14.8	598	3.15	5.4	1.1	8.4	3.6	44	<0.1	0.3	<0.1	62	1.28	0.070
1270179	Soil	0.8	18.5	5.4	36	<0.1	36.4	12.4	506	2.65	5.1	1.4	3.4	7.2	46	<0.1	0.6	0.1	55	1.20	0.065
1270178	Soil	0.9	23.2	6.2	35	0.1	27.6	10.9	607	2.53	6.9	1.4	4.3	10.6	46	<0.1	0.7	0.2	43	1.26	0.044
1270177	Soil	1.0	16.5	6.2	32	<0.1	28.2	10.0	494	2.29	6.5	1.4	2.8	7.7	47	0.1	0.6	0.2	39	1.21	0.045
1270151	Rock Pulp	2.5	22.1	1.8	39	0.3	24.1	9.4	389	2.36	3.7	0.2	2.7	0.7	31	<0.1	0.2	<0.1	59	0.80	0.057
1270176	Soil	0.6	18.8	4.5	32	<0.1	32.9	11.1	510	2.37	4.3	1.4	3.2	3.8	62	0.1	0.6	<0.1	43	1.74	0.052
1270175	Soil	0.6	14.3	4.0	33	<0.1	31.5	11.1	533	2.37	4.5	1.2	2.7	5.3	48	<0.1	0.6	<0.1	44	1.33	0.060
1270174	Soil	0.7	17.1	5.1	36	<0.1	29.9	10.3	480	2.41	4.7	1.5	3.4	6.8	46	0.1	0.7	0.1	44	1.18	0.060
1270160	Soil	1.5	19.5	20.1	73	<0.1	34.7	18.7	686	4.24	3.8	1.8	<0.5	19.0	17	<0.1	<0.1	0.3	63	0.47	0.084
1270158	Soil	1.2	15.6	8.6	45	<0.1	25.8	8.9	258	3.25	9.7	0.5	2.7	5.5	17	<0.1	0.5	0.2	81	0.23	0.019
1270159	Soil	1.4	27.4	15.7	58	0.2	29.7	14.2	1077	3.70	7.2	2.0	1.4	19.8	20	<0.1	0.4	0.3	78	0.49	0.035
1270157	Soil	0.5	20.5	3.6	46	<0.1	37.4	20.8	501	3.56	3.8	0.6	2.3	3.2	26	<0.1	0.2	<0.1	88	0.62	0.096
1270153	Soil	0.6	10.3	4.3	64	<0.1	25.7	18.4	589	3.32	3.7	1.3	2.7	3.6	40	<0.1	<0.1	<0.1	81	1.14	0.101

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000319.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1283775	Soil	13	46	0.57	169	0.079	2	1.96	0.009	0.08	0.2	0.04	4.6	0.3	<0.05	7	<0.5	<0.2
1284318	Soil	62	57	0.83	405	0.115	2	2.32	0.009	0.24	0.1	0.14	10.1	1.2	<0.05	8	1.7	0.2
1283776	Soil	13	45	0.56	173	0.080	2	1.90	0.008	0.09	0.1	0.05	4.5	0.3	<0.05	7	<0.5	<0.2
1284307	Soil	26	42	0.86	453	0.076	2	1.25	0.011	0.26	0.1	0.10	5.7	0.4	0.09	5	1.0	<0.2
1270162	Soil	64	66	0.97	238	0.063	2	1.80	0.011	0.19	0.5	0.03	8.2	0.2	<0.05	7	<0.5	<0.2
1270167	Soil	17	26	0.47	431	0.019	1	0.94	0.013	0.07	0.1	0.13	6.9	<0.1	<0.05	3	<0.5	<0.2
1270165	Soil	13	41	0.60	338	0.052	1	2.17	0.014	0.05	0.2	0.02	4.3	0.1	<0.05	7	<0.5	<0.2
1284322	Soil	24	60	1.45	577	0.199	<1	2.50	0.015	0.73	0.2	0.04	8.4	0.6	0.12	10	1.2	<0.2
1270161	Soil	94	66	1.23	345	0.097	2	1.92	0.014	0.23	0.2	0.05	10.9	0.4	<0.05	6	<0.5	<0.2
1270172	Soil	20	56	0.76	418	0.035	2	1.14	0.010	0.10	0.1	0.09	6.7	0.2	0.06	4	<0.5	<0.2
1270171	Soil	19	30	0.59	395	0.065	2	1.26	0.019	0.09	0.2	0.05	6.6	0.2	<0.05	4	<0.5	<0.2
1270164	Soil	21	221	1.99	381	0.082	2	2.39	0.007	0.36	<0.1	0.04	20.3	0.3	<0.05	9	<0.5	<0.2
1270163	Soil	18	50	0.68	439	0.031	3	1.02	0.010	0.09	0.1	0.07	4.9	0.2	0.07	3	<0.5	<0.2
1270168	Soil	17	30	0.29	106	0.012	<1	1.04	0.005	0.08	0.1	0.03	4.0	<0.1	<0.05	3	<0.5	<0.2
1270169	Soil	17	26	0.36	402	0.022	1	1.08	0.012	0.08	0.1	0.06	5.4	<0.1	<0.05	3	<0.5	<0.2
1270170	Soil	14	20	0.25	397	0.012	1	0.83	0.008	0.07	0.1	0.04	6.4	<0.1	<0.05	2	<0.5	<0.2
1270166	Soil	20	38	0.58	352	0.045	1	1.55	0.020	0.07	0.1	0.04	7.0	<0.1	<0.05	5	<0.5	<0.2
1270173	Soil	19	56	0.80	210	0.048	2	1.42	0.011	0.10	0.2	0.03	6.2	0.1	0.06	5	<0.5	<0.2
1270179	Soil	24	66	0.99	422	0.070	2	1.31	0.011	0.25	0.1	0.05	5.0	0.2	0.08	5	<0.5	<0.2
1270178	Soil	46	42	0.64	395	0.048	2	1.14	0.014	0.18	0.1	0.05	5.2	0.2	<0.05	4	<0.5	<0.2
1270177	Soil	23	45	0.57	431	0.037	2	0.95	0.009	0.11	0.1	0.05	4.2	0.2	<0.05	3	<0.5	<0.2
1270151	Rock Pulp	3	31	0.76	77	0.108	2	1.45	0.077	0.11	13.6	0.01	4.3	<0.1	<0.05	5	<0.5	<0.2
1270176	Soil	22	53	0.79	462	0.048	2	1.14	0.010	0.14	<0.1	0.06	4.7	0.2	0.06	4	<0.5	<0.2
1270175	Soil	19	57	0.81	357	0.050	2	1.11	0.011	0.16	0.1	0.05	4.3	0.2	<0.05	4	<0.5	<0.2
1270174	Soil	21	51	0.74	327	0.046	2	1.14	0.011	0.14	0.1	0.06	5.2	0.2	<0.05	4	<0.5	<0.2
1270160	Soil	60	76	2.08	245	0.156	<1	2.53	0.007	0.75	0.2	0.01	5.0	0.6	<0.05	9	<0.5	<0.2
1270158	Soil	17	41	0.59	211	0.069	<1	2.19	0.009	0.06	0.1	0.02	3.7	0.1	<0.05	7	<0.5	<0.2
1270159	Soil	121	47	0.71	546	0.074	1	2.35	0.014	0.11	0.1	0.03	7.1	0.2	<0.05	7	<0.5	<0.2
1270157	Soil	10	90	1.94	392	0.138	<1	2.26	0.016	0.24	0.1	0.01	5.5	0.2	<0.05	6	<0.5	<0.2
1270153	Soil	9	64	1.77	339	0.131	1	1.88	0.012	0.18	0.2	0.03	3.8	0.2	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000319.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1270155	Soil	0.7	13.1	3.2	46	<0.1	25.4	22.3	544	3.41	2.6	1.4	<0.5	2.5	34	<0.1	0.1	<0.1	71	0.95	0.084
1270154	Soil	0.6	8.5	3.1	68	<0.1	29.6	23.0	546	3.52	2.2	0.5	0.6	2.6	33	<0.1	<0.1	<0.1	77	0.98	0.087
1270152	Soil	0.3	9.2	4.7	41	<0.1	11.9	8.3	321	1.58	1.5	1.4	1.1	1.3	39	<0.1	0.2	<0.1	36	1.21	0.078
1270148	Soil	1.1	20.8	14.8	68	<0.1	48.1	12.5	508	3.54	14.5	3.7	3.4	26.9	21	<0.1	0.5	0.3	62	0.43	0.041
1270149	Soil	1.5	11.8	10.7	78	<0.1	29.1	11.7	393	3.76	5.0	1.0	2.7	9.3	13	<0.1	0.3	0.2	73	0.32	0.036
1270156	Soil	0.8	15.0	3.8	44	<0.1	21.0	15.1	288	2.69	3.8	0.2	0.5	1.2	20	<0.1	0.1	<0.1	65	0.30	0.045
1270150	Soil	1.4	9.1	12.0	47	<0.1	10.5	4.3	205	1.95	3.4	0.5	2.0	7.0	11	0.1	0.4	0.2	60	0.20	0.020
1283848	Soil	0.4	28.3	7.2	79	0.1	21.0	11.5	353	2.60	4.1	1.1	10.2	3.1	39	0.2	0.3	0.2	66	0.97	0.082
1283753	Soil	2.4	83.7	10.4	100	0.2	45.5	34.5	911	7.49	58.7	1.3	2.9	5.0	18	0.1	2.0	0.1	198	0.60	0.182
1283774	Soil	1.0	31.7	9.6	49	0.2	30.1	13.9	525	3.11	9.6	1.1	11.2	7.1	44	0.2	0.8	0.1	52	1.11	0.043
1283755	Soil	2.7	66.7	8.3	177	0.3	94.3	30.4	1105	6.29	44.1	1.8	4.8	4.8	22	0.7	2.2	0.1	163	0.78	0.196
1283761	Soil	1.5	10.9	13.1	41	<0.1	14.4	6.3	198	2.77	9.6	0.8	1.9	4.8	15	<0.1	0.4	0.2	73	0.22	0.030
1283752	Soil	1.2	10.6	12.3	40	<0.1	14.0	6.2	189	2.64	8.8	0.8	1.3	4.7	15	<0.1	0.5	0.1	72	0.22	0.029
1283760	Soil	2.1	78.1	16.0	142	0.4	67.4	18.9	756	5.07	57.4	1.4	24.3	9.5	38	0.5	5.4	0.4	115	1.15	0.118
1283763	Soil	1.4	15.4	13.8	57	<0.1	21.9	10.4	388	3.25	13.4	2.4	2.1	16.0	17	0.1	0.4	0.2	58	0.31	0.046
1283765	Soil	4.2	91.3	43.7	109	0.7	72.7	19.7	749	4.00	84.8	1.9	12.8	7.0	79	0.5	3.3	0.3	52	0.75	0.087
1283757	Soil	2.7	64.1	26.1	282	0.7	106.8	27.6	949	6.12	71.9	1.7	3.8	7.0	17	2.2	2.8	0.2	172	0.44	0.092
1283771	Soil	1.0	21.7	13.5	48	<0.1	26.3	13.5	604	2.88	13.9	1.9	4.0	8.4	35	<0.1	2.7	0.3	44	1.22	0.048
1283754	Soil	2.9	73.3	9.2	128	<0.1	41.0	27.3	980	7.17	37.0	1.6	2.0	3.9	38	0.3	3.6	<0.1	149	1.35	0.327
1283849	Soil	2.1	91.0	10.5	94	0.1	92.6	30.6	827	6.94	46.9	1.1	2.1	6.4	23	<0.1	3.0	<0.1	151	0.80	0.134
1283850	Soil	3.1	69.8	23.9	117	0.2	59.8	22.2	807	5.28	83.6	1.6	3.5	7.0	16	0.2	4.5	0.2	146	0.45	0.102
1283769	Soil	1.4	39.9	13.0	60	<0.1	109.1	28.4	776	4.76	14.1	1.8	2.4	17.1	74	0.1	0.6	0.2	125	1.77	0.092
1283768	Soil	1.6	25.9	12.1	53	<0.1	40.9	18.2	500	4.33	5.0	3.3	<0.5	19.2	24	<0.1	2.1	0.1	104	0.44	0.054
1283767	Soil	1.7	13.7	3.5	39	<0.1	31.6	25.6	740	5.84	4.1	1.9	<0.5	24.6	39	<0.1	0.7	0.1	118	0.94	0.107
1283764	Soil	4.2	110.3	19.2	148	0.1	81.3	29.0	1210	6.25	84.3	1.9	<0.5	4.8	16	0.6	3.4	0.2	134	0.24	0.110
1283773	Soil	0.9	21.8	8.9	45	<0.1	26.7	16.0	533	3.15	7.7	2.1	3.8	6.2	51	0.1	0.7	0.1	59	1.52	0.061
1283766	Soil	0.3	46.6	3.0	58	<0.1	29.0	28.2	958	4.95	2.8	0.3	<0.5	1.1	51	<0.1	1.4	<0.1	137	1.93	0.044
1283759	Soil	1.7	9.5	13.3	43	<0.1	11.2	6.7	285	2.99	15.6	0.6	10.2	4.0	10	0.2	0.6	0.2	84	0.12	0.031
1283770	Soil	1.0	29.9	11.8	55	0.1	25.9	12.9	477	2.77	9.0	2.1	1.8	8.6	28	0.2	0.9	0.2	55	0.67	0.039
1283751	Rock Pulp	3.0	25.9	2.4	43	0.3	24.8	11.1	401	2.39	4.7	0.3	0.6	1.0	35	0.2	0.3	<0.1	68	0.82	0.057

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000319.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1270155	Soil	8	55	2.20	320	0.133	1	2.40	0.011	0.13	0.2	0.02	4.5	0.1	<0.05	7	<0.5	<0.2
1270154	Soil	5	80	2.45	209	0.163	<1	2.32	0.014	0.19	0.1	0.02	3.3	0.2	<0.05	7	<0.5	<0.2
1270152	Soil	9	34	0.54	240	0.061	2	0.93	0.015	0.06	0.1	0.07	3.2	0.1	0.12	4	<0.5	<0.2
1270148	Soil	167	72	0.64	361	0.068	1	1.57	0.013	0.15	0.1	0.06	9.0	0.7	<0.05	5	<0.5	<0.2
1270149	Soil	17	88	1.15	169	0.144	1	2.07	0.011	0.42	0.2	0.02	5.3	0.6	<0.05	8	<0.5	<0.2
1270156	Soil	5	38	1.50	93	0.155	<1	1.87	0.009	0.10	0.1	0.01	1.7	0.1	<0.05	7	<0.5	<0.2
1270150	Soil	12	18	0.19	155	0.054	1	0.82	0.010	0.05	0.1	0.05	1.7	0.1	<0.05	6	<0.5	<0.2
1283848	Soil	9	33	0.80	211	0.101	2	1.47	0.026	0.08	0.2	0.03	4.6	0.2	<0.05	6	<0.5	<0.2
1283753	Soil	20	57	2.02	677	0.286	<1	3.67	0.007	1.32	0.2	0.02	13.8	0.5	<0.05	16	<0.5	<0.2
1283774	Soil	24	36	0.59	430	0.042	2	1.25	0.016	0.10	0.1	0.08	6.6	0.1	0.06	4	<0.5	<0.2
1283755	Soil	23	126	1.90	682	0.213	<1	3.20	0.008	0.78	0.3	0.02	10.6	0.9	<0.05	11	0.6	<0.2
1283761	Soil	13	28	0.36	164	0.068	<1	1.32	0.007	0.08	0.2	0.03	2.6	0.1	<0.05	8	<0.5	<0.2
1283752	Soil	13	27	0.35	159	0.070	1	1.32	0.007	0.08	0.1	0.03	2.5	0.1	<0.05	7	<0.5	<0.2
1283760	Soil	28	61	0.90	456	0.081	<1	1.33	0.003	0.26	0.1	0.10	12.0	0.7	0.05	6	<0.5	<0.2
1283763	Soil	38	33	0.69	142	0.094	<1	1.97	0.007	0.26	0.3	0.01	4.5	0.4	<0.05	9	<0.5	<0.2
1283765	Soil	26	29	0.34	222	0.007	2	0.53	0.004	0.09	0.1	0.11	6.5	0.3	0.07	2	0.6	<0.2
1283757	Soil	22	130	1.31	548	0.124	1	2.47	0.011	0.33	0.1	0.05	12.8	1.1	<0.05	9	0.8	<0.2
1283771	Soil	25	31	0.44	280	0.027	2	0.82	0.009	0.10	0.2	0.06	4.9	0.1	0.10	3	<0.5	<0.2
1283754	Soil	39	62	2.53	1469	0.178	<1	3.98	0.007	1.38	0.1	0.02	11.0	1.3	<0.05	16	0.9	<0.2
1283849	Soil	34	172	2.74	1024	0.336	<1	3.83	0.009	1.17	0.1	0.03	14.0	0.5	<0.05	14	<0.5	<0.2
1283850	Soil	37	95	1.57	654	0.200	1	2.58	0.007	0.44	0.1	0.03	10.7	0.5	<0.05	11	0.5	<0.2
1283769	Soil	45	194	2.42	550	0.114	2	2.28	0.015	0.62	0.2	0.05	16.0	0.6	<0.05	7	<0.5	<0.2
1283768	Soil	24	62	1.06	131	0.096	1	1.78	0.005	0.61	0.1	0.02	7.8	0.5	<0.05	7	<0.5	<0.2
1283767	Soil	90	48	1.30	1040	0.062	2	1.84	0.006	0.35	<0.1	0.01	15.7	0.4	<0.05	11	<0.5	<0.2
1283764	Soil	16	78	1.11	336	0.112	2	2.27	0.006	0.36	0.1	0.04	7.9	0.6	<0.05	9	1.4	<0.2
1283773	Soil	26	41	0.82	351	0.048	2	1.26	0.012	0.13	0.1	0.04	5.9	0.2	0.07	4	<0.5	<0.2
1283766	Soil	7	43	1.98	1005	0.076	<1	1.77	0.009	0.74	<0.1	0.02	27.5	0.3	<0.05	6	<0.5	<0.2
1283759	Soil	10	29	0.30	63	0.072	<1	1.29	0.005	0.05	0.2	0.01	2.4	0.2	<0.05	8	<0.5	<0.2
1283770	Soil	23	34	0.57	282	0.066	2	1.40	0.018	0.08	0.2	0.06	5.2	0.1	<0.05	4	<0.5	<0.2
1283751	Rock Pulp	4	33	0.80	87	0.118	2	1.51	0.078	0.11	12.8	0.02	4.4	<0.1	0.08	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000319.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1283762	Soil	1.8	52.5	20.6	64	0.2	106.7	29.3	732	4.63	16.6	2.0	4.9	15.6	103	0.2	0.4	0.1	134	1.00	0.104
1283772	Soil	0.6	27.3	8.0	53	<0.1	53.3	18.4	561	3.36	18.6	1.2	0.8	6.9	150	<0.1	1.1	0.2	54	6.83	0.057
1283756	Soil	3.1	60.9	10.7	157	0.2	76.4	22.6	844	4.97	46.1	1.6	3.3	4.1	20	0.8	2.2	0.1	141	0.31	0.106
1283758	Soil	1.0	44.4	11.5	64	0.2	60.6	18.6	477	4.04	23.9	3.0	3.1	17.0	26	<0.1	0.8	0.2	99	0.62	0.067
1293155	Soil	1.0	14.2	96.5	65	0.1	22.2	12.7	527	3.86	5.1	0.5	2.3	4.6	24	<0.1	0.2	<0.1	72	0.44	0.098
1293162	Soil	0.9	14.6	5.3	65	<0.1	42.1	24.3	601	4.30	3.9	0.5	<0.5	5.4	19	<0.1	0.2	<0.1	86	0.50	0.083
1293159	Soil	0.8	29.5	5.2	67	<0.1	51.1	21.9	392	3.70	7.5	0.4	<0.5	4.3	26	<0.1	0.3	<0.1	75	0.45	0.087
1293480	Soil	1.7	20.7	10.9	76	0.2	20.7	6.4	167	2.55	13.7	1.0	1.8	2.1	17	0.2	0.3	0.2	78	0.23	0.057
1293156	Soil	1.2	17.5	6.9	64	<0.1	23.3	15.2	354	4.47	7.1	0.8	2.8	5.5	27	<0.1	0.4	<0.1	74	0.41	0.081
1293160	Soil	0.6	21.4	4.6	61	<0.1	35.0	21.8	359	3.62	10.0	0.3	<0.5	3.7	23	<0.1	0.2	<0.1	82	0.44	0.093
1293166	Soil	0.6	25.1	1.6	68	<0.1	11.8	21.3	579	4.16	2.2	0.1	<0.5	0.7	12	<0.1	<0.1	<0.1	130	0.30	0.018
1293478	Soil	5.5	90.3	57.2	283	0.8	115.5	23.4	367	4.46	36.5	3.0	2.2	7.5	27	1.7	1.2	0.2	78	0.22	0.084
1293163	Soil	0.9	24.9	6.7	51	<0.1	28.4	14.8	303	3.31	6.9	0.4	1.5	3.1	16	<0.1	0.4	0.2	77	0.34	0.028
1293165	Soil	2.1	44.5	8.6	71	0.2	28.1	15.2	732	3.04	25.0	0.8	2.5	3.4	19	0.3	0.6	0.2	88	0.27	0.045
1293157	Soil	0.7	16.2	4.4	92	<0.1	13.7	15.9	648	5.71	1.7	1.1	1.7	8.0	45	<0.1	0.2	<0.1	53	0.87	0.231
1293477	Soil	5.6	48.0	9.3	148	0.4	64.6	16.3	384	3.70	23.9	0.9	2.1	2.1	16	0.7	0.7	0.2	73	0.14	0.076
1293161	Soil	1.0	18.6	6.6	52	<0.1	30.1	15.1	321	3.34	7.1	0.3	1.1	3.0	20	<0.1	0.3	0.1	80	0.37	0.062
1293164	Soil	1.1	11.5	8.9	38	0.1	17.9	6.4	289	2.20	8.6	0.4	1.5	3.6	12	<0.1	0.3	0.1	58	0.19	0.018
1293158	Soil	1.0	16.6	7.3	49	<0.1	29.0	11.6	311	2.95	8.6	0.4	3.5	3.5	21	<0.1	0.4	0.1	65	0.31	0.029
1293482	Soil	5.2	42.0	9.4	96	0.5	26.9	14.5	590	2.85	15.8	1.4	3.6	1.7	32	0.4	0.5	0.1	87	0.54	0.063
1293181	Soil	2.1	58.1	7.6	89	0.2	27.8	8.4	236	4.02	4.1	2.2	1.5	7.9	35	<0.1	0.1	0.2	81	0.24	0.065
1293175	Soil	4.3	40.5	11.9	148	0.5	65.2	23.6	871	3.56	15.9	1.2	2.1	4.0	23	0.6	0.3	0.2	93	0.23	0.059
1293171	Soil	18.8	57.3	17.4	175	0.9	56.6	6.9	229	3.96	87.7	2.7	1.7	4.1	41	1.2	0.9	0.2	144	0.11	0.077
1293186	Soil	1.5	29.7	52.8	68	0.1	42.2	14.6	329	3.49	6.6	0.9	<0.5	10.7	18	<0.1	0.4	0.4	63	0.29	0.022
1293184	Soil	3.3	30.7	11.3	60	0.3	25.3	10.5	347	3.12	9.9	0.8	9.7	6.9	20	<0.1	0.5	0.1	64	0.35	0.022
1293167	Soil	1.6	20.3	8.4	68	<0.1	17.3	11.4	475	3.29	8.2	0.3	1.5	2.5	16	<0.1	0.4	0.1	81	0.24	0.035
1293170	Soil	8.4	22.0	35.6	169	0.2	34.0	12.5	377	3.23	31.7	0.6	0.6	2.4	17	0.6	0.5	0.2	83	0.16	0.095
1293187	Soil	1.0	81.4	6.9	91	<0.1	84.5	27.2	588	5.48	1.7	1.0	7.3	8.4	21	<0.1	<0.1	<0.1	77	0.39	0.051
1293176	Soil	4.1	40.1	12.7	151	0.5	67.0	32.9	1101	3.62	15.9	1.2	3.1	4.0	24	0.5	0.3	0.2	98	0.23	0.061
1293169	Soil	2.6	33.7	8.5	73	0.1	27.5	10.3	427	3.67	38.6	1.0	2.2	4.2	19	<0.1	0.5	<0.1	79	0.30	0.038

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000319.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1283762	Soil	24	254	2.14	661	0.193	2	2.70	0.017	0.57	0.2	0.03	14.0	0.9	<0.05	8	<0.5	<0.2
1283772	Soil	19	129	1.44	265	0.076	1	1.69	0.008	0.29	0.1	0.04	5.7	0.3	<0.05	5	<0.5	<0.2
1283756	Soil	16	95	1.19	416	0.136	<1	2.36	0.008	0.29	0.1	0.02	8.0	0.7	<0.05	9	1.4	<0.2
1283758	Soil	44	110	1.01	792	0.119	1	2.00	0.019	0.17	0.2	0.05	13.4	0.4	<0.05	6	<0.5	<0.2
1293155	Soil	11	52	1.07	222	0.162	<1	2.17	0.010	0.23	0.1	0.01	2.9	0.2	<0.05	7	<0.5	<0.2
1293162	Soil	8	63	2.25	143	0.198	<1	2.86	0.006	0.82	0.2	<0.01	3.4	0.5	<0.05	8	<0.5	<0.2
1293159	Soil	6	75	1.82	294	0.183	1	2.52	0.011	0.34	0.1	<0.01	2.0	0.2	<0.05	6	<0.5	<0.2
1293480	Soil	12	36	0.53	242	0.059	1	1.28	0.010	0.06	0.2	0.05	3.0	0.1	<0.05	5	1.0	<0.2
1293156	Soil	10	45	1.13	237	0.187	<1	2.48	0.013	0.31	0.2	0.02	3.5	0.2	<0.05	7	<0.5	<0.2
1293160	Soil	6	51	1.87	356	0.210	<1	2.59	0.010	0.43	0.1	0.01	2.1	0.3	<0.05	6	<0.5	<0.2
1293166	Soil	1	45	2.04	231	0.193	<1	2.81	0.009	0.28	<0.1	<0.01	5.9	0.3	<0.05	4	<0.5	<0.2
1293478	Soil	21	42	0.49	759	0.033	<1	1.26	0.005	0.17	0.4	0.06	6.1	0.4	0.08	4	1.8	<0.2
1293163	Soil	8	53	1.06	140	0.124	<1	1.73	0.009	0.18	0.2	0.01	3.4	0.2	<0.05	6	<0.5	<0.2
1293165	Soil	11	35	0.62	402	0.061	<1	1.84	0.009	0.07	0.1	0.02	5.0	0.2	<0.05	6	0.7	<0.2
1293157	Soil	24	26	1.45	494	0.201	<1	2.65	0.012	0.71	0.1	<0.01	4.6	0.4	<0.05	9	<0.5	<0.2
1293477	Soil	12	37	0.42	443	0.028	1	1.48	0.008	0.07	0.2	0.03	3.0	0.2	<0.05	5	1.1	<0.2
1293161	Soil	7	68	1.23	205	0.132	<1	1.87	0.009	0.19	0.2	0.02	2.5	0.2	<0.05	6	<0.5	<0.2
1293164	Soil	16	32	0.40	179	0.053	<1	1.03	0.008	0.07	0.2	0.02	2.5	0.1	<0.05	5	<0.5	<0.2
1293158	Soil	9	48	0.78	163	0.082	<1	1.78	0.010	0.08	0.1	0.01	2.7	0.1	<0.05	6	<0.5	<0.2
1293482	Soil	12	33	0.45	574	0.048	1	1.09	0.012	0.07	0.1	0.04	3.5	0.1	<0.05	4	1.6	<0.2
1293181	Soil	36	57	1.11	384	0.129	<1	2.11	0.017	0.82	<0.1	0.01	5.2	0.6	0.29	6	1.1	<0.2
1293175	Soil	14	76	1.03	430	0.070	1	1.83	0.009	0.21	0.2	0.06	4.4	0.4	<0.05	7	1.0	<0.2
1293171	Soil	16	40	0.27	670	0.037	<1	1.06	0.011	0.21	0.5	0.03	5.2	0.5	0.35	6	10.6	<0.2
1293186	Soil	12	65	0.97	215	0.144	<1	1.91	0.010	0.55	0.3	0.01	4.0	0.3	<0.05	7	<0.5	<0.2
1293184	Soil	18	37	0.69	623	0.084	<1	1.92	0.011	0.24	0.2	0.03	6.8	0.2	<0.05	6	<0.5	<0.2
1293167	Soil	7	35	0.60	281	0.062	<1	1.88	0.009	0.08	0.1	0.01	4.2	0.1	<0.05	6	<0.5	<0.2
1293170	Soil	9	39	0.39	404	0.049	<1	1.75	0.008	0.06	0.2	0.01	3.3	0.2	<0.05	7	0.8	<0.2
1293187	Soil	14	118	2.03	312	0.326	<1	3.13	0.009	1.25	0.2	<0.01	3.6	0.6	<0.05	9	<0.5	<0.2
1293176	Soil	14	72	0.99	406	0.072	<1	1.82	0.009	0.21	0.2	0.05	4.3	0.4	<0.05	7	1.0	<0.2
1293169	Soil	14	32	0.69	622	0.059	<1	1.91	0.009	0.08	0.1	0.02	7.3	0.2	<0.05	6	1.1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000319.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1293173	Soil	8.7	54.2	19.8	178	0.5	70.9	26.5	1925	4.02	48.5	1.7	1.7	2.6	24	0.4	0.5	0.2	91	0.55	0.071
1293183	Soil	2.2	28.9	15.4	70	0.3	35.0	10.0	249	2.80	7.8	0.7	0.8	5.3	18	<0.1	0.4	0.1	63	0.21	0.021
1293177	Soil	3.8	62.0	16.7	153	0.7	69.6	22.5	713	4.00	10.3	1.6	1.2	5.0	27	0.3	0.3	0.2	93	0.16	0.070
1293168	Soil	2.1	25.5	6.3	86	<0.1	19.0	16.8	334	5.07	6.9	0.4	5.1	2.8	13	0.1	0.3	<0.1	101	0.36	0.068
1293172	Soil	9.3	62.1	23.6	221	0.6	70.1	14.3	441	4.10	30.4	1.6	0.5	2.3	16	0.3	0.5	0.1	105	0.11	0.075
1293174	Soil	4.9	88.3	14.6	126	0.4	61.4	26.9	1369	4.83	29.4	2.3	<0.5	3.9	37	0.4	0.4	0.2	127	0.54	0.108
1293369	Soil	2.4	32.4	13.2	89	0.7	43.8	11.0	260	2.92	12.3	1.0	2.4	3.7	26	0.3	0.5	0.1	74	0.36	0.029
1293352	Soil	3.5	59.6	21.5	150	0.5	72.1	24.7	859	4.20	71.4	2.0	3.9	6.3	23	0.4	0.4	0.2	107	0.43	0.085
1293366	Soil	2.0	60.3	8.4	56	0.4	35.5	10.6	363	2.34	10.2	1.2	3.9	3.5	67	0.1	0.6	<0.1	60	2.37	0.071
1293178	Soil	3.4	28.9	9.9	92	0.4	32.9	9.8	396	2.69	11.7	1.0	3.2	1.8	23	0.3	0.3	0.1	71	0.27	0.061
1293365	Soil	7.5	57.9	17.9	90	1.0	38.7	8.5	185	3.42	20.0	1.4	1.4	2.7	26	0.4	0.5	0.2	121	0.18	0.041
1293373	Soil	7.6	78.8	14.4	87	1.9	23.7	4.9	210	4.66	18.0	1.6	84.7	2.7	34	0.3	0.6	0.2	92	0.13	0.088
1293368	Soil	8.5	84.5	7.7	75	0.7	30.0	9.9	214	3.77	6.8	1.4	0.7	5.0	33	0.2	0.2	0.1	121	0.31	0.055
1293180	Soil	1.8	31.5	7.7	77	0.2	30.0	19.4	446	3.73	3.2	1.6	0.7	3.3	26	0.2	0.3	0.1	97	0.45	0.039
1293364	Soil	7.3	46.3	18.9	76	0.7	22.0	5.4	147	3.69	9.7	0.9	1.0	2.3	37	0.5	0.3	0.2	97	0.21	0.049
1293367	Soil	4.9	34.7	20.3	119	0.9	42.1	13.3	362	3.28	16.7	0.9	1.6	2.3	25	0.6	0.5	0.1	82	0.35	0.030
1293362	Soil	2.8	35.4	8.2	76	0.2	45.7	15.7	515	4.41	5.8	1.4	2.1	2.9	19	<0.1	0.3	<0.1	112	0.23	0.031
1293179	Soil	2.6	19.7	8.0	77	0.2	22.2	5.1	139	2.16	6.9	0.6	1.5	1.6	18	0.1	0.2	0.2	58	0.20	0.045
1293363	Soil	8.4	153.0	21.6	298	1.2	151.2	24.7	1128	3.65	70.8	5.0	4.6	3.5	47	2.3	3.9	0.2	95	1.15	0.078
1293361	Soil	2.9	69.5	9.3	123	0.6	46.8	23.4	920	4.87	7.4	1.5	1.2	2.5	36	0.7	0.3	0.2	164	0.57	0.129
1293185	Soil	1.7	38.3	24.3	63	<0.1	37.8	16.7	404	3.65	11.1	0.8	2.8	6.5	22	<0.1	0.5	0.2	88	0.51	0.075
1293182	Soil	2.6	83.8	11.1	174	0.3	69.3	17.7	317	4.25	12.7	1.6	4.1	9.3	15	0.1	0.3	0.2	93	0.30	0.083
1293479	Soil	3.3	47.5	21.6	120	0.3	56.3	19.4	503	3.74	26.3	1.5	2.7	2.4	23	0.7	0.5	0.1	83	0.30	0.078
1293372	Soil	3.1	29.9	10.7	70	0.7	26.4	7.6	211	2.64	8.3	0.9	<0.5	2.1	29	0.2	0.4	<0.1	70	0.24	0.037
1293371	Soil	2.5	27.6	8.9	85	0.9	34.3	9.5	414	2.82	11.2	0.6	2.4	1.8	19	0.5	0.4	0.1	71	0.24	0.040
1293370	Soil	3.6	39.4	14.8	105	0.5	39.5	12.7	320	2.86	11.7	1.2	3.4	2.9	24	0.5	0.4	0.1	83	0.36	0.047
1293481	Soil	4.2	35.4	10.5	115	0.5	32.6	11.7	381	3.01	15.4	1.3	4.3	3.1	32	0.5	0.5	0.1	81	0.49	0.064
1293374	Soil	2.9	90.8	19.1	148	2.0	66.4	13.1	750	3.93	42.1	1.0	13.5	1.2	41	0.6	1.1	0.1	94	1.22	0.065
1293360	Soil	2.9	49.7	7.6	134	0.4	50.1	13.0	409	3.83	25.4	1.4	2.8	4.0	28	0.6	0.3	0.2	103	0.66	0.078
1293375	Soil	4.1	49.7	16.7	165	0.9	58.1	9.4	221	3.05	27.2	0.8	1.4	2.2	30	0.7	0.7	0.1	95	0.33	0.069

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000319.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1293173	Soil	11	56	0.76	1134	0.036	<1	1.81	0.009	0.09	<0.1	0.04	7.1	0.2	<0.05	7	0.6	<0.2
1293183	Soil	16	40	0.57	380	0.074	<1	1.45	0.010	0.20	0.1	0.01	4.1	0.2	<0.05	5	<0.5	<0.2
1293177	Soil	19	57	0.96	349	0.095	<1	1.99	0.011	0.33	<0.1	0.03	4.2	0.4	0.08	8	1.2	<0.2
1293168	Soil	6	32	0.90	365	0.104	<1	2.86	0.011	0.26	0.1	<0.01	7.0	0.2	<0.05	8	0.6	<0.2
1293172	Soil	12	50	0.64	356	0.050	<1	1.99	0.007	0.08	0.1	0.04	3.8	0.3	<0.05	7	1.0	<0.2
1293174	Soil	19	63	1.15	1055	0.102	<1	2.30	0.016	0.22	0.1	0.04	8.1	0.3	<0.05	9	0.9	<0.2
1293369	Soil	12	46	0.57	449	0.074	<1	1.49	0.016	0.10	0.1	0.02	4.7	0.1	<0.05	5	1.3	<0.2
1293352	Soil	27	80	1.05	436	0.090	<1	2.12	0.013	0.23	0.2	0.04	6.0	0.3	0.06	8	0.9	<0.2
1293366	Soil	14	32	0.76	413	0.074	1	1.08	0.030	0.08	0.2	0.06	4.2	0.1	0.05	4	0.7	<0.2
1293178	Soil	10	34	0.51	336	0.049	1	1.18	0.012	0.07	0.2	0.07	3.2	0.2	<0.05	4	1.2	<0.2
1293365	Soil	13	48	0.52	309	0.082	<1	1.46	0.015	0.15	0.2	0.02	3.3	0.1	0.14	6	2.5	<0.2
1293373	Soil	16	34	0.28	357	0.037	<1	0.75	0.013	0.24	<0.1	0.02	2.9	0.4	0.57	4	4.7	0.3
1293368	Soil	14	47	0.62	661	0.077	<1	1.51	0.044	0.29	<0.1	0.01	5.7	0.3	0.59	5	3.6	<0.2
1293180	Soil	13	40	0.90	849	0.160	<1	1.94	0.020	0.39	0.1	0.01	4.0	0.2	<0.05	7	0.6	<0.2
1293364	Soil	13	36	0.36	525	0.080	<1	0.92	0.022	0.19	0.1	0.01	2.5	0.2	0.38	6	2.7	<0.2
1293367	Soil	9	40	0.48	464	0.068	<1	1.34	0.010	0.12	0.1	0.01	3.2	0.1	<0.05	6	1.1	<0.2
1293362	Soil	14	78	1.30	322	0.137	<1	2.16	0.013	0.48	<0.1	0.01	5.0	0.3	<0.05	8	0.6	<0.2
1293179	Soil	10	32	0.57	189	0.059	<1	1.19	0.008	0.07	0.1	0.04	2.3	0.2	<0.05	5	0.9	<0.2
1293363	Soil	22	46	0.57	893	0.034	2	1.24	0.014	0.12	0.1	0.08	8.6	0.2	0.06	4	2.8	<0.2
1293361	Soil	14	56	1.41	568	0.163	1	2.36	0.022	0.72	0.1	0.02	5.6	0.3	0.12	10	0.8	<0.2
1293185	Soil	22	50	1.04	265	0.126	2	2.07	0.015	0.51	0.2	0.03	7.3	0.3	<0.05	7	<0.5	<0.2
1293182	Soil	36	60	0.97	389	0.109	<1	2.17	0.006	0.61	0.1	0.03	6.5	0.9	<0.05	7	0.7	<0.2
1293479	Soil	19	50	0.75	379	0.035	2	1.73	0.008	0.17	0.1	0.03	4.4	0.3	<0.05	7	0.7	<0.2
1293372	Soil	10	37	0.52	646	0.058	<1	1.35	0.015	0.12	0.1	0.01	3.2	0.2	0.06	5	0.9	<0.2
1293371	Soil	9	33	0.37	652	0.045	<1	1.38	0.010	0.07	0.2	0.03	2.9	0.2	<0.05	5	0.7	<0.2
1293370	Soil	11	46	0.56	603	0.059	1	1.44	0.013	0.10	0.2	0.02	4.3	0.1	<0.05	5	1.1	<0.2
1293481	Soil	14	40	0.56	529	0.066	1	1.29	0.019	0.08	0.2	0.05	3.8	0.2	<0.05	5	1.3	<0.2
1293374	Soil	13	46	0.61	1428	0.026	2	1.09	0.013	0.07	0.5	0.11	5.5	0.1	<0.05	4	1.9	<0.2
1293360	Soil	15	54	0.90	539	0.096	1	1.49	0.023	0.30	0.2	0.04	7.5	0.5	<0.05	6	1.3	<0.2
1293375	Soil	12	47	0.39	1286	0.037	1	1.09	0.008	0.10	0.2	0.03	4.0	0.3	<0.05	6	1.3	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000319.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1293356	Soil		6.3	88.9	25.6	188	1.4	94.5	15.0	479	4.19	48.4	3.2	4.4	5.0	31	1.0	0.6	0.2	145	0.60	0.071
1293353	Soil		3.5	51.7	23.9	166	0.8	81.4	28.8	777	4.88	93.5	1.4	6.4	6.0	24	0.5	0.7	0.2	111	0.51	0.070
1293359	Soil		1.8	25.3	7.5	80	0.4	24.7	13.0	564	3.46	8.2	1.2	1.8	2.8	23	0.4	0.4	0.1	73	0.41	0.040
1293476	Soil		3.7	45.9	12.6	150	0.7	53.9	9.4	260	2.75	21.5	0.8	2.0	2.5	29	0.7	0.7	0.1	82	0.29	0.063
1293355	Soil		3.7	36.9	21.1	114	0.4	39.3	32.9	1597	3.74	33.1	1.6	3.1	2.8	21	0.4	0.4	0.2	97	0.36	0.071
1293354	Soil		4.6	29.3	16.7	85	0.6	33.4	9.2	239	3.34	54.7	0.8	3.0	2.5	13	0.3	0.3	0.2	100	0.13	0.037
1293357	Soil		1.2	70.8	8.2	100	1.1	48.1	10.7	849	2.40	26.2	1.9	2.5	1.5	47	1.4	0.5	<0.1	66	2.35	0.090
1293358	Soil		4.4	50.6	10.9	126	1.3	48.7	13.4	668	3.19	33.2	1.3	3.2	2.4	26	1.0	0.4	0.1	107	0.51	0.052
1283793	Soil		2.3	11.3	26.2	52	0.1	18.9	10.2	382	3.11	16.6	1.5	5.0	12.0	15	0.1	0.7	0.3	63	0.24	0.033
1283790	Soil		1.2	24.1	17.7	65	0.2	32.5	14.0	393	3.54	19.7	3.3	3.0	16.8	23	0.1	0.6	0.3	73	0.46	0.031
1283795	Soil		4.3	56.3	17.7	190	0.6	69.3	16.0	425	3.68	329.7	2.0	95.2	6.0	23	1.4	6.0	0.2	81	0.28	0.059
1284304	Soil		1.1	17.4	9.6	69	<0.1	21.5	20.0	638	3.46	24.5	1.8	1.0	3.5	21	0.1	0.5	0.2	68	0.33	0.064
1283787	Soil		2.8	59.9	21.0	149	0.8	82.7	19.8	597	4.07	76.1	1.7	5.5	5.8	46	0.9	2.5	0.2	116	1.12	0.083
1283799	Soil		1.1	27.2	11.4	74	0.2	41.2	17.5	840	3.90	78.9	2.0	12.4	6.0	37	0.3	2.6	0.1	71	1.00	0.066
1283788	Soil		2.2	28.5	14.8	89	0.3	38.8	12.6	373	3.45	44.4	1.2	15.6	9.2	18	0.2	1.3	0.2	89	0.28	0.046
1283800	Soil		1.0	22.5	10.7	59	<0.1	51.5	18.5	605	4.00	37.6	3.2	1.2	9.3	33	<0.1	0.8	0.4	65	0.71	0.038
1283784	Soil		3.9	31.9	12.7	105	0.5	31.4	11.6	430	3.51	84.0	0.7	1.0	2.2	18	0.6	2.1	0.1	108	0.23	0.048
1283798	Soil		1.5	31.8	11.3	95	0.4	44.5	16.0	601	3.52	122.9	2.6	21.2	4.8	34	0.3	3.4	0.1	70	0.92	0.074
1283794	Soil		1.4	15.1	19.2	68	0.2	29.0	15.6	685	4.31	62.4	3.3	12.1	23.3	30	0.2	1.4	0.2	64	0.58	0.050
1283785	Soil		2.9	69.9	16.4	127	0.9	77.8	22.0	698	4.74	56.7	2.9	4.3	4.8	42	0.6	2.2	0.1	137	0.80	0.084
1283779	Soil		1.6	74.3	10.2	103	0.2	73.9	26.5	772	5.89	22.3	1.4	2.8	4.3	30	0.2	1.2	<0.1	131	0.72	0.146
1284302	Soil		0.8	19.5	14.0	88	<0.1	44.7	18.6	592	4.43	14.7	1.5	0.8	9.4	24	<0.1	0.5	0.5	62	0.48	0.047
1284303	Soil		0.8	9.9	10.4	59	<0.1	17.7	11.1	508	2.40	18.5	1.1	1.2	2.5	22	<0.1	0.3	0.2	67	0.40	0.060
1283796	Soil		2.5	40.0	11.8	108	0.4	47.6	15.8	448	3.68	246.8	1.6	98.2	4.7	26	0.5	3.4	0.1	103	0.53	0.056
1283782	Soil		2.9	63.7	10.1	96	0.5	87.3	24.0	731	3.85	27.9	2.2	3.0	6.0	41	0.6	2.0	0.2	106	0.89	0.101
1283789	Soil		1.5	33.3	19.0	75	0.4	32.0	12.0	430	3.08	46.6	3.4	7.5	13.0	36	0.3	1.1	0.3	61	0.80	0.050
1283778	Soil		2.2	29.1	15.2	121	0.3	31.7	17.2	797	3.40	42.7	3.0	1.7	3.9	32	0.7	2.3	0.2	89	0.78	0.088
1290879	Soil		2.2	18.9	11.8	64	0.3	27.7	13.9	714	3.30	3.6	0.4	3.6	3.1	18	0.2	0.3	0.1	77	0.32	0.030
1283781	Soil		3.4	74.8	10.0	137	0.4	64.4	21.7	630	4.32	52.9	2.8	1.7	5.7	37	1.0	3.3	0.2	112	0.66	0.115
1283792	Soil		1.8	22.5	15.8	62	0.2	27.6	13.3	626	3.29	12.2	12.0	4.5	23.3	49	0.2	0.6	0.3	55	1.00	0.062

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000319.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1293356	Soil		22	79	0.93	1001	0.082	1	1.92	0.019	0.20	0.1	0.06	9.7	0.4	0.07	7	1.6	<0.2
1293353	Soil		20	87	1.23	379	0.092	1	2.36	0.012	0.16	0.1	0.04	6.3	0.2	<0.05	8	0.8	<0.2
1293359	Soil		15	34	0.67	641	0.108	<1	1.73	0.017	0.31	0.1	0.04	4.2	0.2	<0.05	7	<0.5	<0.2
1293476	Soil		12	40	0.38	1148	0.039	<1	1.05	0.009	0.11	0.2	0.04	3.7	0.2	<0.05	5	1.4	<0.2
1293355	Soil		17	59	0.86	320	0.068	1	1.88	0.013	0.09	0.1	0.04	4.5	0.2	<0.05	7	0.8	<0.2
1293354	Soil		11	52	0.63	139	0.089	<1	1.51	0.011	0.11	0.1	0.04	3.3	0.2	<0.05	8	<0.5	<0.2
1293357	Soil		15	36	0.43	2418	0.026	4	1.48	0.019	0.05	<0.1	0.08	6.9	0.2	0.07	4	1.8	<0.2
1293358	Soil		10	47	0.54	955	0.079	<1	1.43	0.016	0.16	<0.1	0.04	4.2	0.2	<0.05	6	1.7	<0.2
1283793	Soil		23	36	0.51	194	0.075	1	1.40	0.009	0.19	0.2	0.04	3.7	0.3	<0.05	7	<0.5	<0.2
1283790	Soil		65	51	0.71	403	0.103	1	1.91	0.015	0.21	0.2	0.06	6.2	0.4	<0.05	7	<0.5	<0.2
1283795	Soil		17	60	0.75	360	0.046	1	1.57	0.011	0.15	0.1	0.08	5.9	0.5	<0.05	6	1.0	<0.2
1284304	Soil		16	43	0.81	174	0.076	1	1.65	0.012	0.09	0.1	0.04	4.2	0.2	<0.05	6	<0.5	<0.2
1283787	Soil		20	112	1.30	930	0.113	2	1.98	0.019	0.33	0.2	0.10	8.5	0.9	<0.05	7	1.0	<0.2
1283799	Soil		27	63	0.78	266	0.042	1	1.22	0.009	0.13	0.2	0.07	9.6	0.3	<0.05	5	<0.5	<0.2
1283788	Soil		20	55	0.81	441	0.110	1	1.66	0.012	0.24	0.1	0.03	4.9	0.4	<0.05	7	<0.5	<0.2
1283800	Soil		35	67	1.14	296	0.081	1	1.97	0.013	0.22	<0.1	0.03	6.4	0.3	<0.05	7	<0.5	<0.2
1283784	Soil		12	49	0.82	285	0.131	1	1.58	0.014	0.20	0.1	0.03	4.4	0.4	<0.05	9	0.5	<0.2
1283798	Soil		22	58	0.64	245	0.029	1	1.23	0.010	0.11	0.1	0.11	10.4	0.4	<0.05	4	0.7	<0.2
1283794	Soil		57	49	0.93	304	0.085	1	1.72	0.012	0.26	0.2	0.07	9.4	0.5	<0.05	7	<0.5	<0.2
1283785	Soil		26	124	1.49	846	0.167	1	2.52	0.018	0.39	0.2	0.08	9.4	0.6	<0.05	10	0.8	<0.2
1283779	Soil		25	100	2.10	1238	0.261	<1	3.17	0.017	0.98	0.2	0.03	9.4	0.4	<0.05	12	0.8	<0.2
1284302	Soil		18	68	1.50	113	0.100	1	2.07	0.009	0.26	0.1	0.02	4.1	0.3	<0.05	8	<0.5	<0.2
1284303	Soil		9	44	0.79	95	0.071	1	1.35	0.012	0.11	0.1	0.04	3.0	0.2	<0.05	6	<0.5	<0.2
1283796	Soil		16	62	0.86	357	0.075	2	1.72	0.014	0.19	0.1	0.06	6.5	0.4	<0.05	7	0.8	<0.2
1283782	Soil		27	110	1.60	662	0.173	<1	2.28	0.029	0.51	0.2	0.05	6.5	0.5	<0.05	8	0.9	<0.2
1283789	Soil		43	40	0.70	381	0.078	2	1.40	0.012	0.24	0.1	0.10	6.3	0.4	<0.05	5	<0.5	<0.2
1283778	Soil		16	47	0.85	492	0.101	1	1.57	0.011	0.26	0.1	0.09	5.9	0.4	0.06	6	1.5	<0.2
1290879	Soil		8	53	0.88	270	0.160	<1	1.61	0.012	0.36	0.1	0.03	3.8	0.3	<0.05	8	<0.5	<0.2
1283781	Soil		27	75	1.29	680	0.164	<1	2.19	0.016	0.49	0.1	0.04	7.3	0.5	0.10	8	1.1	<0.2
1283792	Soil		70	43	0.88	369	0.099	2	1.66	0.015	0.35	0.2	0.09	7.7	0.5	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000319.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1283797	Soil	2.4	48.8	15.6	109	0.7	48.9	17.1	677	3.80	309.9	2.9	66.3	5.9	22	0.7	4.2	0.1	91	0.45	0.063
1290878	Soil	2.5	21.5	15.0	59	0.1	33.2	14.3	1048	3.16	4.7	0.7	1.2	4.0	20	0.3	0.2	0.1	62	0.50	0.051
1284301	Rock Pulp	1.3	422.6	21.3	149	0.2	211.9	74.0	751	14.48	3.0	1.2	30.1	7.3	13	<0.1	0.3	0.1	212	0.27	0.038
1283786	Soil	3.0	59.8	20.6	149	0.6	66.3	16.8	492	4.13	127.5	1.4	2.9	5.8	21	0.9	2.9	0.2	112	0.22	0.063
1283780	Soil	2.0	64.9	11.5	111	0.4	56.9	20.5	595	4.50	32.8	1.9	5.1	5.1	26	0.4	2.2	0.2	117	0.64	0.130
1290877	Soil	1.0	31.0	17.0	82	<0.1	49.1	19.1	512	3.56	3.5	1.2	<0.5	7.0	26	0.2	0.2	0.2	70	0.78	0.072
1283777	Soil	3.1	49.6	12.8	159	0.5	40.2	24.0	1229	5.04	48.3	2.1	2.9	4.9	35	0.5	3.0	0.2	127	0.70	0.129
1283791	Soil	1.6	15.1	22.3	54	0.2	25.6	12.7	435	3.40	27.9	2.5	0.9	17.0	21	0.2	0.5	0.4	62	0.39	0.038
1283783	Soil	4.3	51.5	16.9	181	0.7	45.6	15.8	614	3.64	71.9	1.2	1.0	3.2	22	0.9	2.8	0.2	118	0.35	0.072
1290876	Soil	1.4	48.6	6.3	87	<0.1	55.4	22.2	548	5.52	3.8	1.0	<0.5	5.4	22	<0.1	0.2	<0.1	96	0.40	0.036
1290883	Soil	3.4	12.5	12.1	35	0.4	13.5	8.3	519	2.04	3.3	0.4	41.6	3.4	21	<0.1	0.3	0.1	49	0.31	0.014
1290875	Soil	0.5	51.2	14.9	73	0.2	41.0	15.0	464	2.92	3.3	2.1	1.0	6.2	53	0.3	0.2	0.2	55	2.00	0.060
1290872	Soil	0.7	30.2	8.5	65	<0.1	31.7	14.2	452	2.76	3.8	1.3	1.9	4.8	62	0.2	0.2	<0.1	49	1.92	0.046
1290861	Soil	2.7	41.8	12.3	58	0.3	27.7	11.5	394	2.90	9.8	1.0	11.5	7.8	34	<0.1	0.5	0.2	63	1.32	0.026
1290882	Soil	1.3	38.3	8.5	74	0.2	50.5	20.9	408	4.36	3.5	0.9	<0.5	10.4	16	<0.1	0.2	<0.1	106	0.33	0.060
1290874	Soil	1.0	38.8	9.6	68	0.1	33.9	13.8	444	2.85	3.5	1.9	3.8	5.6	51	0.1	0.2	0.1	52	1.96	0.058
1290868	Soil	1.5	31.4	15.0	66	<0.1	34.2	14.8	274	3.20	5.2	0.9	3.3	3.6	18	0.1	0.2	0.1	70	0.30	0.037
1290860	Soil	1.1	53.9	9.9	54	0.2	44.6	14.5	388	3.19	12.5	0.7	3.4	7.0	30	<0.1	0.6	0.1	82	1.08	0.022
1290881	Soil	1.0	42.4	21.4	77	0.1	59.1	20.4	401	4.53	4.6	0.7	5.3	6.0	16	<0.1	0.2	0.2	88	0.23	0.027
1290873	Soil	0.7	38.0	10.0	67	0.1	37.3	14.0	371	2.88	4.5	1.5	2.8	5.4	46	0.1	0.3	0.1	55	1.44	0.057
1290857	Soil	1.3	21.6	9.1	60	0.2	36.6	13.2	440	2.97	4.4	0.4	<0.5	3.7	17	<0.1	0.3	<0.1	60	0.44	0.014
1284414	Soil	2.4	59.5	12.7	111	0.2	56.7	23.1	717	4.83	39.1	1.4	<0.5	5.3	32	0.3	1.9	0.1	133	0.67	0.144
1290880	Soil	1.1	50.1	4.9	76	<0.1	47.9	23.6	597	5.41	3.2	0.8	0.6	4.6	29	<0.1	0.1	<0.1	67	0.54	0.051
1290862	Soil	4.9	35.6	22.1	73	0.3	19.9	11.0	504	3.11	7.7	0.6	11.4	5.1	20	<0.1	0.3	0.2	65	0.33	0.023
1290856	Soil	1.1	22.9	11.6	54	<0.1	27.6	12.5	313	3.14	4.9	0.5	0.7	3.6	17	<0.1	0.3	0.1	72	0.29	0.041
1284429	Soil	1.7	33.2	14.8	85	0.1	63.9	16.5	374	4.19	136.2	1.1	4.5	7.6	14	0.1	5.3	0.2	74	0.28	0.039
1290871	Soil	0.8	41.3	8.5	77	<0.1	55.9	23.4	587	3.98	2.2	1.0	<0.5	5.7	67	0.1	<0.1	<0.1	45	2.18	0.084
1290865	Soil	0.9	90.0	18.5	124	0.2	73.5	24.3	586	4.71	6.1	0.9	0.6	11.5	27	<0.1	0.3	0.1	80	0.46	0.037
1290855	Soil	0.9	34.6	13.3	72	<0.1	44.5	20.2	410	3.74	4.1	0.9	1.8	7.1	18	<0.1	0.2	0.1	64	0.36	0.053
1290851	Rock Pulp	2.3	25.4	2.3	43	0.3	24.2	10.8	396	2.41	4.7	0.2	<0.5	0.9	36	0.2	0.3	<0.1	69	0.87	0.059

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000319.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1283797	Soil	33	54	0.67	404	0.062	2	1.57	0.010	0.17	0.1	0.15	9.2	0.4	<0.05	5	1.0	<0.2
1290878	Soil	10	48	0.82	193	0.136	1	1.60	0.012	0.41	0.1	0.04	2.9	0.3	<0.05	7	<0.5	<0.2
1284301	Rock Pulp	17	690	0.13	135	0.157	3	3.89	0.012	0.05	<0.1	0.04	36.4	0.1	<0.05	19	<0.5	<0.2
1283786	Soil	15	72	0.81	720	0.097	<1	1.70	0.010	0.26	0.1	0.05	6.0	0.6	<0.05	6	1.1	<0.2
1283780	Soil	25	69	1.37	675	0.182	<1	2.25	0.013	0.63	0.2	0.04	8.0	0.4	0.05	9	<0.5	<0.2
1290877	Soil	26	69	1.57	195	0.162	1	2.16	0.013	0.48	0.2	0.03	4.5	0.4	<0.05	7	<0.5	<0.2
1283777	Soil	20	60	1.42	726	0.235	1	2.37	0.011	0.66	<0.1	0.06	9.4	0.5	0.07	11	0.7	<0.2
1283791	Soil	36	39	0.63	314	0.089	2	1.77	0.010	0.27	0.2	0.04	4.8	0.4	<0.05	8	<0.5	<0.2
1283783	Soil	14	58	0.92	484	0.131	1	1.66	0.011	0.31	0.2	0.05	5.2	0.5	0.05	7	0.8	<0.2
1290876	Soil	19	99	1.81	318	0.295	<1	3.10	0.007	1.51	0.2	0.02	6.6	0.6	<0.05	8	<0.5	<0.2
1290883	Soil	11	23	0.33	919	0.052	1	1.28	0.011	0.12	0.1	0.01	2.9	<0.1	0.05	4	<0.5	<0.2
1290875	Soil	40	57	0.95	219	0.122	2	1.62	0.013	0.32	0.1	0.04	4.2	0.3	0.11	5	<0.5	<0.2
1290872	Soil	20	46	0.77	224	0.102	2	1.43	0.012	0.25	<0.1	0.05	3.5	0.2	0.08	5	<0.5	<0.2
1290861	Soil	24	36	0.66	365	0.081	2	1.70	0.014	0.18	0.2	0.05	6.5	0.1	<0.05	5	<0.5	<0.2
1290882	Soil	11	73	1.53	422	0.196	<1	2.71	0.010	0.94	0.1	0.02	5.6	0.4	<0.05	8	<0.5	<0.2
1290874	Soil	28	49	0.92	186	0.118	2	1.45	0.012	0.30	<0.1	0.05	3.6	0.3	0.06	5	<0.5	<0.2
1290868	Soil	18	50	0.79	206	0.144	1	1.69	0.011	0.28	0.1	0.02	2.9	0.2	<0.05	7	<0.5	<0.2
1290860	Soil	21	58	0.84	411	0.112	2	1.87	0.017	0.18	0.1	0.06	7.3	0.2	<0.05	6	<0.5	<0.2
1290881	Soil	11	98	1.47	397	0.252	<1	2.90	0.010	0.82	0.2	0.01	3.7	0.4	<0.05	9	<0.5	<0.2
1290873	Soil	20	52	0.87	209	0.119	1	1.56	0.015	0.28	0.2	0.05	3.9	0.2	0.06	5	<0.5	<0.2
1290857	Soil	7	67	0.88	204	0.126	<1	1.90	0.010	0.24	0.1	<0.01	2.4	0.1	<0.05	6	<0.5	<0.2
1284414	Soil	22	87	1.67	671	0.245	<1	2.67	0.011	0.86	0.1	0.02	8.2	0.5	0.07	12	<0.5	<0.2
1290880	Soil	21	92	2.23	332	0.285	<1	3.39	0.007	1.62	0.2	0.01	4.6	0.6	<0.05	7	<0.5	<0.2
1290862	Soil	10	27	0.84	468	0.146	1	1.80	0.011	0.48	0.2	0.02	5.0	0.2	<0.05	6	<0.5	<0.2
1290856	Soil	9	45	0.79	196	0.142	<1	1.69	0.012	0.23	0.1	0.02	3.4	0.2	<0.05	7	<0.5	<0.2
1284429	Soil	21	61	0.54	123	0.056	1	1.17	0.005	0.27	0.1	0.04	4.7	0.4	<0.05	5	<0.5	<0.2
1290871	Soil	15	62	1.25	141	0.129	<1	1.66	0.008	0.52	0.1	0.03	2.9	0.4	<0.05	5	<0.5	<0.2
1290865	Soil	42	94	1.52	157	0.143	<1	2.59	0.008	0.34	0.1	0.03	7.0	0.3	<0.05	9	<0.5	<0.2
1290855	Soil	19	57	1.04	208	0.156	1	1.95	0.012	0.50	0.1	0.02	3.6	0.3	<0.05	6	<0.5	<0.2
1290851	Rock Pulp	4	33	0.80	92	0.116	3	1.54	0.092	0.12	12.6	<0.01	4.7	<0.1	0.09	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000319.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1290870	Soil	0.7	33.8	9.0	67	0.1	37.2	15.9	411	3.15	4.2	1.6	3.2	6.6	38	0.1	0.2	0.1	58	1.23	0.050
1290866	Soil	0.9	16.2	5.2	69	<0.1	20.6	12.9	501	3.74	4.2	0.6	0.7	3.6	17	<0.1	0.2	<0.1	53	0.34	0.053
1290854	Soil	0.7	36.8	15.8	70	0.1	39.1	17.2	441	3.35	3.7	1.9	9.3	9.0	32	<0.1	0.1	0.1	59	1.01	0.064
1290825	Soil	0.6	30.8	8.9	67	<0.1	33.7	15.3	509	2.92	3.3	1.6	2.6	4.5	47	<0.1	0.2	0.1	53	1.75	0.056
1290869	Soil	1.2	26.7	11.3	60	0.2	34.0	13.0	264	3.12	3.8	1.0	4.7	5.5	17	<0.1	0.2	0.1	64	0.36	0.035
1290863	Soil	2.5	37.0	11.7	50	0.1	33.5	11.6	241	2.85	11.6	0.9	4.1	7.3	26	<0.1	0.6	0.2	72	0.35	0.023
1290859	Soil	1.3	14.1	41.5	45	0.2	18.8	11.8	350	2.60	3.0	0.7	<0.5	9.3	23	<0.1	0.2	0.4	54	0.35	0.024
1290853	Soil	0.5	34.4	9.6	68	0.1	37.2	16.4	463	3.15	3.8	1.9	1.6	8.6	40	<0.1	0.2	0.1	58	1.40	0.064
1290867	Soil	1.3	17.9	10.0	66	0.1	23.0	10.8	293	2.70	5.9	0.4	0.9	2.9	20	0.1	0.3	0.1	64	0.34	0.027
1290864	Soil	0.9	38.3	24.2	75	<0.1	71.8	18.3	525	4.02	2.6	1.4	<0.5	14.5	20	<0.1	0.1	0.2	63	0.35	0.061
1290858	Soil	0.7	61.4	16.3	71	<0.1	56.3	18.3	516	3.21	4.5	0.6	1.9	7.2	26	<0.1	0.2	<0.1	52	0.46	0.036
1290852	Soil	0.4	28.3	7.8	59	<0.1	30.7	12.6	473	2.26	3.2	1.7	0.9	2.9	52	0.1	0.2	<0.1	43	2.33	0.051
1284431	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1284420	Soil	2.3	44.1	27.0	129	0.8	76.7	19.8	752	4.07	113.8	2.0	8.0	8.6	33	1.1	4.2	0.1	96	0.76	0.068
1284422	Soil	2.8	49.1	10.3	79	0.7	43.1	12.6	566	3.04	47.4	1.6	3.0	4.3	27	0.3	1.2	0.1	82	0.40	0.047
1284434	Soil	0.9	24.8	14.2	56	<0.1	33.0	14.2	359	3.07	33.6	1.3	7.3	8.1	16	<0.1	4.0	0.2	45	0.24	0.026
1284432	Soil	1.6	48.0	24.2	160	0.3	72.3	23.7	626	5.10	58.1	1.7	1.3	15.8	17	0.4	4.3	0.2	80	0.69	0.116
1284416	Soil	2.4	44.0	15.9	89	<0.1	42.8	16.3	433	3.86	22.4	0.8	4.5	7.0	15	0.3	1.0	0.2	90	0.17	0.033
1284421	Soil	3.4	66.0	10.6	146	0.5	58.3	19.9	648	4.37	43.3	2.0	4.4	5.2	38	1.0	1.6	0.2	125	0.46	0.091
1284425	Soil	2.8	43.7	13.7	105	0.3	48.0	16.3	473	3.86	166.7	1.3	34.2	6.8	24	0.3	1.9	0.1	106	0.40	0.056
1284415	Soil	3.5	82.1	28.7	270	0.7	87.6	22.1	1062	5.50	41.2	2.2	4.9	8.0	23	1.2	4.4	0.2	125	0.45	0.114
1284417	Soil	2.2	69.5	37.9	276	0.6	55.7	21.0	1528	4.75	100.3	1.4	8.1	11.3	70	1.6	6.2	0.3	70	1.33	0.057
1284418	Soil	1.5	44.1	17.6	102	0.4	42.3	16.3	625	3.68	35.5	1.5	4.4	4.4	26	0.7	2.1	0.1	103	0.58	0.068
1284427	Soil	1.6	49.8	12.1	91	0.1	75.9	23.4	512	4.82	15.4	1.0	0.6	4.5	15	0.1	0.6	0.2	158	0.37	0.082
1284423	Soil	3.7	57.0	11.6	110	0.4	35.8	11.2	397	3.54	28.2	2.5	2.8	5.5	27	0.3	1.2	0.2	91	0.27	0.060
1284428	Soil	1.2	42.5	8.8	79	0.1	50.0	17.9	348	4.12	15.1	0.8	6.1	6.2	14	<0.1	0.5	<0.1	120	0.34	0.069
1284419	Soil	3.6	72.1	52.2	201	0.5	91.9	22.3	791	4.60	53.1	1.6	2.8	7.9	24	1.3	3.7	0.1	138	0.42	0.085
1284424	Soil	10.7	79.3	33.5	300	0.5	72.6	11.1	442	3.73	697.0	1.7	28.9	1.8	27	2.2	8.2	0.4	96	0.10	0.084
1284433	Soil	1.3	43.6	13.0	99	0.2	56.4	18.8	576	4.21	29.5	1.1	3.4	9.2	23	0.2	1.9	0.1	75	0.77	0.067
1284413	Soil	2.2	58.6	10.1	94	<0.1	46.5	21.2	628	4.66	24.2	1.1	2.0	5.6	20	0.2	1.4	0.1	116	0.46	0.117

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000319.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1290870	Soil	20	55	0.95	191	0.133	2	1.60	0.012	0.38	0.1	0.04	3.9	0.3	<0.05	6	<0.5	<0.2
1290866	Soil	9	34	0.99	169	0.186	<1	2.09	0.008	0.80	0.1	0.01	3.5	0.6	<0.05	8	<0.5	<0.2
1290854	Soil	26	54	0.99	194	0.133	2	1.70	0.012	0.45	0.1	0.02	3.9	0.3	<0.05	6	<0.5	<0.2
1290825	Soil	21	55	1.00	217	0.106	2	1.56	0.011	0.30	0.1	0.04	3.7	0.3	<0.05	5	<0.5	<0.2
1290869	Soil	15	52	0.81	140	0.148	1	1.58	0.011	0.29	0.1	0.03	2.9	0.3	<0.05	7	<0.5	<0.2
1290863	Soil	13	46	0.65	515	0.104	<1	1.84	0.013	0.14	0.1	0.01	7.3	0.1	<0.05	5	<0.5	<0.2
1290859	Soil	15	34	0.62	322	0.099	1	1.44	0.009	0.31	0.2	0.02	3.0	0.2	<0.05	6	<0.5	<0.2
1290853	Soil	32	56	1.00	207	0.122	2	1.67	0.013	0.40	0.1	0.04	4.4	0.3	0.05	6	<0.5	<0.2
1290867	Soil	8	38	0.56	193	0.100	2	1.49	0.011	0.16	0.2	0.02	2.4	0.1	<0.05	5	<0.5	<0.2
1290864	Soil	17	84	1.46	183	0.198	<1	2.27	0.007	1.07	0.2	0.02	3.2	0.7	<0.05	7	<0.5	<0.2
1290858	Soil	17	72	1.03	202	0.131	1	1.64	0.008	0.48	0.1	0.02	4.0	0.3	<0.05	5	<0.5	<0.2
1290852	Soil	17	45	0.85	202	0.080	3	1.27	0.011	0.19	<0.1	0.04	2.8	0.2	0.09	4	<0.5	<0.2
1284431	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1284420	Soil	28	108	1.32	549	0.085	2	2.02	0.009	0.24	<0.1	0.05	9.6	0.4	<0.05	7	0.7	<0.2
1284422	Soil	13	62	0.78	338	0.091	2	1.85	0.012	0.28	<0.1	0.06	4.3	0.3	0.07	7	0.7	<0.2
1284434	Soil	21	37	0.38	298	0.019	1	1.19	0.009	0.08	<0.1	0.03	4.6	<0.1	<0.05	3	<0.5	<0.2
1284432	Soil	53	67	1.13	245	0.094	1	1.93	0.007	0.49	<0.1	0.06	9.0	0.8	<0.05	6	<0.5	<0.2
1284416	Soil	16	55	0.81	226	0.140	1	2.29	0.008	0.20	0.1	0.02	4.2	0.3	<0.05	8	<0.5	<0.2
1284421	Soil	20	89	1.44	544	0.161	1	2.53	0.014	0.53	<0.1	0.03	7.0	0.5	0.11	9	0.7	<0.2
1284425	Soil	18	82	1.02	456	0.113	1	2.17	0.008	0.23	0.1	0.08	6.9	0.7	<0.05	7	0.7	<0.2
1284415	Soil	40	85	0.86	463	0.091	2	1.81	0.007	0.37	0.1	0.09	12.5	0.9	<0.05	7	0.6	<0.2
1284417	Soil	51	47	1.20	493	0.111	2	1.87	0.009	0.26	0.1	0.06	8.5	0.4	<0.05	6	<0.5	<0.2
1284418	Soil	20	62	0.82	729	0.088	1	1.86	0.012	0.18	<0.1	0.06	6.3	0.2	<0.05	7	<0.5	<0.2
1284427	Soil	11	108	1.64	290	0.198	<1	2.70	0.012	0.98	0.3	0.01	6.0	0.7	<0.05	10	<0.5	<0.2
1284423	Soil	20	55	0.90	384	0.102	1	2.03	0.015	0.29	<0.1	0.03	4.8	0.3	0.26	7	1.4	<0.2
1284428	Soil	17	77	1.21	233	0.161	1	2.47	0.010	0.48	0.2	0.02	4.7	0.3	<0.05	8	<0.5	<0.2
1284419	Soil	26	135	2.24	657	0.163	<1	3.00	0.011	0.65	<0.1	0.04	10.1	0.6	0.11	10	0.9	<0.2
1284424	Soil	14	30	0.28	199	0.022	<1	1.00	0.007	0.07	0.2	0.02	2.6	0.4	0.08	4	2.4	<0.2
1284433	Soil	29	70	1.35	453	0.113	2	2.17	0.014	0.40	<0.1	0.06	7.2	0.4	<0.05	6	0.6	<0.2
1284413	Soil	23	65	1.40	558	0.236	<1	2.50	0.011	0.64	0.1	0.02	7.6	0.4	0.06	10	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000319.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1270114	Soil	0.2	146.2	5.7	68	0.2	24.6	26.3	657	5.26	2.4	0.4	6.4	2.0	25	<0.1	0.5	0.1	182	0.69	0.076
1270110	Soil	0.7	61.7	7.3	97	<0.1	18.3	17.1	932	4.94	6.3	0.6	1.1	2.9	74	0.1	0.2	0.1	137	0.84	0.144
1284430	Soil	1.0	42.8	13.5	110	0.2	76.6	16.8	217	4.18	20.2	1.8	0.6	13.1	14	<0.1	1.7	0.1	68	0.31	0.062
1270112	Soil	0.3	56.8	5.1	102	0.1	43.8	17.5	972	4.76	2.6	0.6	4.7	7.9	23	<0.1	0.4	0.1	112	0.75	0.197
1270111	Soil	0.7	79.2	12.1	79	0.1	24.8	15.6	676	4.19	9.6	0.6	6.4	4.4	75	<0.1	0.4	0.1	119	1.00	0.097
1270115	Soil	1.0	30.6	10.6	80	<0.1	19.7	12.0	399	3.74	8.4	0.5	1.3	4.9	29	0.1	0.4	<0.1	93	0.48	0.062
1284412	Soil	2.9	66.8	10.2	125	<0.1	102.5	23.0	469	4.30	45.0	1.0	0.8	3.9	20	0.3	2.2	0.1	103	0.23	0.089
1270113	Soil	0.7	36.8	9.0	70	<0.1	28.1	11.5	339	3.56	13.7	0.5	3.3	6.4	26	<0.1	0.5	0.1	86	0.39	0.049
1270116	Soil	0.6	25.5	10.0	73	0.1	16.1	14.1	732	3.00	5.7	1.2	1.6	3.3	39	0.2	0.5	0.1	72	0.79	0.083
1270105	Soil	0.8	52.8	15.5	81	0.2	28.0	12.0	767	2.98	13.8	2.1	3.7	5.2	57	0.3	1.2	<0.1	75	0.82	0.076
1284450	Soil	1.5	38.5	12.3	86	0.3	44.8	16.0	364	3.86	34.8	1.1	3.7	5.0	11	0.1	0.8	<0.1	112	0.28	0.069
1270109	Soil	0.2	105.5	6.1	56	0.2	26.2	21.0	370	4.00	4.1	0.4	3.5	1.6	76	<0.1	0.1	<0.1	144	0.84	0.039
1270101	Rock Pulp	1.4	464.0	21.5	164	0.2	225.5	79.1	821	15.58	3.0	1.2	31.3	7.5	13	0.1	0.4	0.2	227	0.29	0.044
1270106	Soil	0.5	41.9	8.8	69	<0.1	21.2	11.7	438	3.14	10.7	0.4	<0.5	2.2	79	0.1	0.5	<0.1	91	0.74	0.072
1271447	Soil	0.1	86.7	3.2	29	<0.1	22.6	12.8	243	2.13	3.9	0.3	2.0	1.1	94	<0.1	0.2	<0.1	77	1.00	0.087
1271443	Soil	0.6	114.3	12.0	70	0.2	27.2	14.6	667	3.39	10.2	1.1	5.3	3.8	50	0.1	0.5	<0.1	96	0.69	0.054
1271445	Soil	1.0	48.6	13.3	75	0.2	25.5	12.0	484	2.68	11.5	1.4	3.4	4.1	55	0.2	1.1	0.1	74	1.01	0.057
1271437	Soil	0.8	59.4	9.3	56	0.2	22.2	13.4	502	2.92	5.7	0.8	2.5	3.1	47	0.1	0.5	0.1	78	0.94	0.028
1270103	Soil	0.6	37.7	16.6	76	<0.1	16.4	15.6	715	3.88	7.1	0.7	1.1	4.9	461	0.1	0.2	<0.1	104	0.85	0.072
1271444	Soil	1.0	73.0	14.4	84	0.2	31.9	13.8	601	3.18	18.6	1.3	5.2	3.6	46	0.2	1.1	0.1	91	0.74	0.058
1271442	Soil	0.4	41.5	11.2	65	<0.1	18.4	12.6	426	2.95	7.7	0.6	0.9	3.2	77	0.1	0.4	0.1	73	0.74	0.080
1271434	Soil	0.9	17.5	8.6	65	<0.1	14.9	11.8	775	2.62	5.0	1.1	1.7	2.7	39	0.2	0.4	0.1	69	0.77	0.075
1271446	Soil	1.3	56.0	21.5	73	0.2	26.7	13.2	612	3.02	12.3	1.4	4.1	5.9	45	0.2	1.4	0.2	80	0.67	0.043
1270107	Soil	0.4	100.3	6.5	59	<0.1	22.3	17.5	390	3.79	10.0	0.5	2.8	2.1	101	0.1	0.4	<0.1	124	1.01	0.093
1270104	Soil	1.7	34.0	27.6	76	0.3	34.7	11.9	607	3.11	30.3	2.0	2.6	8.8	26	0.2	2.5	0.3	69	0.61	0.040
1271449	Soil	0.8	16.4	19.1	97	<0.1	11.9	10.8	474	4.00	4.0	0.5	<0.5	3.5	43	<0.1	0.2	0.2	80	0.34	0.061
1271448	Soil	0.4	56.3	6.0	96	<0.1	17.9	14.9	556	3.89	2.4	0.4	0.7	2.4	40	<0.1	0.1	<0.1	109	0.66	0.127
1270102	Soil	2.3	53.7	50.4	140	0.4	32.2	25.6	1423	5.39	31.1	3.5	4.2	9.7	18	0.2	4.3	0.3	105	0.34	0.019
1270108	Soil	0.2	37.0	6.8	113	<0.1	11.0	13.1	772	4.95	5.0	0.4	<0.5	3.8	191	0.1	0.2	<0.1	121	1.15	0.211
1271450	Soil	1.1	86.3	26.8	63	0.3	26.1	19.9	883	4.11	5.6	1.0	5.3	2.9	47	0.1	0.4	0.3	114	0.85	0.048

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000319.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1270114	Soil	18	26	1.32	323	0.170	<1	2.03	0.047	0.25	<0.1	0.08	11.3	0.3	<0.05	8	<0.5	<0.2
1270110	Soil	8	43	1.57	382	0.291	<1	2.38	0.023	0.60	<0.1	0.01	11.0	0.3	<0.05	11	<0.5	<0.2
1284430	Soil	30	62	0.77	153	0.082	1	1.56	0.009	0.37	<0.1	0.03	5.4	0.5	<0.05	5	0.7	<0.2
1270112	Soil	32	142	1.35	268	0.028	<1	2.01	0.007	0.06	<0.1	0.05	10.9	<0.1	<0.05	11	<0.5	<0.2
1270111	Soil	17	39	1.23	320	0.186	1	2.24	0.035	0.14	0.3	0.04	9.2	0.1	<0.05	9	<0.5	<0.2
1270115	Soil	13	36	0.85	236	0.145	1	1.98	0.011	0.22	0.1	0.02	5.3	0.1	<0.05	8	<0.5	<0.2
1284412	Soil	16	123	1.35	439	0.191	<1	1.94	0.018	0.70	0.2	0.01	4.4	0.5	0.23	8	0.9	<0.2
1270113	Soil	22	38	0.80	252	0.091	1	1.98	0.012	0.12	0.1	0.02	7.4	<0.1	0.06	7	<0.5	<0.2
1270116	Soil	14	27	0.64	262	0.070	1	1.38	0.017	0.05	0.1	0.06	5.0	0.1	0.12	5	<0.5	<0.2
1270105	Soil	33	40	0.73	446	0.069	2	1.75	0.017	0.11	0.1	0.07	7.2	0.2	0.08	7	<0.5	<0.2
1284450	Soil	15	69	1.09	327	0.142	<1	2.07	0.007	0.54	<0.1	0.02	5.9	0.4	0.06	7	0.6	<0.2
1270109	Soil	9	25	1.37	225	0.263	<1	2.69	0.079	0.08	<0.1	0.01	4.4	<0.1	0.05	8	<0.5	<0.2
1270101	Rock Pulp	17	736	0.14	144	0.167	3	4.05	0.013	0.07	<0.1	0.03	40.2	0.1	0.08	20	0.6	<0.2
1270106	Soil	8	32	0.91	295	0.155	<1	1.91	0.022	0.14	<0.1	0.01	4.7	0.1	<0.05	8	<0.5	<0.2
1271447	Soil	5	31	1.05	169	0.145	<1	2.10	0.033	0.10	<0.1	0.01	4.0	<0.1	<0.05	6	<0.5	<0.2
1271443	Soil	25	34	0.89	252	0.128	<1	2.20	0.028	0.17	0.1	0.03	7.4	0.1	0.06	8	<0.5	<0.2
1271445	Soil	17	39	0.74	331	0.088	2	1.72	0.019	0.11	<0.1	0.07	6.1	0.2	0.07	6	0.5	<0.2
1271437	Soil	11	32	0.68	277	0.102	1	1.71	0.018	0.08	<0.1	0.02	5.2	<0.1	0.08	6	<0.5	<0.2
1270103	Soil	9	31	1.27	388	0.095	<1	2.98	0.032	0.23	0.2	0.02	9.1	0.2	<0.05	10	<0.5	<0.2
1271444	Soil	14	44	0.88	329	0.123	1	2.03	0.024	0.10	0.2	0.05	6.9	0.2	0.08	7	<0.5	<0.2
1271442	Soil	11	29	1.00	176	0.059	<1	1.93	0.020	0.08	<0.1	0.01	4.8	<0.1	<0.05	7	<0.5	<0.2
1271434	Soil	13	26	0.54	284	0.064	2	1.37	0.016	0.05	0.2	0.05	4.4	0.1	0.08	5	<0.5	<0.2
1271446	Soil	16	43	0.78	252	0.102	1	1.79	0.028	0.10	0.1	0.05	6.2	0.2	0.07	7	<0.5	<0.2
1270107	Soil	8	29	1.16	285	0.192	<1	2.47	0.042	0.17	<0.1	0.01	5.0	0.1	<0.05	9	<0.5	<0.2
1270104	Soil	25	51	0.64	277	0.074	1	1.72	0.021	0.09	0.3	0.05	6.7	0.2	0.10	6	<0.5	<0.2
1271449	Soil	9	20	0.97	164	0.053	<1	2.59	0.013	0.15	<0.1	0.01	5.0	0.1	<0.05	12	<0.5	<0.2
1271448	Soil	6	33	1.23	265	0.182	1	2.29	0.022	0.52	<0.1	0.02	5.9	0.3	<0.05	10	<0.5	<0.2
1270102	Soil	42	36	0.57	325	0.002	1	1.59	0.004	0.07	0.2	0.27	24.4	0.4	0.06	6	<0.5	<0.2
1270108	Soil	12	20	1.27	366	0.202	<1	2.33	0.020	0.33	<0.1	<0.01	7.3	0.2	<0.05	13	<0.5	<0.2
1271450	Soil	13	38	0.97	290	0.077	1	2.19	0.052	0.09	0.2	0.04	11.6	0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000319.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1292583	Soil	6.6	130.9	11.1	265	2.5	85.5	16.9	437	4.00	27.2	4.1	2.4	4.4	42	1.5	0.3	0.2	107	0.75	0.137
1292573	Soil	6.8	89.1	12.4	142	0.7	58.4	14.6	474	4.55	31.1	2.5	9.1	5.1	24	0.4	0.2	0.4	145	0.24	0.066
1292567	Soil	0.9	12.9	7.4	59	<0.1	16.5	9.1	370	2.83	4.6	0.5	1.2	2.4	18	<0.1	0.3	<0.1	55	0.30	0.039
1271440	Soil	1.2	74.8	31.2	80	0.2	29.9	17.0	530	4.18	10.8	0.7	3.5	4.1	64	<0.1	0.3	0.9	112	0.66	0.052
1292591	Soil	3.6	109.1	16.6	198	1.8	95.9	17.5	428	3.76	62.1	1.6	14.0	3.6	36	0.8	1.4	0.2	80	0.73	0.055
1292580	Soil	3.1	90.0	9.9	180	0.8	89.8	28.0	515	5.59	13.9	2.0	2.5	4.6	37	0.7	0.3	0.2	102	0.29	0.067
1292577	Soil	2.8	30.4	10.7	112	0.5	44.2	13.2	718	3.47	36.6	0.8	<0.5	2.4	18	0.8	0.5	0.3	83	0.26	0.032
1271436	Soil	0.9	31.2	7.4	64	0.1	16.9	10.8	450	2.58	5.2	1.1	5.0	3.1	56	<0.1	0.3	0.1	71	0.85	0.069
1292584	Soil	4.6	74.5	14.1	240	0.8	94.4	16.2	329	3.65	65.0	2.0	4.3	3.1	28	2.2	2.0	0.2	84	0.39	0.051
1292579	Soil	4.4	68.5	18.0	194	1.5	93.9	17.1	567	4.60	76.6	1.3	4.0	3.2	27	1.7	1.0	0.2	112	0.47	0.067
1271439	Soil	0.6	60.2	16.0	74	0.2	21.3	13.1	585	3.33	6.8	0.7	4.0	3.0	37	0.1	0.4	0.2	81	0.83	0.073
1271435	Soil	1.8	86.4	8.2	79	0.2	20.4	18.4	809	4.19	4.2	1.0	4.6	3.6	50	0.2	0.2	<0.1	126	0.96	0.076
1292592	Soil	3.1	52.2	16.0	120	0.7	58.3	13.4	275	3.61	45.8	1.1	4.9	3.3	25	0.6	0.8	0.2	82	0.23	0.033
1292587	Soil	3.4	63.0	11.4	97	0.7	45.3	9.2	301	3.68	40.1	1.2	7.9	2.7	27	0.4	0.7	0.1	88	0.28	0.052
1271441	Soil	0.8	70.8	6.0	86	<0.1	22.3	19.1	918	5.56	4.0	0.5	3.5	2.7	93	<0.1	0.2	<0.1	140	0.78	0.061
1271438	Soil	0.7	52.7	10.8	100	<0.1	17.3	13.8	603	4.32	3.7	0.4	<0.5	3.5	40	<0.1	0.3	0.1	89	0.78	0.138
1292586	Soil	6.8	123.5	11.5	251	1.3	114.6	22.1	398	4.61	18.1	2.7	2.4	6.0	29	1.2	0.5	0.2	94	0.41	0.057
1292590	Soil	3.5	80.3	8.6	127	1.1	52.3	16.1	213	3.09	10.3	1.5	1.8	3.2	26	0.4	0.3	0.1	69	0.16	0.035
1292570	Soil	2.2	39.8	7.9	90	0.2	41.6	10.9	365	3.37	12.6	0.9	3.8	2.4	18	0.2	0.3	0.7	90	0.22	0.059
1292568	Soil	2.0	40.8	7.7	101	0.2	64.8	13.5	413	4.24	7.9	1.1	<0.5	5.2	15	0.1	0.3	0.2	129	0.19	0.037
1292572	Soil	2.9	26.0	11.5	72	0.2	28.9	11.3	367	3.70	29.9	0.6	1.3	2.9	15	0.2	0.3	0.2	97	0.18	0.058
1292576	Soil	5.3	93.7	10.1	157	1.8	67.6	13.3	254	4.16	43.7	1.9	1.9	3.7	34	0.5	0.4	0.2	74	0.23	0.072
1292578	Soil	2.6	25.8	12.1	110	0.9	34.2	10.9	500	3.32	18.3	0.6	1.2	2.1	16	0.9	0.5	0.2	87	0.26	0.027
1292589	Soil	3.6	96.7	9.2	151	1.1	51.1	12.6	293	3.72	69.0	2.1	4.5	5.2	24	0.5	0.6	0.2	82	0.19	0.049
1292574	Soil	3.1	54.7	11.2	148	0.6	54.6	13.6	675	4.05	48.9	1.9	3.3	3.2	22	0.5	0.4	0.2	80	0.31	0.069
1292588	Soil	5.4	132.8	11.2	174	2.2	76.6	12.5	325	3.80	37.5	1.8	7.5	4.2	36	1.3	0.7	0.2	79	0.26	0.073
1292575	Soil	5.0	108.8	9.7	185	1.5	77.9	13.8	303	4.06	42.0	2.2	1.6	4.1	35	0.7	0.4	0.2	77	0.24	0.068
1292581	Soil	10.9	95.3	9.7	93	1.1	58.3	11.8	322	5.54	2.6	2.5	2.8	4.2	46	0.3	0.1	0.2	93	0.40	0.112
1292569	Soil	4.2	51.0	6.7	127	0.2	105.2	15.0	638	4.72	10.3	1.4	7.8	5.0	37	0.2	0.4	0.1	190	0.60	0.105
1292585	Soil	2.9	70.1	13.0	201	0.8	81.7	16.8	459	4.09	32.4	1.6	9.7	3.4	34	0.9	0.6	0.2	104	0.79	0.064

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000319.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1292583	Soil	23	54	0.64	717	0.062	1	1.56	0.021	0.20	0.1	0.04	6.4	0.2	0.36	5	7.2	<0.2
1292573	Soil	20	64	1.19	612	0.133	<1	2.29	0.021	0.39	0.1	0.02	5.0	0.3	0.27	8	1.6	<0.2
1292567	Soil	7	25	0.63	245	0.040	<1	1.72	0.010	0.15	<0.1	0.01	4.0	<0.1	0.07	6	<0.5	<0.2
1271440	Soil	11	41	1.24	296	0.138	<1	2.50	0.024	0.17	0.1	0.02	9.4	0.1	0.06	9	<0.5	<0.2
1292591	Soil	14	38	0.59	1130	0.033	1	1.28	0.015	0.06	7.3	0.10	7.8	0.3	0.11	4	2.4	<0.2
1292580	Soil	19	67	1.01	415	0.101	<1	2.11	0.026	0.22	<0.1	0.03	8.4	0.2	0.29	6	1.6	<0.2
1292577	Soil	8	25	0.49	728	0.070	2	1.31	0.012	0.13	0.1	0.02	4.5	0.3	0.09	5	0.7	<0.2
1271436	Soil	11	30	0.67	237	0.096	2	1.48	0.021	0.06	0.2	0.04	5.2	0.1	0.07	5	0.6	<0.2
1292584	Soil	12	40	0.44	807	0.027	2	1.36	0.010	0.09	0.2	0.04	6.1	0.3	0.06	4	1.9	<0.2
1292579	Soil	12	43	0.41	1852	0.024	2	1.34	0.008	0.05	0.2	0.06	7.6	0.4	0.05	3	1.7	<0.2
1271439	Soil	11	32	1.07	279	0.074	<1	1.87	0.021	0.10	<0.1	0.02	6.3	<0.1	<0.05	8	<0.5	<0.2
1271435	Soil	11	36	1.58	290	0.188	1	2.18	0.038	0.26	<0.1	0.02	14.2	0.2	<0.05	8	<0.5	<0.2
1292592	Soil	12	41	0.51	942	0.041	2	1.69	0.011	0.07	0.4	0.04	4.8	0.2	<0.05	5	1.3	<0.2
1292587	Soil	12	46	0.57	729	0.069	1	1.55	0.014	0.15	0.2	0.01	3.4	0.2	0.15	6	2.5	<0.2
1271441	Soil	8	37	1.76	379	0.219	<1	3.30	0.020	0.58	<0.1	0.01	15.4	0.2	<0.05	13	<0.5	<0.2
1271438	Soil	10	31	1.13	269	0.067	<1	2.22	0.011	0.11	0.1	0.01	6.4	<0.1	<0.05	11	<0.5	<0.2
1292586	Soil	23	55	0.91	684	0.098	1	1.73	0.017	0.31	0.1	0.03	5.7	0.4	0.29	6	5.2	<0.2
1292590	Soil	13	39	0.80	319	0.087	<1	1.56	0.016	0.11	0.1	0.01	3.6	0.2	0.13	5	3.4	<0.2
1292570	Soil	13	45	0.73	293	0.104	1	1.80	0.012	0.23	0.2	0.02	3.9	0.2	<0.05	7	0.7	<0.2
1292568	Soil	13	108	1.60	277	0.139	1	3.00	0.012	0.21	0.1	0.01	6.2	0.3	<0.05	10	0.8	<0.2
1292572	Soil	11	45	0.68	159	0.078	1	1.88	0.009	0.10	0.1	0.03	3.7	0.1	<0.05	8	<0.5	<0.2
1292576	Soil	16	39	0.59	550	0.058	<1	1.29	0.016	0.17	0.1	0.02	4.0	0.2	0.26	5	6.4	0.3
1292578	Soil	8	37	0.44	834	0.070	<1	1.57	0.012	0.10	0.2	0.02	3.8	0.2	<0.05	7	0.8	<0.2
1292589	Soil	22	37	0.83	785	0.056	<1	1.40	0.016	0.19	<0.1	0.01	6.4	0.4	0.19	6	4.7	0.4
1292574	Soil	34	41	0.69	593	0.053	2	1.61	0.009	0.10	0.1	0.03	7.0	0.3	<0.05	6	1.3	<0.2
1292588	Soil	15	39	0.65	725	0.040	<1	1.05	0.008	0.13	0.2	0.04	4.5	0.6	0.17	5	6.4	0.5
1292575	Soil	18	40	0.67	531	0.055	<1	1.33	0.015	0.19	0.1	0.02	4.9	0.2	0.27	5	5.9	0.3
1292581	Soil	24	59	0.87	423	0.138	<1	1.49	0.039	0.25	0.1	0.02	4.8	0.3	0.50	7	3.9	0.2
1292569	Soil	23	193	1.45	938	0.130	1	2.82	0.021	0.32	0.2	0.03	10.1	0.3	<0.05	10	1.0	<0.2
1292585	Soil	15	50	0.81	867	0.056	1	1.68	0.018	0.10	0.1	0.04	8.5	0.2	0.09	6	3.0	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000319.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1292571	Soil	2.3	22.9	10.8	80	0.2	27.1	10.4	375	3.57	19.4	0.8	2.0	1.8	16	0.3	0.3	0.3	84	0.19	0.068
1292582	Soil	9.7	130.7	9.6	216	1.3	80.1	15.1	421	5.31	27.3	3.7	1.4	4.8	38	0.8	0.2	0.1	159	0.41	0.115
1293382	Soil	1.9	36.0	8.9	98	0.3	39.3	12.0	335	3.68	12.7	0.7	1.1	3.6	14	0.2	0.4	0.1	81	0.16	0.023
1293398	Soil	4.0	51.0	13.6	102	0.7	31.4	6.5	175	2.88	24.5	2.4	7.6	1.7	27	0.5	0.6	0.2	78	0.22	0.089
1293399	Soil	2.0	37.8	11.1	84	0.5	43.4	14.4	583	3.81	6.5	1.0	2.3	8.4	15	0.1	0.4	0.1	64	0.17	0.023
1293005	Soil	1.2	38.9	16.2	83	0.2	41.2	19.7	510	4.13	3.7	1.7	5.8	5.5	27	<0.1	0.1	0.2	89	0.73	0.093
1293383	Soil	2.0	96.5	5.7	120	0.5	28.4	5.0	340	5.59	26.0	0.9	21.3	2.8	15	0.2	0.3	<0.1	221	0.13	0.063
1293394	Soil	7.9	161.8	13.1	124	1.3	41.1	8.3	189	3.12	9.3	2.7	7.2	3.0	32	0.9	0.3	0.1	93	0.26	0.115
1293395	Soil	4.0	48.5	9.4	60	0.7	19.7	4.8	109	2.37	7.2	1.2	2.6	1.4	23	0.3	0.3	0.1	60	0.22	0.079
1293001	Rock Pulp	1.4	446.2	18.2	152	0.2	223.4	75.5	819	15.91	2.6	1.1	29.0	6.3	14	<0.1	0.3	0.1	222	0.29	0.043
1293379	Soil	3.3	79.4	9.9	107	0.4	43.8	11.9	415	3.92	34.2	1.9	4.5	3.9	29	0.3	0.5	0.1	116	0.30	0.038
1293378	Soil	2.4	28.8	14.9	102	0.2	37.4	11.1	412	3.71	65.6	0.7	1.5	3.3	14	0.3	0.6	0.1	85	0.17	0.074
1293396	Soil	4.1	45.9	9.9	59	1.0	16.6	4.1	137	2.68	10.6	1.5	4.9	2.4	23	0.2	0.4	0.1	76	0.19	0.074
1293004	Soil	1.5	20.8	10.0	74	<0.1	30.4	15.8	444	3.76	5.5	0.5	1.7	3.6	18	<0.1	0.2	0.1	91	0.36	0.066
1293381	Soil	2.7	35.6	9.7	91	0.4	34.1	11.4	366	4.13	26.2	0.8	4.1	2.8	21	0.3	0.5	0.1	105	0.25	0.049
1293380	Soil	3.0	41.9	11.3	91	0.9	43.5	12.0	363	3.91	25.6	0.8	3.0	3.2	20	0.3	0.5	0.2	112	0.22	0.043
1293397	Soil	2.4	20.2	8.6	58	0.7	23.4	7.1	170	2.70	13.6	0.5	1.2	2.0	15	0.6	0.6	0.1	75	0.15	0.028
1293400	Soil	3.0	50.7	22.4	77	0.5	50.4	16.0	828	3.87	13.4	1.3	6.3	7.0	16	0.1	0.5	0.2	71	0.19	0.027
1293391	Soil	3.5	21.3	9.1	94	0.7	21.0	6.7	220	2.80	10.9	0.7	2.2	2.3	19	0.4	0.4	0.1	81	0.16	0.067
1293003	Soil	2.0	27.3	24.9	77	0.3	42.3	16.5	983	3.60	3.4	0.6	2.0	4.0	18	0.2	0.2	0.3	82	0.35	0.052
1293386	Soil	1.8	56.4	6.6	62	0.2	34.6	17.6	396	3.74	4.3	1.2	0.7	2.0	20	<0.1	0.2	<0.1	102	0.34	0.067
1293475	Soil	1.9	34.2	9.0	69	0.2	27.6	14.5	505	4.17	107.8	0.9	1.5	3.0	16	0.2	0.9	0.1	101	0.22	0.028
1293389	Soil	3.6	38.6	8.7	75	0.4	60.0	12.3	363	3.37	8.0	0.9	1.4	3.2	18	0.3	0.4	0.1	82	0.19	0.119
1293393	Soil	7.8	56.8	21.6	149	0.7	24.0	5.8	269	3.46	8.2	2.5	2.6	2.9	21	0.6	0.3	0.1	126	0.09	0.072
1293387	Soil	2.8	40.4	9.8	69	0.2	33.6	10.3	343	3.59	7.5	0.8	0.6	2.7	17	0.2	0.3	0.1	87	0.21	0.118
1293385	Soil	3.8	88.8	8.8	160	0.2	39.7	9.4	663	4.41	4.5	2.7	<0.5	6.8	19	0.2	0.2	0.1	140	0.14	0.036
1293043	Soil	1.2	20.3	5.8	74	0.3	19.1	14.2	708	3.69	14.2	1.6	9.6	2.9	30	0.1	0.5	<0.1	77	1.14	0.049
1293002	Soil	3.3	14.0	9.2	49	0.5	13.5	7.7	1719	2.29	3.7	0.4	22.7	2.1	15	0.1	0.3	0.1	47	0.21	0.030
1293388	Soil	4.7	90.1	7.3	135	0.2	48.4	9.8	412	4.48	39.4	2.3	1.1	7.3	23	0.2	0.2	<0.1	94	0.38	0.059
1293376	Soil	6.1	69.8	16.8	121	0.1	46.0	26.6	1438	6.63	111.1	2.4	3.2	3.3	18	0.2	2.3	0.2	146	0.12	0.036

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000319.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1292571	Soil	12	44	0.54	196	0.070	1	1.82	0.012	0.08	0.3	0.03	3.3	0.2	<0.05	8	<0.5	<0.2
1292582	Soil	24	65	1.12	414	0.120	<1	1.95	0.035	0.35	0.1	0.02	7.5	0.3	0.47	8	5.4	<0.2
1293382	Soil	9	39	0.76	279	0.079	1	2.22	0.010	0.08	0.1	0.03	5.3	0.2	<0.05	6	0.8	<0.2
1293398	Soil	14	45	0.42	693	0.040	1	1.40	0.009	0.07	0.2	0.11	4.1	0.3	<0.05	5	2.5	<0.2
1293399	Soil	27	44	0.85	386	0.115	<1	2.02	0.012	0.33	<0.1	0.03	4.4	0.3	<0.05	7	0.7	<0.2
1293005	Soil	20	69	1.68	383	0.206	<1	2.50	0.015	0.90	0.2	0.03	4.4	0.5	<0.05	8	<0.5	<0.2
1293383	Soil	19	90	1.49	953	0.180	<1	2.84	0.009	0.67	<0.1	0.02	4.8	0.9	0.27	13	2.7	<0.2
1293394	Soil	17	41	0.48	434	0.075	1	1.60	0.018	0.10	0.1	0.07	5.6	0.2	0.14	6	4.2	<0.2
1293395	Soil	13	34	0.38	304	0.060	<1	1.16	0.010	0.07	0.1	0.06	3.2	0.2	0.09	5	1.8	<0.2
1293001	Rock Pulp	16	725	0.13	128	0.179	4	4.27	0.014	0.06	<0.1	0.03	38.8	0.1	<0.05	21	<0.5	<0.2
1293379	Soil	16	60	0.96	742	0.109	<1	2.02	0.024	0.27	<0.1	0.04	9.8	0.3	0.15	8	2.1	<0.2
1293378	Soil	12	51	0.55	190	0.067	<1	1.71	0.007	0.10	0.1	0.02	4.1	0.2	<0.05	7	<0.5	<0.2
1293396	Soil	14	36	0.44	539	0.060	1	1.17	0.011	0.09	0.2	0.09	3.6	0.2	0.08	5	5.3	<0.2
1293004	Soil	9	53	1.08	294	0.207	<1	2.19	0.013	0.50	0.2	0.02	3.4	0.4	<0.05	8	<0.5	<0.2
1293381	Soil	9	45	0.69	507	0.092	<1	2.18	0.011	0.12	0.1	0.03	5.1	0.2	0.05	8	1.1	<0.2
1293380	Soil	10	54	0.68	536	0.092	<1	2.37	0.011	0.08	0.1	0.04	5.0	0.2	<0.05	8	0.9	<0.2
1293397	Soil	9	34	0.39	517	0.055	<1	1.54	0.009	0.06	0.1	0.02	2.6	0.2	<0.05	6	<0.5	<0.2
1293400	Soil	19	45	0.66	551	0.091	<1	2.15	0.013	0.23	0.1	0.03	5.4	0.3	<0.05	7	0.7	<0.2
1293391	Soil	8	31	0.37	503	0.041	<1	1.41	0.009	0.06	0.2	0.02	2.5	0.1	0.05	6	0.6	<0.2
1293003	Soil	8	61	1.10	437	0.171	1	1.90	0.011	0.61	0.1	0.02	3.8	0.4	<0.05	8	<0.5	<0.2
1293386	Soil	10	53	1.22	444	0.144	<1	2.22	0.031	0.37	0.1	<0.01	3.9	0.2	0.15	7	0.7	<0.2
1293475	Soil	11	33	0.64	194	0.047	1	1.88	0.010	0.09	0.1	0.03	8.5	0.1	<0.05	6	0.8	<0.2
1293389	Soil	10	75	0.94	334	0.105	1	1.95	0.012	0.31	0.2	0.02	3.2	0.2	0.13	7	0.9	<0.2
1293393	Soil	15	35	0.63	416	0.127	1	2.00	0.014	0.29	<0.1	0.03	4.7	0.3	0.19	8	1.9	<0.2
1293387	Soil	11	40	0.76	225	0.111	<1	1.68	0.013	0.19	0.2	0.02	3.3	0.2	0.13	8	<0.5	<0.2
1293385	Soil	16	95	2.01	522	0.175	<1	3.00	0.012	0.63	<0.1	<0.01	7.6	0.5	0.24	12	2.0	<0.2
1293043	Soil	13	33	0.96	234	0.051	2	1.73	0.012	0.18	<0.1	0.05	9.9	0.1	<0.05	5	<0.5	<0.2
1293002	Soil	8	19	0.35	624	0.064	1	1.11	0.014	0.11	0.1	0.02	2.6	0.1	<0.05	5	<0.5	0.2
1293388	Soil	29	60	1.55	567	0.145	<1	2.02	0.015	0.95	<0.1	<0.01	5.2	0.6	0.35	7	1.8	<0.2
1293376	Soil	12	41	0.49	227	0.018	1	1.40	0.005	0.09	0.1	0.06	21.4	0.3	<0.05	4	2.2	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000319.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1293044	Soil	0.8	24.6	6.7	68	0.3	26.9	11.7	468	2.64	11.3	3.2	5.1	3.5	41	0.2	0.4	<0.1	56	1.29	0.066
1293390	Soil	4.1	56.4	11.3	93	0.5	23.4	8.0	327	3.64	9.3	2.1	<0.5	2.4	45	0.2	0.2	<0.1	136	0.23	0.055
1293392	Soil	3.8	38.8	10.6	69	0.6	22.6	7.8	210	3.76	12.1	1.1	5.1	3.2	26	0.2	0.5	0.1	76	0.14	0.087
1293384	Soil	3.2	43.3	7.7	97	0.5	35.2	11.2	408	3.39	15.1	0.6	1.0	2.4	15	0.2	0.5	<0.1	105	0.19	0.032
1293048	Soil	4.0	81.6	8.2	106	0.6	63.7	13.4	301	3.30	6.0	2.0	1.2	2.3	45	0.3	0.3	<0.1	95	0.40	0.085
1293037	Soil	0.6	40.2	5.8	80	<0.1	102.6	23.4	709	5.44	1.9	1.4	0.9	5.8	44	<0.1	<0.1	<0.1	82	0.82	0.168
1296631	Soil	1.0	32.2	8.2	80	<0.1	49.2	14.1	378	3.60	3.6	0.3	0.6	1.9	15	<0.1	0.1	<0.1	100	0.19	0.039
1293042	Soil	1.1	17.3	6.1	61	0.2	16.1	12.5	594	3.31	8.8	2.7	3.8	3.9	28	0.1	0.3	<0.1	72	1.07	0.049
1293046	Soil	15.0	69.8	44.2	204	0.6	102.9	19.0	501	4.47	41.6	1.7	2.5	3.7	53	0.5	0.4	0.2	133	0.29	0.131
1293051	Rock Pulp	2.4	22.6	1.8	40	0.3	23.8	9.4	378	2.30	4.4	0.2	0.7	0.7	29	0.2	0.3	<0.1	55	0.75	0.057
1293040	Soil	4.5	45.8	8.1	75	0.2	41.8	14.2	505	3.21	17.2	1.6	1.8	3.1	32	0.2	0.2	<0.1	87	0.87	0.067
1293045	Soil	1.0	21.9	6.0	57	0.1	27.9	12.1	419	3.43	7.9	1.8	1.5	5.5	28	0.1	0.8	<0.1	58	1.01	0.066
1293049	Soil	1.1	38.1	6.4	78	0.2	31.0	9.3	275	2.22	9.5	2.7	5.0	4.6	45	0.3	0.3	<0.1	50	0.87	0.074
1293050	Soil	4.6	76.2	10.5	116	1.9	61.1	10.0	431	2.73	10.4	2.6	7.0	1.8	53	0.8	0.4	0.2	65	0.53	0.075
1293041	Soil	1.0	21.9	5.3	67	0.2	33.1	11.7	367	3.48	5.2	2.2	1.5	5.7	30	<0.1	0.5	<0.1	64	1.23	0.075
1293039	Soil	1.4	22.8	7.1	57	0.1	36.4	16.9	661	3.75	9.6	2.8	2.6	12.6	24	<0.1	0.9	<0.1	76	0.84	0.059
1293047	Soil	5.1	103.2	6.0	74	0.6	80.2	22.1	672	2.62	5.2	6.5	2.3	2.3	52	0.5	0.2	<0.1	73	1.17	0.077
1293052	Soil	7.1	47.3	12.9	126	0.5	37.6	5.5	184	2.81	2.9	2.4	0.8	5.2	67	0.9	0.2	0.3	61	0.45	0.074
1293036	Soil	1.0	13.1	7.5	77	<0.1	29.3	9.7	494	3.18	3.8	1.2	3.4	11.2	25	<0.1	0.1	<0.1	53	0.61	0.047
1293038	Soil	1.8	12.6	13.6	63	0.1	18.5	5.7	224	2.97	7.8	0.9	9.3	10.7	13	0.1	0.5	0.2	61	0.18	0.031

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000319.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1293044	Soil	21	37	0.71	426	0.061	2	1.35	0.017	0.15	0.1	0.06	6.2	0.2	0.07	5	0.7	<0.2
1293390	Soil	14	48	1.38	475	0.173	<1	1.91	0.036	0.18	<0.1	<0.01	7.2	0.2	0.40	8	2.5	<0.2
1293392	Soil	13	41	0.53	661	0.065	<1	1.79	0.016	0.16	0.1	0.02	3.5	0.2	0.27	6	1.8	<0.2
1293384	Soil	7	41	0.76	231	0.061	<1	1.85	0.009	0.07	0.1	0.01	4.8	0.1	<0.05	6	0.6	<0.2
1293048	Soil	13	49	0.84	334	0.101	1	1.71	0.018	0.18	0.1	0.02	4.4	0.2	0.14	7	1.5	<0.2
1293037	Soil	27	149	2.37	503	0.229	<1	2.99	0.014	0.91	0.1	0.02	5.5	0.6	<0.05	10	<0.5	<0.2
1296631	Soil	5	116	1.62	170	0.221	<1	2.37	0.012	0.38	0.2	0.01	3.0	0.2	<0.05	9	<0.5	<0.2
1293042	Soil	18	37	1.02	328	0.080	1	1.73	0.011	0.28	<0.1	0.05	7.7	0.2	<0.05	6	<0.5	<0.2
1293046	Soil	15	89	0.92	948	0.082	2	1.77	0.016	0.18	0.2	0.03	6.8	0.3	0.19	7	2.2	<0.2
1293051	Rock Pulp	3	28	0.74	73	0.097	2	1.37	0.074	0.11	14.2	0.01	4.1	<0.1	0.05	5	<0.5	<0.2
1293040	Soil	15	47	0.90	547	0.107	1	1.53	0.013	0.28	0.1	0.03	5.1	0.3	0.16	6	1.3	<0.2
1293045	Soil	48	48	0.73	225	0.040	2	1.37	0.012	0.19	<0.1	0.05	9.8	0.2	0.05	5	<0.5	<0.2
1293049	Soil	17	31	0.62	424	0.067	2	1.11	0.019	0.11	0.2	0.05	4.5	0.2	0.09	4	1.4	<0.2
1293050	Soil	14	35	0.37	1010	0.027	1	1.49	0.009	0.11	0.1	0.15	5.5	0.3	0.09	5	2.8	<0.2
1293041	Soil	19	51	1.04	381	0.080	2	1.55	0.013	0.28	<0.1	0.05	7.6	0.2	0.05	6	<0.5	<0.2
1293039	Soil	52	55	0.60	158	0.029	1	1.30	0.008	0.13	<0.1	0.06	14.2	0.2	<0.05	5	<0.5	<0.2
1293047	Soil	19	41	0.80	655	0.080	2	1.42	0.016	0.22	<0.1	0.05	4.7	0.2	0.12	6	2.2	<0.2
1293052	Soil	21	37	0.69	666	0.067	<1	1.48	0.032	0.30	<0.1	0.02	3.1	0.5	0.45	5	2.9	<0.2
1293036	Soil	31	51	0.91	156	0.127	1	1.62	0.012	0.21	0.2	0.02	4.7	0.3	<0.05	8	<0.5	<0.2
1293038	Soil	20	33	0.28	119	0.046	<1	1.52	0.009	0.07	0.1	0.02	3.0	0.1	0.07	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

QUALITY CONTROL REPORT WHI12000319.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
1270171	Soil	1.0	19.6	6.2	46	<0.1	24.5	10.3	466	2.77	6.8	0.8	12.4	9.6	23	<0.1	0.8	0.2	50	0.48	0.027
REP 1270171	QC	0.8	20.7	6.5	49	<0.1	26.3	10.5	479	2.88	7.4	0.8	7.3	9.9	25	<0.1	0.9	0.2	57	0.49	0.028
1270152	Soil	0.3	9.2	4.7	41	<0.1	11.9	8.3	321	1.58	1.5	1.4	1.1	1.3	39	<0.1	0.2	<0.1	36	1.21	0.078
REP 1270152	QC	0.3	9.3	4.6	41	<0.1	12.2	8.5	318	1.59	1.6	1.4	0.6	1.4	39	0.1	0.1	<0.1	36	1.20	0.076
1283757	Soil	2.7	64.1	26.1	282	0.7	106.8	27.6	949	6.12	71.9	1.7	3.8	7.0	17	2.2	2.8	0.2	172	0.44	0.092
REP 1283757	QC	2.6	64.5	26.5	287	0.7	106.4	28.1	953	6.05	74.1	1.7	3.6	6.8	18	2.1	2.8	0.2	172	0.44	0.097
1293156	Soil	1.2	17.5	6.9	64	<0.1	23.3	15.2	354	4.47	7.1	0.8	2.8	5.5	27	<0.1	0.4	<0.1	74	0.41	0.081
REP 1293156	QC	1.0	17.9	6.9	62	<0.1	23.7	15.3	356	4.54	6.8	0.8	1.2	5.5	28	<0.1	0.4	<0.1	76	0.43	0.087
1293171	Soil	18.8	57.3	17.4	175	0.9	56.6	6.9	229	3.96	87.7	2.7	1.7	4.1	41	1.2	0.9	0.2	144	0.11	0.077
REP 1293171	QC	18.7	58.0	16.9	175	0.9	58.7	7.2	224	3.95	89.7	2.7	1.4	4.1	41	1.3	1.0	0.2	141	0.12	0.076
1293364	Soil	7.3	46.3	18.9	76	0.7	22.0	5.4	147	3.69	9.7	0.9	1.0	2.3	37	0.5	0.3	0.2	97	0.21	0.049
REP 1293364	QC	7.1	44.1	18.2	73	0.7	20.7	5.2	141	3.57	9.8	0.9	0.7	2.2	37	0.4	0.3	0.2	92	0.20	0.047
1293360	Soil	2.9	49.7	7.6	134	0.4	50.1	13.0	409	3.83	25.4	1.4	2.8	4.0	28	0.6	0.3	0.2	103	0.66	0.078
REP 1293360	QC	3.0	51.1	7.6	137	0.4	51.1	12.3	409	3.72	25.6	1.4	2.3	3.9	29	0.5	0.4	0.1	98	0.68	0.076
1283779	Soil	1.6	74.3	10.2	103	0.2	73.9	26.5	772	5.89	22.3	1.4	2.8	4.3	30	0.2	1.2	<0.1	131	0.72	0.146
REP 1283779	QC	1.7	69.5	9.8	97	0.3	71.2	25.4	770	5.81	21.7	1.3	2.7	4.6	30	0.2	1.3	0.1	131	0.72	0.147
1283780	Soil	2.0	64.9	11.5	111	0.4	56.9	20.5	595	4.50	32.8	1.9	5.1	5.1	26	0.4	2.2	0.2	117	0.64	0.130
REP 1283780	QC	2.2	66.6	11.5	109	0.4	58.7	20.8	623	4.57	32.5	1.9	3.7	5.2	27	0.4	2.2	0.2	117	0.65	0.133
1290871	Soil	0.8	41.3	8.5	77	<0.1	55.9	23.4	587	3.98	2.2	1.0	<0.5	5.7	67	0.1	<0.1	<0.1	45	2.18	0.084
REP 1290871	QC	0.7	40.3	8.3	75	<0.1	52.9	22.6	560	3.80	1.9	1.0	<0.5	5.8	68	0.1	<0.1	<0.1	43	2.17	0.087
1290858	Soil	0.7	61.4	16.3	71	<0.1	56.3	18.3	516	3.21	4.5	0.6	1.9	7.2	26	<0.1	0.2	<0.1	52	0.46	0.036
REP 1290858	QC	0.7	63.0	17.2	75	<0.1	57.7	18.2	538	3.24	4.3	0.6	1.4	7.1	27	<0.1	0.3	<0.1	56	0.50	0.036
1284430	Soil	1.0	42.8	13.5	110	0.2	76.6	16.8	217	4.18	20.2	1.8	0.6	13.1	14	<0.1	1.7	0.1	68	0.31	0.062
REP 1284430	QC	1.0	43.0	13.3	110	0.2	76.5	17.1	220	4.28	20.2	1.8	<0.5	13.0	14	0.1	1.6	0.1	69	0.31	0.061
1271445	Soil	1.0	48.6	13.3	75	0.2	25.5	12.0	484	2.68	11.5	1.4	3.4	4.1	55	0.2	1.1	0.1	74	1.01	0.057
REP 1271445	QC	0.8	50.0	13.4	75	0.2	25.5	11.6	507	2.76	11.3	1.4	2.4	4.1	55	0.2	1.0	0.1	75	1.02	0.058
1292584	Soil	4.6	74.5	14.1	240	0.8	94.4	16.2	329	3.65	65.0	2.0	4.3	3.1	28	2.2	2.0	0.2	84	0.39	0.051
REP 1292584	QC	4.9	77.0	15.1	236	0.8	96.9	16.5	340	3.91	66.1	2.0	2.9	3.4	28	2.1	2.1	0.2	86	0.40	0.052

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

QUALITY CONTROL REPORT WHI12000319.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
1270171	Soil	19	30	0.59	395	0.065	2	1.26	0.019	0.09	0.2	0.05	6.6	0.2	<0.05	4	<0.5	<0.2
REP 1270171	QC	20	32	0.62	346	0.077	2	1.32	0.020	0.10	0.2	0.06	6.7	0.2	<0.05	5	<0.5	<0.2
1270152	Soil	9	34	0.54	240	0.061	2	0.93	0.015	0.06	0.1	0.07	3.2	0.1	0.12	4	<0.5	<0.2
REP 1270152	QC	9	34	0.55	241	0.064	2	0.95	0.015	0.07	0.1	0.06	3.4	0.1	0.11	4	<0.5	<0.2
1283757	Soil	22	130	1.31	548	0.124	1	2.47	0.011	0.33	0.1	0.05	12.8	1.1	<0.05	9	0.8	<0.2
REP 1283757	QC	22	130	1.37	557	0.128	2	2.53	0.011	0.33	0.1	0.04	13.2	1.1	<0.05	9	0.6	<0.2
1293156	Soil	10	45	1.13	237	0.187	<1	2.48	0.013	0.31	0.2	0.02	3.5	0.2	<0.05	7	<0.5	<0.2
REP 1293156	QC	11	45	1.16	231	0.194	<1	2.59	0.014	0.32	0.1	<0.01	3.9	0.2	0.07	7	<0.5	<0.2
1293171	Soil	16	40	0.27	670	0.037	<1	1.06	0.011	0.21	0.5	0.03	5.2	0.5	0.35	6	10.6	<0.2
REP 1293171	QC	15	39	0.27	580	0.038	<1	1.06	0.011	0.19	0.4	0.02	5.3	0.4	0.27	6	11.0	<0.2
1293364	Soil	13	36	0.36	525	0.080	<1	0.92	0.022	0.19	0.1	0.01	2.5	0.2	0.38	6	2.7	<0.2
REP 1293364	QC	13	33	0.36	534	0.077	<1	0.88	0.025	0.19	0.1	<0.01	2.4	0.2	0.33	6	2.6	<0.2
1293360	Soil	15	54	0.90	539	0.096	1	1.49	0.023	0.30	0.2	0.04	7.5	0.5	<0.05	6	1.3	<0.2
REP 1293360	QC	16	55	0.90	551	0.098	1	1.47	0.024	0.30	0.2	0.03	7.3	0.5	0.08	6	1.2	<0.2
1283779	Soil	25	100	2.10	1238	0.261	<1	3.17	0.017	0.98	0.2	0.03	9.4	0.4	<0.05	12	0.8	<0.2
REP 1283779	QC	25	99	2.04	1203	0.264	<1	3.34	0.016	0.88	0.2	0.03	9.2	0.4	<0.05	12	0.6	<0.2
1283780	Soil	25	69	1.37	675	0.182	<1	2.25	0.013	0.63	0.2	0.04	8.0	0.4	0.05	9	<0.5	<0.2
REP 1283780	QC	25	71	1.38	679	0.186	1	2.29	0.014	0.64	0.1	0.07	8.2	0.4	0.05	9	<0.5	<0.2
1290871	Soil	15	62	1.25	141	0.129	<1	1.66	0.008	0.52	0.1	0.03	2.9	0.4	<0.05	5	<0.5	<0.2
REP 1290871	QC	15	58	1.21	135	0.121	<1	1.63	0.008	0.50	0.1	0.02	3.0	0.4	<0.05	5	<0.5	<0.2
1290858	Soil	17	72	1.03	202	0.131	1	1.64	0.008	0.48	0.1	0.02	4.0	0.3	<0.05	5	<0.5	<0.2
REP 1290858	QC	18	76	1.07	202	0.151	2	1.76	0.009	0.49	0.2	0.02	4.0	0.3	<0.05	5	<0.5	<0.2
1284430	Soil	30	62	0.77	153	0.082	1	1.56	0.009	0.37	<0.1	0.03	5.4	0.5	<0.05	5	0.7	<0.2
REP 1284430	QC	29	62	0.79	148	0.083	1	1.49	0.009	0.36	<0.1	0.03	5.5	0.5	<0.05	5	0.7	<0.2
1271445	Soil	17	39	0.74	331	0.088	2	1.72	0.019	0.11	<0.1	0.07	6.1	0.2	0.07	6	0.5	<0.2
REP 1271445	QC	17	40	0.76	337	0.089	1	1.72	0.020	0.11	0.1	0.06	6.4	0.2	0.08	6	<0.5	<0.2
1292584	Soil	12	40	0.44	807	0.027	2	1.36	0.010	0.09	0.2	0.04	6.1	0.3	0.06	4	1.9	<0.2
REP 1292584	QC	12	41	0.45	838	0.028	2	1.39	0.010	0.09	0.1	0.03	6.2	0.2	0.09	4	2.3	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

QUALITY CONTROL REPORT WHI12000319.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
1292578	Soil	2.6	25.8	12.1	110	0.9	34.2	10.9	500	3.32	18.3	0.6	1.2	2.1	16	0.9	0.5	0.2	87	0.26	0.027
REP 1292578	QC	2.4	25.6	12.2	109	0.8	33.4	10.3	489	3.26	18.3	0.6	0.6	2.2	16	0.9	0.5	0.2	87	0.28	0.027
1293381	Soil	2.7	35.6	9.7	91	0.4	34.1	11.4	366	4.13	26.2	0.8	4.1	2.8	21	0.3	0.5	0.1	105	0.25	0.049
REP 1293381	QC	2.7	33.9	9.8	88	0.4	32.9	11.1	357	3.98	25.6	0.8	2.3	2.8	21	0.3	0.5	0.2	101	0.24	0.050
1293048	Soil	4.0	81.6	8.2	106	0.6	63.7	13.4	301	3.30	6.0	2.0	1.2	2.3	45	0.3	0.3	<0.1	95	0.40	0.085
REP 1293048	QC	3.8	81.9	8.3	106	0.6	63.6	13.3	303	3.38	5.9	2.0	1.7	2.2	45	0.3	0.3	0.1	98	0.40	0.085
1293037	Soil	0.6	40.2	5.8	80	<0.1	102.6	23.4	709	5.44	1.9	1.4	0.9	5.8	44	<0.1	<0.1	<0.1	82	0.82	0.168
REP 1293037	QC	0.6	38.5	5.6	77	<0.1	98.6	22.4	686	5.32	1.7	1.4	0.9	5.9	44	<0.1	<0.1	<0.1	80	0.83	0.170
Reference Materials																					
STD DS9	Standard	13.0	108.3	124.4	308	1.8	43.3	7.5	574	2.30	24.0	2.6	117.5	6.3	64	2.1	5.4	5.7	42	0.71	0.082
STD DS9	Standard	13.5	97.1	122.0	288	1.8	41.4	7.2	561	2.28	22.0	2.3	116.4	5.3	66	1.9	4.8	5.3	39	0.69	0.078
STD DS9	Standard	13.7	97.6	123.0	290	1.8	42.8	7.1	581	2.34	21.8	2.3	110.7	5.3	71	1.9	4.7	5.4	40	0.72	0.080
STD DS9	Standard	13.8	111.5	124.3	303	1.9	42.6	7.7	584	2.31	24.5	2.8	118.6	6.7	66	2.2	5.0	5.8	45	0.71	0.078
STD DS9	Standard	15.1	113.0	118.0	311	1.8	43.5	8.4	603	2.40	24.9	2.6	106.5	6.1	67	2.2	5.4	5.4	52	0.74	0.079
STD DS9	Standard	14.5	115.2	127.3	306	1.9	43.2	8.1	596	2.36	24.6	2.9	116.1	7.1	68	2.2	5.3	5.3	46	0.74	0.078
STD DS9	Standard	14.7	110.9	122.2	318	2.0	44.7	8.3	617	2.46	25.6	2.7	145.1	6.0	66	2.4	5.1	5.9	58	0.78	0.085
STD DS9	Standard	14.7	115.9	124.9	300	1.8	43.8	8.1	586	2.32	24.8	2.8	120.0	6.6	65	2.2	5.3	5.6	45	0.72	0.078
STD DS9	Standard	13.9	102.0	123.3	300	1.8	41.4	7.5	608	2.45	23.4	2.4	111.9	5.8	73	2.2	5.1	5.7	45	0.77	0.080
STD DS9	Standard	12.9	105.0	127.2	301	1.9	39.8	7.6	585	2.35	25.9	2.8	122.2	6.6	82	2.5	5.9	6.9	42	0.75	0.077
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.1	<0.1	<1	<0.1	0.1	<0.1	<1	0.02	0.6	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	5	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

QUALITY CONTROL REPORT WHI12000319.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
1292578	Soil	8	37	0.44	834	0.070	<1	1.57	0.012	0.10	0.2	0.02	3.8	0.2	<0.05	7	0.8	<0.2
REP 1292578	QC	9	37	0.43	847	0.073	<1	1.55	0.011	0.10	0.1	0.03	3.8	0.2	<0.05	7	0.8	<0.2
1293381	Soil	9	45	0.69	507	0.092	<1	2.18	0.011	0.12	0.1	0.03	5.1	0.2	0.05	8	1.1	<0.2
REP 1293381	QC	9	44	0.69	512	0.089	<1	2.16	0.012	0.11	0.1	0.02	5.1	0.2	<0.05	7	0.8	<0.2
1293048	Soil	13	49	0.84	334	0.101	1	1.71	0.018	0.18	0.1	0.02	4.4	0.2	0.14	7	1.5	<0.2
REP 1293048	QC	13	49	0.83	338	0.100	1	1.70	0.018	0.18	0.1	0.02	4.3	0.2	0.14	7	1.4	<0.2
1293037	Soil	27	149	2.37	503	0.229	<1	2.99	0.014	0.91	0.1	0.02	5.5	0.6	<0.05	10	<0.5	<0.2
REP 1293037	QC	26	146	2.29	504	0.220	<1	2.83	0.013	0.87	0.1	0.01	5.4	0.6	<0.05	10	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	13	126	0.61	296	0.107	3	0.94	0.077	0.35	2.9	0.20	2.3	5.6	0.20	5	5.3	4.8
STD DS9	Standard	12	122	0.60	289	0.112	2	0.91	0.087	0.35	3.1	0.21	2.3	5.5	0.19	5	5.1	5.2
STD DS9	Standard	13	135	0.62	285	0.113	2	0.94	0.100	0.37	3.3	0.21	2.3	5.6	0.17	5	5.1	5.1
STD DS9	Standard	13	129	0.62	301	0.116	2	0.94	0.092	0.37	3.3	0.24	2.9	5.3	0.15	5	4.7	4.9
STD DS9	Standard	13	134	0.66	313	0.116	2	1.01	0.098	0.33	3.2	0.21	2.6	5.9	0.21	5	6.2	5.2
STD DS9	Standard	15	134	0.63	305	0.122	2	0.96	0.087	0.35	3.2	0.22	2.4	5.5	0.19	5	5.2	5.2
STD DS9	Standard	14	138	0.67	301	0.119	3	1.02	0.111	0.38	3.3	0.20	3.1	6.1	0.11	6	6.1	5.9
STD DS9	Standard	13	128	0.62	290	0.123	3	0.93	0.087	0.35	3.1	0.22	2.5	5.4	0.19	4	5.4	4.9
STD DS9	Standard	14	138	0.65	278	0.118	3	0.96	0.095	0.37	3.1	0.22	2.5	5.8	0.16	5	6.0	5.8
STD DS9	Standard	14	121	0.62	324	0.121	2	1.01	0.116	0.42	3.2	0.20	3.5	5.5	0.20	5	4.9	4.9
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	2	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

QUALITY CONTROL REPORT WHI12000319.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

QUALITY CONTROL REPORT WHI12000319.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 12, 2012
Report Date: July 25, 2012
Page: 1 of 12

CERTIFICATE OF ANALYSIS WHI12000320.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 320

SAMPLE DISPOSAL

PICKUP-PLP Client to Pickup Pulps
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	314	Dry at 60C sieve 100g to -80 mesh			WHI
Dry at 60C	320	Dry at 60C			WHI
1DX2	320	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000320.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1283924	Soil	2.0	19.9	17.2	73	<0.1	29.9	10.2	374	3.22	16.2	1.6	4.1	10.9	19	<0.1	0.8	0.3	76	0.30	0.039
1283921	Soil	2.0	41.5	21.3	126	0.3	43.5	12.3	474	3.65	34.6	1.2	4.3	4.0	16	0.8	1.2	0.2	90	0.25	0.058
1284388	Soil	0.8	33.9	9.7	57	0.1	44.1	18.7	645	3.70	15.9	1.0	3.6	8.0	33	<0.1	1.0	0.1	74	0.79	0.046
1284362	Soil	3.1	32.7	10.2	139	0.3	48.9	19.9	716	4.56	60.8	0.7	2.7	2.3	23	0.3	2.6	0.1	136	0.44	0.105
1283892	Soil	1.4	12.4	16.5	55	0.1	20.2	11.5	353	3.21	100.6	0.9	1.2	6.0	19	0.2	0.8	0.2	63	0.29	0.039
1283933	Soil	0.8	32.0	21.5	106	0.1	60.5	22.4	738	4.57	49.7	2.4	4.2	11.0	29	0.2	2.0	0.5	60	0.81	0.074
1284363	Soil	2.9	25.8	13.5	123	0.3	37.5	10.7	354	3.23	40.6	0.7	2.1	2.4	19	0.2	2.1	0.2	98	0.34	0.104
1284379	Soil	0.7	34.4	8.0	74	0.2	41.9	14.8	434	3.41	75.7	2.3	4.6	5.1	56	0.2	2.0	<0.1	53	1.86	0.055
1283934	Soil	1.4	16.3	12.1	55	<0.1	28.3	16.2	638	3.84	51.1	2.5	3.3	6.3	41	0.1	1.6	0.2	56	0.92	0.041
1283930	Soil	0.8	19.2	10.5	60	<0.1	32.7	12.6	379	3.15	20.6	1.3	2.8	5.8	26	<0.1	1.6	0.1	76	0.47	0.040
1284380	Soil	1.1	39.4	10.0	83	0.2	51.7	17.2	523	3.74	39.2	1.2	2.0	5.5	55	0.2	1.6	<0.1	68	1.79	0.088
1284384	Soil	1.0	16.6	8.6	58	0.1	19.6	12.1	461	3.28	74.8	0.9	35.7	3.1	21	0.2	5.3	<0.1	61	0.44	0.036
1283927	Soil	1.3	22.7	14.0	65	<0.1	80.8	21.0	575	4.53	89.5	1.5	<0.5	9.6	24	0.1	1.0	0.1	98	0.47	0.061
1283932	Soil	1.8	15.8	9.6	73	<0.1	30.6	11.9	304	3.94	19.0	1.1	<0.5	6.8	14	<0.1	0.9	0.2	61	0.22	0.045
1283922	Soil	1.8	47.1	40.8	112	0.2	52.5	16.2	580	3.98	55.9	1.2	4.7	5.7	20	0.3	1.5	0.1	100	0.38	0.052
1284368	Soil	1.6	62.3	21.6	90	0.3	41.4	20.4	435	4.29	14.2	0.9	1.7	3.3	33	0.4	0.9	0.1	116	0.63	0.036
1270486	Soil	1.3	30.5	9.0	70	<0.1	39.2	20.1	691	4.71	26.0	1.2	<0.5	7.4	44	0.1	0.4	<0.1	75	1.14	0.091
1270487	Soil	1.1	29.1	23.0	66	0.1	35.4	21.5	642	4.34	17.3	1.4	<0.5	5.9	51	0.1	0.5	<0.1	86	1.14	0.088
1270481	Soil	1.6	14.3	13.4	73	<0.1	19.6	7.8	445	3.37	9.8	0.9	1.1	5.0	18	0.2	0.5	0.4	80	0.26	0.038
1284370	Soil	7.1	21.5	56.6	137	1.7	22.6	8.4	470	3.48	448.1	1.0	24.4	2.3	22	0.7	9.9	0.7	92	0.32	0.086
1270485	Soil	0.9	36.2	11.8	51	0.1	52.0	19.1	657	3.66	14.0	1.8	1.9	6.0	68	<0.1	0.5	<0.1	78	1.50	0.080
1270488	Soil	1.2	24.4	9.6	59	<0.1	33.7	19.3	756	4.02	14.9	1.5	0.7	5.2	50	0.2	0.5	<0.1	75	1.20	0.089
1284378	Soil	1.0	44.8	11.2	82	0.3	50.7	16.8	596	3.61	27.9	2.1	1.5	4.7	52	0.2	1.0	<0.1	71	1.68	0.069
1283916	Soil	3.6	67.6	13.1	179	0.4	70.7	20.6	870	4.49	28.5	1.6	1.4	4.0	25	1.1	1.7	0.1	123	0.31	0.108
1270484	Soil	0.9	23.3	13.1	55	0.1	32.7	18.5	549	3.89	16.9	1.1	<0.5	4.9	54	<0.1	0.4	<0.1	75	1.39	0.079
1270480	Soil	1.5	16.5	17.9	64	0.1	25.1	10.6	414	3.81	14.3	1.1	1.8	9.2	13	0.1	0.5	0.2	95	0.19	0.043
1284387	Soil	0.9	37.5	10.7	58	0.2	65.9	20.2	664	4.08	13.7	1.1	3.6	6.5	52	<0.1	1.7	<0.1	74	1.54	0.071
1283913	Soil	2.1	62.1	11.3	93	0.2	51.7	24.6	972	5.77	17.3	1.0	1.3	4.2	14	0.2	1.1	0.1	124	0.27	0.096
1270483	Soil	2.1	23.2	14.9	93	0.2	25.2	15.5	364	3.97	20.0	4.7	3.0	16.0	25	0.2	0.5	0.2	72	0.61	0.077
1270479	Soil	1.7	14.4	21.1	64	<0.1	28.5	12.0	368	5.04	22.0	1.0	3.1	5.9	14	0.1	0.6	0.2	86	0.19	0.043

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000320.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1283924	Soil	43	47	0.63	482	0.073	2	1.80	0.011	0.12	0.2	0.03	7.0	0.3	<0.05	7	<0.5	<0.2
1283921	Soil	17	58	0.65	557	0.077	2	2.02	0.010	0.16	0.1	0.06	7.2	0.4	<0.05	6	0.7	<0.2
1284388	Soil	31	72	1.19	385	0.098	3	2.10	0.020	0.18	0.2	0.05	7.1	0.2	<0.05	6	0.5	<0.2
1284362	Soil	12	91	1.27	366	0.195	2	2.08	0.013	0.51	0.1	0.04	6.0	0.4	<0.05	11	0.9	<0.2
1283892	Soil	15	36	0.61	213	0.070	2	1.86	0.011	0.15	0.2	0.02	3.9	0.3	<0.05	7	<0.5	<0.2
1283933	Soil	59	72	1.24	165	0.098	2	1.85	0.012	0.34	0.1	0.04	6.7	0.5	<0.05	6	<0.5	<0.2
1284363	Soil	11	73	1.13	315	0.158	1	1.89	0.017	0.44	0.2	0.05	4.9	0.5	<0.05	9	0.9	<0.2
1284379	Soil	25	48	0.80	301	0.083	2	1.40	0.012	0.35	0.1	0.06	5.7	0.4	0.06	5	0.7	<0.2
1283934	Soil	22	51	0.64	164	0.069	1	1.34	0.012	0.11	0.1	0.04	4.4	0.2	<0.05	5	<0.5	<0.2
1283930	Soil	18	54	0.61	298	0.060	2	1.87	0.019	0.06	0.2	0.03	6.3	0.1	<0.05	6	<0.5	<0.2
1284380	Soil	22	73	1.16	337	0.089	2	1.67	0.015	0.42	0.1	0.04	6.5	0.4	0.07	5	<0.5	<0.2
1284384	Soil	13	32	0.59	301	0.034	2	1.56	0.014	0.09	0.1	0.05	6.6	0.1	<0.05	5	<0.5	<0.2
1283927	Soil	37	129	1.53	417	0.098	2	2.66	0.018	0.26	0.1	0.03	7.6	0.4	<0.05	8	<0.5	<0.2
1283932	Soil	15	66	0.78	83	0.104	1	1.52	0.008	0.32	0.2	0.03	3.7	0.3	<0.05	8	<0.5	<0.2
1283922	Soil	27	70	0.97	725	0.117	2	2.32	0.012	0.18	0.1	0.06	8.9	0.4	<0.05	7	0.5	<0.2
1284368	Soil	17	67	1.14	286	0.160	1	2.19	0.023	0.31	0.1	0.03	5.6	0.4	<0.05	9	<0.5	<0.2
1270486	Soil	27	55	1.19	385	0.080	2	2.00	0.011	0.34	<0.1	0.03	7.9	0.3	<0.05	7	<0.5	<0.2
1270487	Soil	36	57	1.09	460	0.085	2	1.94	0.021	0.21	0.2	0.06	8.1	0.3	<0.05	7	0.5	<0.2
1270481	Soil	10	34	0.38	141	0.085	2	1.38	0.013	0.08	0.2	0.04	3.5	0.2	<0.05	9	<0.5	<0.2
1284370	Soil	13	39	0.59	129	0.057	2	1.18	0.012	0.12	0.3	0.05	3.3	0.3	<0.05	5	2.9	<0.2
1270485	Soil	37	89	1.21	550	0.067	2	1.86	0.013	0.21	0.2	0.07	8.0	0.2	<0.05	6	<0.5	<0.2
1270488	Soil	34	67	0.91	349	0.049	2	1.59	0.011	0.18	0.1	0.04	8.1	0.2	<0.05	6	<0.5	<0.2
1284378	Soil	25	63	1.03	305	0.104	2	1.61	0.019	0.40	0.1	0.04	5.8	0.5	<0.05	5	0.9	<0.2
1283916	Soil	21	80	0.98	420	0.126	2	2.21	0.012	0.41	0.1	0.05	6.8	0.6	<0.05	8	1.1	<0.2
1270484	Soil	23	64	1.02	419	0.076	2	1.76	0.011	0.31	0.2	0.05	6.8	0.3	<0.05	6	<0.5	<0.2
1270480	Soil	24	43	0.52	192	0.093	2	2.13	0.011	0.12	0.2	0.02	4.2	0.3	<0.05	10	<0.5	<0.2
1284387	Soil	28	104	1.09	387	0.056	2	1.55	0.016	0.25	0.1	0.06	10.5	0.2	<0.05	5	<0.5	<0.2
1283913	Soil	20	76	1.54	328	0.198	1	3.11	0.010	0.64	0.1	0.02	8.3	0.3	<0.05	11	<0.5	<0.2
1270483	Soil	45	47	0.81	190	0.081	2	1.66	0.013	0.23	0.2	0.05	8.6	0.5	<0.05	7	<0.5	<0.2
1270479	Soil	13	50	0.59	192	0.093	2	2.09	0.008	0.12	0.2	0.03	4.4	0.2	<0.05	10	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000320.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1284365	Soil		2.8	97.2	11.7	149	0.2	105.5	34.4	699	6.16	36.8	1.3	1.3	4.3	28	0.3	1.9	0.2	189	0.47	0.133
1283914	Soil		2.4	60.6	13.1	108	<0.1	72.9	23.5	659	5.49	36.3	0.9	2.2	2.6	13	0.3	3.0	0.1	139	0.20	0.090
1284373	Soil		1.7	67.0	70.3	185	1.8	50.9	24.7	1384	4.61	43.3	2.4	157.0	7.1	28	1.9	6.0	0.8	88	0.49	0.073
1284360	Soil		1.4	56.3	5.9	93	0.2	173.3	41.4	763	6.12	26.5	0.7	1.0	1.4	28	<0.1	1.0	<0.1	163	1.05	0.146
1284374	Soil		2.6	47.7	99.4	224	2.9	42.5	13.2	1631	2.86	53.3	6.6	36.2	3.1	44	4.0	6.1	1.2	50	0.99	0.065
1284381	Soil		0.9	48.1	13.4	104	0.3	60.3	17.7	449	3.81	38.5	2.2	3.5	8.0	34	0.2	1.8	<0.1	67	1.22	0.078
1284366	Soil		4.6	87.5	15.0	151	0.3	83.3	21.9	589	5.21	40.1	1.7	4.0	6.6	25	0.4	2.9	0.2	131	0.21	0.062
1284371	Soil		2.3	37.1	22.2	131	0.3	40.1	17.6	655	4.20	48.6	1.1	80.4	5.4	27	0.4	3.0	0.6	96	0.54	0.059
1284383	Soil		0.9	27.9	10.5	78	0.1	41.6	13.7	550	3.60	33.6	1.5	2.0	5.2	26	0.1	2.5	0.1	51	1.05	0.070
1284386	Soil		1.5	30.2	25.2	67	0.7	51.6	15.4	539	3.45	213.5	1.1	251.8	4.5	84	0.4	12.3	0.1	38	1.84	0.098
1284361	Soil		2.4	47.5	8.0	145	0.3	65.6	23.8	872	4.68	57.3	1.7	3.0	3.3	29	0.3	2.6	0.1	120	0.79	0.135
1284367	Soil		3.8	54.3	12.5	132	0.2	82.4	19.7	530	5.11	30.4	1.0	2.8	4.6	28	0.3	1.9	0.2	161	0.36	0.079
1284377	Soil		3.4	39.6	130.7	353	4.5	55.2	15.1	1135	3.58	96.4	1.8	52.0	3.8	46	3.2	15.9	1.8	58	0.90	0.078
1284382	Soil		0.9	33.2	9.4	91	0.2	53.9	16.2	547	3.96	21.1	1.3	1.0	6.6	35	0.2	1.3	0.1	59	1.30	0.068
1284385	Soil		2.0	34.0	91.6	74	0.8	39.9	12.6	516	3.38	338.4	0.8	141.4	3.2	25	0.3	23.6	0.2	55	0.46	0.044
1284364	Soil		2.3	35.7	13.4	141	0.3	37.3	19.1	1087	4.42	68.4	1.8	3.4	4.3	43	0.4	1.8	0.1	100	0.89	0.100
1284369	Soil		2.8	61.7	16.0	133	0.4	58.5	22.3	908	4.87	30.2	1.7	5.4	5.5	31	0.4	2.0	0.2	123	0.56	0.078
1284372	Soil		3.7	38.3	154.5	248	2.4	38.5	18.7	3894	3.78	47.3	2.0	460.9	9.4	42	1.0	6.9	1.8	41	0.24	0.077
1296630	Soil		1.0	34.8	18.4	76	0.1	82.1	23.3	498	4.01	4.2	1.2	1.8	6.1	22	<0.1	0.1	0.2	86	0.46	0.073
1296641	Soil		2.5	46.2	12.2	89	0.8	46.9	11.0	385	3.17	20.3	1.0	5.0	5.5	22	0.1	0.6	0.1	75	0.37	0.041
1283926	Soil		1.2	46.3	7.7	106	0.1	78.8	24.7	885	5.58	28.7	1.1	2.9	8.7	23	<0.1	0.6	<0.1	88	1.10	0.108
1283937	Soil		0.7	29.8	8.3	54	<0.1	53.0	16.1	720	2.98	11.8	1.6	1.5	4.8	64	<0.1	1.3	0.2	39	2.06	0.062
1296624	Soil		1.8	54.9	10.3	83	0.2	73.8	24.1	426	5.45	2.0	2.5	9.7	15.3	18	<0.1	<0.1	<0.1	74	0.37	0.058
1296638	Soil		6.6	64.0	12.6	138	0.5	56.0	11.1	387	3.52	17.3	1.5	1.0	3.0	25	0.3	0.5	0.2	101	0.22	0.046
1283918	Soil		2.8	70.5	8.5	128	<0.1	57.2	26.6	824	6.20	51.4	1.2	1.7	3.5	23	0.3	2.3	0.1	153	0.48	0.168
1283935	Soil		1.4	39.9	7.0	62	<0.1	35.7	20.3	746	3.98	18.7	1.0	0.8	4.7	16	<0.1	0.4	0.3	52	0.56	0.043
1296626	Soil		2.2	41.5	7.3	81	<0.1	32.5	18.5	523	4.81	4.0	1.0	<0.5	6.7	22	<0.1	0.2	<0.1	81	0.51	0.094
1296628	Soil		0.8	30.0	6.6	82	0.1	54.4	19.9	716	3.99	3.9	1.2	1.5	4.7	26	<0.1	0.1	<0.1	66	0.90	0.059
1296637	Soil		11.9	121.0	24.7	240	0.9	95.8	13.6	636	3.87	47.2	3.2	4.2	3.6	55	1.1	0.8	0.3	94	0.13	0.061
1283929	Soil		1.1	42.2	6.8	98	0.1	72.2	23.0	824	5.02	28.5	1.0	1.4	7.2	22	<0.1	0.6	<0.1	83	1.08	0.110

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000320.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1284365	Soil		23	123	2.19	932	0.282	<1	3.64	0.017	1.09	0.1	0.02	9.9	0.5	0.14	14	0.9	<0.2
1283914	Soil		13	121	1.44	214	0.223	<1	2.65	0.008	0.42	0.1	0.03	7.0	0.4	<0.05	13	0.6	<0.2
1284373	Soil		36	67	0.93	435	0.100	2	2.04	0.015	0.26	0.1	0.06	9.5	0.4	<0.05	7	0.8	0.3
1284360	Soil		9	288	3.08	464	0.292	<1	3.69	0.013	0.79	<0.1	0.02	7.5	0.5	<0.05	13	<0.5	<0.2
1284374	Soil		17	31	0.47	405	0.023	3	1.01	0.011	0.12	<0.1	0.07	4.5	0.3	0.06	3	1.9	0.3
1284381	Soil		37	60	0.92	268	0.071	2	1.55	0.012	0.37	<0.1	0.05	6.3	0.5	<0.05	5	0.8	<0.2
1284366	Soil		49	89	1.26	359	0.146	2	2.89	0.012	0.29	0.2	0.02	6.8	0.3	0.09	10	1.0	<0.2
1284371	Soil		14	60	0.98	149	0.098	2	1.56	0.013	0.25	0.1	0.02	5.2	0.3	0.06	7	0.7	<0.2
1284383	Soil		25	45	0.75	231	0.065	2	1.40	0.014	0.25	<0.1	0.04	6.6	0.3	<0.05	5	0.7	<0.2
1284386	Soil		29	52	0.86	367	0.029	3	1.08	0.019	0.11	<0.1	0.11	6.7	<0.1	<0.05	4	<0.5	<0.2
1284361	Soil		16	82	1.41	451	0.170	1	2.32	0.015	0.47	0.2	0.04	7.3	0.4	0.08	9	0.9	<0.2
1284367	Soil		15	146	1.64	475	0.210	1	2.60	0.014	0.38	0.2	0.02	6.2	0.4	0.12	11	0.8	<0.2
1284377	Soil		14	53	0.81	189	0.038	2	1.22	0.015	0.12	0.2	0.05	5.6	0.3	0.10	4	2.0	0.4
1284382	Soil		28	62	1.14	364	0.102	2	1.78	0.017	0.45	<0.1	0.03	5.8	0.4	<0.05	6	0.6	<0.2
1284385	Soil		12	43	0.58	509	0.027	1	1.37	0.012	0.08	0.1	0.06	6.7	0.1	0.05	5	0.6	<0.2
1284364	Soil		17	54	1.20	475	0.173	2	1.87	0.015	0.56	0.1	0.04	7.6	0.6	0.08	8	0.6	<0.2
1284369	Soil		28	79	1.36	573	0.185	2	2.38	0.016	0.52	0.2	0.03	8.0	0.5	0.08	10	0.7	<0.2
1284372	Soil		30	40	0.46	187	0.022	2	1.02	0.008	0.19	<0.1	0.03	4.1	0.5	0.08	4	0.9	0.2
1296630	Soil		15	133	1.78	193	0.197	1	2.38	0.013	0.38	0.3	0.02	4.0	0.4	<0.05	8	<0.5	<0.2
1296641	Soil		18	48	0.66	491	0.091	2	1.78	0.012	0.17	0.2	0.03	6.8	0.1	<0.05	6	0.5	<0.2
1283926	Soil		35	111	2.70	238	0.168	1	3.43	0.007	0.48	0.1	0.04	9.2	0.7	<0.05	11	<0.5	<0.2
1283937	Soil		23	69	0.94	161	0.061	3	1.29	0.009	0.20	0.1	0.05	5.0	0.3	0.09	4	<0.5	<0.2
1296624	Soil		125	82	1.48	156	0.243	<1	2.79	0.009	0.79	<0.1	0.03	5.2	0.6	0.05	10	<0.5	<0.2
1296638	Soil		10	47	0.52	685	0.057	<1	1.56	0.009	0.09	0.2	0.02	4.5	0.2	0.12	6	1.8	<0.2
1283918	Soil		17	60	1.64	953	0.239	<1	3.30	0.012	1.06	0.2	<0.01	9.4	0.4	0.08	13	0.8	<0.2
1283935	Soil		9	68	1.61	119	0.087	2	2.28	0.010	0.25	0.1	0.01	3.7	0.3	<0.05	6	<0.5	<0.2
1296626	Soil		15	47	1.32	199	0.198	<1	2.31	0.015	0.82	0.1	<0.01	6.1	0.6	<0.05	10	<0.5	<0.2
1296628	Soil		20	78	1.45	214	0.178	1	2.29	0.013	0.39	0.1	0.03	4.1	0.4	<0.05	7	<0.5	<0.2
1296637	Soil		12	46	0.33	1160	0.032	<1	1.47	0.008	0.08	0.3	0.04	6.2	0.3	0.11	5	3.0	<0.2
1283929	Soil		28	89	2.15	217	0.159	<1	2.97	0.007	0.48	0.1	0.03	7.5	0.6	<0.05	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000320.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1296619	Soil	4.6	44.0	9.7	99	0.6	32.0	10.3	438	3.30	13.3	1.4	2.1	2.1	19	0.3	0.2	0.2	91	0.23	0.079
1296625	Soil	1.7	25.9	7.3	65	<0.1	35.2	13.8	330	3.46	6.9	0.7	1.8	5.4	19	<0.1	0.3	<0.1	57	0.37	0.028
1296621	Soil	2.3	38.0	11.6	85	0.3	40.4	12.0	492	3.17	9.2	1.5	4.1	6.7	22	0.1	0.3	0.1	72	0.48	0.044
1283923	Soil	3.4	69.8	9.9	192	0.2	63.7	16.6	554	4.70	17.3	1.4	3.1	3.2	25	0.6	1.4	0.1	135	0.16	0.069
1283925	Soil	1.1	13.9	20.7	75	0.2	23.5	9.5	484	3.35	82.7	2.2	8.7	8.8	19	0.2	0.9	0.3	48	0.39	0.073
1283928	Soil	1.7	22.8	10.9	76	0.2	44.5	13.5	396	3.60	48.6	1.3	5.2	8.2	22	<0.1	1.7	0.2	86	0.56	0.044
1296623	Soil	1.6	32.8	8.4	80	<0.1	61.8	18.6	332	4.92	3.7	1.0	0.8	5.8	27	<0.1	0.1	<0.1	91	0.64	0.047
1283912	Soil	2.6	48.0	10.0	116	0.3	43.4	16.7	566	4.54	27.1	0.8	2.9	3.4	21	0.3	1.1	0.1	116	0.50	0.111
1283915	Soil	1.9	18.7	10.1	62	0.1	20.6	7.4	301	3.54	14.3	0.5	7.3	2.3	11	0.2	1.0	0.2	102	0.13	0.040
1283911	Soil	2.9	42.6	11.6	152	0.6	47.6	14.4	499	3.82	28.9	0.8	3.2	3.4	18	0.7	1.7	0.1	104	0.29	0.065
1296633	Soil	2.8	53.7	9.6	125	0.2	58.1	15.0	524	4.61	8.1	0.9	8.5	4.1	17	0.1	0.5	0.2	96	0.17	0.034
1283936	Soil	1.3	34.8	12.8	87	0.2	46.9	22.4	1179	3.98	8.4	3.2	1.6	19.0	15	<0.1	0.6	0.4	52	0.45	0.049
1283919	Soil	1.6	40.5	13.8	104	0.1	42.5	18.2	530	4.00	28.3	1.3	5.5	4.6	16	0.4	1.2	0.2	109	0.18	0.040
1283917	Soil	1.8	57.5	22.1	92	0.2	84.6	26.4	953	5.02	40.8	2.1	4.3	8.0	31	0.2	3.6	0.2	130	0.73	0.100
1296620	Soil	4.1	68.6	19.9	130	0.5	76.5	18.0	424	4.17	12.4	1.4	2.5	5.0	19	0.4	0.5	0.1	92	0.28	0.058
1283931	Soil	1.6	30.4	16.6	81	<0.1	103.9	23.9	777	5.49	19.2	4.8	1.3	19.3	18	<0.1	2.2	0.2	78	0.33	0.048
1296635	Soil	4.7	68.0	11.8	142	0.5	58.6	10.6	381	3.50	33.2	1.8	3.7	4.8	27	0.4	0.7	0.2	75	0.17	0.052
1296646	Soil	2.9	60.3	11.7	96	0.7	43.2	11.1	299	3.14	23.1	2.4	4.9	4.8	21	0.4	0.8	0.1	77	0.16	0.025
1296616	Soil	3.1	78.7	14.8	254	0.2	107.7	40.1	1501	4.52	7.7	2.2	1.3	11.3	15	0.6	0.1	0.2	120	0.25	0.133
1283920	Soil	2.0	75.5	6.6	92	<0.1	57.6	21.0	707	4.56	7.4	2.0	3.7	5.3	23	0.1	0.4	0.1	122	0.28	0.053
1296618	Soil	5.4	49.6	12.9	149	1.2	45.5	7.0	218	2.59	14.5	1.7	2.8	2.3	22	0.4	0.2	0.2	91	0.18	0.065
1296636	Soil	5.6	86.6	15.5	222	0.8	86.3	12.2	403	4.06	51.1	2.0	4.3	3.8	29	1.2	1.8	0.3	92	0.17	0.056
1296632	Soil	0.8	97.3	8.1	48	0.3	21.0	5.7	278	1.68	5.5	1.3	1.7	3.7	11	<0.1	0.2	0.5	28	0.28	0.058
1296629	Soil	1.2	24.5	9.9	65	<0.1	44.6	15.8	324	3.34	5.1	0.8	2.5	4.2	17	<0.1	0.2	0.1	79	0.28	0.048
1296622	Soil	1.4	29.1	7.5	66	<0.1	39.3	15.0	165	3.81	5.9	1.2	1.2	8.1	14	<0.1	0.3	0.1	78	0.17	0.060
1296647	Soil	3.6	43.0	11.5	119	0.9	43.0	9.3	286	2.84	24.7	1.2	2.5	3.0	22	0.4	0.7	0.2	86	0.14	0.028
1296615	Soil	5.6	118.8	17.8	401	0.7	123.7	23.3	426	3.79	39.9	3.1	3.3	4.0	30	0.8	0.8	0.2	111	0.15	0.058
1296627	Soil	1.5	39.8	7.6	107	0.2	47.6	20.1	815	3.38	6.3	1.6	2.2	4.9	39	0.4	0.2	0.1	65	1.03	0.059
1296640	Soil	3.8	76.2	10.2	153	0.3	65.4	15.0	487	3.55	8.3	1.5	0.5	6.5	16	0.4	0.3	0.1	60	0.12	0.036
1296643	Soil	2.9	35.6	11.6	118	0.3	46.3	15.0	678	3.34	10.5	1.2	1.4	8.5	17	0.4	0.3	0.1	53	0.14	0.031

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000320.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1296619	Soil	14	46	0.69	459	0.059	1	1.52	0.009	0.12	0.2	0.07	3.6	0.2	0.07	6	2.1	<0.2
1296625	Soil	10	62	0.96	151	0.148	1	1.84	0.010	0.43	0.1	0.01	3.9	0.3	<0.05	7	<0.5	<0.2
1296621	Soil	62	47	0.80	769	0.069	1	1.77	0.013	0.15	0.2	0.04	6.3	0.2	0.07	7	0.8	<0.2
1283923	Soil	21	78	1.06	515	0.145	1	2.51	0.021	0.42	0.1	0.02	5.7	0.5	0.21	9	1.1	<0.2
1283925	Soil	25	30	0.53	203	0.052	2	1.48	0.012	0.10	0.2	0.06	5.2	0.3	<0.05	6	<0.5	<0.2
1283928	Soil	24	65	1.24	318	0.102	2	2.12	0.013	0.16	0.2	0.03	7.4	0.4	0.05	8	<0.5	<0.2
1296623	Soil	25	85	1.42	149	0.233	1	2.28	0.009	0.40	0.1	0.02	4.2	0.4	<0.05	9	<0.5	<0.2
1283912	Soil	15	56	1.23	454	0.192	1	2.33	0.012	0.44	0.1	0.03	7.2	0.6	0.05	9	0.8	<0.2
1283915	Soil	10	41	0.48	109	0.078	<1	1.80	0.011	0.08	0.2	0.02	3.6	0.2	<0.05	9	<0.5	<0.2
1283911	Soil	12	52	0.79	332	0.094	2	1.99	0.010	0.13	0.2	0.05	4.9	0.7	<0.05	7	1.1	<0.2
1296633	Soil	10	63	1.10	763	0.047	<1	2.17	0.006	0.15	<0.1	0.01	7.7	0.2	<0.05	9	1.0	<0.2
1283936	Soil	60	79	1.00	101	0.062	2	1.65	0.007	0.26	<0.1	0.04	5.9	0.2	0.10	5	<0.5	<0.2
1283919	Soil	20	68	0.98	353	0.126	4	2.60	0.012	0.22	0.2	0.03	7.5	0.3	<0.05	8	<0.5	<0.2
1283917	Soil	20	155	1.59	648	0.166	4	2.65	0.016	0.23	0.2	0.03	11.0	0.5	<0.05	9	0.5	<0.2
1296620	Soil	13	86	1.07	460	0.082	3	2.14	0.008	0.23	0.1	0.01	4.5	0.3	<0.05	7	1.5	<0.2
1283931	Soil	41	175	0.80	213	0.072	4	1.61	0.004	0.35	<0.1	<0.01	10.8	0.4	<0.05	7	<0.5	<0.2
1296635	Soil	15	35	0.45	679	0.033	2	1.18	0.005	0.10	0.2	0.01	4.5	0.2	<0.05	4	2.0	<0.2
1296646	Soil	15	44	0.52	717	0.057	3	1.81	0.011	0.06	0.4	0.08	4.5	0.2	<0.05	5	1.0	<0.2
1296616	Soil	30	131	1.70	377	0.147	2	2.54	0.006	0.55	0.2	<0.01	6.2	0.6	<0.05	9	1.2	<0.2
1283920	Soil	26	109	1.76	846	0.248	1	2.90	0.012	0.91	0.1	<0.01	10.7	0.4	<0.05	11	1.0	<0.2
1296618	Soil	16	60	0.70	554	0.060	2	1.56	0.009	0.15	0.2	0.13	3.8	0.4	<0.05	7	2.2	<0.2
1296636	Soil	11	46	0.40	1651	0.033	2	1.35	0.006	0.09	0.3	0.05	5.3	0.4	<0.05	5	1.7	<0.2
1296632	Soil	6	21	0.95	130	0.083	<1	1.64	0.006	0.12	0.2	<0.01	1.5	0.3	<0.05	6	<0.5	<0.2
1296629	Soil	13	78	1.18	144	0.165	2	1.88	0.011	0.21	0.2	0.02	3.0	0.2	<0.05	7	<0.5	<0.2
1296622	Soil	26	48	0.78	138	0.151	2	1.71	0.008	0.27	0.1	0.03	3.3	0.3	<0.05	9	<0.5	<0.2
1296647	Soil	9	39	0.40	982	0.043	<1	1.69	0.008	0.04	0.2	0.03	3.4	0.2	<0.05	5	1.4	<0.2
1296615	Soil	10	48	0.39	1213	0.036	2	1.72	0.007	0.07	0.6	0.04	5.0	0.4	<0.05	5	3.2	<0.2
1296627	Soil	14	62	1.03	393	0.091	1	1.70	0.010	0.31	0.1	0.04	4.8	0.2	<0.05	6	1.0	<0.2
1296640	Soil	13	33	0.43	397	0.049	<1	1.15	0.006	0.22	<0.1	0.01	4.2	0.4	<0.05	4	1.3	<0.2
1296643	Soil	21	29	0.34	401	0.043	2	1.16	0.006	0.14	<0.1	0.02	4.3	0.2	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000320.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1296617	Soil	4.3	28.0	12.6	68	0.6	19.6	2.4	62	1.47	10.3	0.9	1.6	2.0	21	0.3	0.2	0.1	49	0.13	0.038
1296639	Soil	5.7	69.1	38.9	112	0.7	60.4	11.9	398	3.64	39.0	1.7	2.0	4.5	26	0.3	0.8	0.2	91	0.21	0.041
1296644	Soil	4.7	74.4	13.9	101	0.4	34.0	8.5	234	3.39	11.2	2.1	2.2	6.1	21	0.4	0.4	0.2	77	0.11	0.039
1296634	Soil	1.5	43.6	9.8	73	0.4	36.3	9.3	276	2.74	15.4	1.1	3.5	4.6	22	0.2	0.7	0.1	68	0.26	0.032
1296645	Soil	5.0	61.8	19.2	105	0.6	37.9	9.9	309	3.57	17.8	1.8	2.2	3.7	22	0.2	0.4	0.2	110	0.17	0.039
1296642	Soil	3.9	32.4	46.3	154	0.7	41.9	11.1	453	3.27	51.2	0.9	13.7	2.8	22	0.9	0.6	0.2	88	0.18	0.052
1270227	Soil	0.5	17.6	5.4	80	<0.1	17.8	9.9	375	3.82	7.4	0.6	0.6	5.3	41	<0.1	0.3	<0.1	86	0.41	0.092
1270206	Soil	0.4	18.2	4.5	101	<0.1	14.2	10.2	508	4.58	5.8	0.7	0.5	5.0	27	<0.1	0.3	<0.1	95	0.64	0.121
1270207	Soil	0.2	53.4	3.8	69	<0.1	13.6	12.2	467	3.22	3.6	0.4	1.0	1.8	179	<0.1	0.2	<0.1	83	0.85	0.095
1270208	Soil	0.3	107.2	6.3	61	<0.1	17.6	20.2	559	4.34	4.0	0.7	1.2	1.2	83	<0.1	0.1	<0.1	139	1.11	0.082
1270209	Soil	0.2	66.8	5.9	53	0.1	15.2	11.1	419	2.55	3.9	0.4	5.9	0.8	157	<0.1	0.1	<0.1	68	1.48	0.084
1270204	Soil	0.4	11.8	5.7	88	<0.1	8.9	9.3	442	3.79	4.5	0.4	<0.5	3.6	68	<0.1	0.2	<0.1	83	0.58	0.073
1270202	Soil	1.4	90.6	33.8	126	0.3	20.4	16.8	667	4.47	22.1	1.3	5.2	2.9	41	0.8	11.0	0.1	89	1.24	0.065
1270205	Soil	0.2	39.1	3.7	51	<0.1	21.4	15.8	395	3.40	3.7	0.3	<0.5	2.4	48	<0.1	0.2	<0.1	91	0.35	0.026
1270669	Soil	3.2	40.0	5.8	65	<0.1	43.0	28.4	757	5.77	6.6	1.2	1.6	7.5	23	<0.1	0.4	<0.1	130	0.63	0.129
1270670	Soil	1.0	54.0	17.0	71	0.1	70.8	23.5	781	4.29	9.1	1.5	0.8	17.2	21	<0.1	2.1	0.2	88	0.62	0.050
1270668	Soil	0.6	18.2	5.9	47	<0.1	40.6	17.2	405	3.52	4.3	0.6	<0.5	4.1	31	<0.1	0.1	<0.1	88	0.69	0.046
1270203	Soil	0.3	58.5	13.6	71	0.1	9.0	8.8	471	2.98	4.7	0.7	1.6	5.4	50	<0.1	0.5	0.1	63	0.58	0.117
1270651	Rock Pulp	2.6	24.9	2.2	41	0.3	25.7	10.9	405	2.37	3.9	0.3	1.8	0.9	35	0.1	0.2	<0.1	74	0.83	0.056
1270671	Soil	1.0	17.7	9.1	54	<0.1	49.3	14.6	453	3.37	5.6	1.0	1.7	9.5	21	<0.1	0.4	0.3	90	0.42	0.056
1270673	Soil	0.8	20.0	3.5	75	<0.1	27.5	27.0	864	4.38	2.7	0.4	0.7	4.3	26	<0.1	<0.1	0.1	94	0.62	0.159
1270672	Soil	0.7	18.7	4.0	78	<0.1	24.4	25.8	758	4.55	2.5	0.8	1.2	5.0	34	<0.1	<0.1	<0.1	93	0.64	0.126
1270661	Soil	0.6	20.3	11.9	48	<0.1	28.3	18.4	686	3.42	6.7	1.4	1.2	3.6	58	<0.1	0.4	<0.1	67	1.75	0.067
1270664	Soil	0.7	21.9	8.5	57	<0.1	33.1	20.8	732	3.86	3.6	1.4	1.6	4.1	74	<0.1	0.3	0.1	89	1.71	0.090
1270666	Soil	0.8	19.0	7.0	69	<0.1	26.5	29.0	726	6.34	5.8	0.7	0.9	5.4	37	<0.1	0.2	<0.1	124	0.84	0.139
1270665	Soil	0.8	24.0	73.6	72	<0.1	114.0	31.4	801	5.48	5.4	1.2	0.8	6.9	39	<0.1	0.2	<0.1	116	0.98	0.100
1270659	Soil	1.1	28.8	8.0	114	<0.1	63.3	24.1	621	4.41	11.0	0.7	1.9	5.1	24	0.3	0.3	<0.1	90	0.54	0.087
1270662	Soil	0.9	22.0	8.1	78	<0.1	31.2	30.2	909	5.68	7.7	1.2	1.2	12.2	43	<0.1	0.5	<0.1	114	0.98	0.114
1270667	Soil	0.7	52.7	71.1	55	0.1	43.7	26.1	700	4.40	5.0	1.5	1.7	4.5	55	<0.1	0.2	<0.1	104	1.45	0.099
1270658	Soil	1.6	23.9	19.2	106	0.3	33.2	14.3	489	3.42	22.3	3.3	8.6	14.8	26	0.3	0.5	0.4	70	0.55	0.090

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000320.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1296617	Soil		10	30	0.22	671	0.043	2	0.60	0.008	0.07	0.3	0.07	2.1	0.2	<0.05	4	2.8	<0.2
1296639	Soil		11	46	0.55	715	0.051	1	2.08	0.007	0.07	0.1	0.05	5.2	0.2	<0.05	6	1.0	<0.2
1296644	Soil		19	42	0.54	515	0.052	1	1.54	0.009	0.13	0.1	<0.01	4.8	0.2	<0.05	6	1.7	<0.2
1296634	Soil		12	41	0.56	1391	0.062	1	1.66	0.012	0.06	0.2	0.02	4.9	0.1	<0.05	5	0.6	<0.2
1296645	Soil		14	52	0.75	477	0.085	1	1.91	0.009	0.10	<0.1	0.03	5.2	0.2	<0.05	7	1.5	<0.2
1296642	Soil		11	36	0.37	908	0.037	<1	1.45	0.008	0.09	0.1	0.02	4.0	0.2	<0.05	6	1.0	<0.2
1270227	Soil		16	30	0.84	187	0.145	<1	2.09	0.018	0.25	<0.1	<0.01	5.9	0.2	<0.05	10	<0.5	<0.2
1270206	Soil		23	21	1.13	448	0.113	<1	2.07	0.015	0.15	<0.1	<0.01	6.3	0.1	<0.05	11	<0.5	<0.2
1270207	Soil		6	23	1.00	175	0.128	<1	2.27	0.026	0.18	<0.1	<0.01	4.9	<0.1	<0.05	9	<0.5	<0.2
1270208	Soil		5	30	1.45	138	0.191	<1	2.68	0.021	0.20	<0.1	0.01	6.3	<0.1	<0.05	11	<0.5	<0.2
1270209	Soil		4	25	0.99	139	0.073	<1	2.42	0.022	0.09	<0.1	0.02	4.3	<0.1	<0.05	9	<0.5	<0.2
1270204	Soil		10	21	0.84	177	0.128	<1	2.19	0.012	0.17	<0.1	0.01	5.3	<0.1	<0.05	12	<0.5	<0.2
1270202	Soil		11	30	0.63	242	0.006	<1	1.09	0.007	0.06	0.3	0.62	17.5	0.9	<0.05	5	0.6	<0.2
1270205	Soil		7	38	1.27	275	0.114	<1	2.22	0.024	0.06	0.1	<0.01	6.9	<0.1	<0.05	8	<0.5	<0.2
1270669	Soil		27	88	0.99	255	0.043	<1	1.33	0.005	0.27	0.1	<0.01	17.0	0.2	<0.05	5	<0.5	<0.2
1270670	Soil		40	125	1.99	336	0.123	2	2.28	0.006	0.44	0.1	0.03	10.3	0.5	<0.05	8	<0.5	<0.2
1270668	Soil		12	105	1.59	224	0.134	<1	2.02	0.011	0.23	0.2	0.01	5.3	0.2	<0.05	8	<0.5	<0.2
1270203	Soil		13	16	0.91	113	0.011	<1	1.92	0.007	0.09	<0.1	<0.01	5.9	<0.1	<0.05	8	<0.5	<0.2
1270651	Rock Pulp		4	35	0.78	90	0.120	3	1.52	0.078	0.10	12.8	<0.01	4.3	<0.1	<0.05	5	<0.5	<0.2
1270671	Soil		13	86	1.22	189	0.076	2	1.80	0.008	0.11	0.1	0.02	5.5	0.3	<0.05	7	<0.5	<0.2
1270673	Soil		8	70	2.26	295	0.229	1	2.71	0.009	0.99	0.2	<0.01	1.9	0.5	<0.05	9	<0.5	<0.2
1270672	Soil		13	56	2.80	279	0.172	1	2.82	0.009	0.82	0.2	<0.01	2.9	0.6	<0.05	8	<0.5	<0.2
1270661	Soil		27	50	0.78	293	0.040	2	1.36	0.008	0.09	0.2	0.05	7.0	0.2	<0.05	5	<0.5	<0.2
1270664	Soil		31	76	1.34	371	0.079	2	1.86	0.010	0.22	0.2	0.03	8.8	0.2	0.08	6	<0.5	<0.2
1270666	Soil		19	48	1.95	353	0.158	1	3.04	0.009	0.61	0.2	<0.01	6.0	0.4	<0.05	9	<0.5	<0.2
1270665	Soil		19	340	1.96	558	0.115	2	2.60	0.009	0.36	0.2	0.02	9.1	0.3	<0.05	9	<0.5	<0.2
1270659	Soil		18	100	2.10	304	0.142	1	2.53	0.008	0.22	0.1	<0.01	4.3	0.3	<0.05	8	<0.5	<0.2
1270662	Soil		34	52	2.27	318	0.142	2	2.83	0.006	0.50	0.1	0.03	7.2	0.4	<0.05	8	<0.5	<0.2
1270667	Soil		30	107	1.74	319	0.079	3	2.38	0.010	0.20	0.1	0.05	9.8	0.2	0.06	8	<0.5	<0.2
1270658	Soil		55	42	0.59	314	0.084	2	1.32	0.013	0.16	0.2	0.03	6.3	0.3	0.06	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000320.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1270657	Soil		2.3	37.5	15.1	68	0.8	25.4	7.1	175	2.78	21.1	0.6	2.5	0.9	7	1.1	0.8	0.3	111	0.09	0.049
1270644	Soil		1.9	99.6	5.5	257	0.1	121.4	35.5	429	6.09	12.9	1.1	2.1	2.6	21	1.0	0.7	<0.1	182	0.44	0.150
1270646	Soil		1.0	19.2	4.8	43	0.4	8.8	2.3	47	0.92	13.1	0.5	1.7	<0.1	10	0.3	0.4	0.1	22	0.10	0.069
1270653	Soil		1.9	57.0	8.0	169	0.8	22.2	12.4	2121	2.74	11.6	0.9	3.0	0.6	11	1.8	0.6	0.2	78	0.11	0.052
1270643	Soil		1.2	63.7	7.7	121	0.2	67.7	20.1	304	3.94	12.2	0.7	3.9	3.0	17	0.3	0.6	<0.1	101	0.20	0.034
1270648	Soil		1.5	45.0	5.6	127	0.2	67.0	25.0	483	4.21	21.5	0.7	3.1	2.5	26	0.2	0.5	<0.1	104	0.68	0.159
1270650	Soil		2.4	23.3	10.6	72	0.2	30.7	7.8	272	3.08	25.5	0.5	2.7	2.3	14	0.4	0.9	0.2	98	0.19	0.042
1270654	Soil		1.7	49.9	14.5	184	0.6	59.4	22.4	845	5.06	48.0	1.4	6.1	3.4	33	0.7	0.8	0.1	117	1.06	0.090
1270482	Soil		0.9	26.1	10.5	63	0.2	24.3	11.2	714	2.99	9.3	3.7	3.6	8.2	53	0.3	0.4	0.1	44	1.57	0.058
1270472	Soil		1.7	64.9	11.6	141	0.3	68.1	24.9	760	5.03	60.7	1.3	4.3	3.9	26	0.6	1.2	0.1	140	0.83	0.142
1270494	Soil		1.5	25.6	42.0	74	0.2	24.5	13.8	460	2.89	6.2	1.5	1.4	17.5	15	<0.1	0.3	0.6	54	0.33	0.046
1270489	Soil		1.1	28.6	9.9	61	<0.1	41.2	18.8	711	3.83	11.3	1.7	0.9	6.9	51	0.1	0.5	0.1	64	1.35	0.086
1270474	Soil		1.7	42.5	23.1	84	0.4	41.3	16.6	547	4.26	49.4	1.0	6.5	4.2	17	0.5	1.1	0.1	110	0.32	0.066
1270473	Soil		1.8	61.1	7.0	85	0.1	45.2	23.2	562	5.19	15.7	1.1	3.4	3.5	20	0.2	0.4	<0.1	129	0.44	0.141
1270469	Soil		1.9	29.9	9.5	90	0.3	27.8	7.5	196	2.54	24.4	0.9	7.9	1.5	19	0.5	0.7	0.1	77	0.22	0.078
1270490	Soil		0.6	30.2	11.8	45	<0.1	32.0	14.9	768	2.91	7.3	2.9	1.5	8.0	72	0.2	0.5	0.1	45	1.98	0.063
1270476	Soil		2.1	18.6	12.9	53	<0.1	23.3	7.9	250	3.52	34.0	0.4	3.5	2.4	11	0.3	0.8	0.1	109	0.13	0.035
1270475	Soil		2.1	24.7	16.6	69	<0.1	39.6	15.3	385	4.65	41.0	0.5	3.9	2.9	11	0.4	0.8	0.1	116	0.14	0.037
1270470	Soil		2.1	73.3	30.6	211	0.6	93.5	24.4	856	4.67	59.6	1.4	7.0	4.1	24	1.3	2.7	0.2	124	0.35	0.105
1270492	Soil		1.5	25.7	18.9	60	0.1	26.9	15.2	489	3.51	5.5	2.7	2.0	15.6	32	<0.1	0.3	0.2	79	0.73	0.066
1270477	Soil		1.5	19.1	10.2	49	0.1	26.2	10.2	241	3.74	20.7	0.6	1.4	4.5	15	<0.1	0.5	0.2	100	0.19	0.023
1270478	Soil		1.3	18.6	15.0	54	<0.1	27.6	12.3	283	4.22	17.2	0.8	1.9	6.4	11	0.2	0.6	0.2	84	0.12	0.022
1270471	Soil		1.9	67.8	40.4	229	0.8	79.4	22.3	781	4.97	122.6	1.6	9.9	4.4	25	1.5	3.1	0.1	120	0.69	0.119
1270493	Soil		1.7	39.4	26.4	53	0.3	28.2	15.1	1024	2.62	5.7	8.2	2.0	18.6	40	0.3	0.5	0.3	58	1.05	0.059
1270491	Soil		0.9	22.2	12.7	66	<0.1	38.0	16.4	584	3.91	6.5	1.9	2.1	15.2	39	0.1	0.5	0.2	69	1.19	0.092
1292609	Soil		3.6	92.0	7.2	95	0.3	22.6	8.9	425	4.33	4.1	1.3	0.6	5.4	30	<0.1	0.2	0.2	107	0.11	0.057
1292617	Soil		4.4	29.0	11.2	118	0.6	26.3	12.1	349	3.52	18.0	1.5	3.3	3.0	27	0.3	0.5	0.2	79	0.32	0.072
1292605	Soil		2.1	28.3	10.9	101	0.6	38.3	11.7	435	3.10	19.7	0.6	4.5	2.4	24	0.5	0.5	0.1	69	0.32	0.035
1292610	Soil		4.2	65.1	29.2	254	0.6	76.1	19.8	599	4.34	24.8	1.6	1.8	4.1	23	0.6	0.6	0.3	94	0.46	0.051
1292613	Soil		5.2	84.6	12.8	250	1.3	77.3	14.0	367	4.04	38.0	2.0	10.9	3.2	43	1.6	1.4	0.1	66	0.30	0.097

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000320.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1270657	Soil		6	35	0.25	143	0.085	1	0.95	0.008	0.08	<0.1	0.04	2.3	0.2	<0.05	8	<0.5	<0.2
1270644	Soil		16	190	2.26	628	0.316	1	3.51	0.011	0.98	0.1	0.02	7.2	0.9	0.16	13	1.0	<0.2
1270646	Soil		4	16	0.04	164	0.019	2	0.41	0.012	0.02	<0.1	0.09	0.5	<0.1	0.09	2	<0.5	<0.2
1270653	Soil		7	31	0.16	160	0.063	2	1.02	0.019	0.07	<0.1	0.08	1.7	0.4	<0.05	6	0.8	<0.2
1270643	Soil		11	71	0.91	264	0.140	1	2.71	0.010	0.08	0.1	0.03	4.6	0.3	0.05	9	<0.5	<0.2
1270648	Soil		12	84	1.33	507	0.187	2	2.08	0.017	0.43	0.1	0.02	4.7	0.3	<0.05	9	0.6	<0.2
1270650	Soil		10	35	0.28	267	0.117	1	0.92	0.007	0.09	0.1	0.03	2.5	0.4	<0.05	7	<0.5	<0.2
1270654	Soil		19	83	1.38	822	0.170	2	2.06	0.013	0.39	0.1	0.12	9.7	1.5	0.09	9	0.6	<0.2
1270482	Soil		42	32	0.56	292	0.056	3	1.04	0.011	0.14	<0.1	0.05	5.4	0.3	<0.05	4	<0.5	<0.2
1270472	Soil		21	90	1.70	703	0.222	2	2.43	0.019	0.63	0.1	0.03	8.9	0.5	<0.05	10	0.6	<0.2
1270494	Soil		41	39	1.04	193	0.098	1	1.72	0.008	0.18	0.1	0.03	4.3	0.3	<0.05	5	<0.5	<0.2
1270489	Soil		34	61	0.90	299	0.052	3	1.45	0.009	0.27	0.2	0.03	6.8	0.3	<0.05	5	<0.5	<0.2
1270474	Soil		21	64	0.99	468	0.147	2	2.31	0.012	0.13	0.1	0.03	7.6	0.2	<0.05	8	<0.5	<0.2
1270473	Soil		21	68	1.56	700	0.240	1	3.01	0.014	0.63	0.1	0.02	8.0	0.2	0.14	11	<0.5	<0.2
1270469	Soil		12	44	0.50	299	0.079	2	1.36	0.012	0.13	0.2	0.06	3.3	0.5	0.17	6	1.2	<0.2
1270490	Soil		40	39	0.67	291	0.049	3	1.23	0.010	0.12	0.1	0.08	5.5	0.2	0.06	4	<0.5	<0.2
1270476	Soil		9	42	0.44	125	0.125	1	1.51	0.007	0.10	0.1	0.02	3.1	0.1	<0.05	8	<0.5	<0.2
1270475	Soil		10	72	0.73	261	0.129	2	2.86	0.008	0.11	0.2	0.02	4.6	0.2	<0.05	9	<0.5	<0.2
1270470	Soil		17	73	0.82	499	0.129	2	1.89	0.019	0.26	0.2	0.05	6.4	1.0	0.06	7	1.1	<0.2
1270492	Soil		38	49	0.90	262	0.116	2	1.97	0.017	0.21	0.1	0.03	5.9	0.3	0.14	7	<0.5	<0.2
1270477	Soil		10	49	0.62	192	0.128	1	2.02	0.009	0.08	0.2	0.01	4.0	0.2	<0.05	9	<0.5	<0.2
1270478	Soil		11	47	0.61	146	0.098	2	2.62	0.008	0.06	0.1	0.02	3.8	0.2	<0.05	9	<0.5	<0.2
1270471	Soil		24	92	1.17	493	0.136	2	2.24	0.019	0.35	0.1	0.07	8.8	0.7	<0.05	9	0.7	<0.2
1270493	Soil		103	35	0.65	393	0.061	2	1.60	0.015	0.10	0.2	0.08	6.6	0.2	0.13	5	<0.5	<0.2
1270491	Soil		43	76	1.18	311	0.097	3	1.68	0.009	0.44	0.2	0.04	10.0	0.4	<0.05	6	<0.5	<0.2
1292609	Soil		17	70	1.71	740	0.177	2	2.91	0.049	0.94	<0.1	0.02	7.9	0.5	0.52	11	1.4	<0.2
1292617	Soil		14	37	0.56	730	0.053	2	1.46	0.011	0.07	0.2	0.06	4.1	0.2	0.06	5	1.6	<0.2
1292605	Soil		10	38	0.54	568	0.056	2	1.57	0.013	0.11	0.2	0.02	3.6	0.1	0.06	5	0.6	<0.2
1292610	Soil		12	47	0.84	702	0.040	2	1.95	0.009	0.17	0.1	0.03	10.1	0.3	<0.05	5	2.2	<0.2
1292613	Soil		13	37	0.48	1139	0.048	3	1.30	0.012	0.09	0.5	0.08	5.6	0.2	0.08	4	1.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000320.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1292619	Soil	4.2	34.3	10.2	114	0.4	26.0	9.4	306	3.58	25.4	1.3	2.6	3.3	26	0.4	0.6	0.1	82	0.37	0.079
1292593	Soil	2.2	29.5	18.1	118	0.3	37.0	17.9	625	3.40	30.2	1.2	2.7	3.6	17	0.5	0.4	0.1	84	0.33	0.073
1292601	Rock Pulp	1.4	439.5	19.4	163	0.2	215.3	76.9	856	16.31	3.9	1.1	36.0	6.9	15	0.1	0.4	0.1	241	0.30	0.044
1292595	Soil	5.8	68.6	11.8	197	0.7	63.7	13.5	461	3.86	67.2	2.1	7.8	4.0	24	0.8	0.7	<0.1	128	0.35	0.051
1292594	Soil	2.5	39.6	26.6	123	0.6	47.1	14.5	427	3.91	94.7	1.1	1.2	4.7	18	0.4	0.6	0.1	98	0.33	0.066
1292618	Soil	4.0	23.7	10.1	94	0.5	21.6	8.1	287	2.93	16.8	1.1	2.0	1.9	28	0.2	0.4	0.1	74	0.38	0.075
1292614	Soil	2.3	25.6	8.6	123	0.5	32.8	8.1	304	2.72	16.3	0.5	0.6	1.6	21	0.9	0.6	<0.1	77	0.32	0.040
1292598	Soil	1.4	23.3	5.1	94	0.2	23.9	13.0	610	3.77	7.3	1.4	2.2	3.8	18	0.1	0.3	<0.1	72	0.38	0.050
1292603	Soil	11.5	49.4	10.3	164	0.8	60.9	8.2	209	3.07	46.0	1.3	<0.5	2.8	26	1.3	0.7	0.1	112	0.26	0.045
1292596	Soil	5.8	62.7	17.4	147	0.7	48.2	11.9	357	4.00	42.4	2.1	4.7	4.7	26	0.6	0.5	0.1	102	0.32	0.051
1270081	Soil	1.9	10.8	13.0	50	<0.1	15.6	8.0	392	3.81	11.3	0.6	1.2	4.9	10	<0.1	0.5	0.2	79	0.11	0.038
1270092	Soil	1.2	31.0	33.2	62	0.2	42.6	15.4	521	3.43	7.8	1.7	4.4	11.3	32	<0.1	0.4	0.2	64	0.77	0.057
1270645	Soil	3.1	34.5	17.2	97	0.3	37.4	10.4	687	4.04	59.9	0.7	2.1	2.1	11	0.3	1.6	0.2	95	0.08	0.057
1270649	Soil	4.5	37.3	22.2	168	0.6	28.6	8.4	502	4.40	53.1	1.0	2.3	2.3	12	1.1	1.9	0.3	119	0.07	0.065
1270085	Soil	1.3	14.5	10.8	79	<0.1	21.0	15.0	645	3.93	6.7	2.3	0.8	21.5	26	<0.1	0.2	0.2	66	0.59	0.089
1270086	Soil	1.0	17.5	7.4	59	<0.1	19.6	15.8	574	3.63	3.9	1.0	0.8	13.9	24	<0.1	0.2	<0.1	66	0.72	0.131
1270647	Soil	3.4	74.0	9.6	126	0.1	47.7	20.2	825	5.29	37.7	1.3	0.9	4.0	19	0.4	0.9	0.1	142	0.18	0.105
1270655	Soil	3.2	48.6	12.6	143	0.3	39.1	15.0	487	4.72	19.8	1.0	1.3	2.9	16	0.9	0.4	0.2	120	0.18	0.077
1270091	Soil	0.9	19.2	14.7	47	0.2	26.1	13.4	652	2.80	4.7	9.4	2.0	13.2	52	<0.1	0.2	<0.1	55	1.11	0.056
1270089	Soil	0.6	31.7	6.3	94	<0.1	21.3	28.6	1132	5.23	3.6	0.5	<0.5	3.5	22	<0.1	0.1	<0.1	115	0.60	0.142
1270652	Soil	1.9	42.8	12.9	101	0.2	66.8	19.4	407	4.92	15.3	0.6	0.7	2.9	10	0.6	0.5	0.1	144	0.20	0.065
1270656	Soil	2.9	31.4	13.2	79	0.5	17.5	3.7	137	1.89	13.9	1.0	<0.5	0.4	10	0.8	0.6	0.2	71	0.07	0.047
1270090	Soil	2.0	25.4	23.2	79	0.2	29.3	13.0	575	3.79	4.0	4.7	1.7	27.2	23	<0.1	0.2	0.3	57	0.54	0.097
1270084	Soil	1.6	15.4	12.0	80	<0.1	21.1	15.4	632	5.02	4.8	2.7	<0.5	22.5	21	<0.1	0.3	0.3	58	0.62	0.130
1270663	Soil	0.7	29.9	7.4	61	<0.1	45.3	24.0	675	4.48	5.8	1.0	1.4	5.6	42	<0.1	0.2	<0.1	100	1.06	0.089
1270660	Soil	1.5	38.0	15.3	128	0.4	34.3	21.0	775	3.34	19.1	1.9	2.1	4.9	27	0.4	0.6	0.1	69	0.46	0.076
1270087	Soil	1.2	22.1	12.4	48	<0.1	22.8	13.4	304	3.04	6.7	1.9	2.2	16.9	18	<0.1	0.3	0.2	63	0.30	0.049
1270097	Soil	2.0	20.4	10.2	52	0.1	31.8	16.1	476	3.76	25.6	0.9	298.3	6.4	20	0.1	0.6	0.1	61	0.39	0.030
1270099	Soil	1.4	32.3	14.1	62	0.2	49.1	15.8	585	3.95	10.9	0.9	9.3	6.8	42	0.1	0.8	0.2	51	1.11	0.048
1270093	Soil	0.9	34.2	13.2	69	0.1	41.5	16.5	510	3.76	6.9	2.7	3.7	9.7	37	<0.1	0.3	0.2	71	0.91	0.060

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000320.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1292619	Soil	14	37	0.64	484	0.062	2	1.44	0.012	0.08	0.2	0.05	4.2	0.2	<0.05	5	1.5	<0.2
1292593	Soil	14	59	0.90	333	0.066	1	1.77	0.010	0.08	0.1	0.05	5.0	0.2	<0.05	7	0.7	<0.2
1292601	Rock Pulp	17	759	0.13	153	0.161	5	4.18	0.013	0.06	<0.1	0.04	43.8	0.1	<0.05	22	<0.5	<0.2
1292595	Soil	15	47	0.88	1217	0.079	1	1.68	0.011	0.17	0.1	0.05	7.8	0.4	0.06	6	2.0	<0.2
1292594	Soil	17	60	0.96	400	0.077	2	2.05	0.010	0.16	0.1	0.04	5.9	0.2	<0.05	7	0.7	<0.2
1292618	Soil	12	33	0.51	456	0.053	1	1.28	0.010	0.07	0.1	0.06	3.4	0.1	<0.05	5	1.5	<0.2
1292614	Soil	8	31	0.35	1095	0.038	1	1.28	0.009	0.05	0.2	0.02	3.7	0.2	<0.05	6	0.6	<0.2
1292598	Soil	18	26	1.00	903	0.141	2	2.05	0.012	0.35	0.1	0.03	6.0	0.3	<0.05	7	0.5	<0.2
1292603	Soil	14	41	0.54	268	0.049	2	1.50	0.013	0.16	0.2	0.03	3.3	0.2	0.15	6	2.2	<0.2
1292596	Soil	17	35	0.75	1334	0.068	1	1.60	0.012	0.16	<0.1	0.05	8.1	0.3	0.10	5	1.7	<0.2
1270081	Soil	15	39	0.52	105	0.093	1	1.59	0.007	0.06	0.2	0.02	3.3	0.2	<0.05	7	<0.5	<0.2
1270092	Soil	34	64	0.96	384	0.077	2	1.81	0.018	0.09	0.2	0.05	6.9	0.2	<0.05	6	<0.5	<0.2
1270645	Soil	10	37	0.29	142	0.071	2	1.28	0.008	0.06	0.1	0.07	3.0	0.8	<0.05	8	0.8	<0.2
1270649	Soil	9	30	0.16	170	0.086	1	1.02	0.006	0.06	0.1	0.06	2.6	0.8	<0.05	8	0.8	<0.2
1270085	Soil	46	41	1.08	242	0.118	2	1.99	0.011	0.17	0.2	0.03	5.7	0.3	<0.05	8	<0.5	<0.2
1270086	Soil	28	35	1.43	246	0.158	1	1.98	0.011	0.44	0.2	<0.01	4.0	0.3	<0.05	6	<0.5	<0.2
1270647	Soil	17	90	1.02	614	0.222	1	2.25	0.019	0.35	0.1	0.05	7.0	0.4	0.14	10	1.1	<0.2
1270655	Soil	13	52	0.90	396	0.175	1	1.91	0.014	0.27	0.2	0.03	5.5	0.4	0.05	9	1.0	<0.2
1270091	Soil	54	52	1.00	510	0.071	2	1.65	0.013	0.10	0.1	0.03	6.3	0.2	<0.05	6	<0.5	<0.2
1270089	Soil	10	44	3.09	484	0.192	<1	3.44	0.013	0.67	0.3	<0.01	4.8	0.3	<0.05	10	<0.5	<0.2
1270652	Soil	11	100	1.19	206	0.185	1	2.50	0.012	0.22	<0.1	0.02	7.5	0.4	<0.05	10	<0.5	<0.2
1270656	Soil	7	27	0.24	201	0.058	1	0.63	0.012	0.14	<0.1	0.03	1.5	0.3	<0.05	5	1.0	<0.2
1270090	Soil	84	55	0.86	214	0.041	1	1.45	0.009	0.17	<0.1	0.03	9.6	0.2	<0.05	5	<0.5	<0.2
1270084	Soil	42	29	1.14	216	0.163	1	1.96	0.009	0.54	0.1	0.01	7.9	0.5	<0.05	7	<0.5	<0.2
1270663	Soil	21	102	1.77	267	0.101	2	2.08	0.011	0.32	0.1	0.02	7.7	0.2	<0.05	7	<0.5	<0.2
1270660	Soil	28	42	0.70	498	0.080	1	1.61	0.019	0.07	0.1	0.07	6.7	0.3	<0.05	5	0.9	<0.2
1270087	Soil	48	36	0.93	247	0.095	1	1.91	0.009	0.16	0.1	0.01	5.1	0.2	<0.05	6	<0.5	<0.2
1270097	Soil	18	43	0.58	171	0.040	<1	1.22	0.010	0.10	0.1	0.02	4.7	<0.1	<0.05	4	<0.5	<0.2
1270099	Soil	24	52	0.70	243	0.013	2	1.07	0.011	0.08	<0.1	0.06	10.0	0.1	<0.05	3	<0.5	<0.2
1270093	Soil	34	65	1.14	364	0.105	2	2.16	0.018	0.18	0.1	0.05	6.9	0.2	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000320.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1270088	Soil	3.9	22.7	22.4	131	0.2	36.7	22.3	781	4.94	12.2	5.9	2.8	35.3	20	<0.1	0.3	0.5	93	0.43	0.090
1270100	Soil	1.5	20.8	10.4	43	0.1	24.8	11.0	505	2.89	9.0	1.0	18.4	10.6	29	0.1	0.8	0.2	49	0.53	0.024
1270096	Soil	1.2	18.9	9.4	45	<0.1	21.7	14.9	571	3.45	6.9	0.8	2.0	3.0	38	<0.1	0.4	<0.1	85	0.85	0.038
1270095	Soil	1.0	24.5	7.5	52	<0.1	29.5	16.1	522	3.70	9.1	0.9	3.6	5.4	36	<0.1	0.4	<0.1	82	0.77	0.069
1270508	Soil	2.2	26.7	8.7	75	0.1	25.8	11.1	392	2.75	33.1	1.1	3.9	3.7	24	0.2	0.6	0.1	67	0.38	0.064
1270502	Soil	1.6	20.3	12.5	56	0.1	35.5	14.5	544	3.78	10.1	1.5	8.0	25.5	27	<0.1	1.3	0.3	68	0.39	0.018
1270503	Soil	1.5	18.7	11.8	40	<0.1	23.5	10.5	353	2.99	9.1	1.0	4.6	13.2	23	<0.1	0.6	0.2	60	0.41	0.014
1270094	Soil	1.8	35.2	9.9	87	<0.1	47.7	30.0	1429	7.30	22.3	1.9	1.4	9.5	34	0.2	0.5	<0.1	135	0.96	0.137
1270083	Soil	0.9	18.9	10.9	62	<0.1	25.1	12.3	428	3.35	7.4	1.5	4.0	18.0	19	<0.1	0.3	0.2	64	0.35	0.045
1270505	Soil	1.4	19.7	12.5	45	<0.1	21.3	10.3	445	3.19	7.4	1.5	4.3	27.4	28	<0.1	0.6	0.2	59	0.53	0.023
1270504	Soil	1.3	23.1	13.1	37	0.1	20.9	9.7	600	2.61	6.5	1.9	3.6	19.5	39	<0.1	0.6	0.2	51	0.80	0.032
1270098	Soil	1.2	40.3	9.7	55	0.1	39.1	21.3	815	4.43	16.4	1.1	6.9	6.1	39	0.2	0.6	<0.1	71	0.79	0.058
1270221	Soil	0.2	143.7	5.0	43	0.2	13.9	18.4	520	3.71	6.5	0.4	0.7	1.2	244	<0.1	0.2	<0.1	116	2.29	0.046
1270224	Soil	0.9	45.0	8.1	66	<0.1	22.9	13.8	467	3.43	6.7	0.5	<0.5	2.7	46	<0.1	0.3	<0.1	90	0.49	0.040
1270218	Soil	0.5	64.7	6.2	76	<0.1	18.6	15.1	436	4.21	4.8	0.4	<0.5	1.9	51	<0.1	0.2	<0.1	119	0.48	0.024
1270226	Soil	0.3	123.8	5.3	68	0.2	25.3	20.3	584	4.42	5.1	0.4	4.9	2.6	51	<0.1	0.2	<0.1	133	0.66	0.073
1270211	Soil	0.1	95.1	2.1	40	<0.1	44.3	17.7	441	2.54	1.2	0.3	9.1	0.3	30	<0.1	<0.1	<0.1	85	0.71	0.077
1270223	Soil	0.6	185.0	3.4	46	<0.1	27.1	19.7	281	3.38	7.6	0.5	6.4	1.1	98	<0.1	<0.1	0.1	138	0.77	0.090
1270201	Rock Pulp	1.4	429.4	20.9	162	0.2	210.4	75.5	807	15.37	3.3	1.2	35.0	6.8	13	0.1	0.4	0.2	218	0.27	0.041
1270225	Soil	0.4	68.6	5.0	47	0.1	21.9	14.6	345	2.74	4.0	0.3	<0.5	1.6	72	<0.1	0.2	0.1	78	0.50	0.046
1270213	Soil	<0.1	320.4	1.2	75	0.2	15.3	26.1	602	5.26	1.2	0.2	4.9	0.3	18	<0.1	<0.1	<0.1	221	0.88	0.128
1270215	Soil	2.7	81.8	6.9	99	<0.1	33.9	17.7	424	4.05	18.3	1.0	2.0	2.8	27	0.3	0.3	0.2	137	0.31	0.051
1270228	Soil	0.4	9.4	5.1	107	<0.1	8.7	9.8	620	4.08	4.9	0.4	<0.5	2.7	185	<0.1	0.1	<0.1	92	0.90	0.174
1270229	Soil	0.6	23.7	8.5	98	<0.1	13.1	9.4	514	3.98	7.3	0.4	<0.5	3.8	39	<0.1	0.3	<0.1	86	0.34	0.078
1270212	Soil	0.6	38.0	8.0	105	<0.1	15.5	12.3	600	3.84	6.4	0.7	2.0	7.1	40	<0.1	0.4	0.1	90	0.50	0.077
1270214	Soil	1.4	111.8	14.4	66	<0.1	23.7	21.8	424	4.14	5.6	0.3	3.7	1.0	24	<0.1	0.3	0.1	120	0.34	0.043
1270216	Soil	1.3	180.1	3.5	70	0.2	26.1	26.0	625	5.22	2.0	0.4	1.4	1.0	49	<0.1	0.2	<0.1	175	0.69	0.050
1270217	Soil	1.6	82.6	8.4	59	<0.1	41.5	17.0	362	3.95	8.1	0.5	4.4	2.3	40	<0.1	0.3	0.1	123	0.50	0.035
1292604	Soil	3.0	37.2	9.9	66	0.5	25.9	10.0	249	3.16	6.6	0.7	3.5	2.2	29	0.3	0.4	0.1	78	0.29	0.038
1292612	Soil	3.9	71.7	8.3	83	0.7	38.0	8.0	186	2.40	8.7	2.1	1.8	4.5	23	0.5	0.3	0.1	86	0.19	0.041

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000320.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1270088	Soil	83	88	0.61	324	0.039	2	1.22	0.007	0.17	<0.1	0.03	14.4	0.2	<0.05	4	<0.5	<0.2
1270100	Soil	20	31	0.50	483	0.035	2	1.23	0.015	0.08	0.1	0.04	5.7	0.1	<0.05	4	<0.5	<0.2
1270096	Soil	13	43	0.88	280	0.071	1	1.67	0.016	0.07	<0.1	0.02	5.0	<0.1	<0.05	7	<0.5	<0.2
1270095	Soil	25	54	1.03	274	0.067	2	1.86	0.022	0.11	<0.1	0.03	8.8	0.1	<0.05	6	<0.5	<0.2
1270508	Soil	12	39	0.66	340	0.096	1	1.30	0.016	0.18	0.3	0.02	4.2	0.2	<0.05	5	<0.5	<0.2
1270502	Soil	28	51	0.67	287	0.061	2	1.54	0.015	0.17	0.1	0.02	8.7	0.3	<0.05	5	<0.5	<0.2
1270503	Soil	16	37	0.58	308	0.079	<1	1.54	0.015	0.13	0.2	0.02	4.3	0.2	<0.05	5	<0.5	<0.2
1270094	Soil	43	88	1.24	444	0.082	1	2.07	0.011	0.38	<0.1	0.05	16.1	0.4	<0.05	7	<0.5	<0.2
1270083	Soil	34	43	0.81	195	0.108	1	2.09	0.013	0.10	0.2	0.03	5.1	0.2	<0.05	6	<0.5	<0.2
1270505	Soil	31	32	0.73	294	0.098	1	1.62	0.018	0.23	0.2	0.02	5.2	0.2	<0.05	5	<0.5	<0.2
1270504	Soil	66	29	0.52	444	0.063	1	1.39	0.018	0.14	0.1	0.04	4.7	0.2	<0.05	4	<0.5	<0.2
1270098	Soil	32	77	1.01	299	0.036	2	1.70	0.015	0.09	<0.1	0.04	10.2	0.1	<0.05	5	<0.5	<0.2
1270221	Soil	6	15	1.15	111	0.108	<1	4.37	0.052	0.14	0.1	0.02	10.8	<0.1	<0.05	11	<0.5	<0.2
1270224	Soil	7	40	1.03	196	0.137	<1	2.29	0.024	0.07	<0.1	<0.01	4.9	<0.1	<0.05	8	<0.5	<0.2
1270218	Soil	8	38	1.26	219	0.242	<1	2.35	0.028	0.19	<0.1	<0.01	5.6	0.2	<0.05	9	<0.5	<0.2
1270226	Soil	14	59	1.46	167	0.219	<1	2.36	0.019	0.26	<0.1	0.03	7.7	0.1	<0.05	9	<0.5	<0.2
1270211	Soil	2	104	1.54	187	0.144	3	1.88	0.053	0.24	<0.1	<0.01	6.5	0.2	<0.05	6	<0.5	<0.2
1270223	Soil	8	67	1.21	465	0.156	2	2.35	0.098	0.40	<0.1	0.01	8.8	0.2	<0.05	8	<0.5	<0.2
1270201	Rock Pulp	17	691	0.13	143	0.151	6	3.73	0.012	0.06	<0.1	0.04	38.4	0.1	<0.05	20	<0.5	<0.2
1270225	Soil	5	34	0.99	162	0.115	2	2.00	0.028	0.07	<0.1	<0.01	4.4	<0.1	<0.05	7	<0.5	<0.2
1270213	Soil	2	26	2.23	236	0.380	2	2.40	0.016	0.86	<0.1	0.02	7.7	0.3	<0.05	11	<0.5	<0.2
1270215	Soil	10	65	1.01	388	0.167	2	2.89	0.030	0.34	<0.1	0.02	7.9	0.3	0.09	8	0.7	<0.2
1270228	Soil	7	16	0.92	217	0.190	2	2.38	0.016	0.33	<0.1	<0.01	5.1	0.2	<0.05	13	<0.5	<0.2
1270229	Soil	11	24	0.90	205	0.097	1	1.99	0.011	0.11	<0.1	<0.01	6.2	<0.1	<0.05	11	<0.5	<0.2
1270212	Soil	24	26	0.87	265	0.119	2	2.00	0.026	0.37	<0.1	<0.01	10.8	0.3	<0.05	10	<0.5	<0.2
1270214	Soil	4	39	1.16	620	0.222	3	3.28	0.031	0.42	<0.1	0.03	5.6	0.4	<0.05	10	<0.5	<0.2
1270216	Soil	6	59	1.19	468	0.155	2	3.00	0.106	0.59	<0.1	0.03	18.8	0.4	<0.05	9	<0.5	<0.2
1270217	Soil	9	76	1.21	260	0.187	2	2.69	0.056	0.21	0.1	<0.01	7.1	0.3	<0.05	9	<0.5	<0.2
1292604	Soil	10	37	0.51	401	0.076	2	1.42	0.019	0.19	<0.1	0.03	3.6	0.1	0.14	5	0.6	<0.2
1292612	Soil	16	44	0.60	541	0.067	2	1.41	0.015	0.10	<0.1	0.02	5.2	0.1	0.11	5	1.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000320.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1292611	Soil		1.8	50.0	8.9	70	0.5	30.3	9.3	195	2.66	8.7	1.3	3.7	4.1	21	0.2	0.6	0.1	60	0.25	0.029
1292616	Soil		4.8	46.9	11.4	141	0.2	62.1	14.7	285	3.77	13.4	1.2	1.3	4.8	18	0.6	0.6	0.2	78	0.13	0.048
1292608	Soil		7.4	101.0	11.6	182	1.0	56.3	11.0	452	3.78	51.7	4.4	2.5	4.7	39	0.9	0.5	0.2	135	0.42	0.082
1292597	Soil		4.3	69.9	13.6	145	1.4	60.2	12.8	599	3.71	76.7	1.7	6.5	2.9	33	0.9	0.9	0.2	98	0.90	0.064
1292606	Soil		9.8	115.2	22.0	155	1.2	72.7	16.3	509	4.13	24.2	4.1	3.8	6.3	43	0.5	0.4	0.3	122	0.42	0.104
1292620	Soil		3.5	45.2	11.8	115	0.5	32.0	12.8	377	3.36	21.3	1.6	3.2	4.4	28	0.4	0.7	0.2	77	0.40	0.082
1292602	Soil		2.5	92.9	7.9	98	0.3	53.0	23.1	829	4.72	12.3	1.8	1.4	5.2	23	<0.1	0.2	0.2	99	0.41	0.092
1292600	Soil		4.7	70.5	8.5	139	0.3	101.0	15.9	534	5.10	8.0	3.1	1.3	7.4	25	0.2	0.2	0.1	163	0.40	0.082
1292615	Soil		3.7	49.3	13.8	143	0.6	53.6	14.0	397	3.54	13.4	1.3	1.8	5.2	27	0.7	0.5	0.2	93	0.40	0.072
1292599	Soil		2.3	36.9	8.3	125	0.4	40.5	11.6	377	3.64	29.1	1.0	2.9	2.9	23	0.2	0.7	0.1	78	0.32	0.047
1270219	Soil		0.3	13.3	11.4	114	<0.1	14.6	10.6	491	4.17	6.4	0.4	0.8	4.6	35	<0.1	0.2	0.1	92	0.39	0.065
1270222	Soil		0.1	28.8	3.4	91	<0.1	6.3	7.8	507	3.23	2.7	0.5	3.9	6.9	34	<0.1	0.1	<0.1	75	0.50	0.109
1270220	Soil		0.5	134.8	7.6	90	<0.1	28.1	19.2	360	4.53	3.9	0.7	3.9	1.9	51	<0.1	0.1	<0.1	169	0.75	0.079
1292607	Soil		4.7	76.8	12.8	77	0.6	38.3	7.8	177	3.42	11.4	1.3	4.5	3.1	29	0.4	0.5	0.1	93	0.14	0.040
1270430	Soil		0.8	22.0	10.6	48	<0.1	24.5	12.0	509	2.97	9.2	1.1	4.0	6.0	36	0.1	0.9	0.1	62	0.76	0.033
1270421	Soil		0.8	51.7	21.0	67	<0.1	49.3	18.7	475	4.16	8.0	1.1	0.7	8.1	40	<0.1	0.4	0.9	72	0.58	0.070
1270418	Soil		1.2	19.6	16.2	55	0.2	28.2	15.5	377	3.71	10.2	1.2	1.6	13.9	14	0.1	0.6	0.2	72	0.16	0.025
1270415	Soil		1.9	15.7	27.0	42	0.2	13.6	9.3	238	2.46	8.6	2.2	1.4	17.6	16	<0.1	0.7	0.4	39	0.31	0.048
1270431	Soil		0.9	13.8	10.3	40	<0.1	18.9	9.4	352	2.62	6.5	1.0	1.2	5.2	33	<0.1	0.6	0.1	57	0.69	0.025
1270419	Soil		1.1	57.8	14.1	95	<0.1	22.8	27.0	1120	5.89	1.5	2.6	0.8	29.2	17	<0.1	<0.1	0.2	192	0.46	0.140
1270417	Soil		1.7	23.6	20.7	63	<0.1	27.9	14.3	460	3.48	9.0	1.4	1.9	13.8	16	<0.1	0.4	0.2	73	0.19	0.037
1270411	Soil		2.0	31.4	12.2	75	0.1	19.2	15.8	364	3.74	5.7	2.4	1.9	18.3	19	<0.1	0.3	0.6	60	0.44	0.074
1270432	Soil		1.5	14.0	12.0	47	<0.1	21.0	10.2	325	2.83	8.1	0.7	2.2	10.2	18	0.1	0.5	0.1	63	0.31	0.018
1270420	Soil		1.3	27.9	20.0	60	0.2	28.0	12.4	583	3.18	8.7	2.9	5.3	13.0	16	<0.1	0.5	0.2	66	0.23	0.039
1270416	Soil		0.8	30.1	30.3	65	0.1	25.9	12.7	395	3.15	7.0	1.6	3.0	20.5	17	<0.1	0.4	0.3	67	0.24	0.041
1270414	Soil		4.5	14.7	19.1	67	0.1	19.1	15.9	589	3.60	8.6	2.2	1.9	13.0	24	<0.1	0.2	0.4	49	0.48	0.093
1270443	Soil		3.0	44.1	9.2	124	0.3	45.2	13.5	567	4.23	110.4	1.1	2.5	3.3	18	0.4	0.8	0.1	109	0.24	0.077
1270436	Soil		2.2	34.1	8.4	115	0.3	31.1	12.6	823	2.95	35.2	1.3	2.6	2.8	26	0.7	1.0	<0.1	68	0.53	0.088
1270437	Soil		3.5	75.4	7.6	169	0.4	77.1	20.5	740	4.81	47.9	1.8	5.3	3.9	28	0.6	0.6	0.1	121	0.48	0.162
1270413	Soil		1.1	21.4	6.7	119	<0.1	26.5	19.0	912	3.60	4.2	1.0	1.0	5.4	28	<0.1	0.2	0.2	84	0.83	0.090

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000320.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1292611	Soil		12	36	0.55	284	0.071	2	1.16	0.030	0.10	<0.1	0.03	6.4	<0.1	0.06	4	1.0	<0.2
1292616	Soil		16	37	0.55	290	0.029	2	1.72	0.007	0.12	0.1	0.02	3.5	0.3	0.06	5	0.6	<0.2
1292608	Soil		21	49	0.89	806	0.093	1	1.63	0.020	0.40	0.1	0.05	6.0	0.4	0.28	6	3.2	<0.2
1292597	Soil		16	40	0.44	1937	0.034	3	1.22	0.012	0.07	0.1	0.12	8.3	0.3	0.08	4	1.8	<0.2
1292606	Soil		27	56	0.99	617	0.102	2	1.52	0.028	0.42	0.1	0.03	6.5	0.4	0.35	6	4.8	<0.2
1292620	Soil		15	40	0.60	567	0.073	2	1.42	0.016	0.08	0.2	0.04	4.6	0.2	0.10	5	1.3	<0.2
1292602	Soil		18	69	1.58	552	0.201	2	2.62	0.011	1.14	0.1	<0.01	6.7	0.5	0.17	10	0.6	0.2
1292600	Soil		27	166	1.78	716	0.157	<1	2.85	0.022	0.88	0.1	0.01	8.0	0.7	0.25	10	2.0	<0.2
1292615	Soil		17	48	0.87	553	0.077	2	1.79	0.014	0.14	0.2	0.04	5.0	0.3	0.18	6	0.9	<0.2
1292599	Soil		14	37	0.78	706	0.100	2	1.76	0.012	0.20	0.1	0.03	5.4	0.2	0.09	6	0.9	<0.2
1270219	Soil		9	24	1.01	200	0.125	<1	2.38	0.018	0.35	<0.1	<0.01	6.9	0.3	<0.05	11	<0.5	<0.2
1270222	Soil		27	11	0.86	236	0.093	<1	1.71	0.014	0.22	<0.1	0.02	7.3	0.1	<0.05	10	<0.5	<0.2
1270220	Soil		9	46	1.16	559	0.149	1	3.49	0.135	0.56	<0.1	0.03	14.2	0.2	<0.05	11	<0.5	<0.2
1292607	Soil		13	45	0.62	332	0.078	<1	1.43	0.023	0.16	0.1	0.01	4.3	0.1	0.22	6	2.1	<0.2
1270430	Soil		24	37	0.65	300	0.052	2	1.51	0.018	0.08	0.1	0.04	7.5	0.1	<0.05	5	<0.5	<0.2
1270421	Soil		21	60	0.68	125	0.010	1	2.19	0.005	0.05	0.3	0.01	9.2	0.1	<0.05	10	<0.5	<0.2
1270418	Soil		17	53	0.86	148	0.115	2	2.80	0.010	0.09	0.2	0.03	5.2	0.2	<0.05	7	<0.5	<0.2
1270415	Soil		53	21	0.52	168	0.047	1	1.29	0.010	0.10	0.1	0.04	3.0	0.6	0.05	4	<0.5	<0.2
1270431	Soil		21	29	0.54	399	0.043	2	1.55	0.013	0.07	0.1	0.02	6.0	0.1	<0.05	5	<0.5	<0.2
1270419	Soil		80	26	1.55	334	0.192	1	2.20	0.009	1.30	0.3	0.02	18.1	1.1	<0.05	9	<0.5	<0.2
1270417	Soil		20	57	0.76	187	0.092	2	2.16	0.012	0.07	0.1	0.02	5.0	0.2	<0.05	7	<0.5	<0.2
1270411	Soil		38	38	1.06	206	0.130	1	1.89	0.011	0.47	0.1	0.02	5.8	0.3	<0.05	6	<0.5	<0.2
1270432	Soil		12	35	0.48	299	0.060	<1	1.58	0.009	0.09	0.1	0.01	3.5	0.1	<0.05	5	<0.5	<0.2
1270420	Soil		72	49	0.49	572	0.040	<1	1.78	0.010	0.05	0.2	0.07	8.2	0.1	<0.05	5	<0.5	<0.2
1270416	Soil		44	43	0.85	252	0.092	<1	1.95	0.009	0.11	0.2	0.02	5.8	0.2	<0.05	6	<0.5	<0.2
1270414	Soil		32	45	0.68	172	0.050	<1	1.28	0.015	0.08	0.1	0.03	3.9	0.2	<0.05	5	<0.5	<0.2
1270443	Soil		23	53	0.98	510	0.201	<1	2.14	0.011	0.41	0.2	0.02	6.5	0.3	<0.05	11	0.5	<0.2
1270436	Soil		16	38	0.67	528	0.096	1	1.43	0.016	0.14	0.1	0.10	5.7	0.6	0.07	6	0.8	<0.2
1270437	Soil		20	70	1.31	713	0.211	<1	2.24	0.021	0.66	0.2	0.03	8.2	0.5	0.18	9	1.5	<0.2
1270413	Soil		17	57	1.72	414	0.176	1	2.39	0.014	0.40	0.2	0.02	5.3	0.3	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000320.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1270412	Soil	1.2	21.5	5.6	108	<0.1	24.2	19.9	908	4.55	3.9	1.9	<0.5	9.9	30	<0.1	0.2	0.6	85	0.70	0.142
1271655	Soil	1.5	32.5	14.5	93	0.2	40.6	12.1	455	3.38	21.5	1.3	4.2	9.4	19	0.3	1.5	0.1	78	0.33	0.045
1271661	Soil	1.9	43.7	23.2	136	0.2	45.3	12.9	632	3.56	111.5	0.9	2.8	4.4	21	0.5	3.4	0.1	81	0.32	0.032
1271662	Soil	1.7	46.2	23.5	135	0.3	46.5	12.3	639	3.27	154.4	1.0	5.4	5.3	18	0.5	4.3	0.1	68	0.30	0.035
1270435	Soil	3.0	67.1	9.0	87	1.3	37.9	12.3	393	3.84	194.2	2.1	4.6	3.1	30	0.9	1.0	0.1	102	0.43	0.063
1271657	Soil	2.0	47.6	15.9	142	0.3	49.0	12.4	464	4.03	40.3	0.8	<0.5	4.2	17	0.4	1.9	<0.1	119	0.24	0.035
1271660	Soil	2.0	45.2	16.8	122	0.3	44.3	12.3	635	3.71	58.9	1.3	2.5	5.3	22	0.4	2.6	0.1	88	0.28	0.025
1271663	Soil	2.2	69.3	39.0	127	0.5	39.4	13.6	758	3.50	115.5	1.0	5.7	4.6	27	0.9	5.8	0.2	73	0.60	0.044
1270434	Soil	2.1	40.1	8.3	102	0.4	35.5	15.2	948	3.64	32.6	1.7	2.4	3.4	32	0.5	0.9	0.1	83	0.67	0.100
1271659	Soil	1.8	36.1	12.3	90	0.2	38.1	11.8	524	3.27	25.6	0.8	6.8	3.4	17	0.2	1.0	<0.1	88	0.22	0.026
1271656	Soil	1.5	26.9	20.9	80	0.2	36.6	10.1	473	3.24	35.6	1.0	1.2	9.2	18	0.2	1.9	0.5	72	0.24	0.020
1271653	Soil	2.0	31.2	20.5	127	0.2	36.6	10.8	621	3.14	44.0	0.7	0.8	3.4	21	0.7	3.5	0.1	82	0.33	0.041
1270433	Soil	1.8	12.7	9.2	48	<0.1	21.5	8.6	241	2.93	9.1	0.8	2.6	6.9	23	0.1	0.5	0.1	66	0.36	0.015
1271664	Soil	2.6	47.0	23.2	116	0.2	56.8	15.2	649	3.57	109.1	0.9	2.8	4.8	21	0.4	2.7	0.1	89	0.38	0.042
1271658	Soil	1.8	46.4	12.7	100	0.2	48.9	14.3	538	3.87	62.4	0.8	2.7	4.0	16	0.2	2.2	<0.1	112	0.27	0.043
1271654	Soil	1.6	48.7	26.3	128	0.2	29.1	15.1	974	4.39	40.5	1.4	3.6	8.4	34	0.7	4.8	0.2	77	0.40	0.091
1271665	Soil	4.1	46.6	23.5	154	0.3	34.0	13.3	678	3.78	51.4	2.2	3.1	7.6	21	0.5	2.6	<0.1	79	0.48	0.058
1271669	Soil	0.5	29.5	5.7	101	<0.1	15.2	11.0	577	4.29	9.3	0.6	3.2	6.6	19	<0.1	1.0	<0.1	85	0.59	0.154
1271666	Soil	1.4	79.8	10.1	83	0.1	44.2	15.4	515	3.70	28.6	0.7	3.0	3.3	41	<0.1	0.8	<0.1	99	0.60	0.076
1270506	Soil	2.4	21.4	1.9	39	0.3	22.5	9.7	375	2.27	4.6	0.2	2.9	0.7	34	0.1	0.3	<0.1	60	0.77	0.056
1271651	Rock Pulp	1.1	17.5	7.4	49	<0.1	30.6	15.8	550	3.49	4.9	1.3	3.1	13.5	32	<0.1	0.4	0.2	73	0.93	0.089
1271670	Soil	0.7	30.4	7.3	63	0.1	20.9	11.7	761	3.11	9.2	0.5	3.1	3.7	40	0.1	0.5	0.1	66	0.92	0.058
1270501	Rock Pulp	1.3	437.6	19.0	155	0.2	211.6	76.7	819	15.81	3.3	1.1	34.4	6.8	14	<0.1	0.3	0.2	236	0.31	0.044
1270509	Soil	3.7	35.9	8.7	123	0.5	38.9	13.7	334	2.87	32.5	1.3	2.0	2.8	29	0.4	0.5	0.3	89	0.46	0.088
1271668	Soil	0.3	105.0	2.9	62	<0.1	25.4	20.7	622	4.41	3.7	0.4	2.5	1.9	26	<0.1	0.3	0.1	140	0.71	0.126
1271671	Soil	0.3	13.7	9.3	90	<0.1	9.9	8.2	733	3.22	3.2	0.5	2.3	6.5	56	<0.1	0.4	<0.1	55	1.03	0.138
1270510	Soil	3.6	32.4	10.9	100	0.3	24.3	5.7	217	2.91	98.7	0.9	1.5	2.1	15	0.6	2.3	0.2	120	0.07	0.060
1270507	Soil	1.3	36.9	8.2	100	0.3	30.4	12.6	534	2.73	24.1	1.9	4.4	4.5	38	0.7	0.8	0.1	64	0.87	0.069
1271667	Soil	1.0	39.5	7.8	92	<0.1	27.7	15.3	532	4.46	19.8	0.5	1.1	3.6	32	<0.1	0.6	0.1	118	0.53	0.099
1271672	Soil	1.0	15.2	9.0	68	0.1	13.4	12.5	699	2.59	8.4	0.7	2.6	2.1	33	0.1	0.4	0.1	66	0.59	0.075

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000320.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1270412	Soil	25	62	2.17	424	0.172	<1	2.72	0.012	0.82	0.2	0.01	4.7	0.4	<0.05	10	<0.5	<0.2
1271655	Soil	46	82	1.01	405	0.087	1	1.97	0.011	0.16	0.1	0.03	6.9	0.3	<0.05	7	0.6	<0.2
1271661	Soil	15	50	0.65	561	0.077	1	1.86	0.011	0.10	0.2	0.04	5.8	0.2	<0.05	6	0.6	<0.2
1271662	Soil	18	51	0.68	554	0.055	<1	1.62	0.014	0.09	0.1	0.13	6.5	0.3	<0.05	6	0.5	<0.2
1270435	Soil	26	50	0.67	933	0.121	1	1.83	0.009	0.38	0.1	0.10	7.2	0.3	<0.05	9	0.6	<0.2
1271657	Soil	11	83	1.02	311	0.129	1	2.41	0.006	0.34	0.2	0.02	6.4	0.4	<0.05	9	0.5	<0.2
1271660	Soil	21	64	0.74	787	0.084	2	2.04	0.016	0.09	0.1	0.07	9.6	0.2	<0.05	7	0.8	<0.2
1271663	Soil	25	47	0.54	697	0.054	1	1.57	0.014	0.11	0.2	0.08	6.4	0.2	<0.05	6	0.5	<0.2
1270434	Soil	20	52	0.86	740	0.102	1	1.78	0.015	0.16	0.1	0.07	7.6	0.3	<0.05	7	0.6	<0.2
1271659	Soil	15	57	0.75	401	0.098	1	2.00	0.011	0.10	0.1	0.03	5.8	0.2	<0.05	7	0.5	<0.2
1271656	Soil	15	47	0.56	254	0.051	<1	2.01	0.008	0.07	0.1	0.03	5.1	0.2	<0.05	7	0.5	<0.2
1271653	Soil	14	51	0.64	534	0.082	1	1.51	0.011	0.13	0.2	0.03	5.0	0.4	<0.05	6	0.6	<0.2
1270433	Soil	17	37	0.53	252	0.076	2	1.74	0.012	0.09	0.1	0.02	3.3	0.1	<0.05	6	<0.5	<0.2
1271664	Soil	16	79	0.80	390	0.057	1	1.82	0.010	0.14	0.1	0.03	6.7	0.2	<0.05	7	<0.5	<0.2
1271658	Soil	15	78	0.99	425	0.138	1	2.22	0.011	0.31	0.1	0.02	9.1	0.4	<0.05	8	<0.5	<0.2
1271654	Soil	36	37	0.71	444	0.014	2	1.62	0.011	0.15	0.1	0.06	9.7	0.6	0.07	6	<0.5	<0.2
1271665	Soil	26	50	0.58	467	0.037	2	1.55	0.007	0.12	0.3	0.07	10.8	0.4	<0.05	6	<0.5	<0.2
1271669	Soil	18	20	0.73	343	0.071	1	1.51	0.014	0.16	<0.1	0.32	10.8	1.2	<0.05	9	<0.5	<0.2
1271666	Soil	12	75	1.23	331	0.111	1	2.11	0.018	0.10	0.2	<0.01	7.2	0.1	<0.05	8	<0.5	<0.2
1270506	Soil	3	29	0.74	92	0.095	3	1.41	0.086	0.13	13.2	<0.01	4.1	<0.1	<0.05	5	<0.5	<0.2
1271651	Rock Pulp	31	62	1.45	333	0.132	2	1.88	0.013	0.70	0.2	0.03	5.3	0.4	<0.05	7	<0.5	<0.2
1271670	Soil	18	29	0.59	557	0.061	3	1.49	0.017	0.10	0.1	0.03	6.2	0.1	<0.05	5	<0.5	<0.2
1270501	Rock Pulp	16	742	0.13	151	0.157	6	4.00	0.013	0.07	<0.1	0.04	41.8	0.1	<0.05	21	0.5	<0.2
1270509	Soil	15	59	0.92	572	0.135	2	1.75	0.014	0.36	0.2	0.04	6.0	0.4	0.06	8	2.0	<0.2
1271668	Soil	12	36	1.59	259	0.145	1	2.07	0.028	0.16	<0.1	<0.01	8.2	0.1	<0.05	8	<0.5	<0.2
1271671	Soil	33	12	0.31	424	0.011	2	1.01	0.009	0.07	0.2	0.03	8.2	<0.1	<0.05	6	<0.5	<0.2
1270510	Soil	12	37	0.37	363	0.105	1	0.97	0.011	0.20	0.1	0.03	3.3	0.4	0.09	8	1.0	<0.2
1270507	Soil	24	40	0.75	440	0.089	2	1.50	0.015	0.20	0.2	0.09	6.0	0.5	<0.05	5	0.7	<0.2
1271667	Soil	8	46	1.19	233	0.145	1	2.22	0.012	0.26	<0.1	0.02	5.7	0.1	<0.05	10	<0.5	<0.2
1271672	Soil	10	25	0.57	380	0.052	1	1.40	0.013	0.06	0.2	0.05	4.0	0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000320.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1270082	Soil	1.2	15.1	10.3	59	<0.1	23.7	13.6	392	3.31	9.5	1.0	3.6	18.2	15	<0.1	0.4	0.2	65	0.23	0.031
1270511	Soil	2.0	20.6	8.6	75	0.2	17.0	5.9	275	3.06	25.0	0.5	1.1	1.8	9	0.6	0.6	0.2	98	0.07	0.039
1270428	Soil	2.0	34.2	11.3	74	<0.1	46.2	21.4	604	4.99	7.2	1.1	<0.5	11.4	17	0.1	0.5	0.1	65	0.40	0.049
1271649	Soil	1.3	68.4	11.7	67	0.1	34.6	17.0	494	3.99	19.9	0.6	1.3	3.5	35	<0.1	0.8	0.1	105	0.34	0.023
1271645	Soil	1.4	51.3	13.4	70	0.2	26.6	11.3	534	3.00	35.2	2.1	5.5	4.6	50	0.2	2.2	0.1	75	1.50	0.073
1271647	Soil	0.9	63.4	14.2	70	0.2	31.9	13.1	507	3.23	35.6	0.6	4.0	3.5	36	<0.1	1.6	0.2	79	0.75	0.041
1270427	Soil	0.7	40.5	6.0	39	0.2	42.3	17.7	913	3.40	4.3	1.9	1.1	3.0	51	<0.1	0.4	<0.1	75	1.49	0.060
1271650	Soil	1.5	33.8	17.4	81	<0.1	29.8	13.3	556	3.25	34.1	0.6	2.1	3.6	25	0.2	1.8	0.1	77	0.43	0.040
1271644	Soil	3.5	61.4	14.6	83	0.1	50.9	14.9	501	3.66	24.5	0.6	4.8	4.1	35	<0.1	0.8	0.1	106	0.75	0.052
1271643	Soil	1.2	34.5	11.7	62	0.1	30.9	13.3	524	3.19	18.3	0.8	2.4	3.9	32	<0.1	0.7	0.1	82	0.55	0.025
1270426	Soil	0.9	24.3	10.2	61	<0.1	35.2	23.3	808	4.89	6.8	0.8	1.9	7.1	34	<0.1	0.3	<0.1	105	0.92	0.095
1271641	Soil	0.4	124.6	25.7	70	0.3	30.9	17.6	802	3.91	6.2	0.8	4.9	3.8	44	<0.1	0.7	0.2	104	1.00	0.074
1271646	Soil	0.7	74.2	16.8	80	0.2	37.8	22.0	1074	4.79	20.6	0.5	4.6	2.8	55	0.2	1.7	0.2	124	0.86	0.098
1271642	Soil	0.8	38.9	9.0	63	<0.1	28.4	13.5	352	3.81	9.0	0.5	0.8	4.0	30	<0.1	1.2	<0.1	93	0.45	0.054
1270425	Soil	0.9	22.9	10.7	62	<0.1	36.6	23.0	791	4.97	6.0	0.7	1.1	6.7	33	<0.1	0.2	<0.1	108	0.85	0.095
1271652	Soil	0.9	29.2	12.9	80	<0.1	19.4	8.5	506	2.77	25.1	0.9	2.8	5.2	19	0.2	2.6	<0.1	46	0.38	0.061
1271640	Soil	1.1	18.7	10.3	73	0.1	14.9	10.5	462	2.94	5.0	1.0	5.1	2.9	35	0.1	0.3	0.1	76	0.58	0.070
1271648	Soil	0.3	69.3	4.3	95	<0.1	15.0	16.1	672	4.75	10.5	0.4	4.0	3.0	64	<0.1	0.4	<0.1	123	0.96	0.180
1270197	Soil	1.0	24.4	8.5	45	<0.1	30.5	13.1	355	3.22	11.0	0.8	6.3	5.2	26	<0.1	0.5	<0.1	70	0.52	0.033
1270603	Soil	1.3	8.5	9.5	35	<0.1	14.2	6.8	172	2.55	7.8	0.5	0.7	3.7	12	<0.1	0.6	0.1	54	0.20	0.016
1270609	Soil	2.2	31.1	10.9	104	0.5	38.5	17.1	598	3.26	26.2	1.3	3.9	3.1	32	0.5	0.6	0.1	88	0.46	0.060
1270429	Soil	1.0	43.2	9.5	45	0.2	34.7	13.4	547	3.25	10.1	2.4	2.6	3.9	52	0.2	0.7	<0.1	56	1.49	0.057
1270602	Soil	1.3	7.0	6.9	22	<0.1	14.7	5.8	124	2.36	6.8	0.5	<0.5	4.0	8	<0.1	1.3	0.1	35	0.20	0.012
1270601	Rock Pulp	1.3	438.9	19.1	157	0.2	219.2	79.0	825	15.92	2.9	1.1	35.0	6.7	14	0.1	0.2	0.1	235	0.30	0.041
1270608	Soil	3.7	42.7	10.2	90	0.5	39.3	16.4	596	3.05	59.6	3.2	3.9	2.5	67	0.3	0.7	0.1	80	1.38	0.073
1270424	Soil	0.8	17.7	6.9	67	<0.1	46.4	29.8	1244	5.61	2.7	0.8	<0.5	9.7	49	<0.1	0.2	<0.1	112	2.26	0.095
1270605	Soil	1.1	20.4	7.4	46	<0.1	34.6	15.4	562	3.56	6.7	1.0	3.3	15.7	19	<0.1	0.3	0.1	66	0.52	0.038
1270606	Soil	1.5	15.0	4.5	58	<0.1	36.1	21.5	740	4.70	3.4	1.4	1.0	16.8	34	<0.1	0.2	<0.1	91	1.15	0.080
1270610	Soil	3.1	52.8	9.2	104	0.5	33.9	9.2	350	3.12	25.2	1.7	5.1	1.9	22	0.5	0.7	0.2	98	0.23	0.054
1270423	Soil	0.6	30.4	6.7	50	<0.1	73.1	21.3	613	4.20	4.2	0.5	0.8	4.0	22	<0.1	0.2	<0.1	84	0.74	0.084

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000320.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1270082	Soil	28	44	0.70	198	0.077	2	2.43	0.012	0.06	0.1	0.03	4.5	0.2	<0.05	7	<0.5	<0.2
1270511	Soil	9	28	0.39	266	0.158	1	1.17	0.008	0.16	0.2	0.01	3.2	0.3	<0.05	10	<0.5	<0.2
1270428	Soil	28	44	0.73	193	0.030	1	1.45	0.007	0.14	0.1	0.02	7.3	0.1	<0.05	5	<0.5	<0.2
1271649	Soil	12	50	0.99	321	0.111	1	2.57	0.019	0.19	<0.1	0.02	7.8	<0.1	<0.05	9	<0.5	<0.2
1271645	Soil	21	35	0.75	524	0.072	2	1.56	0.023	0.12	0.1	0.10	7.2	0.2	<0.05	6	0.7	<0.2
1271647	Soil	14	41	0.80	404	0.079	2	1.84	0.029	0.08	0.1	0.06	6.3	<0.1	<0.05	6	<0.5	<0.2
1270427	Soil	24	84	1.16	395	0.049	2	1.91	0.012	0.11	0.1	0.07	7.5	0.1	<0.05	6	<0.5	<0.2
1271650	Soil	9	45	0.76	252	0.068	<1	1.91	0.018	0.09	0.1	0.02	5.3	0.1	<0.05	7	<0.5	<0.2
1271644	Soil	21	76	0.98	335	0.113	1	2.10	0.027	0.08	0.2	0.06	8.4	0.1	<0.05	8	0.5	<0.2
1271643	Soil	15	48	0.72	375	0.083	1	1.96	0.023	0.08	0.1	0.03	6.5	<0.1	<0.05	7	<0.5	<0.2
1270426	Soil	39	65	1.43	310	0.058	2	2.32	0.012	0.18	0.1	0.04	12.6	0.2	<0.05	8	<0.5	<0.2
1271641	Soil	22	51	1.13	398	0.116	2	1.98	0.019	0.32	0.2	0.05	8.6	0.2	<0.05	8	<0.5	<0.2
1271646	Soil	11	63	1.90	1122	0.035	1	2.59	0.012	0.11	0.1	0.04	10.5	<0.1	<0.05	10	<0.5	<0.2
1271642	Soil	15	65	0.84	377	0.051	1	2.27	0.011	0.07	0.1	0.02	7.3	0.1	<0.05	8	<0.5	<0.2
1270425	Soil	29	69	1.45	320	0.069	2	2.35	0.012	0.20	<0.1	0.03	11.0	0.2	<0.05	9	<0.5	<0.2
1271652	Soil	18	28	0.41	336	0.022	<1	1.21	0.006	0.08	0.1	0.03	4.8	0.1	<0.05	4	<0.5	<0.2
1271640	Soil	15	26	0.64	349	0.106	1	1.61	0.014	0.07	0.2	0.06	5.2	0.1	<0.05	7	<0.5	<0.2
1271648	Soil	11	24	1.41	765	0.202	<1	2.14	0.031	0.30	<0.1	0.01	6.6	0.2	<0.05	11	<0.5	<0.2
1270197	Soil	22	46	0.74	231	0.070	1	1.83	0.015	0.07	0.2	0.02	6.5	<0.1	<0.05	6	<0.5	<0.2
1270603	Soil	10	25	0.39	174	0.049	1	1.32	0.006	0.12	0.2	0.02	4.0	0.1	<0.05	5	<0.5	<0.2
1270609	Soil	16	61	0.93	579	0.142	2	1.98	0.017	0.19	0.2	0.04	6.6	0.3	0.06	8	0.8	<0.2
1270429	Soil	41	35	0.62	364	0.040	2	1.40	0.015	0.09	0.1	0.07	6.4	<0.1	0.07	4	0.6	<0.2
1270602	Soil	10	24	0.30	161	0.017	<1	0.94	0.004	0.07	0.2	<0.01	8.1	<0.1	<0.05	3	<0.5	<0.2
1270601	Rock Pulp	17	736	0.13	151	0.159	4	4.05	0.012	0.06	<0.1	0.03	40.6	0.1	<0.05	22	0.5	<0.2
1270608	Soil	15	49	0.80	828	0.095	2	1.63	0.015	0.25	0.1	0.08	6.5	0.3	0.14	6	3.2	<0.2
1270424	Soil	58	102	1.73	407	0.059	1	2.50	0.007	0.45	<0.1	0.03	19.7	0.2	<0.05	9	<0.5	<0.2
1270605	Soil	67	66	1.35	342	0.108	1	1.95	0.013	0.35	0.1	0.03	9.0	0.3	<0.05	7	<0.5	<0.2
1270606	Soil	46	81	2.35	436	0.199	2	2.89	0.011	0.89	0.2	0.02	8.0	0.5	<0.05	10	<0.5	<0.2
1270610	Soil	15	44	0.56	448	0.133	1	1.50	0.016	0.14	0.1	0.05	5.2	0.3	0.12	8	1.3	<0.2
1270423	Soil	12	176	1.98	236	0.150	1	2.41	0.017	0.31	<0.1	0.02	6.5	0.3	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000320.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1270604	Soil	1.1	30.5	7.9	33	0.1	23.0	9.1	524	2.71	6.6	1.3	3.6	4.5	38	<0.1	0.7	0.1	42	1.32	0.044
1270611	Soil	4.5	33.7	13.1	102	0.3	29.7	7.2	327	3.70	70.7	1.0	1.8	2.1	20	0.5	0.9	0.4	163	0.17	0.085
1270607	Soil	3.3	30.2	9.9	90	0.4	30.2	9.4	318	3.13	50.5	1.0	2.5	1.7	20	0.2	0.5	0.2	85	0.26	0.078
1270422	Soil	1.5	27.8	9.5	55	0.1	39.8	14.5	395	3.94	10.0	0.7	2.7	6.7	12	<0.1	0.5	0.2	74	0.18	0.048
1270193	Soil	1.0	24.2	16.1	58	<0.1	47.2	13.7	433	3.48	7.2	1.3	1.8	14.9	20	<0.1	0.3	0.3	80	0.31	0.035
1270189	Soil	1.0	33.6	150.5	87	0.1	81.7	25.4	1031	4.83	7.6	1.8	1.9	25.8	19	0.1	0.3	0.3	79	0.47	0.095
1270191	Soil	1.2	37.2	27.8	104	0.1	74.1	27.7	1217	5.72	3.4	0.9	1.0	8.5	52	<0.1	<0.1	0.3	105	3.27	0.084
1270192	Soil	0.2	34.4	1.8	82	<0.1	50.5	39.2	932	6.95	1.8	0.3	<0.5	2.3	25	<0.1	<0.1	<0.1	169	0.89	0.196
1270190	Soil	1.3	29.7	18.8	74	0.1	52.9	17.3	731	3.96	9.1	1.0	3.9	10.1	33	0.1	0.3	0.3	83	0.77	0.057
1270186	Soil	0.8	11.5	8.4	41	<0.1	12.3	9.2	445	2.41	4.0	1.2	1.1	24.5	7	<0.1	0.1	0.1	24	0.21	0.066
1270198	Soil	1.1	26.7	12.4	48	0.2	30.3	15.1	604	3.35	10.3	0.9	3.4	4.0	42	<0.1	0.8	0.2	81	0.87	0.023
1270200	Soil	3.2	20.9	9.2	57	0.1	41.4	15.6	642	4.02	10.0	0.8	5.4	8.0	24	<0.1	1.1	0.3	64	0.49	0.026
1270184	Soil	1.8	25.8	9.1	66	0.1	25.5	16.3	683	3.94	4.3	3.9	3.4	16.2	35	<0.1	0.3	0.1	81	0.74	0.108
1270187	Soil	1.5	28.4	16.0	75	<0.1	22.7	17.5	518	4.27	6.8	1.4	<0.5	10.6	17	<0.1	0.3	0.3	82	0.31	0.066
1270199	Soil	1.9	37.2	13.8	68	0.3	59.6	25.6	722	5.30	29.7	1.1	22.2	8.1	28	0.2	2.9	0.3	70	0.64	0.038
1270196	Soil	0.8	31.2	9.8	65	<0.1	28.9	20.7	765	4.58	8.6	0.9	3.0	7.7	28	<0.1	0.6	0.1	100	0.58	0.053
1270183	Soil	1.4	12.5	13.1	69	<0.1	20.6	16.8	661	5.16	6.3	1.0	1.3	7.2	20	<0.1	0.1	0.3	76	0.47	0.101
1270185	Soil	3.4	36.5	12.4	89	<0.1	50.7	39.4	1355	7.28	0.9	2.7	0.9	16.0	41	<0.1	0.1	0.1	124	1.22	0.233
1270188	Soil	0.8	26.9	31.7	88	<0.1	35.5	15.4	510	4.13	5.7	2.0	<0.5	26.0	16	<0.1	0.2	0.2	61	0.30	0.050
1270194	Soil	0.2	18.1	5.2	66	<0.1	15.2	34.9	716	5.30	3.0	0.3	<0.5	5.7	40	<0.1	<0.1	<0.1	107	1.04	0.124

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000320.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1270604	Soil	31	32	0.58	438	0.036	2	1.15	0.014	0.12	0.1	0.07	9.2	0.2	<0.05	4	<0.5	<0.2
1270611	Soil	11	55	0.58	334	0.174	<1	1.41	0.015	0.18	0.2	0.02	4.3	0.4	0.15	11	1.3	<0.2
1270607	Soil	13	57	0.91	433	0.141	1	1.90	0.012	0.28	0.1	0.06	5.2	0.4	0.06	9	0.7	<0.2
1270422	Soil	12	61	0.81	183	0.069	1	2.87	0.012	0.12	0.2	0.03	5.4	0.2	<0.05	8	<0.5	<0.2
1270193	Soil	31	67	1.04	263	0.108	1	2.03	0.012	0.13	0.1	0.02	8.2	0.3	<0.05	6	<0.5	<0.2
1270189	Soil	122	111	1.38	263	0.078	2	2.81	0.008	0.12	0.5	0.03	12.8	0.2	<0.05	7	<0.5	<0.2
1270191	Soil	35	174	1.86	349	0.126	1	1.98	0.008	0.77	<0.1	0.02	20.6	0.5	<0.05	7	<0.5	<0.2
1270192	Soil	53	69	3.07	457	0.175	<1	3.25	0.011	0.47	<0.1	<0.01	12.2	0.3	<0.05	11	<0.5	<0.2
1270190	Soil	40	103	1.08	294	0.083	3	2.30	0.020	0.08	0.2	0.03	8.7	0.2	<0.05	8	<0.5	<0.2
1270186	Soil	27	16	0.68	295	0.036	2	1.18	0.005	0.26	0.1	<0.01	4.3	0.3	<0.05	3	<0.5	<0.2
1270198	Soil	18	45	0.62	313	0.056	2	1.87	0.020	0.07	0.1	0.03	5.2	0.1	<0.05	6	<0.5	<0.2
1270200	Soil	28	60	0.71	383	0.041	3	1.53	0.015	0.11	0.1	0.04	9.2	0.1	<0.05	5	<0.5	<0.2
1270184	Soil	73	51	1.33	276	0.134	2	2.36	0.016	0.32	0.2	0.05	7.1	0.3	<0.05	8	<0.5	<0.2
1270187	Soil	14	43	1.11	157	0.070	3	2.28	0.008	0.10	0.1	<0.01	5.5	0.3	<0.05	7	<0.5	<0.2
1270199	Soil	25	71	0.63	678	0.020	3	1.37	0.011	0.11	0.1	0.09	13.6	0.3	<0.05	4	<0.5	<0.2
1270196	Soil	36	51	1.21	345	0.076	2	2.33	0.024	0.11	0.2	0.02	10.1	0.2	<0.05	8	<0.5	<0.2
1270183	Soil	17	40	1.37	230	0.246	2	2.79	0.011	0.69	0.1	0.01	5.6	0.6	0.12	12	<0.5	<0.2
1270185	Soil	60	108	2.92	709	0.134	1	3.16	0.020	0.86	0.1	0.03	18.9	0.6	<0.05	10	<0.5	<0.2
1270188	Soil	61	60	1.72	307	0.131	2	2.47	0.009	0.35	<0.1	<0.01	6.7	0.5	<0.05	8	<0.5	<0.2
1270194	Soil	20	11	3.75	288	0.166	1	3.27	0.011	0.25	0.1	<0.01	6.6	0.1	<0.05	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

QUALITY CONTROL REPORT WHI12000320.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
1283913	Soil	2.1	62.1	11.3	93	0.2	51.7	24.6	972	5.77	17.3	1.0	1.3	4.2	14	0.2	1.1	0.1	124	0.27	0.096
REP 1283913	QC	2.3	65.6	11.5	96	0.2	54.2	25.8	997	5.88	17.7	1.0	1.8	4.3	16	0.2	1.1	0.1	127	0.29	0.094
1284374	Soil	2.6	47.7	99.4	224	2.9	42.5	13.2	1631	2.86	53.3	6.6	36.2	3.1	44	4.0	6.1	1.2	50	0.99	0.065
REP 1284374	QC	2.4	48.6	99.2	227	2.8	42.3	13.6	1593	2.88	54.0	6.6	38.0	3.1	44	3.8	6.2	1.2	46	0.94	0.061
1283928	Soil	1.7	22.8	10.9	76	0.2	44.5	13.5	396	3.60	48.6	1.3	5.2	8.2	22	<0.1	1.7	0.2	86	0.56	0.044
REP 1283928	QC	1.6	22.4	10.8	76	0.2	43.7	13.2	394	3.56	47.3	1.2	3.8	8.2	21	<0.1	1.7	0.2	86	0.56	0.044
1296633	Soil	2.8	53.7	9.6	125	0.2	58.1	15.0	524	4.61	8.1	0.9	8.5	4.1	17	0.1	0.5	0.2	96	0.17	0.034
REP 1296633	QC	2.7	54.7	10.2	125	0.2	58.2	14.6	511	4.55	8.0	1.0	10.1	4.2	18	0.2	0.4	0.2	94	0.17	0.034
1270209	Soil	0.2	66.8	5.9	53	0.1	15.2	11.1	419	2.55	3.9	0.4	5.9	0.8	157	<0.1	0.1	<0.1	68	1.48	0.084
REP 1270209	QC	0.1	67.3	5.8	51	0.1	15.5	11.1	411	2.60	4.1	0.4	5.6	0.9	153	<0.1	0.1	0.1	66	1.45	0.086
1270668	Soil	0.6	18.2	5.9	47	<0.1	40.6	17.2	405	3.52	4.3	0.6	<0.5	4.1	31	<0.1	0.1	<0.1	88	0.69	0.046
REP 1270668	QC	0.5	18.6	6.1	50	<0.1	42.5	18.9	428	3.76	4.4	0.6	0.9	4.1	32	<0.1	0.2	<0.1	93	0.71	0.046
1270475	Soil	2.1	24.7	16.6	69	<0.1	39.6	15.3	385	4.65	41.0	0.5	3.9	2.9	11	0.4	0.8	0.1	116	0.14	0.037
REP 1270475	QC	2.1	24.0	16.1	66	<0.1	37.3	14.7	360	4.50	38.6	0.5	3.0	2.7	11	0.3	0.8	0.1	107	0.13	0.034
1270471	Soil	1.9	67.8	40.4	229	0.8	79.4	22.3	781	4.97	122.6	1.6	9.9	4.4	25	1.5	3.1	0.1	120	0.69	0.119
REP 1270471	QC	2.1	69.5	41.4	224	0.8	84.6	23.1	829	5.09	125.9	1.6	13.7	4.7	26	1.7	3.0	0.1	132	0.72	0.119
1270091	Soil	0.9	19.2	14.7	47	0.2	26.1	13.4	652	2.80	4.7	9.4	2.0	13.2	52	<0.1	0.2	<0.1	55	1.11	0.056
REP 1270091	QC	0.9	18.8	14.9	47	0.2	26.3	13.1	643	2.78	4.6	9.4	1.6	13.7	52	<0.1	0.2	0.1	57	1.11	0.057
1270224	Soil	0.9	45.0	8.1	66	<0.1	22.9	13.8	467	3.43	6.7	0.5	<0.5	2.7	46	<0.1	0.3	<0.1	90	0.49	0.040
REP 1270224	QC	0.9	43.9	8.2	63	<0.1	23.3	13.6	459	3.42	6.5	0.5	<0.5	2.6	48	<0.1	0.3	<0.1	90	0.48	0.037
1270212	Soil	0.6	38.0	8.0	105	<0.1	15.5	12.3	600	3.84	6.4	0.7	2.0	7.1	40	<0.1	0.4	0.1	90	0.50	0.077
REP 1270212	QC	0.5	40.2	8.5	104	<0.1	16.8	12.9	620	4.05	6.3	0.7	5.0	7.7	42	<0.1	0.3	<0.1	94	0.52	0.082
1270419	Soil	1.1	57.8	14.1	95	<0.1	22.8	27.0	1120	5.89	1.5	2.6	0.8	29.2	17	<0.1	<0.1	0.2	192	0.46	0.140
REP 1270419	QC	0.8	58.8	14.6	98	<0.1	23.2	28.5	1180	6.18	1.3	2.6	0.7	31.0	18	<0.1	<0.1	0.2	194	0.48	0.145
1271664	Soil	2.6	47.0	23.2	116	0.2	56.8	15.2	649	3.57	109.1	0.9	2.8	4.8	21	0.4	2.7	0.1	89	0.38	0.042
REP 1271664	QC	2.4	47.1	23.1	115	0.2	56.7	14.9	642	3.54	110.2	1.0	3.2	4.8	21	0.3	2.7	0.1	87	0.39	0.042
1271666	Soil	1.4	79.8	10.1	83	0.1	44.2	15.4	515	3.70	28.6	0.7	3.0	3.3	41	<0.1	0.8	<0.1	99	0.60	0.076
REP 1271666	QC	1.3	79.6	10.3	83	0.1	44.0	15.0	513	3.69	28.7	0.7	2.9	3.4	41	<0.1	0.8	<0.1	101	0.63	0.079

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

QUALITY CONTROL REPORT WHI12000320.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
1283913	Soil	20	76	1.54	328	0.198	1	3.11	0.010	0.64	0.1	0.02	8.3	0.3	<0.05	11	<0.5	<0.2
REP 1283913	QC	20	79	1.54	327	0.209	1	3.07	0.010	0.72	0.1	0.03	8.8	0.3	<0.05	12	0.5	<0.2
1284374	Soil	17	31	0.47	405	0.023	3	1.01	0.011	0.12	<0.1	0.07	4.5	0.3	0.06	3	1.9	0.3
REP 1284374	QC	17	29	0.47	415	0.022	3	0.99	0.011	0.10	<0.1	0.06	4.5	0.4	0.07	3	1.9	0.3
1283928	Soil	24	65	1.24	318	0.102	2	2.12	0.013	0.16	0.2	0.03	7.4	0.4	0.05	8	<0.5	<0.2
REP 1283928	QC	24	64	1.22	318	0.101	2	2.03	0.014	0.16	0.2	0.04	7.2	0.4	<0.05	8	<0.5	<0.2
1296633	Soil	10	63	1.10	763	0.047	<1	2.17	0.006	0.15	<0.1	0.01	7.7	0.2	<0.05	9	1.0	<0.2
REP 1296633	QC	10	63	1.13	757	0.049	<1	2.26	0.007	0.16	<0.1	<0.01	7.7	0.2	<0.05	9	0.9	<0.2
1270209	Soil	4	25	0.99	139	0.073	<1	2.42	0.022	0.09	<0.1	0.02	4.3	<0.1	<0.05	9	<0.5	<0.2
REP 1270209	QC	4	24	0.96	138	0.073	<1	2.49	0.021	0.09	<0.1	0.03	4.6	<0.1	<0.05	9	<0.5	<0.2
1270668	Soil	12	105	1.59	224	0.134	<1	2.02	0.011	0.23	0.2	0.01	5.3	0.2	<0.05	8	<0.5	<0.2
REP 1270668	QC	13	110	1.61	225	0.140	<1	2.01	0.011	0.32	0.1	0.02	5.7	0.2	<0.05	8	<0.5	<0.2
1270475	Soil	10	72	0.73	261	0.129	2	2.86	0.008	0.11	0.2	0.02	4.6	0.2	<0.05	9	<0.5	<0.2
REP 1270475	QC	9	66	0.73	254	0.117	2	2.72	0.008	0.11	0.1	0.02	4.5	0.2	<0.05	8	<0.5	<0.2
1270471	Soil	24	92	1.17	493	0.136	2	2.24	0.019	0.35	0.1	0.07	8.8	0.7	<0.05	9	0.7	<0.2
REP 1270471	QC	25	91	1.21	506	0.143	2	2.37	0.020	0.38	0.1	0.08	9.4	0.6	0.08	9	0.8	<0.2
1270091	Soil	54	52	1.00	510	0.071	2	1.65	0.013	0.10	0.1	0.03	6.3	0.2	<0.05	6	<0.5	<0.2
REP 1270091	QC	55	52	1.01	511	0.072	2	1.70	0.012	0.09	0.2	0.04	6.3	0.2	<0.05	5	<0.5	<0.2
1270224	Soil	7	40	1.03	196	0.137	<1	2.29	0.024	0.07	<0.1	<0.01	4.9	<0.1	<0.05	8	<0.5	<0.2
REP 1270224	QC	7	40	0.98	196	0.132	<1	2.21	0.023	0.07	<0.1	<0.01	4.9	<0.1	<0.05	8	<0.5	<0.2
1270212	Soil	24	26	0.87	265	0.119	2	2.00	0.026	0.37	<0.1	<0.01	10.8	0.3	<0.05	10	<0.5	<0.2
REP 1270212	QC	24	26	0.90	268	0.128	2	2.01	0.025	0.37	0.1	0.01	11.5	0.3	<0.05	11	<0.5	<0.2
1270419	Soil	80	26	1.55	334	0.192	1	2.20	0.009	1.30	0.3	0.02	18.1	1.1	<0.05	9	<0.5	<0.2
REP 1270419	QC	81	27	1.65	344	0.213	1	2.30	0.009	1.37	0.2	0.02	18.3	1.1	<0.05	10	<0.5	<0.2
1271664	Soil	16	79	0.80	390	0.057	1	1.82	0.010	0.14	0.1	0.03	6.7	0.2	<0.05	7	<0.5	<0.2
REP 1271664	QC	16	79	0.81	387	0.056	1	1.82	0.011	0.14	0.2	0.03	6.5	0.2	<0.05	7	0.6	<0.2
1271666	Soil	12	75	1.23	331	0.111	1	2.11	0.018	0.10	0.2	<0.01	7.2	0.1	<0.05	8	<0.5	<0.2
REP 1271666	QC	12	74	1.24	326	0.113	2	2.16	0.019	0.10	0.2	0.02	7.5	0.1	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

QUALITY CONTROL REPORT WHI12000320.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
1270603	Soil	1.3	8.5	9.5	35	<0.1	14.2	6.8	172	2.55	7.8	0.5	0.7	3.7	12	<0.1	0.6	0.1	54	0.20	0.016
REP 1270603	QC	1.4	8.7	9.7	35	<0.1	14.9	6.9	179	2.60	7.5	0.5	0.9	3.7	12	<0.1	0.6	0.1	56	0.21	0.016
1270608	Soil	3.7	42.7	10.2	90	0.5	39.3	16.4	596	3.05	59.6	3.2	3.9	2.5	67	0.3	0.7	0.1	80	1.38	0.073
REP 1270608	QC	3.7	41.1	10.1	88	0.5	38.9	16.2	590	3.04	60.1	3.1	3.4	2.4	66	0.3	0.7	0.1	81	1.36	0.075
1270186	Soil	0.8	11.5	8.4	41	<0.1	12.3	9.2	445	2.41	4.0	1.2	1.1	24.5	7	<0.1	0.1	0.1	24	0.21	0.066
REP 1270186	QC	0.8	11.2	8.5	43	<0.1	12.7	9.7	462	2.51	4.3	1.2	0.7	24.7	7	<0.1	0.1	0.1	28	0.22	0.067
1270187	Soil	1.5	28.4	16.0	75	<0.1	22.7	17.5	518	4.27	6.8	1.4	<0.5	10.6	17	<0.1	0.3	0.3	82	0.31	0.066
REP 1270187	QC	1.3	29.7	15.9	79	<0.1	23.0	17.7	526	4.31	6.1	1.4	0.6	10.4	17	<0.1	0.3	0.3	79	0.32	0.066
Reference Materials																					
STD DS9	Standard	12.6	106.5	119.9	301	1.8	40.5	7.6	559	2.21	24.6	2.7	118.6	6.0	64	2.2	5.8	5.7	40	0.68	0.078
STD DS9	Standard	14.4	106.6	124.1	300	1.8	40.2	7.8	570	2.34	24.0	2.9	119.3	6.6	68	2.3	4.8	5.7	43	0.71	0.077
STD DS9	Standard	13.4	99.1	124.1	307	1.9	40.9	7.6	592	2.35	26.3	2.5	111.8	5.7	67	2.5	5.4	5.5	42	0.71	0.080
STD DS9	Standard	13.3	107.9	124.0	298	1.8	40.1	7.6	566	2.29	24.2	2.7	116.2	6.3	63	2.1	5.0	5.4	43	0.69	0.074
STD DS9	Standard	14.4	113.7	121.6	303	1.8	45.6	8.3	601	2.35	24.1	2.8	117.5	6.3	65	2.1	5.4	5.8	50	0.73	0.078
STD DS9	Standard	12.9	98.7	124.1	299	1.8	39.6	7.4	586	2.38	25.6	2.4	117.1	5.8	65	2.4	5.4	5.9	41	0.72	0.082
STD DS9	Standard	12.7	113.0	125.0	316	1.9	41.7	7.9	581	2.34	24.9	2.6	130.2	6.0	63	2.3	5.2	5.8	43	0.69	0.080
STD DS9	Standard	13.5	97.1	122.0	288	1.8	41.4	7.2	561	2.28	22.0	2.3	116.4	5.3	66	1.9	4.8	5.3	39	0.69	0.078
STD DS9	Standard	14.2	104.5	128.6	309	1.9	44.9	7.7	625	2.48	23.9	2.4	123.3	5.5	75	2.1	5.2	5.7	43	0.78	0.084
STD DS9	Standard	13.9	101.8	127.8	305	1.9	44.0	7.3	604	2.44	24.3	2.4	122.7	5.3	71	2.1	5.2	5.8	41	0.75	0.089
STD DS9	Standard	14.4	110.6	119.6	316	1.9	43.6	8.5	634	2.60	26.2	2.6	121.0	6.6	72	2.2	5.5	5.5	53	0.80	0.086
STD DS9	Standard	14.3	111.9	124.2	325	1.9	44.8	8.7	635	2.48	26.6	2.6	120.3	6.2	70	2.6	5.4	5.8	51	0.78	0.088
STD DS9	Standard	12.9	105.0	127.2	301	1.9	39.8	7.6	585	2.35	25.9	2.8	122.2	6.6	82	2.5	5.9	6.9	42	0.75	0.077
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	0.2	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

QUALITY CONTROL REPORT WHI12000320.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
1270603	Soil	10	25	0.39	174	0.049	1	1.32	0.006	0.12	0.2	0.02	4.0	0.1	<0.05	5	<0.5	<0.2
REP 1270603	QC	10	27	0.41	172	0.053	1	1.36	0.007	0.13	0.2	0.01	4.3	0.1	<0.05	5	<0.5	<0.2
1270608	Soil	15	49	0.80	828	0.095	2	1.63	0.015	0.25	0.1	0.08	6.5	0.3	0.14	6	3.2	<0.2
REP 1270608	QC	15	52	0.81	815	0.095	2	1.60	0.015	0.25	0.1	0.06	6.6	0.3	0.16	6	3.2	<0.2
1270186	Soil	27	16	0.68	295	0.036	2	1.18	0.005	0.26	0.1	<0.01	4.3	0.3	<0.05	3	<0.5	<0.2
REP 1270186	QC	28	18	0.68	296	0.040	2	1.18	0.005	0.29	0.1	<0.01	4.6	0.3	<0.05	3	<0.5	<0.2
1270187	Soil	14	43	1.11	157	0.070	3	2.28	0.008	0.10	0.1	<0.01	5.5	0.3	<0.05	7	<0.5	<0.2
REP 1270187	QC	15	42	1.08	150	0.070	2	2.26	0.009	0.09	<0.1	<0.01	5.5	0.3	<0.05	8	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	13	119	0.59	293	0.106	4	0.87	0.087	0.40	3.0	0.19	3.4	5.2	0.14	4	4.7	4.7
STD DS9	Standard	14	120	0.61	302	0.116	3	0.94	0.100	0.35	2.7	0.19	2.9	5.5	0.13	4	5.6	5.1
STD DS9	Standard	13	121	0.63	311	0.101	3	0.94	0.089	0.36	3.0	0.21	2.6	5.7	0.14	5	5.7	4.9
STD DS9	Standard	13	129	0.62	293	0.114	3	0.88	0.083	0.35	3.1	0.23	2.4	5.4	0.06	5	5.6	5.2
STD DS9	Standard	14	134	0.62	295	0.121	3	0.95	0.079	0.34	3.3	0.19	2.5	5.5	0.14	5	5.3	4.8
STD DS9	Standard	12	121	0.64	306	0.101	4	0.94	0.090	0.36	3.0	0.21	2.6	5.6	0.14	5	6.1	5.1
STD DS9	Standard	12	123	0.61	281	0.102	3	0.90	0.092	0.37	3.1	0.21	2.6	5.6	0.19	4	5.0	5.1
STD DS9	Standard	12	122	0.60	289	0.112	2	0.91	0.087	0.35	3.1	0.21	2.3	5.5	0.19	5	5.1	5.2
STD DS9	Standard	13	138	0.67	261	0.122	3	1.01	0.109	0.40	3.3	0.21	2.7	5.8	0.21	5	5.8	5.3
STD DS9	Standard	12	135	0.65	292	0.106	3	0.96	0.107	0.39	3.2	0.23	2.5	5.8	0.19	5	5.4	5.5
STD DS9	Standard	15	136	0.69	322	0.121	3	1.08	0.112	0.40	3.2	0.20	3.1	5.7	0.08	5	6.0	5.4
STD DS9	Standard	14	137	0.66	322	0.121	3	1.01	0.106	0.43	3.4	0.21	2.9	6.2	0.17	5	5.9	6.0
STD DS9	Standard	14	121	0.62	324	0.121	2	1.01	0.116	0.42	3.2	0.20	3.5	5.5	0.20	5	4.9	4.9
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	0.07	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

QUALITY CONTROL REPORT WHI12000320.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	2	<0.01	<0.001
BLK	Blank	<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.2	<0.1	<1	<0.1	0.1	<0.1	<1	0.02	0.7	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	4	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

QUALITY CONTROL REPORT WHI12000320.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	2	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 12, 2012
Report Date: July 27, 2012
Page: 1 of 12

CERTIFICATE OF ANALYSIS WHI12000321.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 320

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
Dry at 60C	320	Dry at 60C			WHI
SS80	315	Dry at 60C sieve 100g to -80 mesh			WHI
1DX2	319	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000321.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1270639	Soil	1.9	15.8	16.0	77	<0.1	32.7	15.2	601	3.78	11.5	3.8	4.6	15.4	32	0.1	0.2	0.3	72	0.75	0.127
1270182	Soil	1.1	12.5	10.8	56	<0.1	20.4	12.5	456	3.32	5.8	1.1	1.6	12.9	17	<0.1	0.3	0.2	60	0.32	0.059
1270180	Soil	1.1	19.6	11.5	52	<0.1	22.0	9.6	349	2.87	7.8	1.1	2.3	13.9	14	<0.1	0.5	0.3	61	0.19	0.033
1270181	Soil	1.5	24.6	17.7	53	0.2	22.4	10.0	300	3.12	7.1	2.4	3.4	12.2	22	<0.1	0.4	0.3	67	0.40	0.047
1270642	Soil	1.1	26.0	7.3	91	0.1	24.6	18.4	686	3.71	3.6	1.9	<0.5	9.9	25	0.1	0.2	0.2	82	0.66	0.112
1270640	Soil	1.6	8.3	11.7	69	<0.1	16.5	18.1	636	3.55	6.6	1.2	3.4	14.3	19	<0.1	0.3	0.2	60	0.39	0.086
1270637	Soil	1.1	19.8	13.1	59	0.1	27.5	13.5	558	3.17	5.7	3.1	1.7	12.0	35	<0.1	0.2	0.2	61	0.85	0.067
1270641	Soil	0.8	19.2	6.0	61	0.1	22.5	19.4	1278	2.91	2.8	1.4	2.0	5.7	42	0.1	0.2	0.1	63	0.92	0.090
1270634	Soil	3.2	24.6	18.9	62	0.1	27.5	13.6	490	3.23	6.8	8.8	3.0	18.9	26	0.1	0.3	0.2	69	0.59	0.046
1270635	Soil	2.2	37.1	20.2	77	0.1	29.7	12.6	314	3.10	5.8	7.7	2.5	13.3	46	0.1	0.3	0.3	74	0.94	0.068
1270636	Soil	1.0	26.4	13.6	57	<0.1	32.2	15.4	443	3.79	9.3	1.8	1.5	8.6	33	<0.1	0.3	0.2	76	0.68	0.047
1270638	Soil	0.5	36.4	23.8	57	0.2	37.0	15.8	529	3.29	7.7	0.8	2.3	4.4	43	<0.1	0.4	0.2	65	1.14	0.063
1270632	Soil	1.3	33.6	18.0	63	<0.1	25.2	11.4	455	2.74	6.0	2.1	1.8	17.8	27	<0.1	0.2	0.2	60	0.56	0.046
1270627	Soil	1.0	32.0	9.8	50	<0.1	34.7	16.1	491	3.72	7.7	1.1	0.7	6.4	23	<0.1	0.3	0.1	87	0.50	0.055
1270631	Soil	1.2	33.5	12.6	58	0.1	46.8	16.4	850	3.70	5.8	2.1	2.2	9.6	46	0.1	0.3	0.3	70	1.07	0.050
1270633	Soil	0.8	23.6	12.9	51	0.1	35.4	14.0	457	3.29	8.1	2.4	3.3	10.3	25	<0.1	0.4	0.2	69	0.47	0.034
1270625	Soil	3.9	18.9	8.4	43	0.1	23.4	12.5	497	3.18	6.5	1.0	3.7	9.1	30	<0.1	0.8	0.5	58	1.07	0.048
1270626	Soil	1.4	26.2	11.5	75	<0.1	41.1	21.9	795	6.08	8.7	1.2	3.4	9.2	24	<0.1	0.9	<0.1	133	0.62	0.064
1270630	Soil	0.6	24.8	5.1	64	<0.1	103.8	23.2	597	3.92	4.5	1.0	1.0	6.7	24	<0.1	0.2	<0.1	86	0.52	0.056
1270628	Soil	1.1	14.4	10.0	72	<0.1	47.0	19.1	608	3.53	7.1	0.5	0.8	4.3	19	<0.1	0.4	0.1	82	0.33	0.031
1270621	Soil	2.2	39.8	12.4	104	0.5	33.0	13.0	778	3.01	17.4	5.0	3.9	12.4	31	0.9	0.7	0.2	74	0.63	0.077
1270623	Soil	0.9	16.4	18.9	63	<0.1	19.6	10.1	403	2.97	5.7	1.1	4.8	9.9	23	0.1	1.1	0.1	51	0.71	0.065
1270624	Soil	1.1	15.6	10.0	51	<0.1	27.4	16.7	436	3.98	15.9	0.8	2.4	8.0	21	<0.1	1.5	0.2	87	0.48	0.031
1270629	Soil	1.0	52.6	11.2	79	<0.1	69.8	28.7	670	5.51	29.4	1.3	2.1	19.0	14	<0.1	0.2	0.1	64	0.32	0.050
1270615	Soil	4.6	80.7	8.7	219	0.4	80.4	25.6	1053	6.36	189.9	2.0	3.4	5.7	31	1.0	2.2	0.1	164	0.84	0.266
1270614	Soil	1.6	42.8	9.4	87	0.6	36.7	12.3	481	2.70	48.0	1.3	3.5	2.7	47	0.5	1.2	0.1	74	1.06	0.071
1270612	Soil	2.5	28.4	11.4	78	0.3	33.7	12.6	801	3.43	39.2	0.5	8.9	2.2	12	0.3	1.0	0.2	92	0.14	0.047
1270619	Soil	2.6	52.5	10.9	84	0.3	43.0	21.8	1026	5.33	36.0	0.9	0.7	3.7	13	0.2	0.7	0.1	122	0.20	0.062
1270622	Soil	1.5	14.6	14.4	49	<0.1	22.6	12.9	702	3.14	6.0	1.4	0.5	15.4	22	0.2	0.6	0.2	63	0.41	0.029
1270620	Soil	2.2	56.5	12.8	107	0.6	49.3	19.1	926	4.25	38.6	1.9	3.5	4.2	28	0.8	1.1	0.2	100	0.63	0.114

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000321.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1270639	Soil	28	56	1.03	310	0.096	2	1.66	0.021	0.23	0.1	0.02	8.0	0.3	<0.05	5	<0.5	<0.2
1270182	Soil	35	39	0.91	179	0.107	2	1.82	0.010	0.23	0.2	0.02	4.2	0.3	<0.05	7	<0.5	<0.2
1270180	Soil	38	36	0.57	191	0.072	1	1.79	0.009	0.07	0.2	0.04	4.4	0.1	<0.05	6	<0.5	<0.2
1270181	Soil	94	41	0.64	272	0.075	2	2.03	0.012	0.09	0.2	0.04	5.8	0.2	0.08	7	<0.5	<0.2
1270642	Soil	30	59	1.67	458	0.182	1	2.43	0.011	0.50	0.2	0.03	4.5	0.3	0.08	8	<0.5	<0.2
1270640	Soil	19	34	0.96	135	0.115	1	1.90	0.009	0.24	0.2	0.04	3.9	0.4	0.10	7	<0.5	<0.2
1270637	Soil	33	48	0.94	296	0.109	1	1.69	0.013	0.21	0.2	0.04	5.6	0.3	0.13	6	<0.5	<0.2
1270641	Soil	26	48	1.26	429	0.136	1	1.92	0.014	0.41	0.1	0.05	3.8	0.4	0.11	6	<0.5	<0.2
1270634	Soil	53	50	0.98	319	0.094	2	1.87	0.012	0.15	0.2	0.04	7.2	0.3	0.07	6	<0.5	<0.2
1270635	Soil	43	49	1.02	263	0.118	2	1.84	0.013	0.32	0.2	0.05	6.8	0.3	0.10	7	<0.5	<0.2
1270636	Soil	18	52	0.89	247	0.092	2	1.96	0.013	0.10	0.1	0.02	4.9	0.2	0.06	8	<0.5	<0.2
1270638	Soil	27	46	0.58	282	0.047	2	1.46	0.015	0.05	0.6	0.06	5.7	0.1	0.13	5	<0.5	<0.2
1270632	Soil	36	50	0.84	241	0.078	2	1.52	0.012	0.13	0.1	0.02	5.2	0.2	<0.05	5	<0.5	<0.2
1270627	Soil	39	58	1.23	243	0.092	<1	2.05	0.012	0.14	0.1	0.02	6.2	0.2	<0.05	7	<0.5	<0.2
1270631	Soil	38	66	0.75	255	0.061	2	1.67	0.012	0.06	0.1	0.04	6.7	0.2	0.07	6	<0.5	<0.2
1270633	Soil	39	50	0.79	327	0.093	2	1.76	0.019	0.11	0.2	0.04	6.8	0.1	<0.05	6	<0.5	<0.2
1270625	Soil	38	37	0.56	303	0.021	2	1.07	0.012	0.11	0.2	0.05	9.5	0.1	0.12	4	<0.5	<0.2
1270626	Soil	35	86	0.73	303	0.027	1	1.60	0.008	0.06	0.2	0.05	14.7	0.1	<0.05	6	<0.5	<0.2
1270630	Soil	24	272	2.08	186	0.125	1	2.43	0.012	0.20	<0.1	0.01	7.5	0.2	<0.05	8	<0.5	<0.2
1270628	Soil	9	110	1.32	166	0.134	2	2.38	0.009	0.21	0.1	0.01	3.4	0.2	<0.05	7	<0.5	<0.2
1270621	Soil	72	41	0.68	731	0.068	2	1.65	0.012	0.10	0.1	0.10	8.1	0.3	0.15	6	<0.5	<0.2
1270623	Soil	22	29	0.79	248	0.062	2	1.36	0.011	0.18	0.2	0.03	9.6	0.2	0.05	5	<0.5	<0.2
1270624	Soil	14	58	0.77	208	0.028	1	1.47	0.009	0.07	0.1	0.02	7.3	0.1	0.06	6	<0.5	<0.2
1270629	Soil	48	87	0.79	155	0.064	<1	1.56	0.005	0.17	<0.1	0.02	10.6	0.4	<0.05	6	<0.5	<0.2
1270615	Soil	28	84	1.44	819	0.212	2	2.19	0.011	0.78	0.1	0.07	13.0	2.5	0.07	10	0.9	<0.2
1270614	Soil	14	43	0.55	950	0.075	2	1.15	0.011	0.12	0.1	0.07	6.0	0.5	0.11	5	0.6	<0.2
1270612	Soil	8	46	0.38	195	0.085	1	1.45	0.013	0.06	0.1	0.07	3.3	0.3	0.06	7	<0.5	<0.2
1270619	Soil	15	73	1.28	376	0.180	<1	2.59	0.008	0.44	0.1	0.02	8.1	0.3	<0.05	12	<0.5	<0.2
1270622	Soil	22	43	0.70	200	0.077	2	1.58	0.010	0.15	0.1	0.02	4.7	0.2	0.07	6	<0.5	<0.2
1270620	Soil	28	58	0.92	627	0.130	1	1.98	0.013	0.30	<0.1	0.04	8.0	0.5	0.07	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000321.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1270617	Soil	2.9	54.2	12.9	107	1.0	53.0	16.2	808	3.60	40.0	2.8	7.6	4.4	36	1.0	1.3	0.1	84	0.94	0.072
1270613	Soil	2.6	56.0	13.1	86	0.3	37.9	10.9	400	2.55	88.6	0.7	<0.5	1.9	15	1.3	1.6	0.2	83	0.12	0.049
1270069	Soil	2.6	10.8	12.1	34	<0.1	19.1	7.2	193	2.47	6.1	0.5	1.9	3.7	16	<0.1	0.5	0.2	53	0.28	0.022
1270062	Soil	1.0	31.1	25.0	51	0.1	36.7	15.0	495	3.18	5.9	1.3	2.1	13.2	27	0.1	0.4	0.2	70	0.65	0.030
1270063	Soil	1.7	41.3	21.8	59	0.2	43.7	16.8	594	3.89	11.2	2.1	4.9	14.5	40	0.2	1.1	0.3	64	1.29	0.045
1270076	Soil	1.1	29.5	9.5	51	<0.1	54.9	20.0	434	3.69	4.9	1.0	6.6	18.7	20	<0.1	0.3	0.3	81	0.48	0.033
1270070	Soil	2.7	19.9	14.4	58	<0.1	28.5	14.4	393	4.11	10.2	1.3	3.0	13.6	20	<0.1	0.6	0.2	81	0.27	0.019
1270067	Soil	10.9	12.4	5.1	49	0.6	7.3	10.7	270	4.29	3.9	1.1	48.3	10.9	14	<0.1	1.9	1.3	5	0.31	0.014
1270064	Soil	0.9	30.0	12.5	45	0.1	27.1	13.9	608	3.06	9.9	1.8	4.5	5.6	70	0.2	0.5	0.2	50	2.02	0.046
1270079	Soil	1.2	35.1	10.4	62	0.1	31.1	12.1	509	2.82	11.5	0.7	5.0	7.6	44	0.3	0.8	0.1	60	1.21	0.067
1270072	Soil	1.6	16.2	11.2	42	<0.1	20.4	9.4	256	2.74	9.4	0.9	3.7	15.7	18	<0.1	0.6	0.2	56	0.30	0.015
1270068	Soil	2.1	19.1	16.0	53	<0.1	33.8	10.8	380	2.99	9.5	1.1	2.3	6.5	28	<0.1	0.6	0.2	65	0.43	0.029
1270065	Soil	1.2	29.7	7.1	52	0.2	39.5	12.9	769	2.81	6.0	3.9	5.3	3.7	51	0.2	0.7	0.2	52	1.40	0.051
1270077	Soil	1.5	31.7	11.5	55	0.1	41.5	16.9	588	3.63	6.7	1.0	3.9	25.1	21	<0.1	0.4	0.2	65	0.70	0.045
1270071	Soil	2.9	14.6	9.6	50	0.1	17.7	8.6	287	2.96	8.0	1.2	1.3	19.3	22	<0.1	1.0	0.7	51	0.23	0.016
1270061	Soil	1.4	24.3	19.5	57	<0.1	28.4	18.9	502	3.54	6.3	1.1	<0.5	15.2	20	0.1	0.4	0.2	69	0.46	0.044
1270066	Soil	4.7	16.8	5.8	60	<0.1	29.6	12.2	324	3.69	4.3	1.1	5.0	6.4	26	<0.1	0.5	0.2	64	0.49	0.039
1270078	Soil	1.1	22.5	15.1	68	<0.1	62.0	21.1	822	4.72	13.8	1.4	1.7	27.0	19	<0.1	1.1	0.2	93	0.69	0.104
1270050	Soil	1.2	12.8	20.4	60	<0.1	38.7	11.9	288	2.97	4.4	1.6	0.8	19.0	25	0.1	0.3	0.2	59	0.52	0.088
1270048	Soil	1.5	17.8	11.0	77	<0.1	47.2	23.7	743	4.63	4.4	1.2	<0.5	13.4	26	<0.1	0.4	0.2	90	0.74	0.116
1270052	Soil	1.5	9.8	10.1	90	<0.1	16.4	16.1	655	4.12	6.2	1.9	0.6	14.7	33	0.1	0.2	0.2	54	0.81	0.086
1270051	Rock Pulp	2.6	24.2	2.2	42	0.4	22.7	10.1	394	2.36	4.5	0.2	0.9	0.8	35	0.2	0.3	<0.1	61	0.81	0.057
1270049	Soil	1.2	11.7	28.6	73	<0.1	16.5	13.3	819	3.67	5.8	1.7	2.2	20.6	26	0.2	0.3	0.3	57	0.60	0.105
1270053	Soil	1.0	9.8	10.7	71	<0.1	12.5	6.7	237	2.43	3.6	3.2	0.5	20.0	28	0.2	0.3	0.2	45	0.64	0.078
1270060	Soil	1.6	35.3	38.0	96	0.1	32.7	35.4	1342	6.42	17.6	1.2	3.1	13.7	25	<0.1	0.5	<0.1	121	0.71	0.158
1270075	Soil	1.0	29.2	8.7	50	<0.1	51.5	17.7	444	3.65	5.4	1.0	1.3	18.9	21	<0.1	0.4	0.2	72	0.46	0.036
1270054	Soil	4.1	5.6	12.4	62	<0.1	8.3	7.9	394	3.98	4.5	3.2	0.9	29.6	28	<0.1	0.2	0.2	46	0.74	0.097
1270056	Soil	1.3	28.5	10.4	73	<0.1	22.6	12.0	569	3.81	7.5	2.5	1.3	27.8	31	<0.1	0.5	0.2	65	0.42	0.064
1270058	Soil	1.5	18.7	11.2	94	<0.1	14.0	12.4	602	4.46	6.9	1.2	<0.5	11.8	21	<0.1	0.3	0.2	56	0.21	0.037
1270073	Soil	1.4	25.4	9.3	46	<0.1	35.6	12.6	431	2.73	10.6	1.3	4.6	9.7	75	0.1	0.8	0.1	54	3.27	0.045

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000321.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1270617	Soil	35	55	0.66	721	0.089	2	1.84	0.012	0.22	0.3	0.11	7.1	0.5	0.11	6	0.9	<0.2
1270613	Soil	11	43	0.39	211	0.084	1	1.02	0.010	0.14	0.1	0.02	2.8	0.3	0.14	6	0.6	<0.2
1270069	Soil	8	31	0.49	205	0.042	<1	1.55	0.010	0.05	0.1	0.02	4.9	<0.1	0.10	5	<0.5	<0.2
1270062	Soil	24	61	1.06	416	0.105	2	1.81	0.019	0.18	0.2	0.03	5.8	0.2	0.06	6	<0.5	<0.2
1270063	Soil	42	63	1.03	669	0.067	2	1.42	0.013	0.15	0.3	0.06	7.8	0.2	0.10	4	<0.5	<0.2
1270076	Soil	62	105	1.85	182	0.171	1	2.54	0.012	0.57	0.2	0.02	7.0	0.5	0.07	7	<0.5	<0.2
1270070	Soil	15	57	0.87	290	0.084	3	2.08	0.009	0.19	<0.1	0.01	6.5	0.3	<0.05	6	<0.5	<0.2
1270067	Soil	26	5	0.21	392	0.002	3	0.28	0.004	0.07	<0.1	0.13	2.5	<0.1	0.10	1	1.1	0.4
1270064	Soil	26	39	0.73	398	0.055	3	1.27	0.016	0.14	0.3	0.09	5.8	0.2	<0.05	4	<0.5	<0.2
1270079	Soil	24	40	0.80	283	0.096	3	1.53	0.035	0.18	0.2	0.03	5.1	0.2	<0.05	5	0.7	<0.2
1270072	Soil	15	34	0.50	149	0.071	2	1.53	0.011	0.13	0.1	0.01	4.3	0.1	<0.05	5	<0.5	<0.2
1270068	Soil	45	57	0.68	394	0.074	3	1.87	0.022	0.06	0.1	0.03	11.7	<0.1	<0.05	6	<0.5	<0.2
1270065	Soil	20	52	0.71	639	0.037	4	1.58	0.017	0.07	<0.1	0.08	9.8	0.1	<0.05	5	0.6	<0.2
1270077	Soil	80	77	1.57	237	0.130	3	2.11	0.021	0.45	0.2	0.05	7.4	0.4	<0.05	8	<0.5	<0.2
1270071	Soil	18	29	0.53	186	0.047	2	1.38	0.008	0.15	<0.1	<0.01	4.5	0.2	<0.05	5	<0.5	<0.2
1270061	Soil	22	65	1.37	302	0.090	3	1.90	0.010	0.27	0.4	0.01	5.6	0.3	<0.05	6	<0.5	<0.2
1270066	Soil	19	57	1.50	274	0.072	3	2.05	0.019	0.15	0.1	0.02	8.0	0.1	<0.05	7	<0.5	<0.2
1270078	Soil	88	126	2.13	487	0.192	3	2.58	0.012	1.16	0.2	0.04	10.4	0.8	<0.05	10	<0.5	<0.2
1270050	Soil	36	58	0.79	184	0.079	2	1.27	0.010	0.26	0.2	0.03	5.6	0.4	<0.05	5	<0.5	<0.2
1270048	Soil	29	97	1.59	351	0.134	2	2.09	0.011	0.52	<0.1	<0.01	10.7	0.5	<0.05	7	<0.5	<0.2
1270052	Soil	29	36	1.09	193	0.140	2	1.90	0.011	0.40	0.1	0.03	4.4	0.4	<0.05	8	<0.5	<0.2
1270051	Rock Pulp	4	30	0.76	93	0.111	3	1.43	0.080	0.12	13.8	<0.01	4.6	<0.1	<0.05	5	<0.5	<0.2
1270049	Soil	52	31	0.67	206	0.069	3	1.31	0.012	0.17	0.2	0.03	5.9	0.2	<0.05	6	<0.5	<0.2
1270053	Soil	50	25	0.67	172	0.087	2	1.41	0.014	0.15	0.1	0.03	4.9	0.3	<0.05	6	<0.5	<0.2
1270060	Soil	53	67	2.19	607	0.112	2	2.60	0.008	0.62	0.9	0.04	15.1	0.5	<0.05	8	0.6	<0.2
1270075	Soil	59	93	1.82	197	0.164	1	2.48	0.015	0.63	0.2	0.03	7.6	0.5	<0.05	8	<0.5	<0.2
1270054	Soil	42	21	0.67	187	0.092	2	1.25	0.009	0.22	0.1	0.02	5.0	0.3	<0.05	6	<0.5	<0.2
1270056	Soil	90	36	0.94	282	0.142	1	2.17	0.014	0.27	0.1	0.04	7.7	0.4	<0.05	8	<0.5	<0.2
1270058	Soil	15	21	0.98	138	0.162	<1	2.38	0.008	0.48	0.2	0.01	2.2	0.5	<0.05	9	<0.5	<0.2
1270073	Soil	22	42	0.76	385	0.070	1	1.18	0.029	0.11	0.1	0.05	6.4	0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000321.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1270057	Soil	2.1	15.1	8.0	68	<0.1	11.4	10.6	436	3.86	5.3	2.4	<0.5	32.2	10	<0.1	0.3	0.1	39	0.16	0.023
1270059	Soil	1.6	16.7	9.7	78	<0.1	15.8	14.6	577	4.68	5.0	1.0	<0.5	13.5	17	<0.1	0.2	0.2	89	0.29	0.066
1270055	Soil	1.5	11.1	10.4	59	<0.1	14.7	8.3	338	3.29	8.9	0.8	1.2	7.5	13	<0.1	0.4	0.2	66	0.15	0.043
1270074	Soil	1.8	45.3	12.1	50	<0.1	30.7	16.6	664	3.86	7.0	1.5	5.2	24.7	22	<0.1	1.2	0.1	67	0.58	0.066
1270304	Soil	1.4	14.0	8.9	63	0.1	14.8	11.8	543	2.90	58.0	2.2	5.1	4.8	47	0.1	0.9	<0.1	68	0.73	0.069
1270306	Soil	0.7	8.9	9.2	68	<0.1	10.4	18.5	1461	3.30	86.2	0.9	4.6	4.2	20	<0.1	1.0	<0.1	82	0.37	0.092
1270616	Soil	2.8	36.9	10.2	128	0.2	33.0	15.6	1068	4.60	126.0	1.1	1.7	3.2	21	0.5	1.6	0.1	95	0.53	0.136
1270618	Soil	2.1	56.2	13.3	103	0.2	49.2	18.2	807	4.87	51.3	1.0	<0.5	3.6	16	0.2	1.0	0.1	115	0.38	0.107
1271676	Soil	0.8	24.9	6.0	80	<0.1	13.7	19.4	698	5.49	6.0	1.4	<0.5	9.8	28	<0.1	0.3	<0.1	160	0.74	0.213
1271675	Soil	0.5	29.6	4.9	109	<0.1	12.1	23.5	1083	6.28	3.8	1.7	<0.5	14.3	29	<0.1	0.2	<0.1	182	0.81	0.184
1270302	Soil	1.0	17.7	7.1	63	<0.1	11.8	10.9	367	2.78	8.8	3.3	6.3	7.6	55	0.2	0.8	<0.1	75	0.93	0.085
1270305	Soil	0.8	14.7	7.5	82	0.1	13.2	13.6	708	3.29	46.7	1.5	3.4	5.3	33	0.3	1.1	0.1	81	0.54	0.092
1271684	Soil	0.9	13.9	11.6	74	0.1	17.8	10.5	473	3.50	6.7	0.4	2.5	5.0	63	<0.1	0.4	0.1	89	0.66	0.068
1270301	Soil	1.3	420.5	20.1	148	0.2	208.5	73.6	768	14.55	3.5	1.1	30.3	6.6	12	<0.1	0.4	0.1	216	0.29	0.040
1271699	Soil	0.6	39.8	15.8	129	<0.1	26.3	26.6	1164	6.13	3.6	1.2	5.3	3.1	22	0.2	1.2	<0.1	204	0.48	0.029
1271697	Soil	0.5	27.4	10.0	88	<0.1	16.3	10.4	627	4.04	6.2	1.0	2.6	15.4	25	<0.1	0.4	<0.1	80	0.45	0.096
1271683	Soil	0.8	37.1	7.6	67	0.1	16.2	11.7	645	2.86	15.6	1.2	2.5	3.4	47	0.2	0.9	<0.1	73	1.30	0.069
1270303	Soil	0.7	14.4	8.5	64	0.1	13.2	11.5	650	2.81	62.0	2.8	8.2	5.3	46	0.2	0.6	<0.1	68	0.76	0.062
1271700	Soil	0.9	18.9	15.7	74	<0.1	17.7	11.4	641	3.42	7.7	0.8	1.4	8.2	33	0.2	1.8	<0.1	71	0.67	0.055
1271698	Soil	1.0	26.7	10.9	55	<0.1	24.1	11.7	399	3.07	9.1	0.8	2.7	6.4	25	<0.1	0.6	0.1	72	0.44	0.036
1271695	Soil	1.0	53.6	7.9	68	0.2	25.5	12.7	642	2.65	23.8	1.0	3.0	2.3	63	0.3	1.3	0.1	74	1.76	0.062
1271690	Soil	1.5	14.4	17.8	65	<0.1	17.0	8.9	320	3.35	16.2	1.6	0.5	11.7	15	0.2	1.5	0.4	67	0.26	0.020
1271674	Soil	0.8	9.7	7.1	59	<0.1	10.6	12.7	533	2.67	11.5	1.0	1.6	2.9	23	<0.1	0.3	<0.1	80	0.34	0.063
1270210	Soil	0.4	129.9	5.4	53	0.2	29.4	17.8	467	3.59	4.8	0.8	4.7	2.7	84	<0.1	0.2	0.2	121	0.79	0.057
1271694	Soil	0.4	52.9	7.7	72	0.2	4.8	8.5	898	2.71	2.0	1.6	3.6	6.3	55	<0.1	0.6	<0.1	33	5.15	0.119
1271691	Soil	0.5	38.3	6.5	51	<0.1	10.0	11.9	852	3.33	3.3	0.8	2.5	6.4	30	<0.1	0.4	0.1	65	3.09	0.096
1271678	Soil	0.9	12.2	10.9	68	0.1	12.4	12.9	812	3.20	25.1	1.9	2.5	7.1	33	0.2	0.4	<0.1	77	0.52	0.074
1271677	Soil	0.7	10.8	10.5	63	<0.1	11.5	11.3	604	2.21	12.0	1.2	1.9	3.5	29	0.2	0.3	<0.1	54	0.43	0.057
1271696	Soil	0.6	29.5	4.5	88	<0.1	12.7	14.6	661	4.16	3.9	0.7	4.7	4.8	22	<0.1	0.3	<0.1	97	0.53	0.103
1271692	Soil	0.5	29.5	4.7	90	<0.1	15.3	12.5	583	4.59	7.8	0.4	<0.5	6.0	24	<0.1	0.3	<0.1	111	0.61	0.120

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000321.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1270057	Soil	27	20	1.04	141	0.086	<1	2.17	0.006	0.14	<0.1	<0.01	3.1	0.3	<0.05	9	<0.5	<0.2
1270059	Soil	14	29	1.24	148	0.189	2	2.33	0.009	0.64	0.1	<0.01	4.0	0.6	<0.05	10	<0.5	<0.2
1270055	Soil	12	28	0.49	102	0.083	2	1.69	0.009	0.06	0.2	0.01	2.9	0.2	<0.05	8	<0.5	<0.2
1270074	Soil	64	54	1.31	272	0.125	<1	1.80	0.012	0.52	0.2	0.03	7.9	0.5	<0.05	7	<0.5	<0.2
1270304	Soil	19	33	0.65	400	0.094	<1	1.68	0.022	0.08	0.2	0.04	5.6	0.2	<0.05	6	<0.5	<0.2
1270306	Soil	13	22	0.58	219	0.101	<1	1.43	0.021	0.08	0.2	0.01	3.8	0.2	<0.05	5	<0.5	<0.2
1270616	Soil	18	47	0.94	642	0.165	<1	1.56	0.011	0.37	0.1	0.03	7.8	0.7	<0.05	8	<0.5	<0.2
1270618	Soil	12	67	1.38	521	0.183	<1	2.58	0.008	0.70	0.1	0.01	7.7	0.5	<0.05	11	0.8	<0.2
1271676	Soil	23	25	1.46	1455	0.374	<1	2.42	0.029	0.80	0.2	<0.01	6.9	0.9	<0.05	9	<0.5	<0.2
1271675	Soil	28	21	1.93	3128	0.471	<1	2.82	0.036	1.28	0.1	0.02	9.6	1.2	<0.05	11	<0.5	<0.2
1270302	Soil	21	26	0.68	437	0.128	<1	1.60	0.025	0.13	0.4	0.03	5.0	0.2	<0.05	6	<0.5	<0.2
1270305	Soil	16	25	0.63	338	0.096	<1	1.61	0.024	0.09	0.3	0.03	5.3	0.2	<0.05	6	<0.5	<0.2
1271684	Soil	11	32	0.73	366	0.172	4	1.93	0.012	0.33	<0.1	0.02	3.8	0.2	<0.05	7	<0.5	<0.2
1270301	Soil	16	666	0.13	135	0.161	6	3.70	0.013	0.06	<0.1	0.04	36.1	0.1	<0.05	19	0.5	<0.2
1271699	Soil	19	34	2.05	627	0.234	4	2.57	0.010	0.78	0.3	0.07	20.1	1.2	<0.05	9	0.6	<0.2
1271697	Soil	18	30	0.82	325	0.086	3	1.91	0.013	0.16	0.4	0.03	8.8	0.4	<0.05	9	<0.5	<0.2
1271683	Soil	13	27	0.60	346	0.076	4	1.22	0.022	0.12	0.1	0.06	5.2	0.2	0.08	5	<0.5	<0.2
1270303	Soil	18	23	0.57	424	0.108	3	1.45	0.020	0.08	0.2	0.07	4.3	0.2	<0.05	5	<0.5	<0.2
1271700	Soil	18	25	0.70	583	0.109	2	1.83	0.022	0.26	0.2	0.03	7.5	0.3	<0.05	6	<0.5	<0.2
1271698	Soil	12	37	0.64	344	0.115	3	1.64	0.019	0.17	0.2	0.03	6.1	0.2	<0.05	6	<0.5	<0.2
1271695	Soil	12	35	0.63	488	0.068	3	1.40	0.025	0.13	0.1	0.07	6.2	0.2	0.15	5	<0.5	<0.2
1271690	Soil	11	30	0.43	255	0.057	4	1.57	0.008	0.16	0.5	0.02	5.2	0.3	<0.05	6	<0.5	<0.2
1271674	Soil	10	20	0.64	209	0.119	2	1.60	0.017	0.06	0.2	0.04	3.1	0.2	<0.05	6	<0.5	<0.2
1270210	Soil	9	60	1.25	213	0.188	<1	2.30	0.048	0.11	0.1	<0.01	8.5	0.1	<0.05	8	<0.5	<0.2
1271694	Soil	39	4	0.33	294	0.012	2	0.88	0.004	0.11	<0.1	0.05	4.8	<0.1	0.11	5	<0.5	<0.2
1271691	Soil	22	9	0.45	334	0.003	<1	1.29	0.008	0.06	<0.1	0.02	7.5	<0.1	<0.05	7	<0.5	<0.2
1271678	Soil	20	21	0.67	446	0.123	2	1.73	0.022	0.10	0.1	0.04	4.2	0.2	<0.05	6	<0.5	<0.2
1271677	Soil	13	21	0.54	298	0.093	2	1.50	0.018	0.06	0.2	0.06	3.6	0.2	<0.05	6	<0.5	<0.2
1271696	Soil	10	20	1.05	271	0.189	1	1.58	0.013	0.40	0.1	0.02	4.7	0.3	<0.05	7	<0.5	<0.2
1271692	Soil	10	27	1.04	315	0.201	1	1.99	0.011	0.44	0.1	0.01	5.4	0.2	<0.05	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000321.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1271679	Soil	1.1	8.3	7.8	61	<0.1	11.3	7.8	242	2.56	8.3	0.9	12.3	3.9	20	<0.1	0.3	0.1	68	0.30	0.048
1271673	Soil	0.6	10.1	8.8	71	<0.1	10.7	16.7	874	3.40	12.1	1.0	3.1	4.4	30	0.1	0.3	0.1	101	0.49	0.079
1271693	Soil	0.2	242.3	4.4	82	0.1	15.4	28.5	763	6.82	3.1	0.3	5.1	1.1	53	<0.1	<0.1	<0.1	246	1.22	0.128
1271682	Soil	0.9	41.1	7.4	104	<0.1	10.9	28.4	886	6.96	5.6	2.0	0.9	12.1	36	<0.1	0.4	<0.1	207	0.91	0.214
1271680	Soil	1.2	12.3	9.4	84	0.1	13.5	11.3	717	2.93	8.0	2.0	2.8	5.4	20	0.1	0.4	<0.1	61	0.31	0.065
1271681	Soil	0.8	39.2	8.5	99	0.2	19.1	22.3	758	5.56	7.8	1.9	3.5	12.9	34	<0.1	0.4	<0.1	159	0.81	0.148
1284108	Soil	1.2	21.3	11.1	64	<0.1	28.3	11.4	328	3.49	15.2	0.8	3.0	7.8	16	<0.1	0.9	0.1	66	0.20	0.038
1284986	Soil	3.9	53.7	17.3	214	0.5	56.7	17.2	440	4.34	48.8	1.3	2.5	4.1	21	0.9	4.4	0.2	123	0.19	0.057
1271686	Soil	0.6	25.0	5.1	83	<0.1	12.2	11.2	520	4.23	4.7	0.4	3.5	4.4	67	<0.1	0.2	<0.1	103	0.55	0.096
1271685	Soil	0.5	20.1	6.9	86	<0.1	14.9	11.2	627	4.23	7.8	0.5	0.7	5.6	158	<0.1	0.4	<0.1	94	0.90	0.100
1284113	Soil	0.6	34.0	8.6	68	<0.1	39.6	15.6	471	3.05	10.2	2.4	0.8	5.9	52	0.1	0.5	0.2	52	1.54	0.057
1283431	Soil	3.5	51.8	10.6	154	0.3	63.6	15.1	428	4.46	42.9	1.1	1.7	3.0	17	1.0	2.5	0.1	140	0.23	0.054
1271689	Soil	1.0	53.8	9.8	70	0.3	21.7	13.6	817	3.40	37.4	1.0	12.4	3.5	67	0.1	2.0	0.1	64	1.31	0.064
1271687	Soil	0.3	98.3	2.8	31	<0.1	15.2	12.3	270	2.74	3.1	0.2	<0.5	1.8	49	<0.1	0.3	<0.1	92	0.54	0.031
1284114	Soil	1.0	20.2	8.2	71	<0.1	23.6	15.4	393	3.24	7.5	1.5	3.6	4.5	29	0.1	0.4	0.2	61	0.61	0.052
1284979	Soil	4.2	52.8	10.7	162	0.3	43.7	16.4	721	3.90	44.8	1.4	1.5	3.6	30	0.9	2.7	0.1	123	0.42	0.141
1284985	Soil	3.1	69.2	17.6	164	1.0	55.0	19.1	840	4.00	52.2	3.5	4.4	4.7	32	1.1	2.3	0.2	95	0.70	0.078
1271688	Soil	0.3	57.2	3.4	115	<0.1	10.1	14.0	961	5.44	3.9	0.5	1.3	5.4	66	<0.1	0.1	<0.1	134	0.74	0.229
1283429	Soil	1.5	26.3	27.2	94	<0.1	34.6	12.9	310	3.89	22.7	1.0	<0.5	7.0	18	0.5	1.2	0.3	94	0.25	0.052
1284699	Soil	1.6	23.1	13.2	85	0.2	24.3	10.3	293	3.12	15.4	0.6	0.9	2.2	14	0.7	0.8	0.2	86	0.16	0.043
1284981	Soil	2.5	62.1	11.5	155	0.3	80.2	18.0	586	3.77	35.2	1.6	3.3	4.9	28	0.6	3.1	0.2	108	0.51	0.131
1284983	Soil	2.2	57.5	11.4	131	0.4	54.5	18.5	806	4.86	39.7	1.7	2.8	5.9	24	0.6	3.6	0.2	103	0.58	0.172
1284110	Soil	0.7	35.4	13.0	71	0.3	37.7	15.4	574	3.07	38.7	2.1	1.5	3.5	72	0.3	2.1	0.1	62	2.38	0.083
1283430	Soil	2.4	53.6	20.5	111	0.5	61.3	18.0	414	4.29	39.0	1.0	1.1	3.9	16	0.8	2.0	0.2	131	0.22	0.059
1284982	Soil	2.4	45.3	9.2	129	0.3	45.6	14.0	607	3.78	26.8	1.2	2.4	4.9	21	0.8	2.1	0.2	98	0.31	0.077
1284984	Soil	1.9	38.3	11.1	92	0.3	31.9	14.5	630	3.42	29.3	1.4	7.6	4.4	26	0.3	1.7	0.2	90	0.49	0.077
1283428	Soil	1.0	18.6	16.6	65	0.1	38.2	13.1	553	3.47	24.1	1.9	2.3	13.9	25	<0.1	1.4	0.4	59	0.45	0.048
1284112	Soil	0.6	27.7	34.0	96	0.2	32.2	16.5	963	3.53	18.4	2.8	<0.5	13.2	68	0.2	0.9	0.3	56	1.24	0.055
1284107	Soil	1.3	12.4	11.4	41	<0.1	18.0	7.2	239	2.74	13.3	0.8	3.6	5.7	13	<0.1	0.6	0.2	63	0.15	0.025
1283426	Soil	3.2	47.3	10.6	157	0.5	54.4	13.3	405	4.01	39.6	1.0	<0.5	2.9	19	1.0	2.9	0.1	133	0.22	0.057

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000321.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1271679	Soil	13	24	0.58	274	0.130	2	1.49	0.015	0.09	0.2	0.04	3.8	0.2	<0.05	7	<0.5	<0.2
1271673	Soil	11	20	0.76	301	0.159	1	1.85	0.023	0.08	0.3	0.02	3.6	0.2	<0.05	7	<0.5	<0.2
1271693	Soil	7	30	2.05	238	0.326	1	2.64	0.015	0.45	<0.1	0.03	6.7	0.1	<0.05	13	<0.5	<0.2
1271682	Soil	22	18	1.90	1538	0.456	1	2.99	0.021	0.88	0.2	0.02	8.5	0.9	<0.05	12	<0.5	<0.2
1271680	Soil	22	26	0.63	356	0.124	2	1.78	0.017	0.12	0.1	0.06	5.1	0.3	<0.05	7	<0.5	<0.2
1271681	Soil	26	26	1.76	1287	0.444	1	2.52	0.028	0.85	0.2	0.03	7.0	0.9	<0.05	10	<0.5	<0.2
1284108	Soil	11	40	0.53	218	0.059	2	2.23	0.009	0.07	0.1	0.02	3.6	0.1	<0.05	6	<0.5	<0.2
1284986	Soil	15	73	0.98	344	0.131	1	1.89	0.010	0.24	0.1	0.05	5.1	0.8	0.07	8	1.5	<0.2
1271686	Soil	10	22	0.88	248	0.184	1	2.18	0.013	0.28	<0.1	0.02	3.5	0.1	<0.05	9	<0.5	<0.2
1271685	Soil	16	26	0.95	399	0.177	<1	2.75	0.016	0.25	0.1	0.02	6.6	0.1	<0.05	11	<0.5	<0.2
1284113	Soil	28	60	1.12	183	0.098	2	1.62	0.011	0.24	<0.1	0.05	4.4	0.3	<0.05	6	<0.5	<0.2
1283431	Soil	10	77	0.90	564	0.122	2	2.36	0.009	0.14	<0.1	0.03	6.2	0.3	<0.05	9	0.9	<0.2
1271689	Soil	18	26	0.67	763	0.020	1	1.51	0.014	0.08	0.1	0.07	8.3	0.1	<0.05	5	<0.5	<0.2
1271687	Soil	4	24	0.77	198	0.117	<1	1.90	0.037	0.20	<0.1	0.01	4.7	<0.1	<0.05	6	<0.5	<0.2
1284114	Soil	15	43	1.22	164	0.094	1	1.75	0.013	0.20	0.1	0.04	6.0	0.3	0.07	6	<0.5	<0.2
1284979	Soil	17	62	1.12	640	0.154	<1	2.00	0.011	0.59	0.1	0.02	6.2	0.5	0.08	9	1.2	<0.2
1284985	Soil	31	61	0.95	625	0.115	1	1.95	0.012	0.30	0.1	0.16	8.0	0.8	<0.05	8	1.6	<0.2
1271688	Soil	15	19	1.56	390	0.228	<1	2.29	0.014	0.55	<0.1	<0.01	8.7	0.2	<0.05	12	<0.5	<0.2
1283429	Soil	12	52	0.67	236	0.104	2	2.01	0.008	0.18	0.1	0.02	4.4	0.2	<0.05	7	<0.5	<0.2
1284699	Soil	9	38	0.42	335	0.070	2	1.76	0.007	0.07	0.1	0.02	3.3	0.2	<0.05	7	0.9	<0.2
1284981	Soil	21	98	1.10	489	0.127	2	1.74	0.011	0.41	0.1	0.03	6.6	0.6	0.08	7	1.0	<0.2
1284983	Soil	38	64	0.99	352	0.153	<1	2.09	0.007	0.48	0.2	0.05	8.1	0.5	<0.05	8	0.8	<0.2
1284110	Soil	18	54	1.11	229	0.060	4	1.34	0.011	0.18	0.1	0.06	6.1	0.4	0.09	5	0.9	<0.2
1283430	Soil	14	81	1.02	432	0.155	2	2.45	0.011	0.38	<0.1	0.04	6.4	0.3	0.05	9	0.7	<0.2
1284982	Soil	19	59	0.91	281	0.135	2	2.01	0.010	0.35	0.1	0.03	5.5	0.4	<0.05	8	0.8	<0.2
1284984	Soil	16	47	0.92	395	0.128	2	1.86	0.013	0.21	0.2	0.04	6.4	0.3	<0.05	7	0.9	<0.2
1283428	Soil	29	56	0.81	371	0.075	2	1.60	0.009	0.17	0.1	0.05	6.6	0.3	<0.05	6	<0.5	<0.2
1284112	Soil	33	46	0.93	166	0.077	3	1.46	0.011	0.24	0.2	0.04	8.1	0.2	0.09	5	0.7	<0.2
1284107	Soil	13	33	0.42	132	0.062	<1	1.62	0.007	0.07	0.2	<0.01	2.9	0.1	<0.05	6	<0.5	<0.2
1283426	Soil	10	69	0.82	553	0.121	2	2.21	0.009	0.12	0.1	0.03	5.5	0.3	0.05	8	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000321.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1270363	Soil	5.4	28.0	10.3	91	0.3	24.2	12.7	582	2.83	77.1	1.2	2.0	2.5	29	0.2	1.4	0.2	80	0.40	0.068
1284109	Soil	1.3	44.3	11.5	81	0.3	50.8	21.9	635	4.30	495.1	1.7	13.6	7.2	32	0.2	5.2	0.1	102	0.80	0.068
1284111	Soil	1.7	47.1	20.5	71	0.2	52.6	19.5	620	4.41	12.7	2.7	10.1	28.0	23	<0.1	2.4	0.5	55	0.53	0.049
1284980	Soil	3.5	89.2	12.6	165	0.5	71.5	29.0	1090	6.57	68.6	1.8	3.7	6.2	29	0.7	8.2	0.1	130	0.85	0.234
1270362	Soil	0.6	31.5	6.1	34	0.1	21.7	9.3	446	2.15	5.9	3.9	3.5	9.4	84	0.1	0.5	0.2	44	2.07	0.050
1284977	Soil	1.1	20.7	19.4	69	0.1	24.5	12.6	461	3.32	14.3	1.8	6.5	14.7	19	0.2	1.0	0.2	57	0.30	0.058
1284115	Soil	0.8	22.4	9.7	71	0.1	26.4	12.3	419	2.79	18.5	2.1	2.3	5.4	43	0.1	1.1	0.2	50	0.96	0.044
1283427	Soil	2.7	56.5	14.9	98	0.2	42.5	18.3	630	4.70	44.3	1.0	0.9	4.0	19	0.2	2.1	0.1	116	0.23	0.062
1270351	Rock Pulp	2.3	22.9	2.2	40	0.3	20.8	9.1	369	2.14	4.1	0.2	<0.5	0.8	35	0.2	0.3	<0.1	55	0.74	0.052
1270364	Soil	3.6	97.6	15.8	176	1.7	61.5	16.8	611	3.42	94.4	3.3	7.1	4.5	39	2.9	2.8	0.3	92	0.45	0.064
1270360	Soil	0.8	21.2	7.1	42	<0.1	32.4	14.4	531	2.94	5.5	1.4	<0.5	12.8	36	<0.1	0.5	<0.1	63	0.82	0.027
1270361	Soil	0.7	28.5	6.7	36	0.1	23.0	10.7	443	2.45	5.3	2.5	<0.5	12.4	56	0.1	0.5	0.1	50	1.38	0.040
1270349	Soil	0.6	22.2	5.3	53	<0.1	33.5	31.4	943	5.74	4.0	0.8	16.4	6.8	32	<0.1	0.6	<0.1	123	0.89	0.143
1270358	Soil	0.9	30.3	8.4	46	<0.1	32.7	13.8	592	3.18	6.3	2.0	1.6	18.1	36	0.2	0.9	0.1	63	0.78	0.037
1270354	Soil	1.2	46.9	20.5	65	0.3	35.0	17.8	599	4.50	12.5	1.1	6.5	7.6	32	0.3	2.7	0.2	63	0.57	0.048
1270352	Soil	0.8	33.5	8.2	57	0.1	23.7	18.5	661	4.15	18.9	1.0	45.1	6.2	37	0.2	1.3	0.1	59	0.79	0.089
1270350	Soil	0.8	20.9	6.3	46	<0.1	26.8	15.0	506	3.33	8.0	0.7	<0.5	4.4	38	0.2	0.4	<0.1	76	0.74	0.061
1270359	Soil	0.8	19.6	7.4	44	<0.1	29.5	14.4	592	2.98	5.9	1.2	5.5	9.7	38	0.1	0.7	0.1	62	0.78	0.033
1270356	Soil	1.2	9.8	10.7	58	<0.1	39.6	19.9	503	4.65	4.4	0.8	<0.5	11.8	17	<0.1	0.5	<0.1	83	0.42	0.052
1270353	Soil	0.7	52.2	8.7	46	0.2	33.6	15.3	778	3.11	9.8	1.7	8.1	4.1	47	0.2	1.1	0.1	61	0.94	0.051
1270348	Soil	0.5	27.5	8.1	46	0.1	31.6	14.3	510	2.84	4.7	1.7	<0.5	4.4	59	0.1	0.3	0.1	62	1.49	0.061
1270347	Soil	0.9	29.6	22.2	55	0.1	34.0	14.3	559	3.24	7.6	3.5	<0.5	8.3	45	<0.1	0.3	0.2	59	1.07	0.058
1270357	Soil	1.0	15.4	8.4	36	<0.1	21.1	10.9	258	2.56	7.5	0.7	<0.5	8.6	20	<0.1	0.5	<0.1	57	0.27	0.012
1270355	Soil	0.6	27.4	7.3	41	<0.1	60.1	14.3	497	2.80	8.3	1.1	0.8	9.5	40	0.1	1.2	0.1	58	0.81	0.040
1270530	Soil	1.0	36.9	10.1	83	<0.1	41.6	26.8	960	6.11	20.5	2.2	2.7	5.4	52	0.1	1.1	0.1	125	1.36	0.215
1270343	Soil	0.5	24.1	3.4	84	<0.1	20.4	28.1	941	4.39	1.8	0.6	2.6	3.2	20	<0.1	<0.1	<0.1	106	0.79	0.188
1270339	Soil	1.5	12.4	9.5	59	<0.1	17.1	12.7	527	3.27	3.3	2.0	3.6	18.6	24	0.1	0.2	0.2	62	0.65	0.079
1270337	Soil	0.9	10.7	11.1	61	<0.1	17.0	9.8	518	2.54	4.6	1.2	1.9	13.5	16	0.1	0.2	0.2	53	0.28	0.039
1270531	Soil	0.7	26.8	8.5	69	<0.1	45.4	21.3	659	4.11	5.9	1.2	2.6	6.6	42	0.1	0.6	0.1	80	1.10	0.076
1270345	Soil	1.0	22.0	12.2	54	0.2	23.4	15.0	970	3.25	5.4	2.6	3.0	18.2	23	<0.1	0.3	0.2	76	0.38	0.031

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000321.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1270363	Soil	11	40	0.58	345	0.090	2	1.28	0.012	0.10	0.1	0.07	4.6	0.3	<0.05	6	1.4	<0.2
1284109	Soil	22	65	0.85	327	0.068	2	1.56	0.011	0.18	<0.1	0.11	10.3	0.4	<0.05	6	0.9	<0.2
1284111	Soil	73	125	1.22	180	0.057	1	1.88	0.006	0.34	0.3	<0.01	8.5	0.3	<0.05	8	0.7	<0.2
1284980	Soil	41	75	1.54	784	0.204	<1	2.36	0.007	0.85	0.1	0.06	11.2	0.6	<0.05	13	<0.5	<0.2
1270362	Soil	72	35	0.86	383	0.062	3	1.28	0.013	0.19	0.1	0.07	4.7	0.2	0.11	4	0.8	<0.2
1284977	Soil	47	37	0.72	218	0.078	1	1.68	0.008	0.23	0.1	0.02	5.0	0.4	<0.05	7	<0.5	<0.2
1284115	Soil	21	45	0.71	160	0.069	1	1.27	0.012	0.13	0.1	0.03	4.8	0.2	<0.05	5	<0.5	<0.2
1283427	Soil	15	71	1.27	489	0.200	2	2.67	0.009	0.56	0.1	0.02	8.3	0.3	<0.05	11	0.7	<0.2
1270351	Rock Pulp	4	27	0.70	84	0.097	2	1.30	0.074	0.11	12.6	0.02	4.2	<0.1	<0.05	5	<0.5	<0.2
1270364	Soil	26	49	0.64	1157	0.086	2	2.10	0.014	0.15	<0.1	0.14	7.8	0.4	0.08	8	1.4	<0.2
1270360	Soil	38	67	1.20	216	0.114	3	1.85	0.015	0.27	0.2	0.04	5.8	0.3	0.05	6	<0.5	<0.2
1270361	Soil	60	39	0.82	314	0.081	2	1.46	0.015	0.20	0.2	0.06	5.2	0.2	0.09	5	<0.5	<0.2
1270349	Soil	31	47	1.12	321	0.031	2	1.64	0.011	0.11	0.1	0.05	17.3	0.1	<0.05	6	<0.5	<0.2
1270358	Soil	71	54	1.04	308	0.104	1	1.70	0.016	0.25	0.2	0.02	7.6	0.3	0.06	5	0.7	<0.2
1270354	Soil	28	38	0.62	354	0.033	2	1.27	0.013	0.07	0.2	0.10	8.9	0.1	<0.05	4	0.5	<0.2
1270352	Soil	33	27	0.85	317	0.040	2	1.44	0.013	0.11	0.1	0.04	8.6	0.1	<0.05	5	<0.5	<0.2
1270350	Soil	14	50	0.87	217	0.053	1	1.49	0.012	0.07	0.1	0.02	6.2	<0.1	<0.05	6	<0.5	<0.2
1270359	Soil	25	62	1.03	229	0.108	2	1.64	0.013	0.29	0.2	0.03	5.5	0.3	<0.05	6	<0.5	<0.2
1270356	Soil	17	129	2.06	301	0.236	<1	2.74	0.006	1.15	0.2	<0.01	7.2	0.8	<0.05	9	<0.5	<0.2
1270353	Soil	38	44	0.67	439	0.036	<1	1.58	0.016	0.05	0.1	0.06	8.5	<0.1	<0.05	5	1.0	<0.2
1270348	Soil	38	57	0.74	319	0.055	1	1.51	0.011	0.08	<0.1	0.05	6.5	0.1	0.05	6	0.5	<0.2
1270347	Soil	40	54	0.83	334	0.072	1	1.66	0.012	0.12	0.5	0.03	5.5	0.1	<0.05	6	0.8	<0.2
1270357	Soil	23	35	0.57	237	0.084	2	1.48	0.011	0.12	0.1	<0.01	3.6	<0.1	<0.05	5	<0.5	<0.2
1270355	Soil	13	93	0.87	268	0.042	2	1.37	0.026	0.07	<0.1	0.03	6.1	0.2	<0.05	5	<0.5	<0.2
1270530	Soil	43	58	1.05	327	0.077	3	1.78	0.009	0.42	0.1	0.10	13.4	0.4	<0.05	6	<0.5	<0.2
1270343	Soil	11	61	3.13	991	0.227	1	3.14	0.012	1.36	0.2	<0.01	3.6	0.5	<0.05	8	<0.5	<0.2
1270339	Soil	72	35	0.90	262	0.105	2	1.49	0.011	0.26	0.1	0.03	6.0	0.3	0.07	6	<0.5	<0.2
1270337	Soil	47	37	0.64	163	0.087	1	1.39	0.008	0.13	0.1	0.02	3.6	0.2	<0.05	6	<0.5	<0.2
1270531	Soil	27	73	1.01	242	0.060	2	1.52	0.009	0.22	0.1	0.05	10.4	0.3	<0.05	6	<0.5	<0.2
1270345	Soil	94	53	0.94	293	0.073	2	2.14	0.011	0.05	0.1	0.03	6.7	0.3	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000321.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1270341	Soil	0.8	21.2	17.2	55	0.2	21.4	11.7	629	2.41	5.4	16.3	4.1	13.9	42	0.2	0.3	0.3	52	0.94	0.056
1270335	Soil	1.3	10.7	11.5	46	<0.1	14.1	6.2	238	2.72	8.8	0.6	3.6	6.0	9	<0.1	0.5	0.2	60	0.11	0.032
1270532	Soil	0.7	22.6	48.5	46	<0.1	36.7	20.4	507	3.90	5.6	1.2	2.3	6.1	49	0.1	0.5	<0.1	83	1.36	0.065
1270346	Soil	1.0	40.4	653.0	62	0.8	32.8	14.0	522	3.30	7.3	3.0	4.2	16.0	26	0.1	0.4	0.7	61	0.53	0.060
1270342	Soil	1.5	32.8	13.8	65	0.3	25.9	16.6	860	3.37	4.8	6.5	4.0	23.8	32	<0.1	0.3	0.2	77	0.84	0.093
1270338	Soil	1.3	11.2	9.0	51	<0.1	18.3	9.1	344	2.78	5.7	1.1	2.1	9.6	19	<0.1	0.3	0.2	64	0.33	0.023
1270533	Soil	0.7	32.2	6.4	67	<0.1	42.8	28.6	763	5.43	4.6	0.6	2.4	6.0	64	<0.1	0.3	<0.1	105	1.72	0.158
1270344	Soil	0.9	44.4	10.9	53	0.4	26.7	14.9	895	2.95	1.3	14.8	3.6	19.1	55	0.2	0.3	0.2	53	1.53	0.120
1270340	Soil	1.7	14.3	9.3	60	<0.1	17.6	15.1	502	3.44	3.8	3.2	2.0	21.0	26	0.1	0.2	<0.1	62	0.72	0.100
1270336	Soil	1.5	12.8	12.3	51	0.1	17.0	7.3	309	2.95	9.1	0.5	3.8	5.8	12	0.1	0.5	0.2	73	0.16	0.020
1270518	Soil	4.3	53.0	19.3	200	0.6	58.1	12.4	415	3.83	51.5	1.1	7.0	3.2	18	1.0	1.0	0.3	115	0.20	0.104
1270516	Soil	2.0	39.9	8.5	87	0.5	27.7	6.4	649	1.95	22.1	0.7	6.9	0.6	12	1.3	1.0	0.1	59	0.10	0.043
1270522	Soil	2.9	59.5	12.2	153	0.3	62.6	20.5	916	4.91	58.2	1.3	6.3	4.1	21	0.7	1.0	0.1	115	0.42	0.120
1270527	Soil	1.3	25.8	19.3	70	0.2	37.0	14.8	855	3.24	8.4	3.9	6.5	10.4	42	0.3	0.9	0.2	52	1.00	0.084
1270515	Soil	2.5	73.4	16.9	196	0.3	87.1	27.1	1611	4.03	109.2	1.4	4.6	3.4	18	1.5	1.9	0.2	103	0.22	0.066
1270523	Soil	2.8	65.1	12.4	195	0.4	65.5	24.4	969	5.56	43.4	1.2	5.0	4.1	18	0.9	0.8	0.1	131	0.45	0.148
1270517	Soil	5.8	73.2	13.4	192	1.0	68.2	19.6	777	3.84	93.1	2.4	6.5	3.2	38	1.5	2.2	0.1	104	0.78	0.106
1270526	Soil	1.6	29.9	13.1	77	0.3	25.4	14.3	497	3.11	17.5	1.4	5.8	5.7	17	0.2	0.6	0.1	70	0.28	0.056
1270512	Soil	2.0	18.0	11.1	58	0.2	26.6	11.9	385	3.67	16.1	0.6	3.3	2.5	16	0.3	0.6	0.2	85	0.19	0.039
1270519	Soil	3.1	44.0	32.0	324	1.1	61.5	16.0	481	4.14	65.6	0.9	2.7	2.6	20	2.2	1.7	0.2	105	0.14	0.066
1270521	Soil	1.7	33.7	15.6	111	0.4	45.3	16.9	469	4.16	38.5	0.7	4.1	3.1	15	0.6	1.1	0.1	98	0.20	0.056
1270525	Soil	1.7	28.6	12.6	72	0.3	23.9	12.3	450	3.01	14.2	1.5	4.9	6.7	16	0.2	0.5	0.2	63	0.26	0.050
1270514	Soil	2.4	53.3	12.0	93	0.3	35.7	15.6	573	3.37	54.4	1.2	10.8	2.0	13	0.6	1.2	0.2	82	0.15	0.060
1270513	Soil	1.8	37.5	13.0	71	0.3	30.6	11.8	433	3.27	30.8	0.8	4.0	1.9	11	0.3	0.9	0.1	78	0.14	0.065
1270520	Soil	2.2	31.7	19.1	86	0.2	31.8	10.4	272	3.36	31.0	0.7	3.5	3.4	15	0.5	1.1	0.1	80	0.15	0.023
1270524	Soil	4.6	47.6	13.7	157	0.4	44.5	36.2	1709	5.77	51.4	1.3	5.0	4.4	20	0.5	0.8	0.1	140	0.55	0.155
1271557	Soil	0.6	68.1	8.3	56	0.1	20.8	13.8	636	3.11	5.3	1.3	4.8	2.7	78	0.2	0.8	<0.1	79	1.57	0.062
1271546	Soil	0.9	10.0	8.2	61	<0.1	11.9	8.5	252	2.59	22.8	1.0	3.2	4.8	23	<0.1	0.4	<0.1	67	0.35	0.034
1270537	Soil	0.6	16.0	3.5	34	<0.1	37.6	31.9	750	5.53	3.6	0.6	1.3	2.5	24	<0.1	0.2	<0.1	140	0.75	0.123
1270539	Soil	1.1	45.1	10.7	75	0.1	49.3	19.3	585	4.29	9.7	1.7	4.5	11.3	38	0.1	0.4	0.2	69	1.12	0.079

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000321.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1270341	Soil	65	34	0.63	442	0.047	3	1.40	0.012	0.06	0.1	0.06	5.7	0.2	0.08	4	<0.5	<0.2
1270335	Soil	9	29	0.36	106	0.055	1	1.40	0.006	0.05	0.2	0.05	2.5	0.2	<0.05	6	<0.5	<0.2
1270532	Soil	22	66	1.06	210	0.053	2	1.53	0.011	0.20	0.2	0.03	10.1	0.2	<0.05	5	<0.5	<0.2
1270346	Soil	40	56	0.91	310	0.061	1	1.62	0.012	0.14	0.9	0.02	6.8	0.2	<0.05	6	<0.5	<0.2
1270342	Soil	102	47	1.01	426	0.070	2	1.85	0.011	0.14	0.1	0.07	9.3	0.3	0.05	6	<0.5	<0.2
1270338	Soil	36	37	0.65	163	0.091	2	1.56	0.010	0.08	0.1	0.01	3.8	0.2	<0.05	6	<0.5	<0.2
1270533	Soil	31	100	1.84	427	0.099	2	2.22	0.011	0.44	0.2	0.01	12.5	0.3	<0.05	7	<0.5	<0.2
1270344	Soil	367	37	1.49	621	0.082	2	2.13	0.008	0.28	<0.1	0.08	9.1	0.4	<0.05	6	<0.5	<0.2
1270340	Soil	70	34	1.10	288	0.120	2	1.64	0.010	0.37	0.2	0.03	5.8	0.3	<0.05	6	<0.5	<0.2
1270336	Soil	12	34	0.42	149	0.064	<1	1.71	0.008	0.06	0.1	0.01	2.9	0.2	<0.05	7	<0.5	<0.2
1270518	Soil	11	52	0.61	463	0.068	1	2.16	0.008	0.10	0.2	0.05	4.4	0.8	<0.05	7	0.8	<0.2
1270516	Soil	8	20	0.09	229	0.055	<1	0.58	0.012	0.06	0.1	0.03	2.0	0.3	<0.05	4	<0.5	<0.2
1270522	Soil	21	74	1.09	599	0.145	2	2.00	0.010	0.29	0.2	0.10	7.8	1.1	<0.05	8	0.6	<0.2
1270527	Soil	121	61	0.78	568	0.020	2	1.60	0.009	0.08	0.2	0.09	14.3	0.1	0.06	5	<0.5	<0.2
1270515	Soil	15	57	0.64	548	0.092	2	1.74	0.010	0.13	0.2	0.07	6.1	1.0	<0.05	7	0.9	<0.2
1270523	Soil	17	84	1.52	592	0.207	1	2.65	0.010	0.60	0.1	0.02	8.6	0.6	<0.05	10	0.9	<0.2
1270517	Soil	27	66	0.87	1089	0.112	2	1.80	0.011	0.28	0.1	0.13	7.6	0.8	0.09	7	2.3	<0.2
1270526	Soil	17	39	0.64	339	0.062	2	1.76	0.008	0.09	0.1	0.05	5.7	0.2	<0.05	6	0.5	<0.2
1270512	Soil	10	43	0.53	312	0.064	2	2.40	0.008	0.04	0.2	0.03	3.6	0.2	<0.05	8	<0.5	<0.2
1270519	Soil	8	45	0.39	385	0.044	1	1.98	0.008	0.08	0.2	0.08	4.0	1.8	0.12	7	<0.5	<0.2
1270521	Soil	11	56	0.57	215	0.080	2	1.91	0.008	0.08	0.2	0.03	5.2	0.4	<0.05	7	<0.5	<0.2
1270525	Soil	17	38	0.62	326	0.056	2	1.68	0.008	0.10	0.1	0.03	6.2	0.2	<0.05	6	<0.5	<0.2
1270514	Soil	12	39	0.43	226	0.067	2	1.61	0.008	0.07	0.2	0.10	3.7	0.8	0.06	6	0.7	<0.2
1270513	Soil	8	38	0.47	151	0.064	2	1.98	0.008	0.06	0.1	0.08	3.4	0.5	<0.05	6	<0.5	<0.2
1270520	Soil	8	43	0.52	272	0.067	<1	2.15	0.008	0.05	0.2	0.05	3.6	0.5	<0.05	6	<0.5	<0.2
1270524	Soil	15	72	1.40	689	0.192	1	2.35	0.010	0.59	0.1	0.03	8.5	0.5	<0.05	9	1.0	<0.2
1271557	Soil	15	28	0.70	474	0.069	2	1.52	0.024	0.08	0.1	0.07	7.7	0.1	0.05	5	<0.5	<0.2
1271546	Soil	14	25	0.59	275	0.143	2	1.51	0.016	0.07	0.2	0.05	3.8	0.2	<0.05	6	<0.5	<0.2
1270537	Soil	13	76	1.95	287	0.097	2	2.65	0.013	0.18	0.1	0.02	10.3	0.2	<0.05	10	<0.5	<0.2
1270539	Soil	43	66	0.86	253	0.070	2	1.42	0.009	0.30	1.6	0.04	8.8	0.3	0.07	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000321.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1271553	Soil	0.5	35.3	9.1	77	<0.1	12.3	13.8	605	4.40	4.8	1.1	0.7	24.2	19	<0.1	0.3	0.1	105	0.55	0.129
1271548	Soil	1.1	9.1	11.4	75	<0.1	11.5	9.8	457	3.03	26.4	0.7	2.7	3.8	17	<0.1	0.5	0.1	82	0.29	0.079
1270541	Soil	1.6	25.2	23.0	59	0.1	23.8	12.9	577	3.16	5.6	1.9	2.6	10.7	32	0.1	0.6	0.9	35	0.92	0.066
1270540	Soil	0.9	34.3	10.7	80	0.1	46.3	17.7	781	3.57	9.5	1.6	4.1	5.9	54	0.2	0.4	0.2	56	1.60	0.080
1271551	Rock Pulp	2.3	23.2	2.0	43	0.3	22.6	9.8	382	2.32	4.7	0.2	43.3	0.8	34	0.2	0.3	<0.1	58	0.75	0.056
1270536	Soil	0.2	13.8	1.7	37	<0.1	53.5	34.4	733	5.72	1.3	0.4	<0.5	4.4	24	<0.1	<0.1	<0.1	133	0.90	0.144
1270538	Soil	0.9	28.4	9.9	51	<0.1	73.2	21.0	332	3.91	7.1	1.8	1.2	4.1	41	0.1	0.3	0.4	75	1.16	0.090
1270528	Soil	0.8	36.1	11.3	57	0.2	36.8	21.1	722	3.73	4.1	1.1	1.4	3.6	63	0.1	0.2	0.2	76	1.57	0.084
1270535	Soil	0.8	37.6	7.6	44	0.1	32.0	17.4	596	3.43	4.0	2.3	17.5	3.0	61	<0.1	0.2	0.4	73	1.79	0.076
1270534	Soil	0.6	31.4	5.3	42	<0.1	31.1	20.1	664	4.11	3.7	1.1	1.1	3.8	48	<0.1	0.2	<0.1	96	1.37	0.091
1270542	Soil	0.6	19.4	11.9	87	0.1	21.0	16.7	584	3.23	4.5	1.5	0.9	5.4	50	0.2	0.7	0.1	60	1.34	0.100
1270529	Soil	0.7	16.5	6.0	70	<0.1	43.4	19.4	521	4.15	4.4	0.6	0.6	10.2	34	<0.1	0.2	<0.1	78	0.75	0.091
1271572	Soil	0.7	32.9	7.1	55	<0.1	27.8	12.3	361	3.18	10.5	0.9	5.5	4.8	28	<0.1	0.7	<0.1	73	0.48	0.059
1271576	Soil	0.9	19.0	7.0	96	<0.1	12.8	11.6	625	3.91	5.9	0.6	0.9	5.5	23	0.3	0.3	<0.1	83	0.50	0.064
1271569	Soil	3.0	19.8	13.4	102	<0.1	16.8	9.5	912	4.54	6.1	1.9	2.2	23.4	26	<0.1	0.5	<0.1	59	0.41	0.065
1271566	Soil	1.4	32.2	11.1	88	0.2	19.0	10.6	505	3.34	42.4	0.8	5.1	4.5	20	0.2	1.7	<0.1	64	0.42	0.070
1271574	Soil	1.1	19.0	13.4	99	<0.1	15.5	11.4	1025	4.36	5.3	1.3	1.5	22.2	34	0.3	0.5	<0.1	67	0.68	0.046
1271573	Soil	1.0	26.5	5.9	87	<0.1	16.2	15.1	950	5.16	5.9	1.3	1.9	5.4	25	<0.1	0.3	<0.1	101	0.58	0.112
1271578	Soil	1.0	10.0	11.4	74	0.1	11.9	14.4	962	3.10	17.2	2.4	2.2	7.3	27	0.2	0.4	<0.1	69	0.41	0.074
1271561	Soil	1.2	31.4	21.0	59	0.1	36.3	12.7	517	3.29	18.0	1.2	5.0	18.6	24	0.1	0.9	0.2	66	0.40	0.014
1271565	Soil	3.8	70.8	17.2	215	0.4	66.3	11.3	745	3.93	90.2	2.1	5.9	5.7	24	0.8	6.8	0.3	131	0.28	0.045
1271567	Soil	0.6	73.9	8.7	66	0.2	21.5	14.3	755	3.28	5.3	0.7	3.8	2.2	52	0.1	0.4	0.1	80	1.54	0.072
1271577	Soil	1.0	10.6	10.4	78	0.1	14.4	14.6	873	3.38	19.0	2.4	3.5	8.1	30	<0.1	0.4	<0.1	72	0.44	0.078
1271570	Soil	0.8	28.2	7.9	71	0.1	18.4	14.4	673	4.15	7.2	0.9	2.8	12.0	37	<0.1	0.5	<0.1	76	0.59	0.084
1271562	Soil	1.2	13.0	13.9	53	0.2	30.6	10.5	338	3.25	8.8	0.8	0.7	8.4	29	0.1	0.5	0.1	61	0.40	0.022
1271575	Soil	1.3	15.2	9.8	76	<0.1	15.8	10.8	476	3.36	6.5	0.4	4.4	3.0	27	0.4	0.4	<0.1	75	0.42	0.030
1271579	Soil	1.0	9.9	15.2	84	0.1	12.8	21.1	1401	3.39	16.2	2.1	3.4	6.5	21	0.3	0.5	<0.1	70	0.30	0.079
1271571	Soil	0.6	30.1	4.8	67	0.1	18.3	14.2	492	4.66	6.9	0.4	2.6	4.4	27	<0.1	0.3	<0.1	93	0.57	0.132
1271563	Soil	1.1	25.5	14.5	64	0.1	40.1	12.8	704	3.39	13.9	1.5	2.3	15.0	25	0.1	1.1	0.2	65	0.42	0.032
1271564	Soil	4.4	48.0	37.4	108	0.7	18.6	5.6	529	3.89	345.0	1.4	15.6	5.0	29	0.5	19.6	0.3	58	0.14	0.075

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000321.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1271553	Soil	36	20	0.98	363	0.244	6	1.56	0.011	0.51	0.3	0.01	5.7	0.7	<0.05	8	<0.5	<0.2
1271548	Soil	12	22	0.63	242	0.155	1	1.46	0.014	0.15	0.3	0.04	3.7	0.3	<0.05	7	<0.5	<0.2
1270541	Soil	47	30	0.47	248	0.024	5	0.88	0.006	0.14	0.3	0.04	5.6	0.2	<0.05	3	<0.5	<0.2
1270540	Soil	41	64	0.87	286	0.050	4	1.38	0.008	0.17	1.8	0.05	7.4	0.2	<0.05	5	0.8	<0.2
1271551	Rock Pulp	3	29	0.71	91	0.103	1	1.40	0.063	0.11	14.0	0.02	4.5	<0.1	<0.05	5	<0.5	<0.2
1270536	Soil	6	110	3.09	247	0.236	2	3.12	0.007	0.66	<0.1	<0.01	7.0	0.3	<0.05	11	<0.5	<0.2
1270538	Soil	28	89	0.67	264	0.037	2	1.39	0.010	0.08	0.3	0.07	8.7	0.1	<0.05	5	<0.5	<0.2
1270528	Soil	39	92	1.93	317	0.043	5	2.15	0.008	0.03	0.1	0.05	8.7	<0.1	<0.05	7	<0.5	<0.2
1270535	Soil	19	61	1.03	318	0.054	3	1.53	0.012	0.10	0.1	0.05	7.4	0.1	<0.05	6	0.6	<0.2
1270534	Soil	21	62	1.46	235	0.079	3	1.99	0.010	0.21	0.1	0.04	9.5	0.2	<0.05	8	0.5	<0.2
1270542	Soil	18	45	1.51	375	0.112	2	1.99	0.009	0.25	0.1	0.06	3.9	0.3	<0.05	6	<0.5	<0.2
1270529	Soil	46	124	1.90	270	0.107	1	2.45	0.008	0.18	0.2	0.01	5.6	0.1	<0.05	8	<0.5	<0.2
1271572	Soil	19	45	0.66	440	0.129	4	1.71	0.021	0.14	0.2	0.06	7.8	0.1	<0.05	6	<0.5	<0.2
1271576	Soil	12	19	0.89	504	0.189	4	1.69	0.012	0.33	0.2	0.02	4.2	0.4	<0.05	8	<0.5	<0.2
1271569	Soil	55	21	0.65	863	0.171	4	1.63	0.018	0.37	0.2	0.02	11.6	0.6	<0.05	7	0.7	<0.2
1271566	Soil	13	24	0.44	428	0.028	3	1.47	0.009	0.20	<0.1	0.03	8.0	0.2	<0.05	5	0.7	<0.2
1271574	Soil	50	29	0.83	824	0.195	4	2.18	0.015	0.58	0.2	0.05	13.1	0.9	<0.05	9	0.5	<0.2
1271573	Soil	18	17	0.95	635	0.222	3	1.72	0.018	0.46	0.1	0.05	8.9	1.0	<0.05	8	<0.5	<0.2
1271578	Soil	28	22	0.61	530	0.141	1	1.75	0.014	0.13	0.2	0.06	5.0	0.3	<0.05	7	0.6	<0.2
1271561	Soil	38	49	0.67	178	0.103	5	2.18	0.016	0.17	0.2	0.04	8.6	0.2	<0.05	8	<0.5	<0.2
1271565	Soil	21	81	0.89	652	0.092	2	1.97	0.009	0.32	0.2	0.03	8.1	0.5	<0.05	8	1.3	<0.2
1271567	Soil	16	32	0.80	434	0.053	2	1.72	0.023	0.09	<0.1	0.04	9.5	0.1	<0.05	7	0.8	<0.2
1271577	Soil	29	25	0.68	494	0.150	2	1.91	0.016	0.13	0.2	0.05	5.9	0.3	<0.05	7	<0.5	<0.2
1271570	Soil	25	25	1.02	830	0.199	4	2.32	0.031	0.35	0.2	0.02	8.8	0.3	<0.05	8	<0.5	<0.2
1271562	Soil	13	54	0.61	210	0.094	2	1.92	0.011	0.17	0.2	0.02	4.7	0.2	<0.05	8	<0.5	<0.2
1271575	Soil	8	25	0.62	655	0.139	3	1.78	0.015	0.18	0.1	0.02	3.7	0.2	<0.05	7	<0.5	<0.2
1271579	Soil	26	23	0.58	471	0.136	3	1.77	0.013	0.13	0.2	0.06	5.1	0.3	<0.05	7	<0.5	<0.2
1271571	Soil	16	17	0.98	640	0.262	4	1.86	0.025	0.52	0.2	0.03	7.8	0.5	<0.05	8	<0.5	<0.2
1271563	Soil	38	52	0.68	198	0.070	2	1.91	0.015	0.13	0.2	0.04	8.5	0.3	<0.05	7	0.5	<0.2
1271564	Soil	13	29	0.19	372	0.009	3	0.94	0.013	0.40	0.2	0.02	3.8	1.8	0.64	3	1.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000321.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1271554	Soil	0.8	20.1	11.2	72	<0.1	14.5	11.7	633	3.84	7.1	1.1	1.7	7.0	32	<0.1	0.5	<0.1	69	0.86	0.075
1271556	Soil	1.4	119.1	4.2	60	<0.1	29.0	20.0	488	4.09	12.9	0.8	0.9	5.8	20	<0.1	0.2	<0.1	111	0.60	0.141
1290949	Soil	0.7	21.3	4.7	50	0.1	39.7	15.1	292	3.11	4.6	0.4	7.0	3.0	30	<0.1	0.1	<0.1	61	0.57	0.104
1271560	Soil	0.9	29.9	12.4	73	<0.1	31.5	12.5	896	3.01	18.0	1.2	3.6	10.8	35	0.2	1.0	0.1	61	0.83	0.031
1271552	Soil	0.7	50.4	10.4	54	0.2	23.2	11.2	542	2.65	8.4	0.6	7.1	3.6	94	0.1	0.7	<0.1	63	3.83	0.058
1271547	Soil	0.6	12.1	8.2	72	0.1	13.8	8.1	223	2.55	18.0	1.9	3.2	4.0	29	0.3	0.4	0.2	54	0.43	0.096
1290957	Soil	1.0	9.6	14.0	69	<0.1	18.8	6.7	472	3.42	10.4	2.6	4.4	26.5	13	0.1	0.4	0.2	43	0.34	0.029
1271568	Soil	0.7	90.4	8.3	67	0.1	27.3	17.7	736	4.04	6.3	0.5	4.7	3.1	43	0.1	0.5	0.1	102	0.85	0.055
1271549	Soil	1.1	34.5	10.4	65	<0.1	21.3	13.5	561	3.26	21.4	0.8	1.3	4.5	25	0.2	0.9	<0.1	90	0.48	0.090
1271555	Soil	1.3	16.7	11.8	56	<0.1	19.1	11.6	693	3.32	8.3	0.6	1.9	4.1	31	<0.1	0.6	0.1	84	0.49	0.040
1290945	Soil	0.7	17.3	8.7	68	<0.1	28.0	10.9	349	3.50	8.5	0.8	<0.5	9.6	24	<0.1	0.2	0.1	65	0.48	0.044
1271559	Soil	1.2	91.8	11.1	74	0.1	29.7	18.0	707	4.20	27.7	0.9	4.2	3.1	32	<0.1	1.4	0.1	131	0.68	0.068
1271558	Soil	2.5	96.3	11.3	94	0.2	34.3	17.3	730	4.25	40.9	1.0	3.8	3.5	28	0.3	2.7	0.1	128	0.75	0.087
1271550	Soil	1.0	38.8	19.7	71	0.2	21.2	12.6	817	3.17	7.1	1.5	3.3	4.2	78	0.3	0.6	0.1	73	1.74	0.078
1290948	Soil	0.7	27.0	7.0	74	<0.1	62.5	20.4	556	4.26	4.1	1.0	1.5	12.8	29	<0.1	0.2	<0.1	88	0.74	0.128
1290946	Soil	0.7	31.4	4.5	81	<0.1	46.1	23.5	665	4.86	2.9	0.8	<0.5	6.3	24	<0.1	<0.1	<0.1	85	0.67	0.097
1290954	Soil	0.7	20.7	6.3	48	<0.1	28.1	12.8	347	2.69	5.3	0.7	2.2	7.2	21	<0.1	0.2	<0.1	62	0.44	0.056
1290967	Soil	7.2	28.8	13.9	78	0.2	22.8	12.8	493	2.64	17.5	0.8	2.4	1.1	24	0.2	0.4	0.2	94	0.35	0.063
1290972	Soil	2.6	75.7	13.2	113	0.2	62.9	15.1	466	3.89	17.4	1.3	5.2	10.0	20	0.2	0.4	0.2	77	0.24	0.034
1290965	Soil	17.5	144.9	59.7	201	1.1	85.3	17.3	731	4.09	12.6	3.4	4.3	4.3	44	1.2	0.3	0.2	148	0.40	0.104
1290951	Rock Pulp	2.3	24.2	2.2	40	0.3	23.9	10.0	400	2.39	4.6	0.2	1.3	0.8	35	0.1	0.3	<0.1	64	0.81	0.057
1290971	Soil	1.9	47.7	9.7	80	0.5	36.8	9.4	292	3.27	11.6	1.2	0.6	4.2	33	0.2	0.4	0.1	82	0.32	0.030
1290969	Soil	1.8	53.4	8.7	81	0.3	40.5	11.0	350	2.65	11.1	8.2	2.5	3.4	63	0.6	0.5	0.1	59	1.05	0.084
1290973	Soil	1.7	30.8	9.3	67	0.5	51.1	14.3	433	3.28	13.5	0.9	0.7	8.0	26	0.1	0.5	0.1	79	0.43	0.033
1290963	Soil	3.6	32.3	13.3	107	0.8	41.5	11.5	713	2.87	19.7	0.7	1.0	2.4	27	1.0	0.3	0.1	83	0.38	0.043
1290960	Soil	1.5	27.4	6.1	84	0.2	18.9	14.0	609	2.82	7.3	1.1	1.4	2.4	31	0.4	0.3	<0.1	75	1.28	0.067
1290966	Soil	16.2	75.0	18.7	143	3.9	54.3	28.6	1414	4.07	26.2	3.3	6.3	2.5	21	0.6	0.5	0.2	115	0.18	0.103
1290959	Soil	1.1	20.6	7.9	66	0.1	20.5	15.9	1150	2.85	11.2	1.8	2.2	4.0	29	0.1	0.5	<0.1	63	1.10	0.066
1290947	Soil	0.8	21.3	5.1	95	<0.1	35.3	21.5	933	6.28	1.9	1.6	<0.5	12.3	37	<0.1	0.1	<0.1	81	0.78	0.125
1290970	Soil	2.3	68.1	14.5	133	0.2	98.9	19.5	455	4.50	24.2	2.7	3.2	7.2	27	0.3	0.5	0.2	80	0.41	0.057

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000321.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1271554	Soil	19	18	0.66	1005	0.166	3	1.72	0.020	0.37	0.2	0.02	8.3	0.5	<0.05	7	0.6	<0.2
1271556	Soil	9	45	1.26	481	0.273	4	1.87	0.022	0.59	0.1	<0.01	5.6	0.7	<0.05	7	<0.5	<0.2
1290949	Soil	6	58	1.35	322	0.170	1	1.96	0.012	0.35	0.1	0.02	2.2	0.2	<0.05	7	<0.5	<0.2
1271560	Soil	29	35	0.62	241	0.089	3	1.58	0.023	0.15	0.2	0.02	6.7	0.3	<0.05	6	0.5	<0.2
1271552	Soil	14	29	0.66	546	0.103	2	1.36	0.026	0.17	0.1	0.05	4.9	0.2	<0.05	5	<0.5	<0.2
1271547	Soil	20	24	0.50	347	0.093	2	1.58	0.013	0.08	0.1	0.06	4.8	0.2	<0.05	6	0.6	<0.2
1290957	Soil	161	37	0.38	244	0.036	4	1.37	0.008	0.06	0.1	0.03	6.0	0.2	<0.05	7	<0.5	<0.2
1271568	Soil	14	40	0.81	414	0.067	5	1.83	0.030	0.08	0.1	0.07	11.0	<0.1	<0.05	7	<0.5	<0.2
1271549	Soil	12	34	0.77	291	0.098	3	1.33	0.022	0.13	0.1	<0.01	4.4	0.2	<0.05	6	<0.5	<0.2
1271555	Soil	7	31	0.66	526	0.121	4	1.80	0.016	0.15	0.2	0.02	4.6	0.1	<0.05	6	<0.5	<0.2
1290945	Soil	36	54	0.88	146	0.089	4	1.85	0.009	0.16	0.1	0.02	4.4	0.2	<0.05	8	<0.5	<0.2
1271559	Soil	10	51	1.09	311	0.168	2	1.94	0.037	0.23	<0.1	0.03	9.6	0.2	<0.05	7	<0.5	<0.2
1271558	Soil	12	56	1.07	438	0.112	3	1.80	0.021	0.21	<0.1	0.07	10.7	0.2	<0.05	7	<0.5	<0.2
1271550	Soil	16	28	0.83	736	0.140	4	1.51	0.027	0.33	0.1	0.06	5.8	0.4	<0.05	6	0.6	<0.2
1290948	Soil	38	132	2.17	236	0.156	3	2.88	0.010	0.27	0.2	0.02	5.2	0.4	<0.05	9	<0.5	<0.2
1290946	Soil	26	94	2.47	326	0.267	2	3.17	0.008	0.84	0.2	0.01	2.9	0.5	<0.05	9	<0.5	<0.2
1290954	Soil	27	54	1.01	187	0.122	3	1.62	0.012	0.14	0.2	0.02	3.0	0.2	<0.05	6	<0.5	<0.2
1290967	Soil	9	34	0.54	338	0.070	2	1.20	0.013	0.09	0.1	0.06	2.9	0.1	<0.05	6	1.0	<0.2
1290972	Soil	26	49	0.87	340	0.063	2	1.84	0.007	0.32	0.2	0.03	5.7	0.3	<0.05	6	0.7	<0.2
1290965	Soil	18	64	0.89	921	0.099	3	2.03	0.019	0.27	0.1	0.07	6.7	0.4	0.16	8	2.6	<0.2
1290951	Rock Pulp	4	33	0.79	91	0.118	4	1.48	0.081	0.11	13.2	<0.01	4.5	<0.1	<0.05	5	<0.5	<0.2
1290971	Soil	13	43	0.59	585	0.075	1	1.63	0.011	0.17	<0.1	0.02	5.3	0.2	<0.05	6	1.0	<0.2
1290969	Soil	13	30	0.65	603	0.064	4	1.21	0.022	0.10	0.2	0.04	4.3	0.1	0.08	4	3.0	<0.2
1290973	Soil	16	76	0.80	361	0.109	2	1.74	0.013	0.20	0.2	0.02	7.9	0.2	<0.05	6	<0.5	<0.2
1290963	Soil	9	40	0.48	841	0.086	3	1.23	0.011	0.15	0.1	0.03	2.8	0.2	<0.05	6	<0.5	<0.2
1290960	Soil	13	29	0.80	611	0.068	3	1.41	0.014	0.15	<0.1	0.08	6.5	0.2	<0.05	5	<0.5	<0.2
1290966	Soil	13	49	0.54	377	0.058	3	1.70	0.010	0.10	0.1	0.18	4.7	0.2	<0.05	7	2.5	<0.2
1290959	Soil	32	37	0.70	483	0.041	3	1.31	0.016	0.05	<0.1	0.05	5.9	0.1	<0.05	4	<0.5	<0.2
1290947	Soil	17	98	2.00	328	0.170	2	3.05	0.008	0.65	0.1	0.02	7.6	0.3	<0.05	11	<0.5	<0.2
1290970	Soil	26	81	1.02	438	0.066	2	2.15	0.014	0.33	<0.1	0.04	9.2	0.3	<0.05	7	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000321.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1290968	Soil	2.7	45.1	10.7	82	0.2	31.6	11.4	489	2.89	11.4	1.4	2.8	3.4	35	0.2	0.4	0.1	77	0.62	0.083
1290953	Soil	0.6	29.4	4.7	54	<0.1	75.3	21.2	421	3.29	3.3	0.6	<0.5	8.0	24	<0.1	0.2	<0.1	80	0.42	0.042
1290952	Soil	0.7	39.5	5.8	44	<0.1	37.0	16.7	274	2.80	9.2	0.4	<0.5	3.3	21	<0.1	0.3	<0.1	61	0.33	0.025
1290964	Soil	4.0	25.8	11.3	59	0.2	26.9	8.4	278	2.40	10.9	0.5	1.7	2.7	15	0.1	0.3	0.2	66	0.18	0.041
1290958	Soil	1.2	24.4	6.8	56	0.2	22.2	17.2	343	3.24	9.4	0.9	3.0	4.2	22	<0.1	0.3	<0.1	81	0.61	0.028
1290962	Soil	2.3	24.1	11.8	62	0.6	29.9	9.0	222	2.97	17.7	0.7	2.4	2.7	19	0.3	0.6	0.1	78	0.20	0.024
1290955	Soil	1.4	13.5	14.5	54	<0.1	19.4	7.6	265	3.26	11.0	0.9	0.8	5.7	14	0.1	0.4	0.2	70	0.16	0.043
1290974	Soil	4.7	59.8	10.3	99	0.6	29.0	8.4	385	3.09	3.3	1.9	<0.5	7.4	30	0.2	0.1	0.2	112	0.29	0.069
1283846	Soil	1.2	35.0	13.5	58	0.1	33.3	15.0	674	3.41	10.1	1.4	3.7	8.3	35	0.2	1.9	0.2	52	1.04	0.050
1290956	Soil	1.8	35.2	8.1	92	0.3	27.0	16.4	499	3.89	15.1	1.6	3.6	3.9	27	0.3	0.2	<0.1	94	0.97	0.069
1290950	Soil	0.7	39.7	5.6	70	<0.1	44.5	28.3	463	4.31	10.9	0.4	0.8	5.0	34	<0.1	0.2	<0.1	86	0.50	0.090
1290961	Soil	1.7	34.8	8.1	88	0.3	27.4	16.1	503	3.93	15.3	1.5	3.1	3.8	26	0.3	0.2	<0.1	93	0.97	0.071
1283831	Soil	2.1	56.3	11.9	68	<0.1	127.0	41.2	1331	5.07	9.5	2.8	1.3	16.7	53	0.3	0.4	0.1	149	0.93	0.140
1283841	Soil	0.9	34.3	8.9	50	0.1	27.4	11.6	494	2.65	7.8	1.3	5.0	4.1	42	0.2	0.9	0.2	50	0.91	0.055
1283844	Soil	1.1	26.5	13.4	50	<0.1	23.6	11.1	540	2.91	8.5	0.9	6.9	7.2	25	0.1	1.5	0.2	52	0.55	0.022
1283836	Soil	2.5	36.6	14.3	125	0.4	44.4	20.8	1199	3.97	42.5	2.5	4.1	4.2	27	0.8	1.2	0.2	97	0.61	0.086
1296514	Soil	1.0	11.6	5.8	56	0.1	14.0	11.5	526	2.09	30.9	0.5	2.3	1.4	42	0.1	1.8	<0.1	48	0.81	0.050
1296512	Soil	1.2	28.5	5.6	46	<0.1	39.7	15.8	360	3.36	8.0	0.6	1.6	2.3	21	<0.1	3.6	<0.1	93	0.32	0.030
1296511	Soil	1.4	61.0	11.7	100	0.3	80.1	24.9	652	4.62	187.0	1.4	9.5	8.5	49	0.3	5.1	0.2	76	1.21	0.069
1293200	Soil	2.5	52.4	119.2	206	3.7	42.9	19.9	1948	3.91	67.8	3.2	180.1	7.6	31	3.5	8.4	1.9	61	0.44	0.078
1296515	Soil	1.4	37.0	11.8	57	<0.1	35.6	13.7	418	3.29	45.2	0.9	6.9	7.2	28	<0.1	2.5	0.1	62	0.54	0.024
1296513	Soil	0.8	47.2	6.7	57	0.1	43.2	16.9	568	3.20	31.2	1.2	4.1	3.5	59	0.1	3.9	<0.1	72	0.75	0.041
1296509	Soil	1.6	34.0	11.0	74	0.3	37.5	14.0	606	3.10	241.9	3.0	10.2	5.2	43	0.2	2.6	0.1	68	1.02	0.050
1296505	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1296517	Soil	2.6	14.5	17.7	70	<0.1	17.4	12.2	448	3.30	8.8	2.5	14.9	32.2	18	0.1	1.7	0.1	38	0.31	0.051
1296510	Soil	1.6	46.7	15.4	106	0.4	63.7	18.1	942	3.72	292.1	1.7	1.5	5.2	47	0.4	11.5	0.2	69	1.25	0.076
1296502	Soil	2.3	34.2	79.9	169	2.1	36.8	10.2	1118	3.02	66.1	1.5	113.8	4.7	23	2.4	4.4	0.4	55	0.27	0.025
1296506	Soil	5.4	46.5	38.6	191	1.2	39.6	11.6	657	1.87	314.3	2.5	19.3	1.2	95	3.7	8.1	0.4	33	1.44	0.095
1296516	Soil	1.4	30.6	15.8	68	0.1	42.9	19.0	575	3.16	27.3	1.4	4.4	6.8	62	0.3	5.7	0.1	53	2.10	0.099
1296508	Soil	1.1	33.3	17.6	99	0.3	45.1	16.2	539	3.28	198.0	1.6	23.3	5.4	60	0.4	4.5	<0.1	62	1.75	0.083

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000321.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1290968	Soil	13	42	0.77	345	0.094	3	1.51	0.023	0.13	0.1	0.05	5.2	0.2	0.06	6	0.7	<0.2
1290953	Soil	34	240	2.15	126	0.182	2	2.40	0.008	0.44	0.2	<0.01	2.5	0.3	<0.05	8	<0.5	<0.2
1290952	Soil	6	37	1.13	147	0.140	1	1.85	0.010	0.11	0.1	<0.01	2.3	0.1	<0.05	5	<0.5	<0.2
1290964	Soil	9	29	0.46	216	0.093	2	1.16	0.009	0.13	0.1	0.02	2.6	0.2	0.05	7	<0.5	<0.2
1290958	Soil	27	43	0.82	436	0.071	3	1.69	0.018	0.05	<0.1	0.03	6.4	0.1	<0.05	6	<0.5	<0.2
1290962	Soil	10	38	0.48	833	0.052	2	1.87	0.011	0.06	0.2	0.03	3.7	0.1	<0.05	6	<0.5	<0.2
1290955	Soil	17	36	0.42	213	0.059	2	1.76	0.009	0.04	0.2	0.02	3.0	0.1	<0.05	7	<0.5	<0.2
1290974	Soil	20	62	1.19	557	0.111	2	1.93	0.012	0.81	<0.1	<0.01	4.3	0.6	0.11	8	2.7	<0.2
1283846	Soil	26	35	0.70	462	0.052	2	1.35	0.019	0.13	0.2	0.07	6.9	0.2	<0.05	4	<0.5	<0.2
1290956	Soil	16	32	0.89	784	0.102	2	1.82	0.015	0.33	0.1	0.03	9.0	0.4	<0.05	6	0.6	<0.2
1290950	Soil	7	62	2.04	160	0.174	<1	2.76	0.010	0.21	0.2	<0.01	3.0	0.2	<0.05	7	<0.5	<0.2
1290961	Soil	16	32	0.86	774	0.102	1	1.79	0.016	0.32	0.1	0.04	9.1	0.4	0.07	6	<0.5	<0.2
1283831	Soil	29	286	2.40	925	0.165	1	2.83	0.020	0.92	0.2	0.03	16.9	0.8	<0.05	9	<0.5	<0.2
1283841	Soil	15	29	0.58	329	0.058	3	1.28	0.022	0.07	0.2	0.05	5.5	0.1	<0.05	4	<0.5	<0.2
1283844	Soil	19	31	0.55	319	0.055	2	1.41	0.017	0.09	0.2	0.06	7.3	<0.1	<0.05	4	<0.5	<0.2
1283836	Soil	17	67	0.92	322	0.066	3	1.39	0.010	0.20	<0.1	0.08	7.9	1.3	<0.05	6	1.0	<0.2
1296514	Soil	7	25	0.51	253	0.043	3	0.91	0.014	0.09	0.2	0.05	4.1	0.2	0.06	4	0.6	<0.2
1296512	Soil	8	78	0.89	228	0.025	1	1.56	0.010	0.07	<0.1	0.01	8.0	<0.1	<0.05	6	<0.5	<0.2
1296511	Soil	29	92	1.27	438	0.036	2	1.76	0.006	0.36	<0.1	0.03	13.6	0.4	<0.05	6	0.5	<0.2
1293200	Soil	41	46	0.57	474	0.026	3	1.51	0.008	0.20	<0.1	0.10	9.0	0.4	0.06	5	0.9	0.3
1296515	Soil	29	47	0.64	542	0.049	2	1.57	0.015	0.10	0.1	0.04	8.6	<0.1	<0.05	5	0.6	<0.2
1296513	Soil	12	83	1.08	474	0.065	2	1.76	0.012	0.15	<0.1	0.04	9.9	0.2	<0.05	6	<0.5	<0.2
1296509	Soil	16	47	0.73	233	0.085	2	1.50	0.015	0.25	0.1	0.06	5.5	0.2	<0.05	5	0.6	<0.2
1296505	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1296517	Soil	30	32	0.98	167	0.100	2	1.47	0.008	0.45	0.2	0.01	4.2	0.5	<0.05	6	<0.5	<0.2
1296510	Soil	22	83	0.92	445	0.046	4	1.42	0.008	0.24	0.1	0.07	9.2	0.7	<0.05	5	<0.5	<0.2
1296502	Soil	17	33	0.45	339	0.033	2	1.35	0.009	0.09	0.1	0.04	5.1	0.2	<0.05	4	1.0	<0.2
1296506	Soil	8	20	0.26	278	0.011	4	0.51	0.008	0.06	0.2	0.06	2.4	0.3	0.12	2	6.1	<0.2
1296516	Soil	30	57	1.04	309	0.036	3	1.14	0.010	0.19	0.1	0.14	8.7	0.4	<0.05	4	0.5	<0.2
1296508	Soil	19	56	1.13	227	0.076	3	1.58	0.010	0.34	0.2	0.03	5.2	0.4	0.06	5	0.9	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000321.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1296504	Soil		2.8	32.1	135.8	221	5.3	30.9	8.5	380	3.04	66.1	1.2	64.2	2.7	19	2.8	12.2	1.3	68	0.14	0.046
1296507	Soil		2.6	42.6	34.0	135	0.3	47.2	15.7	356	3.93	123.4	1.3	7.8	5.0	22	0.7	4.1	0.3	97	0.33	0.045
1284032	Soil		1.8	14.5	17.3	121	0.2	14.5	15.8	1322	5.07	176.9	5.3	13.0	23.6	26	0.3	1.7	0.3	93	0.44	0.141
1293198	Soil		2.1	59.1	27.7	87	0.5	35.0	12.5	323	3.52	25.3	1.9	3.9	5.0	29	0.8	1.9	0.2	83	0.41	0.036
1293192	Soil		2.0	58.8	15.5	136	0.4	46.1	16.7	692	4.02	46.9	2.6	5.6	6.9	49	0.4	4.2	0.2	87	0.94	0.098
1296501	Rock Pulp		1.4	434.4	21.9	159	0.3	217.5	76.6	825	15.39	3.5	1.2	36.2	7.2	16	<0.1	0.4	0.1	211	0.29	0.041
1284018	Soil		1.0	28.1	8.1	83	<0.1	32.1	15.5	362	3.82	13.6	0.5	2.7	3.2	31	<0.1	0.6	0.1	88	0.32	0.051
1293193	Soil		2.1	43.6	16.3	117	0.1	37.0	20.6	852	4.11	43.0	0.9	3.3	3.8	19	0.2	1.8	0.1	107	0.30	0.097
1293194	Soil		2.9	45.7	10.2	97	0.3	36.4	19.9	640	3.71	41.9	1.6	3.7	3.8	38	0.3	1.5	0.1	105	0.71	0.099
1293197	Soil		1.6	29.0	17.9	83	<0.1	40.4	15.5	426	3.40	16.8	0.8	2.2	6.8	16	0.4	1.4	0.2	64	0.23	0.033
1293188	Soil		1.6	18.9	10.3	75	0.3	21.7	9.8	464	3.02	16.7	0.6	7.3	1.2	16	0.6	1.4	0.1	75	0.17	0.053
1293190	Soil		2.5	28.0	9.5	115	0.3	33.1	12.0	372	2.81	66.7	1.3	4.1	2.9	31	0.3	3.1	0.1	77	0.54	0.074
1293196	Soil		2.2	52.9	9.9	112	0.2	42.5	20.8	698	4.21	29.4	1.8	4.5	4.4	32	0.4	1.6	0.1	105	0.55	0.110
1293199	Soil		1.9	39.2	25.3	91	0.5	32.3	12.5	460	3.40	25.8	1.2	3.5	4.7	24	0.5	1.8	0.2	85	0.25	0.025
1293189	Soil		2.1	51.2	9.9	149	0.4	64.9	20.5	641	3.84	128.7	1.5	7.2	4.0	33	0.6	4.3	0.1	95	0.58	0.099
1293191	Soil		3.0	33.8	17.1	128	0.2	27.4	11.4	586	3.01	31.7	0.8	2.2	3.0	20	0.8	2.0	0.2	92	0.17	0.060
1293195	Soil		2.5	67.0	14.2	146	0.4	55.1	19.3	581	4.16	40.2	2.5	4.6	4.4	36	0.7	1.7	0.1	109	0.55	0.128
1296503	Soil		2.4	28.6	48.0	180	5.2	25.2	7.1	350	3.00	38.2	0.9	11.9	2.6	13	1.2	3.7	1.1	74	0.12	0.043
1283839	Soil		3.0	35.3	19.2	130	0.3	40.7	19.4	987	4.28	92.2	1.7	2.7	4.4	25	0.3	2.7	0.2	87	0.44	0.083
1283832	Soil		1.2	16.0	14.8	75	0.2	27.0	13.3	512	3.06	17.1	4.9	2.0	15.1	32	0.2	0.4	0.2	66	0.70	0.069
1283837	Soil		2.0	20.7	140.1	90	0.6	20.8	13.9	724	3.91	141.5	0.9	1.7	1.9	12	0.2	5.8	0.3	87	0.22	0.065
1283833	Soil		1.7	26.7	18.1	80	0.5	29.3	15.3	900	3.19	20.3	4.3	3.1	12.9	29	0.5	0.8	0.3	76	0.66	0.052
1283827	Soil		1.3	65.8	11.8	118	0.4	73.5	25.9	847	4.66	37.3	0.8	5.0	3.6	36	0.4	1.6	0.1	116	1.41	0.057
1283842	Soil		0.8	39.6	8.1	50	<0.1	62.0	21.6	725	4.02	8.8	1.0	4.7	6.7	28	<0.1	1.0	0.1	93	0.65	0.040
1283834	Soil		3.6	65.0	14.5	168	0.5	116.4	28.4	871	5.09	49.2	2.1	4.4	4.8	30	1.2	1.4	0.2	117	0.63	0.108
1283829	Soil		1.4	17.3	12.0	53	0.2	31.3	11.9	346	3.03	19.5	1.3	1.3	7.3	30	0.1	0.7	0.3	74	0.66	0.040
1283840	Soil		0.8	27.6	7.9	55	<0.1	27.4	13.9	416	3.07	10.4	1.0	3.6	5.5	29	0.1	0.7	0.1	69	0.55	0.066
1283838	Soil		0.7	42.7	10.0	81	0.1	43.9	24.9	1129	5.48	38.3	1.4	3.7	4.0	19	0.2	3.1	0.2	97	0.77	0.059
1283824	Soil		5.0	57.3	13.4	156	0.4	47.6	15.2	543	3.67	35.1	9.1	4.1	3.8	50	1.1	1.8	0.1	87	1.27	0.093
1283825	Soil		2.5	47.7	17.5	143	0.5	49.0	16.1	781	3.67	32.2	1.4	3.5	4.8	26	0.6	1.5	0.2	92	0.42	0.038

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000321.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1296504	Soil	12	34	0.28	195	0.033	2	1.01	0.008	0.08	<0.1	0.05	2.8	0.2	0.06	5	1.0	<0.2
1296507	Soil	16	51	0.93	233	0.079	2	1.92	0.009	0.22	0.1	0.02	5.2	0.3	<0.05	7	<0.5	<0.2
1284032	Soil	44	27	0.76	786	0.166	3	2.81	0.013	0.39	0.2	0.07	9.5	1.2	<0.05	13	<0.5	<0.2
1293198	Soil	31	54	0.80	309	0.128	2	1.79	0.013	0.18	0.1	0.03	4.3	0.2	<0.05	8	0.6	<0.2
1293192	Soil	36	51	0.98	505	0.116	1	1.69	0.010	0.37	0.1	0.07	8.0	0.7	<0.05	7	0.8	<0.2
1296501	Rock Pulp	18	662	0.13	150	0.167	5	4.05	0.013	0.06	<0.1	0.03	39.7	<0.1	<0.05	20	<0.5	<0.2
1284018	Soil	9	35	0.83	255	0.132	<1	3.11	0.014	0.11	0.1	0.03	3.7	0.1	<0.05	9	<0.5	<0.2
1293193	Soil	16	59	1.28	501	0.195	1	2.07	0.009	0.60	0.1	0.01	6.4	0.5	<0.05	10	<0.5	<0.2
1293194	Soil	17	61	1.36	540	0.171	2	2.13	0.012	0.58	0.1	0.03	7.0	0.4	<0.05	10	0.6	<0.2
1293197	Soil	20	53	0.92	162	0.169	1	1.79	0.009	0.49	0.1	0.02	3.2	0.5	<0.05	9	<0.5	<0.2
1293188	Soil	10	35	0.44	182	0.052	1	1.69	0.008	0.05	0.1	0.03	2.8	0.1	<0.05	6	<0.5	<0.2
1293190	Soil	11	56	0.91	283	0.105	1	1.64	0.013	0.22	0.1	0.07	4.8	0.3	<0.05	7	1.0	<0.2
1293196	Soil	22	65	1.29	628	0.183	1	2.14	0.012	0.56	0.1	0.02	6.6	0.4	0.05	9	<0.5	<0.2
1293199	Soil	21	55	0.77	279	0.099	1	1.87	0.015	0.15	0.1	0.03	4.4	0.2	<0.05	8	<0.5	<0.2
1293189	Soil	17	87	1.30	470	0.141	1	2.10	0.018	0.47	0.1	0.03	5.9	0.4	0.10	8	0.9	<0.2
1293191	Soil	12	38	0.63	294	0.120	<1	1.45	0.010	0.20	0.1	0.02	3.7	0.3	0.05	7	<0.5	<0.2
1293195	Soil	27	70	1.28	688	0.178	<1	2.19	0.014	0.57	0.1	0.04	7.1	0.4	0.08	9	0.9	<0.2
1296503	Soil	12	22	0.22	119	0.034	1	1.00	0.006	0.07	0.1	0.03	2.6	0.2	<0.05	6	<0.5	0.3
1283839	Soil	13	54	0.69	265	0.063	2	1.19	0.008	0.16	0.1	0.06	5.5	0.7	<0.05	5	0.9	<0.2
1283832	Soil	41	58	0.81	256	0.091	1	1.53	0.013	0.24	0.2	0.04	5.8	0.5	<0.05	7	<0.5	<0.2
1283837	Soil	10	31	0.28	110	0.019	2	0.67	0.005	0.07	0.1	0.10	2.9	0.7	<0.05	4	0.7	<0.2
1283833	Soil	69	49	0.71	422	0.073	2	1.57	0.010	0.16	0.1	0.06	6.1	0.3	<0.05	7	<0.5	<0.2
1283827	Soil	16	93	0.98	479	0.076	1	1.68	0.014	0.29	0.1	0.07	11.9	0.5	<0.05	6	0.5	<0.2
1283842	Soil	19	105	1.27	355	0.077	2	1.98	0.029	0.15	0.1	0.06	10.2	0.2	<0.05	6	<0.5	<0.2
1283834	Soil	23	122	1.03	653	0.090	3	1.68	0.009	0.32	0.1	0.12	10.6	1.3	<0.05	7	1.3	<0.2
1283829	Soil	12	49	0.72	330	0.067	1	1.73	0.010	0.28	0.1	0.03	4.0	0.2	<0.05	7	<0.5	<0.2
1283840	Soil	16	39	0.64	250	0.076	1	1.30	0.021	0.07	0.3	0.03	5.2	<0.1	<0.05	4	<0.5	<0.2
1283838	Soil	18	57	0.69	288	0.013	1	1.11	0.004	0.10	0.1	0.10	16.2	0.5	<0.05	4	<0.5	<0.2
1283824	Soil	23	50	0.87	596	0.097	<1	1.29	0.009	0.33	0.2	0.05	6.6	0.5	<0.05	6	2.4	<0.2
1283825	Soil	18	59	0.69	973	0.085	1	1.70	0.018	0.14	0.1	0.08	6.9	0.3	<0.05	6	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000321.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1283830	Soil	1.5	20.5	13.0	56	0.1	23.1	11.2	398	4.10	4.5	4.7	<0.5	11.9	7	<0.1	0.2	0.3	58	0.14	0.032
1283835	Soil	1.9	48.1	9.9	102	0.2	77.9	28.2	885	5.35	42.5	1.4	1.6	4.9	23	0.5	1.5	0.1	119	0.59	0.109
1283828	Soil	3.1	68.2	10.8	110	0.3	81.6	20.1	598	4.77	45.0	1.5	6.1	8.1	21	0.3	1.6	0.4	149	0.53	0.069
1283847	Soil	1.2	23.8	17.2	62	0.4	42.5	20.8	714	3.75	11.0	1.4	8.0	10.8	38	0.2	3.9	3.0	45	1.38	0.040
1283823	Soil	1.0	28.1	12.8	33	0.2	24.6	12.9	713	2.56	8.7	3.0	5.5	6.7	49	0.1	1.9	0.3	39	1.36	0.031
1283843	Soil	1.0	31.4	10.2	49	0.1	28.0	12.9	618	3.09	9.8	0.5	6.8	6.1	22	<0.1	1.6	0.2	64	0.51	0.025
1283826	Soil	2.3	53.9	15.3	125	0.5	51.8	16.7	786	3.64	34.2	1.6	2.7	4.9	27	0.6	1.7	0.2	89	0.44	0.038
1283845	Soil	0.8	22.8	5.6	98	<0.1	21.0	12.4	327	2.92	4.8	0.5	1.2	1.6	20	0.1	0.2	0.1	80	0.34	0.061
1284019	Soil	2.8	100.2	5.7	109	<0.1	41.3	26.6	778	5.99	9.0	0.7	0.9	5.6	31	<0.1	0.6	0.1	155	0.56	0.107
1284038	Soil	1.9	16.6	14.1	72	<0.1	19.4	10.9	550	3.55	114.7	1.5	10.6	9.0	18	0.2	1.6	0.1	76	0.25	0.041
1284017	Soil	1.3	67.3	8.7	75	<0.1	22.5	17.5	496	4.28	8.7	0.6	1.9	2.8	15	0.1	0.6	0.1	104	0.30	0.058
1284015	Soil	0.5	65.9	8.7	64	0.1	35.3	13.3	211	2.31	3.7	0.7	5.1	2.3	35	0.3	0.3	0.1	68	1.30	0.048
1284039	Soil	1.8	16.9	12.4	70	0.1	19.7	22.2	1336	4.17	15.3	2.3	3.4	9.2	24	0.2	1.2	0.3	80	0.27	0.049
1284023	Soil	1.0	13.9	8.1	92	<0.1	16.4	11.9	603	3.87	13.6	1.3	3.6	8.0	20	<0.1	0.7	0.4	88	0.38	0.087
1284037	Soil	1.2	25.1	10.2	67	<0.1	21.9	11.4	475	3.29	17.0	2.4	3.2	11.5	24	0.1	0.8	0.1	80	0.33	0.056
1284016	Soil	0.9	64.1	8.1	83	0.1	28.7	16.5	557	3.39	6.5	0.5	2.0	3.5	27	0.3	0.8	0.1	80	0.55	0.065
1284033	Soil	1.4	14.1	10.1	88	0.3	17.0	11.7	611	3.52	27.6	3.8	5.0	13.2	30	0.2	0.8	0.2	83	0.45	0.063
1284020	Soil	0.9	155.2	3.0	100	0.2	27.9	27.7	790	6.35	3.5	0.5	1.8	2.7	34	<0.1	0.2	0.1	209	0.78	0.083
1284021	Soil	1.0	12.0	8.1	107	0.1	14.2	13.3	811	3.80	8.0	1.3	1.1	5.2	44	0.1	0.4	0.2	80	0.46	0.074
1284040	Soil	1.0	10.2	9.9	68	<0.1	12.9	12.6	654	2.78	8.5	0.7	0.9	3.9	16	0.1	1.0	0.1	61	0.25	0.047

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000321.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1283830	Soil	25	43	1.06	57	0.122	<1	2.60	0.006	0.57	0.1	<0.01	4.8	0.7	<0.05	14	<0.5	<0.2
1283835	Soil	17	80	1.17	434	0.107	2	1.86	0.012	0.32	<0.1	0.05	9.0	0.9	0.07	7	<0.5	<0.2
1283828	Soil	22	100	1.02	420	0.100	1	1.98	0.008	0.36	0.2	0.02	9.3	0.5	<0.05	8	0.9	<0.2
1283847	Soil	26	34	0.61	310	0.028	<1	0.96	0.010	0.09	0.2	0.15	7.1	0.4	<0.05	3	<0.5	<0.2
1283823	Soil	22	27	0.38	505	0.029	1	0.95	0.011	0.07	0.1	0.08	4.8	0.1	<0.05	3	<0.5	<0.2
1283843	Soil	17	34	0.52	355	0.062	1	1.42	0.018	0.08	0.2	0.07	6.2	0.1	<0.05	4	<0.5	<0.2
1283826	Soil	20	58	0.71	1054	0.086	1	1.75	0.018	0.17	0.2	0.06	7.1	0.3	<0.05	6	0.8	<0.2
1283845	Soil	7	37	0.99	133	0.111	1	1.68	0.016	0.14	0.1	0.10	5.5	0.2	<0.05	7	<0.5	<0.2
1284019	Soil	14	80	1.56	279	0.159	<1	3.21	0.028	0.24	<0.1	0.01	8.9	0.3	<0.05	12	0.6	<0.2
1284038	Soil	17	35	0.57	215	0.085	1	2.07	0.009	0.08	0.2	0.02	4.4	0.3	<0.05	7	<0.5	<0.2
1284017	Soil	11	30	0.70	140	0.107	1	1.82	0.013	0.09	<0.1	0.03	5.4	0.2	<0.05	7	<0.5	<0.2
1284015	Soil	12	65	0.80	170	0.079	2	1.71	0.022	0.05	0.1	0.07	4.5	0.1	<0.05	5	<0.5	<0.2
1284039	Soil	37	41	0.51	367	0.041	<1	2.23	0.008	0.05	0.2	0.05	5.1	0.2	<0.05	7	<0.5	<0.2
1284023	Soil	14	32	0.70	203	0.104	<1	1.89	0.010	0.10	0.1	0.02	4.7	0.2	<0.05	8	<0.5	<0.2
1284037	Soil	23	43	0.70	257	0.096	<1	2.08	0.010	0.06	0.2	0.02	5.3	0.2	<0.05	7	<0.5	<0.2
1284016	Soil	19	41	0.77	141	0.062	2	2.27	0.017	0.04	0.2	0.04	6.6	<0.1	<0.05	6	<0.5	<0.2
1284033	Soil	35	34	0.71	477	0.143	<1	2.16	0.014	0.14	0.2	0.08	6.7	0.4	<0.05	8	<0.5	<0.2
1284020	Soil	16	62	1.92	349	0.340	<1	3.10	0.054	0.51	<0.1	0.03	11.9	0.5	<0.05	11	<0.5	<0.2
1284021	Soil	16	30	0.68	284	0.073	<1	1.80	0.009	0.07	0.1	0.03	5.4	0.2	<0.05	9	<0.5	<0.2
1284040	Soil	15	27	0.38	197	0.033	<1	1.32	0.006	0.05	0.1	0.01	2.9	<0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

QUALITY CONTROL REPORT WHI12000321.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
1270635	Soil	2.2	37.1	20.2	77	0.1	29.7	12.6	314	3.10	5.8	7.7	2.5	13.3	46	0.1	0.3	0.3	74	0.94	0.068
REP 1270635	QC	2.1	36.1	19.8	74	0.1	28.8	12.3	305	3.02	5.2	7.6	1.0	12.7	44	0.1	0.3	0.3	72	0.92	0.070
1270062	Soil	1.0	31.1	25.0	51	0.1	36.7	15.0	495	3.18	5.9	1.3	2.1	13.2	27	0.1	0.4	0.2	70	0.65	0.030
REP 1270062	QC	1.1	29.8	24.7	50	0.1	37.0	15.2	494	3.21	6.1	1.3	3.7	14.1	27	0.2	0.4	0.2	69	0.65	0.031
1270079	Soil	1.2	35.1	10.4	62	0.1	31.1	12.1	509	2.82	11.5	0.7	5.0	7.6	44	0.3	0.8	0.1	60	1.21	0.067
REP 1270079	QC	1.2	34.7	10.0	63	0.1	29.9	11.6	508	2.72	11.5	0.7	3.2	7.6	43	0.2	0.7	0.1	59	1.21	0.066
1270078	Soil	1.1	22.5	15.1	68	<0.1	62.0	21.1	822	4.72	13.8	1.4	1.7	27.0	19	<0.1	1.1	0.2	93	0.69	0.104
REP 1270078	QC	1.2	23.3	15.6	69	<0.1	63.7	21.7	834	4.67	14.5	1.5	1.7	27.9	19	<0.1	1.1	0.3	92	0.67	0.101
1271699	Soil	0.6	39.8	15.8	129	<0.1	26.3	26.6	1164	6.13	3.6	1.2	5.3	3.1	22	0.2	1.2	<0.1	204	0.48	0.029
REP 1271699	QC	0.4	39.3	15.8	128	<0.1	26.5	25.4	1136	5.83	3.6	1.2	5.8	2.9	21	0.1	1.3	<0.1	195	0.46	0.030
1270210	Soil	0.4	129.9	5.4	53	0.2	29.4	17.8	467	3.59	4.8	0.8	4.7	2.7	84	<0.1	0.2	0.2	121	0.79	0.057
REP 1270210	QC	0.5	126.7	5.3	53	0.2	27.6	17.6	478	3.65	4.8	0.8	4.7	2.7	81	<0.1	0.2	0.1	116	0.77	0.058
1284699	Soil	1.6	23.1	13.2	85	0.2	24.3	10.3	293	3.12	15.4	0.6	0.9	2.2	14	0.7	0.8	0.2	86	0.16	0.043
REP 1284699	QC	1.6	23.0	13.5	80	0.2	25.2	10.3	293	3.09	15.6	0.5	3.1	2.2	14	0.9	0.8	0.2	85	0.16	0.042
1283426	Soil	3.2	47.3	10.6	157	0.5	54.4	13.3	405	4.01	39.6	1.0	<0.5	2.9	19	1.0	2.9	0.1	133	0.22	0.057
REP 1283426	QC	3.1	49.4	9.5	157	0.4	57.6	13.8	406	4.14	43.1	0.9	<0.5	2.8	19	1.0	2.8	0.1	134	0.21	0.053
1270362	Soil	0.6	31.5	6.1	34	0.1	21.7	9.3	446	2.15	5.9	3.9	3.5	9.4	84	0.1	0.5	0.2	44	2.07	0.050
REP 1270362	QC	0.7	31.5	6.3	34	0.1	22.4	9.5	444	2.23	5.6	3.9	4.0	9.6	85	0.1	0.7	0.1	45	2.09	0.052
1270337	Soil	0.9	10.7	11.1	61	<0.1	17.0	9.8	518	2.54	4.6	1.2	1.9	13.5	16	0.1	0.2	0.2	53	0.28	0.039
REP 1270337	QC	0.7	11.0	11.0	62	<0.1	16.9	9.6	527	2.55	4.6	1.1	4.1	13.5	16	<0.1	0.2	0.2	53	0.29	0.041
1270338	Soil	1.3	11.2	9.0	51	<0.1	18.3	9.1	344	2.78	5.7	1.1	2.1	9.6	19	<0.1	0.3	0.2	64	0.33	0.023
REP 1270338	QC	1.3	11.0	9.0	50	<0.1	17.7	8.9	338	2.70	5.5	1.1	9.3	9.5	19	<0.1	0.3	0.2	62	0.31	0.023
1270540	Soil	0.9	34.3	10.7	80	0.1	46.3	17.7	781	3.57	9.5	1.6	4.1	5.9	54	0.2	0.4	0.2	56	1.60	0.080
REP 1270540	QC	0.9	34.1	10.7	79	0.1	46.5	18.0	778	3.56	10.1	1.6	3.7	6.0	53	0.2	0.4	0.2	57	1.59	0.079
1270529	Soil	0.7	16.5	6.0	70	<0.1	43.4	19.4	521	4.15	4.4	0.6	0.6	10.2	34	<0.1	0.2	<0.1	78	0.75	0.091
REP 1270529	QC	0.7	16.2	6.0	69	<0.1	43.5	19.3	502	4.06	4.6	0.6	1.8	9.9	34	<0.1	0.2	<0.1	76	0.74	0.087
1271555	Soil	1.3	16.7	11.8	56	<0.1	19.1	11.6	693	3.32	8.3	0.6	1.9	4.1	31	<0.1	0.6	0.1	84	0.49	0.040
REP 1271555	QC	1.4	16.7	11.7	56	<0.1	18.4	11.9	711	3.37	8.2	0.5	1.9	4.2	31	0.1	0.5	0.1	83	0.49	0.039

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

QUALITY CONTROL REPORT WHI12000321.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
1270635	Soil	43	49	1.02	263	0.118	2	1.84	0.013	0.32	0.2	0.05	6.8	0.3	0.10	7	<0.5	<0.2
REP 1270635	QC	42	47	1.01	252	0.114	2	1.80	0.013	0.33	0.2	0.05	6.3	0.3	0.11	6	<0.5	<0.2
1270062	Soil	24	61	1.06	416	0.105	2	1.81	0.019	0.18	0.2	0.03	5.8	0.2	0.06	6	<0.5	<0.2
REP 1270062	QC	24	61	1.03	413	0.105	1	1.80	0.019	0.18	0.2	0.02	5.9	0.2	0.10	6	<0.5	<0.2
1270079	Soil	24	40	0.80	283	0.096	3	1.53	0.035	0.18	0.2	0.03	5.1	0.2	<0.05	5	0.7	<0.2
REP 1270079	QC	23	40	0.78	278	0.094	3	1.48	0.034	0.18	0.2	0.04	5.0	0.2	<0.05	5	<0.5	<0.2
1270078	Soil	88	126	2.13	487	0.192	3	2.58	0.012	1.16	0.2	0.04	10.4	0.8	<0.05	10	<0.5	<0.2
REP 1270078	QC	88	127	2.14	484	0.193	2	2.73	0.012	1.12	0.2	0.04	10.8	0.7	<0.05	10	<0.5	<0.2
1271699	Soil	19	34	2.05	627	0.234	4	2.57	0.010	0.78	0.3	0.07	20.1	1.2	<0.05	9	0.6	<0.2
REP 1271699	QC	18	36	1.97	609	0.220	4	2.50	0.009	0.76	0.3	0.08	19.1	1.3	<0.05	9	<0.5	<0.2
1270210	Soil	9	60	1.25	213	0.188	<1	2.30	0.048	0.11	0.1	<0.01	8.5	0.1	<0.05	8	<0.5	<0.2
REP 1270210	QC	9	60	1.23	219	0.180	2	2.33	0.045	0.11	0.1	0.02	8.4	0.1	<0.05	8	<0.5	<0.2
1284699	Soil	9	38	0.42	335	0.070	2	1.76	0.007	0.07	0.1	0.02	3.3	0.2	<0.05	7	0.9	<0.2
REP 1284699	QC	9	40	0.44	330	0.068	2	1.68	0.007	0.07	0.1	0.03	3.3	0.2	<0.05	7	<0.5	<0.2
1283426	Soil	10	69	0.82	553	0.121	2	2.21	0.009	0.12	0.1	0.03	5.5	0.3	0.05	8	0.7	<0.2
REP 1283426	QC	10	69	0.79	555	0.118	<1	1.99	0.008	0.12	0.1	0.01	5.5	0.2	<0.05	8	0.8	<0.2
1270362	Soil	72	35	0.86	383	0.062	3	1.28	0.013	0.19	0.1	0.07	4.7	0.2	0.11	4	0.8	<0.2
REP 1270362	QC	74	37	0.85	391	0.066	3	1.35	0.015	0.19	0.1	0.07	4.9	0.2	0.10	4	<0.5	<0.2
1270337	Soil	47	37	0.64	163	0.087	1	1.39	0.008	0.13	0.1	0.02	3.6	0.2	<0.05	6	<0.5	<0.2
REP 1270337	QC	46	38	0.67	169	0.090	1	1.44	0.009	0.13	0.2	0.01	3.7	0.2	<0.05	6	<0.5	<0.2
1270338	Soil	36	37	0.65	163	0.091	2	1.56	0.010	0.08	0.1	0.01	3.8	0.2	<0.05	6	<0.5	<0.2
REP 1270338	QC	35	35	0.62	159	0.086	1	1.53	0.009	0.07	0.1	0.02	3.6	0.2	<0.05	6	<0.5	<0.2
1270540	Soil	41	64	0.87	286	0.050	4	1.38	0.008	0.17	1.8	0.05	7.4	0.2	<0.05	5	0.8	<0.2
REP 1270540	QC	41	64	0.85	288	0.050	5	1.38	0.008	0.17	1.7	0.06	7.6	0.2	<0.05	5	1.0	<0.2
1270529	Soil	46	124	1.90	270	0.107	1	2.45	0.008	0.18	0.2	0.01	5.6	0.1	<0.05	8	<0.5	<0.2
REP 1270529	QC	45	122	1.90	266	0.108	1	2.42	0.008	0.17	0.1	0.02	5.5	0.2	<0.05	8	0.7	<0.2
1271555	Soil	7	31	0.66	526	0.121	4	1.80	0.016	0.15	0.2	0.02	4.6	0.1	<0.05	6	<0.5	<0.2
REP 1271555	QC	7	32	0.65	526	0.123	3	1.83	0.015	0.16	0.1	0.02	4.3	0.1	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

QUALITY CONTROL REPORT WHI12000321.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
1290967	Soil	7.2	28.8	13.9	78	0.2	22.8	12.8	493	2.64	17.5	0.8	2.4	1.1	24	0.2	0.4	0.2	94	0.35	0.063
REP 1290967	QC	7.1	29.0	13.9	77	0.2	23.0	12.8	502	2.67	17.3	0.9	1.5	1.0	24	0.2	0.3	0.2	95	0.36	0.063
1283836	Soil	2.5	36.6	14.3	125	0.4	44.4	20.8	1199	3.97	42.5	2.5	4.1	4.2	27	0.8	1.2	0.2	97	0.61	0.086
REP 1283836	QC	2.5	36.5	14.6	121	0.4	43.6	21.6	1219	3.99	42.7	2.5	5.5	4.1	27	0.8	1.1	0.2	98	0.61	0.087
1283833	Soil	1.7	26.7	18.1	80	0.5	29.3	15.3	900	3.19	20.3	4.3	3.1	12.9	29	0.5	0.8	0.3	76	0.66	0.052
REP 1283833	QC	1.6	27.4	17.8	81	0.5	30.4	15.7	867	3.14	20.9	4.3	2.6	13.1	30	0.5	0.7	0.3	79	0.65	0.054
1283825	Soil	2.5	47.7	17.5	143	0.5	49.0	16.1	781	3.67	32.2	1.4	3.5	4.8	26	0.6	1.5	0.2	92	0.42	0.038
REP 1283825	QC	2.3	47.2	17.7	142	0.5	49.2	16.2	761	3.63	31.4	1.4	3.4	4.6	25	0.7	1.6	0.1	89	0.41	0.039
Reference Materials																					
STD DS9	Standard	12.6	106.9	120.4	300	1.8	41.4	7.6	557	2.23	23.6	2.6	130.4	6.2	63	2.4	5.5	6.1	41	0.68	0.080
STD DS9	Standard	12.8	108.1	122.0	303	1.8	39.3	7.4	573	2.26	25.5	2.6	153.0	6.2	74	2.6	6.0	6.7	40	0.67	0.084
STD DS9	Standard	13.6	114.5	131.9	328	1.9	41.1	7.7	613	2.46	26.7	2.8	121.3	6.4	70	2.5	5.5	6.1	46	0.77	0.086
STD DS9	Standard	12.3	101.8	113.4	300	1.8	39.9	7.2	556	2.29	25.4	2.4	109.0	5.9	66	2.3	5.0	5.4	40	0.70	0.080
STD DS9	Standard	12.4	106.9	120.3	296	1.8	39.5	7.5	551	2.23	23.4	2.6	118.9	5.8	60	2.3	5.2	5.4	41	0.67	0.073
STD DS9	Standard	13.1	106.5	120.5	296	1.7	40.8	7.6	576	2.30	24.4	2.6	107.8	6.3	65	2.2	4.9	5.4	44	0.70	0.081
STD DS9	Standard	12.8	107.1	120.9	302	1.9	40.3	7.8	547	2.22	23.7	2.5	121.3	6.3	61	2.2	5.4	5.9	41	0.66	0.072
STD DS9	Standard	14.1	111.7	119.1	312	1.8	45.0	8.3	581	2.43	24.5	2.6	116.7	5.9	61	2.1	5.5	5.3	50	0.70	0.071
STD DS9	Standard	12.9	105.0	127.2	301	1.9	39.8	7.6	585	2.35	25.9	2.8	122.2	6.6	82	2.5	5.9	6.9	42	0.75	0.077
STD DS9	Standard	12.5	104.0	125.0	299	1.9	39.4	7.4	562	2.29	24.6	2.7	122.6	6.2	75	2.2	5.8	6.9	39	0.69	0.081
STD DS9	Standard	12.3	103.9	128.2	298	1.8	39.3	7.2	591	2.17	25.1	2.9	111.6	6.9	75	2.4	6.0	6.7	41	0.66	0.080
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	0.2	<0.1	<1	0.01	0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	3	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

QUALITY CONTROL REPORT WHI12000321.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
1290967	Soil	9	34	0.54	338	0.070	2	1.20	0.013	0.09	0.1	0.06	2.9	0.1	<0.05	6	1.0	<0.2
REP 1290967	QC	9	35	0.55	353	0.071	3	1.21	0.012	0.09	0.1	0.06	3.0	0.1	<0.05	6	0.7	<0.2
1283836	Soil	17	67	0.92	322	0.066	3	1.39	0.010	0.20	<0.1	0.08	7.9	1.3	<0.05	6	1.0	<0.2
REP 1283836	QC	17	67	0.88	318	0.067	2	1.39	0.010	0.20	0.1	0.09	8.2	1.2	<0.05	6	0.8	<0.2
1283833	Soil	69	49	0.71	422	0.073	2	1.57	0.010	0.16	0.1	0.06	6.1	0.3	<0.05	7	<0.5	<0.2
REP 1283833	QC	69	49	0.74	420	0.072	2	1.68	0.011	0.16	0.1	0.06	6.1	0.3	<0.05	7	<0.5	<0.2
1283825	Soil	18	59	0.69	973	0.085	1	1.70	0.018	0.14	0.1	0.08	6.9	0.3	<0.05	6	0.7	<0.2
REP 1283825	QC	18	56	0.68	986	0.087	<1	1.73	0.018	0.14	0.1	0.07	6.8	0.3	<0.05	6	0.7	<0.2
Reference Materials																		
STD DS9	Standard	11	119	0.61	284	0.101	3	0.87	0.083	0.35	2.9	0.20	2.3	5.6	0.20	4	5.4	5.2
STD DS9	Standard	13	116	0.59	294	0.105	3	0.89	0.098	0.33	3.1	0.19	2.4	5.5	0.14	5	4.4	4.8
STD DS9	Standard	14	131	0.67	331	0.121	1	0.97	0.095	0.39	3.1	0.22	2.7	5.8	0.10	5	5.1	5.3
STD DS9	Standard	13	116	0.58	299	0.108	3	0.91	0.089	0.35	3.0	0.20	2.5	5.5	0.14	5	5.4	4.5
STD DS9	Standard	11	121	0.58	285	0.101	3	0.84	0.076	0.35	3.0	0.23	2.2	5.3	0.13	4	5.3	5.4
STD DS9	Standard	13	123	0.60	287	0.112	5	0.92	0.089	0.35	3.2	0.18	2.3	5.4	0.09	5	4.9	5.3
STD DS9	Standard	12	119	0.57	273	0.101	2	0.84	0.076	0.33	2.7	0.19	2.2	5.3	0.15	4	4.3	4.8
STD DS9	Standard	12	131	0.61	288	0.110	2	0.89	0.073	0.34	3.1	0.20	2.1	5.8	0.15	5	5.5	5.2
STD DS9	Standard	14	121	0.62	324	0.121	2	1.01	0.116	0.42	3.2	0.20	3.5	5.5	0.20	5	4.9	4.9
STD DS9	Standard	13	117	0.61	304	0.108	3	0.93	0.091	0.35	3.0	0.23	2.4	5.5	0.17	5	5.4	5.4
STD DS9	Standard	13	118	0.60	301	0.112	2	0.91	0.088	0.35	3.1	0.21	2.7	5.4	0.15	4	5.3	4.7
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	0.06	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	2	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

QUALITY CONTROL REPORT WHI12000321.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

QUALITY CONTROL REPORT WHI12000321.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 12, 2012
Report Date: July 25, 2012
Page: 1 of 12

CERTIFICATE OF ANALYSIS WHI12000322.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 320

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	315	Dry at 60C sieve 100g to -80 mesh			WHI
Dry at 60C	320	Dry at 60C			WHI
1DX2	319	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000322.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1284024	Soil	1.2	14.8	9.9	73	<0.1	19.0	11.2	529	3.64	16.2	0.7	3.4	3.8	16	<0.1	1.0	0.2	86	0.22	0.050
1284029	Soil	1.4	18.9	13.4	90	0.3	22.2	12.3	578	3.87	48.5	6.3	10.1	16.0	25	0.3	0.9	0.3	75	0.35	0.067
1284034	Soil	1.0	14.7	10.8	92	<0.1	19.2	13.9	750	4.24	13.6	2.1	5.1	14.9	21	0.1	0.5	0.1	86	0.38	0.066
1284022	Soil	1.1	10.2	13.0	87	<0.1	11.1	14.8	1149	3.14	11.4	1.1	2.8	3.4	20	0.2	0.8	0.2	71	0.31	0.070
1284036	Soil	1.2	18.1	12.3	71	0.1	20.1	12.6	530	3.47	19.3	3.1	5.2	12.5	21	<0.1	0.8	0.2	75	0.33	0.059
1284035	Soil	1.1	22.9	10.1	72	<0.1	20.9	10.5	532	3.32	18.3	3.5	5.0	13.5	25	0.1	1.0	0.2	80	0.41	0.060
1284027	Soil	1.2	22.3	10.4	67	0.2	17.9	9.0	446	2.91	117.9	5.0	9.4	5.4	32	0.3	44.1	0.2	67	0.43	0.061
1284031	Soil	1.3	16.3	11.0	98	0.3	17.1	11.9	1022	3.92	68.9	5.2	11.1	16.0	29	0.3	2.7	0.3	76	0.49	0.099
1284025	Soil	1.3	10.7	9.8	65	<0.1	17.3	11.4	362	3.52	16.7	0.5	3.3	3.7	13	0.1	1.9	0.2	85	0.17	0.031
1284028	Soil	1.4	12.8	25.4	106	<0.1	17.2	16.7	1353	4.08	42.9	2.2	4.9	14.7	22	0.2	1.6	0.4	78	0.35	0.049
1284030	Soil	1.5	13.1	12.9	95	0.2	19.9	18.6	1736	3.97	70.7	4.1	7.4	12.8	27	0.2	0.9	0.3	75	0.39	0.079
1284026	Soil	1.4	9.6	10.0	62	<0.1	11.1	8.2	486	3.59	11.6	0.4	2.1	3.0	10	<0.1	1.0	0.2	94	0.13	0.034
1290986	Soil	0.9	31.8	12.2	82	0.1	43.2	19.5	650	3.68	3.8	1.4	4.2	6.9	37	<0.1	0.2	<0.1	66	1.04	0.069
1290983	Soil	1.5	63.3	12.9	86	0.2	66.3	28.3	351	4.87	3.9	1.7	2.9	9.5	18	<0.1	0.1	0.1	73	0.34	0.056
1290995	Soil	3.0	53.6	22.6	99	0.1	36.6	20.6	1042	3.83	8.0	1.7	1.4	5.6	29	0.1	0.3	0.2	79	0.35	0.059
1290999	Soil	2.7	63.2	8.9	140	0.4	57.2	14.6	267	4.06	3.7	1.9	2.5	7.5	24	0.2	0.1	0.2	83	0.28	0.072
1290989	Soil	0.9	40.9	14.4	82	0.2	96.6	24.8	605	4.58	3.9	1.2	9.1	8.3	38	<0.1	0.1	<0.1	94	1.06	0.065
1290988	Soil	0.6	45.4	9.7	62	0.2	54.0	17.1	630	3.12	3.2	2.3	8.6	5.3	60	<0.1	0.2	<0.1	60	2.07	0.059
1290991	Soil	1.0	16.4	8.5	54	<0.1	28.2	10.4	368	2.95	6.1	0.4	2.5	2.8	16	<0.1	0.3	0.1	69	0.31	0.047
1290996	Soil	1.9	49.8	12.6	97	0.4	45.8	16.6	646	3.83	8.0	1.4	2.1	9.8	17	0.2	0.3	0.2	68	0.31	0.044
1290997	Soil	1.8	42.4	8.0	102	0.7	44.2	16.5	542	3.32	11.0	1.1	1.8	4.1	27	0.2	0.4	0.1	90	0.46	0.026
1291000	Soil	1.9	34.8	8.7	94	0.3	30.6	17.8	738	3.22	6.4	0.6	2.1	2.6	16	0.4	0.3	<0.1	77	0.22	0.043
1290990	Soil	0.9	22.7	15.8	90	<0.1	50.5	17.6	386	3.64	2.9	0.5	2.0	4.9	18	<0.1	0.1	0.1	77	0.42	0.050
1290985	Soil	0.7	37.1	9.6	81	0.1	43.3	19.6	550	3.69	4.4	1.6	4.4	6.6	42	0.1	0.2	0.1	67	1.27	0.066
1290992	Soil	0.9	29.5	8.5	53	<0.1	41.9	24.2	369	3.71	8.8	0.6	1.1	5.7	17	<0.1	0.3	<0.1	95	0.34	0.024
1290998	Soil	1.3	61.9	7.2	66	0.7	43.8	12.7	364	2.67	12.3	0.9	7.8	3.8	45	0.1	0.6	0.1	68	2.20	0.048
1290993	Soil	1.4	14.4	10.9	50	0.1	25.7	12.3	414	2.74	5.8	0.4	3.1	3.5	17	<0.1	0.4	0.2	76	0.36	0.012
1290994	Soil	1.3	29.0	5.1	87	0.1	9.7	10.8	426	3.20	1.9	0.4	1.8	1.9	17	0.1	0.1	0.1	68	0.34	0.047
1293292	Soil	4.8	77.1	4.3	141	0.2	60.8	10.6	624	7.48	17.9	3.2	2.7	3.5	27	0.2	0.3	<0.1	296	0.28	0.058
1293289	Soil	2.1	37.5	9.9	69	<0.1	27.4	21.1	346	4.05	13.5	0.9	2.5	3.2	16	<0.1	0.5	<0.1	89	0.42	0.024

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000322.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1284024	Soil	11	34	0.61	221	0.080	2	1.93	0.008	0.08	0.2	0.01	3.8	0.2	<0.05	8	<0.5	<0.2
1284029	Soil	37	38	0.70	418	0.098	2	2.42	0.012	0.11	0.3	0.07	7.2	0.4	<0.05	8	<0.5	<0.2
1284034	Soil	27	34	0.84	424	0.190	2	2.31	0.016	0.29	0.2	0.02	5.7	0.5	<0.05	9	<0.5	<0.2
1284022	Soil	14	22	0.51	206	0.055	2	1.38	0.009	0.08	0.1	0.02	4.0	0.1	<0.05	8	<0.5	<0.2
1284036	Soil	25	38	0.71	388	0.129	2	2.21	0.012	0.14	0.2	0.04	6.0	0.3	<0.05	8	<0.5	<0.2
1284035	Soil	40	39	0.76	413	0.157	2	2.08	0.013	0.16	0.2	0.03	6.9	0.4	<0.05	7	<0.5	<0.2
1284027	Soil	32	32	0.54	408	0.069	2	1.79	0.011	0.08	0.1	0.05	5.7	0.2	<0.05	7	<0.5	<0.2
1284031	Soil	41	30	0.70	589	0.129	2	2.20	0.015	0.30	0.2	0.08	7.0	0.7	<0.05	9	<0.5	<0.2
1284025	Soil	9	34	0.61	185	0.108	2	2.27	0.010	0.07	0.2	0.04	3.5	0.2	<0.05	8	<0.5	<0.2
1284028	Soil	21	33	0.71	302	0.104	2	2.04	0.010	0.13	0.2	0.02	5.7	0.3	<0.05	9	<0.5	<0.2
1284030	Soil	25	33	0.65	396	0.109	2	2.13	0.012	0.13	0.1	0.08	5.6	0.5	<0.05	8	<0.5	<0.2
1284026	Soil	6	23	0.47	196	0.247	1	1.65	0.010	0.13	0.1	0.02	3.2	0.4	<0.05	13	<0.5	<0.2
1290986	Soil	19	69	1.12	219	0.153	2	1.97	0.011	0.47	0.1	0.03	4.2	0.4	<0.05	7	<0.5	<0.2
1290983	Soil	24	67	1.12	189	0.153	1	2.42	0.010	0.45	<0.1	0.04	3.8	0.3	<0.05	9	<0.5	<0.2
1290995	Soil	18	44	0.85	437	0.103	1	1.89	0.009	0.47	0.1	0.02	4.6	0.2	<0.05	7	<0.5	<0.2
1290999	Soil	32	53	1.11	343	0.105	1	2.01	0.013	0.50	<0.1	0.02	4.2	0.5	0.11	7	0.6	<0.2
1290989	Soil	21	138	1.91	489	0.231	2	2.55	0.010	0.68	0.1	0.03	5.5	0.5	<0.05	9	<0.5	<0.2
1290988	Soil	34	75	1.10	463	0.116	2	1.82	0.011	0.40	0.1	0.05	4.5	0.3	0.06	6	<0.5	<0.2
1290991	Soil	8	46	0.82	260	0.124	1	1.74	0.008	0.25	0.1	0.01	2.2	0.2	<0.05	7	<0.5	<0.2
1290996	Soil	24	42	0.93	444	0.093	1	2.01	0.007	0.46	0.1	0.02	5.6	0.3	<0.05	7	<0.5	<0.2
1290997	Soil	14	51	0.78	826	0.101	2	1.95	0.011	0.19	<0.1	0.02	5.6	0.2	0.07	7	0.7	<0.2
1291000	Soil	9	49	0.81	328	0.124	1	1.92	0.013	0.21	0.1	0.02	3.0	0.2	<0.05	7	<0.5	<0.2
1290990	Soil	12	71	1.21	293	0.168	1	2.01	0.009	0.37	0.2	0.02	2.9	0.3	<0.05	8	<0.5	<0.2
1290985	Soil	27	68	1.08	230	0.141	2	2.01	0.012	0.38	0.2	0.05	4.3	0.3	0.10	7	<0.5	<0.2
1290992	Soil	15	92	1.36	204	0.143	1	2.41	0.010	0.33	0.2	<0.01	4.9	0.2	<0.05	7	<0.5	<0.2
1290998	Soil	17	37	0.74	504	0.091	2	1.37	0.025	0.11	0.2	0.06	4.8	0.1	<0.05	5	<0.5	<0.2
1290993	Soil	9	50	0.73	338	0.117	1	1.53	0.012	0.24	0.1	<0.01	3.6	0.2	<0.05	5	<0.5	<0.2
1290994	Soil	5	16	0.81	498	0.131	1	1.78	0.008	0.45	0.2	<0.01	2.8	0.1	<0.05	6	<0.5	<0.2
1293292	Soil	19	97	1.75	2106	0.160	<1	3.69	0.020	0.97	<0.1	0.01	6.2	0.9	0.33	15	2.2	<0.2
1293289	Soil	12	51	0.93	413	0.071	<1	1.98	0.009	0.08	<0.1	0.02	7.9	0.2	<0.05	6	0.9	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000322.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1293290	Soil	2.2	24.4	8.7	71	0.1	24.1	15.9	394	3.42	18.7	0.7	0.8	2.2	17	<0.1	0.4	<0.1	83	0.50	0.024
1293296	Soil	5.2	45.2	9.6	72	0.3	30.9	14.9	1229	2.75	3.9	2.0	1.7	1.8	29	0.5	0.2	0.2	123	0.33	0.115
1293294	Soil	3.8	57.0	8.3	66	0.4	38.2	19.1	827	3.20	13.6	2.3	2.1	2.8	19	0.2	0.5	0.1	96	0.42	0.071
1293291	Soil	2.6	24.8	9.7	93	0.4	35.6	13.2	449	3.61	17.6	0.7	1.5	2.9	19	0.3	0.9	<0.1	86	0.34	0.032
1293287	Soil	2.0	42.9	15.1	106	<0.1	45.3	16.5	530	4.15	21.7	1.2	3.5	4.6	12	0.1	0.3	0.1	127	0.51	0.091
1293288	Soil	2.7	36.2	14.5	70	0.4	34.3	23.4	1506	3.20	18.0	1.4	1.8	3.9	23	0.2	0.5	0.1	84	0.55	0.035
1293293	Soil	2.4	47.4	7.0	79	<0.1	40.2	15.8	486	4.65	18.7	1.0	3.0	2.9	16	<0.1	0.3	0.2	141	0.35	0.051
1293295	Soil	2.3	38.4	7.0	69	0.2	32.0	15.4	1557	3.22	12.8	0.7	2.0	2.1	23	0.4	0.4	0.1	82	0.33	0.081
1290980	Soil	0.6	36.5	7.3	75	0.1	38.0	15.5	536	3.09	3.2	1.3	4.3	4.0	56	<0.1	0.2	<0.1	56	1.34	0.062
1290981	Soil	0.6	35.3	8.5	72	0.2	38.0	15.1	586	2.90	3.4	1.1	3.3	3.5	74	0.1	0.2	0.1	54	1.44	0.060
1290978	Soil	0.9	23.7	11.5	84	<0.1	45.4	19.6	512	4.12	2.8	0.7	2.6	4.7	26	<0.1	0.1	0.1	92	0.71	0.068
1290979	Soil	0.7	70.4	7.3	74	0.2	42.3	16.7	734	3.36	3.0	1.3	9.5	5.0	53	0.1	0.2	0.1	63	1.42	0.075
1290982	Soil	0.9	24.0	10.1	78	<0.1	40.6	17.8	407	3.87	4.6	0.6	8.6	3.5	23	<0.1	0.1	0.1	72	0.46	0.041
1290984	Soil	0.8	41.5	10.0	62	0.2	36.9	15.4	324	3.62	4.1	1.2	3.9	5.4	43	<0.1	0.2	0.1	65	1.03	0.031
1290815	Soil	1.8	29.9	15.0	87	0.7	23.2	9.1	271	2.54	6.3	1.3	24.8	3.0	23	0.2	0.2	0.2	55	0.38	0.057
1290975	Soil	6.2	18.7	20.8	61	0.2	18.0	7.7	376	2.50	5.2	0.5	4.7	3.0	20	<0.1	0.4	0.3	55	0.27	0.030
1290977	Soil	1.7	21.2	9.3	63	<0.1	28.7	14.6	383	3.94	4.2	0.8	2.1	7.9	22	<0.1	0.3	0.1	84	0.46	0.085
1290976	Soil	5.2	16.0	18.4	56	0.3	18.6	8.7	348	2.51	5.2	0.5	7.1	3.3	18	<0.1	0.4	0.2	55	0.24	0.024
1290812	Soil	1.5	62.4	8.5	118	0.2	56.0	20.2	1154	4.49	2.5	1.4	3.4	16.4	12	0.1	0.1	0.1	49	0.18	0.042
1293300	Soil	4.7	65.8	7.4	102	0.5	44.4	8.6	326	3.88	9.0	1.5	0.8	3.7	31	0.2	0.3	0.2	151	0.24	0.057
1293298	Soil	2.2	30.0	10.1	58	0.2	29.6	11.0	565	3.05	12.3	0.5	1.6	2.1	16	0.1	0.4	0.1	68	0.24	0.033
1290987	Soil	0.8	35.6	11.1	81	0.2	44.4	14.9	414	3.47	3.8	1.5	3.9	10.5	36	0.1	0.2	0.1	51	1.06	0.060
1290802	Soil	3.8	49.6	7.9	82	0.5	22.1	6.4	285	3.25	3.7	1.5	1.8	3.7	25	0.2	0.2	0.2	103	0.22	0.049
1293297	Soil	4.2	72.7	9.2	120	0.3	48.3	13.8	672	4.86	10.7	1.3	<0.5	4.5	28	0.1	0.1	0.1	148	0.44	0.104
1290803	Soil	3.4	24.4	8.4	59	0.3	21.8	7.0	227	2.56	7.0	0.6	0.9	2.0	18	0.2	0.4	0.1	70	0.18	0.049
1290810	Soil	4.3	34.9	14.6	103	0.9	25.7	6.5	230	3.08	18.9	0.8	4.5	1.9	18	0.6	0.6	0.2	92	0.13	0.108
1290813	Soil	1.9	50.6	9.7	105	<0.1	40.5	18.2	619	4.24	4.0	1.0	1.7	6.8	13	0.2	0.2	0.2	75	0.18	0.046
1290817	Soil	1.2	42.9	18.1	111	0.2	75.1	25.7	591	5.53	1.8	0.9	12.1	6.8	24	<0.1	<0.1	0.1	97	0.61	0.102
1290809	Soil	3.8	52.2	10.4	85	1.1	29.3	7.9	256	3.29	22.2	0.6	2.6	2.1	16	0.4	0.7	0.2	89	0.12	0.051
1290808	Soil	5.7	35.9	13.9	52	1.7	14.3	2.8	67	2.50	27.1	0.7	3.4	0.4	27	0.4	0.7	0.1	68	0.09	0.078

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000322.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1293290	Soil	7	35	0.89	632	0.102	<1	1.74	0.009	0.10	<0.1	0.01	4.2	0.2	<0.05	6	1.0	<0.2
1293296	Soil	12	40	0.64	379	0.083	2	1.39	0.019	0.18	0.2	0.02	3.0	0.2	0.10	7	0.5	<0.2
1293294	Soil	13	45	0.72	402	0.090	1	1.60	0.013	0.18	0.1	0.03	4.3	0.2	<0.05	7	0.9	<0.2
1293291	Soil	9	34	0.78	850	0.101	1	1.89	0.012	0.15	0.1	0.01	4.4	0.2	<0.05	7	<0.5	<0.2
1293287	Soil	16	81	1.31	525	0.115	<1	2.30	0.007	0.39	0.1	0.02	6.5	0.3	<0.05	9	0.7	<0.2
1293288	Soil	19	46	0.57	929	0.055	1	1.67	0.017	0.06	0.1	0.04	6.3	0.1	<0.05	6	0.5	<0.2
1293293	Soil	13	67	1.44	516	0.177	1	2.51	0.010	0.55	0.1	0.01	7.2	0.5	<0.05	10	0.7	<0.2
1293295	Soil	9	39	0.82	473	0.095	1	1.78	0.011	0.21	0.1	0.02	4.2	0.2	0.05	6	<0.5	<0.2
1290980	Soil	16	57	1.12	312	0.136	1	1.74	0.011	0.41	0.2	0.04	3.5	0.3	0.05	6	<0.5	<0.2
1290981	Soil	19	52	0.95	404	0.109	2	1.59	0.013	0.31	0.1	0.05	3.6	0.3	0.07	6	<0.5	<0.2
1290978	Soil	19	66	1.71	285	0.171	1	2.52	0.009	0.51	0.1	0.01	4.4	0.4	<0.05	8	<0.5	<0.2
1290979	Soil	24	59	1.22	420	0.130	2	1.78	0.012	0.44	0.2	0.05	4.8	0.4	<0.05	6	<0.5	<0.2
1290982	Soil	14	65	1.19	243	0.150	2	1.99	0.013	0.30	0.2	0.02	3.2	0.2	<0.05	8	<0.5	<0.2
1290984	Soil	23	58	0.86	286	0.144	2	1.77	0.014	0.27	0.1	0.03	3.2	0.3	<0.05	8	<0.5	<0.2
1290815	Soil	14	31	0.57	645	0.062	2	1.37	0.010	0.09	0.1	0.06	4.4	0.1	<0.05	6	0.5	<0.2
1290975	Soil	8	28	0.57	505	0.072	<1	1.76	0.008	0.08	0.3	0.01	3.0	0.2	<0.05	6	<0.5	<0.2
1290977	Soil	23	44	1.14	289	0.114	<1	2.41	0.007	0.37	0.2	<0.01	4.7	0.3	<0.05	8	<0.5	<0.2
1290976	Soil	8	31	0.58	504	0.069	<1	1.71	0.010	0.08	0.2	0.02	2.9	0.2	<0.05	6	<0.5	<0.2
1290812	Soil	62	37	1.07	829	0.120	<1	1.87	0.005	0.79	<0.1	0.02	7.6	0.7	<0.05	7	0.7	<0.2
1293300	Soil	18	70	1.11	1266	0.131	<1	2.12	0.028	0.33	0.1	0.01	5.1	0.2	0.26	9	2.2	<0.2
1293298	Soil	8	41	0.68	282	0.088	1	1.64	0.010	0.12	0.1	0.03	3.4	0.1	<0.05	6	0.5	<0.2
1290987	Soil	28	63	1.07	171	0.095	2	1.85	0.011	0.35	0.1	0.04	4.4	0.3	<0.05	7	<0.5	<0.2
1290802	Soil	15	51	1.03	733	0.132	1	1.86	0.026	0.32	<0.1	0.02	4.0	0.2	0.36	8	1.8	<0.2
1293297	Soil	22	95	1.97	540	0.177	<1	2.64	0.015	0.78	<0.1	<0.01	8.4	0.5	0.30	12	1.6	<0.2
1290803	Soil	9	31	0.42	308	0.071	<1	1.22	0.011	0.10	0.1	0.02	2.7	0.1	<0.05	5	0.7	<0.2
1290810	Soil	9	42	0.36	567	0.042	1	1.94	0.008	0.06	0.2	0.03	3.1	0.1	<0.05	7	1.1	<0.2
1290813	Soil	21	47	1.11	271	0.155	<1	2.56	0.007	0.48	<0.1	0.02	4.6	0.4	<0.05	10	0.5	<0.2
1290817	Soil	21	114	2.00	500	0.273	<1	3.26	0.009	0.97	0.1	0.02	4.7	0.7	<0.05	10	<0.5	<0.2
1290809	Soil	8	40	0.41	471	0.051	1	2.07	0.008	0.05	0.2	0.05	3.0	0.2	<0.05	7	1.0	<0.2
1290808	Soil	11	25	0.15	630	0.034	1	0.93	0.009	0.10	0.1	0.03	2.0	0.1	0.14	6	1.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000322.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1293299	Soil	3.6	72.5	6.7	97	0.9	37.7	7.8	436	3.70	5.7	1.6	0.7	4.1	31	0.3	0.2	0.3	99	0.19	0.065
1290816	Soil	2.5	38.2	30.0	101	0.6	40.4	15.7	561	3.99	4.3	0.8	32.6	4.9	15	0.1	0.2	0.5	87	0.36	0.078
1290805	Soil	4.0	25.8	8.6	69	0.5	17.3	5.6	208	2.91	8.3	0.5	2.0	1.1	22	0.4	0.4	0.2	83	0.19	0.051
1290811	Soil	4.1	53.7	11.3	96	0.4	35.3	10.4	234	3.51	14.2	1.1	3.2	3.2	20	0.3	0.5	0.2	97	0.17	0.043
1290806	Soil	5.3	339.9	9.3	211	2.6	115.0	8.3	139	3.57	38.6	6.2	6.8	1.1	56	4.9	0.7	0.2	61	0.39	0.140
1290804	Soil	4.9	64.6	11.5	164	0.5	59.2	10.1	289	3.74	10.3	1.0	4.3	2.9	29	0.3	0.5	0.2	87	0.19	0.056
1290814	Soil	2.0	50.2	9.0	139	0.2	39.2	11.5	321	3.31	10.5	1.2	3.3	2.3	16	0.5	0.3	0.2	73	0.17	0.065
1290818	Soil	1.9	36.4	21.0	76	0.3	38.2	15.1	402	3.63	5.8	1.0	27.0	5.2	23	<0.1	0.2	0.2	74	0.49	0.056
1290801	Rock Pulp	1.5	476.9	18.5	167	0.2	233.2	76.1	862	16.08	3.7	1.1	30.3	6.5	14	<0.1	0.4	0.1	231	0.30	0.046
1270332	Soil	1.1	36.0	8.3	55	0.1	59.2	17.9	912	4.05	9.7	1.1	3.8	12.0	31	0.1	0.7	<0.1	80	0.92	0.051
1270334	Soil	1.1	35.5	9.3	49	<0.1	38.9	15.5	629	3.63	10.2	0.9	3.0	24.3	19	<0.1	0.8	0.2	72	0.44	0.038
1270333	Soil	1.1	21.5	8.2	43	<0.1	31.6	12.0	561	3.06	7.6	1.0	2.7	24.4	15	<0.1	0.5	0.2	59	0.39	0.025
1270331	Soil	0.9	24.7	9.2	53	<0.1	26.0	15.3	584	3.38	10.6	1.4	1.5	10.2	36	0.1	0.7	0.2	78	0.86	0.061
1270318	Soil	0.6	29.3	10.5	38	0.2	23.4	9.9	529	1.96	5.1	3.2	1.8	7.2	74	0.2	0.3	0.2	33	2.10	0.053
1270317	Soil	0.8	29.7	12.7	49	0.2	23.8	11.9	428	2.75	5.5	5.0	0.9	17.2	40	<0.1	0.3	0.2	55	1.22	0.059
1270316	Soil	0.8	30.0	11.6	64	0.2	24.0	18.7	915	3.51	5.1	3.1	0.9	14.8	37	0.1	0.3	0.2	79	1.10	0.082
1270315	Soil	2.6	24.9	13.2	68	<0.1	9.6	6.8	318	2.84	5.2	2.0	<0.5	45.9	11	<0.1	0.2	0.8	16	0.16	0.037
1270314	Soil	1.4	13.5	13.1	44	0.1	16.2	9.3	257	2.85	9.0	0.9	<0.5	7.2	11	<0.1	0.4	0.3	63	0.13	0.025
1270313	Soil	0.8	20.7	3.7	51	<0.1	27.1	24.0	477	4.02	4.6	0.3	0.7	2.3	31	<0.1	0.2	<0.1	94	0.56	0.075
1270312	Soil	1.2	24.1	8.6	42	<0.1	21.7	13.1	235	2.82	7.7	0.7	1.4	3.7	21	<0.1	0.4	0.2	62	0.26	0.036
1270310	Soil	2.3	10.2	9.1	69	<0.1	14.7	15.9	1392	3.39	5.2	2.0	3.6	19.6	26	0.2	0.2	0.1	62	0.48	0.114
1270311	Soil	1.2	34.0	10.7	56	<0.1	28.9	15.2	394	3.40	9.2	1.9	2.3	28.9	25	<0.1	0.5	0.2	67	0.24	0.045
1270309	Soil	1.4	8.8	10.3	61	<0.1	14.7	16.6	783	3.36	5.7	1.1	1.3	7.5	24	0.1	0.2	0.1	80	0.35	0.089
1270308	Soil	1.2	18.7	13.0	67	0.2	40.9	13.3	489	3.19	8.4	4.0	3.9	26.7	32	0.1	0.3	0.4	59	0.78	0.062
1270328	Soil	1.1	26.2	8.5	46	0.1	22.8	12.4	590	2.97	11.0	2.2	2.1	9.3	43	<0.1	1.2	0.2	55	1.28	0.073
1270330	Soil	1.0	24.8	9.4	49	<0.1	25.8	12.4	454	3.25	10.2	1.3	2.3	12.4	28	<0.1	1.1	0.2	63	0.66	0.052
1270329	Soil	1.5	38.7	11.6	61	<0.1	21.8	16.1	851	4.40	7.0	1.8	2.1	20.9	28	<0.1	1.3	0.2	74	0.90	0.181
1270307	Soil	1.0	16.6	11.3	67	<0.1	19.7	15.2	591	3.87	6.8	2.4	0.9	26.6	20	<0.1	0.8	0.3	70	0.49	0.099
1270319	Soil	0.8	32.3	9.6	67	0.2	39.9	19.7	647	3.86	7.1	1.1	7.0	5.3	62	0.3	0.9	0.2	72	1.23	0.088
1270322	Soil	0.8	29.5	8.8	48	<0.1	27.1	9.7	266	2.94	8.6	1.2	3.7	6.4	18	<0.1	0.7	0.2	62	0.20	0.019

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000322.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1293299	Soil	30	61	1.12	799	0.107	<1	1.96	0.031	0.37	<0.1	0.02	4.5	0.2	0.42	9	2.8	<0.2
1290816	Soil	13	80	1.45	416	0.165	<1	2.35	0.010	0.47	0.2	0.02	5.3	0.4	<0.05	9	<0.5	<0.2
1290805	Soil	9	32	0.35	504	0.065	<1	1.59	0.011	0.09	<0.1	0.03	2.4	0.1	0.08	7	0.7	<0.2
1290811	Soil	11	47	0.52	599	0.051	<1	2.20	0.010	0.07	0.2	0.03	4.3	0.2	<0.05	8	1.2	<0.2
1290806	Soil	23	35	0.28	3213	0.028	1	1.61	0.009	0.05	0.2	0.15	8.0	0.4	0.10	5	7.4	<0.2
1290804	Soil	14	43	0.57	504	0.067	<1	1.70	0.012	0.10	0.2	0.02	3.7	0.1	0.10	6	1.8	<0.2
1290814	Soil	15	45	0.52	490	0.056	1	1.74	0.009	0.10	0.2	0.02	3.6	0.2	<0.05	7	0.6	<0.2
1290818	Soil	17	67	1.16	298	0.145	<1	2.12	0.013	0.30	0.2	0.04	5.1	0.3	<0.05	7	<0.5	<0.2
1290801	Rock Pulp	17	745	0.16	128	0.234	4	4.26	0.014	0.07	<0.1	0.03	40.5	0.1	<0.05	23	0.8	<0.2
1270332	Soil	58	80	0.94	342	0.067	2	1.53	0.017	0.27	0.2	0.04	10.1	0.3	<0.05	6	0.7	<0.2
1270334	Soil	64	66	1.00	270	0.103	<1	1.94	0.010	0.29	0.2	0.05	9.4	0.4	<0.05	7	<0.5	<0.2
1270333	Soil	29	51	0.86	200	0.073	<1	1.52	0.012	0.30	0.1	0.03	6.1	0.3	<0.05	6	<0.5	<0.2
1270331	Soil	37	35	0.92	394	0.108	2	1.64	0.015	0.37	0.2	0.04	7.1	0.2	<0.05	5	<0.5	<0.2
1270318	Soil	52	32	0.62	461	0.046	3	1.07	0.010	0.13	0.2	0.07	4.4	0.2	0.09	3	<0.5	<0.2
1270317	Soil	73	43	1.08	351	0.097	2	1.71	0.011	0.25	0.1	0.04	6.7	0.3	<0.05	5	<0.5	<0.2
1270316	Soil	45	53	1.67	439	0.151	<1	2.17	0.014	0.33	0.2	0.04	6.4	0.3	<0.05	7	<0.5	<0.2
1270315	Soil	61	13	0.43	130	0.030	<1	0.70	0.004	0.18	<0.1	0.02	4.2	0.2	<0.05	2	<0.5	<0.2
1270314	Soil	9	33	0.59	176	0.073	1	1.54	0.006	0.17	0.2	0.01	3.3	0.2	<0.05	6	<0.5	<0.2
1270313	Soil	5	64	2.37	378	0.230	<1	2.67	0.013	0.36	0.1	<0.01	2.6	0.1	<0.05	7	<0.5	<0.2
1270312	Soil	12	39	0.86	260	0.077	<1	2.23	0.010	0.05	0.2	0.02	4.0	0.2	<0.05	6	<0.5	<0.2
1270310	Soil	67	32	0.89	313	0.106	<1	1.61	0.010	0.31	0.2	0.04	4.9	0.3	<0.05	6	<0.5	<0.2
1270311	Soil	90	50	0.82	453	0.092	2	2.28	0.010	0.12	0.2	0.02	7.3	0.2	<0.05	6	<0.5	<0.2
1270309	Soil	21	40	0.92	205	0.102	1	1.47	0.011	0.16	0.2	0.03	3.8	0.2	<0.05	7	<0.5	<0.2
1270308	Soil	136	80	0.96	307	0.101	2	1.65	0.013	0.28	0.1	0.06	9.3	0.5	<0.05	5	<0.5	<0.2
1270328	Soil	29	34	0.85	571	0.080	2	1.54	0.014	0.23	0.2	0.06	6.7	0.2	<0.05	5	<0.5	<0.2
1270330	Soil	32	37	0.90	341	0.094	<1	1.68	0.015	0.29	0.1	0.04	6.8	0.2	<0.05	5	<0.5	<0.2
1270329	Soil	50	32	1.54	298	0.172	<1	2.19	0.009	0.86	0.2	0.02	8.6	0.6	<0.05	7	<0.5	<0.2
1270307	Soil	75	32	0.92	250	0.126	1	1.74	0.010	0.29	0.2	0.02	6.7	0.5	<0.05	6	<0.5	<0.2
1270319	Soil	26	64	0.82	416	0.034	2	1.48	0.013	0.09	0.2	0.05	11.8	0.2	<0.05	4	<0.5	<0.2
1270322	Soil	21	40	0.52	273	0.054	<1	1.83	0.012	0.06	0.1	0.02	6.8	0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000322.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1270324	Soil	1.2	25.7	29.0	45	<0.1	24.0	10.0	223	3.17	7.1	1.7	2.2	9.1	14	<0.1	1.4	0.3	49	0.20	0.017
1270326	Soil	0.9	10.5	8.1	34	<0.1	17.0	8.0	260	2.63	8.6	0.8	0.7	6.0	14	<0.1	0.6	0.2	45	0.19	0.010
1270327	Soil	1.1	10.7	9.4	36	<0.1	16.9	8.2	216	2.53	7.6	0.6	1.5	5.5	16	<0.1	0.7	0.2	53	0.29	0.020
1270321	Soil	1.0	27.8	14.3	59	0.5	29.6	19.0	548	3.56	9.1	0.9	29.9	4.9	38	0.3	2.0	0.4	41	0.61	0.060
1270323	Soil	1.0	18.5	9.1	48	0.1	24.0	10.0	254	3.03	10.4	0.8	1.9	7.7	21	0.1	0.7	0.2	62	0.25	0.016
1270325	Soil	1.0	11.0	8.3	33	<0.1	16.8	7.7	255	2.51	8.5	0.9	1.3	6.2	15	<0.1	0.7	0.2	43	0.18	0.012
1293033	Soil	1.3	29.6	9.3	80	0.1	37.5	15.0	297	3.74	4.6	0.8	3.1	4.0	20	0.1	0.2	0.1	83	0.37	0.057
1293031	Soil	2.1	50.0	13.0	111	0.2	31.5	11.7	354	2.86	8.6	1.4	1.0	4.0	21	0.3	0.3	0.2	75	0.18	0.057
1293032	Soil	1.4	20.0	9.4	51	<0.1	18.1	7.3	249	2.70	8.4	0.6	2.7	3.1	15	0.2	0.4	0.4	66	0.17	0.040
1270320	Soil	0.9	17.2	8.7	51	<0.1	19.3	12.1	431	3.45	7.5	0.8	4.5	4.4	30	0.1	0.7	0.2	66	0.60	0.047
1293030	Soil	1.7	37.2	10.1	83	0.4	36.5	11.0	550	3.30	11.3	0.9	1.8	6.1	21	0.2	0.5	0.2	50	0.32	0.039
1293029	Soil	2.5	31.8	9.9	76	0.2	25.7	7.5	189	2.88	9.9	1.0	1.4	3.2	20	0.2	0.5	0.2	70	0.18	0.053
1293023	Soil	3.6	161.3	19.6	281	2.3	141.6	19.4	495	3.02	36.7	4.4	5.9	3.2	50	2.8	0.8	0.2	61	0.72	0.092
1293035	Soil	1.1	35.5	21.6	78	0.3	40.8	16.8	318	3.45	5.6	1.1	4.6	7.5	22	0.1	0.2	0.2	75	0.41	0.065
1293028	Soil	5.6	54.1	12.4	88	0.4	24.2	5.5	242	3.14	9.3	1.4	3.2	3.6	24	0.3	0.4	0.2	105	0.14	0.057
1293027	Soil	8.3	76.8	13.0	128	0.9	40.2	6.2	235	3.40	12.6	2.6	3.1	2.7	52	0.7	0.7	0.1	116	0.22	0.077
1293017	Soil	3.0	41.7	6.8	61	0.1	27.2	16.3	285	3.62	6.9	0.7	1.6	2.0	26	<0.1	0.2	0.1	96	0.38	0.081
1293016	Soil	4.7	34.3	10.1	74	0.4	24.4	7.2	455	2.86	14.6	1.0	0.9	2.7	21	0.3	0.4	0.1	80	0.20	0.056
1293018	Soil	5.7	53.0	11.7	101	1.0	43.6	12.0	617	3.21	30.3	1.4	1.0	3.0	24	0.5	0.4	0.2	83	0.30	0.042
1293019	Soil	4.8	35.1	6.7	74	0.6	23.7	7.4	256	2.93	5.5	1.1	<0.5	2.4	20	0.3	0.2	0.2	116	0.17	0.035
1293025	Soil	1.4	59.0	9.2	76	0.1	317.0	39.4	469	4.06	2.2	1.4	1.8	10.5	30	<0.1	<0.1	0.1	117	0.60	0.110
1293021	Soil	4.1	76.0	6.3	134	0.6	48.3	12.0	369	3.62	3.2	1.8	0.7	3.5	31	0.2	0.1	0.1	127	0.32	0.073
1293020	Soil	4.8	76.5	8.7	168	0.7	98.3	18.8	600	4.04	27.8	2.9	2.4	6.6	26	0.3	0.3	0.2	106	0.41	0.075
1293022	Soil	4.5	58.7	10.7	184	0.8	54.9	11.0	349	3.18	5.9	1.4	1.8	2.9	50	0.6	0.2	0.1	90	0.26	0.069
1293024	Soil	5.1	41.0	12.3	101	1.8	34.6	7.3	210	2.77	41.7	1.2	3.9	2.2	28	0.3	1.1	0.2	84	0.16	0.038
1293026	Soil	1.6	58.8	8.6	72	0.1	305.7	38.1	454	4.03	2.4	1.3	<0.5	9.7	30	<0.1	<0.1	0.1	119	0.60	0.112
1293009	Soil	2.4	17.9	6.9	79	0.2	17.1	13.5	552	3.62	9.2	1.0	1.0	3.6	16	0.2	0.4	<0.1	56	0.49	0.041
1293013	Soil	4.5	58.9	7.9	99	0.3	40.8	19.0	658	3.78	26.4	2.0	1.7	4.5	22	0.3	0.4	0.1	112	0.55	0.090
1293014	Soil	3.7	50.0	8.2	70	0.2	38.1	14.8	574	3.51	20.6	1.3	1.8	3.9	24	0.2	0.3	0.1	109	0.36	0.070
1293011	Soil	7.0	53.5	9.6	189	0.9	99.7	17.6	721	4.06	104.4	1.3	1.8	3.3	24	1.0	0.6	0.1	174	0.52	0.068

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000322.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1270324	Soil	26	34	0.56	246	0.027	<1	1.60	0.007	0.09	<0.1	0.02	7.5	<0.1	<0.05	4	<0.5	<0.2
1270326	Soil	11	27	0.36	283	0.034	<1	1.22	0.008	0.08	0.1	0.02	8.2	0.1	<0.05	4	<0.5	<0.2
1270327	Soil	11	31	0.41	227	0.036	<1	1.30	0.009	0.06	0.1	0.01	3.8	<0.1	<0.05	5	<0.5	<0.2
1270321	Soil	20	25	0.39	309	0.028	<1	1.05	0.012	0.07	0.2	0.09	7.4	<0.1	<0.05	3	<0.5	<0.2
1270323	Soil	16	40	0.51	326	0.056	<1	1.92	0.010	0.06	0.1	0.01	5.2	<0.1	<0.05	6	<0.5	<0.2
1270325	Soil	11	26	0.37	278	0.033	<1	1.23	0.007	0.08	0.1	0.02	8.5	<0.1	<0.05	4	<0.5	<0.2
1293033	Soil	11	72	1.27	283	0.171	<1	2.29	0.009	0.42	0.1	0.01	4.3	0.3	<0.05	8	<0.5	<0.2
1293031	Soil	14	53	0.78	516	0.100	<1	1.77	0.009	0.32	0.1	0.01	3.8	0.2	0.06	6	0.8	<0.2
1293032	Soil	9	31	0.56	207	0.086	<1	1.59	0.007	0.11	0.3	0.01	3.2	0.2	<0.05	6	<0.5	<0.2
1270320	Soil	18	30	0.47	388	0.043	<1	1.56	0.010	0.05	0.1	0.03	5.4	<0.1	<0.05	5	<0.5	<0.2
1293030	Soil	16	28	0.41	1374	0.031	<1	1.31	0.008	0.11	<0.1	0.04	4.1	0.1	<0.05	4	<0.5	<0.2
1293029	Soil	12	32	0.48	342	0.058	<1	1.56	0.008	0.10	0.1	0.02	3.3	0.1	<0.05	6	0.7	<0.2
1293023	Soil	22	54	0.37	1831	0.032	<1	1.47	0.010	0.06	0.1	0.12	9.2	0.2	0.07	4	3.3	<0.2
1293035	Soil	24	66	1.15	272	0.139	1	2.12	0.010	0.38	0.2	0.03	4.2	0.3	<0.05	7	<0.5	<0.2
1293028	Soil	14	42	0.50	681	0.074	1	1.40	0.010	0.16	<0.1	0.01	3.3	0.2	0.17	7	2.2	<0.2
1293027	Soil	14	47	0.35	935	0.064	<1	1.24	0.018	0.15	0.2	0.03	4.6	0.1	0.23	5	4.9	<0.2
1293017	Soil	10	32	0.97	368	0.151	<1	1.83	0.015	0.46	0.1	0.02	3.7	0.2	0.06	7	<0.5	<0.2
1293016	Soil	12	33	0.64	362	0.086	<1	1.26	0.010	0.21	0.1	0.01	3.5	0.2	0.07	7	0.6	<0.2
1293018	Soil	14	41	0.48	566	0.053	2	1.29	0.012	0.13	<0.1	0.03	4.2	0.3	0.09	5	1.3	<0.2
1293019	Soil	11	40	0.61	636	0.098	1	1.38	0.021	0.19	0.1	0.02	3.0	0.2	0.21	6	1.5	<0.2
1293025	Soil	24	307	4.10	751	0.392	<1	2.86	0.012	0.78	0.2	<0.01	4.5	1.4	<0.05	10	<0.5	<0.2
1293021	Soil	17	54	1.12	683	0.123	<1	1.92	0.029	0.36	<0.1	0.01	4.3	0.3	0.32	7	2.0	<0.2
1293020	Soil	23	64	1.30	800	0.116	<1	2.08	0.014	0.43	0.1	0.04	7.0	0.4	0.18	7	1.9	<0.2
1293022	Soil	17	43	0.69	483	0.083	<1	1.54	0.025	0.14	0.1	0.02	3.7	0.2	0.22	6	2.1	<0.2
1293024	Soil	11	36	0.33	1146	0.029	<1	1.33	0.008	0.08	0.3	0.04	3.8	0.2	0.07	5	1.3	<0.2
1293026	Soil	26	265	4.05	722	0.385	<1	2.87	0.012	0.77	0.2	<0.01	4.2	1.3	<0.05	10	0.6	<0.2
1293009	Soil	8	25	0.69	311	0.066	1	1.43	0.010	0.23	<0.1	0.02	5.7	0.2	<0.05	6	0.8	<0.2
1293013	Soil	20	39	0.92	535	0.106	1	1.76	0.013	0.37	<0.1	0.05	6.6	0.5	0.07	7	1.2	<0.2
1293014	Soil	15	56	0.98	269	0.103	1	1.77	0.013	0.27	0.2	0.01	4.7	0.3	0.06	7	0.9	<0.2
1293011	Soil	13	115	0.90	875	0.081	<1	1.69	0.010	0.13	0.1	0.03	7.7	0.4	<0.05	7	2.4	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000322.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1293008	Soil	2.5	13.0	7.8	72	0.1	15.5	10.1	404	3.66	8.4	0.9	<0.5	3.0	13	<0.1	0.3	0.1	69	0.31	0.034
1293010	Soil	2.7	48.4	10.2	105	0.5	86.1	22.0	672	4.58	46.2	1.5	3.8	4.9	19	0.2	0.9	<0.1	106	0.72	0.074
1293012	Soil	3.3	48.4	11.5	123	0.9	50.4	11.7	316	3.45	41.3	1.1	2.6	3.0	23	0.6	0.9	0.1	102	0.23	0.045
1293015	Soil	3.2	62.5	5.4	68	0.2	30.7	14.2	400	3.52	4.7	1.8	1.4	4.9	23	<0.1	0.2	0.1	83	0.26	0.049
1293488	Soil	2.0	37.8	8.6	71	0.3	31.8	14.9	655	3.04	11.5	2.2	1.2	4.0	26	0.1	0.4	0.1	75	0.70	0.035
1293115	Soil	1.2	16.5	14.1	68	<0.1	34.5	12.2	260	3.93	3.4	0.4	0.7	3.1	11	<0.1	0.2	0.2	76	0.19	0.039
1293007	Soil	2.6	38.7	11.5	75	0.3	35.7	13.7	558	3.49	24.5	1.8	4.0	4.9	22	0.2	0.5	0.1	78	0.61	0.043
1293006	Soil	2.7	21.7	12.2	72	0.5	16.2	8.1	667	2.61	8.2	1.0	1.2	3.8	15	0.3	0.4	0.2	70	0.31	0.024
1293484	Soil	1.6	14.4	8.8	58	0.1	19.5	7.3	443	3.39	6.3	0.6	1.8	4.6	13	<0.1	0.4	0.2	66	0.20	0.050
1293483	Soil	0.9	7.1	4.3	33	<0.1	9.9	3.6	183	1.69	2.7	0.5	2.2	3.9	11	<0.1	0.2	<0.1	47	0.16	0.027
1293492	Soil	5.9	34.8	10.1	115	0.6	43.8	11.4	397	3.05	63.4	1.1	3.3	2.8	22	0.9	0.7	0.2	103	0.47	0.047
1293491	Soil	2.5	31.2	6.9	118	0.5	43.5	19.4	643	4.05	18.5	1.5	1.5	3.9	23	0.3	0.4	<0.1	103	0.66	0.068
1293490	Soil	1.4	27.4	7.0	69	0.3	24.3	14.0	554	3.16	13.0	1.6	2.6	3.1	31	0.1	0.5	0.1	66	1.12	0.044
1293489	Soil	1.9	33.1	8.8	73	0.3	29.4	13.2	439	3.05	15.6	1.9	2.6	3.3	25	0.1	0.4	0.1	77	0.86	0.040
1293487	Soil	1.7	49.3	16.2	76	0.5	39.7	13.5	476	2.89	19.7	4.1	3.0	3.4	35	0.4	0.4	0.1	67	1.27	0.051
1293485	Soil	0.5	18.5	6.9	60	0.1	48.6	12.5	632	2.31	2.4	4.6	3.6	15.2	60	0.1	0.2	<0.1	42	1.80	0.076
1293486	Soil	0.6	14.3	8.3	56	0.1	28.2	8.7	273	2.06	2.9	2.8	2.0	16.2	27	<0.1	0.2	0.1	47	0.76	0.057
1293494	Soil	3.0	65.0	11.2	97	0.5	45.8	19.6	916	3.57	48.6	2.1	2.3	3.3	34	0.2	0.4	0.1	118	1.05	0.096
1293493	Soil	3.1	50.2	10.4	79	0.4	37.5	14.5	828	3.18	32.8	2.2	2.5	2.2	39	0.4	0.6	0.1	77	1.58	0.069
1293495	Soil	9.0	45.6	10.3	143	0.6	53.9	9.0	240	3.01	34.0	1.1	1.2	3.4	18	0.5	0.4	0.1	88	0.23	0.045
1293496	Soil	4.0	34.2	7.2	67	0.4	33.7	12.3	465	3.03	7.4	1.1	0.9	3.0	19	0.2	0.3	0.1	87	0.34	0.049
1293497	Soil	3.4	49.5	7.7	96	0.3	43.6	16.0	472	3.82	6.8	1.8	1.8	3.9	29	0.1	0.2	0.1	123	0.58	0.066
1293498	Soil	3.3	48.3	6.5	119	0.3	47.9	15.1	533	3.68	23.0	1.2	<0.5	4.1	21	0.2	0.3	0.1	91	0.36	0.044
1293106	Soil	4.7	83.9	8.2	159	0.7	77.8	11.8	244	4.06	5.8	1.9	2.4	3.3	40	0.5	0.2	0.1	134	0.31	0.075
1293500	Soil	3.3	68.5	10.1	131	0.7	68.9	19.2	623	3.80	17.6	2.3	1.4	5.3	39	0.4	0.5	0.1	99	0.49	0.082
1293101	Rock Pulp	1.3	414.7	21.8	158	0.2	204.7	72.0	816	14.88	3.7	1.2	31.9	7.0	15	0.1	0.4	0.1	203	0.28	0.044
1293499	Soil	4.3	43.3	8.8	113	0.8	30.2	8.9	459	2.89	6.6	1.9	<0.5	3.6	37	0.5	0.3	0.2	97	0.30	0.063
1293105	Soil	3.4	24.5	12.1	86	1.1	30.7	4.8	224	2.08	19.4	0.4	0.5	1.2	25	1.0	0.7	0.2	60	0.29	0.052
1293111	Soil	2.0	37.6	10.8	79	0.5	33.1	11.9	559	3.34	17.6	0.7	<0.5	2.3	22	0.3	0.8	0.1	84	0.37	0.054
1293112	Soil	2.7	13.1	8.1	60	0.1	6.1	3.9	303	2.19	3.7	0.9	4.7	4.9	13	<0.1	0.2	0.1	28	0.19	0.026

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000322.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1293008	Soil	6	32	0.73	187	0.099	1	1.53	0.008	0.28	<0.1	<0.01	4.5	0.2	<0.05	7	<0.5	<0.2
1293010	Soil	17	155	1.41	581	0.059	2	2.14	0.012	0.14	<0.1	0.04	12.1	0.3	<0.05	7	1.0	<0.2
1293012	Soil	11	41	0.49	1019	0.072	1	1.63	0.013	0.10	0.1	0.03	5.3	0.3	0.10	6	1.4	<0.2
1293015	Soil	20	52	1.16	576	0.157	1	2.06	0.022	0.49	0.1	0.01	5.0	0.3	0.26	8	0.7	<0.2
1293488	Soil	19	45	0.69	465	0.083	1	1.76	0.017	0.12	0.1	0.04	5.9	0.1	<0.05	6	0.9	<0.2
1293115	Soil	7	67	0.86	99	0.241	<1	2.15	0.010	0.36	0.1	0.01	2.2	0.4	<0.05	11	<0.5	<0.2
1293007	Soil	21	44	0.62	612	0.069	1	1.67	0.014	0.07	0.1	0.05	7.8	0.1	<0.05	6	0.7	<0.2
1293006	Soil	35	33	0.37	382	0.065	2	1.43	0.013	0.10	<0.1	0.02	3.8	0.1	<0.05	7	<0.5	<0.2
1293484	Soil	16	37	0.38	110	0.055	1	1.74	0.010	0.06	0.1	0.05	3.0	0.1	<0.05	8	<0.5	<0.2
1293483	Soil	9	22	0.27	89	0.077	1	0.72	0.009	0.08	0.1	0.01	1.7	0.1	<0.05	6	<0.5	<0.2
1293492	Soil	12	42	0.44	890	0.054	2	1.28	0.012	0.11	0.1	0.03	5.1	0.3	0.06	6	1.2	<0.2
1293491	Soil	15	68	1.04	660	0.124	1	2.12	0.016	0.34	0.1	0.03	6.3	0.3	0.06	7	1.1	<0.2
1293490	Soil	14	36	0.70	766	0.093	2	1.70	0.019	0.14	0.1	0.05	6.7	0.1	0.07	6	1.1	<0.2
1293489	Soil	16	41	0.63	584	0.073	2	1.69	0.021	0.06	0.1	0.04	6.2	0.1	0.05	6	0.7	<0.2
1293487	Soil	29	43	0.62	609	0.051	2	1.57	0.014	0.07	0.1	0.06	7.8	0.1	0.08	5	1.2	<0.2
1293485	Soil	93	74	0.91	211	0.054	4	1.26	0.013	0.09	0.2	0.06	6.2	0.2	0.10	4	<0.5	<0.2
1293486	Soil	49	48	0.67	148	0.057	2	1.39	0.014	0.07	0.2	0.05	5.0	0.1	<0.05	5	<0.5	<0.2
1293494	Soil	15	49	1.07	861	0.083	2	1.77	0.015	0.30	0.1	0.05	7.3	0.4	0.07	7	1.1	<0.2
1293493	Soil	15	34	0.57	832	0.051	2	1.22	0.017	0.11	0.1	0.06	6.2	0.2	0.07	4	1.4	<0.2
1293495	Soil	13	40	0.54	497	0.069	1	1.34	0.014	0.21	0.1	0.02	3.0	0.3	0.23	5	3.6	<0.2
1293496	Soil	10	53	0.90	224	0.101	1	1.66	0.012	0.19	0.1	0.01	3.9	0.2	0.07	7	0.6	<0.2
1293497	Soil	17	62	1.24	713	0.142	1	2.17	0.025	0.39	0.1	0.02	6.0	0.3	0.14	9	0.9	<0.2
1293498	Soil	16	53	1.18	623	0.120	1	1.83	0.012	0.40	<0.1	0.02	5.1	0.4	0.10	8	0.9	<0.2
1293106	Soil	18	105	0.83	800	0.093	<1	1.80	0.023	0.20	0.1	0.02	4.6	0.2	0.28	8	2.6	<0.2
1293500	Soil	20	56	1.18	611	0.113	1	2.11	0.015	0.38	0.1	0.03	7.0	0.3	0.07	7	1.1	<0.2
1293101	Rock Pulp	17	638	0.12	142	0.148	4	3.77	0.013	0.06	<0.1	0.03	38.7	<0.1	<0.05	20	<0.5	<0.2
1293499	Soil	13	40	0.75	722	0.103	<1	1.53	0.030	0.26	0.1	0.02	3.5	0.2	0.27	6	1.5	<0.2
1293105	Soil	7	23	0.20	553	0.045	2	0.64	0.007	0.09	0.1	0.03	2.0	<0.1	<0.05	4	1.0	<0.2
1293111	Soil	7	33	0.56	878	0.028	<1	1.73	0.009	0.07	<0.1	0.02	7.5	0.1	<0.05	5	0.7	<0.2
1293112	Soil	4	11	0.46	222	0.076	1	1.04	0.008	0.31	0.1	<0.01	3.4	0.2	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000322.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1293102	Soil	3.1	66.3	8.9	82	0.2	39.0	16.7	457	3.09	5.9	1.6	0.9	2.9	30	0.3	0.3	0.1	84	0.37	0.070
1293103	Soil	3.8	76.3	8.8	107	0.7	48.8	10.6	338	3.16	3.5	1.7	<0.5	4.6	35	0.2	0.2	0.2	111	0.25	0.059
1293109	Soil	2.8	34.5	12.2	94	0.5	36.4	9.8	257	2.79	7.9	1.1	1.2	4.7	18	0.2	0.3	0.1	65	0.18	0.047
1293113	Soil	2.0	130.0	47.9	79	<0.1	22.5	18.6	668	4.47	1.8	1.5	<0.5	11.5	30	<0.1	0.1	0.5	106	0.51	0.162
1293104	Soil	5.2	64.0	9.3	113	0.5	41.0	12.6	390	3.56	4.4	1.6	<0.5	3.6	47	0.3	0.2	0.2	112	0.36	0.089
1293108	Soil	2.4	46.3	10.0	122	0.3	44.1	9.5	259	3.36	7.1	1.4	<0.5	5.9	29	0.3	0.2	0.2	64	0.15	0.049
1293107	Soil	3.0	51.5	9.4	169	0.6	60.5	10.0	219	2.64	9.5	1.4	<0.5	2.7	30	0.6	0.5	0.1	63	0.26	0.047
1293110	Soil	1.7	23.5	16.6	70	0.3	24.9	9.1	295	2.50	9.9	0.6	<0.5	3.1	21	0.3	0.4	0.1	53	0.25	0.042
1293114	Soil	1.3	52.1	10.8	107	<0.1	56.3	16.1	367	3.36	4.1	1.0	<0.5	5.1	20	0.1	0.2	<0.1	66	0.51	0.152
1290822	Soil	1.5	35.2	9.2	80	0.2	34.2	9.4	232	2.80	7.4	1.3	<0.5	2.9	21	0.3	0.4	0.2	63	0.24	0.071
1290824	Soil	2.3	44.9	11.9	75	0.5	42.2	13.6	461	3.24	11.8	0.9	2.0	6.3	28	0.2	0.7	0.2	65	0.34	0.031
1290823	Soil	1.9	29.2	9.8	100	0.7	29.6	13.2	481	2.74	6.2	0.7	<0.5	3.6	30	0.4	0.4	0.2	60	0.36	0.042
1290820	Soil	1.5	29.3	8.7	78	0.1	39.8	8.8	200	2.76	7.1	1.2	<0.5	3.4	19	0.1	0.2	0.2	74	0.20	0.056
1290821	Soil	1.6	32.7	9.1	86	0.2	30.8	14.1	425	3.64	7.6	1.3	1.0	3.8	20	0.2	0.4	0.2	76	0.22	0.065
1290819	Soil	1.7	35.9	10.3	95	0.3	33.7	10.8	269	3.02	5.0	1.2	<0.5	2.1	19	0.2	0.2	0.2	75	0.16	0.053
1290850	Soil	4.5	54.4	10.5	137	0.5	37.3	21.3	686	3.86	5.8	1.9	1.9	5.1	23	0.2	0.2	0.2	105	0.16	0.063
1290849	Soil	4.2	57.4	10.9	108	0.7	68.5	17.0	1045	3.80	20.1	1.9	7.7	4.7	27	0.3	0.7	0.2	80	0.26	0.084
1290846	Soil	3.5	82.9	12.7	305	0.3	129.5	22.4	401	4.33	3.0	2.6	<0.5	8.9	36	0.5	0.1	0.2	159	0.27	0.073
1290835	Soil	1.0	26.9	12.0	48	0.1	33.7	14.9	698	2.92	9.1	1.7	1.0	13.5	23	0.2	0.5	<0.1	58	0.54	0.045
1290834	Soil	0.9	24.1	6.8	64	0.1	27.9	18.9	418	3.74	7.7	0.5	2.2	4.6	28	<0.1	0.3	<0.1	75	0.57	0.102
1290848	Soil	5.5	63.4	11.1	97	0.6	35.1	8.3	252	2.69	10.7	3.5	5.4	4.1	33	0.7	0.5	0.3	69	0.25	0.077
1290847	Soil	2.5	34.9	13.3	73	0.2	22.9	6.3	270	2.61	11.1	0.8	1.0	1.3	15	0.3	0.4	0.2	87	0.09	0.057
1290830	Soil	1.7	30.1	14.3	66	<0.1	96.1	21.5	668	4.18	4.0	1.6	2.8	17.1	36	<0.1	0.3	<0.1	83	0.56	0.111
1290831	Soil	1.1	13.9	11.0	42	<0.1	22.0	10.2	244	2.96	9.7	0.4	<0.5	2.6	15	<0.1	0.5	0.1	68	0.17	0.040
1290832	Soil	0.9	23.3	8.1	47	<0.1	35.8	13.9	261	2.98	8.7	0.6	1.4	4.0	20	<0.1	0.3	<0.1	60	0.24	0.040
1290833	Soil	1.0	36.5	6.1	68	<0.1	50.7	27.6	571	4.55	7.9	0.6	<0.5	4.5	32	<0.1	0.3	<0.1	87	0.67	0.139
1290844	Soil	2.7	35.1	9.7	61	0.2	28.0	9.5	557	2.81	13.0	0.9	<0.5	2.0	26	0.2	0.5	0.2	83	0.25	0.054
1290845	Soil	2.4	29.7	10.4	68	0.1	38.8	12.1	313	3.23	11.6	1.0	<0.5	3.8	20	0.3	0.5	0.3	81	0.18	0.060
1290841	Soil	2.0	50.4	11.6	116	0.5	20.8	8.8	351	3.28	4.5	1.7	<0.5	6.3	25	0.2	0.3	0.1	93	0.16	0.035
1290829	Soil	1.3	13.5	8.5	51	0.1	31.6	11.4	518	3.69	6.0	0.6	<0.5	4.7	29	<0.1	0.2	0.1	69	0.42	0.101

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000322.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1293102	Soil	12	41	0.88	422	0.117	<1	1.79	0.013	0.29	0.2	0.02	4.1	0.2	0.08	6	1.1	<0.2
1293103	Soil	18	50	1.00	825	0.127	1	1.80	0.028	0.37	<0.1	<0.01	4.4	0.3	0.25	6	2.0	<0.2
1293109	Soil	15	36	0.71	303	0.069	<1	1.59	0.008	0.23	0.1	0.01	3.2	0.2	<0.05	5	0.7	<0.2
1293113	Soil	12	35	1.73	376	0.213	<1	2.60	0.008	1.11	0.2	<0.01	7.3	0.6	<0.05	10	<0.5	<0.2
1293104	Soil	14	43	1.05	672	0.106	<1	1.82	0.015	0.46	0.1	0.01	4.0	0.2	0.16	7	1.7	<0.2
1293108	Soil	19	43	0.94	324	0.073	1	1.83	0.009	0.35	0.1	<0.01	3.4	0.3	0.10	6	0.7	<0.2
1293107	Soil	9	32	0.42	785	0.042	<1	1.34	0.010	0.06	0.2	0.02	3.1	<0.1	<0.05	4	1.6	<0.2
1293110	Soil	11	31	0.49	319	0.045	1	1.28	0.007	0.11	0.2	0.01	2.7	0.1	<0.05	4	<0.5	<0.2
1293114	Soil	14	67	1.12	168	0.101	1	1.92	0.006	0.44	0.2	<0.01	2.6	0.4	<0.05	5	<0.5	<0.2
1290822	Soil	14	43	0.74	158	0.073	1	1.48	0.011	0.11	0.1	0.05	3.2	0.2	<0.05	5	0.6	<0.2
1290824	Soil	23	46	0.59	347	0.063	1	1.89	0.008	0.15	0.2	0.02	7.2	<0.1	<0.05	6	<0.5	<0.2
1290823	Soil	11	33	0.59	634	0.074	1	1.52	0.011	0.25	0.1	0.01	4.4	0.1	<0.05	5	<0.5	<0.2
1290820	Soil	13	61	0.98	165	0.107	2	1.54	0.011	0.23	0.2	0.03	3.0	0.3	0.05	6	<0.5	<0.2
1290821	Soil	13	43	0.76	140	0.086	2	1.67	0.010	0.14	0.1	0.03	3.4	0.2	<0.05	5	1.2	<0.2
1290819	Soil	16	54	0.93	169	0.089	<1	1.67	0.011	0.27	0.1	0.05	3.5	0.3	0.05	7	0.6	<0.2
1290850	Soil	20	56	1.24	378	0.129	<1	2.27	0.016	0.49	<0.1	0.03	5.4	0.4	0.15	8	0.7	<0.2
1290849	Soil	16	44	0.82	528	0.080	<1	1.86	0.008	0.17	0.2	0.03	5.7	0.2	<0.05	5	0.8	<0.2
1290846	Soil	28	94	1.96	894	0.121	1	2.75	0.006	0.74	0.1	<0.01	9.7	0.6	0.09	11	1.6	<0.2
1290835	Soil	57	62	1.02	197	0.112	1	1.87	0.011	0.14	0.3	0.04	5.7	0.2	<0.05	5	<0.5	<0.2
1290834	Soil	10	45	1.68	327	0.140	2	2.29	0.009	0.38	0.1	0.02	3.4	0.3	<0.05	6	<0.5	<0.2
1290848	Soil	18	33	0.58	461	0.054	2	1.58	0.012	0.12	0.1	0.16	4.9	0.2	0.06	5	1.2	<0.2
1290847	Soil	8	32	0.37	263	0.062	1	1.37	0.008	0.07	0.2	0.03	2.4	<0.1	<0.05	7	<0.5	<0.2
1290830	Soil	41	158	1.79	197	0.151	1	2.18	0.014	0.42	0.3	0.02	7.4	0.6	<0.05	8	<0.5	<0.2
1290831	Soil	8	36	0.64	176	0.073	<1	1.78	0.008	0.09	0.2	0.01	2.6	<0.1	<0.05	6	<0.5	<0.2
1290832	Soil	9	53	0.92	172	0.117	1	1.89	0.010	0.14	0.2	0.02	3.0	0.1	<0.05	6	<0.5	<0.2
1290833	Soil	8	68	2.05	454	0.135	1	2.60	0.010	0.43	0.1	0.01	4.6	0.2	<0.05	7	<0.5	<0.2
1290844	Soil	10	35	0.56	354	0.067	<1	1.48	0.008	0.14	0.2	0.01	2.9	0.1	<0.05	6	<0.5	<0.2
1290845	Soil	11	44	0.62	394	0.066	1	2.07	0.008	0.10	0.2	0.01	3.4	0.1	<0.05	6	<0.5	<0.2
1290841	Soil	13	56	1.48	571	0.162	1	2.49	0.011	0.54	<0.1	0.02	5.9	0.4	0.14	8	1.0	<0.2
1290829	Soil	8	45	0.99	258	0.194	<1	1.72	0.010	0.44	0.2	0.02	2.5	0.3	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000322.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1290842	Soil		4.5	149.8	45.1	296	0.3	126.7	21.0	389	4.19	123.3	2.0	3.3	5.5	24	0.5	1.2	0.4	110	0.13	0.050
1290828	Soil		0.9	11.4	7.2	69	<0.1	11.6	13.3	425	4.43	5.2	0.8	0.9	5.9	38	<0.1	0.2	0.1	52	0.57	0.146
1290827	Soil		1.1	20.2	12.2	73	<0.1	19.0	12.0	580	3.72	5.2	1.8	0.7	12.7	36	<0.1	0.3	0.1	45	0.59	0.095
1290839	Soil		1.0	13.0	10.1	53	<0.1	17.1	9.1	272	2.92	8.0	0.4	1.6	2.3	21	0.1	0.4	0.1	83	0.41	0.030
1290840	Soil		2.1	41.8	31.1	95	0.5	31.9	13.1	402	3.94	12.3	1.1	5.2	5.6	24	0.1	0.5	0.3	79	0.24	0.028
1290843	Soil		3.4	30.3	13.5	56	0.5	21.4	7.1	166	3.01	21.8	0.8	4.0	2.8	18	0.3	0.5	0.2	86	0.10	0.048
1290838	Soil		2.0	24.2	12.4	51	0.4	22.1	7.4	316	2.36	21.1	0.6	2.2	2.2	17	0.2	0.5	0.2	58	0.18	0.028
1290826	Soil		1.0	19.8	11.2	71	<0.1	20.0	11.4	538	3.52	4.9	2.1	1.3	14.4	33	0.1	0.2	<0.1	45	0.56	0.079
1290837	Soil		11.8	86.6	41.3	152	0.3	64.3	13.2	688	3.79	37.1	1.3	0.9	2.9	22	0.5	0.7	0.2	112	0.10	0.028
1290836	Soil		4.8	61.4	16.4	85	0.7	55.2	12.9	608	3.32	82.4	1.6	4.6	5.2	23	0.4	1.2	0.2	105	0.43	0.053
1293271	Soil		3.5	61.7	14.7	195	0.9	59.8	6.9	172	2.78	26.9	1.1	5.4	2.5	19	0.9	0.8	0.1	68	0.16	0.050
1293270	Soil		8.3	88.6	13.0	255	1.3	48.8	6.0	217	3.91	36.5	2.5	3.0	4.6	42	0.8	0.7	0.2	111	0.15	0.060
1293274	Soil		2.1	44.9	7.3	60	0.5	15.8	3.6	96	1.68	5.5	1.4	1.8	0.4	22	0.4	0.3	0.1	35	0.22	0.083
1293272	Soil		3.3	65.2	17.2	474	0.8	167.5	26.9	898	3.33	13.8	1.2	0.5	7.0	36	2.2	0.6	0.2	86	0.46	0.119
1293275	Soil		2.6	27.7	11.1	53	0.4	14.5	2.8	78	1.58	6.9	1.0	4.8	1.4	22	0.3	0.2	0.1	37	0.17	0.061
1293273	Soil		2.7	26.2	9.2	56	0.7	12.4	3.6	102	1.61	3.7	0.6	8.0	1.2	23	1.5	0.3	0.1	49	0.21	0.042
1293276	Soil		2.3	34.9	10.5	37	0.4	12.5	2.1	52	1.34	5.8	1.1	2.1	0.5	20	0.2	0.2	0.1	28	0.14	0.050
1293278	Soil		1.9	36.3	8.4	39	0.4	14.4	2.0	40	1.98	10.3	1.3	1.8	0.3	17	0.2	0.2	0.1	25	0.17	0.067
1293279	Soil		1.3	44.1	5.4	22	0.4	9.7	1.6	22	1.47	6.3	1.2	0.9	<0.1	16	0.2	0.2	<0.1	13	0.17	0.068
1293277	Soil		3.1	28.1	11.1	54	0.3	15.2	2.1	56	1.42	9.9	1.3	3.4	0.4	17	0.2	0.2	0.1	37	0.12	0.048
1293280	Soil		3.6	27.1	13.9	74	0.7	22.2	4.7	154	2.52	11.9	0.7	19.8	1.2	20	0.6	0.6	0.2	75	0.18	0.037
1293263	Soil		2.9	73.0	14.7	121	0.7	56.9	13.5	635	3.50	96.6	2.0	7.2	3.8	32	0.4	5.7	0.2	72	0.53	0.048
1293269	Soil		2.7	33.5	8.8	80	0.3	22.8	9.0	434	3.04	7.0	0.9	1.7	2.7	18	0.5	0.4	0.1	85	0.18	0.031
1293268	Soil		2.8	47.9	10.2	71	0.3	25.4	13.5	444	3.89	26.5	1.1	0.7	2.5	28	0.2	0.4	0.1	101	0.38	0.092
1293267	Soil		2.8	51.5	9.8	73	0.2	33.6	16.6	439	4.21	8.7	1.0	<0.5	2.5	32	<0.1	0.2	0.2	100	0.38	0.113
1293266	Soil		2.5	57.2	14.5	69	0.4	42.8	16.5	402	3.50	32.1	1.4	11.5	3.0	20	0.2	0.4	0.2	94	0.20	0.062
1293265	Soil		8.8	48.6	15.0	143	0.6	41.8	5.5	174	3.13	23.6	3.0	1.3	7.8	27	0.4	1.0	0.1	84	0.08	0.039
1293264	Soil		4.0	68.3	23.1	147	1.0	78.3	18.8	1064	4.23	78.6	1.9	4.2	5.0	34	0.5	3.9	0.2	87	0.47	0.071
1293259	Soil		4.5	44.1	17.3	103	1.0	54.0	13.7	330	4.13	64.6	1.0	3.9	3.6	20	0.4	0.9	0.2	92	0.15	0.035
1293260	Soil		3.1	38.0	10.4	94	1.0	48.5	11.3	407	3.31	47.1	1.0	2.1	3.0	21	0.5	1.0	0.1	76	0.28	0.040

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000322.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1290842	Soil	14	54	0.50	1139	0.045	1	1.50	0.007	0.07	0.1	0.02	7.7	0.3	0.07	5	2.1	<0.2
1290828	Soil	19	24	1.09	338	0.196	1	2.28	0.009	0.39	0.2	0.02	2.8	0.2	<0.05	7	<0.5	<0.2
1290827	Soil	63	35	0.81	249	0.113	1	1.83	0.011	0.24	0.2	0.02	4.7	0.2	<0.05	7	<0.5	<0.2
1290839	Soil	7	31	0.70	353	0.094	<1	1.68	0.010	0.14	0.1	0.01	5.8	0.1	<0.05	6	<0.5	<0.2
1290840	Soil	33	36	0.71	365	0.074	<1	1.93	0.010	0.11	0.2	0.04	8.2	0.2	<0.05	6	1.0	<0.2
1290843	Soil	8	42	0.40	667	0.051	1	1.75	0.007	0.07	0.2	0.03	3.2	0.2	<0.05	6	0.7	<0.2
1290838	Soil	8	27	0.36	696	0.045	2	1.41	0.008	0.05	0.1	0.02	2.8	0.1	<0.05	5	<0.5	<0.2
1290826	Soil	71	34	0.85	248	0.110	1	1.86	0.010	0.21	0.2	0.03	4.7	0.2	<0.05	7	<0.5	<0.2
1290837	Soil	8	33	0.11	1009	0.009	<1	0.61	0.003	0.04	0.1	0.03	6.1	0.2	<0.05	2	4.6	<0.2
1290836	Soil	37	52	0.52	911	0.047	2	1.22	0.010	0.15	0.2	0.08	9.6	0.2	<0.05	4	1.8	<0.2
1293271	Soil	9	33	0.39	482	0.045	<1	1.22	0.010	0.06	0.1	0.03	3.6	0.1	<0.05	4	1.3	<0.2
1293270	Soil	19	39	0.70	517	0.074	<1	1.42	0.018	0.25	0.2	0.03	3.7	0.3	0.38	5	4.6	0.2
1293274	Soil	10	26	0.30	240	0.036	<1	0.99	0.010	0.05	0.1	0.07	2.2	<0.1	0.06	4	1.3	<0.2
1293272	Soil	12	78	0.92	779	0.107	1	1.75	0.013	0.12	0.3	0.02	5.6	0.3	<0.05	6	1.0	<0.2
1293275	Soil	11	29	0.28	247	0.055	<1	0.92	0.008	0.06	0.2	0.08	2.6	0.1	0.06	5	1.3	<0.2
1293273	Soil	8	21	0.18	339	0.047	<1	0.67	0.009	0.07	0.1	0.03	1.8	<0.1	<0.05	5	0.8	<0.2
1293276	Soil	9	24	0.18	227	0.034	<1	0.75	0.007	0.05	0.1	0.08	1.7	<0.1	0.09	4	1.1	<0.2
1293278	Soil	7	20	0.11	148	0.029	<1	0.66	0.006	0.03	0.1	0.07	1.8	0.2	0.07	3	1.5	<0.2
1293279	Soil	6	16	0.06	191	0.011	1	0.53	0.007	0.03	<0.1	0.06	0.8	<0.1	0.11	2	1.5	<0.2
1293277	Soil	9	24	0.20	173	0.029	1	0.72	0.006	0.04	0.1	0.07	1.7	0.1	0.07	5	1.5	<0.2
1293280	Soil	9	30	0.21	583	0.032	<1	0.98	0.008	0.08	<0.1	0.03	2.5	0.2	<0.05	5	0.6	<0.2
1293263	Soil	17	37	0.58	773	0.047	1	1.34	0.014	0.10	0.2	0.07	8.1	0.2	0.06	5	1.3	<0.2
1293269	Soil	11	37	0.78	438	0.104	<1	1.51	0.017	0.25	<0.1	0.01	3.5	0.2	0.09	6	<0.5	<0.2
1293268	Soil	12	45	0.99	362	0.145	1	1.85	0.019	0.37	0.1	0.02	4.2	0.3	0.17	7	0.6	<0.2
1293267	Soil	13	60	1.17	573	0.168	<1	2.03	0.018	0.57	<0.1	<0.01	4.0	0.2	0.22	8	0.7	<0.2
1293266	Soil	13	55	1.02	356	0.122	<1	1.83	0.018	0.52	0.1	0.02	4.2	0.2	0.12	7	0.6	<0.2
1293265	Soil	30	28	0.43	237	0.052	<1	1.30	0.025	0.16	0.2	0.02	2.9	0.2	0.21	4	1.4	<0.2
1293264	Soil	21	68	0.64	947	0.063	2	1.51	0.014	0.12	0.2	0.07	11.0	0.2	<0.05	5	1.5	<0.2
1293259	Soil	10	38	0.43	855	0.038	<1	1.83	0.007	0.06	0.1	0.04	4.8	0.1	<0.05	5	1.8	<0.2
1293260	Soil	13	29	0.38	1055	0.038	<1	1.24	0.009	0.07	0.2	0.06	5.6	0.2	<0.05	4	1.0	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000322.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1293262	Soil		4.0	50.1	19.8	133	0.5	51.7	11.2	350	4.70	81.1	0.8	2.4	3.2	17	0.2	1.9	0.2	88	0.17	0.029
1293286	Soil		3.9	55.9	12.6	62	0.5	33.2	12.5	475	2.37	5.1	5.9	12.1	3.8	51	0.2	0.3	0.2	54	1.10	0.066
1293258	Soil		2.6	31.0	13.7	67	1.3	27.2	7.9	281	3.14	28.0	0.6	2.0	2.3	16	0.2	0.7	0.2	86	0.15	0.033
1293285	Soil		3.4	66.1	26.8	105	0.6	55.0	16.1	392	3.68	3.6	2.1	32.9	6.2	37	<0.1	0.2	0.4	83	0.53	0.058
1293257	Soil		2.4	21.1	14.4	66	0.2	25.3	8.2	317	3.11	38.9	0.6	1.9	2.8	14	0.2	0.7	0.2	76	0.19	0.047
1293256	Soil		1.9	13.7	13.1	57	0.2	17.3	5.5	232	2.61	37.4	0.4	1.4	1.9	15	0.3	0.4	0.1	79	0.19	0.038
1293284	Soil		2.5	28.6	16.2	63	0.3	21.1	9.3	356	2.54	6.7	1.0	23.5	3.5	23	0.2	0.5	0.2	50	0.38	0.050
1293282	Soil		2.1	41.1	11.6	111	0.4	37.6	18.2	544	3.56	7.8	2.0	4.1	7.2	16	0.3	0.2	0.2	73	0.20	0.060
1293281	Soil		2.7	53.5	9.5	140	0.2	46.1	9.4	261	4.32	5.9	1.7	1.6	7.1	23	0.3	0.3	0.2	73	0.16	0.094
1293261	Soil		2.2	18.5	6.6	97	0.3	22.7	11.3	422	3.80	6.4	0.6	1.6	3.0	13	0.3	0.2	0.1	72	0.24	0.039
1293283	Soil		2.7	34.3	8.6	70	0.3	24.8	11.2	405	3.01	5.6	0.6	4.0	2.3	15	0.2	0.3	0.2	74	0.16	0.026
1290943	Soil		4.9	36.9	8.0	110	0.6	33.5	6.5	219	3.00	15.1	0.9	1.4	2.1	24	0.5	0.3	0.2	80	0.23	0.060
1290942	Soil		6.1	87.5	12.0	251	1.6	80.0	14.0	279	5.74	13.1	1.9	1.3	4.3	47	1.0	0.4	0.2	135	0.24	0.088
1290939	Soil		6.8	80.4	10.2	179	1.8	54.8	12.6	504	3.85	9.9	2.0	2.9	3.4	37	0.6	0.2	0.2	111	0.33	0.098
1290941	Soil		3.6	67.3	8.0	235	1.7	62.9	12.7	397	4.07	8.7	1.4	1.9	2.8	36	1.2	0.4	0.1	83	0.29	0.068
1290938	Soil		3.5	38.7	8.5	95	0.8	21.4	4.2	157	2.26	4.4	0.8	1.4	0.9	15	1.3	0.3	0.1	66	0.12	0.044
1290929	Soil		3.9	28.8	11.0	87	0.7	20.1	8.4	375	3.37	27.7	0.8	2.4	2.3	23	0.2	0.5	0.2	113	0.32	0.052
1290931	Soil		3.1	66.3	7.4	110	0.8	35.5	11.0	531	3.05	18.1	1.7	3.2	2.7	40	0.5	0.6	0.1	73	0.80	0.079
1290928	Soil		4.5	57.1	12.0	234	1.1	50.8	19.6	1318	4.20	45.3	1.7	3.5	2.3	33	0.8	0.6	0.2	108	0.51	0.075
1290936	Soil		12.9	32.6	8.4	106	0.7	26.4	24.6	1683	3.76	39.1	1.6	1.6	1.8	49	0.5	0.3	0.2	98	1.16	0.101
1290920	Soil		1.2	31.7	6.9	74	0.2	28.6	10.2	420	2.45	9.6	0.8	2.7	2.8	38	0.4	0.6	0.1	57	0.68	0.073
1290921	Soil		2.5	37.3	8.5	89	0.4	31.1	11.0	365	2.65	16.9	1.1	2.8	2.9	32	0.5	0.7	0.1	62	0.49	0.071
1290924	Soil		2.0	45.9	12.7	141	0.8	54.5	12.9	298	3.74	27.0	1.1	7.0	3.1	23	0.5	0.8	0.2	81	0.33	0.032
1290922	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1290927	Soil		4.5	76.2	11.7	196	1.5	58.6	13.3	264	3.47	20.4	2.3	1.8	4.5	30	0.6	0.3	0.2	86	0.20	0.081
1290926	Soil		19.0	123.6	15.4	511	2.2	97.7	10.3	207	3.83	192.3	2.7	7.1	4.0	27	1.6	1.2	0.2	82	0.14	0.085
1290923	Soil		6.2	108.2	12.8	388	2.4	85.8	14.6	456	4.06	48.8	3.0	4.9	2.4	45	2.8	1.1	0.2	137	0.56	0.100
1290925	Soil		16.8	156.8	18.4	613	1.9	93.1	11.6	299	4.18	148.6	3.0	12.5	4.7	33	1.9	1.0	0.2	85	0.17	0.090
1290940	Soil		4.9	81.5	10.2	166	1.5	53.1	8.9	283	3.46	11.0	1.7	2.4	2.9	43	0.7	0.3	0.2	85	0.60	0.074
1290944	Soil		4.8	34.5	7.8	112	1.4	28.2	8.6	288	2.42	7.6	0.9	1.5	1.7	18	0.7	0.3	0.2	69	0.14	0.052

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000322.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1293262	Soil	9	33	0.36	736	0.028	<1	1.27	0.005	0.08	0.1	0.04	7.1	0.3	<0.05	5	1.2	<0.2
1293286	Soil	24	54	0.87	397	0.084	2	1.38	0.016	0.25	0.1	0.05	4.6	0.2	0.05	5	1.3	<0.2
1293258	Soil	8	37	0.42	395	0.057	<1	1.64	0.008	0.06	0.1	0.04	3.4	0.1	<0.05	6	<0.5	<0.2
1293285	Soil	15	124	1.62	594	0.172	<1	2.25	0.020	0.62	<0.1	0.03	5.6	0.4	0.17	7	0.6	<0.2
1293257	Soil	10	41	0.49	246	0.060	<1	1.41	0.007	0.08	0.1	0.02	3.5	0.1	<0.05	6	<0.5	<0.2
1293256	Soil	8	31	0.39	200	0.072	<1	1.08	0.006	0.08	0.1	0.02	2.6	<0.1	<0.05	6	<0.5	<0.2
1293284	Soil	15	26	0.53	527	0.081	2	1.28	0.016	0.13	0.2	0.04	4.2	0.1	<0.05	5	0.5	<0.2
1293282	Soil	33	43	0.81	458	0.098	2	1.96	0.009	0.21	0.1	0.04	4.7	0.3	<0.05	7	0.5	<0.2
1293281	Soil	29	48	1.15	575	0.078	1	1.97	0.009	0.49	<0.1	0.01	3.3	0.5	0.11	7	1.6	<0.2
1293261	Soil	8	22	0.82	376	0.138	2	1.97	0.010	0.34	0.1	0.02	4.9	0.3	<0.05	6	0.7	<0.2
1293283	Soil	8	34	0.57	299	0.097	1	1.33	0.011	0.21	0.1	0.01	2.9	0.2	0.05	6	0.8	<0.2
1290943	Soil	10	29	0.37	374	0.046	2	0.91	0.014	0.11	0.2	0.03	3.4	0.2	0.13	4	2.3	<0.2
1290942	Soil	24	65	0.64	655	0.076	2	1.63	0.037	0.21	0.1	0.03	5.1	0.3	0.37	8	3.7	<0.2
1290939	Soil	18	47	0.73	677	0.064	1	1.40	0.017	0.16	0.1	0.03	5.2	0.2	0.20	6	4.4	<0.2
1290941	Soil	16	45	0.74	595	0.069	1	1.45	0.020	0.29	0.1	0.03	4.6	0.2	0.24	6	2.8	<0.2
1290938	Soil	10	22	0.13	360	0.044	1	0.68	0.013	0.08	0.1	0.02	2.1	0.1	0.06	5	1.2	<0.2
1290929	Soil	10	34	0.54	357	0.073	1	1.11	0.011	0.06	0.4	0.04	3.2	0.1	<0.05	5	2.1	<0.2
1290931	Soil	14	34	0.64	559	0.067	2	1.11	0.020	0.10	0.3	0.05	4.8	0.2	0.13	4	3.2	<0.2
1290928	Soil	10	44	0.55	580	0.050	2	1.18	0.012	0.06	0.5	0.07	4.9	0.2	0.05	5	2.7	<0.2
1290936	Soil	10	40	0.61	720	0.048	2	1.11	0.012	0.06	0.2	0.05	4.9	0.1	0.10	5	3.6	<0.2
1290920	Soil	12	30	0.56	369	0.072	2	1.25	0.023	0.06	0.2	0.03	3.9	0.1	<0.05	4	0.8	<0.2
1290921	Soil	12	30	0.50	432	0.062	2	1.25	0.017	0.05	0.3	0.04	4.1	<0.1	<0.05	4	1.4	<0.2
1290924	Soil	13	40	0.40	694	0.039	1	1.73	0.011	0.05	0.6	0.05	7.7	0.3	<0.05	6	1.3	<0.2
1290922	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1290927	Soil	18	34	0.74	834	0.063	<1	1.54	0.012	0.20	0.2	0.03	4.5	0.3	0.25	6	3.8	<0.2
1290926	Soil	18	29	0.25	250	0.015	1	0.72	0.004	0.07	0.3	0.03	3.7	0.2	<0.05	3	7.2	0.2
1290923	Soil	14	44	0.48	927	0.032	2	1.32	0.011	0.09	0.7	0.10	6.5	0.2	0.09	5	4.3	<0.2
1290925	Soil	19	34	0.32	327	0.017	1	0.87	0.005	0.09	0.4	0.02	4.9	0.3	0.06	3	8.2	0.3
1290940	Soil	16	41	0.61	616	0.055	2	1.23	0.019	0.17	0.1	0.05	4.6	0.2	0.21	6	3.7	<0.2
1290944	Soil	9	27	0.21	277	0.049	1	0.79	0.018	0.09	<0.1	0.03	2.5	0.2	<0.05	5	1.3	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000322.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1290934	Soil	5.8	116.3	17.1	269	0.7	124.3	23.3	741	5.13	53.1	2.5	4.1	5.7	26	1.1	1.3	0.2	121	0.29	0.082
1290932	Soil	1.9	40.4	35.4	91	0.3	44.6	20.2	343	4.33	9.7	0.8	4.8	4.3	12	0.2	0.4	0.2	73	0.14	0.040
1290930	Soil	6.2	36.7	9.5	70	0.9	19.6	19.1	871	3.08	17.7	1.2	4.2	0.8	26	0.4	0.4	0.2	76	0.46	0.075
1290933	Soil	3.1	59.2	9.7	123	0.3	73.5	16.4	379	4.10	22.6	1.7	2.8	7.2	17	0.4	0.3	0.2	78	0.22	0.069
1290935	Soil	2.2	30.3	13.3	95	0.9	40.7	11.8	307	3.26	34.0	0.6	4.3	2.6	22	0.4	0.6	0.2	74	0.29	0.041
1290937	Soil	3.1	60.9	7.6	149	0.7	51.5	12.2	431	3.41	22.9	1.2	3.2	3.7	29	0.7	0.5	0.1	90	0.43	0.087
1283891	Soil	3.3	59.4	13.4	119	0.7	65.3	20.8	616	4.52	45.5	1.6	4.3	3.8	31	0.6	1.8	0.2	130	0.64	0.107
1283910	Soil	1.4	16.2	12.4	78	0.1	28.7	21.6	1302	3.88	35.8	2.2	2.2	5.9	28	<0.1	1.6	0.3	67	0.70	0.057
1283906	Soil	1.2	13.3	6.2	74	<0.1	31.4	20.4	1078	4.54	12.6	1.9	3.2	9.6	30	0.1	1.3	0.1	84	0.96	0.119
1283900	Soil	1.4	9.7	7.9	35	0.1	11.7	4.7	178	1.84	7.9	4.0	2.4	3.4	41	0.3	0.4	0.1	50	0.58	0.031
1283908	Soil	0.9	22.8	12.3	81	<0.1	36.1	19.6	666	3.63	19.5	2.0	0.7	7.3	37	<0.1	0.9	0.3	52	0.92	0.052
1283909	Soil	1.2	21.0	10.8	66	0.1	32.3	16.3	757	3.32	44.2	2.6	3.7	6.1	40	0.1	1.9	0.2	48	1.06	0.054
1283901	Rock Pulp	1.5	438.3	23.5	172	0.2	216.0	80.1	833	16.17	3.7	1.4	34.7	7.9	18	0.1	0.4	0.3	215	0.30	0.040
1283907	Soil	0.9	29.3	14.7	72	<0.1	62.9	24.7	623	4.61	52.6	4.4	2.7	12.4	40	0.2	1.9	0.3	71	0.59	0.052
1283899	Soil	1.4	13.4	13.9	32	0.2	13.5	7.1	384	2.14	6.0	1.2	3.5	5.8	23	0.1	0.4	0.3	46	0.25	0.024
1283903	Soil	1.4	41.1	29.9	121	0.7	53.7	18.4	641	4.02	190.7	2.2	11.1	7.6	43	0.7	9.3	0.3	59	1.30	0.075
1283904	Soil	0.9	23.0	14.5	50	0.4	21.5	11.1	927	2.51	55.6	1.3	4.4	1.3	67	0.3	2.9	0.1	39	2.15	0.072
1283896	Soil	2.0	34.5	20.3	96	0.3	46.1	14.2	388	3.57	46.7	1.2	6.2	8.5	19	0.3	1.8	0.3	85	0.28	0.053
1283863	Soil	3.3	70.7	13.7	172	0.5	69.1	20.8	668	4.59	60.8	2.1	3.3	5.4	31	1.0	4.7	0.2	110	0.56	0.121
1283902	Soil	2.6	23.7	21.4	99	0.5	36.1	13.6	685	3.35	464.3	1.9	159.8	9.2	23	1.4	4.2	0.2	57	0.27	0.060
1283897	Soil	2.0	20.3	30.6	63	0.2	30.7	12.4	613	3.72	58.9	2.9	6.2	15.0	32	0.2	1.3	0.3	63	0.42	0.042
1283861	Soil	2.6	75.1	12.6	131	0.5	99.0	26.3	826	4.76	67.7	2.8	8.3	6.9	45	0.7	6.1	0.2	127	0.76	0.107
1283893	Soil	2.4	161.0	43.6	341	0.8	226.3	44.5	1189	7.04	171.5	1.9	7.4	10.3	59	3.6	11.4	0.5	198	1.14	0.285
1283895	Soil	2.6	42.2	25.5	127	0.3	53.8	14.5	677	3.88	66.1	1.0	1.1	5.1	22	0.9	3.0	0.3	104	0.29	0.061
1283894	Soil	3.0	24.0	15.1	80	0.4	24.3	5.6	162	2.79	49.2	0.5	2.9	2.4	15	1.0	2.0	0.2	101	0.12	0.032
1283898	Soil	2.5	13.6	17.6	39	<0.1	14.8	6.8	302	2.27	8.9	1.6	1.9	8.4	28	0.2	0.6	0.3	49	0.39	0.030
1283859	Soil	2.5	53.0	13.0	111	0.4	44.5	18.9	1037	4.07	33.4	2.8	4.4	4.3	42	0.7	2.5	0.2	88	1.02	0.105
1283905	Soil	6.2	69.0	18.4	292	0.6	58.8	17.9	710	4.00	51.8	2.8	4.1	4.8	50	1.7	3.9	0.2	111	0.87	0.119
1283862	Soil	3.6	83.8	15.0	178	0.5	74.5	22.1	609	4.71	76.0	2.3	4.9	6.3	37	0.8	5.1	0.2	112	0.53	0.116
1283860	Soil	2.3	65.8	14.3	118	0.4	55.3	19.6	737	4.51	50.4	2.0	4.5	4.8	40	0.6	3.9	0.2	107	0.83	0.151

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000322.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1290934	Soil	16	61	0.79	996	0.043	1	1.77	0.007	0.13	0.4	0.04	8.0	0.5	<0.05	6	1.8	<0.2
1290932	Soil	9	55	0.74	112	0.096	1	2.28	0.009	0.05	0.2	0.04	3.2	0.1	<0.05	7	<0.5	<0.2
1290930	Soil	9	28	0.38	436	0.037	1	0.83	0.010	0.05	0.5	0.08	2.5	0.2	0.10	4	2.4	<0.2
1290933	Soil	23	58	1.06	534	0.052	1	1.84	0.006	0.15	0.1	0.02	5.4	0.3	<0.05	6	1.1	<0.2
1290935	Soil	10	41	0.41	817	0.043	1	1.56	0.011	0.06	0.4	0.03	3.8	0.2	<0.05	5	0.9	<0.2
1290937	Soil	15	46	0.76	780	0.087	1	1.39	0.021	0.13	0.1	0.03	6.2	0.2	0.07	5	1.9	<0.2
1283891	Soil	18	106	1.31	698	0.190	1	2.29	0.013	0.51	0.1	0.05	8.9	0.5	<0.05	10	0.8	<0.2
1283910	Soil	16	58	1.13	136	0.070	1	1.69	0.010	0.17	0.1	0.04	5.8	0.3	<0.05	6	0.6	<0.2
1283906	Soil	33	73	1.46	197	0.102	1	1.79	0.011	0.27	0.2	0.05	8.0	0.3	0.06	7	<0.5	<0.2
1283900	Soil	10	24	0.40	153	0.067	<1	1.03	0.011	0.10	0.1	0.02	2.2	0.2	<0.05	7	<0.5	<0.2
1283908	Soil	25	51	1.05	215	0.085	2	1.72	0.009	0.26	0.1	0.03	4.9	0.3	0.05	7	<0.5	<0.2
1283909	Soil	22	51	0.90	137	0.054	2	1.30	0.011	0.18	0.1	0.04	4.7	0.3	0.06	5	<0.5	<0.2
1283901	Rock Pulp	18	640	0.11	155	0.138	4	3.18	0.012	0.06	<0.1	0.03	40.4	<0.1	<0.05	20	0.6	<0.2
1283907	Soil	42	92	1.30	252	0.090	3	1.93	0.014	0.22	0.1	0.03	7.6	0.3	<0.05	7	<0.5	<0.2
1283899	Soil	28	21	0.38	272	0.068	1	1.10	0.010	0.13	0.2	0.04	2.9	0.2	0.05	6	<0.5	<0.2
1283903	Soil	24	39	0.49	411	0.010	2	0.88	0.006	0.08	0.1	0.28	9.7	0.5	0.10	3	1.0	<0.2
1283904	Soil	14	23	0.37	302	0.011	3	0.63	0.007	0.04	<0.1	0.08	3.5	0.1	0.11	2	1.0	<0.2
1283896	Soil	18	61	0.79	391	0.103	2	1.65	0.008	0.31	0.1	0.02	5.4	0.5	<0.05	7	0.7	<0.2
1283863	Soil	27	71	1.22	639	0.159	<1	2.08	0.010	0.55	0.1	0.05	8.0	0.5	<0.05	8	1.0	<0.2
1283902	Soil	22	35	0.52	272	0.043	<1	1.63	0.008	0.08	0.2	0.24	3.7	0.2	<0.05	6	0.9	<0.2
1283897	Soil	51	44	0.62	1157	0.071	3	1.64	0.009	0.19	0.1	0.06	5.4	0.4	<0.05	7	0.7	<0.2
1283861	Soil	29	122	1.67	684	0.164	<1	2.46	0.017	0.54	0.1	0.06	9.9	0.7	<0.05	8	1.5	<0.2
1283893	Soil	34	305	2.12	861	0.155	1	2.57	0.011	1.24	0.3	0.10	31.8	1.1	<0.05	8	1.5	<0.2
1283895	Soil	13	64	0.81	491	0.122	4	1.64	0.009	0.32	0.1	0.03	5.3	0.5	<0.05	7	0.5	<0.2
1283894	Soil	8	29	0.29	420	0.099	<1	0.90	0.005	0.10	0.2	0.02	2.3	0.3	<0.05	7	<0.5	<0.2
1283898	Soil	25	27	0.38	232	0.069	2	0.97	0.010	0.16	0.1	<0.01	3.1	0.3	<0.05	5	<0.5	<0.2
1283859	Soil	24	53	0.86	458	0.112	<1	1.60	0.009	0.27	0.1	0.07	7.7	0.5	0.08	6	1.5	<0.2
1283905	Soil	21	71	1.12	654	0.155	<1	1.77	0.013	0.68	0.2	0.05	7.0	0.6	0.18	8	3.0	<0.2
1283862	Soil	28	81	1.28	717	0.177	<1	2.10	0.016	0.74	0.1	0.03	7.5	0.5	0.11	8	1.6	<0.2
1283860	Soil	22	72	1.28	613	0.151	<1	2.08	0.013	0.56	0.2	0.05	8.2	0.4	0.11	8	0.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000322.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1293341	Soil	3.5	96.1	12.6	247	1.3	117.4	21.1	628	3.99	56.4	1.9	5.0	3.1	48	1.3	1.0	0.2	68	1.35	0.084
1293343	Soil	3.9	66.4	9.9	211	1.2	61.7	14.5	738	3.37	56.0	2.3	6.0	1.8	46	1.5	0.6	0.1	65	1.11	0.076
1293324	Soil	2.0	18.4	53.4	65	0.5	31.0	12.8	774	3.55	30.5	0.5	4.6	2.9	15	0.3	1.0	0.3	71	0.15	0.053
1293331	Soil	3.0	62.6	45.2	127	1.1	86.0	19.7	582	3.52	77.2	3.0	3.0	4.1	28	0.6	0.8	0.3	91	0.69	0.061
1293335	Soil	2.7	44.3	8.6	93	0.7	31.9	9.2	485	2.57	62.3	2.1	3.2	2.9	49	0.4	0.5	0.2	55	1.81	0.065
1293347	Soil	13.9	31.8	12.5	88	0.5	22.8	7.4	275	2.97	35.3	1.1	3.2	2.7	38	0.1	0.5	0.1	87	0.53	0.052
1293337	Soil	3.1	62.3	11.9	66	0.3	93.9	18.5	397	3.60	5.7	1.9	1.3	5.2	24	0.5	0.2	0.1	93	0.30	0.054
1293325	Soil	3.3	31.6	12.6	122	0.1	41.1	15.6	543	3.35	40.7	0.9	11.4	3.8	23	0.2	0.3	0.1	92	0.36	0.062
1293326	Soil	2.8	29.3	12.6	106	0.2	33.5	14.1	519	3.11	37.2	0.9	1.9	4.2	21	0.2	0.3	0.2	89	0.33	0.055
1293329	Soil	2.7	25.9	13.1	95	0.4	27.4	7.4	182	2.62	35.5	0.9	1.1	1.8	18	0.1	0.4	0.2	86	0.18	0.054
1293339	Soil	14.1	35.7	9.0	40	0.7	9.4	1.8	88	1.58	5.1	1.6	0.6	1.4	20	0.2	0.2	0.1	67	0.14	0.039
1293327	Soil	2.8	16.7	39.5	53	0.2	14.5	4.5	159	2.13	24.9	0.5	1.7	1.7	9	0.2	0.7	0.3	85	0.06	0.037
1293351	Rock Pulp	2.6	24.8	2.3	41	0.3	22.0	10.7	364	2.32	4.6	0.2	0.9	0.8	35	0.3	0.3	<0.1	53	0.65	0.057
1293338	Soil	9.7	78.0	13.1	186	0.6	56.3	16.2	681	3.98	45.4	3.3	1.3	3.9	38	0.4	0.7	0.2	128	0.34	0.053
1293328	Soil	2.8	21.9	17.8	79	0.4	21.4	9.9	373	2.79	44.9	0.9	2.0	1.5	16	0.2	0.4	0.2	90	0.22	0.064
1293330	Soil	3.0	40.0	20.2	92	0.6	37.5	12.5	397	2.86	34.0	1.3	4.0	2.7	18	0.3	0.5	0.2	81	0.22	0.052
1293332	Soil	2.2	20.5	13.4	113	0.5	27.3	12.9	515	3.97	11.8	0.7	1.4	2.4	15	0.4	0.5	0.3	81	0.19	0.034
1293346	Soil	4.0	68.9	13.8	113	0.5	46.4	14.2	421	3.34	27.2	3.1	2.8	4.4	50	0.6	0.9	0.2	77	0.84	0.073
1293348	Soil	3.9	21.3	8.4	73	0.3	21.3	6.6	228	1.96	13.0	0.8	3.3	1.7	22	0.2	0.3	0.1	52	0.45	0.054
1293350	Soil	2.6	37.9	11.1	89	0.4	35.7	12.3	491	2.80	16.2	1.2	2.7	2.8	34	0.3	0.6	0.1	71	0.66	0.062
1293342	Soil	5.9	99.0	12.2	225	1.6	80.4	14.4	559	3.70	33.1	3.7	4.2	3.6	39	1.1	0.5	0.2	96	0.88	0.072
1293344	Soil	4.3	42.8	8.7	83	0.3	31.5	13.2	416	3.16	14.0	1.8	1.1	3.3	31	0.2	0.4	0.1	86	0.64	0.065
1293336	Soil	7.5	100.9	11.5	133	0.7	59.2	19.9	879	4.00	33.5	4.1	0.6	3.5	36	0.9	0.3	0.2	123	0.75	0.095
1293334	Soil	5.2	35.9	10.3	100	0.3	32.7	7.0	262	3.15	6.5	1.1	<0.5	2.4	16	0.1	0.2	0.1	84	0.21	0.059
1293345	Soil	3.5	52.7	9.6	103	0.3	38.8	11.9	379	3.03	16.8	2.3	3.3	3.8	34	0.4	0.6	0.2	81	0.70	0.072
1293349	Soil	2.7	59.5	9.8	89	0.7	36.2	11.0	583	2.44	16.2	1.4	3.5	1.6	39	0.4	0.7	0.1	57	0.94	0.073
1293333	Soil	2.7	37.4	6.0	86	0.2	31.4	12.9	276	4.10	12.5	0.7	<0.5	2.4	13	<0.1	0.2	<0.1	99	0.14	0.040
1293340	Soil	7.0	73.1	13.1	242	0.8	83.2	16.5	278	3.60	51.5	2.6	2.1	3.0	28	1.1	1.0	0.1	82	0.42	0.057
1270012	Soil	1.2	69.6	13.9	64	<0.1	34.8	16.4	450	3.81	9.4	0.6	4.9	3.7	27	<0.1	0.4	0.1	105	0.54	0.037
1270001	Rock Pulp	1.5	432.3	18.7	149	0.2	215.2	76.5	784	15.33	3.2	1.0	33.3	6.2	13	<0.1	0.3	0.1	226	0.29	0.039

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000322.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1293341	Soil	15	40	0.68	979	0.040	5	1.15	0.013	0.09	0.2	0.07	6.9	0.3	0.10	4	2.7	<0.2
1293343	Soil	12	32	0.55	692	0.042	2	1.13	0.013	0.09	0.2	0.07	6.1	0.2	<0.05	4	2.7	<0.2
1293324	Soil	10	40	0.48	204	0.040	<1	1.75	0.007	0.04	0.2	0.03	3.4	<0.1	<0.05	6	<0.5	<0.2
1293331	Soil	34	74	0.87	565	0.091	<1	1.88	0.011	0.18	0.2	0.07	5.2	0.2	0.07	7	1.3	<0.2
1293335	Soil	14	36	0.49	817	0.031	3	0.78	0.011	0.12	<0.1	0.08	5.3	0.2	0.11	3	3.0	<0.2
1293347	Soil	10	40	0.69	384	0.078	1	1.04	0.016	0.11	0.2	0.03	3.6	0.2	0.09	5	2.4	<0.2
1293337	Soil	14	80	1.56	303	0.205	1	1.88	0.013	0.32	0.3	0.05	3.5	0.4	0.18	8	0.8	<0.2
1293325	Soil	11	80	1.07	201	0.088	<1	1.64	0.011	0.16	0.1	0.02	4.3	0.1	<0.05	6	<0.5	<0.2
1293326	Soil	11	66	0.89	174	0.066	<1	1.40	0.008	0.10	0.2	0.02	3.7	<0.1	0.06	6	0.6	<0.2
1293329	Soil	11	51	0.63	161	0.062	1	1.30	0.009	0.10	0.1	0.05	3.0	0.1	0.10	6	<0.5	<0.2
1293339	Soil	10	31	0.27	296	0.058	<1	0.55	0.010	0.13	0.2	0.02	2.0	0.1	0.24	3	2.6	<0.2
1293327	Soil	11	21	0.19	134	0.054	<1	0.83	0.006	0.04	0.2	0.02	2.1	<0.1	<0.05	7	<0.5	<0.2
1293351	Rock Pulp	3	31	0.72	91	0.088	4	1.28	0.068	0.11	12.4	0.02	3.8	<0.1	<0.05	5	<0.5	<0.2
1293338	Soil	18	68	0.67	516	0.082	2	1.21	0.021	0.16	0.1	0.03	4.8	0.2	0.22	5	3.7	<0.2
1293328	Soil	10	43	0.61	170	0.048	<1	1.27	0.007	0.04	0.2	0.04	3.0	0.1	0.12	6	0.9	<0.2
1293330	Soil	14	51	0.64	284	0.075	2	1.23	0.009	0.13	0.1	0.03	3.9	0.1	0.13	6	0.6	<0.2
1293332	Soil	7	47	0.72	276	0.119	1	1.54	0.010	0.20	0.1	0.02	2.6	0.2	<0.05	8	<0.5	<0.2
1293346	Soil	16	42	0.71	456	0.078	2	1.33	0.024	0.08	0.2	0.04	5.0	0.1	0.19	5	1.7	<0.2
1293348	Soil	9	30	0.45	283	0.063	3	0.82	0.014	0.11	0.2	0.04	2.6	0.2	0.11	4	1.7	<0.2
1293350	Soil	12	36	0.57	807	0.061	2	1.37	0.021	0.05	0.3	0.04	4.6	<0.1	<0.05	4	1.0	<0.2
1293342	Soil	19	46	0.76	804	0.052	2	1.30	0.016	0.17	0.1	0.06	6.8	0.4	0.24	5	3.5	<0.2
1293344	Soil	14	43	0.82	361	0.100	1	1.54	0.023	0.08	0.1	0.04	4.8	0.2	<0.05	6	2.0	<0.2
1293336	Soil	17	59	1.03	727	0.090	1	1.56	0.022	0.37	0.1	0.03	6.6	0.4	0.26	6	3.3	<0.2
1293334	Soil	12	40	0.58	370	0.117	2	1.14	0.016	0.28	0.3	0.03	3.4	0.2	0.14	7	1.3	<0.2
1293345	Soil	15	44	0.77	387	0.094	1	1.43	0.024	0.11	0.2	0.04	5.3	0.2	0.05	5	1.5	<0.2
1293349	Soil	11	29	0.45	1076	0.040	2	1.01	0.017	0.04	0.3	0.07	3.9	<0.1	0.07	4	1.4	<0.2
1293333	Soil	10	47	0.90	310	0.139	1	2.17	0.016	0.20	0.1	0.03	4.0	0.2	0.12	8	0.6	<0.2
1293340	Soil	12	40	0.42	655	0.039	1	1.15	0.011	0.14	0.1	0.03	5.0	0.3	0.16	4	3.2	<0.2
1270012	Soil	16	52	1.03	211	0.127	<1	2.35	0.032	0.06	0.2	0.04	9.1	<0.1	<0.05	8	<0.5	<0.2
1270001	Rock Pulp	16	723	0.13	143	0.166	4	3.93	0.013	0.06	<0.1	0.04	38.7	0.1	<0.05	20	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000322.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1270010	Soil	1.3	76.7	32.2	83	0.3	34.5	15.4	622	3.85	17.9	0.8	5.6	3.2	41	0.1	1.6	0.1	96	0.82	0.064
1270011	Soil	1.2	90.4	13.0	72	0.2	36.9	15.5	714	3.78	24.1	0.7	3.1	3.5	36	0.1	0.7	0.1	105	0.78	0.050
1270014	Soil	1.0	50.9	10.1	75	0.3	34.2	13.4	366	2.85	26.3	1.2	1.8	3.0	42	0.3	0.8	0.1	80	0.83	0.067
1270013	Soil	1.0	12.5	9.5	87	<0.1	14.1	10.9	412	4.37	8.1	0.3	<0.5	3.4	19	<0.1	0.4	0.1	100	0.29	0.066
1271349	Soil	2.2	60.5	13.0	128	0.2	54.6	14.9	669	3.79	33.0	1.5	4.3	5.0	25	0.3	1.4	0.1	113	0.30	0.048
1270007	Soil	2.0	42.9	16.2	108	0.2	55.2	13.6	405	3.39	58.8	0.9	<0.5	5.2	19	0.3	1.7	0.1	98	0.33	0.036
1270008	Soil	1.4	37.5	9.2	68	0.2	55.2	10.3	364	2.86	31.3	0.8	1.1	3.2	22	<0.1	0.7	0.1	92	0.38	0.028
1270009	Soil	0.3	107.3	8.5	76	0.2	40.2	24.5	738	4.65	6.4	0.4	3.8	1.1	96	<0.1	0.1	0.3	148	1.18	0.094
1271348	Soil	3.0	44.2	29.7	162	0.4	46.4	17.1	1104	3.92	55.8	1.0	1.7	3.1	23	1.1	2.0	0.1	110	0.27	0.091
1271347	Soil	2.2	17.2	18.3	172	0.6	24.3	11.1	1181	3.49	22.8	0.4	<0.5	1.5	20	2.0	1.4	0.2	86	0.27	0.090
1270006	Soil	2.3	38.4	13.4	109	0.3	43.1	12.4	391	2.79	46.0	0.7	2.5	3.5	21	0.5	1.8	0.1	94	0.37	0.047
1271338	Soil	3.0	64.3	15.7	152	0.2	61.5	16.7	502	4.09	136.7	1.3	2.1	6.7	20	0.3	1.8	0.1	141	0.44	0.081
1271346	Soil	1.6	62.2	17.0	405	0.2	162.9	20.4	889	4.52	118.7	1.2	3.3	5.7	18	1.7	3.1	0.1	126	0.36	0.047
1270004	Soil	2.6	36.3	14.5	127	0.2	53.8	13.8	423	3.50	64.4	0.6	<0.5	3.2	16	0.3	1.8	0.1	101	0.22	0.032
1270005	Soil	2.6	58.4	20.2	137	0.3	65.1	17.1	683	4.25	104.4	1.2	5.5	5.3	30	0.3	2.9	0.1	136	0.59	0.106
1271344	Soil	4.9	104.6	53.2	363	0.6	77.2	14.0	690	3.50	145.8	2.0	7.6	4.1	23	2.3	6.6	0.2	133	0.13	0.045
1271350	Soil	1.9	32.5	21.6	118	0.5	46.8	12.2	382	3.50	98.1	0.6	3.6	3.1	16	0.7	1.9	0.1	88	0.18	0.027
1270003	Soil	2.2	49.1	14.6	137	0.2	58.8	11.9	344	3.22	110.9	0.8	<0.5	3.7	14	0.4	2.6	0.1	105	0.18	0.028
1270002	Soil	2.0	61.8	25.1	158	0.3	108.7	17.2	583	4.27	253.1	1.0	3.4	5.2	17	0.4	5.6	0.1	117	0.23	0.030
1271345	Soil	3.0	71.8	13.6	206	0.3	66.3	13.2	631	3.50	74.3	1.8	3.2	4.1	22	0.8	1.9	0.1	106	0.32	0.085

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

CERTIFICATE OF ANALYSIS WHI12000322.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1270010	Soil		15	47	1.00	579	0.082	<1	2.08	0.028	0.13	0.2	0.06	8.5	0.2	<0.05	8	<0.5	<0.2
1270011	Soil		15	50	0.94	569	0.111	1	2.16	0.026	0.11	0.2	0.06	7.6	0.1	<0.05	8	<0.5	<0.2
1270014	Soil		15	43	0.71	407	0.097	1	1.65	0.024	0.10	0.2	0.06	5.9	0.2	<0.05	6	<0.5	<0.2
1270013	Soil		7	30	0.87	156	0.121	<1	2.41	0.010	0.17	0.1	0.02	5.1	0.2	<0.05	11	<0.5	<0.2
1271349	Soil		20	75	1.02	707	0.150	<1	2.33	0.016	0.26	0.2	0.04	9.1	0.3	<0.05	8	0.7	<0.2
1270007	Soil		15	71	0.89	282	0.130	<1	2.08	0.011	0.26	0.2	0.02	6.0	0.3	<0.05	8	<0.5	<0.2
1270008	Soil		13	91	0.92	655	0.114	<1	1.82	0.025	0.11	0.1	0.03	5.9	0.2	<0.05	7	<0.5	<0.2
1270009	Soil		9	69	2.03	380	0.291	<1	3.20	0.056	0.29	<0.1	0.02	8.2	0.2	<0.05	14	<0.5	<0.2
1271348	Soil		14	65	0.82	770	0.142	1	1.92	0.011	0.26	0.2	0.03	5.5	0.4	0.07	8	0.8	<0.2
1271347	Soil		9	37	0.32	317	0.064	<1	1.36	0.009	0.08	0.1	0.03	2.7	0.2	<0.05	8	<0.5	<0.2
1270006	Soil		12	55	0.63	268	0.087	<1	1.52	0.013	0.15	0.2	0.03	4.4	0.2	<0.05	5	<0.5	<0.2
1271338	Soil		21	89	1.30	540	0.115	<1	2.87	0.009	0.57	0.5	0.02	9.0	0.5	<0.05	10	<0.5	<0.2
1271346	Soil		24	182	1.44	994	0.108	<1	2.66	0.009	0.17	<0.1	0.05	12.0	0.3	<0.05	10	<0.5	<0.2
1270004	Soil		12	71	0.74	332	0.112	<1	1.97	0.010	0.23	0.1	0.02	5.3	0.3	<0.05	7	<0.5	<0.2
1270005	Soil		19	81	1.15	942	0.155	<1	2.36	0.028	0.39	0.2	0.08	10.1	0.5	<0.05	9	0.6	<0.2
1271344	Soil		18	62	0.71	352	0.097	<1	1.77	0.009	0.15	0.2	0.14	7.4	0.8	0.07	7	1.5	0.2
1271350	Soil		10	54	0.61	568	0.076	<1	2.17	0.009	0.10	0.1	0.02	4.4	0.2	<0.05	7	<0.5	<0.2
1270003	Soil		12	68	0.75	303	0.097	<1	1.75	0.007	0.17	0.2	0.01	5.3	0.4	<0.05	6	0.7	<0.2
1270002	Soil		21	127	1.31	678	0.155	<1	2.66	0.009	0.24	0.1	0.11	8.9	0.6	<0.05	9	<0.5	<0.2
1271345	Soil		18	73	0.96	425	0.138	<1	1.92	0.013	0.39	0.1	0.06	7.4	0.6	<0.05	7	1.0	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

QUALITY CONTROL REPORT WHI12000322.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
1284027	Soil	1.2	22.3	10.4	67	0.2	17.9	9.0	446	2.91	117.9	5.0	9.4	5.4	32	0.3	44.1	0.2	67	0.43	0.061
REP 1284027	QC	1.3	22.0	10.6	66	0.2	17.4	9.0	444	2.94	120.3	4.8	8.8	5.3	32	0.3	44.3	0.2	67	0.42	0.060
1284031	Soil	1.3	16.3	11.0	98	0.3	17.1	11.9	1022	3.92	68.9	5.2	11.1	16.0	29	0.3	2.7	0.3	76	0.49	0.099
REP 1284031	QC	1.4	16.9	11.3	101	0.3	17.8	12.5	1051	4.05	71.0	5.2	12.6	16.2	30	0.3	2.6	0.4	75	0.50	0.102
1290982	Soil	0.9	24.0	10.1	78	<0.1	40.6	17.8	407	3.87	4.6	0.6	8.6	3.5	23	<0.1	0.1	0.1	72	0.46	0.041
REP 1290982	QC	0.9	24.2	9.9	77	<0.1	41.9	18.0	408	3.91	4.6	0.6	5.1	3.6	23	<0.1	0.2	0.1	74	0.48	0.040
1290984	Soil	0.8	41.5	10.0	62	0.2	36.9	15.4	324	3.62	4.1	1.2	3.9	5.4	43	<0.1	0.2	0.1	65	1.03	0.031
REP 1290984	QC	0.8	42.8	10.0	63	0.2	38.1	15.6	329	3.65	4.2	1.3	2.1	5.5	43	<0.1	0.2	0.1	65	1.04	0.031
1270313	Soil	0.8	20.7	3.7	51	<0.1	27.1	24.0	477	4.02	4.6	0.3	0.7	2.3	31	<0.1	0.2	<0.1	94	0.56	0.075
REP 1270313	QC	0.9	20.7	3.6	53	<0.1	26.7	23.8	464	4.03	4.7	0.3	<0.5	2.0	31	<0.1	0.2	<0.1	91	0.54	0.075
1270312	Soil	1.2	24.1	8.6	42	<0.1	21.7	13.1	235	2.82	7.7	0.7	1.4	3.7	21	<0.1	0.4	0.2	62	0.26	0.036
REP 1270312	QC	1.1	24.8	8.4	43	<0.1	21.5	12.9	228	2.75	7.9	0.7	1.4	3.6	21	<0.1	0.4	0.2	63	0.25	0.036
1293024	Soil	5.1	41.0	12.3	101	1.8	34.6	7.3	210	2.77	41.7	1.2	3.9	2.2	28	0.3	1.1	0.2	84	0.16	0.038
REP 1293024	QC	5.2	42.2	13.0	103	1.8	35.8	7.6	214	2.90	43.2	1.2	4.6	2.2	29	0.3	1.1	0.2	86	0.17	0.038
1293026	Soil	1.6	58.8	8.6	72	0.1	305.7	38.1	454	4.03	2.4	1.3	<0.5	9.7	30	<0.1	<0.1	0.1	119	0.60	0.112
REP 1293026	QC	1.5	57.7	8.7	70	0.1	302.0	38.5	446	4.05	2.2	1.3	<0.5	9.8	30	<0.1	<0.1	0.1	118	0.58	0.110
1293102	Soil	3.1	66.3	8.9	82	0.2	39.0	16.7	457	3.09	5.9	1.6	0.9	2.9	30	0.3	0.3	0.1	84	0.37	0.070
REP 1293102	QC	3.1	65.3	8.8	82	0.2	39.2	16.4	443	3.00	5.8	1.6	0.8	2.9	30	0.2	0.3	0.1	82	0.35	0.073
1293103	Soil	3.8	76.3	8.8	107	0.7	48.8	10.6	338	3.16	3.5	1.7	<0.5	4.6	35	0.2	0.2	0.2	111	0.25	0.059
REP 1293103	QC	3.7	78.6	9.0	107	0.8	47.7	10.5	340	3.21	3.5	1.7	1.3	4.6	35	0.2	0.2	0.2	108	0.25	0.058
1290838	Soil	2.0	24.2	12.4	51	0.4	22.1	7.4	316	2.36	21.1	0.6	2.2	2.2	17	0.2	0.5	0.2	58	0.18	0.028
REP 1290838	QC	1.8	24.1	12.7	53	0.4	22.3	7.6	319	2.40	20.6	0.6	1.6	2.2	17	0.2	0.5	0.2	58	0.19	0.028
1290826	Soil	1.0	19.8	11.2	71	<0.1	20.0	11.4	538	3.52	4.9	2.1	1.3	14.4	33	0.1	0.2	<0.1	45	0.56	0.079
REP 1290826	QC	1.0	20.0	11.6	72	<0.1	20.4	11.7	546	3.57	5.1	2.1	2.8	14.4	34	0.1	0.2	0.1	47	0.58	0.082
1290942	Soil	6.1	87.5	12.0	251	1.6	80.0	14.0	279	5.74	13.1	1.9	1.3	4.3	47	1.0	0.4	0.2	135	0.24	0.088
REP 1290942	QC	6.1	88.7	12.0	252	1.5	81.7	14.4	286	5.78	12.9	2.0	<0.5	4.4	46	1.2	0.4	0.2	136	0.23	0.089
1290939	Soil	6.8	80.4	10.2	179	1.8	54.8	12.6	504	3.85	9.9	2.0	2.9	3.4	37	0.6	0.2	0.2	111	0.33	0.098
REP 1290939	QC	7.2	82.6	10.1	185	1.8	57.1	13.0	516	4.01	10.0	2.1	2.0	3.4	37	0.5	0.3	0.2	115	0.35	0.102

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

QUALITY CONTROL REPORT WHI12000322.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
1284027	Soil	32	32	0.54	408	0.069	2	1.79	0.011	0.08	0.1	0.05	5.7	0.2	<0.05	7	<0.5	<0.2
REP 1284027	QC	32	32	0.55	402	0.070	2	1.82	0.012	0.08	0.1	0.04	5.6	0.2	<0.05	8	0.6	<0.2
1284031	Soil	41	30	0.70	589	0.129	2	2.20	0.015	0.30	0.2	0.08	7.0	0.7	<0.05	9	<0.5	<0.2
REP 1284031	QC	41	31	0.70	585	0.132	2	2.25	0.015	0.30	0.2	0.06	7.2	0.7	<0.05	9	<0.5	<0.2
1290982	Soil	14	65	1.19	243	0.150	2	1.99	0.013	0.30	0.2	0.02	3.2	0.2	<0.05	8	<0.5	<0.2
REP 1290982	QC	14	68	1.20	246	0.155	2	1.99	0.013	0.30	0.2	0.02	3.3	0.2	<0.05	8	<0.5	<0.2
1290984	Soil	23	58	0.86	286	0.144	2	1.77	0.014	0.27	0.1	0.03	3.2	0.3	<0.05	8	<0.5	<0.2
REP 1290984	QC	23	59	0.83	284	0.146	1	1.72	0.013	0.26	0.1	0.04	3.3	0.3	<0.05	8	<0.5	<0.2
1270313	Soil	5	64	2.37	378	0.230	<1	2.67	0.013	0.36	0.1	<0.01	2.6	0.1	<0.05	7	<0.5	<0.2
REP 1270313	QC	5	64	2.45	398	0.228	<1	2.73	0.009	0.35	0.1	0.01	2.6	0.1	<0.05	7	<0.5	<0.2
1270312	Soil	12	39	0.86	260	0.077	<1	2.23	0.010	0.05	0.2	0.02	4.0	0.2	<0.05	6	<0.5	<0.2
REP 1270312	QC	12	39	0.86	260	0.076	<1	2.21	0.009	0.06	0.2	0.02	3.8	0.2	<0.05	5	<0.5	<0.2
1293024	Soil	11	36	0.33	1146	0.029	<1	1.33	0.008	0.08	0.3	0.04	3.8	0.2	0.07	5	1.3	<0.2
REP 1293024	QC	12	36	0.34	1176	0.028	<1	1.34	0.009	0.08	0.3	0.03	3.9	0.2	0.08	6	1.6	<0.2
1293026	Soil	26	265	4.05	722	0.385	<1	2.87	0.012	0.77	0.2	<0.01	4.2	1.3	<0.05	10	0.6	<0.2
REP 1293026	QC	26	263	4.04	729	0.385	<1	2.85	0.013	0.76	0.2	<0.01	4.2	1.4	<0.05	10	<0.5	<0.2
1293102	Soil	12	41	0.88	422	0.117	<1	1.79	0.013	0.29	0.2	0.02	4.1	0.2	0.08	6	1.1	<0.2
REP 1293102	QC	12	41	0.91	416	0.115	1	1.74	0.012	0.28	0.1	0.02	3.8	0.2	0.06	7	1.2	<0.2
1293103	Soil	18	50	1.00	825	0.127	1	1.80	0.028	0.37	<0.1	<0.01	4.4	0.3	0.25	6	2.0	<0.2
REP 1293103	QC	18	49	0.97	862	0.127	<1	1.81	0.027	0.35	0.2	0.03	4.4	0.3	0.27	7	1.5	<0.2
1290838	Soil	8	27	0.36	696	0.045	2	1.41	0.008	0.05	0.1	0.02	2.8	0.1	<0.05	5	<0.5	<0.2
REP 1290838	QC	8	27	0.36	684	0.045	<1	1.42	0.008	0.05	0.2	0.02	2.8	0.1	<0.05	5	0.5	<0.2
1290826	Soil	71	34	0.85	248	0.110	1	1.86	0.010	0.21	0.2	0.03	4.7	0.2	<0.05	7	<0.5	<0.2
REP 1290826	QC	71	36	0.84	251	0.114	<1	1.93	0.011	0.22	0.2	0.03	4.9	0.2	<0.05	7	<0.5	<0.2
1290942	Soil	24	65	0.64	655	0.076	2	1.63	0.037	0.21	0.1	0.03	5.1	0.3	0.37	8	3.7	<0.2
REP 1290942	QC	23	66	0.64	644	0.078	1	1.69	0.038	0.20	0.1	0.03	5.3	0.3	0.35	8	4.1	<0.2
1290939	Soil	18	47	0.73	677	0.064	1	1.40	0.017	0.16	0.1	0.03	5.2	0.2	0.20	6	4.4	<0.2
REP 1290939	QC	18	49	0.73	686	0.065	2	1.46	0.017	0.17	0.2	0.05	5.1	0.3	0.21	6	4.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

QUALITY CONTROL REPORT WHI12000322.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
1283863	Soil	3.3	70.7	13.7	172	0.5	69.1	20.8	668	4.59	60.8	2.1	3.3	5.4	31	1.0	4.7	0.2	110	0.56	0.121
REP 1283863	QC	2.9	68.8	14.3	175	0.5	69.7	20.8	669	4.56	61.2	2.0	6.1	5.6	31	0.8	5.1	0.1	111	0.55	0.127
1283902	Soil	2.6	23.7	21.4	99	0.5	36.1	13.6	685	3.35	464.3	1.9	159.8	9.2	23	1.4	4.2	0.2	57	0.27	0.060
REP 1283902	QC	2.7	23.0	21.7	99	0.5	35.6	13.3	681	3.36	451.0	1.9	164.9	9.2	23	1.2	4.1	0.2	57	0.29	0.060
1293345	Soil	3.5	52.7	9.6	103	0.3	38.8	11.9	379	3.03	16.8	2.3	3.3	3.8	34	0.4	0.6	0.2	81	0.70	0.072
REP 1293345	QC	3.4	51.7	9.5	102	0.3	38.4	11.8	371	2.98	16.3	2.3	2.7	3.8	33	0.4	0.6	0.1	79	0.69	0.073
1293349	Soil	2.7	59.5	9.8	89	0.7	36.2	11.0	583	2.44	16.2	1.4	3.5	1.6	39	0.4	0.7	0.1	57	0.94	0.073
REP 1293349	QC	3.0	59.2	9.9	89	0.7	35.8	11.2	588	2.43	15.9	1.5	2.8	1.6	39	0.3	0.6	0.1	57	0.97	0.070
Reference Materials																					
STD DS9	Standard	13.3	103.8	123.7	295	1.8	40.8	7.4	570	2.29	22.4	2.4	125.6	5.7	68	2.0	5.2	5.8	40	0.69	0.079
STD DS9	Standard	13.5	107.3	125.5	314	1.9	41.8	7.9	604	2.40	23.9	2.4	126.0	5.7	72	2.0	5.4	5.7	46	0.77	0.087
STD DS9	Standard	13.4	94.8	120.5	292	1.7	41.3	7.9	579	2.33	21.5	2.4	104.5	5.5	67	1.8	4.7	5.1	38	0.72	0.078
STD DS9	Standard	14.2	103.0	114.8	297	1.7	41.7	7.9	574	2.35	23.6	2.5	116.6	5.9	59	2.3	4.7	5.3	46	0.72	0.075
STD DS9	Standard	12.5	106.5	124.1	294	1.8	39.0	7.4	564	2.28	25.3	2.7	117.1	6.3	72	2.2	5.9	7.0	39	0.68	0.080
STD DS9	Standard	12.6	106.8	123.1	300	1.9	39.9	7.3	569	2.28	26.0	2.7	117.3	6.3	71	2.4	5.9	6.5	40	0.68	0.080
STD DS9	Standard	13.0	109.6	124.8	314	1.9	40.7	7.6	581	2.28	25.3	2.7	177.4	6.2	78	2.4	6.0	6.8	41	0.70	0.082
STD DS9	Standard	12.9	105.0	127.2	301	1.9	39.8	7.6	585	2.35	25.9	2.8	122.2	6.6	82	2.5	5.9	6.9	42	0.75	0.077
STD DS9	Standard	12.5	111.8	127.6	306	1.9	41.7	7.8	587	2.41	27.3	2.9	122.9	6.4	75	2.4	6.5	7.3	41	0.69	0.083
STD DS9	Standard	14.1	101.7	133.3	300	1.9	42.1	8.0	582	2.37	25.9	2.4	115.4	5.5	72	2.1	5.2	5.6	45	0.74	0.080
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

QUALITY CONTROL REPORT WHI12000322.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
1283863	Soil	27	71	1.22	639	0.159	<1	2.08	0.010	0.55	0.1	0.05	8.0	0.5	<0.05	8	1.0	<0.2
REP 1283863	QC	27	73	1.26	668	0.159	<1	2.09	0.011	0.57	0.2	0.04	8.1	0.5	0.07	9	1.4	<0.2
1283902	Soil	22	35	0.52	272	0.043	<1	1.63	0.008	0.08	0.2	0.24	3.7	0.2	<0.05	6	0.9	<0.2
REP 1283902	QC	21	35	0.50	265	0.042	<1	1.63	0.008	0.08	0.2	0.24	4.0	0.2	<0.05	6	0.8	<0.2
1293345	Soil	15	44	0.77	387	0.094	1	1.43	0.024	0.11	0.2	0.04	5.3	0.2	0.05	5	1.5	<0.2
REP 1293345	QC	15	43	0.77	385	0.094	1	1.41	0.023	0.11	0.2	0.04	5.3	0.2	0.05	5	1.6	<0.2
1293349	Soil	11	29	0.45	1076	0.040	2	1.01	0.017	0.04	0.3	0.07	3.9	<0.1	0.07	4	1.4	<0.2
REP 1293349	QC	11	29	0.46	1084	0.040	2	1.02	0.016	0.04	0.2	0.07	3.9	<0.1	0.06	4	1.6	<0.2
Reference Materials																		
STD DS9	Standard	13	129	0.61	272	0.115	3	0.89	0.085	0.35	3.1	0.21	2.3	5.4	0.18	5	5.0	5.2
STD DS9	Standard	13	138	0.64	307	0.121	3	0.97	0.086	0.39	3.3	0.21	2.5	5.7	0.18	5	5.3	4.8
STD DS9	Standard	12	125	0.61	283	0.107	2	0.89	0.079	0.35	3.0	0.21	2.3	5.6	0.16	5	5.3	5.3
STD DS9	Standard	13	128	0.62	290	0.110	2	0.92	0.077	0.34	3.0	0.21	2.5	5.7	0.18	5	4.7	5.1
STD DS9	Standard	12	116	0.62	295	0.104	2	0.91	0.089	0.36	3.0	0.21	2.6	5.5	0.15	4	4.9	5.0
STD DS9	Standard	13	119	0.60	286	0.106	2	0.87	0.088	0.37	3.0	0.20	2.9	5.3	0.16	4	5.6	4.9
STD DS9	Standard	13	120	0.60	309	0.114	3	0.92	0.091	0.38	3.2	0.22	3.1	5.6	0.15	5	5.2	5.7
STD DS9	Standard	14	121	0.62	324	0.121	2	1.01	0.116	0.42	3.2	0.20	3.5	5.5	0.20	5	4.9	4.9
STD DS9	Standard	12	128	0.65	297	0.106	2	0.92	0.084	0.38	3.1	0.22	2.4	5.5	0.18	5	4.7	4.9
STD DS9	Standard	13	128	0.64	305	0.113	3	0.94	0.093	0.36	3.2	0.22	2.5	5.8	0.17	5	5.5	5.1
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	0.06	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

QUALITY CONTROL REPORT WHI12000322.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
BLK	Blank	<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 25, 2012

QUALITY CONTROL REPORT WHI12000322.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 12, 2012
Report Date: July 27, 2012
Page: 1 of 12

CERTIFICATE OF ANALYSIS WHI12000323.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 320

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	315	Dry at 60C sieve 100g to -80 mesh			WHI
Dry at 60C	320	Dry at 60C			WHI
1DX2	320	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000323.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1271339	Soil	1.9	49.1	10.2	96	0.2	43.9	12.3	480	4.04	82.5	1.2	4.4	7.2	25	0.2	1.5	0.2	116	0.43	0.090
1271340	Soil	1.3	42.9	10.4	101	0.2	39.8	16.4	609	4.60	30.1	1.0	5.9	7.9	63	0.2	1.0	0.1	149	0.73	0.120
1271341	Soil	2.2	40.3	9.4	99	0.2	48.7	17.0	447	3.33	34.2	0.7	5.3	3.2	20	0.2	1.2	0.1	107	0.34	0.039
1271342	Soil	2.1	47.9	16.0	146	0.2	60.5	14.1	419	3.58	58.9	0.8	3.0	3.9	21	0.4	2.4	0.1	102	0.30	0.047
1271343	Soil	4.8	79.5	12.8	265	0.3	65.4	11.0	356	3.61	71.2	2.1	5.0	4.6	23	0.9	3.4	0.1	188	0.27	0.070
1271336	Soil	1.4	66.8	8.1	77	0.3	40.4	15.0	582	3.57	30.0	1.4	11.6	3.7	43	<0.1	0.9	0.1	93	0.72	0.089
1271337	Soil	0.9	96.5	9.3	89	0.3	37.9	23.5	641	5.04	37.1	0.5	6.3	2.4	57	<0.1	0.8	<0.1	162	0.90	0.103
1271335	Soil	1.3	28.8	6.4	95	<0.1	24.5	12.9	600	4.09	22.2	0.5	3.1	4.3	28	0.1	0.6	<0.1	98	0.61	0.122
1271334	Soil	1.6	61.8	14.2	107	0.2	40.6	16.9	793	4.57	23.7	0.9	3.9	3.8	33	0.2	0.7	0.2	139	0.76	0.105
1271332	Soil	1.2	27.9	9.2	94	0.2	27.0	20.6	876	3.39	20.1	1.4	5.4	3.6	34	0.2	0.8	0.1	90	0.54	0.073
1271333	Soil	0.9	16.1	5.1	148	<0.1	17.0	13.6	777	5.34	10.2	0.5	1.5	6.0	29	<0.1	0.3	<0.1	121	0.89	0.194
1270720	Soil	1.1	26.5	5.3	49	<0.1	33.9	19.4	704	3.70	5.4	1.6	2.6	3.9	78	<0.1	0.7	<0.1	74	1.69	0.101
1270721	Soil	0.9	35.0	14.0	58	0.2	48.0	17.4	623	3.87	10.7	2.5	1.7	8.5	55	0.1	0.4	0.2	74	1.62	0.049
1270723	Soil	1.8	23.8	25.2	46	0.3	20.0	9.7	277	2.59	3.9	1.2	1.1	12.3	17	<0.1	0.2	0.4	64	0.32	0.028
1270722	Soil	1.3	16.7	16.7	51	<0.1	22.2	10.6	336	2.90	6.3	1.1	1.6	15.3	18	<0.1	0.4	0.2	61	0.29	0.026
1270727	Soil	1.4	24.8	9.7	61	<0.1	23.1	18.2	555	3.65	5.5	1.4	2.0	9.1	18	<0.1	0.2	0.2	71	0.38	0.055
1270724	Soil	1.7	25.2	22.9	64	0.2	26.5	14.3	401	3.31	6.5	1.1	3.2	10.8	16	<0.1	0.4	0.4	58	0.27	0.026
1270701	Rock Pulp	1.6	470.3	17.9	159	0.2	233.4	82.4	867	16.49	2.8	1.1	33.8	6.3	14	<0.1	0.3	0.1	246	0.32	0.045
1270395	Soil	1.9	59.1	6.9	118	0.3	43.0	15.1	326	2.89	27.0	1.2	27.7	1.9	23	0.7	0.8	0.1	81	0.33	0.092
1270396	Soil	0.7	20.7	7.1	49	0.2	16.3	3.9	100	1.46	9.7	0.6	3.0	0.4	17	0.2	0.4	0.1	37	0.23	0.059
1270397	Soil	2.1	24.4	8.8	112	0.4	29.1	13.3	414	3.04	24.9	0.8	2.5	1.8	23	0.3	1.0	0.1	87	0.32	0.088
1270398	Soil	2.5	32.2	12.4	107	0.3	26.5	17.5	904	3.64	42.9	1.2	5.1	1.8	20	0.3	1.4	0.1	89	0.31	0.080
1270399	Soil	2.9	35.7	14.0	152	0.4	37.7	14.0	454	3.03	33.4	1.2	3.0	1.9	19	0.7	1.1	0.1	78	0.29	0.104
1270400	Soil	3.5	25.4	13.9	93	0.5	22.3	6.4	227	3.12	37.4	0.6	2.8	2.1	14	0.6	1.2	0.2	113	0.14	0.042
1270702	Soil	1.8	60.4	8.0	135	0.7	71.9	20.7	946	3.40	25.3	1.7	4.4	2.4	41	0.8	0.7	<0.1	91	1.17	0.068
1270703	Soil	2.8	48.2	35.4	339	0.6	67.7	20.9	1104	4.73	136.3	1.1	6.9	3.1	26	2.2	2.8	0.1	111	0.72	0.111
1270704	Soil	2.1	47.3	20.8	188	0.4	53.1	22.5	748	4.71	38.9	2.5	5.2	3.8	30	0.9	1.3	0.1	129	0.78	0.147
1270705	Soil	2.4	54.2	15.1	127	0.4	56.5	24.9	926	4.69	36.7	1.3	7.8	2.9	23	0.4	0.9	0.1	143	0.61	0.113
1270706	Soil	2.6	74.0	9.9	69	0.9	50.1	29.7	1300	4.08	36.0	1.5	7.3	3.8	19	0.2	0.7	0.2	119	0.32	0.048
1270707	Soil	1.9	18.2	13.8	64	0.1	27.2	11.5	336	3.76	28.0	0.7	2.3	5.0	18	0.3	0.6	0.2	98	0.29	0.033

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000323.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1271339	Soil	19	60	1.08	731	0.148	1	2.53	0.017	0.55	0.2	0.02	8.5	0.5	<0.05	10	<0.5	<0.2
1271340	Soil	20	56	1.29	846	0.234	2	3.26	0.052	0.49	0.2	0.06	8.3	0.6	0.06	11	0.6	<0.2
1271341	Soil	12	62	0.79	276	0.125	2	2.02	0.016	0.16	0.2	0.02	5.3	0.3	0.05	7	0.6	<0.2
1271342	Soil	14	68	0.81	398	0.112	2	2.05	0.014	0.16	0.2	0.03	6.1	0.4	0.05	7	<0.5	<0.2
1271343	Soil	19	71	0.78	248	0.092	1	1.74	0.010	0.22	0.1	0.05	6.6	0.5	0.12	7	1.9	<0.2
1271336	Soil	15	51	0.88	429	0.117	2	2.00	0.035	0.19	0.2	0.06	7.4	0.2	<0.05	7	<0.5	<0.2
1271337	Soil	12	56	1.63	954	0.190	1	3.29	0.054	0.57	0.1	0.04	10.6	0.4	<0.05	12	<0.5	<0.2
1271335	Soil	13	37	0.87	380	0.094	<1	1.98	0.018	0.20	0.1	0.01	5.8	0.2	<0.05	9	<0.5	<0.2
1271334	Soil	18	61	1.48	781	0.135	1	2.59	0.023	0.25	0.4	0.07	10.8	0.3	<0.05	10	<0.5	<0.2
1271332	Soil	19	45	0.73	575	0.096	2	2.18	0.019	0.07	0.2	0.06	6.4	0.2	0.09	8	<0.5	<0.2
1271333	Soil	24	28	1.12	555	0.088	<1	1.88	0.018	0.25	<0.1	0.02	11.0	0.2	<0.05	13	<0.5	<0.2
1270720	Soil	36	69	1.16	423	0.049	4	1.71	0.016	0.18	0.1	0.06	8.3	0.2	0.07	6	<0.5	<0.2
1270721	Soil	72	76	1.02	387	0.067	3	1.91	0.015	0.16	0.1	0.06	8.3	0.3	<0.05	7	<0.5	<0.2
1270723	Soil	26	41	0.78	173	0.103	2	1.59	0.010	0.23	0.1	0.03	3.8	0.3	<0.05	7	<0.5	<0.2
1270722	Soil	36	41	0.77	200	0.080	2	1.64	0.009	0.11	0.2	0.02	4.2	0.2	<0.05	6	<0.5	<0.2
1270727	Soil	24	52	1.14	197	0.115	2	2.11	0.012	0.18	0.2	0.02	4.1	0.3	0.06	7	<0.5	<0.2
1270724	Soil	18	38	0.89	170	0.088	2	2.07	0.013	0.10	0.1	0.03	4.0	0.2	<0.05	6	<0.5	<0.2
1270701	Rock Pulp	17	799	0.15	155	0.181	5	4.70	0.015	0.07	<0.1	0.03	41.5	0.1	<0.05	23	<0.5	<0.2
1270395	Soil	13	39	0.57	565	0.078	2	1.59	0.019	0.11	0.2	0.09	4.5	0.6	0.10	6	1.6	<0.2
1270396	Soil	9	32	0.34	193	0.054	2	1.01	0.011	0.07	0.1	0.09	2.3	0.2	0.10	6	1.1	<0.2
1270397	Soil	13	45	0.54	373	0.082	2	1.39	0.016	0.13	0.2	0.09	3.9	0.6	0.10	6	1.3	<0.2
1270398	Soil	14	46	0.51	394	0.078	2	1.51	0.012	0.11	0.2	0.08	4.4	0.7	0.11	6	1.1	<0.2
1270399	Soil	14	44	0.49	296	0.078	2	1.27	0.014	0.15	0.2	0.08	4.5	0.6	0.10	6	0.9	<0.2
1270400	Soil	11	33	0.27	151	0.122	1	1.00	0.010	0.11	0.1	0.03	2.6	0.5	0.09	8	<0.5	<0.2
1270702	Soil	20	62	0.90	876	0.130	2	1.85	0.021	0.23	0.2	0.08	5.7	0.5	0.16	8	1.1	<0.2
1270703	Soil	15	73	0.85	628	0.102	2	1.77	0.019	0.21	0.2	0.09	8.3	0.8	0.09	7	0.8	<0.2
1270704	Soil	22	74	1.41	660	0.191	2	2.46	0.020	0.57	0.1	0.05	9.3	0.5	0.10	10	1.1	<0.2
1270705	Soil	20	81	1.43	810	0.199	2	2.41	0.018	0.48	0.2	0.03	8.6	0.4	0.11	10	0.6	<0.2
1270706	Soil	34	79	0.87	679	0.145	2	2.37	0.019	0.17	0.1	0.06	9.6	0.3	0.08	10	0.6	<0.2
1270707	Soil	15	49	0.63	277	0.110	1	2.06	0.011	0.14	0.1	0.02	4.4	0.2	0.05	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000323.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1270708	Soil	2.0	15.9	14.4	57	0.3	25.0	10.4	299	3.48	21.1	1.0	1.7	7.3	19	0.2	0.6	0.3	80	0.32	0.029
1270709	Soil	1.5	15.7	17.0	64	0.2	26.9	12.0	559	3.66	13.8	0.7	3.4	5.5	14	0.6	0.5	0.3	89	0.19	0.028
1270710	Soil	1.2	13.2	12.8	64	<0.1	28.5	14.1	409	4.24	12.5	1.1	2.2	7.4	13	<0.1	0.4	0.3	78	0.19	0.037
1270711	Soil	1.3	13.0	20.7	65	<0.1	22.6	11.5	391	3.94	25.9	0.9	2.6	6.5	11	0.1	0.6	0.2	80	0.15	0.047
1270712	Soil	0.9	18.0	10.4	73	0.2	27.3	15.3	478	3.28	6.3	5.6	4.0	14.7	42	0.1	0.3	0.2	70	1.18	0.073
1270713	Soil	1.3	19.2	7.7	74	0.1	25.2	15.7	776	2.91	11.8	1.0	2.5	2.8	45	0.2	0.4	0.1	75	1.10	0.073
1270714	Soil	1.0	28.4	17.2	59	<0.1	38.6	21.7	725	4.25	10.3	1.8	1.8	5.7	62	<0.1	0.5	0.2	93	1.50	0.071
1270715	Soil	0.8	33.5	23.8	56	<0.1	39.2	21.4	816	3.98	8.4	1.9	1.4	5.5	69	0.2	0.4	0.1	86	1.74	0.083
1270716	Soil	1.1	31.7	12.2	69	<0.1	47.6	21.6	550	4.50	15.2	1.9	2.9	8.3	45	0.1	0.6	0.1	86	1.01	0.089
1270717	Soil	2.1	44.8	13.3	89	0.1	64.6	26.2	735	6.09	51.3	1.5	6.1	13.7	30	0.3	1.0	<0.1	109	0.65	0.139
1270718	Soil	1.6	35.4	13.6	80	<0.1	44.6	22.8	672	5.30	17.5	1.7	0.9	10.2	44	0.2	0.6	0.1	87	1.07	0.085
1270719	Soil	1.4	34.4	13.4	68	<0.1	42.7	20.7	651	4.45	19.4	1.7	1.5	10.3	40	<0.1	0.6	0.1	77	0.83	0.061
1284995	Soil	0.9	34.1	11.7	68	0.1	45.7	19.6	742	3.71	9.9	1.7	4.2	7.0	44	0.3	1.3	0.1	75	1.03	0.082
1284994	Soil	1.3	42.4	12.9	87	0.2	41.5	14.5	582	3.41	82.5	1.8	12.3	5.4	44	0.2	2.3	0.2	73	1.02	0.095
1284996	Soil	0.8	33.8	10.1	60	0.1	34.5	16.5	661	3.22	9.6	1.9	8.9	5.5	58	0.3	1.1	0.2	65	1.25	0.079
1283494	Soil	3.4	69.2	20.2	187	0.7	98.2	24.4	1048	4.46	63.1	4.4	6.2	6.5	61	1.6	2.6	0.2	120	1.37	0.101
1284990	Soil	2.7	54.3	30.6	152	0.7	46.6	13.9	510	3.58	61.8	2.6	2.5	4.2	52	1.1	2.2	0.3	88	1.43	0.091
1284989	Soil	4.2	89.5	19.0	307	1.0	114.4	28.5	989	6.53	73.6	2.3	8.5	9.0	25	2.0	7.1	0.5	134	0.69	0.164
1283493	Soil	3.9	67.4	16.0	161	0.4	64.6	25.6	867	5.47	107.2	1.7	2.8	5.0	28	0.6	3.7	0.2	161	0.66	0.138
1284993	Soil	1.0	22.4	10.7	58	0.2	28.0	14.5	850	2.99	13.6	4.6	4.5	6.8	96	0.2	0.9	0.2	53	1.79	0.076
1283496	Soil	1.5	49.4	21.9	67	0.3	77.4	26.3	626	4.52	26.6	3.2	4.6	25.0	73	0.2	1.0	0.3	104	1.35	0.084
1283497	Soil	1.1	29.4	16.4	63	0.2	52.1	18.1	777	3.16	13.2	4.7	2.0	11.7	81	0.4	0.6	0.4	76	1.84	0.071
1283499	Soil	1.6	19.4	19.0	66	0.2	19.8	10.9	750	2.46	7.6	13.8	6.7	18.7	77	0.3	0.4	0.3	42	1.45	0.058
1283500	Soil	1.2	17.8	14.8	48	0.2	25.1	12.0	632	2.63	15.4	5.0	5.2	12.1	82	0.3	0.7	0.3	45	1.66	0.053
1284978	Soil	1.8	30.1	30.6	85	0.5	34.8	13.8	558	3.47	157.8	1.7	18.7	5.2	32	0.3	2.9	0.2	70	0.70	0.045
1284991	Soil	2.2	47.3	33.8	91	0.6	43.5	16.7	702	3.46	102.0	4.6	27.7	4.7	51	0.5	3.4	0.2	76	1.49	0.054
1283495	Soil	3.9	54.1	22.0	180	0.7	66.2	20.5	683	4.33	78.3	2.5	9.5	7.7	34	0.7	3.3	0.3	109	0.75	0.106
1283492	Soil	3.9	77.7	14.0	204	1.2	66.0	21.8	744	5.28	127.2	2.4	2.9	6.1	26	1.8	3.2	0.2	134	0.55	0.122
1284988	Soil	3.8	58.0	17.0	129	0.2	48.6	26.1	1098	5.82	46.7	1.4	2.4	5.0	31	0.3	3.6	0.2	144	0.73	0.154
1284955	Soil	12.1	105.3	53.7	495	0.6	120.4	21.3	1541	6.51	2498	3.5	12.0	3.7	31	5.2	20.7	0.4	127	0.39	0.145

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000323.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1270708	Soil	17	39	0.53	223	0.097	2	1.71	0.013	0.14	0.1	0.03	3.9	0.2	0.07	8	<0.5	<0.2
1270709	Soil	12	46	0.60	206	0.088	2	2.41	0.015	0.08	0.1	0.02	4.1	0.2	0.06	9	<0.5	<0.2
1270710	Soil	14	44	0.74	153	0.109	1	2.30	0.011	0.16	0.2	0.02	4.8	0.3	<0.05	9	<0.5	<0.2
1270711	Soil	17	37	0.52	126	0.088	2	1.85	0.010	0.12	0.2	0.03	4.3	0.3	0.05	9	<0.5	<0.2
1270712	Soil	70	47	0.97	314	0.095	3	1.89	0.020	0.22	0.2	0.06	8.0	0.4	0.10	7	<0.5	<0.2
1270713	Soil	13	50	0.73	291	0.071	2	1.55	0.018	0.06	0.2	0.06	5.0	0.2	0.08	5	<0.5	<0.2
1270714	Soil	39	85	1.14	442	0.067	2	1.92	0.011	0.19	0.2	0.07	9.6	0.2	<0.05	7	<0.5	<0.2
1270715	Soil	65	79	1.16	497	0.063	3	1.92	0.013	0.19	0.1	0.06	9.3	0.2	<0.05	6	<0.5	<0.2
1270716	Soil	30	87	1.36	395	0.103	2	2.15	0.014	0.47	0.1	0.04	9.4	0.3	<0.05	7	<0.5	<0.2
1270717	Soil	37	97	0.89	294	0.071	1	1.55	0.009	0.46	2.3	0.05	15.3	0.3	<0.05	6	<0.5	<0.2
1270718	Soil	31	57	0.96	338	0.075	2	1.68	0.011	0.34	0.2	0.05	10.6	0.3	<0.05	6	<0.5	<0.2
1270719	Soil	37	57	0.87	377	0.064	2	1.70	0.013	0.21	0.2	0.05	9.8	0.2	<0.05	6	<0.5	<0.2
1284995	Soil	21	64	0.77	403	0.075	3	1.71	0.023	0.11	0.2	0.07	8.9	0.2	<0.05	5	0.6	<0.2
1284994	Soil	19	43	0.72	305	0.075	3	1.36	0.026	0.11	0.2	0.05	7.9	0.3	<0.05	4	0.8	<0.2
1284996	Soil	18	39	0.64	461	0.074	3	1.60	0.026	0.09	0.2	0.05	7.3	0.1	<0.05	5	<0.5	<0.2
1283494	Soil	24	107	1.52	790	0.134	2	2.18	0.024	0.42	0.1	0.09	10.2	0.8	<0.05	8	1.8	<0.2
1284990	Soil	23	50	0.81	1261	0.089	3	1.49	0.010	0.32	0.1	0.06	6.3	0.4	0.10	7	1.2	<0.2
1284989	Soil	39	96	1.18	417	0.140	1	2.15	0.008	0.40	0.2	0.14	12.8	0.9	<0.05	8	1.3	0.2
1283493	Soil	27	93	1.58	983	0.184	2	2.63	0.010	0.49	0.2	0.04	11.5	0.6	<0.05	11	0.8	<0.2
1284993	Soil	42	44	0.72	460	0.041	3	1.15	0.012	0.15	0.1	0.08	8.7	0.2	0.10	4	0.7	<0.2
1283496	Soil	62	158	1.51	529	0.112	1	2.22	0.014	0.47	0.1	0.06	18.0	0.6	<0.05	8	<0.5	<0.2
1283497	Soil	35	125	1.20	551	0.083	3	1.69	0.015	0.20	0.1	0.07	10.2	0.4	0.07	6	<0.5	<0.2
1283499	Soil	57	32	0.62	208	0.050	3	1.30	0.017	0.15	<0.1	0.08	6.3	0.2	0.15	5	<0.5	<0.2
1283500	Soil	33	43	0.66	413	0.059	4	1.20	0.014	0.20	0.1	0.07	6.0	0.3	0.12	4	<0.5	<0.2
1284978	Soil	17	46	0.58	302	0.049	2	1.43	0.016	0.10	0.1	0.07	7.5	0.4	0.07	5	<0.5	<0.2
1284991	Soil	19	47	0.65	414	0.044	3	1.39	0.016	0.08	<0.1	0.14	9.5	0.4	0.10	5	1.1	<0.2
1283495	Soil	18	74	1.01	601	0.088	2	1.85	0.010	0.30	0.1	0.08	8.5	0.6	<0.05	7	1.2	<0.2
1283492	Soil	39	65	1.33	1045	0.189	1	2.71	0.010	0.45	0.2	0.10	10.0	0.5	<0.05	11	1.1	<0.2
1284988	Soil	15	74	1.71	672	0.227	<1	2.77	0.010	0.68	0.2	0.03	9.6	0.5	<0.05	13	<0.5	<0.2
1284955	Soil	16	55	0.42	820	0.032	2	1.66	0.008	0.12	0.3	0.09	8.9	0.5	<0.05	5	2.2	0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000323.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1284987	Soil		4.4	87.6	19.6	197	0.7	68.0	23.5	1001	5.62	119.9	2.0	5.4	5.1	38	1.2	6.1	0.3	131	0.88	0.143
1283498	Soil		1.2	20.3	16.0	51	0.2	21.9	11.1	1169	2.50	32.6	17.1	5.5	10.1	103	0.2	0.8	0.3	38	2.14	0.077
1284952	Soil		2.8	44.8	20.9	110	0.4	48.5	18.0	1010	3.96	42.7	5.7	7.8	16.3	54	1.1	2.1	0.2	75	1.06	0.079
1284992	Soil		1.7	28.4	13.6	88	0.1	56.6	23.6	764	5.12	29.1	2.1	9.6	17.7	26	0.2	2.0	0.2	89	0.61	0.092
1284954	Soil		1.9	36.4	24.3	78	0.4	51.3	18.1	665	4.00	122.4	2.8	13.2	5.0	52	0.6	3.2	0.2	93	1.12	0.043
1284953	Soil		2.3	42.4	17.9	91	0.4	47.9	17.2	914	3.75	477.4	4.4	54.1	8.0	76	0.6	3.0	0.2	76	1.68	0.064
1293473	Soil		6.6	86.1	12.9	88	2.1	25.6	6.2	171	3.84	7.0	3.2	2.2	7.2	40	0.3	0.3	0.2	89	0.26	0.057
1293467	Soil		11.5	155.9	11.4	182	1.2	66.6	19.5	411	5.68	24.6	4.1	2.1	4.6	48	0.5	0.3	0.2	147	0.21	0.105
1293377	Soil		13.1	65.3	13.4	201	1.5	57.6	7.4	138	3.55	22.3	1.6	<0.5	3.1	28	1.0	0.7	0.2	122	0.19	0.064
1293468	Soil		8.3	72.1	10.7	113	0.8	40.7	8.0	280	3.86	17.4	2.2	<0.5	3.3	37	0.4	0.3	0.1	116	0.26	0.114
1293464	Soil		3.4	25.0	9.3	147	0.3	20.5	17.0	551	4.91	7.1	0.9	0.7	2.6	24	0.5	0.3	0.2	102	0.35	0.043
1293469	Soil		10.4	97.0	13.0	197	1.2	78.0	14.6	405	4.00	47.7	3.0	2.7	5.2	39	1.8	1.4	0.2	106	0.61	0.059
1293465	Soil		8.9	144.4	14.5	147	1.0	55.8	10.4	370	4.29	30.8	3.4	1.7	4.1	40	0.5	0.2	0.2	164	0.41	0.114
1293457	Soil		2.4	15.4	7.0	35	0.5	11.3	2.7	94	1.58	14.8	0.5	1.1	0.4	12	0.2	0.2	0.2	65	0.10	0.039
1293461	Soil		2.8	33.7	11.9	82	0.2	38.4	12.3	360	3.98	16.8	0.6	1.3	2.0	26	<0.1	0.2	0.7	81	0.31	0.071
1293471	Soil		2.0	28.5	10.3	59	0.7	24.5	8.2	185	2.89	9.6	0.8	6.7	2.9	16	0.2	0.5	0.1	72	0.12	0.024
1293458	Soil		3.6	38.5	17.1	113	1.2	37.8	13.3	345	3.24	37.6	1.0	2.0	2.7	14	0.3	0.4	0.2	109	0.18	0.043
1293470	Soil		4.4	102.5	12.8	364	1.7	144.5	21.8	663	4.23	143.6	1.8	2.1	3.6	23	2.7	1.3	0.2	94	0.49	0.070
1293463	Soil		4.9	45.7	12.2	121	0.9	37.0	6.5	205	3.55	101.1	1.1	2.1	3.7	21	0.6	0.4	0.1	98	0.14	0.059
1293462	Soil		6.9	71.8	10.2	178	1.2	65.4	9.7	377	3.68	71.3	2.0	2.7	2.9	39	1.2	0.8	0.2	116	0.51	0.055
1293466	Soil		7.1	65.5	11.0	106	0.7	68.9	12.4	317	3.81	19.9	2.3	1.8	4.8	40	0.4	0.3	0.3	133	0.35	0.061
1293459	Soil		2.9	38.8	14.8	119	0.2	39.7	17.8	542	3.92	52.3	1.2	1.2	4.5	18	0.3	0.4	0.3	95	0.27	0.071
1293455	Soil		3.0	39.8	10.0	81	<0.1	31.6	10.0	411	3.62	18.8	1.5	2.2	4.4	15	0.2	0.5	0.2	85	0.11	0.069
1293456	Soil		2.3	32.1	10.2	91	0.3	40.0	12.0	267	3.69	13.4	0.9	0.9	3.6	17	0.3	0.4	0.2	109	0.17	0.044
1293454	Soil		3.9	61.9	8.5	116	0.1	30.3	5.5	235	3.49	72.9	1.4	<0.5	5.1	11	0.1	0.2	0.3	110	0.09	0.029
1293460	Soil		4.4	38.3	10.3	79	0.2	28.0	9.4	359	3.24	18.8	1.3	1.2	3.4	24	0.2	0.3	0.2	108	0.26	0.050
1293474	Soil		1.9	52.1	11.3	108	0.7	51.2	13.3	364	2.86	17.1	1.1	3.6	4.0	30	0.4	0.6	0.1	63	0.58	0.031
1293472	Soil		5.3	88.8	13.5	233	1.3	112.7	18.7	651	4.49	140.8	2.1	14.0	4.0	39	1.0	1.6	0.2	73	1.04	0.064
1271536	Soil		1.1	53.5	12.9	104	0.1	52.2	13.6	361	3.12	33.4	0.7	4.5	3.4	19	0.4	1.2	0.1	97	0.32	0.065
1271538	Soil		1.5	47.9	21.1	112	0.2	46.4	12.7	463	3.41	70.8	1.0	6.3	4.5	29	0.3	1.8	0.2	93	0.39	0.066

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000323.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1284987	Soil	30	66	1.30	982	0.139	2	2.18	0.010	0.42	0.1	0.04	10.2	0.4	<0.05	10	0.9	0.2
1283498	Soil	56	27	0.57	281	0.034	3	1.27	0.017	0.11	<0.1	0.08	5.3	0.2	0.14	4	<0.5	<0.2
1284952	Soil	47	57	0.75	488	0.071	2	1.54	0.013	0.28	0.1	0.11	12.0	0.9	0.06	6	0.5	<0.2
1284992	Soil	48	101	1.20	350	0.079	2	1.78	0.009	0.46	0.2	0.07	15.8	0.4	<0.05	6	<0.5	<0.2
1284954	Soil	16	78	0.73	393	0.047	3	1.62	0.018	0.10	0.1	0.10	10.8	0.4	<0.05	6	<0.5	<0.2
1284953	Soil	29	67	0.84	470	0.053	3	1.46	0.014	0.20	0.1	0.10	9.6	0.5	0.09	5	0.6	<0.2
1293473	Soil	25	49	0.88	498	0.112	1	1.62	0.044	0.39	<0.1	0.03	5.2	0.3	0.66	6	5.5	0.3
1293467	Soil	22	60	1.03	478	0.140	<1	1.86	0.049	0.31	0.2	0.01	6.2	0.3	0.62	6	5.9	<0.2
1293377	Soil	11	42	0.35	1314	0.056	<1	1.31	0.013	0.13	0.4	0.02	3.5	0.3	0.13	6	3.7	<0.2
1293468	Soil	17	50	0.63	700	0.088	1	1.32	0.031	0.19	0.1	0.02	3.7	0.2	0.33	6	6.3	<0.2
1293464	Soil	10	28	1.34	632	0.161	1	2.53	0.016	0.41	0.1	0.02	6.2	0.2	<0.05	9	0.9	<0.2
1293469	Soil	22	41	0.55	1038	0.053	2	1.45	0.018	0.22	0.2	0.05	5.9	0.3	0.25	5	4.3	<0.2
1293465	Soil	19	76	1.05	525	0.085	<1	1.56	0.029	0.40	0.2	0.02	6.4	0.3	0.45	7	6.3	<0.2
1293457	Soil	9	25	0.20	160	0.047	<1	0.83	0.008	0.05	0.2	0.04	1.4	0.1	<0.05	6	<0.5	<0.2
1293461	Soil	11	53	0.83	311	0.094	<1	1.88	0.019	0.18	<0.1	0.03	5.4	0.2	<0.05	7	0.5	<0.2
1293471	Soil	12	44	0.51	332	0.063	<1	1.64	0.013	0.11	0.1	0.03	3.8	0.1	0.07	6	1.1	<0.2
1293458	Soil	11	60	0.77	222	0.073	<1	1.80	0.010	0.10	0.1	0.05	4.8	0.2	<0.05	8	<0.5	<0.2
1293470	Soil	16	42	0.62	1051	0.013	<1	1.56	0.007	0.07	<0.1	0.04	12.3	0.3	0.05	5	3.3	<0.2
1293463	Soil	16	36	0.45	867	0.052	<1	1.21	0.022	0.23	0.2	0.02	3.6	0.2	0.30	6	1.8	<0.2
1293462	Soil	13	65	0.63	1136	0.042	<1	1.40	0.016	0.18	0.1	0.09	7.0	0.5	0.15	5	2.5	<0.2
1293466	Soil	18	105	1.31	585	0.144	<1	1.72	0.024	0.25	0.2	0.01	4.8	0.3	0.33	7	3.6	<0.2
1293459	Soil	13	49	1.08	427	0.129	1	1.91	0.012	0.35	0.1	0.01	5.6	0.2	<0.05	8	0.8	<0.2
1293455	Soil	16	42	0.74	187	0.102	<1	1.74	0.007	0.28	0.1	0.02	3.7	0.3	<0.05	7	0.7	<0.2
1293456	Soil	12	60	0.85	261	0.091	<1	2.33	0.009	0.12	0.2	0.03	4.8	0.1	<0.05	9	0.7	<0.2
1293454	Soil	16	56	0.91	400	0.094	<1	1.97	0.010	0.39	<0.1	<0.01	4.4	0.3	<0.05	7	1.1	<0.2
1293460	Soil	14	38	0.80	317	0.124	<1	1.57	0.011	0.22	0.2	0.01	3.7	0.2	0.06	8	<0.5	<0.2
1293474	Soil	15	34	0.53	696	0.055	<1	1.39	0.016	0.08	0.1	0.05	5.8	0.2	<0.05	4	1.5	<0.2
1293472	Soil	17	32	0.39	1873	0.011	2	1.37	0.008	0.06	0.4	0.06	8.1	0.1	<0.05	4	3.0	<0.2
1271536	Soil	12	67	0.85	447	0.164	<1	1.92	0.014	0.33	0.2	0.02	6.2	0.3	<0.05	7	0.6	<0.2
1271538	Soil	13	55	0.83	602	0.114	<1	2.15	0.014	0.23	0.2	0.03	6.3	0.3	<0.05	7	0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000323.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1271537	Soil		1.5	40.7	11.5	99	0.4	45.0	13.3	527	2.94	37.2	0.8	2.9	2.8	30	0.8	1.3	0.2	84	0.40	0.056
1271542	Soil		0.5	41.7	16.9	103	0.2	22.3	13.3	948	4.72	5.2	0.7	4.6	5.6	39	0.2	0.5	0.2	108	0.84	0.194
1271541	Soil		1.1	45.2	11.5	85	0.2	32.9	12.6	399	3.30	28.0	0.9	5.5	3.7	52	0.2	0.8	0.2	88	0.57	0.057
1271540	Soil		0.6	71.3	8.8	96	0.2	37.4	14.6	518	3.76	24.5	0.5	3.1	3.0	53	0.2	0.8	<0.1	97	0.78	0.134
1271539	Soil		1.8	56.5	15.2	124	0.3	58.7	14.0	436	3.49	78.9	1.1	2.1	3.9	22	0.6	1.9	0.2	95	0.27	0.050
1271544	Soil		1.1	46.8	11.8	83	0.2	31.6	14.1	546	2.82	20.5	1.2	2.4	3.3	44	0.2	0.8	0.1	81	0.78	0.052
1271543	Soil		1.7	44.3	12.3	89	0.2	36.9	13.8	402	3.02	29.3	1.0	6.0	3.5	38	0.3	0.9	0.1	93	0.44	0.052
1271545	Soil		0.9	35.6	9.7	63	0.2	26.1	11.8	467	2.52	18.4	1.2	3.2	3.9	39	0.2	0.9	0.1	69	0.63	0.057
1271524	Soil		1.5	48.3	8.1	76	0.3	57.0	13.6	287	2.89	14.3	0.8	2.6	3.2	27	0.2	0.6	0.1	92	0.22	0.032
1271525	Soil		1.7	61.8	17.6	106	0.4	63.3	14.1	455	3.25	54.3	1.2	5.8	3.1	37	0.4	1.2	0.2	94	0.31	0.055
1271526	Soil		2.1	37.5	44.4	82	0.9	40.4	14.1	700	3.14	27.6	0.8	4.3	2.4	33	0.6	1.5	0.2	92	0.29	0.050
1271527	Soil		1.7	25.1	10.4	81	0.4	31.3	10.2	401	3.08	20.1	0.5	1.8	2.7	26	0.8	0.8	0.2	89	0.25	0.050
1271528	Soil		1.6	46.7	8.6	83	0.5	59.0	14.4	294	3.39	11.3	1.0	4.4	3.7	21	0.2	0.5	0.2	101	0.20	0.052
1271529	Soil		1.2	45.3	9.7	102	0.2	53.2	14.2	383	3.25	24.8	1.3	4.0	3.4	31	0.5	0.8	0.2	83	0.37	0.079
1271530	Soil		2.0	19.9	12.1	95	0.2	29.4	10.2	554	3.55	82.0	0.5	<0.5	2.3	27	0.8	1.2	0.2	84	0.31	0.061
1271532	Soil		0.9	27.8	8.9	59	0.2	24.7	9.0	292	2.79	16.5	0.7	5.2	3.3	20	0.1	0.5	0.2	71	0.24	0.042
1271531	Soil		1.3	29.1	11.1	82	0.2	34.4	10.4	415	3.10	57.2	0.7	1.6	2.6	16	0.5	1.2	0.2	76	0.19	0.042
1271533	Soil		2.1	31.0	11.6	103	0.5	37.9	20.2	1238	3.70	49.7	0.9	1.0	2.5	37	0.7	1.0	0.2	93	0.42	0.091
1271534	Soil		1.8	34.5	12.7	70	0.3	38.5	13.8	521	3.13	51.5	0.7	4.8	2.7	26	0.3	1.7	0.1	77	0.32	0.035
1271535	Soil		1.7	50.5	20.9	131	0.3	53.1	13.4	380	3.41	64.9	0.8	4.7	3.4	21	0.6	2.5	0.2	88	0.28	0.047
1271513	Soil		0.8	43.6	9.7	62	0.1	24.1	13.5	535	2.62	15.0	1.1	3.6	2.9	49	0.2	1.1	0.2	70	0.84	0.062
1271514	Soil		0.9	48.5	9.7	65	0.2	26.7	12.7	436	2.82	19.6	1.3	4.4	3.6	44	<0.1	0.8	0.1	73	0.63	0.056
1271515	Soil		1.2	39.9	10.8	60	0.2	26.2	13.2	948	2.55	19.6	1.2	2.2	2.9	56	0.2	1.0	0.1	67	0.91	0.055
1271516	Soil		1.0	41.3	10.7	80	<0.1	33.0	11.3	332	2.77	19.2	0.8	3.3	4.2	35	0.4	1.1	0.1	74	0.52	0.058
1271517	Soil		0.6	42.9	5.6	115	0.1	15.1	11.6	570	3.62	12.6	0.4	<0.5	1.4	83	0.4	0.3	<0.1	79	1.01	0.133
1271518	Soil		1.6	63.3	10.8	100	0.3	42.1	11.6	392	3.19	35.2	1.0	3.0	4.0	40	0.6	0.9	<0.1	93	0.59	0.075
1271519	Soil		2.5	40.3	10.2	98	0.4	45.6	12.2	382	2.95	31.3	1.0	6.2	2.9	25	0.4	0.8	0.1	101	0.43	0.057
1271520	Soil		2.2	48.7	12.1	126	0.2	54.2	12.8	424	3.29	45.1	1.0	3.7	3.7	22	0.4	1.7	0.1	100	0.35	0.058
1271521	Soil		1.8	37.2	10.3	91	0.2	52.2	13.9	376	3.39	39.3	0.7	3.5	2.9	23	0.4	1.2	0.1	102	0.32	0.037
1271522	Soil		2.0	40.0	11.0	100	0.3	52.2	15.5	418	3.31	44.1	0.7	2.8	2.7	21	0.3	1.2	0.1	107	0.26	0.037

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000323.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1271537	Soil	12	56	0.68	499	0.114	<1	1.69	0.013	0.20	0.2	0.03	5.4	0.2	<0.05	6	<0.5	<0.2
1271542	Soil	18	29	1.14	398	0.047	<1	1.98	0.009	0.11	<0.1	0.05	8.9	<0.1	<0.05	10	<0.5	<0.2
1271541	Soil	13	46	0.79	673	0.118	<1	2.06	0.021	0.09	0.2	0.03	6.6	0.1	<0.05	7	<0.5	<0.2
1271540	Soil	9	52	1.30	625	0.093	<1	2.33	0.034	0.24	<0.1	0.01	7.1	0.2	<0.05	9	<0.5	<0.2
1271539	Soil	14	61	0.72	489	0.106	<1	1.65	0.010	0.26	0.2	0.03	6.1	0.3	<0.05	6	0.9	<0.2
1271544	Soil	16	47	0.68	712	0.081	<1	1.84	0.019	0.06	0.2	0.05	6.2	<0.1	<0.05	7	0.7	<0.2
1271543	Soil	14	56	0.75	677	0.101	<1	1.91	0.016	0.08	0.2	0.04	5.7	0.1	<0.05	7	0.6	<0.2
1271545	Soil	12	39	0.66	289	0.088	<1	1.52	0.025	0.06	0.2	0.03	5.0	0.1	<0.05	5	<0.5	<0.2
1271524	Soil	10	73	0.78	838	0.121	<1	1.99	0.016	0.12	0.2	0.01	5.1	0.1	<0.05	7	<0.5	<0.2
1271525	Soil	14	71	0.74	940	0.116	<1	1.87	0.015	0.18	0.2	0.02	5.8	0.2	<0.05	7	0.7	<0.2
1271526	Soil	10	53	0.61	959	0.095	<1	2.09	0.013	0.10	0.2	0.03	4.7	0.1	<0.05	8	<0.5	<0.2
1271527	Soil	9	40	0.51	505	0.086	<1	1.88	0.013	0.10	0.1	0.02	3.7	<0.1	<0.05	7	<0.5	<0.2
1271528	Soil	10	77	0.81	370	0.128	<1	2.66	0.011	0.10	0.2	0.03	5.5	0.1	<0.05	7	0.6	<0.2
1271529	Soil	15	60	0.72	430	0.102	<1	1.93	0.016	0.11	0.2	0.05	6.4	0.2	<0.05	6	0.6	<0.2
1271530	Soil	9	39	0.45	559	0.057	<1	2.05	0.010	0.05	0.1	0.03	3.6	0.2	<0.05	8	<0.5	<0.2
1271532	Soil	10	39	0.60	295	0.095	<1	1.74	0.010	0.09	0.1	0.02	4.1	0.2	<0.05	6	<0.5	<0.2
1271531	Soil	11	37	0.47	379	0.066	<1	1.67	0.009	0.06	0.1	0.03	4.2	0.2	<0.05	5	<0.5	<0.2
1271533	Soil	13	50	0.63	696	0.086	<1	2.08	0.014	0.14	<0.1	0.03	5.5	0.2	<0.05	8	<0.5	<0.2
1271534	Soil	11	43	0.55	757	0.085	<1	1.97	0.013	0.07	0.1	0.03	5.1	0.2	<0.05	6	0.6	<0.2
1271535	Soil	12	57	0.59	510	0.081	<1	1.83	0.011	0.08	0.1	0.03	6.0	0.2	<0.05	6	<0.5	<0.2
1271513	Soil	12	36	0.64	283	0.071	<1	1.59	0.020	0.05	0.1	0.04	5.7	<0.1	<0.05	5	<0.5	<0.2
1271514	Soil	14	41	0.70	316	0.084	<1	1.88	0.020	0.06	0.1	0.05	6.3	<0.1	<0.05	6	<0.5	<0.2
1271515	Soil	13	39	0.60	306	0.077	<1	1.53	0.019	0.06	0.2	0.04	5.0	0.1	<0.05	5	0.6	<0.2
1271516	Soil	13	44	0.71	371	0.093	<1	1.64	0.021	0.09	0.2	0.02	5.1	<0.1	<0.05	6	0.5	<0.2
1271517	Soil	5	23	1.03	446	0.168	<1	2.48	0.017	0.27	<0.1	<0.01	4.1	0.2	<0.05	11	<0.5	<0.2
1271518	Soil	13	61	0.81	837	0.093	<1	1.98	0.022	0.11	0.1	0.03	6.6	0.1	<0.05	7	0.6	<0.2
1271519	Soil	14	65	0.73	1050	0.095	2	1.77	0.015	0.08	0.2	0.03	5.5	0.1	<0.05	6	0.6	<0.2
1271520	Soil	15	62	0.67	1003	0.099	2	1.62	0.015	0.15	0.2	0.03	6.2	0.3	0.05	6	0.7	<0.2
1271521	Soil	10	63	0.73	805	0.109	1	1.94	0.016	0.11	0.2	0.02	5.5	0.2	0.06	6	<0.5	<0.2
1271522	Soil	10	66	0.75	1004	0.112	2	2.03	0.017	0.12	0.2	0.02	5.3	0.2	0.07	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000323.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1271523	Soil	2.1	51.0	8.5	97	0.3	58.5	13.7	443	3.04	37.0	1.0	5.0	3.2	25	0.2	1.1	0.1	109	0.31	0.040
1292684	Soil	0.3	4.8	2.8	116	<0.1	15.9	26.0	681	7.52	1.3	0.6	<0.5	1.5	26	<0.1	<0.1	<0.1	145	0.60	0.175
1292687	Soil	0.6	28.6	12.9	68	<0.1	53.7	27.4	555	4.65	4.0	0.2	<0.5	2.3	36	<0.1	0.3	<0.1	94	0.78	0.150
1292698	Soil	8.3	60.3	26.5	249	0.6	122.7	16.0	659	3.56	80.5	1.5	3.2	3.5	27	1.1	0.6	0.2	90	0.49	0.055
1292696	Soil	1.4	18.5	3.7	96	0.1	13.1	16.2	591	4.86	3.8	0.4	1.1	2.0	14	<0.1	0.1	<0.1	99	0.61	0.102
1296608	Soil	3.0	56.4	9.8	98	0.2	48.2	19.8	696	3.84	13.0	1.3	2.0	4.2	32	0.4	0.5	0.1	98	0.69	0.103
1296603	Soil	6.8	64.1	13.8	133	0.4	43.9	30.2	2230	4.00	12.9	1.3	1.6	4.2	21	0.5	0.3	0.1	103	0.19	0.067
1292691	Soil	1.0	19.3	11.0	79	<0.1	74.7	26.2	746	4.62	3.8	1.5	1.9	15.3	26	<0.1	0.5	<0.1	103	0.68	0.062
1296601	Rock Pulp	1.4	458.3	16.9	150	0.2	224.6	80.7	829	15.74	2.8	1.0	31.0	6.0	13	<0.1	0.3	0.1	245	0.30	0.042
1296604	Soil	6.2	96.1	10.4	123	0.3	63.5	24.3	906	5.34	16.8	2.0	<0.5	3.4	39	0.2	0.4	0.2	168	0.62	0.123
1292689	Soil	0.8	27.1	4.9	50	<0.1	42.4	18.5	310	2.85	7.4	0.3	1.1	4.3	18	<0.1	0.3	<0.1	70	0.36	0.039
1292686	Soil	0.6	28.7	3.7	79	<0.1	69.7	29.1	637	5.30	4.2	0.7	<0.5	6.1	30	<0.1	0.1	<0.1	104	0.58	0.108
1270080	Soil	1.0	33.2	6.9	56	0.1	34.3	14.0	583	2.98	8.6	1.5	4.6	9.6	36	0.1	0.6	0.1	72	0.97	0.050
1296614	Soil	0.8	35.3	7.6	68	<0.1	47.9	18.1	314	3.73	4.2	1.3	5.2	10.4	19	<0.1	0.2	<0.1	72	0.35	0.049
1292688	Soil	0.6	31.9	5.4	78	<0.1	52.1	27.9	506	4.46	4.9	0.4	1.2	5.5	36	<0.1	0.2	<0.1	87	0.52	0.114
1292693	Soil	0.8	22.9	11.2	67	0.1	25.5	8.6	326	3.31	8.8	2.2	6.5	23.5	19	0.1	0.9	<0.1	58	0.37	0.038
1292695	Soil	1.7	22.7	6.0	97	0.2	25.7	16.9	585	3.93	11.8	0.9	3.1	2.8	21	0.1	0.2	<0.1	148	0.62	0.045
1292697	Soil	4.9	64.6	34.6	161	0.5	68.7	14.3	460	4.46	56.5	1.7	0.6	5.3	34	0.5	0.4	0.3	220	0.50	0.092
1296602	Soil	10.2	27.9	14.7	78	0.2	34.5	13.8	397	3.39	14.8	0.5	2.2	2.2	17	<0.1	0.3	0.1	93	0.21	0.030
1296609	Soil	3.0	66.2	14.1	147	0.1	53.9	20.7	344	4.80	7.0	1.7	0.7	8.3	18	0.2	<0.1	0.2	96	0.29	0.084
1292683	Soil	1.0	21.8	5.4	89	<0.1	45.2	21.4	507	4.19	5.8	0.9	<0.5	6.8	20	<0.1	0.1	<0.1	61	0.39	0.042
1296607	Soil	2.0	32.6	7.7	88	0.2	29.0	10.6	288	2.95	10.7	1.0	3.4	2.4	21	0.2	0.3	0.1	78	0.34	0.084
1296613	Soil	1.1	23.3	7.7	76	<0.1	91.9	19.4	427	4.05	4.9	0.6	<0.5	6.6	14	<0.1	0.2	<0.1	79	0.28	0.018
1292685	Soil	1.6	12.7	5.7	118	<0.1	12.2	19.1	734	6.77	2.8	1.5	<0.5	10.5	38	<0.1	<0.1	<0.1	79	0.82	0.230
1292692	Soil	0.9	18.0	8.6	60	<0.1	31.4	10.9	382	3.05	8.1	0.9	2.0	12.2	15	<0.1	0.4	0.1	72	0.25	0.050
1296605	Soil	4.6	89.4	11.1	119	0.4	72.7	25.2	938	4.91	18.3	2.5	1.6	4.0	40	0.3	0.3	0.2	146	0.76	0.122
1296611	Soil	3.2	88.0	10.8	113	0.4	51.9	16.3	654	4.11	10.0	2.4	4.6	8.0	31	0.1	0.3	0.2	109	0.39	0.067
1292694	Soil	2.3	28.3	10.1	86	0.2	40.5	14.4	464	3.63	22.2	1.2	0.9	10.5	18	0.1	0.6	0.2	90	0.50	0.048
1292690	Soil	0.7	44.7	3.5	61	<0.1	70.0	26.7	554	4.35	3.3	0.5	<0.5	4.5	20	<0.1	0.2	<0.1	104	0.56	0.067
1296610	Soil	2.2	54.0	10.6	91	0.2	51.0	13.6	255	3.72	6.4	1.7	1.6	6.0	20	0.1	0.3	0.1	90	0.28	0.047

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000323.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1271523	Soil	12	76	0.79	1332	0.115	1	1.88	0.016	0.10	0.2	0.04	6.8	0.2	0.08	6	0.8	<0.2
1292684	Soil	6	52	2.61	626	0.287	<1	4.03	0.011	1.25	<0.1	<0.01	9.1	0.5	<0.05	12	<0.5	<0.2
1292687	Soil	4	78	2.62	272	0.195	<1	3.23	0.016	0.25	0.4	<0.01	2.6	0.1	<0.05	8	<0.5	<0.2
1292698	Soil	11	41	0.41	1889	0.031	1	1.44	0.007	0.10	0.3	0.06	5.5	0.5	0.09	5	1.4	<0.2
1292696	Soil	7	22	1.05	569	0.114	<1	2.26	0.013	0.36	<0.1	0.02	10.1	0.3	<0.05	7	<0.5	<0.2
1296608	Soil	17	52	0.96	579	0.100	2	1.72	0.025	0.15	0.2	0.03	6.6	0.2	0.07	6	0.7	<0.2
1296603	Soil	15	57	1.01	733	0.111	1	2.13	0.013	0.33	0.1	0.03	5.2	0.4	0.18	8	1.1	<0.2
1292691	Soil	37	251	2.06	196	0.087	1	2.72	0.009	0.37	0.5	0.02	11.2	0.3	<0.05	11	<0.5	<0.2
1296601	Rock Pulp	16	776	0.13	146	0.165	4	4.17	0.013	0.06	<0.1	0.03	39.0	0.1	<0.05	22	<0.5	<0.2
1296604	Soil	17	63	1.38	798	0.142	2	2.48	0.020	0.44	0.1	0.03	7.2	0.4	0.19	10	1.1	<0.2
1292689	Soil	8	72	1.11	154	0.110	1	2.01	0.011	0.14	0.1	<0.01	2.8	0.2	<0.05	5	<0.5	<0.2
1292686	Soil	9	112	2.81	281	0.155	<1	3.18	0.007	0.65	0.1	<0.01	5.6	0.5	<0.05	9	<0.5	<0.2
1270080	Soil	30	49	0.87	307	0.104	2	1.86	0.034	0.17	0.2	0.04	5.6	0.2	0.07	6	<0.5	<0.2
1296614	Soil	26	76	1.15	227	0.192	1	2.26	0.013	0.57	0.1	0.02	4.5	0.4	<0.05	7	<0.5	<0.2
1292688	Soil	10	62	2.72	487	0.240	<1	3.39	0.010	0.62	0.2	0.01	2.4	0.5	<0.05	7	<0.5	<0.2
1292693	Soil	188	44	0.57	550	0.056	2	1.63	0.013	0.08	<0.1	0.06	9.0	0.1	<0.05	6	<0.5	<0.2
1292695	Soil	11	48	1.24	1083	0.103	1	2.12	0.016	0.13	0.1	0.04	10.6	0.3	<0.05	7	<0.5	<0.2
1292697	Soil	23	76	1.09	1228	0.094	<1	2.14	0.010	0.30	0.1	0.02	8.3	0.4	0.14	9	1.6	<0.2
1296602	Soil	9	42	0.60	654	0.086	<1	1.78	0.012	0.10	0.1	0.02	3.4	0.1	0.06	7	<0.5	<0.2
1296609	Soil	20	61	1.51	312	0.104	<1	2.51	0.009	0.68	<0.1	0.01	5.5	0.5	0.07	8	0.6	<0.2
1292683	Soil	23	78	1.71	192	0.121	<1	2.75	0.010	0.17	<0.1	0.01	3.4	0.2	<0.05	8	<0.5	<0.2
1296607	Soil	11	44	0.71	236	0.088	1	1.61	0.016	0.10	0.2	0.05	4.0	0.1	0.07	6	0.6	<0.2
1296613	Soil	11	201	1.52	263	0.218	<1	2.44	0.010	0.82	0.2	<0.01	5.0	0.5	<0.05	9	<0.5	<0.2
1292685	Soil	25	25	1.63	601	0.326	<1	3.43	0.009	1.22	0.2	<0.01	4.0	0.7	<0.05	11	<0.5	<0.2
1292692	Soil	78	53	0.54	268	0.058	<1	1.89	0.010	0.06	0.2	0.02	3.9	0.1	0.06	6	<0.5	<0.2
1296605	Soil	19	70	1.30	1116	0.121	1	2.26	0.019	0.40	0.1	0.04	8.9	0.3	0.12	9	1.0	<0.2
1296611	Soil	29	64	1.31	639	0.146	1	2.33	0.014	0.76	<0.1	0.03	7.0	0.5	0.18	8	1.2	<0.2
1292694	Soil	44	56	0.71	622	0.051	<1	1.69	0.013	0.08	0.1	0.03	8.4	0.3	0.06	6	<0.5	<0.2
1292690	Soil	10	228	2.36	189	0.145	<1	2.87	0.009	0.49	0.1	0.02	6.1	0.3	<0.05	7	<0.5	<0.2
1296610	Soil	20	59	0.94	480	0.129	1	1.97	0.011	0.60	0.2	0.02	6.3	0.4	0.09	6	0.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000323.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1292700	Soil		5.2	47.4	27.1	75	0.2	43.7	13.2	561	3.29	24.1	1.0	1.6	2.9	23	<0.1	0.4	0.2	84	0.32	0.040
1296606	Soil		4.4	34.0	10.7	94	0.3	33.2	14.6	511	3.33	30.4	0.8	1.4	1.9	20	<0.1	0.3	0.2	121	0.27	0.067
1292699	Soil		13.3	62.3	10.3	274	0.6	342.9	31.4	750	5.53	53.3	1.2	1.8	3.6	30	0.3	0.7	0.1	174	0.68	0.069
1296612	Soil		2.8	58.7	20.3	80	0.2	47.5	15.4	710	3.52	9.6	1.2	3.0	6.5	22	<0.1	0.5	0.3	69	0.32	0.032
1284142	Soil		1.3	29.3	12.6	89	0.4	44.6	17.0	604	4.02	158.2	2.1	20.6	7.2	29	0.3	2.9	0.2	84	0.71	0.066
1284145	Soil		1.7	17.6	14.9	46	0.4	17.0	7.6	327	2.53	15.1	2.3	3.5	18.3	21	<0.1	2.2	0.5	20	0.29	0.022
1284124	Soil		2.6	33.0	17.2	95	0.2	41.4	14.0	418	3.72	21.3	0.9	4.0	4.7	18	0.3	0.8	0.4	102	0.29	0.060
1285000	Soil		3.4	56.2	15.9	232	0.3	55.2	20.0	702	4.71	33.0	1.1	3.8	3.1	26	0.8	1.8	0.1	137	0.33	0.115
1284998	Soil		2.3	27.1	14.2	100	0.3	33.6	11.0	330	3.41	20.9	0.6	3.2	2.4	15	0.5	1.2	0.2	94	0.19	0.041
1284997	Soil		3.0	48.3	16.0	124	0.2	69.3	18.0	544	4.56	25.3	0.9	3.7	3.6	18	0.4	1.6	0.2	133	0.34	0.073
1284116	Soil		1.5	31.6	9.4	73	0.1	38.2	14.8	516	3.80	15.7	0.7	3.1	3.6	18	0.2	1.2	0.1	82	0.29	0.050
1284102	Soil		2.0	34.2	25.6	107	0.2	45.9	18.8	673	4.18	21.0	0.6	2.1	1.9	17	0.5	0.7	0.1	100	0.30	0.112
1284999	Soil		2.2	42.4	17.7	108	0.3	54.5	17.5	569	4.32	29.8	0.7	2.7	2.8	14	0.4	1.3	0.1	131	0.29	0.081
1284125	Soil		1.3	18.2	12.9	53	<0.1	23.6	16.2	458	3.78	6.6	0.9	0.9	4.0	14	<0.1	0.6	0.2	61	0.23	0.022
1290483	Soil		6.2	65.4	16.7	168	0.9	69.7	12.9	199	3.46	21.9	1.0	2.6	3.5	30	0.5	0.8	0.1	95	0.22	0.049
1284101	Rock Pulp		1.4	424.0	17.4	151	0.2	213.2	73.7	804	15.53	3.0	1.0	32.9	5.9	13	<0.1	0.3	0.1	217	0.29	0.042
1284140	Soil		1.3	12.0	11.0	60	<0.1	36.7	15.7	456	3.60	14.4	1.5	8.5	7.8	23	<0.1	0.4	0.2	78	0.43	0.050
1284123	Soil		1.7	31.4	31.3	65	0.4	82.5	19.8	562	4.25	28.7	3.0	6.1	13.2	37	0.2	2.6	0.4	87	0.86	0.085
1290487	Soil		2.0	34.7	9.0	97	0.3	29.3	8.6	218	2.56	12.0	1.0	4.3	2.6	26	0.3	0.5	0.1	59	0.45	0.060
1290488	Soil		1.5	24.0	8.1	85	0.4	21.5	8.3	341	1.94	6.1	0.8	9.4	2.2	28	0.1	0.3	0.1	57	0.49	0.054
1290482	Soil		4.5	83.0	12.4	191	1.3	92.3	13.5	372	4.06	41.7	2.0	15.1	2.5	24	0.6	1.0	0.1	105	0.28	0.048
1290479	Soil		5.4	86.8	9.4	97	1.0	77.9	15.8	911	3.01	6.3	5.7	2.1	3.4	67	1.0	0.3	0.1	77	1.82	0.103
1290476	Soil		6.5	86.9	12.6	89	0.8	49.4	17.4	1098	3.02	12.4	2.7	2.6	2.3	49	0.4	0.3	0.1	87	1.35	0.091
1290480	Soil		5.8	48.6	13.1	172	0.5	59.0	9.2	340	3.34	20.5	0.9	0.8	2.0	18	0.6	0.5	0.1	96	0.19	0.038
1290467	Soil		1.8	26.3	8.2	35	0.2	19.1	5.5	117	1.76	5.1	1.0	1.3	1.6	11	0.1	0.2	0.1	47	0.13	0.032
1290481	Soil		4.2	35.8	15.9	59	0.7	25.3	6.9	156	2.97	11.9	0.8	4.2	2.1	26	0.1	0.4	0.1	74	0.22	0.047
1290465	Soil		3.2	30.1	16.8	86	0.2	39.5	8.7	226	3.32	17.3	1.0	1.5	4.7	16	0.2	0.3	0.2	92	0.16	0.059
1290477	Soil		5.9	81.2	12.5	114	0.8	46.7	14.6	512	3.72	13.5	2.5	2.1	3.8	39	0.4	0.3	0.2	103	0.70	0.085
1290486	Soil		4.4	37.4	23.3	105	0.7	34.7	6.6	165	2.55	24.6	1.2	3.5	2.4	35	0.3	0.7	0.2	73	0.29	0.059
1290478	Soil		6.6	95.0	7.9	107	0.7	59.3	11.6	548	2.49	12.2	2.8	3.1	2.0	52	0.9	0.4	0.1	76	1.70	0.073

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000323.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1292700	Soil	14	51	0.64	1012	0.081	<1	1.72	0.013	0.08	0.2	0.04	5.7	0.1	0.07	6	0.7	<0.2
1296606	Soil	12	53	0.87	270	0.114	1	1.77	0.015	0.21	0.2	0.03	3.8	0.2	0.10	8	0.7	<0.2
1292699	Soil	10	719	2.79	2108	0.083	2	2.98	0.007	0.16	<0.1	0.05	16.5	0.5	<0.05	11	2.1	<0.2
1296612	Soil	15	40	0.89	361	0.072	2	1.98	0.008	0.25	0.1	0.03	5.9	0.3	<0.05	7	0.5	<0.2
1284142	Soil	27	61	0.85	340	0.064	2	1.58	0.012	0.18	0.1	0.12	10.8	0.6	<0.05	6	0.7	<0.2
1284145	Soil	32	18	0.20	393	0.006	2	0.65	0.005	0.09	0.1	0.07	3.3	0.1	<0.05	2	<0.5	<0.2
1284124	Soil	18	62	0.87	509	0.118	2	1.91	0.012	0.22	0.1	0.03	5.2	0.4	<0.05	7	0.7	<0.2
1285000	Soil	17	70	1.38	593	0.175	2	2.60	0.019	0.62	0.1	0.03	6.8	0.6	0.08	10	0.9	<0.2
1284998	Soil	9	48	0.67	414	0.094	1	1.86	0.009	0.14	0.1	0.03	4.2	0.3	<0.05	8	<0.5	<0.2
1284997	Soil	14	91	1.11	590	0.144	2	2.28	0.011	0.38	0.1	0.03	6.3	0.5	<0.05	9	0.7	<0.2
1284116	Soil	18	52	0.83	294	0.109	2	2.17	0.011	0.14	0.2	0.03	5.5	0.2	<0.05	8	<0.5	<0.2
1284102	Soil	11	67	1.00	352	0.125	2	2.14	0.010	0.38	0.1	0.03	5.4	0.3	<0.05	9	<0.5	<0.2
1284999	Soil	11	78	1.13	663	0.137	1	2.21	0.009	0.45	0.1	0.02	7.6	0.4	<0.05	9	0.6	<0.2
1284125	Soil	10	52	1.08	567	0.050	2	1.72	0.007	0.11	0.2	0.02	8.2	0.1	<0.05	5	<0.5	<0.2
1290483	Soil	12	46	0.46	1409	0.043	1	1.40	0.011	0.09	0.2	0.02	4.7	0.2	0.06	5	1.8	<0.2
1284101	Rock Pulp	15	691	0.13	137	0.154	3	3.92	0.013	0.06	<0.1	0.04	39.0	0.1	<0.05	21	<0.5	<0.2
1284140	Soil	20	87	1.29	215	0.107	2	1.95	0.016	0.20	0.2	0.03	6.0	0.3	<0.05	8	<0.5	<0.2
1284123	Soil	42	128	1.18	640	0.071	2	1.79	0.010	0.29	0.1	0.10	16.6	0.7	<0.05	7	0.5	<0.2
1290487	Soil	11	29	0.50	574	0.050	2	1.28	0.018	0.06	0.2	0.04	3.7	0.1	<0.05	4	0.8	<0.2
1290488	Soil	10	36	0.60	341	0.073	2	1.26	0.015	0.07	0.2	0.05	3.8	0.2	0.06	5	1.1	<0.2
1290482	Soil	12	44	0.38	1643	0.034	2	1.45	0.012	0.06	0.5	0.05	6.1	0.1	<0.05	5	2.6	<0.2
1290479	Soil	15	56	0.79	822	0.052	3	1.01	0.013	0.14	0.2	0.06	5.7	0.4	0.22	4	5.7	<0.2
1290476	Soil	17	49	0.89	711	0.069	2	1.44	0.017	0.17	0.1	0.05	5.3	0.3	0.19	6	4.4	<0.2
1290480	Soil	9	33	0.44	640	0.054	<1	1.08	0.012	0.08	0.2	0.02	3.6	0.2	<0.05	6	1.9	<0.2
1290467	Soil	13	37	0.43	158	0.075	1	1.08	0.015	0.12	0.1	0.04	2.6	0.2	<0.05	6	0.6	<0.2
1290481	Soil	10	35	0.50	422	0.072	1	1.36	0.013	0.15	0.2	0.01	2.8	0.1	0.09	6	1.1	<0.2
1290465	Soil	18	67	0.84	183	0.130	1	1.42	0.014	0.20	0.1	0.03	3.4	0.2	0.08	8	0.6	<0.2
1290477	Soil	17	55	1.00	633	0.096	1	1.48	0.020	0.32	0.1	0.03	5.6	0.3	0.21	6	2.5	<0.2
1290486	Soil	12	38	0.58	490	0.044	1	1.29	0.010	0.07	0.2	0.08	3.1	0.2	<0.05	5	1.3	<0.2
1290478	Soil	15	42	0.69	938	0.052	3	1.23	0.016	0.14	<0.1	0.06	5.0	0.2	0.19	5	6.2	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000323.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1290473	Soil		2.2	35.0	9.8	91	0.4	26.9	11.3	585	2.64	15.4	1.9	2.4	1.9	40	0.3	0.3	<0.1	62	1.21	0.074
1290484	Soil		3.9	47.0	9.6	138	0.4	57.1	12.4	232	3.22	14.9	0.9	2.8	2.7	21	0.4	0.5	0.1	60	0.16	0.053
1290464	Soil		2.9	28.1	13.3	108	0.3	30.3	9.9	284	3.09	27.4	1.1	2.4	3.3	17	0.2	0.2	0.2	93	0.20	0.052
1290474	Soil		3.8	56.2	8.8	110	0.4	40.4	18.9	695	3.56	10.7	2.4	1.4	2.9	32	0.4	0.5	0.1	104	0.94	0.103
1290472	Soil		1.0	18.0	3.5	45	0.2	13.4	4.8	415	0.87	2.1	1.4	2.3	0.5	84	0.2	0.2	<0.1	12	3.38	0.050
1290475	Soil		6.9	77.2	12.8	95	0.7	48.1	18.0	966	3.51	13.8	2.4	3.8	2.8	43	0.4	0.3	0.1	92	1.09	0.096
1290471	Soil		1.5	22.2	3.6	51	0.2	13.4	3.0	286	0.54	10.0	0.8	2.0	0.1	52	0.2	0.3	<0.1	10	3.11	0.071
1290466	Soil		2.4	39.9	32.2	93	0.3	37.9	12.0	281	3.38	21.4	1.5	1.2	4.5	17	0.2	0.2	0.2	67	0.19	0.072
1284143	Soil		1.2	39.0	12.5	75	0.2	46.1	17.7	511	3.95	128.5	2.2	3.5	6.3	39	0.1	2.5	0.2	89	0.99	0.056
1290469	Soil		2.5	28.2	13.1	80	0.3	29.1	12.5	479	2.52	18.5	1.5	5.4	2.9	26	0.4	0.3	0.2	68	0.48	0.061
1290485	Soil		5.7	55.6	21.0	150	0.7	59.4	12.6	328	3.18	26.0	1.9	4.6	2.9	33	0.4	0.8	0.2	63	0.42	0.050
1290468	Soil		2.3	25.0	12.4	79	0.2	26.6	9.0	195	2.50	20.0	1.2	4.1	3.0	23	0.2	0.3	0.2	69	0.35	0.061
1293093	Soil		0.5	37.5	9.0	71	0.1	38.7	12.7	488	2.54	3.6	1.4	3.0	3.9	58	0.2	0.3	0.1	43	1.78	0.069
1284117	Soil		2.7	61.1	46.9	173	1.0	42.7	18.5	955	4.29	53.7	1.9	8.6	3.8	25	1.1	2.6	0.2	98	0.40	0.110
1284105	Soil		2.8	46.1	16.4	112	0.1	42.2	18.5	787	4.47	28.7	2.0	2.1	6.6	22	0.4	5.9	0.2	93	0.35	0.075
1284144	Soil		0.9	26.7	22.6	53	0.2	45.3	14.9	453	3.24	62.0	0.9	6.6	6.3	29	0.1	4.3	0.2	66	0.46	0.031
1293092	Soil		0.5	32.4	11.3	65	<0.1	36.0	13.2	487	2.65	3.3	1.0	3.6	4.4	45	0.1	0.2	<0.1	48	1.79	0.066
1284120	Soil		1.6	40.6	16.6	68	<0.1	59.9	19.8	525	4.07	26.7	1.0	1.1	10.2	50	<0.1	3.2	2.6	61	0.99	0.057
1284104	Soil		2.1	73.4	28.4	178	0.9	77.4	25.3	799	5.46	43.7	1.9	6.4	5.1	27	0.7	4.6	0.2	136	0.60	0.137
1284121	Soil		1.0	21.7	28.0	65	<0.1	26.4	14.1	453	3.48	23.9	1.6	<0.5	13.7	24	0.1	1.5	0.6	50	0.39	0.023
1293086	Soil		1.0	25.9	13.8	70	<0.1	43.3	15.5	354	3.53	5.1	0.6	<0.5	4.3	24	0.1	0.2	0.2	74	0.51	0.035
1284119	Soil		0.7	34.0	7.7	49	<0.1	81.7	19.1	456	3.16	5.8	1.2	10.9	4.8	53	<0.1	0.4	0.1	54	1.46	0.043
1284122	Soil		1.3	140.9	9.6	80	0.1	198.4	59.0	973	4.89	81.9	1.3	3.0	4.5	26	0.1	6.3	0.2	87	0.29	0.069
1284146	Soil		1.1	31.8	14.7	62	<0.1	87.5	19.9	399	4.14	54.7	1.7	1.3	13.4	22	0.1	3.9	0.4	63	0.42	0.034
1293094	Soil		0.5	44.9	10.6	72	0.2	41.1	15.4	466	3.02	3.7	2.3	2.9	7.4	42	0.1	0.2	0.1	55	1.36	0.074
1284141	Soil		1.6	27.3	13.9	80	0.2	43.4	16.8	569	3.70	168.3	1.8	17.9	9.3	28	0.1	2.2	0.2	95	0.47	0.061
1284106	Soil		2.2	36.8	24.2	89	0.3	34.6	13.8	653	3.59	33.1	0.9	1.8	4.6	24	0.5	4.4	0.2	75	0.15	0.035
1284103	Soil		2.1	29.0	11.0	68	0.2	36.9	12.8	305	3.25	11.8	0.7	1.8	2.7	26	0.6	0.6	0.2	100	0.21	0.074
1293087	Soil		0.6	23.2	13.0	86	<0.1	47.8	15.0	597	3.26	2.8	0.9	1.9	6.5	42	<0.1	0.1	<0.1	66	1.56	0.065
1293085	Soil		0.9	21.3	10.3	53	<0.1	30.4	12.8	352	2.89	5.8	0.5	1.4	4.1	25	0.1	0.3	0.1	57	0.40	0.037

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000323.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1290473	Soil	12	32	0.68	597	0.067	2	1.12	0.015	0.28	0.1	0.04	4.3	0.3	0.14	4	1.4	<0.2
1290484	Soil	14	29	0.38	677	0.027	1	1.09	0.009	0.08	0.2	0.04	3.1	0.2	<0.05	4	1.4	<0.2
1290464	Soil	15	54	0.88	260	0.112	1	1.62	0.014	0.23	0.1	0.03	3.9	0.2	0.10	7	0.8	<0.2
1290474	Soil	14	45	1.01	549	0.100	2	1.75	0.021	0.39	0.1	0.03	5.2	0.3	0.16	7	1.9	<0.2
1290472	Soil	4	13	0.41	581	0.022	6	0.43	0.009	0.09	<0.1	0.06	1.6	0.1	0.20	1	3.3	<0.2
1290475	Soil	16	52	0.91	681	0.086	2	1.44	0.019	0.29	<0.1	0.03	5.3	0.3	0.23	6	3.6	<0.2
1290471	Soil	2	13	0.25	735	0.007	7	0.25	0.009	0.02	<0.1	0.08	0.6	<0.1	0.17	<1	1.6	<0.2
1290466	Soil	25	51	0.80	191	0.094	1	1.46	0.012	0.33	0.3	0.02	3.3	0.3	0.08	6	0.8	<0.2
1284143	Soil	25	60	0.88	431	0.079	2	1.72	0.011	0.22	0.1	0.08	8.1	0.4	<0.05	6	<0.5	<0.2
1290469	Soil	17	43	0.70	303	0.071	1	1.30	0.013	0.11	0.1	0.04	3.8	0.1	0.08	5	<0.5	<0.2
1290485	Soil	12	26	0.34	647	0.021	1	0.96	0.008	0.07	0.2	0.08	3.7	0.2	0.05	3	2.1	<0.2
1290468	Soil	14	44	0.69	267	0.079	3	1.21	0.015	0.13	0.2	0.04	3.4	0.1	0.05	5	0.6	<0.2
1293093	Soil	19	60	0.89	197	0.070	2	1.41	0.012	0.20	<0.1	0.04	3.4	0.2	0.06	5	<0.5	<0.2
1284117	Soil	27	46	0.93	553	0.101	1	1.98	0.010	0.26	<0.1	0.11	7.5	0.6	<0.05	8	0.9	<0.2
1284105	Soil	49	44	0.80	325	0.093	2	2.12	0.009	0.20	0.1	0.03	7.9	0.5	<0.05	7	<0.5	<0.2
1284144	Soil	18	56	0.55	312	0.031	2	1.42	0.014	0.08	0.1	0.04	7.9	0.2	<0.05	4	<0.5	<0.2
1293092	Soil	20	48	1.23	214	0.097	3	1.52	0.011	0.31	0.1	0.03	3.3	0.3	0.06	5	<0.5	<0.2
1284120	Soil	30	82	1.52	208	0.089	1	2.37	0.007	0.52	0.2	0.02	5.3	0.4	<0.05	7	<0.5	<0.2
1284104	Soil	29	95	1.34	320	0.114	2	2.20	0.011	0.45	0.1	0.09	14.9	0.8	<0.05	8	<0.5	<0.2
1284121	Soil	23	33	0.60	249	0.059	1	1.64	0.012	0.11	0.1	0.03	4.7	0.2	<0.05	5	<0.5	<0.2
1293086	Soil	10	71	1.06	196	0.130	1	1.93	0.011	0.24	0.2	0.02	3.6	0.2	<0.05	8	<0.5	<0.2
1284119	Soil	22	92	1.17	176	0.095	2	1.71	0.011	0.15	<0.1	0.05	5.7	0.2	<0.05	5	<0.5	<0.2
1284122	Soil	24	124	1.10	664	0.169	1	2.66	0.012	0.48	0.1	0.02	8.9	0.3	<0.05	9	<0.5	<0.2
1284146	Soil	39	97	1.02	169	0.061	<1	1.86	0.008	0.14	<0.1	0.02	6.9	0.2	<0.05	7	0.5	<0.2
1293094	Soil	38	57	1.18	227	0.118	2	1.71	0.013	0.40	0.1	0.05	4.5	0.3	<0.05	6	0.7	<0.2
1284141	Soil	16	68	1.04	225	0.115	1	1.87	0.013	0.34	0.1	0.03	7.6	0.4	<0.05	7	<0.5	<0.2
1284106	Soil	12	39	0.47	220	0.052	2	2.02	0.008	0.08	0.1	0.07	4.8	0.4	<0.05	6	0.7	<0.2
1284103	Soil	11	65	0.74	301	0.135	<1	1.76	0.012	0.16	0.2	0.02	3.2	0.2	<0.05	8	<0.5	<0.2
1293087	Soil	20	70	1.89	161	0.148	2	2.21	0.009	0.33	0.1	0.02	4.7	0.4	<0.05	8	<0.5	<0.2
1293085	Soil	13	42	0.69	187	0.061	1	1.61	0.011	0.08	0.1	0.01	3.1	<0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000323.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1293089	Soil	0.5	28.3	8.7	68	<0.1	39.5	15.9	550	3.12	3.5	0.9	2.3	4.1	54	0.2	0.2	<0.1	46	1.56	0.059
1293084	Soil	1.2	32.5	18.0	54	0.4	32.4	16.2	568	3.17	8.3	0.5	2.4	4.5	24	0.1	0.4	0.1	66	0.34	0.023
1296803	Soil	1.7	35.5	8.9	59	0.4	30.3	11.2	282	2.71	9.8	1.1	2.5	5.1	23	<0.1	0.6	0.1	65	0.29	0.031
1293097	Soil	1.4	15.6	10.8	54	0.1	22.5	9.8	279	2.61	4.8	0.4	2.3	3.3	17	<0.1	0.5	0.2	55	0.28	0.016
1296801	Rock Pulp	1.3	397.9	19.9	151	0.2	195.6	70.6	756	14.37	3.0	1.1	32.0	6.6	15	<0.1	0.4	0.2	192	0.27	0.037
1293090	Soil	0.5	29.3	7.5	67	0.1	32.7	13.0	425	2.80	3.1	1.2	2.7	3.8	55	0.1	0.2	0.1	44	1.58	0.059
1293098	Soil	1.2	52.2	28.5	110	0.1	63.9	19.9	455	3.97	4.4	0.5	<0.5	4.2	20	<0.1	0.2	0.1	61	0.40	0.041
1296804	Soil	2.0	40.2	11.1	95	0.8	36.5	11.5	536	2.93	28.1	0.8	2.4	4.3	32	0.2	0.6	0.2	67	0.31	0.026
1296812	Soil	2.9	33.3	11.1	90	0.4	42.6	16.2	973	2.99	7.7	1.3	<0.5	5.2	27	0.3	0.5	0.1	59	0.36	0.045
1293091	Soil	0.8	24.9	8.1	55	<0.1	31.1	12.4	422	2.56	3.5	1.1	1.8	3.4	55	0.1	0.2	<0.1	40	1.75	0.051
1293099	Soil	1.9	14.2	16.4	49	0.1	22.5	9.4	303	2.63	5.9	0.7	1.6	6.6	14	<0.1	0.4	0.2	47	0.25	0.016
1296802	Soil	3.2	45.7	17.7	82	0.2	31.4	13.8	652	3.14	7.3	1.1	2.3	7.0	20	<0.1	0.3	0.2	54	0.29	0.029
1296813	Soil	1.4	30.4	8.0	79	<0.1	35.3	15.9	466	3.50	6.5	0.9	0.7	9.5	22	<0.1	0.4	0.1	59	0.26	0.029
1293088	Soil	0.6	25.5	11.4	81	<0.1	44.2	19.3	364	3.94	4.5	0.8	1.1	5.5	27	<0.1	0.2	<0.1	62	0.47	0.041
1296814	Soil	1.0	35.3	8.8	48	0.2	23.5	10.0	379	2.37	6.8	0.6	4.7	3.0	66	0.2	0.6	0.1	48	3.93	0.053
1296810	Soil	2.2	36.1	10.8	74	0.3	38.8	12.7	324	3.09	17.0	1.3	1.3	5.9	25	0.1	0.5	0.1	67	0.37	0.029
1296815	Soil	2.5	44.6	23.7	55	0.2	37.0	11.3	338	2.67	8.4	0.9	10.0	6.7	22	<0.1	0.4	0.2	66	0.56	0.039
1293096	Soil	2.4	15.6	15.2	60	<0.1	25.3	13.0	447	3.51	3.7	0.4	3.6	2.5	14	<0.1	0.2	0.1	81	0.28	0.039
1284118	Soil	1.7	42.7	11.7	90	0.2	68.1	20.3	586	4.76	200.6	1.0	12.6	8.8	21	0.1	2.5	0.1	85	0.52	0.063
1296806	Soil	2.1	42.4	8.0	69	0.4	39.5	11.6	317	2.84	9.7	0.8	2.5	3.8	26	0.1	0.5	0.1	69	0.40	0.025
1296805	Soil	2.0	30.2	9.0	72	0.3	39.4	13.6	443	3.18	10.6	0.9	12.9	5.4	16	<0.1	0.3	<0.1	74	0.33	0.031
1293100	Soil	1.0	30.4	10.7	54	0.2	34.1	11.0	416	2.43	5.5	0.7	5.9	4.8	75	<0.1	0.3	0.1	51	5.29	0.046
1284168	Soil	1.5	42.8	37.1	65	0.2	147.1	36.0	790	5.54	15.3	1.6	3.2	14.7	39	<0.1	1.0	<0.1	175	0.90	0.187
1296808	Soil	2.6	49.8	9.3	101	0.3	41.1	13.1	405	3.17	6.2	1.6	2.3	5.4	25	0.3	0.2	0.2	82	0.37	0.062
1296811	Soil	6.4	110.0	9.1	206	1.0	72.7	11.9	302	4.05	27.4	1.9	4.1	5.9	29	0.4	0.6	0.1	114	0.39	0.077
1293095	Soil	1.0	34.3	10.6	78	0.2	68.7	25.0	545	4.41	2.2	1.7	<0.5	15.8	27	0.1	<0.1	<0.1	78	0.99	0.112
1284126	Soil	0.8	32.7	10.0	70	0.2	50.8	15.6	226	3.48	41.9	1.2	2.8	7.1	14	<0.1	0.8	0.1	66	0.30	0.032
1296807	Soil	3.7	69.5	10.4	117	0.6	115.7	22.0	743	4.11	16.0	1.8	3.2	4.8	29	0.3	0.5	0.2	86	0.28	0.042
1296809	Soil	1.5	42.7	8.9	81	0.2	50.7	13.7	347	3.23	12.5	1.0	1.7	5.3	24	0.1	0.5	0.2	73	0.37	0.048
1296816	Soil	1.5	14.9	11.4	45	0.1	25.1	10.9	228	2.66	4.2	0.4	1.6	3.2	13	<0.1	0.3	0.2	72	0.25	0.019

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000323.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1293089	Soil	17	57	1.01	169	0.110	2	1.62	0.011	0.39	0.1	0.03	2.8	0.3	<0.05	5	<0.5	<0.2
1293084	Soil	10	48	0.72	344	0.105	<1	1.89	0.018	0.31	0.1	0.02	3.5	0.1	<0.05	6	<0.5	<0.2
1296803	Soil	14	39	0.64	296	0.081	2	1.59	0.011	0.22	0.1	0.02	5.8	0.1	<0.05	5	0.6	<0.2
1293097	Soil	8	41	0.64	180	0.095	1	1.47	0.009	0.18	0.1	0.02	3.3	0.2	<0.05	5	<0.5	<0.2
1296801	Rock Pulp	16	590	0.11	139	0.139	3	3.55	0.011	0.06	<0.1	0.03	35.9	<0.1	<0.05	19	<0.5	<0.2
1293090	Soil	16	49	0.88	220	0.100	2	1.44	0.016	0.28	0.1	0.03	3.3	0.3	<0.05	5	0.5	<0.2
1293098	Soil	6	87	1.39	168	0.150	<1	2.17	0.009	0.52	0.2	<0.01	2.6	0.2	<0.05	7	<0.5	<0.2
1296804	Soil	14	35	0.47	586	0.055	1	1.56	0.010	0.13	0.1	0.02	5.2	0.1	<0.05	5	1.1	<0.2
1296812	Soil	20	33	0.61	543	0.066	2	1.68	0.010	0.21	<0.1	0.02	4.5	0.2	<0.05	5	<0.5	<0.2
1293091	Soil	14	42	0.75	175	0.088	2	1.29	0.011	0.29	0.1	0.04	2.9	0.2	0.07	4	<0.5	<0.2
1293099	Soil	9	36	0.52	608	0.063	2	1.34	0.007	0.15	0.2	0.01	2.7	0.1	<0.05	5	<0.5	<0.2
1296802	Soil	12	35	0.77	446	0.097	<1	1.61	0.008	0.41	0.1	0.01	4.1	0.3	<0.05	5	0.6	<0.2
1296813	Soil	18	38	0.86	269	0.117	1	1.80	0.009	0.50	<0.1	0.02	4.7	0.3	<0.05	6	<0.5	<0.2
1293088	Soil	14	63	1.10	199	0.161	1	2.04	0.013	0.41	0.1	0.02	2.7	0.4	<0.05	7	<0.5	<0.2
1296814	Soil	13	24	0.67	574	0.077	<1	1.13	0.019	0.14	0.2	0.04	4.2	0.1	<0.05	4	<0.5	<0.2
1296810	Soil	17	42	0.57	401	0.060	<1	1.73	0.008	0.13	<0.1	0.02	5.2	0.1	<0.05	5	<0.5	<0.2
1296815	Soil	22	39	0.83	436	0.098	<1	1.50	0.018	0.14	0.2	0.04	5.4	0.2	<0.05	5	<0.5	<0.2
1293096	Soil	6	44	0.86	179	0.167	<1	1.52	0.009	0.40	0.2	0.01	2.9	0.4	<0.05	8	<0.5	<0.2
1284118	Soil	29	60	0.80	249	0.068	<1	1.52	0.008	0.20	0.1	0.05	8.5	0.4	<0.05	5	0.5	<0.2
1296806	Soil	11	43	0.52	396	0.067	<1	1.49	0.010	0.10	0.1	0.02	5.4	0.1	<0.05	5	0.8	<0.2
1296805	Soil	12	59	0.95	295	0.055	<1	1.75	0.007	0.25	<0.1	0.01	4.9	0.1	<0.05	6	<0.5	<0.2
1293100	Soil	14	45	1.03	910	0.104	<1	1.31	0.020	0.22	0.1	0.03	3.9	0.2	<0.05	4	<0.5	<0.2
1284168	Soil	21	246	3.66	1581	0.294	<1	2.95	0.012	1.39	0.2	0.03	13.3	1.5	<0.05	9	<0.5	<0.2
1296808	Soil	17	44	0.96	505	0.104	<1	1.76	0.012	0.33	0.1	0.02	4.7	0.3	<0.05	6	0.5	<0.2
1296811	Soil	17	47	0.81	430	0.033	<1	1.91	0.006	0.19	0.2	0.03	6.0	0.1	<0.05	6	2.9	<0.2
1293095	Soil	101	82	1.78	262	0.165	<1	2.55	0.010	0.67	0.1	0.03	6.0	0.5	<0.05	7	<0.5	<0.2
1284126	Soil	25	51	0.71	216	0.076	<1	1.64	0.010	0.15	<0.1	0.03	4.1	0.3	<0.05	5	<0.5	<0.2
1296807	Soil	17	97	0.85	491	0.023	<1	1.60	0.006	0.15	<0.1	0.03	9.4	0.3	<0.05	5	0.6	<0.2
1296809	Soil	16	47	0.64	311	0.067	<1	1.48	0.012	0.16	0.1	0.03	6.4	0.2	<0.05	5	<0.5	<0.2
1296816	Soil	7	41	0.67	215	0.088	<1	1.54	0.008	0.19	0.1	<0.01	2.7	0.2	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000323.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1284170	Soil		2.4	90.1	14.4	90	0.5	44.9	17.7	900	3.81	38.2	4.0	4.7	8.1	20	0.3	2.0	0.2	87	0.32	0.064
1284148	Soil		3.1	52.8	12.7	119	0.3	59.1	17.4	647	3.99	38.4	1.0	2.0	4.4	21	0.4	2.8	0.1	116	0.37	0.090
1284162	Soil		2.7	53.6	10.1	95	0.3	49.0	14.6	383	4.20	147.6	1.2	4.2	3.6	17	0.4	2.0	0.1	94	0.12	0.039
1284974	Soil		1.0	38.6	9.8	78	0.1	54.1	18.4	490	4.13	22.8	0.7	1.0	7.4	33	0.2	0.3	<0.1	69	1.24	0.075
1284171	Soil		3.9	41.3	13.9	93	0.2	34.1	15.9	734	3.87	43.0	0.9	1.2	2.8	17	0.2	2.0	0.2	99	0.17	0.083
1284147	Soil		2.0	47.5	14.3	95	0.2	63.0	16.1	443	3.48	17.6	1.1	2.5	5.4	22	0.2	1.2	0.2	109	0.33	0.074
1284159	Soil		1.9	70.6	10.7	90	0.2	50.1	19.2	642	3.96	37.4	1.3	6.8	4.4	22	0.4	1.4	0.1	89	0.42	0.050
1284165	Soil		5.3	53.5	12.5	155	0.5	46.5	10.4	393	3.40	447.7	1.3	14.3	2.2	23	1.2	3.5	0.2	70	0.11	0.081
1284175	Soil		2.3	34.9	8.2	95	0.2	55.8	18.5	452	3.68	43.1	0.5	2.1	2.5	17	0.4	1.4	0.1	93	0.28	0.055
1284149	Soil		1.7	44.3	12.8	97	0.2	39.9	14.1	550	3.37	44.1	0.8	2.6	4.2	20	0.3	2.2	0.1	71	0.35	0.045
1284160	Soil		0.4	59.4	11.5	64	0.3	151.8	33.1	836	5.43	34.9	1.5	5.5	18.3	48	0.1	1.7	0.1	163	0.92	0.165
1284163	Soil		1.6	50.0	10.9	79	0.3	59.0	16.0	459	3.60	50.8	1.5	3.9	5.8	22	0.2	1.4	0.1	83	0.26	0.036
1284174	Soil		2.4	64.2	8.0	106	0.4	71.5	20.1	512	3.96	40.4	1.4	4.2	3.4	22	0.3	1.4	<0.1	97	0.38	0.072
1284169	Soil		3.0	56.8	11.4	121	0.2	44.7	18.6	765	4.15	26.9	1.7	2.9	5.2	21	0.2	2.9	0.2	87	0.50	0.127
1284161	Soil		3.4	97.3	29.3	139	0.3	79.3	22.0	708	5.43	46.1	1.3	1.7	7.5	13	0.4	3.2	0.1	99	0.36	0.075
1284167	Soil		1.3	30.3	13.6	62	0.1	37.6	13.2	244	3.43	25.3	0.6	1.8	2.8	11	0.1	0.7	<0.1	96	0.18	0.025
1284150	Soil		1.5	11.8	50.7	51	0.3	11.5	6.4	287	1.71	105.8	1.5	13.4	15.1	31	0.3	4.8	0.2	15	0.24	0.035
1284152	Soil		1.2	34.5	14.9	58	0.3	138.9	20.3	490	3.77	77.1	1.2	19.2	8.2	35	0.1	2.6	0.2	47	0.62	0.040
1284662	Soil		1.4	39.6	31.3	79	0.8	41.8	15.2	527	3.69	93.3	1.3	8.7	4.9	33	0.3	3.0	0.1	56	0.82	0.055
1284173	Soil		2.6	44.4	12.1	103	0.3	40.6	14.0	965	3.47	29.1	0.9	5.0	3.3	21	0.5	1.3	0.2	96	0.23	0.082
1284973	Soil		2.4	53.9	12.4	115	0.2	71.6	22.9	615	5.09	77.5	1.3	1.9	11.3	26	0.3	2.3	0.2	76	0.98	0.109
1284155	Soil		0.6	38.5	11.8	66	0.1	82.9	21.4	515	3.74	19.0	0.6	1.1	5.4	74	0.1	1.0	0.1	65	2.63	0.080
1284975	Soil		0.8	38.5	9.3	76	0.2	52.3	15.6	256	3.59	44.2	1.4	5.1	7.8	15	<0.1	0.8	0.1	66	0.36	0.040
1284172	Soil		2.6	36.6	12.9	50	0.1	17.8	5.8	319	1.82	17.9	0.9	2.2	1.0	11	0.1	1.6	0.2	67	0.07	0.049
1284246	Soil		3.7	60.0	22.8	238	0.6	95.8	28.7	736	4.54	63.4	1.1	2.5	3.6	28	0.9	3.6	0.3	118	0.33	0.083
1284157	Soil		1.1	43.4	10.7	70	<0.1	87.7	21.9	476	4.33	38.9	1.0	4.5	8.8	36	<0.1	11.5	0.2	62	1.36	0.057
1284164	Soil		3.4	46.0	13.5	129	0.2	44.4	12.3	535	3.47	40.2	1.2	1.5	3.6	11	0.4	2.9	0.2	86	0.20	0.078
1284158	Soil		1.5	66.4	8.1	97	<0.1	55.1	20.5	580	4.64	66.5	0.7	6.2	4.4	27	<0.1	2.9	<0.1	125	0.59	0.099
1284063	Soil		0.8	33.5	25.3	115	0.1	36.1	25.8	1082	5.14	8.5	1.4	2.9	9.4	20	0.1	1.1	0.3	100	0.59	0.042
1284154	Soil		0.4	28.4	8.0	48	0.1	53.9	14.7	482	2.51	12.3	1.7	3.4	3.9	87	0.2	0.6	0.2	46	2.37	0.070

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000323.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1284170	Soil	46	57	0.95	337	0.113	<1	2.08	0.009	0.26	0.1	0.09	9.1	0.4	<0.05	8	0.6	<0.2
1284148	Soil	18	86	1.15	403	0.129	<1	2.03	0.009	0.34	0.1	0.02	6.5	0.4	<0.05	8	0.7	<0.2
1284162	Soil	15	62	0.91	284	0.098	<1	2.43	0.009	0.32	0.1	0.02	4.6	0.3	0.07	8	<0.5	<0.2
1284974	Soil	37	65	1.19	253	0.118	<1	2.08	0.013	0.40	0.1	0.03	5.6	0.4	<0.05	7	<0.5	<0.2
1284171	Soil	12	47	0.87	186	0.140	<1	1.76	0.009	0.34	0.1	0.03	4.1	0.5	<0.05	8	<0.5	<0.2
1284147	Soil	16	113	1.27	435	0.141	<1	2.24	0.010	0.24	0.3	0.02	5.5	0.4	<0.05	9	<0.5	<0.2
1284159	Soil	17	56	0.99	389	0.130	<1	1.96	0.014	0.39	0.1	0.05	9.0	0.3	<0.05	7	<0.5	<0.2
1284165	Soil	13	30	0.34	237	0.036	<1	1.07	0.006	0.12	0.1	0.06	3.0	1.4	0.07	5	1.8	<0.2
1284175	Soil	10	74	0.91	220	0.128	<1	1.90	0.012	0.20	0.1	0.02	4.2	0.2	<0.05	8	<0.5	<0.2
1284149	Soil	17	39	0.68	419	0.066	<1	1.61	0.008	0.14	0.1	0.03	4.6	0.2	<0.05	6	<0.5	<0.2
1284160	Soil	26	375	2.72	933	0.196	<1	2.84	0.022	1.00	0.2	0.06	23.9	1.0	<0.05	9	<0.5	<0.2
1284163	Soil	22	63	0.98	325	0.106	<1	2.11	0.012	0.19	0.1	0.04	5.4	0.4	<0.05	7	<0.5	<0.2
1284174	Soil	17	88	1.12	519	0.141	<1	2.03	0.011	0.42	0.1	0.05	6.0	0.3	<0.05	8	0.5	<0.2
1284169	Soil	21	51	0.88	316	0.090	<1	1.75	0.009	0.14	0.1	0.06	7.6	0.3	<0.05	7	0.5	<0.2
1284161	Soil	19	98	1.39	584	0.151	<1	2.30	0.006	0.76	<0.1	0.02	9.0	0.8	<0.05	9	0.7	<0.2
1284167	Soil	9	59	0.86	193	0.099	<1	2.13	0.008	0.19	0.1	0.02	4.6	0.2	<0.05	7	<0.5	<0.2
1284150	Soil	32	13	0.11	301	0.003	<1	0.54	0.004	0.10	0.1	0.05	2.1	<0.1	<0.05	2	<0.5	<0.2
1284152	Soil	26	116	0.85	424	0.016	1	1.39	0.011	0.12	<0.1	0.11	7.8	0.1	<0.05	4	<0.5	<0.2
1284662	Soil	20	46	0.61	365	0.045	<1	1.27	0.014	0.14	0.1	0.11	7.4	0.3	<0.05	4	0.7	<0.2
1284173	Soil	16	54	0.71	362	0.115	<1	1.68	0.010	0.23	0.1	0.04	4.5	0.5	<0.05	8	<0.5	<0.2
1284973	Soil	37	65	1.08	351	0.070	<1	1.79	0.011	0.56	<0.1	0.03	10.6	0.8	<0.05	6	0.6	<0.2
1284155	Soil	19	148	1.68	163	0.097	<1	2.09	0.016	0.37	0.1	0.04	5.7	0.4	<0.05	7	<0.5	<0.2
1284975	Soil	29	53	0.79	249	0.073	<1	1.84	0.012	0.20	0.1	0.03	5.1	0.4	<0.05	6	0.7	<0.2
1284172	Soil	8	22	0.45	136	0.082	<1	0.89	0.008	0.28	<0.1	0.02	1.8	0.2	0.05	6	0.5	<0.2
1284246	Soil	14	89	0.98	531	0.107	<1	2.06	0.013	0.29	0.1	0.03	5.4	0.4	0.08	8	1.0	<0.2
1284157	Soil	33	73	0.68	196	0.025	<1	1.16	0.011	0.15	0.1	0.16	11.7	0.2	<0.05	5	<0.5	<0.2
1284164	Soil	10	38	0.41	193	0.045	<1	0.97	0.004	0.19	<0.1	0.02	5.4	0.8	<0.05	5	0.8	<0.2
1284158	Soil	14	86	1.12	367	0.110	<1	2.34	0.011	0.50	<0.1	0.02	9.0	0.5	<0.05	8	0.7	<0.2
1284063	Soil	31	73	2.31	330	0.173	2	2.59	0.009	0.86	0.1	0.01	7.4	0.5	<0.05	7	<0.5	<0.2
1284154	Soil	18	90	1.06	206	0.068	3	1.49	0.013	0.22	0.1	0.05	4.2	0.2	0.06	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000323.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1284166	Soil		1.9	28.7	21.3	75	0.2	32.9	11.1	351	3.46	54.9	0.7	3.1	3.5	11	0.3	2.9	0.2	71	0.17	0.042
1284156	Soil		0.5	28.1	21.4	72	0.1	43.3	18.7	530	3.50	44.7	1.1	2.0	4.6	174	0.1	2.8	0.1	49	6.08	0.090
1284055	Soil		0.5	22.1	14.8	61	<0.1	111.4	26.2	574	4.33	5.0	2.8	1.0	16.3	72	0.5	0.2	0.1	137	1.01	0.055
1284250	Soil		2.0	71.5	25.0	154	0.4	65.3	19.5	690	4.25	65.8	2.3	6.7	3.8	60	1.4	3.6	0.2	108	1.37	0.101
1284066	Soil		0.7	32.7	22.4	65	0.2	57.2	17.7	541	3.36	25.6	0.9	11.2	6.0	91	0.3	1.6	0.2	52	2.83	0.058
1284058	Soil		0.9	49.5	11.0	74	0.5	40.8	12.6	673	2.57	104.1	4.5	24.1	3.0	83	0.6	2.4	0.2	56	1.90	0.073
1284054	Soil		1.2	9.4	16.1	52	0.1	19.6	9.5	376	2.85	24.8	3.0	5.0	35.1	19	<0.1	0.8	0.3	32	0.37	0.053
1284057	Soil		2.2	53.7	35.5	143	0.7	53.4	15.2	497	3.55	235.6	2.0	40.5	5.2	37	0.9	4.4	0.3	83	0.63	0.084
1284244	Soil		2.0	53.4	15.3	72	0.3	40.6	15.5	746	2.31	26.4	3.0	5.2	2.5	90	0.8	1.8	0.3	62	1.88	0.088
1284247	Soil		4.9	62.6	23.0	224	0.5	71.7	25.8	1024	5.29	55.9	1.5	2.0	4.9	49	0.6	4.8	0.2	142	0.78	0.148
1284056	Soil		3.3	54.7	46.2	407	0.9	234.0	29.9	571	4.23	81.7	2.4	3.2	16.8	67	1.9	4.6	0.1	107	1.04	0.190
1284053	Soil		1.9	43.6	21.1	107	0.2	52.6	20.5	532	4.24	38.5	2.1	0.9	9.0	47	0.4	1.7	0.3	109	0.80	0.069
1284248	Soil		3.5	87.6	18.4	236	0.6	86.6	25.1	822	5.05	72.7	2.2	5.6	5.2	42	1.9	4.7	0.3	137	0.79	0.114
1284240	Soil		1.2	44.6	10.9	85	0.2	59.7	18.6	444	3.55	33.6	3.2	4.8	5.8	87	0.3	2.4	0.2	67	2.64	0.108
1284061	Soil		0.9	31.4	11.0	70	0.2	40.1	15.3	592	3.45	58.4	1.4	1.7	4.5	50	0.2	2.5	0.1	56	1.49	0.057
1284243	Soil		3.6	31.8	13.5	122	0.5	31.4	23.5	1288	3.61	31.6	1.3	5.0	3.2	24	0.3	2.1	0.2	116	0.26	0.098
1284249	Soil		1.9	96.4	11.5	98	0.5	62.8	21.2	528	4.43	27.8	2.7	2.5	3.8	49	0.4	1.3	0.1	110	0.96	0.101
1284245	Soil		3.0	36.2	11.6	112	0.4	30.9	12.9	458	3.31	29.9	1.1	1.0	3.3	25	0.3	2.0	0.2	88	0.28	0.099
1270241	Soil		0.7	19.8	26.3	74	<0.1	26.0	12.3	606	3.21	2.9	2.0	<0.5	29.6	19	<0.1	0.1	0.4	47	0.52	0.094
1284067	Soil		1.8	30.9	17.5	86	<0.1	328.2	34.2	813	4.15	9.0	0.9	1.7	9.0	70	0.2	0.8	0.2	66	3.69	0.041
1284064	Soil		0.8	29.3	13.1	61	0.1	77.1	16.9	588	3.43	81.9	1.7	3.1	3.9	86	0.2	8.1	0.2	47	2.78	0.065
1284060	Soil		0.9	38.2	9.8	77	0.1	50.6	16.6	495	3.66	50.8	1.6	2.1	6.8	45	0.2	1.5	0.1	62	1.32	0.065
1270232	Soil		0.9	15.8	15.0	44	<0.1	18.8	7.7	263	2.40	6.9	0.7	<0.5	10.1	15	<0.1	0.4	0.6	40	0.18	0.014
1284062	Soil		1.1	34.1	34.8	77	0.7	55.3	18.1	663	3.64	73.9	1.6	7.8	6.2	41	0.3	6.5	0.2	45	0.88	0.053
1284242	Soil		0.8	36.6	9.2	58	0.2	57.5	14.7	471	2.77	53.9	2.5	1.3	4.2	69	0.2	1.7	0.1	51	2.36	0.064
1284069	Soil		1.0	20.3	13.9	84	<0.1	221.6	34.6	774	5.29	11.6	1.1	1.4	13.2	36	<0.1	0.9	<0.1	73	0.84	0.100
1270231	Soil		1.0	12.6	18.8	59	<0.1	20.2	8.5	354	2.72	7.9	1.6	1.3	26.5	15	<0.1	0.4	0.2	46	0.27	0.031
1270242	Soil		0.7	32.2	35.7	57	0.2	31.6	13.4	539	2.98	8.5	1.7	7.7	9.6	44	0.1	0.4	0.3	57	0.96	0.062
1284068	Soil		0.6	24.3	12.0	55	<0.1	154.8	25.6	474	3.65	32.2	1.1	3.9	9.3	49	0.1	7.1	0.2	55	1.19	0.035
1284241	Soil		1.1	45.0	12.4	77	0.2	73.6	18.7	439	3.63	22.6	1.4	3.1	6.3	57	0.2	1.3	0.1	70	1.97	0.064

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000323.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1284166	Soil	8	35	0.33	165	0.048	<1	1.06	0.005	0.12	0.2	0.02	3.7	0.2	<0.05	5	<0.5	<0.2
1284156	Soil	21	54	1.13	159	0.053	2	1.79	0.009	0.24	0.1	0.05	4.9	0.4	<0.05	7	<0.5	<0.2
1284055	Soil	50	179	3.05	534	0.192	1	3.85	0.075	0.48	<0.1	0.03	13.5	0.5	<0.05	9	<0.5	<0.2
1284250	Soil	22	75	1.21	688	0.107	1	1.75	0.011	0.51	<0.1	0.07	10.4	0.5	0.05	7	1.5	<0.2
1284066	Soil	24	71	1.02	273	0.052	2	1.54	0.014	0.23	0.2	0.07	6.8	0.3	<0.05	5	<0.5	<0.2
1284058	Soil	16	40	0.70	574	0.036	3	1.14	0.013	0.08	0.1	0.16	6.6	0.4	0.08	3	1.6	<0.2
1284054	Soil	74	22	0.63	121	0.059	<1	1.38	0.006	0.30	<0.1	0.01	5.5	0.4	<0.05	7	<0.5	<0.2
1284057	Soil	17	60	0.98	422	0.087	1	1.63	0.009	0.36	0.3	0.15	6.7	0.9	<0.05	6	1.3	<0.2
1284244	Soil	15	59	0.82	548	0.090	<1	1.34	0.013	0.29	<0.1	0.10	5.6	0.4	0.18	5	2.7	<0.2
1284247	Soil	17	83	1.44	857	0.199	<1	2.32	0.011	0.85	0.2	0.02	8.8	0.8	0.10	11	2.0	<0.2
1284056	Soil	18	245	2.10	577	0.170	<1	2.15	0.010	0.48	0.3	0.11	8.8	1.4	<0.05	7	1.7	<0.2
1284053	Soil	19	68	1.22	533	0.131	1	2.03	0.011	0.42	0.1	0.03	7.0	0.4	<0.05	9	0.7	<0.2
1284248	Soil	23	90	1.43	647	0.152	<1	2.28	0.010	0.57	0.1	0.06	10.0	0.8	0.07	9	1.5	<0.2
1284240	Soil	25	61	1.00	248	0.051	3	1.32	0.010	0.33	0.1	0.06	8.2	0.8	0.06	4	1.0	<0.2
1284061	Soil	20	46	0.69	309	0.055	2	1.14	0.012	0.21	<0.1	0.05	6.7	0.3	<0.05	4	0.9	<0.2
1284243	Soil	15	62	1.07	417	0.162	<1	1.94	0.011	0.54	0.1	0.04	5.7	0.4	<0.05	10	0.8	<0.2
1284249	Soil	38	74	1.44	1071	0.211	<1	2.36	0.022	0.57	0.1	0.07	8.7	0.4	0.07	10	0.8	<0.2
1284245	Soil	14	51	0.91	340	0.120	<1	1.58	0.010	0.36	0.1	0.04	3.9	0.5	0.06	7	0.6	<0.2
1270241	Soil	90	49	2.03	211	0.171	<1	2.23	0.009	0.58	<0.1	<0.01	4.4	0.5	<0.05	8	<0.5	<0.2
1284067	Soil	21	1099	5.15	284	0.095	1	3.28	0.006	0.85	<0.1	0.02	8.9	0.5	<0.05	9	<0.5	<0.2
1284064	Soil	24	70	0.59	253	0.018	2	0.99	0.011	0.09	0.1	0.12	7.6	0.2	<0.05	3	0.8	<0.2
1284060	Soil	27	57	0.91	322	0.089	1	1.63	0.011	0.32	0.1	0.05	6.1	0.4	<0.05	5	<0.5	<0.2
1270232	Soil	8	28	0.52	174	0.073	<1	1.27	0.008	0.19	0.1	0.02	2.8	0.2	<0.05	4	<0.5	<0.2
1284062	Soil	23	49	0.48	346	0.023	2	0.92	0.009	0.11	<0.1	0.08	6.4	0.2	<0.05	3	0.5	<0.2
1284242	Soil	21	68	0.99	321	0.070	2	1.35	0.011	0.32	0.9	0.06	4.5	0.4	0.08	4	0.7	<0.2
1284069	Soil	38	477	3.82	248	0.145	1	3.92	0.006	0.44	<0.1	0.01	6.7	0.4	<0.05	12	<0.5	<0.2
1270231	Soil	58	34	0.50	312	0.059	<1	1.51	0.010	0.08	0.1	0.03	4.1	0.3	<0.05	5	<0.5	<0.2
1270242	Soil	36	51	0.82	377	0.060	<1	1.59	0.014	0.08	0.5	0.04	5.8	0.1	<0.05	5	0.6	<0.2
1284068	Soil	33	181	1.00	208	0.030	2	1.38	0.014	0.11	0.1	0.09	9.7	0.2	<0.05	4	<0.5	<0.2
1284241	Soil	30	81	1.04	321	0.052	2	1.44	0.012	0.24	<0.1	0.07	7.5	0.4	<0.05	5	0.9	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000323.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1270240	Soil	1.6	26.9	15.4	61	0.1	18.1	11.4	594	2.75	7.4	2.4	0.9	17.5	22	0.1	0.3	0.3	57	0.40	0.034
1270243	Soil	0.7	26.2	35.8	54	0.1	33.8	12.4	402	2.83	5.7	4.4	2.4	6.3	60	<0.1	0.3	0.2	52	1.54	0.052
1284059	Soil	0.9	39.0	12.6	72	0.2	77.6	18.8	592	3.65	89.8	2.5	4.3	7.6	60	0.2	2.6	0.1	71	1.58	0.088
1284065	Soil	0.5	33.5	14.7	54	0.1	46.1	15.8	495	2.90	48.8	0.9	1.3	3.1	194	0.1	1.3	<0.1	47	6.48	0.061
1270247	Soil	0.6	28.6	8.8	50	0.1	24.6	17.2	623	3.67	10.1	1.0	5.5	4.6	37	0.2	2.0	0.2	65	0.90	0.053
1270254	Soil	0.9	15.8	11.1	49	<0.1	22.7	13.2	682	3.07	6.4	1.2	6.7	15.8	21	<0.1	0.4	0.1	61	0.50	0.028
1270248	Soil	0.8	41.6	9.1	48	0.3	29.5	15.4	605	3.35	8.2	1.0	6.8	3.8	41	0.2	2.4	0.2	48	0.96	0.049
1270239	Soil	0.5	22.1	5.7	105	<0.1	21.6	29.7	1093	4.92	2.3	1.0	<0.5	7.3	23	<0.1	<0.1	<0.1	121	0.98	0.197
1270230	Soil	1.3	10.6	12.3	47	<0.1	15.0	7.8	248	2.96	7.8	1.4	3.7	11.9	17	<0.1	0.4	0.2	66	0.33	0.018
1270253	Soil	0.4	9.8	5.6	43	<0.1	39.3	17.0	491	3.71	2.6	1.0	2.8	17.5	18	<0.1	0.1	<0.1	64	0.57	0.129
1270256	Soil	0.9	16.8	10.8	45	<0.1	23.0	16.1	397	4.03	5.1	1.3	<0.5	23.3	13	<0.1	0.4	0.1	73	0.25	0.020
1270238	Soil	1.8	16.1	10.0	39	<0.1	12.5	7.5	185	2.57	51.7	0.9	0.5	8.6	12	<0.1	0.4	0.2	73	0.15	0.015
1270244	Soil	0.7	20.8	7.5	45	<0.1	29.9	16.6	493	3.50	4.9	1.3	10.1	5.1	45	0.1	0.3	0.1	80	1.21	0.075
1270250	Soil	0.8	24.6	8.4	39	0.2	32.2	10.5	491	2.65	6.1	1.2	8.6	5.3	52	0.2	1.3	0.1	34	1.41	0.037
1270255	Soil	0.7	13.4	5.2	48	<0.1	50.2	20.6	457	3.63	3.9	0.6	<0.5	9.2	21	<0.1	0.2	<0.1	94	0.42	0.032
1270237	Soil	1.1	16.7	14.7	54	<0.1	21.2	11.4	274	3.00	8.5	1.1	3.3	13.0	16	<0.1	0.4	0.2	70	0.20	0.019
1270245	Soil	1.2	25.9	10.3	59	<0.1	31.6	17.5	467	4.38	7.7	1.0	2.4	5.7	23	<0.1	0.6	0.1	80	0.43	0.054
1270249	Soil	1.5	25.8	11.7	52	<0.1	51.4	17.0	468	3.88	10.7	1.5	10.4	10.1	22	0.2	2.2	0.2	49	0.28	0.025
1270252	Soil	1.0	14.1	53.8	45	<0.1	17.8	19.4	411	4.57	4.6	1.0	<0.5	14.5	15	<0.1	0.2	0.8	89	0.38	0.087
1270251	Rock Pulp	2.4	22.9	2.1	40	0.3	22.7	9.7	380	2.27	4.1	0.2	2.2	0.8	35	0.1	0.3	<0.1	59	0.79	0.054

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

CERTIFICATE OF ANALYSIS WHI12000323.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1270240	Soil	67	39	0.76	299	0.064	<1	1.42	0.008	0.13	0.1	0.02	4.5	0.2	<0.05	6	<0.5	<0.2
1270243	Soil	35	52	0.77	315	0.057	1	1.51	0.012	0.13	0.4	0.06	4.9	0.1	<0.05	5	<0.5	<0.2
1284059	Soil	26	90	1.08	317	0.088	2	1.38	0.011	0.21	0.1	0.06	7.4	0.5	<0.05	5	0.6	<0.2
1284065	Soil	15	57	1.05	169	0.053	2	1.44	0.012	0.21	0.1	0.05	3.9	0.2	0.06	4	<0.5	<0.2
1270247	Soil	23	31	0.60	382	0.022	2	1.24	0.011	0.06	0.2	0.03	7.0	<0.1	<0.05	4	<0.5	<0.2
1270254	Soil	22	49	0.84	308	0.101	1	1.57	0.014	0.37	0.1	0.02	5.3	0.3	<0.05	6	<0.5	<0.2
1270248	Soil	15	34	0.51	372	0.030	2	1.15	0.015	0.07	0.2	0.13	5.9	<0.1	0.05	4	<0.5	<0.2
1270239	Soil	16	60	3.69	682	0.205	1	3.41	0.010	1.21	0.3	<0.01	6.0	0.6	<0.05	9	<0.5	<0.2
1270230	Soil	24	30	0.54	207	0.075	1	1.62	0.010	0.09	0.2	0.03	3.5	0.2	<0.05	7	<0.5	<0.2
1270253	Soil	63	96	1.93	357	0.192	1	2.45	0.009	1.03	<0.1	0.01	6.3	0.5	<0.05	7	<0.5	<0.2
1270256	Soil	34	42	1.37	208	0.141	1	2.05	0.009	0.77	0.1	<0.01	5.6	0.6	<0.05	8	<0.5	<0.2
1270238	Soil	12	32	0.47	237	0.088	1	1.17	0.006	0.07	0.1	0.01	3.8	0.1	<0.05	6	<0.5	<0.2
1270244	Soil	25	58	0.93	270	0.057	2	1.79	0.014	0.08	0.2	0.03	8.2	0.1	<0.05	6	<0.5	<0.2
1270250	Soil	17	33	0.48	597	0.024	2	0.95	0.011	0.10	0.1	0.12	10.7	0.1	<0.05	3	<0.5	<0.2
1270255	Soil	14	134	2.40	248	0.191	1	2.78	0.009	0.77	0.2	<0.01	4.4	0.4	<0.05	8	<0.5	<0.2
1270237	Soil	28	38	0.59	346	0.082	1	1.96	0.011	0.05	0.2	0.02	4.4	0.2	<0.05	6	<0.5	<0.2
1270245	Soil	16	57	0.59	239	0.038	1	1.84	0.010	0.06	0.1	0.01	7.1	0.2	<0.05	6	<0.5	<0.2
1270249	Soil	27	59	0.42	519	0.024	2	1.30	0.009	0.08	0.1	0.06	5.8	<0.1	<0.05	4	<0.5	<0.2
1270252	Soil	13	22	1.50	220	0.210	1	2.61	0.006	1.00	0.2	<0.01	5.3	0.6	<0.05	8	<0.5	<0.2
1270251	Rock Pulp	4	30	0.75	87	0.108	2	1.44	0.076	0.11	11.7	<0.01	4.4	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

QUALITY CONTROL REPORT WHI12000323.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
1271340	Soil	1.3	42.9	10.4	101	0.2	39.8	16.4	609	4.60	30.1	1.0	5.9	7.9	63	0.2	1.0	0.1	149	0.73	0.120
REP 1271340	QC	1.4	43.3	10.7	103	0.2	40.4	16.7	624	4.60	30.4	1.0	4.7	7.9	63	0.2	1.0	0.2	150	0.74	0.116
1271333	Soil	0.9	16.1	5.1	148	<0.1	17.0	13.6	777	5.34	10.2	0.5	1.5	6.0	29	<0.1	0.3	<0.1	121	0.89	0.194
REP 1271333	QC	0.8	15.7	5.0	144	<0.1	17.0	13.5	775	5.42	10.0	0.5	2.0	6.1	28	<0.1	0.3	<0.1	135	0.89	0.195
1270715	Soil	0.8	33.5	23.8	56	<0.1	39.2	21.4	816	3.98	8.4	1.9	1.4	5.5	69	0.2	0.4	0.1	86	1.74	0.083
REP 1270715	QC	0.8	32.9	23.4	54	0.1	38.7	21.4	807	3.99	7.7	1.9	2.0	5.5	68	0.2	0.4	0.2	85	1.74	0.082
1284990	Soil	2.7	54.3	30.6	152	0.7	46.6	13.9	510	3.58	61.8	2.6	2.5	4.2	52	1.1	2.2	0.3	88	1.43	0.091
REP 1284990	QC	2.9	54.3	30.5	155	0.7	48.3	13.8	523	3.52	62.1	2.7	2.9	4.2	51	1.3	2.2	0.3	87	1.41	0.096
1293457	Soil	2.4	15.4	7.0	35	0.5	11.3	2.7	94	1.58	14.8	0.5	1.1	0.4	12	0.2	0.2	0.2	65	0.10	0.039
REP 1293457	QC	2.6	15.1	7.2	36	0.6	12.3	2.8	97	1.60	14.8	0.4	2.2	0.4	11	0.2	0.3	0.1	66	0.11	0.039
1293455	Soil	3.0	39.8	10.0	81	<0.1	31.6	10.0	411	3.62	18.8	1.5	2.2	4.4	15	0.2	0.5	0.2	85	0.11	0.069
REP 1293455	QC	2.8	39.3	10.1	82	<0.1	31.4	9.9	416	3.63	19.0	1.5	<0.5	4.5	14	0.2	0.4	0.2	83	0.11	0.067
1293472	Soil	5.3	88.8	13.5	233	1.3	112.7	18.7	651	4.49	140.8	2.1	14.0	4.0	39	1.0	1.6	0.2	73	1.04	0.064
REP 1293472	QC	5.5	91.6	13.5	240	1.3	113.3	18.7	655	4.65	145.8	2.1	9.4	4.4	39	1.0	1.7	0.2	74	1.03	0.064
1271521	Soil	1.8	37.2	10.3	91	0.2	52.2	13.9	376	3.39	39.3	0.7	3.5	2.9	23	0.4	1.2	0.1	102	0.32	0.037
REP 1271521	QC	1.9	37.3	10.3	91	0.2	50.4	13.7	374	3.34	39.6	0.6	6.2	2.8	22	0.5	1.2	0.1	100	0.32	0.036
1292698	Soil	8.3	60.3	26.5	249	0.6	122.7	16.0	659	3.56	80.5	1.5	3.2	3.5	27	1.1	0.6	0.2	90	0.49	0.055
REP 1292698	QC	8.4	61.8	26.8	258	0.7	126.3	16.4	671	3.62	82.6	1.6	4.0	3.6	28	1.1	0.7	0.2	93	0.51	0.055
1284142	Soil	1.3	29.3	12.6	89	0.4	44.6	17.0	604	4.02	158.2	2.1	20.6	7.2	29	0.3	2.9	0.2	84	0.71	0.066
REP 1284142	QC	1.4	29.2	12.9	90	0.4	45.3	17.6	607	4.06	160.8	2.2	20.8	7.4	29	0.3	2.7	0.2	83	0.71	0.066
1284997	Soil	3.0	48.3	16.0	124	0.2	69.3	18.0	544	4.56	25.3	0.9	3.7	3.6	18	0.4	1.6	0.2	133	0.34	0.073
REP 1284997	QC	3.1	49.6	16.2	130	0.2	71.7	18.6	550	4.73	26.5	0.9	2.2	3.8	19	0.4	1.6	0.2	139	0.36	0.077
1290485	Soil	5.7	55.6	21.0	150	0.7	59.4	12.6	328	3.18	26.0	1.9	4.6	2.9	33	0.4	0.8	0.2	63	0.42	0.050
REP 1290485	QC	5.5	55.6	20.7	150	0.6	58.7	12.4	335	3.12	26.3	1.8	5.9	2.9	33	0.4	0.7	0.2	64	0.42	0.052
1284144	Soil	0.9	26.7	22.6	53	0.2	45.3	14.9	453	3.24	62.0	0.9	6.6	6.3	29	0.1	4.3	0.2	66	0.46	0.031
REP 1284144	QC	0.9	26.7	22.2	52	0.2	43.5	14.8	445	3.22	62.4	1.0	6.0	6.3	29	0.1	4.2	0.2	64	0.46	0.032
1284168	Soil	1.5	42.8	37.1	65	0.2	147.1	36.0	790	5.54	15.3	1.6	3.2	14.7	39	<0.1	1.0	<0.1	175	0.90	0.187
REP 1284168	QC	1.5	44.7	36.7	64	0.2	149.8	37.0	790	5.54	14.7	1.5	5.3	14.4	39	<0.1	1.0	<0.1	169	0.91	0.190

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

QUALITY CONTROL REPORT WHI12000323.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
1271340	Soil	20	56	1.29	846	0.234	2	3.26	0.052	0.49	0.2	0.06	8.3	0.6	0.06	11	0.6	<0.2
REP 1271340	QC	20	57	1.27	858	0.238	2	3.15	0.050	0.50	0.2	0.04	8.6	0.6	0.06	11	0.5	<0.2
1271333	Soil	24	28	1.12	555	0.088	<1	1.88	0.018	0.25	<0.1	0.02	11.0	0.2	<0.05	13	<0.5	<0.2
REP 1271333	QC	24	28	1.10	552	0.092	<1	1.88	0.020	0.25	<0.1	0.02	10.9	0.2	<0.05	13	<0.5	<0.2
1270715	Soil	65	79	1.16	497	0.063	3	1.92	0.013	0.19	0.1	0.06	9.3	0.2	<0.05	6	<0.5	<0.2
REP 1270715	QC	63	80	1.13	491	0.062	2	1.82	0.013	0.19	0.1	0.06	9.4	0.2	<0.05	6	<0.5	<0.2
1284990	Soil	23	50	0.81	1261	0.089	3	1.49	0.010	0.32	0.1	0.06	6.3	0.4	0.10	7	1.2	<0.2
REP 1284990	QC	23	50	0.82	1246	0.089	2	1.50	0.010	0.31	0.1	0.06	6.2	0.4	0.10	6	1.3	<0.2
1293457	Soil	9	25	0.20	160	0.047	<1	0.83	0.008	0.05	0.2	0.04	1.4	0.1	<0.05	6	<0.5	<0.2
REP 1293457	QC	9	25	0.20	161	0.048	<1	0.83	0.008	0.05	0.1	0.02	1.4	0.2	<0.05	6	<0.5	<0.2
1293455	Soil	16	42	0.74	187	0.102	<1	1.74	0.007	0.28	0.1	0.02	3.7	0.3	<0.05	7	0.7	<0.2
REP 1293455	QC	15	43	0.74	182	0.100	<1	1.73	0.008	0.27	0.1	0.02	3.7	0.3	<0.05	7	1.2	<0.2
1293472	Soil	17	32	0.39	1873	0.011	2	1.37	0.008	0.06	0.4	0.06	8.1	0.1	<0.05	4	3.0	<0.2
REP 1293472	QC	18	32	0.39	1853	0.016	2	1.38	0.008	0.06	0.5	0.06	7.9	0.1	<0.05	4	1.9	<0.2
1271521	Soil	10	63	0.73	805	0.109	1	1.94	0.016	0.11	0.2	0.02	5.5	0.2	0.06	6	<0.5	<0.2
REP 1271521	QC	10	63	0.72	802	0.107	1	1.89	0.017	0.11	0.2	0.02	5.6	0.2	0.06	6	<0.5	<0.2
1292698	Soil	11	41	0.41	1889	0.031	1	1.44	0.007	0.10	0.3	0.06	5.5	0.5	0.09	5	1.4	<0.2
REP 1292698	QC	11	43	0.42	1879	0.033	1	1.45	0.007	0.10	0.4	0.06	5.7	0.4	0.11	5	1.0	<0.2
1284142	Soil	27	61	0.85	340	0.064	2	1.58	0.012	0.18	0.1	0.12	10.8	0.6	<0.05	6	0.7	<0.2
REP 1284142	QC	28	61	0.83	339	0.060	2	1.55	0.012	0.18	0.1	0.11	10.7	0.6	<0.05	6	0.6	<0.2
1284997	Soil	14	91	1.11	590	0.144	2	2.28	0.011	0.38	0.1	0.03	6.3	0.5	<0.05	9	0.7	<0.2
REP 1284997	QC	15	96	1.17	612	0.154	2	2.49	0.011	0.38	0.1	0.03	6.7	0.5	<0.05	9	0.7	<0.2
1290485	Soil	12	26	0.34	647	0.021	1	0.96	0.008	0.07	0.2	0.08	3.7	0.2	0.05	3	2.1	<0.2
REP 1290485	QC	12	27	0.34	647	0.021	3	0.95	0.008	0.07	0.2	0.07	3.8	0.2	<0.05	3	2.0	<0.2
1284144	Soil	18	56	0.55	312	0.031	2	1.42	0.014	0.08	0.1	0.04	7.9	0.2	<0.05	4	<0.5	<0.2
REP 1284144	QC	18	54	0.55	310	0.030	1	1.41	0.013	0.08	<0.1	0.06	7.9	0.2	<0.05	4	<0.5	<0.2
1284168	Soil	21	246	3.66	1581	0.294	<1	2.95	0.012	1.39	0.2	0.03	13.3	1.5	<0.05	9	<0.5	<0.2
REP 1284168	QC	21	240	3.68	1540	0.295	<1	2.86	0.012	1.49	0.3	0.02	13.1	1.5	<0.05	10	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

QUALITY CONTROL REPORT WHI12000323.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
1284162	Soil	2.7	53.6	10.1	95	0.3	49.0	14.6	383	4.20	147.6	1.2	4.2	3.6	17	0.4	2.0	0.1	94	0.12	0.039
REP 1284162	QC	2.6	54.7	10.0	98	0.3	49.2	14.5	395	4.26	150.2	1.2	1.5	3.6	17	0.4	2.0	0.1	96	0.13	0.040
1284154	Soil	0.4	28.4	8.0	48	0.1	53.9	14.7	482	2.51	12.3	1.7	3.4	3.9	87	0.2	0.6	0.2	46	2.37	0.070
REP 1284154	QC	0.5	28.2	8.0	50	<0.1	55.5	14.6	483	2.49	12.4	1.7	2.3	3.9	89	0.2	0.6	0.2	46	2.29	0.069
1284244	Soil	2.0	53.4	15.3	72	0.3	40.6	15.5	746	2.31	26.4	3.0	5.2	2.5	90	0.8	1.8	0.3	62	1.88	0.088
REP 1284244	QC	1.7	52.5	12.3	74	0.4	37.8	15.4	733	2.35	24.8	2.9	3.0	2.4	87	0.8	1.6	0.2	62	1.76	0.079
1270244	Soil	0.7	20.8	7.5	45	<0.1	29.9	16.6	493	3.50	4.9	1.3	10.1	5.1	45	0.1	0.3	0.1	80	1.21	0.075
REP 1270244	QC	0.6	20.5	7.4	45	<0.1	30.0	16.3	494	3.50	5.1	1.3	2.0	4.9	43	<0.1	0.3	<0.1	79	1.20	0.076
Reference Materials																					
STD DS9	Standard	13.4	108.1	121.9	302	1.8	39.5	7.7	561	2.30	24.8	2.7	113.3	6.5	67	2.1	5.3	5.6	42	0.73	0.080
STD DS9	Standard	12.7	106.2	128.2	301	1.8	40.3	7.6	565	2.28	23.8	2.7	110.2	6.2	74	2.1	5.6	6.6	40	0.70	0.087
STD DS9	Standard	13.2	105.6	124.4	298	1.8	38.7	7.6	577	2.29	24.7	2.7	121.7	6.2	76	2.3	6.0	6.5	41	0.71	0.082
STD DS9	Standard	13.0	106.4	125.3	300	1.8	38.2	7.6	580	2.33	25.2	2.7	114.9	6.6	77	2.2	5.8	6.6	41	0.72	0.080
STD DS9	Standard	14.8	121.6	138.0	332	2.0	44.5	8.6	637	2.50	27.5	3.0	132.7	7.0	74	2.6	6.2	6.4	48	0.82	0.090
STD DS9	Standard	13.0	101.2	125.5	305	1.9	40.9	7.5	579	2.33	23.6	2.3	106.1	5.1	70	2.1	5.3	5.4	44	0.69	0.085
STD DS9	Standard	13.2	111.3	115.7	303	1.8	41.4	7.9	592	2.38	25.5	2.5	113.7	5.5	64	2.1	5.0	5.2	45	0.74	0.084
STD DS9	Standard	15.3	104.5	132.6	320	2.0	46.0	8.9	644	2.55	23.9	2.5	121.3	5.8	79	2.1	5.3	5.5	52	0.83	0.089
STD DS9	Standard	14.5	103.0	127.2	305	1.8	44.4	8.5	614	2.47	22.9	2.5	118.4	5.6	76	2.0	4.9	5.3	51	0.79	0.084
STD DS9	Standard	13.2	103.8	115.6	299	1.7	43.6	8.0	565	2.38	24.4	2.5	118.2	5.7	63	1.9	5.2	5.7	50	0.70	0.077
STD DS9	Standard	12.3	103.9	128.2	298	1.8	39.3	7.2	591	2.17	25.1	2.9	111.6	6.9	75	2.4	6.0	6.7	41	0.66	0.080
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	0.2	<0.1	<1	0.02	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	0.02	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

QUALITY CONTROL REPORT WHI12000323.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
1284162	Soil	15	62	0.91	284	0.098	<1	2.43	0.009	0.32	0.1	0.02	4.6	0.3	0.07	8	<0.5	<0.2
REP 1284162	QC	15	64	0.92	285	0.102	<1	2.47	0.010	0.33	0.1	0.02	4.7	0.3	0.06	8	<0.5	<0.2
1284154	Soil	18	90	1.06	206	0.068	3	1.49	0.013	0.22	0.1	0.05	4.2	0.2	0.06	5	<0.5	<0.2
REP 1284154	QC	18	91	1.07	204	0.069	4	1.48	0.013	0.21	0.1	0.05	4.0	0.2	0.07	4	0.6	<0.2
1284244	Soil	15	59	0.82	548	0.090	<1	1.34	0.013	0.29	<0.1	0.10	5.6	0.4	0.18	5	2.7	<0.2
REP 1284244	QC	15	57	0.88	529	0.085	3	1.33	0.013	0.29	<0.1	0.10	5.3	0.3	0.13	5	2.1	<0.2
1270244	Soil	25	58	0.93	270	0.057	2	1.79	0.014	0.08	0.2	0.03	8.2	0.1	<0.05	6	<0.5	<0.2
REP 1270244	QC	25	59	0.93	271	0.054	2	1.77	0.013	0.08	0.1	0.04	7.9	0.1	<0.05	7	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	14	122	0.62	297	0.112	3	0.93	0.086	0.35	3.1	0.21	2.5	5.5	0.18	5	5.4	5.5
STD DS9	Standard	12	120	0.63	297	0.108	3	0.99	0.094	0.37	3.0	0.22	2.9	5.5	0.17	4	5.4	4.7
STD DS9	Standard	13	119	0.60	301	0.110	3	0.90	0.102	0.36	3.0	0.19	3.0	5.4	0.13	5	5.4	4.6
STD DS9	Standard	13	120	0.61	307	0.110	2	0.94	0.093	0.37	2.9	0.22	3.0	5.6	0.16	4	4.8	4.7
STD DS9	Standard	14	136	0.66	340	0.123	3	0.97	0.094	0.41	3.4	0.22	2.9	6.1	0.18	5	5.6	4.9
STD DS9	Standard	12	125	0.61	297	0.108	3	0.93	0.099	0.36	3.0	0.23	2.4	5.6	0.12	5	5.6	5.3
STD DS9	Standard	12	125	0.62	308	0.102	1	0.95	0.088	0.37	2.9	0.21	2.5	5.5	0.17	5	5.8	5.0
STD DS9	Standard	14	138	0.68	330	0.124	3	1.06	0.108	0.39	3.5	0.22	2.8	6.1	0.23	5	6.0	5.5
STD DS9	Standard	13	133	0.67	317	0.118	3	1.02	0.085	0.38	3.1	0.20	2.8	5.8	0.22	5	5.8	5.1
STD DS9	Standard	12	126	0.61	287	0.115	2	0.89	0.080	0.35	3.0	0.21	2.5	5.6	0.10	5	4.9	5.5
STD DS9	Standard	13	118	0.60	301	0.112	2	0.91	0.088	0.35	3.1	0.21	2.7	5.4	0.15	4	5.3	4.7
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

QUALITY CONTROL REPORT WHI12000323.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	0.2	<0.1	<1	0.02	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 27, 2012

QUALITY CONTROL REPORT WHI12000323.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
BLK	Blank	<1	1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 16, 2012
Report Date: July 23, 2012
Page: 1 of 5

CERTIFICATE OF ANALYSIS WHI12000324.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 119

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	117	Dry at 60C sieve 100g to -80 mesh			WHI
Dry at 60C	119	Dry at 60C			WHI
1DX2	119	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC:

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 23, 2012

CERTIFICATE OF ANALYSIS WHI12000324.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1271814	Soil	0.7	31.1	14.2	60	0.1	37.4	15.3	532	3.22	5.8	2.2	1.5	11.4	43	0.1	0.4	0.2	61	1.21	0.069
1271808	Soil	0.8	28.6	12.1	55	<0.1	32.4	14.4	476	3.07	7.0	1.9	1.5	9.9	43	<0.1	0.3	0.1	61	1.16	0.068
1270258	Soil	0.6	22.2	5.9	49	<0.1	32.4	17.1	517	3.30	4.5	1.4	3.5	8.6	36	<0.1	0.3	<0.1	76	1.15	0.060
1270234	Soil	1.1	9.0	14.2	70	<0.1	18.3	16.8	753	2.60	4.3	1.9	<0.5	9.1	35	<0.1	0.2	0.1	59	0.81	0.085
1271813	Soil	1.0	20.4	9.1	69	<0.1	36.8	16.0	627	4.11	5.8	1.2	0.7	8.4	37	0.1	0.4	0.1	80	0.72	0.106
1271810	Soil	0.8	33.0	10.4	54	0.1	32.3	19.2	512	3.46	8.4	2.4	2.6	7.4	57	0.2	0.4	<0.1	64	1.31	0.090
1270259	Soil	1.6	41.3	11.0	100	0.2	30.4	14.3	524	2.94	51.0	1.3	2.3	4.1	27	0.4	1.5	0.2	74	0.43	0.078
1270235	Soil	1.2	26.8	13.1	62	0.1	29.0	20.4	681	3.31	6.1	4.1	1.9	12.6	32	0.2	0.3	0.2	74	0.85	0.072
1271812	Soil	1.1	25.8	12.0	63	<0.1	38.8	17.3	497	3.94	13.1	1.4	1.7	10.2	27	0.1	0.7	0.1	68	0.59	0.055
1271811	Soil	0.9	22.3	8.4	66	<0.1	34.2	20.2	494	4.37	10.2	1.3	0.6	8.4	41	0.1	0.9	<0.1	78	0.99	0.102
1270257	Soil	1.0	27.9	6.3	62	<0.1	47.0	25.8	847	4.65	4.1	1.0	2.2	11.7	25	<0.1	0.2	<0.1	103	0.71	0.092
1270233	Soil	1.4	11.7	12.5	53	<0.1	17.4	10.2	489	3.02	5.7	1.6	0.5	13.8	20	<0.1	0.4	0.3	53	0.49	0.043
1271803	Soil	1.5	17.1	15.1	65	0.3	23.1	9.4	244	2.64	17.1	0.8	0.8	7.3	11	0.4	0.6	0.2	72	0.13	0.035
1271809	Soil	1.0	23.3	9.8	53	<0.1	26.5	18.5	793	3.47	11.3	1.5	2.0	5.3	53	0.1	0.3	<0.1	65	1.14	0.086
1270246	Soil	0.9	36.2	9.7	64	0.1	22.4	26.3	852	5.89	8.0	0.8	4.8	8.7	29	0.1	1.8	<0.1	158	0.70	0.135
1270236	Soil	0.7	24.2	13.6	59	<0.1	30.9	21.9	551	3.21	4.7	1.2	0.6	7.7	29	0.1	0.2	0.1	81	0.82	0.072
1270563	Soil	1.3	34.7	13.0	81	<0.1	50.8	21.6	517	5.15	32.3	1.4	1.1	12.1	33	0.1	0.4	<0.1	76	0.79	0.082
1271806	Soil	2.1	20.9	16.8	118	0.3	29.9	14.0	594	3.56	20.8	2.9	3.6	12.0	38	0.6	0.8	0.2	65	0.73	0.087
1270562	Soil	0.8	23.8	10.1	53	<0.1	37.1	21.0	723	3.77	5.1	1.3	0.9	5.2	54	0.1	0.4	<0.1	83	1.38	0.071
1270556	Soil	1.7	22.0	19.9	88	0.2	32.5	14.5	344	4.19	25.1	1.1	2.3	7.8	13	0.2	0.6	0.3	84	0.23	0.053
1271802	Soil	1.2	40.0	9.0	63	0.1	40.7	13.0	361	3.45	24.7	0.8	4.5	3.5	15	<0.1	0.6	0.1	94	0.25	0.036
1270559	Soil	1.1	14.4	9.2	57	<0.1	20.3	9.1	230	3.15	12.1	0.4	1.2	2.1	15	0.1	0.4	0.2	82	0.21	0.038
1270557	Soil	1.6	14.1	17.0	60	<0.1	24.9	10.9	255	3.98	23.1	0.6	2.4	3.7	10	0.2	0.6	0.3	79	0.13	0.034
1270558	Soil	1.6	13.9	23.4	87	<0.1	25.3	13.3	538	3.77	67.9	1.1	1.5	7.3	11	0.2	0.8	0.3	68	0.13	0.047
1270551	Rock Pulp	2.3	21.0	2.0	40	0.3	22.1	9.7	382	2.32	4.0	0.2	1.2	0.7	32	0.2	0.3	<0.1	59	0.75	0.058
1270565	Soil	1.3	27.1	245.2	63	<0.1	45.3	19.9	641	4.26	23.7	1.0	0.7	5.6	39	0.1	0.4	<0.1	75	0.92	0.084
1270567	Soil	1.1	26.5	10.9	54	<0.1	26.1	23.9	802	4.67	5.9	1.2	3.0	8.5	36	<0.1	0.4	<0.1	94	0.75	0.082
1270560	Soil	1.2	27.3	10.9	94	0.2	30.8	14.0	402	3.01	12.7	1.2	2.4	3.8	27	0.3	0.5	0.1	76	0.53	0.076
1270572	Soil	1.2	19.3	7.1	90	<0.1	15.7	25.6	1096	4.87	1.8	0.7	<0.5	5.3	23	<0.1	<0.1	<0.1	108	0.69	0.190
1270564	Soil	0.7	20.2	6.1	61	<0.1	25.4	23.7	631	4.51	6.3	0.7	1.0	3.6	39	<0.1	0.2	<0.1	85	0.99	0.124

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 23, 2012

CERTIFICATE OF ANALYSIS WHI12000324.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1271814	Soil		58	57	0.90	342	0.086	3	1.63	0.011	0.25	0.1	0.04	7.3	0.3	<0.05	5	<0.5	<0.2
1271808	Soil		48	54	0.91	333	0.082	2	1.66	0.012	0.22	0.1	0.04	7.0	0.3	<0.05	5	<0.5	<0.2
1270258	Soil		28	71	1.72	565	0.163	2	2.23	0.018	0.70	0.1	0.03	4.8	0.4	<0.05	7	<0.5	<0.2
1270234	Soil		23	44	0.93	241	0.055	2	1.31	0.012	0.08	0.2	0.04	4.4	0.2	<0.05	5	<0.5	<0.2
1271813	Soil		34	92	1.19	406	0.053	2	2.27	0.025	0.15	<0.1	0.02	7.8	0.2	<0.05	8	<0.5	<0.2
1271810	Soil		72	53	1.03	411	0.061	2	1.81	0.013	0.19	0.2	0.06	8.6	0.2	<0.05	6	<0.5	<0.2
1270259	Soil		15	39	0.69	361	0.096	2	1.51	0.024	0.09	0.2	0.03	5.3	0.2	0.06	5	0.5	<0.2
1270235	Soil		49	73	1.44	484	0.088	2	1.88	0.013	0.11	0.1	0.05	7.2	0.2	0.06	6	<0.5	<0.2
1271812	Soil		31	56	0.73	215	0.049	2	1.50	0.011	0.16	0.2	0.03	7.1	0.2	<0.05	6	<0.5	<0.2
1271811	Soil		30	55	1.25	258	0.066	3	1.94	0.013	0.28	0.1	0.01	9.6	0.3	<0.05	6	<0.5	<0.2
1270257	Soil		38	109	2.54	604	0.202	1	2.94	0.015	1.19	0.2	0.03	7.7	0.5	<0.05	9	<0.5	<0.2
1270233	Soil		48	34	0.60	178	0.084	2	1.54	0.011	0.20	0.2	0.02	4.5	0.3	<0.05	6	<0.5	<0.2
1271803	Soil		11	36	0.36	144	0.078	2	1.58	0.008	0.07	<0.1	0.03	3.7	0.2	0.05	6	<0.5	<0.2
1271809	Soil		29	43	0.94	395	0.069	2	1.66	0.013	0.16	0.1	0.03	5.8	0.2	0.06	5	<0.5	<0.2
1270246	Soil		48	27	1.32	280	0.028	2	2.19	0.012	0.09	0.2	0.02	15.9	0.1	<0.05	8	<0.5	<0.2
1270236	Soil		21	79	1.58	491	0.131	1	2.04	0.012	0.27	0.2	0.02	4.4	0.2	<0.05	6	<0.5	<0.2
1270563	Soil		34	68	1.26	270	0.109	1	2.02	0.012	0.61	<0.1	0.02	9.9	0.5	<0.05	7	<0.5	<0.2
1271806	Soil		25	44	0.76	216	0.084	2	1.42	0.015	0.19	0.3	0.07	7.8	0.7	<0.05	6	<0.5	<0.2
1270562	Soil		26	84	1.21	318	0.072	2	1.80	0.010	0.25	0.2	0.03	9.0	0.2	<0.05	6	<0.5	<0.2
1270556	Soil		14	44	0.62	148	0.075	2	1.84	0.009	0.09	0.1	0.03	5.1	0.3	<0.05	8	<0.5	<0.2
1271802	Soil		17	65	0.82	432	0.113	2	2.03	0.011	0.13	0.1	0.04	7.2	0.2	<0.05	8	<0.5	<0.2
1270559	Soil		10	41	0.66	146	0.096	2	1.61	0.009	0.08	0.1	0.01	3.2	0.2	<0.05	8	<0.5	<0.2
1270557	Soil		9	38	0.50	107	0.076	2	2.01	0.007	0.06	0.2	0.02	3.4	0.2	<0.05	8	<0.5	<0.2
1270558	Soil		12	36	0.46	108	0.054	2	1.68	0.007	0.08	0.2	0.02	3.9	0.2	<0.05	8	<0.5	<0.2
1270551	Rock Pulp		3	30	0.74	86	0.109	3	1.38	0.073	0.11	12.1	0.01	4.2	<0.1	<0.05	5	<0.5	<0.2
1270565	Soil		26	69	0.99	296	0.059	2	1.52	0.009	0.26	0.2	0.04	8.5	0.3	<0.05	6	<0.5	<0.2
1270567	Soil		51	47	1.62	396	0.111	2	2.40	0.012	0.35	0.2	0.04	7.6	0.3	<0.05	8	<0.5	<0.2
1270560	Soil		17	88	1.01	282	0.079	3	1.76	0.014	0.06	0.1	0.06	6.4	0.2	<0.05	6	0.7	<0.2
1270572	Soil		11	35	2.71	1028	0.264	2	3.22	0.012	1.37	0.2	0.02	3.9	0.5	<0.05	8	<0.5	<0.2
1270564	Soil		17	62	1.70	379	0.096	2	2.38	0.012	0.41	0.1	0.03	7.7	0.3	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 23, 2012

CERTIFICATE OF ANALYSIS WHI12000324.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1270566	Soil	1.4	22.8	10.0	62	<0.1	34.3	22.0	797	4.73	5.7	1.3	0.6	5.9	37	0.1	0.2	<0.1	91	0.82	0.094
1270561	Soil	0.9	26.2	9.0	79	<0.1	36.9	27.4	782	5.75	10.3	1.1	1.1	7.9	38	<0.1	0.2	<0.1	132	0.91	0.122
1396369	Soil	2.2	23.3	12.2	107	0.1	33.8	10.1	342	3.61	32.7	0.5	3.3	2.1	13	0.2	1.0	0.2	105	0.14	0.052
1271816	Soil	1.0	21.2	12.0	61	<0.1	29.4	19.8	521	3.93	6.4	1.5	0.6	8.7	33	<0.1	0.2	0.1	82	0.92	0.072
1271817	Soil	1.4	27.9	13.6	67	0.2	34.2	20.7	555	3.88	4.6	2.8	1.2	11.5	32	0.1	0.1	0.2	86	0.80	0.080
1270568	Soil	1.1	30.5	11.0	116	<0.1	78.8	32.7	1088	6.83	6.9	0.9	<0.5	13.2	47	0.1	0.2	0.3	108	1.10	0.076
1396372	Soil	2.4	66.3	12.9	148	0.3	62.8	22.6	936	5.05	73.3	1.3	3.5	4.0	21	0.6	1.9	0.1	122	0.56	0.143
1396370	Soil	1.8	26.3	12.2	47	0.4	13.2	3.1	120	1.65	12.4	0.8	2.3	0.8	11	0.4	0.6	0.2	65	0.10	0.043
1271815	Soil	0.9	25.6	16.1	59	0.1	30.4	14.9	634	3.11	6.4	1.8	1.7	9.2	40	0.1	0.3	0.2	60	1.12	0.076
1270570	Soil	2.6	26.7	114.8	145	0.2	22.8	11.8	706	3.15	3.7	1.1	<0.5	21.1	5	0.1	0.3	1.9	27	0.18	0.061
1396374	Soil	1.7	35.9	10.7	62	<0.1	42.1	20.8	447	4.33	10.6	0.5	3.1	2.9	16	0.2	0.4	0.1	97	0.24	0.062
1396371	Soil	3.9	40.2	37.1	168	0.3	52.2	15.6	607	4.80	70.8	0.6	18.5	2.2	15	0.7	2.2	0.2	129	0.21	0.053
1271807	Soil	3.2	16.0	17.8	118	0.2	33.7	35.5	3984	5.42	11.4	2.1	15.1	14.8	30	0.9	0.4	0.3	72	0.70	0.091
1270569	Soil	1.9	50.6	16.0	89	0.2	46.5	23.9	736	5.76	21.6	2.4	1.0	16.9	31	<0.1	2.1	0.3	98	0.66	0.144
1396373	Soil	2.3	32.1	9.3	56	0.2	33.0	14.2	348	4.73	14.2	0.5	2.0	2.0	11	0.1	0.4	0.1	116	0.14	0.085
1396368	Soil	4.0	44.7	33.7	106	0.9	31.5	14.6	420	3.60	101.9	1.4	8.2	3.2	16	1.2	4.5	0.2	103	0.19	0.099
1271801	Rock Pulp	1.4	446.2	19.2	152	0.2	223.5	76.6	816	15.85	2.8	1.0	31.0	5.7	13	<0.1	0.3	0.1	225	0.28	0.042
1270571	Soil	3.7	29.6	7.7	40	<0.1	13.8	11.9	520	4.02	6.0	1.3	<0.5	17.6	11	<0.1	0.2	0.4	51	0.19	0.063
1270300	Soil	2.3	32.2	14.6	139	0.1	41.1	15.2	669	3.55	47.8	1.1	1.4	5.7	13	0.5	1.0	0.2	72	0.26	0.081
1270549	Soil	2.9	38.9	19.1	121	0.4	42.8	10.1	326	3.24	57.6	0.8	3.2	2.0	13	0.7	1.7	0.2	102	0.12	0.057
1270548	Soil	2.7	38.4	17.9	125	0.4	32.4	13.9	570	2.74	29.6	1.3	3.9	1.5	14	0.6	1.1	0.1	74	0.12	0.076
1271805	Soil	1.8	9.9	15.7	43	<0.1	13.9	6.7	218	3.24	11.6	0.7	1.4	4.8	10	0.1	0.6	0.3	83	0.09	0.023
1270550	Soil	2.6	58.0	12.7	175	0.4	102.8	24.3	960	5.45	76.1	1.2	6.4	4.4	24	0.4	1.7	0.1	115	0.58	0.178
1270547	Soil	4.4	39.5	25.8	110	0.3	33.5	8.1	346	2.84	80.0	0.9	2.8	1.8	14	0.3	2.5	0.1	85	0.13	0.075
1270543	Soil	1.8	73.0	13.1	124	0.4	45.5	20.3	860	3.36	68.9	1.6	6.6	1.6	17	0.7	2.9	0.2	66	0.21	0.097
1271804	Soil	1.6	11.9	19.3	55	<0.1	18.4	7.9	281	3.69	17.0	1.0	1.4	5.4	10	0.1	0.7	0.3	80	0.12	0.035
1270544	Soil	1.7	28.6	8.7	67	0.2	23.0	9.2	236	2.98	24.1	0.9	3.2	1.2	14	0.3	0.9	0.1	76	0.18	0.050
1270552	Soil	2.8	31.9	13.2	95	0.3	38.4	12.2	391	3.63	37.8	0.7	2.9	2.6	12	0.6	0.7	0.2	110	0.15	0.047
1270553	Soil	2.4	62.1	11.6	177	0.4	56.9	23.3	805	5.42	33.8	1.7	4.4	4.3	26	0.8	0.6	0.1	120	0.77	0.192
1396375	Soil	1.8	35.2	11.4	63	0.1	38.8	19.5	434	3.93	11.2	0.6	2.5	3.3	15	0.2	0.4	0.1	89	0.21	0.063

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 23, 2012

CERTIFICATE OF ANALYSIS WHI12000324.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1270566	Soil	34	73	1.15	364	0.060	3	1.78	0.010	0.19	0.1	0.03	9.3	0.2	<0.05	7	<0.5	<0.2
1270561	Soil	26	82	2.48	258	0.104	2	2.79	0.012	0.30	0.1	0.02	10.4	0.2	<0.05	10	<0.5	<0.2
1396369	Soil	11	49	0.60	199	0.139	2	1.60	0.010	0.15	0.2	0.03	4.1	0.3	0.08	9	<0.5	<0.2
1271816	Soil	21	51	1.58	266	0.153	2	2.26	0.011	0.44	0.2	0.02	4.5	0.4	<0.05	7	<0.5	<0.2
1271817	Soil	40	67	1.59	326	0.154	1	2.21	0.012	0.42	0.1	0.04	5.1	0.3	<0.05	8	<0.5	<0.2
1270568	Soil	47	129	2.08	369	0.115	2	3.09	0.008	0.36	<0.1	0.02	10.0	0.3	<0.05	15	<0.5	<0.2
1396372	Soil	25	75	1.41	749	0.170	1	2.15	0.014	0.53	0.2	0.05	10.0	0.8	<0.05	9	0.8	<0.2
1396370	Soil	10	25	0.16	220	0.081	1	0.91	0.009	0.06	<0.1	0.03	2.2	0.2	0.05	7	<0.5	<0.2
1271815	Soil	38	49	0.88	248	0.095	2	1.59	0.012	0.25	0.1	0.04	5.7	0.2	<0.05	6	<0.5	<0.2
1270570	Soil	24	31	1.19	88	0.079	1	1.54	0.005	0.37	<0.1	0.02	2.9	0.4	<0.05	5	<0.5	<0.2
1396374	Soil	12	61	0.96	317	0.168	2	2.56	0.011	0.24	0.2	0.02	5.3	0.2	<0.05	8	<0.5	<0.2
1396371	Soil	9	71	0.62	216	0.117	2	1.85	0.009	0.10	0.2	0.03	4.7	0.5	<0.05	10	0.6	<0.2
1271807	Soil	28	57	1.01	452	0.118	2	1.89	0.012	0.27	0.2	0.05	6.7	0.6	<0.05	9	<0.5	<0.2
1270569	Soil	55	48	1.02	441	0.060	2	1.68	0.014	0.31	<0.1	0.06	13.2	0.6	<0.05	8	<0.5	<0.2
1396373	Soil	10	65	1.01	189	0.176	2	2.31	0.010	0.17	0.2	0.02	5.1	0.1	<0.05	10	0.5	<0.2
1396368	Soil	12	43	0.38	363	0.071	2	1.53	0.009	0.06	0.3	0.08	4.0	1.0	0.06	5	1.4	<0.2
1271801	Rock Pulp	15	708	0.14	138	0.172	4	3.90	0.013	0.06	<0.1	0.04	36.9	0.1	<0.05	22	0.7	<0.2
1270571	Soil	26	20	1.21	154	0.113	<1	1.47	0.007	0.65	0.1	<0.01	2.4	0.5	<0.05	6	0.5	<0.2
1270300	Soil	11	47	0.77	272	0.082	1	1.43	0.009	0.26	0.1	<0.01	4.8	0.5	<0.05	7	0.7	<0.2
1270549	Soil	13	57	0.40	247	0.085	2	1.10	0.009	0.10	0.1	0.02	4.1	0.7	0.08	8	0.5	<0.2
1270548	Soil	12	45	0.47	350	0.082	1	1.09	0.012	0.20	0.1	0.06	4.0	0.6	0.08	5	1.1	<0.2
1271805	Soil	13	27	0.29	127	0.060	<1	1.55	0.006	0.04	0.1	0.02	3.3	0.2	<0.05	10	<0.5	<0.2
1270550	Soil	32	108	1.37	388	0.176	<1	2.34	0.012	0.54	0.1	0.04	7.6	1.0	<0.05	9	1.3	<0.2
1270547	Soil	12	46	0.46	401	0.083	1	0.94	0.011	0.27	0.2	0.04	4.4	0.6	0.16	6	1.4	<0.2
1270543	Soil	14	51	0.46	288	0.054	2	1.55	0.012	0.10	0.1	0.10	5.0	0.5	0.09	5	1.2	<0.2
1271804	Soil	8	31	0.40	118	0.074	1	1.56	0.007	0.07	0.2	0.02	3.6	0.2	<0.05	8	<0.5	<0.2
1270544	Soil	10	37	0.40	176	0.057	6	1.35	0.009	0.07	0.2	0.06	3.0	0.2	<0.05	5	1.1	<0.2
1270552	Soil	11	55	0.53	170	0.119	3	1.52	0.009	0.13	0.1	0.04	3.6	0.3	<0.05	8	0.7	<0.2
1270553	Soil	24	67	1.60	633	0.210	5	2.30	0.014	0.87	0.2	0.06	9.3	0.7	<0.05	10	1.1	<0.2
1396375	Soil	11	57	0.96	301	0.150	4	2.50	0.013	0.26	0.2	0.03	5.2	0.1	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 23, 2012

CERTIFICATE OF ANALYSIS WHI12000324.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1270545	Soil		2.0	26.2	9.7	89	0.3	25.3	9.4	254	2.40	21.7	1.0	2.9	1.9	15	0.4	0.7	0.1	64	0.17	0.073
1270554	Soil		2.6	35.5	10.3	91	0.4	31.8	13.8	440	4.80	12.6	0.6	<0.5	2.4	17	0.7	0.5	0.2	122	0.26	0.051
1270555	Soil		3.3	57.9	27.6	341	0.9	70.2	20.8	932	4.62	62.6	2.4	5.7	5.5	29	2.7	1.3	0.2	126	0.69	0.086
1270546	Soil		2.8	36.6	10.9	96	0.8	31.8	12.3	565	3.33	36.6	1.0	2.8	1.7	15	0.3	0.9	0.1	99	0.20	0.092
1396365	Soil		1.7	23.5	38.1	65	0.1	34.5	14.8	433	3.48	7.8	2.6	0.9	26.8	51	<0.1	4.7	0.5	66	0.57	0.099
1396362	Soil		0.5	86.7	9.0	85	0.2	101.2	36.2	1194	7.02	2.7	1.0	1.1	12.3	34	0.1	0.2	0.1	180	1.09	0.205
1396364	Soil		0.4	21.5	13.3	41	<0.1	32.1	12.1	175	2.69	8.0	1.5	1.8	7.4	29	<0.1	0.4	0.2	59	0.68	0.048
1396363	Soil		0.4	12.7	2.3	35	<0.1	67.8	35.3	989	6.20	2.4	0.4	1.8	3.0	28	<0.1	<0.1	<0.1	162	0.97	0.202
1396356	Soil		2.1	29.3	12.2	101	0.2	37.9	20.6	918	4.30	29.5	1.4	2.5	6.7	20	0.2	0.7	0.2	99	0.43	0.104
1270299	Soil		2.1	79.4	9.8	116	0.7	55.8	24.7	1073	5.19	18.8	2.8	4.9	4.8	27	0.5	0.4	0.1	118	0.60	0.165
1396359	Soil		0.7	33.0	9.4	61	<0.1	34.4	21.8	668	4.61	5.4	1.6	0.7	4.9	51	0.2	0.4	<0.1	102	1.32	0.115
1396366	Soil		1.0	19.5	8.4	79	<0.1	28.6	23.2	627	4.57	4.5	0.7	0.7	5.1	35	0.1	0.2	0.1	90	0.79	0.119
1396357	Soil		0.8	22.0	8.1	60	<0.1	25.3	19.7	666	4.10	8.2	1.2	2.3	4.2	54	0.1	0.2	<0.1	94	1.48	0.094
1396361	Soil		0.6	35.6	6.6	65	<0.1	44.1	29.2	886	5.54	1.9	0.4	<0.5	5.8	26	<0.1	<0.1	<0.1	124	0.73	0.137
1270297	Soil		2.5	114.9	8.2	329	0.8	122.3	27.5	1845	5.50	37.8	1.8	4.0	3.9	32	2.2	1.2	0.1	122	0.58	0.225
1270298	Soil		4.3	80.4	28.9	282	0.6	78.8	28.5	1457	5.86	62.5	1.6	2.8	4.4	45	1.9	1.1	0.2	137	0.54	0.152
1270292	Soil		2.6	58.6	9.9	127	0.2	58.6	18.8	810	4.74	83.4	1.3	4.8	4.8	21	0.5	2.1	0.1	122	0.29	0.095
1396367	Soil		0.9	15.2	6.9	93	<0.1	28.4	22.0	879	4.69	4.0	0.7	4.6	5.8	33	<0.1	0.2	<0.1	97	0.76	0.158
1396360	Soil		0.9	28.3	8.8	46	<0.1	30.1	16.6	430	3.85	5.7	0.8	0.8	3.7	39	<0.1	0.2	<0.1	95	0.87	0.048
1396358	Soil		0.7	19.7	14.1	53	<0.1	28.5	18.1	692	3.78	5.7	1.1	<0.5	3.6	56	<0.1	0.4	<0.1	75	1.54	0.086
1270024	Soil		0.9	49.7	12.0	75	0.2	27.6	17.5	633	3.54	4.6	0.4	2.6	1.7	61	<0.1	0.3	0.2	101	0.58	0.028
1270025	Soil		2.8	111.1	9.1	92	<0.1	28.9	36.1	1039	4.38	2.9	0.8	1.4	3.2	59	<0.1	0.1	0.2	136	1.09	0.060
1270291	Soil		2.3	33.5	10.6	111	0.4	30.7	11.4	693	3.72	56.4	0.8	1.4	1.5	15	0.4	1.3	0.2	90	0.17	0.069
1270295	Soil		2.6	71.6	13.9	218	0.5	68.0	15.3	615	3.84	40.0	1.7	10.5	5.3	24	0.8	1.3	0.2	99	0.26	0.050
1270019	Soil		2.0	24.1	20.9	93	<0.1	17.0	11.9	1011	4.70	9.6	1.4	<0.5	8.9	23	0.1	1.1	0.1	67	0.48	0.044
1270020	Soil		0.9	30.5	8.3	88	<0.1	18.4	12.4	484	3.82	9.4	0.7	2.1	4.0	41	<0.1	0.4	<0.1	74	0.55	0.072
1270290	Soil		1.4	15.0	11.6	42	<0.1	14.7	6.0	178	3.00	12.9	0.5	1.2	2.7	14	0.3	0.5	0.2	87	0.16	0.027
1270294	Soil		2.3	46.9	11.9	114	0.4	56.2	15.3	457	3.94	31.9	1.3	4.5	4.7	21	0.5	1.2	0.2	85	0.24	0.075
1270022	Soil		1.0	12.1	9.8	75	<0.1	12.0	9.7	460	3.34	4.9	0.4	<0.5	2.4	63	0.1	0.3	<0.1	71	0.52	0.049
1270018	Soil		1.5	44.6	14.0	83	0.1	25.1	13.6	582	4.22	8.9	1.1	1.5	13.4	38	0.2	0.6	0.1	80	0.61	0.053

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 23, 2012

CERTIFICATE OF ANALYSIS WHI12000324.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1270545	Soil		10	36	0.46	231	0.063	4	1.34	0.010	0.10	0.1	0.10	3.7	0.5	<0.05	6	0.6	<0.2
1270554	Soil		10	51	0.91	548	0.201	4	2.02	0.012	0.21	0.2	0.02	5.7	0.2	<0.05	11	0.5	<0.2
1270555	Soil		21	69	0.95	626	0.106	4	1.83	0.014	0.24	0.1	0.08	9.2	0.9	0.05	8	1.8	<0.2
1270546	Soil		11	56	0.60	397	0.095	2	1.34	0.012	0.21	0.1	0.11	4.2	0.8	<0.05	8	1.1	<0.2
1396365	Soil		48	56	0.61	182	0.031	4	1.03	0.006	0.21	0.1	0.05	6.9	0.2	0.07	5	<0.5	<0.2
1396362	Soil		55	231	3.47	391	0.190	3	3.53	0.009	0.94	0.2	0.03	30.9	0.7	<0.05	14	<0.5	<0.2
1396364	Soil		26	58	0.57	216	0.033	3	1.48	0.012	0.06	0.2	0.07	6.3	0.1	<0.05	6	<0.5	<0.2
1396363	Soil		15	128	3.60	449	0.206	2	3.48	0.011	1.07	0.1	<0.01	13.0	0.6	<0.05	12	<0.5	<0.2
1396356	Soil		21	62	1.13	374	0.081	3	2.02	0.009	0.15	0.1	0.04	7.6	0.3	<0.05	9	<0.5	<0.2
1270299	Soil		59	78	1.56	1101	0.182	3	2.73	0.016	0.58	0.1	0.07	10.7	0.4	<0.05	11	0.8	<0.2
1396359	Soil		35	73	1.68	284	0.072	2	2.26	0.013	0.24	0.2	0.04	9.8	0.2	<0.05	9	0.6	<0.2
1396366	Soil		15	70	2.26	256	0.187	3	2.54	0.011	0.44	0.2	0.01	3.1	0.3	<0.05	9	<0.5	<0.2
1396357	Soil		22	48	1.37	282	0.066	4	2.05	0.015	0.12	0.1	0.03	7.1	0.1	<0.05	8	<0.5	<0.2
1396361	Soil		19	123	2.65	446	0.161	2	3.14	0.010	0.64	0.1	<0.01	7.6	0.3	<0.05	9	<0.5	<0.2
1270297	Soil		25	92	1.10	289	0.127	1	2.21	0.014	0.46	0.1	0.07	8.2	1.4	<0.05	9	1.1	<0.2
1270298	Soil		26	90	1.47	912	0.143	1	2.69	0.017	0.35	0.1	0.03	9.3	0.5	<0.05	11	0.6	<0.2
1270292	Soil		19	86	1.28	976	0.180	1	2.47	0.013	0.44	0.2	0.02	8.8	0.4	<0.05	10	0.9	<0.2
1396367	Soil		11	72	2.48	334	0.200	<1	2.80	0.014	0.91	0.2	0.01	3.6	0.5	<0.05	10	<0.5	<0.2
1396360	Soil		26	64	1.41	360	0.111	2	2.07	0.016	0.19	0.1	0.02	6.5	0.2	<0.05	9	<0.5	<0.2
1396358	Soil		21	52	1.03	250	0.048	2	1.48	0.010	0.15	0.2	0.04	6.9	0.2	<0.05	6	<0.5	<0.2
1270024	Soil		6	51	0.94	219	0.125	<1	2.81	0.022	0.05	<0.1	0.02	5.9	<0.1	<0.05	9	<0.5	<0.2
1270025	Soil		8	32	1.76	243	0.160	<1	4.58	0.019	0.03	<0.1	0.01	13.9	<0.1	<0.05	12	0.5	<0.2
1270291	Soil		10	42	0.45	243	0.071	1	2.08	0.011	0.06	<0.1	0.07	3.6	0.5	<0.05	8	<0.5	<0.2
1270295	Soil		20	54	0.75	266	0.105	2	2.22	0.015	0.09	0.2	0.09	9.2	0.7	<0.05	7	<0.5	<0.2
1270019	Soil		42	31	0.61	402	0.023	<1	1.97	0.013	0.06	0.2	0.02	10.5	0.2	<0.05	8	0.7	<0.2
1270020	Soil		14	27	0.99	226	0.079	<1	2.17	0.018	0.08	<0.1	0.03	6.8	<0.1	<0.05	10	<0.5	<0.2
1270290	Soil		10	36	0.43	165	0.075	<1	1.74	0.012	0.06	0.1	0.01	3.3	0.2	<0.05	9	<0.5	<0.2
1270294	Soil		14	63	0.70	362	0.078	2	2.53	0.014	0.08	0.2	0.15	6.0	1.2	<0.05	7	<0.5	<0.2
1270022	Soil		7	24	0.71	367	0.071	<1	2.19	0.015	0.07	<0.1	<0.01	4.2	<0.1	<0.05	9	<0.5	<0.2
1270018	Soil		29	35	0.91	597	0.206	1	2.33	0.037	0.36	0.3	0.04	8.7	1.0	<0.05	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 23, 2012

CERTIFICATE OF ANALYSIS WHI12000324.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1270015	Soil		2.4	36.9	7.9	99	0.1	19.5	17.3	891	5.45	4.6	3.2	0.7	17.6	34	0.3	0.7	0.2	125	0.91	0.206
1270293	Soil		4.0	102.7	19.9	172	0.4	52.1	13.9	371	5.00	19.9	2.6	3.8	7.1	35	0.4	1.1	0.6	84	0.13	0.087
1270017	Soil		1.4	45.3	13.4	67	0.2	22.4	12.2	660	3.26	7.1	3.2	4.6	8.8	27	0.1	1.2	0.1	67	0.50	0.069
1270023	Soil		0.6	85.2	10.5	65	0.1	15.0	15.4	496	3.69	4.2	0.3	3.7	1.4	46	<0.1	0.1	<0.1	94	0.70	0.093
1270026	Soil		7.0	114.3	9.7	69	<0.1	12.8	15.9	408	4.31	2.6	1.5	2.6	4.1	41	<0.1	<0.1	0.3	94	0.40	0.040
1270296	Soil		4.2	64.1	52.9	333	0.6	71.3	24.3	2143	5.62	182.6	1.4	5.0	2.3	12	1.3	5.1	0.3	91	0.08	0.118
1270040	Soil		1.6	62.3	15.8	64	0.2	13.9	11.9	796	2.81	9.9	1.0	8.6	6.2	110	0.2	0.9	<0.1	43	4.39	0.072
1270039	Soil		1.6	132.2	12.7	76	0.3	24.5	20.5	940	4.66	6.2	0.8	4.8	3.8	51	<0.1	0.8	0.1	113	2.39	0.093
1270016	Soil		1.2	23.5	9.9	51	<0.1	20.8	11.2	263	3.17	7.8	0.6	1.8	3.8	19	0.1	0.5	0.1	79	0.30	0.038
1270021	Soil		0.9	49.0	15.9	85	<0.1	22.9	12.0	577	3.28	6.3	0.5	8.9	3.4	41	<0.1	0.4	<0.1	62	0.55	0.082
1270047	Soil		1.2	10.2	11.5	72	0.2	12.2	15.0	1337	3.06	12.2	1.8	2.6	5.8	18	0.2	0.4	<0.1	65	0.32	0.063
1270046	Soil		1.9	29.6	12.5	45	0.1	18.9	11.4	413	3.36	9.9	2.5	4.9	6.4	34	0.1	0.6	0.1	84	0.72	0.041
1270045	Soil		1.1	33.9	9.8	60	0.2	22.8	11.1	433	2.65	9.2	2.5	4.4	4.2	56	0.2	0.7	<0.1	60	0.80	0.078
1270041	Soil		0.9	55.8	7.4	80	0.2	18.1	15.2	806	3.80	8.4	1.6	5.2	5.8	52	0.2	0.5	<0.1	60	1.86	0.144
1270036	Soil		0.8	49.5	3.5	108	0.1	10.5	14.4	860	4.60	3.2	0.5	7.5	5.5	40	0.1	0.1	<0.1	104	0.71	0.169
1270044	Soil		0.9	31.4	11.4	66	<0.1	23.8	11.7	467	3.22	9.1	0.7	4.0	10.2	26	<0.1	0.4	<0.1	60	0.48	0.060
1270043	Soil		1.2	23.7	8.2	86	<0.1	25.0	12.7	733	4.11	6.9	0.9	2.4	12.1	20	<0.1	0.6	<0.1	66	0.46	0.087
1270042	Soil		1.6	37.3	19.7	89	0.1	18.3	15.6	910	4.34	13.9	1.5	3.6	10.6	29	0.1	3.9	<0.1	99	0.77	0.080
1270037	Soil		0.5	194.9	2.8	62	<0.1	22.6	19.0	580	4.13	1.6	0.5	6.0	2.3	34	<0.1	<0.1	<0.1	132	0.74	0.168
1270035	Soil		1.5	103.6	11.2	64	0.2	24.5	17.3	510	3.86	28.3	0.4	6.1	1.9	39	0.1	1.4	0.1	100	1.01	0.059
1270034	Soil		4.0	69.8	20.7	177	0.3	51.0	10.9	556	3.89	345.0	2.1	12.6	4.9	15	0.4	13.7	0.2	110	0.20	0.042
1270033	Soil		4.9	62.6	38.2	196	0.4	47.4	10.3	708	3.71	139.7	2.4	2.3	4.6	24	0.5	7.7	0.1	95	0.22	0.052
1270030	Soil		3.2	64.5	22.1	195	0.2	52.0	20.4	1034	4.84	61.6	1.3	2.5	8.0	20	0.5	1.7	0.1	121	0.27	0.039
1270031	Soil		4.9	76.2	31.2	224	0.2	42.6	9.6	723	3.81	70.2	2.5	2.7	5.8	22	0.7	4.2	0.1	141	0.13	0.086
1270029	Soil		1.0	85.8	7.0	47	0.4	26.8	13.8	820	2.93	4.4	0.8	4.7	1.4	55	0.1	0.4	<0.1	86	1.32	0.052
1270038	Soil		0.6	114.6	4.0	78	<0.1	28.0	20.0	933	4.54	2.3	0.7	5.2	3.0	16	<0.1	0.3	<0.1	117	0.58	0.127
1270027	Soil		0.3	83.2	4.1	68	<0.1	17.7	21.0	612	3.96	2.6	0.3	2.4	0.8	89	<0.1	<0.1	<0.1	129	1.10	0.072
1270028	Soil		1.7	58.6	27.0	180	0.2	12.6	12.2	2909	3.94	18.5	0.7	10.4	2.5	69	0.8	3.1	<0.1	69	3.16	0.051
1270032	Soil		6.8	80.3	12.2	503	0.3	171.4	44.3	2743	6.17	43.2	3.1	3.9	3.6	26	1.6	4.0	0.2	158	0.35	0.117

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 23, 2012

CERTIFICATE OF ANALYSIS WHI12000324.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1270015	Soil		40	39	1.24	1544	0.328	1	2.18	0.041	0.57	0.2	0.03	11.2	1.1	0.06	10	<0.5	<0.2
1270293	Soil		18	48	0.71	439	0.110	<1	1.58	0.018	0.49	0.1	0.04	4.5	1.8	0.23	6	1.8	<0.2
1270017	Soil		29	38	0.61	378	0.063	3	1.60	0.015	0.08	0.4	0.04	7.1	0.2	<0.05	6	<0.5	<0.2
1270023	Soil		5	25	1.17	78	0.062	2	2.13	0.020	0.04	<0.1	0.01	4.9	<0.1	<0.05	10	<0.5	<0.2
1270026	Soil		6	18	1.23	74	0.104	2	1.94	0.009	0.03	<0.1	0.02	8.5	<0.1	<0.05	7	1.0	<0.2
1270296	Soil		9	41	0.16	187	0.024	2	0.86	0.006	0.05	0.2	0.13	4.7	3.6	<0.05	4	0.8	<0.2
1270040	Soil		17	20	0.80	613	0.023	2	0.98	0.012	0.10	0.2	0.33	4.8	0.1	<0.05	4	<0.5	<0.2
1270039	Soil		21	31	1.41	243	0.019	2	1.95	0.010	0.06	0.5	0.04	11.2	<0.1	<0.05	8	<0.5	<0.2
1270016	Soil		7	35	0.58	240	0.097	2	1.88	0.013	0.08	0.3	0.02	3.3	0.2	<0.05	6	<0.5	<0.2
1270021	Soil		25	26	0.97	241	0.035	1	1.88	0.013	0.06	<0.1	0.06	5.6	<0.1	<0.05	8	<0.5	<0.2
1270047	Soil		19	24	0.59	345	0.109	2	1.54	0.013	0.09	0.2	0.05	4.3	0.3	0.06	6	<0.5	<0.2
1270046	Soil		19	39	0.59	358	0.104	2	1.43	0.018	0.17	0.3	0.05	6.3	0.3	<0.05	5	<0.5	<0.2
1270045	Soil		13	30	0.61	356	0.081	3	1.27	0.024	0.07	0.2	0.04	4.5	0.1	<0.05	5	<0.5	<0.2
1270041	Soil		18	27	0.85	1182	0.159	3	1.45	0.026	0.41	0.2	0.05	8.7	0.6	0.09	6	<0.5	<0.2
1270036	Soil		17	19	1.36	216	0.090	1	1.95	0.014	0.12	<0.1	0.02	7.5	<0.1	<0.05	11	<0.5	<0.2
1270044	Soil		41	29	0.78	368	0.171	2	1.56	0.018	0.29	0.2	0.04	7.2	0.4	<0.05	7	<0.5	<0.2
1270043	Soil		33	54	0.97	553	0.222	2	1.70	0.015	0.44	0.2	0.02	7.4	0.9	<0.05	8	<0.5	<0.2
1270042	Soil		31	31	0.83	868	0.200	2	1.67	0.020	0.41	0.4	0.07	11.7	1.0	<0.05	7	<0.5	<0.2
1270037	Soil		9	46	1.40	167	0.080	1	1.96	0.032	0.11	<0.1	0.02	11.6	<0.1	<0.05	8	<0.5	<0.2
1270035	Soil		10	44	0.96	323	0.071	1	1.67	0.042	0.16	<0.1	0.04	10.2	0.4	<0.05	7	<0.5	<0.2
1270034	Soil		16	62	0.79	558	0.105	1	1.63	0.008	0.47	0.2	0.04	9.2	1.0	<0.05	7	1.1	<0.2
1270033	Soil		13	49	0.48	378	0.061	2	1.25	0.006	0.36	0.1	0.02	5.3	0.9	<0.05	5	1.6	<0.2
1270030	Soil		15	105	1.23	458	0.180	<1	2.18	0.009	0.73	0.3	<0.01	12.7	1.4	<0.05	10	0.9	<0.2
1270031	Soil		16	64	0.78	413	0.096	2	1.78	0.018	0.57	0.1	0.02	6.5	1.2	0.18	7	2.1	<0.2
1270029	Soil		13	52	0.81	452	0.082	1	1.83	0.027	0.15	<0.1	0.05	5.8	0.1	<0.05	7	<0.5	<0.2
1270038	Soil		18	60	1.83	154	0.132	<1	1.84	0.008	0.07	0.1	0.02	11.7	<0.1	<0.05	9	<0.5	<0.2
1270027	Soil		4	20	1.67	179	0.235	<1	2.89	0.047	0.15	<0.1	<0.01	8.0	0.1	<0.05	11	<0.5	<0.2
1270028	Soil		9	16	0.53	815	0.014	2	0.77	0.013	0.08	0.2	0.11	10.0	1.2	0.19	3	<0.5	<0.2
1270032	Soil		10	89	1.21	868	0.140	1	1.96	0.009	0.71	0.2	0.09	18.5	1.6	<0.05	7	1.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 23, 2012

QUALITY CONTROL REPORT WHI12000324.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
1271812	Soil	1.1	25.8	12.0	63	<0.1	38.8	17.3	497	3.94	13.1	1.4	1.7	10.2	27	0.1	0.7	0.1	68	0.59	0.055
REP 1271812	QC	1.2	25.3	12.3	62	<0.1	38.0	17.5	518	4.03	13.6	1.3	1.5	10.4	27	0.1	0.6	0.2	68	0.59	0.055
1270572	Soil	1.2	19.3	7.1	90	<0.1	15.7	25.6	1096	4.87	1.8	0.7	<0.5	5.3	23	<0.1	<0.1	<0.1	108	0.69	0.190
REP 1270572	QC	1.3	18.5	7.2	87	<0.1	15.2	25.2	1112	4.91	1.7	0.6	<0.5	5.5	23	<0.1	0.1	<0.1	110	0.69	0.192
1396373	Soil	2.3	32.1	9.3	56	0.2	33.0	14.2	348	4.73	14.2	0.5	2.0	2.0	11	0.1	0.4	0.1	116	0.14	0.085
REP 1396373	QC	2.2	31.8	9.6	56	0.2	32.7	14.1	351	4.72	13.9	0.5	2.3	2.0	11	0.1	0.4	0.1	113	0.13	0.083
1396365	Soil	1.7	23.5	38.1	65	0.1	34.5	14.8	433	3.48	7.8	2.6	0.9	26.8	51	<0.1	4.7	0.5	66	0.57	0.099
REP 1396365	QC	1.7	23.8	37.3	64	0.1	34.5	14.5	421	3.37	7.9	2.6	0.5	27.1	48	0.1	4.8	0.5	64	0.55	0.098
1270291	Soil	2.3	33.5	10.6	111	0.4	30.7	11.4	693	3.72	56.4	0.8	1.4	1.5	15	0.4	1.3	0.2	90	0.17	0.069
REP 1270291	QC	2.4	33.8	11.4	113	0.4	30.7	11.6	711	3.83	57.7	0.8	4.4	1.5	14	0.5	1.4	0.2	92	0.17	0.070
1270016	Soil	1.2	23.5	9.9	51	<0.1	20.8	11.2	263	3.17	7.8	0.6	1.8	3.8	19	0.1	0.5	0.1	79	0.30	0.038
REP 1270016	QC	1.3	23.0	10.0	50	<0.1	21.2	11.2	257	3.08	8.1	0.6	42.2	3.8	19	0.1	0.5	0.1	80	0.30	0.036
1270034	Soil	4.0	69.8	20.7	177	0.3	51.0	10.9	556	3.89	345.0	2.1	12.6	4.9	15	0.4	13.7	0.2	110	0.20	0.042
REP 1270034	QC	4.2	73.5	21.2	180	0.3	54.0	11.1	596	4.03	355.5	2.2	12.4	5.3	16	0.5	14.1	0.1	118	0.22	0.046
Reference Materials																					
STD DS9	Standard	11.9	105.2	119.8	297	1.8	38.6	7.1	547	2.20	24.6	2.5	123.4	5.6	60	2.4	5.5	5.6	41	0.66	0.080
STD DS9	Standard	14.3	105.9	113.7	312	1.9	43.1	7.7	605	2.42	24.3	2.4	118.8	5.6	67	2.2	5.3	5.7	43	0.72	0.086
STD DS9	Standard	13.4	108.1	121.9	302	1.8	39.5	7.7	561	2.30	24.8	2.7	113.3	6.5	67	2.1	5.3	5.6	42	0.73	0.080
STD DS9	Standard	13.8	109.5	124.2	313	2.0	40.2	7.7	603	2.42	26.4	2.8	112.3	6.2	69	2.9	5.4	5.9	45	0.74	0.084
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 23, 2012

QUALITY CONTROL REPORT WHI12000324.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
1271812	Soil	31	56	0.73	215	0.049	2	1.50	0.011	0.16	0.2	0.03	7.1	0.2	<0.05	6	<0.5	<0.2
REP 1271812	QC	30	56	0.72	215	0.048	2	1.49	0.011	0.15	0.2	0.02	7.1	0.2	<0.05	5	<0.5	<0.2
1270572	Soil	11	35	2.71	1028	0.264	2	3.22	0.012	1.37	0.2	0.02	3.9	0.5	<0.05	8	<0.5	<0.2
REP 1270572	QC	11	36	2.72	1021	0.261	2	3.20	0.012	1.37	0.2	0.01	3.9	0.5	<0.05	8	<0.5	<0.2
1396373	Soil	10	65	1.01	189	0.176	2	2.31	0.010	0.17	0.2	0.02	5.1	0.1	<0.05	10	0.5	<0.2
REP 1396373	QC	10	64	0.98	191	0.172	<1	2.26	0.010	0.17	0.1	0.02	5.0	0.1	<0.05	10	<0.5	<0.2
1396365	Soil	48	56	0.61	182	0.031	4	1.03	0.006	0.21	0.1	0.05	6.9	0.2	0.07	5	<0.5	<0.2
REP 1396365	QC	46	53	0.59	173	0.030	3	0.98	0.006	0.21	<0.1	0.04	6.5	0.3	<0.05	4	<0.5	<0.2
1270291	Soil	10	42	0.45	243	0.071	1	2.08	0.011	0.06	<0.1	0.07	3.6	0.5	<0.05	8	<0.5	<0.2
REP 1270291	QC	10	43	0.45	249	0.071	<1	2.08	0.011	0.07	0.1	0.06	3.6	0.5	<0.05	9	0.6	<0.2
1270016	Soil	7	35	0.58	240	0.097	2	1.88	0.013	0.08	0.3	0.02	3.3	0.2	<0.05	6	<0.5	<0.2
REP 1270016	QC	8	34	0.58	235	0.100	2	1.95	0.012	0.08	0.3	0.02	3.5	0.2	<0.05	6	<0.5	<0.2
1270034	Soil	16	62	0.79	558	0.105	1	1.63	0.008	0.47	0.2	0.04	9.2	1.0	<0.05	7	1.1	<0.2
REP 1270034	QC	17	66	0.84	569	0.116	1	1.70	0.008	0.49	0.2	0.04	9.9	0.9	<0.05	8	1.0	<0.2
Reference Materials																		
STD DS9	Standard	11	119	0.60	283	0.097	2	0.87	0.092	0.34	2.7	0.21	2.3	5.6	0.15	5	5.3	4.8
STD DS9	Standard	13	127	0.64	303	0.114	3	0.96	0.092	0.36	3.1	0.23	2.5	5.7	0.18	5	5.6	5.3
STD DS9	Standard	14	122	0.62	297	0.112	3	0.93	0.086	0.35	3.1	0.21	2.5	5.5	0.18	5	5.4	5.5
STD DS9	Standard	13	124	0.63	321	0.111	4	0.94	0.094	0.36	3.2	0.24	2.6	5.8	0.10	5	5.2	5.5
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 23, 2012
Report Date: August 07, 2012
Page: 1 of 12

CERTIFICATE OF ANALYSIS WHI12000393.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 320

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	315	Dry at 60C sieve 100g to -80 mesh			WHI
Dry at 60C	320	Dry at 60C			WHI
1DX2	317	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS WHI12000393.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1296531	Soil	1.3	13.5	11.0	41	<0.1	19.7	8.6	251	2.82	10.1	0.7	2.1	6.0	12	<0.1	0.6	0.2	66	0.12	0.015
1296526	Soil	2.0	48.4	9.9	119	0.3	43.7	20.1	778	4.15	51.3	1.1	3.2	3.9	25	0.4	2.8	0.1	103	0.57	0.165
1296528	Soil	1.3	20.7	15.0	57	0.1	22.5	9.2	434	2.76	18.3	1.2	5.3	9.4	16	0.3	1.3	0.3	48	0.26	0.048
1296542	Soil	1.5	28.0	9.3	107	0.3	38.4	15.9	649	3.61	89.1	1.5	3.8	4.4	28	0.3	2.1	0.1	70	0.81	0.088
1296532	Soil	1.5	11.6	14.5	48	<0.1	17.2	8.4	292	3.15	8.8	0.9	2.3	4.0	12	0.1	0.9	0.2	62	0.14	0.051
1296525	Soil	2.3	50.1	9.9	122	0.4	44.7	19.6	783	4.08	54.3	1.1	1.8	4.0	25	0.4	2.8	0.2	102	0.57	0.162
1296522	Soil	2.2	37.8	12.7	84	0.3	43.3	15.6	635	3.65	165.8	0.5	1.4	4.4	14	0.3	2.2	0.2	85	0.17	0.043
1296523	Soil	2.4	87.6	11.1	153	0.8	81.9	21.8	971	4.07	115.3	2.3	3.7	4.8	46	0.9	3.4	0.2	108	0.66	0.081
1296534	Soil	2.3	46.7	15.5	104	0.4	78.0	20.7	576	4.03	28.0	2.3	4.3	7.5	33	0.4	2.0	0.2	106	0.60	0.081
1296520	Soil	3.2	43.9	11.4	144	1.2	54.5	11.3	341	3.75	60.9	0.8	2.3	2.7	14	0.6	3.6	0.2	118	0.12	0.054
1296521	Soil	1.5	63.6	10.8	104	0.2	75.2	22.1	549	3.83	90.7	0.7	5.5	3.8	19	0.2	2.0	0.1	83	0.32	0.054
1296529	Soil	1.6	18.4	9.9	48	<0.1	19.8	9.7	342	3.49	23.9	1.8	2.8	13.6	15	<0.1	1.4	0.4	43	0.19	0.031
1296533	Soil	0.9	20.5	8.9	35	0.3	12.9	7.0	259	1.41	3.7	1.9	2.0	2.6	34	0.7	0.4	0.2	37	0.68	0.045
1296518	Soil	2.1	19.7	9.9	84	0.7	19.3	7.3	256	2.72	85.9	0.6	1.6	2.6	18	0.7	3.1	0.2	79	0.18	0.087
1296519	Soil	2.9	44.5	10.5	109	0.9	42.6	11.3	275	3.56	85.7	0.9	5.6	3.6	14	0.4	3.5	0.2	94	0.12	0.036
1296524	Soil	2.7	65.9	10.1	144	0.6	47.5	11.8	344	3.08	59.7	1.7	5.5	3.7	28	0.6	2.5	0.2	89	0.38	0.059
1296535	Soil	2.6	59.7	19.3	139	0.4	58.1	18.4	649	4.20	47.1	2.2	3.5	5.7	41	0.9	4.3	0.2	82	0.63	0.087
1296536	Soil	2.2	46.7	12.3	90	0.5	38.9	10.6	273	3.39	24.3	1.9	4.8	2.5	27	0.9	2.0	0.2	89	0.24	0.053
1296541	Soil	1.1	30.5	9.3	72	0.3	24.2	12.5	369	2.46	128.4	1.8	9.7	2.6	28	0.4	1.3	0.1	57	0.61	0.065
1296540	Soil	1.2	33.1	8.6	105	0.4	55.6	16.8	472	3.83	225.0	1.1	19.2	5.8	21	0.5	2.3	0.1	81	0.50	0.072
1296538	Soil	3.6	41.8	10.6	177	0.2	45.7	11.8	458	2.85	35.2	0.9	1.9	0.7	17	1.0	2.4	0.1	67	0.18	0.073
1296537	Soil	2.6	39.3	9.3	104	0.4	33.2	12.6	345	3.12	29.4	1.0	2.5	4.0	20	0.3	2.8	0.1	69	0.13	0.030
1296544	Soil	0.6	35.4	7.6	78	0.2	36.2	12.7	368	2.58	29.3	1.4	4.4	3.4	43	0.4	3.9	0.1	54	1.10	0.066
1296539	Soil	2.5	58.2	11.7	175	0.6	50.1	14.7	428	3.59	194.4	1.8	24.0	4.6	21	0.7	3.3	0.1	98	0.28	0.067
1296543	Soil	1.4	45.3	11.3	98	0.3	39.7	15.3	598	3.13	55.9	1.7	4.2	3.8	36	0.4	2.0	0.1	64	0.95	0.084
1296545	Soil	6.4	147.0	19.5	269	1.1	85.5	21.1	663	5.77	192.9	2.2	13.5	8.2	17	1.2	22.7	0.5	39	0.24	0.077
1296546	Soil	1.8	35.2	22.7	82	0.6	31.5	12.9	609	2.74	100.1	1.8	21.0	2.3	45	0.4	5.0	0.1	50	1.05	0.068
1296547	Soil	2.0	43.4	24.4	139	1.9	46.6	16.6	690	3.71	204.0	2.0	91.7	5.0	34	1.0	48.8	0.2	54	0.74	0.064
1293800	Soil	1.3	20.1	43.2	110	0.3	14.4	12.5	359	3.42	66.6	0.7	16.1	4.0	18	0.3	6.2	0.1	99	0.34	0.057
1293793	Soil	1.5	19.2	32.1	153	0.3	12.4	18.2	1180	4.30	59.0	0.9	4.4	6.0	19	0.3	7.4	<0.1	128	0.37	0.064

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS WHI12000393.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1296531	Soil		12	34	0.47	147	0.052	<1	1.88	0.008	0.05	0.1	0.02	2.8	0.1	<0.05	6	<0.5	<0.2
1296526	Soil		18	58	1.28	610	0.152	<1	2.35	0.010	0.64	0.1	0.04	7.0	0.5	<0.05	9	<0.5	<0.2
1296528	Soil		18	34	0.50	279	0.055	<1	1.39	0.006	0.14	0.2	0.02	4.9	0.2	<0.05	5	<0.5	<0.2
1296542	Soil		16	61	0.99	388	0.092	<1	1.66	0.013	0.25	<0.1	0.05	5.0	0.4	<0.05	5	0.8	<0.2
1296532	Soil		11	30	0.45	106	0.042	<1	1.29	0.007	0.07	0.1	0.02	2.6	0.1	<0.05	6	<0.5	<0.2
1296525	Soil		18	59	1.30	601	0.154	<1	2.37	0.010	0.61	0.2	0.04	7.0	0.5	<0.05	9	0.6	<0.2
1296522	Soil		11	69	0.82	162	0.146	1	1.76	0.012	0.22	0.1	0.04	4.0	0.3	<0.05	8	<0.5	<0.2
1296523	Soil		30	104	1.15	590	0.119	<1	2.35	0.015	0.35	0.1	0.05	7.0	0.5	<0.05	9	1.1	<0.2
1296534	Soil		25	127	1.70	412	0.119	1	2.33	0.018	0.34	0.1	0.03	7.9	0.4	<0.05	8	0.7	<0.2
1296520	Soil		10	62	0.61	238	0.084	<1	1.92	0.007	0.13	0.1	0.04	4.2	0.5	<0.05	8	0.9	<0.2
1296521	Soil		13	106	1.18	360	0.166	<1	2.13	0.013	0.31	0.2	0.02	4.5	0.4	<0.05	8	0.5	<0.2
1296529	Soil		11	30	0.68	131	0.074	<1	1.93	0.007	0.33	0.2	<0.01	3.6	0.5	<0.05	8	<0.5	<0.2
1296533	Soil		36	27	0.30	249	0.048	<1	0.85	0.011	0.07	0.1	0.04	2.3	0.1	<0.05	5	<0.5	<0.2
1296518	Soil		10	32	0.40	267	0.066	<1	1.22	0.007	0.11	0.1	0.03	2.8	0.3	<0.05	7	<0.5	<0.2
1296519	Soil		11	55	0.57	233	0.079	1	2.01	0.009	0.10	0.2	0.08	4.4	0.5	<0.05	6	0.9	<0.2
1296524	Soil		22	56	0.78	573	0.120	<1	1.71	0.013	0.27	0.1	0.06	5.4	0.4	<0.05	7	0.8	<0.2
1296535	Soil		27	64	1.05	490	0.086	2	1.84	0.009	0.36	0.1	0.04	6.9	0.5	<0.05	6	0.8	<0.2
1296536	Soil		17	47	0.70	432	0.079	<1	1.75	0.012	0.21	0.1	0.03	4.3	0.2	0.08	8	0.9	<0.2
1296541	Soil		14	38	0.54	286	0.047	<1	1.23	0.013	0.09	<0.1	0.05	4.4	0.2	<0.05	5	0.8	<0.2
1296540	Soil		16	71	1.14	314	0.113	<1	1.98	0.014	0.34	0.1	0.03	5.1	0.4	<0.05	7	0.6	<0.2
1296538	Soil		11	29	0.40	148	0.029	<1	1.22	0.007	0.08	0.2	0.03	2.2	0.4	<0.05	5	1.0	<0.2
1296537	Soil		13	35	0.58	281	0.034	<1	1.84	0.009	0.06	0.1	0.04	4.4	0.3	<0.05	6	0.9	<0.2
1296544	Soil		14	40	0.73	346	0.067	2	1.19	0.021	0.13	0.1	0.03	5.6	0.2	<0.05	4	0.8	<0.2
1296539	Soil		21	46	0.96	488	0.066	<1	1.93	0.012	0.23	<0.1	0.06	6.6	0.4	<0.05	7	1.1	<0.2
1296543	Soil		19	46	0.87	488	0.072	1	1.39	0.013	0.20	0.1	0.05	5.3	0.3	<0.05	5	0.6	<0.2
1296545	Soil		20	17	0.14	199	0.003	1	0.37	0.004	0.09	0.2	0.05	5.8	0.4	<0.05	1	4.2	<0.2
1296546	Soil		12	40	0.62	471	0.043	2	1.11	0.012	0.12	0.1	0.06	4.3	0.3	0.10	4	1.2	<0.2
1296547	Soil		21	32	0.52	322	0.022	2	1.01	0.007	0.17	0.1	0.07	6.7	0.3	<0.05	4	1.2	<0.2
1293800	Soil		9	29	0.80	322	0.132	<1	1.92	0.014	0.22	0.2	0.02	4.8	0.3	<0.05	7	<0.5	<0.2
1293793	Soil		9	29	1.30	416	0.142	<1	2.18	0.014	0.22	0.1	0.01	8.5	0.3	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS WHI12000393.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1296527	Soil	1.5	30.2	10.4	77	0.2	31.3	11.4	419	3.01	27.9	0.8	2.0	3.3	18	0.2	1.3	0.1	81	0.36	0.065
1296530	Soil	1.1	16.4	11.0	49	0.1	24.1	9.6	278	2.96	10.7	0.7	2.7	6.3	16	<0.1	0.5	0.1	69	0.20	0.018
1293783	Soil	0.8	30.2	24.6	100	0.8	13.9	14.9	699	3.45	13.8	3.4	8.2	8.9	26	0.6	2.2	0.1	97	0.53	0.092
1293791	Soil	1.4	19.8	23.6	95	0.8	9.6	12.2	666	3.16	26.0	1.1	3.2	6.5	24	0.5	2.5	0.1	102	0.40	0.054
1293792	Soil	1.9	23.4	49.9	162	2.0	11.8	13.3	965	3.49	52.6	1.3	7.0	5.5	22	0.9	7.4	0.2	102	0.40	0.057
1293769	Soil	1.1	53.8	22.5	157	0.8	13.1	28.1	1194	6.68	38.3	3.7	7.0	13.2	40	1.4	6.3	0.1	228	1.07	0.191
1293795	Soil	1.4	27.8	48.2	106	0.7	19.6	15.8	492	3.73	72.7	0.9	11.2	7.2	22	0.5	4.8	0.2	98	0.30	0.043
1293780	Soil	1.5	34.1	17.1	115	0.4	11.5	20.0	829	4.54	13.5	1.9	4.6	10.2	24	0.5	5.3	0.2	125	0.45	0.100
1293781	Soil	1.5	21.3	33.8	167	1.5	10.0	16.6	1010	4.13	20.2	1.8	7.3	7.9	31	0.7	4.0	0.2	128	0.64	0.096
1295903	Soil	0.8	25.6	19.6	73	0.3	17.7	14.4	439	3.63	30.8	0.9	3.7	6.6	22	0.2	1.7	0.2	101	0.37	0.059
1293768	Soil	1.3	28.3	245.4	331	3.4	17.0	14.8	502	3.87	46.5	1.1	11.4	6.8	26	1.1	3.9	0.1	109	0.42	0.071
1293776	Soil	1.1	25.0	27.0	77	2.1	16.1	12.4	306	2.79	31.0	2.0	18.0	6.1	26	0.2	5.1	0.2	73	0.38	0.046
1293779	Soil	1.0	27.7	22.5	99	1.6	12.0	14.6	581	3.73	15.5	1.7	8.6	7.5	24	0.4	3.0	0.2	107	0.41	0.074
1293794	Soil	1.3	26.1	16.8	154	2.7	13.4	13.0	609	3.50	296.5	1.7	34.8	8.7	27	0.9	8.9	0.1	93	0.48	0.066
1293777	Soil	0.8	25.8	12.6	68	0.7	11.8	11.9	414	2.69	14.4	2.4	8.9	5.7	45	0.5	3.1	0.8	75	0.79	0.076
1293799	Soil	1.6	47.1	13.0	82	0.5	17.7	18.0	617	4.61	56.6	2.5	7.4	12.0	28	<0.1	2.5	0.2	131	0.50	0.090
1293782	Soil	1.1	25.3	31.2	113	1.0	11.8	14.4	846	3.65	15.6	3.7	328.3	9.5	27	0.6	4.4	0.2	111	0.50	0.106
1293774	Soil	0.9	42.1	68.2	99	3.6	14.9	16.2	519	4.05	178.0	2.9	38.9	11.1	28	0.3	13.6	0.2	116	0.46	0.087
1293789	Soil	1.1	20.0	14.4	76	0.4	9.2	13.8	515	3.60	32.4	0.8	3.3	9.4	35	0.2	2.1	0.2	112	0.51	0.053
1295901	Rock Pulp	1.5	427.3	21.2	158	0.3	209.7	73.9	793	15.25	3.3	1.1	34.6	6.8	15	<0.1	0.4	0.2	204	0.28	0.041
1293771	Soil	1.0	30.3	18.1	81	0.2	15.9	16.2	518	4.55	24.1	1.4	2.9	9.2	25	0.2	1.4	0.1	130	0.30	0.036
1293785	Soil	1.8	25.2	107.5	236	3.1	11.2	21.6	3021	4.32	66.5	2.4	31.4	8.0	27	2.4	9.3	0.2	123	0.45	0.087
1293797	Soil	0.8	38.2	9.1	76	<0.1	10.5	20.2	617	5.56	6.2	2.1	1.6	12.2	27	0.1	2.4	0.1	169	0.71	0.193
1293787	Soil	1.5	14.3	10.4	77	0.7	8.0	12.7	802	3.17	43.5	1.3	9.1	8.7	25	0.2	5.7	0.2	94	0.45	0.071
1293798	Soil	0.9	53.7	13.8	75	0.1	21.0	20.6	531	4.96	31.8	0.9	2.1	14.0	18	0.2	1.0	0.3	152	0.32	0.055
1293788	Soil	1.1	24.3	13.4	65	1.1	9.4	15.6	1087	2.99	25.9	1.2	2.8	9.1	51	0.4	3.1	0.2	88	0.72	0.072
1293784	Soil	1.1	25.4	32.1	103	2.9	11.4	16.6	708	3.81	16.7	2.9	14.6	9.0	30	0.6	2.9	0.2	106	0.53	0.068
1295902	Soil	1.3	40.8	130.7	399	2.6	13.8	17.9	829	4.85	276.4	4.4	18.1	11.2	30	2.0	18.5	0.1	120	0.54	0.112
1293786	Soil	0.9	26.9	10.9	58	0.2	18.1	14.2	396	3.49	14.9	0.8	1.7	7.1	23	0.1	2.5	0.2	94	0.35	0.044
1293796	Soil	1.6	33.0	17.0	72	0.6	16.3	12.8	270	3.13	278.7	5.4	31.7	6.5	31	0.4	4.9	0.2	93	0.60	0.044

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS WHI12000393.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1296527	Soil	14	58	0.89	360	0.125	<1	1.71	0.009	0.26	0.1	0.02	5.3	0.3	<0.05	7	<0.5	<0.2
1296530	Soil	11	37	0.65	141	0.098	<1	1.86	0.010	0.14	0.1	0.02	3.4	0.2	<0.05	7	<0.5	<0.2
1293783	Soil	23	30	0.95	673	0.154	<1	1.90	0.020	0.31	0.2	0.05	9.9	0.4	<0.05	7	<0.5	<0.2
1293791	Soil	10	25	0.83	407	0.175	<1	1.80	0.021	0.18	0.2	0.03	5.2	0.3	<0.05	8	<0.5	<0.2
1293792	Soil	11	26	0.86	435	0.139	<1	1.79	0.015	0.18	0.2	0.04	5.7	0.3	<0.05	8	<0.5	<0.2
1293769	Soil	23	45	1.81	1049	0.218	<1	2.63	0.023	0.47	0.2	0.05	21.5	0.6	<0.05	10	<0.5	<0.2
1293795	Soil	10	34	0.84	379	0.154	2	2.38	0.015	0.20	0.2	0.04	4.8	0.3	<0.05	7	<0.5	<0.2
1293780	Soil	15	28	1.12	997	0.217	<1	2.01	0.017	0.47	0.2	0.02	8.4	0.5	<0.05	7	<0.5	<0.2
1293781	Soil	12	32	1.14	736	0.238	1	1.81	0.019	0.38	0.2	0.05	6.5	0.6	<0.05	8	<0.5	<0.2
1295903	Soil	11	33	0.97	470	0.192	1	2.02	0.016	0.23	0.2	0.03	4.7	0.4	<0.05	6	<0.5	<0.2
1293768	Soil	12	34	1.00	365	0.163	1	1.91	0.015	0.24	0.2	0.03	6.3	0.3	<0.05	6	<0.5	<0.2
1293776	Soil	17	31	0.72	452	0.120	1	1.86	0.012	0.07	0.2	0.07	5.1	0.2	<0.05	6	<0.5	<0.2
1293779	Soil	13	29	0.97	476	0.185	<1	2.01	0.018	0.23	0.2	0.04	6.3	0.4	<0.05	7	<0.5	<0.2
1293794	Soil	15	28	0.92	564	0.152	1	1.91	0.016	0.24	0.1	0.04	8.0	0.4	<0.05	6	<0.5	<0.2
1293777	Soil	15	29	0.70	539	0.116	2	1.59	0.015	0.11	0.2	0.06	5.7	0.2	<0.05	6	<0.5	<0.2
1293799	Soil	18	40	1.15	718	0.204	<1	2.55	0.019	0.32	0.2	0.03	8.5	0.5	<0.05	8	<0.5	<0.2
1293782	Soil	19	32	0.83	556	0.157	2	1.75	0.016	0.30	0.2	0.06	9.2	0.4	<0.05	6	<0.5	<0.2
1293774	Soil	18	35	1.02	806	0.214	<1	1.96	0.018	0.52	0.2	0.05	12.2	0.6	<0.05	7	<0.5	<0.2
1293789	Soil	10	25	1.07	391	0.248	<1	2.28	0.026	0.32	0.2	0.02	5.8	0.4	<0.05	10	<0.5	<0.2
1295901	Rock Pulp	16	643	0.12	139	0.166	3	3.88	0.011	0.06	<0.1	0.02	39.4	<0.1	<0.05	21	0.6	<0.2
1293771	Soil	15	37	1.13	632	0.276	1	2.48	0.018	0.35	0.2	0.02	7.1	0.5	<0.05	8	<0.5	<0.2
1293785	Soil	15	31	1.04	665	0.189	1	2.14	0.016	0.31	0.3	0.04	8.0	0.4	<0.05	9	<0.5	<0.2
1293797	Soil	19	34	1.04	742	0.167	<1	2.60	0.018	0.33	<0.1	0.01	17.6	0.6	<0.05	9	<0.5	<0.2
1293787	Soil	15	23	0.74	368	0.135	<1	1.65	0.017	0.28	0.3	0.03	7.1	0.4	<0.05	7	<0.5	<0.2
1293798	Soil	12	41	1.36	519	0.352	<1	3.57	0.018	0.51	0.3	0.02	5.0	0.5	<0.05	11	<0.5	<0.2
1293788	Soil	16	23	0.79	342	0.158	2	2.28	0.023	0.21	0.3	0.02	5.5	0.3	<0.05	8	<0.5	<0.2
1293784	Soil	19	27	0.88	658	0.179	1	2.09	0.017	0.27	0.2	0.06	9.1	0.4	<0.05	8	<0.5	<0.2
1295902	Soil	25	32	0.88	579	0.153	1	1.76	0.016	0.33	0.2	0.10	14.9	0.5	<0.05	6	<0.5	<0.2
1293786	Soil	11	34	0.89	326	0.184	<1	2.13	0.014	0.23	0.2	<0.01	4.9	0.3	<0.05	7	<0.5	<0.2
1293796	Soil	15	32	0.76	435	0.114	2	1.93	0.015	0.17	0.2	0.05	8.1	0.3	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS WHI12000393.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1293778	Soil		1.2	35.9	30.2	113	0.7	14.1	17.9	579	4.48	17.0	1.1	3.7	7.7	24	0.4	3.3	0.2	131	0.44	0.055
1293770	Soil		1.2	26.0	36.7	99	1.2	13.6	14.6	470	3.92	12.9	1.0	13.5	6.8	24	0.7	2.2	0.3	116	0.37	0.060
1293773	Soil		1.2	37.1	22.4	100	0.3	21.5	19.0	626	5.01	48.8	2.2	7.4	11.8	30	0.5	2.6	0.2	133	0.38	0.050
1293772	Soil		0.7	30.1	18.0	65	0.5	15.1	12.1	403	3.16	16.6	2.5	6.0	8.1	33	0.2	1.2	0.1	89	0.42	0.058
1293790	Soil		1.3	20.8	22.4	100	0.7	12.5	13.4	806	3.62	37.5	1.3	8.7	9.1	38	0.4	2.6	0.2	105	0.40	0.048
1293775	Soil		1.1	24.1	38.0	80	2.0	14.9	11.5	325	2.85	45.8	1.9	19.4	6.2	27	0.2	6.1	0.2	76	0.39	0.045
1295618	Soil		0.6	23.4	9.2	65	0.1	15.0	13.8	453	3.00	12.9	2.2	5.7	6.7	31	0.1	0.7	0.1	90	0.53	0.065
1295617	Soil		0.7	31.7	9.3	63	0.1	14.2	14.7	383	3.12	4.6	4.8	5.8	6.5	31	0.1	1.1	0.2	72	0.61	0.071
1295613	Soil		1.2	29.5	8.1	61	<0.1	20.2	17.2	355	4.21	11.4	0.8	1.3	4.9	20	<0.1	0.5	0.1	126	0.44	0.037
1295628	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1295614	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1295615	Soil		1.4	20.7	7.8	57	<0.1	16.2	12.9	329	3.62	48.3	0.7	1.5	4.2	22	<0.1	0.6	0.1	126	0.59	0.045
1295620	Soil		0.7	21.3	7.8	76	0.2	14.1	16.8	540	4.09	236.7	2.3	21.4	7.8	28	0.1	1.2	0.3	118	0.47	0.078
1295612	Soil		0.9	42.4	8.7	73	<0.1	20.5	20.3	525	4.90	9.2	1.3	1.8	9.0	24	0.1	0.6	0.2	146	0.38	0.071
1295619	Soil		1.3	28.9	6.9	84	0.2	13.5	20.6	1169	4.57	487.1	3.3	28.8	7.9	36	0.2	1.8	0.2	116	0.62	0.101
1295611	Soil		1.3	19.1	10.8	63	0.2	13.9	12.3	510	3.51	10.4	0.9	2.8	4.2	28	<0.1	0.6	0.1	93	0.40	0.042
1295629	Soil		0.8	21.5	7.0	75	<0.1	11.1	16.9	546	4.61	34.7	1.9	3.5	8.9	19	0.1	0.7	0.1	144	0.37	0.107
1295642	Soil		0.8	38.4	12.2	82	<0.1	17.7	20.2	570	5.14	23.2	1.5	3.7	8.8	31	<0.1	0.7	0.3	144	0.44	0.042
1295621	Soil		0.5	16.8	8.1	74	0.1	13.8	11.9	275	3.85	48.1	2.8	3.8	8.0	24	<0.1	0.8	0.2	128	0.35	0.070
1295643	Soil		1.0	35.7	80.0	156	2.3	20.4	16.3	722	4.43	26.8	2.3	14.5	11.6	37	0.5	5.5	0.2	105	0.50	0.058
1295623	Soil		1.4	18.9	6.9	88	<0.1	10.5	34.9	2563	4.98	30.9	1.5	2.8	6.7	24	<0.1	0.6	0.1	172	0.45	0.100
1295644	Soil		1.3	32.6	87.8	176	0.4	13.2	24.0	948	5.79	18.1	2.1	7.2	9.3	33	0.3	4.2	0.1	119	0.56	0.097
1295631	Soil		0.6	12.2	6.3	59	<0.1	9.8	11.5	357	3.55	20.0	1.6	6.6	5.2	22	0.1	0.6	0.1	147	0.37	0.106
1295634	Soil		1.1	22.2	7.0	81	0.2	11.5	14.6	721	3.53	85.1	3.2	11.3	6.1	35	0.1	1.0	0.1	103	0.66	0.105
1295636	Soil		1.1	18.4	10.4	82	0.1	12.9	17.8	821	4.19	15.1	2.0	1.9	5.7	36	0.2	0.7	0.2	122	0.67	0.102
1295645	Soil		3.4	43.4	13.5	131	0.4	11.8	25.9	1461	6.81	11.6	3.1	3.5	17.2	29	0.2	4.7	0.9	156	0.71	0.129
1295637	Soil		0.9	24.9	10.2	76	0.2	13.6	16.7	748	3.52	8.4	2.3	2.2	6.7	41	0.2	0.8	0.2	94	0.72	0.073
1295641	Soil		0.9	32.6	10.0	91	<0.1	15.6	22.8	1006	5.82	60.1	2.0	6.9	8.8	36	0.1	1.5	0.1	97	0.55	0.089
1295630	Soil		1.0	20.7	6.1	83	<0.1	10.3	17.5	595	4.58	34.7	1.8	2.4	9.3	20	0.1	0.8	<0.1	158	0.41	0.126
1295632	Soil		0.8	18.5	7.7	69	0.2	12.3	17.6	626	3.31	69.8	2.2	7.2	5.1	28	0.1	0.8	<0.1	101	0.41	0.080

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS WHI12000393.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1293778	Soil		11	34	1.24	639	0.269	1	2.57	0.016	0.37	0.4	0.02	6.6	0.5	<0.05	8	<0.5	<0.2
1293770	Soil		11	32	0.99	598	0.186	<1	2.01	0.017	0.32	0.2	0.03	6.7	0.4	<0.05	8	<0.5	<0.2
1293773	Soil		23	42	1.18	757	0.226	<1	2.80	0.018	0.22	0.2	0.02	10.4	0.4	<0.05	9	<0.5	<0.2
1293772	Soil		20	34	0.81	637	0.149	1	1.80	0.017	0.15	0.2	0.04	7.9	0.3	<0.05	6	<0.5	<0.2
1293790	Soil		12	28	0.95	401	0.186	<1	2.12	0.019	0.18	0.2	0.02	6.2	0.3	<0.05	8	<0.5	<0.2
1293775	Soil		16	30	0.68	440	0.121	1	1.77	0.013	0.07	0.2	0.06	4.8	0.3	<0.05	6	<0.5	<0.2
1295618	Soil		13	34	0.95	364	0.166	2	1.98	0.012	0.08	0.2	0.05	5.9	0.2	<0.05	7	<0.5	<0.2
1295617	Soil		18	31	1.00	354	0.079	2	2.05	0.011	0.08	0.1	0.07	8.4	0.1	0.09	7	0.8	<0.2
1295613	Soil		8	37	0.95	292	0.214	1	2.79	0.014	0.13	0.1	0.01	5.0	0.2	<0.05	8	0.5	<0.2
1295628	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1295614	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1295615	Soil		10	34	0.90	318	0.199	2	2.04	0.013	0.12	0.2	0.02	4.5	0.1	<0.05	7	<0.5	<0.2
1295620	Soil		11	36	1.04	430	0.207	2	2.16	0.014	0.21	0.2	0.05	5.5	0.3	<0.05	8	0.6	<0.2
1295612	Soil		11	42	1.31	453	0.289	1	3.90	0.032	0.43	0.3	0.01	6.2	0.4	<0.05	10	<0.5	<0.2
1295619	Soil		13	35	1.07	471	0.145	2	2.09	0.012	0.16	0.2	0.04	7.5	0.2	0.05	7	0.6	<0.2
1295611	Soil		9	29	0.81	383	0.101	<1	2.24	0.011	0.14	0.2	0.01	5.3	0.1	0.05	7	<0.5	<0.2
1295629	Soil		14	35	1.08	433	0.262	<1	2.36	0.017	0.32	0.2	0.02	4.7	0.4	0.07	8	<0.5	<0.2
1295642	Soil		15	40	1.46	658	0.299	<1	2.88	0.014	0.31	0.1	<0.01	7.2	0.4	<0.05	9	<0.5	<0.2
1295621	Soil		11	34	0.92	322	0.208	1	2.14	0.013	0.21	0.3	0.05	5.0	0.3	<0.05	8	<0.5	<0.2
1295643	Soil		23	40	1.12	621	0.136	2	2.63	0.012	0.16	0.1	0.05	12.6	0.3	<0.05	8	0.6	<0.2
1295623	Soil		12	37	1.19	425	0.285	2	2.26	0.016	0.31	0.3	<0.01	4.9	0.5	<0.05	9	0.5	<0.2
1295644	Soil		12	34	1.44	337	0.006	<1	3.40	0.005	0.06	<0.1	0.02	11.5	<0.1	<0.05	9	0.6	<0.2
1295631	Soil		13	35	0.83	264	0.189	1	1.66	0.015	0.16	0.4	0.02	3.4	0.3	<0.05	6	<0.5	<0.2
1295634	Soil		13	34	1.05	516	0.170	2	2.02	0.015	0.15	0.2	0.04	6.2	0.2	<0.05	7	0.6	<0.2
1295636	Soil		10	34	1.17	394	0.167	1	2.17	0.014	0.09	0.1	0.04	5.0	0.1	<0.05	8	<0.5	<0.2
1295645	Soil		43	35	1.26	167	0.005	<1	2.86	0.004	0.05	<0.1	0.04	28.1	<0.1	<0.05	10	<0.5	<0.2
1295637	Soil		11	31	1.09	404	0.158	2	2.08	0.014	0.11	0.1	0.06	5.7	0.2	<0.05	7	0.7	<0.2
1295641	Soil		15	38	1.84	437	0.087	<1	3.62	0.007	0.14	<0.1	0.02	9.0	0.2	<0.05	11	<0.5	<0.2
1295630	Soil		14	37	1.14	458	0.278	<1	2.23	0.018	0.46	0.3	<0.01	4.5	0.4	<0.05	8	<0.5	<0.2
1295632	Soil		12	29	0.90	395	0.177	<1	1.88	0.013	0.11	0.2	0.04	4.1	0.2	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS WHI12000393.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1295640	Soil	1.2	28.5	8.6	69	0.1	19.4	16.0	373	4.37	26.6	0.8	3.8	5.0	19	0.1	0.7	0.1	136	0.25	0.045
1295638	Soil	1.0	37.1	11.9	84	0.2	14.2	17.5	539	4.11	8.0	4.5	3.0	10.5	43	0.2	1.0	0.1	122	0.94	0.101
1295635	Soil	0.6	19.3	11.5	78	0.2	11.3	11.4	336	3.49	60.1	2.7	5.5	5.5	28	0.2	1.0	0.1	111	0.50	0.095
1295627	Soil	0.8	22.1	6.4	70	0.3	11.0	15.8	664	3.61	23.9	2.4	11.1	6.5	25	0.2	0.6	<0.1	100	0.37	0.091
1295616	Soil	1.4	21.2	12.5	73	0.1	14.8	16.0	615	3.87	36.9	1.1	7.6	6.0	25	0.1	1.2	0.2	113	0.40	0.061
1295622	Soil	0.6	15.5	7.4	70	0.1	12.4	15.3	557	3.59	67.4	2.4	10.7	6.2	24	<0.1	0.7	0.1	121	0.37	0.081
1295624	Soil	1.1	28.1	8.9	84	0.1	12.4	21.0	778	4.73	29.0	2.2	3.9	9.4	23	0.2	0.8	0.2	151	0.34	0.094
1295626	Soil	1.0	28.3	8.3	78	0.2	12.4	15.8	480	4.19	18.7	2.4	3.4	9.0	25	0.1	0.7	0.1	133	0.35	0.078
1295625	Soil	0.9	24.8	7.8	77	0.2	11.7	15.2	461	4.01	18.2	2.2	8.7	8.6	23	0.2	0.7	0.1	128	0.37	0.089
1295639	Soil	1.0	31.6	16.6	94	0.2	15.6	16.2	646	4.05	19.3	2.0	6.0	8.8	25	0.2	1.6	0.3	113	0.41	0.068
1295633	Soil	1.2	18.8	7.7	75	0.2	10.9	16.3	632	3.67	98.3	2.2	8.6	6.4	35	0.2	0.9	0.1	112	0.55	0.089
1296870	Soil	1.4	23.6	13.8	77	0.1	31.4	20.7	770	4.35	8.9	2.2	5.2	12.8	71	0.3	1.0	0.2	63	1.85	0.099
1296872	Soil	0.7	31.2	9.0	62	<0.1	31.6	27.8	503	3.85	4.3	0.6	7.6	4.9	36	<0.1	0.2	<0.1	73	0.65	0.083
1296858	Soil	1.1	19.2	10.0	73	<0.1	19.0	11.5	372	3.27	17.1	2.8	4.2	9.1	26	0.1	0.7	0.1	73	0.33	0.082
1296874	Soil	1.9	14.6	14.0	65	0.1	18.3	11.9	512	3.52	6.9	2.5	15.6	27.1	26	0.1	0.3	0.2	43	0.44	0.065
1296871	Soil	1.1	26.7	11.2	50	<0.1	33.3	14.9	527	3.08	7.8	0.9	5.1	12.0	44	<0.1	0.4	0.1	60	0.91	0.046
1296856	Soil	1.2	24.7	18.5	99	0.1	22.4	10.4	594	3.45	69.1	2.7	9.4	13.8	40	0.3	1.5	0.1	69	0.54	0.105
1296873	Soil	1.1	25.1	8.5	55	<0.1	24.4	15.2	357	3.17	7.5	1.2	4.6	9.6	34	<0.1	0.5	<0.1	69	0.50	0.049
1296877	Soil	1.7	16.0	14.0	67	<0.1	18.3	10.9	489	3.31	6.0	3.0	2.8	27.1	28	0.1	0.3	0.3	43	0.49	0.076
1296879	Soil	1.3	19.3	16.6	63	<0.1	27.1	11.5	529	3.03	17.9	2.1	1.6	26.9	30	<0.1	0.8	0.3	44	0.62	0.031
1296857	Soil	1.2	20.9	11.5	71	0.1	20.0	11.3	438	3.40	13.3	3.9	3.7	8.9	29	0.2	0.7	0.2	67	0.39	0.095
1296860	Soil	1.6	18.9	14.1	86	0.1	17.8	15.5	1156	3.61	65.7	3.3	6.5	12.1	27	0.2	2.6	0.4	72	0.38	0.080
1296864	Soil	1.0	35.6	12.2	52	0.1	26.5	12.7	588	2.89	10.6	1.8	4.2	5.8	42	0.2	1.7	0.2	49	0.64	0.041
1296861	Soil	1.0	20.6	11.5	80	0.2	18.7	12.4	422	3.67	22.4	3.8	5.4	10.8	24	0.2	1.4	0.2	72	0.33	0.081
1296865	Soil	1.0	32.2	11.1	49	0.1	23.6	11.2	485	2.80	7.9	2.5	5.6	6.2	41	0.1	1.3	0.2	48	0.82	0.043
1296866	Soil	1.0	25.1	11.5	48	0.1	21.8	10.8	439	2.85	9.7	2.1	4.9	7.1	37	0.2	1.7	0.3	41	0.88	0.045
1296862	Soil	1.1	12.1	10.0	77	<0.1	15.3	18.8	918	3.77	15.5	1.1	1.7	6.6	21	0.1	0.8	0.2	82	0.29	0.073
1296863	Soil	1.0	11.4	9.1	77	<0.1	15.3	12.5	650	3.60	11.7	0.8	1.2	4.9	16	0.1	0.6	0.2	79	0.22	0.069
1296867	Soil	0.9	25.6	13.5	44	0.1	23.1	11.6	485	2.60	8.9	1.7	1.9	6.6	35	<0.1	0.9	0.2	51	0.79	0.033
1296851	Rock Pulp	2.4	24.7	2.3	41	0.3	22.9	10.5	374	2.38	4.9	0.3	4.9	0.9	38	0.2	0.3	<0.1	59	0.80	0.065

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS WHI12000393.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1295640	Soil	8	39	1.05	325	0.250	2	3.15	0.011	0.14	0.2	0.04	4.7	0.3	<0.05	9	<0.5	<0.2
1295638	Soil	19	37	1.39	466	0.197	2	2.69	0.014	0.16	<0.1	0.04	8.6	0.2	0.07	9	<0.5	<0.2
1295635	Soil	13	34	0.96	385	0.142	<1	1.93	0.012	0.12	0.2	0.05	6.0	0.1	0.09	7	<0.5	<0.2
1295627	Soil	12	33	0.96	419	0.180	1	2.09	0.015	0.20	0.2	0.06	6.4	0.3	<0.05	8	<0.5	<0.2
1295616	Soil	11	32	1.03	312	0.185	<1	2.46	0.013	0.14	0.2	0.01	6.1	0.2	<0.05	8	<0.5	<0.2
1295622	Soil	11	31	0.84	320	0.194	<1	1.84	0.012	0.22	0.3	0.06	4.5	0.3	0.06	7	0.7	<0.2
1295624	Soil	12	37	1.07	522	0.273	<1	2.73	0.019	0.38	0.2	0.02	5.4	0.4	<0.05	9	0.5	<0.2
1295626	Soil	12	34	1.04	442	0.233	2	2.63	0.017	0.27	0.2	0.02	5.4	0.3	<0.05	8	<0.5	<0.2
1295625	Soil	13	34	1.01	460	0.225	<1	2.41	0.015	0.29	0.3	0.02	5.4	0.3	<0.05	8	<0.5	<0.2
1295639	Soil	16	34	1.20	448	0.174	1	2.55	0.013	0.12	<0.1	0.03	6.6	0.2	0.05	7	<0.5	<0.2
1295633	Soil	11	30	1.03	482	0.192	1	1.90	0.015	0.13	0.3	0.03	4.8	0.2	0.09	7	<0.5	<0.2
1296870	Soil	33	57	0.90	501	0.037	2	1.07	0.010	0.20	0.1	0.05	9.3	0.2	0.06	3	<0.5	<0.2
1296872	Soil	21	65	2.24	265	0.131	1	2.63	0.009	0.08	0.2	<0.01	5.8	0.1	<0.05	7	<0.5	<0.2
1296858	Soil	27	30	0.64	332	0.118	1	1.79	0.012	0.07	0.2	0.04	5.3	0.2	<0.05	7	0.5	<0.2
1296874	Soil	70	26	0.48	243	0.068	2	1.42	0.010	0.15	0.2	0.03	5.2	0.1	<0.05	5	0.7	<0.2
1296871	Soil	25	56	0.94	352	0.058	3	1.48	0.017	0.10	0.1	0.03	7.0	<0.1	<0.05	5	0.5	<0.2
1296856	Soil	35	34	0.65	457	0.133	1	1.62	0.019	0.24	0.2	0.03	7.8	0.3	<0.05	6	0.7	<0.2
1296873	Soil	25	38	0.88	278	0.096	1	1.92	0.018	0.07	0.1	0.01	5.8	<0.1	<0.05	6	<0.5	<0.2
1296877	Soil	81	30	0.60	334	0.082	2	1.50	0.016	0.22	0.2	0.03	5.2	0.2	<0.05	5	<0.5	<0.2
1296879	Soil	59	40	0.54	278	0.058	2	1.08	0.014	0.23	0.1	0.04	7.1	0.6	<0.05	4	<0.5	<0.2
1296857	Soil	27	33	0.62	383	0.097	2	1.78	0.016	0.07	0.2	0.05	6.1	0.3	<0.05	6	<0.5	<0.2
1296860	Soil	25	33	0.66	362	0.111	1	2.16	0.016	0.12	0.2	0.04	5.7	0.3	<0.05	8	<0.5	<0.2
1296864	Soil	17	32	0.47	376	0.052	2	1.44	0.018	0.08	0.2	0.07	6.6	<0.1	<0.05	4	<0.5	<0.2
1296861	Soil	28	35	0.68	351	0.112	3	2.32	0.015	0.09	0.2	0.06	6.7	0.3	<0.05	8	<0.5	<0.2
1296865	Soil	18	30	0.54	305	0.058	2	1.40	0.019	0.10	0.2	0.07	7.0	0.1	0.05	4	<0.5	<0.2
1296866	Soil	19	29	0.43	312	0.042	2	1.18	0.016	0.10	0.1	0.06	6.0	0.1	<0.05	3	<0.5	<0.2
1296862	Soil	14	32	0.66	211	0.114	<1	2.11	0.012	0.08	0.2	0.02	4.5	0.2	<0.05	8	<0.5	<0.2
1296863	Soil	11	30	0.66	145	0.113	1	1.96	0.011	0.08	0.2	0.02	4.5	0.2	<0.05	8	<0.5	<0.2
1296867	Soil	20	34	0.55	360	0.058	1	1.44	0.022	0.07	0.1	0.05	5.5	0.1	<0.05	4	<0.5	<0.2
1296851	Rock Pulp	4	30	0.76	95	0.104	2	1.50	0.077	0.11	13.2	<0.01	4.5	<0.1	0.06	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS WHI12000393.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1296859	Soil	1.5	15.9	11.3	64	<0.1	13.9	11.2	671	3.41	35.7	2.0	3.0	5.6	21	0.1	0.9	0.2	78	0.28	0.070
1296869	Soil	0.7	23.0	12.0	41	0.1	26.5	12.3	532	2.52	13.6	2.1	2.4	6.0	59	0.2	2.1	0.3	32	1.83	0.056
1296849	Soil	1.0	18.7	12.0	60	0.1	12.5	7.9	600	2.29	17.5	3.5	2.9	3.7	30	0.6	0.5	0.2	49	0.35	0.071
1296854	Soil	1.1	18.7	13.7	77	0.1	17.9	11.8	532	3.35	7.4	3.3	3.6	13.1	23	0.2	0.6	0.4	70	0.33	0.068
1296878	Soil	1.5	22.1	11.7	59	0.1	41.4	15.4	542	3.31	6.3	3.7	6.0	20.0	49	<0.1	0.6	0.2	66	1.02	0.073
1296868	Soil	1.4	18.1	18.3	35	<0.1	14.7	7.5	377	2.41	19.5	1.2	4.3	24.7	20	<0.1	1.4	0.3	27	0.36	0.024
1296848	Soil	1.3	12.1	13.4	73	<0.1	14.3	10.6	668	2.93	16.9	2.1	2.4	6.9	26	0.2	0.5	0.2	68	0.32	0.053
1296853	Soil	1.3	23.3	15.0	92	0.1	19.3	12.4	482	3.63	7.2	5.4	1.4	17.1	26	0.3	0.7	0.3	80	0.41	0.083
1271703	Soil	0.9	20.1	9.5	51	<0.1	29.0	17.6	461	3.29	5.1	1.5	0.7	7.8	42	0.1	0.2	0.1	72	1.04	0.090
1270696	Soil	0.9	15.8	9.9	38	<0.1	43.3	15.7	532	3.95	5.6	2.4	1.3	22.1	26	<0.1	0.5	0.4	85	0.60	0.044
1270690	Soil	0.9	17.9	13.3	58	0.2	18.1	8.7	280	2.23	9.7	2.6	1.6	7.0	48	0.2	0.8	0.2	44	1.11	0.056
1270692	Soil	1.2	16.9	9.5	48	0.1	18.7	11.2	539	2.53	14.2	2.1	2.0	7.9	36	0.2	1.1	0.2	46	0.74	0.056
1270700	Soil	0.9	30.8	7.7	52	<0.1	49.3	20.7	562	3.64	6.2	1.4	<0.5	6.6	45	<0.1	0.3	<0.1	77	1.13	0.071
1270694	Soil	1.2	19.0	9.8	36	0.1	16.0	10.0	317	2.73	5.8	3.8	3.0	12.3	30	0.1	0.5	0.2	68	0.87	0.047
1270691	Soil	0.9	20.9	14.7	62	0.1	21.0	13.0	434	2.76	8.3	2.3	4.2	10.5	32	0.1	0.8	0.2	55	0.59	0.059
1270688	Soil	1.4	11.8	14.7	40	<0.1	15.1	6.4	384	2.67	9.0	1.0	1.4	4.4	12	0.1	0.6	0.3	65	0.12	0.028
1271702	Soil	0.7	22.5	14.4	67	0.1	32.5	18.5	555	3.29	5.3	1.0	0.7	9.2	42	0.1	0.2	0.2	70	1.20	0.055
1270697	Soil	0.7	11.5	6.3	29	<0.1	16.7	8.5	578	2.24	4.5	1.6	<0.5	6.8	50	0.1	0.4	0.2	35	1.69	0.056
1270686	Soil	1.6	43.0	20.1	80	0.2	49.1	20.7	422	4.62	39.4	0.8	<0.5	4.8	12	0.4	0.8	0.2	125	0.24	0.053
1270693	Soil	2.0	11.1	17.6	45	0.2	12.8	5.8	194	3.43	10.0	1.2	4.2	7.5	9	0.2	0.7	0.4	73	0.09	0.027
1270699	Soil	0.7	30.5	5.4	50	<0.1	41.8	21.2	426	3.14	4.6	1.2	0.8	4.2	70	<0.1	0.2	<0.1	70	1.36	0.067
1270698	Soil	0.7	17.1	9.0	54	<0.1	44.7	21.1	601	4.09	5.2	1.6	2.1	9.9	52	<0.1	0.7	<0.1	78	1.39	0.066
1270687	Soil	1.7	10.6	16.4	50	<0.1	16.1	6.9	245	3.47	9.4	1.5	2.6	8.2	9	0.1	1.1	0.5	71	0.10	0.030
1270689	Soil	0.9	18.8	21.2	71	0.3	25.2	14.8	666	3.31	8.3	4.5	4.0	42.1	54	0.3	0.3	0.3	56	1.49	0.064
1270685	Soil	1.6	13.7	20.9	60	0.1	18.1	9.2	413	3.92	17.2	2.3	1.5	7.2	14	0.3	0.9	0.6	83	0.18	0.042
1270683	Soil	2.0	43.6	15.8	68	0.2	43.5	14.7	517	4.50	43.4	0.6	2.0	2.6	12	0.4	1.2	0.3	132	0.11	0.041
1270674	Soil	2.2	40.7	30.7	274	0.7	48.8	24.0	1455	3.39	94.0	1.8	9.3	1.4	20	1.7	3.2	0.3	78	0.24	0.104
1270675	Soil	1.6	38.4	23.0	97	0.7	27.0	22.5	1039	2.60	52.1	1.4	5.0	1.6	16	0.6	1.9	0.2	62	0.17	0.087
1296855	Soil	1.2	14.9	9.6	81	0.1	17.6	10.3	558	3.15	11.9	3.4	2.1	12.5	29	0.2	1.0	0.3	67	0.40	0.083
1271701	Rock Pulp	1.4	416.2	22.8	163	0.2	212.0	74.2	814	14.95	3.3	1.3	29.2	7.9	17	<0.1	0.4	0.2	213	0.30	0.047

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS WHI12000393.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1296859	Soil	15	30	0.55	246	0.098	1	1.66	0.012	0.07	0.1	0.04	4.2	0.3	0.06	7	<0.5	<0.2
1296869	Soil	24	31	0.56	370	0.030	2	0.83	0.011	0.10	0.1	0.08	5.3	0.1	0.06	3	<0.5	<0.2
1296849	Soil	32	21	0.36	358	0.064	<1	1.30	0.015	0.07	<0.1	0.06	3.8	0.2	0.06	6	<0.5	<0.2
1296854	Soil	25	34	0.74	289	0.138	1	2.20	0.013	0.12	0.2	0.03	5.7	0.3	<0.05	7	<0.5	<0.2
1296878	Soil	73	108	1.30	398	0.105	2	1.78	0.018	0.43	0.2	0.05	9.6	0.4	0.07	6	<0.5	<0.2
1296868	Soil	32	20	0.32	207	0.027	1	0.83	0.011	0.08	0.1	0.04	3.8	0.1	<0.05	2	<0.5	<0.2
1296848	Soil	20	27	0.56	309	0.111	2	1.61	0.013	0.08	0.1	0.04	4.6	0.3	<0.05	8	<0.5	<0.2
1296853	Soil	38	34	0.82	429	0.172	1	2.27	0.017	0.17	0.2	0.05	8.3	0.5	<0.05	8	<0.5	<0.2
1271703	Soil	27	56	1.20	292	0.121	1	1.89	0.016	0.22	0.1	0.03	5.1	0.2	0.05	7	<0.5	<0.2
1270696	Soil	41	71	1.06	447	0.052	<1	1.43	0.008	0.34	0.1	0.02	14.0	0.3	<0.05	5	<0.5	<0.2
1270690	Soil	24	30	0.61	265	0.050	1	1.26	0.014	0.07	0.1	0.06	5.0	0.2	0.10	5	<0.5	<0.2
1270692	Soil	29	29	0.51	349	0.053	<1	1.24	0.016	0.06	0.2	0.05	4.8	0.1	0.07	4	<0.5	<0.2
1270700	Soil	18	108	1.68	388	0.119	1	2.03	0.013	0.30	0.1	0.04	6.1	0.3	<0.05	7	<0.5	<0.2
1270694	Soil	56	28	0.83	401	0.062	<1	1.47	0.011	0.10	0.1	0.06	9.2	0.2	<0.05	5	<0.5	<0.2
1270691	Soil	28	33	0.63	245	0.075	1	1.56	0.017	0.07	0.2	0.05	5.5	0.2	<0.05	5	<0.5	<0.2
1270688	Soil	8	23	0.22	119	0.066	<1	0.85	0.009	0.07	0.1	0.02	2.6	0.2	<0.05	7	<0.5	<0.2
1271702	Soil	22	61	1.20	277	0.124	2	1.81	0.013	0.33	0.1	0.03	4.9	0.3	0.06	7	<0.5	<0.2
1270697	Soil	28	24	0.69	615	0.037	3	1.06	0.011	0.15	0.1	0.05	6.5	0.2	0.07	4	<0.5	<0.2
1270686	Soil	11	74	1.01	213	0.138	1	2.32	0.011	0.12	0.1	0.02	6.9	0.2	<0.05	9	<0.5	<0.2
1270693	Soil	12	25	0.29	85	0.060	<1	1.41	0.006	0.06	0.1	0.03	3.1	0.2	<0.05	9	<0.5	<0.2
1270699	Soil	14	86	1.60	303	0.138	<1	1.96	0.013	0.25	0.1	0.04	3.6	0.2	0.05	6	<0.5	<0.2
1270698	Soil	33	77	1.57	427	0.064	2	2.00	0.009	0.20	0.1	0.03	8.9	0.2	<0.05	7	<0.5	<0.2
1270687	Soil	10	25	0.31	95	0.054	<1	1.26	0.005	0.06	0.2	0.03	3.2	0.2	<0.05	9	<0.5	<0.2
1270689	Soil	40	54	0.94	280	0.081	2	1.54	0.012	0.22	0.1	0.06	7.0	0.5	0.07	6	<0.5	<0.2
1270685	Soil	15	28	0.44	147	0.062	2	1.36	0.009	0.12	0.1	0.03	3.3	0.2	0.08	10	<0.5	<0.2
1270683	Soil	10	64	0.79	298	0.231	2	1.58	0.012	0.30	0.1	<0.01	5.1	0.2	0.07	11	<0.5	<0.2
1270674	Soil	11	38	0.44	718	0.041	4	1.29	0.010	0.05	0.2	0.19	4.3	1.6	0.08	5	0.8	<0.2
1270675	Soil	12	39	0.44	340	0.052	2	1.39	0.009	0.07	0.2	0.21	3.8	1.8	0.09	5	1.4	<0.2
1296855	Soil	28	28	0.72	389	0.155	2	1.79	0.015	0.16	0.2	0.03	5.3	0.4	<0.05	7	<0.5	<0.2
1271701	Rock Pulp	18	631	0.13	149	0.163	6	3.99	0.012	0.06	<0.1	0.03	41.5	<0.1	<0.05	20	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS WHI12000393.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1270679	Soil	3.6	75.6	24.0	422	1.2	92.7	27.4	1257	3.81	80.5	3.0	10.5	3.5	38	3.0	2.5	0.2	109	0.30	0.117
1270677	Soil	1.1	33.0	11.9	71	0.5	24.7	5.0	106	1.91	31.3	1.1	4.6	0.6	17	0.8	1.0	0.2	43	0.19	0.068
1296850	Soil	1.0	15.0	13.4	75	0.1	17.4	11.3	409	3.09	7.1	4.1	2.3	11.1	27	0.1	0.6	0.2	66	0.35	0.068
1270682	Soil	1.7	42.4	10.4	86	0.3	33.4	15.1	398	4.19	59.7	1.4	8.0	3.0	51	0.5	0.7	0.1	124	0.69	0.076
1270681	Soil	2.6	78.7	12.9	174	0.6	68.7	25.2	1082	5.18	30.9	2.2	4.2	3.9	35	1.6	1.1	0.1	118	0.66	0.131
1270678	Soil	2.8	37.1	19.4	74	0.4	22.0	6.4	294	2.99	53.1	0.9	2.6	2.5	11	0.4	2.2	0.3	104	0.05	0.046
1296852	Soil	1.2	23.3	15.5	80	0.1	20.7	13.4	533	3.54	8.3	6.3	3.6	14.4	31	0.1	0.7	0.2	78	0.40	0.073
1270684	Soil	2.3	55.6	11.9	68	0.3	57.2	16.4	382	4.83	28.4	0.4	3.0	2.1	17	0.3	0.8	0.1	134	0.25	0.041
1270680	Soil	3.9	55.2	17.4	145	0.7	50.2	15.6	497	3.52	46.4	1.5	2.8	2.9	29	1.1	1.8	0.2	90	0.31	0.063
1270676	Soil	2.0	38.7	23.1	99	0.7	25.4	24.9	1083	2.72	50.3	1.4	5.3	1.7	15	0.7	1.8	0.2	59	0.17	0.082
1295835	Soil	1.6	25.9	45.8	140	1.0	14.6	16.8	449	4.49	15.8	1.0	8.2	6.5	21	0.8	3.1	0.2	125	0.30	0.062
1295831	Soil	2.7	22.3	99.5	285	1.0	9.6	13.0	412	4.73	142.2	1.0	8.1	5.5	19	2.1	10.0	0.2	181	0.24	0.051
1295856	Soil	1.0	34.2	15.8	63	0.1	20.2	15.2	355	3.93	16.5	1.0	0.9	8.2	21	0.3	1.8	<0.1	117	0.23	0.041
1295852	Soil	0.8	45.1	12.9	126	0.2	16.3	22.9	814	5.34	6.5	1.7	<0.5	14.2	26	0.5	1.6	<0.1	171	0.51	0.136
1295836	Soil	1.1	23.0	51.4	120	1.7	16.4	15.5	339	3.66	16.5	0.9	6.0	5.7	23	0.5	4.5	<0.1	98	0.34	0.036
1295833	Soil	1.5	36.9	195.0	299	6.0	17.7	13.3	398	3.45	69.0	3.0	57.4	8.5	31	1.6	7.2	0.1	87	0.45	0.065
1295858	Soil	1.0	37.7	55.0	128	0.3	20.1	20.0	804	5.06	54.0	2.7	3.9	12.6	29	0.3	3.0	<0.1	144	0.46	0.075
1295853	Soil	1.6	15.2	15.0	73	0.2	17.8	9.3	256	3.16	21.1	0.4	2.4	2.9	14	0.6	1.0	0.1	77	0.16	0.024
1295838	Soil	1.2	28.7	77.8	273	2.0	18.9	16.3	387	3.87	34.4	0.9	11.7	6.7	26	1.2	7.5	0.1	92	0.22	0.022
1295832	Soil	1.7	25.7	140.5	171	4.3	13.5	10.7	377	3.21	48.4	1.8	26.9	5.6	29	1.5	4.7	0.1	91	0.41	0.046
1295857	Soil	0.8	31.6	44.9	93	0.2	19.0	16.7	453	4.21	34.0	1.0	2.6	7.3	21	0.2	4.2	<0.1	118	0.29	0.040
1295854	Soil	1.7	36.2	17.1	94	0.2	14.2	19.6	581	5.75	19.4	1.4	2.1	9.0	17	0.3	1.9	<0.1	169	0.30	0.081
1295837	Soil	1.8	39.4	89.8	194	1.9	16.4	25.7	687	5.69	64.4	2.1	9.8	11.4	32	1.8	7.9	0.2	132	0.46	0.083
1295834	Soil	1.9	41.2	113.5	235	5.4	13.1	14.6	760	3.61	54.3	5.3	41.0	9.2	48	3.5	5.9	0.2	96	0.96	0.069
1295859	Soil	1.0	43.8	26.6	105	0.2	20.4	15.9	703	4.59	20.5	3.4	10.3	14.1	27	0.2	2.7	<0.1	123	0.37	0.062
1295855	Soil	1.8	25.9	1632	473	26.0	14.6	9.7	476	3.53	1018	3.0	394.8	7.3	55	3.4	169.7	0.9	59	0.37	0.076
1295842	Soil	2.0	70.6	478.1	810	17.4	11.7	23.2	1224	7.02	881.8	4.5	103.6	17.5	41	12.2	44.0	0.2	151	0.68	0.167
1295846	Soil	1.1	23.3	11.1	63	<0.1	14.7	11.3	443	3.61	10.6	1.6	2.8	8.0	16	0.1	0.8	0.1	92	0.19	0.060
1295850	Soil	1.3	20.4	14.2	57	0.3	20.8	11.6	320	3.51	17.0	0.7	4.9	4.8	25	0.1	0.9	0.1	80	0.26	0.023
1295839	Soil	1.4	21.4	65.7	127	2.4	12.6	13.9	461	3.46	29.6	2.2	10.0	5.4	39	1.0	4.2	0.3	89	0.61	0.063

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS WHI12000393.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1270679	Soil		20	61	0.70	717	0.091	3	1.86	0.013	0.18	0.2	0.10	6.9	0.8	0.08	7	1.3	<0.2
1270677	Soil		10	32	0.32	302	0.048	3	1.07	0.008	0.07	0.2	0.13	2.6	0.6	0.06	5	1.0	<0.2
1296850	Soil		26	30	0.67	334	0.116	2	1.92	0.012	0.07	0.2	0.07	5.6	0.3	0.07	7	0.5	<0.2
1270682	Soil		17	60	1.32	562	0.199	2	2.04	0.010	0.54	0.1	0.04	7.8	0.3	0.10	12	0.5	<0.2
1270681	Soil		28	88	1.72	844	0.216	3	2.58	0.016	0.78	0.1	0.06	8.9	0.5	0.10	11	<0.5	<0.2
1270678	Soil		12	26	0.14	247	0.100	2	0.92	0.006	0.06	0.1	0.04	2.6	0.4	0.14	8	<0.5	<0.2
1296852	Soil		37	36	0.74	438	0.137	3	2.19	0.015	0.10	0.2	0.05	7.6	0.3	0.09	8	<0.5	<0.2
1270684	Soil		8	96	1.07	219	0.216	2	2.16	0.015	0.18	0.1	0.04	5.0	0.2	0.11	10	0.8	<0.2
1270680	Soil		23	53	0.61	448	0.106	2	1.59	0.012	0.13	0.2	0.06	4.4	0.3	0.09	7	1.7	<0.2
1270676	Soil		11	38	0.41	317	0.051	2	1.42	0.010	0.07	0.2	0.22	3.7	2.0	0.08	5	0.9	<0.2
1295835	Soil		10	33	1.04	471	0.215	2	2.71	0.016	0.29	0.2	0.02	6.4	0.4	<0.05	9	<0.5	<0.2
1295831	Soil		8	28	1.07	420	0.333	1	2.36	0.014	0.25	0.2	0.03	5.0	0.4	0.07	13	<0.5	<0.2
1295856	Soil		10	38	1.02	419	0.232	1	3.05	0.018	0.34	0.2	0.02	4.9	0.4	<0.05	8	<0.5	<0.2
1295852	Soil		16	37	1.65	989	0.284	2	3.12	0.031	0.80	0.2	0.01	11.3	0.6	<0.05	10	<0.5	<0.2
1295836	Soil		11	30	0.86	520	0.185	2	2.42	0.013	0.21	0.2	<0.01	5.2	0.3	<0.05	7	<0.5	<0.2
1295833	Soil		21	34	0.93	622	0.174	2	2.00	0.016	0.26	0.2	0.06	7.9	0.4	0.07	6	<0.5	<0.2
1295858	Soil		22	43	1.32	731	0.219	2	2.51	0.018	0.32	0.1	0.03	12.1	0.5	<0.05	8	<0.5	<0.2
1295853	Soil		8	33	0.51	209	0.067	<1	2.12	0.007	0.09	0.2	0.03	2.9	0.1	<0.05	7	<0.5	<0.2
1295838	Soil		10	36	0.77	515	0.148	<1	2.62	0.013	0.17	0.2	0.02	4.6	0.3	0.06	7	<0.5	<0.2
1295832	Soil		15	29	0.72	537	0.145	2	1.95	0.014	0.12	0.2	0.04	5.1	0.2	<0.05	7	0.6	<0.2
1295857	Soil		10	33	1.12	584	0.230	2	2.88	0.016	0.37	0.2	0.02	7.7	0.4	<0.05	8	<0.5	<0.2
1295854	Soil		10	38	1.31	622	0.248	2	3.05	0.016	0.66	0.2	0.03	11.1	0.6	<0.05	11	<0.5	<0.2
1295837	Soil		16	33	0.95	677	0.135	3	3.38	0.013	0.29	0.1	0.03	11.6	0.3	0.06	9	0.8	<0.2
1295834	Soil		34	29	0.91	775	0.179	2	1.98	0.018	0.37	0.2	0.06	10.8	0.5	<0.05	8	1.4	<0.2
1295859	Soil		20	38	1.10	676	0.174	1	2.18	0.014	0.33	0.1	0.03	15.9	0.5	<0.05	7	0.6	<0.2
1295855	Soil		22	26	0.48	483	0.053	3	1.27	0.016	0.21	0.2	0.11	6.3	0.4	0.25	4	<0.5	<0.2
1295842	Soil		33	27	1.08	937	0.062	<1	2.37	0.019	0.23	0.1	0.07	24.4	0.4	<0.05	8	<0.5	<0.2
1295846	Soil		11	34	0.65	411	0.138	2	1.90	0.009	0.23	0.2	0.02	6.8	0.3	<0.05	7	<0.5	<0.2
1295850	Soil		9	36	0.67	299	0.095	<1	2.31	0.010	0.10	0.1	0.02	4.3	0.1	<0.05	7	<0.5	<0.2
1295839	Soil		18	28	0.67	566	0.096	2	1.84	0.012	0.08	0.1	0.08	8.5	0.2	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS WHI12000393.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1295828	Soil	1.8	31.4	139.9	341	2.4	15.3	17.9	623	4.66	94.7	1.0	92.5	8.5	15	2.6	12.7	0.2	130	0.26	0.063
1295845	Soil	1.1	15.6	9.4	63	0.1	22.5	15.7	347	3.63	11.3	0.6	1.3	4.7	14	0.4	0.5	0.2	81	0.17	0.052
1295849	Soil	1.4	28.7	15.3	95	0.3	20.1	18.9	561	4.85	15.1	1.0	1.9	7.6	17	0.4	1.2	0.2	140	0.24	0.050
1295840	Soil	0.8	24.5	164.9	228	4.4	10.9	10.2	401	3.18	55.8	2.4	11.7	5.3	41	1.2	5.0	0.2	84	0.87	0.097
1295829	Soil	2.0	37.8	313.6	757	2.7	10.4	23.1	1513	5.33	168.3	2.1	27.7	9.0	15	3.8	9.4	0.2	142	0.36	0.117
1295844	Soil	1.3	42.7	5.7	74	0.2	10.1	20.5	791	5.20	6.2	1.5	1.3	9.8	23	0.2	0.8	0.1	157	0.56	0.136
1295851	Rock Pulp	2.6	23.2	2.3	43	0.3	23.3	10.4	398	2.39	4.8	0.2	1.5	0.8	36	0.2	0.3	<0.1	59	0.79	0.060
1295841	Soil	1.9	45.8	19.8	135	1.5	12.7	34.2	1254	8.04	24.6	3.9	7.5	14.4	31	1.8	3.3	0.1	133	0.75	0.111
1295830	Soil	1.7	46.8	254.4	409	8.9	15.7	16.2	723	4.26	59.3	3.6	43.4	10.0	34	4.1	6.4	0.1	118	0.61	0.082
1295843	Soil	1.7	43.1	18.1	137	0.4	13.6	22.7	1008	6.23	42.3	3.3	2.8	16.3	25	0.5	4.3	0.1	171	0.69	0.159
1295847	Soil	0.7	12.6	9.9	41	0.2	13.5	6.6	274	2.30	8.0	0.7	2.2	3.9	21	<0.1	0.4	0.1	66	0.29	0.028
1295848	Soil	1.3	63.5	257.9	409	1.0	14.7	28.9	1063	7.75	16.5	4.1	6.9	23.9	30	1.3	4.6	<0.1	239	0.53	0.101
[redacted]																					
1295824	Soil	1.0	18.9	180.2	418	5.7	13.2	10.2	241	3.10	91.5	1.7	42.4	5.9	31	1.6	10.7	0.1	83	0.53	0.066
1295821	Soil	1.1	44.7	115.8	300	2.0	9.8	19.1	871	4.76	56.3	1.5	78.6	13.9	25	2.0	6.2	<0.1	146	0.68	0.154
[redacted]																					
1295825	Soil	2.7	54.6	231.6	327	15.1	13.1	17.1	1618	5.83	545.8	6.9	76.6	8.3	71	16.2	20.2	0.1	91	1.29	0.109
1295822	Soil	1.0	26.2	43.8	144	1.0	13.4	14.7	568	3.84	20.0	1.1	26.6	9.7	24	1.0	3.5	<0.1	110	0.46	0.095
[redacted]																					
1295827	Soil	1.5	26.3	507.6	438	4.6	13.9	11.8	360	3.65	225.5	1.1	109.5	5.0	19	2.9	67.7	0.1	91	0.19	0.039
1295823	Soil	1.5	27.6	24.0	128	0.5	18.3	19.7	776	4.53	18.5	1.2	7.0	10.7	20	0.8	1.5	<0.1	125	0.38	0.077
[redacted]																					
1295826	Soil	0.8	14.1	9.6	75	<0.1	11.7	12.3	702	5.57	10.7	3.7	0.5	12.2	28	0.2	0.5	0.2	145	0.55	0.088
[redacted]																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS WHI12000393.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1295828	Soil	9	31	1.08	510	0.235	1	2.92	0.013	0.31	0.3	0.03	5.4	0.4	<0.05	9	<0.5	<0.2
1295845	Soil	8	41	0.71	283	0.100	2	2.55	0.013	0.12	0.2	0.05	3.7	0.2	<0.05	6	0.6	<0.2
1295849	Soil	9	41	1.43	552	0.208	<1	3.50	0.017	0.44	0.2	0.02	8.2	0.4	<0.05	10	<0.5	<0.2
1295840	Soil	15	29	0.82	442	0.101	1	1.56	0.014	0.13	0.2	0.09	9.7	0.3	<0.05	6	0.6	<0.2
1295829	Soil	11	30	1.12	532	0.214	<1	2.47	0.020	0.47	0.2	0.01	7.5	0.5	<0.05	9	<0.5	<0.2
1295844	Soil	15	31	1.25	1018	0.279	<1	2.44	0.023	0.62	0.2	0.01	11.2	0.7	<0.05	9	<0.5	<0.2
1295851	Rock Pulp	4	30	0.78	95	0.101	2	1.49	0.080	0.12	13.9	<0.01	4.4	<0.1	<0.05	5	<0.5	<0.2
1295841	Soil	30	23	1.07	985	0.036	<1	2.61	0.010	0.29	0.1	0.02	22.0	0.3	<0.05	8	<0.5	<0.2
1295830	Soil	24	32	1.11	913	0.206	1	2.45	0.020	0.32	0.2	0.06	8.6	0.4	<0.05	8	<0.5	<0.2
1295843	Soil	18	34	1.18	1136	0.206	<1	2.45	0.018	0.48	0.2	0.02	17.0	0.7	<0.05	8	<0.5	<0.2
1295847	Soil	11	25	0.50	460	0.088	<1	1.51	0.012	0.06	0.2	0.01	3.5	0.2	<0.05	6	<0.5	<0.2
1295848	Soil	20	45	2.29	1572	0.438	1	4.13	0.022	1.08	0.2	<0.01	14.9	1.1	<0.05	12	0.8	<0.2
[redacted]																		
1295824	Soil	12	28	0.83	317	0.117	2	1.73	0.014	0.19	0.1	0.09	6.4	0.3	<0.05	6	<0.5	<0.2
1295821	Soil	16	28	1.52	1421	0.248	<1	2.48	0.029	0.64	0.2	0.01	9.5	0.8	<0.05	8	<0.5	<0.2
[redacted]																		
1295825	Soil	68	26	0.63	939	0.080	2	1.67	0.012	0.19	0.2	0.11	15.2	0.2	0.12	5	0.9	<0.2
1295822	Soil	13	30	1.18	756	0.202	1	2.11	0.019	0.43	1.0	0.03	9.6	0.5	<0.05	7	<0.5	<0.2
[redacted]																		
1295827	Soil	11	28	0.60	221	0.109	1	2.00	0.013	0.12	0.2	0.04	4.2	0.2	0.06	6	<0.5	<0.2
1295823	Soil	12	31	1.36	882	0.206	1	3.04	0.020	0.42	0.3	0.02	8.8	0.4	<0.05	9	<0.5	<0.2
[redacted]																		
1295826	Soil	18	28	0.78	401	0.166	1	2.05	0.014	0.20	0.2	0.05	6.3	0.4	<0.05	8	<0.5	<0.2
[redacted]																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS WHI12000393.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
[redacted]																					
1270934	Soil	1.0	28.5	11.5	73	<0.1	170.3	23.7	722	4.58	9.3	1.6	0.8	19.7	33	<0.1	0.3	0.3	77	1.27	0.086
1270929	Soil	0.9	36.4	10.8	55	<0.1	85.9	21.8	666	4.22	20.2	1.7	3.5	9.9	31	0.1	2.1	0.2	84	0.77	0.052
[redacted]																					
1270931	Soil	0.8	51.6	28.8	56	0.1	73.6	27.8	770	3.89	52.5	1.6	17.6	8.3	95	<0.1	4.0	0.6	53	4.94	0.046
1270930	Soil	0.9	21.2	14.4	88	<0.1	24.1	16.8	843	3.69	12.9	2.5	1.4	9.9	26	0.1	0.7	0.2	60	0.54	0.057
[redacted]																					
1270933	Soil	1.6	26.6	22.4	78	<0.1	25.6	14.2	475	4.16	121.5	3.5	6.6	22.7	31	0.1	1.6	0.3	58	0.51	0.067
1270926	Soil	0.3	54.6	4.8	40	<0.1	47.2	25.6	388	3.92	5.4	0.6	<0.5	7.8	16	<0.1	0.2	<0.1	100	0.35	0.012
1270927	Soil	1.8	29.5	17.6	121	<0.1	39.4	14.3	444	3.51	16.3	2.5	1.0	9.1	35	0.4	2.3	<0.1	91	0.57	0.072
[redacted]																					
1270932	Soil	1.3	19.6	13.4	43	0.1	24.8	10.2	265	2.84	17.1	0.7	1.4	10.3	23	<0.1	1.2	0.2	63	0.26	0.009
1270937	Soil	0.9	28.9	5.5	86	<0.1	64.2	24.1	651	5.12	21.1	0.7	<0.5	6.1	25	<0.1	0.4	<0.1	82	0.54	0.081
1270928	Soil	4.0	42.2	20.5	165	0.2	41.5	11.8	393	2.96	291.1	2.2	8.3	3.0	42	0.9	9.9	0.2	63	0.25	0.084
[redacted]																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS WHI12000393.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
[redacted]																		
1270934	Soil	52	184	2.56	333	0.180	3	2.70	0.013	1.12	0.1	0.02	9.9	0.6	<0.05	9	<0.5	<0.2
1270929	Soil	26	164	1.50	643	0.082	1	2.00	0.020	0.20	0.2	0.04	15.9	0.2	<0.05	6	<0.5	<0.2
[redacted]																		
1270931	Soil	20	156	1.64	269	0.021	4	1.58	0.009	0.24	0.2	0.10	14.8	0.3	<0.05	4	<0.5	<0.2
1270930	Soil	29	45	1.16	256	0.142	2	1.77	0.017	0.28	0.2	0.03	5.1	0.3	<0.05	6	<0.5	<0.2
[redacted]																		
1270933	Soil	27	51	0.96	156	0.107	<1	2.16	0.012	0.34	0.2	0.03	6.8	0.4	<0.05	10	<0.5	<0.2
1270926	Soil	7	150	2.31	301	0.217	<1	2.85	0.014	1.00	<0.1	<0.01	5.2	0.5	<0.05	7	<0.5	<0.2
1270927	Soil	24	94	1.26	319	0.147	<1	2.15	0.017	0.28	0.2	0.01	6.0	0.4	<0.05	9	0.5	<0.2
[redacted]																		
1270932	Soil	13	42	0.57	272	0.062	1	1.84	0.012	0.07	0.2	0.01	5.0	0.1	<0.05	6	<0.5	<0.2
1270937	Soil	9	110	2.54	271	0.243	<1	3.13	0.009	1.32	<0.1	<0.01	4.0	0.6	<0.05	9	<0.5	<0.2
1270928	Soil	18	34	0.43	375	0.047	<1	1.13	0.009	0.11	0.2	0.02	3.2	0.2	<0.05	5	1.0	<0.2
[redacted]																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS WHI12000393.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1286364	Soil	1.7	34.7	62.0	201	1.1	31.0	11.5	965	3.10	24.4	1.6	29.0	8.0	29	2.1	4.0	0.6	48	0.31	0.052
1286369	Soil	1.7	43.5	21.7	120	0.3	42.9	12.8	408	3.64	32.7	1.6	3.5	8.3	17	0.5	4.4	0.2	78	0.29	0.053
1270936	Soil	1.2	25.6	7.6	55	<0.1	33.4	17.7	443	3.89	11.3	1.0	1.8	7.2	41	<0.1	0.5	<0.1	73	0.79	0.046
1270940	Soil	0.6	22.0	6.7	62	<0.1	24.9	14.3	852	2.80	7.5	1.4	2.7	3.3	73	0.2	0.7	<0.1	53	1.56	0.075
1286370	Soil	1.0	47.1	12.9	52	<0.1	49.5	27.9	589	4.80	31.0	1.4	0.6	18.0	45	<0.1	0.8	<0.1	156	0.62	0.104
1286365	Soil	1.8	45.6	98.4	416	2.8	51.3	14.9	854	4.31	45.0	1.8	39.9	4.6	21	3.7	8.0	2.3	68	0.20	0.062
1286352	Soil	2.6	151.6	11.9	197	0.6	132.8	15.8	409	3.33	48.4	4.2	4.4	6.3	56	0.4	5.4	0.2	143	0.63	0.160
1270935	Soil	0.9	23.8	8.1	70	<0.1	26.4	18.5	652	4.03	5.4	2.4	2.2	13.8	45	0.2	1.2	0.1	84	1.34	0.092
1286366	Soil	2.0	25.7	104.8	248	1.8	28.4	11.0	410	3.52	47.2	1.1	8.2	4.2	18	1.9	6.1	0.7	68	0.14	0.036
1286372	Soil	2.1	60.8	18.2	120	2.4	63.0	20.5	588	4.61	130.0	1.7	8.1	10.6	48	0.4	12.0	0.2	74	1.88	0.116
1286374	Soil	2.8	128.7	14.1	108	0.1	146.5	39.2	735	6.09	3.9	1.8	<0.5	8.1	60	0.2	0.4	0.1	101	0.42	0.134
1270938	Soil	1.6	18.0	7.4	58	<0.1	34.0	16.8	476	4.29	7.8	0.6	0.9	4.5	24	0.1	0.5	<0.1	83	0.31	0.034
1286368	Soil	8.3	98.7	41.6	381	1.8	92.0	14.9	468	4.23	91.7	2.8	7.5	4.2	27	2.0	11.1	0.3	55	0.13	0.087
1286373	Soil	2.4	42.9	9.7	62	0.2	39.6	13.1	414	2.86	32.6	1.0	3.1	4.2	12	0.2	2.0	0.2	64	0.20	0.055
1286361	Soil	2.5	39.3	28.2	104	0.3	34.3	25.1	837	4.47	35.7	0.9	3.3	5.0	16	0.3	2.0	0.3	110	0.19	0.054
1270939	Soil	0.6	26.2	6.9	69	<0.1	41.5	24.5	610	4.17	10.2	0.9	1.8	6.0	45	0.1	0.3	<0.1	82	1.11	0.102
1286360	Soil	2.4	34.7	8.2	96	<0.1	31.2	15.1	451	3.69	27.5	0.7	2.7	3.1	18	0.1	1.6	0.2	97	0.36	0.104
1286380	Soil	2.1	54.7	21.4	91	0.4	109.4	21.3	431	4.16	730.1	0.8	140.7	4.0	20	0.4	21.2	0.3	61	0.25	0.060
1286371	Soil	0.8	39.3	9.9	91	<0.1	89.9	24.5	420	4.41	3.6	1.0	<0.5	6.8	26	0.1	<0.1	<0.1	90	0.64	0.046
1286356	Soil	2.0	60.7	12.6	77	0.2	74.7	24.6	717	3.94	31.0	1.5	2.8	8.1	33	0.2	1.7	0.3	111	0.64	0.100
1286354	Soil	3.0	55.2	12.1	129	0.4	53.8	18.3	571	3.81	36.4	1.0	2.8	3.6	21	0.5	3.0	0.2	121	0.26	0.081
1286351	Rock Pulp	2.3	24.3	2.2	41	0.4	22.5	10.1	365	2.22	4.7	0.2	0.7	0.8	33	0.2	0.3	<0.1	59	0.73	0.057
1286381	Soil	2.6	57.2	32.8	103	0.7	59.7	16.2	291	3.59	172.4	1.0	15.6	5.6	43	0.4	13.5	0.2	38	0.48	0.114
1286355	Soil	3.1	130.9	15.6	105	0.9	50.4	22.4	984	3.58	36.7	8.2	5.5	3.9	31	0.6	2.0	0.2	87	0.39	0.092
1286357	Soil	2.3	58.3	33.9	144	0.2	50.0	21.0	623	4.24	45.2	1.5	2.2	4.8	28	0.3	1.9	0.2	110	0.56	0.104
1286377	Soil	0.6	47.5	3.5	52	<0.1	43.3	18.1	304	3.43	9.1	0.3	1.0	2.8	11	<0.1	0.7	<0.1	91	0.26	0.017
1286375	Soil	3.0	78.5	227.3	294	7.5	74.7	18.9	452	5.19	743.0	2.8	148.4	11.2	28	2.5	110.5	0.3	31	0.21	0.082
1286359	Soil	2.4	47.7	13.9	105	0.1	43.4	21.8	674	4.43	40.0	0.9	1.7	3.4	22	0.2	1.6	0.1	115	0.47	0.134
1286367	Soil	9.5	104.3	77.7	917	2.6	128.2	22.7	1236	5.28	115.6	3.3	17.2	4.8	30	4.6	14.1	1.9	82	0.11	0.117
1286353	Soil	2.0	41.6	9.4	97	0.4	42.2	15.0	377	3.34	12.9	0.8	2.6	2.6	17	0.4	0.8	0.1	104	0.22	0.056

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS WHI12000393.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1286364	Soil	22	33	0.48	239	0.049	2	1.21	0.010	0.09	0.1	0.03	5.4	0.3	<0.05	4	0.6	<0.2
1286369	Soil	24	44	0.87	434	0.081	<1	1.90	0.007	0.20	<0.1	0.01	5.9	0.4	<0.05	7	<0.5	<0.2
1270936	Soil	24	53	1.22	293	0.194	<1	2.28	0.015	0.45	0.1	0.02	3.7	0.3	<0.05	7	<0.5	<0.2
1270940	Soil	19	38	0.76	341	0.078	2	1.38	0.017	0.22	<0.1	0.05	5.1	0.2	<0.05	5	<0.5	<0.2
1286370	Soil	15	180	2.23	724	0.290	1	2.94	0.025	0.86	0.3	<0.01	5.1	1.3	<0.05	10	<0.5	<0.2
1286365	Soil	17	49	0.63	309	0.046	2	1.57	0.011	0.10	<0.1	0.03	6.8	0.3	<0.05	5	0.7	0.2
1286352	Soil	21	136	1.15	391	0.114	1	2.03	0.021	0.10	0.2	0.14	10.6	0.2	<0.05	6	1.0	<0.2
1270935	Soil	42	41	1.40	394	0.163	3	2.12	0.015	0.65	0.2	0.05	7.2	0.4	<0.05	7	<0.5	<0.2
1286366	Soil	11	41	0.48	194	0.054	<1	2.03	0.011	0.05	0.2	0.05	3.9	0.1	<0.05	6	<0.5	<0.2
1286372	Soil	30	60	1.20	258	0.082	1	2.05	0.006	0.30	<0.1	0.04	7.9	0.5	<0.05	6	<0.5	<0.2
1286374	Soil	19	196	1.47	778	0.190	1	2.56	0.026	0.73	0.1	<0.01	7.5	0.4	0.20	8	0.9	<0.2
1270938	Soil	8	56	1.19	397	0.208	<1	2.58	0.011	0.44	0.1	0.01	3.2	0.3	<0.05	9	<0.5	<0.2
1286368	Soil	20	24	0.20	265	0.006	1	0.79	0.003	0.08	0.1	0.05	4.2	0.4	0.11	3	2.4	<0.2
1286373	Soil	15	28	0.26	482	0.023	1	1.07	0.005	0.05	0.1	0.03	4.1	0.4	<0.05	4	0.6	<0.2
1286361	Soil	19	62	1.01	245	0.183	1	2.13	0.009	0.29	0.1	0.03	4.7	0.3	<0.05	9	<0.5	<0.2
1270939	Soil	20	83	1.65	319	0.143	2	2.16	0.011	0.57	0.2	0.04	6.1	0.4	<0.05	6	<0.5	<0.2
1286360	Soil	14	53	1.05	338	0.174	1	1.72	0.008	0.41	0.1	0.02	5.0	0.3	0.06	8	<0.5	<0.2
1286380	Soil	14	74	0.51	257	0.009	2	1.41	0.006	0.06	0.2	0.03	4.6	0.1	<0.05	4	<0.5	<0.2
1286371	Soil	16	109	1.68	236	0.228	1	2.72	0.012	0.47	<0.1	0.01	3.8	0.4	0.07	8	<0.5	<0.2
1286356	Soil	22	145	1.79	439	0.196	<1	2.28	0.016	0.54	0.3	0.02	6.8	0.8	<0.05	8	<0.5	<0.2
1286354	Soil	13	78	0.99	383	0.147	1	2.03	0.011	0.39	0.2	0.02	6.1	0.4	0.10	9	0.7	<0.2
1286351	Rock Pulp	3	30	0.72	87	0.099	2	1.34	0.066	0.10	12.2	<0.01	4.1	<0.1	0.08	5	<0.5	<0.2
1286381	Soil	25	38	0.27	275	0.008	1	0.79	0.010	0.09	<0.1	0.06	6.7	0.1	<0.05	3	0.6	<0.2
1286355	Soil	52	46	0.71	425	0.086	2	1.73	0.009	0.16	0.1	0.13	6.5	0.6	0.10	7	1.2	<0.2
1286357	Soil	22	74	1.42	583	0.210	1	2.29	0.011	0.59	0.1	0.02	7.1	0.4	0.09	10	0.5	<0.2
1286377	Soil	5	83	1.41	142	0.115	2	2.18	0.010	0.25	<0.1	<0.01	5.1	0.1	<0.05	7	<0.5	<0.2
1286375	Soil	37	18	0.16	263	0.005	2	0.47	0.004	0.11	<0.1	0.04	6.4	0.2	0.05	1	1.7	<0.2
1286359	Soil	16	75	1.45	421	0.216	<1	2.27	0.010	0.62	0.1	0.01	6.6	0.3	0.06	10	0.5	<0.2
1286367	Soil	15	35	0.25	170	0.019	2	1.57	0.012	0.06	0.2	0.06	3.6	0.3	0.12	5	2.7	<0.2
1286353	Soil	9	63	0.86	316	0.101	<1	2.19	0.012	0.27	0.1	0.02	4.9	0.2	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS WHI12000393.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1286379	Soil		1.1	40.6	67.1	167	3.6	46.3	20.5	764	4.24	134.8	0.6	21.2	1.9	20	0.8	20.0	0.1	87	0.47	0.037
1286358	Soil		2.1	49.8	8.3	100	0.2	38.5	20.0	629	4.19	33.5	1.8	2.7	5.1	25	0.3	1.5	0.1	110	0.51	0.132
1296692	Soil		1.0	11.6	11.5	49	<0.1	18.0	9.5	204	2.97	9.9	0.5	1.4	3.6	14	0.1	0.6	0.2	68	0.16	0.032
1296691	Soil		1.1	9.6	8.3	43	<0.1	14.1	7.5	207	2.76	9.8	0.5	3.4	3.3	11	0.1	0.7	0.2	66	0.13	0.029
1286363	Soil		1.2	42.9	77.0	178	0.9	34.3	16.4	719	3.54	78.5	1.3	28.0	6.9	18	1.7	8.6	0.7	67	0.25	0.047
1286362	Soil		1.8	41.5	79.2	117	0.9	26.6	38.0	2161	3.37	85.7	1.7	17.8	4.1	16	0.6	3.9	0.4	74	0.21	0.073
1296685	Soil		1.6	12.5	14.7	37	0.2	13.0	5.8	161	2.76	10.4	0.6	1.6	3.3	13	0.2	0.7	0.3	79	0.15	0.019
1296696	Soil		0.9	11.0	6.3	32	<0.1	30.2	10.3	200	3.09	7.9	0.6	1.2	4.2	14	<0.1	0.5	0.2	72	0.19	0.025
1286376	Soil		4.4	84.4	79.4	336	4.1	87.5	18.7	439	5.17	275.2	2.8	95.8	9.6	15	2.3	56.9	0.4	40	0.19	0.085
1284300	Soil		1.7	88.1	32.6	105	<0.1	139.6	29.8	866	4.37	116.2	2.1	6.1	11.5	32	0.2	4.0	0.3	162	0.60	0.122
1296700	Soil		0.9	16.7	8.9	51	<0.1	34.9	16.2	351	3.74	5.9	0.7	1.4	5.3	23	<0.1	0.4	0.1	89	0.42	0.045
1296693	Soil		1.4	9.5	10.8	51	<0.1	13.4	7.2	228	3.18	11.9	0.5	1.9	2.5	10	0.1	1.2	0.2	71	0.11	0.031
1296695	Soil		1.0	8.3	8.6	37	<0.1	16.5	10.4	365	2.92	9.4	0.6	2.3	5.7	15	<0.1	0.8	0.2	53	0.24	0.030
1296699	Soil		0.9	21.7	8.3	62	<0.1	31.6	25.2	647	5.43	6.2	1.3	1.8	11.1	32	<0.1	0.6	<0.1	111	0.73	0.150
1296698	Soil		0.7	30.9	24.5	96	0.1	46.8	17.9	562	3.83	31.6	1.4	3.7	10.6	23	0.4	0.5	0.3	43	0.40	0.045
1296690	Soil		0.8	16.9	16.5	67	0.1	21.6	12.0	497	3.14	9.7	2.0	2.8	13.4	20	0.1	1.0	0.2	69	0.44	0.054
1296688	Soil		1.6	12.5	18.8	51	<0.1	18.4	9.6	344	3.15	9.5	1.1	0.7	8.4	19	0.1	0.9	0.3	57	0.33	0.034
1286378	Soil		0.6	11.3	10.7	51	0.1	12.0	7.4	297	2.62	40.4	0.9	3.3	3.4	12	0.2	2.3	<0.1	30	0.18	0.025
1296679	Soil		2.5	63.7	18.6	146	0.4	70.8	21.4	653	4.68	38.2	1.6	10.0	4.0	24	0.8	1.3	0.2	122	0.64	0.123
1296681	Soil		2.2	46.0	14.8	116	0.3	59.3	15.8	399	3.49	39.8	1.1	2.9	4.0	19	0.8	1.1	0.2	95	0.33	0.056
1296680	Soil		1.8	51.6	17.5	114	0.5	54.8	15.9	489	3.52	60.1	1.3	5.3	3.5	22	0.7	1.4	0.2	95	0.50	0.063
1296684	Soil		2.0	24.3	24.1	70	0.1	34.4	13.1	330	3.87	23.7	1.0	3.0	5.0	14	0.3	0.9	0.3	90	0.20	0.029
1293701	Rock Pulp		1.6	379.1	20.2	134	0.2	192.8	72.1	733	13.77	3.2	1.2	27.3	6.6	13	<0.1	0.3	0.2	203	0.26	0.035
1296697	Soil		0.7	27.4	16.2	61	0.1	99.2	25.4	738	4.66	18.1	1.6	6.1	14.1	27	0.3	0.5	0.4	100	0.72	0.046
1296694	Soil		1.4	12.2	10.6	39	<0.1	17.2	8.7	250	3.24	25.5	0.8	1.7	4.0	13	0.2	1.2	0.2	67	0.19	0.027
1296682	Soil		2.7	50.5	21.1	122	0.3	61.0	16.7	499	3.90	30.6	1.3	4.1	5.1	22	0.5	1.1	0.2	105	0.37	0.065
1296677	Soil		1.5	43.4	106.8	236	4.6	10.0	13.7	705	3.33	68.1	3.0	34.4	5.7	53	4.6	5.3	0.1	96	1.50	0.078
1293702	Soil		0.9	20.8	8.2	66	<0.1	109.2	30.9	650	4.44	5.2	0.9	1.0	8.5	34	<0.1	0.2	<0.1	85	1.03	0.059
1296683	Soil		2.2	52.4	29.4	120	0.4	60.2	15.7	451	3.85	48.6	1.7	5.0	6.8	20	0.5	1.1	0.3	101	0.37	0.061
1296689	Soil		1.6	15.5	19.5	59	<0.1	25.3	12.1	313	3.70	10.0	1.3	0.9	11.4	17	0.2	0.7	0.3	71	0.20	0.025

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS WHI12000393.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1286379	Soil		10	71	0.72	271	0.024	1	1.48	0.009	0.09	<0.1	0.05	15.7	0.2	<0.05	5	<0.5	<0.2
1286358	Soil		21	66	1.37	557	0.194	1	2.21	0.012	0.57	0.2	0.03	7.4	0.4	0.09	9	<0.5	<0.2
1296692	Soil		10	32	0.48	180	0.060	1	1.77	0.008	0.05	0.2	0.02	3.7	<0.1	<0.05	6	<0.5	<0.2
1296691	Soil		8	27	0.42	90	0.063	1	1.48	0.007	0.05	0.2	0.02	3.3	<0.1	<0.05	6	<0.5	<0.2
1286363	Soil		21	46	0.75	205	0.082	1	1.60	0.008	0.20	<0.1	0.03	4.7	0.3	0.06	6	<0.5	<0.2
1286362	Soil		19	53	0.70	247	0.096	2	1.61	0.009	0.21	<0.1	0.04	4.2	0.3	<0.05	7	<0.5	<0.2
1296685	Soil		8	28	0.29	131	0.089	<1	1.29	0.008	0.07	0.1	0.02	2.3	0.1	<0.05	7	<0.5	<0.2
1296696	Soil		8	55	0.88	152	0.106	2	1.72	0.009	0.13	0.2	0.01	3.6	0.2	<0.05	8	<0.5	<0.2
1286376	Soil		38	23	0.27	250	0.009	2	0.71	0.005	0.12	0.1	0.04	6.0	0.3	0.07	2	2.1	<0.2
1284300	Soil		33	218	2.60	605	0.188	<1	3.24	0.019	0.96	0.1	0.03	9.0	0.7	<0.05	10	0.9	<0.2
1296700	Soil		13	66	1.21	237	0.098	1	2.09	0.009	0.11	0.1	0.02	4.8	0.2	<0.05	8	<0.5	<0.2
1296693	Soil		7	26	0.32	117	0.056	1	1.32	0.006	0.04	0.2	0.02	4.0	0.2	<0.05	6	<0.5	<0.2
1296695	Soil		10	26	0.58	422	0.054	2	1.66	0.008	0.07	0.2	0.03	3.9	0.1	<0.05	6	<0.5	<0.2
1296699	Soil		58	48	1.23	316	0.076	2	1.86	0.007	0.31	<0.1	0.04	15.5	0.3	<0.05	7	<0.5	<0.2
1296698	Soil		27	39	0.60	159	0.055	2	1.20	0.011	0.24	<0.1	0.05	6.4	0.4	<0.05	4	<0.5	<0.2
1296690	Soil		33	34	1.00	260	0.059	2	1.52	0.012	0.14	0.2	0.03	10.6	0.2	<0.05	5	<0.5	<0.2
1296688	Soil		18	28	0.40	203	0.038	2	1.59	0.008	0.07	0.1	0.02	3.9	0.2	<0.05	6	<0.5	<0.2
1286378	Soil		9	16	0.28	217	0.009	<1	1.21	0.006	0.08	<0.1	0.02	5.0	0.2	<0.05	3	<0.5	<0.2
1296679	Soil		20	82	1.29	720	0.164	1	2.04	0.015	0.53	0.1	0.07	9.1	0.6	<0.05	8	0.7	<0.2
1296681	Soil		17	67	0.87	479	0.123	1	1.82	0.014	0.24	0.1	0.03	5.5	0.3	<0.05	7	0.7	<0.2
1296680	Soil		20	60	0.77	575	0.106	1	1.71	0.014	0.22	0.1	0.04	7.1	0.3	<0.05	6	0.8	<0.2
1296684	Soil		12	57	0.74	269	0.108	1	2.04	0.009	0.10	0.2	0.02	3.8	0.2	<0.05	8	<0.5	<0.2
1293701	Rock Pulp		16	655	0.11	136	0.132	3	3.33	0.011	0.05	<0.1	0.03	33.4	0.1	<0.05	19	<0.5	<0.2
1296697	Soil		45	181	1.74	430	0.064	3	2.16	0.013	0.30	0.1	0.05	12.6	0.4	<0.05	6	<0.5	<0.2
1296694	Soil		12	29	0.38	277	0.050	1	1.40	0.008	0.06	0.2	0.07	4.1	0.2	<0.05	6	<0.5	<0.2
1296682	Soil		21	71	0.94	575	0.136	1	1.99	0.015	0.28	0.2	0.04	5.9	0.4	<0.05	7	<0.5	<0.2
1296677	Soil		34	23	0.75	675	0.108	2	1.71	0.016	0.24	0.2	0.10	11.0	0.3	0.06	5	<0.5	<0.2
1293702	Soil		24	239	2.62	179	0.125	2	2.66	0.010	0.27	0.3	0.04	8.6	0.4	<0.05	7	<0.5	<0.2
1296683	Soil		30	69	0.94	528	0.135	1	1.95	0.015	0.29	0.2	0.04	6.6	0.4	<0.05	7	<0.5	<0.2
1296689	Soil		19	41	0.53	239	0.038	2	2.15	0.008	0.08	0.2	0.02	4.4	0.2	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS WHI12000393.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1286583	Soil	1.0	33.4	44.3	122	0.9	20.9	13.5	453	3.61	10.6	2.0	5.1	8.2	21	0.4	1.6	0.1	94	0.28	0.033
1296687	Soil	1.7	16.1	16.2	58	<0.1	25.8	11.7	370	3.67	10.7	1.0	1.2	9.0	20	0.1	0.8	0.2	74	0.28	0.021
1296686	Soil	1.7	14.7	19.2	57	<0.1	23.3	12.2	319	4.11	11.9	1.0	2.7	6.3	16	0.2	1.0	0.3	70	0.23	0.037
1296678	Soil	3.3	28.8	26.0	112	0.2	33.9	7.7	226	2.60	51.8	0.7	3.0	2.4	12	0.4	2.9	0.2	88	0.16	0.048
1286599	Soil	1.4	22.8	264.2	496	3.7	8.6	18.4	963	3.94	201.9	1.7	58.6	5.6	44	5.0	10.0	0.2	113	0.89	0.065
1286578	Soil	1.1	29.7	80.1	169	0.5	12.3	17.8	852	4.55	27.8	2.1	6.5	9.9	23	0.6	9.7	<0.1	143	0.43	0.072
1286550	Soil	0.8	32.0	7.0	63	0.1	17.4	16.2	495	4.01	7.6	1.0	<0.5	12.3	20	0.1	0.5	0.1	131	0.39	0.100
1286582	Soil	1.3	28.7	43.3	143	0.7	17.1	18.1	577	4.74	13.4	1.6	3.4	9.1	19	0.5	3.5	0.1	138	0.35	0.060
1286598	Soil	1.4	17.9	8.2	35	0.5	9.6	2.0	49	1.19	12.8	0.7	4.8	0.2	14	0.4	0.4	0.1	28	0.16	0.060
1286579	Soil	1.0	27.8	50.6	90	0.4	19.8	11.9	425	3.25	12.7	2.1	9.6	12.7	23	0.2	2.8	0.1	85	0.34	0.046
1286576	Soil	0.9	38.5	16.0	210	0.3	10.6	22.8	1205	5.66	5.9	2.7	7.1	17.8	36	0.5	7.1	<0.1	188	0.67	0.107
1286549	Soil	0.6	41.3	7.4	57	<0.1	12.3	18.1	586	4.43	5.3	1.4	1.1	19.8	18	<0.1	0.5	<0.1	155	0.51	0.125
1286554	Soil	0.7	42.6	45.5	184	0.4	9.5	18.1	683	4.36	35.7	0.9	4.4	11.5	19	1.9	2.0	<0.1	123	0.60	0.140
1283627	Soil	1.2	25.7	16.0	68	0.3	13.5	14.2	370	3.60	14.4	0.9	2.4	7.1	20	0.2	0.9	0.1	111	0.45	0.057
1286580	Soil	1.3	29.1	29.7	83	2.0	14.9	10.4	407	2.88	11.7	2.2	9.5	11.6	22	0.1	2.5	0.1	77	0.33	0.026
1286584	Soil	1.0	13.8	14.4	55	0.2	8.2	10.8	402	3.33	29.0	1.1	2.3	15.2	32	<0.1	1.2	<0.1	72	0.38	0.040
1286600	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1286557	Soil	1.4	40.2	112.9	248	4.7	9.2	12.4	718	3.40	69.6	2.7	40.4	6.5	49	4.6	4.6	0.1	91	1.44	0.084
1286581	Soil	1.4	28.6	25.8	66	2.1	18.4	10.2	318	3.09	11.9	2.8	8.5	7.6	22	0.3	1.8	0.2	75	0.29	0.044
1286577	Soil	0.7	37.4	10.2	77	0.2	12.5	20.0	733	4.92	4.3	1.6	1.7	17.1	31	0.2	4.1	<0.1	175	0.62	0.100

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 07, 2012

CERTIFICATE OF ANALYSIS WHI12000393.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1286583	Soil		23	42	0.81	404	0.129	1	2.44	0.014	0.12	0.2	0.06	8.2	0.3	<0.05	7	<0.5	<0.2
1296687	Soil		18	40	0.63	221	0.072	2	2.17	0.010	0.09	0.2	0.02	4.1	0.2	<0.05	8	<0.5	<0.2
1296686	Soil		13	38	0.62	159	0.097	1	2.01	0.009	0.14	0.2	0.02	3.8	0.2	<0.05	8	<0.5	<0.2
1296678	Soil		10	48	0.43	229	0.088	1	0.85	0.013	0.18	0.3	0.04	3.2	0.3	0.07	6	0.8	<0.2
1286599	Soil		12	23	0.80	660	0.100	2	1.54	0.018	0.19	0.1	0.08	9.2	0.3	0.07	6	<0.5	<0.2
1286578	Soil		18	33	1.36	798	0.243	<1	2.36	0.018	0.46	0.2	0.02	9.9	0.5	<0.05	8	<0.5	<0.2
1286550	Soil		13	36	1.08	467	0.273	1	2.50	0.018	0.44	0.3	0.01	4.3	0.6	<0.05	8	<0.5	<0.2
1286582	Soil		15	37	1.18	486	0.235	<1	2.93	0.017	0.25	0.2	0.04	7.0	0.5	<0.05	9	<0.5	<0.2
1286598	Soil		7	26	0.17	164	0.030	1	0.62	0.007	0.04	0.2	0.08	1.1	0.2	0.10	4	1.1	<0.2
1286579	Soil		26	36	0.75	361	0.115	<1	2.01	0.014	0.11	0.2	0.03	7.4	0.3	<0.05	6	<0.5	<0.2
1286576	Soil		30	35	1.50	1208	0.233	<1	2.79	0.022	0.44	0.2	0.03	21.0	0.7	<0.05	9	<0.5	<0.2
1286549	Soil		19	36	1.34	433	0.273	<1	2.39	0.017	0.67	0.2	0.01	7.8	0.6	<0.05	8	<0.5	<0.2
1286554	Soil		15	25	1.43	1063	0.301	<1	2.32	0.032	0.69	0.2	<0.01	4.8	0.5	<0.05	8	<0.5	<0.2
1283627	Soil		17	29	1.01	577	0.256	3	2.09	0.030	0.39	0.3	0.03	5.3	0.3	<0.05	8	<0.5	<0.2
1286580	Soil		28	35	0.63	424	0.086	3	2.31	0.014	0.08	0.2	0.06	8.7	0.3	<0.05	7	<0.5	<0.2
1286584	Soil		12	14	0.78	821	0.140	2	2.79	0.048	0.41	0.1	0.02	7.8	0.3	<0.05	8	<0.5	<0.2
1286600	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1286557	Soil		33	22	0.76	594	0.106	2	1.77	0.018	0.24	0.2	0.09	12.2	0.3	<0.05	6	<0.5	<0.2
1286581	Soil		19	38	0.51	374	0.069	<1	2.36	0.016	0.07	0.2	0.10	7.0	0.2	<0.05	7	<0.5	<0.2
1286577	Soil		26	36	1.45	998	0.311	<1	2.64	0.026	0.49	0.1	0.01	11.3	0.7	<0.05	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 07, 2012

QUALITY CONTROL REPORT WHI12000393.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
1296532	Soil	1.5	11.6	14.5	48	<0.1	17.2	8.4	292	3.15	8.8	0.9	2.3	4.0	12	0.1	0.9	0.2	62	0.14	0.051
REP 1296532	QC	1.5	11.8	14.5	49	<0.1	17.4	8.3	292	3.15	8.6	0.9	12.2	3.9	12	0.1	0.9	0.2	63	0.15	0.053
1296533	Soil	0.9	20.5	8.9	35	0.3	12.9	7.0	259	1.41	3.7	1.9	2.0	2.6	34	0.7	0.4	0.2	37	0.68	0.045
REP 1296533	QC	0.8	20.5	8.4	33	0.3	12.8	6.8	255	1.38	3.7	1.9	1.2	2.4	33	0.8	0.3	0.1	36	0.66	0.046
1293768	Soil	1.3	28.3	245.4	331	3.4	17.0	14.8	502	3.87	46.5	1.1	11.4	6.8	26	1.1	3.9	0.1	109	0.42	0.071
REP 1293768	QC	1.4	27.1	241.1	329	3.2	16.1	14.2	484	3.71	45.7	1.1	11.5	6.7	27	1.2	3.9	0.1	103	0.43	0.071
1293789	Soil	1.1	20.0	14.4	76	0.4	9.2	13.8	515	3.60	32.4	0.8	3.3	9.4	35	0.2	2.1	0.2	112	0.51	0.053
REP 1293789	QC	1.1	20.0	14.5	78	0.4	8.8	13.6	509	3.54	31.6	0.9	2.1	9.9	36	0.2	2.2	0.2	112	0.52	0.055
1295613	Soil	1.2	29.5	8.1	61	<0.1	20.2	17.2	355	4.21	11.4	0.8	1.3	4.9	20	<0.1	0.5	0.1	126	0.44	0.037
REP 1295613	QC	1.3	30.1	8.3	62	<0.1	20.7	14.7	344	4.12	11.5	0.8	2.0	5.2	21	0.1	0.5	0.1	130	0.57	0.039
1295615	Soil	1.4	20.7	7.8	57	<0.1	16.2	12.9	329	3.62	48.3	0.7	1.5	4.2	22	<0.1	0.6	0.1	126	0.59	0.045
REP 1295615	QC	1.2	20.2	7.7	56	<0.1	15.9	12.4	326	3.52	48.5	0.6	1.4	4.3	21	<0.1	0.6	0.1	119	0.46	0.042
1295625	Soil	0.9	24.8	7.8	77	0.2	11.7	15.2	461	4.01	18.2	2.2	8.7	8.6	23	0.2	0.7	0.1	128	0.37	0.089
REP 1295625	QC	0.9	24.7	7.8	79	0.2	12.0	15.7	486	4.14	17.9	2.1	3.5	8.4	24	0.1	0.7	0.1	134	0.35	0.091
1296872	Soil	0.7	31.2	9.0	62	<0.1	31.6	27.8	503	3.85	4.3	0.6	7.6	4.9	36	<0.1	0.2	<0.1	73	0.65	0.083
REP 1296872	QC	0.6	30.4	10.3	64	<0.1	31.2	28.4	507	4.03	4.3	0.6	4.4	4.9	38	<0.1	0.3	<0.1	79	0.64	0.077
1271702	Soil	0.7	22.5	14.4	67	0.1	32.5	18.5	555	3.29	5.3	1.0	0.7	9.2	42	0.1	0.2	0.2	70	1.20	0.055
REP 1271702	QC	0.7	22.4	14.2	64	<0.1	31.6	18.0	536	3.23	5.3	1.0	0.8	9.2	41	0.1	0.2	0.2	70	1.21	0.055
1270686	Soil	1.6	43.0	20.1	80	0.2	49.1	20.7	422	4.62	39.4	0.8	<0.5	4.8	12	0.4	0.8	0.2	125	0.24	0.053
REP 1270686	QC	1.6	42.9	19.8	82	0.2	50.3	20.4	406	4.63	39.3	0.7	<0.5	4.9	13	0.4	0.8	0.2	124	0.24	0.052
1295857	Soil	0.8	31.6	44.9	93	0.2	19.0	16.7	453	4.21	34.0	1.0	2.6	7.3	21	0.2	4.2	<0.1	118	0.29	0.040
REP 1295857	QC	0.9	32.8	43.9	99	0.1	19.2	17.9	447	4.16	33.4	1.1	2.1	7.8	20	0.3	3.9	<0.1	118	0.29	0.043
1295859	Soil	1.0	43.8	26.6	105	0.2	20.4	15.9	703	4.59	20.5	3.4	10.3	14.1	27	0.2	2.7	<0.1	123	0.37	0.062
REP 1295859	QC	1.0	40.7	26.9	100	0.2	18.3	15.4	660	4.26	19.9	3.2	12.5	14.3	27	0.2	2.6	<0.1	117	0.36	0.062
[redacted]																					
[redacted]																					
[redacted]																					
[redacted]																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 07, 2012

QUALITY CONTROL REPORT WHI12000393.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
1296532	Soil	11	30	0.45	106	0.042	<1	1.29	0.007	0.07	0.1	0.02	2.6	0.1	<0.05	6	<0.5	<0.2
REP 1296532	QC	12	29	0.46	109	0.042	1	1.31	0.007	0.07	0.1	0.02	2.7	0.1	<0.05	6	<0.5	<0.2
1296533	Soil	36	27	0.30	249	0.048	<1	0.85	0.011	0.07	0.1	0.04	2.3	0.1	<0.05	5	<0.5	<0.2
REP 1296533	QC	36	27	0.29	255	0.045	<1	0.84	0.012	0.07	<0.1	0.04	2.3	0.1	<0.05	5	<0.5	<0.2
1293768	Soil	12	34	1.00	365	0.163	1	1.91	0.015	0.24	0.2	0.03	6.3	0.3	<0.05	6	<0.5	<0.2
REP 1293768	QC	12	33	0.98	355	0.154	1	1.87	0.015	0.23	0.2	0.05	6.0	0.3	<0.05	6	<0.5	<0.2
1293789	Soil	10	25	1.07	391	0.248	<1	2.28	0.026	0.32	0.2	0.02	5.8	0.4	<0.05	10	<0.5	<0.2
REP 1293789	QC	10	25	1.07	388	0.244	<1	2.32	0.023	0.31	0.2	0.02	5.7	0.4	<0.05	10	<0.5	<0.2
1295613	Soil	8	37	0.95	292	0.214	1	2.79	0.014	0.13	0.1	0.01	5.0	0.2	<0.05	8	0.5	<0.2
REP 1295613	QC	9	38	0.97	300	0.241	3	2.82	0.016	0.14	0.2	0.03	5.2	0.2	<0.05	8	<0.5	<0.2
1295615	Soil	10	34	0.90	318	0.199	2	2.04	0.013	0.12	0.2	0.02	4.5	0.1	<0.05	7	<0.5	<0.2
REP 1295615	QC	10	33	0.85	304	0.190	1	1.91	0.012	0.12	0.2	0.02	4.5	0.1	<0.05	7	<0.5	<0.2
1295625	Soil	13	34	1.01	460	0.225	<1	2.41	0.015	0.29	0.3	0.02	5.4	0.3	<0.05	8	<0.5	<0.2
REP 1295625	QC	12	35	1.00	437	0.227	2	2.36	0.016	0.29	0.3	0.02	5.4	0.3	0.07	8	<0.5	<0.2
1296872	Soil	21	65	2.24	265	0.131	1	2.63	0.009	0.08	0.2	<0.01	5.8	0.1	<0.05	7	<0.5	<0.2
REP 1296872	QC	21	68	2.15	248	0.139	1	2.68	0.009	0.08	0.1	<0.01	5.8	0.1	<0.05	7	<0.5	<0.2
1271702	Soil	22	61	1.20	277	0.124	2	1.81	0.013	0.33	0.1	0.03	4.9	0.3	0.06	7	<0.5	<0.2
REP 1271702	QC	22	61	1.19	279	0.125	1	1.82	0.013	0.32	0.1	0.04	5.0	0.3	0.06	7	<0.5	<0.2
1270686	Soil	11	74	1.01	213	0.138	1	2.32	0.011	0.12	0.1	0.02	6.9	0.2	<0.05	9	<0.5	<0.2
REP 1270686	QC	11	72	0.99	210	0.136	<1	2.36	0.011	0.12	0.1	0.03	7.1	0.2	<0.05	9	<0.5	<0.2
1295857	Soil	10	33	1.12	584	0.230	2	2.88	0.016	0.37	0.2	0.02	7.7	0.4	<0.05	8	<0.5	<0.2
REP 1295857	QC	10	32	1.20	554	0.224	2	2.76	0.015	0.36	0.2	0.02	7.5	0.4	<0.05	8	<0.5	<0.2
1295859	Soil	20	38	1.10	676	0.174	1	2.18	0.014	0.33	0.1	0.03	15.9	0.5	<0.05	7	0.6	<0.2
REP 1295859	QC	21	35	1.08	689	0.164	2	2.14	0.015	0.34	0.1	0.02	15.4	0.4	<0.05	7	<0.5	<0.2
[redacted]																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 07, 2012

QUALITY CONTROL REPORT WHI12000393.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
1270936	Soil	1.2	25.6	7.6	55	<0.1	33.4	17.7	443	3.89	11.3	1.0	1.8	7.2	41	<0.1	0.5	<0.1	73	0.79	0.046
REP 1270936	QC	1.1	25.7	7.6	56	<0.1	33.1	17.3	439	3.90	11.2	1.0	1.2	7.1	41	<0.1	0.6	<0.1	72	0.78	0.045
1286352	Soil	2.6	151.6	11.9	197	0.6	132.8	15.8	409	3.33	48.4	4.2	4.4	6.3	56	0.4	5.4	0.2	143	0.63	0.160
REP 1286352	QC	2.6	150.5	11.9	203	0.6	132.5	15.6	403	3.30	48.6	4.2	6.8	6.5	56	0.5	5.5	0.1	143	0.61	0.159
1286376	Soil	4.4	84.4	79.4	336	4.1	87.5	18.7	439	5.17	275.2	2.8	95.8	9.6	15	2.3	56.9	0.4	40	0.19	0.085
REP 1286376	QC	4.7	90.1	80.3	350	4.3	89.1	19.5	450	5.54	290.8	2.8	97.6	10.3	16	2.4	57.5	0.4	43	0.20	0.090
1296695	Soil	1.0	8.3	8.6	37	<0.1	16.5	10.4	365	2.92	9.4	0.6	2.3	5.7	15	<0.1	0.8	0.2	53	0.24	0.030
REP 1296695	QC	1.0	7.8	8.8	36	<0.1	16.7	10.6	361	2.86	9.3	0.6	1.1	5.6	16	0.1	0.9	0.2	55	0.24	0.031
1286581	Soil	1.4	28.6	25.8	66	2.1	18.4	10.2	318	3.09	11.9	2.8	8.5	7.6	22	0.3	1.8	0.2	75	0.29	0.044
REP 1286581	QC	1.6	29.8	26.4	70	2.1	18.4	10.6	324	3.16	12.0	2.8	7.1	7.4	23	0.3	1.8	0.2	76	0.31	0.044
Reference Materials																					
STD DS9	Standard	12.7	108.6	125.1	297	1.7	39.6	7.6	568	2.32	25.5	2.9	101.9	6.8	82	2.5	6.3	6.4	40	0.72	0.082
STD DS9	Standard	12.6	107.0	123.8	316	1.9	41.4	7.8	589	2.40	26.1	2.9	114.3	6.6	73	2.4	6.0	6.6	43	0.70	0.082
STD DS9	Standard	13.7	105.2	135.6	313	1.9	39.8	7.1	591	2.30	25.8	3.0	122.3	6.9	79	2.9	6.5	6.7	39	0.72	0.085
STD DS9	Standard	12.6	106.6	126.0	301	1.9	40.5	7.6	580	2.33	25.6	2.8	139.5	6.8	74	2.4	6.3	7.2	41	0.69	0.079
STD DS9	Standard	12.3	98.7	113.4	287	1.8	38.9	7.1	541	2.18	23.1	2.4	111.5	5.7	62	2.3	5.0	5.9	39	0.66	0.076
STD DS9	Standard	13.3	110.8	117.6	312	1.8	41.2	8.0	596	2.42	27.0	2.8	124.9	6.6	72	2.4	6.2	7.1	40	0.73	0.093
STD DS9	Standard	12.1	112.6	117.5	296	1.7	39.9	7.7	533	2.23	23.4	2.7	114.9	6.6	64	2.2	5.2	6.3	43	0.66	0.078
STD DS9	Standard	13.5	106.3	125.4	306	1.9	41.3	7.9	573	2.31	25.7	2.7	128.5	6.7	68	2.3	5.1	5.8	42	0.73	0.081
STD DS9	Standard	13.3	112.9	112.4	301	1.8	42.3	8.0	578	2.35	24.6	2.5	124.5	6.0	64	2.1	5.3	6.0	43	0.69	0.079
STD DS9	Standard	13.8	106.0	118.8	291	1.8	39.6	7.7	589	2.27	24.4	2.6	112.4	6.8	68	2.4	5.3	5.8	40	0.70	0.076
STD DS9	Standard	13.6	102.3	121.9	292	1.7	38.7	7.5	550	2.23	25.3	2.5	103.8	6.7	63	2.2	4.5	4.7	40	0.72	0.077
STD DS9	Standard	12.8	105.4	111.2	280	1.7	36.6	7.4	540	2.12	23.2	2.5	100.2	5.9	63	2.1	5.0	6.1	42	0.77	0.073
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	0.5	<0.1	<1	<0.1	<0.1	<0.1	<1	0.03	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 07, 2012

QUALITY CONTROL REPORT WHI12000393.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
1270936	Soil	24	53	1.22	293	0.194	<1	2.28	0.015	0.45	0.1	0.02	3.7	0.3	<0.05	7	<0.5	<0.2
REP 1270936	QC	24	53	1.24	301	0.191	<1	2.30	0.015	0.46	0.2	0.02	3.8	0.3	<0.05	7	<0.5	<0.2
1286352	Soil	21	136	1.15	391	0.114	1	2.03	0.021	0.10	0.2	0.14	10.6	0.2	<0.05	6	1.0	<0.2
REP 1286352	QC	21	133	1.14	405	0.115	2	2.01	0.021	0.10	0.2	0.14	10.2	0.2	<0.05	7	1.2	<0.2
1286376	Soil	38	23	0.27	250	0.009	2	0.71	0.005	0.12	0.1	0.04	6.0	0.3	0.07	2	2.1	<0.2
REP 1286376	QC	40	24	0.28	260	0.009	2	0.73	0.005	0.13	0.1	0.04	6.2	0.3	0.07	2	2.4	<0.2
1296695	Soil	10	26	0.58	422	0.054	2	1.66	0.008	0.07	0.2	0.03	3.9	0.1	<0.05	6	<0.5	<0.2
REP 1296695	QC	10	26	0.59	424	0.054	2	1.69	0.008	0.07	0.2	0.04	4.0	0.1	<0.05	6	<0.5	<0.2
1286581	Soil	19	38	0.51	374	0.069	<1	2.36	0.016	0.07	0.2	0.10	7.0	0.2	<0.05	7	<0.5	<0.2
REP 1286581	QC	20	39	0.52	382	0.069	1	2.43	0.016	0.07	0.2	0.10	7.3	0.2	<0.05	7	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	13	120	0.61	300	0.123	2	0.93	0.098	0.36	3.0	0.19	2.9	5.6	0.08	5	5.0	4.5
STD DS9	Standard	13	123	0.63	316	0.110	2	1.01	0.101	0.36	3.0	0.21	2.7	5.8	0.19	5	4.8	5.3
STD DS9	Standard	14	116	0.63	321	0.106	2	0.94	0.100	0.36	3.1	0.22	2.6	5.8	0.11	5	4.9	5.6
STD DS9	Standard	13	119	0.61	306	0.111	3	0.92	0.082	0.35	3.1	0.20	2.4	5.8	0.16	4	6.5	4.6
STD DS9	Standard	11	113	0.59	281	0.098	2	0.85	0.092	0.34	3.0	0.19	2.3	5.4	0.08	4	5.4	4.8
STD DS9	Standard	13	123	0.64	302	0.109	3	0.95	0.092	0.38	3.1	0.20	2.7	5.8	0.20	5	5.2	5.0
STD DS9	Standard	12	121	0.57	274	0.108	3	0.87	0.069	0.33	2.7	0.20	2.3	5.1	0.19	4	5.4	4.7
STD DS9	Standard	13	121	0.64	299	0.105	2	0.91	0.093	0.36	2.9	0.22	2.6	5.3	0.20	5	5.4	5.4
STD DS9	Standard	12	130	0.62	290	0.107	2	0.91	0.083	0.35	3.0	0.19	2.4	5.4	0.15	4	4.9	5.0
STD DS9	Standard	14	116	0.61	306	0.111	3	0.95	0.089	0.36	3.0	0.18	2.6	5.5	0.14	5	4.9	5.0
STD DS9	Standard	13	114	0.63	292	0.114	2	0.96	0.093	0.36	3.1	0.18	2.8	5.7	0.14	5	5.1	6.4
STD DS9	Standard	13	115	0.58	283	0.107	3	0.87	0.080	0.34	3.0	0.20	2.2	5.1	0.14	4	4.9	4.9
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 07, 2012

QUALITY CONTROL REPORT WHI12000393.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
BLK	Blank	<0.1	0.1	0.4	<1	<0.1	0.3	0.1	6	0.04	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	2	0.02	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 07, 2012

QUALITY CONTROL REPORT WHI12000393.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
BLK	Blank	<1	1	<0.01	4	<0.001	<1	0.02	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 23, 2012
Report Date: August 02, 2012
Page: 1 of 12

CERTIFICATE OF ANALYSIS WHI12000394.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 320

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	312	Dry at 60C sieve 100g to -80 mesh			WHI
Dry at 60C	320	Dry at 60C			WHI
1DX2	317	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 02, 2012

CERTIFICATE OF ANALYSIS WHI12000394.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1286594	Soil		1.3	41.5	292.4	3030	3.7	12.5	23.8	1650	5.78	703.8	2.4	212.2	12.4	29	30.2	47.4	0.8	125	0.42	0.109
1286586	Soil		1.7	26.1	44.7	141	1.6	16.3	15.8	1069	3.79	23.3	1.9	4.8	6.5	25	1.4	5.3	0.2	87	0.43	0.065
1286591	Soil		1.0	23.7	149.9	267	2.2	12.7	14.7	414	3.76	19.3	1.4	9.7	6.1	29	1.9	13.0	0.1	106	0.58	0.058
1286552	Soil		1.0	23.5	43.2	230	0.9	12.0	13.4	423	3.47	57.4	1.3	11.9	7.4	25	2.7	3.4	0.1	91	0.48	0.068
1286587	Soil		1.4	23.8	280.4	371	3.2	15.3	13.0	342	4.08	48.1	0.9	26.9	5.9	15	1.2	31.1	0.1	106	0.23	0.037
1286585	Soil		0.9	19.5	52.0	110	0.9	9.8	10.3	429	2.92	8.5	1.3	3.2	5.8	18	0.8	1.7	0.1	76	0.33	0.052
1286597	Soil		1.4	29.0	330.9	608	5.8	8.3	17.2	933	4.22	185.5	2.6	280.6	6.3	46	6.7	17.2	0.3	108	1.00	0.083
1286595	Soil		0.8	34.7	119.5	721	1.1	9.9	17.9	1175	4.60	103.2	1.6	100.5	9.8	20	5.6	14.1	0.2	113	0.45	0.104
1286556	Soil		0.7	41.0	13.3	76	0.4	12.6	15.6	663	3.79	22.6	1.9	7.3	10.7	29	0.2	1.9	0.1	108	0.71	0.079
1286590	Soil		0.9	42.8	32.8	121	1.2	10.7	20.3	629	4.64	15.3	1.5	9.6	15.4	19	1.5	4.0	<0.1	155	0.62	0.156
1286592	Soil		1.1	30.3	116.1	126	3.6	10.0	12.5	612	2.50	10.4	3.9	15.6	3.1	68	2.3	7.3	<0.1	65	1.25	0.110
1286553	Soil		1.8	36.3	183.6	300	7.3	10.6	13.7	1043	3.01	129.0	4.5	51.6	5.6	69	10.3	5.7	0.2	73	1.20	0.077
1286589	Soil		0.9	25.1	223.1	386	2.4	12.8	12.6	442	3.36	19.6	1.5	15.6	7.7	23	2.4	26.5	<0.1	87	0.51	0.060
1286588	Soil		0.9	36.4	206.3	647	1.8	10.6	17.6	672	4.19	29.9	1.1	93.7	11.5	18	3.8	49.3	<0.1	101	0.51	0.115
1286593	Soil		1.5	58.5	287.4	2869	5.3	10.3	26.4	1126	5.74	553.5	3.2	258.2	14.9	25	15.2	20.1	0.8	142	0.61	0.146
1286596	Soil		0.5	34.5	45.1	380	1.2	8.6	16.1	637	4.29	48.5	1.8	25.5	10.7	26	5.0	7.5	0.1	112	0.52	0.087
1286259	Soil		2.1	20.2	10.4	51	0.3	16.8	7.4	240	3.06	21.8	0.7	4.1	2.8	13	0.2	0.9	0.2	74	0.15	0.047
1286297	Soil		1.5	34.2	19.4	103	0.8	33.7	18.1	1023	3.30	226.0	2.0	53.2	4.2	27	0.4	16.5	0.2	55	0.49	0.070
1286298	Soil		2.1	36.4	55.7	105	2.2	36.8	15.5	930	3.60	644.3	1.5	191.5	4.1	29	0.6	37.7	0.2	44	0.38	0.080
1286555	Soil		0.8	36.6	17.8	101	0.6	10.0	16.1	505	4.02	38.6	1.2	6.0	12.1	23	1.0	1.7	0.1	116	0.61	0.117
1286263	Soil		2.2	47.7	10.4	96	0.6	41.0	11.8	415	2.94	61.8	1.5	8.1	2.1	21	0.6	2.1	0.2	80	0.28	0.068
1286265	Soil		1.7	36.6	8.7	87	0.2	45.5	17.0	498	3.70	26.1	0.9	3.7	4.5	17	0.2	1.6	0.2	102	0.30	0.061
1286551	Rock Pulp		1.4	435.6	19.4	152	0.2	210.6	74.1	792	14.97	3.0	1.2	31.3	6.6	13	0.1	0.3	0.2	212	0.28	0.041
1286314	Soil		2.8	48.9	20.4	179	0.6	54.6	16.5	684	4.36	72.6	2.4	11.6	10.1	22	1.0	4.0	0.2	81	0.38	0.085
1286262	Soil		2.4	32.9	9.4	83	0.2	40.2	14.9	519	3.38	38.6	0.6	1.8	2.1	19	0.6	1.5	0.2	91	0.20	0.079
1286302	Soil		1.8	42.0	12.5	122	0.2	62.7	19.0	437	4.24	66.5	1.2	2.0	7.5	15	0.2	3.3	0.2	59	0.43	0.093
1286296	Soil		1.6	33.3	11.1	93	0.3	116.1	23.7	717	3.92	209.0	1.1	39.6	5.5	32	0.3	7.8	0.1	64	0.73	0.090
1286313	Soil		1.5	41.8	10.7	76	0.1	36.9	12.9	423	3.28	18.5	1.5	3.0	5.9	24	0.1	1.2	0.1	67	0.26	0.031
1286264	Soil		1.6	42.0	11.1	90	0.2	49.1	18.1	589	4.22	29.6	1.1	4.0	5.2	24	0.2	1.4	0.1	107	0.54	0.095
1286306	Soil		1.8	54.5	13.6	81	0.5	50.4	17.6	562	3.41	71.1	1.8	3.9	4.1	25	0.3	1.3	0.2	89	0.57	0.065

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 02, 2012

CERTIFICATE OF ANALYSIS WHI12000394.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1286594	Soil		16	28	0.99	728	0.101	<1	2.06	0.016	0.28	0.1	0.04	13.5	0.5	<0.05	7	<0.5	<0.2
1286586	Soil		12	33	0.63	844	0.051	<1	1.82	0.012	0.06	0.1	0.06	8.5	0.2	<0.05	7	<0.5	<0.2
1286591	Soil		12	30	0.94	463	0.170	<1	2.12	0.016	0.17	0.2	0.04	5.4	0.2	<0.05	8	<0.5	<0.2
1286552	Soil		15	28	0.88	468	0.130	<1	1.87	0.019	0.17	0.2	0.02	6.2	0.2	<0.05	6	<0.5	<0.2
1286587	Soil		8	32	0.79	237	0.116	1	2.51	0.011	0.08	0.2	0.03	4.9	0.2	<0.05	8	<0.5	<0.2
1286585	Soil		12	23	0.68	327	0.098	<1	1.75	0.014	0.11	0.1	0.03	5.7	0.2	<0.05	6	<0.5	<0.2
1286597	Soil		16	23	0.67	651	0.069	1	1.53	0.015	0.19	0.1	0.10	13.2	0.3	<0.05	6	<0.5	<0.2
1286595	Soil		12	25	0.92	672	0.094	<1	2.36	0.020	0.29	<0.1	0.03	11.1	0.4	<0.05	8	<0.5	<0.2
1286556	Soil		24	31	1.20	477	0.148	<1	1.96	0.023	0.25	0.2	0.04	10.9	0.2	<0.05	7	<0.5	<0.2
1286590	Soil		17	36	1.29	867	0.284	<1	2.84	0.026	0.71	0.3	0.03	7.3	0.6	<0.05	9	<0.5	<0.2
1286592	Soil		23	23	0.57	694	0.074	2	1.70	0.016	0.11	0.1	0.10	5.7	0.2	0.10	5	<0.5	<0.2
1286553	Soil		40	24	0.66	745	0.081	2	1.76	0.017	0.18	0.2	0.14	9.5	0.3	0.07	6	0.5	<0.2
1286589	Soil		15	30	0.88	421	0.138	<1	1.95	0.018	0.09	0.2	0.04	5.3	0.2	<0.05	7	<0.5	<0.2
1286588	Soil		13	27	1.19	503	0.138	<1	2.46	0.023	0.13	0.1	0.02	5.5	0.1	<0.05	8	<0.5	<0.2
1286593	Soil		21	29	1.19	894	0.172	1	2.55	0.022	0.46	0.1	0.06	14.4	0.6	<0.05	8	<0.5	<0.2
1286596	Soil		16	25	0.98	883	0.057	<1	2.30	0.021	0.13	<0.1	0.03	14.8	0.2	<0.05	7	<0.5	<0.2
1286259	Soil		10	42	0.46	190	0.060	<1	1.81	0.008	0.07	0.2	0.03	3.8	0.2	<0.05	7	<0.5	<0.2
1286297	Soil		17	43	0.51	336	0.026	2	1.42	0.012	0.06	0.2	0.05	5.6	0.2	<0.05	5	0.7	<0.2
1286298	Soil		17	34	0.35	266	0.014	2	0.97	0.010	0.08	0.1	0.07	5.4	0.2	<0.05	3	0.9	<0.2
1286555	Soil		15	27	1.21	600	0.231	<1	2.16	0.027	0.38	0.2	0.01	5.7	0.3	<0.05	8	<0.5	<0.2
1286263	Soil		18	60	0.66	382	0.093	2	1.67	0.010	0.14	0.1	0.06	4.9	0.3	<0.05	7	<0.5	<0.2
1286265	Soil		17	78	1.21	457	0.137	<1	2.40	0.010	0.22	0.1	0.03	6.8	0.3	<0.05	8	<0.5	<0.2
1286551	Rock Pulp		16	704	0.13	131	0.162	3	3.63	0.012	0.06	<0.1	0.04	37.8	0.1	<0.05	21	<0.5	<0.2
1286314	Soil		33	68	1.04	355	0.099	<1	2.00	0.009	0.41	0.2	0.05	7.2	0.6	<0.05	7	0.9	<0.2
1286262	Soil		9	74	0.75	316	0.123	<1	1.64	0.011	0.18	0.1	0.02	3.8	0.2	<0.05	8	<0.5	<0.2
1286302	Soil		16	49	0.80	457	0.064	1	1.41	0.007	0.25	<0.1	0.02	3.9	0.3	<0.05	5	0.6	<0.2
1286296	Soil		17	282	1.36	330	0.043	3	1.63	0.008	0.16	0.1	0.03	7.3	0.2	<0.05	5	0.5	<0.2
1286313	Soil		21	56	0.80	271	0.086	<1	1.82	0.012	0.15	0.1	0.04	5.9	0.2	<0.05	6	0.5	<0.2
1286264	Soil		18	84	1.47	422	0.176	<1	2.66	0.012	0.37	0.1	0.02	7.7	0.3	<0.05	9	<0.5	<0.2
1286306	Soil		25	58	0.79	664	0.084	1	1.79	0.011	0.13	0.1	0.05	5.4	0.2	<0.05	7	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 02, 2012

CERTIFICATE OF ANALYSIS WHI12000394.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1286295	Soil		1.2	26.6	11.0	84	0.3	38.1	15.8	766	3.26	216.0	1.7	76.5	5.5	65	0.3	6.8	<0.1	45	1.42	0.084
1286312	Soil		2.5	48.1	13.2	134	0.4	49.3	13.7	417	3.25	12.0	1.7	2.1	4.6	23	0.4	0.7	0.2	76	0.23	0.062
1286308	Soil		1.2	34.1	9.3	74	0.2	34.1	13.6	397	2.90	72.0	1.5	4.5	2.9	35	0.2	1.5	0.1	60	0.88	0.073
1286311	Soil		4.1	77.9	13.4	149	0.6	47.6	12.4	586	3.53	44.7	2.2	2.3	5.1	32	0.4	4.4	0.2	83	0.24	0.056
1286300	Soil		1.3	34.4	12.0	103	0.3	41.1	16.6	390	3.62	35.4	1.3	2.1	5.8	19	0.2	1.1	0.1	69	0.45	0.073
1286305	Soil		1.6	12.4	11.5	63	<0.1	20.0	10.6	327	3.15	10.4	0.6	2.4	5.5	12	0.2	0.7	0.2	63	0.13	0.042
1286304	Soil		1.6	16.5	17.6	56	0.1	18.5	9.8	363	3.14	29.8	1.9	1.8	13.2	17	0.1	6.3	0.2	45	0.15	0.027
1286310	Soil		2.9	33.0	15.3	91	0.6	26.8	10.7	405	2.80	40.7	1.1	5.4	2.3	21	0.5	2.1	0.3	62	0.20	0.045
1286258	Soil		4.7	96.0	18.9	225	0.4	88.5	13.7	452	4.56	159.2	1.8	1.7	5.5	18	0.7	10.0	0.3	111	0.16	0.065
1286303	Soil		1.4	27.6	15.1	53	2.1	29.8	10.6	315	3.04	26.0	0.7	8.7	6.5	19	0.2	1.1	0.3	66	0.20	0.016
1286301	Rock Pulp		1.5	413.0	19.4	141	0.2	193.4	70.6	758	13.89	3.0	1.1	30.7	6.6	12	<0.1	0.3	0.2	196	0.27	0.038
1286309	Soil		2.8	54.4	19.6	118	1.1	40.9	12.8	711	2.59	116.7	3.6	8.5	1.5	41	1.6	2.5	0.2	48	0.85	0.076
1286260	Soil		2.6	22.6	10.9	81	1.3	31.9	9.2	363	3.48	73.4	0.5	2.9	2.0	12	0.5	2.5	0.2	75	0.12	0.039
1286293	Soil		1.4	23.5	15.5	77	0.2	30.3	16.2	497	3.33	14.9	1.4	4.2	8.0	20	0.3	1.0	0.1	56	0.42	0.058
1296759	Soil		1.9	25.6	12.5	93	0.4	31.6	16.8	557	3.28	149.8	1.1	4.3	3.8	20	0.2	3.8	0.3	74	0.25	0.060
1286307	Soil		1.6	38.5	9.6	108	0.3	51.8	19.9	725	4.07	175.7	1.7	5.0	5.4	29	0.3	2.2	0.1	85	0.71	0.083
1286261	Soil		3.1	97.0	15.9	417	0.7	220.4	45.7	1605	7.45	48.0	1.8	1.3	3.7	32	1.6	8.0	0.2	151	0.66	0.191
1286299	Soil		2.6	66.7	15.5	168	0.8	78.0	18.2	419	4.61	1559	1.8	377.4	7.9	37	0.6	18.9	0.3	32	0.35	0.092
1296749	Soil		1.7	18.3	10.6	113	0.2	22.0	7.1	262	2.10	23.3	1.3	3.2	3.8	25	0.3	1.4	0.1	50	0.60	0.061
1296745	Soil		2.0	30.2	15.7	107	0.2	33.4	9.9	420	3.15	31.7	0.9	3.2	1.9	15	0.3	1.9	0.2	81	0.12	0.055
1296742	Soil		4.0	82.7	16.1	184	0.7	95.8	23.8	565	4.69	41.9	2.3	1.5	6.2	28	0.3	3.3	0.2	115	0.34	0.040
1296754	Soil		1.6	12.0	8.9	41	<0.1	20.2	8.2	214	2.94	11.0	0.4	10.2	2.1	15	0.1	0.6	0.1	65	0.22	0.020
1296758	Soil		2.3	28.4	8.8	102	0.3	36.0	13.3	330	3.37	47.7	1.1	2.1	3.9	20	0.2	2.1	0.2	78	0.24	0.051
1296741	Soil		6.5	71.9	12.8	157	0.3	75.3	18.4	491	4.06	39.0	1.6	5.3	6.7	21	0.4	2.0	0.2	137	0.38	0.074
1296747	Soil		5.8	31.9	11.9	259	0.5	41.1	14.4	317	3.68	33.6	1.3	5.2	4.4	27	0.5	3.7	0.2	74	0.42	0.062
1296755	Soil		1.8	25.8	11.6	91	0.3	33.8	12.4	335	3.46	500.1	1.0	27.6	3.8	19	0.5	32.4	0.2	60	0.32	0.041
1296734	Soil		3.1	49.9	19.9	137	0.4	57.1	13.4	783	3.73	60.6	1.0	2.4	5.1	17	0.8	6.4	0.3	79	0.29	0.055
1296744	Soil		3.6	89.2	12.8	132	0.4	111.3	19.4	572	4.81	57.4	1.6	2.1	10.2	15	0.2	4.2	0.2	122	0.19	0.022
1296743	Soil		1.5	35.3	12.6	96	0.2	49.8	21.0	518	4.97	11.0	1.1	1.2	3.6	20	0.2	0.5	0.1	112	0.33	0.045
1296751	Rock Pulp		2.4	23.3	2.0	41	0.3	23.1	10.2	378	2.29	4.1	0.2	1.1	0.8	33	0.2	0.3	<0.1	60	0.75	0.055

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 02, 2012

CERTIFICATE OF ANALYSIS WHI12000394.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1286295	Soil	23	50	0.70	350	0.033	3	1.04	0.008	0.15	<0.1	0.04	6.5	0.2	<0.05	3	0.6	<0.2
1286312	Soil	15	48	0.87	324	0.099	<1	1.82	0.014	0.33	0.1	0.02	3.6	0.2	0.09	6	1.0	<0.2
1286308	Soil	15	47	0.75	299	0.075	1	1.59	0.012	0.10	0.1	0.05	3.8	0.2	<0.05	5	0.7	<0.2
1286311	Soil	21	47	1.07	478	0.074	<1	1.90	0.015	0.38	0.1	0.02	4.4	0.3	0.21	7	1.9	<0.2
1286300	Soil	21	55	0.97	343	0.111	1	1.89	0.012	0.28	0.1	0.02	4.2	0.3	<0.05	6	<0.5	<0.2
1286305	Soil	10	39	0.45	168	0.052	1	1.88	0.008	0.06	0.2	0.02	2.5	0.1	<0.05	6	<0.5	<0.2
1286304	Soil	19	26	0.55	189	0.056	1	1.55	0.006	0.23	0.2	0.01	3.2	0.5	<0.05	6	<0.5	<0.2
1286310	Soil	12	33	0.44	275	0.024	1	1.40	0.006	0.06	0.2	0.08	2.8	0.3	<0.05	5	0.8	<0.2
1286258	Soil	17	75	0.63	275	0.059	1	1.74	0.005	0.27	0.1	0.03	7.4	0.9	<0.05	6	1.1	0.2
1286303	Soil	13	44	0.57	230	0.065	<1	1.96	0.008	0.05	0.1	0.04	3.9	0.1	<0.05	6	<0.5	<0.2
1286301	Rock Pulp	15	640	0.11	127	0.130	3	3.19	0.011	0.05	<0.1	0.03	33.9	0.1	<0.05	19	<0.5	<0.2
1286309	Soil	18	34	0.50	473	0.016	2	1.09	0.007	0.05	0.2	0.13	4.9	0.3	<0.05	4	1.6	<0.2
1286260	Soil	9	41	0.41	195	0.040	1	1.65	0.006	0.04	0.2	0.05	3.0	0.4	<0.05	6	<0.5	<0.2
1286293	Soil	25	52	1.23	218	0.114	1	1.94	0.011	0.38	0.1	0.01	4.1	0.4	<0.05	7	<0.5	<0.2
1296759	Soil	14	49	0.69	245	0.061	2	1.30	0.010	0.16	0.2	0.08	3.6	0.5	<0.05	5	0.7	<0.2
1286307	Soil	17	77	1.31	347	0.124	1	2.21	0.014	0.33	0.1	0.04	5.5	0.3	<0.05	7	0.7	<0.2
1286261	Soil	26	148	1.14	1283	0.064	2	2.03	0.005	0.60	<0.1	0.73	17.8	6.1	<0.05	9	0.9	<0.2
1286299	Soil	19	37	0.24	292	0.002	1	0.51	0.009	0.10	0.1	0.19	7.5	0.8	0.06	2	1.3	<0.2
1296749	Soil	11	37	0.55	144	0.036	2	1.05	0.009	0.08	0.1	0.09	4.6	0.3	<0.05	4	0.8	<0.2
1296745	Soil	10	41	0.59	142	0.056	<1	1.53	0.007	0.18	<0.1	0.02	3.5	0.3	<0.05	7	0.6	<0.2
1296742	Soil	16	88	1.31	301	0.093	2	2.49	0.011	0.32	0.1	0.02	8.5	0.5	0.07	8	1.7	<0.2
1296754	Soil	7	34	0.47	173	0.056	<1	1.70	0.008	0.06	0.2	0.01	2.7	<0.1	<0.05	6	<0.5	<0.2
1296758	Soil	15	49	0.81	265	0.080	<1	1.36	0.009	0.26	0.2	0.03	3.6	0.4	<0.05	6	0.6	<0.2
1296741	Soil	25	108	1.38	287	0.102	<1	2.47	0.010	0.46	0.2	0.03	9.9	0.4	<0.05	8	0.8	<0.2
1296747	Soil	11	33	0.50	176	0.053	2	0.99	0.011	0.12	0.3	0.09	3.4	1.3	<0.05	4	2.1	<0.2
1296755	Soil	12	34	0.51	502	0.023	1	1.34	0.008	0.13	0.2	0.04	5.7	0.2	<0.05	5	0.7	<0.2
1296734	Soil	11	39	0.42	299	0.053	1	1.25	0.005	0.29	0.1	0.02	3.2	0.8	<0.05	5	<0.5	<0.2
1296744	Soil	23	93	0.88	272	0.083	<1	2.09	0.006	0.19	0.1	0.01	9.3	0.4	<0.05	7	1.1	<0.2
1296743	Soil	8	65	1.04	470	0.203	1	2.96	0.009	0.66	0.1	0.01	6.7	0.3	<0.05	9	<0.5	<0.2
1296751	Rock Pulp	3	30	0.74	86	0.098	2	1.40	0.071	0.11	12.9	0.01	4.3	<0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 02, 2012

CERTIFICATE OF ANALYSIS WHI12000394.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1296757	Soil	1.9	42.7	9.9	122	0.2	51.9	15.5	284	4.48	29.0	1.7	2.6	7.0	19	0.3	2.1	0.2	78	0.16	0.057
1296753	Soil	1.9	52.6	10.3	101	0.3	79.6	16.5	395	3.60	44.8	1.8	4.6	7.5	42	0.3	6.0	0.2	80	0.81	0.056
1296746	Soil	2.4	29.8	12.1	93	0.8	20.3	5.7	194	2.09	15.6	1.5	6.1	2.8	25	0.3	1.2	0.2	59	0.22	0.046
1296750	Soil	1.2	37.5	10.7	67	0.4	31.7	11.8	441	2.46	28.1	4.4	2.3	3.5	62	0.3	1.3	0.1	56	1.59	0.046
1296737	Soil	2.3	50.2	9.3	76	0.6	31.1	5.1	168	1.52	14.1	1.8	3.5	1.5	33	0.9	1.6	0.1	39	0.69	0.061
1296732	Soil	1.6	24.9	8.8	94	0.4	39.9	10.8	318	2.92	19.7	0.7	1.2	3.3	19	0.2	2.1	0.2	79	0.25	0.036
1296748	Soil	7.1	18.8	13.4	168	0.1	25.1	14.5	762	3.14	36.3	0.8	1.5	3.6	19	0.3	2.1	0.2	78	0.43	0.072
1296735	Soil	2.4	47.8	14.2	105	0.5	57.0	15.9	306	3.70	31.0	1.0	3.6	5.1	19	0.3	2.5	0.3	103	0.17	0.055
1296765	Soil	2.2	35.3	11.4	82	0.2	66.2	17.8	424	3.32	100.2	0.6	3.2	2.7	19	0.3	91.3	0.1	80	0.43	0.048
1296763	Soil	0.9	16.1	13.9	77	0.2	22.4	14.4	611	2.80	88.2	0.9	2.6	2.9	19	0.2	5.0	0.2	58	0.32	0.064
1296736	Soil	2.9	38.9	21.2	102	0.7	46.3	39.2	1542	3.64	63.9	0.9	3.5	4.6	17	0.3	2.5	0.3	89	0.23	0.054
1296752	Soil	1.2	41.3	11.0	97	0.3	59.5	15.9	493	3.65	78.1	1.6	5.0	6.5	42	0.3	3.3	0.1	72	1.29	0.077
1296761	Soil	1.7	38.1	19.6	99	1.0	41.1	17.6	922	3.35	215.4	2.2	67.7	5.0	37	0.5	20.9	0.3	58	0.46	0.076
1296731	Soil	1.5	31.4	9.1	102	0.7	41.8	12.4	241	3.00	16.6	0.7	<0.5	4.1	17	0.3	1.3	0.2	78	0.13	0.035
1296738	Soil	0.7	24.7	9.4	57	0.1	21.3	10.4	371	3.16	8.2	2.7	4.4	8.1	31	<0.1	0.6	0.1	79	0.36	0.070
1296756	Soil	1.3	50.2	9.3	110	0.3	59.1	17.7	259	4.49	31.7	2.3	5.2	12.2	39	0.1	2.1	0.3	73	0.27	0.072
1296764	Soil	2.4	23.7	10.5	85	0.1	66.0	19.2	514	3.65	62.4	1.1	133.1	3.3	18	<0.1	16.2	0.2	96	0.30	0.066
1296760	Soil	1.6	33.8	12.0	85	0.2	25.7	10.3	331	3.31	75.4	2.2	1.7	4.9	27	0.2	3.0	0.2	81	0.33	0.074
1296739	Soil	1.3	17.7	14.3	57	<0.1	26.9	11.5	422	2.85	9.8	0.7	1.2	10.0	28	0.2	1.0	0.1	59	0.43	0.020
1296740	Soil	1.4	20.0	15.0	54	<0.1	28.5	10.6	237	3.27	32.5	1.4	3.0	14.3	21	<0.1	1.5	0.1	64	0.26	0.016
[redacted]																					
1296733	Soil	1.7	69.8	10.1	144	0.3	73.4	16.2	400	4.21	46.6	1.6	5.1	8.8	20	0.2	3.4	0.3	125	0.27	0.058
[redacted]																					
1296762	Soil	2.3	36.6	22.0	116	0.6	34.0	14.5	545	3.80	248.2	2.0	33.3	5.3	37	0.3	14.3	0.2	54	0.36	0.065
[redacted]																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 02, 2012

CERTIFICATE OF ANALYSIS WHI12000394.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1296757	Soil	23	48	0.97	368	0.087	1	1.86	0.011	0.38	0.2	0.03	5.2	0.6	0.12	7	0.8	<0.2
1296753	Soil	28	79	1.01	647	0.078	2	1.72	0.014	0.22	0.2	0.04	5.7	0.2	<0.05	6	0.9	<0.2
1296746	Soil	13	38	0.61	259	0.065	2	1.34	0.009	0.22	0.1	0.08	3.3	0.4	0.08	6	0.9	<0.2
1296750	Soil	26	40	0.75	368	0.047	2	1.20	0.010	0.12	0.1	0.09	5.1	0.2	0.07	4	1.9	<0.2
1296737	Soil	12	35	0.46	340	0.059	2	0.92	0.013	0.14	<0.1	0.12	3.5	0.2	0.09	4	2.2	<0.2
1296732	Soil	10	42	0.59	329	0.063	<1	1.56	0.007	0.09	0.1	0.02	3.8	0.2	<0.05	6	<0.5	<0.2
1296748	Soil	8	35	0.60	130	0.059	2	1.09	0.009	0.15	0.2	0.05	2.9	0.6	<0.05	5	0.6	<0.2
1296735	Soil	16	75	0.80	224	0.105	1	2.05	0.009	0.19	0.2	0.02	4.2	0.3	<0.05	7	0.6	<0.2
1296765	Soil	8	107	1.07	354	0.073	2	1.56	0.014	0.15	<0.1	0.03	5.3	0.2	<0.05	6	<0.5	<0.2
1296763	Soil	11	41	0.65	168	0.052	1	1.25	0.009	0.11	0.1	0.04	4.0	0.2	<0.05	5	<0.5	<0.2
1296736	Soil	14	45	0.53	189	0.095	1	1.56	0.010	0.15	0.1	0.07	3.6	0.4	<0.05	7	<0.5	<0.2
1296752	Soil	35	63	0.88	404	0.067	3	1.53	0.009	0.32	<0.1	0.08	6.6	0.4	<0.05	5	1.0	<0.2
1296761	Soil	17	43	0.62	448	0.055	2	1.27	0.013	0.09	0.2	0.05	6.2	0.3	<0.05	4	1.1	<0.2
1296731	Soil	11	45	0.65	225	0.110	1	1.70	0.009	0.19	0.1	<0.01	3.8	0.2	<0.05	6	<0.5	<0.2
1296738	Soil	19	37	0.68	303	0.130	1	2.18	0.015	0.08	0.1	0.01	7.2	0.2	<0.05	7	<0.5	<0.2
1296756	Soil	37	50	1.27	428	0.113	<1	2.15	0.018	0.64	0.1	0.02	5.0	0.6	0.25	7	1.1	<0.2
1296764	Soil	13	105	1.28	160	0.033	2	1.72	0.013	0.23	0.1	0.01	4.5	0.3	<0.05	7	<0.5	<0.2
1296760	Soil	20	39	0.67	286	0.078	<1	1.33	0.013	0.19	0.2	0.06	4.2	0.3	<0.05	5	0.7	<0.2
1296739	Soil	12	51	0.60	213	0.086	2	1.66	0.010	0.20	0.2	0.01	4.7	0.2	<0.05	6	<0.5	<0.2
1296740	Soil	28	51	0.62	158	0.092	<1	1.83	0.012	0.24	0.1	0.03	7.4	0.2	<0.05	6	<0.5	<0.2
[redacted]																		
1296733	Soil	23	76	1.10	450	0.197	<1	2.56	0.011	0.70	0.1	<0.01	9.9	0.5	<0.05	9	1.3	0.3
[redacted]																		
1296762	Soil	14	33	0.48	291	0.028	2	1.09	0.010	0.11	0.2	0.06	5.4	0.4	<0.05	4	1.3	<0.2
[redacted]																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 02, 2012

CERTIFICATE OF ANALYSIS WHI12000394.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
[redacted]																					
1271709	Soil	3.4	25.1	10.3	125	0.3	30.4	6.3	192	2.50	27.4	0.6	3.4	1.4	11	0.4	1.2	0.2	115	0.10	0.040
1271713	Soil	1.6	29.8	14.6	102	0.3	36.0	12.7	504	3.19	36.7	0.7	3.0	2.6	15	0.7	1.4	0.1	76	0.33	0.063
1271712	Soil	2.7	16.8	11.0	67	0.4	16.0	4.1	161	2.11	16.6	0.4	3.9	0.9	9	0.8	0.8	0.2	79	0.07	0.034
[redacted]																					
1271705	Soil	4.0	37.4	33.2	314	0.3	51.8	15.8	762	4.19	140.1	1.6	3.0	1.3	24	1.9	3.4	0.3	126	0.21	0.102
1271704	Soil	3.2	75.2	10.9	162	1.0	35.9	7.9	225	2.53	56.2	3.5	8.2	0.9	23	2.3	1.3	0.2	74	0.20	0.094
1271707	Soil	2.7	24.5	23.9	142	0.2	35.1	11.9	553	4.04	67.8	0.7	4.2	2.6	15	1.1	2.2	0.2	102	0.22	0.068
1271711	Soil	2.5	35.9	10.9	118	0.9	39.9	11.9	331	3.83	27.2	0.9	2.1	3.5	14	0.6	0.8	0.1	97	0.16	0.047

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 02, 2012

CERTIFICATE OF ANALYSIS WHI12000394.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
[redacted]																	
1271709 Soil	8	35	0.27	105	0.098	1	0.94	0.008	0.07	0.1	0.04	2.3	0.2	<0.05	7	<0.5	<0.2
1271713 Soil	11	46	0.68	354	0.098	2	1.48	0.010	0.15	0.1	0.04	4.7	0.2	<0.05	6	<0.5	<0.2
1271712 Soil	8	19	0.11	122	0.079	1	0.61	0.007	0.07	0.1	0.02	1.6	0.1	<0.05	6	<0.5	<0.2
[redacted]																	
1271705 Soil	11	53	0.45	545	0.063	2	1.44	0.012	0.13	0.1	0.11	4.0	1.7	0.11	8	0.9	<0.2
1271704 Soil	10	44	0.52	503	0.061	2	1.41	0.014	0.20	0.2	0.22	4.0	0.5	0.18	6	2.5	<0.2
1271707 Soil	10	39	0.38	315	0.087	1	1.32	0.008	0.07	0.3	0.04	3.7	0.5	<0.05	7	<0.5	<0.2
1271711 Soil	10	53	0.78	228	0.115	2	2.15	0.013	0.17	0.2	0.06	4.2	0.3	0.10	8	1.0	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 02, 2012

CERTIFICATE OF ANALYSIS WHI12000394.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1271710	Soil	2.5	31.2	10.5	131	0.3	46.0	18.2	472	3.99	32.9	0.6	4.7	2.0	17	0.9	0.8	<0.1	92	0.34	0.114
1271708	Soil	3.5	77.6	27.0	383	0.7	81.1	29.0	1294	5.47	74.9	1.5	10.3	3.2	49	3.3	3.5	0.3	118	1.01	0.171
1271728	Soil	0.7	10.8	5.6	35	<0.1	23.6	10.6	456	3.15	3.8	1.8	2.0	9.5	22	<0.1	0.3	0.2	58	0.80	0.036
1271730	Soil	0.8	15.1	5.3	58	<0.1	43.3	27.3	733	5.13	3.4	1.2	1.2	7.9	33	<0.1	0.1	<0.1	119	0.91	0.110
1271718	Soil	1.5	13.0	16.2	64	0.2	21.7	13.5	547	4.02	9.7	2.5	5.2	13.8	20	0.1	0.7	0.3	78	0.49	0.057
1271706	Soil	2.1	15.4	21.4	100	0.3	28.8	9.7	325	3.81	48.5	0.4	2.7	1.9	11	0.8	1.6	0.2	99	0.14	0.032
1271714	Soil	1.9	38.8	8.5	76	0.2	44.9	14.7	368	3.94	17.8	0.5	2.2	2.4	14	0.3	0.6	0.1	115	0.26	0.046
1271715	Soil	2.0	14.0	9.4	40	0.7	16.3	5.0	147	2.33	16.1	0.3	2.2	1.4	11	0.4	0.6	0.2	85	0.17	0.024
1271951	Rock Pulp	2.5	21.1	2.0	41	0.3	24.3	10.2	401	2.40	4.7	0.2	1.4	0.7	32	0.2	0.3	<0.1	62	0.81	0.054
1271717	Soil	1.7	13.6	16.8	55	<0.1	25.9	11.2	323	3.94	15.2	0.6	1.8	4.8	13	0.2	0.7	0.2	88	0.20	0.036
1271723	Soil	1.5	8.8	7.7	30	<0.1	13.4	3.9	344	2.66	9.9	0.8	1.6	6.9	11	<0.1	0.5	0.3	22	0.11	0.018
1271729	Soil	1.0	34.1	4.4	68	<0.1	176.0	43.7	840	6.74	1.1	1.4	<0.5	10.4	24	<0.1	<0.1	<0.1	191	0.80	0.131
1271979	Soil	0.8	21.8	17.1	86	<0.1	129.1	27.3	829	4.65	22.3	1.1	8.6	6.0	42	0.6	0.3	0.1	63	1.45	0.079
1271720	Soil	1.2	19.4	10.1	61	0.1	26.0	11.5	375	3.01	10.8	1.7	3.4	8.3	23	0.2	1.0	0.2	65	0.46	0.048
1271719	Soil	1.3	20.7	10.7	69	0.2	31.1	13.9	439	3.39	26.0	3.2	2.1	11.1	30	0.3	1.9	0.2	66	0.76	0.063
1271724	Soil	1.6	6.1	7.8	32	<0.1	11.6	8.2	241	3.54	7.2	0.6	1.9	3.2	10	<0.1	0.4	0.2	68	0.13	0.024
1271978	Soil	0.8	25.3	23.4	66	<0.1	98.9	23.8	751	4.01	26.0	1.7	21.0	5.1	55	0.2	0.4	0.1	63	1.65	0.069
1271722	Soil	1.8	10.4	11.4	54	<0.1	16.4	9.3	407	3.62	10.6	0.7	1.6	8.5	11	0.1	0.7	0.3	86	0.15	0.026
1271716	Soil	1.7	11.8	10.2	45	<0.1	15.7	6.6	286	2.74	8.9	0.4	1.5	2.2	10	0.3	0.8	0.2	85	0.15	0.026
1271727	Soil	0.4	10.2	5.6	38	<0.1	31.9	13.0	523	3.95	4.3	1.3	0.9	8.5	16	0.1	0.3	0.3	76	0.48	0.056
1271976	Soil	0.9	35.1	186.0	67	0.3	104.4	29.7	846	4.78	21.5	1.1	100.7	6.4	47	0.2	1.2	0.3	77	1.67	0.081
1271726	Soil	1.7	15.7	8.5	50	<0.1	18.1	8.7	290	4.05	11.8	0.6	0.8	3.7	8	<0.1	0.5	0.3	96	0.11	0.042
1271721	Soil	2.9	12.7	6.8	52	<0.1	47.0	22.4	498	4.45	5.7	0.8	2.0	5.7	21	<0.1	0.9	<0.1	107	0.60	0.085
1271725	Soil	1.7	13.4	9.5	57	<0.1	25.8	11.3	290	4.14	12.7	0.5	2.4	3.2	12	0.2	0.6	0.2	81	0.16	0.036
1271968	Soil	0.8	39.3	10.4	83	<0.1	56.3	18.9	493	4.43	25.9	1.5	3.1	8.4	31	0.1	0.9	0.3	60	0.61	0.068
1271972	Soil	1.6	19.3	14.3	79	<0.1	27.8	15.9	449	4.09	9.1	1.2	2.6	7.2	25	0.1	2.2	0.2	82	0.48	0.037
1271966	Soil	1.3	14.6	10.2	50	<0.1	16.1	9.0	391	3.78	9.6	0.6	3.9	5.5	13	<0.1	0.6	0.3	74	0.13	0.030
1271975	Soil	1.0	39.0	150.8	78	0.3	94.2	27.6	751	4.75	27.9	1.5	160.2	9.2	71	0.2	1.5	0.4	78	2.01	0.103
1271967	Soil	1.3	21.1	9.9	65	<0.1	20.9	12.1	516	3.72	8.1	1.0	2.7	7.7	15	0.2	0.5	0.3	72	0.20	0.029
1271971	Soil	2.6	35.1	21.4	94	<0.1	54.5	18.3	506	4.92	101.3	1.8	1.8	8.5	14	0.3	4.5	0.4	54	0.15	0.043

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 02, 2012

CERTIFICATE OF ANALYSIS WHI12000394.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1271710	Soil	9	53	0.91	294	0.142	2	1.90	0.012	0.29	0.2	0.03	4.0	0.3	<0.05	8	0.7	<0.2
1271708	Soil	18	61	1.36	1506	0.101	2	1.89	0.022	0.36	0.2	0.09	9.6	1.8	<0.05	9	1.5	<0.2
1271728	Soil	46	35	0.76	371	0.045	2	1.49	0.010	0.20	0.1	0.03	9.2	0.3	<0.05	7	<0.5	<0.2
1271730	Soil	26	130	2.11	390	0.128	2	2.75	0.010	0.60	0.1	0.02	10.5	0.3	<0.05	10	<0.5	<0.2
1271718	Soil	48	33	0.77	242	0.086	2	1.67	0.012	0.17	0.2	0.04	8.1	0.3	<0.05	7	<0.5	<0.2
1271706	Soil	9	40	0.36	309	0.066	1	1.68	0.007	0.05	0.2	0.04	3.0	0.3	<0.05	8	<0.5	<0.2
1271714	Soil	10	64	0.84	284	0.136	2	1.98	0.012	0.19	0.2	0.02	5.4	0.2	<0.05	9	<0.5	<0.2
1271715	Soil	7	26	0.20	180	0.100	<1	0.77	0.007	0.08	<0.1	0.02	2.1	0.2	<0.05	7	<0.5	<0.2
1271951	Rock Pulp	3	31	0.77	94	0.096	2	1.44	0.079	0.13	13.5	<0.01	4.3	<0.1	<0.05	5	<0.5	<0.2
1271717	Soil	10	39	0.53	165	0.078	1	2.06	0.010	0.07	0.2	0.03	4.0	0.1	<0.05	9	<0.5	<0.2
1271723	Soil	7	13	0.13	166	0.007	<1	0.72	0.004	0.05	<0.1	0.04	10.1	0.1	<0.05	2	<0.5	<0.2
1271729	Soil	40	648	4.74	403	0.206	1	4.55	0.006	0.42	0.1	0.01	19.6	0.3	<0.05	15	<0.5	<0.2
1271979	Soil	33	307	1.81	265	0.076	3	2.09	0.010	0.50	<0.1	0.07	9.6	0.5	<0.05	7	<0.5	<0.2
1271720	Soil	25	44	0.74	399	0.079	2	1.69	0.015	0.12	0.2	0.03	6.5	0.2	<0.05	6	<0.5	<0.2
1271719	Soil	45	44	0.71	289	0.066	3	1.49	0.014	0.19	0.2	0.06	9.4	0.3	<0.05	6	<0.5	<0.2
1271724	Soil	7	20	0.39	160	0.059	1	1.69	0.007	0.08	0.1	0.02	4.1	0.1	<0.05	8	<0.5	<0.2
1271978	Soil	25	164	1.61	383	0.070	3	1.92	0.010	0.46	0.1	0.08	9.7	0.4	<0.05	6	<0.5	<0.2
1271722	Soil	11	36	0.54	126	0.078	1	1.75	0.007	0.08	0.2	0.02	3.6	0.2	<0.05	9	<0.5	<0.2
1271716	Soil	9	25	0.28	134	0.074	1	1.00	0.008	0.08	0.1	0.01	2.7	0.1	<0.05	7	<0.5	<0.2
1271727	Soil	40	61	1.67	298	0.077	2	2.41	0.010	0.25	0.1	0.02	8.4	0.2	<0.05	10	<0.5	<0.2
1271976	Soil	24	149	1.75	261	0.065	3	1.97	0.009	0.46	0.2	0.11	11.3	0.3	<0.05	6	<0.5	0.5
1271726	Soil	6	40	0.97	93	0.098	1	2.04	0.006	0.12	0.2	<0.01	7.0	0.2	<0.05	10	<0.5	<0.2
1271721	Soil	24	144	1.60	293	0.098	1	2.29	0.009	0.55	0.1	0.01	12.5	0.3	<0.05	7	<0.5	<0.2
1271725	Soil	8	46	0.69	173	0.072	1	2.24	0.009	0.08	0.2	0.01	4.5	0.1	<0.05	7	<0.5	<0.2
1271968	Soil	25	77	1.34	212	0.127	<1	2.22	0.010	0.40	0.2	0.04	5.7	0.4	<0.05	6	<0.5	<0.2
1271972	Soil	23	42	0.80	376	0.070	<1	1.75	0.008	0.17	0.2	0.19	7.9	0.2	<0.05	5	1.0	<0.2
1271966	Soil	8	35	0.57	113	0.078	<1	2.18	0.010	0.06	0.1	0.01	3.8	0.1	<0.05	7	<0.5	<0.2
1271975	Soil	32	125	1.83	259	0.076	<1	2.00	0.009	0.56	0.1	0.09	11.3	0.4	<0.05	6	<0.5	0.8
1271967	Soil	19	39	0.97	192	0.094	<1	2.14	0.009	0.20	0.1	0.02	4.1	0.2	<0.05	8	<0.5	<0.2
1271971	Soil	33	39	0.51	252	0.050	<1	1.44	0.007	0.12	0.1	0.05	7.2	0.4	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 02, 2012

CERTIFICATE OF ANALYSIS WHI12000394.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1271965	Soil	0.9	32.8	2.9	52	<0.1	47.7	23.4	622	3.45	4.7	0.7	1.4	4.4	20	<0.1	0.3	<0.1	95	0.46	0.050
1271977	Soil	1.1	27.5	10.9	71	<0.1	98.9	28.5	803	4.93	5.4	1.3	4.8	14.7	35	0.1	0.6	0.1	96	1.01	0.105
1271961	Soil	1.0	16.6	9.4	47	<0.1	20.9	9.1	335	2.51	8.8	1.2	<0.5	17.0	19	<0.1	0.7	0.1	57	0.23	0.026
1271970	Soil	0.9	35.2	26.2	89	0.1	56.3	18.9	530	4.54	30.8	1.8	<0.5	12.5	15	0.2	1.1	0.3	49	0.23	0.051
1271973	Soil	1.1	27.1	7.4	51	<0.1	37.6	16.5	332	3.76	8.1	0.7	<0.5	7.2	24	<0.1	0.5	0.1	80	0.37	0.028
1271963	Soil	1.0	14.3	8.9	65	<0.1	38.4	13.3	517	3.05	7.0	0.4	1.0	2.1	19	0.1	0.4	0.1	71	0.30	0.038
1271962	Soil	1.1	16.4	12.8	45	<0.1	19.9	8.9	306	2.86	9.5	0.6	1.8	3.5	19	<0.1	0.6	0.2	71	0.24	0.037
1271969	Soil	1.1	20.7	14.3	49	<0.1	28.4	10.3	332	2.98	23.7	0.8	1.4	5.1	13	0.1	1.0	0.2	71	0.13	0.032
1271974	Soil	1.2	17.6	12.8	49	<0.1	25.1	14.7	340	3.66	8.9	0.6	<0.5	5.1	24	0.2	0.8	0.1	82	0.36	0.038
1271964	Soil	1.1	20.2	6.0	48	<0.1	48.5	15.8	402	3.34	7.3	0.8	2.9	4.9	19	<0.1	0.5	0.1	75	0.24	0.036
1295763	Soil	0.8	45.2	10.4	84	0.3	9.6	19.3	754	4.90	25.2	1.9	<0.5	15.5	27	0.7	3.4	0.2	149	0.71	0.158
1271954	Soil	1.4	16.1	18.1	72	0.2	20.6	10.7	634	2.48	12.4	1.9	2.5	10.0	28	0.2	0.8	0.3	57	0.50	0.076
1271957	Soil	3.2	20.5	13.2	69	0.1	24.2	11.2	494	2.92	9.7	2.9	<0.5	12.5	30	0.1	0.7	0.3	61	0.43	0.047
1271952	Soil	2.2	34.0	48.5	129	0.2	38.4	13.6	833	3.45	30.7	1.0	<0.5	4.2	19	0.9	2.6	0.2	86	0.24	0.064
1295762	Soil	0.7	23.3	24.0	96	0.2	9.3	17.5	620	4.26	23.3	0.8	<0.5	10.0	25	0.4	1.6	0.1	148	0.48	0.088
1271953	Soil	1.4	28.8	16.4	86	0.1	35.0	10.8	457	2.94	27.4	1.1	5.2	8.4	17	0.3	1.3	0.3	74	0.21	0.049
1271956	Soil	1.6	18.7	13.2	79	<0.1	25.0	10.1	360	2.83	11.9	1.4	3.4	9.3	25	0.1	0.8	0.2	63	0.37	0.053
1271960	Soil	1.8	39.0	18.6	93	0.3	46.7	21.0	894	4.60	35.6	2.5	0.5	15.6	36	0.2	4.0	0.2	84	0.33	0.090
1295761	Soil	0.8	12.7	6.7	61	0.1	11.3	12.4	401	3.07	30.8	1.6	2.6	4.7	26	0.2	0.6	0.1	108	0.43	0.088
1295764	Soil	1.1	39.7	32.7	154	0.8	11.0	20.3	779	4.44	21.5	1.4	5.0	16.5	28	2.3	2.8	3.0	131	0.71	0.154
1271955	Soil	1.0	18.9	15.5	72	0.1	22.4	9.0	359	2.45	10.7	2.9	<0.5	12.3	27	<0.1	0.9	0.3	55	0.43	0.058
1271959	Soil	1.1	16.1	14.3	66	<0.1	22.7	12.7	551	3.40	15.7	2.1	<0.5	14.7	25	<0.1	1.0	0.2	63	0.30	0.039
1295759	Soil	1.0	31.1	121.1	466	2.1	17.5	17.9	597	4.70	99.8	2.9	34.0	8.3	35	2.4	13.1	0.1	109	0.57	0.093
1295773	Soil	1.1	29.2	36.6	104	2.1	18.4	12.8	469	3.05	11.5	5.0	2.0	6.2	56	0.5	4.6	0.1	85	1.11	0.068
1271950	Soil	2.3	39.1	14.2	102	0.3	37.0	10.7	505	3.50	47.0	0.9	0.6	4.3	20	0.3	2.4	0.2	103	0.22	0.056
1271958	Soil	1.0	13.3	26.5	84	<0.1	26.3	9.5	585	4.30	27.9	3.9	0.9	30.7	15	0.4	2.1	0.4	56	0.14	0.025
1295778	Soil	1.3	20.7	12.7	71	0.3	18.4	12.9	453	3.54	9.9	1.2	2.8	7.6	22	0.2	1.5	0.1	97	0.25	0.053
1295768	Soil	0.9	23.5	146.5	550	2.0	10.4	16.8	832	4.51	241.1	1.0	14.8	7.8	30	3.8	14.6	0.2	132	0.51	0.061
1295755	Soil	1.1	18.1	147.2	341	2.3	9.5	16.9	513	4.94	87.2	2.4	7.9	10.2	38	1.6	10.0	0.2	112	0.80	0.100
1295760	Soil	0.6	15.8	27.7	121	0.4	14.6	12.5	413	3.22	27.7	1.5	6.4	6.2	27	0.3	2.1	<0.1	82	0.43	0.083

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 02, 2012

CERTIFICATE OF ANALYSIS WHI12000394.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1271965	Soil	16	76	1.84	187	0.118	<1	2.33	0.015	0.22	<0.1	<0.01	8.2	0.1	<0.05	6	<0.5	<0.2
1271977	Soil	63	145	2.11	369	0.127	1	2.68	0.013	0.50	0.1	0.04	13.2	0.5	<0.05	8	<0.5	<0.2
1271961	Soil	22	36	0.71	205	0.066	<1	2.00	0.009	0.05	0.1	<0.01	4.2	<0.1	<0.05	6	<0.5	<0.2
1271970	Soil	42	52	0.85	155	0.089	2	1.70	0.007	0.29	<0.1	0.02	6.2	0.3	<0.05	5	<0.5	<0.2
1271973	Soil	14	63	1.09	148	0.106	<1	2.09	0.009	0.15	0.1	0.01	4.7	0.1	<0.05	7	<0.5	<0.2
1271963	Soil	8	74	1.19	183	0.123	<1	2.24	0.011	0.13	<0.1	0.01	3.8	0.1	<0.05	7	<0.5	<0.2
1271962	Soil	12	30	0.60	179	0.084	<1	1.75	0.009	0.07	0.1	0.02	4.1	0.1	<0.05	6	<0.5	<0.2
1271969	Soil	15	40	0.63	125	0.113	<1	1.48	0.008	0.18	0.2	0.02	2.8	0.2	<0.05	8	<0.5	<0.2
1271974	Soil	12	39	0.84	179	0.094	<1	1.81	0.010	0.17	0.2	0.02	4.2	0.2	<0.05	6	0.9	<0.2
1271964	Soil	13	93	1.50	218	0.105	<1	2.29	0.012	0.11	0.1	0.02	5.0	0.1	<0.05	8	<0.5	<0.2
1295763	Soil	19	27	1.28	992	0.242	<1	2.06	0.035	0.54	0.3	<0.01	9.3	0.5	<0.05	8	<0.5	<0.2
1271954	Soil	22	34	0.63	244	0.084	<1	1.43	0.015	0.12	0.1	0.04	5.1	0.2	<0.05	6	<0.5	<0.2
1271957	Soil	35	36	0.63	260	0.074	<1	1.68	0.012	0.09	0.1	0.03	5.4	0.2	<0.05	7	<0.5	<0.2
1271952	Soil	15	49	0.63	267	0.097	<1	1.97	0.011	0.11	0.1	0.03	4.8	0.2	<0.05	7	<0.5	<0.2
1295762	Soil	10	29	1.29	704	0.329	<1	2.28	0.030	0.57	0.1	0.02	6.8	0.5	<0.05	8	<0.5	<0.2
1271953	Soil	18	39	0.58	211	0.089	<1	1.85	0.010	0.09	0.1	0.04	4.5	0.2	<0.05	6	<0.5	<0.2
1271956	Soil	16	36	0.58	172	0.077	<1	1.48	0.010	0.09	0.1	<0.01	4.1	0.2	<0.05	6	0.5	<0.2
1271960	Soil	36	82	0.86	2413	0.037	<1	1.77	0.014	0.07	0.1	0.09	12.0	0.1	<0.05	6	0.5	<0.2
1295761	Soil	12	28	0.80	286	0.171	<1	1.64	0.017	0.10	0.2	0.02	4.0	0.2	<0.05	6	0.6	<0.2
1295764	Soil	18	30	1.33	832	0.251	<1	2.35	0.032	0.48	0.5	0.02	5.1	0.4	<0.05	9	<0.5	<0.2
1271955	Soil	39	32	0.59	206	0.079	<1	1.42	0.014	0.10	0.2	0.03	5.1	0.1	<0.05	6	<0.5	<0.2
1271959	Soil	28	36	0.61	221	0.076	<1	1.67	0.011	0.08	<0.1	0.02	5.8	0.4	<0.05	7	<0.5	<0.2
1295759	Soil	22	31	0.99	472	0.121	<1	1.94	0.021	0.15	0.1	0.07	10.6	0.3	<0.05	7	<0.5	<0.2
1295773	Soil	20	35	0.78	491	0.135	<1	2.05	0.018	0.09	0.1	0.05	7.9	0.2	<0.05	6	<0.5	<0.2
1271950	Soil	15	54	0.69	355	0.121	<1	1.88	0.010	0.18	0.1	0.02	4.8	0.3	<0.05	8	0.8	<0.2
1271958	Soil	88	42	0.43	212	0.038	<1	1.90	0.009	0.05	0.2	0.04	8.1	0.5	<0.05	6	<0.5	<0.2
1295778	Soil	12	33	0.75	264	0.147	<1	2.55	0.014	0.12	0.2	0.06	5.4	0.2	<0.05	7	<0.5	<0.2
1295768	Soil	11	27	1.10	372	0.139	<1	2.03	0.024	0.27	0.1	0.01	8.7	0.3	<0.05	8	1.0	<0.2
1295755	Soil	18	29	1.14	330	0.115	<1	2.20	0.015	0.10	0.1	0.02	8.0	0.2	<0.05	8	<0.5	<0.2
1295760	Soil	13	30	0.89	254	0.130	<1	1.78	0.019	0.09	0.1	0.04	4.6	0.2	<0.05	7	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 02, 2012

CERTIFICATE OF ANALYSIS WHI12000394.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1295745	Soil		1.1	19.8	27.5	102	0.7	21.2	16.6	634	4.38	8.5	0.9	2.2	8.5	22	0.3	3.5	0.2	132	0.35	0.030
1295772	Soil		1.3	25.3	73.0	162	2.4	17.7	14.6	578	3.84	19.9	3.6	25.0	7.1	38	1.2	7.0	0.1	114	0.70	0.052
1295765	Soil		2.0	38.0	234.9	587	6.7	11.0	17.3	847	4.49	178.4	3.1	64.2	9.2	44	6.7	8.5	0.3	120	0.78	0.099
1295758	Soil		1.7	30.1	48.4	435	0.6	10.7	20.3	878	6.06	56.1	1.6	9.2	7.9	23	4.0	11.7	0.1	146	0.45	0.051
1295744	Soil		2.8	42.2	16.3	109	0.8	15.3	23.2	1322	6.15	20.3	3.6	9.4	18.7	27	0.5	3.3	0.3	164	0.67	0.083
1295769	Soil		1.6	39.9	1007	1287	13.2	9.1	16.1	863	5.26	603.7	4.5	758.8	7.6	60	11.5	33.9	0.8	99	1.06	0.099
1295766	Soil		1.8	17.6	43.0	463	1.3	11.7	13.6	554	3.58	54.8	1.6	11.6	7.7	24	1.7	3.9	0.2	91	0.43	0.056
1295757	Soil		1.2	29.3	225.0	677	4.0	11.6	17.7	935	4.39	123.4	2.1	77.5	8.0	30	7.6	14.5	0.3	106	0.57	0.066
1295771	Soil		1.0	20.8	67.6	143	2.0	12.3	11.5	890	2.50	11.0	5.5	7.1	6.8	58	1.5	4.3	0.1	78	1.46	0.078
1295770	Soil		1.6	52.2	482.8	606	8.3	12.1	17.2	384	5.09	55.7	10.1	45.2	11.1	40	8.7	46.3	0.1	134	1.05	0.106
1295767	Soil		1.1	23.9	95.0	270	5.0	11.2	14.3	761	3.12	73.8	2.7	37.5	5.4	46	3.1	5.5	0.2	92	0.97	0.074
1295756	Soil		1.0	20.9	101.9	294	2.2	9.9	16.4	606	4.37	39.2	1.7	115.1	10.1	31	1.2	8.8	0.1	122	0.84	0.105
1295754	Soil		1.4	23.2	129.8	288	1.6	9.6	20.3	844	7.20	76.9	1.6	8.5	11.6	27	1.2	10.7	0.1	161	0.77	0.107
1295748	Soil		1.3	76.3	696.4	5512	16.1	19.7	14.6	1137	4.42	406.7	2.8	158.1	7.4	46	45.2	22.9	0.1	73	0.44	0.074
1295750	Soil		1.4	21.3	849.7	1116	10.6	12.0	17.7	1306	4.36	281.5	1.4	67.9	6.8	30	3.7	29.1	0.2	79	0.50	0.072
1295751	Rock Pulp		2.7	26.5	2.4	45	0.3	26.1	11.5	408	2.52	4.9	0.3	0.9	0.9	38	0.1	0.3	<0.1	67	0.88	0.058
1271935	Soil		1.4	38.4	14.4	77	0.2	33.3	13.9	448	3.93	23.5	0.8	4.0	4.4	16	0.3	2.8	0.2	89	0.19	0.036
1295747	Soil		1.2	21.2	17.9	67	1.2	18.9	10.1	255	3.07	11.5	1.5	6.1	6.6	17	0.3	1.4	0.2	79	0.21	0.025
1295746	Soil		1.9	21.6	97.4	445	1.4	14.1	16.8	1040	4.40	16.8	0.8	1.0	6.0	21	1.5	8.2	0.2	138	0.31	0.037
1295777	Soil		1.4	38.0	17.4	103	0.2	21.9	26.2	785	6.54	10.0	1.6	2.1	10.7	23	0.2	3.1	0.1	194	0.43	0.086
1271936	Soil		2.7	24.0	20.5	76	<0.1	40.1	20.1	481	4.55	28.2	0.9	3.3	7.1	16	0.3	1.2	0.2	83	0.20	0.046
1295753	Soil		1.0	23.5	28.6	91	0.6	17.4	22.2	840	4.29	14.3	4.1	5.0	5.4	33	0.3	1.5	0.1	100	0.68	0.066
1295749	Soil		1.0	20.7	228.5	448	3.2	14.6	13.1	985	3.64	152.1	2.1	23.5	5.1	50	3.5	16.2	0.2	87	0.90	0.069
1295779	Soil		1.4	28.2	11.9	74	0.3	25.9	16.2	489	4.35	11.7	0.8	0.9	8.3	32	0.1	1.0	0.1	123	0.42	0.031
1271937	Soil		2.0	14.4	13.5	51	0.2	16.1	11.6	1143	2.66	15.8	5.2	1.4	6.5	50	0.2	0.6	0.2	48	1.36	0.066
1295752	Soil		1.4	18.7	555.9	558	7.5	10.8	15.7	1703	4.54	254.3	2.2	44.8	6.7	39	6.8	16.6	0.2	84	0.80	0.110
1295774	Soil		1.6	30.5	91.6	190	2.3	27.9	19.2	532	5.09	25.8	1.2	7.9	5.9	20	0.9	14.1	0.1	141	0.36	0.054
1295780	Soil		1.0	29.7	13.1	73	0.3	25.6	17.9	562	4.59	13.8	1.1	2.0	8.7	26	0.1	1.9	0.1	145	0.44	0.043
1271949	Soil		1.5	27.6	9.4	73	<0.1	61.4	27.0	864	5.37	5.4	2.3	3.2	12.8	35	0.2	0.3	0.2	110	0.83	0.099
1271940	Soil		1.3	15.2	12.0	67	0.1	25.1	15.6	841	3.17	9.8	4.3	2.6	11.8	37	0.1	0.8	0.2	58	0.91	0.062

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 02, 2012

CERTIFICATE OF ANALYSIS WHI12000394.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1295745	Soil	12	41	1.02	431	0.194	2	2.79	0.015	0.24	0.2	0.02	8.6	0.3	<0.05	9	<0.5	<0.2
1295772	Soil	13	37	0.92	651	0.205	2	2.75	0.017	0.20	0.2	0.04	6.5	0.3	0.05	9	<0.5	<0.2
1295765	Soil	24	29	1.17	677	0.165	2	2.42	0.026	0.35	0.2	0.07	10.0	0.4	0.11	8	<0.5	<0.2
1295758	Soil	11	30	0.94	285	0.030	2	2.31	0.011	0.10	<0.1	0.09	14.7	0.2	<0.05	9	<0.5	<0.2
1295744	Soil	36	36	1.31	501	0.097	2	2.58	0.020	0.25	0.2	0.12	20.4	0.3	<0.05	10	<0.5	<0.2
1295769	Soil	20	20	0.61	605	0.070	2	1.37	0.015	0.25	0.1	0.11	14.3	0.5	0.21	5	<0.5	<0.2
1295766	Soil	15	25	0.80	436	0.106	<1	2.19	0.015	0.24	0.2	0.03	6.9	0.3	<0.05	8	<0.5	<0.2
1295757	Soil	19	29	0.85	526	0.103	1	2.04	0.016	0.19	0.1	0.10	12.7	0.4	<0.05	8	<0.5	<0.2
1295771	Soil	13	26	0.69	586	0.127	2	1.59	0.016	0.14	0.2	0.06	5.3	0.3	0.11	6	<0.5	<0.2
1295770	Soil	43	34	1.02	716	0.156	2	2.13	0.019	0.27	0.1	0.10	14.7	0.4	0.08	7	<0.5	<0.2
1295767	Soil	18	28	0.83	477	0.101	2	1.85	0.016	0.14	0.1	0.10	9.7	0.2	0.06	7	<0.5	<0.2
1295756	Soil	16	31	1.12	458	0.174	<1	2.26	0.018	0.21	0.3	0.04	7.0	0.3	<0.05	8	<0.5	<0.2
1295754	Soil	15	31	1.28	472	0.251	<1	2.80	0.022	0.31	0.2	0.03	7.3	0.4	<0.05	10	<0.5	<0.2
1295748	Soil	21	30	0.73	255	0.056	1	1.84	0.020	0.13	0.2	0.14	9.1	0.3	0.14	6	0.6	<0.2
1295750	Soil	14	26	0.85	217	0.033	1	1.95	0.010	0.08	0.1	0.08	6.6	0.3	<0.05	7	<0.5	<0.2
1295751	Rock Pulp	4	33	0.83	88	0.120	2	1.55	0.083	0.12	12.3	0.01	4.8	<0.1	0.06	6	<0.5	<0.2
1271935	Soil	15	50	0.64	214	0.086	1	2.53	0.012	0.06	0.1	0.04	5.1	0.1	<0.05	7	<0.5	<0.2
1295747	Soil	15	40	0.57	273	0.076	<1	2.31	0.013	0.06	0.2	0.05	5.9	0.1	<0.05	7	<0.5	<0.2
1295746	Soil	10	36	1.04	339	0.207	<1	2.44	0.014	0.26	0.2	0.02	6.4	0.3	<0.05	10	<0.5	<0.2
1295777	Soil	17	48	1.84	616	0.322	1	4.35	0.019	0.49	0.3	0.03	13.6	0.7	<0.05	12	<0.5	<0.2
1271936	Soil	12	49	0.63	181	0.075	3	3.13	0.013	0.07	0.2	0.03	5.6	0.3	<0.05	7	<0.5	<0.2
1295753	Soil	14	37	0.99	293	0.125	1	2.29	0.017	0.05	0.1	0.05	5.9	0.1	0.07	8	<0.5	<0.2
1295749	Soil	16	29	0.84	342	0.041	1	2.22	0.018	0.05	0.1	0.09	6.8	0.2	0.07	7	<0.5	<0.2
1295779	Soil	16	46	1.02	512	0.215	1	2.96	0.018	0.24	0.2	0.02	5.8	0.3	<0.05	8	<0.5	<0.2
1271937	Soil	31	26	0.44	243	0.036	3	1.08	0.013	0.06	0.1	0.07	5.7	0.2	0.09	4	<0.5	<0.2
1295752	Soil	18	24	0.84	351	0.020	<1	2.05	0.010	0.07	<0.1	0.11	8.4	0.2	0.07	7	<0.5	<0.2
1295774	Soil	13	48	1.13	363	0.224	2	3.67	0.017	0.17	0.2	0.04	6.7	0.3	<0.05	11	<0.5	<0.2
1295780	Soil	13	48	1.18	418	0.278	1	3.21	0.017	0.44	0.3	0.02	8.4	0.4	<0.05	9	<0.5	<0.2
1271949	Soil	47	95	1.34	280	0.061	2	2.10	0.008	0.30	0.1	0.03	12.9	0.3	<0.05	7	<0.5	<0.2
1271940	Soil	34	40	0.64	236	0.062	2	1.43	0.014	0.09	0.2	0.06	7.5	0.2	0.06	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 02, 2012

CERTIFICATE OF ANALYSIS WHI12000394.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1271943	Soil		1.2	15.9	10.9	61	<0.1	31.0	14.9	538	3.78	9.3	1.9	1.2	15.8	26	0.1	0.9	0.3	76	0.69	0.045
1271946	Soil		1.4	36.4	12.0	80	<0.1	58.5	24.4	515	5.32	13.3	1.5	0.7	11.2	23	<0.1	0.2	0.2	78	0.38	0.054
1271929	Soil		3.3	49.5	13.4	207	0.6	46.1	14.4	731	3.57	79.1	1.3	5.3	3.9	24	1.1	2.7	0.1	97	0.40	0.086
1271938	Soil		1.1	20.7	20.1	87	0.2	30.4	15.3	553	4.11	10.7	5.5	1.9	20.3	29	0.1	0.9	0.4	73	0.63	0.071
1271942	Soil		1.2	21.8	13.8	77	0.2	29.8	16.1	649	3.48	14.9	2.9	4.0	14.3	25	0.2	0.9	0.3	76	0.53	0.055
1271947	Soil		1.3	42.6	11.2	83	<0.1	60.7	21.8	524	5.06	37.7	2.2	1.0	12.9	21	<0.1	0.4	0.2	72	0.38	0.047
1271928	Soil		2.5	49.4	28.6	218	0.5	61.5	16.2	573	3.78	66.2	1.6	9.6	3.8	24	1.3	4.3	0.3	90	0.33	0.106
1271924	Soil		1.8	50.9	34.3	309	0.6	56.3	18.3	596	3.93	94.2	1.7	9.2	3.5	36	1.9	4.3	0.2	89	0.63	0.102
1271941	Soil		1.2	11.8	9.6	48	<0.1	16.4	8.6	259	2.92	8.7	0.9	<0.5	4.8	15	0.1	1.3	0.2	73	0.17	0.024
1271945	Soil		1.2	22.2	15.4	82	<0.1	35.6	16.2	645	4.84	8.6	2.1	<0.5	13.7	17	0.2	0.3	0.3	49	0.38	0.051
1271927	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1271923	Soil		1.3	49.7	23.6	194	0.6	63.1	18.6	507	3.31	43.2	1.5	7.1	3.0	30	1.5	2.5	0.2	105	0.53	0.076
1271939	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1271944	Soil		0.8	11.2	5.9	39	<0.1	15.9	9.5	502	2.71	4.6	3.0	0.8	7.0	32	0.2	0.4	0.2	50	0.91	0.039
1296558	Soil		1.5	18.0	17.2	53	0.1	22.7	9.1	268	3.11	16.1	1.1	2.1	5.8	16	0.2	0.7	0.3	73	0.14	0.030
1296549	Soil		1.1	32.7	9.0	93	0.3	17.9	3.9	78	1.69	9.9	1.3	7.4	0.4	15	1.4	0.4	0.2	39	0.17	0.072
1271925	Soil		1.2	54.9	11.5	112	<0.1	83.0	30.1	1318	5.75	15.0	0.7	1.9	4.9	16	0.3	0.7	0.2	123	0.30	0.107
1271948	Soil		1.2	17.4	11.0	67	<0.1	31.0	18.6	747	4.30	9.9	2.9	1.2	23.5	50	0.1	0.3	0.2	69	0.76	0.060
1296557	Soil		2.0	15.4	13.5	54	0.2	15.0	5.1	222	2.25	12.8	0.5	2.6	2.4	12	0.7	0.7	0.2	70	0.14	0.029
1296550	Soil		1.7	35.2	11.7	93	0.8	22.7	8.8	226	1.85	11.2	1.7	6.0	0.5	19	1.1	0.8	0.1	47	0.19	0.102
1271932	Soil		2.8	42.5	30.9	132	0.9	45.4	14.1	416	3.95	67.7	1.1	15.9	4.4	18	0.9	1.7	0.3	95	0.17	0.061
1271926	Soil		1.4	61.8	10.2	121	<0.1	92.1	32.1	1549	5.97	15.2	0.7	3.6	4.6	14	0.4	0.8	0.2	137	0.28	0.108
1296552	Soil		2.3	27.7	20.1	143	0.7	26.4	10.4	324	2.52	22.3	1.3	4.0	1.7	16	0.8	1.0	0.2	72	0.17	0.080
1296556	Soil		1.7	22.2	21.0	54	0.4	19.9	6.3	185	2.17	21.9	0.7	1.4	2.7	15	0.5	1.3	0.2	70	0.17	0.033
1271931	Soil		2.1	30.1	18.5	116	0.7	46.0	15.2	395	3.93	50.2	0.8	1.8	3.9	16	0.9	1.5	0.2	93	0.19	0.048
1271934	Soil		2.1	84.3	48.7	219	0.3	89.7	26.9	1460	5.78	69.2	1.5	1.4	5.4	26	1.4	2.6	0.2	128	0.46	0.114
1296553	Soil		1.4	24.6	14.3	119	0.5	29.5	8.0	252	2.10	29.8	1.2	1.0	1.3	17	0.7	0.8	0.2	63	0.22	0.061
1296548	Soil		2.1	77.5	8.1	186	0.3	46.8	8.9	163	2.50	10.8	3.0	10.7	1.5	28	2.5	0.6	0.1	64	0.32	0.092
1271930	Soil		1.6	51.0	16.2	130	0.2	49.2	16.6	426	3.42	58.8	1.0	5.3	3.9	23	0.8	1.7	0.1	83	0.32	0.074
1271933	Soil		2.1	55.1	23.0	175	0.5	77.1	18.6	502	4.27	51.8	1.3	5.7	4.7	18	0.8	1.3	0.2	102	0.24	0.062

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 02, 2012

CERTIFICATE OF ANALYSIS WHI12000394.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1271943	Soil		48	49	0.94	396	0.084	2	1.74	0.012	0.18	0.2	0.03	8.9	0.3	<0.05	6	<0.5	<0.2
1271946	Soil		23	73	1.76	265	0.138	2	2.85	0.011	0.49	<0.1	0.01	5.3	0.4	0.07	9	<0.5	<0.2
1271929	Soil		14	48	0.64	397	0.112	2	1.34	0.015	0.25	0.2	0.05	4.2	0.7	0.14	5	1.1	<0.2
1271938	Soil		77	41	0.80	212	0.078	2	1.84	0.018	0.16	0.5	0.06	9.6	0.3	<0.05	6	<0.5	<0.2
1271942	Soil		53	44	0.78	374	0.086	2	1.86	0.014	0.15	0.2	0.04	7.6	0.2	<0.05	7	<0.5	<0.2
1271947	Soil		45	69	1.15	199	0.110	1	2.10	0.010	0.33	<0.1	0.01	6.8	0.4	<0.05	7	<0.5	<0.2
1271928	Soil		15	52	0.59	555	0.096	2	1.47	0.011	0.13	0.2	0.08	5.7	0.7	<0.05	5	0.9	<0.2
1271924	Soil		16	57	0.78	719	0.106	3	1.50	0.015	0.23	0.1	0.11	7.7	1.7	<0.05	6	1.0	<0.2
1271941	Soil		15	36	0.48	128	0.091	3	1.44	0.009	0.07	0.2	0.02	4.1	0.2	<0.05	7	<0.5	<0.2
1271945	Soil		26	38	0.91	336	0.093	5	1.68	0.007	0.34	0.1	0.03	7.3	0.5	<0.05	6	<0.5	<0.2
1271927	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1271923	Soil		16	66	0.94	502	0.129	2	1.92	0.022	0.16	0.2	0.08	8.8	0.5	<0.05	7	1.0	<0.2
1271939	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1271944	Soil		29	34	0.64	554	0.054	2	1.31	0.010	0.12	0.1	0.03	7.5	0.2	<0.05	5	<0.5	<0.2
1296558	Soil		17	35	0.50	199	0.112	2	1.45	0.011	0.13	0.2	0.02	3.7	0.2	<0.05	8	0.5	<0.2
1296549	Soil		8	25	0.22	223	0.035	2	1.01	0.009	0.04	0.1	0.11	1.8	0.1	<0.05	4	1.8	<0.2
1271925	Soil		25	162	2.02	768	0.234	2	2.89	0.014	0.85	0.1	<0.01	10.5	0.4	<0.05	11	<0.5	<0.2
1271948	Soil		54	62	1.03	339	0.051	2	1.82	0.009	0.15	0.1	0.03	9.1	0.2	<0.05	7	<0.5	<0.2
1296557	Soil		8	22	0.23	165	0.076	2	0.92	0.010	0.09	<0.1	0.02	2.2	0.1	<0.05	6	<0.5	<0.2
1296550	Soil		9	29	0.28	340	0.059	4	0.92	0.012	0.10	0.1	0.08	2.5	0.2	<0.05	4	2.0	<0.2
1271932	Soil		14	47	0.65	411	0.090	2	2.25	0.010	0.09	0.1	0.08	5.0	0.3	<0.05	7	<0.5	<0.2
1271926	Soil		24	189	2.35	904	0.245	2	3.19	0.011	1.14	<0.1	0.02	13.1	0.5	<0.05	12	<0.5	<0.2
1296552	Soil		12	39	0.49	235	0.080	1	1.28	0.011	0.10	0.1	0.10	3.4	0.4	<0.05	6	0.9	<0.2
1296556	Soil		10	29	0.34	211	0.094	3	1.01	0.013	0.15	0.2	0.02	3.1	0.2	<0.05	6	<0.5	<0.2
1271931	Soil		10	57	0.62	256	0.092	2	2.36	0.011	0.09	0.2	0.04	5.4	0.3	<0.05	7	0.6	<0.2
1271934	Soil		29	109	1.75	1070	0.217	<1	2.98	0.010	0.74	0.2	0.02	12.0	0.6	<0.05	11	0.9	<0.2
1296553	Soil		11	46	0.47	267	0.079	2	1.23	0.010	0.05	0.1	0.13	3.6	0.4	<0.05	7	0.6	<0.2
1296548	Soil		14	31	0.42	849	0.056	3	1.60	0.013	0.06	0.2	0.09	4.1	0.2	0.06	5	3.2	<0.2
1271930	Soil		15	47	0.78	361	0.134	2	1.76	0.013	0.26	0.1	0.03	5.4	0.4	<0.05	6	0.5	<0.2
1271933	Soil		15	81	1.01	407	0.155	2	2.59	0.010	0.22	0.2	0.07	6.0	0.4	<0.05	8	0.8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 02, 2012

CERTIFICATE OF ANALYSIS WHI12000394.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1296577	Soil		0.7	18.9	6.9	64	<0.1	51.8	20.0	568	3.44	5.6	1.5	<0.5	6.6	55	0.1	0.2	<0.1	65	1.64	0.073
1296569	Soil		1.0	14.6	10.4	35	<0.1	16.7	9.1	421	2.99	10.4	2.3	2.5	5.7	29	<0.1	1.9	0.2	51	0.78	0.029
1296570	Soil		0.8	14.5	7.6	36	<0.1	20.0	8.7	202	2.73	8.8	0.8	4.0	8.4	17	<0.1	0.5	0.1	61	0.20	0.024
1296555	Soil		1.7	39.8	15.3	101	0.5	37.3	14.3	570	2.98	46.5	1.6	2.7	2.8	33	1.1	1.4	0.1	78	0.66	0.064
1296561	Soil		1.2	20.2	18.4	60	0.3	24.3	12.1	420	3.30	10.3	5.1	3.2	17.8	34	0.2	0.7	0.2	67	0.39	0.030
1296576	Soil		0.8	16.7	11.0	61	<0.1	45.9	22.1	428	3.93	6.9	0.6	5.4	4.3	29	0.1	0.3	<0.1	81	0.48	0.063
1296551	Rock Pulp		2.2	22.2	2.2	41	0.3	21.8	9.3	360	2.25	4.4	0.3	<0.5	0.8	38	0.1	0.3	<0.1	57	0.73	0.058
1296554	Soil		0.9	18.0	10.8	48	0.3	16.1	4.0	122	1.41	11.3	0.9	2.0	1.2	17	0.4	0.5	0.1	36	0.19	0.052
1296560	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1296571	Soil		1.3	12.8	8.6	43	<0.1	14.7	9.2	288	3.67	11.4	0.6	3.3	3.5	14	<0.1	0.5	0.2	94	0.15	0.038
1296567	Soil		1.4	9.7	10.4	29	<0.1	8.6	4.4	158	2.42	7.6	0.5	1.8	1.7	12	0.2	0.6	0.2	63	0.14	0.030
1296559	Soil		1.6	13.6	13.8	49	<0.1	17.2	7.1	295	3.08	12.2	0.7	2.2	4.0	17	0.2	0.7	0.2	83	0.20	0.022
1296562	Soil		1.9	13.5	18.6	58	0.1	20.2	11.4	324	4.12	14.1	1.5	2.6	9.1	17	0.1	1.2	0.3	72	0.21	0.032
1296575	Soil		0.8	17.6	9.7	60	<0.1	47.1	21.9	398	3.97	8.9	0.6	0.6	4.1	26	0.2	0.3	0.1	86	0.49	0.064
1296568	Soil		1.2	14.4	8.6	41	<0.1	14.8	7.5	198	2.52	7.8	0.6	1.3	2.9	18	0.1	0.9	0.2	58	0.33	0.031
1296572	Soil		0.7	40.0	6.4	90	<0.1	66.1	21.2	563	4.74	2.6	1.5	0.7	15.1	18	<0.1	0.1	0.1	58	0.39	0.069
1295563	Soil		1.3	31.2	105.2	237	2.9	14.5	16.5	550	4.08	77.8	1.8	34.8	9.1	30	2.1	5.7	0.2	109	0.54	0.070
1295562	Soil		1.6	14.4	10.5	64	0.1	13.6	10.3	522	3.32	8.6	0.3	5.4	2.9	16	0.3	0.6	0.2	97	0.23	0.029
1296563	Soil		5.2	11.3	11.7	47	0.2	18.7	7.6	241	3.33	7.5	0.8	7.3	4.8	21	0.2	0.7	0.3	74	0.30	0.034
1296574	Soil		1.4	27.3	13.7	65	<0.1	62.9	22.0	453	4.86	8.4	0.9	1.1	5.4	20	<0.1	0.8	0.2	100	0.35	0.064
1295565	Soil		1.7	20.3	114.6	337	2.5	11.2	15.5	682	4.19	59.5	0.8	11.9	5.6	20	3.1	11.1	0.4	116	0.33	0.066
1295559	Soil		1.1	27.9	39.1	136	2.5	12.0	11.6	343	3.19	27.1	2.9	21.6	6.0	45	1.8	5.6	0.1	93	0.99	0.051
1296564	Soil		1.0	21.7	10.8	41	0.3	18.5	8.7	549	2.00	8.0	6.0	2.6	10.4	81	0.4	1.0	0.2	31	2.22	0.059
1296573	Soil		1.0	31.8	8.1	87	<0.1	43.9	28.4	661	5.85	4.8	0.9	<0.5	8.2	22	<0.1	0.8	0.1	147	0.61	0.085
1295568	Soil		1.5	30.7	186.6	563	4.1	12.8	15.8	989	3.39	118.3	2.6	44.9	6.3	50	9.2	9.7	0.1	83	0.97	0.094
1295564	Soil		1.9	32.7	206.5	483	3.7	13.1	19.5	795	5.12	143.3	2.0	106.0	10.2	26	3.1	10.2	0.2	138	0.56	0.112
1295557	Soil		1.4	28.8	94.2	170	3.1	12.0	12.6	488	2.97	26.4	1.7	10.8	4.6	28	1.7	3.4	0.2	91	0.50	0.067
1296566	Soil		1.3	10.8	7.4	35	<0.1	11.8	5.3	150	2.44	6.4	0.4	5.0	2.0	14	0.2	0.7	0.2	70	0.21	0.022
1295548	Soil		1.9	15.6	15.1	50	0.6	7.6	5.9	200	2.25	80.3	0.8	7.4	4.6	18	0.3	3.0	0.3	86	0.24	0.026
1295566	Soil		1.0	30.0	76.8	342	1.5	16.3	16.2	667	4.10	21.4	1.2	16.4	8.9	27	2.2	3.3	0.1	115	0.51	0.101

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 02, 2012

CERTIFICATE OF ANALYSIS WHI12000394.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1296577	Soil	21	106	1.65	202	0.125	4	2.12	0.011	0.34	0.1	0.04	4.8	0.4	<0.05	7	0.5	<0.2
1296569	Soil	24	25	0.45	742	0.039	2	1.40	0.011	0.06	0.3	0.06	7.9	0.2	<0.05	5	<0.5	<0.2
1296570	Soil	15	33	0.62	186	0.083	2	1.77	0.010	0.07	0.1	0.02	3.5	0.1	<0.05	6	<0.5	<0.2
1296555	Soil	16	48	0.64	539	0.091	2	1.43	0.016	0.18	<0.1	0.05	6.4	0.3	<0.05	6	0.6	<0.2
1296561	Soil	78	39	0.56	396	0.078	3	2.08	0.014	0.09	0.2	0.05	6.9	0.2	<0.05	8	<0.5	<0.2
1296576	Soil	12	101	1.51	151	0.131	1	2.27	0.011	0.17	0.2	0.02	3.7	0.2	<0.05	7	<0.5	<0.2
1296551	Rock Pulp	4	28	0.76	92	0.106	2	1.41	0.085	0.11	12.7	<0.01	4.5	<0.1	<0.05	5	<0.5	<0.2
1296554	Soil	10	27	0.27	242	0.064	2	0.91	0.011	0.07	0.2	0.04	2.9	0.2	<0.05	5	1.0	<0.2
1296560	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1296571	Soil	8	30	0.93	133	0.124	<1	1.95	0.008	0.11	0.1	0.01	5.0	0.1	<0.05	10	0.5	<0.2
1296567	Soil	7	17	0.27	143	0.068	1	0.98	0.007	0.05	<0.1	<0.01	2.5	<0.1	<0.05	6	<0.5	<0.2
1296559	Soil	9	31	0.47	182	0.117	<1	1.45	0.010	0.12	0.1	<0.01	3.2	0.2	<0.05	9	<0.5	<0.2
1296562	Soil	13	30	0.41	175	0.021	3	1.95	0.008	0.09	0.2	0.03	4.7	0.3	<0.05	8	<0.5	<0.2
1296575	Soil	12	100	1.35	168	0.114	2	2.26	0.013	0.16	0.2	0.02	4.1	0.2	<0.05	7	<0.5	<0.2
1296568	Soil	9	24	0.50	208	0.052	2	1.61	0.012	0.06	0.2	0.02	3.9	0.1	<0.05	6	<0.5	<0.2
1296572	Soil	41	78	1.29	185	0.120	<1	2.21	0.007	0.41	<0.1	0.01	8.6	0.4	<0.05	8	<0.5	<0.2
1295563	Soil	24	32	1.01	557	0.164	1	2.23	0.021	0.27	0.3	0.05	9.1	0.3	<0.05	7	<0.5	<0.2
1295562	Soil	8	29	0.55	261	0.145	1	1.80	0.012	0.14	0.2	0.01	2.6	0.2	<0.05	8	<0.5	<0.2
1296563	Soil	11	33	0.38	146	0.057	2	1.40	0.011	0.08	0.2	0.03	3.1	0.2	<0.05	8	<0.5	<0.2
1296574	Soil	11	147	1.50	135	0.078	1	2.80	0.008	0.07	0.1	0.02	6.0	0.1	<0.05	9	<0.5	<0.2
1295565	Soil	11	29	0.89	387	0.155	2	2.11	0.019	0.24	0.3	0.03	6.1	0.3	<0.05	8	<0.5	<0.2
1295559	Soil	19	27	0.81	574	0.137	2	1.95	0.016	0.19	0.2	0.05	8.0	0.2	0.05	7	<0.5	<0.2
1296564	Soil	89	24	0.44	500	0.021	4	1.09	0.010	0.05	0.2	0.08	6.0	0.1	0.09	4	<0.5	<0.2
1296573	Soil	30	112	2.34	261	0.130	2	3.21	0.006	0.41	0.2	<0.01	12.6	0.5	<0.05	9	<0.5	<0.2
1295568	Soil	18	27	0.81	635	0.115	2	1.58	0.019	0.22	0.3	0.09	9.6	0.3	0.06	5	<0.5	<0.2
1295564	Soil	19	32	1.20	781	0.213	<1	2.46	0.021	0.42	0.3	0.05	11.2	0.6	<0.05	8	<0.5	<0.2
1295557	Soil	14	28	0.81	519	0.160	1	1.80	0.016	0.19	0.2	0.05	5.5	0.3	0.06	7	<0.5	<0.2
1296566	Soil	9	22	0.34	118	0.076	<1	1.13	0.008	0.06	0.1	0.03	2.7	<0.1	<0.05	7	<0.5	<0.2
1295548	Soil	12	21	0.47	206	0.148	1	1.32	0.022	0.11	0.2	0.02	3.6	0.3	<0.05	9	<0.5	<0.2
1295566	Soil	15	33	1.18	850	0.248	1	2.09	0.025	0.48	0.2	0.02	7.7	0.6	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 02, 2012

CERTIFICATE OF ANALYSIS WHI12000394.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1295558	Soil	1.6	54.8	487.1	644	17.6	15.5	18.2	1020	4.37	113.3	6.0	131.8	10.7	44	8.2	32.6	0.1	123	0.88	0.096
1296565	Soil	1.5	13.5	10.8	48	<0.1	30.6	13.2	342	3.92	12.6	0.6	2.0	4.1	19	0.1	1.1	0.2	80	0.34	0.034
1295577	Soil	1.7	31.6	38.2	145	0.6	24.0	24.6	627	6.17	18.5	1.3	1.8	8.7	22	0.4	3.2	0.2	166	0.40	0.080
1295549	Soil	1.9	29.8	8.2	79	0.3	15.3	19.3	676	5.25	19.7	1.7	3.8	11.2	21	0.2	2.5	0.1	147	0.41	0.091
1295554	Soil	1.5	32.5	40.2	191	4.8	11.0	15.1	704	3.91	121.8	2.2	29.0	10.5	37	1.2	11.9	0.1	119	0.84	0.098
1295561	Soil	0.9	21.3	10.2	66	0.2	17.1	13.4	433	3.54	9.3	0.8	2.1	5.8	24	0.2	0.8	0.2	104	0.48	0.065
1295575	Soil	1.4	33.5	55.2	147	2.1	19.6	17.1	556	4.18	39.0	1.9	16.7	10.0	26	1.4	7.0	0.1	115	0.47	0.056
1295573	Soil	1.1	22.7	269.4	480	4.0	15.1	14.3	429	3.92	47.4	0.9	25.8	5.5	25	2.1	17.0	0.1	114	0.52	0.073
1295553	Soil	1.7	47.9	22.8	76	8.2	12.5	11.0	1039	2.68	57.6	9.4	42.3	7.4	81	1.3	7.3	0.1	72	1.77	0.097
1295560	Soil	1.0	21.3	41.3	142	2.3	13.1	13.2	327	3.28	17.6	1.6	23.0	6.5	27	0.6	3.5	0.1	90	0.52	0.078
1295572	Soil	1.4	43.3	204.9	351	5.6	13.4	18.3	1164	4.07	40.6	4.4	40.4	8.0	39	6.8	7.9	0.2	119	0.90	0.109
1295574	Soil	0.9	26.4	49.8	143	2.3	14.3	14.8	445	3.11	30.1	4.3	13.7	5.9	40	0.9	4.3	0.1	98	0.81	0.076
1295550	Soil	1.2	19.3	13.6	67	0.3	19.1	13.5	338	3.43	16.5	0.7	4.1	5.9	19	0.1	2.0	0.1	92	0.29	0.043
1295556	Soil	1.5	24.3	23.4	95	1.0	16.0	15.6	646	3.99	22.2	2.4	4.0	9.6	28	0.3	1.9	0.2	116	0.55	0.064
1295569	Soil	1.7	29.7	191.8	275	5.3	24.1	15.9	335	4.01	68.1	0.9	45.9	6.0	15	2.5	8.3	0.2	96	0.18	0.025
1295576	Soil	1.5	31.4	57.6	145	2.4	19.2	16.5	553	4.02	40.0	1.7	13.3	8.7	27	1.7	8.4	0.1	116	0.49	0.055
1295552	Soil	1.6	66.5	10.2	65	4.0	21.3	19.0	1296	3.21	9.4	17.2	26.0	10.1	61	0.2	4.5	0.1	92	1.30	0.158
1295555	Soil	2.0	27.0	31.8	127	1.7	11.2	17.4	1177	4.39	36.4	2.7	6.7	11.0	33	0.6	5.7	0.2	135	0.80	0.088
1286922	Soil	1.3	34.9	488.8	566	76.2	15.2	11.8	440	3.80	86.0	1.9	49.8	8.1	21	2.5	83.5	0.1	83	0.23	0.041
1286920	Soil	2.5	72.3	1755	1702	27.7	12.2	22.0	1207	7.10	387.1	3.8	72.1	14.6	30	4.2	92.1	0.1	133	0.39	0.121
1286910	Soil	1.3	22.1	209.7	350	3.0	13.9	12.5	374	3.96	133.0	1.0	55.5	5.5	26	2.6	12.4	0.2	92	0.38	0.051
1295570	Soil	1.8	83.5	654.7	824	24.4	17.5	17.7	1081	3.49	69.4	11.9	139.9	10.1	60	35.3	17.5	0.3	88	1.20	0.096
1286928	Soil	1.0	42.7	32.2	104	0.1	16.6	21.5	699	5.19	14.6	1.1	3.0	9.6	19	0.2	2.8	0.1	164	0.23	0.034
1286904	Soil	0.8	40.7	26.5	102	1.6	14.8	15.8	930	4.04	18.2	2.9	23.0	7.5	32	0.8	3.6	0.2	112	0.59	0.085
1295551	Rock Pulp	2.1	23.0	2.2	41	0.3	21.5	9.9	374	2.30	4.0	0.2	1.7	0.8	38	0.1	0.3	<0.1	55	0.72	0.053
1295571	Soil	1.3	33.8	1305	550	14.9	11.3	17.9	877	5.66	782.8	2.7	391.2	12.6	31	6.8	23.5	0.2	139	0.53	0.106
1286923	Soil	0.7	26.6	13.5	55	0.5	19.1	11.1	268	2.93	9.3	2.2	5.6	7.4	25	<0.1	1.2	0.1	79	0.33	0.034
1286931	Soil	0.9	40.4	180.6	252	3.9	15.1	17.6	674	4.85	178.3	2.4	41.7	11.5	29	1.5	29.2	0.1	131	0.46	0.077
1286930	Soil	1.2	37.1	44.6	117	0.5	11.7	19.1	576	5.32	16.3	1.5	4.2	9.8	28	0.4	6.5	0.2	145	0.50	0.101
1295578	Soil	1.0	44.0	16.5	80	0.1	24.2	16.6	400	4.00	16.0	1.9	2.5	10.6	24	0.2	1.2	0.2	106	0.33	0.050

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 02, 2012

CERTIFICATE OF ANALYSIS WHI12000394.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1295558	Soil	42	35	1.15	1067	0.240	2	2.88	0.022	0.44	0.2	0.10	12.2	0.5	0.07	8	<0.5	<0.2
1296565	Soil	11	45	0.66	210	0.060	1	2.26	0.010	0.09	0.2	0.04	5.4	<0.1	<0.05	7	<0.5	<0.2
1295577	Soil	12	47	1.39	628	0.267	<1	3.70	0.018	0.44	0.1	0.03	11.4	0.5	<0.05	11	<0.5	<0.2
1295549	Soil	15	34	1.27	492	0.165	<1	3.23	0.023	0.32	0.2	0.02	12.3	0.4	<0.05	10	<0.5	<0.2
1295554	Soil	22	28	1.18	533	0.243	1	2.38	0.030	0.37	0.3	0.04	7.5	0.4	<0.05	8	<0.5	<0.2
1295561	Soil	12	33	0.96	463	0.161	1	2.06	0.019	0.22	0.2	0.02	5.9	0.3	<0.05	7	<0.5	<0.2
1295575	Soil	18	39	1.08	605	0.217	1	2.42	0.019	0.24	0.3	0.03	6.2	0.4	<0.05	7	<0.5	<0.2
1295573	Soil	12	33	1.10	457	0.195	1	2.42	0.020	0.26	0.2	0.03	6.3	0.3	<0.05	8	<0.5	<0.2
1295553	Soil	85	24	0.58	651	0.061	1	2.26	0.016	0.13	0.2	0.16	15.4	0.3	0.10	5	<0.5	<0.2
1295560	Soil	15	31	0.94	308	0.136	1	2.19	0.018	0.14	0.2	0.08	6.9	0.3	<0.05	7	<0.5	<0.2
1295572	Soil	25	34	1.01	816	0.195	1	2.08	0.021	0.34	0.2	0.07	11.1	0.5	0.06	7	<0.5	<0.2
1295574	Soil	17	34	0.85	507	0.142	1	1.86	0.016	0.13	0.2	0.09	8.7	0.3	0.07	6	<0.5	<0.2
1295550	Soil	12	34	0.84	220	0.130	1	2.43	0.018	0.14	0.2	0.03	5.0	0.3	<0.05	7	<0.5	<0.2
1295556	Soil	22	34	1.07	548	0.209	<1	2.58	0.025	0.22	0.2	0.04	7.6	0.3	<0.05	8	<0.5	<0.2
1295569	Soil	10	42	0.78	230	0.113	1	2.96	0.018	0.13	0.1	0.06	5.4	0.2	<0.05	7	<0.5	<0.2
1295576	Soil	15	38	1.05	573	0.213	1	2.32	0.019	0.23	0.4	0.03	6.0	0.4	<0.05	7	<0.5	<0.2
1295552	Soil	257	39	0.93	586	0.071	2	2.91	0.023	0.13	0.2	0.30	33.6	0.3	0.09	6	<0.5	<0.2
1295555	Soil	16	31	1.31	724	0.202	<1	2.38	0.027	0.26	0.2	0.04	9.4	0.4	<0.05	9	<0.5	<0.2
1286922	Soil	12	28	0.69	464	0.107	2	2.00	0.013	0.19	<0.1	0.05	6.3	0.3	<0.05	6	<0.5	<0.2
1286920	Soil	24	31	0.99	734	0.185	2	2.18	0.017	0.43	0.1	0.06	13.6	0.7	0.10	7	<0.5	<0.2
1286910	Soil	11	30	0.71	251	0.098	1	1.98	0.011	0.12	0.2	0.04	6.2	0.2	<0.05	7	<0.5	<0.2
1295570	Soil	47	30	0.99	1027	0.122	2	2.08	0.015	0.25	0.2	0.10	15.7	0.3	<0.05	6	0.9	<0.2
1286928	Soil	9	42	1.42	752	0.323	1	3.30	0.020	0.64	0.2	<0.01	6.9	0.7	<0.05	10	0.5	<0.2
1286904	Soil	30	31	1.23	726	0.133	2	2.10	0.018	0.26	0.3	0.05	16.1	0.3	<0.05	8	<0.5	<0.2
1295551	Rock Pulp	4	28	0.69	87	0.098	3	1.33	0.077	0.11	13.1	<0.01	4.1	<0.1	<0.05	5	<0.5	<0.2
1295571	Soil	22	30	1.08	1028	0.200	1	2.17	0.019	0.41	0.1	0.04	13.7	0.6	<0.05	7	<0.5	<0.2
1286923	Soil	20	33	0.71	537	0.134	<1	1.87	0.013	0.09	0.2	0.03	5.1	0.2	<0.05	6	<0.5	<0.2
1286931	Soil	23	33	1.17	830	0.226	2	2.29	0.019	0.32	0.2	0.07	13.6	0.5	<0.05	8	<0.5	<0.2
1286930	Soil	25	33	1.28	790	0.235	1	2.83	0.018	0.26	0.2	0.02	12.5	0.6	<0.05	9	<0.5	<0.2
1295578	Soil	15	39	1.03	634	0.210	2	2.33	0.013	0.27	0.2	0.02	6.5	0.4	<0.05	7	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 02, 2012

CERTIFICATE OF ANALYSIS WHI12000394.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1283100	Soil	1.0	27.7	56.3	137	1.4	11.4	15.1	870	3.53	57.3	3.3	12.6	8.3	41	1.1	5.5	0.1	95	0.89	0.071
1286905	Soil	0.7	37.8	28.7	136	1.6	12.9	19.8	863	5.11	96.6	1.9	44.3	15.0	22	1.2	3.2	0.1	151	0.52	0.111
1286932	Soil	1.3	36.9	19.7	85	0.4	13.4	18.6	593	4.59	11.6	1.7	2.1	8.9	27	0.2	1.5	<0.1	140	0.53	0.090
1295567	Soil	1.3	24.8	175.2	426	3.2	10.6	12.9	358	4.26	186.4	3.2	42.6	5.3	27	2.7	9.8	0.1	94	0.40	0.068
1286929	Soil	1.2	9.9	8.8	43	0.3	12.2	11.0	408	2.76	7.4	0.5	<0.5	3.0	17	0.1	1.0	0.1	66	0.20	0.027
1286926	Soil	0.8	32.5	18.6	74	0.1	18.4	17.5	535	4.29	12.1	1.1	3.0	10.3	22	0.1	2.2	0.2	118	0.30	0.045
1286911	Soil	1.5	27.2	419.2	749	6.2	11.6	16.3	714	4.48	111.2	2.0	57.5	7.9	25	4.6	55.7	0.1	111	0.47	0.084
1286913	Soil	1.7	17.8	202.8	341	3.9	10.0	11.1	361	3.35	62.4	0.9	24.1	5.2	24	2.6	15.4	0.2	96	0.38	0.051
1286933	Soil	2.0	63.1	116.5	1984	8.4	14.3	29.9	1430	7.77	231.4	4.8	52.7	15.5	38	4.3	81.9	0.1	175	0.67	0.169
1286924	Soil	0.7	27.5	14.3	63	0.3	21.1	13.4	430	3.32	11.8	2.8	4.7	10.7	29	<0.1	1.1	0.1	83	0.39	0.050
1286902	Soil	0.8	27.8	16.8	120	0.7	10.2	16.2	776	3.75	28.3	2.8	10.6	10.9	55	0.5	4.1	0.1	105	1.22	0.071
1286915	Soil	1.5	20.9	181.9	380	2.2	9.9	11.6	403	3.25	51.2	1.0	21.0	5.7	24	2.6	10.0	0.1	95	0.47	0.072
1286916	Soil	1.3	31.2	293.0	579	3.2	11.4	15.5	656	4.13	114.7	1.4	64.6	9.6	20	3.1	22.4	0.1	119	0.47	0.115
1283099	Soil	0.7	31.8	29.4	115	1.3	12.0	13.7	844	3.34	100.1	3.3	15.6	7.3	46	1.4	4.6	0.1	88	0.94	0.083
1286903	Soil	0.8	50.2	58.5	140	10.0	15.5	11.7	549	2.68	76.0	4.8	38.9	7.3	35	1.2	14.2	0.2	67	0.67	0.063
1286925	Soil	0.7	26.9	13.0	62	0.2	16.1	14.5	460	3.59	10.1	1.0	1.3	8.2	21	0.1	1.8	0.2	99	0.31	0.051
1286909	Soil	1.5	32.7	161.0	444	2.9	9.3	16.6	729	4.93	153.9	2.6	32.6	11.8	23	4.0	9.9	0.2	133	0.53	0.112
1286901	Rock Pulp	1.3	403.3	20.8	162	0.2	187.8	66.5	727	13.92	3.4	1.1	34.3	6.7	15	<0.1	0.3	0.1	188	0.28	0.038
1286906	Soil	1.7	25.8	211.3	553	6.0	9.3	15.2	658	4.68	148.9	1.7	55.0	8.2	27	2.4	13.1	0.2	105	0.47	0.090
1286917	Soil	1.3	30.0	250.9	448	2.7	11.3	16.0	648	4.49	71.7	1.2	94.7	7.1	23	1.8	39.4	0.1	136	0.47	0.106

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 02, 2012

CERTIFICATE OF ANALYSIS WHI12000394.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1283100	Soil	19	25	0.95	602	0.105	3	1.82	0.017	0.22	0.2	0.05	12.7	0.3	<0.05	6	<0.5	<0.2
1286905	Soil	18	32	1.49	1304	0.268	<1	2.49	0.026	0.73	0.2	0.03	16.2	0.7	<0.05	9	<0.5	<0.2
1286932	Soil	14	35	1.33	613	0.252	1	2.31	0.019	0.40	0.2	0.02	7.3	0.4	<0.05	8	<0.5	<0.2
1295567	Soil	17	26	0.74	359	0.093	2	1.77	0.011	0.13	0.2	0.07	9.1	0.3	<0.05	7	0.6	<0.2
1286929	Soil	8	26	0.56	307	0.057	<1	1.71	0.009	0.09	0.2	0.02	4.7	0.1	<0.05	6	<0.5	<0.2
1286926	Soil	11	34	1.15	581	0.168	<1	2.39	0.013	0.25	0.1	0.01	9.3	0.4	<0.05	8	<0.5	<0.2
1286911	Soil	14	27	0.98	580	0.171	1	1.86	0.017	0.33	0.2	0.03	8.0	0.4	<0.05	7	<0.5	<0.2
1286913	Soil	9	25	0.78	356	0.166	<1	1.81	0.016	0.22	0.2	0.02	4.4	0.3	<0.05	7	<0.5	<0.2
1286933	Soil	28	36	1.11	590	0.098	3	2.37	0.019	0.23	0.2	0.08	23.7	0.7	<0.05	8	<0.5	<0.2
1286924	Soil	21	35	0.85	612	0.137	<1	1.98	0.015	0.09	0.2	0.03	7.4	0.2	<0.05	6	<0.5	<0.2
1286902	Soil	16	28	0.94	569	0.177	2	1.74	0.016	0.29	0.2	0.05	12.5	0.4	<0.05	6	<0.5	<0.2
1286915	Soil	12	25	0.92	353	0.169	1	1.78	0.019	0.21	0.2	0.02	5.1	0.3	<0.05	7	<0.5	<0.2
1286916	Soil	13	29	1.21	716	0.247	1	2.08	0.019	0.47	0.3	0.01	6.2	0.5	<0.05	7	<0.5	<0.2
1283099	Soil	19	25	0.92	673	0.118	1	1.76	0.019	0.24	0.1	0.06	12.5	0.3	<0.05	6	<0.5	<0.2
1286903	Soil	50	28	0.65	761	0.099	2	1.59	0.016	0.12	0.2	0.10	12.2	0.2	<0.05	5	0.6	<0.2
1286925	Soil	12	30	1.01	554	0.132	2	2.11	0.012	0.17	0.2	0.03	6.9	0.3	<0.05	7	<0.5	<0.2
1286909	Soil	17	25	0.98	798	0.188	1	1.90	0.019	0.46	0.2	0.03	10.6	0.5	<0.05	7	<0.5	<0.2
1286901	Rock Pulp	16	559	0.11	131	0.154	4	3.64	0.011	0.06	<0.1	0.03	38.3	<0.1	<0.05	19	<0.5	<0.2
1286906	Soil	15	24	0.86	505	0.131	<1	1.80	0.014	0.25	0.1	0.06	10.8	0.4	<0.05	7	<0.5	<0.2
1286917	Soil	11	29	1.25	615	0.255	1	2.23	0.015	0.38	0.3	0.02	6.7	0.5	<0.05	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 02, 2012

QUALITY CONTROL REPORT WHI12000394.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
1286597	Soil	1.4	29.0	330.9	608	5.8	8.3	17.2	933	4.22	185.5	2.6	280.6	6.3	46	6.7	17.2	0.3	108	1.00	0.083
REP 1286597	QC	1.3	29.0	328.7	573	6.1	8.2	17.4	939	4.35	184.7	2.6	110.9	6.7	45	6.6	18.1	0.3	106	1.02	0.086
1286264	Soil	1.6	42.0	11.1	90	0.2	49.1	18.1	589	4.22	29.6	1.1	4.0	5.2	24	0.2	1.4	0.1	107	0.54	0.095
REP 1286264	QC	1.5	39.2	10.3	86	0.2	47.7	16.8	560	3.96	28.5	1.0	2.6	5.0	23	0.1	1.4	0.1	99	0.48	0.091
1286260	Soil	2.6	22.6	10.9	81	1.3	31.9	9.2	363	3.48	73.4	0.5	2.9	2.0	12	0.5	2.5	0.2	75	0.12	0.039
REP 1286260	QC	2.6	23.3	11.3	82	1.3	34.3	10.1	378	3.61	74.3	0.5	4.6	2.0	12	0.5	2.5	0.2	77	0.12	0.038
1296753	Soil	1.9	52.6	10.3	101	0.3	79.6	16.5	395	3.60	44.8	1.8	4.6	7.5	42	0.3	6.0	0.2	80	0.81	0.056
REP 1296753	QC	1.9	54.1	10.3	100	0.3	80.5	17.5	395	3.64	43.8	1.7	3.1	7.4	42	0.4	5.7	0.1	80	0.80	0.057
1296739	Soil	1.3	17.7	14.3	57	<0.1	26.9	11.5	422	2.85	9.8	0.7	1.2	10.0	28	0.2	1.0	0.1	59	0.43	0.020
REP 1296739	QC	1.4	18.5	16.1	61	<0.1	27.7	11.3	468	2.95	15.3	0.8	1.9	10.2	29	0.1	1.3	0.1	63	0.44	0.022
[redacted]																					
1271712	Soil	2.7	16.8	11.0	67	0.4	16.0	4.1	161	2.11	16.6	0.4	3.9	0.9	9	0.8	0.8	0.2	79	0.07	0.034
REP 1271712	QC	2.5	16.3	10.5	64	0.4	15.8	4.2	155	2.05	16.0	0.4	4.8	0.9	9	0.7	0.9	0.2	77	0.07	0.034
1271978	Soil	0.8	25.3	23.4	66	<0.1	98.9	23.8	751	4.01	26.0	1.7	21.0	5.1	55	0.2	0.4	0.1	63	1.65	0.069
REP 1271978	QC	0.9	24.9	23.5	64	<0.1	98.7	23.6	750	3.98	26.0	1.7	20.7	5.1	54	0.2	0.5	0.1	64	1.62	0.071
1271965	Soil	0.9	32.8	2.9	52	<0.1	47.7	23.4	622	3.45	4.7	0.7	1.4	4.4	20	<0.1	0.3	<0.1	95	0.46	0.050
REP 1271965	QC	0.9	36.0	3.2	52	<0.1	47.5	22.1	638	3.54	5.0	0.7	2.1	4.4	20	<0.1	0.2	<0.1	102	0.48	0.051
1295759	Soil	1.0	31.1	121.1	466	2.1	17.5	17.9	597	4.70	99.8	2.9	34.0	8.3	35	2.4	13.1	0.1	109	0.57	0.093
REP 1295759	QC	0.9	32.5	125.3	448	2.2	16.3	17.4	588	4.52	98.7	2.9	34.2	8.1	37	2.7	12.2	0.1	108	0.55	0.086
1295766	Soil	1.8	17.6	43.0	463	1.3	11.7	13.6	554	3.58	54.8	1.6	11.6	7.7	24	1.7	3.9	0.2	91	0.43	0.056
REP 1295766	QC	1.8	17.5	43.2	470	1.3	11.8	13.5	562	3.60	54.1	1.6	13.5	7.8	24	1.7	3.9	0.1	91	0.44	0.057
1271949	Soil	1.5	27.6	9.4	73	<0.1	61.4	27.0	864	5.37	5.4	2.3	3.2	12.8	35	0.2	0.3	0.2	110	0.83	0.099
REP 1271949	QC	1.5	27.2	9.8	71	<0.1	61.8	27.5	867	5.39	5.4	2.4	6.4	12.6	36	0.2	0.3	0.2	113	0.83	0.098
1271923	Soil	1.3	49.7	23.6	194	0.6	63.1	18.6	507	3.31	43.2	1.5	7.1	3.0	30	1.5	2.5	0.2	105	0.53	0.076
REP 1271923	QC	1.1	46.9	24.1	192	0.5	59.0	18.3	502	3.33	42.2	1.6	9.5	2.9	29	1.3	2.3	0.2	104	0.52	0.075

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 02, 2012

QUALITY CONTROL REPORT WHI12000394.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
1286597	Soil	16	23	0.67	651	0.069	1	1.53	0.015	0.19	0.1	0.10	13.2	0.3	<0.05	6	<0.5	<0.2
REP 1286597	QC	16	24	0.70	618	0.083	2	1.60	0.016	0.20	0.2	0.11	13.8	0.4	<0.05	6	<0.5	<0.2
1286264	Soil	18	84	1.47	422	0.176	<1	2.66	0.012	0.37	0.1	0.02	7.7	0.3	<0.05	9	<0.5	<0.2
REP 1286264	QC	17	78	1.38	413	0.164	<1	2.45	0.011	0.35	0.1	0.02	7.1	0.3	<0.05	9	<0.5	<0.2
1286260	Soil	9	41	0.41	195	0.040	1	1.65	0.006	0.04	0.2	0.05	3.0	0.4	<0.05	6	<0.5	<0.2
REP 1286260	QC	9	41	0.41	204	0.042	<1	1.72	0.006	0.05	0.2	0.07	2.9	0.4	<0.05	6	<0.5	<0.2
1296753	Soil	28	79	1.01	647	0.078	2	1.72	0.014	0.22	0.2	0.04	5.7	0.2	<0.05	6	0.9	<0.2
REP 1296753	QC	27	78	1.02	642	0.077	1	1.78	0.013	0.22	0.2	0.03	5.7	0.2	<0.05	6	0.9	<0.2
1296739	Soil	12	51	0.60	213	0.086	2	1.66	0.010	0.20	0.2	0.01	4.7	0.2	<0.05	6	<0.5	<0.2
REP 1296739	QC	13	52	0.68	220	0.100	2	1.74	0.012	0.21	0.2	0.02	4.7	0.2	<0.05	6	<0.5	<0.2
[redacted]																		
1271712	Soil	8	19	0.11	122	0.079	1	0.61	0.007	0.07	0.1	0.02	1.6	0.1	<0.05	6	<0.5	<0.2
REP 1271712	QC	8	19	0.10	118	0.076	<1	0.58	0.006	0.07	0.1	0.03	1.5	0.2	<0.05	6	<0.5	<0.2
1271978	Soil	25	164	1.61	383	0.070	3	1.92	0.010	0.46	0.1	0.08	9.7	0.4	<0.05	6	<0.5	<0.2
REP 1271978	QC	25	163	1.61	387	0.070	3	1.90	0.010	0.45	<0.1	0.07	9.9	0.4	<0.05	6	<0.5	<0.2
1271965	Soil	16	76	1.84	187	0.118	<1	2.33	0.015	0.22	<0.1	<0.01	8.2	0.1	<0.05	6	<0.5	<0.2
REP 1271965	QC	16	83	1.81	193	0.121	<1	2.32	0.016	0.21	<0.1	0.01	8.4	0.1	<0.05	6	<0.5	<0.2
1295759	Soil	22	31	0.99	472	0.121	<1	1.94	0.021	0.15	0.1	0.07	10.6	0.3	<0.05	7	<0.5	<0.2
REP 1295759	QC	21	28	1.00	480	0.118	<1	2.00	0.020	0.14	0.1	0.07	10.3	0.3	<0.05	7	<0.5	<0.2
1295766	Soil	15	25	0.80	436	0.106	<1	2.19	0.015	0.24	0.2	0.03	6.9	0.3	<0.05	8	<0.5	<0.2
REP 1295766	QC	16	25	0.83	438	0.107	<1	2.27	0.015	0.24	0.2	0.03	7.0	0.3	<0.05	8	<0.5	<0.2
1271949	Soil	47	95	1.34	280	0.061	2	2.10	0.008	0.30	0.1	0.03	12.9	0.3	<0.05	7	<0.5	<0.2
REP 1271949	QC	47	95	1.34	287	0.063	2	2.15	0.009	0.30	0.1	0.03	13.0	0.3	<0.05	7	<0.5	<0.2
1271923	Soil	16	66	0.94	502	0.129	2	1.92	0.022	0.16	0.2	0.08	8.8	0.5	<0.05	7	1.0	<0.2
REP 1271923	QC	16	66	0.95	487	0.126	2	1.86	0.028	0.17	0.2	0.07	8.5	0.5	<0.05	7	0.9	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 02, 2012

QUALITY CONTROL REPORT WHI12000394.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
1296558	Soil	1.5	18.0	17.2	53	0.1	22.7	9.1	268	3.11	16.1	1.1	2.1	5.8	16	0.2	0.7	0.3	73	0.14	0.030
REP 1296558	QC	1.6	17.8	17.6	55	0.1	21.6	9.2	273	3.17	16.7	1.1	<0.5	5.7	16	0.1	0.7	0.3	75	0.15	0.029
1295562	Soil	1.6	14.4	10.5	64	0.1	13.6	10.3	522	3.32	8.6	0.3	5.4	2.9	16	0.3	0.6	0.2	97	0.23	0.029
REP 1295562	QC	1.6	14.4	10.3	64	0.1	13.4	10.3	526	3.26	8.4	0.3	1.9	3.0	16	0.3	0.6	0.2	95	0.23	0.029
1295572	Soil	1.4	43.3	204.9	351	5.6	13.4	18.3	1164	4.07	40.6	4.4	40.4	8.0	39	6.8	7.9	0.2	119	0.90	0.109
REP 1295572	QC	1.3	42.1	198.4	342	5.4	12.8	17.4	1081	3.87	38.7	4.2	40.9	7.9	38	6.5	7.4	0.2	113	0.88	0.102
1295551	Rock Pulp	2.1	23.0	2.2	41	0.3	21.5	9.9	374	2.30	4.0	0.2	1.7	0.8	38	0.1	0.3	<0.1	55	0.72	0.053
REP 1295551	QC	2.5	22.8	2.2	40	0.3	22.3	9.5	368	2.31	4.1	0.3	7.4	0.8	39	0.1	0.3	<0.1	57	0.75	0.056
1286903	Soil	0.8	50.2	58.5	140	10.0	15.5	11.7	549	2.68	76.0	4.8	38.9	7.3	35	1.2	14.2	0.2	67	0.67	0.063
REP 1286903	QC	0.9	50.1	60.5	140	9.9	14.7	11.4	554	2.58	73.7	5.0	42.3	7.4	36	1.0	13.6	0.2	65	0.70	0.065
Reference Materials																					
STD DS9	Standard	13.7	95.5	113.8	307	1.9	42.8	8.0	591	2.41	24.8	2.3	125.6	5.2	61	2.3	5.0	5.2	44	0.73	0.076
STD DS9	Standard	12.3	102.1	120.4	288	1.8	39.8	7.5	541	2.22	22.5	2.5	172.2	5.9	62	2.1	5.2	6.1	39	0.66	0.077
STD DS9	Standard	13.0	103.0	121.4	295	1.8	39.8	7.6	572	2.30	23.9	2.5	114.1	6.0	65	2.2	5.3	6.1	38	0.70	0.078
STD DS9	Standard	14.0	113.7	127.3	330	2.0	43.3	8.1	606	2.46	25.8	2.8	123.6	6.6	72	2.3	5.7	6.7	43	0.75	0.085
STD DS9	Standard	15.1	117.0	129.9	317	2.0	45.5	8.3	630	2.51	24.9	2.9	119.5	6.6	70	2.2	5.7	6.6	45	0.77	0.082
STD DS9	Standard	13.4	112.2	127.7	317	1.8	40.3	7.6	581	2.36	26.9	3.0	125.6	7.2	81	2.3	6.6	6.7	41	0.72	0.086
STD DS9	Standard	12.1	109.3	119.1	308	1.8	39.3	7.6	590	2.31	25.6	2.8	123.1	6.7	78	2.5	6.3	6.8	43	0.70	0.080
STD DS9	Standard	13.2	106.7	122.8	304	1.8	39.6	7.4	587	2.28	25.7	2.9	125.8	6.5	78	2.4	6.2	6.6	42	0.71	0.081
STD DS9	Standard	12.3	104.8	118.3	305	1.9	38.6	7.5	545	2.26	25.5	2.9	118.6	6.1	76	2.2	5.8	6.5	41	0.72	0.079
STD DS9	Standard	12.2	109.7	122.9	305	1.9	39.8	7.7	577	2.31	26.0	2.6	129.4	6.2	69	2.4	6.1	6.6	40	0.67	0.083
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	3	<0.01	<0.001
BLK	Blank	<0.1	0.2	0.1	<1	<0.1	0.2	0.2	6	0.02	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.02	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 02, 2012

QUALITY CONTROL REPORT WHI12000394.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
1296558	Soil	17	35	0.50	199	0.112	2	1.45	0.011	0.13	0.2	0.02	3.7	0.2	<0.05	8	0.5	<0.2
REP 1296558	QC	18	34	0.49	206	0.126	2	1.52	0.010	0.14	0.2	<0.01	3.7	0.2	<0.05	8	0.6	<0.2
1295562	Soil	8	29	0.55	261	0.145	1	1.80	0.012	0.14	0.2	0.01	2.6	0.2	<0.05	8	<0.5	<0.2
REP 1295562	QC	7	28	0.54	255	0.147	<1	1.78	0.012	0.14	0.2	0.01	2.5	0.2	<0.05	8	<0.5	<0.2
1295572	Soil	25	34	1.01	816	0.195	1	2.08	0.021	0.34	0.2	0.07	11.1	0.5	0.06	7	<0.5	<0.2
REP 1295572	QC	24	32	0.97	781	0.181	<1	1.94	0.020	0.32	0.2	0.06	10.8	0.4	0.05	7	<0.5	<0.2
1295551	Rock Pulp	4	28	0.69	87	0.098	3	1.33	0.077	0.11	13.1	<0.01	4.1	<0.1	<0.05	5	<0.5	<0.2
REP 1295551	QC	4	27	0.73	91	0.109	2	1.39	0.082	0.11	13.6	<0.01	4.3	<0.1	<0.05	5	<0.5	<0.2
1286903	Soil	50	28	0.65	761	0.099	2	1.59	0.016	0.12	0.2	0.10	12.2	0.2	<0.05	5	0.6	<0.2
REP 1286903	QC	48	27	0.66	759	0.099	1	1.60	0.015	0.11	0.2	0.12	12.5	0.3	<0.05	5	0.6	<0.2
Reference Materials																		
STD DS9	Standard	12	127	0.64	308	0.104	3	0.95	0.089	0.36	3.2	0.20	2.4	5.7	0.14	5	5.2	5.5
STD DS9	Standard	11	121	0.59	270	0.100	2	0.90	0.071	0.33	3.0	0.21	2.2	5.3	0.15	4	5.0	4.9
STD DS9	Standard	12	123	0.59	274	0.106	2	0.87	0.078	0.36	3.1	0.22	2.3	5.4	0.11	4	5.1	5.0
STD DS9	Standard	14	131	0.64	303	0.118	2	0.98	0.102	0.39	3.2	0.23	2.9	5.6	0.19	5	5.2	5.3
STD DS9	Standard	15	136	0.68	297	0.126	2	0.99	0.097	0.38	3.0	0.21	2.8	5.7	0.20	5	5.5	5.4
STD DS9	Standard	13	120	0.61	309	0.123	2	0.90	0.086	0.36	3.2	0.21	2.6	5.9	0.11	5	4.9	5.1
STD DS9	Standard	14	118	0.67	303	0.113	<1	0.97	0.082	0.34	2.9	0.18	2.6	5.5	0.07	5	3.8	4.4
STD DS9	Standard	13	123	0.61	308	0.116	3	0.96	0.096	0.36	2.7	0.22	2.9	5.6	0.11	5	5.4	5.3
STD DS9	Standard	13	114	0.59	299	0.112	2	0.90	0.090	0.36	2.9	0.21	2.4	5.2	0.15	5	5.4	5.1
STD DS9	Standard	12	117	0.61	320	0.113	2	0.89	0.079	0.35	3.2	0.20	2.5	5.3	0.19	4	4.7	5.3
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 02, 2012

QUALITY CONTROL REPORT WHI12000394.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 02, 2012

QUALITY CONTROL REPORT WHI12000394.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 23, 2012
Report Date: August 01, 2012
Page: 1 of 12

CERTIFICATE OF ANALYSIS WHI12000395.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 320

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	315	Dry at 60C sieve 100g to -80 mesh			WHI
Dry at 60C	320	Dry at 60C			WHI
1DX2	319	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000395.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
[redacted]																					
[redacted]																					
1286907	Soil	2.1	40.4	274.9	476	7.9	12.6	16.6	744	3.73	158.5	3.0	85.6	7.6	33	6.2	10.5	0.2	109	0.78	0.076
1286908	Soil	2.0	32.6	285.0	524	4.6	12.2	20.9	881	5.11	159.8	2.0	45.1	10.1	20	3.5	8.5	0.2	143	0.47	0.101
[redacted]																					
[redacted]																					
1286918	Soil	1.8	36.7	195.0	485	3.5	16.9	20.8	684	5.11	77.5	1.1	24.6	8.9	15	2.1	17.2	0.1	161	0.34	0.081
1286921	Soil	1.3	15.7	68.8	115	4.2	9.3	8.7	247	2.69	19.5	0.8	8.9	4.0	14	1.2	4.6	0.1	95	0.20	0.026
[redacted]																					
[redacted]																					
1286914	Soil	1.6	26.2	139.1	282	2.9	11.3	13.7	502	3.45	41.7	1.0	14.5	6.0	20	2.2	5.8	<0.1	118	0.44	0.062
1286919	Soil	1.7	28.7	167.1	250	3.4	16.8	15.3	566	3.41	45.8	1.9	13.2	6.6	23	0.7	7.1	<0.1	102	0.42	0.049
[redacted]																					
[redacted]																					
1286927	Soil	1.0	66.9	24.2	143	0.7	13.2	35.3	2367	9.01	4.2	4.6	3.9	19.0	28	0.6	1.9	<0.1	223	0.76	0.157
1286912	Soil	1.7	23.5	167.5	444	2.6	12.3	16.5	502	4.09	64.9	0.9	24.4	5.8	20	3.0	12.3	0.1	133	0.45	0.054
[redacted]																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000395.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
[redacted]																		
[redacted]																		
1286907	Soil	22	29	0.77	586	0.111	2	1.90	0.013	0.21	0.2	0.06	10.1	0.3	<0.05	7	<0.5	<0.2
1286908	Soil	15	36	1.21	771	0.218	1	2.24	0.019	0.42	0.2	0.03	8.3	0.5	<0.05	8	<0.5	<0.2
[redacted]																		
[redacted]																		
1286918	Soil	11	45	1.35	640	0.274	2	2.86	0.028	0.47	0.2	0.03	6.4	0.6	<0.05	9	0.5	<0.2
1286921	Soil	8	27	0.46	213	0.099	1	1.76	0.009	0.09	0.1	0.03	3.8	0.2	<0.05	8	<0.5	<0.2
[redacted]																		
[redacted]																		
1286914	Soil	11	31	0.95	368	0.183	2	1.81	0.020	0.20	0.2	0.03	4.9	0.3	<0.05	8	<0.5	<0.2
1286919	Soil	15	37	0.78	475	0.153	1	1.87	0.014	0.10	0.2	0.05	5.6	0.3	<0.05	7	<0.5	<0.2
[redacted]																		
[redacted]																		
1286927	Soil	45	41	1.46	1869	0.175	1	2.82	0.026	0.48	0.1	0.19	31.2	0.6	<0.05	11	0.5	<0.2
1286912	Soil	11	37	1.02	468	0.256	2	1.85	0.020	0.35	0.3	0.03	4.8	0.4	<0.05	8	<0.5	<0.2
[redacted]																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000395.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
[redacted]																					
1286318	Soil	1.9	55.8	17.2	116	0.3	67.5	20.4	478	4.96	519.1	1.5	48.6	10.6	17	0.3	175.0	0.2	109	0.52	0.090
1286252	Soil	2.0	53.2	12.8	92	0.3	73.0	22.9	556	4.79	27.0	1.1	1.1	2.7	15	0.3	1.0	<0.1	113	0.34	0.047
1284137	Soil	2.6	60.6	11.3	120	0.4	45.4	11.3	569	3.51	116.0	1.0	2.6	4.7	21	0.3	7.1	0.1	112	0.26	0.047
1284128	Soil	4.2	50.5	17.5	136	0.5	52.3	28.0	977	3.67	53.7	1.7	3.3	3.0	25	0.4	2.9	0.2	122	0.48	0.078
1286320	Soil	2.0	62.6	13.9	146	0.5	82.0	21.2	346	5.21	56.6	3.2	4.8	13.7	28	0.3	4.8	0.4	69	0.37	0.108
1284151	Rock Pulp	2.5	24.4	2.4	43	0.4	23.2	10.3	396	2.39	4.7	0.2	0.7	0.8	40	0.2	0.3	<0.1	59	0.79	0.061
1286319	Soil	1.4	55.1	9.3	115	0.2	100.3	25.3	616	4.94	21.6	1.3	<0.5	7.8	24	0.2	1.3	<0.1	79	0.80	0.128
1284139	Soil	1.6	40.4	13.7	90	0.3	42.5	12.9	342	3.11	23.2	0.9	1.5	4.5	24	0.2	1.6	0.1	75	0.23	0.034
1286324	Soil	3.4	29.6	12.2	122	0.2	35.2	15.3	432	3.60	102.8	1.0	5.3	3.7	21	0.4	5.7	0.2	63	0.18	0.062
1284135	Soil	2.2	33.8	15.9	77	1.3	18.1	3.6	119	1.66	31.5	1.3	3.5	0.8	25	0.5	2.7	0.3	42	0.18	0.058
1286317	Soil	1.5	33.6	13.1	83	0.1	46.1	14.5	304	3.70	55.7	1.3	1.5	7.3	23	0.2	2.2	0.1	82	0.33	0.056
1284138	Soil	2.9	88.1	13.6	211	0.5	75.6	17.3	553	4.83	34.7	2.6	0.9	5.6	50	0.6	1.2	0.1	151	0.23	0.088
1286316	Soil	1.6	32.5	11.2	84	0.3	44.0	18.1	857	3.09	90.5	1.1	4.4	3.4	26	0.7	2.1	<0.1	79	0.42	0.051
1286325	Soil	3.5	53.9	14.5	166	0.4	60.2	17.4	577	4.53	369.5	1.8	9.3	6.6	26	0.9	13.0	0.2	58	0.23	0.078
1286292	Soil	2.6	49.2	11.7	143	0.5	46.7	18.7	821	4.60	23.5	1.8	1.2	6.2	30	0.3	1.7	<0.1	124	0.64	0.145
1284130	Soil	1.3	14.6	25.5	63	0.1	20.6	11.6	496	3.52	14.9	1.7	3.6	19.5	22	0.1	0.9	0.1	46	0.34	0.049
1286323	Soil	2.6	36.9	10.4	114	0.3	39.6	12.6	279	3.48	52.2	2.0	1.3	4.8	29	0.4	2.3	0.1	74	0.37	0.086
1286321	Soil	1.2	26.5	15.8	77	0.4	28.0	12.8	409	2.78	111.0	1.0	23.3	3.3	32	0.3	35.8	0.1	59	0.51	0.069
1284133	Soil	1.1	14.8	19.5	60	0.2	22.3	15.9	855	3.48	15.8	3.5	4.1	16.9	67	0.1	1.3	0.3	55	2.29	0.086
1284134	Soil	1.6	21.0	10.7	38	0.4	13.2	2.4	74	1.14	18.6	0.9	2.6	0.3	18	0.2	1.6	0.4	30	0.16	0.050
1286269	Soil	2.9	53.1	16.9	134	0.7	48.1	15.6	523	3.35	41.8	2.3	2.0	5.0	33	0.8	2.3	0.2	72	0.56	0.061
1284129	Soil	1.8	40.6	14.7	104	0.3	38.1	15.5	647	3.75	26.5	1.1	1.4	3.1	23	0.4	1.8	0.1	93	0.25	0.094
1286322	Soil	2.0	43.8	12.2	130	0.5	70.5	23.3	562	3.92	112.0	1.5	9.7	4.6	38	0.3	3.3	0.1	77	0.38	0.084
1284127	Soil	3.2	34.5	13.6	122	0.5	33.0	12.6	390	3.53	92.1	1.4	3.4	1.8	22	0.4	3.2	0.2	106	0.19	0.088
1286268	Soil	3.7	36.4	15.0	112	0.4	47.6	36.2	1282	3.34	34.7	2.8	2.1	5.2	50	0.6	1.9	0.1	77	0.91	0.086
1286270	Soil	2.8	19.4	15.2	81	0.1	22.5	7.7	238	2.51	43.3	0.6	0.6	2.4	18	0.5	1.2	0.1	68	0.24	0.032
1286315	Soil	1.3	10.8	10.9	64	<0.1	15.8	8.1	424	2.83	38.3	0.5	2.5	2.1	17	0.3	0.8	0.1	67	0.21	0.062
1284136	Soil	2.0	24.0	12.2	75	0.4	36.6	8.4	348	2.78	31.1	0.6	1.7	3.0	16	0.7	1.9	0.1	73	0.17	0.054

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000395.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
[redacted]																		
1286318	Soil	28	65	0.75	203	0.034	1	1.31	0.006	0.12	0.2	0.07	11.0	0.5	<0.05	6	0.6	<0.2
1286252	Soil	9	109	1.33	335	0.152	1	2.77	0.009	0.65	0.1	0.02	4.3	0.4	<0.05	9	0.6	<0.2
1284137	Soil	11	69	1.21	179	0.168	1	2.41	0.007	0.54	<0.1	0.02	4.4	0.4	<0.05	8	1.3	<0.2
1284128	Soil	13	84	0.83	301	0.131	1	1.61	0.013	0.20	0.1	0.05	4.4	0.3	0.10	7	1.4	<0.2
1286320	Soil	40	40	0.91	313	0.055	2	1.54	0.013	0.43	0.2	0.03	8.0	0.5	0.09	6	1.3	<0.2
1284151	Rock Pulp	4	30	0.78	98	0.110	2	1.51	0.087	0.12	13.7	0.02	4.7	<0.1	<0.05	5	<0.5	<0.2
1286319	Soil	27	119	2.07	300	0.168	<1	2.72	0.006	0.68	<0.1	0.03	5.0	0.5	<0.05	8	1.0	<0.2
1284139	Soil	14	46	0.66	310	0.091	<1	1.81	0.009	0.17	0.1	0.02	5.2	0.2	<0.05	6	0.8	<0.2
1286324	Soil	14	30	0.42	303	0.032	1	1.17	0.006	0.13	0.2	0.03	3.2	0.3	<0.05	5	1.1	<0.2
1284135	Soil	11	32	0.30	204	0.063	<1	0.82	0.007	0.18	0.1	0.11	2.4	0.4	<0.05	5	1.8	<0.2
1286317	Soil	18	54	1.06	388	0.102	<1	1.98	0.010	0.25	0.2	0.01	4.8	0.2	<0.05	7	0.6	<0.2
1284138	Soil	32	84	1.29	412	0.188	<1	2.94	0.015	0.85	0.2	0.02	6.2	0.5	0.22	11	1.3	<0.2
1286316	Soil	14	71	0.80	453	0.039	<1	1.77	0.011	0.07	0.1	0.03	6.8	0.1	<0.05	6	<0.5	<0.2
1286325	Soil	18	29	0.42	218	0.020	1	1.08	0.004	0.12	0.3	0.04	5.3	0.5	<0.05	4	2.0	<0.2
1286292	Soil	25	89	1.34	492	0.122	<1	2.73	0.010	0.49	0.2	0.02	9.2	0.4	<0.05	9	1.2	<0.2
1284130	Soil	20	35	0.63	186	0.061	<1	1.85	0.012	0.43	0.1	0.01	6.3	0.2	<0.05	7	0.5	<0.2
1286323	Soil	22	51	0.82	364	0.089	<1	1.52	0.011	0.36	0.2	0.04	4.4	0.3	0.06	6	1.2	<0.2
1286321	Soil	13	37	0.60	289	0.071	1	1.34	0.015	0.08	0.2	0.04	4.5	0.1	<0.05	5	1.0	<0.2
1284133	Soil	59	120	1.13	227	0.059	2	1.74	0.007	0.36	0.1	0.07	9.2	0.5	<0.05	6	0.7	<0.2
1284134	Soil	8	35	0.22	165	0.040	<1	0.65	0.007	0.14	<0.1	0.08	1.5	0.3	0.11	5	1.6	<0.2
1286269	Soil	16	44	0.78	335	0.077	<1	1.52	0.011	0.17	0.2	0.12	5.0	0.4	<0.05	6	1.2	<0.2
1284129	Soil	17	48	0.89	424	0.109	<1	1.82	0.010	0.43	<0.1	0.01	5.1	0.3	0.05	8	0.7	<0.2
1286322	Soil	20	74	0.89	396	0.094	2	1.64	0.011	0.30	0.1	0.05	5.6	0.4	<0.05	7	1.1	<0.2
1284127	Soil	14	72	0.70	289	0.121	<1	1.75	0.009	0.23	0.1	0.08	4.0	0.3	<0.05	8	1.1	<0.2
1286268	Soil	16	66	0.95	328	0.078	1	1.31	0.011	0.15	0.2	0.05	5.7	0.3	<0.05	5	1.6	<0.2
1286270	Soil	9	33	0.41	162	0.049	1	0.99	0.008	0.10	0.2	0.03	2.8	0.4	<0.05	5	0.6	<0.2
1286315	Soil	10	27	0.39	301	0.049	<1	1.37	0.007	0.07	0.3	0.02	3.7	<0.1	<0.05	6	<0.5	<0.2
1284136	Soil	10	58	0.50	213	0.087	<1	1.40	0.007	0.09	0.2	0.03	3.1	0.2	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000395.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1284131	Soil	1.1	14.0	15.7	53	<0.1	36.1	15.8	496	3.12	6.8	0.7	2.5	7.5	28	<0.1	0.7	<0.1	72	0.34	0.018
1286267	Soil	1.9	52.5	10.7	116	0.4	48.0	10.3	345	2.73	12.5	3.7	1.9	3.4	44	1.1	1.0	0.1	62	0.74	0.088
1284132	Soil	1.0	15.8	18.8	54	0.1	26.3	13.7	520	3.26	5.6	1.6	4.5	19.0	28	<0.1	1.1	<0.1	63	0.39	0.024
1286294	Soil	2.0	32.1	12.0	99	0.2	35.5	12.0	341	2.96	19.0	0.9	1.7	3.5	28	0.4	1.2	0.1	83	0.28	0.057
1296956	Soil	2.9	43.0	29.7	86	0.6	37.8	12.8	601	3.06	134.1	3.9	11.3	10.4	57	0.8	12.9	0.2	39	1.09	0.045
1296959	Soil	1.0	10.2	9.9	36	<0.1	13.7	7.9	200	2.69	8.4	0.8	0.7	5.3	13	<0.1	0.5	0.2	56	0.17	0.022
1296958	Soil	1.0	19.2	11.5	43	0.3	19.4	8.2	453	2.16	13.6	5.5	1.7	6.8	56	0.3	1.9	0.1	42	1.27	0.050
1296939	Soil	1.4	23.4	11.8	84	0.2	36.1	11.6	259	3.85	26.3	0.5	5.1	2.4	13	0.6	0.8	0.1	95	0.13	0.032
1296957	Soil	1.3	11.5	18.7	42	0.1	14.6	6.6	199	2.59	15.0	1.0	0.9	3.7	15	0.2	1.9	0.2	57	0.19	0.030
1296951	Rock Pulp	2.5	24.5	2.3	42	0.2	23.1	10.0	396	2.38	4.8	0.3	2.9	0.9	38	0.2	0.3	<0.1	59	0.76	0.058
1296960	Soil	1.1	11.0	8.8	41	<0.1	18.1	7.9	216	2.76	7.8	0.7	1.1	4.5	13	0.1	0.8	0.1	58	0.19	0.021
1296941	Soil	3.2	17.2	14.0	71	0.3	18.3	5.1	140	1.92	15.6	0.8	2.7	0.8	17	0.3	0.5	0.1	68	0.19	0.062
1296945	Soil	1.8	27.3	17.0	79	0.5	22.8	15.1	870	2.47	26.1	1.2	3.0	2.6	18	0.5	0.6	0.2	71	0.30	0.067
1296947	Soil	0.7	19.6	17.3	42	0.3	16.3	4.5	139	1.66	5.5	4.0	2.6	4.2	24	0.3	0.4	0.3	34	0.37	0.063
1296948	Soil	0.8	29.6	17.7	72	0.3	33.9	11.7	181	3.00	13.4	9.9	3.0	18.5	23	0.3	0.7	0.3	65	0.39	0.049
1296942	Soil	1.6	24.9	12.9	46	0.6	16.7	3.1	87	1.38	10.3	0.9	3.1	0.8	21	0.4	0.4	0.2	43	0.21	0.059
1296943	Soil	3.3	32.6	9.2	115	0.2	45.7	15.8	406	3.71	31.4	0.7	5.1	2.8	19	0.3	1.0	0.1	125	0.39	0.076
1296946	Soil	1.1	12.3	20.4	55	0.2	14.9	7.2	305	2.03	11.1	1.6	1.5	4.9	15	0.2	0.4	0.3	50	0.26	0.057
1296944	Soil	2.0	43.0	10.5	94	0.5	38.0	19.0	904	2.72	23.4	1.5	2.7	1.6	26	1.4	0.8	0.1	93	0.61	0.090
1296940	Soil	1.9	26.1	11.0	101	0.5	36.8	7.1	179	2.31	37.7	0.7	3.9	1.4	21	0.4	0.7	0.2	82	0.40	0.063
1296967	Soil	0.7	57.4	2.6	67	<0.1	43.1	33.5	662	5.18	1.8	0.8	0.9	5.0	34	<0.1	<0.1	<0.1	113	0.83	0.137
1296964	Soil	1.2	19.5	11.6	46	<0.1	27.7	12.0	256	3.35	6.6	2.2	5.7	8.6	24	0.1	0.3	0.2	70	0.49	0.024
1296961	Soil	0.7	13.9	6.9	35	<0.1	18.5	10.0	262	2.81	6.7	1.0	5.1	7.5	19	<0.1	0.8	0.2	65	0.45	0.022
1296950	Soil	0.7	24.5	11.0	32	0.3	19.8	8.3	518	2.05	6.3	9.1	3.3	5.6	96	0.2	0.5	0.2	32	2.55	0.053
1296968	Soil	1.0	17.4	4.9	49	<0.1	32.5	18.2	382	3.24	9.2	0.3	11.4	1.7	19	<0.1	0.2	<0.1	68	0.46	0.036
1296966	Soil	1.2	39.9	8.8	59	<0.1	75.1	25.3	595	4.69	8.0	1.3	4.0	10.5	30	<0.1	0.3	0.1	123	0.68	0.061
1296963	Soil	1.0	17.2	7.2	45	<0.1	40.1	14.6	372	3.68	12.9	1.6	2.6	9.3	21	<0.1	1.6	0.2	79	0.58	0.024
1296949	Soil	1.7	21.2	75.0	58	0.3	19.8	11.3	1036	2.84	10.5	1.8	1.6	6.1	22	0.4	0.6	0.4	75	0.33	0.038
1296969	Soil	0.4	15.9	3.7	26	<0.1	29.8	8.9	415	1.26	1.8	1.5	1.6	1.3	62	0.1	0.1	<0.1	23	2.42	0.067
1296965	Soil	0.8	34.0	24.9	76	0.2	57.4	20.5	544	4.62	9.2	1.6	3.5	9.4	20	0.1	5.7	0.3	59	0.63	0.028

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000395.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1284131	Soil	9	98	1.21	194	0.101	<1	2.04	0.009	0.29	0.1	0.01	5.4	0.2	<0.05	7	<0.5	<0.2
1286267	Soil	18	54	0.78	496	0.083	1	1.39	0.011	0.28	<0.1	0.06	5.2	0.3	0.08	5	2.1	<0.2
1284132	Soil	49	61	1.11	166	0.099	<1	2.12	0.009	0.35	0.2	0.02	6.5	0.3	<0.05	8	<0.5	<0.2
1286294	Soil	13	46	0.68	323	0.116	<1	1.61	0.011	0.29	0.2	0.01	4.1	0.2	<0.05	6	0.7	<0.2
1296956	Soil	47	25	0.39	382	0.017	2	0.94	0.009	0.08	0.2	0.12	6.7	0.1	<0.05	3	1.0	<0.2
1296959	Soil	10	25	0.64	149	0.061	<1	1.45	0.011	0.07	0.2	0.03	4.6	0.1	<0.05	7	<0.5	<0.2
1296958	Soil	70	31	0.54	532	0.018	2	1.44	0.012	0.06	0.1	0.09	6.4	0.1	<0.05	5	0.5	<0.2
1296939	Soil	8	48	0.54	153	0.124	<1	2.27	0.009	0.05	0.2	0.03	3.7	0.1	<0.05	8	<0.5	<0.2
1296957	Soil	19	25	0.33	192	0.047	<1	1.24	0.018	0.07	0.2	0.03	3.2	0.1	<0.05	7	<0.5	<0.2
1296951	Rock Pulp	4	30	0.75	94	0.118	2	1.45	0.074	0.11	13.4	<0.01	4.3	<0.1	<0.05	5	<0.5	<0.2
1296960	Soil	10	33	0.69	154	0.078	<1	1.53	0.009	0.07	0.2	0.02	4.6	0.1	<0.05	7	<0.5	<0.2
1296941	Soil	8	41	0.42	128	0.083	<1	1.08	0.009	0.08	0.2	0.07	2.3	0.2	<0.05	6	0.8	<0.2
1296945	Soil	18	42	0.48	329	0.077	2	1.22	0.012	0.11	0.1	0.07	4.3	0.3	<0.05	6	0.5	<0.2
1296947	Soil	72	30	0.37	236	0.040	2	1.30	0.011	0.07	0.1	0.06	3.9	0.2	0.08	6	<0.5	<0.2
1296948	Soil	151	46	0.65	295	0.048	2	2.25	0.012	0.10	0.2	0.07	7.4	0.3	<0.05	8	<0.5	<0.2
1296942	Soil	9	36	0.27	194	0.071	2	0.82	0.012	0.10	0.2	0.07	2.4	0.2	<0.05	5	<0.5	<0.2
1296943	Soil	13	81	1.00	408	0.165	1	1.77	0.018	0.34	0.2	0.02	6.3	0.4	0.06	9	0.6	<0.2
1296946	Soil	18	34	0.44	144	0.073	1	1.13	0.012	0.14	0.2	0.04	3.5	0.3	<0.05	7	<0.5	<0.2
1296944	Soil	22	59	0.66	591	0.106	2	1.61	0.018	0.17	0.2	0.08	6.1	0.3	0.09	7	<0.5	<0.2
1296940	Soil	9	55	0.61	335	0.104	2	1.36	0.016	0.09	0.1	0.08	3.8	0.4	<0.05	7	0.7	<0.2
1296967	Soil	25	72	2.29	161	0.124	1	2.51	0.013	0.48	0.1	<0.01	11.6	0.4	<0.05	9	<0.5	<0.2
1296964	Soil	54	49	0.80	559	0.116	2	1.92	0.012	0.17	0.1	0.05	5.8	0.2	0.07	8	<0.5	<0.2
1296961	Soil	24	36	0.81	452	0.098	2	1.55	0.017	0.10	0.2	0.03	4.8	0.2	<0.05	7	<0.5	<0.2
1296950	Soil	82	26	0.45	472	0.034	4	1.05	0.011	0.10	0.1	0.10	5.8	0.2	0.12	4	<0.5	<0.2
1296968	Soil	4	111	1.46	104	0.171	<1	2.12	0.010	0.25	0.2	<0.01	1.9	0.2	<0.05	6	<0.5	<0.2
1296966	Soil	38	135	1.98	262	0.163	1	2.95	0.016	0.20	0.2	0.04	10.9	0.3	<0.05	9	<0.5	<0.2
1296963	Soil	26	67	0.82	563	0.090	2	1.72	0.019	0.10	0.2	0.09	9.3	0.2	<0.05	6	<0.5	<0.2
1296949	Soil	53	34	0.35	321	0.072	2	1.48	0.015	0.10	0.1	0.04	3.9	0.2	<0.05	8	<0.5	<0.2
1296969	Soil	20	49	0.51	141	0.037	2	0.79	0.013	0.09	0.1	0.08	2.7	0.1	0.11	3	<0.5	<0.2
1296965	Soil	24	59	0.52	844	0.020	2	0.96	0.008	0.11	0.3	0.44	12.8	0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000395.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1296955	Soil	2.5	31.2	25.0	70	0.3	34.0	14.0	460	3.58	29.7	2.8	4.9	12.8	27	0.4	2.4	0.3	75	0.43	0.028
1296953	Soil	1.0	14.9	14.3	54	0.2	22.5	11.6	348	3.20	13.8	1.6	1.9	9.0	19	0.2	0.6	0.2	63	0.29	0.040
1296936	Soil	1.7	32.3	8.9	92	0.2	42.0	16.7	446	3.42	18.9	1.2	2.5	4.1	25	0.2	0.7	0.1	93	0.66	0.060
1296962	Soil	0.8	13.0	8.1	42	<0.1	22.8	12.5	513	3.48	8.5	1.3	2.2	7.5	26	<0.1	1.1	0.2	67	0.99	0.045
1296954	Soil	1.2	9.6	8.2	33	<0.1	9.4	3.9	98	1.94	7.3	0.4	1.7	1.1	9	0.1	0.4	0.2	69	0.08	0.020
1296952	Soil	2.6	50.6	14.4	137	0.3	71.4	19.7	558	4.39	71.5	2.3	1.5	9.2	28	0.5	3.3	0.1	87	0.44	0.094
1296920	Soil	3.1	54.3	14.0	151	0.2	72.4	19.5	568	4.67	85.9	2.7	1.1	10.7	29	0.7	3.5	0.2	84	0.56	0.134
1296917	Soil	1.8	26.9	8.9	61	0.3	31.7	11.7	263	3.06	22.1	0.7	3.5	3.1	16	0.2	1.1	0.1	87	0.20	0.044
1296911	Soil	3.8	44.6	11.8	132	0.5	43.0	8.7	209	2.91	49.8	1.2	2.0	3.4	27	0.4	7.8	0.2	104	0.14	0.041
1296931	Soil	1.1	25.8	7.9	75	<0.1	36.0	12.9	291	3.18	26.9	0.6	1.0	4.3	16	0.2	1.1	<0.1	88	0.28	0.043
1296918	Soil	1.7	26.3	8.0	83	0.2	28.9	12.5	484	2.63	27.6	1.0	2.9	3.2	29	0.2	1.4	0.1	75	0.59	0.070
1296915	Soil	2.2	78.0	8.0	170	0.3	64.3	13.8	297	4.13	62.2	1.4	3.6	6.3	17	0.5	4.1	0.2	105	0.13	0.048
1296935	Soil	1.6	41.9	7.5	94	0.2	59.7	22.7	686	3.55	17.0	1.8	4.6	4.2	30	0.3	0.7	0.1	92	0.81	0.058
1296932	Soil	0.8	31.0	7.3	67	0.4	52.4	14.6	324	2.92	20.3	2.0	2.7	5.4	27	0.1	0.9	<0.1	73	0.86	0.042
1296919	Soil	2.7	40.5	9.1	87	0.3	48.3	16.4	1114	2.70	51.5	1.3	0.7	3.8	45	0.9	1.3	0.1	68	0.74	0.041
1296913	Soil	3.2	52.5	14.0	182	0.2	83.2	18.6	537	4.25	65.4	1.0	2.2	4.5	16	0.7	9.4	0.2	132	0.26	0.041
1296937	Soil	0.9	20.8	7.2	78	0.1	28.1	10.5	285	2.48	13.1	0.8	1.4	3.2	25	0.1	0.6	0.1	67	0.62	0.066
1296934	Soil	1.7	36.8	8.6	107	0.3	47.8	16.4	309	3.46	19.0	1.6	3.1	5.0	17	0.2	0.7	0.1	88	0.32	0.060
1296914	Soil	2.2	52.4	9.2	101	0.2	57.2	12.0	246	2.97	56.3	0.8	3.9	4.3	19	0.2	7.7	0.2	90	0.23	0.023
1296912	Soil	3.2	60.7	10.1	118	0.3	50.1	8.0	227	3.05	49.9	1.3	5.3	4.8	14	0.3	6.0	0.2	90	0.13	0.033
1296938	Soil	1.1	19.8	5.9	77	0.1	27.5	11.3	518	2.20	15.2	0.7	2.2	1.8	33	0.3	0.6	0.1	55	0.91	0.057
1296933	Soil	1.3	23.1	9.6	83	0.1	41.7	12.5	322	3.07	19.8	0.8	2.2	3.6	15	0.3	0.9	0.2	75	0.33	0.048
1270842	Soil	0.7	25.1	6.5	65	<0.1	40.0	17.7	649	3.88	11.0	1.7	2.5	5.5	47	0.1	1.2	0.1	64	1.37	0.090
1296925	Soil	1.2	25.6	10.4	59	0.7	33.4	10.6	249	2.79	22.3	0.6	1.3	3.1	14	0.2	0.7	0.1	65	0.17	0.018
1296926	Soil	1.4	23.0	9.3	55	0.6	30.5	9.9	248	2.80	22.4	0.6	1.9	3.0	14	0.2	0.7	0.1	67	0.17	0.019
1296916	Soil	2.2	40.8	8.6	69	0.5	40.0	12.0	247	2.88	24.5	1.1	4.0	3.6	21	0.2	1.6	0.2	89	0.24	0.025
1270840	Soil	1.0	21.5	6.2	59	<0.1	40.7	16.5	392	3.95	7.6	0.5	1.3	4.6	19	<0.1	0.3	<0.1	73	0.48	0.044
1296924	Soil	2.9	57.2	10.8	130	0.3	62.3	13.5	294	3.92	27.9	1.2	2.0	6.0	18	0.3	2.1	0.2	75	0.18	0.028
1296927	Soil	1.9	48.3	11.3	83	0.3	38.2	12.2	371	3.08	85.8	1.0	6.0	4.7	15	0.2	2.2	0.2	64	0.17	0.017
1296921	Soil	2.4	61.5	10.4	87	0.1	51.2	16.7	611	4.36	13.1	1.6	1.3	4.1	25	<0.1	0.7	0.1	113	0.25	0.046

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000395.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1296955	Soil	38	49	0.54	430	0.029	2	1.91	0.012	0.08	0.2	0.04	7.0	0.2	<0.05	7	<0.5	<0.2
1296953	Soil	27	37	0.58	231	0.078	3	1.64	0.013	0.14	0.2	0.03	4.9	0.3	<0.05	7	<0.5	<0.2
1296936	Soil	15	75	1.07	286	0.087	2	1.83	0.019	0.13	0.2	0.04	5.6	0.2	<0.05	6	0.8	<0.2
1296962	Soil	24	41	0.95	373	0.079	4	1.59	0.017	0.21	0.2	0.06	11.1	0.3	<0.05	6	<0.5	<0.2
1296954	Soil	8	21	0.20	72	0.049	1	0.98	0.006	0.05	0.1	<0.01	2.0	0.2	<0.05	7	<0.5	<0.2
1296952	Soil	32	66	0.85	379	0.085	2	2.01	0.010	0.36	0.2	0.04	8.1	0.4	0.05	7	1.1	<0.2
1296920	Soil	39	63	0.87	382	0.084	3	1.98	0.009	0.40	0.2	0.05	8.9	0.5	<0.05	7	1.5	<0.2
1296917	Soil	11	47	0.50	278	0.086	1	1.92	0.010	0.08	0.1	0.05	3.6	0.2	<0.05	8	<0.5	<0.2
1296911	Soil	13	41	0.41	325	0.050	<1	1.23	0.006	0.08	0.2	0.02	3.8	0.4	<0.05	5	1.1	<0.2
1296931	Soil	14	48	0.74	263	0.107	2	1.97	0.012	0.14	0.1	0.02	3.8	0.2	<0.05	7	<0.5	<0.2
1296918	Soil	14	40	0.66	229	0.095	2	1.55	0.026	0.10	0.2	0.06	4.4	0.2	<0.05	6	<0.5	<0.2
1296915	Soil	29	75	1.12	520	0.176	<1	2.12	0.008	0.65	<0.1	0.02	5.8	0.7	<0.05	8	1.2	<0.2
1296935	Soil	19	95	1.23	384	0.079	2	1.99	0.017	0.17	0.1	0.06	8.4	0.2	<0.05	7	0.6	<0.2
1296932	Soil	61	55	0.73	456	0.081	2	1.99	0.014	0.14	0.2	0.06	4.8	0.2	<0.05	7	<0.5	<0.2
1296919	Soil	14	44	0.67	501	0.073	2	1.50	0.013	0.18	0.1	0.03	4.6	0.2	<0.05	5	0.7	<0.2
1296913	Soil	12	91	0.88	418	0.130	1	2.05	0.009	0.50	0.2	0.04	7.7	0.9	<0.05	8	1.1	<0.2
1296937	Soil	12	46	0.76	220	0.078	2	1.38	0.020	0.10	0.3	0.04	4.1	0.1	<0.05	5	<0.5	<0.2
1296934	Soil	24	64	0.99	367	0.096	2	2.03	0.012	0.13	0.1	0.05	5.0	0.2	<0.05	7	<0.5	<0.2
1296914	Soil	14	56	0.65	299	0.091	<1	1.76	0.007	0.19	0.1	0.04	5.4	0.3	<0.05	6	1.1	<0.2
1296912	Soil	16	48	0.65	263	0.097	<1	1.55	0.003	0.24	0.1	0.05	4.2	0.5	<0.05	6	1.5	<0.2
1296938	Soil	10	43	0.65	266	0.055	2	1.23	0.014	0.10	0.1	0.05	3.2	0.1	0.08	4	<0.5	<0.2
1296933	Soil	24	57	0.81	340	0.072	2	1.80	0.009	0.14	0.1	0.02	3.7	0.2	<0.05	7	<0.5	<0.2
1270842	Soil	26	64	1.06	305	0.076	3	1.66	0.012	0.32	0.2	0.08	7.5	0.3	0.05	5	<0.5	<0.2
1296925	Soil	11	42	0.63	229	0.077	<1	1.62	0.010	0.12	0.1	0.02	2.9	0.1	<0.05	5	<0.5	<0.2
1296926	Soil	13	41	0.61	220	0.077	1	1.62	0.009	0.10	0.2	0.02	3.3	0.1	<0.05	5	<0.5	<0.2
1296916	Soil	14	60	0.60	863	0.083	1	1.72	0.010	0.10	0.1	0.03	4.0	0.1	0.05	6	0.8	<0.2
1270840	Soil	11	60	1.46	282	0.170	<1	2.49	0.008	0.72	0.1	<0.01	3.0	0.4	<0.05	7	<0.5	<0.2
1296924	Soil	10	54	0.56	308	0.058	1	1.37	0.004	0.35	0.3	0.02	5.2	0.7	<0.05	5	1.5	<0.2
1296927	Soil	20	38	0.71	209	0.065	<1	1.52	0.010	0.10	0.2	0.02	4.6	0.3	<0.05	5	0.7	<0.2
1296921	Soil	18	77	1.32	352	0.140	<1	2.58	0.009	0.72	<0.1	0.01	5.5	0.4	<0.05	9	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000395.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1270839	Soil	1.0	21.1	5.3	62	<0.1	34.3	21.9	554	4.03	6.2	1.0	<0.5	8.6	24	<0.1	0.3	0.2	82	0.66	0.063
1296923	Soil	2.8	53.7	11.5	126	0.2	78.3	16.5	314	4.32	56.3	1.0	1.7	4.8	15	0.2	2.0	0.1	120	0.29	0.038
1296928	Soil	4.1	60.9	13.7	182	0.6	56.4	16.4	623	4.55	115.7	1.1	6.8	6.2	13	0.4	4.3	0.2	130	0.49	0.090
1296922	Soil	1.5	27.6	9.2	51	0.2	34.6	11.5	296	2.76	16.0	0.6	1.5	4.6	19	<0.1	0.8	0.1	64	0.30	0.017
1270830	Soil	5.5	62.4	60.1	400	0.4	67.9	14.6	800	3.74	271.0	2.7	17.7	6.8	25	1.3	5.9	0.1	91	0.33	0.066
1270841	Soil	1.0	25.2	8.7	81	<0.1	81.7	33.5	764	5.68	30.9	1.1	1.3	10.1	31	<0.1	0.6	<0.1	95	0.72	0.095
1296930	Soil	1.2	47.7	8.3	88	<0.1	43.2	13.7	436	4.05	15.7	1.0	<0.5	4.5	9	<0.1	0.4	<0.1	118	0.35	0.103
1296929	Soil	1.7	23.4	12.9	85	0.1	21.5	8.2	254	2.68	36.4	1.0	3.9	9.5	7	<0.1	2.1	0.2	40	0.15	0.036
1270581	Soil	1.2	10.8	6.8	41	<0.1	21.6	9.6	224	2.76	4.8	0.3	0.7	2.1	16	0.1	0.4	0.1	69	0.28	0.017
1270833	Soil	1.5	24.3	9.5	68	0.1	19.5	15.1	1298	2.97	11.9	2.5	1.3	3.8	35	0.2	0.6	0.1	58	1.04	0.066
1270835	Soil	0.7	43.0	14.5	49	<0.1	48.6	24.2	685	3.73	9.7	0.9	2.1	7.5	27	<0.1	0.5	0.4	40	3.43	0.057
1270829	Soil	1.3	19.4	15.4	69	0.1	24.3	12.2	476	3.72	29.5	3.3	2.4	16.3	22	<0.1	1.8	0.2	58	0.48	0.059
1270586	Soil	0.7	27.1	15.2	60	<0.1	59.5	21.2	903	3.72	17.2	1.8	10.9	5.2	49	0.2	0.7	0.2	61	1.87	0.077
1270832	Soil	1.1	16.4	6.1	51	<0.1	30.8	15.1	1082	3.54	7.6	1.8	2.5	6.9	19	0.1	1.6	0.2	64	0.53	0.044
1270834	Soil	1.7	78.6	6.1	56	0.2	44.7	37.2	1095	5.10	24.2	1.3	43.6	3.5	69	0.1	14.1	0.1	104	5.21	0.024
1270826	Soil	1.3	14.9	37.9	143	0.1	16.6	10.6	868	3.72	89.3	2.4	10.4	24.1	20	0.3	4.3	0.2	28	0.44	0.060
1270580	Soil	1.0	36.1	7.9	73	<0.1	51.5	20.0	459	4.69	7.9	0.6	2.0	5.5	19	<0.1	0.3	0.3	71	0.38	0.013
1270831	Soil	1.3	20.1	8.1	52	<0.1	41.5	12.7	341	3.14	29.7	1.0	1.9	5.5	16	0.2	1.9	0.1	58	0.24	0.026
1270836	Soil	1.0	16.5	11.0	54	<0.1	33.5	15.6	376	3.33	6.3	0.8	0.8	4.5	19	<0.1	0.3	0.2	64	0.44	0.023
1270825	Soil	1.4	15.8	27.7	118	<0.1	17.7	11.1	783	3.92	85.2	2.6	10.2	24.6	20	0.3	4.3	0.2	32	0.43	0.063
1270578	Soil	1.2	29.1	10.1	66	0.1	47.9	19.4	503	4.34	17.8	1.1	3.0	8.5	20	0.1	0.6	0.2	69	0.34	0.041
1271462	Soil	0.9	16.6	13.5	68	0.2	17.7	8.7	483	2.04	8.8	2.3	2.3	4.8	33	0.3	0.5	0.2	47	0.67	0.056
1270838	Soil	1.1	24.2	8.0	55	<0.1	31.7	17.0	621	3.76	11.1	1.4	2.6	8.5	37	0.2	1.6	<0.1	64	1.39	0.059
1270837	Soil	0.9	26.1	8.8	64	<0.1	36.6	19.2	586	4.05	4.2	1.1	2.0	12.2	24	0.1	0.2	0.1	85	1.00	0.083
1270579	Soil	1.0	15.5	10.1	48	<0.1	23.4	10.0	249	2.62	10.2	0.6	3.4	4.9	13	<0.1	0.4	0.1	58	0.17	0.022
1271468	Soil	1.4	15.3	17.2	32	0.2	9.0	4.1	106	2.07	8.8	0.4	3.4	2.6	9	0.2	0.6	0.2	59	0.08	0.015
1270585	Soil	0.8	24.4	15.8	50	<0.1	118.6	25.7	738	3.48	6.6	1.7	4.5	6.8	38	0.2	0.4	0.2	74	1.57	0.074
1270583	Soil	1.4	54.9	33.0	102	0.1	34.2	29.1	907	6.01	4.7	1.2	11.6	8.2	33	1.3	1.5	0.2	130	1.08	0.142
1271467	Soil	1.4	25.6	15.7	71	0.4	25.0	12.3	473	3.15	47.3	2.8	3.0	12.5	24	0.4	1.8	0.2	57	0.53	0.045
1271460	Soil	0.6	25.1	15.3	72	0.2	22.7	9.6	193	1.99	7.4	5.6	5.7	7.7	36	0.3	0.6	0.2	57	0.88	0.058

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000395.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1270839	Soil		13	55	1.89	199	0.151	<1	2.48	0.009	0.69	0.1	0.01	5.9	0.6	<0.05	8	<0.5	<0.2
1296923	Soil		14	122	1.72	333	0.136	<1	3.05	0.009	0.65	<0.1	<0.01	7.1	0.6	<0.05	9	0.8	<0.2
1296928	Soil		13	49	1.27	287	0.075	1	1.83	0.006	0.45	0.2	0.08	10.3	0.7	<0.05	7	1.7	<0.2
1296922	Soil		12	45	0.56	269	0.082	<1	1.53	0.010	0.16	0.1	0.02	5.6	0.1	<0.05	5	<0.5	<0.2
1270830	Soil		19	55	0.61	419	0.062	2	1.30	0.009	0.20	0.2	0.03	7.2	0.7	0.08	5	1.6	<0.2
1270841	Soil		34	202	1.86	344	0.111	1	2.87	0.008	0.60	0.1	0.03	12.5	0.5	<0.05	9	<0.5	<0.2
1296930	Soil		6	79	1.24	402	0.167	<1	2.48	0.008	0.88	0.1	<0.01	4.8	0.4	<0.05	9	<0.5	<0.2
1296929	Soil		15	26	0.51	146	0.037	<1	1.27	0.004	0.21	0.1	0.01	3.6	0.2	<0.05	6	<0.5	<0.2
1270581	Soil		7	36	0.52	172	0.065	<1	1.49	0.009	0.07	0.1	<0.01	2.6	0.1	<0.05	6	<0.5	<0.2
1270833	Soil		24	36	0.73	327	0.069	3	1.38	0.013	0.12	0.1	0.07	4.4	0.2	0.11	5	<0.5	<0.2
1270835	Soil		27	108	1.97	317	0.084	1	2.32	0.007	1.04	0.1	0.03	9.4	0.7	<0.05	6	<0.5	<0.2
1270829	Soil		37	43	0.75	179	0.093	<1	1.78	0.013	0.24	0.2	0.02	7.5	0.4	<0.05	8	<0.5	<0.2
1270586	Soil		27	108	1.23	254	0.053	2	1.48	0.008	0.28	0.2	0.11	9.6	0.4	0.08	5	<0.5	<0.2
1270832	Soil		30	59	0.95	415	0.071	1	1.53	0.009	0.19	0.2	0.07	11.5	0.3	<0.05	7	<0.5	<0.2
1270834	Soil		10	112	2.08	256	0.026	2	1.56	0.005	0.25	0.2	0.12	22.2	0.3	<0.05	4	<0.5	<0.2
1270826	Soil		58	18	0.28	427	0.007	2	0.88	0.005	0.14	0.4	0.08	10.6	0.5	<0.05	4	<0.5	<0.2
1270580	Soil		7	84	1.91	235	0.107	<1	3.14	0.007	0.13	<0.1	0.01	3.7	0.2	<0.05	10	<0.5	<0.2
1270831	Soil		11	54	0.54	331	0.037	<1	1.42	0.009	0.10	0.2	0.03	8.0	0.1	<0.05	5	<0.5	<0.2
1270836	Soil		16	73	1.31	194	0.146	<1	2.08	0.008	0.55	0.1	0.02	3.4	0.5	<0.05	7	<0.5	<0.2
1270825	Soil		58	20	0.30	267	0.009	1	0.97	0.005	0.15	0.5	0.08	11.7	0.6	<0.05	4	<0.5	<0.2
1270578	Soil		30	68	1.12	235	0.125	1	2.57	0.009	0.26	0.2	0.03	4.6	0.3	<0.05	8	<0.5	<0.2
1271462	Soil		21	30	0.49	274	0.051	2	1.25	0.014	0.07	0.1	0.06	4.2	0.2	0.07	5	<0.5	<0.2
1270838	Soil		33	50	0.88	304	0.065	4	1.51	0.010	0.35	0.2	0.07	8.8	0.3	<0.05	5	0.5	<0.2
1270837	Soil		50	82	2.01	453	0.161	1	2.49	0.014	1.07	0.1	0.02	7.2	0.5	<0.05	8	<0.5	<0.2
1270579	Soil		12	37	0.52	140	0.063	2	1.43	0.008	0.08	0.2	0.02	2.7	0.1	<0.05	5	<0.5	<0.2
1271468	Soil		7	21	0.19	121	0.046	<1	0.96	0.008	0.04	<0.1	0.03	1.9	0.1	<0.05	6	<0.5	<0.2
1270585	Soil		16	295	2.08	230	0.097	3	2.01	0.011	0.40	0.2	0.09	6.4	0.4	<0.05	6	<0.5	<0.2
1270583	Soil		28	58	1.35	357	0.127	2	2.39	0.010	0.61	0.3	0.10	13.0	0.5	<0.05	9	<0.5	<0.2
1271467	Soil		51	37	0.53	488	0.045	1	1.56	0.012	0.08	0.1	0.10	6.9	0.3	<0.05	5	0.5	<0.2
1271460	Soil		42	33	0.54	274	0.051	2	1.32	0.015	0.07	0.2	0.08	5.0	0.2	<0.05	4	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000395.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1271463	Soil		1.4	22.2	14.8	65	0.2	21.8	9.4	372	2.47	8.6	1.9	3.6	8.0	25	0.2	0.6	0.2	62	0.54	0.056
1270576	Soil		0.8	36.7	14.0	82	0.1	47.6	17.7	390	3.86	18.9	1.5	2.5	12.5	15	<0.1	0.3	0.2	34	0.18	0.021
1271458	Soil		1.4	16.4	18.2	84	<0.1	20.1	8.4	384	3.04	10.7	0.6	3.9	5.3	14	0.4	0.7	0.2	75	0.18	0.036
1271459	Soil		1.2	19.0	20.7	57	0.2	17.2	8.2	440	2.35	12.6	1.3	3.2	5.0	15	0.3	0.7	0.2	65	0.21	0.038
1270582	Soil		1.1	30.4	7.5	59	<0.1	45.7	18.2	488	4.32	6.1	0.4	1.7	3.0	13	0.2	0.3	<0.1	106	0.32	0.076
1270587	Soil		0.6	34.4	13.2	65	<0.1	59.1	18.4	545	3.23	10.0	2.2	12.6	5.9	46	0.3	0.7	0.2	65	1.47	0.072
1271466	Soil		2.0	15.7	20.6	65	0.1	23.0	11.5	395	3.95	12.8	0.9	3.4	10.5	11	0.3	0.7	0.2	72	0.15	0.032
1271457	Soil		2.0	17.1	34.7	106	<0.1	25.2	10.6	721	3.16	25.9	1.5	3.4	13.8	12	0.1	3.5	0.3	56	0.16	0.017
1271461	Soil		0.9	19.0	17.5	60	0.2	19.1	9.0	119	2.67	19.2	3.4	4.1	5.0	26	0.3	0.7	0.2	76	0.53	0.057
1271470	Soil		1.4	9.8	8.0	45	<0.1	13.2	7.0	178	2.74	8.4	0.3	2.2	3.1	10	0.1	0.7	0.1	75	0.13	0.022
1270817	Soil		0.3	18.2	8.6	33	<0.1	24.4	11.3	444	2.05	14.2	0.3	2.9	2.2	84	<0.1	0.2	<0.1	35	7.02	0.099
1270816	Soil		0.8	30.9	11.2	59	<0.1	46.9	20.0	908	3.54	15.1	0.6	2.5	4.0	34	0.1	0.4	<0.1	89	0.89	0.033
1270577	Soil		1.3	26.4	18.3	68	<0.1	38.7	16.3	249	3.80	11.8	0.6	3.3	5.0	13	0.3	0.4	0.1	69	0.21	0.024
1271471	Soil		2.0	10.8	11.8	31	<0.1	13.4	6.6	219	2.78	6.9	0.6	4.0	5.9	9	0.1	0.5	0.2	74	0.15	0.023
1270818	Soil		1.2	15.8	6.9	72	<0.1	30.3	22.9	885	5.14	5.7	0.7	2.5	6.5	18	<0.1	0.1	<0.1	111	0.42	0.104
1270815	Soil		1.2	36.8	13.0	63	<0.1	49.6	20.0	470	4.68	8.6	1.1	1.6	9.7	7	<0.1	0.1	0.1	53	0.23	0.063
1271464	Soil		2.3	27.2	22.6	77	0.3	29.7	13.5	533	3.09	11.0	1.9	4.5	7.8	21	0.2	0.5	0.2	75	0.39	0.053
1271472	Soil		1.0	15.2	8.1	44	<0.1	29.9	12.7	401	2.91	6.6	0.8	2.9	6.1	17	<0.1	0.3	<0.1	67	0.31	0.032
1270814	Soil		0.8	64.3	4.8	55	<0.1	95.0	31.9	723	4.34	2.6	0.6	4.5	7.3	39	<0.1	1.3	<0.1	94	2.75	0.107
1270584	Soil		0.8	39.6	20.5	73	0.1	29.0	24.2	645	4.06	3.7	0.9	12.4	4.3	45	0.5	0.7	<0.1	84	1.51	0.103
1271474	Soil		1.9	18.2	18.5	49	<0.1	18.0	9.5	277	3.20	8.4	1.1	3.0	9.4	12	<0.1	0.6	0.1	58	0.23	0.018
1271473	Soil		1.7	28.5	9.9	53	<0.1	30.1	15.5	455	4.02	6.2	0.9	3.4	6.1	17	<0.1	0.3	0.2	87	0.48	0.032
1270813	Soil		0.8	46.5	12.6	96	<0.1	36.1	33.7	1110	6.11	2.3	0.8	3.6	9.5	26	<0.1	0.9	<0.1	146	0.92	0.182
1271465	Soil		2.5	13.0	14.3	48	<0.1	16.9	6.2	201	2.24	13.7	0.8	2.8	4.9	14	0.2	0.5	0.2	64	0.22	0.019
1271475	Soil		1.0	32.0	16.2	89	0.1	42.1	16.2	439	4.24	46.1	1.8	3.1	16.7	12	<0.1	0.3	0.3	37	0.21	0.037
1271469	Soil		2.4	12.5	12.5	35	<0.1	15.1	8.1	201	3.34	11.7	0.4	3.6	3.8	8	0.1	0.5	0.2	90	0.09	0.028
1270805	Soil		1.1	25.2	7.6	55	<0.1	36.3	18.6	674	4.18	6.2	1.3	3.6	7.3	21	<0.1	0.8	0.1	93	0.59	0.026
1270800	Soil		0.8	8.8	21.0	72	0.1	14.4	10.2	465	2.05	7.0	1.7	6.4	9.6	28	0.1	0.5	0.2	53	0.58	0.052
1270798	Soil		1.7	20.6	43.8	133	0.1	24.7	15.3	1462	4.02	15.4	2.0	3.8	19.0	13	0.4	1.7	0.4	69	0.16	0.057
1270812	Soil		0.9	39.8	29.4	120	0.2	62.3	21.8	705	5.21	45.1	0.9	1.6	9.0	28	0.1	1.7	0.2	56	2.53	0.056

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000395.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1271463	Soil		31	37	0.53	232	0.059	1	1.48	0.012	0.07	0.1	0.06	4.2	0.2	0.08	6	0.5	<0.2
1270576	Soil		36	35	0.29	141	0.015	3	0.66	0.004	0.20	<0.1	0.06	7.7	0.3	<0.05	3	<0.5	<0.2
1271458	Soil		10	34	0.38	190	0.055	1	1.73	0.008	0.05	0.1	0.02	2.7	0.2	<0.05	7	<0.5	<0.2
1271459	Soil		31	32	0.35	221	0.051	1	1.52	0.008	0.05	0.1	0.04	3.4	0.2	<0.05	7	<0.5	<0.2
1270582	Soil		7	92	1.20	232	0.150	1	2.11	0.010	0.39	0.2	0.02	3.9	0.2	<0.05	9	<0.5	<0.2
1270587	Soil		22	92	1.14	243	0.076	4	1.42	0.020	0.22	0.2	0.11	7.0	0.3	<0.05	5	<0.5	<0.2
1271466	Soil		14	39	0.47	120	0.065	1	1.84	0.009	0.07	0.1	0.02	3.7	0.3	<0.05	8	<0.5	<0.2
1271457	Soil		20	36	0.41	197	0.027	<1	1.38	0.009	0.10	<0.1	0.02	4.2	0.3	<0.05	6	<0.5	<0.2
1271461	Soil		28	34	0.45	238	0.045	1	1.35	0.012	0.04	0.1	0.09	4.5	0.1	<0.05	5	0.5	<0.2
1271470	Soil		6	25	0.50	147	0.093	<1	1.44	0.007	0.06	0.2	0.02	3.1	<0.1	<0.05	7	<0.5	<0.2
1270817	Soil		10	36	5.24	135	0.056	2	1.57	0.008	0.13	0.1	0.05	3.7	0.2	<0.05	5	<0.5	<0.2
1270816	Soil		15	86	1.23	310	0.071	1	2.20	0.014	0.07	<0.1	0.04	8.8	0.2	<0.05	7	<0.5	<0.2
1270577	Soil		11	53	0.84	142	0.108	<1	2.10	0.009	0.19	0.1	0.02	3.2	0.2	<0.05	7	<0.5	<0.2
1271471	Soil		14	26	0.50	159	0.106	<1	1.43	0.009	0.09	0.1	0.02	3.2	0.2	<0.05	8	<0.5	<0.2
1270818	Soil		13	55	1.35	230	0.177	2	2.50	0.008	0.51	0.1	0.01	4.4	0.3	<0.05	11	<0.5	<0.2
1270815	Soil		9	61	1.31	187	0.186	<1	2.35	0.006	0.69	<0.1	<0.01	4.8	0.6	<0.05	7	<0.5	<0.2
1271464	Soil		29	49	0.62	260	0.060	1	2.01	0.011	0.10	0.1	0.04	4.8	0.2	<0.05	8	<0.5	<0.2
1271472	Soil		33	58	1.07	347	0.103	1	1.96	0.013	0.10	0.1	0.01	4.0	0.1	<0.05	7	<0.5	<0.2
1270814	Soil		26	181	2.75	404	0.113	<1	2.98	0.008	0.78	<0.1	0.04	9.8	0.5	<0.05	8	<0.5	<0.2
1270584	Soil		13	39	1.22	176	0.109	2	1.80	0.016	0.42	0.3	0.08	6.3	0.3	<0.05	6	<0.5	<0.2
1271474	Soil		19	33	0.68	173	0.103	<1	1.68	0.010	0.16	0.2	<0.01	3.5	0.2	<0.05	6	<0.5	<0.2
1271473	Soil		12	58	1.19	307	0.116	1	2.19	0.013	0.27	0.2	0.02	7.1	0.2	<0.05	7	<0.5	<0.2
1270813	Soil		37	59	2.13	408	0.138	<1	2.86	0.007	0.82	0.1	0.01	13.6	0.5	<0.05	10	<0.5	<0.2
1271465	Soil		12	30	0.36	113	0.070	1	1.05	0.009	0.06	0.1	0.02	2.8	0.2	<0.05	6	<0.5	<0.2
1271475	Soil		40	36	0.55	160	0.047	3	1.02	0.005	0.34	<0.1	0.05	8.4	0.7	<0.05	4	<0.5	<0.2
1271469	Soil		8	32	0.40	148	0.069	<1	1.90	0.007	0.05	0.1	0.02	3.1	0.1	<0.05	8	<0.5	<0.2
1270805	Soil		29	76	1.23	382	0.115	2	1.97	0.013	0.34	0.1	0.04	9.5	0.3	<0.05	7	<0.5	<0.2
1270800	Soil		18	28	0.49	149	0.064	2	1.22	0.016	0.07	0.2	0.05	3.7	0.2	0.17	6	<0.5	<0.2
1270798	Soil		22	39	0.49	111	0.060	2	2.02	0.011	0.12	0.1	0.03	4.9	0.5	<0.05	7	<0.5	<0.2
1270812	Soil		30	75	1.57	179	0.081	1	1.99	0.006	0.69	0.1	0.07	8.6	0.6	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000395.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1270806	Soil	1.0	23.8	15.1	50	<0.1	37.3	19.3	596	4.16	7.7	1.0	2.6	17.8	23	<0.1	1.0	0.1	110	0.61	0.038
1270802	Soil	0.9	11.6	19.0	77	0.1	16.1	9.8	658	2.08	8.0	3.4	2.6	7.3	31	0.2	0.6	0.3	47	0.62	0.057
1270799	Soil	0.9	12.9	14.8	71	0.2	17.5	10.2	477	2.51	11.0	4.1	3.0	9.1	43	0.2	0.7	0.2	56	0.84	0.069
1270811	Soil	0.7	39.8	9.1	88	0.1	48.5	19.2	709	5.64	21.0	1.3	2.6	10.3	41	<0.1	0.3	0.1	77	1.15	0.101
1270807	Soil	0.8	26.8	7.9	64	<0.1	46.4	16.8	546	4.75	16.3	0.9	1.6	8.4	14	<0.1	0.3	0.1	95	0.34	0.023
1270809	Soil	1.3	32.1	14.6	81	<0.1	40.7	16.1	485	4.56	19.3	1.0	2.5	9.2	15	<0.1	0.4	<0.1	56	0.24	0.026
1270821	Soil	0.5	19.8	7.4	55	<0.1	31.6	14.4	559	2.84	24.0	1.3	1.8	2.9	68	0.1	0.7	<0.1	55	1.82	0.090
1270810	Soil	1.6	33.0	16.5	77	0.2	54.0	20.9	898	4.53	17.6	1.4	1.3	15.6	21	<0.1	0.4	0.6	48	0.83	0.090
1270808	Soil	1.1	22.7	14.7	83	<0.1	31.1	18.7	573	5.34	14.5	1.6	0.8	14.5	13	<0.1	0.3	<0.1	58	0.33	0.041
1270797	Soil	2.1	19.7	22.9	103	0.1	25.6	9.4	421	3.62	15.3	1.2	2.4	9.1	15	0.4	1.4	0.6	75	0.14	0.034
1270820	Soil	0.5	28.0	6.6	50	<0.1	31.2	12.8	517	2.48	20.0	1.8	1.8	2.5	80	0.1	0.5	<0.1	44	2.44	0.085
1270819	Soil	0.8	36.6	9.8	72	<0.1	62.1	23.8	634	4.79	53.1	0.9	2.8	6.5	39	0.1	0.6	0.1	92	1.34	0.151
1270876	Soil	1.2	20.7	14.9	59	0.2	26.0	12.0	501	3.38	9.0	2.7	2.4	12.3	28	0.2	0.4	0.2	50	0.75	0.043
1270886	Soil	0.4	18.4	9.3	57	<0.1	35.0	13.2	496	2.46	5.6	1.4	2.9	6.2	72	0.3	0.3	0.1	49	1.98	0.071
1270827	Soil	0.5	22.2	5.7	52	<0.1	33.6	12.6	417	2.43	9.8	1.3	1.4	2.4	68	0.1	0.5	<0.1	39	2.06	0.062
1270803	Soil	1.7	11.1	18.4	74	0.1	16.6	10.0	506	3.14	10.3	1.7	1.6	4.3	19	0.1	0.4	0.3	75	0.31	0.060
1270885	Soil	0.5	27.1	6.5	64	<0.1	35.1	14.6	700	3.07	4.4	2.6	1.7	7.3	50	0.2	0.3	<0.1	58	1.23	0.107
1270858	Soil	1.8	14.8	56.3	176	<0.1	26.2	8.7	780	3.88	26.1	3.3	2.9	25.9	20	0.3	4.0	0.6	36	0.20	0.045
1270822	Soil	0.4	21.9	6.5	59	<0.1	31.0	14.1	646	2.74	14.1	0.9	1.8	2.9	83	0.1	0.9	<0.1	50	2.12	0.088
1270804	Soil	1.8	12.5	12.2	42	<0.1	22.6	9.6	423	3.92	31.0	1.0	3.0	10.0	24	0.1	1.9	0.2	55	0.52	0.018
1270879	Soil	1.1	29.7	14.7	79	<0.1	45.1	17.7	355	3.86	10.1	1.3	1.3	9.0	24	<0.1	0.3	0.3	51	0.33	0.039
1270868	Soil	1.6	19.3	15.9	69	0.2	25.1	10.9	534	3.17	27.9	3.2	1.9	10.9	39	0.2	1.2	0.2	57	0.83	0.051
1270823	Soil	0.4	29.3	5.9	61	<0.1	41.7	14.6	499	2.85	16.2	1.2	7.2	3.4	75	0.1	0.7	<0.1	47	2.04	0.080
1270801	Rock Pulp	1.3	376.5	17.7	131	0.2	186.4	63.0	704	13.26	2.6	1.0	27.7	6.2	12	<0.1	0.3	0.1	184	0.26	0.037
1270870	Soil	1.1	18.0	8.2	46	<0.1	32.2	10.7	355	3.05	15.7	1.2	1.7	9.5	19	<0.1	1.2	0.2	56	0.41	0.040
1270875	Soil	1.3	17.5	11.1	53	<0.1	32.5	12.8	445	3.26	8.2	1.1	2.4	7.9	19	<0.1	0.6	0.2	67	0.45	0.034
1270824	Soil	0.6	27.2	6.8	59	<0.1	37.9	13.9	577	2.57	10.3	1.4	1.2	2.1	86	<0.1	0.6	<0.1	43	2.53	0.074
1270828	Soil	0.5	24.4	6.8	56	<0.1	35.3	13.8	507	2.84	11.6	0.9	4.7	3.2	63	0.1	0.5	<0.1	46	1.81	0.070
1270884	Soil	1.6	23.2	10.1	58	<0.1	40.0	18.4	441	4.37	8.1	0.7	1.0	5.0	26	0.1	0.8	0.1	97	0.44	0.054
1270861	Soil	2.1	15.5	19.1	64	0.1	20.4	12.6	1156	3.03	8.2	2.0	1.3	8.5	33	<0.1	0.5	0.4	60	0.65	0.041

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000395.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1270806	Soil	45	174	1.47	577	0.138	2	2.23	0.018	0.40	0.2	0.03	15.4	0.6	<0.05	7	<0.5	<0.2
1270802	Soil	26	32	0.57	194	0.048	2	1.33	0.017	0.07	0.1	0.06	4.8	0.2	0.06	5	<0.5	<0.2
1270799	Soil	32	31	0.58	188	0.060	2	1.37	0.017	0.09	0.2	0.06	5.0	0.2	0.06	5	<0.5	<0.2
1270811	Soil	32	80	1.66	186	0.203	1	2.50	0.008	1.01	<0.1	0.03	5.6	0.8	0.08	9	<0.5	<0.2
1270807	Soil	22	98	2.23	346	0.187	1	3.07	0.011	1.01	0.1	<0.01	9.0	0.5	<0.05	10	<0.5	<0.2
1270809	Soil	10	55	1.44	198	0.192	<1	2.68	0.008	0.98	0.1	0.01	3.5	0.7	<0.05	8	<0.5	<0.2
1270821	Soil	15	54	0.94	206	0.059	4	1.35	0.013	0.18	0.2	0.06	5.1	0.3	0.05	5	<0.5	<0.2
1270810	Soil	36	60	2.06	353	0.168	<1	2.65	0.010	1.01	<0.1	0.03	5.8	0.5	<0.05	8	<0.5	<0.2
1270808	Soil	31	55	1.83	473	0.189	<1	2.90	0.007	1.40	0.1	0.01	6.5	0.6	<0.05	8	<0.5	<0.2
1270797	Soil	10	50	0.44	179	0.046	3	2.78	0.009	0.06	0.1	0.03	3.9	0.3	<0.05	7	<0.5	<0.2
1270820	Soil	17	46	0.94	258	0.058	4	1.33	0.016	0.20	<0.1	0.07	4.9	0.3	0.07	4	<0.5	<0.2
1270819	Soil	25	100	2.15	261	0.107	3	2.59	0.012	0.57	0.1	0.02	10.4	0.6	<0.05	8	<0.5	<0.2
1270876	Soil	63	41	0.89	360	0.089	1	1.75	0.014	0.26	0.1	0.05	6.2	0.3	<0.05	6	<0.5	<0.2
1270886	Soil	24	66	1.00	178	0.080	3	1.37	0.014	0.23	0.1	0.06	5.2	0.2	0.10	5	<0.5	<0.2
1270827	Soil	12	54	0.92	155	0.066	3	1.30	0.015	0.18	0.1	0.04	3.5	0.2	0.05	4	<0.5	<0.2
1270803	Soil	16	37	0.61	117	0.058	2	1.57	0.013	0.07	0.1	0.05	3.6	0.2	<0.05	7	<0.5	<0.2
1270885	Soil	47	58	1.01	229	0.096	2	1.73	0.021	0.30	0.1	0.06	6.3	0.2	<0.05	6	<0.5	<0.2
1270858	Soil	49	32	0.40	126	0.027	2	1.63	0.006	0.29	0.2	0.02	6.8	0.8	0.05	7	<0.5	<0.2
1270822	Soil	16	49	0.87	198	0.061	3	1.30	0.014	0.16	0.1	0.07	5.2	0.3	0.06	4	<0.5	<0.2
1270804	Soil	37	34	0.53	737	0.046	1	1.51	0.011	0.15	0.1	0.03	9.4	0.2	<0.05	5	<0.5	<0.2
1270879	Soil	19	45	0.95	104	0.105	1	1.72	0.012	0.33	<0.1	0.02	3.9	0.3	0.06	6	<0.5	<0.2
1270868	Soil	40	41	0.62	346	0.059	2	1.68	0.014	0.12	0.2	0.07	6.7	0.3	0.06	6	<0.5	<0.2
1270823	Soil	17	66	1.14	198	0.070	3	1.58	0.014	0.21	0.2	0.05	5.1	0.3	0.06	5	<0.5	<0.2
1270801	Rock Pulp	15	620	0.12	120	0.151	3	3.47	0.011	0.05	<0.1	0.03	34.6	0.1	<0.05	18	<0.5	<0.2
1270870	Soil	32	70	1.19	341	0.073	1	1.93	0.017	0.19	0.3	0.02	6.1	0.2	<0.05	7	<0.5	<0.2
1270875	Soil	23	59	1.15	250	0.099	1	1.97	0.013	0.15	0.2	0.02	5.6	0.2	<0.05	7	<0.5	<0.2
1270824	Soil	13	59	1.06	210	0.074	4	1.43	0.017	0.22	0.1	0.05	3.7	0.3	0.12	4	<0.5	<0.2
1270828	Soil	15	54	0.96	172	0.076	2	1.41	0.016	0.21	0.1	0.05	4.3	0.2	0.05	5	<0.5	<0.2
1270884	Soil	14	67	1.05	234	0.108	1	2.49	0.014	0.19	0.2	0.02	5.0	0.2	<0.05	8	<0.5	<0.2
1270861	Soil	23	35	0.53	190	0.046	2	1.62	0.013	0.06	0.2	0.03	4.6	0.2	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000395.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1270872	Soil		1.3	15.0	7.9	32	<0.1	14.8	5.8	170	2.17	6.8	0.5	0.9	3.1	18	<0.1	0.5	0.1	58	0.44	0.023
1270874	Soil		1.4	18.1	10.1	52	<0.1	32.6	13.4	456	3.28	8.0	1.1	1.6	8.6	20	<0.1	0.7	0.2	67	0.45	0.035
1270883	Soil		1.9	22.4	6.3	61	<0.1	41.3	21.8	490	4.96	5.0	0.5	<0.5	4.1	20	<0.1	0.2	<0.1	95	0.34	0.042
1270860	Soil		1.6	23.6	19.7	71	0.2	27.5	11.6	571	3.25	7.7	3.2	6.2	16.8	29	0.2	0.6	0.3	62	0.47	0.049
1270880	Soil		1.2	27.9	12.6	65	<0.1	43.5	16.1	332	4.13	26.7	1.3	1.8	7.9	23	<0.1	1.5	0.7	63	0.37	0.034
1270878	Soil		0.9	32.7	14.7	72	0.1	47.7	17.3	508	4.18	33.8	1.6	1.3	9.6	37	0.1	0.9	0.3	53	0.97	0.046
1270865	Soil		1.4	16.6	16.1	71	0.2	20.6	9.7	430	2.29	13.0	2.3	1.8	7.1	25	0.1	0.7	0.2	57	0.44	0.059
1270887	Soil		0.7	33.8	8.2	65	0.1	35.4	13.9	382	2.70	7.2	1.2	3.4	4.8	41	0.3	0.7	0.1	61	0.93	0.078
1270877	Soil		1.1	41.1	34.3	106	0.2	54.3	21.8	754	4.30	18.3	1.8	1.2	11.4	40	0.2	0.3	0.3	56	1.10	0.076
1270881	Soil		1.1	23.0	12.9	57	<0.1	25.3	18.7	526	3.89	7.1	1.6	2.5	11.9	27	<0.1	0.7	0.2	79	0.59	0.030
1270869	Soil		1.2	15.9	12.1	58	0.1	20.2	10.0	395	2.50	22.4	1.4	2.4	6.5	19	0.2	1.2	0.2	53	0.32	0.036
1270873	Soil		1.0	17.5	7.9	46	<0.1	44.6	14.8	412	3.23	7.2	1.1	3.9	11.0	18	<0.1	0.4	0.2	73	0.52	0.033
1270863	Soil		0.5	7.9	10.1	46	<0.1	12.4	3.9	97	1.37	4.8	1.1	2.2	2.6	24	<0.1	0.3	0.2	36	0.40	0.038
1270866	Soil		2.4	19.3	14.4	79	0.4	27.1	12.5	594	2.67	10.8	2.2	4.3	5.4	28	0.2	0.5	0.2	66	0.49	0.054
1271913	Soil		1.2	17.1	14.2	60	0.1	19.9	11.4	451	2.53	9.9	2.2	1.2	9.5	29	0.2	0.8	0.2	52	0.65	0.055
1271919	Soil		1.8	17.7	7.5	59	<0.1	54.9	24.1	521	4.25	4.7	0.7	0.7	4.8	29	<0.1	0.3	<0.1	99	0.47	0.066
1271921	Soil		0.9	20.6	6.2	43	<0.1	33.6	16.5	572	3.21	4.2	2.0	1.5	5.9	57	<0.1	0.3	0.1	66	1.27	0.076
1270859	Soil		1.3	19.8	13.9	64	<0.1	26.5	12.0	397	3.32	9.3	1.2	2.7	11.3	18	0.1	0.6	0.3	68	0.25	0.032
1271915	Soil		1.3	18.0	11.7	40	0.1	17.8	10.7	624	2.87	6.4	2.1	2.3	13.5	26	0.1	0.7	0.3	62	0.68	0.041
1271918	Soil		1.2	19.4	13.1	54	<0.1	53.6	18.7	633	3.54	5.4	2.9	1.1	12.8	49	<0.1	1.1	0.9	69	1.52	0.033
1271920	Soil		1.2	17.5	10.0	58	<0.1	45.3	26.8	852	4.69	3.4	1.1	2.5	5.2	37	<0.1	0.2	<0.1	109	0.89	0.079
1270862	Soil		1.9	10.0	12.1	53	0.1	14.9	8.0	245	1.77	5.7	1.6	2.6	4.0	30	0.1	0.4	0.2	46	0.53	0.044
1271916	Soil		0.8	20.8	11.4	54	<0.1	55.6	14.2	498	3.07	6.3	1.7	2.3	11.8	30	<0.1	0.7	0.2	69	0.79	0.067
1271922	Soil		1.6	44.8	8.1	68	<0.1	55.8	26.2	768	4.88	4.6	1.0	0.7	7.0	37	<0.1	0.2	0.1	109	0.93	0.072
1270882	Soil		0.9	28.2	9.8	44	<0.1	56.1	19.9	488	4.22	5.9	1.2	0.9	9.3	88	<0.1	1.3	0.1	74	3.01	0.080
1270867	Soil		1.9	24.4	15.6	77	0.3	29.6	11.9	621	3.16	39.9	3.1	2.5	9.3	37	0.3	1.6	0.2	61	0.70	0.054
1271914	Soil		2.3	17.4	15.2	54	<0.1	28.1	12.6	380	3.67	11.6	1.2	2.0	16.8	15	0.1	0.8	0.5	76	0.18	0.024
1271917	Soil		0.6	19.7	13.1	59	<0.1	21.2	16.0	602	4.29	5.1	1.9	1.9	9.1	38	0.1	0.8	0.3	99	1.13	0.051
1270871	Soil		1.6	17.2	10.8	40	0.1	18.4	8.3	198	2.61	8.8	0.8	0.8	4.6	17	0.1	0.6	0.2	66	0.24	0.027
1270864	Soil		1.4	7.8	14.6	50	<0.1	14.0	4.8	137	1.82	8.4	0.9	2.1	2.2	18	<0.1	0.3	0.3	48	0.27	0.053

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000395.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1270872	Soil	12	32	0.62	229	0.078	1	1.24	0.011	0.07	0.2	0.02	3.9	0.1	<0.05	7	<0.5	<0.2
1270874	Soil	23	59	1.10	258	0.095	1	1.89	0.014	0.15	0.2	0.03	5.6	0.2	<0.05	7	<0.5	<0.2
1270883	Soil	7	70	1.96	184	0.231	<1	2.79	0.009	0.66	0.2	0.01	3.4	0.4	<0.05	9	<0.5	<0.2
1270860	Soil	90	43	0.65	289	0.079	2	1.95	0.019	0.09	0.1	0.04	6.9	0.3	<0.05	7	<0.5	<0.2
1270880	Soil	26	59	0.98	166	0.109	<1	2.05	0.012	0.23	0.2	0.02	4.4	0.2	<0.05	7	<0.5	<0.2
1270878	Soil	34	56	1.10	207	0.102	2	1.91	0.014	0.36	0.1	0.05	5.9	0.3	<0.05	6	<0.5	<0.2
1270865	Soil	20	33	0.49	205	0.060	1	1.23	0.011	0.06	0.2	0.05	4.0	0.2	<0.05	5	<0.5	<0.2
1270887	Soil	16	48	0.88	208	0.085	2	1.30	0.024	0.19	0.2	0.04	4.9	0.2	<0.05	4	<0.5	<0.2
1270877	Soil	42	84	2.02	211	0.128	1	2.43	0.008	0.39	0.1	0.03	5.4	0.5	<0.05	7	<0.5	<0.2
1270881	Soil	36	36	0.78	317	0.056	2	1.78	0.014	0.16	0.1	0.04	8.3	0.2	<0.05	6	<0.5	<0.2
1270869	Soil	21	34	0.57	319	0.046	<1	1.39	0.009	0.06	0.2	0.04	4.1	0.2	<0.05	5	<0.5	<0.2
1270873	Soil	25	88	1.58	315	0.103	<1	2.20	0.012	0.25	0.2	0.02	5.7	0.2	<0.05	7	<0.5	<0.2
1270863	Soil	11	25	0.35	130	0.040	<1	1.09	0.011	0.04	0.1	0.05	2.8	0.1	0.06	5	<0.5	<0.2
1270866	Soil	33	46	0.65	288	0.050	1	1.85	0.011	0.07	0.1	0.09	5.0	0.2	<0.05	7	<0.5	<0.2
1271913	Soil	29	33	0.57	240	0.062	1	1.32	0.011	0.10	0.2	0.06	5.4	0.2	<0.05	5	<0.5	<0.2
1271919	Soil	9	115	2.01	329	0.179	<1	2.55	0.012	0.56	0.1	<0.01	3.1	0.2	<0.05	8	<0.5	<0.2
1271921	Soil	21	70	1.35	394	0.074	2	1.54	0.009	0.25	0.1	0.04	7.2	0.2	<0.05	5	<0.5	<0.2
1270859	Soil	16	42	0.62	201	0.088	<1	2.04	0.009	0.11	0.2	0.02	4.4	0.2	<0.05	7	<0.5	<0.2
1271915	Soil	69	29	0.58	521	0.057	1	1.44	0.012	0.09	0.2	0.05	6.5	0.2	<0.05	5	<0.5	<0.2
1271918	Soil	21	99	0.93	408	0.029	2	1.17	0.006	0.20	0.2	0.06	11.6	0.2	<0.05	4	<0.5	<0.2
1271920	Soil	26	130	1.87	342	0.097	2	2.39	0.012	0.25	<0.1	0.03	10.0	0.2	<0.05	8	<0.5	<0.2
1270862	Soil	18	25	0.40	167	0.037	<1	1.17	0.012	0.06	0.1	0.05	3.2	0.1	<0.05	4	<0.5	<0.2
1271916	Soil	46	68	0.92	595	0.059	1	1.53	0.011	0.16	0.2	0.04	11.9	0.2	<0.05	5	<0.5	<0.2
1271922	Soil	26	102	1.81	400	0.125	1	2.40	0.009	0.43	<0.1	0.02	9.7	0.2	<0.05	9	<0.5	<0.2
1270882	Soil	37	77	1.08	371	0.076	1	1.68	0.008	0.56	0.3	0.07	11.4	0.4	<0.05	6	<0.5	<0.2
1270867	Soil	34	40	0.55	618	0.047	2	1.62	0.011	0.08	0.1	0.08	6.5	0.3	<0.05	6	<0.5	<0.2
1271914	Soil	25	54	0.71	180	0.079	<1	2.06	0.010	0.09	0.2	0.03	4.8	0.2	<0.05	7	<0.5	<0.2
1271917	Soil	29	39	1.38	400	0.097	1	1.85	0.011	0.42	0.2	0.03	16.7	0.3	<0.05	7	<0.5	<0.2
1270871	Soil	25	34	0.57	448	0.070	<1	1.80	0.013	0.07	0.2	0.03	3.9	0.2	<0.05	7	<0.5	<0.2
1270864	Soil	11	29	0.41	92	0.044	<1	1.17	0.010	0.04	0.2	0.04	2.4	0.2	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000395.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1271906	Soil	1.5	60.7	19.1	148	0.5	51.1	19.3	700	3.40	27.2	2.7	4.1	2.7	48	1.4	1.0	0.1	94	1.10	0.062
1271903	Soil	4.5	119.7	25.6	327	1.3	118.7	30.5	919	5.60	74.5	5.0	13.9	7.2	34	2.0	1.9	0.3	156	0.51	0.062
1271911	Soil	1.1	18.3	14.4	67	0.1	23.0	13.0	423	3.26	7.9	2.6	2.6	13.9	27	0.2	0.5	0.2	58	0.54	0.054
1271907	Soil	1.8	39.3	12.1	65	0.7	30.0	8.7	615	2.18	15.4	10.3	2.5	3.2	41	0.9	0.7	0.3	52	1.05	0.089
1270499	Soil	1.7	39.6	11.9	64	0.7	28.3	8.2	582	2.12	15.4	9.6	2.8	2.9	40	0.9	0.7	0.3	51	0.97	0.088
1271904	Soil	3.3	75.0	21.5	219	0.4	70.2	23.8	809	4.68	31.7	1.6	3.8	4.3	24	0.8	1.6	0.2	140	0.41	0.104
1271910	Soil	1.5	13.1	11.6	49	<0.1	14.5	8.6	280	2.78	8.3	1.0	6.1	6.0	18	0.1	0.7	0.3	64	0.27	0.023
1271909	Soil	2.6	17.3	15.9	55	0.3	22.4	9.1	308	3.21	16.2	0.9	0.9	5.5	19	0.2	0.7	0.3	77	0.32	0.027
1270498	Soil	1.6	31.1	17.7	93	1.0	26.1	5.4	176	1.87	22.2	1.4	5.7	0.8	16	1.0	0.9	0.1	45	0.23	0.093
1270500	Soil	1.2	21.4	9.2	51	0.5	14.5	3.3	104	1.37	10.8	0.9	6.2	0.4	16	0.3	0.4	0.1	36	0.16	0.054
1270495	Soil	2.0	24.6	22.0	127	0.6	26.0	9.5	177	2.07	35.6	1.0	4.9	0.8	13	0.8	1.3	0.2	58	0.16	0.072
1271908	Soil	0.7	22.2	4.1	14	0.3	10.3	3.5	225	0.56	1.1	3.7	2.9	5.5	98	0.2	0.7	<0.1	7	2.14	0.067
1270496	Soil	1.4	48.5	9.5	93	0.8	41.2	24.4	1997	2.11	23.7	2.1	12.2	0.6	31	2.4	1.4	0.4	48	0.50	0.105
1271902	Soil	1.8	24.4	10.8	67	0.4	14.7	3.9	160	1.93	8.4	0.5	2.2	1.9	10	0.6	0.8	0.4	73	0.08	0.036
1271905	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1271912	Soil	1.6	23.4	15.6	75	0.2	24.5	12.9	589	2.99	18.7	3.1	3.4	11.5	42	0.3	1.6	0.3	55	0.77	0.062
[redacted]																					
1270497	Soil	4.9	79.7	42.7	219	0.3	124.7	24.6	520	4.76	98.8	0.8	48.1	1.3	32	0.5	5.4	0.1	114	0.25	0.097
[redacted]																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000395.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1271906	Soil	20	58	0.80	689	0.091	3	1.75	0.017	0.17	0.1	0.07	6.9	0.3	0.10	6	1.1	<0.2
1271903	Soil	65	110	1.38	661	0.153	2	3.13	0.022	0.29	0.2	0.12	10.2	0.7	0.10	10	1.3	<0.2
1271911	Soil	35	38	0.71	197	0.075	2	1.49	0.012	0.17	0.2	0.03	6.1	0.3	<0.05	6	<0.5	<0.2
1271907	Soil	90	41	0.40	396	0.033	2	1.20	0.012	0.08	0.1	0.10	4.3	0.2	0.15	4	0.7	<0.2
1270499	Soil	85	39	0.37	379	0.033	2	1.11	0.011	0.08	0.1	0.10	4.1	0.2	0.14	4	1.0	<0.2
1271904	Soil	19	79	1.31	456	0.198	<1	2.38	0.017	0.57	0.2	0.03	6.8	0.5	0.12	9	1.0	<0.2
1271910	Soil	10	26	0.51	120	0.064	1	1.11	0.008	0.13	0.2	0.02	3.1	0.2	<0.05	6	<0.5	<0.2
1271909	Soil	14	37	0.52	160	0.074	1	1.66	0.010	0.11	0.2	0.03	3.4	0.2	<0.05	7	<0.5	<0.2
1270498	Soil	11	42	0.35	254	0.047	2	1.02	0.010	0.09	0.1	0.16	3.5	0.6	0.10	5	1.1	<0.2
1270500	Soil	10	39	0.33	180	0.050	2	0.88	0.011	0.14	<0.1	0.09	2.0	0.3	0.09	6	1.1	<0.2
1270495	Soil	10	39	0.39	208	0.049	1	1.17	0.009	0.05	0.2	0.19	2.9	1.0	<0.05	6	<0.5	<0.2
1271908	Soil	166	9	0.15	592	0.013	4	0.36	0.008	0.02	<0.1	0.10	3.6	<0.1	0.21	<1	<0.5	<0.2
1270496	Soil	21	30	0.35	879	0.030	4	1.10	0.012	0.04	0.1	0.18	6.0	0.6	0.14	3	<0.5	<0.2
1271902	Soil	8	18	0.12	177	0.094	<1	0.63	0.011	0.04	<0.1	0.02	1.6	0.1	<0.05	6	<0.5	<0.2
1271905	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1271912	Soil	33	35	0.65	287	0.074	2	1.48	0.016	0.11	0.2	0.06	7.0	0.2	<0.05	5	0.6	<0.2
[redacted]																		
1270497	Soil	7	76	0.45	398	0.046	4	0.86	0.023	0.16	0.1	0.07	5.4	1.6	0.15	5	1.0	0.4
[redacted]																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000395.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
[redacted]																					
1286801	Rock Pulp	1.4	437.6	23.1	162	0.2	210.1	75.2	812	15.31	3.1	1.5	38.3	8.4	18	0.1	0.3	0.2	212	0.29	0.041
[redacted]																					
1286828	Soil	0.7	20.6	10.8	73	0.1	14.0	13.4	276	3.37	11.2	2.3	5.7	5.1	21	0.1	0.5	0.4	85	0.31	0.072
1286824	Soil	0.9	23.1	9.0	80	0.2	13.8	16.7	482	3.97	68.0	2.6	23.5	7.4	27	0.1	1.0	0.1	114	0.49	0.089
1286832	Soil	0.4	18.6	10.4	73	0.1	14.2	12.4	281	3.16	7.3	2.0	9.7	5.7	29	0.1	0.8	0.2	83	0.48	0.057
[redacted]																					
1286836	Soil	1.4	23.2	23.5	80	0.5	13.3	13.3	408	3.05	10.3	2.5	5.3	6.8	43	0.4	1.3	<0.1	89	0.89	0.075
1286838	Soil	1.7	51.0	77.1	150	2.8	19.2	17.7	864	4.24	28.3	7.1	13.5	10.5	48	1.1	3.0	<0.1	118	0.96	0.066
1286848	Soil	1.0	32.5	21.4	87	0.5	15.1	19.9	849	4.59	10.2	1.9	5.7	9.7	41	0.2	1.0	<0.1	110	0.86	0.080
1286839	Soil	1.0	23.4	49.0	81	2.4	16.0	10.7	290	2.97	18.1	1.3	7.1	5.0	25	0.4	2.3	<0.1	85	0.35	0.031
1286837	Soil	2.0	37.1	154.1	206	3.9	15.1	18.0	388	4.80	73.2	4.1	20.2	11.7	40	0.8	6.0	<0.1	135	0.91	0.084
1286842	Soil	0.3	23.5	26.2	34	0.7	5.6	5.0	431	1.44	10.4	0.9	9.2	8.5	42	0.2	6.1	<0.1	53	0.84	0.028
1286844	Soil	0.7	37.6	17.2	89	0.1	10.5	19.4	884	5.48	9.5	3.0	3.6	16.7	16	0.2	7.8	0.4	97	0.41	0.109
1286845	Soil	1.1	34.8	21.8	60	1.0	19.4	13.4	915	3.05	49.3	4.1	13.4	8.6	31	0.2	1.6	0.1	70	0.47	0.044

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000395.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
[redacted]																		
1286801	Rock Pulp	19	567	0.14	154	0.192	3	3.90	0.014	0.06	<0.1	0.04	41.0	<0.1	<0.05	21	<0.5	<0.2
[redacted]																		
1286828	Soil	11	34	0.84	257	0.142	2	2.15	0.011	0.06	0.1	0.04	4.3	0.2	<0.05	7	<0.5	<0.2
1286824	Soil	15	34	1.06	415	0.202	1	2.18	0.013	0.13	0.2	0.03	5.6	0.2	<0.05	7	<0.5	<0.2
1286832	Soil	12	33	1.01	282	0.132	1	1.97	0.012	0.06	0.1	0.04	4.8	0.1	<0.05	7	<0.5	<0.2
[redacted]																		
1286836	Soil	12	33	1.02	334	0.177	2	1.97	0.014	0.11	0.1	0.05	5.2	0.1	0.10	7	<0.5	<0.2
1286838	Soil	27	41	1.09	411	0.147	2	2.66	0.012	0.09	<0.1	0.06	10.7	0.1	<0.05	9	<0.5	<0.2
1286848	Soil	15	35	1.75	374	0.027	<1	3.94	0.007	0.05	<0.1	0.04	8.5	<0.1	<0.05	10	<0.5	<0.2
1286839	Soil	15	31	0.69	315	0.113	1	2.04	0.010	0.05	0.1	0.03	4.6	0.1	<0.05	7	<0.5	<0.2
1286837	Soil	22	36	1.17	397	0.200	1	2.49	0.012	0.17	<0.1	0.05	8.2	0.2	<0.05	8	<0.5	<0.2
1286842	Soil	21	8	0.28	420	0.002	2	1.57	0.005	0.09	<0.1	0.07	5.8	0.1	<0.05	4	<0.5	<0.2
1286844	Soil	31	19	0.25	197	0.004	1	0.84	0.004	0.06	<0.1	0.04	20.2	<0.1	<0.05	4	<0.5	<0.2
1286845	Soil	35	35	0.51	437	0.032	1	1.88	0.014	0.05	0.2	0.11	9.6	0.1	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000395.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1286829	Soil	0.7	15.3	9.9	72	0.1	13.4	11.5	272	3.38	12.8	1.5	2.3	4.2	21	0.1	0.6	<0.1	96	0.34	0.071
1286831	Soil	0.7	19.4	10.4	79	0.1	13.1	16.9	444	3.77	11.9	1.5	2.6	7.4	32	0.1	0.7	<0.1	117	0.61	0.093
1286847	Soil	0.5	30.8	9.3	83	0.3	10.6	22.1	1142	4.88	12.7	2.5	0.5	13.8	66	0.3	1.9	<0.1	96	1.05	0.124
1286818	Soil	0.8	14.4	7.0	67	<0.1	11.1	14.9	455	3.47	22.7	1.2	63.1	5.0	20	<0.1	0.5	<0.1	120	0.36	0.088
1286827	Soil	0.8	16.4	10.5	74	0.2	13.8	13.6	429	3.35	14.2	1.8	0.9	4.2	26	0.2	0.6	<0.1	100	0.36	0.071
1286833	Soil	0.5	14.5	10.8	73	0.1	12.6	12.5	333	3.49	9.6	1.2	4.0	5.5	28	0.1	0.8	<0.1	95	0.52	0.073
1286825	Soil	1.0	21.4	8.3	79	0.2	12.6	16.3	536	3.87	90.5	2.2	6.3	6.9	34	0.1	1.1	<0.1	114	0.56	0.085
1286830	Soil	0.5	18.8	9.7	70	0.1	13.7	12.2	289	3.18	11.1	2.2	4.8	5.3	27	0.1	0.6	<0.1	95	0.45	0.064
1286817	Soil	0.6	17.5	6.8	67	<0.1	12.4	14.1	362	3.43	19.6	1.9	1.8	7.2	26	0.1	0.6	<0.1	109	0.39	0.085
1286835	Soil	0.9	18.8	11.4	80	0.3	15.4	18.3	769	3.81	13.2	1.8	2.9	6.4	36	0.3	0.9	<0.1	101	0.70	0.070
1286851	Rock Pulp	2.2	23.4	2.4	39	0.3	22.1	9.3	365	2.17	4.1	0.2	1.3	0.8	38	0.2	0.3	<0.1	55	0.73	0.055
1286846	Soil	0.5	34.1	9.7	89	0.2	10.3	22.7	1176	5.70	16.4	2.0	2.8	17.0	50	0.1	1.7	0.5	113	0.75	0.118
1286821	Soil	0.8	18.6	7.8	75	0.2	12.7	16.0	454	3.80	62.2	2.1	401.2	7.2	24	0.1	0.8	<0.1	112	0.42	0.087
1286834	Soil	0.4	20.5	16.3	81	0.3	14.3	13.0	316	3.01	6.8	1.9	4.1	6.7	26	0.2	1.1	<0.1	87	0.45	0.067
1286840	Soil	0.8	41.0	41.6	101	1.0	16.8	14.9	462	3.94	63.5	5.0	17.9	8.4	32	0.6	2.1	<0.1	90	0.55	0.064
1286826	Soil	0.9	20.9	8.0	76	0.2	12.2	15.8	519	3.93	90.8	2.1	9.6	6.4	31	0.1	1.1	<0.1	115	0.57	0.083
1286843	Soil	0.5	19.4	18.2	85	0.6	13.0	18.6	1931	5.54	32.2	2.5	384.9	20.1	20	0.3	4.2	<0.1	35	0.37	0.076
1286841	Soil	0.9	26.5	29.4	91	0.4	17.3	14.8	882	3.34	26.0	2.6	7.6	8.6	26	0.4	3.3	0.2	69	0.42	0.043
1286819	Soil	0.5	12.2	6.8	62	<0.1	10.2	9.6	274	2.78	23.1	1.6	3.8	4.9	24	0.1	0.5	<0.1	86	0.40	0.078
1286823	Soil	0.7	20.2	8.4	77	0.2	12.9	13.9	387	3.66	70.8	2.3	8.7	6.3	26	0.1	0.9	<0.1	102	0.45	0.070

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000395.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1286829	Soil	10	32	0.92	202	0.137	<1	1.96	0.011	0.05	0.1	0.03	3.8	0.1	<0.05	7	<0.5	<0.2
1286831	Soil	12	36	1.10	379	0.188	<1	2.01	0.015	0.13	0.1	0.01	4.5	0.2	<0.05	8	<0.5	<0.2
1286847	Soil	32	28	2.47	226	0.004	1	3.87	0.003	0.07	<0.1	0.03	10.0	<0.1	<0.05	11	<0.5	<0.2
1286818	Soil	10	30	0.89	273	0.230	<1	1.87	0.015	0.18	0.2	0.02	3.8	0.3	<0.05	7	<0.5	<0.2
1286827	Soil	11	32	0.82	314	0.136	1	1.97	0.011	0.05	<0.1	0.04	4.3	0.1	<0.05	7	<0.5	<0.2
1286833	Soil	10	32	0.97	241	0.157	1	1.93	0.015	0.07	0.1	0.04	4.2	0.1	0.07	7	<0.5	<0.2
1286825	Soil	12	31	1.00	447	0.191	<1	2.13	0.014	0.13	0.2	0.03	5.4	0.2	<0.05	7	<0.5	<0.2
1286830	Soil	13	31	0.86	350	0.131	1	1.89	0.013	0.06	0.1	0.03	4.9	0.1	<0.05	7	<0.5	<0.2
1286817	Soil	13	30	0.88	385	0.224	<1	2.03	0.014	0.21	0.2	0.02	4.0	0.3	<0.05	7	<0.5	<0.2
1286835	Soil	11	34	1.09	351	0.204	2	2.10	0.015	0.11	0.1	0.04	5.1	0.2	<0.05	7	<0.5	<0.2
1286851	Rock Pulp	4	28	0.72	92	0.102	2	1.35	0.077	0.11	12.8	<0.01	4.1	<0.1	<0.05	5	<0.5	<0.2
1286846	Soil	26	33	2.31	294	0.004	<1	3.80	0.004	0.07	<0.1	0.02	19.8	<0.1	<0.05	13	<0.5	<0.2
1286821	Soil	12	34	1.01	318	0.192	1	2.08	0.014	0.13	0.2	0.02	5.0	0.2	<0.05	7	<0.5	<0.2
1286834	Soil	13	35	1.03	278	0.169	<1	2.24	0.013	0.07	<0.1	0.05	5.3	0.2	<0.05	7	<0.5	<0.2
1286840	Soil	22	35	1.01	327	0.071	<1	2.16	0.010	0.06	<0.1	0.07	10.1	0.1	<0.05	7	<0.5	<0.2
1286826	Soil	11	32	1.02	445	0.191	<1	2.14	0.013	0.12	0.2	0.03	5.5	0.2	<0.05	8	<0.5	<0.2
1286843	Soil	20	15	0.25	455	0.011	<1	0.75	0.010	0.10	<0.1	0.05	7.2	0.1	<0.05	2	<0.5	<0.2
1286841	Soil	17	30	0.68	298	0.048	<1	1.79	0.009	0.06	<0.1	0.06	7.1	0.2	<0.05	6	<0.5	<0.2
1286819	Soil	11	28	0.78	288	0.178	<1	1.70	0.015	0.10	0.2	0.03	3.9	0.2	<0.05	6	<0.5	<0.2
1286823	Soil	13	31	0.97	392	0.180	<1	2.12	0.016	0.11	0.3	0.02	5.3	0.2	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

QUALITY CONTROL REPORT WHI12000395.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
[redacted]																					
1286316	Soil	1.6	32.5	11.2	84	0.3	44.0	18.1	857	3.09	90.5	1.1	4.4	3.4	26	0.7	2.1	<0.1	79	0.42	0.051
REP 1286316	QC	1.5	32.7	10.6	85	0.3	44.4	18.4	865	3.15	89.9	1.1	7.1	3.3	26	0.7	2.0	<0.1	78	0.43	0.050
1296956	Soil	2.9	43.0	29.7	86	0.6	37.8	12.8	601	3.06	134.1	3.9	11.3	10.4	57	0.8	12.9	0.2	39	1.09	0.045
REP 1296956	QC	2.7	42.5	28.2	83	0.6	36.3	12.3	573	2.98	126.0	3.7	10.0	9.9	54	0.9	12.5	0.2	37	1.03	0.044
1296954	Soil	1.2	9.6	8.2	33	<0.1	9.4	3.9	98	1.94	7.3	0.4	1.7	1.1	9	0.1	0.4	0.2	69	0.08	0.020
REP 1296954	QC	1.3	9.3	7.8	30	<0.1	9.1	3.9	91	1.85	7.4	0.4	1.1	1.1	9	0.1	0.4	0.2	63	0.07	0.017
1296952	Soil	2.6	50.6	14.4	137	0.3	71.4	19.7	558	4.39	71.5	2.3	1.5	9.2	28	0.5	3.3	0.1	87	0.44	0.094
REP 1296952	QC	2.6	49.3	15.3	136	0.3	70.5	19.5	578	4.45	70.1	2.4	2.3	10.1	28	0.5	3.1	0.2	82	0.46	0.087
1270835	Soil	0.7	43.0	14.5	49	<0.1	48.6	24.2	685	3.73	9.7	0.9	2.1	7.5	27	<0.1	0.5	0.4	40	3.43	0.057
REP 1270835	QC	0.6	43.2	14.4	50	<0.1	47.0	23.6	669	3.74	9.6	0.8	1.6	7.2	26	<0.1	0.5	0.4	40	3.36	0.054
1270829	Soil	1.3	19.4	15.4	69	0.1	24.3	12.2	476	3.72	29.5	3.3	2.4	16.3	22	<0.1	1.8	0.2	58	0.48	0.059
REP 1270829	QC	1.3	19.1	15.0	70	0.1	24.9	12.6	483	3.80	29.7	3.3	3.0	16.1	23	<0.1	1.9	0.2	60	0.50	0.062
1270815	Soil	1.2	36.8	13.0	63	<0.1	49.6	20.0	470	4.68	8.6	1.1	1.6	9.7	7	<0.1	0.1	0.1	53	0.23	0.063
REP 1270815	QC	1.0	36.9	13.0	62	<0.1	51.2	20.1	495	4.65	8.8	1.1	1.7	9.6	7	<0.1	0.1	0.1	56	0.23	0.062
1271472	Soil	1.0	15.2	8.1	44	<0.1	29.9	12.7	401	2.91	6.6	0.8	2.9	6.1	17	<0.1	0.3	<0.1	67	0.31	0.032
REP 1271472	QC	0.9	14.8	8.2	44	<0.1	29.3	12.5	392	2.90	6.2	0.7	3.1	6.0	16	<0.1	0.4	0.1	67	0.33	0.030
1270823	Soil	0.4	29.3	5.9	61	<0.1	41.7	14.6	499	2.85	16.2	1.2	7.2	3.4	75	0.1	0.7	<0.1	47	2.04	0.080
REP 1270823	QC	0.4	29.8	5.9	60	<0.1	41.9	14.4	499	2.84	16.4	1.2	5.6	3.4	72	0.1	0.7	<0.1	47	1.98	0.078
1270870	Soil	1.1	18.0	8.2	46	<0.1	32.2	10.7	355	3.05	15.7	1.2	1.7	9.5	19	<0.1	1.2	0.2	56	0.41	0.040
REP 1270870	QC	1.1	17.9	8.2	45	<0.1	30.8	10.3	348	3.04	15.3	1.2	1.2	9.5	19	<0.1	1.2	0.2	53	0.40	0.040
1270871	Soil	1.6	17.2	10.8	40	0.1	18.4	8.3	198	2.61	8.8	0.8	0.8	4.6	17	0.1	0.6	0.2	66	0.24	0.027
REP 1270871	QC	1.5	17.1	10.8	42	0.1	18.4	8.6	200	2.62	8.8	0.8	1.3	4.6	18	0.1	0.5	0.2	67	0.25	0.027
1270864	Soil	1.4	7.8	14.6	50	<0.1	14.0	4.8	137	1.82	8.4	0.9	2.1	2.2	18	<0.1	0.3	0.3	48	0.27	0.053
REP 1270864	QC	1.4	8.0	14.6	50	0.1	14.1	5.0	141	1.86	8.6	0.9	3.4	2.2	19	<0.1	0.3	0.5	50	0.28	0.051

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

QUALITY CONTROL REPORT WHI12000395.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
[redacted]																		
1286316	Soil	14	71	0.80	453	0.039	<1	1.77	0.011	0.07	0.1	0.03	6.8	0.1	<0.05	6	<0.5	<0.2
REP 1286316	QC	14	70	0.80	452	0.038	<1	1.76	0.011	0.06	0.2	0.04	6.7	0.1	<0.05	7	<0.5	<0.2
1296956	Soil	47	25	0.39	382	0.017	2	0.94	0.009	0.08	0.2	0.12	6.7	0.1	<0.05	3	1.0	<0.2
REP 1296956	QC	44	24	0.36	364	0.016	2	0.87	0.010	0.07	0.2	0.11	6.4	<0.1	<0.05	3	1.1	<0.2
1296954	Soil	8	21	0.20	72	0.049	1	0.98	0.006	0.05	0.1	<0.01	2.0	0.2	<0.05	7	<0.5	<0.2
REP 1296954	QC	8	20	0.18	70	0.047	<1	0.93	0.006	0.05	0.1	0.02	1.8	0.2	<0.05	7	<0.5	<0.2
1296952	Soil	32	66	0.85	379	0.085	2	2.01	0.010	0.36	0.2	0.04	8.1	0.4	0.05	7	1.1	<0.2
REP 1296952	QC	36	65	0.83	387	0.080	3	2.00	0.010	0.32	0.1	0.05	7.9	0.4	<0.05	7	1.2	<0.2
1270835	Soil	27	108	1.97	317	0.084	1	2.32	0.007	1.04	0.1	0.03	9.4	0.7	<0.05	6	<0.5	<0.2
REP 1270835	QC	26	109	2.00	318	0.084	2	2.37	0.007	0.96	0.1	0.03	9.5	0.7	<0.05	6	<0.5	<0.2
1270829	Soil	37	43	0.75	179	0.093	<1	1.78	0.013	0.24	0.2	0.02	7.5	0.4	<0.05	8	<0.5	<0.2
REP 1270829	QC	39	45	0.78	182	0.107	<1	1.84	0.014	0.25	0.2	0.02	7.3	0.4	<0.05	9	0.6	<0.2
1270815	Soil	9	61	1.31	187	0.186	<1	2.35	0.006	0.69	<0.1	<0.01	4.8	0.6	<0.05	7	<0.5	<0.2
REP 1270815	QC	8	63	1.37	186	0.187	1	2.39	0.006	0.69	<0.1	<0.01	5.0	0.6	<0.05	7	<0.5	<0.2
1271472	Soil	33	58	1.07	347	0.103	1	1.96	0.013	0.10	0.1	0.01	4.0	0.1	<0.05	7	<0.5	<0.2
REP 1271472	QC	32	56	1.03	339	0.102	1	1.88	0.012	0.11	0.1	0.01	4.0	0.1	<0.05	6	<0.5	<0.2
1270823	Soil	17	66	1.14	198	0.070	3	1.58	0.014	0.21	0.2	0.05	5.1	0.3	0.06	5	<0.5	<0.2
REP 1270823	QC	17	65	1.10	197	0.068	3	1.54	0.012	0.21	0.1	0.04	5.1	0.3	0.06	5	<0.5	<0.2
1270870	Soil	32	70	1.19	341	0.073	1	1.93	0.017	0.19	0.3	0.02	6.1	0.2	<0.05	7	<0.5	<0.2
REP 1270870	QC	32	67	1.15	341	0.072	1	1.86	0.013	0.18	0.3	0.03	6.2	0.2	<0.05	7	<0.5	<0.2
1270871	Soil	25	34	0.57	448	0.070	<1	1.80	0.013	0.07	0.2	0.03	3.9	0.2	<0.05	7	<0.5	<0.2
REP 1270871	QC	25	35	0.57	449	0.074	<1	1.78	0.014	0.08	0.2	0.03	4.0	0.2	<0.05	7	<0.5	<0.2
1270864	Soil	11	29	0.41	92	0.044	<1	1.17	0.010	0.04	0.2	0.04	2.4	0.2	<0.05	6	<0.5	<0.2
REP 1270864	QC	11	29	0.41	94	0.045	1	1.17	0.010	0.04	0.2	0.05	2.5	0.2	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

QUALITY CONTROL REPORT WHI12000395.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
[redacted]	[redacted]																				
1286801	Rock Pulp	1.4	437.6	23.1	162	0.2	210.1	75.2	812	15.31	3.1	1.5	38.3	8.4	18	0.1	0.3	0.2	212	0.29	0.041
REP 1286801	QC	1.5	465.0	22.8	162	0.2	223.6	77.7	818	15.19	3.4	1.4	38.6	8.6	18	<0.1	0.5	<0.1	219	0.29	0.044
1286851	Rock Pulp	2.2	23.4	2.4	39	0.3	22.1	9.3	365	2.17	4.1	0.2	1.3	0.8	38	0.2	0.3	<0.1	55	0.73	0.055
REP 1286851	QC	2.4	25.2	2.4	42	0.3	23.3	10.3	393	2.40	4.7	0.3	1.8	1.0	41	0.3	0.3	<0.1	63	0.83	0.058
1286846	Soil	0.5	34.1	9.7	89	0.2	10.3	22.7	1176	5.70	16.4	2.0	2.8	17.0	50	0.1	1.7	0.5	113	0.75	0.118
REP 1286846	QC	0.4	33.8	9.5	89	0.2	10.5	23.2	1169	5.91	16.9	2.2	2.3	16.8	51	<0.1	1.7	0.6	112	0.78	0.121
Reference Materials																					
STD DS9	Standard	12.6	106.8	122.9	296	1.9	40.6	7.7	551	2.21	23.4	2.7	114.1	5.9	64	2.2	5.5	6.4	42	0.68	0.076
STD DS9	Standard	14.4	116.0	128.8	305	1.9	41.9	8.3	580	2.40	24.4	2.4	117.7	6.9	62	2.3	5.0	5.0	49	0.70	0.076
STD DS9	Standard	14.0	105.6	113.1	298	2.0	42.0	7.9	586	2.39	24.8	2.3	120.0	5.3	62	2.4	4.9	5.1	44	0.74	0.072
STD DS9	Standard	14.3	109.0	126.5	310	1.8	42.3	7.8	601	2.40	24.9	2.7	115.9	6.4	72	2.3	5.4	6.4	42	0.74	0.081
STD DS9	Standard	12.7	107.5	114.6	296	1.8	38.6	7.2	556	2.24	25.4	2.8	121.0	6.6	73	2.4	6.0	5.9	40	0.68	0.080
STD DS9	Standard	13.6	109.5	125.6	315	1.9	41.3	7.6	584	2.34	26.7	2.9	116.7	6.2	75	2.7	5.7	6.1	42	0.73	0.082
STD DS9	Standard	14.7	121.6	131.0	326	1.8	46.0	9.2	624	2.53	25.3	2.9	121.2	6.8	64	2.3	5.0	5.4	57	0.80	0.079
STD DS9	Standard	12.9	92.9	138.2	303	1.9	41.6	7.7	599	2.40	25.6	2.2	119.8	5.2	60	2.0	4.8	5.6	43	0.73	0.078
STD DS9	Standard	14.8	100.4	117.6	299	1.9	42.6	8.1	620	2.44	25.2	2.6	117.3	5.9	66	2.5	5.1	5.6	51	0.79	0.080
STD DS9	Standard	13.8	111.0	134.8	309	1.9	40.8	7.7	579	2.35	25.9	3.2	130.3	7.6	85	2.6	6.7	6.9	42	0.72	0.081
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	3	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	8	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	3	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	0.1	<0.1	<1	0.02	0.7	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	4	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

QUALITY CONTROL REPORT WHI12000395.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
[redacted]																		
1286801	Rock Pulp	19	567	0.14	154	0.192	3	3.90	0.014	0.06	<0.1	0.04	41.0	<0.1	<0.05	21	<0.5	<0.2
REP 1286801	QC	20	665	0.15	155	0.260	3	3.92	0.014	0.06	<0.1	0.03	40.8	<0.1	<0.05	21	<0.5	<0.2
1286851	Rock Pulp	4	28	0.72	92	0.102	2	1.35	0.077	0.11	12.8	<0.01	4.1	<0.1	<0.05	5	<0.5	<0.2
REP 1286851	QC	4	31	0.75	97	0.143	3	1.50	0.081	0.11	14.5	<0.01	4.8	<0.1	<0.05	5	<0.5	<0.2
1286846	Soil	26	33	2.31	294	0.004	<1	3.80	0.004	0.07	<0.1	0.02	19.8	<0.1	<0.05	13	<0.5	<0.2
REP 1286846	QC	26	34	2.31	286	0.002	<1	3.89	0.005	0.07	<0.1	0.02	20.4	<0.1	<0.05	13	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	12	121	0.58	281	0.100	2	0.86	0.079	0.35	3.0	0.21	2.2	5.3	0.17	4	4.8	5.0
STD DS9	Standard	13	132	0.63	294	0.110	3	0.94	0.088	0.34	3.0	0.20	2.5	5.8	0.10	5	5.3	5.6
STD DS9	Standard	12	127	0.63	306	0.106	2	0.93	0.089	0.35	3.1	0.22	2.5	5.6	0.20	5	5.4	5.2
STD DS9	Standard	14	136	0.64	294	0.110	2	0.96	0.097	0.37	3.2	0.22	2.4	5.8	0.18	5	5.5	5.4
STD DS9	Standard	13	118	0.61	296	0.114	2	0.90	0.089	0.36	2.9	0.20	2.6	5.4	0.09	5	5.0	4.9
STD DS9	Standard	14	120	0.63	314	0.116	2	0.95	0.093	0.39	3.0	0.20	2.7	5.5	0.16	5	5.6	5.1
STD DS9	Standard	14	149	0.67	297	0.124	3	0.97	0.083	0.38	3.1	0.21	2.7	5.7	0.27	5	5.9	5.0
STD DS9	Standard	12	124	0.64	307	0.102	2	0.94	0.088	0.34	3.2	0.23	2.5	5.6	0.18	5	4.9	5.0
STD DS9	Standard	14	137	0.66	317	0.123	3	0.99	0.095	0.37	3.4	0.21	2.8	5.8	0.12	5	5.4	5.3
STD DS9	Standard	15	123	0.61	323	0.132	2	0.92	0.091	0.35	3.1	0.23	2.7	5.9	0.11	5	4.9	5.4
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	2	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

QUALITY CONTROL REPORT WHI12000395.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

QUALITY CONTROL REPORT WHI12000395.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 23, 2012
Report Date: August 10, 2012
Page: 1 of 12

CERTIFICATE OF ANALYSIS WHI12000396.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 320

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	313	Dry at 60C sieve 100g to -80 mesh			WHI
Dry at 60C	320	Dry at 60C			WHI
1DX2	318	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS WHI12000396.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1270891	Soil		1.3	19.9	22.7	111	0.2	20.3	7.0	245	2.23	17.6	2.4	3.7	6.5	21	0.4	0.8	0.3	64	0.29	0.060
1270894	Soil		3.3	32.9	18.8	117	0.5	29.2	12.6	707	2.60	93.1	1.7	6.2	4.3	26	0.7	4.9	0.2	64	0.25	0.054
1270892	Soil		2.3	13.2	28.2	99	0.2	17.5	9.5	428	2.37	14.6	1.3	3.1	4.9	19	0.4	0.7	0.3	66	0.29	0.058
1286820	Soil		1.0	16.7	8.7	77	0.1	12.0	18.6	590	4.18	59.7	1.6	35.0	8.3	22	0.1	0.8	0.1	126	0.46	0.115
1270888	Soil		12.1	102.5	103.8	550	0.7	99.3	14.4	2760	4.53	221.6	4.4	7.6	4.4	48	3.6	9.1	0.2	187	0.27	0.142
1270889	Soil		5.4	37.8	41.4	171	0.4	28.1	7.2	996	2.38	64.8	1.7	2.8	1.8	25	0.8	3.3	0.2	102	0.20	0.080
1270914	Soil		0.6	28.5	9.3	54	<0.1	44.2	17.7	422	3.58	16.8	0.9	2.3	4.9	81	0.1	1.9	0.1	67	2.09	0.057
1286822	Soil		0.9	16.8	8.3	74	0.1	11.3	14.8	443	3.62	65.2	1.8	32.9	5.7	24	0.1	1.0	0.1	104	0.45	0.099
1270916	Soil		0.4	18.8	6.1	52	<0.1	29.0	13.6	423	2.56	8.9	1.3	1.7	3.2	62	0.1	0.4	<0.1	42	1.51	0.057
1270895	Soil		1.1	11.8	7.9	32	<0.1	11.8	6.4	250	2.37	10.9	0.8	2.3	4.1	14	0.2	1.3	0.2	46	0.22	0.027
1270890	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1270919	Soil		0.4	22.0	6.1	58	<0.1	39.6	14.7	549	2.64	8.7	1.3	2.9	2.9	70	0.2	0.5	<0.1	45	1.71	0.069
1270917	Soil		0.4	25.5	15.0	54	<0.1	30.8	12.1	559	2.40	10.9	1.4	2.3	2.4	76	0.4	0.9	<0.1	44	2.05	0.062
1270896	Soil		1.2	9.1	6.6	29	<0.1	9.8	5.3	190	2.42	7.1	0.6	1.4	4.8	13	<0.1	0.7	0.2	45	0.19	0.020
1270893	Soil		3.8	39.4	15.6	137	0.4	40.2	16.0	1186	3.47	82.6	3.3	0.6	8.8	35	0.6	2.9	0.2	95	0.57	0.070
1270920	Soil		0.5	19.9	6.1	57	<0.1	33.8	15.7	465	2.89	9.5	1.2	2.3	3.0	60	0.2	0.3	<0.1	50	1.65	0.062
1270898	Soil		1.4	6.0	6.9	24	<0.1	10.7	7.0	219	2.62	8.2	0.8	<0.5	9.7	9	<0.1	0.6	0.2	54	0.19	0.022
1270911	Soil		0.5	25.8	6.0	44	<0.1	34.0	16.2	499	2.79	18.6	0.9	<0.5	2.1	168	<0.1	2.4	<0.1	52	5.44	0.084
1270910	Soil		0.6	30.4	6.5	49	<0.1	34.3	13.9	511	2.79	14.7	3.6	3.6	5.0	65	0.2	2.5	0.1	43	1.95	0.057
1270915	Soil		0.4	26.6	10.4	57	<0.1	31.1	15.2	550	3.22	21.4	1.1	3.0	3.7	136	0.4	2.9	<0.1	56	4.08	0.122
1270906	Soil		0.6	34.7	10.7	71	0.1	36.7	14.1	508	3.26	30.4	1.6	1.7	4.7	38	0.1	2.5	0.3	47	1.46	0.066
1270900	Soil		0.8	14.0	1.9	49	<0.1	24.0	14.5	459	3.55	3.3	0.2	<0.5	0.7	7	<0.1	0.2	<0.1	82	0.26	0.034
1270918	Soil		1.0	33.8	6.7	52	<0.1	27.1	12.0	212	2.57	6.2	2.8	4.1	6.1	53	0.1	0.6	0.1	53	1.09	0.068
1270909	Soil		1.3	33.2	9.9	79	<0.1	47.6	26.2	742	5.47	7.6	1.4	3.3	12.2	28	0.2	6.3	0.1	103	0.74	0.155
1270903	Soil		0.8	24.7	7.8	45	<0.1	21.2	11.1	364	2.87	7.1	1.2	<0.5	7.0	18	<0.1	0.9	<0.1	57	0.36	0.031
1270905	Soil		1.9	32.9	21.7	115	0.1	81.4	19.8	744	4.68	23.9	1.8	1.4	15.0	22	0.3	1.2	0.3	55	0.53	0.117
1270908	Soil		1.1	22.0	7.8	49	<0.1	28.1	16.8	576	3.40	10.8	1.2	5.5	8.3	36	0.1	1.8	0.1	62	0.84	0.067
1270913	Soil		0.8	32.5	10.3	56	<0.1	68.2	20.3	492	3.69	17.8	1.0	1.4	5.4	76	0.1	1.1	0.1	69	2.47	0.081
1270899	Soil		0.7	5.2	4.2	22	<0.1	5.9	7.5	271	2.29	4.6	0.4	<0.5	6.0	9	<0.1	0.4	0.1	32	0.21	0.018
1270921	Soil		0.3	16.7	6.1	51	<0.1	24.4	12.7	416	2.33	8.0	0.8	1.8	2.4	73	<0.1	0.4	<0.1	40	1.64	0.063

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS WHI12000396.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1270891	Soil		18	36	0.53	181	0.070	2	1.49	0.012	0.08	0.1	0.07	4.6	0.2	<0.05	6	0.6	<0.2
1270894	Soil		18	34	0.37	461	0.033	1	1.25	0.007	0.08	0.2	0.04	4.4	0.3	<0.05	6	<0.5	<0.2
1270892	Soil		17	33	0.54	188	0.050	2	1.42	0.011	0.08	0.2	0.04	3.6	0.2	<0.05	7	0.5	<0.2
1286820	Soil		12	34	1.05	331	0.197	1	1.95	0.013	0.21	0.4	0.02	4.4	0.3	<0.05	7	<0.5	<0.2
1270888	Soil		14	99	0.83	488	0.090	2	1.41	0.016	0.60	0.2	0.03	10.0	1.3	0.44	7	3.7	0.2
1270889	Soil		13	45	0.36	400	0.055	3	0.96	0.011	0.20	0.2	0.02	4.3	0.5	0.12	6	1.3	<0.2
1270914	Soil		14	73	1.37	226	0.124	1	2.07	0.011	0.29	0.1	0.03	5.0	0.3	<0.05	6	<0.5	<0.2
1286822	Soil		12	30	0.94	339	0.159	1	1.92	0.013	0.12	0.3	0.03	4.5	0.2	<0.05	7	<0.5	<0.2
1270916	Soil		13	48	0.79	133	0.075	2	1.29	0.010	0.18	0.1	0.03	3.7	0.2	<0.05	4	<0.5	<0.2
1270895	Soil		18	19	0.35	369	0.025	1	1.14	0.006	0.06	0.2	0.02	7.0	<0.1	<0.05	4	<0.5	<0.2
1270890	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1270919	Soil		12	73	0.90	156	0.078	4	1.34	0.014	0.20	0.1	0.03	3.6	0.2	0.06	4	<0.5	<0.2
1270917	Soil		13	45	0.68	212	0.062	3	1.13	0.014	0.15	0.2	1.45	4.0	0.2	0.05	4	<0.5	<0.2
1270896	Soil		14	18	0.48	284	0.080	1	1.17	0.007	0.18	0.2	<0.01	4.2	0.1	<0.05	6	<0.5	<0.2
1270893	Soil		36	50	0.66	607	0.069	1	1.83	0.013	0.12	0.2	0.07	6.5	0.4	0.07	7	1.1	<0.2
1270920	Soil		14	55	0.85	143	0.086	2	1.38	0.013	0.20	0.1	0.03	4.0	0.3	0.07	5	0.5	<0.2
1270898	Soil		7	24	0.84	138	0.078	<1	1.64	0.006	0.28	0.2	0.01	3.4	0.2	<0.05	7	<0.5	<0.2
1270911	Soil		15	50	0.91	249	0.055	3	1.25	0.010	0.25	0.3	0.27	5.3	0.4	0.06	4	<0.5	<0.2
1270910	Soil		31	47	0.73	315	0.058	4	1.26	0.009	0.26	0.2	0.20	6.0	0.3	<0.05	4	0.6	<0.2
1270915	Soil		19	40	1.02	314	0.059	3	1.42	0.010	0.26	0.6	1.94	5.6	0.5	<0.05	5	<0.5	<0.2
1270906	Soil		20	51	1.01	275	0.079	2	1.54	0.012	0.31	0.2	0.16	5.5	0.4	<0.05	5	0.6	<0.2
1270900	Soil		2	42	1.38	190	0.124	<1	2.04	0.014	0.53	<0.1	0.01	5.9	0.2	<0.05	7	<0.5	<0.2
1270918	Soil		23	34	0.90	290	0.093	2	1.43	0.015	0.27	0.2	0.06	4.7	0.2	0.06	4	<0.5	<0.2
1270909	Soil		30	82	1.68	389	0.133	2	2.43	0.008	0.79	0.3	0.24	10.7	0.4	<0.05	8	<0.5	<0.2
1270903	Soil		20	37	0.81	264	0.094	<1	1.57	0.011	0.15	0.2	0.06	5.6	0.1	<0.05	6	<0.5	<0.2
1270905	Soil		65	123	1.44	265	0.119	2	1.89	0.006	0.52	<0.1	0.05	10.0	0.6	<0.05	6	<0.5	<0.2
1270908	Soil		26	40	0.91	341	0.081	2	1.61	0.011	0.23	0.3	0.07	6.5	0.2	<0.05	5	<0.5	<0.2
1270913	Soil		19	119	1.53	206	0.046	4	1.74	0.009	0.35	0.2	0.09	9.8	0.4	<0.05	5	<0.5	<0.2
1270899	Soil		7	11	0.79	206	0.088	<1	1.32	0.005	0.41	0.1	<0.01	2.3	0.2	<0.05	6	<0.5	<0.2
1270921	Soil		10	39	0.71	122	0.057	2	1.13	0.011	0.11	0.1	0.03	3.4	0.1	<0.05	4	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS WHI12000396.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1270907	Soil	1.3	37.4	14.9	60	0.5	30.2	15.2	522	2.93	112.9	1.9	186.5	10.0	43	0.9	11.3	0.4	29	0.84	0.061
1270912	Soil	0.3	23.6	6.1	41	<0.1	32.3	13.8	400	2.65	16.5	0.7	0.6	2.1	212	0.1	2.3	<0.1	50	5.38	0.093
1270970	Soil	1.4	11.8	15.1	40	<0.1	15.3	8.0	325	2.62	55.5	0.6	3.7	5.3	16	0.2	1.1	0.2	56	0.24	0.023
1270980	Soil	1.1	24.9	14.4	71	<0.1	116.8	22.0	806	3.72	5.2	1.3	0.6	13.0	32	0.1	0.5	0.4	50	4.17	0.081
1270984	Soil	0.3	24.6	6.0	62	<0.1	57.9	20.3	447	3.58	5.1	0.5	<0.5	4.1	28	<0.1	0.2	<0.1	52	0.72	0.059
1270904	Soil	0.6	37.9	9.1	77	<0.1	33.8	20.3	581	4.56	7.8	1.4	1.0	9.9	17	<0.1	0.5	<0.1	91	0.48	0.045
1270973	Soil	1.9	19.9	13.3	109	0.2	27.8	10.5	449	3.04	71.2	1.5	4.7	4.8	17	0.4	2.8	0.3	54	0.37	0.036
1270979	Soil	0.7	37.1	23.5	75	<0.1	29.1	12.5	390	3.18	12.7	2.1	0.7	25.6	11	<0.1	0.3	0.5	23	0.30	0.062
1270985	Soil	1.2	14.1	9.0	70	<0.1	27.5	13.1	375	4.13	13.9	0.6	1.6	2.9	17	0.2	0.5	0.2	83	0.31	0.044
1270902	Soil	1.1	13.3	8.0	41	<0.1	11.3	9.0	359	3.42	6.2	0.6	1.3	3.3	10	<0.1	0.7	0.1	61	0.16	0.025
1270975	Soil	1.0	42.3	12.8	73	<0.1	105.5	29.2	762	5.17	56.9	1.6	0.8	13.0	52	<0.1	1.1	0.1	84	1.75	0.071
1270987	Soil	0.5	19.7	6.4	67	<0.1	28.9	14.2	547	2.85	11.1	1.7	1.4	2.8	54	0.1	0.8	0.1	49	1.75	0.063
1270978	Soil	1.7	72.6	30.9	58	0.1	68.6	31.4	913	4.08	14.4	1.4	4.9	8.7	40	<0.1	0.3	0.3	61	3.23	0.041
1270901	Rock Pulp	1.6	423.6	20.6	161	0.2	196.4	75.1	812	15.63	3.7	1.2	33.9	6.7	13	0.2	0.4	0.2	208	0.29	0.041
1270974	Soil	0.7	16.8	6.2	46	<0.1	41.8	13.8	522	3.21	18.2	3.2	4.9	7.2	37	0.2	1.4	0.1	55	1.43	0.064
1270971	Soil	1.0	13.4	14.8	68	<0.1	16.6	15.0	571	3.46	12.1	2.9	1.1	14.0	21	<0.1	0.5	<0.1	62	0.41	0.069
1270981	Soil	1.0	23.3	6.6	92	<0.1	20.1	26.2	724	6.04	3.6	0.7	<0.5	4.6	18	0.1	0.8	<0.1	130	0.49	0.154
1270897	Soil	1.0	21.0	6.7	39	0.1	26.0	13.9	633	2.97	7.2	2.3	1.5	8.8	29	<0.1	0.5	0.1	55	0.59	0.046
1286690	Soil	2.3	23.6	23.2	115	0.2	30.6	18.4	1604	3.72	95.7	6.6	4.6	13.5	33	0.4	1.8	0.3	68	0.67	0.086
1286682	Soil	0.5	29.4	7.1	48	<0.1	32.4	15.3	413	2.94	14.9	1.1	2.3	3.2	150	0.3	0.5	<0.1	48	3.72	0.071
1270983	Soil	0.8	22.1	5.4	59	<0.1	31.2	20.8	417	4.33	22.3	0.3	0.9	2.2	13	<0.1	0.5	<0.1	83	0.37	0.050
1270977	Soil	1.8	38.5	20.0	47	<0.1	42.0	15.5	491	3.09	25.5	1.2	11.7	24.4	37	<0.1	6.0	0.4	51	1.26	0.016
1286683	Soil	1.1	37.3	8.6	64	<0.1	46.0	18.2	608	4.18	17.3	2.3	2.9	10.1	25	0.1	2.0	0.1	68	0.83	0.058
1286681	Soil	0.6	22.9	9.5	71	<0.1	52.9	23.2	596	4.13	33.9	0.8	0.8	4.7	111	0.2	2.1	<0.1	74	3.60	0.132
1270986	Soil	0.7	27.9	8.2	59	<0.1	40.5	16.7	726	3.48	12.2	1.8	1.9	5.5	50	0.1	1.0	0.1	58	1.65	0.084
1270976	Soil	1.2	44.7	13.3	76	<0.1	95.2	35.0	996	5.61	48.2	1.8	1.2	14.7	97	<0.1	1.0	<0.1	100	3.34	0.095
1286688	Soil	1.3	13.3	11.1	52	<0.1	27.7	11.7	300	3.32	8.5	1.1	<0.5	6.5	17	<0.1	0.5	<0.1	51	0.49	0.019
1286684	Soil	0.8	27.8	13.3	103	<0.1	27.0	23.5	740	4.53	3.3	0.6	2.5	7.5	22	<0.1	1.2	<0.1	103	0.68	0.157
1286691	Soil	1.4	12.9	16.4	56	<0.1	24.3	13.3	280	3.55	13.2	0.8	1.2	5.4	14	0.1	0.6	0.1	64	0.17	0.062
1270972	Soil	2.3	27.3	15.8	119	0.1	30.5	14.0	518	3.30	16.9	1.8	1.7	6.9	25	0.3	1.9	0.2	73	0.40	0.071

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS WHI12000396.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1270907	Soil	34	21	0.44	317	0.017	2	0.79	0.009	0.08	0.1	0.21	5.6	<0.1	<0.05	2	<0.5	<0.2
1270912	Soil	12	51	1.08	237	0.062	3	1.31	0.010	0.22	0.2	0.20	4.6	0.3	<0.05	4	<0.5	<0.2
1270970	Soil	8	24	0.33	205	0.033	<1	1.21	0.008	0.06	0.2	<0.01	2.5	<0.1	<0.05	5	<0.5	<0.2
1270980	Soil	34	92	1.27	281	0.087	1	1.61	0.006	0.74	0.1	0.02	7.2	0.4	<0.05	6	<0.5	<0.2
1270984	Soil	9	76	1.63	141	0.146	1	1.98	0.010	0.43	0.1	0.02	2.8	0.5	<0.05	6	<0.5	<0.2
1270904	Soil	26	50	2.11	454	0.167	<1	2.65	0.010	0.82	0.1	0.04	10.1	0.5	<0.05	8	<0.5	<0.2
1270973	Soil	14	31	0.35	539	0.021	2	1.28	0.007	0.06	0.2	0.05	9.8	0.2	<0.05	4	<0.5	<0.2
1270979	Soil	32	26	0.97	115	0.130	<1	1.67	0.005	0.70	<0.1	<0.01	3.2	0.7	<0.05	5	<0.5	<0.2
1270985	Soil	8	53	0.74	170	0.096	1	2.01	0.008	0.12	0.2	0.02	2.6	0.2	<0.05	8	<0.5	<0.2
1270902	Soil	10	19	0.67	202	0.083	<1	1.60	0.007	0.17	0.2	<0.01	5.9	0.2	<0.05	6	<0.5	<0.2
1270975	Soil	36	164	1.75	339	0.092	2	2.30	0.009	0.57	0.1	0.04	13.3	0.7	<0.05	8	<0.5	<0.2
1270987	Soil	16	42	0.77	258	0.057	3	1.26	0.011	0.21	0.1	0.06	4.5	0.2	0.06	4	<0.5	<0.2
1270978	Soil	21	137	1.79	317	0.079	<1	2.12	0.010	0.72	0.2	0.03	10.9	0.5	<0.05	6	<0.5	<0.2
1270901	Rock Pulp	16	673	0.12	139	0.137	4	3.59	0.012	0.05	<0.1	0.04	37.5	0.1	<0.05	20	<0.5	<0.2
1270974	Soil	29	54	1.02	512	0.051	3	1.32	0.012	0.18	0.2	0.07	10.3	0.3	<0.05	5	<0.5	<0.2
1270971	Soil	39	32	1.12	156	0.103	<1	1.92	0.013	0.28	0.3	0.01	4.5	0.4	<0.05	7	<0.5	<0.2
1270981	Soil	7	27	2.15	275	0.241	<1	3.22	0.007	1.49	0.2	<0.01	4.5	0.7	<0.05	9	<0.5	<0.2
1270897	Soil	42	44	0.83	976	0.070	1	1.62	0.013	0.07	0.2	0.05	9.4	0.1	<0.05	6	<0.5	<0.2
1286690	Soil	40	54	0.92	280	0.054	1	1.79	0.010	0.17	0.1	0.08	8.0	0.3	<0.05	7	<0.5	<0.2
1286682	Soil	19	46	1.26	197	0.062	3	1.64	0.011	0.27	0.1	0.04	4.8	0.3	<0.05	5	<0.5	<0.2
1270983	Soil	4	50	1.37	280	0.159	<1	2.46	0.008	0.54	0.1	<0.01	2.6	0.3	<0.05	7	<0.5	<0.2
1270977	Soil	21	84	0.60	332	0.031	1	0.90	0.010	0.11	0.2	0.10	12.2	0.2	<0.05	3	<0.5	<0.2
1286683	Soil	56	55	0.98	443	0.094	2	1.80	0.011	0.44	0.2	0.15	8.3	0.3	<0.05	6	0.7	<0.2
1286681	Soil	22	79	0.99	208	0.051	3	1.42	0.011	0.32	0.6	0.14	10.4	0.7	<0.05	4	<0.5	<0.2
1270986	Soil	31	62	1.02	337	0.080	3	1.56	0.012	0.33	0.1	0.08	7.8	0.3	0.06	5	<0.5	<0.2
1270976	Soil	31	166	1.81	370	0.082	2	2.24	0.010	0.66	0.2	0.04	17.2	0.8	<0.05	8	0.5	<0.2
1286688	Soil	15	47	0.94	248	0.092	<1	1.79	0.010	0.30	0.1	0.01	4.7	0.2	<0.05	6	<0.5	<0.2
1286684	Soil	12	33	1.89	291	0.153	<1	2.51	0.008	1.04	0.2	0.02	6.4	0.6	<0.05	7	<0.5	<0.2
1286691	Soil	8	36	0.53	128	0.066	<1	2.17	0.008	0.08	0.3	0.03	3.7	0.1	<0.05	7	<0.5	<0.2
1270972	Soil	14	45	0.88	199	0.103	<1	1.68	0.012	0.26	0.2	0.02	4.4	0.5	<0.05	8	0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS WHI12000396.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1286687	Soil	1.3	41.7	24.2	83	<0.1	51.2	17.7	407	4.40	84.6	1.3	0.6	13.5	13	<0.1	1.7	0.2	52	0.34	0.029
1286689	Soil	1.9	27.5	18.3	154	0.3	29.4	12.7	455	2.85	50.6	3.4	5.9	5.2	39	0.7	2.2	0.2	68	0.70	0.067
1284187	Soil	0.3	23.6	6.5	49	<0.1	31.6	12.1	440	2.51	12.5	1.4	0.6	1.5	73	0.1	0.9	<0.1	46	2.36	0.065
1270982	Soil	1.0	21.8	3.9	64	<0.1	39.3	20.3	561	4.14	4.9	0.6	0.7	6.6	24	<0.1	0.4	<0.1	75	0.61	0.134
1283048	Soil	2.1	15.4	14.4	68	<0.1	17.4	13.0	617	2.65	13.5	0.9	1.2	2.7	19	0.3	0.6	0.2	83	0.28	0.053
1283037	Soil	2.6	36.3	12.3	114	0.3	41.9	17.2	571	3.91	79.6	0.9	3.0	3.3	20	0.4	2.2	0.1	92	0.27	0.083
1283035	Soil	2.1	25.9	10.9	78	0.4	43.8	12.1	325	3.50	23.5	0.6	2.5	3.1	13	0.3	1.3	0.2	90	0.14	0.040
1286686	Soil	1.0	46.3	20.0	63	0.2	36.7	16.4	654	3.48	52.4	1.4	20.0	14.7	26	0.2	2.1	0.3	44	1.22	0.049
1283043	Soil	1.4	15.0	14.3	56	<0.1	23.4	8.5	279	2.88	9.0	1.2	1.2	11.5	21	<0.1	0.6	0.2	59	0.24	0.027
1283032	Soil	2.7	32.3	10.9	99	0.5	37.9	11.2	421	3.31	102.2	0.7	2.0	2.5	17	0.8	3.4	0.2	80	0.26	0.118
1283049	Soil	1.9	48.8	11.4	101	0.3	36.7	12.2	409	3.09	22.9	2.4	6.5	4.6	38	0.5	1.6	0.2	67	0.54	0.076
1286685	Soil	0.9	18.3	13.6	50	<0.1	26.4	8.7	272	2.33	8.3	1.0	<0.5	12.6	11	<0.1	0.3	0.2	30	0.23	0.039
1283038	Soil	2.5	47.8	10.5	103	0.5	43.8	16.0	764	2.96	48.7	1.6	2.9	3.0	31	0.5	1.7	0.2	76	0.53	0.077
1283051	Rock Pulp	2.3	24.0	2.1	41	0.3	22.6	10.1	386	2.27	4.7	0.2	2.3	0.8	33	0.2	0.3	<0.1	55	0.73	0.059
1283034	Soil	4.8	137.7	10.6	371	0.5	152.2	28.0	948	4.78	154.2	3.3	28.3	7.3	32	1.3	8.7	0.3	126	0.09	0.060
1283050	Soil	1.2	22.3	11.2	56	0.2	23.2	9.7	233	2.74	15.6	0.9	8.9	5.8	17	0.1	1.1	0.2	62	0.28	0.028
1283046	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1283033	Soil	4.0	60.3	14.6	153	1.1	50.6	11.1	289	3.42	100.8	1.3	2.6	2.9	29	0.8	4.7	0.2	91	0.26	0.102
1283036	Soil	2.4	32.5	28.3	173	1.0	52.6	24.5	897	3.57	117.3	0.8	5.6	2.6	19	0.2	3.6	0.2	104	0.24	0.078
1283052	Soil	1.4	35.2	12.0	71	0.4	32.4	12.1	379	3.07	33.8	2.1	3.6	9.7	28	0.2	1.5	0.1	75	0.63	0.046
1283039	Soil	0.6	11.5	13.3	53	<0.1	16.4	9.7	374	2.82	11.0	1.8	1.3	14.6	18	<0.1	0.8	0.2	42	0.35	0.041
1283040	Soil	0.8	16.2	12.4	51	<0.1	29.2	10.7	323	3.08	7.0	1.4	2.5	12.2	18	<0.1	0.5	0.1	50	0.25	0.019
1283047	Soil	3.0	25.2	18.3	83	0.2	28.1	10.1	298	3.12	23.4	1.1	0.9	3.3	20	0.2	0.8	0.2	80	0.32	0.068
1283026	Soil	2.3	47.6	10.1	198	0.6	76.3	13.5	476	4.17	24.0	0.8	6.5	3.0	19	0.6	1.0	0.1	81	0.21	0.088
1283025	Soil	3.2	72.5	10.8	329	0.4	172.2	19.3	524	5.70	51.4	1.4	7.0	5.0	28	0.4	1.6	0.1	111	0.28	0.090
1283045	Soil	2.6	39.9	23.0	122	0.3	37.3	18.4	744	3.47	21.5	6.1	2.0	12.8	36	0.9	1.0	0.2	77	0.58	0.083
1283044	Soil	1.6	12.2	18.0	49	<0.1	19.4	8.9	247	3.49	12.4	0.8	1.1	7.9	11	0.2	0.5	0.2	79	0.12	0.050
1283053	Soil	1.0	40.9	15.8	112	0.3	59.9	17.3	494	4.21	186.3	1.2	11.2	7.8	36	0.3	4.1	0.1	81	1.15	0.117
1283042	Soil	0.9	12.1	34.5	58	<0.1	17.0	7.7	299	2.71	5.0	2.3	0.7	28.6	15	<0.1	0.7	0.5	43	0.16	0.019

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS WHI12000396.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1286687	Soil	22	59	1.09	158	0.106	<1	2.02	0.007	0.63	<0.1	<0.01	6.0	0.5	<0.05	7	0.6	<0.2
1286689	Soil	19	42	0.77	394	0.061	2	1.41	0.014	0.13	0.2	0.06	6.2	0.4	0.07	6	0.9	<0.2
1284187	Soil	11	49	0.63	216	0.042	3	1.08	0.013	0.10	<0.1	0.10	4.1	0.2	0.12	3	<0.5	<0.2
1270982	Soil	9	56	1.90	209	0.179	<1	2.53	0.008	0.90	0.2	<0.01	3.1	0.6	<0.05	7	0.5	<0.2
1283048	Soil	11	36	0.66	126	0.083	<1	1.20	0.012	0.12	0.2	0.03	2.9	0.2	<0.05	6	<0.5	<0.2
1283037	Soil	11	54	0.93	342	0.153	2	1.93	0.013	0.33	0.2	0.03	4.8	0.4	<0.05	9	0.7	<0.2
1283035	Soil	8	58	0.81	224	0.081	<1	2.31	0.009	0.07	0.2	0.02	3.9	0.3	<0.05	7	0.7	<0.2
1286686	Soil	46	44	0.94	235	0.078	1	1.48	0.012	0.39	0.2	0.05	5.5	0.3	<0.05	4	<0.5	<0.2
1283043	Soil	12	34	0.60	211	0.055	<1	2.00	0.007	0.08	0.2	<0.01	3.5	0.2	<0.05	7	<0.5	<0.2
1283032	Soil	9	48	0.51	341	0.061	<1	1.32	0.008	0.16	0.2	<0.01	3.7	0.3	0.05	6	0.8	<0.2
1283049	Soil	17	42	0.75	361	0.078	1	1.40	0.015	0.16	0.2	0.06	5.3	0.3	0.08	5	1.0	<0.2
1286685	Soil	10	26	0.61	124	0.067	<1	1.29	0.006	0.30	0.2	<0.01	2.6	0.3	<0.05	4	<0.5	<0.2
1283038	Soil	19	63	0.80	418	0.091	1	1.61	0.010	0.19	0.1	0.06	5.8	0.4	<0.05	6	0.7	<0.2
1283051	Rock Pulp	3	28	0.75	90	0.098	2	1.44	0.079	0.11	13.4	0.01	4.4	<0.1	<0.05	5	<0.5	<0.2
1283034	Soil	31	66	1.05	319	0.104	<1	1.99	0.009	0.34	0.1	0.12	9.6	0.9	0.11	8	1.8	0.2
1283050	Soil	26	38	0.62	284	0.082	2	1.57	0.010	0.12	0.2	0.04	3.7	0.1	<0.05	5	<0.5	<0.2
1283046	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1283033	Soil	12	44	0.58	272	0.077	2	1.51	0.010	0.21	0.2	0.07	3.7	0.7	0.11	5	2.0	<0.2
1283036	Soil	10	99	0.94	200	0.132	1	1.73	0.011	0.18	0.1	0.08	4.4	0.6	<0.05	8	1.6	<0.2
1283052	Soil	47	42	0.71	400	0.083	2	1.65	0.013	0.23	0.1	0.05	6.7	0.2	<0.05	6	<0.5	<0.2
1283039	Soil	26	27	0.71	179	0.074	<1	1.66	0.009	0.32	0.1	0.02	4.4	0.5	<0.05	7	<0.5	<0.2
1283040	Soil	14	39	0.90	146	0.131	1	2.03	0.009	0.43	0.3	0.02	3.8	0.4	<0.05	7	<0.5	<0.2
1283047	Soil	13	51	0.77	171	0.088	1	1.39	0.009	0.24	0.2	0.04	3.5	0.4	<0.05	7	0.9	<0.2
1283026	Soil	11	46	0.74	306	0.155	1	2.09	0.013	0.45	0.2	0.02	3.9	0.3	0.06	8	1.1	<0.2
1283025	Soil	16	122	1.64	449	0.258	1	3.33	0.023	0.82	0.2	0.02	6.4	0.5	0.10	12	0.8	<0.2
1283045	Soil	59	65	0.99	301	0.074	2	1.80	0.014	0.15	0.2	0.03	6.7	0.3	<0.05	6	1.1	<0.2
1283044	Soil	9	33	0.50	129	0.082	1	2.09	0.008	0.09	0.2	0.02	3.1	0.2	<0.05	7	0.6	<0.2
1283053	Soil	31	73	1.70	337	0.106	3	2.21	0.012	0.43	0.2	0.03	7.0	0.5	<0.05	8	0.9	<0.2
1283042	Soil	28	26	0.64	67	0.089	<1	1.68	0.007	0.35	0.3	<0.01	4.3	0.6	<0.05	8	<0.5	<0.2
[redacted]																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS WHI12000396.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
[redacted]																					
[redacted]																					
1283041	Soil	0.8	13.2	15.0	52	<0.1	30.4	9.6	293	2.93	6.2	1.3	<0.5	14.4	14	<0.1	0.5	0.2	49	0.19	0.018
[redacted]																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS WHI12000396.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
[redacted]																		
[redacted]																		
1283041	Soil	10	42	0.84	131	0.112	<1	1.71	0.008	0.52	0.6	<0.01	3.7	0.6	<0.05	7	<0.5	<0.2
[redacted]																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS WHI12000396.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
[redacted]																					
1296651	Rock Pulp	2.4	24.7	2.2	43	0.3	22.7	10.2	410	2.49	5.0	0.2	1.9	0.8	39	0.2	0.2	<0.1	61	0.86	0.061
1296669	Soil	1.8	39.0	9.5	114	0.3	63.3	17.7	519	4.28	63.4	1.0	4.0	5.7	21	0.4	2.1	0.1	92	0.52	0.076
1296675	Soil	1.4	46.8	9.7	133	0.3	68.3	19.3	385	4.82	65.4	1.7	2.5	9.2	17	0.3	2.7	0.2	63	0.29	0.085
1296659	Soil	3.0	56.7	12.5	129	0.3	55.9	13.5	471	3.68	129.1	1.4	1.1	6.2	21	0.4	3.8	0.2	76	0.27	0.067

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS WHI12000396.1

Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
[redacted]																	
1296651 Rock Pulp	4	30	0.80	99	0.113	2	1.53	0.091	0.12	14.1	<0.01	5.3	<0.1	<0.05	6	<0.5	<0.2
1296669 Soil	18	86	1.24	512	0.105	<1	2.00	0.012	0.34	0.1	0.04	7.3	0.5	<0.05	7	<0.5	<0.2
1296675 Soil	28	48	0.98	382	0.064	<1	1.62	0.009	0.40	0.2	0.02	8.3	0.4	<0.05	6	0.8	<0.2
1296659 Soil	15	42	0.82	266	0.074	<1	1.57	0.011	0.54	0.2	0.01	5.9	0.5	<0.05	5	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS WHI12000396.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1296657	Soil		5.0	59.1	12.7	122	0.7	47.9	12.4	415	3.61	29.1	1.1	1.7	3.8	27	0.5	1.3	0.1	122	0.30	0.047
1296649	Soil		1.4	34.2	6.9	118	0.4	100.0	15.2	329	3.52	29.9	0.5	1.5	2.6	16	0.2	1.8	0.1	95	0.20	0.030
1296655	Soil		2.3	36.3	11.0	130	0.2	56.3	16.7	545	3.60	47.7	0.7	3.6	3.5	24	0.3	2.4	0.2	96	0.27	0.089
1296668	Soil		1.3	46.0	11.1	117	0.2	63.0	19.9	765	4.39	54.6	1.1	7.3	6.9	41	0.4	2.4	0.1	78	1.15	0.101
1296672	Soil		2.1	45.8	19.5	146	0.4	49.6	14.3	489	4.14	118.1	1.3	4.1	3.4	18	0.5	3.7	0.2	62	0.15	0.075
1296671	Soil		1.8	31.7	9.6	127	0.3	36.7	12.7	320	3.71	66.2	1.0	3.7	5.1	21	0.3	2.8	0.2	63	0.21	0.065
1296676	Soil		1.6	37.3	12.5	150	0.2	53.0	18.3	506	5.01	75.2	1.1	2.8	5.4	23	0.3	2.1	0.1	78	0.33	0.079
1296648	Soil		1.5	45.9	7.1	73	0.4	37.2	8.9	264	2.71	23.0	0.7	5.9	4.0	21	0.1	1.7	0.1	76	0.30	0.024
1296652	Soil		3.9	92.9	9.1	290	0.4	95.2	30.4	947	4.12	291.4	1.0	1.8	4.4	16	1.2	15.3	0.2	124	0.20	0.040
1296650	Soil		2.5	35.5	6.9	93	0.1	36.3	13.1	295	3.22	11.7	0.8	1.9	4.1	21	0.1	0.7	0.1	79	0.20	0.027
1296673	Soil		2.6	39.3	6.4	114	0.1	47.4	11.6	216	3.83	29.7	1.2	1.6	5.7	24	0.2	1.7	0.2	72	0.17	0.050
1296674	Soil		1.0	27.1	8.8	78	0.1	25.7	10.1	304	2.66	18.7	0.9	3.2	4.0	24	0.2	1.2	0.1	61	0.41	0.070
1296654	Soil		1.8	40.0	10.0	109	0.5	50.8	17.8	345	3.42	33.2	0.7	5.1	4.0	20	0.7	1.5	0.2	87	0.22	0.051
1296653	Soil		1.8	29.3	9.4	78	0.4	30.6	11.1	278	2.99	24.5	0.6	3.2	3.3	29	0.4	1.4	0.1	91	0.26	0.034
1296670	Soil		0.9	17.5	14.0	90	0.3	37.2	15.0	617	4.15	39.1	0.9	7.1	3.7	18	0.2	1.2	<0.1	58	0.51	0.055
[redacted]																						
1286751	Rock Pulp		2.2	23.7	2.0	43	0.3	23.0	10.2	392	2.29	4.5	0.2	1.9	0.8	36	0.1	0.2	<0.1	60	0.81	0.055
[redacted]																						

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS WHI12000396.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1296657	Soil	11	66	1.09	478	0.106	<1	2.23	0.012	0.44	0.1	0.02	8.2	0.3	<0.05	7	1.3	<0.2
1296649	Soil	10	129	1.46	381	0.162	<1	2.38	0.010	0.25	<0.1	0.01	6.1	0.3	<0.05	8	<0.5	<0.2
1296655	Soil	12	70	0.76	251	0.117	<1	1.64	0.013	0.31	0.2	0.03	5.1	1.1	<0.05	7	<0.5	<0.2
1296668	Soil	32	83	1.65	358	0.130	<1	2.57	0.013	0.53	0.2	0.04	6.0	0.5	<0.05	9	0.6	<0.2
1296672	Soil	19	37	0.62	190	0.043	<1	1.34	0.008	0.24	0.1	0.03	3.7	0.5	<0.05	6	0.9	<0.2
1296671	Soil	18	40	0.72	191	0.063	<1	1.52	0.011	0.25	0.1	0.03	4.6	0.5	<0.05	6	0.9	<0.2
1296676	Soil	20	45	0.94	474	0.045	<1	2.06	0.011	0.19	0.2	0.02	8.6	0.3	<0.05	7	<0.5	<0.2
1296648	Soil	15	42	0.63	265	0.099	<1	1.65	0.016	0.14	0.1	0.05	6.8	0.2	<0.05	6	0.5	<0.2
1296652	Soil	19	79	1.20	347	0.137	<1	2.27	0.006	0.66	0.1	0.01	7.2	0.6	<0.05	10	0.8	<0.2
1296650	Soil	17	46	0.72	378	0.118	<1	1.87	0.010	0.23	0.1	0.01	5.1	0.2	<0.05	6	<0.5	<0.2
1296673	Soil	19	41	0.77	190	0.060	1	1.37	0.013	0.26	0.1	0.03	4.1	0.4	<0.05	6	1.0	<0.2
1296674	Soil	15	36	0.66	224	0.078	1	1.37	0.019	0.14	0.2	0.04	4.8	0.2	<0.05	5	0.6	<0.2
1296654	Soil	17	56	0.70	192	0.117	<1	1.92	0.015	0.17	0.2	0.05	4.3	0.3	<0.05	7	<0.5	<0.2
1296653	Soil	11	48	0.63	253	0.086	<1	1.95	0.016	0.08	0.1	0.02	4.7	0.1	<0.05	6	0.8	<0.2
1296670	Soil	14	49	0.71	416	0.026	<1	1.38	0.010	0.13	0.1	0.05	10.8	0.3	<0.05	5	<0.5	<0.2
[redacted]																		
1286751	Rock Pulp	4	29	0.73	93	0.110	<1	1.46	0.085	0.11	13.1	<0.01	4.9	<0.1	<0.05	5	<0.5	<0.2
[redacted]																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS WHI12000396.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
[redacted]																					
1296661	Soil	4.9	50.8	23.2	157	0.5	56.0	12.7	687	3.34	25.0	1.2	1.0	7.9	18	0.3	1.8	0.5	73	0.29	0.023
1296666	Soil	2.7	31.6	12.4	174	0.2	37.9	12.4	426	3.00	71.8	0.8	<0.5	2.6	16	0.5	1.6	0.1	86	0.24	0.083
1296665	Soil	4.3	34.7	16.1	212	0.4	44.8	10.4	387	3.12	213.5	0.7	1.6	1.4	19	1.1	3.0	0.2	83	0.19	0.125
1296664	Soil	2.7	24.6	11.7	137	0.1	33.2	10.7	482	3.08	27.3	0.5	2.1	1.4	15	0.7	1.3	0.2	90	0.16	0.079
1296667	Soil	1.6	47.0	12.9	132	0.3	63.7	21.3	650	4.58	26.6	1.0	11.7	7.1	33	0.4	1.0	0.1	88	0.92	0.116
1296663	Soil	1.9	41.9	9.6	104	0.4	41.2	13.4	484	3.38	19.8	0.8	<0.5	4.1	18	0.3	1.8	0.1	77	0.26	0.046
1296662	Soil	1.3	30.9	13.7	63	0.5	36.0	9.9	316	2.67	23.1	0.6	<0.5	4.2	14	0.2	1.4	0.1	65	0.16	0.017
1296656	Soil	4.8	104.4	10.9	124	0.3	66.0	19.0	606	5.16	70.0	2.6	0.7	9.3	35	0.4	3.9	0.2	95	0.36	0.081
1296658	Soil	4.5	66.4	13.4	137	0.4	58.9	15.2	514	4.11	52.7	1.4	<0.5	6.7	20	0.6	3.5	0.1	78	0.30	0.046
1296660	Soil	2.1	35.0	15.9	108	0.2	37.5	8.1	231	2.15	15.1	1.3	1.3	7.3	16	0.2	1.2	0.2	51	0.20	0.019
1271006	Soil	1.1	22.6	7.8	43	<0.1	37.7	16.7	366	3.64	4.5	0.7	<0.5	7.0	21	<0.1	0.5	0.1	82	0.46	0.063
1271008	Soil	0.8	14.9	6.0	72	<0.1	24.5	21.9	937	4.10	4.4	2.7	0.6	10.3	40	0.2	0.4	0.1	84	1.00	0.099
1271005	Soil	0.5	29.7	6.8	49	<0.1	42.9	16.7	469	3.23	12.4	0.7	0.8	5.1	95	<0.1	0.6	<0.1	68	2.65	0.073
1271007	Soil	0.7	13.1	3.9	58	<0.1	12.0	10.0	632	1.73	3.2	1.6	<0.5	5.0	74	<0.1	0.4	<0.1	42	2.00	0.083
1271004	Soil	0.5	29.6	7.8	47	<0.1	35.6	16.3	466	3.12	8.9	0.8	<0.5	3.0	69	0.1	0.4	<0.1	62	1.87	0.048
1271997	Soil	0.9	25.2	12.5	63	0.1	35.1	15.0	610	3.55	18.4	1.7	7.8	9.5	34	<0.1	0.5	0.2	47	1.04	0.044
1271989	Soil	1.6	21.1	17.8	85	0.2	26.4	13.7	751	2.85	77.2	1.1	2.2	4.4	26	0.3	3.0	0.2	60	0.39	0.043
1271995	Soil	0.9	22.9	10.1	58	<0.1	21.7	13.9	614	3.76	6.8	1.0	<0.5	9.8	16	0.1	0.6	0.2	71	0.52	0.046
1271998	Soil	0.9	24.8	13.7	66	0.1	36.0	14.4	511	3.41	32.3	1.9	4.1	9.3	38	0.1	0.7	0.2	45	1.10	0.062
1272000	Soil	0.6	28.3	12.8	69	<0.1	56.4	19.5	423	4.15	28.1	0.8	<0.5	10.1	21	0.1	1.6	0.7	56	0.39	0.040
1271009	Soil	1.6	32.6	5.5	37	<0.1	17.2	10.1	1490	1.19	3.5	1.3	<0.5	1.6	98	0.6	0.6	<0.1	27	2.69	0.101
1271996	Soil	1.1	23.2	7.7	51	<0.1	38.3	14.7	417	3.31	5.6	1.1	<0.5	6.5	20	<0.1	0.3	0.1	72	0.55	0.035
1271999	Soil	0.7	28.4	13.9	67	0.1	39.8	15.3	485	3.45	12.1	2.5	1.0	8.3	42	0.1	0.5	0.3	42	1.12	0.049
1271002	Soil	0.7	34.8	9.7	47	0.2	43.7	14.8	428	3.12	17.3	3.1	<0.5	9.6	57	<0.1	1.0	0.4	45	1.30	0.037
1271993	Soil	1.0	11.5	7.7	38	<0.1	23.2	10.4	352	2.86	10.0	1.3	2.5	9.5	19	<0.1	0.6	0.1	56	0.51	0.038
1271988	Soil	2.3	26.9	15.9	97	0.2	31.1	16.4	943	2.67	179.0	1.4	1.0	5.3	26	0.3	4.9	0.2	59	0.30	0.050

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS WHI12000396.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
[redacted]																		
1296661	Soil	12	45	0.39	256	0.042	1	1.37	0.008	0.15	0.2	0.03	6.8	0.6	<0.05	5	1.1	<0.2
1296666	Soil	12	46	0.73	245	0.056	<1	1.64	0.008	0.13	0.1	0.03	4.2	0.3	<0.05	6	<0.5	<0.2
1296665	Soil	12	31	0.36	123	0.038	<1	1.27	0.008	0.09	0.2	0.03	2.8	0.4	<0.05	6	0.8	<0.2
1296664	Soil	9	35	0.45	130	0.054	<1	1.50	0.008	0.07	0.2	0.02	3.0	0.5	<0.05	6	<0.5	<0.2
1296667	Soil	25	81	1.64	347	0.161	<1	2.48	0.012	0.66	0.2	0.04	6.1	0.5	<0.05	7	<0.5	<0.2
1296663	Soil	14	50	0.48	300	0.049	<1	1.46	0.009	0.08	0.2	0.03	9.7	0.2	<0.05	5	1.3	<0.2
1296662	Soil	13	39	0.49	261	0.060	<1	1.65	0.008	0.08	0.2	0.02	4.8	0.1	<0.05	5	<0.5	<0.2
1296656	Soil	34	87	1.47	527	0.162	<1	2.67	0.011	1.02	<0.1	0.02	7.4	0.7	0.12	10	1.1	<0.2
1296658	Soil	12	49	0.39	367	0.039	<1	1.35	0.007	0.22	0.1	0.04	6.8	0.6	<0.05	5	1.0	<0.2
1296660	Soil	15	28	0.31	196	0.041	<1	1.12	0.008	0.16	<0.1	0.03	4.6	0.2	<0.05	3	0.7	<0.2
1271006	Soil	21	84	1.36	305	0.142	<1	2.10	0.015	0.51	0.2	<0.01	4.6	0.3	<0.05	7	<0.5	<0.2
1271008	Soil	27	60	1.39	283	0.123	1	1.87	0.014	0.52	0.2	0.03	8.0	0.3	<0.05	6	<0.5	<0.2
1271005	Soil	18	66	1.18	305	0.104	1	1.71	0.017	0.36	0.1	0.11	6.2	0.3	<0.05	5	<0.5	<0.2
1271007	Soil	16	21	0.54	217	0.062	2	0.99	0.016	0.17	0.2	0.07	4.0	0.1	0.07	3	<0.5	<0.2
1271004	Soil	14	48	1.04	221	0.089	1	1.76	0.023	0.20	0.1	0.03	4.6	0.2	<0.05	6	<0.5	<0.2
1271997	Soil	39	49	1.09	316	0.109	2	1.91	0.011	0.40	0.1	0.06	5.7	0.3	<0.05	6	<0.5	<0.2
1271989	Soil	14	41	0.59	403	0.039	<1	1.62	0.011	0.08	0.1	0.05	4.9	0.2	<0.05	6	<0.5	<0.2
1271995	Soil	35	38	1.28	398	0.106	<1	1.90	0.011	0.43	0.3	0.02	8.8	0.2	<0.05	6	<0.5	<0.2
1271998	Soil	40	54	1.01	273	0.096	<1	1.67	0.011	0.36	<0.1	0.06	5.6	0.3	<0.05	6	<0.5	<0.2
1272000	Soil	27	69	1.25	188	0.117	<1	2.18	0.012	0.40	<0.1	0.02	5.3	0.4	<0.05	7	<0.5	<0.2
1271009	Soil	19	17	0.30	293	0.025	5	0.65	0.015	0.08	<0.1	0.06	2.7	<0.1	0.16	2	<0.5	<0.2
1271996	Soil	23	73	1.61	265	0.102	<1	2.24	0.011	0.34	0.2	0.01	6.0	0.2	<0.05	7	<0.5	<0.2
1271999	Soil	28	46	0.84	209	0.070	1	1.43	0.010	0.35	<0.1	0.05	6.0	0.3	<0.05	5	<0.5	<0.2
1271002	Soil	75	49	0.89	260	0.061	2	1.72	0.013	0.15	<0.1	0.08	5.8	0.2	<0.05	6	<0.5	<0.2
1271993	Soil	29	44	1.19	370	0.093	<1	1.89	0.013	0.25	0.2	0.04	6.1	0.2	<0.05	7	<0.5	<0.2
1271988	Soil	13	42	0.49	277	0.047	1	1.16	0.010	0.08	<0.1	0.03	3.7	0.3	<0.05	5	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS WHI12000396.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1271983	Soil	1.6	12.8	18.2	52	<0.1	18.9	8.7	280	2.94	11.5	1.2	1.7	8.1	17	<0.1	0.5	0.3	63	0.22	0.029
1271003	Soil	0.8	25.8	9.6	57	<0.1	34.5	17.1	659	3.49	13.1	1.2	1.4	6.0	48	0.1	0.8	0.1	54	1.27	0.067
1271992	Soil	0.9	21.7	11.9	41	<0.1	24.7	9.8	327	2.66	7.7	1.4	<0.5	7.4	22	<0.1	0.7	0.2	53	0.55	0.036
1271981	Soil	0.8	8.4	21.5	43	0.1	9.8	9.3	504	2.31	5.6	2.4	<0.5	10.3	39	0.2	0.4	0.4	31	0.81	0.051
1271986	Soil	0.8	19.9	12.1	42	0.3	17.1	7.1	419	1.75	5.2	10.7	<0.5	7.4	73	0.3	0.4	0.2	31	1.56	0.067
1271001	Rock Pulp	1.3	390.4	19.8	144	0.2	203.1	70.0	735	13.99	2.5	0.7	27.0	5.9	13	<0.1	0.2	0.1	193	0.27	0.040
1271990	Soil	1.3	10.6	8.7	44	<0.1	18.2	8.9	223	3.06	16.0	1.0	3.4	4.4	12	0.1	0.7	0.2	68	0.15	0.035
1271980	Soil	3.8	44.0	23.9	206	0.6	37.8	12.5	830	2.95	44.8	2.8	3.5	3.1	37	0.9	2.3	0.2	108	0.82	0.089
1271984	Soil	1.4	11.9	17.0	69	<0.1	18.8	10.7	655	2.96	9.4	1.2	2.6	7.3	14	0.1	0.4	0.3	61	0.18	0.053
1286567	Soil	0.6	27.2	10.3	51	<0.1	37.5	14.5	347	3.31	27.3	1.1	1.9	6.1	147	<0.1	1.6	0.1	44	3.64	0.066
1271994	Soil	0.9	15.9	5.7	47	<0.1	23.0	12.0	375	3.42	7.0	1.0	<0.5	7.3	15	<0.1	0.5	0.1	77	0.45	0.034
1271985	Soil	1.4	11.2	17.9	60	<0.1	19.9	8.5	297	3.66	12.2	0.9	1.2	7.4	14	0.2	0.6	0.2	68	0.16	0.039
1271982	Soil	2.5	19.8	28.5	92	<0.1	24.6	12.2	432	3.85	20.9	2.0	1.6	22.3	14	0.1	1.2	0.4	53	0.17	0.028
1271987	Soil	1.6	18.2	16.4	82	0.1	28.0	13.9	740	3.46	26.4	4.2	1.2	11.6	33	0.2	1.1	0.2	61	0.60	0.075
1286566	Soil	0.7	19.2	8.0	45	<0.1	26.7	14.7	595	3.27	29.9	0.8	2.7	3.4	231	0.1	2.7	0.1	56	6.24	0.100
1296715	Soil	1.3	27.8	9.2	67	0.4	41.2	11.4	255	3.08	20.5	0.6	1.3	5.1	20	0.1	1.1	0.2	75	0.29	0.020
1296714	Soil	1.7	57.4	9.2	113	0.3	59.2	11.8	275	3.14	30.9	1.0	2.1	5.2	18	0.1	1.5	0.2	72	0.20	0.023
1296707	Soil	2.0	37.1	10.1	76	0.1	42.8	13.5	411	3.47	26.3	0.6	2.2	2.0	15	0.2	1.9	0.2	101	0.20	0.070
1296711	Soil	1.9	39.4	9.5	63	0.2	39.4	12.4	443	3.19	20.8	0.7	2.2	5.6	21	<0.1	1.2	0.1	76	0.36	0.038
1296730	Soil	1.0	28.9	8.2	69	0.1	28.4	11.2	393	2.75	14.7	1.1	3.0	3.7	34	0.2	0.9	0.1	63	0.60	0.068
1296713	Soil	2.1	41.7	14.4	129	0.2	59.9	14.4	455	3.83	59.9	1.9	0.8	8.0	31	0.2	3.9	0.2	95	0.23	0.047
1296712	Soil	2.2	76.9	8.4	109	0.3	60.9	18.3	568	4.44	25.8	1.6	2.4	5.4	22	0.2	1.2	0.2	123	0.50	0.059
1296719	Soil	2.8	56.9	9.1	145	0.1	47.6	16.6	554	5.02	250.4	1.6	18.4	6.8	19	0.3	1.7	0.2	134	0.43	0.069
1296704	Soil	2.2	34.6	10.9	109	0.2	41.2	13.3	243	3.22	40.8	0.9	3.5	4.1	19	0.2	12.6	0.2	88	0.14	0.039
1296701	Rock Pulp	1.5	406.5	19.2	144	0.2	203.5	72.3	766	14.59	3.0	1.1	31.9	6.8	14	<0.1	0.3	0.2	199	0.27	0.040
1296702	Soil	2.2	69.3	11.3	130	0.2	58.3	13.9	474	3.60	191.8	1.7	24.0	5.9	21	0.3	31.4	0.3	87	0.17	0.032
1296720	Soil	1.6	22.2	14.6	116	<0.1	41.8	18.0	583	3.97	28.1	0.7	3.8	3.4	11	0.2	1.1	0.2	104	0.22	0.086
1296703	Soil	2.8	55.6	21.8	182	0.6	60.1	16.0	540	3.48	384.8	1.5	27.2	4.1	31	1.1	530.9	0.4	82	0.30	0.029
1296718	Soil	1.5	15.0	8.8	72	0.5	24.1	10.0	236	2.94	46.6	0.4	1.5	2.6	15	0.3	0.8	0.2	69	0.23	0.036
1296717	Soil	6.9	71.9	19.5	317	0.6	94.4	13.7	320	3.53	43.9	1.4	1.5	4.6	24	1.0	7.1	0.3	136	0.22	0.055

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS WHI12000396.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1271983	Soil		18	31	0.46	167	0.056	<1	1.76	0.010	0.07	<0.1	<0.01	3.9	0.2	<0.05	7	<0.5	<0.2
1271003	Soil		20	47	1.00	239	0.075	2	1.70	0.014	0.26	0.1	0.08	5.7	0.2	<0.05	6	<0.5	<0.2
1271992	Soil		26	49	1.10	388	0.087	<1	1.85	0.012	0.19	0.1	0.02	5.5	0.2	<0.05	7	<0.5	<0.2
1271981	Soil		18	19	0.52	208	0.010	<1	1.37	0.010	0.08	<0.1	0.04	4.6	0.3	<0.05	8	<0.5	<0.2
1271986	Soil		167	23	0.36	368	0.023	2	1.40	0.016	0.06	0.2	0.10	5.2	0.2	0.06	5	0.5	<0.2
1271001	Rock Pulp		16	610	0.12	139	0.145	2	3.78	0.012	0.06	<0.1	0.04	37.0	<0.1	<0.05	19	<0.5	<0.2
1271990	Soil		12	28	0.46	176	0.032	2	2.27	0.009	0.05	0.1	0.03	4.7	0.1	<0.05	8	<0.5	<0.2
1271980	Soil		14	47	0.55	572	0.048	3	1.39	0.015	0.08	0.2	0.06	6.8	0.5	0.06	6	1.2	<0.2
1271984	Soil		15	32	0.45	117	0.047	2	1.80	0.011	0.07	0.1	0.03	3.6	0.2	<0.05	7	<0.5	<0.2
1286567	Soil		24	48	1.10	155	0.054	4	1.43	0.010	0.32	0.2	0.10	7.0	0.5	<0.05	5	<0.5	<0.2
1271994	Soil		22	43	1.37	347	0.131	2	2.14	0.015	0.40	0.2	0.02	5.7	0.2	<0.05	8	<0.5	<0.2
1271985	Soil		13	33	0.49	87	0.071	2	1.85	0.010	0.08	0.2	0.02	3.4	0.2	<0.05	8	<0.5	<0.2
1271982	Soil		30	36	0.55	135	0.048	2	2.28	0.010	0.11	0.1	0.02	5.6	0.4	<0.05	8	<0.5	<0.2
1271987	Soil		39	45	0.77	223	0.066	2	1.82	0.012	0.12	0.1	0.06	6.2	0.3	<0.05	6	<0.5	<0.2
1286566	Soil		23	38	0.70	179	0.042	2	1.26	0.012	0.19	0.2	0.11	7.1	0.3	<0.05	4	<0.5	<0.2
1296715	Soil		11	46	0.65	363	0.090	1	2.03	0.010	0.16	0.1	0.02	6.2	0.1	<0.05	6	<0.5	<0.2
1296714	Soil		11	43	0.90	172	0.080	1	1.70	0.008	0.36	0.1	<0.01	5.3	0.3	<0.05	6	1.0	<0.2
1296707	Soil		10	57	0.78	200	0.120	1	2.01	0.010	0.24	0.2	0.02	4.6	0.3	<0.05	8	<0.5	<0.2
1296711	Soil		17	46	0.68	318	0.102	2	1.77	0.016	0.29	0.1	0.03	7.8	0.2	<0.05	6	<0.5	<0.2
1296730	Soil		14	35	0.64	298	0.077	2	1.51	0.025	0.07	0.2	0.04	4.9	0.1	<0.05	5	<0.5	<0.2
1296713	Soil		42	89	1.23	302	0.117	1	2.35	0.007	0.81	0.1	0.02	7.4	0.6	0.06	9	0.8	<0.2
1296712	Soil		18	76	1.40	465	0.138	1	2.66	0.013	0.51	0.1	0.01	8.5	0.4	<0.05	10	1.0	<0.2
1296719	Soil		19	43	1.78	558	0.123	<1	2.66	0.009	0.52	<0.1	0.03	13.8	0.6	<0.05	9	1.4	<0.2
1296704	Soil		12	43	0.55	278	0.086	<1	1.92	0.007	0.11	0.1	0.01	3.8	0.2	<0.05	6	<0.5	<0.2
1296701	Rock Pulp		17	639	0.12	132	0.157	4	3.98	0.012	0.06	<0.1	0.03	36.5	0.1	<0.05	20	<0.5	<0.2
1296702	Soil		19	49	0.77	376	0.146	<1	1.89	0.006	0.69	0.2	0.03	6.9	0.7	<0.05	7	0.8	<0.2
1296720	Soil		11	58	0.87	169	0.076	1	2.10	0.010	0.16	0.2	0.02	5.4	0.2	<0.05	8	<0.5	<0.2
1296703	Soil		14	43	0.50	452	0.062	<1	1.53	0.009	0.15	0.2	0.04	5.1	0.4	<0.05	5	<0.5	<0.2
1296718	Soil		9	35	0.49	270	0.050	1	1.78	0.011	0.06	0.2	0.02	2.8	0.1	<0.05	6	<0.5	<0.2
1296717	Soil		12	49	0.53	132	0.039	1	1.60	0.007	0.08	0.3	0.02	4.8	0.7	<0.05	5	2.2	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS WHI12000396.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1296716	Soil		2.8	59.6	9.9	120	0.4	56.9	11.1	236	3.97	18.8	2.4	0.9	8.6	31	0.2	1.0	0.2	113	0.13	0.052
1296705	Soil		1.4	21.6	11.9	79	0.4	34.2	15.6	406	3.07	13.1	1.0	1.4	3.9	19	0.4	1.6	0.2	79	0.20	0.034
1296706	Soil		1.7	28.9	10.2	86	0.4	39.3	10.5	292	3.13	23.2	0.8	1.9	3.9	17	0.2	2.0	0.2	83	0.19	0.028
1296709	Soil		2.9	34.7	11.6	115	0.4	40.6	18.8	835	3.29	39.5	1.2	2.9	3.5	22	0.3	2.7	0.2	95	0.38	0.066
1296708	Soil		3.1	44.6	14.1	107	0.3	44.3	15.3	621	3.09	42.5	1.3	1.3	3.6	23	0.3	3.1	0.2	93	0.28	0.087
1296727	Soil		1.3	37.4	9.4	90	0.3	34.5	16.4	623	3.46	30.5	2.7	4.2	4.1	43	0.5	1.5	0.2	66	0.90	0.061
1296710	Soil		3.1	67.0	8.8	185	0.5	76.4	28.1	794	5.38	11.7	1.7	2.0	4.8	45	0.6	0.6	<0.1	169	0.83	0.131
1296725	Soil		1.0	36.4	8.8	69	0.2	42.7	15.4	864	3.22	46.4	2.7	3.8	2.4	56	0.2	1.8	0.1	59	1.52	0.055
1296724	Soil		1.3	43.8	9.4	87	0.2	55.2	17.6	609	3.65	43.4	1.6	2.9	5.3	39	0.3	2.1	0.1	81	1.09	0.066
1296723	Soil		0.9	25.8	8.2	70	0.2	32.6	12.2	465	2.62	34.3	1.5	2.8	3.3	62	0.2	1.1	0.1	52	1.99	0.057
1296726	Soil		1.5	36.1	10.1	84	0.2	45.8	18.2	589	3.93	53.1	2.3	5.4	3.8	38	0.2	2.3	0.1	79	1.00	0.066
1296722	Soil		1.3	35.5	10.4	92	0.2	47.4	15.4	480	3.22	46.3	2.0	4.2	4.8	49	0.4	1.8	0.1	69	1.55	0.093
1296729	Soil		1.5	26.6	9.0	83	0.2	23.1	12.3	504	3.40	25.7	1.7	3.2	3.9	27	0.3	1.0	0.2	65	0.51	0.058
1296728	Soil		0.9	27.5	7.5	73	0.1	26.5	15.5	464	3.00	18.2	1.4	3.5	3.2	29	0.3	0.9	0.1	61	0.60	0.051
1296721	Soil		1.3	43.4	10.6	121	0.2	65.3	24.5	641	4.42	20.7	1.1	1.6	6.6	30	0.4	0.7	0.1	80	0.92	0.108
1286860	Soil		0.6	38.6	17.4	68	<0.1	66.1	25.3	912	4.51	8.4	1.3	2.3	11.9	18	<0.1	9.3	0.1	86	0.72	0.117
1286854	Soil		1.2	17.7	13.5	43	<0.1	48.4	16.3	602	3.83	24.7	1.1	1.8	11.1	25	<0.1	1.9	0.2	71	0.81	0.027
1286861	Soil		0.5	29.5	13.2	75	<0.1	43.4	20.7	560	3.95	9.2	0.6	0.7	3.3	47	0.1	0.3	<0.1	69	1.35	0.049
1286855	Soil		0.9	60.8	16.5	97	0.1	62.7	23.1	553	4.61	42.5	0.9	1.6	10.8	20	<0.1	0.4	0.1	62	0.80	0.049
1286862	Soil		0.7	31.2	9.5	61	<0.1	39.6	16.7	527	3.70	11.1	0.6	2.5	5.7	31	<0.1	0.6	0.1	77	0.78	0.071
1286863	Soil		0.4	34.4	7.1	56	<0.1	36.1	13.6	344	2.70	13.8	0.6	1.4	2.6	96	0.1	1.2	<0.1	50	2.82	0.082
1286858	Soil		0.7	30.6	11.0	59	0.1	73.8	14.6	518	3.10	13.0	0.6	6.1	7.6	38	<0.1	1.1	0.2	56	1.50	0.058
1286850	Soil		1.1	14.9	19.6	60	0.2	15.9	7.2	744	1.94	10.2	5.6	2.0	4.3	46	0.5	0.7	0.2	36	1.31	0.044
1286570	Soil		0.7	38.0	19.9	51	0.1	118.3	17.7	603	3.11	30.9	1.8	1.4	3.9	53	0.2	2.2	0.2	48	1.98	0.047
1286864	Soil		0.4	23.5	6.1	54	<0.1	62.6	15.8	417	2.82	8.0	1.3	12.6	3.5	51	<0.1	0.4	<0.1	51	1.48	0.057
1286852	Soil		1.2	11.1	19.9	73	0.1	16.2	9.3	443	2.31	6.8	4.6	3.4	11.6	35	0.1	0.6	0.3	46	0.67	0.063
1286857	Soil		0.7	37.4	15.5	63	<0.1	47.8	18.1	628	3.61	30.0	0.8	<0.5	7.6	23	<0.1	0.4	<0.1	66	1.16	0.073
1286575	Soil		2.5	12.4	35.1	58	<0.1	21.1	12.2	514	3.47	13.5	2.3	16.9	13.4	17	0.1	1.2	0.3	65	0.20	0.026
1286853	Soil		1.8	17.1	20.0	102	0.2	20.4	13.2	631	2.86	20.8	2.4	2.1	7.6	31	0.2	0.9	0.2	70	0.51	0.078
1286849	Soil		1.0	11.4	13.6	55	<0.1	20.3	10.7	446	3.61	6.8	2.2	<0.5	14.7	16	<0.1	0.8	0.2	55	0.20	0.020

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS WHI12000396.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1296716	Soil	25	112	1.33	345	0.129	<1	2.63	0.012	0.65	<0.1	0.01	5.8	0.5	0.12	9	1.2	<0.2
1296705	Soil	15	47	0.57	334	0.069	<1	2.01	0.015	0.08	0.1	0.02	6.7	0.1	<0.05	6	<0.5	<0.2
1296706	Soil	13	47	0.60	244	0.076	<1	1.92	0.011	0.16	0.1	0.02	4.6	0.2	<0.05	6	<0.5	<0.2
1296709	Soil	15	61	0.79	259	0.099	2	1.79	0.014	0.13	0.1	0.09	5.1	0.4	<0.05	7	0.8	<0.2
1296708	Soil	16	60	0.68	198	0.106	1	1.50	0.012	0.25	0.2	0.03	4.7	0.5	<0.05	7	<0.5	<0.2
1296727	Soil	20	46	0.75	364	0.057	3	1.46	0.016	0.16	0.1	0.09	8.0	0.4	0.06	5	1.1	<0.2
1296710	Soil	16	164	2.20	1183	0.222	2	3.93	0.044	1.25	0.1	0.03	8.6	0.6	<0.05	12	1.1	<0.2
1296725	Soil	16	51	0.64	443	0.036	4	1.21	0.012	0.11	<0.1	0.10	8.1	0.4	0.06	4	1.0	<0.2
1296724	Soil	22	72	1.09	330	0.087	2	1.77	0.019	0.24	0.1	0.07	8.0	0.3	<0.05	6	0.8	<0.2
1296723	Soil	18	44	0.67	301	0.069	2	1.32	0.012	0.18	0.1	0.06	4.0	0.2	0.07	5	0.8	<0.2
1296726	Soil	16	64	0.76	397	0.045	3	1.39	0.013	0.16	0.1	0.11	10.3	0.4	<0.05	5	1.0	<0.2
1296722	Soil	21	55	0.95	343	0.078	2	1.62	0.012	0.29	0.1	0.06	5.4	0.3	<0.05	6	0.9	<0.2
1296729	Soil	18	38	0.69	237	0.058	2	1.42	0.012	0.10	0.1	0.05	4.8	0.2	<0.05	5	0.9	<0.2
1296728	Soil	13	46	0.68	318	0.054	2	1.29	0.014	0.09	0.1	0.03	6.1	0.1	<0.05	5	0.9	<0.2
1296721	Soil	23	77	1.47	263	0.147	2	2.23	0.010	0.58	0.1	0.03	4.8	0.4	<0.05	7	0.9	<0.2
1286860	Soil	42	98	1.95	325	0.112	2	2.50	0.006	0.91	1.3	0.68	12.2	0.5	<0.05	7	<0.5	<0.2
1286854	Soil	35	79	1.14	385	0.061	2	1.60	0.011	0.33	0.2	0.05	13.0	0.3	<0.05	6	<0.5	<0.2
1286861	Soil	11	63	1.38	228	0.119	2	2.20	0.013	0.38	0.1	0.03	4.4	0.3	<0.05	6	<0.5	<0.2
1286855	Soil	32	77	1.56	245	0.151	<1	2.54	0.010	0.89	<0.1	0.04	5.4	0.6	<0.05	8	<0.5	<0.2
1286862	Soil	35	57	1.16	249	0.092	3	1.98	0.015	0.17	0.1	0.03	9.1	0.2	<0.05	6	<0.5	<0.2
1286863	Soil	12	46	0.96	142	0.072	3	1.31	0.015	0.18	0.1	0.10	4.9	0.2	<0.05	4	0.6	<0.2
1286858	Soil	27	65	1.27	249	0.105	1	1.69	0.021	0.28	0.1	0.07	4.9	0.2	<0.05	5	<0.5	<0.2
1286850	Soil	45	20	0.34	237	0.033	2	0.94	0.009	0.07	0.1	0.06	4.3	0.2	<0.05	4	0.5	<0.2
1286570	Soil	25	106	1.34	341	0.069	2	1.73	0.011	0.24	0.1	0.09	5.0	0.3	<0.05	5	0.7	<0.2
1286864	Soil	14	119	1.22	210	0.093	2	1.66	0.014	0.23	0.1	0.05	4.5	0.2	<0.05	5	<0.5	<0.2
1286852	Soil	33	29	0.55	162	0.055	1	1.29	0.013	0.10	0.2	0.05	5.1	0.2	<0.05	6	<0.5	<0.2
1286857	Soil	18	69	2.10	290	0.155	<1	2.55	0.015	0.68	0.1	0.03	4.6	0.4	<0.05	7	0.6	<0.2
1286575	Soil	14	36	0.50	131	0.031	<1	1.74	0.008	0.08	0.4	0.02	5.5	<0.1	<0.05	8	<0.5	<0.2
1286853	Soil	22	42	0.71	273	0.072	1	1.45	0.012	0.14	0.2	0.07	5.3	0.3	<0.05	6	<0.5	<0.2
1286849	Soil	15	36	0.73	119	0.145	<1	1.93	0.008	0.56	0.2	<0.01	6.8	0.8	<0.05	10	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS WHI12000396.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1286859	Soil		1.1	21.2	10.0	90	<0.1	61.2	19.3	820	4.65	3.5	0.5	<0.5	6.0	16	<0.1	0.3	<0.1	103	0.40	0.087
1286574	Soil		1.4	29.2	16.2	106	0.2	41.0	21.7	607	4.57	30.4	3.0	2.8	11.7	35	0.3	2.4	0.2	75	0.79	0.088
1286572	Soil		1.0	39.7	17.7	81	0.1	51.1	19.1	518	4.36	53.0	1.1	2.3	9.1	27	<0.1	1.4	0.1	67	1.03	0.064
1286564	Soil		0.5	20.0	6.0	47	<0.1	26.6	11.7	363	2.15	7.7	0.8	1.0	1.6	80	0.1	0.5	<0.1	40	2.06	0.057
1286565	Soil		0.6	22.7	8.6	70	<0.1	39.2	19.2	596	3.72	16.5	0.8	0.7	4.9	64	<0.1	2.1	0.1	68	2.21	0.104
1286573	Soil		2.4	15.9	23.0	104	0.2	21.5	16.5	1713	3.34	42.1	3.0	2.4	8.6	33	0.3	1.4	0.2	66	0.62	0.066
1270598	Soil		0.7	8.3	5.9	42	<0.1	23.5	15.5	425	3.63	5.7	0.5	1.0	3.7	15	<0.1	0.2	<0.1	101	0.21	0.032
1270599	Soil		0.7	6.4	8.8	29	<0.1	16.7	11.1	298	3.84	5.9	0.7	<0.5	8.8	14	<0.1	0.5	0.1	61	0.32	0.039
1270592	Soil		1.9	18.8	23.2	73	0.1	27.3	10.8	426	2.99	48.5	1.8	2.9	9.1	27	0.2	1.8	0.3	62	0.48	0.044
1286569	Soil		0.9	19.3	10.8	64	<0.1	47.1	14.4	640	3.96	3.5	1.2	2.8	22.9	13	<0.1	0.7	0.3	72	0.44	0.067
1270588	Soil		4.7	75.7	451.8	1013	0.8	55.8	12.7	1606	4.30	176.9	1.7	2.2	3.4	19	5.6	2.5	0.8	150	0.16	0.079
1270595	Soil		0.7	8.1	7.7	31	<0.1	11.2	5.4	298	2.76	8.4	0.6	1.6	5.2	13	<0.1	1.1	0.3	58	0.22	0.026
1270597	Soil		0.9	14.3	9.9	41	<0.1	18.5	12.8	248	2.89	9.4	0.8	<0.5	9.9	10	<0.1	0.4	0.2	42	0.09	0.019
1286571	Soil		0.8	44.7	19.9	45	<0.1	31.3	21.4	685	3.35	18.6	1.3	3.0	12.0	51	0.1	3.0	<0.1	57	4.90	0.037
1270596	Soil		0.9	13.2	6.3	36	<0.1	15.9	8.9	299	2.85	6.9	0.6	<0.5	5.0	10	<0.1	0.2	0.2	44	0.16	0.058
1270589	Soil		2.8	14.7	28.2	113	<0.1	17.9	7.2	409	2.23	30.4	0.7	2.6	5.0	16	0.4	1.3	0.2	61	0.26	0.050
1270594	Soil		2.1	15.8	15.8	46	<0.1	31.2	10.7	397	2.57	14.7	0.6	0.6	4.9	15	0.2	1.6	0.2	50	0.18	0.031
1286568	Soil		2.4	23.7	10.1	69	<0.1	33.7	22.5	723	4.55	5.3	0.9	2.8	20.1	21	<0.1	2.1	0.1	89	0.54	0.099
1270600	Soil		1.6	79.8	8.9	82	0.1	25.5	26.4	1229	6.39	5.8	1.7	2.3	4.5	12	<0.1	0.5	0.2	140	0.45	0.041
1270952	Soil		1.5	19.3	15.7	61	<0.1	21.1	13.9	511	3.68	5.0	1.1	0.9	16.7	14	<0.1	0.3	0.2	70	0.34	0.038
1270590	Soil		2.8	19.8	58.6	78	0.3	27.7	12.9	765	3.19	8.8	5.8	1.8	29.7	37	0.3	0.5	0.3	68	0.79	0.058
1270593	Soil		3.5	55.7	16.3	153	0.3	46.7	14.4	543	3.50	58.3	2.4	2.3	8.8	23	0.3	2.0	0.1	120	0.30	0.046
1270954	Soil		0.8	30.6	19.4	81	0.2	42.2	18.2	613	4.27	9.3	2.5	1.8	13.1	29	0.1	0.4	0.1	73	0.80	0.059
1270957	Soil		1.2	29.6	15.5	67	0.1	59.5	21.9	636	4.25	11.2	2.2	11.2	12.1	48	0.2	4.4	0.1	93	1.65	0.094
1270958	Soil		1.3	29.4	11.8	88	<0.1	40.9	27.3	814	5.24	7.0	1.2	2.9	14.2	28	<0.1	2.8	0.2	126	0.79	0.106
1270591	Soil		1.8	19.6	25.3	67	0.2	24.6	10.0	350	2.99	25.5	1.9	7.5	8.6	22	0.3	1.1	0.3	74	0.31	0.038
1270960	Soil		0.7	33.2	7.9	64	0.1	47.6	21.9	717	3.61	10.1	2.0	4.3	7.6	51	0.1	1.1	0.1	79	1.69	0.068
1270955	Soil		1.1	35.0	23.1	94	0.2	75.4	24.5	683	4.97	16.9	2.1	1.5	13.6	25	0.1	0.8	0.2	74	0.71	0.073
1270962	Soil		0.6	31.5	8.7	53	<0.1	37.9	17.9	523	3.31	14.6	1.4	1.9	3.3	80	0.2	2.6	<0.1	65	2.58	0.082
1270961	Soil		0.8	32.9	8.8	68	<0.1	42.3	18.7	571	3.62	17.3	1.3	8.7	6.2	34	0.1	2.3	<0.1	61	1.17	0.071

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS WHI12000396.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1286859	Soil	10	105	2.56	351	0.188	<1	2.99	0.007	1.36	0.1	<0.01	3.7	0.4	<0.05	10	<0.5	<0.2
1286574	Soil	28	63	1.58	171	0.069	<1	2.26	0.010	0.25	0.2	0.02	9.4	0.5	<0.05	8	<0.5	<0.2
1286572	Soil	34	75	1.25	252	0.113	<1	2.07	0.012	0.75	0.1	0.04	7.4	0.6	<0.05	7	<0.5	<0.2
1286564	Soil	10	43	0.65	147	0.050	2	1.07	0.013	0.11	0.1	0.05	3.4	0.2	0.07	3	<0.5	<0.2
1286565	Soil	23	60	1.14	249	0.070	3	1.54	0.010	0.38	0.2	0.13	8.9	0.5	<0.05	5	0.5	<0.2
1286573	Soil	20	45	0.74	231	0.052	1	1.48	0.010	0.11	0.1	0.06	5.1	0.3	<0.05	7	<0.5	<0.2
1270598	Soil	7	52	1.75	131	0.164	<1	2.54	0.009	0.53	0.1	<0.01	4.4	0.2	<0.05	9	<0.5	<0.2
1270599	Soil	18	33	1.70	164	0.129	<1	2.60	0.006	0.33	0.1	<0.01	6.8	0.2	<0.05	9	<0.5	<0.2
1270592	Soil	17	46	0.63	295	0.052	<1	1.57	0.011	0.07	0.1	0.03	4.7	0.2	<0.05	6	<0.5	<0.2
1286569	Soil	48	90	1.87	274	0.170	<1	2.41	0.009	1.10	0.1	0.02	6.6	0.6	<0.05	9	<0.5	<0.2
1270588	Soil	14	66	0.52	354	0.080	<1	1.56	0.013	0.18	0.1	0.05	7.2	0.5	<0.05	8	2.0	0.2
1270595	Soil	29	15	0.66	369	0.032	<1	1.54	0.007	0.09	0.2	0.01	10.6	0.1	<0.05	5	<0.5	<0.2
1270597	Soil	20	27	0.64	307	0.046	<1	2.05	0.007	0.10	0.1	<0.01	4.3	0.2	<0.05	5	<0.5	<0.2
1286571	Soil	32	84	0.88	245	0.044	<1	1.33	0.004	0.41	0.2	0.04	11.4	0.3	<0.05	4	<0.5	<0.2
1270596	Soil	10	38	0.96	327	0.087	<1	2.11	0.007	0.13	0.2	<0.01	3.3	0.1	<0.05	7	<0.5	<0.2
1270589	Soil	10	31	0.46	210	0.061	1	1.00	0.011	0.10	0.1	0.03	3.2	0.3	<0.05	6	0.6	<0.2
1270594	Soil	9	47	0.76	303	0.031	<1	1.68	0.008	0.10	0.1	<0.01	7.7	0.1	<0.05	6	<0.5	<0.2
1286568	Soil	50	45	1.55	268	0.121	<1	2.32	0.008	0.73	0.2	0.02	8.1	0.6	<0.05	7	<0.5	<0.2
1270600	Soil	15	34	1.55	450	0.143	1	2.49	0.012	0.60	0.2	0.02	12.9	0.4	<0.05	8	<0.5	<0.2
1270952	Soil	45	39	1.24	250	0.150	2	2.16	0.011	0.31	0.2	0.01	5.1	0.3	<0.05	7	<0.5	<0.2
1270590	Soil	115	48	0.63	237	0.055	1	2.06	0.013	0.17	0.2	0.07	7.7	0.4	0.06	10	<0.5	<0.2
1270593	Soil	25	74	0.88	454	0.085	1	2.10	0.011	0.11	0.1	0.05	6.2	0.4	<0.05	8	1.3	<0.2
1270954	Soil	42	67	1.51	309	0.161	3	2.77	0.016	0.49	0.1	0.04	6.1	0.5	0.10	9	<0.5	<0.2
1270957	Soil	40	65	1.20	391	0.079	3	1.76	0.014	0.30	0.6	0.50	10.4	0.3	<0.05	6	0.6	<0.2
1270958	Soil	28	64	1.64	275	0.165	2	2.62	0.012	0.53	0.4	0.12	8.3	0.5	<0.05	9	<0.5	<0.2
1270591	Soil	48	43	0.47	325	0.044	1	1.86	0.010	0.09	0.1	0.04	4.0	0.2	<0.05	9	<0.5	<0.2
1270960	Soil	28	90	1.36	374	0.117	3	2.12	0.013	0.36	0.2	0.13	6.5	0.4	0.06	7	<0.5	<0.2
1270955	Soil	43	100	1.75	245	0.145	2	2.65	0.012	0.49	<0.1	0.05	6.5	0.5	<0.05	9	<0.5	<0.2
1270962	Soil	22	53	0.87	317	0.054	3	1.29	0.011	0.20	0.2	0.35	6.7	0.3	0.07	5	<0.5	<0.2
1270961	Soil	21	71	1.17	201	0.106	2	1.78	0.014	0.38	0.4	0.86	4.9	0.4	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS WHI12000396.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1270956	Soil	0.7	30.4	16.5	71	0.2	40.4	17.2	571	3.58	20.4	1.8	4.2	7.4	35	0.1	1.0	0.2	58	1.14	0.048
1270953	Soil	1.1	23.7	8.6	68	<0.1	24.3	16.2	534	4.11	9.9	0.9	1.9	5.4	13	<0.1	0.7	0.1	85	0.42	0.037
1270959	Soil	1.4	37.7	11.1	63	0.1	41.4	23.4	741	4.42	11.5	2.1	10.8	14.7	37	<0.1	2.4	0.1	88	1.14	0.072
1271731	Soil	2.8	33.6	13.2	74	0.2	39.8	10.0	298	4.85	14.0	0.6	3.5	2.7	12	0.2	0.5	0.2	142	0.12	0.059
1271738	Soil	1.2	11.9	22.0	54	<0.1	19.0	8.5	605	2.54	12.8	1.7	<0.5	7.5	18	0.1	0.8	0.2	52	0.35	0.028
1271732	Soil	2.4	39.2	10.8	81	<0.1	38.9	11.6	381	3.51	16.3	0.7	3.5	3.3	12	0.2	0.6	0.1	129	0.15	0.057
1271733	Soil	2.5	22.9	10.9	48	0.3	18.3	6.7	153	2.96	10.6	0.6	2.2	2.1	10	0.5	0.5	0.1	89	0.12	0.033
1271736	Soil	1.4	9.0	20.7	60	<0.1	17.1	9.4	411	3.22	13.9	1.8	2.1	4.3	13	0.1	0.6	0.2	57	0.20	0.041
1271734	Soil	3.0	25.6	15.0	41	0.3	15.2	4.1	112	2.62	11.3	0.7	2.3	3.2	7	0.2	0.8	0.2	119	0.05	0.026
1271737	Soil	1.6	12.5	24.5	68	<0.1	30.6	11.7	549	3.84	15.1	2.2	2.1	13.5	23	0.2	0.6	0.2	65	0.40	0.035
1271742	Soil	1.2	12.6	17.6	49	<0.1	17.1	10.2	255	3.02	10.0	0.7	0.9	3.9	14	<0.1	0.4	0.2	68	0.25	0.027
1271740	Soil	2.6	43.7	90.0	185	0.6	33.5	11.5	880	2.85	78.1	6.9	8.8	5.6	43	1.8	5.3	0.2	50	1.28	0.065
1270963	Soil	0.6	36.6	14.1	66	<0.1	44.1	16.1	425	3.21	29.9	1.7	1.5	7.2	59	0.6	1.7	<0.1	55	1.94	0.062
1271735	Soil	1.3	26.0	16.6	65	<0.1	28.0	11.8	263	3.36	14.2	1.0	2.1	7.5	14	0.1	0.6	0.2	88	0.20	0.025
1271741	Soil	1.3	14.6	17.0	49	<0.1	30.1	13.3	306	3.10	9.7	0.8	1.4	5.9	17	<0.1	0.5	0.2	81	0.40	0.022
1271739	Soil	1.4	13.6	60.3	213	0.2	19.3	11.9	977	2.88	22.2	4.4	9.3	10.8	30	2.4	1.9	0.2	49	0.89	0.048
1270969	Soil	0.7	19.3	5.5	55	<0.1	35.3	16.3	484	2.87	6.6	0.9	1.2	3.1	41	<0.1	0.2	<0.1	60	1.28	0.053
1270966	Soil	0.4	31.1	6.6	56	<0.1	28.2	14.6	327	2.86	9.9	0.8	1.8	3.1	53	<0.1	0.4	<0.1	65	1.44	0.068
1270968	Soil	0.7	27.4	6.5	72	<0.1	219.3	28.7	646	4.33	16.5	1.2	1.5	7.6	42	<0.1	0.5	<0.1	76	1.37	0.064
1270951	Rock Pulp	2.4	26.5	2.2	42	0.3	23.9	10.7	387	2.35	4.5	0.2	1.8	0.8	31	0.1	0.2	<0.1	74	0.77	0.056

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 10, 2012

CERTIFICATE OF ANALYSIS WHI12000396.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1270956	Soil	35	54	0.99	206	0.095	2	1.72	0.014	0.26	0.1	0.06	5.2	0.3	<0.05	6	<0.5	<0.2
1270953	Soil	13	57	1.37	299	0.136	1	2.30	0.010	0.36	0.2	0.02	5.8	0.3	<0.05	9	<0.5	<0.2
1270959	Soil	65	62	1.29	338	0.116	2	2.02	0.014	0.43	0.4	0.17	9.2	0.4	<0.05	7	0.5	<0.2
1271731	Soil	9	66	0.63	132	0.165	<1	1.91	0.012	0.13	0.1	0.02	3.7	0.1	0.06	12	0.5	<0.2
1271738	Soil	16	30	0.34	256	0.036	3	1.35	0.011	0.07	0.2	0.04	3.5	0.4	<0.05	6	<0.5	<0.2
1271732	Soil	10	66	0.74	202	0.166	<1	1.83	0.010	0.17	0.1	0.02	4.3	0.2	<0.05	10	0.5	<0.2
1271733	Soil	8	37	0.31	101	0.075	<1	1.81	0.009	0.04	0.1	0.04	2.7	0.1	<0.05	8	<0.5	<0.2
1271736	Soil	20	24	0.27	190	0.013	<1	1.39	0.007	0.05	<0.1	0.04	2.4	0.2	<0.05	7	<0.5	<0.2
1271734	Soil	10	24	0.13	73	0.106	<1	0.94	0.007	0.05	<0.1	0.02	1.8	0.1	<0.05	9	<0.5	<0.2
1271737	Soil	32	43	0.38	215	0.033	<1	1.72	0.009	0.06	0.1	0.05	4.0	0.2	<0.05	8	<0.5	<0.2
1271742	Soil	9	29	0.65	203	0.074	<1	1.71	0.008	0.06	0.1	0.02	4.2	0.1	<0.05	7	<0.5	<0.2
1271740	Soil	21	31	0.36	590	0.018	3	0.96	0.010	0.06	0.1	0.20	5.6	0.4	0.15	3	1.4	<0.2
1270963	Soil	30	66	0.96	251	0.066	3	1.58	0.011	0.31	0.1	0.24	6.4	0.4	<0.05	5	<0.5	<0.2
1271735	Soil	11	48	0.51	178	0.075	1	2.77	0.011	0.06	0.1	0.04	4.0	0.2	<0.05	7	<0.5	<0.2
1271741	Soil	14	49	1.01	410	0.081	1	1.87	0.010	0.09	0.2	0.02	5.5	<0.1	0.06	7	<0.5	<0.2
1271739	Soil	27	27	0.42	487	0.027	3	0.95	0.012	0.07	0.2	0.11	6.9	0.6	0.09	4	<0.5	<0.2
1270969	Soil	11	72	1.02	182	0.109	2	1.68	0.013	0.21	0.2	0.04	3.3	0.3	<0.05	5	<0.5	<0.2
1270966	Soil	12	36	0.84	139	0.084	2	1.34	0.024	0.12	0.1	0.04	4.3	0.2	<0.05	5	<0.5	<0.2
1270968	Soil	26	427	2.61	265	0.124	2	2.62	0.011	0.42	0.1	0.03	7.1	0.5	<0.05	9	<0.5	<0.2
1270951	Rock Pulp	3	30	0.78	85	0.107	2	1.50	0.076	0.10	13.7	<0.01	4.3	<0.1	0.11	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 10, 2012

QUALITY CONTROL REPORT WHI12000396.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																						
1270895	Soil		1.1	11.8	7.9	32	<0.1	11.8	6.4	250	2.37	10.9	0.8	2.3	4.1	14	0.2	1.3	0.2	46	0.22	0.027
REP 1270895	QC		1.0	12.1	8.2	35	<0.1	12.4	6.6	260	2.48	11.1	0.9	1.1	4.5	16	0.3	1.3	0.2	48	0.23	0.030
1270971	Soil		1.0	13.4	14.8	68	<0.1	16.6	15.0	571	3.46	12.1	2.9	1.1	14.0	21	<0.1	0.5	<0.1	62	0.41	0.069
REP 1270971	QC		1.3	13.1	14.1	67	<0.1	16.7	15.1	565	3.43	12.0	2.7	2.2	13.9	21	<0.1	0.5	0.1	63	0.43	0.070
1270983	Soil		0.8	22.1	5.4	59	<0.1	31.2	20.8	417	4.33	22.3	0.3	0.9	2.2	13	<0.1	0.5	<0.1	83	0.37	0.050
REP 1270983	QC		0.9	21.8	5.3	60	<0.1	31.2	20.1	418	4.39	21.4	0.3	<0.5	2.5	15	<0.1	0.6	<0.1	83	0.37	0.049
1283040	Soil		0.8	16.2	12.4	51	<0.1	29.2	10.7	323	3.08	7.0	1.4	2.5	12.2	18	<0.1	0.5	0.1	50	0.25	0.019
REP 1283040	QC		0.7	16.3	13.5	52	<0.1	29.5	10.7	299	2.93	7.2	1.4	0.6	12.0	19	<0.1	0.5	0.1	54	0.26	0.018
1283045	Soil		2.6	39.9	23.0	122	0.3	37.3	18.4	744	3.47	21.5	6.1	2.0	12.8	36	0.9	1.0	0.2	77	0.58	0.083
REP 1283045	QC		2.4	37.9	23.4	119	0.3	37.0	18.1	779	3.46	21.2	5.9	2.3	11.6	34	0.9	1.0	0.2	77	0.58	0.080
[redacted]																						
1296668	Soil		1.3	46.0	11.1	117	0.2	63.0	19.9	765	4.39	54.6	1.1	7.3	6.9	41	0.4	2.4	0.1	78	1.15	0.101
REP 1296668	QC		1.2	45.3	11.3	113	0.2	61.8	19.3	748	4.37	53.2	1.1	4.3	6.7	40	0.3	2.2	0.1	74	1.09	0.096
1296650	Soil		2.5	35.5	6.9	93	0.1	36.3	13.1	295	3.22	11.7	0.8	1.9	4.1	21	0.1	0.7	0.1	79	0.20	0.027
REP 1296650	QC		2.2	34.8	6.5	91	0.1	35.5	13.3	287	3.14	10.7	0.8	0.9	4.1	21	0.2	0.8	0.1	79	0.21	0.028
1296663	Soil		1.9	41.9	9.6	104	0.4	41.2	13.4	484	3.38	19.8	0.8	<0.5	4.1	18	0.3	1.8	0.1	77	0.26	0.046
REP 1296663	QC		1.9	43.4	9.8	103	0.3	40.1	13.1	488	3.40	20.0	0.9	1.5	4.4	18	0.2	1.8	0.1	76	0.26	0.047
1271008	Soil		0.8	14.9	6.0	72	<0.1	24.5	21.9	937	4.10	4.4	2.7	0.6	10.3	40	0.2	0.4	0.1	84	1.00	0.099
REP 1271008	QC		0.9	14.9	6.2	73	<0.1	22.2	21.8	933	4.07	4.3	2.7	<0.5	10.5	40	0.2	0.4	<0.1	85	1.02	0.105
1296715	Soil		1.3	27.8	9.2	67	0.4	41.2	11.4	255	3.08	20.5	0.6	1.3	5.1	20	0.1	1.1	0.2	75	0.29	0.020
REP 1296715	QC		1.3	28.8	9.3	68	0.5	42.2	11.8	262	3.20	20.9	0.6	2.0	5.2	21	0.2	1.2	0.2	78	0.30	0.020
1296712	Soil		2.2	76.9	8.4	109	0.3	60.9	18.3	568	4.44	25.8	1.6	2.4	5.4	22	0.2	1.2	0.2	123	0.50	0.059
REP 1296712	QC		2.2	77.9	8.5	109	0.3	61.9	18.8	585	4.60	25.9	1.6	1.2	5.4	22	0.2	1.2	0.2	123	0.50	0.059
1286858	Soil		0.7	30.6	11.0	59	0.1	73.8	14.6	518	3.10	13.0	0.6	6.1	7.6	38	<0.1	1.1	0.2	56	1.50	0.058
REP 1286858	QC		0.7	30.5	10.7	57	0.2	70.5	14.3	512	3.03	12.9	0.6	5.0	7.5	38	<0.1	1.1	0.2	55	1.45	0.056

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 10, 2012

QUALITY CONTROL REPORT WHI12000396.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
1270895	Soil	18	19	0.35	369	0.025	1	1.14	0.006	0.06	0.2	0.02	7.0	<0.1	<0.05	4	<0.5	<0.2
REP 1270895	QC	19	20	0.37	387	0.034	2	1.23	0.007	0.07	0.2	0.01	7.4	0.1	<0.05	5	<0.5	<0.2
1270971	Soil	39	32	1.12	156	0.103	<1	1.92	0.013	0.28	0.3	0.01	4.5	0.4	<0.05	7	<0.5	<0.2
REP 1270971	QC	39	33	1.10	153	0.110	<1	1.95	0.012	0.31	0.2	0.02	4.5	0.4	<0.05	7	<0.5	<0.2
1270983	Soil	4	50	1.37	280	0.159	<1	2.46	0.008	0.54	0.1	<0.01	2.6	0.3	<0.05	7	<0.5	<0.2
REP 1270983	QC	4	50	1.38	279	0.161	<1	2.44	0.009	0.54	0.1	<0.01	2.9	0.3	<0.05	6	<0.5	<0.2
1283040	Soil	14	39	0.90	146	0.131	1	2.03	0.009	0.43	0.3	0.02	3.8	0.4	<0.05	7	<0.5	<0.2
REP 1283040	QC	15	41	0.93	149	0.148	3	2.05	0.009	0.43	0.3	<0.01	3.8	0.5	<0.05	8	<0.5	<0.2
1283045	Soil	59	65	0.99	301	0.074	2	1.80	0.014	0.15	0.2	0.03	6.7	0.3	<0.05	6	1.1	<0.2
REP 1283045	QC	58	64	0.94	299	0.069	2	1.69	0.016	0.14	0.2	0.04	6.6	0.3	<0.05	6	1.2	<0.2
[redacted]																		
1296668	Soil	32	83	1.65	358	0.130	<1	2.57	0.013	0.53	0.2	0.04	6.0	0.5	<0.05	9	0.6	<0.2
REP 1296668	QC	31	78	1.59	350	0.120	<1	2.41	0.013	0.50	0.2	0.03	5.8	0.5	<0.05	8	<0.5	<0.2
1296650	Soil	17	46	0.72	378	0.118	<1	1.87	0.010	0.23	0.1	0.01	5.1	0.2	<0.05	6	<0.5	<0.2
REP 1296650	QC	17	46	0.69	375	0.120	<1	1.84	0.011	0.23	0.1	0.01	5.4	0.2	<0.05	6	<0.5	<0.2
1296663	Soil	14	50	0.48	300	0.049	<1	1.46	0.009	0.08	0.2	0.03	9.7	0.2	<0.05	5	1.3	<0.2
REP 1296663	QC	14	50	0.48	298	0.049	<1	1.48	0.010	0.07	0.3	0.03	9.7	0.3	<0.05	5	2.3	<0.2
1271008	Soil	27	60	1.39	283	0.123	1	1.87	0.014	0.52	0.2	0.03	8.0	0.3	<0.05	6	<0.5	<0.2
REP 1271008	QC	28	60	1.40	289	0.127	<1	1.88	0.015	0.52	0.2	0.02	8.3	0.4	<0.05	7	<0.5	<0.2
1296715	Soil	11	46	0.65	363	0.090	1	2.03	0.010	0.16	0.1	0.02	6.2	0.1	<0.05	6	<0.5	<0.2
REP 1296715	QC	11	48	0.65	366	0.095	1	2.10	0.010	0.17	0.1	0.02	6.3	0.2	<0.05	6	<0.5	<0.2
1296712	Soil	18	76	1.40	465	0.138	1	2.66	0.013	0.51	0.1	0.01	8.5	0.4	<0.05	10	1.0	<0.2
REP 1296712	QC	18	79	1.40	463	0.139	1	2.67	0.013	0.51	0.1	0.01	8.6	0.4	<0.05	10	0.9	<0.2
1286858	Soil	27	65	1.27	249	0.105	1	1.69	0.021	0.28	0.1	0.07	4.9	0.2	<0.05	5	<0.5	<0.2
REP 1286858	QC	27	62	1.23	245	0.103	2	1.64	0.021	0.28	0.2	0.05	4.6	0.3	<0.05	5	0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 10, 2012

QUALITY CONTROL REPORT WHI12000396.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
1286852	Soil	1.2	11.1	19.9	73	0.1	16.2	9.3	443	2.31	6.8	4.6	3.4	11.6	35	0.1	0.6	0.3	46	0.67	0.063
REP 1286852	QC	1.2	11.3	20.2	73	0.1	15.6	9.3	445	2.32	7.0	4.7	2.1	12.0	35	0.2	0.6	0.3	45	0.68	0.063
1270957	Soil	1.2	29.6	15.5	67	0.1	59.5	21.9	636	4.25	11.2	2.2	11.2	12.1	48	0.2	4.4	0.1	93	1.65	0.094
REP 1270957	QC	1.1	31.1	15.0	70	0.1	60.0	22.2	640	4.29	12.2	2.2	7.6	11.9	47	0.2	4.5	0.1	93	1.62	0.091
1271731	Soil	2.8	33.6	13.2	74	0.2	39.8	10.0	298	4.85	14.0	0.6	3.5	2.7	12	0.2	0.5	0.2	142	0.12	0.059
REP 1271731	QC	2.3	33.1	12.9	69	0.2	39.0	9.5	288	4.60	13.6	0.6	1.9	2.6	12	0.1	0.5	0.2	130	0.11	0.060
Reference Materials																					
STD DS9	Standard	11.9	108.6	124.5	307	1.8	40.3	7.3	561	2.26	25.8	2.6	124.9	5.8	60	2.4	5.0	5.8	37	0.68	0.083
STD DS9	Standard	11.8	105.8	121.7	300	1.7	38.8	7.0	563	2.21	24.9	2.5	122.4	6.0	58	2.5	5.3	5.2	42	0.66	0.081
STD DS9	Standard	12.5	101.9	117.6	288	1.7	38.6	7.1	543	2.17	23.6	2.8	108.3	6.1	66	2.1	5.4	6.0	40	0.68	0.080
STD DS9	Standard	12.6	104.7	119.1	295	1.8	39.2	7.1	549	2.20	24.3	2.7	102.4	5.7	65	2.3	5.3	5.8	40	0.68	0.077
STD DS9	Standard	12.6	106.4	106.7	317	1.8	39.0	7.2	609	2.43	28.0	2.2	111.3	5.2	72	2.6	5.4	5.8	41	0.75	0.090
STD DS9	Standard	14.1	104.0	125.3	304	1.9	42.3	7.6	595	2.39	24.8	2.6	112.3	6.4	74	2.3	5.4	6.2	40	0.75	0.082
STD DS9	Standard	11.0	105.2	119.3	299	1.7	38.3	7.1	549	2.20	24.7	2.6	110.8	5.9	64	2.6	6.0	6.8	38	0.64	0.079
STD DS9	Standard	12.9	105.1	118.7	287	1.8	40.0	7.7	535	2.16	24.1	2.5	112.1	6.0	66	2.1	5.4	6.1	43	0.68	0.078
STD DS9	Standard	14.5	114.4	135.5	320	1.9	45.8	8.7	631	2.52	26.6	2.5	124.0	5.3	68	2.4	5.5	5.8	49	0.77	0.086
STD DS9	Standard	14.9	119.5	136.5	340	2.1	42.1	8.1	656	2.58	25.7	3.1	125.7	7.2	71	2.4	5.3	5.5	56	0.81	0.090
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.5	0.2	<1	<0.1	0.3	<0.1	2	0.02	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.3	0.5	1	<0.1	<0.1	<0.1	2	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	7	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 10, 2012

QUALITY CONTROL REPORT WHI12000396.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
1286852	Soil	33	29	0.55	162	0.055	1	1.29	0.013	0.10	0.2	0.05	5.1	0.2	<0.05	6	<0.5	<0.2
REP 1286852	QC	33	29	0.54	162	0.056	1	1.28	0.012	0.10	0.2	0.06	5.0	0.2	<0.05	6	<0.5	<0.2
1270957	Soil	40	65	1.20	391	0.079	3	1.76	0.014	0.30	0.6	0.50	10.4	0.3	<0.05	6	0.6	<0.2
REP 1270957	QC	40	67	1.17	387	0.079	3	1.71	0.018	0.28	0.7	0.58	9.7	0.3	<0.05	7	<0.5	<0.2
1271731	Soil	9	66	0.63	132	0.165	<1	1.91	0.012	0.13	0.1	0.02	3.7	0.1	0.06	12	0.5	<0.2
REP 1271731	QC	9	62	0.62	131	0.154	<1	1.93	0.012	0.12	0.2	0.03	3.5	0.2	<0.05	11	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	10	118	0.61	277	0.096	3	0.89	0.091	0.36	2.9	0.24	2.7	5.7	0.19	4	5.3	4.6
STD DS9	Standard	11	119	0.61	281	0.105	2	0.88	0.085	0.35	2.8	0.19	2.6	5.2	0.17	4	4.3	4.9
STD DS9	Standard	13	113	0.58	298	0.105	2	0.89	0.091	0.35	2.9	0.20	2.9	5.3	0.12	4	5.0	4.9
STD DS9	Standard	12	117	0.59	283	0.101	2	0.88	0.084	0.35	3.0	0.19	2.5	5.3	0.13	4	5.4	4.8
STD DS9	Standard	13	121	0.65	328	0.107	3	0.98	0.090	0.39	3.1	0.18	3.6	5.5	0.10	5	5.6	5.6
STD DS9	Standard	14	125	0.63	298	0.117	3	0.96	0.092	0.37	3.1	0.20	2.7	5.6	0.18	5	5.2	5.1
STD DS9	Standard	10	111	0.58	264	0.095	2	0.82	0.080	0.33	2.8	0.19	2.5	5.4	0.14	4	4.4	5.0
STD DS9	Standard	12	119	0.59	284	0.107	2	0.90	0.089	0.34	3.0	0.20	2.4	5.1	0.13	4	4.9	4.9
STD DS9	Standard	12	138	0.67	298	0.119	3	0.93	0.092	0.35	3.2	0.22	2.2	6.0	0.30	5	5.6	5.6
STD DS9	Standard	15	134	0.67	315	0.138	3	1.10	0.091	0.37	3.3	0.21	2.7	6.0	0.12	6	6.7	5.3
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	2	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	0.09	<1	<0.5	<0.2
BLK	Blank	<1	1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 23, 2012
Report Date: August 01, 2012
Page: 1 of 12

CERTIFICATE OF ANALYSIS WHI12000397.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 320

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	312	Dry at 60C sieve 100g to -80 mesh			WHI
Dry at 60C	320	Dry at 60C			WHI
1DX2	319	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000397.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1271451	Rock Pulp	2.5	24.7	2.2	41	0.3	24.4	10.7	400	2.40	4.0	0.3	2.3	0.9	35	0.2	0.3	<0.1	65	0.79	0.056
1271749	Soil	0.9	29.2	12.6	63	0.1	49.7	18.7	509	3.84	16.9	2.5	4.5	10.8	33	0.1	0.7	0.3	60	0.94	0.038
1271455	Soil	0.8	27.5	10.3	44	<0.1	54.4	19.0	522	3.61	8.3	1.1	2.3	7.1	66	0.1	1.5	0.1	72	1.71	0.056
1270964	Soil	0.5	27.9	7.4	56	<0.1	69.2	22.0	508	4.03	11.9	0.8	2.3	6.7	43	<0.1	0.7	0.1	75	1.20	0.047
1271746	Soil	1.0	29.1	16.0	72	0.1	34.8	15.1	548	3.58	18.7	5.6	1.7	13.8	36	0.1	0.6	0.3	48	1.00	0.050
1271750	Soil	0.9	31.1	12.0	54	0.1	70.2	19.8	662	3.60	21.4	2.5	37.0	7.4	42	0.1	1.4	0.2	59	1.32	0.052
1271453	Soil	1.2	27.2	22.2	54	0.1	73.1	20.6	575	3.53	9.8	1.2	9.0	6.7	52	0.5	0.6	0.2	66	1.46	0.062
1270965	Soil	0.4	26.9	4.3	39	<0.1	34.3	18.0	444	2.71	7.0	0.9	0.7	1.6	92	<0.1	0.1	0.1	55	2.92	0.070
1271745	Soil	0.9	24.6	5.2	42	<0.1	45.6	16.2	634	3.46	5.0	3.6	1.4	11.7	38	<0.1	0.3	0.2	75	1.38	0.035
1271744	Soil	0.9	11.4	8.2	29	<0.1	22.2	8.6	200	2.70	6.0	0.8	0.9	4.2	15	<0.1	0.3	0.2	75	0.29	0.022
1271454	Soil	0.6	31.8	7.5	42	<0.1	40.5	15.8	480	2.90	7.8	1.2	1.5	4.6	59	0.1	0.4	0.1	56	1.62	0.062
1270967	Soil	1.0	29.0	12.4	56	<0.1	32.4	14.9	443	3.00	4.4	1.8	64.8	11.4	44	0.1	0.3	0.3	60	1.05	0.094
[redacted]																					
1271748	Soil	0.9	24.7	10.6	56	0.1	29.7	12.2	731	2.97	10.0	2.2	2.0	8.1	29	0.1	1.1	0.2	46	0.90	0.046
1271452	Soil	0.8	36.0	38.0	58	<0.1	50.4	18.7	455	3.82	7.6	1.5	1.7	5.1	52	0.2	3.2	0.2	83	1.51	0.054
1271456	Soil	1.1	20.8	8.1	53	<0.1	24.9	15.6	356	4.26	6.9	0.8	1.3	6.2	12	<0.1	0.5	0.1	98	0.21	0.051
[redacted]																					
1271747	Soil	0.7	31.4	11.4	71	0.1	37.2	13.2	348	3.66	11.9	4.0	1.0	12.8	35	0.1	0.3	0.3	46	0.93	0.050
[redacted]																					
1271743	Soil	1.0	10.9	6.1	19	<0.1	7.8	3.2	95	1.48	2.7	0.6	<0.5	3.0	18	<0.1	0.3	0.2	47	0.44	0.018
[redacted]																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000397.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1271451	Rock Pulp	4	33	0.77	89	0.108	3	1.48	0.077	0.11	12.3	0.01	4.1	<0.1	<0.05	5	<0.5	<0.2
1271749	Soil	32	74	1.10	267	0.104	3	1.86	0.013	0.32	<0.1	0.05	6.3	0.4	<0.05	6	<0.5	<0.2
1271455	Soil	34	75	1.10	301	0.064	3	1.65	0.014	0.23	0.2	0.05	8.4	0.3	<0.05	6	<0.5	<0.2
1270964	Soil	21	104	1.39	244	0.141	3	2.23	0.014	0.38	0.2	0.13	5.7	0.4	<0.05	7	<0.5	<0.2
1271746	Soil	51	44	1.10	260	0.104	3	1.75	0.014	0.40	<0.1	0.07	6.7	0.4	<0.05	6	<0.5	<0.2
1271750	Soil	28	92	0.99	357	0.056	3	1.33	0.011	0.23	0.1	0.18	8.5	0.3	<0.05	4	<0.5	<0.2
1271453	Soil	25	136	1.47	199	0.082	2	1.71	0.013	0.31	0.3	0.04	6.6	0.3	<0.05	5	<0.5	<0.2
1270965	Soil	9	52	1.33	207	0.092	2	1.55	0.011	0.23	<0.1	0.03	3.8	0.3	<0.05	4	<0.5	<0.2
1271745	Soil	45	91	1.35	361	0.084	3	1.85	0.015	0.30	0.1	0.04	11.5	0.3	<0.05	7	<0.5	<0.2
1271744	Soil	9	46	0.83	134	0.099	2	1.41	0.012	0.08	0.1	0.02	4.0	0.2	<0.05	8	<0.5	<0.2
1271454	Soil	21	60	1.24	201	0.074	2	1.51	0.015	0.20	0.1	0.04	4.8	0.2	<0.05	5	<0.5	<0.2
1270967	Soil	35	54	0.97	253	0.077	2	1.57	0.011	0.32	0.3	0.03	5.7	0.2	<0.05	5	<0.5	<0.2
[redacted]																		
1271748	Soil	28	38	0.69	331	0.061	2	1.31	0.012	0.16	0.2	0.08	6.4	0.2	<0.05	4	<0.5	<0.2
1271452	Soil	29	69	0.88	377	0.035	3	1.49	0.013	0.11	0.5	1.19	10.3	0.2	<0.05	5	<0.5	<0.2
1271456	Soil	14	34	0.81	211	0.112	2	2.05	0.009	0.20	0.1	0.02	4.9	0.3	<0.05	7	<0.5	<0.2
[redacted]																		
1271747	Soil	52	48	0.94	230	0.096	3	1.65	0.012	0.37	<0.1	0.06	7.4	0.6	<0.05	6	<0.5	<0.2
[redacted]																		
1271743	Soil	29	17	0.22	292	0.064	<1	0.65	0.013	0.08	0.1	0.02	2.5	0.1	0.06	5	<0.5	<0.2
[redacted]																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000397.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
[redacted]																					
[redacted]																					
1271022	Soil	1.2	31.5	9.1	64	<0.1	48.8	19.2	473	4.63	4.3	0.5	2.8	3.9	15	<0.1	0.2	0.9	89	0.37	0.027
[redacted]																					
[redacted]																					
[redacted]																					
1271023	Soil	0.9	28.0	10.1	56	<0.1	28.7	12.5	323	3.50	8.4	0.7	1.6	7.4	13	<0.1	0.3	0.1	71	0.21	0.020
[redacted]																					
[redacted]																					
[redacted]																					
[redacted]																					
[redacted]																					
[redacted]																					
[redacted]																					
[redacted]																					
[redacted]																					
1286501	Rock Pulp	1.2	437.5	20.9	144	0.2	222.4	76.4	744	14.17	2.7	1.0	31.1	7.1	12	0.1	0.3	<0.1	207	0.26	0.036
[redacted]																					
1271025	Soil	1.1	36.6	10.4	100	<0.1	73.5	25.4	669	5.47	65.2	0.5	3.1	4.9	18	<0.1	5.2	0.2	77	0.54	0.036
1271027	Soil	1.1	29.9	14.3	51	<0.1	32.0	13.5	401	3.22	16.3	1.0	8.7	6.4	21	<0.1	1.1	0.1	76	0.35	0.029
1271029	Soil	1.2	34.5	12.8	73	<0.1	65.3	28.2	638	5.40	48.6	1.1	18.8	11.6	21	0.1	2.3	0.1	84	0.56	0.079
1271033	Soil	1.1	25.9	13.3	62	<0.1	59.0	23.7	706	4.38	27.1	1.0	0.6	9.2	92	<0.1	2.6	<0.1	86	2.63	0.090
1271010	Soil	2.3	27.6	33.0	130	0.4	26.1	7.2	723	2.53	29.9	1.6	6.9	4.5	18	0.3	2.2	0.2	72	0.19	0.030
1271024	Soil	1.7	16.5	16.7	65	<0.1	19.8	10.0	631	3.34	7.8	0.6	0.9	5.1	12	0.2	0.3	0.1	72	0.17	0.067
1271028	Soil	1.6	67.1	9.3	54	<0.1	57.9	29.9	669	4.83	11.6	0.9	4.5	14.4	18	<0.1	1.9	0.1	77	0.54	0.064
1271032	Soil	0.7	24.3	8.0	64	<0.1	67.4	25.0	626	4.41	9.6	0.6	0.7	6.4	39	<0.1	0.4	<0.1	99	1.33	0.114
1271011	Soil	1.3	14.8	22.4	47	0.4	12.3	10.8	1415	1.68	5.8	6.1	2.7	5.1	53	0.2	0.6	0.2	48	1.28	0.086
1271012	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1271026	Soil	0.7	40.8	6.7	101	<0.1	68.1	25.3	844	4.47	58.6	0.5	2.3	6.1	21	<0.1	4.8	<0.1	54	0.66	0.067
1271031	Soil	0.9	33.6	7.8	60	<0.1	49.6	21.9	544	3.67	17.4	0.6	2.7	5.2	67	<0.1	1.1	<0.1	66	3.31	0.067

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000397.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
[redacted]																		
1271022	Soil	7	162	1.66	372	0.157	1	2.75	0.009	0.73	<0.1	<0.01	6.2	0.4	<0.05	8	<0.5	0.3
[redacted]																		
1271023	Soil	16	43	1.04	178	0.146	2	2.27	0.013	0.32	0.1	0.01	3.4	0.2	<0.05	7	<0.5	<0.2
[redacted]																		
1286501	Rock Pulp	16	727	0.12	135	0.162	3	3.63	0.011	0.05	<0.1	0.04	34.2	<0.1	<0.05	20	<0.5	<0.2
[redacted]																		
1271025	Soil	10	126	2.97	203	0.197	1	3.56	0.006	0.63	0.1	0.05	3.5	0.6	<0.05	9	<0.5	<0.2
1271027	Soil	20	47	0.59	363	0.077	1	1.81	0.016	0.06	0.1	0.07	6.1	<0.1	<0.05	6	<0.5	<0.2
1271029	Soil	34	131	1.46	279	0.114	2	2.38	0.008	0.54	0.1	0.09	10.6	0.5	<0.05	7	<0.5	<0.2
1271033	Soil	31	95	1.40	279	0.076	3	1.67	0.009	0.35	0.2	0.12	11.3	0.4	<0.05	6	<0.5	<0.2
1271010	Soil	13	37	0.32	452	0.023	2	1.71	0.009	0.08	0.1	0.06	4.6	0.4	<0.05	6	<0.5	<0.2
1271024	Soil	7	35	0.62	146	0.119	<1	1.61	0.008	0.21	0.1	0.01	2.6	0.2	<0.05	8	<0.5	<0.2
1271028	Soil	26	107	1.59	155	0.117	1	2.43	0.006	0.32	0.2	0.03	8.7	0.4	<0.05	7	<0.5	<0.2
1271032	Soil	23	113	2.58	653	0.165	2	2.78	0.011	0.49	0.1	0.02	6.3	0.5	<0.05	9	<0.5	<0.2
1271011	Soil	37	22	0.30	304	0.022	4	0.86	0.016	0.06	0.1	0.09	4.4	0.2	0.24	3	0.8	<0.2
1271012	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1271026	Soil	16	88	2.57	140	0.155	<1	2.58	0.005	0.60	0.1	0.03	3.5	0.8	<0.05	7	<0.5	<0.2
1271031	Soil	15	70	1.36	244	0.097	1	1.71	0.013	0.22	<0.1	0.05	6.5	0.5	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000397.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1271014	Soil		0.7	12.1	13.2	49	0.1	14.1	4.9	118	1.65	7.0	1.4	<0.5	2.6	17	0.2	0.3	0.2	45	0.26	0.051
1271013	Soil		1.1	11.1	16.7	58	<0.1	14.4	5.9	240	1.74	8.1	1.0	1.5	3.7	19	0.2	0.4	0.2	56	0.29	0.038
1271016	Soil		0.9	17.1	5.9	36	0.1	36.3	11.7	434	3.32	23.0	1.3	1.1	12.2	19	<0.1	0.8	0.1	60	0.50	0.033
1271030	Soil		0.6	34.4	9.8	51	<0.1	42.9	18.2	581	3.31	21.3	1.0	0.8	4.4	48	0.1	2.0	<0.1	63	1.78	0.069
1271015	Soil		4.1	46.2	16.0	147	0.6	43.6	8.7	223	2.65	321.9	1.1	1.9	4.3	36	0.7	8.3	0.2	39	0.13	0.040
1271017	Soil		0.9	8.6	10.5	33	<0.1	28.2	13.3	334	3.29	5.8	0.6	<0.5	6.0	17	<0.1	0.3	<0.1	86	0.44	0.017
1271021	Soil		1.3	23.8	13.8	54	<0.1	29.5	12.5	379	3.52	6.7	0.9	1.2	13.4	15	<0.1	0.5	0.2	73	0.40	0.012
1271020	Soil		0.7	10.2	7.0	38	<0.1	10.1	10.7	477	4.39	4.0	0.5	1.9	2.8	9	<0.1	0.7	<0.1	88	0.31	0.042
1286405	Soil		1.5	42.3	18.2	103	0.4	60.3	18.2	540	4.43	438.7	1.2	26.6	9.0	19	0.3	7.4	0.1	93	0.64	0.083
1271035	Soil		0.4	30.2	7.3	49	<0.1	36.1	15.7	501	2.81	15.6	1.9	1.3	4.2	70	0.1	1.2	<0.1	54	2.06	0.066
1271018	Soil		0.8	16.9	6.6	33	<0.1	26.8	11.9	544	3.11	6.5	1.6	1.4	9.1	28	<0.1	0.6	<0.1	67	0.97	0.039
1271019	Soil		1.2	29.4	6.2	69	<0.1	38.1	21.2	1057	4.98	6.2	0.7	0.8	5.4	14	<0.1	0.9	<0.1	106	0.69	0.035
1286402	Soil		5.3	102.5	10.6	191	0.7	58.5	10.4	444	4.33	19.8	3.6	1.9	6.1	66	0.6	1.9	0.2	109	0.22	0.070
1286411	Soil		2.9	44.5	18.0	126	0.8	43.8	16.1	604	3.63	48.5	1.9	20.6	5.0	35	0.8	10.8	0.2	52	0.62	0.077
1271039	Soil		0.5	24.0	6.3	59	<0.1	40.5	15.9	538	3.31	13.0	0.8	1.0	4.4	60	0.1	0.9	<0.1	50	1.65	0.087
1271034	Soil		0.7	25.8	9.0	51	<0.1	40.5	17.2	513	3.49	22.6	1.2	0.9	5.2	132	0.1	2.3	<0.1	54	3.16	0.080
1271037	Soil		0.6	29.4	6.1	60	<0.1	43.7	16.0	451	3.14	11.5	1.7	3.5	3.4	63	0.1	1.0	<0.1	50	1.69	0.061
1286384	Soil		2.0	47.5	12.5	92	0.4	51.7	15.7	384	3.58	82.2	1.4	6.0	5.6	19	0.2	3.2	0.2	92	0.20	0.030
1271038	Soil		0.6	22.3	5.6	59	<0.1	38.8	16.6	532	3.29	12.4	1.3	1.4	3.7	55	<0.1	0.8	<0.1	52	1.51	0.074
1271036	Soil		0.6	21.7	6.4	63	<0.1	48.3	18.4	563	3.43	13.0	1.4	1.7	4.2	63	0.1	1.1	<0.1	53	1.67	0.078
1286395	Soil		0.5	16.8	19.3	48	<0.1	8.4	5.2	435	2.25	2.9	2.5	1.4	38.6	89	<0.1	0.8	1.9	15	2.40	0.034
1286387	Soil		3.3	49.1	13.8	103	0.5	61.1	16.6	566	3.94	75.2	1.0	3.6	4.5	21	0.3	2.7	0.2	103	0.31	0.045
1286388	Soil		2.0	55.4	9.8	132	0.3	54.4	21.7	549	4.89	67.1	1.3	2.3	4.7	33	0.4	3.0	0.1	99	0.57	0.166
1286399	Soil		2.5	39.0	11.0	96	0.3	67.4	22.3	952	3.74	14.1	2.1	2.4	5.7	54	0.4	1.2	0.1	95	1.08	0.079
1286393	Soil		1.1	14.7	16.7	52	<0.1	35.1	11.4	406	3.15	5.8	1.6	1.1	14.0	20	<0.1	0.6	0.2	54	0.26	0.026
1286398	Soil		2.5	27.0	40.3	117	0.3	30.8	16.9	999	3.34	33.7	2.2	4.2	9.0	41	0.6	2.2	0.2	77	0.70	0.058
1286382	Soil		2.5	52.2	9.3	115	0.4	40.1	12.2	366	3.37	67.1	1.2	5.9	4.3	24	0.4	3.1	0.2	95	0.24	0.045
1286400	Soil		3.8	71.5	22.2	148	0.9	58.6	17.9	947	4.10	33.4	3.3	6.9	5.2	49	1.0	3.2	0.2	89	0.73	0.080
1286383	Soil		2.6	36.7	14.1	119	0.8	48.8	15.1	452	3.71	152.7	0.7	2.6	2.8	26	0.6	4.0	0.2	91	0.30	0.056
1286392	Soil		1.7	20.9	14.1	58	0.1	30.9	11.1	511	3.37	13.2	2.1	4.7	17.3	23	<0.1	0.9	0.4	59	0.44	0.045

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000397.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1271014	Soil	16	27	0.40	110	0.053	2	1.17	0.014	0.08	0.1	0.04	2.8	0.2	<0.05	5	<0.5	<0.2
1271013	Soil	18	30	0.38	130	0.058	2	1.12	0.013	0.06	0.2	0.03	3.0	0.2	<0.05	6	<0.5	<0.2
1271016	Soil	52	70	0.95	596	0.076	2	1.63	0.012	0.21	0.1	0.03	10.6	0.2	<0.05	6	<0.5	<0.2
1271030	Soil	23	57	0.88	257	0.065	3	1.53	0.013	0.20	0.3	0.21	6.1	0.3	0.08	5	<0.5	<0.2
1271015	Soil	15	17	0.06	592	0.002	1	0.46	0.003	0.07	0.2	0.04	3.6	0.1	<0.05	2	1.6	0.2
1271017	Soil	11	65	1.58	270	0.139	1	2.16	0.011	0.34	0.2	0.01	5.6	0.3	<0.05	9	<0.5	<0.2
1271021	Soil	63	66	1.31	397	0.124	1	2.21	0.009	0.23	0.1	0.02	6.3	0.3	<0.05	7	<0.5	<0.2
1271020	Soil	15	14	1.46	250	0.157	<1	2.30	0.011	0.66	0.1	0.03	16.7	0.4	<0.05	9	<0.5	<0.2
1286405	Soil	32	64	0.78	358	0.056	1	1.59	0.012	0.23	0.1	0.06	9.8	0.3	<0.05	6	0.7	<0.2
1271035	Soil	22	58	0.90	223	0.067	4	1.39	0.012	0.24	0.1	0.19	5.5	0.3	0.17	5	<0.5	<0.2
1271018	Soil	44	47	0.92	454	0.070	2	1.59	0.015	0.17	0.1	0.03	8.6	0.2	0.10	7	<0.5	<0.2
1271019	Soil	16	62	1.37	338	0.126	2	2.11	0.014	0.56	0.1	0.03	14.3	0.4	<0.05	7	<0.5	<0.2
1286402	Soil	24	47	1.12	383	0.135	1	1.87	0.044	0.44	<0.1	0.05	5.2	0.5	0.58	7	3.7	<0.2
1286411	Soil	19	39	0.64	388	0.044	3	1.14	0.010	0.16	0.2	0.07	6.3	0.5	0.06	4	1.4	<0.2
1271039	Soil	17	61	1.12	201	0.092	2	1.59	0.014	0.27	0.2	0.09	4.7	0.3	<0.05	5	<0.5	<0.2
1271034	Soil	30	59	0.99	300	0.067	3	1.49	0.011	0.32	0.2	0.27	8.1	0.4	<0.05	5	<0.5	<0.2
1271037	Soil	18	70	1.04	239	0.086	3	1.62	0.013	0.26	0.1	0.12	4.8	0.3	<0.05	5	<0.5	<0.2
1286384	Soil	17	60	0.77	378	0.095	1	2.33	0.012	0.14	0.2	0.06	5.9	0.3	<0.05	7	0.6	<0.2
1271038	Soil	15	66	1.06	225	0.093	3	1.65	0.014	0.29	0.1	0.07	4.3	0.3	<0.05	5	<0.5	<0.2
1271036	Soil	16	80	1.25	191	0.093	3	1.72	0.013	0.29	0.2	0.12	4.9	0.3	<0.05	6	<0.5	<0.2
1286395	Soil	110	10	0.46	95	0.036	<1	1.28	0.005	0.18	0.3	0.02	4.4	0.5	<0.05	7	<0.5	<0.2
1286387	Soil	15	87	0.90	298	0.184	1	1.86	0.014	0.25	0.2	0.03	4.7	0.4	0.05	10	0.5	<0.2
1286388	Soil	19	64	1.31	485	0.223	1	2.37	0.017	0.73	0.2	0.03	6.1	0.5	0.07	11	0.7	<0.2
1286399	Soil	15	127	1.72	378	0.102	1	2.16	0.020	0.32	0.1	0.04	7.0	0.4	<0.05	7	0.8	<0.2
1286393	Soil	32	50	1.08	179	0.142	1	2.03	0.011	0.37	0.2	0.01	4.0	0.5	<0.05	8	<0.5	<0.2
1286398	Soil	20	62	0.96	455	0.085	2	1.67	0.015	0.23	0.2	0.04	5.3	0.3	0.05	7	0.7	<0.2
1286382	Soil	17	54	0.73	278	0.108	1	1.80	0.013	0.22	0.1	0.04	5.2	0.4	0.08	7	1.1	<0.2
1286400	Soil	25	64	1.06	557	0.085	2	1.86	0.012	0.37	0.1	0.06	6.9	0.4	0.12	7	1.4	<0.2
1286383	Soil	10	51	0.54	372	0.059	2	1.89	0.010	0.12	0.2	0.05	4.3	0.6	<0.05	7	0.7	<0.2
1286392	Soil	48	52	0.81	283	0.105	1	2.05	0.014	0.19	0.2	0.04	6.0	0.3	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000397.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1286409	Soil	1.5	27.3	8.9	91	0.2	44.4	36.4	1398	3.90	58.9	0.8	3.0	3.0	22	0.1	3.1	0.1	90	0.47	0.075
1286410	Soil	1.7	40.4	12.0	116	0.2	54.0	17.7	524	4.39	31.9	1.7	7.2	7.1	27	0.2	3.6	0.2	72	0.41	0.081
1286389	Soil	3.8	53.7	15.2	147	0.6	55.2	23.9	1495	3.67	155.7	1.8	3.7	3.5	34	0.6	2.7	0.2	94	0.57	0.073
1286394	Soil	1.5	15.4	16.5	63	<0.1	24.2	9.9	377	3.26	9.4	1.5	2.2	16.4	17	<0.1	0.9	0.3	57	0.22	0.023
1286406	Soil	0.8	37.0	9.5	103	0.2	54.6	17.1	552	3.68	37.9	1.6	2.6	5.3	41	0.3	1.2	<0.1	65	1.45	0.099
1286386	Soil	3.8	31.5	16.2	116	0.5	39.7	16.3	676	3.47	136.9	1.0	2.7	3.1	25	0.2	3.6	0.2	100	0.53	0.082
1284193	Soil	1.8	17.3	62.9	148	1.8	11.9	13.5	583	3.53	11.0	1.0	2.5	5.5	33	0.7	11.5	0.1	100	0.76	0.059
1286397	Soil	1.6	21.0	16.3	90	0.2	33.2	18.4	797	3.69	8.1	4.6	2.5	14.4	40	0.2	0.7	0.2	61	0.76	0.079
1286407	Soil	1.6	34.6	10.2	85	0.3	42.2	15.8	880	2.96	30.8	1.6	2.5	3.1	75	0.3	0.9	0.1	62	1.69	0.091
1286390	Soil	2.8	50.4	13.0	151	0.3	56.6	18.9	721	3.66	68.8	1.6	3.6	4.8	26	0.6	2.7	0.1	99	0.40	0.067
1284189	Soil	1.4	47.9	194.2	347	6.6	17.6	18.2	790	4.43	148.8	6.6	49.2	10.5	44	5.0	22.6	0.1	122	0.97	0.077
1286396	Soil	1.5	14.4	22.9	54	<0.1	20.5	8.1	366	2.70	7.9	1.6	2.7	10.0	19	0.1	0.6	0.5	65	0.27	0.037
1286408	Soil	2.0	35.5	9.7	108	0.3	40.7	14.7	488	3.46	72.6	1.5	2.1	5.0	30	0.2	2.1	0.2	83	0.60	0.081
1286391	Soil	2.1	37.9	12.4	94	0.2	39.0	14.7	551	3.46	49.2	1.2	3.4	5.7	24	0.3	2.0	0.2	87	0.52	0.077
1286665	Soil	1.4	44.0	87.0	419	3.8	14.6	17.2	742	4.29	101.9	4.1	52.8	11.0	39	6.5	5.3	0.2	116	0.78	0.101
1286401	Rock Pulp	1.4	425.5	20.9	148	0.2	215.2	74.2	817	15.52	3.6	1.2	31.6	7.3	14	0.1	0.3	0.1	209	0.29	0.041
1286404	Soil	2.2	36.9	14.6	99	0.4	38.5	13.6	422	3.61	80.2	1.6	7.0	7.6	20	0.3	2.6	0.2	84	0.35	0.064
1286385	Soil	2.7	57.1	19.2	205	0.8	86.8	18.6	941	4.93	264.7	1.5	5.6	6.7	22	1.4	5.3	0.2	112	0.47	0.089
1286666	Soil	1.5	32.3	59.1	292	1.6	14.2	17.9	852	5.30	128.4	1.6	25.4	9.6	27	2.8	7.3	0.2	122	0.45	0.076
1286663	Soil	1.4	35.0	83.0	390	4.1	12.4	12.0	427	3.31	123.2	2.7	45.2	8.1	38	6.5	5.0	0.3	92	0.67	0.061
1286403	Soil	2.1	38.1	10.7	79	0.4	43.3	14.7	373	3.88	25.0	1.3	2.1	5.0	19	0.2	2.6	0.2	92	0.26	0.073
1286412	Soil	1.4	14.1	11.1	81	0.1	20.9	10.8	403	3.04	48.4	0.8	5.0	2.5	22	0.2	2.6	0.2	76	0.34	0.056
1286660	Soil	2.6	30.7	135.3	312	1.9	14.0	18.8	775	4.81	96.0	1.5	15.0	8.4	24	2.2	8.6	0.2	137	0.57	0.076
1286659	Soil	1.9	37.6	159.0	422	1.8	12.0	18.4	774	5.15	105.1	2.1	23.6	11.3	29	2.6	10.2	0.2	144	0.72	0.092
1286669	Soil	1.4	48.6	401.2	904	11.3	13.7	18.4	880	5.61	552.9	3.3	205.2	12.3	46	13.7	18.6	0.3	130	0.71	0.102
1284190	Soil	1.4	31.7	31.2	162	2.4	10.9	18.6	661	4.56	109.8	2.5	29.1	7.1	42	4.1	5.9	0.3	135	0.92	0.064
1286661	Soil	2.4	43.5	125.5	423	1.9	13.7	20.4	887	5.46	147.1	2.5	34.0	12.5	25	3.3	7.7	0.2	155	0.60	0.107
1286658	Soil	1.6	42.7	31.1	160	1.0	14.8	20.1	887	5.64	21.6	2.7	20.5	13.7	29	0.9	7.4	0.2	156	0.66	0.098
1286667	Soil	1.7	24.6	121.8	315	3.1	11.9	14.8	703	3.98	112.3	2.1	30.1	6.0	36	3.4	8.6	0.2	105	0.67	0.072
1284191	Soil	1.8	40.4	196.6	283	4.6	15.6	19.5	896	5.36	124.4	4.0	54.2	12.4	25	3.5	9.9	0.1	131	0.57	0.083

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000397.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1286409	Soil	11	82	1.30	250	0.086	2	1.80	0.015	0.23	0.2	0.03	5.5	0.2	<0.05	7	<0.5	<0.2
1286410	Soil	26	73	1.10	276	0.074	1	1.64	0.012	0.31	<0.1	0.02	6.4	0.4	0.08	6	<0.5	<0.2
1286389	Soil	22	74	0.90	468	0.100	2	1.92	0.013	0.14	0.2	0.10	5.8	0.6	0.05	8	0.9	<0.2
1286394	Soil	13	37	0.68	121	0.095	1	2.19	0.010	0.26	0.2	0.01	3.8	0.4	<0.05	8	<0.5	<0.2
1286406	Soil	21	62	1.42	344	0.125	2	2.02	0.015	0.46	0.2	0.04	4.6	0.4	<0.05	6	0.7	<0.2
1286386	Soil	10	63	0.75	204	0.079	2	1.57	0.012	0.08	0.2	0.14	4.6	0.5	0.05	7	1.4	<0.2
1284193	Soil	9	28	0.85	465	0.181	1	1.69	0.021	0.19	0.2	0.03	4.9	0.3	<0.05	7	<0.5	<0.2
1286397	Soil	38	81	1.40	222	0.126	1	2.21	0.013	0.34	0.1	0.03	5.6	0.5	<0.05	8	<0.5	<0.2
1286407	Soil	15	54	1.05	454	0.083	2	1.54	0.016	0.28	0.1	0.04	4.1	0.3	0.09	5	0.9	<0.2
1286390	Soil	16	72	1.06	411	0.118	2	1.90	0.013	0.30	0.2	0.04	7.5	0.6	<0.05	7	0.8	<0.2
1284189	Soil	35	35	1.17	712	0.161	2	2.35	0.020	0.31	0.2	0.07	16.5	0.4	0.05	8	<0.5	<0.2
1286396	Soil	29	38	0.53	171	0.090	2	1.68	0.010	0.12	0.2	0.03	4.0	0.2	<0.05	8	<0.5	<0.2
1286408	Soil	19	62	1.02	408	0.099	2	1.71	0.016	0.29	0.1	0.04	4.8	0.3	0.05	7	0.7	<0.2
1286391	Soil	21	61	0.94	356	0.129	1	1.93	0.013	0.22	0.2	0.03	5.5	0.3	<0.05	7	<0.5	<0.2
1286665	Soil	27	35	1.14	740	0.167	2	2.34	0.022	0.35	0.3	0.06	13.5	0.4	0.06	8	<0.5	<0.2
1286401	Rock Pulp	18	687	0.13	142	0.167	4	3.97	0.013	0.06	<0.1	0.03	39.3	0.1	<0.05	21	<0.5	<0.2
1286404	Soil	22	50	0.76	292	0.081	1	1.75	0.010	0.19	0.1	0.02	6.5	0.3	<0.05	7	<0.5	<0.2
1286385	Soil	24	68	0.72	382	0.062	1	1.76	0.008	0.14	0.2	0.18	11.2	1.1	<0.05	6	1.4	<0.2
1286666	Soil	15	30	1.12	557	0.135	1	2.31	0.019	0.31	0.2	0.02	11.5	0.4	0.06	8	<0.5	<0.2
1286663	Soil	19	29	0.90	555	0.164	2	2.05	0.020	0.25	0.4	0.06	7.2	0.3	<0.05	7	<0.5	<0.2
1286403	Soil	15	54	0.81	333	0.089	1	1.84	0.013	0.28	0.2	0.02	5.1	0.3	0.06	7	<0.5	<0.2
1286412	Soil	11	42	0.72	140	0.067	2	1.35	0.013	0.09	0.2	0.03	3.5	0.2	<0.05	6	<0.5	<0.2
1286660	Soil	12	33	1.18	668	0.218	1	2.16	0.022	0.40	0.3	0.03	8.3	0.5	<0.05	8	<0.5	<0.2
1286659	Soil	17	33	1.20	840	0.221	<1	2.20	0.023	0.45	0.3	0.04	11.2	0.5	<0.05	8	<0.5	<0.2
1286669	Soil	24	29	1.29	575	0.099	2	2.08	0.025	0.29	0.2	0.05	19.2	0.4	0.10	8	<0.5	<0.2
1284190	Soil	16	31	1.10	755	0.208	1	2.20	0.024	0.37	0.2	0.04	11.5	0.5	<0.05	10	<0.5	<0.2
1286661	Soil	16	34	1.48	1145	0.290	<1	2.60	0.025	0.70	0.3	0.03	9.8	0.7	<0.05	9	<0.5	<0.2
1286658	Soil	28	34	1.34	907	0.112	<1	2.68	0.020	0.39	0.2	0.08	24.8	0.5	<0.05	9	<0.5	<0.2
1286667	Soil	14	28	0.79	487	0.093	2	1.73	0.018	0.15	0.1	0.04	9.2	0.2	<0.05	7	<0.5	<0.2
1284191	Soil	26	32	1.09	761	0.123	<1	2.45	0.017	0.29	0.2	0.05	15.3	0.4	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000397.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1286662	Soil	2.3	45.4	155.6	436	8.6	13.5	14.2	594	3.56	151.3	4.4	69.7	8.4	41	8.7	7.7	0.4	98	0.93	0.067
1286672	Soil	5.0	40.9	310.3	359	1.3	11.6	13.3	1252	4.37	574.1	2.7	59.3	11.9	27	2.4	19.9	0.5	77	0.70	0.085
1286671	Soil	1.6	33.5	129.0	153	0.4	12.4	19.9	810	4.93	58.2	0.9	5.1	10.9	27	0.5	6.0	<0.1	149	0.60	0.114
1284192	Soil	1.3	36.0	95.8	199	3.7	13.0	17.3	846	4.26	12.8	2.5	5.9	10.6	38	1.1	6.2	0.1	117	1.00	0.101
1284176	Soil	2.7	56.0	743.3	978	60.5	16.5	22.0	1232	7.42	35.5	7.0	33.6	22.8	26	3.4	93.2	0.2	160	0.66	0.109
1284177	Soil	1.3	34.0	42.1	148	0.4	11.0	17.9	946	4.44	39.0	1.4	8.7	11.1	27	0.8	3.9	0.1	125	0.72	0.125
1286664	Soil	1.5	28.0	77.0	265	2.5	11.0	14.2	659	3.40	100.1	2.0	28.3	7.4	39	3.3	4.0	0.2	103	0.73	0.090
1286668	Soil	1.3	22.0	139.6	382	1.7	15.5	14.3	446	4.04	133.7	1.0	34.5	6.3	23	2.2	8.4	0.2	106	0.42	0.051
[redacted]																					
1284180	Soil	1.2	21.2	18.1	68	0.8	20.7	12.3	350	3.38	12.0	1.1	3.2	5.8	22	0.2	1.7	0.1	92	0.31	0.038
1284178	Soil	1.2	29.9	122.5	174	4.0	18.9	14.2	682	3.95	45.9	1.6	21.0	7.8	25	0.6	21.6	<0.1	108	0.49	0.063
1284194	Soil	2.4	52.4	340.3	685	11.3	17.5	19.5	1327	5.84	43.9	5.8	17.0	18.3	25	3.3	47.0	0.1	142	0.56	0.089
[redacted]																					
1284179	Soil	0.9	36.8	23.4	81	0.3	22.6	13.3	500	3.67	13.9	2.6	5.1	8.2	28	0.1	3.2	0.1	99	0.45	0.051
1284183	Soil	1.4	24.7	117.8	869	3.0	11.6	12.4	893	3.80	108.5	1.9	9.0	12.9	21	1.6	86.5	<0.1	104	0.39	0.077
1284184	Soil	1.1	36.4	19.6	79	0.2	22.7	12.6	453	3.63	9.9	2.3	5.1	11.3	35	0.2	1.8	0.2	92	0.55	0.070
[redacted]																					
1284197	Soil	1.1	34.3	91.2	153	1.8	21.5	14.4	602	4.06	23.8	1.8	9.5	9.7	29	0.3	17.9	0.1	115	0.45	0.052
1284182	Soil	1.5	30.6	323.4	447	5.3	13.8	18.8	1065	5.08	54.7	2.0	10.1	9.8	25	2.5	39.9	<0.1	139	0.43	0.083
1284185	Soil	1.1	37.5	50.0	130	0.1	15.1	24.8	831	8.03	9.0	2.9	0.7	19.5	30	0.2	4.2	0.3	216	0.59	0.105
[redacted]																					
1284195	Soil	1.2	47.8	175.6	349	2.0	17.7	22.7	995	5.90	8.9	3.4	3.7	18.2	20	1.3	21.6	0.2	186	0.76	0.173
1284181	Soil	1.1	31.2	24.3	77	1.0	23.5	13.3	475	3.51	13.0	2.2	3.9	9.2	27	0.1	2.5	0.1	97	0.41	0.042
1284196	Soil	1.3	28.6	53.9	98	2.2	23.3	14.5	394	3.96	20.0	1.1	10.6	7.3	21	0.3	9.1	0.2	110	0.31	0.049
[redacted]																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000397.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1286662	Soil		24	31	0.97	582	0.162	2	2.06	0.021	0.27	0.2	0.10	10.0	0.4	0.05	7	<0.5	<0.2
1286672	Soil		19	14	0.73	648	0.007	<1	2.36	0.011	0.18	0.1	0.08	14.3	0.3	<0.05	6	<0.5	<0.2
1286671	Soil		11	32	1.45	990	0.219	1	2.72	0.034	0.58	0.2	0.02	10.7	0.5	<0.05	9	<0.5	<0.2
1284192	Soil		12	33	1.07	677	0.167	1	1.99	0.019	0.27	0.1	0.06	11.1	0.5	<0.05	8	<0.5	<0.2
1284176	Soil		35	40	1.20	922	0.184	<1	2.68	0.017	0.41	0.2	0.09	19.5	0.7	<0.05	9	0.7	<0.2
1284177	Soil		17	30	1.33	845	0.209	<1	2.25	0.025	0.50	0.2	0.03	8.0	0.5	<0.05	8	<0.5	<0.2
1286664	Soil		15	31	0.93	575	0.164	1	1.80	0.027	0.22	0.2	0.05	7.6	0.4	<0.05	7	<0.5	<0.2
1286668	Soil		11	35	0.96	459	0.164	1	2.23	0.020	0.18	0.2	0.03	5.9	0.3	<0.05	7	<0.5	<0.2
[redacted]																			
1284180	Soil		12	37	0.82	364	0.167	1	2.60	0.016	0.12	0.2	0.04	5.5	0.3	<0.05	7	<0.5	<0.2
1284178	Soil		16	39	1.05	471	0.193	<1	2.07	0.020	0.23	0.2	0.04	8.5	0.4	<0.05	7	<0.5	<0.2
1284194	Soil		31	40	1.14	812	0.203	<1	2.37	0.018	0.40	0.2	0.07	16.3	0.8	<0.05	8	<0.5	<0.2
[redacted]																			
1284179	Soil		21	44	0.97	515	0.168	1	2.25	0.019	0.13	0.2	0.05	10.0	0.2	<0.05	7	<0.5	<0.2
1284183	Soil		12	21	0.75	666	0.093	<1	2.58	0.030	0.20	0.1	0.03	5.4	0.3	<0.05	8	<0.5	<0.2
1284184	Soil		22	41	0.86	579	0.170	1	2.16	0.027	0.13	0.2	0.03	8.4	0.3	<0.05	7	<0.5	<0.2
[redacted]																			
1284197	Soil		19	45	1.04	512	0.222	1	2.68	0.020	0.24	0.2	0.04	8.2	0.4	<0.05	8	<0.5	<0.2
1284182	Soil		19	35	1.47	665	0.259	1	2.91	0.028	0.46	0.2	0.03	11.5	0.6	<0.05	9	<0.5	<0.2
1284185	Soil		30	41	1.45	845	0.201	<1	4.20	0.021	0.52	0.1	0.02	24.7	0.7	<0.05	15	<0.5	<0.2
[redacted]																			
1284195	Soil		26	45	1.77	1308	0.386	<1	3.33	0.023	0.80	0.2	0.03	9.7	1.1	<0.05	10	<0.5	<0.2
1284181	Soil		20	44	0.91	527	0.170	1	2.12	0.019	0.17	0.2	0.04	8.7	0.3	<0.05	7	<0.5	<0.2
1284196	Soil		11	45	0.92	423	0.195	1	3.03	0.019	0.17	0.2	0.04	5.5	0.4	<0.05	8	<0.5	<0.2
[redacted]																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000397.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
[redacted]																					
1286651	Rock Pulp	2.6	26.6	2.2	44	0.3	24.8	11.7	398	2.44	4.4	0.2	3.2	0.9	31	0.1	0.3	<0.1	71	0.78	0.059
[redacted]																					
1284484	Soil	2.1	47.2	18.2	108	0.2	80.0	20.4	488	4.95	408.5	1.5	12.6	12.2	16	0.1	9.6	0.2	79	0.54	0.075
1284488	Soil	6.0	70.4	16.3	195	0.4	74.6	25.7	855	4.10	308.9	1.8	10.3	5.8	26	0.6	12.8	0.3	56	0.31	0.084
1284483	Soil	1.5	26.2	17.0	51	0.7	16.1	6.2	221	2.06	40.3	1.3	3.4	3.0	26	0.3	1.1	0.2	60	0.70	0.040
1284470	Soil	3.0	48.6	11.9	140	0.4	51.7	20.4	647	4.26	83.0	1.2	15.2	5.0	29	0.5	3.0	0.2	96	0.46	0.085
1284487	Soil	2.1	35.4	14.4	86	0.1	44.1	12.1	190	3.24	280.1	1.5	3.9	3.1	23	0.1	12.4	0.2	55	0.27	0.048
1284482	Soil	3.4	67.8	21.1	133	0.9	55.7	15.4	568	3.90	127.4	1.8	7.9	5.8	23	0.6	2.1	0.2	95	0.52	0.059
1284485	Soil	2.0	40.5	13.0	163	<0.1	81.9	34.5	750	5.44	21.5	0.6	3.2	4.5	28	0.2	1.2	<0.1	109	1.20	0.086
1284472	Soil	1.6	18.2	20.4	51	0.1	26.9	9.0	229	2.70	8.9	1.3	12.0	15.9	17	<0.1	0.9	0.3	62	0.29	0.022
1284473	Soil	2.1	41.2	28.1	62	0.2	43.1	14.1	417	3.40	10.9	1.4	11.3	18.8	25	<0.1	0.7	0.3	86	0.46	0.020
1284478	Soil	1.8	31.0	24.0	81	0.2	37.3	15.4	374	3.55	9.8	1.3	11.9	10.0	22	0.2	0.7	0.2	90	0.43	0.039

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000397.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
[redacted]																		
1286651	Rock Pulp	4	34	0.85	90	0.099	2	1.54	0.085	0.12	12.0	<0.01	4.2	<0.1	0.15	5	<0.5	<0.2
[redacted]																		
1284484	Soil	27	83	0.87	187	0.028	2	1.89	0.005	0.24	<0.1	0.01	7.3	0.4	0.13	6	0.7	<0.2
1284488	Soil	17	32	0.39	140	0.017	2	0.76	0.005	0.15	0.2	0.02	3.8	0.5	0.13	3	2.6	<0.2
1284483	Soil	14	27	0.30	293	0.017	2	0.98	0.007	0.08	0.1	0.11	3.3	0.3	0.12	5	<0.5	<0.2
1284470	Soil	15	77	0.98	347	0.121	2	1.65	0.019	0.30	0.2	0.05	5.6	0.4	0.07	6	1.2	<0.2
1284487	Soil	24	32	0.55	179	0.031	1	1.09	0.007	0.16	0.1	0.01	2.4	0.2	0.11	5	<0.5	<0.2
1284482	Soil	18	53	0.61	589	0.018	3	1.66	0.010	0.12	0.2	0.35	8.6	1.0	0.13	6	1.1	<0.2
1284485	Soil	7	94	1.87	215	0.189	2	3.29	0.009	0.44	0.1	0.01	2.9	0.4	0.09	9	0.6	<0.2
1284472	Soil	9	37	0.58	119	0.075	2	1.59	0.008	0.19	0.2	0.01	3.5	0.2	0.07	6	<0.5	<0.2
1284473	Soil	58	60	0.78	247	0.113	2	2.06	0.018	0.15	0.2	0.06	7.1	0.2	0.09	7	<0.5	<0.2
1284478	Soil	23	85	1.08	238	0.106	1	2.43	0.011	0.09	0.1	0.01	4.9	0.2	0.13	7	0.6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000397.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1284469	Soil	2.6	87.1	15.8	150	0.9	107.5	26.7	453	4.88	43.4	2.4	6.8	6.1	29	0.7	2.2	0.3	148	0.31	0.042
1284486	Soil	3.8	59.2	14.3	139	0.3	72.7	17.2	279	4.37	752.4	2.0	58.6	8.2	19	0.6	11.1	0.3	73	0.42	0.054
1284477	Soil	1.7	14.7	13.7	61	<0.1	22.3	12.5	444	3.45	6.8	1.0	1.3	7.0	20	<0.1	0.7	0.2	67	0.30	0.027
1284475	Soil	0.4	9.0	13.8	68	<0.1	48.7	20.6	472	3.16	5.1	0.7	1.0	8.4	25	<0.1	0.2	0.1	68	0.41	0.071
1284481	Soil	4.6	47.6	18.6	197	0.3	60.7	14.2	449	3.59	65.4	1.4	2.6	0.9	23	0.7	4.0	0.2	61	0.21	0.081
1284474	Soil	1.0	12.4	13.6	59	<0.1	24.1	11.7	314	3.15	4.9	1.1	0.6	10.4	19	<0.1	0.4	0.1	67	0.26	0.015
1284480	Soil	4.3	57.6	16.5	207	0.4	62.7	16.8	585	3.66	16.5	1.9	3.3	3.5	28	0.7	1.1	0.3	96	0.27	0.088
1284479	Soil	2.0	51.1	13.3	102	0.3	73.7	24.7	665	5.18	12.8	1.9	2.3	5.5	25	0.3	1.1	0.1	128	0.61	0.102
1284467	Soil	3.3	47.5	10.9	99	0.4	31.5	9.7	218	3.80	12.3	1.1	2.0	5.2	31	0.2	0.6	0.2	102	0.13	0.049
1284464	Soil	2.0	48.1	19.3	77	0.2	50.0	15.5	449	3.67	25.1	0.8	5.3	5.4	30	0.1	1.3	0.2	104	0.47	0.056
1284468	Soil	2.3	31.3	12.9	71	0.3	35.4	12.0	303	3.42	28.3	0.8	3.9	3.4	15	0.7	1.1	0.3	108	0.15	0.062
1284471	Soil	1.6	24.8	12.1	68	0.3	28.3	13.2	299	3.05	40.9	1.0	0.9	3.9	21	0.3	1.8	0.2	79	0.23	0.050
1284466	Soil	3.2	75.7	12.6	153	0.3	75.9	17.3	572	4.55	103.8	1.6	16.6	5.6	25	0.4	4.0	1.5	161	0.20	0.054
1284465	Soil	2.4	69.2	6.6	87	0.7	65.3	24.3	402	5.94	10.6	0.9	1.9	2.9	19	0.1	0.8	<0.1	141	0.49	0.172
1271880	Soil	1.2	24.7	12.6	52	0.3	20.6	4.8	185	1.60	5.2	1.3	3.1	1.6	26	0.4	0.5	0.1	35	0.44	0.069
1270857	Soil	0.7	24.2	6.3	40	<0.1	22.8	10.4	207	2.36	10.5	0.9	1.8	2.6	68	<0.1	0.4	<0.1	53	1.88	0.057
1270851	Rock Pulp	2.5	25.3	2.1	43	0.3	25.2	10.8	408	2.50	4.3	0.2	0.8	0.9	37	0.1	0.3	<0.1	67	0.87	0.059
1271881	Soil	2.2	13.3	15.9	49	0.1	16.3	5.6	175	2.70	9.2	0.7	1.9	4.3	10	0.2	0.7	0.3	97	0.10	0.030
1271884	Soil	2.0	13.6	13.2	55	0.1	39.4	10.4	474	2.39	20.9	2.7	1.7	8.1	45	0.2	1.3	0.2	36	0.87	0.058
1271878	Soil	2.5	45.1	11.2	123	0.4	44.5	14.4	361	3.89	11.9	1.1	1.8	3.0	19	1.0	0.6	0.2	107	0.22	0.066
1271887	Soil	1.8	9.1	19.9	45	<0.1	9.4	3.3	191	2.08	27.5	0.5	2.7	3.6	8	0.2	1.4	0.3	80	0.08	0.019
1271890	Soil	1.3	8.9	9.9	28	<0.1	12.4	5.6	160	2.35	7.1	0.5	3.5	2.4	14	<0.1	0.7	0.2	63	0.23	0.021
1271882	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1271877	Soil	2.5	33.9	11.7	100	0.3	41.9	13.1	413	4.00	13.4	0.6	1.6	2.7	24	0.3	0.6	0.2	116	0.34	0.062
1271879	Soil	2.6	49.0	11.1	78	1.3	29.8	7.8	255	2.50	8.3	1.2	1.9	2.8	16	1.5	0.5	0.2	85	0.18	0.047
1271885	Soil	1.6	11.7	10.0	28	<0.1	8.2	2.9	90	1.57	8.2	0.7	3.3	1.7	9	0.1	0.7	0.2	55	0.07	0.021
1271896	Soil	2.1	25.3	20.4	71	0.1	28.6	14.6	635	3.64	15.8	4.1	0.6	14.3	35	0.1	0.7	0.3	44	1.15	0.058
1271900	Soil	1.1	46.1	14.6	79	<0.1	75.3	25.9	680	5.19	62.2	1.9	4.4	15.1	21	<0.1	2.0	0.5	54	0.58	0.064
1270854	Soil	1.4	33.1	13.4	59	<0.1	68.2	23.3	572	4.50	9.7	1.7	7.4	11.9	43	0.2	1.4	0.2	83	1.30	0.095
1271898	Soil	0.8	38.3	35.5	114	0.2	78.1	22.9	764	4.88	47.7	2.2	1.9	15.2	22	0.1	0.9	0.5	45	0.51	0.079

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000397.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1284469	Soil	31	125	1.41	426	0.177	2	2.91	0.022	0.15	0.2	0.06	7.1	0.3	<0.05	10	1.0	<0.2
1284486	Soil	31	52	0.60	493	0.013	<1	1.28	0.005	0.12	0.3	0.03	5.5	0.3	<0.05	5	0.7	<0.2
1284477	Soil	11	41	0.88	151	0.096	<1	2.18	0.007	0.14	0.2	0.01	2.9	0.2	<0.05	8	<0.5	<0.2
1284475	Soil	21	46	2.28	74	0.166	<1	2.40	0.008	0.81	0.2	<0.01	3.4	0.7	<0.05	8	<0.5	<0.2
1284481	Soil	12	30	0.24	127	0.009	1	0.74	0.005	0.08	0.2	0.12	1.8	0.6	<0.05	3	2.1	<0.2
1284474	Soil	30	55	1.02	106	0.131	<1	2.29	0.008	0.21	0.2	0.01	3.6	0.3	<0.05	8	<0.5	<0.2
1284480	Soil	17	52	0.77	304	0.072	1	1.50	0.012	0.28	0.1	0.02	3.9	0.4	0.12	6	1.9	<0.2
1284479	Soil	23	97	1.43	490	0.140	1	2.54	0.014	0.26	0.1	0.04	9.0	0.4	<0.05	10	0.9	<0.2
1284467	Soil	17	56	0.76	386	0.123	<1	2.41	0.030	0.39	0.1	0.02	3.6	0.4	0.29	7	1.3	<0.2
1284464	Soil	16	57	0.97	409	0.153	1	2.20	0.023	0.27	0.2	0.03	7.6	0.3	<0.05	8	0.7	<0.2
1284468	Soil	12	70	0.62	181	0.123	1	1.83	0.010	0.12	0.2	0.03	3.3	0.2	<0.05	8	<0.5	<0.2
1284471	Soil	11	41	0.67	213	0.074	<1	2.04	0.012	0.13	0.1	0.01	4.2	0.2	<0.05	6	<0.5	<0.2
1284466	Soil	19	81	1.38	227	0.207	1	3.03	0.011	0.51	0.2	0.01	8.3	0.5	<0.05	11	0.9	0.9
1284465	Soil	23	77	1.78	422	0.222	<1	2.92	0.013	0.61	0.1	0.02	7.5	0.3	<0.05	14	<0.5	<0.2
1271880	Soil	19	36	0.37	184	0.059	3	1.04	0.015	0.07	0.1	0.06	3.1	0.1	0.09	5	0.9	<0.2
1270857	Soil	16	38	0.66	147	0.059	3	1.25	0.017	0.08	0.1	0.05	4.6	0.1	0.07	4	<0.5	<0.2
1270851	Rock Pulp	4	34	0.82	88	0.128	2	1.51	0.082	0.12	13.2	0.01	4.6	<0.1	<0.05	5	<0.5	<0.2
1271881	Soil	10	28	0.35	73	0.102	<1	1.18	0.007	0.07	0.2	0.03	2.5	0.2	<0.05	9	<0.5	<0.2
1271884	Soil	32	45	0.35	194	0.030	2	0.87	0.011	0.08	0.2	0.04	4.1	0.2	<0.05	3	<0.5	<0.2
1271878	Soil	22	65	0.80	253	0.122	1	2.57	0.014	0.14	0.1	0.05	5.1	0.2	<0.05	8	1.1	<0.2
1271887	Soil	10	18	0.09	80	0.081	<1	0.78	0.006	0.04	<0.1	0.03	1.5	0.2	<0.05	7	<0.5	<0.2
1271890	Soil	6	22	0.56	309	0.072	<1	1.40	0.007	0.05	0.2	0.02	3.8	<0.1	<0.05	7	<0.5	<0.2
1271882	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1271877	Soil	9	63	0.82	290	0.123	1	2.58	0.010	0.10	0.1	0.02	4.3	0.1	<0.05	9	<0.5	<0.2
1271879	Soil	17	38	0.37	229	0.090	<1	1.23	0.021	0.09	0.2	0.05	2.9	0.1	<0.05	7	0.5	<0.2
1271885	Soil	9	15	0.07	71	0.052	<1	0.59	0.006	0.03	<0.1	0.02	1.4	0.2	<0.05	5	<0.5	<0.2
1271896	Soil	44	34	1.01	288	0.103	2	1.60	0.011	0.38	0.1	0.06	5.9	0.4	<0.05	6	<0.5	<0.2
1271900	Soil	37	69	1.45	169	0.075	1	1.85	0.008	0.36	<0.1	0.14	7.7	0.5	<0.05	7	<0.5	<0.2
1270854	Soil	45	127	1.58	301	0.083	2	2.09	0.011	0.39	0.2	0.17	11.6	0.4	<0.05	7	<0.5	<0.2
1271898	Soil	32	80	1.32	182	0.090	2	1.94	0.007	0.63	<0.1	0.04	7.0	0.7	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000397.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1271899	Soil		1.0	38.8	19.0	70	0.2	122.1	29.9	509	4.58	40.3	2.0	3.5	16.7	24	0.1	0.7	0.4	63	0.53	0.100
1270853	Soil		0.7	22.9	6.7	53	<0.1	41.4	21.3	701	3.89	6.6	0.8	0.7	4.1	61	<0.1	1.3	<0.1	83	2.04	0.089
1270856	Soil		1.0	33.3	13.4	63	<0.1	200.4	30.5	571	4.10	8.9	1.1	8.3	7.2	71	0.2	0.3	0.2	70	1.89	0.059
1271891	Soil		1.5	10.4	14.7	46	<0.1	19.4	10.3	360	2.98	7.2	0.6	1.6	2.8	13	<0.1	0.6	0.3	60	0.27	0.036
1270852	Soil		1.1	23.2	11.5	57	<0.1	30.5	16.5	459	3.74	8.1	1.8	3.3	10.3	42	<0.1	1.8	0.2	65	1.11	0.052
1271883	Soil		2.5	15.3	16.3	55	<0.1	18.3	7.8	329	3.02	10.3	0.6	1.6	2.4	9	0.2	0.6	0.3	76	0.11	0.041
1271888	Soil		2.9	33.5	74.7	273	0.3	36.9	12.1	725	3.82	170.5	1.2	4.2	5.5	21	2.1	7.9	0.3	67	0.19	0.044
1271893	Soil		1.1	10.3	9.1	37	<0.1	19.7	9.0	229	3.15	7.3	0.5	3.1	3.0	17	0.1	0.4	0.2	73	0.28	0.030
1271889	Soil		1.3	9.5	11.5	30	0.1	9.9	4.6	129	2.13	8.7	0.6	1.3	3.0	12	0.1	1.4	0.2	65	0.17	0.013
1270855	Soil		0.9	45.3	178.0	195	0.4	175.2	27.6	581	4.30	60.3	1.4	79.7	9.0	55	6.0	1.9	0.3	63	1.34	0.066
1271897	Soil		0.5	35.3	18.0	50	0.2	38.4	16.1	696	3.14	11.9	2.7	2.7	6.3	81	0.2	0.5	0.2	41	2.29	0.048
1271895	Soil		2.2	15.0	17.2	38	<0.1	15.2	7.5	218	2.82	6.3	0.9	2.4	5.9	18	<0.1	0.6	0.4	60	0.30	0.020
1271886	Soil		1.5	14.9	30.1	69	0.1	16.1	6.6	573	2.48	103.8	1.4	2.9	2.7	15	0.4	6.7	0.3	44	0.18	0.046
1271892	Soil		0.8	14.8	9.4	37	<0.1	44.3	13.2	351	3.03	6.9	0.9	1.3	5.6	21	<0.1	0.3	0.1	75	0.43	0.036
1270757	Soil		0.8	10.6	8.6	33	<0.1	15.0	10.3	520	2.74	6.5	2.2	1.1	8.6	34	<0.1	0.5	0.2	55	0.85	0.033
1270756	Soil		0.7	9.7	6.6	49	<0.1	38.2	14.7	493	3.77	6.2	1.6	3.8	13.1	23	0.1	0.5	0.2	69	0.69	0.043
1270758	Soil		1.0	15.5	8.9	47	<0.1	25.6	13.4	430	3.58	6.1	1.7	2.7	11.8	23	<0.1	0.5	0.2	69	0.57	0.034
1271894	Soil		0.9	26.4	5.9	52	<0.1	41.9	18.5	593	4.01	6.1	1.2	0.9	9.0	19	<0.1	0.7	0.1	87	0.52	0.033
1270754	Soil		1.3	15.2	13.6	41	<0.1	29.3	10.7	422	2.73	18.9	1.9	3.1	13.0	34	0.2	1.4	0.2	56	0.54	0.034
1271799	Soil		1.3	14.8	21.3	55	<0.1	32.8	13.7	459	3.89	7.9	3.4	2.0	16.6	29	0.1	0.8	0.4	64	0.46	0.038
1270752	Soil		1.2	25.6	24.1	53	0.4	19.9	8.9	594	2.04	16.1	17.4	5.3	8.3	93	0.5	2.8	0.3	37	1.92	0.064
1270760	Soil		0.9	29.7	12.2	68	0.1	45.1	17.3	445	4.15	11.6	2.1	3.2	13.9	25	<0.1	0.7	0.2	61	0.52	0.031
1270753	Soil		1.2	13.6	15.6	47	0.2	39.2	13.3	386	3.23	12.4	2.3	2.8	15.6	32	0.2	2.5	0.2	70	0.59	0.048
1271800	Soil		1.3	13.0	21.5	64	<0.1	23.1	11.9	375	3.50	13.0	2.4	3.1	20.2	24	0.2	0.9	0.5	61	0.34	0.034
1270755	Soil		0.8	13.7	7.9	40	<0.1	46.6	12.1	431	2.59	8.3	3.9	2.0	10.0	44	0.1	0.8	0.1	51	1.09	0.046
1270761	Soil		0.7	33.3	15.8	65	0.2	51.1	17.7	627	4.08	28.0	2.4	4.0	10.2	47	0.2	2.6	0.3	56	1.28	0.062
1270759	Soil		1.2	31.2	16.6	76	0.1	36.7	15.7	589	4.23	11.8	2.5	4.8	16.8	22	<0.1	1.0	0.3	50	0.63	0.050
1270766	Soil		1.2	39.3	8.3	87	<0.1	61.2	31.8	614	6.01	4.5	1.6	<0.5	5.6	36	<0.1	0.2	0.1	127	0.81	0.139
1270765	Soil		1.3	31.1	12.9	58	<0.1	37.3	23.0	630	5.22	5.5	2.4	1.8	13.4	45	<0.1	1.2	0.2	91	1.16	0.159
1270764	Soil		0.6	25.2	10.3	52	<0.1	72.3	17.2	591	3.25	5.5	1.0	5.5	4.6	122	0.1	0.4	0.1	60	3.56	0.088

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000397.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1271899	Soil		33	114	1.34	180	0.098	1	1.50	0.007	0.30	0.1	0.04	6.9	0.6	<0.05	5	<0.5	<0.2
1270853	Soil		20	71	1.53	299	0.085	2	1.91	0.012	0.36	0.4	0.15	7.5	0.3	<0.05	7	<0.5	<0.2
1270856	Soil		25	409	2.86	295	0.116	2	2.60	0.010	0.82	0.1	0.04	8.9	0.6	<0.05	8	<0.5	<0.2
1271891	Soil		6	32	0.76	166	0.086	1	1.74	0.009	0.09	0.2	0.02	4.2	0.1	<0.05	7	<0.5	<0.2
1270852	Soil		33	40	0.78	549	0.049	2	1.52	0.014	0.23	0.2	0.18	9.1	0.2	<0.05	5	<0.5	<0.2
1271883	Soil		9	32	0.34	90	0.067	<1	1.22	0.008	0.06	0.1	0.02	2.3	0.1	<0.05	7	<0.5	<0.2
1271888	Soil		16	32	0.32	355	0.024	2	1.37	0.009	0.06	0.2	0.06	4.5	0.4	<0.05	5	<0.5	<0.2
1271893	Soil		7	32	0.90	141	0.102	2	1.83	0.010	0.10	0.1	<0.01	4.0	0.1	<0.05	9	<0.5	<0.2
1271889	Soil		6	16	0.33	129	0.073	<1	0.95	0.006	0.07	0.2	0.01	2.9	0.1	<0.05	6	<0.5	<0.2
1270855	Soil		28	325	2.00	276	0.083	2	2.06	0.013	0.28	0.2	0.09	9.5	0.4	<0.05	6	<0.5	<0.2
1271897	Soil		51	43	0.76	239	0.062	3	1.40	0.010	0.27	<0.1	0.07	6.3	0.4	<0.05	4	<0.5	<0.2
1271895	Soil		12	30	0.49	224	0.074	1	1.25	0.010	0.15	0.2	0.02	3.3	0.2	<0.05	6	<0.5	<0.2
1271886	Soil		14	22	0.16	164	0.021	2	0.89	0.006	0.05	<0.1	0.13	2.8	0.4	<0.05	6	<0.5	<0.2
1271892	Soil		12	91	1.26	201	0.079	1	1.87	0.012	0.14	0.1	0.03	6.1	0.1	<0.05	7	<0.5	<0.2
1270757	Soil		29	27	1.05	343	0.083	1	1.81	0.020	0.12	0.1	0.03	6.4	0.2	<0.05	8	<0.5	<0.2
1270756	Soil		32	88	1.96	352	0.120	1	2.41	0.013	0.36	0.2	0.02	9.6	0.3	<0.05	9	<0.5	<0.2
1270758	Soil		31	46	1.31	328	0.113	2	2.09	0.017	0.28	0.1	0.02	8.2	0.2	<0.05	8	<0.5	<0.2
1271894	Soil		30	81	1.31	273	0.096	2	2.11	0.014	0.20	0.2	0.02	12.1	0.2	<0.05	7	<0.5	<0.2
1270754	Soil		27	59	1.00	372	0.060	2	1.88	0.016	0.10	0.2	0.03	6.1	0.2	<0.05	7	<0.5	<0.2
1271799	Soil		62	59	0.79	232	0.072	3	1.87	0.013	0.21	0.2	0.03	6.7	0.5	<0.05	8	<0.5	<0.2
1270752	Soil		58	28	0.55	401	0.025	5	1.19	0.017	0.08	0.1	0.12	6.5	0.2	0.07	4	0.8	<0.2
1270760	Soil		43	65	1.12	318	0.130	2	2.14	0.014	0.34	0.1	0.03	7.1	0.4	<0.05	7	<0.5	<0.2
1270753	Soil		35	88	1.69	353	0.098	2	2.37	0.013	0.18	0.1	0.02	6.6	0.2	<0.05	8	<0.5	<0.2
1271800	Soil		40	36	0.56	260	0.056	1	1.78	0.011	0.09	0.2	0.03	6.6	0.3	<0.05	7	<0.5	<0.2
1270755	Soil		33	96	1.49	318	0.082	2	1.80	0.016	0.14	0.1	0.03	7.2	0.2	<0.05	7	<0.5	<0.2
1270761	Soil		38	72	1.10	524	0.079	2	1.66	0.015	0.29	0.1	0.15	9.4	0.3	<0.05	5	<0.5	<0.2
1270759	Soil		33	48	1.17	318	0.104	3	1.87	0.011	0.43	0.2	0.05	8.3	0.5	<0.05	7	<0.5	<0.2
1270766	Soil		12	113	2.88	506	0.181	2	3.66	0.008	0.84	0.1	<0.01	6.7	0.5	<0.05	11	<0.5	<0.2
1270765	Soil		38	50	1.21	383	0.084	2	1.93	0.007	0.70	0.1	0.02	12.1	0.4	<0.05	7	<0.5	<0.2
1270764	Soil		20	146	1.48	278	0.074	3	1.84	0.014	0.28	0.2	0.04	7.1	0.3	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.


Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000397.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1270763	Soil	1.0	23.4	106.0	63	0.2	80.2	19.8	545	4.08	12.9	1.6	134.1	8.3	56	0.4	1.9	0.2	66	1.30	0.058
1270751	Rock Pulp	2.2	23.8	2.3	42	0.3	22.7	9.9	397	2.43	4.9	0.2	3.6	0.9	43	0.1	0.4	<0.1	60	0.86	0.062
1270762	Soil	1.0	31.1	12.4	61	0.1	71.5	21.1	672	4.02	20.7	2.5	31.7	8.8	48	0.2	2.5	0.3	65	1.29	0.052
1271787	Soil	2.3	29.8	11.7	127	1.5	36.0	11.0	424	3.82	70.3	0.8	3.2	3.9	17	1.1	1.6	0.2	82	0.21	0.069
1271788	Soil	2.2	21.6	32.1	170	0.2	27.1	9.0	383	3.77	259.7	0.6	2.5	2.6	15	0.9	2.3	0.2	97	0.16	0.095
1271789	Soil	2.5	43.1	21.5	201	0.5	78.3	20.6	1459	4.35	126.2	1.5	4.4	4.3	25	1.5	3.5	0.2	109	0.63	0.095
1271790	Soil	3.7	39.3	17.1	210	0.5	51.4	18.1	505	3.76	41.5	1.2	3.8	4.0	22	0.7	1.5	0.2	128	0.36	0.098
1271798	Soil	1.1	11.9	17.0	71	0.1	16.7	11.4	673	2.75	9.7	6.1	6.1	15.4	40	0.3	0.8	0.3	46	0.67	0.075
1271792	Soil	1.3	26.3	23.3	97	0.4	35.1	12.4	527	3.83	28.4	5.3	5.5	26.1	26	0.3	1.0	0.5	66	0.41	0.083
1271791	Soil	3.4	20.7	9.5	77	0.2	20.1	6.3	227	2.39	23.6	0.6	1.4	2.2	16	0.2	0.6	0.1	87	0.23	0.062
1271793	Soil	1.1	14.1	18.3	71	<0.1	25.5	9.8	290	3.26	18.2	1.4	12.2	8.2	20	0.1	0.6	0.4	61	0.28	0.043
1271794	Soil	0.8	12.6	18.3	59	0.1	17.9	13.1	678	3.33	12.1	4.2	1.2	18.2	38	0.1	1.5	0.4	55	0.66	0.054
1271797	Soil	1.3	12.1	14.3	66	0.2	15.5	11.3	969	2.21	6.2	5.1	2.4	7.6	49	0.3	0.5	0.2	44	1.10	0.072
1271796	Soil	1.2	20.1	10.8	59	0.2	22.0	12.3	726	2.61	8.9	10.5	2.4	10.5	72	0.2	0.6	0.2	48	1.60	0.065
1271795	Soil	1.8	14.3	32.7	82	0.2	22.7	13.9	633	3.52	12.1	4.5	4.0	15.8	35	0.4	1.7	0.2	55	0.78	0.082



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000397.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1270763	Soil	30	120	1.19	410	0.061	2	1.74	0.012	0.20	0.2	0.56	9.1	0.2	<0.05	6	0.6	<0.2
1270751	Rock Pulp	4	29	0.79	98	0.120	3	1.57	0.089	0.12	13.4	0.01	5.5	<0.1	<0.05	5	<0.5	<0.2
1270762	Soil	28	108	1.10	425	0.040	3	1.44	0.011	0.25	0.2	0.21	13.2	0.3	<0.05	4	<0.5	<0.2
1271787	Soil	11	42	0.51	243	0.081	1	2.29	0.011	0.06	0.2	0.09	4.8	0.4	<0.05	7	<0.5	<0.2
1271788	Soil	10	35	0.38	180	0.070	1	1.37	0.009	0.06	0.2	0.04	3.9	0.5	<0.05	8	<0.5	<0.2
1271789	Soil	17	88	0.90	781	0.093	1	1.79	0.017	0.15	0.1	0.09	9.7	0.8	<0.05	7	0.8	<0.2
1271790	Soil	14	76	1.08	530	0.151	1	1.98	0.013	0.28	0.1	0.04	7.1	0.6	<0.05	9	0.6	<0.2
1271798	Soil	42	30	0.55	328	0.049	3	1.34	0.015	0.11	0.2	0.08	7.5	0.5	<0.05	5	<0.5	<0.2
1271792	Soil	59	39	0.66	347	0.079	1	1.87	0.016	0.14	0.2	0.04	7.7	0.3	<0.05	7	<0.5	<0.2
1271791	Soil	10	46	0.65	316	0.130	<1	1.24	0.015	0.22	0.1	0.03	4.4	0.3	<0.05	9	0.6	<0.2
1271793	Soil	14	38	0.67	129	0.086	<1	1.66	0.014	0.07	0.2	0.02	4.1	0.2	<0.05	7	<0.5	<0.2
1271794	Soil	31	31	0.91	212	0.058	1	1.76	0.013	0.19	0.3	0.04	6.0	0.2	<0.05	6	<0.5	<0.2
1271797	Soil	36	30	0.49	468	0.032	3	1.17	0.013	0.07	0.1	0.09	4.9	0.2	0.08	5	<0.5	<0.2
1271796	Soil	64	38	0.71	339	0.058	4	1.33	0.014	0.11	0.1	0.08	6.1	0.3	0.07	5	0.8	<0.2
1271795	Soil	47	41	0.89	182	0.083	2	1.59	0.013	0.22	0.2	0.05	7.0	0.4	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000397.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
[redacted]																					
1286601	Rock Pulp	1.4	448.6	20.3	150	0.2	222.7	74.4	790	15.21	2.5	1.2	31.5	7.2	14	0.1	0.3	0.2	218	0.28	0.037
[redacted]																					
1284396	Soil	1.5	41.4	10.1	105	0.2	31.1	15.1	496	3.75	23.8	1.3	2.6	2.8	24	0.4	1.1	0.2	89	0.40	0.152
1286460	Soil	2.6	40.5	24.6	169	1.3	47.2	16.3	608	3.76	173.2	1.6	4.2	5.1	29	1.3	6.7	0.2	73	0.45	0.061
1286469	Soil	4.7	96.8	93.7	180	1.5	82.9	28.2	1588	5.58	4390	1.9	1175	11.1	49	1.5	198.9	0.4	28	0.22	0.066
1286452	Soil	2.4	37.5	538.4	1038	10.8	40.5	17.9	1049	4.93	209.5	3.1	64.0	14.2	35	13.5	28.4	0.6	61	0.66	0.076
1286455	Soil	3.0	74.1	34.5	161	0.3	62.4	24.9	1205	5.56	50.8	1.7	4.0	6.4	38	0.8	3.9	0.5	120	0.55	0.127
1284397	Soil	2.1	46.3	8.1	96	0.2	36.6	19.9	520	4.39	30.5	1.0	<0.5	2.4	17	0.1	1.4	0.1	123	0.25	0.101
1284399	Soil	1.3	23.3	30.1	118	0.4	61.8	24.8	1316	3.72	65.0	1.0	4.1	3.2	21	0.3	3.1	0.6	107	0.30	0.073
1284391	Soil	2.0	43.6	14.8	135	0.2	60.7	14.4	358	3.89	44.5	1.2	2.6	5.4	20	0.4	2.3	0.2	80	0.15	0.041
1286465	Soil	1.9	47.2	17.2	117	1.3	39.5	13.4	573	3.15	472.0	2.2	66.7	4.1	34	0.9	8.7	0.2	43	0.55	0.073
1286461	Soil	1.8	58.5	19.2	145	1.3	64.5	20.5	895	4.18	228.4	2.1	38.7	6.5	37	0.8	7.6	0.2	74	0.92	0.107
1284375	Soil	2.1	65.0	15.5	188	0.5	83.6	24.4	817	4.97	121.6	1.9	4.9	6.9	32	0.8	2.8	0.1	95	0.81	0.142
1284395	Soil	2.6	69.3	9.4	227	0.2	86.6	24.1	810	4.69	79.4	1.6	2.8	5.6	37	0.6	4.4	0.2	116	0.38	0.165

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000397.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
[redacted]																		
1286601	Rock Pulp	16	737	0.13	127	0.189	3	4.23	0.011	0.06	<0.1	0.03	37.8	0.1	<0.05	20	<0.5	<0.2
[redacted]																		
1284396	Soil	17	53	1.18	465	0.182	2	2.14	0.012	0.56	0.1	0.05	5.8	0.4	0.07	10	<0.5	<0.2
1286460	Soil	18	43	0.51	314	0.038	2	1.22	0.010	0.12	0.2	0.08	4.9	0.2	<0.05	5	0.6	<0.2
1286469	Soil	31	19	0.13	540	0.002	2	0.69	0.004	0.09	0.1	0.14	6.7	0.2	<0.05	1	1.8	<0.2
1286452	Soil	32	55	1.35	334	0.101	3	2.25	0.011	0.43	0.1	0.05	7.6	0.7	<0.05	7	0.7	<0.2
1286455	Soil	20	81	1.79	454	0.179	1	2.67	0.010	0.87	<0.1	<0.01	7.6	0.5	0.07	11	1.1	<0.2
1284397	Soil	16	76	1.55	586	0.222	1	2.48	0.012	0.73	0.1	0.03	7.0	0.2	0.07	12	<0.5	<0.2
1284399	Soil	16	143	1.89	300	0.121	2	2.48	0.010	0.42	<0.1	0.04	10.0	0.5	<0.05	10	<0.5	<0.2
1284391	Soil	12	40	0.42	253	0.047	1	1.88	0.006	0.10	0.1	0.03	4.2	0.4	<0.05	6	<0.5	<0.2
1286465	Soil	19	38	0.47	521	0.021	3	1.01	0.010	0.10	0.1	0.07	7.3	0.3	<0.05	4	<0.5	<0.2
1286461	Soil	25	68	1.22	444	0.100	2	1.89	0.013	0.36	0.1	0.06	7.0	0.4	<0.05	6	<0.5	<0.2
1284375	Soil	22	79	1.75	384	0.159	1	2.45	0.011	0.51	0.1	0.04	6.3	0.5	<0.05	8	0.9	<0.2
1284395	Soil	23	81	1.39	530	0.184	1	2.41	0.018	0.83	0.1	0.02	6.8	0.6	0.19	10	1.2	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000397.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1286467	Soil	1.6	40.6	25.4	95	1.3	42.8	18.0	647	3.45	170.0	2.9	38.4	4.0	45	0.8	15.8	0.2	59	0.84	0.065
1286471	Soil	4.6	87.6	357.2	502	32.7	84.6	19.4	770	5.08	1876	1.8	931.2	7.4	74	7.0	85.9	0.2	65	0.82	0.092
1286454	Soil	1.6	36.9	46.4	190	0.7	39.1	15.5	623	3.71	69.5	1.9	15.5	6.5	27	1.0	3.9	0.6	88	0.47	0.069
1286470	Soil	4.6	91.1	42.4	225	2.3	73.7	18.5	559	5.11	358.9	2.5	55.6	7.9	34	1.3	22.6	0.3	60	0.21	0.067
1286468	Soil	2.6	60.0	11.7	136	0.1	59.7	13.9	234	3.78	99.7	1.7	2.5	9.1	18	0.4	11.2	0.3	24	0.20	0.094
1286459	Soil	4.3	41.1	21.5	127	0.5	31.9	20.8	1153	3.22	83.2	2.5	3.2	4.3	38	0.5	4.0	0.3	72	0.24	0.062
1284400	Soil	1.2	20.1	33.9	98	0.4	27.6	13.9	541	2.96	40.1	1.6	14.2	9.5	24	0.6	2.6	0.7	72	0.43	0.051
1286453	Soil	3.6	86.9	67.8	284	4.2	105.7	31.2	1168	6.71	61.5	2.7	34.8	9.4	35	3.0	7.4	1.2	131	0.73	0.131
1286472	Soil	1.1	17.9	144.3	152	1.7	13.8	14.8	789	4.49	241.4	0.9	84.9	3.3	39	1.7	4.7	<0.1	59	0.77	0.058
1284389	Soil	1.4	38.8	10.0	79	0.2	36.0	10.0	319	2.73	42.9	0.8	5.0	4.0	29	0.3	1.5	0.1	68	0.40	0.051
1286464	Soil	1.3	52.3	23.0	108	0.6	51.3	18.2	566	3.70	118.2	2.1	13.7	4.9	38	0.4	3.4	0.2	66	0.95	0.077
1284392	Soil	2.0	81.8	9.1	241	0.6	127.9	23.0	649	4.80	384.2	2.5	5.4	3.8	35	1.3	4.4	0.1	110	0.51	0.112
1284376	Soil	2.0	60.3	15.3	178	0.6	79.2	22.6	753	4.72	131.0	1.8	4.8	6.7	31	0.9	3.0	<0.1	89	0.75	0.137
1286463	Soil	1.2	49.6	22.3	108	0.6	72.1	22.1	729	3.76	114.7	1.5	18.3	3.6	45	0.8	3.3	0.2	77	1.08	0.078
1286457	Soil	3.1	44.6	23.3	139	0.4	37.7	22.3	1358	3.72	49.8	1.6	2.7	5.4	31	0.5	3.0	0.3	79	0.37	0.069
1284393	Soil	2.0	65.7	12.1	134	0.3	55.6	16.3	624	3.45	100.4	2.1	4.7	4.7	28	0.5	2.6	0.2	79	0.36	0.068
1286466	Soil	1.1	42.4	13.1	87	0.6	44.5	17.5	718	3.63	178.4	2.1	26.3	6.0	28	0.4	6.2	0.2	66	0.48	0.058
1286451	Rock Pulp	2.3	24.4	2.3	42	0.3	22.9	10.0	390	2.34	4.8	0.3	<0.5	0.8	43	0.1	0.4	<0.1	59	0.79	0.058
1284394	Soil	2.2	47.2	10.2	126	0.2	47.2	20.4	902	3.63	68.1	1.7	4.4	4.4	22	0.6	2.4	0.2	79	0.29	0.069
1284398	Soil	1.6	44.6	10.1	159	0.5	72.8	28.5	1114	3.93	23.0	1.8	2.2	4.4	21	0.8	1.9	0.2	104	0.26	0.082

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000397.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1286467	Soil	15	47	0.79	327	0.031	2	1.37	0.019	0.11	0.1	0.09	8.2	0.2	0.05	4	1.6	<0.2
1286471	Soil	24	65	0.52	570	0.012	4	1.00	0.010	0.20	0.2	0.07	11.4	0.5	0.18	4	1.5	<0.2
1286454	Soil	22	63	1.11	428	0.119	1	2.11	0.015	0.23	0.1	0.03	5.3	0.3	<0.05	8	<0.5	<0.2
1286470	Soil	23	34	0.48	569	0.023	2	1.28	0.010	0.23	0.1	0.02	5.0	0.3	0.11	4	2.3	<0.2
1286468	Soil	35	14	0.07	124	0.003	2	0.43	0.003	0.07	<0.1	0.02	2.9	<0.1	<0.05	<1	0.6	<0.2
1286459	Soil	17	37	0.60	299	0.061	2	1.33	0.010	0.15	0.1	0.08	3.5	0.3	<0.05	5	1.3	<0.2
1284400	Soil	18	59	0.86	245	0.077	2	1.55	0.012	0.20	0.1	0.04	5.9	0.3	<0.05	7	<0.5	<0.2
1286453	Soil	33	135	2.17	663	0.171	2	3.42	0.010	0.67	<0.1	0.04	14.1	0.7	<0.05	12	1.0	0.3
1286472	Soil	11	19	0.55	579	0.046	1	1.31	0.009	0.19	0.1	0.06	16.2	0.2	<0.05	5	<0.5	<0.2
1284389	Soil	14	40	0.60	572	0.079	1	1.59	0.014	0.09	0.2	0.03	5.0	0.1	<0.05	5	<0.5	<0.2
1286464	Soil	21	64	0.97	543	0.063	2	1.59	0.013	0.18	<0.1	0.05	8.7	0.3	<0.05	5	<0.5	<0.2
1284392	Soil	18	147	1.42	691	0.124	2	2.43	0.013	0.50	<0.1	0.28	9.5	4.6	<0.05	8	0.9	<0.2
1284376	Soil	22	75	1.59	369	0.143	1	2.27	0.011	0.48	0.1	0.05	6.3	0.6	<0.05	8	<0.5	<0.2
1286463	Soil	15	99	1.24	796	0.096	2	1.79	0.012	0.24	<0.1	0.04	7.9	0.3	<0.05	6	<0.5	<0.2
1286457	Soil	18	50	0.98	302	0.107	1	1.67	0.010	0.34	0.1	0.03	4.6	0.4	0.07	7	0.5	<0.2
1284393	Soil	20	55	0.75	477	0.099	2	1.91	0.011	0.16	0.2	0.11	7.1	0.9	<0.05	6	<0.5	<0.2
1286466	Soil	20	60	0.85	428	0.051	2	1.57	0.013	0.17	0.1	0.05	11.0	0.3	<0.05	5	<0.5	<0.2
1286451	Rock Pulp	4	30	0.75	99	0.110	2	1.47	0.079	0.12	12.9	0.02	4.9	<0.1	<0.05	5	<0.5	<0.2
1284394	Soil	14	61	0.83	301	0.110	2	1.96	0.009	0.18	<0.1	0.04	5.5	0.6	<0.05	7	<0.5	<0.2
1284398	Soil	23	137	1.67	412	0.129	1	2.45	0.010	0.53	0.1	0.06	9.9	0.5	<0.05	9	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

QUALITY CONTROL REPORT WHI12000397.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
[redacted]																					
[redacted]																					
[redacted]																					
[redacted]																					
1271028	Soil	1.6	67.1	9.3	54	<0.1	57.9	29.9	669	4.83	11.6	0.9	4.5	14.4	18	<0.1	1.9	0.1	77	0.54	0.064
REP 1271028	QC	1.6	70.9	9.0	55	<0.1	58.5	29.2	675	4.64	11.0	0.9	3.5	14.6	19	<0.1	1.8	0.1	75	0.52	0.068
1271020	Soil	0.7	10.2	7.0	38	<0.1	10.1	10.7	477	4.39	4.0	0.5	1.9	2.8	9	<0.1	0.7	<0.1	88	0.31	0.042
REP 1271020	QC	0.8	10.4	6.5	38	<0.1	9.8	11.0	481	4.58	3.7	0.5	2.0	2.9	9	<0.1	0.7	<0.1	89	0.29	0.043
1286409	Soil	1.5	27.3	8.9	91	0.2	44.4	36.4	1398	3.90	58.9	0.8	3.0	3.0	22	0.1	3.1	0.1	90	0.47	0.075
REP 1286409	QC	1.5	27.3	8.6	91	0.2	43.5	35.7	1384	3.83	58.9	0.8	8.0	2.9	22	0.2	3.3	0.1	89	0.47	0.075
1286391	Soil	2.1	37.9	12.4	94	0.2	39.0	14.7	551	3.46	49.2	1.2	3.4	5.7	24	0.3	2.0	0.2	87	0.52	0.077
REP 1286391	QC	2.1	37.8	12.6	94	0.2	38.8	14.9	556	3.49	50.2	1.2	2.5	5.8	24	0.3	2.0	0.2	88	0.52	0.079
1286664	Soil	1.5	28.0	77.0	265	2.5	11.0	14.2	659	3.40	100.1	2.0	28.3	7.4	39	3.3	4.0	0.2	103	0.73	0.090
REP 1286664	QC	1.5	27.9	77.3	264	2.5	11.6	14.6	673	3.45	99.7	2.0	32.2	7.8	39	3.4	3.8	0.2	102	0.75	0.092
1284185	Soil	1.1	37.5	50.0	130	0.1	15.1	24.8	831	8.03	9.0	2.9	0.7	19.5	30	0.2	4.2	0.3	216	0.59	0.105
REP 1284185	QC	1.1	37.5	49.1	129	0.1	14.7	24.5	835	7.98	8.9	2.9	0.6	19.9	30	0.2	4.1	0.3	216	0.59	0.108
[redacted]																					
[redacted]																					
1284485	Soil	2.0	40.5	13.0	163	<0.1	81.9	34.5	750	5.44	21.5	0.6	3.2	4.5	28	0.2	1.2	<0.1	109	1.20	0.086
REP 1284485	QC	2.1	40.8	13.3	174	<0.1	82.0	34.9	782	5.76	21.3	0.6	3.7	4.5	29	0.2	1.2	<0.1	109	1.16	0.088
1271884	Soil	2.0	13.6	13.2	55	0.1	39.4	10.4	474	2.39	20.9	2.7	1.7	8.1	45	0.2	1.3	0.2	36	0.87	0.058
REP 1271884	QC	2.0	13.7	13.1	54	<0.1	38.2	9.9	480	2.38	20.2	2.7	1.0	8.0	45	0.1	1.4	0.2	35	0.85	0.058
1270853	Soil	0.7	22.9	6.7	53	<0.1	41.4	21.3	701	3.89	6.6	0.8	0.7	4.1	61	<0.1	1.3	<0.1	83	2.04	0.089
REP 1270853	QC	0.7	23.2	6.9	51	<0.1	42.1	21.3	696	3.89	6.7	0.9	0.7	4.1	62	<0.1	1.3	<0.1	81	2.03	0.094
1270755	Soil	0.8	13.7	7.9	40	<0.1	46.6	12.1	431	2.59	8.3	3.9	2.0	10.0	44	0.1	0.8	0.1	51	1.09	0.046
REP 1270755	QC	0.7	13.4	8.1	40	<0.1	44.7	11.6	428	2.62	8.3	3.8	1.6	9.9	43	0.1	0.8	0.1	50	1.09	0.044
1271798	Soil	1.1	11.9	17.0	71	0.1	16.7	11.4	673	2.75	9.7	6.1	6.1	15.4	40	0.3	0.8	0.3	46	0.67	0.075
REP 1271798	QC	1.1	12.4	16.8	73	0.1	17.1	11.4	693	2.81	9.8	6.1	1.6	15.0	38	0.3	0.9	0.3	46	0.69	0.076

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

QUALITY CONTROL REPORT WHI12000397.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
[redacted]																		
1271028	Soil	26	107	1.59	155	0.117	1	2.43	0.006	0.32	0.2	0.03	8.7	0.4	<0.05	7	<0.5	<0.2
REP 1271028	QC	26	104	1.68	156	0.115	2	2.63	0.006	0.30	0.2	0.04	8.3	0.4	<0.05	7	<0.5	<0.2
1271020	Soil	15	14	1.46	250	0.157	<1	2.30	0.011	0.66	0.1	0.03	16.7	0.4	<0.05	9	<0.5	<0.2
REP 1271020	QC	16	15	1.60	262	0.162	<1	2.40	0.010	0.64	0.1	0.02	17.4	0.4	<0.05	9	<0.5	<0.2
1286409	Soil	11	82	1.30	250	0.086	2	1.80	0.015	0.23	0.2	0.03	5.5	0.2	<0.05	7	<0.5	<0.2
REP 1286409	QC	11	82	1.27	242	0.086	2	1.75	0.014	0.22	0.2	0.03	5.4	0.3	<0.05	7	<0.5	<0.2
1286391	Soil	21	61	0.94	356	0.129	1	1.93	0.013	0.22	0.2	0.03	5.5	0.3	<0.05	7	<0.5	<0.2
REP 1286391	QC	22	62	0.95	361	0.129	1	1.96	0.013	0.21	0.2	0.03	5.6	0.3	<0.05	7	<0.5	<0.2
1286664	Soil	15	31	0.93	575	0.164	1	1.80	0.027	0.22	0.2	0.05	7.6	0.4	<0.05	7	<0.5	<0.2
REP 1286664	QC	16	32	0.93	571	0.166	1	1.83	0.028	0.22	0.2	0.05	7.7	0.4	<0.05	7	<0.5	<0.2
1284185	Soil	30	41	1.45	845	0.201	<1	4.20	0.021	0.52	0.1	0.02	24.7	0.7	<0.05	15	<0.5	<0.2
REP 1284185	QC	30	41	1.44	851	0.202	<1	4.12	0.021	0.47	0.2	0.02	24.6	0.7	<0.05	15	<0.5	<0.2
[redacted]																		
1284485	Soil	7	94	1.87	215	0.189	2	3.29	0.009	0.44	0.1	0.01	2.9	0.4	0.09	9	0.6	<0.2
REP 1284485	QC	7	97	2.02	218	0.187	1	3.29	0.009	0.41	0.1	0.02	2.8	0.4	0.14	9	0.7	<0.2
1271884	Soil	32	45	0.35	194	0.030	2	0.87	0.011	0.08	0.2	0.04	4.1	0.2	<0.05	3	<0.5	<0.2
REP 1271884	QC	32	45	0.34	190	0.030	2	0.84	0.011	0.08	0.2	0.04	4.1	0.3	<0.05	3	<0.5	<0.2
1270853	Soil	20	71	1.53	299	0.085	2	1.91	0.012	0.36	0.4	0.15	7.5	0.3	<0.05	7	<0.5	<0.2
REP 1270853	QC	20	71	1.54	305	0.086	2	1.85	0.012	0.35	0.4	0.14	7.3	0.3	<0.05	7	<0.5	<0.2
1270755	Soil	33	96	1.49	318	0.082	2	1.80	0.016	0.14	0.1	0.03	7.2	0.2	<0.05	7	<0.5	<0.2
REP 1270755	QC	33	94	1.45	318	0.080	2	1.77	0.016	0.15	0.1	0.03	6.6	0.2	<0.05	7	<0.5	<0.2
1271798	Soil	42	30	0.55	328	0.049	3	1.34	0.015	0.11	0.2	0.08	7.5	0.5	<0.05	5	<0.5	<0.2
REP 1271798	QC	42	30	0.56	333	0.049	3	1.37	0.017	0.11	0.1	0.08	7.7	0.5	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

QUALITY CONTROL REPORT WHI12000397.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
[redacted]																					
1284400	Soil	1.2	20.1	33.9	98	0.4	27.6	13.9	541	2.96	40.1	1.6	14.2	9.5	24	0.6	2.6	0.7	72	0.43	0.051
REP 1284400	QC	1.3	20.7	35.7	100	0.4	28.1	14.0	556	3.00	41.1	1.7	13.6	10.0	25	0.7	2.7	0.7	72	0.45	0.051
1284398	Soil	1.6	44.6	10.1	159	0.5	72.8	28.5	1114	3.93	23.0	1.8	2.2	4.4	21	0.8	1.9	0.2	104	0.26	0.082
REP 1284398	QC	1.5	43.2	10.1	155	0.5	72.5	27.8	1093	3.89	22.3	1.8	2.0	4.2	20	0.8	1.8	0.2	104	0.26	0.081
Reference Materials																					
STD DS9	Standard	13.6	104.5	122.5	292	1.8	41.7	7.6	560	2.28	23.1	2.6	116.4	6.2	68	2.1	5.2	6.2	43	0.71	0.081
STD DS9	Standard	14.1	105.1	123.1	284	1.8	42.0	7.6	585	2.32	22.9	2.7	123.1	6.5	70	2.1	5.3	6.2	42	0.71	0.077
STD DS9	Standard	13.7	109.8	121.1	297	1.7	41.8	7.9	575	2.29	23.4	2.8	113.1	6.6	68	2.2	5.3	6.3	44	0.72	0.077
STD DS9	Standard	13.8	110.9	125.4	278	1.8	42.5	7.8	587	2.33	23.2	2.3	114.9	6.9	60	2.2	4.6	4.9	49	0.74	0.074
STD DS9	Standard	14.8	121.6	130.9	340	2.0	46.2	8.6	631	2.61	25.8	2.4	145.2	6.4	64	2.3	5.3	5.6	52	0.77	0.089
STD DS9	Standard	14.1	111.2	126.6	307	1.8	43.1	7.9	602	2.45	25.3	2.8	111.8	6.5	72	2.3	5.7	6.7	42	0.75	0.082
STD DS9	Standard	15.0	110.2	126.0	311	1.8	43.5	7.8	616	2.47	24.9	2.9	119.5	6.7	73	2.4	5.8	6.6	42	0.77	0.084
STD DS9	Standard	12.9	104.3	124.0	303	1.9	38.0	7.2	569	2.29	26.6	2.8	128.4	6.6	77	2.1	6.1	6.9	40	0.72	0.085
STD DS9	Standard	13.0	109.0	123.7	311	1.9	40.3	7.6	596	2.31	26.2	2.8	112.3	6.5	77	2.2	5.8	6.8	40	0.70	0.082
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	3	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.02	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.3	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	7	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	3	<0.01	<0.001
BLK	Blank	<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	2	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

QUALITY CONTROL REPORT WHI12000397.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
[redacted]																		
1284400	Soil	18	59	0.86	245	0.077	2	1.55	0.012	0.20	0.1	0.04	5.9	0.3	<0.05	7	<0.5	<0.2
REP 1284400	QC	19	58	0.87	250	0.076	1	1.56	0.012	0.20	0.1	0.04	6.0	0.3	<0.05	7	<0.5	<0.2
1284398	Soil	23	137	1.67	412	0.129	1	2.45	0.010	0.53	0.1	0.06	9.9	0.5	<0.05	9	0.7	<0.2
REP 1284398	QC	22	134	1.67	412	0.128	1	2.39	0.010	0.51	<0.1	0.05	9.6	0.4	<0.05	9	<0.5	<0.2
Reference Materials																		
STD DS9	Standard	13	132	0.61	284	0.115	2	0.88	0.080	0.35	3.1	0.20	2.3	5.4	0.15	4	5.4	5.0
STD DS9	Standard	13	132	0.61	282	0.114	2	0.94	0.087	0.34	3.2	0.21	2.4	5.3	0.14	5	5.5	4.9
STD DS9	Standard	14	125	0.62	287	0.111	3	0.92	0.085	0.34	3.0	0.20	2.3	5.5	0.17	5	5.1	4.9
STD DS9	Standard	14	128	0.59	295	0.112	2	0.91	0.094	0.38	3.0	0.23	2.7	5.5	0.12	5	5.1	4.8
STD DS9	Standard	13	143	0.68	322	0.115	4	1.00	0.099	0.43	2.9	0.22	2.9	6.3	0.21	5	5.0	5.2
STD DS9	Standard	14	131	0.65	312	0.121	3	0.96	0.091	0.37	3.3	0.22	2.5	5.8	0.19	5	5.8	5.3
STD DS9	Standard	14	140	0.65	303	0.121	2	0.97	0.086	0.38	3.2	0.21	2.5	5.6	0.19	5	5.5	5.5
STD DS9	Standard	13	112	0.62	311	0.111	2	0.97	0.099	0.38	3.1	0.21	3.1	5.6	0.10	5	5.7	4.8
STD DS9	Standard	13	120	0.60	311	0.110	3	0.91	0.095	0.37	2.9	0.22	3.1	5.6	0.14	5	5.0	5.0
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	2	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 23, 2012
Report Date: August 01, 2012
Page: 1 of 12

CERTIFICATE OF ANALYSIS WHI12000398.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 320

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	315	Dry at 60C sieve 100g to -80 mesh			WHI
Dry at 60C	320	Dry at 60C			WHI
1DX2	320	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000398.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1284449	Soil	1.9	30.6	13.4	101	0.2	37.3	11.6	527	3.02	53.8	0.7	1.7	3.8	21	0.4	1.7	0.2	86	0.40	0.053
1284435	Soil	3.5	70.5	72.3	167	1.4	65.4	14.4	385	4.12	447.6	1.3	47.3	4.7	22	1.4	9.4	0.2	84	0.15	0.045
1284436	Soil	1.7	33.6	9.8	78	0.5	44.5	14.8	504	3.24	86.2	0.6	6.1	3.7	13	0.4	1.3	0.2	93	0.12	0.032
1286456	Soil	2.9	39.5	23.8	144	0.6	36.1	17.8	713	3.49	50.1	1.8	6.5	5.1	29	0.7	2.2	0.2	81	0.41	0.068
1284440	Soil	3.0	53.4	11.7	112	0.3	53.3	20.5	914	3.50	81.0	1.3	3.9	3.7	21	0.6	3.9	0.2	93	0.34	0.080
1284441	Soil	2.5	56.7	9.4	141	0.3	63.2	21.0	721	4.44	45.7	1.5	3.7	5.6	25	0.5	1.7	0.2	120	0.43	0.103
1284442	Soil	2.5	45.7	14.4	140	0.2	47.4	20.8	779	4.39	77.0	1.4	4.5	5.1	19	0.6	2.9	0.2	113	0.47	0.117
1284390	Soil	2.7	40.6	11.3	117	0.1	57.3	14.4	309	3.36	39.7	1.0	1.9	4.9	15	0.5	1.6	0.2	110	0.14	0.020
1284455	Soil	6.9	88.7	13.9	172	1.2	49.2	11.1	484	3.11	75.4	3.5	4.1	3.5	38	1.3	3.5	0.3	68	0.24	0.079
1284439	Soil	1.1	55.8	5.9	84	0.2	99.4	26.6	630	4.32	28.7	1.1	3.3	3.2	24	0.1	1.1	0.1	109	0.57	0.093
1284438	Soil	1.8	24.0	10.3	78	<0.1	32.0	11.6	421	3.57	30.3	0.6	2.0	2.0	14	0.4	1.3	0.2	95	0.17	0.038
1286462	Soil	1.8	52.1	124.4	187	1.6	79.2	21.3	525	4.85	189.9	1.9	104.6	13.4	24	0.8	5.1	0.2	52	0.63	0.124
1284453	Soil	2.8	31.5	14.5	98	0.5	31.8	14.7	542	3.18	22.8	2.1	4.4	5.1	24	0.6	2.3	0.2	69	0.35	0.066
1284446	Soil	1.1	19.2	21.3	69	0.4	25.8	11.2	333	2.98	18.3	1.3	8.9	10.2	18	0.5	1.2	0.2	62	0.27	0.024
1284437	Soil	1.3	51.3	9.8	64	0.2	42.9	17.7	420	3.05	29.0	1.4	4.6	5.5	16	0.2	1.0	0.2	70	0.18	0.042
1286458	Soil	4.5	49.4	16.2	172	0.6	50.5	30.6	1371	4.01	43.0	1.8	2.2	4.8	35	0.5	3.5	0.2	98	0.32	0.077
1284452	Soil	2.4	39.2	15.4	108	0.2	40.9	14.6	469	3.50	25.5	1.1	2.3	5.7	27	0.4	1.1	0.1	88	0.47	0.063
1284443	Soil	1.9	55.8	12.2	137	0.3	62.6	21.5	744	4.91	34.1	1.2	4.5	4.8	22	0.6	2.8	0.2	152	0.50	0.092
1284444	Soil	1.5	26.6	12.8	76	0.2	28.1	12.4	513	3.10	17.6	1.4	7.0	6.3	17	0.3	1.0	0.3	76	0.28	0.050
1284456	Soil	6.4	61.9	11.7	213	0.7	53.9	13.3	394	3.43	66.9	2.0	2.1	4.1	27	0.4	6.1	0.2	76	0.22	0.101
1284454	Soil	2.0	31.7	16.7	80	0.7	33.1	13.8	704	2.56	14.2	1.8	4.6	3.1	30	0.7	1.3	0.3	67	0.48	0.049
1284448	Soil	0.9	19.4	16.9	83	0.2	25.7	15.0	447	3.52	22.1	1.6	5.8	7.7	25	0.2	0.7	0.1	64	0.52	0.053
1284447	Soil	1.2	15.1	18.9	86	0.1	27.0	12.0	372	3.37	20.7	0.8	8.5	6.6	17	0.9	0.7	0.2	65	0.23	0.025
1284462	Soil	1.5	40.1	6.9	80	0.1	62.2	16.2	319	3.25	473.3	1.1	10.6	5.3	17	0.2	19.4	0.2	34	0.23	0.034
1284457	Soil	5.1	35.9	15.0	146	0.6	36.8	13.0	410	3.10	238.6	1.6	13.7	3.5	20	0.6	4.4	0.2	75	0.23	0.072
1284459	Soil	1.9	40.6	11.6	105	0.2	53.1	18.4	690	3.84	77.7	1.1	17.9	5.9	21	0.3	3.3	0.2	85	0.60	0.079
1284445	Soil	1.9	17.6	142.0	286	2.6	17.0	9.1	862	2.78	97.0	1.9	67.1	8.4	16	5.2	16.4	2.1	42	0.21	0.049
1284461	Soil	2.0	37.2	9.1	91	0.2	38.5	17.7	408	3.63	136.8	1.4	5.9	4.0	24	0.2	2.8	0.2	79	0.58	0.064
1284451	Rock Pulp	2.3	22.8	1.9	39	0.2	22.0	9.5	363	2.20	3.9	0.2	1.1	0.8	32	0.1	0.3	<0.1	60	0.74	0.051
1284460	Soil	1.9	64.5	11.2	96	0.5	70.5	16.9	802	3.23	125.7	3.3	17.3	3.6	35	0.6	4.3	0.2	75	0.94	0.083

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000398.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1284449	Soil		14	51	0.66	285	0.148	1	1.57	0.008	0.24	0.1	0.03	3.8	0.3	<0.05	8	<0.5	<0.2
1284435	Soil		11	54	0.55	395	0.067	1	2.02	0.008	0.17	0.2	0.07	4.7	0.6	0.07	6	1.1	<0.2
1284436	Soil		8	58	0.71	275	0.082	1	2.50	0.009	0.05	0.2	0.03	4.2	0.3	<0.05	7	<0.5	<0.2
1286456	Soil		16	57	1.00	281	0.113	1	1.76	0.014	0.33	0.1	0.03	4.3	0.4	0.09	7	1.2	<0.2
1284440	Soil		13	79	0.89	327	0.132	1	1.72	0.010	0.28	0.2	0.03	4.8	0.5	<0.05	7	0.5	<0.2
1284441	Soil		24	88	1.23	480	0.199	<1	2.33	0.020	0.57	0.1	0.03	7.2	0.5	0.05	9	1.0	<0.2
1284442	Soil		21	72	1.25	434	0.167	1	2.31	0.008	0.41	0.1	0.05	7.6	0.6	<0.05	9	0.6	<0.2
1284390	Soil		12	62	0.72	444	0.101	1	2.28	0.012	0.08	0.2	0.03	5.3	0.2	<0.05	6	0.6	<0.2
1284455	Soil		18	34	0.50	385	0.044	1	1.23	0.010	0.16	0.1	0.08	3.9	0.4	0.15	5	3.3	<0.2
1284439	Soil		12	156	1.60	679	0.210	<1	2.38	0.014	0.53	0.1	0.03	6.2	0.4	<0.05	9	<0.5	<0.2
1284438	Soil		10	48	0.57	184	0.083	1	1.79	0.008	0.06	0.1	0.03	3.4	0.3	<0.05	7	<0.5	<0.2
1286462	Soil		40	50	0.77	275	0.048	2	1.25	0.007	0.25	0.5	0.02	5.9	0.4	<0.05	4	0.9	<0.2
1284453	Soil		20	52	0.81	250	0.083	1	1.61	0.011	0.16	0.1	0.04	4.1	0.3	<0.05	6	1.0	<0.2
1284446	Soil		31	45	0.75	228	0.087	1	1.85	0.012	0.08	0.1	0.02	4.1	0.2	<0.05	6	<0.5	<0.2
1284437	Soil		12	50	0.58	231	0.069	1	2.49	0.012	0.06	0.2	0.04	4.6	0.2	<0.05	5	0.7	<0.2
1286458	Soil		17	70	1.12	293	0.112	1	1.74	0.014	0.31	0.1	0.03	4.4	0.4	0.06	7	2.1	<0.2
1284452	Soil		15	64	1.15	316	0.127	1	1.93	0.014	0.34	0.1	0.01	3.9	0.4	<0.05	7	0.8	<0.2
1284443	Soil		19	102	1.54	542	0.155	<1	2.55	0.009	0.42	0.1	0.04	12.1	0.7	<0.05	10	0.8	<0.2
1284444	Soil		22	53	0.79	270	0.090	1	1.79	0.009	0.10	0.1	0.04	5.2	0.3	<0.05	7	<0.5	<0.2
1284456	Soil		16	45	0.76	254	0.048	<1	1.24	0.007	0.23	0.1	0.03	3.0	0.4	0.15	5	3.7	<0.2
1284454	Soil		19	64	0.70	299	0.069	2	1.38	0.014	0.13	0.1	0.04	4.0	0.2	<0.05	6	0.6	<0.2
1284448	Soil		19	43	1.17	205	0.136	1	2.13	0.012	0.30	0.1	0.01	3.5	0.4	<0.05	7	<0.5	<0.2
1284447	Soil		17	51	0.82	156	0.103	1	2.15	0.010	0.08	0.2	0.02	3.2	0.2	<0.05	7	<0.5	<0.2
1284462	Soil		20	30	0.22	245	0.002	<1	0.66	0.005	0.09	<0.1	0.02	5.3	0.3	<0.05	2	0.7	<0.2
1284457	Soil		15	41	0.57	203	0.033	1	1.26	0.007	0.09	0.2	0.09	2.9	0.3	<0.05	5	1.4	<0.2
1284459	Soil		15	66	1.12	307	0.113	<1	1.77	0.013	0.29	0.1	0.03	5.1	0.4	<0.05	7	0.5	<0.2
1284445	Soil		36	23	0.27	230	0.020	1	1.28	0.008	0.09	0.1	0.05	3.3	0.4	<0.05	5	<0.5	0.3
1284461	Soil		16	53	0.72	660	0.069	2	1.59	0.012	0.08	0.1	0.03	4.9	0.2	<0.05	6	0.6	<0.2
1284451	Rock Pulp		3	30	0.73	76	0.112	2	1.34	0.070	0.10	12.8	<0.01	4.1	<0.1	<0.05	5	<0.5	<0.2
1284460	Soil		22	77	0.97	821	0.076	2	1.62	0.013	0.18	0.1	0.07	6.5	0.3	<0.05	5	1.2	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000398.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1284458	Soil	2.2	41.0	11.5	116	0.6	39.9	14.9	490	3.41	473.2	3.0	50.1	4.8	30	0.5	5.0	0.2	65	0.75	0.070
1284463	Soil	2.6	72.6	91.9	118	2.6	56.0	14.0	690	4.47	2123	1.8	445.7	7.2	39	1.4	57.1	0.3	40	0.19	0.066
1271818	Soil	0.7	21.5	12.8	64	0.3	14.9	3.0	73	1.34	39.6	0.9	5.6	0.3	14	0.7	1.0	0.1	27	0.17	0.063
1271845	Soil	1.0	68.0	3.6	53	<0.1	60.1	35.7	747	5.49	5.0	0.7	1.0	4.5	26	<0.1	0.2	<0.1	139	0.62	0.112
1271828	Soil	2.0	62.4	13.8	127	0.3	69.3	19.8	667	4.50	38.2	1.0	3.5	4.0	16	0.7	1.4	0.2	101	0.35	0.119
1271841	Soil	0.8	11.2	7.2	39	<0.1	21.0	8.7	330	2.77	6.9	0.9	2.3	10.8	18	<0.1	0.6	0.2	53	0.35	0.034
1271838	Soil	1.3	18.0	7.9	52	0.1	24.4	11.5	346	3.02	13.0	1.1	2.8	6.2	21	0.1	1.1	0.1	66	0.45	0.048
1271846	Soil	1.0	18.8	6.1	49	<0.1	37.2	20.5	393	4.42	6.0	0.5	2.3	3.8	21	<0.1	0.3	<0.1	101	0.40	0.055
1271827	Soil	2.1	22.6	9.9	73	0.4	21.0	7.9	183	3.10	20.1	0.4	5.1	1.6	12	1.1	0.8	0.2	82	0.17	0.035
1271826	Soil	2.9	39.5	10.0	175	0.3	48.1	14.5	373	3.88	29.7	0.6	2.3	2.6	18	1.1	1.1	0.1	94	0.23	0.062
1271840	Soil	1.5	9.7	6.6	28	<0.1	10.6	4.4	153	2.24	6.4	0.5	1.4	5.7	9	0.1	0.7	0.3	53	0.09	0.024
1271819	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1271844	Soil	1.2	15.0	8.7	35	<0.1	51.8	15.6	724	3.50	10.4	1.4	0.7	5.2	26	0.1	0.9	0.2	61	1.14	0.071
1271843	Soil	13.1	21.9	1.4	35	<0.1	20.2	41.9	708	6.07	1.8	0.7	0.9	2.6	33	<0.1	0.2	0.2	126	0.55	0.074
1271825	Soil	2.3	18.4	8.7	93	0.4	18.2	9.0	255	2.70	19.7	0.4	6.6	1.8	10	2.5	0.8	0.1	93	0.13	0.029
1271821	Soil	2.4	98.8	28.8	185	1.8	42.3	11.2	324	2.64	51.6	2.3	15.9	0.8	37	6.2	2.4	0.1	63	0.53	0.071
1271847	Soil	1.2	35.3	7.3	75	<0.1	85.6	34.4	940	6.18	3.3	1.1	<0.5	11.3	31	<0.1	0.1	<0.1	130	0.81	0.160
1271842	Soil	1.3	22.8	11.2	48	<0.1	38.1	13.7	373	3.69	12.1	1.0	2.4	5.8	17	<0.1	0.8	0.2	67	0.30	0.026
1271837	Soil	1.6	17.4	13.7	72	0.2	24.3	12.9	526	3.17	9.5	3.3	<0.5	12.3	35	0.2	0.7	0.2	64	0.83	0.067
1271831	Soil	1.4	22.9	9.1	68	0.5	22.0	8.3	472	2.58	14.7	0.4	1.4	2.0	17	1.2	0.6	0.1	80	0.20	0.033
1271836	Soil	1.8	11.8	16.4	52	<0.1	15.7	7.6	280	2.89	9.0	0.8	9.3	4.0	10	0.3	0.8	0.2	68	0.13	0.031
1271820	Soil	5.8	45.1	30.1	258	0.7	47.3	10.8	565	3.99	82.7	1.2	3.2	1.6	18	3.4	2.9	0.2	149	0.17	0.068
1271839	Soil	1.6	12.0	11.6	40	<0.1	16.2	8.1	202	3.04	10.9	0.5	1.3	6.2	13	<0.1	0.6	0.1	66	0.17	0.026
1271829	Soil	1.8	51.4	11.2	112	0.2	55.9	18.2	578	4.23	33.9	0.9	1.3	3.3	22	0.4	1.0	<0.1	103	0.56	0.099
1271832	Soil	1.8	10.1	11.6	40	0.1	14.2	5.2	255	2.16	7.9	0.4	1.3	2.1	19	0.3	0.5	0.1	63	0.29	0.027
1271824	Soil	2.2	15.3	8.9	76	0.4	17.4	6.5	214	2.70	19.4	0.4	7.2	1.8	10	1.5	0.8	0.1	96	0.13	0.027
1271781	Soil	0.7	18.1	7.2	46	0.1	24.9	11.5	436	3.16	9.7	2.1	1.5	7.4	24	<0.1	0.5	0.2	63	0.60	0.044
1271833	Soil	1.5	16.9	14.7	54	0.1	24.2	10.6	403	3.48	12.3	0.9	0.5	5.3	20	0.1	0.7	0.2	73	0.35	0.034
1271835	Soil	0.9	13.2	18.1	53	<0.1	24.1	13.2	354	3.20	6.7	0.7	1.1	5.8	21	0.1	0.4	0.1	66	0.42	0.046
1271822	Soil	2.5	40.5	12.8	131	0.4	40.3	12.0	408	3.24	33.2	1.0	9.5	2.4	23	1.3	1.5	0.1	91	0.27	0.071

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000398.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1284458	Soil		19	41	0.54	233	0.030	1	1.10	0.010	0.09	0.2	0.13	6.0	0.2	<0.05	4	1.4	<0.2
1284463	Soil		24	25	0.31	410	0.015	1	0.93	0.006	0.10	0.1	0.05	4.6	0.3	0.05	3	1.2	<0.2
1271818	Soil		7	24	0.24	161	0.037	<1	0.88	0.008	0.04	0.1	0.11	1.7	0.4	<0.05	4	1.2	<0.2
1271845	Soil		9	136	3.65	411	0.175	<1	3.27	0.008	0.64	<0.1	<0.01	7.5	0.3	<0.05	8	<0.5	<0.2
1271828	Soil		17	79	1.21	377	0.165	1	2.10	0.012	0.36	0.2	0.03	6.9	0.5	<0.05	8	0.7	<0.2
1271841	Soil		22	31	0.60	369	0.059	1	1.38	0.014	0.07	0.2	0.03	6.7	0.1	<0.05	5	<0.5	<0.2
1271838	Soil		20	44	0.78	296	0.083	2	1.57	0.013	0.11	0.2	0.02	5.5	0.2	<0.05	6	<0.5	<0.2
1271846	Soil		12	77	1.61	205	0.131	2	2.53	0.009	0.25	0.1	0.01	4.2	0.2	<0.05	8	<0.5	<0.2
1271827	Soil		7	33	0.40	152	0.090	1	1.59	0.010	0.09	0.1	0.01	2.9	0.2	<0.05	8	0.6	<0.2
1271826	Soil		11	53	0.77	227	0.129	2	1.97	0.013	0.21	0.2	0.02	4.0	0.3	<0.05	7	0.7	<0.2
1271840	Soil		9	20	0.23	82	0.060	<1	0.85	0.006	0.07	0.2	0.02	2.0	0.1	<0.05	6	<0.5	<0.2
1271819	Soil		I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1271844	Soil		23	57	0.45	593	0.022	3	1.02	0.008	0.15	0.2	0.11	10.7	0.3	<0.05	4	<0.5	<0.2
1271843	Soil		12	14	3.42	503	0.079	2	3.81	0.008	0.57	<0.1	0.02	20.6	0.3	<0.05	11	<0.5	<0.2
1271825	Soil		8	31	0.28	129	0.092	1	1.19	0.009	0.10	0.1	0.02	2.8	0.2	<0.05	8	<0.5	<0.2
1271821	Soil		23	36	0.34	1932	0.041	3	1.33	0.013	0.08	0.1	0.28	6.0	0.6	<0.05	5	1.6	<0.2
1271847	Soil		32	173	3.27	307	0.159	3	3.46	0.009	0.76	0.1	<0.01	11.4	0.5	<0.05	13	<0.5	<0.2
1271842	Soil		17	54	0.50	360	0.051	2	2.02	0.011	0.09	0.1	0.04	10.7	0.2	<0.05	6	<0.5	<0.2
1271837	Soil		31	40	0.76	233	0.080	3	1.75	0.019	0.18	0.1	0.05	7.2	0.3	<0.05	6	<0.5	<0.2
1271831	Soil		11	32	0.35	494	0.084	2	1.34	0.017	0.08	<0.1	0.02	3.3	0.2	<0.05	7	<0.5	<0.2
1271836	Soil		18	27	0.32	139	0.059	2	1.19	0.008	0.07	0.1	0.03	3.2	0.2	<0.05	7	<0.5	<0.2
1271820	Soil		11	52	0.33	496	0.076	<1	1.19	0.011	0.12	0.1	0.04	3.5	0.7	<0.05	7	0.8	<0.2
1271839	Soil		12	34	0.45	165	0.063	1	1.79	0.008	0.08	0.1	0.01	3.3	0.1	<0.05	7	<0.5	<0.2
1271829	Soil		15	68	1.18	510	0.148	2	2.04	0.014	0.29	0.1	0.01	7.3	0.3	<0.05	8	0.6	<0.2
1271832	Soil		8	25	0.28	210	0.074	1	0.87	0.011	0.10	<0.1	0.03	2.1	0.1	<0.05	6	<0.5	<0.2
1271824	Soil		8	27	0.24	125	0.097	<1	1.00	0.016	0.09	0.1	0.02	2.4	0.2	<0.05	7	<0.5	<0.2
1271781	Soil		36	34	0.72	481	0.062	2	1.73	0.017	0.09	0.2	0.07	11.3	0.2	<0.05	6	<0.5	<0.2
1271833	Soil		10	35	0.56	173	0.076	2	1.77	0.012	0.11	0.1	0.02	4.5	0.2	<0.05	8	<0.5	<0.2
1271835	Soil		10	50	1.03	104	0.106	2	1.78	0.015	0.17	0.2	0.02	3.8	0.2	<0.05	7	<0.5	<0.2
1271822	Soil		11	43	0.49	341	0.097	2	1.37	0.017	0.15	0.2	0.03	3.8	0.4	<0.05	7	0.7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000398.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1271782	Soil		1.1	7.5	7.2	37	<0.1	11.6	7.3	214	2.69	6.5	0.5	<0.5	2.8	13	<0.1	0.3	0.1	64	0.21	0.026
1271834	Soil		1.6	17.6	14.3	56	<0.1	24.8	9.6	475	3.05	10.9	0.6	2.2	4.7	18	0.2	0.7	0.2	73	0.30	0.028
1271830	Soil		2.0	27.8	9.8	74	0.4	30.9	11.1	428	3.51	19.0	0.4	1.0	2.0	18	1.1	0.8	0.1	94	0.28	0.037
1271823	Soil		2.9	32.8	15.0	150	0.3	38.9	12.3	336	3.86	34.7	0.5	2.5	2.5	18	0.8	1.1	0.2	107	0.24	0.047
1271777	Soil		1.1	24.3	10.7	60	0.1	26.9	15.6	370	3.85	19.2	3.4	2.3	10.9	28	<0.1	1.3	0.2	70	0.63	0.060
1271778	Soil		1.0	15.9	8.1	55	<0.1	25.6	13.1	377	3.11	9.4	1.5	3.0	11.3	20	<0.1	0.6	0.1	61	0.41	0.041
1271770	Soil		1.2	20.1	9.6	57	<0.1	27.5	12.2	305	3.48	13.1	0.4	3.1	2.8	14	0.2	0.6	0.1	84	0.19	0.037
1271786	Soil		0.9	18.7	7.3	51	<0.1	42.8	17.7	629	3.69	4.0	2.0	1.6	9.8	50	<0.1	0.2	0.1	70	1.06	0.071
1271774	Soil		1.1	10.6	22.0	64	<0.1	24.6	13.2	336	4.09	9.3	1.9	1.5	16.6	15	0.1	1.1	0.3	64	0.27	0.043
1271776	Soil		1.3	20.3	11.6	65	0.2	23.4	13.6	557	3.10	11.6	10.7	2.8	13.8	49	0.2	1.0	0.1	64	1.08	0.065
1271779	Soil		1.3	18.7	10.6	67	<0.1	29.9	20.0	787	4.54	11.4	1.6	1.3	15.9	20	<0.1	0.6	0.2	102	0.49	0.084
1271784	Soil		1.4	14.0	8.4	48	<0.1	36.6	15.1	749	3.55	4.4	1.7	2.5	9.9	27	<0.1	0.4	0.2	60	0.65	0.038
1271772	Soil		1.5	21.5	16.1	71	<0.1	33.0	14.3	373	4.21	10.8	1.0	2.3	9.0	18	0.1	0.5	0.2	98	0.22	0.029
1271775	Soil		1.2	21.8	11.0	65	0.2	24.4	12.0	369	3.14	10.8	8.4	2.1	13.5	44	0.2	1.3	0.2	65	1.05	0.074
1271780	Soil		2.1	11.3	10.8	69	<0.1	20.0	10.1	276	3.61	9.0	0.6	13.7	3.6	12	0.1	0.5	0.3	104	0.15	0.032
1271785	Soil		1.4	25.5	14.8	70	0.1	49.6	16.6	767	3.72	17.7	5.1	0.6	13.8	32	0.2	0.4	0.3	50	0.97	0.055
1271771	Soil		3.2	12.7	12.1	43	<0.1	13.0	5.4	186	3.09	10.2	0.5	2.7	3.2	10	0.1	0.6	0.3	99	0.14	0.027
1271773	Soil		1.4	22.1	20.5	74	<0.1	37.1	17.8	397	4.25	11.8	1.2	5.2	12.2	18	0.1	0.6	0.3	89	0.22	0.042
1271769	Soil		1.4	76.1	6.7	73	<0.1	66.1	24.6	435	3.81	8.8	0.6	2.1	2.8	13	0.1	0.4	<0.1	118	0.33	0.070
1271783	Soil		1.1	12.2	9.7	59	0.1	49.2	17.8	882	3.66	5.5	1.2	1.3	10.7	31	0.1	0.3	0.2	67	0.93	0.051
1271757	Soil		2.5	80.0	29.4	853	0.7	117.3	17.5	864	3.29	113.7	2.8	13.9	3.3	32	3.5	3.5	0.2	95	0.43	0.099
1271758	Soil		2.3	32.9	11.6	148	0.2	32.3	8.8	343	3.03	34.3	0.8	1.5	2.8	11	0.4	1.2	0.2	95	0.09	0.039
1271759	Soil		1.9	30.6	10.9	70	0.3	35.2	13.3	386	3.58	14.7	0.9	4.4	4.7	13	0.6	0.9	0.2	84	0.16	0.033
1271764	Soil		2.9	38.5	12.5	126	0.1	45.3	15.7	322	4.21	32.6	0.9	4.2	3.2	21	0.9	1.3	0.1	109	0.24	0.045
1271760	Soil		2.2	17.7	12.3	70	0.2	18.3	7.4	282	4.39	15.2	0.6	1.4	3.0	11	0.3	0.9	0.2	113	0.13	0.039
1271761	Soil		3.3	89.3	85.6	616	0.5	181.5	45.8	4584	8.07	441.1	1.7	13.5	3.7	62	4.5	11.5	1.0	172	1.04	0.203
1271763	Soil		2.0	52.0	9.5	118	0.1	56.0	20.2	485	4.71	19.9	1.1	3.0	4.5	22	0.5	1.0	0.2	116	0.30	0.075
1271766	Soil		3.3	52.0	13.7	161	0.7	70.5	17.2	410	4.06	34.9	1.1	3.2	4.1	19	0.8	1.2	0.2	104	0.21	0.077
1271762	Soil		3.1	62.1	10.2	214	0.3	67.0	18.1	989	4.35	14.6	1.2	5.6	4.2	19	1.4	0.9	0.2	98	0.21	0.047
1271768	Soil		1.5	34.7	10.6	97	0.2	37.5	13.2	389	3.40	17.2	0.8	2.8	3.2	20	0.3	0.8	0.2	88	0.33	0.058

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000398.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1271782	Soil	9	23	0.51	171	0.079	2	1.54	0.009	0.08	0.1	0.02	4.0	0.2	<0.05	7	<0.5	<0.2
1271834	Soil	13	39	0.48	226	0.056	1	1.87	0.012	0.09	<0.1	0.02	3.7	0.2	<0.05	8	<0.5	<0.2
1271830	Soil	8	44	0.53	292	0.100	2	1.54	0.012	0.12	0.1	0.02	4.1	0.2	<0.05	8	<0.5	<0.2
1271823	Soil	10	51	0.69	239	0.115	2	2.29	0.011	0.10	0.1	0.03	3.8	0.5	<0.05	9	<0.5	<0.2
1271777	Soil	37	38	0.67	320	0.061	3	1.78	0.014	0.08	0.2	0.08	9.0	0.3	<0.05	7	<0.5	<0.2
1271778	Soil	26	41	0.68	216	0.074	2	1.65	0.015	0.09	0.2	0.03	6.6	0.2	<0.05	6	<0.5	<0.2
1271770	Soil	9	43	0.54	143	0.081	2	2.30	0.010	0.06	0.1	0.03	4.3	0.1	<0.05	7	<0.5	<0.2
1271786	Soil	32	87	1.14	313	0.048	3	1.52	0.009	0.25	0.1	0.03	9.7	0.2	<0.05	6	<0.5	<0.2
1271774	Soil	39	40	0.73	132	0.085	2	2.22	0.011	0.09	0.3	0.02	5.0	0.2	<0.05	8	<0.5	<0.2
1271776	Soil	63	36	0.63	387	0.066	5	1.63	0.020	0.12	0.2	0.07	9.2	0.3	<0.05	6	<0.5	<0.2
1271779	Soil	27	51	1.18	234	0.120	2	2.24	0.014	0.28	0.2	0.02	7.7	0.4	<0.05	7	<0.5	<0.2
1271784	Soil	25	50	0.80	307	0.043	3	1.36	0.010	0.22	0.1	0.04	10.0	0.3	<0.05	5	<0.5	<0.2
1271772	Soil	14	51	0.74	179	0.094	2	2.87	0.014	0.08	0.2	0.02	4.8	0.2	<0.05	9	<0.5	<0.2
1271775	Soil	57	34	0.65	325	0.074	2	1.49	0.020	0.12	0.3	0.09	8.5	0.3	0.09	5	<0.5	<0.2
1271780	Soil	11	37	0.76	141	0.112	<1	1.99	0.009	0.07	0.4	0.01	4.9	0.1	<0.05	9	<0.5	<0.2
1271785	Soil	47	58	0.79	317	0.055	2	1.30	0.010	0.23	0.1	0.06	8.9	0.4	<0.05	5	<0.5	<0.2
1271771	Soil	10	26	0.29	88	0.089	<1	1.22	0.007	0.05	0.2	0.02	2.9	0.1	<0.05	9	<0.5	<0.2
1271773	Soil	14	52	0.71	223	0.078	2	2.98	0.015	0.08	0.2	0.03	4.9	0.2	<0.05	8	<0.5	<0.2
1271769	Soil	9	81	1.07	197	0.174	<1	2.27	0.016	0.33	0.1	<0.01	5.9	0.2	<0.05	8	<0.5	<0.2
1271783	Soil	23	63	0.96	442	0.066	3	1.57	0.013	0.27	0.2	0.05	10.0	0.5	<0.05	6	<0.5	<0.2
1271757	Soil	15	44	0.65	710	0.085	2	1.65	0.023	0.11	0.2	0.16	6.9	0.6	0.07	6	1.1	<0.2
1271758	Soil	10	36	0.40	119	0.109	<1	1.43	0.011	0.08	0.1	0.04	3.0	0.4	0.06	8	0.6	<0.2
1271759	Soil	13	50	0.61	327	0.067	1	2.96	0.010	0.05	0.2	0.05	4.2	0.3	<0.05	7	0.5	<0.2
1271764	Soil	11	50	0.66	241	0.130	2	2.80	0.016	0.08	0.2	0.03	4.9	0.3	0.07	8	0.6	<0.2
1271760	Soil	12	38	0.40	118	0.087	<1	1.82	0.007	0.04	0.2	0.03	3.1	0.3	<0.05	10	<0.5	<0.2
1271761	Soil	30	180	1.63	1172	0.127	2	2.27	0.026	0.71	0.2	0.18	15.6	4.3	<0.05	11	0.7	0.2
1271763	Soil	16	60	0.92	295	0.187	1	2.79	0.015	0.31	0.2	0.03	5.5	0.3	0.10	9	0.7	<0.2
1271766	Soil	16	60	0.67	179	0.125	1	2.04	0.019	0.16	0.2	0.05	4.6	0.3	0.11	7	1.1	<0.2
1271762	Soil	15	45	0.81	293	0.119	1	2.93	0.014	0.17	0.1	0.04	5.4	0.3	0.10	8	0.9	<0.2
1271768	Soil	14	52	0.88	228	0.149	1	2.05	0.014	0.19	0.1	0.06	4.9	0.2	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000398.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1271767	Soil	2.9	35.1	12.8	119	0.3	38.1	12.0	572	3.59	24.5	0.8	5.4	3.3	14	0.5	1.0	0.2	113	0.18	0.067
1271765	Soil	1.8	41.6	28.2	124	0.3	40.9	17.5	555	4.09	50.4	1.1	5.0	3.5	21	0.6	1.8	0.2	107	0.41	0.068
1283019	Soil	7.4	130.9	15.4	333	1.6	139.6	23.5	790	7.04	40.3	5.9	1.2	6.1	81	0.9	4.1	0.3	185	0.26	0.073
1283024	Soil	1.9	61.9	96.1	196	1.2	66.3	28.1	1198	5.43	126.3	2.7	31.4	8.0	24	1.7	8.4	0.6	99	0.47	0.077
1283023	Soil	2.8	47.7	8.5	96	0.2	38.5	19.7	609	4.75	30.5	1.6	1.4	3.1	21	0.3	1.5	0.1	130	0.44	0.131
1283027	Soil	3.6	30.4	77.6	200	0.6	53.8	27.4	1796	5.86	67.6	1.5	38.7	8.2	33	0.9	6.7	0.6	105	0.53	0.090
1283022	Soil	2.4	51.4	6.8	115	0.2	45.5	27.0	691	5.42	26.4	1.0	1.0	3.5	24	0.2	1.3	0.1	144	0.61	0.171
1283021	Soil	2.4	54.4	8.7	120	0.2	48.6	24.1	719	5.08	40.2	1.4	1.8	5.3	28	0.3	2.1	0.1	128	0.66	0.161
1283030	Soil	3.3	54.9	19.5	190	0.5	69.5	20.1	548	4.61	212.1	1.8	21.5	9.3	41	1.2	7.7	0.2	86	1.28	0.117
1283020	Soil	3.1	63.1	13.3	98	0.6	40.5	13.6	713	3.26	60.9	2.6	2.2	2.0	25	0.5	3.0	0.2	91	0.36	0.082
1290188	Soil	3.3	78.2	10.8	103	0.4	67.3	15.0	446	4.09	82.7	1.2	3.9	7.1	40	0.1	2.9	0.4	136	0.23	0.039
1283029	Soil	3.6	70.6	24.8	182	1.3	61.8	18.5	779	3.91	48.7	4.8	5.5	6.3	51	1.8	3.7	0.2	94	0.88	0.078
1290200	Soil	4.0	79.5	19.9	162	0.4	87.4	22.7	896	5.96	158.6	1.4	3.1	7.7	25	0.2	6.0	0.4	117	0.16	0.035
1283031	Soil	2.0	40.5	14.3	103	0.4	47.0	17.2	478	4.18	154.7	2.8	8.2	6.4	48	0.3	4.5	0.1	91	1.06	0.057
1283028	Soil	1.9	61.8	79.7	164	6.2	55.0	18.4	879	3.76	44.4	2.8	16.0	4.3	49	2.5	6.0	0.3	82	1.17	0.049
1271041	Soil	1.0	19.1	8.0	89	<0.1	29.7	21.5	731	4.84	3.3	2.2	0.9	10.2	30	<0.1	0.1	<0.1	78	0.70	0.086
1271043	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1271042	Soil	4.0	49.7	24.4	227	0.7	43.6	13.5	443	3.59	55.1	3.1	3.4	5.7	31	0.7	3.7	0.2	102	0.35	0.094
1271046	Soil	0.5	51.9	5.7	41	<0.1	121.1	36.6	411	4.39	18.5	0.6	0.7	5.2	12	<0.1	0.2	0.2	61	0.36	0.010
1271045	Soil	0.7	37.1	11.5	57	<0.1	50.1	20.1	545	4.11	32.9	0.9	4.9	4.9	38	0.2	1.4	0.3	73	1.60	0.033
1271044	Soil	0.9	18.1	7.8	60	<0.1	29.9	13.3	472	3.24	15.0	2.4	2.7	7.6	26	0.2	1.3	0.2	64	0.84	0.060
1271040	Soil	0.9	17.5	16.6	75	0.1	33.3	17.5	597	4.25	94.7	2.3	8.6	18.5	32	<0.1	1.6	0.2	71	0.78	0.081
1271049	Soil	0.7	21.2	7.3	55	<0.1	39.0	18.0	462	3.70	12.4	0.8	1.0	4.3	40	0.1	0.5	0.1	76	1.16	0.039
1271047	Soil	0.8	21.5	11.3	83	<0.1	63.0	25.0	849	4.86	4.3	1.1	1.9	11.3	20	<0.1	0.5	0.2	107	0.74	0.104
1271048	Soil	1.0	22.0	5.5	45	<0.1	28.4	15.5	701	3.06	4.5	2.3	2.6	9.9	44	0.1	1.9	<0.1	58	1.95	0.074
1271050	Soil	0.9	28.4	9.6	63	<0.1	69.8	23.9	737	4.51	25.3	1.5	0.9	10.5	44	0.1	1.3	0.1	82	1.69	0.076
1271052	Soil	0.7	19.8	6.0	54	<0.1	25.1	15.7	765	2.99	8.6	1.4	1.9	3.7	49	0.2	0.5	<0.1	60	1.54	0.071
1271053	Soil	0.6	22.8	6.5	64	<0.1	37.0	16.4	636	3.21	11.4	1.4	1.8	3.5	52	0.2	0.8	<0.1	56	1.66	0.065
1271051	Rock Pulp	2.6	23.9	2.2	43	0.3	25.0	11.0	411	2.57	4.6	0.2	2.5	0.8	37	0.2	0.3	<0.1	76	0.91	0.058
1270779	Soil	1.0	10.2	4.6	43	<0.1	55.6	15.7	324	3.35	6.0	0.5	0.8	4.0	15	<0.1	0.5	0.1	79	0.31	0.033

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000398.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1271767	Soil	13	45	0.52	193	0.143	<1	1.51	0.013	0.12	0.2	0.03	3.9	0.2	0.05	8	0.6	<0.2
1271765	Soil	17	49	0.62	402	0.073	1	2.25	0.014	0.08	0.1	0.05	8.1	0.5	<0.05	7	<0.5	<0.2
1283019	Soil	34	193	1.45	385	0.241	<1	3.44	0.028	0.33	<0.1	0.03	8.6	0.8	0.32	13	2.6	0.3
1283024	Soil	38	80	1.01	396	0.064	1	1.95	0.010	0.28	<0.1	0.05	12.6	0.5	<0.05	7	0.7	<0.2
1283023	Soil	20	70	1.47	557	0.220	<1	2.56	0.015	0.45	0.2	0.04	7.1	0.4	0.08	11	0.6	<0.2
1283027	Soil	23	91	1.14	328	0.076	1	2.02	0.011	0.21	0.1	0.03	7.7	0.5	<0.05	8	0.6	<0.2
1283022	Soil	20	68	1.85	535	0.286	<1	2.92	0.016	0.83	0.1	0.02	8.3	0.4	0.08	12	<0.5	<0.2
1283021	Soil	34	71	1.64	557	0.251	<1	2.77	0.016	0.74	0.2	0.02	8.4	0.5	0.07	11	0.5	<0.2
1283030	Soil	32	65	1.11	254	0.086	1	1.72	0.013	0.39	0.2	0.07	8.9	0.7	<0.05	6	0.8	<0.2
1283020	Soil	32	51	0.69	279	0.075	1	1.96	0.013	0.16	0.1	0.08	5.2	0.5	0.07	8	0.6	<0.2
1290188	Soil	24	107	1.42	523	0.215	<1	2.37	0.017	0.83	0.1	0.02	6.3	0.7	0.29	9	1.7	<0.2
1283029	Soil	34	69	1.16	456	0.110	1	2.06	0.018	0.40	0.1	0.05	6.7	0.4	0.16	7	1.5	<0.2
1290200	Soil	17	80	1.08	248	0.148	<1	2.64	0.010	0.41	0.1	0.03	7.5	1.5	0.09	9	1.0	<0.2
1283031	Soil	26	67	0.96	300	0.094	2	1.91	0.013	0.22	0.1	0.06	6.8	0.4	0.06	7	0.9	<0.2
1283028	Soil	20	60	0.96	448	0.091	2	1.76	0.014	0.30	<0.1	0.05	6.3	0.4	0.06	6	1.1	<0.2
1271041	Soil	37	71	2.18	182	0.250	<1	3.04	0.022	0.98	0.2	0.01	5.2	0.7	<0.05	11	<0.5	<0.2
1271043	Soil	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1271042	Soil	20	64	0.78	359	0.089	2	1.82	0.014	0.16	0.2	0.07	5.7	0.5	0.11	8	1.4	<0.2
1271046	Soil	12	145	3.09	224	0.128	2	3.51	0.012	0.97	0.1	<0.01	5.3	0.5	<0.05	10	<0.5	<0.2
1271045	Soil	19	63	1.19	237	0.070	4	1.87	0.016	0.26	0.1	0.06	10.2	0.4	<0.05	6	<0.5	<0.2
1271044	Soil	26	40	0.98	328	0.075	3	1.47	0.015	0.18	0.3	0.05	8.7	0.3	<0.05	5	<0.5	<0.2
1271040	Soil	33	95	1.20	166	0.098	1	2.28	0.017	0.40	0.2	0.03	10.1	0.4	<0.05	10	<0.5	<0.2
1271049	Soil	13	63	1.20	215	0.109	3	2.07	0.015	0.26	0.1	0.03	4.9	0.3	0.07	7	<0.5	<0.2
1271047	Soil	25	124	2.89	334	0.197	3	3.22	0.016	1.32	0.2	<0.01	7.1	0.6	<0.05	9	<0.5	<0.2
1271048	Soil	43	46	1.03	418	0.086	5	1.60	0.014	0.35	0.2	0.14	7.2	0.4	0.09	5	<0.5	<0.2
1271050	Soil	46	103	1.55	340	0.108	3	1.97	0.011	0.61	0.2	0.05	13.7	0.5	<0.05	7	<0.5	<0.2
1271052	Soil	18	35	0.80	308	0.088	3	1.39	0.019	0.24	0.1	0.06	5.2	0.2	0.07	5	<0.5	<0.2
1271053	Soil	18	54	0.82	241	0.076	3	1.37	0.016	0.23	0.2	0.07	5.4	0.3	0.06	5	<0.5	<0.2
1271051	Rock Pulp	4	35	0.82	94	0.131	3	1.58	0.086	0.11	14.1	0.02	4.9	<0.1	<0.05	6	<0.5	<0.2
1270779	Soil	8	117	1.59	154	0.128	2	2.40	0.014	0.16	0.1	0.01	5.1	0.2	<0.05	8	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000398.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1270790	Soil	0.9	30.8	5.5	48	<0.1	31.5	17.6	644	3.54	5.1	1.7	1.8	6.7	45	0.1	0.8	0.1	66	1.54	0.053
1270789	Soil	0.9	33.2	11.8	71	0.1	63.1	19.8	566	4.21	16.3	2.5	4.5	10.9	42	0.1	1.6	0.4	63	1.19	0.056
1270788	Soil	0.6	26.0	8.4	52	0.1	27.2	11.6	486	2.69	5.7	3.4	4.8	6.2	56	0.2	2.6	0.1	53	2.04	0.069
1270787	Soil	0.8	24.5	14.3	84	0.1	34.1	15.2	686	3.62	19.9	1.8	2.6	5.9	37	0.3	1.1	0.2	47	1.37	0.053
1270786	Soil	0.7	34.1	13.5	75	0.2	63.2	18.7	643	3.83	21.4	2.3	5.0	7.9	40	0.2	0.8	0.1	56	1.52	0.075
1270785	Soil	1.0	27.9	14.1	68	<0.1	43.0	19.3	559	4.32	23.1	2.1	4.5	10.5	26	<0.1	0.6	0.1	68	0.55	0.026
1270783	Soil	0.9	33.3	4.4	45	0.1	24.0	14.1	498	3.15	9.3	1.6	0.8	4.4	34	0.1	0.4	<0.1	69	1.29	0.041
1270784	Soil	0.7	27.3	14.3	71	0.1	30.4	17.4	574	3.75	21.6	2.0	1.7	6.8	29	0.3	0.5	0.1	68	0.96	0.051
1270781	Soil	0.9	15.0	4.7	51	<0.1	34.0	16.8	513	3.91	4.6	1.9	2.1	8.6	21	<0.1	0.5	0.1	91	0.91	0.041
1270782	Soil	1.6	22.9	5.5	37	<0.1	11.1	7.9	233	3.15	3.5	0.6	0.5	1.5	20	<0.1	0.4	0.1	104	0.68	0.017
1270780	Soil	0.5	8.4	4.4	43	<0.1	26.1	14.9	479	3.78	4.5	1.2	1.4	10.4	18	<0.1	0.4	0.1	87	0.61	0.048
1270767	Soil	2.0	40.7	25.2	127	0.4	27.2	12.0	462	2.88	61.0	2.4	3.3	3.1	28	1.5	1.0	0.1	82	0.52	0.043
1270769	Soil	9.2	9.3	20.4	62	0.3	11.1	5.8	266	1.78	4.6	2.0	1.2	4.3	19	0.3	0.5	0.4	36	0.32	0.059
1270768	Soil	2.4	30.6	12.8	102	0.3	42.4	12.4	376	2.85	63.3	2.0	3.1	3.7	27	0.8	1.2	0.1	103	0.50	0.065
1270770	Soil	1.7	15.5	24.3	66	0.2	22.1	12.9	778	3.23	10.0	3.4	1.9	19.8	24	0.2	0.6	0.2	62	0.45	0.040
1270778	Soil	1.3	10.3	5.8	37	<0.1	11.4	7.0	321	2.50	7.5	1.0	1.1	7.0	26	<0.1	0.6	0.2	47	0.26	0.030
1270771	Soil	1.8	12.2	22.5	76	<0.1	24.7	12.2	681	4.14	74.8	1.1	2.9	7.2	16	0.3	1.8	0.2	77	0.20	0.050
1270772	Soil	1.2	13.2	16.3	56	<0.1	21.2	10.0	409	3.12	30.7	1.9	2.2	11.0	21	<0.1	0.7	0.2	65	0.36	0.024
1270776	Soil	1.0	11.2	4.5	44	<0.1	11.8	8.1	441	2.96	18.5	1.3	1.4	7.1	23	<0.1	1.1	0.2	48	0.35	0.051
1270777	Soil	1.1	20.5	7.9	50	<0.1	26.5	11.5	318	3.07	13.6	1.1	3.2	6.4	17	<0.1	0.6	0.1	69	0.24	0.029
1270791	Soil	0.8	29.0	7.6	52	<0.1	39.4	18.4	664	3.52	13.9	1.8	1.7	4.8	62	0.1	0.6	0.1	57	1.93	0.060
1270773	Soil	1.4	21.7	11.9	73	0.2	28.1	11.1	426	3.21	22.8	2.0	1.4	10.9	23	0.3	0.8	0.2	73	0.36	0.044
1270774	Soil	2.7	42.0	12.0	118	0.3	42.2	14.1	537	3.33	130.3	2.2	3.1	7.7	23	0.5	2.7	0.2	76	0.27	0.050
1270775	Soil	1.0	13.2	5.1	53	<0.1	17.4	12.2	631	3.34	19.2	1.4	<0.5	8.0	29	0.2	1.1	0.2	60	0.43	0.058
1270793	Soil	0.5	25.2	14.7	46	0.1	30.2	14.8	442	2.55	14.9	0.9	<0.5	5.9	284	<0.1	0.2	0.2	48	8.61	0.074
1270794	Soil	1.3	38.6	6.4	73	<0.1	91.7	26.8	712	4.53	17.9	1.2	3.2	9.4	63	<0.1	0.5	<0.1	94	2.64	0.108
1270795	Soil	1.3	31.2	5.1	56	<0.1	42.6	22.0	655	3.83	4.9	2.3	1.8	7.0	33	0.2	0.8	0.1	81	0.87	0.075
1270796	Soil	1.5	27.9	10.0	55	<0.1	36.4	18.3	965	3.64	8.5	1.7	3.6	12.9	34	0.1	0.5	0.2	70	0.68	0.053
1286942	Soil	1.0	13.8	5.5	66	<0.1	24.3	17.9	712	4.92	2.4	1.0	<0.5	15.8	19	<0.1	0.3	0.1	120	0.51	0.099
1286940	Soil	0.8	31.6	14.9	84	<0.1	76.0	20.7	574	4.70	30.7	1.0	0.9	11.1	18	<0.1	0.7	0.1	69	0.55	0.035

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000398.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1270790	Soil		41	45	1.03	313	0.084	2	1.78	0.015	0.30	0.2	0.08	6.2	0.3	0.09	6	<0.5	<0.2
1270789	Soil		48	71	1.28	287	0.071	3	1.98	0.013	0.27	0.1	0.09	8.4	0.3	<0.05	7	<0.5	<0.2
1270788	Soil		35	30	0.74	372	0.048	3	1.21	0.012	0.18	0.5	0.60	8.0	0.2	<0.05	4	<0.5	<0.2
1270787	Soil		25	48	0.84	207	0.083	3	1.41	0.012	0.27	0.1	0.07	5.4	0.4	<0.05	5	<0.5	<0.2
1270786	Soil		34	101	1.52	227	0.121	2	2.04	0.015	0.44	0.1	0.09	6.7	0.4	<0.05	7	<0.5	<0.2
1270785	Soil		36	62	1.19	287	0.143	2	2.35	0.015	0.38	0.1	0.05	6.4	0.4	<0.05	8	<0.5	<0.2
1270783	Soil		29	50	1.12	415	0.118	2	1.75	0.021	0.28	0.1	0.05	6.3	0.3	0.06	6	<0.5	<0.2
1270784	Soil		25	50	1.41	255	0.126	2	2.01	0.019	0.42	0.1	0.05	7.0	0.4	<0.05	7	<0.5	<0.2
1270781	Soil		45	62	1.50	347	0.137	3	2.29	0.016	0.36	0.1	0.03	8.7	0.3	<0.05	8	<0.5	<0.2
1270782	Soil		7	23	0.71	209	0.156	1	1.50	0.016	0.19	0.1	0.01	5.2	0.2	0.07	9	<0.5	<0.2
1270780	Soil		32	51	1.65	313	0.121	3	2.30	0.013	0.42	0.2	0.02	9.9	0.3	<0.05	8	<0.5	<0.2
1270767	Soil		16	43	0.56	609	0.076	2	1.80	0.020	0.07	0.2	0.07	5.9	0.3	<0.05	6	0.8	<0.2
1270769	Soil		39	23	0.35	162	0.017	2	1.30	0.012	0.06	0.1	0.05	3.8	0.3	<0.05	7	<0.5	<0.2
1270768	Soil		21	82	0.78	427	0.099	2	1.78	0.013	0.07	0.1	0.06	5.4	0.3	<0.05	7	1.0	<0.2
1270770	Soil		83	37	0.62	258	0.072	2	1.96	0.016	0.09	0.1	0.04	6.4	0.3	<0.05	8	<0.5	<0.2
1270778	Soil		35	24	0.46	900	0.051	2	1.42	0.009	0.12	0.1	<0.01	5.2	0.1	<0.05	6	<0.5	<0.2
1270771	Soil		18	38	0.50	212	0.071	2	1.83	0.012	0.09	0.1	0.01	4.6	0.2	<0.05	8	<0.5	<0.2
1270772	Soil		49	34	0.51	316	0.050	1	1.86	0.011	0.06	0.2	0.04	5.0	0.2	<0.05	8	<0.5	<0.2
1270776	Soil		12	19	1.26	596	0.023	3	2.07	0.008	0.19	0.1	0.01	8.7	0.2	<0.05	8	<0.5	<0.2
1270777	Soil		20	41	0.62	296	0.079	2	2.30	0.015	0.06	0.1	0.03	6.2	0.1	<0.05	6	<0.5	<0.2
1270791	Soil		25	60	0.98	244	0.082	3	1.65	0.011	0.29	0.1	0.07	6.1	0.3	0.08	6	<0.5	<0.2
1270773	Soil		37	46	0.70	313	0.088	1	1.92	0.014	0.08	0.1	0.03	5.2	0.2	<0.05	7	<0.5	<0.2
1270774	Soil		23	52	0.65	440	0.079	2	1.88	0.012	0.09	0.1	0.05	6.0	0.4	<0.05	7	0.8	<0.2
1270775	Soil		15	35	1.58	1032	0.046	3	2.35	0.009	0.24	0.1	0.02	9.8	0.2	<0.05	10	<0.5	<0.2
1270793	Soil		20	44	1.11	144	0.069	3	1.28	0.009	0.39	<0.1	0.04	5.0	0.3	0.06	4	<0.5	<0.2
1270794	Soil		34	161	2.73	299	0.191	3	3.06	0.009	0.99	0.1	0.04	7.5	0.6	<0.05	9	<0.5	<0.2
1270795	Soil		28	83	1.51	277	0.133	2	2.03	0.014	0.38	0.2	0.04	6.9	0.3	<0.05	6	<0.5	<0.2
1270796	Soil		29	53	0.96	306	0.099	2	1.88	0.016	0.24	0.2	0.03	6.3	0.2	<0.05	6	<0.5	<0.2
1286942	Soil		20	34	1.89	255	0.196	<1	2.70	0.006	0.99	0.2	<0.01	6.1	0.7	<0.05	10	<0.5	<0.2
1286940	Soil		33	116	1.56	239	0.182	1	2.64	0.012	0.69	<0.1	0.03	6.7	0.4	<0.05	9	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000398.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1286944	Soil		0.6	31.8	13.8	63	0.1	37.7	16.5	675	3.33	18.0	1.4	2.7	3.7	53	0.6	1.1	0.1	68	1.46	0.074
1270792	Soil		0.9	43.0	8.7	62	<0.1	44.3	23.6	591	4.38	7.8	1.0	2.3	6.2	38	<0.1	0.2	0.2	79	1.09	0.064
1286934	Soil		1.7	20.4	21.6	74	<0.1	23.5	16.1	812	4.28	6.9	1.8	1.9	13.7	14	<0.1	0.7	0.4	64	0.29	0.063
1286947	Soil		0.6	18.9	5.6	50	<0.1	51.6	16.9	775	2.97	7.5	1.1	0.7	3.1	51	0.1	0.4	<0.1	54	1.50	0.054
1286943	Soil		1.3	31.3	11.2	74	<0.1	55.6	21.8	528	5.14	14.1	1.3	1.4	11.0	18	0.2	1.4	0.1	70	0.47	0.040
1286935	Soil		1.3	10.7	16.6	70	0.1	16.4	10.4	642	2.77	7.9	4.8	4.3	16.0	32	0.2	0.7	0.3	47	0.70	0.058
1286941	Soil		0.7	25.4	8.2	52	0.1	305.2	24.5	523	3.22	10.0	0.7	2.8	7.5	44	<0.1	1.1	0.2	54	2.48	0.046
1286936	Soil		1.6	13.9	15.8	75	0.2	18.8	12.4	868	2.92	14.3	5.9	2.1	11.4	43	0.2	0.5	0.3	60	0.81	0.061
1286937	Soil		2.2	13.9	15.4	95	0.1	22.1	21.1	1267	3.22	17.1	1.5	0.8	5.4	31	0.1	0.8	0.2	86	0.53	0.066
1286939	Soil		0.9	36.5	10.2	87	<0.1	57.6	23.3	618	5.27	17.9	1.0	0.9	10.9	23	<0.1	0.5	0.1	75	0.64	0.044
1286938	Soil		0.7	92.2	3.7	48	<0.1	61.4	22.3	490	4.06	13.5	0.9	0.5	3.5	21	<0.1	0.2	<0.1	88	1.02	0.094
1286946	Soil		0.5	29.9	6.1	54	<0.1	68.0	19.1	586	3.27	9.5	1.4	0.6	3.4	66	<0.1	0.4	<0.1	57	1.91	0.065
1286945	Soil		0.7	23.2	5.8	49	<0.1	42.5	18.7	524	3.80	14.5	0.9	0.7	3.7	92	<0.1	1.7	<0.1	75	3.20	0.093
1286492	Soil		0.7	11.9	11.7	60	0.1	16.2	5.2	163	1.79	6.7	0.9	2.6	4.1	19	0.1	0.3	0.2	44	0.31	0.040
1286489	Soil		0.8	11.3	20.3	71	0.1	21.0	8.3	231	2.50	6.5	1.2	102.1	8.3	20	<0.1	0.4	0.4	56	0.35	0.059
1286488	Soil		1.3	18.3	17.4	98	0.2	32.9	15.4	714	3.03	8.7	2.3	4.8	8.6	24	0.2	0.9	0.3	70	0.42	0.069
1286475	Soil		1.5	69.1	6.4	132	0.3	296.3	41.8	470	5.37	6.5	0.8	0.6	2.2	23	0.3	0.2	<0.1	124	0.55	0.141
1286477	Soil		1.5	47.6	9.1	80	<0.1	175.1	28.2	476	4.97	41.5	1.1	2.7	7.9	38	<0.1	1.4	0.3	151	0.48	0.056
1286479	Soil		3.0	52.8	17.8	153	0.8	98.7	31.0	985	5.40	158.7	1.9	8.0	3.3	39	0.7	7.0	0.2	107	0.85	0.087
1286476	Soil		1.8	78.6	8.7	133	0.3	315.9	47.0	531	5.73	9.6	1.0	0.5	2.7	25	0.4	0.3	<0.1	123	0.59	0.154
1286483	Soil		1.3	38.3	16.3	57	0.2	38.4	12.0	326	3.22	13.0	2.2	5.2	17.1	23	<0.1	0.7	0.2	72	0.31	0.029
1286496	Soil		3.3	66.7	17.7	126	0.5	83.5	19.4	586	4.35	107.5	1.6	28.7	7.8	35	0.4	8.4	0.2	102	0.92	0.073
1286473	Soil		6.0	115.2	9.3	466	0.4	144.9	26.6	513	5.82	158.7	2.5	1.2	4.9	61	0.9	7.5	0.1	302	0.62	0.210
1286474	Soil		6.1	86.8	10.9	177	0.4	127.7	27.6	667	5.60	46.8	1.6	0.5	4.5	28	0.6	1.3	0.1	169	0.33	0.112
1286481	Soil		1.1	18.0	14.9	56	<0.1	28.6	11.1	418	3.20	7.7	2.6	5.6	18.6	26	<0.1	0.6	0.2	60	0.51	0.041
1286478	Soil		3.8	24.3	13.5	68	0.8	29.1	8.6	259	3.22	85.3	0.6	2.3	2.5	15	0.2	2.0	0.2	117	0.14	0.032
1286480	Soil		3.5	44.2	18.3	147	0.3	70.2	30.1	1085	4.02	86.4	0.8	3.5	2.6	20	0.3	3.0	0.2	122	0.29	0.067
1286490	Soil		1.0	14.1	12.4	76	0.1	21.9	7.2	248	2.08	5.4	0.8	2.6	3.9	22	<0.1	0.4	0.2	55	0.43	0.069
1286487	Soil		0.8	12.1	11.0	51	0.2	16.5	6.0	181	1.92	3.8	4.1	2.5	9.2	24	0.1	0.2	0.2	35	0.41	0.054
1286493	Soil		1.1	15.0	13.0	71	<0.1	21.4	9.2	280	2.58	8.4	1.4	1.3	6.7	24	0.1	0.5	0.2	63	0.43	0.062

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000398.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
		Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
		MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1286944	Soil		20	53	1.00	282	0.078	2	1.71	0.016	0.16	0.2	0.07	6.4	0.2	<0.05	6	<0.5	<0.2
1270792	Soil		28	69	1.52	327	0.164	2	2.27	0.016	0.59	0.1	0.03	5.7	0.4	<0.05	7	<0.5	<0.2
1286934	Soil		17	41	0.89	98	0.088	1	3.12	0.009	0.30	0.2	0.02	6.1	0.6	<0.05	12	<0.5	<0.2
1286947	Soil		13	93	1.07	218	0.100	2	1.59	0.015	0.23	<0.1	0.04	4.1	0.3	<0.05	5	<0.5	<0.2
1286943	Soil		21	66	1.01	278	0.126	2	2.20	0.008	0.46	0.1	0.03	7.7	0.4	<0.05	7	<0.5	<0.2
1286935	Soil		39	26	0.53	121	0.068	2	1.16	0.015	0.14	0.2	0.04	5.3	0.2	<0.05	5	<0.5	<0.2
1286941	Soil		28	316	2.43	270	0.103	2	2.08	0.014	0.38	0.1	0.05	5.8	0.4	<0.05	6	<0.5	<0.2
1286936	Soil		48	37	0.68	198	0.061	2	1.60	0.015	0.11	0.2	0.07	6.3	0.2	0.05	6	<0.5	<0.2
1286937	Soil		17	45	0.79	199	0.095	2	1.54	0.019	0.11	0.2	0.03	4.7	0.3	<0.05	7	<0.5	<0.2
1286939	Soil		34	78	1.50	277	0.190	2	2.82	0.013	0.96	<0.1	0.03	6.8	0.5	<0.05	8	<0.5	<0.2
1286938	Soil		9	100	1.88	308	0.124	1	2.34	0.022	0.38	<0.1	0.02	10.2	0.3	<0.05	7	<0.5	<0.2
1286946	Soil		15	116	1.49	222	0.113	2	1.85	0.014	0.28	0.1	0.04	4.2	0.4	<0.05	6	<0.5	<0.2
1286945	Soil		17	66	1.24	295	0.097	2	1.71	0.012	0.31	0.2	0.08	7.4	0.3	<0.05	6	<0.5	<0.2
1286492	Soil		12	31	0.55	115	0.086	1	1.23	0.015	0.08	0.2	0.03	3.0	0.2	<0.05	6	<0.5	<0.2
1286489	Soil		14	36	0.67	102	0.089	1	1.31	0.016	0.12	0.2	0.03	3.5	0.2	<0.05	6	<0.5	<0.2
1286488	Soil		26	62	1.02	222	0.096	2	1.93	0.014	0.17	0.1	0.06	5.1	0.3	<0.05	8	<0.5	<0.2
1286475	Soil		14	269	2.89	2022	0.200	<1	3.38	0.017	0.95	0.1	<0.01	3.9	1.1	<0.05	9	1.4	<0.2
1286477	Soil		18	216	2.80	508	0.280	<1	4.18	0.033	0.81	0.1	0.01	7.5	0.9	<0.05	11	<0.5	<0.2
1286479	Soil		15	193	1.60	498	0.145	1	2.31	0.015	0.30	0.2	0.09	9.9	0.5	<0.05	9	0.9	<0.2
1286476	Soil		15	264	2.83	2027	0.196	<1	3.52	0.016	0.86	0.2	<0.01	4.3	1.0	<0.05	9	1.8	<0.2
1286483	Soil		46	52	0.73	125	0.129	1	2.01	0.015	0.17	0.2	0.03	9.7	0.2	<0.05	7	<0.5	<0.2
1286496	Soil		30	86	1.22	702	0.074	2	1.93	0.016	0.32	0.1	0.06	9.6	0.4	<0.05	6	0.6	<0.2
1286473	Soil		31	145	1.48	668	0.215	<1	3.15	0.016	0.95	0.1	0.01	8.4	0.7	0.16	13	2.3	<0.2
1286474	Soil		21	140	1.52	347	0.250	<1	3.19	0.015	0.83	0.2	0.01	8.2	0.5	0.10	13	1.1	<0.2
1286481	Soil		47	58	1.02	190	0.131	<1	2.11	0.013	0.31	0.2	0.02	6.4	0.4	<0.05	8	<0.5	<0.2
1286478	Soil		9	52	0.60	156	0.108	1	1.67	0.016	0.13	0.2	0.04	4.1	0.2	0.07	9	<0.5	<0.2
1286480	Soil		11	117	1.04	247	0.172	1	1.81	0.015	0.24	0.2	0.04	4.6	0.4	0.05	9	0.6	<0.2
1286490	Soil		10	52	0.84	161	0.129	1	1.53	0.014	0.24	0.1	0.05	3.8	0.3	<0.05	8	<0.5	<0.2
1286487	Soil		27	37	0.54	100	0.075	2	1.29	0.013	0.09	0.2	0.07	3.7	0.2	0.07	6	<0.5	<0.2
1286493	Soil		18	35	0.65	143	0.088	2	1.45	0.019	0.09	0.2	0.03	3.9	0.1	<0.05	5	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000398.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1286491	Soil	1.1	10.1	9.3	51	<0.1	11.5	4.5	174	1.65	8.0	0.7	1.3	3.1	20	0.1	0.3	0.2	36	0.25	0.047
1286484	Soil	1.1	15.7	32.8	46	0.2	24.4	9.8	324	2.67	7.6	1.1	1.5	12.2	29	<0.1	0.5	0.5	57	0.36	0.018
1286495	Soil	2.2	26.5	14.2	83	0.4	23.6	17.8	851	2.98	16.4	2.1	3.2	4.7	34	0.4	1.3	0.2	71	0.45	0.064
1283951	Rock Pulp	2.3	24.7	2.4	43	0.3	23.7	10.4	391	2.38	4.6	0.3	1.9	0.8	40	0.2	0.3	<0.1	58	0.79	0.059
1271860	Soil	1.4	44.2	28.1	106	0.2	50.5	19.6	720	4.39	27.4	1.1	5.2	6.1	18	0.4	1.5	0.4	87	0.26	0.069
1286485	Soil	1.0	20.8	11.7	55	0.1	28.7	9.9	271	3.12	12.2	1.1	1.8	10.0	26	<0.1	0.7	0.2	69	0.25	0.019
1286498	Soil	1.2	42.4	14.2	91	0.3	52.0	15.3	365	3.88	54.9	1.7	44.1	9.1	31	0.1	7.5	0.2	53	0.50	0.056
1286482	Soil	0.8	10.9	17.1	53	<0.1	17.3	7.6	283	2.76	10.3	1.8	1.7	24.9	14	<0.1	1.1	0.2	39	0.15	0.018
1286494	Soil	2.3	18.4	17.7	89	0.2	22.3	15.6	701	3.06	15.4	1.7	1.2	6.7	37	0.2	1.1	0.2	68	0.53	0.064
1286499	Soil	3.7	64.4	19.1	204	1.1	73.9	16.2	448	4.28	114.5	2.1	16.2	7.8	32	1.0	12.3	0.3	52	0.36	0.067
1283952	Soil	2.9	35.2	18.4	112	0.4	32.2	18.3	1251	3.69	54.3	1.9	3.5	3.2	27	0.6	2.7	0.2	66	0.36	0.078
1286497	Soil	1.2	28.2	14.0	53	0.1	38.3	14.1	360	3.16	40.4	1.1	4.4	4.8	25	<0.1	11.8	0.1	75	0.38	0.022
1271870	Soil	1.0	18.8	10.8	52	0.1	32.1	14.3	632	2.91	18.0	3.3	3.1	9.0	48	0.1	1.2	0.2	62	1.21	0.043
1271851	Rock Pulp	2.3	24.2	2.2	41	0.3	22.5	9.6	379	2.25	4.4	0.2	0.8	0.8	39	0.2	0.3	<0.1	56	0.74	0.056
1271872	Soil	1.5	26.7	12.9	65	<0.1	35.9	14.5	360	3.93	40.1	1.7	2.6	8.0	20	<0.1	0.6	0.5	55	0.24	0.031
1286500	Soil	1.6	31.0	14.3	91	0.4	34.7	14.3	419	2.95	28.6	1.6	4.3	4.5	25	0.3	3.4	0.2	61	0.34	0.052
1271853	Soil	4.1	41.6	23.3	191	0.6	43.3	13.8	527	3.20	47.8	1.9	3.9	2.8	33	1.6	2.2	0.2	95	0.47	0.092
1271858	Soil	2.1	45.3	14.8	91	0.3	38.8	13.4	483	3.64	40.3	0.8	5.6	3.3	21	0.4	1.1	0.1	93	0.26	0.064
1271861	Soil	1.2	19.7	20.1	62	0.1	26.3	14.2	335	3.60	15.6	0.7	2.6	5.7	19	0.2	1.0	0.3	72	0.23	0.034
1286486	Soil	1.5	17.5	14.5	46	0.4	21.8	9.4	406	3.07	10.8	0.8	2.9	5.7	23	<0.1	0.6	0.2	70	0.24	0.033
1271848	Soil	1.3	27.1	45.4	98	0.6	22.1	10.1	390	1.99	19.3	1.4	3.7	1.3	34	0.9	1.4	0.1	59	0.54	0.070
1271862	Soil	2.3	12.9	18.8	45	<0.1	15.7	6.5	235	3.44	10.9	0.6	1.5	3.9	13	0.1	0.8	0.2	72	0.13	0.033
1271859	Soil	1.2	28.1	10.3	51	0.2	23.5	8.5	292	2.47	12.6	0.7	2.0	2.2	16	0.4	0.5	0.1	68	0.17	0.039
1271857	Soil	1.9	21.8	22.6	75	0.4	25.0	7.9	285	2.59	24.4	0.6	1.3	2.2	17	1.0	1.0	0.2	75	0.15	0.046
1271874	Soil	1.5	19.4	14.0	63	<0.1	27.4	18.0	428	4.27	9.2	1.6	2.6	15.9	23	0.1	0.4	0.2	79	0.39	0.044
1271863	Soil	1.1	10.0	10.4	27	<0.1	6.3	2.7	112	1.48	4.7	0.6	2.5	3.3	10	0.1	0.5	0.2	52	0.08	0.017
1271873	Soil	0.9	19.4	12.4	47	<0.1	26.1	11.9	239	3.43	25.5	1.3	1.5	7.1	24	<0.1	0.6	0.4	55	0.37	0.020
1271856	Soil	2.9	47.7	32.5	113	0.5	62.7	14.5	456	3.72	94.1	1.0	2.6	3.7	20	0.9	1.8	0.2	107	0.23	0.043
1271855	Soil	2.3	40.1	17.5	99	0.4	48.8	13.7	386	3.43	57.2	0.8	3.8	3.5	19	0.7	1.5	0.2	89	0.19	0.040
1271850	Soil	0.3	11.4	11.6	18	0.4	6.1	1.1	35	0.62	5.6	0.6	4.5	0.2	15	0.4	0.5	<0.1	12	0.18	0.047

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000398.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1286491	Soil	8	24	0.45	106	0.064	2	0.89	0.009	0.11	0.2	0.03	2.1	0.2	<0.05	5	<0.5	<0.2
1286484	Soil	24	38	0.50	217	0.064	2	1.73	0.009	0.15	0.2	0.02	5.1	0.2	<0.05	6	<0.5	<0.2
1286495	Soil	19	45	0.77	282	0.078	2	1.54	0.015	0.11	0.2	0.04	4.4	0.2	<0.05	6	0.6	<0.2
1283951	Rock Pulp	4	30	0.76	95	0.105	3	1.45	0.074	0.12	12.5	0.01	4.7	<0.1	<0.05	5	<0.5	<0.2
1271860	Soil	17	71	1.11	409	0.158	2	2.35	0.009	0.27	0.2	0.02	7.6	0.2	<0.05	8	<0.5	<0.2
1286485	Soil	16	44	0.65	238	0.096	1	2.15	0.010	0.15	0.2	0.02	5.6	0.1	<0.05	6	<0.5	<0.2
1286498	Soil	30	47	0.92	327	0.040	2	1.54	0.011	0.20	0.1	0.04	8.4	0.3	<0.05	5	<0.5	<0.2
1286482	Soil	20	26	0.66	95	0.089	1	1.65	0.007	0.42	0.2	0.02	4.5	0.6	<0.05	7	<0.5	<0.2
1286494	Soil	16	49	0.86	226	0.091	2	1.50	0.014	0.17	0.2	0.04	4.2	0.2	<0.05	6	0.7	<0.2
1286499	Soil	19	37	0.41	193	0.007	2	0.97	0.007	0.10	0.2	0.11	7.1	0.4	<0.05	3	1.6	<0.2
1283952	Soil	16	36	0.45	284	0.030	2	1.22	0.009	0.07	0.2	0.04	4.7	0.2	<0.05	4	<0.5	<0.2
1286497	Soil	15	62	0.97	392	0.082	2	1.79	0.015	0.10	0.1	0.04	6.7	0.1	<0.05	6	<0.5	<0.2
1271870	Soil	32	60	0.74	486	0.049	3	1.49	0.013	0.10	0.2	0.06	10.1	0.2	<0.05	5	<0.5	<0.2
1271851	Rock Pulp	4	29	0.72	91	0.099	2	1.36	0.074	0.11	11.5	0.01	4.5	<0.1	<0.05	5	<0.5	<0.2
1271872	Soil	20	30	0.57	113	0.075	1	1.29	0.006	0.24	<0.1	0.02	3.9	0.3	<0.05	6	<0.5	<0.2
1286500	Soil	16	40	0.69	372	0.052	2	1.53	0.012	0.08	0.2	0.04	5.0	0.1	<0.05	5	0.8	<0.2
1271853	Soil	14	47	0.64	614	0.095	2	1.47	0.015	0.16	0.2	0.07	5.2	0.5	0.07	6	0.9	<0.2
1271858	Soil	18	51	0.90	397	0.171	1	1.98	0.012	0.32	0.2	0.03	5.4	0.2	<0.05	8	<0.5	<0.2
1271861	Soil	10	42	0.56	224	0.063	2	2.22	0.009	0.07	0.2	0.03	4.5	0.1	<0.05	7	<0.5	<0.2
1286486	Soil	15	38	0.46	341	0.067	1	2.15	0.010	0.05	0.1	0.04	4.0	0.1	<0.05	7	<0.5	<0.2
1271848	Soil	12	36	0.45	396	0.064	2	1.24	0.012	0.06	0.1	0.09	4.9	0.3	<0.05	5	1.1	<0.2
1271862	Soil	9	27	0.29	132	0.077	<1	1.42	0.008	0.07	0.1	0.02	3.1	0.1	<0.05	8	<0.5	<0.2
1271859	Soil	12	47	0.68	293	0.152	1	1.50	0.012	0.18	0.1	0.02	4.2	0.1	<0.05	8	<0.5	<0.2
1271857	Soil	10	33	0.38	236	0.093	<1	1.11	0.010	0.11	0.1	0.03	2.7	0.1	<0.05	6	<0.5	<0.2
1271874	Soil	27	48	0.91	240	0.031	2	1.96	0.008	0.11	<0.1	0.03	7.2	0.1	<0.05	7	<0.5	<0.2
1271863	Soil	10	14	0.13	103	0.070	<1	0.71	0.006	0.06	<0.1	0.01	1.9	0.1	<0.05	6	<0.5	<0.2
1271873	Soil	22	35	0.57	219	0.073	2	1.58	0.011	0.12	0.1	0.02	4.2	0.2	<0.05	6	<0.5	<0.2
1271856	Soil	19	75	0.82	306	0.145	2	1.74	0.012	0.18	0.2	0.03	6.1	0.3	<0.05	8	0.7	<0.2
1271855	Soil	14	54	0.63	287	0.125	2	1.68	0.015	0.15	0.1	0.02	4.6	0.2	<0.05	7	<0.5	<0.2
1271850	Soil	7	18	0.09	127	0.029	2	0.46	0.007	0.03	<0.1	0.09	1.7	0.2	<0.05	3	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000398.1

		Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
		Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
		Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
		MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1271854	Soil		2.2	50.5	16.1	136	0.4	53.4	16.7	459	3.73	53.3	1.1	10.6	3.2	29	0.6	2.2	0.1	102	0.53	0.092
1271876	Soil		1.0	33.3	7.5	72	<0.1	57.3	26.8	748	5.01	3.8	1.6	7.5	10.9	36	<0.1	0.2	<0.1	105	0.92	0.103
1271875	Soil		1.4	21.3	14.7	67	<0.1	30.3	19.9	462	4.58	9.4	1.8	2.7	18.2	24	0.1	0.4	0.2	82	0.37	0.042
1271871	Soil		0.7	18.6	10.1	42	<0.1	31.6	12.5	525	2.91	4.9	4.0	1.4	13.8	38	0.1	0.3	0.2	56	1.12	0.056
1271864	Soil		1.0	19.9	13.1	39	0.2	14.1	7.6	682	1.79	4.4	10.7	3.8	6.9	58	<0.1	0.6	0.1	33	1.14	0.095
1271852	Soil		0.9	42.8	9.3	91	0.3	36.8	12.6	485	2.71	21.9	1.9	10.7	1.6	55	0.8	1.2	<0.1	59	1.58	0.087
1271867	Soil		0.9	20.4	17.3	61	0.1	21.4	11.5	654	2.54	34.7	5.7	3.3	7.3	51	0.2	1.7	0.7	51	1.42	0.061
1271849	Soil		1.1	17.9	52.0	77	0.4	17.0	5.7	129	1.97	14.9	0.8	12.0	0.9	17	0.4	0.9	0.2	51	0.26	0.076
1271868	Soil		1.1	26.9	16.8	79	0.2	29.6	11.8	492	2.97	12.2	9.8	3.0	8.8	45	0.2	0.9	0.2	61	1.07	0.066
1271866	Soil		1.1	13.7	21.6	65	0.1	19.4	13.9	1202	2.70	17.9	5.4	2.1	13.2	41	0.4	0.9	0.2	57	0.73	0.040
1271869	Soil		1.0	36.2	13.7	51	0.2	84.3	23.2	1115	4.94	25.7	5.1	1.6	6.4	48	0.2	2.8	0.2	105	1.30	0.068
1271865	Soil		1.0	17.8	22.0	74	0.2	20.0	11.3	698	2.65	22.1	4.9	16.7	9.4	44	0.5	1.3	0.3	51	0.87	0.075
1286716	Soil		1.1	19.4	9.7	53	0.1	20.5	10.2	298	3.23	16.0	0.8	5.0	3.7	24	<0.1	0.5	0.1	79	0.32	0.030
1286719	Soil		1.0	24.6	34.0	127	0.5	15.3	15.9	1155	4.57	27.7	2.4	11.3	8.7	28	0.4	9.1	0.2	70	0.47	0.088
1286705	Soil		1.0	24.5	7.9	78	0.2	13.0	14.8	518	3.78	83.9	1.3	6.7	5.7	30	0.2	1.0	0.1	105	0.54	0.072
1286702	Soil		0.7	25.5	9.8	81	0.1	14.2	15.2	378	4.36	78.3	3.4	5.9	8.4	33	<0.1	1.0	<0.1	130	0.68	0.100
1286797	Soil		0.7	18.9	8.4	85	0.1	14.6	14.4	366	4.40	74.1	1.5	9.0	7.0	24	0.1	0.8	<0.1	153	0.41	0.088
1286787	Soil		0.6	19.3	9.9	72	0.2	12.1	11.5	266	3.50	19.2	2.1	13.4	6.5	25	0.1	0.6	<0.1	119	0.37	0.093
1286709	Soil		1.5	41.0	11.0	90	0.5	18.2	17.8	1262	3.86	8.9	4.5	4.4	7.8	38	0.4	1.2	0.2	95	0.74	0.101
1286704	Soil		0.8	24.9	10.8	77	0.2	15.0	17.2	544	4.29	140.4	1.9	7.5	6.0	27	0.2	1.0	0.2	121	0.50	0.082
1286714	Soil		1.6	33.1	11.8	73	<0.1	16.1	17.8	480	5.54	49.3	1.5	2.4	8.1	21	0.1	0.8	<0.1	165	0.29	0.040
1286703	Soil		0.8	26.5	10.8	79	0.2	14.9	20.1	843	4.16	60.8	2.3	4.7	7.8	29	0.1	1.0	<0.1	125	0.55	0.092
1286715	Soil		1.0	27.4	9.4	59	<0.1	21.4	12.5	319	3.43	18.7	1.1	5.5	5.6	26	<0.1	0.5	<0.1	91	0.36	0.040
1286799	Soil		0.8	29.8	8.5	80	0.2	13.8	17.6	674	3.99	107.2	3.8	45.8	9.3	36	0.2	1.0	<0.1	122	0.63	0.094
1286789	Soil		0.7	23.7	8.8	73	0.1	13.8	13.1	281	4.17	23.2	2.6	3.3	8.9	24	0.1	0.6	<0.1	149	0.35	0.083
1286706	Soil		1.7	15.1	93.9	174	2.6	11.5	16.9	689	4.35	49.9	1.9	7.6	5.6	37	0.3	5.0	<0.1	95	0.64	0.089
1286791	Soil		0.9	25.3	8.0	65	0.2	12.0	12.0	281	3.64	18.4	3.1	12.4	6.9	23	0.1	0.5	<0.1	114	0.32	0.087
1286713	Soil		1.3	31.8	12.0	46	0.2	20.1	11.1	193	3.33	17.8	1.4	4.7	5.5	23	0.2	0.6	<0.1	87	0.27	0.037
1286707	Soil		1.4	39.8	15.2	86	0.7	14.9	15.6	410	4.03	25.0	5.5	6.6	7.4	38	0.2	1.6	0.1	109	0.70	0.086
1286788	Soil		0.7	17.8	8.0	66	0.2	11.4	11.3	269	3.25	9.7	2.0	6.1	5.7	24	0.1	0.5	<0.1	109	0.38	0.104

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000398.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1271854	Soil	14	59	0.80	431	0.108	2	1.63	0.021	0.26	0.1	0.07	8.3	0.5	<0.05	6	0.8	<0.2
1271876	Soil	43	92	2.22	198	0.149	2	2.86	0.009	0.38	0.1	<0.01	8.5	0.4	<0.05	9	<0.5	<0.2
1271875	Soil	32	52	1.01	258	0.030	2	2.16	0.009	0.10	<0.1	0.02	8.2	0.1	<0.05	7	<0.5	<0.2
1271871	Soil	51	67	1.25	436	0.064	2	1.76	0.012	0.17	0.1	0.05	9.2	0.2	<0.05	7	<0.5	<0.2
1271864	Soil	96	21	0.31	287	0.033	3	1.13	0.012	0.05	0.1	0.12	6.5	0.2	0.06	3	0.5	<0.2
1271852	Soil	9	39	0.67	654	0.117	3	1.28	0.018	0.28	0.1	0.06	4.2	0.4	0.05	5	0.8	<0.2
1271867	Soil	41	31	0.59	447	0.060	5	1.31	0.017	0.09	0.2	0.12	7.5	0.2	0.17	5	<0.5	<0.2
1271849	Soil	8	35	0.50	155	0.106	2	1.12	0.012	0.08	0.2	0.08	2.9	0.2	0.08	7	0.6	<0.2
1271868	Soil	48	40	0.87	455	0.078	5	2.00	0.017	0.15	0.4	0.10	9.5	0.2	0.06	7	<0.5	<0.2
1271866	Soil	46	35	0.54	374	0.055	3	1.49	0.014	0.06	0.1	0.07	8.2	0.3	<0.05	6	<0.5	<0.2
1271869	Soil	31	136	0.86	542	0.023	6	1.67	0.015	0.09	0.2	0.12	24.3	0.2	<0.05	6	<0.5	<0.2
1271865	Soil	44	32	0.62	296	0.060	3	1.26	0.015	0.10	0.2	0.08	7.1	0.3	0.06	5	<0.5	<0.2
1286716	Soil	11	35	0.73	289	0.089	2	2.42	0.014	0.07	<0.1	0.02	4.8	0.1	<0.05	7	<0.5	<0.2
1286719	Soil	20	27	0.69	323	0.035	1	1.78	0.007	0.11	<0.1	0.03	10.7	0.1	<0.05	5	<0.5	<0.2
1286705	Soil	11	30	1.02	436	0.164	2	2.27	0.016	0.17	0.2	0.02	6.3	0.2	<0.05	8	<0.5	<0.2
1286702	Soil	14	38	1.17	490	0.195	1	2.34	0.016	0.22	0.2	0.05	8.6	0.3	0.05	8	<0.5	<0.2
1286797	Soil	11	37	1.08	368	0.244	1	2.28	0.016	0.24	0.2	0.04	4.9	0.3	<0.05	8	<0.5	<0.2
1286787	Soil	13	37	0.96	378	0.199	1	2.19	0.016	0.23	0.3	0.05	5.5	0.3	<0.05	7	<0.5	<0.2
1286709	Soil	27	35	1.15	495	0.083	1	2.42	0.013	0.10	<0.1	0.07	12.6	0.1	<0.05	7	<0.5	<0.2
1286704	Soil	12	38	1.14	376	0.171	2	2.56	0.015	0.12	0.1	0.04	6.9	0.2	<0.05	9	<0.5	<0.2
1286714	Soil	10	39	1.18	380	0.272	1	3.00	0.013	0.24	<0.1	0.02	7.2	0.3	<0.05	11	<0.5	<0.2
1286703	Soil	12	39	1.18	522	0.220	1	2.47	0.017	0.23	0.1	0.05	6.7	0.3	<0.05	8	<0.5	<0.2
1286715	Soil	12	39	0.87	406	0.135	2	2.50	0.013	0.08	<0.1	0.02	5.8	0.2	<0.05	7	<0.5	<0.2
1286799	Soil	16	36	1.06	588	0.229	<1	2.19	0.016	0.23	0.3	0.04	7.3	0.3	<0.05	7	<0.5	<0.2
1286789	Soil	14	40	0.94	458	0.219	2	2.18	0.015	0.30	0.3	0.04	5.7	0.3	<0.05	7	<0.5	<0.2
1286706	Soil	12	26	0.85	311	0.086	<1	1.82	0.014	0.10	0.1	0.11	7.4	0.2	<0.05	6	<0.5	<0.2
1286791	Soil	13	33	0.86	434	0.201	1	2.11	0.015	0.27	0.2	0.05	5.2	0.3	<0.05	7	0.6	<0.2
1286713	Soil	12	37	0.52	441	0.095	1	2.82	0.011	0.09	0.1	0.04	5.5	0.2	<0.05	8	<0.5	<0.2
1286707	Soil	19	35	1.00	537	0.187	2	2.22	0.017	0.20	0.1	0.08	8.9	0.3	<0.05	7	<0.5	<0.2
1286788	Soil	13	37	0.93	398	0.194	<1	2.07	0.019	0.25	0.5	0.04	5.4	0.3	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000398.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1286794	Soil	0.9	12.7	8.5	66	<0.1	10.5	11.0	378	3.11	22.2	1.4	4.7	4.0	21	<0.1	0.5	<0.1	121	0.35	0.076
1286708	Soil	1.3	40.6	14.6	76	0.4	17.9	18.7	526	4.17	18.4	4.5	5.2	9.5	34	0.2	1.2	<0.1	115	0.64	0.081
1286798	Soil	0.5	19.9	8.9	74	0.1	14.5	13.1	299	3.73	84.4	2.4	15.5	7.4	27	0.2	1.0	<0.1	114	0.46	0.081
1286701	Rock Pulp	1.3	415.0	21.1	158	0.2	209.0	71.4	802	15.26	3.1	1.2	34.0	7.2	16	0.1	0.4	<0.1	201	0.28	0.040
1286795	Soil	1.2	16.1	8.8	69	0.1	10.7	11.7	453	3.19	19.0	1.9	6.1	5.3	25	0.1	0.5	<0.1	109	0.37	0.076
1286711	Soil	1.4	31.0	9.3	65	0.1	18.5	15.5	392	4.12	17.4	1.2	11.4	6.3	23	<0.1	0.7	0.1	121	0.32	0.050
1283702	Soil	1.4	33.1	1533	587	38.8	11.6	10.0	436	4.80	258.7	2.4	162.6	6.8	108	2.0	30.4	0.1	59	0.46	0.123
1286790	Soil	1.1	22.1	9.1	74	0.2	11.8	14.3	388	4.01	16.8	2.3	2.8	7.6	20	0.1	0.6	<0.1	139	0.35	0.099
1286796	Soil	0.8	21.1	10.7	75	0.1	11.3	17.7	619	4.56	34.1	1.5	3.6	7.6	24	0.1	0.8	<0.1	157	0.44	0.088
1286793	Soil	1.0	13.7	9.4	71	<0.1	10.8	17.0	708	3.41	27.6	1.3	18.2	4.0	21	0.1	0.5	<0.1	118	0.33	0.077
1286710	Soil	1.7	44.7	11.8	68	0.4	16.5	15.9	388	3.92	10.1	2.6	11.6	8.5	32	0.1	0.6	1.4	123	0.54	0.073
1286717	Soil	0.9	25.2	13.0	57	<0.1	22.2	11.5	334	3.31	14.0	1.1	5.7	6.1	27	<0.1	0.6	<0.1	78	0.34	0.044
1286792	Soil	0.8	21.8	7.9	81	0.2	14.7	16.4	389	4.38	16.6	2.0	3.2	9.2	21	<0.1	0.6	0.1	162	0.45	0.111
1286712	Soil	1.7	27.0	9.3	69	<0.1	18.5	15.9	471	4.08	61.5	0.9	9.0	5.3	20	0.2	0.7	0.2	133	0.39	0.057
1286718	Soil	1.8	27.3	16.1	90	0.2	16.4	14.8	500	4.65	15.6	1.4	2.4	6.1	19	0.1	1.3	0.2	125	0.38	0.075
1286800	Soil	1.3	21.1	7.2	74	0.2	13.0	17.3	610	5.92	356.2	2.5	8.8	5.1	34	0.2	1.0	0.1	140	0.71	0.105

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000398.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1286794	Soil	10	28	0.86	281	0.211	2	1.79	0.015	0.12	0.3	0.03	3.9	0.2	<0.05	7	<0.5	<0.2
1286708	Soil	21	41	1.18	517	0.195	1	2.45	0.015	0.17	0.1	0.06	8.8	0.2	<0.05	7	0.5	<0.2
1286798	Soil	11	35	1.01	379	0.213	<1	2.23	0.014	0.17	0.2	0.04	5.7	0.3	<0.05	7	<0.5	<0.2
1286701	Rock Pulp	17	628	0.13	146	0.176	4	3.93	0.012	0.06	<0.1	0.03	41.6	<0.1	<0.05	20	<0.5	<0.2
1286795	Soil	11	29	0.82	353	0.206	1	1.73	0.015	0.15	0.3	0.03	4.2	0.2	<0.05	7	<0.5	<0.2
1286711	Soil	11	35	0.94	437	0.227	2	2.54	0.011	0.23	0.1	0.02	5.2	0.3	<0.05	8	<0.5	<0.2
1283702	Soil	21	19	0.35	280	0.027	2	1.44	0.015	0.25	<0.1	0.08	7.7	0.4	0.39	5	<0.5	<0.2
1286790	Soil	13	35	1.01	433	0.242	<1	2.23	0.016	0.37	0.3	0.04	5.0	0.4	<0.05	8	<0.5	<0.2
1286796	Soil	12	37	1.09	463	0.301	<1	2.02	0.018	0.29	0.3	0.02	4.4	0.4	<0.05	8	<0.5	<0.2
1286793	Soil	10	29	0.89	285	0.222	<1	1.88	0.015	0.15	0.2	0.02	4.0	0.3	<0.05	8	<0.5	<0.2
1286710	Soil	17	36	1.01	592	0.255	1	2.41	0.016	0.34	<0.1	0.05	6.4	0.3	<0.05	7	<0.5	<0.2
1286717	Soil	15	38	0.75	330	0.082	2	2.46	0.011	0.07	0.1	0.03	6.0	0.1	<0.05	7	<0.5	<0.2
1286792	Soil	14	42	1.20	503	0.302	<1	2.46	0.024	0.43	0.3	0.03	5.0	0.5	<0.05	8	<0.5	<0.2
1286712	Soil	11	39	1.10	354	0.240	1	2.35	0.015	0.21	0.2	0.02	5.4	0.3	<0.05	8	<0.5	<0.2
1286718	Soil	10	37	1.10	259	0.139	<1	2.80	0.011	0.20	<0.1	0.02	7.4	0.2	<0.05	10	<0.5	<0.2
1286800	Soil	12	35	1.03	401	0.143	1	2.08	0.015	0.13	0.2	0.04	6.0	0.2	0.06	7	<0.5	<0.2
[redacted]																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000398.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
[redacted]																					
[redacted]																					
1296824	Soil	2.9	29.6	15.1	97	0.8	31.3	7.0	182	2.51	47.3	0.9	3.1	1.8	27	0.2	1.6	0.2	82	0.40	0.058
1296821	Soil	3.3	64.3	12.6	208	0.5	143.9	18.0	575	3.74	107.7	1.3	15.0	5.3	24	0.6	12.4	0.4	97	0.31	0.042
[redacted]																					
[redacted]																					
1296817	Soil	4.0	73.0	14.3	145	0.5	59.6	19.0	398	4.72	47.6	1.6	9.6	6.2	27	0.4	3.0	0.3	134	0.15	0.044
1296823	Soil	2.9	46.6	10.6	85	1.0	35.9	14.5	404	2.63	46.5	1.7	5.3	2.3	38	0.6	1.2	0.2	86	0.63	0.077
1296837	Soil	4.2	43.3	20.7	195	0.7	45.1	15.2	800	3.50	78.6	3.1	5.1	4.1	39	1.5	2.5	0.2	87	0.93	0.084
[redacted]																					
1296822	Soil	2.9	36.5	14.6	74	0.8	74.3	17.9	367	4.84	27.4	0.7	3.2	4.4	19	0.2	1.6	0.3	126	0.28	0.050
1296819	Soil	5.0	68.8	13.6	266	1.2	75.5	13.9	370	3.75	48.0	1.8	1.5	4.1	35	1.3	6.5	0.2	145	0.22	0.078
1296828	Soil	4.9	29.4	13.1	123	0.4	34.3	16.4	597	3.33	49.6	1.0	12.8	2.4	24	0.3	2.4	0.2	119	0.37	0.070
[redacted]																					
1296827	Soil	2.4	43.7	16.5	144	0.7	59.6	23.5	1285	3.40	64.2	1.8	5.0	3.3	32	0.8	2.8	0.2	99	0.66	0.074
1296818	Soil	2.9	43.3	11.5	123	0.3	44.4	11.0	290	3.22	24.2	1.2	2.0	3.8	32	0.5	2.1	0.2	105	0.29	0.049
1296820	Soil	2.6	59.2	13.0	112	0.4	86.5	21.3	562	5.28	177.9	1.0	16.5	4.0	21	0.3	10.4	0.2	139	0.36	0.024
[redacted]																					
1296843	Soil	1.8	29.1	12.0	97	0.4	39.0	15.8	585	3.37	92.7	3.4	1.1	6.4	60	0.6	4.8	0.3	59	1.01	0.049
1296834	Soil	1.6	14.1	13.7	78	0.5	19.7	7.8	236	3.27	20.1	0.4	<0.5	2.1	12	0.7	1.1	0.3	83	0.12	0.039
1296832	Soil	3.7	75.4	17.2	134	0.5	70.2	14.6	541	3.26	55.8	1.5	2.9	5.0	31	0.5	3.2	0.2	69	0.24	0.037
1296829	Soil	5.1	67.0	16.1	184	0.4	64.0	14.7	570	3.88	106.6	1.9	<0.5	6.5	28	0.5	4.5	0.1	106	0.32	0.044
1296842	Soil	0.7	21.9	10.0	82	0.2	29.9	12.7	397	2.78	24.6	0.9	7.0	3.9	43	<0.1	1.2	0.2	63	0.79	0.069
1296831	Soil	3.3	87.2	16.1	207	0.8	143.5	25.5	714	4.50	24.5	1.8	3.3	10.1	35	0.6	1.7	0.2	166	0.83	0.060
1296833	Soil	2.6	59.0	11.6	127	0.5	48.3	10.7	395	2.73	25.0	1.4	<0.5	4.3	25	0.4	2.8	0.2	100	0.19	0.044
1296830	Soil	2.9	119.6	12.1	214	1.1	84.9	18.0	440	3.95	102.8	2.5	5.7	7.4	64	0.6	6.5	0.1	68	4.16	0.055
1296844	Soil	1.8	26.6	10.3	57	0.4	29.6	8.6	184	2.85	62.6	1.3	<0.5	3.7	29	0.2	2.7	0.1	68	0.35	0.020
1296826	Soil	5.2	75.1	11.8	110	0.3	73.9	20.6	640	5.22	108.8	1.6	1.3	9.4	20	0.3	3.5	0.1	97	0.29	0.036
1296836	Soil	2.5	45.1	15.0	166	0.6	51.5	14.9	620	3.27	38.0	3.3	2.7	4.5	37	2.1	2.8	0.2	72	0.76	0.064
1296845	Soil	2.4	40.8	11.7	99	0.2	54.2	13.7	295	4.42	84.5	1.1	2.1	6.4	26	0.2	5.1	0.2	77	0.24	0.042

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000398.1

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
Unit		ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
MDL		1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
[redacted]																		
[redacted]																		
1296824	Soil	11	58	0.66	221	0.116	2	1.45	0.011	0.21	0.2	0.11	4.0	0.5	0.07	8	0.9	<0.2
1296821	Soil	20	58	0.78	264	0.099	<1	1.94	0.012	0.20	0.2	0.05	6.4	0.4	<0.05	7	0.8	<0.2
[redacted]																		
[redacted]																		
1296817	Soil	26	69	1.01	394	0.176	<1	2.48	0.015	0.55	0.2	0.03	6.9	0.6	0.12	8	1.1	<0.2
1296823	Soil	19	50	0.61	364	0.094	1	1.42	0.013	0.16	0.2	0.13	4.6	0.3	0.09	7	1.0	<0.2
1296837	Soil	18	47	0.70	319	0.044	2	1.24	0.011	0.10	0.2	0.32	7.5	1.1	0.05	5	1.6	<0.2
[redacted]																		
1296822	Soil	9	146	1.22	134	0.161	1	2.61	0.012	0.09	0.4	0.05	4.1	0.5	<0.05	8	<0.5	<0.2
1296819	Soil	18	63	0.84	408	0.098	<1	2.17	0.014	0.15	0.2	0.03	4.9	0.3	0.14	8	1.3	<0.2
1296828	Soil	13	56	0.82	243	0.127	1	1.75	0.018	0.14	0.2	0.06	4.5	0.3	0.05	7	0.8	<0.2
[redacted]																		
1296827	Soil	19	72	0.99	460	0.128	2	1.97	0.017	0.18	0.2	0.11	6.4	0.5	0.07	8	1.0	<0.2
1296818	Soil	15	55	0.81	306	0.111	1	1.96	0.013	0.24	0.1	0.01	4.6	0.3	0.11	7	0.8	<0.2
1296820	Soil	15	84	1.14	330	0.184	<1	2.62	0.010	0.43	0.1	0.02	8.8	0.3	<0.05	10	0.7	<0.2
[redacted]																		
1296843	Soil	29	40	0.73	398	0.061	2	1.41	0.015	0.22	0.2	0.09	5.9	0.5	0.07	4	1.8	<0.2
1296834	Soil	9	33	0.42	161	0.050	2	1.77	0.007	0.04	0.2	0.02	2.7	0.2	<0.05	7	<0.5	<0.2
1296832	Soil	16	51	0.53	260	0.048	1	1.23	0.011	0.13	0.2	0.05	6.3	0.7	<0.05	5	1.6	<0.2
1296829	Soil	21	61	0.70	306	0.061	<1	1.75	0.010	0.23	0.2	0.03	7.3	0.5	<0.05	6	0.9	<0.2
1296842	Soil	13	38	0.73	209	0.083	2	1.25	0.023	0.12	0.2	0.03	4.4	0.2	<0.05	4	0.6	<0.2
1296831	Soil	34	187	2.65	623	0.163	<1	2.96	0.017	0.56	<0.1	0.05	13.6	0.7	<0.05	9	2.5	<0.2
1296833	Soil	11	43	0.65	216	0.066	<1	1.59	0.006	0.19	0.2	<0.01	3.3	0.3	<0.05	6	1.3	<0.2
1296830	Soil	31	55	0.67	557	0.055	2	1.13	0.011	0.31	<0.1	0.09	5.8	0.8	0.09	5	1.7	<0.2
1296844	Soil	15	34	0.43	502	0.057	<1	1.28	0.010	0.10	0.2	0.02	3.4	0.2	<0.05	5	0.9	<0.2
1296826	Soil	32	79	1.28	330	0.127	2	2.43	0.012	0.57	<0.1	0.05	10.4	0.5	<0.05	8	<0.5	<0.2
1296836	Soil	18	57	0.88	429	0.053	3	1.55	0.011	0.11	0.2	0.22	6.8	0.9	<0.05	5	1.9	<0.2
1296845	Soil	19	44	0.72	367	0.051	<1	1.77	0.007	0.12	0.2	<0.01	3.6	0.2	<0.05	7	1.1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000398.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1296847	Soil	2.0	18.6	8.9	101	0.2	26.6	24.5	779	3.24	41.3	1.1	<0.5	3.4	31	0.2	1.9	0.1	60	0.57	0.083
1296825	Soil	5.5	76.0	11.5	113	0.3	68.2	17.9	654	4.75	129.9	1.5	3.1	9.0	18	0.2	3.6	0.1	89	0.25	0.034
1296835	Soil	2.6	56.7	16.3	222	0.6	85.5	19.9	523	3.86	78.8	1.3	11.3	4.7	29	1.1	3.5	0.1	102	0.43	0.085
1296846	Soil	2.1	34.2	10.9	97	0.2	48.4	14.8	481	3.08	65.4	4.1	4.3	4.5	41	0.3	3.0	0.1	64	0.80	0.090
1296839	Soil	2.1	34.8	12.2	128	0.2	40.8	16.5	518	3.47	47.4	1.7	0.6	6.0	42	0.4	2.3	0.1	70	1.01	0.079
1296841	Soil	1.5	23.7	9.1	105	0.2	33.8	15.3	502	3.00	38.7	1.1	<0.5	4.1	47	0.2	1.6	0.2	70	1.08	0.079
1270742	Soil	1.4	12.3	18.1	54	<0.1	22.3	10.3	325	4.32	11.9	1.0	1.3	8.5	18	0.2	0.6	0.4	82	0.20	0.033
1270744	Soil	1.3	13.9	16.0	65	<0.1	25.8	15.9	434	4.31	7.9	1.2	<0.5	9.9	16	0.1	0.4	0.3	77	0.21	0.040
1296838	Soil	1.3	33.7	10.1	93	0.3	37.7	15.1	602	3.15	30.6	2.3	<0.5	4.0	60	0.6	1.1	0.1	64	1.69	0.078
1270741	Soil	1.6	12.3	20.2	48	0.1	13.9	6.0	303	3.26	8.6	1.5	<0.5	5.4	17	0.1	0.9	0.4	69	0.19	0.035
1270750	Soil	1.0	23.6	12.5	75	0.1	28.3	13.3	338	3.75	18.4	3.5	<0.5	5.8	60	0.3	0.6	0.1	67	1.05	0.074
1270743	Soil	2.0	15.6	24.5	73	0.1	48.8	11.3	713	4.64	16.9	2.6	1.1	10.7	18	0.1	1.1	1.8	76	0.12	0.042
1270740	Soil	1.5	16.7	14.3	41	<0.1	18.0	6.5	178	2.94	15.4	0.4	<0.5	2.6	10	0.2	0.8	0.2	96	0.09	0.026
1271753	Soil	0.6	22.4	7.7	35	0.1	24.3	9.6	564	2.00	4.6	1.6	1.1	2.9	110	0.2	0.5	<0.1	39	2.40	0.061
1270748	Soil	2.1	27.7	19.4	113	0.1	33.5	15.5	444	3.47	25.8	2.3	3.8	6.9	27	0.6	1.0	0.2	81	0.35	0.065
1270746	Soil	2.6	24.5	19.9	118	0.1	39.4	15.7	585	3.94	20.5	1.3	<0.5	6.3	25	0.3	0.5	0.2	98	0.35	0.036
1296840	Soil	2.7	41.8	12.2	120	0.2	54.4	16.7	524	4.25	56.8	2.0	9.2	6.8	41	0.4	2.2	0.1	78	1.10	0.072
1270749	Soil	1.3	22.7	14.6	96	<0.1	27.9	13.6	501	2.77	21.5	0.8	13.6	6.1	22	0.5	1.0	<0.1	64	0.30	0.074
1270747	Soil	2.4	34.8	19.4	146	0.1	50.7	21.7	1089	4.37	14.6	1.7	<0.5	8.5	30	0.5	0.4	0.2	98	0.57	0.080
1270745	Soil	1.2	26.9	16.7	95	0.3	45.8	20.8	849	4.68	5.2	2.8	0.9	28.3	29	0.3	0.3	0.3	71	0.59	0.079

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000398.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1296847	Soil	13	39	0.72	187	0.065	2	1.19	0.014	0.12	0.2	0.02	3.3	0.2	<0.05	4	<0.5	<0.2
1296825	Soil	28	70	1.14	342	0.121	<1	2.17	0.010	0.57	<0.1	0.04	9.2	0.6	<0.05	8	<0.5	<0.2
1296835	Soil	15	89	1.55	219	0.069	3	1.96	0.008	0.30	0.3	0.07	8.1	1.1	<0.05	6	3.5	<0.2
1296846	Soil	14	55	0.79	493	0.062	1	1.21	0.013	0.13	0.2	0.05	4.8	0.3	<0.05	4	2.0	<0.2
1296839	Soil	19	48	0.90	270	0.089	3	1.39	0.018	0.25	0.2	0.05	5.9	0.4	<0.05	5	2.0	<0.2
1296841	Soil	12	51	0.84	272	0.089	1	1.38	0.019	0.19	0.2	0.06	4.4	0.4	<0.05	5	0.6	<0.2
1270742	Soil	14	38	0.60	181	0.079	<1	2.43	0.008	0.08	0.2	0.03	4.2	0.2	<0.05	10	<0.5	<0.2
1270744	Soil	18	41	1.04	150	0.115	3	2.46	0.010	0.11	0.1	0.05	4.3	0.3	<0.05	9	<0.5	<0.2
1296838	Soil	19	47	0.94	342	0.091	2	1.49	0.012	0.24	<0.1	0.08	4.7	0.4	<0.05	5	1.2	<0.2
1270741	Soil	11	21	0.28	634	0.051	<1	1.19	0.007	0.07	0.2	0.02	2.6	0.1	<0.05	9	<0.5	<0.2
1270750	Soil	30	48	0.87	331	0.063	2	1.59	0.013	0.13	0.1	0.06	6.2	0.2	<0.05	6	1.3	<0.2
1270743	Soil	18	64	0.55	561	0.068	1	1.72	0.007	0.08	0.4	0.04	4.8	0.3	<0.05	9	<0.5	<0.2
1270740	Soil	8	31	0.32	89	0.105	1	1.26	0.007	0.05	0.1	0.02	2.7	<0.1	<0.05	8	<0.5	<0.2
1271753	Soil	25	32	0.54	323	0.029	6	1.06	0.012	0.07	0.1	0.07	3.2	<0.1	<0.05	3	1.0	<0.2
1270748	Soil	17	48	0.83	260	0.096	<1	1.91	0.014	0.12	0.1	0.02	4.8	0.3	<0.05	7	0.8	<0.2
1270746	Soil	10	81	0.85	166	0.063	3	1.44	0.008	0.11	0.1	0.03	5.9	0.6	<0.05	8	0.7	<0.2
1296840	Soil	22	71	1.12	283	0.120	1	1.84	0.011	0.37	0.1	0.06	5.1	0.5	<0.05	6	<0.5	<0.2
1270749	Soil	15	36	0.63	248	0.090	<1	1.52	0.013	0.11	0.1	0.02	3.6	0.2	<0.05	5	<0.5	<0.2
1270747	Soil	15	106	1.22	274	0.087	1	1.92	0.013	0.20	0.1	0.02	7.9	0.6	<0.05	8	<0.5	<0.2
1270745	Soil	80	84	1.54	240	0.122	4	2.36	0.014	0.27	0.1	0.03	8.7	0.6	<0.05	8	1.0	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

QUALITY CONTROL REPORT WHI12000398.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Pulp Duplicates																					
1284438	Soil	1.8	24.0	10.3	78	<0.1	32.0	11.6	421	3.57	30.3	0.6	2.0	2.0	14	0.4	1.3	0.2	95	0.17	0.038
REP 1284438	QC	2.0	23.4	10.3	78	<0.1	32.9	11.6	439	3.54	30.2	0.6	2.2	2.0	14	0.4	1.3	0.2	92	0.16	0.038
1284456	Soil	6.4	61.9	11.7	213	0.7	53.9	13.3	394	3.43	66.9	2.0	2.1	4.1	27	0.4	6.1	0.2	76	0.22	0.101
REP 1284456	QC	6.4	62.9	12.0	220	0.8	55.3	13.4	397	3.53	67.6	1.9	2.6	4.0	26	0.3	6.1	0.2	80	0.22	0.099
1271847	Soil	1.2	35.3	7.3	75	<0.1	85.6	34.4	940	6.18	3.3	1.1	<0.5	11.3	31	<0.1	0.1	<0.1	130	0.81	0.160
REP 1271847	QC	1.2	36.2	7.3	77	<0.1	90.8	34.5	971	6.37	3.6	1.1	<0.5	11.5	32	<0.1	0.1	<0.1	131	0.86	0.172
1271781	Soil	0.7	18.1	7.2	46	0.1	24.9	11.5	436	3.16	9.7	2.1	1.5	7.4	24	<0.1	0.5	0.2	63	0.60	0.044
REP 1271781	QC	0.9	18.0	7.2	46	0.1	24.5	11.8	458	3.17	9.7	2.2	3.6	7.3	24	<0.1	0.6	0.2	64	0.62	0.047
1271759	Soil	1.9	30.6	10.9	70	0.3	35.2	13.3	386	3.58	14.7	0.9	4.4	4.7	13	0.6	0.9	0.2	84	0.16	0.033
REP 1271759	QC	1.9	30.0	10.8	69	0.3	35.4	13.1	380	3.52	14.8	0.9	4.3	4.6	13	0.6	0.9	0.2	82	0.16	0.033
1271767	Soil	2.9	35.1	12.8	119	0.3	38.1	12.0	572	3.59	24.5	0.8	5.4	3.3	14	0.5	1.0	0.2	113	0.18	0.067
REP 1271767	QC	2.9	35.1	12.6	116	0.4	38.5	12.1	568	3.60	24.5	0.8	8.2	3.2	13	0.5	1.1	0.2	112	0.18	0.065
1271051	Rock Pulp	2.6	23.9	2.2	43	0.3	25.0	11.0	411	2.57	4.6	0.2	2.5	0.8	37	0.2	0.3	<0.1	76	0.91	0.058
REP 1271051	QC	2.5	23.7	2.1	43	0.3	25.8	11.5	420	2.63	4.9	0.2	1.4	0.8	37	0.2	0.3	<0.1	78	0.93	0.057
1270781	Soil	0.9	15.0	4.7	51	<0.1	34.0	16.8	513	3.91	4.6	1.9	2.1	8.6	21	<0.1	0.5	0.1	91	0.91	0.041
REP 1270781	QC	0.8	14.5	4.7	50	<0.1	34.6	16.7	518	3.97	4.6	1.9	0.7	8.5	20	<0.1	0.5	0.1	89	0.88	0.040
1286943	Soil	1.3	31.3	11.2	74	<0.1	55.6	21.8	528	5.14	14.1	1.3	1.4	11.0	18	0.2	1.4	0.1	70	0.47	0.040
REP 1286943	QC	1.4	30.8	11.0	72	<0.1	55.2	21.8	519	5.10	14.1	1.3	1.2	11.2	18	0.2	1.4	0.1	69	0.48	0.041
1286489	Soil	0.8	11.3	20.3	71	0.1	21.0	8.3	231	2.50	6.5	1.2	102.1	8.3	20	<0.1	0.4	0.4	56	0.35	0.059
REP 1286489	QC	0.9	11.3	20.5	69	0.1	21.0	8.3	232	2.50	6.6	1.2	2.8	8.0	21	<0.1	0.4	0.4	57	0.35	0.059
1283952	Soil	2.9	35.2	18.4	112	0.4	32.2	18.3	1251	3.69	54.3	1.9	3.5	3.2	27	0.6	2.7	0.2	66	0.36	0.078
REP 1283952	QC	2.3	33.8	18.0	110	0.3	32.2	17.5	1247	3.62	53.8	1.8	4.1	3.2	26	0.4	2.7	0.2	65	0.36	0.077
1271848	Soil	1.3	27.1	45.4	98	0.6	22.1	10.1	390	1.99	19.3	1.4	3.7	1.3	34	0.9	1.4	0.1	59	0.54	0.070
REP 1271848	QC	1.3	26.2	45.1	96	0.6	21.0	9.6	376	1.93	19.1	1.4	2.6	1.3	34	0.9	1.4	0.1	57	0.52	0.067
1286797	Soil	0.7	18.9	8.4	85	0.1	14.6	14.4	366	4.40	74.1	1.5	9.0	7.0	24	0.1	0.8	<0.1	153	0.41	0.088
REP 1286797	QC	0.6	18.6	8.4	85	0.1	14.1	14.2	364	4.42	73.9	1.6	13.2	7.3	25	0.1	0.8	<0.1	153	0.43	0.086
1286791	Soil	0.9	25.3	8.0	65	0.2	12.0	12.0	281	3.64	18.4	3.1	12.4	6.9	23	0.1	0.5	<0.1	114	0.32	0.087
REP 1286791	QC	0.9	25.2	8.1	66	0.2	11.8	12.0	282	3.60	18.6	3.0	3.3	6.6	23	0.2	0.5	<0.1	115	0.32	0.087

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

QUALITY CONTROL REPORT WHI12000398.1

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Pulp Duplicates																		
1284438	Soil	10	48	0.57	184	0.083	1	1.79	0.008	0.06	0.1	0.03	3.4	0.3	<0.05	7	<0.5	<0.2
REP 1284438	QC	10	48	0.56	186	0.081	1	1.81	0.009	0.06	0.1	0.03	3.3	0.3	<0.05	7	<0.5	<0.2
1284456	Soil	16	45	0.76	254	0.048	<1	1.24	0.007	0.23	0.1	0.03	3.0	0.4	0.15	5	3.7	<0.2
REP 1284456	QC	16	46	0.78	247	0.049	<1	1.24	0.007	0.23	0.1	0.03	2.9	0.4	0.14	5	3.5	<0.2
1271847	Soil	32	173	3.27	307	0.159	3	3.46	0.009	0.76	0.1	<0.01	11.4	0.5	<0.05	13	<0.5	<0.2
REP 1271847	QC	33	179	3.53	320	0.163	4	3.85	0.009	0.79	<0.1	0.02	11.8	0.5	<0.05	13	<0.5	<0.2
1271781	Soil	36	34	0.72	481	0.062	2	1.73	0.017	0.09	0.2	0.07	11.3	0.2	<0.05	6	<0.5	<0.2
REP 1271781	QC	36	35	0.72	498	0.060	2	1.74	0.017	0.09	0.2	0.08	11.8	0.2	<0.05	6	<0.5	<0.2
1271759	Soil	13	50	0.61	327	0.067	1	2.96	0.010	0.05	0.2	0.05	4.2	0.3	<0.05	7	0.5	<0.2
REP 1271759	QC	12	49	0.60	329	0.065	1	2.89	0.011	0.05	0.3	0.06	4.1	0.2	<0.05	7	0.5	<0.2
1271767	Soil	13	45	0.52	193	0.143	<1	1.51	0.013	0.12	0.2	0.03	3.9	0.2	0.05	8	0.6	<0.2
REP 1271767	QC	13	44	0.53	197	0.141	<1	1.52	0.012	0.12	0.2	0.04	3.9	0.2	0.05	8	0.5	<0.2
1271051	Rock Pulp	4	35	0.82	94	0.131	3	1.58	0.086	0.11	14.1	0.02	4.9	<0.1	<0.05	6	<0.5	<0.2
REP 1271051	QC	4	35	0.81	93	0.127	3	1.57	0.088	0.12	12.8	0.01	5.0	<0.1	<0.05	6	<0.5	<0.2
1270781	Soil	45	62	1.50	347	0.137	3	2.29	0.016	0.36	0.1	0.03	8.7	0.3	<0.05	8	<0.5	<0.2
REP 1270781	QC	45	61	1.51	338	0.138	2	2.21	0.016	0.35	0.2	0.03	8.5	0.3	<0.05	9	<0.5	<0.2
1286943	Soil	21	66	1.01	278	0.126	2	2.20	0.008	0.46	0.1	0.03	7.7	0.4	<0.05	7	<0.5	<0.2
REP 1286943	QC	21	65	1.02	277	0.122	2	2.18	0.008	0.46	0.1	0.03	7.6	0.4	<0.05	7	<0.5	<0.2
1286489	Soil	14	36	0.67	102	0.089	1	1.31	0.016	0.12	0.2	0.03	3.5	0.2	<0.05	6	<0.5	<0.2
REP 1286489	QC	14	37	0.68	101	0.090	1	1.34	0.016	0.12	0.2	0.03	3.5	0.2	<0.05	6	<0.5	<0.2
1283952	Soil	16	36	0.45	284	0.030	2	1.22	0.009	0.07	0.2	0.04	4.7	0.2	<0.05	4	<0.5	<0.2
REP 1283952	QC	16	36	0.44	282	0.030	2	1.18	0.009	0.07	0.2	0.04	4.6	0.2	<0.05	5	0.8	<0.2
1271848	Soil	12	36	0.45	396	0.064	2	1.24	0.012	0.06	0.1	0.09	4.9	0.3	<0.05	5	1.1	<0.2
REP 1271848	QC	11	34	0.44	390	0.064	2	1.23	0.012	0.06	0.1	0.08	4.8	0.3	<0.05	6	0.8	<0.2
1286797	Soil	11	37	1.08	368	0.244	1	2.28	0.016	0.24	0.2	0.04	4.9	0.3	<0.05	8	<0.5	<0.2
REP 1286797	QC	12	37	1.06	371	0.250	2	2.29	0.017	0.24	0.2	0.03	5.1	0.3	<0.05	8	<0.5	<0.2
1286791	Soil	13	33	0.86	434	0.201	1	2.11	0.015	0.27	0.2	0.05	5.2	0.3	<0.05	7	0.6	<0.2
REP 1286791	QC	13	33	0.84	439	0.199	1	2.05	0.014	0.27	0.2	0.05	5.1	0.3	<0.05	7	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

QUALITY CONTROL REPORT WHI12000398.1

		1DX15 Mo ppm 0.1	1DX15 Cu ppm 0.1	1DX15 Pb ppm 0.1	1DX15 Zn ppm 1	1DX15 Ag ppm 0.1	1DX15 Ni ppm 0.1	1DX15 Co ppm 0.1	1DX15 Mn ppm 1	1DX15 Fe % 0.01	1DX15 As ppm 0.5	1DX15 U ppm 0.1	1DX15 Au ppb 0.5	1DX15 Th ppm 0.1	1DX15 Sr ppm 1	1DX15 Cd ppm 0.1	1DX15 Sb ppm 0.1	1DX15 Bi ppm 0.1	1DX15 V ppm 2	1DX15 Ca % 0.01	1DX15 P % 0.001
1286800	Soil	1.3	21.1	7.2	74	0.2	13.0	17.3	610	5.92	356.2	2.5	8.8	5.1	34	0.2	1.0	0.1	140	0.71	0.105
REP 1286800	QC	1.3	21.4	7.2	74	0.2	12.9	17.5	605	5.92	359.7	2.5	9.8	5.2	34	0.1	0.9	0.1	139	0.72	0.104
1296818	Soil	2.9	43.3	11.5	123	0.3	44.4	11.0	290	3.22	24.2	1.2	2.0	3.8	32	0.5	2.1	0.2	105	0.29	0.049
REP 1296818	QC	2.8	42.3	11.2	122	0.3	43.0	11.0	277	3.11	23.5	1.2	1.2	3.8	32	0.5	2.1	0.2	102	0.28	0.047
1296842	Soil	0.7	21.9	10.0	82	0.2	29.9	12.7	397	2.78	24.6	0.9	7.0	3.9	43	<0.1	1.2	0.2	63	0.79	0.069
REP 1296842	QC	0.6	21.4	9.6	78	0.2	32.3	12.4	400	2.70	23.9	0.9	3.9	4.0	45	0.1	1.3	0.1	65	0.83	0.075
1270745	Soil	1.2	26.9	16.7	95	0.3	45.8	20.8	849	4.68	5.2	2.8	0.9	28.3	29	0.3	0.3	0.3	71	0.59	0.079
REP 1270745	QC	1.3	28.0	15.8	100	0.3	48.3	19.6	854	4.50	4.6	2.8	2.4	27.9	29	0.3	0.3	0.3	71	0.59	0.080
Reference Materials																					
STD DS9	Standard	14.2	107.8	126.1	304	1.8	41.8	7.7	567	2.36	24.3	2.7	118.2	6.3	67	2.2	5.4	6.1	43	0.72	0.080
STD DS9	Standard	13.1	107.7	124.6	312	1.9	40.8	7.6	588	2.31	27.1	3.0	121.2	6.6	74	2.5	5.9	6.2	41	0.73	0.085
STD DS9	Standard	14.4	104.6	117.3	312	1.9	43.8	8.4	633	2.63	25.4	2.6	120.6	6.4	66	2.6	5.0	5.7	51	0.81	0.081
STD DS9	Standard	14.9	110.9	129.4	303	1.8	43.9	7.9	613	2.40	24.0	2.8	124.9	6.9	73	2.2	5.7	6.4	44	0.76	0.079
STD DS9	Standard	14.9	115.0	133.6	314	2.0	46.5	8.2	629	2.54	25.2	3.0	121.9	6.7	72	2.2	5.7	6.6	45	0.80	0.084
STD DS9	Standard	14.4	110.7	116.5	322	2.0	43.2	8.0	617	2.43	26.5	2.5	140.8	6.0	72	2.4	5.4	5.5	48	0.80	0.089
STD DS9	Standard	13.4	108.1	117.6	313	1.7	39.2	7.4	604	2.29	25.9	2.7	121.1	6.5	79	2.7	6.1	6.6	44	0.73	0.078
STD DS9	Standard	13.6	107.7	126.2	300	1.8	43.1	7.7	593	2.34	23.9	2.7	112.0	6.4	68	2.3	5.5	6.5	42	0.72	0.078
STD DS9	Standard	12.2	112.7	122.4	312	1.9	41.3	7.7	587	2.36	27.4	2.9	124.8	6.4	75	2.6	6.5	6.7	42	0.72	0.086
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.3	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	7	<0.01	<0.001
BLK	Blank	<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

QUALITY CONTROL REPORT WHI12000398.1

		1DX15 La ppm 1	1DX15 Cr ppm 1	1DX15 Mg % 0.01	1DX15 Ba ppm 1	1DX15 Ti % 0.001	1DX15 B ppm 1	1DX15 Al % 0.01	1DX15 Na % 0.001	1DX15 K % 0.01	1DX15 W ppm 0.1	1DX15 Hg ppm 0.01	1DX15 Sc ppm 0.1	1DX15 Tl ppm 0.1	1DX15 S % 0.05	1DX15 Ga ppm 1	1DX15 Se ppm 0.5	1DX15 Te ppm 0.2
1286800	Soil	12	35	1.03	401	0.143	1	2.08	0.015	0.13	0.2	0.04	6.0	0.2	0.06	7	<0.5	<0.2
REP 1286800	QC	12	34	1.03	407	0.144	1	2.06	0.014	0.13	0.2	0.05	6.0	0.2	0.06	7	<0.5	<0.2
1296818	Soil	15	55	0.81	306	0.111	1	1.96	0.013	0.24	0.1	0.01	4.6	0.3	0.11	7	0.8	<0.2
REP 1296818	QC	14	54	0.78	306	0.104	<1	1.91	0.013	0.24	0.1	0.02	4.6	0.3	0.10	7	0.8	<0.2
1296842	Soil	13	38	0.73	209	0.083	2	1.25	0.023	0.12	0.2	0.03	4.4	0.2	<0.05	4	0.6	<0.2
REP 1296842	QC	14	40	0.76	209	0.085	1	1.24	0.026	0.13	0.2	0.05	4.7	0.2	<0.05	4	1.1	<0.2
1270745	Soil	80	84	1.54	240	0.122	4	2.36	0.014	0.27	0.1	0.03	8.7	0.6	<0.05	8	1.0	<0.2
REP 1270745	QC	79	87	1.55	237	0.117	3	2.40	0.014	0.26	0.1	0.03	8.6	0.6	<0.05	9	0.5	<0.2
Reference Materials																		
STD DS9	Standard	13	134	0.65	279	0.116	2	0.93	0.086	0.35	3.3	0.22	2.2	5.7	0.15	5	5.7	5.4
STD DS9	Standard	14	121	0.64	319	0.119	3	0.96	0.101	0.39	3.1	0.21	2.8	5.5	0.11	5	5.3	4.7
STD DS9	Standard	14	129	0.67	308	0.121	4	0.98	0.098	0.40	3.3	0.22	2.8	5.9	0.20	5	5.6	5.5
STD DS9	Standard	15	130	0.64	303	0.126	2	0.97	0.085	0.35	3.2	0.22	2.7	5.7	0.18	5	5.2	5.3
STD DS9	Standard	14	134	0.67	316	0.126	2	0.98	0.088	0.37	3.3	0.22	2.7	5.9	0.20	5	5.4	5.4
STD DS9	Standard	14	128	0.72	315	0.116	3	1.08	0.111	0.39	3.2	0.21	3.2	5.9	0.11	5	5.5	5.3
STD DS9	Standard	13	119	0.63	290	0.115	<1	0.90	0.081	0.35	2.9	0.23	2.3	5.2	<0.05	5	4.5	5.4
STD DS9	Standard	13	128	0.63	301	0.107	2	0.91	0.089	0.34	3.2	0.22	2.5	5.6	0.17	5	5.3	5.0
STD DS9	Standard	13	122	0.63	303	0.114	2	0.94	0.085	0.37	3.1	0.20	2.6	5.4	0.14	5	5.8	5.6
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 23, 2012
Report Date: July 30, 2012
Page: 1 of 2

CERTIFICATE OF ANALYSIS WHI12000399.2

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 19

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT-SOIL Immediate Disposal of Soil Reject

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
SS80	18	Dry at 60C sieve 100g to -80 mesh			WHI
Dry at 60C	19	Dry at 60C			WHI
1DX2	19	1:1:1 Aqua Regia digestion ICP-MS analysis	15	Completed	VAN

ADDITIONAL COMMENTS

Version 2: Sample type discription SOIL included.

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI12000399.2

Method		1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
Analyte		Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
Unit		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
MDL		0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
1270738	Soil	1.6	32.1	12.1	55	0.1	26.4	11.5	394	4.51	11.5	0.6	3.1	2.5	11	0.1	0.5	0.2	112	0.13	0.058
1270736	Soil	2.6	54.5	10.1	82	0.2	44.0	17.3	610	4.35	15.6	1.4	4.6	3.2	23	0.2	0.4	0.2	136	0.45	0.086
1270732	Soil	3.2	36.7	13.6	100	0.5	30.0	7.6	282	3.13	28.0	0.9	3.4	2.7	14	0.4	1.7	0.3	110	0.09	0.050
1270728	Soil	3.2	31.4	18.0	61	0.6	17.7	6.5	277	3.54	63.9	1.1	3.8	1.2	15	0.6	1.9	0.3	105	0.13	0.068
1270739	Soil	1.2	66.8	8.9	72	<0.1	52.2	19.8	502	3.86	25.9	0.5	1.4	1.6	11	0.1	0.6	0.1	124	0.21	0.054
1270737	Soil	2.1	38.3	10.3	72	0.1	26.9	16.7	787	4.60	17.6	1.3	4.8	3.7	22	0.1	0.4	0.2	107	0.38	0.090
1270733	Soil	2.5	24.5	9.6	66	0.2	20.5	5.8	196	2.92	22.6	0.5	2.7	1.5	11	0.4	1.3	0.2	97	0.10	0.037
1270729	Soil	2.8	98.1	21.9	125	0.6	43.7	10.1	198	3.57	49.5	2.2	6.5	3.0	18	0.8	1.5	0.2	102	0.17	0.080
1271755	Soil	1.1	28.5	13.7	70	<0.1	48.1	20.6	541	3.89	5.4	1.2	2.8	10.0	26	<0.1	0.2	0.2	77	0.72	0.070
1271752	Soil	0.7	19.2	5.4	45	<0.1	51.5	28.9	664	4.55	4.2	0.7	0.5	5.6	25	<0.1	0.2	<0.1	107	0.81	0.144
1270734	Soil	4.9	57.4	30.9	306	0.6	60.6	17.8	516	3.94	86.5	1.2	4.7	2.8	27	1.4	2.9	0.2	95	0.42	0.117
1270730	Soil	2.3	34.2	9.1	60	0.5	19.3	4.4	266	2.01	40.5	1.2	2.0	0.2	12	0.7	2.1	0.2	70	0.10	0.064
1271756	Soil	0.8	24.6	12.3	79	<0.1	43.9	23.9	899	4.50	4.1	1.1	<0.5	12.2	22	<0.1	<0.1	0.2	71	0.65	0.130
1271754	Soil	0.8	18.9	13.0	54	<0.1	31.2	15.5	524	2.95	5.1	1.4	1.1	10.1	39	0.1	0.3	0.2	55	1.16	0.048
1270735	Soil	5.5	72.3	36.6	511	0.7	69.5	15.8	848	4.17	161.9	1.8	4.5	3.9	22	3.2	3.7	0.2	96	0.18	0.084
1270731	Soil	1.9	37.2	9.3	129	0.2	50.0	14.5	860	3.75	326.8	0.8	6.4	2.6	14	0.5	3.1	0.2	103	0.13	0.060
1271751	Rock Pulp	2.6	26.6	2.3	45	0.3	25.9	11.3	419	2.55	5.2	0.2	0.5	0.9	39	0.2	0.3	<0.1	71	0.90	0.058
1270726	Soil	1.1	21.0	10.7	65	0.1	33.0	18.9	591	3.56	5.7	2.5	1.3	15.8	33	0.1	0.3	0.2	76	0.90	0.080
1270725	Soil	1.0	20.7	9.4	64	<0.1	32.9	17.2	485	3.35	5.4	2.4	1.5	14.1	33	<0.1	0.2	0.1	71	0.87	0.086

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 30, 2012

CERTIFICATE OF ANALYSIS WHI12000399.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
1270738	Soil	12	46	0.83	181	0.259	2	1.93	0.010	0.20	0.2	0.02	4.4	0.2	<0.05	11	<0.5	<0.2
1270736	Soil	19	73	1.19	506	0.159	2	2.44	0.012	0.32	0.2	0.02	6.5	0.2	0.05	10	<0.5	<0.2
1270732	Soil	11	30	0.17	213	0.109	1	0.90	0.008	0.07	0.1	0.05	2.2	0.3	0.08	7	0.5	<0.2
1270728	Soil	10	35	0.29	213	0.060	2	1.37	0.010	0.06	0.1	0.06	2.7	0.8	0.07	8	1.0	<0.2
1270739	Soil	7	93	1.19	156	0.174	1	1.85	0.014	0.40	0.1	0.02	5.3	0.3	<0.05	9	<0.5	<0.2
1270737	Soil	26	42	0.93	407	0.146	2	2.30	0.011	0.19	0.1	0.03	6.8	0.2	<0.05	9	<0.5	<0.2
1270733	Soil	10	27	0.18	103	0.096	2	0.90	0.009	0.06	0.2	0.02	2.0	0.3	0.06	7	<0.5	<0.2
1270729	Soil	15	66	0.51	332	0.089	2	2.19	0.010	0.11	0.1	0.14	5.1	1.0	0.09	8	1.6	<0.2
1271755	Soil	21	101	1.48	214	0.146	2	2.19	0.011	0.45	0.2	0.02	4.8	0.4	<0.05	7	<0.5	<0.2
1271752	Soil	15	91	2.09	292	0.178	2	2.48	0.012	0.53	0.1	0.01	5.2	0.3	<0.05	8	<0.5	<0.2
1270734	Soil	12	45	0.70	352	0.114	2	1.41	0.015	0.26	0.2	0.04	4.4	1.1	0.21	6	2.1	<0.2
1270730	Soil	8	26	0.13	224	0.032	1	0.61	0.013	0.05	<0.1	0.07	1.5	0.2	0.08	4	0.8	<0.2
1271756	Soil	23	66	1.59	217	0.214	2	2.46	0.008	0.97	<0.1	<0.01	4.8	0.6	<0.05	9	<0.5	<0.2
1271754	Soil	33	54	0.82	182	0.082	2	1.53	0.012	0.21	0.1	0.03	4.7	0.2	0.05	5	<0.5	<0.2
1270735	Soil	16	40	0.37	192	0.065	2	1.28	0.008	0.09	0.2	0.05	4.2	1.2	0.09	6	1.8	<0.2
1270731	Soil	11	50	0.40	179	0.084	2	1.55	0.009	0.11	0.1	0.05	4.4	0.5	0.08	7	0.7	<0.2
1271751	Rock Pulp	4	35	0.84	95	0.120	3	1.63	0.088	0.12	12.8	0.01	4.6	<0.1	0.06	5	<0.5	<0.2
1270726	Soil	47	72	1.12	284	0.119	2	1.93	0.017	0.26	0.2	0.03	5.9	0.3	<0.05	6	<0.5	<0.2
1270725	Soil	47	72	1.11	263	0.115	2	1.89	0.017	0.27	0.2	0.03	5.7	0.3	<0.05	6	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 30, 2012

QUALITY CONTROL REPORT WHI12000399.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P
	Unit	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%	%
	MDL	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01	0.001
Reference Materials																					
STD DS9	Standard	14.8	115.3	128.1	312	1.8	44.0	8.6	609	2.45	24.4	2.9	112.3	6.7	75	2.4	5.6	6.7	48	0.78	0.082
STD DS9 Expected		12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201	0.0819
BLK	Blank	<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01	<0.001

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 30, 2012

QUALITY CONTROL REPORT WHI12000399.2

	Method	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15	1DX15
	Analyte	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Sc	Tl	S	Ga	Se	Te
	Unit	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	MDL	1	1	0.01	1	0.001	1	0.01	0.001	0.01	0.1	0.01	0.1	0.1	0.05	1	0.5	0.2
Reference Materials																		
STD DS9	Standard	15	133	0.67	308	0.122	3	1.02	0.092	0.37	3.1	0.21	2.5	5.7	0.22	5	5.4	5.6
STD DS9 Expected		13.3	121	0.6165	295	0.1108		0.9577	0.0853	0.395	2.89	0.2	2.5	5.3	0.1615	4.59	5.2	5.02
BLK	Blank	<1	<1	<0.01	<1	<0.001	<1	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.1	<0.05	<1	<0.5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Appendix IV.II – Rock Sample Assay Certificates

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: May 31, 2012
Report Date: June 20, 2012
Page: 1 of 7

CERTIFICATE OF ANALYSIS WHI12000064.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET004
P.O. Number
Number of Samples: 161

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	147	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	161	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	161	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Dayna
Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.


Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000064.1

Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000064.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.


Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000064.1

Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.


Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000064.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000064.1

Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.


Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000064.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.


Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000064.1

Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.


Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000064.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.


Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000064.1

Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.


Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000064.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000064.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
1506551	Rock	0.46	14	1.1	18.4	116.4	241	0.8	5.4	16.3	1457	4.59	1227	2.0	13.2	5.9	99	2.7	9.6	0.4	86
1506552	Rock	0.26	22	0.9	22.3	15.7	66	0.2	4.4	17.1	1379	3.75	372.7	1.9	19.6	6.0	148	0.4	4.0	1.7	76
1506553	Rock	0.80	22	1.7	19.3	12.9	105	0.1	6.8	19.0	1146	3.82	353.2	2.8	9.7	11.0	13	1.1	5.2	0.1	91
1506554	Rock	0.62	<2	0.8	22.6	17.8	106	0.1	8.8	21.4	1742	4.07	18.2	3.3	<0.5	8.7	26	0.4	3.0	0.1	110
1506555	Rock	1.50	<2	0.5	18.8	9.8	69	<0.1	5.1	16.9	1686	4.70	15.1	3.3	<0.5	6.5	172	0.3	3.3	0.2	106
1506556	Rock	1.45	<2	0.3	14.1	11.7	83	<0.1	4.1	16.0	1624	4.50	12.5	3.4	<0.5	3.9	273	0.2	3.4	0.2	84
1506557	Rock	1.25	3214	2.9	22.3	1654	465	10.6	1.6	3.0	304	5.31	>10000	7.4	3633	2.9	396	15.1	1485	30.3	12
1506558	Rock	1.05	4	3.9	18.3	43.4	62	0.2	2.9	9.6	1295	3.78	51.2	2.4	8.3	5.5	205	0.5	6.3	0.8	54
1506501	Rock	0.85	25	2.5	26.3	499.4	987	7.1	7.2	18.9	1086	4.21	248.3	4.9	23.6	8.6	6	2.8	17.0	0.2	88

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000064.1

Method		1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL		0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
[redacted]																				
1506551	Rock	4.29	0.055	13	12	1.73	265	0.008	<20	0.98	0.027	0.17	<0.1	0.15	0.2	<0.05	12.8	<0.5	3	<0.2
1506552	Rock	4.18	0.052	17	10	1.45	312	0.006	<20	0.94	0.024	0.17	<0.1	0.05	0.2	<0.05	11.6	<0.5	3	<0.2
1506553	Rock	0.39	0.068	22	16	0.27	238	0.012	<20	0.90	0.009	0.15	<0.1	0.14	0.2	<0.05	15.3	<0.5	3	<0.2
1506554	Rock	1.06	0.074	20	16	0.40	396	0.006	<20	0.84	0.018	0.15	<0.1	0.04	0.2	<0.05	16.9	<0.5	3	<0.2
1506555	Rock	5.93	0.059	21	13	2.05	347	0.006	<20	0.71	0.007	0.09	<0.1	0.06	<0.1	<0.05	14.9	<0.5	2	<0.2
1506556	Rock	8.08	0.044	13	9	3.09	122	0.002	<20	0.88	0.005	0.06	<0.1	0.05	<0.1	<0.05	12.6	<0.5	2	<0.2
1506557	Rock	0.22	0.026	7	8	0.06	418	0.003	<20	0.29	0.011	0.24	<0.1	0.06	0.2	0.30	2.3	0.8	<1	<0.2
1506558	Rock	7.73	0.036	17	8	3.15	2282	0.002	<20	0.65	0.006	0.08	<0.1	0.04	<0.1	0.06	8.6	<0.5	1	<0.2
1506501	Rock	0.20	0.061	13	13	0.10	162	0.006	<20	0.80	0.003	0.06	<0.1	0.03	0.1	<0.05	14.1	<0.5	4	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

QUALITY CONTROL REPORT WHI12000064.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
[redacted]																					
[redacted]																					
[redacted]

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

QUALITY CONTROL REPORT WHI12000064.1

		Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
		Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																					
[redacted]																					
1506501	Rock		0.20	0.061	13	13	0.10	162	0.006	<20	0.80	0.003	0.06	<0.1	0.03	0.1	<0.05	14.1	<0.5	4	<0.2
REP 1506501	QC		0.17	0.059	13	13	0.10	164	0.006	<20	0.80	0.003	0.06	<0.1	0.03	0.1	<0.05	14.1	<0.5	4	<0.2
Core Reject Duplicates																					
[redacted]																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

QUALITY CONTROL REPORT WHI12000064.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
[redacted]																					
[redacted]																					
[redacted]																					
[redacted]																					
Reference Materials																					
STD DS9	Standard			14.2	113.7	133.3	332	1.9	40.5	7.7	585	2.37	26.4	2.8	111.3	6.7	71	2.3	4.7	6.8	40
STD DS9	Standard			12.8	110.5	119.9	314	1.6	39.7	7.8	580	2.37	25.3	2.5	92.0	6.1	72	2.3	4.3	6.0	40
STD DS9	Standard			13.4	115.1	131.6	336	1.8	41.5	8.0	597	2.46	24.9	2.6	108.3	6.1	68	2.8	4.5	5.1	41
STD DS9	Standard			14.0	109.4	131.9	318	1.8	40.8	7.7	587	2.38	23.5	2.7	101.8	6.2	71	2.3	4.2	5.8	41
STD DS9	Standard			12.6	104.4	129.5	314	1.9	41.9	7.9	599	2.39	22.2	2.5	103.2	6.3	70	2.1	3.8	5.9	40
STD DS9	Standard			11.0	108.4	129.1	304	2.1	38.5	7.2	563	2.32	25.7	2.8	122.8	6.5	74	2.5	4.1	6.2	39
STD OREAS45CA	Standard			0.9	486.4	19.0	57	0.3	221.4	85.0	834	14.09	3.3	1.1	39.7	6.6	14	<0.1	0.1	0.2	188
STD OREAS45CA	Standard			0.9	505.6	18.0	58	0.3	235.7	89.5	854	14.87	3.5	1.1	34.6	6.6	14	<0.1	0.2	0.1	190
STD OREAS45CA	Standard			0.9	497.4	19.7	57	0.2	245.9	92.3	898	15.76	3.8	1.1	37.6	6.9	13	<0.1	<0.1	<0.1	209
STD OREAS45CA	Standard			0.9	551.3	21.2	69	0.3	269.6	98.5	970	16.91	3.5	1.2	39.4	7.2	15	0.1	<0.1	0.1	219
STD OREAS45CA	Standard			0.9	515.3	18.0	56	0.3	251.0	96.5	952	16.52	3.0	1.0	41.6	6.2	12	0.1	<0.1	0.1	219
STD OREAS45CA	Standard			0.8	467.7	22.1	58	0.3	233.2	88.7	916	15.74	3.3	1.3	38.7	7.7	17	0.1	0.1	0.1	202
STD OXC88	Standard		214																		
STD OXC88	Standard		208																		
STD OXC88	Standard		189																		
STD OXC88	Standard		198																		
STD OXC88	Standard		201																		
STD OXC88	Standard		190																		
STD OXG99	Standard		926																		
STD OXG99	Standard		885																		
STD OXG99	Standard		902																		
STD OXG99	Standard		1000																		
STD OXG99	Standard		975																		
STD OXG99	Standard		910																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

QUALITY CONTROL REPORT WHI12000064.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
[redacted]																				
Reference Materials																				
STD DS9	Standard	0.75	0.082	14	125	0.62	324	0.115	<20	0.99	0.090	0.40	3.0	0.19	5.7	0.17	2.4	4.8	5	5.5
STD DS9	Standard	0.73	0.080	14	122	0.61	306	0.117	<20	0.96	0.092	0.40	2.4	0.18	4.9	0.17	2.4	6.1	5	4.8
STD DS9	Standard	0.75	0.082	13	126	0.64	329	0.110	<20	0.99	0.087	0.41	3.0	0.23	5.6	0.17	2.3	5.3	5	4.6
STD DS9	Standard	0.75	0.081	14	124	0.63	318	0.112	<20	0.98	0.088	0.41	2.5	0.22	5.5	0.17	2.3	4.8	5	4.9
STD DS9	Standard	0.74	0.077	13	125	0.63	321	0.104	<20	0.97	0.085	0.41	2.7	0.21	5.9	0.17	2.6	4.9	5	5.1
STD DS9	Standard	0.71	0.088	12	115	0.65	319	0.111	<20	0.91	0.083	0.40	3.2	0.22	5.5	0.17	2.4	4.4	4	4.5
STD OREAS45CA	Standard	0.38	0.035	16	687	0.12	157	0.122	<20	3.47	0.013	0.07	<0.1	0.03	<0.1	<0.05	40.0	<0.5	17	<0.2
STD OREAS45CA	Standard	0.39	0.035	15	693	0.13	153	0.141	<20	3.73	0.014	0.08	<0.1	0.02	<0.1	<0.05	39.6	<0.5	18	<0.2
STD OREAS45CA	Standard	0.42	0.037	16	790	0.14	154	0.139	<20	3.58	0.010	0.08	<0.1	0.04	0.1	<0.05	45.7	<0.5	18	<0.2
STD OREAS45CA	Standard	0.44	0.039	18	806	0.16	168	0.137	<20	4.03	0.008	0.08	<0.1	0.03	0.1	<0.05	46.6	<0.5	19	<0.2
STD OREAS45CA	Standard	0.44	0.036	16	881	0.14	157	0.148	<20	3.64	0.010	0.07	<0.1	0.04	0.2	<0.05	40.7	<0.5	20	<0.2
STD OREAS45CA	Standard	0.42	0.039	16	630	0.15	170	0.137	<20	3.47	0.008	0.07	<0.1	0.04	<0.1	<0.05	43.3	<0.5	19	<0.2
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

QUALITY CONTROL REPORT WHI12000064.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD OXG99	Standard		911																		
STD OXG99	Standard		930																		
STD OXC88 Expected			203																		
STD OXG99 Expected			932																		
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.02	0.8	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank		<2	0.2	3.1	75.9	46	0.4	2.4	4.0	559	1.98	0.8	1.8	0.6	6.4	71	<0.1	0.2	<0.1	36
G1-WHI	Prep Blank		<2	0.1	2.9	4.8	46	<0.1	3.4	4.1	579	1.94	<0.5	1.6	<0.5	6.5	64	<0.1	<0.1	<0.1	37

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

QUALITY CONTROL REPORT WHI12000064.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXC88 Expected																				
STD OXG99 Expected																				
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																				
G1-WHI	Prep Blank	0.66	0.074	14	5	0.56	162	0.138	<20	0.96	0.115	0.49	<0.1	<0.01	0.3	<0.05	2.2	<0.5	5	<0.2
G1-WHI	Prep Blank	0.51	0.074	16	5	0.47	146	0.137	<20	0.94	0.105	0.48	<0.1	<0.01	0.3	<0.05	2.2	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: June 06, 2012
Report Date: June 20, 2012
Page: 1 of 6

CERTIFICATE OF ANALYSIS WHI12000073.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET006
P.O. Number
Number of Samples: 140

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	128	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	140	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	140	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Dayna
Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000073.1

		Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1506502	Rock		0.89	3	0.4	20.3	71.6	208	0.5	5.6	13.4	621	3.17	11.9	1.1	3.1	7.7	60	1.4	2.0	0.2	104
1506503	Rock		1.37	15	0.6	11.6	76.4	256	0.8	3.1	6.5	516	2.14	322.6	1.4	14.9	15.1	51	5.6	4.4	<0.1	40
1506504	Rock		0.80	8	1.3	23.6	171.2	422	2.7	5.2	20.4	1420	4.63	121.5	2.8	8.8	6.6	43	3.3	6.2	<0.1	87
1506505	Rock		1.04	<2	0.2	2.0	20.1	405	<0.1	6.2	16.4	1071	3.68	22.6	0.8	1.5	8.8	45	2.2	3.0	<0.1	61
1506506	Rock		1.67	<2	0.4	5.2	10.7	79	<0.1	3.8	7.9	964	2.58	4.1	1.8	1.5	13.0	29	0.9	0.7	<0.1	56
1506507	Rock		1.14	<2	0.6	13.9	26.5	437	<0.1	6.1	18.7	1109	3.81	23.3	1.4	1.3	8.0	50	4.5	7.0	<0.1	102
1506508	Rock		1.52	<2	0.1	9.2	3.7	42	<0.1	4.6	11.5	441	2.89	3.4	0.7	<0.5	5.1	44	<0.1	0.2	<0.1	102
1506509	Rock		0.90	5	0.4	7.6	7.0	36	<0.1	2.7	11.1	647	2.31	197.4	0.9	4.4	5.0	21	<0.1	0.7	<0.1	59
1506510	Rock		1.24	<2	0.8	9.1	10.4	48	<0.1	3.2	9.9	787	2.50	3.5	1.1	<0.5	12.5	19	<0.1	0.9	<0.1	29
1506511	Rock		0.99	9	1.3	23.0	10.4	52	0.4	6.6	15.2	895	2.93	205.3	3.8	7.3	12.2	12	0.2	3.3	0.1	52
1506512	Rock		1.04	2	1.1	12.8	20.9	75	0.1	5.9	15.0	1203	3.56	221.5	2.0	1.3	12.7	19	0.5	2.9	0.1	91
1506513	Rock		0.92	9	1.1	22.5	77.1	132	1.2	7.0	18.0	1573	4.39	558.5	3.7	8.6	10.1	19	2.7	6.9	0.2	89
1506514	Rock		1.37	<2	1.1	4.7	5.1	35	<0.1	4.0	7.8	583	2.12	36.5	1.4	0.7	19.0	27	0.1	0.5	<0.1	35
1506515	Rock		1.43	<2	0.5	24.9	8.2	55	0.4	4.6	13.7	1166	3.02	165.3	1.8	<0.5	18.3	17	0.3	1.9	<0.1	49
1506516	Rock		1.09	<2	0.2	51.2	4.6	119	<0.1	9.9	28.6	1336	5.64	3.1	1.6	<0.5	9.2	74	0.2	0.4	0.1	103
1506517	Rock		0.99	<2	0.4	4.7	9.8	36	<0.1	3.0	5.8	346	1.63	38.7	1.7	0.9	15.4	29	0.1	0.7	<0.1	25
1506518	Rock		1.18	<2	7.5	4.4	28.9	36	<0.1	1.2	2.5	200	1.09	67.3	1.7	<0.5	12.8	10	0.2	1.3	<0.1	14
1506519	Rock		0.97	55	0.9	23.1	10.6	53	0.8	3.3	9.4	691	2.74	995.4	3.5	61.8	17.0	13	0.3	4.2	<0.1	34
1506520	Rock		1.24	12	0.5	8.4	18.1	57	2.0	4.7	7.0	914	2.17	526.4	2.8	12.7	13.0	31	0.6	3.2	<0.1	22
1506521	Rock		1.11	<2	0.3	7.0	7.5	40	<0.1	4.2	10.6	851	2.13	19.9	1.3	<0.5	14.8	39	0.2	1.5	<0.1	47
1506522	Rock		0.70	7	0.7	6.7	8.2	39	0.1	1.3	3.7	362	1.28	37.7	2.8	4.7	12.3	3	0.5	1.7	0.2	15
1506523	Rock		1.27	47	2.1	35.5	23.9	279	0.5	6.1	13.0	501	4.26	891.3	3.1	61.3	10.6	44	7.5	5.3	2.6	61

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000073.1

		Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
		Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1506502	Rock		0.67	0.064	11	20	1.14	792	0.184	<20	2.15	0.193	0.52	0.2	<0.01	0.3	<0.05	6.9	<0.5	6	<0.2
1506503	Rock		0.38	0.030	16	8	0.43	320	0.014	<20	1.20	0.128	0.19	0.2	0.02	0.2	0.07	4.0	<0.5	4	<0.2
1506504	Rock		0.16	0.060	12	12	0.06	3516	0.002	<20	0.65	0.004	0.09	<0.1	0.06	0.1	0.12	13.0	<0.5	2	<0.2
1506505	Rock		1.04	0.067	12	16	1.51	251	0.059	<20	2.73	0.027	0.16	<0.1	<0.01	<0.1	<0.05	5.4	<0.5	8	<0.2
1506506	Rock		0.30	0.072	16	7	0.73	604	0.105	<20	1.47	0.077	0.35	<0.1	<0.01	0.2	<0.05	5.0	<0.5	6	<0.2
1506507	Rock		0.55	0.071	11	20	1.00	202	0.037	<20	1.82	0.021	0.08	<0.1	0.04	<0.1	<0.05	13.2	<0.5	6	<0.2
1506508	Rock		0.66	0.070	12	18	1.00	465	0.249	<20	1.75	0.172	0.69	<0.1	<0.01	0.4	<0.05	4.6	<0.5	5	<0.2
1506509	Rock		0.26	0.028	9	10	0.46	506	0.105	<20	0.98	0.078	0.43	0.1	<0.01	0.2	<0.05	3.7	<0.5	3	<0.2
1506510	Rock		0.22	0.044	15	9	0.80	167	0.002	<20	1.38	0.024	0.19	<0.1	<0.01	0.1	<0.05	4.8	<0.5	4	<0.2
1506511	Rock		0.23	0.057	15	10	0.26	210	0.006	<20	0.83	0.020	0.13	<0.1	<0.01	<0.1	<0.05	7.8	<0.5	2	<0.2
1506512	Rock		0.28	0.082	15	12	0.49	478	0.062	<20	1.63	0.032	0.35	0.1	0.19	0.3	<0.05	11.5	<0.5	5	<0.2
1506513	Rock		0.62	0.087	19	13	0.69	407	0.007	<20	1.69	0.013	0.21	<0.1	0.04	0.2	<0.05	12.8	<0.5	4	<0.2
1506514	Rock		0.41	0.033	21	28	0.73	147	0.012	<20	1.02	0.037	0.16	<0.1	<0.01	0.1	<0.05	5.6	<0.5	4	<0.2
1506515	Rock		0.24	0.052	22	14	0.98	260	0.047	<20	1.38	0.032	0.23	<0.1	<0.01	<0.1	<0.05	5.1	<0.5	5	<0.2
1506516	Rock		1.05	0.113	13	33	2.94	165	0.137	<20	3.41	0.014	0.06	<0.1	<0.01	<0.1	<0.05	10.6	<0.5	10	<0.2
1506517	Rock		0.27	0.027	12	9	0.52	64	0.044	<20	0.86	0.031	0.13	0.1	0.02	<0.1	<0.05	2.3	<0.5	3	<0.2
1506518	Rock		0.09	0.015	14	2	0.07	82	0.006	<20	0.37	0.034	0.14	0.5	<0.01	<0.1	<0.05	2.0	<0.5	1	<0.2
1506519	Rock		0.29	0.050	16	5	0.08	233	0.001	<20	0.37	0.016	0.14	<0.1	<0.01	<0.1	0.05	4.5	<0.5	<1	<0.2
1506520	Rock		0.93	0.038	17	4	0.32	212	0.001	<20	0.42	0.012	0.15	<0.1	0.04	<0.1	<0.05	3.0	<0.5	1	<0.2
1506521	Rock		0.71	0.045	14	10	0.73	169	0.042	<20	1.41	0.028	0.16	<0.1	<0.01	<0.1	<0.05	3.4	<0.5	4	<0.2
1506522	Rock		0.04	0.012	10	3	0.02	75	0.001	<20	0.31	0.036	0.12	<0.1	<0.01	<0.1	<0.05	2.7	<0.5	<1	<0.2
1506523	Rock		0.42	0.075	19	9	0.57	459	0.049	<20	1.41	0.087	0.41	<0.1	0.02	0.5	<0.05	7.2	<0.5	4	0.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.


Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000073.1

Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.


Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000073.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.


Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000073.1

Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000073.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.


Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000073.1

Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.


Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000073.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000073.1

Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000073.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

QUALITY CONTROL REPORT WHI12000073.1

		Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																						
REP G1-WHI	QC			<2																		
1506522	Rock		0.70	7	0.7	6.7	8.2	39	0.1	1.3	3.7	362	1.28	37.7	2.8	4.7	12.3	3	0.5	1.7	0.2	15
REP 1506522	QC				0.8	6.8	8.1	36	0.1	1.4	3.8	347	1.23	36.8	2.7	3.2	11.6	3	0.5	1.5	0.2	15
[redacted]																						
Core Reject Duplicates																						
1506517	Rock		0.99	<2	0.4	4.7	9.8	36	<0.1	3.0	5.8	346	1.63	38.7	1.7	0.9	15.4	29	0.1	0.7	<0.1	25
DUP 1506517	QC			<2	0.3	5.0	9.5	37	<0.1	2.8	5.7	341	1.63	38.7	1.7	<0.5	14.9	29	0.1	0.6	<0.1	25
[redacted]																						
Reference Materials																						
STD DS9	Standard				11.1	100.4	121.7	301	1.6	39.8	6.9	553	2.22	23.7	2.5	127.1	5.4	68	1.9	4.4	6.2	39

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

QUALITY CONTROL REPORT WHI12000073.1

		Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
		Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																					
REP G1-WHI	QC																				
1506522	Rock		0.04	0.012	10	3	0.02	75	0.001	<20	0.31	0.036	0.12	<0.1	<0.01	<0.1	<0.05	2.7	<0.5	<1	<0.2
REP 1506522	QC		0.03	0.011	9	3	0.02	72	0.001	<20	0.30	0.034	0.12	<0.1	0.01	<0.1	<0.05	2.6	<0.5	<1	<0.2
[redacted]																					
Core Reject Duplicates																					
1506517	Rock		0.27	0.027	12	9	0.52	64	0.044	<20	0.86	0.031	0.13	0.1	0.02	<0.1	<0.05	2.3	<0.5	3	<0.2
DUP 1506517	QC		0.27	0.027	12	9	0.52	61	0.043	<20	0.84	0.027	0.12	0.1	<0.01	<0.1	<0.05	2.4	<0.5	3	<0.2
[redacted]																					
Reference Materials																					
STD DS9	Standard		0.68	0.077	12	113	0.58	301	0.104	<20	0.90	0.080	0.39	2.8	0.22	5.1	0.17	2.2	5.1	4	4.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

QUALITY CONTROL REPORT WHI12000073.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
STD DS9	Standard			13.6	109.1	129.0	316	1.9	40.4	7.9	557	2.34	24.5	2.8	118.8	6.3	68	2.3	4.5	5.4	40
STD DS9	Standard			13.0	103.6	128.1	318	1.7	38.2	7.6	553	2.25	25.7	2.6	95.5	6.2	72	2.6	4.3	6.4	40
STD DS9	Standard			14.2	106.3	132.3	326	2.1	40.0	7.7	600	2.42	26.4	2.9	119.4	6.8	78	2.5	5.2	6.6	42
STD DS9	Standard			13.0	109.2	127.2	313	2.3	41.1	7.5	566	2.29	23.4	2.6	116.3	5.9	63	2.3	4.2	5.6	39
STD OREAS45CA	Standard			0.8	496.3	18.8	64	0.3	263.3	89.1	928	15.55	3.2	1.1	38.4	6.7	14	0.1	0.1	0.2	218
STD OREAS45CA	Standard			1.0	526.2	19.9	62	0.3	241.9	95.1	908	16.15	3.8	1.1	32.0	7.2	14	<0.1	0.1	0.2	205
STD OREAS45CA	Standard			0.8	480.3	19.8	59	0.3	241.1	88.5	900	15.61	3.4	1.2	36.0	7.0	15	0.1	0.1	0.2	205
STD OREAS45CA	Standard			1.0	551.8	20.6	63	0.3	279.6	92.8	965	16.13	3.9	1.2	47.8	6.9	15	0.1	<0.1	0.2	221
STD OREAS45CA	Standard			0.9	513.7	18.8	62	0.4	238.2	92.3	912	15.34	7.1	1.1	36.7	7.2	14	0.4	0.2	0.3	199
STD OXC88	Standard		198																		
STD OXC88	Standard		197																		
STD OXC88	Standard		201																		
STD OXC88	Standard		195																		
STD OXC88	Standard		212																		
STD OXC88	Standard		201																		
STD OXG99	Standard		927																		
STD OXG99	Standard		949																		
STD OXG99	Standard		981																		
STD OXG99	Standard		948																		
STD OXG99	Standard		935																		
STD OXG99 Expected			932																		
STD OXC88 Expected			203																		
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

QUALITY CONTROL REPORT WHI12000073.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD DS9	Standard	0.69	0.082	13	120	0.60	319	0.112	<20	0.93	0.086	0.39	3.0	0.23	5.5	0.17	2.1	5.3	5	5.3
STD DS9	Standard	0.70	0.081	13	115	0.61	314	0.113	<20	0.90	0.085	0.38	2.7	0.17	5.5	0.17	2.2	5.6	4	5.2
STD DS9	Standard	0.79	0.090	15	120	0.64	338	0.117	<20	1.04	0.088	0.40	3.2	0.23	6.0	0.16	2.7	5.7	5	5.6
STD DS9	Standard	0.70	0.075	12	118	0.59	305	0.106	<20	0.91	0.079	0.39	2.6	0.24	5.2	0.17	1.9	5.0	4	4.8
STD OREAS45CA	Standard	0.42	0.039	16	723	0.14	156	0.144	<20	3.52	0.014	0.07	<0.1	0.03	<0.1	<0.05	44.0	0.5	19	<0.2
STD OREAS45CA	Standard	0.42	0.038	16	762	0.15	159	0.147	<20	3.63	0.013	0.08	<0.1	0.04	0.1	<0.05	43.4	<0.5	18	<0.2
STD OREAS45CA	Standard	0.42	0.039	16	679	0.14	159	0.147	<20	3.59	0.009	0.08	<0.1	0.04	<0.1	<0.05	44.3	<0.5	18	<0.2
STD OREAS45CA	Standard	0.43	0.040	18	792	0.16	172	0.157	<20	4.07	0.005	0.07	<0.1	0.04	0.1	<0.05	47.7	<0.5	20	<0.2
STD OREAS45CA	Standard	0.42	0.035	16	733	0.14	159	0.131	<20	3.65	0.012	0.08	<0.1	0.04	<0.1	<0.05	43.7	<0.5	18	<0.2
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99 Expected																				
STD OXC88 Expected																				
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

QUALITY CONTROL REPORT WHI12000073.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank			0.2	2.4	3.0	46	<0.1	3.2	4.3	562	1.95	1.4	1.6	<0.5	5.4	64	<0.1	<0.1	<0.1	39
G1-WHI	Prep Blank		<2	<0.1	2.1	2.9	45	<0.1	2.3	3.8	528	1.84	0.7	1.4	1.0	5.6	65	<0.1	<0.1	0.2	38
G1-WHI	Prep Blank		<2																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

QUALITY CONTROL REPORT WHI12000073.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	0.02	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																				
G1-WHI	Prep Blank	0.49	0.081	13	5	0.53	170	0.134	<20	0.91	0.100	0.49	<0.1	<0.01	0.3	<0.05	2.2	<0.5	4	<0.2
G1-WHI	Prep Blank	0.50	0.074	12	4	0.49	157	0.130	<20	0.92	0.102	0.47	<0.1	<0.01	0.4	<0.05	2.3	<0.5	5	<0.2
G1-WHI	Prep Blank																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 18, 2012
Report Date: August 17, 2012
Page: 1 of 6

CERTIFICATE OF ANALYSIS WHI12000369.2

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 126

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	113	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	125	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	125	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Version 2 : 1DX-U included.

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme Joyce

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

CERTIFICATE OF ANALYSIS WHI12000369.2

Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

CERTIFICATE OF ANALYSIS WHI12000369.2

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.


Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

CERTIFICATE OF ANALYSIS WHI12000369.2

Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

CERTIFICATE OF ANALYSIS WHI12000369.2

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

CERTIFICATE OF ANALYSIS WHI12000369.2

Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

CERTIFICATE OF ANALYSIS WHI12000369.2

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

CERTIFICATE OF ANALYSIS WHI12000369.2

Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

CERTIFICATE OF ANALYSIS WHI12000369.2

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
[redacted]																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

CERTIFICATE OF ANALYSIS WHI12000369.2

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
[redacted]																					
1506524	Rock Chip	0.68	2	0.6	2.6	5.5	16	<0.1	2.8	2.4	183	1.00	6.2	0.6	5.1	2.8	18	<0.1	0.8	0.1	4
1506525	Rock Chip	0.47	3	0.3	2.9	6.0	58	<0.1	7.5	11.8	923	3.47	4.2	0.8	<0.5	8.8	57	0.2	0.3	<0.1	84

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

CERTIFICATE OF ANALYSIS WHI12000369.2

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
[redacted]																			
1506524	Rock Chip	0.92	0.008	28	22	0.28	45	0.003	<20	0.11	0.007	0.04	<0.1	0.01	<0.1	<0.05	1.1	<0.5	<1	<0.2
1506525	Rock Chip	0.86	0.070	12	20	1.21	915	0.174	<20	2.15	0.135	0.69	<0.1	<0.01	0.3	<0.05	7.7	0.6	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

QUALITY CONTROL REPORT WHI12000369.2

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
[redacted]																					
[redacted]																					
[redacted]																					
[redacted]																					
[redacted]																					
[redacted]																					
[redacted]																					
[redacted]																					
[redacted]																					
[redacted]																					
Core Reject Duplicates																					
[redacted]																					
[redacted]																					
[redacted]																					
[redacted]																					
[redacted]																					
[redacted]																					
[redacted]																					
[redacted]																					
Reference Materials																					
STD DS9	Standard			13.5	112.0	128.9	317	2.0	41.5	7.9	585	2.37	25.2	2.5	104.5	6.4	65	2.4	4.7	6.5	42
STD DS9	Standard			12.6	109.6	120.2	308	1.8	39.2	7.8	568	2.29	25.8	2.4	117.1	5.9	64	2.4	4.5	6.3	37
STD DS9	Standard			13.4	110.1	117.2	304	1.9	42.0	7.6	595	2.38	27.1	2.4	110.2	5.9	62	2.2	3.9	4.5	41
STD DS9	Standard			12.1	106.6	130.6	306	2.0	40.1	7.4	568	2.34	26.6	2.5	132.9	6.2	70	2.3	4.8	6.1	41
STD DS9	Standard			12.6	110.2	121.3	301	1.7	40.8	7.6	604	2.31	24.7	2.8	120.6	6.3	71	2.3	4.3	5.8	40
STD DS9	Standard			13.7	103.1	132.3	315	1.9	38.2	7.6	598	2.34	27.2	2.8	112.5	6.8	79	2.3	4.5	7.3	40
STD OREAS45CA	Standard			1.1	535.6	21.9	58	0.3	263.8	97.3	971	16.88	4.8	1.1	51.7	7.2	15	0.2	0.2	0.2	222
STD OREAS45CA	Standard			1.2	518.4	21.2	57	0.3	252.9	96.6	973	16.23	4.2	1.6	47.3	7.9	14	0.1	0.2	0.2	218

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

QUALITY CONTROL REPORT WHI12000369.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
[redacted]																				
Core Reject Duplicates																				
[redacted]																				
Reference Materials																				
STD DS9	Standard	0.73	0.082	11	120	0.63	320	0.103	<20	0.95	0.082	0.40	2.8	0.19	5.6	0.17	2.3	5.5	5	5.3
STD DS9	Standard	0.70	0.079	11	120	0.61	310	0.102	<20	0.94	0.081	0.39	2.7	0.20	5.4	0.16	2.4	5.4	5	5.0
STD DS9	Standard	0.74	0.085	13	123	0.64	341	0.099	<20	1.00	0.091	0.41	3.0	0.22	5.8	0.17	2.4	5.7	5	5.2
STD DS9	Standard	0.72	0.079	12	118	0.61	332	0.104	<20	0.93	0.081	0.40	2.8	0.23	5.7	0.18	2.2	5.7	5	4.2
STD DS9	Standard	0.71	0.079	11	111	0.61	300	0.104	<20	0.93	0.082	0.38	2.7	0.22	5.1	0.17	2.1	5.7	5	4.9
STD DS9	Standard	0.71	0.095	13	125	0.63	350	0.111	<20	0.94	0.078	0.40	2.6	0.20	5.3	0.17	2.5	5.8	5	5.4
STD OREAS45CA	Standard	0.46	0.041	16	836	0.14	180	0.137	<20	3.71	0.011	0.08	<0.1	0.03	0.1	<0.05	46.6	0.7	20	<0.2
STD OREAS45CA	Standard	0.44	0.039	16	816	0.14	176	0.134	<20	3.62	0.006	0.07	<0.1	0.03	0.1	<0.05	45.6	0.7	19	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

QUALITY CONTROL REPORT WHI12000369.2

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
STD OREAS45CA	Standard			0.9	535.1	18.0	59	0.3	270.5	94.5	994	16.86	3.6	1.0	38.7	6.8	13	<0.1	<0.1	0.1	229
STD OREAS45CA	Standard			1.0	514.6	20.1	62	0.3	262.5	95.1	970	16.47	3.4	1.2	68.9	7.2	14	0.1	0.1	0.1	221
STD OREAS45CA	Standard			0.9	516.9	19.2	59	0.3	259.5	88.7	936	14.98	3.9	1.2	65.9	7.4	16	<0.1	<0.1	<0.1	219
STD OREAS45CA	Standard			0.8	508.6	21.5	64	0.3	254.2	99.2	936	15.55	3.8	1.2	42.7	7.9	15	0.1	0.1	0.2	223
STD OXD87	Standard		427																		
STD OXD87	Standard		430																		
STD OXD87	Standard		411																		
STD OXD87	Standard		396																		
STD OXD87	Standard		421																		
STD OXD87	Standard		405																		
STD OXG99	Standard		981																		
STD OXG99	Standard		912																		
STD OXG99	Standard		932																		
STD OXG99	Standard		950																		
STD OXG99 Expected			932																		
STD OXD87 Expected			417																		
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
BLK	Blank		<2																		
BLK	Blank		6																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		2																		
BLK	Blank		3																		
BLK	Blank		3																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

QUALITY CONTROL REPORT WHI12000369.2

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD OREAS45CA	Standard	0.45	0.040	16	848	0.14	170	0.125	<20	3.93	0.015	0.08	<0.1	0.02	0.1	<0.05	47.3	<0.5	20	<0.2
STD OREAS45CA	Standard	0.45	0.037	16	766	0.14	169	0.129	<20	3.66	0.015	0.07	<0.1	0.05	0.1	<0.05	44.4	0.7	19	<0.2
STD OREAS45CA	Standard	0.44	0.041	16	702	0.14	159	0.139	<20	3.62	0.015	0.07	<0.1	0.02	0.1	<0.05	47.2	1.2	18	<0.2
STD OREAS45CA	Standard	0.45	0.043	16	718	0.15	180	0.143	<20	3.67	0.005	0.07	<0.1	0.04	<0.1	<0.05	47.3	0.7	18	<0.2
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99 Expected																				
STD OXD87 Expected																				
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

QUALITY CONTROL REPORT WHI12000369.2

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
BLK	Blank		4																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		3																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank		11	0.2	3.1	3.4	49	<0.1	2.5	4.3	606	2.10	<0.5	2.2	<0.5	6.0	69	<0.1	<0.1	<0.1	40
G1-WHI	Prep Blank		9	0.1	2.3	4.3	45	0.4	2.7	4.0	588	2.10	<0.5	1.7	8.2	5.9	77	<0.1	0.2	<0.1	39

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

QUALITY CONTROL REPORT WHI12000369.2

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																				
G1-WHI	Prep Blank	0.57	0.079	12	8	0.54	179	0.132	<20	1.03	0.108	0.51	0.1	<0.01	0.3	<0.05	2.4	<0.5	5	<0.2
G1-WHI	Prep Blank	0.52	0.078	14	8	0.52	179	0.139	<20	0.97	0.098	0.49	<0.1	0.04	0.3	<0.05	2.5	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: August 02, 2012
Report Date: August 15, 2012
Page: 1 of 5

CERTIFICATE OF ANALYSIS WHI12000532.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number NA-12308
Number of Samples: 120

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	114	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	120	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	120	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 15, 2012

CERTIFICATE OF ANALYSIS WHI12000532.1

Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.


Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 15, 2012

CERTIFICATE OF ANALYSIS WHI12000532.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.


Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 15, 2012

CERTIFICATE OF ANALYSIS WHI12000532.1

		Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1506526	Rock		1.26	<2	1.9	26.3	4.9	21	0.2	18.7	9.6	213	1.48	82.4	0.4	1.7	1.8	2	<0.1	0.5	<0.1	2
1506527	Rock		1.33	3	3.6	51.7	6.9	84	0.2	45.7	11.6	395	2.63	39.1	1.0	0.7	5.1	7	0.3	0.5	<0.1	30
1506528	Rock		0.72	10	0.8	19.8	3.2	27	0.6	6.5	4.1	712	1.82	12.5	0.9	5.9	1.5	12	0.1	0.6	<0.1	9
1506529	Rock		1.17	41	0.8	4.6	184.5	176	0.6	11.3	4.2	337	1.23	18.0	1.1	27.5	7.1	39	1.4	0.1	0.1	8
1506530	Rock		1.17	800	1.3	3.4	11.3	6	0.5	9.4	12.7	106	1.31	2.6	0.6	336.9	2.1	4	<0.1	<0.1	0.3	<2
1506531	Rock		0.59	8	1.6	56.2	8.3	65	0.1	35.7	9.2	493	2.94	5.9	1.1	7.6	7.1	8	0.1	0.3	0.1	41
1506532	Rock		1.03	10	1.4	13.0	11.7	28	0.4	51.1	23.8	80	3.48	50.8	0.9	10.7	8.6	8	<0.1	0.6	0.7	37
1506533	Rock		1.01	<2	0.6	2.8	2.3	2	0.4	1.2	0.3	31	0.38	0.9	0.2	1.6	1.0	4	<0.1	0.2	<0.1	6
1506534	Rock		0.89	<2	2.3	23.8	22.1	38	0.2	6.3	3.8	954	1.51	24.5	0.4	<0.5	1.0	201	0.6	1.2	<0.1	13
1506535	Rock		1.25	<2	0.1	8.8	3.7	20	<0.1	19.2	6.3	181	0.74	4.8	0.7	2.1	5.5	66	0.1	0.1	<0.1	9
1506536	Rock		1.46	<2	1.7	31.7	3.6	15	<0.1	28.3	11.3	1473	1.54	50.4	0.3	<0.5	0.4	312	<0.1	11.4	<0.1	11
1506537	Rock		1.34	<2	1.2	28.4	0.7	18	0.4	12.0	2.6	129	0.79	<0.5	0.2	2.4	0.7	29	0.1	<0.1	<0.1	8
1506538	Rock		1.05	2	0.2	2.9	16.0	49	0.1	5.5	5.3	591	1.88	10.2	2.9	4.1	23.0	14	0.4	0.6	0.2	14
1506539	Rock		0.79	32	0.6	26.5	25.0	67	0.4	20.5	4.3	318	1.48	12.5	1.6	44.7	4.3	14	0.2	2.6	0.4	11
1506540	Rock		1.89	12	<0.1	77.8	9.9	32	0.3	35.5	16.6	460	2.07	3.5	<0.1	4.2	0.2	23	0.3	0.3	0.2	73
1506541	Rock		0.58	<2	1.5	18.7	24.3	111	0.2	12.7	5.1	1522	1.74	20.9	1.0	2.1	2.0	28	5.1	0.7	0.8	6
1506542	Rock		1.02	<2	4.0	16.8	10.2	61	<0.1	172.8	20.5	794	2.86	126.5	1.0	2.8	8.8	82	0.3	1.1	<0.1	36
1506543	Rock		0.82	15	5.2	99.0	6.9	269	0.3	75.8	14.8	461	3.96	2752	2.7	10.9	1.7	80	1.5	8.5	0.1	33
1506544	Rock		0.79	<2	0.4	45.8	9.8	61	0.2	54.0	19.9	580	3.74	25.6	1.4	1.6	10.2	43	0.1	2.6	0.1	19
1506545	Rock		0.86	<2	<0.1	4.2	3.1	5	<0.1	209.8	18.9	754	1.52	6.4	0.1	0.6	0.3	253	<0.1	<0.1	<0.1	8



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.


Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 15, 2012

CERTIFICATE OF ANALYSIS WHI12000532.1

		Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
		Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1506526	Rock		0.04	0.020	5	11	0.02	108	0.002	<20	0.17	0.004	0.10	<0.1	0.02	0.2	<0.05	0.4	0.8	<1	<0.2
1506527	Rock		0.09	0.038	17	17	0.04	204	0.001	<20	0.46	0.007	0.19	<0.1	<0.01	0.1	<0.05	2.0	1.1	2	<0.2
1506528	Rock		0.68	0.010	4	12	0.42	72	0.003	<20	0.54	0.003	0.07	<0.1	<0.01	<0.1	<0.05	1.3	<0.5	2	0.3
1506529	Rock		2.42	0.025	11	9	0.40	750	<0.001	<20	0.47	0.011	0.13	<0.1	0.02	<0.1	0.06	2.1	0.9	1	<0.2
1506530	Rock		0.03	0.006	4	11	0.02	123	<0.001	<20	0.10	0.022	0.04	<0.1	<0.01	<0.1	<0.05	0.5	0.7	<1	0.2
1506531	Rock		0.17	0.067	14	23	0.08	216	0.003	<20	0.51	0.008	0.16	<0.1	<0.01	<0.1	<0.05	4.1	1.1	2	<0.2
1506532	Rock		0.16	0.058	28	40	0.19	279	0.009	<20	0.70	0.006	0.21	<0.1	<0.01	0.1	<0.05	3.3	<0.5	3	<0.2
1506533	Rock		0.01	0.003	2	9	0.01	149	0.003	<20	0.10	0.002	0.06	<0.1	<0.01	<0.1	<0.05	0.2	1.6	<1	<0.2
1506534	Rock		3.91	0.016	2	10	1.55	72	0.002	<20	0.16	0.004	0.04	<0.1	0.01	<0.1	<0.05	1.5	0.5	<1	<0.2
1506535	Rock		1.59	0.051	16	18	0.10	80	0.119	23	0.73	0.004	<0.01	0.3	<0.01	<0.1	0.09	1.6	<0.5	3	<0.2
1506536	Rock		5.80	0.008	2	9	2.53	43	<0.001	20	0.07	0.005	0.03	0.2	0.02	<0.1	0.06	0.9	<0.5	<1	<0.2
1506537	Rock		0.89	0.011	2	20	0.39	123	0.023	<20	0.15	0.003	0.01	<0.1	<0.01	<0.1	0.26	0.5	3.3	<1	<0.2
1506538	Rock		0.30	0.037	39	9	0.31	105	0.004	<20	0.56	0.040	0.17	<0.1	<0.01	0.1	<0.05	2.2	<0.5	3	<0.2
1506539	Rock		0.09	0.035	8	14	0.10	103	0.011	<20	0.30	0.037	0.10	<0.1	<0.01	0.1	<0.05	1.1	1.0	1	<0.2
1506540	Rock		1.95	0.047	<1	87	0.89	121	0.221	<20	1.29	0.109	0.08	<0.1	<0.01	<0.1	0.13	7.6	<0.5	3	<0.2
1506541	Rock		0.56	0.073	9	5	0.19	310	<0.001	<20	0.46	0.004	0.24	<0.1	<0.01	0.3	<0.05	1.8	0.6	1	<0.2
1506542	Rock		2.09	0.040	28	218	1.80	177	0.002	<20	0.55	0.006	0.09	<0.1	0.04	<0.1	<0.05	9.3	<0.5	2	<0.2
1506543	Rock		0.06	0.033	7	16	0.03	1233	0.001	<20	0.41	0.006	0.15	<0.1	0.05	0.2	<0.05	2.8	2.7	<1	<0.2
1506544	Rock		1.64	0.040	24	26	0.48	177	<0.001	<20	0.45	0.016	0.23	<0.1	0.03	<0.1	0.11	2.9	<0.5	1	<0.2
1506545	Rock		7.03	0.001	2	297	5.11	330	<0.001	<20	0.37	0.002	<0.01	<0.1	<0.01	<0.1	0.05	1.9	<0.5	<1	<0.2



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.


Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 15, 2012

CERTIFICATE OF ANALYSIS WHI12000532.1

Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 15, 2012

CERTIFICATE OF ANALYSIS WHI12000532.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 15, 2012

CERTIFICATE OF ANALYSIS WHI12000532.1

Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.


Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 15, 2012

CERTIFICATE OF ANALYSIS WHI12000532.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 15, 2012

QUALITY CONTROL REPORT WHI12000532.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
[redacted]																					
[redacted]																					
1506526	Rock	1.26	<2	1.9	26.3	4.9	21	0.2	18.7	9.6	213	1.48	82.4	0.4	1.7	1.8	2	<0.1	0.5	<0.1	2
REP 1506526	QC		<2																		
[redacted]																					
[redacted]																					
[redacted]																					
[redacted]																					
[redacted]																					
[redacted]																					
[redacted]																					
[redacted]																					
Core Reject Duplicates																					
[redacted]																					
[redacted]																					
1506531	Rock	0.59	8	1.6	56.2	8.3	65	0.1	35.7	9.2	493	2.94	5.9	1.1	7.6	7.1	8	0.1	0.3	0.1	41
DUP 1506531	QC		5	1.5	58.1	7.9	66	0.1	36.8	9.7	518	3.00	6.1	1.2	6.0	7.4	8	<0.1	0.3	0.1	42
[redacted]																					
[redacted]																					
[redacted]																					
[redacted]																					
Reference Materials																					
STD DS9	Standard			13.3	108.8	132.9	331	2.0	41.4	7.7	631	2.40	26.4	2.9	108.6	7.4	75	2.3	5.2	6.5	40
STD DS9	Standard			14.1	110.3	129.3	309	1.6	41.7	7.8	575	2.32	24.7	2.9	97.7	7.1	78	2.3	5.3	7.1	40
STD DS9	Standard			12.9	101.1	122.3	318	1.9	42.2	7.7	594	2.41	26.5	2.4	119.8	5.5	67	2.2	4.0	4.9	39
STD DS9	Standard			11.1	107.2	115.5	312	1.7	40.0	7.4	561	2.23	23.0	2.3	124.7	5.4	62	2.5	3.6	5.6	36
STD OREAS45CA	Standard			0.9	549.8	23.5	66	0.3	271.9	97.8	974	17.64	4.8	1.4	49.4	8.1	16	0.2	<0.1	0.1	220

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 15, 2012

QUALITY CONTROL REPORT WHI12000532.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
[redacted]																				
[redacted]																				
1506526	Rock	0.04	0.020	5	11	0.02	108	0.002	<20	0.17	0.004	0.10	<0.1	0.02	0.2	<0.05	0.4	0.8	<1	<0.2
REP 1506526	QC																			
[redacted]																				
[redacted]																				
[redacted]																				
[redacted]																				
[redacted]																				
[redacted]																				
[redacted]																				
[redacted]																				
[redacted]																				
Core Reject Duplicates																				
[redacted]																				
[redacted]																				
1506531	Rock	0.17	0.067	14	23	0.08	216	0.003	<20	0.51	0.008	0.16	<0.1	<0.01	<0.1	<0.05	4.1	1.1	2	<0.2
DUP 1506531	QC	0.17	0.066	14	24	0.08	215	0.003	<20	0.48	0.008	0.16	<0.1	<0.01	<0.1	<0.05	4.3	1.0	2	<0.2
[redacted]																				
[redacted]																				
[redacted]																				
[redacted]																				
Reference Materials																				
STD DS9	Standard	0.75	0.080	14	126	0.65	332	0.118	<20	1.01	0.092	0.42	2.9	0.24	5.7	0.17	2.5	6.1	5	5.0
STD DS9	Standard	0.76	0.077	13	123	0.64	317	0.118	<20	1.00	0.088	0.41	2.5	0.25	5.3	0.16	2.1	5.6	5	5.4
STD DS9	Standard	0.74	0.084	12	125	0.63	339	0.108	24	0.98	0.083	0.40	3.1	0.19	5.9	0.17	2.3	5.4	5	5.5
STD DS9	Standard	0.66	0.080	11	118	0.60	312	0.101	<20	0.92	0.081	0.39	3.0	0.18	5.4	0.16	2.2	5.0	5	5.7
STD OREAS45CA	Standard	0.46	0.038	19	770	0.15	187	0.142	<20	3.93	0.016	0.08	<0.1	0.03	0.1	<0.05	46.0	1.0	20	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 15, 2012

QUALITY CONTROL REPORT WHI12000532.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD OREAS45CA	Standard			1.0	548.1	20.8	62	0.3	261.9	98.7	950	15.94	4.1	1.3	44.9	8.0	20	<0.1	<0.1	0.1	222
STD OREAS45CA	Standard			0.7	515.6	19.5	60	0.3	255.5	96.6	939	16.82	3.5	1.1	46.6	6.6	14	<0.1	<0.1	0.2	217
STD OREAS45CA	Standard			0.8	477.1	19.1	59	0.3	230.1	85.7	909	14.25	2.8	1.1	39.4	6.4	13	0.2	0.1	0.1	201
STD OXD87	Standard		413																		
STD OXD87	Standard		418																		
STD OXD87	Standard		396																		
STD OXD87	Standard		407																		
STD OXD87	Standard		423																		
STD OXD87	Standard		395																		
STD OXG99	Standard		883																		
STD OXG99	Standard		939																		
STD OXG99	Standard		936																		
STD OXG99	Standard		945																		
STD OXG99	Standard		931																		
STD OXG99	Standard		983																		
STD OXD87 Expected			417																		
STD OXG99 Expected			932																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		4																		
BLK	Blank		3																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		2																		
BLK	Blank		<2																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 15, 2012

QUALITY CONTROL REPORT WHI12000532.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD OREAS45CA	Standard	0.46	0.040	17	620	0.20	169	0.151	<20	3.90	0.009	0.07	<0.1	0.05	0.1	<0.05	47.7	0.8	19	<0.2
STD OREAS45CA	Standard	0.43	0.038	15	840	0.14	168	0.131	<20	3.74	0.012	0.08	<0.1	0.03	0.1	<0.05	45.5	<0.5	19	<0.2
STD OREAS45CA	Standard	0.44	0.037	15	760	0.12	169	0.121	<20	3.41	0.009	0.07	<0.1	0.02	<0.1	<0.05	42.1	<0.5	19	<0.2
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXD87 Expected																				
STD OXG99 Expected																				
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 15, 2012

QUALITY CONTROL REPORT WHI12000532.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	0.5	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	0.5	1	<0.1	<0.1	<0.1	3	0.02	0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank		2	0.2	3.5	5.0	60	<0.1	2.5	4.2	615	2.07	1.6	1.8	7.6	7.1	73	<0.1	0.1	<0.1	39
G1-WHI	Prep Blank		<2	0.1	1.9	4.6	54	<0.1	2.3	3.9	573	2.02	0.8	1.5	4.5	6.0	68	0.1	<0.1	<0.1	37

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 15, 2012

QUALITY CONTROL REPORT WHI12000532.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	1	<0.001	<20	0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																				
G1-WHI	Prep Blank	0.61	0.088	17	6	0.59	186	0.139	<20	0.95	0.095	0.51	0.1	<0.01	0.3	<0.05	3.0	<0.5	5	<0.2
G1-WHI	Prep Blank	0.50	0.076	16	5	0.51	184	0.129	<20	0.94	0.098	0.50	<0.1	<0.01	0.3	<0.05	2.6	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: August 06, 2012
Report Date: August 14, 2012
Page: 1 of 2

CERTIFICATE OF ANALYSIS WHI12000557.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number NA-12308
Number of Samples: 12

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	12	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	12	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	12	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
7TD	4	4-acid Digestion ICP-ES Finish	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme
Stephanie Korelin

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 14, 2012

CERTIFICATE OF ANALYSIS WHI12000557.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1506584	Rock	0.86	63	1.7	53.5	4.5	86	0.2	35.5	7.4	371	2.84	5.5	0.6	21.2	6.4	6	0.2	0.6	<0.1	60
1506585	Rock	0.51	9	1.9	30.8	10.7	86	0.1	52.3	16.8	1375	4.35	157.7	0.8	7.3	3.4	60	0.4	1.5	<0.1	62
1506586	Rock	0.72	93	1.3	5.4	4.3	39	<0.1	5.5	2.4	459	2.33	13.4	0.6	83.7	3.2	7	0.1	0.3	<0.1	4
1506587	Rock	0.78	<2	0.5	4.8	3.1	35	<0.1	3.5	1.9	508	2.40	2.9	0.5	1.3	7.9	3	0.1	0.4	<0.1	<2
1506588	Rock	0.98	26	0.5	3.7	1.9	16	<0.1	3.2	0.8	338	0.94	6.7	0.3	25.5	1.3	7	<0.1	0.2	<0.1	<2
1506589	Rock	0.75	134	1.0	196.0	466.8	11	0.9	13.1	6.2	169	1.02	4.9	0.8	63.5	2.1	56	0.2	2.1	0.2	8
1506590	Rock	1.00	684	4.2	>10000	>10000	15	36.1	17.1	6.8	75	3.28	5.5	2.0	170.3	0.4	214	0.8	17.4	13.3	3
1506591	Rock	1.47	283	2.1	5133	8394	12	20.5	8.4	6.4	117	1.52	10.8	0.5	1242	1.8	294	0.5	12.8	4.9	6
1506592	Rock	0.92	645	18.2	8287	>10000	36	46.5	35.8	20.6	442	5.71	77.4	2.8	1243	1.4	128	1.1	116.3	16.3	8
1506593	Rock	1.10	183	1.8	7038	8047	18	16.3	12.1	10.3	332	2.05	4.8	0.5	110.5	4.8	98	0.8	7.1	1.4	14
1506594	Rock	1.62	851	3.7	>10000	>10000	24	45.1	20.7	9.8	81	3.90	9.3	1.6	440.6	0.3	209	0.8	22.4	4.0	3
1506595	Rock	0.66	1220	2.0	>10000	>10000	19	27.3	16.7	13.1	630	2.22	14.5	1.0	842.8	3.9	325	1.3	12.9	15.5	3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 14, 2012

CERTIFICATE OF ANALYSIS WHI12000557.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	7TD
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Cu
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	0.001
1506584	Rock	0.16	0.053	15	32	0.44	317	0.047	<20	0.97	0.010	0.47	<0.1	<0.01	0.3	<0.05	3.2	0.9	3	<0.2	
1506585	Rock	0.76	0.233	40	86	0.28	516	0.032	<20	1.56	0.060	0.18	<0.1	0.05	0.2	<0.05	9.9	<0.5	5	<0.2	
1506586	Rock	0.14	0.041	19	3	0.09	156	0.001	<20	0.36	0.044	0.19	<0.1	0.03	<0.1	<0.05	3.6	0.7	2	<0.2	
1506587	Rock	0.06	0.017	35	2	0.03	34	0.002	<20	0.18	0.101	0.07	<0.1	0.03	<0.1	<0.05	2.5	<0.5	<1	<0.2	
1506588	Rock	0.03	0.004	9	7	0.03	680	<0.001	<20	0.19	0.008	0.06	<0.1	0.03	<0.1	<0.05	0.7	<0.5	1	<0.2	
1506589	Rock	0.09	0.038	8	23	0.03	2907	0.006	<20	0.24	0.008	0.18	1.2	<0.01	<0.1	0.07	1.3	<0.5	<1	<0.2	
1506590	Rock	0.45	0.003	2	7	0.01	65	<0.001	<20	0.05	0.003	0.03	<0.1	0.12	<0.1	1.62	0.7	1.6	<1	<0.2	2.540
1506591	Rock	0.38	0.020	6	12	0.04	231	0.003	<20	0.11	0.017	0.09	0.5	0.06	<0.1	0.37	1.6	<0.5	<1	<0.2	
1506592	Rock	1.30	0.006	5	8	0.03	379	0.001	<20	0.15	0.001	0.06	0.4	0.11	<0.1	0.17	1.2	0.9	<1	<0.2	0.836
1506593	Rock	1.34	0.031	13	15	0.07	224	0.007	<20	0.27	0.044	0.19	0.6	0.08	<0.1	0.43	3.2	0.7	1	<0.2	
1506594	Rock	0.23	0.003	1	9	0.01	27	<0.001	<20	0.05	0.003	0.03	<0.1	0.11	<0.1	1.97	0.8	<0.5	<1	<0.2	3.111
1506595	Rock	1.09	0.008	6	8	0.02	120	0.001	<20	0.10	0.015	0.07	0.3	0.16	<0.1	0.72	1.4	<0.5	<1	<0.2	1.140

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 14, 2012

CERTIFICATE OF ANALYSIS WHI12000557.1

		Method	7TD
		Analyte	Pb
		Unit	%
		MDL	0.02
1506584	Rock		
1506585	Rock		
1506586	Rock		
1506587	Rock		
1506588	Rock		
1506589	Rock		
1506590	Rock		2.76
1506591	Rock		
1506592	Rock		3.15
1506593	Rock		
1506594	Rock		1.80
1506595	Rock		1.69

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 14, 2012

QUALITY CONTROL REPORT WHI12000557.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
REP G1-WHI	QC			0.1	3.0	5.8	54	<0.1	2.8	4.2	587	2.00	<0.5	1.6	<0.5	5.2	65	<0.1	<0.1	<0.1	38
1506586	Rock	0.72	93	1.3	5.4	4.3	39	<0.1	5.5	2.4	459	2.33	13.4	0.6	83.7	3.2	7	0.1	0.3	<0.1	4
REP 1506586	QC		92																		
1506595	Rock	0.66	1220	2.0	>10000	>10000	19	27.3	16.7	13.1	630	2.22	14.5	1.0	842.8	3.9	325	1.3	12.9	15.5	3
REP 1506595	QC																				
Core Reject Duplicates																					
1506587	Rock	0.78	<2	0.5	4.8	3.1	35	<0.1	3.5	1.9	508	2.40	2.9	0.5	1.3	7.9	3	0.1	0.4	<0.1	<2
DUP 1506587	QC		<2	0.6	4.6	2.8	32	<0.1	3.4	1.9	494	2.41	2.4	0.5	0.9	7.7	3	0.1	0.3	<0.1	2
Reference Materials																					
STD CDN-ME-14	Standard																				
STD CDN-ME-9	Standard																				
STD DS9	Standard			13.0	117.8	120.0	308	1.9	42.7	8.3	582	2.35	26.4	2.3	101.9	5.6	65	2.7	4.0	5.8	43
STD OREAS45CA	Standard			0.9	530.9	21.5	62	0.3	252.8	98.1	938	16.37	3.9	1.2	43.7	6.8	14	0.1	0.1	0.2	234
STD OXD87	Standard		432																		
STD OXG99	Standard		977																		
STD OXD87 Expected			417																		
STD OXG99 Expected			932																		
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD CDN-ME-14 Expected																					
STD CDN-ME-9 Expected																					
BLK	Blank		4																		
BLK	Blank		<2																		
BLK	Blank			<0.1	0.5	0.9	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank																				
Prep Wash																					
G1-WHI	Prep Blank		<2																		
G1-WHI	Prep Blank		<2	0.2	3.5	5.4	58	<0.1	4.0	4.7	647	2.18	<0.5	1.8	<0.5	6.4	68	<0.1	<0.1	<0.1	39

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 14, 2012

QUALITY CONTROL REPORT WHI12000557.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	7TD
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Cu
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	0.001
Pulp Duplicates																					
REP G1-WHI	QC	0.53	0.078	15	7	0.51	159	0.135	<20	0.97	0.102	0.51	<0.1	<0.01	0.4	<0.05	2.3	<0.5	5	<0.2	
1506586	Rock	0.14	0.041	19	3	0.09	156	0.001	<20	0.36	0.044	0.19	<0.1	0.03	<0.1	<0.05	3.6	0.7	2	<0.2	
REP 1506586	QC																				
1506595	Rock	1.09	0.008	6	8	0.02	120	0.001	<20	0.10	0.015	0.07	0.3	0.16	<0.1	0.72	1.4	<0.5	<1	<0.2	1.140
REP 1506595	QC																				1.140
Core Reject Duplicates																					
1506587	Rock	0.06	0.017	35	2	0.03	34	0.002	<20	0.18	0.101	0.07	<0.1	0.03	<0.1	<0.05	2.5	<0.5	<1	<0.2	
DUP 1506587	QC	0.06	0.017	35	2	0.02	33	0.002	<20	0.22	0.124	0.09	<0.1	0.02	<0.1	<0.05	2.6	<0.5	<1	<0.2	
Reference Materials																					
STD CDN-ME-14	Standard																				1.280
STD CDN-ME-9	Standard																				0.673
STD DS9	Standard	0.75	0.081	12	127	0.63	322	0.113	<20	0.98	0.084	0.42	2.7	0.21	5.6	0.18	2.3	5.5	4	5.1	
STD OREAS45CA	Standard	0.44	0.036	17	862	0.13	170	0.132	<20	3.89	0.004	0.08	<0.1	0.04	<0.1	<0.05	45.1	<0.5	20	<0.2	
STD OXD87	Standard																				
STD OXG99	Standard																				
STD OXD87 Expected																					
STD OXG99 Expected																					
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4		
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02	
STD CDN-ME-14 Expected																					1.221
STD CDN-ME-9 Expected																					0.654
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank																				<0.001
Prep Wash																					
G1-WHI	Prep Blank																				
G1-WHI	Prep Blank	0.52	0.080	16	8	0.58	181	0.148	<20	1.06	0.114	0.56	<0.1	<0.01	0.4	<0.05	2.6	<0.5	6	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 14, 2012

QUALITY CONTROL REPORT WHI12000557.1

		Method	7TD
		Analyte	Pb
		Unit	%
		MDL	0.02
Pulp Duplicates			
REP G1-WHI	QC		
1506586	Rock		
REP 1506586	QC		
1506595	Rock		1.69
REP 1506595	QC		1.67
Core Reject Duplicates			
1506587	Rock		
DUP 1506587	QC		
Reference Materials			
STD CDN-ME-14	Standard		0.55
STD CDN-ME-9	Standard		<0.02
STD DS9	Standard		
STD OREAS45CA	Standard		
STD OXD87	Standard		
STD OXG99	Standard		
STD OXD87 Expected			
STD OXG99 Expected			
STD OREAS45CA Expected			
STD DS9 Expected			
STD CDN-ME-14 Expected			0.495
STD CDN-ME-9 Expected			
BLK	Blank		
BLK	Blank		
BLK	Blank		
BLK	Blank		<0.02
Prep Wash			
G1-WHI	Prep Blank		
G1-WHI	Prep Blank		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 14, 2012

QUALITY CONTROL REPORT WHI12000557.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
G1-WHI	Prep Blank			0.2	2.6	5.1	52	<0.1	2.8	4.2	576	1.98	<0.5	1.6	<0.5	5.7	63	<0.1	<0.1	<0.1	38

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 14, 2012

QUALITY CONTROL REPORT WHI12000557.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2	7TD Cu % 0.001
G1-WHI	Prep Blank	0.52	0.077	14	7	0.50	150	0.130	<20	0.96	0.100	0.50	<0.1	<0.01	0.3	<0.05	2.4	<0.5	5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 14, 2012

QUALITY CONTROL REPORT WHI12000557.1

		7TD Pb % 0.02
G1-WHI	Prep Blank	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: August 15, 2012
Report Date: August 21, 2012
Page: 1 of 4

CERTIFICATE OF ANALYSIS WHI12000680.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number NA-12308
Number of Samples: 90

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	82	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	90	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	90	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme Joyce
Stephanie Korelin

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.


Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 21, 2012

CERTIFICATE OF ANALYSIS WHI12000680.1

Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.


Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 21, 2012

CERTIFICATE OF ANALYSIS WHI12000680.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 21, 2012

CERTIFICATE OF ANALYSIS WHI12000680.1

Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.


Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 21, 2012

CERTIFICATE OF ANALYSIS WHI12000680.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 21, 2012

CERTIFICATE OF ANALYSIS WHI12000680.1

Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1506684	Rock Chip	1.02	3	0.2	1.3	9.5	9	0.1	1.3	1.2	80	0.59	1.0	3.1	<0.5	26.3	18	<0.1	3.7	0.2	3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 21, 2012

CERTIFICATE OF ANALYSIS WHI12000680.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1506684	Rock Chip	0.08	0.007	16	3	0.02	53	0.004	<20	0.23	0.041	0.17	<0.1	<0.01	<0.1	<0.05	0.7	<0.5	<1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 21, 2012

QUALITY CONTROL REPORT WHI12000680.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
[redacted]																					
Core Reject Duplicates																					
[redacted]																					
Reference Materials																					
STD DS9	Standard			13.5	122.0	119.3	331	1.9	44.0	8.4	615	2.50	27.5	2.6	94.1	6.0	73	2.3	5.2	5.6	42
STD DS9	Standard			15.1	111.7	128.6	314	1.8	40.7	8.0	617	2.42	29.1	2.8	134.7	6.5	75	2.7	5.1	5.7	43
STD DS9	Standard			10.9	105.5	123.0	303	1.6	39.5	7.8	557	2.27	27.1	2.7	113.3	6.1	68	2.2	6.0	5.8	37
STD OREAS45CA	Standard			0.9	535.1	19.8	65	0.3	268.6	98.5	999	17.10	4.2	1.2	46.4	7.0	16	<0.1	<0.1	0.1	229
STD OREAS45CA	Standard			1.0	546.5	22.9	64	0.3	272.5	99.2	986	16.97	4.6	1.4	45.5	7.9	17	<0.1	<0.1	<0.1	231
STD OREAS45CA	Standard			0.9	478.2	19.7	57	0.2	230.3	90.9	935	14.60	4.4	1.2	37.7	7.1	15	<0.1	0.4	0.1	213
STD OXD87	Standard		419																		
STD OXD87	Standard		393																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 21, 2012

QUALITY CONTROL REPORT WHI12000680.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
[redacted]																				
[redacted]																				
[redacted]																				
[redacted]																				
[redacted]																				
[redacted]																				
[redacted]																				
[redacted]																				
[redacted]																				
[redacted]																				
[redacted]																				
Core Reject Duplicates																				
[redacted]																				
[redacted]																				
[redacted]																				
[redacted]																				
[redacted]																				
[redacted]																				
Reference Materials																				
STD DS9	Standard	0.77	0.087	12	134	0.66	354	0.114	<20	1.02	0.088	0.43	2.5	0.23	5.4	0.18	2.4	5.0	5	5.0
STD DS9	Standard	0.75	0.087	13	124	0.65	331	0.121	<20	1.00	0.089	0.42	2.8	0.18	5.7	0.18	2.6	5.6	5	5.4
STD DS9	Standard	0.67	0.078	10	114	0.59	307	0.099	<20	0.89	0.077	0.39	2.9	0.16	5.3	0.16	1.9	5.9	4	5.2
STD OREAS45CA	Standard	0.44	0.041	17	775	0.15	172	0.121	<20	3.95	0.011	0.08	<0.1	0.04	<0.1	<0.05	48.0	<0.5	20	<0.2
STD OREAS45CA	Standard	0.46	0.038	17	769	0.14	178	0.148	<20	3.72	0.016	0.08	<0.1	0.03	<0.1	<0.05	43.9	<0.5	19	<0.2
STD OREAS45CA	Standard	0.41	0.036	15	692	0.13	164	0.126	<20	3.31	0.007	0.07	<0.1	0.02	<0.1	<0.05	41.8	<0.5	17	<0.2
STD OXD87	Standard																			
STD OXD87	Standard																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 21, 2012

QUALITY CONTROL REPORT WHI12000680.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD OXD87	Standard		416																		
STD OXG99	Standard		919																		
STD OXG99	Standard		913																		
STD OXG99	Standard		939																		
STD OXD87 Expected			417																		
STD OXG99 Expected			932																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	0.8	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	2.3	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank		<2	<0.1	3.7	3.0	48	<0.1	2.7	4.3	609	1.94	0.6	1.5	2.3	5.1	71	<0.1	<0.1	<0.1	35
G1-WHI	Prep Blank		<2	<0.1	2.2	2.9	48	<0.1	2.4	4.1	614	1.98	<0.5	1.5	1.5	5.6	79	<0.1	<0.1	<0.1	36

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 21, 2012

QUALITY CONTROL REPORT WHI12000680.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD OXD87	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXD87 Expected																				
STD OXG99 Expected																				
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																				
G1-WHI	Prep Blank	0.48	0.078	11	11	0.50	179	0.131	<20	1.00	0.121	0.52	<0.1	0.01	0.3	<0.05	2.4	<0.5	5	<0.2
G1-WHI	Prep Blank	0.57	0.077	13	10	0.53	192	0.139	<20	1.03	0.129	0.55	<0.1	<0.01	0.4	<0.05	2.6	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: August 14, 2012
Report Date: August 31, 2012
Page: 1 of 3

CERTIFICATE OF ANALYSIS WHI12000681.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number NA-12308
Number of Samples: 56

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	56	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	56	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	56	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
G6Gr	1	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme Joyce
Stephanie Korelin

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 31, 2012

CERTIFICATE OF ANALYSIS WHI12000681.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1506546	Rock	0.90	2	<0.1	35.6	9.8	46	<0.1	62.4	21.1	746	3.66	10.1	0.5	3.9	4.9	67	0.2	0.6	<0.1	109
1506547	Rock	1.14	28	0.7	20.7	65.1	107	0.7	26.2	12.4	745	2.66	94.7	1.0	27.7	4.8	89	4.2	8.8	0.3	16
1506548	Rock	0.59	5	0.4	8.2	8.4	27	<0.1	26.1	7.2	732	2.03	33.3	1.5	2.8	15.9	85	<0.1	1.4	0.1	9
1506549	Rock	0.69	<2	0.5	42.5	1.9	21	<0.1	12.7	12.3	619	2.56	8.2	1.3	1.7	22.8	20	<0.1	0.7	<0.1	43
1506550	Rock	1.59	<2	1.8	12.1	1.8	13	<0.1	8.3	5.6	688	1.52	30.5	0.8	0.5	3.9	54	<0.1	0.6	<0.1	24
1506559	Rock	0.86	5	0.6	6.1	7.2	15	<0.1	2.6	0.7	168	0.83	3.7	1.0	1.0	19.1	3	<0.1	0.7	0.1	<2
1506560	Rock	0.83	9	0.4	8.3	8.7	13	<0.1	5.2	3.4	421	1.23	3.5	1.0	5.2	20.0	24	0.1	0.4	<0.1	7
1506561	Rock	0.73	4	0.9	22.7	3.3	44	<0.1	17.5	20.8	1034	4.02	1.5	1.3	3.7	2.1	125	0.3	0.7	<0.1	33
1506562	Rock	0.89	4	0.6	4.8	1.5	20	<0.1	9.0	9.0	678	2.18	1.0	0.8	3.1	3.2	49	0.3	0.3	<0.1	9
1506563	Rock	0.92	7	0.1	1.2	1.2	10	<0.1	3.7	2.7	388	1.00	1.7	0.6	4.6	13.4	64	0.1	<0.1	<0.1	3
1506575	Rock	0.96	<2	1.1	18.8	3.7	54	<0.1	39.0	13.0	529	3.30	32.5	0.9	<0.5	12.0	32	<0.1	0.6	<0.1	44
1506576	Rock	1.23	<2	3.6	124.9	6.6	43	0.2	24.5	13.5	488	1.89	13.8	1.1	7.1	3.9	381	<0.1	0.4	<0.1	16
1506577	Rock	0.97	3	0.2	3.0	5.4	15	<0.1	2.3	2.2	365	1.12	11.6	2.2	3.6	17.4	36	<0.1	0.4	<0.1	6
1506578	Rock	0.69	7	1.1	33.4	12.7	59	0.3	19.1	4.6	334	1.82	61.6	1.1	8.9	8.1	27	0.5	0.6	<0.1	17
1506579	Rock	0.58	13	1.2	23.6	9.6	56	0.3	16.9	5.6	393	1.70	59.2	0.9	20.9	5.4	5	0.2	1.3	0.4	21
1506580	Rock	0.77	3	1.1	24.6	8.1	46	0.1	22.2	7.3	1177	2.53	61.1	1.5	4.2	5.3	39	0.3	1.1	<0.1	51
1506581	Rock	0.82	5	0.9	14.6	11.8	53	<0.1	19.5	20.2	1351	4.18	6.3	3.1	3.2	13.0	109	0.2	0.2	<0.1	38
1506582	Rock	0.72	17	0.7	4.6	2.9	16	<0.1	8.6	5.5	476	1.34	2.3	1.0	27.6	4.7	493	0.1	0.3	<0.1	10
1506583	Rock	0.96	<2	0.5	3.2	6.5	22	<0.1	11.5	5.2	1414	2.92	12.7	1.1	0.8	6.1	133	<0.1	0.4	<0.1	24
1506653	Rock	0.71	20	3.8	8.6	8.2	28	0.1	18.2	3.8	170	1.40	11.1	0.7	23.4	1.8	11	0.5	0.6	0.3	39
1506654	Rock	0.41	5	0.2	24.0	2.5	31	<0.1	35.0	13.7	398	2.23	6.5	0.2	<0.5	1.2	31	<0.1	0.2	<0.1	52
1506655	Rock	0.54	7	1.3	31.1	4.8	58	0.2	16.6	6.2	970	1.40	22.9	0.8	6.7	2.3	22	0.4	0.3	0.1	13
1506656	Rock	0.72	<2	0.7	8.5	1.7	27	<0.1	7.3	6.7	397	2.22	4.5	1.5	<0.5	15.9	70	<0.1	<0.1	<0.1	16
1506657	Rock	0.75	<2	0.7	3.1	6.3	16	<0.1	5.5	4.4	223	1.32	1.8	1.5	0.8	22.9	10	<0.1	<0.1	0.2	9
1506658	Rock	0.80	<2	0.3	2.4	3.6	3	<0.1	1.8	1.1	85	0.60	3.3	0.7	<0.5	14.3	4	<0.1	<0.1	<0.1	2
1506659	Rock	1.10	10	0.2	4.0	7.3	5	<0.1	2.3	2.1	171	0.78	1.3	2.2	10.5	30.1	7	<0.1	0.1	0.5	4
1506660	Rock	0.71	7	0.8	2.5	16.6	34	0.2	3.6	1.1	143	0.76	9.7	1.2	7.3	35.6	11	0.9	<0.1	<0.1	<2
1506661	Rock	0.68	<2	1.5	3.3	4.2	9	<0.1	2.7	1.8	157	0.90	2.2	1.3	<0.5	17.3	8	<0.1	0.2	<0.1	4
1506662	Rock	0.79	4	1.7	15.4	5.9	38	<0.1	22.6	7.5	1786	4.65	15.2	1.3	2.3	1.5	174	0.1	0.2	<0.1	160
1506663	Rock	0.88	2	2.0	1.8	2.6	3	<0.1	2.2	1.1	162	0.63	2.1	0.9	0.6	24.7	<1	<0.1	<0.1	<0.1	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 31, 2012

CERTIFICATE OF ANALYSIS WHI12000681.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1506546	Rock	2.71	0.090	7	142	2.61	224	0.075	<20	2.60	0.044	0.09	<0.1	0.02	<0.1	<0.05	9.0	<0.5	8	<0.2	
1506547	Rock	3.00	0.089	20	27	1.42	251	0.009	<20	0.67	0.020	0.31	<0.1	0.12	0.1	<0.05	4.4	<0.5	3	<0.2	
1506548	Rock	4.09	0.030	24	35	1.49	1173	0.001	<20	0.43	0.007	0.21	<0.1	0.03	0.1	0.07	1.7	<0.5	1	<0.2	
1506549	Rock	0.60	0.046	42	20	0.72	122	0.010	<20	0.91	0.046	0.17	<0.1	0.01	<0.1	<0.05	5.8	<0.5	4	<0.2	
1506550	Rock	3.23	0.013	5	15	1.30	92	<0.001	<20	0.37	0.003	0.04	<0.1	0.05	<0.1	<0.05	4.3	<0.5	1	<0.2	
1506559	Rock	0.05	0.002	26	5	0.02	40	<0.001	<20	0.33	0.005	0.16	<0.1	<0.01	<0.1	<0.05	0.6	<0.5	1	<0.2	
1506560	Rock	0.59	0.017	19	6	0.15	128	0.001	<20	0.26	0.047	0.14	<0.1	<0.01	<0.1	<0.05	1.5	<0.5	<1	<0.2	
1506561	Rock	4.72	0.091	9	11	1.45	524	0.002	<20	0.68	0.021	0.26	<0.1	<0.01	<0.1	<0.05	8.7	<0.5	2	<0.2	
1506562	Rock	2.53	0.043	12	7	0.59	94	0.001	<20	0.28	0.009	0.20	<0.1	0.10	<0.1	<0.05	2.6	<0.5	<1	<0.2	
1506563	Rock	1.94	0.008	21	5	0.49	89	<0.001	<20	0.31	0.004	0.14	<0.1	0.02	<0.1	<0.05	1.0	<0.5	<1	<0.2	
1506575	Rock	1.33	0.047	34	59	1.35	165	0.027	<20	2.12	0.046	0.46	<0.1	<0.01	0.2	0.11	5.2	<0.5	7	<0.2	
1506576	Rock	15.87	0.040	10	31	0.95	37	0.074	<20	1.30	0.008	0.52	<0.1	<0.01	0.3	0.22	1.8	<0.5	3	<0.2	
1506577	Rock	1.15	0.020	25	6	0.39	78	0.001	<20	0.29	0.062	0.21	<0.1	<0.01	<0.1	0.09	0.9	<0.5	1	<0.2	
1506578	Rock	0.52	0.046	24	12	0.24	328	0.003	<20	0.56	0.006	0.26	<0.1	0.03	0.2	<0.05	2.0	1.0	2	<0.2	
1506579	Rock	0.09	0.031	17	20	0.09	145	0.005	<20	0.35	0.026	0.13	<0.1	<0.01	0.1	<0.05	2.5	1.2	1	<0.2	
1506580	Rock	2.82	0.060	13	25	1.18	164	0.001	<20	0.57	0.005	0.12	<0.1	0.27	0.1	<0.05	6.6	0.6	2	<0.2	
1506581	Rock	4.08	0.089	37	11	1.41	252	0.002	<20	0.84	0.014	0.34	<0.1	0.02	0.1	0.06	7.1	<0.5	2	<0.2	
1506582	Rock	15.31	0.046	10	9	0.15	335	0.004	<20	0.27	0.014	0.12	<0.1	0.01	<0.1	<0.05	2.3	<0.5	<1	<0.2	
1506583	Rock	8.99	0.045	17	19	3.29	304	0.002	<20	0.40	0.007	0.11	<0.1	0.03	<0.1	0.06	3.9	<0.5	1	<0.2	
1506653	Rock	0.09	0.027	8	18	0.06	120	0.002	<20	0.35	0.004	0.19	<0.1	0.09	0.2	<0.05	1.6	0.6	1	0.3	
1506654	Rock	1.28	0.042	2	86	1.58	94	0.058	<20	1.64	0.075	0.07	<0.1	<0.01	<0.1	<0.05	5.0	<0.5	4	<0.2	
1506655	Rock	1.44	0.039	7	16	0.08	228	0.002	<20	0.30	0.008	0.11	<0.1	<0.01	<0.1	<0.05	1.8	<0.5	1	<0.2	
1506656	Rock	0.89	0.045	25	21	0.61	109	0.124	<20	1.28	0.047	0.82	<0.1	<0.01	0.3	<0.05	1.2	<0.5	5	<0.2	
1506657	Rock	0.10	0.030	30	13	0.12	63	0.009	<20	0.48	0.073	0.20	<0.1	0.01	0.1	<0.05	1.5	<0.5	3	<0.2	
1506658	Rock	0.05	0.003	2	10	0.03	19	0.004	<20	0.20	0.059	0.09	0.1	<0.01	<0.1	<0.05	0.5	<0.5	<1	<0.2	
1506659	Rock	0.05	0.014	20	11	0.04	49	0.007	<20	0.33	0.065	0.25	1.9	<0.01	0.1	<0.05	0.5	<0.5	1	<0.2	
1506660	Rock	0.02	0.004	23	4	0.01	137	<0.001	<20	0.41	0.003	0.12	<0.1	0.13	<0.1	<0.05	0.6	<0.5	1	<0.2	
1506661	Rock	0.06	0.009	9	10	0.06	57	0.008	<20	0.36	0.063	0.19	<0.1	<0.01	<0.1	<0.05	0.6	<0.5	1	<0.2	
1506662	Rock	13.29	0.074	14	18	3.93	179	0.006	<20	0.36	0.008	0.07	<0.1	0.15	<0.1	<0.05	5.0	<0.5	2	<0.2	
1506663	Rock	0.06	0.001	3	11	<0.01	13	<0.001	<20	0.23	0.048	0.16	0.1	0.02	<0.1	<0.05	0.5	<0.5	<1	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 31, 2012

CERTIFICATE OF ANALYSIS WHI12000681.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1506664	Rock	1.28	<2	2.4	3.5	5.5	9	<0.1	2.0	0.8	130	0.75	3.1	1.6	<0.5	34.1	5	<0.1	0.1	0.1	2
1506665	Rock	0.70	2	1.0	2.1	4.8	6	<0.1	1.6	1.1	115	0.64	5.4	1.3	<0.5	25.5	6	<0.1	<0.1	0.1	<2
1506666	Rock	0.59	238	1.2	2.9	14.3	5	0.4	2.8	2.0	88	0.90	1.5	1.3	159.5	15.5	7	<0.1	0.3	0.3	<2
1506667	Rock	0.59	23	1.3	10.8	12.0	27	<0.1	9.8	4.6	590	1.63	3.6	3.2	18.0	28.5	44	<0.1	0.3	0.2	8
1506668	Rock	0.66	<2	0.3	11.8	8.3	54	<0.1	8.7	12.2	723	3.52	1.8	0.9	<0.5	9.5	127	<0.1	0.5	0.1	95
1506669	Rock	0.75	3	0.3	2.4	6.7	25	<0.1	3.0	2.8	439	1.13	12.3	0.9	1.6	13.8	8	<0.1	1.4	<0.1	18
1506670	Rock	0.64	11	0.3	1.6	8.3	20	<0.1	2.4	0.9	388	0.93	52.3	0.7	8.5	15.1	7	<0.1	3.3	<0.1	4
1506671	Rock	0.79	8	1.2	1.9	9.8	26	<0.1	1.2	0.6	221	0.92	237.1	0.8	12.4	18.8	6	<0.1	43.1	0.1	<2
1506672	Rock	0.70	5	1.3	43.4	3.0	82	<0.1	38.8	8.8	223	3.15	99.2	0.8	1.3	8.2	12	0.4	0.9	<0.1	69
1506673	Rock	0.37	13	1.3	22.6	103.1	163	2.2	5.5	19.2	4700	5.28	73.7	3.0	9.9	3.9	341	2.8	1.2	0.4	97
1506674	Rock	0.59	1386	14.8	123.0	>10000	4157	>100	3.0	6.2	338	15.82	3230	13.9	2368	8.5	74	75.0	214.8	<0.1	78
1506675	Rock	0.49	434	3.1	32.7	6306	827	77.7	6.0	16.8	636	6.32	786.0	11.8	459.7	7.0	31	13.5	8.8	3.0	53
1506676	Rock	0.73	11	0.2	5.2	195.5	19	2.2	3.6	1.1	60	0.49	16.8	0.1	8.4	0.2	2	0.2	1.8	0.1	<2
1506677	Rock	0.73	5	2.8	16.7	27.9	27	0.5	13.2	4.2	181	1.53	5.8	0.7	<0.5	1.6	33	0.1	0.3	0.2	40
1506678	Rock	0.71	<2	0.2	12.2	13.9	68	0.2	69.1	22.4	1142	3.17	41.5	1.0	<0.5	4.0	39	0.3	2.6	0.1	75
1506679	Rock	0.61	6	0.6	16.8	5.7	38	0.1	16.9	5.4	307	1.65	184.1	0.6	7.4	3.0	45	<0.1	1.7	<0.1	19
1506680	Rock	0.69	6	0.4	18.0	9.1	38	0.2	34.4	9.1	629	1.78	92.8	0.7	6.0	1.7	28	0.1	3.5	<0.1	23
1506681	Rock	0.72	6	0.4	7.7	8.0	26	<0.1	13.3	6.8	574	2.22	44.0	1.7	3.4	8.5	73	<0.1	0.4	<0.1	28
1506682	Rock	0.80	3	0.3	3.4	3.2	4	<0.1	3.9	0.6	45	0.41	1.2	0.1	3.4	<0.1	<1	<0.1	0.2	<0.1	<2
1506683	Rock	0.83	6	0.2	5.8	8.6	6	0.1	1.0	1.1	82	0.81	3.7	1.2	<0.5	14.5	10	<0.1	0.1	<0.1	3
1506685	Rock	0.70	6	0.1	2.1	2.1	3	<0.1	2.8	0.6	289	0.86	8.2	<0.1	1.6	0.3	26	<0.1	0.2	<0.1	2
1506596	Rock	0.72	3657	9.5	8641	>10000	15	85.8	22.0	12.7	84	2.67	35.2	7.4	8954	0.8	340	0.7	140.4	1.4	<2
1506597	Rock	0.98	3877	7.6	2663	9774	8	21.3	9.9	6.7	64	2.19	32.9	1.2	5329	2.6	164	0.1	73.3	2.7	4
1506598	Rock	0.59	65	0.4	56.7	376.1	21	0.7	17.9	7.8	928	1.91	112.4	1.7	26.1	1.8	520	0.1	1.0	<0.1	11
1506599	Rock	0.68	9	0.4	21.0	78.1	25	0.1	9.4	7.3	222	1.72	12.1	1.9	1.7	22.6	21	<0.1	0.6	<0.1	4
1506600	Rock	0.68	8	1.7	43.0	68.0	46	0.2	103.4	24.1	666	3.37	2.6	0.8	<0.5	6.7	96	<0.1	<0.1	<0.1	94

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 31, 2012

CERTIFICATE OF ANALYSIS WHI12000681.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1506664	Rock	0.07	0.006	10	9	0.06	19	0.006	<20	0.34	0.056	0.17	0.2	<0.01	0.1	<0.05	0.7	<0.5	2	<0.2	
1506665	Rock	0.04	0.005	9	8	0.05	17	0.002	<20	0.24	0.044	0.14	0.1	<0.01	<0.1	<0.05	0.5	<0.5	1	<0.2	
1506666	Rock	0.01	0.003	10	14	0.01	54	<0.001	<20	0.18	0.011	0.10	<0.1	0.06	<0.1	<0.05	0.4	<0.5	<1	0.3	
1506667	Rock	1.81	0.014	35	8	0.57	214	0.001	<20	0.50	0.007	0.13	<0.1	0.04	<0.1	<0.05	1.5	<0.5	1	<0.2	
1506668	Rock	1.46	0.090	15	13	1.36	805	0.206	<20	2.70	0.204	0.84	0.1	0.02	0.5	<0.05	8.0	<0.5	9	<0.2	
1506669	Rock	0.15	0.022	14	7	0.18	90	0.028	<20	0.54	0.054	0.23	<0.1	0.01	0.1	<0.05	4.7	<0.5	2	<0.2	
1506670	Rock	0.08	0.010	24	7	0.07	134	0.014	<20	0.37	0.059	0.16	<0.1	<0.01	<0.1	<0.05	2.1	<0.5	1	<0.2	
1506671	Rock	0.05	0.007	27	5	0.03	74	0.004	<20	0.35	0.041	0.12	<0.1	0.03	0.2	<0.05	2.1	0.8	1	<0.2	
1506672	Rock	0.14	0.060	11	33	0.31	372	0.037	<20	0.91	0.009	0.39	<0.1	<0.01	0.3	<0.05	5.4	1.2	3	<0.2	
1506673	Rock	10.43	0.051	28	16	1.72	351	0.003	<20	2.08	0.003	0.13	<0.1	<0.01	<0.1	<0.05	12.9	<0.5	6	<0.2	
1506674	Rock	0.23	0.052	18	11	0.31	148	0.011	<20	0.92	0.211	0.50	<0.1	0.07	0.3	1.99	6.9	0.9	8	<0.2	576
1506675	Rock	0.40	0.074	12	11	0.48	191	0.003	<20	1.21	0.057	0.32	<0.1	<0.01	0.3	0.40	8.0	<0.5	4	<0.2	
1506676	Rock	0.06	0.002	<1	23	0.03	18	<0.001	<20	0.04	0.003	0.02	<0.1	<0.01	0.2	<0.05	0.3	0.7	<1	<0.2	
1506677	Rock	0.48	0.049	5	34	0.33	1003	0.124	<20	0.73	0.043	0.13	<0.1	<0.01	0.1	0.07	2.7	0.7	3	<0.2	
1506678	Rock	0.99	0.060	10	98	1.61	420	0.018	<20	1.95	0.045	0.34	<0.1	<0.01	0.3	<0.05	12.9	<0.5	5	<0.2	
1506679	Rock	0.95	0.030	9	34	0.45	393	0.002	<20	0.32	0.006	0.13	<0.1	0.02	0.1	<0.05	4.1	0.9	1	<0.2	
1506680	Rock	0.41	0.063	8	44	0.34	202	0.060	<20	0.66	0.048	0.14	<0.1	<0.01	<0.1	<0.05	2.5	0.7	2	<0.2	
1506681	Rock	2.61	0.062	24	33	0.97	175	0.008	<20	0.44	0.020	0.15	<0.1	<0.01	<0.1	0.06	4.6	0.5	1	<0.2	
1506682	Rock	0.03	0.002	<1	30	<0.01	11	0.001	<20	0.02	0.002	<0.01	<0.1	<0.01	<0.1	<0.05	0.2	<0.5	<1	<0.2	
1506683	Rock	0.13	0.008	15	10	0.02	80	0.001	<20	0.16	0.025	0.15	<0.1	<0.01	<0.1	0.10	1.2	0.8	<1	<0.2	
1506685	Rock	2.10	0.002	3	18	0.42	241	0.002	<20	0.06	0.003	0.02	<0.1	<0.01	<0.1	<0.05	0.8	<0.5	<1	<0.2	
1506596	Rock	0.20	0.002	4	10	<0.01	248	<0.001	<20	0.10	0.001	0.04	0.6	0.08	<0.1	0.36	0.4	1.1	<1	<0.2	
1506597	Rock	0.08	0.010	12	16	0.01	454	0.001	<20	0.17	0.003	0.15	6.5	0.06	<0.1	0.22	1.0	0.9	<1	0.2	
1506598	Rock	26.20	0.034	5	14	1.07	558	<0.001	<20	0.16	0.007	0.08	<0.1	<0.01	0.1	0.10	2.3	0.7	<1	<0.2	
1506599	Rock	0.68	0.042	70	6	0.22	314	0.002	<20	0.45	0.030	0.22	<0.1	<0.01	0.1	<0.05	2.3	1.1	2	<0.2	
1506600	Rock	2.79	0.171	9	202	2.93	246	0.179	<20	2.70	0.085	0.98	<0.1	0.01	0.4	0.08	7.6	0.8	8	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 31, 2012

QUALITY CONTROL REPORT WHI12000681.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1506577	Rock	0.97	3	0.2	3.0	5.4	15	<0.1	2.3	2.2	365	1.12	11.6	2.2	3.6	17.4	36	<0.1	0.4	<0.1	6
REP 1506577	QC			0.1	2.7	5.6	15	<0.1	2.2	2.3	368	1.11	12.1	2.3	3.9	17.4	40	<0.1	0.4	<0.1	6
REP 1506581	QC		4																		
1506658	Rock	0.80	<2	0.3	2.4	3.6	3	<0.1	1.8	1.1	85	0.60	3.3	0.7	<0.5	14.3	4	<0.1	<0.1	<0.1	2
REP 1506658	QC		<2																		
1506681	Rock	0.72	6	0.4	7.7	8.0	26	<0.1	13.3	6.8	574	2.22	44.0	1.7	3.4	8.5	73	<0.1	0.4	<0.1	28
REP 1506681	QC			0.3	7.5	8.4	25	<0.1	13.6	6.8	555	2.19	41.4	1.8	2.8	8.9	73	<0.1	0.5	<0.1	28
Core Reject Duplicates																					
1506581	Rock	0.82	5	0.9	14.6	11.8	53	<0.1	19.5	20.2	1351	4.18	6.3	3.1	3.2	13.0	109	0.2	0.2	<0.1	38
DUP 1506581	QC		8	0.8	14.8	10.6	52	<0.1	18.0	19.5	1305	4.13	5.7	3.0	5.2	12.4	106	0.1	0.2	<0.1	38
1506596	Rock	0.72	3657	9.5	8641	>10000	15	85.8	22.0	12.7	84	2.67	35.2	7.4	8954	0.8	340	0.7	140.4	1.4	<2
DUP 1506596	QC		3460	9.3	>10000	>10000	17	>100	25.6	14.8	96	2.71	40.7	10.1	2537	0.8	349	0.9	162.8	1.7	<2
Reference Materials																					
STD DS9	Standard			13.2	107.9	128.3	316	1.8	40.5	7.4	589	2.34	25.6	2.5	105.5	6.0	72	2.2	4.8	6.1	40
STD DS9	Standard			11.8	106.6	120.5	296	2.3	38.9	7.4	567	2.30	31.4	3.1	127.9	6.4	77	2.5	3.8	6.3	40
STD OREAS45CA	Standard			0.9	525.2	20.5	61	0.3	245.8	89.9	952	15.72	4.2	1.2	44.4	7.1	15	<0.1	0.1	0.1	224
STD OREAS45CA	Standard			0.7	488.7	18.8	56	0.3	241.3	90.1	921	15.90	3.0	1.2	62.5	7.0	16	<0.1	<0.1	<0.1	212
STD OXD87	Standard		437																		
STD OXD87	Standard		433																		
STD OXD87	Standard		427																		
STD OXD87	Standard		418																		
STD OXG99	Standard		1003																		
STD OXG99	Standard		980																		
STD OXG99	Standard		988																		
STD OXG99	Standard		915																		
STD SP49	Standard																				
STD OXD87 Expected			417																		
STD OXG99 Expected			932																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 31, 2012

QUALITY CONTROL REPORT WHI12000681.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
Pulp Duplicates																					
1506577	Rock	1.15	0.020	25	6	0.39	78	0.001	<20	0.29	0.062	0.21	<0.1	<0.01	<0.1	0.09	0.9	<0.5	1	<0.2	
REP 1506577	QC	1.18	0.021	25	6	0.40	78	0.001	<20	0.30	0.061	0.21	<0.1	<0.01	<0.1	0.09	0.8	<0.5	1	<0.2	
REP 1506581	QC																				
1506658	Rock	0.05	0.003	2	10	0.03	19	0.004	<20	0.20	0.059	0.09	0.1	<0.01	<0.1	<0.05	0.5	<0.5	<1	<0.2	
REP 1506658	QC																				
1506681	Rock	2.61	0.062	24	33	0.97	175	0.008	<20	0.44	0.020	0.15	<0.1	<0.01	<0.1	0.06	4.6	0.5	1	<0.2	
REP 1506681	QC	2.59	0.062	25	32	0.97	179	0.008	<20	0.45	0.020	0.15	<0.1	0.01	<0.1	0.06	4.4	0.5	1	<0.2	
Core Reject Duplicates																					
1506581	Rock	4.08	0.089	37	11	1.41	252	0.002	<20	0.84	0.014	0.34	<0.1	0.02	0.1	0.06	7.1	<0.5	2	<0.2	
DUP 1506581	QC	3.91	0.086	37	11	1.32	250	0.002	<20	0.88	0.014	0.37	<0.1	<0.01	0.1	0.05	7.0	<0.5	2	<0.2	
1506596	Rock	0.20	0.002	4	10	<0.01	248	<0.001	<20	0.10	0.001	0.04	0.6	0.08	<0.1	0.36	0.4	1.1	<1	<0.2	
DUP 1506596	QC	0.20	0.003	4	9	<0.01	288	<0.001	<20	0.12	0.001	0.04	0.5	0.14	<0.1	0.31	0.5	1.0	<1	<0.2	103
Reference Materials																					
STD DS9	Standard	0.73	0.089	13	121	0.63	320	0.105	<20	0.97	0.086	0.41	3.1	0.22	6.0	0.17	2.5	5.9	5	5.5	
STD DS9	Standard	0.71	0.082	12	115	0.61	320	0.107	<20	0.93	0.079	0.39	2.5	0.18	5.2	0.17	2.5	5.0	4	4.7	
STD OREAS45CA	Standard	0.45	0.043	16	783	0.15	163	0.140	<20	3.67	0.009	0.07	<0.1	0.03	0.1	<0.05	45.4	0.7	20	<0.2	
STD OREAS45CA	Standard	0.41	0.038	15	696	0.14	164	0.148	<20	3.56	0.004	0.07	<0.1	0.03	<0.1	<0.05	45.9	0.8	18	<0.2	
STD OXD87	Standard																				
STD OXD87	Standard																				
STD OXD87	Standard																				
STD OXD87	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD SP49	Standard																				56
STD OXD87 Expected																					
STD OXG99 Expected																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 31, 2012

QUALITY CONTROL REPORT WHI12000681.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
STD SP49 Expected																					
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		3																		
BLK	Blank		9																		
BLK	Blank		<2																		
BLK	Blank		4																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		5																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank		<2	<0.1	2.1	2.7	45	<0.1	2.3	3.6	554	1.89	<0.5	1.4	1.9	4.9	62	<0.1	<0.1	<0.1	38
G1-WHI	Prep Blank		<2	<0.1	2.0	2.9	45	<0.1	2.5	3.6	546	1.84	<0.5	1.7	1.7	5.3	70	<0.1	<0.1	<0.1	36

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 31, 2012

QUALITY CONTROL REPORT WHI12000681.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2	G6Gr Ag gm/t 50
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02	
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4		
STD SP49 Expected																					60.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
Prep Wash																					
G1-WHI	Prep Blank	0.49	0.079	12	9	0.50	153	0.124	<20	0.93	0.096	0.48	<0.1	<0.01	0.3	<0.05	2.2	<0.5	5	<0.2	
G1-WHI	Prep Blank	0.50	0.082	13	9	0.49	150	0.124	<20	0.93	0.099	0.47	<0.1	<0.01	0.4	<0.05	2.2	<0.5	5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: August 21, 2012
Report Date: August 31, 2012
Page: 1 of 3

CERTIFICATE OF ANALYSIS WHI12000749.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number NA-12308
Number of Samples: 36

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	36	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	36	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	36	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme Joyce
Stephanie Korelin

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 31, 2012

CERTIFICATE OF ANALYSIS WHI12000749.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1506686	Rock	0.74	<2	0.1	4.9	19.4	32	0.1	2.1	3.4	651	2.08	9.5	0.6	3.2	0.7	53	0.4	1.8	<0.1	7
1506687	Rock	0.74	20	1.5	31.6	12.0	124	0.7	28.5	5.9	294	1.90	156.2	0.7	17.8	4.6	19	1.0	6.2	0.1	30
1506688	Rock	1.08	219	0.3	13.3	1363	13	14.6	3.5	0.7	85	0.60	601.5	1.1	199.1	0.3	11	4.0	594.4	<0.1	<2
1506689	Rock	0.70	5	0.5	14.5	12.8	16	0.2	14.7	3.1	262	0.96	187.5	0.2	7.4	1.6	5	0.1	3.9	<0.1	12
1506690	Rock	0.90	17	0.7	1.4	13.8	26	0.1	1.2	0.8	166	1.02	6.7	1.9	21.4	14.3	5	0.5	2.9	<0.1	<2
1506691	Rock	0.81	5	2.6	27.7	29.0	110	0.8	18.0	4.5	700	1.03	24.5	1.6	5.8	2.6	11	3.4	3.5	<0.1	4
1506692	Rock	0.76	<2	1.2	15.0	3.7	32	0.1	8.0	3.8	307	1.52	48.7	0.6	4.5	1.7	10	0.1	3.3	0.3	9
1506693	Rock	0.61	44	0.5	21.5	12.6	18	0.6	11.2	2.8	297	1.23	432.9	0.3	43.3	2.4	7	0.4	9.5	<0.1	7
1506694	Rock	1.10	5	1.6	7.3	4.1	10	0.1	8.9	27.2	733	2.81	7.5	0.3	7.5	0.4	129	0.1	0.6	<0.1	7
1506695	Rock	0.70	171	0.4	53.7	220.1	268	6.7	1.8	2.5	73	2.22	2122	3.4	162.9	4.7	31	4.0	18.0	8.7	19
1506696	Rock	0.52	2	0.7	13.9	25.7	152	0.4	2.8	8.8	2040	3.66	19.1	1.5	6.0	6.0	101	2.1	0.7	0.2	71
1506697	Rock	0.73	21	2.2	26.3	12.5	431	0.2	6.8	16.8	1747	6.19	445.7	2.7	20.0	6.2	103	4.9	4.1	0.3	94
1506698	Rock	0.73	754	2.9	2.5	27.3	263	0.3	1.7	4.2	564	1.36	7837	1.0	637.2	2.6	29	6.3	12.4	<0.1	5
1506699	Rock	0.77	4	1.2	24.9	31.5	358	0.4	7.9	17.9	1395	3.77	299.4	3.2	7.9	10.3	22	2.9	12.7	0.1	94
1506700	Rock	0.99	2	1.6	11.0	4.8	43	<0.1	4.4	13.0	842	2.98	143.7	4.1	3.9	11.2	18	0.2	0.4	<0.1	89
1506701	Rock	0.83	7	1.4	33.6	4.1	47	0.3	25.8	6.9	1245	3.54	1095	1.4	7.1	2.9	210	0.3	5.8	<0.1	43
1506702	Rock	1.29	<2	0.3	46.7	4.5	17	0.3	239.8	46.7	241	2.54	16.2	<0.1	0.6	0.3	61	0.2	0.2	<0.1	14
1506703	Rock	0.90	60	1.0	21.7	27.8	23	0.4	9.3	3.9	289	1.49	1382	1.0	54.2	2.4	33	0.4	37.6	<0.1	8
1506704	Rock	0.92	440	2.2	34.6	55.1	42	0.8	15.4	5.3	940	2.47	5754	1.7	184.1	3.6	96	0.4	60.4	0.1	18
1506705	Rock	0.87	<2	0.4	15.9	4.3	38	<0.1	12.6	3.0	306	1.11	107.0	0.2	7.1	1.2	12	0.2	1.5	<0.1	12
1506706	Rock	1.51	<2	0.4	11.8	3.1	36	<0.1	10.7	2.8	827	2.24	39.0	0.5	4.1	1.6	141	<0.1	1.4	<0.1	42
1506707	Rock	1.45	<2	0.7	18.5	6.6	72	<0.1	13.6	3.9	999	2.71	109.8	0.5	3.0	2.0	187	0.4	2.8	<0.1	46
1506708	Rock	0.52	<2	0.7	34.6	6.2	72	<0.1	35.6	10.8	1222	3.90	113.2	0.8	3.0	3.8	126	0.7	2.9	0.2	82
1506709	Rock	0.82	<2	0.7	28.0	4.9	60	<0.1	29.8	9.7	955	3.74	106.0	0.6	2.2	2.4	136	0.4	2.9	<0.1	79
1506710	Rock	0.97	<2	0.3	8.1	1.6	27	<0.1	11.1	4.1	467	1.01	49.0	0.1	2.8	0.4	46	0.4	1.7	<0.1	10
1506711	Rock	0.98	3	0.7	32.5	7.3	77	<0.1	30.3	8.9	755	3.26	99.8	1.0	2.1	3.6	148	0.2	2.3	<0.1	87
1506712	Rock	0.92	847	6.9	132.3	2036	285	9.8	22.1	2.3	75	4.92	547.1	2.4	728.0	1.0	12	6.8	98.2	4.8	18
1506713	Rock	0.91	5	1.2	7.5	148.9	96	0.2	5.6	0.7	30	1.83	540.7	1.0	1.5	4.2	33	1.8	11.8	<0.1	30
1506714	Rock	0.72	4	0.5	40.6	10.5	29	0.1	7.7	9.6	464	2.18	38.9	0.7	1.9	6.1	8	<0.1	1.8	<0.1	22
1506715	Rock	1.20	7	0.2	2.1	2.7	7	<0.1	5.4	1.8	114	0.65	6.9	0.2	0.5	2.1	5	<0.1	0.2	<0.1	5

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 31, 2012

CERTIFICATE OF ANALYSIS WHI12000749.1

		Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
		Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1506686	Rock		1.83	0.011	8	3	0.64	1967	<0.001	<20	0.16	0.005	0.07	<0.1	<0.01	<0.1	0.08	2.8	<0.5	<1	<0.2
1506687	Rock		0.98	0.056	12	12	0.22	197	0.003	<20	0.32	0.005	0.13	0.1	<0.01	0.2	<0.05	2.3	3.0	1	<0.2
1506688	Rock		0.35	0.003	<1	6	0.18	54	<0.001	<20	0.03	0.003	0.02	<0.1	<0.01	<0.1	<0.05	0.3	0.7	<1	<0.2
1506689	Rock		0.10	0.016	5	11	0.13	73	<0.001	<20	0.20	0.007	0.06	0.2	<0.01	<0.1	<0.05	1.2	0.8	<1	<0.2
1506690	Rock		0.03	0.005	10	3	0.02	96	0.006	<20	0.23	0.027	0.13	0.1	<0.01	0.1	<0.05	0.5	<0.5	1	<0.2
1506691	Rock		0.18	0.049	8	6	0.06	152	0.002	<20	0.18	0.003	0.10	0.2	<0.01	0.2	0.11	0.9	0.9	<1	<0.2
1506692	Rock		0.23	0.032	5	5	0.08	413	<0.001	<20	0.24	0.023	0.08	<0.1	<0.01	<0.1	<0.05	2.1	<0.5	<1	<0.2
1506693	Rock		0.03	0.011	7	7	0.02	103	<0.001	<20	0.14	0.004	0.09	0.1	<0.01	<0.1	<0.05	0.9	<0.5	<1	<0.2
1506694	Rock		5.23	0.052	2	6	0.23	37	0.003	<20	0.12	0.012	0.05	<0.1	<0.01	<0.1	2.49	4.6	<0.5	<1	<0.2
1506695	Rock		0.24	0.054	11	3	0.03	246	<0.001	<20	0.43	0.007	0.22	0.1	0.23	0.5	0.15	3.1	<0.5	1	<0.2
1506696	Rock		5.35	0.041	21	10	0.98	207	<0.001	<20	1.71	0.012	0.07	0.1	0.02	<0.1	<0.05	8.9	<0.5	5	<0.2
1506697	Rock		2.18	0.062	32	13	0.98	371	<0.001	<20	1.22	0.006	0.10	<0.1	0.03	<0.1	<0.05	17.3	<0.5	3	<0.2
1506698	Rock		0.57	0.022	4	2	0.18	274	<0.001	<20	0.21	0.004	0.13	<0.1	0.20	<0.1	0.45	1.2	0.5	<1	<0.2
1506699	Rock		1.11	0.079	15	13	0.23	252	0.003	<20	0.89	0.006	0.10	0.1	<0.01	<0.1	<0.05	17.5	<0.5	2	<0.2
1506700	Rock		1.51	0.083	21	11	0.08	57	<0.001	<20	0.46	0.002	0.05	<0.1	0.02	<0.1	<0.05	19.2	<0.5	1	<0.2
1506701	Rock		6.69	0.063	11	19	3.02	903	0.002	<20	0.28	0.009	0.07	<0.1	<0.01	<0.1	0.13	4.6	1.9	1	<0.2
1506702	Rock		5.39	0.128	2	25	0.29	95	0.153	<20	0.23	0.005	0.03	<0.1	<0.01	<0.1	1.46	1.4	2.1	<1	0.2
1506703	Rock		0.67	0.024	7	7	0.21	507	<0.001	<20	0.19	0.007	0.12	0.1	0.03	0.1	<0.05	1.6	1.6	<1	<0.2
1506704	Rock		1.28	0.081	7	10	0.34	281	<0.001	<20	0.20	0.008	0.19	<0.1	0.03	0.4	0.15	3.0	1.5	<1	<0.2
1506705	Rock		0.09	0.047	4	11	0.01	264	0.002	<20	0.18	0.002	0.04	0.2	<0.01	0.1	<0.05	0.8	<0.5	<1	<0.2
1506706	Rock		6.01	0.021	4	12	2.93	2331	0.001	<20	0.16	0.009	0.05	<0.1	<0.01	<0.1	0.07	2.5	<0.5	<1	<0.2
1506707	Rock		7.79	0.025	5	14	3.75	2338	0.001	<20	0.22	0.009	0.06	<0.1	0.02	0.1	0.08	2.8	0.7	<1	<0.2
1506708	Rock		5.03	0.045	11	30	2.03	701	0.002	<20	0.36	0.005	0.05	<0.1	0.04	0.3	0.21	8.6	0.7	2	<0.2
1506709	Rock		5.09	0.047	9	31	1.95	397	0.002	<20	0.33	0.003	0.03	<0.1	0.02	0.2	0.18	10.5	0.6	1	<0.2
1506710	Rock		1.67	0.007	2	7	0.63	108	<0.001	<20	0.07	0.002	0.01	<0.1	<0.01	0.1	<0.05	1.3	<0.5	<1	<0.2
1506711	Rock		6.22	0.055	11	34	2.76	1104	0.004	<20	0.38	0.008	0.05	<0.1	<0.01	0.1	<0.05	7.8	1.1	2	<0.2
1506712	Rock		0.07	0.134	3	8	0.02	1148	0.002	<20	0.20	0.002	0.09	<0.1	0.98	0.2	0.07	0.8	15.4	<1	0.2
1506713	Rock		0.07	0.017	6	5	0.03	1678	<0.001	<20	0.56	0.002	0.10	<0.1	1.90	5.6	0.09	5.3	4.7	2	<0.2
1506714	Rock		0.17	0.060	14	6	0.21	91	0.002	<20	0.42	0.022	0.09	<0.1	0.07	0.2	<0.05	2.4	<0.5	2	<0.2
1506715	Rock		0.09	0.010	6	8	0.09	41	<0.001	<20	0.19	0.011	0.06	<0.1	0.02	<0.1	<0.05	0.7	<0.5	<1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 31, 2012

CERTIFICATE OF ANALYSIS WHI12000749.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1506716	Rock	0.75	5	0.4	6.3	5.1	35	<0.1	18.1	16.2	1110	3.85	3.0	0.6	2.5	6.3	191	0.3	0.4	<0.1	25
1506717	Rock	0.79	<2	0.1	232.3	5.2	5	0.8	1.9	1.0	195	0.77	25.3	0.5	<0.5	21.5	43	0.1	0.5	<0.1	<2
1506718	Rock	1.55	<2	0.8	14.8	7.5	49	<0.1	9.7	5.1	478	2.71	10.9	2.0	1.1	6.9	68	0.2	0.8	<0.1	6
1506719	Rock	0.98	<2	0.4	10.0	2.6	7	0.2	2.9	1.8	301	0.75	5.7	0.3	<0.5	7.3	13	0.2	1.1	<0.1	2
1506720	Rock	0.86	<2	0.5	4.7	3.2	13	<0.1	3.2	2.0	273	1.09	2.1	0.4	<0.5	3.5	20	0.1	0.2	<0.1	3
1506721	Rock	0.98	<2	1.3	18.4	3.8	67	0.1	13.4	2.0	106	0.93	42.4	0.7	0.8	1.0	9	<0.1	4.5	<0.1	29

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 31, 2012

CERTIFICATE OF ANALYSIS WHI12000749.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1506716	Rock	4.78	0.061	18	16	2.02	170	0.002	<20	0.59	0.011	0.22	<0.1	0.02	<0.1	<0.05	6.9	<0.5	2	<0.2
1506717	Rock	0.23	0.010	18	3	0.08	316	<0.001	<20	0.19	0.057	0.11	0.2	0.08	<0.1	0.07	0.6	<0.5	<1	<0.2
1506718	Rock	6.48	0.005	8	2	3.11	1107	<0.001	<20	0.24	0.014	0.10	<0.1	0.05	<0.1	<0.05	1.0	0.6	<1	<0.2
1506719	Rock	0.35	0.007	10	3	0.10	118	<0.001	<20	0.27	0.003	0.16	<0.1	0.09	<0.1	<0.05	1.1	<0.5	<1	<0.2
1506720	Rock	0.09	0.011	9	3	0.04	581	<0.001	<20	0.32	0.037	0.18	<0.1	0.03	<0.1	<0.05	2.3	0.6	<1	<0.2
1506721	Rock	0.05	0.041	3	13	0.03	87	0.003	<20	0.21	0.003	0.09	<0.1	0.07	0.3	<0.05	2.1	1.2	1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 31, 2012

QUALITY CONTROL REPORT WHI12000749.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1506709	Rock	0.82	<2	0.7	28.0	4.9	60	<0.1	29.8	9.7	955	3.74	106.0	0.6	2.2	2.4	136	0.4	2.9	<0.1	79
REP 1506709	QC		<2																		
1506715	Rock	1.20	7	0.2	2.1	2.7	7	<0.1	5.4	1.8	114	0.65	6.9	0.2	0.5	2.1	5	<0.1	0.2	<0.1	5
REP 1506715	QC			0.2	1.7	2.7	8	<0.1	5.6	1.7	117	0.66	6.7	0.2	0.6	2.2	5	<0.1	0.2	<0.1	5
Core Reject Duplicates																					
1506703	Rock	0.90	60	1.0	21.7	27.8	23	0.4	9.3	3.9	289	1.49	1382	1.0	54.2	2.4	33	0.4	37.6	<0.1	8
DUP 1506703	QC		56	1.0	19.9	25.0	22	0.4	10.1	3.7	267	1.46	1281	0.9	52.5	2.1	30	0.3	39.2	<0.1	7
Reference Materials																					
STD DS9	Standard			11.6	104.1	117.9	300	1.8	40.0	7.3	564	2.27	26.6	2.6	90.6	6.4	67	2.1	6.0	6.0	38
STD DS9	Standard			14.1	110.3	138.0	331	2.3	42.6	7.8	621	2.52	29.0	2.9	103.0	7.0	77	2.5	5.7	5.5	44
STD OREAS45CA	Standard			1.0	467.4	18.1	54	0.2	234.3	86.9	873	15.03	4.3	1.1	40.7	6.7	14	<0.1	0.2	<0.1	199
STD OREAS45CA	Standard			1.1	498.5	21.3	63	0.3	259.1	91.6	943	16.92	4.1	1.2	45.9	7.4	16	<0.1	0.2	<0.1	212
STD OXD87	Standard		428																		
STD OXD87	Standard		406																		
STD OXG99	Standard		921																		
STD OXG99	Standard		926																		
STD OXG99	Standard		976																		
STD OXD87 Expected			417																		
STD OXG99 Expected			932																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	0.03	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 31, 2012

QUALITY CONTROL REPORT WHI12000749.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
1506709	Rock	5.09	0.047	9	31	1.95	397	0.002	<20	0.33	0.003	0.03	<0.1	0.02	0.2	0.18	10.5	0.6	1	<0.2
REP 1506709	QC																			
1506715	Rock	0.09	0.010	6	8	0.09	41	<0.001	<20	0.19	0.011	0.06	<0.1	0.02	<0.1	<0.05	0.7	<0.5	<1	<0.2
REP 1506715	QC	0.09	0.011	6	9	0.09	43	<0.001	<20	0.19	0.012	0.06	<0.1	0.02	<0.1	<0.05	0.9	<0.5	<1	<0.2
Core Reject Duplicates																				
1506703	Rock	0.67	0.024	7	7	0.21	507	<0.001	<20	0.19	0.007	0.12	0.1	0.03	0.1	<0.05	1.6	1.6	<1	<0.2
DUP 1506703	QC	0.61	0.023	7	6	0.18	434	<0.001	<20	0.18	0.006	0.12	0.2	0.02	<0.1	<0.05	1.6	0.9	<1	<0.2
Reference Materials																				
STD DS9	Standard	0.68	0.080	11	115	0.59	334	0.106	<20	0.90	0.078	0.38	2.7	0.27	5.4	0.17	2.1	5.5	4	5.5
STD DS9	Standard	0.79	0.083	14	125	0.68	337	0.118	<20	1.03	0.097	0.43	3.0	0.23	5.9	0.19	2.3	6.3	5	5.1
STD OREAS45CA	Standard	0.42	0.037	15	664	0.13	159	0.113	<20	3.21	0.010	0.07	<0.1	0.03	<0.1	<0.05	41.6	<0.5	17	<0.2
STD OREAS45CA	Standard	0.46	0.035	17	697	0.15	173	0.135	<20	3.79	0.011	0.08	<0.1	0.04	<0.1	<0.05	45.3	1.0	20	<0.2
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXD87 Expected																				
STD OXG99 Expected																				
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	0.05	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 31, 2012

QUALITY CONTROL REPORT WHI12000749.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
Prep Wash																					
G1-WHI	Prep Blank		<2	0.1	1.7	2.4	37	<0.1	1.7	3.4	463	1.59	<0.5	1.5	2.5	5.0	49	<0.1	<0.1	0.1	29
G1-WHI	Prep Blank		<2	<0.1	1.7	2.4	38	<0.1	2.6	3.5	492	1.67	<0.5	1.2	2.7	4.2	49	<0.1	<0.1	<0.1	31

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 31, 2012

QUALITY CONTROL REPORT WHI12000749.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
Prep Wash																				
G1-WHI	Prep Blank	0.38	0.069	10	5	0.41	137	0.103	<20	0.72	0.067	0.39	<0.1	<0.01	0.3	<0.05	1.7	<0.5	4	<0.2
G1-WHI	Prep Blank	0.38	0.067	11	6	0.43	147	0.103	<20	0.77	0.078	0.42	0.1	<0.01	0.3	<0.05	1.6	<0.5	4	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: August 29, 2012
Report Date: September 10, 2012
Page: 1 of 2

CERTIFICATE OF ANALYSIS WHI12000789.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number NA-12308
Number of Samples: 14

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	14	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	14	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	14	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme Joyce
Stephanie Korelin

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: September 10, 2012

CERTIFICATE OF ANALYSIS WHI12000789.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
[redacted]																					
[redacted]																					
[redacted]																					
[redacted]																					
[redacted]																					
[redacted]																					
1506722	Rock	0.86	3	1.1	14.8	424.0	95	0.2	10.1	5.6	544	2.67	7.0	1.4	<0.5	3.1	104	0.2	1.0	<0.1	6
1506723	Rock	1.16	<2	0.8	149.1	2.9	14	0.5	1.7	4.3	428	1.47	7.8	0.2	<0.5	3.9	36	0.2	0.1	<0.1	3
1506724	Rock	1.73	<2	3.0	3.5	4.5	36	<0.1	6.1	5.8	311	1.93	7.1	1.6	<0.5	2.9	46	<0.1	0.1	<0.1	11
1506725	Rock	1.21	<2	2.1	32.5	7.0	46	0.1	9.7	7.0	449	2.38	18.4	2.0	<0.5	2.6	61	0.1	1.1	<0.1	6
1506726	Rock	0.83	<2	0.8	17.5	3.6	43	<0.1	18.7	3.0	197	1.36	103.0	0.6	0.8	1.5	4	0.1	1.4	<0.1	13
[redacted]																					
[redacted]																					
[redacted]																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: September 10, 2012

CERTIFICATE OF ANALYSIS WHI12000789.1

Method		1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL		0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
[redacted]																				
1506722	Rock	5.23	0.008	5	1	2.24	3914	<0.001	<20	0.24	0.010	0.13	<0.1	0.11	<0.1	0.12	1.3	<0.5	<1	<0.2
1506723	Rock	1.42	0.018	9	2	0.48	156	<0.001	<20	0.19	0.026	0.16	<0.1	0.12	<0.1	<0.05	1.4	<0.5	<1	<0.2
1506724	Rock	4.18	0.010	2	2	1.59	185	<0.001	<20	0.34	0.008	0.11	<0.1	0.03	<0.1	0.05	2.8	<0.5	<1	<0.2
1506725	Rock	5.86	0.011	5	2	2.41	263	<0.001	<20	0.31	0.013	0.14	<0.1	0.10	<0.1	0.07	1.6	<0.5	<1	<0.2
1506726	Rock	0.05	0.029	4	7	0.02	436	0.001	<20	0.14	0.001	0.05	<0.1	0.02	<0.1	<0.05	1.0	<0.5	<1	<0.2
[redacted]																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: September 10, 2012

QUALITY CONTROL REPORT WHI12000789.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
[redacted]																					
[redacted]																					
[redacted]																					
Core Reject Duplicates																					
[redacted]																					
[redacted]																					
Reference Materials																					
STD DS9	Standard			11.8	109.5	125.5	306	1.7	40.1	7.4	564	2.27	25.8	2.5	94.9	6.2	67	2.2	4.6	5.9	38
STD OREAS45CA	Standard			0.9	484.1	19.1	58	0.3	241.0	91.5	915	14.99	4.0	1.1	38.5	7.1	15	<0.1	0.2	0.1	219
STD OXD87	Standard		382																		
STD OXD87	Standard		406																		
STD OXG99	Standard		896																		
STD OXG99	Standard		960																		
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OXG99 Expected			932																		
STD OXD87 Expected			417																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
Prep Wash																					
G1-WHI	Prep Blank		<2	<0.1	1.6	4.4	55	<0.1	4.0	4.5	578	1.97	<0.5	1.4	1.0	4.7	59	<0.1	<0.1	<0.1	37
G1-WHI	Prep Blank		<2	<0.1	2.4	4.2	52	<0.1	3.7	4.2	568	1.90	<0.5	1.3	0.6	4.6	57	<0.1	<0.1	<0.1	36

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: September 10, 2012

QUALITY CONTROL REPORT WHI12000789.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
[redacted]																				
[redacted]																				
[redacted]																				
Core Reject Duplicates																				
[redacted]																				
[redacted]																				
Reference Materials																				
STD DS9	Standard	0.68	0.087	11	118	0.60	314	0.100	<20	0.92	0.078	0.38	2.8	0.21	5.5	0.16	2.3	5.4	5	5.0
STD OREAS45CA	Standard	0.41	0.036	16	681	0.13	162	0.134	<20	3.54	0.006	0.08	<0.1	0.03	<0.1	<0.05	42.6	<0.5	19	<0.2
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OXG99 Expected																				
STD OXD87 Expected																				
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
G1-WHI	Prep Blank	0.45	0.077	9	8	0.58	246	0.138	<20	0.98	0.073	0.48	<0.1	<0.01	0.3	<0.05	2.3	<0.5	5	<0.2
G1-WHI	Prep Blank	0.43	0.074	9	8	0.57	238	0.129	<20	0.94	0.070	0.48	<0.1	0.01	0.3	<0.05	2.3	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Appendix IV.III – Core Chip Assay Certificates

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: May 25, 2012
Report Date: June 25, 2012
Page: 1 of 7

CERTIFICATE OF ANALYSIS WHI12000049.3

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET001
P.O. Number
Number of Samples: 160

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	144	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	160	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	160	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
G6	2	Lead collection fire assay fusion - Grav finish	30	Completed	VAN

ADDITIONAL COMMENTS

Version 3 : G613-Ag included.

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Dayna
Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

CERTIFICATE OF ANALYSIS WHI12000049.3

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1400001	Rock	1.68	<2	0.8	33.9	5.3	74	0.2	7.0	13.4	624	3.33	4.4	2.1	<0.5	9.0	33	<0.1	1.9	1.6	87
1400002	Rock	3.13	<2	0.5	27.6	3.5	71	0.1	6.2	14.8	795	3.77	1.6	1.6	<0.5	9.3	112	<0.1	1.1	3.2	104
1400003	Rock	1.38	128	0.7	37.5	3.5	55	0.4	4.5	11.7	613	2.99	1478	2.0	107.7	7.5	93	<0.1	2.9	0.7	75
1400004	Rock	1.77	130	0.7	36.7	31.7	138	2.2	5.0	13.9	1937	3.86	1457	1.8	113.9	6.1	61	0.7	6.1	0.7	62
1400005	Rock	2.43	67	1.3	33.6	52.9	234	2.6	6.1	13.1	1349	3.33	1075	1.6	73.7	9.1	50	2.2	6.2	0.8	63
1400006	Rock	1.74	<2	1.2	35.6	3.4	81	0.2	6.2	12.8	561	3.13	14.4	2.0	1.1	7.0	77	<0.1	2.0	1.0	87
1400007	Rock	2.00	<2	1.4	26.4	2.6	61	<0.1	5.5	11.0	478	2.77	6.4	1.7	3.2	7.2	68	<0.1	0.5	0.8	83
1400008	Rock	2.31	<2	1.5	33.9	2.8	77	<0.1	6.2	14.8	645	3.49	13.4	2.0	0.8	8.6	85	<0.1	0.9	1.1	108
1400009	Rock	2.09	<2	2.1	41.5	3.1	67	0.1	6.0	10.9	526	2.73	12.7	2.0	<0.5	9.8	97	<0.1	0.8	5.2	76
1400010	Rock	2.10	<2	1.8	57.9	3.3	59	0.2	5.2	9.1	449	2.22	2.8	1.8	<0.5	9.8	76	<0.1	0.6	12.0	58
1400011	Rock	2.21	7	1.2	24.5	18.5	166	0.4	5.2	11.7	877	2.92	164.8	1.9	4.1	11.0	75	0.6	6.0	1.0	65
1400012	Rock	2.10	187	1.1	33.1	199.5	557	5.2	6.5	15.3	1919	3.83	2339	2.0	165.1	9.7	86	6.0	19.2	0.9	58
1400013	Rock	1.83	197	1.0	45.8	653.5	1965	19.7	6.7	17.1	3565	5.21	1996	2.2	176.4	7.6	39	18.9	14.4	1.2	51
1400014	Rock	2.07	192	1.5	45.9	228.3	909	5.0	7.1	17.5	2188	4.27	2433	1.4	168.8	8.0	72	11.3	35.7	2.6	62
1400015	Rock	1.96	9	1.4	44.6	10.9	283	0.3	6.3	15.4	752	3.62	38.6	2.3	7.9	10.6	55	0.5	9.1	3.0	90
1400016	Rock	1.96	4	1.4	44.4	13.9	315	0.2	5.8	17.2	1195	3.91	28.0	2.4	3.5	5.9	57	0.7	10.3	2.5	102
1400017	Rock	2.10	83	2.1	20.1	187.6	2148	3.0	6.6	18.2	3637	4.22	614.4	3.0	77.4	5.3	41	17.5	6.4	0.6	50
1400018	Rock	1.76	152	3.3	11.8	140.2	729	5.2	2.7	2.6	154	2.94	1881	3.3	156.9	4.1	30	10.4	5.9	0.7	16
1400019	Rock	1.84	603	205.8	151.7	2685	6517	>100	4.3	9.0	1765	4.72	8313	2.7	583.3	4.1	48	88.0	66.6	0.8	18
1400020	Rock Pulp	0.13	<2	2.3	23.5	2.6	43	0.3	22.3	10.3	384	2.30	6.0	0.2	1.7	0.8	36	0.2	0.2	<0.1	57
1400021	Rock Pulp	0.13	1516	8.1	45.8	5.8	51	0.3	31.8	9.1	469	3.11	7.6	0.2	1166	0.8	40	0.1	0.8	0.1	63
1400022	Rock	1.89	818	16.5	41.1	1009	1342	21.0	5.8	14.3	2460	3.92	9555	2.1	744.0	7.5	98	28.7	57.9	0.4	14
1400023	Rock	2.11	49	3.4	32.6	27.2	161	0.8	6.8	17.9	1060	4.17	680.5	4.0	39.6	9.1	120	1.0	4.1	0.3	100
1400024	Rock	0.69	9	2.8	24.2	14.0	130	0.3	6.6	13.7	638	3.17	116.0	2.8	10.6	9.9	68	0.8	1.8	0.3	87
1400025	Rock	1.36	4	3.1	28.3	9.7	128	0.2	6.9	14.8	661	3.32	75.5	3.0	6.5	10.8	74	0.6	1.3	0.3	94
1400026	Rock	2.06	<2	2.7	23.8	5.5	99	0.1	6.6	15.1	750	3.50	18.8	3.4	1.7	11.9	92	0.3	1.0	0.2	97
1400027	Rock	1.96	12	2.7	23.8	11.1	128	0.5	7.1	15.5	978	3.58	215.3	2.9	10.9	9.6	106	0.4	1.8	0.1	98
1400028	Rock	2.16	<2	2.4	25.5	3.8	90	<0.1	7.3	14.5	663	3.46	5.3	3.3	2.6	6.8	105	0.1	0.6	<0.1	106
1400029	Rock	2.04	<2	2.6	23.3	3.7	73	<0.1	6.3	12.4	543	3.05	3.8	3.1	1.9	6.6	80	<0.1	0.3	<0.1	92
1400030	Rock	2.07	<2	2.3	25.4	9.5	78	0.3	6.8	15.1	704	3.51	6.1	2.6	1.0	8.4	99	0.1	0.8	0.6	101

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

CERTIFICATE OF ANALYSIS WHI12000049.3

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1400001	Rock	0.59	0.064	16	16	0.74	929	0.160	<20	1.64	0.092	0.51	0.4	0.03	0.4	<0.05	9.7	<0.5	5	<0.2	N.A.
1400002	Rock	2.00	0.062	18	18	0.89	1143	0.188	<20	1.78	0.119	0.73	0.4	0.04	0.5	0.08	13.6	<0.5	5	<0.2	N.A.
1400003	Rock	1.91	0.052	12	13	0.79	846	0.152	<20	1.42	0.135	0.61	0.8	0.02	0.4	0.16	8.3	<0.5	4	<0.2	N.A.
1400004	Rock	2.56	0.059	13	10	0.92	284	0.024	<20	0.75	0.023	0.30	0.3	0.07	0.5	0.32	11.0	<0.5	2	<0.2	N.A.
1400005	Rock	1.48	0.062	14	13	0.71	698	0.095	<20	1.18	0.087	0.48	0.5	0.09	0.5	0.17	7.8	<0.5	4	<0.2	N.A.
1400006	Rock	1.61	0.059	15	18	0.98	943	0.157	<20	1.70	0.123	0.63	0.3	0.02	0.4	0.05	8.5	<0.5	5	<0.2	N.A.
1400007	Rock	1.25	0.062	12	18	0.91	1065	0.213	<20	1.80	0.189	0.77	0.3	<0.01	0.5	0.06	6.0	<0.5	5	<0.2	N.A.
1400008	Rock	1.48	0.071	15	22	1.11	1295	0.225	<20	1.94	0.124	0.84	0.3	0.02	0.5	0.07	10.4	<0.5	6	<0.2	N.A.
1400009	Rock	1.48	0.050	14	17	0.79	1282	0.150	<20	1.74	0.183	0.56	1.9	0.02	0.4	0.06	7.8	<0.5	5	<0.2	N.A.
1400010	Rock	1.23	0.042	13	15	0.69	762	0.143	<20	1.45	0.170	0.51	1.8	0.02	0.3	0.05	5.1	<0.5	5	<0.2	N.A.
1400011	Rock	1.69	0.052	15	13	0.79	724	0.115	<20	1.30	0.119	0.53	0.4	0.04	0.5	0.23	7.0	<0.5	4	<0.2	N.A.
1400012	Rock	2.59	0.061	11	12	0.96	223	0.010	<20	0.65	0.015	0.24	0.3	0.11	0.4	0.90	11.3	<0.5	2	<0.2	N.A.
1400013	Rock	2.35	0.062	9	10	0.81	39	<0.001	<20	0.49	0.007	0.19	0.3	0.10	0.5	1.86	12.5	<0.5	1	<0.2	N.A.
1400014	Rock	2.27	0.075	12	13	1.06	56	0.071	<20	0.82	0.039	0.47	0.4	0.08	0.7	1.72	11.1	<0.5	3	<0.2	N.A.
1400015	Rock	1.71	0.065	16	18	0.84	827	0.116	<20	1.54	0.092	0.54	0.7	0.10	0.5	0.24	11.6	<0.5	5	<0.2	N.A.
1400016	Rock	3.18	0.063	9	17	1.21	601	<0.001	<20	0.64	0.005	0.05	0.1	0.20	0.3	0.34	19.3	<0.5	2	<0.2	N.A.
1400017	Rock	3.87	0.044	8	9	1.22	106	<0.001	<20	0.60	0.008	0.14	0.2	0.17	0.6	1.36	11.1	<0.5	1	<0.2	N.A.
1400018	Rock	1.30	0.043	4	5	0.06	152	<0.001	<20	0.36	0.007	0.22	0.4	0.10	0.4	1.32	4.8	<0.5	<1	<0.2	N.A.
1400019	Rock	2.76	0.035	3	4	0.72	26	<0.001	<20	0.38	0.014	0.25	1.4	0.74	1.0	3.99	7.2	<0.5	1	<0.2	90
1400020	Rock Pulp	0.76	0.057	4	31	0.77	91	0.114	<20	1.50	0.073	0.13	13.7	0.01	<0.1	<0.05	4.2	<0.5	5	<0.2	N.A.
1400021	Rock Pulp	0.80	0.057	5	34	0.83	100	0.124	<20	1.65	0.097	0.15	0.2	0.08	<0.1	<0.05	4.7	<0.5	6	<0.2	N.A.
1400022	Rock	3.50	0.058	6	4	1.28	67	<0.001	<20	0.35	0.005	0.20	0.9	0.11	0.3	2.66	9.6	<0.5	<1	<0.2	N.A.
1400023	Rock	2.80	0.070	21	19	1.52	716	0.103	<20	1.64	0.098	0.56	0.2	0.05	0.4	0.27	14.5	<0.5	5	<0.2	N.A.
1400024	Rock	1.34	0.069	17	21	1.13	926	0.176	<20	1.75	0.155	0.65	0.4	0.02	0.4	0.07	8.0	<0.5	6	<0.2	N.A.
1400025	Rock	1.44	0.072	19	22	1.19	977	0.178	<20	1.82	0.161	0.68	0.3	0.02	0.4	0.07	8.9	<0.5	6	<0.2	N.A.
1400026	Rock	1.87	0.069	19	22	1.34	851	0.155	<20	1.84	0.159	0.61	0.3	<0.01	0.4	0.06	9.8	<0.5	6	<0.2	N.A.
1400027	Rock	2.29	0.072	19	24	1.43	606	0.094	<20	1.85	0.096	0.41	0.3	<0.01	0.3	0.22	11.1	<0.5	6	<0.2	N.A.
1400028	Rock	1.73	0.070	19	26	1.40	1211	0.189	<20	2.16	0.198	0.73	0.3	<0.01	0.4	0.06	9.0	<0.5	7	<0.2	N.A.
1400029	Rock	1.24	0.068	16	24	1.18	1056	0.201	<20	1.99	0.221	0.76	0.4	<0.01	0.4	<0.05	6.6	<0.5	6	<0.2	N.A.
1400030	Rock	1.87	0.073	18	24	1.32	1039	0.194	<20	2.02	0.170	0.73	0.4	<0.01	0.4	0.08	9.4	<0.5	7	<0.2	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

CERTIFICATE OF ANALYSIS WHI12000049.3

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1400031	Rock	1.90	<2	2.5	27.3	3.4	78	<0.1	7.1	14.6	723	3.44	2.7	3.2	1.3	7.2	79	<0.1	0.5	<0.1	100
1400032	Rock	2.11	<2	2.6	28.1	3.8	75	<0.1	7.4	13.8	614	3.33	2.8	2.8	<0.5	7.5	74	<0.1	0.3	0.1	100
1400033	Rock	1.87	<2	3.2	34.2	4.3	68	0.1	7.1	13.6	582	3.23	4.0	2.6	<0.5	6.7	73	<0.1	0.1	0.1	100
1400034	Rock	1.81	<2	2.9	29.4	5.4	77	<0.1	7.2	14.9	616	3.52	18.2	2.1	3.2	8.0	83	<0.1	0.3	0.1	107
1400035	Rock	1.95	<2	2.4	25.9	3.3	72	<0.1	7.7	14.1	589	3.32	14.0	2.4	0.8	8.7	73	0.1	0.5	<0.1	98
1400036	Rock	2.25	<2	2.3	26.0	3.6	76	<0.1	6.8	15.1	741	3.68	14.3	2.6	<0.5	9.9	112	0.1	1.5	0.1	105
1400037	Rock	2.15	9	5.8	31.5	46.1	152	1.6	7.9	18.9	1190	4.48	83.0	2.4	8.1	7.8	87	0.5	4.4	0.2	100
1400038	Rock	1.85	9	2.0	20.6	38.2	442	0.4	6.6	17.3	1854	4.14	93.6	2.1	9.3	10.3	47	0.7	3.0	0.1	89
1400039	Rock	2.10	56	1.7	36.5	621.4	3047	12.5	6.1	15.0	2851	4.22	212.1	2.4	52.6	7.6	56	33.6	6.0	0.3	77
1400040	Rock Pulp	0.13	<2	2.5	25.3	1.6	41	0.3	23.9	10.7	402	2.43	5.0	0.2	<0.5	0.9	38	0.2	0.2	<0.1	60
1400041	Rock Pulp	0.12	1445	7.9	46.7	5.7	50	0.2	31.0	8.9	472	3.15	6.7	0.3	1007	0.9	39	0.1	0.8	0.1	67
1400042	Rock	2.01	263	3.3	30.2	1430	4715	33.2	5.1	12.3	2606	5.06	1401	2.2	269.6	4.2	48	33.7	8.5	<0.1	23
1400043	Rock	2.18	502	16.4	45.0	2478	9007	33.5	5.8	10.5	920	5.23	1527	2.3	424.1	3.9	24	99.9	12.5	<0.1	12
1400044	Rock	2.07	5	2.5	12.7	36.7	413	0.4	4.8	8.7	1169	3.06	141.0	2.1	5.4	5.5	40	1.0	4.3	<0.1	46
1400045	Rock	2.02	23	2.6	19.9	439.4	381	5.0	5.3	10.2	2382	3.01	121.5	1.7	20.6	6.9	32	3.4	4.1	<0.1	35
1400046	Rock	2.04	7	2.5	13.8	24.9	112	0.4	5.0	9.3	985	2.78	87.7	1.5	8.0	5.7	30	0.3	3.4	0.1	43
1400047	Rock	2.07	48	2.2	14.9	22.8	90	1.4	5.8	10.8	1611	3.08	416.7	1.5	45.3	6.6	26	0.4	3.1	0.2	28
1400048	Rock	2.24	133	1.8	13.4	45.5	110	0.8	4.9	10.1	1514	3.15	2169	1.9	111.8	7.0	82	0.5	3.8	<0.1	38
1400049	Rock	2.08	114	0.8	5.0	275.3	95	4.2	5.9	11.4	1219	3.34	1229	3.2	113.4	9.1	130	0.5	2.7	<0.1	51
1400050	Rock	2.12	4	0.8	3.1	7.8	65	<0.1	5.4	10.8	881	3.38	21.0	2.9	7.4	10.0	100	<0.1	0.7	<0.1	77
1400051	Rock	2.22	49	0.7	6.2	357.1	829	4.3	5.1	10.2	1037	3.21	50.7	7.0	190.3	9.1	141	11.2	2.1	<0.1	56
1400052	Rock	1.88	15	0.5	13.9	58.5	163	0.8	4.9	10.2	974	3.02	18.3	5.1	12.4	9.0	136	1.8	1.4	<0.1	59
1400053	Rock	2.19	<2	0.6	9.5	8.6	62	0.1	6.1	10.6	809	3.12	4.1	3.1	<0.5	9.1	112	<0.1	0.8	<0.1	70
1400054	Rock	2.34	<2	0.9	16.5	9.0	66	0.1	6.1	10.7	790	3.15	3.8	1.9	1.9	9.4	113	0.2	0.8	<0.1	76
1400055	Rock	2.33	<2	0.8	5.3	6.2	60	<0.1	6.2	10.9	819	3.54	2.9	1.4	1.3	9.4	117	<0.1	0.5	<0.1	84
1400056	Rock	2.11	11	0.8	12.7	299.8	515	3.8	6.4	11.5	1033	3.36	26.3	2.8	12.0	9.1	127	7.3	2.0	<0.1	75
1400057	Rock	2.04	<2	0.9	5.3	7.1	55	<0.1	6.0	10.2	816	3.37	2.4	1.6	<0.5	9.0	115	<0.1	0.4	<0.1	83
1400058	Rock	2.09	<2	1.1	6.6	12.2	54	0.1	5.7	10.1	1076	3.24	4.7	2.7	2.0	8.3	191	<0.1	0.4	<0.1	74
1400059	Rock	2.15	<2	1.3	29.6	5.6	58	0.1	5.6	13.7	884	3.64	4.6	2.6	0.9	8.4	129	0.1	1.1	0.1	92
1400060	Rock Pulp	0.12	<2	2.3	24.5	2.3	43	0.2	22.9	9.7	401	2.38	4.3	0.2	1.5	0.8	39	0.2	0.2	<0.1	59

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

CERTIFICATE OF ANALYSIS WHI12000049.3

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1400031	Rock	1.73	0.069	16	25	1.38	993	0.193	<20	1.97	0.152	0.73	0.3	<0.01	0.4	<0.05	8.7	<0.5	7	<0.2	N.A.
1400032	Rock	1.39	0.075	17	27	1.24	1069	0.213	<20	2.05	0.202	0.80	0.4	<0.01	0.4	<0.05	7.8	<0.5	7	<0.2	N.A.
1400033	Rock	1.57	0.071	14	30	1.21	938	0.188	<20	2.00	0.191	0.67	1.0	<0.01	0.3	0.06	6.4	<0.5	7	<0.2	N.A.
1400034	Rock	1.56	0.080	15	29	1.26	1098	0.217	<20	2.14	0.207	0.83	0.6	<0.01	0.4	<0.05	8.2	<0.5	7	<0.2	N.A.
1400035	Rock	1.37	0.076	14	26	1.25	1170	0.213	<20	2.00	0.187	0.77	0.3	<0.01	0.4	<0.05	7.7	<0.5	7	<0.2	N.A.
1400036	Rock	2.08	0.075	17	24	1.36	919	0.157	<20	1.91	0.140	0.63	0.2	<0.01	0.3	<0.05	11.1	<0.5	6	<0.2	N.A.
1400037	Rock	2.63	0.085	17	21	1.58	664	0.092	<20	1.59	0.077	0.53	0.1	0.05	0.4	0.20	14.2	<0.5	6	<0.2	N.A.
1400038	Rock	2.49	0.075	16	15	1.12	99	<0.001	<20	0.62	0.007	0.16	<0.1	0.08	0.3	0.50	17.7	<0.5	2	<0.2	N.A.
1400039	Rock	3.63	0.060	9	14	1.63	28	<0.001	<20	0.67	0.009	0.16	0.1	0.06	0.5	1.96	15.6	<0.5	2	<0.2	N.A.
1400040	Rock Pulp	0.81	0.060	4	30	0.81	93	0.118	<20	1.57	0.077	0.13	12.3	<0.01	<0.1	<0.05	4.6	<0.5	5	<0.2	N.A.
1400041	Rock Pulp	0.83	0.056	4	33	0.83	103	0.129	<20	1.71	0.098	0.15	0.2	0.06	<0.1	<0.05	5.3	<0.5	6	<0.2	N.A.
1400042	Rock	3.42	0.051	3	6	1.21	44	<0.001	<20	0.41	0.013	0.20	0.3	0.10	0.4	3.52	6.6	<0.5	1	<0.2	N.A.
1400043	Rock	0.98	0.052	6	5	0.36	50	<0.001	<20	0.39	0.017	0.23	0.3	0.34	0.4	4.30	3.4	<0.5	2	<0.2	N.A.
1400044	Rock	2.77	0.062	9	7	1.18	1353	0.002	<20	0.60	0.004	0.09	<0.1	0.12	0.1	0.19	7.3	<0.5	2	<0.2	N.A.
1400045	Rock	2.08	0.075	9	7	0.92	399	<0.001	<20	0.63	0.004	0.18	<0.1	0.08	0.2	0.42	6.0	<0.5	2	<0.2	N.A.
1400046	Rock	1.35	0.070	7	8	0.61	486	0.001	<20	0.69	0.004	0.12	<0.1	0.11	0.1	0.18	7.6	<0.5	2	<0.2	N.A.
1400047	Rock	1.56	0.077	10	6	0.63	60	<0.001	<20	0.61	0.004	0.21	0.1	0.06	0.4	1.37	5.8	<0.5	2	<0.2	N.A.
1400048	Rock	3.13	0.066	9	8	1.22	334	<0.001	<20	0.63	0.005	0.19	0.1	0.07	0.2	0.76	8.6	<0.5	2	<0.2	N.A.
1400049	Rock	3.57	0.075	20	9	1.49	449	0.061	<20	1.10	0.021	0.48	0.2	0.03	0.3	0.56	8.1	<0.5	4	<0.2	N.A.
1400050	Rock	2.39	0.080	23	12	1.14	747	0.160	<20	1.76	0.059	0.85	0.2	<0.01	0.4	0.07	10.3	<0.5	7	<0.2	N.A.
1400051	Rock	4.03	0.070	24	8	1.38	278	0.058	<20	1.14	0.020	0.43	0.1	0.03	0.2	0.45	8.3	<0.5	4	<0.2	N.A.
1400052	Rock	3.72	0.074	25	9	1.36	1554	0.076	<20	1.25	0.026	0.54	0.1	0.02	0.3	0.24	9.1	<0.5	5	<0.2	N.A.
1400053	Rock	2.65	0.076	24	10	1.26	937	0.156	<20	1.73	0.034	0.88	0.1	0.02	0.4	0.08	10.1	<0.5	7	<0.2	N.A.
1400054	Rock	2.35	0.076	21	14	1.21	1061	0.179	<20	2.03	0.072	0.96	0.1	<0.01	0.4	0.06	10.5	<0.5	8	<0.2	N.A.
1400055	Rock	2.21	0.078	22	15	1.30	979	0.177	<20	2.27	0.097	0.96	<0.1	<0.01	0.4	<0.05	10.9	<0.5	8	<0.2	N.A.
1400056	Rock	2.70	0.077	21	13	1.29	970	0.152	<20	1.96	0.074	0.85	0.1	0.01	0.4	0.36	10.1	<0.5	7	<0.2	N.A.
1400057	Rock	2.17	0.078	21	14	1.32	1006	0.166	<20	2.18	0.097	0.94	0.1	<0.01	0.4	<0.05	10.8	<0.5	8	<0.2	N.A.
1400058	Rock	3.29	0.081	19	13	1.17	940	0.113	<20	2.30	0.119	0.79	0.1	<0.01	0.4	0.08	9.0	<0.5	7	<0.2	N.A.
1400059	Rock	2.25	0.066	19	18	1.14	814	0.161	<20	2.00	0.114	0.80	0.2	<0.01	0.5	0.12	13.4	<0.5	7	<0.2	N.A.
1400060	Rock Pulp	0.80	0.060	4	29	0.80	95	0.114	<20	1.53	0.077	0.13	11.9	0.02	<0.1	<0.05	4.7	<0.5	5	<0.2	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

CERTIFICATE OF ANALYSIS WHI12000049.3

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1400061	Rock Pulp	0.13	1498	7.8	47.8	6.1	49	0.2	30.9	9.2	490	3.18	7.7	0.3	621.3	0.9	42	<0.1	0.8	0.1	65
1400062	Rock	2.04	6	1.1	23.4	11.5	64	0.3	6.2	14.8	1426	3.67	13.7	4.7	3.5	10.0	162	0.2	0.7	0.2	92
1400063	Rock	2.20	<2	1.5	27.8	7.3	48	0.1	4.1	9.5	642	2.72	5.1	4.1	0.6	13.0	120	0.1	0.6	4.3	68
1400064	Rock	2.12	12	1.0	29.2	69.4	63	0.9	4.9	13.7	890	3.07	25.8	4.4	10.6	9.4	118	0.2	1.7	1.8	91
1400065	Rock	2.18	11	1.4	26.5	55.7	142	1.6	5.7	15.6	947	3.78	33.4	2.9	11.8	10.8	133	0.9	0.8	1.1	107
1400066	Rock	2.04	<2	1.7	20.0	5.1	60	0.1	5.3	14.1	831	3.66	5.5	3.7	1.4	8.5	126	<0.1	0.8	0.6	108
1400067	Rock	1.93	<2	1.8	22.2	3.8	54	<0.1	6.0	13.6	675	3.47	1.8	2.1	1.0	9.3	117	<0.1	0.5	0.3	110
1400068	Rock	2.00	<2	1.3	27.3	5.2	59	<0.1	5.6	14.2	843	3.70	3.0	3.4	<0.5	9.8	134	<0.1	0.6	1.1	119
1400069	Rock	2.11	<2	1.3	34.0	4.0	64	<0.1	6.6	16.8	883	4.24	3.1	2.5	<0.5	10.2	133	<0.1	0.6	0.5	132
1400070	Rock	2.38	<2	0.9	26.7	6.3	56	<0.1	6.1	16.1	1025	3.76	15.9	3.6	1.6	8.5	142	0.1	1.6	0.4	101
1400071	Rock	1.87	<2	1.0	21.8	6.0	58	<0.1	5.9	15.8	811	3.67	17.0	2.5	0.6	8.2	105	<0.1	1.7	0.3	98
1400072	Rock	2.23	2	1.1	26.9	5.1	64	<0.1	6.3	17.4	797	4.00	6.8	3.6	0.5	8.5	132	<0.1	1.5	0.4	113
1400073	Rock	2.23	<2	0.9	14.4	4.7	53	<0.1	4.9	13.3	887	3.40	3.6	2.4	<0.5	7.5	139	<0.1	0.9	0.4	95
1400074	Rock	1.00	<2	0.9	40.1	5.1	81	0.1	7.4	23.4	1261	5.69	4.5	2.4	<0.5	9.6	178	<0.1	1.4	0.8	181
1400075	Rock	1.26	<2	0.8	40.1	5.3	80	0.1	7.6	23.3	1259	5.67	4.6	2.6	1.2	9.7	192	0.1	1.4	0.5	179
1400076	Rock	1.95	5	2.2	29.3	56.3	137	1.2	7.0	17.5	1032	4.46	20.9	3.2	4.3	7.9	183	1.0	1.2	0.8	120
1400077	Rock	1.84	<2	1.0	5.6	15.7	65	0.1	6.2	10.8	827	3.27	10.8	1.7	0.8	7.8	74	0.7	1.0	<0.1	64
1400078	Rock	2.25	<2	1.1	7.4	22.8	67	0.2	6.5	11.2	1021	3.47	14.9	2.1	<0.5	6.5	85	0.2	0.9	<0.1	60
1400079	Rock	2.17	59	1.3	13.6	61.9	145	1.1	8.2	13.1	1460	3.68	792.8	1.9	56.1	6.9	77	1.1	2.0	0.1	56
1400080	Rock Pulp	0.13	<2	2.5	23.8	2.2	42	0.2	24.6	10.9	394	2.43	6.5	0.2	2.3	0.8	31	0.1	0.2	<0.1	58
1400081	Rock Pulp	0.14	4005	9.0	65.2	545.7	1536	52.5	31.2	8.5	386	3.24	30.4	0.2	3202	0.9	25	15.3	36.4	0.8	53
1400082	Rock	2.06	41	2.3	8.9	25.5	88	0.5	6.2	11.1	1065	3.29	539.8	2.0	34.7	8.1	87	0.5	1.8	0.1	54
1400083	Rock	2.41	5	2.8	11.4	41.1	97	0.6	6.2	10.8	819	3.31	10.2	1.6	1.2	9.0	110	0.7	0.7	0.2	70
1400084	Rock	2.21	6	3.0	10.2	84.4	125	1.2	5.8	9.8	936	3.13	19.7	1.7	4.0	8.0	110	1.2	1.3	0.1	50
1400085	Rock	2.08	16	3.1	13.4	71.5	207	1.4	5.2	10.5	1311	3.16	99.2	2.0	9.2	7.6	97	1.9	1.9	0.2	39
1400086	Rock	2.31	9	2.5	13.9	103.0	149	1.2	5.7	11.8	804	3.40	19.7	1.9	6.0	7.1	89	1.1	1.8	0.1	76
1400087	Rock	2.34	<2	1.2	14.2	6.1	62	0.1	5.5	16.7	951	4.18	2.9	2.9	1.7	7.1	248	0.1	2.3	<0.1	105
1400088	Rock	2.00	22	1.0	22.5	323.6	234	4.0	6.4	17.3	1173	4.69	81.6	3.3	20.2	7.5	194	2.4	3.6	0.1	94
1400089	Rock	1.96	<2	1.5	27.5	7.9	62	0.2	6.6	18.7	818	4.01	5.2	2.4	2.1	9.4	181	0.1	2.9	0.1	108
1400090	Rock	2.26	107	1.6	20.6	653.2	774	9.2	5.1	12.7	2438	3.98	1108	3.3	88.4	7.6	146	11.0	4.4	0.1	37

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

CERTIFICATE OF ANALYSIS WHI12000049.3

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1400061	Rock Pulp	0.82	0.060	4	33	0.84	104	0.126	<20	1.72	0.098	0.15	0.2	0.06	<0.1	<0.05	5.2	<0.5	6	<0.2	N.A.
1400062	Rock	3.29	0.063	19	18	1.18	928	0.132	<20	1.66	0.073	0.65	0.3	<0.01	0.4	0.26	12.6	<0.5	6	<0.2	N.A.
1400063	Rock	1.69	0.041	15	17	0.91	531	0.113	<20	1.71	0.129	0.52	0.4	<0.01	0.3	0.07	8.9	<0.5	6	<0.2	N.A.
1400064	Rock	2.56	0.066	23	16	0.98	731	0.099	<20	1.71	0.049	0.49	0.1	0.05	0.4	0.21	15.2	<0.5	6	<0.2	N.A.
1400065	Rock	2.13	0.063	19	21	1.33	1035	0.183	<20	2.18	0.135	0.77	0.3	0.04	0.4	0.27	12.4	<0.5	7	<0.2	N.A.
1400066	Rock	1.79	0.062	18	21	1.45	1023	0.185	<20	2.14	0.123	0.76	0.2	0.02	0.4	0.08	13.5	<0.5	7	<0.2	N.A.
1400067	Rock	1.55	0.066	17	24	1.49	1586	0.216	<20	2.27	0.203	0.81	0.2	<0.01	0.4	0.06	11.4	<0.5	8	<0.2	N.A.
1400068	Rock	1.89	0.063	17	22	1.81	1329	0.177	<20	2.32	0.142	0.69	0.2	<0.01	0.3	0.06	13.2	<0.5	8	<0.2	N.A.
1400069	Rock	1.98	0.063	21	20	2.00	1689	0.214	<20	2.48	0.143	0.83	0.1	<0.01	0.5	0.08	14.9	<0.5	8	<0.2	N.A.
1400070	Rock	2.88	0.053	22	19	1.38	649	0.090	<20	2.09	0.065	0.45	<0.1	0.03	0.4	0.10	13.6	<0.5	6	<0.2	N.A.
1400071	Rock	1.94	0.064	21	20	1.17	710	0.110	<20	2.04	0.062	0.50	0.1	0.05	0.5	0.11	14.5	<0.5	7	<0.2	N.A.
1400072	Rock	1.88	0.063	21	23	1.69	898	0.161	<20	2.40	0.096	0.68	0.1	0.03	0.5	0.09	15.4	<0.5	8	<0.2	N.A.
1400073	Rock	2.17	0.050	18	20	1.49	528	0.126	<20	2.08	0.066	0.63	0.1	<0.01	0.4	0.05	11.8	<0.5	7	<0.2	N.A.
1400074	Rock	2.93	0.084	25	32	2.58	1262	0.189	<20	3.01	0.038	0.86	0.2	<0.01	0.6	0.09	20.8	<0.5	10	<0.2	N.A.
1400075	Rock	2.97	0.090	26	33	2.58	1193	0.180	<20	3.06	0.038	0.83	0.2	<0.01	0.6	0.09	20.8	<0.5	11	<0.2	N.A.
1400076	Rock	3.01	0.065	21	23	2.07	673	0.075	<20	2.75	0.032	0.51	0.1	0.02	0.3	0.11	15.5	<0.5	9	<0.2	N.A.
1400077	Rock	2.34	0.063	15	12	1.05	127	0.013	<20	1.28	0.013	0.15	<0.1	0.13	0.1	<0.05	8.6	<0.5	5	<0.2	N.A.
1400078	Rock	2.59	0.071	9	12	1.12	254	0.002	<20	0.81	0.005	0.08	<0.1	0.20	0.2	0.08	10.2	<0.5	2	<0.2	N.A.
1400079	Rock	2.45	0.073	10	16	1.04	98	<0.001	<20	0.84	0.007	0.14	<0.1	0.09	0.3	0.46	9.6	<0.5	3	<0.2	N.A.
1400080	Rock Pulp	0.79	0.057	4	31	0.77	92	0.103	<20	1.53	0.075	0.13	12.7	<0.01	<0.1	<0.05	4.3	<0.5	5	<0.2	N.A.
1400081	Rock Pulp	0.67	0.047	5	27	0.58	100	0.092	<20	1.16	0.074	0.11	2.1	0.22	1.1	0.34	4.2	<0.5	6	<0.2	N.A.
1400082	Rock	2.25	0.071	16	12	0.94	646	0.019	<20	1.20	0.031	0.30	<0.1	0.07	0.3	0.34	8.1	<0.5	4	<0.2	N.A.
1400083	Rock	2.51	0.072	21	18	1.15	327	0.062	<20	1.98	0.058	0.44	<0.1	<0.01	0.2	0.08	7.3	<0.5	8	<0.2	N.A.
1400084	Rock	2.80	0.072	20	14	1.08	180	0.008	<20	1.39	0.038	0.24	<0.1	0.02	0.2	0.17	5.8	<0.5	5	<0.2	N.A.
1400085	Rock	2.88	0.077	20	10	0.98	198	0.006	<20	1.13	0.014	0.27	<0.1	0.03	0.2	0.61	5.7	<0.5	4	<0.2	N.A.
1400086	Rock	2.40	0.071	20	14	1.21	325	0.055	<20	1.58	0.029	0.48	<0.1	0.05	0.4	0.18	10.3	<0.5	6	<0.2	N.A.
1400087	Rock	4.30	0.067	19	21	1.36	712	0.057	<20	1.91	0.051	0.45	<0.1	0.03	0.3	0.06	14.8	<0.5	7	<0.2	N.A.
1400088	Rock	4.08	0.070	17	16	1.83	526	0.048	<20	1.69	0.016	0.43	0.1	0.08	0.5	0.57	14.5	<0.5	6	<0.2	N.A.
1400089	Rock	2.84	0.067	18	23	1.40	853	0.127	<20	1.95	0.094	0.67	0.5	0.04	0.5	0.11	15.6	<0.5	7	<0.2	N.A.
1400090	Rock	4.58	0.068	10	8	1.75	159	0.006	<20	0.83	0.010	0.30	<0.1	0.06	0.4	1.58	9.0	<0.5	3	<0.2	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

CERTIFICATE OF ANALYSIS WHI12000049.3

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1400091	Rock	2.11	657	3.0	62.0	5112	5289	78.6	5.6	12.1	1273	5.79	2545	1.7	591.0	5.7	246	78.5	28.3	0.2	34
1400092	Rock	2.17	24	1.4	32.1	164.3	353	2.8	5.1	18.2	1873	4.47	139.3	2.8	24.9	7.4	87	3.2	5.8	<0.1	101
1400093	Rock	2.10	<2	2.2	26.6	14.4	70	0.2	6.7	17.0	791	4.14	5.7	2.2	2.5	9.3	145	0.2	3.7	<0.1	114
1400094	Rock	2.04	<2	1.7	22.3	5.3	59	0.1	5.9	16.2	887	4.14	4.9	2.1	<0.5	8.5	147	0.1	3.4	<0.1	100
1400095	Rock	2.27	<2	1.3	28.8	6.9	73	0.1	6.9	20.1	940	4.64	5.8	2.8	<0.5	9.1	98	0.1	3.7	<0.1	118
1400096	Rock	1.82	72	1.0	33.0	302.7	366	5.2	6.3	19.4	1388	4.22	77.2	2.0	64.1	7.9	136	4.0	5.7	<0.1	97
1400097	Rock	1.76	4	2.1	31.4	21.5	76	0.4	6.3	15.1	676	3.59	5.6	1.9	4.3	9.0	105	0.3	2.0	<0.1	99
1400098	Rock	2.16	42	2.2	29.1	65.8	109	1.3	6.3	16.1	1072	3.68	74.8	2.2	41.9	8.0	81	0.7	2.8	<0.1	102
1400099	Rock	2.14	<2	2.4	28.8	8.4	70	0.2	6.7	16.7	706	4.36	4.2	2.6	1.8	7.9	90	0.1	2.6	<0.1	120
1400100	Rock Pulp	0.13	34	2.6	22.9	2.3	41	0.3	22.6	10.2	388	2.39	4.8	0.2	1.3	0.9	31	0.1	0.1	<0.1	59
1400101	Rock Pulp	0.14	3895	10.1	69.5	586.5	1612	55.9	31.7	8.7	406	3.43	30.7	0.3	3747	1.1	29	15.6	37.7	0.8	56
1400102	Rock	2.23	12	1.7	32.3	104.0	142	1.7	6.9	22.0	1050	5.10	95.5	2.3	9.1	8.0	96	1.1	4.9	<0.1	123
1400103	Rock	2.40	<2	2.8	24.8	4.9	51	0.1	5.8	14.3	646	3.45	3.5	2.0	1.3	8.9	95	<0.1	3.6	0.2	100
1400104	Rock	2.21	<2	2.5	32.6	3.2	58	<0.1	7.2	16.2	649	3.73	1.7	2.7	4.6	8.6	83	<0.1	2.4	0.1	114
1400105	Rock	1.95	<2	2.7	36.9	4.4	77	<0.1	9.1	22.3	1003	5.06	2.4	2.5	1.2	8.2	97	0.1	4.3	0.1	156
1400106	Rock	1.47	185	2.0	50.5	474.5	2238	10.1	5.5	15.1	2337	4.62	2620	5.6	157.2	6.9	120	35.7	29.6	0.1	43
1400108	Rock	1.44	4	1.3	26.2	31.4	162	0.5	10.6	15.3	702	3.45	28.4	1.9	3.9	9.2	71	0.6	1.3	<0.1	100
1400109	Rock	2.50	5	1.0	33.0	19.9	222	0.5	8.4	18.2	908	4.20	24.3	2.2	3.7	10.0	58	0.7	2.2	0.1	118
1400110	Rock	4.51	<2	1.3	26.8	8.0	80	0.2	6.9	16.1	689	3.68	9.3	2.0	1.0	8.8	90	0.2	1.1	0.1	121
1400111	Rock	1.24	<2	1.8	32.8	6.0	58	0.1	6.5	12.5	500	3.06	4.5	2.0	<0.5	7.4	63	0.2	0.5	<0.1	89
1400112	Rock	2.80	<2	1.7	27.1	4.4	56	<0.1	6.5	14.6	569	3.41	3.1	2.3	<0.5	8.6	88	0.1	0.4	<0.1	116
1400113	Rock	2.58	<2	1.2	31.1	3.6	93	<0.1	6.3	16.0	831	3.88	2.8	1.9	<0.5	8.6	102	0.1	0.7	<0.1	129
1400114	Rock	2.70	<2	1.1	30.2	3.8	68	<0.1	6.6	18.4	978	4.32	3.8	1.7	<0.5	8.0	111	0.1	1.2	<0.1	142
1400115	Rock	2.61	<2	0.9	25.2	3.3	82	<0.1	6.2	17.1	816	4.05	4.5	2.0	<0.5	8.6	94	0.2	1.5	<0.1	136
1400116	Rock	2.64	<2	1.3	27.1	3.9	61	<0.1	6.7	16.6	632	3.78	2.1	2.3	<0.5	8.3	99	<0.1	0.8	<0.1	129
1400117	Rock	2.77	<2	1.6	28.0	3.8	59	<0.1	6.7	15.9	754	3.78	2.3	1.9	<0.5	8.4	83	0.1	0.6	<0.1	120
1400118	Rock	2.84	<2	1.6	25.6	3.5	74	<0.1	6.4	15.0	633	3.53	3.5	1.8	<0.5	8.0	79	0.2	0.7	<0.1	115
1400119	Rock	2.36	<2	1.8	26.6	3.8	53	<0.1	6.3	15.3	604	3.38	3.8	2.7	<0.5	8.4	83	0.1	1.8	<0.1	108
1400120	Rock Pulp	0.13	4	2.5	25.0	2.3	44	0.4	23.6	10.3	394	2.38	4.6	0.3	<0.5	0.9	40	0.2	0.2	<0.1	61
1400121	Rock Pulp	0.13	1467	8.5	48.0	5.5	50	0.2	30.1	8.7	461	3.08	7.1	0.3	755.8	0.9	43	<0.1	1.2	<0.1	63

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

CERTIFICATE OF ANALYSIS WHI12000049.3

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1400091	Rock	2.27	0.063	10	8	1.08	74	0.014	<20	0.93	0.012	0.30	0.2	0.24	0.4	4.10	5.8	<0.5	3	<0.2	N.A.
1400092	Rock	4.07	0.074	17	16	1.69	115	0.002	<20	0.95	0.005	0.13	0.1	0.12	0.3	1.10	18.0	<0.5	3	<0.2	N.A.
1400093	Rock	2.11	0.077	20	26	1.33	1444	0.178	<20	2.08	0.139	0.95	0.1	0.01	0.5	0.05	16.6	<0.5	7	<0.2	N.A.
1400094	Rock	2.15	0.066	19	20	1.39	1618	0.157	<20	1.73	0.140	0.86	0.1	0.03	0.6	0.06	14.4	<0.5	5	<0.2	N.A.
1400095	Rock	2.09	0.076	19	23	1.58	1374	0.148	<20	1.71	0.066	0.77	0.1	0.06	0.5	0.09	18.5	<0.5	6	<0.2	N.A.
1400096	Rock	3.26	0.069	20	15	1.53	536	0.028	<20	0.91	0.018	0.28	0.1	0.08	0.5	0.52	17.1	<0.5	3	<0.2	N.A.
1400097	Rock	1.56	0.063	16	25	1.20	1368	0.204	<20	2.07	0.227	0.89	0.5	0.01	0.5	0.06	10.9	<0.5	7	<0.2	N.A.
1400098	Rock	1.56	0.071	14	26	1.32	1419	0.222	<20	1.91	0.173	0.98	0.3	0.01	0.5	0.27	8.7	<0.5	6	<0.2	N.A.
1400099	Rock	1.63	0.081	17	27	1.53	1558	0.212	<20	2.35	0.150	1.02	0.3	0.03	0.6	0.07	12.7	<0.5	8	<0.2	N.A.
1400100	Rock Pulp	0.80	0.055	4	31	0.76	89	0.104	<20	1.53	0.077	0.13	12.0	<0.01	<0.1	<0.05	4.3	<0.5	5	<0.2	N.A.
1400101	Rock Pulp	0.72	0.053	5	29	0.61	106	0.099	<20	1.26	0.081	0.11	2.3	0.22	1.1	0.37	4.3	<0.5	7	<0.2	N.A.
1400102	Rock	2.37	0.081	20	23	1.56	928	0.087	<20	1.74	0.035	0.53	0.1	0.48	1.2	0.29	21.5	<0.5	6	<0.2	N.A.
1400103	Rock	1.54	0.072	15	27	1.15	1414	0.201	<20	2.01	0.199	0.89	0.2	0.03	0.5	0.07	9.2	<0.5	6	<0.2	N.A.
1400104	Rock	1.25	0.093	16	31	1.38	1321	0.305	<20	2.07	0.194	1.00	0.4	<0.01	0.4	0.05	7.4	<0.5	6	<0.2	N.A.
1400105	Rock	1.68	0.115	19	34	1.75	1563	0.301	<20	2.05	0.153	1.17	0.3	0.16	0.9	0.14	16.7	<0.5	6	<0.2	N.A.
1400106	Rock	4.84	0.067	11	10	2.07	204	0.006	<20	0.59	0.023	0.33	0.4	0.16	0.3	2.17	10.9	<0.5	2	<0.2	N.A.
1400108	Rock	0.91	0.080	16	24	1.08	705	0.188	<20	2.22	0.205	0.41	0.2	0.02	0.2	<0.05	8.3	<0.5	6	<0.2	N.A.
1400109	Rock	0.90	0.085	23	23	1.12	666	0.119	<20	2.25	0.137	0.39	0.1	0.02	0.2	<0.05	14.9	<0.5	7	<0.2	N.A.
1400110	Rock	1.82	0.081	17	24	1.20	962	0.232	<20	2.26	0.203	0.73	0.2	<0.01	0.3	<0.05	11.7	<0.5	7	<0.2	N.A.
1400111	Rock	1.27	0.083	14	22	1.05	588	0.189	<20	1.75	0.152	0.42	0.4	<0.01	0.2	<0.05	5.5	<0.5	6	<0.2	N.A.
1400112	Rock	1.43	0.081	15	24	1.31	988	0.265	<20	2.29	0.243	0.82	0.3	<0.01	0.3	<0.05	8.8	<0.5	6	<0.2	N.A.
1400113	Rock	2.00	0.078	18	25	1.69	884	0.240	<20	2.53	0.216	0.74	0.2	<0.01	0.3	<0.05	13.0	<0.5	7	<0.2	N.A.
1400114	Rock	2.36	0.075	18	27	2.07	778	0.213	<20	2.81	0.208	0.68	0.1	0.01	0.3	<0.05	17.2	<0.5	8	<0.2	N.A.
1400115	Rock	1.86	0.080	18	24	1.93	896	0.228	<20	2.69	0.189	0.71	0.1	<0.01	0.3	<0.05	14.5	<0.5	8	<0.2	N.A.
1400116	Rock	1.59	0.079	16	26	1.64	900	0.238	<20	2.68	0.278	0.75	0.2	<0.01	0.3	<0.05	11.9	<0.5	8	<0.2	N.A.
1400117	Rock	1.88	0.077	15	27	1.63	565	0.157	<20	2.20	0.163	0.40	0.2	<0.01	0.2	<0.05	9.9	<0.5	7	<0.2	N.A.
1400118	Rock	1.47	0.083	15	26	1.40	833	0.229	<20	2.22	0.202	0.66	0.2	<0.01	0.3	0.06	8.7	<0.5	6	<0.2	N.A.
1400119	Rock	1.57	0.079	16	25	1.22	829	0.205	<20	2.08	0.181	0.66	0.2	<0.01	0.3	0.06	9.1	<0.5	6	<0.2	N.A.
1400120	Rock Pulp	0.79	0.063	4	31	0.79	94	0.136	<20	1.53	0.076	0.13	12.8	0.01	<0.1	<0.05	4.4	<0.5	5	<0.2	N.A.
1400121	Rock Pulp	0.79	0.059	4	32	0.82	102	0.141	<20	1.63	0.093	0.14	0.3	0.06	<0.1	<0.05	4.7	<0.5	5	<0.2	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

CERTIFICATE OF ANALYSIS WHI12000049.3

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1400122	Rock	2.88	2	1.7	25.2	5.6	79	<0.1	7.5	18.8	856	3.93	8.8	2.6	<0.5	8.2	96	0.2	3.2	<0.1	111
1400123	Rock	2.74	2	1.8	29.7	4.0	62	<0.1	6.3	13.5	526	3.14	3.0	2.1	<0.5	9.1	73	0.1	0.5	<0.1	102
1400124	Rock	1.44	<2	1.5	26.7	4.2	60	<0.1	7.0	15.0	657	3.53	2.3	2.3	<0.5	8.3	96	0.1	0.9	<0.1	114
1400125	Rock	1.43	<2	1.8	27.6	4.2	59	<0.1	6.6	15.5	652	3.63	2.4	2.6	<0.5	8.1	92	<0.1	0.9	<0.1	116
1400126	Rock	3.02	<2	1.5	33.8	3.2	55	<0.1	6.4	14.6	550	3.49	1.4	2.3	0.5	7.7	84	<0.1	1.1	<0.1	116
1400127	Rock	2.42	<2	1.9	29.4	2.9	59	<0.1	6.6	15.3	685	3.52	1.8	2.3	<0.5	8.2	102	<0.1	2.4	<0.1	120
1400128	Rock	3.16	<2	1.3	28.2	3.0	166	<0.1	6.6	16.1	712	4.08	4.1	2.2	<0.5	7.8	97	0.4	4.1	<0.1	133
1400129	Rock	2.26	231	1.9	124.5	1716	7382	95.6	8.5	23.0	2069	5.27	1082	3.9	201.2	7.7	72	103.6	75.1	0.4	88
1400130	Rock	3.08	478	1.5	224.8	1577	>10000	>100	6.4	14.7	1697	5.47	1557	2.8	433.5	6.7	71	170.4	168.1	0.6	78
1400131	Rock	2.52	4	2.1	31.4	557.2	390	6.5	6.7	16.0	840	3.89	12.7	2.5	2.2	8.8	89	1.8	5.3	0.1	114
1400132	Rock	2.80	4	1.6	32.1	234.4	359	3.4	7.4	19.2	1286	4.39	7.4	2.6	<0.5	9.0	107	3.7	3.4	<0.1	125
1400133	Rock	2.27	<2	1.8	26.4	6.8	79	0.5	7.5	17.6	814	4.15	3.6	2.7	<0.5	7.6	113	0.3	0.7	<0.1	129
1400134	Rock	2.47	<2	1.8	28.7	5.0	62	0.2	6.4	14.6	618	3.53	2.6	2.3	<0.5	8.1	86	0.2	0.9	<0.1	119
1400135	Rock	2.19	<2	2.3	33.3	4.4	56	0.2	7.0	14.8	595	3.43	2.1	2.0	<0.5	7.6	86	0.1	0.5	<0.1	109
1400136	Rock	2.15	<2	2.1	32.1	3.2	60	0.2	6.9	16.0	681	3.76	1.5	2.5	<0.5	8.7	95	0.1	0.3	<0.1	121
1400137	Rock	2.50	<2	1.9	24.5	3.8	55	0.2	6.2	14.1	602	3.40	2.1	2.7	<0.5	8.0	86	0.1	0.3	<0.1	115
1400138	Rock	2.26	<2	1.9	29.2	3.7	57	0.1	6.8	15.3	625	3.57	1.3	2.3	0.5	8.1	87	0.2	0.2	<0.1	115
1400139	Rock	2.42	<2	2.0	29.4	3.8	58	0.1	7.1	15.8	640	3.60	2.8	3.4	1.2	8.2	97	<0.1	0.2	<0.1	117
1400140	Rock Pulp	0.13	<2	2.5	26.6	2.5	43	0.3	24.7	10.8	389	2.30	4.3	0.3	1.0	0.9	33	0.2	0.1	<0.1	54
1400141	Rock Pulp	0.13	4107	9.6	70.0	573.8	1556	52.8	30.9	8.3	382	3.05	27.4	0.3	3195	1.0	26	14.5	33.5	0.8	50
1400142	Rock	2.46	<2	1.8	24.8	5.4	56	0.1	7.0	17.2	827	3.71	1.2	2.7	1.5	7.5	95	0.1	0.4	<0.1	114
1400143	Rock	2.25	<2	2.4	31.0	5.2	49	<0.1	6.8	14.6	495	3.24	1.5	2.4	0.5	8.5	61	<0.1	<0.1	<0.1	99
1400144	Rock	2.49	<2	2.1	28.5	4.8	52	<0.1	6.9	14.9	500	3.44	0.9	2.0	<0.5	7.7	77	<0.1	<0.1	<0.1	114
1400145	Rock	2.57	<2	2.5	25.2	4.1	46	<0.1	6.8	13.8	463	3.12	1.2	2.0	0.8	8.6	68	<0.1	<0.1	<0.1	98
1400146	Rock	3.13	<2	2.5	26.2	3.8	44	<0.1	6.7	13.1	433	3.00	1.2	2.6	1.6	8.3	68	<0.1	<0.1	<0.1	99
1400147	Rock	2.54	<2	2.4	27.8	4.0	44	<0.1	6.7	13.3	478	3.10	1.2	2.6	1.6	8.5	62	<0.1	<0.1	<0.1	95
1400148	Rock	2.70	<2	3.0	34.2	4.1	47	<0.1	6.6	13.8	471	3.14	0.7	2.1	<0.5	8.1	57	<0.1	<0.1	<0.1	89
1400149	Rock	2.43	<2	2.7	29.1	3.5	43	<0.1	6.7	12.9	449	3.04	0.5	2.4	0.8	7.8	66	<0.1	<0.1	<0.1	87
1400150	Rock	2.48	2	2.4	31.0	3.5	51	<0.1	7.0	15.6	554	3.63	1.7	2.2	0.6	8.4	91	<0.1	0.1	<0.1	111
1400151	Rock	2.77	<2	2.2	26.3	3.8	60	<0.1	7.3	18.1	846	3.98	3.6	2.7	<0.5	8.7	112	<0.1	0.1	<0.1	128

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

CERTIFICATE OF ANALYSIS WHI12000049.3

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1400122	Rock	2.39	0.081	19	21	1.20	1141	0.150	<20	2.13	0.120	0.66	0.2	0.02	0.3	0.07	13.8	<0.5	6	<0.2	N.A.
1400123	Rock	1.25	0.080	15	26	1.18	847	0.240	<20	1.93	0.184	0.73	0.5	<0.01	0.3	0.05	6.3	<0.5	6	<0.2	N.A.
1400124	Rock	1.69	0.080	16	27	1.47	826	0.217	<20	2.34	0.221	0.66	0.2	<0.01	0.3	<0.05	9.2	<0.5	7	<0.2	N.A.
1400125	Rock	1.66	0.077	16	27	1.44	841	0.218	<20	2.18	0.202	0.65	0.3	<0.01	0.3	<0.05	8.8	<0.5	7	<0.2	N.A.
1400126	Rock	1.37	0.085	14	26	1.39	980	0.266	<20	2.27	0.229	0.84	0.3	<0.01	0.3	0.06	8.1	<0.5	6	<0.2	N.A.
1400127	Rock	1.73	0.078	16	28	1.41	958	0.256	<20	2.39	0.229	0.82	0.3	<0.01	0.4	0.06	10.1	<0.5	7	<0.2	N.A.
1400128	Rock	1.75	0.081	16	26	1.47	1011	0.261	<20	2.49	0.205	0.88	0.2	<0.01	0.4	0.08	15.2	<0.5	7	<0.2	N.A.
1400129	Rock	3.03	0.076	15	17	1.11	306	0.081	<20	1.48	0.060	0.49	0.2	0.08	0.3	1.20	15.8	<0.5	5	<0.2	N.A.
1400130	Rock	2.07	0.068	13	17	1.16	114	0.109	<20	1.45	0.132	0.52	0.4	0.08	0.3	2.44	9.4	<0.5	5	<0.2	191
1400131	Rock	1.63	0.083	16	25	1.20	948	0.228	<20	2.19	0.191	0.79	0.2	<0.01	0.5	0.08	12.2	<0.5	7	<0.2	N.A.
1400132	Rock	2.57	0.077	15	26	1.65	729	0.158	<20	2.31	0.145	0.60	0.2	<0.01	0.3	0.19	14.7	<0.5	7	<0.2	N.A.
1400133	Rock	2.66	0.075	13	28	1.80	575	0.130	<20	2.32	0.110	0.46	0.3	<0.01	0.2	0.06	13.1	<0.5	7	<0.2	N.A.
1400134	Rock	1.57	0.081	15	27	1.45	871	0.237	<20	2.19	0.195	0.75	0.3	<0.01	0.3	<0.05	8.6	<0.5	6	<0.2	N.A.
1400135	Rock	1.50	0.082	14	28	1.29	849	0.244	<20	2.11	0.200	0.76	0.5	<0.01	0.4	0.06	7.2	<0.5	6	<0.2	N.A.
1400136	Rock	1.76	0.080	14	29	1.50	880	0.227	<20	2.19	0.178	0.71	0.4	<0.01	0.4	0.06	9.0	<0.5	7	<0.2	N.A.
1400137	Rock	1.51	0.077	14	28	1.37	861	0.234	<20	2.05	0.187	0.70	0.4	<0.01	0.3	<0.05	7.9	<0.5	6	<0.2	N.A.
1400138	Rock	1.57	0.081	15	29	1.48	816	0.220	<20	2.07	0.172	0.67	0.4	<0.01	0.3	0.05	8.5	<0.5	6	<0.2	N.A.
1400139	Rock	1.59	0.084	16	30	1.33	913	0.243	<20	2.28	0.236	0.72	0.3	<0.01	0.3	0.07	8.5	<0.5	7	<0.2	N.A.
1400140	Rock Pulp	0.74	0.051	4	31	0.74	92	0.109	<20	1.47	0.068	0.12	13.5	0.01	<0.1	<0.05	4.0	<0.5	5	<0.2	N.A.
1400141	Rock Pulp	0.63	0.043	5	27	0.56	96	0.087	<20	1.13	0.071	0.10	2.1	0.21	1.1	0.33	3.5	0.6	6	<0.2	N.A.
1400142	Rock	2.60	0.067	16	26	1.54	519	0.114	<20	2.31	0.204	0.42	0.1	<0.01	0.2	0.06	12.6	<0.5	7	<0.2	N.A.
1400143	Rock	1.22	0.073	15	30	1.27	789	0.199	<20	1.93	0.180	0.52	0.6	<0.01	0.2	<0.05	6.0	<0.5	6	<0.2	N.A.
1400144	Rock	1.12	0.070	15	30	1.58	1497	0.258	<20	2.34	0.242	0.81	0.5	<0.01	0.4	<0.05	7.5	<0.5	7	<0.2	N.A.
1400145	Rock	1.07	0.071	14	30	1.20	1190	0.243	<20	2.08	0.230	0.70	0.6	<0.01	0.4	<0.05	4.9	<0.5	6	<0.2	N.A.
1400146	Rock	0.97	0.070	14	30	1.17	1409	0.246	<20	1.98	0.218	0.77	0.6	<0.01	0.3	<0.05	4.5	<0.5	6	<0.2	N.A.
1400147	Rock	1.18	0.066	13	29	1.22	752	0.192	<20	1.87	0.178	0.49	0.7	<0.01	0.3	0.06	5.0	<0.5	6	<0.2	N.A.
1400148	Rock	1.22	0.072	13	30	1.14	521	0.170	<20	1.83	0.169	0.35	1.0	<0.01	0.1	<0.05	4.3	<0.5	6	<0.2	N.A.
1400149	Rock	1.15	0.068	13	31	1.05	721	0.177	<20	1.89	0.215	0.44	0.8	<0.01	0.2	<0.05	4.6	<0.5	6	<0.2	N.A.
1400150	Rock	1.50	0.071	15	29	1.33	929	0.187	<20	2.34	0.259	0.67	0.4	<0.01	0.3	<0.05	8.6	<0.5	7	<0.2	N.A.
1400151	Rock	2.38	0.073	17	30	1.45	1041	0.195	<20	2.34	0.218	0.75	0.3	0.02	0.4	<0.05	14.6	<0.5	7	<0.2	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

CERTIFICATE OF ANALYSIS WHI12000049.3

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1400152	Rock	2.72	<2	3.1	32.4	3.5	53	<0.1	7.3	15.4	612	3.58	1.0	2.8	<0.5	9.4	94	<0.1	<0.1	<0.1	109
1400153	Rock	2.34	<2	2.1	31.9	3.6	48	<0.1	6.9	13.9	525	3.45	2.0	3.0	<0.5	9.0	76	<0.1	0.1	<0.1	100
1400154	Rock	2.28	5	2.4	26.4	3.0	49	<0.1	6.5	13.9	498	3.31	1.2	1.6	<0.5	7.4	77	<0.1	<0.1	<0.1	107
1400155	Rock	3.00	<2	2.2	25.8	2.8	47	<0.1	6.3	13.7	501	3.24	0.5	2.5	<0.5	7.8	73	<0.1	<0.1	<0.1	107
1400156	Rock	3.42	<2	2.6	29.7	3.1	52	<0.1	7.1	15.4	611	3.66	0.8	2.2	<0.5	7.4	89	<0.1	<0.1	<0.1	115
1400157	Rock	2.47	38	2.2	28.1	23.9	92	0.3	6.7	15.2	1338	3.55	308.5	2.9	36.3	8.0	93	0.3	0.8	<0.1	114
1400158	Rock	2.45	<2	2.6	26.0	3.4	49	<0.1	6.8	14.6	618	3.54	3.3	2.3	<0.5	8.5	81	<0.1	<0.1	<0.1	112
1400159	Rock	2.45	<2	2.6	27.1	3.2	52	<0.1	6.7	14.9	635	3.59	1.9	1.8	1.1	8.0	94	<0.1	<0.1	<0.1	118
1400160	Rock Pulp	0.13	3	2.4	24.7	2.3	40	0.3	23.7	10.3	380	2.34	4.7	0.2	<0.5	0.9	31	0.2	0.2	<0.1	55
1400161	Rock Pulp	0.13	1556	8.4	47.5	6.0	49	0.2	30.0	8.6	463	3.15	6.1	0.3	1150	0.9	34	0.1	0.7	<0.1	62

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

CERTIFICATE OF ANALYSIS WHI12000049.3

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1400152	Rock	1.61	0.077	17	32	1.41	1054	0.217	<20	2.53	0.285	0.73	0.5	<0.01	0.4	<0.05	8.7	<0.5	7	<0.2	N.A.
1400153	Rock	1.27	0.076	15	32	1.21	880	0.192	<20	2.07	0.221	0.60	0.6	<0.01	0.3	<0.05	6.3	<0.5	7	<0.2	N.A.
1400154	Rock	1.19	0.074	14	28	1.19	1356	0.224	<20	2.16	0.237	0.82	0.5	<0.01	0.4	<0.05	6.0	<0.5	6	<0.2	N.A.
1400155	Rock	1.20	0.070	14	30	1.17	1323	0.235	<20	2.15	0.242	0.83	0.5	<0.01	0.4	<0.05	5.7	<0.5	6	<0.2	N.A.
1400156	Rock	1.55	0.075	15	30	1.29	1049	0.212	<20	2.30	0.245	0.80	0.3	<0.01	0.4	<0.05	8.9	<0.5	7	<0.2	N.A.
1400157	Rock	1.75	0.074	15	28	1.26	1031	0.196	<20	2.23	0.240	0.78	0.4	0.01	0.4	0.24	8.2	<0.5	7	<0.2	N.A.
1400158	Rock	1.44	0.071	14	29	1.34	948	0.190	<20	2.23	0.243	0.71	0.3	<0.01	0.3	<0.05	7.6	<0.5	7	<0.2	N.A.
1400159	Rock	1.50	0.077	15	30	1.48	1379	0.236	<20	2.42	0.265	0.88	0.4	<0.01	0.4	<0.05	8.4	<0.5	7	<0.2	N.A.
1400160	Rock Pulp	0.76	0.056	4	31	0.75	86	0.102	<20	1.50	0.071	0.12	12.9	0.01	<0.1	<0.05	4.1	<0.5	5	<0.2	N.A.
1400161	Rock Pulp	0.80	0.053	4	34	0.79	104	0.115	<20	1.64	0.090	0.14	0.3	0.07	<0.1	<0.05	4.6	<0.5	6	<0.2	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

QUALITY CONTROL REPORT WHI12000049.3

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1400013	Rock	1.83	197	1.0	45.8	653.5	1965	19.7	6.7	17.1	3565	5.21	1996	2.2	176.4	7.6	39	18.9	14.4	1.2	51
REP 1400013	QC			1.0	43.1	660.4	1949	19.4	6.7	17.2	3542	5.14	2009	2.8	182.4	7.9	40	18.5	15.3	1.2	51
1400031	Rock	1.90	<2	2.5	27.3	3.4	78	<0.1	7.1	14.6	723	3.44	2.7	3.2	1.3	7.2	79	<0.1	0.5	<0.1	100
REP 1400031	QC		<2																		
1400048	Rock	2.24	133	1.8	13.4	45.5	110	0.8	4.9	10.1	1514	3.15	2169	1.9	111.8	7.0	82	0.5	3.8	<0.1	38
REP 1400048	QC			1.7	12.6	42.7	104	0.8	5.1	10.1	1508	3.17	2172	2.3	112.2	6.9	81	0.7	3.6	<0.1	38
1400065	Rock	2.18	11	1.4	26.5	55.7	142	1.6	5.7	15.6	947	3.78	33.4	2.9	11.8	10.8	133	0.9	0.8	1.1	107
REP 1400065	QC		11																		
1400083	Rock	2.41	5	2.8	11.4	41.1	97	0.6	6.2	10.8	819	3.31	10.2	1.6	1.2	9.0	110	0.7	0.7	0.2	70
REP 1400083	QC			2.6	11.1	42.3	96	0.6	6.3	11.0	821	3.38	10.0	1.6	2.3	9.1	109	0.7	0.9	0.2	72
1400099	Rock	2.14	<2	2.4	28.8	8.4	70	0.2	6.7	16.7	706	4.36	4.2	2.6	1.8	7.9	90	0.1	2.6	<0.1	120
REP 1400099	QC		<2																		
1400119	Rock	2.36	<2	1.8	26.6	3.8	53	<0.1	6.3	15.3	604	3.38	3.8	2.7	<0.5	8.4	83	0.1	1.8	<0.1	108
REP 1400119	QC			1.7	26.0	3.8	54	<0.1	7.0	14.9	604	3.33	3.3	2.6	<0.5	8.4	81	<0.1	1.7	<0.1	107
1400134	Rock	2.47	<2	1.8	28.7	5.0	62	0.2	6.4	14.6	618	3.53	2.6	2.3	<0.5	8.1	86	0.2	0.9	<0.1	119
REP 1400134	QC		<2																		
1400152	Rock	2.72	<2	3.1	32.4	3.5	53	<0.1	7.3	15.4	612	3.58	1.0	2.8	<0.5	9.4	94	<0.1	<0.1	<0.1	109
REP 1400152	QC			2.7	30.1	3.5	50	<0.1	6.8	14.8	588	3.45	1.2	2.7	<0.5	8.7	85	<0.1	<0.1	<0.1	108
Core Reject Duplicates																					
1400032	Rock	2.11	<2	2.6	28.1	3.8	75	<0.1	7.4	13.8	614	3.33	2.8	2.8	<0.5	7.5	74	<0.1	0.3	0.1	100
DUP 1400032	QC		<2	2.4	26.4	4.0	71	<0.1	6.4	14.2	634	3.36	3.6	2.6	<0.5	7.3	79	<0.1	0.3	0.1	101
1400067	Rock	1.93	<2	1.8	22.2	3.8	54	<0.1	6.0	13.6	675	3.47	1.8	2.1	1.0	9.3	117	<0.1	0.5	0.3	110
DUP 1400067	QC		<2	1.6	23.9	3.7	54	<0.1	5.9	13.0	665	3.39	2.6	2.6	0.8	9.2	116	<0.1	0.5	0.4	109
1400102	Rock	2.23	12	1.7	32.3	104.0	142	1.7	6.9	22.0	1050	5.10	95.5	2.3	9.1	8.0	96	1.1	4.9	<0.1	123
DUP 1400102	QC		12	1.6	30.2	97.3	138	1.6	7.2	20.9	1028	4.94	93.1	2.4	10.5	7.8	90	1.0	5.0	<0.1	121
1400138	Rock	2.26	<2	1.9	29.2	3.7	57	0.1	6.8	15.3	625	3.57	1.3	2.3	0.5	8.1	87	0.2	0.2	<0.1	115
DUP 1400138	QC		<2	1.9	28.7	3.8	57	0.1	6.6	15.0	620	3.56	1.5	2.5	<0.5	8.3	85	0.1	0.2	<0.1	117
Reference Materials																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

QUALITY CONTROL REPORT WHI12000049.3

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
Pulp Duplicates																					
1400013	Rock	2.35	0.062	9	10	0.81	39	<0.001	<20	0.49	0.007	0.19	0.3	0.10	0.5	1.86	12.5	<0.5	1	<0.2	N.A.
REP 1400013	QC	2.36	0.062	9	10	0.82	50	<0.001	<20	0.47	0.007	0.20	0.3	0.12	0.5	1.86	12.2	<0.5	1	<0.2	
1400031	Rock	1.73	0.069	16	25	1.38	993	0.193	<20	1.97	0.152	0.73	0.3	<0.01	0.4	<0.05	8.7	<0.5	7	<0.2	N.A.
REP 1400031	QC																				
1400048	Rock	3.13	0.066	9	8	1.22	334	<0.001	<20	0.63	0.005	0.19	0.1	0.07	0.2	0.76	8.6	<0.5	2	<0.2	N.A.
REP 1400048	QC	3.13	0.066	9	7	1.21	350	<0.001	<20	0.63	0.004	0.19	0.1	0.07	0.2	0.78	8.5	<0.5	2	<0.2	
1400065	Rock	2.13	0.063	19	21	1.33	1035	0.183	<20	2.18	0.135	0.77	0.3	0.04	0.4	0.27	12.4	<0.5	7	<0.2	N.A.
REP 1400065	QC																				
1400083	Rock	2.51	0.072	21	18	1.15	327	0.062	<20	1.98	0.058	0.44	<0.1	<0.01	0.2	0.08	7.3	<0.5	8	<0.2	N.A.
REP 1400083	QC	2.54	0.071	21	18	1.18	320	0.064	<20	2.02	0.061	0.45	<0.1	<0.01	0.3	0.09	7.8	<0.5	8	<0.2	
1400099	Rock	1.63	0.081	17	27	1.53	1558	0.212	<20	2.35	0.150	1.02	0.3	0.03	0.6	0.07	12.7	<0.5	8	<0.2	N.A.
REP 1400099	QC																				
1400119	Rock	1.57	0.079	16	25	1.22	829	0.205	<20	2.08	0.181	0.66	0.2	<0.01	0.3	0.06	9.1	<0.5	6	<0.2	N.A.
REP 1400119	QC	1.54	0.078	15	25	1.18	801	0.203	<20	2.00	0.178	0.65	0.2	<0.01	0.3	0.06	9.0	<0.5	6	<0.2	
1400134	Rock	1.57	0.081	15	27	1.45	871	0.237	<20	2.19	0.195	0.75	0.3	<0.01	0.3	<0.05	8.6	<0.5	6	<0.2	N.A.
REP 1400134	QC																				
1400152	Rock	1.61	0.077	17	32	1.41	1054	0.217	<20	2.53	0.285	0.73	0.5	<0.01	0.4	<0.05	8.7	<0.5	7	<0.2	N.A.
REP 1400152	QC	1.57	0.075	15	29	1.23	978	0.199	<20	2.22	0.258	0.73	0.4	0.01	0.4	<0.05	8.2	<0.5	6	<0.2	
Core Reject Duplicates																					
1400032	Rock	1.39	0.075	17	27	1.24	1069	0.213	<20	2.05	0.202	0.80	0.4	<0.01	0.4	<0.05	7.8	<0.5	7	<0.2	N.A.
DUP 1400032	QC	1.47	0.070	17	28	1.25	1033	0.218	<20	2.17	0.234	0.78	0.4	<0.01	0.4	<0.05	8.3	<0.5	7	<0.2	N.A.
1400067	Rock	1.55	0.066	17	24	1.49	1586	0.216	<20	2.27	0.203	0.81	0.2	<0.01	0.4	0.06	11.4	<0.5	8	<0.2	N.A.
DUP 1400067	QC	1.53	0.062	17	24	1.48	1469	0.213	<20	2.20	0.182	0.78	0.2	<0.01	0.4	0.06	11.4	<0.5	7	<0.2	N.A.
1400102	Rock	2.37	0.081	20	23	1.56	928	0.087	<20	1.74	0.035	0.53	0.1	0.48	1.2	0.29	21.5	<0.5	6	<0.2	N.A.
DUP 1400102	QC	2.32	0.075	18	22	1.52	836	0.080	<20	1.65	0.032	0.49	0.1	0.43	1.0	0.28	20.5	<0.5	5	<0.2	N.A.
1400138	Rock	1.57	0.081	15	29	1.48	816	0.220	<20	2.07	0.172	0.67	0.4	<0.01	0.3	0.05	8.5	<0.5	6	<0.2	N.A.
DUP 1400138	QC	1.57	0.082	15	29	1.49	820	0.229	<20	2.08	0.165	0.67	0.4	<0.01	0.3	0.05	8.3	<0.5	6	<0.2	N.A.
Reference Materials																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

QUALITY CONTROL REPORT WHI12000049.3

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD DS9	Standard			13.9	113.2	121.7	318	2.3	39.5	7.6	564	2.33	29.0	2.7	138.2	6.1	73	2.4	5.6	6.7	40
STD DS9	Standard			12.7	108.2	133.2	321	2.0	41.4	8.0	596	2.40	25.2	2.3	119.0	6.5	62	2.3	3.6	5.9	40
STD DS9	Standard			12.2	105.9	121.0	314	2.1	37.9	7.3	579	2.29	25.0	2.5	118.6	5.7	69	2.2	4.1	6.4	39
STD DS9	Standard			12.1	101.3	126.8	306	1.9	39.2	7.4	555	2.24	24.8	2.4	129.1	5.6	64	2.1	4.1	6.1	38
STD DS9	Standard			11.4	103.0	126.0	300	2.0	39.9	7.8	572	2.28	24.3	2.5	118.6	6.1	56	2.1	3.6	5.2	38
STD OREAS45CA	Standard			1.0	498.9	20.7	65	0.3	243.6	91.8	958	15.80	4.2	1.2	39.1	7.2	17	0.1	0.2	0.1	210
STD OREAS45CA	Standard			0.8	480.5	18.6	54	0.3	238.5	92.1	854	16.23	3.4	0.9	38.8	5.9	12	<0.1	<0.1	0.2	209
STD OREAS45CA	Standard			0.8	501.1	19.4	59	0.3	249.1	92.1	951	16.16	3.2	1.1	37.9	6.6	14	<0.1	<0.1	0.2	214
STD OREAS45CA	Standard			0.7	486.5	19.5	60	0.3	236.6	90.1	894	15.27	5.4	1.1	51.6	6.8	14	0.1	<0.1	0.2	205
STD OREAS45CA	Standard			0.9	493.7	19.2	61	0.3	249.5	91.7	893	15.46	2.4	1.1	35.0	6.6	12	<0.1	<0.1	0.1	211
STD OXC88	Standard		202																		
STD OXC88	Standard		219																		
STD OXC88	Standard		212																		
STD OXC88	Standard		206																		
STD OXC88	Standard		192																		
STD OXC88	Standard		209																		
STD OXC88	Standard		211																		
STD OXG99	Standard		954																		
STD OXG99	Standard		954																		
STD OXG99	Standard		973																		
STD OXG99	Standard		962																		
STD OXG99	Standard		973																		
STD OXG99	Standard		974																		
STD OXG99	Standard		885																		
STD SP49	Standard																				
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OXC88 Expected			203																		
STD OXG99 Expected			932																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

QUALITY CONTROL REPORT WHI12000049.3

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2	G6Gr Ag gm/t 50
STD DS9	Standard	0.70	0.085	12	120	0.63	328	0.124	<20	0.93	0.082	0.39	2.5	0.18	5.3	0.17	2.3	4.9	4	5.3	
STD DS9	Standard	0.74	0.077	13	123	0.62	318	0.106	<20	0.97	0.085	0.41	3.1	0.20	6.1	0.17	2.5	5.7	5	5.2	
STD DS9	Standard	0.69	0.084	12	114	0.62	323	0.101	<20	0.92	0.081	0.38	2.3	0.18	5.2	0.17	2.6	6.1	5	5.3	
STD DS9	Standard	0.67	0.076	11	118	0.61	300	0.101	<20	0.88	0.077	0.38	2.8	0.21	5.4	0.17	2.1	5.0	4	4.9	
STD DS9	Standard	0.68	0.077	11	117	0.60	322	0.093	<20	0.92	0.078	0.38	3.0	0.24	5.6	0.16	2.3	4.9	5	4.9	
STD OREAS45CA	Standard	0.44	0.042	17	622	0.17	174	0.157	<20	3.62	0.009	0.07	<0.1	0.03	<0.1	<0.05	44.2	<0.5	19	<0.2	
STD OREAS45CA	Standard	0.39	0.035	15	802	0.13	153	0.123	<20	3.41	0.010	0.07	<0.1	0.03	0.1	<0.05	39.3	<0.5	19	<0.2	
STD OREAS45CA	Standard	0.44	0.041	15	750	0.13	159	0.137	<20	3.66	0.010	0.07	<0.1	0.03	<0.1	<0.05	46.6	<0.5	19	<0.2	
STD OREAS45CA	Standard	0.41	0.037	16	730	0.14	158	0.131	<20	3.51	0.008	0.07	<0.1	0.04	0.1	<0.05	40.8	<0.5	18	<0.2	
STD OREAS45CA	Standard	0.41	0.035	15	818	0.13	155	0.132	<20	3.48	0.006	0.07	<0.1	0.02	0.1	<0.05	41.2	<0.5	19	<0.2	
STD OXC88	Standard																				
STD OXC88	Standard																				
STD OXC88	Standard																				
STD OXC88	Standard																				
STD OXC88	Standard																				
STD OXC88	Standard																				
STD OXC88	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD SP49	Standard																				<50
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4		
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02	
STD OXC88 Expected																					
STD OXG99 Expected																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

QUALITY CONTROL REPORT WHI12000049.3

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD SP49 Expected																					
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	0.6	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	0.2	<1	<0.1	<0.1	<0.1	<1	<0.01	0.6	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank																				
Prep Wash																					
G1-WHI	Prep Blank		<2	0.2	2.4	3.1	44	<0.1	2.1	3.6	527	1.94	1.5	1.6	2.2	5.4	68	<0.1	<0.1	<0.1	37
G1-WHI	Prep Blank		<2	<0.1	1.8	2.6	41	<0.1	1.7	3.5	490	1.81	<0.5	1.5	<0.5	5.0	74	<0.1	<0.1	<0.1	34

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

QUALITY CONTROL REPORT WHI12000049.3

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2	G6Gr Ag gm/t 50
STD SP49 Expected																					60.2
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank	<0.01	<0.001	<1	1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	0.005	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank	<0.01	<0.001	<1	2	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				<50
Prep Wash																					
G1-WHI	Prep Blank	0.46	0.075	12	4	0.50	155	0.141	<20	0.87	0.097	0.47	0.4	<0.01	0.3	<0.05	2.0	<0.5	5	<0.2	N.A.
G1-WHI	Prep Blank	0.44	0.071	12	3	0.47	130	0.131	<20	0.85	0.092	0.46	<0.1	<0.01	0.3	<0.05	2.0	<0.5	4	<0.2	N.A.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: May 25, 2012
Report Date: June 12, 2012
Page: 1 of 7

CERTIFICATE OF ANALYSIS WHI12000050.2

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET001
P.O. Number
Number of Samples: 161

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	147	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	161	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	161	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Version 2 : 1DX-U included.

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Dayna
Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000050.2

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1400162	Rock	2.79	2	2.5	27.6	3.5	50	<0.1	6.7	14.7	557	3.54	1.5	2.2	1.0	7.7	84	<0.1	<0.1	<0.1	118
1400163	Rock	3.39	<2	2.4	27.6	6.8	51	<0.1	7.0	14.8	564	3.41	2.2	2.9	<0.5	8.3	95	<0.1	<0.1	<0.1	112
1400164	Rock	3.14	<2	3.4	35.3	8.0	56	<0.1	7.3	15.3	535	3.69	1.6	2.1	0.7	7.7	84	<0.1	<0.1	<0.1	128
1400165	Rock	2.62	<2	3.2	27.8	4.3	47	<0.1	6.5	14.0	506	3.33	1.7	2.4	1.1	7.7	90	<0.1	<0.1	<0.1	113
1400166	Rock	2.65	<2	3.3	28.5	3.8	46	<0.1	7.6	14.3	507	3.41	1.0	2.6	<0.5	7.9	83	<0.1	<0.1	<0.1	113
1400167	Rock	2.69	<2	3.0	29.5	3.0	49	<0.1	7.1	14.5	511	3.45	1.3	2.1	<0.5	7.9	83	<0.1	<0.1	<0.1	114
1400168	Rock	2.64	<2	3.5	28.6	3.8	55	<0.1	7.0	16.5	690	3.89	1.4	2.2	<0.5	8.1	106	<0.1	<0.1	<0.1	128
1400169	Rock	2.82	<2	2.7	28.7	3.4	61	<0.1	9.6	17.1	762	4.03	1.8	3.4	1.3	8.6	104	<0.1	0.2	<0.1	130
1400170	Rock	2.69	<2	3.3	31.3	3.4	53	<0.1	6.8	14.8	583	3.55	0.6	2.2	<0.5	8.7	100	<0.1	<0.1	<0.1	114
1400171	Rock	2.33	2	2.1	28.7	7.9	99	0.1	7.0	17.4	874	4.23	8.8	3.3	1.6	8.2	132	<0.1	1.1	<0.1	134
1400172	Rock	2.38	<2	2.0	28.8	7.3	54	0.1	6.8	20.1	1183	4.08	5.3	12.3	<0.5	8.1	170	<0.1	0.2	<0.1	107
1400173	Rock	2.72	18	2.3	29.0	6.5	56	0.1	6.1	17.4	923	3.81	2.4	4.7	<0.5	8.4	122	<0.1	0.2	<0.1	115
1400174	Rock	1.55	<2	2.6	34.0	4.0	55	<0.1	7.2	16.1	647	3.88	3.4	2.8	<0.5	8.9	102	<0.1	<0.1	<0.1	126
1400175	Rock	1.19	<2	2.9	32.4	3.7	55	<0.1	7.0	15.9	645	3.75	3.4	2.6	<0.5	8.3	97	<0.1	<0.1	<0.1	123
1400176	Rock	3.59	<2	2.6	29.8	31.8	78	0.4	6.8	18.1	722	3.95	4.1	3.0	<0.5	8.7	112	0.5	0.2	<0.1	134
1400177	Rock	2.28	<2	3.1	30.8	4.0	58	<0.1	7.5	16.3	655	3.79	2.2	2.2	<0.5	7.8	107	<0.1	<0.1	<0.1	124
1400178	Rock	2.15	<2	3.1	27.0	3.9	56	<0.1	7.3	15.6	561	3.52	1.5	2.7	<0.5	8.9	92	<0.1	0.1	<0.1	120
1400179	Rock	2.48	<2	3.2	28.2	3.7	53	<0.1	7.0	15.3	570	3.57	0.9	2.6	<0.5	8.4	94	<0.1	<0.1	<0.1	119
1400180	Rock Pulp	0.13	<2	2.5	25.3	2.4	44	0.2	25.3	10.6	388	2.39	4.0	0.2	<0.5	0.9	33	0.2	0.2	<0.1	59
1400181	Rock Pulp	0.13	4455	10.2	72.7	590.3	1605	52.1	32.0	8.7	400	3.31	28.7	0.3	5015	1.1	29	15.3	36.4	0.8	55
1400182	Rock	3.22	3	2.8	31.4	3.4	56	<0.1	7.0	15.9	617	3.76	1.7	2.0	2.5	8.0	100	<0.1	<0.1	<0.1	125
1400183	Rock	2.79	<2	2.9	31.5	4.1	58	<0.1	7.3	18.3	657	4.08	2.0	2.7	<0.5	7.9	99	<0.1	<0.1	<0.1	137
1400184	Rock	2.32	<2	2.9	31.6	4.2	60	<0.1	7.7	19.1	768	4.24	2.5	2.2	0.7	8.3	141	<0.1	<0.1	<0.1	142
1400185	Rock	2.71	<2	1.6	25.8	5.0	64	0.1	7.1	20.9	983	4.58	4.2	2.4	1.0	8.5	167	0.1	0.1	<0.1	149
1400186	Rock	2.94	<2	1.8	40.1	4.4	74	0.1	8.5	23.2	1138	4.88	4.5	1.8	1.1	7.4	175	0.3	0.1	<0.1	156
1400187	Rock	2.70	<2	2.1	28.3	4.4	68	0.1	7.4	20.4	932	4.44	3.9	2.7	2.4	8.9	129	0.1	0.1	0.1	137
1400188	Rock	2.91	<2	2.3	27.7	4.2	60	<0.1	7.0	17.2	715	3.84	2.5	3.3	0.9	9.3	119	<0.1	0.1	<0.1	121
1400189	Rock	2.91	<2	2.1	26.4	10.6	64	0.2	7.0	17.3	789	3.97	2.6	2.6	2.1	9.0	160	0.2	0.4	<0.1	123
1400190	Rock	2.89	<2	1.2	46.7	17.2	70	0.3	7.6	23.3	957	4.11	38.2	4.1	1.8	9.5	178	0.3	0.5	0.3	121
1400191	Rock	2.81	23	1.4	48.3	96.8	231	1.0	6.4	17.7	713	4.17	10.1	3.5	6.7	9.3	108	2.7	0.6	0.3	118

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000050.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1400162	Rock	1.37	0.079	15	33	1.32	1389	0.265	<20	2.32	0.252	0.83	0.5	<0.01	0.4	<0.05	6.7	<0.5	7	<0.2
1400163	Rock	1.39	0.072	15	31	1.34	1467	0.246	<20	2.37	0.284	0.82	0.5	<0.01	0.4	<0.05	6.9	<0.5	7	<0.2
1400164	Rock	1.16	0.084	15	38	1.30	1659	0.319	<20	2.38	0.270	1.00	0.8	<0.01	0.5	<0.05	6.8	<0.5	7	<0.2
1400165	Rock	1.26	0.072	14	33	1.23	1444	0.261	<20	2.37	0.294	0.88	0.8	<0.01	0.5	<0.05	6.1	<0.5	7	<0.2
1400166	Rock	1.23	0.074	14	36	1.20	1475	0.314	<20	2.41	0.306	0.93	0.7	<0.01	0.5	<0.05	6.0	<0.5	7	<0.2
1400167	Rock	1.23	0.072	14	34	1.22	1401	0.268	<20	2.37	0.291	0.92	0.5	<0.01	0.5	<0.05	6.5	<0.5	7	<0.2
1400168	Rock	1.83	0.073	16	30	1.55	1325	0.215	<20	2.56	0.275	0.78	0.2	<0.01	0.4	<0.05	11.2	<0.5	8	<0.2
1400169	Rock	2.00	0.072	16	38	1.50	1068	0.218	<20	2.57	0.272	0.82	0.3	<0.01	0.4	0.07	12.2	<0.5	8	<0.2
1400170	Rock	1.63	0.071	15	32	1.23	1370	0.251	<20	2.51	0.319	0.88	0.6	<0.01	0.5	<0.05	7.7	<0.5	7	<0.2
1400171	Rock	2.53	0.068	17	31	1.51	1361	0.210	<20	2.74	0.278	0.80	0.3	0.01	0.4	0.09	14.2	<0.5	8	<0.2
1400172	Rock	3.69	0.065	19	21	1.62	861	0.139	<20	2.31	0.086	0.70	0.2	0.03	0.4	0.18	14.5	<0.5	7	<0.2
1400173	Rock	2.71	0.072	17	27	1.58	1061	0.219	<20	2.28	0.227	0.82	0.4	0.04	0.5	0.10	9.9	<0.5	7	<0.2
1400174	Rock	1.58	0.075	16	33	1.38	1090	0.262	<20	2.62	0.322	0.93	0.4	0.01	0.5	<0.05	8.8	<0.5	8	<0.2
1400175	Rock	1.53	0.076	15	34	1.40	1100	0.254	<20	2.45	0.278	0.90	0.5	0.01	0.5	<0.05	9.1	<0.5	7	<0.2
1400176	Rock	1.83	0.076	16	33	1.56	1398	0.243	<20	2.75	0.327	0.92	0.3	0.02	0.6	0.08	10.2	<0.5	8	<0.2
1400177	Rock	1.68	0.071	15	32	1.47	1387	0.258	<20	2.74	0.319	0.97	0.4	<0.01	0.5	<0.05	9.0	<0.5	8	<0.2
1400178	Rock	1.30	0.074	15	34	1.27	1666	0.310	<20	2.49	0.302	1.04	0.5	<0.01	0.5	<0.05	6.4	<0.5	7	<0.2
1400179	Rock	1.39	0.073	14	33	1.30	1578	0.277	<20	2.40	0.288	0.97	0.5	<0.01	0.5	<0.05	7.2	<0.5	7	<0.2
1400180	Rock Pulp	0.83	0.054	4	32	0.77	90	0.120	<20	1.57	0.076	0.12	13.0	0.01	<0.1	<0.05	4.2	<0.5	5	<0.2
1400181	Rock Pulp	0.71	0.047	5	29	0.59	104	0.108	<20	1.22	0.076	0.11	2.3	0.23	1.1	0.34	4.2	0.6	6	0.2
1400182	Rock	1.48	0.077	15	35	1.40	1548	0.278	<20	2.57	0.299	1.00	0.7	<0.01	0.4	<0.05	8.1	<0.5	8	<0.2
1400183	Rock	1.42	0.084	16	38	1.56	1718	0.301	<20	2.68	0.307	1.07	0.4	<0.01	0.5	<0.05	8.6	<0.5	8	<0.2
1400184	Rock	1.97	0.078	18	35	1.79	1412	0.246	<20	2.80	0.313	0.86	0.3	<0.01	0.5	<0.05	12.9	<0.5	8	<0.2
1400185	Rock	2.59	0.073	19	31	2.10	1063	0.186	<20	2.96	0.242	0.68	0.1	0.01	0.4	0.07	16.0	<0.5	9	<0.2
1400186	Rock	2.96	0.076	19	33	2.19	948	0.183	<20	2.99	0.203	0.65	0.1	<0.01	0.4	0.11	17.5	<0.5	9	<0.2
1400187	Rock	2.44	0.072	18	29	1.84	1130	0.212	<20	2.77	0.255	0.78	0.2	0.02	0.5	0.09	14.5	<0.5	9	<0.2
1400188	Rock	1.93	0.069	16	29	1.49	1379	0.230	<20	2.59	0.295	0.82	0.2	<0.01	0.5	<0.05	12.5	<0.5	8	<0.2
1400189	Rock	2.36	0.066	17	28	1.39	1306	0.218	<20	2.60	0.289	0.84	0.1	<0.01	0.5	0.05	13.5	<0.5	8	<0.2
1400190	Rock	3.32	0.073	20	24	1.24	717	0.102	<20	2.30	0.150	0.51	<0.1	0.05	0.3	<0.05	18.7	<0.5	7	<0.2
1400191	Rock	2.30	0.068	17	29	1.40	573	0.115	<20	2.38	0.206	0.39	<0.1	0.03	0.2	0.15	11.3	<0.5	8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000050.2

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1400192	Rock	2.76	10	2.3	32.0	19.6	177	0.3	6.6	15.5	619	3.72	11.2	3.2	10.0	9.1	89	2.0	0.4	0.1	108
1400193	Rock	2.93	290	2.5	41.8	12.9	142	0.7	7.2	19.3	820	4.53	907.2	4.6	271.8	9.1	118	1.3	1.7	1.5	118
1400194	Rock	3.13	3	2.1	30.1	5.1	61	<0.1	7.3	16.5	704	4.00	5.6	2.5	1.2	8.8	87	<0.1	0.6	<0.1	112
1400195	Rock	2.86	88	1.7	38.1	16.9	1435	0.8	5.9	16.1	773	4.23	224.7	2.1	63.1	8.0	147	24.2	1.3	0.7	109
1400196	Rock	2.87	100	2.0	34.9	11.1	1363	0.6	6.1	16.0	694	3.81	61.9	1.5	95.4	7.1	101	24.6	0.6	0.7	107
1400197	Rock	3.15	4	2.3	22.9	7.1	71	0.1	5.3	14.1	669	3.48	5.4	2.0	1.5	8.0	106	0.4	0.5	<0.1	105
1400198	Rock	3.00	<2	2.0	23.4	5.6	54	0.1	5.6	13.4	577	3.17	3.2	1.9	2.4	8.2	94	0.2	0.3	<0.1	100
1400199	Rock	2.79	<2	1.9	22.1	5.2	61	<0.1	6.4	16.9	758	3.88	7.4	1.8	<0.5	7.8	153	0.1	0.5	<0.1	129
1400200	Rock Pulp	0.13	<2	2.4	24.0	2.2	43	0.2	22.2	10.3	384	2.25	4.6	0.2	<0.5	0.8	33	0.2	0.2	<0.1	53
1400201	Rock Pulp	0.13	1405	7.8	43.3	5.2	45	0.2	28.0	8.6	453	2.88	6.0	0.2	569.7	0.8	32	0.2	0.7	<0.1	56
1400202	Rock	3.09	17	1.9	24.7	3.1	55	<0.1	6.1	15.3	618	3.65	12.8	1.6	10.7	7.7	99	<0.1	0.4	<0.1	118
1400203	Rock	3.36	<2	2.1	31.1	3.7	56	<0.1	7.0	16.9	721	3.94	10.3	3.4	0.6	8.5	117	<0.1	0.3	<0.1	128
1400204	Rock	3.37	3	2.0	24.8	3.5	59	<0.1	6.1	17.2	759	3.99	18.3	1.8	1.2	8.2	170	0.1	0.5	<0.1	131
1400205	Rock	2.96	<2	2.2	25.8	4.7	67	0.1	6.8	16.2	655	3.86	5.6	2.8	<0.5	8.2	109	0.2	0.3	<0.1	124
1400206	Rock	2.71	367	2.0	53.4	115.9	1708	3.0	6.6	19.0	973	5.20	1430	4.3	257.0	7.3	115	28.0	2.5	2.3	121
1400207	Rock	3.18	13	2.4	27.8	6.8	259	0.3	7.3	17.3	873	4.17	34.3	1.8	5.5	8.3	150	3.9	0.6	0.2	140
1400208	Rock	3.14	<2	2.4	25.4	4.2	61	<0.1	6.4	15.6	737	3.68	6.2	1.9	1.5	8.6	116	0.2	0.4	<0.1	117
1400209	Rock	2.96	<2	2.3	23.2	8.2	92	0.1	6.2	15.2	827	3.85	7.2	2.0	0.7	8.7	145	0.5	0.4	<0.1	117
1400210	Rock	3.14	<2	2.0	27.6	6.8	152	0.3	6.2	17.5	897	4.23	18.1	3.6	3.1	8.1	127	1.4	0.4	0.1	130
1400211	Rock	2.47	10	2.2	29.8	63.1	376	1.2	6.7	16.5	871	4.21	19.9	3.1	18.3	8.0	144	5.9	0.7	0.2	122
1400212	Rock	2.94	45	2.5	36.2	98.2	315	1.5	7.0	17.2	984	4.09	63.9	3.2	35.1	7.6	151	5.0	0.7	0.4	116
1400213	Rock	3.07	<2	2.9	26.2	4.6	55	<0.1	6.8	15.5	658	3.67	3.6	2.2	2.1	8.0	100	<0.1	0.1	<0.1	118
1400214	Rock	3.06	<2	3.0	30.1	3.3	56	<0.1	6.8	15.6	576	3.77	1.7	2.1	<0.5	7.7	83	<0.1	<0.1	<0.1	127
1400215	Rock	2.85	<2	3.1	27.7	12.3	56	0.2	6.9	15.6	587	3.82	1.9	2.9	<0.5	8.6	101	<0.1	0.2	<0.1	128
1400216	Rock	3.01	<2	3.4	27.7	3.4	49	<0.1	7.0	14.2	486	3.43	1.4	2.3	<0.5	7.9	96	<0.1	0.1	<0.1	113
1400217	Rock	3.00	<2	3.1	28.5	2.8	50	<0.1	7.1	14.4	538	3.52	1.2	1.8	<0.5	7.1	88	<0.1	0.2	<0.1	114
1400218	Rock	3.06	<2	2.7	25.8	3.2	51	<0.1	6.3	14.4	549	3.46	1.7	2.0	<0.5	7.7	95	<0.1	0.2	<0.1	113
1400219	Rock	1.99	<2	3.6	33.6	3.5	50	<0.1	6.9	13.5	541	3.42	2.1	2.6	<0.5	9.1	92	<0.1	0.2	<0.1	111
1400220	Rock	0.13	<2	2.4	24.0	2.3	42	0.3	23.4	10.3	395	2.40	4.8	0.2	<0.5	0.8	33	0.1	0.2	<0.1	57
1400221	Rock	0.13	1398	8.6	45.7	5.7	49	0.2	30.4	8.7	459	3.14	6.9	0.2	1193	0.9	35	0.1	0.7	<0.1	63

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000050.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1400192	Rock	1.78	0.068	16	29	1.31	509	0.142	<20	2.17	0.203	0.39	0.3	<0.01	0.2	0.14	8.3	<0.5	7	<0.2
1400193	Rock	2.46	0.071	17	29	1.46	773	0.118	<20	2.30	0.161	0.52	0.3	0.02	0.3	0.39	13.9	<0.5	8	<0.2
1400194	Rock	1.86	0.074	16	29	1.44	472	0.130	<20	2.21	0.177	0.39	0.2	<0.01	0.2	<0.05	10.6	<0.5	7	<0.2
1400195	Rock	2.31	0.070	16	20	1.49	561	0.075	<20	2.17	0.145	0.46	0.2	0.02	0.2	0.61	14.0	<0.5	6	<0.2
1400196	Rock	1.84	0.067	14	26	1.48	609	0.107	<20	2.09	0.153	0.44	0.3	<0.01	0.2	0.51	9.6	<0.5	6	<0.2
1400197	Rock	1.65	0.071	15	26	1.28	1200	0.171	<20	2.20	0.213	0.76	0.3	<0.01	0.4	0.06	10.7	<0.5	6	<0.2
1400198	Rock	1.36	0.068	13	27	1.25	991	0.178	<20	2.09	0.223	0.70	0.5	<0.01	0.3	0.05	7.2	<0.5	6	<0.2
1400199	Rock	1.66	0.072	16	29	1.91	1047	0.165	<20	2.47	0.217	0.65	0.3	<0.01	0.4	0.05	13.3	<0.5	7	<0.2
1400200	Rock Pulp	0.69	0.055	3	30	0.73	91	0.089	<20	1.41	0.066	0.12	12.5	<0.01	<0.1	<0.05	4.0	<0.5	5	<0.2
1400201	Rock Pulp	0.69	0.050	4	32	0.74	93	0.094	<20	1.49	0.080	0.13	0.3	0.05	<0.1	<0.05	4.3	<0.5	5	<0.2
1400202	Rock	1.42	0.068	13	28	1.63	989	0.182	<20	2.26	0.198	0.70	0.3	<0.01	0.4	0.06	10.6	<0.5	7	<0.2
1400203	Rock	1.71	0.072	16	30	1.51	1430	0.214	<20	2.48	0.230	0.86	0.3	<0.01	0.4	0.07	12.5	<0.5	7	<0.2
1400204	Rock	2.08	0.073	16	29	1.66	1515	0.193	<20	2.50	0.213	0.81	0.3	<0.01	0.4	0.06	13.5	<0.5	7	<0.2
1400205	Rock	1.71	0.071	15	31	1.52	857	0.156	<20	2.54	0.253	0.61	0.4	<0.01	0.3	0.07	11.3	<0.5	8	<0.2
1400206	Rock	2.58	0.069	14	27	1.69	83	0.085	<20	2.38	0.100	0.49	0.4	0.03	0.3	1.57	13.4	<0.5	7	<0.2
1400207	Rock	2.19	0.074	16	31	1.68	1359	0.191	<20	2.66	0.243	0.79	0.5	0.01	0.4	0.23	13.8	<0.5	8	<0.2
1400208	Rock	1.93	0.069	15	31	1.48	861	0.169	<20	2.25	0.206	0.60	0.4	<0.01	0.3	<0.05	10.7	<0.5	7	<0.2
1400209	Rock	2.23	0.066	16	31	1.38	906	0.130	<20	2.26	0.201	0.52	0.3	0.02	0.3	0.06	12.8	<0.5	7	<0.2
1400210	Rock	2.35	0.068	15	29	1.56	813	0.123	<20	2.45	0.181	0.61	0.2	0.03	0.3	0.16	16.1	<0.5	8	<0.2
1400211	Rock	2.18	0.071	15	31	1.31	1302	0.142	<20	2.40	0.203	0.70	0.3	0.03	0.4	0.26	14.7	<0.5	7	<0.2
1400212	Rock	2.56	0.067	15	30	1.38	831	0.135	<20	2.26	0.184	0.60	0.6	0.02	0.4	0.47	12.8	<0.5	7	<0.2
1400213	Rock	1.76	0.073	14	33	1.41	950	0.196	<20	2.32	0.244	0.69	0.4	<0.01	0.3	0.08	9.6	<0.5	7	<0.2
1400214	Rock	1.29	0.081	14	36	1.43	1688	0.276	<20	2.33	0.251	1.02	0.5	<0.01	0.5	0.06	7.7	<0.5	7	<0.2
1400215	Rock	1.36	0.073	16	32	1.62	1353	0.205	<20	2.46	0.265	0.83	0.3	<0.01	0.4	0.07	10.4	<0.5	7	<0.2
1400216	Rock	1.28	0.077	14	34	1.29	1407	0.241	<20	2.46	0.331	0.92	0.5	<0.01	0.4	<0.05	7.1	<0.5	7	<0.2
1400217	Rock	1.28	0.079	13	34	1.27	1535	0.262	<20	2.33	0.274	0.99	0.4	<0.01	0.5	<0.05	6.8	<0.5	6	<0.2
1400218	Rock	1.36	0.071	14	32	1.31	1425	0.238	<20	2.48	0.320	0.92	0.4	<0.01	0.5	<0.05	7.1	<0.5	7	<0.2
1400219	Rock	1.33	0.073	15	36	1.23	1521	0.237	<20	2.38	0.304	0.93	0.9	<0.01	0.5	0.05	6.5	<0.5	7	<0.2
1400220	Rock	0.78	0.052	4	31	0.76	90	0.102	<20	1.49	0.074	0.13	12.3	<0.01	<0.1	<0.05	4.2	<0.5	5	<0.2
1400221	Rock	0.80	0.054	4	34	0.78	107	0.109	<20	1.62	0.091	0.14	0.2	0.09	<0.1	<0.05	4.8	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000050.2

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1400222	Rock	1.72	<2	1.6	30.8	16.0	68	0.1	8.3	14.6	501	3.23	13.1	1.3	0.9	9.1	58	0.5	0.5	<0.1	106
1400223	Rock	0.94	<2	1.1	45.0	3.7	47	<0.1	6.4	12.9	442	3.04	3.4	1.4	<0.5	8.9	57	0.1	0.3	<0.1	98
1400224	Rock	1.92	<2	1.6	30.6	4.1	46	<0.1	5.9	13.1	492	3.12	2.8	1.3	<0.5	8.5	53	<0.1	0.4	<0.1	94
1400225	Rock	2.31	<2	2.0	25.6	3.9	80	<0.1	6.6	14.4	592	3.36	6.3	1.5	<0.5	9.3	64	0.4	0.3	<0.1	106
1400226	Rock	1.97	30	2.1	41.3	418.6	595	4.1	6.7	16.6	1007	4.36	132.3	3.7	23.5	9.2	68	13.6	3.4	<0.1	105
1400227	Rock	1.98	14	1.8	33.3	178.0	256	2.5	6.8	16.3	745	3.93	18.1	2.5	7.8	8.7	64	4.7	1.5	<0.1	121
1400228	Rock	2.07	<2	1.9	31.0	5.3	80	0.1	6.9	16.9	703	3.97	2.5	1.6	0.7	7.8	78	1.6	0.7	<0.1	133
1400229	Rock	2.19	<2	1.7	28.0	6.5	74	0.2	6.2	13.2	519	3.21	6.1	1.8	0.5	8.0	63	0.4	0.2	<0.1	109
1400230	Rock	2.03	<2	1.7	26.6	106.8	186	1.4	7.2	15.6	623	3.72	15.5	2.2	1.9	9.3	78	2.4	0.7	<0.1	118
1400231	Rock	1.79	<2	2.1	25.8	4.6	61	0.1	7.2	14.9	594	3.47	3.8	2.4	0.5	8.5	74	0.2	0.2	<0.1	115
1400232	Rock	2.23	42	1.5	51.4	653.8	>10000	21.7	6.5	15.0	734	4.07	353.0	3.1	39.7	11.7	68	150.0	11.6	0.2	106
1400233	Rock	2.24	<2	1.8	29.7	8.0	130	0.3	6.9	15.0	550	3.48	5.0	2.1	3.2	8.6	84	1.1	0.2	<0.1	113
1400234	Rock	2.14	<2	2.3	27.3	5.9	69	0.1	6.8	13.4	477	3.32	3.9	2.7	0.7	9.7	74	0.3	0.2	<0.1	111
1400235	Rock	2.28	2	2.4	28.3	4.6	55	0.1	6.8	13.5	496	3.33	2.7	3.2	1.3	9.7	85	0.1	0.1	<0.1	111
1400236	Rock	1.90	<2	2.4	30.0	4.5	54	<0.1	7.7	13.7	467	3.37	3.6	2.1	<0.5	9.8	70	<0.1	0.1	<0.1	111
1400237	Rock	2.00	<2	2.7	28.7	4.8	50	0.1	7.5	13.1	456	3.31	1.8	2.3	<0.5	8.7	79	<0.1	0.1	<0.1	107
1400238	Rock	1.91	<2	2.4	28.2	3.9	58	<0.1	7.2	14.0	488	3.40	3.0	2.3	<0.5	9.4	74	<0.1	0.3	<0.1	113
1400239	Rock	2.16	96	2.3	44.6	111.5	1385	1.8	7.5	16.2	879	4.14	117.0	3.4	36.0	8.9	85	21.5	7.9	0.5	118
1400240	Rock Pulp	0.13	<2	2.5	24.9	2.2	46	0.3	24.1	10.5	392	2.45	4.8	0.2	1.0	0.9	39	<0.1	0.2	<0.1	61
1400241	Rock Pulp	0.13	1406	9.2	46.9	6.2	52	0.2	33.3	9.3	483	3.31	7.0	0.3	677.3	1.0	42	0.1	0.9	0.1	67
1400242	Rock	2.11	5	2.5	34.0	4.3	63	0.1	6.8	13.2	519	3.29	5.8	2.2	2.1	9.9	85	0.3	0.2	<0.1	108
1400243	Rock	1.83	3	2.6	27.6	4.2	53	<0.1	6.9	13.6	490	3.26	2.4	2.6	1.2	8.7	88	0.1	<0.1	<0.1	108
1400244	Rock	0.95	<2	4.0	34.9	3.7	52	<0.1	7.9	15.2	509	3.65	2.0	2.2	0.7	8.7	84	<0.1	<0.1	<0.1	122
1400245	Rock	1.17	<2	3.2	35.3	3.4	51	<0.1	8.0	14.6	506	3.56	1.7	2.1	1.2	7.9	85	<0.1	<0.1	<0.1	118
1400246	Rock	1.97	<2	2.8	28.0	3.5	53	<0.1	8.0	14.7	542	3.54	4.0	2.1	1.1	8.3	85	<0.1	<0.1	<0.1	118
1400247	Rock	1.96	<2	2.2	32.2	3.6	54	<0.1	7.1	14.6	524	3.55	14.4	1.6	<0.5	7.5	81	<0.1	0.1	<0.1	110
1400248	Rock	2.32	<2	2.2	34.8	3.0	46	<0.1	6.7	13.8	457	3.28	2.4	1.8	0.6	7.8	76	<0.1	<0.1	<0.1	105
1400249	Rock	2.30	<2	2.3	29.4	3.5	51	<0.1	6.8	13.9	529	3.39	10.6	1.9	<0.5	8.3	82	<0.1	<0.1	<0.1	110
1400250	Rock	1.79	<2	2.9	31.3	4.0	51	<0.1	7.4	14.3	638	3.48	6.3	2.0	<0.5	8.3	87	<0.1	0.1	<0.1	110
1400251	Rock	1.89	<2	3.3	27.5	3.9	48	<0.1	7.4	14.0	520	3.42	6.1	2.1	<0.5	8.0	96	<0.1	<0.1	<0.1	110

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000050.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1400222	Rock	0.87	0.071	13	28	1.10	1259	0.254	<20	2.12	0.226	0.70	0.2	<0.01	0.4	<0.05	5.9	<0.5	7	<0.2
1400223	Rock	0.97	0.074	15	23	1.05	1240	0.228	<20	1.93	0.208	0.75	0.7	<0.01	0.4	<0.05	4.9	<0.5	6	<0.2
1400224	Rock	1.20	0.073	14	26	1.13	791	0.201	<20	1.89	0.179	0.53	0.4	<0.01	0.3	<0.05	4.6	<0.5	6	<0.2
1400225	Rock	1.50	0.067	15	26	1.25	789	0.189	<20	2.12	0.206	0.56	0.3	0.02	0.3	<0.05	7.3	<0.5	7	<0.2
1400226	Rock	2.60	0.070	18	21	1.05	572	0.082	<20	2.11	0.096	0.49	0.2	0.07	0.4	0.27	12.0	<0.5	6	<0.2
1400227	Rock	1.78	0.077	15	27	1.36	811	0.164	<20	2.16	0.141	0.60	0.3	0.02	0.3	0.13	10.6	<0.5	7	<0.2
1400228	Rock	1.65	0.079	15	29	1.58	1123	0.223	<20	2.49	0.207	0.84	0.3	<0.01	0.4	<0.05	10.3	<0.5	8	<0.2
1400229	Rock	1.22	0.072	13	27	1.12	1256	0.223	<20	2.14	0.240	0.84	0.4	<0.01	0.4	<0.05	6.2	<0.5	6	<0.2
1400230	Rock	1.48	0.080	17	27	1.40	1060	0.259	<20	2.35	0.224	0.87	0.4	0.03	0.4	0.06	8.8	<0.5	7	<0.2
1400231	Rock	1.41	0.077	16	29	1.29	991	0.260	<20	2.22	0.234	0.86	0.4	<0.01	0.4	<0.05	8.0	<0.5	7	<0.2
1400232	Rock	1.64	0.075	16	25	1.11	198	0.210	<20	2.01	0.170	0.80	0.5	0.07	0.4	1.02	8.8	<0.5	6	<0.2
1400233	Rock	1.43	0.082	15	29	1.24	1064	0.272	<20	2.30	0.253	0.83	0.6	<0.01	0.4	0.06	6.7	<0.5	7	<0.2
1400234	Rock	1.15	0.081	15	30	1.23	1178	0.290	<20	2.10	0.222	0.88	0.7	<0.01	0.4	0.05	5.6	<0.5	6	<0.2
1400235	Rock	1.36	0.079	16	29	1.15	1102	0.279	<20	2.28	0.282	0.90	0.7	<0.01	0.4	0.06	6.1	<0.5	6	<0.2
1400236	Rock	1.20	0.084	16	32	1.14	1107	0.304	<20	2.04	0.211	0.90	0.6	<0.01	0.4	0.06	5.1	<0.5	6	<0.2
1400237	Rock	1.25	0.081	14	31	1.13	938	0.277	<20	2.21	0.263	0.81	1.1	<0.01	0.4	0.06	5.7	<0.5	6	<0.2
1400238	Rock	1.16	0.087	15	31	1.22	1158	0.277	<20	2.16	0.233	0.92	0.9	<0.01	0.5	0.07	5.7	<0.5	6	<0.2
1400239	Rock	1.66	0.079	15	29	1.30	982	0.237	<20	2.30	0.231	0.90	0.6	0.05	0.5	0.53	8.9	<0.5	7	<0.2
1400240	Rock Pulp	0.83	0.061	4	31	0.78	96	0.127	<20	1.57	0.077	0.13	12.8	0.01	<0.1	<0.05	4.6	<0.5	5	<0.2
1400241	Rock Pulp	0.86	0.057	5	35	0.83	104	0.139	<20	1.73	0.096	0.15	0.3	0.06	<0.1	<0.05	5.0	<0.5	6	<0.2
1400242	Rock	1.38	0.074	16	29	1.17	944	0.220	<20	2.15	0.234	0.75	0.8	0.05	0.3	0.06	7.4	<0.5	6	<0.2
1400243	Rock	1.33	0.078	16	30	1.15	1050	0.262	<20	2.20	0.261	0.79	1.0	<0.01	0.4	<0.05	5.7	<0.5	6	<0.2
1400244	Rock	1.19	0.081	14	34	1.27	1362	0.337	<20	2.38	0.280	1.09	0.9	<0.01	0.5	0.06	6.1	<0.5	7	<0.2
1400245	Rock	1.18	0.086	14	32	1.26	1365	0.321	<20	2.33	0.268	1.06	0.9	<0.01	0.5	0.06	6.0	<0.5	7	<0.2
1400246	Rock	1.43	0.082	15	33	1.23	1215	0.296	<20	2.29	0.253	0.95	0.6	<0.01	0.4	0.07	6.9	<0.5	7	<0.2
1400247	Rock	1.40	0.083	15	30	1.27	886	0.270	<20	2.16	0.227	0.75	0.5	<0.01	0.3	0.07	6.5	<0.5	7	<0.2
1400248	Rock	1.17	0.081	14	29	1.15	935	0.261	<20	2.05	0.217	0.87	0.7	<0.01	0.4	0.07	5.6	<0.5	6	<0.2
1400249	Rock	1.36	0.082	15	30	1.29	1102	0.259	<20	2.09	0.204	0.79	0.5	0.06	0.4	0.06	6.4	<0.5	6	<0.2
1400250	Rock	1.43	0.080	15	32	1.37	1090	0.256	<20	2.21	0.218	0.82	0.5	0.04	0.4	0.08	7.5	<0.5	6	<0.2
1400251	Rock	1.33	0.077	15	32	1.34	1264	0.270	<20	2.39	0.274	0.86	0.5	0.02	0.4	<0.05	6.8	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000050.2

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1400252	Rock	1.95	<2	2.9	34.4	3.6	48	<0.1	7.6	14.2	507	3.39	2.2	2.8	<0.5	8.3	95	<0.1	0.2	0.2	109
1400253	Rock	2.34	9	1.9	28.4	12.8	234	0.3	7.7	17.5	738	4.19	14.9	1.9	3.8	8.5	121	3.4	0.6	0.2	129
1400254	Rock	1.99	91	1.2	33.0	50.4	838	0.7	7.1	18.3	1060	4.61	46.7	3.0	13.5	7.8	226	14.0	0.7	0.3	120
1400255	Rock	2.22	<2	1.9	26.5	4.9	72	<0.1	7.8	18.8	938	4.45	5.0	2.6	<0.5	8.0	180	0.2	0.5	0.1	147
1400256	Rock	2.08	34	1.3	29.0	36.7	249	0.5	7.3	19.3	957	4.66	262.2	2.9	30.2	7.8	182	3.3	1.3	0.2	152
1400257	Rock	2.42	<2	1.4	27.4	3.3	59	<0.1	8.2	16.8	721	3.97	4.4	2.0	0.6	8.0	133	<0.1	1.1	<0.1	138
1400258	Rock	2.32	<2	1.6	25.9	3.4	60	<0.1	7.3	17.4	841	4.17	4.1	1.8	<0.5	7.6	170	<0.1	2.0	<0.1	143
1400259	Rock	2.54	<2	2.1	24.4	3.1	61	<0.1	6.9	17.6	767	4.20	3.4	1.7	1.2	7.9	158	<0.1	3.7	<0.1	137
1400260	Rock Pulp	0.12	<2	2.4	25.5	2.5	44	0.3	24.3	10.8	410	2.49	4.6	0.2	<0.5	1.0	38	0.1	0.2	<0.1	60
1400261	Rock Pulp	0.12	3946	9.6	67.5	485.3	1549	56.6	31.6	8.4	405	3.35	29.7	0.3	2841	1.1	33	15.3	44.2	0.8	55
1400262	Rock	2.55	15	1.8	38.7	462.3	1108	4.2	6.9	18.7	1460	4.12	50.3	3.0	8.4	8.4	125	14.9	11.4	0.2	89
1400263	Rock	2.28	503	1.3	43.2	1368	4126	28.4	5.8	13.0	1193	5.53	2885	1.7	486.1	5.8	76	60.0	23.1	1.3	32
1400264	Rock	2.42	29	1.1	14.5	356.0	871	4.9	6.3	11.4	913	3.59	77.3	3.4	107.7	9.1	137	12.3	4.9	0.2	59
1400265	Rock	2.04	108	1.1	18.9	1222	1706	16.9	6.1	11.1	845	3.89	420.0	2.0	73.9	8.5	96	23.7	5.4	0.3	28
1400266	Rock	2.20	2124	0.6	53.1	5772	7189	74.9	5.3	10.1	725	4.33	1901	2.0	572.2	8.0	121	98.8	24.6	0.4	39
1400267	Rock	2.24	64	0.7	11.7	31.3	717	0.9	4.9	11.1	867	3.62	214.3	2.5	40.3	9.8	268	12.3	1.4	0.4	70
1400268	Rock	2.18	129	0.7	14.6	134.8	1312	2.8	5.4	10.6	1311	3.66	1160	3.5	120.1	9.0	150	24.2	3.4	0.4	34
1400269	Rock	2.11	215	1.7	12.0	472.4	786	5.9	5.2	8.7	757	2.80	3433	1.7	204.8	7.6	97	11.3	8.0	0.1	46
1400270	Rock	2.53	267	1.6	31.0	374.3	312	10.3	16.0	16.6	769	3.86	1119	1.7	246.5	5.7	261	4.0	5.3	0.2	72
1400271	Rock	2.35	11	1.1	8.1	116.1	194	1.2	4.5	11.1	826	3.66	82.4	1.8	11.3	6.7	424	2.5	4.1	0.1	65
1400272	Rock	2.34	495	2.1	50.9	2117	6363	32.4	6.8	18.1	892	6.01	5270	1.8	472.7	6.1	78	95.1	25.2	0.5	64
1400273	Rock	2.37	2607	1.3	169.4	1793	>10000	34.3	6.1	16.0	591	7.38	>10000	1.5	1473	4.9	40	300.9	18.5	7.2	18
1400274	Rock	2.52	184	5.9	54.9	773.6	4283	9.0	3.8	12.3	1222	3.95	537.6	2.1	123.2	5.5	64	69.3	8.7	1.2	17
1400275	Rock	2.46	110	0.9	27.4	33.7	433	1.0	3.7	14.2	1550	3.58	602.5	2.4	92.3	5.1	229	6.6	5.1	0.4	47
1400276	Rock	2.20	101	0.6	37.3	16.4	302	0.6	6.2	20.5	1152	4.65	389.3	3.3	83.0	7.9	129	4.3	3.4	0.5	99
1400277	Rock	2.21	3	1.1	24.3	5.8	78	0.1	6.4	18.4	973	4.29	13.9	3.1	2.0	8.5	197	0.4	1.6	0.1	121
1400278	Rock	2.12	4	1.3	32.8	83.9	150	0.8	7.5	21.7	1013	4.78	11.7	2.4	2.5	8.3	198	1.8	1.3	<0.1	145
1400279	Rock	2.33	13	2.1	29.5	243.3	474	4.1	7.1	17.1	907	4.07	32.1	2.3	10.0	7.8	112	7.2	1.7	0.1	118
1400280	Rock Pulp	0.12	<2	2.2	25.3	2.4	43	0.3	23.8	10.4	410	2.41	5.4	0.2	<0.5	0.9	36	0.2	0.1	<0.1	60
1400281	Rock Pulp	0.12	1475	8.2	47.9	5.9	49	0.3	32.7	9.2	472	3.24	6.3	0.2	1029	0.9	37	0.1	0.8	0.1	66

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000050.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1400252	Rock	1.30	0.078	15	33	1.27	1283	0.264	<20	2.24	0.247	0.85	1.1	<0.01	0.4	0.06	6.3	<0.5	7	<0.2
1400253	Rock	2.19	0.078	16	30	1.62	875	0.177	<20	2.32	0.155	0.66	0.2	0.02	0.3	0.18	11.7	<0.5	7	<0.2
1400254	Rock	3.72	0.075	19	23	2.12	712	0.067	<20	2.69	0.040	0.53	<0.1	0.03	0.3	0.33	15.4	<0.5	8	<0.2
1400255	Rock	2.43	0.076	18	31	2.20	1132	0.140	<20	2.85	0.141	0.73	0.1	<0.01	0.4	0.06	15.4	<0.5	8	<0.2
1400256	Rock	2.17	0.078	18	29	2.29	1308	0.174	<20	2.90	0.200	0.69	0.1	<0.01	0.4	0.30	16.1	<0.5	9	<0.2
1400257	Rock	1.58	0.082	17	32	2.06	1669	0.249	<20	2.55	0.220	0.84	0.2	<0.01	0.5	0.06	11.8	<0.5	8	<0.2
1400258	Rock	2.00	0.075	18	28	2.05	1223	0.211	<20	2.79	0.273	0.77	0.2	<0.01	0.4	0.05	13.4	<0.5	8	<0.2
1400259	Rock	1.97	0.075	17	27	1.86	1081	0.192	<20	2.61	0.223	0.75	0.1	<0.01	0.4	<0.05	13.9	<0.5	7	<0.2
1400260	Rock Pulp	0.84	0.061	4	32	0.80	97	0.126	<20	1.61	0.078	0.13	13.4	0.01	<0.1	<0.05	4.6	<0.5	5	<0.2
1400261	Rock Pulp	0.71	0.049	6	28	0.59	109	0.105	<20	1.22	0.077	0.11	2.0	0.23	1.1	0.37	4.3	<0.5	6	<0.2
1400262	Rock	2.96	0.074	16	17	1.31	381	0.040	<20	1.32	0.059	0.38	<0.1	0.15	0.4	0.72	14.2	<0.5	4	<0.2
1400263	Rock	2.17	0.073	8	7	0.86	33	<0.001	<20	0.47	0.006	0.23	0.2	0.29	0.5	4.81	7.7	<0.5	1	<0.2
1400264	Rock	2.61	0.077	21	12	1.20	408	0.069	<20	1.35	0.044	0.55	0.1	0.04	0.4	0.64	8.4	<0.5	5	<0.2
1400265	Rock	2.45	0.070	15	6	0.90	121	0.003	<20	0.65	0.011	0.29	0.2	0.07	0.3	2.35	6.1	<0.5	2	<0.2
1400266	Rock	2.31	0.063	12	7	0.88	103	0.034	<20	1.02	0.019	0.45	0.2	0.12	0.3	2.89	6.0	<0.5	3	<0.2
1400267	Rock	3.10	0.067	21	13	1.24	780	0.111	<20	1.98	0.030	0.71	0.1	0.03	0.4	0.45	9.8	<0.5	8	<0.2
1400268	Rock	2.77	0.068	17	7	0.84	87	0.017	<20	1.05	0.015	0.41	0.1	0.03	0.4	2.11	6.7	<0.5	4	<0.2
1400269	Rock	1.84	0.056	16	10	0.82	293	0.047	<20	1.08	0.040	0.45	0.7	0.05	0.4	0.81	7.1	<0.5	4	<0.2
1400270	Rock	3.18	0.135	17	22	1.20	197	0.005	<20	0.71	0.022	0.20	<0.1	0.13	0.4	0.79	9.9	<0.5	2	<0.2
1400271	Rock	3.63	0.149	21	7	1.08	708	0.006	<20	0.77	0.024	0.25	<0.1	0.03	0.2	0.42	7.9	<0.5	2	<0.2
1400272	Rock	1.95	0.064	10	15	0.96	23	0.041	<20	0.95	0.048	0.43	0.5	0.17	0.4	4.20	11.3	0.5	3	<0.2
1400273	Rock	0.91	0.044	3	6	0.46	16	<0.001	<20	0.32	0.005	0.22	0.4	0.39	0.5	7.34	5.9	1.0	2	<0.2
1400274	Rock	2.19	0.024	4	5	1.07	32	<0.001	<20	0.33	0.006	0.23	0.4	0.30	0.3	3.15	4.7	<0.5	1	<0.2
1400275	Rock	5.33	0.045	8	8	2.18	138	<0.001	<20	0.36	0.007	0.16	0.2	0.12	0.3	1.01	11.2	<0.5	1	<0.2
1400276	Rock	3.46	0.071	18	16	1.86	642	0.029	<20	1.09	0.018	0.35	<0.1	0.13	0.5	0.47	17.9	<0.5	4	<0.2
1400277	Rock	2.58	0.070	19	24	1.69	2214	0.160	<20	2.22	0.165	0.80	<0.1	<0.01	0.4	0.06	18.5	<0.5	6	<0.2
1400278	Rock	2.72	0.078	19	29	1.95	1382	0.181	<20	2.50	0.170	0.79	0.1	0.03	0.4	0.15	17.8	<0.5	8	<0.2
1400279	Rock	1.91	0.073	16	29	1.51	1134	0.174	<20	2.22	0.192	0.70	0.2	0.01	0.4	0.34	12.3	<0.5	7	<0.2
1400280	Rock Pulp	0.85	0.056	4	27	0.78	99	0.118	<20	1.56	0.078	0.13	12.6	0.02	<0.1	<0.05	4.6	<0.5	5	<0.2
1400281	Rock Pulp	0.87	0.054	4	36	0.81	103	0.129	<20	1.69	0.096	0.15	0.3	0.05	<0.1	<0.05	5.0	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000050.2

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1400282	Rock	2.38	21	2.1	27.8	45.6	179	0.5	6.3	16.4	706	3.88	122.5	3.4	16.1	8.4	106	2.1	0.5	<0.1	123
1400283	Rock	2.30	3	2.6	26.4	4.9	53	0.1	6.9	14.6	585	3.40	5.5	2.3	3.4	7.7	90	0.1	0.1	<0.1	110
1400284	Rock	2.22	7	2.0	34.3	285.2	316	2.5	6.5	16.0	659	3.76	7.7	2.5	2.5	8.8	97	4.4	1.1	<0.1	116
1400285	Rock	2.31	2	2.3	30.0	10.6	214	0.2	7.2	19.4	917	4.51	16.4	2.7	2.1	7.8	144	3.2	0.5	0.1	145
1400286	Rock	2.15	4	2.0	26.6	6.2	62	0.1	7.1	16.4	923	4.13	11.7	3.4	4.6	8.9	117	0.2	0.4	<0.1	133
1400287	Rock	2.40	10	2.5	29.5	9.9	69	0.2	6.5	14.7	572	3.56	7.3	2.2	2.8	8.0	101	0.3	0.3	<0.1	114
1400288	Rock	2.11	<2	2.1	27.2	5.6	55	<0.1	6.6	14.2	528	3.33	10.7	1.9	4.6	8.3	94	0.2	0.1	<0.1	108
1400289	Rock	1.63	5	2.1	23.9	8.7	63	0.2	6.5	13.6	469	3.24	12.5	1.7	2.0	7.1	84	0.3	0.2	<0.1	109
1400290	Rock	2.30	<2	2.4	26.7	4.7	55	<0.1	6.8	15.1	568	3.52	7.4	2.2	1.2	7.7	87	<0.1	0.1	<0.1	115
1400291	Rock	1.91	<2	2.4	26.2	7.0	57	0.1	6.7	14.4	527	3.39	10.5	2.5	1.6	7.9	92	0.2	0.1	<0.1	113
1400292	Rock	1.33	<2	2.4	23.8	11.0	64	0.2	7.0	13.6	471	3.34	12.0	1.7	1.9	7.4	91	0.3	0.2	<0.1	110
1400293	Rock	1.80	5	1.5	30.4	66.4	107	0.8	6.9	14.1	525	3.39	31.1	1.5	5.5	9.4	64	1.5	0.6	<0.1	112
1400294	Rock	0.32	3	1.0	33.0	125.0	310	0.6	6.0	15.2	675	3.70	9.4	1.6	3.0	8.6	59	4.2	0.9	<0.1	117
1400295	Rock	0.48	2	1.0	32.6	119.7	317	0.6	6.0	15.5	682	3.87	8.2	1.4	2.4	9.2	67	4.2	0.8	<0.1	121
1400296	Rock	1.43	14	2.4	30.7	328.2	254	3.7	7.0	14.5	619	3.59	29.9	2.3	10.6	8.0	54	2.8	2.1	<0.1	112
1400297	Rock	1.81	12	1.9	33.7	108.9	137	1.1	6.9	15.7	770	3.68	173.9	3.8	5.5	10.1	76	1.5	0.7	<0.1	111
1400298	Rock	1.48	<2	2.9	31.4	8.5	52	0.1	7.4	13.9	457	3.19	6.3	2.2	<0.5	9.8	70	0.1	<0.1	<0.1	103
1400299	Rock	1.82	<2	2.7	26.7	22.4	56	0.3	7.3	14.1	533	3.42	4.7	2.2	<0.5	9.9	77	0.2	0.2	<0.1	112
1400300	Rock Pulp	0.12	3	2.8	24.5	2.5	45	0.3	26.1	11.6	421	2.57	4.7	0.3	<0.5	2.0	38	0.2	0.2	<0.1	65
1400301	Rock Pulp	0.12	3976	10.3	64.9	531.9	1616	58.0	32.3	9.3	416	3.54	31.5	0.4	3344	1.9	32	14.7	39.5	0.8	62
1400302	Rock	1.84	3	3.7	44.0	45.3	201	0.2	9.5	19.2	668	4.35	9.3	2.3	<0.5	9.3	77	1.0	0.2	<0.1	157
1400303	Rock	1.81	30	3.0	39.1	466.1	653	5.0	8.7	19.0	740	4.46	92.3	2.4	18.8	8.7	97	8.2	1.8	0.3	141
1400304	Rock	1.84	4	2.8	39.3	10.9	61	0.2	8.4	16.7	561	3.78	4.9	2.3	<0.5	8.1	95	0.2	0.1	<0.1	131
1400305	Rock	1.81	<2	3.2	35.7	6.0	61	0.1	8.9	17.5	594	3.97	4.9	1.8	1.3	7.3	90	0.3	0.1	<0.1	143
1400306	Rock	2.05	9	2.7	27.5	12.9	168	0.2	7.4	15.3	567	3.56	9.9	2.0	4.2	8.3	91	2.4	0.2	<0.1	121
1400307	Rock	1.98	<2	3.1	23.0	4.1	58	<0.1	7.6	14.4	515	3.41	3.4	1.8	<0.5	8.0	96	0.2	<0.1	<0.1	118
1400308	Rock	1.51	15	2.6	36.4	134.3	1150	1.3	8.0	17.0	943	4.17	143.9	3.2	16.9	8.6	88	12.2	1.8	0.4	112
1400309	Rock	1.77	<2	2.5	30.3	5.2	82	<0.1	8.2	18.5	692	4.24	5.5	2.5	<0.5	8.2	87	0.2	0.2	<0.1	144
1400310	Rock	2.15	<2	3.4	28.1	6.3	62	0.1	8.8	16.8	614	3.73	3.3	2.8	2.9	8.1	90	0.2	0.2	<0.1	129
1400311	Rock	1.57	42	2.8	36.5	1473	1488	15.7	8.2	19.5	938	4.90	133.9	3.1	32.3	8.3	78	20.7	4.6	<0.1	119

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000050.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1400282	Rock	1.62	0.077	15	30	1.55	1026	0.197	<20	2.35	0.217	0.75	0.3	<0.01	0.3	0.13	11.2	<0.5	7	<0.2
1400283	Rock	1.27	0.076	14	34	1.30	1423	0.253	<20	2.28	0.256	0.88	0.7	<0.01	0.4	0.07	7.1	<0.5	7	<0.2
1400284	Rock	1.58	0.072	15	32	1.42	1138	0.220	<20	2.28	0.216	0.80	0.4	0.02	0.4	0.29	9.1	<0.5	7	<0.2
1400285	Rock	2.21	0.074	17	45	1.86	1303	0.206	<20	2.89	0.246	0.86	0.3	0.06	0.4	0.18	15.0	<0.5	8	<0.2
1400286	Rock	2.23	0.073	17	29	1.63	1357	0.213	<20	2.52	0.239	0.82	0.4	0.03	0.5	0.12	12.2	<0.5	8	<0.2
1400287	Rock	1.32	0.077	14	31	1.44	1558	0.241	<20	2.40	0.265	0.82	0.6	<0.01	0.4	0.14	7.9	<0.5	7	<0.2
1400288	Rock	1.22	0.073	14	29	1.25	1664	0.256	<20	2.19	0.249	0.83	0.7	<0.01	0.4	0.07	6.1	<0.5	7	<0.2
1400289	Rock	1.07	0.065	13	29	1.13	1616	0.295	<20	2.28	0.275	0.95	0.8	<0.01	0.4	0.07	4.9	<0.5	7	<0.2
1400290	Rock	1.39	0.071	13	31	1.21	1310	0.259	<20	2.23	0.249	0.84	0.6	<0.01	0.4	0.06	6.5	<0.5	7	<0.2
1400291	Rock	1.40	0.073	14	31	1.17	1439	0.312	<20	2.27	0.277	0.86	0.7	<0.01	0.4	0.06	6.5	<0.5	7	<0.2
1400292	Rock	1.13	0.069	13	29	1.17	1551	0.300	<20	2.28	0.277	0.93	0.7	<0.01	0.4	0.08	5.4	<0.5	7	<0.2
1400293	Rock	1.00	0.082	15	26	1.21	1504	0.274	<20	2.27	0.252	0.85	0.4	0.01	0.4	0.06	6.3	<0.5	7	<0.2
1400294	Rock	1.08	0.072	15	25	1.26	1335	0.245	<20	2.29	0.212	0.86	0.3	<0.01	0.4	<0.05	7.9	<0.5	7	<0.2
1400295	Rock	1.14	0.072	16	25	1.36	1464	0.259	<20	2.53	0.250	0.91	0.3	<0.01	0.5	<0.05	8.8	<0.5	8	<0.2
1400296	Rock	1.07	0.074	14	30	1.16	1326	0.245	<20	2.11	0.195	0.90	0.5	<0.01	0.5	0.07	6.2	<0.5	6	<0.2
1400297	Rock	1.63	0.072	16	28	1.19	1260	0.234	<20	2.33	0.258	0.87	0.4	0.01	0.5	0.09	7.7	<0.5	7	<0.2
1400298	Rock	1.09	0.072	14	30	1.07	1422	0.266	<20	2.15	0.262	0.93	0.7	<0.01	0.5	<0.05	4.9	<0.5	7	<0.2
1400299	Rock	1.29	0.072	14	31	1.21	1410	0.265	<20	2.36	0.291	0.91	0.5	<0.01	0.4	0.06	6.2	<0.5	7	<0.2
1400300	Rock Pulp	0.94	0.061	3	34	0.83	102	0.137	<20	1.69	0.087	0.14	12.7	0.04	<0.1	<0.05	4.5	<0.5	6	<0.2
1400301	Rock Pulp	0.78	0.051	7	30	0.62	112	0.114	<20	1.32	0.083	0.12	2.0	0.23	1.1	0.37	4.4	<0.5	6	0.2
1400302	Rock	1.38	0.098	18	43	1.64	1409	0.318	<20	2.59	0.254	0.98	0.4	<0.01	0.5	0.09	8.6	<0.5	8	<0.2
1400303	Rock	1.64	0.086	17	35	1.48	1305	0.268	<20	2.75	0.295	0.94	0.3	0.03	0.5	0.18	10.4	<0.5	8	<0.2
1400304	Rock	1.36	0.087	16	34	1.36	1535	0.322	<20	2.59	0.326	1.06	0.5	<0.01	0.5	0.06	6.3	<0.5	7	<0.2
1400305	Rock	1.36	0.096	15	34	1.44	1618	0.349	<20	2.61	0.323	1.18	0.5	<0.01	0.6	0.06	7.8	<0.5	7	<0.2
1400306	Rock	1.45	0.080	14	32	1.25	1399	0.287	<20	2.41	0.298	0.95	0.6	0.02	0.5	0.08	6.7	<0.5	7	<0.2
1400307	Rock	1.37	0.076	14	34	1.21	1302	0.283	<20	2.44	0.332	0.89	0.7	0.02	0.4	<0.05	6.3	<0.5	7	<0.2
1400308	Rock	1.88	0.079	16	29	1.23	1001	0.215	<20	2.23	0.225	0.78	0.6	0.04	0.5	0.69	8.2	<0.5	7	<0.2
1400309	Rock	1.65	0.094	16	36	1.66	1242	0.289	<20	2.54	0.250	0.83	0.5	<0.01	0.4	0.06	8.6	<0.5	8	<0.2
1400310	Rock	1.52	0.083	15	34	1.40	1381	0.281	<20	2.45	0.273	0.84	0.7	0.02	0.4	0.07	7.2	<0.5	7	<0.2
1400311	Rock	2.05	0.085	14	28	1.48	94	0.159	<20	1.97	0.162	0.65	0.4	0.07	0.4	1.32	9.8	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000050.2

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1400312	Rock	1.81	<2	3.0	41.1	15.5	96	0.3	9.9	22.7	854	5.08	4.8	1.9	<0.5	7.0	77	0.4	<0.1	<0.1	186
1400313	Rock	1.89	7	2.3	36.9	8.8	106	0.4	9.6	24.6	1354	5.41	10.2	2.2	4.9	7.4	108	0.3	0.3	<0.1	168
1400314	Rock	1.63	<2	3.0	33.1	4.8	66	0.1	8.8	19.8	789	4.58	2.5	2.3	<0.5	7.6	89	0.1	<0.1	<0.1	152
1400315	Rock	1.89	<2	9.4	31.7	5.0	66	0.1	7.5	17.4	709	4.15	2.7	2.0	0.6	6.9	86	0.2	0.5	<0.1	134
1400316	Rock	1.65	31	1.2	58.9	308.7	1811	4.0	7.9	21.3	1574	5.43	214.1	2.4	26.8	6.6	144	29.3	6.3	0.7	119
1400317	Rock	1.21	120	0.9	22.6	115.9	2260	3.3	6.5	19.5	1424	6.21	732.5	1.7	115.3	6.1	65	37.5	3.8	1.5	51
1400318	Rock	2.03	639	1.4	29.2	324.3	1164	4.2	5.8	14.7	1938	4.99	6459	1.7	570.9	4.7	86	17.0	7.0	1.3	42
1400319	Rock	1.88	317	1.6	39.7	1280	6432	15.6	4.2	8.8	1074	4.48	1636	1.4	747.7	4.8	65	95.9	9.3	1.6	22
1400320	Rock Pulp	0.13	4	2.3	23.3	2.9	48	0.2	22.1	10.0	396	2.39	5.3	0.3	<0.5	0.9	38	0.2	0.2	<0.1	60
1400321	Rock Pulp	0.13	1425	6.8	39.9	5.0	44	0.2	25.8	7.8	404	2.78	6.0	0.2	897.5	0.8	35	0.1	0.6	<0.1	56
1400322	Rock	1.66	65	1.7	16.0	1313	1698	17.4	4.9	9.2	897	3.61	362.2	1.4	68.2	5.6	81	22.2	5.8	<0.1	34

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000050.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1400312	Rock	1.53	0.120	16	43	1.89	2234	0.402	<20	2.58	0.202	1.42	0.4	<0.01	0.6	0.08	10.1	<0.5	8	<0.2
1400313	Rock	2.07	0.103	19	35	1.86	1736	0.315	<20	2.55	0.205	1.24	0.2	0.16	0.9	0.44	16.1	<0.5	7	<0.2
1400314	Rock	1.66	0.103	17	36	1.77	1771	0.332	<20	2.45	0.218	1.19	0.3	<0.01	0.6	0.07	9.9	<0.5	7	<0.2
1400315	Rock	1.52	0.093	13	31	1.58	1333	0.292	<20	2.22	0.202	1.05	0.4	0.01	0.4	0.07	8.9	<0.5	7	<0.2
1400316	Rock	3.77	0.082	16	18	2.00	193	0.036	<20	1.00	0.019	0.36	<0.1	0.14	0.4	0.90	20.4	<0.5	3	<0.2
1400317	Rock	2.96	0.063	6	10	1.28	35	<0.001	<20	0.61	0.006	0.22	<0.1	0.25	0.7	5.02	13.2	<0.5	2	<0.2
1400318	Rock	4.52	0.053	6	7	1.88	65	<0.001	<20	0.47	0.006	0.20	0.2	0.22	0.5	2.88	9.1	<0.5	1	<0.2
1400319	Rock	3.87	0.048	6	6	1.63	64	0.001	<20	0.46	0.005	0.26	0.2	0.11	0.2	3.28	4.0	<0.5	1	<0.2
1400320	Rock Pulp	0.80	0.057	4	30	0.76	93	0.117	<20	1.53	0.076	0.13	11.9	<0.01	<0.1	<0.05	4.3	<0.5	5	<0.2
1400321	Rock Pulp	0.72	0.051	4	29	0.68	87	0.116	<20	1.39	0.080	0.12	0.2	0.05	<0.1	<0.05	4.5	<0.5	5	<0.2
1400322	Rock	3.30	0.058	11	7	1.38	101	0.001	<20	0.64	0.005	0.21	0.1	0.06	0.2	1.62	6.4	<0.5	2	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

QUALITY CONTROL REPORT WHI12000050.2

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1400166	Rock	2.65	<2	3.3	28.5	3.8	46	<0.1	7.6	14.3	507	3.41	1.0	2.6	<0.5	7.9	83	<0.1	<0.1	<0.1	113
REP 1400166	QC		<2																		
1400179	Rock	2.48	<2	3.2	28.2	3.7	53	<0.1	7.0	15.3	570	3.57	0.9	2.6	<0.5	8.4	94	<0.1	<0.1	<0.1	119
REP 1400179	QC			3.4	28.1	3.4	51	<0.1	7.0	14.9	574	3.53	1.5	2.5	<0.5	8.7	86	<0.1	<0.1	<0.1	119
1400200	Rock Pulp	0.13	<2	2.4	24.0	2.2	43	0.2	22.2	10.3	384	2.25	4.6	0.2	<0.5	0.8	33	0.2	0.2	<0.1	53
REP 1400200	QC		<2																		
1400214	Rock	3.06	<2	3.0	30.1	3.3	56	<0.1	6.8	15.6	576	3.77	1.7	2.1	<0.5	7.7	83	<0.1	<0.1	<0.1	127
REP 1400214	QC			3.0	33.4	3.4	57	<0.1	7.4	16.5	574	3.83	1.7	2.1	<0.5	7.5	81	<0.1	<0.1	<0.1	130
1400224	Rock	1.92	<2	1.6	30.6	4.1	46	<0.1	5.9	13.1	492	3.12	2.8	1.3	<0.5	8.5	53	<0.1	0.4	<0.1	94
REP 1400224	QC		<2																		
1400244	Rock	0.95	<2	4.0	34.9	3.7	52	<0.1	7.9	15.2	509	3.65	2.0	2.2	0.7	8.7	84	<0.1	<0.1	<0.1	122
REP 1400244	QC			3.1	35.7	3.6	51	<0.1	7.6	15.0	510	3.63	2.1	2.0	0.9	8.5	85	<0.1	<0.1	<0.1	122
1400258	Rock	2.32	<2	1.6	25.9	3.4	60	<0.1	7.3	17.4	841	4.17	4.1	1.8	<0.5	7.6	170	<0.1	2.0	<0.1	143
REP 1400258	QC		<2																		
1400279	Rock	2.33	13	2.1	29.5	243.3	474	4.1	7.1	17.1	907	4.07	32.1	2.3	10.0	7.8	112	7.2	1.7	0.1	118
REP 1400279	QC			1.8	27.5	234.4	465	4.0	6.5	17.1	888	4.21	30.3	2.4	11.9	7.6	107	6.7	1.9	<0.1	123
1400292	Rock	1.33	<2	2.4	23.8	11.0	64	0.2	7.0	13.6	471	3.34	12.0	1.7	1.9	7.4	91	0.3	0.2	<0.1	110
REP 1400292	QC		3																		
1400304	Rock	1.84	4	2.8	39.3	10.9	61	0.2	8.4	16.7	561	3.78	4.9	2.3	<0.5	8.1	95	0.2	0.1	<0.1	131
REP 1400304	QC			2.8	39.8	11.6	62	0.2	8.6	16.2	552	3.80	5.0	2.7	<0.5	8.3	94	0.1	0.1	<0.1	133
1400319	Rock	1.88	317	1.6	39.7	1280	6432	15.6	4.2	8.8	1074	4.48	1636	1.4	747.7	4.8	65	95.9	9.3	1.6	22
REP 1400319	QC			1.5	40.9	1299	6380	15.7	4.6	9.1	1098	4.43	1655	1.3	258.5	4.6	66	96.1	9.8	1.7	22
Core Reject Duplicates																					
1400178	Rock	2.15	<2	3.1	27.0	3.9	56	<0.1	7.3	15.6	561	3.52	1.5	2.7	<0.5	8.9	92	<0.1	0.1	<0.1	120
DUP 1400178	QC		<2	3.3	26.5	3.8	54	<0.1	6.9	15.8	593	3.60	1.1	2.4	<0.5	9.0	93	<0.1	<0.1	<0.1	121
1400213	Rock	3.07	<2	2.9	26.2	4.6	55	<0.1	6.8	15.5	658	3.67	3.6	2.2	2.1	8.0	100	<0.1	0.1	<0.1	118
DUP 1400213	QC		<2	2.7	27.6	4.1	55	<0.1	6.8	15.4	685	3.74	3.4	2.2	<0.5	8.1	104	<0.1	0.1	<0.1	118
1400248	Rock	2.32	<2	2.2	34.8	3.0	46	<0.1	6.7	13.8	457	3.28	2.4	1.8	0.6	7.8	76	<0.1	<0.1	<0.1	105

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

QUALITY CONTROL REPORT WHI12000050.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
1400166	Rock	1.23	0.074	14	36	1.20	1475	0.314	<20	2.41	0.306	0.93	0.7	<0.01	0.5	<0.05	6.0	<0.5	7	<0.2
REP 1400166	QC																			
1400179	Rock	1.39	0.073	14	33	1.30	1578	0.277	<20	2.40	0.288	0.97	0.5	<0.01	0.5	<0.05	7.2	<0.5	7	<0.2
REP 1400179	QC	1.39	0.075	15	34	1.29	1543	0.276	<20	2.37	0.288	0.95	0.5	<0.01	0.5	<0.05	7.1	<0.5	7	<0.2
1400200	Rock Pulp	0.69	0.055	3	30	0.73	91	0.089	<20	1.41	0.066	0.12	12.5	<0.01	<0.1	<0.05	4.0	<0.5	5	<0.2
REP 1400200	QC																			
1400214	Rock	1.29	0.081	14	36	1.43	1688	0.276	<20	2.33	0.251	1.02	0.5	<0.01	0.5	0.06	7.7	<0.5	7	<0.2
REP 1400214	QC	1.28	0.081	14	37	1.48	1676	0.297	<20	2.38	0.251	1.04	0.5	<0.01	0.5	0.06	7.9	<0.5	7	<0.2
1400224	Rock	1.20	0.073	14	26	1.13	791	0.201	<20	1.89	0.179	0.53	0.4	<0.01	0.3	<0.05	4.6	<0.5	6	<0.2
REP 1400224	QC																			
1400244	Rock	1.19	0.081	14	34	1.27	1362	0.337	<20	2.38	0.280	1.09	0.9	<0.01	0.5	0.06	6.1	<0.5	7	<0.2
REP 1400244	QC	1.18	0.086	15	34	1.27	1397	0.320	<20	2.39	0.283	1.08	0.8	<0.01	0.5	0.06	5.7	<0.5	7	<0.2
1400258	Rock	2.00	0.075	18	28	2.05	1223	0.211	<20	2.79	0.273	0.77	0.2	<0.01	0.4	0.05	13.4	<0.5	8	<0.2
REP 1400258	QC																			
1400279	Rock	1.91	0.073	16	29	1.51	1134	0.174	<20	2.22	0.192	0.70	0.2	0.01	0.4	0.34	12.3	<0.5	7	<0.2
REP 1400279	QC	1.97	0.071	15	28	1.54	1071	0.175	<20	2.27	0.193	0.72	0.2	0.01	0.4	0.35	12.3	<0.5	7	<0.2
1400292	Rock	1.13	0.069	13	29	1.17	1551	0.300	<20	2.28	0.277	0.93	0.7	<0.01	0.4	0.08	5.4	<0.5	7	<0.2
REP 1400292	QC																			
1400304	Rock	1.36	0.087	16	34	1.36	1535	0.322	<20	2.59	0.326	1.06	0.5	<0.01	0.5	0.06	6.3	<0.5	7	<0.2
REP 1400304	QC	1.35	0.085	15	34	1.37	1546	0.319	<20	2.59	0.323	1.07	0.5	0.01	0.5	0.06	6.5	<0.5	7	<0.2
1400319	Rock	3.87	0.048	6	6	1.63	64	0.001	<20	0.46	0.005	0.26	0.2	0.11	0.2	3.28	4.0	<0.5	1	<0.2
REP 1400319	QC	3.91	0.049	7	6	1.62	62	<0.001	<20	0.44	0.004	0.25	0.2	0.11	0.2	3.23	4.1	<0.5	1	<0.2
Core Reject Duplicates																				
1400178	Rock	1.30	0.074	15	34	1.27	1666	0.310	<20	2.49	0.302	1.04	0.5	<0.01	0.5	<0.05	6.4	<0.5	7	<0.2
DUP 1400178	QC	1.37	0.075	15	36	1.30	1701	0.291	<20	2.65	0.335	1.06	0.5	<0.01	0.5	<0.05	6.8	<0.5	8	<0.2
1400213	Rock	1.76	0.073	14	33	1.41	950	0.196	<20	2.32	0.244	0.69	0.4	<0.01	0.3	0.08	9.6	<0.5	7	<0.2
DUP 1400213	QC	1.82	0.069	15	33	1.44	981	0.203	<20	2.39	0.250	0.72	0.4	<0.01	0.4	0.08	9.4	<0.5	7	<0.2
1400248	Rock	1.17	0.081	14	29	1.15	935	0.261	<20	2.05	0.217	0.87	0.7	<0.01	0.4	0.07	5.6	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

QUALITY CONTROL REPORT WHI12000050.2

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
DUP 1400248	QC		<2	2.4	35.6	3.3	48	<0.1	7.0	13.5	501	3.44	2.6	1.9	0.6	7.7	86	<0.1	<0.1	<0.1	110
1400283	Rock	2.30	3	2.6	26.4	4.9	53	0.1	6.9	14.6	585	3.40	5.5	2.3	3.4	7.7	90	0.1	0.1	<0.1	110
DUP 1400283	QC		2	2.7	27.5	5.2	56	0.1	6.8	15.0	594	3.55	5.1	2.3	0.8	8.4	100	0.1	0.1	<0.1	116
1400318	Rock	2.03	639	1.4	29.2	324.3	1164	4.2	5.8	14.7	1938	4.99	6459	1.7	570.9	4.7	86	17.0	7.0	1.3	42
DUP 1400318	QC		641	1.1	28.3	334.6	1229	4.3	6.1	14.9	1945	5.05	6536	2.1	499.8	4.7	86	19.3	6.8	1.4	41
Reference Materials																					
STD DS9	Standard			13.9	111.2	138.3	323	2.0	43.3	7.9	580	2.42	24.9	2.5	104.9	6.1	68	2.2	4.3	6.5	40
STD DS9	Standard			11.0	102.8	123.7	296	1.7	37.2	7.2	553	2.21	25.6	2.3	107.8	5.5	60	2.4	3.7	5.3	37
STD DS9	Standard			13.4	114.4	132.2	316	1.9	42.7	8.1	612	2.44	26.0	3.0	99.0	6.9	65	2.4	3.8	5.6	41
STD DS9	Standard			12.6	117.7	128.4	300	1.9	40.6	8.0	558	2.33	22.8	2.6	104.4	6.2	59	2.1	3.3	5.2	39
STD DS9	Standard			14.1	112.9	128.3	326	2.1	41.3	8.0	615	2.45	27.1	2.7	112.8	6.3	73	2.6	4.3	6.3	42
STD DS9	Standard			15.6	115.7	159.4	342	2.0	46.8	9.0	662	2.61	26.2	3.1	113.9	8.9	82	2.3	3.8	6.1	45
STD OREAS45CA	Standard			0.8	513.3	21.3	64	0.3	257.9	94.8	926	16.89	4.6	1.2	61.8	7.1	14	<0.1	<0.1	0.2	219
STD OREAS45CA	Standard			0.8	466.9	19.0	55	0.2	220.5	86.5	862	15.06	3.0	0.9	31.6	6.4	13	0.1	<0.1	0.2	199
STD OREAS45CA	Standard			0.9	508.2	20.4	56	0.2	257.1	89.2	913	16.28	4.0	1.1	43.9	6.9	12	<0.1	<0.1	0.2	215
STD OREAS45CA	Standard			0.9	519.2	20.3	57	0.2	262.1	94.3	898	16.23	2.6	1.2	40.5	7.1	12	<0.1	<0.1	0.1	216
STD OREAS45CA	Standard			0.9	555.7	20.0	61	0.3	273.4	97.3	959	16.74	4.1	1.2	56.1	7.0	15	<0.1	0.1	0.2	228
STD OREAS45CA	Standard			1.0	559.8	20.8	59	0.3	278.4	98.1	996	17.72	3.7	1.1	41.3	6.8	14	0.1	<0.1	0.2	257
STD OXC88	Standard		202																		
STD OXC88	Standard		205																		
STD OXC88	Standard		207																		
STD OXC88	Standard		216																		
STD OXC88	Standard		199																		
STD OXC88	Standard		205																		
STD OXC88	Standard		211																		
STD OXG99	Standard		954																		
STD OXG99	Standard		925																		
STD OXG99	Standard		951																		
STD OXG99	Standard		900																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

QUALITY CONTROL REPORT WHI12000050.2

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
DUP 1400248	QC	1.30	0.077	14	31	1.20	966	0.271	<20	2.25	0.270	0.91	0.7	0.01	0.4	0.07	6.4	<0.5	6	<0.2
1400283	Rock	1.27	0.076	14	34	1.30	1423	0.253	<20	2.28	0.256	0.88	0.7	<0.01	0.4	0.07	7.1	<0.5	7	<0.2
DUP 1400283	QC	1.40	0.077	14	34	1.34	1434	0.261	<20	2.45	0.306	0.90	0.7	<0.01	0.5	0.07	7.8	<0.5	7	<0.2
1400318	Rock	4.52	0.053	6	7	1.88	65	<0.001	<20	0.47	0.006	0.20	0.2	0.22	0.5	2.88	9.1	<0.5	1	<0.2
DUP 1400318	QC	4.52	0.053	6	8	1.87	62	<0.001	<20	0.47	0.006	0.21	0.2	0.23	0.5	2.95	9.3	<0.5	1	<0.2
Reference Materials																				
STD DS9	Standard	0.73	0.082	13	126	0.63	328	0.112	<20	0.95	0.082	0.40	3.1	0.24	5.9	0.18	2.4	5.4	4	5.1
STD DS9	Standard	0.66	0.076	10	115	0.59	297	0.085	<20	0.87	0.072	0.36	2.7	0.21	5.4	0.16	2.1	4.9	4	4.6
STD DS9	Standard	0.75	0.079	13	127	0.64	334	0.110	<20	0.99	0.086	0.41	3.3	0.21	5.8	0.18	2.6	5.3	5	5.3
STD DS9	Standard	0.71	0.074	12	118	0.61	313	0.106	<20	0.95	0.083	0.39	2.6	0.19	5.5	0.16	2.2	5.0	5	4.9
STD DS9	Standard	0.74	0.085	13	125	0.64	333	0.111	<20	0.98	0.087	0.41	3.1	0.19	5.7	0.17	2.6	5.3	5	5.3
STD DS9	Standard	0.83	0.088	16	142	0.69	368	0.122	<20	1.10	0.100	0.45	2.8	0.24	6.4	0.18	2.4	6.2	5	5.6
STD OREAS45CA	Standard	0.42	0.038	17	800	0.16	161	0.139	<20	3.78	0.011	0.08	<0.1	0.03	0.1	<0.05	43.4	<0.5	19	<0.2
STD OREAS45CA	Standard	0.39	0.036	14	709	0.12	153	0.109	<20	3.20	0.010	0.07	<0.1	0.02	<0.1	<0.05	40.9	<0.5	17	<0.2
STD OREAS45CA	Standard	0.44	0.036	16	818	0.14	164	0.135	<20	3.86	0.011	0.08	<0.1	0.02	0.1	<0.05	43.9	<0.5	19	<0.2
STD OREAS45CA	Standard	0.41	0.035	16	854	0.13	152	0.132	<20	3.70	0.007	0.07	<0.1	0.03	0.1	<0.05	40.4	0.5	19	<0.2
STD OREAS45CA	Standard	0.45	0.042	16	803	0.15	168	0.163	<20	3.70	0.012	0.08	<0.1	0.04	0.1	<0.05	49.8	<0.5	21	<0.2
STD OREAS45CA	Standard	0.44	0.038	17	916	0.16	173	0.153	<20	4.08	0.015	0.08	<0.1	0.03	0.2	<0.05	47.7	<0.5	20	<0.2
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

QUALITY CONTROL REPORT WHI12000050.2

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD OXG99	Standard		919																		
STD OXG99	Standard		953																		
STD OXG99	Standard		885																		
STD OXC88 Expected			203																		
STD OXG99 Expected			932																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank		3	0.2	2.9	4.0	45	<0.1	2.1	3.9	552	1.88	3.8	1.4	<0.5	5.8	51	<0.1	<0.1	0.1	36
G1-WHI	Prep Blank		<2	0.2	2.7	4.4	46	<0.1	2.6	4.0	566	1.88	8.2	1.5	1.0	5.3	56	<0.1	0.1	<0.1	36

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

QUALITY CONTROL REPORT WHI12000050.2

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXC88 Expected																				
STD OXG99 Expected																				
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	2	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																				
G1-WHI	Prep Blank	0.47	0.069	13	5	0.49	164	0.119	<20	0.92	0.090	0.46	0.2	<0.01	0.3	<0.05	2.2	<0.5	5	<0.2
G1-WHI	Prep Blank	0.50	0.065	12	6	0.52	159	0.120	<20	0.96	0.090	0.45	0.1	<0.01	0.3	<0.05	2.2	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: May 25, 2012
Report Date: June 12, 2012
Page: 1 of 4

CERTIFICATE OF ANALYSIS WHI12000051.2

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET002
P.O. Number
Number of Samples: 90

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	80	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	88	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	88	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Version 2 : 1DX-U included.

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Dayna
Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000051.2

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1400323	Rock	1.73	10	1.6	11.5	157.2	343	1.7	5.7	11.6	927	3.53	70.8	2.6	6.2	7.4	93	2.5	2.1	0.1	57
1400324	Rock	1.82	9	1.7	18.1	151.1	459	1.8	6.8	11.3	1067	3.83	52.8	1.9	4.3	7.7	92	4.1	2.6	<0.1	62
1400325	Rock	1.56	<2	1.7	5.7	11.6	232	0.1	7.1	11.7	850	3.53	15.6	2.2	<0.5	10.4	92	0.7	1.6	<0.1	76
1400326	Rock	1.70	<2	0.6	4.4	17.2	690	0.1	5.6	11.9	979	3.64	45.5	2.5	<0.5	10.2	99	3.4	2.3	<0.1	66
1400327	Rock	2.16	3	2.6	22.6	19.2	377	0.3	6.9	12.4	1015	3.62	52.1	2.4	5.7	9.4	93	0.9	2.9	<0.1	61
1400328	Rock	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1400329	Rock	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1400330	Rock	1.79	390	4.7	39.2	319.5	2456	5.3	7.2	11.1	1216	5.14	5101	2.1	466.4	7.4	46	38.5	7.3	2.7	26
1400331	Rock	1.75	46	3.9	24.0	277.5	851	3.3	7.2	10.7	1056	3.53	249.1	2.9	35.3	9.7	103	12.8	4.4	0.2	48
1400332	Rock	2.05	21	3.2	11.3	37.5	305	0.5	7.4	11.5	877	3.68	140.2	2.4	18.1	9.1	107	4.1	1.3	0.2	75
1400333	Rock	2.57	6	2.4	7.5	13.1	119	0.2	7.5	11.8	891	3.68	68.2	2.2	6.5	10.3	109	1.0	0.8	<0.1	79
1400334	Rock	1.72	49	1.7	16.6	182.3	1993	2.7	7.6	12.1	955	4.20	419.0	2.9	50.5	10.5	98	31.4	2.9	0.4	57
1400335	Rock	1.87	8	1.4	9.2	75.7	706	0.8	7.1	12.0	975	3.73	43.3	3.1	7.2	10.3	116	11.1	1.7	0.2	75
1400336	Rock	2.03	7	1.4	5.2	13.6	134	0.2	7.0	11.5	938	3.67	60.1	2.9	6.1	10.5	126	1.1	1.3	<0.1	65
1400337	Rock	2.02	691	1.5	27.4	275.2	3383	7.0	12.2	15.3	1147	4.47	207.5	3.7	1738	8.2	123	52.8	3.8	1.1	46
1400338	Rock	1.33	1938	2.7	165.0	536.8	9126	59.8	12.4	14.5	653	5.91	>10000	3.7	1773	5.9	142	135.6	47.7	4.3	45
1400339	Rock	1.60	424	1.4	11.5	180.4	394	6.4	7.5	12.7	58	5.52	3464	1.6	433.1	8.8	14	5.9	4.4	2.0	5
1400340	Rock Pulp	0.12	4	2.7	30.5	2.5	47	0.4	26.8	11.5	437	2.56	5.4	0.3	2.1	1.1	45	0.3	0.2	<0.1	64
1400341	Rock Pulp	0.12	3964	9.3	69.5	495.1	1608	52.7	31.5	8.6	412	3.38	31.0	0.3	2451	1.1	34	16.8	43.3	1.0	56
1400342	Rock	1.83	563	2.0	17.4	273.8	755	7.4	6.7	12.7	386	5.15	5215	1.9	606.1	6.9	74	11.3	5.0	1.5	30
1400343	Rock	1.74	297	2.5	25.9	242.8	2393	5.9	6.0	11.9	726	4.80	2125	2.5	277.4	4.8	98	37.2	3.6	1.7	40
1400344	Rock	0.98	912	2.8	92.7	2162	9674	41.1	6.6	15.7	1686	7.52	6350	2.0	942.6	5.5	57	146.7	43.3	3.0	23
1400345	Rock	1.15	949	3.3	106.7	2506	>10000	47.7	5.9	15.4	1693	7.86	7145	1.7	928.6	5.4	51	165.3	51.8	3.5	19
1400346	Rock	1.39	74	2.0	42.7	452.0	619	6.9	7.9	18.1	898	4.39	507.9	3.5	56.2	9.0	138	8.5	8.9	0.2	102
1400347	Rock	2.21	11	2.5	26.5	17.5	116	0.4	7.3	15.7	639	3.68	73.5	2.7	7.6	8.5	111	1.0	1.0	<0.1	115
1400348	Rock	2.04	11	2.9	31.3	85.6	192	1.4	7.7	15.7	653	3.83	72.1	2.7	11.1	8.0	100	1.9	1.1	<0.1	120
1400349	Rock	1.83	115	1.5	30.6	11.3	108	0.4	7.1	15.5	570	3.87	1004	2.2	82.2	7.4	72	1.7	2.0	2.2	113
1400350	Rock	2.92	984	1.4	27.4	5.0	58	0.2	6.6	16.8	605	4.19	2361	2.5	952.3	7.9	88	0.2	0.9	7.4	126
1400351	Rock	3.83	82	1.9	36.7	4.2	64	0.1	7.8	18.8	739	4.66	576.6	2.8	135.3	8.3	82	0.2	1.2	4.8	137
1400352	Rock	1.30	46	2.1	53.8	4.1	91	0.1	10.1	27.3	826	6.62	333.8	3.4	42.1	8.0	76	0.2	1.1	2.9	230

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000051.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1400323	Rock	3.08	0.066	16	10	1.31	80	0.001	<20	0.94	0.005	0.14	<0.1	0.12	0.3	0.57	10.4	<0.5	2	<0.2
1400324	Rock	4.30	0.076	17	12	1.79	84	0.002	<20	1.01	0.007	0.12	0.1	0.10	0.3	0.31	10.9	<0.5	3	<0.2
1400325	Rock	2.74	0.078	24	16	1.35	643	0.135	<20	1.91	0.041	0.85	<0.1	0.06	0.4	0.07	11.3	<0.5	7	<0.2
1400326	Rock	3.32	0.079	22	10	1.48	254	0.027	<20	1.11	0.010	0.31	<0.1	0.09	0.3	0.14	11.3	<0.5	4	<0.2
1400327	Rock	3.05	0.080	19	11	1.29	79	0.002	<20	0.99	0.006	0.16	0.1	0.13	0.3	0.32	11.2	<0.5	3	<0.2
1400328	Rock	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1400329	Rock	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.	I.S.
1400330	Rock	1.94	0.071	13	7	0.84	66	0.003	<20	0.71	0.007	0.29	0.2	0.15	0.4	3.61	5.1	<0.5	2	<0.2
1400331	Rock	2.67	0.076	19	11	1.19	345	0.026	<20	1.01	0.052	0.38	0.3	0.03	0.3	0.82	7.5	<0.5	3	<0.2
1400332	Rock	2.14	0.073	20	18	1.30	677	0.132	<20	1.81	0.129	0.71	0.4	0.01	0.3	0.24	10.1	<0.5	6	<0.2
1400333	Rock	2.06	0.075	22	20	1.33	842	0.163	<20	2.02	0.160	0.82	0.3	<0.01	0.4	0.13	10.0	<0.5	7	<0.2
1400334	Rock	2.44	0.077	18	14	1.24	234	0.057	<20	1.17	0.074	0.46	0.5	0.02	0.3	1.23	8.3	<0.5	4	<0.2
1400335	Rock	2.33	0.072	22	16	1.35	667	0.125	<20	1.72	0.128	0.79	0.3	0.02	0.4	0.25	10.9	<0.5	6	<0.2
1400336	Rock	2.72	0.074	22	13	1.31	794	0.114	<20	1.56	0.103	0.70	0.4	0.02	0.3	0.25	9.3	<0.5	5	<0.2
1400337	Rock	2.24	0.098	17	15	1.08	25	0.009	<20	0.82	0.028	0.35	0.1	0.07	0.4	2.28	7.8	<0.5	3	<0.2
1400338	Rock	2.13	0.114	13	18	1.00	18	0.009	<20	0.69	0.014	0.31	0.3	0.19	0.6	3.37	7.3	<0.5	2	<0.2
1400339	Rock	0.27	0.079	16	5	0.06	36	<0.001	<20	0.39	0.006	0.25	0.5	0.03	0.6	5.72	1.5	<0.5	<1	<0.2
1400340	Rock Pulp	0.92	0.063	5	33	0.84	106	0.145	<20	1.68	0.085	0.14	12.8	0.02	<0.1	<0.05	4.8	<0.5	6	<0.2
1400341	Rock Pulp	0.71	0.055	5	28	0.60	110	0.107	<20	1.23	0.076	0.11	2.1	0.22	1.1	0.35	4.6	<0.5	6	0.2
1400342	Rock	1.50	0.125	14	6	0.69	50	<0.001	<20	0.54	0.005	0.20	0.3	0.18	0.4	3.57	4.7	<0.5	1	<0.2
1400343	Rock	2.42	0.135	11	6	1.11	39	0.001	<20	0.64	0.005	0.16	0.1	0.52	0.6	2.73	6.7	<0.5	2	<0.2
1400344	Rock	3.66	0.063	6	8	1.73	37	<0.001	<20	0.38	0.006	0.23	0.3	0.20	0.5	6.75	6.0	0.8	1	<0.2
1400345	Rock	3.60	0.059	5	7	1.72	38	<0.001	<20	0.36	0.007	0.23	0.4	0.23	0.5	7.22	5.2	0.9	1	<0.2
1400346	Rock	2.52	0.080	18	25	1.49	638	0.115	<20	1.84	0.158	0.57	0.4	0.07	0.5	0.55	13.0	<0.5	6	<0.2
1400347	Rock	1.64	0.075	15	31	1.45	1130	0.230	<20	2.41	0.257	0.81	0.3	<0.01	0.4	0.10	8.7	<0.5	7	<0.2
1400348	Rock	1.57	0.076	15	34	1.45	1168	0.254	<20	2.42	0.258	0.89	0.4	<0.01	0.4	0.14	9.1	<0.5	7	<0.2
1400349	Rock	0.82	0.073	15	24	1.10	874	0.207	<20	2.30	0.203	0.63	0.2	0.02	0.5	<0.05	11.2	<0.5	7	<0.2
1400350	Rock	1.14	0.077	14	24	1.24	1191	0.289	<20	2.53	0.257	1.01	0.4	<0.01	0.6	0.06	10.5	<0.5	7	0.7
1400351	Rock	1.38	0.090	14	27	1.34	1246	0.312	<20	2.59	0.210	1.14	0.3	<0.01	0.7	<0.05	12.4	<0.5	8	<0.2
1400352	Rock	1.72	0.139	17	40	1.98	1895	0.432	<20	2.84	0.143	1.51	0.3	<0.01	1.0	<0.05	20.0	<0.5	9	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000051.2

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1400353	Rock	2.40	47	1.8	37.2	4.1	68	0.1	8.7	21.3	955	5.29	438.5	3.5	33.5	7.9	87	0.2	2.1	1.5	162
1400354	Rock	2.26	22	1.8	37.3	3.9	63	<0.1	7.7	21.0	850	5.27	140.9	2.4	11.4	8.6	92	0.1	0.6	1.2	166
1400355	Rock	1.50	101	1.5	41.4	3.8	67	0.1	7.8	19.6	785	4.86	78.0	2.0	31.8	6.7	102	0.2	0.4	0.7	160
1400356	Rock	1.92	7	1.6	36.8	3.9	59	<0.1	7.7	17.3	640	4.24	153.2	1.6	3.9	8.1	88	0.1	0.3	0.3	142
1400357	Rock	2.50	36	1.8	40.1	5.0	119	0.2	8.1	19.9	824	4.94	302.0	3.0	12.9	7.6	101	1.0	1.0	0.8	154
1400358	Rock	2.21	27	1.6	27.2	8.3	207	0.2	6.5	16.2	759	4.14	152.8	2.0	31.5	7.7	110	3.1	0.6	0.4	130
1400359	Rock	2.62	3	1.9	29.1	4.2	53	0.1	6.4	14.8	667	3.90	39.0	1.9	2.9	7.6	79	0.2	0.5	0.5	116
1400360	Rock Pulp	0.12	<2	2.4	25.2	2.0	43	0.3	23.9	10.2	392	2.40	4.5	0.2	1.0	0.9	36	0.2	0.2	0.1	56
1400361	Rock Pulp	0.12	1371	8.6	45.8	5.7	50	0.2	31.0	8.7	458	3.16	6.6	0.3	709.4	0.9	39	0.1	0.8	0.2	60
1400362	Rock	2.45	<2	1.9	29.4	3.0	64	0.1	7.4	17.1	730	4.09	34.2	1.4	2.8	7.3	107	0.2	0.3	0.2	136
1400363	Rock	2.00	<2	1.8	26.5	2.8	63	<0.1	7.1	17.9	771	4.34	10.7	2.2	2.5	7.4	123	<0.1	0.5	<0.1	132
1400364	Rock	2.00	13	4.2	50.2	9.4	77	0.3	7.5	17.0	691	4.93	599.7	5.7	9.5	8.6	46	0.6	5.7	2.7	92
1400365	Rock	2.63	<2	1.8	28.4	3.1	74	<0.1	7.0	15.9	674	3.84	151.5	1.7	2.6	7.2	82	0.2	1.2	0.2	117
1400366	Rock	2.08	3	2.2	25.2	3.6	60	0.1	7.3	17.7	840	4.44	236.4	2.6	2.3	7.1	111	<0.1	1.0	0.2	132
1400367	Rock	1.35	2	1.9	23.4	3.6	53	0.1	6.4	14.9	722	3.64	30.1	1.9	0.9	7.2	90	<0.1	0.9	0.1	110
1400368	Rock	0.97	<2	1.9	25.5	3.3	61	<0.1	7.5	16.4	670	4.07	20.7	1.6	0.5	7.5	91	<0.1	0.7	<0.1	135
1400369	Rock	1.70	<2	1.8	25.1	4.7	47	<0.1	6.3	13.5	456	3.15	22.7	1.0	1.2	7.7	81	<0.1	0.6	<0.1	102
1400370	Rock	2.20	<2	1.9	28.7	4.1	55	<0.1	7.3	15.8	560	3.68	74.1	1.2	0.8	7.8	90	0.2	0.7	0.1	127
1400371	Rock	2.01	<2	2.0	24.4	3.4	58	<0.1	6.5	14.2	568	3.43	103.3	1.3	1.6	7.8	86	0.2	0.8	<0.1	117
1400372	Rock	1.86	18	2.7	26.9	9.9	145	0.1	7.1	14.9	706	3.92	123.6	1.8	20.2	7.0	91	1.3	1.4	0.1	119
1400373	Rock	1.60	<2	2.1	24.6	3.4	60	<0.1	7.0	16.9	815	4.10	39.9	1.7	0.8	7.7	125	<0.1	1.5	<0.1	135
1400374	Rock	0.64	<2	2.1	29.6	3.3	54	<0.1	7.3	14.5	542	3.56	8.3	1.0	0.8	6.4	93	<0.1	0.5	<0.1	124
1400375	Rock	1.12	<2	2.3	28.2	3.1	54	<0.1	6.8	14.7	512	3.44	10.8	1.1	2.1	6.5	89	0.1	0.4	<0.1	122
1400376	Rock	2.01	3	2.5	34.2	3.1	115	<0.1	8.1	16.5	575	4.05	18.6	1.4	1.9	6.7	84	1.5	0.2	<0.1	141
1400377	Rock	1.66	54	1.9	31.0	7.9	242	0.2	7.1	18.0	965	4.78	324.8	4.2	51.3	7.3	110	4.3	2.9	0.4	110
1400378	Rock	2.49	<2	2.9	26.0	3.5	63	<0.1	7.5	15.3	598	3.73	24.1	1.8	2.6	7.7	96	0.2	0.4	<0.1	123
1400379	Rock	1.92	<2	2.9	24.1	3.3	51	<0.1	7.4	14.2	579	3.66	7.2	1.4	1.3	8.0	102	<0.1	0.2	<0.1	124
1400380	Rock Pulp	0.12	<2	2.5	24.4	2.6	46	0.3	24.9	10.8	417	2.52	4.7	0.2	0.5	1.0	42	0.2	0.2	<0.1	61
1400381	Rock Pulp	0.13	3764	10.5	70.9	510.6	1638	53.6	32.8	8.8	414	3.48	31.2	0.3	2849	1.2	35	15.9	44.3	1.0	56
1400382	Rock	1.96	3	2.1	26.0	3.2	60	<0.1	7.6	17.1	690	4.16	16.1	1.4	2.1	7.8	107	<0.1	0.2	0.1	143

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000051.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1400353	Rock	1.86	0.097	16	32	1.60	920	0.203	<20	2.84	0.170	0.85	0.2	<0.01	0.7	<0.05	17.4	<0.5	9	<0.2
1400354	Rock	1.78	0.084	15	30	1.89	1104	0.253	<20	3.03	0.174	0.97	0.2	<0.01	0.5	0.11	16.1	<0.5	9	<0.2
1400355	Rock	1.96	0.089	14	31	1.70	1306	0.316	<20	2.94	0.243	1.14	0.2	<0.01	0.6	0.12	13.7	<0.5	8	<0.2
1400356	Rock	1.37	0.092	14	29	1.51	1320	0.322	<20	2.61	0.242	1.18	0.3	<0.01	0.5	<0.05	9.8	<0.5	8	<0.2
1400357	Rock	1.77	0.086	17	30	1.66	1143	0.270	<20	2.93	0.207	1.04	0.2	0.01	0.5	<0.05	15.5	<0.5	9	<0.2
1400358	Rock	1.95	0.072	15	26	1.43	985	0.226	<20	2.54	0.210	0.92	0.2	<0.01	0.4	0.05	13.5	<0.5	7	<0.2
1400359	Rock	1.73	0.074	14	24	1.33	863	0.203	<20	2.36	0.181	0.82	0.3	<0.01	0.4	0.07	10.7	<0.5	6	<0.2
1400360	Rock Pulp	0.78	0.057	4	30	0.76	92	0.114	<20	1.53	0.076	0.13	12.9	0.01	0.1	<0.05	4.5	<0.5	5	<0.2
1400361	Rock Pulp	0.78	0.056	4	33	0.79	102	0.123	<20	1.62	0.091	0.14	0.3	0.06	<0.1	<0.05	4.9	<0.5	5	<0.2
1400362	Rock	1.96	0.081	15	28	1.49	1065	0.248	<20	2.63	0.224	0.99	0.2	<0.01	0.4	<0.05	11.8	<0.5	7	<0.2
1400363	Rock	1.98	0.080	15	26	1.36	1099	0.247	<20	2.45	0.209	1.06	0.2	<0.01	0.5	<0.05	13.3	<0.5	7	<0.2
1400364	Rock	1.43	0.080	17	17	0.54	321	0.036	<20	1.54	0.069	0.37	0.1	0.02	0.4	<0.05	14.4	<0.5	5	<0.2
1400365	Rock	1.76	0.078	14	26	1.15	959	0.211	<20	2.28	0.179	0.83	0.1	<0.01	0.4	<0.05	9.7	<0.5	7	<0.2
1400366	Rock	2.36	0.077	16	27	1.43	854	0.171	<20	2.74	0.174	0.74	0.1	<0.01	0.4	<0.05	14.8	<0.5	8	<0.2
1400367	Rock	2.05	0.070	14	24	1.29	762	0.168	<20	2.28	0.166	0.69	0.2	<0.01	0.3	<0.05	9.3	<0.5	6	<0.2
1400368	Rock	1.71	0.081	14	28	1.43	1131	0.256	<20	2.56	0.201	0.98	0.2	<0.01	0.5	<0.05	11.3	<0.5	7	<0.2
1400369	Rock	1.27	0.076	13	25	1.19	864	0.236	<20	2.00	0.197	0.60	0.6	<0.01	0.3	<0.05	5.6	<0.5	6	<0.2
1400370	Rock	1.22	0.081	14	29	1.29	1364	0.319	<20	2.46	0.254	1.13	0.4	<0.01	0.5	<0.05	6.9	<0.5	7	<0.2
1400371	Rock	1.41	0.074	14	26	1.20	1139	0.281	<20	2.46	0.250	1.03	0.4	<0.01	0.5	<0.05	7.5	<0.5	7	<0.2
1400372	Rock	1.47	0.076	14	28	1.26	1011	0.255	<20	2.48	0.239	0.95	0.4	<0.01	0.4	<0.05	9.3	<0.5	6	<0.2
1400373	Rock	2.04	0.077	15	30	1.62	1089	0.259	<20	2.82	0.259	0.97	0.3	<0.01	0.4	<0.05	12.0	<0.5	8	<0.2
1400374	Rock	1.35	0.076	12	32	1.27	1260	0.300	<20	2.46	0.277	1.06	0.5	<0.01	0.4	<0.05	6.9	<0.5	7	<0.2
1400375	Rock	1.32	0.075	13	30	1.24	1241	0.301	<20	2.38	0.263	1.04	0.5	<0.01	0.4	<0.05	6.7	<0.5	6	<0.2
1400376	Rock	1.29	0.093	13	35	1.39	1301	0.333	<20	2.57	0.267	1.23	0.4	<0.01	0.5	<0.05	7.8	<0.5	7	<0.2
1400377	Rock	3.67	0.070	17	22	1.53	640	0.110	<20	2.23	0.110	0.58	0.1	0.02	0.3	<0.05	14.9	<0.5	7	<0.2
1400378	Rock	1.66	0.078	14	31	1.25	1134	0.283	<20	2.48	0.266	1.05	0.4	<0.01	0.5	<0.05	8.9	<0.5	7	<0.2
1400379	Rock	1.51	0.073	14	31	1.41	1178	0.283	<20	2.68	0.309	1.04	0.4	<0.01	0.4	<0.05	8.2	<0.5	7	<0.2
1400380	Rock Pulp	0.87	0.060	4	32	0.81	98	0.132	<20	1.64	0.083	0.13	12.5	<0.01	<0.1	<0.05	4.8	<0.5	5	<0.2
1400381	Rock Pulp	0.73	0.056	6	28	0.61	113	0.116	<20	1.27	0.083	0.12	2.4	0.22	1.1	0.35	4.7	<0.5	6	<0.2
1400382	Rock	1.88	0.083	14	31	1.58	1343	0.316	<20	2.78	0.274	1.16	0.3	<0.01	0.5	<0.05	10.5	<0.5	8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000051.2

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1400383	Rock	1.55	592	3.0	43.1	27.1	90	3.1	8.7	24.1	940	6.25	>10000	9.7	596.0	8.2	130	0.5	7.0	194.9	140
1400384	Rock	1.96	6	2.0	29.7	3.6	62	<0.1	7.8	17.5	583	4.24	103.1	1.2	5.0	7.4	79	<0.1	0.2	1.4	151
1400385	Rock	1.81	2	2.0	24.8	3.5	54	<0.1	6.8	15.4	522	3.69	47.5	1.2	2.8	7.4	91	<0.1	0.2	0.7	128
1400386	Rock	0.80	16	1.7	24.4	4.3	63	<0.1	7.3	18.1	739	4.55	427.1	2.2	15.9	7.3	97	<0.1	0.9	2.5	153
1400387	Rock	2.48	<2	2.9	34.5	3.6	55	<0.1	7.6	16.5	531	3.90	9.8	1.1	1.1	7.5	85	<0.1	0.3	0.2	140
1400388	Rock	2.50	<2	3.2	32.8	3.5	58	<0.1	7.9	16.2	577	4.01	17.6	1.7	1.2	8.0	99	<0.1	0.6	0.2	139
1400389	Rock	2.17	<2	3.0	30.1	3.2	50	<0.1	7.7	14.6	469	3.54	11.4	1.1	1.1	7.3	93	<0.1	0.3	0.1	121
1400390	Rock	2.60	27	3.4	33.2	199.9	264	1.1	8.3	17.5	699	4.19	107.4	3.1	27.9	8.2	87	3.1	4.6	0.6	133
1400391	Rock	2.48	<2	3.1	30.1	4.3	58	<0.1	7.7	15.9	551	3.78	14.4	1.2	2.7	8.2	91	0.1	1.3	0.1	129
1400392	Rock	1.90	<2	2.6	28.8	4.4	53	<0.1	7.2	14.6	514	3.46	31.2	1.1	1.1	7.3	76	0.2	1.0	0.1	111
1400393	Rock	2.03	<2	3.1	33.8	8.5	61	0.1	7.3	14.4	493	3.58	16.8	2.3	4.8	7.4	73	0.2	0.5	0.2	115
1400394	Rock	2.29	<2	2.9	28.1	5.0	55	<0.1	7.5	13.6	460	3.30	10.8	0.9	3.6	6.9	75	0.1	0.3	<0.1	114
1400395	Rock	2.37	<2	3.1	25.9	5.4	72	0.2	6.7	14.6	699	3.43	29.4	2.2	2.6	7.7	70	0.4	0.8	0.1	108
1400396	Rock	2.10	<2	2.1	42.9	4.8	56	<0.1	7.3	15.5	664	3.59	10.4	1.9	1.8	7.3	69	<0.1	0.9	<0.1	119
1400397	Rock	1.99	<2	2.9	31.7	4.3	48	<0.1	7.2	14.2	526	3.30	10.6	1.2	0.9	7.6	79	<0.1	0.5	<0.1	111
1400398	Rock	2.18	<2	3.6	40.9	5.7	67	0.3	8.4	18.4	994	4.33	14.5	3.3	0.7	6.2	66	<0.1	0.9	0.4	134
1400399	Rock	2.01	<2	2.8	29.0	4.0	61	<0.1	7.4	16.2	855	3.98	3.7	2.5	2.1	7.2	86	<0.1	0.6	<0.1	128
1400400	Rock Pulp	0.12	<2	2.4	25.8	2.3	43	0.3	24.7	10.6	408	2.41	4.8	0.3	<0.5	1.0	38	0.2	0.2	<0.1	58
1400401	Rock Pulp	0.12	1309	9.1	48.6	5.8	50	0.2	32.7	9.2	474	3.26	6.7	0.3	733.3	1.0	40	0.1	0.8	<0.1	64
1400402	Rock	2.32	3	3.2	28.7	3.3	49	<0.1	7.5	14.2	485	3.37	6.8	1.4	0.6	7.4	76	<0.1	0.2	<0.1	116
1400403	Rock	2.38	<2	2.5	29.4	3.6	56	<0.1	7.1	16.0	613	3.78	3.8	1.9	1.3	8.2	81	0.1	0.5	<0.1	132
1400404	Rock	1.92	<2	2.8	33.3	3.8	65	<0.1	8.2	18.2	695	4.23	19.0	3.1	16.8	6.9	77	0.1	0.3	<0.1	147
1400405	Rock	2.33	<2	3.0	26.2	3.3	48	<0.1	7.1	13.5	480	3.26	3.8	1.3	10.1	7.6	78	<0.1	0.2	<0.1	115
1400406	Rock	1.52	<2	2.9	28.1	3.1	49	<0.1	11.4	14.3	461	3.45	4.2	1.3	4.6	7.4	86	<0.1	0.1	<0.1	123
1400407	Rock	1.86	<2	3.2	30.4	3.6	51	<0.1	7.3	13.5	452	3.29	15.4	1.4	2.2	7.4	81	0.2	0.4	<0.1	114
1400408	Rock	1.85	<2	2.9	28.1	3.0	47	<0.1	7.5	13.5	439	3.34	2.9	1.0	1.6	7.3	84	<0.1	<0.1	<0.1	118
1400409	Rock	1.93	<2	2.8	29.1	3.4	48	<0.1	7.0	13.7	439	3.26	2.5	1.0	1.9	7.4	78	<0.1	0.1	<0.1	116
1400410	Rock	2.14	<2	3.0	30.4	3.0	49	<0.1	7.6	14.4	460	3.47	2.7	1.6	<0.5	6.2	74	<0.1	0.2	<0.1	120
1400411	Rock	2.00	<2	2.6	30.3	3.0	50	<0.1	7.6	14.8	488	3.48	3.7	1.2	1.9	7.8	70	<0.1	0.2	<0.1	125
1400412	Rock	2.72	<2	3.0	28.4	3.6	56	<0.1	7.4	16.2	637	3.80	5.6	1.3	1.1	7.1	80	<0.1	0.3	<0.1	131

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000051.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1400383	Rock	1.71	0.088	16	28	1.43	993	0.169	<20	2.72	0.166	1.00	0.2	0.01	0.6	<0.05	13.8	1.0	8	0.6
1400384	Rock	1.10	0.088	12	32	1.51	1530	0.380	<20	2.63	0.257	1.39	0.3	<0.01	0.5	<0.05	7.7	<0.5	7	<0.2
1400385	Rock	1.23	0.076	13	28	1.38	1291	0.325	<20	2.48	0.261	1.14	0.4	<0.01	0.5	<0.05	6.8	<0.5	7	<0.2
1400386	Rock	2.05	0.076	15	29	1.77	1220	0.284	<20	2.97	0.253	1.06	0.2	<0.01	0.5	<0.05	14.0	<0.5	8	<0.2
1400387	Rock	1.16	0.093	14	33	1.39	1360	0.353	<20	2.49	0.266	1.18	0.5	<0.01	0.5	<0.05	6.7	<0.5	7	<0.2
1400388	Rock	1.54	0.088	14	33	1.36	1190	0.325	<20	2.63	0.290	1.09	0.6	<0.01	0.4	<0.05	7.7	<0.5	7	<0.2
1400389	Rock	1.19	0.078	13	30	1.18	1130	0.318	<20	2.49	0.305	1.09	0.8	<0.01	0.5	<0.05	5.6	<0.5	7	<0.2
1400390	Rock	1.35	0.087	14	33	1.31	1165	0.294	<20	2.60	0.271	1.03	0.5	<0.01	0.5	<0.05	9.1	<0.5	7	<0.2
1400391	Rock	1.52	0.086	15	33	1.28	1060	0.313	<20	2.38	0.262	0.87	0.6	<0.01	0.4	<0.05	7.5	<0.5	7	<0.2
1400392	Rock	1.53	0.082	14	31	1.17	750	0.264	<20	2.09	0.209	0.61	0.6	<0.01	0.3	<0.05	6.2	<0.5	6	<0.2
1400393	Rock	1.10	0.071	13	30	1.19	1014	0.265	<20	2.28	0.232	0.88	0.5	<0.01	0.4	<0.05	6.1	<0.5	7	<0.2
1400394	Rock	1.17	0.070	12	31	1.11	1112	0.290	<20	2.24	0.255	0.89	1.0	<0.01	0.4	<0.05	5.3	<0.5	6	<0.2
1400395	Rock	1.65	0.072	14	29	1.23	745	0.217	<20	2.13	0.204	0.65	0.8	<0.01	0.4	<0.05	7.1	<0.5	6	<0.2
1400396	Rock	1.77	0.075	14	30	1.30	953	0.255	<20	2.24	0.198	0.78	0.5	<0.01	0.4	<0.05	7.6	<0.5	7	<0.2
1400397	Rock	1.27	0.075	13	27	1.27	911	0.257	<20	2.15	0.220	0.74	0.7	<0.01	0.3	<0.05	6.6	<0.5	6	<0.2
1400398	Rock	1.88	0.083	14	32	1.45	963	0.245	<20	2.42	0.164	0.81	0.4	<0.01	0.4	0.06	10.9	<0.5	7	<0.2
1400399	Rock	2.27	0.073	15	32	1.33	1015	0.234	<20	2.50	0.213	0.91	0.4	<0.01	0.4	<0.05	11.7	<0.5	7	<0.2
1400400	Rock Pulp	0.83	0.057	4	32	0.77	96	0.127	<20	1.58	0.078	0.13	12.6	0.01	<0.1	<0.05	4.5	<0.5	5	<0.2
1400401	Rock Pulp	0.86	0.057	5	35	0.81	105	0.137	<20	1.72	0.098	0.15	0.3	0.07	<0.1	<0.05	5.0	<0.5	6	<0.2
1400402	Rock	1.19	0.071	12	33	1.16	1136	0.283	<20	2.27	0.260	0.99	0.8	<0.01	0.4	<0.05	6.0	<0.5	7	<0.2
1400403	Rock	1.63	0.079	15	32	1.45	1184	0.275	<20	2.44	0.248	0.98	0.6	<0.01	0.4	<0.05	8.6	<0.5	7	<0.2
1400404	Rock	1.75	0.085	14	35	1.45	1352	0.296	<20	2.47	0.225	1.10	0.4	<0.01	0.5	0.14	10.3	<0.5	7	<0.2
1400405	Rock	1.10	0.070	12	32	1.16	1178	0.293	<20	2.24	0.261	1.01	0.7	<0.01	0.4	<0.05	5.2	<0.5	6	<0.2
1400406	Rock	1.12	0.078	13	49	1.20	1358	0.313	<20	2.47	0.304	1.09	0.9	<0.01	0.4	<0.05	5.6	<0.5	7	<0.2
1400407	Rock	1.18	0.074	13	33	1.09	1135	0.292	<20	2.34	0.294	1.01	0.9	<0.01	0.4	<0.05	5.6	<0.5	6	<0.2
1400408	Rock	1.17	0.075	13	34	1.08	1253	0.299	<20	2.44	0.321	1.04	0.9	<0.01	0.4	<0.05	5.4	<0.5	7	<0.2
1400409	Rock	1.12	0.074	13	31	1.07	1121	0.298	<20	2.34	0.290	1.00	1.0	<0.01	0.5	<0.05	5.2	<0.5	6	<0.2
1400410	Rock	1.11	0.078	12	32	1.16	1236	0.310	<20	2.30	0.258	1.06	0.7	<0.01	0.4	<0.05	5.6	<0.5	6	<0.2
1400411	Rock	1.15	0.078	13	33	1.18	1360	0.315	<20	2.27	0.247	1.06	0.8	<0.01	0.5	<0.05	5.8	<0.5	7	<0.2
1400412	Rock	1.80	0.075	13	34	1.33	1172	0.288	<20	2.38	0.227	0.99	0.6	<0.01	0.4	<0.05	9.1	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

QUALITY CONTROL REPORT WHI12000051.2

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1400326	Rock	1.70	<2	0.6	4.4	17.2	690	0.1	5.6	11.9	979	3.64	45.5	2.5	<0.5	10.2	99	3.4	2.3	<0.1	66
REP 1400326	QC			0.6	3.9	16.9	714	0.1	6.9	12.0	1005	3.67	46.9	2.5	<0.5	10.4	100	3.6	2.5	<0.1	67
1400356	Rock	1.92	7	1.6	36.8	3.9	59	<0.1	7.7	17.3	640	4.24	153.2	1.6	3.9	8.1	88	0.1	0.3	0.3	142
REP 1400356	QC		6																		
1400363	Rock	2.00	<2	1.8	26.5	2.8	63	<0.1	7.1	17.9	771	4.34	10.7	2.2	2.5	7.4	123	<0.1	0.5	<0.1	132
REP 1400363	QC			1.9	26.6	2.9	64	<0.1	7.1	17.5	775	4.35	10.9	2.2	2.0	7.5	128	0.1	0.5	0.1	132
1400406	Rock	1.52	<2	2.9	28.1	3.1	49	<0.1	11.4	14.3	461	3.45	4.2	1.3	4.6	7.4	86	<0.1	0.1	<0.1	123
REP 1400406	QC			2.9	27.7	2.9	50	<0.1	11.2	14.5	466	3.45	4.1	1.3	2.6	7.3	86	<0.1	0.1	<0.1	124
1400409	Rock	1.93	<2	2.8	29.1	3.4	48	<0.1	7.0	13.7	439	3.26	2.5	1.0	1.9	7.4	78	<0.1	0.1	<0.1	116
REP 1400409	QC		<2																		
Core Reject Duplicates																					
1400348	Rock	2.04	11	2.9	31.3	85.6	192	1.4	7.7	15.7	653	3.83	72.1	2.7	11.1	8.0	100	1.9	1.1	<0.1	120
DUP 1400348	QC		8	3.1	29.7	83.1	184	1.3	8.1	16.0	646	3.88	67.6	3.1	9.6	7.7	101	1.9	1.1	<0.1	121
1400383	Rock	1.55	592	3.0	43.1	27.1	90	3.1	8.7	24.1	940	6.25	>10000	9.7	596.0	8.2	130	0.5	7.0	194.9	140
DUP 1400383	QC		552	3.0	42.7	26.6	87	3.1	8.2	23.2	922	6.07	>10000	9.2	595.0	7.7	124	0.4	7.7	193.5	137
Reference Materials																					
STD DS9	Standard			13.7	111.6	137.9	320	1.9	42.6	7.6	579	2.40	24.8	2.7	113.6	6.3	70	2.4	4.0	7.1	38
STD DS9	Standard			12.8	108.9	130.1	315	2.0	42.8	7.7	572	2.37	25.4	2.6	116.9	6.3	66	2.2	3.7	5.0	38
STD DS9	Standard			15.7	119.5	144.9	344	2.2	45.8	8.4	633	2.53	27.2	3.0	109.7	7.4	82	2.4	4.4	6.8	42
STD OREAS45CA	Standard			0.8	553.9	21.1	60	0.3	257.1	98.9	963	16.73	3.8	1.2	42.4	7.1	14	<0.1	<0.1	0.2	210
STD OREAS45CA	Standard			0.9	532.4	19.3	62	0.3	247.0	92.2	916	15.64	3.2	1.1	42.9	7.3	14	<0.1	<0.1	0.1	200
STD OREAS45CA	Standard			0.9	566.8	23.2	66	0.3	279.4	102.5	1002	17.72	4.0	1.4	49.0	8.3	16	0.1	0.1	0.2	226
STD OXC88	Standard		205																		
STD OXC88	Standard		191																		
STD OXC88	Standard		197																		
STD OXC88	Standard		211																		
STD OXG99	Standard		924																		
STD OXG99	Standard		948																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

QUALITY CONTROL REPORT WHI12000051.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
1400326	Rock	3.32	0.079	22	10	1.48	254	0.027	<20	1.11	0.010	0.31	<0.1	0.09	0.3	0.14	11.3	<0.5	4	<0.2
REP 1400326	QC	3.38	0.081	23	10	1.48	262	0.027	<20	1.15	0.010	0.31	<0.1	0.10	0.3	0.14	11.7	<0.5	4	<0.2
1400356	Rock	1.37	0.092	14	29	1.51	1320	0.322	<20	2.61	0.242	1.18	0.3	<0.01	0.5	<0.05	9.8	<0.5	8	<0.2
REP 1400356	QC																			
1400363	Rock	1.98	0.080	15	26	1.36	1099	0.247	<20	2.45	0.209	1.06	0.2	<0.01	0.5	<0.05	13.3	<0.5	7	<0.2
REP 1400363	QC	1.99	0.084	16	26	1.37	1142	0.249	<20	2.48	0.209	1.06	0.1	<0.01	0.5	<0.05	13.7	<0.5	7	<0.2
1400406	Rock	1.12	0.078	13	49	1.20	1358	0.313	<20	2.47	0.304	1.09	0.9	<0.01	0.4	<0.05	5.6	<0.5	7	<0.2
REP 1400406	QC	1.13	0.079	12	48	1.20	1303	0.310	<20	2.48	0.306	1.11	0.9	<0.01	0.5	<0.05	5.6	<0.5	6	<0.2
1400409	Rock	1.12	0.074	13	31	1.07	1121	0.298	<20	2.34	0.290	1.00	1.0	<0.01	0.5	<0.05	5.2	<0.5	6	<0.2
REP 1400409	QC																			
Core Reject Duplicates																				
1400348	Rock	1.57	0.076	15	34	1.45	1168	0.254	<20	2.42	0.258	0.89	0.4	<0.01	0.4	0.14	9.1	<0.5	7	<0.2
DUP 1400348	QC	1.55	0.076	14	33	1.47	1211	0.260	<20	2.44	0.259	0.91	0.6	<0.01	0.4	0.14	8.6	<0.5	7	<0.2
1400383	Rock	1.71	0.088	16	28	1.43	993	0.169	<20	2.72	0.166	1.00	0.2	0.01	0.6	<0.05	13.8	1.0	8	0.6
DUP 1400383	QC	1.63	0.085	15	25	1.40	955	0.199	<20	2.61	0.150	0.97	0.2	<0.01	0.6	<0.05	13.5	1.1	7	0.6
Reference Materials																				
STD DS9	Standard	0.71	0.082	13	121	0.63	328	0.108	<20	0.95	0.083	0.40	3.4	0.21	5.9	0.17	2.5	4.9	4	5.3
STD DS9	Standard	0.72	0.077	13	123	0.61	311	0.109	<20	0.95	0.085	0.40	2.9	0.19	5.3	0.17	2.3	5.5	5	5.2
STD DS9	Standard	0.78	0.087	15	129	0.66	358	0.129	<20	1.05	0.094	0.43	3.1	0.23	6.1	0.17	2.8	6.0	5	5.5
STD OREAS45CA	Standard	0.43	0.040	17	780	0.16	164	0.143	<20	4.00	0.015	0.08	<0.1	0.03	0.1	<0.05	44.7	<0.5	20	<0.2
STD OREAS45CA	Standard	0.43	0.036	17	802	0.14	157	0.140	<20	3.89	0.013	0.08	<0.1	0.03	0.1	<0.05	44.4	<0.5	18	<0.2
STD OREAS45CA	Standard	0.46	0.040	19	831	0.14	192	0.162	<20	4.15	0.008	0.08	<0.1	0.03	<0.1	<0.05	42.9	<0.5	22	<0.2
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

QUALITY CONTROL REPORT WHI12000051.2

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD OXG99	Standard		885																		
STD OXC88 Expected			203																		
STD OXG99 Expected			932																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	0.2	<0.1	<1	<0.1	0.2	<0.1	<1	0.02	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank		<2	0.1	2.4	4.0	49	<0.1	2.4	4.3	615	1.99	<0.5	1.6	<0.5	5.7	66	<0.1	<0.1	0.1	38
G1-WHI	Prep Blank		<2	0.1	3.7	3.8	48	<0.1	3.1	4.1	603	2.04	4.2	1.6	<0.5	6.1	66	<0.1	<0.1	<0.1	39

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

QUALITY CONTROL REPORT WHI12000051.2

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD OXG99	Standard																			
STD OXC88 Expected																				
STD OXG99 Expected																				
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																				
G1-WHI	Prep Blank	0.52	0.083	14	10	0.52	175	0.138	<20	0.95	0.094	0.50	<0.1	<0.01	0.3	<0.05	2.4	<0.5	5	<0.2
G1-WHI	Prep Blank	0.54	0.080	14	10	0.52	162	0.139	<20	0.98	0.095	0.50	<0.1	<0.01	0.3	<0.05	2.6	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: May 29, 2012
Report Date: June 12, 2012
Page: 1 of 6

CERTIFICATE OF ANALYSIS WHI12000058.2

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 136

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	122	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	136	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	136	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Version 2 : 1DX-U included.

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Dayna
Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000058.2

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1400413	Rock	2.16	242	1.1	34.0	8.9	78	0.2	8.1	16.5	581	3.94	1205	2.1	130.9	8.0	62	1.1	1.4	6.3	125
1400414	Rock	3.19	639	1.9	44.6	7.2	53	0.4	9.1	18.5	590	5.13	6111	3.8	822.5	7.5	68	0.1	2.9	8.1	131
1400415	Rock	3.51	261	2.4	36.8	8.3	66	0.5	7.3	19.7	917	4.86	3788	4.7	217.1	8.6	66	0.1	7.8	8.7	123
1400416	Rock	3.16	103	2.4	32.2	3.9	56	0.1	7.7	17.8	718	4.13	1943	3.0	101.1	8.6	68	0.2	4.0	1.5	125
1400417	Rock	1.50	64	1.8	67.1	4.3	56	<0.1	6.9	16.5	624	3.86	1115	2.1	57.9	8.1	74	<0.1	1.2	1.7	128
1400418	Rock	2.36	29	1.6	39.7	3.5	51	<0.1	6.3	14.7	557	3.50	317.0	1.4	19.6	8.1	79	<0.1	0.5	0.5	125
1400419	Rock	2.27	10	1.5	43.8	3.1	66	0.1	9.1	20.6	954	5.05	130.4	2.9	23.4	7.3	100	<0.1	0.7	0.5	158
1400420	Rock Pulp	0.13	2	2.5	23.9	2.3	43	0.3	22.9	10.0	387	2.36	7.3	0.2	5.4	0.9	35	0.2	0.2	<0.1	61
1400421	Rock Pulp	0.12	3847	9.4	63.8	469.7	1425	48.6	28.7	8.0	372	3.09	29.0	0.3	1831	1.0	30	14.6	44.5	0.7	55
1400422	Rock	2.01	2564	2.2	53.6	8.9	186	1.0	6.8	18.1	775	4.84	2759	3.9	256.1	7.0	92	4.7	2.3	10.1	127
1400423	Rock	1.02	121	2.1	37.0	7.5	126	0.7	5.6	14.3	767	3.79	1831	3.9	133.4	9.2	93	2.3	3.2	5.0	101
1400424	Rock	1.60	363	1.3	31.2	5.5	58	0.6	6.0	16.2	651	3.94	841.0	2.8	177.0	8.2	101	0.1	1.0	3.5	140
1400425	Rock	1.37	401	1.8	31.7	6.2	54	0.8	6.4	15.4	613	3.87	1082	2.5	547.0	7.9	98	0.1	1.3	3.9	134
1400426	Rock	1.97	59	1.8	44.1	5.8	64	0.2	6.6	18.4	758	4.60	798.3	3.3	33.6	7.8	81	0.2	5.5	3.7	134
1400427	Rock	2.27	328	1.8	32.5	145.1	140	1.0	7.4	18.4	1129	4.25	2429	3.4	271.8	8.2	117	1.0	10.7	8.3	139
1400428	Rock	2.64	31	1.4	36.5	18.5	73	0.2	6.7	18.6	901	4.60	431.9	2.3	28.4	6.8	118	0.1	3.2	1.5	155
1400429	Rock	2.50	202	1.4	53.2	11.1	44	0.1	5.8	18.0	648	5.62	7271	3.8	214.2	7.6	81	0.1	4.2	16.5	91
1400430	Rock	2.69	43	2.3	37.1	24.6	59	0.2	7.4	19.5	864	4.69	355.9	4.7	37.8	8.6	70	0.1	2.0	2.2	122
1400431	Rock	2.07	23	2.1	50.1	6.6	49	0.1	7.0	18.6	779	5.13	721.2	5.3	31.6	7.8	65	<0.1	1.3	3.5	125
1400432	Rock	2.11	16	1.8	28.0	5.9	51	0.2	6.9	14.7	647	3.58	84.8	1.6	10.0	7.8	82	<0.1	0.3	0.6	123
1400433	Rock	2.26	15	3.5	28.5	7.1	128	0.2	7.0	17.1	936	4.09	132.8	3.0	11.9	7.9	88	1.6	0.9	0.3	130
1400434	Rock	2.13	4	2.4	28.4	4.6	51	<0.1	6.4	14.4	518	3.50	53.6	1.4	4.5	8.3	98	<0.1	0.2	0.2	126
1400435	Rock	1.86	7	2.1	29.0	4.4	48	<0.1	6.5	13.9	477	3.30	100.7	1.5	8.6	7.7	84	<0.1	0.3	0.2	120
1400436	Rock	1.62	2	2.3	29.9	3.4	55	<0.1	6.3	15.8	624	3.73	12.7	2.0	<0.5	6.8	84	<0.1	0.3	<0.1	135
1400437	Rock	2.21	<2	2.3	34.3	3.3	52	<0.1	7.0	14.8	519	3.56	7.6	1.4	3.3	8.4	85	<0.1	0.2	<0.1	126
1400438	Rock	2.29	28	1.8	28.8	4.1	71	0.2	7.1	18.9	1193	4.42	117.7	4.5	27.5	7.6	83	0.2	1.0	0.2	148
1400439	Rock	2.72	5	1.8	34.5	8.0	131	0.6	9.5	27.6	1801	7.06	15.8	6.0	3.5	6.6	86	0.1	0.9	<0.1	199
1400440	Rock Pulp	0.12	3	2.3	23.5	2.3	43	0.2	22.0	10.1	385	2.30	4.5	0.2	<0.5	0.9	34	0.2	0.2	<0.1	58
1400441	Rock Pulp	0.12	1334	8.3	46.7	5.5	50	0.3	30.6	9.2	455	3.08	6.7	0.3	1068	0.9	37	0.1	0.7	<0.1	63
1400442	Rock	2.38	21	1.7	34.7	10.2	100	0.7	8.7	26.8	2130	5.64	46.5	6.6	29.7	6.9	110	0.2	2.5	<0.1	173

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000058.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1400413	Rock	0.80	0.078	16	25	1.13	992	0.224	<20	2.43	0.198	0.71	0.3	<0.01	0.5	<0.05	10.0	<0.5	7	<0.2
1400414	Rock	0.90	0.077	15	26	1.20	906	0.193	<20	2.47	0.204	0.82	0.3	0.01	0.8	0.20	12.1	0.6	8	0.6
1400415	Rock	1.86	0.084	19	21	0.81	705	0.117	<20	1.85	0.098	0.60	0.2	0.08	0.7	<0.05	15.3	<0.5	5	<0.2
1400416	Rock	1.52	0.081	16	24	1.16	888	0.183	<20	2.23	0.162	0.74	0.4	0.05	0.7	<0.05	10.8	<0.5	7	<0.2
1400417	Rock	1.51	0.086	14	26	1.29	940	0.232	<20	2.21	0.204	0.78	0.6	0.02	0.4	<0.05	8.0	<0.5	7	<0.2
1400418	Rock	1.44	0.077	14	25	1.25	1033	0.250	<20	2.33	0.252	0.88	0.5	0.01	0.4	<0.05	7.6	<0.5	7	<0.2
1400419	Rock	2.36	0.092	15	32	1.70	755	0.178	<20	2.75	0.170	0.64	0.2	<0.01	0.4	0.12	15.5	<0.5	8	<0.2
1400420	Rock Pulp	0.82	0.057	4	30	0.77	88	0.117	<20	1.53	0.076	0.13	12.0	<0.01	0.1	<0.05	4.6	<0.5	5	<0.2
1400421	Rock Pulp	0.67	0.048	5	26	0.55	102	0.097	<20	1.13	0.069	0.11	2.0	0.20	0.9	0.34	4.0	<0.5	6	<0.2
1400422	Rock	1.94	0.077	14	25	1.37	781	0.170	<20	2.43	0.168	0.76	0.3	<0.01	0.5	0.41	12.0	0.6	7	<0.2
1400423	Rock	1.82	0.063	14	21	1.15	772	0.155	<20	2.23	0.176	0.68	0.3	0.01	0.4	0.17	8.2	<0.5	6	<0.2
1400424	Rock	1.71	0.075	14	26	1.39	1152	0.260	<20	2.65	0.269	0.99	0.2	<0.01	0.5	0.06	10.4	<0.5	8	<0.2
1400425	Rock	1.63	0.078	13	27	1.31	1115	0.260	<20	2.54	0.262	0.97	0.3	<0.01	0.5	0.07	9.6	<0.5	7	<0.2
1400426	Rock	1.53	0.081	15	25	1.34	917	0.207	<20	2.54	0.177	0.84	0.2	<0.01	0.6	0.06	12.7	<0.5	7	<0.2
1400427	Rock	1.93	0.075	15	25	1.30	948	0.212	<20	2.66	0.214	0.84	0.3	<0.01	0.6	<0.05	13.8	0.6	7	<0.2
1400428	Rock	2.30	0.081	15	26	1.64	969	0.222	<20	2.98	0.193	0.89	0.2	<0.01	0.7	<0.05	14.8	<0.5	9	<0.2
1400429	Rock	1.49	0.068	13	16	0.88	509	0.075	<20	1.72	0.074	0.51	0.3	0.02	0.4	0.54	11.6	<0.5	5	<0.2
1400430	Rock	1.95	0.076	16	23	1.07	426	0.063	<20	2.25	0.120	0.41	<0.1	0.01	0.5	<0.05	15.2	<0.5	7	<0.2
1400431	Rock	1.68	0.075	16	23	1.20	636	0.115	<20	2.36	0.105	0.62	0.2	0.01	0.6	<0.05	14.4	<0.5	7	<0.2
1400432	Rock	1.55	0.078	13	27	1.33	875	0.222	<20	2.40	0.242	0.76	0.4	<0.01	0.4	<0.05	8.5	<0.5	7	<0.2
1400433	Rock	2.11	0.079	15	26	1.32	976	0.211	<20	2.38	0.196	0.84	0.2	<0.01	0.5	<0.05	10.4	<0.5	7	<0.2
1400434	Rock	1.28	0.079	14	30	1.27	1170	0.280	<20	2.41	0.292	0.96	0.5	0.01	0.4	<0.05	6.7	<0.5	7	<0.2
1400435	Rock	1.16	0.081	13	28	1.18	1160	0.271	<20	2.19	0.248	0.92	0.5	<0.01	0.4	<0.05	6.2	<0.5	6	<0.2
1400436	Rock	1.59	0.079	13	25	1.27	1213	0.279	<20	2.41	0.240	1.04	0.4	0.01	0.5	<0.05	9.1	<0.5	7	<0.2
1400437	Rock	1.26	0.084	13	30	1.26	1211	0.299	<20	2.31	0.268	1.07	0.4	<0.01	0.5	<0.05	6.9	<0.5	7	<0.2
1400438	Rock	2.74	0.085	16	27	1.50	680	0.154	<20	2.48	0.106	0.60	0.1	<0.01	0.3	<0.05	14.6	<0.5	7	<0.2
1400439	Rock	3.07	0.101	20	33	2.26	1047	0.206	<20	3.56	0.044	0.88	<0.1	0.01	0.4	<0.05	24.3	<0.5	10	<0.2
1400440	Rock Pulp	0.78	0.056	4	29	0.74	91	0.109	<20	1.48	0.071	0.13	11.9	0.02	<0.1	<0.05	4.1	<0.5	5	<0.2
1400441	Rock Pulp	0.79	0.056	4	33	0.78	98	0.120	<20	1.62	0.088	0.14	0.3	0.07	<0.1	<0.05	4.6	<0.5	5	<0.2
1400442	Rock	3.90	0.093	19	30	1.87	981	0.208	<20	2.88	0.079	0.92	0.1	0.11	0.4	<0.05	21.7	<0.5	9	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000058.2

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1400443	Rock	2.98	47	1.4	39.7	50.5	193	6.4	9.1	25.3	1468	5.88	115.1	4.6	57.2	6.9	63	0.2	2.0	<0.1	179
1400444	Rock	2.07	<2	2.1	32.4	3.3	67	0.1	7.3	18.7	881	4.29	7.0	1.9	11.4	7.5	97	0.1	0.3	<0.1	156
1400445	Rock	2.59	<2	1.8	30.1	2.8	60	<0.1	6.7	16.6	749	3.82	2.5	1.5	10.1	7.7	79	<0.1	0.3	<0.1	144
1400446	Rock	2.63	<2	1.4	25.1	5.3	73	0.5	6.8	16.7	1385	4.40	5.7	2.9	1.6	8.0	105	0.2	0.7	<0.1	149
1400447	Rock	3.10	3	1.8	22.8	5.5	84	0.4	6.0	15.8	1315	4.27	24.4	3.2	3.7	7.9	91	0.4	1.0	0.1	135
1400448	Rock	2.49	4	1.5	20.8	6.7	69	0.1	6.0	19.4	1246	4.26	12.8	5.2	3.1	7.7	92	0.2	0.6	<0.1	121
1400449	Rock	2.44	<2	1.3	25.0	3.2	69	<0.1	6.5	17.8	971	4.58	2.2	2.7	1.9	7.5	115	<0.1	0.3	<0.1	157
1400450	Rock	2.51	<2	1.6	28.8	2.9	61	<0.1	6.9	16.7	688	4.09	3.1	1.5	0.9	7.1	98	<0.1	0.1	<0.1	152
1400451	Rock	2.19	<2	1.9	28.1	10.0	89	<0.1	7.5	17.8	806	4.31	3.3	1.7	2.3	7.1	100	0.7	0.2	<0.1	160
1400452	Rock	2.92	<2	1.6	27.6	2.7	66	<0.1	7.8	18.2	877	4.43	3.1	1.9	1.1	6.8	102	<0.1	<0.1	<0.1	163
1400453	Rock	2.65	<2	1.7	26.0	3.0	61	<0.1	6.7	17.1	774	4.07	4.0	2.3	2.2	7.8	99	<0.1	0.2	<0.1	140
1400454	Rock	3.24	3	1.5	23.8	4.0	59	<0.1	6.3	16.5	777	4.04	6.3	4.0	3.1	8.1	102	<0.1	0.4	<0.1	132
1400455	Rock	2.73	<2	1.3	28.9	4.0	71	<0.1	7.8	19.7	934	4.63	2.6	4.6	0.8	6.8	106	<0.1	0.2	<0.1	164
1400456	Rock	3.23	13	1.5	29.2	4.2	58	<0.1	6.6	16.3	632	3.91	33.8	1.7	13.3	6.5	84	<0.1	0.2	<0.1	143
1400457	Rock	2.92	15	1.6	24.0	6.0	50	<0.1	5.9	13.7	565	3.43	77.6	1.5	14.2	7.3	97	<0.1	0.2	<0.1	119
1400458	Rock	2.90	<2	1.8	26.5	3.4	50	<0.1	6.1	14.0	531	3.47	3.8	1.4	2.1	7.1	84	<0.1	<0.1	<0.1	129
1400459	Rock	2.60	<2	2.0	25.4	3.6	47	<0.1	6.0	13.2	495	3.32	2.7	1.5	1.2	7.4	102	<0.1	<0.1	<0.1	121
1400460	Rock Pulp	0.12	<2	2.4	25.6	2.5	47	0.2	25.8	10.8	414	2.50	4.8	0.3	1.6	0.9	39	0.2	0.2	<0.1	64
1400461	Rock Pulp	0.12	1532	8.5	47.1	5.9	51	0.2	31.7	9.0	477	3.29	7.2	0.3	712.0	0.9	40	0.1	1.0	<0.1	70
1400462	Rock	2.74	<2	1.7	27.0	3.9	57	<0.1	5.7	13.7	496	3.40	3.8	1.2	21.7	7.7	97	0.3	<0.1	<0.1	127
1400463	Rock	2.19	<2	2.4	25.0	3.9	46	<0.1	5.8	12.7	451	3.17	3.2	1.2	14.8	7.2	82	<0.1	0.1	<0.1	113
1400464	Rock	2.72	6	1.8	23.3	6.5	44	0.1	5.6	12.9	615	3.33	14.1	3.7	12.1	7.1	88	<0.1	0.3	0.1	105
1400465	Rock	2.36	<2	1.8	25.3	3.6	51	<0.1	6.4	14.8	578	3.58	2.8	1.7	4.1	7.1	98	<0.1	0.1	<0.1	130
1400466	Rock	2.42	<2	2.4	27.9	3.6	52	<0.1	6.2	14.8	675	3.66	3.1	2.6	1.5	8.0	94	<0.1	0.1	<0.1	125
1400467	Rock	2.22	2	2.1	32.8	3.6	52	<0.1	6.7	14.5	512	3.53	7.0	1.5	2.8	7.0	78	<0.1	0.1	<0.1	126
1400468	Rock	2.50	2	2.5	30.5	4.6	55	<0.1	7.2	15.9	599	3.94	6.4	3.0	3.2	7.2	82	<0.1	0.2	<0.1	139
1400469	Rock	2.65	<2	2.5	27.5	7.3	56	<0.1	6.7	14.2	465	3.38	3.0	1.6	1.9	7.6	77	0.2	0.3	0.2	123
1400470	Rock	2.66	<2	2.4	25.7	4.1	48	<0.1	6.6	13.4	447	3.31	2.1	1.3	2.6	6.8	83	<0.1	0.1	<0.1	123
1400471	Rock	2.70	<2	2.4	27.4	3.4	52	<0.1	6.1	15.0	524	3.62	2.5	1.6	2.4	7.4	92	<0.1	0.1	<0.1	131
1400472	Rock	2.88	<2	2.5	27.7	3.3	49	<0.1	6.6	13.8	464	3.37	1.8	1.5	1.8	7.5	80	<0.1	0.1	0.3	124

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000058.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1400443	Rock	2.44	0.093	18	31	2.19	968	0.182	<20	3.14	0.041	0.91	0.1	0.04	0.5	<0.05	20.9	<0.5	10	<0.2
1400444	Rock	1.86	0.091	15	32	1.59	1113	0.264	<20	2.68	0.253	1.01	0.2	0.01	0.5	<0.05	12.9	<0.5	8	<0.2
1400445	Rock	1.44	0.083	14	29	1.38	1220	0.286	<20	2.43	0.240	1.06	0.3	0.02	0.6	<0.05	9.7	<0.5	7	<0.2
1400446	Rock	2.60	0.074	16	27	1.67	1033	0.200	<20	2.98	0.228	0.87	<0.1	0.02	0.4	<0.05	17.4	<0.5	8	<0.2
1400447	Rock	3.27	0.068	17	22	1.56	853	0.154	<20	2.80	0.115	0.69	0.1	0.02	0.4	<0.05	15.7	<0.5	8	<0.2
1400448	Rock	3.70	0.065	20	19	1.46	751	0.116	<20	2.65	0.074	0.64	<0.1	0.03	0.4	<0.05	14.5	<0.5	8	<0.2
1400449	Rock	2.79	0.078	16	27	1.68	1173	0.227	<20	2.86	0.216	0.99	0.1	<0.01	0.5	<0.05	18.6	<0.5	8	<0.2
1400450	Rock	1.69	0.085	13	29	1.56	1456	0.289	<20	2.74	0.294	1.15	0.3	<0.01	0.5	<0.05	10.8	<0.5	7	<0.2
1400451	Rock	2.13	0.087	15	31	1.75	1301	0.256	<20	2.76	0.238	1.03	0.2	0.02	0.5	<0.05	13.2	<0.5	8	<0.2
1400452	Rock	2.54	0.084	15	30	1.79	1243	0.251	<20	2.87	0.235	1.02	0.2	<0.01	0.5	<0.05	15.5	<0.5	8	<0.2
1400453	Rock	2.26	0.076	15	27	1.54	1093	0.223	<20	2.73	0.238	0.93	0.3	0.01	0.5	<0.05	14.3	<0.5	7	<0.2
1400454	Rock	2.72	0.073	17	24	1.30	957	0.180	<20	2.56	0.184	0.80	0.2	0.03	0.5	0.06	15.3	<0.5	8	<0.2
1400455	Rock	2.76	0.090	16	29	1.58	1243	0.245	<20	2.86	0.198	1.03	0.2	<0.01	0.5	0.07	18.0	<0.5	8	<0.2
1400456	Rock	1.42	0.084	13	29	1.69	1294	0.265	<20	2.61	0.256	1.02	0.3	<0.01	0.4	<0.05	10.7	<0.5	7	<0.2
1400457	Rock	1.51	0.071	13	25	1.35	982	0.224	<20	2.62	0.322	0.90	0.3	<0.01	0.4	<0.05	7.8	<0.5	7	<0.2
1400458	Rock	1.29	0.078	13	27	1.33	1295	0.284	<20	2.45	0.290	1.05	0.6	<0.01	0.4	<0.05	7.2	<0.5	7	<0.2
1400459	Rock	1.38	0.076	13	27	1.26	1218	0.273	<20	2.56	0.338	0.96	0.6	<0.01	0.4	<0.05	6.6	<0.5	7	<0.2
1400460	Rock Pulp	0.88	0.060	4	33	0.82	96	0.126	<20	1.66	0.082	0.13	12.4	<0.01	<0.1	<0.05	4.8	<0.5	5	<0.2
1400461	Rock Pulp	0.88	0.059	5	35	0.83	106	0.134	<20	1.75	0.097	0.15	0.3	0.06	<0.1	<0.05	4.9	<0.5	6	<0.2
1400462	Rock	1.36	0.078	14	26	1.29	1217	0.299	<20	2.66	0.357	0.99	0.6	<0.01	0.4	0.05	6.8	<0.5	7	<0.2
1400463	Rock	1.27	0.070	13	28	1.15	1026	0.271	<20	2.30	0.304	0.85	0.6	<0.01	0.4	<0.05	6.0	<0.5	7	<0.2
1400464	Rock	2.13	0.063	13	24	1.24	790	0.191	<20	2.30	0.238	0.71	0.4	0.01	0.3	0.17	8.2	<0.5	6	<0.2
1400465	Rock	1.63	0.076	14	28	1.35	1015	0.267	<20	2.66	0.346	0.93	0.5	0.01	0.4	<0.05	8.5	<0.5	7	<0.2
1400466	Rock	2.24	0.076	14	29	1.37	859	0.235	<20	2.38	0.223	0.79	0.4	0.02	0.4	<0.05	8.6	<0.5	7	<0.2
1400467	Rock	1.24	0.085	13	28	1.29	1126	0.294	<20	2.29	0.260	0.98	0.7	<0.01	0.4	0.06	6.5	<0.5	6	<0.2
1400468	Rock	1.43	0.084	13	32	1.39	1224	0.302	<20	2.57	0.293	1.05	0.5	<0.01	0.5	0.14	8.6	<0.5	7	<0.2
1400469	Rock	1.24	0.079	13	30	1.19	1255	0.301	<20	2.45	0.298	1.02	0.7	<0.01	0.6	<0.05	5.8	<0.5	7	<0.2
1400470	Rock	1.19	0.080	13	30	1.10	1134	0.295	<20	2.44	0.316	1.00	0.9	<0.01	0.5	<0.05	5.6	<0.5	7	<0.2
1400471	Rock	1.32	0.077	13	30	1.31	1281	0.310	<20	2.60	0.331	1.07	0.7	<0.01	0.5	0.06	7.1	<0.5	7	<0.2
1400472	Rock	1.17	0.078	13	30	1.18	1258	0.303	<20	2.37	0.295	1.02	0.8	<0.01	0.5	<0.05	5.8	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000058.2

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1400473	Rock	0.67	5	2.4	31.0	3.2	54	<0.1	6.6	15.6	521	3.78	30.4	1.5	3.7	6.5	89	<0.1	0.2	<0.1	141
1400474	Rock	1.11	<2	2.5	25.8	3.4	46	<0.1	6.3	13.1	456	3.23	1.8	1.5	<0.5	7.7	91	<0.1	<0.1	<0.1	117
1400475	Rock	1.35	<2	2.5	26.2	3.7	45	<0.1	6.5	13.4	456	3.21	2.2	1.4	0.7	7.4	95	<0.1	<0.1	<0.1	118
1400476	Rock	2.63	10	2.3	29.3	31.8	254	0.6	7.0	16.7	997	3.93	25.7	7.3	5.4	8.3	99	3.3	2.3	0.2	122
1400477	Rock	2.71	<2	2.8	31.0	5.8	63	0.2	6.9	15.5	776	3.62	4.9	1.8	1.0	8.1	99	0.2	0.3	<0.1	124
1400478	Rock	2.65	<2	2.3	33.3	3.8	51	<0.1	6.8	14.3	530	3.44	1.4	1.6	0.8	7.6	89	<0.1	<0.1	<0.1	123
1400479	Rock	2.73	12	2.7	31.5	4.7	112	0.2	7.8	18.9	1063	4.47	160.9	6.1	14.8	7.6	106	1.0	1.2	0.6	127
1400480	Rock Pulp	0.13	<2	2.4	24.8	2.3	43	0.2	23.7	10.5	401	2.37	5.0	0.3	0.8	1.0	37	0.1	0.2	<0.1	60
1400481	Rock Pulp	0.12	3872	10.2	69.8	482.6	1515	51.2	30.4	8.4	397	3.21	31.4	0.3	3666	1.1	33	16.4	45.5	0.9	54
1400482	Rock	3.23	<2	2.3	29.5	3.3	51	<0.1	6.8	14.9	589	3.51	4.2	2.8	<0.5	7.2	97	<0.1	0.2	<0.1	119
1400483	Rock	2.55	41	2.8	27.3	3.9	49	<0.1	6.6	14.5	638	3.61	44.3	3.4	16.2	11.0	111	0.1	0.3	0.2	119
1400484	Rock	2.40	<2	2.4	26.7	3.4	53	<0.1	6.7	15.6	637	3.69	2.0	2.0	<0.5	7.6	106	<0.1	0.2	<0.1	129
1400485	Rock	3.18	<2	4.4	25.2	3.4	50	<0.1	6.4	14.1	580	3.49	2.0	2.0	<0.5	8.7	111	<0.1	0.2	<0.1	122
1400486	Rock	2.52	<2	2.8	25.0	3.4	52	<0.1	6.3	15.3	605	3.63	2.1	2.6	<0.5	8.5	96	<0.1	0.2	<0.1	124
1400487	Rock	2.50	<2	3.4	32.8	4.5	94	<0.1	6.4	13.4	605	3.36	6.0	3.3	0.7	9.8	100	0.7	0.3	<0.1	112
1400488	Rock	2.80	<2	2.8	26.0	3.6	47	<0.1	6.4	12.9	473	3.21	2.8	2.4	<0.5	9.2	82	<0.1	0.1	<0.1	109
1400489	Rock	3.34	169	2.2	33.1	5.5	988	0.4	7.3	16.8	632	4.06	124.9	5.6	66.2	9.4	80	18.2	1.0	2.3	129
1400490	Rock	1.44	28	1.4	32.2	5.0	76	0.1	8.4	20.1	904	4.77	138.2	1.8	13.3	8.0	91	0.4	1.4	0.4	130
1400491	Rock	2.35	93	1.5	38.3	8.1	64	0.2	6.7	15.2	904	4.06	639.2	2.4	55.8	8.4	123	0.3	1.9	3.9	89
1400492	Rock	3.66	63	1.4	27.0	3.7	54	<0.1	6.7	14.8	548	3.51	147.2	1.2	29.4	8.0	73	<0.1	0.7	0.4	105
1400493	Rock	1.27	2	1.3	29.6	3.9	50	<0.1	5.8	14.1	541	3.33	60.9	1.1	1.2	8.6	94	0.1	0.5	0.1	111
1400494	Rock	1.66	566	1.5	71.9	30.6	91	1.3	6.3	15.9	548	6.30	3545	2.7	575.4	9.4	85	0.6	9.6	14.0	79
1400495	Rock	1.69	279	2.0	83.2	17.3	56	1.2	7.5	24.8	833	6.44	1982	2.7	238.6	8.5	63	0.4	4.8	13.6	91
1400496	Rock	2.02	43	1.5	33.7	6.7	55	0.2	6.5	17.6	725	4.55	367.2	1.9	63.5	8.0	86	0.2	1.9	1.0	123
1400497	Rock	1.92	129	3.5	41.0	7.6	23	0.1	1.6	8.7	320	3.26	317.5	2.4	108.3	13.3	30	0.2	2.6	1.1	27
1400498	Rock	1.75	281	4.4	86.1	6.3	46	0.2	4.1	23.2	642	4.61	521.6	3.9	351.4	11.3	24	0.7	3.0	5.5	31
1400499	Rock	1.67	457	4.1	132.8	32.2	141	2.0	3.3	11.3	188	9.09	3448	4.5	206.3	9.1	276	1.8	11.5	9.2	29
1400500	Rock Pulp	0.12	2	2.4	26.8	2.4	46	0.3	25.3	11.1	413	2.42	9.8	0.3	6.5	0.9	38	0.1	0.2	0.4	60
1400501	Rock Pulp	0.12	1346	8.8	50.5	5.7	51	0.2	32.4	9.3	491	3.22	8.3	0.3	1048	0.9	43	0.1	0.9	0.2	66
1400502	Rock	1.65	375	2.8	79.1	16.7	62	2.1	4.7	11.7	357	5.97	4006	3.5	2570	7.0	156	0.5	11.1	9.3	88

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000058.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1400473	Rock	1.22	0.088	13	33	1.33	1496	0.340	<20	2.69	0.331	1.23	0.7	<0.01	0.5	0.05	7.2	<0.5	7	<0.2
1400474	Rock	1.19	0.072	13	30	1.12	1192	0.293	<20	2.50	0.342	1.04	0.9	<0.01	0.5	<0.05	5.6	<0.5	7	<0.2
1400475	Rock	1.26	0.073	13	31	1.13	1152	0.292	<20	2.60	0.375	1.04	0.9	<0.01	0.4	<0.05	6.1	<0.5	7	<0.2
1400476	Rock	2.23	0.075	15	29	1.42	974	0.222	<20	2.27	0.243	0.89	0.4	0.02	0.5	0.28	11.0	<0.5	6	<0.2
1400477	Rock	1.55	0.076	14	32	1.38	1173	0.286	<20	2.71	0.338	1.01	3.9	<0.01	0.4	0.14	7.4	<0.5	7	<0.2
1400478	Rock	1.32	0.074	13	30	1.26	1254	0.300	<20	2.55	0.326	1.11	1.0	<0.01	0.5	0.05	6.5	<0.5	7	<0.2
1400479	Rock	2.65	0.080	17	29	1.65	895	0.207	<20	2.33	0.242	0.87	0.5	0.01	0.5	0.51	14.0	<0.5	6	<0.2
1400480	Rock Pulp	0.82	0.057	4	31	0.78	95	0.118	<20	1.57	0.076	0.13	12.4	0.01	<0.1	<0.05	4.3	<0.5	5	<0.2
1400481	Rock Pulp	0.68	0.053	5	27	0.57	107	0.110	<20	1.16	0.075	0.11	2.1	0.22	1.0	0.33	4.3	<0.5	6	<0.2
1400482	Rock	1.51	0.079	13	29	1.24	1143	0.280	<20	2.40	0.288	0.99	0.6	<0.01	0.5	0.10	8.7	<0.5	7	<0.2
1400483	Rock	1.83	0.071	15	28	1.36	1039	0.250	<20	2.60	0.329	0.91	1.6	<0.01	0.4	0.13	9.4	<0.5	7	<0.2
1400484	Rock	1.65	0.075	15	30	1.46	1084	0.266	<20	2.61	0.292	0.94	1.0	<0.01	0.4	0.05	10.7	<0.5	7	<0.2
1400485	Rock	1.48	0.071	15	29	1.43	1166	0.275	<20	2.68	0.347	0.98	1.3	<0.01	0.5	<0.05	9.4	<0.5	7	<0.2
1400486	Rock	1.41	0.074	15	30	1.45	1107	0.281	<20	2.55	0.293	0.97	0.6	<0.01	0.4	0.05	10.3	<0.5	7	<0.2
1400487	Rock	1.35	0.072	15	27	1.17	1057	0.283	<20	2.45	0.331	0.94	1.4	<0.01	0.5	0.10	7.2	<0.5	7	<0.2
1400488	Rock	1.12	0.071	14	30	1.15	1140	0.302	<20	2.24	0.286	0.98	1.2	<0.01	0.5	0.05	6.0	<0.5	6	<0.2
1400489	Rock	1.69	0.086	16	30	1.37	1136	0.280	<20	2.38	0.211	0.99	0.6	0.01	0.4	0.22	9.4	<0.5	7	<0.2
1400490	Rock	2.10	0.077	18	22	0.97	804	0.159	<20	2.19	0.120	0.61	<0.1	0.02	0.7	<0.05	17.6	<0.5	7	<0.2
1400491	Rock	3.66	0.068	17	14	0.48	331	0.015	<20	1.36	0.067	0.24	0.1	0.02	0.2	<0.05	15.0	<0.5	4	<0.2
1400492	Rock	1.52	0.074	14	23	1.24	474	0.132	<20	2.19	0.121	0.37	0.1	<0.01	0.2	<0.05	9.4	<0.5	7	<0.2
1400493	Rock	1.60	0.074	14	22	1.14	809	0.217	<20	2.35	0.246	0.64	0.2	<0.01	0.3	<0.05	8.2	<0.5	7	<0.2
1400494	Rock	0.53	0.083	18	13	0.36	301	0.036	<20	1.13	0.050	0.39	0.1	0.09	0.5	0.10	11.3	<0.5	4	<0.2
1400495	Rock	1.31	0.082	20	16	0.74	130	0.007	<20	1.90	0.041	0.33	<0.1	0.04	0.7	<0.05	13.2	<0.5	6	0.4
1400496	Rock	2.19	0.073	18	21	1.17	403	0.085	<20	2.60	0.147	0.45	0.1	0.02	0.5	<0.05	13.1	<0.5	8	<0.2
1400497	Rock	0.54	0.113	33	3	0.53	287	0.032	<20	1.52	0.064	0.44	0.6	0.04	0.5	<0.05	3.4	<0.5	5	<0.2
1400498	Rock	0.30	0.116	28	5	0.39	146	0.009	<20	1.62	0.034	0.38	<0.1	0.13	1.0	<0.05	5.2	<0.5	4	0.2
1400499	Rock	0.12	0.104	17	5	0.23	307	0.003	<20	0.97	0.069	0.69	0.1	0.19	1.0	0.92	5.7	<0.5	3	0.3
1400500	Rock Pulp	0.85	0.060	4	32	0.79	97	0.133	<20	1.58	0.078	0.13	12.5	0.02	<0.1	<0.05	4.8	<0.5	5	<0.2
1400501	Rock Pulp	0.85	0.060	5	35	0.82	106	0.137	<20	1.70	0.095	0.14	0.3	0.07	<0.1	<0.05	5.1	<0.5	6	<0.2
1400502	Rock	0.35	0.072	11	17	0.82	635	0.140	<20	2.09	0.128	0.95	0.2	0.08	0.8	0.65	8.3	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000058.2

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1400503	Rock	1.84	19	1.3	35.8	3.6	65	<0.1	7.7	20.4	857	4.63	199.8	1.8	6.1	6.3	94	0.2	1.1	0.4	153
1400504	Rock	1.69	159	1.9	40.2	11.6	304	0.6	6.4	18.3	1148	6.00	1505	3.8	129.9	7.5	80	4.2	5.4	3.3	88
1400505	Rock	1.58	33	1.8	31.8	3.3	56	<0.1	6.5	15.6	609	3.60	169.8	1.4	22.6	7.4	82	<0.1	0.4	0.5	122
1400506	Rock	1.91	73	1.9	30.5	3.5	50	<0.1	6.6	14.9	544	3.58	207.1	1.6	12.6	8.2	95	0.1	0.4	0.6	122
1400507	Rock	2.20	<2	1.4	28.2	3.2	45	<0.1	6.1	12.9	444	3.14	12.2	1.3	2.3	7.5	85	<0.1	0.2	0.1	111
1400508	Rock	2.16	6	1.8	35.0	3.7	46	<0.1	5.7	14.6	593	3.68	98.5	1.8	3.3	7.7	92	<0.1	1.1	0.6	119
1400509	Rock	1.85	160	1.6	32.3	25.0	90	0.4	6.6	17.5	958	4.08	759.1	1.7	102.3	8.4	81	0.7	5.1	2.8	133
1400510	Rock	2.07	469	1.8	34.4	12.0	52	1.5	6.0	15.1	550	3.79	45.5	1.5	205.4	8.2	88	<0.1	1.1	11.0	126
1400511	Rock	2.12	4	2.0	35.9	4.1	55	0.2	6.9	15.5	551	3.63	22.5	1.1	4.5	7.7	82	<0.1	0.4	0.4	131
1400512	Rock	2.16	2	1.8	25.6	3.6	46	<0.1	6.0	13.4	514	3.33	34.9	1.4	1.7	8.6	104	<0.1	0.4	0.2	118
1400513	Rock	2.19	10	1.8	37.8	3.7	57	<0.1	7.0	15.8	547	3.81	52.3	2.0	2.7	7.5	85	0.2	0.3	0.2	140
1400514	Rock	2.10	2	1.8	32.3	4.2	53	0.1	6.9	15.6	733	3.86	15.4	1.6	101.0	7.7	91	<0.1	0.2	0.3	134
1400515	Rock	2.17	24	1.9	37.6	5.5	63	0.1	7.0	17.8	1105	4.40	17.9	2.5	11.5	7.3	86	<0.1	0.6	0.6	155
1400516	Rock	2.01	806	1.5	41.8	29.0	2058	0.8	6.0	16.0	742	4.46	502.3	2.5	196.6	8.1	79	41.6	3.9	5.9	128
1400517	Rock	2.44	5	1.6	30.0	4.0	121	<0.1	6.4	15.3	557	3.97	22.0	1.0	3.1	7.0	81	1.0	0.4	0.2	135
1400518	Rock	2.38	2	1.8	29.3	5.6	67	0.1	6.7	17.4	732	4.30	20.7	1.3	1.5	8.8	105	0.2	0.6	0.1	150
1400519	Rock	1.85	246	2.5	42.6	7.2	69	0.2	6.8	19.6	957	4.85	2835	3.1	211.7	8.5	77	0.4	9.3	3.0	124
1400520	Rock Pulp	0.12	3	2.5	25.5	2.5	46	0.2	25.2	10.9	421	2.52	7.8	0.3	7.7	0.9	40	0.1	0.2	<0.1	62
1400521	Rock Pulp	0.13	3746	10.3	71.9	490.7	1581	52.6	32.2	8.9	416	3.46	33.6	0.3	2259	1.2	35	16.6	46.1	1.1	58
1400522	Rock	2.03	12	1.9	29.9	3.3	69	<0.1	7.2	17.4	620	4.32	46.3	1.9	12.2	8.1	103	0.4	0.7	0.5	143
1400523	Rock	2.12	574	1.9	32.2	16.3	130	0.2	6.9	17.9	694	4.06	418.8	2.1	670.8	8.6	104	1.4	1.9	2.8	122
1400524	Rock	0.88	23	1.6	26.0	3.3	51	<0.1	5.7	14.6	519	3.58	71.3	1.2	73.3	8.5	96	0.1	0.2	0.7	126
1400525	Rock	1.28	18	2.0	26.8	3.7	50	<0.1	6.1	14.4	506	3.55	66.9	1.3	12.2	8.7	97	0.1	0.2	0.6	123
1400526	Rock	2.16	7	1.8	28.6	3.5	48	<0.1	6.0	14.5	570	3.62	11.2	1.0	6.2	7.5	98	0.1	0.1	0.6	125
1400527	Rock	2.20	10	1.7	34.1	25.9	69	0.3	6.6	17.7	923	4.63	34.6	2.3	6.4	8.7	111	0.3	0.6	0.8	144
1400528	Rock	2.08	81	1.8	25.7	3.9	53	<0.1	7.1	18.2	873	4.27	372.7	2.9	25.4	8.0	112	<0.1	0.3	0.6	146
1400529	Rock	2.32	7	2.0	30.9	3.8	48	<0.1	6.3	15.3	552	3.82	60.6	1.2	5.7	7.8	82	<0.1	0.2	0.4	130
1400530	Rock	2.42	<2	2.0	28.0	3.3	50	<0.1	6.5	15.3	553	3.78	12.4	1.3	1.0	8.2	87	<0.1	0.3	0.2	129
1400531	Rock	1.92	546	1.8	33.0	6.9	54	0.6	6.5	21.0	983	4.29	4114	2.8	2187	8.1	107	0.1	4.4	4.3	112
1400532	Rock	2.24	828	1.6	32.4	9.8	62	0.5	6.9	17.5	936	4.37	331.7	2.2	1604	7.4	89	0.1	1.3	12.2	138

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000058.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1400503	Rock	2.05	0.095	16	28	1.57	1285	0.268	<20	2.64	0.171	1.04	0.2	0.02	0.4	<0.05	14.2	<0.5	8	<0.2
1400504	Rock	2.51	0.080	19	14	1.03	296	0.016	<20	1.53	0.048	0.30	<0.1	0.04	0.4	<0.05	15.6	<0.5	5	<0.2
1400505	Rock	1.44	0.081	14	25	1.21	1189	0.283	<20	2.33	0.247	0.96	0.3	<0.01	0.4	<0.05	8.7	<0.5	7	<0.2
1400506	Rock	1.40	0.078	15	24	1.27	1146	0.269	<20	2.55	0.302	0.91	0.4	<0.01	0.4	<0.05	8.2	<0.5	7	<0.2
1400507	Rock	1.15	0.077	12	23	1.14	1096	0.277	<20	2.29	0.288	0.87	0.7	<0.01	0.4	<0.05	6.0	<0.5	7	<0.2
1400508	Rock	1.43	0.073	14	23	1.22	1085	0.263	<20	2.55	0.294	0.93	0.4	<0.01	0.5	<0.05	8.8	<0.5	7	<0.2
1400509	Rock	1.59	0.084	15	25	1.35	1114	0.257	<20	2.50	0.216	0.87	0.3	<0.01	0.4	<0.05	11.2	<0.5	7	0.2
1400510	Rock	1.21	0.082	15	26	1.32	1212	0.291	<20	2.60	0.299	0.99	0.3	<0.01	0.5	<0.05	8.5	<0.5	7	<0.2
1400511	Rock	1.26	0.088	14	29	1.29	1355	0.324	<20	2.40	0.267	1.10	0.4	<0.01	0.6	<0.05	7.4	<0.5	7	<0.2
1400512	Rock	1.42	0.072	14	25	1.15	1146	0.286	<20	2.61	0.367	0.97	0.6	<0.01	0.4	<0.05	7.7	<0.5	7	<0.2
1400513	Rock	1.21	0.086	14	31	1.31	1263	0.315	<20	2.48	0.288	1.10	0.5	<0.01	0.5	0.06	8.0	<0.5	7	<0.2
1400514	Rock	1.35	0.081	14	28	1.34	1320	0.309	<20	2.66	0.315	1.09	0.5	<0.01	0.5	0.08	9.1	<0.5	8	<0.2
1400515	Rock	1.78	0.091	15	30	1.53	1325	0.306	<20	2.58	0.228	1.09	0.3	<0.01	0.5	<0.05	12.2	<0.5	8	<0.2
1400516	Rock	1.98	0.082	15	24	1.33	877	0.251	<20	2.53	0.237	0.91	0.2	<0.01	0.4	0.51	10.6	<0.5	7	<0.2
1400517	Rock	1.41	0.083	13	27	1.42	1201	0.299	<20	2.40	0.247	1.12	0.3	<0.01	0.4	<0.05	8.4	<0.5	7	<0.2
1400518	Rock	1.74	0.087	16	29	1.47	1268	0.294	<20	2.91	0.299	1.10	0.3	0.02	0.4	<0.05	11.0	<0.5	8	<0.2
1400519	Rock	1.71	0.081	16	24	1.22	1004	0.198	<20	2.44	0.198	0.90	0.3	0.02	0.6	0.19	12.0	0.6	7	0.2
1400520	Rock Pulp	0.90	0.061	4	32	0.81	98	0.133	<20	1.66	0.083	0.14	12.5	0.02	<0.1	<0.05	4.9	<0.5	6	<0.2
1400521	Rock Pulp	0.76	0.054	6	29	0.61	113	0.115	<20	1.28	0.079	0.12	2.2	0.20	1.1	0.36	4.7	0.5	7	0.2
1400522	Rock	1.66	0.083	15	29	1.50	1189	0.289	<20	3.04	0.333	1.14	0.2	<0.01	0.5	0.08	11.8	<0.5	8	<0.2
1400523	Rock	2.00	0.080	17	25	1.23	1017	0.210	<20	2.59	0.277	0.89	0.3	<0.01	0.4	<0.05	12.4	<0.5	7	0.3
1400524	Rock	1.39	0.078	14	26	1.27	1306	0.303	<20	2.67	0.332	1.08	0.4	<0.01	0.4	0.06	7.8	<0.5	7	<0.2
1400525	Rock	1.40	0.077	14	27	1.25	1244	0.296	<20	2.61	0.334	1.05	0.5	<0.01	0.4	0.06	7.7	<0.5	7	<0.2
1400526	Rock	1.43	0.083	14	27	1.35	1267	0.299	<20	2.57	0.316	1.09	0.5	<0.01	0.4	0.08	7.7	<0.5	7	<0.2
1400527	Rock	2.53	0.074	16	26	1.64	1015	0.211	<20	3.13	0.260	0.93	0.3	<0.01	0.4	0.30	14.7	<0.5	9	<0.2
1400528	Rock	2.27	0.078	15	29	1.66	1413	0.301	<20	3.12	0.327	1.18	0.4	<0.01	0.5	0.26	12.4	<0.5	8	<0.2
1400529	Rock	1.33	0.078	13	27	1.44	1371	0.305	<20	2.62	0.283	1.12	0.6	<0.01	0.5	0.22	8.1	<0.5	8	<0.2
1400530	Rock	1.49	0.080	14	27	1.39	1271	0.308	<20	2.60	0.293	1.06	0.5	<0.01	0.4	0.08	8.8	<0.5	7	<0.2
1400531	Rock	3.28	0.080	17	22	1.46	667	0.136	<20	2.20	0.143	0.55	0.2	0.01	0.3	0.33	11.3	<0.5	7	0.4
1400532	Rock	2.08	0.079	15	27	1.75	981	0.229	<20	2.69	0.217	0.86	0.2	<0.01	0.4	0.28	13.5	<0.5	8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000058.2

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1400533	Rock	2.34	2029	1.6	29.6	4.4	115	0.2	6.7	17.2	750	4.45	266.8	2.3	372.2	7.4	91	1.7	1.0	7.7	143
1400534	Rock	2.31	15	2.0	35.2	4.4	50	0.1	6.3	17.0	618	4.42	98.6	1.9	41.1	7.9	85	<0.1	0.6	1.0	146
1400535	Rock	2.33	511	1.6	44.4	7.1	42	0.1	6.9	22.6	626	4.66	3054	2.6	296.9	7.4	85	0.3	4.8	4.6	87
1400536	Rock	2.35	2363	2.1	59.8	9.8	33	0.4	7.0	10.9	475	4.28	324.8	3.0	310.2	7.7	78	0.1	4.6	8.0	62
1400537	Rock	2.28	2855	1.9	112.6	14.5	122	0.9	7.6	52.4	649	6.43	9759	1.8	433.6	7.3	59	2.0	9.5	11.7	31
1400538	Rock	2.36	43	2.1	25.5	4.3	43	<0.1	6.9	11.1	547	3.72	192.8	3.2	90.4	9.6	102	<0.1	2.9	0.7	77
1400539	Rock	2.09	27	1.3	15.8	4.9	47	<0.1	7.5	11.9	647	3.70	408.0	2.5	25.9	10.1	122	<0.1	1.1	0.8	85
1400540	Rock Pulp	0.12	9	2.4	24.9	2.4	44	0.3	23.2	10.2	400	2.39	5.5	0.2	2.7	0.9	38	0.2	0.2	<0.1	57
1400541	Rock Pulp	0.12	1387	8.8	47.5	6.0	51	0.2	31.8	9.0	479	3.29	7.4	0.3	1042	1.3	41	<0.1	1.0	0.1	64
1400542	Rock	2.18	5	1.4	11.4	3.3	51	<0.1	7.5	11.8	741	3.69	86.5	1.8	6.2	9.5	117	<0.1	0.4	0.3	87
1400543	Rock	2.12	4880	4.3	66.4	24.8	59	1.8	6.9	30.4	646	6.07	>10000	2.2	1667	7.7	81	0.4	25.6	17.1	53
1400544	Rock	2.38	2432	2.3	34.6	9.7	37	0.5	7.0	26.4	467	4.52	8611	3.1	1472	8.7	84	0.1	10.9	6.3	61
1400545	Rock	2.08	43	1.6	20.6	5.1	46	0.1	7.3	12.1	565	3.79	232.8	2.6	22.1	9.4	113	<0.1	1.5	1.2	74
1400546	Rock	2.54	4230	1.6	45.8	26.6	108	1.8	6.7	23.3	612	4.39	7124	2.2	2613	8.1	127	1.3	13.9	15.6	46
1400547	Rock	2.47	180	1.8	23.3	5.1	44	0.1	7.5	16.8	555	3.99	3587	2.3	116.9	8.9	118	<0.1	1.2	2.2	72
1400548	Rock	2.33	20	1.4	19.9	4.4	54	<0.1	6.9	11.7	687	3.81	568.5	1.8	27.7	9.3	106	<0.1	3.0	0.7	64

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000058.2

		Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
		Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1400533	Rock		1.92	0.076	15	26	1.74	1026	0.230	<20	2.83	0.244	0.90	0.3	<0.01	0.4	0.36	13.3	<0.5	8	<0.2
1400534	Rock		1.78	0.080	15	28	1.79	838	0.236	<20	2.76	0.236	0.94	0.3	<0.01	0.5	0.54	12.9	<0.5	8	<0.2
1400535	Rock		2.21	0.079	13	17	1.39	236	0.057	<20	2.45	0.126	0.53	0.3	<0.01	0.4	1.40	10.2	<0.5	8	0.7
1400536	Rock		1.57	0.085	13	13	1.28	184	0.066	<20	2.31	0.128	0.58	0.4	<0.01	0.5	1.46	7.5	<0.5	7	<0.2
1400537	Rock		1.90	0.075	12	8	0.94	73	0.009	<20	1.52	0.026	0.38	0.4	0.01	0.5	3.77	4.9	1.2	5	1.7
1400538	Rock		1.80	0.084	16	16	1.26	435	0.112	<20	2.49	0.200	0.73	0.5	<0.01	0.5	0.67	8.6	<0.5	8	<0.2
1400539	Rock		2.06	0.084	18	18	1.28	618	0.149	<20	2.65	0.238	0.86	0.5	<0.01	0.4	0.34	9.0	<0.5	8	<0.2
1400540	Rock Pulp		0.82	0.056	4	30	0.77	95	0.119	<20	1.58	0.078	0.13	12.7	<0.01	<0.1	<0.05	4.6	<0.5	5	<0.2
1400541	Rock Pulp		0.86	0.060	5	33	0.82	104	0.134	<20	1.70	0.098	0.15	0.3	0.06	<0.1	<0.05	5.1	<0.5	6	<0.2
1400542	Rock		2.12	0.084	16	19	1.32	669	0.161	<20	2.60	0.215	0.93	0.4	<0.01	0.4	0.19	9.2	<0.5	8	<0.2
1400543	Rock		1.93	0.076	12	13	1.10	93	0.058	<20	1.85	0.096	0.57	0.9	<0.01	0.4	2.47	6.8	0.9	6	2.4
1400544	Rock		1.71	0.084	16	13	1.19	181	0.045	<20	2.13	0.110	0.46	0.6	0.01	0.4	1.50	7.7	0.6	7	2.8
1400545	Rock		2.08	0.084	16	17	1.22	381	0.094	<20	2.41	0.200	0.59	0.3	<0.01	0.4	0.69	8.2	<0.5	8	<0.2
1400546	Rock		2.45	0.076	14	10	1.24	210	0.046	<20	1.38	0.105	0.49	0.5	<0.01	0.7	1.47	6.8	0.7	4	3.0
1400547	Rock		1.72	0.085	17	17	1.24	447	0.109	<20	2.28	0.214	0.78	0.6	<0.01	0.5	0.84	9.3	0.5	8	0.6
1400548	Rock		2.27	0.083	21	13	1.27	352	0.037	<20	1.48	0.142	0.38	0.2	<0.01	0.4	0.49	10.2	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

QUALITY CONTROL REPORT WHI12000058.2

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1400428	Rock	2.64	31	1.4	36.5	18.5	73	0.2	6.7	18.6	901	4.60	431.9	2.3	28.4	6.8	118	0.1	3.2	1.5	155
REP 1400428	QC		33																		
1400431	Rock	2.07	23	2.1	50.1	6.6	49	0.1	7.0	18.6	779	5.13	721.2	5.3	31.6	7.8	65	<0.1	1.3	3.5	125
REP 1400431	QC			2.1	49.9	6.7	50	0.2	7.2	18.7	782	5.16	724.6	4.9	22.0	7.7	66	<0.1	1.3	3.5	125
1400462	Rock	2.74	<2	1.7	27.0	3.9	57	<0.1	5.7	13.7	496	3.40	3.8	1.2	21.7	7.7	97	0.3	<0.1	<0.1	127
REP 1400462	QC		<2																		
1400466	Rock	2.42	<2	2.4	27.9	3.6	52	<0.1	6.2	14.8	675	3.66	3.1	2.6	1.5	8.0	94	<0.1	0.1	<0.1	125
REP 1400466	QC			2.4	28.0	3.7	54	<0.1	6.6	15.0	688	3.75	3.1	2.7	3.9	9.1	96	<0.1	0.1	<0.1	128
1400496	Rock	2.02	43	1.5	33.7	6.7	55	0.2	6.5	17.6	725	4.55	367.2	1.9	63.5	8.0	86	0.2	1.9	1.0	123
REP 1400496	QC		56																		
1400501	Rock Pulp	0.12	1346	8.8	50.5	5.7	51	0.2	32.4	9.3	491	3.22	8.3	0.3	1048	0.9	43	0.1	0.9	0.2	66
REP 1400501	QC			9.2	50.8	6.2	54	0.2	32.9	9.6	484	3.25	8.6	0.3	1090	1.0	44	<0.1	1.0	0.2	67
1400530	Rock	2.42	<2	2.0	28.0	3.3	50	<0.1	6.5	15.3	553	3.78	12.4	1.3	1.0	8.2	87	<0.1	0.3	0.2	129
REP 1400530	QC		2																		
1400534	Rock	2.31	15	2.0	35.2	4.4	50	0.1	6.3	17.0	618	4.42	98.6	1.9	41.1	7.9	85	<0.1	0.6	1.0	146
REP 1400534	QC			1.8	35.1	4.2	51	0.1	6.7	17.2	623	4.40	93.3	1.9	25.1	7.6	85	<0.1	0.6	1.0	145
Core Reject Duplicates																					
1400424	Rock	1.60	363	1.3	31.2	5.5	58	0.6	6.0	16.2	651	3.94	841.0	2.8	177.0	8.2	101	0.1	1.0	3.5	140
DUP 1400424	QC		338	1.6	31.1	5.4	55	0.5	6.3	15.6	645	3.93	788.7	2.2	125.1	7.9	104	0.1	1.1	2.9	138
1400459	Rock	2.60	<2	2.0	25.4	3.6	47	<0.1	6.0	13.2	495	3.32	2.7	1.5	1.2	7.4	102	<0.1	<0.1	<0.1	121
DUP 1400459	QC		<2	1.8	26.1	3.9	50	<0.1	6.5	14.2	518	3.42	2.4	1.4	1.9	8.0	106	<0.1	0.1	<0.1	126
1400494	Rock	1.66	566	1.5	71.9	30.6	91	1.3	6.3	15.9	548	6.30	3545	2.7	575.4	9.4	85	0.6	9.6	14.0	79
DUP 1400494	QC		533	1.6	71.9	31.2	93	1.4	6.7	16.0	565	6.39	3555	2.7	595.9	9.4	90	0.7	9.4	15.2	83
1400529	Rock	2.32	7	2.0	30.9	3.8	48	<0.1	6.3	15.3	552	3.82	60.6	1.2	5.7	7.8	82	<0.1	0.2	0.4	130
DUP 1400529	QC		10	2.2	30.2	3.8	48	<0.1	6.5	15.1	553	3.83	70.2	1.3	2.5	8.2	90	<0.1	0.2	0.4	129
Reference Materials																					
STD DS9	Standard			12.6	112.7	126.0	315	1.9	41.0	7.9	579	2.37	26.2	2.5	119.1	6.4	71	2.4	4.4	6.7	41
STD DS9	Standard			13.3	107.0	128.7	316	1.9	40.8	7.6	575	2.38	24.9	2.5	95.6	6.2	67	2.3	3.9	4.7	41

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

QUALITY CONTROL REPORT WHI12000058.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
1400428	Rock	2.30	0.081	15	26	1.64	969	0.222	<20	2.98	0.193	0.89	0.2	<0.01	0.7	<0.05	14.8	<0.5	9	<0.2
REP 1400428	QC																			
1400431	Rock	1.68	0.075	16	23	1.20	636	0.115	<20	2.36	0.105	0.62	0.2	0.01	0.6	<0.05	14.4	<0.5	7	<0.2
REP 1400431	QC	1.71	0.078	15	23	1.21	644	0.115	<20	2.37	0.107	0.62	0.3	0.01	0.7	<0.05	14.2	0.7	7	<0.2
1400462	Rock	1.36	0.078	14	26	1.29	1217	0.299	<20	2.66	0.357	0.99	0.6	<0.01	0.4	0.05	6.8	<0.5	7	<0.2
REP 1400462	QC																			
1400466	Rock	2.24	0.076	14	29	1.37	859	0.235	<20	2.38	0.223	0.79	0.4	0.02	0.4	<0.05	8.6	<0.5	7	<0.2
REP 1400466	QC	2.28	0.076	14	29	1.39	889	0.243	<20	2.41	0.224	0.80	0.4	0.02	0.4	<0.05	9.2	<0.5	7	<0.2
1400496	Rock	2.19	0.073	18	21	1.17	403	0.085	<20	2.60	0.147	0.45	0.1	0.02	0.5	<0.05	13.1	<0.5	8	<0.2
REP 1400496	QC																			
1400501	Rock Pulp	0.85	0.060	5	35	0.82	106	0.137	<20	1.70	0.095	0.14	0.3	0.07	<0.1	<0.05	5.1	<0.5	6	<0.2
REP 1400501	QC	0.86	0.061	5	35	0.83	110	0.142	<20	1.74	0.096	0.15	0.3	0.07	<0.1	<0.05	5.2	<0.5	6	<0.2
1400530	Rock	1.49	0.080	14	27	1.39	1271	0.308	<20	2.60	0.293	1.06	0.5	<0.01	0.4	0.08	8.8	<0.5	7	<0.2
REP 1400530	QC																			
1400534	Rock	1.78	0.080	15	28	1.79	838	0.236	<20	2.76	0.236	0.94	0.3	<0.01	0.5	0.54	12.9	<0.5	8	<0.2
REP 1400534	QC	1.79	0.080	15	28	1.78	947	0.235	<20	2.76	0.238	0.94	0.4	<0.01	0.4	0.54	12.8	<0.5	8	<0.2
Core Reject Duplicates																				
1400424	Rock	1.71	0.075	14	26	1.39	1152	0.260	<20	2.65	0.269	0.99	0.2	<0.01	0.5	0.06	10.4	<0.5	8	<0.2
DUP 1400424	QC	1.75	0.076	14	27	1.36	1090	0.256	<20	2.62	0.279	0.97	0.2	<0.01	0.5	0.06	10.5	<0.5	8	<0.2
1400459	Rock	1.38	0.076	13	27	1.26	1218	0.273	<20	2.56	0.338	0.96	0.6	<0.01	0.4	<0.05	6.6	<0.5	7	<0.2
DUP 1400459	QC	1.45	0.078	14	27	1.31	1273	0.279	<20	2.69	0.357	0.99	0.6	<0.01	0.4	<0.05	6.9	<0.5	7	<0.2
1400494	Rock	0.53	0.083	18	13	0.36	301	0.036	<20	1.13	0.050	0.39	0.1	0.09	0.5	0.10	11.3	<0.5	4	<0.2
DUP 1400494	QC	0.56	0.089	19	14	0.38	332	0.039	<20	1.30	0.062	0.43	0.1	0.10	0.6	0.10	11.8	<0.5	4	<0.2
1400529	Rock	1.33	0.078	13	27	1.44	1371	0.305	<20	2.62	0.283	1.12	0.6	<0.01	0.5	0.22	8.1	<0.5	8	<0.2
DUP 1400529	QC	1.40	0.078	14	27	1.44	1300	0.298	<20	2.70	0.313	1.10	0.5	<0.01	0.5	0.22	8.3	<0.5	8	<0.2
Reference Materials																				
STD DS9	Standard	0.74	0.084	13	122	0.61	328	0.118	<20	0.95	0.086	0.40	2.8	0.21	5.3	0.17	2.6	4.8	5	5.3
STD DS9	Standard	0.75	0.080	13	123	0.63	320	0.108	<20	0.98	0.085	0.39	2.6	0.20	5.5	0.17	2.4	5.2	5	4.7

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

QUALITY CONTROL REPORT WHI12000058.2

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD DS9	Standard			12.2	110.9	133.0	328	1.9	41.7	7.7	575	2.33	29.1	2.5	131.1	6.3	67	2.3	4.6	6.9	38
STD DS9	Standard			14.4	115.3	133.5	340	2.0	42.3	8.0	600	2.46	32.6	3.1	178.4	7.4	69	2.6	4.4	5.2	42
STD OREAS45CA	Standard			0.9	503.9	21.4	61	0.3	253.2	96.0	927	16.94	3.5	1.3	40.0	7.4	15	0.1	<0.1	0.2	209
STD OREAS45CA	Standard			0.9	513.1	20.4	70	0.3	258.7	93.4	943	17.08	3.9	1.1	22.0	7.2	14	0.1	<0.1	0.1	215
STD OREAS45CA	Standard			1.0	541.4	20.8	61	0.3	267.0	97.4	981	17.32	4.5	1.3	58.4	7.4	15	0.1	0.1	0.2	214
STD OREAS45CA	Standard			1.0	496.8	19.3	58	0.3	250.0	91.8	922	16.00	4.5	1.1	46.2	7.0	13	<0.1	0.1	0.2	215
STD OXC88	Standard		194																		
STD OXC88	Standard		201																		
STD OXC88	Standard		198																		
STD OXC88	Standard		200																		
STD OXC88	Standard		198																		
STD OXG99	Standard		928																		
STD OXG99	Standard		908																		
STD OXG99	Standard		904																		
STD OXG99	Standard		969																		
STD OXG99	Standard		934																		
STD OXC88 Expected			203																		
STD OXG99 Expected			932																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	0.1	<1	0.01	<0.5	<0.1	<0.5	0.3	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

QUALITY CONTROL REPORT WHI12000058.2

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD DS9	Standard	0.70	0.083	12	120	0.61	319	0.105	<20	0.95	0.082	0.40	3.7	0.21	5.1	0.17	2.3	5.4	5	5.2
STD DS9	Standard	0.76	0.086	14	125	0.65	333	0.111	<20	1.02	0.086	0.42	2.9	0.21	5.8	0.18	2.4	6.0	5	5.2
STD OREAS45CA	Standard	0.43	0.037	18	776	0.12	175	0.149	<20	3.83	0.011	0.08	<0.1	0.03	<0.1	<0.05	44.5	<0.5	20	<0.2
STD OREAS45CA	Standard	0.44	0.039	17	810	0.15	162	0.142	<20	3.85	0.010	0.08	<0.1	0.02	0.1	<0.05	47.3	<0.5	19	<0.2
STD OREAS45CA	Standard	0.44	0.040	18	800	0.14	179	0.151	<20	3.94	0.008	0.08	<0.1	0.03	<0.1	<0.05	46.2	<0.5	20	<0.2
STD OREAS45CA	Standard	0.41	0.037	16	772	0.14	154	0.140	<20	3.57	0.007	0.07	<0.1	0.02	0.2	<0.05	43.4	<0.5	18	<0.2
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXC88 Expected																				
STD OXG99 Expected																				
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	0.02	0.001	<1	<1	0.01	<1	<0.001	<20	0.02	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

QUALITY CONTROL REPORT WHI12000058.2

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	0.3	<0.1	<1	<0.1	<0.1	<0.1	5	0.05	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank		<2	0.1	2.6	4.0	47	<0.1	2.6	3.9	579	2.03	0.7	1.8	1.4	6.4	71	<0.1	<0.1	<0.1	40
G1-WHI	Prep Blank		<2	<0.1	2.0	3.3	46	<0.1	2.3	3.9	552	1.96	<0.5	1.6	0.8	5.8	69	<0.1	<0.1	<0.1	39

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

QUALITY CONTROL REPORT WHI12000058.2

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	0.02	<0.001	<1	<1	<0.01	<1	<0.001	<20	0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	0.1	<0.5	<1	<0.2
Prep Wash																				
G1-WHI	Prep Blank	0.56	0.076	17	5	0.50	179	0.132	<20	1.00	0.121	0.50	<0.1	<0.01	0.3	<0.05	2.6	<0.5	5	<0.2
G1-WHI	Prep Blank	0.59	0.075	15	5	0.51	160	0.125	<20	0.97	0.103	0.48	<0.1	<0.01	0.4	<0.05	2.4	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: May 29, 2012
Report Date: June 12, 2012
Page: 1 of 6

CERTIFICATE OF ANALYSIS WHI12000059.2

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 135

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	121	Crush, split and pulverize 250 g rock to 200 mesh			WHI
1DX	135	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
3B	135	Fire assay fusion Au by ICP-ES	30	Completed	VAN

ADDITIONAL COMMENTS

Version 2 : 1DX-U included.

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Dayna
Graeme



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000059.2

Method		WGHT	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1400549	Rock	2.17	2.6	37.6	4.8	43	0.1	7.8	13.3	602	4.00	1134	2.6	63.6	9.3	130	<0.1	1.6	1.5	73	2.15
1400550	Rock	2.13	3.4	37.9	5.6	50	0.2	7.7	12.9	678	3.89	117.0	3.6	16.4	9.3	98	0.2	2.3	1.0	66	2.98
1400551	Rock	2.21	3.2	36.4	7.8	219	0.3	7.8	12.9	761	4.07	1731	2.7	91.4	9.5	128	3.4	2.0	2.3	86	2.25
1400552	Rock	2.09	2.1	26.8	5.5	70	0.2	7.5	11.3	779	3.89	58.1	2.9	19.2	9.4	135	0.4	0.7	0.5	84	2.57
1400553	Rock	2.15	2.0	15.6	6.2	64	0.3	8.0	12.3	802	3.89	30.4	2.3	6.0	9.8	129	0.2	0.3	3.1	90	2.42
1400554	Rock	2.16	2.4	16.5	4.1	61	<0.1	7.8	11.8	784	3.75	26.8	2.9	15.7	9.6	140	0.1	0.3	0.2	86	2.28
1400555	Rock	2.31	2.5	15.7	3.6	55	<0.1	6.9	11.5	720	3.58	4.8	2.5	2.3	9.4	127	<0.1	0.2	0.3	84	2.02
1400556	Rock	2.21	2.1	13.7	4.0	55	<0.1	7.6	12.3	785	3.76	12.2	3.1	1.5	9.7	116	<0.1	0.5	0.7	81	2.33
1400557	Rock	2.43	1.6	18.2	40.7	307	0.9	7.2	12.0	793	3.83	32.9	2.2	14.4	9.6	105	3.6	1.4	0.6	73	2.25
1400558	Rock	2.51	2.6	11.2	3.9	66	0.1	7.6	11.7	798	3.57	5.6	1.7	<0.5	10.0	132	0.2	0.3	<0.1	86	2.02
1400559	Rock	2.45	2.5	12.6	35.7	147	0.6	7.8	12.0	832	3.81	17.5	2.0	1.6	10.1	122	1.0	1.1	0.1	84	2.22
1400560	Rock Pulp	0.13	2.5	24.4	2.4	44	0.3	23.6	10.4	390	2.36	4.7	0.2	<0.5	0.9	39	0.2	0.2	<0.1	57	0.80
1400561	Rock Pulp	0.12	8.8	49.4	6.2	51	0.2	32.2	9.3	487	3.28	6.9	0.3	924.6	1.0	42	0.2	0.9	0.1	63	0.84
1400562	Rock	2.34	2.5	14.0	6.7	63	0.1	7.2	12.4	818	3.73	9.4	2.3	<0.5	8.5	145	<0.1	0.4	<0.1	88	2.56
1400563	Rock	2.06	2.5	30.3	26.9	132	0.8	7.0	13.3	714	4.35	670.2	2.6	23.1	7.8	97	0.9	6.2	1.2	80	2.22
1400564	Rock	2.11	2.3	50.4	9.9	98	0.4	7.1	16.3	833	5.06	237.2	4.4	5.8	8.7	96	0.4	3.9	1.6	109	2.37
1400565	Rock	2.23	4.8	96.7	27.1	61	1.2	5.6	15.0	1348	6.40	3895	7.7	335.1	8.7	65	0.2	13.2	2.2	38	2.91
1400566	Rock	1.86	3.1	56.8	24.6	133	0.8	7.2	18.2	751	5.07	1219	6.8	40.6	8.9	81	1.2	4.5	2.1	108	2.28
1400567	Rock	2.56	2.6	29.2	28.4	215	0.7	6.7	17.3	823	4.14	29.2	2.7	2.5	8.5	102	2.3	1.6	0.1	133	2.23
1400568	Rock	2.27	2.1	29.1	25.0	121	0.6	7.0	18.2	836	4.38	10.9	2.3	4.9	8.6	103	0.9	0.9	<0.1	146	2.29
1400569	Rock	2.56	2.3	29.7	3.9	56	<0.1	6.2	15.3	622	3.79	5.1	2.3	3.7	8.8	84	<0.1	0.2	0.1	126	1.61
1400570	Rock	2.84	1.7	21.1	7.5	63	0.2	7.5	13.0	873	3.65	290.3	2.1	25.3	9.3	104	0.2	0.6	1.1	75	2.46
1400571	Rock	2.16	2.0	17.5	6.1	60	0.1	7.2	13.4	881	3.48	892.7	2.9	29.1	9.4	127	<0.1	0.6	0.8	70	2.56
1400572	Rock	2.02	2.4	27.0	5.6	61	<0.1	9.6	12.0	800	3.63	95.5	1.6	18.1	9.9	139	<0.1	0.2	0.3	85	1.97
1400573	Rock	1.31	1.7	21.9	5.4	59	<0.1	7.5	11.9	876	3.72	56.4	2.1	4.2	10.7	112	<0.1	0.5	0.4	77	2.35
1400574	Rock	0.68	1.9	19.6	4.7	52	<0.1	7.2	11.3	818	3.73	21.4	2.5	2.8	10.1	109	<0.1	0.6	0.7	75	2.08
1400575	Rock	0.83	2.3	23.5	5.1	52	<0.1	7.9	11.9	829	3.88	22.9	2.5	3.7	10.0	105	<0.1	0.7	1.2	76	2.04
1400576	Rock	2.02	2.0	18.1	4.5	55	0.1	7.8	12.1	807	3.68	17.4	1.5	4.1	9.3	100	<0.1	0.4	0.5	82	1.86
1400577	Rock	2.08	2.5	64.7	100.5	37	5.5	3.5	5.9	205	5.37	5132	1.2	275.2	5.1	37	0.3	8.7	23.1	20	0.15
1400578	Rock	2.01	3.7	74.2	28.6	50	1.9	6.0	16.6	784	6.49	2425	1.9	99.5	6.7	68	0.2	8.9	5.7	37	3.25

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000059.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	3B
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Au
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppb
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	2
1400549	Rock	0.088	18	19	1.24	493	0.108	<20	2.26	0.212	0.74	0.6	<0.01	0.9	0.73	9.6	<0.5	7	0.2	65
1400550	Rock	0.088	21	15	1.25	304	0.039	<20	2.19	0.086	0.43	0.2	<0.01	0.5	0.51	9.5	<0.5	7	<0.2	21
1400551	Rock	0.089	17	18	1.32	639	0.138	<20	2.64	0.226	0.83	0.9	<0.01	0.6	0.42	10.2	<0.5	8	<0.2	150
1400552	Rock	0.085	18	18	1.25	667	0.141	<20	2.72	0.231	0.84	0.4	<0.01	0.5	0.36	9.7	<0.5	8	<0.2	48
1400553	Rock	0.091	19	21	1.40	507	0.108	<20	2.68	0.201	0.54	0.4	<0.01	0.3	0.09	9.5	<0.5	8	<0.2	100
1400554	Rock	0.086	17	22	1.27	646	0.153	<20	2.67	0.269	0.74	0.6	<0.01	0.4	0.14	9.2	<0.5	8	<0.2	7
1400555	Rock	0.084	16	21	1.18	657	0.157	<20	2.53	0.256	0.77	0.6	<0.01	0.5	0.16	8.6	<0.5	8	<0.2	3
1400556	Rock	0.086	21	18	1.29	487	0.092	<20	2.44	0.179	0.56	0.3	<0.01	0.4	0.22	9.9	<0.5	8	<0.2	3
1400557	Rock	0.085	19	17	1.19	492	0.101	<20	2.27	0.158	0.64	0.3	<0.01	0.4	0.57	8.9	<0.5	7	<0.2	18
1400558	Rock	0.082	20	21	1.21	649	0.157	<20	2.53	0.255	0.84	0.5	<0.01	0.5	0.06	9.3	<0.5	8	<0.2	2
1400559	Rock	0.086	20	21	1.28	423	0.101	<20	2.65	0.221	0.55	0.3	<0.01	0.4	0.12	9.3	<0.5	8	<0.2	<2
1400560	Rock Pulp	0.059	4	31	0.76	100	0.114	<20	1.56	0.076	0.12	13.0	<0.01	<0.1	<0.05	4.6	<0.5	5	<0.2	<2
1400561	Rock Pulp	0.062	5	35	0.82	113	0.126	<20	1.73	0.098	0.14	0.3	0.07	<0.1	<0.05	5.1	<0.5	6	<0.2	1406
1400562	Rock	0.088	18	19	1.21	468	0.111	<20	2.83	0.229	0.54	0.3	<0.01	0.3	0.05	9.5	<0.5	8	<0.2	<2
1400563	Rock	0.085	14	19	1.23	285	0.052	<20	2.31	0.143	0.43	0.3	<0.01	0.3	0.53	9.4	<0.5	7	<0.2	33
1400564	Rock	0.083	15	23	1.66	516	0.084	<20	2.32	0.090	0.56	0.2	<0.01	0.6	0.48	14.2	<0.5	7	<0.2	16
1400565	Rock	0.073	9	10	1.14	132	0.008	<20	1.23	0.015	0.35	0.4	0.03	0.4	2.44	8.0	<0.5	3	<0.2	334
1400566	Rock	0.078	16	26	1.42	335	0.072	<20	2.48	0.139	0.46	0.4	0.01	0.4	0.82	13.1	<0.5	7	<0.2	172
1400567	Rock	0.077	15	30	1.63	1040	0.220	<20	2.67	0.212	0.87	0.6	0.01	0.5	0.13	13.4	<0.5	8	<0.2	6
1400568	Rock	0.084	17	31	1.75	1153	0.255	<20	2.86	0.244	0.93	0.4	<0.01	0.4	0.10	13.7	<0.5	8	<0.2	<2
1400569	Rock	0.079	15	30	1.44	1089	0.268	<20	2.43	0.248	0.92	0.6	<0.01	0.4	0.06	9.0	<0.5	7	<0.2	<2
1400570	Rock	0.079	21	15	0.89	602	0.094	<20	2.35	0.123	0.66	0.1	<0.01	0.4	<0.05	10.3	<0.5	7	<0.2	21
1400571	Rock	0.081	22	13	0.95	613	0.098	<20	1.99	0.116	0.69	0.2	<0.01	0.4	<0.05	9.7	<0.5	7	<0.2	189
1400572	Rock	0.087	18	17	1.15	728	0.149	<20	2.61	0.246	0.88	0.4	<0.01	0.5	<0.05	9.3	<0.5	8	<0.2	7
1400573	Rock	0.084	23	14	1.10	590	0.118	<20	2.32	0.171	0.75	0.2	<0.01	0.6	<0.05	10.1	<0.5	7	<0.2	7
1400574	Rock	0.081	22	13	1.14	580	0.118	<20	2.34	0.195	0.78	0.2	<0.01	0.5	<0.05	10.2	<0.5	7	<0.2	4
1400575	Rock	0.083	22	14	1.19	560	0.116	<20	2.26	0.183	0.78	0.2	<0.01	0.6	<0.05	10.0	<0.5	7	<0.2	11
1400576	Rock	0.084	19	15	1.20	494	0.117	<20	2.24	0.180	0.70	0.3	<0.01	0.5	<0.05	10.0	<0.5	7	<0.2	23
1400577	Rock	0.079	10	4	0.14	192	0.003	<20	0.66	0.039	0.70	0.2	0.05	0.9	0.96	3.9	<0.5	3	<0.2	429
1400578	Rock	0.073	8	7	1.01	167	0.009	<20	0.80	0.030	0.59	0.3	0.06	1.1	1.86	7.2	<0.5	2	<0.2	144

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000059.2

Method		WGHT	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1400579	Rock	1.73	1.0	34.9	3.8	55	0.2	6.9	18.0	820	4.37	74.8	2.2	25.2	8.0	85	0.1	1.1	0.5	111	2.46
1400580	Rock Pulp	0.12	2.5	25.7	2.4	45	0.5	23.8	10.5	389	2.35	4.9	0.3	<0.5	0.9	37	0.2	0.2	<0.1	55	0.76
1400581	Rock Pulp	0.12	8.6	49.2	5.9	51	0.3	31.7	9.2	485	3.20	7.0	0.2	1367	0.9	40	0.1	0.9	0.2	62	0.79
1400582	Rock	2.05	1.0	33.6	5.3	55	0.1	6.6	16.7	780	4.06	83.2	2.3	12.3	7.0	57	0.2	1.0	0.3	110	2.23
1400583	Rock	1.16	0.8	32.7	4.7	60	0.1	7.8	16.8	868	4.38	55.7	2.7	6.7	6.4	78	0.1	0.9	0.7	124	2.29
1400584	Rock	1.84	1.5	27.5	3.6	62	0.1	6.5	17.8	939	4.55	21.0	2.1	10.7	12.0	82	<0.1	0.8	0.4	143	2.48
1400585	Rock	2.29	1.5	18.6	3.6	63	<0.1	6.9	17.0	874	4.12	9.0	1.6	<0.5	8.4	101	0.1	0.4	0.1	142	2.44
1400586	Rock	2.01	2.4	17.6	4.4	61	<0.1	9.3	13.5	836	3.74	25.4	1.3	<0.5	7.8	122	<0.1	0.5	0.3	101	2.62
1400587	Rock	2.30	1.4	18.7	4.2	49	<0.1	10.7	12.8	833	3.64	39.4	1.5	2.1	7.0	128	<0.1	1.4	0.3	82	3.30
1400588	Rock	2.19	5.2	25.8	7.3	22	0.2	3.6	10.8	1502	4.61	2715	2.1	103.8	3.5	239	<0.1	12.0	5.7	35	8.59
1400589	Rock	2.18	2.6	36.1	7.7	50	0.1	6.4	16.2	1309	4.58	281.4	3.9	28.4	7.2	122	<0.1	1.4	1.9	71	5.07
1400590	Rock	2.16	1.1	28.7	5.7	67	<0.1	7.3	22.3	1238	4.51	763.9	4.9	13.8	7.5	120	0.1	1.3	2.1	102	4.38
1400591	Rock	1.81	1.9	27.7	4.8	61	<0.1	6.1	17.0	884	4.36	199.5	4.2	1.9	8.4	116	0.1	2.0	0.7	111	3.31
1400592	Rock	2.40	1.6	24.9	7.4	68	<0.1	6.0	14.3	714	3.36	70.9	4.4	0.7	10.4	90	<0.1	1.8	0.2	92	3.14
1400593	Rock	1.87	1.3	29.0	7.6	80	<0.1	7.4	19.0	1006	3.68	117.4	4.4	<0.5	8.8	101	0.2	1.0	0.2	113	3.25
1400594	Rock	2.17	1.4	21.2	8.2	68	<0.1	6.0	16.7	1130	3.86	66.2	3.5	9.4	8.3	108	0.1	0.6	0.2	106	4.07
1400595	Rock	2.12	1.0	27.6	6.3	72	<0.1	7.5	16.6	894	4.21	38.6	2.8	<0.5	8.3	108	0.2	0.4	0.1	126	3.11
1400596	Rock	1.90	0.9	24.5	12.3	79	0.4	6.9	17.1	1287	4.86	69.2	3.7	62.0	7.7	118	0.2	0.5	0.9	108	4.41
1400597	Rock	2.47	1.3	38.0	5.9	52	0.2	10.5	12.1	694	4.13	363.3	3.2	17.6	7.1	116	<0.1	1.2	1.6	87	2.49
1400598	Rock	2.52	1.3	24.1	4.5	52	0.1	11.7	12.3	663	3.81	25.0	2.7	9.1	7.2	134	0.1	0.4	0.5	93	2.37
1400599	Rock	2.20	1.5	53.9	11.6	66	0.3	12.1	14.1	732	3.41	15.4	2.3	<0.5	6.4	105	0.4	0.6	0.4	116	2.26
1400600	Rock Pulp	0.12	2.3	25.8	2.3	46	0.3	24.4	10.1	405	2.42	4.9	0.2	<0.5	0.9	36	0.2	0.2	<0.1	63	0.87
1400601	Rock Pulp	0.14	9.1	68.8	593.7	1612	54.7	33.3	9.1	409	3.38	31.8	0.3	2479	1.1	31	16.5	45.0	0.7	61	0.76
1400602	Rock	2.00	1.8	26.6	4.1	57	<0.1	7.2	15.7	744	3.82	7.0	1.7	4.1	7.7	98	<0.1	0.2	<0.1	134	1.70
1400603	Rock	2.37	1.4	24.5	3.1	55	<0.1	7.1	14.4	600	3.61	4.3	1.2	1.2	8.4	88	0.1	<0.1	<0.1	129	1.50
1400604	Rock	2.28	1.9	29.1	3.3	60	<0.1	7.6	15.2	636	3.86	5.2	1.6	0.9	7.8	90	0.1	<0.1	<0.1	141	1.54
1400605	Rock	2.99	1.7	29.1	3.6	159	<0.1	7.1	16.1	704	3.96	4.4	1.7	4.7	7.7	98	2.3	0.2	0.2	146	1.83
1400606	Rock	2.69	1.2	27.3	2.9	59	0.1	6.8	16.5	790	3.98	4.1	2.2	1.8	7.2	93	<0.1	<0.1	<0.1	135	2.14
1400607	Rock	1.65	1.7	27.1	2.7	63	<0.1	8.6	16.6	769	4.00	17.4	2.6	<0.5	7.9	84	<0.1	0.4	<0.1	133	1.64
1400608	Rock	2.57	1.8	29.0	3.1	53	<0.1	6.6	15.0	575	3.54	3.5	1.6	<0.5	8.1	91	<0.1	0.1	<0.1	128	1.36

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000059.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	3B
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Au
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppb
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	2
1400579	Rock	0.077	14	22	1.64	502	0.099	<20	2.10	0.117	0.52	0.2	<0.01	0.5	0.14	12.4	<0.5	6	<0.2	7
1400580	Rock Pulp	0.059	4	30	0.75	96	0.108	<20	1.53	0.071	0.12	12.0	0.01	<0.1	<0.05	4.3	<0.5	5	<0.2	<2
1400581	Rock Pulp	0.059	5	34	0.80	106	0.117	<20	1.66	0.091	0.14	0.3	0.07	<0.1	<0.05	4.8	<0.5	6	<0.2	1376
1400582	Rock	0.073	16	22	1.70	226	0.043	<20	2.25	0.071	0.29	0.1	0.01	0.2	0.22	11.2	<0.5	7	<0.2	29
1400583	Rock	0.078	16	24	1.66	494	0.096	<20	2.37	0.119	0.45	0.1	<0.01	0.3	0.06	12.4	<0.5	8	<0.2	6
1400584	Rock	0.072	19	24	1.81	861	0.161	<20	2.74	0.145	0.85	0.3	<0.01	0.5	<0.05	15.1	<0.5	8	<0.2	4
1400585	Rock	0.075	17	25	1.56	997	0.191	<20	2.64	0.209	0.90	0.2	<0.01	0.5	<0.05	13.4	<0.5	8	<0.2	<2
1400586	Rock	0.097	16	19	1.36	434	0.104	<20	2.92	0.148	0.83	0.1	<0.01	0.5	<0.05	11.4	<0.5	9	<0.2	<2
1400587	Rock	0.102	22	15	1.34	304	0.065	<20	2.21	0.100	0.66	0.2	0.02	0.5	<0.05	10.1	<0.5	7	<0.2	<2
1400588	Rock	0.045	11	6	3.89	92	<0.001	<20	0.78	0.021	0.21	<0.1	0.17	0.4	0.89	5.0	<0.5	2	<0.2	146
1400589	Rock	0.072	18	11	1.96	44	<0.001	<20	1.25	0.020	0.22	<0.1	0.02	0.2	0.33	12.7	<0.5	4	<0.2	29
1400590	Rock	0.086	25	16	1.36	119	<0.001	<20	1.45	0.023	0.22	<0.1	0.02	0.2	<0.05	16.7	<0.5	5	<0.2	42
1400591	Rock	0.071	20	19	1.24	398	0.044	<20	2.36	0.086	0.41	<0.1	<0.01	0.4	<0.05	15.6	<0.5	7	<0.2	4
1400592	Rock	0.082	22	14	1.15	71	<0.001	<20	1.76	0.023	0.23	<0.1	<0.01	0.2	<0.05	17.3	<0.5	6	<0.2	<2
1400593	Rock	0.095	22	16	1.11	143	0.001	<20	1.60	0.019	0.23	<0.1	<0.01	0.2	<0.05	21.6	<0.5	5	<0.2	<2
1400594	Rock	0.085	21	15	1.48	48	<0.001	<20	1.33	0.024	0.19	<0.1	<0.01	0.1	<0.05	18.5	<0.5	4	<0.2	7
1400595	Rock	0.086	20	19	1.20	478	0.033	<20	1.71	0.106	0.37	<0.1	<0.01	0.2	<0.05	18.6	<0.5	6	<0.2	<2
1400596	Rock	0.083	21	15	1.99	410	0.031	<20	1.58	0.045	0.36	<0.1	<0.01	0.2	<0.05	16.0	<0.5	5	<0.2	38
1400597	Rock	0.096	15	19	1.40	330	0.092	<20	2.80	0.166	0.79	0.3	0.02	0.5	0.52	9.3	<0.5	8	<0.2	24
1400598	Rock	0.100	13	20	1.48	387	0.126	<20	3.06	0.195	0.93	0.3	<0.01	0.6	0.36	9.9	<0.5	9	<0.2	12
1400599	Rock	0.094	15	30	1.23	726	0.166	<20	2.45	0.248	0.71	0.4	<0.01	0.4	0.29	11.8	<0.5	7	<0.2	2
1400600	Rock Pulp	0.061	4	31	0.79	99	0.123	<20	1.62	0.080	0.14	11.4	<0.01	0.1	<0.05	4.8	<0.5	5	<0.2	<2
1400601	Rock Pulp	0.053	6	29	0.61	113	0.106	<20	1.28	0.078	0.12	2.2	0.23	1.1	0.36	4.3	<0.5	6	<0.2	4011
1400602	Rock	0.081	15	26	1.40	1236	0.259	<20	2.77	0.322	1.07	0.4	<0.01	0.5	0.10	9.7	<0.5	8	<0.2	<2
1400603	Rock	0.075	15	26	1.37	1226	0.268	<20	2.69	0.322	1.09	0.3	<0.01	0.5	<0.05	8.4	<0.5	7	<0.2	<2
1400604	Rock	0.078	15	28	1.45	1321	0.274	<20	2.72	0.318	1.14	0.4	<0.01	0.5	0.05	9.0	<0.5	8	<0.2	<2
1400605	Rock	0.077	15	27	1.54	1215	0.258	<20	2.78	0.283	1.08	0.3	<0.01	0.6	0.07	11.4	<0.5	8	<0.2	16
1400606	Rock	0.073	14	25	1.50	1138	0.233	<20	2.50	0.238	1.03	0.2	<0.01	0.5	0.06	12.6	<0.5	7	<0.2	<2
1400607	Rock	0.081	16	28	1.49	1245	0.246	<20	2.36	0.237	1.06	0.2	<0.01	0.5	<0.05	12.7	<0.5	7	<0.2	<2
1400608	Rock	0.076	15	26	1.26	1404	0.287	<20	2.57	0.328	1.12	0.4	<0.01	0.5	<0.05	7.6	<0.5	7	<0.2	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000059.2

Method		WGHT	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1400609	Rock	2.16	2.1	31.6	2.6	51	<0.1	7.2	14.0	524	3.44	2.8	1.5	<0.5	7.7	75	<0.1	<0.1	<0.1	130	1.15
1400610	Rock	1.84	1.8	28.3	2.7	58	<0.1	6.8	16.9	810	4.10	4.9	3.0	<0.5	8.0	95	<0.1	0.1	<0.1	133	1.86
1400611	Rock	1.81	1.7	29.0	3.5	63	0.1	7.8	18.1	885	4.17	6.1	4.0	<0.5	7.9	90	<0.1	0.4	<0.1	129	1.98
1400612	Rock	2.23	1.8	25.3	3.0	57	0.1	6.6	15.1	681	3.73	4.9	2.1	1.3	8.5	87	0.1	0.2	<0.1	122	1.86
1400613	Rock	2.47	1.5	34.4	4.2	65	0.1	7.4	19.5	915	4.40	158.7	2.8	58.8	7.8	90	0.1	1.1	0.4	117	2.60
1400614	Rock	2.70	1.8	34.4	5.6	65	0.1	7.3	18.0	882	4.74	141.5	3.0	9.9	8.5	91	0.2	1.7	0.7	115	2.50
1400615	Rock	1.85	1.9	27.7	3.1	54	<0.1	6.6	14.7	613	3.63	7.2	1.8	2.6	7.8	79	<0.1	0.2	<0.1	125	1.44
1400616	Rock	1.95	2.1	26.0	3.2	49	<0.1	7.0	13.9	549	3.33	4.3	2.1	<0.5	8.1	85	<0.1	0.2	<0.1	119	1.36
1400617	Rock	2.04	2.3	26.4	3.2	49	<0.1	6.6	13.5	524	3.31	8.3	2.0	5.5	7.5	91	<0.1	0.2	0.1	117	1.39
1400618	Rock	2.08	1.9	36.9	5.2	58	0.1	7.4	16.4	722	4.38	48.4	4.0	7.1	8.1	92	<0.1	0.8	0.6	138	1.78
1400619	Rock	2.02	2.0	32.3	3.6	53	<0.1	7.2	16.0	585	3.97	169.6	2.0	76.5	8.1	86	<0.1	0.4	1.2	136	1.52
1400620	Rock Pulp	0.12	2.4	25.4	2.6	46	0.5	24.0	10.7	409	2.45	5.1	0.3	4.8	1.0	40	0.2	0.2	<0.1	64	0.87
1400621	Rock Pulp	0.13	8.8	47.4	6.3	53	0.2	32.4	9.2	498	3.29	7.1	0.3	786.2	1.0	43	0.2	1.1	0.1	70	0.90
1400622	Rock	1.96	2.3	33.2	3.7	56	<0.1	7.3	15.9	569	3.84	25.3	2.2	0.9	8.0	90	<0.1	0.2	0.3	140	1.33
1400623	Rock	2.30	3.1	33.5	3.2	52	<0.1	7.3	14.8	524	3.58	8.5	1.9	<0.5	7.9	90	<0.1	0.1	<0.1	132	1.25
1400624	Rock	1.25	2.5	29.0	4.3	53	<0.1	7.0	16.7	601	3.82	1313	3.0	36.6	8.1	86	<0.1	0.4	0.5	129	1.58
1400625	Rock	0.95	2.1	29.0	4.4	51	0.1	7.1	16.3	593	3.75	1630	2.9	66.8	7.9	89	<0.1	0.5	0.5	122	1.64
1400626	Rock	1.91	2.4	29.2	2.9	47	<0.1	6.4	13.1	466	3.28	8.2	1.3	21.9	7.4	76	<0.1	<0.1	<0.1	122	1.03
1400627	Rock	2.74	2.4	35.5	3.8	49	0.1	6.6	13.5	542	3.73	85.1	2.7	23.4	7.9	87	<0.1	0.3	0.7	120	1.29
1400628	Rock	2.76	2.2	37.6	4.8	63	0.1	7.4	18.1	779	4.47	581.8	2.4	88.0	7.6	90	0.1	1.0	1.3	137	2.01
1400629	Rock	1.77	2.1	36.1	4.6	60	0.2	7.4	17.1	893	4.40	217.1	2.6	23.6	7.5	102	<0.1	0.7	0.6	132	1.77
1400630	Rock	2.00	2.1	33.7	3.6	69	0.1	7.9	19.6	964	4.75	13.2	2.7	3.6	7.9	111	<0.1	0.5	0.3	170	2.02
1400631	Rock	2.36	2.0	29.0	3.7	97	<0.1	7.9	16.4	741	4.02	7.2	2.4	2.4	8.3	101	0.7	0.3	<0.1	141	1.82
1400632	Rock	1.48	2.2	26.6	3.3	49	<0.1	6.9	15.1	525	3.55	787.1	1.8	49.4	7.7	84	<0.1	0.2	0.9	128	1.30
1400633	Rock	2.14	2.7	48.0	4.0	54	0.1	7.7	15.4	543	4.49	128.7	4.2	19.4	7.5	71	<0.1	0.3	2.4	146	1.15
1400634	Rock	2.77	2.1	25.8	3.9	47	<0.1	6.5	12.9	538	3.39	5.1	3.3	6.7	8.0	96	<0.1	0.3	0.2	119	1.30
1400635	Rock	2.19	2.0	49.9	162.0	886	1.7	7.1	15.0	625	4.31	195.2	3.8	109.3	8.1	92	13.8	9.0	3.0	123	1.76
1400636	Rock	3.05	2.0	30.8	13.2	82	0.7	6.5	16.4	1105	4.11	151.4	2.3	10.9	7.4	106	0.3	1.7	1.6	130	3.20
1400637	Rock	2.16	2.0	48.8	5.5	61	0.2	7.1	15.9	753	4.59	142.6	2.2	5.3	7.4	82	0.2	0.9	2.2	130	1.94
1400638	Rock	3.29	2.3	28.3	3.4	56	<0.1	7.4	15.2	578	3.79	4.9	1.5	0.6	7.5	90	<0.1	0.1	0.1	138	1.32

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000059.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	3B
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Au
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppb
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	2
1400609	Rock	0.081	13	27	1.24	1346	0.293	<20	2.44	0.296	1.16	0.6	<0.01	0.6	0.05	6.5	<0.5	7	<0.2	<2
1400610	Rock	0.078	15	26	1.61	1177	0.237	<20	2.42	0.256	1.04	0.3	<0.01	0.5	0.06	12.5	<0.5	7	<0.2	<2
1400611	Rock	0.078	17	24	1.57	1173	0.212	<20	2.27	0.211	0.99	0.3	0.01	0.5	0.11	14.4	<0.5	6	<0.2	<2
1400612	Rock	0.077	15	25	1.43	1035	0.206	<20	2.33	0.241	0.89	0.3	0.01	0.4	0.06	9.9	<0.5	7	<0.2	3
1400613	Rock	0.074	17	22	1.58	587	0.099	<20	1.82	0.127	0.55	0.1	<0.01	0.3	0.25	14.7	<0.5	6	<0.2	18
1400614	Rock	0.077	17	21	1.70	529	0.074	<20	1.85	0.137	0.52	<0.1	<0.01	0.4	0.31	15.5	<0.5	6	<0.2	28
1400615	Rock	0.076	14	27	1.34	1139	0.244	<20	2.42	0.275	0.98	0.4	<0.01	0.5	0.10	8.1	<0.5	7	<0.2	3
1400616	Rock	0.075	14	27	1.17	1140	0.261	<20	2.48	0.327	1.01	0.6	<0.01	0.4	0.06	6.8	<0.5	7	<0.2	<2
1400617	Rock	0.077	14	28	1.21	1135	0.262	<20	2.40	0.297	0.95	0.7	<0.01	0.4	0.07	6.9	<0.5	7	<0.2	9
1400618	Rock	0.081	15	27	1.51	1062	0.227	<20	2.41	0.231	0.95	0.5	<0.01	0.6	0.32	13.2	<0.5	7	<0.2	5
1400619	Rock	0.082	15	28	1.43	1215	0.287	<20	2.57	0.261	1.06	0.8	<0.01	0.7	0.27	9.0	<0.5	7	<0.2	80
1400620	Rock Pulp	0.060	4	31	0.80	100	0.125	<20	1.62	0.079	0.14	14.2	0.02	0.1	<0.05	4.8	<0.5	5	<0.2	2
1400621	Rock Pulp	0.059	5	35	0.84	112	0.133	<20	1.77	0.098	0.15	0.3	0.06	<0.1	<0.05	5.3	<0.5	6	<0.2	1479
1400622	Rock	0.089	15	31	1.35	1359	0.314	<20	2.56	0.297	1.14	0.8	<0.01	0.5	0.13	8.2	<0.5	7	<0.2	8
1400623	Rock	0.086	14	30	1.23	1310	0.302	<20	2.50	0.319	1.09	1.0	<0.01	0.5	0.07	7.0	<0.5	7	<0.2	3
1400624	Rock	0.078	14	28	1.27	1168	0.262	<20	2.35	0.261	1.03	0.7	<0.01	0.5	0.20	8.8	<0.5	7	0.3	58
1400625	Rock	0.077	14	26	1.24	1099	0.238	<20	2.29	0.263	0.97	0.7	<0.01	0.5	0.22	8.5	<0.5	6	0.2	56
1400626	Rock	0.078	13	28	1.17	1180	0.288	<20	2.27	0.269	1.03	0.9	<0.01	0.5	0.07	6.1	<0.5	6	<0.2	17
1400627	Rock	0.079	14	27	1.17	1150	0.272	<20	2.33	0.276	1.00	0.7	<0.01	0.5	0.24	7.4	<0.5	7	<0.2	87
1400628	Rock	0.085	16	27	1.64	1133	0.239	<20	2.25	0.192	1.01	0.4	<0.01	0.6	0.39	12.3	<0.5	7	<0.2	129
1400629	Rock	0.081	14	26	1.57	868	0.249	<20	2.45	0.245	1.03	0.5	<0.01	0.6	0.43	12.5	<0.5	7	<0.2	20
1400630	Rock	0.090	16	32	1.90	1394	0.293	<20	2.81	0.239	1.14	0.4	<0.01	0.6	0.27	16.3	<0.5	8	<0.2	7
1400631	Rock	0.081	15	30	1.52	1099	0.243	<20	2.62	0.274	0.94	0.4	<0.01	0.5	0.09	11.9	<0.5	8	<0.2	<2
1400632	Rock	0.082	14	28	1.25	1167	0.279	<20	2.42	0.284	1.01	0.8	<0.01	0.5	0.16	7.5	<0.5	7	<0.2	150
1400633	Rock	0.091	13	31	1.48	743	0.297	<20	2.51	0.236	1.09	0.8	<0.01	0.5	0.63	8.9	<0.5	7	<0.2	86
1400634	Rock	0.071	13	26	1.21	1188	0.259	<20	2.50	0.318	0.94	0.9	<0.01	0.5	0.17	7.3	<0.5	7	<0.2	7
1400635	Rock	0.077	13	26	1.32	132	0.214	<20	2.35	0.208	0.88	0.6	<0.01	0.5	0.83	10.4	<0.5	7	<0.2	361
1400636	Rock	0.078	17	25	1.47	1088	0.215	<20	2.45	0.155	0.93	0.5	<0.01	0.5	0.31	12.1	<0.5	7	<0.2	25
1400637	Rock	0.078	15	26	1.54	141	0.234	<20	2.46	0.178	1.00	0.5	<0.01	0.6	0.81	11.4	<0.5	7	<0.2	13
1400638	Rock	0.085	15	30	1.35	1414	0.327	<20	2.56	0.299	1.21	0.9	<0.01	0.5	0.07	8.0	<0.5	7	<0.2	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000059.2

Method		WGHT	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
Unit		kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
MDL		0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1400639	Rock	2.67	3.1	32.5	6.1	158	<0.1	7.1	14.8	624	4.07	99.8	2.5	9.4	7.6	85	1.8	0.5	0.5	132	1.58
1400640	Rock Pulp	0.13	2.5	24.4	2.4	45	0.5	23.0	10.1	399	2.38	4.8	0.3	<0.5	1.0	39	0.3	0.2	<0.1	61	0.83
1400641	Rock Pulp	0.12	9.7	67.5	494.4	1555	54.2	30.5	8.2	398	3.22	31.6	0.3	5157	1.1	33	16.7	46.9	1.0	57	0.70
1400642	Rock	2.42	2.2	32.6	4.4	147	<0.1	7.2	15.0	605	3.85	7.3	2.3	4.4	8.0	88	2.1	0.6	0.5	130	1.56
1400643	Rock	1.95	2.0	31.1	6.3	146	0.4	6.4	15.7	1089	4.39	68.0	4.3	88.2	7.7	90	1.7	0.9	0.6	134	2.35
1400644	Rock	2.07	1.9	25.6	3.4	72	<0.1	7.0	15.3	699	3.77	4.9	1.5	2.1	7.9	97	0.4	0.1	<0.1	140	1.71
1400645	Rock	2.47	2.2	25.9	3.1	52	<0.1	6.8	14.3	554	3.62	2.3	1.6	2.7	7.9	89	<0.1	<0.1	<0.1	135	1.34
1400646	Rock	2.34	1.9	35.8	5.4	58	<0.1	6.8	14.8	661	4.18	683.1	3.0	76.9	9.2	86	0.2	1.7	3.2	122	1.98
1400647	Rock	2.81	2.6	28.0	3.3	48	<0.1	7.1	13.7	474	3.46	25.9	1.8	11.2	8.6	82	<0.1	<0.1	0.3	126	1.16
1400648	Rock	1.75	2.5	38.5	6.4	66	0.2	7.2	18.0	690	4.46	2117	3.6	63.5	8.2	90	0.3	1.0	3.5	127	1.96
1400649	Rock	2.13	2.2	30.7	4.9	51	0.1	6.4	14.9	712	3.89	169.4	2.4	26.5	8.0	95	0.2	0.4	10.9	113	2.34
1400650	Rock	2.47	2.5	29.1	3.7	51	<0.1	6.8	14.1	565	3.77	12.5	3.4	8.1	8.8	86	0.1	0.2	1.1	124	1.34
1400651	Rock	2.66	2.1	28.7	3.7	68	<0.1	7.3	17.2	707	4.24	5.6	2.3	3.5	8.3	91	0.2	0.2	0.4	155	1.90
1400652	Rock	2.70	2.6	44.4	5.0	56	0.1	7.7	16.2	593	4.26	242.5	2.9	4.3	9.2	88	0.2	0.4	0.3	129	1.46
1400653	Rock	2.59	2.6	31.3	3.7	50	<0.1	7.3	14.8	517	3.72	87.1	2.5	12.0	8.2	95	<0.1	0.2	0.7	123	1.35
1400654	Rock	2.84	2.8	35.9	4.0	72	0.1	7.2	15.5	589	4.24	9.3	4.3	10.1	9.0	80	0.4	0.2	1.5	125	1.52
1400655	Rock	2.05	2.7	28.2	3.3	49	<0.1	6.9	14.4	517	3.62	4.8	1.7	2.3	9.1	86	<0.1	0.1	0.1	125	1.27
1400656	Rock	2.23	3.1	32.0	3.9	48	<0.1	7.1	15.4	486	3.76	580.6	2.9	13.0	8.5	83	<0.1	0.2	0.7	118	1.27
1400657	Rock	2.66	2.4	38.4	4.8	53	<0.1	6.5	14.3	552	4.10	528.2	4.3	9.4	7.9	86	0.2	0.3	1.1	112	1.80
1400658	Rock	2.60	2.9	26.5	3.2	47	<0.1	6.8	14.0	494	3.57	22.7	2.6	1.4	8.6	86	<0.1	0.1	0.1	119	1.23
1400659	Rock	2.79	2.5	28.7	3.7	48	<0.1	6.6	14.1	491	3.60	5.1	1.6	<0.5	9.0	91	<0.1	0.1	<0.1	122	1.09
1400660	Rock Pulp	0.13	2.6	25.6	2.5	44	0.2	23.5	10.6	400	2.48	4.8	0.3	<0.5	1.0	38	0.2	0.2	<0.1	59	0.86
1400661	Rock Pulp	0.13	8.8	51.7	5.9	51	0.2	32.5	9.1	497	3.31	7.0	0.3	513.8	1.0	42	0.2	0.8	0.1	65	0.86
1400662	Rock	1.79	2.3	43.1	7.5	55	0.3	7.6	20.0	598	4.70	2963	4.5	90.0	9.2	91	<0.1	1.3	2.2	125	1.78
1400663	Rock	2.67	2.0	51.6	7.6	160	0.3	11.0	26.1	982	6.89	356.0	3.3	40.2	8.1	80	1.3	0.7	1.2	200	2.55
1400664	Rock	2.47	2.1	47.3	10.9	68	0.4	7.2	21.9	915	5.41	2417	3.0	93.2	9.0	86	0.3	2.0	4.1	117	3.09
1400665	Rock	2.62	2.5	57.3	25.7	116	2.5	7.4	76.3	592	6.95	>10000	2.5	1476	7.6	67	1.2	19.6	28.0	101	1.46
1400666	Rock	3.23	2.9	34.0	4.4	187	0.1	7.5	16.7	668	4.54	264.6	3.6	30.5	9.8	108	2.2	0.3	2.3	135	1.97
1400667	Rock	2.23	2.6	41.4	3.6	58	<0.1	9.0	17.2	665	4.84	71.1	3.2	7.9	9.7	101	0.1	0.3	4.2	144	1.87
1400668	Rock	3.41	2.9	31.4	4.0	275	<0.1	7.3	15.7	626	4.15	39.8	3.0	19.9	9.2	110	4.4	0.2	0.4	132	1.80

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000059.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	3B
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Au
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppb
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	2
1400639	Rock	0.075	14	29	1.51	1152	0.259	<20	2.62	0.243	1.01	0.6	<0.01	0.5	0.39	10.0	<0.5	8	<0.2	57
1400640	Rock Pulp	0.060	4	31	0.77	97	0.119	<20	1.57	0.076	0.13	13.0	<0.01	<0.1	<0.05	4.8	<0.5	5	<0.2	<2
1400641	Rock Pulp	0.053	6	27	0.58	110	0.102	<20	1.20	0.072	0.11	2.1	0.25	1.2	0.34	4.5	<0.5	6	0.2	4099
1400642	Rock	0.074	13	28	1.40	1074	0.239	<20	2.51	0.252	0.92	0.7	<0.01	0.4	0.32	10.7	<0.5	7	<0.2	32
1400643	Rock	0.073	15	26	1.58	924	0.206	<20	2.60	0.167	0.86	0.4	<0.01	0.4	0.42	14.1	<0.5	8	<0.2	64
1400644	Rock	0.079	14	28	1.42	1256	0.291	<20	2.51	0.251	1.08	0.6	<0.01	0.5	0.07	10.5	<0.5	7	<0.2	4
1400645	Rock	0.083	13	30	1.32	1267	0.300	<20	2.50	0.294	1.12	0.7	<0.01	0.5	0.05	7.9	<0.5	7	<0.2	2
1400646	Rock	0.077	15	26	1.37	869	0.210	<20	2.34	0.187	0.89	0.6	<0.01	0.5	0.59	10.9	<0.5	7	<0.2	66
1400647	Rock	0.084	13	31	1.23	1307	0.298	<20	2.35	0.282	1.08	0.9	<0.01	0.5	0.10	6.3	<0.5	7	<0.2	3
1400648	Rock	0.075	14	27	1.42	522	0.216	<20	2.36	0.192	0.92	0.6	<0.01	0.5	0.56	11.8	<0.5	7	<0.2	63
1400649	Rock	0.074	13	26	1.54	1042	0.219	<20	2.05	0.204	0.90	0.6	<0.01	0.5	0.20	10.1	<0.5	6	<0.2	72
1400650	Rock	0.077	14	28	1.34	1195	0.274	<20	2.37	0.265	1.03	0.7	<0.01	0.5	0.25	9.0	<0.5	7	<0.2	14
1400651	Rock	0.088	14	31	1.51	1329	0.297	<20	2.58	0.226	1.13	0.5	<0.01	0.5	0.16	13.1	<0.5	7	<0.2	4
1400652	Rock	0.085	14	31	1.38	1046	0.310	<20	2.51	0.259	1.14	0.7	<0.01	0.4	0.43	8.5	<0.5	7	<0.2	4
1400653	Rock	0.079	13	31	1.31	1164	0.316	<20	2.58	0.296	1.12	0.9	<0.01	0.4	0.18	7.0	<0.5	7	<0.2	38
1400654	Rock	0.078	13	31	1.35	1022	0.298	<20	2.40	0.229	1.09	0.8	<0.01	0.5	0.44	8.6	<0.5	7	<0.2	201
1400655	Rock	0.083	14	32	1.31	1089	0.314	<20	2.38	0.269	1.08	0.7	<0.01	0.4	<0.05	7.2	<0.5	7	<0.2	<2
1400656	Rock	0.081	12	32	1.24	1040	0.297	<20	2.34	0.242	1.06	0.8	<0.01	0.4	0.24	6.4	<0.5	7	<0.2	22
1400657	Rock	0.081	12	28	1.20	897	0.263	<20	2.52	0.236	0.98	0.7	<0.01	0.4	0.51	7.6	<0.5	7	<0.2	16
1400658	Rock	0.077	13	32	1.22	1157	0.311	<20	2.23	0.253	1.09	0.7	<0.01	0.4	0.06	6.3	<0.5	7	<0.2	<2
1400659	Rock	0.080	14	31	1.29	1243	0.329	<20	2.48	0.294	1.13	0.8	<0.01	0.4	<0.05	6.2	<0.5	7	<0.2	<2
1400660	Rock Pulp	0.060	4	32	0.80	96	0.135	<20	1.62	0.080	0.13	11.6	<0.01	<0.1	<0.05	4.6	<0.5	5	<0.2	5
1400661	Rock Pulp	0.060	5	35	0.84	100	0.145	<20	1.74	0.097	0.15	0.2	0.07	<0.1	<0.05	5.1	<0.5	5	<0.2	1455
1400662	Rock	0.087	14	31	1.37	867	0.290	<20	2.52	0.202	1.12	0.7	<0.01	0.4	0.52	9.3	<0.5	7	0.3	61
1400663	Rock	0.122	16	41	2.19	171	0.392	<20	2.95	0.116	1.46	0.4	<0.01	0.6	0.72	18.4	<0.5	9	<0.2	22
1400664	Rock	0.080	15	25	1.76	448	0.212	<20	2.26	0.085	0.92	0.8	<0.01	0.5	0.78	15.1	<0.5	7	0.3	69
1400665	Rock	0.067	11	27	1.20	38	0.084	<20	2.04	0.164	0.91	0.9	<0.01	0.4	2.14	8.3	0.9	6	3.5	1622
1400666	Rock	0.082	14	32	1.56	1111	0.309	<20	2.92	0.314	1.20	0.7	<0.01	0.6	0.35	11.1	<0.5	8	<0.2	58
1400667	Rock	0.089	14	38	1.65	760	0.327	<20	3.01	0.281	1.25	0.6	<0.01	0.6	0.52	12.5	<0.5	8	<0.2	31
1400668	Rock	0.086	14	36	1.42	1124	0.323	<20	2.75	0.318	1.18	0.6	<0.01	0.5	0.19	9.4	<0.5	8	<0.2	13

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000059.2

	Method	WGHT	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
1400669	Rock	3.02	2.5	35.8	4.5	58	<0.1	7.1	16.1	637	4.27	56.0	2.2	2.7	8.5	85	0.1	0.2	7.5	133	1.73
1400670	Rock	2.80	2.1	27.5	21.0	357	0.3	6.0	12.9	736	3.72	936.7	4.0	101.3	9.7	118	4.2	2.0	1.6	93	2.51
1400671	Rock	2.93	2.9	27.3	4.7	77	0.2	5.5	10.9	432	3.03	33.6	3.4	29.2	10.8	88	0.9	0.3	2.4	85	1.66
1400672	Rock	2.76	2.3	54.9	6.2	73	0.2	8.9	23.0	819	6.04	1019	3.1	245.4	7.5	81	0.2	2.0	17.5	172	1.94
1400673	Rock	3.15	2.8	35.1	3.7	63	0.1	7.7	17.8	670	4.53	24.2	5.0	29.0	9.4	94	<0.1	0.7	0.5	149	1.46
1400674	Rock	1.01	2.8	37.8	4.2	63	0.1	8.0	17.3	658	4.46	12.9	2.5	53.7	9.2	100	0.1	0.1	0.8	144	1.56
1400675	Rock	1.57	2.8	36.5	3.9	61	0.1	7.8	16.7	636	4.40	11.0	2.4	13.7	8.9	85	0.1	0.1	0.7	142	1.41
1400676	Rock	1.59	2.9	27.1	3.6	57	<0.1	7.5	16.2	671	4.23	7.8	3.0	8.3	8.8	102	<0.1	0.1	0.1	135	1.93
1400677	Rock	2.43	2.9	31.0	3.5	353	<0.1	7.6	15.3	633	4.10	6.9	2.6	4.7	8.5	105	5.7	0.2	0.1	134	1.60
1400678	Rock	2.72	2.9	29.4	2.8	63	<0.1	8.0	17.8	792	4.48	5.6	2.7	3.3	8.2	107	<0.1	0.1	<0.1	139	1.99
1400679	Rock	1.93	2.6	27.0	3.1	57	<0.1	8.1	16.2	662	4.21	3.3	2.0	0.7	8.2	96	<0.1	0.1	<0.1	136	1.69
1400680	Rock Pulp	0.13	8.7	50.4	5.8	52	0.3	33.5	9.4	486	3.40	7.1	0.3	828.3	1.0	42	0.1	0.9	0.1	66	0.89
1400681	Rock Pulp	0.13	2.4	25.7	2.3	45	0.3	23.8	10.6	414	2.52	4.5	0.3	1.7	0.9	40	0.2	0.2	<0.1	61	0.87
1400682	Rock	2.49	2.3	30.0	9.7	124	0.1	7.8	17.7	859	4.60	15.3	3.3	42.1	7.6	117	1.0	0.3	0.2	136	2.29
1400683	Rock	1.10	3.6	55.4	7.8	63	0.3	6.8	17.2	861	5.51	795.5	4.4	27.8	8.3	106	0.2	3.6	4.3	125	2.90

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

CERTIFICATE OF ANALYSIS WHI12000059.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	3B
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Au
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppb
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	2
1400669	Rock	0.082	14	31	1.57	1134	0.315	<20	2.65	0.228	1.15	0.5	<0.01	0.5	0.20	9.3	<0.5	8	<0.2	29
1400670	Rock	0.055	16	24	1.11	753	0.177	<20	2.24	0.239	0.74	0.4	<0.01	0.3	0.35	10.4	<0.5	6	<0.2	129
1400671	Rock	0.057	13	24	1.01	772	0.200	<20	2.19	0.248	0.84	0.7	<0.01	0.4	0.28	5.7	<0.5	6	<0.2	29
1400672	Rock	0.109	14	38	2.06	92	0.342	<20	2.96	0.201	1.39	0.5	<0.01	0.7	0.81	14.8	<0.5	9	0.3	521
1400673	Rock	0.100	14	37	1.50	1389	0.381	<20	2.81	0.292	1.40	0.8	<0.01	0.6	0.20	8.6	<0.5	8	<0.2	29
1400674	Rock	0.094	14	35	1.53	1250	0.358	<20	2.92	0.304	1.30	0.7	<0.01	0.5	0.20	8.8	<0.5	8	<0.2	144
1400675	Rock	0.089	14	34	1.51	1226	0.355	<20	2.73	0.268	1.29	0.7	<0.01	0.5	0.22	8.4	<0.5	7	<0.2	9
1400676	Rock	0.086	15	34	1.46	1124	0.318	<20	2.79	0.292	1.17	0.7	<0.01	0.4	0.07	9.5	<0.5	8	<0.2	6
1400677	Rock	0.085	14	35	1.37	1098	0.331	<20	2.81	0.336	1.17	0.7	<0.01	0.5	0.11	7.8	<0.5	7	<0.2	23
1400678	Rock	0.087	14	35	1.51	1066	0.320	<20	2.90	0.292	1.15	0.4	<0.01	0.5	0.06	11.4	<0.5	8	<0.2	<2
1400679	Rock	0.085	13	35	1.42	1132	0.331	<20	2.76	0.296	1.23	0.6	<0.01	0.5	0.05	8.8	<0.5	7	<0.2	<2
1400680	Rock Pulp	0.061	5	35	0.85	105	0.142	<20	1.76	0.098	0.15	0.2	0.06	<0.1	<0.05	5.1	<0.5	6	<0.2	1443
1400681	Rock Pulp	0.064	4	32	0.81	95	0.136	<20	1.64	0.080	0.13	11.5	0.02	<0.1	<0.05	4.8	<0.5	5	<0.2	3
1400682	Rock	0.085	16	31	1.50	1096	0.296	<20	2.93	0.273	1.17	0.4	<0.01	0.4	0.20	12.3	<0.5	8	<0.2	28
1400683	Rock	0.081	14	26	1.84	138	0.216	<20	3.01	0.140	0.92	0.3	<0.01	0.7	0.92	14.8	<0.5	8	<0.2	33

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

QUALITY CONTROL REPORT WHI12000059.2

	Method	WGHT	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca
	Unit	kg	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm	%
	MDL	0.01	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2	0.01
Pulp Duplicates																					
1400557	Rock	2.43	1.6	18.2	40.7	307	0.9	7.2	12.0	793	3.83	32.9	2.2	14.4	9.6	105	3.6	1.4	0.6	73	2.25
REP 1400557	QC		1.6	18.4	39.7	305	1.0	7.5	12.1	792	3.86	31.9	2.3	11.6	9.9	105	3.4	1.3	0.6	75	2.30
1400581	Rock Pulp	0.12	8.6	49.2	5.9	51	0.3	31.7	9.2	485	3.20	7.0	0.2	1367	0.9	40	0.1	0.9	0.2	62	0.79
REP 1400581	QC																				
1400592	Rock	2.40	1.6	24.9	7.4	68	<0.1	6.0	14.3	714	3.36	70.9	4.4	0.7	10.4	90	<0.1	1.8	0.2	92	3.14
REP 1400592	QC		1.8	25.2	7.4	66	<0.1	6.3	14.2	696	3.39	69.4	4.4	<0.5	10.1	90	0.2	1.3	0.2	92	3.17
1400596	Rock	1.90	0.9	24.5	12.3	79	0.4	6.9	17.1	1287	4.86	69.2	3.7	62.0	7.7	118	0.2	0.5	0.9	108	4.41
REP 1400596	QC																				
1400627	Rock	2.74	2.4	35.5	3.8	49	0.1	6.6	13.5	542	3.73	85.1	2.7	23.4	7.9	87	<0.1	0.3	0.7	120	1.29
REP 1400627	QC		2.2	36.1	3.9	49	0.1	6.7	13.8	540	3.76	85.8	3.0	40.6	8.0	87	<0.1	0.3	0.7	123	1.30
1400630	Rock	2.00	2.1	33.7	3.6	69	0.1	7.9	19.6	964	4.75	13.2	2.7	3.6	7.9	111	<0.1	0.5	0.3	170	2.02
REP 1400630	QC																				
1400653	Rock	2.59	2.6	31.3	3.7	50	<0.1	7.3	14.8	517	3.72	87.1	2.5	12.0	8.2	95	<0.1	0.2	0.7	123	1.35
REP 1400653	QC		2.8	29.5	3.9	50	<0.1	6.9	14.4	522	3.73	89.0	2.6	9.4	8.7	95	0.1	0.2	0.8	121	1.34
Core Reject Duplicates																					
1400559	Rock	2.45	2.5	12.6	35.7	147	0.6	7.8	12.0	832	3.81	17.5	2.0	1.6	10.1	122	1.0	1.1	0.1	84	2.22
DUP 1400559	QC		2.4	12.4	30.3	147	0.5	7.6	12.1	835	3.75	18.6	1.9	1.4	9.8	112	0.8	1.1	<0.1	82	2.18
1400594	Rock	2.17	1.4	21.2	8.2	68	<0.1	6.0	16.7	1130	3.86	66.2	3.5	9.4	8.3	108	0.1	0.6	0.2	106	4.07
DUP 1400594	QC		1.3	20.0	11.7	68	<0.1	6.9	17.1	1112	3.86	64.1	3.6	<0.5	8.6	109	0.2	0.6	0.2	104	4.08
1400629	Rock	1.77	2.1	36.1	4.6	60	0.2	7.4	17.1	893	4.40	217.1	2.6	23.6	7.5	102	<0.1	0.7	0.6	132	1.77
DUP 1400629	QC		2.0	37.5	4.7	62	0.2	7.7	17.1	950	4.53	204.7	2.7	23.4	7.5	105	<0.1	0.7	0.6	134	1.84
1400664	Rock	2.47	2.1	47.3	10.9	68	0.4	7.2	21.9	915	5.41	2417	3.0	93.2	9.0	86	0.3	2.0	4.1	117	3.09
DUP 1400664	QC		2.5	46.6	10.5	68	0.5	7.2	22.3	950	5.61	2434	3.3	65.6	9.0	91	0.3	2.0	4.4	121	3.20
Reference Materials																					
STD DS9	Standard		14.5	113.9	142.1	329	1.7	42.5	7.8	585	2.43	25.3	2.9	116.5	7.2	74	2.6	4.4	7.4	40	0.75
STD DS9	Standard		12.9	119.1	139.5	339	2.0	43.6	8.1	612	2.47	26.9	2.9	109.5	6.4	69	2.4	4.8	5.3	44	0.79
STD DS9	Standard		13.0	106.3	139.0	334	2.0	41.2	7.6	589	2.37	25.6	3.1	126.4	7.2	74	2.6	4.9	6.6	42	0.75
STD DS9	Standard		14.3	120.3	127.8	331	1.9	41.8	8.0	631	2.55	27.4	2.9	112.4	7.2	76	2.6	4.3	6.7	42	0.79

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

QUALITY CONTROL REPORT WHI12000059.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	3B
	Analyte	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Au
	Unit	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppb
	MDL	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	2
Pulp Duplicates																				
1400557	Rock	0.085	19	17	1.19	492	0.101	<20	2.27	0.158	0.64	0.3	<0.01	0.4	0.57	8.9	<0.5	7	<0.2	18
REP 1400557	QC	0.086	18	17	1.21	469	0.101	<20	2.28	0.158	0.66	0.3	<0.01	0.4	0.58	8.8	<0.5	7	<0.2	
1400581	Rock Pulp	0.059	5	34	0.80	106	0.117	<20	1.66	0.091	0.14	0.3	0.07	<0.1	<0.05	4.8	<0.5	6	<0.2	1376
REP 1400581	QC																			1438
1400592	Rock	0.082	22	14	1.15	71	<0.001	<20	1.76	0.023	0.23	<0.1	<0.01	0.2	<0.05	17.3	<0.5	6	<0.2	<2
REP 1400592	QC	0.083	22	14	1.17	71	0.001	<20	1.77	0.023	0.23	<0.1	<0.01	0.1	<0.05	17.2	<0.5	5	<0.2	
1400596	Rock	0.083	21	15	1.99	410	0.031	<20	1.58	0.045	0.36	<0.1	<0.01	0.2	<0.05	16.0	<0.5	5	<0.2	38
REP 1400596	QC																			42
1400627	Rock	0.079	14	27	1.17	1150	0.272	<20	2.33	0.276	1.00	0.7	<0.01	0.5	0.24	7.4	<0.5	7	<0.2	87
REP 1400627	QC	0.080	14	27	1.18	1176	0.269	<20	2.33	0.277	1.01	0.7	<0.01	0.5	0.25	7.3	<0.5	7	<0.2	
1400630	Rock	0.090	16	32	1.90	1394	0.293	<20	2.81	0.239	1.14	0.4	<0.01	0.6	0.27	16.3	<0.5	8	<0.2	7
REP 1400630	QC																			3
1400653	Rock	0.079	13	31	1.31	1164	0.316	<20	2.58	0.296	1.12	0.9	<0.01	0.4	0.18	7.0	<0.5	7	<0.2	38
REP 1400653	QC	0.078	13	31	1.32	1119	0.311	<20	2.56	0.296	1.12	0.7	<0.01	0.5	0.17	7.3	<0.5	7	<0.2	
Core Reject Duplicates																				
1400559	Rock	0.086	20	21	1.28	423	0.101	<20	2.65	0.221	0.55	0.3	<0.01	0.4	0.12	9.3	<0.5	8	<0.2	<2
DUP 1400559	QC	0.084	20	20	1.30	410	0.096	<20	2.49	0.196	0.54	0.3	<0.01	0.4	0.13	9.2	<0.5	8	<0.2	6
1400594	Rock	0.085	21	15	1.48	48	<0.001	<20	1.33	0.024	0.19	<0.1	<0.01	0.1	<0.05	18.5	<0.5	4	<0.2	7
DUP 1400594	QC	0.083	21	16	1.49	45	<0.001	<20	1.16	0.020	0.18	<0.1	<0.01	0.1	<0.05	18.3	<0.5	4	<0.2	4
1400629	Rock	0.081	14	26	1.57	868	0.249	<20	2.45	0.245	1.03	0.5	<0.01	0.6	0.43	12.5	<0.5	7	<0.2	20
DUP 1400629	QC	0.079	14	27	1.59	1005	0.247	<20	2.52	0.258	1.05	0.4	<0.01	0.6	0.45	12.9	<0.5	7	<0.2	22
1400664	Rock	0.080	15	25	1.76	448	0.212	<20	2.26	0.085	0.92	0.8	<0.01	0.5	0.78	15.1	<0.5	7	0.3	69
DUP 1400664	QC	0.081	15	25	1.80	394	0.212	<20	2.46	0.104	0.97	0.7	<0.01	0.5	0.79	15.8	<0.5	8	0.4	78
Reference Materials																				
STD DS9	Standard	0.087	15	126	0.64	357	0.111	<20	0.99	0.088	0.41	2.8	0.24	5.9	0.16	2.4	6.0	5	5.5	
STD DS9	Standard	0.086	16	128	0.66	357	0.113	<20	1.05	0.090	0.43	2.7	0.23	6.3	0.18	2.5	5.8	5	5.2	
STD DS9	Standard	0.084	14	121	0.63	335	0.107	<20	0.97	0.086	0.41	3.0	0.21	6.2	0.17	2.5	5.0	5	5.8	
STD DS9	Standard	0.090	14	130	0.67	320	0.129	<20	1.07	0.094	0.43	2.6	0.19	5.5	0.17	2.6	5.6	5	5.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

QUALITY CONTROL REPORT WHI12000059.2

		WGHT Wgt kg 0.01	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2	1DX Ca % 0.01
STD OREAS45CA	Standard		1.0	500.0	20.4	59	0.3	248.6	90.3	930	15.76	3.5	1.1	41.8	6.9	14	<0.1	0.1	0.2	208	0.41
STD OREAS45CA	Standard		0.9	548.8	22.1	66	0.3	278.6	97.5	1017	17.41	4.4	1.3	44.0	7.5	14	<0.1	<0.1	0.1	233	0.49
STD OREAS45CA	Standard		0.9	521.6	21.1	64	0.3	264.3	92.6	971	16.44	4.2	1.2	53.8	7.3	15	<0.1	0.1	0.2	222	0.44
STD OREAS45CA	Standard		0.9	543.5	22.2	72	0.3	272.4	97.7	998	16.53	3.7	1.3	44.4	7.5	16	<0.1	<0.1	0.2	228	0.45
STD OXC88	Standard																				
STD OXC88	Standard																				
STD OXC88	Standard																				
STD OXC88	Standard																				
STD OXC88	Standard																				
STD OXC88	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXC88 Expected																					
STD OXG99 Expected																					
STD DS9 Expected			12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40	0.7201
STD OREAS45CA Expected			1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215	0.4265
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

QUALITY CONTROL REPORT WHI12000059.2

		1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2	3B Au ppb 2
STD OREAS45CA	Standard	0.040	17	752	0.14	167	0.134	<20	3.55	0.007	0.07	<0.1	0.03	0.1	<0.05	43.6	<0.5	18	<0.2	
STD OREAS45CA	Standard	0.042	19	907	0.16	179	0.141	<20	4.14	0.008	0.08	<0.1	0.03	0.1	<0.05	50.1	<0.5	20	<0.2	
STD OREAS45CA	Standard	0.041	18	769	0.15	171	0.142	<20	3.81	0.007	0.08	<0.1	0.03	0.2	<0.05	46.9	<0.5	20	<0.2	
STD OREAS45CA	Standard	0.039	18	756	0.15	177	0.159	<20	4.00	0.010	0.08	<0.1	0.03	0.1	<0.05	46.4	<0.5	20	<0.2	
STD OXC88	Standard																			196
STD OXC88	Standard																			198
STD OXC88	Standard																			203
STD OXC88	Standard																			189
STD OXC88	Standard																			198
STD OXC88	Standard																			204
STD OXG99	Standard																			934
STD OXG99	Standard																			896
STD OXG99	Standard																			894
STD OXG99	Standard																			945
STD OXG99	Standard																			902
STD OXG99	Standard																			934
STD OXG99	Standard																			914
STD OXC88 Expected																				203
STD OXG99 Expected																				932
STD DS9 Expected		0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02	
STD OREAS45CA Expected		0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4		
BLK	Blank																			<2
BLK	Blank																			<2
BLK	Blank																			<2
BLK	Blank																			<2
BLK	Blank																			<2
BLK	Blank																			<2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	0.005	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank																			<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

QUALITY CONTROL REPORT WHI12000059.2

		WGHT Wgt kg 0.01	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2	1DX Ca % 0.01
BLK	Blank																				
BLK	Blank		<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank		<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2	<0.01
Prep Wash																					
G1-WHI	Prep Blank		0.1	2.2	3.0	48	<0.1	2.2	4.0	577	1.93	<0.5	1.6	1.6	5.8	67	<0.1	<0.1	<0.1	38	0.53
G1-WHI	Prep Blank		0.1	2.6	3.3	52	<0.1	2.3	4.1	610	2.03	<0.5	1.7	0.7	6.1	73	<0.1	<0.1	<0.1	39	0.56

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 12, 2012

QUALITY CONTROL REPORT WHI12000059.2

		1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2	3B Au ppb 2
BLK	Blank																			<2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank																			<2
BLK	Blank																			<2
BLK	Blank																			<2
BLK	Blank																			<2
BLK	Blank																			<2
BLK	Blank																			<2
BLK	Blank	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
Prep Wash																				
G1-WHI	Prep Blank	0.078	14	6	0.50	169	0.129	<20	0.94	0.101	0.48	<0.1	<0.01	0.3	<0.05	2.5	<0.5	5	<0.2	<2
G1-WHI	Prep Blank	0.078	15	8	0.52	173	0.133	<20	1.02	0.115	0.49	<0.1	<0.01	0.3	<0.05	2.6	<0.5	5	<0.2	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: May 31, 2012
Report Date: June 14, 2012
Page: 1 of 7

CERTIFICATE OF ANALYSIS WHI12000063.3

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET004
P.O. Number
Number of Samples: 161

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	145	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	161	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	161	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Version 3: Revised Sample IDs - Samples 1406684 to 1406844 should be listed as 1400684 to 1400844.

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme
Dayna

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 14, 2012

CERTIFICATE OF ANALYSIS WHI12000063.3

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1400684	Rock	1.20	200	1.2	23.9	4.8	59	0.1	8.6	14.4	598	3.81	251.9	1.3	81.4	5.4	54	<0.1	0.5	3.6	112
1400685	Rock	1.92	1148	1.2	21.3	3.2	62	0.2	6.4	12.1	442	3.51	2122	1.9	835.3	8.3	53	0.1	0.8	4.3	87
1400686	Rock	2.21	342	1.8	22.1	2.6	64	<0.1	7.0	13.3	573	3.68	769.9	1.5	42.1	7.1	62	<0.1	1.3	1.5	99
1400687	Rock	1.35	185	1.6	28.5	2.6	65	<0.1	7.5	14.8	601	3.98	982.3	1.9	141.8	6.7	72	<0.1	1.0	2.2	112
1400688	Rock	2.18	32	1.9	37.8	3.3	66	0.1	7.9	15.6	620	4.54	819.5	1.5	29.7	6.9	64	0.1	1.1	2.1	107
1400689	Rock	2.28	6	1.4	30.1	2.5	64	<0.1	7.2	16.7	700	4.17	60.2	1.1	7.3	6.9	83	<0.1	0.4	0.5	122
1400690	Rock	2.41	17	1.1	44.7	9.0	69	0.3	7.4	19.4	874	5.08	462.2	2.6	17.3	7.4	55	0.1	8.6	3.1	93
1400691	Rock	3.23	1768	2.4	48.4	10.0	60	0.3	8.0	20.0	769	5.18	1363	6.6	711.2	6.8	50	0.1	8.7	10.6	90
1400692	Rock	2.67	2005	2.8	32.7	13.2	87	0.8	7.4	29.0	830	5.50	>10000	6.5	1816	6.7	101	0.4	8.0	7.9	84
1400693	Rock	3.11	133	1.7	32.0	5.8	75	0.2	8.3	20.1	883	5.27	1163	3.1	180.8	8.1	81	0.1	4.6	1.5	128
1400694	Rock	2.08	84	1.9	20.5	2.5	81	0.1	6.7	17.6	824	4.34	783.7	1.2	105.8	7.6	132	<0.1	0.9	0.6	126
1400695	Rock	1.53	55	1.3	23.3	3.3	76	<0.1	7.3	20.5	1000	5.02	476.0	2.6	67.6	7.2	153	0.1	1.2	0.4	121
1400696	Rock	1.80	58	2.8	24.4	2.6	92	<0.1	7.8	15.8	701	3.78	479.3	1.3	52.7	7.7	99	<0.1	0.6	0.5	107
1400697	Rock	1.60	197	2.2	21.7	3.6	66	0.2	9.9	16.5	709	4.28	730.6	1.4	109.6	7.3	176	<0.1	0.7	1.2	100
1400698	Rock	2.56	55	4.4	40.4	9.5	73	1.1	7.0	18.4	896	5.18	382.4	2.0	73.1	7.3	124	<0.1	9.6	2.3	89
1400699	Rock	2.37	83	1.8	31.5	5.4	66	0.2	7.5	18.1	840	4.71	1473	2.5	72.0	8.1	129	<0.1	2.2	1.8	95
1400700	Rock Pulp	0.14	<2	2.6	21.1	1.9	42	0.2	23.0	10.0	381	2.33	7.7	0.2	<0.5	0.8	32	0.2	0.2	<0.1	57
1400701	Rock Pulp	0.14	1542	8.4	41.9	4.8	49	0.2	30.2	8.5	465	3.24	8.0	0.2	639.7	0.9	35	0.1	0.8	0.1	64
1400702	Rock	2.30	20	1.9	24.1	4.1	86	<0.1	7.6	18.6	997	4.67	198.3	3.1	13.4	7.7	124	<0.1	3.5	0.3	122
1400703	Rock	1.64	108	3.0	31.8	10.0	88	0.4	8.2	20.4	856	4.88	5013	5.0	104.8	6.6	84	0.4	18.8	6.7	102
1400704	Rock	2.91	116	2.0	37.1	5.0	88	0.2	7.3	18.9	757	4.64	791.1	3.3	57.7	7.0	78	<0.1	7.1	1.8	118
1400705	Rock	2.20	15	2.7	24.1	2.0	81	<0.1	7.4	17.0	745	4.03	170.8	1.7	14.8	8.2	92	<0.1	0.7	0.3	127
1400706	Rock	1.45	19	2.6	24.8	2.0	81	<0.1	8.0	17.8	790	4.06	156.3	1.4	19.4	7.2	94	<0.1	0.4	0.3	127
1400707	Rock	1.89	83	2.5	28.4	2.7	78	<0.1	7.4	16.1	632	4.04	1466	1.8	68.3	8.1	78	0.1	1.6	3.2	117
1400708	Rock	1.69	36	2.4	30.5	2.9	77	0.1	7.6	15.5	644	4.09	300.0	1.6	31.2	6.8	81	<0.1	0.5	2.4	125
1400709	Rock	2.78	745	1.8	56.9	56.3	122	3.2	7.6	24.2	919	6.22	8855	4.4	443.9	6.7	73	1.3	5.4	17.0	111
1400710	Rock	2.42	16	2.2	27.9	3.0	84	<0.1	7.4	16.2	720	4.13	137.9	1.2	9.4	6.5	95	0.1	0.4	0.3	139
1400711	Rock	1.36	26	2.7	25.8	2.7	78	<0.1	7.6	14.6	537	3.55	57.2	0.9	4.9	6.6	87	<0.1	0.2	0.2	123
1400712	Rock	1.92	<2	2.3	25.7	7.2	140	0.3	7.3	16.8	846	4.00	121.4	1.6	<0.5	6.8	94	0.9	1.1	0.1	133
1400713	Rock	1.70	<2	3.0	28.2	2.8	86	<0.1	8.2	14.5	513	3.41	18.3	1.1	<0.5	6.4	79	<0.1	0.2	<0.1	116

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 14, 2012

CERTIFICATE OF ANALYSIS WHI12000063.3

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1400684	Rock	0.68	0.081	11	24	1.00	780	0.219	<20	2.04	0.173	0.62	0.3	<0.01	0.4	<0.05	8.2	<0.5	6	<0.2
1400685	Rock	0.58	0.061	12	17	0.77	1139	0.148	<20	1.78	0.167	0.56	0.7	0.01	0.4	<0.05	9.0	<0.5	5	0.3
1400686	Rock	0.70	0.067	12	23	0.78	1060	0.188	<20	1.85	0.179	0.64	0.4	0.02	0.4	<0.05	9.5	<0.5	5	<0.2
1400687	Rock	0.78	0.080	14	24	0.96	987	0.204	<20	2.07	0.216	0.72	0.4	0.02	0.5	<0.05	12.3	<0.5	7	<0.2
1400688	Rock	0.82	0.081	14	23	0.95	1040	0.182	<20	1.83	0.192	0.78	0.3	0.02	0.5	0.09	11.0	<0.5	6	<0.2
1400689	Rock	1.33	0.084	15	25	1.39	1119	0.222	<20	2.20	0.238	0.80	0.3	0.01	0.4	<0.05	10.9	<0.5	7	<0.2
1400690	Rock	1.44	0.076	16	14	0.85	2485	0.014	<20	0.95	0.045	0.25	0.1	0.17	0.5	0.06	17.9	<0.5	3	<0.2
1400691	Rock	2.19	0.076	15	14	1.20	328	0.002	<20	0.77	0.013	0.15	<0.1	0.16	0.4	<0.05	18.1	<0.5	2	0.5
1400692	Rock	2.63	0.071	15	12	1.36	476	0.002	<20	0.69	0.034	0.20	0.2	0.14	0.6	0.15	16.7	<0.5	2	1.4
1400693	Rock	1.93	0.084	17	20	1.24	591	0.078	<20	1.46	0.095	0.47	0.2	0.08	0.4	<0.05	19.2	<0.5	5	<0.2
1400694	Rock	2.23	0.074	15	22	1.34	1282	0.200	<20	2.14	0.196	0.90	0.2	0.01	0.5	<0.05	15.8	<0.5	6	<0.2
1400695	Rock	3.40	0.081	19	19	1.82	1230	0.122	<20	1.67	0.098	0.74	0.1	0.02	0.5	<0.05	20.6	<0.5	6	<0.2
1400696	Rock	1.66	0.075	14	24	1.27	1040	0.187	<20	2.02	0.198	0.75	0.3	<0.01	0.4	<0.05	11.6	<0.5	7	<0.2
1400697	Rock	2.11	0.118	18	24	1.35	767	0.153	<20	2.70	0.289	0.91	0.2	0.02	0.6	<0.05	11.3	<0.5	8	<0.2
1400698	Rock	2.26	0.080	17	15	1.19	589	0.041	<20	1.14	0.086	0.42	0.1	0.17	0.7	0.11	15.9	<0.5	4	<0.2
1400699	Rock	2.15	0.074	18	16	1.24	559	0.077	<20	1.40	0.136	0.52	0.1	0.08	0.5	<0.05	14.9	<0.5	5	<0.2
1400700	Rock Pulp	0.78	0.056	4	31	0.75	93	0.110	<20	1.49	0.074	0.13	12.6	0.01	<0.1	<0.05	4.4	<0.5	5	<0.2
1400701	Rock Pulp	0.84	0.059	4	35	0.80	103	0.135	<20	1.66	0.097	0.15	0.3	0.05	<0.1	<0.05	5.1	<0.5	5	<0.2
1400702	Rock	2.70	0.076	17	21	1.61	896	0.117	<20	1.61	0.110	0.57	0.2	0.07	0.4	<0.05	18.7	<0.5	5	<0.2
1400703	Rock	2.27	0.068	13	16	1.30	487	0.049	<20	0.98	0.053	0.31	0.2	0.89	1.0	0.25	16.3	<0.5	3	<0.2
1400704	Rock	1.47	0.081	15	22	1.30	1322	0.208	<20	1.77	0.149	0.80	0.4	0.31	0.7	<0.05	14.0	<0.5	6	<0.2
1400705	Rock	1.81	0.079	15	27	1.45	1332	0.262	<20	2.29	0.218	1.02	0.6	<0.01	0.5	<0.05	12.4	<0.5	7	<0.2
1400706	Rock	2.22	0.076	14	29	1.53	974	0.178	<20	2.39	0.186	0.69	0.5	<0.01	0.4	<0.05	12.3	<0.5	8	<0.2
1400707	Rock	1.37	0.072	14	28	1.35	1078	0.223	<20	2.26	0.205	0.84	0.6	<0.01	0.5	<0.05	9.7	<0.5	7	<0.2
1400708	Rock	1.31	0.074	12	28	1.35	1227	0.257	<20	2.43	0.239	0.94	0.5	<0.01	0.5	0.09	10.1	<0.5	7	<0.2
1400709	Rock	1.03	0.076	13	24	1.29	746	0.139	<20	2.44	0.077	0.66	0.3	<0.01	0.4	0.41	13.6	0.5	7	1.0
1400710	Rock	1.44	0.077	13	30	1.51	1320	0.265	<20	2.62	0.243	0.94	0.4	<0.01	0.4	<0.05	11.4	<0.5	8	<0.2
1400711	Rock	1.24	0.079	12	31	1.22	1408	0.289	<20	2.38	0.283	1.04	0.5	<0.01	0.4	<0.05	6.8	<0.5	7	<0.2
1400712	Rock	1.64	0.074	13	30	1.40	1259	0.265	<20	2.54	0.252	0.96	0.4	<0.01	0.4	<0.05	10.7	<0.5	7	<0.2
1400713	Rock	1.19	0.073	12	31	1.18	1189	0.268	<20	2.19	0.237	0.89	0.8	<0.01	0.4	<0.05	6.8	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 14, 2012

CERTIFICATE OF ANALYSIS WHI12000063.3

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1400714	Rock	1.88	27	2.6	30.0	2.7	82	<0.1	8.2	15.6	520	3.70	1300	1.0	29.1	5.8	86	0.1	0.3	9.1	128
1400715	Rock	2.31	88	2.7	25.7	6.5	80	0.1	7.2	18.3	911	4.47	2718	4.9	88.7	6.1	115	0.1	1.9	5.7	126
1400716	Rock	2.01	49	2.0	24.1	3.1	80	<0.1	7.8	19.7	918	4.24	1728	3.3	44.6	6.3	114	<0.1	2.6	5.0	119
1400717	Rock	1.51	<2	2.0	27.7	3.1	89	<0.1	7.9	19.6	927	4.57	22.0	1.9	2.8	7.2	98	<0.1	0.3	<0.1	141
1400718	Rock	2.60	<2	2.1	37.9	17.4	281	0.5	7.6	17.5	867	4.66	84.3	3.4	1.1	7.5	69	6.2	1.2	1.3	117
1400719	Rock	1.85	<2	2.4	33.5	3.5	77	<0.1	8.2	18.4	841	4.28	8.1	3.0	<0.5	6.9	82	0.1	0.3	0.1	126
1400720	Rock Pulp	0.12	<2	2.4	25.2	2.2	44	0.3	24.2	10.7	401	2.38	4.5	0.2	<0.5	1.0	34	0.2	0.2	<0.1	60
1400721	Rock Pulp	0.13	3962	10.4	72.8	510.9	1554	51.5	31.9	8.7	395	3.31	29.0	0.3	2602	1.1	31	14.6	46.4	0.7	56
1400722	Rock	1.66	4	2.3	40.7	3.3	79	0.2	8.4	19.4	808	4.53	80.1	2.5	<0.5	6.8	62	0.2	0.4	0.7	134
1400723	Rock	2.53	17	2.1	49.8	8.1	87	0.6	7.5	20.8	1275	5.59	562.7	4.4	16.3	6.9	61	0.4	3.0	4.3	88
1400724	Rock	1.54	<2	1.9	30.8	3.6	78	0.2	7.8	19.8	955	4.62	13.4	2.7	<0.5	7.3	98	0.1	0.6	0.2	138
1400725	Rock	0.77	<2	1.7	30.1	3.5	76	0.1	8.3	20.0	944	4.62	14.6	2.5	<0.5	7.1	93	0.1	0.7	0.1	136
1400726	Rock	1.96	<2	2.0	28.8	4.3	81	0.2	7.7	18.7	990	4.53	15.8	3.6	<0.5	7.8	97	0.1	0.5	0.1	140
1400727	Rock	1.80	<2	2.1	29.9	3.1	74	0.1	7.3	17.4	875	4.21	6.2	1.8	<0.5	7.3	88	<0.1	0.2	<0.1	131
1400728	Rock	2.05	1533	2.2	31.0	9.2	67	0.4	7.2	17.4	718	4.31	40.5	2.8	2048	8.2	88	0.1	0.6	10.0	136
1400729	Rock	1.85	4	1.9	35.8	3.7	69	0.1	7.9	21.0	1093	4.94	7.4	3.7	<0.5	8.0	94	0.1	0.4	0.3	157
1400730	Rock	1.88	4	2.0	37.0	3.3	68	<0.1	8.8	20.6	829	4.62	3.1	1.8	<0.5	6.2	75	<0.1	0.1	<0.1	157
1400731	Rock	2.15	<2	2.4	26.5	3.8	61	<0.1	7.6	16.8	718	4.03	2.9	1.9	<0.5	9.9	84	<0.1	0.1	<0.1	131
1400732	Rock	1.83	<2	2.3	26.8	3.7	59	0.1	6.9	16.9	935	4.06	4.8	1.8	<0.5	7.7	80	0.1	0.2	<0.1	131
1400733	Rock	1.74	2	2.3	27.1	3.9	52	<0.1	6.9	14.9	613	3.63	6.4	1.4	<0.5	7.1	75	<0.1	0.2	0.4	118
1400734	Rock	1.63	99	2.1	26.7	6.3	64	0.2	7.4	17.9	812	4.11	1588	2.8	116.0	7.3	107	0.2	1.2	1.3	121
1400735	Rock	1.73	2	2.1	30.7	3.1	59	0.1	7.4	17.5	703	4.04	11.7	2.4	2.9	7.3	80	<0.1	0.5	0.2	133
1400736	Rock	1.96	<2	1.6	27.3	3.5	62	<0.1	7.1	17.6	908	4.27	5.4	2.5	1.8	7.1	90	0.1	0.7	0.1	130
1400737	Rock	2.23	522	1.7	29.3	4.2	67	0.1	7.9	18.9	979	4.45	851.0	3.3	201.0	7.4	106	0.1	1.0	1.3	138
1400738	Rock	2.32	3	1.9	28.7	4.1	63	<0.1	7.9	18.8	800	4.26	7.3	3.1	4.0	6.8	69	<0.1	0.5	0.1	135
1400739	Rock	1.64	7	2.4	30.0	3.1	54	<0.1	7.4	15.2	518	3.54	4.2	1.6	4.6	7.0	80	<0.1	0.2	<0.1	121
1400740	Rock Pulp	0.12	2	2.6	24.6	2.2	42	0.2	24.5	10.6	398	2.38	4.6	0.2	0.7	0.8	33	0.2	0.2	<0.1	59
1400741	Rock Pulp	0.12	1403	9.1	50.2	5.9	51	0.3	33.5	9.4	468	3.28	6.8	0.2	1863	0.9	37	0.2	0.9	<0.1	66
1400742	Rock	2.57	3	2.9	32.3	3.0	51	<0.1	7.5	14.8	476	3.57	2.5	1.8	<0.5	7.0	74	<0.1	0.2	<0.1	124
1400743	Rock	2.07	<2	2.6	27.9	4.1	49	<0.1	7.5	14.7	561	3.42	2.2	1.9	<0.5	7.0	82	<0.1	0.4	<0.1	118

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 14, 2012

CERTIFICATE OF ANALYSIS WHI12000063.3

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1400714	Rock	1.16	0.078	11	33	1.29	1429	0.304	<20	2.46	0.282	1.06	0.6	<0.01	0.5	0.09	7.5	<0.5	7	<0.2
1400715	Rock	2.44	0.078	14	27	1.67	1218	0.230	<20	2.14	0.177	0.89	0.4	<0.01	0.4	0.05	10.2	<0.5	7	<0.2
1400716	Rock	2.47	0.073	15	26	1.44	827	0.116	<20	2.08	0.167	0.59	0.2	0.01	0.4	0.05	14.8	<0.5	7	<0.2
1400717	Rock	2.36	0.075	15	31	1.66	1007	0.225	<20	2.74	0.210	0.94	0.3	0.01	0.4	<0.05	14.9	<0.5	8	<0.2
1400718	Rock	1.56	0.072	16	25	1.55	766	0.151	<20	2.33	0.146	0.64	0.2	0.01	0.4	0.06	12.7	<0.5	7	<0.2
1400719	Rock	2.02	0.080	15	29	1.48	721	0.158	<20	2.26	0.157	0.64	0.3	<0.01	0.3	<0.05	13.4	<0.5	7	<0.2
1400720	Rock Pulp	0.82	0.055	4	31	0.77	92	0.122	<20	1.56	0.076	0.13	12.4	<0.01	<0.1	<0.05	4.2	<0.5	5	<0.2
1400721	Rock Pulp	0.70	0.051	6	29	0.58	103	0.108	<20	1.18	0.077	0.11	2.1	0.21	1.0	0.35	4.0	0.5	6	<0.2
1400722	Rock	1.81	0.093	15	34	1.77	571	0.164	<20	2.36	0.124	0.53	0.3	<0.01	0.3	<0.05	10.9	<0.5	7	<0.2
1400723	Rock	1.91	0.076	17	20	1.36	91	0.013	<20	1.69	0.041	0.21	0.1	0.02	0.2	0.09	12.0	<0.5	6	<0.2
1400724	Rock	2.36	0.082	15	29	1.53	837	0.154	<20	2.50	0.161	0.67	0.1	<0.01	0.3	<0.05	15.1	<0.5	8	<0.2
1400725	Rock	2.31	0.082	15	29	1.48	837	0.158	<20	2.40	0.150	0.66	0.1	<0.01	0.4	<0.05	14.7	<0.5	7	<0.2
1400726	Rock	2.56	0.078	16	29	1.49	714	0.147	<20	2.62	0.138	0.61	0.2	0.01	0.4	<0.05	15.8	<0.5	8	<0.2
1400727	Rock	2.37	0.077	14	29	1.57	651	0.166	<20	2.41	0.157	0.55	0.2	<0.01	0.3	<0.05	11.6	<0.5	7	<0.2
1400728	Rock	1.68	0.074	14	28	1.56	1010	0.230	<20	2.58	0.202	0.93	0.3	<0.01	0.4	<0.05	12.6	<0.5	7	<0.2
1400729	Rock	2.55	0.083	18	29	1.84	890	0.182	<20	2.77	0.123	0.78	0.1	<0.01	0.4	0.08	16.8	<0.5	8	<0.2
1400730	Rock	1.84	0.097	13	34	1.70	1079	0.275	<20	2.56	0.185	0.98	0.4	<0.01	0.4	<0.05	10.9	<0.5	7	<0.2
1400731	Rock	1.72	0.073	14	31	1.52	1091	0.231	<20	2.44	0.214	0.89	0.4	<0.01	0.4	<0.05	10.1	<0.5	7	<0.2
1400732	Rock	1.76	0.076	14	30	1.58	942	0.227	<20	2.53	0.218	0.83	0.3	<0.01	0.4	<0.05	10.1	<0.5	7	<0.2
1400733	Rock	1.47	0.074	13	30	1.34	859	0.233	<20	2.31	0.224	0.78	0.4	<0.01	0.3	<0.05	7.4	<0.5	7	<0.2
1400734	Rock	2.47	0.069	14	27	1.56	861	0.196	<20	2.33	0.218	0.81	0.3	<0.01	0.4	0.08	11.3	<0.5	6	<0.2
1400735	Rock	1.77	0.081	14	30	1.39	951	0.232	<20	2.38	0.204	0.85	0.3	<0.01	0.4	<0.05	9.9	<0.5	7	<0.2
1400736	Rock	2.32	0.072	15	28	1.51	799	0.181	<20	2.45	0.171	0.72	0.2	<0.01	0.3	0.05	13.1	<0.5	7	<0.2
1400737	Rock	2.45	0.073	16	29	1.53	932	0.203	<20	2.70	0.235	0.84	0.2	<0.01	0.4	0.14	15.2	<0.5	8	<0.2
1400738	Rock	1.65	0.081	14	33	1.56	716	0.193	<20	2.42	0.182	0.63	0.4	<0.01	0.3	<0.05	10.9	<0.5	7	<0.2
1400739	Rock	1.24	0.076	14	32	1.34	1127	0.278	<20	2.44	0.290	0.90	0.7	<0.01	0.4	<0.05	6.8	<0.5	7	<0.2
1400740	Rock Pulp	0.83	0.057	4	32	0.77	93	0.125	<20	1.55	0.076	0.13	12.2	0.01	<0.1	<0.05	4.0	<0.5	5	<0.2
1400741	Rock Pulp	0.85	0.056	5	36	0.82	102	0.133	<20	1.70	0.094	0.15	0.2	0.08	<0.1	<0.05	4.6	<0.5	5	<0.2
1400742	Rock	1.13	0.084	13	34	1.18	1251	0.298	<20	2.29	0.271	1.07	1.0	<0.01	0.4	<0.05	5.9	<0.5	6	<0.2
1400743	Rock	1.37	0.073	13	32	1.17	1177	0.276	<20	2.37	0.292	1.01	0.7	<0.01	0.4	<0.05	6.3	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 14, 2012

CERTIFICATE OF ANALYSIS WHI12000063.3

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1400744	Rock	2.16	<2	2.4	27.6	2.5	49	<0.1	6.7	14.3	488	3.37	2.2	1.8	<0.5	7.1	70	<0.1	0.2	<0.1	119
1400745	Rock	1.90	<2	2.9	27.2	3.4	48	<0.1	6.8	14.3	497	3.37	4.7	2.8	<0.5	6.6	76	<0.1	0.3	<0.1	117
1400746	Rock	2.27	6	2.8	29.0	2.9	64	<0.1	7.4	14.3	460	3.43	17.9	1.3	2.0	6.9	75	0.2	0.4	<0.1	117
1400747	Rock	1.61	<2	3.1	27.7	3.0	48	<0.1	7.6	14.1	450	3.33	1.8	1.5	2.2	6.8	77	<0.1	0.2	<0.1	117
1400748	Rock	2.31	<2	3.4	31.2	2.7	51	<0.1	8.3	15.9	482	3.66	2.1	1.3	1.3	6.8	72	<0.1	0.1	<0.1	130
1400749	Rock	1.73	<2	3.5	28.0	2.8	49	<0.1	7.9	14.3	447	3.38	1.6	1.2	1.3	6.8	76	<0.1	0.1	<0.1	120
1400750	Rock	2.22	4	3.1	28.2	3.6	48	<0.1	7.6	14.5	473	3.45	1.7	1.7	2.4	7.1	77	<0.1	0.2	<0.1	119
1400751	Rock	1.83	3	3.3	27.7	3.3	49	<0.1	7.1	15.1	535	3.53	1.6	1.8	<0.5	6.5	79	<0.1	0.2	<0.1	123
1400752	Rock	2.03	3	2.2	29.7	4.7	64	<0.1	7.8	19.1	738	4.48	4.7	3.5	5.4	6.7	66	<0.1	0.2	0.2	136
1400753	Rock	2.23	<2	2.8	28.7	3.3	51	<0.1	7.3	15.5	506	3.63	1.5	1.3	1.4	7.5	82	<0.1	<0.1	<0.1	126
1400754	Rock	1.94	<2	3.4	33.5	3.1	51	<0.1	8.0	15.9	508	3.71	1.4	1.4	2.8	6.9	83	<0.1	0.1	<0.1	129
1400755	Rock	2.04	<2	3.3	29.1	4.2	51	<0.1	7.5	15.1	559	3.53	2.3	1.6	1.1	7.6	81	<0.1	0.2	<0.1	121
1400756	Rock	1.88	<2	3.1	26.6	3.1	50	<0.1	7.7	15.0	559	3.58	1.6	1.5	1.1	7.3	76	<0.1	<0.1	<0.1	122
1400757	Rock	2.38	<2	2.6	27.5	3.3	52	<0.1	8.3	15.4	583	3.59	1.7	1.4	<0.5	6.8	84	<0.1	<0.1	<0.1	126
1400758	Rock	2.46	10	2.8	26.9	5.3	80	0.2	7.8	16.9	1112	3.98	29.3	3.5	7.7	7.3	78	<0.1	1.4	<0.1	126
1400759	Rock	2.33	13	2.5	26.9	3.3	60	<0.1	7.1	15.8	843	3.86	2.9	1.8	1.1	7.3	86	<0.1	0.2	<0.1	133
1400760	Rock Pulp	0.12	30	2.5	25.5	2.3	43	0.2	24.5	10.6	400	2.43	3.9	0.3	<0.5	0.9	35	0.2	0.2	<0.1	60
1400761	Rock Pulp	0.13	1467	9.0	50.9	6.1	51	0.3	34.8	9.9	486	3.37	7.0	0.3	1119	1.0	38	0.1	1.0	<0.1	68
1400762	Rock	3.24	3	2.7	28.9	3.1	54	<0.1	8.1	16.1	644	3.83	2.0	1.8	2.1	7.9	87	<0.1	0.1	<0.1	132
1400763	Rock	2.43	<2	2.7	27.6	3.6	58	<0.1	8.0	17.5	848	4.05	1.7	2.2	<0.5	7.7	86	<0.1	0.3	<0.1	136
1400764	Rock	2.60	4	2.1	27.8	4.8	92	0.1	7.7	18.1	1034	4.03	29.0	2.9	4.1	7.3	89	1.0	0.6	0.2	128
1400765	Rock	2.22	2	2.9	26.7	2.8	62	<0.1	8.7	18.5	807	4.31	1.6	2.1	0.9	7.2	102	<0.1	0.2	<0.1	144
1400766	Rock	2.11	48	2.7	32.7	4.3	62	0.2	7.8	18.2	658	4.49	170.0	2.0	24.1	7.1	69	0.1	1.5	1.1	137
1400767	Rock	1.58	4	3.2	27.4	2.9	54	<0.1	7.6	16.1	638	3.91	4.7	2.0	1.3	6.9	81	<0.1	0.1	0.2	132
1400768	Rock	2.85	<2	3.4	27.7	3.2	47	<0.1	7.5	14.5	482	3.42	2.8	1.4	1.1	6.5	69	<0.1	0.1	<0.1	118
1400769	Rock	1.86	<2	3.4	29.4	3.4	50	<0.1	7.7	15.2	527	3.55	2.1	1.6	0.6	6.9	76	<0.1	0.1	<0.1	124
1400770	Rock	2.68	<2	3.0	25.0	3.4	53	<0.1	8.0	15.9	653	3.83	2.2	2.2	0.7	7.7	92	<0.1	0.1	<0.1	127
1400771	Rock	2.97	9	3.8	29.7	2.8	59	<0.1	8.3	17.5	670	4.15	2.8	1.6	0.8	7.8	85	<0.1	<0.1	<0.1	141
1400772	Rock	3.04	4	3.1	29.1	3.1	130	0.1	8.2	18.2	732	4.25	37.3	2.7	2.9	7.6	94	1.0	0.2	0.1	139
1400773	Rock	2.33	2	2.9	32.1	2.8	71	<0.1	8.4	19.7	926	4.59	5.7	3.1	0.7	7.5	98	0.1	0.2	<0.1	144

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 14, 2012

CERTIFICATE OF ANALYSIS WHI12000063.3

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1400744	Rock	1.16	0.074	12	31	1.13	1155	0.287	<20	2.21	0.251	1.04	0.8	<0.01	0.5	<0.05	5.7	<0.5	6	<0.2
1400745	Rock	1.25	0.070	13	33	1.20	1070	0.279	<20	2.31	0.279	0.91	0.7	<0.01	0.4	<0.05	7.0	<0.5	6	<0.2
1400746	Rock	1.10	0.076	12	36	1.11	1163	0.293	<20	2.29	0.289	1.01	0.8	<0.01	0.4	<0.05	5.2	<0.5	6	<0.2
1400747	Rock	1.19	0.075	13	34	1.09	1140	0.297	<20	2.36	0.309	1.01	1.1	<0.01	0.4	<0.05	5.6	<0.5	6	<0.2
1400748	Rock	1.15	0.085	12	38	1.18	1275	0.324	<20	2.38	0.291	1.12	0.9	<0.01	0.5	<0.05	5.6	<0.5	6	<0.2
1400749	Rock	1.11	0.076	12	36	1.13	1219	0.310	<20	2.42	0.316	1.07	0.9	<0.01	0.4	<0.05	5.3	<0.5	6	<0.2
1400750	Rock	1.14	0.072	13	35	1.17	1182	0.301	<20	2.37	0.292	1.04	0.8	<0.01	0.4	<0.05	5.6	<0.5	6	<0.2
1400751	Rock	1.34	0.078	12	35	1.29	1173	0.288	<20	2.45	0.289	1.04	0.7	<0.01	0.5	0.05	7.0	<0.5	6	<0.2
1400752	Rock	1.93	0.079	16	31	1.69	1041	0.233	<20	2.71	0.137	0.98	0.4	0.02	0.5	0.08	10.6	<0.5	8	<0.2
1400753	Rock	1.18	0.075	13	34	1.29	1339	0.313	<20	2.48	0.303	1.11	0.8	<0.01	0.5	<0.05	6.7	<0.5	7	<0.2
1400754	Rock	1.18	0.083	14	38	1.26	1350	0.330	<20	2.49	0.306	1.14	1.0	<0.01	0.5	<0.05	5.9	<0.5	7	<0.2
1400755	Rock	1.45	0.075	13	34	1.23	1205	0.287	<20	2.38	0.276	1.00	0.7	<0.01	0.5	0.06	6.8	<0.5	7	<0.2
1400756	Rock	1.42	0.073	13	34	1.30	1106	0.278	<20	2.29	0.239	0.93	0.8	<0.01	0.4	<0.05	6.8	<0.5	6	<0.2
1400757	Rock	1.42	0.073	13	32	1.33	1167	0.282	<20	2.42	0.275	0.97	0.6	<0.01	0.4	<0.05	7.1	<0.5	7	<0.2
1400758	Rock	1.77	0.075	15	33	1.39	1052	0.247	<20	2.36	0.197	0.94	0.6	<0.01	0.4	0.10	10.1	<0.5	7	<0.2
1400759	Rock	1.46	0.076	14	33	1.38	1230	0.291	<20	2.48	0.259	1.04	0.7	<0.01	0.4	<0.05	9.1	<0.5	7	<0.2
1400760	Rock Pulp	0.85	0.058	4	32	0.78	90	0.129	<20	1.58	0.079	0.13	12.0	<0.01	<0.1	<0.05	4.1	<0.5	5	<0.2
1400761	Rock Pulp	0.89	0.059	5	36	0.84	106	0.141	<20	1.77	0.100	0.15	0.3	0.08	<0.1	<0.05	4.8	<0.5	6	<0.2
1400762	Rock	1.44	0.080	15	36	1.43	1223	0.289	<20	2.56	0.297	1.03	0.7	<0.01	0.4	0.06	7.9	<0.5	7	<0.2
1400763	Rock	1.85	0.074	15	34	1.56	1182	0.256	<20	2.59	0.254	0.99	0.5	<0.01	0.4	0.06	11.3	<0.5	7	<0.2
1400764	Rock	2.80	0.075	15	29	1.45	990	0.227	<20	2.43	0.167	0.92	0.4	<0.01	0.4	0.22	11.7	<0.5	7	<0.2
1400765	Rock	1.98	0.073	16	37	1.77	1176	0.264	<20	2.77	0.263	1.04	0.5	<0.01	0.4	<0.05	13.2	<0.5	7	<0.2
1400766	Rock	1.52	0.083	14	36	1.50	1203	0.281	<20	2.49	0.207	1.06	0.6	<0.01	0.5	0.45	9.1	<0.5	7	<0.2
1400767	Rock	1.62	0.075	13	36	1.46	1150	0.270	<20	2.49	0.262	1.00	0.7	<0.01	0.4	0.20	8.8	<0.5	7	<0.2
1400768	Rock	1.16	0.073	12	36	1.19	1166	0.294	<20	2.08	0.220	0.95	0.8	<0.01	0.4	<0.05	5.6	<0.5	6	<0.2
1400769	Rock	1.39	0.076	13	36	1.27	1219	0.299	<20	2.34	0.266	1.00	0.9	<0.01	0.4	<0.05	6.9	<0.5	7	<0.2
1400770	Rock	1.88	0.074	14	34	1.44	983	0.252	<20	2.56	0.269	0.91	0.7	0.01	0.4	0.06	9.3	<0.5	7	<0.2
1400771	Rock	1.69	0.083	14	39	1.59	1256	0.293	<20	2.66	0.275	1.05	0.9	0.01	0.5	<0.05	9.9	<0.5	7	<0.2
1400772	Rock	1.90	0.078	14	37	1.55	1170	0.277	<20	2.77	0.287	1.08	0.6	0.01	0.5	0.13	10.6	<0.5	7	<0.2
1400773	Rock	2.36	0.085	14	37	1.85	996	0.258	<20	2.75	0.202	1.01	0.5	0.03	0.4	0.09	13.0	<0.5	8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 14, 2012

CERTIFICATE OF ANALYSIS WHI12000063.3

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1400774	Rock	1.17	<2	3.1	32.2	2.2	76	<0.1	9.6	20.2	943	4.73	2.4	3.0	0.7	7.5	115	<0.1	<0.1	<0.1	154
1400775	Rock	0.77	5	2.7	30.6	2.1	73	<0.1	8.4	19.8	917	4.58	2.0	3.5	<0.5	7.5	107	<0.1	0.1	<0.1	149
1400776	Rock	1.97	5	2.9	24.5	3.1	140	<0.1	7.2	14.6	617	3.61	19.5	2.5	0.8	7.4	88	2.0	0.7	0.2	113
1400777	Rock	1.62	6	2.5	22.6	3.3	55	<0.1	7.3	16.3	843	3.73	16.6	4.0	1.5	7.7	91	<0.1	0.5	<0.1	108
1400778	Rock	2.26	2	2.8	26.9	2.8	58	<0.1	7.8	16.9	709	4.08	3.0	2.9	<0.5	6.4	81	0.1	0.2	<0.1	132
1400779	Rock	2.26	<2	3.9	28.3	3.0	48	<0.1	7.6	14.2	487	3.39	1.6	1.9	<0.5	7.6	61	<0.1	<0.1	<0.1	116
1400780	Rock Pulp	0.12	3	2.5	26.4	2.5	45	0.3	25.8	11.1	412	2.49	4.7	0.2	<0.5	0.9	36	0.2	0.2	<0.1	61
1400781	Rock Pulp	0.13	3975	10.2	72.7	532.6	1583	53.5	33.8	8.9	412	3.41	29.5	0.3	3327	1.1	31	15.3	45.3	0.8	58
1400782	Rock	2.21	2	3.5	28.7	3.6	52	0.1	7.9	15.4	550	3.68	3.2	1.9	1.7	8.0	75	<0.1	0.1	<0.1	127
1400783	Rock	2.87	22	3.0	30.1	3.0	57	<0.1	8.2	16.7	579	3.95	2.1	1.9	3.9	6.9	90	<0.1	0.4	<0.1	136
1400784	Rock	1.51	272	2.6	28.5	3.1	66	0.2	8.0	17.3	738	4.22	276.4	2.5	21.8	6.9	85	0.1	0.5	2.6	138
1400785	Rock	1.91	5	8.4	32.0	3.2	244	0.1	8.6	17.9	629	4.29	60.7	1.8	5.4	6.9	63	4.3	0.3	0.4	144
1400786	Rock	1.98	<2	2.9	24.4	3.1	54	<0.1	7.3	14.8	554	3.51	6.7	1.8	<0.5	7.7	73	<0.1	0.2	<0.1	119
1400787	Rock	2.16	<2	3.4	28.3	5.5	53	<0.1	8.4	15.7	595	3.78	2.7	2.1	3.0	7.3	79	0.1	0.2	<0.1	127
1400788	Rock	2.07	<2	3.5	34.0	4.1	55	<0.1	8.0	16.4	583	3.93	2.9	1.9	2.3	7.4	78	0.1	0.2	<0.1	133
1400789	Rock	2.96	36	2.8	29.2	4.1	53	<0.1	7.8	16.0	601	3.85	18.1	2.0	5.2	7.1	77	<0.1	0.4	0.2	125
1400790	Rock	1.76	17	2.5	31.3	3.6	54	<0.1	7.0	15.1	535	3.65	169.9	2.3	18.9	7.2	73	0.2	0.3	0.3	123
1400791	Rock	1.41	6	1.3	21.9	4.2	45	<0.1	8.1	12.5	452	2.98	12.7	1.6	2.3	10.1	49	<0.1	0.5	<0.1	88
1400792	Rock	2.90	<2	0.8	28.9	4.5	52	0.2	7.9	13.8	533	3.06	3.1	1.3	<0.5	9.2	57	<0.1	1.1	<0.1	96
1400793	Rock	1.36	<2	0.9	25.8	4.1	52	<0.1	6.6	13.6	529	3.17	0.9	1.7	<0.5	9.5	71	<0.1	2.4	<0.1	88
1400794	Rock	1.28	4	1.6	25.0	13.5	56	0.2	5.9	15.2	1153	3.63	16.9	5.3	4.3	6.9	94	0.1	4.3	<0.1	83
1400795	Rock	1.62	<2	0.7	22.5	4.9	53	<0.1	6.1	14.7	843	3.50	1.8	2.4	0.5	9.7	106	<0.1	2.9	<0.1	84
1400796	Rock	1.64	<2	1.5	21.2	3.2	50	<0.1	6.5	13.8	608	3.25	0.6	2.4	0.9	10.4	68	<0.1	0.4	<0.1	99
1400797	Rock	1.53	<2	3.0	20.4	3.2	49	<0.1	7.1	13.9	623	3.27	0.9	3.0	<0.5	11.2	65	<0.1	0.2	<0.1	101
1400798	Rock	1.50	3	1.9	22.0	3.3	47	<0.1	6.8	13.3	750	3.25	1.9	2.4	4.9	12.3	61	<0.1	0.4	<0.1	99
1400799	Rock	2.03	<2	1.5	24.8	3.5	42	<0.1	7.6	12.0	462	2.89	1.2	2.4	<0.5	12.0	50	<0.1	0.1	<0.1	95
1400800	Rock Pulp	0.12	<2	2.5	25.4	2.3	43	0.4	23.8	10.4	385	2.39	4.0	0.2	<0.5	0.8	33	0.2	0.2	<0.1	60
1400801	Rock Pulp	0.12	3911	9.8	71.3	515.5	1463	49.9	31.2	8.4	376	3.21	28.4	0.3	4032	1.1	28	14.4	45.2	0.6	56
1400802	Rock	1.72	<2	1.6	19.2	2.3	41	0.2	6.5	11.5	479	2.82	4.5	1.9	2.7	11.8	54	<0.1	0.2	<0.1	92
1400803	Rock	1.88	4	2.0	19.3	3.7	47	<0.1	6.8	12.6	1386	3.09	7.6	2.7	12.4	10.4	65	<0.1	1.0	<0.1	97

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 14, 2012

CERTIFICATE OF ANALYSIS WHI12000063.3

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1400774	Rock	2.51	0.074	14	43	1.91	1124	0.245	<20	2.90	0.231	1.01	0.6	0.02	0.5	0.07	16.3	<0.5	8	<0.2
1400775	Rock	2.41	0.071	13	41	1.85	1099	0.241	<20	2.78	0.215	0.99	0.5	0.01	0.4	0.06	15.9	<0.5	7	<0.2
1400776	Rock	1.67	0.070	14	31	1.27	884	0.221	<20	2.26	0.256	0.84	0.5	0.01	0.4	0.10	9.2	<0.5	6	<0.2
1400777	Rock	2.69	0.070	14	30	1.31	740	0.172	<20	2.18	0.165	0.74	0.5	0.08	0.3	0.07	8.9	<0.5	6	<0.2
1400778	Rock	1.88	0.074	15	35	1.52	1099	0.248	<20	2.55	0.225	0.95	0.6	0.01	0.4	0.06	9.9	<0.5	7	<0.2
1400779	Rock	1.10	0.076	13	38	1.16	1170	0.297	<20	2.13	0.233	0.96	1.1	0.01	0.4	<0.05	5.4	<0.5	6	<0.2
1400780	Rock Pulp	0.86	0.060	4	33	0.80	91	0.127	<20	1.61	0.079	0.13	12.6	<0.01	<0.1	<0.05	4.2	<0.5	5	<0.2
1400781	Rock Pulp	0.73	0.052	6	30	0.61	108	0.111	<20	1.24	0.080	0.11	2.1	0.22	1.1	0.36	4.2	<0.5	6	<0.2
1400782	Rock	1.32	0.077	14	38	1.30	1329	0.311	<20	2.49	0.298	1.05	0.9	<0.01	0.5	0.06	6.5	<0.5	7	<0.2
1400783	Rock	1.29	0.083	14	36	1.54	1399	0.316	<20	2.40	0.228	1.09	0.6	<0.01	0.5	<0.05	8.0	<0.5	7	<0.2
1400784	Rock	2.08	0.081	15	36	1.46	1154	0.271	<20	2.49	0.234	0.98	0.5	<0.01	0.4	0.12	10.6	<0.5	7	<0.2
1400785	Rock	1.39	0.089	13	38	1.56	1291	0.298	<20	2.42	0.205	1.05	0.7	<0.01	0.5	0.15	8.2	<0.5	7	<0.2
1400786	Rock	1.36	0.070	14	35	1.29	1150	0.280	<20	2.25	0.245	0.93	0.9	<0.01	0.4	0.06	7.1	<0.5	7	<0.2
1400787	Rock	1.61	0.073	14	35	1.31	974	0.275	<20	2.43	0.274	0.86	0.9	<0.01	0.4	<0.05	7.0	<0.5	7	<0.2
1400788	Rock	1.40	0.081	15	39	1.32	1284	0.318	<20	2.51	0.305	1.02	1.3	<0.01	0.4	0.05	6.8	<0.5	7	<0.2
1400789	Rock	1.44	0.073	15	35	1.33	1042	0.280	<20	2.44	0.275	0.88	0.9	<0.01	0.4	0.17	7.3	<0.5	7	<0.2
1400790	Rock	1.38	0.076	15	32	1.26	1016	0.294	<20	2.32	0.266	0.92	1.0	<0.01	0.4	0.05	7.0	<0.5	7	<0.2
1400791	Rock	0.80	0.064	15	23	0.99	711	0.213	<20	1.83	0.150	0.47	0.4	<0.01	0.3	<0.05	5.0	<0.5	6	<0.2
1400792	Rock	0.97	0.082	17	26	1.15	888	0.236	<20	1.99	0.166	0.58	0.3	<0.01	0.4	<0.05	5.7	<0.5	6	<0.2
1400793	Rock	1.17	0.063	17	21	0.93	750	0.176	<20	1.93	0.139	0.52	0.2	<0.01	0.4	<0.05	7.2	<0.5	6	<0.2
1400794	Rock	5.72	0.049	16	12	0.48	126	0.003	<20	1.06	0.006	0.18	<0.1	0.08	0.3	<0.05	12.7	<0.5	3	<0.2
1400795	Rock	3.16	0.057	20	18	0.81	266	0.023	<20	1.86	0.068	0.32	<0.1	0.01	0.3	<0.05	13.0	<0.5	6	<0.2
1400796	Rock	1.50	0.064	18	22	1.09	978	0.230	<20	1.97	0.186	0.87	0.2	<0.01	0.5	<0.05	8.0	<0.5	6	<0.2
1400797	Rock	1.60	0.064	18	23	1.12	1002	0.232	<20	2.00	0.199	0.84	0.3	<0.01	0.5	<0.05	8.0	<0.5	6	<0.2
1400798	Rock	1.35	0.062	20	25	1.11	988	0.225	<20	1.94	0.192	0.77	0.3	<0.01	0.5	<0.05	7.0	<0.5	6	<0.2
1400799	Rock	0.97	0.064	17	26	1.05	1050	0.269	<20	1.80	0.201	0.76	0.8	<0.01	0.4	<0.05	4.7	<0.5	6	<0.2
1400800	Rock Pulp	0.81	0.054	4	31	0.72	88	0.116	<20	1.43	0.075	0.12	12.1	0.01	<0.1	<0.05	3.8	<0.5	5	<0.2
1400801	Rock Pulp	0.66	0.048	5	27	0.57	99	0.103	<20	1.14	0.072	0.11	2.3	0.22	1.1	0.33	3.6	<0.5	6	0.2
1400802	Rock	0.97	0.063	17	24	1.01	1178	0.255	<20	1.74	0.204	0.77	0.5	<0.01	0.4	<0.05	4.8	<0.5	6	<0.2
1400803	Rock	1.45	0.058	18	24	1.05	913	0.219	<20	1.95	0.186	0.74	0.4	<0.01	0.5	<0.05	6.8	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 14, 2012

CERTIFICATE OF ANALYSIS WHI12000063.3

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1400804	Rock	1.61	<2	1.6	20.5	2.9	40	<0.1	6.1	10.8	417	2.67	3.9	2.1	10.4	10.5	50	<0.1	0.1	<0.1	91
1400805	Rock	1.61	<2	1.7	18.7	3.3	41	<0.1	6.3	11.7	461	2.85	3.9	2.8	6.7	9.5	55	<0.1	0.2	<0.1	96
1400806	Rock	1.68	<2	1.9	19.7	3.4	42	<0.1	7.5	12.2	488	3.06	3.5	2.2	4.1	9.9	60	<0.1	0.1	<0.1	102
1400807	Rock	1.52	<2	1.8	17.9	3.4	43	<0.1	7.1	12.6	532	3.07	0.9	2.5	3.4	8.4	61	<0.1	0.3	<0.1	97
1400808	Rock	1.65	<2	2.0	20.2	3.3	48	<0.1	7.0	13.3	585	3.22	1.0	3.4	1.9	10.5	66	<0.1	0.7	<0.1	93
1400809	Rock	1.46	19	1.5	19.6	3.8	54	0.1	6.9	15.3	699	3.66	108.6	3.1	21.1	10.3	88	<0.1	2.9	<0.1	97
1400810	Rock	1.81	<2	1.4	16.8	3.5	57	<0.1	5.6	15.3	1039	3.78	8.5	3.6	4.6	10.2	111	<0.1	3.8	<0.1	99
1400811	Rock	1.89	<2	1.1	18.4	6.7	57	<0.1	6.6	15.7	992	3.65	4.6	4.2	2.7	10.5	94	<0.1	4.4	<0.1	97
1400812	Rock	2.01	6	1.5	19.7	8.3	54	0.1	6.0	15.3	1468	3.66	19.0	4.5	6.5	8.4	134	<0.1	5.6	<0.1	79
1400813	Rock	1.67	<2	1.6	13.4	2.6	42	<0.1	6.3	12.5	541	2.96	1.0	3.0	1.6	11.0	57	<0.1	1.4	<0.1	87
1400814	Rock	1.60	<2	2.1	12.6	3.0	40	<0.1	6.4	11.4	471	2.79	0.7	2.6	0.6	11.3	53	<0.1	1.0	<0.1	91
1400815	Rock	1.84	<2	2.0	13.1	3.1	41	<0.1	7.0	12.0	503	3.04	0.9	2.5	1.0	10.9	63	<0.1	0.6	<0.1	94
1400816	Rock	1.85	<2	2.1	12.3	3.2	41	<0.1	6.3	11.8	473	2.98	1.0	2.3	0.9	10.6	63	<0.1	0.4	<0.1	94
1400817	Rock	1.27	<2	2.0	12.6	3.1	38	<0.1	6.0	11.0	439	2.77	0.9	2.3	<0.5	9.7	49	<0.1	0.4	<0.1	90
1400818	Rock	1.72	47	2.0	13.3	3.0	50	0.1	6.9	13.3	754	3.30	16.0	3.4	33.7	10.2	60	<0.1	2.6	0.1	89
1400819	Rock	1.73	<2	1.9	13.5	2.8	42	<0.1	6.4	12.3	541	2.95	3.7	2.0	1.9	10.6	51	<0.1	0.7	<0.1	93
1400820	Rock Pulp	0.12	10	2.6	24.7	2.2	42	0.3	24.1	10.4	381	2.32	4.4	0.2	<0.5	0.7	32	0.2	0.2	<0.1	57
1400821	Rock Pulp	0.12	3835	9.4	69.6	515.3	1457	50.8	30.3	8.3	378	3.12	27.2	0.3	3319	1.1	27	14.7	43.1	0.6	52
1400822	Rock	1.77	5	2.1	14.2	2.8	45	<0.1	6.7	12.1	470	2.95	1.2	2.3	<0.5	10.0	55	<0.1	0.5	<0.1	97
1400823	Rock	1.36	5	2.0	12.8	2.5	43	<0.1	6.7	11.5	431	2.87	0.9	2.3	<0.5	9.0	50	<0.1	0.3	<0.1	94
1400824	Rock	1.01	3	2.1	13.6	2.7	44	<0.1	7.0	11.8	460	2.94	0.9	2.5	<0.5	9.1	68	<0.1	0.2	<0.1	99
1400825	Rock	0.75	<2	2.1	13.2	2.5	43	<0.1	7.3	12.1	439	2.91	1.1	2.7	<0.5	9.4	55	<0.1	0.2	<0.1	97
1400826	Rock	1.56	<2	1.9	12.6	2.5	44	<0.1	6.5	12.0	444	2.98	0.8	2.4	<0.5	9.3	59	<0.1	0.2	<0.1	99
1400827	Rock	1.66	2	2.3	14.2	2.5	43	<0.1	6.8	12.5	468	3.07	1.4	2.2	<0.5	9.6	50	<0.1	0.3	<0.1	98
1400828	Rock	1.95	6	1.9	13.1	2.6	46	<0.1	6.3	12.7	773	3.16	2.9	2.5	3.7	9.6	69	<0.1	1.1	<0.1	97
1400829	Rock	1.65	3	2.1	13.0	2.6	46	<0.1	6.3	12.2	519	3.06	0.9	2.6	<0.5	10.5	59	<0.1	0.5	<0.1	94
1400830	Rock	1.64	3	1.8	11.8	2.6	44	<0.1	6.1	12.2	558	3.07	1.4	2.7	<0.5	11.4	52	<0.1	1.4	<0.1	92
1400831	Rock	1.45	7	1.2	9.7	4.2	43	<0.1	5.1	13.1	776	3.14	18.2	3.7	2.7	8.7	91	<0.1	4.9	<0.1	71
1400832	Rock	1.65	44	1.0	10.4	10.6	56	0.2	5.6	15.8	940	3.59	290.4	4.4	20.9	6.9	125	0.3	7.6	<0.1	60
1400833	Rock	2.15	158	1.4	14.4	34.7	109	0.8	5.6	15.4	1274	3.64	1768	3.8	163.2	9.4	128	0.9	13.5	<0.1	35

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 14, 2012

CERTIFICATE OF ANALYSIS WHI12000063.3

		Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
		Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1400804	Rock		0.86	0.061	15	23	0.92	925	0.263	<20	1.74	0.215	0.80	0.9	<0.01	0.5	<0.05	4.4	<0.5	5	<0.2
1400805	Rock		1.04	0.062	15	25	1.04	984	0.252	<20	1.82	0.208	0.81	0.5	<0.01	0.5	<0.05	4.7	<0.5	6	<0.2
1400806	Rock		1.06	0.062	15	29	1.12	991	0.260	<20	1.98	0.245	0.84	0.7	<0.01	0.5	<0.05	5.3	<0.5	6	<0.2
1400807	Rock		1.35	0.061	16	26	1.14	839	0.216	<20	1.80	0.179	0.68	0.5	<0.01	0.4	<0.05	6.5	<0.5	6	<0.2
1400808	Rock		1.49	0.061	18	26	1.10	635	0.157	<20	1.81	0.176	0.52	0.2	0.01	0.3	<0.05	7.9	<0.5	6	<0.2
1400809	Rock		2.06	0.063	19	22	1.10	560	0.113	<20	1.65	0.100	0.48	0.2	0.02	0.3	<0.05	11.8	<0.5	5	<0.2
1400810	Rock		2.63	0.056	22	20	1.25	738	0.136	<20	1.67	0.114	0.61	0.2	<0.01	0.3	<0.05	13.6	<0.5	5	<0.2
1400811	Rock		2.73	0.065	20	17	0.93	420	0.060	<20	1.27	0.047	0.39	<0.1	0.05	0.3	<0.05	15.4	<0.5	4	<0.2
1400812	Rock		4.72	0.062	17	14	1.34	244	0.024	<20	1.11	0.025	0.26	<0.1	0.03	0.3	<0.05	11.5	<0.5	3	<0.2
1400813	Rock		1.43	0.061	18	23	1.02	717	0.189	<20	1.75	0.156	0.61	0.3	<0.01	0.4	<0.05	6.7	<0.5	6	<0.2
1400814	Rock		1.04	0.060	18	26	1.00	906	0.252	<20	1.79	0.203	0.80	0.7	<0.01	0.5	<0.05	4.7	<0.5	5	<0.2
1400815	Rock		1.14	0.059	17	27	1.05	817	0.239	<20	1.96	0.255	0.74	0.7	<0.01	0.4	<0.05	5.6	<0.5	6	<0.2
1400816	Rock		1.10	0.057	17	27	1.03	819	0.255	<20	1.97	0.271	0.78	0.8	<0.01	0.5	<0.05	5.6	<0.5	6	<0.2
1400817	Rock		0.97	0.060	15	27	0.93	834	0.245	<20	1.73	0.213	0.77	0.9	<0.01	0.4	<0.05	4.6	<0.5	5	<0.2
1400818	Rock		1.16	0.060	18	25	0.87	825	0.207	<20	1.93	0.224	0.79	0.4	0.01	0.6	<0.05	6.9	<0.5	6	<0.2
1400819	Rock		1.07	0.061	15	28	1.00	919	0.252	<20	1.80	0.192	0.83	0.6	<0.01	0.5	<0.05	5.1	<0.5	6	<0.2
1400820	Rock Pulp		0.75	0.056	4	30	0.73	85	0.107	<20	1.45	0.070	0.12	11.9	0.02	<0.1	<0.05	3.7	<0.5	5	<0.2
1400821	Rock Pulp		0.62	0.049	5	28	0.56	97	0.093	<20	1.11	0.070	0.10	2.1	0.22	1.0	0.33	3.6	<0.5	6	<0.2
1400822	Rock		0.96	0.060	15	28	1.06	1102	0.284	<20	1.90	0.243	0.84	0.9	<0.01	0.5	<0.05	5.6	<0.5	6	<0.2
1400823	Rock		0.89	0.062	15	28	0.99	1083	0.274	<20	1.84	0.234	0.84	1.0	<0.01	0.5	<0.05	5.1	<0.5	6	<0.2
1400824	Rock		1.00	0.063	15	31	1.02	1148	0.293	<20	2.04	0.280	0.87	1.1	<0.01	0.5	<0.05	5.9	<0.5	6	<0.2
1400825	Rock		0.91	0.060	16	30	1.00	1186	0.283	<20	1.89	0.242	0.87	1.1	<0.01	0.5	<0.05	5.2	<0.5	6	<0.2
1400826	Rock		1.04	0.062	15	28	1.05	1177	0.280	<20	1.95	0.249	0.86	1.3	<0.01	0.5	<0.05	5.8	<0.5	6	<0.2
1400827	Rock		0.96	0.065	17	31	1.09	1156	0.290	<20	1.87	0.230	0.83	1.0	<0.01	0.5	<0.05	5.7	<0.5	6	<0.2
1400828	Rock		1.14	0.064	18	28	1.01	1141	0.263	<20	2.01	0.260	0.85	0.8	<0.01	0.6	0.09	7.2	<0.5	6	<0.2
1400829	Rock		1.17	0.061	16	28	1.04	1038	0.252	<20	1.94	0.239	0.75	0.9	<0.01	0.4	<0.05	6.5	<0.5	6	<0.2
1400830	Rock		1.34	0.058	19	26	1.06	835	0.211	<20	1.88	0.205	0.59	0.5	<0.01	0.3	<0.05	7.1	<0.5	6	<0.2
1400831	Rock		2.70	0.051	16	18	1.28	457	0.100	<20	1.40	0.110	0.40	0.3	0.02	0.3	0.12	7.9	<0.5	5	<0.2
1400832	Rock		3.54	0.062	14	13	1.10	310	0.026	<20	1.16	0.036	0.31	0.1	0.03	0.3	0.18	11.9	<0.5	3	<0.2
1400833	Rock		3.31	0.058	13	5	1.13	263	0.011	<20	0.88	0.033	0.29	0.3	0.03	0.3	0.42	8.8	<0.5	3	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 14, 2012

CERTIFICATE OF ANALYSIS WHI12000063.3

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1400834	Rock	1.52	3	2.1	14.9	2.6	51	<0.1	7.1	15.3	644	3.42	17.4	2.5	0.5	9.6	74	<0.1	1.6	<0.1	103
1400835	Rock	1.40	<2	2.1	13.1	2.2	52	<0.1	7.1	15.0	678	3.49	7.0	2.3	<0.5	9.1	53	<0.1	0.9	<0.1	106
1400836	Rock	1.05	<2	1.4	15.6	4.4	55	<0.1	6.7	15.5	800	3.50	13.0	3.5	<0.5	7.7	77	<0.1	6.4	<0.1	90
1400837	Rock	2.10	<2	3.0	32.9	2.3	48	<0.1	7.1	13.2	600	3.13	2.9	4.4	<0.5	9.8	49	<0.1	0.6	<0.1	96
1400838	Rock	1.79	<2	2.7	25.8	2.5	46	<0.1	6.6	12.8	617	3.11	1.8	4.2	<0.5	11.3	54	<0.1	0.4	<0.1	97
1400839	Rock	2.19	3	3.1	15.6	2.3	43	<0.1	7.4	12.3	499	2.98	2.9	3.3	<0.5	14.2	50	<0.1	0.6	<0.1	92
1400840	Rock Pulp	0.12	<2	2.4	22.7	2.0	43	0.3	24.1	11.2	385	2.40	4.3	0.2	<0.5	0.8	33	0.2	0.2	<0.1	59
1400841	Rock Pulp	0.12	1573	9.1	43.9	5.3	51	0.2	33.3	9.9	465	3.22	5.7	0.2	976.4	0.8	35	0.1	0.8	<0.1	66
1400842	Rock	1.91	3	3.2	13.0	2.5	42	<0.1	7.1	12.6	493	2.96	1.6	3.8	0.7	17.5	53	<0.1	0.4	<0.1	94
1400843	Rock	2.00	<2	3.0	11.8	2.5	40	<0.1	6.4	12.2	489	3.00	2.5	3.6	<0.5	22.9	62	<0.1	0.2	<0.1	96
1400844	Rock	1.92	<2	5.8	13.5	2.3	43	<0.1	7.3	12.5	504	3.02	0.6	3.3	<0.5	16.9	49	<0.1	0.1	<0.1	97

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 14, 2012

CERTIFICATE OF ANALYSIS WHI12000063.3

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1400834	Rock	1.62	0.065	18	30	1.24	998	0.202	<20	2.05	0.217	0.62	0.5	<0.01	0.4	<0.05	9.6	<0.5	7	<0.2
1400835	Rock	1.79	0.060	16	30	1.29	885	0.196	<20	2.01	0.157	0.63	0.5	<0.01	0.4	<0.05	8.3	<0.5	7	<0.2
1400836	Rock	2.30	0.059	19	21	0.97	485	0.094	<20	1.51	0.067	0.43	0.2	0.02	0.3	<0.05	12.3	<0.5	5	<0.2
1400837	Rock	1.22	0.057	15	29	1.11	902	0.245	<20	1.88	0.200	0.80	1.0	<0.01	0.5	0.06	7.0	<0.5	6	<0.2
1400838	Rock	1.16	0.059	14	30	1.08	957	0.260	<20	1.95	0.232	0.83	1.0	<0.01	0.5	0.07	6.5	<0.5	6	<0.2
1400839	Rock	1.04	0.055	23	30	0.98	996	0.258	<20	1.78	0.211	0.82	1.1	<0.01	0.5	0.07	5.8	<0.5	6	<0.2
1400840	Rock Pulp	0.81	0.053	4	33	0.77	92	0.116	<20	1.52	0.078	0.13	12.8	<0.01	<0.1	<0.05	4.4	<0.5	5	<0.2
1400841	Rock Pulp	0.83	0.060	5	36	0.81	103	0.134	<20	1.68	0.098	0.15	0.3	0.06	<0.1	<0.05	5.0	<0.5	6	<0.2
1400842	Rock	1.01	0.060	31	31	1.00	973	0.269	<20	1.85	0.238	0.81	1.3	<0.01	0.5	<0.05	5.6	<0.5	6	<0.2
1400843	Rock	1.10	0.058	45	31	1.01	929	0.274	<20	1.98	0.268	0.87	0.9	<0.01	0.5	<0.05	6.1	<0.5	6	<0.2
1400844	Rock	1.13	0.063	30	33	1.03	981	0.273	<20	1.87	0.216	0.84	1.1	<0.01	0.5	<0.05	6.3	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 14, 2012

QUALITY CONTROL REPORT WHI12000063.3

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
REP G1-WHI	QC			<0.1	2.1	2.5	45	<0.1	2.0	3.5	553	1.91	<0.5	2.1	2.5	5.6	59	<0.1	<0.1	<0.1	37
1400705	Rock	2.20	15	2.7	24.1	2.0	81	<0.1	7.4	17.0	745	4.03	170.8	1.7	14.8	8.2	92	<0.1	0.7	0.3	127
REP 1400705	QC		16																		
1400717	Rock	1.51	<2	2.0	27.7	3.1	89	<0.1	7.9	19.6	927	4.57	22.0	1.9	2.8	7.2	98	<0.1	0.3	<0.1	141
REP 1400717	QC			2.2	27.8	3.0	87	<0.1	8.2	19.0	924	4.49	21.8	1.9	1.5	7.2	95	<0.1	0.3	0.1	142
1400739	Rock	1.64	7	2.4	30.0	3.1	54	<0.1	7.4	15.2	518	3.54	4.2	1.6	4.6	7.0	80	<0.1	0.2	<0.1	121
REP 1400739	QC		<2																		
1400752	Rock	2.03	3	2.2	29.7	4.7	64	<0.1	7.8	19.1	738	4.48	4.7	3.5	5.4	6.7	66	<0.1	0.2	0.2	136
REP 1400752	QC			2.1	28.4	4.9	62	<0.1	7.8	18.1	721	4.37	4.8	3.4	4.2	6.5	65	<0.1	0.3	0.1	132
1400773	Rock	2.33	2	2.9	32.1	2.8	71	<0.1	8.4	19.7	926	4.59	5.7	3.1	0.7	7.5	98	0.1	0.2	<0.1	144
REP 1400773	QC		14																		
1400793	Rock	1.36	<2	0.9	25.8	4.1	52	<0.1	6.6	13.6	529	3.17	0.9	1.7	<0.5	9.5	71	<0.1	2.4	<0.1	88
REP 1400793	QC		<2																		
1400801	Rock Pulp	0.12	3911	9.8	71.3	515.5	1463	49.9	31.2	8.4	376	3.21	28.4	0.3	4032	1.1	28	14.4	45.2	0.6	56
REP 1400801	QC			10.3	72.0	523.6	1503	54.5	33.1	8.6	389	3.26	28.3	0.3	3783	1.1	28	15.0	44.4	0.7	56
1400827	Rock	1.66	2	2.3	14.2	2.5	43	<0.1	6.8	12.5	468	3.07	1.4	2.2	<0.5	9.6	50	<0.1	0.3	<0.1	98
REP 1400827	QC		3																		
1400830	Rock	1.64	3	1.8	11.8	2.6	44	<0.1	6.1	12.2	558	3.07	1.4	2.7	<0.5	11.4	52	<0.1	1.4	<0.1	92
REP 1400830	QC			1.9	11.8	2.5	44	<0.1	6.1	12.2	552	3.01	1.6	2.6	<0.5	11.5	52	<0.1	1.4	<0.1	91
Core Reject Duplicates																					
1400699	Rock	2.37	83	1.8	31.5	5.4	66	0.2	7.5	18.1	840	4.71	1473	2.5	72.0	8.1	129	<0.1	2.2	1.8	95
DUP 1400699	QC		101	1.6	30.2	5.1	65	0.2	7.2	17.9	835	4.59	1479	2.5	271.9	7.6	128	<0.1	2.0	1.8	91
1400734	Rock	1.63	99	2.1	26.7	6.3	64	0.2	7.4	17.9	812	4.11	1588	2.8	116.0	7.3	107	0.2	1.2	1.3	121
DUP 1400734	QC		100	1.9	25.7	6.0	61	0.2	6.9	17.2	773	3.99	1461	3.0	80.9	7.1	101	0.2	1.3	1.1	115
1400769	Rock	1.86	<2	3.4	29.4	3.4	50	<0.1	7.7	15.2	527	3.55	2.1	1.6	0.6	6.9	76	<0.1	0.1	<0.1	124
DUP 1400769	QC		<2	3.6	29.2	3.3	49	<0.1	8.0	15.1	527	3.59	2.0	1.7	<0.5	6.9	75	<0.1	<0.1	<0.1	124
1400804	Rock	1.61	<2	1.6	20.5	2.9	40	<0.1	6.1	10.8	417	2.67	3.9	2.1	10.4	10.5	50	<0.1	0.1	<0.1	91
DUP 1400804	QC		<2	1.8	20.9	3.0	40	<0.1	6.3	11.3	438	2.74	4.2	2.1	9.8	10.1	56	<0.1	0.1	<0.1	93

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 14, 2012

QUALITY CONTROL REPORT WHI12000063.3

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
REP G1-WHI	QC	0.48	0.076	14	6	0.48	156	0.132	<20	0.87	0.086	0.47	<0.1	<0.01	0.3	<0.05	2.4	<0.5	5	<0.2
1400705	Rock	1.81	0.079	15	27	1.45	1332	0.262	<20	2.29	0.218	1.02	0.6	<0.01	0.5	<0.05	12.4	<0.5	7	<0.2
REP 1400705	QC																			
1400717	Rock	2.36	0.075	15	31	1.66	1007	0.225	<20	2.74	0.210	0.94	0.3	0.01	0.4	<0.05	14.9	<0.5	8	<0.2
REP 1400717	QC	2.33	0.077	15	31	1.64	1022	0.223	<20	2.74	0.212	0.94	0.3	<0.01	0.5	0.06	15.1	<0.5	7	<0.2
1400739	Rock	1.24	0.076	14	32	1.34	1127	0.278	<20	2.44	0.290	0.90	0.7	<0.01	0.4	<0.05	6.8	<0.5	7	<0.2
REP 1400739	QC																			
1400752	Rock	1.93	0.079	16	31	1.69	1041	0.233	<20	2.71	0.137	0.98	0.4	0.02	0.5	0.08	10.6	<0.5	8	<0.2
REP 1400752	QC	1.89	0.076	15	31	1.64	986	0.231	<20	2.65	0.136	0.95	0.3	0.03	0.5	0.08	10.6	<0.5	8	<0.2
1400773	Rock	2.36	0.085	14	37	1.85	996	0.258	<20	2.75	0.202	1.01	0.5	0.03	0.4	0.09	13.0	<0.5	8	<0.2
REP 1400773	QC																			
1400793	Rock	1.17	0.063	17	21	0.93	750	0.176	<20	1.93	0.139	0.52	0.2	<0.01	0.4	<0.05	7.2	<0.5	6	<0.2
REP 1400793	QC																			
1400801	Rock Pulp	0.66	0.048	5	27	0.57	99	0.103	<20	1.14	0.072	0.11	2.3	0.22	1.1	0.33	3.6	<0.5	6	0.2
REP 1400801	QC	0.67	0.049	5	29	0.58	102	0.101	<20	1.16	0.075	0.11	2.1	0.19	1.1	0.34	3.9	<0.5	6	<0.2
1400827	Rock	0.96	0.065	17	31	1.09	1156	0.290	<20	1.87	0.230	0.83	1.0	<0.01	0.5	<0.05	5.7	<0.5	6	<0.2
REP 1400827	QC																			
1400830	Rock	1.34	0.058	19	26	1.06	835	0.211	<20	1.88	0.205	0.59	0.5	<0.01	0.3	<0.05	7.1	<0.5	6	<0.2
REP 1400830	QC	1.31	0.058	19	27	1.04	847	0.207	<20	1.80	0.196	0.59	0.5	<0.01	0.3	<0.05	6.8	<0.5	6	<0.2
Core Reject Duplicates																				
1400699	Rock	2.15	0.074	18	16	1.24	559	0.077	<20	1.40	0.136	0.52	0.1	0.08	0.5	<0.05	14.9	<0.5	5	<0.2
DUP 1400699	QC	2.11	0.069	16	16	1.21	556	0.078	<20	1.36	0.131	0.51	0.2	0.08	0.5	<0.05	15.0	<0.5	5	<0.2
1400734	Rock	2.47	0.069	14	27	1.56	861	0.196	<20	2.33	0.218	0.81	0.3	<0.01	0.4	0.08	11.3	<0.5	6	<0.2
DUP 1400734	QC	2.39	0.066	14	26	1.51	849	0.190	<20	2.20	0.203	0.78	0.3	<0.01	0.4	0.07	10.7	<0.5	6	<0.2
1400769	Rock	1.39	0.076	13	36	1.27	1219	0.299	<20	2.34	0.266	1.00	0.9	<0.01	0.4	<0.05	6.9	<0.5	7	<0.2
DUP 1400769	QC	1.38	0.077	14	37	1.27	1214	0.303	<20	2.31	0.255	1.01	0.9	<0.01	0.4	<0.05	6.8	<0.5	6	<0.2
1400804	Rock	0.86	0.061	15	23	0.92	925	0.263	<20	1.74	0.215	0.80	0.9	<0.01	0.5	<0.05	4.4	<0.5	5	<0.2
DUP 1400804	QC	0.94	0.062	15	25	0.96	953	0.261	<20	1.88	0.250	0.82	0.8	<0.01	0.5	<0.05	4.6	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 14, 2012

QUALITY CONTROL REPORT WHI12000063.3

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1400839	Rock	2.19	3	3.1	15.6	2.3	43	<0.1	7.4	12.3	499	2.98	2.9	3.3	<0.5	14.2	50	<0.1	0.6	<0.1	92
DUP 1400839	QC		3	2.7	16.0	2.3	45	<0.1	7.2	12.5	504	3.07	3.2	3.4	<0.5	14.7	50	<0.1	0.5	<0.1	95
Reference Materials																					
STD DS9	Standard			13.6	114.6	126.4	316	1.8	43.6	8.1	568	2.36	24.7	2.6	143.0	5.8	62	2.4	4.6	4.8	39
STD DS9	Standard			13.0	112.3	127.7	308	1.7	42.0	7.5	547	2.30	24.8	2.6	101.0	5.7	58	2.2	4.0	4.7	39
STD DS9	Standard			12.5	108.3	125.1	303	1.7	40.3	7.6	552	2.27	27.9	4.2	110.3	6.0	59	2.2	4.4	4.9	38
STD DS9	Standard			12.6	97.2	127.6	312	1.8	40.8	8.2	573	2.29	21.8	2.2	106.4	5.4	67	2.1	3.7	5.5	39
STD DS9	Standard			14.3	99.6	131.7	335	1.9	42.3	8.3	597	2.37	24.8	2.4	111.8	5.9	76	2.2	4.4	6.0	40
STD OREAS45CA	Standard			1.0	528.0	20.2	58	0.3	262.7	95.6	926	16.57	3.3	1.2	49.0	7.3	13	<0.1	<0.1	0.1	216
STD OREAS45CA	Standard			0.9	537.5	20.7	60	0.3	271.4	98.7	920	16.48	3.9	1.1	39.4	7.5	13	<0.1	<0.1	<0.1	227
STD OREAS45CA	Standard			1.1	501.6	19.8	60	0.2	247.4	95.4	898	16.22	3.7	1.1	76.6	7.2	13	<0.1	0.1	0.3	208
STD OREAS45CA	Standard			1.0	531.2	18.5	60	0.3	260.5	96.9	988	16.88	3.7	1.0	44.1	6.3	13	<0.1	<0.1	0.1	223
STD OREAS45CA	Standard			1.0	542.1	17.2	60	0.3	262.7	95.5	953	16.69	3.7	1.1	40.1	6.2	13	<0.1	0.1	0.1	216
STD OXC88	Standard		206																		
STD OXC88	Standard		198																		
STD OXC88	Standard		199																		
STD OXC88	Standard		200																		
STD OXC88	Standard		197																		
STD OXC88	Standard		196																		
STD OXG99	Standard		926																		
STD OXG99	Standard		922																		
STD OXG99	Standard		899																		
STD OXG99	Standard		968																		
STD OXG99	Standard		924																		
STD OXG99	Standard		959																		
STD OXG99 Expected			932																		
STD OXC88 Expected			203																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 14, 2012

QUALITY CONTROL REPORT WHI12000063.3

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
1400839	Rock	1.04	0.055	23	30	0.98	996	0.258	<20	1.78	0.211	0.82	1.1	<0.01	0.5	0.07	5.8	<0.5	6	<0.2
DUP 1400839	QC	1.05	0.058	22	30	1.01	1018	0.256	<20	1.86	0.219	0.85	1.0	<0.01	0.6	0.07	6.0	<0.5	6	<0.2
Reference Materials																				
STD DS9	Standard	0.71	0.077	13	128	0.62	316	0.108	<20	0.93	0.080	0.39	2.5	0.17	5.5	0.15	2.1	5.1	4	5.0
STD DS9	Standard	0.69	0.078	12	122	0.60	296	0.101	<20	0.91	0.079	0.38	2.8	0.19	5.3	0.17	2.0	5.2	4	5.1
STD DS9	Standard	0.69	0.076	13	121	0.59	300	0.105	<20	0.89	0.078	0.38	2.5	0.19	5.3	0.16	2.1	5.2	4	4.6
STD DS9	Standard	0.70	0.075	12	132	0.60	307	0.103	<20	0.92	0.080	0.39	2.9	0.19	5.4	0.17	2.4	5.1	5	5.0
STD DS9	Standard	0.73	0.082	14	141	0.62	344	0.108	<20	0.96	0.087	0.41	3.1	0.21	5.9	0.16	2.6	5.6	5	5.4
STD OREAS45CA	Standard	0.43	0.037	17	865	0.15	160	0.140	<20	3.86	0.010	0.08	<0.1	0.04	0.1	<0.05	45.0	<0.5	18	<0.2
STD OREAS45CA	Standard	0.43	0.035	17	841	0.14	158	0.140	<20	3.72	0.011	0.07	<0.1	0.03	0.1	<0.05	45.5	<0.5	19	<0.2
STD OREAS45CA	Standard	0.43	0.035	16	801	0.14	155	0.140	<20	3.67	0.010	0.08	<0.1	0.04	0.1	<0.05	44.2	<0.5	18	<0.2
STD OREAS45CA	Standard	0.46	0.038	16	914	0.14	163	0.155	<20	3.80	0.010	0.07	<0.1	0.03	0.1	<0.05	44.8	<0.5	21	<0.2
STD OREAS45CA	Standard	0.44	0.039	16	910	0.15	165	0.156	<20	3.90	0.008	0.07	<0.1	0.03	0.1	<0.05	45.9	<0.5	20	<0.2
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99 Expected																				
STD OXC88 Expected																				
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 14, 2012

QUALITY CONTROL REPORT WHI12000063.3

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.02	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	0.2	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	2.1	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank		<2																		
G1-WHI	Prep Blank		<2	<0.1	2.2	2.7	43	<0.1	2.4	3.7	558	1.90	<0.5	1.6	1.2	5.4	71	<0.1	<0.1	<0.1	36
G1-WHI	Prep Blank			0.1	2.2	2.5	45	<0.1	2.1	3.5	563	1.97	<0.5	1.5	3.8	5.5	56	<0.1	<0.1	<0.1	38

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 14, 2012

QUALITY CONTROL REPORT WHI12000063.3

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	2	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																				
G1-WHI	Prep Blank																			
G1-WHI	Prep Blank	0.55	0.073	13	5	0.50	158	0.132	<20	0.94	0.103	0.50	<0.1	<0.01	0.3	<0.05	2.6	<0.5	5	<0.2
G1-WHI	Prep Blank	0.47	0.074	13	6	0.49	152	0.120	<20	0.88	0.087	0.49	<0.1	<0.01	0.3	<0.05	2.2	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: May 31, 2012
Report Date: June 20, 2012
Page: 1 of 7

CERTIFICATE OF ANALYSIS WHI12000064.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET004
P.O. Number
Number of Samples: 161

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	147	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	161	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	161	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Dayna
Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000064.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1400845	Rock	1.92	<2	5.4	14.4	20.7	41	0.1	6.9	12.2	446	2.92	0.8	3.6	1.4	13.7	60	<0.1	0.2	<0.1	96
1400846	Rock	1.57	<2	3.8	15.5	3.3	42	<0.1	6.6	11.9	438	2.85	1.0	3.4	0.8	11.0	56	<0.1	0.1	<0.1	94
1400847	Rock	1.60	<2	3.2	15.8	11.8	40	<0.1	7.1	11.9	437	2.94	1.2	3.7	<0.5	11.1	59	<0.1	0.3	<0.1	97
1400848	Rock	1.29	<2	2.8	16.9	3.0	42	<0.1	7.0	12.4	448	2.98	0.8	2.1	<0.5	7.0	61	<0.1	0.2	<0.1	100
1400849	Rock	1.68	<2	3.4	19.1	9.8	41	<0.1	8.6	12.0	447	2.93	1.6	2.9	<0.5	8.3	67	<0.1	0.4	<0.1	98
1400850	Rock	2.08	<2	3.1	18.2	3.1	40	<0.1	6.6	11.6	429	2.78	2.3	3.9	<0.5	9.3	57	<0.1	0.4	<0.1	93
1400851	Rock	1.64	<2	4.7	15.5	6.9	39	<0.1	6.6	11.6	449	2.84	1.6	3.0	0.5	7.8	60	<0.1	0.4	<0.1	94
1400852	Rock	1.80	<2	5.8	16.5	2.5	38	<0.1	6.7	11.9	434	2.87	1.0	2.7	<0.5	8.7	57	<0.1	0.2	<0.1	97
1400853	Rock	1.53	<2	4.1	17.7	6.1	42	<0.1	6.7	12.6	478	3.06	0.9	2.9	<0.5	8.2	61	<0.1	0.2	<0.1	100
1400854	Rock	1.94	3	5.1	17.4	2.8	39	<0.1	6.9	12.3	431	2.91	0.6	3.7	<0.5	8.8	56	<0.1	<0.1	<0.1	97
1400855	Rock	1.81	<2	3.7	17.3	4.8	41	<0.1	6.6	12.0	451	2.92	0.7	3.0	<0.5	8.5	62	<0.1	<0.1	<0.1	97
1400856	Rock	1.26	<2	3.7	17.2	2.6	40	<0.1	6.1	12.2	437	2.94	0.7	2.6	<0.5	8.5	60	<0.1	<0.1	<0.1	100
1400857	Rock	1.35	<2	3.4	19.4	4.6	43	<0.1	7.2	12.1	457	2.98	0.8	2.8	<0.5	7.6	66	<0.1	0.2	<0.1	101
1400858	Rock	1.98	<2	3.4	19.3	2.6	40	<0.1	7.5	12.2	444	2.93	0.8	2.8	<0.5	7.9	62	<0.1	<0.1	<0.1	101
1400859	Rock	1.40	<2	3.1	19.5	4.2	40	<0.1	7.2	12.0	446	2.88	0.9	2.7	1.2	7.9	72	<0.1	0.1	<0.1	99
1400860	Rock Pulp	0.12	<2	2.5	24.5	2.2	42	0.3	24.1	10.5	389	2.35	4.4	0.2	25.6	0.9	40	0.2	0.2	<0.1	59
1400861	Rock Pulp	0.12	1487	8.0	46.6	5.7	49	0.2	31.5	9.0	460	3.15	6.2	0.3	1052	1.0	43	0.1	0.9	<0.1	64
1400862	Rock	1.93	2	2.4	26.9	3.0	43	<0.1	7.0	12.4	482	3.04	2.1	3.3	2.5	8.3	80	<0.1	0.2	<0.1	102
1400863	Rock	2.33	3	2.7	25.7	5.0	43	<0.1	6.7	12.3	454	3.03	3.1	2.7	0.8	8.7	70	<0.1	0.2	<0.1	101
1400864	Rock	1.92	<2	2.8	22.3	2.9	43	<0.1	7.0	12.7	450	3.02	1.5	2.6	2.0	7.7	72	<0.1	0.2	<0.1	102
1400865	Rock	2.33	<2	2.8	21.9	4.5	43	<0.1	7.4	12.7	449	3.08	1.4	2.7	0.9	9.3	70	<0.1	0.1	<0.1	104
1400866	Rock	2.09	<2	2.1	21.4	3.1	44	<0.1	6.3	11.8	442	2.89	0.6	1.9	0.5	7.6	59	<0.1	0.2	<0.1	94
1400867	Rock	2.04	<2	2.3	20.6	4.7	50	<0.1	7.6	13.2	551	3.16	1.4	2.6	<0.5	8.2	70	<0.1	0.2	<0.1	97
1400868	Rock	2.26	<2	1.9	12.2	4.4	60	<0.1	6.3	13.6	630	3.14	2.0	2.1	<0.5	7.7	54	<0.1	0.7	<0.1	79
1400869	Rock	1.39	<2	1.8	16.6	3.2	46	<0.1	6.7	12.9	479	3.02	0.5	2.7	<0.5	7.6	57	<0.1	<0.1	<0.1	100
1400870	Rock	1.91	<2	2.1	12.1	3.9	40	<0.1	6.4	12.2	450	2.88	0.6	3.0	<0.5	9.0	59	<0.1	<0.1	<0.1	95
1400871	Rock	1.39	<2	1.9	12.6	2.6	43	<0.1	6.2	12.5	459	2.95	0.8	2.8	0.5	9.2	58	<0.1	<0.1	<0.1	99
1400872	Rock	1.95	<2	2.0	13.7	3.3	45	<0.1	6.4	12.8	521	3.09	0.6	3.2	<0.5	10.3	74	<0.1	0.4	<0.1	98
1400873	Rock	1.91	<2	1.7	13.4	2.8	48	<0.1	6.6	14.6	605	3.33	0.7	3.1	<0.5	8.9	71	<0.1	0.6	<0.1	104
1400874	Rock	1.31	<2	1.7	13.9	3.5	46	<0.1	6.5	13.0	500	2.99	<0.5	2.3	<0.5	8.8	64	<0.1	0.2	<0.1	98

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000064.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1400845	Rock	0.91	0.062	21	31	0.99	879	0.294	<20	1.90	0.239	0.89	1.0	<0.01	0.4	<0.05	5.0	<0.5	6	<0.2
1400846	Rock	1.00	0.065	16	30	0.95	840	0.270	<20	1.76	0.218	0.83	1.2	<0.01	0.4	<0.05	4.9	<0.5	6	<0.2
1400847	Rock	0.94	0.068	16	31	0.98	899	0.286	<20	1.84	0.229	0.87	1.1	<0.01	0.4	<0.05	5.0	<0.5	6	<0.2
1400848	Rock	0.97	0.068	14	31	1.02	939	0.312	<20	1.93	0.237	0.95	1.0	<0.01	0.5	<0.05	5.0	<0.5	6	<0.2
1400849	Rock	1.00	0.064	14	35	1.00	873	0.287	<20	1.99	0.266	0.88	0.9	<0.01	0.4	<0.05	5.0	<0.5	6	<0.2
1400850	Rock	0.98	0.064	15	28	0.95	874	0.274	<20	1.72	0.202	0.84	0.8	<0.01	0.4	<0.05	4.9	<0.5	5	<0.2
1400851	Rock	1.05	0.062	14	28	1.00	859	0.270	<20	1.82	0.214	0.84	0.7	<0.01	0.5	<0.05	5.1	<0.5	6	<0.2
1400852	Rock	0.89	0.063	14	31	0.97	830	0.276	<20	1.81	0.225	0.86	1.0	<0.01	0.4	<0.05	4.7	<0.5	6	<0.2
1400853	Rock	1.10	0.064	14	32	1.02	835	0.272	<20	1.94	0.235	0.84	0.8	<0.01	0.4	<0.05	5.4	<0.5	6	<0.2
1400854	Rock	0.97	0.067	14	32	0.96	884	0.297	<20	1.83	0.222	0.83	1.0	<0.01	0.4	<0.05	4.9	<0.5	5	<0.2
1400855	Rock	1.03	0.069	15	30	0.99	812	0.271	<20	1.84	0.223	0.76	0.9	<0.01	0.3	<0.05	5.1	<0.5	6	<0.2
1400856	Rock	0.99	0.066	15	32	0.97	863	0.290	<20	1.90	0.239	0.85	1.0	<0.01	0.5	<0.05	4.9	<0.5	6	<0.2
1400857	Rock	1.06	0.064	14	32	1.01	856	0.282	<20	2.02	0.270	0.88	0.9	<0.01	0.4	<0.05	5.4	<0.5	6	<0.2
1400858	Rock	1.04	0.065	13	32	1.00	906	0.292	<20	1.95	0.246	0.90	1.0	<0.01	0.4	<0.05	5.3	<0.5	6	<0.2
1400859	Rock	1.12	0.065	14	33	0.97	823	0.276	<20	2.04	0.292	0.83	0.9	<0.01	0.4	<0.05	5.8	<0.5	6	<0.2
1400860	Rock Pulp	0.85	0.057	4	31	0.75	89	0.135	<20	1.55	0.084	0.13	11.3	<0.01	<0.1	<0.05	4.4	<0.5	5	<0.2
1400861	Rock Pulp	0.86	0.057	5	34	0.78	99	0.138	<20	1.69	0.106	0.15	0.3	0.05	<0.1	<0.05	4.7	<0.5	5	<0.2
1400862	Rock	1.20	0.068	15	29	1.02	849	0.275	<20	2.01	0.257	0.87	1.1	<0.01	0.4	<0.05	6.0	<0.5	6	<0.2
1400863	Rock	1.10	0.070	15	31	0.98	838	0.278	<20	2.04	0.282	0.84	2.2	<0.01	0.4	<0.05	5.8	<0.5	6	<0.2
1400864	Rock	1.10	0.069	15	31	1.00	889	0.299	<20	2.01	0.258	0.88	1.6	<0.01	0.4	<0.05	5.7	<0.5	6	<0.2
1400865	Rock	1.05	0.066	15	32	1.04	907	0.300	<20	2.07	0.263	0.86	1.2	<0.01	0.4	<0.05	5.5	<0.5	6	<0.2
1400866	Rock	1.07	0.066	14	30	0.96	800	0.265	<20	1.81	0.216	0.71	0.9	<0.01	0.3	<0.05	5.2	<0.5	6	<0.2
1400867	Rock	1.39	0.062	16	30	1.09	854	0.244	<20	1.98	0.239	0.74	0.9	<0.01	0.4	<0.05	7.2	<0.5	6	<0.2
1400868	Rock	1.63	0.065	15	27	1.22	330	0.153	<20	1.77	0.112	0.31	0.5	<0.01	0.2	<0.05	6.6	<0.5	6	<0.2
1400869	Rock	0.92	0.064	13	30	1.06	1003	0.316	<20	1.90	0.220	0.95	0.8	<0.01	0.5	<0.05	5.4	<0.5	6	<0.2
1400870	Rock	0.92	0.063	14	29	1.00	940	0.295	<20	1.83	0.227	0.89	0.9	<0.01	0.5	<0.05	5.2	<0.5	6	<0.2
1400871	Rock	0.90	0.058	15	29	1.05	998	0.296	<20	1.92	0.228	0.91	0.9	<0.01	0.4	<0.05	5.2	<0.5	6	<0.2
1400872	Rock	1.18	0.062	17	28	1.00	904	0.261	<20	1.96	0.235	0.86	0.7	<0.01	0.5	<0.05	7.3	<0.5	6	<0.2
1400873	Rock	1.23	0.059	16	27	1.08	939	0.256	<20	2.02	0.215	0.89	0.4	<0.01	0.4	<0.05	8.4	<0.5	6	<0.2
1400874	Rock	1.06	0.061	15	27	1.11	880	0.271	<20	1.94	0.217	0.86	0.6	<0.01	0.4	<0.05	6.6	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000064.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1400875	Rock	0.83	<2	1.7	13.6	2.9	44	<0.1	6.4	12.8	512	2.97	<0.5	2.5	0.5	8.8	63	<0.1	0.2	<0.1	97
1400876	Rock	2.27	<2	1.9	13.3	3.3	46	<0.1	6.1	12.4	489	2.93	<0.5	2.8	<0.5	8.1	59	<0.1	0.2	<0.1	94
1400877	Rock	2.01	<2	1.8	13.4	2.7	46	<0.1	6.0	12.6	530	3.05	<0.5	2.5	<0.5	8.2	54	<0.1	0.1	<0.1	100
1400878	Rock	2.43	<2	1.7	12.7	3.2	43	<0.1	5.6	11.6	454	2.87	<0.5	1.5	1.4	8.3	56	<0.1	0.2	<0.1	98
1400879	Rock	1.53	<2	2.0	16.2	2.9	40	<0.1	5.7	11.4	414	2.77	1.0	1.2	<0.5	8.2	54	<0.1	0.2	<0.1	94
1400880	Rock Pulp	0.12	4	2.3	23.6	2.2	41	0.2	21.9	9.8	375	2.26	4.2	0.2	1.1	0.9	35	0.2	0.3	<0.1	55
1400881	Rock Pulp	0.12	3791	9.4	65.0	455.4	1448	49.3	29.1	8.1	373	3.07	28.8	0.3	2441	1.0	29	14.5	48.4	0.9	50
1400882	Rock	1.66	<2	1.8	15.4	2.8	42	<0.1	5.4	11.2	408	2.72	0.7	1.4	<0.5	9.3	49	<0.1	0.2	<0.1	94
1400883	Rock	1.81	<2	2.4	15.6	2.9	40	<0.1	6.2	11.2	394	2.69	0.6	1.3	<0.5	9.2	48	<0.1	0.2	<0.1	86
1400884	Rock	1.59	<2	2.4	15.9	2.7	39	<0.1	5.8	10.9	394	2.66	0.8	1.7	0.9	9.2	54	<0.1	0.4	<0.1	89
1400885	Rock	2.45	<2	2.3	15.1	2.8	39	<0.1	6.3	10.4	399	2.69	0.7	4.7	<0.5	5.4	52	<0.1	0.3	<0.1	88
1400886	Rock	2.40	<2	3.0	74.5	2.9	40	0.1	7.6	12.7	451	2.85	<0.5	3.2	<0.5	7.7	53	<0.1	0.1	<0.1	90
1400887	Rock	2.09	<2	2.9	14.2	3.2	40	<0.1	6.9	11.1	433	2.76	0.7	4.1	<0.5	10.1	56	<0.1	<0.1	<0.1	90
1400888	Rock	1.45	<2	2.8	15.7	2.7	44	<0.1	6.9	12.3	517	2.98	1.1	3.2	<0.5	10.8	54	<0.1	0.2	<0.1	98
1400889	Rock	1.70	<2	3.0	13.7	2.7	41	<0.1	6.3	11.3	431	2.81	0.9	3.3	<0.5	11.8	49	<0.1	0.1	<0.1	94
1400890	Rock	1.85	<2	2.8	17.7	3.0	42	<0.1	6.5	12.1	453	2.93	1.0	3.5	<0.5	12.4	64	<0.1	0.2	<0.1	97
1400891	Rock	1.88	<2	2.9	14.2	2.7	41	<0.1	6.5	11.4	410	2.82	0.9	2.3	<0.5	11.0	47	<0.1	0.3	<0.1	93
1400892	Rock	2.24	<2	0.7	18.2	4.2	45	<0.1	6.7	11.6	472	2.74	4.2	1.5	<0.5	8.7	47	<0.1	1.0	<0.1	87
1400893	Rock	2.88	<2	0.6	19.3	3.0	48	<0.1	5.1	12.5	548	2.96	4.5	1.4	<0.5	10.2	43	<0.1	1.5	<0.1	95
1400894	Rock	1.15	<2	0.5	38.0	4.5	61	<0.1	5.7	15.4	685	3.46	3.5	1.3	<0.5	9.3	64	<0.1	2.5	<0.1	90
1400895	Rock	2.24	<2	1.6	43.1	9.1	69	0.1	6.8	13.3	698	3.33	7.3	2.6	<0.5	8.3	60	0.2	5.7	0.2	65
1400896	Rock	1.68	<2	6.2	51.7	9.3	67	0.3	6.7	9.5	915	3.04	3.1	2.4	1.8	11.8	68	<0.1	1.7	0.3	57
1400897	Rock	2.64	9	5.4	40.0	11.2	55	0.2	5.8	9.8	1077	2.77	13.0	3.2	9.0	12.3	50	0.1	2.8	0.4	45
1400898	Rock	1.44	<2	9.6	39.6	8.5	52	0.1	4.8	8.8	691	2.70	1.7	2.8	<0.5	13.5	71	<0.1	0.7	0.5	45
1400899	Rock	1.50	<2	2.6	19.5	15.3	58	0.2	4.6	7.7	1066	2.68	2.5	2.9	0.6	10.8	72	<0.1	0.7	0.4	49
1400900	Rock Pulp	0.12	3	2.4	24.1	2.3	42	0.7	23.1	10.0	394	2.34	4.6	0.3	0.8	0.9	37	0.3	0.3	<0.1	59
1400901	Rock Pulp	0.12	1536	8.8	47.8	6.0	49	0.3	31.5	9.1	474	3.20	6.7	0.3	2385	1.0	41	0.1	1.0	0.1	66
1400902	Rock	2.18	<2	2.3	17.1	12.7	54	0.2	4.2	7.8	675	2.49	3.7	3.6	3.2	9.1	77	0.1	0.9	0.3	45
1400903	Rock	1.58	<2	1.8	12.2	8.1	56	<0.1	5.6	8.7	669	2.87	3.4	1.9	3.2	10.6	75	<0.1	0.5	0.2	54
1400904	Rock	1.84	<2	2.3	30.1	3.9	46	<0.1	7.1	11.4	574	2.93	3.3	2.3	1.6	10.7	76	<0.1	0.3	0.1	71

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000064.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1400875	Rock	1.11	0.062	16	27	1.11	872	0.261	<20	1.91	0.213	0.85	0.6	<0.01	0.4	<0.05	6.6	<0.5	6	<0.2
1400876	Rock	0.97	0.062	14	28	1.07	826	0.260	<20	1.89	0.219	0.82	0.6	<0.01	0.4	<0.05	5.6	<0.5	6	<0.2
1400877	Rock	1.27	0.063	14	28	1.09	787	0.249	<20	1.86	0.193	0.81	0.5	<0.01	0.4	<0.05	7.0	<0.5	6	<0.2
1400878	Rock	1.09	0.062	13	26	1.04	927	0.273	<20	1.83	0.202	0.89	0.5	<0.01	0.4	<0.05	5.5	<0.5	6	<0.2
1400879	Rock	0.95	0.060	13	27	0.98	981	0.281	<20	1.81	0.215	0.84	1.0	<0.01	0.4	<0.05	4.8	<0.5	5	<0.2
1400880	Rock Pulp	0.76	0.059	4	29	0.73	88	0.108	<20	1.47	0.076	0.12	12.2	0.02	<0.1	<0.05	4.3	<0.5	5	<0.2
1400881	Rock Pulp	0.64	0.050	5	26	0.54	99	0.095	<20	1.13	0.074	0.10	2.2	0.19	1.0	0.32	4.0	<0.5	6	<0.2
1400882	Rock	0.85	0.063	13	26	0.96	903	0.270	<20	1.73	0.190	0.81	1.0	<0.01	0.4	<0.05	4.6	<0.5	5	<0.2
1400883	Rock	0.86	0.066	14	30	0.91	746	0.241	<20	1.60	0.171	0.67	1.0	<0.01	0.4	<0.05	4.1	<0.5	5	<0.2
1400884	Rock	0.92	0.063	13	28	0.90	834	0.260	<20	1.67	0.191	0.77	1.3	<0.01	0.4	<0.05	4.4	<0.5	5	<0.2
1400885	Rock	1.03	0.062	9	28	0.89	898	0.258	<20	1.71	0.207	0.80	1.1	<0.01	0.4	<0.05	4.4	<0.5	5	<0.2
1400886	Rock	0.99	0.060	13	31	0.95	862	0.251	<20	1.77	0.214	0.81	1.0	<0.01	0.4	<0.05	5.1	<0.5	6	<0.2
1400887	Rock	0.88	0.062	14	30	0.96	947	0.261	<20	1.87	0.239	0.86	1.1	<0.01	0.5	<0.05	5.0	<0.5	6	<0.2
1400888	Rock	1.29	0.068	18	30	1.03	920	0.264	<20	1.90	0.206	0.84	1.5	<0.01	0.5	<0.05	6.6	<0.5	6	<0.2
1400889	Rock	0.84	0.065	17	29	0.97	978	0.276	<20	1.77	0.205	0.90	1.7	<0.01	0.5	<0.05	4.7	<0.5	6	<0.2
1400890	Rock	1.03	0.063	17	31	1.00	990	0.274	<20	2.04	0.276	0.88	1.3	<0.01	0.5	<0.05	5.6	<0.5	6	<0.2
1400891	Rock	0.82	0.062	14	30	0.95	999	0.277	<20	1.74	0.192	0.87	1.0	<0.01	0.5	<0.05	4.4	<0.5	5	<0.2
1400892	Rock	0.73	0.066	14	22	0.99	821	0.199	<20	1.96	0.160	0.52	0.3	<0.01	0.3	<0.05	5.8	<0.5	6	<0.2
1400893	Rock	0.74	0.067	18	20	1.02	1032	0.228	<20	1.92	0.158	0.75	0.3	<0.01	0.4	<0.05	7.2	<0.5	6	<0.2
1400894	Rock	1.79	0.066	19	19	1.09	478	0.079	<20	2.02	0.090	0.38	0.2	<0.01	0.3	<0.05	11.8	<0.5	6	<0.2
1400895	Rock	2.77	0.061	17	14	0.50	197	0.012	<20	1.32	0.017	0.22	<0.1	0.05	0.2	<0.05	11.9	<0.5	4	<0.2
1400896	Rock	2.14	0.079	27	11	0.68	471	0.069	<20	1.29	0.047	0.43	0.3	0.01	0.4	<0.05	8.4	<0.5	5	<0.2
1400897	Rock	1.83	0.067	26	9	0.67	399	0.032	<20	0.96	0.009	0.29	0.1	0.05	0.3	<0.05	7.7	<0.5	3	<0.2
1400898	Rock	1.88	0.067	28	7	0.67	371	0.034	<20	0.85	0.011	0.24	0.1	0.02	0.2	<0.05	7.7	<0.5	3	<0.2
1400899	Rock	2.27	0.062	20	8	0.91	514	0.048	<20	0.98	0.009	0.31	0.1	0.01	0.3	<0.05	7.9	<0.5	3	<0.2
1400900	Rock Pulp	0.84	0.056	4	31	0.75	92	0.127	<20	1.55	0.082	0.13	12.0	0.01	<0.1	<0.05	4.5	<0.5	5	<0.2
1400901	Rock Pulp	0.87	0.057	5	34	0.80	101	0.136	<20	1.73	0.109	0.15	0.4	0.07	<0.1	<0.05	5.1	<0.5	6	<0.2
1400902	Rock	2.44	0.059	16	7	0.95	322	0.018	<20	0.86	0.008	0.17	<0.1	0.04	0.2	<0.05	7.6	<0.5	3	<0.2
1400903	Rock	1.96	0.069	23	10	1.00	606	0.111	<20	1.30	0.023	0.53	0.2	<0.01	0.4	<0.05	8.2	<0.5	5	<0.2
1400904	Rock	1.47	0.065	21	17	0.99	707	0.157	<20	1.61	0.128	0.68	0.4	<0.01	0.4	<0.05	7.8	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000064.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1400905	Rock	1.70	<2	2.6	31.5	2.7	51	<0.1	7.3	14.5	697	3.29	1.1	3.4	0.7	8.6	86	<0.1	0.2	<0.1	96
1400906	Rock	1.52	<2	2.3	21.5	3.2	43	<0.1	7.1	11.9	487	2.91	1.0	3.2	1.2	12.5	62	<0.1	0.2	<0.1	93
1400907	Rock	2.38	<2	2.5	19.0	3.3	44	<0.1	7.3	11.8	491	2.97	0.9	3.1	<0.5	11.2	70	<0.1	0.1	<0.1	98
1400908	Rock	1.56	<2	2.2	16.9	3.2	44	<0.1	7.0	11.9	518	2.98	1.2	3.3	<0.5	10.5	65	<0.1	0.2	<0.1	99
1400909	Rock	2.02	<2	2.3	18.3	3.2	48	<0.1	7.5	12.6	764	3.16	3.2	2.7	3.5	10.3	71	<0.1	1.2	<0.1	95
1400910	Rock	2.01	<2	1.7	16.8	3.2	46	<0.1	6.4	12.2	706	3.03	2.1	2.3	1.4	10.2	78	<0.1	1.0	<0.1	95
1400911	Rock	2.08	<2	1.5	16.9	3.1	48	<0.1	6.2	12.9	567	3.15	2.3	2.7	0.8	12.2	93	<0.1	1.3	<0.1	98
1400912	Rock	1.77	21	1.4	20.3	5.0	57	<0.1	6.0	13.7	702	3.26	15.9	3.3	18.2	10.6	71	<0.1	4.0	<0.1	91
1400913	Rock	1.72	20	1.1	6.0	6.3	55	0.1	5.3	13.1	1357	3.59	12.1	5.6	22.5	7.6	93	0.1	2.8	<0.1	55
1400914	Rock	2.15	<2	1.5	12.9	2.8	59	<0.1	6.7	15.0	810	3.63	1.9	2.5	1.4	10.1	91	<0.1	0.7	<0.1	97
1400915	Rock	1.92	<2	2.0	15.7	2.9	57	<0.1	7.1	15.1	782	3.66	1.4	2.9	0.9	9.3	92	<0.1	0.3	<0.1	99
1400916	Rock	1.61	<2	2.1	18.4	3.4	51	<0.1	6.7	13.5	645	3.31	1.2	2.7	1.2	10.6	75	<0.1	0.4	<0.1	85
1400917	Rock	2.32	<2	2.3	18.9	3.1	47	<0.1	7.4	13.2	561	3.23	1.5	2.9	0.7	9.8	63	<0.1	0.3	<0.1	95
1400918	Rock	1.55	<2	2.7	21.0	3.3	44	<0.1	7.2	11.9	483	3.07	3.4	2.5	<0.5	11.4	61	<0.1	0.2	<0.1	95
1400919	Rock	2.21	<2	2.5	19.6	3.2	43	<0.1	7.4	11.5	468	2.99	1.3	2.3	<0.5	10.5	56	<0.1	0.3	<0.1	94
1400920	Rock Pulp	0.12	<2	2.5	25.6	2.3	44	0.2	24.2	10.6	420	2.50	4.9	0.2	<0.5	0.9	37	0.2	0.3	<0.1	61
1400921	Rock Pulp	0.12	4019	9.7	71.0	514.0	1558	55.6	32.0	8.9	405	3.36	30.5	0.3	2868	1.1	32	15.7	45.8	0.7	55
1400922	Rock	2.14	9	2.8	19.5	2.8	59	0.3	7.3	12.0	601	3.11	7.7	2.5	7.2	9.3	56	<0.1	1.5	<0.1	96
1400923	Rock	1.71	<2	2.2	19.1	3.2	47	<0.1	6.9	11.8	552	2.98	4.3	2.9	<0.5	10.3	59	<0.1	0.9	<0.1	94
1400924	Rock	0.95	<2	2.6	20.3	3.1	43	<0.1	7.0	11.8	467	2.98	1.7	2.6	<0.5	12.2	56	<0.1	0.3	<0.1	92
1400925	Rock	0.81	<2	2.5	20.6	3.0	42	<0.1	6.7	11.5	454	2.88	2.0	2.6	0.7	11.8	57	<0.1	0.3	<0.1	91
1400926	Rock	2.06	<2	2.3	22.5	2.9	41	<0.1	6.8	12.0	457	2.93	0.7	2.8	<0.5	11.8	52	<0.1	0.2	0.1	93
1400927	Rock	1.68	<2	2.9	22.8	3.3	43	<0.1	6.8	11.9	616	2.99	2.5	2.8	0.6	11.4	53	<0.1	0.5	<0.1	91
1400928	Rock	2.04	<2	2.5	19.4	3.2	44	<0.1	7.2	11.6	450	2.97	1.1	2.1	<0.5	9.4	48	<0.1	0.2	<0.1	94
1400929	Rock	2.15	<2	2.3	19.6	3.3	48	<0.1	6.7	13.5	560	3.29	3.1	2.7	1.0	6.8	59	<0.1	0.5	<0.1	96
1400930	Rock	1.66	<2	3.7	102.0	3.2	42	0.1	7.3	11.4	466	2.88	3.5	3.7	1.8	15.4	48	<0.1	0.6	<0.1	80
1400931	Rock	1.52	<2	2.5	16.0	3.4	41	<0.1	6.1	10.8	438	2.80	1.6	2.8	1.0	12.5	44	<0.1	0.2	<0.1	87
1400932	Rock	1.88	<2	2.8	18.3	3.1	42	<0.1	6.8	11.5	433	2.90	1.3	2.4	<0.5	10.2	44	<0.1	0.1	<0.1	91
1400933	Rock	1.60	<2	2.6	20.5	2.7	43	<0.1	6.6	12.6	488	3.03	1.3	2.7	<0.5	11.4	49	<0.1	0.2	<0.1	96
1400934	Rock	1.68	<2	2.7	20.8	3.1	44	<0.1	6.4	12.1	496	3.01	25.3	3.2	1.6	9.9	54	<0.1	0.8	<0.1	90

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000064.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1400905	Rock	1.67	0.072	17	25	1.21	802	0.176	<20	1.80	0.168	0.65	0.3	<0.01	0.4	<0.05	10.9	<0.5	6	<0.2
1400906	Rock	1.10	0.067	19	27	1.07	927	0.239	<20	1.79	0.203	0.77	0.8	<0.01	0.4	<0.05	6.0	<0.5	6	<0.2
1400907	Rock	1.15	0.067	17	28	1.09	1031	0.242	<20	1.89	0.229	0.83	0.8	<0.01	0.5	<0.05	6.5	<0.5	6	<0.2
1400908	Rock	1.07	0.065	17	27	1.12	1040	0.249	<20	1.84	0.199	0.86	1.4	<0.01	0.5	<0.05	6.7	<0.5	6	<0.2
1400909	Rock	1.28	0.063	16	25	1.03	968	0.216	<20	1.92	0.206	0.81	0.5	<0.01	0.6	<0.05	7.8	<0.5	6	<0.2
1400910	Rock	1.56	0.061	18	23	1.06	889	0.189	<20	1.83	0.164	0.70	0.3	<0.01	0.4	<0.05	8.4	<0.5	6	<0.2
1400911	Rock	1.40	0.062	18	22	1.09	1062	0.211	<20	2.04	0.204	0.78	0.2	0.01	0.4	<0.05	9.7	<0.5	6	<0.2
1400912	Rock	1.50	0.062	18	19	0.91	789	0.143	<20	1.55	0.100	0.64	0.2	0.03	0.5	<0.05	11.0	<0.5	5	<0.2
1400913	Rock	4.04	0.055	16	12	1.61	284	0.016	<20	0.80	0.031	0.28	<0.1	0.04	0.4	<0.05	9.3	<0.5	2	<0.2
1400914	Rock	1.95	0.062	20	23	1.31	720	0.130	<20	1.70	0.137	0.56	0.2	<0.01	0.4	<0.05	13.7	<0.5	6	<0.2
1400915	Rock	2.10	0.061	19	23	1.30	881	0.172	<20	1.71	0.143	0.72	0.2	<0.01	0.4	<0.05	13.9	<0.5	6	<0.2
1400916	Rock	1.74	0.067	18	26	1.15	427	0.104	<20	1.56	0.115	0.31	0.3	<0.01	0.2	<0.05	9.0	<0.5	5	<0.2
1400917	Rock	1.33	0.070	16	29	1.13	819	0.208	<20	1.83	0.191	0.73	0.8	<0.01	0.4	<0.05	7.1	<0.5	6	<0.2
1400918	Rock	1.03	0.071	17	31	1.05	1177	0.260	<20	1.84	0.221	0.88	1.2	<0.01	0.5	<0.05	5.5	<0.5	6	<0.2
1400919	Rock	0.99	0.065	18	30	1.04	967	0.257	<20	1.82	0.214	0.86	1.2	<0.01	0.5	<0.05	5.3	<0.5	6	<0.2
1400920	Rock Pulp	0.86	0.060	4	32	0.80	97	0.124	<20	1.60	0.081	0.13	12.5	<0.01	<0.1	<0.05	4.5	<0.5	5	<0.2
1400921	Rock Pulp	0.71	0.052	6	28	0.60	110	0.103	<20	1.21	0.080	0.11	2.4	0.21	1.1	0.36	4.3	<0.5	6	<0.2
1400922	Rock	1.22	0.065	16	30	1.09	862	0.224	<20	1.79	0.177	0.76	0.9	<0.01	0.4	<0.05	7.0	<0.5	5	<0.2
1400923	Rock	1.09	0.065	17	29	1.05	976	0.246	<20	1.87	0.218	0.85	0.8	<0.01	0.5	<0.05	5.9	<0.5	6	<0.2
1400924	Rock	0.97	0.066	18	30	0.98	953	0.263	<20	1.79	0.213	0.89	1.2	<0.01	0.5	<0.05	5.2	<0.5	5	<0.2
1400925	Rock	0.98	0.066	18	29	0.97	919	0.252	<20	1.82	0.228	0.87	1.2	<0.01	0.5	<0.05	5.2	<0.5	6	<0.2
1400926	Rock	0.86	0.068	16	29	1.02	1157	0.281	<20	1.78	0.203	0.89	1.2	<0.01	0.6	<0.05	4.5	<0.5	5	<0.2
1400927	Rock	0.89	0.066	17	30	1.03	922	0.254	<20	1.75	0.194	0.77	1.2	<0.01	0.5	<0.05	5.5	<0.5	6	<0.2
1400928	Rock	0.85	0.067	14	31	1.04	887	0.266	<20	1.75	0.199	0.83	1.4	<0.01	0.5	<0.05	5.0	<0.5	6	<0.2
1400929	Rock	1.67	0.069	11	30	1.08	822	0.235	<20	1.90	0.190	0.80	0.8	<0.01	0.5	<0.05	7.2	<0.5	6	<0.2
1400930	Rock	1.36	0.053	16	27	0.93	619	0.186	<20	1.55	0.155	0.57	1.0	<0.01	0.3	<0.05	5.8	<0.5	5	<0.2
1400931	Rock	1.08	0.061	16	30	0.98	663	0.230	<20	1.61	0.163	0.57	1.2	<0.01	0.3	<0.05	4.7	<0.5	5	<0.2
1400932	Rock	0.92	0.063	13	31	0.96	861	0.256	<20	1.64	0.172	0.71	1.2	<0.01	0.4	<0.05	4.3	<0.5	5	<0.2
1400933	Rock	1.24	0.066	15	31	1.08	748	0.230	<20	1.73	0.170	0.64	1.0	<0.01	0.4	<0.05	5.8	<0.5	6	<0.2
1400934	Rock	1.35	0.062	15	27	1.01	758	0.212	<20	1.71	0.169	0.70	0.9	<0.01	0.4	<0.05	6.2	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000064.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1400935	Rock	2.11	<2	3.1	22.0	2.9	43	<0.1	7.2	11.8	422	2.92	1.1	2.3	0.6	9.3	53	<0.1	<0.1	<0.1	95
1400936	Rock	1.90	<2	2.9	21.8	3.1	43	<0.1	7.2	12.3	440	3.07	1.3	2.3	0.6	8.1	50	<0.1	0.1	<0.1	100
1400937	Rock	2.06	<2	3.2	20.4	3.0	43	<0.1	7.2	12.4	471	3.09	1.9	2.9	<0.5	8.1	53	<0.1	0.2	<0.1	99
1400938	Rock		<2	3.0	21.4	3.1	43	<0.1	6.9	12.5	446	3.07	1.4	2.6	<0.5	8.3	52	<0.1	0.1	<0.1	97
1400939	Rock	1.50	<2	2.3	31.2	4.6	50	<0.1	7.1	13.7	575	3.21	4.1	2.7	<0.5	9.0	49	<0.1	0.8	<0.1	82
1400940	Rock Pulp	0.12	<2	2.4	24.3	2.2	42	0.5	23.6	10.2	389	2.36	4.7	0.2	<0.5	0.8	34	0.2	0.2	<0.1	58
1400941	Rock Pulp	0.12	1365	8.6	48.4	5.5	49	0.2	30.9	9.1	458	3.15	6.6	0.2	918.0	0.9	37	0.1	0.9	<0.1	63
1400942	Rock	2.19	28	2.7	21.4	3.8	45	<0.1	6.5	12.9	539	3.15	292.2	2.9	38.1	10.4	54	<0.1	1.1	<0.1	85
1400943	Rock	2.08	3	3.2	24.6	2.6	45	<0.1	6.9	12.8	479	3.18	20.7	2.3	1.3	8.6	57	<0.1	0.3	<0.1	102
1400944	Rock	2.09	<2	3.2	24.7	2.8	44	<0.1	7.5	12.7	437	3.07	4.3	1.8	1.7	7.9	53	<0.1	0.1	<0.1	102
1400945	Rock	2.19	<2	3.0	21.7	3.0	42	<0.1	7.1	12.0	430	3.00	4.4	2.3	<0.5	9.7	50	<0.1	0.3	<0.1	98
1400946	Rock	2.20	<2	3.2	20.5	3.1	46	<0.1	7.1	12.9	491	3.18	4.4	1.9	1.1	7.9	56	<0.1	0.3	<0.1	103
1400947	Rock	1.93	<2	3.0	19.0	3.6	45	<0.1	6.8	13.2	480	3.11	3.4	2.2	1.1	8.2	52	<0.1	0.4	<0.1	95
1400948	Rock	1.74	<2	3.5	17.1	3.4	44	<0.1	6.6	12.4	444	3.02	1.8	1.9	<0.5	7.9	59	<0.1	0.3	<0.1	99
1400949	Rock	1.57	<2	3.6	21.7	3.0	44	<0.1	8.2	12.4	464	3.13	1.1	2.2	<0.5	7.8	65	<0.1	0.2	<0.1	101
1400950	Rock	1.97	<2	2.7	21.1	3.3	48	<0.1	7.1	13.5	541	3.37	1.6	2.6	<0.5	8.7	65	<0.1	0.4	<0.1	105
1400951	Rock	2.18	<2	3.0	19.5	2.7	43	<0.1	6.9	12.3	455	3.12	0.9	2.2	<0.5	9.0	58	<0.1	<0.1	<0.1	105
1400952	Rock	2.25	<2	2.9	20.8	3.0	42	<0.1	6.8	12.6	455	3.08	0.9	2.4	<0.5	10.1	60	<0.1	0.3	<0.1	100
1400953	Rock	1.84	<2	2.7	20.3	3.6	45	<0.1	6.8	13.0	478	3.17	1.4	2.4	<0.5	9.2	56	<0.1	0.4	<0.1	96
1400954	Rock	1.97	<2	2.7	18.9	3.2	44	<0.1	6.9	12.4	447	3.03	1.1	2.0	<0.5	9.4	57	<0.1	0.4	<0.1	98
1400955	Rock	2.34	<2	3.1	19.5	3.0	42	<0.1	7.1	12.4	443	3.12	0.8	2.0	<0.5	8.4	59	<0.1	0.2	<0.1	105
1400956	Rock	2.13	<2	2.6	18.5	3.1	43	<0.1	6.9	12.7	473	3.09	2.1	2.5	<0.5	9.0	70	<0.1	0.3	<0.1	101
1400957	Rock	2.19	<2	2.6	17.5	3.3	44	<0.1	6.5	12.4	482	3.08	2.7	2.6	<0.5	9.3	62	<0.1	0.4	<0.1	100
1400958	Rock	1.87	<2	2.7	16.4	3.0	42	<0.1	6.6	12.1	429	2.99	1.4	2.4	<0.5	10.6	54	<0.1	0.1	<0.1	100
1400959	Rock	1.98	<2	2.7	18.6	2.9	44	<0.1	6.7	12.3	434	3.03	1.1	2.1	<0.5	10.1	54	<0.1	0.1	<0.1	102
1400960	Rock Pulp	0.12	<2	2.6	25.1	2.4	43	0.2	24.6	10.5	404	2.43	4.2	0.3	<0.5	0.9	38	<0.1	0.2	0.1	61
1400961	Rock Pulp	0.12	1557	8.5	48.8	6.0	50	0.3	32.3	9.3	493	3.31	6.7	0.3	1153	0.9	41	0.1	0.9	0.1	68
1400962	Rock	2.26	<2	2.7	18.5	3.0	44	<0.1	6.6	12.9	472	3.15	1.5	2.4	<0.5	8.6	66	<0.1	0.2	<0.1	107
1400963	Rock	1.80	<2	3.1	18.5	3.1	43	<0.1	7.4	12.0	437	3.02	1.1	2.1	<0.5	10.3	59	<0.1	0.1	<0.1	99
1400964	Rock	1.52	<2	2.7	16.1	3.0	41	<0.1	6.6	11.6	422	2.85	1.6	2.5	<0.5	9.7	63	<0.1	0.1	<0.1	93

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000064.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1400935	Rock	0.89	0.066	15	34	0.98	922	0.268	<20	1.83	0.226	0.84	1.5	<0.01	0.5	<0.05	4.7	<0.5	5	<0.2
1400936	Rock	0.93	0.066	11	31	1.03	884	0.274	<20	1.84	0.206	0.81	1.2	<0.01	0.5	<0.05	4.5	<0.5	6	<0.2
1400937	Rock	1.22	0.068	14	33	1.06	771	0.243	<20	1.77	0.183	0.64	1.2	<0.01	0.4	<0.05	5.4	<0.5	6	<0.2
1400938	Rock	1.00	0.070	15	33	1.05	857	0.263	<20	1.76	0.187	0.74	1.2	<0.01	0.4	<0.05	4.8	<0.5	5	<0.2
1400939	Rock	1.55	0.068	16	30	1.24	258	0.122	<20	1.75	0.098	0.23	0.6	<0.01	0.1	<0.05	6.4	<0.5	6	<0.2
1400940	Rock Pulp	0.79	0.056	4	30	0.75	90	0.114	<20	1.49	0.074	0.13	11.9	<0.01	<0.1	<0.05	3.9	<0.5	5	<0.2
1400941	Rock Pulp	0.81	0.056	4	34	0.79	98	0.126	<20	1.64	0.092	0.14	0.3	0.05	<0.1	<0.05	4.6	<0.5	5	<0.2
1400942	Rock	1.60	0.067	17	28	1.11	463	0.170	<20	1.59	0.120	0.36	0.9	<0.01	0.2	<0.05	6.3	<0.5	5	<0.2
1400943	Rock	1.11	0.068	14	32	1.10	961	0.270	<20	1.89	0.212	0.79	1.1	<0.01	0.4	<0.05	5.6	<0.5	6	<0.2
1400944	Rock	0.94	0.072	14	33	1.04	1076	0.297	<20	1.85	0.214	0.91	1.3	<0.01	0.5	<0.05	4.9	<0.5	5	<0.2
1400945	Rock	0.97	0.067	14	32	1.00	945	0.271	<20	1.72	0.190	0.81	1.1	<0.01	0.4	<0.05	4.4	<0.5	5	<0.2
1400946	Rock	1.11	0.070	15	33	1.08	1061	0.275	<20	1.87	0.210	0.84	0.9	<0.01	0.5	<0.05	5.2	<0.5	6	<0.2
1400947	Rock	1.24	0.071	14	31	1.09	674	0.240	<20	1.69	0.144	0.52	1.0	<0.01	0.3	<0.05	5.1	<0.5	6	<0.2
1400948	Rock	1.10	0.072	14	31	1.05	809	0.263	<20	1.77	0.184	0.69	1.0	<0.01	0.4	<0.05	5.0	<0.5	6	<0.2
1400949	Rock	1.09	0.072	15	34	1.08	904	0.264	<20	1.91	0.232	0.81	1.4	<0.01	0.4	<0.05	5.6	<0.5	6	<0.2
1400950	Rock	1.48	0.071	17	33	1.16	792	0.229	<20	2.01	0.213	0.69	0.7	<0.01	0.4	<0.05	7.2	<0.5	6	<0.2
1400951	Rock	1.01	0.073	16	32	1.10	1011	0.279	<20	1.84	0.212	0.84	1.0	<0.01	0.4	<0.05	5.5	<0.5	5	<0.2
1400952	Rock	1.04	0.071	16	33	1.09	848	0.260	<20	1.81	0.203	0.66	0.9	<0.01	0.4	<0.05	5.3	<0.5	6	<0.2
1400953	Rock	1.29	0.074	17	31	1.14	620	0.240	<20	1.70	0.152	0.46	0.7	<0.01	0.2	<0.05	5.8	<0.5	6	<0.2
1400954	Rock	1.12	0.069	16	32	1.05	825	0.254	<20	1.79	0.195	0.64	0.9	<0.01	0.3	<0.05	5.4	<0.5	5	<0.2
1400955	Rock	0.95	0.071	15	34	1.07	1077	0.291	<20	1.92	0.237	0.90	1.2	<0.01	0.5	<0.05	5.3	<0.5	6	<0.2
1400956	Rock	1.21	0.070	16	31	1.08	894	0.262	<20	1.88	0.224	0.75	0.8	<0.01	0.4	<0.05	6.4	<0.5	6	<0.2
1400957	Rock	1.15	0.068	17	31	1.08	860	0.257	<20	1.87	0.220	0.72	0.9	<0.01	0.4	<0.05	6.3	<0.5	6	<0.2
1400958	Rock	0.95	0.071	18	31	1.03	993	0.283	<20	1.75	0.203	0.81	0.9	<0.01	0.4	<0.05	5.2	<0.5	5	<0.2
1400959	Rock	0.94	0.073	16	32	1.03	994	0.297	<20	1.76	0.205	0.84	1.1	<0.01	0.5	<0.05	5.3	<0.5	6	<0.2
1400960	Rock Pulp	0.87	0.058	4	32	0.78	94	0.132	<20	1.57	0.081	0.13	11.7	<0.01	<0.1	<0.05	4.5	<0.5	5	<0.2
1400961	Rock Pulp	0.90	0.057	5	35	0.83	105	0.144	<20	1.74	0.103	0.16	0.3	0.07	<0.1	<0.05	5.2	<0.5	6	<0.2
1400962	Rock	1.18	0.072	15	32	1.10	946	0.295	<20	1.91	0.229	0.83	0.8	<0.01	0.4	<0.05	6.4	<0.5	6	<0.2
1400963	Rock	0.98	0.071	17	33	1.03	893	0.280	<20	1.87	0.239	0.82	1.1	<0.01	0.5	<0.05	5.3	<0.5	6	<0.2
1400964	Rock	1.02	0.065	15	31	0.98	765	0.256	<20	1.84	0.236	0.72	0.9	<0.01	0.4	<0.05	5.3	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000064.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1400965	Rock	1.89	<2	3.4	16.6	2.8	42	<0.1	6.6	12.1	455	3.04	6.2	4.8	<0.5	8.2	61	<0.1	2.4	<0.1	95
1400966	Rock	1.89	<2	3.2	23.5	2.9	44	<0.1	6.4	12.8	477	3.18	0.8	2.7	1.7	8.4	71	<0.1	0.2	<0.1	105
1400967	Rock	1.90	<2	3.1	19.4	2.9	45	<0.1	6.7	12.5	475	3.14	1.1	2.3	<0.5	8.3	56	<0.1	0.2	<0.1	100
1400968	Rock	1.77	<2	3.2	25.1	2.8	45	<0.1	7.2	12.9	463	3.13	0.7	2.4	<0.5	8.3	63	<0.1	<0.1	<0.1	104
1400969	Rock	1.92	<2	3.3	18.5	2.6	44	<0.1	7.3	12.6	489	3.22	3.9	2.3	<0.5	7.3	61	<0.1	0.4	<0.1	101
1400970	Rock	1.74	<2	2.7	18.2	2.9	45	<0.1	7.0	13.2	491	3.23	2.9	2.8	<0.5	7.4	64	<0.1	0.7	<0.1	103
1400971	Rock	1.63	<2	3.4	20.4	2.7	43	<0.1	6.5	12.4	438	3.08	1.2	2.2	<0.5	7.4	60	<0.1	0.6	<0.1	103
1400972	Rock	1.73	<2	3.3	17.4	2.7	40	<0.1	6.4	11.9	434	2.93	1.4	2.8	<0.5	5.0	64	<0.1	0.5	<0.1	98
1400973	Rock	1.99	<2	2.7	17.5	2.9	41	<0.1	5.7	11.5	438	2.89	3.4	2.3	<0.5	5.0	64	<0.1	0.8	<0.1	94
1400974	Rock	1.15	<2	3.1	17.0	3.0	40	<0.1	6.5	11.4	422	2.89	1.3	3.3	<0.5	5.3	60	<0.1	0.5	<0.1	92
1400975	Rock	1.15	<2	3.3	17.4	3.1	41	<0.1	6.8	11.4	426	2.89	1.3	3.9	<0.5	5.3	65	<0.1	0.4	<0.1	95
1400976	Rock	2.04	<2	2.6	19.5	2.8	42	<0.1	6.3	11.9	440	3.00	6.2	2.5	<0.5	4.5	58	<0.1	1.8	<0.1	99
1400977	Rock	1.46	1385	2.6	20.4	8.8	67	0.6	6.2	12.6	506	3.11	270.3	2.5	254.3	5.6	78	0.3	37.1	<0.1	94
1400978	Rock	1.60	31	2.8	18.9	13.1	66	0.4	6.7	14.3	673	3.57	510.2	2.6	18.8	6.0	75	0.4	184.4	<0.1	97
1400979	Rock	1.68	<2	3.2	20.2	3.1	43	<0.1	6.8	12.1	471	3.09	8.6	2.3	<0.5	7.2	69	<0.1	3.2	<0.1	102
1400980	Rock Pulp	0.12	<2	2.5	24.3	2.3	42	0.3	24.0	10.4	391	2.37	4.6	0.3	<0.5	0.8	36	0.2	0.2	<0.1	59
1400981	Rock Pulp	0.12	3999	9.7	70.5	492.5	1490	53.8	31.7	8.4	396	3.33	29.6	0.3	3052	1.1	31	15.4	44.0	0.8	55
1400982	Rock	1.95	<2	3.2	18.4	2.1	41	<0.1	6.7	12.2	455	3.06	4.5	3.3	<0.5	10.5	64	<0.1	2.3	<0.1	98
1400983	Rock	1.87	<2	3.2	17.1	2.6	44	<0.1	6.8	12.9	438	2.96	1.6	2.3	0.8	9.3	51	<0.1	1.4	<0.1	97
1400984	Rock	1.88	<2	3.3	17.4	2.8	44	<0.1	7.0	13.2	462	3.09	1.2	2.2	<0.5	8.9	52	<0.1	0.8	<0.1	98
1400985	Rock	1.53	<2	3.4	19.0	2.8	45	<0.1	6.9	13.4	459	3.05	1.9	2.4	<0.5	7.7	51	<0.1	1.1	<0.1	99
1400986	Rock	1.49	<2	2.9	14.9	2.9	48	<0.1	6.9	14.2	584	3.24	1.2	4.2	<0.5	5.8	56	<0.1	1.1	<0.1	104
1400987	Rock	2.30	<2	3.4	18.1	2.8	43	<0.1	6.8	12.6	444	2.86	1.1	2.7	<0.5	14.8	55	<0.1	0.7	<0.1	93
1400988	Rock	1.64	<2	3.1	19.3	2.5	45	<0.1	6.7	13.9	534	3.17	0.9	2.8	<0.5	14.9	71	<0.1	0.8	<0.1	102
1400989	Rock	2.23	<2	3.3	19.4	2.7	45	<0.1	7.0	13.3	485	3.07	1.0	2.9	<0.5	9.7	53	<0.1	0.8	<0.1	102
1400990	Rock	1.54	<2	3.7	19.1	2.6	46	<0.1	6.6	13.4	476	3.19	1.7	2.3	<0.5	7.1	55	<0.1	0.6	<0.1	106
1400991	Rock	1.38	<2	2.9	18.6	2.8	42	<0.1	6.2	12.5	435	2.90	1.0	3.5	<0.5	8.1	74	<0.1	1.1	<0.1	95
1400992	Rock	1.41	<2	2.9	19.4	2.8	42	<0.1	6.5	12.6	449	3.00	2.5	2.7	<0.5	9.2	63	<0.1	1.5	<0.1	96
1400993	Rock	2.10	<2	3.1	19.2	2.6	44	<0.1	6.7	13.5	453	3.14	1.7	3.0	<0.5	8.9	48	<0.1	1.2	<0.1	103
1400994	Rock	1.69	<2	3.3	17.4	2.8	43	<0.1	7.2	12.2	415	2.91	1.8	3.3	<0.5	11.0	54	<0.1	1.9	<0.1	94

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000064.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1400965	Rock	1.11	0.070	15	31	1.01	841	0.252	<20	1.80	0.214	0.82	1.0	<0.01	0.5	0.10	5.8	<0.5	5	<0.2
1400966	Rock	1.12	0.075	16	32	1.11	888	0.301	<20	2.19	0.296	0.95	1.4	<0.01	0.5	<0.05	5.7	<0.5	6	<0.2
1400967	Rock	1.14	0.072	15	33	1.10	757	0.266	<20	1.84	0.195	0.74	0.9	<0.01	0.4	<0.05	5.5	<0.5	6	<0.2
1400968	Rock	1.03	0.077	15	33	1.08	887	0.283	<20	1.95	0.243	0.88	1.0	<0.01	0.5	<0.05	5.6	<0.5	6	<0.2
1400969	Rock	1.18	0.076	14	35	1.11	870	0.264	<20	1.90	0.216	0.81	1.1	<0.01	0.4	<0.05	5.5	<0.5	6	<0.2
1400970	Rock	1.24	0.069	15	34	1.13	843	0.254	<20	1.94	0.207	0.76	0.8	<0.01	0.4	<0.05	6.0	<0.5	6	<0.2
1400971	Rock	0.95	0.071	14	33	1.06	953	0.286	<20	1.92	0.224	0.87	1.0	<0.01	0.5	<0.05	5.0	<0.5	6	<0.2
1400972	Rock	1.07	0.069	12	32	1.00	927	0.270	<20	1.90	0.237	0.85	1.0	<0.01	0.5	<0.05	4.9	<0.5	6	<0.2
1400973	Rock	1.04	0.065	13	32	1.00	851	0.254	<20	1.81	0.217	0.79	0.9	<0.01	0.4	<0.05	5.0	<0.5	6	<0.2
1400974	Rock	0.95	0.066	12	33	0.98	853	0.263	<20	1.85	0.242	0.82	3.4	<0.01	0.5	<0.05	4.8	<0.5	6	<0.2
1400975	Rock	0.98	0.067	11	33	1.00	875	0.268	<20	1.92	0.255	0.83	3.0	<0.01	0.5	<0.05	5.0	<0.5	6	<0.2
1400976	Rock	0.95	0.073	11	32	1.04	905	0.274	<20	1.81	0.206	0.82	0.7	<0.01	0.4	<0.05	5.1	<0.5	6	<0.2
1400977	Rock	1.27	0.066	13	30	1.07	938	0.243	<20	1.92	0.228	0.79	0.6	0.02	0.5	<0.05	6.3	<0.5	6	<0.2
1400978	Rock	1.98	0.070	14	31	1.19	803	0.209	<20	1.91	0.176	0.69	1.0	0.03	0.4	<0.05	7.3	<0.5	6	<0.2
1400979	Rock	1.16	0.069	13	34	1.09	968	0.264	<20	2.05	0.273	0.80	0.9	<0.01	0.4	<0.05	5.8	<0.5	6	<0.2
1400980	Rock Pulp	0.83	0.056	4	32	0.76	88	0.129	<20	1.53	0.077	0.13	11.6	<0.01	<0.1	<0.05	4.4	<0.5	5	<0.2
1400981	Rock Pulp	0.71	0.050	6	28	0.58	108	0.109	<20	1.19	0.076	0.11	1.9	0.22	1.1	0.34	4.2	<0.5	6	<0.2
1400982	Rock	1.04	0.070	14	34	1.07	952	0.277	<20	1.91	0.239	0.84	1.1	<0.01	0.4	<0.05	5.2	<0.5	6	<0.2
1400983	Rock	0.91	0.070	13	36	1.04	1145	0.296	<20	1.83	0.219	0.87	1.2	<0.01	0.5	<0.05	4.4	<0.5	6	<0.2
1400984	Rock	0.99	0.068	15	34	1.06	1052	0.277	<20	1.92	0.233	0.81	1.2	<0.01	0.5	<0.05	4.9	<0.5	6	<0.2
1400985	Rock	1.00	0.067	12	36	1.07	1150	0.300	<20	1.86	0.215	0.81	1.1	<0.01	0.4	<0.05	5.0	<0.5	6	<0.2
1400986	Rock	1.35	0.064	12	35	1.12	1055	0.250	<20	1.94	0.205	0.78	0.8	<0.01	0.5	<0.05	8.1	<0.5	6	<0.2
1400987	Rock	0.92	0.065	21	35	1.01	986	0.267	<20	1.81	0.224	0.84	1.2	<0.01	0.5	<0.05	4.9	<0.5	6	<0.2
1400988	Rock	1.13	0.062	26	29	1.08	956	0.251	<20	1.95	0.221	0.85	0.8	<0.01	0.5	<0.05	7.1	<0.5	6	<0.2
1400989	Rock	1.02	0.064	17	37	1.10	1061	0.281	<20	1.95	0.229	0.89	1.1	<0.01	0.5	<0.05	5.8	<0.5	6	<0.2
1400990	Rock	0.92	0.071	14	36	1.15	1198	0.311	<20	1.94	0.224	0.97	1.0	<0.01	0.5	<0.05	5.3	<0.5	6	<0.2
1400991	Rock	1.12	0.063	13	34	1.02	997	0.250	<20	1.91	0.257	0.79	1.0	<0.01	0.4	<0.05	5.4	<0.5	6	<0.2
1400992	Rock	1.19	0.065	16	33	1.04	991	0.251	<20	1.81	0.215	0.75	0.7	<0.01	0.4	<0.05	5.3	<0.5	6	<0.2
1400993	Rock	0.99	0.070	13	35	1.10	1128	0.296	<20	1.89	0.221	0.87	1.3	<0.01	0.5	<0.05	5.1	<0.5	6	<0.2
1400994	Rock	1.01	0.064	17	35	1.00	1000	0.257	<20	1.80	0.224	0.74	1.4	<0.01	0.4	<0.05	4.9	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000064.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1400995	Rock	1.74	<2	3.0	18.3	3.3	43	<0.1	6.2	13.5	507	3.12	1.6	2.6	<0.5	9.2	75	<0.1	3.4	<0.1	98
1400996	Rock	1.86	<2	2.4	16.4	3.5	52	<0.1	6.9	16.5	723	3.77	1.6	2.7	<0.5	8.5	82	<0.1	6.6	<0.1	123

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000064.1

Method		1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL		0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1400995	Rock	1.35	0.067	17	34	1.13	891	0.235	<20	1.92	0.232	0.60	0.9	<0.01	0.3	<0.05	6.5	<0.5	6	<0.2
1400996	Rock	1.98	0.068	18	33	1.56	882	0.196	<20	2.11	0.157	0.55	0.6	0.01	0.3	<0.05	10.9	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

QUALITY CONTROL REPORT WHI12000064.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1400846	Rock	1.57	<2	3.8	15.5	3.3	42	<0.1	6.6	11.9	438	2.85	1.0	3.4	0.8	11.0	56	<0.1	0.1	<0.1	94
REP 1400846	QC		<2																		
REP 1400868	QC			1.9	12.8	4.7	59	<0.1	6.0	13.2	632	3.16	2.1	1.9	<0.5	8.0	54	<0.1	0.7	<0.1	80
1400877	Rock	2.01	<2	1.8	13.4	2.7	46	<0.1	6.0	12.6	530	3.05	<0.5	2.5	<0.5	8.2	54	<0.1	0.1	<0.1	100
REP 1400877	QC		<2																		
1400899	Rock	1.50	<2	2.6	19.5	15.3	58	0.2	4.6	7.7	1066	2.68	2.5	2.9	0.6	10.8	72	<0.1	0.7	0.4	49
REP 1400899	QC			2.6	20.2	15.4	59	0.2	4.6	7.5	1088	2.74	2.6	2.8	1.5	11.2	73	0.1	0.7	0.4	50
1400900	Rock Pulp	0.12	3	2.4	24.1	2.3	42	0.7	23.1	10.0	394	2.34	4.6	0.3	0.8	0.9	37	0.3	0.3	<0.1	59
REP 1400900	QC		<2																		
1400912	Rock	1.77	21	1.4	20.3	5.0	57	<0.1	6.0	13.7	702	3.26	15.9	3.3	18.2	10.6	71	<0.1	4.0	<0.1	91
REP 1400912	QC		20																		
1400945	Rock	2.19	<2	3.0	21.7	3.0	42	<0.1	7.1	12.0	430	3.00	4.4	2.3	<0.5	9.7	50	<0.1	0.3	<0.1	98
REP 1400945	QC			3.0	22.6	2.9	43	<0.1	7.3	12.6	446	3.00	4.6	2.2	1.8	9.9	52	<0.1	0.3	<0.1	98
1400954	Rock	1.97	<2	2.7	18.9	3.2	44	<0.1	6.9	12.4	447	3.03	1.1	2.0	<0.5	9.4	57	<0.1	0.4	<0.1	98
REP 1400954	QC		<2																		
1400956	Rock	2.13	<2	2.6	18.5	3.1	43	<0.1	6.9	12.7	473	3.09	2.1	2.5	<0.5	9.0	70	<0.1	0.3	<0.1	101
REP 1400956	QC		<2																		
1400980	Rock Pulp	0.12	<2	2.5	24.3	2.3	42	0.3	24.0	10.4	391	2.37	4.6	0.3	<0.5	0.8	36	0.2	0.2	<0.1	59
REP 1400980	QC			2.5	24.8	2.3	42	0.2	23.6	10.4	392	2.38	4.5	0.3	<0.5	0.9	37	0.2	0.3	<0.1	59
1400986	Rock	1.49	<2	2.9	14.9	2.9	48	<0.1	6.9	14.2	584	3.24	1.2	4.2	<0.5	5.8	56	<0.1	1.1	<0.1	104
REP 1400986	QC		<2																		
[redacted]																					
[redacted]																					
Core Reject Duplicates																					
1400868	Rock	2.26	<2	1.9	12.2	4.4	60	<0.1	6.3	13.6	630	3.14	2.0	2.1	<0.5	7.7	54	<0.1	0.7	<0.1	79
DUP 1400868	QC		<2	2.0	13.1	5.3	60	<0.1	6.7	13.8	643	3.21	2.6	2.1	<0.5	8.6	55	<0.1	0.8	<0.1	80
1400903	Rock	1.58	<2	1.8	12.2	8.1	56	<0.1	5.6	8.7	669	2.87	3.4	1.9	3.2	10.6	75	<0.1	0.5	0.2	54
DUP 1400903	QC		<2	1.8	12.5	7.6	53	<0.1	5.1	8.4	653	2.79	3.3	1.9	1.8	10.6	75	<0.1	0.5	0.2	53

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

QUALITY CONTROL REPORT WHI12000064.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
1400846	Rock	1.00	0.065	16	30	0.95	840	0.270	<20	1.76	0.218	0.83	1.2	<0.01	0.4	<0.05	4.9	<0.5	6	<0.2
REP 1400846	QC																			
REP 1400868	QC	1.63	0.061	15	27	1.26	344	0.155	<20	1.80	0.110	0.31	0.5	<0.01	0.2	<0.05	7.0	<0.5	6	<0.2
1400877	Rock	1.27	0.063	14	28	1.09	787	0.249	<20	1.86	0.193	0.81	0.5	<0.01	0.4	<0.05	7.0	<0.5	6	<0.2
REP 1400877	QC																			
1400899	Rock	2.27	0.062	20	8	0.91	514	0.048	<20	0.98	0.009	0.31	0.1	0.01	0.3	<0.05	7.9	<0.5	3	<0.2
REP 1400899	QC	2.32	0.064	21	8	0.93	514	0.048	<20	1.00	0.009	0.31	0.1	0.01	0.3	<0.05	7.8	<0.5	3	<0.2
1400900	Rock Pulp	0.84	0.056	4	31	0.75	92	0.127	<20	1.55	0.082	0.13	12.0	0.01	<0.1	<0.05	4.5	<0.5	5	<0.2
REP 1400900	QC																			
1400912	Rock	1.50	0.062	18	19	0.91	789	0.143	<20	1.55	0.100	0.64	0.2	0.03	0.5	<0.05	11.0	<0.5	5	<0.2
REP 1400912	QC																			
1400945	Rock	0.97	0.067	14	32	1.00	945	0.271	<20	1.72	0.190	0.81	1.1	<0.01	0.4	<0.05	4.4	<0.5	5	<0.2
REP 1400945	QC	0.98	0.068	15	33	1.02	975	0.283	<20	1.74	0.194	0.81	1.1	<0.01	0.5	<0.05	4.7	<0.5	6	<0.2
1400954	Rock	1.12	0.069	16	32	1.05	825	0.254	<20	1.79	0.195	0.64	0.9	<0.01	0.3	<0.05	5.4	<0.5	5	<0.2
REP 1400954	QC																			
1400956	Rock	1.21	0.070	16	31	1.08	894	0.262	<20	1.88	0.224	0.75	0.8	<0.01	0.4	<0.05	6.4	<0.5	6	<0.2
REP 1400956	QC																			
1400980	Rock Pulp	0.83	0.056	4	32	0.76	88	0.129	<20	1.53	0.077	0.13	11.6	<0.01	<0.1	<0.05	4.4	<0.5	5	<0.2
REP 1400980	QC	0.83	0.057	4	32	0.77	92	0.125	<20	1.54	0.078	0.13	11.3	0.02	<0.1	<0.05	4.4	<0.5	5	<0.2
1400986	Rock	1.35	0.064	12	35	1.12	1055	0.250	<20	1.94	0.205	0.78	0.8	<0.01	0.5	<0.05	8.1	<0.5	6	<0.2
REP 1400986	QC																			
[redacted]																				
[redacted]																				
Core Reject Duplicates																				
1400868	Rock	1.63	0.065	15	27	1.22	330	0.153	<20	1.77	0.112	0.31	0.5	<0.01	0.2	<0.05	6.6	<0.5	6	<0.2
DUP 1400868	QC	1.62	0.061	15	28	1.25	335	0.152	<20	1.81	0.114	0.32	0.6	<0.01	0.2	<0.05	6.7	<0.5	6	<0.2
1400903	Rock	1.96	0.069	23	10	1.00	606	0.111	<20	1.30	0.023	0.53	0.2	<0.01	0.4	<0.05	8.2	<0.5	5	<0.2
DUP 1400903	QC	1.91	0.067	22	9	0.99	574	0.106	<20	1.28	0.023	0.53	0.2	0.01	0.4	<0.05	7.9	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

QUALITY CONTROL REPORT WHI12000064.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1400938	Rock		<2	3.0	21.4	3.1	43	<0.1	6.9	12.5	446	3.07	1.4	2.6	<0.5	8.3	52	<0.1	0.1	<0.1	97
DUP 1400938	QC	2.16	<2	2.8	20.7	2.8	42	<0.1	7.1	11.8	429	2.92	1.2	2.4	<0.5	8.9	52	<0.1	0.1	<0.1	96
1400973	Rock	1.99	<2	2.7	17.5	2.9	41	<0.1	5.7	11.5	438	2.89	3.4	2.3	<0.5	5.0	64	<0.1	0.8	<0.1	94
DUP 1400973	QC		<2	2.5	17.6	2.8	42	<0.1	8.0	11.6	432	2.88	3.3	2.0	<0.5	5.5	65	<0.1	0.8	<0.1	95
Reference Materials																					
STD DS9	Standard			14.2	113.7	133.3	332	1.9	40.5	7.7	585	2.37	26.4	2.8	111.3	6.7	71	2.3	4.7	6.8	40
STD DS9	Standard			12.8	110.5	119.9	314	1.6	39.7	7.8	580	2.37	25.3	2.5	92.0	6.1	72	2.3	4.3	6.0	40
STD DS9	Standard			13.4	115.1	131.6	336	1.8	41.5	8.0	597	2.46	24.9	2.6	108.3	6.1	68	2.8	4.5	5.1	41
STD DS9	Standard			14.0	109.4	131.9	318	1.8	40.8	7.7	587	2.38	23.5	2.7	101.8	6.2	71	2.3	4.2	5.8	41
STD DS9	Standard			12.6	104.4	129.5	314	1.9	41.9	7.9	599	2.39	22.2	2.5	103.2	6.3	70	2.1	3.8	5.9	40
STD DS9	Standard			11.0	108.4	129.1	304	2.1	38.5	7.2	563	2.32	25.7	2.8	122.8	6.5	74	2.5	4.1	6.2	39
STD OREAS45CA	Standard			0.9	486.4	19.0	57	0.3	221.4	85.0	834	14.09	3.3	1.1	39.7	6.6	14	<0.1	0.1	0.2	188
STD OREAS45CA	Standard			0.9	505.6	18.0	58	0.3	235.7	89.5	854	14.87	3.5	1.1	34.6	6.6	14	<0.1	0.2	0.1	190
STD OREAS45CA	Standard			0.9	497.4	19.7	57	0.2	245.9	92.3	898	15.76	3.8	1.1	37.6	6.9	13	<0.1	<0.1	<0.1	209
STD OREAS45CA	Standard			0.9	551.3	21.2	69	0.3	269.6	98.5	970	16.91	3.5	1.2	39.4	7.2	15	0.1	<0.1	0.1	219
STD OREAS45CA	Standard			0.9	515.3	18.0	56	0.3	251.0	96.5	952	16.52	3.0	1.0	41.6	6.2	12	0.1	<0.1	0.1	219
STD OREAS45CA	Standard			0.8	467.7	22.1	58	0.3	233.2	88.7	916	15.74	3.3	1.3	38.7	7.7	17	0.1	0.1	0.1	202
STD OXC88	Standard		214																		
STD OXC88	Standard		208																		
STD OXC88	Standard		189																		
STD OXC88	Standard		198																		
STD OXC88	Standard		201																		
STD OXC88	Standard		190																		
STD OXG99	Standard		926																		
STD OXG99	Standard		885																		
STD OXG99	Standard		902																		
STD OXG99	Standard		1000																		
STD OXG99	Standard		975																		
STD OXG99	Standard		910																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

QUALITY CONTROL REPORT WHI12000064.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
1400938	Rock	1.00	0.070	15	33	1.05	857	0.263	<20	1.76	0.187	0.74	1.2	<0.01	0.4	<0.05	4.8	<0.5	5	<0.2
DUP 1400938	QC	0.98	0.066	14	32	1.01	809	0.253	<20	1.74	0.193	0.70	1.1	<0.01	0.4	<0.05	4.7	<0.5	5	<0.2
1400973	Rock	1.04	0.065	13	32	1.00	851	0.254	<20	1.81	0.217	0.79	0.9	<0.01	0.4	<0.05	5.0	<0.5	6	<0.2
DUP 1400973	QC	1.03	0.067	14	32	1.01	866	0.257	<20	1.81	0.214	0.79	0.9	<0.01	0.4	<0.05	5.0	<0.5	6	<0.2
Reference Materials																				
STD DS9	Standard	0.75	0.082	14	125	0.62	324	0.115	<20	0.99	0.090	0.40	3.0	0.19	5.7	0.17	2.4	4.8	5	5.5
STD DS9	Standard	0.73	0.080	14	122	0.61	306	0.117	<20	0.96	0.092	0.40	2.4	0.18	4.9	0.17	2.4	6.1	5	4.8
STD DS9	Standard	0.75	0.082	13	126	0.64	329	0.110	<20	0.99	0.087	0.41	3.0	0.23	5.6	0.17	2.3	5.3	5	4.6
STD DS9	Standard	0.75	0.081	14	124	0.63	318	0.112	<20	0.98	0.088	0.41	2.5	0.22	5.5	0.17	2.3	4.8	5	4.9
STD DS9	Standard	0.74	0.077	13	125	0.63	321	0.104	<20	0.97	0.085	0.41	2.7	0.21	5.9	0.17	2.6	4.9	5	5.1
STD DS9	Standard	0.71	0.088	12	115	0.65	319	0.111	<20	0.91	0.083	0.40	3.2	0.22	5.5	0.17	2.4	4.4	4	4.5
STD OREAS45CA	Standard	0.38	0.035	16	687	0.12	157	0.122	<20	3.47	0.013	0.07	<0.1	0.03	<0.1	<0.05	40.0	<0.5	17	<0.2
STD OREAS45CA	Standard	0.39	0.035	15	693	0.13	153	0.141	<20	3.73	0.014	0.08	<0.1	0.02	<0.1	<0.05	39.6	<0.5	18	<0.2
STD OREAS45CA	Standard	0.42	0.037	16	790	0.14	154	0.139	<20	3.58	0.010	0.08	<0.1	0.04	0.1	<0.05	45.7	<0.5	18	<0.2
STD OREAS45CA	Standard	0.44	0.039	18	806	0.16	168	0.137	<20	4.03	0.008	0.08	<0.1	0.03	0.1	<0.05	46.6	<0.5	19	<0.2
STD OREAS45CA	Standard	0.44	0.036	16	881	0.14	157	0.148	<20	3.64	0.010	0.07	<0.1	0.04	0.2	<0.05	40.7	<0.5	20	<0.2
STD OREAS45CA	Standard	0.42	0.039	16	630	0.15	170	0.137	<20	3.47	0.008	0.07	<0.1	0.04	<0.1	<0.05	43.3	<0.5	19	<0.2
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

QUALITY CONTROL REPORT WHI12000064.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD OXG99	Standard		911																		
STD OXG99	Standard		930																		
STD OXC88 Expected			203																		
STD OXG99 Expected			932																		
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.02	0.8	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank		<2	0.2	3.1	75.9	46	0.4	2.4	4.0	559	1.98	0.8	1.8	0.6	6.4	71	<0.1	0.2	<0.1	36
G1-WHI	Prep Blank		<2	0.1	2.9	4.8	46	<0.1	3.4	4.1	579	1.94	<0.5	1.6	<0.5	6.5	64	<0.1	<0.1	<0.1	37

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

QUALITY CONTROL REPORT WHI12000064.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXC88 Expected																				
STD OXG99 Expected																				
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																				
G1-WHI	Prep Blank	0.66	0.074	14	5	0.56	162	0.138	<20	0.96	0.115	0.49	<0.1	<0.01	0.3	<0.05	2.2	<0.5	5	<0.2
G1-WHI	Prep Blank	0.51	0.074	16	5	0.47	146	0.137	<20	0.94	0.105	0.48	<0.1	<0.01	0.3	<0.05	2.2	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: June 04, 2012
Report Date: June 13, 2012
Page: 1 of 6

CERTIFICATE OF ANALYSIS WHI12000067.2

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 136

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	123	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	136	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	136	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
G6Gr	2	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

ADDITIONAL COMMENTS

Version 2 : 1DX-U included.

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 13, 2012

CERTIFICATE OF ANALYSIS WHI12000067.2

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1408001	Rock Pulp	0.13	1359	8.8	47.9	5.9	52	0.3	32.8	8.9	491	3.23	8.1	0.3	1247	1.0	44	0.2	0.9	0.2	66
1408002	Core Chip	1.98	9	1.4	28.4	77.0	188	0.9	9.9	12.3	639	3.14	25.5	1.7	5.5	8.3	51	2.5	1.9	0.2	90
1408003	Core Chip	2.14	68	1.4	34.0	19.7	211	0.6	6.4	13.9	739	3.92	132.4	2.2	18.8	8.8	52	2.4	1.9	0.7	110
1408004	Core Chip	1.00	48	1.5	43.7	10.2	107	0.5	6.2	13.1	518	3.72	421.7	3.4	51.4	8.4	68	0.3	1.3	1.0	109
1408005	Core Chip	2.09	<2	2.1	30.6	4.4	56	<0.1	6.7	12.9	510	3.24	20.5	2.7	2.0	7.7	69	0.1	0.5	<0.1	111
1408006	Core Chip	1.94	59	1.9	31.7	5.5	63	0.2	7.5	14.0	518	3.49	19.4	3.3	5.4	9.8	71	0.3	0.4	0.3	113
1408007	Core Chip	2.40	<2	1.6	27.7	3.6	49	<0.1	6.8	12.8	470	3.32	2.5	2.8	1.4	9.4	86	<0.1	0.2	<0.1	115
1408008	Core Chip	2.06	11	2.1	32.7	95.2	202	0.9	7.3	13.2	496	3.40	21.9	3.1	6.0	8.7	71	3.2	0.7	0.2	109
1408009	Core Chip	2.00	<2	2.0	28.0	6.0	61	<0.1	7.5	13.1	481	3.24	3.9	2.8	1.3	9.3	79	0.3	0.2	<0.1	110
1408010	Core Chip	2.16	<2	1.8	27.9	4.7	55	<0.1	8.0	13.8	513	3.43	2.9	3.5	2.6	7.9	78	<0.1	0.1	<0.1	119
1408011	Core Chip	2.37	66	1.8	37.2	37.1	200	0.9	7.5	14.8	700	4.01	695.2	2.9	62.9	7.7	65	2.1	1.5	1.0	105
1408012	Core Chip	2.37	<2	1.8	25.9	4.8	62	0.1	6.9	14.8	712	3.72	25.0	2.8	58.3	7.9	87	<0.1	0.2	<0.1	117
1408013	Core Chip	2.30	<2	1.6	24.3	52.5	175	0.5	7.1	14.1	695	3.52	7.1	4.1	2.4	8.5	73	2.9	0.4	<0.1	104
1408014	Core Chip	2.03	<2	1.6	22.7	30.7	93	0.3	6.6	14.5	699	3.56	6.6	3.0	1.7	8.4	66	0.9	0.5	<0.1	99
1408015	Core Chip	2.05	10	1.3	27.8	48.4	218	0.5	7.2	17.1	848	4.12	58.4	3.7	10.5	9.2	55	2.8	0.7	0.1	112
1408016	Core Chip	2.43	42	1.3	25.2	18.0	147	0.3	6.4	14.0	647	3.55	26.7	3.5	13.1	8.7	57	2.4	0.4	0.3	93
1408017	Core Chip	2.45	47	1.8	27.2	21.5	86	0.4	6.9	16.4	848	4.08	5.7	3.2	5.6	8.2	74	0.5	0.5	0.3	110
1408018	Core Chip	2.24	<2	1.5	24.8	33.8	162	0.3	6.4	16.7	918	4.08	27.6	3.9	1.8	8.2	75	2.5	0.9	0.2	97
1408019	Core Chip	2.30	542	1.8	49.8	28.8	66	1.2	6.3	14.0	696	4.25	177.1	2.4	389.1	7.7	60	0.5	2.1	1.9	80
1408020	Rock Pulp	0.13	<2	2.7	26.0	2.5	48	0.2	25.3	11.4	443	2.49	4.7	0.5	0.8	1.0	45	0.2	0.3	<0.1	62
1408021	Rock Pulp	0.13	4013	9.9	73.1	496.8	1639	55.7	34.5	9.2	427	3.40	33.4	0.4	2858	1.3	39	16.2	49.9	1.0	60
1408022	Core Chip	2.07	>10000	1.7	31.7	44.3	60	28.5	6.4	17.3	693	5.20	>10000	2.5	86338	7.9	60	0.3	15.2	208.8	90
1408023	Core Chip	2.06	>10000	1.6	41.0	34.2	48	24.8	7.0	18.2	673	4.27	8199	3.9	54942	8.3	54	0.2	10.9	135.7	80
1408024	Core Chip	1.02	164	2.3	25.6	5.0	48	0.2	6.7	13.4	519	3.20	131.7	2.4	86.3	8.6	67	<0.1	0.6	2.1	100
1408025	Core Chip	1.18	1730	2.1	25.3	4.5	48	0.2	6.9	13.2	519	3.18	119.9	2.9	339.0	7.8	62	<0.1	0.5	2.1	100
1408026	Core Chip	2.09	70	2.3	37.5	4.0	48	0.1	7.3	13.6	474	3.12	24.4	2.8	14.4	8.8	66	<0.1	0.3	0.4	105
1408027	Core Chip	1.95	91	2.0	26.2	9.2	57	0.3	6.1	14.6	696	3.44	697.0	2.5	44.7	8.2	67	0.3	1.2	0.6	101
1408028	Core Chip	2.24	4	2.2	23.9	3.9	53	<0.1	6.9	13.7	566	3.40	12.5	2.9	6.7	9.0	74	<0.1	0.8	0.1	113
1408029	Core Chip	2.33	9	1.8	23.1	4.1	55	<0.1	6.5	15.3	733	3.71	22.8	2.8	7.6	8.9	79	<0.1	0.7	0.1	116
1408030	Core Chip	2.09	6	2.5	23.3	6.2	51	<0.1	7.1	13.5	566	3.35	4.2	2.7	5.1	9.0	75	0.1	0.5	0.1	108

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 13, 2012

CERTIFICATE OF ANALYSIS WHI12000067.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Au
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	0.9
1408001	Rock Pulp	0.86	0.062	5	35	0.84	107	0.136	<20	1.74	0.100	0.15	0.3	0.07	<0.1	<0.05	5.1	<0.5	6	<0.2	
1408002	Core Chip	0.72	0.068	15	23	0.94	553	0.204	<20	1.90	0.145	0.43	0.5	<0.01	0.3	<0.05	5.1	<0.5	6	<0.2	
1408003	Core Chip	0.71	0.076	16	22	1.07	701	0.220	<20	2.30	0.152	0.66	0.2	<0.01	0.4	<0.05	8.9	<0.5	7	<0.2	
1408004	Core Chip	1.04	0.074	15	20	1.10	973	0.261	<20	2.27	0.234	0.86	0.8	<0.01	0.4	<0.05	6.3	<0.5	7	<0.2	
1408005	Core Chip	1.06	0.078	15	22	1.12	972	0.276	<20	2.11	0.233	0.82	1.1	<0.01	0.4	<0.05	5.2	<0.5	7	<0.2	
1408006	Core Chip	1.16	0.080	15	25	1.18	902	0.270	<20	2.18	0.227	0.76	0.9	<0.01	0.4	0.08	5.6	<0.5	7	<0.2	
1408007	Core Chip	1.15	0.079	14	24	1.11	1038	0.300	<20	2.32	0.291	0.91	0.9	<0.01	0.4	<0.05	4.9	<0.5	7	<0.2	
1408008	Core Chip	1.19	0.078	15	24	1.11	889	0.264	<20	2.11	0.225	0.69	1.0	<0.01	0.3	0.05	5.7	<0.5	7	<0.2	
1408009	Core Chip	1.16	0.082	14	25	1.11	956	0.290	<20	2.13	0.223	0.74	0.9	<0.01	0.3	<0.05	4.9	<0.5	7	<0.2	
1408010	Core Chip	1.24	0.081	15	25	1.21	1028	0.307	<20	2.28	0.256	0.83	0.9	0.01	0.4	<0.05	5.2	<0.5	7	<0.2	
1408011	Core Chip	1.04	0.081	15	23	1.11	780	0.212	<20	2.10	0.189	0.68	0.6	<0.01	0.3	0.07	6.6	<0.5	7	<0.2	
1408012	Core Chip	1.88	0.077	15	25	1.35	764	0.226	<20	2.40	0.239	0.65	0.5	<0.01	0.3	0.06	8.7	<0.5	8	<0.2	
1408013	Core Chip	1.86	0.075	16	25	1.23	584	0.189	<20	2.10	0.186	0.44	0.4	<0.01	0.2	0.08	8.3	<0.5	7	<0.2	
1408014	Core Chip	2.00	0.074	17	25	1.24	442	0.154	<20	2.08	0.149	0.38	0.3	<0.01	0.2	0.06	9.0	<0.5	7	<0.2	
1408015	Core Chip	2.62	0.085	17	25	1.27	308	0.091	<20	2.29	0.076	0.23	<0.1	<0.01	0.1	0.06	12.3	<0.5	8	<0.2	
1408016	Core Chip	1.60	0.077	15	23	1.23	204	0.178	<20	1.94	0.130	0.17	0.4	<0.01	<0.1	0.06	6.8	<0.5	7	<0.2	
1408017	Core Chip	2.24	0.077	18	26	1.36	429	0.123	<20	2.24	0.151	0.30	0.2	<0.01	0.2	0.17	12.4	0.6	8	<0.2	
1408018	Core Chip	3.06	0.078	20	20	1.01	298	0.035	<20	2.06	0.081	0.26	<0.1	<0.01	0.1	0.09	14.3	<0.5	7	<0.2	
1408019	Core Chip	1.62	0.076	14	19	0.99	543	0.143	<20	1.67	0.124	0.47	0.4	0.02	0.3	0.74	6.9	<0.5	5	<0.2	
1408020	Rock Pulp	0.89	0.062	4	33	0.84	106	0.136	<20	1.68	0.085	0.14	12.5	0.01	<0.1	<0.05	4.7	<0.5	6	<0.2	
1408021	Rock Pulp	0.76	0.059	6	30	0.62	119	0.121	<20	1.32	0.083	0.12	2.1	0.23	1.1	0.36	4.8	0.9	7	<0.2	
1408022	Core Chip	1.51	0.067	15	21	1.05	168	0.112	<20	1.94	0.133	0.48	0.4	0.01	0.4	1.56	7.9	1.1	6	<0.2	29.6
1408023	Core Chip	1.54	0.075	14	21	0.95	556	0.127	<20	1.65	0.100	0.50	0.4	0.02	0.4	0.87	6.8	0.7	5	<0.2	29.9
1408024	Core Chip	1.28	0.075	16	28	1.22	914	0.253	<20	2.03	0.203	0.62	0.8	<0.01	0.3	<0.05	5.5	0.5	7	<0.2	
1408025	Core Chip	1.24	0.071	16	26	1.19	923	0.249	<20	1.99	0.196	0.62	0.7	<0.01	0.3	<0.05	5.3	<0.5	6	<0.2	
1408026	Core Chip	1.12	0.074	15	27	1.16	996	0.278	<20	2.00	0.221	0.74	0.6	<0.01	0.3	<0.05	5.0	<0.5	6	<0.2	
1408027	Core Chip	1.91	0.076	15	25	1.19	870	0.214	<20	2.05	0.159	0.64	0.4	<0.01	0.3	0.15	7.2	<0.5	6	<0.2	
1408028	Core Chip	1.32	0.075	15	29	1.29	1138	0.285	<20	2.20	0.241	0.81	0.6	<0.01	0.3	<0.05	6.3	<0.5	7	<0.2	
1408029	Core Chip	1.82	0.075	16	26	1.37	1036	0.232	<20	2.35	0.207	0.75	0.2	<0.01	0.3	0.10	8.6	<0.5	7	<0.2	
1408030	Core Chip	1.32	0.072	16	27	1.25	1117	0.261	<20	2.22	0.236	0.81	0.5	<0.01	0.4	0.08	6.6	<0.5	7	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 13, 2012

CERTIFICATE OF ANALYSIS WHI12000067.2

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1408031	Core Chip	2.43	<2	1.9	22.7	4.4	48	<0.1	6.7	13.4	547	3.24	4.8	2.7	2.1	9.0	73	<0.1	0.2	<0.1	104
1408032	Core Chip	1.97	<2	2.5	24.9	4.5	51	<0.1	6.6	13.8	581	3.29	3.5	2.8	4.4	8.6	82	<0.1	0.3	<0.1	106
1408033	Core Chip	2.34	4	1.7	24.3	5.1	54	0.1	6.6	15.8	837	3.72	4.1	2.8	2.8	8.7	88	0.2	0.7	0.1	110
1408034	Core Chip	2.28	<2	1.6	22.8	4.8	62	<0.1	6.2	16.4	830	3.68	10.1	4.6	2.1	8.8	87	0.1	0.5	0.2	105
1408035	Core Chip	2.06	11	2.2	26.2	3.6	63	<0.1	6.5	15.9	746	3.81	4.2	2.6	<0.5	9.5	106	0.1	0.2	0.1	122
1408036	Core Chip	2.66	<2	2.0	24.0	86.4	159	0.7	6.1	15.2	872	3.78	5.1	2.7	<0.5	10.8	118	2.3	0.6	<0.1	120
1408037	Core Chip	2.38	65	2.3	20.9	11.1	86	0.7	6.4	18.4	936	3.92	599.3	3.6	53.9	11.4	79	0.2	2.8	0.1	89
1408038	Core Chip	2.29	6	2.0	21.1	6.5	68	0.1	6.2	16.5	1162	3.89	70.1	4.0	7.6	10.7	98	0.1	1.1	0.1	111
1408039	Core Chip	2.29	<2	1.5	22.7	9.5	68	0.1	6.7	18.5	1192	3.92	14.9	3.3	1.4	8.1	90	0.1	1.2	<0.1	114
1408040	Rock Pulp	0.12	<2	2.2	25.3	2.3	44	0.3	23.0	9.9	400	2.36	4.5	0.3	0.6	0.9	40	0.1	0.2	<0.1	59
1408041	Rock Pulp	0.12	1472	8.5	48.7	5.8	52	0.3	31.4	8.9	475	3.12	6.6	0.3	1138	0.9	40	0.1	0.9	0.1	63
1408042	Core Chip	2.06	117	1.3	26.1	91.8	224	2.0	6.7	19.0	2206	4.49	587.0	3.3	162.3	7.9	50	2.4	1.7	1.6	79
1408043	Core Chip	2.14	9	0.9	19.8	6.7	69	0.1	5.9	16.7	1157	4.35	79.2	2.4	5.2	8.8	101	0.2	0.5	0.3	113
1408044	Core Chip	1.82	<2	1.0	21.2	12.1	75	<0.1	5.7	15.6	810	3.79	7.6	2.4	6.9	8.4	84	0.4	0.4	0.1	118
1408045	Core Chip	1.88	<2	1.2	25.8	4.8	68	<0.1	6.3	17.5	956	4.24	6.8	3.1	3.7	9.0	99	0.1	0.6	<0.1	124
1408046	Core Chip	2.33	23	0.8	22.8	6.6	79	0.1	6.4	18.1	1073	4.35	242.0	3.4	24.2	9.2	106	0.3	0.5	0.7	113
1408047	Core Chip	2.41	337	1.7	34.8	12.0	84	1.5	7.3	16.2	629	3.96	1244	3.4	618.7	10.4	76	0.6	1.7	6.1	85
1408048	Core Chip	2.36	3	1.6	19.2	7.5	95	0.2	6.7	14.2	700	3.39	19.2	3.1	289.0	9.3	91	0.5	0.3	0.3	89
1408049	Core Chip	3.15	4	2.3	20.4	5.7	51	<0.1	6.9	12.9	516	3.14	28.0	2.9	2.1	9.4	68	<0.1	<0.1	0.3	95
1408050	Core Chip	2.11	6	1.9	27.4	4.7	59	0.1	6.5	12.3	503	3.20	61.9	2.8	18.2	9.5	59	0.4	0.3	0.4	97
1408051	Core Chip	2.18	<2	2.2	30.0	3.9	46	<0.1	6.7	12.2	450	2.93	6.5	2.9	4.5	9.7	53	<0.1	0.2	<0.1	86
1408052	Core Chip	2.26	<2	2.5	30.1	4.5	60	<0.1	7.2	14.0	582	3.48	8.0	3.2	4.8	8.4	63	0.2	0.3	0.1	105
1408053	Core Chip	2.39	<2	2.1	48.4	3.9	73	0.1	8.8	20.0	718	4.54	2.8	2.7	3.9	8.6	55	0.2	0.1	0.1	163
1408054	Core Chip	2.13	<2	2.3	27.7	3.2	58	<0.1	7.0	13.4	502	3.31	2.4	2.6	2.2	8.7	74	0.2	0.1	<0.1	113
1408055	Core Chip	2.05	<2	2.5	28.5	3.9	55	<0.1	7.1	14.1	527	3.42	2.6	2.9	2.1	9.5	76	<0.1	0.1	0.2	113
1408056	Core Chip	2.44	191	1.7	31.0	9.6	264	0.6	6.7	15.5	693	4.19	645.7	2.9	216.2	8.5	61	3.6	1.2	1.8	112
1408057	Core Chip	1.96	59	2.3	28.2	7.9	74	0.9	6.8	14.5	528	3.54	219.2	2.8	51.6	8.8	74	0.3	0.5	4.8	116
1408058	Core Chip	2.17	7	2.7	27.1	5.5	57	0.3	6.5	13.1	473	3.32	17.1	2.8	7.7	9.9	72	0.2	0.2	0.6	107
1408059	Core Chip	2.14	<2	2.8	30.3	5.1	80	0.1	7.4	14.5	540	3.60	3.4	2.8	3.0	9.7	73	0.4	<0.1	<0.1	121
1408060	Rock Pulp	0.12	<2	2.4	25.4	2.3	45	0.2	21.8	10.1	386	2.30	4.4	0.2	1.6	0.8	37	0.2	0.2	<0.1	56

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 13, 2012

CERTIFICATE OF ANALYSIS WHI12000067.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Au
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	0.9
1408031	Core Chip	1.44	0.071	16	26	1.24	1037	0.240	<20	2.12	0.216	0.65	0.5	<0.01	0.3	<0.05	6.0	<0.5	7	<0.2	
1408032	Core Chip	1.43	0.073	16	26	1.17	1181	0.259	<20	2.19	0.252	0.83	0.6	<0.01	0.4	0.08	6.5	<0.5	7	<0.2	
1408033	Core Chip	2.36	0.071	17	24	1.18	789	0.172	<20	2.12	0.162	0.60	0.3	<0.01	0.3	0.07	10.4	<0.5	7	<0.2	
1408034	Core Chip	2.72	0.076	20	21	1.04	553	0.106	<20	2.19	0.107	0.43	<0.1	0.02	0.3	<0.05	13.2	<0.5	7	<0.2	
1408035	Core Chip	2.18	0.074	20	24	1.39	1177	0.246	<20	2.52	0.240	0.88	0.2	0.02	0.4	0.07	12.6	<0.5	8	<0.2	
1408036	Core Chip	2.27	0.073	19	24	1.43	1133	0.232	<20	2.54	0.258	0.82	0.3	<0.01	0.4	0.06	11.9	<0.5	8	<0.2	
1408037	Core Chip	2.55	0.070	18	17	0.96	561	0.088	<20	1.86	0.099	0.50	0.2	0.03	0.3	0.65	12.6	<0.5	5	<0.2	
1408038	Core Chip	3.19	0.071	21	19	1.04	540	0.092	<20	2.18	0.091	0.40	0.1	0.04	0.3	0.12	16.4	<0.5	7	<0.2	
1408039	Core Chip	2.37	0.076	19	21	1.08	678	0.118	<20	1.96	0.100	0.50	0.1	0.05	0.3	0.10	15.8	<0.5	6	<0.2	
1408040	Rock Pulp	0.82	0.062	4	29	0.77	98	0.119	<20	1.57	0.076	0.13	11.7	0.02	<0.1	<0.05	4.2	<0.5	5	<0.2	
1408041	Rock Pulp	0.83	0.060	5	33	0.80	104	0.130	<20	1.68	0.095	0.15	0.3	0.06	<0.1	<0.05	4.7	<0.5	5	<0.2	
1408042	Core Chip	1.88	0.073	14	14	0.73	94	0.003	<20	1.34	0.009	0.23	<0.1	0.14	0.4	0.90	14.0	<0.5	4	<0.2	
1408043	Core Chip	2.63	0.070	19	23	1.76	172	0.020	<20	2.38	0.075	0.16	<0.1	0.02	<0.1	0.12	14.2	<0.5	9	<0.2	
1408044	Core Chip	1.88	0.075	19	24	1.69	790	0.197	<20	2.31	0.166	0.49	0.1	<0.01	0.2	<0.05	12.1	<0.5	7	<0.2	
1408045	Core Chip	2.33	0.074	21	24	2.15	419	0.136	<20	2.53	0.124	0.26	0.1	<0.01	0.1	<0.05	15.1	<0.5	8	<0.2	
1408046	Core Chip	2.77	0.071	20	21	1.68	353	0.029	<20	2.54	0.077	0.22	<0.1	0.01	<0.1	<0.05	14.1	<0.5	8	<0.2	
1408047	Core Chip	1.84	0.076	18	21	1.01	184	0.083	<20	1.75	0.123	0.18	0.2	0.03	0.2	0.55	10.6	<0.5	6	<0.2	
1408048	Core Chip	2.00	0.076	17	23	1.30	673	0.161	<20	1.76	0.152	0.35	0.2	0.02	0.1	0.07	8.0	<0.5	6	<0.2	
1408049	Core Chip	1.26	0.080	16	27	1.15	938	0.243	<20	1.99	0.215	0.61	0.7	<0.01	0.3	0.05	5.6	<0.5	6	<0.2	
1408050	Core Chip	1.28	0.077	17	26	1.10	977	0.234	<20	1.89	0.170	0.64	0.7	<0.01	0.3	0.17	5.7	<0.5	6	<0.2	
1408051	Core Chip	1.19	0.077	17	27	1.09	634	0.202	<20	1.74	0.155	0.40	1.0	<0.01	0.2	0.07	4.6	<0.5	6	<0.2	
1408052	Core Chip	1.45	0.085	17	30	1.25	920	0.248	<20	1.97	0.179	0.65	0.8	<0.01	0.4	0.14	5.8	<0.5	6	<0.2	
1408053	Core Chip	1.27	0.116	19	37	1.71	1733	0.415	<20	2.42	0.192	1.38	0.7	<0.01	0.6	0.12	8.4	0.6	8	<0.2	
1408054	Core Chip	1.19	0.082	17	29	1.19	1258	0.301	<20	2.24	0.252	0.96	0.7	<0.01	0.4	0.06	5.8	<0.5	7	<0.2	
1408055	Core Chip	1.24	0.079	16	30	1.26	1139	0.286	<20	2.30	0.262	0.92	0.7	<0.01	0.4	0.12	6.4	<0.5	7	<0.2	
1408056	Core Chip	1.75	0.082	17	25	1.27	902	0.214	<20	2.24	0.164	0.77	0.3	<0.01	0.4	0.49	9.1	<0.5	7	<0.2	
1408057	Core Chip	1.22	0.085	17	30	1.25	1119	0.298	<20	2.34	0.259	0.91	0.7	<0.01	0.4	0.13	6.5	<0.5	7	<0.2	
1408058	Core Chip	1.16	0.078	16	30	1.12	1094	0.284	<20	2.26	0.257	0.90	0.7	<0.01	0.4	0.09	5.3	<0.5	7	<0.2	
1408059	Core Chip	1.15	0.090	17	34	1.29	1274	0.334	<20	2.38	0.281	1.08	0.8	<0.01	0.5	<0.05	6.6	<0.5	7	<0.2	
1408060	Rock Pulp	0.77	0.061	4	29	0.75	89	0.113	<20	1.49	0.074	0.12	12.0	0.01	<0.1	<0.05	4.2	<0.5	5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 13, 2012

CERTIFICATE OF ANALYSIS WHI12000067.2

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1408061	Rock Pulp	0.12	1555	8.2	48.3	5.7	51	0.2	31.1	8.6	468	3.10	6.3	0.3	827.6	0.9	40	0.1	1.0	0.1	62
1408062	Core Chip	2.98	4	2.6	29.8	6.8	64	0.1	6.8	13.7	556	3.23	11.5	2.8	12.2	8.5	94	0.2	0.4	<0.1	101
1408063	Core Chip	2.30	<2	2.4	25.6	3.0	46	<0.1	6.5	12.2	455	3.05	1.4	3.4	<0.5	8.0	83	<0.1	0.1	<0.1	101
1408064	Core Chip	2.20	<2	2.2	26.0	3.5	47	<0.1	6.2	12.4	455	3.06	1.2	2.4	<0.5	7.9	74	<0.1	0.2	<0.1	99
1408065	Core Chip	2.45	6	2.7	28.9	16.4	66	0.2	7.1	13.4	528	3.23	8.6	2.5	4.0	8.2	82	0.3	0.3	<0.1	103
1408066	Core Chip	2.19	10	2.7	26.2	3.5	60	0.1	6.8	13.9	611	3.43	36.4	3.2	12.8	8.1	88	0.1	0.7	<0.1	103
1408067	Core Chip	2.07	130	1.5	23.6	225.3	170	2.7	6.0	16.3	1573	4.03	830.5	3.4	129.2	7.6	106	1.1	4.8	0.6	77
1408068	Core Chip	1.41	63	1.9	24.2	2.9	57	0.2	6.6	14.7	671	3.60	517.7	2.8	59.3	7.7	101	<0.1	2.2	<0.1	102
1408069	Core Chip	2.10	104	1.6	30.3	364.5	732	3.5	6.7	16.2	1891	3.96	1015	2.5	91.3	7.8	108	12.6	11.7	0.1	89
1408070	Core Chip	2.46	63	1.4	24.4	98.9	417	1.3	7.0	14.9	1428	3.98	839.0	2.7	55.0	8.1	96	3.6	7.1	<0.1	93
1408071	Core Chip	2.39	36	1.8	26.9	230.2	537	2.4	6.3	14.7	2445	3.87	421.5	2.7	37.5	8.4	84	6.3	9.6	<0.1	88
1408072	Core Chip	2.56	9	1.7	23.1	8.9	81	0.1	6.1	13.8	811	3.66	21.5	2.3	10.4	10.3	101	0.2	2.2	<0.1	113
1408073	Core Chip	2.54	61	2.3	23.1	42.3	91	0.6	6.4	14.5	1125	3.65	584.2	2.6	55.0	11.2	93	0.7	4.1	<0.1	113
1408074	Core Chip	1.42	13	2.4	22.7	3.7	49	0.1	6.4	12.9	604	3.26	180.7	4.0	30.9	10.8	92	<0.1	1.1	<0.1	98
1408075	Core Chip	1.14	14	2.6	21.4	3.8	50	0.1	6.7	13.2	659	3.44	208.9	3.1	16.0	11.0	104	<0.1	1.3	<0.1	102
1408076	Core Chip	2.93	24	2.2	39.3	737.4	2243	32.0	6.9	14.0	1134	4.20	71.0	3.3	25.5	11.0	71	29.7	152.5	<0.1	96
1408077	Core Chip	2.77	<2	2.5	23.9	8.1	66	0.4	6.7	13.8	560	3.44	2.4	2.9	2.5	9.7	85	0.3	1.4	<0.1	112
1408078	Core Chip	2.46	3	2.1	23.6	5.6	58	0.2	6.4	14.3	777	3.61	1.9	3.2	2.4	9.6	100	0.2	1.7	<0.1	111
1408079	Core Chip	2.62	30	1.5	23.9	149.0	513	1.7	6.3	15.2	1341	4.14	197.9	2.8	24.2	8.3	91	7.2	3.9	0.2	110
1408080	Rock Pulp	0.12	30	2.6	23.5	2.1	40	0.3	23.0	10.0	381	2.31	4.3	0.2	1.2	1.0	37	0.1	0.2	<0.1	56
1408081	Rock Pulp	0.12	4087	9.5	66.0	472.9	1538	51.9	30.2	8.2	393	3.15	29.8	0.3	3237	1.1	32	16.0	47.4	1.0	53
1408082	Core Chip	2.36	<2	2.5	22.9	5.3	55	0.1	6.3	14.2	702	3.47	3.6	2.6	2.0	9.0	88	0.1	0.9	<0.1	110
1408083	Core Chip	2.74	3	2.6	27.3	4.0	49	<0.1	6.5	12.7	491	3.06	1.8	2.9	1.0	9.4	86	0.1	0.4	<0.1	99
1408084	Core Chip	2.95	<2	4.4	26.0	3.1	46	<0.1	6.6	12.4	473	3.05	1.4	2.6	1.4	8.3	79	<0.1	0.3	<0.1	98
1408085	Core Chip	2.58	2	3.0	26.9	95.5	295	1.8	6.7	14.3	1448	3.68	5.7	2.6	1.8	8.7	104	4.2	3.2	<0.1	106
1408086	Core Chip	2.42	<2	2.2	26.1	71.1	482	0.9	6.5	15.0	1422	3.86	5.5	2.8	2.0	8.4	100	6.6	2.4	<0.1	109
1408087	Core Chip	2.60	4	2.8	25.8	4.0	54	<0.1	6.3	13.1	751	3.31	3.3	2.6	1.4	8.7	91	0.2	0.7	<0.1	102
1408088	Core Chip	2.39	4	2.9	24.0	12.3	88	0.2	6.6	13.3	733	3.40	12.9	2.2	5.5	7.5	94	0.7	0.6	<0.1	108
1408089	Core Chip	2.59	<2	2.3	24.3	3.9	60	0.1	6.3	13.8	704	3.43	1.1	2.5	0.8	8.1	95	0.3	0.5	<0.1	109
1408090	Core Chip	2.66	171	2.3	36.4	321.6	784	13.9	7.2	17.6	2751	4.73	772.7	2.4	148.0	9.8	86	11.7	29.2	<0.1	75

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 13, 2012

CERTIFICATE OF ANALYSIS WHI12000067.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Au
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	0.9
1408061	Rock Pulp	0.79	0.059	4	33	0.79	101	0.121	<20	1.65	0.092	0.14	0.2	0.05	<0.1	<0.05	4.6	<0.5	5	<0.2	
1408062	Core Chip	1.41	0.085	18	29	1.19	965	0.263	<20	2.23	0.261	0.80	0.7	<0.01	0.4	0.08	6.5	<0.5	6	<0.2	
1408063	Core Chip	1.16	0.076	16	28	1.10	1027	0.282	<20	2.19	0.273	0.87	0.8	<0.01	0.4	<0.05	5.3	<0.5	7	<0.2	
1408064	Core Chip	1.06	0.077	16	28	1.16	909	0.265	<20	2.11	0.244	0.82	0.8	<0.01	0.4	<0.05	5.1	<0.5	7	<0.2	
1408065	Core Chip	1.25	0.083	17	32	1.25	969	0.260	<20	2.20	0.261	0.82	0.9	<0.01	0.4	0.08	6.4	<0.5	7	<0.2	
1408066	Core Chip	1.58	0.085	17	30	1.33	926	0.233	<20	2.11	0.216	0.78	0.8	<0.01	0.4	0.11	7.3	<0.5	6	<0.2	
1408067	Core Chip	3.61	0.077	16	18	1.30	534	0.095	<20	1.75	0.084	0.53	0.3	0.01	0.4	0.52	10.5	<0.5	5	<0.2	
1408068	Core Chip	1.79	0.077	16	26	1.34	866	0.197	<20	2.12	0.203	0.75	0.4	<0.01	0.4	0.14	8.6	<0.5	6	<0.2	
1408069	Core Chip	2.54	0.073	17	20	1.35	641	0.104	<20	1.71	0.091	0.55	0.3	0.02	0.4	0.37	12.3	<0.5	5	<0.2	
1408070	Core Chip	2.63	0.070	18	21	1.25	725	0.119	<20	2.03	0.128	0.61	0.3	0.01	0.4	0.27	12.5	<0.5	6	<0.2	
1408071	Core Chip	1.97	0.070	16	22	1.15	598	0.133	<20	1.93	0.165	0.64	0.6	0.01	0.5	0.71	10.6	<0.5	5	<0.2	
1408072	Core Chip	1.85	0.071	18	27	1.36	1010	0.224	<20	2.44	0.257	0.82	0.4	<0.01	0.4	0.09	10.4	<0.5	7	<0.2	
1408073	Core Chip	1.50	0.078	16	28	1.31	1106	0.265	<20	2.36	0.274	0.97	0.5	<0.01	0.5	0.22	7.7	<0.5	7	<0.2	
1408074	Core Chip	1.59	0.066	15	28	1.22	913	0.209	<20	2.15	0.241	0.76	0.8	<0.01	0.3	0.17	7.1	<0.5	6	<0.2	
1408075	Core Chip	1.77	0.067	16	28	1.29	948	0.215	<20	2.37	0.290	0.78	0.8	<0.01	0.4	0.20	8.0	<0.5	6	<0.2	
1408076	Core Chip	1.40	0.075	15	27	1.10	194	0.210	<20	1.99	0.199	0.78	0.9	<0.01	0.5	1.05	8.0	<0.5	6	<0.2	
1408077	Core Chip	1.36	0.077	16	30	1.28	1176	0.270	<20	2.41	0.281	1.00	0.6	<0.01	0.5	0.06	6.8	<0.5	7	<0.2	
1408078	Core Chip	1.68	0.072	17	28	1.35	1016	0.228	<20	2.44	0.261	0.84	0.6	<0.01	0.4	0.18	9.8	<0.5	7	<0.2	
1408079	Core Chip	1.91	0.067	16	25	1.45	827	0.177	<20	2.46	0.190	0.69	0.3	<0.01	0.4	0.54	10.3	<0.5	7	<0.2	
1408080	Rock Pulp	0.78	0.056	4	29	0.75	92	0.110	<20	1.51	0.075	0.13	13.2	0.02	<0.1	<0.05	4.3	<0.5	5	<0.2	
1408081	Rock Pulp	0.66	0.052	5	26	0.57	106	0.099	<20	1.18	0.074	0.11	2.1	0.21	1.0	0.33	4.3	<0.5	6	<0.2	
1408082	Core Chip	1.59	0.075	16	29	1.35	1021	0.245	<20	2.36	0.253	0.83	0.5	<0.01	0.4	0.08	8.2	<0.5	7	<0.2	
1408083	Core Chip	1.10	0.070	16	30	1.17	1194	0.268	<20	2.26	0.286	0.92	1.0	<0.01	0.4	<0.05	5.7	<0.5	6	<0.2	
1408084	Core Chip	1.03	0.077	15	30	1.15	1095	0.267	<20	2.13	0.253	0.90	1.3	<0.01	0.4	<0.05	5.5	<0.5	6	<0.2	
1408085	Core Chip	1.57	0.074	16	30	1.22	1054	0.239	<20	2.52	0.311	0.91	0.6	<0.01	0.6	0.26	8.2	<0.5	7	<0.2	
1408086	Core Chip	2.26	0.071	17	28	1.25	925	0.200	<20	2.45	0.249	0.79	0.4	<0.01	0.4	0.32	10.8	<0.5	7	<0.2	
1408087	Core Chip	1.44	0.071	15	30	1.22	1010	0.243	<20	2.27	0.280	0.85	0.8	<0.01	0.4	0.10	6.9	<0.5	7	<0.2	
1408088	Core Chip	1.54	0.072	15	29	1.25	1009	0.240	<20	2.45	0.296	0.85	0.7	<0.01	0.4	0.12	8.0	<0.5	7	<0.2	
1408089	Core Chip	1.60	0.071	16	30	1.22	1030	0.239	<20	2.42	0.295	0.84	0.6	<0.01	0.4	0.08	8.1	<0.5	7	<0.2	
1408090	Core Chip	2.30	0.071	13	21	1.05	53	0.100	<20	1.72	0.140	0.60	0.6	0.02	0.5	2.27	9.7	<0.5	5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 13, 2012

CERTIFICATE OF ANALYSIS WHI12000067.2

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1408091	Core Chip	2.47	<2	2.3	27.5	10.9	64	0.4	6.4	13.3	800	3.58	9.7	3.0	5.8	9.2	105	0.2	2.6	<0.1	107
1408092	Core Chip	2.68	2	2.5	25.3	58.7	55	0.6	7.5	13.5	824	3.35	3.9	2.3	6.1	6.9	97	0.2	1.4	<0.1	103
1408093	Core Chip	2.39	<2	2.6	24.5	4.5	50	0.1	6.6	14.0	809	3.45	2.3	2.3	1.3	7.0	107	<0.1	1.0	<0.1	111
1408094	Core Chip	2.37	<2	2.9	26.1	3.5	46	<0.1	6.7	12.8	526	3.14	1.2	2.4	1.0	8.0	82	<0.1	0.7	<0.1	99
1408095	Core Chip	2.49	87	2.8	28.5	131.1	1214	1.4	6.9	14.5	1410	4.09	497.0	2.5	68.6	7.3	87	17.0	3.9	0.6	102
1408096	Core Chip	1.98	<2	2.9	23.3	6.1	90	0.1	6.8	16.9	1101	4.15	22.6	2.5	2.6	7.7	105	0.4	1.9	<0.1	136
1408097	Core Chip	2.56	<2	2.5	21.5	6.0	85	0.1	6.8	13.4	640	3.40	13.4	2.4	1.6	8.3	95	0.6	0.8	<0.1	107
1408098	Core Chip	2.26	<2	2.8	25.7	92.2	106	0.7	6.2	12.2	504	3.07	2.6	2.4	2.3	8.7	75	1.5	1.3	0.1	96
1408099	Core Chip	2.30	<2	3.2	24.1	4.0	53	<0.1	6.8	13.4	577	3.32	2.7	2.2	0.8	6.4	94	0.2	1.0	<0.1	106
1408100	Rock Pulp	0.13	2	2.5	23.6	2.2	43	0.4	22.9	10.0	403	2.28	4.7	0.2	<0.5	0.9	37	0.2	0.2	<0.1	57
1408101	Rock Pulp	0.13	1416	8.2	46.1	6.1	49	0.3	30.6	8.9	473	3.13	6.4	0.3	1787	1.0	39	0.2	1.0	0.1	62
1408102	Core Chip	2.29	2	2.5	24.8	53.2	105	0.6	6.7	12.6	522	3.14	7.6	2.3	1.0	6.8	77	0.9	1.7	<0.1	97
1408103	Core Chip	2.43	3	2.8	24.0	5.1	47	<0.1	6.3	13.1	499	3.06	1.2	2.2	<0.5	6.8	89	0.1	0.4	<0.1	100
1408104	Core Chip	2.89	<2	2.7	24.3	2.9	42	<0.1	6.2	11.9	413	2.87	1.9	2.1	2.5	6.9	83	<0.1	0.8	0.1	95
1408105	Core Chip	2.69	<2	2.4	22.4	3.5	45	<0.1	6.4	11.8	434	2.77	5.6	2.5	1.3	8.7	126	<0.1	1.7	<0.1	94
1408106	Core Chip	2.35	4	3.0	25.8	81.0	130	0.7	6.8	12.7	484	3.06	4.0	2.2	1.7	6.9	71	1.7	1.6	0.1	98
1408107	Core Chip	2.32	12	2.3	24.3	7.7	82	0.1	6.4	15.0	859	3.52	6.6	2.3	6.6	6.2	103	0.6	2.7	0.1	102
1408108	Core Chip	2.20	8	2.2	23.8	5.9	61	<0.1	6.0	13.8	712	3.39	2.3	2.1	0.7	6.6	73	0.2	1.1	<0.1	102
1408109	Core Chip	2.14	<2	2.6	21.9	6.3	50	<0.1	6.5	13.1	630	2.99	2.4	2.1	1.3	7.2	68	<0.1	0.8	<0.1	87
1408110	Core Chip	2.62	7	3.3	24.3	9.7	259	0.2	6.9	12.9	577	3.25	30.1	2.5	6.4	7.7	71	2.4	1.6	0.1	100
1408111	Core Chip	2.57	9	6.8	24.9	119.5	242	1.4	6.2	13.1	544	3.15	28.3	2.0	9.3	7.5	62	2.1	5.1	<0.1	98
1408112	Core Chip	2.40	539	2.0	34.5	797.7	3544	32.3	5.3	11.7	882	3.71	381.5	2.2	633.0	7.3	61	47.3	102.6	2.5	78
1408113	Core Chip	2.66	10	2.7	27.3	60.9	178	1.2	6.6	14.5	962	3.39	68.8	1.9	9.1	7.1	77	1.3	5.3	<0.1	101
1408114	Core Chip	2.89	<2	3.0	26.1	6.6	71	0.1	6.0	14.9	816	3.26	19.6	2.2	0.9	7.9	78	0.3	6.7	0.1	92
1408115	Core Chip	2.11	3	1.7	24.0	76.7	404	1.4	6.5	15.9	1130	3.74	85.3	2.1	4.9	9.7	68	2.8	6.3	<0.1	97
1408116	Core Chip	2.50	6	2.8	23.6	14.8	104	0.2	6.3	13.1	1023	3.22	3.9	1.8	1.4	7.4	72	0.9	2.5	<0.1	94
1408117	Core Chip	2.42	<2	2.4	34.9	3.8	61	<0.1	8.0	16.1	868	3.69	1.4	2.3	0.9	8.8	93	<0.1	1.5	<0.1	114
1400997	Core Chip	1.34	23	1.4	27.7	6.0	61	0.2	8.0	13.2	625	3.19	161.9	2.1	9.8	8.2	49	0.2	0.5	0.4	87
1400998	Core Chip	0.95	<2	1.3	22.2	3.7	51	<0.1	5.5	12.1	498	2.88	22.8	2.2	2.6	8.6	59	<0.1	0.1	<0.1	88
1400999	Core Chip	0.88	<2	1.3	38.4	3.8	47	<0.1	6.0	12.2	441	2.85	8.9	2.8	1.9	9.1	57	<0.1	0.2	<0.1	93

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 13, 2012

CERTIFICATE OF ANALYSIS WHI12000067.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Au
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	0.9
1408091	Core Chip	1.58	0.072	15	28	1.16	966	0.234	<20	2.59	0.323	0.84	0.6	<0.01	0.4	0.09	8.4	<0.5	7	<0.2	
1408092	Core Chip	1.56	0.075	15	33	1.19	1013	0.242	<20	2.31	0.269	0.87	0.6	0.01	0.4	0.14	7.2	<0.5	7	<0.2	
1408093	Core Chip	1.94	0.071	17	29	1.31	1130	0.227	<20	2.51	0.288	0.81	0.5	<0.01	0.4	0.08	9.0	<0.5	7	<0.2	
1408094	Core Chip	1.16	0.078	16	31	1.19	1094	0.252	<20	2.23	0.262	0.87	0.9	<0.01	0.4	0.06	6.0	<0.5	6	<0.2	
1408095	Core Chip	2.39	0.070	16	28	1.21	399	0.178	<20	2.25	0.224	0.71	0.4	<0.01	0.4	0.74	9.8	<0.5	7	<0.2	
1408096	Core Chip	2.72	0.074	18	29	1.34	965	0.189	<20	2.55	0.213	0.72	0.2	0.01	0.4	0.10	15.7	<0.5	8	<0.2	
1408097	Core Chip	1.60	0.072	16	29	1.17	1141	0.250	<20	2.42	0.283	0.87	0.7	<0.01	0.4	0.13	7.7	<0.5	7	<0.2	
1408098	Core Chip	1.28	0.071	15	30	1.10	1114	0.259	<20	2.16	0.249	0.85	0.7	<0.01	0.4	0.08	5.2	<0.5	6	<0.2	
1408099	Core Chip	1.43	0.074	14	32	1.21	1029	0.265	<20	2.36	0.303	0.83	0.8	<0.01	0.4	0.08	6.6	<0.5	7	<0.2	
1408100	Rock Pulp	0.80	0.056	4	30	0.75	92	0.115	<20	1.55	0.075	0.13	12.5	0.01	<0.1	<0.05	4.6	<0.5	5	<0.2	
1408101	Rock Pulp	0.81	0.056	4	33	0.79	102	0.126	<20	1.65	0.095	0.14	0.3	0.06	<0.1	<0.05	5.0	<0.5	6	<0.2	
1408102	Core Chip	1.31	0.075	13	30	1.14	914	0.228	<20	2.10	0.231	0.67	0.9	<0.01	0.3	0.08	6.0	<0.5	6	<0.2	
1408103	Core Chip	1.25	0.071	14	31	1.09	1124	0.269	<20	2.37	0.323	0.87	1.0	<0.01	0.4	<0.05	5.8	<0.5	7	<0.2	
1408104	Core Chip	1.13	0.077	15	30	1.01	1069	0.264	<20	2.02	0.227	0.81	0.8	<0.01	0.4	<0.05	4.6	<0.5	6	<0.2	
1408105	Core Chip	1.18	0.072	17	28	1.02	1025	0.253	<20	1.99	0.213	0.71	0.6	<0.01	0.3	<0.05	5.3	<0.5	6	<0.2	
1408106	Core Chip	1.23	0.079	15	31	1.11	1018	0.240	<20	1.97	0.203	0.70	0.8	<0.01	0.3	0.10	5.7	<0.5	6	<0.2	
1408107	Core Chip	3.24	0.070	16	25	1.08	709	0.150	<20	2.09	0.175	0.51	0.3	<0.01	0.3	0.16	12.2	<0.5	6	<0.2	
1408108	Core Chip	1.80	0.075	15	28	1.28	529	0.164	<20	2.02	0.153	0.36	0.5	<0.01	0.2	0.10	8.5	<0.5	6	<0.2	
1408109	Core Chip	1.50	0.072	14	28	1.23	336	0.169	<20	1.83	0.146	0.22	0.7	<0.01	<0.1	0.06	6.1	<0.5	6	<0.2	
1408110	Core Chip	1.35	0.077	15	31	1.21	957	0.237	<20	1.98	0.194	0.62	0.9	<0.01	0.2	0.16	5.7	<0.5	6	<0.2	
1408111	Core Chip	1.25	0.078	16	30	1.15	1055	0.254	<20	1.89	0.173	0.73	1.0	<0.01	0.3	0.17	5.4	<0.5	6	<0.2	
1408112	Core Chip	1.48	0.069	13	22	0.89	125	0.150	<20	1.63	0.125	0.59	0.4	0.02	0.3	1.27	6.2	<0.5	5	<0.2	
1408113	Core Chip	1.75	0.080	15	29	1.17	854	0.205	<20	2.04	0.183	0.66	0.5	<0.01	0.3	0.28	7.9	<0.5	6	<0.2	
1408114	Core Chip	1.74	0.072	17	27	1.44	115	0.106	<20	1.81	0.083	0.12	0.1	<0.01	<0.1	<0.05	10.1	<0.5	7	<0.2	
1408115	Core Chip	2.11	0.073	15	26	1.53	61	0.080	<20	2.15	0.063	0.10	0.1	<0.01	<0.1	0.05	11.4	<0.5	7	<0.2	
1408116	Core Chip	2.42	0.073	15	28	1.09	646	0.173	<20	1.91	0.147	0.47	0.5	<0.01	0.2	0.10	7.1	<0.5	6	<0.2	
1408117	Core Chip	2.29	0.075	17	33	1.11	864	0.181	<20	2.33	0.210	0.68	0.3	<0.01	0.4	0.08	13.8	<0.5	7	<0.2	
1400997	Core Chip	0.89	0.072	16	22	1.03	461	0.128	<20	1.76	0.128	0.29	0.5	<0.01	0.1	0.08	6.7	<0.5	6	<0.2	
1400998	Core Chip	1.04	0.070	15	20	1.06	618	0.184	<20	1.77	0.171	0.42	0.6	<0.01	0.2	0.09	5.9	<0.5	6	<0.2	
1400999	Core Chip	0.89	0.072	15	20	1.12	855	0.244	<20	1.83	0.181	0.58	1.1	<0.01	0.3	<0.05	4.8	<0.5	6	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 13, 2012

CERTIFICATE OF ANALYSIS WHI12000067.2

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401000	Rock Pulp	0.12	<2	2.2	25.2	2.3	42	0.8	22.0	9.8	369	2.24	4.3	0.2	<0.5	0.8	36	0.3	0.2	<0.1	56
1401001	Rock Pulp	0.12	1459	8.2	47.1	5.7	49	0.2	29.5	8.8	451	3.06	6.7	0.3	897.1	0.9	39	0.2	1.0	0.1	61
1401002	Core Chip	1.49	2	1.7	31.5	4.3	47	<0.1	6.6	12.2	465	2.91	10.2	2.2	1.8	8.4	63	<0.1	0.2	<0.1	98
1401003	Core Chip	2.07	<2	1.7	27.7	3.7	45	<0.1	6.7	11.9	437	2.86	5.0	2.8	0.7	9.7	60	<0.1	0.2	<0.1	98
1401004	Core Chip	2.04	15	1.7	25.9	53.0	166	0.7	6.6	13.3	958	3.23	9.0	2.6	6.0	8.7	57	1.5	1.5	<0.1	90
1401005	Core Chip	1.82	<2	1.6	26.1	13.9	80	1.0	7.2	16.0	1182	3.95	6.7	2.8	1.1	9.2	60	0.3	1.2	<0.1	107
1401006	Core Chip	1.62	5	1.8	23.3	4.3	58	0.1	7.0	13.4	630	3.26	37.1	3.1	4.1	9.3	56	0.3	0.5	0.2	101
1401007	Core Chip	2.02	9	1.7	22.9	5.5	70	0.2	7.6	13.3	722	3.29	38.2	2.9	13.1	8.8	72	0.5	0.9	0.3	91
1401008	Core Chip	2.12	<2	1.8	22.6	4.5	57	<0.1	7.2	12.3	516	2.95	11.9	2.5	1.1	9.1	55	0.2	0.3	<0.1	90
1401009	Core Chip	1.87	<2	1.8	22.9	4.4	50	<0.1	6.1	12.0	460	2.81	2.0	2.5	1.1	9.1	54	0.1	0.2	<0.1	89
1401010	Core Chip	1.83	17	1.9	20.0	5.6	55	0.1	7.1	13.3	658	3.12	4.8	2.7	3.5	9.0	51	0.3	0.5	0.1	70
1401011	Core Chip	1.58	<2	1.7	25.8	5.5	56	<0.1	6.4	14.2	578	3.14	2.9	2.7	0.8	10.7	47	0.1	0.4	<0.1	79
1401012	Core Chip	0.65	<2	1.3	21.7	5.0	66	<0.1	7.0	14.6	670	3.35	6.0	2.2	0.6	8.9	47	0.2	0.5	<0.1	90
1401013	Core Chip	2.15	65	1.4	30.8	595.2	3361	7.9	6.8	14.4	1245	4.03	280.9	2.3	78.4	7.0	71	54.4	15.8	0.4	77
1401014	Core Chip	2.04	8	1.3	24.7	59.5	554	0.9	6.4	15.4	1394	3.73	45.4	3.9	8.0	9.3	69	6.0	5.4	0.3	77
1401015	Core Chip	2.44	2	1.5	24.1	25.2	283	0.4	6.3	14.9	1046	3.51	28.9	2.8	1.9	8.7	62	3.0	1.6	0.1	90

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 13, 2012

CERTIFICATE OF ANALYSIS WHI12000067.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Au
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	0.9
1401000	Rock Pulp	0.72	0.058	4	28	0.72	87	0.108	<20	1.43	0.070	0.13	12.4	<0.01	<0.1	<0.05	4.5	<0.5	5	<0.2	
1401001	Rock Pulp	0.77	0.058	4	32	0.76	98	0.120	<20	1.58	0.091	0.14	0.2	0.07	<0.1	<0.05	4.8	<0.5	5	<0.2	
1401002	Core Chip	1.02	0.071	16	24	1.09	1005	0.259	<20	1.84	0.187	0.72	1.1	<0.01	0.3	<0.05	5.3	<0.5	6	<0.2	
1401003	Core Chip	0.93	0.071	16	23	1.10	1023	0.260	<20	1.91	0.209	0.74	0.7	<0.01	0.4	<0.05	5.1	<0.5	6	<0.2	
1401004	Core Chip	1.87	0.069	17	23	1.12	527	0.164	<20	1.85	0.127	0.39	0.5	<0.01	0.2	0.09	6.8	<0.5	6	<0.2	
1401005	Core Chip	2.31	0.078	19	24	1.26	452	0.124	<20	2.09	0.082	0.34	0.2	<0.01	0.2	0.13	11.5	<0.5	7	<0.2	
1401006	Core Chip	1.17	0.076	15	24	1.14	941	0.239	<20	1.88	0.167	0.74	0.6	<0.01	0.4	0.14	6.1	<0.5	6	<0.2	
1401007	Core Chip	1.66	0.068	15	23	1.12	484	0.139	<20	1.87	0.153	0.38	0.7	<0.01	0.3	0.36	7.6	<0.5	6	<0.2	
1401008	Core Chip	1.10	0.068	15	25	1.14	569	0.204	<20	1.81	0.163	0.37	0.8	<0.01	0.2	<0.05	5.2	<0.5	6	<0.2	
1401009	Core Chip	1.01	0.071	16	23	1.10	655	0.218	<20	1.74	0.163	0.43	0.9	<0.01	0.2	<0.05	4.5	<0.5	6	<0.2	
1401010	Core Chip	1.71	0.069	15	21	1.06	325	0.120	<20	1.46	0.095	0.25	0.7	<0.01	0.2	0.42	5.1	<0.5	5	<0.2	
1401011	Core Chip	1.52	0.071	16	24	1.34	152	0.136	<20	1.72	0.071	0.12	0.7	<0.01	<0.1	0.09	5.6	<0.5	6	<0.2	
1401012	Core Chip	1.73	0.070	15	24	1.48	153	0.111	<20	1.95	0.078	0.14	0.4	<0.01	<0.1	0.06	7.0	<0.5	7	<0.2	
1401013	Core Chip	2.78	0.062	14	19	1.18	111	0.044	<20	1.59	0.073	0.16	0.3	0.02	0.1	1.32	8.9	<0.5	5	<0.2	
1401014	Core Chip	2.48	0.065	18	15	1.08	325	0.037	<20	1.23	0.085	0.29	0.2	0.02	0.2	0.48	12.3	<0.5	4	<0.2	
1401015	Core Chip	1.89	0.068	17	18	0.98	507	0.098	<20	1.67	0.110	0.43	0.3	0.01	0.3	0.25	10.9	<0.5	5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 13, 2012

QUALITY CONTROL REPORT WHI12000067.2

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1408030	Core Chip	2.09	6	2.5	23.3	6.2	51	<0.1	7.1	13.5	566	3.35	4.2	2.7	5.1	9.0	75	0.1	0.5	0.1	108
REP 1408030	QC			2.1	23.7	6.7	52	0.1	6.5	13.8	569	3.35	3.9	2.6	2.3	9.0	75	0.1	0.4	0.1	111
1408051	Core Chip	2.18	<2	2.2	30.0	3.9	46	<0.1	6.7	12.2	450	2.93	6.5	2.9	4.5	9.7	53	<0.1	0.2	<0.1	86
REP 1408051	QC		<2																		
1408065	Core Chip	2.45	6	2.7	28.9	16.4	66	0.2	7.1	13.4	528	3.23	8.6	2.5	4.0	8.2	82	0.3	0.3	<0.1	103
REP 1408065	QC			2.6	28.3	16.1	63	0.2	6.5	13.1	504	3.17	7.4	3.1	3.8	8.2	82	0.2	0.3	<0.1	101
1408085	Core Chip	2.58	2	3.0	26.9	95.5	295	1.8	6.7	14.3	1448	3.68	5.7	2.6	1.8	8.7	104	4.2	3.2	<0.1	106
REP 1408085	QC		3																		
1408100	Rock Pulp	0.13	2	2.5	23.6	2.2	43	0.4	22.9	10.0	403	2.28	4.7	0.2	<0.5	0.9	37	0.2	0.2	<0.1	57
REP 1408100	QC			2.3	24.8	2.5	45	0.4	23.7	10.4	407	2.35	4.6	0.2	1.9	1.0	39	0.2	0.2	<0.1	58
1400998	Core Chip	0.95	<2	1.3	22.2	3.7	51	<0.1	5.5	12.1	498	2.88	22.8	2.2	2.6	8.6	59	<0.1	0.1	<0.1	88
REP 1400998	QC		<2																		
1401012	Core Chip	0.65	<2	1.3	21.7	5.0	66	<0.1	7.0	14.6	670	3.35	6.0	2.2	0.6	8.9	47	0.2	0.5	<0.1	90
REP 1401012	QC			1.4	20.5	4.7	66	<0.1	7.3	14.8	685	3.32	5.8	2.2	0.6	8.7	48	0.2	0.5	<0.1	91
Core Reject Duplicates																					
1408002	Core Chip	1.98	9	1.4	28.4	77.0	188	0.9	9.9	12.3	639	3.14	25.5	1.7	5.5	8.3	51	2.5	1.9	0.2	90
DUP 1408002	QC		14	1.4	29.0	80.1	182	0.9	9.8	12.8	651	3.19	23.8	2.1	7.5	9.3	57	2.7	1.8	0.2	92
1408037	Core Chip	2.38	65	2.3	20.9	11.1	86	0.7	6.4	18.4	936	3.92	599.3	3.6	53.9	11.4	79	0.2	2.8	0.1	89
DUP 1408037	QC		56	2.3	19.8	11.0	83	0.7	5.7	17.8	915	3.83	573.2	3.5	57.2	11.3	81	0.2	2.9	<0.1	84
1408072	Core Chip	2.56	9	1.7	23.1	8.9	81	0.1	6.1	13.8	811	3.66	21.5	2.3	10.4	10.3	101	0.2	2.2	<0.1	113
DUP 1408072	QC		9	1.7	25.0	9.2	83	0.1	6.7	13.9	830	3.74	20.9	2.5	7.5	9.9	103	0.2	1.8	<0.1	117
1408107	Core Chip	2.32	12	2.3	24.3	7.7	82	0.1	6.4	15.0	859	3.52	6.6	2.3	6.6	6.2	103	0.6	2.7	0.1	102
DUP 1408107	QC		26	2.0	24.0	7.5	81	0.1	6.2	14.7	850	3.39	6.7	2.4	6.3	5.9	91	0.5	2.6	<0.1	98
Reference Materials																					
STD DS9	Standard			13.0	108.7	128.2	317	1.8	39.9	7.5	565	2.28	24.6	2.6	224.6	6.8	72	2.5	4.2	6.8	39
STD DS9	Standard			14.4	111.0	125.9	319	1.8	41.6	8.3	593	2.34	26.2	2.8	102.6	6.6	75	2.4	4.9	6.8	41
STD DS9	Standard			13.5	115.4	125.5	335	2.0	41.9	7.9	572	2.37	27.1	2.7	137.4	6.5	74	2.6	4.6	7.1	41
STD DS9	Standard			12.1	111.2	122.9	314	1.8	38.9	7.8	573	2.33	25.9	3.0	117.1	6.4	68	2.4	4.4	6.7	39

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 13, 2012

QUALITY CONTROL REPORT WHI12000067.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Au
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	0.9
Pulp Duplicates																					
1408030	Core Chip	1.32	0.072	16	27	1.25	1117	0.261	<20	2.22	0.236	0.81	0.5	<0.01	0.4	0.08	6.6	<0.5	7	<0.2	
REP 1408030	QC	1.33	0.073	16	27	1.23	1114	0.263	<20	2.25	0.239	0.82	0.5	<0.01	0.4	0.08	6.7	<0.5	7	<0.2	
1408051	Core Chip	1.19	0.077	17	27	1.09	634	0.202	<20	1.74	0.155	0.40	1.0	<0.01	0.2	0.07	4.6	<0.5	6	<0.2	
REP 1408051	QC																				
1408065	Core Chip	1.25	0.083	17	32	1.25	969	0.260	<20	2.20	0.261	0.82	0.9	<0.01	0.4	0.08	6.4	<0.5	7	<0.2	
REP 1408065	QC	1.23	0.080	17	30	1.20	940	0.255	<20	2.15	0.259	0.79	0.9	<0.01	0.4	0.08	5.9	<0.5	7	<0.2	
1408085	Core Chip	1.57	0.074	16	30	1.22	1054	0.239	<20	2.52	0.311	0.91	0.6	<0.01	0.6	0.26	8.2	<0.5	7	<0.2	
REP 1408085	QC																				
1408100	Rock Pulp	0.80	0.056	4	30	0.75	92	0.115	<20	1.55	0.075	0.13	12.5	0.01	<0.1	<0.05	4.6	<0.5	5	<0.2	
REP 1408100	QC	0.81	0.058	4	30	0.77	95	0.117	<20	1.56	0.076	0.13	12.7	<0.01	<0.1	<0.05	4.4	<0.5	5	<0.2	
1400998	Core Chip	1.04	0.070	15	20	1.06	618	0.184	<20	1.77	0.171	0.42	0.6	<0.01	0.2	0.09	5.9	<0.5	6	<0.2	
REP 1400998	QC																				
1401012	Core Chip	1.73	0.070	15	24	1.48	153	0.111	<20	1.95	0.078	0.14	0.4	<0.01	<0.1	0.06	7.0	<0.5	7	<0.2	
REP 1401012	QC	1.72	0.069	15	25	1.46	147	0.107	<20	1.92	0.077	0.14	0.4	<0.01	<0.1	0.06	7.2	<0.5	6	<0.2	
Core Reject Duplicates																					
1408002	Core Chip	0.72	0.068	15	23	0.94	553	0.204	<20	1.90	0.145	0.43	0.5	<0.01	0.3	<0.05	5.1	<0.5	6	<0.2	
DUP 1408002	QC	0.78	0.066	16	23	0.98	573	0.209	<20	2.01	0.167	0.45	0.6	<0.01	0.3	<0.05	5.8	<0.5	6	<0.2	
1408037	Core Chip	2.55	0.070	18	17	0.96	561	0.088	<20	1.86	0.099	0.50	0.2	0.03	0.3	0.65	12.6	<0.5	5	<0.2	
DUP 1408037	QC	2.52	0.069	18	16	0.93	549	0.083	<20	1.79	0.093	0.47	0.2	0.03	0.3	0.64	12.4	<0.5	5	<0.2	
1408072	Core Chip	1.85	0.071	18	27	1.36	1010	0.224	<20	2.44	0.257	0.82	0.4	<0.01	0.4	0.09	10.4	<0.5	7	<0.2	
DUP 1408072	QC	1.87	0.071	17	27	1.38	1017	0.221	<20	2.47	0.254	0.84	0.4	<0.01	0.4	0.09	9.9	<0.5	7	<0.2	
1408107	Core Chip	3.24	0.070	16	25	1.08	709	0.150	<20	2.09	0.175	0.51	0.3	<0.01	0.3	0.16	12.2	<0.5	6	<0.2	
DUP 1408107	QC	3.07	0.069	15	24	1.04	692	0.141	<20	1.91	0.145	0.49	0.3	<0.01	0.2	0.16	9.8	<0.5	6	<0.2	
Reference Materials																					
STD DS9	Standard	0.71	0.081	13	120	0.61	311	0.104	<20	0.97	0.086	0.40	2.8	0.19	5.5	0.16	2.5	5.0	5	5.0	
STD DS9	Standard	0.73	0.084	13	124	0.63	334	0.114	<20	0.97	0.087	0.41	2.8	0.22	5.5	0.17	2.4	5.6	5	5.0	
STD DS9	Standard	0.74	0.087	14	118	0.65	344	0.110	<20	1.00	0.087	0.41	2.7	0.20	5.5	0.18	2.4	5.3	5	5.2	
STD DS9	Standard	0.69	0.084	12	116	0.61	306	0.105	<20	0.93	0.083	0.39	2.6	0.17	5.2	0.15	2.2	5.4	4	4.6	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 13, 2012

QUALITY CONTROL REPORT WHI12000067.2

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
STD OREAS45CA	Standard			1.0	494.3	18.7	57	0.3	240.0	88.9	933	15.13	3.9	1.2	43.3	6.5	13	0.1	0.2	0.2	208
STD OREAS45CA	Standard			1.1	558.9	20.8	66	0.3	266.0	99.8	1093	16.76	4.1	1.2	47.4	7.2	15	<0.1	0.1	0.2	222
STD OREAS45CA	Standard			0.9	509.1	21.6	64	0.3	251.1	94.2	943	15.83	3.6	1.2	39.5	6.9	14	<0.1	0.1	0.2	216
STD OREAS45CA	Standard			0.9	493.4	19.9	62	0.3	230.4	88.7	878	14.50	3.2	1.1	37.7	6.6	14	0.1	0.2	0.2	201
STD OXC88	Standard		201																		
STD OXC88	Standard		197																		
STD OXC88	Standard		204																		
STD OXC88	Standard		212																		
STD OXC88	Standard		196																		
STD OXC88	Standard		205																		
STD OXG99	Standard		943																		
STD OXG99	Standard		949																		
STD OXG99	Standard		972																		
STD OXG99	Standard		969																		
STD OXG99	Standard		1003																		
STD SP49	Standard																				
STD SP49	Standard																				
STD SP49	Standard																				
STD OXG99 Expected			932																		
STD OXC88 Expected			203																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
STD SP49 Expected																					
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 13, 2012

QUALITY CONTROL REPORT WHI12000067.2

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2	G6Gr Au gm/t 0.9
STD OREAS45CA	Standard	0.41	0.036	15	712	0.12	157	0.135	<20	3.50	0.007	0.07	<0.1	0.03	<0.1	<0.05	43.5	<0.5	19	<0.2	
STD OREAS45CA	Standard	0.47	0.045	17	783	0.15	176	0.151	<20	4.02	0.009	0.07	<0.1	0.04	<0.1	<0.05	47.4	<0.5	21	<0.2	
STD OREAS45CA	Standard	0.44	0.041	17	723	0.13	158	0.144	<20	3.60	0.008	0.07	<0.1	0.04	<0.1	<0.05	44.0	0.9	19	<0.2	
STD OREAS45CA	Standard	0.41	0.037	15	674	0.12	152	0.134	<20	3.48	0.012	0.08	<0.1	0.03	<0.1	<0.05	42.8	<0.5	18	<0.2	
STD OXC88	Standard																				
STD OXC88	Standard																				
STD OXC88	Standard																				
STD OXC88	Standard																				
STD OXC88	Standard																				
STD OXC88	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD SP49	Standard																				18.4
STD SP49	Standard																				17.6
STD SP49	Standard																				18.1
STD OXG99 Expected																					
STD OXC88 Expected																					
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02	
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4		
STD SP49 Expected																					18.34
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 13, 2012

QUALITY CONTROL REPORT WHI12000067.2

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank																				
BLK	Blank																				
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank																				
Prep Wash																					
G1-WHI	Prep Blank		<2	0.2	2.3	4.0	48	<0.1	2.5	3.8	558	1.95	<0.5	1.7	3.8	6.1	69	<0.1	<0.1	<0.1	38
G1-WHI	Prep Blank		5	<0.1	2.4	3.8	50	<0.1	2.5	4.0	597	1.94	0.9	2.0	3.0	6.1	78	<0.1	<0.1	<0.1	38

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 13, 2012

QUALITY CONTROL REPORT WHI12000067.2

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2	G6Gr Au gm/t 0.9
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				<0.9
BLK	Blank																				<0.9
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank																				<0.9
Prep Wash																					
G1-WHI	Prep Blank	0.48	0.083	14	7	0.51	159	0.133	<20	0.94	0.095	0.49	0.3	<0.01	0.3	<0.05	2.2	<0.5	5	<0.2	
G1-WHI	Prep Blank	0.60	0.081	13	6	0.56	173	0.135	<20	1.00	0.105	0.52	0.1	<0.01	0.3	<0.05	2.5	<0.5	5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: June 04, 2012
Report Date: June 18, 2012
Page: 1 of 3

CERTIFICATE OF ANALYSIS WHI12000068.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 50

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	44	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	50	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	50	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

CERTIFICATE OF ANALYSIS WHI12000068.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401016	Core Chip	2.22	<2	2.0	21.1	21.2	71	0.2	6.2	12.6	557	3.01	3.9	2.5	<0.5	8.4	66	0.4	0.4	<0.1	102
1401017	Core Chip	2.13	<2	2.4	21.0	3.0	58	<0.1	6.4	13.8	613	3.33	2.5	2.9	<0.5	8.1	70	<0.1	0.2	<0.1	107
1401018	Core Chip	2.51	<2	2.1	23.1	134.9	123	1.3	7.3	13.6	854	3.25	3.0	2.6	<0.5	7.8	68	1.2	1.1	<0.1	107
1401019	Core Chip	2.20	<2	2.9	21.8	4.5	49	<0.1	7.2	12.6	462	3.06	1.8	2.4	<0.5	8.2	77	<0.1	0.1	<0.1	108
1401020	Rock Pulp	0.12	<2	2.3	24.5	2.3	43	0.3	24.0	10.6	400	2.30	5.3	0.3	<0.5	0.6	41	0.1	0.2	<0.1	62
1401021	Rock Pulp	0.12	3840	10.3	72.7	497.7	1560	51.9	32.9	8.9	416	3.34	32.2	0.4	4733	0.9	36	16.5	49.5	0.9	57
1401022	Core Chip	2.56	<2	2.2	23.0	3.6	48	<0.1	6.7	13.3	485	3.11	1.8	2.7	2.0	8.0	70	<0.1	0.1	<0.1	108
1401023	Core Chip	2.21	<2	2.2	24.0	19.9	83	0.2	7.2	14.2	850	3.36	2.7	3.7	<0.5	8.9	75	0.5	0.3	<0.1	113
1401024	Core Chip	0.84	<2	2.1	23.1	3.5	47	<0.1	6.6	12.8	483	3.00	1.9	2.8	<0.5	8.2	64	<0.1	<0.1	<0.1	104
1401025	Core Chip	1.09	<2	2.5	23.2	4.1	47	<0.1	6.8	13.5	518	3.07	1.9	2.8	3.0	8.9	66	<0.1	0.1	<0.1	106
1401026	Core Chip	2.77	<2	2.4	22.6	3.2	45	<0.1	7.0	12.8	465	3.06	2.0	2.9	<0.5	8.8	71	<0.1	0.1	<0.1	107
1401027	Core Chip	2.92	<2	2.5	23.2	3.2	46	<0.1	7.2	13.1	451	3.09	2.1	2.9	<0.5	8.5	70	<0.1	0.1	<0.1	107
1401028	Core Chip	2.24	<2	2.5	27.2	5.2	51	0.1	7.4	14.1	571	3.20	38.7	2.9	1.7	8.3	63	0.2	0.3	0.1	109
1401029	Core Chip	2.32	2	2.6	27.8	4.3	48	<0.1	7.4	13.2	486	3.12	2.0	2.6	<0.5	8.1	65	0.1	0.1	<0.1	108
1401030	Core Chip	2.26	<2	2.7	26.8	3.1	47	<0.1	7.7	13.4	469	3.15	2.8	2.7	<0.5	8.7	71	<0.1	0.1	<0.1	111
1401031	Core Chip	3.32	<2	2.4	24.2	4.7	45	<0.1	7.1	13.3	684	3.13	2.4	2.7	<0.5	8.9	70	<0.1	0.2	<0.1	109
1401032	Core Chip	1.88	<2	2.8	24.5	3.5	46	<0.1	6.8	13.7	489	3.15	1.6	3.1	<0.5	9.3	68	<0.1	<0.1	<0.1	110
1401033	Core Chip	3.25	<2	2.5	25.3	3.4	46	<0.1	7.2	13.6	458	3.08	1.7	3.0	<0.5	9.2	70	<0.1	0.1	<0.1	108
1401034	Core Chip	2.32	<2	2.5	29.9	9.3	61	0.1	7.2	13.2	830	3.13	3.1	3.4	<0.5	9.5	73	0.3	0.3	<0.1	102
1401035	Core Chip	2.46	<2	2.4	25.3	4.2	53	<0.1	8.2	13.9	588	3.18	1.5	2.9	<0.5	8.4	73	0.2	0.1	<0.1	110
1401036	Core Chip	3.10	<2	2.6	24.9	3.7	48	<0.1	7.1	13.8	558	3.20	1.8	2.9	<0.5	8.6	73	<0.1	0.2	<0.1	111
1401037	Core Chip	2.25	<2	2.3	22.1	5.0	54	<0.1	7.1	15.0	810	3.50	4.6	3.4	2.2	7.8	78	0.1	0.3	<0.1	111
1401038	Core Chip	2.28	<2	2.2	23.9	55.8	115	0.4	7.0	14.8	1026	3.62	3.3	3.2	<0.5	8.0	76	0.9	0.8	<0.1	103
1401039	Core Chip	2.45	<2	2.3	27.8	68.7	182	0.7	6.7	14.3	1253	3.99	9.9	2.8	<0.5	6.9	69	1.8	1.5	<0.1	95
1401040	Rock Pulp	0.12	<2	2.7	26.5	2.5	45	0.3	26.4	11.4	424	2.48	4.4	0.3	<0.5	0.9	43	0.2	0.2	<0.1	64
1401041	Rock Pulp	0.12	1475	8.7	51.5	6.4	54	0.2	35.0	9.9	513	3.41	7.2	0.3	1039	0.9	46	0.1	1.1	<0.1	71
1401042	Core Chip	1.89	3325	2.5	23.6	291.5	69	41.3	6.9	16.4	853	4.74	>10000	2.6	1709	7.0	68	0.4	9.8	80.1	107
1401043	Core Chip	2.68	40	2.3	28.4	13.5	54	0.5	7.5	15.9	671	3.68	766.4	3.3	145.2	8.9	75	0.1	0.8	1.4	102
1401044	Core Chip	2.00	137	2.2	31.0	64.7	114	1.2	8.0	17.1	909	4.09	2202	3.4	201.2	8.9	68	1.1	2.1	1.9	91
1401045	Core Chip	2.76	4	2.2	25.6	4.8	62	0.1	7.0	16.2	734	3.80	41.7	3.7	34.3	9.0	78	0.2	0.5	0.3	109

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

CERTIFICATE OF ANALYSIS WHI12000068.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1401016	Core Chip	1.18	0.069	15	25	1.05	1047	0.285	<20	2.00	0.225	0.82	0.8	<0.01	0.4	0.06	5.8	<0.5	6	<0.2
1401017	Core Chip	1.37	0.069	16	25	1.08	1074	0.248	<20	2.07	0.214	0.80	0.4	0.01	0.4	0.05	8.1	<0.5	6	<0.2
1401018	Core Chip	1.38	0.068	16	26	1.12	1049	0.268	<20	2.13	0.223	0.84	0.6	<0.01	0.4	0.14	7.1	<0.5	6	<0.2
1401019	Core Chip	1.11	0.071	15	29	1.14	1142	0.297	<20	2.27	0.291	0.93	0.7	<0.01	0.4	<0.05	5.9	<0.5	6	<0.2
1401020	Rock Pulp	0.88	0.058	4	32	0.79	94	0.141	<20	1.59	0.083	0.14	12.1	<0.01	<0.1	<0.05	4.8	<0.5	5	<0.2
1401021	Rock Pulp	0.73	0.056	6	29	0.59	110	0.122	<20	1.24	0.082	0.12	2.3	0.24	1.1	0.34	4.4	<0.5	6	<0.2
1401022	Core Chip	1.11	0.069	15	28	1.14	1179	0.307	<20	2.13	0.244	0.96	0.7	<0.01	0.4	<0.05	5.8	<0.5	6	<0.2
1401023	Core Chip	1.67	0.072	17	28	1.16	1128	0.294	<20	2.28	0.243	0.97	0.6	<0.01	0.5	0.09	7.4	<0.5	6	<0.2
1401024	Core Chip	1.11	0.068	16	27	1.15	1155	0.301	<20	2.11	0.229	0.93	0.7	<0.01	0.4	<0.05	5.5	<0.5	6	<0.2
1401025	Core Chip	1.18	0.071	16	28	1.17	1152	0.301	<20	2.12	0.228	0.93	0.7	<0.01	0.4	<0.05	5.7	<0.5	6	<0.2
1401026	Core Chip	1.13	0.068	16	28	1.10	1110	0.302	<20	2.14	0.255	0.89	0.9	<0.01	0.4	<0.05	5.5	0.5	6	<0.2
1401027	Core Chip	1.09	0.069	15	28	1.07	1173	0.318	<20	2.16	0.251	0.93	0.8	<0.01	0.5	<0.05	5.1	<0.5	6	<0.2
1401028	Core Chip	1.18	0.070	16	29	1.16	1140	0.304	<20	2.12	0.219	0.90	0.8	<0.01	0.4	0.10	5.7	<0.5	6	<0.2
1401029	Core Chip	1.14	0.071	14	29	1.10	1108	0.310	<20	2.10	0.224	0.87	0.9	<0.01	0.4	0.08	5.4	<0.5	6	<0.2
1401030	Core Chip	1.15	0.067	15	29	1.10	1147	0.325	<20	2.23	0.261	0.92	0.9	<0.01	0.4	<0.05	5.3	<0.5	6	<0.2
1401031	Core Chip	1.31	0.070	15	29	1.11	1123	0.300	<20	2.12	0.242	0.87	0.8	<0.01	0.4	0.05	6.0	<0.5	6	<0.2
1401032	Core Chip	1.09	0.072	16	29	1.12	1219	0.316	<20	2.14	0.242	0.93	0.9	<0.01	0.4	<0.05	5.6	<0.5	6	<0.2
1401033	Core Chip	1.09	0.073	15	30	1.12	1153	0.311	<20	2.14	0.252	0.92	1.0	<0.01	0.5	<0.05	5.3	<0.5	6	<0.2
1401034	Core Chip	1.47	0.064	15	27	1.06	1005	0.259	<20	2.13	0.238	0.83	0.8	<0.01	0.4	0.09	6.5	<0.5	6	<0.2
1401035	Core Chip	1.23	0.070	16	30	1.16	1165	0.296	<20	2.18	0.246	0.91	0.7	<0.01	0.4	0.06	5.9	<0.5	6	<0.2
1401036	Core Chip	1.35	0.070	15	30	1.18	1052	0.288	<20	2.19	0.245	0.82	0.8	<0.01	0.4	0.05	6.4	<0.5	6	<0.2
1401037	Core Chip	1.98	0.069	16	28	1.35	778	0.211	<20	2.22	0.197	0.64	0.7	<0.01	0.3	0.14	8.6	<0.5	6	<0.2
1401038	Core Chip	1.81	0.068	16	26	1.20	878	0.214	<20	1.97	0.195	0.70	0.5	0.02	0.4	0.18	8.6	<0.5	6	<0.2
1401039	Core Chip	2.09	0.067	17	23	1.10	627	0.131	<20	1.60	0.150	0.52	0.3	0.10	0.5	0.44	10.6	<0.5	5	<0.2
1401040	Rock Pulp	0.90	0.060	5	34	0.81	101	0.151	<20	1.69	0.087	0.14	12.6	0.01	<0.1	<0.05	4.9	<0.5	5	<0.2
1401041	Rock Pulp	0.95	0.060	5	38	0.86	112	0.163	<20	1.86	0.111	0.16	0.3	0.07	<0.1	<0.05	5.7	0.5	6	<0.2
1401042	Core Chip	1.73	0.056	16	25	1.22	125	0.067	<20	1.82	0.171	0.78	0.5	0.02	0.5	0.96	10.2	1.4	5	0.3
1401043	Core Chip	1.61	0.067	16	26	1.24	1023	0.235	<20	2.08	0.209	0.79	0.5	<0.01	0.5	0.38	7.9	<0.5	6	<0.2
1401044	Core Chip	1.90	0.071	17	22	1.00	652	0.107	<20	1.70	0.107	0.53	0.5	0.03	0.4	0.58	12.2	<0.5	5	<0.2
1401045	Core Chip	1.72	0.068	16	27	1.32	886	0.225	<20	2.03	0.210	0.68	0.6	0.02	0.4	0.23	10.2	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

CERTIFICATE OF ANALYSIS WHI12000068.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401046	Core Chip	1.98	5	2.3	22.7	10.1	64	0.1	7.3	16.5	855	3.99	14.4	2.8	20.5	8.3	67	0.2	0.5	0.2	106
1401047	Core Chip	2.82	4	2.9	28.7	76.3	161	0.7	7.1	15.9	967	3.92	24.7	3.4	7.6	9.4	70	1.7	0.9	0.3	106
1401048	Core Chip	2.83	<2	2.8	26.5	5.1	51	0.1	8.1	14.2	512	3.30	6.7	2.8	5.2	9.4	68	0.1	0.2	<0.1	113
1401049	Core Chip	2.16	4	3.3	26.0	26.7	84	0.3	7.3	13.6	598	3.37	6.6	3.8	4.0	10.8	67	0.6	0.5	0.3	104
1401050	Core Chip	2.97	82	2.9	68.6	1297	3370	30.1	7.5	13.4	714	3.91	392.7	3.3	87.8	8.6	65	50.6	39.9	0.2	99
1401051	Core Chip	2.36	4	2.8	27.0	40.5	130	0.9	7.3	14.2	864	3.57	11.8	3.4	2.2	8.4	82	1.4	2.3	0.2	110
1401052	Core Chip	3.17	<2	3.7	28.9	10.7	74	0.3	9.6	14.2	537	3.51	4.4	3.4	0.7	11.2	77	0.4	0.3	0.1	120
1401053	Core Chip	2.15	8	3.5	31.1	10.4	73	0.2	8.7	14.2	617	3.91	8.0	3.2	2.7	11.2	84	0.4	0.4	0.4	121
1401054	Core Chip	3.08	16	4.0	31.9	5.5	58	0.1	9.5	14.6	600	4.01	46.7	3.3	14.3	9.3	85	0.1	0.2	0.6	120
1401055	Core Chip	3.20	2	3.3	28.3	189.2	143	1.6	8.7	14.4	693	3.64	1.5	2.7	0.7	8.1	89	1.8	1.0	<0.1	121
1401056	Core Chip	3.00	9	3.2	31.1	403.4	553	3.8	8.3	15.2	1236	4.03	5.0	3.4	0.6	8.2	87	9.5	1.8	<0.1	128
1401057	Core Chip	1.83	<2	3.5	26.0	8.3	62	<0.1	8.9	13.9	537	3.62	2.9	3.0	<0.5	8.7	80	0.2	0.2	0.1	123
1401058	Core Chip	2.27	18	3.0	39.4	26.0	72	0.6	8.5	14.9	669	4.34	5.6	2.7	3.4	7.8	65	0.3	0.5	0.9	116
1401059	Core Chip	2.01	4	2.9	31.1	5.3	58	0.1	8.4	15.0	614	3.81	5.1	2.9	8.1	7.7	79	<0.1	0.4	0.3	120
1401060	Rock Pulp	0.12	<2	2.7	24.4	2.3	46	0.2	22.3	10.8	417	2.42	5.0	0.3	<0.5	1.0	41	0.1	0.3	<0.1	61
1401061	Rock Pulp	0.12	4169	10.6	71.8	506.7	1644	55.8	32.4	8.6	425	3.44	33.1	0.4	3471	1.1	37	16.8	47.7	1.0	60
1401062	Core Chip	2.12	<2	3.8	30.0	5.5	56	<0.1	8.4	14.1	598	3.39	2.2	2.3	<0.5	6.9	78	0.1	0.2	<0.1	108
1401063	Core Chip	2.49	3	3.6	37.3	387.9	985	3.8	9.0	16.8	1197	4.26	11.6	3.0	2.6	8.8	90	19.9	2.8	<0.1	121
1401064	Core Chip	2.36	36	2.7	32.1	73.3	241	0.8	8.1	16.3	1166	4.09	8.8	3.0	28.9	7.9	91	2.9	0.8	0.2	121
1401065	Core Chip	1.21	43	1.8	27.1	22.0	77	0.4	7.4	16.6	879	4.16	302.5	3.3	22.8	9.5	87	0.4	0.9	0.7	117

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

CERTIFICATE OF ANALYSIS WHI12000068.1

Method		1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL		0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1401046	Core Chip	1.70	0.066	17	26	1.48	669	0.156	<20	1.85	0.147	0.49	0.3	<0.01	0.3	0.13	11.7	<0.5	6	<0.2
1401047	Core Chip	1.81	0.070	17	29	1.41	679	0.182	<20	2.08	0.172	0.56	0.6	<0.01	0.4	0.33	9.5	<0.5	6	<0.2
1401048	Core Chip	1.16	0.070	15	33	1.21	1123	0.305	<20	2.19	0.226	0.85	1.0	<0.01	0.4	0.07	5.8	<0.5	6	<0.2
1401049	Core Chip	1.26	0.073	16	32	1.20	892	0.244	<20	2.03	0.201	0.66	1.1	<0.01	0.3	0.15	5.8	<0.5	6	<0.2
1401050	Core Chip	1.33	0.075	14	29	1.15	155	0.241	<20	1.90	0.191	0.71	1.0	<0.01	0.4	1.07	5.7	<0.5	6	<0.2
1401051	Core Chip	1.53	0.077	16	29	1.20	1025	0.244	<20	2.22	0.231	0.81	0.8	<0.01	0.4	0.22	7.9	<0.5	7	<0.2
1401052	Core Chip	1.19	0.079	15	37	1.28	1289	0.306	<20	2.29	0.265	0.98	1.0	<0.01	0.5	0.07	6.4	<0.5	7	<0.2
1401053	Core Chip	1.50	0.078	15	35	1.39	1023	0.267	<20	2.46	0.255	0.80	0.7	<0.01	0.4	0.22	7.2	<0.5	7	<0.2
1401054	Core Chip	1.47	0.081	15	36	1.33	540	0.264	<20	2.46	0.255	0.90	0.8	<0.01	0.4	0.54	7.6	<0.5	7	<0.2
1401055	Core Chip	1.32	0.079	15	35	1.27	1214	0.302	<20	2.56	0.307	0.99	0.8	<0.01	0.5	0.11	7.2	<0.5	7	<0.2
1401056	Core Chip	1.75	0.082	15	33	1.35	1152	0.281	<20	2.63	0.267	1.00	0.6	<0.01	0.5	0.37	8.7	<0.5	7	<0.2
1401057	Core Chip	1.20	0.082	15	37	1.29	1209	0.304	<20	2.43	0.279	0.99	0.9	<0.01	0.4	<0.05	6.2	<0.5	7	<0.2
1401058	Core Chip	1.61	0.076	16	34	1.49	233	0.221	<20	2.44	0.190	0.73	0.7	<0.01	0.4	0.78	7.9	<0.5	7	<0.2
1401059	Core Chip	1.58	0.080	15	32	1.39	1076	0.271	<20	2.44	0.251	0.85	0.8	<0.01	0.4	0.29	8.1	<0.5	8	<0.2
1401060	Rock Pulp	0.88	0.063	5	32	0.80	100	0.131	<20	1.60	0.083	0.13	12.2	<0.01	<0.1	<0.05	4.8	<0.5	5	<0.2
1401061	Rock Pulp	0.77	0.059	6	28	0.63	116	0.116	<20	1.31	0.083	0.12	2.0	0.22	1.1	0.36	4.7	<0.5	7	0.2
1401062	Core Chip	1.35	0.077	15	33	1.17	1028	0.273	<20	2.17	0.244	0.86	1.0	<0.01	0.3	0.09	6.2	<0.5	6	<0.2
1401063	Core Chip	1.70	0.085	16	35	1.42	834	0.255	<20	2.31	0.255	0.89	0.7	<0.01	0.5	0.56	10.4	<0.5	7	<0.2
1401064	Core Chip	1.94	0.081	15	30	1.38	1021	0.243	<20	2.26	0.236	0.89	0.5	0.01	0.4	0.34	11.4	<0.5	7	<0.2
1401065	Core Chip	1.75	0.073	17	26	1.48	846	0.218	<20	2.25	0.203	0.82	0.5	<0.01	0.5	0.55	10.9	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

QUALITY CONTROL REPORT WHI12000068.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1401016	Core Chip	2.22	<2	2.0	21.1	21.2	71	0.2	6.2	12.6	557	3.01	3.9	2.5	<0.5	8.4	66	0.4	0.4	<0.1	102
REP 1401016	QC		<2																		
1401022	Core Chip	2.56	<2	2.2	23.0	3.6	48	<0.1	6.7	13.3	485	3.11	1.8	2.7	2.0	8.0	70	<0.1	0.1	<0.1	108
REP 1401022	QC			2.1	23.4	3.5	46	<0.1	7.0	13.4	494	3.15	1.6	2.7	0.8	8.8	71	<0.1	<0.1	<0.1	110
1401053	Core Chip	2.15	8	3.5	31.1	10.4	73	0.2	8.7	14.2	617	3.91	8.0	3.2	2.7	11.2	84	0.4	0.4	0.4	121
REP 1401053	QC			3.8	31.9	9.2	75	0.2	10.4	15.5	612	3.94	7.3	3.4	5.1	11.1	88	0.3	0.3	0.4	121
1401055	Core Chip	3.20	2	3.3	28.3	189.2	143	1.6	8.7	14.4	693	3.64	1.5	2.7	0.7	8.1	89	1.8	1.0	<0.1	121
REP 1401055	QC		<2																		
Core Reject Duplicates																					
1401027	Core Chip	2.92	<2	2.5	23.2	3.2	46	<0.1	7.2	13.1	451	3.09	2.1	2.9	<0.5	8.5	70	<0.1	0.1	<0.1	107
DUP 1401027	QC		<2	2.3	24.0	3.1	46	<0.1	7.9	13.0	438	3.06	2.8	2.7	<0.5	8.5	65	<0.1	0.2	<0.1	106
1401062	Core Chip	2.12	<2	3.8	30.0	5.5	56	<0.1	8.4	14.1	598	3.39	2.2	2.3	<0.5	6.9	78	0.1	0.2	<0.1	108
DUP 1401062	QC		<2	3.5	29.4	5.3	59	<0.1	8.6	14.2	607	3.52	2.2	3.5	<0.5	6.4	85	0.1	0.2	<0.1	109
Reference Materials																					
STD DS9	Standard			14.3	114.5	132.5	313	1.6	43.0	8.1	586	2.38	25.1	2.9	131.5	6.6	73	2.6	4.8	6.6	41
STD DS9	Standard			14.3	111.8	133.6	323	1.7	39.6	7.7	580	2.33	27.3	2.8	112.4	6.3	77	2.2	4.8	6.8	41
STD DS9	Standard			13.4	111.4	131.2	320	1.9	42.2	8.1	564	2.30	24.8	2.8	102.8	6.5	68	2.1	4.0	6.5	38
STD OREAS45CA	Standard			1.0	534.6	19.3	61	0.2	253.1	93.0	912	15.79	3.8	1.1	40.4	6.4	14	<0.1	0.1	0.1	200
STD OREAS45CA	Standard			1.0	558.6	20.2	68	0.3	280.5	97.1	1039	16.25	3.8	1.2	42.7	7.2	15	0.1	0.1	0.2	225
STD OREAS45CA	Standard			0.9	513.6	20.8	60	0.3	247.3	97.4	935	16.31	3.4	1.3	35.7	7.3	14	<0.1	<0.1	0.2	212
STD OXC88	Standard		194																		
STD OXC88	Standard		196																		
STD OXG99	Standard		993																		
STD OXG99	Standard		1003																		
STD OXG99 Expected			932																		
STD OXC88 Expected			203																		
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

QUALITY CONTROL REPORT WHI12000068.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
1401016	Core Chip	1.18	0.069	15	25	1.05	1047	0.285	<20	2.00	0.225	0.82	0.8	<0.01	0.4	0.06	5.8	<0.5	6	<0.2
REP 1401016	QC																			
1401022	Core Chip	1.11	0.069	15	28	1.14	1179	0.307	<20	2.13	0.244	0.96	0.7	<0.01	0.4	<0.05	5.8	<0.5	6	<0.2
REP 1401022	QC	1.11	0.071	15	28	1.16	1188	0.309	<20	2.20	0.252	0.96	0.7	<0.01	0.4	<0.05	5.8	<0.5	6	<0.2
1401053	Core Chip	1.50	0.078	15	35	1.39	1023	0.267	<20	2.46	0.255	0.80	0.7	<0.01	0.4	0.22	7.2	<0.5	7	<0.2
REP 1401053	QC	1.53	0.077	15	39	1.37	1040	0.267	<20	2.52	0.265	0.80	0.8	<0.01	0.4	0.23	7.4	<0.5	7	<0.2
1401055	Core Chip	1.32	0.079	15	35	1.27	1214	0.302	<20	2.56	0.307	0.99	0.8	<0.01	0.5	0.11	7.2	<0.5	7	<0.2
REP 1401055	QC																			
Core Reject Duplicates																				
1401027	Core Chip	1.09	0.069	15	28	1.07	1173	0.318	<20	2.16	0.251	0.93	0.8	<0.01	0.5	<0.05	5.1	<0.5	6	<0.2
DUP 1401027	QC	1.04	0.069	14	29	1.06	1169	0.319	<20	2.09	0.235	0.93	0.9	<0.01	0.4	<0.05	4.7	<0.5	6	<0.2
1401062	Core Chip	1.35	0.077	15	33	1.17	1028	0.273	<20	2.17	0.244	0.86	1.0	<0.01	0.3	0.09	6.2	<0.5	6	<0.2
DUP 1401062	QC	1.42	0.076	14	33	1.21	1041	0.273	<20	2.26	0.265	0.88	0.8	<0.01	0.4	0.09	6.6	<0.5	7	<0.2
Reference Materials																				
STD DS9	Standard	0.75	0.080	15	130	0.62	326	0.125	<20	1.00	0.092	0.40	2.6	0.20	5.9	0.17	2.4	5.8	5	5.5
STD DS9	Standard	0.77	0.086	15	120	0.65	316	0.118	<20	1.00	0.091	0.42	2.6	0.21	5.4	0.17	2.7	5.2	5	5.3
STD DS9	Standard	0.71	0.092	13	118	0.62	301	0.116	<20	0.93	0.079	0.41	2.5	0.21	5.6	0.17	2.2	5.2	4	5.1
STD OREAS45CA	Standard	0.42	0.038	16	771	0.13	156	0.156	<20	3.93	0.014	0.08	<0.1	0.03	<0.1	<0.05	44.5	<0.5	18	<0.2
STD OREAS45CA	Standard	0.46	0.043	17	819	0.15	167	0.154	<20	4.02	0.010	0.08	<0.1	0.03	<0.1	<0.05	46.2	0.6	21	<0.2
STD OREAS45CA	Standard	0.45	0.043	18	739	0.16	166	0.151	<20	3.58	0.010	0.07	<0.1	0.03	0.2	<0.05	44.2	<0.5	19	<0.2
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99 Expected																				
STD OXC88 Expected																				
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

QUALITY CONTROL REPORT WHI12000068.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank		<2	0.1	1.7	3.1	44	<0.1	2.6	4.2	544	1.83	0.7	1.5	<0.5	4.9	63	<0.1	<0.1	<0.1	38
G1-WHI	Prep Blank		<2	0.1	1.7	3.1	46	<0.1	3.1	4.1	596	1.94	0.7	1.5	<0.5	5.3	69	<0.1	<0.1	<0.1	37

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

QUALITY CONTROL REPORT WHI12000068.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																				
G1-WHI	Prep Blank	0.55	0.072	14	10	0.53	159	0.134	<20	0.90	0.086	0.46	<0.1	<0.01	0.2	<0.05	2.3	<0.5	4	<0.2
G1-WHI	Prep Blank	0.60	0.076	16	13	0.55	176	0.148	<20	0.99	0.106	0.51	<0.1	<0.01	0.3	<0.05	2.5	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: June 06, 2012
Report Date: June 20, 2012
Page: 1 of 6

CERTIFICATE OF ANALYSIS WHI12000073.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET006
P.O. Number
Number of Samples: 140

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	128	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	140	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	140	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Dayna
Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000073.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
[redacted]																					
1506651	Rock	2.05	495	2.7	130.6	267.0	6199	10.1	5.5	9.5	822	4.20	3875	2.1	460.8	4.9	59	101.4	28.0	2.7	29
1506652	Rock	1.81	167	1.9	20.3	195.4	1274	4.1	4.9	8.2	1681	3.37	900.5	1.8	178.8	5.4	54	20.8	8.9	1.4	35
1401066	Rock	1.06	48	2.6	34.5	112.7	246	1.1	7.3	12.0	558	3.05	476.1	2.2	78.3	9.1	52	4.6	3.0	0.7	94
1401067	Rock	1.58	167	1.6	30.4	50.7	360	1.5	6.2	12.2	642	3.46	1544	3.1	164.8	9.2	62	8.7	4.3	3.2	96
1401068	Rock	1.92	114	2.1	32.8	16.8	165	0.5	7.0	12.2	634	3.55	411.4	2.5	77.1	10.5	62	2.9	1.7	1.7	103
1401069	Rock	1.33	25	1.6	35.6	18.2	96	0.3	5.4	11.5	452	2.78	219.5	2.3	25.8	11.4	49	1.4	1.4	0.7	86
1401070	Rock	2.24	19	1.7	31.9	10.1	78	0.1	5.7	11.2	448	2.88	105.5	2.1	13.6	10.7	52	0.9	0.8	0.3	97
1401071	Rock	1.90	7	2.0	26.6	8.0	85	0.1	6.3	11.5	491	3.01	70.9	2.1	4.5	9.4	58	0.9	0.8	0.2	103

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000073.1

Method		1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL		0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
[redacted]																				
1506651	Rock	2.39	0.055	7	7	0.92	64	<0.001	<20	0.45	0.013	0.19	0.3	0.38	0.3	3.34	5.7	<0.5	1	<0.2
1506652	Rock	3.44	0.062	9	7	1.37	90	<0.001	<20	0.53	0.006	0.13	0.2	0.17	0.3	1.95	7.5	<0.5	1	<0.2
1401066	Rock	0.69	0.055	15	19	0.92	518	0.202	<20	1.86	0.157	0.57	0.6	<0.01	0.4	0.06	5.9	<0.5	6	<0.2
1401067	Rock	0.73	0.057	16	17	0.90	589	0.199	<20	1.91	0.181	0.66	0.7	<0.01	0.5	0.05	6.7	<0.5	6	<0.2
1401068	Rock	0.77	0.064	16	20	0.97	555	0.219	<20	1.99	0.195	0.75	0.8	<0.01	0.5	0.08	6.8	<0.5	6	<0.2
1401069	Rock	0.94	0.062	16	19	0.95	382	0.210	<20	1.63	0.133	0.45	1.1	<0.01	0.3	<0.05	4.4	<0.5	6	<0.2
1401070	Rock	0.89	0.064	16	21	1.01	554	0.242	<20	1.73	0.175	0.65	1.0	<0.01	0.4	<0.05	4.4	<0.5	6	<0.2
1401071	Rock	0.99	0.065	15	22	1.05	626	0.252	<20	1.84	0.193	0.72	0.8	<0.01	0.4	<0.05	4.9	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000073.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401072	Rock	1.88	13	2.0	24.3	6.1	218	<0.1	6.0	12.9	611	3.16	74.2	1.7	1.6	10.1	60	2.7	1.2	<0.1	106
1401073	Rock	1.38	16	1.9	29.6	5.8	772	0.2	6.4	14.3	857	3.59	685.6	2.6	17.4	9.7	46	14.4	1.0	0.6	99
1401074	Rock	1.07	416	1.6	74.0	778.2	1588	14.5	5.6	10.0	496	5.49	3230	4.3	402.8	9.7	101	27.6	16.1	6.4	53
1401075	Rock	0.69	405	1.7	78.1	788.5	1581	12.9	5.8	10.1	487	5.56	3164	4.1	554.7	9.6	91	24.4	14.2	5.4	49
1401076	Rock	2.04	251	2.7	45.1	1619	1454	23.0	9.3	15.7	1512	5.52	1621	2.9	321.8	6.8	97	45.9	12.5	2.1	56
1401077	Rock	2.26	89	1.7	33.3	92.8	755	1.9	7.1	19.5	1260	3.77	825.3	2.8	108.5	10.2	57	15.4	5.3	1.2	87
1401078	Rock	1.92	55	1.7	26.0	100.3	167	1.6	6.3	15.4	639	3.72	152.1	2.3	27.1	9.3	72	1.9	3.6	0.4	95
1401079	Rock	1.81	19	2.1	26.9	50.7	140	0.8	6.2	16.5	795	3.69	67.5	2.2	7.7	9.8	70	1.3	2.3	0.4	91
1401080	Rock Pulp	0.12	3	2.2	25.0	2.6	43	0.3	24.2	10.7	402	2.37	4.2	0.3	<0.5	0.9	36	0.1	0.2	<0.1	59
1401081	Rock Pulp	0.12	1420	8.1	48.3	5.9	51	0.2	30.9	9.3	465	3.14	7.1	0.3	761.4	1.0	38	0.1	1.0	0.1	63
1401082	Rock	2.02	90	1.5	27.9	15.0	89	0.6	6.3	16.8	788	4.31	986.4	2.1	103.1	10.6	65	0.4	3.8	1.4	87
1401083	Rock	1.86	32	1.8	26.0	9.9	208	0.3	6.3	16.0	942	4.03	160.1	2.0	38.5	9.5	59	1.6	2.9	0.7	77
1401084	Rock	2.11	11	1.7	23.9	8.7	285	0.1	6.3	17.3	792	3.93	49.6	1.9	9.8	9.9	73	1.8	1.4	0.2	106
1401085	Rock	2.24	730	1.4	26.0	329.1	1367	6.1	5.4	16.6	1194	4.47	3569	2.6	415.3	10.0	83	30.4	6.6	4.6	80
1401086	Rock	1.86	467	1.6	27.5	376.2	1450	5.2	4.9	15.3	1677	4.71	3966	2.8	393.8	8.0	103	31.4	5.6	3.3	66
1401087	Rock	2.16	7	1.5	24.8	24.6	374	0.4	5.2	16.1	1029	3.95	113.1	2.7	4.7	10.4	95	3.9	1.9	0.2	104
1401088	Rock	2.15	454	1.8	25.1	38.6	377	0.8	7.0	19.5	1125	4.26	4485	2.9	484.3	9.9	70	3.5	4.3	1.5	88
1401089	Rock	1.95	268	2.8	26.1	532.9	1191	7.8	5.8	15.6	2164	4.49	2026	3.8	246.4	8.5	86	23.4	5.3	4.5	47
1401090	Rock	2.15	6	2.1	32.1	114.4	388	1.2	5.9	15.4	711	3.46	113.6	1.9	13.7	11.6	82	5.6	3.5	0.2	96
1401091	Rock	1.93	5	2.0	25.0	10.8	110	0.2	6.0	14.0	665	3.62	40.5	1.8	<0.5	10.4	74	0.9	1.6	0.2	99
1401092	Rock	2.29	5	1.4	20.6	30.3	171	0.3	5.5	14.1	832	3.37	51.5	3.1	0.7	10.0	87	3.6	2.6	0.1	82
1401093	Rock	2.08	4	1.5	24.1	14.1	126	0.2	5.9	15.0	804	3.63	45.4	4.1	2.3	11.5	75	1.2	2.0	0.2	77
1401094	Rock	2.07	87	1.9	23.2	54.3	209	0.5	5.5	17.0	1030	3.65	221.0	4.0	206.1	11.5	97	3.0	3.3	0.4	75
1401095	Rock	2.38	5	1.9	19.5	30.7	99	0.4	5.3	15.3	994	3.32	33.0	4.0	9.1	11.9	92	1.3	4.3	0.5	61
1401096	Rock	2.16	9	1.8	21.6	33.2	114	0.4	5.8	13.4	1150	3.48	34.6	4.0	6.8	9.7	87	1.1	3.4	0.5	58
1401097	Rock	1.78	11	1.5	38.1	69.9	280	1.4	7.1	17.5	1106	4.49	71.5	3.5	8.0	10.8	45	3.6	2.4	1.5	78
1401098	Rock	2.10	10	2.0	14.0	196.6	275	1.8	4.0	11.6	1916	3.18	77.6	2.7	9.4	8.0	60	5.6	2.4	0.6	19
1401099	Rock	2.10	4	1.9	18.8	24.4	101	0.6	5.6	14.1	1468	3.40	51.1	2.5	4.0	9.2	78	1.1	3.5	0.4	36
1401100	Rock Pulp	0.12	<2	2.5	23.6	2.2	42	0.2	22.4	10.1	374	2.26	4.4	0.2	0.8	0.8	34	<0.1	0.2	<0.1	55
1401101	Rock Pulp	0.13	3837	9.5	66.1	479.0	1441	50.2	30.0	8.1	374	3.12	29.1	0.3	2463	1.1	30	14.9	42.4	0.8	53

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000073.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1401072	Rock	1.11	0.064	15	20	1.01	565	0.227	<20	1.92	0.188	0.74	0.5	<0.01	0.4	<0.05	7.0	<0.5	6	<0.2
1401073	Rock	1.06	0.065	16	21	1.09	402	0.161	<20	1.79	0.118	0.48	0.4	<0.01	0.3	<0.05	6.8	<0.5	6	<0.2
1401074	Rock	0.28	0.063	16	11	0.33	200	0.021	<20	1.01	0.061	0.43	0.3	0.01	0.7	0.49	8.0	<0.5	3	<0.2
1401075	Rock	0.26	0.059	16	11	0.33	197	0.021	<20	1.04	0.058	0.45	0.3	0.03	0.7	0.45	7.7	<0.5	3	<0.2
1401076	Rock	2.52	0.071	14	16	0.93	137	<0.001	<20	0.66	0.019	0.29	0.2	0.05	0.4	0.60	9.3	<0.5	2	<0.2
1401077	Rock	2.15	0.069	22	13	0.78	135	0.023	<20	0.97	0.006	0.23	0.1	0.07	0.3	0.08	16.7	<0.5	3	<0.2
1401078	Rock	1.99	0.061	18	18	0.96	305	0.104	<20	1.63	0.113	0.43	0.1	0.02	0.3	0.06	10.9	<0.5	5	<0.2
1401079	Rock	1.69	0.062	18	18	0.81	462	0.131	<20	1.46	0.142	0.55	0.2	0.03	0.5	0.15	11.2	<0.5	4	<0.2
1401080	Rock Pulp	0.79	0.055	4	31	0.75	92	0.121	<20	1.52	0.079	0.13	13.0	<0.01	<0.1	<0.05	4.0	<0.5	5	<0.2
1401081	Rock Pulp	0.80	0.053	5	34	0.78	99	0.132	<20	1.64	0.099	0.15	0.3	0.06	<0.1	<0.05	4.6	<0.5	5	<0.2
1401082	Rock	1.85	0.062	20	15	0.86	497	0.093	<20	1.19	0.050	0.52	0.2	0.04	0.5	0.39	13.6	<0.5	4	<0.2
1401083	Rock	1.91	0.060	20	14	0.83	503	0.072	<20	1.03	0.057	0.45	0.2	0.05	0.5	0.38	12.2	<0.5	3	<0.2
1401084	Rock	1.68	0.065	20	18	0.89	641	0.154	<20	1.46	0.113	0.68	0.2	0.03	0.4	0.10	15.5	<0.5	5	<0.2
1401085	Rock	3.05	0.057	18	12	1.12	245	0.023	<20	0.81	0.029	0.25	0.1	0.05	0.2	0.74	13.3	<0.5	3	<0.2
1401086	Rock	5.33	0.051	18	10	1.79	99	0.004	<20	0.64	0.008	0.17	0.1	0.08	0.3	0.36	12.1	<0.5	2	<0.2
1401087	Rock	3.66	0.065	24	13	1.29	312	0.053	<20	1.06	0.007	0.28	<0.1	0.07	0.3	0.06	17.4	<0.5	3	<0.2
1401088	Rock	2.77	0.071	23	13	0.88	46	0.001	<20	0.88	0.005	0.14	<0.1	0.09	0.3	0.27	16.9	<0.5	2	0.2
1401089	Rock	3.78	0.055	20	8	1.35	113	<0.001	<20	0.66	0.007	0.23	0.1	0.11	0.4	0.13	9.0	<0.5	2	<0.2
1401090	Rock	1.95	0.065	21	16	0.90	379	0.125	<20	1.54	0.072	0.52	0.2	0.01	0.5	<0.05	12.7	<0.5	5	<0.2
1401091	Rock	1.43	0.062	20	21	0.93	565	0.193	<20	1.85	0.160	0.78	0.2	<0.01	0.5	<0.05	11.6	<0.5	6	<0.2
1401092	Rock	2.60	0.060	21	14	0.83	512	0.043	<20	0.95	0.059	0.30	<0.1	0.02	0.2	0.12	14.1	<0.5	3	<0.2
1401093	Rock	2.27	0.067	25	13	0.61	157	0.003	<20	0.72	0.020	0.13	<0.1	0.04	0.1	0.07	16.3	<0.5	3	<0.2
1401094	Rock	3.49	0.063	23	12	1.18	95	0.004	<20	0.77	0.023	0.13	<0.1	0.07	0.1	<0.05	15.4	<0.5	3	<0.2
1401095	Rock	3.72	0.055	22	11	1.24	52	<0.001	<20	0.70	0.005	0.07	<0.1	0.04	0.1	0.05	13.4	<0.5	2	<0.2
1401096	Rock	3.82	0.056	23	12	1.37	42	<0.001	<20	1.01	0.013	0.11	<0.1	0.02	0.1	<0.05	10.9	<0.5	3	<0.2
1401097	Rock	2.05	0.074	25	17	0.96	53	0.001	<20	1.48	0.013	0.16	<0.1	0.07	0.2	0.05	12.7	<0.5	5	<0.2
1401098	Rock	3.52	0.049	13	6	1.31	83	<0.001	<20	0.47	0.017	0.25	<0.1	0.04	0.2	0.06	3.8	<0.5	1	<0.2
1401099	Rock	3.96	0.057	17	10	1.20	67	<0.001	<20	0.62	0.017	0.20	<0.1	0.03	0.1	<0.05	5.8	<0.5	2	<0.2
1401100	Rock Pulp	0.70	0.056	4	29	0.72	91	0.107	<20	1.43	0.071	0.13	12.7	0.02	<0.1	<0.05	3.9	<0.5	5	<0.2
1401101	Rock Pulp	0.63	0.050	5	26	0.55	101	0.099	<20	1.12	0.074	0.11	2.2	0.19	1.0	0.33	3.8	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000073.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401102	Rock	1.75	5	1.8	16.8	26.1	86	0.5	5.4	14.4	1279	3.32	28.6	2.7	<0.5	10.5	73	0.4	1.7	0.3	34
1401103	Rock	2.20	19	1.7	23.0	31.3	274	0.5	6.1	14.2	962	3.54	49.4	2.1	8.4	9.9	76	5.2	1.3	0.7	71
1401104	Rock	1.51	2	1.6	23.0	3.8	143	0.1	6.5	15.1	768	3.63	24.0	1.8	0.8	6.6	91	1.8	1.1	0.2	96
1401105	Rock	2.36	<2	1.7	19.6	3.6	59	<0.1	5.9	12.5	545	3.00	6.5	1.4	<0.5	6.3	60	0.4	0.9	<0.1	85
1401106	Rock	1.97	<2	1.5	20.6	3.3	50	<0.1	5.6	13.6	585	3.12	3.3	2.3	<0.5	7.3	78	0.1	1.5	<0.1	92
1401107	Rock	2.46	4	1.8	22.9	639.4	394	5.0	5.9	13.8	716	3.38	6.6	2.0	0.6	8.0	79	7.6	3.5	<0.1	93
1401108	Rock	1.95	<2	2.0	24.3	7.7	78	0.1	6.6	14.8	708	3.63	3.4	3.4	3.1	8.3	77	0.5	2.0	<0.1	93
1401109	Rock	2.86	<2	2.2	24.1	6.8	61	<0.1	6.7	13.9	619	3.34	3.8	3.0	1.1	16.2	75	0.2	1.0	<0.1	90
1401110	Rock	2.13	<2	2.8	22.3	6.1	58	<0.1	7.4	12.2	486	2.95	4.6	1.7	<0.5	16.0	68	0.3	1.0	<0.1	83
1401111	Rock	2.47	<2	2.3	22.5	5.3	79	<0.1	6.6	12.5	677	3.06	13.8	1.5	<0.5	15.9	69	0.9	1.1	<0.1	92
1401112	Rock	2.53	24	2.6	28.4	625.8	725	6.9	7.1	13.4	891	3.77	86.0	2.2	26.4	6.4	66	12.6	6.4	0.4	93
1401113	Rock	2.45	<2	1.6	19.6	60.0	160	0.7	6.0	13.1	842	3.35	6.4	2.0	<0.5	6.6	76	1.7	1.8	<0.1	94
1401114	Rock	2.68	<2	1.5	23.2	195.1	518	1.5	6.0	13.7	769	3.76	15.4	2.3	2.9	9.6	79	8.2	2.7	0.2	97
1401115	Rock	2.25	4	2.4	27.2	406.9	779	3.9	6.6	14.1	768	3.57	35.2	2.4	5.7	8.2	67	20.6	3.6	<0.1	88
1401116	Rock	3.05	3	2.0	22.6	83.4	206	0.8	6.5	11.8	572	3.14	17.8	1.6	5.5	8.0	73	3.6	0.9	<0.1	97
1401117	Rock	2.96	<2	2.0	22.1	6.3	68	<0.1	6.6	11.5	536	2.96	2.8	1.6	1.3	8.5	63	0.6	0.6	<0.1	91
1401118	Rock	2.45	<2	1.5	24.9	94.6	332	0.7	6.4	13.5	830	3.32	14.1	2.0	1.2	8.1	83	6.0	1.4	<0.1	89
1401119	Rock	2.52	<2	1.5	23.7	18.0	57	0.2	6.3	12.6	597	3.19	2.6	3.0	<0.5	10.4	65	0.1	1.5	<0.1	88
1401120	Rock Pulp	0.12	12	2.1	24.3	2.3	43	0.2	22.8	10.0	388	2.34	4.5	0.3	<0.5	0.9	39	0.1	0.2	<0.1	60
1401121	Rock Pulp	0.12	1485	8.4	45.9	5.6	51	0.3	30.3	8.8	466	3.16	6.7	0.3	1749	0.9	41	0.1	1.0	0.1	67
1401122	Rock	2.92	6	1.6	23.4	4.0	61	<0.1	7.7	15.2	713	3.85	2.1	2.7	0.9	8.1	83	0.1	2.3	<0.1	116
1401123	Rock	2.52	2	1.5	23.3	46.5	159	0.7	6.4	14.8	1100	3.98	29.2	2.5	1.2	8.8	103	2.2	2.0	1.0	103
1401124	Rock	1.37	<2	1.9	22.1	10.9	98	0.2	7.1	15.0	795	3.73	7.7	2.3	<0.5	8.1	93	1.3	1.2	0.2	97
1401125	Rock	1.25	<2	1.7	23.9	12.9	111	0.2	6.7	15.6	826	3.75	13.0	2.8	2.0	9.7	92	1.2	1.8	0.1	89
1401126	Rock	2.47	78	1.9	23.7	20.5	103	0.5	6.8	14.0	676	3.55	538.1	2.7	72.2	10.9	73	1.2	1.7	1.1	91
1401127	Rock	2.22	<2	1.9	22.6	3.7	49	<0.1	7.0	12.2	564	3.00	4.9	2.2	<0.5	9.2	67	0.2	0.6	<0.1	91
1401128	Rock	3.04	<2	2.0	22.5	4.0	50	<0.1	6.8	11.7	506	2.97	3.4	2.2	<0.5	10.1	69	0.2	0.6	<0.1	91
1401129	Rock	2.46	<2	2.5	21.8	44.6	81	0.3	6.9	12.1	611	3.11	2.4	2.7	<0.5	10.5	60	0.7	0.7	<0.1	86
1401130	Rock	2.26	27	2.1	22.7	6.7	55	0.2	6.8	12.4	609	3.25	5.9	2.5	17.6	9.5	71	0.2	0.9	0.9	97
1401131	Rock	3.06	11	2.6	24.5	86.4	373	1.1	6.8	12.2	712	3.33	109.3	2.5	4.2	11.3	74	6.2	2.3	0.4	94

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000073.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1401102	Rock	3.56	0.058	17	10	1.04	72	<0.001	<20	0.73	0.021	0.22	<0.1	0.02	0.2	<0.05	5.5	<0.5	2	<0.2
1401103	Rock	2.63	0.060	18	18	1.06	156	0.010	<20	1.52	0.060	0.19	<0.1	0.02	0.1	<0.05	8.7	<0.5	5	<0.2
1401104	Rock	2.48	0.063	19	22	1.30	110	0.020	<20	1.89	0.083	0.17	0.1	<0.01	<0.1	<0.05	11.5	<0.5	7	<0.2
1401105	Rock	1.48	0.060	16	20	1.07	191	0.090	<20	1.64	0.114	0.25	0.2	<0.01	0.1	<0.05	6.9	<0.5	6	<0.2
1401106	Rock	1.64	0.063	19	20	0.98	255	0.078	<20	1.63	0.111	0.34	0.1	<0.01	0.2	<0.05	9.4	<0.5	6	<0.2
1401107	Rock	1.61	0.063	19	21	0.95	413	0.113	<20	1.74	0.134	0.44	0.2	0.01	0.2	<0.05	9.0	<0.5	6	<0.2
1401108	Rock	1.45	0.067	20	21	0.91	453	0.127	<20	1.71	0.150	0.53	0.2	<0.01	0.3	<0.05	11.4	<0.5	6	<0.2
1401109	Rock	1.33	0.070	23	22	0.93	562	0.139	<20	1.65	0.147	0.45	0.2	<0.01	0.2	<0.05	8.4	<0.5	5	<0.2
1401110	Rock	1.26	0.070	20	24	0.97	479	0.157	<20	1.69	0.127	0.32	0.2	<0.01	0.2	<0.05	6.6	<0.5	6	<0.2
1401111	Rock	1.65	0.066	17	24	1.08	404	0.156	<20	1.83	0.143	0.31	0.5	<0.01	0.2	<0.05	6.8	<0.5	6	<0.2
1401112	Rock	1.51	0.068	18	23	1.12	271	0.077	<20	1.85	0.098	0.27	0.2	0.02	0.1	0.10	9.0	0.6	7	<0.2
1401113	Rock	1.67	0.064	17	23	1.12	386	0.090	<20	1.90	0.128	0.35	0.1	<0.01	0.2	<0.05	9.1	<0.5	6	<0.2
1401114	Rock	1.87	0.066	21	20	1.08	222	0.041	<20	2.05	0.087	0.19	<0.1	<0.01	0.1	<0.05	11.2	0.6	7	<0.2
1401115	Rock	1.61	0.067	16	21	1.07	361	0.102	<20	1.79	0.116	0.30	0.2	0.01	0.2	0.05	8.9	0.6	6	<0.2
1401116	Rock	1.36	0.066	15	24	1.08	899	0.200	<20	1.93	0.165	0.62	0.5	<0.01	0.3	<0.05	6.5	<0.5	6	<0.2
1401117	Rock	1.30	0.065	15	24	1.07	527	0.188	<20	1.83	0.165	0.45	0.5	<0.01	0.2	<0.05	6.0	<0.5	6	<0.2
1401118	Rock	2.03	0.069	18	22	1.20	348	0.088	<20	1.77	0.089	0.24	0.2	<0.01	0.1	0.06	8.1	<0.5	6	<0.2
1401119	Rock	1.44	0.070	19	21	1.06	396	0.124	<20	1.70	0.129	0.38	0.2	<0.01	0.2	<0.05	8.5	<0.5	6	<0.2
1401120	Rock Pulp	0.80	0.060	4	30	0.76	92	0.121	<20	1.52	0.075	0.13	13.8	0.02	<0.1	<0.05	4.4	<0.5	5	<0.2
1401121	Rock Pulp	0.83	0.059	4	33	0.80	102	0.133	<20	1.68	0.096	0.15	0.3	0.06	<0.1	<0.05	5.0	<0.5	5	<0.2
1401122	Rock	1.60	0.072	18	23	1.27	683	0.153	<20	2.08	0.112	0.65	0.1	<0.01	0.3	<0.05	12.8	<0.5	7	<0.2
1401123	Rock	2.52	0.064	19	22	1.40	355	0.061	<20	2.13	0.089	0.39	0.1	0.03	0.2	<0.05	12.1	0.8	7	<0.2
1401124	Rock	2.29	0.066	17	23	1.34	169	0.026	<20	1.96	0.090	0.17	0.1	<0.01	<0.1	<0.05	10.3	0.7	6	<0.2
1401125	Rock	2.37	0.067	19	21	1.26	149	0.017	<20	1.86	0.074	0.16	<0.1	<0.01	0.1	<0.05	11.1	<0.5	6	<0.2
1401126	Rock	1.74	0.070	17	23	1.13	292	0.076	<20	1.79	0.126	0.27	0.2	0.01	0.2	0.09	8.6	<0.5	6	<0.2
1401127	Rock	1.32	0.064	15	25	1.08	566	0.199	<20	1.79	0.178	0.50	0.6	<0.01	0.3	<0.05	5.6	<0.5	6	<0.2
1401128	Rock	1.29	0.067	15	26	1.05	592	0.204	<20	1.86	0.201	0.55	0.5	<0.01	0.3	<0.05	5.9	<0.5	6	<0.2
1401129	Rock	1.45	0.066	16	26	1.09	368	0.145	<20	1.67	0.134	0.37	0.5	<0.01	0.2	<0.05	7.1	<0.5	6	<0.2
1401130	Rock	1.40	0.064	16	24	1.12	466	0.176	<20	1.92	0.170	0.52	2.5	<0.01	0.3	0.08	7.4	<0.5	6	<0.2
1401131	Rock	1.40	0.064	16	25	1.07	579	0.194	<20	1.86	0.185	0.72	0.7	0.02	0.4	0.26	7.2	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000073.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401132	Rock	2.53	10	1.9	24.9	110.9	202	1.1	6.8	12.7	616	3.31	124.1	2.6	20.7	11.6	68	2.8	2.8	0.4	92
1401133	Rock	2.94	36	2.0	25.9	8.0	87	0.2	7.3	13.6	737	3.72	267.1	2.5	36.4	10.7	77	0.9	2.5	0.6	86
1401134	Rock	3.24	<2	2.2	22.5	111.9	156	1.2	6.4	13.3	802	3.44	5.4	2.0	2.9	9.6	87	1.8	1.7	0.1	107
1401135	Rock	2.10	<2	3.0	21.0	7.6	57	0.1	6.7	11.4	520	2.96	3.4	2.3	<0.5	9.1	69	0.2	0.6	<0.1	90
1401136	Rock	2.36	75	1.5	26.6	23.9	116	0.7	6.7	14.3	1042	4.09	343.9	2.7	67.1	8.7	93	1.3	2.7	2.0	99
1401137	Rock	3.01	22	2.3	24.2	18.1	82	0.4	6.4	13.3	1179	3.67	35.6	2.7	16.3	9.0	94	0.5	2.7	0.5	91
1401138	Rock	2.37	<2	3.6	22.3	128.7	60	0.5	5.5	11.5	695	3.03	3.2	1.9	<0.5	9.4	74	0.3	1.1	<0.1	92
1401139	Rock	2.37	8	3.1	22.3	44.2	192	0.4	6.8	12.7	752	3.41	30.0	2.5	1.8	10.5	68	2.1	1.4	0.2	89
1401140	Rock Pulp	0.13	<2	2.2	23.2	2.3	43	0.2	22.6	10.1	371	2.30	4.5	0.2	<0.5	0.9	38	0.2	0.2	<0.1	57
1401141	Rock Pulp	0.13	3881	8.8	65.2	444.0	1421	48.9	28.9	7.8	371	3.03	29.1	0.3	4634	1.0	31	14.8	47.7	1.1	51
1401142	Rock	2.74	17	2.9	20.5	104.7	104	0.8	5.9	12.5	625	3.37	164.4	3.4	10.7	9.2	68	0.8	1.6	0.4	86
1401143	Rock	2.64	7	5.3	28.1	5.4	50	0.1	6.4	11.7	580	2.98	11.0	2.0	0.8	11.4	61	<0.1	0.9	0.2	89
1401144	Rock	2.46	28	3.0	29.6	27.1	144	0.4	6.4	12.4	749	3.30	106.5	3.9	39.5	10.7	63	1.7	1.5	1.7	76
1401145	Rock	2.23	3	2.9	23.2	10.1	48	0.2	6.9	11.6	509	2.97	22.6	3.6	4.1	10.0	60	0.2	0.4	0.3	85
1401146	Rock	2.80	<2	3.3	25.9	4.5	47	<0.1	7.2	11.9	488	2.98	5.0	2.6	1.2	10.6	57	<0.1	0.4	0.1	95
1401147	Rock	2.53	616	2.7	52.3	2410	3991	10.2	6.1	13.1	2265	5.11	4495	2.6	1452	7.7	41	61.6	713.3	27.6	52
1401148	Rock	2.66	6526	2.3	94.3	6612	>10000	46.9	4.2	8.8	1885	10.14	>10000	2.2	5451	3.7	30	282.9	868.7	12.9	<2
1401149	Rock	2.15	5547	2.9	23.8	131.9	308	7.7	6.5	13.1	1092	5.99	>10000	2.8	6033	6.9	52	4.1	25.1	15.6	40
1401150	Rock	2.30	662	1.8	32.6	43.3	120	1.0	6.0	12.9	644	3.58	1129	2.4	315.1	9.4	71	1.1	8.2	2.6	73
1401151	Rock	1.92	148	1.1	39.0	67.5	178	2.1	6.5	15.2	1048	4.37	949.7	3.2	117.5	8.3	89	1.7	8.4	4.1	48
1401152	Rock	2.04	35	1.3	27.7	24.1	82	0.5	5.4	14.6	885	3.52	359.2	2.6	35.9	9.1	90	0.7	7.6	0.7	69
1401153	Rock	2.49	1109	1.3	40.4	722.6	484	76.9	4.9	13.0	1396	4.38	2694	2.7	542.2	9.0	76	5.6	212.6	11.2	62
1401154	Rock	2.14	1105	1.2	50.2	51.9	123	4.3	5.8	14.0	996	4.63	2240	3.0	758.5	9.9	64	1.1	12.2	16.1	52
1401155	Rock	2.12	17	2.3	22.0	8.9	59	0.5	6.7	12.2	521	3.02	37.4	2.1	16.1	9.4	66	0.3	2.5	0.4	100
1401156	Rock	2.29	8	3.4	23.0	6.6	50	0.2	6.7	12.7	484	2.98	45.9	2.2	4.5	9.5	59	0.1	1.4	0.5	98
1401157	Rock	2.28	2	9.0	34.9	6.1	45	0.2	6.7	11.0	457	2.67	16.2	2.6	3.2	11.7	59	0.1	1.9	0.1	89
1401158	Rock	2.28	12	3.0	29.2	5.7	54	0.2	6.2	12.7	635	3.08	83.3	3.4	6.9	10.0	63	0.1	2.0	0.3	88
1401159	Rock	2.08	26	2.1	23.7	26.5	203	0.6	6.3	13.5	757	3.45	165.3	3.5	12.9	10.2	62	2.4	1.7	0.7	93
1401160	Rock Pulp	0.12	<2	2.6	24.3	2.4	43	0.2	23.3	10.5	378	2.28	4.8	0.3	3.3	0.9	35	0.1	0.2	0.2	58
1401161	Rock Pulp	0.11	1501	8.3	47.4	5.8	51	0.3	30.5	8.9	463	3.06	6.4	0.3	1499	1.0	37	0.1	0.9	0.1	63

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000073.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1401132	Rock	1.41	0.064	17	24	1.13	513	0.146	<20	1.89	0.158	0.47	0.6	0.01	0.3	0.12	7.1	0.6	6	<0.2
1401133	Rock	1.95	0.068	17	22	1.23	360	0.087	<20	1.72	0.098	0.37	0.4	0.01	0.3	0.36	8.6	<0.5	6	<0.2
1401134	Rock	1.63	0.063	18	25	1.24	635	0.172	<20	2.11	0.186	0.64	0.4	0.02	0.4	0.08	9.4	<0.5	6	<0.2
1401135	Rock	1.23	0.064	18	27	1.03	699	0.196	<20	1.83	0.197	0.64	0.6	<0.01	0.4	<0.05	6.0	<0.5	6	<0.2
1401136	Rock	1.83	0.066	19	21	1.12	522	0.116	<20	1.92	0.115	0.56	0.2	0.04	0.4	0.39	11.5	<0.5	6	<0.2
1401137	Rock	2.57	0.056	19	20	1.24	352	0.044	<20	1.84	0.060	0.30	0.2	0.02	0.2	0.22	10.1	0.6	6	<0.2
1401138	Rock	1.51	0.059	17	24	1.12	474	0.155	<20	1.85	0.149	0.48	0.3	<0.01	0.3	<0.05	7.1	0.6	6	<0.2
1401139	Rock	1.66	0.060	18	24	1.19	306	0.101	<20	1.79	0.117	0.33	0.4	<0.01	0.2	0.13	8.1	0.5	7	<0.2
1401140	Rock Pulp	0.78	0.059	4	29	0.74	88	0.117	<20	1.49	0.074	0.13	12.5	0.02	<0.1	<0.05	4.0	<0.5	5	<0.2
1401141	Rock Pulp	0.64	0.048	5	25	0.54	99	0.100	<20	1.12	0.073	0.10	2.1	0.23	1.0	0.33	4.1	0.6	6	<0.2
1401142	Rock	1.40	0.059	17	21	1.07	538	0.148	<20	1.79	0.132	0.56	0.3	<0.01	0.4	0.17	7.7	<0.5	6	<0.2
1401143	Rock	1.16	0.062	17	23	1.00	679	0.194	<20	1.78	0.144	0.66	0.3	<0.01	0.4	0.05	6.3	<0.5	5	<0.2
1401144	Rock	1.48	0.061	18	21	0.96	460	0.117	<20	1.46	0.117	0.44	0.6	<0.01	0.3	0.40	6.7	<0.5	5	<0.2
1401145	Rock	1.26	0.061	17	25	0.98	761	0.207	<20	1.62	0.163	0.69	0.8	<0.01	0.4	0.15	5.2	<0.5	5	<0.2
1401146	Rock	1.13	0.065	17	27	1.03	818	0.234	<20	1.80	0.166	0.74	0.9	<0.01	0.5	0.09	4.9	<0.5	6	<0.2
1401147	Rock	1.36	0.047	10	16	0.76	36	0.065	<20	0.86	0.051	0.38	1.0	0.07	0.4	3.89	6.4	<0.5	3	<0.2
1401148	Rock	1.19	0.020	2	8	0.39	25	<0.001	<20	0.19	0.004	0.15	2.2	0.40	0.4	>10	1.7	2.4	1	<0.2
1401149	Rock	1.43	0.047	9	13	0.72	34	0.036	<20	0.74	0.045	0.35	1.3	0.04	0.4	4.89	6.1	1.0	2	<0.2
1401150	Rock	1.49	0.061	15	19	1.04	553	0.133	<20	1.30	0.112	0.58	0.5	<0.01	0.5	0.80	7.3	<0.5	4	<0.2
1401151	Rock	2.14	0.058	12	12	0.94	146	0.029	<20	0.81	0.037	0.35	0.3	0.03	0.6	2.00	8.9	<0.5	3	<0.2
1401152	Rock	2.22	0.058	16	16	1.15	451	0.084	<20	1.45	0.062	0.45	0.2	0.02	0.4	0.47	9.7	<0.5	4	<0.2
1401153	Rock	2.43	0.055	14	14	0.98	161	0.070	<20	1.12	0.052	0.41	0.3	0.01	0.4	2.27	8.3	<0.5	4	<0.2
1401154	Rock	1.63	0.055	12	14	0.76	159	0.035	<20	0.92	0.042	0.33	0.5	0.01	0.5	2.18	7.5	<0.5	3	<0.2
1401155	Rock	1.18	0.060	15	27	1.08	866	0.241	<20	1.96	0.198	0.83	0.6	<0.01	0.5	0.09	5.8	<0.5	6	<0.2
1401156	Rock	1.10	0.065	16	28	1.06	830	0.247	<20	1.80	0.177	0.75	1.0	<0.01	0.4	0.05	5.2	<0.5	6	<0.2
1401157	Rock	1.04	0.057	16	27	1.01	878	0.232	<20	1.66	0.159	0.68	0.7	<0.01	0.3	<0.05	4.6	<0.5	6	<0.2
1401158	Rock	1.47	0.055	18	24	1.05	580	0.135	<20	1.71	0.126	0.47	0.5	<0.01	0.3	0.14	7.2	<0.5	6	<0.2
1401159	Rock	1.59	0.064	17	24	1.12	657	0.162	<20	1.68	0.116	0.56	0.4	<0.01	0.3	0.25	7.3	<0.5	5	<0.2
1401160	Rock Pulp	0.75	0.054	4	30	0.76	91	0.112	<20	1.50	0.070	0.13	12.9	0.02	0.1	<0.05	3.8	<0.5	5	<0.2
1401161	Rock Pulp	0.80	0.054	4	33	0.78	98	0.123	<20	1.64	0.088	0.15	0.3	0.06	<0.1	<0.05	4.4	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000073.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401162	Rock	1.78	65	2.1	26.4	12.1	104	0.4	6.5	13.3	800	3.67	588.3	2.7	44.1	8.9	64	0.9	2.1	0.8	83
1401163	Rock	1.98	89	2.0	36.8	29.8	169	1.4	5.7	13.0	1293	3.78	309.2	3.6	68.1	9.5	85	2.1	4.0	1.8	76
1401164	Rock	2.11	3	2.5	20.6	5.9	57	0.1	6.7	13.0	534	3.03	10.2	2.7	2.7	10.9	64	0.1	1.2	0.1	97
1401165	Rock	1.88	<2	2.3	26.7	4.7	51	<0.1	6.7	14.0	613	3.15	6.7	2.3	1.0	9.1	69	0.1	1.1	1.5	105
1401166	Rock	2.15	9	2.5	25.6	6.6	53	0.1	7.0	13.4	570	3.17	8.7	2.4	9.6	8.0	58	0.1	1.3	0.2	102
1401167	Rock	2.28	2	2.2	23.2	5.9	58	<0.1	7.2	14.6	637	3.37	12.7	2.3	4.3	8.8	74	0.1	1.5	<0.1	118
1401168	Rock	2.23	4	2.5	22.8	3.8	53	<0.1	7.5	14.3	608	3.36	3.7	2.6	1.6	8.6	74	<0.1	1.4	<0.1	119
1401169	Rock	2.13	7	2.1	26.5	10.2	80	0.2	5.9	15.2	976	3.55	5.5	3.8	1.1	7.9	84	0.3	2.1	<0.1	114
1401170	Rock	2.32	<2	2.6	22.8	3.6	47	<0.1	6.9	12.9	726	3.08	4.2	2.5	2.4	7.9	94	<0.1	0.9	<0.1	107
1401171	Rock	1.91	<2	3.1	22.8	3.1	43	<0.1	6.1	12.0	448	2.89	1.6	1.9	<0.5	8.8	58	<0.1	0.5	<0.1	102
1401172	Rock	2.00	<2	2.5	22.9	3.1	45	<0.1	6.3	12.5	537	3.00	2.9	2.2	<0.5	7.9	75	<0.1	0.9	<0.1	105
1401173	Rock	2.28	<2	2.5	24.4	3.7	50	<0.1	6.5	14.0	562	3.28	2.9	2.8	<0.5	9.2	75	<0.1	1.1	<0.1	109
1401174	Rock	1.10	<2	3.2	24.8	3.5	50	<0.1	7.5	13.9	543	3.25	2.2	2.6	<0.5	10.0	73	<0.1	0.7	<0.1	113
1401175	Rock	1.03	<2	3.2	23.9	3.5	51	<0.1	7.0	14.7	560	3.29	2.1	2.2	<0.5	8.6	69	<0.1	0.6	<0.1	114
1401176	Rock	1.80	<2	3.1	27.5	3.2	49	<0.1	6.8	13.9	491	3.23	2.6	2.1	<0.5	8.7	70	<0.1	0.5	<0.1	119
1401177	Rock	2.18	<2	3.3	29.0	3.7	49	<0.1	7.2	13.8	506	3.33	2.8	1.9	<0.5	7.8	82	<0.1	0.6	<0.1	115
1401178	Rock	2.25	<2	2.7	23.9	3.5	46	<0.1	6.7	13.1	466	3.07	2.3	1.7	<0.5	8.3	83	<0.1	0.4	<0.1	112
1401179	Rock	1.95	<2	3.6	22.6	4.9	47	<0.1	6.3	13.7	567	3.17	9.4	3.8	<0.5	8.5	93	<0.1	0.7	<0.1	104
1401180	Rock Pulp	0.12	3	2.3	23.6	2.3	45	0.3	23.1	10.4	409	2.40	4.9	0.5	13.7	1.0	43	0.2	0.2	<0.1	62
1401181	Rock Pulp	0.12	3772	9.3	63.8	488.5	1544	51.3	29.5	8.3	389	3.26	30.2	0.3	2876	1.0	35	15.8	44.4	0.8	57

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

CERTIFICATE OF ANALYSIS WHI12000073.1

		Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
		Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1401162	Rock		2.00	0.060	16	24	1.12	459	0.103	<20	1.68	0.080	0.39	0.4	<0.01	0.3	0.30	7.2	<0.5	6	<0.2
1401163	Rock		3.39	0.056	17	20	0.98	315	0.091	<20	1.56	0.067	0.39	0.3	<0.01	0.3	1.18	7.4	<0.5	5	<0.2
1401164	Rock		1.27	0.065	17	28	1.09	837	0.230	<20	1.82	0.160	0.60	0.7	<0.01	0.3	0.07	5.9	<0.5	6	<0.2
1401165	Rock		1.40	0.066	17	27	1.29	780	0.217	<20	1.86	0.128	0.57	0.6	<0.01	0.3	0.05	6.9	<0.5	6	<0.2
1401166	Rock		1.39	0.066	16	30	1.22	639	0.193	<20	1.87	0.132	0.48	0.8	<0.01	0.2	0.06	6.4	<0.5	6	<0.2
1401167	Rock		1.69	0.063	19	30	1.27	934	0.218	<20	2.02	0.147	0.63	0.3	<0.01	0.3	<0.05	9.3	<0.5	7	<0.2
1401168	Rock		1.46	0.069	17	29	1.32	1041	0.254	<20	2.21	0.186	0.82	0.4	<0.01	0.4	<0.05	7.8	<0.5	7	<0.2
1401169	Rock		2.26	0.067	17	25	1.31	790	0.176	<20	2.06	0.108	0.63	0.3	0.01	0.4	0.13	9.9	<0.5	7	<0.2
1401170	Rock		1.67	0.063	15	28	1.05	955	0.246	<20	2.03	0.194	0.83	0.6	<0.01	0.5	0.11	6.9	<0.5	6	<0.2
1401171	Rock		0.95	0.063	15	30	1.02	1158	0.277	<20	1.84	0.181	0.87	0.8	<0.01	0.4	<0.05	4.6	<0.5	6	<0.2
1401172	Rock		1.48	0.063	16	29	1.09	1057	0.248	<20	1.89	0.174	0.78	0.5	<0.01	0.3	<0.05	5.5	<0.5	6	<0.2
1401173	Rock		1.48	0.065	17	31	1.20	1013	0.244	<20	2.07	0.172	0.78	0.4	<0.01	0.4	<0.05	6.8	<0.5	7	<0.2
1401174	Rock		1.47	0.068	17	33	1.12	1111	0.271	<20	2.13	0.188	0.83	0.6	<0.01	0.4	<0.05	6.9	<0.5	7	<0.2
1401175	Rock		1.51	0.066	16	32	1.12	1077	0.271	<20	2.07	0.185	0.83	0.5	<0.01	0.4	<0.05	6.9	<0.5	6	<0.2
1401176	Rock		1.19	0.072	16	33	1.15	1224	0.323	<20	2.11	0.216	0.94	0.8	<0.01	0.5	<0.05	5.4	<0.5	6	<0.2
1401177	Rock		1.28	0.072	16	33	1.20	1155	0.313	<20	2.26	0.223	0.92	0.7	<0.01	0.5	<0.05	5.7	<0.5	6	<0.2
1401178	Rock		1.23	0.067	16	31	1.10	1167	0.304	<20	2.25	0.265	0.87	0.7	<0.01	0.4	<0.05	5.3	<0.5	6	<0.2
1401179	Rock		1.61	0.066	17	29	1.04	1086	0.248	<20	2.00	0.188	0.79	0.5	<0.01	0.4	0.10	6.5	<0.5	6	<0.2
1401180	Rock Pulp		0.92	0.065	5	30	0.80	101	0.133	<20	1.69	0.081	0.13	12.2	0.03	<0.1	<0.05	5.2	<0.5	6	<0.2
1401181	Rock Pulp		0.74	0.054	6	26	0.57	110	0.108	<20	1.24	0.076	0.11	2.1	0.24	1.0	0.33	4.5	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

QUALITY CONTROL REPORT WHI12000073.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
REP G1-WHI	QC		<2																		
1506522	Rock	0.70	7	0.7	6.7	8.2	39	0.1	1.3	3.7	362	1.28	37.7	2.8	4.7	12.3	3	0.5	1.7	0.2	15
REP 1506522	QC			0.8	6.8	8.1	36	0.1	1.4	3.8	347	1.23	36.8	2.7	3.2	11.6	3	0.5	1.5	0.2	15
1401069	Rock	1.33	25	1.6	35.6	18.2	96	0.3	5.4	11.5	452	2.78	219.5	2.3	25.8	11.4	49	1.4	1.4	0.7	86
REP 1401069	QC		27																		
1401097	Rock	1.78	11	1.5	38.1	69.9	280	1.4	7.1	17.5	1106	4.49	71.5	3.5	8.0	10.8	45	3.6	2.4	1.5	78
REP 1401097	QC			1.4	39.4	70.8	286	1.3	7.3	18.4	1115	4.53	72.0	3.8	8.9	11.1	46	3.1	2.3	1.5	77
1401103	Rock	2.20	19	1.7	23.0	31.3	274	0.5	6.1	14.2	962	3.54	49.4	2.1	8.4	9.9	76	5.2	1.3	0.7	71
REP 1401103	QC		25																		
1401132	Rock	2.53	10	1.9	24.9	110.9	202	1.1	6.8	12.7	616	3.31	124.1	2.6	20.7	11.6	68	2.8	2.8	0.4	92
REP 1401132	QC			2.1	24.6	110.9	206	1.2	6.8	13.0	629	3.35	128.6	2.2	9.8	12.0	70	2.9	2.7	0.4	92
1401137	Rock	3.01	22	2.3	24.2	18.1	82	0.4	6.4	13.3	1179	3.67	35.6	2.7	16.3	9.0	94	0.5	2.7	0.5	91
REP 1401137	QC		21																		
1401167	Rock	2.28	2	2.2	23.2	5.9	58	<0.1	7.2	14.6	637	3.37	12.7	2.3	4.3	8.8	74	0.1	1.5	<0.1	118
REP 1401167	QC			2.7	23.6	5.3	58	<0.1	7.5	14.8	662	3.47	12.2	2.2	3.8	8.8	73	0.1	1.5	<0.1	119
1401171	Rock	1.91	<2	3.1	22.8	3.1	43	<0.1	6.1	12.0	448	2.89	1.6	1.9	<0.5	8.8	58	<0.1	0.5	<0.1	102
REP 1401171	QC		<2																		
Core Reject Duplicates																					
1506517	Rock	0.99	<2	0.4	4.7	9.8	36	<0.1	3.0	5.8	346	1.63	38.7	1.7	0.9	15.4	29	0.1	0.7	<0.1	25
DUP 1506517	QC		<2	0.3	5.0	9.5	37	<0.1	2.8	5.7	341	1.63	38.7	1.7	<0.5	14.9	29	0.1	0.6	<0.1	25
1401092	Rock	2.29	5	1.4	20.6	30.3	171	0.3	5.5	14.1	832	3.37	51.5	3.1	0.7	10.0	87	3.6	2.6	0.1	82
DUP 1401092	QC		5	1.7	21.8	29.9	169	0.3	6.3	14.7	840	3.41	51.1	3.1	1.7	10.2	90	3.3	2.6	0.1	82
1401127	Rock	2.22	<2	1.9	22.6	3.7	49	<0.1	7.0	12.2	564	3.00	4.9	2.2	<0.5	9.2	67	0.2	0.6	<0.1	91
DUP 1401127	QC		<2	2.2	22.3	3.7	46	<0.1	6.5	11.7	535	2.94	5.4	2.2	<0.5	8.9	62	<0.1	0.6	<0.1	89
1401162	Rock	1.78	65	2.1	26.4	12.1	104	0.4	6.5	13.3	800	3.67	588.3	2.7	44.1	8.9	64	0.9	2.1	0.8	83
DUP 1401162	QC		72	2.1	26.2	12.1	102	0.4	6.4	13.6	809	3.71	596.0	2.7	51.3	9.1	66	0.8	2.0	0.8	86
Reference Materials																					
STD DS9	Standard			11.1	100.4	121.7	301	1.6	39.8	6.9	553	2.22	23.7	2.5	127.1	5.4	68	1.9	4.4	6.2	39

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

QUALITY CONTROL REPORT WHI12000073.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
REP G1-WHI	QC																			
1506522	Rock	0.04	0.012	10	3	0.02	75	0.001	<20	0.31	0.036	0.12	<0.1	<0.01	<0.1	<0.05	2.7	<0.5	<1	<0.2
REP 1506522	QC	0.03	0.011	9	3	0.02	72	0.001	<20	0.30	0.034	0.12	<0.1	0.01	<0.1	<0.05	2.6	<0.5	<1	<0.2
1401069	Rock	0.94	0.062	16	19	0.95	382	0.210	<20	1.63	0.133	0.45	1.1	<0.01	0.3	<0.05	4.4	<0.5	6	<0.2
REP 1401069	QC																			
1401097	Rock	2.05	0.074	25	17	0.96	53	0.001	<20	1.48	0.013	0.16	<0.1	0.07	0.2	0.05	12.7	<0.5	5	<0.2
REP 1401097	QC	2.08	0.073	25	17	0.97	55	0.001	<20	1.49	0.014	0.16	<0.1	0.08	0.2	0.06	12.9	<0.5	5	<0.2
1401103	Rock	2.63	0.060	18	18	1.06	156	0.010	<20	1.52	0.060	0.19	<0.1	0.02	0.1	<0.05	8.7	<0.5	5	<0.2
REP 1401103	QC																			
1401132	Rock	1.41	0.064	17	24	1.13	513	0.146	<20	1.89	0.158	0.47	0.6	0.01	0.3	0.12	7.1	0.6	6	<0.2
REP 1401132	QC	1.43	0.066	17	25	1.16	523	0.147	<20	1.93	0.166	0.49	0.5	0.01	0.3	0.12	7.3	0.6	6	<0.2
1401137	Rock	2.57	0.056	19	20	1.24	352	0.044	<20	1.84	0.060	0.30	0.2	0.02	0.2	0.22	10.1	0.6	6	<0.2
REP 1401137	QC																			
1401167	Rock	1.69	0.063	19	30	1.27	934	0.218	<20	2.02	0.147	0.63	0.3	<0.01	0.3	<0.05	9.3	<0.5	7	<0.2
REP 1401167	QC	1.72	0.065	19	29	1.28	934	0.222	<20	2.03	0.143	0.65	0.3	<0.01	0.4	<0.05	9.4	<0.5	7	<0.2
1401171	Rock	0.95	0.063	15	30	1.02	1158	0.277	<20	1.84	0.181	0.87	0.8	<0.01	0.4	<0.05	4.6	<0.5	6	<0.2
REP 1401171	QC																			
Core Reject Duplicates																				
1506517	Rock	0.27	0.027	12	9	0.52	64	0.044	<20	0.86	0.031	0.13	0.1	0.02	<0.1	<0.05	2.3	<0.5	3	<0.2
DUP 1506517	QC	0.27	0.027	12	9	0.52	61	0.043	<20	0.84	0.027	0.12	0.1	<0.01	<0.1	<0.05	2.4	<0.5	3	<0.2
1401092	Rock	2.60	0.060	21	14	0.83	512	0.043	<20	0.95	0.059	0.30	<0.1	0.02	0.2	0.12	14.1	<0.5	3	<0.2
DUP 1401092	QC	2.63	0.061	21	15	0.84	506	0.042	<20	0.89	0.056	0.30	0.1	0.02	0.2	0.12	14.4	<0.5	3	<0.2
1401127	Rock	1.32	0.064	15	25	1.08	566	0.199	<20	1.79	0.178	0.50	0.6	<0.01	0.3	<0.05	5.6	<0.5	6	<0.2
DUP 1401127	QC	1.27	0.066	14	25	1.05	547	0.193	<20	1.73	0.165	0.49	0.6	<0.01	0.2	<0.05	5.4	<0.5	6	<0.2
1401162	Rock	2.00	0.060	16	24	1.12	459	0.103	<20	1.68	0.080	0.39	0.4	<0.01	0.3	0.30	7.2	<0.5	6	<0.2
DUP 1401162	QC	2.04	0.061	16	24	1.15	470	0.103	<20	1.75	0.087	0.41	0.4	<0.01	0.3	0.31	7.5	<0.5	6	<0.2
Reference Materials																				
STD DS9	Standard	0.68	0.077	12	113	0.58	301	0.104	<20	0.90	0.080	0.39	2.8	0.22	5.1	0.17	2.2	5.1	4	4.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

QUALITY CONTROL REPORT WHI12000073.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
STD DS9	Standard			13.6	109.1	129.0	316	1.9	40.4	7.9	557	2.34	24.5	2.8	118.8	6.3	68	2.3	4.5	5.4	40
STD DS9	Standard			13.0	103.6	128.1	318	1.7	38.2	7.6	553	2.25	25.7	2.6	95.5	6.2	72	2.6	4.3	6.4	40
STD DS9	Standard			14.2	106.3	132.3	326	2.1	40.0	7.7	600	2.42	26.4	2.9	119.4	6.8	78	2.5	5.2	6.6	42
STD DS9	Standard			13.0	109.2	127.2	313	2.3	41.1	7.5	566	2.29	23.4	2.6	116.3	5.9	63	2.3	4.2	5.6	39
STD OREAS45CA	Standard			0.8	496.3	18.8	64	0.3	263.3	89.1	928	15.55	3.2	1.1	38.4	6.7	14	0.1	0.1	0.2	218
STD OREAS45CA	Standard			1.0	526.2	19.9	62	0.3	241.9	95.1	908	16.15	3.8	1.1	32.0	7.2	14	<0.1	0.1	0.2	205
STD OREAS45CA	Standard			0.8	480.3	19.8	59	0.3	241.1	88.5	900	15.61	3.4	1.2	36.0	7.0	15	0.1	0.1	0.2	205
STD OREAS45CA	Standard			1.0	551.8	20.6	63	0.3	279.6	92.8	965	16.13	3.9	1.2	47.8	6.9	15	0.1	<0.1	0.2	221
STD OREAS45CA	Standard			0.9	513.7	18.8	62	0.4	238.2	92.3	912	15.34	7.1	1.1	36.7	7.2	14	0.4	0.2	0.3	199
STD OXC88	Standard		198																		
STD OXC88	Standard		197																		
STD OXC88	Standard		201																		
STD OXC88	Standard		195																		
STD OXC88	Standard		212																		
STD OXC88	Standard		201																		
STD OXG99	Standard		927																		
STD OXG99	Standard		949																		
STD OXG99	Standard		981																		
STD OXG99	Standard		948																		
STD OXG99	Standard		935																		
STD OXG99 Expected			932																		
STD OXC88 Expected			203																		
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

QUALITY CONTROL REPORT WHI12000073.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD DS9	Standard	0.69	0.082	13	120	0.60	319	0.112	<20	0.93	0.086	0.39	3.0	0.23	5.5	0.17	2.1	5.3	5	5.3
STD DS9	Standard	0.70	0.081	13	115	0.61	314	0.113	<20	0.90	0.085	0.38	2.7	0.17	5.5	0.17	2.2	5.6	4	5.2
STD DS9	Standard	0.79	0.090	15	120	0.64	338	0.117	<20	1.04	0.088	0.40	3.2	0.23	6.0	0.16	2.7	5.7	5	5.6
STD DS9	Standard	0.70	0.075	12	118	0.59	305	0.106	<20	0.91	0.079	0.39	2.6	0.24	5.2	0.17	1.9	5.0	4	4.8
STD OREAS45CA	Standard	0.42	0.039	16	723	0.14	156	0.144	<20	3.52	0.014	0.07	<0.1	0.03	<0.1	<0.05	44.0	0.5	19	<0.2
STD OREAS45CA	Standard	0.42	0.038	16	762	0.15	159	0.147	<20	3.63	0.013	0.08	<0.1	0.04	0.1	<0.05	43.4	<0.5	18	<0.2
STD OREAS45CA	Standard	0.42	0.039	16	679	0.14	159	0.147	<20	3.59	0.009	0.08	<0.1	0.04	<0.1	<0.05	44.3	<0.5	18	<0.2
STD OREAS45CA	Standard	0.43	0.040	18	792	0.16	172	0.157	<20	4.07	0.005	0.07	<0.1	0.04	0.1	<0.05	47.7	<0.5	20	<0.2
STD OREAS45CA	Standard	0.42	0.035	16	733	0.14	159	0.131	<20	3.65	0.012	0.08	<0.1	0.04	<0.1	<0.05	43.7	<0.5	18	<0.2
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99 Expected																				
STD OXC88 Expected																				
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

QUALITY CONTROL REPORT WHI12000073.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank			0.2	2.4	3.0	46	<0.1	3.2	4.3	562	1.95	1.4	1.6	<0.5	5.4	64	<0.1	<0.1	<0.1	39
G1-WHI	Prep Blank		<2	<0.1	2.1	2.9	45	<0.1	2.3	3.8	528	1.84	0.7	1.4	1.0	5.6	65	<0.1	<0.1	0.2	38
G1-WHI	Prep Blank		<2																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 20, 2012

QUALITY CONTROL REPORT WHI12000073.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	0.02	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																				
G1-WHI	Prep Blank	0.49	0.081	13	5	0.53	170	0.134	<20	0.91	0.100	0.49	<0.1	<0.01	0.3	<0.05	2.2	<0.5	4	<0.2
G1-WHI	Prep Blank	0.50	0.074	12	4	0.49	157	0.130	<20	0.92	0.102	0.47	<0.1	<0.01	0.4	<0.05	2.3	<0.5	5	<0.2
G1-WHI	Prep Blank																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: June 06, 2012
Report Date: June 18, 2012
Page: 1 of 5

CERTIFICATE OF ANALYSIS WHI12000074.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET006
P.O. Number
Number of Samples: 111

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	101	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	111	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	111	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Dayna
Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

CERTIFICATE OF ANALYSIS WHI12000074.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401182	Rock	2.12	1577	1.5	48.4	1155	904	23.8	7.7	10.5	823	4.80	6623	2.9	1371	8.3	75	17.5	47.7	23.2	76
1401183	Rock	4.15	358	1.5	63.3	90.6	1277	2.4	7.1	16.2	1538	3.92	1305	4.5	131.1	10.0	58	19.2	5.9	2.3	107
1401184	Rock	1.64	35	1.6	47.9	107.1	725	1.3	5.7	15.2	1208	3.39	287.4	2.3	26.5	9.6	55	19.3	2.8	0.6	108
1401185	Rock	2.65	14	2.1	56.4	17.2	771	0.4	7.0	15.7	1388	3.53	194.4	2.2	13.1	10.0	53	24.4	2.1	0.5	102
1401186	Rock	2.84	8	1.6	39.8	8.6	1103	0.2	6.1	14.0	1050	3.57	327.3	2.4	10.7	9.1	38	30.0	2.6	0.4	96
1401187	Rock	2.75	9	2.6	41.5	12.3	2202	0.3	8.0	21.5	2624	3.84	348.0	2.8	26.1	9.5	49	69.3	4.5	0.3	109
1401188	Rock	2.56	9	2.3	40.5	6.9	1314	0.3	6.4	14.5	910	3.58	275.9	3.8	144.0	10.1	44	31.2	2.1	0.4	114
1401189	Rock	2.87	<2	2.1	26.1	4.1	540	<0.1	6.2	11.0	527	2.97	199.4	2.6	2.6	9.6	56	18.6	1.2	0.1	103
1401190	Rock	2.34	3	2.6	32.1	4.3	593	<0.1	5.9	13.7	753	3.06	272.0	2.3	2.1	9.5	44	21.3	1.7	0.1	107
1401191	Rock	2.33	13	2.4	31.2	5.5	209	0.1	5.4	10.7	432	3.06	64.4	2.1	5.5	9.4	54	4.6	0.8	0.3	100
1401192	Rock	3.11	21	2.2	30.4	5.3	148	0.1	5.9	11.2	471	3.14	104.5	2.2	14.0	10.2	54	3.3	1.0	0.3	101
1401193	Rock	2.98	<2	2.4	23.6	3.8	139	<0.1	5.6	10.9	451	2.83	34.0	1.7	<0.5	9.7	56	2.5	0.4	<0.1	101
1401194	Rock	3.08	14	2.4	32.8	6.9	306	0.2	4.9	10.8	402	3.22	549.2	2.6	15.2	9.8	51	8.1	0.9	1.0	92
1401195	Rock	3.23	<2	1.9	23.4	3.6	118	<0.1	5.2	10.6	406	2.78	64.1	1.8	<0.5	9.5	53	2.9	0.5	0.1	100
1401196	Rock	2.44	10	2.2	28.6	5.0	300	0.1	5.8	11.9	407	3.28	152.1	3.1	9.6	9.3	54	8.5	0.6	0.6	100
1401197	Rock	3.00	98	2.6	34.0	83.3	267	1.0	5.7	11.9	455	3.24	2458	2.3	88.2	9.0	50	18.7	2.4	1.1	94
1401198	Rock	3.28	7	2.2	26.0	10.8	287	0.3	6.0	11.3	462	3.14	195.3	2.3	4.8	8.9	52	6.4	0.6	0.4	100
1401199	Rock	2.70	27	2.6	36.6	137.5	463	1.7	6.0	11.9	605	3.29	122.8	2.9	27.4	9.3	53	15.2	1.6	0.2	99
1401200	Rock Pulp	0.12	3	2.5	23.6	2.4	44	0.2	21.8	10.1	391	2.42	5.1	0.2	<0.5	0.9	40	0.2	0.2	<0.1	61
1401201	Rock Pulp	0.12	1438	8.0	43.8	5.6	49	0.2	28.8	8.6	452	3.06	6.3	0.3	1112	0.9	40	0.2	1.0	0.1	66
1401202	Rock	2.78	23	2.4	24.8	57.5	535	0.4	5.6	11.3	488	2.98	375.2	2.3	18.2	10.2	50	16.1	1.5	0.2	99
1401203	Rock	2.74	584	2.2	29.5	10.7	241	1.1	5.8	12.9	476	3.64	2017	2.5	320.6	9.6	46	9.5	2.4	8.3	91
1401204	Rock	2.83	53	3.4	43.0	4.8	57	0.2	5.8	11.7	431	3.13	821.0	2.3	47.1	9.7	50	0.6	1.0	1.4	98
1401205	Rock	3.16	110	2.7	28.8	54.6	528	0.7	6.7	10.9	433	2.97	69.0	1.9	4.4	9.0	52	11.2	1.2	0.5	99
1401206	Rock	2.97	677	2.2	38.6	87.1	1550	2.7	5.5	13.6	490	4.38	8846	2.6	659.1	8.9	61	45.9	7.7	6.8	100
1401207	Rock	3.15	8	2.0	21.6	4.3	377	<0.1	5.5	11.4	455	2.96	155.9	2.6	2.9	9.3	55	7.5	1.0	0.1	102
1401208	Rock	3.14	3	2.3	20.1	6.1	430	<0.1	5.3	11.2	475	2.99	164.3	2.7	<0.5	9.3	58	6.2	1.2	0.1	99
1401209	Rock	3.05	<2	2.4	24.0	15.8	111	0.3	5.5	10.7	466	2.96	56.6	2.6	0.6	8.6	53	1.7	1.0	0.3	95
1401210	Rock	3.03	4	1.9	20.7	43.3	346	0.3	5.5	11.9	578	3.25	237.9	2.5	3.4	8.9	58	9.9	1.4	0.2	103
1401211	Rock	3.05	<2	1.6	17.9	7.8	146	<0.1	5.1	11.8	539	3.02	55.1	2.4	1.3	8.8	55	1.9	1.4	0.1	94

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

CERTIFICATE OF ANALYSIS WHI12000074.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1401182	Rock	0.41	0.062	15	18	0.59	461	0.109	<20	1.54	0.109	0.67	0.4	0.02	0.5	0.67	6.8	<0.5	5	<0.2
1401183	Rock	0.52	0.061	14	18	0.81	454	0.186	<20	2.24	0.105	0.66	0.2	0.01	0.5	0.17	9.2	<0.5	6	<0.2
1401184	Rock	0.96	0.068	16	20	1.05	514	0.213	<20	1.97	0.172	0.68	0.7	<0.01	0.4	0.05	8.0	<0.5	6	<0.2
1401185	Rock	1.17	0.069	17	22	1.14	298	0.155	<20	1.95	0.137	0.39	0.5	<0.01	0.3	<0.05	8.0	<0.5	6	<0.2
1401186	Rock	0.91	0.065	17	21	1.17	140	0.101	<20	1.90	0.092	0.19	0.2	<0.01	0.1	<0.05	9.8	<0.5	6	<0.2
1401187	Rock	0.81	0.065	18	24	1.22	379	0.182	<20	2.08	0.148	0.44	0.5	<0.01	0.3	<0.05	9.4	<0.5	7	<0.2
1401188	Rock	0.65	0.073	14	23	1.06	669	0.260	<20	1.99	0.161	0.87	0.5	<0.01	0.5	<0.05	6.8	<0.5	6	<0.2
1401189	Rock	0.73	0.066	13	23	0.96	648	0.254	<20	1.97	0.214	0.84	0.6	<0.01	0.5	<0.05	5.4	0.6	6	<0.2
1401190	Rock	0.70	0.063	14	22	1.01	650	0.264	<20	1.91	0.169	0.85	0.6	<0.01	0.4	<0.05	5.2	<0.5	6	<0.2
1401191	Rock	0.81	0.064	15	21	0.95	609	0.246	<20	1.89	0.206	0.81	0.9	<0.01	0.4	0.09	5.2	<0.5	6	<0.2
1401192	Rock	0.84	0.066	16	23	0.98	611	0.249	<20	1.88	0.197	0.80	1.0	<0.01	0.5	0.17	5.5	<0.5	6	<0.2
1401193	Rock	0.84	0.063	15	22	0.95	650	0.260	<20	1.85	0.214	0.82	1.1	<0.01	0.4	<0.05	5.0	0.5	6	<0.2
1401194	Rock	0.67	0.060	15	20	0.92	522	0.204	<20	1.83	0.175	0.69	0.7	<0.01	0.4	0.11	5.3	<0.5	6	<0.2
1401195	Rock	0.81	0.066	15	23	0.93	618	0.260	<20	1.79	0.201	0.81	0.9	<0.01	0.4	<0.05	4.9	0.6	5	<0.2
1401196	Rock	0.74	0.065	15	22	0.99	588	0.230	<20	1.91	0.186	0.77	0.7	<0.01	0.5	0.14	5.7	0.6	6	<0.2
1401197	Rock	0.75	0.063	15	21	0.86	581	0.223	<20	1.74	0.169	0.79	0.7	<0.01	0.5	0.23	4.9	<0.5	5	<0.2
1401198	Rock	0.77	0.065	14	22	0.94	609	0.241	<20	1.88	0.192	0.82	1.1	<0.01	0.4	0.13	5.4	<0.5	6	<0.2
1401199	Rock	0.91	0.065	15	22	0.95	572	0.223	<20	1.91	0.194	0.80	0.8	<0.01	0.5	0.30	6.2	<0.5	6	<0.2
1401200	Rock Pulp	0.83	0.059	4	30	0.78	93	0.124	<20	1.56	0.077	0.13	12.4	<0.01	<0.1	<0.05	4.5	<0.5	5	<0.2
1401201	Rock Pulp	0.80	0.057	4	31	0.77	99	0.125	<20	1.66	0.092	0.14	0.3	0.07	<0.1	<0.05	4.8	0.9	5	<0.2
1401202	Rock	0.82	0.064	14	21	0.97	615	0.237	<20	1.80	0.176	0.80	0.6	<0.01	0.4	0.09	5.6	<0.5	5	<0.2
1401203	Rock	0.90	0.060	15	20	0.99	502	0.186	<20	1.85	0.141	0.68	0.8	<0.01	0.4	0.71	6.0	0.9	5	<0.2
1401204	Rock	0.89	0.064	15	22	0.94	593	0.235	<20	1.78	0.175	0.80	1.1	<0.01	0.4	0.26	5.1	0.7	5	<0.2
1401205	Rock	0.90	0.063	14	24	0.95	616	0.246	<20	1.80	0.186	0.82	1.0	<0.01	0.5	0.16	4.9	<0.5	6	<0.2
1401206	Rock	0.93	0.068	14	22	0.99	529	0.187	<20	1.93	0.163	0.73	0.7	<0.01	0.5	0.80	7.2	<0.5	6	<0.2
1401207	Rock	0.82	0.066	15	22	1.02	659	0.252	<20	1.87	0.192	0.83	0.6	<0.01	0.4	<0.05	5.7	<0.5	6	<0.2
1401208	Rock	0.96	0.063	16	23	1.02	630	0.233	<20	1.90	0.194	0.77	0.5	<0.01	0.4	<0.05	6.4	<0.5	6	<0.2
1401209	Rock	0.96	0.061	14	22	0.96	620	0.227	<20	1.79	0.172	0.76	0.7	<0.01	0.5	0.18	5.4	<0.5	5	<0.2
1401210	Rock	1.18	0.064	15	23	1.09	629	0.224	<20	1.94	0.183	0.78	0.5	<0.01	0.5	0.14	6.8	<0.5	6	<0.2
1401211	Rock	1.52	0.063	14	21	1.06	467	0.185	<20	1.79	0.131	0.55	0.4	<0.01	0.3	<0.05	6.7	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

CERTIFICATE OF ANALYSIS WHI12000074.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401212	Rock	3.34	4	2.7	19.3	3.1	64	<0.1	4.9	11.3	435	2.85	17.5	3.4	<0.5	10.8	58	0.4	1.0	<0.1	101
1401213	Rock	3.31	<2	2.1	20.4	3.2	51	<0.1	5.2	10.3	423	2.86	8.8	3.1	2.0	9.7	60	0.1	0.7	0.1	100
1401214	Rock	1.96	5	2.0	22.3	41.8	101	0.3	4.9	11.4	557	3.06	196.4	2.9	3.1	9.4	56	1.1	1.4	0.3	99
1401215	Rock	3.18	2	2.1	37.8	7.0	157	<0.1	6.6	15.0	562	3.48	144.0	3.7	1.5	11.6	59	1.2	3.0	<0.1	114
1401216	Rock	2.92	<2	2.0	36.7	5.0	68	0.1	6.0	15.8	601	3.49	25.3	3.5	0.8	11.1	69	0.4	2.2	0.4	121
1401217	Rock	3.10	3	2.5	27.4	24.1	110	0.3	6.4	13.5	615	3.22	35.7	3.5	0.8	11.7	75	1.4	0.9	0.1	110
1401218	Rock	2.51	3	2.8	35.8	220.3	492	1.9	5.7	13.6	660	3.46	87.2	3.3	2.0	11.1	60	8.8	1.8	0.3	105
1401219	Rock	2.84	<2	3.0	28.0	5.5	52	<0.1	5.7	13.1	477	3.08	10.4	3.8	<0.5	10.9	66	0.1	0.7	<0.1	108
1401220	Rock Pulp	0.12	3	2.8	25.7	2.4	45	0.2	25.4	10.8	401	2.38	4.0	0.2	<0.5	0.9	40	0.1	0.2	<0.1	62
1401221	Rock Pulp	0.12	3654	10.9	70.3	467.7	1529	52.4	31.9	8.7	389	3.22	29.3	0.3	4100	1.2	33	14.8	46.0	0.9	58
1401222	Rock	3.07	17	2.6	29.8	7.3	61	0.2	6.2	14.1	557	3.66	308.4	3.1	12.9	9.6	59	0.4	0.7	0.7	112
1401223	Rock	2.80	29	2.8	35.2	381.3	239	3.3	6.5	14.4	723	3.66	173.3	3.2	22.4	10.5	63	5.6	2.4	0.9	106
1401224	Rock	1.86	42	2.3	38.3	8.8	56	0.2	6.9	14.7	557	3.51	897.5	2.8	59.7	9.3	86	0.3	1.0	0.9	107
1401225	Rock	1.42	40	2.0	36.8	9.5	54	0.2	6.9	14.8	562	3.59	932.1	3.0	37.2	10.3	85	0.4	0.9	1.1	106
1401226	Rock	2.73	<2	2.8	27.5	6.4	71	<0.1	6.2	13.9	512	3.23	17.3	2.8	<0.5	10.9	68	0.2	0.6	<0.1	110
1401227	Rock	2.97	28	2.5	32.9	6.1	58	0.2	6.3	16.1	743	3.97	197.0	3.2	31.0	9.9	89	0.1	0.5	1.3	117
1401228	Rock	3.08	3857	2.6	43.4	133.8	133	5.4	6.2	18.1	750	5.40	>10000	3.3	4239	9.9	89	2.5	10.5	58.3	97
1401229	Rock	2.99	582	7.8	34.9	69.1	99	2.9	5.9	15.4	961	3.18	2343	4.8	485.8	8.3	127	1.2	7.1	10.2	72
1401230	Rock	3.54	18	2.6	37.2	6.8	74	0.2	6.5	17.9	972	4.03	114.1	3.6	11.6	11.3	87	0.3	0.9	1.1	105
1401231	Rock	2.95	11	3.6	33.1	4.6	66	0.1	6.4	16.1	806	3.62	14.7	3.3	3.1	9.8	86	0.1	0.8	0.4	100
1401232	Rock	3.36	<2	2.3	21.7	4.5	59	0.1	5.7	14.7	588	3.41	17.6	3.2	1.6	9.9	83	<0.1	0.4	0.2	105
1401233	Rock	3.05	28	2.6	24.4	7.5	51	0.2	5.7	12.8	626	3.11	8.8	3.2	171.8	10.0	76	0.1	0.4	0.3	100
1401234	Rock	2.91	<2	2.5	25.1	3.8	52	<0.1	6.2	14.3	670	3.38	12.1	3.2	<0.5	10.9	76	<0.1	0.3	0.2	113
1401235	Rock	3.14	<2	3.0	25.9	3.6	49	<0.1	6.5	12.6	490	3.12	6.0	2.6	<0.5	8.7	79	<0.1	0.2	<0.1	107
1401236	Rock	3.13	<2	2.7	23.5	3.0	53	<0.1	5.9	13.6	584	3.43	3.3	2.8	<0.5	8.8	85	<0.1	0.2	0.1	119
1401237	Rock	3.26	<2	2.3	24.8	3.3	54	<0.1	6.1	15.6	720	3.64	6.4	3.3	2.4	9.4	89	<0.1	0.4	0.2	127
1401238	Rock	3.03	<2	2.5	21.5	17.7	64	0.2	5.7	16.3	866	3.59	14.4	5.0	2.1	10.5	98	0.2	1.2	0.4	106
1401239	Rock	2.69	<2	2.2	25.6	5.6	60	<0.1	5.9	16.9	850	3.70	8.3	4.6	2.0	10.5	99	0.1	1.3	0.1	116
1401240	Rock Pulp	0.12	<2	2.4	25.1	2.5	43	0.2	23.3	10.9	386	2.38	4.8	0.2	3.8	0.9	38	0.2	0.2	<0.1	63
1401241	Rock Pulp	0.12	1437	9.0	49.6	6.7	49	0.3	31.1	9.3	460	3.11	5.9	0.2	1603	0.9	39	<0.1	0.8	0.1	67

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

CERTIFICATE OF ANALYSIS WHI12000074.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1401212	Rock	1.24	0.066	15	22	0.99	694	0.261	<20	1.81	0.185	0.82	0.6	<0.01	0.4	0.06	5.5	<0.5	6	<0.2
1401213	Rock	1.03	0.064	14	23	0.99	674	0.261	<20	1.82	0.190	0.83	0.8	<0.01	0.5	0.06	5.0	<0.5	6	<0.2
1401214	Rock	1.35	0.068	14	22	1.07	602	0.223	<20	1.83	0.147	0.75	0.6	<0.01	0.4	0.14	6.8	<0.5	6	<0.2
1401215	Rock	1.28	0.061	20	25	1.30	409	0.232	<20	2.00	0.169	0.48	0.3	0.01	0.3	0.08	10.2	<0.5	7	<0.2
1401216	Rock	1.57	0.070	18	24	1.30	609	0.275	<20	2.14	0.187	0.76	0.5	<0.01	0.5	0.17	8.6	<0.5	7	<0.2
1401217	Rock	1.32	0.062	18	25	1.19	644	0.283	<20	2.14	0.237	0.84	0.5	<0.01	0.5	0.10	6.9	<0.5	6	<0.2
1401218	Rock	1.62	0.064	17	24	1.20	495	0.226	<20	1.99	0.155	0.69	0.5	<0.01	0.5	0.29	8.1	<0.5	6	<0.2
1401219	Rock	1.23	0.062	18	27	1.08	625	0.299	<20	2.03	0.227	0.76	1.0	<0.01	0.5	0.06	6.1	<0.5	6	<0.2
1401220	Rock Pulp	0.83	0.054	4	33	0.80	93	0.150	<20	1.59	0.081	0.14	12.0	0.02	<0.1	<0.05	4.5	<0.5	5	<0.2
1401221	Rock Pulp	0.70	0.049	6	30	0.60	103	0.123	<20	1.22	0.081	0.12	2.0	0.20	1.0	0.35	4.3	<0.5	6	<0.2
1401222	Rock	1.37	0.062	16	27	1.17	576	0.249	<20	2.15	0.197	0.75	0.7	<0.01	0.4	0.38	8.4	<0.5	7	<0.2
1401223	Rock	1.58	0.063	17	24	1.22	442	0.181	<20	2.01	0.147	0.60	0.6	<0.01	0.4	0.41	8.9	<0.5	7	<0.2
1401224	Rock	1.52	0.069	17	26	1.23	545	0.236	<20	2.15	0.214	0.68	0.6	<0.01	0.4	0.39	7.8	<0.5	7	<0.2
1401225	Rock	1.57	0.073	16	26	1.27	521	0.229	<20	2.18	0.209	0.67	0.6	<0.01	0.4	0.44	8.2	<0.5	6	<0.2
1401226	Rock	1.36	0.066	17	28	1.27	520	0.262	<20	2.00	0.195	0.60	0.7	<0.01	0.3	<0.05	7.3	<0.5	6	<0.2
1401227	Rock	2.23	0.060	18	26	1.39	415	0.178	<20	2.21	0.162	0.52	0.6	<0.01	0.3	0.47	10.7	<0.5	7	<0.2
1401228	Rock	2.39	0.062	17	22	1.14	272	0.086	<20	1.95	0.111	0.46	0.7	0.04	0.5	1.69	11.3	0.9	6	<0.2
1401229	Rock	4.91	0.051	17	7	1.90	40	0.002	<20	0.97	0.008	0.11	0.2	0.05	0.3	0.48	11.7	<0.5	2	<0.2
1401230	Rock	1.87	0.064	24	25	1.16	486	0.142	<20	1.85	0.143	0.62	0.1	<0.01	0.4	0.12	15.0	<0.5	6	<0.2
1401231	Rock	1.89	0.061	22	24	1.12	434	0.144	<20	1.79	0.160	0.55	0.2	<0.01	0.3	0.06	13.1	<0.5	5	<0.2
1401232	Rock	1.61	0.056	18	25	1.14	492	0.189	<20	2.18	0.205	0.63	0.4	<0.01	0.4	0.06	10.5	<0.5	6	<0.2
1401233	Rock	1.56	0.054	17	25	1.21	558	0.237	<20	1.97	0.194	0.68	0.6	<0.01	0.4	0.15	7.9	<0.5	6	<0.2
1401234	Rock	1.67	0.060	19	28	1.32	762	0.269	<20	2.16	0.201	0.81	0.4	0.01	0.5	0.09	9.4	<0.5	7	<0.2
1401235	Rock	1.31	0.061	17	28	1.14	657	0.285	<20	2.14	0.266	0.79	0.7	<0.01	0.4	<0.05	7.0	<0.5	6	<0.2
1401236	Rock	1.49	0.065	17	28	1.20	662	0.255	<20	2.29	0.256	0.82	0.6	<0.01	0.5	<0.05	9.8	<0.5	7	<0.2
1401237	Rock	1.78	0.064	18	30	1.55	713	0.272	<20	2.45	0.224	0.88	0.4	<0.01	0.5	0.09	10.7	<0.5	7	<0.2
1401238	Rock	3.27	0.061	21	22	1.22	471	0.161	<20	2.19	0.144	0.61	0.2	0.03	0.4	0.12	11.7	<0.5	7	<0.2
1401239	Rock	2.68	0.063	24	25	1.31	530	0.187	<20	2.26	0.151	0.68	0.2	0.02	0.5	0.10	13.8	<0.5	7	<0.2
1401240	Rock Pulp	0.83	0.057	5	33	0.80	91	0.141	<20	1.58	0.080	0.14	12.3	0.01	<0.1	<0.05	4.5	<0.5	5	<0.2
1401241	Rock Pulp	0.84	0.051	5	35	0.81	101	0.148	<20	1.68	0.100	0.16	0.2	0.06	<0.1	<0.05	4.8	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

CERTIFICATE OF ANALYSIS WHI12000074.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401242	Rock	3.01	<2	2.7	23.6	3.5	50	<0.1	5.9	14.0	588	3.29	1.5	4.1	<0.5	9.3	79	<0.1	0.2	<0.1	113
1401243	Rock	3.05	5	2.6	28.2	3.4	52	<0.1	6.5	15.0	594	3.65	29.8	3.1	2.6	9.5	85	<0.1	0.3	0.2	118
1401244	Rock	2.91	13	2.5	31.1	4.1	52	<0.1	6.0	15.0	573	4.03	88.1	3.1	9.4	9.7	89	<0.1	0.4	0.8	114
1401245	Rock	3.03	76	2.5	29.2	4.0	59	<0.1	7.0	16.4	704	3.92	132.3	3.8	37.9	10.6	90	<0.1	0.5	0.9	122
1401246	Rock	3.14	52	2.5	32.3	8.3	59	0.2	6.8	15.4	712	4.01	102.9	3.6	11.7	10.3	90	0.1	0.5	1.6	114
1401247	Rock	2.89	134	2.5	34.8	6.0	54	0.2	6.0	14.5	642	3.75	59.6	3.6	26.8	10.7	89	0.1	0.5	0.8	108
1401248	Rock	2.97	203	2.6	25.7	5.0	49	0.2	6.0	13.5	524	3.41	2747	3.1	170.4	9.9	83	0.1	0.9	2.6	108
1401249	Rock	3.06	57	2.0	31.9	31.8	99	0.5	6.2	16.0	743	4.13	1111	3.8	42.6	10.3	89	1.2	1.3	1.3	118
1401250	Rock	2.78	275	2.0	22.7	80.1	459	2.2	5.4	12.3	563	3.56	3025	4.4	542.8	10.5	77	10.3	2.0	5.8	101
1401251	Rock	2.81	6	2.6	25.1	3.6	51	<0.1	5.8	13.0	547	3.33	29.4	3.1	0.7	9.6	84	0.1	0.3	0.4	119
1401252	Rock	3.02	4	2.4	22.2	2.9	49	<0.1	6.0	11.9	551	3.21	10.0	3.9	<0.5	11.0	78	<0.1	0.2	<0.1	111
1401253	Rock	2.93	36	2.7	31.0	18.0	61	0.4	6.9	15.7	776	4.06	653.1	3.6	36.7	11.2	95	<0.1	0.7	1.4	136
1401254	Rock	3.05	<2	2.2	24.1	14.8	65	0.2	6.0	13.9	737	3.75	20.0	2.8	<0.5	9.9	111	0.3	0.7	<0.1	121
1401255	Rock	3.09	26	2.4	26.9	9.9	60	0.2	5.4	12.9	635	3.49	21.1	2.5	<0.5	9.3	86	0.1	0.4	0.3	114
1401256	Rock	2.96	5	1.7	22.7	4.4	57	<0.1	6.2	14.9	843	3.85	20.9	2.5	4.1	9.7	121	<0.1	0.5	<0.1	131
1401257	Rock	3.11	11	1.9	26.7	5.2	62	0.2	6.0	15.7	797	4.09	7.9	2.8	4.7	9.5	118	<0.1	0.5	0.1	142
1401258	Rock	2.83	40	1.4	22.5	5.2	63	0.1	5.7	16.5	818	4.02	10.3	2.9	5.4	8.7	143	0.1	0.6	0.2	123
1401259	Rock	3.01	869	1.6	40.6	13.1	51	0.5	6.4	18.1	880	3.72	335.7	3.1	454.1	8.2	126	0.2	4.4	5.7	65
1401260	Rock Pulp	0.12	3	2.5	23.7	2.4	45	0.3	23.2	10.2	386	2.34	5.7	0.2	8.9	0.9	40	0.2	0.3	0.2	60
1401261	Rock Pulp	0.11	4060	9.2	66.3	436.3	1482	54.1	30.1	7.9	392	3.27	30.6	0.3	4442	1.1	34	15.7	47.2	0.9	58
1401262	Rock	2.66	184	1.6	28.0	7.9	64	0.5	5.7	16.0	831	4.05	851.7	2.3	96.8	8.6	148	<0.1	1.0	7.2	100
1401263	Rock	3.01	765	1.5	45.2	39.5	101	1.5	6.3	19.5	997	4.61	7049	2.9	587.5	7.6	118	1.2	4.1	5.0	73
1401264	Rock	3.12	18	1.7	22.8	3.4	63	0.1	6.1	15.9	832	4.01	111.9	2.1	10.8	7.8	117	<0.1	1.0	0.1	131
1401265	Rock	2.98	9	1.4	27.2	7.6	92	0.1	6.5	16.7	869	4.17	31.2	2.4	4.4	8.4	130	0.7	0.9	0.2	133
1401266	Rock	2.87	<2	1.5	21.5	43.3	133	0.5	5.9	16.5	1001	4.16	11.8	2.2	3.0	7.7	147	1.3	1.1	<0.1	128
1401267	Rock	3.07	<2	1.4	20.2	14.7	80	0.2	5.9	14.7	1232	3.61	9.0	2.6	<0.5	7.7	144	0.4	1.1	<0.1	107
1401268	Rock	2.76	<2	1.3	20.7	31.3	96	0.3	5.5	16.0	979	3.99	8.4	3.0	<0.5	8.1	130	0.6	1.0	<0.1	106
1401269	Rock	2.87	119	1.4	22.4	5.0	78	<0.1	5.4	14.9	870	4.22	213.1	2.5	89.9	5.9	138	0.2	1.1	0.6	111
1401270	Rock	3.00	38	1.6	25.8	52.6	149	1.4	5.7	16.7	1156	3.98	222.4	2.6	27.2	6.6	128	1.2	2.5	0.6	104
1401271	Rock	2.69	14	2.0	23.4	10.8	89	0.2	6.9	16.7	776	4.41	408.4	2.7	13.8	6.9	136	0.7	1.4	0.3	122

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

CERTIFICATE OF ANALYSIS WHI12000074.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1401242	Rock	1.34	0.062	15	30	1.17	667	0.280	<20	2.15	0.250	0.90	0.5	<0.01	0.5	<0.05	7.5	<0.5	6	<0.2
1401243	Rock	1.57	0.063	16	29	1.28	617	0.251	<20	2.27	0.235	0.81	0.5	<0.01	0.5	0.17	9.4	<0.5	7	<0.2
1401244	Rock	1.48	0.057	17	27	1.28	587	0.217	<20	2.34	0.225	0.78	0.5	0.01	0.5	0.51	10.6	<0.5	7	<0.2
1401245	Rock	1.76	0.065	18	29	1.37	628	0.236	<20	2.40	0.212	0.81	0.4	<0.01	0.5	0.26	11.1	<0.5	7	<0.2
1401246	Rock	1.77	0.065	18	28	1.26	596	0.234	<20	2.30	0.211	0.80	0.6	<0.01	0.5	0.54	10.0	<0.5	7	<0.2
1401247	Rock	1.70	0.059	16	26	1.16	596	0.231	<20	2.19	0.218	0.79	0.7	<0.01	0.5	0.55	8.6	<0.5	6	<0.2
1401248	Rock	1.23	0.061	16	27	1.14	679	0.273	<20	2.06	0.236	0.87	0.8	<0.01	0.5	0.23	7.5	<0.5	6	<0.2
1401249	Rock	1.58	0.063	18	26	1.50	603	0.225	<20	2.26	0.158	0.84	0.5	<0.01	0.5	0.41	11.7	<0.5	6	<0.2
1401250	Rock	1.25	0.057	15	23	1.23	564	0.198	<20	1.88	0.153	0.74	0.9	<0.01	0.4	0.56	9.0	0.5	6	<0.2
1401251	Rock	1.29	0.068	15	27	1.17	733	0.271	<20	2.10	0.231	0.94	1.0	<0.01	0.5	0.09	7.4	<0.5	6	<0.2
1401252	Rock	1.36	0.068	17	27	1.05	693	0.260	<20	1.96	0.212	0.91	0.9	<0.01	0.5	0.05	7.6	<0.5	6	<0.2
1401253	Rock	1.74	0.074	20	28	1.52	623	0.226	<20	2.27	0.170	0.82	0.5	0.02	0.4	0.23	13.7	<0.5	7	<0.2
1401254	Rock	1.82	0.069	17	27	1.48	580	0.192	<20	2.21	0.150	0.70	0.3	<0.01	0.4	0.13	11.7	0.7	7	<0.2
1401255	Rock	1.68	0.073	15	25	1.39	529	0.224	<20	1.92	0.132	0.58	0.4	<0.01	0.3	0.14	9.4	<0.5	7	<0.2
1401256	Rock	2.18	0.069	19	24	1.75	451	0.186	<20	2.24	0.120	0.50	0.2	<0.01	0.2	0.07	13.5	<0.5	8	<0.2
1401257	Rock	1.71	0.073	17	27	1.90	658	0.231	<20	2.45	0.166	0.82	0.3	0.01	0.4	0.19	15.1	<0.5	8	<0.2
1401258	Rock	2.12	0.070	20	22	1.58	581	0.172	<20	2.32	0.092	0.71	0.2	0.01	0.4	0.09	13.9	<0.5	7	<0.2
1401259	Rock	3.69	0.062	17	12	0.53	214	0.042	<20	1.34	0.046	0.34	0.2	0.05	0.4	1.85	10.0	<0.5	4	<0.2
1401260	Rock Pulp	0.82	0.060	4	29	0.76	96	0.128	<20	1.56	0.078	0.13	11.8	<0.01	<0.1	<0.05	4.7	<0.5	5	<0.2
1401261	Rock Pulp	0.71	0.052	5	27	0.58	104	0.111	<20	1.20	0.079	0.11	2.1	0.19	1.0	0.36	4.6	<0.5	6	<0.2
1401262	Rock	2.86	0.072	19	18	1.09	613	0.127	<20	2.27	0.068	0.66	0.2	<0.01	0.4	0.38	12.1	<0.5	7	<0.2
1401263	Rock	2.67	0.071	13	15	0.93	215	0.028	<20	1.70	0.042	0.37	0.3	0.06	1.0	1.70	11.5	0.7	5	<0.2
1401264	Rock	2.22	0.069	15	25	1.62	592	0.157	<20	2.28	0.146	0.52	0.2	<0.01	0.3	0.05	13.5	0.5	7	<0.2
1401265	Rock	2.20	0.077	18	24	1.71	707	0.175	<20	2.39	0.125	0.60	0.2	<0.01	0.3	0.18	13.4	0.6	8	<0.2
1401266	Rock	2.31	0.073	17	24	1.48	720	0.148	<20	2.40	0.140	0.58	0.1	<0.01	0.3	0.10	14.0	<0.5	8	<0.2
1401267	Rock	3.17	0.072	19	20	1.31	701	0.136	<20	1.85	0.095	0.59	<0.1	0.02	0.3	0.08	14.4	<0.5	6	<0.2
1401268	Rock	2.02	0.070	18	19	1.22	724	0.139	<20	1.83	0.105	0.63	0.1	0.02	0.3	0.10	15.2	<0.5	6	<0.2
1401269	Rock	1.79	0.076	18	20	1.30	965	0.191	<20	2.01	0.118	0.79	0.2	<0.01	0.4	0.11	16.4	<0.5	7	<0.2
1401270	Rock	2.93	0.075	19	18	1.24	589	0.091	<20	1.57	0.068	0.49	0.1	0.06	0.3	0.27	17.1	<0.5	5	<0.2
1401271	Rock	1.89	0.081	18	26	1.35	719	0.141	<20	2.34	0.146	0.54	0.2	0.03	0.4	0.21	13.5	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

CERTIFICATE OF ANALYSIS WHI12000074.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401272	Rock	3.05	249	2.3	28.5	95.9	271	2.0	6.1	15.3	1428	4.27	821.1	2.2	476.0	6.4	116	3.6	1.7	2.2	91
1401273	Rock	2.58	1094	1.8	31.6	95.4	156	5.3	6.0	16.3	2037	4.72	1589	2.7	679.1	5.9	146	1.8	2.8	14.0	87
1401274	Rock	1.34	10	1.7	24.0	10.8	88	0.2	6.8	15.8	629	3.94	37.8	2.6	7.9	7.7	103	0.4	1.5	0.2	114
1401275	Rock	1.10	8	1.7	24.2	10.6	88	0.2	6.1	15.7	626	3.93	30.2	2.4	7.1	7.7	103	0.3	1.5	0.3	112
1401276	Rock	2.20	2	2.1	22.2	3.6	50	<0.1	6.1	13.4	575	3.39	10.8	2.1	<0.5	7.3	84	<0.1	0.4	<0.1	109
1401277	Rock	2.59	<2	2.3	20.4	3.5	53	<0.1	6.0	14.1	624	3.47	6.1	2.0	1.1	6.5	84	<0.1	0.4	<0.1	114
1401278	Rock	2.47	5	1.9	20.8	4.2	55	<0.1	6.2	14.3	747	3.57	8.6	2.3	1.7	7.0	86	<0.1	0.7	<0.1	115
1401279	Rock	1.30	2	1.8	21.1	25.4	252	0.3	6.3	15.2	814	3.84	27.3	1.8	2.3	7.2	80	2.6	0.7	<0.1	118
1401280	Rock Pulp	0.12	3	2.5	23.5	2.3	43	0.5	23.9	9.7	398	2.38	4.4	0.3	<0.5	0.9	39	0.2	0.2	<0.1	60
1401281	Rock Pulp	0.12	1387	8.3	46.7	5.9	51	0.2	31.0	9.3	482	3.23	6.4	0.3	817.4	1.0	43	0.1	0.9	<0.1	69
1401282	Rock	2.37	10	2.8	26.5	382.0	1234	3.7	7.7	18.7	1337	4.46	677.8	2.4	11.8	8.4	88	14.7	1.8	<0.1	122
1401283	Rock	1.50	421	1.6	52.1	854.0	921	10.4	5.3	11.4	551	6.74	5917	5.2	492.6	7.9	452	20.0	7.9	8.2	50
1401284	Rock	1.85	45	2.4	22.8	214.9	530	2.0	6.7	13.0	1354	4.15	986.7	2.6	33.6	8.6	158	8.4	2.4	1.0	72
1401285	Rock	1.98	17	2.6	15.6	181.2	360	1.4	6.3	10.8	1043	3.79	317.8	1.9	13.9	9.0	140	3.7	1.3	0.3	80
1401286	Rock	2.04	14	2.3	14.8	49.5	111	0.4	5.1	10.5	776	3.43	106.6	1.5	9.7	9.4	133	1.3	0.5	0.1	78
1401287	Rock	2.16	13	1.9	10.9	23.3	74	0.2	5.7	10.5	759	3.31	97.7	1.5	14.0	9.0	123	0.6	0.6	<0.1	72
1401288	Rock	1.34	367	1.8	49.2	302.7	793	5.7	8.1	14.4	1323	4.18	1423	2.8	279.4	9.8	62	14.0	7.3	3.3	84
1401289	Rock	0.38	28	1.7	23.4	17.3	214	0.4	6.0	10.7	572	2.70	92.3	2.1	10.8	9.6	48	4.5	1.0	0.2	82
1401290	Rock	0.95	5	2.0	43.0	7.1	107	0.1	5.6	12.1	550	3.02	24.4	2.2	6.4	10.1	70	2.2	0.6	<0.1	102
1401291	Rock	2.78	17	2.0	35.5	93.7	302	1.0	6.2	14.2	1035	3.58	390.6	2.5	32.0	9.9	56	6.4	2.4	0.8	108
1401292	Rock	1.77	14	1.7	26.1	182.1	263	1.8	5.9	14.2	1274	3.67	67.3	1.8	14.2	9.2	49	4.6	3.7	<0.1	103

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

CERTIFICATE OF ANALYSIS WHI12000074.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1401272	Rock	2.63	0.073	15	20	1.32	650	0.120	<20	1.75	0.124	0.58	0.4	0.01	0.4	0.69	11.6	<0.5	5	<0.2
1401273	Rock	3.38	0.071	17	19	1.22	494	0.071	<20	1.77	0.076	0.44	0.3	0.02	0.5	0.81	12.6	0.8	6	<0.2
1401274	Rock	1.64	0.077	18	22	1.14	867	0.163	<20	2.11	0.129	0.66	0.1	0.01	0.4	<0.05	12.9	<0.5	7	<0.2
1401275	Rock	1.67	0.074	18	22	1.13	856	0.164	<20	2.12	0.137	0.65	<0.1	0.02	0.4	<0.05	13.1	<0.5	7	<0.2
1401276	Rock	1.37	0.076	15	28	1.25	831	0.215	<20	2.06	0.190	0.61	0.3	<0.01	0.3	<0.05	7.1	<0.5	6	<0.2
1401277	Rock	1.51	0.067	15	27	1.32	824	0.224	<20	2.04	0.169	0.61	0.4	<0.01	0.3	<0.05	8.1	<0.5	7	<0.2
1401278	Rock	1.71	0.068	16	28	1.33	788	0.204	<20	2.02	0.152	0.59	0.5	<0.01	0.3	0.09	9.0	<0.5	7	<0.2
1401279	Rock	2.08	0.067	16	27	1.58	344	0.134	<20	2.17	0.109	0.24	0.2	<0.01	0.1	<0.05	10.5	<0.5	7	<0.2
1401280	Rock Pulp	0.84	0.059	4	30	0.77	91	0.128	<20	1.58	0.079	0.13	12.9	<0.01	<0.1	<0.05	4.6	<0.5	5	<0.2
1401281	Rock Pulp	0.87	0.060	5	34	0.81	100	0.142	<20	1.75	0.097	0.15	0.2	0.06	<0.1	<0.05	5.1	<0.5	6	<0.2
1401282	Rock	1.59	0.073	18	29	1.37	630	0.132	<20	2.31	0.122	0.42	0.2	<0.01	0.2	0.05	12.3	0.8	8	<0.2
1401283	Rock	0.38	0.072	15	11	0.37	217	0.009	<20	1.07	0.058	0.38	0.3	0.01	0.5	0.45	8.1	0.5	4	<0.2
1401284	Rock	1.74	0.090	18	14	0.91	368	0.078	<20	2.16	0.155	0.48	0.5	<0.01	0.3	0.17	7.7	0.9	6	<0.2
1401285	Rock	1.91	0.080	18	15	1.08	512	0.109	<20	2.26	0.139	0.60	0.4	<0.01	0.4	0.10	8.1	<0.5	7	<0.2
1401286	Rock	1.77	0.082	17	15	1.08	618	0.149	<20	2.20	0.170	0.60	0.6	<0.01	0.3	0.08	6.1	<0.5	7	<0.2
1401287	Rock	2.03	0.074	16	13	1.10	480	0.107	<20	1.97	0.125	0.46	0.3	<0.01	0.3	0.17	6.5	<0.5	6	<0.2
1401288	Rock	0.50	0.063	17	17	0.73	432	0.106	<20	1.85	0.102	0.48	0.3	0.01	0.4	0.25	8.9	<0.5	6	<0.2
1401289	Rock	0.82	0.065	15	18	0.90	361	0.162	<20	1.54	0.139	0.43	0.6	<0.01	0.2	<0.05	5.6	<0.5	5	<0.2
1401290	Rock	1.10	0.063	16	20	1.00	623	0.254	<20	1.95	0.220	0.81	0.6	<0.01	0.5	<0.05	6.5	<0.5	6	<0.2
1401291	Rock	1.02	0.064	17	22	1.13	549	0.190	<20	2.01	0.144	0.69	0.6	<0.01	0.5	<0.05	9.0	<0.5	6	<0.2
1401292	Rock	1.63	0.057	17	20	1.34	246	0.121	<20	1.96	0.090	0.30	0.3	<0.01	0.2	<0.05	11.6	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

QUALITY CONTROL REPORT WHI12000074.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1401203	Rock	2.74	584	2.2	29.5	10.7	241	1.1	5.8	12.9	476	3.64	2017	2.5	320.6	9.6	46	9.5	2.4	8.3	91
REP 1401203	QC		555																		
1401210	Rock	3.03	4	1.9	20.7	43.3	346	0.3	5.5	11.9	578	3.25	237.9	2.5	3.4	8.9	58	9.9	1.4	0.2	103
REP 1401210	QC			2.4	21.1	44.2	347	0.3	5.3	12.0	584	3.28	247.5	2.3	1.7	9.2	59	10.2	1.5	0.2	106
1401237	Rock	3.26	<2	2.3	24.8	3.3	54	<0.1	6.1	15.6	720	3.64	6.4	3.3	2.4	9.4	89	<0.1	0.4	0.2	127
REP 1401237	QC		13																		
1401245	Rock	3.03	76	2.5	29.2	4.0	59	<0.1	7.0	16.4	704	3.92	132.3	3.8	37.9	10.6	90	<0.1	0.5	0.9	122
REP 1401245	QC			2.4	28.1	4.0	56	0.1	6.1	15.0	678	3.85	125.1	3.9	124.4	10.2	91	<0.1	0.5	0.9	122
1401271	Rock	2.69	14	2.0	23.4	10.8	89	0.2	6.9	16.7	776	4.41	408.4	2.7	13.8	6.9	136	0.7	1.4	0.3	122
REP 1401271	QC		13																		
1401280	Rock Pulp	0.12	3	2.5	23.5	2.3	43	0.5	23.9	9.7	398	2.38	4.4	0.3	<0.5	0.9	39	0.2	0.2	<0.1	60
REP 1401280	QC			2.3	23.5	2.2	40	0.2	21.9	9.7	397	2.34	4.6	0.2	<0.5	0.9	38	0.1	0.2	<0.1	61
1401290	Rock	0.95	5	2.0	43.0	7.1	107	0.1	5.6	12.1	550	3.02	24.4	2.2	6.4	10.1	70	2.2	0.6	<0.1	102
REP 1401290	QC		4																		
Core Reject Duplicates																					
1401193	Rock	2.98	<2	2.4	23.6	3.8	139	<0.1	5.6	10.9	451	2.83	34.0	1.7	<0.5	9.7	56	2.5	0.4	<0.1	101
DUP 1401193	QC		2	1.9	24.2	3.8	136	<0.1	5.6	11.0	445	2.80	33.3	2.7	<0.5	10.1	54	2.2	0.4	0.1	100
1401228	Rock	3.08	3857	2.6	43.4	133.8	133	5.4	6.2	18.1	750	5.40	>10000	3.3	4239	9.9	89	2.5	10.5	58.3	97
DUP 1401228	QC		3792	2.3	43.9	137.1	139	5.9	6.6	17.9	786	5.37	>10000	3.5	4731	9.9	83	2.7	10.7	60.4	98
1401263	Rock	3.01	765	1.5	45.2	39.5	101	1.5	6.3	19.5	997	4.61	7049	2.9	587.5	7.6	118	1.2	4.1	5.0	73
DUP 1401263	QC		833	1.4	44.0	39.0	98	1.5	6.2	19.0	982	4.59	7132	2.4	650.0	7.2	116	1.4	3.6	5.3	74
Reference Materials																					
STD DS9	Standard			12.4	106.7	129.4	312	1.7	38.7	7.3	563	2.32	25.7	2.6	136.6	5.9	75	2.3	4.7	7.0	41
STD DS9	Standard			14.4	112.4	134.3	314	1.6	41.9	8.3	567	2.39	24.8	2.9	102.4	6.9	74	2.1	4.2	6.8	43
STD DS9	Standard			12.2	103.0	123.0	312	1.8	37.5	7.4	558	2.30	24.8	2.6	126.8	5.9	69	2.1	4.6	6.5	40
STD DS9	Standard			13.0	103.6	121.3	309	1.8	40.4	7.4	577	2.31	24.5	2.5	105.0	5.9	75	2.0	4.4	6.1	40
STD OREAS45CA	Standard			1.0	496.2	19.0	60	0.2	256.7	87.6	906	15.78	3.5	1.1	39.9	6.7	15	0.2	0.1	0.2	215
STD OREAS45CA	Standard			1.0	520.0	21.2	61	0.3	263.6	94.9	953	16.91	6.7	1.2	59.5	7.4	16	<0.1	<0.1	0.3	218

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

QUALITY CONTROL REPORT WHI12000074.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
1401203	Rock	0.90	0.060	15	20	0.99	502	0.186	<20	1.85	0.141	0.68	0.8	<0.01	0.4	0.71	6.0	0.9	5	<0.2
REP 1401203	QC																			
1401210	Rock	1.18	0.064	15	23	1.09	629	0.224	<20	1.94	0.183	0.78	0.5	<0.01	0.5	0.14	6.8	<0.5	6	<0.2
REP 1401210	QC	1.17	0.065	16	23	1.09	649	0.225	<20	1.92	0.180	0.77	0.5	<0.01	0.4	0.14	7.2	<0.5	6	<0.2
1401237	Rock	1.78	0.064	18	30	1.55	713	0.272	<20	2.45	0.224	0.88	0.4	<0.01	0.5	0.09	10.7	<0.5	7	<0.2
REP 1401237	QC																			
1401245	Rock	1.76	0.065	18	29	1.37	628	0.236	<20	2.40	0.212	0.81	0.4	<0.01	0.5	0.26	11.1	<0.5	7	<0.2
REP 1401245	QC	1.74	0.065	18	28	1.34	624	0.236	<20	2.36	0.208	0.79	0.4	<0.01	0.5	0.25	10.9	<0.5	7	<0.2
1401271	Rock	1.89	0.081	18	26	1.35	719	0.141	<20	2.34	0.146	0.54	0.2	0.03	0.4	0.21	13.5	<0.5	7	<0.2
REP 1401271	QC																			
1401280	Rock Pulp	0.84	0.059	4	30	0.77	91	0.128	<20	1.58	0.079	0.13	12.9	<0.01	<0.1	<0.05	4.6	<0.5	5	<0.2
REP 1401280	QC	0.83	0.059	4	30	0.76	91	0.129	<20	1.58	0.077	0.13	11.8	<0.01	<0.1	<0.05	4.8	<0.5	5	<0.2
1401290	Rock	1.10	0.063	16	20	1.00	623	0.254	<20	1.95	0.220	0.81	0.6	<0.01	0.5	<0.05	6.5	<0.5	6	<0.2
REP 1401290	QC																			
Core Reject Duplicates																				
1401193	Rock	0.84	0.063	15	22	0.95	650	0.260	<20	1.85	0.214	0.82	1.1	<0.01	0.4	<0.05	5.0	0.5	6	<0.2
DUP 1401193	QC	0.82	0.065	15	22	0.94	638	0.259	<20	1.81	0.204	0.82	1.0	<0.01	0.5	<0.05	4.8	0.7	5	<0.2
1401228	Rock	2.39	0.062	17	22	1.14	272	0.086	<20	1.95	0.111	0.46	0.7	0.04	0.5	1.69	11.3	0.9	6	<0.2
DUP 1401228	QC	2.45	0.060	17	21	1.16	292	0.087	<20	1.96	0.106	0.46	0.6	0.04	0.5	1.70	11.4	1.1	6	<0.2
1401263	Rock	2.67	0.071	13	15	0.93	215	0.028	<20	1.70	0.042	0.37	0.3	0.06	1.0	1.70	11.5	0.7	5	<0.2
DUP 1401263	QC	2.63	0.070	13	14	0.92	204	0.027	<20	1.68	0.041	0.37	0.3	0.06	1.0	1.71	10.8	0.9	5	<0.2
Reference Materials																				
STD DS9	Standard	0.71	0.081	13	120	0.60	312	0.111	<20	0.96	0.085	0.40	2.6	0.22	5.4	0.17	2.3	5.6	5	4.5
STD DS9	Standard	0.76	0.081	15	122	0.65	313	0.127	<20	0.98	0.093	0.41	2.9	0.22	5.5	0.17	2.6	5.4	5	5.7
STD DS9	Standard	0.71	0.081	13	118	0.60	308	0.111	<20	0.95	0.083	0.39	2.7	0.18	5.3	0.17	2.4	4.5	5	5.4
STD DS9	Standard	0.72	0.080	13	123	0.61	306	0.112	<20	0.96	0.085	0.40	2.9	0.19	5.3	0.17	2.5	5.4	5	4.4
STD OREAS45CA	Standard	0.43	0.038	16	712	0.13	153	0.149	<20	3.48	0.013	0.07	<0.1	0.03	<0.1	<0.05	43.1	1.0	18	<0.2
STD OREAS45CA	Standard	0.41	0.037	18	761	0.17	165	0.162	<20	4.01	0.010	0.08	<0.1	0.03	0.1	<0.05	44.2	<0.5	19	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

QUALITY CONTROL REPORT WHI12000074.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
STD OREAS45CA	Standard			1.0	545.2	20.3	65	0.3	282.2	94.1	961	16.48	9.4	1.1	44.3	7.3	15	<0.1	<0.1	0.1	223
STD OREAS45CA	Standard			1.0	502.7	20.2	56	0.3	248.0	93.1	905	16.15	3.3	1.2	41.3	6.8	13	<0.1	0.1	<0.1	209
STD OXC88	Standard		199																		
STD OXC88	Standard		195																		
STD OXC88	Standard		199																		
STD OXC88	Standard		188																		
STD OXG99	Standard		948																		
STD OXG99	Standard		948																		
STD OXG99	Standard		940																		
STD OXG99	Standard		911																		
STD OXC88 Expected			203																		
STD OXG99 Expected			932																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	2	0.02	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	1.1	<0.1	0.6	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank		<2	0.1	3.1	4.5	53	<0.1	3.8	4.2	545	1.87	4.2	1.6	<0.5	5.6	68	0.2	0.1	0.2	37

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

QUALITY CONTROL REPORT WHI12000074.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD OREAS45CA	Standard	0.45	0.041	17	760	0.15	170	0.153	<20	3.66	0.015	0.08	<0.1	0.02	<0.1	<0.05	48.5	<0.5	20	<0.2
STD OREAS45CA	Standard	0.42	0.039	17	745	0.15	161	0.151	<20	3.69	0.011	0.08	<0.1	0.02	<0.1	<0.05	44.7	<0.5	18	<0.2
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXC88 Expected																				
STD OXG99 Expected																				
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	2	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																				
G1-WHI	Prep Blank	0.54	0.080	14	9	0.52	163	0.129	<20	0.95	0.097	0.48	0.1	<0.01	0.3	<0.05	2.4	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

QUALITY CONTROL REPORT WHI12000074.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
G1-WHI	Prep Blank		<2	<0.1	2.3	3.2	49	<0.1	2.1	3.9	564	1.87	1.0	1.5	0.6	5.7	71	<0.1	<0.1	<0.1	38

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

QUALITY CONTROL REPORT WHI12000074.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
G1-WHI	Prep Blank	0.55	0.077	14	9	0.50	163	0.133	<20	0.96	0.100	0.49	<0.1	<0.01	0.4	<0.05	2.5	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: June 06, 2012
Report Date: June 18, 2012
Page: 1 of 5

CERTIFICATE OF ANALYSIS WHI12000075.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET006
P.O. Number
Number of Samples: 110

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	98	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	110	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	110	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme
Dayna

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

CERTIFICATE OF ANALYSIS WHI12000075.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401293	Rock	1.92	73	1.9	40.5	166.1	396	2.2	6.8	16.4	895	4.57	747.7	2.8	80.1	11.3	68	5.2	4.7	1.9	116
1401294	Rock	1.81	<2	2.1	28.9	20.2	96	0.2	6.5	16.6	745	3.72	27.3	2.1	1.1	10.4	79	0.5	2.3	0.2	124
1401295	Rock	1.85	<2	2.2	28.5	13.3	178	0.2	6.9	16.8	751	3.84	21.4	2.6	1.7	11.2	70	1.5	2.0	0.3	123
1401296	Rock	1.63	285	2.3	44.4	158.1	241	3.1	6.4	15.7	702	4.32	5284	3.0	274.8	10.3	66	4.5	5.7	3.5	101
1401297	Rock	1.94	98	2.1	37.0	55.3	119	1.1	6.1	14.7	568	3.69	1932	2.4	103.0	10.7	58	1.8	2.7	1.8	105
1401298	Rock	1.60	8	2.2	30.2	9.5	125	0.2	5.8	14.7	639	3.47	140.7	2.2	10.2	10.9	70	2.1	0.8	0.3	116
1401299	Rock	2.23	<2	2.2	28.3	6.4	87	<0.1	5.9	15.0	661	3.52	41.1	2.6	2.2	11.2	73	0.9	1.4	0.2	118
1401300	Rock Pulp	0.12	<2	2.7	25.6	2.2	43	0.3	24.1	10.8	383	2.35	5.4	0.2	<0.5	0.8	38	0.2	0.2	<0.1	59
1401301	Rock Pulp	0.12	1452	8.9	46.6	5.9	51	0.2	33.3	9.4	456	3.10	7.7	0.3	845.8	1.0	39	0.1	0.9	0.1	66
1401302	Rock	1.54	4	1.9	23.9	4.6	60	<0.1	5.3	13.0	566	3.19	15.3	2.3	27.7	10.4	72	0.3	1.4	<0.1	107
1401303	Rock	1.77	46	2.3	29.1	6.9	63	0.3	5.5	12.9	516	3.09	49.4	2.4	4.8	10.7	62	0.6	1.3	1.0	98
1401304	Rock	2.17	216	2.4	28.3	124.1	109	3.8	6.5	15.5	677	3.49	1798	2.8	154.5	10.7	81	1.4	4.0	6.3	99
1401305	Rock	1.94	3	2.3	27.9	6.4	56	0.1	5.8	13.2	493	3.03	39.3	2.3	2.6	10.7	68	0.2	1.7	0.2	99
1401306	Rock	2.05	4	3.6	39.8	72.5	181	0.7	5.6	14.0	681	3.37	35.0	2.1	5.7	10.4	73	1.0	1.3	0.2	102
1401307	Rock	2.16	500	2.1	31.2	15.3	102	0.8	5.9	15.2	609	3.92	4772	2.3	430.2	10.4	58	1.6	3.0	7.4	98
1401308	Rock	1.82	24	1.9	28.3	6.0	70	0.2	6.0	16.8	738	3.85	195.0	2.5	46.1	11.4	63	0.5	2.0	0.5	118
1401309	Rock	2.17	629	2.3	25.9	14.6	55	1.1	6.1	15.3	687	3.97	5351	2.6	659.6	10.0	64	0.2	5.3	6.3	96
1401310	Rock	2.15	286	2.1	35.6	103.6	300	1.2	6.1	17.0	820	4.23	3168	2.8	192.2	11.0	66	5.1	3.5	3.7	103
1401311	Rock	2.34	3	2.3	26.0	4.9	53	<0.1	6.9	13.4	520	3.12	51.1	2.5	6.3	10.0	63	0.2	0.7	0.1	105
1401312	Rock	1.80	13	2.3	32.2	92.7	535	0.7	6.2	13.2	530	3.55	97.5	2.5	33.0	9.6	68	8.9	1.8	0.3	103
1401313	Rock	2.27	25	2.6	27.9	8.6	108	0.3	6.2	14.6	659	3.51	62.4	3.0	7.7	9.9	64	1.5	0.7	0.7	100
1401314	Rock	1.80	173	3.5	36.9	13.8	272	0.9	6.2	15.3	681	4.06	1023	2.7	90.8	10.0	62	3.5	1.3	4.0	98
1401315	Rock	2.88	14	2.2	29.9	27.5	150	0.3	5.8	15.5	705	3.58	98.8	2.5	24.4	10.2	61	1.9	1.0	0.5	104
1401316	Rock	2.40	43	2.4	29.8	24.5	79	0.6	6.3	15.4	724	3.94	908.3	2.9	43.7	11.4	58	1.1	1.1	1.3	100
1401317	Rock	2.11	23	2.7	29.9	12.6	66	0.4	6.0	13.0	525	3.27	115.4	3.2	27.8	11.1	58	0.3	0.6	0.9	94
1401318	Rock	2.42	<2	2.5	26.6	5.9	59	<0.1	5.9	12.9	495	3.11	15.9	2.8	7.8	10.7	62	0.3	0.3	0.2	103
1401319	Rock	2.69	21	2.5	24.3	21.1	70	0.4	5.7	13.4	543	3.31	42.1	2.3	10.3	10.9	56	0.3	0.6	0.5	100
1401320	Rock Pulp	0.12	3	2.4	26.5	2.4	45	0.4	24.7	10.9	379	2.32	5.0	0.2	<0.5	0.9	39	0.2	0.2	<0.1	59
1401321	Rock Pulp	0.12	3934	10.4	67.1	457.7	1495	51.8	32.2	8.6	384	3.17	28.5	0.3	2770	1.3	35	14.9	44.2	0.9	56
1401322	Rock	2.37	36	2.1	27.5	98.9	345	0.9	6.1	14.7	832	3.71	61.8	2.8	30.2	10.1	59	4.3	1.4	0.5	107

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

CERTIFICATE OF ANALYSIS WHI12000075.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1401293	Rock	1.22	0.066	22	25	1.37	435	0.165	<20	2.31	0.120	0.59	0.3	0.01	0.4	0.07	13.1	<0.5	7	<0.2
1401294	Rock	1.84	0.068	20	25	1.42	582	0.260	<20	2.27	0.194	0.69	0.3	<0.01	0.4	<0.05	11.6	<0.5	7	<0.2
1401295	Rock	1.67	0.067	20	26	1.47	593	0.250	<20	2.30	0.177	0.71	0.3	<0.01	0.5	0.06	12.1	<0.5	7	<0.2
1401296	Rock	0.97	0.069	17	26	1.05	501	0.196	<20	2.03	0.179	0.65	0.5	<0.01	0.4	0.40	8.2	<0.5	6	<0.2
1401297	Rock	1.05	0.064	17	26	1.07	545	0.249	<20	1.94	0.179	0.71	0.6	<0.01	0.4	0.16	6.9	<0.5	6	<0.2
1401298	Rock	1.32	0.066	18	25	1.23	660	0.280	<20	2.25	0.227	0.83	0.6	<0.01	0.5	<0.05	8.1	<0.5	7	<0.2
1401299	Rock	1.62	0.064	20	25	1.21	572	0.267	<20	2.09	0.184	0.70	0.3	<0.01	0.5	<0.05	10.3	<0.5	7	<0.2
1401300	Rock Pulp	0.79	0.055	4	33	0.78	91	0.137	<20	1.48	0.077	0.14	12.7	<0.01	<0.1	<0.05	4.9	<0.5	5	<0.2
1401301	Rock Pulp	0.81	0.054	5	35	0.81	99	0.147	<20	1.67	0.104	0.16	0.3	0.07	<0.1	<0.05	5.0	<0.5	5	<0.2
1401302	Rock	1.59	0.060	18	23	1.13	490	0.253	<20	1.97	0.192	0.61	0.4	<0.01	0.3	<0.05	8.2	<0.5	6	<0.2
1401303	Rock	1.36	0.064	18	25	1.03	498	0.249	<20	1.77	0.168	0.61	0.7	<0.01	0.3	<0.05	6.3	<0.5	5	<0.2
1401304	Rock	1.62	0.060	20	24	1.22	392	0.200	<20	1.98	0.168	0.45	0.4	<0.01	0.3	0.10	8.6	<0.5	6	<0.2
1401305	Rock	1.35	0.060	19	26	1.02	502	0.281	<20	1.79	0.180	0.58	0.7	<0.01	0.3	<0.05	6.2	<0.5	6	<0.2
1401306	Rock	1.69	0.060	19	23	1.25	431	0.228	<20	1.94	0.165	0.51	0.5	<0.01	0.3	0.06	8.4	<0.5	6	<0.2
1401307	Rock	1.26	0.065	18	26	1.29	335	0.161	<20	1.99	0.143	0.42	0.4	<0.01	0.3	0.29	8.4	<0.5	6	<0.2
1401308	Rock	1.55	0.069	21	26	1.53	446	0.215	<20	2.25	0.141	0.52	0.3	<0.01	0.4	0.08	12.1	<0.5	7	<0.2
1401309	Rock	1.60	0.058	18	23	1.14	370	0.154	<20	1.95	0.123	0.49	0.3	<0.01	0.4	0.49	8.7	<0.5	6	<0.2
1401310	Rock	1.72	0.061	18	25	1.15	417	0.152	<20	2.01	0.117	0.55	0.3	<0.01	0.4	0.52	10.4	<0.5	6	<0.2
1401311	Rock	1.12	0.063	16	28	1.13	606	0.281	<20	1.96	0.205	0.77	0.8	<0.01	0.4	<0.05	6.4	<0.5	6	<0.2
1401312	Rock	1.08	0.062	17	26	1.12	549	0.237	<20	1.97	0.176	0.70	0.4	<0.01	0.5	0.11	7.9	<0.5	6	<0.2
1401313	Rock	1.33	0.061	18	25	1.08	499	0.229	<20	1.89	0.159	0.64	0.7	<0.01	0.4	0.26	7.8	<0.5	6	<0.2
1401314	Rock	1.40	0.064	17	25	1.08	472	0.189	<20	1.97	0.158	0.61	0.8	<0.01	0.4	0.67	8.4	<0.5	6	<0.2
1401315	Rock	1.62	0.065	18	26	1.28	374	0.206	<20	2.00	0.148	0.48	0.6	<0.01	0.3	0.21	8.1	<0.5	6	<0.2
1401316	Rock	1.65	0.061	18	24	1.23	449	0.177	<20	2.06	0.125	0.55	0.6	<0.01	0.3	0.33	9.5	<0.5	7	<0.2
1401317	Rock	1.22	0.064	18	25	1.03	477	0.235	<20	1.82	0.172	0.56	0.9	<0.01	0.3	0.35	6.0	<0.5	6	<0.2
1401318	Rock	1.25	0.065	17	26	1.08	601	0.270	<20	1.84	0.174	0.69	0.9	<0.01	0.5	0.09	6.0	<0.5	6	<0.2
1401319	Rock	1.18	0.060	16	26	1.06	528	0.247	<20	1.83	0.171	0.67	0.9	<0.01	0.4	0.33	5.8	<0.5	5	<0.2
1401320	Rock Pulp	0.79	0.057	4	32	0.78	90	0.136	<20	1.50	0.079	0.14	12.3	0.01	<0.1	<0.05	4.4	<0.5	5	<0.2
1401321	Rock Pulp	0.68	0.050	6	22	0.59	101	0.121	<20	1.18	0.082	0.12	2.0	0.22	1.1	0.34	4.5	<0.5	6	<0.2
1401322	Rock	1.58	0.062	17	25	1.17	530	0.224	<20	2.03	0.156	0.69	0.5	<0.01	0.4	0.42	8.0	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

CERTIFICATE OF ANALYSIS WHI12000075.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401323	Rock	1.72	3	2.8	31.4	6.1	55	0.1	6.4	14.1	480	3.37	21.1	2.4	7.6	10.4	64	0.2	0.4	0.2	107
1401324	Rock	0.81	5	5.9	55.7	7.3	87	0.2	5.2	13.1	491	3.33	57.4	2.6	7.6	10.7	60	0.8	0.4	0.4	99
1401325	Rock	1.00	5	5.3	52.7	6.1	80	0.1	5.2	13.1	474	3.29	50.8	2.1	2.3	10.0	58	0.7	0.3	0.3	97
1401326	Rock	1.95	20	2.8	29.5	5.3	54	0.1	5.8	11.7	523	3.39	116.7	2.4	27.4	8.5	51	0.4	0.4	0.6	90
1401327	Rock	2.46	<2	2.2	23.6	3.6	46	<0.1	5.9	11.6	464	3.02	4.4	2.0	0.7	8.4	61	<0.1	0.3	<0.1	96
1401328	Rock	2.40	502	2.5	25.7	16.7	60	0.9	5.3	12.8	641	3.74	5220	2.4	393.1	9.9	57	0.5	2.2	2.7	89
1401329	Rock	2.47	6	2.8	22.4	4.0	45	<0.1	6.4	11.0	444	3.02	53.4	2.4	16.6	10.3	64	<0.1	0.1	0.2	98
1401330	Rock	2.36	<2	2.7	23.6	3.8	46	<0.1	6.2	10.7	433	2.95	14.3	2.3	6.9	10.1	62	<0.1	0.2	<0.1	97
1401331	Rock	2.02	85	2.0	26.8	7.8	57	0.5	5.7	12.6	564	3.63	883.1	2.5	70.6	9.1	59	0.1	0.5	3.9	93
1401332	Rock	1.54	<2	2.2	22.2	4.9	47	<0.1	5.8	11.0	449	2.91	14.7	2.6	0.7	9.1	53	0.1	0.4	<0.1	85
1401333	Rock	1.86	<2	2.4	21.9	3.7	51	<0.1	6.0	11.5	508	3.12	15.1	2.5	<0.5	9.2	63	0.1	0.7	<0.1	97
1401334	Rock	1.69	38	1.8	22.4	4.5	44	0.1	4.6	11.2	466	3.02	168.3	2.5	11.5	9.0	52	0.2	0.8	0.4	90
1401335	Rock	2.53	13	2.3	24.3	7.2	80	<0.1	6.3	12.5	548	3.28	274.9	2.6	10.5	9.2	60	0.7	0.5	0.1	100
1401336	Rock	2.30	364	2.5	34.1	311.8	436	3.3	6.0	16.0	769	4.38	4198	2.3	346.2	9.3	95	9.0	4.4	7.0	105
1401337	Rock	2.25	19	2.4	24.6	11.9	61	0.2	5.7	11.9	502	3.14	350.1	2.5	37.2	9.2	64	0.4	0.7	0.5	95
1401338	Rock	2.58	47	3.0	24.1	5.3	48	0.1	5.3	11.1	502	3.03	141.4	3.0	21.1	10.7	60	0.2	0.6	0.5	86
1401339	Rock	1.56	13	2.9	24.4	4.1	48	<0.1	5.4	11.5	467	3.09	17.2	2.9	9.5	10.4	61	0.1	0.4	0.2	94
1401340	Rock Pulp	0.11	<2	2.3	25.3	2.4	46	0.2	22.5	10.2	430	2.41	5.3	0.3	<0.5	0.9	41	0.1	0.3	<0.1	57
1401341	Rock Pulp	0.12	1440	8.1	44.9	5.8	52	0.1	30.8	8.6	503	3.17	6.7	0.3	708.6	1.0	41	0.1	0.7	<0.1	63
1401342	Rock	1.74	14	3.4	33.8	7.1	51	0.1	6.3	12.0	523	3.19	68.5	2.6	8.2	9.9	68	0.3	0.6	0.2	97
1401343	Rock	2.42	5	2.8	26.8	4.8	49	<0.1	5.6	12.2	508	3.18	23.0	2.7	<0.5	10.3	63	0.2	0.7	<0.1	98
1401344	Rock	2.77	26	2.9	24.1	4.9	48	<0.1	6.3	11.7	509	3.03	29.1	2.1	<0.5	9.6	66	0.1	0.5	0.1	90
1401345	Rock	2.88	39	2.5	29.7	57.6	197	0.4	6.3	13.5	782	3.46	58.4	3.1	26.5	10.2	73	2.4	1.2	0.1	100
1401346	Rock	2.31	172	2.6	23.7	8.0	61	0.2	5.4	13.9	713	3.54	1905	2.3	174.0	9.7	84	0.3	1.9	0.6	94
1401347	Rock	1.70	404	2.8	27.7	23.8	88	1.3	9.3	17.0	1351	4.49	3450	2.9	338.2	5.8	175	0.9	9.8	2.6	83
1401348	Rock	2.16	6	2.1	25.0	8.8	80	0.1	6.6	20.4	833	4.30	303.1	4.3	19.1	10.9	83	0.7	4.0	0.2	95
1401349	Rock	2.83	31	2.1	22.3	6.9	60	<0.1	5.9	16.3	794	3.72	158.2	3.7	30.9	10.2	108	0.2	4.6	0.3	87
1401350	Rock	2.55	<2	2.3	21.9	4.4	53	<0.1	5.8	13.7	614	3.41	34.1	2.1	5.7	9.9	106	0.1	2.4	<0.1	91
1401351	Rock	2.31	3	2.0	25.5	94.3	241	1.0	6.4	15.7	750	3.86	21.9	2.6	4.5	10.4	112	3.0	2.8	0.1	86
1401352	Rock	2.19	80	1.8	22.5	7.0	61	0.2	5.1	14.3	789	3.82	1014	3.8	84.3	11.1	102	<0.1	3.4	1.1	86

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

CERTIFICATE OF ANALYSIS WHI12000075.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1401323	Rock	1.11	0.067	16	28	1.06	588	0.302	<20	2.06	0.239	0.77	1.1	<0.01	0.4	0.16	5.7	<0.5	7	<0.2
1401324	Rock	1.21	0.066	17	26	1.06	510	0.262	<20	1.97	0.193	0.64	1.3	<0.01	0.4	0.21	5.9	<0.5	6	<0.2
1401325	Rock	1.20	0.063	16	17	1.02	455	0.246	<20	1.88	0.195	0.62	1.3	<0.01	0.3	0.20	5.7	<0.5	6	<0.2
1401326	Rock	1.18	0.064	15	23	1.09	449	0.190	<20	1.79	0.145	0.56	0.9	0.02	0.3	0.27	6.1	<0.5	5	<0.2
1401327	Rock	0.98	0.065	14	25	0.99	617	0.256	<20	1.87	0.213	0.76	1.1	<0.01	0.4	<0.05	5.1	<0.5	6	<0.2
1401328	Rock	1.17	0.065	15	23	0.94	577	0.199	<20	1.73	0.154	0.73	1.0	<0.01	0.5	0.65	6.1	0.8	6	<0.2
1401329	Rock	0.95	0.066	16	25	0.98	673	0.273	<20	1.96	0.234	0.83	1.2	0.01	0.4	<0.05	4.8	<0.5	6	<0.2
1401330	Rock	0.92	0.067	15	26	0.94	661	0.274	<20	1.88	0.219	0.82	1.3	0.01	0.5	<0.05	4.6	0.6	5	<0.2
1401331	Rock	1.29	0.063	15	24	1.08	512	0.206	<20	1.96	0.176	0.64	0.8	0.01	0.4	0.38	6.3	<0.5	6	<0.2
1401332	Rock	1.02	0.060	14	24	0.98	392	0.209	<20	1.70	0.162	0.48	1.1	<0.01	0.2	<0.05	4.5	<0.5	5	<0.2
1401333	Rock	1.28	0.064	15	24	1.04	519	0.244	<20	1.84	0.187	0.66	0.7	<0.01	0.3	<0.05	5.5	<0.5	6	<0.2
1401334	Rock	1.26	0.063	13	22	0.97	513	0.218	<20	1.71	0.137	0.65	0.6	<0.01	0.3	0.14	5.1	<0.5	5	<0.2
1401335	Rock	1.23	0.064	15	26	1.08	571	0.246	<20	1.96	0.190	0.72	0.9	<0.01	0.4	0.11	6.2	<0.5	6	<0.2
1401336	Rock	2.17	0.080	18	21	1.29	278	0.109	<20	2.33	0.146	0.36	0.3	0.01	0.2	0.46	11.0	0.7	7	<0.2
1401337	Rock	1.09	0.066	15	25	1.01	545	0.240	<20	1.88	0.196	0.68	0.8	<0.01	0.4	0.10	5.4	<0.5	5	<0.2
1401338	Rock	1.10	0.056	15	23	0.94	556	0.218	<20	1.76	0.183	0.70	0.9	<0.01	0.4	0.16	5.7	<0.5	5	<0.2
1401339	Rock	0.97	0.066	15	29	1.03	561	0.248	<20	1.80	0.183	0.70	0.9	<0.01	0.4	0.07	5.1	<0.5	5	<0.2
1401340	Rock Pulp	0.81	0.059	4	29	0.78	95	0.120	<20	1.58	0.078	0.12	12.8	<0.01	<0.1	<0.05	4.8	<0.5	5	<0.2
1401341	Rock Pulp	0.83	0.056	4	31	0.80	104	0.130	<20	1.69	0.093	0.14	0.1	0.09	<0.1	<0.05	5.0	0.7	5	<0.2
1401342	Rock	1.09	0.064	16	24	1.02	627	0.255	<20	1.98	0.220	0.77	1.0	<0.01	0.4	0.06	5.6	<0.5	6	<0.2
1401343	Rock	1.11	0.067	17	25	1.07	655	0.260	<20	1.87	0.180	0.69	0.8	<0.01	0.4	0.05	5.7	<0.5	6	<0.2
1401344	Rock	1.20	0.065	16	25	1.08	578	0.225	<20	1.77	0.160	0.50	0.8	<0.01	0.3	<0.05	5.4	<0.5	6	<0.2
1401345	Rock	1.53	0.069	17	26	1.21	538	0.203	<20	1.92	0.149	0.52	0.5	0.01	0.3	0.12	8.6	<0.5	6	<0.2
1401346	Rock	1.95	0.066	18	27	1.19	435	0.178	<20	1.95	0.161	0.52	0.5	<0.01	0.3	0.15	8.1	0.6	6	<0.2
1401347	Rock	6.65	0.072	17	30	2.40	76	0.009	<20	0.96	0.019	0.13	<0.1	0.10	0.2	0.70	15.8	0.6	2	<0.2
1401348	Rock	2.41	0.072	23	17	1.03	392	0.036	<20	1.47	0.013	0.26	<0.1	0.11	0.3	0.12	18.7	<0.5	5	<0.2
1401349	Rock	3.15	0.074	23	17	1.15	222	0.023	<20	1.18	0.028	0.18	0.1	0.07	0.2	0.12	17.4	0.6	4	<0.2
1401350	Rock	1.94	0.064	18	20	1.01	535	0.178	<20	1.72	0.158	0.68	0.1	0.02	0.5	0.05	11.0	<0.5	5	<0.2
1401351	Rock	2.03	0.066	20	19	0.95	447	0.118	<20	1.67	0.117	0.57	<0.1	0.05	0.3	0.12	13.8	<0.5	6	<0.2
1401352	Rock	2.85	0.068	22	15	1.07	275	0.054	<20	1.34	0.027	0.36	0.2	0.06	0.2	0.10	15.7	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

CERTIFICATE OF ANALYSIS WHI12000075.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401353	Rock	2.31	66	3.1	23.9	7.3	60	0.3	5.4	13.4	765	3.65	36.2	3.6	130.2	14.6	128	0.2	3.6	0.7	82
1401354	Rock	2.74	<2	1.3	24.5	4.1	64	0.1	5.6	15.8	817	4.01	13.2	2.8	21.3	9.7	90	0.2	1.3	0.2	97
1401355	Rock	1.87	<2	1.6	22.7	4.4	69	<0.1	5.1	15.0	829	4.15	8.7	2.3	4.3	10.2	87	0.1	1.1	0.1	104
1401356	Rock	1.68	4	1.5	28.6	436.5	334	4.1	6.5	18.1	938	4.47	20.2	2.6	7.1	11.0	75	5.2	3.2	<0.1	107
1401357	Rock	2.12	14	1.8	27.4	357.6	511	3.4	5.9	16.6	850	4.37	66.4	2.6	162.8	10.4	101	8.5	3.4	0.3	106
1401358	Rock	1.66	6	1.7	27.7	107.7	563	1.0	5.5	15.4	1404	4.22	73.6	2.7	13.0	10.2	102	6.9	3.4	0.4	98
1401359	Rock	1.75	559	1.9	70.6	2459	5159	49.5	5.8	13.7	1305	5.05	5862	3.6	556.9	8.1	140	104.3	20.5	10.8	52
1401360	Rock Pulp	0.12	6	2.8	25.1	4.0	46	0.2	23.6	10.2	428	2.39	8.0	0.3	<0.5	0.9	42	0.2	0.2	<0.1	58
1401361	Rock Pulp	0.12	3742	9.7	69.5	458.4	1463	51.4	30.9	8.4	396	3.19	30.4	0.3	3027	1.1	34	16.0	48.8	1.2	53
1401362	Rock	2.27	6	1.5	24.1	22.1	124	0.4	5.5	12.7	776	3.40	67.8	2.1	19.2	9.4	118	0.8	4.8	0.5	88
1401363	Rock	1.95	<2	2.0	20.0	8.7	80	0.1	5.4	14.6	749	3.61	40.0	2.7	3.7	9.8	117	<0.1	2.8	<0.1	80
1401364	Rock	2.24	30	2.3	24.1	5.3	100	0.1	5.6	15.5	806	4.06	348.4	3.0	37.1	10.0	87	0.3	3.3	1.4	81
1401365	Rock	2.00	<2	2.2	21.5	3.5	48	<0.1	5.7	13.3	603	3.30	10.9	2.5	1.3	10.1	89	<0.1	0.9	<0.1	99
1401366	Rock	2.28	4	2.0	25.5	4.3	54	<0.1	5.7	14.6	832	3.78	9.2	2.7	4.0	9.5	142	<0.1	1.5	0.2	101
1401367	Rock	2.03	78	2.4	22.6	5.1	49	0.2	5.9	12.9	554	3.23	412.6	2.6	57.9	10.2	74	<0.1	1.4	1.2	99
1401368	Rock	1.89	<2	2.5	23.8	3.8	45	<0.1	5.8	12.5	483	3.05	7.4	2.0	1.0	9.4	76	<0.1	0.5	0.2	102
1401369	Rock	1.99	<2	3.0	22.4	3.3	43	<0.1	5.4	11.6	465	2.90	4.4	2.0	2.5	10.2	72	<0.1	0.6	<0.1	103
1401370	Rock	2.04	6	2.3	23.4	63.7	92	0.6	6.2	16.7	900	3.77	79.2	3.3	12.9	10.3	103	0.1	1.4	<0.1	115
1401371	Rock	2.52	<2	2.6	21.9	3.5	51	<0.1	5.8	13.0	534	3.27	3.3	2.2	3.2	8.7	82	<0.1	0.6	<0.1	114
1401372	Rock	2.03	65	2.4	30.6	23.8	133	7.3	6.0	13.2	624	3.56	148.7	2.6	41.0	10.2	77	1.1	6.9	0.5	108
1401373	Rock	1.94	134	2.9	25.8	118.1	162	11.6	5.9	12.6	701	3.43	277.7	2.4	46.3	9.4	74	0.8	13.5	1.1	102
1401374	Rock	0.98	14	2.3	22.9	5.4	80	0.3	5.8	12.7	516	3.19	7.3	2.4	2.5	9.0	71	0.6	1.1	<0.1	106
1401375	Rock	0.91	11	2.8	23.7	5.0	66	0.2	6.9	12.7	510	3.19	4.6	2.3	5.7	8.8	75	0.5	1.0	<0.1	106
1401376	Rock	2.07	<2	2.7	25.0	4.8	69	0.1	6.1	13.0	501	3.16	5.4	2.5	2.4	10.2	73	0.2	1.8	<0.1	111
1401377	Rock	2.24	<2	2.9	23.7	3.4	48	<0.1	6.9	13.0	525	3.23	2.1	2.9	1.5	11.2	79	<0.1	0.9	<0.1	111
1401378	Rock	2.12	<2	3.0	22.8	4.0	46	<0.1	6.3	12.2	465	3.01	5.1	2.9	<0.5	10.7	69	<0.1	0.5	<0.1	101
1401379	Rock	1.96	3	2.8	22.3	5.7	51	<0.1	6.3	13.4	564	3.26	4.0	3.3	2.8	11.3	65	<0.1	1.3	<0.1	92
1401380	Rock Pulp	0.12	<2	2.2	23.6	2.3	42	0.3	23.9	10.3	398	2.41	4.0	0.2	<0.5	1.0	41	0.1	<0.1	<0.1	62
1401381	Rock Pulp	0.12	1304	9.0	46.2	5.6	50	0.2	32.5	9.0	474	3.24	6.5	0.2	865.1	1.0	43	<0.1	0.7	<0.1	69
1401382	Rock	1.95	<2	2.9	26.4	10.6	183	0.2	6.2	13.7	625	3.46	9.6	3.6	3.7	11.0	85	1.2	3.7	0.4	112

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

CERTIFICATE OF ANALYSIS WHI12000075.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1401353	Rock	3.06	0.061	26	15	1.07	291	0.064	<20	1.50	0.032	0.41	<0.1	0.02	0.2	0.07	14.1	<0.5	5	<0.2
1401354	Rock	1.91	0.068	20	19	1.17	824	0.144	<20	1.51	0.066	0.67	0.1	0.01	0.4	0.07	15.0	<0.5	5	<0.2
1401355	Rock	2.01	0.070	22	19	1.28	842	0.169	<20	1.61	0.065	0.80	0.2	0.01	0.5	<0.05	16.1	<0.5	6	<0.2
1401356	Rock	1.86	0.072	23	18	1.29	853	0.143	<20	1.75	0.025	0.73	<0.1	0.04	0.4	0.12	17.3	<0.5	6	<0.2
1401357	Rock	2.67	0.069	22	17	1.48	863	0.134	<20	1.61	0.010	0.70	0.2	0.08	0.4	0.14	17.7	<0.5	6	<0.2
1401358	Rock	2.84	0.072	24	16	1.29	534	0.104	<20	1.51	0.011	0.55	0.1	0.04	0.4	0.21	16.5	<0.5	5	<0.2
1401359	Rock	2.15	0.055	14	11	0.86	178	0.007	<20	0.61	0.013	0.27	0.3	0.13	0.3	1.55	10.7	0.9	2	<0.2
1401360	Rock Pulp	0.84	0.057	4	30	0.79	92	0.128	<20	1.60	0.082	0.13	12.0	<0.01	<0.1	<0.05	4.7	<0.5	5	<0.2
1401361	Rock Pulp	0.65	0.054	5	27	0.56	103	0.101	<20	1.13	0.076	0.11	2.4	0.20	1.0	0.30	4.2	<0.5	6	0.2
1401362	Rock	3.53	0.067	21	16	1.28	77	0.004	<20	0.86	0.031	0.15	<0.1	0.02	<0.1	0.05	16.1	0.6	3	<0.2
1401363	Rock	2.46	0.066	19	18	1.22	322	0.051	<20	1.19	0.099	0.30	<0.1	<0.01	0.2	<0.05	12.4	<0.5	4	<0.2
1401364	Rock	2.28	0.065	18	21	1.16	194	0.022	<20	1.56	0.075	0.19	0.2	0.02	<0.1	0.33	10.2	<0.5	6	<0.2
1401365	Rock	1.62	0.066	17	25	1.20	375	0.134	<20	1.76	0.148	0.48	0.4	<0.01	0.2	0.06	9.2	<0.5	6	<0.2
1401366	Rock	2.86	0.060	19	21	1.46	218	0.048	<20	1.92	0.077	0.29	0.1	0.03	0.2	0.15	13.7	0.9	6	<0.2
1401367	Rock	1.38	0.063	17	26	1.11	443	0.169	<20	1.74	0.132	0.58	0.6	<0.01	0.4	0.15	7.5	<0.5	6	<0.2
1401368	Rock	1.16	0.067	15	27	1.07	693	0.246	<20	1.84	0.190	0.74	0.9	<0.01	0.4	<0.05	6.2	<0.5	6	<0.2
1401369	Rock	1.12	0.066	16	27	1.03	716	0.259	<20	1.79	0.178	0.82	0.7	<0.01	0.5	<0.05	5.1	<0.5	5	<0.2
1401370	Rock	2.35	0.066	19	26	1.17	585	0.206	<20	2.10	0.159	0.83	0.3	<0.01	0.5	0.14	12.6	0.6	6	<0.2
1401371	Rock	1.22	0.067	15	27	1.15	650	0.257	<20	2.08	0.221	0.93	0.8	<0.01	0.5	<0.05	7.5	<0.5	6	<0.2
1401372	Rock	1.39	0.069	16	28	1.14	564	0.222	<20	1.96	0.173	0.75	0.7	<0.01	0.4	0.23	8.0	<0.5	6	<0.2
1401373	Rock	1.35	0.070	16	27	1.06	573	0.226	<20	1.93	0.203	0.76	1.0	<0.01	0.4	0.25	7.6	0.9	6	<0.2
1401374	Rock	1.25	0.068	15	28	1.11	660	0.255	<20	1.91	0.193	0.76	1.2	0.02	0.3	0.09	6.5	0.7	5	<0.2
1401375	Rock	1.28	0.069	14	28	1.11	651	0.257	<20	1.95	0.210	0.76	1.1	<0.01	0.4	0.07	6.5	0.7	6	<0.2
1401376	Rock	1.35	0.069	15	27	1.10	749	0.259	<20	1.92	0.181	0.78	0.7	<0.01	0.4	<0.05	6.4	0.5	6	<0.2
1401377	Rock	1.32	0.072	16	27	1.11	852	0.277	<20	2.03	0.215	0.81	0.8	<0.01	0.4	<0.05	6.7	<0.5	6	<0.2
1401378	Rock	1.08	0.070	15	27	1.04	738	0.265	<20	1.82	0.191	0.68	1.0	<0.01	0.3	<0.05	5.1	<0.5	5	<0.2
1401379	Rock	1.63	0.071	16	28	1.26	258	0.182	<20	1.79	0.118	0.24	1.1	<0.01	0.1	0.08	6.8	<0.5	6	<0.2
1401380	Rock Pulp	0.81	0.060	4	30	0.77	96	0.127	<20	1.56	0.082	0.14	13.1	<0.01	<0.1	<0.05	4.6	1.6	5	<0.2
1401381	Rock Pulp	0.84	0.058	5	33	0.80	103	0.134	<20	1.67	0.102	0.16	0.3	0.06	<0.1	<0.05	5.2	<0.5	6	<0.2
1401382	Rock	1.39	0.074	17	28	1.18	948	0.258	<20	2.11	0.188	0.77	0.8	<0.01	0.4	<0.05	7.5	0.8	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

CERTIFICATE OF ANALYSIS WHI12000075.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401383	Rock	2.11	81	2.1	37.8	979.2	1692	53.8	6.2	14.1	1030	3.41	487.8	3.1	58.6	9.7	89	35.4	21.0	<0.1	97
1401384	Rock	1.93	<2	2.6	24.1	32.6	96	2.2	6.3	12.2	519	3.12	21.0	2.9	5.1	10.5	91	0.9	1.7	<0.1	108
1401385	Rock	2.23	<2	3.0	26.0	6.4	58	0.2	6.5	13.6	580	3.44	6.6	2.4	3.0	10.3	85	<0.1	0.5	<0.1	116
1401386	Rock	1.87	<2	3.0	29.4	4.1	52	0.1	6.5	13.8	537	3.44	2.9	3.1	1.9	12.4	84	<0.1	0.6	<0.1	123
1401387	Rock	1.77	<2	3.2	23.7	3.9	51	<0.1	6.4	13.1	521	3.36	3.1	2.9	<0.5	10.5	97	<0.1	0.2	<0.1	116
1401388	Rock	1.82	<2	2.7	27.2	3.3	42	<0.1	5.7	12.4	479	3.03	2.3	2.5	<0.5	10.4	79	<0.1	0.3	<0.1	105
1401389	Rock	2.55	57	2.2	23.4	4.6	72	0.1	6.0	11.7	520	3.23	661.5	2.8	47.5	10.0	83	<0.1	2.2	1.4	103
1401390	Rock	2.46	<2	3.0	24.0	3.1	43	<0.1	6.3	11.9	452	3.04	25.7	2.6	3.5	13.0	70	<0.1	<0.1	<0.1	103
1401391	Rock	1.92	<2	2.8	29.4	3.8	47	0.1	7.8	13.0	477	3.08	7.0	3.7	3.3	10.8	76	0.1	0.3	<0.1	105
1401392	Rock	2.49	13	2.8	24.8	3.9	56	0.1	6.7	12.7	494	3.19	228.3	2.4	14.2	10.0	76	0.3	0.4	0.1	105
1401393	Rock	2.11	200	2.3	26.4	6.4	57	0.3	7.2	14.0	699	3.85	1169	2.5	188.8	10.0	86	0.1	1.8	3.2	115
1401394	Rock	2.53	133	2.0	26.0	7.2	67	0.3	6.6	13.8	695	3.68	1630	2.5	148.9	9.7	86	0.3	2.1	2.4	112
1401395	Rock	2.10	169	2.3	27.6	6.3	46	0.4	5.5	13.1	561	3.77	1726	2.7	193.1	9.3	66	<0.1	1.4	2.6	97
1401396	Rock	2.26	804	3.3	29.0	21.6	89	1.0	6.2	14.1	933	3.58	1455	3.3	223.6	10.7	98	0.7	2.8	5.2	86
1401397	Rock	2.03	5	2.3	24.7	13.0	56	0.2	6.6	13.8	923	3.40	23.4	3.6	1.4	13.1	97	<0.1	1.0	0.2	107
1401398	Rock	1.78	9	2.8	25.4	4.2	56	<0.1	7.1	14.4	646	3.45	50.2	4.4	15.8	14.4	86	<0.1	1.5	0.2	109
1401399	Rock	1.80	47	3.0	30.2	165.6	271	11.8	6.5	15.2	1034	4.14	376.4	3.9	39.2	11.3	82	2.0	9.5	2.2	86
1401400	Rock Pulp	0.12	4	2.8	26.4	3.1	50	0.4	25.5	11.0	405	2.43	5.0	0.3	<0.5	1.3	46	0.1	0.3	<0.1	63
1401401	Rock Pulp	0.12	1512	8.9	48.3	6.3	53	0.2	33.1	9.4	504	3.23	7.4	0.3	601.4	1.1	48	0.1	1.0	0.2	70
1401402	Rock	1.58	82	2.8	32.6	43.8	1623	3.3	9.6	29.5	2987	5.79	1651	7.2	96.7	12.0	74	14.6	7.0	1.8	64

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

CERTIFICATE OF ANALYSIS WHI12000075.1

		Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
		Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1401383	Rock		2.31	0.068	18	26	1.03	638	0.205	<20	1.90	0.173	0.63	0.8	<0.01	0.4	0.28	7.2	0.8	6	<0.2
1401384	Rock		1.54	0.070	17	27	1.13	872	0.274	<20	1.89	0.180	0.73	0.7	<0.01	0.4	<0.05	6.5	<0.5	6	<0.2
1401385	Rock		1.43	0.075	16	29	1.19	1014	0.306	<20	2.08	0.217	0.92	0.5	<0.01	0.4	<0.05	6.9	1.1	7	<0.2
1401386	Rock		1.26	0.077	16	29	1.20	1068	0.315	<20	2.19	0.243	0.99	0.6	<0.01	0.5	0.05	6.6	<0.5	6	<0.2
1401387	Rock		1.34	0.070	17	32	1.14	1143	0.308	<20	2.18	0.252	0.97	0.7	<0.01	0.5	0.05	6.3	<0.5	7	<0.2
1401388	Rock		1.23	0.071	15	28	1.04	942	0.265	<20	1.87	0.204	0.80	0.9	<0.01	0.4	0.05	5.8	0.6	6	<0.2
1401389	Rock		2.02	0.068	17	26	1.06	930	0.249	<20	1.84	0.169	0.75	0.9	<0.01	0.4	0.11	6.7	<0.5	6	<0.2
1401390	Rock		1.00	0.069	16	28	1.05	981	0.296	<20	1.88	0.215	0.91	1.0	<0.01	0.5	<0.05	5.1	<0.5	6	<0.2
1401391	Rock		1.14	0.069	17	33	1.07	927	0.270	<20	2.01	0.243	0.90	0.8	<0.01	0.5	<0.05	6.7	<0.5	6	<0.2
1401392	Rock		1.22	0.065	15	29	1.10	928	0.272	<20	2.01	0.227	0.89	0.9	<0.01	0.4	0.11	6.2	0.9	6	<0.2
1401393	Rock		1.66	0.069	18	27	1.37	788	0.227	<20	2.19	0.170	0.82	0.6	<0.01	0.4	0.30	10.3	1.1	6	<0.2
1401394	Rock		1.62	0.066	17	25	1.31	890	0.218	<20	2.08	0.151	0.76	0.4	<0.01	0.4	0.24	9.9	0.5	6	<0.2
1401395	Rock		1.40	0.063	15	24	1.10	694	0.200	<20	1.90	0.161	0.72	0.6	<0.01	0.4	0.60	7.8	<0.5	6	<0.2
1401396	Rock		2.65	0.064	17	22	0.99	620	0.156	<20	1.80	0.125	0.55	0.6	<0.01	0.3	0.55	7.3	<0.5	6	<0.2
1401397	Rock		1.77	0.063	20	27	1.15	858	0.267	<20	2.16	0.233	0.88	0.6	<0.01	0.5	0.13	7.5	<0.5	7	<0.2
1401398	Rock		1.48	0.065	21	28	1.19	884	0.271	<20	2.17	0.212	0.90	0.7	<0.01	0.6	0.09	8.5	<0.5	7	<0.2
1401399	Rock		1.56	0.060	15	21	0.86	293	0.128	<20	1.56	0.103	0.55	0.3	0.05	0.4	1.28	9.7	<0.5	5	<0.2
1401400	Rock Pulp		0.88	0.057	5	31	0.79	111	0.140	<20	1.59	0.082	0.14	14.6	<0.01	<0.1	0.05	4.5	<0.5	5	<0.2
1401401	Rock Pulp		0.89	0.059	5	34	0.83	109	0.146	<20	1.75	0.101	0.16	0.2	0.05	<0.1	<0.05	5.3	<0.5	6	<0.2
1401402	Rock		1.37	0.063	11	13	0.61	48	<0.001	<20	1.39	0.011	0.22	0.2	0.13	0.5	0.76	13.5	<0.5	3	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

QUALITY CONTROL REPORT WHI12000075.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1401312	Rock	1.80	13	2.3	32.2	92.7	535	0.7	6.2	13.2	530	3.55	97.5	2.5	33.0	9.6	68	8.9	1.8	0.3	103
REP 1401312	QC		23																		
1401322	Rock	2.37	36	2.1	27.5	98.9	345	0.9	6.1	14.7	832	3.71	61.8	2.8	30.2	10.1	59	4.3	1.4	0.5	107
REP 1401322	QC			2.1	27.0	99.1	340	0.9	6.1	14.5	830	3.81	61.6	2.4	71.5	9.7	57	4.4	1.4	0.6	108
1401346	Rock	2.31	172	2.6	23.7	8.0	61	0.2	5.4	13.9	713	3.54	1905	2.3	174.0	9.7	84	0.3	1.9	0.6	94
REP 1401346	QC		172																		
1401352	Rock	2.19	80	1.8	22.5	7.0	61	0.2	5.1	14.3	789	3.82	1014	3.8	84.3	11.1	102	<0.1	3.4	1.1	86
REP 1401352	QC			1.9	22.7	7.5	61	0.2	5.5	14.4	812	3.92	1038	3.7	89.6	11.3	104	0.2	3.1	1.1	88
1401380	Rock Pulp	0.12	<2	2.2	23.6	2.3	42	0.3	23.9	10.3	398	2.41	4.0	0.2	<0.5	1.0	41	0.1	<0.1	<0.1	62
REP 1401380	QC		<2																		
1401387	Rock	1.77	<2	3.2	23.7	3.9	51	<0.1	6.4	13.1	521	3.36	3.1	2.9	<0.5	10.5	97	<0.1	0.2	<0.1	116
REP 1401387	QC			2.8	23.8	3.9	51	<0.1	6.2	12.7	485	3.23	3.5	2.9	1.3	10.7	89	<0.1	0.4	<0.1	113
1401398	Rock	1.78	9	2.8	25.4	4.2	56	<0.1	7.1	14.4	646	3.45	50.2	4.4	15.8	14.4	86	<0.1	1.5	0.2	109
REP 1401398	QC		12																		
Core Reject Duplicates																					
1401299	Rock	2.23	<2	2.2	28.3	6.4	87	<0.1	5.9	15.0	661	3.52	41.1	2.6	2.2	11.2	73	0.9	1.4	0.2	118
DUP 1401299	QC		3	2.0	26.4	6.2	81	0.1	6.4	15.1	619	3.55	37.0	2.4	<0.5	10.8	68	0.9	1.6	0.3	115
1401334	Rock	1.69	38	1.8	22.4	4.5	44	0.1	4.6	11.2	466	3.02	168.3	2.5	11.5	9.0	52	0.2	0.8	0.4	90
DUP 1401334	QC		52	2.3	24.5	4.7	48	0.1	5.6	11.3	493	3.12	173.4	2.2	9.7	9.0	56	0.2	0.8	0.4	93
1401369	Rock	1.99	<2	3.0	22.4	3.3	43	<0.1	5.4	11.6	465	2.90	4.4	2.0	2.5	10.2	72	<0.1	0.6	<0.1	103
DUP 1401369	QC		<2	2.9	23.1	3.6	46	<0.1	6.6	12.3	491	3.14	4.3	1.8	0.7	10.3	80	<0.1	0.5	<0.1	107
Reference Materials																					
STD DS9	Standard			13.5	106.9	135.4	323	2.0	42.2	7.8	600	2.40	25.3	2.8	155.8	6.5	73	1.8	4.2	7.0	41
STD DS9	Standard			12.2	101.8	128.5	320	1.8	37.3	7.0	597	2.29	24.8	2.5	94.6	6.0	71	2.1	4.2	6.4	38
STD DS9	Standard			13.5	111.4	129.6	313	1.8	44.0	8.4	585	2.37	30.1	2.7	113.4	6.3	72	2.2	4.1	6.9	41
STD DS9	Standard			14.6	116.3	142.3	346	1.9	42.4	8.0	626	2.47	26.8	3.1	116.2	7.3	88	2.7	4.9	7.8	44
STD OREAS45CA	Standard			0.9	534.1	21.5	65	0.3	252.4	92.1	920	16.09	4.3	1.2	34.2	7.6	16	<0.1	<0.1	<0.1	216
STD OREAS45CA	Standard			0.9	528.0	21.3	66	0.3	256.5	94.4	957	15.78	3.7	1.2	47.8	7.3	16	0.1	0.2	0.2	214

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

QUALITY CONTROL REPORT WHI12000075.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
1401312	Rock	1.08	0.062	17	26	1.12	549	0.237	<20	1.97	0.176	0.70	0.4	<0.01	0.5	0.11	7.9	<0.5	6	<0.2
REP 1401312	QC																			
1401322	Rock	1.58	0.062	17	25	1.17	530	0.224	<20	2.03	0.156	0.69	0.5	<0.01	0.4	0.42	8.0	<0.5	6	<0.2
REP 1401322	QC	1.59	0.064	18	26	1.16	540	0.241	<20	2.02	0.162	0.71	0.5	<0.01	0.4	0.43	8.7	<0.5	6	<0.2
1401346	Rock	1.95	0.066	18	27	1.19	435	0.178	<20	1.95	0.161	0.52	0.5	<0.01	0.3	0.15	8.1	0.6	6	<0.2
REP 1401346	QC																			
1401352	Rock	2.85	0.068	22	15	1.07	275	0.054	<20	1.34	0.027	0.36	0.2	0.06	0.2	0.10	15.7	<0.5	5	<0.2
REP 1401352	QC	2.91	0.069	23	16	1.10	282	0.056	<20	1.38	0.028	0.36	0.1	0.02	0.2	0.11	15.5	<0.5	5	<0.2
1401380	Rock Pulp	0.81	0.060	4	30	0.77	96	0.127	<20	1.56	0.082	0.14	13.1	<0.01	<0.1	<0.05	4.6	1.6	5	<0.2
REP 1401380	QC																			
1401387	Rock	1.34	0.070	17	32	1.14	1143	0.308	<20	2.18	0.252	0.97	0.7	<0.01	0.5	0.05	6.3	<0.5	7	<0.2
REP 1401387	QC	1.28	0.071	16	28	1.12	1115	0.299	<20	2.12	0.244	0.94	0.7	<0.01	0.5	0.05	6.3	<0.5	6	<0.2
1401398	Rock	1.48	0.065	21	28	1.19	884	0.271	<20	2.17	0.212	0.90	0.7	<0.01	0.6	0.09	8.5	<0.5	7	<0.2
REP 1401398	QC																			
Core Reject Duplicates																				
1401299	Rock	1.62	0.064	20	25	1.21	572	0.267	<20	2.09	0.184	0.70	0.3	<0.01	0.5	<0.05	10.3	<0.5	7	<0.2
DUP 1401299	QC	1.62	0.063	19	25	1.20	562	0.260	<20	2.11	0.183	0.69	0.3	<0.01	0.4	<0.05	9.7	<0.5	7	<0.2
1401334	Rock	1.26	0.063	13	22	0.97	513	0.218	<20	1.71	0.137	0.65	0.6	<0.01	0.3	0.14	5.1	<0.5	5	<0.2
DUP 1401334	QC	1.36	0.062	14	23	1.01	530	0.227	<20	1.79	0.153	0.66	0.6	<0.01	0.3	0.14	5.5	<0.5	6	<0.2
1401369	Rock	1.12	0.066	16	27	1.03	716	0.259	<20	1.79	0.178	0.82	0.7	<0.01	0.5	<0.05	5.1	<0.5	5	<0.2
DUP 1401369	QC	1.24	0.067	16	27	1.08	750	0.268	<20	1.93	0.214	0.86	0.8	<0.01	0.5	<0.05	6.2	0.5	6	<0.2
Reference Materials																				
STD DS9	Standard	0.71	0.086	12	124	0.61	320	0.111	<20	0.94	0.087	0.40	3.1	0.20	5.5	0.18	2.8	4.7	5	5.0
STD DS9	Standard	0.69	0.078	12	112	0.60	310	0.101	<20	0.92	0.080	0.38	2.6	0.20	5.4	0.16	2.4	5.2	4	4.2
STD DS9	Standard	0.73	0.077	14	128	0.64	302	0.127	<20	0.97	0.094	0.41	3.0	0.18	5.7	0.17	2.6	5.9	5	5.6
STD DS9	Standard	0.79	0.088	15	127	0.66	352	0.122	<20	1.04	0.095	0.43	3.0	0.24	5.8	0.18	2.6	5.7	5	5.7
STD OREAS45CA	Standard	0.46	0.040	17	747	0.15	178	0.157	<20	3.68	0.015	0.08	<0.1	0.03	<0.1	<0.05	47.2	0.5	18	<0.2
STD OREAS45CA	Standard	0.44	0.038	17	739	0.15	162	0.160	<20	3.68	0.007	0.07	<0.1	0.04	<0.1	<0.05	47.2	<0.5	18	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

QUALITY CONTROL REPORT WHI12000075.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
STD OREAS45CA	Standard			1.1	492.3	20.2	61	0.2	248.5	94.4	898	15.92	3.5	1.2	35.5	6.8	15	<0.1	<0.1	0.2	207
STD OREAS45CA	Standard			0.9	523.1	21.7	62	0.3	264.8	97.5	993	16.21	3.7	1.3	60.3	7.7	18	0.1	0.1	0.2	227
STD OXC88	Standard		198																		
STD OXC88	Standard		210																		
STD OXC88	Standard		200																		
STD OXC88	Standard		188																		
STD OXG99	Standard		918																		
STD OXG99	Standard		950																		
STD OXG99	Standard		890																		
STD OXG99	Standard		911																		
STD OXC88 Expected			203																		
STD OXG99 Expected			932																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
BLK	Blank			<0.1	1.0	0.4	1	<0.1	0.2	0.3	6	0.03	2.5	<0.1	<0.5	0.3	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	0.3	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank		<2	<0.1	4.2	3.9	56	<0.1	2.3	4.6	619	2.00	3.5	1.9	<0.5	7.0	68	<0.1	0.2	<0.1	40

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

QUALITY CONTROL REPORT WHI12000075.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD OREAS45CA	Standard	0.41	0.037	17	711	0.15	152	0.166	<20	3.68	0.009	0.08	<0.1	0.02	0.1	<0.05	43.2	0.6	18	<0.2
STD OREAS45CA	Standard	0.42	0.037	18	728	0.14	174	0.158	<20	3.91	0.011	0.08	<0.1	0.03	<0.1	<0.05	45.8	<0.5	20	<0.2
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXC88 Expected																				
STD OXG99 Expected																				
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
BLK	Blank	0.02	0.002	<1	<1	0.02	4	0.004	<20	0.04	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	0.3	0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	2	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																				
G1-WHI	Prep Blank	0.52	0.078	19	8	0.51	163	0.155	<20	0.97	0.121	0.51	<0.1	<0.01	0.4	<0.05	2.7	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

QUALITY CONTROL REPORT WHI12000075.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
G1-WHI	Prep Blank		5	0.2	4.1	12.4	75	<0.1	2.5	4.4	613	2.00	29.3	1.9	2.4	6.9	74	0.5	1.6	<0.1	40

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

QUALITY CONTROL REPORT WHI12000075.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
G1-WHI	Prep Blank	0.54	0.075	17	8	0.51	163	0.153	<20	1.01	0.133	0.52	0.1	<0.01	0.4	<0.05	2.6	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: June 11, 2012
Report Date: June 18, 2012
Page: 1 of 6

CERTIFICATE OF ANALYSIS WHI12000077.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET007
P.O. Number
Number of Samples: 123

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	111	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	123	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	123	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme
Dayna

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

CERTIFICATE OF ANALYSIS WHI12000077.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401403	Rock	1.78	6	1.1	29.1	52.5	139	0.8	8.0	15.9	803	3.80	107.7	2.0	9.2	9.1	64	0.7	2.9	0.1	113
1401404	Rock	1.07	4	1.1	34.7	20.6	85	0.4	6.8	15.3	898	3.91	31.8	2.5	4.7	8.8	90	0.6	3.0	0.1	115
1401405	Rock	0.97	3	2.8	33.9	14.4	88	0.3	6.0	16.8	878	4.27	26.5	2.5	2.6	9.6	79	0.3	3.6	0.2	121
1401406	Rock	1.43	3	2.5	24.0	14.8	110	0.4	5.4	17.5	1392	3.89	19.8	4.5	0.8	9.6	167	0.8	3.3	0.2	83
1401407	Rock	1.74	<2	1.5	31.1	32.4	146	0.7	7.0	18.5	1063	4.30	8.0	3.4	3.0	8.3	181	0.7	2.1	<0.1	123
1401408	Rock	1.75	46	1.3	40.3	597.3	852	11.6	6.8	15.4	1345	4.28	468.8	2.9	49.6	9.4	79	6.8	13.9	0.1	105
1401409	Rock	1.93	<2	1.3	29.5	9.2	70	0.2	5.4	15.7	1090	3.60	15.6	2.5	<0.5	9.1	77	0.2	4.0	0.1	109
1401410	Rock	2.13	<2	2.8	25.3	83.3	134	1.4	6.6	17.0	1084	4.07	23.3	2.0	<0.5	9.2	81	0.8	4.0	0.3	122
1401411	Rock	1.85	143	1.4	29.9	157.4	279	9.0	6.0	16.9	1215	4.12	1224	3.9	132.2	9.6	92	2.1	8.6	0.3	111
1401412	Rock	2.06	35	1.9	23.0	33.1	163	0.7	5.7	16.0	1301	3.98	300.8	2.6	39.1	9.1	79	0.8	5.8	0.2	109
1401413	Rock	2.14	<2	1.5	30.0	5.9	60	0.3	5.4	14.4	713	3.55	8.0	2.6	5.3	10.0	80	<0.1	2.4	0.2	112
1401414	Rock	1.75	24	1.3	28.0	5.7	58	0.2	6.1	13.7	918	3.59	216.0	2.3	24.1	8.6	80	0.2	2.3	0.1	111
1401415	Rock	1.90	3	1.3	28.2	4.9	58	0.2	5.4	15.1	783	3.56	14.3	2.7	2.3	9.9	87	<0.1	1.3	0.2	114
1401416	Rock	2.05	27	1.6	31.3	19.0	69	0.6	6.1	14.8	1033	3.56	241.3	2.4	33.7	9.2	82	0.2	2.7	0.1	107
1401417	Rock	1.96	41	1.2	32.5	176.6	360	3.0	5.4	16.7	1814	3.98	130.4	3.6	44.3	9.5	94	2.3	8.0	1.0	98
1401418	Rock	2.27	2	1.6	33.8	9.5	71	0.7	5.4	15.0	867	3.58	6.7	2.6	1.5	9.3	72	0.1	4.6	0.1	113
1401419	Rock	2.13	<2	1.4	24.9	4.3	52	<0.1	5.7	12.7	532	3.10	6.2	2.8	1.3	9.4	74	<0.1	1.8	0.1	105
1401420	Rock Pulp	0.12	1432	9.7	52.7	6.4	54	0.3	33.7	9.6	500	3.43	7.9	0.3	1766	1.1	45	0.3	1.1	0.2	69
1401421	Rock Pulp	0.12	4	2.7	27.7	2.6	46	0.5	26.0	11.6	405	2.49	5.0	0.3	<0.5	1.0	44	0.1	0.2	<0.1	63
1401422	Rock	1.31	<2	3.2	40.1	6.2	58	0.1	6.6	13.6	662	3.32	17.3	2.4	<0.5	10.0	81	<0.1	3.5	0.1	107
1401423	Rock	2.47	<2	2.2	29.4	4.2	54	<0.1	7.5	13.7	665	3.46	9.3	2.8	<0.5	8.6	78	<0.1	2.5	0.1	117
1401424	Rock	1.02	8	2.3	30.5	13.0	60	0.7	6.9	14.1	797	3.54	26.6	3.5	5.5	9.2	81	<0.1	1.7	0.1	115
1401425	Rock	1.06	6	2.3	31.2	13.7	64	0.8	6.9	15.0	819	3.69	20.4	3.6	<0.5	9.5	72	<0.1	1.4	0.1	121
1401426	Rock	1.94	15	2.0	27.5	4.2	56	0.2	7.0	14.8	1159	3.71	66.1	3.0	13.8	9.5	84	<0.1	2.0	0.1	119
1401427	Rock	2.16	3	2.1	28.4	95.8	118	2.6	6.5	14.4	1283	3.58	9.0	2.5	3.5	9.2	73	0.3	3.6	0.1	112
1401428	Rock	1.70	61	2.0	25.9	3.9	55	0.1	6.1	13.7	673	3.32	417.0	2.3	72.1	9.0	78	<0.1	3.8	0.1	106
1401429	Rock	2.64	<2	1.8	27.7	5.8	59	0.1	7.0	13.8	653	3.41	6.8	2.0	3.0	9.3	96	<0.1	2.5	0.2	111
1401430	Rock	1.69	500	1.4	19.6	11.6	48	1.1	6.5	18.3	2340	3.85	5195	4.0	528.3	8.6	102	0.2	12.4	0.1	67
1401431	Rock	1.81	142	1.8	29.9	31.1	144	1.0	7.0	17.3	1417	4.17	1517	4.9	167.8	10.4	72	0.8	6.8	0.2	103
1401432	Rock	1.56	22	1.7	51.2	381.3	339	15.6	7.1	18.0	1824	4.33	70.2	3.3	38.4	10.1	80	2.1	10.5	0.7	127

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

CERTIFICATE OF ANALYSIS WHI12000077.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1401403	Rock	0.91	0.073	16	22	1.15	1073	0.195	<20	2.21	0.154	0.63	0.4	0.02	0.4	<0.05	9.5	<0.5	7	<0.2
1401404	Rock	1.77	0.080	18	22	1.29	1058	0.177	<20	2.18	0.155	0.63	0.5	<0.01	0.4	0.06	10.6	<0.5	7	<0.2
1401405	Rock	1.66	0.077	18	20	1.13	1204	0.196	<20	2.28	0.127	0.75	19.6	0.03	0.6	<0.05	12.8	<0.5	7	<0.2
1401406	Rock	3.55	0.073	20	15	0.84	653	0.059	<20	1.49	0.061	0.42	0.6	0.01	0.4	0.16	11.7	<0.5	5	<0.2
1401407	Rock	2.78	0.085	18	24	1.45	948	0.171	<20	2.16	0.126	0.68	0.5	<0.01	0.4	0.11	11.8	<0.5	7	<0.2
1401408	Rock	1.90	0.077	16	22	1.26	866	0.146	<20	1.92	0.110	0.61	0.4	<0.01	0.4	0.57	10.2	<0.5	6	<0.2
1401409	Rock	1.92	0.070	15	21	1.38	813	0.165	<20	2.01	0.112	0.52	0.3	0.01	0.3	0.06	8.9	<0.5	7	<0.2
1401410	Rock	2.13	0.078	18	24	1.70	780	0.152	<20	2.30	0.101	0.52	0.2	0.02	0.3	0.09	11.7	<0.5	7	<0.2
1401411	Rock	2.33	0.074	17	21	1.39	874	0.141	<20	2.18	0.092	0.59	0.2	0.02	0.4	0.35	11.0	<0.5	7	<0.2
1401412	Rock	2.05	0.076	17	21	1.41	831	0.144	<20	2.14	0.099	0.60	0.8	<0.01	0.4	0.23	11.0	<0.5	7	<0.2
1401413	Rock	1.51	0.080	17	22	1.36	1175	0.213	<20	2.06	0.151	0.70	0.5	<0.01	0.4	<0.05	8.3	<0.5	7	<0.2
1401414	Rock	1.80	0.071	16	23	1.30	998	0.215	<20	2.06	0.155	0.68	0.4	<0.01	0.4	0.09	7.3	<0.5	6	<0.2
1401415	Rock	1.78	0.075	16	20	1.36	1002	0.227	<20	2.06	0.139	0.66	0.4	<0.01	0.4	<0.05	8.2	<0.5	7	<0.2
1401416	Rock	2.04	0.069	17	24	1.20	926	0.173	<20	1.96	0.130	0.62	0.5	<0.01	0.4	0.13	7.3	<0.5	7	<0.2
1401417	Rock	3.43	0.072	19	19	1.21	711	0.104	<20	2.01	0.066	0.53	0.2	<0.01	0.4	0.48	11.0	<0.5	6	<0.2
1401418	Rock	1.54	0.075	18	22	1.45	1102	0.242	<20	2.11	0.145	0.74	0.5	<0.01	0.4	0.10	8.1	<0.5	7	<0.2
1401419	Rock	1.03	0.073	16	22	1.20	1289	0.281	<20	1.97	0.188	0.80	0.6	<0.01	0.5	<0.05	5.6	<0.5	6	<0.2
1401420	Rock Pulp	0.86	0.060	5	35	0.86	107	0.136	<20	1.77	0.097	0.15	0.3	0.08	<0.1	<0.05	4.9	<0.5	6	<0.2
1401421	Rock Pulp	0.84	0.061	4	31	0.80	97	0.119	<20	1.60	0.077	0.13	13.4	0.01	<0.1	<0.05	4.4	<0.5	5	<0.2
1401422	Rock	1.39	0.066	16	25	1.30	1205	0.259	<20	2.09	0.192	0.75	0.5	<0.01	0.4	0.05	7.0	<0.5	7	<0.2
1401423	Rock	1.35	0.069	16	27	1.26	1320	0.310	<20	2.20	0.235	0.90	0.8	<0.01	0.4	<0.05	6.2	<0.5	7	<0.2
1401424	Rock	1.52	0.074	17	27	1.28	1150	0.274	<20	2.12	0.195	0.82	0.7	<0.01	0.4	0.10	7.7	<0.5	7	<0.2
1401425	Rock	1.50	0.084	18	29	1.33	1219	0.288	<20	2.19	0.197	0.89	0.6	<0.01	0.5	0.10	7.3	<0.5	7	<0.2
1401426	Rock	2.03	0.074	18	26	1.42	1108	0.231	<20	2.17	0.155	0.77	0.5	<0.01	0.4	0.14	8.8	<0.5	7	<0.2
1401427	Rock	1.46	0.073	17	26	1.43	1177	0.254	<20	2.14	0.149	0.83	0.4	<0.01	0.4	0.10	7.6	<0.5	7	<0.2
1401428	Rock	1.40	0.067	15	24	1.25	1127	0.242	<20	1.93	0.150	0.76	0.4	<0.01	0.4	0.09	6.5	<0.5	6	<0.2
1401429	Rock	1.46	0.066	16	25	1.26	1196	0.271	<20	2.18	0.216	0.82	0.4	<0.01	0.4	<0.05	7.4	<0.5	7	<0.2
1401430	Rock	4.82	0.071	15	15	0.65	206	0.080	<20	1.31	0.069	0.48	0.4	<0.01	0.3	1.57	9.7	<0.5	4	<0.2
1401431	Rock	2.29	0.070	18	20	1.61	747	0.111	<20	2.17	0.064	0.55	0.2	<0.01	0.3	0.54	11.7	<0.5	7	<0.2
1401432	Rock	1.85	0.077	19	25	2.15	1015	0.218	<20	2.66	0.106	0.72	0.2	0.01	0.4	0.32	12.3	<0.5	9	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

CERTIFICATE OF ANALYSIS WHI12000077.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401433	Rock	1.74	3	1.8	27.5	7.8	55	0.2	6.3	12.6	624	3.05	21.8	2.6	8.2	9.5	99	<0.1	3.6	0.2	100
1401434	Rock	1.75	<2	2.2	26.5	5.1	48	0.1	5.8	12.6	458	3.06	10.3	2.5	5.1	10.6	77	<0.1	3.1	0.4	104
1401435	Rock	1.64	<2	1.7	25.9	5.6	87	<0.1	6.2	15.8	1045	3.91	18.9	2.5	2.6	10.3	84	<0.1	8.4	0.2	126
1401436	Rock	1.49	2	1.8	23.3	4.6	54	<0.1	5.6	12.8	802	3.29	8.8	2.7	<0.5	10.0	71	<0.1	4.0	0.2	106
1401437	Rock	2.26	35	2.2	23.0	4.4	56	<0.1	6.5	13.2	756	3.46	6.9	2.3	<0.5	8.5	76	<0.1	2.6	0.1	112
1401438	Rock	1.53	2	1.9	22.6	15.2	65	0.3	6.3	15.5	822	3.79	3.4	2.6	<0.5	8.6	74	0.1	3.8	0.3	116
1401439	Rock	2.81	732	2.1	16.4	11.2	72	0.9	6.1	16.6	2466	3.85	>10000	4.5	778.1	8.3	108	0.3	16.6	<0.1	69
1401440	Rock Pulp	0.12	4	2.4	25.0	2.4	50	0.3	24.8	10.5	422	2.47	5.5	0.3	1.5	1.0	43	0.2	0.2	<0.1	59
1401441	Rock Pulp	0.12	3877	9.6	67.9	488.2	1607	55.3	30.5	8.3	415	3.23	32.9	0.4	3269	1.1	35	17.0	51.3	0.9	56
1401442	Rock	0.87	12	1.4	24.3	8.0	60	0.2	5.7	14.8	1316	3.61	224.2	2.5	15.1	9.2	86	<0.1	6.6	<0.1	92
1401443	Rock	1.39	281	1.3	21.7	49.5	165	1.0	5.6	15.6	1721	3.85	3888	4.3	326.1	8.4	103	0.8	11.3	0.2	85
1401444	Rock	1.74	3	1.9	24.2	3.2	51	<0.1	5.8	12.8	522	3.12	33.4	1.7	11.7	6.7	77	<0.1	2.2	<0.1	108
1401445	Rock	1.94	3	1.8	24.6	3.8	48	<0.1	5.0	11.9	457	3.00	28.7	2.2	6.1	8.5	91	<0.1	2.1	<0.1	101
1401446	Rock	2.05	3	2.1	24.8	3.7	49	<0.1	6.1	12.0	482	3.05	19.3	2.7	1.7	10.4	72	<0.1	1.3	<0.1	102
1401447	Rock	1.61	10	1.9	24.3	189.9	180	5.2	5.8	13.3	1620	3.27	36.0	3.2	7.8	8.7	72	0.8	5.2	<0.1	97
1401448	Rock	2.10	<2	2.2	22.8	3.5	50	<0.1	5.5	12.4	639	3.21	9.4	2.2	2.0	8.8	70	<0.1	1.8	<0.1	108
1401449	Rock	1.46	4	1.8	23.6	4.1	50	<0.1	6.3	12.6	589	3.17	10.9	2.5	1.3	8.9	94	<0.1	2.8	<0.1	105
1401450	Rock	2.01	3	2.2	27.1	4.9	51	<0.1	5.9	12.8	520	3.15	9.6	2.7	1.1	9.3	85	<0.1	2.5	<0.1	108
1401451	Rock	2.05	5	2.1	25.7	3.9	48	<0.1	5.8	13.0	496	3.25	6.5	2.1	1.1	9.1	85	<0.1	1.6	<0.1	110
1401452	Rock	2.00	3	2.3	25.0	4.2	50	0.1	6.3	12.8	539	3.25	5.5	2.0	1.0	9.6	66	<0.1	2.1	<0.1	108
1401453	Rock	2.14	<2	2.0	24.2	6.1	55	0.1	5.7	13.1	670	3.34	7.4	2.6	0.6	8.6	78	<0.1	2.4	<0.1	110
1401454	Rock	1.86	2	2.4	34.7	7.8	57	0.2	6.6	13.4	1804	3.29	6.5	2.4	<0.5	9.3	75	0.1	1.8	0.1	105
1401455	Rock	1.52	6	2.0	25.2	112.8	142	5.9	6.3	13.3	1771	3.38	7.1	2.6	13.5	9.8	66	0.4	4.0	<0.1	103
1401456	Rock	1.67	<2	1.9	26.0	13.7	64	0.2	6.1	13.5	685	3.34	12.1	2.2	<0.5	10.7	74	0.1	4.3	<0.1	109
1401457	Rock	1.54	<2	1.7	21.9	26.2	81	0.4	6.1	14.0	891	3.42	14.3	2.0	0.8	9.8	66	0.1	5.0	<0.1	107
1401458	Rock	2.10	146	1.6	36.1	731.6	1659	14.5	5.9	13.7	869	3.76	272.4	2.2	151.4	8.9	63	14.1	19.5	<0.1	96
1401459	Rock	1.75	3	1.7	20.8	59.4	82	1.0	5.6	13.5	885	3.28	9.5	2.2	6.6	9.4	71	0.4	4.4	<0.1	106
1401460	Rock Pulp	0.12	4	2.5	25.2	2.4	47	0.3	24.1	11.0	417	2.43	5.3	0.2	0.9	0.9	40	0.1	0.2	<0.1	60
1401461	Rock Pulp	0.13	1423	8.4	47.5	5.9	52	0.2	31.7	8.9	489	3.23	7.0	0.3	680.0	1.1	42	<0.1	0.9	<0.1	66
1401462	Rock	1.74	23	1.5	25.1	267.2	665	14.8	6.2	17.5	1009	4.05	69.5	3.4	28.4	9.7	87	7.3	8.9	<0.1	109

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

CERTIFICATE OF ANALYSIS WHI12000077.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1401433	Rock	1.30	0.067	16	24	1.16	944	0.268	<20	2.12	0.199	0.61	0.6	<0.01	0.3	0.05	5.4	<0.5	7	<0.2
1401434	Rock	1.27	0.074	17	25	1.05	1007	0.294	<20	1.92	0.196	0.68	0.7	<0.01	0.3	<0.05	5.3	<0.5	6	<0.2
1401435	Rock	2.28	0.066	19	27	1.63	585	0.287	<20	2.32	0.113	0.40	0.6	<0.01	0.2	<0.05	12.5	<0.5	9	<0.2
1401436	Rock	1.58	0.078	18	23	1.42	954	0.231	<20	1.96	0.146	0.58	0.4	<0.01	0.3	<0.05	9.0	<0.5	7	<0.2
1401437	Rock	1.44	0.073	17	25	1.56	975	0.205	<20	2.18	0.180	0.62	0.3	<0.01	0.3	<0.05	8.9	<0.5	8	<0.2
1401438	Rock	1.44	0.079	18	24	1.58	1004	0.183	<20	2.35	0.163	0.68	0.2	<0.01	0.3	0.06	11.3	<0.5	8	<0.2
1401439	Rock	5.43	0.074	13	14	1.02	258	0.076	<20	1.45	0.058	0.49	0.2	0.01	0.3	1.25	11.9	<0.5	4	<0.2
1401440	Rock Pulp	0.81	0.064	4	31	0.82	107	0.119	<20	1.62	0.079	0.13	13.9	0.02	<0.1	<0.05	4.8	<0.5	6	<0.2
1401441	Rock Pulp	0.70	0.055	6	27	0.60	113	0.104	<20	1.22	0.075	0.11	1.9	0.26	1.2	0.35	4.4	0.5	6	0.3
1401442	Rock	2.49	0.075	18	20	1.26	768	0.135	<20	1.96	0.116	0.56	0.4	0.04	0.4	0.41	10.2	<0.5	6	<0.2
1401443	Rock	3.65	0.074	17	17	1.30	482	0.105	<20	1.93	0.090	0.47	0.2	0.01	0.3	0.82	12.2	<0.5	6	<0.2
1401444	Rock	1.16	0.075	14	23	1.18	1175	0.284	<20	2.03	0.203	0.76	0.6	<0.01	0.4	<0.05	5.9	<0.5	7	<0.2
1401445	Rock	1.23	0.076	15	23	1.06	1089	0.281	<20	2.09	0.191	0.74	0.6	<0.01	0.4	<0.05	5.4	<0.5	7	<0.2
1401446	Rock	1.13	0.075	17	25	1.07	1213	0.281	<20	2.02	0.214	0.85	0.9	<0.01	0.4	<0.05	4.9	<0.5	6	<0.2
1401447	Rock	1.91	0.074	16	23	1.04	1043	0.242	<20	1.99	0.199	0.78	0.5	<0.01	0.5	0.43	7.0	<0.5	6	<0.2
1401448	Rock	1.12	0.072	15	26	1.15	1146	0.295	<20	2.11	0.210	0.84	0.7	<0.01	0.4	<0.05	6.6	<0.5	7	<0.2
1401449	Rock	1.80	0.071	17	24	1.10	1068	0.286	<20	2.18	0.214	0.80	0.7	<0.01	0.4	0.06	6.9	<0.5	8	<0.2
1401450	Rock	1.64	0.076	15	25	1.11	1145	0.290	<20	2.16	0.197	0.80	0.8	<0.01	0.4	0.05	6.3	0.7	7	<0.2
1401451	Rock	1.44	0.078	16	26	1.12	1176	0.297	<20	2.23	0.251	0.84	0.8	<0.01	0.4	<0.05	6.1	<0.5	7	<0.2
1401452	Rock	1.27	0.081	15	27	1.15	1119	0.293	<20	1.96	0.197	0.80	0.6	<0.01	0.4	<0.05	6.1	<0.5	7	<0.2
1401453	Rock	1.68	0.072	15	25	1.21	1116	0.285	<20	2.05	0.199	0.77	0.6	<0.01	0.4	0.06	7.6	<0.5	7	<0.2
1401454	Rock	1.59	0.069	15	26	1.18	1076	0.250	<20	2.11	0.216	0.79	0.6	<0.01	0.4	0.11	8.1	<0.5	7	<0.2
1401455	Rock	1.62	0.074	15	25	1.14	1154	0.256	<20	2.03	0.190	0.83	0.5	<0.01	0.5	0.22	7.1	<0.5	7	<0.2
1401456	Rock	1.71	0.072	17	25	1.23	928	0.271	<20	2.00	0.189	0.66	0.6	<0.01	0.3	0.07	8.7	<0.5	7	<0.2
1401457	Rock	1.60	0.077	16	25	1.36	764	0.235	<20	1.96	0.164	0.51	0.4	<0.01	0.3	0.10	9.3	<0.5	7	<0.2
1401458	Rock	1.73	0.073	15	23	1.13	156	0.236	<20	1.81	0.159	0.65	0.5	0.02	0.4	1.00	6.6	<0.5	7	<0.2
1401459	Rock	1.40	0.071	15	24	1.33	1071	0.258	<20	2.03	0.194	0.70	0.4	<0.01	0.4	0.13	7.7	<0.5	7	<0.2
1401460	Rock Pulp	0.84	0.063	4	32	0.80	99	0.127	<20	1.62	0.080	0.13	13.6	<0.01	<0.1	<0.05	4.7	<0.5	5	<0.2
1401461	Rock Pulp	0.87	0.061	5	33	0.84	106	0.131	<20	1.72	0.099	0.15	0.2	0.07	<0.1	<0.05	5.2	<0.5	6	<0.2
1401462	Rock	2.34	0.071	18	22	1.19	872	0.161	<20	2.27	0.106	0.68	0.2	0.02	0.4	0.30	12.6	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

CERTIFICATE OF ANALYSIS WHI12000077.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401463	Rock	1.25	3	1.2	26.4	14.4	71	0.2	6.5	16.1	841	3.83	5.7	2.5	2.4	9.5	86	0.4	3.3	0.1	125
1401464	Rock	1.94	<2	1.4	24.9	13.4	80	0.3	5.4	14.2	1009	3.24	5.5	4.3	0.5	8.2	105	0.7	4.1	<0.1	109
1401465	Rock	1.85	<2	1.9	27.2	37.3	96	1.0	6.1	13.2	662	3.23	5.5	2.1	2.4	9.7	74	0.6	2.6	<0.1	107
1401466	Rock	1.82	<2	1.8	24.7	18.3	84	0.4	6.3	14.4	924	3.50	7.1	2.2	<0.5	9.8	80	0.3	2.2	<0.1	115
1401467	Rock	1.89	13	1.7	23.2	285.6	153	3.9	6.1	14.9	1085	3.74	30.9	2.9	9.5	9.9	85	1.1	5.1	<0.1	112
1401468	Rock	1.60	11	2.5	27.9	148.0	462	2.3	6.6	13.1	708	3.30	36.7	2.6	11.0	10.0	78	4.9	3.7	<0.1	105
1401469	Rock	2.04	5	2.7	22.9	248.5	469	2.8	5.9	12.8	989	3.24	24.9	3.2	6.5	10.9	75	4.0	15.2	<0.1	95
1401470	Rock	1.70	22	1.8	35.5	854.2	763	13.8	6.7	15.1	1243	3.80	75.7	2.7	20.5	9.0	78	8.1	12.8	<0.1	108
1401471	Rock	2.00	19	2.0	23.3	206.0	526	3.2	5.3	15.2	1197	3.68	45.8	3.6	18.4	8.8	93	5.3	4.4	0.2	114
1401472	Rock	1.83	16	2.3	25.1	314.4	355	4.9	5.8	17.3	887	3.99	39.5	3.3	11.9	10.1	116	3.7	5.5	0.1	106
1401473	Rock	1.91	25	2.3	36.6	570.5	1472	9.1	6.6	16.3	1077	4.07	56.8	2.9	25.5	8.8	87	18.1	9.2	0.1	108
1401474	Rock	1.24	10	2.1	24.8	145.3	207	2.3	6.3	15.0	887	3.85	22.6	2.8	7.8	9.2	97	2.1	6.0	0.1	118
1401475	Rock	0.75	16	1.9	26.8	188.5	273	3.1	6.7	17.1	982	3.96	31.8	3.4	13.6	10.0	97	2.6	5.7	0.1	120
1401476	Rock	1.81	229	1.4	37.1	1780	2543	27.6	6.1	17.6	1149	5.12	1284	3.4	238.4	8.1	105	32.1	333.1	0.1	102
1401477	Rock	2.29	3	2.2	27.7	131.7	207	2.1	6.0	14.5	686	3.71	9.3	2.7	7.6	9.3	94	2.0	4.8	<0.1	118
1401478	Rock	2.48	15	2.1	25.4	28.7	73	0.5	6.9	16.2	890	3.91	49.1	2.9	11.8	9.4	100	0.3	3.5	<0.1	122
1401479	Rock	2.20	4	4.6	24.2	10.6	64	0.2	6.4	14.6	718	3.53	20.6	2.9	2.4	9.8	82	0.1	1.9	0.1	113
1401480	Rock Pulp	0.13	<2	2.7	28.8	2.6	47	0.4	26.2	11.5	415	2.53	5.4	0.3	<0.5	0.9	41	0.3	0.3	<0.1	62
1401481	Rock Pulp	0.12	3784	9.6	74.4	485.6	1572	54.0	33.3	9.1	406	3.37	30.1	0.4	6474	1.2	34	15.6	49.0	1.1	57
1401482	Rock	2.47	6	2.6	24.8	5.8	51	<0.1	5.5	13.3	548	3.28	20.9	3.3	3.8	9.8	83	<0.1	1.4	<0.1	107
1401483	Rock	1.89	3	2.8	24.6	9.1	52	<0.1	5.7	12.7	481	3.11	2.7	4.0	<0.5	10.4	80	<0.1	1.2	<0.1	106
1401484	Rock	2.14	2	2.8	26.1	4.1	55	<0.1	6.2	13.7	503	3.41	1.9	2.9	<0.5	10.4	87	<0.1	0.7	<0.1	117
1401485	Rock	2.09	<2	2.6	29.2	7.3	58	<0.1	6.8	13.8	597	3.37	2.1	3.2	0.9	10.3	88	<0.1	1.9	<0.1	110
1401486	Rock	1.83	<2	1.9	22.6	6.1	60	0.1	6.2	14.7	847	3.65	2.8	3.1	<0.5	10.4	100	<0.1	4.5	<0.1	119
1401487	Rock	1.98	2	3.2	24.2	35.6	82	0.5	6.5	13.7	806	3.38	7.0	4.5	<0.5	11.3	90	0.3	3.7	<0.1	108
1401488	Rock	1.92	108	2.1	47.5	1234	1479	30.5	6.4	15.5	1650	4.11	239.7	3.7	122.8	9.2	74	15.6	43.4	0.1	96
1401489	Rock	2.19	2	2.3	26.6	15.5	65	0.5	6.1	14.5	941	3.52	4.2	2.6	<0.5	10.3	81	0.2	8.8	0.1	113
1401490	Rock	1.68	113	2.0	61.9	1619	2571	50.4	5.3	15.7	1364	4.33	186.4	3.3	125.6	9.4	101	28.8	206.6	<0.1	103
1401491	Rock	1.64	2	2.8	27.4	12.4	70	0.3	6.0	16.4	812	3.81	2.6	4.2	3.0	11.0	85	0.3	6.2	<0.1	131
1401492	Rock	1.78	4	3.3	23.6	13.0	69	0.3	6.0	13.6	630	3.38	6.2	4.2	1.5	11.7	84	0.2	4.6	<0.1	114

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

CERTIFICATE OF ANALYSIS WHI12000077.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1401463	Rock	1.89	0.080	17	27	1.58	979	0.220	<20	2.24	0.140	0.74	0.2	<0.01	0.4	<0.05	11.5	<0.5	8	<0.2
1401464	Rock	3.47	0.073	17	23	1.29	1144	0.250	<20	2.09	0.132	0.83	0.3	<0.01	0.4	<0.05	7.9	<0.5	6	<0.2
1401465	Rock	1.59	0.076	14	25	1.19	1135	0.263	<20	2.02	0.194	0.85	0.6	0.01	0.4	0.13	7.0	<0.5	6	<0.2
1401466	Rock	1.51	0.076	16	26	1.40	1192	0.268	<20	2.19	0.183	0.89	0.5	<0.01	0.4	0.10	8.2	<0.5	7	<0.2
1401467	Rock	2.13	0.069	16	25	1.30	995	0.208	<20	2.14	0.147	0.75	0.4	0.02	0.4	0.22	10.5	<0.5	7	<0.2
1401468	Rock	1.26	0.077	15	29	1.17	1119	0.263	<20	2.08	0.218	0.89	0.7	<0.01	0.4	0.21	6.6	<0.5	6	<0.2
1401469	Rock	1.52	0.066	14	26	1.09	948	0.210	<20	1.91	0.177	0.71	8.3	<0.01	0.4	0.27	7.3	<0.5	6	<0.2
1401470	Rock	1.83	0.076	15	26	1.26	939	0.224	<20	2.09	0.176	0.81	0.6	<0.01	0.4	0.59	9.6	<0.5	7	<0.2
1401471	Rock	1.69	0.068	16	25	1.25	1085	0.242	<20	2.15	0.169	0.84	0.3	<0.01	0.5	0.21	8.6	<0.5	6	<0.2
1401472	Rock	2.56	0.066	19	23	1.36	978	0.184	<20	1.99	0.132	0.73	0.2	<0.01	0.4	0.25	10.9	<0.5	6	<0.2
1401473	Rock	2.02	0.072	16	23	1.28	790	0.177	<20	1.92	0.130	0.60	3.2	<0.01	0.3	0.63	9.1	<0.5	6	<0.2
1401474	Rock	1.92	0.065	17	26	1.42	1030	0.203	<20	2.28	0.172	0.76	0.9	<0.01	0.4	0.21	10.2	<0.5	7	<0.2
1401475	Rock	1.98	0.065	18	27	1.47	1041	0.198	<20	2.27	0.148	0.72	1.0	<0.01	0.4	0.28	10.9	<0.5	7	<0.2
1401476	Rock	2.57	0.062	16	20	1.45	86	0.166	<20	2.10	0.113	0.74	0.4	0.01	0.6	1.77	12.7	<0.5	6	<0.2
1401477	Rock	1.55	0.070	16	28	1.29	1258	0.281	<20	2.32	0.233	0.96	0.4	<0.01	0.5	0.13	7.9	<0.5	7	<0.2
1401478	Rock	1.86	0.068	16	28	1.39	1210	0.257	<20	2.38	0.213	0.85	0.4	<0.01	0.6	0.22	9.2	<0.5	7	<0.2
1401479	Rock	1.47	0.071	15	29	1.33	1214	0.294	<20	2.04	0.174	0.82	0.6	<0.01	0.5	0.11	7.7	<0.5	7	<0.2
1401480	Rock Pulp	0.83	0.058	4	34	0.81	99	0.131	<20	1.60	0.078	0.13	13.2	<0.01	<0.1	<0.05	4.6	<0.5	5	<0.2
1401481	Rock Pulp	0.69	0.050	6	28	0.60	106	0.107	<20	1.20	0.077	0.11	2.0	0.28	1.1	0.36	4.3	<0.5	6	<0.2
1401482	Rock	1.32	0.068	15	27	1.19	1137	0.290	<20	2.17	0.236	0.83	0.8	<0.01	0.4	0.05	6.3	<0.5	7	<0.2
1401483	Rock	1.20	0.078	16	28	1.06	1214	0.314	<20	2.04	0.224	0.88	0.9	<0.01	0.4	<0.05	5.0	<0.5	6	<0.2
1401484	Rock	1.19	0.076	16	31	1.15	1342	0.343	<20	2.31	0.282	1.01	1.0	<0.01	0.6	0.05	6.0	<0.5	7	<0.2
1401485	Rock	1.22	0.070	16	30	1.22	1195	0.313	<20	2.17	0.235	0.87	0.8	<0.01	0.5	0.07	6.4	<0.5	7	<0.2
1401486	Rock	1.58	0.066	17	27	1.45	1146	0.247	<20	2.31	0.179	0.79	0.3	<0.01	0.5	0.05	8.8	<0.5	7	<0.2
1401487	Rock	1.54	0.073	17	30	1.17	1032	0.248	<20	2.19	0.224	0.81	0.6	<0.01	0.5	0.15	7.2	<0.5	6	<0.2
1401488	Rock	1.87	0.065	16	24	1.16	168	0.168	<20	1.97	0.142	0.66	0.4	<0.01	0.5	1.33	8.6	<0.5	6	<0.2
1401489	Rock	1.29	0.068	15	29	1.49	1052	0.256	<20	2.21	0.185	0.75	0.3	<0.01	0.4	0.08	7.9	<0.5	7	<0.2
1401490	Rock	2.44	0.072	17	25	1.37	406	0.144	<20	2.06	0.101	0.44	0.5	0.02	0.3	1.24	8.3	<0.5	7	<0.2
1401491	Rock	1.55	0.076	16	29	1.59	1122	0.268	<20	2.36	0.190	0.85	0.6	<0.01	0.4	0.06	9.6	<0.5	7	<0.2
1401492	Rock	1.44	0.069	15	29	1.24	1161	0.282	<20	2.14	0.201	0.83	0.6	<0.01	0.4	0.08	7.0	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

CERTIFICATE OF ANALYSIS WHI12000077.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401493	Rock	1.66	91	2.6	27.3	53.1	138	1.8	6.1	15.0	793	3.48	47.8	3.7	96.0	11.3	77	0.8	9.8	<0.1	116
1401494	Rock	1.96	<2	2.9	25.2	5.4	50	0.1	5.6	12.3	486	3.09	3.1	4.7	2.6	13.5	84	<0.1	2.9	<0.1	102
1401495	Rock	1.67	<2	3.2	24.4	4.4	49	<0.1	6.2	13.1	511	3.14	2.9	5.3	1.2	13.1	93	<0.1	2.2	<0.1	104
1401496	Rock	1.89	40	2.6	33.2	752.3	486	13.0	7.1	16.0	996	3.99	60.1	5.5	35.1	12.2	86	4.4	12.2	<0.1	107
1401497	Rock	2.22	2	2.6	19.4	20.7	65	0.3	4.9	11.0	564	2.75	1.1	5.6	<0.5	13.6	105	0.4	2.9	<0.1	86
1401498	Rock	2.05	3	2.8	38.3	23.7	73	0.6	6.3	15.8	680	3.80	3.3	2.9	2.6	9.4	89	0.2	2.1	<0.1	130
1401499	Rock	1.77	15	2.2	31.8	472.2	531	10.6	5.8	14.5	933	3.67	36.0	4.7	18.2	12.5	91	5.9	10.4	<0.1	105
1401500	Rock Pulp	0.12	<2	2.4	26.3	1.8	47	0.4	23.4	10.8	405	2.45	4.6	0.2	<0.5	0.8	42	0.2	0.2	<0.1	62
1401501	Rock Pulp	0.12	3753	10.4	73.5	511.9	1590	53.8	33.6	9.0	427	3.42	31.9	0.3	2842	1.3	36	16.2	52.7	1.0	59
1401502	Rock	1.93	<2	2.8	24.1	7.2	53	0.2	6.6	13.4	497	3.20	2.3	3.4	<0.5	12.6	72	0.1	1.5	<0.1	106
1401503	Rock	1.77	<2	2.9	28.0	6.4	59	0.2	5.7	14.8	721	3.57	5.1	3.5	1.0	12.9	111	<0.1	1.5	<0.1	114
1401504	Rock	1.88	<2	2.4	26.4	4.0	52	0.1	5.6	13.0	499	3.13	1.4	2.4	<0.5	10.4	71	<0.1	1.6	<0.1	106
1401505	Rock	1.90	21	2.1	26.3	158.9	237	3.2	5.2	15.4	1581	3.85	53.2	5.2	23.2	11.1	220	1.7	5.2	0.2	111
1401506	Rock	1.87	<2	1.7	21.4	6.6	56	<0.1	5.6	13.6	733	3.45	10.3	3.3	1.5	10.0	68	<0.1	6.9	0.1	106
1401507	Rock	1.90	<2	1.9	26.6	7.7	61	0.2	5.3	14.4	1056	3.57	16.7	3.9	3.5	12.1	73	0.2	4.5	0.1	108
1401508	Rock	1.89	30	2.3	25.5	16.6	89	0.3	6.6	15.8	1315	3.81	52.2	4.2	21.5	11.4	78	0.5	2.4	0.1	117
1401509	Rock	1.80	<2	2.7	28.7	4.2	50	0.1	8.7	13.4	545	3.31	2.7	3.2	0.8	10.5	73	<0.1	1.9	<0.1	108
1401510	Rock	2.47	6	2.7	24.7	19.9	67	0.4	6.6	15.6	1030	3.81	71.8	2.8	10.2	8.2	82	0.3	2.5	<0.1	110
1401511	Rock	1.66	<2	3.3	24.1	7.9	66	0.1	7.6	16.6	806	4.08	3.0	2.9	1.1	11.0	72	0.1	1.3	<0.1	125
1401512	Rock	1.86	<2	1.8	28.8	22.1	90	0.4	6.4	16.9	967	4.18	4.2	4.5	1.2	11.7	109	0.5	2.2	<0.1	125
1401513	Rock	1.55	2	2.2	25.8	72.6	209	1.1	6.7	16.1	925	3.91	8.9	3.5	5.7	10.1	145	1.8	2.3	<0.1	114
1401514	Rock	1.73	<2	2.4	24.8	5.1	59	0.1	6.8	15.3	669	3.80	3.1	2.6	<0.5	10.8	92	0.1	1.6	<0.1	120
1401515	Rock	1.41	9	1.6	31.8	18.0	74	0.3	8.7	14.0	653	3.34	166.0	1.8	11.4	9.0	46	0.2	3.9	0.5	92
1401516	Rock	2.16	5	1.7	32.7	6.0	61	0.3	7.4	14.6	766	3.63	44.5	1.9	6.9	9.7	40	0.2	2.4	0.1	103
1401517	Rock	2.39	5	1.7	34.3	27.0	296	0.8	7.1	15.8	1086	3.98	25.1	1.8	3.3	9.1	40	1.8	2.4	0.2	106
1401518	Rock	2.94	75	2.1	64.5	122.9	222	8.7	6.2	14.2	878	4.56	1312	2.0	82.5	9.3	55	1.8	15.9	5.2	65
1401519	Rock	1.96	529	2.4	52.4	222.2	1261	18.1	6.5	22.8	1809	5.38	>10000	3.8	520.0	8.2	65	28.5	34.2	4.7	66
1401520	Rock Pulp	0.12	2	2.2	24.6	2.4	43	0.2	23.5	10.4	394	2.38	6.3	0.3	28.9	0.8	39	0.2	0.3	<0.1	61
1401521	Rock Pulp	0.12	1388	8.3	48.4	5.9	52	0.2	33.2	9.5	500	3.31	7.5	0.3	668.7	0.9	43	0.2	0.9	<0.1	69
1401522	Rock	0.78	16	2.5	38.2	18.2	441	0.7	6.5	20.1	1484	4.63	1738	2.9	18.8	11.3	34	1.9	13.7	0.2	110

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

CERTIFICATE OF ANALYSIS WHI12000077.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1401493	Rock	1.63	0.077	16	27	1.26	1105	0.300	<20	2.04	0.185	0.77	0.7	<0.01	0.5	0.19	7.5	<0.5	7	<0.2
1401494	Rock	1.22	0.065	17	28	1.03	1169	0.286	<20	2.04	0.248	0.84	1.1	<0.01	0.5	0.07	5.5	<0.5	6	<0.2
1401495	Rock	1.39	0.065	17	30	1.07	1115	0.267	<20	2.07	0.248	0.78	0.8	<0.01	0.5	0.09	5.3	<0.5	6	<0.2
1401496	Rock	1.88	0.074	17	27	1.13	899	0.226	<20	2.04	0.151	0.78	0.6	<0.01	0.5	0.64	8.5	<0.5	7	<0.2
1401497	Rock	1.49	0.055	15	25	0.96	853	0.191	<20	2.01	0.253	0.61	0.8	0.01	0.3	0.06	5.7	<0.5	6	<0.2
1401498	Rock	1.38	0.081	14	29	1.42	983	0.268	<20	2.29	0.211	0.80	0.7	<0.01	0.4	0.09	7.2	<0.5	7	<0.2
1401499	Rock	1.95	0.069	17	26	1.22	897	0.213	<20	1.94	0.132	0.70	0.6	<0.01	0.4	0.38	7.8	<0.5	6	<0.2
1401500	Rock Pulp	0.81	0.061	4	32	0.79	92	0.120	<20	1.57	0.075	0.13	12.8	0.02	<0.1	<0.05	4.2	<0.5	5	<0.2
1401501	Rock Pulp	0.70	0.055	6	30	0.61	112	0.112	<20	1.22	0.077	0.11	2.4	0.22	1.2	0.37	4.7	<0.5	7	<0.2
1401502	Rock	1.07	0.071	17	30	1.16	1017	0.288	<20	1.92	0.181	0.83	0.8	<0.01	0.4	<0.05	5.5	<0.5	6	<0.2
1401503	Rock	1.68	0.078	20	30	1.31	1090	0.269	<20	2.19	0.212	0.83	0.6	<0.01	0.4	0.11	6.9	<0.5	7	<0.2
1401504	Rock	1.16	0.076	16	27	1.13	1005	0.304	<20	1.96	0.198	0.86	0.7	<0.01	0.5	<0.05	5.3	<0.5	6	<0.2
1401505	Rock	2.58	0.068	19	26	1.42	668	0.170	<20	2.29	0.200	0.55	0.4	<0.01	0.4	0.45	9.9	<0.5	7	<0.2
1401506	Rock	1.85	0.067	18	24	1.39	469	0.203	<20	1.95	0.147	0.35	0.5	<0.01	0.2	<0.05	9.9	<0.5	8	<0.2
1401507	Rock	1.73	0.075	18	24	1.34	756	0.224	<20	2.13	0.189	0.55	0.4	<0.01	0.3	0.20	8.6	<0.5	7	<0.2
1401508	Rock	2.18	0.079	19	27	1.44	903	0.210	<20	2.23	0.158	0.69	0.4	<0.01	0.4	0.19	10.0	<0.5	7	<0.2
1401509	Rock	1.33	0.071	17	34	1.21	1088	0.276	<20	2.17	0.238	0.81	0.7	<0.01	0.4	<0.05	6.3	<0.5	7	<0.2
1401510	Rock	2.41	0.071	16	25	1.41	720	0.161	<20	2.23	0.151	0.60	0.4	<0.01	0.3	0.31	9.7	<0.5	7	<0.2
1401511	Rock	2.39	0.079	18	31	1.77	336	0.139	<20	2.42	0.109	0.27	0.3	<0.01	0.1	<0.05	11.2	<0.5	8	<0.2
1401512	Rock	2.23	0.077	20	29	1.77	639	0.138	<20	2.53	0.114	0.52	0.2	<0.01	0.3	0.09	13.1	<0.5	8	<0.2
1401513	Rock	2.77	0.071	19	27	1.53	439	0.123	<20	2.44	0.123	0.39	0.3	<0.01	0.2	0.15	10.4	<0.5	8	<0.2
1401514	Rock	1.60	0.078	19	30	1.56	810	0.208	<20	2.32	0.158	0.64	0.3	<0.01	0.3	<0.05	9.9	<0.5	7	<0.2
1401515	Rock	0.67	0.058	18	20	0.83	430	0.136	<20	2.01	0.150	0.40	0.2	<0.01	0.3	<0.05	8.7	<0.5	6	<0.2
1401516	Rock	0.67	0.074	20	18	0.79	596	0.196	<20	1.78	0.129	0.59	0.2	0.02	0.5	<0.05	12.9	<0.5	6	<0.2
1401517	Rock	0.88	0.075	18	18	0.77	815	0.180	<20	1.69	0.108	0.79	0.1	0.01	0.5	<0.05	15.2	<0.5	6	<0.2
1401518	Rock	1.23	0.059	17	13	0.35	427	0.052	<20	0.99	0.043	0.53	0.3	0.04	0.4	0.14	11.5	<0.5	3	<0.2
1401519	Rock	2.81	0.070	20	11	0.12	338	0.002	<20	0.54	0.008	0.17	0.2	0.04	0.2	0.05	11.9	<0.5	2	<0.2
1401520	Rock Pulp	0.83	0.061	4	30	0.78	95	0.120	<20	1.58	0.079	0.14	11.6	<0.01	<0.1	<0.05	4.5	<0.5	5	<0.2
1401521	Rock Pulp	0.87	0.062	5	35	0.84	109	0.131	<20	1.78	0.103	0.16	0.2	0.04	<0.1	<0.05	5.1	<0.5	6	<0.2
1401522	Rock	3.02	0.075	27	14	0.23	689	0.024	<20	0.91	0.005	0.19	0.3	0.03	0.2	<0.05	19.4	<0.5	3	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

CERTIFICATE OF ANALYSIS WHI12000077.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401523	Rock	1.65	4	1.6	25.4	11.3	102	0.2	6.9	20.6	830	3.33	548.9	2.6	4.3	9.9	33	0.7	5.2	0.1	104
1401524	Rock	0.87	<2	1.8	22.8	13.8	82	0.1	7.6	22.2	1142	3.90	450.6	3.4	3.6	9.7	55	0.5	3.0	0.1	115
1401525	Rock	0.82	4	1.7	24.0	13.3	76	0.1	7.0	21.5	1143	3.87	309.4	3.5	2.3	9.7	59	0.4	2.8	0.2	115

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

CERTIFICATE OF ANALYSIS WHI12000077.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1401523	Rock	3.51	0.077	25	14	0.18	510	0.001	<20	0.70	0.002	0.07	<0.1	0.05	<0.1	<0.05	19.2	<0.5	2	<0.2
1401524	Rock	5.12	0.074	30	14	0.32	949	<0.001	<20	0.77	0.004	0.10	0.1	0.09	<0.1	<0.05	19.3	<0.5	2	<0.2
1401525	Rock	4.95	0.074	29	14	0.36	1092	<0.001	<20	0.65	0.004	0.09	0.1	0.07	<0.1	0.06	19.3	<0.5	2	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

QUALITY CONTROL REPORT WHI12000077.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1401405	Rock	0.97	3	2.8	33.9	14.4	88	0.3	6.0	16.8	878	4.27	26.5	2.5	2.6	9.6	79	0.3	3.6	0.2	121
REP 1401405	QC		2																		
1401433	Rock	1.74	3	1.8	27.5	7.8	55	0.2	6.3	12.6	624	3.05	21.8	2.6	8.2	9.5	99	<0.1	3.6	0.2	100
REP 1401433	QC			1.6	28.5	8.6	57	0.2	5.8	11.8	617	3.04	18.4	2.5	8.2	9.9	101	<0.1	3.7	0.2	98
1401441	Rock Pulp	0.12	3877	9.6	67.9	488.2	1607	55.3	30.5	8.3	415	3.23	32.9	0.4	3269	1.1	35	17.0	51.3	0.9	56
REP 1401441	QC		3627																		
1401460	Rock Pulp	0.12	4	2.5	25.2	2.4	47	0.3	24.1	11.0	417	2.43	5.3	0.2	0.9	0.9	40	0.1	0.2	<0.1	60
REP 1401460	QC			2.6	24.7	2.3	45	0.2	22.8	10.4	405	2.41	4.5	0.3	<0.5	1.0	40	0.2	0.2	<0.1	60
1401473	Rock	1.91	25	2.3	36.6	570.5	1472	9.1	6.6	16.3	1077	4.07	56.8	2.9	25.5	8.8	87	18.1	9.2	0.1	108
REP 1401473	QC		26																		
1401503	Rock	1.77	<2	2.9	28.0	6.4	59	0.2	5.7	14.8	721	3.57	5.1	3.5	1.0	12.9	111	<0.1	1.5	<0.1	114
REP 1401503	QC			3.0	28.3	6.4	57	0.2	6.5	15.0	707	3.50	5.0	3.3	<0.5	13.2	106	<0.1	1.6	<0.1	113
1401507	Rock	1.90	<2	1.9	26.6	7.7	61	0.2	5.3	14.4	1056	3.57	16.7	3.9	3.5	12.1	73	0.2	4.5	0.1	108
REP 1401507	QC		<2																		
Core Reject Duplicates																					
1401418	Rock	2.27	2	1.6	33.8	9.5	71	0.7	5.4	15.0	867	3.58	6.7	2.6	1.5	9.3	72	0.1	4.6	0.1	113
DUP 1401418	QC		3	1.8	34.4	9.9	69	0.7	6.5	15.6	900	3.59	6.6	2.7	1.2	8.8	82	0.1	4.1	0.2	114
1401453	Rock	2.14	<2	2.0	24.2	6.1	55	0.1	5.7	13.1	670	3.34	7.4	2.6	0.6	8.6	78	<0.1	2.4	<0.1	110
DUP 1401453	QC		<2	3.1	24.7	7.8	57	0.1	5.6	13.3	655	3.24	6.8	2.5	1.1	8.5	72	<0.1	2.3	<0.1	108
1401488	Rock	1.92	108	2.1	47.5	1234	1479	30.5	6.4	15.5	1650	4.11	239.7	3.7	122.8	9.2	74	15.6	43.4	0.1	96
DUP 1401488	QC		110	2.1	51.5	1268	1516	33.4	6.5	16.5	1693	4.26	235.6	4.0	122.1	9.9	72	15.7	43.8	<0.1	100
1401523	Rock	1.65	4	1.6	25.4	11.3	102	0.2	6.9	20.6	830	3.33	548.9	2.6	4.3	9.9	33	0.7	5.2	0.1	104
DUP 1401523	QC		2	1.5	27.0	11.6	106	0.2	7.0	21.6	872	3.48	552.4	2.9	2.2	10.5	35	0.6	5.0	0.1	108
Reference Materials																					
STD DS9	Standard			12.8	120.1	144.5	347	2.3	45.2	8.3	611	2.45	29.0	2.9	124.8	6.8	73	2.6	5.0	8.0	42
STD DS9	Standard			14.1	115.5	138.0	344	2.0	42.7	7.6	575	2.41	24.6	2.8	107.4	6.9	76	2.4	4.9	7.3	41
STD DS9	Standard			13.2	115.5	131.2	350	1.9	43.8	8.4	624	2.50	28.0	2.8	113.7	6.5	74	2.7	4.9	7.1	43
STD DS9	Standard			13.0	115.7	136.7	342	2.3	42.1	8.1	608	2.36	28.0	2.7	109.9	6.6	71	2.7	5.2	6.8	40

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

QUALITY CONTROL REPORT WHI12000077.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
1401405	Rock	1.66	0.077	18	20	1.13	1204	0.196	<20	2.28	0.127	0.75	19.6	0.03	0.6	<0.05	12.8	<0.5	7	<0.2
REP 1401405	QC																			
1401433	Rock	1.30	0.067	16	24	1.16	944	0.268	<20	2.12	0.199	0.61	0.6	<0.01	0.3	0.05	5.4	<0.5	7	<0.2
REP 1401433	QC	1.30	0.069	16	25	1.14	985	0.279	<20	2.08	0.194	0.61	0.5	<0.01	0.3	<0.05	5.8	<0.5	7	<0.2
1401441	Rock Pulp	0.70	0.055	6	27	0.60	113	0.104	<20	1.22	0.075	0.11	1.9	0.26	1.2	0.35	4.4	0.5	6	0.3
REP 1401441	QC																			
1401460	Rock Pulp	0.84	0.063	4	32	0.80	99	0.127	<20	1.62	0.080	0.13	13.6	<0.01	<0.1	<0.05	4.7	<0.5	5	<0.2
REP 1401460	QC	0.84	0.061	4	31	0.79	97	0.124	<20	1.59	0.077	0.13	12.9	0.01	<0.1	<0.05	4.7	<0.5	5	<0.2
1401473	Rock	2.02	0.072	16	23	1.28	790	0.177	<20	1.92	0.130	0.60	3.2	<0.01	0.3	0.63	9.1	<0.5	6	<0.2
REP 1401473	QC																			
1401503	Rock	1.68	0.078	20	30	1.31	1090	0.269	<20	2.19	0.212	0.83	0.6	<0.01	0.4	0.11	6.9	<0.5	7	<0.2
REP 1401503	QC	1.65	0.076	19	30	1.29	1063	0.272	<20	2.16	0.208	0.82	0.6	<0.01	0.5	0.11	7.0	<0.5	7	<0.2
1401507	Rock	1.73	0.075	18	24	1.34	756	0.224	<20	2.13	0.189	0.55	0.4	<0.01	0.3	0.20	8.6	<0.5	7	<0.2
REP 1401507	QC																			
Core Reject Duplicates																				
1401418	Rock	1.54	0.075	18	22	1.45	1102	0.242	<20	2.11	0.145	0.74	0.5	<0.01	0.4	0.10	8.1	<0.5	7	<0.2
DUP 1401418	QC	1.56	0.073	17	23	1.43	1132	0.248	<20	2.12	0.156	0.74	0.5	<0.01	0.4	0.09	8.0	<0.5	7	<0.2
1401453	Rock	1.68	0.072	15	25	1.21	1116	0.285	<20	2.05	0.199	0.77	0.6	<0.01	0.4	0.06	7.6	<0.5	7	<0.2
DUP 1401453	QC	1.58	0.074	15	25	1.18	1110	0.287	<20	1.96	0.182	0.76	0.6	<0.01	0.4	0.06	7.6	<0.5	7	<0.2
1401488	Rock	1.87	0.065	16	24	1.16	168	0.168	<20	1.97	0.142	0.66	0.4	<0.01	0.5	1.33	8.6	<0.5	6	<0.2
DUP 1401488	QC	1.91	0.072	17	25	1.20	209	0.182	<20	1.93	0.124	0.68	0.5	0.01	0.5	1.35	8.5	<0.5	6	<0.2
1401523	Rock	3.51	0.077	25	14	0.18	510	0.001	<20	0.70	0.002	0.07	<0.1	0.05	<0.1	<0.05	19.2	<0.5	2	<0.2
DUP 1401523	QC	3.61	0.079	26	15	0.19	543	0.001	<20	0.74	0.002	0.08	0.1	0.07	<0.1	<0.05	20.4	0.5	2	<0.2
Reference Materials																				
STD DS9	Standard	0.72	0.086	13	129	0.64	347	0.110	<20	0.95	0.080	0.41	2.9	0.22	6.2	0.18	2.6	6.3	5	6.4
STD DS9	Standard	0.73	0.084	14	125	0.63	342	0.116	<20	0.95	0.080	0.41	2.9	0.19	5.9	0.17	2.4	5.5	5	5.6
STD DS9	Standard	0.77	0.090	14	129	0.69	354	0.113	<20	1.00	0.087	0.42	3.3	0.21	6.1	0.17	2.3	4.9	5	6.1
STD DS9	Standard	0.72	0.087	12	124	0.65	340	0.110	<20	0.97	0.080	0.41	3.6	0.22	6.1	0.17	2.4	6.0	5	5.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

QUALITY CONTROL REPORT WHI12000077.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD OREAS45CA	Standard			1.0	494.6	21.2	62	0.3	246.4	90.2	919	16.42	4.4	1.2	43.0	7.2	15	0.2	0.1	0.2	209
STD OREAS45CA	Standard			1.2	506.7	20.3	61	0.3	247.2	93.3	908	16.22	4.0	1.2	43.5	7.2	14	<0.1	<0.1	0.2	211
STD OREAS45CA	Standard			0.8	531.9	20.6	69	0.3	254.3	97.3	981	17.41	3.9	1.2	43.7	7.0	15	<0.1	<0.1	0.1	217
STD OREAS45CA	Standard			0.9	521.3	20.0	61	0.3	262.1	95.2	962	15.68	3.6	1.2	40.7	7.3	15	<0.1	0.1	0.1	224
STD OXC88	Standard		199																		
STD OXC88	Standard		203																		
STD OXC88	Standard		206																		
STD OXC88	Standard		199																		
STD OXG99	Standard		930																		
STD OXG99	Standard		888																		
STD OXG99	Standard		888																		
STD OXG99	Standard		948																		
STD OXC88 Expected			203																		
STD OXG99 Expected			932																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	4	0.02	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	0.3	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

QUALITY CONTROL REPORT WHI12000077.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD OREAS45CA	Standard	0.44	0.041	16	672	0.16	161	0.136	<20	3.50	0.010	0.07	<0.1	0.03	0.1	<0.05	41.2	<0.5	19	<0.2
STD OREAS45CA	Standard	0.43	0.037	17	700	0.15	159	0.141	<20	3.56	0.009	0.08	<0.1	0.02	0.1	<0.05	40.8	<0.5	19	<0.2
STD OREAS45CA	Standard	0.46	0.042	17	791	0.13	174	0.131	<20	3.86	0.010	0.08	<0.1	0.02	<0.1	<0.05	47.8	<0.5	20	<0.2
STD OREAS45CA	Standard	0.43	0.038	16	768	0.12	165	0.140	<20	3.66	0.009	0.07	<0.1	0.02	<0.1	<0.05	45.9	1.0	20	<0.2
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXC88 Expected																				
STD OXG99 Expected																				
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

QUALITY CONTROL REPORT WHI12000077.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
G1-WHI	Prep Blank		<2	<0.1	3.3	15.7	50	<0.1	2.4	4.0	561	2.02	5.5	1.9	2.6	5.6	63	0.3	3.4	<0.1	39
G1-WHI	Prep Blank		3	<0.1	2.5	29.9	57	0.1	2.2	3.6	541	2.00	19.1	1.8	3.9	6.4	70	0.2	7.6	<0.1	39

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 18, 2012

QUALITY CONTROL REPORT WHI12000077.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
G1-WHI	Prep Blank	0.49	0.083	12	7	0.53	155	0.121	<20	0.90	0.083	0.49	<0.1	<0.01	0.3	<0.05	2.2	<0.5	5	<0.2
G1-WHI	Prep Blank	0.45	0.081	12	6	0.50	163	0.118	<20	0.88	0.080	0.47	<0.1	<0.01	0.4	<0.05	2.2	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: June 11, 2012
Report Date: June 26, 2012
Page: 1 of 6

CERTIFICATE OF ANALYSIS WHI12000078.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET007
P.O. Number
Number of Samples: 128

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	116	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	128	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	128	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Dayna
Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 26, 2012

CERTIFICATE OF ANALYSIS WHI12000078.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401526	Rock	1.54	<2	1.1	23.5	6.5	60	0.1	6.1	16.2	757	3.52	66.2	2.3	<0.5	9.8	70	0.2	1.4	<0.1	87
1401527	Rock	1.63	3	1.7	29.1	6.7	78	0.2	5.9	16.5	810	3.54	223.9	2.3	2.2	11.4	83	0.4	1.1	<0.1	96
1401528	Rock	1.58	3	2.6	31.8	4.2	59	0.1	6.0	17.4	995	3.68	26.7	2.7	<0.5	12.3	78	<0.1	0.7	<0.1	91
1401529	Rock	1.69	3	1.6	25.2	4.7	62	0.2	5.6	15.9	726	3.64	37.0	3.0	<0.5	12.3	75	0.2	0.4	<0.1	93
1401530	Rock	1.74	5	1.6	22.9	8.2	56	0.3	5.2	15.6	1368	3.68	44.9	3.1	2.2	11.4	76	0.2	0.6	0.3	73
1401531	Rock	1.46	9	1.7	23.7	6.7	62	0.3	5.4	14.9	1045	3.60	144.9	2.3	3.3	11.7	71	0.4	0.9	0.2	80
1401532	Rock	1.53	5	2.2	29.1	29.5	162	0.6	5.5	16.0	1395	3.88	229.3	3.0	1.6	11.2	55	3.0	1.5	0.4	76
1401533	Rock	1.78	<2	2.6	34.1	4.0	49	<0.1	5.2	13.4	576	3.07	7.8	2.5	<0.5	12.7	57	<0.1	0.6	<0.1	79
1401534	Rock	1.69	<2	1.7	24.3	4.3	50	<0.1	6.0	13.2	626	3.11	6.8	3.0	<0.5	12.0	75	<0.1	0.4	<0.1	83
1401535	Rock	1.83	<2	2.0	22.2	4.1	46	0.1	5.6	12.3	506	2.84	19.3	3.4	<0.5	11.8	68	<0.1	0.3	0.1	81
1401536	Rock	1.60	<2	1.8	21.9	3.8	49	<0.1	5.3	12.7	556	3.00	53.8	3.0	<0.5	12.7	63	0.1	0.4	<0.1	85
1401537	Rock	1.57	<2	2.1	22.4	3.9	47	<0.1	5.3	13.0	595	3.03	55.7	2.8	<0.5	13.1	63	<0.1	0.7	<0.1	85
1401538	Rock	1.71	<2	2.7	23.8	5.0	49	<0.1	5.5	12.8	565	3.04	17.4	3.5	3.0	14.2	76	<0.1	0.9	<0.1	82
1401539	Rock	1.59	<2	2.0	34.6	11.1	54	0.1	6.8	18.2	833	3.49	11.8	6.2	<0.5	11.8	93	0.1	4.1	<0.1	88
1401540	Rock Pulp	0.12	<2	2.5	25.5	2.4	45	0.3	25.1	10.9	421	2.43	4.4	0.3	<0.5	1.0	43	0.2	0.2	<0.1	59
1401541	Rock Pulp	0.13	4255	10.1	74.1	474.7	1714	55.9	33.0	8.7	429	3.24	32.0	0.3	2401	1.2	37	16.8	43.7	1.0	55
1401542	Rock	1.37	<2	2.8	36.1	8.9	49	0.1	7.8	21.7	647	2.87	48.1	3.5	4.9	12.9	39	0.2	4.1	0.2	96
1401543	Rock	2.43	4	1.5	24.2	23.1	80	0.2	5.9	13.8	718	3.28	7.5	4.0	1.3	12.3	65	0.8	1.5	<0.1	87
1401544	Rock	2.48	4	0.9	24.7	8.2	63	0.3	7.4	16.6	802	3.63	11.8	1.4	3.8	8.5	60	0.6	0.8	<0.1	109
1401545	Rock	2.50	8	1.0	25.1	4.7	66	0.1	6.6	17.1	1194	3.78	22.1	1.9	14.0	8.7	77	0.2	1.1	<0.1	116
1401546	Rock	1.26	12	2.0	31.4	86.4	230	1.6	7.7	18.9	1669	4.15	67.0	2.7	12.9	9.3	91	2.3	1.5	<0.1	123
1401547	Rock	1.27	5	3.0	26.6	28.5	82	0.3	6.1	18.3	1151	3.93	8.3	8.2	3.4	8.9	98	0.3	1.3	0.3	111
1401548	Rock	2.96	<2	2.1	23.4	4.3	56	<0.1	6.3	15.5	646	3.41	1.4	1.8	<0.5	10.3	90	0.1	0.3	<0.1	114
1401549	Rock	2.51	4	2.0	29.1	6.6	51	0.1	6.1	13.9	680	3.18	8.4	2.3	1.0	9.3	77	<0.1	0.6	<0.1	103
1401550	Rock	2.35	16	2.6	27.1	14.8	62	0.2	6.6	15.6	854	3.57	70.0	2.1	19.1	9.5	95	0.2	0.6	<0.1	110
1401551	Rock	3.45	<2	2.1	25.1	3.8	47	<0.1	5.8	13.6	545	3.12	2.9	1.6	<0.5	8.6	83	<0.1	0.3	<0.1	104
1401552	Rock	2.68	5	2.2	23.6	32.2	97	0.7	6.6	14.6	993	3.44	15.7	2.4	2.4	8.8	107	0.7	0.7	<0.1	114
1401553	Rock	3.71	25	2.8	24.3	83.2	114	1.2	6.4	14.5	915	3.49	64.2	2.6	24.0	8.9	89	0.9	1.1	<0.1	109
1401554	Rock	2.73	<2	1.7	22.8	5.1	63	<0.1	6.1	14.8	589	3.36	1.9	2.2	<0.5	9.7	94	<0.1	0.3	<0.1	112
1401555	Rock	2.82	4	1.8	21.6	34.5	85	0.4	6.4	15.2	1041	3.53	11.1	2.8	<0.5	9.2	98	0.5	1.8	<0.1	113

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 26, 2012

CERTIFICATE OF ANALYSIS WHI12000078.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1401526	Rock	3.21	0.070	20	16	0.66	490	0.077	<20	1.28	0.070	0.44	0.1	0.02	0.3	<0.05	12.9	<0.5	4	<0.2
1401527	Rock	1.96	0.074	19	19	0.89	568	0.150	<20	1.63	0.126	0.60	0.3	<0.01	0.3	<0.05	11.2	<0.5	6	<0.2
1401528	Rock	2.34	0.069	22	17	0.66	608	0.144	<20	1.34	0.094	0.64	0.2	0.03	0.4	<0.05	14.0	<0.5	4	<0.2
1401529	Rock	1.75	0.068	23	18	0.80	729	0.159	<20	1.61	0.113	0.72	0.2	0.02	0.5	<0.05	13.6	<0.5	5	<0.2
1401530	Rock	3.02	0.067	21	14	0.44	423	0.040	<20	0.96	0.056	0.35	<0.1	0.04	0.2	0.15	13.1	<0.5	3	<0.2
1401531	Rock	2.50	0.065	19	17	0.77	406	0.102	<20	1.45	0.113	0.48	0.1	0.04	0.3	0.10	10.5	<0.5	5	<0.2
1401532	Rock	2.20	0.066	20	15	0.60	352	0.069	<20	1.15	0.080	0.43	0.1	0.05	0.4	0.05	12.0	<0.5	4	<0.2
1401533	Rock	1.43	0.067	18	18	0.82	431	0.141	<20	1.48	0.117	0.52	0.2	0.01	0.3	<0.05	9.3	<0.5	5	<0.2
1401534	Rock	1.51	0.064	19	20	0.91	480	0.169	<20	1.65	0.158	0.55	0.3	<0.01	0.4	<0.05	7.9	<0.5	6	<0.2
1401535	Rock	1.33	0.064	18	22	0.94	485	0.206	<20	1.75	0.186	0.62	0.7	<0.01	0.4	0.05	6.1	<0.5	6	<0.2
1401536	Rock	1.11	0.067	18	21	0.89	568	0.212	<20	1.77	0.196	0.73	0.4	<0.01	0.5	<0.05	7.0	<0.5	6	<0.2
1401537	Rock	1.16	0.065	19	21	0.84	609	0.200	<20	1.71	0.176	0.73	0.3	<0.01	0.5	<0.05	8.1	<0.5	6	<0.2
1401538	Rock	1.44	0.063	19	19	0.88	569	0.182	<20	1.74	0.196	0.66	0.3	<0.01	0.5	<0.05	8.4	<0.5	6	<0.2
1401539	Rock	3.54	0.068	21	15	1.38	167	0.023	<20	0.91	0.030	0.17	<0.1	0.09	0.2	0.12	16.6	<0.5	3	<0.2
1401540	Rock Pulp	0.84	0.062	4	31	0.82	98	0.123	<20	1.65	0.080	0.13	12.4	0.01	<0.1	<0.05	4.6	<0.5	5	<0.2
1401541	Rock Pulp	0.72	0.053	5	29	0.61	114	0.113	<20	1.25	0.079	0.11	2.2	0.22	1.0	0.35	4.7	<0.5	7	<0.2
1401542	Rock	1.65	0.077	23	14	0.47	360	0.002	<20	0.75	0.004	0.05	<0.1	0.10	0.2	0.10	20.3	<0.5	2	<0.2
1401543	Rock	1.65	0.063	22	17	0.95	599	0.167	<20	1.64	0.100	0.71	0.2	0.02	0.5	0.08	10.8	<0.5	6	<0.2
1401544	Rock	0.98	0.087	14	23	1.13	911	0.209	<20	2.32	0.166	0.54	0.1	<0.01	0.4	<0.05	8.6	<0.5	7	<0.2
1401545	Rock	2.83	0.084	16	22	1.23	766	0.152	<20	2.24	0.109	0.55	0.1	<0.01	0.3	<0.05	12.5	<0.5	7	<0.2
1401546	Rock	3.20	0.087	19	26	1.49	789	0.167	<20	2.36	0.119	0.60	0.2	<0.01	0.3	0.19	12.3	<0.5	8	<0.2
1401547	Rock	4.65	0.083	22	20	0.99	508	0.059	<20	2.02	0.073	0.38	<0.1	0.02	0.2	<0.05	18.1	<0.5	7	<0.2
1401548	Rock	1.70	0.076	16	26	1.27	1200	0.273	<20	2.40	0.226	0.91	0.3	<0.01	0.5	<0.05	8.1	<0.5	7	<0.2
1401549	Rock	1.45	0.077	15	24	1.19	1134	0.268	<20	2.11	0.186	0.80	0.4	<0.01	0.4	<0.05	6.0	<0.5	7	<0.2
1401550	Rock	1.65	0.086	16	27	1.30	1043	0.246	<20	2.35	0.228	0.77	0.5	<0.01	0.4	<0.05	7.2	<0.5	7	<0.2
1401551	Rock	1.36	0.082	14	25	1.21	1157	0.271	<20	2.24	0.242	0.90	0.5	<0.01	0.4	<0.05	5.6	<0.5	7	<0.2
1401552	Rock	2.64	0.083	16	27	1.34	1174	0.284	<20	2.39	0.223	0.94	0.3	<0.01	0.4	<0.05	7.6	<0.5	7	<0.2
1401553	Rock	2.07	0.082	16	25	1.30	1194	0.279	<20	2.27	0.216	0.95	0.3	0.01	0.4	0.15	6.7	<0.5	7	<0.2
1401554	Rock	1.43	0.080	15	26	1.32	1292	0.290	<20	2.39	0.250	0.93	0.5	<0.01	0.4	<0.05	6.5	<0.5	7	<0.2
1401555	Rock	2.35	0.078	16	25	1.37	1097	0.247	<20	2.37	0.194	0.91	0.3	<0.01	0.4	0.12	8.9	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 26, 2012

CERTIFICATE OF ANALYSIS WHI12000078.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401556	Rock	3.13	7	1.8	24.6	21.5	100	0.4	6.4	17.4	887	3.77	22.9	2.6	3.0	8.7	96	0.7	1.8	<0.1	118
1401557	Rock	2.79	36	2.4	33.0	44.2	135	0.9	7.0	17.6	1533	4.04	166.5	2.5	34.8	8.8	82	1.2	2.3	<0.1	108
1401558	Rock	3.60	158	3.9	47.1	575.8	443	22.4	5.7	15.2	1099	3.74	201.2	2.6	161.5	9.2	80	5.2	53.3	0.1	103
1401559	Rock	1.99	43	3.4	37.5	392.2	671	6.6	6.8	17.7	984	4.72	64.6	2.2	22.9	7.5	60	6.3	12.8	0.2	133
1401560	Rock Pulp	0.13	2	2.5	23.9	2.3	46	0.2	24.0	10.7	412	2.53	5.0	0.3	1.4	0.8	35	0.1	0.2	<0.1	62
1401561	Rock Pulp	0.13	1502	8.7	46.9	5.9	53	0.3	32.5	9.4	491	3.41	6.8	0.3	1761	0.9	39	0.1	0.9	0.1	69
1401562	Rock	3.16	16	1.9	34.3	89.1	306	1.2	6.8	17.4	848	4.31	22.7	1.5	4.5	7.5	65	3.1	4.4	<0.1	135
1401563	Rock	2.71	3	1.5	23.8	10.7	70	0.2	5.4	15.1	777	3.61	14.4	1.4	<0.5	9.6	84	0.8	4.0	<0.1	119
1401564	Rock	2.43	<2	1.2	25.8	7.5	80	0.1	5.5	14.0	523	3.25	15.0	1.2	<0.5	8.3	62	1.2	3.7	<0.1	109
1401565	Rock	2.50	<2	1.5	29.0	111.3	145	1.4	6.3	14.9	582	3.74	8.4	1.6	0.6	8.2	67	1.3	2.8	<0.1	119
1401566	Rock	2.50	6	2.1	30.0	9.8	59	0.2	5.7	13.6	548	3.32	5.3	1.5	<0.5	8.3	67	0.4	1.8	<0.1	107
1401567	Rock	2.54	<2	1.8	25.2	3.9	47	<0.1	5.5	13.3	492	3.19	1.4	1.6	<0.5	8.1	65	<0.1	1.0	<0.1	105
1401568	Rock	1.93	13	1.5	26.9	90.9	256	0.8	5.0	18.2	1050	4.56	21.8	2.7	15.4	8.7	133	2.9	1.7	<0.1	108
1401569	Rock	2.95	73	1.1	45.3	461.0	811	6.8	6.2	19.5	1045	4.62	72.7	2.9	75.0	8.3	76	10.8	4.2	<0.1	104
1401570	Rock	2.66	<2	1.3	22.6	8.6	90	0.1	6.2	18.3	941	4.46	2.3	2.3	4.5	8.6	112	0.2	0.9	<0.1	108
1401571	Rock	2.26	35	1.2	32.0	10.7	88	0.2	6.9	21.4	1184	5.12	13.7	2.6	31.0	8.7	99	0.3	0.8	<0.1	121
1401572	Rock	2.78	115	1.3	34.8	254.9	530	5.6	7.3	20.8	1354	4.97	302.5	2.3	110.2	8.6	70	6.3	2.6	<0.1	109
1401573	Rock	3.17	10	1.6	29.2	18.6	132	0.3	7.1	20.6	1171	5.02	13.5	2.0	15.4	7.9	94	0.8	0.5	<0.1	128
1401574	Rock	2.39	<2	1.6	29.1	36.4	88	0.5	6.6	18.5	957	4.46	4.7	2.2	5.4	8.1	99	0.3	0.8	<0.1	115
1401575	Rock	1.19	<2	1.3	28.2	34.5	81	0.5	6.5	18.3	943	4.41	2.5	2.2	2.9	7.8	98	0.3	0.6	<0.1	115
1401576	Rock	2.82	<2	1.1	28.6	34.3	86	0.4	5.0	14.4	820	3.55	4.2	2.0	2.5	8.7	102	0.7	0.7	<0.1	88
1401577	Rock	3.07	147	2.0	33.8	226.9	338	4.0	6.9	19.1	1029	4.76	107.0	2.5	156.1	9.5	96	4.3	2.1	0.1	116
1401578	Rock	2.29	5	2.2	22.6	11.7	84	0.2	7.0	19.4	938	4.58	11.4	2.2	14.1	8.7	118	0.2	1.6	<0.1	114
1401579	Rock	2.66	57	1.3	21.9	47.6	102	1.0	5.8	19.4	1190	4.38	129.0	3.0	65.5	7.6	125	0.7	2.9	0.1	105
1401580	Rock Pulp	0.12	<2	2.7	25.2	2.5	48	0.6	26.1	11.2	435	2.63	5.0	0.3	3.4	1.0	40	0.3	0.2	<0.1	66
1401581	Rock Pulp	0.12	4244	10.7	70.3	544.2	1688	58.1	33.1	9.1	443	3.66	33.3	0.3	4622	1.1	34	17.0	46.6	0.7	63
1401582	Rock	2.36	2	1.8	24.8	19.2	97	0.2	5.1	17.3	999	4.35	9.4	3.0	<0.5	7.7	110	0.4	4.0	<0.1	144
1401583	Rock	2.53	3	1.6	27.5	16.9	144	0.1	6.7	20.4	882	5.24	4.1	4.3	0.6	9.0	92	0.5	2.2	<0.1	159
1401584	Rock	2.32	<2	1.3	50.9	6.4	74	0.2	6.7	18.2	910	4.74	4.0	4.3	<0.5	8.7	101	0.2	5.6	<0.1	119
1401585	Rock	2.46	53	1.8	24.4	159.5	371	2.2	7.0	19.1	2082	4.70	178.8	5.2	45.1	8.4	102	4.0	3.6	<0.1	99

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 26, 2012

CERTIFICATE OF ANALYSIS WHI12000078.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1401556	Rock	2.33	0.078	19	24	1.22	1006	0.209	<20	2.58	0.183	0.84	0.1	<0.01	0.4	<0.05	11.6	<0.5	8	<0.2
1401557	Rock	2.02	0.081	15	23	1.27	148	0.228	<20	2.20	0.193	0.90	0.2	<0.01	0.5	0.79	9.1	<0.5	7	<0.2
1401558	Rock	1.80	0.075	16	23	1.18	962	0.187	<20	2.20	0.175	0.75	0.2	<0.01	0.4	0.24	8.6	<0.5	7	<0.2
1401559	Rock	1.44	0.083	16	25	1.28	1190	0.188	<20	2.43	0.114	0.87	0.1	<0.01	0.4	<0.05	12.5	<0.5	8	<0.2
1401560	Rock Pulp	0.82	0.061	4	32	0.81	95	0.107	<20	1.59	0.078	0.13	12.4	<0.01	<0.1	<0.05	4.3	<0.5	5	<0.2
1401561	Rock Pulp	0.85	0.059	5	35	0.84	104	0.119	<20	1.73	0.096	0.15	0.3	0.07	<0.1	<0.05	5.0	<0.5	6	<0.2
1401562	Rock	1.48	0.093	16	25	1.37	1433	0.282	<20	2.38	0.140	1.04	0.2	<0.01	0.5	<0.05	9.3	<0.5	7	<0.2
1401563	Rock	1.73	0.076	16	23	1.32	1062	0.231	<20	2.23	0.134	0.78	0.2	<0.01	0.4	<0.05	7.5	<0.5	7	<0.2
1401564	Rock	1.19	0.074	15	22	1.18	1128	0.229	<20	2.08	0.139	0.78	0.2	<0.01	0.4	<0.05	5.9	<0.5	6	<0.2
1401565	Rock	1.31	0.083	16	26	1.31	1275	0.263	<20	2.23	0.173	0.86	0.2	<0.01	0.4	0.07	7.4	<0.5	7	<0.2
1401566	Rock	1.37	0.078	14	23	1.16	1204	0.238	<20	2.08	0.171	0.76	0.3	<0.01	0.4	<0.05	5.9	<0.5	6	<0.2
1401567	Rock	1.22	0.080	14	24	1.13	1331	0.251	<20	2.00	0.174	0.82	0.6	<0.01	0.4	<0.05	5.4	<0.5	6	<0.2
1401568	Rock	5.51	0.066	21	15	2.19	940	0.117	<20	1.72	0.034	0.66	0.1	<0.01	0.4	0.10	14.9	<0.5	6	<0.2
1401569	Rock	2.71	0.079	20	17	1.50	1070	0.119	<20	1.77	0.050	0.76	<0.1	0.04	0.4	0.36	17.2	<0.5	6	<0.2
1401570	Rock	2.22	0.075	18	19	1.39	996	0.113	<20	1.72	0.097	0.71	<0.1	<0.01	0.4	<0.05	17.4	<0.5	5	<0.2
1401571	Rock	2.14	0.083	22	21	1.56	1227	0.130	<20	1.78	0.097	0.82	<0.1	<0.01	0.5	0.10	19.6	<0.5	6	<0.2
1401572	Rock	2.34	0.077	21	19	1.63	898	0.099	<20	1.68	0.060	0.75	<0.1	0.03	0.5	0.54	17.5	<0.5	5	<0.2
1401573	Rock	2.44	0.092	22	23	1.78	1511	0.176	<20	1.88	0.101	1.02	<0.1	<0.01	0.5	0.08	19.9	<0.5	6	<0.2
1401574	Rock	2.32	0.081	19	22	1.63	1270	0.164	<20	1.87	0.128	0.89	<0.1	<0.01	0.5	0.07	15.9	<0.5	6	<0.2
1401575	Rock	2.28	0.080	18	22	1.59	1266	0.169	<20	1.90	0.136	0.90	<0.1	<0.01	0.5	0.07	15.4	<0.5	6	<0.2
1401576	Rock	2.45	0.063	17	18	1.43	1035	0.110	<20	1.66	0.143	0.65	<0.1	<0.01	0.4	0.08	11.6	<0.5	5	<0.2
1401577	Rock	1.85	0.079	20	21	1.41	1285	0.153	<20	1.90	0.131	0.94	0.1	0.02	0.6	0.25	17.2	<0.5	6	<0.2
1401578	Rock	2.19	0.074	20	23	1.39	1225	0.156	<20	2.19	0.133	0.88	<0.1	<0.01	0.5	<0.05	16.6	<0.5	7	<0.2
1401579	Rock	4.53	0.073	19	16	1.68	452	0.049	<20	1.46	0.031	0.36	<0.1	0.07	0.2	0.16	16.9	<0.5	5	<0.2
1401580	Rock Pulp	0.91	0.062	5	34	0.85	106	0.126	<20	1.72	0.086	0.14	12.6	0.01	<0.1	<0.05	5.0	<0.5	6	<0.2
1401581	Rock Pulp	0.78	0.055	6	30	0.64	118	0.110	<20	1.32	0.086	0.12	2.0	0.24	1.3	0.39	4.7	<0.5	7	<0.2
1401582	Rock	4.90	0.076	17	17	1.97	38	0.002	<20	0.99	0.008	0.09	<0.1	0.08	<0.1	0.12	21.7	<0.5	4	<0.2
1401583	Rock	2.99	0.085	20	21	1.71	606	0.066	<20	1.86	0.013	0.43	<0.1	0.05	0.3	<0.05	23.9	<0.5	7	<0.2
1401584	Rock	2.65	0.081	21	20	1.34	696	0.060	<20	1.91	0.098	0.53	<0.1	0.05	0.3	<0.05	19.1	<0.5	6	<0.2
1401585	Rock	3.81	0.072	17	18	1.85	668	0.074	<20	1.88	0.075	0.54	0.1	0.04	0.3	0.54	13.1	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 26, 2012

CERTIFICATE OF ANALYSIS WHI12000078.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401586	Rock	3.00	<2	2.3	27.2	4.0	54	<0.1	7.3	14.1	585	3.52	2.3	2.7	4.9	9.1	73	0.2	0.7	<0.1	114
1401587	Rock	3.35	<2	2.1	26.2	6.2	65	0.1	7.4	17.3	729	4.10	4.4	2.4	3.7	9.4	77	0.1	0.8	<0.1	125
1401588	Rock	2.56	7	2.6	28.4	18.3	101	0.3	6.9	16.3	857	3.96	44.5	3.2	12.1	9.2	70	0.7	0.7	<0.1	119
1401589	Rock	2.78	4	2.5	29.2	5.0	57	0.1	6.5	15.2	766	3.77	15.4	2.5	5.6	9.3	87	0.1	0.7	<0.1	116
1401590	Rock	1.58	7	2.3	29.5	12.1	86	0.2	6.9	16.0	867	3.93	38.7	2.3	8.9	9.4	72	0.3	0.7	<0.1	115
1401591	Rock	2.15	2	2.3	25.0	5.6	58	0.1	6.3	15.1	865	3.77	7.5	3.2	1.8	8.9	78	<0.1	0.4	<0.1	113
1401592	Rock	2.04	<2	1.8	24.2	4.1	64	<0.1	6.7	17.5	754	4.28	1.3	3.5	<0.5	8.7	75	<0.1	1.6	<0.1	127
1401593	Rock	2.82	56	1.7	26.3	128.5	206	1.5	6.4	16.8	1282	4.23	59.7	3.8	24.8	8.2	106	2.2	1.6	<0.1	125
1401594	Rock	2.83	6	1.6	30.9	54.9	103	0.5	6.0	15.2	836	3.56	18.0	2.7	4.8	9.7	75	0.7	1.2	<0.1	109
1401595	Rock	2.30	4	1.5	26.4	5.1	62	<0.1	6.3	16.0	607	3.66	5.1	5.6	<0.5	9.9	78	<0.1	1.6	<0.1	108
1401596	Rock	2.59	8	1.9	28.7	45.6	238	0.6	6.4	14.2	822	3.63	22.2	3.4	6.9	9.1	88	2.4	5.6	<0.1	116
1401597	Rock	2.69	145	1.9	101.3	4806	2219	55.7	6.4	15.8	2051	4.47	190.1	3.3	148.4	7.4	91	40.1	31.3	<0.1	96
1401598	Rock	2.81	8	2.8	34.0	45.1	102	0.7	6.5	13.5	646	3.37	15.0	3.1	10.9	9.9	75	0.6	2.0	<0.1	110
1401599	Rock	2.09	23	3.2	52.7	818.0	674	11.0	6.8	13.8	600	3.48	45.3	2.8	17.1	10.5	73	9.2	11.9	0.2	116
1401600	Rock Pulp	0.13	2	2.6	27.5	2.8	50	0.5	25.3	10.8	434	2.60	5.2	0.3	<0.5	1.0	43	0.3	0.2	<0.1	66
1401601	Rock Pulp	0.12	1409	8.9	51.7	6.6	56	0.3	33.7	9.5	511	3.41	7.2	0.3	1462	1.1	45	0.1	0.9	0.2	70
1401602	Rock	1.97	3	1.9	30.4	77.1	138	0.8	6.1	14.6	640	3.38	6.9	2.5	1.9	9.7	69	0.8	2.6	0.2	113
1401603	Rock	3.23	79	3.2	36.3	358.8	426	9.7	7.1	14.1	742	3.52	74.0	4.4	83.9	11.6	75	5.1	7.5	0.1	115
1401604	Rock	3.14	89	3.4	35.5	138.9	280	2.2	7.0	16.6	1583	4.05	134.1	2.4	91.4	9.2	82	3.9	3.0	0.1	125
1401605	Rock	2.94	81	2.7	60.8	871.7	2633	7.8	6.8	17.1	1338	4.23	87.1	6.4	114.8	9.7	71	41.8	7.6	0.2	103
1401606	Rock	2.14	71	2.5	36.2	132.6	150	2.1	6.9	14.9	830	3.54	45.9	3.3	84.9	9.0	78	1.5	1.8	<0.1	121
1401607	Rock	1.86	<2	2.5	31.4	9.4	67	0.1	7.3	14.8	534	3.43	2.3	2.3	5.3	10.7	68	0.2	1.3	0.1	123
1401608	Rock	2.82	26	2.7	28.0	36.7	101	0.6	7.0	13.5	568	3.28	27.3	2.7	27.0	9.4	74	0.5	1.1	<0.1	114
1401609	Rock	2.94	3	2.6	32.3	9.7	64	0.2	7.5	15.5	650	3.72	5.5	2.4	2.3	8.4	81	0.2	0.9	<0.1	128
1401610	Rock	2.93	26	2.5	30.1	65.9	173	0.8	7.4	16.9	730	3.98	13.8	3.1	26.8	9.7	92	1.6	1.1	<0.1	136
1401611	Rock	3.02	<2	1.9	28.3	4.7	64	<0.1	6.6	16.3	822	3.60	1.3	2.9	<0.5	9.2	85	<0.1	2.2	0.1	120
1401612	Rock	3.14	331	1.9	80.2	1302	838	26.8	7.2	16.9	1194	4.57	232.2	4.3	338.1	9.5	80	12.2	17.0	0.1	119
1401613	Rock	3.07	256	2.3	58.8	1174	1822	17.0	6.9	15.2	758	3.88	264.5	2.1	272.2	8.8	74	27.8	10.8	<0.1	114
1401614	Rock	3.12	4	2.4	32.8	24.0	97	0.4	7.3	15.9	667	3.87	12.0	2.6	11.2	8.8	90	0.5	1.0	0.1	134
1401615	Rock	1.56	225	2.7	49.6	362.2	1396	5.0	7.0	15.5	759	3.93	229.1	2.3	225.2	9.2	83	23.0	3.2	0.2	128

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 26, 2012

CERTIFICATE OF ANALYSIS WHI12000078.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1401586	Rock	1.41	0.076	15	27	1.30	1184	0.247	<20	2.22	0.200	0.90	0.4	<0.01	0.5	<0.05	7.1	<0.5	7	<0.2
1401587	Rock	1.80	0.081	18	27	1.51	1005	0.170	<20	2.40	0.154	0.71	0.3	0.01	0.4	0.09	10.6	<0.5	7	<0.2
1401588	Rock	1.61	0.089	17	27	1.40	1141	0.232	<20	2.24	0.177	0.86	0.4	<0.01	0.5	0.16	7.7	<0.5	7	<0.2
1401589	Rock	1.68	0.080	16	27	1.36	1183	0.241	<20	2.29	0.217	0.90	0.4	<0.01	0.4	0.13	7.6	<0.5	7	<0.2
1401590	Rock	1.74	0.082	16	28	1.42	888	0.196	<20	2.22	0.177	0.69	0.4	<0.01	0.4	0.19	8.3	<0.5	7	<0.2
1401591	Rock	1.74	0.079	17	26	1.39	980	0.199	<20	2.27	0.211	0.73	0.6	<0.01	0.4	0.09	8.9	<0.5	7	<0.2
1401592	Rock	1.85	0.078	18	25	1.46	1091	0.186	<20	2.41	0.143	0.83	0.1	<0.01	0.4	<0.05	12.1	<0.5	7	<0.2
1401593	Rock	3.20	0.075	18	24	1.42	1030	0.175	<20	2.41	0.164	0.82	0.2	<0.01	0.4	0.24	12.7	<0.5	7	<0.2
1401594	Rock	1.67	0.081	16	24	1.25	1110	0.230	<20	2.13	0.165	0.90	0.2	<0.01	0.4	0.15	8.4	<0.5	6	<0.2
1401595	Rock	1.63	0.085	18	23	1.26	969	0.192	<20	2.13	0.155	0.85	0.2	0.01	0.5	0.09	11.0	<0.5	6	<0.2
1401596	Rock	1.98	0.083	17	26	1.23	950	0.220	<20	2.27	0.205	0.87	0.4	<0.01	0.4	0.26	9.3	<0.5	7	<0.2
1401597	Rock	3.15	0.079	13	23	1.56	98	0.128	<20	1.97	0.138	0.60	0.4	0.02	0.4	1.71	10.9	<0.5	6	<0.2
1401598	Rock	1.45	0.085	16	29	1.24	962	0.246	<20	2.19	0.210	0.81	1.2	<0.01	0.4	0.08	7.0	<0.5	6	<0.2
1401599	Rock	1.30	0.086	16	29	1.33	1133	0.258	<20	2.20	0.188	0.87	2.2	<0.01	0.4	0.21	6.6	<0.5	7	<0.2
1401600	Rock Pulp	0.89	0.066	4	33	0.84	106	0.130	<20	1.72	0.087	0.14	12.4	0.02	<0.1	<0.05	4.9	<0.5	6	<0.2
1401601	Rock Pulp	0.89	0.065	5	36	0.87	116	0.139	<20	1.83	0.103	0.16	0.2	0.08	<0.1	<0.05	5.5	<0.5	6	<0.2
1401602	Rock	1.46	0.086	16	27	1.43	881	0.233	<20	2.12	0.153	0.60	0.8	<0.01	0.3	0.07	6.9	<0.5	7	<0.2
1401603	Rock	1.33	0.089	16	29	1.33	1231	0.269	<20	2.20	0.199	0.86	2.2	<0.01	0.4	0.28	6.6	<0.5	6	<0.2
1401604	Rock	2.09	0.088	17	29	1.64	797	0.210	<20	2.24	0.147	0.62	0.5	<0.01	0.3	0.41	9.6	<0.5	7	<0.2
1401605	Rock	2.24	0.080	16	25	1.25	132	0.139	<20	2.08	0.145	0.56	0.5	0.01	0.3	1.10	9.8	<0.5	6	<0.2
1401606	Rock	1.50	0.087	16	31	1.32	1029	0.258	<20	2.23	0.216	0.82	0.9	<0.01	0.4	0.17	6.9	<0.5	7	<0.2
1401607	Rock	1.23	0.089	15	31	1.29	1467	0.319	<20	2.18	0.209	0.95	0.9	<0.01	0.4	0.05	6.0	<0.5	7	<0.2
1401608	Rock	1.37	0.081	16	30	1.23	1199	0.287	<20	2.20	0.223	0.88	0.8	<0.01	0.4	0.07	6.1	<0.5	7	<0.2
1401609	Rock	1.54	0.087	15	33	1.43	1227	0.297	<20	2.39	0.226	0.95	0.7	<0.01	0.4	0.08	7.3	<0.5	7	<0.2
1401610	Rock	1.86	0.087	17	31	1.49	1234	0.264	<20	2.57	0.226	0.95	0.5	<0.01	0.5	0.12	11.0	<0.5	8	<0.2
1401611	Rock	2.21	0.082	18	27	1.31	1101	0.220	<20	2.27	0.155	0.84	0.3	<0.01	0.4	0.05	9.9	<0.5	6	<0.2
1401612	Rock	2.38	0.081	16	25	1.38	144	0.193	<20	2.24	0.164	0.83	0.4	0.01	0.4	0.89	13.1	<0.5	7	<0.2
1401613	Rock	1.53	0.084	15	29	1.28	613	0.256	<20	2.21	0.208	0.89	0.8	<0.01	0.4	0.68	7.3	<0.5	7	<0.2
1401614	Rock	1.64	0.091	16	33	1.40	1236	0.282	<20	2.57	0.257	1.00	0.6	<0.01	0.5	0.07	8.7	<0.5	7	<0.2
1401615	Rock	1.66	0.087	16	30	1.37	851	0.253	<20	2.33	0.220	0.91	0.9	<0.01	0.5	0.46	9.2	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 26, 2012

CERTIFICATE OF ANALYSIS WHI12000078.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401616	Rock	1.98	427	2.0	77.1	2058	2822	34.6	7.1	15.7	1572	4.97	998.3	2.3	455.5	7.5	62	40.4	25.1	0.2	101
1401617	Rock	3.04	417	1.5	60.6	1111	2678	13.9	6.5	17.7	1539	5.03	424.1	3.1	443.0	8.0	86	41.0	10.8	0.3	123
1401618	Rock	2.65	372	1.8	39.3	713.7	614	11.4	7.3	17.6	1349	4.84	496.2	3.7	379.8	6.8	94	8.2	8.6	0.3	100
1401619	Rock	3.10	10	3.0	29.9	51.4	94	0.7	8.3	14.1	536	3.49	11.8	2.3	2.8	8.8	68	0.6	1.7	0.2	120
1401620	Rock Pulp	0.12	<2	2.5	26.9	2.6	50	0.3	25.2	10.7	419	2.56	5.3	0.3	<0.5	1.1	43	0.3	0.2	<0.1	66
1401621	Rock Pulp	0.12	4077	9.9	73.6	505.1	1606	54.4	32.0	8.7	415	3.47	33.2	0.3	2939	1.1	35	17.5	46.5	1.2	57
1401622	Rock	3.01	2	2.6	34.9	10.4	61	0.2	8.2	14.3	507	3.25	6.0	2.4	10.3	9.0	80	0.2	2.1	<0.1	115
1401623	Rock	1.94	16	2.5	39.2	138.1	833	1.7	7.1	15.4	642	3.85	49.6	2.3	11.4	8.7	68	8.7	5.2	<0.1	132
1401624	Rock	1.99	39	2.6	34.2	161.4	173	1.5	6.3	14.0	551	3.40	61.8	2.0	40.0	9.8	79	1.1	2.6	<0.1	121
1401625	Rock	1.00	14	2.5	29.8	52.0	150	0.4	6.7	15.1	563	3.54	29.3	1.9	15.7	9.5	76	0.9	2.9	0.3	123
1401626	Rock	1.64	10	2.7	29.5	99.0	226	1.6	6.7	14.1	541	3.43	27.7	1.8	8.7	9.7	79	1.3	2.9	<0.1	119
1401627	Rock	3.18	17	2.7	33.3	74.9	121	0.9	7.3	14.2	575	3.42	19.3	2.3	16.6	10.3	80	1.5	1.7	0.1	118
1401628	Rock	2.90	<2	2.3	30.7	7.9	95	<0.1	6.1	13.7	508	3.23	32.7	1.8	<0.5	9.7	86	0.6	3.0	0.1	115
1401629	Rock	2.92	19	2.0	47.2	487.1	1309	6.2	7.1	15.8	902	3.76	78.9	2.4	11.7	8.6	94	17.3	7.4	0.2	113
1401630	Rock	3.25	26	2.0	48.1	628.5	288	10.0	6.5	14.8	609	3.67	82.4	2.3	16.8	8.0	89	3.0	6.1	<0.1	112
1401631	Rock	3.16	166	2.3	31.9	355.6	154	3.3	6.7	15.5	642	3.63	366.8	2.5	150.0	8.1	93	1.9	2.3	<0.1	119
1401632	Rock	1.85	2	2.5	24.4	7.1	62	0.1	6.2	12.9	503	3.08	4.2	2.0	2.0	8.2	91	<0.1	1.1	0.2	103
1401633	Rock	3.11	67	2.0	66.3	1090	1260	57.5	6.0	13.1	805	3.78	92.8	3.3	69.3	8.7	82	15.2	19.5	<0.1	96
1401634	Rock	3.27	<2	2.3	29.9	7.8	57	0.4	6.7	14.6	564	3.45	3.9	2.0	0.8	7.7	87	0.1	1.6	<0.1	119
1401635	Rock	1.69	66	2.5	28.9	137.5	135	1.6	6.5	13.2	526	3.22	57.9	2.1	47.7	7.8	81	1.7	1.5	<0.1	103
1401636	Rock	3.03	<2	2.2	25.6	4.8	46	<0.1	5.7	13.9	554	3.26	4.0	2.1	1.1	7.9	100	<0.1	1.0	0.1	111
1401637	Rock	1.58	25	2.7	24.7	24.5	69	2.3	6.5	14.8	604	3.50	26.7	2.6	91.6	8.9	109	0.5	1.1	<0.1	118
1401638	Rock	1.98	<2	2.6	25.7	4.4	50	<0.1	6.9	14.9	564	3.47	1.4	2.4	4.9	8.1	99	<0.1	0.4	<0.1	116
1401639	Rock	3.12	<2	2.3	25.5	4.1	52	<0.1	6.4	15.4	649	3.47	13.5	2.7	0.8	8.5	102	0.3	1.1	<0.1	114
1401640	Rock Pulp	0.12	5	2.3	25.1	2.2	42	0.2	24.1	10.7	409	2.38	4.8	0.3	<0.5	0.9	41	<0.1	0.1	<0.1	58
1401641	Rock Pulp	0.12	1485	8.6	47.5	5.8	48	0.3	32.6	9.3	490	3.17	6.8	0.3	1394	0.9	43	0.1	0.7	0.1	64
1401642	Rock	2.17	<2	1.8	25.7	5.8	62	<0.1	6.6	17.2	1035	3.75	57.1	3.5	3.5	8.1	112	0.9	5.4	<0.1	119
1401643	Rock	2.86	2	1.7	31.5	4.5	60	0.1	6.9	18.1	689	3.94	6.8	2.2	1.8	8.0	98	0.3	3.0	<0.1	141
1401644	Rock	3.15	<2	2.0	27.8	4.6	74	<0.1	6.6	15.2	653	3.60	7.6	2.3	0.8	8.0	106	0.1	2.4	<0.1	119
1401645	Rock	2.76	<2	2.2	33.3	3.7	48	<0.1	7.0	15.2	633	3.46	4.2	2.3	<0.5	8.9	106	<0.1	2.6	<0.1	116

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 26, 2012

CERTIFICATE OF ANALYSIS WHI12000078.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1401616	Rock	2.18	0.083	13	25	1.35	71	0.156	<20	1.92	0.141	0.62	0.5	0.02	0.4	2.18	9.4	<0.5	6	<0.2
1401617	Rock	3.44	0.078	17	24	1.43	267	0.104	<20	2.33	0.102	0.56	0.2	0.02	0.4	1.17	14.5	<0.5	7	<0.2
1401618	Rock	2.85	0.086	12	23	1.32	86	0.080	<20	1.83	0.087	0.41	0.5	<0.01	0.3	1.77	10.4	<0.5	6	<0.2
1401619	Rock	1.15	0.089	14	32	1.32	1256	0.298	<20	2.22	0.206	0.95	0.8	<0.01	0.4	0.08	5.9	<0.5	7	<0.2
1401620	Rock Pulp	0.87	0.069	4	33	0.83	104	0.124	<20	1.69	0.084	0.14	12.2	<0.01	<0.1	<0.05	4.7	<0.5	6	<0.2
1401621	Rock Pulp	0.70	0.056	6	27	0.61	116	0.102	<20	1.22	0.081	0.11	2.2	0.22	1.1	0.36	4.5	<0.5	6	<0.2
1401622	Rock	1.23	0.091	15	33	1.25	1299	0.309	<20	2.24	0.237	0.99	0.8	<0.01	0.4	0.06	5.8	<0.5	6	<0.2
1401623	Rock	1.17	0.087	15	31	1.48	1266	0.283	<20	2.39	0.203	0.96	0.4	<0.01	0.4	0.07	8.7	<0.5	7	<0.2
1401624	Rock	1.45	0.087	16	30	1.22	1295	0.292	<20	2.17	0.214	0.93	0.6	<0.01	0.4	0.08	6.3	<0.5	7	<0.2
1401625	Rock	1.28	0.093	16	30	1.32	1534	0.321	<20	2.23	0.208	1.00	0.5	<0.01	0.5	<0.05	6.7	<0.5	7	<0.2
1401626	Rock	1.26	0.084	15	30	1.21	1434	0.306	<20	2.27	0.236	0.98	0.6	<0.01	0.5	0.08	6.2	<0.5	7	<0.2
1401627	Rock	1.41	0.085	17	32	1.18	1309	0.293	<20	2.18	0.225	0.95	0.9	<0.01	0.4	0.11	6.0	<0.5	7	<0.2
1401628	Rock	1.67	0.081	15	28	1.17	1244	0.290	<20	2.05	0.193	0.89	0.5	<0.01	0.4	<0.05	5.8	<0.5	6	<0.2
1401629	Rock	2.22	0.076	16	25	1.38	1102	0.247	<20	2.35	0.199	0.84	0.3	<0.01	0.5	0.17	10.3	<0.5	7	<0.2
1401630	Rock	1.49	0.077	14	29	1.29	1184	0.269	<20	2.39	0.240	0.91	0.4	<0.01	0.5	0.31	8.3	<0.5	7	<0.2
1401631	Rock	1.52	0.080	14	30	1.32	1332	0.288	<20	2.46	0.251	0.99	0.4	<0.01	0.5	0.13	8.4	<0.5	7	<0.2
1401632	Rock	1.15	0.074	13	28	1.17	1284	0.287	<20	2.31	0.277	0.95	0.6	<0.01	0.4	<0.05	5.6	<0.5	6	<0.2
1401633	Rock	1.02	0.075	15	26	1.03	808	0.198	<20	1.99	0.167	0.86	0.4	0.01	0.5	0.37	9.3	<0.5	6	<0.2
1401634	Rock	1.17	0.080	14	33	1.36	1337	0.319	<20	2.37	0.252	1.02	0.5	<0.01	0.5	<0.05	6.2	<0.5	7	<0.2
1401635	Rock	1.21	0.075	13	30	1.19	1133	0.275	<20	2.13	0.228	0.88	0.6	<0.01	0.4	0.10	5.9	<0.5	6	<0.2
1401636	Rock	1.51	0.078	14	30	1.30	1214	0.298	<20	2.31	0.259	0.85	0.6	<0.01	0.5	<0.05	6.8	<0.5	7	<0.2
1401637	Rock	1.67	0.077	15	31	1.41	1326	0.298	<20	2.54	0.281	0.96	0.5	<0.01	0.5	<0.05	7.9	<0.5	7	<0.2
1401638	Rock	1.58	0.076	14	31	1.27	1339	0.307	<20	2.43	0.286	1.01	0.7	<0.01	0.5	<0.05	7.2	<0.5	7	<0.2
1401639	Rock	2.06	0.077	16	30	1.17	1191	0.269	<20	2.45	0.266	0.91	0.4	<0.01	0.5	<0.05	9.8	<0.5	7	<0.2
1401640	Rock Pulp	0.83	0.060	4	32	0.80	98	0.123	<20	1.60	0.075	0.13	12.0	<0.01	<0.1	<0.05	4.6	<0.5	5	<0.2
1401641	Rock Pulp	0.85	0.060	4	35	0.85	106	0.133	<20	1.74	0.096	0.15	0.2	0.06	<0.1	<0.05	5.2	<0.5	6	<0.2
1401642	Rock	3.71	0.076	19	25	1.20	1065	0.221	<20	2.40	0.136	0.79	0.2	<0.01	0.4	<0.05	12.3	<0.5	7	<0.2
1401643	Rock	1.63	0.089	16	31	1.68	1630	0.340	<20	2.71	0.252	1.08	0.3	<0.01	0.5	<0.05	10.0	<0.5	8	<0.2
1401644	Rock	1.57	0.078	15	29	1.49	1216	0.283	<20	2.59	0.274	0.90	0.3	<0.01	0.4	<0.05	8.9	<0.5	7	<0.2
1401645	Rock	1.79	0.080	16	30	1.31	1259	0.297	<20	2.46	0.280	0.89	0.3	<0.01	0.4	<0.05	8.4	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 26, 2012

CERTIFICATE OF ANALYSIS WHI12000078.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401646	Rock	1.55	<2	1.8	28.7	4.1	53	<0.1	6.4	16.3	673	3.64	8.9	2.9	<0.5	9.2	108	<0.1	2.9	<0.1	123
1401647	Rock	3.44	39	1.9	28.4	166.3	122	1.9	6.2	15.8	732	3.63	41.4	2.9	24.4	8.6	91	1.3	3.6	0.1	115
1401648	Rock	3.15	6	2.1	28.5	41.5	59	0.4	5.9	14.2	552	3.18	10.2	1.7	4.9	10.0	85	0.3	2.4	<0.1	99
1401649	Rock	1.55	<2	2.5	31.7	5.2	49	<0.1	6.6	14.9	546	3.36	5.9	1.9	0.8	8.9	92	0.2	2.4	0.2	117
1401650	Rock	3.03	12	2.3	35.6	23.0	74	0.4	8.0	17.5	616	3.80	12.7	2.1	9.1	7.9	76	0.4	3.4	<0.1	131
1401651	Rock	1.78	18	2.0	29.2	37.6	78	0.5	6.2	14.0	550	3.22	26.3	1.8	14.2	7.9	75	0.5	3.2	<0.1	104
1401652	Rock	2.72	85	2.5	34.5	167.6	366	3.0	6.7	15.3	797	3.78	238.9	3.6	70.7	9.5	76	3.2	5.0	0.1	103
1401653	Rock	2.23	<2	1.3	32.2	5.9	67	<0.1	5.4	13.5	491	3.05	33.1	1.7	6.5	9.1	75	0.4	3.0	0.1	100

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 26, 2012

CERTIFICATE OF ANALYSIS WHI12000078.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1401646	Rock	1.99	0.080	17	29	1.41	1008	0.235	<20	2.41	0.233	0.68	0.2	<0.01	0.3	<0.05	10.6	<0.5	7	<0.2
1401647	Rock	2.11	0.074	15	27	1.27	977	0.236	<20	2.32	0.221	0.69	0.3	<0.01	0.3	0.08	9.9	<0.5	7	<0.2
1401648	Rock	1.45	0.075	14	28	1.19	939	0.266	<20	2.16	0.233	0.63	0.4	<0.01	0.3	<0.05	6.8	<0.5	7	<0.2
1401649	Rock	1.65	0.084	15	30	1.24	1117	0.302	<20	2.26	0.255	0.78	0.7	<0.01	0.3	<0.05	7.0	<0.5	7	<0.2
1401650	Rock	1.62	0.089	15	37	1.39	1213	0.337	<20	2.25	0.188	0.87	0.4	<0.01	0.4	<0.05	8.1	<0.5	7	<0.2
1401651	Rock	1.48	0.081	14	29	1.17	774	0.253	<20	2.01	0.207	0.58	0.4	<0.01	0.3	<0.05	6.8	<0.5	6	<0.2
1401652	Rock	1.79	0.079	16	28	1.21	940	0.237	<20	2.18	0.185	0.67	0.4	0.02	0.3	0.06	8.0	<0.5	7	<0.2
1401653	Rock	1.50	0.078	14	23	1.11	917	0.264	<20	2.02	0.213	0.64	0.5	<0.01	0.3	<0.05	6.4	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 26, 2012

QUALITY CONTROL REPORT WHI12000078.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1401534	Rock	1.69	<2	1.7	24.3	4.3	50	<0.1	6.0	13.2	626	3.11	6.8	3.0	<0.5	12.0	75	<0.1	0.4	<0.1	83
REP 1401534	QC		<2																		
1401547	Rock	1.27	5	3.0	26.6	28.5	82	0.3	6.1	18.3	1151	3.93	8.3	8.2	3.4	8.9	98	0.3	1.3	0.3	111
REP 1401547	QC			2.7	26.3	26.9	83	0.3	5.9	18.0	1109	3.86	7.9	8.2	5.6	8.8	99	0.4	1.3	0.3	109
1401561	Rock Pulp	0.13	1502	8.7	46.9	5.9	53	0.3	32.5	9.4	491	3.41	6.8	0.3	1761	0.9	39	0.1	0.9	0.1	69
REP 1401561	QC			9.1	46.7	5.8	52	0.3	33.0	9.4	497	3.40	7.2	0.3	1492	0.9	38	<0.1	0.9	0.1	67
1401570	Rock	2.66	<2	1.3	22.6	8.6	90	0.1	6.2	18.3	941	4.46	2.3	2.3	4.5	8.6	112	0.2	0.9	<0.1	108
REP 1401570	QC		<2																		
1401589	Rock	2.78	4	2.5	29.2	5.0	57	0.1	6.5	15.2	766	3.77	15.4	2.5	5.6	9.3	87	0.1	0.7	<0.1	116
REP 1401589	QC		5																		
1401596	Rock	2.59	8	1.9	28.7	45.6	238	0.6	6.4	14.2	822	3.63	22.2	3.4	6.9	9.1	88	2.4	5.6	<0.1	116
REP 1401596	QC			2.0	29.5	47.8	246	0.7	6.7	14.9	870	3.76	23.6	3.7	7.4	9.2	89	2.4	6.0	<0.1	120
1401623	Rock	1.94	16	2.5	39.2	138.1	833	1.7	7.1	15.4	642	3.85	49.6	2.3	11.4	8.7	68	8.7	5.2	<0.1	132
REP 1401623	QC		14																		
1401638	Rock	1.98	<2	2.6	25.7	4.4	50	<0.1	6.9	14.9	564	3.47	1.4	2.4	4.9	8.1	99	<0.1	0.4	<0.1	116
REP 1401638	QC		<2																		
1401652	Rock	2.72	85	2.5	34.5	167.6	366	3.0	6.7	15.3	797	3.78	238.9	3.6	70.7	9.5	76	3.2	5.0	0.1	103
REP 1401652	QC			2.5	33.0	165.7	354	2.9	6.5	14.8	779	3.67	233.6	3.4	71.2	9.0	76	3.1	5.5	0.1	100
Core Reject Duplicates																					
1401532	Rock	1.53	5	2.2	29.1	29.5	162	0.6	5.5	16.0	1395	3.88	229.3	3.0	1.6	11.2	55	3.0	1.5	0.4	76
DUP 1401532	QC		<2	2.3	29.0	29.8	164	0.6	5.6	15.2	1380	3.77	230.3	3.0	7.8	11.4	55	3.0	1.7	0.4	75
1401567	Rock	2.54	<2	1.8	25.2	3.9	47	<0.1	5.5	13.3	492	3.19	1.4	1.6	<0.5	8.1	65	<0.1	1.0	<0.1	105
DUP 1401567	QC		<2	1.8	26.1	3.7	48	<0.1	5.9	13.9	511	3.30	1.4	1.4	<0.5	8.3	72	<0.1	1.0	<0.1	108
1401602	Rock	1.97	3	1.9	30.4	77.1	138	0.8	6.1	14.6	640	3.38	6.9	2.5	1.9	9.7	69	0.8	2.6	0.2	113
DUP 1401602	QC		2	2.1	28.8	71.6	133	0.8	6.2	14.1	629	3.39	6.1	2.5	1.4	9.1	71	0.8	2.6	0.1	113
1401637	Rock	1.58	25	2.7	24.7	24.5	69	2.3	6.5	14.8	604	3.50	26.7	2.6	91.6	8.9	109	0.5	1.1	<0.1	118
DUP 1401637	QC		23	2.5	27.1	24.3	68	2.1	6.9	14.9	613	3.55	27.4	3.0	32.0	9.1	115	0.5	1.2	<0.1	120
Reference Materials																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 26, 2012

QUALITY CONTROL REPORT WHI12000078.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
1401534	Rock	1.51	0.064	19	20	0.91	480	0.169	<20	1.65	0.158	0.55	0.3	<0.01	0.4	<0.05	7.9	<0.5	6	<0.2
REP 1401534	QC																			
1401547	Rock	4.65	0.083	22	20	0.99	508	0.059	<20	2.02	0.073	0.38	<0.1	0.02	0.2	<0.05	18.1	<0.5	7	<0.2
REP 1401547	QC	4.59	0.080	21	19	0.99	499	0.059	<20	2.01	0.074	0.38	<0.1	0.01	0.2	<0.05	17.0	<0.5	6	<0.2
1401561	Rock Pulp	0.85	0.059	5	35	0.84	104	0.119	<20	1.73	0.096	0.15	0.3	0.07	<0.1	<0.05	5.0	<0.5	6	<0.2
REP 1401561	QC	0.83	0.059	4	35	0.85	106	0.115	<20	1.74	0.095	0.15	0.3	0.07	<0.1	<0.05	4.8	<0.5	6	<0.2
1401570	Rock	2.22	0.075	18	19	1.39	996	0.113	<20	1.72	0.097	0.71	<0.1	<0.01	0.4	<0.05	17.4	<0.5	5	<0.2
REP 1401570	QC																			
1401589	Rock	1.68	0.080	16	27	1.36	1183	0.241	<20	2.29	0.217	0.90	0.4	<0.01	0.4	0.13	7.6	<0.5	7	<0.2
REP 1401589	QC																			
1401596	Rock	1.98	0.083	17	26	1.23	950	0.220	<20	2.27	0.205	0.87	0.4	<0.01	0.4	0.26	9.3	<0.5	7	<0.2
REP 1401596	QC	2.06	0.081	17	27	1.26	976	0.226	<20	2.32	0.214	0.89	0.4	<0.01	0.4	0.27	9.5	<0.5	7	<0.2
1401623	Rock	1.17	0.087	15	31	1.48	1266	0.283	<20	2.39	0.203	0.96	0.4	<0.01	0.4	0.07	8.7	<0.5	7	<0.2
REP 1401623	QC																			
1401638	Rock	1.58	0.076	14	31	1.27	1339	0.307	<20	2.43	0.286	1.01	0.7	<0.01	0.5	<0.05	7.2	<0.5	7	<0.2
REP 1401638	QC																			
1401652	Rock	1.79	0.079	16	28	1.21	940	0.237	<20	2.18	0.185	0.67	0.4	0.02	0.3	0.06	8.0	<0.5	7	<0.2
REP 1401652	QC	1.74	0.079	16	28	1.17	922	0.235	<20	2.15	0.179	0.65	0.3	0.03	0.3	0.05	7.6	<0.5	7	<0.2
Core Reject Duplicates																				
1401532	Rock	2.20	0.066	20	15	0.60	352	0.069	<20	1.15	0.080	0.43	0.1	0.05	0.4	0.05	12.0	<0.5	4	<0.2
DUP 1401532	QC	2.15	0.067	20	15	0.59	340	0.067	<20	1.09	0.070	0.40	0.1	0.03	0.3	0.05	11.3	<0.5	4	<0.2
1401567	Rock	1.22	0.080	14	24	1.13	1331	0.251	<20	2.00	0.174	0.82	0.6	<0.01	0.4	<0.05	5.4	<0.5	6	<0.2
DUP 1401567	QC	1.31	0.079	15	24	1.17	1376	0.261	<20	2.14	0.202	0.84	0.5	<0.01	0.4	<0.05	6.0	<0.5	7	<0.2
1401602	Rock	1.46	0.086	16	27	1.43	881	0.233	<20	2.12	0.153	0.60	0.8	<0.01	0.3	0.07	6.9	<0.5	7	<0.2
DUP 1401602	QC	1.48	0.083	16	26	1.40	908	0.237	<20	2.11	0.166	0.61	0.9	<0.01	0.3	0.07	6.7	<0.5	7	<0.2
1401637	Rock	1.67	0.077	15	31	1.41	1326	0.298	<20	2.54	0.281	0.96	0.5	<0.01	0.5	<0.05	7.9	<0.5	7	<0.2
DUP 1401637	QC	1.75	0.075	15	32	1.42	1365	0.294	<20	2.64	0.317	0.96	0.5	<0.01	0.5	0.05	8.0	<0.5	8	<0.2
Reference Materials																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 26, 2012

QUALITY CONTROL REPORT WHI12000078.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD DS9	Standard			12.8	111.2	142.1	341	1.9	43.7	8.1	626	2.53	27.3	2.8	125.7	6.4	69	2.3	4.3	5.7	43
STD DS9	Standard			13.7	119.4	136.0	354	2.1	42.6	8.3	603	2.48	28.5	3.0	122.3	7.1	77	2.8	4.7	7.5	43
STD DS9	Standard			11.9	113.1	129.3	310	1.9	42.5	7.8	605	2.40	27.4	2.8	72.8	6.3	78	2.6	4.4	6.6	41
STD DS9	Standard			12.3	108.8	123.4	304	1.9	40.4	7.5	568	2.27	27.0	2.7	119.6	6.1	71	2.4	3.7	5.5	38
STD OREAS45CA	Standard			1.0	555.2	20.7	66	0.3	277.2	98.9	1002	18.20	4.0	1.2	43.4	7.1	14	<0.1	<0.1	0.1	228
STD OREAS45CA	Standard			0.8	540.1	21.6	62	0.3	248.7	93.3	960	16.21	3.7	1.2	41.1	7.3	16	<0.1	<0.1	0.2	211
STD OREAS45CA	Standard			0.9	547.1	22.1	64	0.3	268.5	99.1	989	16.49	3.3	1.3	46.2	7.6	16	0.1	<0.1	0.1	230
STD OREAS45CA	Standard			0.7	504.4	20.0	60	0.3	249.3	93.6	942	15.61	3.2	1.2	39.9	7.4	15	<0.1	<0.1	0.2	218
STD OXC88	Standard		221																		
STD OXC88	Standard		198																		
STD OXC88	Standard		198																		
STD OXC88	Standard		188																		
STD OXC88	Standard		202																		
STD OXC88	Standard		192																		
STD OXG99	Standard		972																		
STD OXG99	Standard		941																		
STD OXG99	Standard		913																		
STD OXG99	Standard		967																		
STD OXG99	Standard		902																		
STD OXC88 Expected			203																		
STD OXG99 Expected			932																		
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		<2																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 26, 2012

QUALITY CONTROL REPORT WHI12000078.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD DS9	Standard	0.77	0.087	14	130	0.66	340	0.109	<20	1.02	0.089	0.42	2.9	0.24	6.4	0.18	2.4	6.0	5	5.3
STD DS9	Standard	0.75	0.088	14	127	0.64	356	0.117	<20	0.99	0.090	0.41	2.9	0.26	6.0	0.18	2.5	4.9	5	5.2
STD DS9	Standard	0.76	0.083	13	128	0.66	327	0.119	<20	1.02	0.089	0.43	3.8	0.19	5.8	0.17	2.4	6.6	5	5.5
STD DS9	Standard	0.71	0.083	12	121	0.62	309	0.107	<20	0.96	0.078	0.40	2.5	0.22	5.6	0.16	2.5	4.8	5	4.8
STD OREAS45CA	Standard	0.48	0.041	18	873	0.16	176	0.141	<20	4.02	0.010	0.08	<0.1	0.04	0.1	<0.05	43.1	<0.5	21	<0.2
STD OREAS45CA	Standard	0.45	0.045	17	731	0.15	176	0.130	<20	3.80	0.014	0.08	<0.1	0.03	<0.1	<0.05	47.5	<0.5	19	<0.2
STD OREAS45CA	Standard	0.46	0.039	17	756	0.15	174	0.144	<20	3.58	0.008	0.07	<0.1	0.04	<0.1	<0.05	47.8	<0.5	20	<0.2
STD OREAS45CA	Standard	0.42	0.039	16	753	0.14	165	0.131	<20	3.40	0.007	0.07	<0.1	0.02	0.1	<0.05	44.1	<0.5	19	<0.2
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXC88 Expected																				
STD OXG99 Expected																				
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 26, 2012

QUALITY CONTROL REPORT WHI12000078.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank		<2	0.2	2.7	3.2	48	<0.1	3.3	4.3	577	1.92	<0.5	1.7	0.6	5.1	65	<0.1	<0.1	0.1	37
G1-WHI	Prep Blank		<2	0.1	3.1	3.4	46	<0.1	2.8	4.4	574	1.97	<0.5	1.8	<0.5	5.5	70	<0.1	<0.1	<0.1	37

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 26, 2012

QUALITY CONTROL REPORT WHI12000078.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																				
G1-WHI	Prep Blank	0.51	0.082	11	7	0.55	172	0.136	<20	0.98	0.090	0.53	0.1	<0.01	0.3	<0.05	2.2	<0.5	5	<0.2
G1-WHI	Prep Blank	0.55	0.079	12	8	0.55	158	0.135	<20	1.01	0.101	0.50	0.1	0.01	0.3	<0.05	2.2	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: June 11, 2012
Report Date: June 28, 2012
Page: 1 of 6

CERTIFICATE OF ANALYSIS WHI12000084.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 136

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	124	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	136	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	136	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Dayna
Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

CERTIFICATE OF ANALYSIS WHI12000084.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401654	Rock Chip	1.70	18	1.4	30.8	294.3	420	2.3	6.6	14.5	796	3.70	56.6	1.9	17.1	9.0	74	4.3	4.3	<0.1	101
1401655	Rock Chip	1.33	16	2.3	36.0	158.6	298	2.2	8.1	15.7	768	3.94	31.5	1.6	14.0	10.6	82	3.9	3.0	<0.1	104
1401656	Rock Chip	1.01	7	1.7	54.2	27.0	305	0.4	7.1	15.1	589	3.54	12.9	1.1	4.6	11.6	77	2.0	2.6	<0.1	94
1401657	Rock Chip	1.46	5	1.5	41.0	21.0	907	0.3	8.6	18.4	1415	3.69	14.3	3.1	7.2	10.0	79	11.3	2.8	<0.1	102
1401658	Rock Chip	1.28	513	1.4	17.7	241.0	272	4.8	3.9	3.8	192	5.67	848.5	1.6	421.0	6.3	77	2.3	2.4	1.5	28
1401659	Rock Chip	1.39	133	1.0	33.2	577.0	1388	5.6	8.3	18.4	1685	7.44	519.7	3.4	145.8	11.3	53	11.6	2.9	0.2	66
1401660	Rock Pulp	0.15	2	2.4	25.2	2.5	44	0.2	23.9	10.5	416	2.49	6.0	0.3	1.7	1.1	45	0.2	0.2	<0.1	59
1401661	Rock Pulp	0.15	1488	9.0	51.8	6.9	55	0.2	33.8	9.6	511	3.42	8.3	0.4	846.0	1.2	49	0.1	0.9	<0.1	67
1401662	Rock Chip	1.53	262	1.0	29.0	1369	1580	13.5	6.1	12.0	1367	4.81	435.6	2.1	167.6	9.7	62	16.9	3.6	0.4	43
1401663	Rock Chip	2.09	338	1.6	33.4	393.4	1365	3.5	4.9	5.3	140	6.95	1448	4.6	120.4	11.1	48	12.1	4.1	0.2	62
1401664	Rock Chip	2.08	427	1.1	73.1	3158	8924	45.3	8.9	26.8	3446	5.32	955.8	4.4	390.3	8.2	63	145.9	8.5	0.1	77
1401665	Rock Chip	1.83	49	1.6	36.7	448.6	4511	5.7	9.6	26.9	1877	4.49	169.3	1.6	56.4	10.8	77	43.7	9.8	0.1	114
1401666	Rock Chip	1.92	181	1.9	48.3	2034	5845	25.9	9.1	27.8	2546	5.72	1240	6.1	170.9	10.7	43	80.3	19.3	0.1	70
1401667	Rock Chip	1.42	734	2.3	61.2	441.4	2690	5.2	9.0	19.4	997	4.96	310.3	2.3	408.8	10.7	81	41.5	19.7	0.5	109
1401668	Rock Chip	1.71	1345	1.7	134.5	526.2	3858	9.3	8.4	17.8	920	4.71	144.1	2.7	1759	10.2	63	54.4	19.5	1.8	110
1401669	Rock Chip	1.62	160	1.3	34.4	131.0	1335	2.4	7.0	14.7	606	3.84	142.8	2.2	83.1	9.9	91	16.1	8.1	0.7	103
1401670	Rock Chip	1.57	205	1.6	73.8	591.1	2609	4.4	7.3	16.3	655	4.27	73.4	2.9	283.8	10.1	85	37.9	68.5	0.7	109
1401671	Rock Chip	1.70	166	1.4	318.8	166.4	1811	7.0	7.6	15.5	739	4.17	98.2	2.1	78.0	10.5	85	32.0	32.9	2.3	111
1401672	Rock Chip	1.63	15	1.6	33.5	28.9	392	0.4	6.6	15.2	667	3.67	27.5	1.8	27.1	10.0	82	4.9	3.1	<0.1	108
1401673	Rock Chip	1.53	27	2.1	36.7	284.4	710	3.9	7.5	16.3	840	4.07	37.4	2.2	22.4	10.1	94	10.8	4.1	<0.1	121
1401674	Rock Chip	1.39	8	1.7	30.7	56.0	278	0.5	7.5	15.2	698	3.68	13.5	2.3	6.6	9.6	97	3.8	2.9	<0.1	112
1401675	Rock Chip	0.50	5	1.9	29.3	43.9	247	0.4	7.3	15.4	688	3.72	8.7	2.5	4.8	10.1	87	3.3	2.0	<0.1	111
1401676	Rock Chip	1.81	5	3.6	53.6	116.9	508	1.6	7.7	18.1	899	4.38	16.3	3.1	9.9	10.0	89	10.2	3.9	<0.1	113
1401677	Rock Chip	1.86	8	1.6	31.6	44.4	683	0.5	7.4	20.0	988	4.48	34.3	2.5	3.9	9.9	94	18.0	7.1	<0.1	128
1401678	Rock Chip	1.74	9	1.8	34.1	38.5	355	0.4	7.0	15.4	701	3.71	7.5	2.3	3.2	10.3	95	5.8	2.6	<0.1	114
1401679	Rock Chip	1.73	86	1.7	28.2	30.1	141	0.3	7.2	14.0	576	3.40	5.5	2.4	3.2	9.7	84	2.1	2.3	<0.1	104
1401680	Rock Pulp	0.12	19	2.4	25.5	2.7	46	0.2	24.4	10.8	423	2.55	4.8	0.3	1.7	1.1	46	0.2	0.2	<0.1	62
1401681	Rock Pulp	0.12	3901	10.2	77.1	527.1	1665	57.3	32.9	9.3	438	3.53	34.7	0.4	3033	1.3	41	18.7	46.2	1.0	59
1401682	Rock Chip	1.94	6	2.6	30.8	55.3	328	0.7	7.3	15.8	626	3.76	15.0	2.6	5.3	11.0	81	3.3	2.9	<0.1	111
1401683	Rock Chip	1.97	13	1.8	40.0	354.9	619	4.9	7.5	17.4	853	4.24	30.4	3.5	34.0	9.4	84	9.0	6.4	<0.1	113

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

CERTIFICATE OF ANALYSIS WHI12000084.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1401654	Rock Chip	0.88	0.072	14	22	1.14	910	0.202	<20	2.25	0.218	0.62	0.2	<0.01	0.4	<0.05	7.7	<0.5	6	<0.2
1401655	Rock Chip	1.14	0.086	18	26	1.21	1025	0.226	<20	2.27	0.236	0.74	0.6	<0.01	0.4	<0.05	7.9	<0.5	7	<0.2
1401656	Rock Chip	1.15	0.087	17	23	1.15	889	0.230	<20	2.11	0.222	0.64	0.4	<0.01	0.4	<0.05	6.5	<0.5	7	<0.2
1401657	Rock Chip	0.71	0.084	17	22	0.97	938	0.201	<20	2.49	0.158	0.65	0.2	0.02	0.4	0.05	8.9	<0.5	7	<0.2
1401658	Rock Chip	0.30	0.071	13	8	0.16	242	0.004	<20	0.82	0.074	1.05	0.4	0.05	1.0	1.70	7.8	<0.5	3	<0.2
1401659	Rock Chip	1.08	0.101	14	12	0.22	149	0.001	<20	1.07	0.057	0.81	0.2	0.09	1.1	1.98	17.0	<0.5	3	<0.2
1401660	Rock Pulp	0.86	0.064	4	31	0.81	104	0.133	<20	1.62	0.080	0.13	12.1	<0.01	<0.1	<0.05	4.6	<0.5	5	<0.2
1401661	Rock Pulp	0.90	0.064	5	36	0.87	116	0.145	<20	1.84	0.101	0.15	0.3	0.08	<0.1	<0.05	5.1	<0.5	6	<0.2
1401662	Rock Chip	1.38	0.071	10	9	0.22	89	<0.001	<20	0.89	0.076	0.66	0.2	0.12	0.8	1.88	10.8	<0.5	2	<0.2
1401663	Rock Chip	0.73	0.094	10	11	0.14	91	<0.001	<20	0.92	0.113	0.60	0.3	0.09	0.6	1.68	16.6	<0.5	3	<0.2
1401664	Rock Chip	2.54	0.077	12	11	0.48	100	<0.001	<20	1.45	0.035	0.32	0.1	0.05	0.3	2.43	13.5	<0.5	2	<0.2
1401665	Rock Chip	1.13	0.083	19	22	1.05	1044	0.197	<20	2.33	0.194	0.77	0.3	0.02	0.5	0.24	11.1	<0.5	7	<0.2
1401666	Rock Chip	1.18	0.083	21	11	0.62	235	0.004	<20	1.40	0.027	0.32	<0.1	0.03	0.7	0.31	13.4	<0.5	4	<0.2
1401667	Rock Chip	1.28	0.085	19	23	1.28	850	0.130	<20	2.40	0.162	0.64	0.3	0.02	0.4	0.24	12.8	<0.5	8	<0.2
1401668	Rock Chip	1.01	0.083	18	24	1.33	828	0.172	<20	2.25	0.157	0.65	0.3	0.01	0.4	0.28	10.7	<0.5	7	<0.2
1401669	Rock Chip	1.08	0.075	16	23	1.25	943	0.202	<20	2.18	0.206	0.70	0.3	<0.01	0.5	0.12	8.0	<0.5	7	<0.2
1401670	Rock Chip	1.13	0.078	16	26	1.35	843	0.185	<20	2.39	0.221	0.66	0.2	<0.01	0.3	0.29	8.9	<0.5	8	<0.2
1401671	Rock Chip	1.28	0.076	16	25	1.33	1026	0.224	<20	2.40	0.221	0.79	0.4	<0.01	0.4	0.34	8.6	<0.5	7	<0.2
1401672	Rock Chip	1.33	0.081	17	25	1.41	859	0.234	<20	2.31	0.221	0.59	0.3	<0.01	0.3	0.07	7.6	<0.5	7	<0.2
1401673	Rock Chip	1.58	0.083	18	27	1.41	1074	0.242	<20	2.41	0.244	0.85	0.4	<0.01	0.4	0.27	8.8	<0.5	7	<0.2
1401674	Rock Chip	1.53	0.080	17	27	1.35	931	0.244	<20	2.42	0.283	0.71	0.4	0.01	0.3	0.09	8.1	<0.5	7	<0.2
1401675	Rock Chip	1.46	0.086	17	27	1.37	955	0.250	<20	2.27	0.238	0.73	0.4	<0.01	0.3	0.08	7.2	<0.5	7	<0.2
1401676	Rock Chip	2.34	0.087	20	26	1.50	470	0.128	<20	2.27	0.124	0.32	0.3	<0.01	0.2	0.12	11.6	<0.5	7	<0.2
1401677	Rock Chip	2.85	0.085	23	25	1.31	825	0.136	<20	2.54	0.097	0.61	<0.1	0.02	0.3	0.06	14.6	<0.5	8	<0.2
1401678	Rock Chip	1.57	0.077	17	26	1.35	1101	0.254	<20	2.46	0.255	0.87	0.3	<0.01	0.4	0.07	8.5	<0.5	7	<0.2
1401679	Rock Chip	1.45	0.082	16	26	1.30	889	0.244	<20	2.12	0.218	0.68	0.4	<0.01	0.3	0.06	6.8	<0.5	7	<0.2
1401680	Rock Pulp	0.89	0.063	5	32	0.83	104	0.140	<20	1.65	0.083	0.13	12.3	0.01	<0.1	<0.05	4.8	<0.5	6	<0.2
1401681	Rock Pulp	0.77	0.059	6	29	0.64	124	0.125	<20	1.31	0.082	0.11	2.1	0.21	1.2	0.35	4.5	<0.5	7	0.2
1401682	Rock Chip	1.47	0.085	18	27	1.49	827	0.222	<20	2.27	0.198	0.56	0.3	0.03	0.3	0.08	7.9	<0.5	7	<0.2
1401683	Rock Chip	2.05	0.089	19	26	1.42	822	0.190	<20	2.24	0.147	0.63	0.5	<0.01	0.3	0.34	9.0	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

CERTIFICATE OF ANALYSIS WHI12000084.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401684	Rock Chip	2.09	4	1.9	25.2	20.3	75	0.2	7.2	14.1	586	3.44	8.4	2.9	4.7	10.3	85	0.4	1.9	<0.1	107
1401685	Rock Chip	1.88	4	1.8	33.9	19.4	171	0.2	7.9	16.2	656	3.89	10.1	2.4	4.1	10.2	99	1.7	1.7	<0.1	124
1401686	Rock Chip	1.15	28	1.2	34.8	180.8	550	1.6	6.9	13.7	583	3.34	118.1	1.3	21.5	9.8	64	5.1	15.9	<0.1	105
1401687	Rock Chip	1.10	9	1.2	28.6	46.0	347	0.6	6.9	15.6	636	3.47	40.0	1.0	6.7	8.6	55	3.8	2.6	<0.1	117
1401688	Rock Chip	1.36	4	1.7	33.3	17.2	108	0.3	7.3	15.7	594	3.56	16.2	1.2	3.5	9.0	72	1.3	2.1	<0.1	122
1401689	Rock Chip	1.25	5	1.9	31.6	24.3	116	0.3	6.7	17.1	855	4.01	25.0	2.1	1.5	8.9	66	1.0	2.3	<0.1	130
1401690	Rock Chip	0.85	<2	17.9	25.2	41.7	103	0.2	6.8	20.3	885	4.42	18.3	2.8	1.4	9.8	111	1.0	1.7	0.2	136
1401691	Rock Chip	2.02	<2	1.9	28.7	6.7	60	<0.1	7.0	16.4	734	3.64	5.0	1.7	<0.5	9.9	85	0.2	0.8	<0.1	123
1401692	Rock Chip	1.86	<2	2.0	30.9	4.5	57	<0.1	7.0	17.1	693	3.72	4.5	1.8	<0.5	11.2	86	0.1	0.7	<0.1	129
1401693	Rock Chip	1.75	<2	1.7	29.2	3.9	57	<0.1	6.5	16.6	683	3.76	4.1	1.9	<0.5	10.8	96	<0.1	0.6	<0.1	129
1401694	Rock Chip	1.91	<2	1.6	30.7	5.1	63	<0.1	7.0	18.1	923	4.22	3.4	2.2	<0.5	9.5	102	0.2	0.9	<0.1	146
1401695	Rock Chip	1.68	<2	1.3	28.6	3.8	53	<0.1	6.2	15.9	629	3.55	2.7	1.7	<0.5	9.2	86	<0.1	0.5	<0.1	124
1401696	Rock Chip	1.81	<2	1.4	30.4	4.7	53	<0.1	5.9	14.9	563	3.45	3.7	1.5	<0.5	9.2	79	0.1	0.7	<0.1	117
1401697	Rock Chip	1.92	<2	1.1	28.4	4.2	46	<0.1	5.8	14.1	494	3.15	2.5	0.9	<0.5	9.2	70	<0.1	0.5	<0.1	107
1401698	Rock Chip	1.48	<2	1.3	31.0	7.0	72	<0.1	6.3	14.7	533	3.31	6.1	1.2	<0.5	10.0	79	0.1	1.7	0.1	111
1401699	Rock Pulp	1.48	19	3.6	29.7	8.0	57	0.4	6.2	17.4	1066	3.72	334.1	3.0	77.2	9.4	85	0.2	1.7	0.2	100
1401700	Rock Pulp	0.13	<2	2.5	27.1	2.4	46	0.2	25.5	11.5	423	2.56	5.1	0.2	3.4	0.9	42	0.2	0.2	<0.1	65
1401701	Rock Chip	0.13	1632	9.5	51.8	5.9	53	0.2	33.4	9.9	513	3.46	7.3	0.3	1095	0.9	45	0.2	0.8	<0.1	72
1401702	Rock Chip	1.68	3	1.5	29.5	4.0	56	<0.1	6.4	15.9	610	3.53	12.8	1.7	1.8	8.6	114	0.1	0.6	<0.1	121
1401703	Rock Chip	1.92	3	1.5	33.5	6.8	56	0.1	6.7	15.7	596	3.64	5.2	1.8	<0.5	9.9	90	0.1	0.6	<0.1	126
1401704	Rock Chip	2.23	<2	1.7	41.6	7.2	71	0.2	7.4	19.4	925	4.31	3.7	5.2	0.5	9.6	116	0.2	0.7	0.4	132
1401705	Rock Chip	2.04	3	2.4	29.8	4.0	63	<0.1	7.3	17.8	810	4.02	2.4	2.0	0.7	9.0	99	0.2	0.6	<0.1	121
1401706	Rock Chip	2.17	5	2.1	28.5	4.1	58	<0.1	7.0	17.3	721	3.84	1.9	2.0	<0.5	10.0	97	0.2	0.6	0.1	126
1401707	Rock Chip	2.41	<2	1.8	34.9	4.4	53	<0.1	7.1	15.4	623	3.56	1.7	2.3	<0.5	9.4	87	0.1	0.6	<0.1	119
1401708	Rock Chip	2.07	<2	2.7	31.8	4.3	63	<0.1	7.2	18.6	724	4.21	3.7	2.5	<0.5	10.3	101	0.1	1.2	<0.1	130
1401709	Rock Chip	2.38	5	3.8	27.8	48.0	106	0.8	6.5	19.3	1149	4.19	22.0	3.7	3.5	8.9	89	0.6	2.0	<0.1	108
1401710	Rock Chip	2.19	<2	1.3	38.2	12.5	125	0.3	6.7	19.5	1059	4.53	9.3	4.5	<0.5	9.1	101	0.5	1.2	<0.1	103
1401711	Rock Chip	2.14	10	1.9	33.4	24.3	78	0.8	6.8	19.8	1398	4.22	76.9	5.1	5.9	9.0	91	0.4	2.2	0.2	80
1401712	Rock Chip	2.42	<2	1.9	35.9	4.3	65	0.1	7.6	18.1	727	4.20	6.8	2.7	<0.5	10.2	101	0.2	1.4	<0.1	127
1401713	Rock Chip	2.65	<2	2.3	30.6	4.2	67	<0.1	7.8	16.6	668	3.79	4.9	2.3	0.7	9.1	90	0.1	0.5	<0.1	129

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

CERTIFICATE OF ANALYSIS WHI12000084.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1401684	Rock Chip	1.42	0.085	17	27	1.25	972	0.248	<20	2.15	0.238	0.78	0.6	<0.01	0.4	<0.05	6.7	<0.5	7	<0.2
1401685	Rock Chip	1.52	0.090	17	30	1.36	1163	0.283	<20	2.44	0.282	0.96	0.4	<0.01	0.4	0.07	7.8	<0.5	8	<0.2
1401686	Rock Chip	0.78	0.081	15	22	1.08	974	0.243	<20	2.15	0.188	0.68	0.2	<0.01	0.4	<0.05	6.5	<0.5	7	<0.2
1401687	Rock Chip	0.72	0.081	13	24	1.25	1293	0.282	<20	2.26	0.180	0.84	0.3	<0.01	0.4	<0.05	7.1	<0.5	7	<0.2
1401688	Rock Chip	1.20	0.092	16	29	1.27	1197	0.287	<20	2.34	0.218	0.91	0.4	<0.01	0.4	<0.05	7.9	<0.5	7	<0.2
1401689	Rock Chip	1.63	0.090	20	25	1.17	1165	0.224	<20	2.33	0.138	0.88	0.2	0.03	0.5	<0.05	12.7	<0.5	7	<0.2
1401690	Rock Chip	1.75	0.083	20	24	1.16	1100	0.210	<20	2.62	0.174	0.92	0.4	0.04	0.6	<0.05	14.5	<0.5	8	<0.2
1401691	Rock Chip	1.69	0.084	18	26	1.18	1126	0.240	<20	2.43	0.225	0.90	0.2	0.01	0.5	<0.05	9.8	<0.5	7	<0.2
1401692	Rock Chip	1.51	0.089	17	28	1.26	1190	0.271	<20	2.48	0.234	0.97	0.3	<0.01	0.5	<0.05	9.7	<0.5	7	<0.2
1401693	Rock Chip	1.65	0.087	19	26	1.31	1155	0.249	<20	2.52	0.236	0.88	0.2	<0.01	0.4	<0.05	11.2	<0.5	7	<0.2
1401694	Rock Chip	2.58	0.082	20	27	1.72	1025	0.218	<20	2.75	0.184	0.81	0.3	0.01	0.4	<0.05	15.3	<0.5	8	<0.2
1401695	Rock Chip	1.56	0.080	16	26	1.30	1166	0.268	<20	2.51	0.249	0.91	0.4	<0.01	0.4	<0.05	9.4	<0.5	7	<0.2
1401696	Rock Chip	1.63	0.085	16	24	1.28	1053	0.248	<20	2.25	0.189	0.78	0.4	0.02	0.4	<0.05	8.1	<0.5	7	<0.2
1401697	Rock Chip	1.36	0.082	15	24	1.15	1058	0.277	<20	2.05	0.197	0.68	0.3	<0.01	0.3	<0.05	6.0	<0.5	6	<0.2
1401698	Rock Chip	1.41	0.084	16	25	1.24	1138	0.272	<20	2.27	0.214	0.78	0.3	<0.01	0.4	<0.05	6.9	<0.5	7	<0.2
1401699	Rock Pulp	2.35	0.084	17	21	1.07	909	0.176	<20	2.05	0.161	0.73	0.3	<0.01	0.4	<0.05	8.9	<0.5	6	<0.2
1401700	Rock Pulp	0.87	0.066	4	33	0.83	106	0.124	<20	1.70	0.085	0.14	12.7	0.01	<0.1	<0.05	4.9	<0.5	5	<0.2
1401701	Rock Chip	0.91	0.064	5	38	0.87	115	0.138	<20	1.85	0.105	0.16	0.1	0.07	<0.1	<0.05	5.5	<0.5	6	<0.2
1401702	Rock Chip	1.49	0.083	17	26	1.42	1162	0.258	<20	2.46	0.210	0.94	0.2	<0.01	0.4	<0.05	7.7	<0.5	7	<0.2
1401703	Rock Chip	1.38	0.081	16	27	1.38	1278	0.298	<20	2.64	0.272	1.01	0.5	<0.01	0.5	<0.05	8.4	<0.5	7	<0.2
1401704	Rock Chip	2.77	0.085	21	26	1.34	1034	0.182	<20	2.77	0.175	0.84	0.1	<0.01	0.4	<0.05	16.2	<0.5	8	<0.2
1401705	Rock Chip	2.35	0.085	17	28	1.52	1079	0.209	<20	2.57	0.172	0.78	0.2	<0.01	0.4	<0.05	11.1	<0.5	8	<0.2
1401706	Rock Chip	1.91	0.081	19	27	1.38	1082	0.214	<20	2.49	0.178	0.83	0.2	<0.01	0.4	<0.05	12.1	<0.5	7	<0.2
1401707	Rock Chip	1.65	0.085	16	28	1.32	990	0.220	<20	2.35	0.240	0.76	0.3	<0.01	0.3	<0.05	9.1	<0.5	7	<0.2
1401708	Rock Chip	1.97	0.087	20	27	1.27	1328	0.232	<20	2.57	0.199	0.92	0.2	<0.01	0.5	<0.05	13.4	<0.5	8	<0.2
1401709	Rock Chip	2.67	0.087	20	21	1.22	799	0.106	<20	2.15	0.106	0.62	<0.1	0.04	0.6	0.06	16.7	<0.5	6	<0.2
1401710	Rock Chip	3.29	0.078	18	19	1.60	580	0.072	<20	2.14	0.063	0.52	<0.1	0.03	0.3	0.08	16.2	<0.5	6	<0.2
1401711	Rock Chip	3.77	0.080	17	16	1.38	489	0.042	<20	1.40	0.057	0.44	0.1	0.02	0.3	0.17	13.0	<0.5	4	<0.2
1401712	Rock Chip	2.00	0.083	18	28	1.36	1057	0.198	<20	2.58	0.209	0.78	1.8	0.01	0.4	0.09	13.0	<0.5	7	<0.2
1401713	Rock Chip	1.60	0.086	15	31	1.42	1319	0.287	<20	2.58	0.256	0.99	0.4	<0.01	0.5	0.05	8.4	<0.5	8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

CERTIFICATE OF ANALYSIS WHI12000084.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401714	Rock Chip	2.19	3	1.6	29.0	46.9	189	0.8	6.9	19.7	1234	4.43	26.5	3.8	3.2	8.4	128	1.7	0.7	<0.1	140
1401715	Rock Chip	2.26	<2	2.0	35.9	20.9	94	0.4	8.5	18.1	796	4.10	6.2	2.1	<0.5	7.6	109	0.6	0.6	<0.1	141
1401716	Rock Chip	2.46	<2	2.3	30.8	4.8	55	<0.1	8.1	15.7	576	3.46	4.2	2.0	<0.5	9.1	87	0.1	0.6	0.2	122
1401717	Rock Chip	2.37	<2	2.7	30.4	42.1	106	0.7	8.4	17.9	748	4.04	10.1	2.1	<0.5	8.6	95	0.8	0.9	<0.1	134
1401718	Rock Chip	2.29	3	3.2	32.9	97.3	165	1.5	8.3	18.0	840	4.06	17.6	2.5	0.8	9.2	93	1.6	1.0	0.2	116
1401719	Rock Chip	1.72	<2	3.0	48.3	4.5	63	0.1	7.6	18.0	732	3.99	7.5	2.6	<0.5	8.9	92	0.2	0.9	<0.1	114
1401720	Rock Pulp	0.13	4	2.6	28.4	2.4	46	0.3	25.5	11.5	419	2.45	4.8	0.3	<0.5	0.9	43	0.2	0.2	<0.1	64
1401721	Rock Pulp	0.13	3698	10.1	73.8	468.8	1620	56.2	33.0	9.1	421	3.51	31.3	0.3	4170	1.1	35	18.1	41.6	1.1	58
1401722	Rock Chip	2.47	7	1.8	35.0	4.8	89	0.1	8.1	17.7	915	3.90	9.8	4.6	1.9	7.7	139	0.2	1.3	0.2	94
1401723	Rock Chip	2.36	342	2.3	162.2	4150	5300	70.0	6.2	16.9	1466	5.20	838.7	3.2	419.9	8.1	99	58.2	6.0	0.3	30
1401724	Rock Chip	1.20	453	2.9	81.1	4242	6236	65.1	7.0	17.7	1605	5.31	1955	3.7	543.8	9.4	125	81.8	34.1	0.3	75
1401725	Rock Chip	0.94	334	2.6	67.6	3046	5787	44.9	7.9	18.1	1575	4.99	1471	3.8	389.1	9.6	108	70.5	28.8	0.4	78
1401726	Rock Chip	1.78	34	3.2	42.2	109.7	207	6.1	7.1	16.3	1414	3.80	71.2	2.0	34.6	9.3	108	1.1	3.4	0.3	107
1401727	Rock Chip	1.33	15	1.9	34.2	89.1	114	2.2	7.2	15.6	1113	3.75	35.9	2.3	18.1	8.7	107	1.0	1.8	<0.1	119
1401728	Rock Chip	1.22	2	2.3	30.4	15.3	57	0.3	7.6	15.2	585	3.49	7.1	1.4	6.1	7.9	90	0.2	0.3	<0.1	120
1401729	Rock Chip	2.35	<2	2.4	29.7	12.2	51	0.2	6.9	14.2	573	3.26	6.1	1.5	2.9	8.8	100	<0.1	0.5	<0.1	105
1401730	Rock Chip	3.21	<2	2.5	32.2	13.1	63	0.2	6.7	16.4	740	3.72	5.0	1.7	0.9	9.5	102	0.2	0.6	<0.1	121
1401731	Rock Chip	2.85	<2	2.0	30.3	9.9	49	0.2	7.1	13.7	525	3.20	3.4	2.1	2.1	9.0	98	0.1	0.2	0.1	107
1401732	Rock Chip	2.18	<2	2.6	21.7	8.2	49	0.1	6.3	13.8	544	3.21	3.0	2.1	<0.5	10.7	101	<0.1	0.2	0.1	105
1401733	Rock Chip	3.15	<2	2.9	28.9	8.8	49	0.2	6.2	13.9	565	3.35	3.1	2.4	<0.5	9.3	110	<0.1	0.2	0.2	108
1401734	Rock Chip	3.13	6	2.5	32.0	10.1	48	0.2	6.9	13.7	550	3.22	3.9	2.1	1.7	9.4	102	<0.1	0.2	<0.1	106
1401735	Rock Chip	2.50	7	2.2	27.2	9.0	55	0.1	6.7	14.8	574	3.36	6.5	1.8	<0.5	8.6	100	<0.1	0.2	0.2	114
1401736	Rock Chip	2.68	<2	2.3	30.6	7.2	45	0.1	7.1	14.3	522	3.31	2.4	1.6	<0.5	9.0	97	<0.1	0.1	0.3	108
1401737	Rock Chip	2.71	<2	2.5	27.0	6.5	49	0.1	7.0	14.8	582	3.42	2.3	2.2	<0.5	9.1	109	<0.1	0.3	<0.1	117
1401738	Rock Chip	2.78	<2	2.7	29.7	5.5	46	<0.1	7.1	14.8	586	3.37	1.9	2.0	<0.5	8.6	112	<0.1	0.2	<0.1	115
1401739	Rock Chip	2.53	<2	2.9	28.3	5.1	43	<0.1	6.9	13.4	475	3.11	1.7	1.7	0.7	9.7	90	<0.1	0.2	0.1	102
1401740	Rock Pulp	0.12	<2	2.5	24.3	2.4	39	0.3	24.1	10.6	390	2.35	4.6	0.2	<0.5	0.9	44	0.2	0.1	<0.1	57
1401741	Rock Pulp	0.12	1563	8.7	47.0	5.7	48	0.2	33.1	9.5	469	3.13	6.2	0.3	523.5	1.0	47	<0.1	0.6	<0.1	64
1401742	Rock Chip	2.73	4	2.2	27.1	5.0	43	<0.1	6.1	13.1	487	3.12	1.6	1.5	<0.5	8.6	105	0.1	0.1	<0.1	106
1401743	Rock Chip	2.92	<2	1.9	24.6	5.3	47	<0.1	6.5	13.1	541	3.31	2.8	1.7	1.8	9.3	109	<0.1	0.2	0.1	105

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

CERTIFICATE OF ANALYSIS WHI12000084.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1401714	Rock Chip	3.23	0.082	21	28	1.73	1181	0.196	<20	2.83	0.161	0.83	0.2	<0.01	0.4	0.13	15.5	<0.5	8	<0.2
1401715	Rock Chip	2.08	0.086	16	29	1.59	1198	0.247	<20	2.72	0.235	0.93	0.3	<0.01	0.4	0.12	12.0	<0.5	8	<0.2
1401716	Rock Chip	1.43	0.084	15	31	1.30	1327	0.286	<20	2.44	0.256	0.98	0.5	<0.01	0.5	<0.05	6.8	<0.5	7	<0.2
1401717	Rock Chip	2.01	0.084	16	31	1.60	1043	0.239	<20	2.60	0.235	0.77	0.3	<0.01	0.4	0.11	10.9	<0.5	8	<0.2
1401718	Rock Chip	2.49	0.083	15	29	1.56	646	0.140	<20	2.31	0.154	0.50	0.3	<0.01	0.2	0.13	10.4	<0.5	7	<0.2
1401719	Rock Chip	2.08	0.091	17	28	1.57	489	0.126	<20	2.35	0.182	0.31	0.3	<0.01	0.2	0.06	10.1	<0.5	8	<0.2
1401720	Rock Pulp	0.90	0.065	4	32	0.83	105	0.131	<20	1.67	0.086	0.14	12.2	<0.01	<0.1	<0.05	5.0	<0.5	6	<0.2
1401721	Rock Pulp	0.74	0.057	6	30	0.61	118	0.112	<20	1.27	0.085	0.12	2.1	0.23	1.1	0.36	4.7	<0.5	7	<0.2
1401722	Rock Chip	3.40	0.074	15	25	1.62	225	0.047	<20	1.92	0.088	0.23	<0.1	<0.01	0.1	0.08	10.8	<0.5	7	<0.2
1401723	Rock Chip	1.95	0.065	8	9	0.75	67	0.001	<20	0.69	0.010	0.31	0.2	0.12	0.4	3.14	6.2	<0.5	2	<0.2
1401724	Rock Chip	1.78	0.068	15	18	0.80	101	0.002	<20	1.50	0.032	0.26	0.1	0.15	0.3	1.26	13.3	<0.5	6	<0.2
1401725	Rock Chip	1.88	0.069	16	18	0.89	102	0.002	<20	1.62	0.034	0.24	<0.1	0.11	0.3	1.03	13.3	<0.5	6	<0.2
1401726	Rock Chip	2.22	0.071	16	25	1.31	703	0.165	<20	2.33	0.176	0.53	<0.1	0.04	0.3	0.15	11.4	0.5	8	<0.2
1401727	Rock Chip	1.82	0.074	15	27	1.30	1206	0.273	<20	2.33	0.222	0.97	0.3	<0.01	0.5	0.09	10.4	<0.5	8	<0.2
1401728	Rock Chip	1.27	0.074	13	28	1.31	1248	0.303	<20	2.35	0.231	0.97	0.4	<0.01	0.4	<0.05	7.2	<0.5	7	<0.2
1401729	Rock Chip	1.56	0.072	14	25	1.24	982	0.252	<20	2.20	0.215	0.73	0.3	<0.01	0.3	<0.05	7.2	<0.5	7	<0.2
1401730	Rock Chip	1.95	0.074	16	28	1.60	1013	0.244	<20	2.47	0.193	0.72	0.4	0.01	0.3	<0.05	10.2	0.9	8	<0.2
1401731	Rock Chip	1.20	0.069	14	27	1.29	1211	0.281	<20	2.29	0.242	0.87	0.6	<0.01	0.4	<0.05	6.4	<0.5	7	<0.2
1401732	Rock Chip	1.49	0.066	15	26	1.16	1067	0.266	<20	2.20	0.244	0.84	0.6	0.02	0.4	<0.05	7.9	0.5	7	<0.2
1401733	Rock Chip	1.59	0.070	15	27	1.23	1039	0.270	<20	2.39	0.267	0.86	0.6	0.01	0.4	0.06	7.9	0.5	7	<0.2
1401734	Rock Chip	1.39	0.073	14	27	1.23	1042	0.280	<20	2.32	0.267	0.87	0.7	<0.01	0.4	<0.05	7.6	<0.5	7	<0.2
1401735	Rock Chip	1.52	0.073	14	29	1.26	1195	0.305	<20	2.37	0.249	0.95	0.4	<0.01	0.5	<0.05	7.6	<0.5	8	<0.2
1401736	Rock Chip	1.50	0.075	14	30	1.20	1054	0.302	<20	2.33	0.264	0.84	0.7	<0.01	0.3	<0.05	6.9	<0.5	7	<0.2
1401737	Rock Chip	1.58	0.071	14	28	1.27	1123	0.286	<20	2.49	0.271	0.89	0.3	<0.01	0.4	<0.05	8.4	<0.5	8	<0.2
1401738	Rock Chip	1.59	0.077	14	28	1.27	1088	0.305	<20	2.45	0.297	0.91	0.5	<0.01	0.4	<0.05	8.1	<0.5	7	<0.2
1401739	Rock Chip	1.18	0.071	15	28	1.16	993	0.271	<20	2.12	0.216	0.76	0.5	<0.01	0.3	<0.05	6.3	<0.5	7	<0.2
1401740	Rock Pulp	0.81	0.056	4	32	0.79	97	0.128	<20	1.56	0.074	0.13	11.2	<0.01	<0.1	<0.05	4.9	<0.5	5	<0.2
1401741	Rock Pulp	0.86	0.056	5	36	0.83	104	0.146	<20	1.75	0.092	0.14	0.2	0.06	<0.1	<0.05	5.5	<0.5	6	<0.2
1401742	Rock Chip	1.43	0.069	14	27	1.21	950	0.271	<20	2.19	0.239	0.75	0.5	<0.01	0.3	<0.05	7.4	<0.5	7	<0.2
1401743	Rock Chip	1.56	0.075	15	27	1.22	763	0.272	<20	2.15	0.209	0.65	0.4	<0.01	0.3	<0.05	8.3	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

CERTIFICATE OF ANALYSIS WHI12000084.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401744	Rock Chip	3.08	<2	2.7	27.3	5.5	56	<0.1	6.9	15.6	674	3.54	6.9	2.1	<0.5	9.4	116	0.1	0.2	0.1	121
1401745	Rock Chip	2.89	<2	2.3	27.7	3.9	45	<0.1	6.9	13.7	509	3.21	1.3	2.2	<0.5	9.4	110	<0.1	0.1	<0.1	107
1401746	Rock Chip	2.67	<2	2.6	27.7	3.7	43	0.1	7.0	13.6	466	3.17	1.0	2.0	<0.5	9.1	97	<0.1	<0.1	<0.1	107
1401747	Rock Chip	2.89	<2	2.7	29.2	3.7	45	<0.1	7.6	14.1	519	3.33	1.7	1.8	<0.5	8.9	106	<0.1	<0.1	<0.1	114
1401748	Rock Chip	2.25	<2	2.6	29.0	3.5	44	<0.1	6.6	13.5	498	3.21	1.0	1.7	<0.5	8.5	102	<0.1	<0.1	<0.1	110
1401749	Rock Chip	2.84	<2	2.7	26.7	3.6	42	<0.1	6.6	12.9	466	3.09	1.2	2.0	<0.5	9.3	99	<0.1	<0.1	<0.1	104
1401750	Rock Chip	2.70	<2	2.3	26.0	3.5	46	<0.1	7.4	14.3	532	3.29	0.7	1.7	<0.5	8.3	98	0.1	<0.1	<0.1	109
1401751	Rock Chip	2.26	<2	2.7	29.5	4.0	62	0.2	8.1	18.9	873	4.22	4.0	4.6	<0.5	9.4	130	0.1	0.3	<0.1	120
1401752	Rock Chip	2.61	9	1.7	32.7	6.0	58	0.3	6.6	18.2	1113	4.10	57.7	7.9	8.4	8.7	144	0.2	0.6	0.5	74
1401753	Rock Chip	2.85	<2	2.9	25.7	4.2	51	0.1	7.3	16.5	813	3.72	5.6	3.3	<0.5	9.1	129	0.1	0.3	<0.1	99
1401754	Rock Chip	2.42	<2	2.5	28.1	3.2	48	<0.1	6.9	14.7	610	3.38	1.6	2.3	<0.5	8.6	110	<0.1	0.2	<0.1	108
1401755	Rock Chip	2.63	<2	2.5	25.3	3.0	51	<0.1	6.5	15.9	646	3.56	1.7	2.2	<0.5	7.8	114	<0.1	0.1	<0.1	121
1401756	Rock Chip	2.89	<2	1.7	28.4	3.4	54	<0.1	7.3	16.6	734	3.70	1.4	2.7	<0.5	10.8	125	0.2	0.2	<0.1	124
1401757	Rock Chip	2.99	<2	1.7	30.7	8.5	62	0.1	7.0	15.5	779	3.93	4.4	3.1	1.4	8.5	113	0.2	1.0	<0.1	121
1401758	Rock Chip	2.99	<2	2.1	28.8	7.4	55	0.1	6.5	14.8	653	3.48	5.1	2.9	11.4	8.9	115	0.1	0.7	<0.1	119
1401759	Rock Chip	2.93	<2	2.3	27.0	5.1	59	0.1	7.1	15.4	715	3.82	3.4	2.0	1.3	8.7	108	0.1	0.7	<0.1	120
1401760	Rock Pulp	0.12	2	2.4	25.7	2.4	44	0.5	22.9	10.0	404	2.41	4.4	0.3	<0.5	1.0	44	0.3	0.2	<0.1	60
1401761	Rock Pulp	0.12	4114	10.1	73.5	481.6	1596	54.7	31.6	9.0	420	3.43	32.2	0.4	4462	1.4	41	17.5	48.8	1.2	56
1401762	Rock Chip	3.04	<2	2.3	24.3	4.9	62	0.2	7.4	15.7	1123	3.83	4.5	3.0	0.6	8.1	139	0.1	0.8	<0.1	106
1401763	Rock Chip	2.94	<2	2.0	27.0	5.9	63	0.1	7.1	16.1	835	3.84	3.3	2.6	2.5	8.6	115	0.1	1.0	<0.1	117
1401764	Rock Chip	2.27	<2	1.9	24.3	7.1	66	0.1	6.8	15.4	706	3.82	3.5	2.9	2.8	8.4	102	0.2	0.8	0.2	120
1401765	Rock Chip	2.57	3	1.8	24.6	4.7	57	0.1	6.6	16.8	746	3.95	3.3	2.2	1.9	8.3	113	0.1	1.1	0.1	133
1401766	Rock Chip	3.15	<2	2.4	25.7	6.6	46	0.1	7.1	12.8	517	3.20	3.4	2.0	2.1	8.7	94	<0.1	0.8	<0.1	107
1401767	Rock Chip	2.72	<2	2.5	27.3	4.9	52	<0.1	7.5	14.2	601	3.59	3.0	2.2	1.6	9.3	92	<0.1	0.5	<0.1	118
1401768	Rock Chip	2.63	27	2.1	28.2	23.8	161	0.5	6.9	13.9	920	3.56	74.1	3.0	30.8	9.4	99	1.7	1.2	<0.1	109
1401769	Rock Chip	3.01	14	3.4	27.7	22.9	125	0.5	7.0	13.8	804	3.50	40.2	2.2	16.9	9.0	91	1.5	2.2	<0.1	108
1401770	Rock Chip	2.60	<2	2.1	25.4	6.5	58	<0.1	6.4	15.3	744	3.84	5.0	2.8	<0.5	8.1	133	0.1	1.0	<0.1	129
1401771	Rock Chip	2.68	<2	1.9	27.5	6.8	56	0.1	6.7	15.0	704	3.64	3.6	2.1	0.8	9.0	140	0.2	1.3	<0.1	121
1401772	Rock Chip	2.74	<2	2.0	25.1	5.8	57	<0.1	6.3	14.6	713	3.65	4.0	2.7	0.8	9.2	135	<0.1	1.0	<0.1	120
1401773	Rock Chip	3.19	12	2.0	23.6	20.1	78	0.5	6.5	16.2	831	4.06	6.7	4.0	1.9	9.3	98	0.4	1.2	<0.1	129

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

CERTIFICATE OF ANALYSIS WHI12000084.1

		Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
		Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1401744	Rock Chip		2.09	0.076	16	30	1.35	1058	0.278	<20	2.50	0.256	0.84	0.4	<0.01	0.4	<0.05	10.0	<0.5	8	<0.2
1401745	Rock Chip		1.44	0.072	14	29	1.17	1111	0.298	<20	2.43	0.280	0.91	0.7	<0.01	0.4	<0.05	7.1	<0.5	7	<0.2
1401746	Rock Chip		1.25	0.074	14	30	1.14	1045	0.299	<20	2.28	0.262	0.91	0.6	<0.01	0.4	<0.05	6.3	<0.5	7	<0.2
1401747	Rock Chip		1.44	0.076	15	32	1.21	1088	0.300	<20	2.39	0.283	0.91	0.6	<0.01	0.4	<0.05	7.4	<0.5	7	<0.2
1401748	Rock Chip		1.23	0.074	14	30	1.19	1149	0.300	<20	2.30	0.271	0.99	0.6	<0.01	0.4	<0.05	6.5	<0.5	7	<0.2
1401749	Rock Chip		1.14	0.072	14	29	1.17	1180	0.289	<20	2.11	0.221	0.95	0.6	<0.01	0.4	<0.05	5.7	<0.5	7	<0.2
1401750	Rock Chip		1.25	0.072	14	30	1.22	1231	0.303	<20	2.25	0.230	0.97	0.4	<0.01	0.4	<0.05	6.5	<0.5	7	<0.2
1401751	Rock Chip		2.81	0.083	16	30	1.55	883	0.195	<20	2.31	0.141	0.73	0.2	<0.01	0.4	0.08	12.8	<0.5	7	<0.2
1401752	Rock Chip		4.61	0.075	16	17	1.64	435	0.043	<20	1.47	0.032	0.42	0.1	<0.01	0.2	0.13	13.8	<0.5	5	<0.2
1401753	Rock Chip		3.09	0.078	15	26	1.40	841	0.185	<20	2.03	0.137	0.62	0.3	<0.01	0.3	<0.05	9.5	<0.5	7	<0.2
1401754	Rock Chip		1.83	0.074	15	27	1.35	967	0.238	<20	2.25	0.192	0.72	0.4	<0.01	0.3	<0.05	8.7	<0.5	7	<0.2
1401755	Rock Chip		1.84	0.078	15	29	1.39	1006	0.268	<20	2.48	0.242	0.91	0.3	<0.01	0.4	<0.05	9.0	<0.5	8	<0.2
1401756	Rock Chip		2.13	0.075	18	29	1.44	1044	0.238	<20	2.55	0.227	0.82	0.2	<0.01	0.4	<0.05	11.3	<0.5	8	<0.2
1401757	Rock Chip		2.03	0.076	17	28	1.41	1085	0.234	<20	2.37	0.224	0.89	0.3	<0.01	0.4	<0.05	11.9	<0.5	7	<0.2
1401758	Rock Chip		1.70	0.069	15	27	1.26	1044	0.237	<20	2.42	0.297	0.85	0.4	<0.01	0.4	0.06	9.2	<0.5	7	<0.2
1401759	Rock Chip		1.91	0.076	15	29	1.41	1071	0.241	<20	2.40	0.238	0.83	0.4	<0.01	0.4	<0.05	9.2	<0.5	7	<0.2
1401760	Rock Pulp		0.83	0.059	4	30	0.78	96	0.122	<20	1.57	0.078	0.13	12.8	<0.01	<0.1	<0.05	4.5	<0.5	5	<0.2
1401761	Rock Pulp		0.72	0.054	6	29	0.61	118	0.117	<20	1.24	0.078	0.11	2.4	0.23	1.2	0.34	4.6	<0.5	7	0.3
1401762	Rock Chip		4.14	0.076	15	25	1.40	759	0.144	<20	2.21	0.155	0.60	0.2	0.01	0.3	<0.05	11.1	<0.5	7	<0.2
1401763	Rock Chip		2.41	0.075	16	28	1.30	995	0.201	<20	2.23	0.190	0.72	0.3	<0.01	0.4	<0.05	11.1	<0.5	7	<0.2
1401764	Rock Chip		1.97	0.077	15	27	1.45	925	0.221	<20	2.32	0.201	0.79	0.3	<0.01	0.4	<0.05	10.3	<0.5	7	<0.2
1401765	Rock Chip		1.70	0.071	15	29	1.57	1152	0.263	<20	2.51	0.241	0.87	0.4	<0.01	0.5	<0.05	10.8	<0.5	7	<0.2
1401766	Rock Chip		1.22	0.074	14	28	1.15	1150	0.272	<20	2.16	0.278	0.86	0.8	<0.01	0.4	<0.05	5.9	<0.5	6	<0.2
1401767	Rock Chip		1.35	0.078	16	33	1.28	1103	0.284	<20	2.26	0.252	0.93	0.6	<0.01	0.4	<0.05	7.6	<0.5	7	<0.2
1401768	Rock Chip		1.63	0.074	15	27	1.21	1063	0.249	<20	2.19	0.228	0.88	0.4	0.02	0.4	0.11	7.4	<0.5	7	<0.2
1401769	Rock Chip		1.43	0.074	14	29	1.17	1021	0.255	<20	2.17	0.241	0.88	0.5	0.01	0.5	0.20	7.5	<0.5	7	<0.2
1401770	Rock Chip		1.89	0.072	16	27	1.51	1129	0.256	<20	2.51	0.243	0.93	0.2	<0.01	0.4	<0.05	11.0	<0.5	8	<0.2
1401771	Rock Chip		2.07	0.072	16	27	1.46	1041	0.237	<20	2.31	0.220	0.80	0.3	<0.01	0.4	<0.05	10.1	<0.5	8	<0.2
1401772	Rock Chip		1.90	0.072	17	27	1.49	1102	0.242	<20	2.44	0.256	0.81	0.2	<0.01	0.4	<0.05	10.3	<0.5	7	<0.2
1401773	Rock Chip		1.89	0.072	17	28	1.59	997	0.220	<20	2.51	0.210	0.79	0.4	<0.01	0.4	0.09	12.5	0.6	8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

CERTIFICATE OF ANALYSIS WHI12000084.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401774	Rock Chip	1.19	<2	2.1	26.3	5.0	51	<0.1	6.4	13.1	524	3.20	2.8	2.5	0.7	8.5	90	<0.1	0.6	<0.1	107
1401775	Rock Chip	1.65	<2	2.3	26.7	5.2	49	0.1	6.9	13.4	543	3.26	3.8	2.1	1.8	8.1	96	<0.1	0.6	<0.1	109
1401776	Rock Chip	2.76	3	2.4	24.8	4.5	46	0.1	6.9	13.1	553	3.09	3.2	2.2	<0.5	7.9	94	<0.1	0.6	<0.1	107
1401777	Rock Chip	2.99	<2	2.2	25.5	8.0	57	0.2	6.5	14.8	785	3.74	6.5	2.6	1.9	8.3	109	0.1	0.7	<0.1	119
1401778	Rock Chip	3.33	<2	2.0	28.8	4.4	49	0.1	6.9	14.3	647	3.48	3.0	2.2	1.7	8.4	86	0.1	0.6	0.2	108
1401779	Rock Chip	2.87	3	2.1	43.2	31.6	66	1.4	7.2	15.6	829	3.90	9.0	2.8	1.9	8.2	91	0.2	0.8	2.1	113
1401780	Rock Pulp	0.13	<2	2.4	24.4	2.3	42	0.2	25.7	10.8	402	2.45	4.8	0.3	<0.5	0.9	40	0.1	0.2	<0.1	57
1401781	Rock Pulp	0.13	1433	8.2	47.9	6.0	49	0.2	32.6	9.3	483	3.29	6.8	0.3	746.4	1.0	44	0.1	0.8	0.1	62
1401782	Rock Chip	2.83	<2	2.3	24.2	4.7	50	<0.1	6.5	12.9	508	3.23	2.9	2.1	1.3	8.5	96	0.1	0.4	<0.1	104
1401783	Rock Chip	2.67	<2	2.6	23.9	3.9	46	<0.1	7.1	12.4	465	3.11	2.0	2.1	1.5	8.9	88	0.1	0.5	<0.1	101
1401784	Rock Chip	3.03	<2	2.3	25.0	4.2	49	<0.1	6.2	12.4	474	3.03	2.5	2.4	<0.5	9.3	114	0.1	0.7	<0.1	99
1401785	Rock Chip	2.60	<2	2.2	24.0	4.7	48	<0.1	6.8	12.6	487	3.21	3.0	2.5	<0.5	8.5	99	0.1	0.5	<0.1	107
1401786	Rock Chip	2.66	<2	2.2	27.3	4.5	49	<0.1	6.8	12.9	509	3.24	3.3	3.2	1.7	9.5	97	0.1	0.5	<0.1	106
1401787	Rock Chip	3.28	<2	2.5	26.1	4.1	45	<0.1	6.7	12.2	471	3.09	2.4	2.5	<0.5	9.3	101	<0.1	0.4	<0.1	99
1401788	Rock Chip	2.88	<2	2.6	25.0	3.8	47	<0.1	7.1	13.1	494	3.33	2.3	2.3	<0.5	8.9	99	<0.1	0.4	<0.1	107
1401789	Rock Chip	3.05	<2	2.7	26.8	3.8	46	<0.1	7.0	13.3	475	3.25	2.2	2.3	<0.5	9.0	94	<0.1	0.3	<0.1	106

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

CERTIFICATE OF ANALYSIS WHI12000084.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1401774	Rock Chip	1.24	0.070	14	28	1.19	1153	0.288	<20	2.10	0.245	0.87	0.7	<0.01	0.4	<0.05	5.7	<0.5	7	<0.2
1401775	Rock Chip	1.30	0.075	14	30	1.21	1157	0.285	<20	2.17	0.259	0.89	0.7	<0.01	0.4	<0.05	5.8	<0.5	6	<0.2
1401776	Rock Chip	1.45	0.072	13	27	1.19	1100	0.283	<20	2.12	0.239	0.87	0.5	<0.01	0.4	<0.05	6.1	<0.5	6	<0.2
1401777	Rock Chip	2.04	0.073	15	30	1.54	914	0.226	<20	2.35	0.225	0.68	0.4	<0.01	0.3	0.11	10.2	<0.5	7	<0.2
1401778	Rock Chip	1.64	0.073	14	28	1.27	867	0.219	<20	2.18	0.206	0.70	0.5	<0.01	0.3	<0.05	7.7	<0.5	7	<0.2
1401779	Rock Chip	1.79	0.075	15	28	1.47	766	0.190	<20	2.27	0.181	0.64	0.3	<0.01	0.3	0.13	10.1	<0.5	7	<0.2
1401780	Rock Pulp	0.81	0.060	4	30	0.79	92	0.117	<20	1.57	0.077	0.13	11.3	<0.01	<0.1	<0.05	4.7	<0.5	5	<0.2
1401781	Rock Pulp	0.82	0.058	4	34	0.83	105	0.125	<20	1.68	0.094	0.14	0.2	0.07	<0.1	<0.05	4.9	<0.5	5	<0.2
1401782	Rock Chip	1.20	0.070	13	28	1.15	1097	0.272	<20	2.14	0.252	0.86	0.6	<0.01	0.4	<0.05	5.8	<0.5	6	<0.2
1401783	Rock Chip	1.21	0.072	13	29	1.04	1091	0.276	<20	1.91	0.223	0.88	0.6	<0.01	0.4	<0.05	4.8	<0.5	6	<0.2
1401784	Rock Chip	1.51	0.073	14	27	1.03	1063	0.271	<20	1.96	0.235	0.78	0.5	<0.01	0.4	<0.05	5.3	<0.5	6	<0.2
1401785	Rock Chip	1.43	0.073	14	31	1.07	1107	0.273	<20	2.02	0.241	0.84	0.5	<0.01	0.4	<0.05	5.8	<0.5	7	<0.2
1401786	Rock Chip	1.27	0.073	15	29	1.12	1142	0.276	<20	2.15	0.267	0.85	0.6	<0.01	0.4	<0.05	5.9	<0.5	6	<0.2
1401787	Rock Chip	1.25	0.071	14	30	1.03	1130	0.268	<20	2.06	0.265	0.89	0.8	<0.01	0.4	<0.05	4.4	<0.5	6	<0.2
1401788	Rock Chip	1.32	0.074	14	30	1.11	1189	0.292	<20	2.17	0.273	0.90	0.6	<0.01	0.4	<0.05	5.8	<0.5	7	<0.2
1401789	Rock Chip	1.22	0.075	14	30	1.10	1193	0.304	<20	2.13	0.266	0.92	0.7	<0.01	0.4	<0.05	5.4	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

QUALITY CONTROL REPORT WHI12000084.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1401654	Rock Chip	1.70	18	1.4	30.8	294.3	420	2.3	6.6	14.5	796	3.70	56.6	1.9	17.1	9.0	74	4.3	4.3	<0.1	101
REP 1401654	QC			1.4	31.0	292.2	411	2.4	6.8	14.5	795	3.66	55.9	1.8	17.5	9.1	74	4.0	4.6	<0.1	103
1401681	Rock Pulp	0.12	3901	10.2	77.1	527.1	1665	57.3	32.9	9.3	438	3.53	34.7	0.4	3033	1.3	41	18.7	46.2	1.0	59
REP 1401681	QC		4144																		
1401704	Rock Chip	2.23	<2	1.7	41.6	7.2	71	0.2	7.4	19.4	925	4.31	3.7	5.2	0.5	9.6	116	0.2	0.7	0.4	132
REP 1401704	QC			1.5	42.0	6.9	71	0.3	7.0	19.7	919	4.32	3.7	5.2	<0.5	10.1	117	0.2	0.6	0.4	130
1401706	Rock Chip	2.17	5	2.1	28.5	4.1	58	<0.1	7.0	17.3	721	3.84	1.9	2.0	<0.5	10.0	97	0.2	0.6	0.1	126
REP 1401706	QC		<2																		
1401739	Rock Chip	2.53	<2	2.9	28.3	5.1	43	<0.1	6.9	13.4	475	3.11	1.7	1.7	0.7	9.7	90	<0.1	0.2	0.1	102
REP 1401739	QC			2.4	27.5	4.9	43	<0.1	7.0	13.1	466	3.04	1.7	2.2	<0.5	9.6	87	<0.1	0.2	0.1	99
1401740	Rock Pulp	0.12	<2	2.5	24.3	2.4	39	0.3	24.1	10.6	390	2.35	4.6	0.2	<0.5	0.9	44	0.2	0.1	<0.1	57
REP 1401740	QC		<2																		
1401774	Rock Chip	1.19	<2	2.1	26.3	5.0	51	<0.1	6.4	13.1	524	3.20	2.8	2.5	0.7	8.5	90	<0.1	0.6	<0.1	107
REP 1401774	QC			2.2	25.2	5.7	48	<0.1	6.6	13.3	513	3.20	2.9	2.1	<0.5	7.9	89	<0.1	0.6	<0.1	108
1401777	Rock Chip	2.99	<2	2.2	25.5	8.0	57	0.2	6.5	14.8	785	3.74	6.5	2.6	1.9	8.3	109	0.1	0.7	<0.1	119
REP 1401777	QC		<2																		
Core Reject Duplicates																					
1401683	Rock Chip	1.97	13	1.8	40.0	354.9	619	4.9	7.5	17.4	853	4.24	30.4	3.5	34.0	9.4	84	9.0	6.4	<0.1	113
DUP 1401683	QC		13	2.0	38.9	371.0	569	4.9	7.5	17.1	835	4.22	33.1	3.1	22.0	9.2	92	7.9	6.8	<0.1	113
1401718	Rock Chip	2.29	3	3.2	32.9	97.3	165	1.5	8.3	18.0	840	4.06	17.6	2.5	0.8	9.2	93	1.6	1.0	0.2	116
DUP 1401718	QC		6	2.8	34.3	91.2	174	1.3	8.6	19.0	862	4.17	18.4	2.4	<0.5	9.3	96	1.6	1.0	<0.1	120
1401753	Rock Chip	2.85	<2	2.9	25.7	4.2	51	0.1	7.3	16.5	813	3.72	5.6	3.3	<0.5	9.1	129	0.1	0.3	<0.1	99
DUP 1401753	QC		<2	2.9	26.2	4.1	52	0.1	7.1	16.3	815	3.72	5.6	2.7	<0.5	8.8	124	<0.1	0.3	<0.1	101
1401788	Rock Chip	2.88	<2	2.6	25.0	3.8	47	<0.1	7.1	13.1	494	3.33	2.3	2.3	<0.5	8.9	99	<0.1	0.4	<0.1	107
DUP 1401788	QC		<2	2.4	26.0	3.5	47	<0.1	6.8	13.2	484	3.23	2.3	2.4	<0.5	8.9	91	<0.1	0.3	<0.1	104
Reference Materials																					
STD DS9	Standard			14.2	120.0	137.1	337	1.9	43.8	8.2	617	2.54	27.6	3.2	119.1	7.1	82	2.7	4.3	7.3	41
STD DS9	Standard			15.0	119.5	136.1	336	1.9	44.6	8.8	617	2.57	28.3	2.9	146.2	6.7	79	2.8	4.3	7.1	44

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

QUALITY CONTROL REPORT WHI12000084.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
1401654	Rock Chip	0.88	0.072	14	22	1.14	910	0.202	<20	2.25	0.218	0.62	0.2	<0.01	0.4	<0.05	7.7	<0.5	6	<0.2
REP 1401654	QC	0.88	0.072	14	22	1.13	904	0.205	<20	2.28	0.224	0.61	0.3	<0.01	0.4	<0.05	7.8	<0.5	7	<0.2
1401681	Rock Pulp	0.77	0.059	6	29	0.64	124	0.125	<20	1.31	0.082	0.11	2.1	0.21	1.2	0.35	4.5	<0.5	7	0.2
REP 1401681	QC																			
1401704	Rock Chip	2.77	0.085	21	26	1.34	1034	0.182	<20	2.77	0.175	0.84	0.1	<0.01	0.4	<0.05	16.2	<0.5	8	<0.2
REP 1401704	QC	2.78	0.085	22	26	1.36	1017	0.186	<20	2.77	0.173	0.84	0.1	<0.01	0.4	<0.05	16.2	<0.5	8	<0.2
1401706	Rock Chip	1.91	0.081	19	27	1.38	1082	0.214	<20	2.49	0.178	0.83	0.2	<0.01	0.4	<0.05	12.1	<0.5	7	<0.2
REP 1401706	QC																			
1401739	Rock Chip	1.18	0.071	15	28	1.16	993	0.271	<20	2.12	0.216	0.76	0.5	<0.01	0.3	<0.05	6.3	<0.5	7	<0.2
REP 1401739	QC	1.15	0.071	15	26	1.13	984	0.266	<20	2.03	0.210	0.74	0.5	<0.01	0.3	<0.05	6.1	<0.5	6	<0.2
1401740	Rock Pulp	0.81	0.056	4	32	0.79	97	0.128	<20	1.56	0.074	0.13	11.2	<0.01	<0.1	<0.05	4.9	<0.5	5	<0.2
REP 1401740	QC																			
1401774	Rock Chip	1.24	0.070	14	28	1.19	1153	0.288	<20	2.10	0.245	0.87	0.7	<0.01	0.4	<0.05	5.7	<0.5	7	<0.2
REP 1401774	QC	1.23	0.074	14	28	1.19	1161	0.284	<20	2.08	0.244	0.88	0.8	<0.01	0.4	<0.05	6.1	<0.5	6	<0.2
1401777	Rock Chip	2.04	0.073	15	30	1.54	914	0.226	<20	2.35	0.225	0.68	0.4	<0.01	0.3	0.11	10.2	<0.5	7	<0.2
REP 1401777	QC																			
Core Reject Duplicates																				
1401683	Rock Chip	2.05	0.089	19	26	1.42	822	0.190	<20	2.24	0.147	0.63	0.5	<0.01	0.3	0.34	9.0	<0.5	7	<0.2
DUP 1401683	QC	2.08	0.085	20	26	1.41	817	0.192	<20	2.34	0.176	0.63	0.5	<0.01	0.3	0.32	9.6	<0.5	8	<0.2
1401718	Rock Chip	2.49	0.083	15	29	1.56	646	0.140	<20	2.31	0.154	0.50	0.3	<0.01	0.2	0.13	10.4	<0.5	7	<0.2
DUP 1401718	QC	2.58	0.084	16	30	1.64	699	0.147	<20	2.41	0.153	0.52	0.3	<0.01	0.3	0.13	10.7	<0.5	8	<0.2
1401753	Rock Chip	3.09	0.078	15	26	1.40	841	0.185	<20	2.03	0.137	0.62	0.3	<0.01	0.3	<0.05	9.5	<0.5	7	<0.2
DUP 1401753	QC	3.10	0.077	15	27	1.42	822	0.185	<20	2.03	0.128	0.63	0.3	<0.01	0.3	<0.05	9.8	<0.5	6	<0.2
1401788	Rock Chip	1.32	0.074	14	30	1.11	1189	0.292	<20	2.17	0.273	0.90	0.6	<0.01	0.4	<0.05	5.8	<0.5	7	<0.2
DUP 1401788	QC	1.23	0.074	14	30	1.08	1170	0.283	<20	2.09	0.253	0.88	0.6	<0.01	0.4	<0.05	5.6	<0.5	6	<0.2
Reference Materials																				
STD DS9	Standard	0.77	0.092	13	126	0.67	350	0.115	<20	1.01	0.092	0.43	2.9	0.20	5.9	0.17	2.4	5.8	5	5.6
STD DS9	Standard	0.79	0.093	15	133	0.67	366	0.123	<20	1.05	0.096	0.43	2.7	0.22	6.3	0.18	2.6	5.4	5	5.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

QUALITY CONTROL REPORT WHI12000084.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD DS9	Standard			12.9	114.1	133.7	340	2.0	42.3	7.7	603	2.46	28.7	3.0	230.1	7.3	81	2.7	4.3	6.5	41
STD DS9	Standard			13.3	114.9	128.2	316	1.8	44.9	8.4	630	2.46	25.7	3.0	113.7	7.2	83	2.3	3.3	6.4	41
STD OREAS45CA	Standard			0.9	514.0	20.4	61	0.3	252.2	93.5	956	16.72	3.4	1.2	41.6	7.2	16	0.1	0.1	0.1	208
STD OREAS45CA	Standard			0.8	549.3	18.9	60	0.3	251.4	95.9	925	16.35	3.3	1.2	39.4	6.7	15	<0.1	<0.1	<0.1	211
STD OREAS45CA	Standard			0.8	540.1	24.5	67	0.3	281.3	98.7	969	17.81	3.9	1.5	42.9	8.7	18	<0.1	<0.1	0.2	223
STD OREAS45CA	Standard			0.6	556.9	21.6	60	0.3	275.0	99.0	984	17.00	2.9	1.3	40.4	7.9	15	<0.1	<0.1	0.2	234
STD OXC88	Standard		202																		
STD OXC88	Standard		198																		
STD OXC88	Standard		188																		
STD OXC88	Standard		220																		
STD OXC88	Standard		186																		
STD OXC88	Standard		193																		
STD OXC88	Standard		192																		
STD OXC88	Standard		214																		
STD OXG99	Standard		924																		
STD OXG99	Standard		941																		
STD OXG99	Standard		913																		
STD OXG99	Standard		958																		
STD OXG99	Standard		915																		
STD OXG99	Standard		902																		
STD OXG99	Standard		1009																		
STD OXG99 Expected			932																		
STD OXC88 Expected			203																		
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

QUALITY CONTROL REPORT WHI12000084.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD DS9	Standard	0.77	0.090	14	122	0.65	349	0.123	<20	1.02	0.091	0.42	2.9	0.22	5.9	0.17	2.5	5.2	5	5.7
STD DS9	Standard	0.78	0.086	15	133	0.68	336	0.127	<20	1.04	0.091	0.44	3.0	0.22	5.8	0.17	2.5	6.2	5	5.4
STD OREAS45CA	Standard	0.43	0.037	16	726	0.14	167	0.140	<20	3.70	0.007	0.07	<0.1	0.04	<0.1	<0.05	43.7	<0.5	19	<0.2
STD OREAS45CA	Standard	0.43	0.043	17	789	0.13	178	0.135	<20	3.94	0.014	0.08	<0.1	0.03	<0.1	<0.05	45.9	<0.5	19	<0.2
STD OREAS45CA	Standard	0.46	0.044	19	734	0.16	193	0.155	<20	4.05	0.007	0.07	<0.1	0.04	<0.1	<0.05	44.8	<0.5	21	<0.2
STD OREAS45CA	Standard	0.46	0.039	16	795	0.14	168	0.155	<20	3.71	0.008	0.07	<0.1	0.03	0.1	<0.05	46.8	0.6	20	<0.2
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99 Expected																				
STD OXC88 Expected																				
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

QUALITY CONTROL REPORT WHI12000084.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
BLK	Blank		<2																		
BLK	Blank		2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	0.8	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank		2	0.2	2.6	24.3	74	0.2	3.7	4.8	627	2.15	13.0	1.9	3.0	6.5	77	0.4	2.9	<0.1	39
G1-WHI	Prep Blank		<2	0.2	2.3	12.4	61	<0.1	3.9	4.8	634	2.13	4.6	2.0	<0.5	6.4	75	0.1	1.1	<0.1	39

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

QUALITY CONTROL REPORT WHI12000084.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																				
G1-WHI	Prep Blank	0.65	0.086	13	11	0.64	237	0.150	<20	1.12	0.098	0.53	0.1	<0.01	0.3	<0.05	2.6	<0.5	6	<0.2
G1-WHI	Prep Blank	0.59	0.087	12	12	0.63	246	0.151	<20	1.12	0.099	0.55	<0.1	<0.01	0.4	<0.05	2.5	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: June 11, 2012
Report Date: June 25, 2012
Page: 1 of 6

CERTIFICATE OF ANALYSIS WHI12000085.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 123

SAMPLE DISPOSAL

STOR-PLP Store After 90 days Invoice for Storage
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	111	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	123	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	123	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
G6Gr	10	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Dayna
Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

CERTIFICATE OF ANALYSIS WHI12000085.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401790	Rock Chip	2.57	<2	2.7	26.4	7.5	58	<0.1	6.8	13.0	492	3.24	4.8	1.8	2.2	8.9	85	0.1	1.3	<0.1	107
1401791	Rock Chip	2.70	<2	2.5	26.3	4.6	53	0.1	6.9	13.8	506	3.27	3.0	2.7	<0.5	8.1	79	<0.1	0.5	<0.1	112
1401792	Rock Chip	2.62	<2	2.2	24.3	4.4	54	<0.1	6.6	13.6	555	3.32	3.4	3.7	<0.5	10.0	112	<0.1	0.3	<0.1	110
1401793	Rock Chip	2.76	<2	2.7	26.1	3.7	56	<0.1	7.4	15.1	671	3.71	2.1	3.5	<0.5	8.5	84	<0.1	0.4	<0.1	121
1401794	Rock Chip	2.84	<2	2.9	27.5	3.9	49	<0.1	6.9	12.8	465	3.12	2.5	2.2	<0.5	8.8	70	<0.1	0.6	<0.1	104
1401795	Rock Chip	2.69	<2	3.0	25.7	4.1	49	<0.1	6.8	12.6	465	3.15	3.7	2.7	6.6	8.6	76	<0.1	0.8	<0.1	107
1401796	Rock Chip	3.02	<2	2.8	25.6	4.2	47	<0.1	6.8	12.5	436	3.09	2.9	2.0	0.8	7.7	76	<0.1	0.6	<0.1	103
1401797	Rock Chip	3.34	<2	2.5	25.4	4.1	50	<0.1	6.7	12.9	481	3.19	3.5	2.1	1.5	7.8	81	<0.1	0.8	<0.1	108
1408118	Rock Chip	1.23	124	2.0	66.5	1151	3021	13.6	11.7	22.3	2617	5.93	549.3	3.4	149.8	8.5	35	38.7	21.3	0.1	87
1408119	Rock Chip	2.63	88	2.1	67.5	1688	3664	24.0	10.7	21.3	2049	6.91	323.9	3.7	98.0	8.7	31	34.5	20.8	0.2	78
1408120	Rock Pulp	0.13	<2	2.5	25.3	2.7	44	0.3	23.3	10.9	409	2.44	5.3	0.2	<0.5	0.8	39	0.2	0.2	<0.1	60
1408121	Rock Pulp	0.13	3697	10.0	71.7	495.8	1564	52.5	31.8	8.6	412	3.25	32.9	0.3	3692	1.1	34	17.1	49.3	0.9	56
1408122	Rock Chip	1.61	29	1.3	65.3	438.7	4396	6.3	8.7	22.8	2164	5.09	107.6	4.3	35.2	11.0	77	46.1	8.8	0.2	117
1408123	Rock Chip	2.91	6	1.0	36.7	59.7	1143	1.1	7.1	20.1	1514	4.75	59.9	2.3	9.5	9.6	85	10.6	6.8	0.2	122
1408124	Rock Chip	0.79	<2	1.0	46.1	14.8	269	0.4	6.6	17.5	799	3.91	9.1	1.2	2.6	8.1	96	2.2	3.1	0.1	114
1408125	Rock Chip	0.97	<2	0.9	45.1	9.5	222	0.3	6.4	16.4	792	3.86	7.7	1.2	2.8	8.2	92	1.4	2.7	<0.1	114
1408126	Rock Chip	1.76	<2	0.8	31.3	7.9	772	0.2	7.4	17.5	943	4.33	9.6	1.4	2.2	10.0	83	4.7	5.3	0.2	116
1408127	Rock Chip	1.97	<2	0.9	35.3	8.4	1266	0.2	6.9	20.8	1104	4.69	15.2	1.8	0.7	10.4	76	16.2	6.4	0.3	135
1408128	Rock Chip	2.58	<2	1.3	59.7	67.7	3353	1.3	8.5	23.4	1357	5.49	158.4	3.0	2.2	10.9	55	65.8	7.5	<0.1	131
1408129	Rock Chip	1.79	19	1.1	52.6	459.7	3115	5.6	8.7	25.4	1657	4.77	320.0	4.2	23.5	12.2	58	67.0	11.9	<0.1	117
1408130	Rock Chip	1.96	<2	0.6	42.5	34.1	4236	0.8	7.9	26.2	1918	4.54	223.2	3.2	0.8	11.5	71	64.5	10.1	0.1	113
1408131	Rock Chip	1.76	68	0.7	57.7	978.0	7460	10.3	9.7	24.0	3216	4.48	250.6	2.5	75.8	13.2	64	55.9	8.6	0.3	86
1408132	Rock Chip	1.72	1257	0.8	362.3	>10000	>10000	>100	2.9	7.2	586	7.35	6740	1.8	1094	6.7	37	641.8	531.9	0.1	12
1408133	Rock Chip	2.06	220	1.3	131.9	4478	2723	53.9	3.0	3.1	130	6.03	2973	4.3	269.7	9.6	80	60.0	23.7	<0.1	19
1408134	Rock Chip	2.17	356	1.2	78.0	4129	5825	51.9	4.8	9.7	1276	3.58	1755	3.4	517.8	6.8	76	134.9	13.0	<0.1	41
1408135	Rock Chip	2.29	272	0.9	63.8	6781	1477	>100	2.5	1.8	110	5.20	4113	1.7	323.9	8.2	58	23.3	21.6	0.1	20
1408136	Rock Chip	2.18	715	1.0	54.0	6203	965	77.9	1.9	1.5	54	4.43	2790	1.1	776.9	7.1	74	10.9	29.7	<0.1	14
1408137	Rock Chip	2.42	126	0.8	88.4	2153	3432	30.3	3.2	6.0	765	3.94	1688	1.2	169.2	8.3	46	111.6	11.2	0.1	36
1408138	Rock Chip	2.43	1734	1.0	1225	>10000	>10000	>100	3.1	7.0	396	6.52	4355	1.3	1857	0.2	24	440.5	>2000	0.2	13
1408139	Rock Chip	2.05	5271	1.6	684.4	>10000	>10000	>100	2.9	6.6	317	7.41	5940	2.3	2882	3.0	18	410.9	>2000	<0.1	10

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

CERTIFICATE OF ANALYSIS WHI12000085.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1401790	Rock Chip	1.48	0.074	15	30	1.09	1142	0.288	<20	2.03	0.229	0.77	0.7	<0.01	0.3	<0.05	5.6	<0.5	6	<0.2	
1401791	Rock Chip	1.34	0.078	15	30	1.15	1166	0.292	<20	1.97	0.196	0.84	0.7	<0.01	0.4	<0.05	5.6	<0.5	6	<0.2	
1401792	Rock Chip	1.60	0.075	17	29	1.24	1222	0.279	<20	2.20	0.244	0.89	0.6	<0.01	0.4	<0.05	6.1	<0.5	6	<0.2	
1401793	Rock Chip	1.88	0.082	14	30	1.32	1188	0.265	<20	2.23	0.212	0.92	0.7	<0.01	0.4	<0.05	8.3	<0.5	7	<0.2	
1401794	Rock Chip	1.13	0.076	14	30	1.09	1130	0.276	<20	1.92	0.208	0.79	0.8	<0.01	0.4	<0.05	5.3	<0.5	6	<0.2	
1401795	Rock Chip	1.26	0.079	14	31	1.05	1181	0.290	<20	1.91	0.208	0.87	0.8	<0.01	0.4	<0.05	5.0	<0.5	6	<0.2	
1401796	Rock Chip	1.13	0.077	14	30	1.05	1177	0.282	<20	1.90	0.217	0.85	0.8	<0.01	0.4	<0.05	4.9	<0.5	6	<0.2	
1401797	Rock Chip	1.30	0.074	14	28	1.15	1163	0.290	<20	2.02	0.215	0.86	0.6	<0.01	0.4	<0.05	5.7	<0.5	6	<0.2	
1408118	Rock Chip	0.79	0.080	18	16	0.47	430	0.013	<20	1.07	0.023	0.24	0.5	0.22	0.5	0.12	17.5	<0.5	3	<0.2	
1408119	Rock Chip	0.48	0.077	17	14	0.36	351	0.011	<20	1.14	0.023	0.32	0.5	0.26	0.7	0.23	16.2	0.6	4	<0.2	
1408120	Rock Pulp	0.82	0.061	4	30	0.79	99	0.121	<20	1.57	0.078	0.14	11.9	0.02	<0.1	<0.05	4.4	<0.5	5	<0.2	
1408121	Rock Pulp	0.69	0.054	5	28	0.61	112	0.110	<20	1.18	0.078	0.11	2.1	0.22	1.1	0.35	4.4	0.7	6	<0.2	
1408122	Rock Chip	0.93	0.081	20	19	0.78	716	0.082	<20	1.75	0.031	0.50	0.2	0.12	1.3	0.09	18.9	<0.5	6	<0.2	
1408123	Rock Chip	3.50	0.076	21	17	1.32	301	0.023	<20	1.04	0.013	0.20	<0.1	0.11	0.4	<0.05	19.1	<0.5	5	<0.2	
1408124	Rock Chip	1.88	0.074	16	17	1.05	1087	0.216	<20	1.93	0.183	0.81	0.1	0.03	0.7	<0.05	10.9	<0.5	7	<0.2	
1408125	Rock Chip	1.82	0.073	15	16	1.08	1091	0.219	<20	1.96	0.183	0.83	0.1	0.02	0.6	<0.05	10.9	<0.5	7	<0.2	
1408126	Rock Chip	1.75	0.077	18	22	0.96	1262	0.195	<20	1.94	0.158	0.82	<0.1	0.06	0.7	<0.05	12.0	<0.5	7	<0.2	
1408127	Rock Chip	1.99	0.082	21	24	1.13	1323	0.168	<20	2.01	0.108	0.90	<0.1	0.05	0.9	<0.05	18.5	<0.5	7	<0.2	
1408128	Rock Chip	1.86	0.074	23	21	1.37	1100	0.130	<20	2.29	0.051	0.68	<0.1	0.09	0.7	<0.05	18.2	<0.5	8	<0.2	
1408129	Rock Chip	2.27	0.078	22	17	1.16	232	0.004	<20	1.28	0.013	0.12	<0.1	0.23	0.4	0.10	18.8	<0.5	4	<0.2	
1408130	Rock Chip	2.44	0.076	21	16	1.21	192	0.002	<20	1.29	0.009	0.08	<0.1	0.24	0.3	0.05	20.3	0.6	4	<0.2	
1408131	Rock Chip	3.44	0.063	12	13	0.99	105	<0.001	<20	0.88	0.012	0.19	<0.1	0.20	0.5	1.55	15.0	0.8	2	<0.2	
1408132	Rock Chip	1.83	0.035	4	3	0.15	33	<0.001	<20	0.46	0.008	0.36	0.1	0.34	0.8	7.26	3.6	1.7	4	<0.2	194
1408133	Rock Chip	0.44	0.061	7	4	0.09	73	<0.001	<20	0.66	0.033	0.43	0.3	0.21	1.3	1.00	5.5	<0.5	1	<0.2	
1408134	Rock Chip	2.57	0.056	6	7	0.38	90	<0.001	<20	0.60	0.024	0.31	0.3	0.22	1.1	2.24	9.2	<0.5	1	<0.2	
1408135	Rock Chip	2.65	0.056	4	4	0.09	111	<0.001	<20	0.48	0.020	0.50	0.2	0.25	0.9	3.14	5.3	<0.5	2	<0.2	126
1408136	Rock Chip	2.25	0.071	6	4	0.06	100	<0.001	<20	0.40	0.022	0.57	0.3	0.27	1.0	2.86	5.1	<0.5	2	<0.2	
1408137	Rock Chip	3.31	0.057	6	7	0.33	47	<0.001	<20	0.57	0.011	0.42	0.2	0.19	1.1	3.34	9.5	<0.5	2	<0.2	
1408138	Rock Chip	1.45	0.033	4	2	0.26	20	<0.001	<20	0.41	0.007	0.36	<0.1	0.39	1.0	7.62	4.2	1.5	4	<0.2	261
1408139	Rock Chip	1.98	0.030	2	5	0.20	22	<0.001	<20	0.36	0.006	0.22	<0.1	0.29	0.8	8.83	3.7	0.9	3	<0.2	118

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

CERTIFICATE OF ANALYSIS WHI12000085.1

	Method	G6Gr
	Analyte	Au
	Unit	gm/t
	MDL	0.9
1401790	Rock Chip	
1401791	Rock Chip	
1401792	Rock Chip	
1401793	Rock Chip	
1401794	Rock Chip	
1401795	Rock Chip	
1401796	Rock Chip	
1401797	Rock Chip	
1408118	Rock Chip	
1408119	Rock Chip	
1408120	Rock Pulp	
1408121	Rock Pulp	
1408122	Rock Chip	
1408123	Rock Chip	
1408124	Rock Chip	
1408125	Rock Chip	
1408126	Rock Chip	
1408127	Rock Chip	
1408128	Rock Chip	
1408129	Rock Chip	
1408130	Rock Chip	
1408131	Rock Chip	
1408132	Rock Chip	1.3
1408133	Rock Chip	
1408134	Rock Chip	
1408135	Rock Chip	<0.9
1408136	Rock Chip	
1408137	Rock Chip	
1408138	Rock Chip	1.6
1408139	Rock Chip	3.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

CERTIFICATE OF ANALYSIS WHI12000085.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1408140	Rock Pulp	0.12	4	2.5	26.8	6.2	59	0.3	24.4	10.4	421	2.46	10.4	0.2	9.8	0.9	43	0.3	1.0	<0.1	63
1408141	Rock Pulp	0.12	1356	8.8	51.2	9.7	55	0.3	33.0	9.3	489	3.38	8.1	0.5	1647	1.0	42	0.1	1.5	<0.1	69
1408142	Rock Chip	2.06	>10000	3.9	543.4	>10000	>10000	>100	3.5	10.2	482	15.64	>10000	1.9	25558	1.3	21	626.9	>2000	<0.1	6
1408143	Rock Chip	2.48	9138	4.9	617.9	>10000	>10000	>100	3.4	9.4	1922	10.33	>10000	3.4	10079	0.2	82	1014	>2000	0.3	11
1408144	Rock Chip	2.27	470	3.6	53.1	3666	2064	36.0	2.4	2.6	86	4.61	4045	4.1	461.0	5.5	81	100.2	79.4	<0.1	18
1408145	Rock Chip	2.18	536	2.9	92.8	3206	8617	36.6	4.2	11.4	1195	4.18	2765	5.7	534.3	4.9	118	99.1	67.2	<0.1	21
1408146	Rock Chip	2.30	>10000	7.2	2093	>10000	>10000	>100	3.3	9.3	1167	11.17	>10000	8.5	44724	<0.1	58	1254	>2000	<0.1	13
1408147	Rock Chip	3.27	4050	16.2	2383	>10000	>10000	>100	2.5	9.2	1208	10.45	>10000	12.0	15583	<0.1	76	1208	>2000	<0.1	13
1408148	Rock Chip	2.35	675	5.0	179.3	5036	6826	44.7	3.4	7.4	451	4.29	2654	5.7	679.9	3.3	63	81.7	340.1	<0.1	14
1408149	Rock Chip	2.64	299	3.6	54.9	2271	3514	20.0	4.2	11.9	1100	4.63	1024	5.0	196.0	3.9	115	48.0	118.1	<0.1	19
1408150	Rock Chip	2.23	346	2.1	29.7	2381	1786	30.1	3.8	9.1	1898	4.24	1154	3.7	331.2	3.2	131	22.8	35.9	<0.1	18
1408151	Rock Chip	2.30	187	1.8	20.3	1263	1766	15.1	4.4	9.7	198	3.84	827.8	3.1	198.3	6.1	48	21.1	16.4	0.2	9
1408152	Rock Chip	2.17	98	2.3	19.2	234.8	1551	5.9	7.0	18.3	1835	4.23	644.9	4.1	90.7	8.5	30	4.6	9.1	0.1	21
1408153	Rock Chip	2.23	214	2.5	28.0	1138	3260	15.4	4.7	11.0	505	4.54	1776	5.3	197.9	7.5	59	39.4	13.4	0.1	14
1408154	Rock Chip	2.43	1275	13.1	136.3	7607	>10000	>100	5.4	15.1	2391	6.02	>10000	1.8	1304	5.1	62	207.0	77.4	0.1	8
1408155	Rock Chip	2.34	106	1.0	18.2	227.9	800	8.2	7.0	18.2	3732	4.07	630.1	3.4	114.0	10.0	53	4.9	5.4	0.2	13
1408156	Rock Chip	2.37	200	2.0	29.8	358.4	1596	10.3	7.6	19.6	4424	4.53	1990	2.9	215.5	7.4	84	16.6	14.9	0.1	16
1408157	Rock Chip	2.37	220	2.4	17.8	243.0	9710	8.6	8.1	23.2	4091	5.03	3215	2.7	213.2	7.1	53	42.5	9.5	0.1	14
1408158	Rock Chip	2.58	754	2.8	121.6	6683	>10000	>100	5.8	14.1	2085	5.79	5716	1.6	769.4	5.4	41	262.6	36.4	0.1	10
1408159	Rock Chip	2.13	285	2.0	86.4	2973	6229	53.1	6.1	17.3	2723	4.14	1134	3.2	170.8	8.9	72	96.4	20.0	0.2	36
1408160	Rock Pulp	0.12	<2	2.4	25.3	3.4	45	0.3	24.2	10.3	405	2.35	5.1	0.3	<0.5	1.0	43	0.1	0.4	<0.1	57
1408161	Rock Pulp	0.12	4055	9.8	71.0	463.6	1684	53.1	31.5	8.4	409	3.11	31.2	0.3	3780	1.1	37	16.3	44.6	0.9	53
1408162	Rock Chip	2.18	339	6.7	78.6	3951	6258	59.1	6.1	16.5	2689	4.59	3237	2.3	151.0	7.1	108	93.4	22.5	0.2	19
1408163	Rock Chip	2.34	126	1.6	35.9	423.7	677	7.7	6.8	17.6	2648	4.03	2250	2.2	61.9	9.6	106	11.5	7.1	0.2	26
1408164	Rock Chip	1.76	7	1.9	29.7	52.2	138	0.9	6.3	16.9	970	3.90	56.7	3.4	0.9	10.3	115	1.4	6.1	0.2	99
1408165	Rock Chip	1.93	94	1.2	27.5	177.0	337	3.9	6.4	18.3	1510	4.10	253.5	3.7	40.4	9.8	116	4.1	6.3	0.3	80
1408166	Rock Chip	2.31	80	1.3	35.8	233.8	556	4.6	5.7	15.8	1392	3.89	119.5	3.2	96.4	9.5	117	6.5	5.0	0.1	90
1408167	Rock Chip	2.27	5	1.3	28.1	41.3	142	0.6	6.1	16.4	868	3.81	57.1	3.1	13.9	10.3	137	1.2	5.2	<0.1	104
1408168	Rock Chip	2.16	3	1.4	23.7	42.1	124	0.6	5.9	16.0	1223	4.12	45.9	3.5	10.4	10.0	91	1.0	4.2	<0.1	100
1408169	Rock Chip	2.46	3	1.4	27.7	23.2	108	0.3	6.2	16.5	1064	4.03	22.0	3.3	5.8	10.2	92	0.6	3.8	0.1	102

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

CERTIFICATE OF ANALYSIS WHI12000085.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1408140	Rock Pulp	0.85	0.058	4	32	0.81	95	0.129	<20	1.62	0.078	0.13	12.1	0.02	<0.1	<0.05	4.6	<0.5	5	<0.2	
1408141	Rock Pulp	0.85	0.061	4	35	0.84	105	0.133	<20	1.73	0.095	0.15	0.2	0.06	<0.1	<0.05	5.1	<0.5	6	<0.2	
1408142	Rock Chip	0.58	0.021	2	4	0.18	14	<0.001	<20	0.26	0.006	0.15	0.2	0.44	0.8	>10	1.7	2.2	4	<0.2	189
1408143	Rock Chip	3.57	0.020	<1	4	1.20	50	<0.001	<20	0.34	0.011	0.13	0.2	0.83	1.0	7.93	3.3	1.8	6	<0.2	285
1408144	Rock Chip	1.30	0.048	3	4	0.14	121	<0.001	<20	0.42	0.014	0.24	0.4	0.25	0.6	1.65	4.7	<0.5	1	<0.2	
1408145	Rock Chip	2.66	0.038	4	5	0.34	81	<0.001	<20	0.70	0.010	0.23	0.4	0.32	0.9	2.53	7.5	<0.5	2	<0.2	
1408146	Rock Chip	2.09	0.014	<1	3	0.53	33	<0.001	<20	0.20	0.007	0.09	<0.1	1.20	1.4	9.07	1.7	2.2	8	<0.2	434
1408147	Rock Chip	2.73	0.012	<1	3	0.81	45	<0.001	<20	0.17	0.008	0.10	<0.1	1.50	1.6	8.76	1.8	2.3	8	<0.2	476
1408148	Rock Chip	1.83	0.028	3	5	0.63	61	<0.001	<20	0.32	0.010	0.16	0.7	0.23	0.4	2.11	3.5	<0.5	1	<0.2	
1408149	Rock Chip	5.68	0.032	4	5	2.10	80	<0.001	<20	0.30	0.006	0.18	0.4	0.17	0.2	2.85	3.3	<0.5	1	<0.2	
1408150	Rock Chip	7.86	0.025	3	5	2.94	70	<0.001	<20	0.25	0.010	0.13	1.2	0.09	0.2	2.51	3.9	<0.5	<1	<0.2	
1408151	Rock Chip	0.73	0.042	6	5	0.28	49	<0.001	<20	0.32	0.011	0.26	0.8	0.12	0.4	3.20	2.8	<0.5	<1	<0.2	
1408152	Rock Chip	1.52	0.056	7	5	0.46	35	<0.001	<20	0.39	0.003	0.21	0.2	0.08	0.4	2.87	10.8	<0.5	<1	<0.2	
1408153	Rock Chip	0.83	0.051	6	5	0.23	47	<0.001	<20	0.36	0.009	0.26	0.9	0.12	0.5	3.61	8.1	<0.5	1	<0.2	
1408154	Rock Chip	2.87	0.044	3	6	1.09	31	<0.001	<20	0.29	0.005	0.26	3.2	0.17	0.3	5.73	5.5	<0.5	2	<0.2	148
1408155	Rock Chip	3.11	0.071	6	4	1.16	41	<0.001	<20	0.33	0.002	0.24	0.3	0.05	0.5	3.80	9.6	<0.5	<1	<0.2	
1408156	Rock Chip	3.80	0.068	6	5	1.29	32	<0.001	<20	0.39	0.004	0.30	0.5	0.04	0.4	3.53	10.8	<0.5	<1	<0.2	
1408157	Rock Chip	2.85	0.062	6	4	0.97	47	<0.001	<20	0.34	0.003	0.28	0.5	0.04	0.4	3.99	9.6	<0.5	<1	<0.2	
1408158	Rock Chip	2.04	0.052	4	6	0.65	53	<0.001	<20	0.31	0.004	0.26	1.4	0.15	0.3	6.02	6.8	0.6	2	<0.2	109
1408159	Rock Chip	3.34	0.069	9	8	1.24	90	0.003	<20	0.71	0.004	0.31	0.3	0.14	0.6	3.10	11.8	<0.5	2	<0.2	
1408160	Rock Pulp	0.82	0.057	4	30	0.79	98	0.119	<20	1.59	0.077	0.13	12.9	0.01	<0.1	<0.05	4.3	<0.5	5	<0.2	
1408161	Rock Pulp	0.69	0.053	5	28	0.60	111	0.108	<20	1.23	0.077	0.11	2.1	0.23	1.1	0.34	4.4	<0.5	7	<0.2	
1408162	Rock Chip	4.07	0.064	6	6	1.43	66	0.003	<20	0.54	0.007	0.30	0.5	0.17	0.3	3.65	9.3	<0.5	2	<0.2	
1408163	Rock Chip	4.26	0.067	9	7	1.53	117	<0.001	<20	0.62	0.006	0.29	0.4	0.09	0.8	2.55	11.6	<0.5	2	<0.2	
1408164	Rock Chip	2.90	0.070	19	19	1.55	1121	0.178	<20	1.95	0.089	0.81	0.2	0.11	0.5	0.25	16.3	<0.5	6	<0.2	
1408165	Rock Chip	4.25	0.064	18	13	1.88	218	0.059	<20	1.14	0.025	0.44	<0.1	0.09	0.5	0.77	14.4	<0.5	4	<0.2	
1408166	Rock Chip	4.30	0.066	20	15	1.88	797	0.113	<20	1.43	0.027	0.61	0.1	0.07	0.4	0.41	15.6	<0.5	6	<0.2	
1408167	Rock Chip	3.39	0.069	20	18	1.54	1463	0.183	<20	1.66	0.051	0.84	0.2	0.02	0.5	0.10	17.2	<0.5	6	<0.2	
1408168	Rock Chip	2.72	0.072	20	18	1.69	1184	0.165	<20	1.58	0.073	0.79	0.1	0.02	0.4	0.12	15.7	<0.5	5	<0.2	
1408169	Rock Chip	2.44	0.072	20	19	1.61	1200	0.169	<20	1.59	0.083	0.78	0.1	0.02	0.5	0.08	17.0	<0.5	6	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

CERTIFICATE OF ANALYSIS WHI12000085.1

	Method	G6Gr
	Analyte	Au
	Unit	gm/t
	MDL	0.9
1408140	Rock Pulp	
1408141	Rock Pulp	
1408142	Rock Chip	13.5
1408143	Rock Chip	8.2
1408144	Rock Chip	
1408145	Rock Chip	
1408146	Rock Chip	20.3
1408147	Rock Chip	15.7
1408148	Rock Chip	
1408149	Rock Chip	
1408150	Rock Chip	
1408151	Rock Chip	
1408152	Rock Chip	
1408153	Rock Chip	
1408154	Rock Chip	1.3
1408155	Rock Chip	
1408156	Rock Chip	
1408157	Rock Chip	
1408158	Rock Chip	<0.9
1408159	Rock Chip	
1408160	Rock Pulp	
1408161	Rock Pulp	
1408162	Rock Chip	
1408163	Rock Chip	
1408164	Rock Chip	
1408165	Rock Chip	
1408166	Rock Chip	
1408167	Rock Chip	
1408168	Rock Chip	
1408169	Rock Chip	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

CERTIFICATE OF ANALYSIS WHI12000085.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1408170	Rock Chip	2.58	58	1.7	38.9	832.2	692	12.1	7.1	19.4	1531	4.17	119.7	3.5	60.3	10.7	81	9.6	10.8	0.2	92
1408171	Rock Chip	2.05	<2	1.5	26.7	12.4	85	0.2	6.1	15.7	894	3.96	6.1	3.9	1.3	11.2	78	0.4	3.6	0.1	109
1408172	Rock Chip	2.21	6	1.2	27.9	61.6	150	0.9	4.8	13.7	1228	3.88	14.8	3.7	1.1	11.1	93	1.5	3.8	0.2	91
1408173	Rock Chip	2.22	15	0.9	29.3	235.9	407	3.3	7.0	19.9	1383	4.31	20.7	8.0	7.6	9.2	107	5.8	5.2	0.2	98
1408174	Rock Chip	0.77	<2	0.6	28.5	18.8	65	0.2	7.2	22.8	854	3.84	35.5	3.6	<0.5	9.4	89	0.2	6.0	0.3	109
1408175	Rock Chip	1.65	<2	0.6	24.9	24.3	75	0.3	7.3	21.3	1144	4.24	45.9	4.5	<0.5	8.5	138	0.4	6.9	0.2	103
1408176	Rock Chip	2.36	43	0.8	34.2	593.8	811	7.4	6.5	15.2	1413	4.27	89.2	4.6	39.1	8.9	173	10.7	8.3	0.3	74
1408177	Rock Chip	2.11	11	0.9	30.1	133.0	263	1.9	6.3	15.8	1195	3.94	68.0	4.4	10.2	8.6	154	2.6	6.5	0.3	100
1408178	Rock Chip	2.41	27	1.1	22.1	111.2	220	1.6	5.4	14.4	968	3.68	51.7	3.4	64.6	7.8	121	2.1	5.7	0.3	89
1408179	Rock Chip	2.35	6	1.8	24.6	12.1	68	0.3	6.1	15.7	992	3.99	15.0	3.8	9.1	9.8	114	0.2	2.9	0.2	108
1408180	Rock Pulp	0.12	<2	2.4	25.6	2.7	46	0.2	24.5	10.6	423	2.57	5.1	0.3	<0.5	1.0	41	0.2	0.2	<0.1	65
1408181	Rock Pulp	0.12	1478	9.1	51.3	6.4	56	0.2	32.9	9.5	516	3.53	7.6	0.3	774.6	1.0	47	0.2	1.0	0.1	73
1408182	Rock Chip	2.02	<2	2.2	26.9	5.3	75	<0.1	7.1	15.6	752	3.96	5.5	2.3	1.0	10.4	103	0.1	0.7	0.3	128
1408183	Rock Chip	2.74	<2	2.3	27.8	4.4	71	<0.1	7.0	15.7	758	4.05	3.4	2.9	<0.5	11.1	118	0.1	1.3	0.3	122
1408184	Rock Chip	2.45	<2	2.5	28.5	8.6	77	0.2	6.7	15.6	944	4.06	2.9	2.1	<0.5	10.5	107	0.2	1.4	0.1	120
1408185	Rock Chip	2.08	3	1.5	31.0	278.0	356	4.2	6.6	18.3	1199	4.52	6.8	4.5	4.4	9.7	128	4.5	1.4	0.1	113
1408186	Rock Chip	1.99	5	2.7	30.7	121.4	297	2.1	7.8	17.7	942	4.29	5.0	3.0	1.5	10.2	109	3.8	1.9	0.1	133
1408187	Rock Chip	2.26	<2	2.3	35.3	284.6	370	4.4	7.2	17.8	900	4.54	3.9	2.4	11.9	9.3	115	4.7	2.7	0.1	141
1408188	Rock Chip	2.08	<2	2.5	27.2	4.3	59	0.1	6.8	14.4	639	3.81	1.4	2.7	<0.5	9.8	103	<0.1	0.9	0.2	128
1408189	Rock Chip	2.25	<2	3.0	28.3	4.4	58	<0.1	7.1	14.0	661	3.68	2.8	2.6	<0.5	9.6	110	0.1	0.7	0.2	124
1408190	Rock Chip	2.36	<2	2.6	24.9	6.3	68	0.1	6.7	15.1	720	3.84	2.8	2.5	<0.5	9.9	111	0.2	0.6	0.1	129
1408191	Rock Chip	2.46	<2	2.4	27.3	24.0	83	0.3	7.7	15.8	729	4.04	2.9	3.4	0.7	11.0	113	0.4	0.5	0.1	136
1408192	Rock Chip	2.18	<2	3.0	31.6	59.3	134	0.6	7.5	16.1	759	4.06	3.1	2.9	1.2	10.3	103	1.1	0.5	<0.1	136
1408193	Rock Chip	2.37	14	3.0	33.0	83.7	155	0.9	7.7	16.8	781	4.18	17.3	3.1	21.1	9.9	102	1.6	1.2	0.2	133
1408194	Rock Chip	2.08	<2	2.4	28.1	9.1	62	0.4	7.0	15.1	787	3.83	5.0	2.8	0.8	9.7	104	0.2	1.1	1.0	115
1408195	Rock Chip	2.15	<2	2.5	31.0	7.8	57	0.2	6.5	13.2	630	3.52	2.3	3.5	2.8	9.0	101	<0.1	0.3	0.2	111
1408196	Rock Chip	2.37	<2	3.0	29.3	7.9	53	0.1	6.2	12.9	575	3.46	1.8	3.3	<0.5	9.1	105	0.2	0.2	0.2	109
1408197	Rock Chip	2.56	<2	2.5	24.3	3.2	54	<0.1	6.8	13.8	624	3.68	1.8	2.5	<0.5	9.5	98	<0.1	0.3	<0.1	124
1408198	Rock Chip	2.29	<2	2.5	32.7	3.7	52	<0.1	6.9	13.7	576	3.59	2.0	2.8	<0.5	10.3	104	<0.1	0.2	0.1	117
1408199	Rock Chip	2.67	<2	2.6	26.0	3.9	55	<0.1	6.9	14.0	596	3.75	2.6	2.5	<0.5	9.6	112	<0.1	0.3	<0.1	124

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

CERTIFICATE OF ANALYSIS WHI12000085.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1408170	Rock Chip	2.26	0.076	17	19	1.41	207	0.137	<20	1.45	0.086	0.68	0.1	0.05	0.4	0.64	15.1	<0.5	5	<0.2	
1408171	Rock Chip	1.90	0.079	22	21	1.43	1440	0.184	<20	1.69	0.060	0.87	0.1	0.02	0.4	0.06	17.3	<0.5	6	<0.2	
1408172	Rock Chip	3.39	0.071	20	16	1.69	419	0.029	<20	1.02	0.034	0.25	<0.1	0.04	0.2	0.18	16.7	<0.5	3	<0.2	
1408173	Rock Chip	4.50	0.076	21	16	1.95	198	0.013	<20	1.05	0.005	0.15	<0.1	0.09	0.3	0.32	18.2	<0.5	3	<0.2	
1408174	Rock Chip	3.49	0.086	20	17	1.43	122	0.002	<20	1.29	0.002	0.06	<0.1	0.15	0.2	0.20	21.5	<0.5	4	<0.2	
1408175	Rock Chip	5.30	0.076	19	17	2.00	368	0.002	<20	1.26	0.003	0.05	0.1	0.12	0.2	0.18	20.1	<0.5	3	<0.2	
1408176	Rock Chip	7.31	0.061	15	12	2.79	56	<0.001	<20	1.03	0.005	0.11	0.2	0.06	0.2	0.68	13.4	<0.5	3	<0.2	
1408177	Rock Chip	5.70	0.077	18	16	2.16	140	0.001	<20	0.97	0.004	0.07	0.1	0.04	0.1	0.25	18.9	<0.5	2	<0.2	
1408178	Rock Chip	6.32	0.066	18	15	2.48	725	0.001	<20	1.09	0.008	0.05	0.2	0.07	<0.1	0.17	16.3	<0.5	3	<0.2	
1408179	Rock Chip	3.05	0.079	17	21	1.54	779	0.113	<20	1.58	0.107	0.50	0.4	0.05	0.3	0.32	14.2	<0.5	5	<0.2	
1408180	Rock Pulp	0.87	0.069	4	32	0.83	100	0.125	<20	1.69	0.086	0.14	12.3	0.01	<0.1	<0.05	5.0	<0.5	5	<0.2	
1408181	Rock Pulp	0.93	0.065	5	36	0.88	115	0.141	<20	1.87	0.107	0.17	0.2	0.08	<0.1	<0.05	5.6	<0.5	6	<0.2	
1408182	Rock Chip	1.76	0.080	17	28	1.46	1286	0.255	<20	2.53	0.273	0.97	0.4	<0.01	0.5	0.13	11.6	<0.5	7	<0.2	
1408183	Rock Chip	1.91	0.082	17	27	1.48	1192	0.244	<20	2.54	0.268	0.95	0.3	<0.01	0.5	<0.05	11.8	<0.5	8	<0.2	
1408184	Rock Chip	2.18	0.073	18	25	1.49	1057	0.186	<20	2.50	0.187	0.79	0.2	<0.01	0.4	0.10	13.4	<0.5	8	<0.2	
1408185	Rock Chip	3.68	0.072	21	20	1.80	818	0.094	<20	2.48	0.061	0.60	0.2	0.02	0.3	0.40	15.1	<0.5	8	<0.2	
1408186	Rock Chip	2.16	0.076	18	27	1.61	1093	0.181	<20	2.65	0.210	0.78	0.5	0.02	0.4	0.25	15.6	<0.5	8	<0.2	
1408187	Rock Chip	2.10	0.084	18	30	1.64	1270	0.247	<20	2.67	0.231	0.98	0.5	0.01	0.5	0.30	14.7	<0.5	8	<0.2	
1408188	Rock Chip	1.56	0.084	18	30	1.36	1545	0.277	<20	2.50	0.272	1.03	0.7	<0.01	0.5	<0.05	9.1	<0.5	7	<0.2	
1408189	Rock Chip	1.68	0.078	17	31	1.34	1381	0.264	<20	2.62	0.313	0.97	0.5	<0.01	0.5	0.07	9.2	<0.5	7	<0.2	
1408190	Rock Chip	1.72	0.078	17	30	1.47	1304	0.252	<20	2.62	0.283	0.91	0.5	<0.01	0.4	0.10	9.7	<0.5	7	<0.2	
1408191	Rock Chip	1.71	0.085	18	33	1.52	1525	0.281	<20	2.78	0.311	1.07	0.6	<0.01	0.5	0.10	10.3	<0.5	8	<0.2	
1408192	Rock Chip	1.65	0.083	17	32	1.49	1502	0.307	<20	2.70	0.291	1.16	0.6	<0.01	0.5	0.12	9.9	<0.5	8	<0.2	
1408193	Rock Chip	1.80	0.091	18	29	1.49	1315	0.269	<20	2.54	0.265	1.07	0.4	0.02	0.6	0.16	11.5	<0.5	7	<0.2	
1408194	Rock Chip	2.26	0.075	17	27	1.49	1149	0.243	<20	2.25	0.237	0.92	0.3	<0.01	0.5	0.08	10.2	<0.5	7	<0.2	
1408195	Rock Chip	1.51	0.070	16	28	1.19	1240	0.257	<20	2.46	0.308	0.95	0.8	<0.01	0.4	0.06	8.1	<0.5	7	<0.2	
1408196	Rock Chip	1.53	0.076	16	31	1.23	1172	0.247	<20	2.53	0.315	0.90	0.8	<0.01	0.4	0.09	7.9	<0.5	7	<0.2	
1408197	Rock Chip	1.45	0.079	16	30	1.27	1289	0.270	<20	2.47	0.284	1.00	0.6	<0.01	0.4	<0.05	8.3	<0.5	7	<0.2	
1408198	Rock Chip	1.39	0.080	15	30	1.24	1298	0.279	<20	2.51	0.322	0.98	0.7	<0.01	0.5	<0.05	7.3	<0.5	7	<0.2	
1408199	Rock Chip	1.38	0.083	16	32	1.31	1402	0.298	<20	2.64	0.339	1.06	0.6	<0.01	0.5	<0.05	7.3	<0.5	7	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

CERTIFICATE OF ANALYSIS WHI12000085.1

	Method	G6Gr
	Analyte	Au
	Unit	gm/t
	MDL	0.9
1408170	Rock Chip	
1408171	Rock Chip	
1408172	Rock Chip	
1408173	Rock Chip	
1408174	Rock Chip	
1408175	Rock Chip	
1408176	Rock Chip	
1408177	Rock Chip	
1408178	Rock Chip	
1408179	Rock Chip	
1408180	Rock Pulp	
1408181	Rock Pulp	
1408182	Rock Chip	
1408183	Rock Chip	
1408184	Rock Chip	
1408185	Rock Chip	
1408186	Rock Chip	
1408187	Rock Chip	
1408188	Rock Chip	
1408189	Rock Chip	
1408190	Rock Chip	
1408191	Rock Chip	
1408192	Rock Chip	
1408193	Rock Chip	
1408194	Rock Chip	
1408195	Rock Chip	
1408196	Rock Chip	
1408197	Rock Chip	
1408198	Rock Chip	
1408199	Rock Chip	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

CERTIFICATE OF ANALYSIS WHI12000085.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1408200	Rock Pulp	0.12	<2	2.4	26.2	2.8	47	0.3	24.5	10.9	441	2.62	5.0	0.3	<0.5	1.0	44	0.2	0.2	<0.1	67
1408201	Rock Pulp	0.12	3845	10.1	69.8	510.3	1597	55.1	32.0	8.8	419	3.54	33.5	0.4	3177	1.2	37	17.2	45.8	1.1	61
1408202	Rock Chip	2.29	<2	3.4	30.2	4.1	57	0.1	6.8	14.8	568	3.57	2.1	3.2	0.6	10.3	94	<0.1	0.2	<0.1	121
1408203	Rock Chip	2.49	<2	2.9	23.5	3.7	56	<0.1	7.1	14.1	573	3.55	2.0	2.7	<0.5	10.4	102	<0.1	0.3	0.1	116
1408204	Rock Chip	2.26	<2	3.0	28.8	3.9	56	<0.1	7.1	14.1	568	3.61	2.0	2.9	<0.5	10.6	104	<0.1	0.3	<0.1	121
1408205	Rock Chip	2.35	30	2.8	27.7	156.3	62	1.8	6.8	14.3	652	3.70	78.1	3.0	66.9	9.5	102	0.2	1.0	<0.1	117
1408206	Rock Chip	2.45	58	2.9	31.0	237.6	76	2.7	7.3	15.0	726	3.81	115.1	2.8	62.4	9.3	110	0.5	1.4	<0.1	123
1408207	Rock Chip	2.11	125	3.2	32.9	165.1	309	13.8	7.5	15.9	874	4.10	185.5	2.6	249.3	9.2	109	2.8	18.3	<0.1	129
1408208	Rock Chip	2.31	57	2.8	33.2	353.6	157	5.0	6.9	14.2	661	3.66	45.8	2.5	64.5	9.0	104	1.6	3.1	<0.1	118
1408209	Rock Chip	2.67	<2	2.1	25.9	7.9	73	0.2	7.2	17.4	934	4.32	5.6	2.5	4.1	10.5	166	0.1	1.4	<0.1	138
1408210	Rock Chip	2.11	4	1.5	21.9	16.6	74	0.2	6.7	18.1	989	4.40	5.5	5.6	3.1	9.9	138	0.2	1.2	<0.1	117
1408211	Rock Chip	2.46	34	1.9	28.9	93.4	213	1.0	7.3	16.8	930	4.18	20.5	2.9	40.5	9.9	137	2.6	1.4	0.1	117
1408212	Rock Chip	1.67	<2	2.5	28.0	5.4	59	0.1	6.6	14.4	676	3.66	4.4	3.1	1.8	9.5	109	<0.1	0.7	0.1	111
1408213	Rock Chip	2.36	12	2.1	34.7	89.2	142	0.5	6.9	16.0	831	4.52	125.2	3.6	54.8	8.8	156	1.4	11.5	<0.1	120
1408214	Rock Chip	2.09	391	1.6	35.8	1193	161	19.9	6.9	17.0	1193	4.63	722.5	3.3	451.2	10.2	191	2.0	10.3	<0.1	102
1408215	Rock Chip	1.98	32	2.3	29.5	53.1	92	0.7	6.9	16.2	783	4.03	55.4	2.4	14.5	10.1	141	0.7	6.8	0.2	124
1408216	Rock Chip	2.51	7	2.8	32.2	40.3	81	0.3	7.1	15.4	699	3.90	42.1	2.8	12.7	9.6	118	0.5	5.5	<0.1	122
1408217	Rock Chip	1.72	3	2.5	27.4	11.0	63	0.1	7.0	15.4	704	3.84	13.5	2.6	8.2	8.8	109	0.2	1.8	<0.1	124
1408218	Rock Chip	2.56	7	2.5	24.9	14.8	66	0.2	6.7	16.0	813	4.15	14.3	2.5	12.5	9.1	131	0.2	1.9	<0.1	126
1408219	Rock Chip	2.34	14	2.7	25.7	20.9	89	0.2	6.5	16.2	779	4.02	11.3	3.1	12.6	9.0	133	0.6	1.5	0.2	123
1408220	Rock Pulp	0.12	<2	2.2	24.6	2.7	42	0.3	23.1	10.3	402	2.43	5.9	0.2	6.1	0.9	38	0.1	0.3	<0.1	61
1408221	Rock Pulp	0.12	1391	9.1	50.4	6.0	52	0.2	32.4	9.3	501	3.33	8.2	0.3	1155	1.0	42	0.1	1.0	<0.1	68
1408222	Rock Chip	2.25	<2	2.3	24.7	11.3	65	0.1	6.8	16.4	896	4.08	11.3	2.9	8.1	9.6	125	0.2	1.2	<0.1	122
1408223	Rock Chip	2.53	<2	2.3	26.1	7.7	59	<0.1	6.8	15.7	763	3.95	7.0	2.6	5.8	9.7	131	<0.1	0.8	<0.1	123
1408224	Rock Chip	1.27	3	2.1	26.2	24.6	74	0.2	7.1	16.0	732	4.12	13.1	2.3	5.9	9.7	127	0.4	3.2	<0.1	125
1408225	Rock Chip	1.35	<2	1.7	26.8	9.1	64	<0.1	6.6	17.1	753	4.25	7.1	2.7	6.0	9.4	136	0.1	0.9	<0.1	127
1408226	Rock Chip	1.45	<2	2.6	26.4	5.1	56	<0.1	7.2	15.8	694	3.96	3.8	2.4	2.2	8.4	114	<0.1	0.5	<0.1	121
1408227	Rock Chip	3.08	4	3.3	26.4	15.4	63	0.2	6.7	14.1	571	3.56	10.0	3.1	1.3	9.5	94	0.3	1.8	<0.1	115
1408228	Rock Chip	2.67	3	2.6	26.3	27.3	73	0.3	7.4	17.1	948	3.99	15.0	3.6	6.0	9.7	151	0.3	2.4	<0.1	117
1408229	Rock Chip	2.40	<2	2.3	26.5	10.6	58	<0.1	6.6	14.9	628	3.73	6.3	3.0	1.1	9.6	115	0.2	1.2	<0.1	116

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

CERTIFICATE OF ANALYSIS WHI12000085.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1408200	Rock Pulp	0.91	0.068	5	33	0.85	107	0.131	<20	1.75	0.089	0.14	12.0	0.01	<0.1	<0.05	4.9	<0.5	6	<0.2	
1408201	Rock Pulp	0.75	0.060	6	29	0.62	115	0.118	<20	1.29	0.086	0.12	2.2	0.23	1.1	0.36	4.8	<0.5	7	<0.2	
1408202	Rock Chip	1.28	0.085	18	31	1.34	1434	0.301	<20	2.43	0.286	1.04	1.0	<0.01	0.5	<0.05	7.1	<0.5	7	<0.2	
1408203	Rock Chip	1.31	0.074	16	31	1.31	1366	0.287	<20	2.49	0.300	0.97	0.7	<0.01	0.5	<0.05	7.4	<0.5	7	<0.2	
1408204	Rock Chip	1.27	0.081	18	33	1.33	1441	0.290	<20	2.56	0.321	0.99	0.6	<0.01	0.5	<0.05	7.3	<0.5	7	<0.2	
1408205	Rock Chip	1.56	0.074	17	31	1.25	1298	0.275	<20	2.47	0.293	0.97	0.8	<0.01	0.5	0.09	8.0	<0.5	7	<0.2	
1408206	Rock Chip	1.54	0.079	17	32	1.35	1428	0.288	<20	2.59	0.301	1.03	0.6	<0.01	0.5	0.17	8.6	<0.5	8	<0.2	
1408207	Rock Chip	1.60	0.079	17	32	1.41	1426	0.293	<20	2.51	0.262	1.05	0.6	<0.01	0.5	0.27	9.7	<0.5	8	<0.2	
1408208	Rock Chip	1.43	0.079	16	29	1.27	1268	0.278	<20	2.50	0.307	0.97	0.8	0.01	0.5	0.18	7.7	<0.5	7	<0.2	
1408209	Rock Chip	2.20	0.077	20	31	1.62	1246	0.237	<20	2.68	0.228	0.96	0.3	0.02	0.5	0.09	14.6	<0.5	8	<0.2	
1408210	Rock Chip	2.69	0.072	24	20	1.73	769	0.116	<20	2.70	0.077	0.57	0.1	0.02	0.3	0.15	16.5	<0.5	8	<0.2	
1408211	Rock Chip	2.28	0.075	19	27	1.45	1006	0.184	<20	2.44	0.205	0.68	0.4	0.01	0.3	0.20	12.3	<0.5	8	<0.2	
1408212	Rock Chip	1.78	0.073	18	29	1.34	765	0.188	<20	2.30	0.252	0.54	0.6	0.01	0.3	0.05	9.1	<0.5	7	<0.2	
1408213	Rock Chip	2.39	0.072	19	24	1.68	917	0.150	<20	2.52	0.121	0.70	0.3	0.02	0.4	0.10	13.4	<0.5	9	<0.2	
1408214	Rock Chip	2.92	0.071	22	19	1.49	212	0.146	<20	2.12	0.069	0.75	0.3	0.03	0.5	0.68	14.2	<0.5	7	<0.2	
1408215	Rock Chip	1.81	0.075	17	27	1.35	1208	0.253	<20	2.34	0.230	0.96	0.3	<0.01	0.6	0.07	11.2	<0.5	7	<0.2	
1408216	Rock Chip	1.56	0.073	16	30	1.33	1174	0.256	<20	2.41	0.278	0.92	0.4	<0.01	0.5	0.07	9.9	<0.5	7	<0.2	
1408217	Rock Chip	1.51	0.071	16	30	1.41	1146	0.262	<20	2.40	0.270	0.94	0.4	0.01	0.5	0.08	9.5	<0.5	7	<0.2	
1408218	Rock Chip	1.71	0.075	17	28	1.42	1172	0.252	<20	2.41	0.246	0.92	0.3	0.02	0.5	0.08	12.5	<0.5	8	<0.2	
1408219	Rock Chip	1.80	0.069	17	27	1.39	1117	0.220	<20	2.43	0.246	0.83	0.4	<0.01	0.4	0.11	10.6	<0.5	8	<0.2	
1408220	Rock Pulp	0.81	0.056	4	31	0.79	90	0.123	<20	1.57	0.074	0.13	12.6	<0.01	<0.1	<0.05	4.1	<0.5	5	<0.2	
1408221	Rock Pulp	0.85	0.058	5	36	0.84	106	0.141	<20	1.74	0.094	0.15	0.3	0.07	<0.1	<0.05	5.0	<0.5	6	<0.2	
1408222	Rock Chip	1.59	0.074	17	29	1.40	1149	0.226	<20	2.28	0.221	0.83	0.3	0.03	0.4	0.09	11.3	<0.5	7	<0.2	
1408223	Rock Chip	1.76	0.072	17	29	1.40	1313	0.255	<20	2.41	0.255	0.95	0.3	0.03	0.5	0.06	10.5	<0.5	7	<0.2	
1408224	Rock Chip	1.63	0.074	17	28	1.43	1194	0.230	<20	2.42	0.229	0.85	0.3	0.01	0.5	0.06	12.1	<0.5	8	<0.2	
1408225	Rock Chip	1.71	0.073	18	27	1.46	1114	0.213	<20	2.43	0.207	0.81	0.2	<0.01	0.4	0.05	12.7	<0.5	8	<0.2	
1408226	Rock Chip	1.51	0.074	16	30	1.35	978	0.207	<20	2.25	0.226	0.72	0.3	<0.01	0.4	<0.05	10.7	<0.5	7	<0.2	
1408227	Rock Chip	1.25	0.073	16	32	1.22	1246	0.287	<20	2.24	0.248	0.96	0.8	<0.01	0.5	0.06	6.8	<0.5	7	<0.2	
1408228	Rock Chip	2.38	0.073	19	32	1.48	1400	0.177	<20	2.42	0.236	0.65	0.2	0.02	0.4	0.09	11.7	<0.5	8	<0.2	
1408229	Rock Chip	1.51	0.077	17	30	1.31	1149	0.246	<20	2.31	0.262	0.84	0.4	<0.01	0.4	<0.05	9.1	<0.5	7	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

CERTIFICATE OF ANALYSIS WHI12000085.1

	Method	G6Gr
	Analyte	Au
	Unit	gm/t
	MDL	0.9
1408200	Rock Pulp	
1408201	Rock Pulp	
1408202	Rock Chip	
1408203	Rock Chip	
1408204	Rock Chip	
1408205	Rock Chip	
1408206	Rock Chip	
1408207	Rock Chip	
1408208	Rock Chip	
1408209	Rock Chip	
1408210	Rock Chip	
1408211	Rock Chip	
1408212	Rock Chip	
1408213	Rock Chip	
1408214	Rock Chip	
1408215	Rock Chip	
1408216	Rock Chip	
1408217	Rock Chip	
1408218	Rock Chip	
1408219	Rock Chip	
1408220	Rock Pulp	
1408221	Rock Pulp	
1408222	Rock Chip	
1408223	Rock Chip	
1408224	Rock Chip	
1408225	Rock Chip	
1408226	Rock Chip	
1408227	Rock Chip	
1408228	Rock Chip	
1408229	Rock Chip	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

CERTIFICATE OF ANALYSIS WHI12000085.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1408230	Rock Chip	2.33	<2	2.6	28.3	5.7	65	<0.1	7.4	18.3	890	4.42	3.8	4.2	0.7	10.1	166	0.1	0.4	<0.1	138
1408231	Rock Chip	2.10	<2	2.9	26.2	5.6	58	<0.1	7.0	16.1	715	4.01	3.4	2.8	<0.5	9.7	128	0.1	0.4	<0.1	126
1408232	Rock Chip	2.07	<2	2.8	23.9	5.3	60	<0.1	6.9	16.9	754	4.19	3.7	2.3	0.5	9.4	144	<0.1	0.4	<0.1	139

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

CERTIFICATE OF ANALYSIS WHI12000085.1

Method		1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
Unit		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
MDL		0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1408230	Rock Chip	2.10	0.076	22	31	1.60	1408	0.267	<20	2.74	0.260	1.01	0.2	<0.01	0.5	<0.05	15.0	<0.5	8	<0.2	
1408231	Rock Chip	1.70	0.079	18	32	1.46	1432	0.292	<20	2.55	0.290	1.04	0.3	<0.01	0.5	0.05	10.5	<0.5	8	<0.2	
1408232	Rock Chip	1.79	0.081	18	31	1.56	1465	0.275	<20	2.76	0.311	1.02	0.3	<0.01	0.5	<0.05	13.0	<0.5	8	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

CERTIFICATE OF ANALYSIS WHI12000085.1

Method		G6Gr
Analyte		Au
Unit		gm/t
MDL		0.9
1408230	Rock Chip	
1408231	Rock Chip	
1408232	Rock Chip	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

QUALITY CONTROL REPORT WHI12000085.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1401796	Rock Chip	3.02	<2	2.8	25.6	4.2	47	<0.1	6.8	12.5	436	3.09	2.9	2.0	0.8	7.7	76	<0.1	0.6	<0.1	103
REP 1401796	QC			3.1	26.5	4.2	48	<0.1	6.5	12.5	434	3.08	3.0	2.2	0.6	8.2	77	<0.1	0.5	<0.1	103
1408122	Rock Chip	1.61	29	1.3	65.3	438.7	4396	6.3	8.7	22.8	2164	5.09	107.6	4.3	35.2	11.0	77	46.1	8.8	0.2	117
REP 1408122	QC		29																		
REP 1408152	QC			2.3	18.3	229.7	1547	6.2	7.0	18.2	1844	4.20	637.2	3.8	95.8	8.1	30	4.0	9.1	0.2	21
1408180	Rock Pulp	0.12	<2	2.4	25.6	2.7	46	0.2	24.5	10.6	423	2.57	5.1	0.3	<0.5	1.0	41	0.2	0.2	<0.1	65
REP 1408180	QC		2																		
1408196	Rock Chip	2.37	<2	3.0	29.3	7.9	53	0.1	6.2	12.9	575	3.46	1.8	3.3	<0.5	9.1	105	0.2	0.2	0.2	109
REP 1408196	QC			3.4	28.9	7.6	58	0.1	6.6	13.3	600	3.54	1.9	3.3	0.7	9.6	109	0.1	0.2	0.2	113
1408221	Rock Pulp	0.12	1391	9.1	50.4	6.0	52	0.2	32.4	9.3	501	3.33	8.2	0.3	1155	1.0	42	0.1	1.0	<0.1	68
REP 1408221	QC			8.6	52.6	6.4	53	0.2	34.8	9.7	505	3.41	8.4	0.3	668.0	1.0	43	0.1	1.1	<0.1	69
1408232	Rock Chip	2.07	<2	2.8	23.9	5.3	60	<0.1	6.9	16.9	754	4.19	3.7	2.3	0.5	9.4	144	<0.1	0.4	<0.1	139
REP 1408232	QC			2.7	24.0	5.3	64	<0.1	7.0	17.3	768	4.28	3.4	2.7	<0.5	9.8	149	<0.1	0.4	<0.1	138
Core Reject Duplicates																					
1401797	Rock Chip	3.34	<2	2.5	25.4	4.1	50	<0.1	6.7	12.9	481	3.19	3.5	2.1	1.5	7.8	81	<0.1	0.8	<0.1	108
DUP 1401797	QC		<2	2.6	26.2	4.2	53	<0.1	6.6	13.6	498	3.31	3.1	2.1	<0.5	8.1	83	<0.1	0.8	<0.1	110
1408152	Rock Chip	2.17	98	2.3	19.2	234.8	1551	5.9	7.0	18.3	1835	4.23	644.9	4.1	90.7	8.5	30	4.6	9.1	0.1	21
DUP 1408152	QC		90	2.4	18.6	234.8	1546	5.9	7.1	18.0	1893	4.25	633.2	3.9	100.1	8.3	30	4.6	8.4	0.2	22
1408187	Rock Chip	2.26	<2	2.3	35.3	284.6	370	4.4	7.2	17.8	900	4.54	3.9	2.4	11.9	9.3	115	4.7	2.7	0.1	141
DUP 1408187	QC		<2	2.0	36.6	292.7	361	4.8	6.8	17.3	920	4.60	3.6	2.4	1.5	8.7	120	5.0	2.7	0.1	143
1408222	Rock Chip	2.25	<2	2.3	24.7	11.3	65	0.1	6.8	16.4	896	4.08	11.3	2.9	8.1	9.6	125	0.2	1.2	<0.1	122
DUP 1408222	QC		3	2.5	25.8	11.2	62	0.1	7.0	17.0	884	4.10	10.1	3.5	7.3	9.7	126	<0.1	1.2	0.1	123
Reference Materials																					
STD DS9	Standard			13.2	115.5	131.2	350	1.9	43.8	8.4	624	2.50	28.0	2.8	113.7	6.5	74	2.7	4.9	7.1	43
STD DS9	Standard			15.1	122.7	146.1	367	2.0	45.8	8.6	676	2.68	30.4	3.0	128.5	7.3	82	2.7	4.9	7.7	47
STD DS9	Standard			13.6	116.1	140.6	336	2.0	42.5	8.0	602	2.47	28.5	2.8	121.2	7.0	78	2.8	4.6	5.7	43
STD DS9	Standard			12.5	113.2	130.9	322	2.0	41.8	8.0	610	2.40	28.2	2.8	99.0	6.5	79	2.4	4.5	7.0	41
STD DS9	Standard			12.9	121.7	131.3	334	2.2	44.5	8.3	623	2.50	33.4	3.1	191.4	7.5	72	2.6	5.4	5.4	44

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

QUALITY CONTROL REPORT WHI12000085.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
Pulp Duplicates																					
1401796	Rock Chip	1.13	0.077	14	30	1.05	1177	0.282	<20	1.90	0.217	0.85	0.8	<0.01	0.4	<0.05	4.9	<0.5	6	<0.2	
REP 1401796	QC	1.15	0.077	14	30	1.06	1190	0.288	<20	1.94	0.222	0.86	0.8	<0.01	0.4	<0.05	4.8	<0.5	6	<0.2	
1408122	Rock Chip	0.93	0.081	20	19	0.78	716	0.082	<20	1.75	0.031	0.50	0.2	0.12	1.3	0.09	18.9	<0.5	6	<0.2	
REP 1408122	QC																				
REP 1408152	QC	1.52	0.055	6	5	0.47	35	<0.001	<20	0.40	0.004	0.21	0.3	0.06	0.4	2.88	10.4	<0.5	<1	<0.2	
1408180	Rock Pulp	0.87	0.069	4	32	0.83	100	0.125	<20	1.69	0.086	0.14	12.3	0.01	<0.1	<0.05	5.0	<0.5	5	<0.2	
REP 1408180	QC																				
1408196	Rock Chip	1.53	0.076	16	31	1.23	1172	0.247	<20	2.53	0.315	0.90	0.8	<0.01	0.4	0.09	7.9	<0.5	7	<0.2	
REP 1408196	QC	1.56	0.077	16	32	1.27	1231	0.251	<20	2.61	0.325	0.93	0.7	<0.01	0.5	0.09	8.2	<0.5	7	<0.2	
1408221	Rock Pulp	0.85	0.058	5	36	0.84	106	0.141	<20	1.74	0.094	0.15	0.3	0.07	<0.1	<0.05	5.0	<0.5	6	<0.2	
REP 1408221	QC	0.87	0.057	5	37	0.85	110	0.145	<20	1.76	0.097	0.15	0.3	0.07	<0.1	<0.05	5.0	<0.5	6	<0.2	
1408232	Rock Chip	1.79	0.081	18	31	1.56	1465	0.275	<20	2.76	0.311	1.02	0.3	<0.01	0.5	<0.05	13.0	<0.5	8	<0.2	
REP 1408232	QC	1.82	0.077	18	31	1.59	1467	0.289	<20	2.81	0.315	1.04	0.2	<0.01	0.6	<0.05	13.1	<0.5	9	<0.2	
Core Reject Duplicates																					
1401797	Rock Chip	1.30	0.074	14	28	1.15	1163	0.290	<20	2.02	0.215	0.86	0.6	<0.01	0.4	<0.05	5.7	<0.5	6	<0.2	
DUP 1401797	QC	1.33	0.078	14	29	1.19	1225	0.300	<20	2.08	0.221	0.90	0.6	<0.01	0.4	<0.05	5.7	<0.5	6	<0.2	
1408152	Rock Chip	1.52	0.056	7	5	0.46	35	<0.001	<20	0.39	0.003	0.21	0.2	0.08	0.4	2.87	10.8	<0.5	<1	<0.2	
DUP 1408152	QC	1.53	0.057	7	5	0.47	40	<0.001	<20	0.48	0.005	0.25	0.3	0.07	0.4	2.87	10.9	<0.5	1	<0.2	
1408187	Rock Chip	2.10	0.084	18	30	1.64	1270	0.247	<20	2.67	0.231	0.98	0.5	0.01	0.5	0.30	14.7	<0.5	8	<0.2	
DUP 1408187	QC	2.16	0.085	18	29	1.64	1366	0.246	<20	2.74	0.252	1.00	0.6	0.02	0.5	0.30	14.6	<0.5	8	<0.2	
1408222	Rock Chip	1.59	0.074	17	29	1.40	1149	0.226	<20	2.28	0.221	0.83	0.3	0.03	0.4	0.09	11.3	<0.5	7	<0.2	
DUP 1408222	QC	1.63	0.076	18	29	1.42	1199	0.219	<20	2.33	0.229	0.83	0.2	0.03	0.4	0.09	11.4	<0.5	8	<0.2	
Reference Materials																					
STD DS9	Standard	0.77	0.090	14	129	0.69	354	0.113	<20	1.00	0.087	0.42	3.3	0.21	6.1	0.17	2.3	4.9	5	6.1	
STD DS9	Standard	0.82	0.099	15	137	0.71	364	0.126	<20	1.10	0.099	0.45	3.6	0.24	6.3	0.20	2.8	6.3	5	5.4	
STD DS9	Standard	0.78	0.090	14	121	0.66	361	0.122	<20	1.01	0.088	0.43	3.1	0.22	6.6	0.18	2.6	6.1	5	5.6	
STD DS9	Standard	0.74	0.084	12	127	0.66	355	0.117	<20	1.01	0.083	0.43	3.7	0.21	5.8	0.17	2.5	6.6	5	5.4	
STD DS9	Standard	0.76	0.083	14	124	0.66	329	0.114	<20	1.01	0.085	0.42	3.0	0.18	6.0	0.18	2.4	7.0	5	5.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

QUALITY CONTROL REPORT WHI12000085.1

	Method	G6Gr
	Analyte	Au
	Unit	gm/t
	MDL	0.9
Pulp Duplicates		
1401796	Rock Chip	
REP 1401796	QC	
1408122	Rock Chip	
REP 1408122	QC	
REP 1408152	QC	
1408180	Rock Pulp	
REP 1408180	QC	
1408196	Rock Chip	
REP 1408196	QC	
1408221	Rock Pulp	
REP 1408221	QC	
1408232	Rock Chip	
REP 1408232	QC	
Core Reject Duplicates		
1401797	Rock Chip	
DUP 1401797	QC	
1408152	Rock Chip	
DUP 1408152	QC	
1408187	Rock Chip	
DUP 1408187	QC	
1408222	Rock Chip	
DUP 1408222	QC	
Reference Materials		
STD DS9	Standard	
STD DS9	Standard	
STD DS9	Standard	
STD DS9	Standard	
STD DS9	Standard	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

QUALITY CONTROL REPORT WHI12000085.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
STD OREAS45CA	Standard			0.8	531.9	20.6	69	0.3	254.3	97.3	981	17.41	3.9	1.2	43.7	7.0	15	<0.1	<0.1	0.1	217
STD OREAS45CA	Standard			1.0	565.7	23.1	68	0.3	262.3	95.7	975	17.00	4.0	1.2	38.7	7.6	16	<0.1	0.1	0.2	218
STD OREAS45CA	Standard			0.8	546.1	22.7	68	0.3	255.7	97.7	982	16.89	3.4	1.2	37.0	7.8	17	<0.1	<0.1	0.1	215
STD OREAS45CA	Standard			0.7	505.6	21.9	63	0.3	245.2	92.6	957	15.51	4.1	1.2	36.5	7.1	17	<0.1	0.7	0.1	219
STD OREAS45CA	Standard			0.9	562.3	25.5	62	0.4	283.6	99.4	1024	18.34	7.5	1.3	63.7	7.7	16	<0.1	<0.1	0.1	235
STD OXC88	Standard		206																		
STD OXC88	Standard		196																		
STD OXC88	Standard		206																		
STD OXC88	Standard		196																		
STD OXC88	Standard		188																		
STD OXC88	Standard		211																		
STD OXG99	Standard		888																		
STD OXG99	Standard		866																		
STD OXG99	Standard		1008																		
STD OXG99	Standard		922																		
STD OXG99	Standard		925																		
STD OXG99	Standard		991																		
STD SP49	Standard																				
STD SP49	Standard																				
STD SP49	Standard																				
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OXC88 Expected			203																		
STD OXG99 Expected			932																		
STD SP49 Expected																					
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

QUALITY CONTROL REPORT WHI12000085.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2	G6Gr Ag gm/t 50
STD OREAS45CA	Standard	0.46	0.042	17	791	0.13	174	0.131	<20	3.86	0.010	0.08	<0.1	0.02	<0.1	<0.05	47.8	<0.5	20	<0.2	
STD OREAS45CA	Standard	0.47	0.044	19	777	0.15	186	0.151	<20	4.07	0.015	0.08	<0.1	0.04	<0.1	<0.05	49.8	<0.5	20	<0.2	
STD OREAS45CA	Standard	0.46	0.040	17	746	0.18	184	0.147	<20	4.08	0.014	0.09	<0.1	0.04	0.1	<0.05	46.9	<0.5	21	<0.2	
STD OREAS45CA	Standard	0.44	0.039	15	718	0.14	169	0.139	<20	3.39	0.008	0.07	<0.1	0.02	<0.1	<0.05	45.2	0.5	20	<0.2	
STD OREAS45CA	Standard	0.47	0.040	17	777	0.18	171	0.154	<20	4.18	0.012	0.08	<0.1	0.03	0.2	<0.05	47.6	0.5	21	<0.2	
STD OXC88	Standard																				
STD OXC88	Standard																				
STD OXC88	Standard																				
STD OXC88	Standard																				
STD OXC88	Standard																				
STD OXC88	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD SP49	Standard																				56
STD SP49	Standard																				50
STD SP49	Standard																				57
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4		
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02	
STD OXC88 Expected																					
STD OXG99 Expected																					
STD SP49 Expected																					60.2
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

QUALITY CONTROL REPORT WHI12000085.1

		G6Gr Au gm/t 0.9
STD OREAS45CA	Standard	
STD OREAS45CA	Standard	
STD OREAS45CA	Standard	
STD OREAS45CA	Standard	
STD OREAS45CA	Standard	
STD OXC88	Standard	
STD OXC88	Standard	
STD OXC88	Standard	
STD OXC88	Standard	
STD OXC88	Standard	
STD OXC88	Standard	
STD OXG99	Standard	
STD OXG99	Standard	
STD OXG99	Standard	
STD OXG99	Standard	
STD OXG99	Standard	
STD OXG99	Standard	
STD SP49	Standard	18.3
STD SP49	Standard	18.3
STD SP49	Standard	18.0
STD OREAS45CA Expected		
STD DS9 Expected		
STD OXC88 Expected		
STD OXG99 Expected		
STD SP49 Expected		18.34
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

QUALITY CONTROL REPORT WHI12000085.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		3																		
BLK	Blank		<2																		
BLK	Blank			<0.1	0.3	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank																				
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	0.5	3	<0.1	<0.1	<0.1	<1	<0.01	0.9	<0.1	<0.5	<0.1	<1	<0.1	0.5	<0.1	<2
BLK	Blank			<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		4																		
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1-WHI	Prep Blank		<2	0.2	4.5	7.9	98	0.1	3.6	5.4	691	2.34	2.0	2.1	1.0	7.3	68	<0.1	2.0	<0.1	46
G1-WHI	Prep Blank		<2	<0.1	1.9	4.3	53	<0.1	3.6	4.7	631	2.13	0.7	1.6	<0.5	5.4	69	<0.1	<0.1	<0.1	40

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

QUALITY CONTROL REPORT WHI12000085.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2	G6Gr Ag gm/t 50
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank																				<50
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	0.1	<0.5	<1	<0.2	
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				<50
BLK	Blank																				<50
Prep Wash																					
G1-WHI	Prep Blank	0.62	0.092	15	8	0.64	218	0.153	<20	1.06	0.102	0.57	0.1	<0.01	0.4	<0.05	2.7	<0.5	6	<0.2	
G1-WHI	Prep Blank	0.54	0.086	11	7	0.62	244	0.146	<20	1.03	0.097	0.53	<0.1	<0.01	0.4	<0.05	2.4	<0.5	6	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 25, 2012

QUALITY CONTROL REPORT WHI12000085.1

		G6Gr Au gm/t 0.9
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	<0.9
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	
BLK	Blank	<0.9
BLK	Blank	<0.9
Prep Wash		
G1-WHI	Prep Blank	
G1-WHI	Prep Blank	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: June 15, 2012
Report Date: June 27, 2012
Page: 1 of 4

CERTIFICATE OF ANALYSIS WHI12000098.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET007
P.O. Number
Number of Samples: 88

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	78	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	88	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	88	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
G6Gr	1	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Dayna
Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 27, 2012

CERTIFICATE OF ANALYSIS WHI12000098.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401798	Rock Chip	3.56	25	2.6	41.6	148.3	199	1.4	7.8	13.8	628	3.22	106.6	1.6	18.6	8.2	38	2.4	23.9	<0.1	92
1401799	Rock Chip	0.49	2	0.8	16.9	7.4	48	0.1	6.9	11.4	425	2.72	8.7	1.6	<0.5	8.8	31	0.1	0.8	<0.1	94
1401800	Rock Pulp	0.12	2	2.6	25.4	2.6	45	0.3	24.5	11.2	426	2.45	5.0	0.2	<0.5	1.1	41	0.2	0.2	<0.1	63
1401801	Rock Pulp	0.12	1536	8.0	50.1	6.1	51	0.3	32.1	9.4	511	3.28	7.6	0.3	1509	1.2	42	<0.1	1.1	<0.1	68
1401802	Rock Chip	0.46	6	1.1	18.9	7.0	43	<0.1	6.9	10.0	382	2.53	12.3	1.2	2.0	7.0	38	0.2	0.7	<0.1	81
1401803	Rock Chip	1.15	5	1.3	31.5	12.5	64	0.1	7.6	11.8	446	3.14	20.7	1.2	3.2	7.2	32	0.2	1.2	0.3	92
1401804	Rock Chip	1.03	<2	1.0	50.2	8.2	53	0.2	5.3	11.7	716	2.99	14.2	1.2	3.8	9.3	31	0.1	0.7	<0.1	96
1401805	Rock Chip	1.76	4	1.1	34.8	30.6	75	0.7	5.3	9.9	424	2.84	25.6	1.0	5.0	8.0	29	0.3	2.3	<0.1	79
1401806	Rock Chip	1.25	3	0.9	23.7	38.1	81	0.5	5.1	8.3	279	2.27	24.4	1.3	3.5	7.4	28	0.5	4.5	<0.1	66
1401807	Rock Chip	1.70	3	1.0	28.3	39.8	83	0.8	6.4	9.0	304	2.36	17.1	1.5	1.0	7.6	31	0.5	3.3	<0.1	69
1401808	Rock Chip	1.61	<2	1.3	21.2	17.9	70	0.4	5.2	10.9	354	2.76	15.7	1.5	3.5	9.0	35	0.4	1.6	0.2	88
1401809	Rock Chip	1.47	3	0.6	23.9	38.0	140	0.5	7.2	15.3	832	3.62	35.1	2.2	4.0	8.7	68	1.6	3.1	<0.1	90
1401810	Rock Chip	1.47	2	0.5	34.6	13.2	138	0.2	9.5	22.3	1153	4.10	13.9	2.5	<0.5	8.7	82	2.2	1.5	<0.1	72
1401811	Rock Chip	1.84	<2	<0.1	21.6	8.4	93	<0.1	7.2	20.1	997	3.82	4.6	2.8	<0.5	11.3	64	1.0	0.9	<0.1	72
1401812	Rock Chip	1.82	<2	0.4	18.8	7.7	72	<0.1	6.5	19.0	1718	4.14	3.2	1.7	0.5	10.0	23	0.6	1.5	<0.1	88
1401813	Rock Chip	1.66	<2	0.6	42.7	8.9	95	0.2	7.5	19.0	956	4.73	4.5	1.8	<0.5	9.5	17	0.4	2.8	<0.1	94
1401814	Rock Chip	1.58	11	0.7	45.6	9.3	85	0.3	6.4	19.1	823	4.53	8.5	2.7	5.4	13.9	25	0.6	3.9	<0.1	86
1401815	Rock Chip	1.95	<2	0.3	21.3	6.8	92	<0.1	7.8	21.6	996	4.86	4.0	2.4	<0.5	12.0	18	0.4	2.5	<0.1	78
1401816	Rock Chip	1.63	<2	1.2	42.9	9.7	68	<0.1	7.6	21.6	1699	4.37	6.9	4.0	<0.5	13.6	33	1.2	5.0	0.1	87
1401817	Rock Chip	1.52	<2	0.7	40.2	8.4	89	0.2	8.5	22.2	1650	5.13	4.8	2.9	1.4	12.3	51	0.6	2.2	<0.1	78
1401818	Rock Chip	1.66	3	0.2	28.2	6.4	80	0.1	7.9	19.7	975	4.59	2.7	1.7	0.6	12.0	36	0.3	0.4	<0.1	84
1401819	Rock Chip	1.23	6	0.7	111.3	7.7	75	0.4	7.1	24.1	982	4.49	3.6	1.9	0.6	10.3	48	0.2	0.7	<0.1	103
1401820	Rock Pulp	0.12	<2	2.8	27.3	2.1	43	0.2	24.0	10.9	426	2.52	4.6	0.3	<0.5	1.1	40	<0.1	0.2	<0.1	61
1401821	Rock Pulp	0.12	3703	9.6	68.6	468.5	1517	52.7	29.5	8.1	418	3.23	30.9	0.3	2471	1.0	31	15.0	42.0	0.8	54
1401822	Rock Chip	1.50	<2	0.2	27.4	9.3	78	0.4	7.0	18.2	972	4.03	2.1	2.5	2.1	13.0	37	0.4	0.7	<0.1	83
1401823	Rock Chip	1.78	4	0.4	23.2	6.7	66	<0.1	6.6	17.3	864	3.73	2.5	1.6	32.3	10.5	48	<0.1	0.3	<0.1	76
1401824	Rock Chip	0.59	<2	0.7	23.6	6.3	73	<0.1	7.4	17.3	890	3.95	2.2	1.5	32.3	13.2	43	<0.1	0.4	<0.1	77
1401825	Rock Chip	1.01	<2	0.4	21.1	6.4	72	<0.1	7.4	19.8	948	4.03	2.2	1.8	8.8	11.7	50	<0.1	0.3	<0.1	77
1401826	Rock Chip	1.47	3	0.3	32.5	4.8	84	<0.1	7.5	21.6	1041	4.82	1.3	2.1	8.4	12.9	38	<0.1	0.3	<0.1	74
1401827	Rock Chip	1.70	<2	0.5	42.0	5.4	83	<0.1	7.9	20.1	985	4.68	1.7	2.5	8.1	11.3	53	0.2	0.8	<0.1	83

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 27, 2012

CERTIFICATE OF ANALYSIS WHI12000098.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1401798	Rock Chip	0.68	0.090	13	24	1.03	422	0.147	<20	1.77	0.073	0.26	0.5	<0.01	0.2	0.06	5.3	<0.5	5	<0.2	
1401799	Rock Chip	0.56	0.075	11	20	0.84	546	0.181	<20	1.47	0.097	0.46	0.6	<0.01	0.2	<0.05	4.1	<0.5	4	<0.2	
1401800	Rock Pulp	0.84	0.061	4	31	0.81	101	0.127	<20	1.64	0.081	0.14	13.1	<0.01	<0.1	<0.05	5.1	<0.5	5	<0.2	
1401801	Rock Pulp	0.85	0.058	5	35	0.83	109	0.130	<20	1.76	0.098	0.16	0.2	0.07	<0.1	<0.05	5.6	<0.5	5	<0.2	
1401802	Rock Chip	0.56	0.076	11	19	0.72	566	0.154	<20	1.40	0.096	0.33	0.7	0.02	0.2	<0.05	4.2	<0.5	4	<0.2	
1401803	Rock Chip	0.56	0.082	11	21	0.90	583	0.162	<20	1.67	0.080	0.36	0.5	0.03	0.2	<0.05	4.5	<0.5	5	<0.2	
1401804	Rock Chip	0.48	0.075	12	18	0.93	650	0.227	<20	1.55	0.091	0.61	0.7	<0.01	0.4	<0.05	4.1	0.8	5	<0.2	
1401805	Rock Chip	0.44	0.064	11	16	0.73	469	0.154	<20	1.43	0.090	0.43	0.6	0.02	0.4	<0.05	3.9	<0.5	4	<0.2	
1401806	Rock Chip	0.39	0.052	11	14	0.52	484	0.131	<20	1.23	0.081	0.32	0.7	<0.01	0.2	<0.05	4.1	<0.5	4	<0.2	
1401807	Rock Chip	0.47	0.058	12	15	0.57	463	0.144	<20	1.44	0.096	0.34	0.9	<0.01	0.3	<0.05	4.0	<0.5	5	<0.2	
1401808	Rock Chip	0.50	0.064	12	16	0.76	704	0.233	<20	1.60	0.113	0.65	0.6	0.02	0.6	<0.05	3.8	<0.5	5	<0.2	
1401809	Rock Chip	0.75	0.074	14	19	1.12	383	0.073	<20	2.22	0.050	0.23	<0.1	<0.01	0.2	<0.05	6.5	<0.5	7	<0.2	
1401810	Rock Chip	0.88	0.088	13	26	1.89	312	0.062	<20	2.98	0.015	0.09	<0.1	<0.01	<0.1	<0.05	5.6	<0.5	8	<0.2	
1401811	Rock Chip	0.73	0.078	14	23	1.76	197	0.026	<20	2.70	0.011	0.07	<0.1	0.03	<0.1	<0.05	6.7	<0.5	8	<0.2	
1401812	Rock Chip	0.42	0.082	21	22	1.68	280	0.004	<20	2.37	0.010	0.13	<0.1	0.03	<0.1	<0.05	8.6	<0.5	8	<0.2	
1401813	Rock Chip	0.42	0.079	19	28	1.61	166	0.004	<20	2.33	0.007	0.09	<0.1	<0.01	<0.1	<0.05	12.0	<0.5	9	<0.2	
1401814	Rock Chip	0.46	0.086	21	22	1.06	230	0.006	<20	1.86	0.012	0.09	<0.1	0.02	<0.1	<0.05	14.2	<0.5	6	<0.2	
1401815	Rock Chip	0.38	0.086	17	27	1.99	163	0.004	<20	2.57	0.009	0.09	<0.1	<0.01	<0.1	<0.05	11.3	<0.5	8	<0.2	
1401816	Rock Chip	1.80	0.085	29	19	0.64	207	0.004	<20	1.14	0.008	0.10	<0.1	0.09	<0.1	<0.05	18.2	<0.5	4	<0.2	
1401817	Rock Chip	1.63	0.094	27	26	1.67	238	0.010	<20	2.47	0.012	0.11	<0.1	<0.01	<0.1	<0.05	12.1	<0.5	9	<0.2	
1401818	Rock Chip	0.54	0.090	19	27	1.98	140	0.063	<20	2.57	0.016	0.07	<0.1	<0.01	<0.1	<0.05	7.9	<0.5	8	<0.2	
1401819	Rock Chip	1.07	0.094	18	25	1.79	230	0.110	<20	2.74	0.016	0.08	<0.1	<0.01	<0.1	<0.05	8.8	<0.5	8	<0.2	
1401820	Rock Pulp	0.84	0.062	4	31	0.81	105	0.115	<20	1.61	0.079	0.14	12.4	<0.01	<0.1	<0.05	4.7	<0.5	5	<0.2	
1401821	Rock Pulp	0.66	0.048	5	27	0.57	105	0.089	<20	1.15	0.075	0.11	2.0	0.21	1.2	0.34	4.2	1.2	6	<0.2	
1401822	Rock Chip	0.48	0.075	20	25	1.66	255	0.052	<20	2.21	0.031	0.10	<0.1	<0.01	<0.1	<0.05	10.4	<0.5	7	<0.2	
1401823	Rock Chip	1.19	0.072	15	26	1.69	160	0.095	<20	2.19	0.023	0.07	<0.1	<0.01	<0.1	<0.05	6.6	<0.5	8	<0.2	
1401824	Rock Chip	1.38	0.075	18	27	1.85	130	0.079	<20	2.29	0.024	0.08	<0.1	<0.01	<0.1	<0.05	7.2	0.7	7	<0.2	
1401825	Rock Chip	1.47	0.074	19	28	1.91	131	0.064	<20	2.38	0.020	0.09	<0.1	<0.01	<0.1	<0.05	7.7	<0.5	7	<0.2	
1401826	Rock Chip	0.79	0.097	23	30	2.24	167	0.037	<20	2.83	0.020	0.07	<0.1	<0.01	<0.1	<0.05	9.2	<0.5	9	<0.2	
1401827	Rock Chip	1.52	0.090	20	26	1.77	115	0.007	<20	2.42	0.015	0.08	<0.1	<0.01	<0.1	<0.05	14.3	<0.5	8	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 27, 2012

CERTIFICATE OF ANALYSIS WHI12000098.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401828	Rock Chip	1.86	4	1.5	29.3	5.9	73	0.1	7.6	20.7	1032	4.65	1.3	2.3	7.7	10.2	104	<0.1	0.4	<0.1	68
1401829	Rock Chip	1.74	11	1.3	20.9	21.7	93	0.4	5.7	19.5	1377	4.53	16.0	5.8	12.5	10.7	207	0.2	1.1	<0.1	70
1401830	Rock Chip	2.45	<2	0.3	22.1	6.8	76	<0.1	7.6	19.7	950	4.49	1.5	2.4	3.0	8.5	92	<0.1	0.5	0.1	83
1401831	Rock Chip	2.17	<2	0.3	31.9	8.2	79	<0.1	8.5	21.4	926	4.49	1.0	2.8	3.2	10.1	64	0.1	0.2	<0.1	76
1401832	Rock Chip	1.98	<2	0.3	25.6	5.3	70	<0.1	7.0	19.0	862	3.85	1.7	2.5	<0.5	8.9	92	<0.1	0.3	<0.1	71
1401833	Rock Chip	1.91	2	0.4	17.8	4.9	66	<0.1	7.3	18.3	848	3.80	1.4	1.9	2.3	7.6	81	<0.1	0.3	<0.1	92
1401834	Rock Chip	1.66	<2	0.3	42.0	6.2	77	<0.1	8.5	23.6	1039	4.52	0.8	2.6	1.1	7.3	125	0.2	0.5	<0.1	109
1401835	Rock Chip	1.53	<2	0.4	26.1	6.7	74	<0.1	7.1	21.4	991	4.47	1.5	3.7	2.2	8.3	156	0.1	1.3	<0.1	74
1401836	Rock Chip	1.65	<2	0.4	24.8	6.7	63	<0.1	6.5	18.5	986	3.83	2.5	2.8	<0.5	8.8	163	<0.1	1.3	<0.1	63
1401837	Rock Chip	2.21	<2	0.5	14.1	5.5	60	<0.1	5.8	17.4	874	3.50	0.7	1.7	0.6	8.1	127	<0.1	1.3	<0.1	54
1401838	Rock Chip	1.95	<2	0.5	7.6	4.6	64	<0.1	6.4	17.6	804	3.47	<0.5	1.4	<0.5	8.2	130	<0.1	0.9	<0.1	54
1401839	Rock Chip	1.91	2	0.3	72.2	4.4	68	0.2	7.1	20.2	923	3.71	0.6	1.4	1.2	9.4	138	0.1	0.8	0.2	61
1401840	Rock Pulp	0.12	6	2.4	26.6	2.5	43	0.2	23.1	10.9	410	2.42	4.7	0.2	1.9	1.0	42	0.2	0.2	<0.1	59
1401841	Rock Pulp	0.12	1438	9.1	50.4	5.9	49	0.2	33.1	9.4	479	3.18	7.0	0.3	964.1	1.1	45	<0.1	1.0	<0.1	66
1401842	Rock Chip	2.17	4	0.2	3.6	3.2	60	<0.1	6.2	17.0	821	3.27	<0.5	1.5	<0.5	8.5	127	<0.1	0.3	<0.1	43
1401843	Rock Chip	1.79	3	<0.1	19.4	5.0	80	<0.1	8.0	23.5	968	4.16	0.6	3.0	<0.5	12.1	134	<0.1	0.4	<0.1	62
1401844	Rock Chip	1.98	<2	0.5	46.3	3.5	63	0.2	6.5	18.2	852	3.61	0.7	1.6	0.8	8.6	120	<0.1	0.5	<0.1	59
1401845	Rock Chip	1.92	<2	<0.1	8.5	4.2	71	<0.1	7.3	21.7	961	3.81	<0.5	2.4	<0.5	8.3	138	<0.1	0.2	<0.1	54
1401846	Rock Chip	1.48	<2	0.1	7.3	3.5	65	<0.1	6.0	18.6	820	3.41	<0.5	2.3	<0.5	9.7	128	<0.1	0.2	<0.1	48
1401847	Rock Chip	1.88	2	0.3	8.5	3.3	59	<0.1	6.3	17.9	801	3.18	0.5	1.2	<0.5	8.1	129	<0.1	0.3	<0.1	44
1401848	Rock Chip	1.75	<2	0.4	10.7	2.5	54	<0.1	5.7	15.5	764	3.09	0.6	0.9	<0.5	7.4	119	<0.1	0.3	<0.1	43
1401849	Rock Chip	1.98	<2	0.4	5.8	4.3	62	<0.1	6.8	17.9	889	3.62	0.8	1.0	<0.5	8.3	149	<0.1	1.0	<0.1	56
1401850	Rock Chip	1.65	<2	0.3	23.3	4.8	69	<0.1	7.1	20.1	948	4.06	0.8	1.2	<0.5	8.9	140	<0.1	1.7	<0.1	74
1401851	Rock Chip	1.81	<2	0.4	14.8	4.6	60	<0.1	5.9	17.9	989	3.88	0.8	1.8	<0.5	10.0	187	0.1	2.3	<0.1	74
1401852	Rock Chip	1.80	483	0.9	60.2	3017	5412	55.7	6.2	18.4	1324	5.33	724.6	3.7	462.2	7.1	120	75.6	23.4	0.1	36
1401853	Rock Chip	1.94	3771	1.2	445.3	>10000	>10000	>100	4.5	14.2	1695	10.70	7426	3.1	3418	3.2	99	343.7	950.3	0.1	26
1401854	Rock Chip	1.80	17	0.9	23.5	56.4	166	1.8	6.1	18.2	1244	3.96	53.4	2.5	9.6	8.7	119	1.6	6.4	0.1	70
1401855	Rock Chip	1.80	4	0.4	9.3	23.4	85	0.2	6.7	19.4	884	3.69	9.1	2.1	0.6	9.8	139	0.5	1.6	<0.1	70
1401856	Rock Chip	1.77	6	0.7	37.3	20.7	79	0.3	6.1	17.5	789	3.72	13.4	2.4	2.1	9.0	148	0.5	5.6	<0.1	95
1401857	Rock Chip	1.83	3	1.1	34.8	13.0	77	0.1	7.1	19.2	868	4.13	8.6	2.0	<0.5	8.7	114	0.2	0.7	<0.1	79

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 27, 2012

CERTIFICATE OF ANALYSIS WHI12000098.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1401828	Rock Chip	3.86	0.075	22	24	1.74	251	0.002	<20	2.33	0.013	0.12	<0.1	<0.01	<0.1	<0.05	12.8	<0.5	7	<0.2	
1401829	Rock Chip	6.13	0.083	24	17	0.82	128	0.001	<20	1.57	0.010	0.12	<0.1	<0.01	<0.1	0.08	15.8	<0.5	5	<0.2	
1401830	Rock Chip	3.45	0.083	19	21	1.76	328	0.004	<20	2.72	0.012	0.10	<0.1	<0.01	<0.1	<0.05	13.3	<0.5	9	<0.2	
1401831	Rock Chip	1.32	0.079	14	29	2.18	95	0.048	<20	2.82	0.028	0.06	<0.1	<0.01	<0.1	<0.05	6.5	<0.5	9	<0.2	
1401832	Rock Chip	2.26	0.072	13	26	1.90	162	0.031	<20	2.54	0.025	0.08	<0.1	<0.01	<0.1	<0.05	5.0	<0.5	8	<0.2	
1401833	Rock Chip	2.20	0.072	10	26	1.94	535	0.063	<20	3.13	0.016	0.07	<0.1	<0.01	<0.1	<0.05	5.7	<0.5	8	<0.2	
1401834	Rock Chip	3.09	0.088	11	35	2.13	349	0.066	<20	2.69	0.021	0.06	<0.1	0.02	<0.1	<0.05	11.4	<0.5	8	<0.2	
1401835	Rock Chip	3.66	0.077	17	24	1.63	136	0.007	<20	2.25	0.011	0.10	<0.1	<0.01	<0.1	<0.05	9.3	<0.5	7	<0.2	
1401836	Rock Chip	4.14	0.074	19	22	1.63	78	0.002	<20	2.18	0.009	0.10	<0.1	0.03	<0.1	<0.05	7.4	<0.5	6	<0.2	
1401837	Rock Chip	3.59	0.069	19	21	1.60	72	0.003	<20	2.07	0.008	0.12	<0.1	<0.01	<0.1	<0.05	6.8	<0.5	6	<0.2	
1401838	Rock Chip	2.78	0.071	15	23	1.74	99	0.004	<20	2.19	0.011	0.11	<0.1	<0.01	<0.1	<0.05	5.3	<0.5	6	<0.2	
1401839	Rock Chip	3.41	0.082	16	24	1.96	96	0.004	<20	2.54	0.014	0.15	<0.1	<0.01	0.2	<0.05	5.4	<0.5	6	<0.2	
1401840	Rock Pulp	0.80	0.061	4	31	0.79	96	0.128	<20	1.54	0.081	0.14	12.3	0.01	<0.1	<0.05	4.4	<0.5	5	<0.2	
1401841	Rock Pulp	0.82	0.062	4	35	0.83	103	0.144	<20	1.71	0.107	0.16	0.4	0.06	<0.1	<0.05	5.1	<0.5	6	<0.2	
1401842	Rock Chip	2.96	0.070	14	21	1.66	136	0.005	<20	2.15	0.011	0.13	<0.1	<0.01	<0.1	<0.05	4.9	<0.5	5	<0.2	
1401843	Rock Chip	3.01	0.091	18	27	2.32	176	0.010	<20	2.92	0.010	0.12	<0.1	<0.01	<0.1	<0.05	6.2	<0.5	7	<0.2	
1401844	Rock Chip	3.00	0.073	17	24	1.78	111	0.005	<20	2.29	0.014	0.13	<0.1	<0.01	<0.1	<0.05	6.0	<0.5	6	<0.2	
1401845	Rock Chip	3.43	0.079	15	23	2.08	173	0.017	<20	2.61	0.008	0.13	<0.1	<0.01	<0.1	<0.05	4.5	<0.5	7	<0.2	
1401846	Rock Chip	2.67	0.074	14	23	1.82	106	0.024	<20	2.28	0.013	0.12	<0.1	<0.01	<0.1	<0.05	4.4	<0.5	6	<0.2	
1401847	Rock Chip	2.58	0.071	13	21	1.67	109	0.020	<20	2.09	0.014	0.14	<0.1	<0.01	<0.1	<0.05	4.0	<0.5	5	<0.2	
1401848	Rock Chip	2.60	0.064	15	20	1.50	100	0.006	<20	1.88	0.012	0.12	<0.1	<0.01	<0.1	<0.05	4.9	<0.5	5	<0.2	
1401849	Rock Chip	3.19	0.074	17	21	1.76	136	0.004	<20	2.27	0.012	0.13	<0.1	<0.01	<0.1	<0.05	6.7	<0.5	7	<0.2	
1401850	Rock Chip	3.22	0.079	20	25	1.95	75	0.005	<20	2.58	0.013	0.12	<0.1	0.03	<0.1	<0.05	9.4	<0.5	8	<0.2	
1401851	Rock Chip	4.50	0.070	21	22	1.62	108	0.003	<20	2.16	0.011	0.14	<0.1	0.02	<0.1	<0.05	11.1	<0.5	7	<0.2	
1401852	Rock Chip	4.22	0.069	8	9	1.52	56	<0.001	<20	0.40	0.007	0.17	<0.1	0.56	0.3	3.36	8.6	<0.5	2	<0.2	
1401853	Rock Chip	2.80	0.062	2	5	0.93	19	<0.001	<20	0.49	0.005	0.16	<0.1	2.09	1.7	>10	8.8	0.6	4	<0.2	292
1401854	Rock Chip	3.69	0.074	17	14	1.37	92	0.001	<20	1.03	0.007	0.17	<0.1	0.09	0.3	0.15	14.5	<0.5	3	<0.2	
1401855	Rock Chip	2.47	0.075	16	24	1.98	35	0.048	<20	2.86	0.011	0.09	<0.1	<0.01	<0.1	<0.05	7.3	<0.5	8	<0.2	
1401856	Rock Chip	3.71	0.078	19	19	1.15	47	0.007	<20	2.05	0.008	0.10	<0.1	0.02	<0.1	<0.05	15.6	<0.5	6	<0.2	
1401857	Rock Chip	2.00	0.073	13	27	2.02	50	0.057	<20	2.78	0.014	0.09	<0.1	0.01	<0.1	<0.05	7.6	<0.5	8	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 27, 2012

CERTIFICATE OF ANALYSIS WHI12000098.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401858	Rock Chip	1.74	<2	1.1	34.1	9.9	70	<0.1	7.0	20.0	891	4.17	7.2	2.7	0.7	9.3	102	0.1	0.4	<0.1	91
1401859	Rock Chip	1.86	<2	1.0	20.5	12.7	77	<0.1	7.8	19.4	879	4.17	7.4	2.1	0.8	10.7	97	0.1	0.4	<0.1	93
1401860	Rock Pulp	0.12	5	2.5	26.1	2.5	45	0.3	24.8	11.0	404	2.44	4.8	0.3	<0.5	1.0	43	0.3	0.3	<0.1	62
1401861	Rock Pulp	0.12	4178	10.1	72.9	451.7	1510	54.5	32.5	8.6	400	3.22	31.5	0.4	2421	1.3	37	16.3	48.5	1.0	56
1401862	Rock Chip	2.01	<2	1.3	15.3	9.7	70	<0.1	6.7	19.6	864	3.90	10.1	1.9	0.9	8.8	160	<0.1	0.3	<0.1	74
1401863	Rock Chip	1.82	4	1.5	33.0	13.1	58	0.1	6.6	19.8	608	3.56	15.7	8.6	<0.5	10.5	119	<0.1	1.1	<0.1	89
1401864	Rock Chip	1.67	14	3.7	6.7	19.5	62	0.1	4.4	11.7	658	2.57	35.0	10.1	9.2	8.2	110	0.3	1.4	<0.1	34
1401865	Rock Chip	1.78	<2	3.1	2.2	18.8	49	<0.1	7.7	11.5	684	2.45	8.6	15.6	<0.5	10.4	126	0.3	0.6	<0.1	41
1401866	Rock Chip	1.71	<2	2.2	11.1	7.9	68	<0.1	6.7	17.3	886	4.36	11.9	2.5	0.6	8.7	106	<0.1	0.7	<0.1	78
1401867	Rock Chip	1.38	3	1.4	41.2	5.3	72	<0.1	7.7	21.2	976	4.99	10.0	1.9	<0.5	7.8	87	<0.1	0.5	<0.1	113
1401868	Rock Chip	1.73	<2	2.0	18.9	9.0	67	<0.1	6.7	18.8	865	4.25	7.1	1.8	<0.5	8.1	90	<0.1	0.3	<0.1	86
1401869	Rock Chip	1.90	<2	1.9	17.2	9.0	65	<0.1	6.7	18.4	907	4.22	7.2	2.5	<0.5	8.4	81	<0.1	0.2	<0.1	82
1401870	Rock Chip	2.06	<2	1.6	31.5	7.9	67	<0.1	7.1	19.0	936	4.21	8.8	2.3	<0.5	8.2	88	<0.1	0.3	<0.1	78
1401871	Rock Chip	1.75	<2	1.8	49.8	8.4	68	<0.1	7.9	19.0	874	4.30	6.1	2.9	<0.5	9.0	81	0.1	0.1	<0.1	80
1401872	Rock Chip	1.63	<2	1.8	34.1	9.0	64	<0.1	7.2	18.0	777	3.90	5.7	2.2	<0.5	8.9	65	<0.1	0.3	<0.1	72
1401873	Rock Chip	1.61	<2	1.8	22.1	8.6	67	<0.1	7.1	18.8	867	4.09	5.4	2.8	<0.5	9.3	95	<0.1	0.2	<0.1	75
1401874	Rock Chip	0.77	<2	1.6	11.4	7.3	57	<0.1	5.9	16.3	757	3.61	5.0	2.2	<0.5	8.1	87	<0.1	0.3	<0.1	83
1401875	Rock Chip	0.86	<2	1.7	11.8	7.2	58	<0.1	6.8	16.9	779	3.69	4.9	2.4	<0.5	8.3	88	<0.1	0.3	<0.1	85
1401876	Rock Chip	1.34	<2	1.5	27.0	8.1	59	<0.1	6.3	17.2	796	3.93	3.8	1.8	<0.5	8.4	78	<0.1	0.4	<0.1	81
1401877	Rock Chip	1.37	<2	1.8	29.6	7.8	68	<0.1	7.2	18.7	880	4.43	3.5	2.6	<0.5	9.7	78	<0.1	0.3	<0.1	93
1401878	Rock Chip	1.47	<2	1.4	29.6	6.4	66	<0.1	6.9	18.6	800	4.26	2.3	3.2	<0.5	7.8	83	0.1	0.8	<0.1	99
1401879	Rock Chip	1.63	<2	1.2	28.6	7.0	65	<0.1	6.6	18.4	798	4.22	3.2	2.2	<0.5	8.6	89	0.1	0.9	<0.1	95
1401880	Rock Pulp	0.12	<2	2.4	23.8	2.3	40	0.2	23.2	10.2	385	2.32	4.1	0.2	<0.5	0.9	37	0.2	0.3	<0.1	53
1401881	Rock Pulp	0.12	4042	10.1	70.0	470.1	1558	51.6	30.2	8.4	397	3.16	30.7	0.3	3117	1.1	33	16.7	47.9	0.9	50
1401882	Rock Chip	1.70	<2	1.5	27.6	6.0	60	<0.1	6.6	17.3	782	3.76	1.4	2.2	1.6	9.2	84	0.1	0.7	<0.1	91
1401883	Rock Chip	2.07	3	1.4	25.6	21.8	100	0.3	5.6	16.2	989	3.91	30.7	6.7	3.7	6.5	110	0.6	2.6	<0.1	64
1401884	Rock Chip	1.51	<2	1.5	21.0	33.7	122	0.3	5.9	15.0	1301	3.85	27.8	3.7	2.4	7.2	127	1.2	2.2	<0.1	56
1401885	Rock Chip	1.63	<2	1.2	36.1	13.9	120	0.3	6.5	17.6	1332	3.97	32.2	2.7	2.8	8.0	175	0.3	1.2	<0.1	58

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 27, 2012

CERTIFICATE OF ANALYSIS WHI12000098.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1401858	Rock Chip	2.13	0.078	16	27	1.99	37	0.038	<20	2.80	0.013	0.08	<0.1	0.01	<0.1	<0.05	8.8	<0.5	9	<0.2	
1401859	Rock Chip	1.59	0.077	14	29	2.14	64	0.126	<20	2.90	0.017	0.07	<0.1	<0.01	<0.1	<0.05	7.4	<0.5	8	<0.2	
1401860	Rock Pulp	0.82	0.060	4	32	0.80	97	0.136	<20	1.59	0.081	0.14	12.8	<0.01	<0.1	<0.05	4.6	<0.5	5	<0.2	
1401861	Rock Pulp	0.69	0.054	5	28	0.58	107	0.121	<20	1.18	0.078	0.11	2.4	0.20	1.1	0.35	4.6	<0.5	6	<0.2	
1401862	Rock Chip	2.80	0.077	13	26	2.00	304	0.095	<20	2.83	0.012	0.08	0.1	<0.01	<0.1	<0.05	6.9	<0.5	8	<0.2	
1401863	Rock Chip	3.14	0.085	21	20	0.87	454	0.003	<20	1.97	0.010	0.11	<0.1	0.04	<0.1	0.10	17.3	<0.5	7	<0.2	
1401864	Rock Chip	3.09	0.064	8	7	0.65	117	<0.001	<20	1.09	0.003	0.11	<0.1	0.17	0.2	0.40	6.9	<0.5	3	<0.2	
1401865	Rock Chip	3.62	0.090	14	9	0.48	164	<0.001	<20	1.16	0.004	0.09	<0.1	0.26	0.2	0.15	7.2	<0.5	4	<0.2	
1401866	Rock Chip	2.96	0.080	17	23	1.61	65	0.013	<20	2.63	0.016	0.09	<0.1	0.02	<0.1	<0.05	11.3	<0.5	9	<0.2	
1401867	Rock Chip	3.15	0.086	19	30	1.81	69	0.029	<20	2.63	0.027	0.10	<0.1	<0.01	<0.1	0.05	16.6	<0.5	9	<0.2	
1401868	Rock Chip	2.45	0.083	14	27	1.87	51	0.100	<20	2.75	0.022	0.07	0.2	<0.01	<0.1	<0.05	8.6	<0.5	8	<0.2	
1401869	Rock Chip	2.51	0.076	13	28	1.92	53	0.093	<20	2.96	0.019	0.07	0.1	<0.01	<0.1	<0.05	6.4	<0.5	9	<0.2	
1401870	Rock Chip	2.49	0.080	14	27	2.05	76	0.071	<20	2.92	0.018	0.07	0.2	<0.01	<0.1	<0.05	7.9	0.6	9	<0.2	
1401871	Rock Chip	2.22	0.081	15	30	1.91	121	0.087	<20	2.56	0.026	0.09	0.2	<0.01	<0.1	<0.05	8.9	<0.5	8	<0.2	
1401872	Rock Chip	2.02	0.071	13	28	1.89	107	0.101	<20	2.73	0.019	0.06	0.2	<0.01	<0.1	<0.05	6.3	<0.5	8	<0.2	
1401873	Rock Chip	2.44	0.078	13	27	2.08	139	0.110	<20	2.93	0.019	0.07	0.2	<0.01	<0.1	<0.05	5.9	<0.5	9	<0.2	
1401874	Rock Chip	2.78	0.070	13	24	1.81	47	0.105	<20	3.22	0.019	0.07	0.2	<0.01	<0.1	<0.05	5.1	<0.5	8	<0.2	
1401875	Rock Chip	2.76	0.070	13	25	1.85	49	0.109	<20	3.20	0.020	0.07	0.2	<0.01	<0.1	<0.05	5.1	<0.5	8	<0.2	
1401876	Rock Chip	2.42	0.075	13	26	1.83	60	0.081	<20	2.56	0.023	0.08	0.1	<0.01	<0.1	<0.05	7.7	<0.5	8	<0.2	
1401877	Rock Chip	2.34	0.082	16	31	2.08	294	0.092	<20	2.78	0.035	0.09	0.2	<0.01	<0.1	<0.05	9.0	<0.5	9	<0.2	
1401878	Rock Chip	2.33	0.078	16	25	2.13	114	0.072	<20	2.53	0.044	0.08	<0.1	<0.01	<0.1	<0.05	13.8	<0.5	8	<0.2	
1401879	Rock Chip	2.25	0.075	16	25	2.10	88	0.085	<20	2.60	0.028	0.07	<0.1	<0.01	<0.1	<0.05	11.0	<0.5	8	<0.2	
1401880	Rock Pulp	0.73	0.062	4	29	0.76	95	0.107	<20	1.50	0.070	0.12	13.1	0.01	<0.1	<0.05	4.1	<0.5	5	<0.2	
1401881	Rock Pulp	0.64	0.052	5	27	0.56	108	0.101	<20	1.16	0.071	0.10	2.3	0.20	1.0	0.32	4.2	<0.5	6	0.2	
1401882	Rock Chip	2.39	0.074	17	24	1.62	104	0.033	<20	2.21	0.036	0.09	<0.1	<0.01	<0.1	<0.05	11.3	<0.5	7	<0.2	
1401883	Rock Chip	4.60	0.068	10	13	1.55	227	<0.001	<20	1.00	0.010	0.10	<0.1	0.13	0.2	0.23	14.6	<0.5	3	<0.2	
1401884	Rock Chip	3.94	0.068	11	13	1.58	136	0.002	<20	0.68	0.021	0.13	<0.1	0.11	0.1	0.15	11.1	<0.5	2	<0.2	
1401885	Rock Chip	4.39	0.071	12	15	1.31	149	0.001	<20	1.04	0.015	0.17	<0.1	0.04	0.2	0.21	8.4	<0.5	3	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 27, 2012

QUALITY CONTROL REPORT WHI12000098.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1401811	Rock Chip	1.84	<2	<0.1	21.6	8.4	93	<0.1	7.2	20.1	997	3.82	4.6	2.8	<0.5	11.3	64	1.0	0.9	<0.1	72
REP 1401811	QC		<2																		
1401816	Rock Chip	1.63	<2	1.2	42.9	9.7	68	<0.1	7.6	21.6	1699	4.37	6.9	4.0	<0.5	13.6	33	1.2	5.0	0.1	87
REP 1401816	QC			1.0	42.3	10.7	68	0.1	7.7	21.5	1678	4.39	7.5	3.8	2.2	13.8	32	0.5	5.0	<0.1	87
1401845	Rock Chip	1.92	<2	<0.1	8.5	4.2	71	<0.1	7.3	21.7	961	3.81	<0.5	2.4	<0.5	8.3	138	<0.1	0.2	<0.1	54
REP 1401845	QC		4																		
1401851	Rock Chip	1.81	<2	0.4	14.8	4.6	60	<0.1	5.9	17.9	989	3.88	0.8	1.8	<0.5	10.0	187	0.1	2.3	<0.1	74
REP 1401851	QC			0.4	14.9	4.6	61	<0.1	6.2	18.0	986	3.83	0.8	1.9	0.8	9.9	185	0.1	2.2	<0.1	73
1401853	Rock Chip	1.94	3771	1.2	445.3	>10000	>10000	>100	4.5	14.2	1695	10.70	7426	3.1	3418	3.2	99	343.7	950.3	0.1	26
REP 1401853	QC																				
1401879	Rock Chip	1.63	<2	1.2	28.6	7.0	65	<0.1	6.6	18.4	798	4.22	3.2	2.2	<0.5	8.6	89	0.1	0.9	<0.1	95
REP 1401879	QC		<2																		
1401885	Rock Chip	1.63	<2	1.2	36.1	13.9	120	0.3	6.5	17.6	1332	3.97	32.2	2.7	2.8	8.0	175	0.3	1.2	<0.1	58
REP 1401885	QC			1.2	33.8	13.8	117	0.3	5.8	16.4	1300	3.85	29.4	2.7	2.0	8.0	170	0.3	1.2	<0.1	54
Core Reject Duplicates																					
1401812	Rock Chip	1.82	<2	0.4	18.8	7.7	72	<0.1	6.5	19.0	1718	4.14	3.2	1.7	0.5	10.0	23	0.6	1.5	<0.1	88
DUP 1401812	QC		<2	0.6	19.4	7.2	73	<0.1	6.8	17.6	1715	4.14	2.0	1.5	6.6	9.5	22	1.1	1.4	<0.1	85
1401847	Rock Chip	1.88	2	0.3	8.5	3.3	59	<0.1	6.3	17.9	801	3.18	0.5	1.2	<0.5	8.1	129	<0.1	0.3	<0.1	44
DUP 1401847	QC		<2	0.3	8.2	3.1	57	<0.1	6.3	17.4	782	3.10	0.6	1.3	<0.5	8.0	126	<0.1	0.3	<0.1	44
1401882	Rock Chip	1.70	<2	1.5	27.6	6.0	60	<0.1	6.6	17.3	782	3.76	1.4	2.2	1.6	9.2	84	0.1	0.7	<0.1	91
DUP 1401882	QC		<2	1.9	25.3	5.8	65	<0.1	7.9	18.6	846	4.16	1.6	2.5	3.5	8.9	91	0.1	0.9	<0.1	88
Reference Materials																					
STD DS9	Standard			12.2	107.0	127.2	313	2.0	40.2	7.4	603	2.37	24.9	2.5	127.4	6.2	68	2.5	3.7	5.2	41
STD DS9	Standard			12.6	114.0	130.3	317	1.7	41.4	7.8	574	2.32	27.4	3.5	108.6	7.1	70	2.6	4.2	6.4	38
STD DS9	Standard			13.8	115.0	132.8	315	1.8	40.5	8.1	592	2.39	27.0	2.9	121.4	7.0	77	2.3	4.8	6.5	42
STD OREAS45CA	Standard			0.7	503.5	19.1	61	0.2	239.0	89.4	957	15.66	3.7	1.1	29.6	7.1	14	0.1	<0.1	0.1	207
STD OREAS45CA	Standard			0.8	498.2	21.7	58	0.2	244.1	94.2	945	15.25	3.5	1.3	45.5	7.4	14	0.1	0.1	0.1	210
STD OREAS45CA	Standard			0.8	508.0	21.1	54	0.2	247.4	93.9	929	15.81	3.1	1.3	35.9	7.9	16	0.1	<0.1	0.2	208

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 27, 2012

QUALITY CONTROL REPORT WHI12000098.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
Pulp Duplicates																					
1401811	Rock Chip	0.73	0.078	14	23	1.76	197	0.026	<20	2.70	0.011	0.07	<0.1	0.03	<0.1	<0.05	6.7	<0.5	8	<0.2	
REP 1401811	QC																				
1401816	Rock Chip	1.80	0.085	29	19	0.64	207	0.004	<20	1.14	0.008	0.10	<0.1	0.09	<0.1	<0.05	18.2	<0.5	4	<0.2	
REP 1401816	QC	1.75	0.086	28	19	0.63	208	0.004	<20	1.16	0.008	0.10	<0.1	0.07	<0.1	<0.05	18.2	<0.5	4	<0.2	
1401845	Rock Chip	3.43	0.079	15	23	2.08	173	0.017	<20	2.61	0.008	0.13	<0.1	<0.01	<0.1	<0.05	4.5	<0.5	7	<0.2	
REP 1401845	QC																				
1401851	Rock Chip	4.50	0.070	21	22	1.62	108	0.003	<20	2.16	0.011	0.14	<0.1	0.02	<0.1	<0.05	11.1	<0.5	7	<0.2	
REP 1401851	QC	4.46	0.072	21	21	1.61	104	0.003	<20	2.14	0.012	0.14	<0.1	0.02	<0.1	<0.05	11.0	<0.5	7	<0.2	
1401853	Rock Chip	2.80	0.062	2	5	0.93	19	<0.001	<20	0.49	0.005	0.16	<0.1	2.09	1.7	>10	8.8	0.6	4	<0.2	292
REP 1401853	QC																				295
1401879	Rock Chip	2.25	0.075	16	25	2.10	88	0.085	<20	2.60	0.028	0.07	<0.1	<0.01	<0.1	<0.05	11.0	<0.5	8	<0.2	
REP 1401879	QC																				
1401885	Rock Chip	4.39	0.071	12	15	1.31	149	0.001	<20	1.04	0.015	0.17	<0.1	0.04	0.2	0.21	8.4	<0.5	3	<0.2	
REP 1401885	QC	4.24	0.072	12	14	1.27	141	0.002	<20	1.00	0.014	0.16	<0.1	0.03	0.2	0.19	8.2	<0.5	3	<0.2	
Core Reject Duplicates																					
1401812	Rock Chip	0.42	0.082	21	22	1.68	280	0.004	<20	2.37	0.010	0.13	<0.1	0.03	<0.1	<0.05	8.6	<0.5	8	<0.2	
DUP 1401812	QC	0.41	0.076	19	21	1.70	264	0.003	<20	2.37	0.009	0.12	<0.1	<0.01	<0.1	<0.05	8.7	<0.5	9	<0.2	
1401847	Rock Chip	2.58	0.071	13	21	1.67	109	0.020	<20	2.09	0.014	0.14	<0.1	<0.01	<0.1	<0.05	4.0	<0.5	5	<0.2	
DUP 1401847	QC	2.54	0.067	13	21	1.65	106	0.019	<20	2.06	0.014	0.13	<0.1	<0.01	<0.1	<0.05	3.8	<0.5	5	<0.2	
1401882	Rock Chip	2.39	0.074	17	24	1.62	104	0.033	<20	2.21	0.036	0.09	<0.1	<0.01	<0.1	<0.05	11.3	<0.5	7	<0.2	
DUP 1401882	QC	2.61	0.079	18	27	1.65	113	0.037	<20	2.34	0.042	0.09	<0.1	<0.01	<0.1	<0.05	12.3	<0.5	8	<0.2	
Reference Materials																					
STD DS9	Standard	0.72	0.079	12	118	0.63	313	0.106	<20	0.96	0.084	0.40	2.7	0.19	5.7	0.17	2.6	5.3	5	4.6	
STD DS9	Standard	0.68	0.087	11	117	0.61	319	0.103	<20	0.92	0.075	0.39	2.9	0.24	5.6	0.16	2.3	4.7	4	4.8	
STD DS9	Standard	0.73	0.085	13	125	0.64	317	0.125	<20	0.97	0.090	0.41	2.9	0.20	5.6	0.18	2.5	6.1	5	5.2	
STD OREAS45CA	Standard	0.42	0.039	15	742	0.14	160	0.121	<20	3.63	0.012	0.08	<0.1	0.01	0.1	<0.05	44.6	1.5	18	<0.2	
STD OREAS45CA	Standard	0.44	0.040	16	714	0.12	165	0.132	<20	3.38	0.006	0.06	<0.1	0.03	<0.1	<0.05	46.0	<0.5	19	<0.2	
STD OREAS45CA	Standard	0.44	0.039	16	650	0.16	157	0.154	<20	3.71	0.009	0.08	<0.1	0.03	<0.1	<0.05	44.4	<0.5	18	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 27, 2012

QUALITY CONTROL REPORT WHI12000098.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD OXC88	Standard		198																		
STD OXC88	Standard		200																		
STD OXC88	Standard		212																		
STD OXG99	Standard		995																		
STD OXG99	Standard		896																		
STD OXG99	Standard		938																		
STD OXG99	Standard		947																		
STD SP49	Standard																				
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OXC88 Expected			203																		
STD OXG99 Expected			932																		
STD SP49 Expected																					
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		4																		
BLK	Blank			<0.1	0.3	<0.1	<1	<0.1	<0.1	<0.1	<1	0.02	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.03	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		5																		
BLK	Blank		<2																		
BLK	Blank																				
Prep Wash																					
G1-WHI	Prep Blank		<2	<0.1	2.7	2.8	46	<0.1	2.4	3.7	530	1.74	0.7	1.5	7.2	5.0	49	<0.1	<0.1	<0.1	34
G1-WHI	Prep Blank		<2	<0.1	2.5	2.5	48	<0.1	2.2	3.5	530	1.74	<0.5	1.3	<0.5	5.4	48	0.1	<0.1	<0.1	35

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 27, 2012

QUALITY CONTROL REPORT WHI12000098.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2	G6Gr Ag gm/t 50
STD OXC88	Standard																				
STD OXC88	Standard																				
STD OXC88	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD SP49	Standard																				52
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4		
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02	
STD OXC88 Expected																					
STD OXG99 Expected																					
STD SP49 Expected																					60.2
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank	0.02	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				<50
Prep Wash																					
G1-WHI	Prep Blank	0.43	0.077	9	4	0.48	155	0.106	<20	0.77	0.047	0.44	<0.1	<0.01	0.3	<0.05	2.0	<0.5	4	<0.2	
G1-WHI	Prep Blank	0.43	0.079	11	4	0.49	148	0.114	<20	0.79	0.049	0.44	<0.1	<0.01	0.3	<0.05	2.4	<0.5	5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: June 15, 2012
Report Date: June 28, 2012
Page: 1 of 4

CERTIFICATE OF ANALYSIS WHI12000099.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET007
P.O. Number
Number of Samples: 88

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	80	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	88	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	88	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
G6Gr	1	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Dayna
Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

CERTIFICATE OF ANALYSIS WHI12000099.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401886	Rock Chip	1.60	<2	1.3	48.5	5.9	61	0.2	6.7	16.4	951	4.08	11.7	2.2	1.2	8.4	173	0.1	0.4	<0.1	78
1401887	Rock Chip	1.60	<2	1.7	32.9	4.6	58	<0.1	6.5	16.1	864	3.96	5.1	2.1	<0.5	8.6	137	0.1	0.2	<0.1	90
1401888	Rock Chip	2.03	<2	1.8	28.7	3.5	56	<0.1	6.9	16.3	772	3.97	1.9	2.4	2.4	9.4	140	0.1	0.2	<0.1	110
1401889	Rock Chip	1.88	<2	1.7	37.7	3.2	59	0.1	5.9	16.5	937	3.98	1.1	1.7	<0.5	7.9	156	0.1	0.2	<0.1	84
1401890	Rock Chip	1.40	<2	1.4	34.6	3.5	59	0.1	5.8	15.6	1012	3.84	3.5	2.1	<0.5	6.8	163	0.1	0.4	<0.1	71
1401891	Rock Chip	1.59	2	1.8	30.4	4.6	59	0.2	6.2	15.3	769	3.82	3.6	2.0	<0.5	7.8	114	0.1	0.4	<0.1	102
1401892	Rock Chip	2.03	<2	1.8	30.5	4.3	65	0.2	6.4	17.4	869	4.20	3.0	2.1	<0.5	7.6	148	0.1	0.3	<0.1	116
1401893	Rock Chip	2.13	<2	2.2	29.5	3.0	50	0.1	6.0	14.5	715	3.62	1.2	1.4	<0.5	8.6	124	<0.1	0.2	<0.1	100
1401894	Rock Chip	1.87	<2	1.9	38.6	3.5	61	0.2	7.1	16.6	840	4.14	1.4	2.4	<0.5	8.1	134	0.1	0.5	<0.1	105
1401895	Rock Chip	1.85	<2	1.7	29.3	4.1	57	0.1	6.3	15.4	775	3.85	1.9	3.0	<0.5	8.2	109	<0.1	0.7	<0.1	96
1401896	Rock Chip	1.88	3	1.7	22.5	3.8	53	<0.1	6.0	14.3	693	3.60	4.0	2.6	0.6	10.1	118	0.1	0.3	<0.1	91
1401897	Rock Chip	1.83	<2	1.8	24.4	4.2	57	<0.1	6.1	15.5	812	3.92	5.7	2.3	<0.5	8.4	113	0.1	0.5	<0.1	103
1401898	Rock Chip	1.49	<2	2.0	25.5	3.2	54	<0.1	6.5	14.6	680	3.63	2.0	2.7	<0.5	8.8	112	0.1	0.4	<0.1	104
1401899	Rock Chip	1.86	4	1.5	20.0	7.8	62	0.1	5.8	14.2	839	3.65	45.4	3.1	5.3	8.7	128	<0.1	1.5	<0.1	72
1401900	Rock Pulp	0.12	3	2.2	23.2	2.2	41	0.2	23.1	10.1	388	2.33	4.8	0.2	<0.5	0.9	37	0.2	0.2	<0.1	61
1401901	Rock Pulp	0.12	3848	8.9	62.9	447.5	1404	52.5	28.4	7.9	382	3.15	28.0	0.3	3156	0.9	31	15.3	39.6	0.9	56
1401902	Rock Chip	2.14	<2	5.1	21.3	5.2	62	0.1	6.5	15.7	730	3.83	28.9	3.1	1.5	8.8	98	<0.1	1.5	<0.1	95
1401903	Rock Chip	1.68	48	2.9	22.2	25.5	65	0.5	5.9	14.2	1019	3.63	1022	2.0	33.6	7.9	120	0.5	4.3	<0.1	72
1401904	Rock Chip	1.56	<2	2.6	35.8	8.7	57	0.3	6.3	15.1	899	3.89	14.6	2.5	2.7	8.4	139	0.2	0.9	<0.1	86
1401905	Rock Chip	1.90	<2	1.5	76.3	9.9	66	0.9	6.3	16.1	871	4.01	11.2	3.9	1.1	9.2	86	0.2	8.9	<0.1	94
1401906	Rock Chip	1.60	<2	1.7	24.0	3.4	58	<0.1	6.0	15.4	802	3.92	2.4	1.7	1.0	7.2	150	0.1	0.7	<0.1	113
1401907	Rock Chip	1.28	<2	2.7	39.9	13.4	51	0.4	4.7	8.2	528	2.55	12.1	1.8	5.5	11.4	39	0.3	2.9	1.0	27
1401908	Rock Chip	1.35	<2	1.6	57.3	9.0	41	<0.1	2.8	7.8	372	2.30	5.5	1.6	1.8	9.5	118	0.2	2.1	0.5	28
1401909	Rock Chip	2.15	<2	0.9	29.7	9.2	37	<0.1	2.7	5.8	268	2.02	3.9	1.6	0.5	11.3	84	0.2	1.8	0.3	34
1401910	Rock Chip	2.12	<2	1.2	17.0	7.9	29	<0.1	2.4	5.8	290	1.84	1.7	2.0	<0.5	10.8	90	<0.1	1.4	0.2	25
1401911	Rock Chip	1.84	<2	1.4	16.7	8.6	29	<0.1	2.6	7.4	487	1.91	4.9	2.9	0.8	11.5	97	<0.1	1.2	0.6	24
1401912	Rock Chip	1.94	<2	1.8	17.7	13.9	96	0.3	2.6	7.4	906	2.03	13.4	2.1	1.6	13.3	74	0.3	1.6	0.2	27
1401913	Rock Chip	2.47	29	1.9	19.2	395.3	315	5.2	3.1	5.8	680	1.98	60.2	1.6	29.8	25.5	59	5.7	3.6	0.2	13
1401914	Rock Chip	2.07	<2	2.4	16.0	20.3	31	0.2	2.8	2.9	225	1.00	5.4	1.0	2.3	27.2	32	0.3	2.4	0.2	7
1401915	Rock Chip	2.09	<2	3.5	18.5	13.7	45	0.1	3.7	6.5	541	2.10	7.3	3.1	1.3	19.4	33	0.2	3.6	0.1	19

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

CERTIFICATE OF ANALYSIS WHI12000099.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1401886	Rock Chip	4.27	0.070	13	21	1.48	138	0.002	<20	1.89	0.012	0.19	<0.1	0.01	0.1	0.10	6.8	<0.5	5	<0.2	
1401887	Rock Chip	3.55	0.072	13	23	1.54	255	0.013	<20	2.11	0.048	0.19	<0.1	0.01	<0.1	0.10	7.8	0.7	7	<0.2	
1401888	Rock Chip	2.83	0.073	14	26	1.52	337	0.052	<20	2.22	0.091	0.22	0.1	<0.01	<0.1	0.09	10.1	<0.5	7	<0.2	
1401889	Rock Chip	3.85	0.070	11	24	1.69	215	0.008	<20	2.19	0.022	0.22	<0.1	<0.01	<0.1	0.07	6.5	<0.5	6	<0.2	
1401890	Rock Chip	4.70	0.068	9	21	1.68	282	0.002	<20	2.08	0.012	0.19	<0.1	<0.01	<0.1	0.07	4.9	<0.5	6	<0.2	
1401891	Rock Chip	2.53	0.066	12	24	1.49	375	0.059	<20	2.09	0.089	0.22	0.1	<0.01	<0.1	0.07	8.1	<0.5	7	<0.2	
1401892	Rock Chip	3.07	0.078	14	27	1.66	393	0.041	<20	2.28	0.073	0.23	0.1	0.01	<0.1	0.09	10.1	<0.5	7	<0.2	
1401893	Rock Chip	2.53	0.069	13	26	1.38	312	0.059	<20	2.02	0.103	0.20	0.2	<0.01	<0.1	0.07	8.6	<0.5	6	<0.2	
1401894	Rock Chip	2.92	0.072	14	25	1.50	479	0.045	<20	2.05	0.076	0.29	0.1	<0.01	0.1	0.08	11.8	<0.5	6	<0.2	
1401895	Rock Chip	2.47	0.070	15	23	1.40	256	0.049	<20	1.89	0.101	0.19	0.1	0.01	<0.1	0.06	9.9	<0.5	6	<0.2	
1401896	Rock Chip	2.39	0.067	16	23	1.26	151	0.010	<20	1.93	0.092	0.14	<0.1	0.03	<0.1	0.06	11.2	<0.5	6	<0.2	
1401897	Rock Chip	2.46	0.071	13	24	1.49	243	0.039	<20	1.94	0.089	0.18	<0.1	0.01	<0.1	0.10	11.2	<0.5	6	<0.2	
1401898	Rock Chip	1.88	0.068	14	26	1.37	349	0.083	<20	2.02	0.142	0.23	0.1	<0.01	<0.1	<0.05	10.0	<0.5	7	<0.2	
1401899	Rock Chip	2.99	0.064	14	18	1.39	288	0.028	<20	1.13	0.065	0.20	0.1	0.02	0.1	0.22	9.5	<0.5	4	<0.2	
1401900	Rock Pulp	0.79	0.058	4	30	0.76	94	0.120	<20	1.51	0.073	0.13	12.0	<0.01	<0.1	<0.05	4.6	<0.5	5	<0.2	
1401901	Rock Pulp	0.66	0.049	5	26	0.56	103	0.100	<20	1.12	0.071	0.11	1.8	0.19	1.0	0.34	3.8	<0.5	6	0.2	
1401902	Rock Chip	1.95	0.070	15	22	1.19	686	0.101	<20	1.68	0.125	0.40	0.2	0.03	0.2	0.11	11.1	<0.5	5	<0.2	
1401903	Rock Chip	2.55	0.072	13	21	1.37	623	0.098	<20	1.34	0.104	0.37	0.4	0.02	0.2	0.38	7.0	<0.5	4	<0.2	
1401904	Rock Chip	2.92	0.072	14	21	1.42	395	0.058	<20	1.48	0.077	0.30	0.3	<0.01	0.1	0.12	8.2	<0.5	5	<0.2	
1401905	Rock Chip	2.47	0.074	17	19	1.28	520	0.033	<20	1.36	0.028	0.24	<0.1	0.07	0.1	0.10	14.7	<0.5	5	<0.2	
1401906	Rock Chip	2.17	0.072	16	27	1.64	331	0.046	<20	2.16	0.129	0.16	<0.1	0.02	<0.1	0.05	13.8	<0.5	8	<0.2	
1401907	Rock Chip	2.75	0.053	22	7	0.25	347	0.003	<20	0.84	0.016	0.19	0.2	0.03	0.2	<0.05	6.0	<0.5	2	<0.2	
1401908	Rock Chip	3.65	0.050	21	7	0.52	268	<0.001	<20	1.36	0.039	0.19	<0.1	<0.01	0.2	<0.05	6.5	<0.5	5	<0.2	
1401909	Rock Chip	2.51	0.050	19	8	0.43	252	<0.001	<20	1.27	0.069	0.15	<0.1	0.03	<0.1	<0.05	9.0	<0.5	5	<0.2	
1401910	Rock Chip	3.26	0.051	19	6	0.27	148	<0.001	<20	0.82	0.022	0.18	<0.1	0.02	0.1	<0.05	8.2	<0.5	3	<0.2	
1401911	Rock Chip	4.06	0.050	17	4	0.21	156	<0.001	<20	0.49	0.005	0.15	<0.1	0.02	0.2	<0.05	5.1	<0.5	1	<0.2	
1401912	Rock Chip	3.48	0.039	13	6	0.72	113	<0.001	<20	0.48	0.004	0.12	0.1	0.05	0.5	<0.05	4.7	<0.5	<1	<0.2	
1401913	Rock Chip	2.51	0.031	14	7	0.60	90	<0.001	<20	0.26	0.004	0.14	0.5	0.08	0.3	0.39	1.8	<0.5	<1	<0.2	
1401914	Rock Chip	1.12	0.013	14	10	0.22	92	<0.001	<20	0.22	0.012	0.12	0.4	0.02	<0.1	<0.05	0.9	<0.5	<1	<0.2	
1401915	Rock Chip	2.10	0.035	18	9	0.50	122	<0.001	<20	0.27	0.004	0.12	0.2	0.03	0.1	<0.05	3.5	<0.5	<1	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

CERTIFICATE OF ANALYSIS WHI12000099.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401916	Rock Chip	1.88	<2	2.9	10.0	8.4	321	<0.1	3.8	7.3	965	1.88	13.9	2.4	<0.5	19.1	39	4.5	2.3	0.1	23
1401917	Rock Chip	1.85	864	3.4	71.0	4409	860	>100	2.7	2.6	421	3.31	1489	2.1	14516	9.9	98	6.9	90.4	0.4	11
1401918	Rock Chip	1.90	21	2.3	48.7	97.9	816	6.9	4.6	13.0	2829	3.07	58.1	2.3	21.8	8.1	42	8.8	6.6	0.2	22
1401919	Rock Chip	1.90	6	1.6	21.3	17.0	108	0.8	5.0	12.6	942	3.46	39.8	2.9	6.0	10.7	51	0.6	3.9	0.1	41
1401920	Rock Pulp	0.12	5	2.4	25.3	2.3	42	0.2	24.3	10.3	392	2.38	4.9	0.2	2.2	0.9	38	0.2	0.2	<0.1	64
1401921	Rock Pulp	0.12	1480	8.8	49.0	6.2	50	0.2	31.9	9.1	470	3.22	7.3	0.3	860.6	1.1	42	0.2	0.9	0.1	71
1401922	Rock Chip	1.95	21	1.5	50.9	41.4	71	2.3	4.6	13.6	800	3.37	32.9	3.2	6.7	13.1	74	0.4	8.1	0.1	36
1401923	Rock Chip	1.81	4	1.7	33.7	10.6	56	0.5	4.5	13.5	928	3.14	6.6	3.2	1.4	11.2	97	0.2	5.5	<0.1	32
1401924	Rock Chip	1.14	<2	1.6	23.1	8.4	47	0.3	4.6	12.6	887	2.95	8.7	3.2	0.9	12.6	93	0.1	3.1	<0.1	38
1401925	Rock Chip	0.86	<2	1.6	24.6	8.1	47	0.2	4.6	11.9	814	2.97	7.2	3.2	<0.5	13.0	93	0.1	3.3	<0.1	47
1401926	Rock Chip	2.11	<2	2.0	23.0	4.7	51	<0.1	4.7	12.6	688	3.03	1.8	1.9	7.0	15.4	57	0.1	3.1	<0.1	64
1401927	Rock Chip	1.93	2	2.1	20.0	12.1	59	0.2	5.2	12.5	1082	3.14	11.7	3.8	4.2	14.3	94	0.2	2.9	<0.1	36
1401928	Rock Chip	2.45	<2	2.4	13.6	7.4	55	<0.1	5.0	13.2	834	3.35	9.8	3.8	1.7	15.5	94	<0.1	2.5	<0.1	68
1401929	Rock Chip	2.17	3	12.9	17.6	5.6	53	<0.1	4.9	12.6	997	3.32	1.6	1.3	1.1	14.2	94	0.1	2.0	<0.1	77
1401930	Rock Chip	1.99	<2	1.6	14.4	5.4	47	<0.1	4.7	11.7	754	3.00	1.5	1.5	1.2	10.0	96	<0.1	1.5	<0.1	65
1401931	Rock Chip	2.82	12	1.5	22.9	33.5	74	0.6	3.5	10.8	1280	2.86	41.3	3.3	9.7	7.5	139	1.0	3.3	<0.1	21
1401932	Rock Chip	2.53	<2	1.6	48.9	5.2	34	0.1	2.8	8.5	560	2.44	1.9	1.8	<0.5	11.1	117	0.1	2.1	0.1	33
1401933	Rock Chip	1.75	<2	2.7	59.6	6.6	32	0.2	2.5	7.7	684	2.27	2.6	2.0	1.3	11.3	153	0.1	3.0	<0.1	32
1401934	Rock Chip	1.96	69	2.8	34.5	21.4	58	0.2	4.5	13.2	1120	3.33	147.0	2.7	23.9	8.8	143	0.3	2.4	<0.1	51
1401935	Rock Chip	2.04	17	1.6	27.7	129.3	299	1.4	6.0	17.3	2007	3.38	89.9	3.4	16.7	8.3	127	4.5	4.7	<0.1	65
1401936	Rock Chip	2.08	<2	1.3	19.9	4.1	58	<0.1	6.0	15.6	982	3.87	3.1	1.9	1.0	8.3	204	<0.1	5.0	<0.1	118
1401937	Rock Chip	1.70	<2	1.6	21.6	8.0	60	0.2	5.1	15.3	967	3.77	2.8	1.8	1.6	8.8	198	0.1	5.2	<0.1	110
1401938	Rock Chip	2.17	<2	1.5	20.9	7.7	64	0.1	5.5	15.8	899	4.18	4.1	2.8	<0.5	9.7	204	<0.1	3.1	<0.1	106
1401939	Rock Chip	1.88	15	2.1	21.0	54.6	91	0.7	4.9	13.1	1139	3.09	54.5	2.6	14.4	7.1	144	1.1	3.6	0.1	52
1401940	Rock Pulp	0.13	4	2.4	24.3	2.3	41	0.2	22.9	10.3	387	2.42	4.7	0.3	1.4	1.1	39	0.2	0.2	<0.1	65
1401941	Rock Pulp	0.12	4007	9.2	68.3	482.3	1454	52.4	29.5	8.4	404	3.27	31.9	0.4	2693	1.2	34	16.1	45.6	1.1	60
1401942	Rock Chip	2.06	<2	1.8	25.2	16.8	96	0.3	6.1	16.3	940	3.78	11.0	2.1	5.1	9.3	179	0.3	3.4	<0.1	95
1401943	Rock Chip	2.36	2	2.0	23.8	6.8	69	<0.1	6.2	16.0	866	3.74	3.1	1.7	<0.5	10.0	185	0.2	3.6	<0.1	107
1401944	Rock Chip	2.06	<2	1.5	24.0	18.8	54	0.3	4.9	13.6	1010	3.28	2.8	2.4	1.1	10.1	227	0.1	1.7	0.2	83
1401945	Rock Chip	2.11	<2	1.5	24.6	4.8	57	0.1	5.8	15.4	706	3.82	1.6	2.8	1.9	10.0	166	<0.1	2.1	<0.1	101

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

CERTIFICATE OF ANALYSIS WHI12000099.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1401916	Rock Chip	1.24	0.025	16	11	0.40	178	<0.001	<20	0.44	0.006	0.14	0.1	0.06	0.3	<0.05	5.7	<0.5	1	<0.2	
1401917	Rock Chip	0.19	0.037	11	6	0.06	262	<0.001	<20	0.30	0.009	0.23	0.3	1.01	0.5	0.31	3.3	<0.5	1	<0.2	280
1401918	Rock Chip	2.61	0.054	9	6	0.66	139	<0.001	<20	0.34	0.005	0.18	0.2	0.19	1.0	0.41	6.6	<0.5	<1	<0.2	
1401919	Rock Chip	2.85	0.059	17	8	0.55	104	<0.001	<20	0.61	0.006	0.15	0.1	0.06	0.2	0.07	8.9	<0.5	1	<0.2	
1401920	Rock Pulp	0.79	0.059	4	31	0.78	98	0.116	<20	1.55	0.076	0.14	12.0	0.02	<0.1	<0.05	4.5	<0.5	5	<0.2	
1401921	Rock Pulp	0.82	0.061	4	33	0.81	103	0.125	<20	1.69	0.094	0.15	0.3	0.06	<0.1	<0.05	5.0	<0.5	6	<0.2	
1401922	Rock Chip	3.10	0.057	16	11	0.49	85	<0.001	<20	0.87	0.010	0.13	0.2	0.06	0.1	0.13	6.0	<0.5	2	<0.2	
1401923	Rock Chip	3.22	0.058	16	11	0.46	170	<0.001	<20	0.87	0.011	0.14	0.1	0.04	<0.1	0.07	5.0	<0.5	2	<0.2	
1401924	Rock Chip	3.06	0.060	16	11	0.74	160	0.001	<20	0.58	0.010	0.14	<0.1	0.03	<0.1	0.09	6.2	<0.5	2	<0.2	
1401925	Rock Chip	2.82	0.060	17	12	0.71	164	0.001	<20	0.66	0.011	0.13	<0.1	0.03	<0.1	0.08	7.3	<0.5	2	<0.2	
1401926	Rock Chip	1.90	0.055	23	17	1.05	83	0.002	<20	1.37	0.012	0.10	<0.1	0.02	<0.1	<0.05	9.1	<0.5	5	<0.2	
1401927	Rock Chip	3.02	0.058	16	12	0.91	144	<0.001	<20	0.55	0.013	0.14	0.1	0.05	0.2	0.09	6.5	<0.5	2	<0.2	
1401928	Rock Chip	2.42	0.059	24	15	0.84	142	0.001	<20	1.03	0.018	0.11	<0.1	0.17	0.2	0.06	11.3	<0.5	4	<0.2	
1401929	Rock Chip	2.30	0.055	25	21	1.23	76	0.002	<20	1.64	0.019	0.09	<0.1	0.02	<0.1	<0.05	10.2	<0.5	6	<0.2	
1401930	Rock Chip	2.44	0.054	21	19	1.18	89	0.002	<20	1.46	0.015	0.10	<0.1	<0.01	<0.1	<0.05	8.7	<0.5	6	<0.2	
1401931	Rock Chip	3.85	0.052	10	9	1.02	225	<0.001	<20	0.47	0.018	0.16	0.1	0.01	<0.1	0.25	4.6	<0.5	1	<0.2	
1401932	Rock Chip	2.81	0.053	20	10	0.69	191	0.001	<20	1.35	0.050	0.13	<0.1	<0.01	<0.1	<0.05	5.0	<0.5	5	<0.2	
1401933	Rock Chip	2.96	0.046	19	10	0.59	196	0.002	<20	1.32	0.073	0.11	<0.1	0.05	<0.1	0.06	5.2	<0.5	5	<0.2	
1401934	Rock Chip	3.17	0.058	17	11	1.11	185	0.001	<20	1.26	0.010	0.15	0.2	0.06	0.1	0.15	8.8	<0.5	4	<0.2	
1401935	Rock Chip	2.31	0.067	16	12	0.73	105	<0.001	<20	1.04	0.012	0.15	<0.1	0.29	0.3	0.14	14.0	<0.5	4	<0.2	
1401936	Rock Chip	2.83	0.069	18	24	1.42	114	0.001	<20	1.95	0.045	0.06	<0.1	<0.01	<0.1	<0.05	14.8	<0.5	7	<0.2	
1401937	Rock Chip	2.62	0.067	16	23	1.43	98	0.001	<20	1.94	0.038	0.06	<0.1	0.01	<0.1	<0.05	13.9	<0.5	7	<0.2	
1401938	Rock Chip	2.56	0.068	17	20	1.38	190	<0.001	<20	2.12	0.026	0.08	<0.1	0.02	<0.1	<0.05	13.5	<0.5	8	<0.2	
1401939	Rock Chip	2.86	0.058	11	14	0.94	275	<0.001	<20	1.06	0.011	0.13	0.2	0.05	<0.1	0.29	8.4	<0.5	3	<0.2	
1401940	Rock Pulp	0.82	0.062	4	30	0.77	101	0.119	<20	1.55	0.078	0.14	12.6	0.01	<0.1	<0.05	4.7	<0.5	5	<0.2	
1401941	Rock Pulp	0.69	0.054	5	27	0.58	110	0.105	<20	1.19	0.077	0.12	2.2	0.20	1.0	0.35	4.3	<0.5	6	<0.2	
1401942	Rock Chip	2.75	0.066	15	22	1.32	110	0.002	<20	1.89	0.030	0.09	<0.1	0.02	<0.1	<0.05	12.0	<0.5	7	<0.2	
1401943	Rock Chip	2.33	0.068	16	27	1.56	62	0.002	<20	1.99	0.022	0.07	<0.1	0.01	<0.1	<0.05	12.0	<0.5	8	<0.2	
1401944	Rock Chip	3.65	0.062	16	19	1.37	102	<0.001	<20	1.87	0.014	0.10	<0.1	0.02	<0.1	<0.05	9.0	<0.5	7	<0.2	
1401945	Rock Chip	2.21	0.063	16	21	1.47	152	0.006	<20	2.02	0.019	0.14	<0.1	<0.01	<0.1	<0.05	11.4	<0.5	7	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

CERTIFICATE OF ANALYSIS WHI12000099.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401946	Rock Chip	2.18	3	1.8	22.6	11.4	49	0.2	5.0	13.6	945	3.23	6.4	4.8	2.2	9.3	292	0.1	3.6	<0.1	78
1401947	Rock Chip	2.15	<2	1.8	27.9	3.5	55	<0.1	5.4	15.2	786	3.87	1.5	3.8	1.7	10.6	282	<0.1	2.7	<0.1	118
1401948	Rock Chip	2.30	<2	2.0	23.7	8.5	55	0.3	5.9	14.8	724	3.70	3.7	2.6	2.7	10.8	219	<0.1	3.2	<0.1	124
1401949	Rock Chip	2.28	2	2.0	22.5	3.7	56	<0.1	6.0	15.5	734	3.91	1.7	3.1	1.7	9.2	322	<0.1	3.8	<0.1	126
1401950	Rock Chip	2.15	<2	1.9	19.1	4.1	52	<0.1	5.9	14.4	737	3.50	1.5	2.5	<0.5	11.6	193	<0.1	3.4	<0.1	108
1401951	Rock Chip	1.78	<2	2.5	22.4	4.5	50	<0.1	5.6	13.2	749	3.29	1.6	2.5	<0.5	13.1	164	<0.1	4.2	<0.1	102
1401952	Rock Chip	2.38	<2	1.7	23.7	5.1	54	<0.1	5.7	14.8	835	3.58	1.5	3.4	<0.5	13.3	254	<0.1	2.2	<0.1	107
1401953	Rock Chip	2.00	<2	2.0	19.6	5.0	53	<0.1	5.3	14.3	768	3.46	1.4	2.8	<0.5	11.5	191	0.1	2.1	<0.1	100
1401954	Rock Chip	1.93	<2	2.2	24.0	4.1	54	<0.1	4.9	14.8	868	3.67	1.2	2.1	<0.5	9.7	177	<0.1	3.2	<0.1	103
1401955	Rock Chip	2.35	<2	1.6	26.9	16.4	82	0.3	5.4	16.1	865	3.32	19.4	4.1	<0.5	7.5	214	0.4	7.8	0.2	97
1401956	Rock Chip	2.15	73	1.7	32.6	2081	3359	10.8	5.0	15.2	1913	3.91	198.7	4.2	82.0	9.1	123	43.8	13.5	0.1	51
1401957	Rock Chip	2.07	119	1.5	50.8	1206	1666	21.3	4.6	14.0	2795	3.25	342.2	3.2	121.2	9.1	94	24.3	19.7	0.1	35
1401958	Rock Chip	2.12	12	0.9	6.4	30.8	82	0.5	4.2	13.8	1460	3.00	40.0	1.5	6.7	5.7	92	0.6	1.0	<0.1	20
1401959	Rock Chip	1.94	7	0.6	3.7	13.7	63	0.1	4.3	16.0	957	3.47	6.8	1.4	1.3	6.6	166	0.2	1.7	<0.1	43
1401960	Rock Pulp	0.12	3	2.4	25.6	2.8	42	0.5	23.0	10.4	410	2.43	4.5	0.3	2.2	0.8	35	0.2	0.2	<0.1	60
1401961	Rock Pulp	0.13	1553	8.6	44.7	5.6	49	0.3	31.3	8.7	466	3.16	7.2	0.3	2017	1.0	38	0.1	0.9	0.1	64
1401962	Rock Chip	2.12	6	1.7	19.5	11.0	76	<0.1	6.9	20.8	1098	4.70	3.2	2.9	<0.5	8.8	143	<0.1	2.2	<0.1	87
1401963	Rock Chip	2.20	<2	1.1	29.7	9.6	96	0.1	8.1	24.5	1259	5.52	7.2	2.5	<0.5	7.6	122	0.2	0.6	<0.1	101
1401964	Rock Chip	2.44	2	1.1	7.4	9.4	100	<0.1	9.5	27.4	1245	5.45	11.0	2.3	<0.5	8.4	106	<0.1	0.4	<0.1	89
1401965	Rock Chip	1.82	4	1.4	12.2	12.8	89	<0.1	7.8	22.4	1122	4.46	11.6	2.3	0.7	9.3	109	0.1	0.5	<0.1	82
1401966	Rock Chip	1.66	<2	1.3	4.5	15.2	72	<0.1	6.6	18.2	821	3.84	8.5	1.8	<0.5	7.4	65	<0.1	0.4	<0.1	86
1401967	Rock Chip	1.94	<2	1.0	64.6	12.6	92	0.2	8.9	26.1	1119	5.56	12.5	2.1	1.5	9.4	44	0.1	0.6	0.1	84
1401968	Rock Chip	2.08	3	1.5	106.8	10.8	89	0.2	8.6	25.7	1179	5.69	8.2	2.3	<0.5	9.8	70	0.2	0.4	<0.1	92
1401969	Rock Chip	1.94	<2	2.6	29.5	5.8	52	0.1	6.2	14.3	588	3.44	2.7	2.2	0.8	8.0	67	<0.1	0.6	<0.1	90
1401970	Rock Chip	1.65	<2	2.0	40.5	9.4	77	0.2	8.1	21.6	1026	5.00	5.4	3.6	<0.5	16.6	56	0.2	0.4	<0.1	99
1401971	Rock Chip	2.22	4	1.7	53.7	7.2	88	<0.1	8.5	24.4	1117	5.62	6.6	2.6	1.3	7.5	45	0.1	0.3	<0.1	100
1401972	Rock Chip	1.91	2	1.9	7.9	11.0	77	<0.1	8.1	21.1	975	4.72	7.8	2.9	<0.5	8.5	52	<0.1	0.2	<0.1	100
1401973	Rock Chip	1.98	<2	2.5	7.4	7.4	69	<0.1	7.8	21.3	937	4.56	9.3	2.3	<0.5	7.7	34	<0.1	0.2	<0.1	105

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

CERTIFICATE OF ANALYSIS WHI12000099.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1401946	Rock Chip	3.97	0.060	16	16	1.14	308	0.012	<20	1.67	0.017	0.18	<0.1	0.02	<0.1	0.08	10.6	<0.5	5	<0.2	
1401947	Rock Chip	2.24	0.066	18	23	1.65	464	0.069	<20	2.11	0.051	0.42	0.1	<0.01	0.4	<0.05	12.9	<0.5	7	<0.2	
1401948	Rock Chip	2.04	0.061	16	26	1.56	571	0.128	<20	2.05	0.101	0.48	0.2	<0.01	0.3	<0.05	12.4	<0.5	7	<0.2	
1401949	Rock Chip	2.08	0.062	17	25	1.67	670	0.141	<20	2.05	0.091	0.47	0.2	<0.01	0.3	<0.05	13.7	<0.5	7	<0.2	
1401950	Rock Chip	2.27	0.063	17	24	1.46	375	0.105	<20	1.79	0.073	0.34	0.2	<0.01	0.2	<0.05	11.1	<0.5	7	<0.2	
1401951	Rock Chip	2.24	0.059	21	24	1.29	465	0.100	<20	1.69	0.091	0.37	0.3	<0.01	0.2	<0.05	10.5	<0.5	6	<0.2	
1401952	Rock Chip	2.58	0.058	19	22	1.80	198	0.010	<20	2.05	0.036	0.16	<0.1	0.02	<0.1	<0.05	12.1	<0.5	7	<0.2	
1401953	Rock Chip	2.31	0.062	17	22	1.72	136	0.005	<20	1.96	0.034	0.12	0.1	0.02	<0.1	<0.05	11.2	<0.5	7	<0.2	
1401954	Rock Chip	2.51	0.063	18	22	1.67	187	0.022	<20	1.94	0.052	0.20	0.1	<0.01	0.2	<0.05	12.7	<0.5	7	<0.2	
1401955	Rock Chip	2.92	0.069	16	19	1.21	246	0.040	<20	1.35	0.029	0.24	0.1	0.20	0.3	0.13	14.8	<0.5	5	<0.2	
1401956	Rock Chip	3.62	0.056	9	10	1.20	112	<0.001	<20	0.77	0.006	0.14	0.1	0.39	0.5	1.34	11.7	<0.5	3	<0.2	
1401957	Rock Chip	3.05	0.058	9	7	0.97	97	<0.001	<20	0.48	0.007	0.15	0.1	0.28	0.6	2.02	10.1	<0.5	2	<0.2	
1401958	Rock Chip	3.60	0.060	10	8	1.16	140	<0.001	<20	0.27	0.008	0.19	0.2	0.01	0.2	0.53	4.0	<0.5	<1	<0.2	
1401959	Rock Chip	5.25	0.074	18	11	1.47	315	0.001	<20	1.04	0.009	0.19	<0.1	<0.01	0.1	0.06	7.2	<0.5	4	<0.2	
1401960	Rock Pulp	0.80	0.059	4	30	0.79	94	0.112	<20	1.56	0.076	0.13	13.3	0.02	<0.1	<0.05	4.4	<0.5	5	<0.2	
1401961	Rock Pulp	0.82	0.058	4	33	0.80	104	0.125	<20	1.66	0.092	0.15	0.3	0.07	<0.1	<0.05	4.8	<0.5	5	<0.2	
1401962	Rock Chip	4.31	0.094	20	29	2.14	238	0.003	<20	2.62	0.009	0.13	<0.1	<0.01	<0.1	<0.05	14.7	<0.5	9	<0.2	
1401963	Rock Chip	3.58	0.101	15	33	2.94	161	0.038	<20	3.99	0.007	0.09	<0.1	<0.01	<0.1	0.05	7.6	<0.5	12	<0.2	
1401964	Rock Chip	2.70	0.101	14	35	2.91	111	0.086	<20	3.82	0.008	0.08	0.1	<0.01	<0.1	0.07	4.5	<0.5	11	<0.2	
1401965	Rock Chip	3.60	0.087	13	31	2.32	128	0.078	<20	3.61	0.009	0.11	0.1	<0.01	<0.1	0.05	3.7	<0.5	10	<0.2	
1401966	Rock Chip	2.65	0.068	10	27	1.99	82	0.093	<20	3.09	0.016	0.06	0.2	<0.01	<0.1	<0.05	4.4	<0.5	8	<0.2	
1401967	Rock Chip	1.51	0.108	16	35	2.71	48	0.072	<20	3.26	0.015	0.05	<0.1	<0.01	<0.1	<0.05	5.9	<0.5	11	<0.2	
1401968	Rock Chip	2.11	0.108	15	35	2.86	207	0.101	<20	3.69	0.022	0.07	0.1	<0.01	<0.1	<0.05	5.3	<0.5	11	<0.2	
1401969	Rock Chip	1.53	0.080	13	30	1.34	460	0.131	<20	1.83	0.080	0.12	0.5	<0.01	<0.1	<0.05	5.7	<0.5	7	<0.2	
1401970	Rock Chip	2.16	0.087	16	34	2.36	118	0.084	<20	3.08	0.029	0.07	0.2	<0.01	<0.1	<0.05	7.0	<0.5	9	<0.2	
1401971	Rock Chip	1.94	0.106	13	37	2.76	145	0.106	<20	3.63	0.018	0.05	0.1	<0.01	<0.1	0.05	7.2	<0.5	11	<0.2	
1401972	Rock Chip	3.47	0.088	13	31	2.40	114	0.104	<20	4.10	0.039	0.06	0.2	<0.01	<0.1	<0.05	5.1	<0.5	10	<0.2	
1401973	Rock Chip	4.01	0.074	10	34	2.24	54	0.122	<20	5.01	0.019	0.03	0.3	<0.01	<0.1	<0.05	5.0	<0.5	11	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

QUALITY CONTROL REPORT WHI12000099.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1401910	Rock Chip	2.12	<2	1.2	17.0	7.9	29	<0.1	2.4	5.8	290	1.84	1.7	2.0	<0.5	10.8	90	<0.1	1.4	0.2	25
REP 1401910	QC		<2																		
1401917	Rock Chip	1.85	864	3.4	71.0	4409	860	>100	2.7	2.6	421	3.31	1489	2.1	14516	9.9	98	6.9	90.4	0.4	11
REP 1401917	QC		917	3.4	68.3	4512	842	>100	2.6	2.7	426	3.39	1493	2.1	746.7	10.0	98	6.8	83.8	0.3	11
1401944	Rock Chip	2.06	<2	1.5	24.0	18.8	54	0.3	4.9	13.6	1010	3.28	2.8	2.4	1.1	10.1	227	0.1	1.7	0.2	83
REP 1401944	QC		4																		
1401952	Rock Chip	2.38	<2	1.7	23.7	5.1	54	<0.1	5.7	14.8	835	3.58	1.5	3.4	<0.5	13.3	254	<0.1	2.2	<0.1	107
REP 1401952	QC			2.1	22.7	4.8	53	<0.1	5.9	14.6	833	3.61	1.4	3.3	<0.5	13.1	261	<0.1	2.3	<0.1	107
1401958	Rock Chip	2.12	12	0.9	6.4	30.8	82	0.5	4.2	13.8	1460	3.00	40.0	1.5	6.7	5.7	92	0.6	1.0	<0.1	20
REP 1401958	QC		14																		
1401966	Rock Chip	1.66	<2	1.3	4.5	15.2	72	<0.1	6.6	18.2	821	3.84	8.5	1.8	<0.5	7.4	65	<0.1	0.4	<0.1	86
REP 1401966	QC			1.5	5.0	14.8	73	<0.1	6.8	18.4	862	3.89	9.0	2.0	0.9	7.0	65	0.1	0.3	<0.1	86
1401973	Rock Chip	1.98	<2	2.5	7.4	7.4	69	<0.1	7.8	21.3	937	4.56	9.3	2.3	<0.5	7.7	34	<0.1	0.2	<0.1	105
REP 1401973	QC		6																		
Core Reject Duplicates																					
1401902	Rock Chip	2.14	<2	5.1	21.3	5.2	62	0.1	6.5	15.7	730	3.83	28.9	3.1	1.5	8.8	98	<0.1	1.5	<0.1	95
DUP 1401902	QC		3	2.7	20.4	5.2	61	<0.1	6.5	15.6	711	3.74	29.3	3.4	1.4	8.6	100	0.1	1.4	<0.1	96
1401937	Rock Chip	1.70	<2	1.6	21.6	8.0	60	0.2	5.1	15.3	967	3.77	2.8	1.8	1.6	8.8	198	0.1	5.2	<0.1	110
DUP 1401937	QC		<2	1.5	22.2	8.7	60	0.2	6.0	15.8	985	3.80	3.0	1.8	1.2	9.0	198	<0.1	5.3	<0.1	112
1401972	Rock Chip	1.91	2	1.9	7.9	11.0	77	<0.1	8.1	21.1	975	4.72	7.8	2.9	<0.5	8.5	52	<0.1	0.2	<0.1	100
DUP 1401972	QC		5	1.5	9.1	11.0	75	<0.1	7.0	20.5	975	4.67	7.7	2.5	<0.5	9.6	47	0.1	0.2	<0.1	100
Reference Materials																					
STD DS9	Standard			12.3	111.9	133.1	315	1.8	41.3	7.8	593	2.40	26.8	3.0	102.0	6.8	73	2.4	4.5	7.5	44
STD DS9	Standard			11.4	109.3	111.2	301	1.7	41.3	7.8	569	2.32	25.7	2.5	98.2	6.1	67	2.4	4.0	6.4	41
STD DS9	Standard			12.4	108.6	124.6	306	2.0	40.9	7.2	578	2.30	25.4	2.4	107.3	6.1	72	2.3	5.0	6.8	40
STD OREAS45CA	Standard			1.0	473.7	21.0	59	0.3	243.5	91.7	916	16.40	3.8	1.3	41.6	7.3	15	0.1	0.1	0.2	207
STD OREAS45CA	Standard			0.8	504.7	19.7	64	0.3	254.5	91.7	947	16.62	3.8	1.2	43.1	7.2	14	0.1	<0.1	0.2	219
STD OREAS45CA	Standard			0.9	486.4	19.9	59	0.3	243.7	90.4	937	16.75	3.8	1.2	38.1	7.1	15	0.1	0.1	0.2	209

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

QUALITY CONTROL REPORT WHI12000099.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
Pulp Duplicates																					
1401910	Rock Chip	3.26	0.051	19	6	0.27	148	<0.001	<20	0.82	0.022	0.18	<0.1	0.02	0.1	<0.05	8.2	<0.5	3	<0.2	
REP 1401910	QC																				
1401917	Rock Chip	0.19	0.037	11	6	0.06	262	<0.001	<20	0.30	0.009	0.23	0.3	1.01	0.5	0.31	3.3	<0.5	1	<0.2	280
REP 1401917	QC	0.20	0.037	10	7	0.06	254	<0.001	<20	0.29	0.010	0.23	0.3	0.93	0.5	0.31	2.8	<0.5	1	<0.2	
1401944	Rock Chip	3.65	0.062	16	19	1.37	102	<0.001	<20	1.87	0.014	0.10	<0.1	0.02	<0.1	<0.05	9.0	<0.5	7	<0.2	
REP 1401944	QC																				
1401952	Rock Chip	2.58	0.058	19	22	1.80	198	0.010	<20	2.05	0.036	0.16	<0.1	0.02	<0.1	<0.05	12.1	<0.5	7	<0.2	
REP 1401952	QC	2.59	0.063	20	22	1.80	196	0.011	<20	2.05	0.036	0.16	0.1	0.02	<0.1	<0.05	12.2	<0.5	7	<0.2	
1401958	Rock Chip	3.60	0.060	10	8	1.16	140	<0.001	<20	0.27	0.008	0.19	0.2	0.01	0.2	0.53	4.0	<0.5	<1	<0.2	
REP 1401958	QC																				
1401966	Rock Chip	2.65	0.068	10	27	1.99	82	0.093	<20	3.09	0.016	0.06	0.2	<0.01	<0.1	<0.05	4.4	<0.5	8	<0.2	
REP 1401966	QC	2.70	0.076	9	27	2.01	82	0.094	<20	3.18	0.015	0.06	0.1	<0.01	<0.1	<0.05	4.8	<0.5	8	<0.2	
1401973	Rock Chip	4.01	0.074	10	34	2.24	54	0.122	<20	5.01	0.019	0.03	0.3	<0.01	<0.1	<0.05	5.0	<0.5	11	<0.2	
REP 1401973	QC																				
Core Reject Duplicates																					
1401902	Rock Chip	1.95	0.070	15	22	1.19	686	0.101	<20	1.68	0.125	0.40	0.2	0.03	0.2	0.11	11.1	<0.5	5	<0.2	
DUP 1401902	QC	1.95	0.072	14	21	1.17	638	0.100	<20	1.67	0.127	0.40	0.1	0.04	0.2	0.11	11.0	<0.5	5	<0.2	
1401937	Rock Chip	2.62	0.067	16	23	1.43	98	0.001	<20	1.94	0.038	0.06	<0.1	0.01	<0.1	<0.05	13.9	<0.5	7	<0.2	
DUP 1401937	QC	2.65	0.067	16	23	1.44	100	0.001	<20	1.94	0.039	0.06	<0.1	0.02	<0.1	<0.05	13.7	<0.5	7	<0.2	
1401972	Rock Chip	3.47	0.088	13	31	2.40	114	0.104	<20	4.10	0.039	0.06	0.2	<0.01	<0.1	<0.05	5.1	<0.5	10	<0.2	
DUP 1401972	QC	3.39	0.087	14	26	2.43	106	0.098	<20	4.16	0.039	0.06	0.2	<0.01	<0.1	<0.05	4.8	<0.5	11	<0.2	
Reference Materials																					
STD DS9	Standard	0.73	0.085	13	123	0.63	331	0.113	<20	0.99	0.085	0.41	3.1	0.21	5.6	0.18	2.5	6.2	5	5.0	
STD DS9	Standard	0.70	0.081	12	119	0.61	309	0.108	<20	0.93	0.079	0.39	2.3	0.18	5.2	0.18	2.3	5.3	5	4.6	
STD DS9	Standard	0.73	0.081	12	124	0.63	315	0.109	<20	0.97	0.083	0.41	2.5	0.19	5.4	0.17	2.0	5.4	4	4.5	
STD OREAS45CA	Standard	0.44	0.039	15	712	0.13	166	0.133	<20	3.48	0.009	0.08	<0.1	0.03	<0.1	<0.05	45.3	<0.5	19	<0.2	
STD OREAS45CA	Standard	0.43	0.042	16	769	0.15	161	0.137	<20	3.71	0.011	0.08	<0.1	0.02	0.1	<0.05	45.5	<0.5	20	<0.2	
STD OREAS45CA	Standard	0.44	0.038	15	722	0.14	172	0.139	<20	3.53	0.010	0.07	<0.1	0.03	<0.1	<0.05	45.4	<0.5	19	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

QUALITY CONTROL REPORT WHI12000099.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD OREAS45CA	Standard			0.7	496.5	20.2	59	0.3	263.4	92.4	951	15.48	3.3	1.2	43.7	7.2	16	0.1	0.1	0.2	204
STD OXC88	Standard		209																		
STD OXC88	Standard		200																		
STD OXC88	Standard		207																		
STD OXC88	Standard		213																		
STD OXC88	Standard		198																		
STD OXC88	Standard		211																		
STD OXG99	Standard		1006																		
STD OXG99	Standard		938																		
STD OXG99	Standard		937																		
STD OXG99	Standard		920																		
STD SP49	Standard																				
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OXC88 Expected			203																		
STD OXG99 Expected			932																		
STD SP49 Expected																					
BLK	Blank		<2																		
BLK	Blank		5																		
BLK	Blank		<2																		
BLK	Blank		4																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.02	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		7																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

QUALITY CONTROL REPORT WHI12000099.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2	G6Gr Ag gm/t 50
STD OREAS45CA	Standard	0.44	0.035	16	745	0.14	172	0.131	<20	3.65	0.006	0.07	<0.1	0.03	<0.1	<0.05	45.3	<0.5	19	<0.2	
STD OXC88	Standard																				
STD OXC88	Standard																				
STD OXC88	Standard																				
STD OXC88	Standard																				
STD OXC88	Standard																				
STD OXC88	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD SP49	Standard																				58
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4		
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02	
STD OXC88 Expected																					
STD OXG99 Expected																					
STD SP49 Expected																					60.2
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank	0.02	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

QUALITY CONTROL REPORT WHI12000099.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
BLK	Blank		2																		
BLK	Blank		2																		
BLK	Blank																				
Prep Wash																					
G1-WHI	Prep Blank		<2	0.2	8.0	4.4	53	<0.1	3.4	4.6	659	2.18	1.5	1.8	2.3	6.0	68	<0.1	<0.1	<0.1	43
G1-WHI	Prep Blank		<2	0.2	11.3	4.3	51	<0.1	3.2	4.5	629	2.13	0.8	1.7	<0.5	6.2	71	<0.1	<0.1	<0.1	43

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

QUALITY CONTROL REPORT WHI12000099.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2	G6Gr Ag gm/t 50
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				<50
Prep Wash																					
G1-WHI	Prep Blank	0.57	0.087	13	12	0.59	195	0.151	<20	1.03	0.099	0.54	<0.1	<0.01	0.4	<0.05	2.5	<0.5	6	<0.2	
G1-WHI	Prep Blank	0.55	0.085	13	11	0.56	192	0.149	<20	1.01	0.101	0.52	<0.1	<0.01	0.4	<0.05	2.5	<0.5	6	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: June 15, 2012
Report Date: June 29, 2012
Page: 1 of 5

CERTIFICATE OF ANALYSIS WHI12000100.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET007
P.O. Number
Number of Samples: 111

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	99	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	111	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	111	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Dayna
Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 29, 2012

CERTIFICATE OF ANALYSIS WHI12000100.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1401974	Rock Chip	0.39	11	2.3	16.6	5.7	62	<0.1	5.0	9.8	565	2.76	53.5	1.5	<0.5	12.5	47	<0.1	2.2	<0.1	55
1401975	Rock Chip	0.74	9	2.3	19.7	5.4	60	<0.1	4.9	9.6	590	2.74	64.7	1.5	<0.5	12.8	48	<0.1	2.2	<0.1	54
1401976	Rock Chip	1.93	6	1.8	10.3	8.4	59	<0.1	5.4	10.3	680	3.13	27.6	3.7	<0.5	12.9	55	0.1	2.1	<0.1	58
1401977	Rock Chip	1.67	25	1.9	11.0	11.3	57	0.1	4.8	12.4	902	3.05	576.6	5.2	14.0	11.9	49	0.2	3.8	<0.1	40
1401978	Rock Chip	2.04	2	1.1	8.8	6.3	52	<0.1	4.6	11.4	609	3.19	68.1	3.9	<0.5	11.3	46	<0.1	3.3	<0.1	61
1401979	Rock Chip	2.07	5	1.7	11.8	3.5	46	<0.1	4.0	9.7	600	2.93	10.0	2.6	<0.5	9.9	62	<0.1	3.1	<0.1	59
1401980	Rock Pulp	0.12	18	2.5	25.1	2.4	44	0.2	23.9	10.8	406	2.48	5.1	0.3	<0.5	0.9	42	0.1	0.2	<0.1	57
1401981	Rock Pulp	0.12	1442	8.4	49.5	6.3	52	0.3	33.3	9.6	487	3.34	7.6	0.3	1022	1.1	44	0.1	1.0	0.1	64
1401982	Rock Chip	1.78	257	1.8	8.8	14.3	57	0.6	3.7	11.3	929	3.21	2704	5.5	316.4	11.6	106	0.1	6.9	<0.1	22
1401983	Rock Chip	1.94	148	5.4	7.6	15.2	63	0.3	3.8	10.4	791	2.62	2500	3.5	196.7	8.5	48	0.2	8.0	<0.1	16
1401984	Rock Chip	1.92	136	2.8	7.7	25.2	77	0.4	2.5	2.0	183	1.18	1074	4.0	146.6	9.5	29	0.4	10.4	<0.1	5
1401985	Rock Chip	2.03	76	2.5	7.8	34.6	70	0.4	3.2	2.6	586	1.74	650.1	4.1	98.7	12.3	19	0.4	6.3	<0.1	9
1401986	Rock Chip	0.72	12	1.7	8.1	15.1	56	0.1	3.8	9.7	843	2.70	328.1	3.3	8.7	11.2	19	0.1	4.3	<0.1	30
1401987	Rock Chip	1.38	136	1.8	7.2	8.7	41	0.2	3.3	9.2	990	3.12	1976	4.6	135.7	9.1	40	0.1	5.1	<0.1	15
1401988	Rock Chip	1.71	3	1.3	9.0	9.0	53	<0.1	4.0	11.4	500	3.21	223.0	3.2	20.2	15.9	36	<0.1	3.3	<0.1	57
1401989	Rock Chip	2.14	<2	1.5	8.2	3.7	48	<0.1	3.7	10.1	746	2.90	14.7	2.8	10.5	15.0	72	<0.1	2.9	<0.1	56
1401990	Rock Chip	2.22	3	1.9	11.9	3.2	48	<0.1	4.1	10.4	672	2.94	19.1	2.8	<0.5	11.7	61	<0.1	3.1	<0.1	68
1401991	Rock Chip	1.80	<2	1.5	10.6	4.0	51	<0.1	4.4	10.6	819	3.08	7.1	3.9	0.8	13.8	73	<0.1	3.0	<0.1	64
1401992	Rock Chip	2.04	<2	1.6	8.5	4.5	47	<0.1	4.0	10.0	831	2.80	4.3	3.4	2.2	12.5	81	<0.1	2.5	<0.1	58
1401993	Rock Chip	1.77	<2	1.4	7.7	8.0	52	<0.1	3.7	10.9	644	3.53	66.2	4.9	1.1	16.5	80	<0.1	3.1	<0.1	54
1401994	Rock Chip	1.85	<2	3.4	28.7	13.3	37	<0.1	2.1	5.1	573	1.87	37.1	3.8	<0.5	15.2	19	<0.1	2.1	<0.1	25
1401995	Rock Chip	1.96	<2	1.9	8.4	12.8	40	<0.1	3.5	6.7	415	2.04	40.7	3.3	2.0	15.8	15	<0.1	2.1	<0.1	22
1401996	Rock Chip	1.77	<2	1.7	5.0	11.3	26	<0.1	2.2	1.5	348	1.21	22.1	2.2	<0.5	17.6	24	<0.1	2.4	<0.1	5
1401997	Rock Chip	1.87	<2	2.8	5.2	14.5	33	<0.1	2.7	5.1	470	1.52	33.5	3.7	<0.5	16.6	30	<0.1	1.9	<0.1	17
1401998	Rock Chip	1.96	<2	1.6	7.3	7.5	53	<0.1	4.6	10.5	853	2.93	7.9	4.2	<0.5	15.7	71	<0.1	2.7	<0.1	48
1401999	Rock Chip	1.71	<2	1.7	8.9	5.3	51	<0.1	3.9	10.6	729	3.03	2.5	3.5	<0.5	15.2	79	<0.1	2.5	<0.1	55
1402000	Rock Pulp	0.13	<2	2.7	24.9	2.4	43	0.3	24.5	10.5	419	2.47	5.1	0.3	<0.5	0.9	42	0.2	0.2	<0.1	59
1402001	Rock Pulp	0.12	4215	10.5	75.4	498.8	1731	56.0	33.7	8.9	424	3.43	33.4	0.4	1852	1.3	39	17.5	47.8	1.0	55
1402002	Rock Chip	2.09	<2	2.0	9.0	5.6	48	<0.1	5.1	10.7	719	2.90	2.6	4.2	1.5	14.3	81	<0.1	2.3	<0.1	52
1402003	Rock Chip	1.87	<2	2.1	11.2	3.6	46	<0.1	4.7	9.8	574	2.85	2.2	3.4	1.6	15.0	70	<0.1	1.7	<0.1	64

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 29, 2012

CERTIFICATE OF ANALYSIS WHI12000100.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1401974	Rock Chip	1.33	0.052	16	16	0.73	634	0.092	<20	1.48	0.078	0.40	0.3	0.03	0.3	<0.05	5.2	<0.5	6	<0.2
1401975	Rock Chip	1.44	0.052	19	16	0.72	618	0.089	<20	1.48	0.074	0.40	0.4	0.07	0.2	<0.05	5.3	<0.5	6	<0.2
1401976	Rock Chip	2.67	0.051	18	15	0.71	389	0.034	<20	1.57	0.026	0.30	0.2	0.14	0.2	<0.05	8.3	<0.5	6	<0.2
1401977	Rock Chip	3.28	0.056	17	11	0.38	381	0.016	<20	1.09	0.005	0.29	0.3	0.31	0.3	<0.05	9.7	<0.5	4	<0.2
1401978	Rock Chip	1.21	0.051	15	14	0.69	830	0.122	<20	1.74	0.057	0.60	0.2	0.20	0.4	<0.05	8.6	<0.5	7	<0.2
1401979	Rock Chip	1.33	0.052	10	15	0.70	848	0.167	<20	1.51	0.123	0.66	0.2	0.01	0.4	<0.05	6.8	<0.5	5	<0.2
1401980	Rock Pulp	0.84	0.063	4	32	0.81	97	0.121	<20	1.66	0.078	0.12	12.5	0.01	<0.1	<0.05	4.4	<0.5	6	<0.2
1401981	Rock Pulp	0.88	0.065	5	35	0.85	113	0.131	<20	1.77	0.096	0.14	0.3	0.07	<0.1	<0.05	5.1	<0.5	6	<0.2
1401982	Rock Chip	3.43	0.054	17	8	0.49	313	0.002	<20	0.59	0.008	0.25	0.3	0.11	0.2	0.08	9.3	<0.5	1	<0.2
1401983	Rock Chip	2.28	0.044	9	6	0.19	349	<0.001	<20	0.36	0.003	0.16	0.3	0.15	0.5	<0.05	9.0	<0.5	<1	<0.2
1401984	Rock Chip	0.11	0.006	23	8	0.03	516	<0.001	<20	0.43	0.001	0.09	0.6	0.46	0.3	<0.05	2.3	<0.5	<1	<0.2
1401985	Rock Chip	0.35	0.009	15	10	0.03	4212	<0.001	<20	0.43	0.001	0.07	0.5	0.38	0.5	0.09	2.8	<0.5	<1	<0.2
1401986	Rock Chip	1.03	0.044	13	9	0.06	121	<0.001	<20	0.62	0.002	0.10	0.1	1.11	0.4	<0.05	9.8	<0.5	1	<0.2
1401987	Rock Chip	2.55	0.043	13	7	0.15	172	<0.001	<20	0.36	0.003	0.17	0.3	0.13	0.5	<0.05	7.3	<0.5	<1	<0.2
1401988	Rock Chip	1.01	0.059	28	12	0.62	642	0.083	<20	1.76	0.015	0.46	0.3	0.30	0.5	<0.05	10.4	<0.5	6	<0.2
1401989	Rock Chip	2.46	0.054	28	14	0.77	833	0.115	<20	1.50	0.067	0.53	0.2	0.01	0.3	<0.05	7.5	<0.5	6	<0.2
1401990	Rock Chip	1.57	0.053	20	17	0.85	940	0.170	<20	1.67	0.114	0.66	0.2	0.01	0.5	<0.05	6.8	<0.5	6	<0.2
1401991	Rock Chip	2.35	0.053	24	15	0.95	982	0.140	<20	1.85	0.074	0.69	0.1	<0.01	0.5	<0.05	8.1	<0.5	7	<0.2
1401992	Rock Chip	2.67	0.049	23	14	0.90	882	0.113	<20	1.73	0.049	0.62	0.3	<0.01	0.4	<0.05	8.0	<0.5	6	<0.2
1401993	Rock Chip	2.21	0.058	32	12	0.73	1001	0.027	<20	1.91	0.007	0.31	0.1	0.21	0.3	<0.05	10.7	<0.5	7	<0.2
1401994	Rock Chip	0.62	0.025	21	7	0.10	109	0.003	<20	0.67	0.003	0.09	0.1	0.14	0.2	<0.05	6.0	<0.5	2	<0.2
1401995	Rock Chip	0.29	0.028	29	12	0.29	216	0.002	<20	1.15	0.002	0.13	<0.1	0.44	0.2	<0.05	6.5	<0.5	4	<0.2
1401996	Rock Chip	0.59	0.008	29	8	0.12	105	0.006	<20	0.73	0.015	0.13	0.2	0.10	0.1	<0.05	2.0	<0.5	3	<0.2
1401997	Rock Chip	1.28	0.019	30	9	0.35	180	0.006	<20	0.98	0.002	0.18	0.2	0.24	0.1	<0.05	3.6	<0.5	3	<0.2
1401998	Rock Chip	2.75	0.054	29	13	0.67	260	0.012	<20	1.05	0.024	0.15	0.1	0.08	<0.1	<0.05	7.7	<0.5	4	<0.2
1401999	Rock Chip	2.32	0.052	26	13	0.87	473	0.041	<20	1.54	0.065	0.29	<0.1	0.02	0.2	<0.05	7.7	<0.5	6	<0.2
1402000	Rock Pulp	0.88	0.062	4	32	0.81	98	0.129	<20	1.65	0.080	0.13	12.6	0.01	<0.1	<0.05	4.8	<0.5	5	<0.2
1402001	Rock Pulp	0.75	0.055	5	30	0.61	116	0.118	<20	1.28	0.082	0.11	2.2	0.21	1.1	0.34	4.8	<0.5	7	0.2
1402002	Rock Chip	2.21	0.053	24	15	0.79	699	0.060	<20	1.45	0.069	0.31	0.1	0.02	0.2	<0.05	7.2	<0.5	5	<0.2
1402003	Rock Chip	1.25	0.054	24	18	0.82	1035	0.165	<20	1.65	0.134	0.59	0.3	0.01	0.3	<0.05	6.1	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 29, 2012

CERTIFICATE OF ANALYSIS WHI12000100.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402004	Rock Chip	2.28	<2	2.3	10.4	3.5	47	<0.1	5.1	9.3	532	2.72	1.9	3.1	1.5	14.9	52	<0.1	0.8	<0.1	55
1402005	Rock Chip	1.90	<2	1.4	7.9	5.6	54	<0.1	4.4	10.7	550	3.03	126.2	4.4	1.5	15.5	54	<0.1	1.9	<0.1	53
1402006	Rock Chip	1.88	<2	1.1	8.6	9.2	47	<0.1	3.6	9.0	994	2.81	80.4	4.5	<0.5	11.7	82	0.1	2.9	<0.1	50
1402007	Rock Chip	2.14	<2	1.0	5.2	12.1	47	2.0	3.4	10.1	1079	3.08	4.2	5.7	2.9	14.1	91	0.1	3.8	<0.1	41
1402008	Rock Chip	1.67	3	1.0	7.7	9.4	55	0.3	3.8	10.7	717	3.10	71.9	5.1	0.6	15.0	45	<0.1	2.4	<0.1	51
1402009	Rock Chip	1.57	<2	1.2	5.8	12.8	46	<0.1	3.7	9.7	810	2.70	16.2	4.4	<0.5	15.3	44	<0.1	1.8	<0.1	37
1402010	Rock Chip	1.83	<2	1.4	6.7	5.8	43	<0.1	3.6	8.2	539	2.34	9.7	5.3	<0.5	15.2	60	<0.1	1.9	<0.1	42
1402011	Rock Chip	2.22	<2	2.2	12.7	4.2	47	<0.1	4.8	9.7	601	2.84	1.7	3.5	<0.5	12.9	64	<0.1	1.0	<0.1	64
1402012	Rock Chip	1.94	<2	2.0	8.0	4.2	46	<0.1	4.6	9.7	565	2.82	1.5	3.4	<0.5	14.9	63	<0.1	0.7	<0.1	59
1402013	Rock Chip	1.98	<2	2.3	9.6	4.1	45	<0.1	4.9	9.7	542	2.75	2.3	4.3	<0.5	14.8	64	<0.1	0.4	<0.1	63
1402014	Rock Chip	2.07	<2	2.4	9.2	4.0	48	<0.1	4.6	10.4	599	3.09	1.4	3.7	<0.5	16.2	68	<0.1	0.4	<0.1	79
1402015	Rock Chip	2.08	<2	2.4	10.4	4.0	50	<0.1	5.5	10.8	583	3.12	1.4	3.5	<0.5	21.4	66	<0.1	0.4	<0.1	78
1402016	Rock Chip	1.99	<2	2.6	18.8	4.3	43	<0.1	5.9	9.4	537	2.71	2.3	4.0	<0.5	17.2	71	<0.1	0.5	<0.1	67
1402017	Rock Chip	2.14	<2	2.4	8.3	3.6	44	<0.1	5.3	9.3	544	2.78	1.3	3.6	<0.5	13.9	78	<0.1	0.5	<0.1	66
1402018	Rock Chip	1.97	<2	2.8	8.0	3.4	43	<0.1	5.3	9.0	523	2.74	0.8	3.6	2.9	14.9	62	<0.1	0.5	<0.1	65
1402019	Rock Chip	2.00	20	1.9	7.5	5.0	42	<0.1	4.7	9.8	697	2.51	290.3	4.4	18.6	14.3	97	0.2	2.6	<0.1	42
1402020	Rock Pulp	0.12	<2	2.4	26.0	2.5	41	0.4	24.2	10.8	393	2.36	6.5	0.3	<0.5	0.9	42	0.2	0.3	<0.1	56
1402021	Rock Pulp	0.15	1528	8.6	48.1	5.8	49	0.2	32.1	9.2	469	3.13	6.8	0.3	1031	1.0	45	0.1	1.0	<0.1	60
1402022	Rock Chip	1.50	36	1.7	7.2	5.8	42	0.1	4.1	10.3	752	2.67	359.7	5.3	27.4	13.3	102	0.1	2.9	<0.1	43
1402023	Rock Chip	2.04	<2	1.3	6.5	6.9	48	<0.1	3.6	9.2	830	2.65	31.5	3.9	2.1	12.8	95	<0.1	1.4	<0.1	51
1402024	Rock Chip	0.92	<2	1.9	7.9	4.6	54	<0.1	4.8	11.5	606	3.20	2.3	3.5	<0.5	13.3	54	<0.1	0.7	<0.1	70
1402025	Rock Chip	1.14	<2	2.6	8.7	4.8	53	<0.1	5.2	11.0	594	3.13	1.8	3.8	<0.5	14.7	54	<0.1	0.6	<0.1	68
1402026	Rock Chip	2.15	<2	2.7	8.2	3.9	42	<0.1	4.9	9.1	481	2.66	1.6	3.8	<0.5	14.4	52	<0.1	0.5	<0.1	64
1402027	Rock Chip	1.48	<2	2.7	8.4	4.1	39	<0.1	4.9	8.5	446	2.50	1.4	3.6	1.4	13.1	63	<0.1	0.5	0.1	57
1402028	Rock Chip	1.67	<2	2.0	9.0	5.6	46	<0.1	5.1	10.0	643	2.68	1.0	5.0	<0.5	12.7	133	<0.1	0.6	<0.1	58
1402029	Rock Chip	1.86	<2	1.4	6.5	5.2	49	<0.1	4.2	10.2	675	2.82	1.0	4.1	<0.5	12.9	132	<0.1	0.8	<0.1	60
1402030	Rock Chip	1.68	<2	1.3	6.5	5.6	51	<0.1	4.4	11.2	742	3.01	3.0	4.1	<0.5	12.1	129	<0.1	0.7	<0.1	61
1402031	Rock Chip	1.90	<2	2.2	6.4	3.4	43	<0.1	4.5	9.3	530	2.66	1.6	5.0	<0.5	14.0	66	<0.1	0.9	<0.1	65
1402032	Rock Chip	1.98	10	2.5	5.5	6.9	33	<0.1	4.1	6.6	494	2.07	1.8	9.9	<0.5	15.0	61	<0.1	1.7	<0.1	37
1402033	Rock Chip	2.05	<2	2.6	10.0	5.8	30	<0.1	4.3	5.6	405	1.99	2.2	4.2	<0.5	15.2	42	<0.1	1.4	<0.1	36

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 29, 2012

CERTIFICATE OF ANALYSIS WHI12000100.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1402004	Rock Chip	1.14	0.051	24	19	0.80	505	0.130	<20	1.43	0.122	0.38	0.5	<0.01	0.2	<0.05	5.2	<0.5	5	<0.2
1402005	Rock Chip	1.61	0.055	25	14	0.83	438	0.051	<20	1.55	0.041	0.34	0.1	0.06	0.3	0.11	9.2	<0.5	6	<0.2
1402006	Rock Chip	4.14	0.053	27	9	0.79	128	0.002	<20	0.84	0.014	0.12	0.2	0.14	<0.1	<0.05	10.8	<0.5	3	<0.2
1402007	Rock Chip	3.98	0.046	28	8	1.01	74	0.002	<20	0.79	0.004	0.12	0.4	0.03	<0.1	<0.05	8.1	<0.5	2	<0.2
1402008	Rock Chip	1.55	0.052	25	11	0.84	607	0.004	<20	1.13	0.002	0.09	0.3	0.14	<0.1	0.07	10.4	<0.5	4	<0.2
1402009	Rock Chip	1.78	0.043	23	9	0.59	285	0.001	<20	0.72	0.002	0.09	0.3	0.35	<0.1	0.12	7.9	<0.5	2	<0.2
1402010	Rock Chip	1.61	0.041	24	13	0.63	518	0.067	<20	1.15	0.053	0.35	0.2	0.10	0.2	<0.05	5.8	<0.5	4	<0.2
1402011	Rock Chip	1.49	0.052	20	18	0.82	633	0.133	<20	1.39	0.089	0.48	0.3	<0.01	0.3	<0.05	6.8	<0.5	6	<0.2
1402012	Rock Chip	1.22	0.049	24	19	0.84	553	0.127	<20	1.39	0.102	0.40	0.2	<0.01	0.2	<0.05	5.9	<0.5	5	<0.2
1402013	Rock Chip	1.20	0.047	22	20	0.79	647	0.147	<20	1.42	0.115	0.49	0.4	<0.01	0.3	<0.05	6.1	<0.5	6	<0.2
1402014	Rock Chip	1.07	0.057	24	20	0.98	889	0.210	<20	1.64	0.122	0.65	0.6	<0.01	0.4	<0.05	6.7	<0.5	6	<0.2
1402015	Rock Chip	0.85	0.058	37	24	0.99	1000	0.255	<20	1.61	0.126	0.75	0.7	<0.01	0.4	<0.05	6.3	<0.5	6	<0.2
1402016	Rock Chip	0.92	0.049	28	23	0.87	861	0.200	<20	1.49	0.113	0.64	0.6	0.01	0.4	<0.05	4.9	<0.5	6	<0.2
1402017	Rock Chip	0.99	0.051	21	22	0.84	863	0.208	<20	1.56	0.140	0.66	0.6	0.01	0.4	<0.05	6.1	<0.5	6	<0.2
1402018	Rock Chip	0.97	0.050	21	22	0.77	866	0.210	<20	1.50	0.152	0.64	0.7	<0.01	0.4	<0.05	5.3	<0.5	6	<0.2
1402019	Rock Chip	2.43	0.048	22	16	0.55	541	0.100	<20	1.09	0.072	0.39	0.6	0.05	0.5	0.28	5.2	<0.5	4	<0.2
1402020	Rock Pulp	0.79	0.057	4	31	0.76	95	0.132	<20	1.51	0.073	0.12	13.2	0.01	<0.1	<0.05	4.6	<0.5	5	<0.2
1402021	Rock Pulp	0.79	0.055	4	32	0.77	102	0.140	<20	1.63	0.088	0.13	0.3	0.06	<0.1	<0.05	4.9	<0.5	5	<0.2
1402022	Rock Chip	2.98	0.049	21	14	0.54	485	0.076	<20	1.10	0.054	0.38	0.7	0.05	0.5	0.41	6.6	<0.5	4	<0.2
1402023	Rock Chip	3.12	0.050	22	14	0.52	327	0.053	<20	1.25	0.026	0.22	0.3	0.15	0.2	0.08	7.6	<0.5	4	<0.2
1402024	Rock Chip	1.32	0.057	19	21	0.99	420	0.157	<20	1.47	0.070	0.29	0.5	<0.01	0.2	<0.05	5.4	<0.5	6	<0.2
1402025	Rock Chip	1.26	0.059	22	23	0.95	422	0.152	<20	1.42	0.065	0.28	0.6	<0.01	0.2	<0.05	5.3	<0.5	6	<0.2
1402026	Rock Chip	0.81	0.054	21	23	0.80	819	0.223	<20	1.38	0.114	0.54	1.0	<0.01	0.3	<0.05	3.9	<0.5	6	<0.2
1402027	Rock Chip	1.04	0.049	19	22	0.76	666	0.198	<20	1.35	0.108	0.45	1.1	<0.01	0.4	<0.05	3.3	<0.5	5	<0.2
1402028	Rock Chip	2.02	0.051	20	19	1.02	424	0.076	<20	1.64	0.054	0.25	0.3	<0.01	0.2	<0.05	5.9	<0.5	6	<0.2
1402029	Rock Chip	1.90	0.048	24	15	1.04	398	0.022	<20	1.65	0.042	0.23	<0.1	<0.01	0.1	<0.05	8.2	<0.5	6	<0.2
1402030	Rock Chip	2.23	0.052	21	17	1.05	288	0.023	<20	1.78	0.039	0.21	<0.1	<0.01	0.1	<0.05	7.6	<0.5	7	<0.2
1402031	Rock Chip	0.88	0.050	19	20	0.79	862	0.212	<20	1.49	0.123	0.66	0.5	<0.01	0.4	<0.05	5.5	<0.5	5	<0.2
1402032	Rock Chip	1.28	0.035	17	17	0.58	329	0.048	<20	1.06	0.054	0.21	0.3	<0.01	0.1	<0.05	4.8	<0.5	4	<0.2
1402033	Rock Chip	0.78	0.033	22	20	0.46	439	0.104	<20	0.95	0.070	0.36	0.8	<0.01	0.2	<0.05	3.6	<0.5	4	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 29, 2012

CERTIFICATE OF ANALYSIS WHI12000100.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402034	Rock Chip	1.67	3	3.0	8.5	7.4	15	<0.1	2.8	1.2	260	1.23	7.9	5.3	0.7	19.3	23	<0.1	1.6	<0.1	2
1402035	Rock Chip	1.66	10	3.2	4.0	6.2	14	<0.1	2.8	1.0	229	1.06	2.5	4.7	<0.5	20.7	25	<0.1	1.7	0.2	<2
1402036	Rock Chip	2.08	<2	2.5	3.2	6.4	14	<0.1	2.7	1.0	235	1.10	3.8	4.4	<0.5	21.4	26	<0.1	1.9	0.1	<2
1402037	Rock Chip	1.64	<2	2.3	3.1	9.4	14	<0.1	2.4	1.0	324	1.06	6.1	4.9	<0.5	18.2	40	<0.1	1.8	<0.1	<2
1402038	Rock Chip	1.71	<2	2.6	6.0	6.6	41	<0.1	4.2	8.1	620	2.59	5.9	5.9	<0.5	13.8	70	<0.1	1.3	<0.1	44
1402039	Rock Chip	1.70	<2	3.2	4.6	5.3	35	<0.1	3.7	6.4	457	2.25	2.3	4.0	<0.5	16.2	46	<0.1	1.6	<0.1	42
1402040	Rock Pulp	0.12	5	2.4	23.9	2.2	40	0.2	22.9	10.1	391	2.30	4.6	0.3	1.9	0.9	42	0.2	0.2	<0.1	54
1402041	Rock Pulp	0.12	4322	10.0	69.4	436.9	1546	50.0	30.4	8.8	394	3.13	31.1	0.3	2751	1.2	37	16.0	50.2	0.9	51
1402042	Rock Chip	1.83	<2	3.8	7.3	5.3	46	<0.1	4.7	9.1	508	2.65	2.0	4.1	3.5	13.2	49	<0.1	0.9	<0.1	61
1402043	Rock Chip	1.98	7	2.7	8.1	3.8	39	<0.1	4.1	8.2	454	2.44	2.0	3.0	0.5	12.4	51	<0.1	0.8	<0.1	58
1402044	Rock Chip	2.21	<2	2.6	5.0	3.9	41	<0.1	4.5	8.2	517	2.64	1.8	4.4	<0.5	11.4	68	<0.1	0.9	<0.1	62
1402045	Rock Chip	2.19	<2	3.1	5.2	3.3	44	<0.1	4.5	8.9	570	2.83	1.5	4.2	<0.5	14.2	78	<0.1	0.6	<0.1	72
1402046	Rock Chip	1.68	<2	3.0	6.4	3.4	42	<0.1	4.8	9.0	546	2.76	1.2	4.7	0.8	13.1	76	<0.1	0.7	<0.1	70
1402047	Rock Chip	1.62	<2	2.2	4.4	3.9	40	<0.1	3.8	8.8	576	2.61	1.0	4.4	<0.5	12.7	92	<0.1	0.6	<0.1	60
1402048	Rock Chip	1.99	4	3.1	5.5	4.0	48	<0.1	4.2	10.2	658	2.95	<0.5	3.0	<0.5	13.3	95	<0.1	0.8	<0.1	68
1402049	Rock Chip	2.14	<2	2.1	6.4	3.6	52	<0.1	4.2	11.4	696	3.09	0.6	3.2	<0.5	14.6	114	<0.1	1.6	<0.1	82
1402050	Rock Chip	1.74	<2	2.0	7.0	4.6	48	<0.1	4.0	10.0	645	2.98	0.9	3.3	<0.5	12.8	102	<0.1	1.2	<0.1	63
1402051	Rock Chip	1.74	<2	1.7	5.9	6.2	48	<0.1	4.0	11.0	676	2.82	1.6	3.1	<0.5	11.8	104	<0.1	1.2	<0.1	56
1402052	Rock Chip	1.50	<2	2.0	4.1	6.4	45	<0.1	3.7	10.5	750	2.90	1.9	3.1	<0.5	14.1	132	<0.1	1.1	<0.1	57
1402053	Rock Chip	1.57	<2	2.1	6.4	5.7	46	<0.1	4.0	10.0	769	2.80	1.6	3.0	<0.5	12.9	148	<0.1	0.6	<0.1	55
1402054	Rock Chip	1.71	<2	1.6	6.7	4.2	48	<0.1	3.9	10.7	638	2.97	0.8	3.6	<0.5	13.2	113	<0.1	0.8	<0.1	57
1402055	Rock Chip	2.05	<2	2.1	6.7	6.0	50	<0.1	4.2	10.1	646	2.88	1.8	4.9	<0.5	14.4	70	<0.1	2.0	<0.1	55
1402056	Rock Chip	1.80	<2	1.6	4.3	4.9	47	<0.1	4.1	10.4	665	2.90	1.4	4.8	<0.5	12.4	145	<0.1	1.3	<0.1	63
1402057	Rock Chip	1.71	<2	1.4	5.1	4.6	48	<0.1	4.0	10.0	725	2.88	1.2	3.8	<0.5	11.6	119	<0.1	1.9	<0.1	62
1402058	Rock Chip	1.54	<2	1.2	4.3	5.8	39	<0.1	3.2	8.5	824	2.36	1.4	3.9	<0.5	11.1	197	<0.1	1.1	<0.1	52
1402059	Rock Chip	1.65	<2	1.6	7.6	6.1	31	<0.1	2.8	6.3	438	1.96	1.8	4.8	<0.5	15.6	100	<0.1	2.5	<0.1	37
1402060	Rock Pulp	0.12	10	2.4	26.3	2.2	43	0.4	24.8	10.9	393	2.39	4.6	0.3	<0.5	0.9	36	0.2	0.2	<0.1	58
1402061	Rock Pulp	0.12	1567	8.4	49.4	5.4	48	0.2	32.6	9.5	486	3.31	6.8	0.3	1165	0.9	38	0.2	0.9	0.2	65
1402062	Rock Chip	1.62	3	1.6	10.6	7.8	10	<0.1	1.8	1.3	86	0.89	7.0	3.5	3.6	17.2	22	<0.1	3.0	<0.1	<2
1402063	Rock Chip	2.00	3	2.1	4.9	8.4	29	<0.1	2.5	6.4	276	1.76	12.5	5.8	1.8	15.4	51	<0.1	1.9	<0.1	25

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 29, 2012

CERTIFICATE OF ANALYSIS WHI12000100.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1402034	Rock Chip	0.56	0.005	27	14	0.08	99	0.008	<20	0.40	0.042	0.12	1.3	<0.01	<0.1	<0.05	1.1	<0.5	2	<0.2
1402035	Rock Chip	0.61	0.005	28	15	0.06	89	0.004	<20	0.38	0.040	0.13	0.6	<0.01	<0.1	<0.05	0.8	<0.5	2	<0.2
1402036	Rock Chip	0.65	0.004	29	14	0.07	86	0.004	<20	0.39	0.037	0.12	0.7	<0.01	<0.1	<0.05	0.9	<0.5	2	<0.2
1402037	Rock Chip	1.16	0.004	28	13	0.07	87	0.002	<20	0.41	0.038	0.13	0.5	<0.01	<0.1	<0.05	0.9	<0.5	2	<0.2
1402038	Rock Chip	1.94	0.040	24	18	0.59	232	0.030	<20	1.15	0.049	0.21	0.2	0.02	0.2	<0.05	5.8	<0.5	5	<0.2
1402039	Rock Chip	1.00	0.032	27	20	0.60	241	0.067	<20	1.05	0.066	0.18	0.3	0.01	0.1	<0.05	4.6	<0.5	5	<0.2
1402040	Rock Pulp	0.75	0.059	4	30	0.74	92	0.126	<20	1.48	0.072	0.12	12.3	<0.01	<0.1	<0.05	4.3	<0.5	5	<0.2
1402041	Rock Pulp	0.64	0.054	5	26	0.56	110	0.112	<20	1.19	0.071	0.10	2.3	0.21	1.0	0.31	4.3	0.7	6	0.2
1402042	Rock Chip	0.99	0.050	23	22	0.87	518	0.151	<20	1.35	0.092	0.30	1.1	<0.01	0.2	<0.05	4.2	<0.5	6	<0.2
1402043	Rock Chip	1.03	0.044	19	17	0.78	461	0.153	<20	1.23	0.087	0.33	0.9	<0.01	0.2	<0.05	4.2	<0.5	5	<0.2
1402044	Rock Chip	1.09	0.041	18	22	0.81	646	0.159	<20	1.37	0.114	0.43	2.8	<0.01	0.3	<0.05	4.3	<0.5	5	<0.2
1402045	Rock Chip	0.99	0.046	23	24	0.84	964	0.208	<20	1.50	0.128	0.67	7.4	<0.01	0.5	<0.05	4.8	<0.5	6	<0.2
1402046	Rock Chip	0.98	0.046	21	23	0.88	1023	0.201	<20	1.54	0.134	0.68	3.9	<0.01	0.5	<0.05	5.1	<0.5	6	<0.2
1402047	Rock Chip	1.58	0.044	19	19	0.83	533	0.096	<20	1.39	0.077	0.40	0.4	<0.01	0.2	<0.05	5.1	<0.5	5	<0.2
1402048	Rock Chip	1.77	0.046	23	19	0.98	364	0.047	<20	1.51	0.068	0.28	0.2	<0.01	0.1	<0.05	6.5	<0.5	6	<0.2
1402049	Rock Chip	1.51	0.050	26	19	1.02	895	0.126	<20	1.72	0.097	0.55	0.2	<0.01	0.4	<0.05	9.0	<0.5	6	<0.2
1402050	Rock Chip	1.70	0.047	22	19	1.00	322	0.034	<20	1.48	0.064	0.19	0.2	<0.01	0.1	<0.05	7.1	<0.5	6	<0.2
1402051	Rock Chip	1.81	0.049	23	17	1.07	166	0.011	<20	1.51	0.042	0.12	0.1	0.01	<0.1	<0.05	6.7	<0.5	7	<0.2
1402052	Rock Chip	2.60	0.046	24	16	0.88	212	0.014	<20	1.53	0.040	0.18	<0.1	<0.01	<0.1	<0.05	7.5	<0.5	5	<0.2
1402053	Rock Chip	2.70	0.044	23	17	0.96	144	0.005	<20	1.57	0.033	0.13	<0.1	0.01	<0.1	<0.05	6.8	<0.5	6	<0.2
1402054	Rock Chip	2.09	0.047	23	17	1.03	157	0.007	<20	1.54	0.041	0.18	0.1	<0.01	<0.1	<0.05	6.3	<0.5	6	<0.2
1402055	Rock Chip	1.51	0.048	24	19	1.04	96	0.029	<20	1.47	0.050	0.11	0.2	<0.01	<0.1	<0.05	6.2	<0.5	6	<0.2
1402056	Rock Chip	1.84	0.044	21	17	1.14	317	0.021	<20	1.71	0.052	0.22	0.1	<0.01	0.1	<0.05	6.9	<0.5	6	<0.2
1402057	Rock Chip	2.40	0.044	20	17	0.95	416	0.036	<20	1.47	0.053	0.30	0.1	<0.01	0.2	<0.05	6.0	<0.5	6	<0.2
1402058	Rock Chip	2.84	0.042	20	14	0.80	661	0.031	<20	1.44	0.035	0.37	0.2	0.02	0.2	<0.05	4.9	<0.5	5	<0.2
1402059	Rock Chip	1.46	0.027	25	13	0.52	420	0.039	<20	1.07	0.044	0.33	0.2	<0.01	0.2	<0.05	4.0	<0.5	4	<0.2
1402060	Rock Pulp	0.80	0.056	4	33	0.77	94	0.120	<20	1.57	0.075	0.13	13.1	<0.01	<0.1	<0.05	4.1	<0.5	5	<0.2
1402061	Rock Pulp	0.82	0.060	4	34	0.83	104	0.131	<20	1.66	0.094	0.15	0.3	0.07	0.1	<0.05	4.7	<0.5	5	<0.2
1402062	Rock Chip	0.26	0.004	29	11	0.12	122	0.002	<20	0.51	0.030	0.19	0.3	0.01	<0.1	0.06	0.7	<0.5	2	<0.2
1402063	Rock Chip	1.13	0.027	27	11	0.30	123	0.005	<20	1.00	0.008	0.18	0.2	0.04	<0.1	0.06	4.4	<0.5	3	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 29, 2012

CERTIFICATE OF ANALYSIS WHI12000100.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402064	Rock Chip	1.65	<2	5.9	5.4	9.6	56	<0.1	3.8	12.1	556	3.27	5.5	4.5	1.6	15.4	64	<0.1	1.5	<0.1	52
1402065	Rock Chip	1.54	<2	1.0	8.9	10.5	46	<0.1	2.6	10.6	437	2.67	4.0	4.6	1.6	14.8	62	<0.1	1.7	<0.1	37
1402066	Rock Chip	1.76	<2	2.0	10.2	3.3	49	<0.1	3.8	11.1	672	3.04	1.8	2.5	0.9	11.6	91	<0.1	1.8	<0.1	70
1402067	Rock Chip	1.83	<2	2.4	5.8	3.2	46	<0.1	3.8	9.6	581	2.84	0.9	2.8	1.3	11.3	86	<0.1	0.8	<0.1	75
1402068	Rock Chip	1.81	<2	2.4	7.2	3.8	47	<0.1	3.9	9.9	620	2.88	0.9	5.2	1.4	12.3	100	<0.1	0.7	<0.1	70
1402069	Rock Chip	1.82	<2	1.8	7.2	4.0	44	<0.1	4.0	9.2	573	2.70	0.8	5.0	1.0	12.1	98	<0.1	0.9	<0.1	63
1402070	Rock Chip	1.98	<2	2.2	7.5	4.3	46	<0.1	4.3	9.3	609	2.67	1.0	4.6	<0.5	11.1	75	<0.1	0.9	<0.1	58
1402071	Rock Chip	2.04	<2	1.8	9.4	3.4	58	<0.1	4.6	12.7	766	3.41	1.3	7.6	1.4	13.9	98	<0.1	0.9	<0.1	90
1402072	Rock Chip	1.88	<2	2.7	8.3	3.5	53	<0.1	4.7	11.0	732	3.09	1.1	5.4	0.8	13.4	96	<0.1	1.2	<0.1	78
1402073	Rock Chip	1.78	<2	2.7	7.8	3.0	46	<0.1	4.4	9.5	593	2.83	0.9	4.7	1.5	12.9	84	<0.1	0.9	<0.1	69
1402074	Rock Chip	1.01	<2	2.5	7.4	3.7	48	<0.1	4.3	10.8	708	3.02	1.6	4.7	1.9	17.1	92	<0.1	1.2	<0.1	72
1402075	Rock Chip	0.70	<2	2.0	6.8	3.4	48	<0.1	4.1	10.4	696	2.96	1.4	4.3	1.4	14.2	89	<0.1	1.3	<0.1	72
1402076	Rock Chip	2.19	<2	2.2	7.3	3.5	49	<0.1	4.1	10.1	691	2.89	0.7	4.5	1.1	14.0	75	<0.1	1.0	<0.1	70
1402077	Rock Chip	1.71	<2	2.5	7.9	5.2	54	<0.1	4.5	9.6	673	3.19	0.8	4.2	<0.5	12.9	77	<0.1	0.6	<0.1	76
1402078	Rock Chip	1.94	<2	2.8	7.6	3.3	51	<0.1	4.6	9.0	608	3.05	1.3	4.2	0.6	12.8	72	<0.1	0.3	<0.1	74
1402079	Rock Chip	1.89	<2	2.8	10.6	3.9	46	<0.1	4.2	9.0	602	2.83	1.0	4.2	<0.5	11.5	79	<0.1	0.6	<0.1	70
1402080	Rock Pulp	0.12	<2	2.4	23.0	2.3	43	0.3	22.0	9.5	401	2.35	4.4	0.2	0.9	0.9	39	0.2	0.2	<0.1	54
1402081	Rock Pulp	0.13	4411	10.2	72.1	457.8	1667	52.6	31.3	8.7	411	3.23	31.4	0.4	2745	1.2	39	17.0	48.3	1.0	51
1402082	Rock Chip	1.60	<2	3.1	7.4	3.7	53	<0.1	4.5	8.1	495	2.68	1.2	3.8	0.7	12.7	62	<0.1	0.6	<0.1	65
1402083	Rock Chip	1.99	<2	3.1	7.9	3.7	45	<0.1	4.3	8.4	517	2.74	0.9	3.6	0.5	14.2	66	<0.1	0.5	<0.1	66
1402084	Rock Chip	1.76	<2	2.6	9.5	3.6	47	<0.1	4.5	8.9	552	2.95	1.2	4.1	<0.5	11.8	65	<0.1	0.6	<0.1	70

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 29, 2012

CERTIFICATE OF ANALYSIS WHI12000100.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1402064	Rock Chip	1.70	0.052	28	13	0.82	133	0.009	<20	1.71	0.004	0.17	0.1	0.02	<0.1	<0.05	7.2	<0.5	6	<0.2
1402065	Rock Chip	1.89	0.049	26	9	0.49	68	0.002	<20	1.39	0.002	0.15	<0.1	0.04	<0.1	0.06	6.0	<0.5	4	<0.2
1402066	Rock Chip	1.91	0.052	21	17	0.89	389	0.067	<20	1.53	0.094	0.32	0.1	<0.01	0.2	<0.05	8.0	<0.5	6	<0.2
1402067	Rock Chip	1.29	0.047	18	19	1.02	687	0.137	<20	1.59	0.120	0.52	0.2	<0.01	0.3	<0.05	7.0	<0.5	6	<0.2
1402068	Rock Chip	1.34	0.048	19	19	0.98	800	0.140	<20	1.69	0.107	0.58	0.2	<0.01	0.4	<0.05	6.8	<0.5	6	<0.2
1402069	Rock Chip	1.32	0.042	18	19	0.90	535	0.086	<20	1.47	0.087	0.40	0.2	<0.01	0.2	<0.05	6.2	<0.5	6	<0.2
1402070	Rock Chip	1.47	0.046	18	19	0.86	259	0.054	<20	1.35	0.080	0.20	0.2	<0.01	0.1	<0.05	5.7	<0.5	6	<0.2
1402071	Rock Chip	1.51	0.056	24	22	1.12	909	0.172	<20	1.74	0.108	0.73	0.3	<0.01	0.4	<0.05	10.4	<0.5	7	<0.2
1402072	Rock Chip	1.61	0.049	23	22	0.93	794	0.143	<20	1.71	0.119	0.60	0.3	0.01	0.4	<0.05	9.7	<0.5	6	<0.2
1402073	Rock Chip	1.15	0.047	19	22	0.82	894	0.178	<20	1.54	0.142	0.68	0.4	<0.01	0.4	<0.05	6.9	<0.5	6	<0.2
1402074	Rock Chip	1.67	0.047	29	21	0.80	744	0.138	<20	1.61	0.117	0.56	0.3	0.01	0.5	0.05	10.0	<0.5	6	<0.2
1402075	Rock Chip	1.61	0.045	26	19	0.80	758	0.133	<20	1.52	0.111	0.56	0.3	0.03	0.4	<0.05	10.0	<0.5	6	<0.2
1402076	Rock Chip	1.41	0.046	23	20	0.88	747	0.144	<20	1.58	0.118	0.55	0.3	<0.01	0.4	<0.05	8.3	<0.5	6	<0.2
1402077	Rock Chip	1.13	0.049	21	23	1.02	829	0.185	<20	1.73	0.148	0.65	0.4	<0.01	0.4	<0.05	8.0	<0.5	7	<0.2
1402078	Rock Chip	0.87	0.051	21	23	0.98	1045	0.230	<20	1.73	0.171	0.82	0.6	<0.01	0.5	<0.05	6.3	<0.5	7	<0.2
1402079	Rock Chip	0.95	0.050	20	19	0.99	831	0.197	<20	1.63	0.145	0.62	0.5	<0.01	0.4	<0.05	5.9	<0.5	6	<0.2
1402080	Rock Pulp	0.80	0.058	4	29	0.78	95	0.117	<20	1.57	0.075	0.12	12.1	0.01	<0.1	<0.05	4.4	<0.5	5	<0.2
1402081	Rock Pulp	0.69	0.054	6	28	0.59	112	0.118	<20	1.20	0.076	0.10	2.6	0.27	1.1	0.33	4.4	<0.5	7	<0.2
1402082	Rock Chip	0.69	0.048	21	23	0.84	957	0.213	<20	1.61	0.174	0.74	0.7	<0.01	0.4	<0.05	4.7	<0.5	6	<0.2
1402083	Rock Chip	0.82	0.051	27	23	0.87	912	0.198	<20	1.60	0.160	0.68	0.6	<0.01	0.4	<0.05	5.4	<0.5	6	<0.2
1402084	Rock Chip	0.82	0.057	20	23	0.95	871	0.189	<20	1.66	0.164	0.68	0.6	<0.01	0.4	<0.05	5.9	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 29, 2012

QUALITY CONTROL REPORT WHI12000100.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1401977	Rock Chip	1.67	25	1.9	11.0	11.3	57	0.1	4.8	12.4	902	3.05	576.6	5.2	14.0	11.9	49	0.2	3.8	<0.1	40
REP 1401977	QC			1.5	12.2	10.6	55	0.1	4.8	12.1	878	2.89	578.9	4.7	14.1	11.0	47	0.2	3.9	<0.1	39
1401980	Rock Pulp	0.12	18	2.5	25.1	2.4	44	0.2	23.9	10.8	406	2.48	5.1	0.3	<0.5	0.9	42	0.1	0.2	<0.1	57
REP 1401980	QC		4																		
1402009	Rock Chip	1.57	<2	1.2	5.8	12.8	46	<0.1	3.7	9.7	810	2.70	16.2	4.4	<0.5	15.3	44	<0.1	1.8	<0.1	37
REP 1402009	QC			1.2	5.5	12.3	47	<0.1	3.6	10.0	824	2.69	16.5	4.3	<0.5	14.8	45	0.1	1.8	<0.1	37
1402021	Rock Pulp	0.15	1528	8.6	48.1	5.8	49	0.2	32.1	9.2	469	3.13	6.8	0.3	1031	1.0	45	0.1	1.0	<0.1	60
REP 1402021	QC		1668																		
1402044	Rock Chip	2.21	<2	2.6	5.0	3.9	41	<0.1	4.5	8.2	517	2.64	1.8	4.4	<0.5	11.4	68	<0.1	0.9	<0.1	62
REP 1402044	QC			2.6	5.8	4.1	41	<0.1	4.2	8.3	506	2.64	1.3	5.1	0.6	11.9	69	<0.1	0.8	<0.1	60
1402055	Rock Chip	2.05	<2	2.1	6.7	6.0	50	<0.1	4.2	10.1	646	2.88	1.8	4.9	<0.5	14.4	70	<0.1	2.0	<0.1	55
REP 1402055	QC		<2																		
Core Reject Duplicates																					
1401989	Rock Chip	2.14	<2	1.5	8.2	3.7	48	<0.1	3.7	10.1	746	2.90	14.7	2.8	10.5	15.0	72	<0.1	2.9	<0.1	56
DUP 1401989	QC		3	1.4	7.9	3.7	47	<0.1	3.9	9.9	729	2.94	13.2	3.0	4.7	14.6	71	<0.1	2.8	<0.1	56
1402024	Rock Chip	0.92	<2	1.9	7.9	4.6	54	<0.1	4.8	11.5	606	3.20	2.3	3.5	<0.5	13.3	54	<0.1	0.7	<0.1	70
DUP 1402024	QC		<2	2.0	7.3	4.5	52	<0.1	5.1	10.8	587	3.06	2.0	3.3	<0.5	13.4	52	<0.1	0.6	<0.1	68
1402059	Rock Chip	1.65	<2	1.6	7.6	6.1	31	<0.1	2.8	6.3	438	1.96	1.8	4.8	<0.5	15.6	100	<0.1	2.5	<0.1	37
DUP 1402059	QC		<2	1.6	7.3	6.4	33	<0.1	2.7	6.5	470	2.10	1.6	4.8	0.6	15.9	110	<0.1	2.3	<0.1	39
Reference Materials																					
STD DS9	Standard			13.0	114.6	126.3	301	1.9	42.9	7.9	571	2.40	22.2	2.6	106.2	6.2	66	2.3	4.2	6.2	40
STD DS9	Standard			13.9	119.0	130.0	324	2.0	44.3	8.0	608	2.51	28.5	2.8	102.7	7.0	79	2.6	5.2	7.0	41
STD DS9	Standard			11.9	113.7	124.1	308	1.5	40.2	7.8	566	2.31	25.7	2.8	102.1	6.6	74	2.4	4.6	6.0	38
STD DS9	Standard			11.9	110.7	124.2	312	1.9	39.2	7.6	625	2.36	25.3	3.0	99.6	6.9	72	2.3	3.8	6.6	39
STD OREAS45CA	Standard			0.9	460.9	18.8	55	0.3	231.6	89.3	847	14.29	3.3	1.1	40.8	7.0	13	<0.1	0.1	0.2	206
STD OREAS45CA	Standard			0.9	541.9	21.3	60	0.3	278.6	98.6	1020	16.85	3.7	1.3	38.6	7.5	16	0.1	<0.1	0.2	235
STD OREAS45CA	Standard			0.9	500.6	20.4	58	0.3	239.9	93.9	913	15.35	3.4	1.3	32.6	7.8	16	<0.1	0.1	<0.1	208
STD OREAS45CA	Standard			0.9	542.7	20.8	65	0.3	279.8	99.2	996	16.50	3.3	1.2	39.6	7.5	16	<0.1	0.1	0.5	234

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 29, 2012

QUALITY CONTROL REPORT WHI12000100.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
1401977	Rock Chip	3.28	0.056	17	11	0.38	381	0.016	<20	1.09	0.005	0.29	0.3	0.31	0.3	<0.05	9.7	<0.5	4	<0.2
REP 1401977	QC	3.12	0.053	16	11	0.37	343	0.015	<20	1.07	0.004	0.28	0.4	0.30	0.3	<0.05	9.7	<0.5	4	<0.2
1401980	Rock Pulp	0.84	0.063	4	32	0.81	97	0.121	<20	1.66	0.078	0.12	12.5	0.01	<0.1	<0.05	4.4	<0.5	6	<0.2
REP 1401980	QC																			
1402009	Rock Chip	1.78	0.043	23	9	0.59	285	0.001	<20	0.72	0.002	0.09	0.3	0.35	<0.1	0.12	7.9	<0.5	2	<0.2
REP 1402009	QC	1.88	0.044	22	9	0.61	277	<0.001	<20	0.72	0.003	0.09	0.3	0.36	<0.1	0.11	7.8	<0.5	2	<0.2
1402021	Rock Pulp	0.79	0.055	4	32	0.77	102	0.140	<20	1.63	0.088	0.13	0.3	0.06	<0.1	<0.05	4.9	<0.5	5	<0.2
REP 1402021	QC																			
1402044	Rock Chip	1.09	0.041	18	22	0.81	646	0.159	<20	1.37	0.114	0.43	2.8	<0.01	0.3	<0.05	4.3	<0.5	5	<0.2
REP 1402044	QC	1.10	0.044	18	22	0.80	666	0.161	<20	1.42	0.113	0.43	3.0	<0.01	0.3	<0.05	4.3	<0.5	5	<0.2
1402055	Rock Chip	1.51	0.048	24	19	1.04	96	0.029	<20	1.47	0.050	0.11	0.2	<0.01	<0.1	<0.05	6.2	<0.5	6	<0.2
REP 1402055	QC																			
Core Reject Duplicates																				
1401989	Rock Chip	2.46	0.054	28	14	0.77	833	0.115	<20	1.50	0.067	0.53	0.2	0.01	0.3	<0.05	7.5	<0.5	6	<0.2
DUP 1401989	QC	2.40	0.053	26	14	0.76	803	0.114	<20	1.52	0.076	0.54	0.2	0.02	0.3	<0.05	7.4	<0.5	5	<0.2
1402024	Rock Chip	1.32	0.057	19	21	0.99	420	0.157	<20	1.47	0.070	0.29	0.5	<0.01	0.2	<0.05	5.4	<0.5	6	<0.2
DUP 1402024	QC	1.28	0.058	20	21	0.94	415	0.148	<20	1.41	0.061	0.27	0.5	<0.01	0.2	<0.05	5.4	<0.5	6	<0.2
1402059	Rock Chip	1.46	0.027	25	13	0.52	420	0.039	<20	1.07	0.044	0.33	0.2	<0.01	0.2	<0.05	4.0	<0.5	4	<0.2
DUP 1402059	QC	1.51	0.029	25	13	0.54	454	0.042	<20	1.14	0.047	0.35	0.2	<0.01	0.2	<0.05	4.3	<0.5	4	<0.2
Reference Materials																				
STD DS9	Standard	0.71	0.079	12	125	0.62	311	0.111	<20	0.95	0.082	0.40	2.9	0.19	5.4	0.17	2.2	5.1	4	4.7
STD DS9	Standard	0.77	0.091	13	129	0.67	342	0.116	<20	1.07	0.090	0.43	2.7	0.21	5.9	0.17	2.5	6.2	5	5.3
STD DS9	Standard	0.69	0.082	12	122	0.61	313	0.118	<20	0.94	0.080	0.38	2.8	0.19	5.4	0.16	2.3	5.1	4	4.9
STD DS9	Standard	0.74	0.075	13	130	0.65	317	0.116	<20	0.99	0.086	0.41	2.7	0.28	6.0	0.16	2.5	5.0	5	5.3
STD OREAS45CA	Standard	0.39	0.034	15	722	0.13	153	0.126	<20	3.30	0.007	0.07	<0.1	0.03	0.1	<0.05	38.6	<0.5	18	<0.2
STD OREAS45CA	Standard	0.47	0.042	16	816	0.14	165	0.157	<20	3.99	0.007	0.07	<0.1	0.03	<0.1	<0.05	43.9	<0.5	20	<0.2
STD OREAS45CA	Standard	0.41	0.039	16	656	0.15	162	0.150	<20	3.42	0.007	0.06	<0.1	0.03	<0.1	<0.05	42.7	<0.5	18	<0.2
STD OREAS45CA	Standard	0.44	0.040	17	823	0.15	168	0.162	<20	4.00	0.007	0.07	<0.1	0.07	<0.1	<0.05	47.2	<0.5	20	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 29, 2012

QUALITY CONTROL REPORT WHI12000100.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
STD OXC88	Standard		205																		
STD OXC88	Standard		198																		
STD OXC88	Standard		208																		
STD OXC88	Standard		211																		
STD OXC88	Standard		208																		
STD OXG99	Standard		992																		
STD OXG99	Standard		952																		
STD OXG99	Standard		924																		
STD OXG99	Standard		991																		
STD OXG99	Standard		976																		
STD OXC88 Expected			203																		
STD OXG99 Expected			932																		
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		4																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		4																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.02	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		3																		
BLK	Blank			<0.1	0.2	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank		28	0.2	3.3	3.5	49	<0.1	2.6	4.5	609	2.11	0.7	1.9	1.9	6.8	75	<0.1	<0.1	0.1	39

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 29, 2012

QUALITY CONTROL REPORT WHI12000100.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXC88 Expected																				
STD OXG99 Expected																				
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																				
G1-WHI	Prep Blank	0.60	0.084	16	9	0.55	172	0.138	<20	1.11	0.107	0.52	<0.1	<0.01	0.3	<0.05	2.6	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 29, 2012

QUALITY CONTROL REPORT WHI12000100.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
G1-WHI	Prep Blank		15	0.2	3.0	3.7	49	<0.1	3.4	5.0	613	2.09	<0.5	2.0	1.7	6.9	61	<0.1	<0.1	<0.1	40

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 29, 2012

QUALITY CONTROL REPORT WHI12000100.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
G1-WHI	Prep Blank	0.60	0.088	14	10	0.63	197	0.147	<20	1.04	0.097	0.58	<0.1	<0.01	0.3	<0.05	2.6	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: June 19, 2012
Report Date: July 03, 2012
Page: 1 of 6

CERTIFICATE OF ANALYSIS WHI12000117.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET007
P.O. Number
Number of Samples: 126

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	114	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	126	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	126	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
G6Gr	1	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 03, 2012

CERTIFICATE OF ANALYSIS WHI12000117.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402085	Rock	0.23	75	3.1	13.9	17.1	51	0.3	7.5	9.7	623	3.10	1057	2.7	74.9	12.5	43	0.1	9.5	<0.1	25
1402086	Rock	1.67	72	2.5	32.5	24.5	72	1.5	5.1	12.3	1366	2.74	840.5	3.0	72.2	12.8	40	0.3	8.1	<0.1	12
1402087	Rock	2.78	265	1.6	9.0	9.7	59	0.4	2.2	8.3	845	2.47	2512	3.4	246.0	7.2	35	0.3	11.4	<0.1	6
1402088	Rock	2.53	397	3.2	11.2	8.8	47	0.5	5.3	12.9	1742	2.86	3796	5.0	416.5	8.1	67	0.3	14.0	<0.1	5
1402089	Rock	2.27	99	3.4	9.8	17.4	62	0.2	3.9	9.6	620	2.34	1722	4.8	128.4	9.1	32	<0.1	14.7	<0.1	9
1402090	Rock	2.25	44	4.2	13.3	13.0	33	<0.1	4.5	10.3	697	2.59	1621	7.3	59.7	7.1	21	<0.1	26.0	<0.1	29
1402091	Rock	2.85	8	2.7	23.6	14.6	74	<0.1	5.6	14.7	1444	3.84	603.6	4.6	17.9	9.3	18	0.2	11.5	<0.1	52
1402092	Rock	2.47	29	2.4	14.8	16.4	61	<0.1	4.6	12.6	985	3.98	692.1	4.6	32.4	11.7	24	0.1	13.3	<0.1	53
1402093	Rock	2.94	2	1.4	8.6	17.0	60	<0.1	4.6	10.3	807	2.92	183.2	3.2	3.8	10.4	19	0.1	5.3	<0.1	58
1402094	Rock	2.82	5	1.4	8.1	13.0	46	<0.1	4.5	13.5	1282	3.38	163.6	3.3	5.8	12.7	16	0.1	6.6	<0.1	43
1402095	Rock	1.77	15	1.7	15.8	15.3	86	<0.1	6.3	18.7	1663	4.48	243.5	4.1	14.8	10.9	22	0.2	6.4	<0.1	98
1402096	Rock	2.65	186	2.8	8.5	28.8	132	0.1	5.8	14.4	669	3.24	2008	4.4	187.0	12.8	35	0.6	11.5	<0.1	24
1402097	Rock	2.83	469	27.0	9.3	11.3	50	0.8	2.8	3.1	179	2.76	3653	3.2	488.0	7.0	32	0.3	21.0	<0.1	9
1402098	Rock	2.80	10	3.8	17.1	13.3	56	<0.1	5.3	13.1	1203	3.12	478.5	4.5	9.1	8.1	31	0.1	8.6	<0.1	50
1402099	Rock	3.31	66	3.0	11.8	15.3	104	0.2	5.6	14.7	1133	3.37	1151	5.3	69.7	8.0	24	0.3	20.4	<0.1	29
1402100	Rock Pulp	0.12	6	2.3	25.5	2.3	42	0.3	23.9	10.5	389	2.33	5.2	0.2	4.2	1.0	39	0.2	0.2	<0.1	57
1402101	Rock Pulp	0.12	1464	8.9	50.8	6.3	51	0.2	33.5	9.4	486	3.25	7.1	0.3	846.9	1.1	44	0.1	1.1	0.1	66
1402102	Rock	2.94	41	2.0	8.4	13.8	57	<0.1	4.8	10.6	1003	2.68	577.8	3.6	33.4	7.2	35	0.2	9.5	<0.1	42
1402103	Rock	2.01	35	2.5	10.0	17.0	116	0.1	4.7	12.3	1157	4.18	759.8	5.8	34.0	9.6	26	0.3	20.2	<0.1	55
1402104	Rock	2.40	76	1.5	12.4	15.4	65	<0.1	4.6	13.5	898	3.70	378.6	4.2	12.9	11.1	17	0.2	9.2	<0.1	62
1402105	Rock	2.42	4	2.5	9.0	12.7	68	<0.1	5.1	14.9	1902	4.00	248.8	5.9	1.3	14.6	15	0.1	7.6	<0.1	60
1402106	Rock	2.32	25	3.2	10.3	15.9	112	<0.1	5.9	17.2	1446	4.75	881.5	8.5	23.8	19.4	17	0.1	18.9	<0.1	70
1402107	Rock	2.64	93	2.4	9.4	14.7	65	<0.1	4.7	12.2	1021	3.42	525.1	7.2	86.9	16.1	14	<0.1	12.7	<0.1	56
1402108	Rock	2.53	6	1.0	7.3	6.2	59	<0.1	4.3	10.9	601	3.19	60.0	4.4	7.3	18.2	44	<0.1	5.3	<0.1	50
1402109	Rock	2.44	2	1.6	13.6	3.7	46	<0.1	4.9	10.3	698	2.73	14.3	2.8	3.0	13.1	58	<0.1	2.6	<0.1	59
1402110	Rock	2.53	5	2.7	24.4	3.4	46	<0.1	5.1	10.2	674	2.85	11.5	2.3	3.8	13.3	55	<0.1	2.0	<0.1	61
1402111	Rock	2.53	<2	3.9	39.1	4.4	54	<0.1	4.8	11.7	699	3.06	15.0	3.2	0.9	13.7	52	<0.1	1.0	<0.1	67
1402112	Rock	2.96	3	1.7	9.4	3.4	47	<0.1	4.9	10.1	633	2.92	5.0	2.9	<0.5	16.4	51	<0.1	0.9	<0.1	59
1402113	Rock	2.32	<2	1.5	8.7	3.5	48	<0.1	4.8	10.5	713	2.88	4.8	2.5	<0.5	13.5	66	<0.1	0.7	<0.1	66
1402114	Rock	2.71	2	1.1	6.6	5.2	47	<0.1	4.5	10.8	705	2.69	5.0	2.6	<0.5	13.7	58	<0.1	0.4	<0.1	58

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 03, 2012

CERTIFICATE OF ANALYSIS WHI12000117.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1402085	Rock	0.86	0.048	14	9	0.05	128	0.001	<20	0.54	0.006	0.16	0.5	0.37	0.9	0.06	7.9	<0.5	1	<0.2	
1402086	Rock	2.81	0.051	17	5	0.08	175	<0.001	<20	0.34	0.004	0.20	0.6	0.19	1.2	<0.05	8.6	<0.5	<1	<0.2	
1402087	Rock	1.95	0.027	9	3	0.10	353	<0.001	<20	0.22	0.003	0.17	1.2	0.16	0.5	<0.05	4.1	<0.5	<1	<0.2	
1402088	Rock	2.19	0.032	10	6	0.06	145	<0.001	<20	0.27	0.005	0.19	0.8	0.10	2.2	<0.05	3.8	<0.5	<1	<0.2	
1402089	Rock	0.43	0.027	12	5	0.03	362	<0.001	<20	0.39	0.001	0.14	0.3	0.59	1.5	<0.05	4.0	<0.5	<1	<0.2	
1402090	Rock	0.20	0.029	9	7	0.02	509	<0.001	<20	0.41	<0.001	0.05	0.2	0.64	1.6	<0.05	6.6	<0.5	<1	<0.2	
1402091	Rock	1.96	0.052	13	7	0.05	623	0.001	<20	0.47	0.001	0.09	0.2	0.47	1.3	<0.05	12.6	<0.5	1	<0.2	
1402092	Rock	1.24	0.042	16	8	0.04	3727	<0.001	<20	0.48	0.001	0.06	0.2	0.69	1.9	0.10	10.5	<0.5	1	<0.2	
1402093	Rock	1.11	0.051	13	9	0.04	2387	0.001	<20	0.61	<0.001	0.02	0.2	0.25	0.8	<0.05	12.0	<0.5	2	<0.2	
1402094	Rock	1.82	0.053	20	7	0.05	371	<0.001	<20	0.57	0.001	0.10	0.2	0.27	1.5	<0.05	10.1	<0.5	1	<0.2	
1402095	Rock	2.54	0.069	17	13	0.06	666	0.002	<20	0.70	0.001	0.07	0.1	0.39	2.1	<0.05	18.0	<0.5	2	<0.2	
1402096	Rock	0.63	0.047	16	7	0.03	665	<0.001	<20	0.42	0.003	0.15	0.3	0.71	2.6	0.07	7.5	<0.5	1	<0.2	
1402097	Rock	0.14	0.023	9	5	0.02	238	<0.001	<20	0.28	0.006	0.23	0.8	0.35	2.5	0.23	2.2	<0.5	<1	<0.2	
1402098	Rock	2.54	0.039	9	9	0.32	130	<0.001	<20	0.49	0.002	0.04	0.3	0.37	1.5	0.16	10.2	<0.5	1	<0.2	
1402099	Rock	0.51	0.032	10	8	0.05	1079	<0.001	<20	0.44	0.001	0.09	0.4	0.64	3.8	0.17	7.4	<0.5	1	<0.2	
1402100	Rock Pulp	0.79	0.059	4	31	0.75	93	0.117	<20	1.50	0.072	0.12	11.8	<0.01	0.1	<0.05	4.3	<0.5	5	<0.2	
1402101	Rock Pulp	0.84	0.061	5	34	0.84	109	0.128	<20	1.73	0.094	0.15	0.3	0.07	<0.1	<0.05	5.0	<0.5	6	<0.2	
1402102	Rock	1.41	0.039	8	9	0.29	1510	<0.001	<20	0.54	0.001	0.04	0.3	0.41	0.8	0.24	9.3	<0.5	1	<0.2	
1402103	Rock	1.47	0.033	15	9	0.08	796	<0.001	<20	0.43	<0.001	0.04	0.4	0.89	1.8	0.13	9.6	<0.5	1	<0.2	
1402104	Rock	0.44	0.050	17	8	0.05	2826	0.001	<20	0.51	<0.001	0.04	0.2	0.50	1.2	0.18	12.2	<0.5	2	<0.2	
1402105	Rock	0.80	0.060	23	9	0.05	1911	0.001	<20	0.55	<0.001	0.06	0.2	0.54	1.9	<0.05	14.9	<0.5	2	<0.2	
1402106	Rock	0.23	0.072	31	10	0.04	464	0.001	<20	0.54	<0.001	0.05	0.2	1.35	2.3	<0.05	15.9	<0.5	2	<0.2	
1402107	Rock	0.18	0.056	26	9	0.05	322	0.002	<20	0.53	<0.001	0.05	0.2	0.84	2.0	<0.05	12.2	<0.5	2	<0.2	
1402108	Rock	1.06	0.048	31	9	0.43	587	0.074	<20	1.08	0.038	0.39	0.1	0.17	0.6	<0.05	7.7	<0.5	4	<0.2	
1402109	Rock	1.36	0.048	22	13	0.60	790	0.132	<20	1.14	0.080	0.53	0.2	0.08	0.5	<0.05	7.5	<0.5	5	<0.2	
1402110	Rock	1.22	0.049	20	14	0.68	842	0.154	<20	1.33	0.111	0.63	0.4	0.06	0.6	<0.05	6.9	<0.5	5	<0.2	
1402111	Rock	1.64	0.054	23	12	0.95	917	0.137	<20	1.43	0.059	0.65	0.2	0.05	0.5	<0.05	9.1	<0.5	5	<0.2	
1402112	Rock	1.09	0.052	28	14	0.65	687	0.119	<20	1.16	0.095	0.49	0.1	0.03	0.3	<0.05	7.3	<0.5	4	<0.2	
1402113	Rock	1.64	0.053	23	17	0.79	894	0.160	<20	1.36	0.091	0.66	0.2	0.02	0.4	<0.05	9.0	<0.5	5	<0.2	
1402114	Rock	2.12	0.048	24	12	0.94	779	0.100	<20	1.29	0.045	0.50	0.1	0.02	0.4	<0.05	8.7	<0.5	5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 03, 2012

CERTIFICATE OF ANALYSIS WHI12000117.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402115	Rock	2.57	4	1.2	7.0	4.1	53	<0.1	4.8	10.8	741	2.96	7.1	3.9	<0.5	14.3	53	<0.1	0.6	<0.1	61
1402116	Rock	3.22	2	1.7	8.4	3.2	47	<0.1	5.5	9.5	658	2.80	7.1	4.0	<0.5	14.7	55	<0.1	0.4	<0.1	66
1402117	Rock	3.16	2	1.4	9.3	3.5	47	<0.1	5.0	9.8	633	2.76	6.2	3.1	<0.5	14.5	55	<0.1	0.5	<0.1	65
1402118	Rock	3.27	3	1.7	10.8	39.6	115	0.1	4.6	8.9	621	2.76	10.0	3.3	3.4	13.8	64	0.4	0.8	<0.1	63
1402119	Rock	2.84	<2	3.2	23.0	3.1	44	<0.1	4.9	8.1	575	2.70	2.2	3.0	1.3	14.4	55	<0.1	0.4	<0.1	61
1402120	Rock Pulp	0.12	4	2.4	23.2	2.3	42	0.3	23.5	9.7	397	2.39	4.5	0.2	1.5	0.9	41	0.2	0.2	<0.1	58
1402121	Rock Pulp	0.12	3929	9.4	65.4	468.7	1691	54.8	30.8	8.2	416	3.27	32.4	0.4	3120	1.1	36	15.9	55.1	1.0	53
1402122	Rock	2.89	4	1.4	8.1	9.1	49	<0.1	4.5	8.9	751	2.72	4.4	3.8	2.0	14.6	69	0.1	0.9	<0.1	58
1402123	Rock	2.37	2	1.3	6.2	6.6	52	<0.1	4.3	8.9	562	2.87	5.2	3.2	<0.5	12.9	71	<0.1	1.0	<0.1	55
1402124	Rock	1.49	3	0.8	7.8	7.7	52	<0.1	4.0	10.3	678	3.09	2.9	3.5	1.2	13.3	80	<0.1	1.0	<0.1	73
1402125	Rock	0.90	<2	0.8	8.0	7.8	52	<0.1	4.0	10.3	675	3.07	3.9	3.0	<0.5	14.0	74	0.1	1.0	<0.1	68
1402126	Rock	2.59	<2	1.4	7.1	4.4	52	<0.1	5.6	10.2	712	2.97	4.2	3.6	<0.5	14.1	94	<0.1	1.1	<0.1	71
1402127	Rock	3.17	<2	1.5	7.1	4.0	51	<0.1	4.7	9.7	734	2.94	3.0	3.3	<0.5	12.2	106	<0.1	1.0	<0.1	64
1402128	Rock	2.90	<2	1.8	7.6	2.8	45	<0.1	5.6	8.8	565	2.79	2.9	3.3	<0.5	14.2	54	<0.1	0.7	<0.1	63
1402129	Rock	2.91	5	1.4	11.0	6.7	53	<0.1	4.7	11.2	933	3.05	24.9	3.9	3.8	14.5	109	<0.1	3.6	<0.1	55
1402130	Rock	2.67	<2	1.8	8.9	3.8	53	<0.1	5.3	9.9	688	2.99	2.8	3.7	<0.5	14.6	76	<0.1	1.9	<0.1	59
1402131	Rock	3.65	<2	1.3	5.2	5.1	43	<0.1	4.6	10.8	679	2.54	4.9	3.9	<0.5	12.4	60	<0.1	2.4	<0.1	49
1402132	Rock	3.00	<2	1.5	5.7	4.7	49	<0.1	4.6	9.4	631	2.99	10.8	3.6	0.7	14.0	80	<0.1	4.4	<0.1	58
1402133	Rock	3.46	<2	1.6	1.5	9.8	20	<0.1	2.1	1.3	249	1.08	26.6	2.7	<0.5	19.5	25	<0.1	3.8	<0.1	<2
1402134	Rock	2.27	<2	1.7	2.8	9.5	18	<0.1	2.2	0.9	256	1.10	20.5	2.9	<0.5	21.9	29	<0.1	4.2	<0.1	<2
1402135	Rock	3.20	<2	1.5	3.1	8.4	17	<0.1	1.8	0.8	239	0.89	4.3	2.6	<0.5	22.2	20	<0.1	2.5	<0.1	<2
1402136	Rock	2.29	<2	3.2	21.4	14.8	17	<0.1	2.5	1.0	361	1.00	6.4	3.1	<0.5	20.0	20	<0.1	2.5	<0.1	<2
1402137	Rock	2.46	<2	1.8	5.2	9.7	18	<0.1	1.8	0.7	293	1.09	6.9	3.3	<0.5	20.0	29	<0.1	3.2	<0.1	<2
1402138	Rock	2.38	4	2.2	5.0	11.4	16	<0.1	2.5	0.7	373	1.01	15.0	4.4	2.7	18.1	38	<0.1	2.9	<0.1	<2
1402139	Rock	2.77	<2	1.9	3.5	7.5	13	<0.1	2.2	0.8	344	1.01	2.3	3.7	<0.5	19.3	30	<0.1	2.0	<0.1	<2
1402140	Rock Pulp	0.12	2	2.4	24.7	2.3	43	0.3	23.2	10.5	432	2.40	5.1	0.3	<0.5	1.0	42	0.2	0.2	<0.1	58
1402141	Rock Pulp	0.12	1476	8.4	45.1	5.8	49	0.2	31.0	9.0	514	3.29	6.9	0.3	932.0	1.1	45	0.1	1.1	0.1	65
1402142	Rock	2.98	3	1.9	6.1	4.9	35	<0.1	3.9	6.5	559	2.18	2.9	4.0	0.6	14.7	61	<0.1	2.6	<0.1	41
1402143	Rock	3.31	<2	1.7	6.1	2.8	48	<0.1	4.9	8.6	613	2.68	2.9	3.0	1.0	13.8	58	<0.1	1.6	<0.1	60
1402144	Rock	3.79	<2	1.7	6.5	3.5	44	<0.1	4.9	9.5	631	2.70	3.3	4.1	<0.5	13.8	62	<0.1	1.8	<0.1	57

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 03, 2012

CERTIFICATE OF ANALYSIS WHI12000117.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1402115	Rock	1.71	0.050	26	13	0.88	843	0.122	<20	1.45	0.052	0.61	<0.1	0.04	0.4	<0.05	8.5	<0.5	6	<0.2	
1402116	Rock	1.04	0.049	24	16	0.69	919	0.167	<20	1.30	0.120	0.67	0.2	0.03	0.4	<0.05	7.1	<0.5	5	<0.2	
1402117	Rock	1.36	0.055	27	14	0.82	932	0.183	<20	1.42	0.105	0.72	0.3	<0.01	0.4	<0.05	7.0	<0.5	5	<0.2	
1402118	Rock	1.17	0.046	23	16	0.73	990	0.181	<20	1.36	0.138	0.70	0.4	0.04	0.5	<0.05	6.9	<0.5	5	<0.2	
1402119	Rock	1.00	0.049	24	18	0.72	954	0.187	<20	1.40	0.154	0.72	0.6	0.02	0.4	<0.05	5.5	<0.5	5	<0.2	
1402120	Rock Pulp	0.84	0.057	4	30	0.80	97	0.120	<20	1.57	0.082	0.14	13.0	0.02	<0.1	<0.05	4.5	<0.5	5	<0.2	
1402121	Rock Pulp	0.71	0.054	5	27	0.60	115	0.112	<20	1.23	0.082	0.12	2.2	0.22	1.1	0.34	4.5	<0.5	7	<0.2	
1402122	Rock	2.47	0.047	24	13	0.92	693	0.114	<20	1.24	0.059	0.51	0.2	0.03	0.3	<0.05	7.5	<0.5	5	<0.2	
1402123	Rock	1.70	0.048	20	13	0.82	660	0.091	<20	1.52	0.046	0.49	0.2	0.02	0.3	<0.05	8.4	<0.5	6	<0.2	
1402124	Rock	2.09	0.058	23	11	1.06	944	0.132	<20	1.75	0.008	0.73	0.3	0.02	0.4	<0.05	10.7	0.6	7	<0.2	
1402125	Rock	2.05	0.059	23	10	1.03	839	0.122	<20	1.63	0.008	0.66	0.3	<0.01	0.4	<0.05	11.0	<0.5	7	<0.2	
1402126	Rock	2.05	0.051	25	17	0.90	984	0.156	<20	1.59	0.078	0.73	0.2	0.02	0.4	<0.05	9.2	<0.5	6	<0.2	
1402127	Rock	2.38	0.052	21	15	0.86	858	0.135	<20	1.53	0.078	0.64	0.3	<0.01	0.4	<0.05	8.4	<0.5	6	<0.2	
1402128	Rock	1.06	0.054	23	18	0.77	850	0.172	<20	1.37	0.127	0.63	0.3	<0.01	0.4	<0.05	6.3	<0.5	5	<0.2	
1402129	Rock	2.36	0.054	25	12	0.73	519	0.056	<20	0.99	0.055	0.32	0.2	0.26	0.7	0.22	9.7	<0.5	4	<0.2	
1402130	Rock	1.58	0.051	25	17	0.76	831	0.131	<20	1.37	0.084	0.59	0.2	0.03	0.4	<0.05	8.3	<0.5	6	<0.2	
1402131	Rock	1.70	0.051	22	13	0.69	555	0.073	<20	1.05	0.046	0.40	0.2	0.06	0.3	<0.05	9.0	<0.5	4	<0.2	
1402132	Rock	1.30	0.056	25	13	0.70	737	0.089	<20	1.46	0.057	0.51	<0.1	0.03	0.3	<0.05	9.1	<0.5	5	<0.2	
1402133	Rock	0.36	0.006	34	7	0.09	138	0.004	<20	0.61	0.004	0.12	0.2	0.09	<0.1	<0.05	1.6	<0.5	2	<0.2	
1402134	Rock	0.52	0.004	35	8	0.08	108	0.003	<20	0.62	0.012	0.10	0.2	0.04	<0.1	<0.05	1.5	<0.5	2	<0.2	
1402135	Rock	0.30	0.003	33	6	0.07	65	0.001	<20	0.46	0.003	0.08	0.2	0.05	<0.1	<0.05	1.2	<0.5	2	<0.2	
1402136	Rock	0.46	0.004	27	5	0.09	517	<0.001	<20	0.36	0.003	0.08	0.3	0.04	<0.1	<0.05	1.6	<0.5	<1	<0.2	
1402137	Rock	0.51	0.005	31	7	0.07	200	<0.001	<20	0.44	0.015	0.12	0.2	0.03	0.1	<0.05	1.3	<0.5	2	<0.2	
1402138	Rock	0.45	0.003	25	9	0.14	125	<0.001	<20	0.44	0.007	0.17	0.6	0.04	0.3	0.06	0.9	<0.5	1	<0.2	
1402139	Rock	0.45	0.004	30	9	0.07	81	<0.001	<20	0.34	0.027	0.12	0.4	0.03	0.1	<0.05	1.2	<0.5	1	<0.2	
1402140	Rock Pulp	0.85	0.060	4	31	0.79	98	0.125	<20	1.61	0.083	0.14	12.3	0.01	<0.1	<0.05	4.5	<0.5	5	<0.2	
1402141	Rock Pulp	0.87	0.057	4	35	0.84	107	0.139	<20	1.76	0.107	0.16	0.3	0.06	<0.1	<0.05	5.2	0.6	6	<0.2	
1402142	Rock	1.12	0.033	23	15	0.48	624	0.099	<20	1.03	0.090	0.45	0.4	0.03	0.4	<0.05	5.5	<0.5	4	<0.2	
1402143	Rock	1.07	0.046	24	17	0.69	813	0.161	<20	1.30	0.116	0.63	0.4	0.02	0.4	<0.05	6.6	<0.5	5	<0.2	
1402144	Rock	1.26	0.048	24	18	0.74	704	0.121	<20	1.42	0.110	0.51	0.3	0.04	0.4	<0.05	6.9	<0.5	5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 03, 2012

CERTIFICATE OF ANALYSIS WHI12000117.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402145	Rock	3.12	3	2.3	6.0	4.7	34	<0.1	4.2	5.7	477	2.05	4.2	3.6	<0.5	16.0	43	<0.1	2.0	<0.1	35
1402146	Rock	2.78	4	2.6	6.4	7.7	19	<0.1	3.0	0.8	243	1.21	9.4	2.9	1.2	19.3	23	<0.1	3.1	<0.1	<2
1402147	Rock	2.38	2	2.3	5.8	6.4	18	<0.1	3.1	0.8	314	1.15	8.1	3.6	0.6	18.9	19	<0.1	2.2	<0.1	<2
1402148	Rock	2.69	<2	2.7	5.8	7.5	16	<0.1	3.6	0.8	349	1.11	12.7	4.6	<0.5	21.5	21	<0.1	2.6	<0.1	<2
1402149	Rock	2.71	4	2.3	7.2	7.3	18	<0.1	2.6	0.8	344	1.16	5.0	4.3	0.8	20.6	24	<0.1	2.8	<0.1	<2
1402150	Rock	3.11	3	1.8	4.6	8.6	15	<0.1	2.3	0.7	333	1.08	9.0	4.5	2.2	19.9	22	<0.1	2.3	<0.1	<2
1402151	Rock	2.65	3	2.0	6.6	8.5	17	<0.1	2.5	0.6	307	1.05	18.2	3.6	0.6	20.7	23	<0.1	2.7	<0.1	<2
1402152	Rock	2.96	2	2.4	4.2	6.4	13	<0.1	2.5	0.8	284	1.04	4.5	3.2	<0.5	20.3	24	<0.1	2.0	<0.1	<2
1402153	Rock	3.06	<2	3.1	3.5	24.6	18	0.1	3.0	1.1	299	1.14	3.5	2.7	<0.5	18.3	24	<0.1	1.2	<0.1	3
1402154	Rock	2.68	<2	2.4	6.2	36.6	45	0.1	4.5	7.8	564	2.63	1.1	3.6	<0.5	15.0	47	<0.1	0.6	<0.1	54
1402155	Rock	2.87	<2	2.7	4.1	6.6	36	<0.1	5.2	6.5	452	2.27	0.9	3.1	<0.5	12.4	39	<0.1	0.5	<0.1	50
1402156	Rock	2.70	47	2.7	2.8	14.6	26	<0.1	5.0	2.2	372	1.27	353.2	3.8	39.8	15.5	49	<0.1	3.1	<0.1	10
1402157	Rock	3.12	24	2.9	6.8	14.6	21	0.1	2.5	1.8	292	1.19	93.1	4.8	22.1	15.7	29	<0.1	4.5	<0.1	9
1402158	Rock	3.03	<2	1.8	9.1	4.9	48	<0.1	4.3	9.5	598	2.90	1.7	3.5	<0.5	13.8	70	<0.1	1.7	<0.1	73
1402159	Rock	2.84	<2	1.9	6.1	4.7	46	<0.1	4.7	9.0	627	2.72	9.1	3.0	<0.5	14.4	77	<0.1	2.0	<0.1	65
1402160	Rock Pulp	0.12	4	2.4	22.8	2.2	39	0.3	21.3	9.6	381	2.24	4.6	0.2	<0.5	0.9	34	0.2	0.3	<0.1	52
1402161	Rock Pulp	0.12	3991	9.4	65.3	440.8	1579	51.2	29.3	7.8	379	3.04	29.3	0.3	3842	1.0	31	15.4	53.6	0.9	48
1402162	Rock	2.87	3	1.2	6.9	8.5	49	<0.1	4.5	10.0	627	2.91	96.5	3.7	14.7	11.1	104	<0.1	2.4	<0.1	68
1402163	Rock	2.66	2	2.6	8.8	3.9	46	<0.1	4.9	8.9	538	2.75	1.4	2.9	<0.5	14.4	56	<0.1	0.9	<0.1	69
1402164	Rock	2.81	3	2.4	7.0	3.6	43	<0.1	4.7	7.5	457	2.48	1.1	2.7	<0.5	12.1	48	<0.1	0.5	<0.1	61
1402165	Rock	3.00	3	2.5	6.8	3.7	43	<0.1	4.6	8.2	558	2.61	0.7	2.7	<0.5	12.7	61	<0.1	0.4	<0.1	63
1402166	Rock	2.30	2	1.1	5.4	5.5	50	<0.1	3.9	9.7	786	3.01	1.2	3.8	<0.5	14.2	147	<0.1	0.7	<0.1	65
1402167	Rock	2.83	3	2.5	6.2	4.9	44	<0.1	4.3	8.7	565	2.65	1.0	3.9	<0.5	13.9	73	<0.1	1.3	<0.1	56
1402168	Rock	2.17	2	2.5	8.3	3.6	42	<0.1	5.2	8.0	483	2.61	0.9	3.7	<0.5	16.6	55	<0.1	0.3	<0.1	64
1402169	Rock	2.73	<2	2.9	7.5	3.8	45	<0.1	5.3	7.8	458	2.48	<0.5	3.8	<0.5	12.8	46	<0.1	0.2	<0.1	57
1402170	Rock	1.16	4	1.5	30.0	4.4	56	<0.1	7.0	14.4	556	3.63	70.5	1.1	0.6	6.8	71	<0.1	0.3	<0.1	122
1402171	Rock	1.29	38	1.7	34.8	8.6	66	0.3	7.7	15.8	976	4.25	714.2	3.1	38.5	8.3	80	<0.1	1.8	1.5	125
1402172	Rock	1.95	289	1.4	27.4	27.0	112	0.5	7.1	17.7	1532	4.65	1192	4.5	213.3	10.2	98	0.1	3.5	1.6	131
1402173	Rock	2.68	25	1.5	28.1	4.4	58	0.1	6.4	14.5	765	3.83	356.1	2.0	19.7	7.6	83	0.1	0.9	0.5	123
1402174	Rock	0.60	14	1.3	38.2	8.7	67	0.2	7.2	16.8	789	4.46	196.5	1.9	9.1	6.3	92	<0.1	0.8	0.3	143

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 03, 2012

CERTIFICATE OF ANALYSIS WHI12000117.1

		Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
		Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
		Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
		MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1402145	Rock		0.82	0.030	26	17	0.47	484	0.088	<20	0.99	0.091	0.39	0.4	0.01	0.3	<0.05	3.9	<0.5	4	<0.2	
1402146	Rock		0.37	0.005	32	11	0.07	85	0.003	<20	0.45	0.034	0.11	0.4	0.02	0.1	<0.05	1.6	<0.5	2	<0.2	
1402147	Rock		0.35	0.004	31	13	0.06	84	0.005	<20	0.38	0.040	0.11	0.8	0.01	<0.1	<0.05	1.5	<0.5	2	<0.2	
1402148	Rock		0.39	0.005	33	13	0.06	90	0.003	<20	0.37	0.034	0.11	0.8	0.03	0.1	<0.05	1.4	<0.5	2	<0.2	
1402149	Rock		0.46	0.004	32	12	0.06	77	0.003	<20	0.35	0.036	0.11	1.0	0.02	0.1	0.06	1.4	<0.5	2	<0.2	
1402150	Rock		0.44	0.005	31	10	0.07	76	0.003	<20	0.45	0.022	0.12	0.9	0.03	0.1	0.10	1.3	<0.5	2	<0.2	
1402151	Rock		0.45	0.004	34	9	0.06	78	0.002	<20	0.42	0.019	0.11	0.7	0.03	0.1	0.09	1.3	<0.5	2	<0.2	
1402152	Rock		0.50	0.005	31	12	0.06	85	0.004	<20	0.36	0.033	0.12	0.7	0.01	<0.1	<0.05	1.1	<0.5	2	<0.2	
1402153	Rock		0.56	0.007	27	15	0.10	138	0.020	<20	0.41	0.037	0.17	0.6	0.01	0.2	<0.05	1.6	<0.5	2	<0.2	
1402154	Rock		0.89	0.047	27	18	0.67	780	0.161	<20	1.32	0.093	0.66	0.9	<0.01	0.5	<0.05	5.9	<0.5	5	<0.2	
1402155	Rock		0.71	0.040	20	21	0.60	728	0.164	<20	1.17	0.119	0.58	0.7	<0.01	0.4	<0.05	3.6	<0.5	4	<0.2	
1402156	Rock		1.24	0.010	25	15	0.28	209	0.026	<20	0.53	0.033	0.21	0.7	0.01	0.2	0.10	2.1	<0.5	2	<0.2	
1402157	Rock		0.62	0.010	24	13	0.13	156	0.017	<20	0.49	0.024	0.19	0.8	0.03	0.2	0.14	2.0	<0.5	2	<0.2	
1402158	Rock		1.28	0.056	25	18	0.83	893	0.193	<20	1.50	0.111	0.69	0.4	<0.01	0.5	<0.05	5.6	<0.5	6	<0.2	
1402159	Rock		1.30	0.044	26	19	0.83	943	0.164	<20	1.45	0.114	0.63	0.4	<0.01	0.4	<0.05	6.1	<0.5	6	<0.2	
1402160	Rock Pulp		0.71	0.057	3	29	0.73	90	0.102	<20	1.41	0.069	0.13	12.8	0.02	<0.1	<0.05	4.0	<0.5	5	<0.2	
1402161	Rock Pulp		0.62	0.052	5	26	0.56	103	0.093	<20	1.11	0.071	0.10	2.4	0.22	0.9	0.32	3.9	<0.5	6	<0.2	
1402162	Rock		1.48	0.050	20	15	0.89	1136	0.120	<20	1.63	0.049	0.71	0.3	0.07	0.4	0.10	6.6	<0.5	6	<0.2	
1402163	Rock		0.97	0.050	23	20	0.86	926	0.198	<20	1.47	0.132	0.71	0.6	<0.01	0.4	<0.05	5.5	<0.5	5	<0.2	
1402164	Rock		0.74	0.047	18	21	0.77	910	0.196	<20	1.42	0.136	0.67	0.9	<0.01	0.4	<0.05	3.6	<0.5	5	<0.2	
1402165	Rock		1.11	0.045	21	21	0.88	816	0.150	<20	1.41	0.119	0.51	0.7	<0.01	0.2	<0.05	5.2	<0.5	5	<0.2	
1402166	Rock		1.99	0.047	27	16	1.22	780	0.057	<20	1.87	0.040	0.52	0.2	<0.01	0.3	<0.05	8.1	<0.5	7	<0.2	
1402167	Rock		1.28	0.045	23	17	1.01	317	0.057	<20	1.46	0.081	0.23	0.4	<0.01	0.1	<0.05	7.3	<0.5	6	<0.2	
1402168	Rock		0.81	0.051	29	22	0.82	882	0.197	<20	1.44	0.130	0.64	1.0	<0.01	0.4	<0.05	4.4	<0.5	5	<0.2	
1402169	Rock		0.78	0.046	20	23	0.76	747	0.175	<20	1.30	0.117	0.51	1.0	<0.01	0.3	<0.05	4.4	<0.5	5	<0.2	
1402170	Rock		0.93	0.080	11	25	1.16	1394	0.333	<20	2.33	0.233	1.15	0.5	<0.01	0.5	<0.05	6.1	<0.5	7	<0.2	
1402171	Rock		1.13	0.090	14	28	1.27	1219	0.298	<20	2.50	0.196	1.12	0.6	<0.01	0.5	<0.05	10.0	<0.5	7	<0.2	
1402172	Rock		2.11	0.075	17	24	1.26	1169	0.237	<20	2.63	0.142	1.00	0.3	<0.01	0.5	<0.05	14.3	<0.5	8	<0.2	
1402173	Rock		1.66	0.084	14	27	1.16	1141	0.282	<20	2.26	0.204	0.98	0.4	<0.01	0.4	<0.05	8.6	<0.5	7	<0.2	
1402174	Rock		2.04	0.093	14	22	1.43	1016	0.289	<20	2.52	0.170	1.11	0.2	<0.01	0.4	<0.05	12.2	<0.5	7	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 03, 2012

CERTIFICATE OF ANALYSIS WHI12000117.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402175	Rock	0.44	15	1.6	37.1	3.1	64	0.1	7.6	16.6	796	4.30	208.5	2.1	13.4	6.1	96	<0.1	0.8	0.4	137
1402176	Rock	1.32	8	1.7	55.6	101.0	121	1.6	10.3	20.1	1227	4.96	267.3	2.7	5.9	7.7	107	0.6	1.1	0.2	153
1402177	Rock	1.77	20	1.2	27.3	6.2	104	0.2	6.3	15.8	801	4.01	251.8	1.7	21.2	7.3	93	0.2	1.4	0.1	131
1402178	Rock	1.63	5	1.0	26.8	4.3	120	0.1	6.0	14.1	635	3.68	122.2	1.2	1.4	7.3	76	1.2	3.5	<0.1	123
1402179	Rock	1.52	5	1.8	30.4	49.0	624	0.9	5.9	14.9	984	3.63	379.9	2.1	2.6	8.4	76	5.0	13.9	<0.1	103
1402180	Rock Pulp	0.12	2	2.4	21.9	2.2	41	0.3	21.8	9.6	386	2.29	4.8	0.2	0.6	0.8	39	0.2	0.3	<0.1	53
1402181	Rock Pulp	0.12	1497	8.6	44.9	5.7	49	0.2	30.9	8.5	491	3.28	7.3	0.3	1064	0.9	43	0.1	1.1	0.1	63
1402182	Rock	1.34	1066	13.8	106.6	4008	2341	>100	4.5	10.1	1109	7.77	6802	19.2	1210	7.1	89	34.4	67.0	0.2	27
1402183	Rock	1.53	141	2.4	40.2	242.3	680	7.3	7.4	17.6	1163	4.81	1283	4.7	131.5	8.1	87	6.0	11.6	<0.1	126
1402184	Rock	1.53	133	2.5	52.0	48.4	190	1.5	7.2	18.8	1148	5.10	1318	4.0	76.7	8.3	73	1.2	8.2	0.9	121
1402185	Rock	1.61	22	1.9	35.5	28.5	76	0.7	6.1	15.1	672	4.05	178.8	1.7	9.2	7.7	80	0.4	2.8	0.2	121
1402186	Rock	1.57	8	2.9	48.6	16.3	67	0.5	5.8	15.6	678	4.02	74.6	1.2	4.8	7.1	80	0.2	1.4	0.1	124
1402187	Rock	1.63	9	2.0	32.8	22.7	69	0.7	6.0	14.1	735	3.79	72.3	1.6	11.4	8.0	91	0.2	1.6	<0.1	120
1402188	Rock	1.74	1305	2.3	28.3	6.8	186	1.1	7.1	19.0	1309	4.72	5278	5.2	1121	6.5	102	1.0	4.7	0.1	88
1402189	Rock	1.48	340	6.5	59.0	67.6	751	2.8	7.2	19.4	1793	4.50	1918	2.7	294.9	6.0	56	4.0	11.3	0.9	68
1402190	Rock	1.59	726	17.2	83.2	1298	1094	25.6	6.5	15.3	2307	4.24	4099	4.0	463.6	6.6	45	16.1	13.3	2.7	25
1402191	Rock	1.54	21	2.6	38.0	16.5	140	0.5	9.8	22.0	1034	6.33	137.5	3.1	42.1	7.0	67	0.6	1.6	0.5	157
1402192	Rock	1.36	84	1.5	57.5	132.0	143	4.3	6.6	15.1	524	5.41	1819	3.6	94.2	7.1	165	0.9	5.9	6.6	117
1402193	Rock	1.70	7	2.7	26.2	7.8	95	0.3	9.5	17.7	927	4.10	257.0	1.8	12.3	6.6	67	0.4	1.3	0.3	100
1402194	Rock	1.82	4	2.8	14.1	4.6	59	0.1	9.4	11.9	790	3.48	44.0	1.6	7.8	6.8	102	<0.1	0.6	<0.1	82
1402195	Rock	2.11	3	2.7	14.3	6.0	76	<0.1	9.2	11.6	740	3.51	41.8	1.4	6.1	7.3	115	<0.1	0.4	<0.1	86
1402196	Rock	1.95	3	2.8	23.3	3.3	63	<0.1	8.4	12.5	829	3.79	27.0	1.2	3.7	7.3	112	0.1	0.4	<0.1	93
1402197	Rock	1.89	4	2.3	13.0	3.5	65	<0.1	8.9	12.4	848	3.67	61.2	1.0	3.5	7.5	95	0.2	0.4	<0.1	91
1402198	Rock	1.73	5	2.4	12.6	4.4	77	<0.1	7.2	12.1	806	3.74	26.3	1.8	13.3	9.2	113	0.4	0.8	0.2	83
1402199	Rock	1.91	2	3.3	12.5	2.9	62	<0.1	8.7	11.9	790	3.69	17.6	1.6	9.3	9.7	118	<0.1	0.5	<0.1	90
1402200	Rock Pulp	0.12	<2	2.3	25.1	2.2	41	0.4	23.3	10.3	387	2.36	4.6	0.2	6.6	0.9	40	0.2	0.3	<0.1	56
1402201	Rock Pulp	0.12	3902	9.3	66.1	418.9	1542	49.1	29.8	8.1	391	3.15	29.7	0.3	2637	1.1	35	15.7	54.9	0.8	51
1402202	Rock	2.22	23	2.7	14.9	15.2	58	0.3	7.9	11.8	773	3.60	512.7	1.8	26.4	9.4	123	<0.1	0.8	0.3	85
1402203	Rock	2.20	6	2.0	14.9	4.3	55	<0.1	7.9	11.4	750	3.63	38.7	1.3	8.2	9.1	127	<0.1	0.4	<0.1	93
1402204	Rock	2.30	4	2.3	11.5	2.7	54	<0.1	7.6	11.4	682	3.50	10.3	1.3	8.3	9.2	122	<0.1	0.2	<0.1	89

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 03, 2012

CERTIFICATE OF ANALYSIS WHI12000117.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1402175	Rock	2.04	0.085	13	21	1.37	930	0.271	<20	2.45	0.188	1.05	0.2	0.01	0.4	<0.05	11.8	<0.5	7	<0.2	
1402176	Rock	3.37	0.088	17	39	1.56	1056	0.238	<20	2.59	0.121	0.95	0.3	<0.01	0.4	<0.05	17.0	0.7	8	<0.2	
1402177	Rock	2.01	0.078	13	26	1.32	1078	0.270	<20	2.45	0.177	1.01	0.4	<0.01	0.4	<0.05	11.3	<0.5	7	<0.2	
1402178	Rock	1.44	0.078	12	26	1.21	1142	0.288	<20	2.22	0.197	1.05	0.3	<0.01	0.5	<0.05	8.3	<0.5	6	<0.2	
1402179	Rock	1.45	0.079	15	21	1.00	925	0.182	<20	2.08	0.150	0.76	0.2	<0.01	0.4	<0.05	10.4	<0.5	6	<0.2	
1402180	Rock Pulp	0.77	0.059	4	28	0.75	94	0.114	<20	1.51	0.071	0.13	12.5	<0.01	<0.1	<0.05	4.6	<0.5	5	<0.2	
1402181	Rock Pulp	0.84	0.062	4	33	0.83	112	0.133	<20	1.73	0.099	0.15	0.3	0.06	<0.1	<0.05	5.0	<0.5	5	<0.2	
1402182	Rock	0.35	0.065	15	7	0.21	153	0.002	<20	0.59	0.007	0.28	0.4	0.04	0.1	0.12	6.4	0.9	2	<0.2	98
1402183	Rock	1.82	0.083	15	25	1.18	979	0.204	<20	2.37	0.114	0.82	0.3	<0.01	0.5	<0.05	13.1	<0.5	7	<0.2	
1402184	Rock	1.29	0.078	16	23	1.24	881	0.162	<20	2.45	0.087	0.73	0.2	<0.01	0.6	<0.05	14.2	<0.5	7	<0.2	
1402185	Rock	1.47	0.078	13	25	1.19	996	0.252	<20	2.31	0.174	0.85	0.4	<0.01	0.4	<0.05	10.3	<0.5	7	<0.2	
1402186	Rock	1.76	0.079	12	27	1.31	1045	0.256	<20	2.21	0.154	0.88	0.3	<0.01	0.4	<0.05	9.3	<0.5	7	<0.2	
1402187	Rock	2.08	0.075	14	24	1.22	979	0.221	<20	2.18	0.156	0.80	0.3	<0.01	0.4	<0.05	10.0	<0.5	7	<0.2	
1402188	Rock	3.71	0.081	14	21	1.25	236	0.022	<20	1.89	0.037	0.28	0.3	0.05	0.2	<0.05	12.2	<0.5	5	<0.2	
1402189	Rock	3.83	0.077	14	15	0.67	151	0.004	<20	1.49	0.018	0.27	0.4	0.03	0.2	<0.05	12.1	<0.5	4	<0.2	
1402190	Rock	3.76	0.070	15	7	0.25	93	<0.001	<20	0.85	0.006	0.25	0.2	0.03	0.4	<0.05	6.7	<0.5	2	<0.2	
1402191	Rock	2.48	0.100	17	31	1.64	609	0.098	<20	2.92	0.048	0.54	0.1	<0.01	0.4	<0.05	19.9	<0.5	9	<0.2	
1402192	Rock	0.76	0.084	15	22	1.03	657	0.107	<20	1.94	0.066	0.73	0.1	0.01	0.6	0.23	13.3	<0.5	6	<0.2	
1402193	Rock	1.75	0.084	14	22	1.15	490	0.105	<20	2.33	0.117	0.55	0.3	<0.01	0.4	<0.05	10.7	<0.5	7	<0.2	
1402194	Rock	2.32	0.087	13	20	1.10	469	0.127	<20	2.51	0.218	0.69	0.4	<0.01	0.4	<0.05	7.8	<0.5	8	<0.2	
1402195	Rock	1.94	0.087	13	22	1.09	601	0.152	<20	2.74	0.294	0.85	0.3	0.01	0.5	<0.05	7.9	<0.5	8	<0.2	
1402196	Rock	2.13	0.091	14	18	1.29	685	0.172	<20	2.90	0.258	1.03	0.3	<0.01	0.5	<0.05	9.8	<0.5	8	<0.2	
1402197	Rock	2.07	0.082	14	20	1.21	643	0.164	<20	2.63	0.225	0.98	0.2	<0.01	0.5	<0.05	9.3	<0.5	8	<0.2	
1402198	Rock	2.07	0.092	16	15	1.23	674	0.181	<20	2.56	0.157	0.93	0.2	<0.01	0.4	<0.05	9.4	<0.5	8	<0.2	
1402199	Rock	1.92	0.091	15	20	1.21	731	0.222	<20	2.53	0.209	1.04	0.3	<0.01	0.4	<0.05	9.8	<0.5	8	<0.2	
1402200	Rock Pulp	0.78	0.060	4	30	0.77	95	0.124	<20	1.52	0.074	0.12	12.7	0.01	<0.1	<0.05	4.2	<0.5	5	<0.2	
1402201	Rock Pulp	0.66	0.052	5	26	0.56	105	0.112	<20	1.17	0.071	0.10	2.1	0.21	0.9	0.32	3.9	<0.5	6	0.4	
1402202	Rock	1.79	0.085	15	19	1.18	662	0.209	<20	2.52	0.221	1.02	0.5	<0.01	0.5	<0.05	9.1	<0.5	8	<0.2	
1402203	Rock	1.85	0.083	15	22	1.29	684	0.224	<20	2.67	0.235	0.99	0.5	0.01	0.5	<0.05	9.7	0.5	8	<0.2	
1402204	Rock	1.74	0.084	16	20	1.22	668	0.215	<20	2.55	0.225	1.01	0.3	0.01	0.5	<0.05	9.3	<0.5	8	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 03, 2012

CERTIFICATE OF ANALYSIS WHI12000117.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402205	Rock	2.22	2	2.0	9.7	2.9	55	<0.1	8.0	11.4	780	3.49	28.0	1.2	9.0	9.1	119	<0.1	0.4	<0.1	90
1402206	Rock	2.38	4	2.9	17.9	8.5	53	0.2	7.4	10.3	618	3.47	60.1	2.0	8.9	9.9	115	0.2	0.6	0.1	79
1402207	Rock	2.42	<2	1.9	11.8	8.2	52	<0.1	7.8	10.7	684	3.29	12.6	1.4	7.6	9.5	115	<0.1	0.2	<0.1	80
1402208	Rock	2.17	<2	1.4	9.4	4.2	57	<0.1	7.9	11.0	1088	3.41	5.9	1.5	5.6	9.5	121	0.1	0.3	0.2	83
1402209	Rock	2.50	<2	1.7	9.1	4.0	58	<0.1	8.5	10.4	705	3.34	6.3	1.4	8.0	9.2	115	0.1	0.2	<0.1	86
1402210	Rock	2.09	<2	1.3	21.1	110.6	62	1.2	8.0	11.4	799	3.46	7.6	1.8	8.5	9.0	118	0.2	0.9	0.5	82

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 03, 2012

CERTIFICATE OF ANALYSIS WHI12000117.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1402205	Rock	1.84	0.090	16	20	1.20	605	0.191	<20	2.47	0.195	0.83	0.3	0.02	0.5	<0.05	9.3	<0.5	8	<0.2	
1402206	Rock	1.52	0.088	17	18	1.05	581	0.180	<20	2.30	0.201	0.78	0.5	<0.01	0.4	<0.05	7.2	<0.5	7	<0.2	
1402207	Rock	1.72	0.087	16	21	1.10	556	0.184	<20	2.19	0.199	0.69	0.5	<0.01	0.4	<0.05	7.4	<0.5	7	<0.2	
1402208	Rock	1.97	0.086	16	20	1.16	573	0.186	<20	2.30	0.194	0.75	0.4	0.01	0.4	<0.05	8.3	<0.5	7	<0.2	
1402209	Rock	1.78	0.089	15	20	1.19	667	0.209	<20	2.33	0.197	0.82	0.4	<0.01	0.4	<0.05	8.1	<0.5	7	<0.2	
1402210	Rock	1.97	0.092	14	18	1.15	728	0.213	<20	2.38	0.202	0.89	0.4	<0.01	0.5	<0.05	7.8	<0.5	7	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 03, 2012

QUALITY CONTROL REPORT WHI12000117.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
REP 1402087	QC			1.8	9.8	10.5	60	0.4	2.7	8.9	879	2.52	2635	3.6	290.8	7.7	36	0.4	11.1	<0.1	6
1402113	Rock	2.32	<2	1.5	8.7	3.5	48	<0.1	4.8	10.5	713	2.88	4.8	2.5	<0.5	13.5	66	<0.1	0.7	<0.1	66
REP 1402113	QC		2																		
REP 1402122	QC			1.3	8.3	8.9	52	<0.1	4.8	9.5	763	2.84	4.7	3.9	3.4	15.0	69	0.1	0.8	<0.1	59
1402147	Rock	2.38	2	2.3	5.8	6.4	18	<0.1	3.1	0.8	314	1.15	8.1	3.6	0.6	18.9	19	<0.1	2.2	<0.1	<2
REP 1402147	QC		3																		
REP 1402157	QC			2.8	6.7	14.4	22	0.1	2.6	1.7	283	1.18	90.5	4.9	22.8	16.0	29	<0.1	4.6	<0.1	8
1402181	Rock Pulp	0.12	1497	8.6	44.9	5.7	49	0.2	30.9	8.5	491	3.28	7.3	0.3	1064	0.9	43	0.1	1.1	0.1	63
REP 1402181	QC		1464																		
1402208	Rock	2.17	<2	1.4	9.4	4.2	57	<0.1	7.9	11.0	1088	3.41	5.9	1.5	5.6	9.5	121	0.1	0.3	0.2	83
REP 1402208	QC			1.3	9.1	3.8	57	<0.1	8.4	11.3	1078	3.43	6.0	1.5	8.1	9.4	124	<0.1	0.2	<0.1	83
Core Reject Duplicates																					
1402087	Rock	2.78	265	1.6	9.0	9.7	59	0.4	2.2	8.3	845	2.47	2512	3.4	246.0	7.2	35	0.3	11.4	<0.1	6
DUP 1402087	QC		252	1.7	9.6	9.8	59	0.4	2.4	8.7	858	2.51	2553	3.4	259.0	7.3	35	0.3	10.5	<0.1	6
1402122	Rock	2.89	4	1.4	8.1	9.1	49	<0.1	4.5	8.9	751	2.72	4.4	3.8	2.0	14.6	69	0.1	0.9	<0.1	58
DUP 1402122	QC		3	1.4	8.2	8.7	50	<0.1	4.0	8.7	766	2.77	4.6	3.7	0.8	14.3	69	0.1	0.7	<0.1	57
1402157	Rock	3.12	24	2.9	6.8	14.6	21	0.1	2.5	1.8	292	1.19	93.1	4.8	22.1	15.7	29	<0.1	4.5	<0.1	9
DUP 1402157	QC		26	3.2	7.0	13.6	21	0.2	7.1	1.8	281	1.18	89.2	4.8	21.1	15.9	29	<0.1	4.2	<0.1	8
1402192	Rock	1.36	84	1.5	57.5	132.0	143	4.3	6.6	15.1	524	5.41	1819	3.6	94.2	7.1	165	0.9	5.9	6.6	117
DUP 1402192	QC		82	1.6	58.5	127.9	142	4.7	6.8	14.8	518	5.45	1813	3.5	144.3	7.2	158	1.1	6.1	6.5	117
Reference Materials																					
STD DS9	Standard			12.5	111.3	128.4	321	2.0	40.3	7.8	618	2.42	28.0	2.8	120.8	6.7	75	2.2	5.1	6.7	40
STD DS9	Standard			12.1	103.8	121.1	314	1.7	39.9	7.3	567	2.33	26.5	2.4	106.7	5.8	71	2.5	5.0	6.7	38
STD DS9	Standard			12.1	107.4	122.2	301	1.6	39.8	7.4	557	2.31	25.1	2.7	92.3	6.2	73	2.5	4.9	5.8	38
STD DS9	Standard			13.0	119.4	130.9	320	1.8	43.7	8.4	583	2.41	27.3	2.8	104.2	6.7	73	2.5	4.8	7.0	41
STD DS9	Standard			14.4	116.0	111.0	304	1.7	42.7	8.2	577	2.36	26.0	2.3	109.6	5.6	57	2.4	3.5	4.9	40
STD OREAS45CA	Standard			1.0	531.5	22.1	68	0.3	275.3	94.1	973	16.40	4.6	1.3	49.3	7.9	18	0.2	0.1	0.2	218
STD OREAS45CA	Standard			1.1	522.6	21.1	64	0.3	267.7	94.9	1040	16.60	4.4	1.2	50.6	7.6	17	0.2	0.2	0.2	226

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 03, 2012

QUALITY CONTROL REPORT WHI12000117.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
Pulp Duplicates																					
REP 1402087	QC	1.98	0.027	9	3	0.10	362	<0.001	<20	0.23	0.003	0.17	1.1	0.20	0.5	<0.05	4.1	<0.5	<1	<0.2	
1402113	Rock	1.64	0.053	23	17	0.79	894	0.160	<20	1.36	0.091	0.66	0.2	0.02	0.4	<0.05	9.0	<0.5	5	<0.2	
REP 1402113	QC																				
REP 1402122	QC	2.52	0.051	26	14	0.93	702	0.118	<20	1.28	0.061	0.52	0.2	0.04	0.3	<0.05	7.6	<0.5	5	<0.2	
1402147	Rock	0.35	0.004	31	13	0.06	84	0.005	<20	0.38	0.040	0.11	0.8	0.01	<0.1	<0.05	1.5	<0.5	2	<0.2	
REP 1402147	QC																				
REP 1402157	QC	0.62	0.009	25	13	0.13	160	0.016	<20	0.49	0.024	0.19	0.8	0.03	0.2	0.14	1.8	<0.5	2	<0.2	
1402181	Rock Pulp	0.84	0.062	4	33	0.83	112	0.133	<20	1.73	0.099	0.15	0.3	0.06	<0.1	<0.05	5.0	<0.5	5	<0.2	
REP 1402181	QC																				
1402208	Rock	1.97	0.086	16	20	1.16	573	0.186	<20	2.30	0.194	0.75	0.4	0.01	0.4	<0.05	8.3	<0.5	7	<0.2	
REP 1402208	QC	2.00	0.087	17	20	1.16	592	0.186	<20	2.32	0.196	0.77	0.3	<0.01	0.4	<0.05	8.0	<0.5	7	<0.2	
Core Reject Duplicates																					
1402087	Rock	1.95	0.027	9	3	0.10	353	<0.001	<20	0.22	0.003	0.17	1.2	0.16	0.5	<0.05	4.1	<0.5	<1	<0.2	
DUP 1402087	QC	1.97	0.027	9	3	0.10	363	<0.001	<20	0.25	0.004	0.18	1.0	0.18	0.5	<0.05	4.1	<0.5	<1	<0.2	
1402122	Rock	2.47	0.047	24	13	0.92	693	0.114	<20	1.24	0.059	0.51	0.2	0.03	0.3	<0.05	7.5	<0.5	5	<0.2	
DUP 1402122	QC	2.51	0.047	24	14	0.92	691	0.116	<20	1.27	0.062	0.50	0.3	0.03	0.3	<0.05	7.8	<0.5	5	<0.2	
1402157	Rock	0.62	0.010	24	13	0.13	156	0.017	<20	0.49	0.024	0.19	0.8	0.03	0.2	0.14	2.0	<0.5	2	<0.2	
DUP 1402157	QC	0.61	0.009	24	13	0.13	162	0.015	<20	0.57	0.029	0.20	0.8	0.03	0.2	0.13	1.8	<0.5	2	<0.2	
1402192	Rock	0.76	0.084	15	22	1.03	657	0.107	<20	1.94	0.066	0.73	0.1	0.01	0.6	0.23	13.3	<0.5	6	<0.2	
DUP 1402192	QC	0.75	0.086	15	22	1.04	660	0.111	<20	1.97	0.062	0.72	0.2	0.02	0.6	0.23	12.8	<0.5	6	<0.2	
Reference Materials																					
STD DS9	Standard	0.76	0.079	13	128	0.66	341	0.115	<20	0.99	0.090	0.42	2.9	0.19	5.6	0.17	2.4	5.3	5	5.0	
STD DS9	Standard	0.71	0.082	11	118	0.62	318	0.108	<20	0.94	0.080	0.40	2.5	0.21	5.4	0.16	2.5	5.1	5	4.7	
STD DS9	Standard	0.69	0.083	11	117	0.61	309	0.116	<20	0.92	0.081	0.39	2.7	0.23	5.1	0.16	2.1	5.1	4	5.0	
STD DS9	Standard	0.74	0.081	12	126	0.64	329	0.114	<20	0.98	0.084	0.41	3.4	0.22	5.9	0.17	2.4	5.7	5	5.6	
STD DS9	Standard	0.74	0.082	11	130	0.64	303	0.097	<20	0.97	0.085	0.40	2.4	0.21	5.4	0.16	2.3	5.1	4	5.0	
STD OREAS45CA	Standard	0.47	0.039	17	800	0.16	188	0.149	<20	3.92	0.008	0.09	<0.1	0.04	<0.1	<0.05	48.1	<0.5	21	<0.2	
STD OREAS45CA	Standard	0.47	0.040	17	760	0.15	195	0.140	<20	3.78	0.007	0.08	<0.1	0.04	<0.1	<0.05	44.7	<0.5	20	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 03, 2012

QUALITY CONTROL REPORT WHI12000117.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD OREAS45CA	Standard			1.1	490.8	19.4	56	0.2	238.5	91.6	913	15.56	3.9	1.2	33.9	7.0	17	0.1	0.2	0.1	204
STD OREAS45CA	Standard			0.9	500.2	21.0	62	0.3	251.5	93.8	922	16.27	3.8	1.3	42.7	7.9	15	0.1	0.1	0.2	209
STD OREAS45CA	Standard			1.0	490.9	16.9	54	0.2	246.9	89.8	872	15.13	3.2	0.9	33.7	5.6	17	0.1	<0.1	0.1	202
STD OXC88	Standard		199																		
STD OXC88	Standard		208																		
STD OXC88	Standard		212																		
STD OXG99	Standard		1001																		
STD OXG99	Standard		966																		
STD OXG99	Standard		985																		
STD OXG99	Standard		918																		
STD SP49	Standard																				
STD OXC88 Expected			203																		
STD OXG99 Expected			932																		
STD SP49 Expected																					
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
BLK	Blank		5																		
BLK	Blank		<2																		
BLK	Blank		3																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	0.3	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 03, 2012

QUALITY CONTROL REPORT WHI12000117.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2	G6Gr Ag gm/t 50
STD OREAS45CA	Standard	0.42	0.039	15	645	0.15	164	0.147	<20	3.44	0.007	0.06	<0.1	0.04	<0.1	<0.05	44.4	0.6	18	<0.2	
STD OREAS45CA	Standard	0.44	0.039	15	754	0.13	163	0.138	<20	3.63	0.010	0.07	<0.1	0.03	<0.1	<0.05	44.0	<0.5	19	<0.2	
STD OREAS45CA	Standard	0.41	0.035	14	867	0.11	148	0.116	<20	3.44	0.006	0.06	<0.1	0.03	<0.1	<0.05	39.7	0.5	17	<0.2	
STD OXC88	Standard																				
STD OXC88	Standard																				
STD OXC88	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD SP49	Standard																				58
STD OXC88 Expected																					
STD OXG99 Expected																					
STD SP49 Expected																					60.2
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02	
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4		
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	0.2	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank																				<50

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 03, 2012

QUALITY CONTROL REPORT WHI12000117.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank		<2	<0.1	2.4	2.5	46	<0.1	2.5	4.4	577	1.93	<0.5	1.3	<0.5	4.9	61	<0.1	<0.1	<0.1	37
G1-WHI	Prep Blank		<2	0.1	3.7	3.6	50	<0.1	3.0	4.6	610	2.06	<0.5	1.6	<0.5	6.0	59	<0.1	<0.1	<0.1	38

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 03, 2012

QUALITY CONTROL REPORT WHI12000117.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2	G6Gr Ag gm/t 50
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
Prep Wash																					
G1-WHI	Prep Blank	0.47	0.079	9	4	0.52	161	0.127	<20	0.96	0.080	0.49	<0.1	<0.01	0.3	<0.05	2.1	<0.5	5	<0.2	
G1-WHI	Prep Blank	0.49	0.084	13	5	0.54	187	0.133	<20	0.93	0.080	0.51	<0.1	<0.01	0.3	<0.05	2.3	<0.5	5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: June 19, 2012
Report Date: June 29, 2012
Page: 1 of 6

CERTIFICATE OF ANALYSIS WHI12000118.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET007
P.O. Number
Number of Samples: 126

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	114	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	126	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	126	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme
Dayna

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 29, 2012

CERTIFICATE OF ANALYSIS WHI12000118.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402211	Rock	2.78	<2	1.8	10.9	4.9	60	<0.1	9.5	11.2	671	3.50	2.6	1.6	2.1	9.9	124	0.1	0.2	<0.1	95
1402212	Rock	1.73	3	2.4	21.1	6.8	64	0.1	12.9	12.9	904	3.84	10.2	2.2	1.2	9.9	130	0.2	0.4	<0.1	98
1402213	Rock	2.79	42	1.8	13.5	9.1	98	0.3	8.5	11.6	726	3.85	132.9	2.1	134.7	9.9	126	0.9	0.9	0.5	94
1402214	Rock	1.95	<2	2.1	12.4	6.2	59	<0.1	8.3	11.3	703	3.53	4.5	1.6	6.9	9.7	125	<0.1	0.2	<0.1	95
1402215	Rock	1.51	2	2.2	14.5	3.9	71	<0.1	8.3	11.7	750	3.71	4.3	1.4	1.8	9.2	122	0.3	0.2	<0.1	99
1402216	Rock	1.57	44	2.3	14.3	13.1	257	0.3	8.6	11.8	780	3.89	38.8	1.9	48.4	9.1	111	3.8	0.5	0.4	95
1402217	Rock	1.25	<2	2.4	15.1	4.4	57	<0.1	8.6	11.7	693	3.61	6.4	1.2	1.9	9.2	153	<0.1	0.2	<0.1	96
1402218	Rock	1.46	29	1.9	18.5	14.6	104	0.4	7.4	11.2	741	3.78	32.2	1.7	5.7	9.2	126	0.8	1.3	0.5	91
1402219	Rock	1.35	3	2.3	17.5	3.8	63	<0.1	8.5	12.2	765	3.75	4.5	1.4	2.0	9.4	141	<0.1	0.3	<0.1	101
1402220	Rock Pulp	N.A.	5	2.4	24.5	2.3	42	0.2	23.9	10.2	406	2.45	4.8	0.3	3.0	1.0	44	0.1	0.3	<0.1	61
1402221	Rock Pulp	N.A.	1582	9.0	49.6	6.2	50	0.3	33.0	9.4	495	3.40	6.9	0.3	1347	1.0	47	0.1	1.3	<0.1	68
1402222	Rock	1.73	71	4.0	33.8	28.0	88	0.3	7.7	11.9	978	3.97	717.3	2.5	99.2	9.9	133	0.5	2.2	0.2	94
1402223	Rock	1.87	3	2.3	11.9	4.6	64	<0.1	7.6	12.7	855	3.96	19.2	2.2	<0.5	10.0	118	0.2	1.0	<0.1	101
1402224	Rock	1.93	3	2.5	12.0	4.5	58	<0.1	8.5	12.2	788	3.77	6.9	1.7	<0.5	10.1	133	<0.1	0.5	<0.1	100
1402225	Rock	1.17	5	2.3	11.5	4.4	60	<0.1	9.5	12.1	769	3.72	5.3	1.6	<0.5	9.9	135	<0.1	0.4	<0.1	99
1402226	Rock	1.81	<2	1.6	9.5	4.0	64	<0.1	8.4	12.5	910	3.92	14.7	2.4	6.3	9.8	127	0.2	0.7	<0.1	93
1402227	Rock	1.51	9	2.1	11.0	4.4	64	<0.1	7.4	12.3	778	3.65	26.2	2.8	4.2	9.7	105	0.1	1.1	<0.1	90
1402228	Rock	1.84	11	2.0	16.0	7.9	77	0.2	12.8	13.0	936	3.97	90.8	4.2	3.5	10.5	129	0.4	2.6	0.1	87
1402229	Rock	2.57	4	3.6	11.4	8.9	73	0.3	8.5	12.9	865	4.02	100.1	3.2	4.6	10.5	129	0.4	1.8	0.4	87
1402230	Rock	1.54	4	3.2	10.0	7.0	68	0.1	7.8	12.4	879	3.82	37.1	3.7	2.3	10.7	111	0.2	2.1	<0.1	74
1402231	Rock	1.77	12	3.9	9.1	7.6	64	0.1	8.4	12.5	957	3.96	37.6	2.8	6.3	10.2	142	<0.1	2.8	0.2	84
1402232	Rock	1.79	16	3.0	8.5	4.2	58	<0.1	7.9	11.3	815	3.65	23.1	1.8	<0.5	10.3	136	<0.1	1.6	<0.1	89
1402233	Rock	1.76	3	2.7	11.2	4.8	64	<0.1	8.4	11.6	991	3.81	93.1	2.6	1.0	10.6	133	0.1	3.8	<0.1	83
1402234	Rock	1.58	226	2.7	18.5	27.0	73	3.5	8.2	10.6	663	3.66	230.9	1.9	3485	10.3	133	0.4	5.1	7.6	84
1402235	Rock	1.74	4155	2.5	22.2	8.4	55	1.4	8.0	10.6	623	3.49	1551	2.2	3861	10.0	122	0.2	2.3	8.8	81
1402236	Rock	1.94	138	2.6	19.6	4.3	58	<0.1	8.8	11.2	639	3.59	14.5	2.5	6.4	10.5	134	0.1	0.5	0.2	89
1402237	Rock	1.61	145	2.2	16.9	4.9	91	0.1	6.9	11.3	715	3.57	12.8	1.9	167.0	10.6	129	1.1	0.7	<0.1	91
1402238	Rock	1.39	3	3.4	14.0	5.1	54	<0.1	8.3	10.7	640	3.35	4.2	2.0	<0.5	10.6	126	<0.1	0.2	<0.1	85
1402239	Rock	2.42	6	3.5	14.9	4.4	53	<0.1	8.9	10.7	675	3.40	9.5	2.0	10.2	10.1	126	0.2	0.4	<0.1	83
1402240	Rock Pulp	N.A.	5	2.5	25.1	2.3	43	0.2	24.0	10.3	416	2.44	4.7	0.3	5.6	0.9	42	0.2	0.3	<0.1	60

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 29, 2012

CERTIFICATE OF ANALYSIS WHI12000118.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1402211	Rock	1.68	0.083	15	24	1.22	724	0.228	<20	2.56	0.251	0.96	0.6	<0.01	0.5	<0.05	8.1	<0.5	8	<0.2
1402212	Rock	2.14	0.089	17	35	1.43	814	0.222	<20	2.85	0.232	1.02	0.4	<0.01	0.5	<0.05	9.5	<0.5	8	<0.2
1402213	Rock	1.76	0.086	16	21	1.26	764	0.211	<20	2.71	0.253	1.01	0.4	<0.01	0.5	<0.05	9.5	<0.5	8	<0.2
1402214	Rock	1.78	0.082	15	22	1.26	781	0.232	<20	2.54	0.242	0.96	0.5	0.01	0.5	<0.05	8.6	<0.5	7	<0.2
1402215	Rock	1.81	0.083	14	24	1.35	811	0.242	<20	2.60	0.235	1.09	0.6	<0.01	0.5	<0.05	9.7	0.6	7	<0.2
1402216	Rock	1.86	0.080	15	22	1.34	737	0.208	<20	2.68	0.202	0.97	0.4	0.01	0.5	<0.05	10.2	<0.5	8	<0.2
1402217	Rock	1.74	0.086	13	24	1.30	884	0.252	<20	2.91	0.309	1.03	0.8	<0.01	0.5	<0.05	7.3	<0.5	8	<0.2
1402218	Rock	1.87	0.081	13	21	1.21	717	0.205	<20	2.55	0.230	0.94	0.5	<0.01	0.5	0.18	8.4	<0.5	7	<0.2
1402219	Rock	1.94	0.087	14	23	1.35	803	0.237	<20	2.86	0.286	1.08	0.5	<0.01	0.6	<0.05	9.5	0.6	8	<0.2
1402220	Rock Pulp	0.84	0.061	4	31	0.79	97	0.135	<20	1.59	0.076	0.13	12.5	0.04	<0.1	<0.05	4.5	<0.5	5	<0.2
1402221	Rock Pulp	0.88	0.060	5	35	0.85	112	0.152	<20	1.78	0.100	0.15	0.4	0.10	<0.1	<0.05	5.2	<0.5	6	<0.2
1402222	Rock	2.66	0.091	16	19	1.37	749	0.194	<20	2.72	0.194	0.98	0.4	<0.01	0.5	0.23	10.1	0.7	8	<0.2
1402223	Rock	2.11	0.093	16	19	1.44	813	0.231	<20	2.75	0.215	1.04	0.5	0.01	0.5	0.10	9.8	<0.5	8	<0.2
1402224	Rock	1.96	0.083	15	23	1.37	813	0.238	<20	2.77	0.270	1.11	0.7	<0.01	0.5	<0.05	9.5	<0.5	8	<0.2
1402225	Rock	1.90	0.083	15	23	1.35	796	0.245	<20	2.75	0.272	1.12	0.6	<0.01	0.5	<0.05	9.5	<0.5	8	<0.2
1402226	Rock	2.24	0.086	18	20	1.33	655	0.161	<20	2.65	0.187	0.82	0.2	<0.01	0.4	<0.05	11.0	<0.5	8	<0.2
1402227	Rock	2.15	0.086	18	18	1.25	629	0.139	<20	2.43	0.135	0.75	0.1	<0.01	0.5	<0.05	10.4	<0.5	8	<0.2
1402228	Rock	2.66	0.089	23	37	1.16	493	0.103	<20	2.48	0.141	0.57	0.1	<0.01	0.4	<0.05	11.0	<0.5	8	<0.2
1402229	Rock	2.29	0.087	19	21	1.28	565	0.133	<20	2.73	0.201	0.69	0.2	<0.01	0.4	<0.05	9.8	0.5	8	<0.2
1402230	Rock	2.53	0.086	22	15	1.25	449	0.081	<20	2.25	0.104	0.51	0.2	0.02	0.3	<0.05	9.9	<0.5	7	<0.2
1402231	Rock	2.42	0.087	19	19	1.30	527	0.117	<20	2.49	0.176	0.66	0.1	<0.01	0.4	<0.05	10.0	<0.5	8	<0.2
1402232	Rock	2.16	0.089	18	20	1.17	616	0.155	<20	2.48	0.223	0.71	0.3	<0.01	0.6	<0.05	9.0	<0.5	7	<0.2
1402233	Rock	2.26	0.090	20	19	1.14	557	0.129	<20	2.40	0.191	0.66	0.3	<0.01	0.5	<0.05	8.8	0.7	7	<0.2
1402234	Rock	1.75	0.085	16	22	1.16	529	0.178	<20	2.42	0.235	0.73	0.7	<0.01	0.4	0.14	7.3	0.7	7	<0.2
1402235	Rock	1.61	0.082	17	21	1.10	537	0.165	<20	2.35	0.237	0.66	0.9	<0.01	0.4	0.19	6.8	<0.5	7	<0.2
1402236	Rock	1.66	0.089	19	24	1.18	693	0.219	<20	2.57	0.273	0.84	0.9	<0.01	0.4	0.12	7.1	<0.5	8	<0.2
1402237	Rock	1.81	0.084	19	21	1.23	564	0.190	<20	2.49	0.235	0.69	0.4	0.01	0.4	0.06	8.2	<0.5	7	<0.2
1402238	Rock	1.66	0.089	17	24	1.12	628	0.219	<20	2.41	0.262	0.81	0.7	0.02	0.4	<0.05	6.7	<0.5	7	<0.2
1402239	Rock	1.80	0.087	17	24	1.14	441	0.176	<20	2.41	0.249	0.58	0.7	<0.01	0.3	0.09	7.1	0.5	7	<0.2
1402240	Rock Pulp	0.84	0.064	4	32	0.79	95	0.136	<20	1.59	0.076	0.13	11.9	<0.01	<0.1	<0.05	4.7	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 29, 2012

CERTIFICATE OF ANALYSIS WHI12000118.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402241	Rock Pulp	N.A.	4051	10.0	69.8	464.8	1617	52.5	32.1	9.1	411	3.40	32.7	0.4	2436	1.2	38	17.4	59.5	0.8	56
1402242	Rock	1.64	4	3.7	18.1	8.5	70	0.2	8.6	11.7	1306	3.77	17.2	2.8	<0.5	9.3	145	0.1	1.6	<0.1	81
1402243	Rock	1.75	5	3.4	12.7	4.0	60	<0.1	8.9	11.3	798	3.55	9.7	2.1	<0.5	9.1	156	<0.1	0.7	<0.1	81
1402244	Rock	1.84	3	2.5	12.1	24.0	58	<0.1	7.8	12.3	830	3.62	10.0	1.6	0.7	8.5	133	0.1	0.8	<0.1	85
1402245	Rock	1.78	3	2.4	25.9	15.2	86	0.3	7.4	16.6	818	3.91	14.9	1.9	1.1	7.6	107	0.3	1.0	<0.1	123
1402246	Rock	2.22	<2	2.1	29.8	3.2	58	<0.1	6.7	17.0	676	3.96	8.3	2.0	1.7	8.0	101	<0.1	0.4	<0.1	132
1402247	Rock	1.78	1112	3.4	37.3	5.2	49	0.2	7.0	19.1	668	4.43	1000	2.7	489.1	8.1	98	0.1	8.6	24.0	111
1402248	Rock	1.76	285	2.4	65.7	6.8	20	0.2	7.0	9.6	389	4.38	46.0	2.1	474.0	8.0	83	<0.1	2.2	3.9	35
1402249	Rock	1.49	674	2.3	39.4	4.7	29	0.1	7.6	13.2	345	3.70	346.7	3.7	167.7	7.5	92	<0.1	2.1	2.9	64
1402250	Rock	1.49	113	2.7	34.0	8.0	43	0.2	7.9	12.5	519	3.87	29.1	4.0	151.0	7.5	91	0.1	2.2	1.4	66
1402251	Rock	1.69	321	2.1	103.0	9.8	23	0.4	6.6	16.4	675	5.95	762.2	2.7	153.0	5.4	87	<0.1	4.7	5.0	39
1402252	Rock	1.72	77	1.1	102.5	11.4	34	0.3	7.7	16.2	675	6.17	103.5	2.5	36.3	5.6	78	0.2	2.8	8.4	72
1402253	Rock	1.70	70	1.9	29.9	4.5	47	0.1	7.3	17.5	594	4.23	209.8	2.8	35.7	7.2	96	<0.1	3.7	3.1	121
1402254	Rock	1.55	21	1.6	21.4	3.2	50	<0.1	7.3	18.6	717	4.42	65.6	2.9	8.0	6.7	94	<0.1	5.8	0.5	120
1402255	Rock	1.74	22	1.9	17.9	3.3	49	<0.1	7.5	17.6	755	4.07	105.8	2.6	64.0	6.5	112	<0.1	4.3	0.3	115
1402256	Rock	1.46	2550	1.6	68.7	36.0	120	3.1	5.9	57.1	456	5.04	>10000	3.5	2860	6.5	66	1.7	14.1	23.2	53
1402257	Rock	1.76	154	2.6	93.4	13.4	54	0.6	7.2	20.3	443	5.14	4309	2.5	81.9	9.6	74	0.5	13.0	4.2	34
1402258	Rock	1.75	405	1.2	25.7	7.8	157	0.2	7.6	13.2	576	3.65	3640	3.1	253.6	10.1	99	2.3	3.5	2.0	64
1402259	Rock	1.63	195	2.2	26.1	24.2	59	1.0	6.9	25.2	925	3.77	6752	2.1	199.5	9.1	99	0.2	13.8	14.4	56
1402260	Rock Pulp	N.A.	5	2.8	25.2	2.3	42	0.2	23.7	10.6	385	2.30	6.1	0.2	3.9	0.9	38	0.2	0.2	<0.1	57
1402261	Rock Pulp	N.A.	1575	8.9	50.0	5.7	48	0.3	32.5	9.2	468	3.13	7.1	0.3	1380	1.0	39	0.1	1.0	0.1	63
1402262	Rock	1.47	215	1.7	27.8	19.9	57	0.3	6.5	12.3	1051	3.79	3676	3.7	202.7	9.8	82	0.2	7.3	2.6	42
1402263	Rock	1.74	666	2.3	27.0	97.6	1668	0.8	6.3	12.4	969	3.79	8055	3.8	463.3	9.2	88	30.9	20.0	12.1	39
1402264	Rock	1.45	143	2.9	41.0	7.0	59	0.1	7.3	12.9	708	3.39	1513	2.9	151.3	10.2	78	0.3	7.1	1.2	52
1402265	Rock	1.80	58	2.6	24.2	5.3	60	<0.1	8.1	12.1	932	3.60	502.5	2.2	74.3	10.4	108	0.1	2.5	0.8	75
1402266	Rock	1.87	19	2.7	24.0	3.5	52	<0.1	8.2	12.0	813	3.67	103.4	1.9	23.8	9.7	106	0.1	2.2	0.3	77
1402267	Rock	2.25	29	3.0	29.9	3.7	57	<0.1	7.8	11.9	788	3.67	687.7	2.5	34.0	9.8	127	<0.1	1.7	0.4	87
1402268	Rock	1.66	465	2.9	23.5	4.7	54	0.1	8.9	15.7	819	3.74	1542	3.1	130.9	9.6	123	<0.1	2.5	1.0	75
1402269	Rock	0.76	22	2.0	31.8	5.3	36	0.1	7.5	14.3	859	3.74	44.0	2.1	12.3	9.2	120	<0.1	1.7	1.4	53
1402270	Rock	1.52	163	2.4	24.1	4.6	48	<0.1	7.4	14.9	685	3.70	826.1	2.2	152.0	9.7	98	<0.1	2.0	1.2	73

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 29, 2012

CERTIFICATE OF ANALYSIS WHI12000118.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1402241	Rock Pulp	0.72	0.055	6	28	0.60	113	0.123	<20	1.21	0.078	0.11	2.3	0.22	1.1	0.35	4.5	0.5	6	<0.2
1402242	Rock	2.21	0.089	20	22	1.17	493	0.129	<20	2.56	0.233	0.66	0.1	0.01	0.4	<0.05	8.2	<0.5	8	<0.2
1402243	Rock	1.94	0.091	17	24	1.05	504	0.147	<20	2.50	0.277	0.71	0.3	0.01	0.5	<0.05	8.0	<0.5	7	<0.2
1402244	Rock	2.05	0.090	15	19	1.22	542	0.129	<20	2.59	0.219	0.78	0.1	<0.01	0.5	<0.05	9.3	<0.5	8	<0.2
1402245	Rock	2.17	0.084	15	28	1.39	870	0.212	<20	2.50	0.227	0.81	0.2	<0.01	0.4	0.06	11.1	<0.5	7	<0.2
1402246	Rock	1.78	0.078	14	28	1.48	1098	0.250	<20	2.56	0.255	0.93	0.3	<0.01	0.4	<0.05	11.9	<0.5	7	<0.2
1402247	Rock	2.22	0.079	14	23	1.43	639	0.164	<20	2.17	0.165	0.75	0.2	0.01	0.7	0.59	12.8	<0.5	6	0.2
1402248	Rock	2.31	0.089	13	9	1.18	76	0.007	<20	1.13	0.039	0.32	0.2	0.01	0.6	1.99	5.8	<0.5	3	<0.2
1402249	Rock	1.97	0.087	15	14	1.24	152	0.026	<20	1.92	0.096	0.43	0.2	<0.01	0.5	1.16	8.0	<0.5	7	0.4
1402250	Rock	1.96	0.082	13	17	1.22	168	0.043	<20	2.06	0.125	0.46	0.2	<0.01	0.5	1.09	8.0	<0.5	7	<0.2
1402251	Rock	2.61	0.071	10	9	1.25	63	0.005	<20	1.17	0.030	0.31	0.2	<0.01	0.5	3.36	6.4	<0.5	4	0.2
1402252	Rock	2.23	0.073	11	16	1.56	118	0.027	<20	1.27	0.041	0.37	0.2	<0.01	0.5	2.81	11.1	<0.5	4	<0.2
1402253	Rock	1.89	0.073	17	27	1.50	753	0.177	<20	2.28	0.223	0.76	0.2	<0.01	0.6	0.45	13.7	<0.5	7	<0.2
1402254	Rock	2.01	0.076	18	25	1.60	661	0.118	<20	1.90	0.184	0.62	<0.1	<0.01	0.5	0.25	17.2	<0.5	6	<0.2
1402255	Rock	2.63	0.071	16	26	1.86	1142	0.136	<20	1.86	0.164	0.71	0.2	<0.01	0.4	0.21	18.3	<0.5	6	<0.2
1402256	Rock	1.72	0.068	11	12	0.90	118	0.010	<20	1.14	0.047	0.26	0.3	0.02	0.8	2.31	9.5	0.9	3	4.4
1402257	Rock	1.78	0.082	13	9	0.84	83	0.007	<20	1.29	0.044	0.39	0.4	0.02	0.8	2.69	5.7	<0.5	4	1.1
1402258	Rock	1.95	0.078	17	15	1.10	286	0.065	<20	2.02	0.140	0.51	0.3	<0.01	0.4	0.84	8.0	<0.5	6	0.3
1402259	Rock	2.25	0.077	18	14	1.11	265	0.053	<20	1.75	0.112	0.47	0.3	<0.01	0.4	0.89	7.1	<0.5	5	0.8
1402260	Rock Pulp	0.77	0.055	4	31	0.74	91	0.115	<20	1.48	0.071	0.13	12.3	<0.01	<0.1	<0.05	4.3	<0.5	5	<0.2
1402261	Rock Pulp	0.80	0.060	4	34	0.79	102	0.125	<20	1.65	0.093	0.14	0.3	0.06	<0.1	<0.05	4.9	<0.5	5	<0.2
1402262	Rock	2.52	0.081	22	8	0.96	42	0.001	<20	1.15	0.018	0.18	0.1	<0.01	0.2	0.45	8.3	<0.5	4	<0.2
1402263	Rock	2.72	0.076	22	7	1.04	34	<0.001	<20	1.25	0.013	0.17	0.1	0.01	0.1	0.76	7.5	<0.5	4	0.5
1402264	Rock	2.33	0.084	20	11	0.93	114	0.007	<20	1.43	0.059	0.22	0.2	<0.01	0.5	0.66	8.6	<0.5	4	<0.2
1402265	Rock	2.17	0.079	18	17	1.21	424	0.093	<20	2.18	0.170	0.63	0.3	<0.01	0.4	0.33	10.3	<0.5	7	<0.2
1402266	Rock	2.26	0.084	17	20	1.30	362	0.093	<20	2.33	0.152	0.59	0.2	<0.01	0.4	0.33	8.8	<0.5	7	<0.2
1402267	Rock	2.08	0.082	15	19	1.29	634	0.168	<20	2.64	0.232	0.95	0.4	<0.01	0.5	0.26	9.5	<0.5	8	<0.2
1402268	Rock	2.34	0.085	16	19	1.23	595	0.128	<20	2.27	0.178	0.77	0.4	<0.01	0.4	0.39	9.6	<0.5	7	0.3
1402269	Rock	3.16	0.076	19	11	1.21	251	0.027	<20	1.48	0.061	0.33	0.1	<0.01	0.4	0.84	8.6	<0.5	5	<0.2
1402270	Rock	2.17	0.081	18	15	1.27	501	0.098	<20	2.30	0.112	0.67	0.2	<0.01	0.5	0.42	9.5	<0.5	7	0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 29, 2012

CERTIFICATE OF ANALYSIS WHI12000118.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402271	Rock	1.68	1114	2.0	21.5	6.1	60	0.4	7.4	15.3	701	3.73	1522	2.4	898.1	10.5	107	0.3	1.9	4.6	77
1402272	Rock	1.71	380	2.3	18.2	6.6	57	0.4	8.3	20.6	768	3.68	3117	1.8	285.5	9.9	114	<0.1	1.8	6.2	83
1402273	Rock	1.47	15	2.6	14.7	4.0	53	<0.1	7.9	11.5	655	3.37	106.7	1.7	20.8	9.9	121	<0.1	0.3	0.3	88
1402274	Rock	0.92	7	2.8	20.7	3.6	52	<0.1	8.0	11.1	638	3.39	29.6	2.8	34.7	10.3	124	<0.1	0.4	0.2	89
1402275	Rock	0.97	4	3.1	21.4	3.5	54	<0.1	8.6	11.5	643	3.39	22.4	2.5	4.4	10.2	123	<0.1	0.3	0.2	88
1402276	Rock	2.31	42	2.7	19.4	5.1	57	<0.1	7.9	10.7	597	3.27	61.8	2.9	13.4	10.2	112	0.2	0.3	0.3	77
1402277	Rock	2.46	23	3.4	17.4	3.5	58	<0.1	8.4	12.0	640	3.54	46.1	2.7	5.3	9.5	127	0.2	0.3	0.3	91
1402278	Rock	1.97	236	3.7	18.9	4.8	93	0.2	8.6	17.2	575	3.68	3482	2.7	239.0	9.2	128	0.1	2.2	0.9	83
1402279	Rock	2.32	3	3.1	12.6	3.5	98	<0.1	8.6	10.7	616	3.33	19.8	1.5	1.7	8.4	124	1.1	0.2	<0.1	88
1402280	Rock Pulp	N.A.	4	2.5	25.2	2.3	42	0.3	23.2	10.4	385	2.32	4.8	0.2	<0.5	0.9	36	0.2	0.2	<0.1	56
1402281	Rock Pulp	N.A.	4166	9.9	72.8	472.9	1568	53.0	31.3	8.6	395	3.21	31.7	0.3	3714	1.1	32	16.1	48.5	1.0	51
1402282	Rock	1.94	112	3.7	21.0	10.9	58	0.1	8.6	11.5	577	3.43	193.7	2.3	97.0	8.4	140	<0.1	0.5	1.2	87
1402283	Rock	2.50	104	3.4	21.5	3.2	41	<0.1	7.5	13.9	536	3.68	261.3	2.8	118.2	8.1	100	<0.1	0.6	1.4	106
1402284	Rock	4.59	7	1.3	30.8	17.3	72	0.2	7.1	16.0	777	3.75	14.4	1.4	13.4	9.5	69	0.6	2.9	0.1	113
1402285	Rock	0.77	3	2.0	37.2	5.1	55	<0.1	6.9	15.0	654	3.61	6.5	1.0	5.5	9.0	74	0.1	1.2	<0.1	120
1402286	Rock	1.27	3	1.5	30.2	13.4	48	0.2	6.4	13.8	506	3.21	3.9	0.8	5.5	8.9	76	<0.1	0.8	<0.1	114
1402287	Rock	1.34	4	1.6	31.9	22.9	58	0.2	6.3	15.6	634	3.73	7.9	1.7	2.7	9.2	84	0.3	1.4	0.1	124
1402288	Rock	1.39	5	1.7	30.3	13.2	58	0.1	6.2	13.9	533	3.26	5.2	1.1	3.9	8.5	84	0.1	1.1	0.1	115
1402289	Rock	1.44	5	1.8	36.4	7.0	61	0.1	7.0	17.2	695	4.01	13.0	1.7	2.2	9.1	87	0.2	2.6	0.1	136
1402290	Rock	1.75	2	1.2	35.0	3.8	57	<0.1	6.7	16.3	664	3.86	6.5	1.1	1.3	8.0	86	<0.1	1.7	<0.1	135
1402291	Rock	1.70	2	1.4	30.6	3.4	49	<0.1	6.5	13.9	538	3.27	6.4	0.8	0.7	7.8	82	<0.1	1.6	<0.1	123
1402292	Rock	1.89	11	1.7	25.0	4.6	46	<0.1	5.4	12.0	460	2.87	16.6	1.0	4.3	8.8	88	0.2	2.9	0.1	101
1402293	Rock	1.17	10	1.5	11.7	3.8	15	<0.1	2.5	3.1	168	1.02	13.1	0.8	6.8	11.1	94	<0.1	1.5	<0.1	24
1402294	Rock	1.59	3	2.0	20.6	4.2	14	<0.1	2.7	3.6	154	1.06	4.0	0.8	2.3	11.3	94	<0.1	1.2	<0.1	25
1402295	Rock	1.32	2	2.1	13.8	3.5	14	<0.1	2.9	3.4	161	1.06	3.1	1.1	1.3	9.6	89	<0.1	1.1	<0.1	24
1402296	Rock	1.65	3	2.0	11.9	3.8	24	<0.1	4.1	5.9	266	1.66	6.1	1.0	1.9	11.2	98	<0.1	1.2	<0.1	44
1402297	Rock	1.42	2	1.7	13.2	3.5	31	<0.1	4.0	8.3	368	2.20	5.9	0.9	<0.5	11.3	99	<0.1	1.5	<0.1	71
1402298	Rock	1.68	2	1.5	13.7	3.5	32	<0.1	4.5	8.9	357	2.29	4.6	0.8	<0.5	10.4	100	<0.1	1.4	<0.1	70
1402299	Rock	1.78	<2	3.0	25.9	3.1	35	<0.1	5.4	9.6	363	2.40	2.9	0.8	<0.5	10.9	86	<0.1	0.9	<0.1	75
1402300	Rock Pulp	N.A.	2	2.4	25.3	2.3	41	0.3	23.1	10.3	390	2.36	4.6	0.2	<0.5	1.0	37	0.2	0.2	<0.1	59

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 29, 2012

CERTIFICATE OF ANALYSIS WHI12000118.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1402271	Rock	2.07	0.084	19	17	1.29	573	0.128	<20	2.50	0.153	0.79	0.3	<0.01	0.5	0.37	9.9	<0.5	8	0.3
1402272	Rock	2.03	0.083	16	20	1.25	617	0.147	<20	2.43	0.183	0.86	0.5	<0.01	0.4	0.24	8.4	<0.5	7	1.0
1402273	Rock	1.64	0.082	15	23	1.21	646	0.190	<20	2.46	0.249	0.83	0.7	<0.01	0.4	<0.05	7.1	<0.5	7	<0.2
1402274	Rock	1.79	0.078	15	22	1.20	647	0.196	<20	2.62	0.280	1.01	0.8	<0.01	0.5	0.15	7.8	<0.5	8	<0.2
1402275	Rock	1.73	0.084	16	23	1.22	680	0.197	<20	2.62	0.271	1.02	0.9	<0.01	0.6	0.15	7.9	<0.5	8	<0.2
1402276	Rock	1.63	0.081	15	23	1.14	530	0.166	<20	2.37	0.242	0.84	0.9	<0.01	0.4	0.21	6.7	<0.5	7	<0.2
1402277	Rock	1.84	0.088	16	24	1.22	647	0.181	<20	2.72	0.264	0.93	0.5	<0.01	0.5	0.14	8.5	<0.5	8	<0.2
1402278	Rock	1.71	0.087	13	25	1.23	599	0.172	<20	2.62	0.276	0.98	1.0	<0.01	0.5	0.42	7.5	<0.5	7	0.8
1402279	Rock	1.69	0.086	12	25	1.19	622	0.201	<20	2.66	0.285	1.05	0.7	<0.01	0.4	<0.05	7.9	<0.5	7	<0.2
1402280	Rock Pulp	0.74	0.058	4	30	0.75	91	0.106	<20	1.47	0.069	0.13	13.2	<0.01	<0.1	<0.05	4.3	<0.5	5	<0.2
1402281	Rock Pulp	0.64	0.055	5	28	0.57	106	0.096	<20	1.13	0.072	0.10	2.1	0.20	1.1	0.34	4.2	<0.5	6	<0.2
1402282	Rock	1.71	0.088	12	26	1.18	646	0.194	<20	2.75	0.310	1.02	1.0	<0.01	0.5	0.13	7.4	<0.5	8	<0.2
1402283	Rock	1.83	0.085	12	30	1.30	513	0.177	<20	2.54	0.245	0.75	0.8	<0.01	0.5	0.27	9.1	<0.5	7	<0.2
1402284	Rock	1.95	0.078	14	24	1.25	881	0.201	<20	2.40	0.168	0.78	0.2	<0.01	0.3	<0.05	9.3	<0.5	7	<0.2
1402285	Rock	1.63	0.076	13	26	1.33	987	0.253	<20	2.32	0.206	0.87	0.4	<0.01	0.4	<0.05	7.9	<0.5	7	<0.2
1402286	Rock	1.14	0.080	13	26	1.18	1138	0.291	<20	2.27	0.252	1.02	0.4	<0.01	0.4	<0.05	6.0	<0.5	6	<0.2
1402287	Rock	1.61	0.080	15	27	1.33	1026	0.269	<20	2.53	0.250	0.95	0.3	<0.01	0.4	<0.05	9.2	<0.5	7	<0.2
1402288	Rock	1.30	0.076	13	26	1.18	1067	0.275	<20	2.36	0.279	0.97	0.3	<0.01	0.4	<0.05	6.8	<0.5	7	<0.2
1402289	Rock	1.90	0.081	16	28	1.39	994	0.255	<20	2.66	0.224	0.93	0.2	<0.01	0.4	<0.05	11.4	<0.5	8	<0.2
1402290	Rock	1.27	0.085	14	27	1.68	1131	0.286	<20	2.75	0.271	0.99	0.1	<0.01	0.4	<0.05	10.1	<0.5	8	<0.2
1402291	Rock	1.23	0.082	13	27	1.21	1180	0.288	<20	2.28	0.260	0.94	0.3	<0.01	0.4	<0.05	6.5	<0.5	7	<0.2
1402292	Rock	1.28	0.067	13	23	1.04	975	0.259	<20	2.18	0.281	0.68	0.4	<0.01	0.3	<0.05	6.2	<0.5	7	<0.2
1402293	Rock	1.40	0.016	10	11	0.28	213	0.056	<20	1.60	0.299	0.16	0.3	<0.01	<0.1	<0.05	1.6	<0.5	4	<0.2
1402294	Rock	1.22	0.017	10	12	0.27	242	0.067	<20	1.67	0.312	0.15	1.4	<0.01	<0.1	<0.05	1.5	<0.5	4	<0.2
1402295	Rock	1.15	0.017	10	13	0.28	182	0.054	<20	1.52	0.277	0.13	0.6	<0.01	<0.1	<0.05	1.4	<0.5	4	<0.2
1402296	Rock	1.54	0.029	12	16	0.49	416	0.090	<20	1.99	0.322	0.30	0.3	<0.01	0.2	<0.05	3.3	<0.5	5	<0.2
1402297	Rock	1.66	0.046	13	18	0.71	604	0.149	<20	2.15	0.309	0.44	0.2	<0.01	0.2	<0.05	4.8	<0.5	6	<0.2
1402298	Rock	1.50	0.044	12	18	0.70	692	0.155	<20	2.21	0.329	0.50	0.2	<0.01	0.2	<0.05	5.5	<0.5	6	<0.2
1402299	Rock	1.28	0.050	13	20	0.75	794	0.187	<20	2.00	0.263	0.60	0.4	<0.01	0.3	<0.05	4.6	<0.5	5	<0.2
1402300	Rock Pulp	0.80	0.058	4	30	0.77	94	0.116	<20	1.54	0.075	0.13	12.2	0.01	<0.1	<0.05	4.4	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 29, 2012

CERTIFICATE OF ANALYSIS WHI12000118.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402301	Rock Pulp	N.A.	1648	8.9	49.9	6.1	50	0.2	32.5	9.3	480	3.25	7.1	0.3	1127	1.0	41	0.1	0.9	0.1	66
1402302	Rock	2.18	3	2.1	17.8	3.5	38	<0.1	5.5	11.0	428	2.65	4.6	0.9	0.8	10.3	100	<0.1	1.3	<0.1	86
1402303	Rock	1.76	6	1.8	18.6	3.6	40	<0.1	5.5	11.5	457	2.80	4.7	1.1	1.8	9.8	94	<0.1	1.5	<0.1	95
1402304	Rock	2.44	2	1.7	20.0	3.5	43	<0.1	5.7	12.9	486	3.10	4.7	0.9	1.6	8.6	97	<0.1	1.1	<0.1	109
1402305	Rock	1.26	2	1.7	19.7	3.4	43	<0.1	5.8	12.3	426	2.95	2.8	0.9	<0.5	8.8	94	<0.1	1.1	<0.1	105
1402306	Rock	1.90	3	2.0	25.0	2.8	46	<0.1	5.9	13.0	427	3.06	2.3	0.9	<0.5	8.6	76	<0.1	0.7	<0.1	111
1402307	Rock	1.61	2	1.9	23.0	3.6	47	<0.1	6.0	13.6	513	3.19	3.5	1.2	<0.5	9.6	85	<0.1	0.7	<0.1	115
1402308	Rock	2.26	3	1.8	20.8	3.2	46	<0.1	6.2	13.4	533	3.23	3.2	1.7	<0.5	9.0	93	<0.1	0.7	0.2	112
1402309	Rock	2.62	<2	2.0	20.0	3.0	41	<0.1	6.2	12.7	449	3.00	1.1	1.2	<0.5	9.1	88	<0.1	0.4	<0.1	106
1402310	Rock	2.28	2	2.1	16.2	3.1	37	<0.1	4.8	10.5	358	2.54	0.9	0.9	<0.5	9.8	84	<0.1	0.2	<0.1	87
1402311	Rock	2.02	<2	1.9	16.5	3.8	39	<0.1	5.1	11.0	383	2.64	1.7	1.0	<0.5	9.7	100	<0.1	0.7	<0.1	95
1402312	Rock	1.84	2	2.3	22.0	3.4	40	<0.1	5.9	12.1	399	2.79	2.0	1.1	0.6	10.0	84	<0.1	0.9	<0.1	98
1402313	Rock	2.08	6	2.4	17.8	3.6	38	<0.1	5.4	11.0	407	2.68	1.8	1.0	<0.5	10.2	92	<0.1	0.9	<0.1	93
1402314	Rock	1.68	2	2.1	19.0	3.4	42	<0.1	5.7	11.5	409	2.73	1.7	0.9	<0.5	8.8	91	<0.1	0.8	<0.1	91
1402315	Rock	2.17	5	1.9	31.7	3.0	49	<0.1	6.7	14.0	447	3.13	2.7	0.9	0.9	8.3	84	<0.1	0.8	<0.1	111
1402316	Rock	1.95	<2	2.2	28.2	3.1	51	<0.1	6.6	14.8	507	3.34	1.9	1.3	0.9	8.2	94	<0.1	0.6	<0.1	118
1402317	Rock	2.28	4	2.2	29.2	2.8	47	<0.1	6.4	13.8	461	3.17	1.8	1.2	1.8	8.5	81	<0.1	0.5	<0.1	113
1402318	Rock	2.28	3	2.2	29.9	2.9	50	<0.1	6.3	14.9	502	3.37	2.0	1.3	<0.5	8.2	77	<0.1	0.4	<0.1	120
1402319	Rock	1.92	4	2.0	28.7	3.6	48	<0.1	6.9	14.3	527	3.33	2.1	1.7	<0.5	8.0	87	<0.1	0.5	<0.1	115
1402320	Rock Pulp	N.A.	3	2.5	24.2	2.3	41	0.2	23.1	10.1	391	2.33	4.4	0.2	<0.5	0.9	38	<0.1	0.2	<0.1	55
1402321	Rock Pulp	N.A.	3918	9.8	66.4	465.4	1603	54.6	31.3	8.6	399	3.17	29.0	0.3	2156	1.0	34	15.1	41.4	1.0	52
1402322	Rock	1.96	<2	1.8	27.5	3.2	55	<0.1	7.0	15.7	573	3.65	1.7	1.5	0.6	13.9	93	<0.1	0.5	<0.1	130
1402323	Rock	1.68	4	1.8	29.7	3.0	53	<0.1	6.6	15.3	607	3.58	1.3	1.7	1.5	15.4	100	<0.1	0.5	<0.1	124
1402324	Rock	1.78	14	3.6	31.7	15.5	270	0.4	6.4	17.9	1390	4.18	131.2	7.5	13.5	10.0	140	3.0	2.7	0.5	91
1402325	Rock	1.38	8	3.4	33.4	11.1	172	0.3	6.7	18.3	1214	4.37	67.8	6.8	139.2	9.9	126	1.7	1.9	0.4	113
1402326	Rock	2.10	5	2.1	31.4	2.9	73	<0.1	7.5	16.0	613	3.75	3.9	2.6	7.1	9.4	117	0.2	0.5	0.1	118
1402327	Rock	2.04	31	1.8	27.1	2.8	63	<0.1	7.1	15.3	587	3.62	2.8	2.8	26.5	10.2	101	0.3	0.5	0.3	117
1402328	Rock	1.07	2	1.2	28.0	4.0	104	0.1	7.1	17.6	861	3.95	6.5	3.6	3.6	9.0	125	0.6	1.0	0.1	112
1402329	Rock	2.05	11	2.1	30.3	5.7	91	0.1	7.3	18.9	1019	4.31	7.1	5.3	2.8	9.0	103	0.7	1.3	0.1	119
1402330	Rock	1.71	<2	1.7	12.3	6.2	36	<0.1	3.8	8.6	1037	2.43	3.3	4.8	2.0	15.0	77	<0.1	0.8	0.1	57

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 29, 2012

CERTIFICATE OF ANALYSIS WHI12000118.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1402301	Rock Pulp	0.83	0.058	4	34	0.82	104	0.128	<20	1.69	0.096	0.15	0.3	0.06	<0.1	<0.05	4.9	<0.5	6	<0.2
1402302	Rock	1.55	0.057	13	23	0.87	809	0.200	<20	2.30	0.321	0.65	0.3	<0.01	0.3	<0.05	5.8	<0.5	6	<0.2
1402303	Rock	1.50	0.065	13	24	0.99	826	0.220	<20	2.22	0.280	0.64	0.3	<0.01	0.3	<0.05	6.3	<0.5	6	<0.2
1402304	Rock	1.50	0.069	13	26	1.06	970	0.262	<20	2.41	0.318	0.81	0.3	<0.01	0.4	<0.05	6.8	<0.5	7	<0.2
1402305	Rock	1.31	0.068	13	26	1.01	1045	0.281	<20	2.39	0.317	0.87	0.4	<0.01	0.4	<0.05	5.2	<0.5	7	<0.2
1402306	Rock	1.09	0.077	13	27	1.05	1105	0.293	<20	2.20	0.261	0.95	0.5	<0.01	0.4	<0.05	5.2	<0.5	6	<0.2
1402307	Rock	1.33	0.080	13	27	1.13	1144	0.300	<20	2.33	0.285	0.94	0.5	<0.01	0.4	<0.05	6.5	<0.5	7	<0.2
1402308	Rock	1.75	0.070	13	26	1.09	1088	0.279	<20	2.46	0.305	0.93	0.4	<0.01	0.4	<0.05	6.9	<0.5	7	<0.2
1402309	Rock	1.20	0.075	13	28	1.06	1143	0.290	<20	2.38	0.322	0.92	0.7	<0.01	0.4	<0.05	5.6	<0.5	7	<0.2
1402310	Rock	1.11	0.064	13	23	0.82	1028	0.251	<20	2.12	0.292	0.75	0.8	<0.01	0.4	<0.05	4.1	<0.5	6	<0.2
1402311	Rock	1.39	0.063	13	23	0.90	1004	0.258	<20	2.36	0.379	0.76	0.5	<0.01	0.3	<0.05	5.1	<0.5	7	<0.2
1402312	Rock	1.28	0.071	14	26	0.94	1054	0.269	<20	2.17	0.306	0.77	0.7	<0.01	0.3	<0.05	4.8	<0.5	6	<0.2
1402313	Rock	1.50	0.065	13	25	0.90	983	0.259	<20	2.19	0.318	0.73	0.5	<0.01	0.3	<0.05	5.1	<0.5	6	<0.2
1402314	Rock	0.94	0.065	13	26	0.93	1076	0.274	<20	2.08	0.280	0.80	0.5	<0.01	0.3	<0.05	4.6	<0.5	6	<0.2
1402315	Rock	1.20	0.077	13	29	1.10	1169	0.305	<20	2.09	0.243	0.91	0.5	<0.01	0.4	<0.05	5.7	<0.5	6	<0.2
1402316	Rock	1.45	0.076	14	31	1.19	1215	0.314	<20	2.33	0.289	0.99	0.5	<0.01	0.4	<0.05	6.4	<0.5	7	<0.2
1402317	Rock	1.23	0.076	12	30	1.11	1220	0.304	<20	2.10	0.243	0.98	0.5	<0.01	0.4	<0.05	5.7	<0.5	6	<0.2
1402318	Rock	1.05	0.079	13	31	1.25	1360	0.321	<20	2.19	0.237	1.09	0.5	<0.01	0.4	<0.05	6.3	<0.5	6	<0.2
1402319	Rock	1.22	0.078	13	28	1.27	1153	0.279	<20	2.36	0.272	0.99	0.4	<0.01	0.4	<0.05	7.1	<0.5	6	<0.2
1402320	Rock Pulp	0.77	0.055	4	30	0.75	92	0.115	<20	1.48	0.072	0.12	11.9	0.01	<0.1	<0.05	4.3	<0.5	5	<0.2
1402321	Rock Pulp	0.67	0.051	5	28	0.57	105	0.103	<20	1.16	0.072	0.10	2.0	0.18	1.1	0.33	4.2	<0.5	6	<0.2
1402322	Rock	1.21	0.081	14	30	1.56	1347	0.293	<20	2.41	0.247	1.08	0.3	<0.01	0.4	<0.05	8.7	<0.5	7	<0.2
1402323	Rock	1.48	0.079	16	28	1.48	1086	0.270	<20	2.48	0.277	0.96	0.3	<0.01	0.4	<0.05	9.4	<0.5	7	<0.2
1402324	Rock	5.59	0.068	15	18	1.45	697	0.131	<20	1.70	0.092	0.66	0.1	<0.01	0.4	<0.05	10.8	<0.5	5	<0.2
1402325	Rock	4.59	0.076	15	23	1.44	898	0.182	<20	2.07	0.110	0.83	0.1	<0.01	0.5	<0.05	13.4	<0.5	6	<0.2
1402326	Rock	1.64	0.078	14	29	1.25	1227	0.263	<20	2.51	0.292	1.03	0.2	<0.01	0.4	<0.05	9.5	<0.5	7	<0.2
1402327	Rock	1.74	0.075	15	28	1.25	989	0.245	<20	2.28	0.215	0.91	0.3	<0.01	0.4	0.06	9.5	<0.5	7	<0.2
1402328	Rock	3.39	0.073	18	24	1.15	822	0.187	<20	2.18	0.129	0.82	0.2	<0.01	0.5	<0.05	13.2	<0.5	7	<0.2
1402329	Rock	2.72	0.080	18	24	1.10	909	0.173	<20	2.12	0.112	0.82	0.2	<0.01	0.4	<0.05	17.5	<0.5	6	<0.2
1402330	Rock	3.44	0.048	15	11	0.77	393	0.056	<20	1.41	0.047	0.38	0.2	<0.01	0.2	<0.05	7.2	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 29, 2012

CERTIFICATE OF ANALYSIS WHI12000118.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402331	Rock	1.81	3	1.9	25.3	2.9	52	<0.1	6.3	14.1	581	3.32	2.6	1.7	0.5	6.5	88	<0.1	0.2	<0.1	110
1402332	Rock	2.27	3	2.0	26.7	2.7	51	<0.1	6.4	14.0	578	3.27	2.2	1.5	1.6	6.7	87	<0.1	0.2	<0.1	111
1402333	Rock	2.37	<2	2.1	27.4	3.0	50	<0.1	6.4	13.8	537	3.39	2.5	1.8	<0.5	7.9	87	<0.1	0.2	<0.1	117
1402334	Rock	2.19	<2	1.8	29.1	3.5	62	<0.1	6.9	17.7	823	4.09	1.1	3.4	2.0	8.3	110	<0.1	0.1	<0.1	140
1402335	Rock	1.80	3	1.7	26.9	3.5	68	<0.1	7.2	19.5	977	4.45	1.9	2.7	<0.5	8.0	114	<0.1	0.3	<0.1	144
1402336	Rock	2.16	4	2.0	28.2	4.2	65	<0.1	6.6	17.4	826	4.02	1.7	2.3	<0.5	11.1	117	<0.1	0.4	<0.1	133

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 29, 2012

CERTIFICATE OF ANALYSIS WHI12000118.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1402331	Rock	1.39	0.075	14	27	1.12	1114	0.241	<20	2.21	0.247	0.95	0.3	<0.01	0.4	<0.05	7.7	<0.5	7	<0.2
1402332	Rock	1.35	0.075	14	29	1.19	1022	0.252	<20	2.22	0.243	0.88	0.4	<0.01	0.4	<0.05	8.2	<0.5	7	<0.2
1402333	Rock	1.23	0.084	15	28	1.21	1138	0.277	<20	2.25	0.253	0.95	0.3	<0.01	0.4	<0.05	7.8	<0.5	7	<0.2
1402334	Rock	2.33	0.084	17	29	1.55	1171	0.257	<20	2.60	0.211	1.04	0.2	<0.01	0.4	<0.05	13.6	<0.5	8	<0.2
1402335	Rock	2.81	0.082	18	29	1.67	1102	0.251	<20	2.54	0.163	1.00	0.2	<0.01	0.4	<0.05	17.5	<0.5	8	<0.2
1402336	Rock	2.34	0.077	18	29	1.44	969	0.218	<20	2.45	0.196	0.90	0.2	<0.01	0.4	<0.05	15.6	<0.5	8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 29, 2012

QUALITY CONTROL REPORT WHI12000118.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1402213	Rock	2.79	42	1.8	13.5	9.1	98	0.3	8.5	11.6	726	3.85	132.9	2.1	134.7	9.9	126	0.9	0.9	0.5	94
REP 1402213	QC		38																		
1402228	Rock	1.84	11	2.0	16.0	7.9	77	0.2	12.8	13.0	936	3.97	90.8	4.2	3.5	10.5	129	0.4	2.6	0.1	87
REP 1402228	QC			2.3	14.2	8.3	79	0.2	14.3	13.4	942	4.04	92.1	4.3	6.3	10.6	131	0.3	2.7	<0.1	90
1402247	Rock	1.78	1112	3.4	37.3	5.2	49	0.2	7.0	19.1	668	4.43	1000	2.7	489.1	8.1	98	0.1	8.6	24.0	111
REP 1402247	QC		1080																		
1402263	Rock	1.74	666	2.3	27.0	97.6	1668	0.8	6.3	12.4	969	3.79	8055	3.8	463.3	9.2	88	30.9	20.0	12.1	39
REP 1402263	QC			2.4	26.8	102.3	1676	1.0	6.3	12.9	973	3.83	8093	4.0	863.5	9.4	92	31.9	19.7	12.1	39
1402281	Rock Pulp	N.A.	4166	9.9	72.8	472.9	1568	53.0	31.3	8.6	395	3.21	31.7	0.3	3714	1.1	32	16.1	48.5	1.0	51
REP 1402281	QC		4088																		
1402298	Rock	1.68	2	1.5	13.7	3.5	32	<0.1	4.5	8.9	357	2.29	4.6	0.8	<0.5	10.4	100	<0.1	1.4	<0.1	70
REP 1402298	QC			1.6	14.6	3.6	34	<0.1	4.5	9.2	371	2.38	4.6	0.9	0.5	10.7	104	<0.1	1.4	<0.1	72
1402315	Rock	2.17	5	1.9	31.7	3.0	49	<0.1	6.7	14.0	447	3.13	2.7	0.9	0.9	8.3	84	<0.1	0.8	<0.1	111
REP 1402315	QC			2.0	31.4	4.5	47	<0.1	6.2	14.0	451	3.17	2.5	0.9	1.8	8.0	81	<0.1	0.8	<0.1	112
1402318	Rock	2.28	3	2.2	29.9	2.9	50	<0.1	6.3	14.9	502	3.37	2.0	1.3	<0.5	8.2	77	<0.1	0.4	<0.1	120
REP 1402318	QC		<2																		
Core Reject Duplicates																					
1402235	Rock	1.74	4155	2.5	22.2	8.4	55	1.4	8.0	10.6	623	3.49	1551	2.2	3861	10.0	122	0.2	2.3	8.8	81
DUP 1402235	QC		3857	2.4	21.5	7.8	56	3.3	7.9	10.7	646	3.51	1515	2.0	13042	10.2	121	0.1	2.3	7.1	82
1402270	Rock	1.52	163	2.4	24.1	4.6	48	<0.1	7.4	14.9	685	3.70	826.1	2.2	152.0	9.7	98	<0.1	2.0	1.2	73
DUP 1402270	QC		163	2.3	25.1	4.8	48	0.1	7.8	14.5	719	3.77	773.8	2.3	175.9	10.1	101	<0.1	2.0	1.5	74
1402305	Rock	1.26	2	1.7	19.7	3.4	43	<0.1	5.8	12.3	426	2.95	2.8	0.9	<0.5	8.8	94	<0.1	1.1	<0.1	105
DUP 1402305	QC		2	1.5	18.8	3.3	41	<0.1	5.2	12.2	414	2.86	2.9	0.8	<0.5	9.0	94	<0.1	1.0	<0.1	102
Reference Materials																					
STD DS9	Standard			12.8	109.8	123.9	303	1.7	40.0	7.6	567	2.35	25.2	2.5	89.9	6.1	68	2.3	4.3	6.3	39
STD DS9	Standard			12.1	113.0	124.1	303	1.7	40.1	7.4	569	2.35	24.0	2.6	101.5	6.2	68	2.3	4.2	6.5	40
STD DS9	Standard			12.6	113.2	115.9	296	1.9	39.5	7.7	562	2.29	22.5	2.5	126.3	6.2	67	2.5	4.4	6.5	39
STD DS9	Standard			12.1	110.4	124.6	310	1.8	40.4	7.3	578	2.37	25.5	3.0	104.1	6.7	78	2.6	5.9	6.1	41

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 29, 2012

QUALITY CONTROL REPORT WHI12000118.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
1402213	Rock	1.76	0.086	16	21	1.26	764	0.211	<20	2.71	0.253	1.01	0.4	<0.01	0.5	<0.05	9.5	<0.5	8	<0.2
REP 1402213	QC																			
1402228	Rock	2.66	0.089	23	37	1.16	493	0.103	<20	2.48	0.141	0.57	0.1	<0.01	0.4	<0.05	11.0	<0.5	8	<0.2
REP 1402228	QC	2.67	0.092	23	37	1.20	513	0.105	<20	2.58	0.143	0.58	<0.1	<0.01	0.4	<0.05	11.1	<0.5	8	<0.2
1402247	Rock	2.22	0.079	14	23	1.43	639	0.164	<20	2.17	0.165	0.75	0.2	0.01	0.7	0.59	12.8	<0.5	6	0.2
REP 1402247	QC																			
1402263	Rock	2.72	0.076	22	7	1.04	34	<0.001	<20	1.25	0.013	0.17	0.1	0.01	0.1	0.76	7.5	<0.5	4	0.5
REP 1402263	QC	2.74	0.078	22	8	1.05	33	<0.001	<20	1.27	0.014	0.17	0.2	0.01	0.1	0.77	7.8	<0.5	3	0.4
1402281	Rock Pulp	0.64	0.055	5	28	0.57	106	0.096	<20	1.13	0.072	0.10	2.1	0.20	1.1	0.34	4.2	<0.5	6	<0.2
REP 1402281	QC																			
1402298	Rock	1.50	0.044	12	18	0.70	692	0.155	<20	2.21	0.329	0.50	0.2	<0.01	0.2	<0.05	5.5	<0.5	6	<0.2
REP 1402298	QC	1.56	0.046	13	19	0.73	712	0.159	<20	2.29	0.341	0.52	0.3	<0.01	0.2	<0.05	5.7	<0.5	6	<0.2
1402315	Rock	1.20	0.077	13	29	1.10	1169	0.305	<20	2.09	0.243	0.91	0.5	<0.01	0.4	<0.05	5.7	<0.5	6	<0.2
REP 1402315	QC	1.20	0.079	13	28	1.12	1145	0.294	<20	2.07	0.238	0.94	0.4	<0.01	0.4	<0.05	5.5	<0.5	6	<0.2
1402318	Rock	1.05	0.079	13	31	1.25	1360	0.321	<20	2.19	0.237	1.09	0.5	<0.01	0.4	<0.05	6.3	<0.5	6	<0.2
REP 1402318	QC																			
Core Reject Duplicates																				
1402235	Rock	1.61	0.082	17	21	1.10	537	0.165	<20	2.35	0.237	0.66	0.9	<0.01	0.4	0.19	6.8	<0.5	7	<0.2
DUP 1402235	QC	1.61	0.084	16	21	1.11	515	0.166	<20	2.35	0.235	0.67	0.8	<0.01	0.4	0.19	6.7	<0.5	7	<0.2
1402270	Rock	2.17	0.081	18	15	1.27	501	0.098	<20	2.30	0.112	0.67	0.2	<0.01	0.5	0.42	9.5	<0.5	7	0.2
DUP 1402270	QC	2.28	0.082	18	15	1.30	495	0.098	<20	2.39	0.120	0.68	0.2	<0.01	0.6	0.44	9.8	<0.5	7	0.3
1402305	Rock	1.31	0.068	13	26	1.01	1045	0.281	<20	2.39	0.317	0.87	0.4	<0.01	0.4	<0.05	5.2	<0.5	7	<0.2
DUP 1402305	QC	1.29	0.067	12	24	0.99	1009	0.276	<20	2.36	0.321	0.85	0.4	<0.01	0.4	<0.05	5.3	<0.5	6	<0.2
Reference Materials																				
STD DS9	Standard	0.70	0.082	12	123	0.62	317	0.110	<20	0.94	0.081	0.41	3.6	0.19	5.4	0.17	2.3	5.0	4	5.0
STD DS9	Standard	0.71	0.083	11	119	0.61	314	0.108	<20	0.93	0.081	0.40	2.5	0.20	5.3	0.17	2.3	5.2	4	5.0
STD DS9	Standard	0.70	0.078	11	123	0.60	312	0.104	<20	0.92	0.078	0.39	2.4	0.20	5.4	0.16	2.1	5.1	4	5.4
STD DS9	Standard	0.73	0.081	13	122	0.62	320	0.120	<20	0.96	0.083	0.40	3.3	0.22	5.7	0.17	2.2	5.4	5	5.0

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 29, 2012

QUALITY CONTROL REPORT WHI12000118.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
STD OREAS45CA	Standard			0.9	550.4	21.0	66	0.3	264.0	99.2	974	17.02	3.3	1.2	39.6	7.0	16	0.2	0.1	0.2	215
STD OREAS45CA	Standard			0.9	513.0	19.7	61	0.3	253.9	92.8	939	16.25	3.6	1.2	43.9	7.2	13	0.1	0.1	0.2	210
STD OREAS45CA	Standard			1.0	502.4	19.8	55	0.3	248.3	93.0	925	15.66	4.5	1.2	60.4	7.2	13	<0.1	0.1	0.2	204
STD OREAS45CA	Standard			1.0	503.4	19.7	60	0.3	250.5	91.8	922	16.39	4.4	1.2	42.9	7.6	16	0.1	0.2	<0.1	209
STD OXC88	Standard		199																		
STD OXC88	Standard		200																		
STD OXC88	Standard		206																		
STD OXC88	Standard		210																		
STD OXC88	Standard		184																		
STD OXC88	Standard		206																		
STD OXC88	Standard		206																		
STD OXC88	Standard		210																		
STD OXG99	Standard		1001																		
STD OXG99	Standard		914																		
STD OXG99	Standard		994																		
STD OXG99	Standard		994																		
STD OXG99	Standard		921																		
STD OXG99	Standard		996																		
STD OXG99	Standard		973																		
STD OXG99 Expected			932																		
STD OXC88 Expected			203																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
BLK	Blank		5																		
BLK	Blank		<2																		
BLK	Blank		4																		
BLK	Blank		<2																		
BLK	Blank		5																		
BLK	Blank		3																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 29, 2012

QUALITY CONTROL REPORT WHI12000118.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD OREAS45CA	Standard	0.45	0.041	17	769	0.14	174	0.141	<20	3.76	0.008	0.07	<0.1	0.03	<0.1	<0.05	47.3	<0.5	20	<0.2
STD OREAS45CA	Standard	0.44	0.038	15	752	0.13	158	0.137	<20	3.69	0.011	0.08	<0.1	0.03	<0.1	<0.05	46.1	0.7	20	<0.2
STD OREAS45CA	Standard	0.44	0.036	15	752	0.12	153	0.134	<20	3.52	0.010	0.07	<0.1	0.03	<0.1	<0.05	43.5	<0.5	18	<0.2
STD OREAS45CA	Standard	0.44	0.039	17	672	0.15	166	0.150	<20	3.69	0.010	0.08	<0.1	0.04	<0.1	<0.05	45.0	0.8	18	<0.2
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99 Expected																				
STD OXC88 Expected																				
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 29, 2012

QUALITY CONTROL REPORT WHI12000118.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
BLK	Blank		4																		
BLK	Blank		2																		
BLK	Blank		4																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		3																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank		<2	0.1	2.2	3.0	45	<0.1	2.5	4.2	571	2.00	0.6	1.7	2.7	6.2	77	<0.1	<0.1	<0.1	38
G1-WHI	Prep Blank		<2	<0.1	2.3	3.2	45	<0.1	2.6	4.3	600	2.05	<0.5	2.1	2.9	6.8	105	<0.1	<0.1	<0.1	40

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 29, 2012

QUALITY CONTROL REPORT WHI12000118.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																				
G1-WHI	Prep Blank	0.55	0.076	15	11	0.51	177	0.151	<20	0.99	0.112	0.51	<0.1	0.01	0.3	<0.05	2.5	<0.5	5	<0.2
G1-WHI	Prep Blank	0.61	0.078	14	9	0.53	188	0.154	<20	1.07	0.121	0.54	<0.1	<0.01	0.4	<0.05	2.6	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: June 19, 2012
Report Date: June 28, 2012
Page: 1 of 6

CERTIFICATE OF ANALYSIS WHI12000119.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET007
P.O. Number
Number of Samples: 132

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	118	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	132	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	132	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme
Dayna

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

CERTIFICATE OF ANALYSIS WHI12000119.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402337	Rock	1.90	5	3.4	25.4	71.4	112	1.5	6.2	18.5	1562	4.31	3.9	5.0	2.4	7.5	116	0.4	0.7	<0.1	115
1402338	Rock	2.08	<2	2.0	25.3	13.7	61	0.1	6.0	13.7	658	3.47	4.9	2.8	1.2	8.4	78	0.1	0.6	<0.1	102
1402339	Rock	2.15	<2	1.8	24.3	3.3	42	<0.1	5.2	11.1	412	2.93	1.6	2.0	<0.5	8.6	60	<0.1	0.1	<0.1	88
1402340	Rock Pulp	0.12	5	2.3	22.6	2.1	39	0.2	21.5	9.4	361	2.28	4.9	0.2	<0.5	0.7	31	0.1	0.2	<0.1	48
1402341	Rock Pulp	0.12	1512	8.5	45.7	5.5	49	0.2	30.0	8.5	443	3.02	6.4	0.2	1299	0.8	35	<0.1	1.0	<0.1	53
1402342	Rock	2.43	<2	2.0	25.7	3.8	44	<0.1	5.9	11.9	441	3.13	5.6	1.3	<0.5	8.6	68	<0.1	0.3	<0.1	98
1402343	Rock	2.11	4	2.2	25.4	2.9	46	<0.1	6.0	12.3	444	3.18	1.6	1.5	<0.5	8.0	59	<0.1	0.2	<0.1	101
1402344	Rock	2.47	<2	2.5	27.4	3.6	53	<0.1	6.8	15.1	551	3.77	4.5	1.9	<0.5	8.6	67	<0.1	0.2	<0.1	121
1402345	Rock	2.21	<2	2.0	29.1	2.8	54	<0.1	6.9	16.1	577	3.90	1.1	1.8	<0.5	9.4	61	<0.1	0.1	<0.1	130
1402346	Rock	2.08	<2	2.0	25.8	3.1	52	<0.1	6.3	14.2	567	3.65	2.8	2.3	3.3	7.6	80	<0.1	0.4	<0.1	113
1402347	Rock	2.56	<2	2.1	26.4	2.6	45	<0.1	6.4	13.5	490	3.35	1.0	1.6	2.9	7.4	71	<0.1	0.2	<0.1	108
1402348	Rock	2.85	<2	2.2	23.0	3.0	45	<0.1	7.0	12.6	479	3.18	2.7	1.5	1.7	8.1	71	<0.1	0.3	<0.1	98
1402349	Rock	2.59	<2	1.9	27.0	2.6	51	<0.1	5.9	14.6	605	3.70	1.1	1.7	0.7	6.8	87	<0.1	0.2	<0.1	119
1402350	Rock	2.82	<2	2.1	25.2	2.8	54	0.1	6.6	16.0	681	3.83	2.5	2.1	1.9	8.2	91	<0.1	0.4	<0.1	122
1402351	Rock	2.96	<2	2.1	27.3	1.9	54	<0.1	7.5	15.9	640	3.86	0.9	1.5	<0.5	7.0	73	<0.1	0.2	<0.1	126
1402352	Rock	2.83	<2	2.1	28.6	3.0	55	<0.1	7.2	16.0	690	3.86	2.1	1.4	0.9	8.2	88	<0.1	0.4	<0.1	125
1402353	Rock	2.32	<2	2.0	33.0	2.2	60	<0.1	7.2	17.4	780	4.13	0.7	1.7	1.2	7.9	85	<0.1	0.2	<0.1	138
1402354	Rock	2.28	4	2.1	24.6	2.5	58	<0.1	6.6	17.0	801	4.17	1.8	1.7	<0.5	7.6	97	<0.1	0.2	<0.1	135
1402355	Rock	2.43	3	2.0	29.3	2.7	48	<0.1	6.2	14.2	534	3.47	0.8	1.2	<0.5	7.1	74	<0.1	0.2	<0.1	115
1402356	Rock	2.68	<2	1.9	30.3	2.8	53	<0.1	6.8	16.3	574	3.85	1.5	1.2	0.5	6.5	80	<0.1	0.2	<0.1	127
1402357	Rock	2.43	<2	2.2	25.2	2.6	49	<0.1	6.0	14.1	540	3.50	0.6	1.2	<0.5	7.2	74	<0.1	0.2	<0.1	115
1402358	Rock	2.58	<2	2.1	33.0	2.9	67	<0.1	7.8	19.6	830	4.62	1.5	2.5	<0.5	6.5	104	<0.1	0.2	<0.1	161
1402359	Rock	2.38	<2	1.9	25.7	3.5	61	<0.1	6.6	16.3	719	4.01	1.4	2.2	0.5	8.9	92	<0.1	0.8	<0.1	127
1402360	Rock Pulp	0.12	<2	2.4	23.3	2.0	40	0.3	23.2	10.2	383	2.36	4.6	0.2	<0.5	0.8	34	<0.1	0.1	<0.1	52
1402361	Rock Pulp	0.12	4056	9.8	66.3	474.4	1587	50.8	30.6	8.4	393	3.13	28.5	0.3	3679	1.0	31	15.2	50.9	0.8	48
1402362	Rock	2.55	5	1.3	21.9	6.4	61	<0.1	5.8	20.6	1780	4.48	2.0	6.7	<0.5	6.8	134	<0.1	2.0	<0.1	111
1402363	Rock	2.69	19	3.9	27.5	459.9	278	12.2	7.3	18.5	880	4.56	212.7	4.1	13.8	7.7	114	2.4	4.6	<0.1	136
1402364	Rock	2.65	<2	2.3	24.2	3.7	54	<0.1	6.6	14.7	563	3.61	1.2	1.8	<0.5	7.3	86	<0.1	1.1	<0.1	119
1402365	Rock		<2	2.6	24.7	4.7	50	<0.1	6.3	14.0	519	3.51	2.4	1.6	<0.5	7.9	84	<0.1	0.7	<0.1	113
1402366	Rock	2.41	<2	2.0	25.7	3.8	48	<0.1	6.0	13.8	488	3.50	1.3	1.6	<0.5	7.8	96	<0.1	1.0	<0.1	117

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

CERTIFICATE OF ANALYSIS WHI12000119.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1402337	Rock	5.23	0.081	21	22	1.34	880	0.124	<20	2.27	0.024	0.72	0.2	<0.01	0.4	<0.05	16.0	<0.5	9	<0.2
1402338	Rock	1.79	0.076	14	25	1.09	1042	0.237	<20	2.08	0.173	0.90	1.0	<0.01	0.5	<0.05	8.9	<0.5	7	<0.2
1402339	Rock	0.85	0.072	12	25	0.95	992	0.250	<20	1.90	0.197	0.88	0.9	<0.01	0.4	<0.05	4.1	<0.5	6	<0.2
1402340	Rock Pulp	0.66	0.059	3	27	0.70	87	0.089	<20	1.33	0.063	0.11	13.2	0.01	<0.1	<0.05	3.7	<0.5	4	<0.2
1402341	Rock Pulp	0.69	0.056	4	30	0.75	99	0.102	<20	1.53	0.083	0.13	0.3	0.07	<0.1	<0.05	4.4	<0.5	5	<0.2
1402342	Rock	0.85	0.071	14	28	1.09	1102	0.278	<20	1.97	0.220	1.01	1.1	<0.01	0.5	<0.05	4.7	<0.5	6	<0.2
1402343	Rock	0.87	0.081	12	28	1.13	1153	0.284	<20	1.98	0.196	0.98	0.7	<0.01	0.5	<0.05	4.8	<0.5	6	<0.2
1402344	Rock	1.14	0.089	12	32	1.33	1308	0.318	<20	2.21	0.211	1.16	0.6	<0.01	0.5	<0.05	6.5	<0.5	7	<0.2
1402345	Rock	1.06	0.094	15	32	1.42	1263	0.312	<20	2.11	0.173	1.13	0.5	<0.01	0.5	<0.05	6.9	<0.5	7	<0.2
1402346	Rock	1.33	0.076	11	26	1.21	1070	0.244	<20	2.27	0.213	0.89	0.5	<0.01	0.4	<0.05	8.5	<0.5	7	<0.2
1402347	Rock	1.02	0.083	11	31	1.17	1184	0.291	<20	2.03	0.196	0.96	0.7	<0.01	0.4	<0.05	5.6	<0.5	6	<0.2
1402348	Rock	1.08	0.080	12	30	1.12	1113	0.271	<20	2.09	0.230	0.90	0.8	<0.01	0.4	<0.05	5.5	<0.5	6	<0.2
1402349	Rock	1.48	0.081	12	28	1.40	1120	0.283	<20	2.34	0.233	0.96	0.5	<0.01	0.4	<0.05	8.8	<0.5	7	<0.2
1402350	Rock	1.90	0.079	13	30	1.38	1123	0.273	<20	2.43	0.232	0.93	0.4	<0.01	0.4	<0.05	10.0	<0.5	7	<0.2
1402351	Rock	1.54	0.086	12	32	1.37	1185	0.293	<20	2.35	0.215	1.04	0.5	<0.01	0.5	<0.05	8.6	<0.5	7	<0.2
1402352	Rock	1.78	0.083	13	30	1.41	1184	0.289	<20	2.49	0.243	0.99	0.4	<0.01	0.5	<0.05	9.0	<0.5	7	<0.2
1402353	Rock	2.04	0.092	13	33	1.59	1349	0.325	<20	2.53	0.193	1.10	0.4	<0.01	0.5	<0.05	10.5	<0.5	7	<0.2
1402354	Rock	2.31	0.082	13	31	1.59	1188	0.287	<20	2.57	0.234	1.03	0.4	<0.01	0.5	<0.05	11.8	<0.5	8	<0.2
1402355	Rock	1.12	0.079	12	29	1.28	1257	0.317	<20	2.24	0.227	1.09	0.5	<0.01	0.5	<0.05	6.5	<0.5	7	<0.2
1402356	Rock	1.17	0.086	12	30	1.42	1338	0.339	<20	2.51	0.247	1.17	0.4	<0.01	0.5	<0.05	7.2	<0.5	7	<0.2
1402357	Rock	1.06	0.083	12	29	1.28	1197	0.312	<20	2.23	0.231	1.06	0.4	<0.01	0.5	<0.05	6.5	<0.5	6	<0.2
1402358	Rock	2.33	0.092	15	33	1.76	1307	0.318	<20	2.75	0.233	1.12	0.2	<0.01	0.5	<0.05	15.4	<0.5	9	<0.2
1402359	Rock	2.17	0.075	14	29	1.45	1036	0.231	<20	2.47	0.192	0.88	0.3	<0.01	0.4	<0.05	14.6	<0.5	8	<0.2
1402360	Rock Pulp	0.73	0.058	4	29	0.74	87	0.110	<20	1.46	0.070	0.12	13.2	<0.01	<0.1	<0.05	4.1	<0.5	5	<0.2
1402361	Rock Pulp	0.63	0.054	5	27	0.56	103	0.098	<20	1.12	0.072	0.10	2.4	0.23	1.1	0.31	4.1	<0.5	6	<0.2
1402362	Rock	6.28	0.071	20	20	1.63	804	0.141	<20	2.74	0.041	0.69	<0.1	0.02	0.4	<0.05	13.9	<0.5	9	<0.2
1402363	Rock	2.58	0.090	16	31	1.42	1176	0.276	<20	2.62	0.228	1.02	0.3	0.02	0.5	0.12	14.5	<0.5	8	<0.2
1402364	Rock	1.36	0.085	14	30	1.25	1195	0.299	<20	2.32	0.251	1.02	0.6	<0.01	0.5	<0.05	7.6	<0.5	7	<0.2
1402365	Rock	1.16	0.081	13	31	1.30	1191	0.313	<20	2.30	0.252	1.00	0.7	<0.01	0.5	<0.05	6.1	<0.5	7	<0.2
1402366	Rock	1.12	0.080	13	29	1.32	1283	0.307	<20	2.32	0.276	0.96	0.5	<0.01	0.4	<0.05	6.4	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

CERTIFICATE OF ANALYSIS WHI12000119.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402367	Rock	2.77	<2	2.9	33.5	3.8	59	<0.1	7.5	17.6	604	4.19	2.5	2.1	4.4	7.4	91	<0.1	0.9	<0.1	138
1402368	Rock	2.72	<2	2.5	29.9	2.9	53	<0.1	7.4	16.0	504	3.74	1.0	1.2	3.3	6.1	73	<0.1	0.6	<0.1	129
1402369	Rock	2.52	3	2.5	26.1	3.1	47	<0.1	6.4	14.4	505	3.45	1.9	1.3	1.5	7.2	92	<0.1	0.8	<0.1	114
1402370	Rock	2.39	10	2.8	28.2	198.2	225	6.7	7.6	17.2	748	4.27	14.9	3.3	9.4	8.3	107	2.0	4.5	<0.1	132
1402371	Rock	2.29	23	2.8	29.1	195.5	300	14.2	8.0	17.0	875	4.42	5.2	3.3	9.7	8.3	118	3.3	6.6	<0.1	132
1402372	Rock	2.38	5	2.7	25.8	41.5	137	2.2	6.8	16.8	746	4.14	2.3	2.9	1.0	8.5	118	1.1	2.6	<0.1	129
1402373	Rock	2.58	<2	2.6	29.5	4.3	51	<0.1	7.2	14.3	518	3.47	1.4	1.3	2.0	8.2	103	0.1	1.2	<0.1	113
1402374	Rock	0.96	<2	3.0	25.4	13.4	68	<0.1	7.2	15.2	601	4.00	1.8	2.0	<0.5	8.1	113	0.3	1.7	<0.1	122
1402375	Rock	1.41	5	2.8	25.2	12.8	68	<0.1	7.0	15.3	596	3.87	1.2	2.0	<0.5	7.9	107	0.2	1.7	<0.1	121
1402376	Rock	2.21	3	2.4	19.8	3.4	51	<0.1	6.3	14.9	909	3.90	4.5	6.5	<0.5	8.3	117	<0.1	1.7	<0.1	111
1402377	Rock	2.05	2	2.7	31.2	3.4	61	<0.1	7.6	17.1	702	4.17	3.3	2.5	<0.5	7.9	104	<0.1	0.6	<0.1	132
1402378	Rock	2.19	3	2.6	29.7	4.1	60	<0.1	7.2	16.2	602	4.03	1.6	1.8	<0.5	7.9	93	0.1	0.3	<0.1	132
1402379	Rock	2.43	<2	2.8	26.4	2.8	53	<0.1	6.9	15.5	642	3.98	1.3	2.0	<0.5	8.1	104	<0.1	0.2	<0.1	127
1402380	Rock Pulp	0.12	5	2.8	25.8	2.2	41	0.3	23.8	10.6	424	2.53	5.0	0.2	<0.5	0.9	43	0.3	0.3	<0.1	57
1402381	Rock Pulp	0.12	1454	8.8	49.2	5.7	48	0.2	31.9	9.0	488	3.30	7.1	0.3	857.0	1.0	45	0.2	1.2	<0.1	62
1402382	Rock	2.55	<2	3.3	25.8	2.9	53	<0.1	7.7	15.8	662	3.94	6.9	3.0	4.9	8.4	117	<0.1	0.2	<0.1	117
1402383	Rock	2.20	2	2.1	26.8	3.3	64	<0.1	6.9	18.9	900	4.49	1.7	6.0	5.1	9.2	137	<0.1	0.5	<0.1	125
1402384	Rock	2.38	<2	1.9	24.0	3.2	67	<0.1	7.5	19.6	990	4.77	2.1	7.0	3.8	9.0	134	<0.1	0.4	<0.1	128
1402385	Rock	2.57	<2	2.6	27.4	2.8	61	<0.1	7.2	17.9	736	4.35	3.6	4.1	5.4	7.7	118	<0.1	0.3	<0.1	132
1402386	Rock	2.27	13	2.6	27.4	3.0	55	<0.1	7.5	16.3	754	4.10	2.5	4.1	4.4	8.8	132	<0.1	0.3	<0.1	124
1402387	Rock	2.45	16	2.9	25.2	2.6	52	<0.1	6.9	15.0	645	3.79	1.3	2.5	0.5	7.5	106	<0.1	0.2	<0.1	119
1402388	Rock	2.31	<2	3.4	25.3	3.1	45	<0.1	6.7	13.9	503	3.60	1.2	1.9	<0.5	7.4	105	<0.1	0.1	<0.1	114
1402389	Rock	2.58	<2	2.9	28.1	3.2	48	<0.1	6.9	14.3	520	3.69	1.0	2.0	2.1	8.6	102	<0.1	0.1	<0.1	119
1402390	Rock	2.51	<2	3.1	29.2	3.3	47	<0.1	7.2	14.3	521	3.72	1.5	1.8	3.0	8.7	109	<0.1	0.1	<0.1	118
1402391	Rock	2.36	<2	3.2	31.6	3.0	53	<0.1	7.4	15.7	580	4.01	1.0	1.8	<0.5	7.4	111	<0.1	0.1	<0.1	130
1402392	Rock	2.37	2	3.8	25.0	3.3	49	<0.1	6.3	14.4	572	3.74	0.8	2.1	<0.5	8.1	113	<0.1	<0.1	<0.1	115
1402393	Rock	3.13	5	1.2	22.8	8.6	62	<0.1	6.9	13.4	854	3.55	54.3	3.2	1.5	16.5	77	0.1	3.6	<0.1	75
1402394	Rock	0.57	<2	2.7	28.8	5.4	41	<0.1	4.5	8.7	583	2.62	13.6	2.2	<0.5	16.2	44	<0.1	0.9	<0.1	53
1402395	Rock	1.58	<2	1.8	37.7	3.2	54	<0.1	8.2	14.9	636	3.47	6.6	2.3	<0.5	12.3	86	0.1	0.4	<0.1	96
1402396	Rock	1.53	3	1.9	33.8	3.3	55	<0.1	8.4	15.9	590	3.72	4.1	2.2	<0.5	11.8	97	<0.1	0.2	<0.1	113

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

CERTIFICATE OF ANALYSIS WHI12000119.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1402367	Rock	1.08	0.097	14	35	1.65	1460	0.365	<20	2.62	0.258	1.18	0.5	<0.01	0.5	<0.05	8.2	<0.5	8	<0.2
1402368	Rock	0.92	0.093	11	33	1.32	1529	0.358	<20	2.38	0.235	1.15	0.6	<0.01	0.5	<0.05	5.8	<0.5	6	<0.2
1402369	Rock	1.05	0.083	12	31	1.23	1230	0.313	<20	2.25	0.245	1.02	0.8	<0.01	0.4	<0.05	5.8	<0.5	6	<0.2
1402370	Rock	1.98	0.088	14	33	1.44	1238	0.305	<20	2.56	0.256	1.08	0.4	0.02	0.4	<0.05	11.0	<0.5	8	<0.2
1402371	Rock	2.49	0.082	16	35	1.56	1091	0.268	<20	2.82	0.274	0.96	0.4	0.03	0.4	0.07	12.8	<0.5	9	<0.2
1402372	Rock	2.04	0.080	15	33	1.49	1166	0.290	<20	2.75	0.300	1.03	0.4	0.01	0.4	<0.05	10.7	<0.5	8	<0.2
1402373	Rock	1.26	0.077	13	31	1.26	1196	0.297	<20	2.45	0.305	0.99	0.6	0.02	0.4	<0.05	6.8	<0.5	7	<0.2
1402374	Rock	1.49	0.081	14	33	1.37	1227	0.300	<20	2.65	0.314	1.09	0.5	<0.01	0.5	<0.05	8.6	<0.5	7	<0.2
1402375	Rock	1.43	0.081	14	33	1.35	1152	0.297	<20	2.56	0.297	1.06	0.4	0.01	0.5	<0.05	8.6	<0.5	7	<0.2
1402376	Rock	3.51	0.074	14	28	1.13	929	0.215	<20	2.10	0.183	0.78	0.3	0.01	0.3	0.14	9.8	<0.5	7	<0.2
1402377	Rock	1.92	0.091	14	35	1.50	1241	0.321	<20	2.51	0.245	1.14	0.4	0.02	0.5	0.10	9.8	<0.5	8	<0.2
1402378	Rock	1.29	0.093	13	34	1.34	1325	0.337	<20	2.44	0.265	1.21	0.7	0.02	0.5	<0.05	7.8	<0.5	7	<0.2
1402379	Rock	1.52	0.084	14	35	1.35	1204	0.314	<20	2.56	0.295	1.13	0.5	0.01	0.4	<0.05	8.3	<0.5	8	<0.2
1402380	Rock Pulp	0.83	0.061	4	31	0.79	98	0.125	<20	1.62	0.076	0.13	11.9	0.02	0.2	<0.05	4.4	<0.5	5	<0.2
1402381	Rock Pulp	0.85	0.061	5	33	0.82	107	0.132	<20	1.74	0.097	0.15	0.3	0.07	<0.1	<0.05	5.1	<0.5	6	<0.2
1402382	Rock	1.93	0.085	14	36	1.32	1127	0.291	<20	2.53	0.297	1.02	0.6	0.07	0.4	<0.05	8.6	<0.5	7	<0.2
1402383	Rock	2.85	0.082	18	29	1.56	1148	0.257	<20	2.51	0.244	1.00	0.3	0.02	0.5	<0.05	16.1	<0.5	8	<0.2
1402384	Rock	3.03	0.079	18	29	1.76	1076	0.245	<20	2.63	0.203	0.98	0.2	0.02	0.4	0.15	17.7	<0.5	8	<0.2
1402385	Rock	2.15	0.084	14	34	1.48	1238	0.294	<20	2.69	0.283	1.06	0.5	<0.01	0.5	0.09	12.2	<0.5	8	<0.2
1402386	Rock	2.28	0.082	15	33	1.28	1144	0.273	<20	2.63	0.316	1.00	0.4	<0.01	0.5	0.09	11.6	<0.5	7	<0.2
1402387	Rock	1.84	0.077	13	32	1.23	1121	0.292	<20	2.38	0.277	1.02	0.5	<0.01	0.4	0.05	8.8	<0.5	7	<0.2
1402388	Rock	1.24	0.084	12	34	1.16	1162	0.319	<20	2.48	0.337	1.06	0.8	<0.01	0.4	<0.05	6.2	<0.5	7	<0.2
1402389	Rock	1.25	0.085	13	35	1.25	1167	0.315	<20	2.51	0.311	1.03	0.7	<0.01	0.4	<0.05	6.7	<0.5	7	<0.2
1402390	Rock	1.34	0.082	13	35	1.22	1189	0.320	<20	2.43	0.325	1.08	0.8	<0.01	0.5	<0.05	6.9	<0.5	7	<0.2
1402391	Rock	1.39	0.091	14	38	1.32	1303	0.339	<20	2.57	0.320	1.20	0.6	<0.01	0.5	<0.05	7.9	<0.5	8	<0.2
1402392	Rock	1.60	0.082	14	36	1.21	1089	0.286	<20	2.53	0.329	0.98	0.8	<0.01	0.4	<0.05	8.3	<0.5	7	<0.2
1402393	Rock	2.47	0.060	21	19	0.69	475	0.083	<20	1.39	0.064	0.42	0.2	0.02	0.2	<0.05	10.4	<0.5	5	<0.2
1402394	Rock	1.05	0.045	17	14	0.59	357	0.095	<20	1.18	0.082	0.45	1.1	<0.01	0.3	<0.05	7.1	<0.5	5	<0.2
1402395	Rock	1.45	0.080	13	26	1.13	623	0.189	<20	1.79	0.136	0.67	0.4	0.01	0.3	<0.05	7.7	<0.5	6	<0.2
1402396	Rock	1.20	0.093	14	30	1.31	939	0.279	<20	2.16	0.206	1.07	0.4	<0.01	0.5	<0.05	7.2	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

CERTIFICATE OF ANALYSIS WHI12000119.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402397	Rock	1.74	<2	1.5	34.9	3.3	55	<0.1	8.1	16.6	630	3.74	4.2	2.9	<0.5	11.6	90	<0.1	0.3	<0.1	103
1402398	Rock	2.02	3	1.7	40.7	3.8	63	<0.1	8.4	19.1	761	4.18	5.2	2.8	<0.5	12.4	92	0.1	0.4	<0.1	113
1402399	Rock	1.63	<2	1.0	33.2	5.5	77	<0.1	8.5	20.7	999	4.66	21.4	2.7	<0.5	12.9	107	0.2	1.0	<0.1	97
1402400	Rock Pulp	0.13	2	2.3	24.8	2.2	41	0.4	23.4	9.9	402	2.45	4.7	0.3	<0.5	0.9	41	0.3	0.3	<0.1	54
1402401	Rock Pulp	0.12	1486	8.4	48.2	5.8	48	0.2	31.9	9.2	483	3.29	6.7	0.2	1442	1.0	44	0.1	1.2	<0.1	59
1402402	Rock	1.43	16	1.7	29.2	9.3	78	<0.1	8.6	19.8	1138	4.45	220.9	3.9	12.2	10.3	140	0.4	3.7	<0.1	91
1402403	Rock	1.05	3	1.5	33.4	5.4	66	<0.1	7.9	18.4	740	4.04	46.5	2.9	7.6	10.3	132	<0.1	1.8	<0.1	93
1402404	Rock	1.18	3	1.2	30.4	5.7	82	<0.1	7.6	20.8	1004	4.78	11.4	3.4	3.3	10.6	181	0.2	1.4	<0.1	119
1402405	Rock	1.34	2	1.1	32.2	9.2	88	<0.1	7.8	20.1	962	4.70	11.4	4.0	3.8	13.9	173	0.4	3.4	<0.1	102
1402406	Rock	1.49	<2	1.0	33.6	15.2	109	<0.1	6.6	18.9	1106	4.78	15.2	4.9	2.4	9.6	235	0.6	4.9	<0.1	114
1402407	Rock	1.75	3	0.9	33.9	53.2	274	0.1	7.9	21.6	1037	4.66	38.6	4.5	2.3	8.8	214	1.9	5.3	<0.1	132
1402408	Rock	1.66	<2	0.9	20.8	27.6	263	<0.1	6.5	15.5	1355	4.99	32.6	4.8	1.7	7.3	263	1.3	1.8	<0.1	96
1402409	Rock	1.35	207	1.4	29.6	10.1	91	0.1	8.5	20.0	1217	4.93	501.0	3.8	128.6	9.6	332	0.4	1.5	<0.1	111
1402410	Rock	1.85	10	1.3	15.8	8.5	72	<0.1	6.7	11.2	817	3.33	171.3	1.5	9.7	11.9	201	0.2	0.7	<0.1	60
1402411	Rock	1.76	438	0.7	7.7	12.3	72	0.2	6.9	10.8	792	3.24	861.3	2.3	71.0	11.3	159	0.3	1.2	<0.1	58
1402412	Rock	1.76	273	1.0	8.4	31.4	70	0.4	6.6	10.8	908	3.33	703.1	1.8	64.0	11.4	185	0.4	1.3	<0.1	61
1402413	Rock	1.63	14	1.8	15.2	6.9	74	0.1	6.8	11.1	891	3.33	147.3	2.0	16.5	11.2	210	0.2	1.0	<0.1	60
1402414	Rock	1.67	29	1.6	4.0	7.4	69	<0.1	6.1	10.4	849	3.12	323.7	2.1	28.2	10.5	155	0.3	0.7	<0.1	50
1402415	Rock	1.77	<2	1.5	2.9	5.9	61	<0.1	6.8	9.8	818	2.98	7.5	2.1	1.0	11.3	165	0.1	0.3	<0.1	55
1402416	Rock	1.22	18	1.2	6.7	10.0	90	<0.1	9.2	22.4	1180	5.26	56.7	2.9	24.6	11.2	260	0.1	0.8	<0.1	67
1402417	Rock	1.67	26	0.2	2.5	8.9	107	<0.1	10.4	29.9	1726	6.85	113.0	3.4	26.1	10.0	352	0.2	1.1	<0.1	88
1402418	Rock	1.16	3	0.2	1.8	10.1	154	<0.1	14.2	43.2	2125	10.51	8.0	1.9	1.4	13.1	345	<0.1	0.8	<0.1	129
1402419	Rock	1.79	3	0.2	1.5	10.0	130	<0.1	12.7	39.6	2075	9.00	5.5	1.7	1.8	13.3	382	0.1	0.7	0.2	87
1402420	Rock Pulp	0.16	4	2.7	25.3	2.4	44	0.2	24.0	10.4	417	2.45	4.8	0.3	0.8	1.0	41	0.1	0.2	<0.1	60
1402421	Rock Pulp	0.12	3971	10.1	70.4	443.3	1649	53.4	31.0	8.4	407	3.32	31.2	0.3	4044	1.2	38	16.8	52.5	0.9	55
1402422	Rock	1.39	68	0.2	1.3	9.9	153	0.1	15.2	45.6	2040	10.33	25.9	3.3	43.6	21.2	305	0.1	0.7	<0.1	96
1402423	Rock	1.86	35	0.1	5.0	9.0	169	<0.1	16.3	49.9	2206	11.34	14.1	3.3	35.0	22.9	284	0.1	0.7	0.2	101
1402424	Rock	1.23	3	0.4	33.9	7.2	130	<0.1	12.8	37.4	1878	8.53	6.0	2.1	2.8	12.0	301	0.1	0.6	<0.1	136
1402425	Rock	1.83	4	0.3	33.5	7.4	134	<0.1	12.8	38.1	1879	9.09	6.7	2.2	2.9	12.6	319	0.2	0.5	<0.1	137
1402426	Rock	1.92	6	0.3	63.1	7.7	114	0.1	11.4	32.6	1780	7.72	6.2	2.2	14.8	11.4	356	0.2	0.7	<0.1	133

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

CERTIFICATE OF ANALYSIS WHI12000119.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1402397	Rock	1.40	0.095	13	27	1.28	796	0.221	<20	1.97	0.167	0.72	0.4	<0.01	0.4	<0.05	8.2	<0.5	7	<0.2
1402398	Rock	1.80	0.105	15	33	1.56	605	0.185	<20	2.13	0.134	0.55	0.4	0.01	0.3	<0.05	9.3	<0.5	7	<0.2
1402399	Rock	2.73	0.091	19	28	1.74	195	0.018	<20	2.02	0.046	0.14	<0.1	<0.01	<0.1	<0.05	15.0	<0.5	7	<0.2
1402400	Rock Pulp	0.78	0.059	4	30	0.76	94	0.117	<20	1.51	0.075	0.13	12.7	0.01	<0.1	<0.05	4.3	<0.5	5	<0.2
1402401	Rock Pulp	0.82	0.059	4	33	0.81	106	0.131	<20	1.70	0.099	0.15	0.3	0.08	<0.1	<0.05	4.7	<0.5	5	<0.2
1402402	Rock	4.38	0.086	15	20	1.50	283	0.013	<20	0.91	0.034	0.15	<0.1	0.07	<0.1	<0.05	15.1	<0.5	3	<0.2
1402403	Rock	2.10	0.095	16	24	0.96	467	0.084	<20	1.55	0.103	0.29	<0.1	0.01	0.2	<0.05	13.2	<0.5	6	<0.2
1402404	Rock	3.10	0.094	17	25	1.62	834	0.114	<20	1.67	0.097	0.58	<0.1	<0.01	0.4	<0.05	18.6	<0.5	6	<0.2
1402405	Rock	3.17	0.085	23	18	1.63	659	0.031	<20	1.20	0.033	0.32	<0.1	0.04	0.3	<0.05	17.5	<0.5	4	<0.2
1402406	Rock	5.74	0.090	14	19	2.13	309	0.002	<20	0.86	0.013	0.16	<0.1	0.17	0.3	<0.05	21.1	<0.5	3	<0.2
1402407	Rock	5.84	0.094	14	21	2.28	84	0.002	<20	0.72	0.012	0.10	<0.1	0.28	<0.1	<0.05	24.0	<0.5	2	<0.2
1402408	Rock	8.85	0.057	12	16	3.20	522	0.021	<20	1.27	0.017	0.29	<0.1	0.07	0.2	<0.05	15.5	<0.5	4	<0.2
1402409	Rock	5.17	0.093	20	22	1.60	740	0.073	<20	2.23	0.037	0.52	<0.1	0.06	0.3	<0.05	17.3	<0.5	8	<0.2
1402410	Rock	2.75	0.080	23	13	1.07	511	0.047	<20	1.69	0.045	0.38	0.1	<0.01	0.2	<0.05	9.2	<0.5	7	<0.2
1402411	Rock	2.42	0.084	23	12	0.96	774	0.094	<20	1.49	0.045	0.55	0.1	0.03	0.3	<0.05	9.7	<0.5	6	<0.2
1402412	Rock	2.67	0.079	20	13	1.07	796	0.124	<20	1.59	0.086	0.63	0.2	<0.01	0.4	<0.05	9.5	<0.5	6	<0.2
1402413	Rock	2.62	0.076	23	12	1.13	880	0.120	<20	1.49	0.062	0.61	0.1	0.01	0.3	<0.05	9.8	<0.5	6	<0.2
1402414	Rock	2.81	0.076	23	10	1.14	749	0.073	<20	1.25	0.035	0.48	0.1	<0.01	0.3	<0.05	9.2	<0.5	5	<0.2
1402415	Rock	2.64	0.076	25	12	1.09	802	0.101	<20	1.50	0.042	0.55	0.1	<0.01	0.4	<0.05	9.5	<0.5	6	<0.2
1402416	Rock	5.34	0.106	24	25	2.00	304	0.016	<20	2.63	0.015	0.25	0.1	0.02	0.2	<0.05	14.1	<0.5	8	<0.2
1402417	Rock	5.93	0.135	23	32	2.74	185	0.005	<20	3.08	0.017	0.15	<0.1	0.01	<0.1	<0.05	18.6	<0.5	10	<0.2
1402418	Rock	5.33	0.186	30	48	4.44	252	0.011	<20	5.74	0.001	0.16	<0.1	<0.01	<0.1	<0.05	21.9	0.7	19	<0.2
1402419	Rock	5.91	0.165	27	40	3.90	643	0.010	<20	5.00	0.001	0.17	<0.1	<0.01	0.2	<0.05	17.0	<0.5	15	<0.2
1402420	Rock Pulp	0.85	0.063	4	32	0.81	101	0.135	<20	1.62	0.082	0.14	11.9	<0.01	0.1	<0.05	4.7	<0.5	5	<0.2
1402421	Rock Pulp	0.72	0.056	6	28	0.60	110	0.118	<20	1.24	0.080	0.11	2.0	0.21	1.1	0.34	4.4	0.6	6	0.3
1402422	Rock	4.76	0.183	30	48	4.58	263	0.010	<20	5.83	<0.001	0.13	<0.1	0.02	<0.1	<0.05	16.6	<0.5	19	<0.2
1402423	Rock	4.75	0.199	33	57	5.02	383	0.015	<20	6.40	<0.001	0.11	<0.1	0.02	<0.1	<0.05	19.3	<0.5	20	<0.2
1402424	Rock	5.39	0.154	24	46	3.93	389	0.011	<20	4.60	0.006	0.11	<0.1	<0.01	<0.1	<0.05	19.3	<0.5	14	<0.2
1402425	Rock	5.61	0.162	26	48	3.99	517	0.010	<20	4.95	0.005	0.12	<0.1	<0.01	<0.1	<0.05	19.8	0.7	14	<0.2
1402426	Rock	6.49	0.140	25	42	3.27	500	0.009	<20	4.16	0.011	0.12	<0.1	0.01	<0.1	<0.05	20.6	<0.5	12	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

CERTIFICATE OF ANALYSIS WHI12000119.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402427	Rock	1.59	<2	0.4	33.9	11.9	128	<0.1	12.2	35.5	1796	8.46	7.7	2.9	1.7	13.9	369	0.1	1.2	<0.1	151
1402428	Rock	1.86	29	0.5	13.1	13.2	113	<0.1	9.3	27.7	1572	6.91	10.2	3.3	11.4	9.1	310	0.4	1.6	<0.1	125
1402429	Rock	1.90	11	0.3	35.4	9.9	105	<0.1	10.1	29.8	1532	6.97	8.9	2.3	9.6	9.0	296	0.2	1.0	<0.1	121
1402430	Rock	1.81	<2	0.4	28.3	7.9	103	<0.1	10.9	29.6	1483	6.89	4.8	1.9	7.6	12.1	261	0.1	1.6	<0.1	140
1402431	Rock	1.64	3	0.7	30.6	27.9	187	<0.1	7.4	20.7	1168	4.85	19.2	5.3	7.6	9.8	285	1.7	1.0	<0.1	103
1402432	Rock	1.47	<2	0.5	5.8	11.5	73	<0.1	6.1	10.6	865	3.47	9.2	2.9	6.0	11.1	166	0.1	1.1	<0.1	74
1402433	Rock	1.73	<2	0.5	6.4	8.1	71	<0.1	6.1	11.6	1002	3.58	2.0	3.1	6.8	10.7	246	<0.1	0.9	<0.1	71
1402434	Rock	1.62	<2	0.9	12.6	7.4	68	<0.1	6.9	11.6	885	3.69	2.9	4.2	4.2	11.2	225	0.1	1.8	<0.1	80
1402435	Rock	1.83	<2	0.7	5.6	6.4	72	<0.1	6.3	11.3	920	3.57	2.0	2.5	7.0	10.3	239	<0.1	0.7	<0.1	78
1402436	Rock	1.88	<2	1.1	9.7	6.8	65	<0.1	6.5	11.4	905	3.48	7.4	2.9	6.2	11.1	235	<0.1	0.6	<0.1	73
1402437	Rock	1.82	<2	1.3	16.6	5.1	68	0.1	6.8	11.5	944	3.51	2.6	3.1	4.8	10.6	210	<0.1	1.3	0.3	71
1402438	Rock	1.55	2	0.9	14.5	5.1	66	<0.1	6.8	10.7	812	3.33	2.0	2.4	5.3	10.8	224	<0.1	0.4	0.1	77
1402439	Rock	2.01	<2	0.9	10.5	4.7	64	<0.1	6.9	11.0	889	3.42	1.5	2.6	3.8	10.4	198	<0.1	0.4	<0.1	82
1402440	Rock Pulp	0.12	8	2.5	24.2	2.3	42	0.3	22.7	10.1	372	2.20	5.3	0.2	2.2	0.8	34	0.2	0.3	<0.1	49
1402441	Rock Pulp	0.12	1496	9.1	47.0	5.7	50	0.3	32.0	9.1	460	3.08	7.2	0.2	1683	0.9	36	0.1	1.1	0.1	58
1402442	Rock	1.86	4	1.2	10.7	5.9	61	<0.1	6.0	11.5	909	3.18	1.6	3.1	2.6	10.4	245	<0.1	0.4	0.1	68
1402443	Rock	1.61	2	3.2	20.4	5.5	60	0.1	6.4	10.6	866	3.13	1.8	2.7	1.7	10.5	210	<0.1	0.5	0.1	62
1402444	Rock	1.64	3	4.1	20.4	4.4	60	0.1	6.3	10.7	781	3.11	1.4	2.3	2.6	11.2	181	<0.1	0.5	0.1	59
1402445	Rock	1.87	4	2.6	22.0	6.1	58	<0.1	5.6	10.1	818	2.96	1.8	2.1	1.9	10.2	197	<0.1	0.5	<0.1	62
1402446	Rock	1.94	2	1.4	14.2	7.3	65	<0.1	6.1	11.4	932	3.25	2.0	2.5	2.4	10.1	287	<0.1	0.8	<0.1	70
1402447	Rock	1.79	3	1.2	10.8	8.3	60	<0.1	5.9	9.6	792	2.95	2.0	2.6	3.0	11.5	208	<0.1	1.5	<0.1	52
1402448	Rock	1.64	2	0.9	21.2	11.7	66	<0.1	5.7	15.8	1133	3.89	11.4	2.6	<0.5	6.5	213	0.1	2.4	<0.1	77
1402449	Rock	1.48	<2	0.6	18.1	6.9	77	<0.1	6.3	18.7	1034	4.57	2.5	1.4	<0.5	6.0	437	<0.1	1.5	<0.1	99
1402450	Rock	1.56	15	1.0	33.1	11.3	68	0.1	6.9	19.7	1224	4.38	46.2	2.6	11.7	5.6	212	0.4	3.0	0.2	99
1402451	Rock	1.53	2	0.8	23.2	7.6	98	<0.1	7.0	23.1	927	5.66	4.9	1.4	<0.5	6.5	287	0.2	1.8	<0.1	112
1402452	Rock	1.95	2	1.2	20.9	8.7	88	<0.1	7.3	20.2	958	4.56	3.3	1.6	<0.5	6.1	227	0.1	0.9	<0.1	118
1402453	Rock	1.67	2	1.2	27.4	8.5	86	<0.1	8.1	21.1	1233	4.88	3.3	1.4	<0.5	6.3	226	<0.1	0.8	<0.1	130
1402454	Rock	1.67	6	0.7	26.5	7.8	65	0.1	5.6	17.2	1234	4.16	23.0	2.6	0.9	7.8	140	0.1	1.4	0.2	78
1402455	Rock	1.45	4	1.2	28.8	6.7	68	0.1	6.0	17.9	1227	4.13	8.7	2.1	<0.5	8.9	156	<0.1	1.0	<0.1	83
1402456	Rock	1.52	9	0.7	27.7	8.4	48	0.2	5.0	19.3	1616	3.51	25.5	2.4	3.8	6.8	173	<0.1	1.6	0.4	57

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

CERTIFICATE OF ANALYSIS WHI12000119.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1402427	Rock	6.54	0.152	29	45	3.48	664	0.011	<20	4.13	0.006	0.12	<0.1	<0.01	<0.1	<0.05	25.3	<0.5	12	<0.2
1402428	Rock	6.81	0.125	28	35	2.49	412	0.007	<20	2.86	0.014	0.11	<0.1	<0.01	<0.1	<0.05	22.7	<0.5	9	<0.2
1402429	Rock	6.18	0.124	25	36	2.85	585	0.005	<20	3.21	0.013	0.15	<0.1	<0.01	<0.1	<0.05	22.0	<0.5	10	<0.2
1402430	Rock	5.24	0.121	24	38	3.09	183	0.005	<20	3.41	0.015	0.13	<0.1	<0.01	<0.1	<0.05	22.8	<0.5	11	<0.2
1402431	Rock	4.37	0.096	18	17	1.47	602	0.001	<20	1.04	0.025	0.22	<0.1	0.18	0.3	<0.05	22.3	<0.5	4	<0.2
1402432	Rock	3.42	0.077	20	11	1.48	1327	0.087	<20	1.12	0.014	0.50	<0.1	0.10	0.3	<0.05	12.4	<0.5	4	<0.2
1402433	Rock	4.07	0.074	23	11	1.62	1409	0.147	<20	1.37	0.024	0.80	<0.1	0.04	0.6	<0.05	11.3	<0.5	5	<0.2
1402434	Rock	3.05	0.082	24	18	1.30	1125	0.149	<20	1.35	0.031	0.81	0.1	0.05	0.5	<0.05	13.5	<0.5	6	<0.2
1402435	Rock	3.38	0.077	21	12	1.65	1253	0.155	<20	1.42	0.022	0.84	0.1	0.02	0.6	<0.05	12.5	<0.5	5	<0.2
1402436	Rock	3.61	0.080	23	12	1.42	1067	0.130	<20	1.29	0.032	0.76	0.1	0.04	0.6	<0.05	12.2	<0.5	5	<0.2
1402437	Rock	3.33	0.080	25	13	1.36	1072	0.157	<20	1.36	0.048	0.84	0.2	0.03	0.7	<0.05	11.8	<0.5	5	<0.2
1402438	Rock	2.94	0.077	24	13	1.32	1234	0.173	<20	1.40	0.051	0.86	0.2	0.02	0.6	<0.05	11.9	<0.5	5	<0.2
1402439	Rock	2.95	0.081	23	13	1.39	1116	0.202	<20	1.46	0.062	0.91	0.2	<0.01	0.6	<0.05	13.0	<0.5	6	<0.2
1402440	Rock Pulp	0.67	0.057	3	28	0.72	93	0.092	<20	1.38	0.066	0.12	14.0	0.01	<0.1	<0.05	3.7	<0.5	5	<0.2
1402441	Rock Pulp	0.73	0.061	4	32	0.79	102	0.106	<20	1.64	0.086	0.14	0.3	0.07	<0.1	<0.05	4.2	<0.5	5	<0.2
1402442	Rock	3.43	0.072	23	10	1.35	1276	0.150	<20	1.16	0.034	0.75	0.3	0.01	0.5	<0.05	10.8	<0.5	5	<0.2
1402443	Rock	3.50	0.072	22	11	1.11	1214	0.151	<20	1.16	0.045	0.76	0.2	0.03	0.5	<0.05	10.2	<0.5	5	<0.2
1402444	Rock	2.49	0.075	21	12	0.97	1092	0.158	<20	1.25	0.067	0.73	0.3	0.01	0.5	<0.05	10.1	<0.5	5	<0.2
1402445	Rock	3.33	0.075	22	10	1.28	960	0.119	<20	1.07	0.031	0.61	0.2	0.02	0.5	<0.05	10.4	<0.5	4	<0.2
1402446	Rock	3.78	0.074	22	11	1.40	858	0.115	<20	1.24	0.027	0.69	0.2	<0.01	0.5	<0.05	11.3	<0.5	5	<0.2
1402447	Rock	3.21	0.071	22	7	1.10	659	0.076	<20	1.13	0.026	0.56	0.2	0.03	0.5	<0.05	8.9	<0.5	4	<0.2
1402448	Rock	4.05	0.084	14	12	1.56	859	0.033	<20	1.12	0.016	0.48	<0.1	0.32	0.5	0.17	18.4	<0.5	4	<0.2
1402449	Rock	3.90	0.081	16	18	1.51	1307	0.146	<20	1.91	0.068	0.88	0.2	0.02	0.7	<0.05	16.9	<0.5	7	<0.2
1402450	Rock	4.55	0.088	16	16	1.82	946	0.078	<20	1.66	0.030	0.64	0.1	0.12	0.5	0.10	18.4	<0.5	6	<0.2
1402451	Rock	3.24	0.085	19	20	1.73	844	0.102	<20	2.66	0.050	0.71	0.1	0.04	0.4	<0.05	19.0	<0.5	9	<0.2
1402452	Rock	2.99	0.083	14	24	1.67	1181	0.149	<20	2.41	0.070	0.86	0.2	0.06	0.5	0.05	17.4	<0.5	8	<0.2
1402453	Rock	3.94	0.087	15	25	1.94	1148	0.121	<20	2.57	0.054	0.72	0.2	0.07	0.3	<0.05	17.2	<0.5	9	<0.2
1402454	Rock	4.54	0.083	19	13	1.84	499	0.038	<20	1.71	0.022	0.58	0.1	0.06	0.4	0.08	17.0	<0.5	6	<0.2
1402455	Rock	5.10	0.082	20	13	1.76	587	0.060	<20	1.69	0.018	0.66	<0.1	0.08	0.5	<0.05	17.6	<0.5	6	<0.2
1402456	Rock	5.68	0.085	15	7	1.67	140	0.002	<20	0.80	0.017	0.29	<0.1	0.15	0.2	0.06	17.1	<0.5	2	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

CERTIFICATE OF ANALYSIS WHI12000119.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402457	Rock	1.67	7	0.6	22.9	10.0	48	0.1	4.0	19.7	1603	3.57	18.2	2.3	3.5	6.6	241	0.1	1.5	0.2	53
1402458	Rock	1.93	16	0.7	30.0	5.8	63	0.1	5.8	19.5	1401	4.61	8.5	2.3	8.0	7.0	349	<0.1	2.4	<0.1	103
1402459	Rock	1.33	2	0.7	27.1	5.3	69	<0.1	6.2	20.7	1352	4.81	2.7	1.8	<0.5	6.8	159	<0.1	1.7	<0.1	112
1402460	Rock Pulp	0.12	3	2.2	22.7	2.1	40	0.7	22.4	9.9	364	2.21	4.5	0.2	<0.5	0.7	32	0.1	0.2	<0.1	50
1402461	Rock Pulp	0.12	4162	9.7	67.4	489.5	1591	52.6	31.3	8.4	383	3.06	29.5	0.2	3212	0.9	29	15.0	55.2	0.7	48
1402462	Rock Pulp	1.54	13	0.9	16.5	6.7	58	0.3	5.2	14.6	633	3.53	8.0	1.7	12.5	5.5	107	0.1	2.5	<0.1	78
1402463	Rock	1.66	3	1.0	15.6	6.3	75	<0.1	5.9	17.3	881	4.10	4.5	2.6	3.0	6.6	139	0.1	1.6	<0.1	95
1402464	Rock	2.51	3	1.0	26.9	3.6	60	<0.1	6.1	15.6	720	3.70	3.5	1.6	2.5	6.2	111	<0.1	0.9	<0.1	92
1402465	Rock	1.37	<2	0.9	19.8	5.2	81	<0.1	6.3	18.2	830	4.14	2.2	2.3	7.2	7.1	119	0.1	0.9	0.2	99
1402466	Rock	2.06	20	1.3	27.2	5.3	82	<0.1	7.1	20.0	1045	4.88	2.2	2.0	3.0	7.3	117	0.1	0.8	<0.1	139
1402467	Rock	2.31	23	1.3	32.3	4.9	89	<0.1	8.2	22.2	1346	5.16	2.2	2.3	2.3	6.2	120	0.1	0.6	<0.1	148
1402468	Rock	2.49	4	2.0	35.9	4.0	76	<0.1	8.9	21.0	947	4.61	1.6	1.8	3.5	6.6	105	<0.1	0.3	<0.1	144

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

CERTIFICATE OF ANALYSIS WHI12000119.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1402457	Rock	6.52	0.076	16	7	2.01	143	0.004	<20	0.91	0.019	0.32	<0.1	0.18	0.2	<0.05	15.5	<0.5	3	<0.2
1402458	Rock	5.18	0.082	18	15	1.86	960	0.117	<20	1.28	0.025	0.68	0.1	0.10	0.5	0.07	19.5	<0.5	5	<0.2
1402459	Rock	4.93	0.089	20	16	2.16	789	0.117	<20	1.38	0.022	0.81	<0.1	0.03	0.5	<0.05	22.0	<0.5	5	<0.2
1402460	Rock Pulp	0.68	0.058	3	28	0.72	87	0.097	<20	1.41	0.067	0.12	13.5	<0.01	<0.1	<0.05	3.7	<0.5	4	<0.2
1402461	Rock Pulp	0.60	0.054	5	25	0.56	103	0.087	<20	1.09	0.069	0.10	2.9	0.21	1.1	0.32	3.6	<0.5	6	<0.2
1402462	Rock Pulp	2.20	0.065	14	14	1.03	1309	0.129	<20	1.44	0.042	0.71	0.2	0.08	0.5	0.08	13.4	<0.5	5	<0.2
1402463	Rock	2.98	0.074	18	18	1.36	634	0.084	<20	1.87	0.060	0.50	0.2	0.04	0.3	<0.05	14.8	<0.5	7	<0.2
1402464	Rock	2.05	0.088	15	23	1.31	636	0.098	<20	1.75	0.108	0.44	0.2	0.04	0.2	<0.05	8.9	<0.5	6	<0.2
1402465	Rock	2.50	0.076	18	24	1.54	292	0.045	<20	1.91	0.079	0.27	0.1	0.02	0.2	<0.05	14.9	<0.5	7	<0.2
1402466	Rock	2.99	0.086	17	29	1.79	666	0.093	<20	2.44	0.099	0.47	0.2	0.01	0.2	<0.05	19.8	<0.5	8	<0.2
1402467	Rock	3.66	0.095	15	29	1.99	583	0.088	<20	2.38	0.074	0.42	<0.1	<0.01	0.2	<0.05	20.1	<0.5	8	<0.2
1402468	Rock	2.21	0.101	12	33	1.72	1164	0.213	<20	2.29	0.135	0.81	0.2	0.01	0.4	0.07	13.8	<0.5	8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

QUALITY CONTROL REPORT WHI12000119.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
REP G1-WHI	QC			<0.1	2.1	2.4	43	<0.1	3.2	3.9	518	1.76	14.0	1.1	2.1	3.5	51	<0.1	0.1	0.1	31
1402360	Rock Pulp	0.12	<2	2.4	23.3	2.0	40	0.3	23.2	10.2	383	2.36	4.6	0.2	<0.5	0.8	34	<0.1	0.1	<0.1	52
REP 1402360	QC		4																		
1402370	Rock	2.39	10	2.8	28.2	198.2	225	6.7	7.6	17.2	748	4.27	14.9	3.3	9.4	8.3	107	2.0	4.5	<0.1	132
REP 1402370	QC			2.9	28.7	203.0	230	5.7	7.1	17.1	753	4.27	15.7	3.3	5.8	8.5	106	2.0	4.6	<0.1	132
REP 1402394	QC		3																		
1402405	Rock	1.34	2	1.1	32.2	9.2	88	<0.1	7.8	20.1	962	4.70	11.4	4.0	3.8	13.9	173	0.4	3.4	<0.1	102
REP 1402405	QC			1.0	33.1	9.3	89	<0.1	7.8	20.8	985	4.81	11.9	4.3	2.0	14.3	177	0.3	2.9	<0.1	105
REP 1402429	QC		9																		
1402451	Rock	1.53	2	0.8	23.2	7.6	98	<0.1	7.0	23.1	927	5.66	4.9	1.4	<0.5	6.5	287	0.2	1.8	<0.1	112
REP 1402451	QC			0.8	23.3	7.9	96	<0.1	7.8	23.2	936	5.77	4.8	1.6	0.8	6.6	285	0.1	1.8	<0.1	113
Core Reject Duplicates																					
1402359	Rock	2.38	<2	1.9	25.7	3.5	61	<0.1	6.6	16.3	719	4.01	1.4	2.2	0.5	8.9	92	<0.1	0.8	<0.1	127
DUP 1402359	QC		<2	2.0	25.7	3.6	60	<0.1	6.8	17.1	710	4.10	0.8	2.4	<0.5	9.3	88	<0.1	0.6	<0.1	131
1402394	Rock	0.57	<2	2.7	28.8	5.4	41	<0.1	4.5	8.7	583	2.62	13.6	2.2	<0.5	16.2	44	<0.1	0.9	<0.1	53
DUP 1402394	QC		<2	2.9	23.4	5.3	39	<0.1	4.8	8.7	566	2.61	12.9	2.1	<0.5	15.8	42	<0.1	0.8	<0.1	52
1402429	Rock	1.90	11	0.3	35.4	9.9	105	<0.1	10.1	29.8	1532	6.97	8.9	2.3	9.6	9.0	296	0.2	1.0	<0.1	121
DUP 1402429	QC		9	0.3	35.9	10.1	103	<0.1	10.0	28.5	1530	6.91	9.3	2.3	5.5	8.6	288	0.2	1.1	<0.1	117
1402464	Rock	2.51	3	1.0	26.9	3.6	60	<0.1	6.1	15.6	720	3.70	3.5	1.6	2.5	6.2	111	<0.1	0.9	<0.1	92
DUP 1402464	QC		3	1.0	25.9	3.6	60	<0.1	5.9	16.7	730	3.75	3.5	1.7	1.9	6.7	109	<0.1	0.8	<0.1	93
Reference Materials																					
STD DS9	Standard			11.5	112.4	126.6	310	1.7	40.8	7.7	589	2.51	25.1	2.7	132.5	6.5	77	2.3	5.1	5.7	38
STD DS9	Standard			12.8	112.9	125.6	321	2.4	41.7	7.6	590	2.44	24.0	2.6	135.3	6.0	69	2.1	4.8	5.7	38
STD DS9	Standard			13.2	112.2	125.0	309	2.0	41.2	7.4	577	2.39	25.9	2.8	101.8	6.5	76	2.2	4.9	6.0	41
STD DS9	Standard			11.2	104.9	125.9	305	1.9	40.0	7.2	529	2.21	23.7	2.2	101.5	5.5	61	2.2	5.3	4.9	37
STD OREAS45CA	Standard			0.8	540.6	20.9	64	0.3	276.9	96.7	990	16.66	4.3	1.3	43.5	8.1	17	0.1	0.2	<0.1	216
STD OREAS45CA	Standard			0.9	457.3	18.7	54	0.3	229.6	85.8	897	14.19	3.8	1.1	44.5	6.5	14	<0.1	0.2	0.2	189
STD OREAS45CA	Standard			1.0	544.3	20.4	63	0.3	272.2	97.9	1042	16.60	4.1	1.3	48.3	8.0	15	<0.1	0.1	0.1	231

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

QUALITY CONTROL REPORT WHI12000119.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
REP G1-WHI	QC	0.41	0.072	7	7	0.52	195	0.108	<20	0.89	0.073	0.45	<0.1	<0.01	0.3	<0.05	2.0	<0.5	5	<0.2
1402360	Rock Pulp	0.73	0.058	4	29	0.74	87	0.110	<20	1.46	0.070	0.12	13.2	<0.01	<0.1	<0.05	4.1	<0.5	5	<0.2
REP 1402360	QC																			
1402370	Rock	1.98	0.088	14	33	1.44	1238	0.305	<20	2.56	0.256	1.08	0.4	0.02	0.4	<0.05	11.0	<0.5	8	<0.2
REP 1402370	QC	1.99	0.088	15	34	1.43	1209	0.312	<20	2.70	0.264	1.08	0.3	0.01	0.4	<0.05	11.3	1.2	8	<0.2
REP 1402394	QC																			
1402405	Rock	3.17	0.085	23	18	1.63	659	0.031	<20	1.20	0.033	0.32	<0.1	0.04	0.3	<0.05	17.5	<0.5	4	<0.2
REP 1402405	QC	3.26	0.087	23	18	1.66	698	0.029	<20	1.25	0.034	0.34	<0.1	0.04	0.3	<0.05	18.3	<0.5	4	<0.2
REP 1402429	QC																			
1402451	Rock	3.24	0.085	19	20	1.73	844	0.102	<20	2.66	0.050	0.71	0.1	0.04	0.4	<0.05	19.0	<0.5	9	<0.2
REP 1402451	QC	3.26	0.084	18	20	1.75	838	0.108	<20	2.75	0.052	0.71	0.1	0.05	0.4	<0.05	19.4	<0.5	9	<0.2
Core Reject Duplicates																				
1402359	Rock	2.17	0.075	14	29	1.45	1036	0.231	<20	2.47	0.192	0.88	0.3	<0.01	0.4	<0.05	14.6	<0.5	8	<0.2
DUP 1402359	QC	2.21	0.074	14	28	1.51	1050	0.238	<20	2.50	0.180	0.91	0.3	<0.01	0.4	<0.05	14.8	<0.5	8	<0.2
1402394	Rock	1.05	0.045	17	14	0.59	357	0.095	<20	1.18	0.082	0.45	1.1	<0.01	0.3	<0.05	7.1	<0.5	5	<0.2
DUP 1402394	QC	1.05	0.044	17	14	0.58	353	0.093	<20	1.15	0.076	0.44	1.1	<0.01	0.3	<0.05	6.9	<0.5	5	<0.2
1402429	Rock	6.18	0.124	25	36	2.85	585	0.005	<20	3.21	0.013	0.15	<0.1	<0.01	<0.1	<0.05	22.0	<0.5	10	<0.2
DUP 1402429	QC	6.15	0.124	25	35	2.77	592	0.005	<20	3.06	0.012	0.14	<0.1	<0.01	<0.1	<0.05	21.9	<0.5	10	<0.2
1402464	Rock	2.05	0.088	15	23	1.31	636	0.098	<20	1.75	0.108	0.44	0.2	0.04	0.2	<0.05	8.9	<0.5	6	<0.2
DUP 1402464	QC	2.08	0.084	16	24	1.34	672	0.101	<20	1.77	0.102	0.45	0.2	0.02	0.2	<0.05	9.1	<0.5	6	<0.2
Reference Materials																				
STD DS9	Standard	0.73	0.082	12	123	0.64	324	0.113	<20	0.98	0.085	0.41	2.6	0.20	5.7	0.16	2.3	5.8	5	4.9
STD DS9	Standard	0.71	0.084	11	122	0.63	320	0.110	<20	0.95	0.081	0.40	2.8	0.23	5.7	0.16	2.3	5.4	4	4.9
STD DS9	Standard	0.74	0.085	13	123	0.64	332	0.119	<20	0.99	0.085	0.41	2.4	0.20	5.6	0.17	2.3	5.5	5	5.0
STD DS9	Standard	0.67	0.079	10	117	0.60	296	0.098	<20	0.89	0.073	0.38	2.9	0.22	5.3	0.15	2.0	5.2	4	5.0
STD OREAS45CA	Standard	0.46	0.041	17	690	0.17	174	0.146	<20	3.73	0.009	0.08	<0.1	0.04	0.1	<0.05	47.4	1.1	21	<0.2
STD OREAS45CA	Standard	0.42	0.039	15	663	0.14	161	0.112	<20	3.19	0.008	0.07	<0.1	0.03	0.1	<0.05	41.3	<0.5	18	<0.2
STD OREAS45CA	Standard	0.46	0.040	17	696	0.16	176	0.152	<20	3.81	0.010	0.08	<0.1	0.03	<0.1	<0.05	43.0	<0.5	20	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

QUALITY CONTROL REPORT WHI12000119.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD OREAS45CA	Standard			1.1	482.0	20.0	57	0.3	238.9	91.3	943	15.49	4.4	1.1	47.5	7.1	12	<0.1	0.2	0.1	200
STD OXC88	Standard		197																		
STD OXC88	Standard		205																		
STD OXC88	Standard		210																		
STD OXC88	Standard		195																		
STD OXC88	Standard		211																		
STD OXC88	Standard		212																		
STD OXG99	Standard		900																		
STD OXG99	Standard		946																		
STD OXG99	Standard		970																		
STD OXG99	Standard		923																		
STD OXG99	Standard		920																		
STD OXG99	Standard		958																		
STD OXC88 Expected			203																		
STD OXG99 Expected			932																		
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
BLK	Blank		<2																		
BLK	Blank		2																		
BLK	Blank		3																		
BLK	Blank		5																		
BLK	Blank		<2																		
BLK	Blank		5																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		2																		
BLK	Blank		2																		
BLK	Blank		3																		
BLK	Blank		4																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

QUALITY CONTROL REPORT WHI12000119.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD OREAS45CA	Standard	0.45	0.038	15	723	0.14	159	0.119	<20	3.40	0.008	0.07	<0.1	0.04	0.1	<0.05	41.5	<0.5	18	<0.2
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXC88 Expected																				
STD OXG99 Expected																				
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

QUALITY CONTROL REPORT WHI12000119.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.02	<0.5	<0.1	1.2	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.02	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.02	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank		<2																		
G1-WHI	Prep Blank		<2	0.1	2.7	4.0	50	<0.1	3.4	3.3	491	1.73	14.2	1.1	1.4	4.2	51	<0.1	1.2	0.1	30
G1-WHI	Prep Blank			0.1	2.7	2.4	43	<0.1	3.1	3.8	507	1.75	16.2	1.2	2.1	3.7	54	<0.1	0.1	<0.1	32

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: June 28, 2012

QUALITY CONTROL REPORT WHI12000119.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																				
G1-WHI	Prep Blank																			
G1-WHI	Prep Blank	0.41	0.070	9	4	0.43	129	0.100	<20	0.78	0.071	0.41	<0.1	<0.01	0.3	<0.05	1.8	<0.5	4	<0.2
G1-WHI	Prep Blank	0.40	0.075	7	5	0.54	197	0.108	<20	0.90	0.076	0.46	<0.1	<0.01	0.3	<0.05	2.0	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: June 22, 2012
Report Date: July 09, 2012
Page: 1 of 6

CERTIFICATE OF ANALYSIS WHI12000166.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET007
P.O. Number
Number of Samples: 149

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	129	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	143	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	143	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 09, 2012

CERTIFICATE OF ANALYSIS WHI12000166.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402469	Rock	3.99	<2	1.4	22.3	3.1	48	<0.1	7.1	13.5	514	3.20	9.8	1.0	<0.5	5.8	60	<0.1	0.1	<0.1	96
1402470	Rock	0.81	<2	1.1	27.5	3.0	51	<0.1	6.0	15.1	503	3.51	2.9	1.1	<0.5	4.9	59	<0.1	<0.1	<0.1	116
1402471	Rock	1.37	2	1.2	38.5	6.5	81	0.3	8.7	23.1	1339	4.81	73.0	1.7	<0.5	7.0	95	0.1	1.1	<0.1	147
1402472	Rock	1.76	<2	1.0	45.1	2.8	65	<0.1	7.5	19.8	786	4.26	7.3	1.5	<0.5	7.9	94	<0.1	0.2	<0.1	138
1402473	Rock	1.71	13	1.0	29.5	3.5	64	<0.1	6.9	18.9	879	4.20	257.9	1.5	<0.5	8.8	90	0.1	0.4	<0.1	127
1402474	Rock	1.13	<2	0.6	29.1	3.2	54	<0.1	5.9	15.9	541	3.53	20.7	1.0	<0.5	6.7	70	<0.1	0.1	<0.1	119
1402475	Rock	0.68	<2	0.6	27.9	3.3	54	<0.1	6.2	16.4	567	3.69	21.3	1.0	<0.5	6.5	75	<0.1	0.1	<0.1	127
1402476	Rock	1.87	2	0.9	43.3	3.4	54	<0.1	7.1	16.5	511	3.57	15.4	1.1	<0.5	7.8	64	<0.1	0.2	<0.1	100
1402477	Rock	2.13	78	1.1	26.2	7.8	70	0.1	7.0	18.8	779	4.34	421.9	1.8	<0.5	8.6	94	0.5	0.5	<0.1	127
1402478	Rock	2.00	<2	1.0	22.6	3.1	68	<0.1	6.6	19.0	827	4.36	36.6	1.3	<0.5	7.4	104	0.1	0.1	<0.1	132
1402479	Rock	2.38	33	1.3	25.8	3.4	70	<0.1	7.1	19.6	889	4.38	262.4	1.9	<0.5	8.5	103	0.2	0.3	<0.1	145
1402480	Rock Pulp	0.13	<2	2.5	26.8	2.3	42	0.3	23.7	10.7	391	2.34	5.1	0.3	<0.5	0.9	38	0.2	0.2	<0.1	54
1402481	Rock Pulp	0.12	3887	9.8	72.3	446.1	1592	51.5	31.7	9.0	396	3.09	31.0	0.3	2.5	1.2	34	16.6	45.7	1.2	49
1402482	Rock	2.35	<2	1.0	33.4	3.1	62	<0.1	7.1	18.7	629	4.08	47.3	1.3	<0.5	8.4	89	<0.1	0.2	<0.1	138
1402483	Rock	2.67	<2	1.4	37.6	5.2	74	<0.1	7.2	20.7	1418	4.59	20.0	2.5	<0.5	6.9	113	0.3	0.2	<0.1	124
1402484	Rock	2.52	<2	1.3	42.9	3.0	63	<0.1	7.5	19.0	731	4.05	19.3	1.4	<0.5	7.5	81	<0.1	0.1	<0.1	134
1402485	Rock	2.25	<2	1.2	24.3	10.5	18	0.3	2.9	3.5	254	1.15	82.8	2.1	<0.5	38.5	15	<0.1	0.3	<0.1	21
1402486	Rock	2.69	9	1.3	30.7	10.7	57	0.4	4.9	11.6	698	2.86	91.7	1.9	<0.5	28.0	67	0.1	0.3	<0.1	70
1402487	Rock	2.94	30	1.2	38.7	9.9	74	0.1	7.5	20.1	905	4.38	377.8	2.3	<0.5	10.4	93	0.2	0.5	<0.1	119
1402488	Rock	2.59	16	1.3	46.7	8.7	83	<0.1	8.7	23.0	936	5.04	276.5	2.0	<0.5	8.2	108	0.5	0.4	<0.1	151
1402489	Rock	3.09	<2	1.2	37.8	4.9	57	<0.1	7.8	18.5	668	3.78	18.3	1.6	<0.5	12.8	80	<0.1	0.1	<0.1	116
1402490	Rock	2.25	<2	1.2	40.7	4.4	53	<0.1	7.8	18.0	500	3.65	7.4	1.2	<0.5	6.6	73	<0.1	<0.1	<0.1	121
1402491	Rock	2.23	<2	1.5	41.9	4.0	53	<0.1	8.6	19.0	529	3.81	10.2	1.1	<0.5	8.0	77	<0.1	0.1	<0.1	132
1402492	Rock	2.24	<2	1.1	35.3	4.3	52	<0.1	7.5	16.8	489	3.52	15.0	1.1	<0.5	7.4	76	<0.1	<0.1	<0.1	119
1402493	Rock	2.45	<2	1.1	36.6	3.9	53	<0.1	7.2	17.1	505	3.62	20.9	1.2	<0.5	7.5	78	<0.1	<0.1	<0.1	129
1402494	Rock	1.95	36	1.2	35.8	5.2	63	<0.1	7.8	19.3	676	4.00	181.0	1.3	<0.5	9.2	82	0.2	0.2	<0.1	135
1402495	Rock	2.19	3	1.3	43.5	3.8	58	<0.1	7.9	18.8	676	3.88	44.2	1.2	<0.5	8.9	77	<0.1	0.2	<0.1	134
1402496	Rock	2.20	<2	2.1	54.3	3.8	53	<0.1	7.9	17.8	488	3.76	5.2	1.2	<0.5	7.3	76	<0.1	0.2	<0.1	135
1402497	Rock	2.35	<2	1.4	38.3	3.6	59	<0.1	8.3	18.5	604	4.12	5.7	1.3	<0.5	6.1	80	<0.1	<0.1	<0.1	146
1402498	Rock	2.71	<2	1.6	31.1	3.2	57	<0.1	7.9	16.8	632	3.85	9.5	1.1	<0.5	6.1	77	<0.1	0.1	<0.1	140

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 09, 2012

CERTIFICATE OF ANALYSIS WHI12000166.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1402469	Rock	0.96	0.101	10	25	0.98	750	0.213	<20	1.75	0.172	0.54	0.3	<0.01	0.2	<0.05	5.3	<0.5	6	<0.2
1402470	Rock	1.28	0.111	10	26	1.13	874	0.226	<20	1.80	0.144	0.64	0.2	<0.01	0.2	<0.05	5.1	<0.5	6	<0.2
1402471	Rock	2.15	0.110	15	29	1.42	1010	0.213	<20	2.40	0.127	0.74	0.2	0.02	0.3	<0.05	17.6	<0.5	8	<0.2
1402472	Rock	2.07	0.109	13	31	1.33	992	0.217	<20	2.18	0.135	0.75	0.1	<0.01	0.2	<0.05	12.5	<0.5	7	<0.2
1402473	Rock	2.48	0.096	14	26	1.29	802	0.180	<20	2.17	0.123	0.69	0.1	<0.01	0.2	<0.05	12.2	<0.5	7	<0.2
1402474	Rock	1.27	0.106	12	27	1.29	965	0.281	<20	2.10	0.185	0.94	0.2	<0.01	0.3	<0.05	6.4	<0.5	7	<0.2
1402475	Rock	1.24	0.104	11	26	1.34	1031	0.301	<20	2.24	0.195	1.00	0.2	<0.01	0.3	<0.05	6.7	<0.5	7	<0.2
1402476	Rock	1.12	0.103	12	29	1.35	903	0.276	<20	2.10	0.172	0.89	0.3	<0.01	0.3	<0.05	6.8	<0.5	6	<0.2
1402477	Rock	2.05	0.103	14	27	1.40	923	0.237	<20	2.41	0.176	0.83	0.2	<0.01	0.3	<0.05	11.5	<0.5	8	<0.2
1402478	Rock	2.37	0.094	14	26	1.47	902	0.234	<20	2.46	0.168	0.83	0.1	<0.01	0.3	<0.05	14.7	<0.5	8	<0.2
1402479	Rock	2.66	0.102	16	28	1.57	805	0.222	<20	2.40	0.162	0.82	0.2	<0.01	0.3	<0.05	13.0	<0.5	7	<0.2
1402480	Rock Pulp	0.75	0.063	4	30	0.77	94	0.117	<20	1.53	0.071	0.12	12.3	0.01	<0.1	<0.05	4.2	<0.5	5	<0.2
1402481	Rock Pulp	0.63	0.054	5	27	0.57	105	0.105	<20	1.17	0.070	0.10	2.1	0.20	1.0	0.33	4.0	<0.5	6	<0.2
1402482	Rock	1.68	0.102	15	28	1.36	797	0.236	<20	2.36	0.180	0.80	0.2	<0.01	0.3	<0.05	12.0	<0.5	7	<0.2
1402483	Rock	5.83	0.094	17	25	1.25	562	0.136	<20	2.09	0.098	0.62	0.1	<0.01	0.2	<0.05	14.6	<0.5	6	<0.2
1402484	Rock	1.84	0.106	13	31	1.32	803	0.257	<20	2.20	0.161	0.85	0.2	<0.01	0.3	<0.05	9.9	<0.5	7	<0.2
1402485	Rock	0.27	0.010	20	8	0.20	100	0.010	<20	0.50	0.031	0.20	0.3	<0.01	<0.1	<0.05	1.9	<0.5	2	<0.2
1402486	Rock	2.08	0.049	22	17	0.76	426	0.109	<20	1.40	0.072	0.51	0.2	<0.01	0.2	<0.05	9.2	<0.5	5	<0.2
1402487	Rock	2.79	0.090	20	26	1.29	371	0.068	<20	2.12	0.082	0.33	<0.1	<0.01	0.1	<0.05	14.6	<0.5	7	<0.2
1402488	Rock	3.06	0.109	21	31	1.55	685	0.166	<20	2.60	0.112	0.62	0.1	<0.01	0.2	<0.05	17.4	<0.5	9	<0.2
1402489	Rock	1.60	0.112	17	30	1.39	667	0.228	<20	2.22	0.163	0.66	0.2	<0.01	0.2	<0.05	7.2	<0.5	7	<0.2
1402490	Rock	1.09	0.114	15	31	1.36	920	0.293	<20	2.19	0.194	0.82	0.4	<0.01	0.3	<0.05	5.6	<0.5	7	<0.2
1402491	Rock	1.07	0.117	16	34	1.39	1176	0.330	<20	2.38	0.225	1.14	0.4	<0.01	0.4	<0.05	6.0	<0.5	7	<0.2
1402492	Rock	1.14	0.104	14	31	1.29	881	0.286	<20	2.22	0.194	0.85	0.2	<0.01	0.3	<0.05	5.9	<0.5	7	<0.2
1402493	Rock	1.20	0.104	14	31	1.36	879	0.281	<20	2.25	0.193	0.82	0.2	<0.01	0.3	<0.05	6.3	<0.5	7	<0.2
1402494	Rock	1.79	0.103	15	32	1.41	887	0.276	<20	2.30	0.179	0.88	0.2	<0.01	0.3	<0.05	8.8	<0.5	7	<0.2
1402495	Rock	1.56	0.111	14	31	1.39	949	0.307	<20	2.24	0.178	0.88	0.3	<0.01	0.3	<0.05	7.8	<0.5	7	<0.2
1402496	Rock	1.09	0.113	11	32	1.30	1179	0.333	<20	2.17	0.194	1.01	0.4	<0.01	0.4	<0.05	5.5	<0.5	6	<0.2
1402497	Rock	1.44	0.112	11	45	1.42	1233	0.356	<20	2.30	0.199	1.10	0.3	<0.01	0.4	<0.05	6.8	<0.5	7	<0.2
1402498	Rock	1.22	0.099	11	31	1.41	1478	0.342	<20	2.35	0.219	1.14	0.2	<0.01	0.5	<0.05	5.9	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 09, 2012

CERTIFICATE OF ANALYSIS WHI12000166.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402499	Rock	2.31	<2	1.3	48.9	3.1	70	<0.1	8.6	21.1	694	4.71	3.0	1.1	<0.5	7.5	58	<0.1	<0.1	<0.1	177
1402500	Rock Pulp	0.12	<2	2.5	25.8	2.4	43	0.3	23.7	11.1	389	2.38	5.1	0.3	<0.5	1.0	42	0.1	0.2	<0.1	56
1402501	Rock Pulp	0.12	1467	9.1	50.1	6.2	51	0.2	32.5	9.7	479	3.19	7.1	0.3	1.0	1.0	44	0.2	0.9	0.1	62
1402502	Rock	2.28	4	1.2	24.2	4.1	50	<0.1	6.6	13.4	588	3.32	12.0	1.2	<0.5	7.4	73	<0.1	0.1	<0.1	103
1402503	Rock	2.21	3	1.6	18.0	6.9	52	<0.1	6.0	11.9	713	3.35	44.5	2.3	<0.5	14.0	77	0.1	0.2	0.8	88
1402504	Rock	1.52	3	1.3	15.0	7.2	47	<0.1	4.8	9.7	505	2.76	106.9	3.1	<0.5	16.6	60	0.1	0.2	<0.1	58
1402505	Rock	2.30	<2	1.2	37.3	4.1	68	<0.1	7.5	18.9	762	4.50	35.4	1.4	<0.5	6.6	87	<0.1	0.2	<0.1	141
1402506	Rock	2.06	<2	1.3	20.9	4.2	47	<0.1	6.2	12.5	494	3.17	17.2	1.2	<0.5	8.5	68	<0.1	0.1	<0.1	96
1402507	Rock	2.04	8	1.3	28.9	4.0	56	<0.1	6.8	15.9	598	3.81	7.1	1.3	<0.5	7.8	68	<0.1	0.1	<0.1	116
1402508	Rock	2.12	<2	1.3	21.5	4.1	47	<0.1	6.1	13.7	541	3.30	7.8	1.1	<0.5	5.0	82	<0.1	0.1	<0.1	106
1402509	Rock	2.33	<2	1.6	21.7	3.6	46	<0.1	6.4	13.8	485	3.30	12.3	1.4	<0.5	6.2	74	<0.1	<0.1	<0.1	107
1402510	Rock	2.53	2	1.3	32.1	3.8	63	<0.1	7.3	17.9	718	4.25	80.1	1.9	<0.5	7.8	85	<0.1	0.2	<0.1	132
1402511	Rock	2.01	<2	1.8	34.6	3.6	52	<0.1	7.1	15.5	537	3.70	7.4	1.5	<0.5	9.5	79	<0.1	0.1	<0.1	126
1402512	Rock	1.69	<2	1.5	34.9	3.8	53	<0.1	7.0	16.2	580	3.70	16.1	1.4	<0.5	6.3	91	<0.1	0.1	<0.1	134
1402513	Rock	2.00	<2	1.3	44.7	3.1	55	<0.1	8.0	17.1	538	3.95	8.7	1.2	<0.5	9.1	78	<0.1	0.1	<0.1	136
1402514	Rock	2.00	<2	1.4	43.0	3.1	60	<0.1	8.1	19.0	670	4.26	5.1	1.6	<0.5	7.1	84	<0.1	<0.1	<0.1	149
1402515	Rock	3.31	<2	1.6	39.9	3.4	58	<0.1	8.2	17.6	759	4.04	4.1	1.4	<0.5	6.3	102	<0.1	<0.1	<0.1	138
1402516	Rock	2.32	2	1.7	40.7	3.5	56	<0.1	7.4	16.8	617	3.88	4.5	1.5	<0.5	7.4	92	<0.1	<0.1	<0.1	127
1402517	Rock	2.57	<2	1.9	29.0	3.8	52	<0.1	7.2	15.8	570	3.59	8.8	2.7	<0.5	10.1	90	<0.1	<0.1	<0.1	114
1402518	Rock	2.15	11	1.5	27.7	4.4	67	<0.1	7.7	18.9	969	4.62	78.8	2.2	<0.5	7.2	137	0.1	0.2	<0.1	143
1402519	Rock	2.03	<2	1.4	37.5	4.9	80	<0.1	8.5	25.8	1214	5.98	6.5	3.3	<0.5	6.6	168	0.2	0.1	<0.1	177
1402520	Rock Pulp	0.12	<2	2.2	26.1	2.3	41	0.3	21.9	9.9	374	2.27	4.8	0.2	<0.5	0.9	39	0.2	0.2	<0.1	53
1402521	Rock Pulp	0.12	4014	9.5	76.8	443.8	1612	51.1	29.7	8.5	392	3.09	32.2	0.3	2.9	1.1	34	16.5	48.3	0.9	47
1402522	Rock	1.77	<2	1.5	41.7	3.9	68	<0.1	8.5	20.6	751	4.66	4.1	2.1	<0.5	6.8	138	0.1	0.2	<0.1	158
1402523	Rock	2.50	<2	1.5	40.6	3.4	64	<0.1	8.1	19.5	668	4.35	2.5	2.3	<0.5	7.4	125	<0.1	0.1	<0.1	147
1402524	Rock	1.22	<2	1.5	40.0	3.6	61	<0.1	7.7	20.1	765	4.42	4.2	2.1	<0.5	5.3	140	<0.1	0.2	<0.1	149
1402525	Rock	0.83	<2	1.4	39.3	3.4	60	<0.1	7.8	19.5	698	4.22	3.3	2.2	<0.5	5.2	134	<0.1	0.2	<0.1	143
1402526	Rock	1.95	<2	1.8	46.7	3.6	69	<0.1	9.3	22.7	894	4.88	3.8	2.5	<0.5	7.1	140	0.1	0.2	<0.1	165
1402527	Rock	2.66	<2	1.8	40.2	3.9	68	<0.1	8.5	21.6	896	4.71	3.0	3.0	<0.5	9.3	149	<0.1	0.3	<0.1	149
1402528	Rock	2.69	<2	2.5	39.0	4.0	64	<0.1	8.0	19.9	772	4.27	2.5	3.3	<0.5	10.4	137	<0.1	0.4	<0.1	134

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 09, 2012

CERTIFICATE OF ANALYSIS WHI12000166.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1402499	Rock	1.12	0.117	12	37	1.76	1516	0.402	<20	2.38	0.154	1.40	0.3	<0.01	0.5	<0.05	8.8	<0.5	8	<0.2
1402500	Rock Pulp	0.81	0.062	4	30	0.79	98	0.133	<20	1.60	0.075	0.12	11.6	0.02	<0.1	<0.05	4.7	<0.5	5	<0.2
1402501	Rock Pulp	0.84	0.061	4	34	0.83	108	0.139	<20	1.69	0.091	0.14	0.3	0.06	<0.1	<0.05	4.9	<0.5	5	<0.2
1402502	Rock	1.34	0.078	12	25	1.21	743	0.235	<20	1.94	0.172	0.90	0.3	0.02	0.3	<0.05	8.0	<0.5	6	<0.2
1402503	Rock	2.04	0.058	15	23	1.03	580	0.164	<20	1.65	0.092	0.63	0.3	0.05	0.3	<0.05	13.1	<0.5	6	<0.2
1402504	Rock	2.03	0.050	20	17	0.76	344	0.091	<20	1.49	0.055	0.43	0.2	0.06	0.3	<0.05	9.2	<0.5	6	<0.2
1402505	Rock	1.74	0.096	13	33	1.76	900	0.289	<20	2.44	0.174	1.03	0.2	<0.01	0.5	<0.05	11.5	<0.5	8	<0.2
1402506	Rock	0.94	0.081	11	26	1.23	705	0.257	<20	2.03	0.218	0.92	0.4	<0.01	0.4	<0.05	6.2	<0.5	6	<0.2
1402507	Rock	1.10	0.096	13	30	1.54	852	0.291	<20	2.17	0.183	0.97	0.3	<0.01	0.4	<0.05	7.8	<0.5	7	<0.2
1402508	Rock	1.29	0.084	12	28	1.28	865	0.273	<20	2.15	0.233	0.93	0.3	<0.01	0.4	<0.05	6.5	<0.5	6	<0.2
1402509	Rock	1.08	0.091	12	31	1.19	834	0.276	<20	2.01	0.216	0.95	0.4	<0.01	0.4	<0.05	5.8	<0.5	6	<0.2
1402510	Rock	1.69	0.101	14	33	1.56	866	0.262	<20	2.25	0.166	0.91	0.3	0.01	0.4	<0.05	11.1	<0.5	8	<0.2
1402511	Rock	1.08	0.094	12	33	1.25	1186	0.303	<20	2.27	0.235	1.07	0.4	<0.01	0.4	<0.05	5.7	<0.5	7	<0.2
1402512	Rock	1.23	0.100	12	32	1.38	1357	0.293	<20	2.28	0.232	0.98	0.3	<0.01	0.4	<0.05	6.5	<0.5	7	<0.2
1402513	Rock	1.12	0.112	12	34	1.41	1480	0.309	<20	2.34	0.201	1.12	0.4	<0.01	0.4	<0.05	6.5	<0.5	6	<0.2
1402514	Rock	1.52	0.119	13	35	1.57	1550	0.316	<20	2.39	0.175	1.10	0.2	<0.01	0.4	<0.05	7.9	<0.5	7	<0.2
1402515	Rock	1.88	0.108	13	33	1.61	1278	0.270	<20	2.43	0.200	0.97	0.2	<0.01	0.3	<0.05	8.5	<0.5	7	<0.2
1402516	Rock	1.49	0.108	11	32	1.48	1137	0.279	<20	2.36	0.206	0.98	0.3	<0.01	0.4	<0.05	7.3	<0.5	7	<0.2
1402517	Rock	1.23	0.089	14	31	1.36	897	0.257	<20	2.32	0.234	1.01	0.3	<0.01	0.4	<0.05	6.6	<0.5	6	<0.2
1402518	Rock	2.94	0.098	15	32	1.67	774	0.189	<20	2.42	0.156	0.64	0.2	0.01	0.2	<0.05	14.0	<0.5	8	<0.2
1402519	Rock	3.76	0.103	19	34	2.17	717	0.195	<20	2.96	0.139	0.80	<0.1	0.03	0.4	0.06	26.1	<0.5	9	<0.2
1402520	Rock Pulp	0.76	0.060	4	29	0.75	91	0.117	<20	1.46	0.071	0.12	11.6	0.01	<0.1	<0.05	4.1	<0.5	5	<0.2
1402521	Rock Pulp	0.60	0.054	5	27	0.56	109	0.100	<20	1.10	0.069	0.09	2.0	0.23	1.2	0.32	4.1	<0.5	6	<0.2
1402522	Rock	2.02	0.113	13	36	1.94	1004	0.241	<20	2.85	0.255	0.90	0.2	<0.01	0.3	0.06	14.2	<0.5	8	<0.2
1402523	Rock	1.75	0.115	12	34	1.66	1155	0.283	<20	2.79	0.251	1.04	0.2	<0.01	0.4	0.06	11.4	<0.5	8	<0.2
1402524	Rock	2.10	0.112	12	32	1.69	1194	0.298	<20	2.77	0.268	1.08	0.2	0.01	0.4	0.06	12.9	<0.5	8	<0.2
1402525	Rock	1.94	0.111	12	32	1.60	1168	0.297	<20	2.77	0.262	1.06	0.2	<0.01	0.4	0.06	11.7	<0.5	7	<0.2
1402526	Rock	2.33	0.131	14	36	1.79	1380	0.340	<20	2.76	0.240	1.24	0.2	0.01	0.5	0.07	14.2	<0.5	8	<0.2
1402527	Rock	2.38	0.116	14	32	1.78	1132	0.286	<20	2.65	0.237	1.06	0.2	<0.01	0.4	0.08	14.8	<0.5	7	<0.2
1402528	Rock	2.05	0.109	15	31	1.62	892	0.247	<20	2.44	0.236	0.90	0.1	<0.01	0.4	0.07	12.7	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 09, 2012

CERTIFICATE OF ANALYSIS WHI12000166.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402529	Rock	2.14	<2	1.6	37.1	4.4	63	<0.1	7.6	19.2	805	4.18	2.8	3.1	<0.5	12.7	141	<0.1	0.6	<0.1	127
1402530	Rock	1.79	<2	1.9	38.6	3.6	66	<0.1	8.5	20.3	747	4.56	34.1	2.4	<0.5	11.4	127	0.1	0.6	<0.1	147
1402531	Rock	2.08	102	1.2	24.3	53.2	171	0.3	6.2	18.5	1194	4.43	850.2	4.4	<0.5	8.5	229	1.0	1.9	<0.1	102
1402532	Rock	1.99	19	2.5	10.8	103.7	223	0.2	6.6	11.2	984	3.06	85.9	7.1	<0.5	6.8	125	1.3	1.1	<0.1	40
1402533	Rock	2.11	10	3.0	12.7	68.8	191	0.2	6.8	10.2	942	2.88	22.0	4.3	<0.5	8.1	111	1.1	1.6	<0.1	44
1402534	Rock	1.88	88	1.6	19.9	33.1	155	0.2	5.5	9.8	928	3.03	1155	2.9	<0.5	12.4	134	0.9	2.8	1.1	37
1402535	Rock	2.45	39	0.9	14.9	7.8	64	0.1	6.2	10.3	1306	3.02	132.5	2.3	<0.5	13.2	121	0.1	0.8	<0.1	48
1402536	Rock	1.82	8	1.5	15.3	7.6	60	<0.1	6.2	10.5	1443	3.27	45.1	2.4	<0.5	12.7	115	0.2	0.7	<0.1	52
1402537	Rock	2.89	<2	1.3	24.9	4.5	63	0.1	7.1	11.4	840	3.33	4.7	2.0	<0.5	10.8	120	<0.1	0.8	<0.1	62
1402538	Rock	2.48	<2	0.9	10.8	4.0	55	<0.1	6.6	10.6	786	3.04	3.2	2.2	<0.5	11.1	110	<0.1	0.4	<0.1	59
1402539	Rock	2.04	55	1.0	16.4	7.0	62	0.2	6.2	11.3	878	3.17	180.2	3.8	<0.5	10.6	114	0.2	1.1	<0.1	50
1402540	Rock Pulp	0.12	<2	2.6	26.6	2.3	44	0.5	25.4	11.0	404	2.43	4.8	0.2	<0.5	0.9	37	0.2	0.2	<0.1	58
1402541	Rock Pulp	0.12	1413	9.0	51.7	5.9	50	0.3	34.4	9.8	492	3.38	6.9	0.3	1.0	1.0	39	0.1	1.0	0.1	65
1402542	Rock	1.84	<2	0.8	7.2	6.7	67	<0.1	7.7	12.1	1494	3.39	85.4	3.1	<0.5	11.0	152	<0.1	0.4	<0.1	58
1402543	Rock	2.11	9	0.9	16.5	5.9	61	0.2	6.1	11.1	912	3.25	316.8	2.9	<0.5	10.9	112	0.1	0.8	0.2	56
1402544	Rock	1.65	9	0.9	12.3	5.1	58	<0.1	6.7	10.9	892	3.10	138.2	3.0	<0.5	11.3	139	<0.1	0.6	0.1	56
1402545	Rock	2.22	<2	0.7	7.0	6.4	58	<0.1	6.9	12.2	1355	3.52	6.5	5.0	<0.5	9.4	187	<0.1	0.4	0.1	62
1402546	Rock	2.31	<2	0.9	13.9	6.3	60	<0.1	7.5	12.0	904	3.47	4.4	3.3	<0.5	10.3	140	0.1	0.7	0.2	64
1402547	Rock	2.42	52	0.7	10.8	25.9	137	0.1	7.5	13.4	1106	3.89	780.5	3.7	<0.5	9.2	107	1.1	1.3	0.2	62
1402548	Rock	1.70	4	0.5	5.4	23.1	117	<0.1	6.0	10.9	971	3.61	71.9	3.4	<0.5	9.7	148	0.8	0.3	0.1	65
1402549	Rock	2.93	5	0.6	9.5	42.3	118	0.2	8.1	14.2	929	3.56	65.4	4.3	<0.5	9.7	132	0.9	0.6	0.2	64
1402550	Rock	2.39	2	0.8	12.3	12.5	68	<0.1	8.2	13.2	937	3.37	40.1	5.1	<0.5	10.6	165	0.3	1.0	0.3	70
1402551	Rock	1.48	<2	2.1	13.1	5.3	66	<0.1	8.4	12.7	912	3.67	11.7	2.6	<0.5	11.6	131	<0.1	0.3	<0.1	78
1402552	Rock	2.66	10	1.3	35.3	26.4	138	0.2	8.6	25.1	1446	5.48	25.7	4.8	<0.5	10.4	229	0.6	1.6	<0.1	111
1402553	Rock	3.17	4	1.3	39.5	110.3	134	0.9	7.9	23.5	1483	5.03	16.2	3.9	<0.5	9.6	243	2.3	3.8	<0.1	113
1402554	Rock	2.21	3	1.3	34.1	11.5	93	0.1	9.7	26.2	1115	5.73	20.2	2.4	<0.5	6.0	199	0.3	1.7	<0.1	173
1402555	Rock	2.77	<2	2.5	33.0	5.5	71	<0.1	9.5	24.4	1109	5.23	7.6	2.5	<0.5	6.0	229	0.1	1.2	<0.1	165
1402556	Rock	2.04	<2	2.0	36.3	8.8	85	<0.1	10.6	26.0	1052	5.60	5.4	2.4	<0.5	6.0	192	0.2	1.3	<0.1	168
1402557	Rock	2.58	28	2.3	42.0	41.8	164	0.4	11.3	28.1	1237	5.91	32.3	2.5	<0.5	5.3	186	2.6	1.1	<0.1	176
1402558	Rock	2.45	<2	2.0	35.1	9.4	73	0.3	7.6	21.0	1003	4.59	15.4	4.8	<0.5	7.6	158	0.3	2.0	<0.1	134

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 09, 2012

CERTIFICATE OF ANALYSIS WHI12000166.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1402529	Rock	2.17	0.103	17	29	1.62	678	0.227	<20	2.39	0.214	0.81	<0.1	<0.01	0.3	0.06	13.1	<0.5	7	<0.2
1402530	Rock	1.90	0.106	16	33	1.70	715	0.289	<20	2.67	0.233	1.12	0.3	<0.01	0.5	0.07	13.0	<0.5	7	<0.2
1402531	Rock	6.03	0.068	15	20	2.17	446	0.068	<20	1.77	0.048	0.38	<0.1	0.19	0.2	0.24	16.5	<0.5	5	<0.2
1402532	Rock	3.73	0.058	8	10	1.29	467	0.001	<20	0.80	0.007	0.11	<0.1	0.34	0.2	0.26	8.7	<0.5	2	<0.2
1402533	Rock	2.70	0.043	8	9	1.09	166	<0.001	<20	0.69	0.006	0.07	<0.1	0.31	0.1	0.30	8.9	<0.5	2	<0.2
1402534	Rock	3.35	0.067	17	9	1.28	452	0.029	<20	0.88	0.045	0.26	0.1	0.23	0.2	0.34	6.1	<0.5	3	<0.2
1402535	Rock	2.16	0.081	21	12	1.00	446	0.058	<20	1.14	0.076	0.31	0.1	0.06	0.2	0.11	7.8	<0.5	4	<0.2
1402536	Rock	2.01	0.077	22	13	1.09	462	0.048	<20	1.25	0.100	0.29	0.1	0.07	0.2	0.09	8.6	<0.5	5	<0.2
1402537	Rock	2.07	0.081	22	14	1.12	477	0.052	<20	1.43	0.089	0.32	<0.1	0.02	0.2	<0.05	8.8	<0.5	5	<0.2
1402538	Rock	1.89	0.075	21	13	1.07	657	0.093	<20	1.34	0.094	0.45	0.1	0.02	0.3	<0.05	9.1	<0.5	5	<0.2
1402539	Rock	2.68	0.075	23	10	1.15	416	0.018	<20	0.80	0.035	0.24	0.1	0.08	0.2	0.12	9.4	<0.5	3	<0.2
1402540	Rock Pulp	0.84	0.060	4	32	0.79	98	0.117	<20	1.62	0.078	0.13	13.4	0.02	<0.1	<0.05	4.3	<0.5	5	<0.2
1402541	Rock Pulp	0.87	0.060	5	35	0.85	107	0.127	<20	1.82	0.101	0.15	0.2	0.06	<0.1	<0.05	4.9	<0.5	6	<0.2
1402542	Rock	2.95	0.071	23	12	1.31	685	0.076	<20	1.26	0.059	0.48	0.2	0.07	0.3	0.08	9.4	<0.5	4	<0.2
1402543	Rock	2.41	0.073	22	12	1.08	571	0.036	<20	1.11	0.057	0.28	0.2	0.06	0.2	0.09	9.8	<0.5	4	<0.2
1402544	Rock	2.56	0.075	25	11	1.08	793	0.071	<20	1.10	0.064	0.44	0.1	0.04	0.3	0.07	10.1	<0.5	4	<0.2
1402545	Rock	4.02	0.070	20	12	1.44	622	0.024	<20	0.77	0.033	0.26	<0.1	0.29	0.2	0.24	11.2	<0.5	3	<0.2
1402546	Rock	2.46	0.077	22	14	1.14	635	0.080	<20	1.25	0.104	0.45	0.1	0.23	0.3	0.16	11.0	<0.5	4	<0.2
1402547	Rock	3.06	0.070	19	11	1.20	424	0.002	<20	0.75	0.009	0.13	0.1	0.32	0.2	0.42	11.6	<0.5	2	<0.2
1402548	Rock	3.88	0.077	19	11	1.46	361	<0.001	<20	0.75	0.010	0.12	<0.1	0.43	0.2	0.23	12.1	<0.5	2	<0.2
1402549	Rock	3.54	0.074	17	13	1.29	217	<0.001	<20	0.99	0.010	0.13	<0.1	0.54	0.2	0.63	12.2	<0.5	2	<0.2
1402550	Rock	3.18	0.075	20	15	1.29	649	0.058	<20	1.62	0.051	0.40	0.1	0.15	0.3	0.22	10.1	<0.5	5	<0.2
1402551	Rock	2.08	0.080	22	18	1.47	969	0.118	<20	2.05	0.075	0.54	0.2	0.03	0.3	<0.05	9.1	<0.5	8	<0.2
1402552	Rock	5.64	0.089	19	21	2.37	1276	0.036	<20	1.91	0.028	0.43	0.1	0.06	0.4	0.12	18.3	<0.5	6	<0.2
1402553	Rock	6.30	0.083	18	19	2.49	1130	0.007	<20	1.65	0.022	0.24	<0.1	0.05	0.2	0.11	19.1	<0.5	5	<0.2
1402554	Rock	3.29	0.096	17	35	2.11	1433	0.256	<20	2.57	0.111	1.09	0.3	<0.01	0.6	0.07	24.0	<0.5	8	<0.2
1402555	Rock	3.45	0.094	15	37	1.91	1214	0.293	<20	2.62	0.174	1.17	0.3	<0.01	0.7	0.06	19.4	<0.5	8	<0.2
1402556	Rock	3.01	0.099	18	36	2.05	1475	0.281	<20	2.68	0.150	1.16	0.2	<0.01	0.7	0.06	21.1	<0.5	8	<0.2
1402557	Rock	3.32	0.111	17	37	2.13	1433	0.283	<20	2.51	0.126	1.14	0.3	0.03	0.6	0.15	20.1	<0.5	8	<0.2
1402558	Rock	3.03	0.077	15	29	1.66	1076	0.221	<20	2.15	0.112	1.02	0.2	0.01	0.5	0.08	17.2	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 09, 2012

CERTIFICATE OF ANALYSIS WHI12000166.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402559	Rock	2.56	130	3.1	24.1	130.7	209	1.3	6.2	14.9	1248	3.77	1337	9.5	<0.5	7.8	134	4.8	2.4	<0.1	66
1402560	Rock Pulp	0.13	3	2.8	28.0	2.2	44	0.3	26.9	11.6	431	2.53	7.7	0.2	<0.5	0.9	37	0.2	0.3	<0.1	60
1402561	Rock Pulp	0.12	4167	10.5	76.4	526.3	1733	56.4	34.6	9.5	428	3.45	32.3	0.3	4.5	1.1	32	15.8	49.0	0.8	55
1402562	Rock	2.93	7	1.9	15.8	7.7	38	0.2	5.1	9.9	546	2.56	32.9	3.9	<0.5	10.7	78	0.2	0.6	<0.1	59
1402563	Rock	2.61	3	1.9	35.3	5.5	73	0.1	9.1	21.8	918	4.90	10.1	1.4	<0.5	5.0	141	0.1	0.7	<0.1	159
1402564	Rock	2.97	2	2.1	40.4	2.8	68	<0.1	8.4	20.6	879	4.57	9.8	1.4	<0.5	4.1	112	<0.1	0.7	<0.1	154
1402565	Rock	2.63	5	2.4	79.4	12.3	59	0.1	7.2	15.9	769	3.87	4.4	2.8	<0.5	8.4	86	0.1	0.4	<0.1	108
1402566	Rock	1.78	3	12.6	104.4	4.6	51	0.1	7.5	14.6	609	3.34	17.5	1.7	<0.5	11.3	73	<0.1	0.3	<0.1	99
1402567	Rock	2.77	<2	10.0	86.1	3.7	51	<0.1	7.3	14.9	696	3.41	6.7	1.9	<0.5	12.0	83	<0.1	0.4	<0.1	94
1402568	Rock	1.18	4	2.6	71.5	6.2	56	0.1	6.0	15.0	797	3.64	44.5	2.6	<0.5	15.1	92	0.2	0.5	<0.1	92
1402569	Rock	2.68	16	3.8	46.7	24.2	79	0.3	6.6	14.1	888	3.57	230.8	3.4	<0.5	15.3	111	0.8	1.3	<0.1	69
1402570	Rock	2.64	<2	3.0	33.2	4.6	53	<0.1	6.2	13.9	718	3.41	11.0	1.8	<0.5	12.3	71	<0.1	0.4	<0.1	86
1402571	Rock	3.95	36	1.4	32.2	42.1	364	0.6	7.7	15.4	736	3.65	345.1	2.3	<0.5	10.8	37	5.4	5.9	0.3	94
1402572	Rock	0.79	18	1.5	47.8	77.2	904	0.5	7.3	15.7	982	4.42	423.3	2.3	<0.5	10.9	52	8.4	5.7	0.2	109
1402573	Rock	1.83	35	1.7	37.7	15.5	431	0.3	6.6	12.1	659	3.56	127.7	2.6	<0.5	10.0	66	6.8	3.2	0.2	94
1402574	Rock	1.72	5	1.3	26.0	4.7	180	<0.1	6.1	12.7	549	3.35	48.6	2.2	<0.5	9.0	63	1.7	1.0	0.1	101
1402575	Rock	2.77	11	1.5	27.0	4.6	170	<0.1	6.3	13.0	563	3.40	45.5	2.3	<0.5	9.3	68	1.6	0.9	<0.1	103
1402576	Rock	1.98	<2	1.1	23.5	4.5	200	<0.1	5.8	12.6	546	3.30	68.4	1.7	<0.5	8.4	65	1.5	1.6	<0.1	101
1402577	Rock	1.97	<2	1.6	28.5	4.7	159	<0.1	6.1	12.6	541	3.43	44.7	2.0	<0.5	8.5	60	0.9	1.6	<0.1	106
1402578	Rock	1.69	<2	1.7	22.8	4.2	96	<0.1	6.8	12.8	573	3.49	37.9	3.2	<0.5	8.3	75	0.9	0.7	0.1	101
1402579	Rock	1.81	<2	1.9	26.0	5.2	148	<0.1	6.9	12.0	519	3.34	20.8	2.8	<0.5	20.0	73	2.7	0.6	0.2	100
1402580	Rock Pulp	0.12	4	2.4	24.3	2.4	44	0.3	22.4	10.5	428	2.50	5.4	0.3	<0.5	1.1	49	0.2	0.3	<0.1	60
1402581	Rock Pulp	0.12	1386	8.8	49.9	6.5	56	0.3	32.2	9.6	522	3.55	7.5	0.3	1.4	1.1	55	0.2	0.9	0.1	69
1402582	Rock	1.28	2	2.1	21.6	4.7	105	<0.1	6.9	12.9	590	3.51	28.9	3.9	<0.5	30.5	69	1.3	0.9	<0.1	99
1402583	Rock	1.57	18	2.0	25.9	4.4	443	0.1	6.8	12.5	558	3.57	252.6	4.1	<0.5	20.4	73	5.5	1.5	0.4	98
1402584	Rock	1.73	<2	2.4	27.5	4.3	70	<0.1	6.7	12.0	519	3.33	10.8	6.7	<0.5	47.0	74	0.2	0.5	<0.1	99
1402585	Rock	1.85	<2	2.3	23.6	4.6	108	<0.1	7.0	12.7	553	3.46	11.3	4.9	<0.5	32.6	84	1.2	1.1	<0.1	102
1402586	Rock	1.92	<2	2.1	22.2	5.0	64	<0.1	6.5	11.6	464	3.11	8.0	2.9	<0.5	13.5	65	0.2	0.9	<0.1	96
1402587	Rock	1.46	<2	3.2	28.6	4.2	88	<0.1	8.8	12.3	510	3.40	14.7	3.1	<0.5	12.7	68	0.4	0.9	<0.1	102
1402588	Rock	1.94	<2	2.6	23.0	4.4	98	<0.1	7.3	10.3	443	2.86	39.5	4.2	<0.5	13.2	70	0.7	1.4	0.1	85

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 09, 2012

CERTIFICATE OF ANALYSIS WHI12000166.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1402559	Rock	3.27	0.056	10	18	1.55	328	0.041	<20	1.41	0.023	0.39	0.4	0.07	0.2	0.40	9.9	<0.5	4	<0.2
1402560	Rock Pulp	0.87	0.061	4	34	0.82	98	0.127	<20	1.72	0.082	0.13	13.3	<0.01	<0.1	<0.05	4.6	<0.5	5	<0.2
1402561	Rock Pulp	0.73	0.054	6	30	0.62	110	0.114	<20	1.28	0.081	0.11	2.2	0.27	1.2	0.34	4.3	<0.5	7	<0.2
1402562	Rock	1.66	0.043	18	19	1.02	390	0.073	<20	1.30	0.054	0.39	0.5	<0.01	0.2	0.06	6.3	<0.5	4	<0.2
1402563	Rock	2.34	0.090	13	37	1.98	1368	0.317	<20	2.65	0.143	1.09	0.5	<0.01	0.5	0.06	13.1	<0.5	8	<0.2
1402564	Rock	2.00	0.094	13	36	2.00	1077	0.302	<20	2.63	0.174	1.05	0.7	<0.01	0.5	<0.05	11.8	<0.5	8	<0.2
1402565	Rock	1.80	0.069	16	30	1.60	537	0.218	<20	2.27	0.160	0.77	7.0	<0.01	0.5	0.11	10.3	<0.5	7	<0.2
1402566	Rock	1.51	0.062	15	29	1.27	573	0.231	<20	1.89	0.154	0.77	18.2	<0.01	0.5	0.13	7.1	<0.5	6	<0.2
1402567	Rock	1.75	0.057	19	29	1.25	361	0.175	<20	1.92	0.145	0.64	7.0	<0.01	0.4	0.10	9.9	<0.5	6	<0.2
1402568	Rock	2.25	0.059	21	24	1.34	274	0.099	<20	1.84	0.097	0.44	1.8	0.05	0.3	0.12	11.1	<0.5	6	<0.2
1402569	Rock	2.87	0.053	18	20	1.18	231	0.037	<20	1.79	0.057	0.31	1.0	0.02	0.2	0.20	9.0	<0.5	6	<0.2
1402570	Rock	1.96	0.051	18	24	1.38	187	0.082	<20	1.81	0.089	0.27	1.3	<0.01	0.2	<0.05	9.8	<0.5	6	<0.2
1402571	Rock	0.79	0.064	19	21	0.90	483	0.173	<20	1.78	0.113	0.65	0.4	0.02	0.5	<0.05	10.4	<0.5	6	<0.2
1402572	Rock	0.82	0.078	22	21	1.48	462	0.124	<20	2.38	0.110	0.52	0.5	0.02	0.4	<0.05	16.1	<0.5	8	<0.2
1402573	Rock	1.46	0.076	18	22	1.19	445	0.162	<20	2.15	0.170	0.59	0.5	0.02	0.4	0.09	11.0	<0.5	7	<0.2
1402574	Rock	1.08	0.071	17	21	1.15	705	0.270	<20	1.99	0.187	0.85	0.7	<0.01	0.5	<0.05	8.1	<0.5	7	<0.2
1402575	Rock	1.15	0.071	17	21	1.17	721	0.271	<20	2.12	0.208	0.86	0.7	<0.01	0.5	<0.05	8.5	<0.5	7	<0.2
1402576	Rock	1.33	0.071	17	21	1.14	698	0.259	<20	2.02	0.186	0.79	0.5	<0.01	0.5	<0.05	7.7	<0.5	6	<0.2
1402577	Rock	1.12	0.078	17	23	1.21	737	0.286	<20	1.95	0.186	0.85	0.7	<0.01	0.5	<0.05	7.6	<0.5	6	<0.2
1402578	Rock	1.45	0.067	19	23	1.10	655	0.257	<20	2.07	0.209	0.77	1.0	<0.01	0.5	0.08	9.3	<0.5	7	<0.2
1402579	Rock	1.34	0.069	20	23	1.12	735	0.277	<20	2.13	0.240	0.82	1.0	<0.01	0.5	0.05	7.4	<0.5	7	<0.2
1402580	Rock Pulp	0.92	0.062	4	30	0.81	103	0.139	<20	1.70	0.083	0.13	12.6	0.01	<0.1	<0.05	5.4	<0.5	5	<0.2
1402581	Rock Pulp	0.95	0.066	5	34	0.87	120	0.153	<20	1.90	0.102	0.15	0.3	0.07	<0.1	<0.05	6.0	<0.5	6	<0.2
1402582	Rock	1.47	0.073	20	23	1.11	562	0.240	<20	1.99	0.176	0.64	0.9	<0.01	0.3	0.06	8.4	<0.5	7	<0.2
1402583	Rock	1.22	0.071	18	22	1.06	682	0.251	<20	2.08	0.218	0.86	0.6	<0.01	0.5	0.09	8.5	<0.5	6	<0.2
1402584	Rock	1.16	0.066	19	24	1.09	665	0.276	<20	2.07	0.237	0.90	1.3	<0.01	0.6	<0.05	6.8	<0.5	6	<0.2
1402585	Rock	1.42	0.067	20	24	1.16	674	0.283	<20	2.21	0.280	0.89	1.1	<0.01	0.5	<0.05	8.4	<0.5	7	<0.2
1402586	Rock	1.15	0.067	18	24	1.04	696	0.281	<20	2.05	0.231	0.84	1.0	<0.01	0.5	<0.05	6.4	<0.5	6	<0.2
1402587	Rock	1.21	0.071	18	29	1.13	738	0.294	<20	2.16	0.232	0.91	1.2	<0.01	0.6	<0.05	6.7	<0.5	7	<0.2
1402588	Rock	1.17	0.059	16	23	0.95	641	0.256	<20	2.06	0.246	0.75	1.4	<0.01	0.5	<0.05	5.8	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 09, 2012

CERTIFICATE OF ANALYSIS WHI12000166.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402589	Rock	3.13	<2	3.0	28.4	4.1	160	<0.1	8.7	12.9	550	3.56	16.3	3.3	<0.5	12.8	71	1.7	1.2	0.2	103
1402590	Rock	2.89	<2	2.6	21.1	4.4	94	<0.1	7.4	11.3	464	3.10	33.3	4.6	<0.5	11.6	60	0.5	1.4	0.1	93
1402591	Rock	1.81	3	3.2	28.6	19.5	243	0.3	8.3	12.2	608	3.31	49.2	3.1	<0.5	11.7	63	3.2	2.4	0.2	93
1402592	Rock	1.76	35	3.2	20.3	4.6	426	<0.1	8.3	11.1	469	3.05	247.6	3.2	<0.5	11.5	66	5.2	0.9	2.2	86
1402593	Rock	1.52	59	2.9	23.7	4.6	96	<0.1	8.7	12.4	505	3.39	28.2	2.6	<0.5	10.8	75	0.5	1.4	0.5	96
1402594	Rock	1.76	652	2.0	32.3	8.4	627	0.2	6.8	12.7	619	4.31	318.8	2.4	<0.5	11.2	68	8.0	2.1	5.4	90
1402595	Rock	1.55	120	2.7	26.8	8.3	895	0.3	8.5	15.4	662	4.30	871.3	2.7	<0.5	12.7	73	13.3	0.9	4.0	106
1402596	Rock	1.58	3	2.7	24.5	4.8	172	<0.1	7.5	13.1	535	3.45	35.0	3.5	<0.5	11.9	64	1.3	0.4	0.4	101
1402597	Rock	1.94	<2	3.7	21.6	3.9	51	<0.1	9.0	11.7	463	3.10	7.9	3.4	<0.5	11.5	62	0.1	0.2	<0.1	93
1402598	Rock	1.33	<2	3.2	26.6	4.3	141	0.1	8.6	13.2	591	3.71	12.1	4.0	<0.5	11.6	65	1.4	0.4	0.3	105
1402599	Rock	1.70	312	2.3	26.1	64.0	313	2.3	7.1	12.6	582	3.67	3248	3.6	0.5	12.0	70	4.7	1.6	4.8	91
1402600	Rock Pulp	0.12	<2	2.6	25.2	2.6	46	0.3	24.7	11.0	444	2.61	7.5	0.3	<0.5	1.2	51	0.3	0.2	<0.1	62
1402601	Rock Pulp	0.13	3990	9.7	73.9	489.9	1710	56.2	32.8	9.1	444	3.59	34.7	0.4	4.4	1.3	44	18.6	47.0	1.1	58
1402602	Rock	1.77	<2	2.9	21.3	3.9	143	<0.1	8.7	12.1	560	3.40	18.8	3.3	<0.5	11.2	73	1.1	0.5	0.1	98
1402603	Rock	2.00	3	2.8	21.9	4.3	63	<0.1	8.1	12.5	560	3.33	12.0	4.0	<0.5	11.7	71	0.1	0.6	<0.1	97
1402604	Rock	1.81	3	3.3	20.9	4.7	67	<0.1	8.4	12.0	545	3.26	8.1	3.5	<0.5	11.7	73	0.2	0.6	<0.1	88
1402605	Rock	2.99	<2	3.0	20.3	4.1	57	<0.1	7.7	11.7	483	3.11	3.4	3.4	<0.5	12.0	62	0.2	0.3	<0.1	93
1402606	Rock	1.56	62	3.3	23.8	4.6	403	<0.1	8.9	13.0	570	3.54	290.9	4.2	<0.5	14.5	67	4.4	0.7	0.3	96
1402607	Rock	1.44	4	3.3	22.1	56.0	131	<0.1	8.2	11.0	449	2.87	68.8	3.5	<0.5	11.2	50	1.0	0.5	0.1	87
1402608	Rock	1.26	9	2.0	23.6	9.6	234	0.3	7.8	12.9	592	3.19	257.1	3.6	<0.5	11.5	58	2.8	0.9	0.4	91
1402609	Rock	1.89	4	2.9	24.1	3.4	236	<0.1	8.2	12.8	573	3.31	108.2	3.7	<0.5	11.9	60	2.0	0.4	0.2	97
1402610	Rock	1.79	94	2.5	27.8	13.7	367	0.3	8.6	13.0	583	3.40	1308	4.3	<0.5	11.3	60	4.8	1.1	2.3	87
1402611	Rock	2.26	137	3.3	22.0	4.2	528	<0.1	8.7	13.1	563	3.30	566.6	3.1	<0.5	11.6	58	5.2	0.6	0.9	93
1402612	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1402613	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1402614	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1402615	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1402616	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1402617	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 09, 2012

CERTIFICATE OF ANALYSIS WHI12000166.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1402589	Rock	1.30	0.069	17	29	1.17	750	0.293	<20	2.19	0.239	0.92	1.1	<0.01	0.6	0.09	7.5	<0.5	7	<0.2
1402590	Rock	1.13	0.064	16	25	1.04	674	0.272	<20	1.95	0.196	0.79	1.3	<0.01	0.5	<0.05	5.9	<0.5	6	<0.2
1402591	Rock	1.29	0.069	17	28	1.03	596	0.240	<20	1.97	0.195	0.70	1.1	<0.01	0.5	0.06	6.7	<0.5	7	<0.2
1402592	Rock	1.15	0.058	16	28	0.99	598	0.226	<20	1.85	0.204	0.69	1.1	<0.01	0.4	0.14	6.7	<0.5	6	<0.2
1402593	Rock	1.36	0.067	16	28	1.10	676	0.260	<20	2.14	0.226	0.80	0.9	<0.01	0.5	0.15	6.8	<0.5	7	<0.2
1402594	Rock	1.88	0.060	17	22	1.23	418	0.131	<20	2.13	0.115	0.52	0.4	<0.01	0.4	0.71	9.6	<0.5	7	<0.2
1402595	Rock	1.77	0.073	19	28	1.23	584	0.227	<20	2.20	0.173	0.78	0.6	<0.01	0.6	0.55	9.9	<0.5	7	<0.2
1402596	Rock	1.34	0.069	17	27	1.18	623	0.281	<20	2.09	0.197	0.76	1.0	<0.01	0.5	0.15	6.7	<0.5	7	<0.2
1402597	Rock	1.23	0.064	17	30	1.02	646	0.262	<20	2.03	0.224	0.77	1.0	<0.01	0.4	<0.05	6.0	<0.5	6	<0.2
1402598	Rock	1.46	0.067	17	30	1.26	717	0.275	<20	2.14	0.189	0.87	0.9	<0.01	0.6	0.19	7.9	<0.5	7	<0.2
1402599	Rock	1.42	0.064	18	24	1.09	617	0.216	<20	1.96	0.190	0.81	1.0	<0.01	0.6	0.43	7.2	<0.5	6	0.3
1402600	Rock Pulp	0.94	0.062	5	32	0.85	110	0.143	<20	1.73	0.088	0.13	12.4	0.02	<0.1	<0.05	5.4	<0.5	6	<0.2
1402601	Rock Pulp	0.78	0.059	6	29	0.63	125	0.124	<20	1.37	0.085	0.12	2.2	0.22	1.2	0.34	5.0	<0.5	7	<0.2
1402602	Rock	1.49	0.065	17	30	1.17	657	0.258	<20	2.09	0.215	0.78	0.9	<0.01	0.5	0.08	7.2	<0.5	7	<0.2
1402603	Rock	1.67	0.065	18	29	1.15	688	0.267	<20	2.01	0.174	0.76	0.8	<0.01	0.5	0.06	6.8	<0.5	7	<0.2
1402604	Rock	1.55	0.062	17	29	1.15	489	0.232	<20	2.00	0.184	0.54	0.9	<0.01	0.3	0.09	6.7	<0.5	7	<0.2
1402605	Rock	1.10	0.061	18	28	1.06	637	0.273	<20	1.92	0.199	0.75	1.0	<0.01	0.5	0.05	6.1	<0.5	6	<0.2
1402606	Rock	1.46	0.069	18	30	1.20	565	0.247	<20	2.02	0.189	0.69	1.0	<0.01	0.4	0.14	6.9	<0.5	7	<0.2
1402607	Rock	0.99	0.063	15	29	1.03	604	0.249	<20	1.63	0.151	0.77	1.1	<0.01	0.5	0.10	5.2	<0.5	6	<0.2
1402608	Rock	1.30	0.062	15	25	1.09	589	0.233	<20	1.76	0.158	0.81	0.9	<0.01	0.5	0.21	7.2	<0.5	6	<0.2
1402609	Rock	1.26	0.064	16	29	1.18	560	0.235	<20	1.87	0.170	0.74	1.0	<0.01	0.4	0.15	8.0	<0.5	6	<0.2
1402610	Rock	1.43	0.062	16	27	1.15	463	0.178	<20	1.85	0.157	0.63	1.0	<0.01	0.4	0.34	7.7	<0.5	6	<0.2
1402611	Rock	1.31	0.069	16	30	1.18	565	0.225	<20	1.80	0.146	0.67	1.0	<0.01	0.4	0.14	7.4	<0.5	6	<0.2
1402612	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1402613	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1402614	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1402615	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1402616	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1402617	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 09, 2012

QUALITY CONTROL REPORT WHI12000166.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1402469	Rock	3.99	<2	1.4	22.3	3.1	48	<0.1	7.1	13.5	514	3.20	9.8	1.0	<0.5	5.8	60	<0.1	0.1	<0.1	96
REP 1402469	QC		<2																		
1402476	Rock	1.87	2	0.9	43.3	3.4	54	<0.1	7.1	16.5	511	3.57	15.4	1.1	<0.5	7.8	64	<0.1	0.2	<0.1	100
REP 1402476	QC			0.9	43.3	3.3	53	<0.1	7.2	16.8	519	3.60	15.9	1.1	<0.5	7.7	66	<0.1	0.1	<0.1	100
1402528	Rock	2.69	<2	2.5	39.0	4.0	64	<0.1	8.0	19.9	772	4.27	2.5	3.3	<0.5	10.4	137	<0.1	0.4	<0.1	134
REP 1402528	QC			2.3	39.2	4.1	63	<0.1	8.1	19.5	760	4.21	2.4	3.1	<0.5	10.2	134	0.1	0.3	<0.1	130
REP 1402529	QC		<2																		
1402538	Rock	2.48	<2	0.9	10.8	4.0	55	<0.1	6.6	10.6	786	3.04	3.2	2.2	<0.5	11.1	110	<0.1	0.4	<0.1	59
REP 1402538	QC		<2																		
1402546	Rock	2.31	<2	0.9	13.9	6.3	60	<0.1	7.5	12.0	904	3.47	4.4	3.3	<0.5	10.3	140	0.1	0.7	0.2	64
REP 1402546	QC			0.8	14.7	6.4	62	<0.1	8.0	12.4	945	3.66	4.5	3.4	<0.5	10.9	149	0.1	0.7	0.3	66
1402572	Rock	0.79	18	1.5	47.8	77.2	904	0.5	7.3	15.7	982	4.42	423.3	2.3	<0.5	10.9	52	8.4	5.7	0.2	109
REP 1402572	QC		11																		
1402586	Rock	1.92	<2	2.1	22.2	5.0	64	<0.1	6.5	11.6	464	3.11	8.0	2.9	<0.5	13.5	65	0.2	0.9	<0.1	96
REP 1402586	QC			2.2	21.6	5.7	67	<0.1	6.6	11.6	482	3.14	8.6	3.0	<0.5	13.9	69	0.2	1.0	<0.1	97
1402606	Rock	1.56	62	3.3	23.8	4.6	403	<0.1	8.9	13.0	570	3.54	290.9	4.2	<0.5	14.5	67	4.4	0.7	0.3	96
REP 1402606	QC		89																		
Core Reject Duplicates																					
1402494	Rock	1.95	36	1.2	35.8	5.2	63	<0.1	7.8	19.3	676	4.00	181.0	1.3	<0.5	9.2	82	0.2	0.2	<0.1	135
DUP 1402494	QC		25	1.4	36.6	5.5	66	<0.1	8.2	20.1	703	4.20	187.0	1.4	<0.5	9.6	87	0.2	0.2	<0.1	141
1402529	Rock	2.14	<2	1.6	37.1	4.4	63	<0.1	7.6	19.2	805	4.18	2.8	3.1	<0.5	12.7	141	<0.1	0.6	<0.1	127
DUP 1402529	QC		<2	1.8	37.0	4.4	59	<0.1	6.8	19.0	809	4.14	2.7	3.0	<0.5	12.2	141	0.1	0.5	<0.1	126
1402564	Rock	2.97	2	2.1	40.4	2.8	68	<0.1	8.4	20.6	879	4.57	9.8	1.4	<0.5	4.1	112	<0.1	0.7	<0.1	154
DUP 1402564	QC		<2	2.0	38.2	2.9	68	<0.1	9.3	20.3	865	4.57	8.9	1.4	<0.5	3.9	111	<0.1	0.7	<0.1	153
1402599	Rock	1.70	312	2.3	26.1	64.0	313	2.3	7.1	12.6	582	3.67	3248	3.6	0.5	12.0	70	4.7	1.6	4.8	91
DUP 1402599	QC		276	2.5	25.7	56.6	314	2.6	7.2	12.7	562	3.59	3309	3.2	<0.5	11.4	66	5.0	1.6	5.6	89
Reference Materials																					
STD DS9	Standard			13.3	114.2	130.2	314	1.9	41.8	7.9	578	2.40	26.3	2.8	<0.5	6.1	63	2.3	4.5	6.1	39

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 09, 2012

QUALITY CONTROL REPORT WHI12000166.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
1402469	Rock	0.96	0.101	10	25	0.98	750	0.213	<20	1.75	0.172	0.54	0.3	<0.01	0.2	<0.05	5.3	<0.5	6	<0.2
REP 1402469	QC																			
1402476	Rock	1.12	0.103	12	29	1.35	903	0.276	<20	2.10	0.172	0.89	0.3	<0.01	0.3	<0.05	6.8	<0.5	6	<0.2
REP 1402476	QC	1.13	0.105	12	29	1.36	901	0.278	<20	2.13	0.169	0.91	0.3	<0.01	0.3	<0.05	6.9	<0.5	6	<0.2
1402528	Rock	2.05	0.109	15	31	1.62	892	0.247	<20	2.44	0.236	0.90	0.1	<0.01	0.4	0.07	12.7	<0.5	7	<0.2
REP 1402528	QC	2.03	0.110	14	30	1.61	856	0.242	<20	2.42	0.236	0.89	0.1	<0.01	0.3	0.06	12.6	<0.5	7	<0.2
REP 1402529	QC																			
1402538	Rock	1.89	0.075	21	13	1.07	657	0.093	<20	1.34	0.094	0.45	0.1	0.02	0.3	<0.05	9.1	<0.5	5	<0.2
REP 1402538	QC																			
1402546	Rock	2.46	0.077	22	14	1.14	635	0.080	<20	1.25	0.104	0.45	0.1	0.23	0.3	0.16	11.0	<0.5	4	<0.2
REP 1402546	QC	2.57	0.078	23	15	1.19	672	0.083	<20	1.27	0.109	0.48	0.1	0.21	0.3	0.16	11.8	<0.5	4	<0.2
1402572	Rock	0.82	0.078	22	21	1.48	462	0.124	<20	2.38	0.110	0.52	0.5	0.02	0.4	<0.05	16.1	<0.5	8	<0.2
REP 1402572	QC																			
1402586	Rock	1.15	0.067	18	24	1.04	696	0.281	<20	2.05	0.231	0.84	1.0	<0.01	0.5	<0.05	6.4	<0.5	6	<0.2
REP 1402586	QC	1.16	0.069	17	24	1.05	705	0.286	<20	2.11	0.235	0.86	1.1	<0.01	0.5	<0.05	6.5	<0.5	6	<0.2
1402606	Rock	1.46	0.069	18	30	1.20	565	0.247	<20	2.02	0.189	0.69	1.0	<0.01	0.4	0.14	6.9	<0.5	7	<0.2
REP 1402606	QC																			
Core Reject Duplicates																				
1402494	Rock	1.79	0.103	15	32	1.41	887	0.276	<20	2.30	0.179	0.88	0.2	<0.01	0.3	<0.05	8.8	<0.5	7	<0.2
DUP 1402494	QC	1.89	0.114	15	34	1.49	929	0.287	<20	2.47	0.191	0.92	0.2	<0.01	0.3	<0.05	9.1	<0.5	7	<0.2
1402529	Rock	2.17	0.103	17	29	1.62	678	0.227	<20	2.39	0.214	0.81	<0.1	<0.01	0.3	0.06	13.1	<0.5	7	<0.2
DUP 1402529	QC	2.17	0.102	17	28	1.60	670	0.225	<20	2.32	0.230	0.83	<0.1	<0.01	0.3	0.06	12.6	<0.5	7	<0.2
1402564	Rock	2.00	0.094	13	36	2.00	1077	0.302	<20	2.63	0.174	1.05	0.7	<0.01	0.5	<0.05	11.8	<0.5	8	<0.2
DUP 1402564	QC	1.96	0.090	13	37	1.95	1028	0.295	<20	2.53	0.179	1.03	0.7	<0.01	0.5	0.05	11.4	<0.5	8	<0.2
1402599	Rock	1.42	0.064	18	24	1.09	617	0.216	<20	1.96	0.190	0.81	1.0	<0.01	0.6	0.43	7.2	<0.5	6	0.3
DUP 1402599	QC	1.38	0.062	17	24	1.06	600	0.216	<20	1.87	0.178	0.78	1.0	<0.01	0.6	0.43	7.0	<0.5	6	0.3
Reference Materials																				
STD DS9	Standard	0.73	0.082	12	127	0.64	327	0.107	<20	0.98	0.083	0.42	2.8	0.21	5.9	0.16	2.3	5.0	4	5.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 09, 2012

QUALITY CONTROL REPORT WHI12000166.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD DS9	Standard			11.0	109.2	111.5	298	1.9	39.7	7.8	547	2.25	25.8	2.4	<0.5	5.8	66	2.5	4.0	6.9	37
STD DS9	Standard			12.1	114.3	117.2	290	1.9	38.3	7.3	547	2.28	26.2	2.7	<0.5	6.1	73	2.4	4.6	5.5	37
STD DS9	Standard			12.9	108.2	126.3	317	1.9	40.3	7.6	586	2.42	28.1	2.8	<0.5	6.7	83	2.5	4.8	7.2	39
STD DS9	Standard			14.1	109.9	131.2	308	1.9	41.4	7.8	589	2.39	27.2	2.6	<0.5	6.3	72	2.4	5.3	6.6	39
STD OREAS45CA	Standard			1.0	535.4	19.9	59	0.3	264.1	101.1	992	16.73	4.0	1.2	<0.5	7.0	13	<0.1	0.1	0.1	231
STD OREAS45CA	Standard			0.9	504.4	20.7	62	0.3	261.0	98.0	950	15.62	3.6	1.2	<0.5	7.2	16	0.1	0.1	0.2	220
STD OREAS45CA	Standard			0.9	489.5	22.8	60	0.3	238.1	93.1	955	15.40	3.7	1.3	<0.5	7.5	15	<0.1	0.2	<0.1	211
STD OREAS45CA	Standard			0.9	564.4	23.3	72	0.3	284.9	100.6	1074	17.84	3.9	1.3	<0.5	8.2	19	0.1	<0.1	0.2	232
STD OREAS45CA	Standard			1.0	475.6	19.2	54	0.3	228.1	88.3	893	15.24	3.2	1.1	<0.5	6.6	12	0.1	0.1	0.2	196
STD OXC88	Standard		221																		
STD OXC88	Standard		193																		
STD OXC88	Standard		205																		
STD OXC88	Standard		197																		
STD OXC88	Standard		210																		
STD OXC88	Standard		206																		
STD OXC88	Standard		196																		
STD OXG99	Standard		979																		
STD OXG99	Standard		958																		
STD OXG99	Standard		901																		
STD OXG99	Standard		969																		
STD OXG99	Standard		894																		
STD OXG99	Standard		942																		
STD OXG99 Expected			932																		
STD OXC88 Expected			203																		
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 09, 2012

QUALITY CONTROL REPORT WHI12000166.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD DS9	Standard	0.69	0.084	11	113	0.61	297	0.110	<20	0.92	0.075	0.39	2.7	0.23	5.0	0.16	2.1	4.9	4	4.3
STD DS9	Standard	0.70	0.080	11	115	0.61	302	0.113	<20	0.93	0.080	0.39	2.4	0.17	5.1	0.16	2.3	4.9	4	4.7
STD DS9	Standard	0.75	0.088	14	118	0.64	336	0.120	<20	1.02	0.086	0.41	3.2	0.20	5.7	0.16	2.5	7.0	5	4.8
STD DS9	Standard	0.72	0.085	12	120	0.62	331	0.112	<20	0.94	0.082	0.41	2.7	0.22	5.5	0.17	2.5	6.3	5	5.7
STD OREAS45CA	Standard	0.44	0.039	16	850	0.15	158	0.132	<20	3.81	0.007	0.07	<0.1	0.03	0.1	<0.05	44.4	<0.5	19	<0.2
STD OREAS45CA	Standard	0.46	0.040	16	708	0.15	169	0.160	<20	3.67	0.009	0.07	<0.1	0.03	<0.1	<0.05	45.2	<0.5	20	<0.2
STD OREAS45CA	Standard	0.42	0.039	16	654	0.14	171	0.140	<20	3.32	0.008	0.06	<0.1	0.03	<0.1	<0.05	44.4	<0.5	19	<0.2
STD OREAS45CA	Standard	0.47	0.043	18	766	0.17	194	0.161	<20	3.79	0.009	0.08	<0.1	0.03	<0.1	<0.05	44.5	<0.5	20	<0.2
STD OREAS45CA	Standard	0.44	0.038	14	662	0.12	151	0.123	<20	3.22	0.007	0.06	<0.1	0.02	<0.1	<0.05	42.9	<0.5	18	<0.2
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99 Expected																				
STD OXC88 Expected																				
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 09, 2012

QUALITY CONTROL REPORT WHI12000166.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		3																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank		<2	0.1	5.1	2.8	45	<0.1	3.6	4.5	554	1.89	<0.5	1.6	<0.5	5.4	56	<0.1	<0.1	<0.1	35
G1-WHI	Prep Blank		<2	0.1	2.5	2.7	45	<0.1	3.6	4.3	539	1.84	<0.5	1.6	<0.5	5.4	54	<0.1	<0.1	<0.1	35

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 09, 2012

QUALITY CONTROL REPORT WHI12000166.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	0.02	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																				
G1-WHI	Prep Blank	0.45	0.082	8	11	0.55	204	0.134	<20	0.96	0.078	0.48	<0.1	<0.01	0.3	<0.05	2.0	<0.5	5	<0.2
G1-WHI	Prep Blank	0.50	0.081	9	9	0.61	203	0.134	<20	0.92	0.075	0.48	<0.1	<0.01	0.3	<0.05	2.0	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 02, 2012
Report Date: July 24, 2012
Page: 1 of 6

CERTIFICATE OF ANALYSIS WHI12000195.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET007
P.O. Number
Number of Samples: 134

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	122	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	134	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	134	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 24, 2012

CERTIFICATE OF ANALYSIS WHI12000195.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402612	Rock	2.16	18	1.6	35.3	30.7	1926	1.2	7.6	20.8	1453	4.43	290.0	2.3	24.1	9.4	58	29.7	3.2	0.1	83
1402613	Rock	1.39	384	1.7	52.1	171.2	7020	5.4	8.0	26.3	3073	5.18	1538	2.6	338.3	9.9	68	82.7	2.3	2.6	31
1402614	Rock	3.31	27	1.8	25.5	104.4	433	1.6	6.5	17.5	1035	4.28	77.9	1.9	18.6	9.1	99	4.5	2.1	0.2	120
1402615	Rock	4.45	6	1.7	26.0	28.6	195	0.5	6.7	16.9	789	4.17	41.2	2.2	8.1	9.7	111	1.8	2.0	0.1	135
1402616	Rock	3.54	4	2.2	30.1	592.2	214	8.2	6.8	16.5	841	3.88	10.0	2.8	6.8	10.2	105	2.3	3.8	0.1	117
1402617	Rock	4.52	<2	2.1	27.9	5.7	72	0.1	7.2	15.5	658	3.76	5.4	1.8	5.9	8.5	92	0.3	0.3	<0.1	126
1402618	Rock	1.39	<2	1.2	22.8	5.9	59	<0.1	5.1	14.3	592	3.46	6.2	1.5	3.9	8.3	89	0.1	0.8	<0.1	118
1402619	Rock	2.47	<2	1.7	23.0	6.8	60	0.1	6.6	14.3	612	3.31	5.7	1.5	2.9	9.8	77	0.2	0.4	<0.1	103
1402620	Rock Pulp	0.12	<2	2.5	24.4	2.3	43	0.2	23.7	10.5	402	2.42	4.7	0.2	4.0	0.8	39	0.1	0.2	<0.1	61
1402621	Rock Pulp	0.13	1511	8.8	47.8	5.6	51	0.2	32.3	9.3	490	3.32	6.9	0.3	772.7	1.0	43	<0.1	0.7	0.1	69
1402622	Rock	2.63	<2	1.3	19.3	3.5	61	0.1	6.1	13.5	748	3.42	3.3	1.6	1.3	11.0	96	0.1	0.4	<0.1	99
1402623	Rock	2.54	<2	3.0	28.2	50.8	804	0.9	6.1	16.9	947	4.31	9.4	3.9	2.9	15.1	90	14.2	1.8	0.4	108
1402624	Rock	1.27	133	1.2	17.3	366.4	136	7.3	5.8	14.8	757	3.70	8.1	2.4	8.1	12.7	100	0.9	3.6	<0.1	113
1402625	Rock	1.61	5	1.3	18.9	395.2	122	7.7	5.8	14.9	747	3.72	7.9	2.3	2.8	11.2	97	0.9	4.0	<0.1	111
1402626	Rock	3.15	<2	1.2	25.8	39.6	92	0.4	6.4	14.2	711	3.42	6.6	1.5	<0.5	10.7	75	0.5	2.7	0.1	106
1402627	Rock	2.79	<2	1.3	24.1	4.8	72	0.1	6.4	15.8	829	3.78	6.6	1.9	2.2	9.8	82	0.1	1.3	0.1	113
1402628	Rock	2.39	<2	1.3	4.1	10.2	59	0.1	2.8	4.0	447	1.63	8.4	2.3	2.2	45.6	41	0.4	1.0	<0.1	21
1402629	Rock	2.29	<2	1.5	3.2	7.9	28	<0.1	2.8	2.0	233	1.24	5.8	1.9	2.7	47.0	25	0.2	1.2	<0.1	13
1402630	Rock	2.92	<2	1.7	3.3	9.8	49	<0.1	2.8	1.6	205	1.02	7.4	1.5	1.1	45.2	26	0.2	1.1	<0.1	10
1402631	Rock	2.20	<2	1.7	2.7	8.4	49	<0.1	2.4	1.6	191	1.08	5.9	1.5	<0.5	46.2	25	0.2	1.3	<0.1	11
1402632	Rock	2.49	<2	1.2	4.3	8.4	323	<0.1	1.9	1.7	184	1.03	29.6	1.4	1.0	46.5	20	1.1	1.9	<0.1	8
1402633	Rock	2.39	<2	1.1	3.6	18.4	585	0.2	2.1	2.5	176	1.28	59.8	1.9	2.5	56.6	31	3.5	2.2	<0.1	11
1402634	Rock	2.73	45	1.9	26.6	665.1	2482	7.8	5.5	14.9	1065	4.56	472.7	4.7	52.4	13.9	67	37.7	13.5	0.1	72
1402635	Rock	2.51	<2	1.1	12.1	19.6	167	0.4	4.4	13.6	1405	3.74	26.8	3.1	8.2	10.2	140	1.0	0.7	<0.1	35
1402636	Rock	2.32	3	0.9	18.0	14.7	278	0.4	6.0	17.0	1199	3.92	27.6	4.1	7.6	9.0	96	1.9	1.6	0.3	46
1402637	Rock	2.22	23	1.6	16.5	121.2	1159	1.2	6.3	17.9	1350	4.28	204.4	3.6	17.9	13.7	63	9.1	6.7	0.6	77
1402638	Rock	2.17	35	1.2	15.0	25.3	314	0.6	5.8	15.4	896	3.82	18.4	2.5	22.2	9.0	92	2.6	1.4	2.6	99
1402639	Rock	3.07	<2	19.2	4.2	15.1	110	0.2	6.4	16.0	1214	4.93	41.2	4.4	7.6	16.7	81	0.4	1.0	2.5	108
1402640	Rock Pulp	0.13	<2	2.4	24.6	2.3	44	0.4	24.0	10.4	420	2.49	4.5	0.2	0.8	0.9	42	0.2	0.2	<0.1	64
1402641	Rock Pulp	0.13	3961	9.6	67.4	483.3	1591	53.4	30.8	8.3	417	3.31	29.6	0.3	2555	1.0	35	15.5	38.4	0.9	58

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 24, 2012

CERTIFICATE OF ANALYSIS WHI12000195.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1402612	Rock	2.28	0.078	19	16	0.70	386	0.054	<20	1.31	0.040	0.33	0.2	0.02	0.4	<0.05	13.2	<0.5	4	<0.2
1402613	Rock	2.24	0.072	13	7	0.37	213	0.002	<20	0.64	0.061	0.35	0.2	0.08	0.5	0.48	7.8	<0.5	2	<0.2
1402614	Rock	2.52	0.074	19	22	1.30	844	0.181	<20	2.29	0.103	0.70	0.2	<0.01	0.5	<0.05	14.9	<0.5	8	<0.2
1402615	Rock	1.85	0.078	17	24	1.64	1062	0.253	<20	2.60	0.173	0.82	0.2	<0.01	0.5	<0.05	14.2	<0.5	8	<0.2
1402616	Rock	1.83	0.078	18	22	1.36	958	0.239	<20	2.19	0.138	0.81	0.2	0.01	0.5	<0.05	12.0	<0.5	7	<0.2
1402617	Rock	1.43	0.086	15	27	1.34	1117	0.302	<20	2.20	0.179	1.03	0.3	<0.01	0.6	<0.05	8.9	<0.5	7	<0.2
1402618	Rock	1.34	0.074	15	21	1.36	1058	0.240	<20	2.17	0.181	0.82	0.2	<0.01	0.5	<0.05	9.9	<0.5	7	<0.2
1402619	Rock	1.48	0.075	15	25	1.26	772	0.200	<20	1.89	0.144	0.56	0.3	<0.01	0.4	<0.05	8.1	<0.5	7	<0.2
1402620	Rock Pulp	0.80	0.068	4	31	0.80	96	0.122	<20	1.58	0.075	0.13	13.0	<0.01	<0.1	<0.05	4.6	<0.5	5	<0.2
1402621	Rock Pulp	0.85	0.066	4	35	0.85	104	0.139	<20	1.77	0.096	0.15	0.3	0.06	<0.1	<0.05	5.2	<0.5	6	<0.2
1402622	Rock	1.91	0.065	18	22	1.23	668	0.157	<20	1.94	0.142	0.55	0.2	<0.01	0.3	<0.05	11.0	<0.5	7	<0.2
1402623	Rock	2.24	0.082	22	20	1.06	633	0.137	<20	1.72	0.079	0.56	0.2	0.05	0.4	<0.05	13.9	<0.5	7	<0.2
1402624	Rock	2.16	0.073	21	21	1.03	896	0.227	<20	1.88	0.118	0.82	0.2	0.03	0.5	<0.05	13.0	<0.5	8	<0.2
1402625	Rock	1.97	0.078	19	21	1.05	926	0.237	<20	1.87	0.133	0.85	0.2	0.03	0.6	<0.05	12.2	<0.5	7	<0.2
1402626	Rock	1.54	0.078	15	22	1.08	975	0.240	<20	1.84	0.152	0.84	0.2	0.02	0.6	<0.05	9.7	<0.5	7	<0.2
1402627	Rock	1.72	0.082	16	21	1.12	1022	0.240	<20	1.81	0.116	0.92	0.2	0.03	0.8	<0.05	15.1	<0.5	7	<0.2
1402628	Rock	1.02	0.023	65	8	0.40	143	0.039	<20	0.67	0.044	0.24	0.2	0.04	0.3	<0.05	3.3	<0.5	3	<0.2
1402629	Rock	0.50	0.018	65	9	0.24	87	0.033	<20	0.48	0.052	0.22	0.5	0.02	0.2	<0.05	2.0	<0.5	3	<0.2
1402630	Rock	0.49	0.016	59	9	0.19	51	0.017	<20	0.32	0.029	0.13	0.5	<0.01	0.1	<0.05	1.4	<0.5	2	<0.2
1402631	Rock	0.43	0.018	64	9	0.17	65	0.016	<20	0.39	0.047	0.17	0.4	<0.01	0.1	<0.05	1.3	<0.5	2	<0.2
1402632	Rock	0.43	0.019	62	7	0.19	48	0.004	<20	0.42	0.024	0.11	0.3	0.02	<0.1	<0.05	1.1	<0.5	2	<0.2
1402633	Rock	0.68	0.020	76	7	0.27	55	0.011	<20	0.56	0.017	0.14	0.3	0.04	0.1	<0.05	1.5	<0.5	3	<0.2
1402634	Rock	2.14	0.067	24	11	0.74	97	0.002	<20	0.74	0.012	0.15	0.1	0.26	0.3	0.07	14.5	<0.5	3	<0.2
1402635	Rock	4.85	0.066	16	7	1.53	192	<0.001	<20	0.56	0.009	0.22	<0.1	0.11	0.4	<0.05	10.2	<0.5	2	<0.2
1402636	Rock	3.36	0.072	18	5	1.02	110	0.001	<20	0.62	0.011	0.18	<0.1	0.12	0.5	<0.05	11.1	<0.5	2	<0.2
1402637	Rock	2.15	0.077	22	12	0.83	173	0.012	<20	0.66	0.016	0.21	0.1	0.14	0.4	<0.05	15.1	<0.5	2	<0.2
1402638	Rock	2.07	0.075	19	18	1.06	544	0.131	<20	1.39	0.075	0.54	0.2	0.05	0.4	<0.05	12.6	<0.5	5	<0.2
1402639	Rock	2.24	0.079	27	18	0.85	231	0.021	<20	0.90	0.038	0.26	1.6	0.20	0.4	<0.05	16.4	<0.5	4	<0.2
1402640	Rock Pulp	0.85	0.067	4	32	0.81	103	0.130	<20	1.62	0.079	0.13	13.0	0.01	<0.1	<0.05	4.6	<0.5	6	<0.2
1402641	Rock Pulp	0.70	0.057	5	29	0.60	111	0.114	<20	1.20	0.077	0.11	2.2	0.21	1.1	0.35	4.5	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 24, 2012

CERTIFICATE OF ANALYSIS WHI12000195.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402642	Rock	2.59	62	4.2	6.1	17.8	225	0.3	7.2	21.9	1306	5.08	125.4	4.5	79.8	10.0	101	1.9	1.4	1.0	131
1402643	Rock	2.39	2	2.3	9.4	53.7	124	0.4	6.9	19.0	939	4.59	10.6	3.4	3.6	10.2	98	1.7	0.8	1.3	141
1402644	Rock	2.77	<2	1.9	29.7	19.2	79	0.2	6.9	18.1	982	4.66	73.5	2.7	<0.5	10.5	95	0.3	0.6	0.3	138
1402645	Rock	2.40	76	3.3	46.7	95.4	1133	1.4	6.4	17.3	936	4.31	386.9	3.9	73.6	10.8	77	35.0	4.8	0.7	106
1402646	Rock	2.21	4	2.1	21.6	10.4	138	0.2	6.5	15.4	842	3.78	153.9	2.8	11.7	10.3	96	1.9	2.3	0.2	98
1402647	Rock	2.50	<2	2.0	21.9	4.8	103	0.2	6.4	14.4	682	3.48	82.0	1.6	8.0	9.5	86	0.7	0.7	<0.1	95
1402648	Rock	1.96	<2	2.0	22.0	4.6	52	0.1	5.8	13.8	618	3.48	3.0	1.8	3.6	9.9	73	<0.1	0.7	<0.1	103
1402649	Rock	2.30	<2	1.8	23.8	3.7	49	<0.1	6.1	13.0	555	3.20	2.9	1.5	3.2	10.2	67	0.1	0.7	<0.1	93
1402650	Rock	2.78	<2	1.6	27.1	5.7	64	0.1	6.5	17.3	794	3.94	8.8	2.8	1.4	10.7	82	0.2	2.9	<0.1	106
1402651	Rock	1.84	<2	2.1	32.2	32.8	372	0.2	5.7	15.0	1012	3.95	113.2	4.0	4.5	8.4	73	2.3	5.7	0.2	88
1402652	Rock	2.82	42	3.4	29.1	191.7	477	0.9	6.8	15.4	1114	4.20	304.1	3.1	49.2	8.0	76	6.2	3.7	0.2	80
1402653	Rock	2.21	<2	2.0	28.1	67.7	120	0.9	6.5	12.8	583	3.22	10.8	1.7	6.4	10.3	66	1.3	0.4	0.2	102
1402654	Rock	2.58	<2	2.2	26.7	31.2	82	0.5	5.7	12.3	539	3.04	6.4	1.4	5.3	10.1	60	0.7	0.2	0.1	96
1402655	Rock	2.42	<2	1.4	24.0	4.5	59	0.1	5.4	13.1	560	3.20	5.9	1.4	2.3	8.7	72	<0.1	0.2	<0.1	104
1402656	Rock	2.09	<2	1.8	25.3	172.9	152	1.1	6.3	14.3	708	3.52	23.6	2.6	2.4	8.7	92	3.1	0.7	<0.1	102
1402657	Rock	3.05	29	1.4	27.4	154.7	354	1.1	6.0	14.4	742	3.73	248.1	2.6	32.6	8.9	83	10.1	0.9	0.2	98
1402658	Rock	2.70	<2	1.7	29.4	20.6	86	0.2	6.3	14.9	759	3.63	25.9	2.2	4.8	9.8	104	0.8	0.4	0.2	94
1402659	Rock	2.12	<2	1.6	25.0	131.5	89	0.9	5.9	14.4	731	3.62	3.3	2.1	2.5	10.1	81	0.9	0.5	0.1	102
1402660	Rock Pulp	0.13	<2	2.5	23.8	2.2	42	0.3	23.1	10.3	395	2.37	4.5	0.3	<0.5	0.9	38	0.1	0.2	<0.1	59
1402661	Rock Pulp	0.13	4129	9.5	71.0	475.2	1559	54.1	31.9	8.8	393	3.20	29.7	0.3	2468	1.1	32	15.1	37.2	0.8	55
1402662	Rock	2.49	<2	1.6	8.1	5.8	65	0.1	5.9	15.1	698	3.50	5.1	2.7	2.4	11.7	96	0.1	0.3	0.2	93
1402663	Rock	2.31	<2	2.0	24.5	77.4	188	0.6	6.3	13.8	730	3.56	3.0	1.7	2.4	8.8	74	3.7	0.3	<0.1	99
1402664	Rock	3.25	<2	2.1	20.7	3.8	43	<0.1	6.0	11.7	460	2.81	1.5	1.3	2.0	9.1	54	<0.1	<0.1	<0.1	89
1402665	Rock	2.68	<2	2.0	21.0	4.1	45	<0.1	6.7	12.6	542	3.02	1.5	1.7	3.4	8.7	67	<0.1	0.1	<0.1	91
1402666	Rock	2.99	<2	2.2	23.6	3.5	46	<0.1	6.5	12.8	560	3.12	1.9	2.1	2.3	9.8	83	<0.1	0.3	<0.1	91
1402667	Rock	3.13	<2	1.9	20.1	6.7	53	<0.1	6.5	14.8	663	3.35	12.5	2.8	2.7	11.2	74	<0.1	1.2	<0.1	84
1402668	Rock	2.56	3	2.2	21.5	3.6	41	<0.1	5.8	11.7	427	2.71	1.8	1.5	1.6	9.1	70	<0.1	0.1	<0.1	85
1402669	Rock	2.48	<2	2.1	23.8	3.4	43	<0.1	5.8	12.3	466	2.90	2.3	1.6	2.1	10.9	90	<0.1	<0.1	<0.1	95
1402670	Rock	3.52	<2	2.3	22.0	3.2	40	<0.1	6.2	11.9	447	2.84	1.5	1.3	2.7	11.1	64	<0.1	0.1	0.1	92
1402671	Rock	2.55	<2	1.8	20.8	4.1	50	<0.1	5.5	13.6	767	3.68	1.8	4.2	2.0	9.3	77	<0.1	<0.1	<0.1	89

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 24, 2012

CERTIFICATE OF ANALYSIS WHI12000195.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1402642	Rock	2.60	0.091	23	19	1.42	559	0.092	<20	1.33	0.017	0.53	0.5	0.11	0.5	<0.05	21.4	<0.5	5	<0.2
1402643	Rock	2.21	0.087	19	23	1.43	822	0.204	<20	2.00	0.070	0.87	0.4	0.07	0.7	<0.05	19.0	<0.5	7	<0.2
1402644	Rock	2.03	0.090	18	23	1.48	997	0.258	<20	1.85	0.095	1.02	0.2	0.09	0.7	<0.05	16.5	<0.5	7	<0.2
1402645	Rock	2.17	0.074	19	18	1.18	559	0.144	<20	1.26	0.044	0.56	0.3	0.06	0.4	<0.05	14.8	<0.5	4	<0.2
1402646	Rock	2.51	0.070	18	19	1.16	550	0.134	<20	1.35	0.067	0.52	0.2	0.04	0.4	<0.05	14.1	<0.5	5	<0.2
1402647	Rock	1.91	0.071	14	21	1.14	626	0.183	<20	1.57	0.106	0.64	0.3	0.01	0.4	<0.05	9.7	<0.5	6	<0.2
1402648	Rock	1.35	0.072	15	22	1.04	839	0.247	<20	1.82	0.149	0.85	0.2	0.02	0.6	<0.05	10.2	<0.5	6	<0.2
1402649	Rock	1.33	0.070	15	21	0.99	800	0.218	<20	1.65	0.123	0.71	0.2	<0.01	0.5	<0.05	8.6	<0.5	6	<0.2
1402650	Rock	2.09	0.076	20	19	1.14	670	0.143	<20	1.36	0.065	0.60	0.1	0.06	0.5	<0.05	17.2	<0.5	5	<0.2
1402651	Rock	3.29	0.069	15	15	1.35	63	0.002	<20	0.82	0.008	0.05	<0.1	0.15	0.2	<0.05	16.7	<0.5	2	<0.2
1402652	Rock	2.83	0.062	14	16	1.40	592	0.133	<20	1.12	0.080	0.54	0.3	0.08	0.5	0.07	10.3	<0.5	4	<0.2
1402653	Rock	1.20	0.073	15	22	1.05	867	0.293	<20	1.85	0.184	0.98	0.4	<0.01	0.6	<0.05	7.0	<0.5	6	<0.2
1402654	Rock	1.10	0.073	15	23	1.03	798	0.266	<20	1.75	0.164	0.89	0.4	<0.01	0.6	<0.05	6.7	<0.5	6	<0.2
1402655	Rock	1.19	0.071	14	21	1.13	863	0.278	<20	1.96	0.180	0.94	0.4	<0.01	0.6	<0.05	7.6	<0.5	6	<0.2
1402656	Rock	1.66	0.072	18	23	1.20	626	0.162	<20	1.85	0.120	0.57	0.2	0.04	0.4	<0.05	10.5	<0.5	7	<0.2
1402657	Rock	1.91	0.065	17	20	1.26	480	0.102	<20	1.85	0.091	0.42	0.2	0.05	0.3	<0.05	12.0	<0.5	7	<0.2
1402658	Rock	2.07	0.068	19	22	1.24	173	0.052	<20	1.73	0.065	0.19	<0.1	0.02	0.1	<0.05	10.8	<0.5	7	<0.2
1402659	Rock	1.72	0.069	18	22	1.20	393	0.110	<20	1.85	0.091	0.42	0.2	0.02	0.3	<0.05	11.7	<0.5	7	<0.2
1402660	Rock Pulp	0.79	0.062	4	32	0.76	94	0.128	<20	1.52	0.074	0.13	12.7	0.01	<0.1	<0.05	4.6	<0.5	5	<0.2
1402661	Rock Pulp	0.66	0.055	5	28	0.59	103	0.108	<20	1.16	0.076	0.11	2.1	0.20	1.1	0.35	4.3	<0.5	6	<0.2
1402662	Rock	1.76	0.067	19	20	1.06	387	0.096	<20	1.63	0.081	0.41	0.2	0.03	0.4	<0.05	11.3	<0.5	6	<0.2
1402663	Rock	1.81	0.067	16	23	1.27	324	0.098	<20	1.83	0.094	0.33	0.2	0.05	0.2	0.10	10.2	<0.5	7	<0.2
1402664	Rock	1.04	0.067	13	24	0.99	605	0.237	<20	1.54	0.129	0.61	0.7	<0.01	0.4	<0.05	5.2	<0.5	6	<0.2
1402665	Rock	1.33	0.066	13	24	1.10	496	0.198	<20	1.68	0.125	0.50	0.7	<0.01	0.3	<0.05	6.4	<0.5	6	<0.2
1402666	Rock	1.27	0.067	16	24	1.02	586	0.194	<20	1.67	0.152	0.57	0.6	<0.01	0.4	<0.05	7.4	<0.5	6	<0.2
1402667	Rock	2.12	0.069	18	20	1.13	331	0.080	<20	1.37	0.066	0.30	0.2	0.05	0.3	0.06	11.7	<0.5	5	<0.2
1402668	Rock	1.02	0.068	13	24	0.99	615	0.229	<20	1.52	0.131	0.54	0.9	<0.01	0.3	<0.05	4.7	<0.5	5	<0.2
1402669	Rock	1.11	0.068	16	24	1.07	840	0.271	<20	1.69	0.157	0.75	0.9	<0.01	0.5	<0.05	5.3	<0.5	6	<0.2
1402670	Rock	0.91	0.067	17	26	1.01	830	0.283	<20	1.70	0.170	0.80	0.8	<0.01	0.5	<0.05	4.9	<0.5	6	<0.2
1402671	Rock	2.28	0.065	19	18	1.34	541	0.113	<20	1.18	0.088	0.41	0.2	0.01	0.3	<0.05	11.2	<0.5	4	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 24, 2012

CERTIFICATE OF ANALYSIS WHI12000195.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402672	Rock	2.88	<2	1.6	20.7	4.2	54	<0.1	5.9	15.5	681	3.61	2.3	4.5	2.8	10.6	94	<0.1	0.3	<0.1	102
1402673	Rock	2.32	<2	1.7	23.6	4.5	63	<0.1	7.0	16.7	685	3.84	3.0	2.6	0.8	10.0	92	<0.1	0.4	0.1	113
1402674	Rock	1.16	<2	1.6	23.0	6.4	60	<0.1	6.3	17.0	899	3.85	11.6	4.9	1.0	9.9	89	0.1	2.7	<0.1	109
1402675	Rock	2.03	<2	1.5	22.3	6.2	59	<0.1	5.9	16.9	904	3.83	12.3	5.0	1.6	9.6	89	<0.1	2.8	<0.1	108
1402676	Rock	3.18	<2	2.2	23.2	3.5	50	<0.1	6.4	13.6	560	3.24	2.2	2.0	1.0	9.0	85	<0.1	0.3	<0.1	96
1402677	Rock	2.70	<2	2.2	21.3	5.0	55	0.3	6.9	14.6	615	3.43	4.6	2.9	0.9	11.3	95	<0.1	0.5	<0.1	97
1402678	Rock	2.82	<2	2.5	21.2	2.6	49	<0.1	6.9	14.0	622	3.34	4.6	2.0	1.5	8.7	76	<0.1	0.2	<0.1	105
1402679	Rock	3.39	<2	2.1	20.7	2.6	47	<0.1	6.3	12.7	552	3.08	1.2	1.6	0.5	7.9	70	<0.1	0.1	<0.1	101
1402680	Rock Pulp	0.13	<2	2.3	24.8	2.4	42	0.5	23.2	10.3	402	2.38	4.8	0.2	1.7	0.9	40	0.2	0.3	<0.1	57
1402681	Rock Pulp	0.12	1450	8.6	49.6	6.1	50	0.3	32.1	9.6	489	3.25	7.6	0.3	1736	1.0	43	0.1	1.2	0.2	64
1402682	Rock	2.43	<2	2.2	22.3	5.7	57	<0.1	6.5	12.8	592	3.27	2.8	2.1	<0.5	9.5	72	0.2	0.2	0.1	102
1402683	Rock	2.82	<2	3.2	23.7	14.1	78	0.2	6.8	14.2	654	3.45	12.5	2.2	10.0	8.8	72	0.2	0.3	0.1	105
1402684	Rock	0.60	<2	2.7	25.2	4.8	46	<0.1	6.7	12.0	469	3.03	2.9	2.2	<0.5	9.2	54	0.1	0.2	<0.1	96
1402685	Rock	2.32	<2	2.6	23.9	5.3	48	<0.1	6.6	13.0	551	3.21	3.5	2.5	<0.5	9.5	63	0.1	0.3	0.1	100
1402686	Rock	1.88	<2	2.9	24.5	3.8	55	<0.1	7.9	15.9	780	3.82	2.3	3.4	<0.5	10.0	113	0.1	0.4	0.3	123
1402687	Rock	2.76	<2	2.0	21.7	5.7	64	<0.1	6.8	16.9	905	4.12	4.2	3.2	<0.5	12.4	117	0.2	0.6	0.1	114
1402688	Rock	2.53	<2	1.8	24.2	6.6	66	<0.1	7.1	16.7	880	3.93	11.7	3.0	<0.5	9.9	150	0.2	1.4	0.1	109
1402689	Rock	1.52	<2	2.0	23.3	30.3	58	0.3	6.5	14.7	986	3.58	13.4	3.5	0.9	9.8	100	0.2	1.5	0.1	88
1402690	Rock	1.83	<2	2.2	24.2	4.7	55	<0.1	6.4	14.1	645	3.38	6.6	2.6	<0.5	9.3	79	0.1	0.3	<0.1	103
1402691	Rock	1.95	<2	2.3	21.1	3.5	49	<0.1	6.0	14.1	594	3.32	1.9	2.7	<0.5	9.3	66	<0.1	0.2	<0.1	107
1402692	Rock	1.67	<2	1.5	20.4	4.4	59	<0.1	5.9	14.0	599	3.45	14.7	2.2	<0.5	7.7	86	<0.1	0.3	<0.1	110
1402693	Rock	1.66	<2	2.2	23.8	4.8	62	<0.1	6.0	12.4	476	3.00	5.6	1.9	2.5	9.2	71	0.3	0.2	<0.1	98
1402694	Rock	2.01	<2	2.7	25.4	4.1	52	<0.1	6.6	12.7	489	3.03	4.5	2.8	<0.5	8.9	72	0.2	0.2	<0.1	100
1402695	Rock	1.75	<2	2.2	24.7	5.3	56	<0.1	6.1	12.2	490	3.00	3.1	2.4	<0.5	9.5	60	0.2	0.2	<0.1	94
1402696	Rock	2.38	<2	2.8	24.9	3.0	42	<0.1	6.0	12.1	433	2.88	1.8	2.9	<0.5	10.6	59	<0.1	0.1	<0.1	94
1402697	Rock	2.82	<2	3.0	25.6	3.6	48	<0.1	6.8	12.3	536	3.15	4.3	2.9	1.3	9.2	64	<0.1	0.2	<0.1	99
1402698	Rock	2.25	<2	2.3	25.1	3.3	51	<0.1	6.7	14.1	700	3.57	7.0	2.5	<0.5	9.7	83	<0.1	0.3	<0.1	112
1402699	Rock	1.75	<2	2.7	32.3	5.4	55	0.1	6.4	13.2	619	3.21	9.2	3.0	<0.5	10.4	72	0.2	0.4	0.1	87
1402700	Rock Pulp	0.13	4	2.4	25.7	2.4	45	0.3	24.4	10.7	412	2.40	4.6	0.3	3.3	1.0	40	0.2	0.3	<0.1	58
1402701	Rock Pulp	0.13	4049	10.5	69.2	467.9	1599	53.6	33.0	8.8	408	3.25	30.8	0.3	2629	1.1	33	15.8	52.3	1.0	53

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 24, 2012

CERTIFICATE OF ANALYSIS WHI12000195.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1402672	Rock	2.25	0.074	20	18	1.23	721	0.153	<20	1.39	0.085	0.62	0.1	0.01	0.4	<0.05	16.6	<0.5	5	<0.2
1402673	Rock	2.09	0.076	20	19	1.41	756	0.200	<20	1.51	0.071	0.75	0.2	0.01	0.5	<0.05	17.5	<0.5	5	<0.2
1402674	Rock	2.98	0.073	19	16	1.46	207	0.042	<20	0.87	0.012	0.19	0.1	0.06	0.2	0.08	18.5	<0.5	3	<0.2
1402675	Rock	3.13	0.075	18	13	1.52	187	0.038	<20	0.88	0.012	0.18	0.1	0.05	0.2	0.08	18.3	<0.5	3	<0.2
1402676	Rock	1.30	0.070	15	21	1.05	783	0.256	<20	1.70	0.154	0.87	0.5	<0.01	0.6	<0.05	10.2	<0.5	6	<0.2
1402677	Rock	1.31	0.069	19	23	1.07	727	0.234	<20	1.63	0.130	0.80	0.3	0.03	0.6	0.05	10.6	<0.5	6	<0.2
1402678	Rock	1.57	0.070	16	25	1.22	709	0.227	<20	1.82	0.134	0.73	0.5	<0.01	0.5	0.07	8.7	<0.5	6	<0.2
1402679	Rock	1.30	0.068	14	23	1.10	709	0.233	<20	1.72	0.140	0.76	0.4	<0.01	0.5	<0.05	7.1	<0.5	6	<0.2
1402680	Rock Pulp	0.80	0.060	4	29	0.78	98	0.116	<20	1.55	0.078	0.12	12.3	<0.01	<0.1	<0.05	4.7	<0.5	5	<0.2
1402681	Rock Pulp	0.83	0.062	4	33	0.83	110	0.127	<20	1.75	0.109	0.15	0.2	0.09	<0.1	<0.05	5.3	<0.5	6	<0.2
1402682	Rock	1.37	0.066	14	25	1.16	797	0.236	<20	1.93	0.187	0.80	0.6	<0.01	0.4	<0.05	7.9	<0.5	6	<0.2
1402683	Rock	1.61	0.067	14	27	1.22	708	0.223	<20	1.94	0.153	0.73	0.7	<0.01	0.4	0.09	8.5	<0.5	6	<0.2
1402684	Rock	1.04	0.065	12	27	1.01	761	0.252	<20	1.73	0.169	0.78	1.2	<0.01	0.5	<0.05	5.3	<0.5	5	<0.2
1402685	Rock	1.26	0.064	13	27	1.11	734	0.229	<20	1.78	0.167	0.76	0.9	<0.01	0.4	0.05	6.9	<0.5	6	<0.2
1402686	Rock	2.25	0.071	16	32	1.32	744	0.225	<20	2.12	0.180	0.76	0.9	<0.01	0.4	<0.05	13.5	<0.5	7	<0.2
1402687	Rock	2.62	0.063	23	24	1.55	630	0.169	<20	2.26	0.080	0.73	0.4	0.01	0.4	<0.05	14.8	<0.5	8	<0.2
1402688	Rock	2.87	0.064	19	22	1.26	756	0.203	<20	2.26	0.099	0.84	0.3	<0.01	0.5	<0.05	16.0	<0.5	7	<0.2
1402689	Rock	2.77	0.065	18	19	1.36	702	0.160	<20	1.45	0.094	0.61	0.3	0.02	0.4	0.10	11.9	<0.5	5	<0.2
1402690	Rock	1.60	0.069	15	24	1.15	811	0.250	<20	2.01	0.202	0.87	0.7	<0.01	0.5	0.08	9.1	<0.5	6	<0.2
1402691	Rock	1.47	0.069	14	26	1.15	801	0.261	<20	1.92	0.183	0.88	0.8	<0.01	0.5	<0.05	8.4	<0.5	6	<0.2
1402692	Rock	1.42	0.066	12	23	1.24	831	0.269	<20	2.05	0.197	0.91	0.4	<0.01	0.5	<0.05	7.9	<0.5	7	<0.2
1402693	Rock	0.99	0.066	13	25	1.07	883	0.276	<20	1.80	0.190	0.89	1.0	<0.01	0.5	<0.05	5.4	<0.5	6	<0.2
1402694	Rock	1.04	0.069	13	28	1.05	863	0.280	<20	1.84	0.195	0.83	1.1	<0.01	0.4	<0.05	5.4	<0.5	6	<0.2
1402695	Rock	1.04	0.069	14	25	1.02	808	0.267	<20	1.76	0.185	0.83	1.1	<0.01	0.5	<0.05	5.5	<0.5	6	<0.2
1402696	Rock	0.93	0.071	13	27	0.97	805	0.264	<20	1.71	0.186	0.84	1.2	<0.01	0.5	<0.05	4.7	<0.5	6	<0.2
1402697	Rock	1.20	0.068	14	28	1.05	772	0.264	<20	1.94	0.215	0.85	1.1	<0.01	0.5	<0.05	5.9	<0.5	6	<0.2
1402698	Rock	1.70	0.071	15	27	1.31	739	0.239	<20	2.07	0.174	0.81	0.9	<0.01	0.4	0.05	10.0	<0.5	7	<0.2
1402699	Rock	1.56	0.068	14	22	1.07	633	0.195	<20	1.65	0.140	0.67	0.9	<0.01	0.4	0.06	7.0	<0.5	5	<0.2
1402700	Rock Pulp	0.80	0.061	4	31	0.78	97	0.119	<20	1.58	0.076	0.12	13.5	<0.01	<0.1	<0.05	5.0	<0.5	5	<0.2
1402701	Rock Pulp	0.67	0.056	5	27	0.59	107	0.100	<20	1.18	0.073	0.10	2.1	0.20	1.0	0.34	4.6	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 24, 2012

CERTIFICATE OF ANALYSIS WHI12000195.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402702	Rock	2.27	<2	2.5	28.6	2.8	50	<0.1	6.7	13.6	566	3.26	5.2	2.8	<0.5	11.3	74	<0.1	0.4	<0.1	98
1402703	Rock	1.84	<2	2.6	24.4	2.9	45	<0.1	6.4	12.6	512	3.09	2.0	3.3	<0.5	11.5	61	<0.1	0.3	<0.1	96
1402704	Rock	1.96	50	2.6	27.7	41.6	235	0.6	6.0	14.8	1435	3.75	797.0	3.7	57.1	9.6	99	2.9	2.9	1.1	78
1402705	Rock	1.84	<2	1.8	19.6	5.2	69	<0.1	5.4	14.0	654	3.60	51.6	3.9	2.7	17.6	115	0.4	1.2	<0.1	93
1402706	Rock	2.00	<2	2.1	23.6	3.7	57	<0.1	6.2	15.0	741	3.66	14.9	3.0	0.6	10.1	114	0.1	0.9	0.1	116
1402707	Rock	1.91	<2	2.1	25.9	4.7	52	<0.1	6.1	12.9	581	3.24	18.0	2.9	1.8	10.2	90	0.2	0.5	0.2	99
1402708	Rock	1.36	<2	2.7	28.3	3.8	50	<0.1	6.1	12.6	528	3.08	12.7	2.9	0.6	10.7	66	0.1	0.4	0.1	93
1402709	Rock	1.76	<2	2.5	26.0	3.3	66	<0.1	6.5	13.8	595	3.36	12.2	3.3	5.8	10.0	103	0.2	0.3	0.1	105
1402710	Rock	1.18	<2	2.0	24.6	2.9	47	<0.1	5.6	12.9	514	3.10	5.3	2.7	1.6	11.9	71	<0.1	0.3	<0.1	99
1402711	Rock	1.40	<2	1.3	23.7	3.8	119	<0.1	5.9	14.6	666	3.49	46.9	2.7	2.5	9.9	101	0.6	0.4	0.1	109
1402712	Rock	1.96	15	2.4	26.3	2.8	50	<0.1	6.4	12.8	484	3.04	7.3	2.4	2.7	9.8	63	0.1	0.2	<0.1	97
1402713	Rock	1.28	146	1.8	35.2	68.5	367	1.4	9.1	12.3	624	3.32	1173	2.2	131.3	10.1	53	6.5	4.9	1.3	82
1402714	Rock	3.00	203	2.9	31.3	20.0	622	0.9	6.6	15.1	874	4.08	1516	3.4	104.1	11.7	39	18.3	8.1	1.4	55
1402715	Rock	2.22	3513	1.9	38.7	48.0	496	6.4	4.0	6.2	262	3.21	3815	4.0	2391	7.6	70	10.9	10.7	15.4	37
1402716	Rock	0.90	42	1.7	35.0	22.9	671	0.5	6.2	15.2	765	3.89	351.7	2.5	71.1	10.1	50	8.0	1.3	0.7	108
1402717	Rock	1.83	4	1.7	34.2	85.6	578	1.3	5.8	12.8	764	3.42	92.6	2.1	11.8	9.1	54	12.5	1.8	0.2	99
1402718	Rock	1.43	<2	1.3	20.0	4.6	67	<0.1	4.9	10.0	410	2.65	13.7	2.0	<0.5	8.7	55	0.6	0.2	<0.1	87
1402719	Rock	1.81	<2	1.2	24.9	3.4	48	<0.1	5.4	12.1	409	2.93	15.8	1.8	6.1	8.4	40	0.2	0.2	<0.1	99
1402720	Rock Pulp	0.12	<2	2.4	25.1	2.5	43	0.2	24.7	10.7	414	2.50	4.6	0.2	1.2	0.9	43	0.2	0.2	<0.1	60
1402721	Rock Pulp	0.12	1841	8.5	47.7	5.7	51	0.2	33.2	9.2	498	3.36	7.0	0.3	551.9	1.0	45	0.1	0.8	0.1	67
1402722	Rock	1.68	<2	1.3	25.2	3.6	80	<0.1	5.0	11.1	397	2.83	49.2	2.1	64.7	9.1	40	0.8	0.3	0.2	94
1402723	Rock	2.22	<2	1.3	25.2	4.0	91	<0.1	5.0	10.8	435	2.90	25.4	2.9	58.7	9.6	59	1.2	0.3	0.1	97
1402724	Rock	0.71	38	1.8	27.3	25.5	328	0.6	5.4	12.8	550	3.42	274.3	3.3	57.7	9.6	52	5.7	0.5	1.7	100
1402725	Rock	0.56	18	1.6	24.4	20.5	224	0.4	5.1	12.2	527	3.20	147.7	2.2	26.3	8.8	54	3.9	0.3	1.0	98
1402726	Rock	1.65	46	1.5	30.4	6.9	62	0.4	5.6	12.3	516	3.38	287.7	2.9	27.0	11.1	56	0.3	0.6	0.9	98
1402727	Rock	2.13	52	1.9	21.4	6.1	322	0.3	6.0	12.1	528	3.18	325.2	2.6	54.0	11.5	50	5.9	1.5	2.1	97
1402728	Rock	1.79	<2	1.6	20.2	2.8	61	<0.1	6.1	12.6	606	3.38	7.1	3.2	7.4	9.9	71	0.4	0.2	0.1	104
1402729	Rock	1.68	153	2.1	22.2	5.8	364	0.3	6.4	13.5	631	3.71	971.8	3.0	133.7	11.0	60	8.9	1.1	2.9	108
1402730	Rock	0.90	159	1.7	21.9	6.8	542	0.3	6.4	13.2	598	3.61	820.0	2.4	169.7	9.2	43	7.9	0.9	3.7	101
1402731	Rock	1.44	<2	2.1	22.1	9.1	52	0.1	5.9	11.5	471	2.92	14.6	2.4	<0.5	8.8	50	0.3	0.2	0.2	93

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 24, 2012

CERTIFICATE OF ANALYSIS WHI12000195.1

		Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
		Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1402702	Rock		1.32	0.072	15	26	1.14	744	0.229	<20	1.85	0.177	0.76	0.9	<0.01	0.4	<0.05	7.1	<0.5	6	<0.2
1402703	Rock		1.15	0.071	15	26	1.08	741	0.247	<20	1.79	0.186	0.81	1.2	<0.01	0.5	<0.05	6.4	<0.5	6	<0.2
1402704	Rock		2.58	0.064	12	19	1.33	472	0.125	<20	1.40	0.089	0.55	0.7	0.10	0.5	0.26	10.0	<0.5	5	<0.2
1402705	Rock		1.81	0.062	20	20	1.19	583	0.158	<20	1.83	0.115	0.64	0.4	0.03	0.5	<0.05	11.7	<0.5	6	<0.2
1402706	Rock		1.88	0.069	16	25	1.36	759	0.235	<20	2.07	0.181	0.84	0.8	<0.01	0.5	<0.05	12.1	<0.5	7	<0.2
1402707	Rock		1.35	0.066	16	24	1.14	688	0.233	<20	1.92	0.199	0.74	0.9	<0.01	0.5	<0.05	7.9	<0.5	6	<0.2
1402708	Rock		1.20	0.067	15	23	1.05	704	0.234	<20	1.74	0.174	0.74	1.3	<0.01	0.4	<0.05	6.4	<0.5	6	<0.2
1402709	Rock		1.53	0.071	14	26	1.13	727	0.251	<20	1.97	0.200	0.86	0.9	<0.01	0.5	<0.05	8.1	<0.5	6	<0.2
1402710	Rock		1.20	0.074	14	25	1.06	702	0.247	<20	1.88	0.208	0.85	1.1	<0.01	0.5	<0.05	7.0	<0.5	6	<0.2
1402711	Rock		1.69	0.066	15	22	1.29	643	0.221	<20	2.03	0.174	0.73	0.8	<0.01	0.4	<0.05	9.3	<0.5	7	<0.2
1402712	Rock		1.05	0.067	13	26	1.05	745	0.261	<20	1.81	0.185	0.85	1.1	<0.01	0.5	<0.05	5.5	<0.5	6	<0.2
1402713	Rock		0.73	0.067	15	19	0.85	530	0.166	<20	1.69	0.119	0.55	0.3	0.01	0.4	<0.05	7.3	<0.5	5	<0.2
1402714	Rock		0.38	0.055	17	11	0.40	295	0.051	<20	1.12	0.052	0.40	0.3	<0.01	0.3	0.07	8.4	<0.5	3	<0.2
1402715	Rock		0.55	0.035	13	10	0.30	222	0.025	<20	0.74	0.040	0.33	0.4	<0.01	0.3	0.13	5.4	0.6	3	<0.2
1402716	Rock		0.89	0.074	18	20	1.20	538	0.183	<20	1.95	0.108	0.63	0.4	<0.01	0.4	<0.05	11.0	<0.5	7	<0.2
1402717	Rock		1.25	0.070	15	21	1.01	658	0.233	<20	1.77	0.141	0.81	0.6	<0.01	0.5	0.05	7.6	<0.5	6	<0.2
1402718	Rock		0.97	0.059	13	19	0.87	601	0.243	<20	1.72	0.186	0.74	0.9	<0.01	0.4	<0.05	4.7	<0.5	5	<0.2
1402719	Rock		0.79	0.073	13	21	0.98	689	0.294	<20	1.61	0.121	0.88	0.8	<0.01	0.5	<0.05	4.0	0.6	6	<0.2
1402720	Rock Pulp		0.82	0.061	4	32	0.79	98	0.119	<20	1.57	0.079	0.13	12.3	0.01	<0.1	<0.05	5.0	<0.5	5	<0.2
1402721	Rock Pulp		0.82	0.060	5	35	0.83	110	0.128	<20	1.71	0.094	0.15	0.3	0.06	<0.1	<0.05	5.4	<0.5	6	<0.2
1402722	Rock		0.72	0.069	13	20	0.95	632	0.258	<20	1.54	0.111	0.79	0.9	<0.01	0.5	<0.05	4.5	<0.5	6	<0.2
1402723	Rock		0.94	0.070	15	21	0.98	656	0.255	<20	1.72	0.163	0.80	0.7	<0.01	0.5	<0.05	5.4	0.8	5	<0.2
1402724	Rock		0.89	0.065	15	20	1.03	604	0.227	<20	1.80	0.146	0.77	0.6	<0.01	0.5	<0.05	6.7	<0.5	6	<0.2
1402725	Rock		0.95	0.069	15	20	1.00	607	0.232	<20	1.77	0.156	0.76	0.6	<0.01	0.4	<0.05	7.3	<0.5	6	<0.2
1402726	Rock		1.14	0.068	15	21	1.05	568	0.223	<20	1.76	0.139	0.72	0.7	<0.01	0.4	0.05	6.9	0.6	6	<0.2
1402727	Rock		1.07	0.067	15	22	1.09	554	0.221	<20	1.71	0.133	0.70	0.8	<0.01	0.4	<0.05	6.2	<0.5	6	<0.2
1402728	Rock		1.55	0.064	16	22	1.19	510	0.198	<20	1.90	0.149	0.67	0.7	<0.01	0.4	0.07	8.5	<0.5	7	<0.2
1402729	Rock		1.34	0.066	18	24	1.14	582	0.213	<20	1.97	0.146	0.75	0.7	<0.01	0.5	0.06	10.1	<0.5	7	<0.2
1402730	Rock		1.11	0.065	16	24	1.22	388	0.155	<20	1.80	0.087	0.49	0.4	<0.01	0.3	<0.05	7.8	<0.5	7	<0.2
1402731	Rock		1.01	0.063	13	24	1.01	566	0.227	<20	1.62	0.131	0.70	0.9	<0.01	0.4	<0.05	4.9	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 24, 2012

CERTIFICATE OF ANALYSIS WHI12000195.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402732	Rock	1.91	75	2.1	21.8	4.7	158	0.1	5.6	11.7	471	3.00	349.6	2.6	80.0	10.3	50	2.6	0.3	0.4	90
1402733	Rock	1.62	<2	2.0	23.3	17.9	76	0.2	5.9	12.5	520	3.26	18.2	2.7	8.2	10.0	56	0.6	0.2	<0.1	102
1402734	Rock	1.55	50	2.1	23.6	19.0	330	0.2	6.2	13.5	623	3.57	575.1	2.8	52.5	11.1	54	4.5	0.8	0.3	102
1402735	Rock	1.45	41	1.7	22.2	5.0	313	<0.1	5.8	11.9	509	3.12	287.2	2.0	43.8	10.8	49	2.2	0.4	0.2	96
1402736	Rock	1.96	9	1.3	26.1	8.7	373	0.1	6.1	14.0	718	3.72	95.4	2.4	17.9	8.8	56	2.8	0.5	0.3	101
1402737	Rock	1.48	<2	0.9	10.8	5.9	139	<0.1	6.1	16.0	726	3.85	83.6	3.7	7.6	11.9	53	0.7	1.0	0.3	101
1402738	Rock	1.67	8	2.1	22.9	4.3	430	<0.1	6.5	16.6	761	3.98	196.2	4.3	14.9	11.9	55	5.1	0.6	0.4	96
1402739	Rock	0.99	40	1.7	22.7	3.8	129	<0.1	6.1	16.3	887	4.07	668.3	2.6	70.0	10.4	50	1.0	1.2	0.6	94
1402740	Rock Pulp	0.13	<2	2.1	23.6	2.3	41	0.2	21.8	10.1	390	2.39	5.0	0.4	5.7	0.9	40	0.2	0.2	<0.1	58
1402741	Rock Pulp	0.13	3408	9.6	68.5	458.7	1564	53.7	30.3	8.2	404	3.31	32.5	0.3	2900	1.1	35	16.2	40.4	1.1	53
1402742	Rock	1.19	16	1.6	31.3	292.3	406	2.8	6.8	19.0	651	4.27	385.4	5.1	32.9	10.4	56	11.7	1.8	0.6	90
1402743	Rock	1.03	<2	1.6	21.1	4.5	65	<0.1	5.5	13.6	570	3.38	27.8	2.7	<0.5	9.6	57	0.5	0.3	0.1	106
1402744	Rock	1.27	<2	2.1	21.8	4.8	52	<0.1	5.9	13.2	501	3.28	22.7	2.6	<0.5	9.9	58	0.2	0.3	<0.1	99
1402745	Rock	1.84	<2	2.2	24.4	6.7	53	<0.1	6.6	12.7	505	3.26	13.2	3.6	<0.5	11.2	65	0.2	0.2	<0.1	101

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 24, 2012

CERTIFICATE OF ANALYSIS WHI12000195.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1402732	Rock	1.04	0.062	14	22	0.99	533	0.210	<20	1.65	0.129	0.66	0.6	<0.01	0.3	<0.05	5.3	<0.5	6	<0.2
1402733	Rock	1.15	0.069	15	24	1.14	627	0.245	<20	1.82	0.144	0.76	0.6	<0.01	0.4	<0.05	5.8	<0.5	6	<0.2
1402734	Rock	1.21	0.068	17	24	1.13	507	0.189	<20	1.86	0.126	0.63	0.3	<0.01	0.5	<0.05	8.4	<0.5	6	<0.2
1402735	Rock	1.14	0.066	15	23	1.07	576	0.222	<20	1.71	0.120	0.69	0.4	<0.01	0.4	<0.05	6.3	<0.5	6	<0.2
1402736	Rock	1.68	0.065	17	21	1.19	467	0.169	<20	1.90	0.086	0.63	0.2	0.01	0.4	0.08	9.4	<0.5	6	<0.2
1402737	Rock	1.50	0.075	23	19	1.18	360	0.130	<20	1.77	0.072	0.63	0.1	0.03	0.4	0.07	11.9	0.6	7	<0.2
1402738	Rock	1.40	0.070	21	18	1.06	598	0.184	<20	1.65	0.084	0.79	0.2	0.02	0.5	0.14	13.2	<0.5	6	<0.2
1402739	Rock	1.37	0.072	21	17	1.12	612	0.175	<20	1.61	0.069	0.78	0.1	<0.01	0.5	0.14	12.8	0.7	6	<0.2
1402740	Rock Pulp	0.75	0.059	4	29	0.76	92	0.103	<20	1.49	0.072	0.12	12.0	0.02	<0.1	<0.05	4.5	<0.5	5	<0.2
1402741	Rock Pulp	0.63	0.054	5	27	0.58	109	0.097	<20	1.13	0.074	0.10	2.2	0.24	1.2	0.34	4.4	0.8	6	<0.2
1402742	Rock	1.81	0.069	21	17	1.20	499	0.117	<20	1.82	0.049	0.62	0.2	0.02	0.4	0.12	12.0	<0.5	6	<0.2
1402743	Rock	1.09	0.069	14	22	1.08	749	0.267	<20	1.80	0.133	0.96	0.4	<0.01	0.6	0.06	7.4	<0.5	6	<0.2
1402744	Rock	1.02	0.065	16	23	1.03	676	0.242	<20	1.82	0.147	0.86	0.6	<0.01	0.5	<0.05	6.9	<0.5	6	<0.2
1402745	Rock	1.11	0.072	17	24	1.06	706	0.249	<20	1.80	0.163	0.88	0.8	<0.01	0.5	<0.05	7.1	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 24, 2012

QUALITY CONTROL REPORT WHI12000195.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1402625	Rock	1.61	5	1.3	18.9	395.2	122	7.7	5.8	14.9	747	3.72	7.9	2.3	2.8	11.2	97	0.9	4.0	<0.1	111
REP 1402625	QC			1.2	19.0	398.2	121	8.0	5.9	14.8	757	3.71	8.0	2.3	5.9	11.2	96	0.9	4.2	<0.1	112
REP 1402643	QC		<2																		
1402660	Rock Pulp	0.13	<2	2.5	23.8	2.2	42	0.3	23.1	10.3	395	2.37	4.5	0.3	<0.5	0.9	38	0.1	0.2	<0.1	59
REP 1402660	QC			2.2	24.0	2.2	41	0.2	23.7	9.9	391	2.34	5.0	0.2	<0.5	0.9	37	0.1	0.2	<0.1	59
1402677	Rock	2.70	<2	2.2	21.3	5.0	55	0.3	6.9	14.6	615	3.43	4.6	2.9	0.9	11.3	95	<0.1	0.5	<0.1	97
REP 1402677	QC		<2																		
1402695	Rock	1.75	<2	2.2	24.7	5.3	56	<0.1	6.1	12.2	490	3.00	3.1	2.4	<0.5	9.5	60	0.2	0.2	<0.1	94
REP 1402695	QC			2.1	24.6	5.1	56	<0.1	5.9	12.1	491	2.98	3.0	2.3	<0.5	9.3	61	0.2	0.2	<0.1	95
1402706	Rock	2.00	<2	2.1	23.6	3.7	57	<0.1	6.2	15.0	741	3.66	14.9	3.0	0.6	10.1	114	0.1	0.9	0.1	116
REP 1402706	QC		<2																		
1402719	Rock	1.81	<2	1.2	24.9	3.4	48	<0.1	5.4	12.1	409	2.93	15.8	1.8	6.1	8.4	40	0.2	0.2	<0.1	99
REP 1402719	QC			1.2	24.4	3.2	47	<0.1	4.8	11.8	407	2.84	16.4	1.9	4.0	8.2	39	0.1	0.2	<0.1	99
1402729	Rock	1.68	153	2.1	22.2	5.8	364	0.3	6.4	13.5	631	3.71	971.8	3.0	133.7	11.0	60	8.9	1.1	2.9	108
REP 1402729	QC		159																		
1402740	Rock Pulp	0.13	<2	2.1	23.6	2.3	41	0.2	21.8	10.1	390	2.39	5.0	0.4	5.7	0.9	40	0.2	0.2	<0.1	58
REP 1402740	QC		<2																		
Core Reject Duplicates																					
1402643	Rock	2.39	2	2.3	9.4	53.7	124	0.4	6.9	19.0	939	4.59	10.6	3.4	3.6	10.2	98	1.7	0.8	1.3	141
DUP 1402643	QC		2	2.2	9.6	49.0	127	0.4	7.4	19.4	945	4.62	10.7	3.3	2.4	10.0	98	1.6	0.7	1.2	142
1402678	Rock	2.82	<2	2.5	21.2	2.6	49	<0.1	6.9	14.0	622	3.34	4.6	2.0	1.5	8.7	76	<0.1	0.2	<0.1	105
DUP 1402678	QC		<2	2.4	20.8	2.8	50	<0.1	6.7	14.0	621	3.33	4.6	2.3	1.2	8.7	77	<0.1	0.2	<0.1	104
1402713	Rock	1.28	146	1.8	35.2	68.5	367	1.4	9.1	12.3	624	3.32	1173	2.2	131.3	10.1	53	6.5	4.9	1.3	82
DUP 1402713	QC		162	1.8	37.7	69.9	375	1.3	9.1	12.7	637	3.42	1317	2.4	156.7	10.4	54	7.2	5.0	1.4	85
Reference Materials																					
STD DS9	Standard			14.1	114.0	127.2	318	1.8	42.1	8.0	580	2.34	25.3	2.6	114.6	6.3	70	2.3	5.2	6.7	39
STD DS9	Standard			11.5	106.7	123.7	306	1.9	39.9	7.4	576	2.38	25.7	2.6	110.8	6.0	76	2.3	3.7	6.6	40
STD DS9	Standard			11.6	105.2	123.2	297	1.8	39.4	7.4	552	2.28	24.2	2.4	112.1	5.7	66	2.1	3.3	5.0	39

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 24, 2012

QUALITY CONTROL REPORT WHI12000195.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
1402625	Rock	1.97	0.078	19	21	1.05	926	0.237	<20	1.87	0.133	0.85	0.2	0.03	0.6	<0.05	12.2	<0.5	7	<0.2
REP 1402625	QC	1.97	0.075	19	22	1.04	915	0.238	<20	1.84	0.132	0.85	0.2	0.03	0.5	<0.05	12.0	<0.5	7	<0.2
REP 1402643	QC																			
1402660	Rock Pulp	0.79	0.062	4	32	0.76	94	0.128	<20	1.52	0.074	0.13	12.7	0.01	<0.1	<0.05	4.6	<0.5	5	<0.2
REP 1402660	QC	0.78	0.064	4	31	0.76	90	0.121	<20	1.52	0.073	0.13	12.7	0.01	<0.1	<0.05	4.2	<0.5	5	<0.2
1402677	Rock	1.31	0.069	19	23	1.07	727	0.234	<20	1.63	0.130	0.80	0.3	0.03	0.6	0.05	10.6	<0.5	6	<0.2
REP 1402677	QC																			
1402695	Rock	1.04	0.069	14	25	1.02	808	0.267	<20	1.76	0.185	0.83	1.1	<0.01	0.5	<0.05	5.5	<0.5	6	<0.2
REP 1402695	QC	1.05	0.070	14	25	1.02	805	0.265	<20	1.78	0.177	0.84	1.2	<0.01	0.5	<0.05	5.2	<0.5	6	<0.2
1402706	Rock	1.88	0.069	16	25	1.36	759	0.235	<20	2.07	0.181	0.84	0.8	<0.01	0.5	<0.05	12.1	<0.5	7	<0.2
REP 1402706	QC																			
1402719	Rock	0.79	0.073	13	21	0.98	689	0.294	<20	1.61	0.121	0.88	0.8	<0.01	0.5	<0.05	4.0	0.6	6	<0.2
REP 1402719	QC	0.78	0.072	13	21	0.98	699	0.290	<20	1.61	0.120	0.86	0.7	<0.01	0.5	<0.05	4.3	<0.5	6	<0.2
1402729	Rock	1.34	0.066	18	24	1.14	582	0.213	<20	1.97	0.146	0.75	0.7	<0.01	0.5	0.06	10.1	<0.5	7	<0.2
REP 1402729	QC																			
1402740	Rock Pulp	0.75	0.059	4	29	0.76	92	0.103	<20	1.49	0.072	0.12	12.0	0.02	<0.1	<0.05	4.5	<0.5	5	<0.2
REP 1402740	QC																			
Core Reject Duplicates																				
1402643	Rock	2.21	0.087	19	23	1.43	822	0.204	<20	2.00	0.070	0.87	0.4	0.07	0.7	<0.05	19.0	<0.5	7	<0.2
DUP 1402643	QC	2.23	0.089	19	23	1.44	844	0.206	<20	1.95	0.064	0.87	0.4	0.07	0.7	<0.05	19.0	<0.5	7	<0.2
1402678	Rock	1.57	0.070	16	25	1.22	709	0.227	<20	1.82	0.134	0.73	0.5	<0.01	0.5	0.07	8.7	<0.5	6	<0.2
DUP 1402678	QC	1.59	0.070	16	25	1.20	704	0.227	<20	1.81	0.136	0.72	0.5	<0.01	0.5	0.06	8.9	<0.5	6	<0.2
1402713	Rock	0.73	0.067	15	19	0.85	530	0.166	<20	1.69	0.119	0.55	0.3	0.01	0.4	<0.05	7.3	<0.5	5	<0.2
DUP 1402713	QC	0.74	0.068	16	20	0.88	555	0.172	<20	1.68	0.119	0.58	0.4	0.01	0.4	<0.05	7.4	<0.5	6	<0.2
Reference Materials																				
STD DS9	Standard	0.72	0.083	12	120	0.62	331	0.109	<20	0.96	0.081	0.39	2.8	0.23	5.6	0.17	2.4	5.6	5	4.8
STD DS9	Standard	0.70	0.084	12	120	0.62	323	0.105	<20	0.92	0.078	0.39	2.4	0.19	5.4	0.17	2.4	5.0	5	4.9
STD DS9	Standard	0.68	0.088	11	118	0.60	299	0.107	<20	0.93	0.077	0.39	2.4	0.21	5.7	0.18	2.3	5.0	5	4.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 24, 2012

QUALITY CONTROL REPORT WHI12000195.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD DS9	Standard			12.9	114.3	133.6	336	2.2	42.6	7.9	598	2.43	24.9	2.7	116.8	6.7	75	2.4	4.0	5.6	42
STD OREAS45CA	Standard			1.0	519.9	20.7	62	0.3	256.7	93.4	959	15.86	4.1	1.2	42.4	7.4	15	<0.1	0.2	0.2	210
STD OREAS45CA	Standard			0.9	481.3	22.1	57	0.2	235.3	91.7	948	16.49	3.1	1.2	47.3	7.6	17	0.1	0.1	0.2	208
STD OREAS45CA	Standard			0.8	479.5	19.3	55	0.2	234.2	93.5	904	15.85	2.9	1.1	40.5	6.7	14	<0.1	<0.1	0.1	204
STD OREAS45CA	Standard			0.8	516.8	19.5	60	0.3	255.0	94.5	950	16.73	2.9	1.1	40.7	6.9	14	<0.1	<0.1	0.1	217
STD OXC88	Standard		203																		
STD OXC88	Standard		196																		
STD OXC88	Standard		204																		
STD OXC88	Standard		202																		
STD OXG99	Standard		922																		
STD OXG99	Standard		957																		
STD OXG99	Standard		919																		
STD OXG99	Standard		978																		
STD OXG99 Expected			932																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
STD OXC88 Expected			203																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	0.3	<1	<0.1	<0.1	<0.1	<1	<0.01	0.6	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 24, 2012

QUALITY CONTROL REPORT WHI12000195.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD DS9	Standard	0.74	0.095	14	125	0.65	332	0.118	<20	0.98	0.083	0.41	3.3	0.22	6.3	0.18	2.5	6.0	5	5.3
STD OREAS45CA	Standard	0.45	0.040	16	734	0.14	162	0.135	<20	3.67	0.007	0.07	<0.1	0.03	<0.1	<0.05	47.3	<0.5	21	<0.2
STD OREAS45CA	Standard	0.46	0.039	16	688	0.14	170	0.133	<20	3.37	0.009	0.07	<0.1	0.02	<0.1	<0.05	45.1	<0.5	19	<0.2
STD OREAS45CA	Standard	0.42	0.041	15	713	0.15	154	0.137	<20	3.38	0.010	0.07	<0.1	0.02	0.1	<0.05	42.7	<0.5	19	<0.2
STD OREAS45CA	Standard	0.43	0.042	16	741	0.16	168	0.146	<20	3.70	0.009	0.08	<0.1	0.03	0.1	<0.05	45.9	<0.5	20	<0.2
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99 Expected																				
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
STD OXC88 Expected																				
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 24, 2012

QUALITY CONTROL REPORT WHI12000195.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
BLK	Blank		<2																		
Prep Wash																					
G1-WHI	Prep Blank		<2	0.1	2.2	2.9	50	<0.1	3.1	4.6	615	2.12	<0.5	1.6	3.0	5.4	67	<0.1	<0.1	<0.1	41
G1-WHI	Prep Blank		<2	<0.1	2.1	2.7	47	<0.1	2.1	4.0	582	2.01	0.8	1.7	2.2	6.0	71	<0.1	<0.1	<0.1	39

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 24, 2012

QUALITY CONTROL REPORT WHI12000195.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
BLK	Blank																			
Prep Wash																				
G1-WHI	Prep Blank	0.52	0.092	13	11	0.58	185	0.150	<20	0.98	0.085	0.53	<0.1	<0.01	0.4	<0.05	2.5	<0.5	6	<0.2
G1-WHI	Prep Blank	0.52	0.088	15	8	0.52	141	0.131	<20	0.88	0.079	0.47	<0.1	<0.01	0.4	<0.05	2.4	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 02, 2012
Report Date: July 20, 2012
Page: 1 of 6

CERTIFICATE OF ANALYSIS WHI12000196.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET007
P.O. Number
Number of Samples: 134

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	122	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	134	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	134	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 20, 2012

CERTIFICATE OF ANALYSIS WHI12000196.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402746	Rock	1.44	<2	2.4	23.1	3.5	52	<0.1	6.1	11.4	444	2.89	15.9	2.8	<0.5	11.1	57	0.2	0.2	<0.1	96
1402747	Rock	1.80	<2	2.8	23.0	3.7	41	<0.1	6.3	11.1	426	2.86	9.7	3.5	<0.5	10.5	55	<0.1	0.3	<0.1	94
1402748	Rock	1.28	<2	2.8	26.2	3.3	46	<0.1	7.0	13.0	479	3.18	3.6	2.8	<0.5	10.4	50	<0.1	0.2	<0.1	109
1402749	Rock	1.09	<2	2.7	23.3	3.7	42	<0.1	6.6	11.6	433	2.95	6.9	2.8	<0.5	10.0	53	<0.1	0.2	<0.1	96
1402750	Rock	1.46	3	3.0	23.7	2.9	71	<0.1	6.6	11.6	422	2.85	3.1	3.2	0.9	10.4	51	0.5	0.1	<0.1	94
1402751	Rock	1.56	<2	2.6	24.1	3.4	64	<0.1	6.9	12.1	468	3.04	7.7	3.7	<0.5	10.4	52	0.3	0.2	<0.1	101
1402752	Rock	2.21	<2	3.2	23.7	3.3	46	<0.1	7.7	11.8	481	3.06	17.7	2.6	<0.5	10.8	61	<0.1	0.3	<0.1	98
1402753	Rock	1.76	4	2.3	23.5	13.3	71	0.2	7.2	13.7	609	3.40	13.6	2.7	0.8	9.7	68	0.5	0.5	<0.1	107
1402754	Rock	1.23	<2	2.9	22.3	7.3	64	0.1	6.7	12.4	569	3.04	36.5	3.0	<0.5	10.0	55	0.6	0.4	0.2	97
1402755	Rock	2.13	<2	2.9	23.3	3.8	102	<0.1	6.9	12.0	489	3.02	19.5	2.9	1.2	9.3	60	0.7	0.3	0.1	98
1402756	Rock	1.43	229	2.7	25.5	7.4	153	0.4	6.7	13.1	541	3.37	1199	3.3	156.7	10.7	57	2.0	1.2	0.5	98
1402757	Rock	1.78	<2	3.5	25.7	3.9	45	<0.1	7.1	12.4	460	3.06	23.9	3.3	4.9	11.0	62	<0.1	0.3	<0.1	101
1402758	Rock	1.97	<2	2.9	28.7	3.3	45	<0.1	7.4	12.1	454	3.03	5.2	2.7	0.6	9.1	56	<0.1	0.2	<0.1	100
1402759	Rock	1.71	<2	3.1	24.3	3.4	83	<0.1	6.9	12.0	453	3.00	40.9	2.5	1.1	9.6	51	0.3	0.3	<0.1	95
1402760	Rock Pulp	0.11	<2	2.5	25.2	2.3	42	0.3	23.3	10.5	392	2.29	4.7	0.2	<0.5	0.9	33	0.1	0.3	<0.1	54
1402761	Rock Pulp	0.13	1436	8.7	46.9	5.6	49	0.3	30.8	9.0	459	3.02	6.4	0.3	1273	0.9	35	0.1	0.8	<0.1	59
1402762	Rock	2.00	<2	2.6	23.7	3.5	71	<0.1	5.9	11.7	456	2.89	46.4	2.2	11.4	9.5	56	0.3	0.3	<0.1	93
1402763	Rock	1.94	11	2.9	24.3	3.2	111	<0.1	6.5	12.1	486	3.14	154.6	3.0	14.1	9.1	54	0.6	0.7	<0.1	101
1402764	Rock	1.65	<2	2.4	23.4	3.8	75	<0.1	6.2	12.9	540	3.22	68.3	2.8	2.5	9.5	54	0.3	0.6	<0.1	103
1402765	Rock	1.40	<2	2.6	24.7	23.7	175	0.1	6.8	13.3	569	3.37	97.4	2.6	2.4	10.5	52	1.1	0.9	0.1	104
1402766	Rock	1.70	399	2.0	43.8	10.8	534	0.7	6.2	13.7	619	3.76	3088	3.8	339.4	10.2	51	9.8	4.9	3.4	75
1402767	Rock	2.21	146	2.2	33.3	84.9	300	0.3	7.2	16.4	541	4.13	>10000	4.6	151.3	10.2	93	6.4	9.4	3.4	63
1402768	Rock	4.19	6	1.8	31.1	50.7	414	<0.1	6.5	14.4	716	3.81	1029	3.1	6.4	12.3	40	3.5	7.8	0.7	102
1402769	Rock	0.81	6	2.6	27.9	6.7	48	<0.1	5.2	13.3	485	3.22	170.3	2.4	5.5	13.8	36	0.2	2.1	0.6	92
1402770	Rock	0.94	4	1.2	18.8	5.3	43	<0.1	4.7	11.4	447	2.82	206.7	2.0	5.0	14.2	41	<0.1	1.7	0.1	82
1402771	Rock	1.04	<2	1.5	19.0	4.4	42	<0.1	5.0	11.8	504	2.93	132.0	2.2	<0.5	14.7	45	<0.1	2.1	<0.1	93
1402772	Rock	1.43	86	1.4	28.3	49.6	143	4.7	5.4	13.5	707	3.66	1333	6.1	81.7	18.1	49	0.6	5.7	0.8	99
1402773	Rock	1.72	15	1.1	23.1	8.8	72	0.2	5.3	14.2	735	3.44	298.9	2.9	19.8	14.8	47	0.2	1.8	0.6	106
1402774	Rock	1.24	<2	1.4	22.8	4.5	53	<0.1	5.6	13.5	583	3.30	113.8	2.5	2.6	12.1	48	<0.1	1.1	0.2	101
1402775	Rock	1.07	<2	1.4	23.6	4.2	51	<0.1	5.6	13.5	580	3.24	117.5	2.7	0.9	12.0	49	<0.1	1.2	0.1	99

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 20, 2012

CERTIFICATE OF ANALYSIS WHI12000196.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1402746	Rock	0.98	0.063	14	26	0.97	722	0.257	<20	1.90	0.231	0.88	1.0	<0.01	0.6	<0.05	5.0	<0.5	6	<0.2
1402747	Rock	0.97	0.067	14	27	0.93	667	0.246	<20	1.89	0.235	0.85	0.9	<0.01	0.5	<0.05	4.5	<0.5	6	<0.2
1402748	Rock	0.96	0.075	14	30	1.07	753	0.287	<20	1.97	0.208	1.01	1.0	<0.01	0.6	<0.05	5.5	<0.5	6	<0.2
1402749	Rock	1.00	0.064	14	27	0.96	694	0.262	<20	1.91	0.231	0.89	1.0	<0.01	0.5	<0.05	4.6	<0.5	6	<0.2
1402750	Rock	0.90	0.065	14	30	0.96	655	0.263	<20	1.86	0.218	0.86	1.1	<0.01	0.5	<0.05	4.4	<0.5	6	<0.2
1402751	Rock	1.00	0.067	15	30	1.00	700	0.266	<20	1.92	0.218	0.90	1.1	<0.01	0.6	0.05	4.7	<0.5	6	<0.2
1402752	Rock	1.10	0.063	14	32	0.99	667	0.248	<20	2.01	0.245	0.87	1.0	<0.01	0.5	0.05	5.3	<0.5	6	<0.2
1402753	Rock	1.50	0.066	16	30	1.21	654	0.231	<20	2.15	0.229	0.80	0.8	<0.01	0.5	0.10	7.9	<0.5	7	<0.2
1402754	Rock	1.44	0.060	14	27	1.03	645	0.236	<20	1.85	0.182	0.81	0.7	<0.01	0.6	0.07	5.6	<0.5	6	<0.2
1402755	Rock	1.19	0.060	14	28	0.99	650	0.240	<20	1.92	0.227	0.82	1.0	<0.01	0.5	0.06	5.6	<0.5	6	<0.2
1402756	Rock	1.44	0.067	15	28	1.08	641	0.227	<20	1.88	0.189	0.81	1.1	<0.01	0.5	0.30	6.4	<0.5	6	<0.2
1402757	Rock	1.14	0.069	15	31	1.02	725	0.267	<20	2.02	0.255	0.91	1.1	<0.01	0.5	<0.05	4.9	<0.5	6	<0.2
1402758	Rock	1.01	0.064	13	29	1.02	695	0.266	<20	2.01	0.242	0.89	1.1	<0.01	0.5	<0.05	4.7	<0.5	6	<0.2
1402759	Rock	1.08	0.066	14	30	0.96	696	0.258	<20	1.83	0.215	0.83	0.9	<0.01	0.5	<0.05	4.9	<0.5	6	<0.2
1402760	Rock Pulp	0.75	0.057	4	31	0.76	93	0.105	<20	1.53	0.071	0.12	13.3	<0.01	<0.1	<0.05	4.0	<0.5	5	<0.2
1402761	Rock Pulp	0.76	0.055	4	33	0.79	98	0.110	<20	1.63	0.096	0.14	0.3	0.07	<0.1	<0.05	4.4	<0.5	5	<0.2
1402762	Rock	1.11	0.061	14	28	0.94	650	0.244	<20	1.84	0.219	0.77	0.9	<0.01	0.4	<0.05	4.7	<0.5	6	<0.2
1402763	Rock	1.25	0.066	13	27	1.04	641	0.233	<20	1.85	0.189	0.81	0.7	<0.01	0.5	0.07	5.3	<0.5	6	<0.2
1402764	Rock	1.45	0.067	14	28	1.11	601	0.218	<20	1.87	0.177	0.75	0.9	<0.01	0.5	0.10	6.2	<0.5	6	<0.2
1402765	Rock	1.44	0.062	14	28	1.20	565	0.220	<20	1.92	0.169	0.72	0.7	<0.01	0.5	0.11	7.6	<0.5	6	<0.2
1402766	Rock	1.88	0.062	14	21	0.94	493	0.146	<20	1.68	0.117	0.63	0.8	<0.01	0.4	0.71	6.7	<0.5	5	<0.2
1402767	Rock	1.76	0.053	14	16	0.68	421	0.111	<20	1.41	0.076	0.55	0.3	0.04	0.6	<0.05	6.9	<0.5	5	0.5
1402768	Rock	1.92	0.058	20	19	1.32	353	0.119	<20	1.90	0.052	0.42	0.4	0.10	0.4	<0.05	12.2	<0.5	7	<0.2
1402769	Rock	1.23	0.056	18	20	1.11	372	0.200	<20	1.63	0.101	0.40	0.5	0.03	0.2	<0.05	7.2	<0.5	7	<0.2
1402770	Rock	1.23	0.057	17	19	0.93	471	0.213	<20	1.62	0.126	0.50	0.5	<0.01	0.3	<0.05	5.7	<0.5	7	<0.2
1402771	Rock	1.62	0.057	16	20	1.01	508	0.241	<20	1.72	0.118	0.51	0.5	<0.01	0.3	<0.05	7.4	<0.5	7	<0.2
1402772	Rock	1.59	0.063	23	19	1.20	466	0.167	<20	1.91	0.090	0.50	0.4	0.01	0.4	<0.05	10.6	<0.5	7	<0.2
1402773	Rock	1.59	0.062	20	20	1.28	668	0.212	<20	1.95	0.129	0.72	0.3	0.01	0.5	<0.05	10.0	<0.5	7	<0.2
1402774	Rock	1.46	0.063	18	22	1.11	614	0.214	<20	1.86	0.139	0.69	0.3	0.01	0.5	<0.05	8.1	<0.5	6	<0.2
1402775	Rock	1.53	0.060	19	22	1.08	603	0.204	<20	1.87	0.145	0.66	0.3	0.02	0.5	<0.05	8.7	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 20, 2012

CERTIFICATE OF ANALYSIS WHI12000196.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402776	Rock	1.35	20	2.1	36.3	8.2	74	0.2	5.4	11.1	656	3.25	946.8	7.2	4.8	11.4	48	0.5	2.4	1.4	68
1402777	Rock	2.41	32	2.1	24.1	6.7	100	0.2	5.4	13.1	589	3.23	52.3	2.7	6.2	13.2	50	0.9	0.5	0.5	101
1402778	Rock	2.45	4	2.0	24.7	4.5	52	0.1	6.2	13.8	647	3.43	46.6	2.6	2.9	12.7	58	<0.1	0.7	0.6	107
1402779	Rock	1.72	92	2.0	36.0	8.0	55	0.3	5.3	29.3	623	4.20	6639	4.3	83.8	11.1	87	0.2	4.5	5.9	84
1402780	Rock Pulp	0.13	<2	2.7	24.9	2.3	43	0.2	25.4	11.3	428	2.45	5.8	0.4	<0.5	0.9	37	<0.1	0.2	<0.1	59
1402781	Rock Pulp	0.13	4055	11.2	73.0	509.7	1557	52.8	32.5	9.0	398	3.31	30.7	0.3	2499	1.1	31	16.5	51.2	1.0	56
1402782	Rock	1.86	5	1.4	21.0	3.4	46	<0.1	5.7	15.8	610	3.70	266.4	1.7	2.6	12.2	56	<0.1	0.7	0.3	118
1402783	Rock	2.13	4	1.8	24.9	3.5	47	<0.1	5.3	14.5	607	3.63	95.4	1.9	<0.5	10.1	61	<0.1	0.4	0.3	116
1402784	Rock	1.38	18	2.2	57.4	13.2	59	0.4	5.3	15.4	674	4.23	1162	4.1	8.8	10.8	42	0.3	3.0	3.3	68
1402785	Rock	2.35	<2	2.0	14.3	40.7	88	2.2	5.0	15.5	928	3.60	280.4	2.0	<0.5	11.0	52	0.5	2.7	0.3	107
1402786	Rock	1.68	3	2.1	41.9	5.2	47	0.1	5.6	13.4	529	3.78	275.1	1.8	4.2	9.9	43	0.2	1.2	0.3	103
1402787	Rock	1.79	6	2.0	42.6	4.0	45	<0.1	5.8	13.9	556	4.01	278.9	3.1	42.4	9.9	40	<0.1	1.0	1.0	103
1402788	Rock	2.72	<2	2.4	23.8	5.3	51	<0.1	5.9	13.9	537	3.25	87.1	2.0	4.8	11.5	55	<0.1	0.9	0.1	104
1402789	Rock	2.09	48	2.1	41.9	8.8	47	0.2	5.4	16.2	513	3.80	378.3	2.7	20.9	9.9	44	<0.1	0.7	1.8	101
1402790	Rock	2.19	4	1.8	25.4	4.0	50	<0.1	5.4	14.5	590	3.42	151.0	2.0	7.8	11.7	46	<0.1	0.6	0.3	110
1402791	Rock	2.00	<2	2.2	23.8	3.7	50	<0.1	5.7	14.6	636	3.50	38.0	1.5	0.5	9.5	51	<0.1	0.4	0.2	115
1402792	Rock	2.05	2	1.7	24.2	5.8	54	0.1	5.7	15.1	751	3.54	85.7	1.9	<0.5	10.0	51	<0.1	0.8	0.2	115
1402793	Rock	1.79	30	2.9	27.4	5.3	36	<0.1	5.1	15.6	672	3.21	87.7	3.5	11.2	12.5	48	<0.1	1.1	0.3	67
1402794	Rock	2.24	<2	1.8	21.8	5.1	57	<0.1	5.2	17.1	853	3.72	115.9	2.7	<0.5	12.0	85	<0.1	1.2	0.1	116
1402795	Rock	2.39	4	2.2	21.8	4.6	56	<0.1	4.4	15.9	733	3.62	157.9	3.4	3.8	11.0	68	<0.1	1.0	0.2	103
1402796	Rock	1.87	<2	1.9	23.8	3.8	56	<0.1	5.7	16.9	683	3.74	39.1	2.7	4.0	10.1	66	<0.1	0.9	0.6	113
1402797	Rock	1.69	5	1.6	26.1	3.2	56	<0.1	4.9	15.0	608	3.55	529.9	2.9	5.2	9.9	55	0.2	2.4	0.4	108
1402798	Rock	2.20	<2	1.5	22.2	3.4	51	<0.1	5.3	14.4	629	3.46	138.9	2.0	4.8	9.5	54	<0.1	1.0	0.1	111
1402799	Rock	1.67	<2	1.5	20.4	3.5	52	<0.1	5.6	15.2	638	3.56	96.2	1.9	<0.5	9.2	48	0.1	1.1	<0.1	102
1402800	Rock Pulp	0.13	3	2.6	25.1	2.2	45	0.3	24.7	10.7	388	2.37	5.2	0.2	<0.5	0.9	35	0.2	0.3	<0.1	57
1402801	Rock Pulp	0.13	3835	10.0	68.3	485.4	1511	52.0	31.0	8.9	386	3.23	29.8	0.3	5508	1.0	29	15.0	49.4	0.8	53
1402802	Rock	1.75	27	1.9	24.3	3.7	52	<0.1	5.5	14.7	624	3.39	388.5	2.1	42.8	10.1	60	0.1	0.9	0.4	109
1402803	Rock	1.78	3	1.9	20.4	10.0	73	0.2	5.3	16.5	1118	3.82	272.9	4.1	2.4	9.7	80	0.2	3.5	0.1	99
1402804	Rock	1.96	23	1.7	25.9	10.6	73	0.2	5.8	16.6	829	3.94	231.9	3.3	22.7	10.5	70	0.2	2.1	0.6	107
1402805	Rock	2.03	79	1.6	25.4	4.2	54	0.1	5.5	13.1	528	3.14	311.8	1.6	18.9	8.5	56	0.2	1.4	2.0	101

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 20, 2012

CERTIFICATE OF ANALYSIS WHI12000196.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1402776	Rock	2.44	0.062	17	15	0.67	381	0.093	<20	1.49	0.063	0.55	0.2	0.03	0.5	<0.05	8.3	<0.5	5	<0.2
1402777	Rock	1.18	0.063	17	23	1.18	711	0.228	<20	1.97	0.177	0.78	0.3	<0.01	0.5	<0.05	7.5	<0.5	6	<0.2
1402778	Rock	1.38	0.063	19	25	1.22	737	0.234	<20	2.05	0.189	0.81	0.3	<0.01	0.5	<0.05	9.2	<0.5	7	<0.2
1402779	Rock	1.13	0.065	15	18	0.88	524	0.151	<20	1.61	0.102	0.73	0.5	0.01	0.5	0.05	8.6	<0.5	5	<0.2
1402780	Rock Pulp	0.80	0.059	4	33	0.80	100	0.116	<20	1.58	0.076	0.14	13.4	0.01	<0.1	<0.05	4.4	<0.5	5	<0.2
1402781	Rock Pulp	0.66	0.054	5	29	0.60	114	0.101	<20	1.19	0.077	0.11	2.4	0.22	1.1	0.35	4.2	<0.5	6	<0.2
1402782	Rock	1.84	0.062	16	23	1.37	817	0.240	<20	2.22	0.140	0.95	0.3	<0.01	0.7	<0.05	12.2	<0.5	7	<0.2
1402783	Rock	1.59	0.068	16	25	1.28	864	0.260	<20	2.32	0.212	0.93	0.4	<0.01	0.6	<0.05	10.0	<0.5	7	<0.2
1402784	Rock	1.85	0.063	17	16	0.73	453	0.112	<20	1.55	0.055	0.58	0.4	0.01	0.5	<0.05	7.2	<0.5	5	<0.2
1402785	Rock	2.18	0.063	18	21	1.26	630	0.186	<20	2.00	0.119	0.63	0.3	<0.01	0.4	<0.05	10.7	<0.5	7	<0.2
1402786	Rock	1.35	0.064	16	21	1.27	616	0.192	<20	1.99	0.120	0.71	0.4	<0.01	0.5	<0.05	8.3	<0.5	7	<0.2
1402787	Rock	1.35	0.065	16	22	1.24	619	0.181	<20	2.09	0.100	0.75	0.3	<0.01	0.5	<0.05	9.4	<0.5	7	<0.2
1402788	Rock	1.72	0.068	17	25	1.18	764	0.241	<20	1.94	0.170	0.82	0.5	<0.01	0.6	<0.05	7.1	<0.5	6	<0.2
1402789	Rock	1.01	0.067	15	24	1.19	704	0.226	<20	1.92	0.123	0.79	0.5	<0.01	0.5	<0.05	6.9	<0.5	6	<0.2
1402790	Rock	1.32	0.066	15	27	1.28	712	0.266	<20	1.92	0.134	0.79	0.4	<0.01	0.5	<0.05	7.9	<0.5	7	<0.2
1402791	Rock	1.43	0.068	15	26	1.36	685	0.236	<20	2.05	0.154	0.76	0.4	<0.01	0.5	<0.05	9.2	<0.5	7	<0.2
1402792	Rock	1.68	0.062	17	24	1.40	624	0.208	<20	2.08	0.134	0.70	0.3	<0.01	0.5	<0.05	10.6	<0.5	7	<0.2
1402793	Rock	2.52	0.062	19	16	0.77	386	0.084	<20	1.55	0.070	0.52	0.3	<0.01	0.4	<0.05	7.1	<0.5	5	<0.2
1402794	Rock	3.15	0.065	22	22	1.23	605	0.144	<20	2.00	0.115	0.57	0.2	0.01	0.4	<0.05	13.4	<0.5	7	<0.2
1402795	Rock	2.73	0.066	22	19	0.99	551	0.131	<20	1.94	0.101	0.59	0.2	0.02	0.5	<0.05	13.7	<0.5	7	<0.2
1402796	Rock	1.86	0.069	18	23	1.21	591	0.172	<20	2.01	0.126	0.67	0.3	0.01	0.4	<0.05	11.8	<0.5	7	<0.2
1402797	Rock	1.72	0.069	16	22	1.22	524	0.176	<20	1.96	0.124	0.66	0.4	<0.01	0.7	<0.05	10.4	<0.5	6	<0.2
1402798	Rock	1.56	0.063	15	24	1.29	624	0.198	<20	1.97	0.143	0.71	0.4	<0.01	0.5	<0.05	9.7	<0.5	7	<0.2
1402799	Rock	1.54	0.066	16	23	1.31	390	0.114	<20	1.95	0.087	0.44	0.2	0.01	0.3	<0.05	10.2	<0.5	7	<0.2
1402800	Rock Pulp	0.74	0.060	4	33	0.77	93	0.117	<20	1.52	0.073	0.13	13.5	0.01	<0.1	<0.05	4.3	<0.5	5	<0.2
1402801	Rock Pulp	0.64	0.049	5	29	0.58	101	0.098	<20	1.15	0.073	0.11	2.8	0.25	1.0	0.35	3.9	<0.5	6	0.2
1402802	Rock	1.53	0.069	16	26	1.11	703	0.225	<20	1.93	0.168	0.84	0.4	<0.01	0.5	<0.05	8.2	<0.5	6	<0.2
1402803	Rock	3.38	0.064	20	14	0.90	2586	0.126	<20	1.98	0.068	0.55	0.2	0.05	0.5	<0.05	13.2	<0.5	7	<0.2
1402804	Rock	2.09	0.068	19	23	1.02	1002	0.189	<20	2.16	0.112	0.78	0.4	0.02	0.5	<0.05	12.4	<0.5	7	<0.2
1402805	Rock	1.12	0.065	13	25	1.08	726	0.269	<20	1.91	0.187	0.83	0.4	<0.01	0.5	<0.05	6.1	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 20, 2012

CERTIFICATE OF ANALYSIS WHI12000196.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402806	Rock	2.28	72	1.7	21.3	3.8	50	<0.1	5.5	13.6	615	3.37	799.1	2.1	67.6	8.3	69	<0.1	0.8	1.0	110
1402807	Rock	2.03	4	1.7	23.2	4.3	62	0.1	5.3	14.5	643	3.49	181.4	1.7	7.1	9.5	58	0.2	1.1	0.2	112
1402808	Rock	1.84	<2	2.0	26.2	3.6	55	<0.1	6.1	15.9	791	3.77	41.2	1.8	2.6	9.4	70	<0.1	0.7	<0.1	129
1402809	Rock	1.84	<2	1.8	24.3	4.0	60	<0.1	5.7	14.8	750	3.62	99.7	2.8	<0.5	10.1	74	0.2	0.9	0.1	121
1402810	Rock	1.96	<2	2.0	24.3	3.8	58	<0.1	5.9	14.8	623	3.60	47.8	1.5	4.4	9.2	66	0.1	0.6	<0.1	119
1402811	Rock	1.80	8	1.7	24.8	4.9	69	0.1	5.5	14.4	595	3.50	174.0	1.9	2.9	8.4	61	0.4	1.6	0.2	108
1402812	Rock	1.88	<2	1.9	14.9	5.2	67	<0.1	5.5	14.9	684	3.69	108.2	1.9	<0.5	9.9	55	0.3	1.2	0.1	114
1402813	Rock	1.91	<2	2.2	21.9	4.6	59	<0.1	5.6	14.4	605	3.47	84.8	1.9	<0.5	9.9	54	0.2	1.0	0.1	108
1402814	Rock	1.88	56	1.5	21.8	3.7	58	<0.1	4.7	12.0	544	3.17	116.5	1.5	16.9	8.8	74	0.2	1.1	1.2	102
1402815	Rock	2.01	<2	2.0	26.5	4.2	55	<0.1	5.7	13.1	585	3.47	124.0	1.8	1.2	9.7	70	0.2	0.8	0.2	116
1402816	Rock	2.19	<2	1.6	24.4	3.6	55	<0.1	5.2	15.0	759	3.80	27.5	3.2	1.6	10.3	77	0.2	1.2	0.1	108
1402817	Rock	2.08	<2	1.6	21.6	6.5	58	<0.1	5.1	15.0	758	3.83	17.4	1.8	<0.5	9.8	85	0.1	1.0	<0.1	119
1402818	Rock	1.91	4	2.2	23.2	5.1	52	<0.1	6.0	14.9	864	4.03	38.5	3.7	3.0	9.1	73	<0.1	1.3	0.3	98
1402819	Rock	2.00	4	1.8	22.5	3.3	58	<0.1	6.0	15.1	794	3.95	47.9	2.0	1.6	9.8	86	<0.1	1.4	0.1	122
1402820	Rock Pulp	0.13	<2	2.3	24.2	2.3	41	0.2	22.9	10.2	395	2.33	5.0	0.2	2.0	0.9	43	0.2	0.2	<0.1	58
1402821	Rock Pulp	0.13	1500	8.1	47.1	5.8	48	0.2	29.4	8.8	470	3.19	7.2	0.3	1317	1.0	45	0.1	1.0	<0.1	64
1402822	Rock	1.83	159	2.3	48.1	108.2	187	1.2	5.1	12.5	606	4.45	780.2	3.1	62.9	9.6	94	2.8	6.0	3.7	79
1402823	Rock	1.66	12	1.9	26.0	134.1	302	0.3	5.6	16.9	954	4.74	1239	4.2	8.6	10.4	75	3.5	8.5	0.4	94
1402824	Rock	0.86	7	1.9	25.1	9.6	115	0.1	5.8	14.8	679	3.97	164.2	2.7	4.8	10.7	70	1.2	2.3	0.3	115
1402825	Rock	0.90	14	1.7	26.5	12.6	111	0.2	5.6	15.0	677	4.15	190.8	3.3	7.9	11.0	69	1.4	3.2	0.5	111
1402826	Rock	1.97	<2	1.6	22.8	4.8	73	<0.1	5.4	12.6	523	3.34	136.6	1.6	4.7	9.6	56	0.5	1.2	<0.1	104
1402827	Rock	2.63	<2	1.6	22.7	4.3	79	<0.1	5.6	12.8	511	3.27	152.8	1.7	3.8	10.5	62	0.3	0.7	<0.1	108
1402828	Rock	2.07	23	1.7	22.8	5.0	61	<0.1	5.4	13.6	586	3.39	324.3	1.9	5.6	10.1	65	0.4	0.8	2.3	111
1402829	Rock	2.39	4	2.1	26.4	5.4	93	<0.1	5.8	13.7	596	3.61	53.7	2.0	8.5	9.5	62	0.8	0.6	0.3	112
1402830	Rock	2.76	<2	1.4	20.4	3.5	48	<0.1	4.8	13.0	549	3.27	42.3	1.6	1.3	9.0	63	<0.1	0.6	<0.1	108
1402831	Rock	1.71	15	2.0	25.5	4.0	46	<0.1	5.9	12.9	485	3.24	33.2	1.7	14.9	9.3	59	<0.1	0.5	0.5	107
1402832	Rock	2.25	<2	2.0	26.5	3.4	48	<0.1	5.8	13.7	476	3.35	10.5	1.8	1.9	10.0	58	<0.1	0.3	<0.1	114
1402833	Rock	2.17	3	2.2	22.0	3.7	58	<0.1	5.4	12.4	537	3.28	113.6	1.9	2.6	8.9	64	0.2	0.5	0.2	106
1402834	Rock	2.38	11	2.8	23.1	4.0	87	<0.1	6.2	16.4	730	4.04	223.7	2.1	8.6	9.5	63	0.4	0.6	0.2	126
1402835	Rock	1.63	2	2.2	24.6	4.4	60	<0.1	6.3	15.5	683	4.01	86.1	2.3	4.6	9.8	77	0.1	0.5	0.3	129

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 20, 2012

CERTIFICATE OF ANALYSIS WHI12000196.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1402806	Rock	1.53	0.068	14	26	1.19	706	0.250	<20	1.95	0.172	0.81	0.4	<0.01	0.5	<0.05	8.1	<0.5	6	<0.2
1402807	Rock	1.45	0.067	15	25	1.21	634	0.242	<20	1.96	0.154	0.76	0.3	0.02	0.5	<0.05	9.1	<0.5	6	<0.2
1402808	Rock	1.70	0.068	16	28	1.36	661	0.250	<20	2.14	0.178	0.79	0.4	0.01	0.4	<0.05	12.8	<0.5	7	<0.2
1402809	Rock	1.84	0.065	16	25	1.41	678	0.233	<20	2.06	0.162	0.75	0.4	<0.01	0.5	<0.05	11.1	<0.5	7	<0.2
1402810	Rock	1.35	0.064	15	27	1.27	732	0.233	<20	2.17	0.194	0.83	0.4	0.01	0.5	<0.05	9.2	<0.5	7	<0.2
1402811	Rock	1.55	0.067	15	25	1.28	519	0.167	<20	2.13	0.158	0.63	0.3	0.01	0.4	<0.05	9.2	<0.5	7	<0.2
1402812	Rock	1.78	0.064	15	26	1.40	426	0.165	<20	2.09	0.127	0.49	0.3	0.01	0.3	<0.05	10.6	<0.5	7	<0.2
1402813	Rock	1.48	0.065	15	27	1.28	577	0.216	<20	1.96	0.141	0.62	0.5	0.01	0.5	<0.05	8.5	<0.5	7	<0.2
1402814	Rock	1.17	0.064	14	22	1.19	708	0.264	<20	1.96	0.193	0.69	0.3	0.01	0.5	<0.05	7.4	<0.5	6	<0.2
1402815	Rock	1.27	0.077	15	25	1.34	783	0.285	<20	2.08	0.185	0.83	0.4	<0.01	0.5	<0.05	8.2	<0.5	7	<0.2
1402816	Rock	2.08	0.072	18	21	0.97	584	0.184	<20	2.09	0.130	0.68	0.3	0.01	0.4	<0.05	12.3	<0.5	6	<0.2
1402817	Rock	1.91	0.071	17	23	1.33	705	0.232	<20	2.18	0.168	0.84	0.3	<0.01	0.5	<0.05	12.6	<0.5	7	<0.2
1402818	Rock	2.91	0.070	18	20	1.17	421	0.097	<20	2.18	0.067	0.53	0.2	0.04	0.6	0.05	12.9	<0.5	7	<0.2
1402819	Rock	2.21	0.069	18	26	1.44	686	0.210	<20	2.24	0.140	0.76	0.3	0.01	0.5	<0.05	13.1	<0.5	7	<0.2
1402820	Rock Pulp	0.77	0.061	4	29	0.75	95	0.126	<20	1.50	0.073	0.13	12.5	0.02	<0.1	<0.05	4.6	<0.5	5	<0.2
1402821	Rock Pulp	0.80	0.062	4	33	0.80	104	0.133	<20	1.62	0.091	0.15	0.3	0.06	<0.1	<0.05	5.0	<0.5	5	<0.2
1402822	Rock	1.48	0.067	14	16	0.88	386	0.072	<20	1.55	0.061	0.47	0.3	0.13	0.9	0.14	9.5	<0.5	5	<0.2
1402823	Rock	3.37	0.072	23	16	1.21	288	0.018	<20	2.56	0.005	0.22	0.2	0.22	0.6	<0.05	15.0	<0.5	8	<0.2
1402824	Rock	2.18	0.072	19	23	1.24	608	0.204	<20	2.19	0.106	0.70	0.2	0.05	0.5	<0.05	12.8	<0.5	7	<0.2
1402825	Rock	2.27	0.073	20	22	1.25	533	0.169	<20	2.29	0.082	0.62	0.3	0.07	0.5	<0.05	14.0	<0.5	7	<0.2
1402826	Rock	1.23	0.068	16	23	1.29	639	0.257	<20	1.87	0.137	0.68	0.3	0.02	0.4	<0.05	7.9	<0.5	6	<0.2
1402827	Rock	0.93	0.071	16	24	1.40	762	0.282	<20	2.05	0.185	0.81	0.4	<0.01	0.5	<0.05	8.2	<0.5	6	<0.2
1402828	Rock	1.53	0.073	16	24	1.32	711	0.267	<20	1.96	0.167	0.75	0.4	0.01	0.4	<0.05	8.5	<0.5	7	<0.2
1402829	Rock	1.39	0.076	15	26	1.32	819	0.287	<20	2.00	0.167	0.80	0.5	<0.01	0.4	<0.05	7.6	<0.5	7	<0.2
1402830	Rock	1.59	0.068	14	23	1.24	667	0.292	<20	1.91	0.159	0.72	0.5	0.01	0.4	<0.05	6.8	<0.5	6	<0.2
1402831	Rock	1.24	0.073	14	26	1.13	741	0.297	<20	1.81	0.166	0.82	0.6	<0.01	0.5	<0.05	5.9	<0.5	6	<0.2
1402832	Rock	0.91	0.081	14	28	1.14	976	0.353	<20	1.89	0.177	1.03	0.8	<0.01	0.6	<0.05	5.1	<0.5	6	<0.2
1402833	Rock	1.48	0.069	15	26	1.20	643	0.273	<20	1.91	0.168	0.70	0.7	0.01	0.4	<0.05	7.8	<0.5	6	<0.2
1402834	Rock	1.93	0.074	18	27	1.73	516	0.190	<20	2.22	0.122	0.57	0.3	0.01	0.4	<0.05	13.7	<0.5	8	<0.2
1402835	Rock	1.85	0.075	17	29	1.63	615	0.236	<20	2.27	0.193	0.70	0.4	<0.01	0.4	0.08	12.5	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 20, 2012

CERTIFICATE OF ANALYSIS WHI12000196.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402836	Rock	1.66	<2	2.1	23.5	4.2	44	<0.1	5.6	12.0	499	3.12	12.4	2.1	0.6	9.9	69	<0.1	0.3	<0.1	101
1402837	Rock	2.19	<2	2.3	23.9	3.7	42	<0.1	5.7	12.0	462	3.06	23.7	2.1	<0.5	9.6	65	<0.1	0.2	<0.1	100
1402838	Rock	1.87	<2	2.6	23.6	4.0	47	<0.1	5.6	13.6	531	3.35	6.7	2.1	<0.5	9.3	69	<0.1	0.4	<0.1	113
1402839	Rock	2.96	<2	2.3	22.5	3.9	44	<0.1	5.5	12.5	491	3.10	4.5	1.9	<0.5	10.1	61	<0.1	0.3	<0.1	106
1402840	Rock Pulp	0.12	<2	2.3	24.7	2.3	43	0.4	22.9	10.4	389	2.37	4.8	0.2	<0.5	0.9	43	0.2	0.2	<0.1	58
1402841	Rock Pulp	0.13	4222	9.0	64.8	417.2	1461	49.4	28.9	7.9	382	3.12	30.2	0.3	2738	1.1	36	15.5	50.3	0.8	53
1402842	Rock	1.70	2	2.2	25.6	4.6	58	<0.1	6.7	16.8	995	4.04	22.9	4.0	5.8	10.1	79	0.2	1.2	0.2	109
1402843	Rock	1.39	5	2.4	24.5	3.1	53	<0.1	6.5	15.0	676	3.77	8.0	2.3	74.2	10.7	72	<0.1	0.2	<0.1	120
1402844	Rock	2.12	68	1.8	36.2	12.1	92	0.3	5.9	16.8	910	4.48	414.1	2.4	43.1	9.1	75	0.8	1.4	8.6	89
1402845	Rock	2.62	17	2.5	32.8	10.2	61	0.3	5.7	14.6	738	3.88	69.3	2.9	16.2	9.3	66	0.3	0.8	3.5	103
1402846	Rock	2.73	<2	3.0	22.1	3.4	45	<0.1	6.8	12.7	517	3.28	8.0	1.8	<0.5	10.1	78	<0.1	0.2	0.2	107
1402847	Rock	2.43	5	2.8	22.3	3.8	51	<0.1	6.0	13.2	526	3.37	309.4	2.1	6.0	10.0	74	0.1	0.3	0.3	108
1402848	Rock	3.21	27	2.0	25.3	4.4	167	<0.1	6.2	14.5	620	3.71	84.7	2.3	4.0	8.9	92	1.7	0.6	0.2	118
1402849	Rock	2.00	<2	2.5	23.5	4.0	49	<0.1	6.6	13.9	526	3.47	4.1	2.1	<0.5	8.7	80	<0.1	0.1	<0.1	118
1402850	Rock	3.34	3	2.5	24.5	4.4	88	<0.1	6.3	13.5	616	3.50	35.0	2.3	3.1	9.5	76	0.8	0.5	0.2	114
1402851	Rock	2.79	<2	2.2	22.4	4.1	92	<0.1	6.0	16.2	858	4.22	53.2	2.3	<0.5	10.0	88	0.4	0.8	<0.1	137
1402852	Rock	2.72	<2	3.5	20.6	3.3	44	<0.1	6.9	12.0	534	3.30	10.2	2.0	<0.5	8.5	96	<0.1	0.3	<0.1	106
1402853	Rock	2.69	2327	2.2	28.6	339.6	6605	10.9	3.8	9.3	861	4.83	8135	3.4	2290	5.9	108	133.9	11.2	19.1	34
1402854	Rock	2.37	16	0.7	18.2	6.9	70	0.1	5.1	10.1	340	2.62	163.2	1.3	5.9	6.7	53	0.8	0.9	0.2	82
1402855	Rock	1.44	10	0.7	19.8	5.7	59	<0.1	5.9	11.0	387	2.80	163.0	1.2	3.3	9.2	55	0.4	0.8	0.2	87
1402856	Rock	1.50	115	1.2	31.9	4.4	47	0.1	5.0	13.2	375	3.48	238.5	2.0	23.7	9.0	42	0.4	2.0	1.0	101
1402857	Rock	1.73	103	1.8	46.5	5.6	49	0.1	6.0	14.1	409	4.18	291.6	2.8	31.7	9.8	31	0.2	1.5	1.5	108
1402858	Rock	2.54	14	1.6	30.9	4.9	51	0.1	6.4	14.3	441	3.67	188.2	2.2	8.4	12.0	42	0.1	0.9	0.6	114
1402859	Rock	2.93	10	1.8	36.2	5.5	48	0.1	5.9	13.6	360	3.92	262.3	2.7	21.3	16.6	40	0.2	1.6	0.9	106
1402860	Rock Pulp	0.13	3	2.5	24.4	2.3	43	0.4	22.7	10.3	396	2.40	9.3	0.3	<0.5	1.7	42	0.2	0.3	0.1	60
1402861	Rock Pulp	0.13	1404	8.7	48.1	5.9	49	0.3	31.2	9.0	488	3.30	7.0	0.3	1022	1.2	45	<0.1	0.8	0.1	67
1402862	Rock	2.23	20	1.5	31.9	5.5	47	0.1	7.1	13.0	434	3.58	127.5	1.7	7.7	12.8	42	0.1	0.9	1.2	110
1402863	Rock	2.74	35	1.7	39.2	4.9	46	0.1	7.0	12.6	396	3.91	195.3	2.7	28.5	10.9	43	0.2	1.6	5.4	109
1402864	Rock	1.52	98	2.4	75.1	8.7	47	0.2	5.7	12.7	359	4.28	274.9	4.3	27.7	12.8	32	0.3	1.8	2.9	104
1402865	Rock	1.42	12	1.4	34.0	4.4	46	<0.1	6.7	14.3	419	3.46	173.9	1.8	5.0	10.8	51	0.1	1.0	0.3	111

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 20, 2012

CERTIFICATE OF ANALYSIS WHI12000196.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1402836	Rock	1.29	0.073	15	27	1.11	652	0.277	<20	1.86	0.194	0.66	1.0	<0.01	0.4	<0.05	6.2	<0.5	6	<0.2
1402837	Rock	1.08	0.071	14	26	1.04	725	0.297	<20	1.87	0.209	0.80	1.1	<0.01	0.4	<0.05	5.8	<0.5	6	<0.2
1402838	Rock	1.26	0.071	15	28	1.31	700	0.307	<20	2.05	0.199	0.81	0.8	<0.01	0.4	<0.05	7.8	<0.5	6	<0.2
1402839	Rock	0.99	0.069	13	26	1.24	697	0.302	<20	1.85	0.183	0.84	0.7	<0.01	0.4	<0.05	6.0	<0.5	6	<0.2
1402840	Rock Pulp	0.78	0.063	4	30	0.76	97	0.123	<20	1.52	0.074	0.13	11.6	0.02	<0.1	<0.05	4.5	<0.5	5	<0.2
1402841	Rock Pulp	0.65	0.054	5	26	0.55	105	0.109	<20	1.13	0.068	0.11	2.2	0.19	1.0	0.33	4.1	<0.5	6	<0.2
1402842	Rock	2.96	0.076	17	24	1.39	503	0.180	<20	2.11	0.098	0.64	0.5	0.02	0.5	0.37	10.7	<0.5	6	<0.2
1402843	Rock	1.65	0.073	16	29	1.37	704	0.266	<20	2.18	0.183	0.89	0.6	<0.01	0.5	<0.05	9.1	<0.5	7	<0.2
1402844	Rock	3.09	0.061	15	19	1.43	292	0.063	<20	2.29	0.056	0.40	0.2	0.01	0.3	0.65	10.0	<0.5	7	<0.2
1402845	Rock	2.20	0.073	14	25	1.29	604	0.210	<20	2.01	0.114	0.78	0.5	<0.01	0.5	0.45	7.1	<0.5	6	<0.2
1402846	Rock	1.29	0.069	15	29	1.13	764	0.285	<20	2.07	0.235	0.92	0.8	<0.01	0.5	<0.05	6.5	<0.5	6	<0.2
1402847	Rock	1.24	0.068	15	28	1.35	713	0.264	<20	2.10	0.226	0.80	0.6	<0.01	0.5	0.07	8.2	<0.5	7	<0.2
1402848	Rock	1.76	0.071	16	27	1.28	670	0.258	<20	2.23	0.226	0.79	0.4	<0.01	0.5	0.08	10.1	<0.5	7	<0.2
1402849	Rock	1.33	0.071	14	28	1.28	810	0.281	<20	2.21	0.234	0.96	0.6	<0.01	0.5	<0.05	7.2	<0.5	7	<0.2
1402850	Rock	1.78	0.064	16	30	1.31	626	0.231	<20	2.12	0.194	0.75	0.6	0.01	0.4	0.10	9.5	<0.5	7	<0.2
1402851	Rock	2.45	0.067	20	27	1.68	637	0.197	<20	2.43	0.145	0.75	0.3	<0.01	0.4	0.06	15.7	<0.5	8	<0.2
1402852	Rock	1.65	0.058	16	31	1.14	624	0.212	<20	2.19	0.252	0.74	0.6	0.01	0.4	<0.05	10.1	<0.5	7	<0.2
1402853	Rock	5.62	0.036	7	10	1.47	14	0.003	<20	1.07	0.024	0.16	0.4	0.06	0.2	2.98	5.5	<0.5	3	<0.2
1402854	Rock	0.66	0.053	11	16	0.80	516	0.198	<20	1.75	0.158	0.49	0.5	<0.01	0.3	<0.05	6.3	<0.5	5	<0.2
1402855	Rock	0.71	0.058	13	17	0.86	431	0.240	<20	1.80	0.169	0.59	0.6	0.01	0.4	<0.05	6.4	<0.5	6	<0.2
1402856	Rock	0.53	0.058	15	18	1.09	455	0.180	<20	2.09	0.106	0.52	0.4	0.02	0.5	<0.05	9.8	<0.5	7	<0.2
1402857	Rock	0.54	0.070	18	19	1.38	561	0.133	<20	2.37	0.059	0.48	0.5	0.02	0.5	<0.05	10.8	<0.5	8	<0.2
1402858	Rock	0.61	0.071	17	23	1.30	551	0.229	<20	2.22	0.113	0.64	0.5	<0.01	0.5	<0.05	10.7	<0.5	7	<0.2
1402859	Rock	0.57	0.070	17	20	0.80	427	0.109	<20	2.18	0.103	0.43	0.4	0.02	0.4	<0.05	13.2	<0.5	7	<0.2
1402860	Rock Pulp	0.79	0.059	4	30	0.78	103	0.112	<20	1.55	0.075	0.13	11.7	<0.01	<0.1	<0.05	5.0	<0.5	5	<0.2
1402861	Rock Pulp	0.84	0.060	4	33	0.84	108	0.132	<20	1.73	0.094	0.15	0.6	0.07	<0.1	<0.05	5.4	<0.5	6	<0.2
1402862	Rock	0.57	0.073	15	23	1.25	513	0.193	<20	2.15	0.108	0.58	1.8	0.02	0.4	<0.05	10.3	<0.5	7	<0.2
1402863	Rock	0.57	0.073	16	22	1.30	584	0.214	<20	2.26	0.106	0.63	0.7	0.02	0.5	<0.05	10.6	<0.5	8	<0.2
1402864	Rock	0.48	0.072	19	18	1.38	503	0.124	<20	2.31	0.067	0.47	0.7	<0.01	0.4	<0.05	10.6	<0.5	7	<0.2
1402865	Rock	0.71	0.077	16	21	1.15	601	0.264	<20	2.13	0.136	0.70	0.7	<0.01	0.5	<0.05	8.8	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 20, 2012

CERTIFICATE OF ANALYSIS WHI12000196.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402866	Rock	1.66	7	1.0	27.5	4.4	42	<0.1	6.7	13.2	396	3.24	182.0	1.6	4.5	10.8	54	0.1	1.1	0.3	101
1402867	Rock	1.26	42	1.2	33.8	4.9	42	<0.1	5.9	14.0	376	3.59	188.0	3.0	10.6	10.3	44	0.1	1.1	0.9	103
1402868	Rock	1.58	7	1.1	31.9	4.4	43	<0.1	6.5	12.5	424	3.08	97.0	1.5	5.4	9.4	51	<0.1	0.6	0.3	98
1402869	Rock	1.35	<2	1.0	28.0	3.9	40	<0.1	6.2	11.9	392	2.98	105.9	1.5	1.9	9.9	62	<0.1	1.2	0.3	92
1402870	Rock	1.51	<2	0.9	27.3	3.7	43	<0.1	6.0	12.0	424	3.03	79.7	1.5	3.2	9.8	59	0.1	0.4	0.2	100
1402871	Rock	1.58	<2	1.5	32.3	4.8	40	0.1	5.8	11.8	445	3.04	51.8	2.5	1.0	11.2	61	0.2	0.4	0.2	93
1402872	Rock	1.51	24	1.6	39.5	4.8	51	0.1	7.0	16.9	578	4.22	309.0	3.4	22.1	9.3	54	0.2	1.3	0.5	130
1402873	Rock	1.63	7	1.3	30.8	3.8	48	<0.1	5.9	14.6	482	3.85	275.8	2.4	6.9	10.5	57	0.2	1.0	0.3	123
1402874	Rock	0.93	44	1.5	28.3	4.1	43	<0.1	6.6	13.4	459	3.46	208.6	2.3	33.4	9.4	59	0.1	0.5	0.7	110
1402875	Rock	0.69	78	1.4	27.8	4.0	42	<0.1	5.8	13.4	434	3.42	260.8	2.2	46.0	9.1	58	0.1	0.6	1.0	107
1402876	Rock	1.26	25	1.3	25.8	4.0	43	<0.1	6.4	12.5	451	3.17	46.3	2.0	4.7	8.6	61	<0.1	0.2	0.2	105
1402877	Rock	1.48	45	1.4	27.0	4.6	46	0.1	6.1	13.7	485	3.61	220.8	1.8	33.8	10.3	60	<0.1	0.6	0.5	113
1402878	Rock	1.46	4	1.5	29.9	4.2	44	<0.1	10.7	12.4	420	3.11	200.8	1.6	4.6	8.8	56	0.1	0.7	0.2	97
1402879	Rock	2.42	4	1.7	26.2	4.9	39	<0.1	6.5	11.8	425	3.10	37.8	2.4	1.6	8.9	62	0.1	0.2	0.2	96

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 20, 2012

CERTIFICATE OF ANALYSIS WHI12000196.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1402866	Rock	0.74	0.073	15	20	1.03	502	0.247	<20	2.03	0.157	0.62	0.6	0.01	0.5	<0.05	7.4	<0.5	7	<0.2
1402867	Rock	0.57	0.074	15	20	1.10	610	0.210	<20	2.03	0.111	0.63	0.5	0.01	0.5	<0.05	8.4	<0.5	7	<0.2
1402868	Rock	0.76	0.072	14	21	1.03	574	0.248	<20	1.94	0.149	0.64	0.7	<0.01	0.5	<0.05	6.6	<0.5	7	<0.2
1402869	Rock	0.81	0.070	14	20	0.93	502	0.249	<20	1.90	0.155	0.63	0.7	<0.01	0.5	<0.05	5.3	<0.5	6	<0.2
1402870	Rock	0.81	0.072	14	21	0.99	705	0.292	<20	1.96	0.180	0.84	0.6	0.01	0.6	<0.05	5.3	<0.5	6	<0.2
1402871	Rock	0.90	0.071	15	21	1.00	594	0.237	<20	1.93	0.178	0.65	1.0	<0.01	0.4	<0.05	5.9	<0.5	7	<0.2
1402872	Rock	0.65	0.076	18	24	1.13	662	0.237	<20	2.41	0.145	0.67	0.6	0.03	0.5	<0.05	14.5	<0.5	8	<0.2
1402873	Rock	0.72	0.074	16	23	1.14	693	0.257	<20	2.22	0.161	0.71	0.6	<0.01	0.5	<0.05	12.0	<0.5	7	<0.2
1402874	Rock	0.82	0.077	15	24	1.12	751	0.261	<20	2.08	0.189	0.78	0.8	<0.01	0.5	<0.05	7.2	<0.5	7	<0.2
1402875	Rock	0.75	0.073	15	22	1.12	731	0.240	<20	2.03	0.169	0.72	0.7	0.02	0.4	<0.05	7.2	<0.5	7	<0.2
1402876	Rock	1.07	0.066	13	22	1.11	796	0.273	<20	2.09	0.190	0.87	0.8	<0.01	0.5	0.08	6.1	<0.5	7	<0.2
1402877	Rock	0.67	0.077	14	23	1.27	658	0.256	<20	2.22	0.162	0.88	0.4	<0.01	0.5	<0.05	8.8	<0.5	7	<0.2
1402878	Rock	0.79	0.074	14	23	1.02	525	0.242	<20	1.94	0.150	0.69	0.6	<0.01	0.5	<0.05	6.1	<0.5	6	<0.2
1402879	Rock	1.23	0.072	14	24	1.08	609	0.227	<20	2.04	0.180	0.62	1.1	<0.01	0.4	0.10	5.9	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 20, 2012

QUALITY CONTROL REPORT WHI12000196.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1402752	Rock	2.21	<2	3.2	23.7	3.3	46	<0.1	7.7	11.8	481	3.06	17.7	2.6	<0.5	10.8	61	<0.1	0.3	<0.1	98
REP 1402752	QC		5																		
1402775	Rock	1.07	<2	1.4	23.6	4.2	51	<0.1	5.6	13.5	580	3.24	117.5	2.7	0.9	12.0	49	<0.1	1.2	0.1	99
REP 1402775	QC			1.4	24.3	4.3	51	<0.1	5.7	13.5	579	3.33	117.7	2.7	8.9	12.0	50	<0.1	1.3	0.1	102
1402786	Rock	1.68	3	2.1	41.9	5.2	47	0.1	5.6	13.4	529	3.78	275.1	1.8	4.2	9.9	43	0.2	1.2	0.3	103
REP 1402786	QC		2																		
1402810	Rock	1.96	<2	2.0	24.3	3.8	58	<0.1	5.9	14.8	623	3.60	47.8	1.5	4.4	9.2	66	0.1	0.6	<0.1	119
REP 1402810	QC			2.1	23.0	3.7	56	<0.1	5.7	14.5	620	3.58	49.4	1.5	3.2	9.1	68	<0.1	0.6	<0.1	116
1402820	Rock Pulp	0.13	<2	2.3	24.2	2.3	41	0.2	22.9	10.2	395	2.33	5.0	0.2	2.0	0.9	43	0.2	0.2	<0.1	58
REP 1402820	QC		<2																		
1402845	Rock	2.62	17	2.5	32.8	10.2	61	0.3	5.7	14.6	738	3.88	69.3	2.9	16.2	9.3	66	0.3	0.8	3.5	103
REP 1402845	QC			2.2	33.2	10.2	64	0.4	6.0	15.2	759	3.94	70.3	2.8	11.1	9.3	68	0.3	0.8	3.3	104
1402854	Rock	2.37	16	0.7	18.2	6.9	70	0.1	5.1	10.1	340	2.62	163.2	1.3	5.9	6.7	53	0.8	0.9	0.2	82
REP 1402854	QC		9																		
1402859	Rock	2.93	10	1.8	36.2	5.5	48	0.1	5.9	13.6	360	3.92	262.3	2.7	21.3	16.6	40	0.2	1.6	0.9	106
REP 1402859	QC			1.8	34.3	5.6	49	0.1	6.6	13.7	363	3.90	262.8	2.7	7.0	16.9	39	0.2	1.5	0.9	107
Core Reject Duplicates																					
1402769	Rock	0.81	6	2.6	27.9	6.7	48	<0.1	5.2	13.3	485	3.22	170.3	2.4	5.5	13.8	36	0.2	2.1	0.6	92
DUP 1402769	QC		5	2.8	29.3	6.8	52	<0.1	5.5	13.3	482	3.22	183.9	2.4	5.1	14.1	35	0.1	2.3	0.4	88
1402804	Rock	1.96	23	1.7	25.9	10.6	73	0.2	5.8	16.6	829	3.94	231.9	3.3	22.7	10.5	70	0.2	2.1	0.6	107
DUP 1402804	QC		23	1.6	25.5	10.9	77	0.3	5.5	17.4	847	3.91	224.4	3.1	29.5	10.1	68	0.2	2.0	0.5	110
1402839	Rock	2.96	<2	2.3	22.5	3.9	44	<0.1	5.5	12.5	491	3.10	4.5	1.9	<0.5	10.1	61	<0.1	0.3	<0.1	106
DUP 1402839	QC		<2	2.5	24.6	4.0	45	<0.1	5.4	13.2	494	3.25	5.0	2.0	0.7	9.4	64	<0.1	0.3	0.2	110
1402874	Rock	0.93	44	1.5	28.3	4.1	43	<0.1	6.6	13.4	459	3.46	208.6	2.3	33.4	9.4	59	0.1	0.5	0.7	110
DUP 1402874	QC		40	1.3	27.3	4.0	42	<0.1	6.4	13.0	445	3.42	209.0	2.3	37.2	9.2	57	0.1	0.6	0.7	110
Reference Materials																					
STD DS9	Standard			12.5	112.6	128.7	319	1.8	43.1	7.8	581	2.34	26.6	2.6	112.8	6.4	63	2.4	4.4	4.7	39
STD DS9	Standard			12.4	107.8	129.9	323	2.3	42.7	8.0	577	2.33	26.6	2.7	251.1	6.2	61	2.3	4.8	6.1	38

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 20, 2012

QUALITY CONTROL REPORT WHI12000196.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
1402752	Rock	1.10	0.063	14	32	0.99	667	0.248	<20	2.01	0.245	0.87	1.0	<0.01	0.5	0.05	5.3	<0.5	6	<0.2
REP 1402752	QC																			
1402775	Rock	1.53	0.060	19	22	1.08	603	0.204	<20	1.87	0.145	0.66	0.3	0.02	0.5	<0.05	8.7	<0.5	6	<0.2
REP 1402775	QC	1.57	0.064	18	22	1.08	594	0.200	<20	1.85	0.146	0.68	0.3	0.01	0.5	<0.05	8.4	<0.5	7	<0.2
1402786	Rock	1.35	0.064	16	21	1.27	616	0.192	<20	1.99	0.120	0.71	0.4	<0.01	0.5	<0.05	8.3	<0.5	7	<0.2
REP 1402786	QC																			
1402810	Rock	1.35	0.064	15	27	1.27	732	0.233	<20	2.17	0.194	0.83	0.4	0.01	0.5	<0.05	9.2	<0.5	7	<0.2
REP 1402810	QC	1.35	0.068	16	28	1.27	790	0.243	<20	2.16	0.192	0.82	0.5	<0.01	0.5	<0.05	9.5	<0.5	7	<0.2
1402820	Rock Pulp	0.77	0.061	4	29	0.75	95	0.126	<20	1.50	0.073	0.13	12.5	0.02	<0.1	<0.05	4.6	<0.5	5	<0.2
REP 1402820	QC																			
1402845	Rock	2.20	0.073	14	25	1.29	604	0.210	<20	2.01	0.114	0.78	0.5	<0.01	0.5	0.45	7.1	<0.5	6	<0.2
REP 1402845	QC	2.26	0.071	14	25	1.31	613	0.216	<20	2.05	0.115	0.78	0.5	<0.01	0.5	0.46	7.2	<0.5	6	<0.2
1402854	Rock	0.66	0.053	11	16	0.80	516	0.198	<20	1.75	0.158	0.49	0.5	<0.01	0.3	<0.05	6.3	<0.5	5	<0.2
REP 1402854	QC																			
1402859	Rock	0.57	0.070	17	20	0.80	427	0.109	<20	2.18	0.103	0.43	0.4	0.02	0.4	<0.05	13.2	<0.5	7	<0.2
REP 1402859	QC	0.57	0.072	17	20	0.79	430	0.105	<20	2.16	0.103	0.43	0.4	0.02	0.3	<0.05	13.0	<0.5	7	<0.2
Core Reject Duplicates																				
1402769	Rock	1.23	0.056	18	20	1.11	372	0.200	<20	1.63	0.101	0.40	0.5	0.03	0.2	<0.05	7.2	<0.5	7	<0.2
DUP 1402769	QC	1.25	0.060	19	22	1.11	365	0.206	<20	1.65	0.097	0.38	0.6	0.03	0.3	<0.05	7.5	<0.5	7	<0.2
1402804	Rock	2.09	0.068	19	23	1.02	1002	0.189	<20	2.16	0.112	0.78	0.4	0.02	0.5	<0.05	12.4	<0.5	7	<0.2
DUP 1402804	QC	2.13	0.065	19	22	1.01	1194	0.184	<20	2.14	0.115	0.78	0.3	0.02	0.5	<0.05	12.0	<0.5	7	<0.2
1402839	Rock	0.99	0.069	13	26	1.24	697	0.302	<20	1.85	0.183	0.84	0.7	<0.01	0.4	<0.05	6.0	<0.5	6	<0.2
DUP 1402839	QC	1.05	0.076	14	26	1.30	733	0.308	<20	1.93	0.196	0.88	0.9	<0.01	0.6	<0.05	6.1	<0.5	6	<0.2
1402874	Rock	0.82	0.077	15	24	1.12	751	0.261	<20	2.08	0.189	0.78	0.8	<0.01	0.5	<0.05	7.2	<0.5	7	<0.2
DUP 1402874	QC	0.79	0.077	15	24	1.13	757	0.265	<20	2.07	0.182	0.78	0.7	<0.01	0.4	<0.05	7.1	<0.5	7	<0.2
Reference Materials																				
STD DS9	Standard	0.71	0.082	11	127	0.63	327	0.101	<20	0.94	0.079	0.40	3.4	0.19	5.6	0.16	2.2	5.8	5	5.4
STD DS9	Standard	0.65	0.081	11	127	0.61	331	0.102	<20	0.92	0.079	0.40	3.3	0.20	5.5	0.17	2.2	5.2	5	5.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 20, 2012

QUALITY CONTROL REPORT WHI12000196.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
STD DS9	Standard			12.7	110.7	127.2	314	1.7	40.0	7.8	590	2.41	27.6	2.6	110.6	6.3	81	2.4	5.2	6.3	41
STD DS9	Standard			11.9	110.0	130.3	323	1.8	39.5	8.0	593	2.38	27.6	2.8	135.7	6.3	78	2.5	4.1	6.8	40
STD OREAS45CA	Standard			1.1	513.0	20.1	61	0.3	255.2	98.1	954	16.15	4.1	1.2	54.2	7.6	14	<0.1	0.2	0.1	220
STD OREAS45CA	Standard			0.9	503.9	19.8	55	0.3	249.0	93.3	911	13.75	5.4	1.2	37.5	7.1	13	<0.1	0.1	0.1	224
STD OREAS45CA	Standard			0.8	490.3	20.3	56	0.3	243.7	90.3	937	15.50	4.3	1.3	39.5	7.5	17	0.1	0.1	0.2	218
STD OREAS45CA	Standard			0.8	493.1	21.0	57	0.2	235.3	89.1	925	15.79	3.3	1.3	38.2	7.3	15	0.1	<0.1	0.2	208
STD OXC88	Standard		196																		
STD OXC88	Standard		199																		
STD OXC88	Standard		199																		
STD OXC88	Standard		198																		
STD OXG99	Standard		889																		
STD OXG99	Standard		940																		
STD OXG99	Standard		922																		
STD OXG99	Standard		948																		
STD OXG99 Expected			932																		
STD OXC88 Expected			203																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	0.6	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 20, 2012

QUALITY CONTROL REPORT WHI12000196.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD DS9	Standard	0.73	0.091	12	123	0.63	337	0.121	<20	0.97	0.085	0.41	2.7	0.21	5.8	0.17	2.6	5.7	5	5.3
STD DS9	Standard	0.71	0.085	12	121	0.63	340	0.108	<20	0.94	0.080	0.40	2.8	0.23	5.5	0.18	2.5	5.3	5	5.2
STD OREAS45CA	Standard	0.45	0.038	16	840	0.14	172	0.124	<20	3.49	0.009	0.07	<0.1	0.02	0.1	<0.05	45.4	<0.5	19	<0.2
STD OREAS45CA	Standard	0.42	0.040	16	778	0.13	168	0.122	<20	3.51	0.006	0.07	<0.1	0.03	0.1	<0.05	40.9	<0.5	18	<0.2
STD OREAS45CA	Standard	0.44	0.039	16	632	0.15	173	0.145	<20	3.56	0.006	0.08	<0.1	0.04	<0.1	<0.05	45.7	<0.5	19	<0.2
STD OREAS45CA	Standard	0.42	0.040	15	672	0.14	165	0.131	<20	3.36	0.009	0.07	<0.1	0.03	<0.1	<0.05	44.6	<0.5	19	<0.2
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99 Expected																				
STD OXC88 Expected																				
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 20, 2012

QUALITY CONTROL REPORT WHI12000196.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.02	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank		<2	0.1	3.2	4.0	47	<0.1	2.3	4.2	607	2.05	0.9	1.5	<0.5	5.1	65	<0.1	<0.1	<0.1	37
G1-WHI	Prep Blank		4	0.2	3.3	3.6	46	<0.1	2.9	4.1	595	1.99	0.5	1.6	2.1	5.9	62	<0.1	<0.1	0.6	36

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 20, 2012

QUALITY CONTROL REPORT WHI12000196.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
BLK	Blank	0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																				
G1-WHI	Prep Blank	0.51	0.082	13	11	0.50	165	0.120	<20	0.98	0.108	0.51	0.1	<0.01	0.3	<0.05	2.3	<0.5	5	<0.2
G1-WHI	Prep Blank	0.51	0.076	13	10	0.51	171	0.122	<20	1.00	0.109	0.50	<0.1	<0.01	0.4	<0.05	2.2	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 02, 2012
Report Date: July 20, 2012
Page: 1 of 6

CERTIFICATE OF ANALYSIS WHI12000197.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET007
P.O. Number
Number of Samples: 144

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	128	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	144	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	144	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 20, 2012

CERTIFICATE OF ANALYSIS WHI12000197.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402880	Rock Pulp	0.13	4	2.3	23.0	2.3	40	0.2	21.8	10.0	390	2.36	4.6	0.3	<0.5	0.9	43	0.2	0.2	<0.1	58
1402881	Rock Pulp	0.12	4029	9.8	67.8	458.9	1522	51.9	30.2	8.2	406	3.22	31.0	0.3	2960	1.1	38	17.4	41.7	1.1	54
1402882	Rock	1.04	4	1.4	48.6	62.6	47	1.0	6.4	13.4	441	3.35	212.5	1.7	1.4	10.2	72	0.2	1.0	0.2	105
1402883	Rock	1.34	8	1.3	25.9	21.0	52	0.3	6.6	14.0	460	3.78	269.6	1.9	1.9	9.8	54	0.2	0.8	0.2	115
1402884	Rock	1.14	44	2.0	32.3	16.3	61	0.2	6.4	13.2	367	3.99	558.9	2.5	27.6	9.7	47	0.4	2.1	0.4	109
1402885	Rock	1.07	<2	1.4	28.7	12.9	44	0.2	5.5	13.3	417	3.38	273.9	2.2	<0.5	10.0	73	0.2	1.0	0.1	102
1402886	Rock	1.47	<2	1.7	29.2	36.7	47	0.5	6.3	13.6	475	3.48	185.6	2.6	0.9	10.5	67	0.2	1.0	0.2	103
1402887	Rock	1.12	16	1.5	28.2	8.5	55	0.2	6.2	14.5	373	4.01	297.4	2.5	<0.5	10.3	77	0.2	1.8	0.4	130
1402888	Rock	1.46	<2	2.1	23.3	24.2	47	0.3	7.0	13.2	489	3.43	75.1	2.2	<0.5	9.4	77	<0.1	0.7	<0.1	110
1402889	Rock	1.16	<2	1.5	24.9	10.3	52	0.1	6.8	15.8	521	3.91	193.7	2.6	<0.5	9.9	83	0.1	1.5	0.1	112
1402890	Rock	1.28	7	1.4	24.9	50.4	308	0.2	5.9	15.1	601	4.24	262.8	3.4	2.8	9.2	88	4.6	2.3	0.2	100
1402891	Rock	1.64	3	1.6	21.4	10.0	55	0.2	6.4	16.0	651	4.24	36.9	4.7	<0.5	10.0	98	0.2	1.2	0.2	114
1402892	Rock	1.10	20	1.2	13.6	10.1	49	0.1	6.1	14.8	473	4.02	75.8	5.5	17.8	8.7	95	<0.1	1.9	0.3	95
1402893	Rock	1.46	32	1.7	18.9	54.4	195	0.1	6.2	8.8	402	2.62	340.7	3.9	28.6	8.8	84	2.2	2.3	0.9	43
1402894	Rock	1.17	61	2.1	30.7	92.0	155	0.4	6.3	15.2	284	2.56	3542	2.5	41.4	8.2	99	1.7	3.7	3.4	16
1402895	Rock	1.36	64	2.1	41.1	64.8	148	0.5	6.2	21.0	376	3.46	7387	2.3	39.0	6.6	84	1.3	3.8	4.7	31
1402896	Rock	1.23	39	1.6	73.4	21.2	53	0.7	6.4	9.6	390	4.77	1382	2.4	59.1	7.8	90	0.5	2.8	4.8	37
1402897	Rock	1.36	56	1.6	72.1	9.1	55	0.2	6.7	7.1	516	4.82	250.0	2.9	55.0	8.5	97	0.4	3.5	2.9	49
1402898	Rock	1.29	72	1.8	33.8	351.8	1454	0.2	5.9	14.6	564	3.93	804.6	3.9	104.9	8.6	104	23.6	3.9	1.2	63
1402899	Rock	1.31	<2	1.9	19.8	7.2	61	<0.1	7.2	15.8	772	4.32	16.1	3.5	2.9	8.9	149	0.2	0.6	0.1	126
1402900	Rock Pulp	0.12	<2	2.2	24.2	2.2	42	0.2	21.7	10.1	398	2.42	4.3	0.3	1.5	0.9	42	0.2	0.2	0.1	60
1402901	Rock Pulp	0.12	1419	8.4	47.1	5.7	49	0.3	29.7	8.9	477	3.28	6.3	0.3	1112	1.0	44	0.2	0.7	0.1	66
1402902	Rock	1.38	<2	1.5	20.2	9.0	55	<0.1	6.3	15.5	610	3.53	17.3	5.2	<0.5	8.8	121	0.3	2.3	<0.1	100
1402903	Rock	1.32	268	1.8	22.1	26.0	141	0.2	6.2	14.6	784	4.25	5510	3.6	226.2	8.8	138	1.7	3.7	1.7	105
1402904	Rock	1.23	2	1.8	22.0	7.0	59	<0.1	7.2	16.0	751	4.17	51.4	3.4	8.5	9.8	98	0.2	0.7	0.1	128
1402905	Rock	1.63	99	1.6	25.7	32.2	151	0.2	6.3	14.1	660	4.21	1685	4.7	64.2	8.9	95	1.9	2.2	1.1	101
1402906	Rock	0.93	2	1.7	20.1	9.5	62	<0.1	6.6	14.8	662	4.00	36.4	3.6	3.7	7.5	87	0.1	0.8	0.1	128
1402907	Rock	0.92	19	1.7	27.8	246.0	400	6.3	6.2	15.5	1001	4.52	151.7	4.3	14.6	9.3	99	4.1	12.3	0.2	90
1402908	Rock	0.92	3	3.2	50.4	109.8	245	1.6	6.3	14.8	914	4.40	67.8	4.1	2.5	11.4	120	2.2	5.9	0.2	96
1402909	Rock	1.42	266	2.1	30.3	135.3	280	2.2	6.3	17.0	954	3.99	3843	4.4	174.5	10.3	137	3.6	5.8	0.1	43

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 20, 2012

CERTIFICATE OF ANALYSIS WHI12000197.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1402880	Rock Pulp	0.77	0.058	4	28	0.76	98	0.114	<20	1.49	0.072	0.13	12.1	0.02	<0.1	<0.05	4.8	<0.5	5	<0.2
1402881	Rock Pulp	0.66	0.053	5	27	0.58	114	0.102	<20	1.15	0.073	0.11	2.3	0.21	1.1	0.34	4.4	<0.5	6	<0.2
1402882	Rock	0.67	0.069	15	22	1.22	641	0.268	<20	2.11	0.172	0.87	0.5	<0.01	0.6	<0.05	8.5	<0.5	7	<0.2
1402883	Rock	0.63	0.070	14	22	1.43	649	0.218	<20	2.23	0.120	0.80	1.3	<0.01	0.6	<0.05	11.3	<0.5	8	<0.2
1402884	Rock	0.56	0.072	18	22	1.33	526	0.154	<20	2.20	0.093	0.59	0.7	0.02	0.5	<0.05	11.0	<0.5	8	<0.2
1402885	Rock	0.67	0.069	16	22	1.11	650	0.242	<20	2.06	0.171	0.72	0.5	<0.01	0.5	<0.05	8.8	<0.5	7	<0.2
1402886	Rock	0.85	0.074	16	23	1.30	759	0.245	<20	2.11	0.178	0.72	0.6	<0.01	0.5	0.08	7.8	<0.5	7	<0.2
1402887	Rock	0.67	0.070	17	25	1.40	887	0.218	<20	2.25	0.152	0.58	0.6	0.04	0.5	0.07	13.1	<0.5	8	<0.2
1402888	Rock	1.05	0.070	15	24	1.17	861	0.256	<20	2.10	0.215	0.89	0.6	<0.01	0.5	<0.05	8.2	<0.5	7	<0.2
1402889	Rock	1.59	0.070	18	20	1.30	700	0.156	<20	2.08	0.108	0.60	0.4	0.02	0.4	0.07	14.2	0.5	7	<0.2
1402890	Rock	2.16	0.067	17	18	1.39	573	0.097	<20	2.16	0.067	0.44	0.3	0.06	0.4	0.28	14.2	<0.5	7	<0.2
1402891	Rock	2.46	0.070	19	22	1.44	483	0.107	<20	2.28	0.091	0.56	0.2	0.06	0.3	0.16	15.3	<0.5	8	<0.2
1402892	Rock	2.33	0.067	17	16	1.19	455	0.103	<20	1.87	0.069	0.53	0.1	0.08	0.7	0.28	15.7	<0.5	6	<0.2
1402893	Rock	2.70	0.066	14	8	1.03	95	0.002	<20	0.72	0.008	0.24	0.2	0.09	0.5	0.51	9.2	<0.5	2	<0.2
1402894	Rock	2.64	0.068	8	6	1.01	87	0.002	<20	0.44	0.007	0.27	0.5	0.11	0.6	1.09	5.1	<0.5	1	0.2
1402895	Rock	1.95	0.055	9	10	0.89	140	0.016	<20	0.69	0.017	0.29	0.7	0.10	0.6	1.43	5.6	<0.5	2	0.7
1402896	Rock	2.46	0.062	11	9	1.10	111	0.005	<20	0.78	0.015	0.30	0.5	0.31	1.8	2.12	6.8	<0.5	2	<0.2
1402897	Rock	2.79	0.064	12	11	1.23	69	0.025	<20	1.10	0.028	0.36	0.4	0.22	1.9	2.05	8.4	0.6	4	<0.2
1402898	Rock	2.65	0.058	16	13	1.17	172	0.018	<20	1.38	0.035	0.26	0.2	0.17	0.8	1.00	11.4	<0.5	4	<0.2
1402899	Rock	2.55	0.065	19	26	1.51	671	0.184	<20	2.35	0.136	0.77	0.2	0.02	0.5	0.06	16.5	<0.5	8	<0.2
1402900	Rock Pulp	0.81	0.061	4	30	0.77	100	0.120	<20	1.54	0.074	0.13	12.9	<0.01	0.1	<0.05	4.6	<0.5	5	<0.2
1402901	Rock Pulp	0.83	0.059	4	33	0.80	104	0.128	<20	1.65	0.092	0.14	0.3	0.08	<0.1	<0.05	5.1	<0.5	6	<0.2
1402902	Rock	2.17	0.062	19	20	1.21	579	0.137	<20	2.00	0.088	0.64	<0.1	0.05	0.4	0.08	13.9	<0.5	7	<0.2
1402903	Rock	3.32	0.060	16	20	1.52	467	0.121	<20	1.99	0.077	0.56	0.3	0.05	0.4	0.53	14.5	<0.5	6	<0.2
1402904	Rock	2.32	0.063	18	25	1.71	599	0.160	<20	2.30	0.103	0.71	0.2	0.02	0.4	0.10	15.0	<0.5	8	<0.2
1402905	Rock	2.77	0.066	17	19	1.41	367	0.085	<20	2.02	0.070	0.45	0.3	0.08	0.6	0.54	12.9	<0.5	7	<0.2
1402906	Rock	1.71	0.061	16	25	1.57	737	0.238	<20	2.28	0.165	0.88	0.3	0.01	0.5	0.12	13.5	<0.5	7	<0.2
1402907	Rock	2.08	0.068	14	15	0.90	343	0.054	<20	1.01	0.035	0.32	0.2	0.17	0.3	0.05	17.2	<0.5	3	<0.2
1402908	Rock	2.33	0.062	16	15	0.84	297	0.045	<20	0.92	0.036	0.31	0.3	0.19	0.3	<0.05	16.7	<0.5	3	<0.2
1402909	Rock	2.71	0.062	17	8	1.18	194	0.002	<20	0.58	0.019	0.25	0.3	0.18	0.3	<0.05	12.7	<0.5	2	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 20, 2012

CERTIFICATE OF ANALYSIS WHI12000197.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402910	Rock	2.07	8	1.1	22.4	33.5	75	0.9	5.4	13.8	1026	3.44	57.1	4.6	12.8	13.2	78	0.4	2.5	0.2	43
1402911	Rock	1.93	<2	1.4	27.9	18.9	98	0.5	7.2	19.3	1077	4.59	37.0	6.9	9.8	12.6	101	0.3	3.2	0.2	55
1402912	Rock	1.67	9	1.7	19.2	19.8	139	0.4	6.6	18.1	905	4.30	39.9	6.0	8.2	8.2	115	0.6	4.6	0.1	55
1402913	Rock	1.65	39	1.2	14.7	46.3	73	1.3	4.5	13.5	799	4.13	113.2	5.2	32.7	8.5	79	0.5	2.7	0.1	37
1402914	Rock	1.22	234	1.4	24.1	37.5	84	1.4	5.5	15.0	1196	4.14	2963	3.4	214.9	8.9	120	0.6	6.9	0.1	63
1402915	Rock	2.61	205	1.4	29.9	329.9	412	8.9	6.0	16.9	2090	4.16	2953	4.1	195.2	10.4	107	2.9	53.2	<0.1	78
1402916	Rock	1.51	19	1.7	25.1	67.3	269	1.7	7.4	17.4	985	4.39	110.8	2.0	18.5	10.1	164	2.0	6.1	<0.1	121
1402917	Rock	1.11	<2	1.9	24.6	8.2	63	0.2	7.8	16.9	904	4.11	11.6	1.7	1.4	8.2	193	0.1	5.0	<0.1	122
1402918	Rock	1.70	<2	1.7	27.2	32.6	109	0.6	7.7	17.0	963	4.15	12.4	2.6	2.3	9.3	132	0.6	4.6	<0.1	108
1402919	Rock	1.52	3	1.7	25.5	22.5	110	0.3	6.7	17.6	1032	4.88	13.1	3.8	2.4	9.4	115	0.5	4.3	0.3	110
1402920	Rock Pulp	0.12	<2	2.3	23.6	2.2	42	0.3	22.6	10.0	402	2.40	4.6	0.2	<0.5	0.9	39	0.2	0.2	<0.1	59
1402921	Rock Pulp	0.12	3862	9.4	65.1	461.7	1434	50.2	28.9	7.8	394	3.17	28.3	0.3	3124	1.0	33	14.6	38.2	0.8	52
1402922	Rock	1.46	6	1.6	22.9	10.9	74	0.3	6.5	16.9	1102	4.35	9.3	2.9	<0.5	9.7	171	0.3	3.5	<0.1	100
1402923	Rock	1.86	2	2.0	22.7	7.8	60	0.2	6.3	14.5	871	3.72	5.8	2.0	50.0	9.6	122	0.1	2.3	<0.1	98
1402924	Rock	0.63	<2	1.5	21.5	5.9	55	0.1	5.6	15.1	814	3.83	10.9	2.4	24.4	9.8	130	0.2	3.1	<0.1	94
1402925	Rock	0.67	<2	1.4	21.1	5.7	54	0.1	5.7	14.8	811	3.83	9.7	2.7	12.6	9.8	125	0.1	3.2	<0.1	91
1402926	Rock	1.53	7	2.0	21.5	51.8	197	2.1	5.8	15.6	1215	4.05	60.6	3.7	14.4	8.6	90	1.1	3.6	<0.1	85
1402927	Rock	1.22	13	1.6	25.5	97.7	251	4.2	6.3	15.5	1629	4.01	83.3	3.7	19.9	6.7	73	1.9	4.1	<0.1	82
1402928	Rock	1.34	4	1.4	22.9	70.3	198	0.8	5.9	15.6	816	3.44	29.1	2.7	8.1	6.0	77	2.1	2.6	<0.1	92
1402929	Rock	1.09	9	1.6	21.7	26.9	140	0.4	6.3	17.8	893	3.97	44.9	4.0	9.0	6.9	81	1.1	2.5	<0.1	73
1402930	Rock	1.51	<2	1.7	29.6	15.0	156	0.3	5.9	17.9	1038	4.16	75.2	3.7	4.1	8.2	108	1.1	3.9	0.1	84
1402931	Rock	2.16	<2	1.2	21.0	14.2	141	0.1	5.1	14.3	815	3.57	17.5	3.3	<0.5	7.6	124	0.8	1.8	0.1	77
1402932	Rock	1.40	<2	1.2	18.5	21.7	116	0.1	5.4	15.3	811	3.70	30.5	3.6	0.7	6.8	104	0.6	1.6	<0.1	81
1402933	Rock	1.61	64	1.2	24.2	59.7	187	0.4	5.9	18.3	1136	4.78	1139	3.7	65.1	6.0	81	1.0	3.2	<0.1	94
1402934	Rock	1.22	5	1.0	24.2	87.0	181	0.2	5.6	16.4	948	4.50	136.5	3.0	3.8	4.8	70	1.2	2.6	<0.1	103
1402935	Rock	2.43	4	1.0	21.3	28.3	287	0.1	6.2	17.6	1181	5.06	20.7	3.8	1.2	4.7	72	1.8	2.7	<0.1	98
1402936	Rock	1.38	<2	1.1	22.6	52.3	251	0.2	5.7	16.2	903	4.12	8.4	3.4	1.3	4.6	62	1.6	2.2	<0.1	90
1402937	Rock	1.68	14	1.1	18.0	20.9	123	0.3	4.5	14.7	1278	3.77	40.1	3.0	13.3	8.2	118	0.8	2.6	0.2	71
1402938	Rock	1.88	526	0.9	25.9	264.4	996	2.5	4.5	14.3	1572	3.63	1191	3.0	1422	8.2	129	8.1	9.7	4.1	49
1402939	Rock	1.65	282	1.1	25.1	72.2	221	1.0	5.3	15.5	1024	3.76	3281	2.8	344.8	9.4	137	1.5	8.4	0.7	61

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 20, 2012

CERTIFICATE OF ANALYSIS WHI12000197.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1402910	Rock	2.28	0.058	18	7	1.17	226	0.001	<20	0.54	0.011	0.20	<0.1	0.15	0.2	<0.05	13.2	<0.5	1	<0.2
1402911	Rock	2.64	0.064	13	9	1.44	174	<0.001	<20	0.53	0.012	0.18	0.1	0.15	0.2	0.06	17.2	<0.5	1	<0.2
1402912	Rock	2.69	0.050	10	9	1.36	218	<0.001	<20	0.57	0.009	0.15	0.1	0.08	0.2	0.07	14.3	<0.5	1	<0.2
1402913	Rock	2.96	0.058	8	6	0.77	82	<0.001	<20	0.34	0.009	0.17	0.2	0.14	0.3	1.39	11.8	<0.5	<1	<0.2
1402914	Rock	3.14	0.063	12	11	1.31	141	<0.001	<20	0.50	0.007	0.16	0.2	0.09	0.4	0.07	15.4	<0.5	1	<0.2
1402915	Rock	2.79	0.072	17	10	1.44	273	0.040	<20	0.93	0.007	0.35	0.3	0.17	0.5	0.08	15.3	<0.5	3	<0.2
1402916	Rock	2.58	0.075	19	20	1.58	975	0.190	<20	1.92	0.064	0.78	0.4	0.13	0.6	<0.05	17.2	<0.5	8	<0.2
1402917	Rock	2.37	0.077	16	23	1.54	1007	0.206	<20	2.08	0.123	0.79	0.3	0.10	0.5	<0.05	14.6	<0.5	7	<0.2
1402918	Rock	2.17	0.078	18	19	1.42	802	0.153	<20	1.71	0.120	0.70	0.3	0.11	0.6	<0.05	14.7	<0.5	6	<0.2
1402919	Rock	2.30	0.079	16	17	1.10	362	0.064	<20	1.07	0.034	0.39	0.2	0.16	0.4	<0.05	19.7	<0.5	4	<0.2
1402920	Rock Pulp	0.75	0.062	4	30	0.78	91	0.122	<20	1.55	0.075	0.13	12.8	0.02	<0.1	<0.05	4.6	<0.5	5	<0.2
1402921	Rock Pulp	0.63	0.053	5	27	0.56	103	0.108	<20	1.14	0.073	0.11	2.3	0.21	1.1	0.34	4.4	<0.5	6	<0.2
1402922	Rock	2.98	0.072	19	18	1.39	823	0.134	<20	1.31	0.087	0.63	0.3	0.11	0.6	0.07	17.2	<0.5	5	<0.2
1402923	Rock	2.18	0.071	17	19	1.20	795	0.164	<20	1.45	0.128	0.69	0.4	0.05	0.5	0.06	12.3	<0.5	5	<0.2
1402924	Rock	2.38	0.069	17	16	1.22	669	0.089	<20	1.40	0.060	0.45	0.2	0.08	0.3	0.10	14.2	<0.5	5	<0.2
1402925	Rock	2.41	0.065	17	15	1.20	565	0.082	<20	1.38	0.056	0.43	0.2	0.09	0.4	0.09	14.2	<0.5	5	<0.2
1402926	Rock	2.67	0.070	17	13	0.92	231	0.003	<20	0.67	0.006	0.13	0.1	0.14	0.3	0.11	17.5	<0.5	2	<0.2
1402927	Rock	1.95	0.066	11	14	0.81	261	<0.001	<20	0.65	0.004	0.11	0.1	0.18	0.4	0.12	19.0	<0.5	2	<0.2
1402928	Rock	2.09	0.066	8	15	0.88	631	<0.001	<20	0.74	0.003	0.09	<0.1	0.19	0.3	0.15	19.4	<0.5	2	<0.2
1402929	Rock	2.57	0.066	11	11	0.92	65	<0.001	<20	0.53	0.003	0.13	0.1	0.14	0.3	0.25	17.4	<0.5	2	<0.2
1402930	Rock	2.87	0.074	17	12	0.93	143	0.007	<20	0.68	0.010	0.20	0.1	0.14	0.3	0.15	17.5	<0.5	2	<0.2
1402931	Rock	2.98	0.063	12	11	0.96	67	<0.001	<20	0.55	0.004	0.13	<0.1	0.13	0.3	0.11	16.8	<0.5	2	<0.2
1402932	Rock	2.70	0.068	10	12	0.92	69	<0.001	<20	0.61	0.002	0.13	<0.1	0.14	0.3	0.10	18.4	<0.5	2	<0.2
1402933	Rock	2.42	0.062	8	12	1.11	68	<0.001	<20	0.58	0.004	0.09	0.1	0.10	0.2	0.23	18.4	<0.5	2	<0.2
1402934	Rock	1.62	0.061	6	17	0.89	915	<0.001	<20	0.54	0.003	0.06	0.1	0.14	0.3	0.15	20.7	<0.5	1	<0.2
1402935	Rock	2.12	0.053	6	16	1.14	42	<0.001	<20	0.55	0.004	0.07	0.1	0.16	0.2	0.13	19.6	<0.5	2	<0.2
1402936	Rock	1.64	0.060	6	16	0.92	46	<0.001	<20	0.66	0.003	0.07	<0.1	0.14	0.3	0.13	19.4	<0.5	2	<0.2
1402937	Rock	3.53	0.059	13	10	1.56	140	0.010	<20	0.77	0.007	0.19	0.1	0.10	0.3	0.36	14.8	<0.5	3	<0.2
1402938	Rock	3.79	0.056	10	8	1.46	62	<0.001	<20	0.44	0.005	0.16	0.2	0.21	0.3	1.23	12.6	<0.5	2	<0.2
1402939	Rock	3.14	0.061	12	10	1.42	223	0.026	<20	0.88	0.025	0.33	0.3	0.12	0.4	0.74	13.0	<0.5	3	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 20, 2012

CERTIFICATE OF ANALYSIS WHI12000197.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402940	Rock Pulp	0.13	<2	2.2	23.9	2.2	42	0.3	22.2	10.0	383	2.35	4.8	0.2	<0.5	0.8	37	<0.1	0.2	0.2	56
1402941	Rock Pulp	0.13	1446	8.6	47.6	5.3	48	0.2	31.3	8.9	473	3.19	6.5	0.2	1004	0.9	40	0.1	0.7	0.1	63
1402942	Rock	1.68	115	1.4	21.3	6.5	59	0.2	5.6	15.2	838	3.68	751.3	3.6	64.0	10.4	146	0.1	5.4	<0.1	90
1402943	Rock	1.41	6	1.3	23.8	13.4	84	0.1	5.3	15.4	894	3.62	20.1	3.6	6.8	9.8	186	0.3	3.6	<0.1	91
1402944	Rock	0.85	<2	1.4	21.4	6.5	65	<0.1	6.1	16.7	911	4.01	7.3	2.9	1.9	10.3	193	0.1	3.2	<0.1	115
1402945	Rock	2.24	<2	1.7	20.8	5.3	57	<0.1	6.0	15.1	836	3.63	6.5	2.7	<0.5	9.9	169	<0.1	3.0	<0.1	102
1402946	Rock	1.27	<2	2.6	22.0	3.4	53	<0.1	6.5	14.3	688	3.37	2.5	3.5	1.3	11.1	124	<0.1	3.1	<0.1	98
1402947	Rock	1.97	<2	2.2	23.1	14.2	74	0.3	6.5	14.4	709	3.46	3.7	3.4	<0.5	10.7	133	0.2	3.5	<0.1	99
1402948	Rock	1.05	<2	5.2	24.2	8.5	60	<0.1	6.6	16.2	926	4.03	7.0	4.6	1.8	13.9	186	0.2	7.0	<0.1	103
1402949	Rock	1.44	<2	3.1	24.3	5.3	56	<0.1	6.8	15.7	876	3.90	4.3	4.3	<0.5	11.4	216	0.1	4.7	<0.1	109
1402950	Rock	1.47	9	1.7	20.7	7.5	58	<0.1	6.7	15.2	861	3.86	11.0	4.0	0.5	11.5	152	0.1	5.6	<0.1	104
1402951	Rock	1.21	1587	1.2	27.5	245.0	1688	3.6	6.9	15.4	1014	4.07	3233	2.9	1419	8.9	130	14.3	27.5	14.7	56
1402952	Rock	1.84	3	0.8	21.3	17.2	70	0.2	6.1	15.7	925	3.92	23.7	3.4	36.5	12.2	155	0.3	7.5	0.3	80
1402953	Rock	1.49	6	1.1	21.8	10.9	62	0.1	5.7	15.6	773	3.70	63.7	3.6	24.8	11.5	160	0.3	6.4	<0.1	83
1402954	Rock	1.59	716	1.5	24.4	210.6	281	2.7	5.9	15.2	1217	3.62	4802	5.0	603.6	11.0	148	3.8	14.8	<0.1	40
1402955	Rock	2.32	3	2.1	24.1	3.8	50	0.1	6.2	13.7	634	3.43	27.4	3.0	42.3	12.4	104	0.1	1.6	<0.1	101
1402956	Rock	1.64	9	2.3	22.0	4.0	47	<0.1	6.2	12.9	601	3.31	116.9	3.5	41.7	11.5	103	0.1	1.8	<0.1	95
1402957	Rock	1.55	6	1.9	22.3	5.1	53	<0.1	6.7	13.9	684	3.55	23.1	3.3	25.3	11.7	127	<0.1	3.8	<0.1	99
1402958	Rock	1.59	922	2.2	23.2	14.2	96	0.4	6.1	15.0	1005	3.99	2507	4.6	872.3	10.8	142	0.6	11.8	<0.1	70
1402959	Rock	1.14	102	1.8	22.9	7.2	58	0.2	6.4	15.8	906	3.93	703.4	4.1	117.2	10.3	137	0.2	7.9	<0.1	77
1402960	Rock Pulp	0.13	5	2.6	25.5	2.5	42	0.2	24.0	10.5	401	2.46	5.9	0.3	1.7	1.1	44	0.1	0.2	<0.1	61
1402961	Rock Pulp	0.13	4143	10.0	74.1	488.2	1609	50.9	32.9	9.2	424	3.49	33.8	0.4	2956	1.4	42	17.8	50.9	0.8	59
1402962	Rock	0.89	<2	1.4	24.5	4.6	81	<0.1	6.6	15.8	662	3.97	32.2	2.0	8.8	9.8	134	0.2	0.8	<0.1	131
1402963	Rock	0.88	12	1.4	27.8	4.7	191	<0.1	6.9	14.0	614	3.51	73.8	1.9	13.9	9.1	100	2.4	1.1	0.3	109
1402964	Rock	2.17	<2	1.6	26.1	4.3	141	<0.1	7.0	15.2	683	3.90	13.0	1.7	5.7	8.4	112	0.9	0.6	0.1	127
1402965	Rock	2.89	5	1.6	29.2	4.6	158	<0.1	7.2	14.6	606	3.70	28.9	1.8	7.6	8.7	101	1.6	0.5	0.1	123
1402966	Rock	1.89	29	1.7	26.5	4.8	166	<0.1	7.0	13.7	542	3.48	250.2	2.0	60.5	8.6	101	1.6	0.5	0.6	115
1402967	Rock	1.23	<2	2.0	27.6	4.6	48	<0.1	7.2	13.7	519	3.48	6.6	2.2	2.8	8.5	87	<0.1	0.4	<0.1	113
1402968	Rock	1.43	<2	1.6	25.3	4.4	45	<0.1	7.2	12.8	500	3.30	6.2	1.7	3.8	8.2	89	<0.1	0.3	<0.1	110
1402969	Rock	1.11	<2	1.7	25.8	4.6	52	<0.1	7.0	14.5	598	3.61	7.4	2.3	<0.5	8.6	104	<0.1	0.3	<0.1	119

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 20, 2012

CERTIFICATE OF ANALYSIS WHI12000197.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1402940	Rock Pulp	0.73	0.059	4	29	0.76	88	0.111	<20	1.46	0.072	0.13	12.2	0.02	0.2	<0.05	4.2	<0.5	5	<0.2
1402941	Rock Pulp	0.76	0.060	4	34	0.81	99	0.126	<20	1.64	0.096	0.15	0.3	0.06	0.1	<0.05	4.8	<0.5	6	<0.2
1402942	Rock	2.49	0.066	19	16	1.39	490	0.106	<20	1.27	0.064	0.53	0.3	0.07	0.4	0.19	15.8	<0.5	5	<0.2
1402943	Rock	2.94	0.061	17	18	1.46	524	0.071	<20	1.55	0.078	0.40	0.1	0.03	0.3	0.14	13.7	<0.5	6	<0.2
1402944	Rock	2.33	0.066	20	21	1.62	994	0.158	<20	2.07	0.089	0.64	0.3	0.02	0.4	0.07	15.4	<0.5	8	<0.2
1402945	Rock	2.27	0.064	18	20	1.61	487	0.137	<20	1.94	0.067	0.58	0.4	0.03	0.4	0.06	12.7	<0.5	7	<0.2
1402946	Rock	1.70	0.069	18	25	1.29	527	0.164	<20	1.73	0.137	0.59	0.6	<0.01	0.4	<0.05	10.8	<0.5	6	<0.2
1402947	Rock	1.79	0.067	18	23	1.29	608	0.161	<20	1.81	0.163	0.63	0.4	0.01	0.4	<0.05	11.6	<0.5	6	<0.2
1402948	Rock	2.34	0.066	22	21	1.47	993	0.189	<20	1.78	0.099	0.72	0.5	0.08	0.4	0.10	15.1	<0.5	6	<0.2
1402949	Rock	2.54	0.064	20	23	1.37	966	0.196	<20	1.99	0.123	0.71	0.3	0.02	0.4	0.06	15.1	<0.5	7	<0.2
1402950	Rock	2.79	0.067	20	20	1.48	772	0.163	<20	1.57	0.068	0.64	0.3	0.07	0.4	0.10	14.9	<0.5	5	<0.2
1402951	Rock	3.17	0.058	10	12	1.35	129	0.001	<20	0.88	0.007	0.14	0.3	0.12	0.4	1.24	11.9	0.7	3	<0.2
1402952	Rock	3.27	0.066	20	13	1.49	232	0.052	<20	1.51	0.013	0.30	0.1	0.08	0.4	0.15	15.3	<0.5	5	<0.2
1402953	Rock	2.79	0.067	19	14	1.40	282	0.067	<20	1.69	0.020	0.38	0.1	0.07	0.3	0.12	14.7	<0.5	6	<0.2
1402954	Rock	3.19	0.067	12	11	1.19	150	0.014	<20	0.78	0.027	0.32	1.0	0.07	0.2	1.36	9.9	<0.5	2	<0.2
1402955	Rock	1.53	0.067	16	25	1.24	1027	0.242	<20	1.90	0.162	0.79	0.7	<0.01	0.5	<0.05	8.7	<0.5	6	<0.2
1402956	Rock	1.68	0.062	16	24	1.18	599	0.194	<20	1.86	0.173	0.66	0.8	<0.01	0.3	0.09	8.2	<0.5	6	<0.2
1402957	Rock	1.76	0.068	18	24	1.32	614	0.195	<20	1.85	0.145	0.68	0.5	<0.01	0.4	0.08	10.3	<0.5	6	<0.2
1402958	Rock	2.79	0.064	15	15	1.40	312	0.044	<20	1.18	0.059	0.35	0.3	0.03	0.3	0.66	12.4	<0.5	4	<0.2
1402959	Rock	2.60	0.067	15	15	1.28	254	0.033	<20	0.83	0.044	0.30	0.3	0.08	0.3	0.30	15.0	<0.5	3	<0.2
1402960	Rock Pulp	0.85	0.059	4	31	0.78	97	0.147	<20	1.57	0.078	0.12	12.0	0.01	<0.1	<0.05	4.9	<0.5	5	<0.2
1402961	Rock Pulp	0.73	0.057	6	29	0.62	118	0.133	<20	1.23	0.078	0.11	2.2	0.22	1.2	0.36	4.8	<0.5	7	0.3
1402962	Rock	1.67	0.074	16	25	1.54	1497	0.286	<20	2.56	0.249	0.90	0.2	<0.01	0.4	<0.05	11.6	<0.5	8	<0.2
1402963	Rock	1.56	0.079	15	22	1.20	1067	0.268	<20	2.12	0.202	0.85	0.4	<0.01	0.4	0.06	9.0	<0.5	7	<0.2
1402964	Rock	1.67	0.081	15	26	1.54	1062	0.291	<20	2.47	0.244	0.90	0.3	<0.01	0.4	0.05	10.5	<0.5	8	<0.2
1402965	Rock	1.33	0.083	15	27	1.39	1184	0.317	<20	2.29	0.223	0.95	0.4	<0.01	0.4	<0.05	7.8	<0.5	7	<0.2
1402966	Rock	1.19	0.079	15	27	1.22	1267	0.326	<20	2.21	0.236	1.00	0.7	<0.01	0.4	0.06	6.9	<0.5	7	<0.2
1402967	Rock	1.09	0.079	14	29	1.18	1177	0.343	<20	2.10	0.217	0.99	0.8	<0.01	0.5	<0.05	6.3	<0.5	6	<0.2
1402968	Rock	1.04	0.079	13	27	1.17	1109	0.327	<20	2.08	0.231	0.96	0.7	<0.01	0.4	<0.05	5.8	<0.5	6	<0.2
1402969	Rock	1.38	0.080	14	27	1.32	1137	0.344	<20	2.32	0.259	0.99	0.5	<0.01	0.5	<0.05	8.2	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 20, 2012

CERTIFICATE OF ANALYSIS WHI12000197.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1402970	Rock	1.32	183	1.6	25.1	5.5	95	0.3	7.1	14.2	633	3.65	1174	2.1	175.2	8.0	97	0.6	1.2	1.7	113
1402971	Rock	0.85	48	1.9	30.4	8.8	79	0.3	7.5	14.5	626	3.83	99.4	3.3	12.4	8.0	89	0.6	1.3	1.7	113
1402972	Rock	1.01	2	2.0	26.5	4.1	102	<0.1	7.7	15.0	654	3.83	53.5	2.6	7.7	9.4	105	0.6	0.4	0.2	115
1402973	Rock	1.69	<2	1.4	24.4	5.2	132	<0.1	7.3	16.1	788	4.02	22.2	2.5	3.0	8.6	101	1.2	0.5	<0.1	117
1402974	Rock	0.62	<2	1.6	23.3	3.5	54	<0.1	6.7	15.1	702	3.86	7.1	2.2	2.0	8.0	114	0.1	0.4	<0.1	125
1402975	Rock	0.73	<2	2.0	25.1	3.8	56	<0.1	7.5	15.9	719	4.04	6.1	2.3	<0.5	9.1	124	<0.1	0.4	<0.1	127
1402976	Rock	2.04	79	1.9	28.7	4.4	76	0.1	7.2	16.0	770	4.14	8.8	2.8	49.9	8.1	112	0.4	1.0	0.2	121
1402977	Rock	1.81	7	2.3	28.5	15.7	269	0.6	7.3	16.5	827	4.11	43.1	2.9	3.2	7.2	118	3.0	1.9	1.6	117
1402978	Rock	1.65	<2	1.8	24.1	4.2	67	<0.1	7.5	16.7	776	4.18	16.7	2.3	1.7	7.6	130	0.2	0.9	<0.1	129
1402979	Rock	2.28	<2	3.0	27.9	4.4	69	<0.1	8.0	17.7	947	4.49	4.8	2.3	3.7	7.6	143	0.3	0.8	<0.1	143
1402980	Rock Pulp	0.12	<2	2.4	26.8	2.6	46	0.2	25.6	11.2	431	2.58	5.4	0.3	<0.5	1.2	47	0.2	0.2	<0.1	64
1402981	Rock Pulp	0.16	3809	10.3	72.4	476.4	1598	54.7	31.8	8.9	422	3.45	32.3	0.4	3311	1.3	40	16.8	50.3	0.8	59
1402982	Rock	1.50	<2	1.5	25.0	5.8	72	<0.1	7.2	18.7	966	4.54	5.3	2.3	9.0	8.6	143	0.2	1.0	<0.1	149
1402983	Rock	1.20	<2	1.6	24.0	5.4	56	0.1	6.7	13.7	626	3.37	6.8	2.0	1.8	8.5	101	<0.1	0.8	<0.1	116
1402984	Rock	1.62	<2	1.9	24.6	7.8	58	0.2	6.9	14.0	693	3.60	5.4	2.2	1.5	7.7	111	0.2	0.5	0.2	120
1402985	Rock	1.81	<2	2.0	24.4	3.6	50	<0.1	6.6	13.9	604	3.40	7.6	1.8	0.7	7.4	105	<0.1	0.4	<0.1	118
1402986	Rock	1.95	<2	2.3	23.4	3.7	108	<0.1	7.7	15.4	750	3.78	19.0	2.6	1.6	7.8	112	0.7	0.4	<0.1	125
1402987	Rock	2.41	<2	2.0	22.5	3.5	86	0.1	7.1	14.0	577	3.40	49.1	2.3	1.3	7.5	92	0.6	0.3	<0.1	116
1402988	Rock	1.99	5	2.3	23.2	4.8	107	0.1	6.9	14.7	955	3.58	101.4	2.7	6.1	8.1	102	0.7	0.8	0.1	114
1402989	Rock	1.26	<2	1.9	21.0	3.4	114	<0.1	6.1	12.2	514	3.24	42.9	1.9	3.0	8.5	91	0.8	0.2	<0.1	110
1402990	Rock	2.08	<2	1.9	24.3	3.5	86	<0.1	6.7	13.7	552	3.34	11.4	1.9	<0.5	8.1	81	0.5	0.4	<0.1	114
1402991	Rock	2.08	13	1.7	23.7	10.8	102	0.3	7.2	14.5	665	3.66	378.2	2.0	19.8	8.3	97	0.6	0.7	0.3	125
1402992	Rock	1.51	13	2.1	25.5	3.9	56	<0.1	7.0	13.7	613	3.49	323.8	2.0	16.6	8.6	93	0.1	0.4	<0.1	118
1402993	Rock	1.46	4	2.1	26.3	3.9	123	0.1	7.6	13.0	516	3.31	9.1	1.7	1.0	8.0	90	1.0	0.5	0.1	114
1402994	Rock	2.06	<2	2.1	24.6	4.2	48	<0.1	6.5	12.8	496	3.14	5.5	1.6	<0.5	8.0	78	<0.1	1.1	<0.1	109
1402995	Rock	0.92	9	2.6	27.1	264.4	165	21.3	7.3	13.9	770	3.55	107.6	2.1	10.6	8.5	88	1.9	21.4	<0.1	110
1402996	Rock	1.29	<2	2.1	24.1	5.2	88	0.3	7.5	14.7	715	3.63	31.0	1.8	3.4	8.1	87	0.5	0.9	<0.1	118
1402997	Rock	2.05	29	1.9	24.0	15.2	211	0.6	7.4	15.8	1116	4.03	184.1	1.9	15.4	8.2	100	1.6	1.7	0.6	120
1402998	Rock	1.60	24	2.0	23.8	7.6	188	0.3	6.5	14.5	732	3.61	306.1	2.3	19.6	8.1	92	1.7	1.3	0.2	116
1402999	Rock	1.15	19	1.8	21.8	5.9	71	0.2	6.2	13.9	641	3.48	380.9	1.7	19.1	7.7	96	0.4	1.1	0.1	117

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 20, 2012

CERTIFICATE OF ANALYSIS WHI12000197.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1402970	Rock	1.47	0.074	14	25	1.29	1041	0.291	<20	2.22	0.218	0.92	0.4	<0.01	0.4	0.09	8.7	<0.5	7	<0.2
1402971	Rock	1.26	0.079	14	26	1.19	992	0.289	<20	2.22	0.216	0.93	0.4	<0.01	0.5	<0.05	8.5	<0.5	7	<0.2
1402972	Rock	1.50	0.079	14	29	1.24	1077	0.307	<20	2.39	0.281	1.00	0.5	<0.01	0.5	0.06	9.4	<0.5	7	<0.2
1402973	Rock	2.11	0.077	17	24	1.32	918	0.214	<20	2.21	0.160	0.77	0.2	0.03	0.4	0.06	14.9	<0.5	7	<0.2
1402974	Rock	1.74	0.075	14	26	1.42	1127	0.308	<20	2.42	0.262	1.02	0.4	<0.01	0.5	<0.05	11.6	<0.5	7	<0.2
1402975	Rock	1.79	0.075	16	29	1.46	1128	0.306	<20	2.58	0.286	1.01	0.4	<0.01	0.5	<0.05	12.3	<0.5	8	<0.2
1402976	Rock	1.78	0.080	15	24	1.42	1074	0.295	<20	2.41	0.237	1.01	0.4	0.04	0.5	0.07	12.7	<0.5	7	<0.2
1402977	Rock	2.45	0.073	16	23	1.46	822	0.204	<20	2.18	0.155	0.72	0.2	0.02	0.4	0.13	15.8	<0.5	6	<0.2
1402978	Rock	1.89	0.076	16	27	1.46	1050	0.282	<20	2.51	0.254	0.92	0.3	<0.01	0.5	0.05	14.5	<0.5	8	<0.2
1402979	Rock	2.34	0.074	17	29	1.73	1046	0.275	<20	2.61	0.210	0.92	0.4	<0.01	0.4	0.06	17.5	<0.5	8	<0.2
1402980	Rock Pulp	0.88	0.063	4	33	0.83	104	0.152	<20	1.67	0.080	0.13	12.4	0.01	<0.1	<0.05	5.4	<0.5	5	<0.2
1402981	Rock Pulp	0.72	0.055	6	28	0.61	113	0.127	<20	1.24	0.078	0.11	2.0	0.23	1.1	0.35	4.6	<0.5	6	<0.2
1402982	Rock	2.16	0.079	18	28	1.80	1176	0.306	<20	2.83	0.249	1.01	0.3	<0.01	0.4	<0.05	16.9	<0.5	9	<0.2
1402983	Rock	1.37	0.076	14	26	1.27	1178	0.301	<20	2.25	0.254	0.97	0.6	<0.01	0.5	<0.05	7.9	<0.5	7	<0.2
1402984	Rock	1.61	0.085	15	28	1.35	1174	0.294	<20	2.43	0.286	0.99	0.6	<0.01	0.5	0.07	9.5	<0.5	7	<0.2
1402985	Rock	1.34	0.076	13	28	1.27	1213	0.316	<20	2.38	0.297	1.03	0.6	<0.01	0.5	0.05	7.7	<0.5	7	<0.2
1402986	Rock	1.79	0.079	14	28	1.46	1112	0.291	<20	2.54	0.282	0.97	0.5	<0.01	0.5	0.10	11.1	<0.5	8	<0.2
1402987	Rock	1.33	0.078	13	27	1.22	1213	0.318	<20	2.33	0.283	1.03	0.6	<0.01	0.5	0.09	7.5	<0.5	7	<0.2
1402988	Rock	1.88	0.079	16	25	1.20	1126	0.280	<20	2.31	0.253	0.94	0.5	<0.01	0.5	0.11	9.8	<0.5	7	<0.2
1402989	Rock	1.25	0.077	13	27	1.15	1216	0.321	<20	2.31	0.294	1.03	0.7	<0.01	0.5	0.07	6.5	<0.5	7	<0.2
1402990	Rock	1.34	0.082	14	28	1.27	1256	0.319	<20	2.14	0.227	1.00	0.7	<0.01	0.5	0.09	7.0	<0.5	7	<0.2
1402991	Rock	1.71	0.080	15	27	1.35	1124	0.284	<20	2.42	0.254	0.92	0.4	<0.01	0.4	0.09	10.6	<0.5	8	<0.2
1402992	Rock	1.52	0.083	14	29	1.28	1270	0.321	<20	2.38	0.271	0.99	0.5	<0.01	0.5	0.06	8.2	<0.5	7	<0.2
1402993	Rock	1.17	0.080	14	29	1.19	1283	0.338	<20	2.22	0.273	1.01	0.6	<0.01	0.5	0.07	6.6	<0.5	7	<0.2
1402994	Rock	1.03	0.080	15	28	1.18	1289	0.319	<20	2.03	0.231	0.94	0.6	<0.01	0.5	<0.05	6.0	<0.5	6	<0.2
1402995	Rock	1.61	0.083	15	28	1.23	1045	0.268	<20	2.18	0.232	0.84	0.5	<0.01	0.4	0.12	8.6	<0.5	7	<0.2
1402996	Rock	1.69	0.083	15	30	1.45	966	0.269	<20	2.26	0.212	0.74	0.6	<0.01	0.4	0.09	8.3	<0.5	7	<0.2
1402997	Rock	2.43	0.084	16	29	1.64	711	0.196	<20	2.40	0.188	0.52	0.4	<0.01	0.3	0.11	11.2	<0.5	8	<0.2
1402998	Rock	1.60	0.082	15	28	1.35	1125	0.278	<20	2.27	0.231	0.89	0.5	<0.01	0.5	0.12	8.8	<0.5	7	<0.2
1402999	Rock	1.53	0.079	14	27	1.30	1236	0.305	<20	2.35	0.265	0.95	0.5	<0.01	0.5	0.10	7.5	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 20, 2012

CERTIFICATE OF ANALYSIS WHI12000197.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403000	Rock Pulp	0.12	<2	2.5	25.2	2.4	44	0.2	24.6	10.5	411	2.46	6.7	0.2	1.2	1.0	44	0.1	0.3	<0.1	63
1403001	Rock Pulp	0.12	1423	8.7	47.9	5.8	49	0.2	32.7	9.2	483	3.23	7.7	0.4	814.9	1.1	47	0.1	1.1	<0.1	69
1403002	Rock	3.17	<2	2.0	25.2	4.8	60	<0.1	7.3	14.4	598	3.38	35.9	1.6	2.6	8.3	88	0.2	0.8	<0.1	113
1403003	Rock	1.31	<2	2.3	25.9	167.4	259	8.8	7.5	16.6	1017	3.98	93.2	1.9	3.7	8.4	94	3.1	6.1	<0.1	120
1403004	Rock	2.88	14	1.2	21.5	7.0	242	0.3	7.1	17.9	1130	4.37	204.7	1.8	14.2	7.6	122	1.8	1.7	0.1	135
1403005	Rock	1.70	<2	1.7	24.6	8.5	74	0.3	7.5	19.1	1060	4.53	11.0	2.0	2.3	7.7	131	0.2	1.3	<0.1	148
1403006	Rock	2.01	<2	1.9	25.9	4.3	94	<0.1	7.1	17.1	845	4.06	22.0	1.8	<0.5	8.7	108	0.6	1.4	<0.1	142
1403007	Rock	1.92	27	1.7	23.0	26.5	317	3.8	7.5	14.7	988	3.68	419.9	2.0	31.6	7.1	100	3.4	2.5	0.8	120
1403008	Rock	1.48	3	1.8	23.8	4.7	166	0.2	6.8	15.7	805	3.91	107.7	2.1	6.9	8.2	99	1.5	1.2	0.2	121
1403009	Rock	2.29	14	1.4	28.0	4.5	168	<0.1	8.8	20.4	1069	4.75	197.3	1.8	12.6	6.9	119	1.1	1.7	0.1	153
1403010	Rock	2.99	5	1.6	26.6	3.4	80	<0.1	7.2	15.5	660	3.78	114.1	2.1	8.7	7.1	96	0.5	0.8	<0.1	128
1403011	Rock	1.77	6	2.8	25.4	3.8	136	<0.1	6.7	15.5	787	3.77	88.0	2.4	8.2	7.3	108	1.2	0.9	<0.1	127
1403012	Rock	2.49	<2	1.8	26.7	4.4	60	<0.1	6.9	14.7	664	3.65	26.5	2.1	3.3	7.2	90	0.2	0.4	0.1	125
1403013	Rock	1.92	<2	2.3	25.9	4.5	51	<0.1	6.4	13.4	529	3.24	10.8	1.6	1.0	7.2	78	<0.1	0.4	<0.1	109
1403014	Rock	2.39	<2	2.4	26.6	4.9	52	<0.1	6.7	14.3	508	3.27	7.5	2.0	<0.5	7.3	69	<0.1	0.4	<0.1	102
1403015	Rock	1.28	4	2.4	36.2	4.5	52	<0.1	6.8	13.9	571	3.44	5.4	2.2	<0.5	8.1	93	<0.1	0.4	<0.1	115
1403016	Rock	2.18	33	2.0	29.8	4.2	76	<0.1	6.1	13.9	543	3.49	467.0	2.0	31.5	7.4	87	0.3	0.6	0.2	116
1403017	Rock	1.61	4	2.4	28.1	3.8	50	<0.1	7.6	13.7	513	3.30	10.0	1.8	1.4	7.2	75	<0.1	0.6	<0.1	105
1403018	Rock	2.46	11	2.6	29.7	3.6	112	<0.1	8.4	15.2	577	3.71	218.0	2.0	15.3	7.6	82	1.1	0.7	0.2	119
1403019	Rock	1.86	3	2.6	28.2	4.1	55	0.1	8.2	15.3	659	3.62	52.8	2.2	4.5	7.1	88	0.1	1.2	<0.1	116
1403020	Rock Pulp	0.12	<2	2.6	24.6	2.3	42	0.3	24.2	10.5	405	2.38	4.9	0.2	3.9	0.9	37	0.2	0.3	<0.1	55
1403021	Rock Pulp	0.12	3853	10.3	71.9	477.7	1613	53.7	32.1	8.7	409	3.24	31.1	0.3	3520	1.2	34	17.0	49.1	1.0	52
1403022	Rock	1.60	2	1.7	25.1	4.6	93	0.2	7.0	17.2	849	3.85	58.6	2.9	3.1	6.6	87	0.5	1.9	0.2	114
1403023	Rock	1.09	12	2.0	23.7	14.0	99	0.4	7.0	19.3	1602	4.66	105.8	2.8	5.9	6.8	102	0.6	2.6	0.2	112

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 20, 2012

CERTIFICATE OF ANALYSIS WHI12000197.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1403000	Rock Pulp	0.83	0.064	4	31	0.80	99	0.132	<20	1.58	0.077	0.14	12.1	<0.01	<0.1	<0.05	4.7	<0.5	5	<0.2
1403001	Rock Pulp	0.86	0.063	5	34	0.83	107	0.150	<20	1.73	0.098	0.15	0.3	0.06	<0.1	<0.05	5.2	<0.5	6	<0.2
1403002	Rock	1.29	0.083	14	30	1.32	1247	0.309	<20	2.23	0.240	0.89	0.6	<0.01	0.4	0.05	7.3	<0.5	7	<0.2
1403003	Rock	1.89	0.081	16	27	1.35	1054	0.247	<20	2.38	0.204	0.80	0.3	<0.01	0.4	0.13	11.5	<0.5	7	<0.2
1403004	Rock	3.15	0.078	16	26	1.73	651	0.133	<20	2.53	0.115	0.51	0.3	<0.01	0.2	0.07	16.3	<0.5	8	<0.2
1403005	Rock	2.91	0.076	17	29	1.77	1017	0.224	<20	2.79	0.199	0.80	0.3	<0.01	0.3	0.06	18.5	<0.5	9	<0.2
1403006	Rock	2.02	0.079	15	28	1.77	1138	0.264	<20	2.67	0.224	0.87	0.3	<0.01	0.4	0.06	14.5	<0.5	8	<0.2
1403007	Rock	1.74	0.077	13	28	1.38	1124	0.281	<20	2.35	0.248	0.90	0.5	<0.01	0.5	0.15	9.6	<0.5	7	1.4
1403008	Rock	2.09	0.080	15	30	1.57	734	0.193	<20	2.38	0.196	0.59	0.4	<0.01	0.3	0.14	10.8	<0.5	8	<0.2
1403009	Rock	2.98	0.092	18	29	1.77	835	0.192	<20	2.67	0.130	0.67	0.2	<0.01	0.3	0.05	18.2	<0.5	8	<0.2
1403010	Rock	1.59	0.083	14	28	1.45	1107	0.290	<20	2.35	0.248	0.90	0.5	<0.01	0.4	0.07	10.0	<0.5	7	<0.2
1403011	Rock	2.02	0.086	15	29	1.38	1104	0.286	<20	2.39	0.246	0.94	0.6	<0.01	0.5	0.16	10.4	<0.5	7	<0.2
1403012	Rock	1.46	0.085	15	28	1.43	1180	0.325	<20	2.30	0.230	0.97	0.6	<0.01	0.5	0.13	7.5	<0.5	7	<0.2
1403013	Rock	1.37	0.084	15	28	1.24	968	0.294	<20	2.04	0.211	0.74	0.6	<0.01	0.3	0.06	7.0	<0.5	7	<0.2
1403014	Rock	1.25	0.090	14	30	1.25	771	0.269	<20	1.93	0.159	0.61	0.9	<0.01	0.2	0.06	6.4	<0.5	6	<0.2
1403015	Rock	1.40	0.084	15	29	1.28	1093	0.313	<20	2.22	0.251	0.88	0.8	<0.01	0.4	0.07	7.1	<0.5	7	<0.2
1403016	Rock	1.39	0.088	14	28	1.28	1036	0.295	<20	2.09	0.206	0.82	0.5	<0.01	0.5	0.09	6.9	<0.5	6	<0.2
1403017	Rock	1.24	0.081	13	31	1.19	873	0.273	<20	2.01	0.206	0.69	0.7	<0.01	0.3	<0.05	6.0	<0.5	6	<0.2
1403018	Rock	1.39	0.086	14	32	1.26	1101	0.273	<20	2.17	0.219	0.95	0.6	<0.01	0.5	0.16	7.4	<0.5	6	<0.2
1403019	Rock	1.58	0.082	13	32	1.29	1033	0.256	<20	2.23	0.225	0.87	0.5	<0.01	0.4	0.12	8.6	<0.5	6	<0.2
1403020	Rock Pulp	0.79	0.059	4	31	0.77	95	0.115	<20	1.52	0.073	0.12	12.7	0.01	<0.1	<0.05	4.6	<0.5	5	<0.2
1403021	Rock Pulp	0.67	0.055	5	28	0.58	108	0.104	<20	1.18	0.073	0.10	2.1	0.24	1.1	0.33	4.4	<0.5	6	<0.2
1403022	Rock	2.14	0.079	13	24	1.34	759	0.168	<20	2.17	0.140	0.63	0.4	<0.01	0.3	0.15	10.8	<0.5	6	<0.2
1403023	Rock	3.50	0.076	11	25	1.86	442	0.080	<20	2.14	0.061	0.40	0.5	<0.01	0.3	0.38	12.7	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 20, 2012

QUALITY CONTROL REPORT WHI12000197.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1402906	Rock	0.93	2	1.7	20.1	9.5	62	<0.1	6.6	14.8	662	4.00	36.4	3.6	3.7	7.5	87	0.1	0.8	0.1	128
REP 1402906	QC		<2																		
1402908	Rock	0.92	3	3.2	50.4	109.8	245	1.6	6.3	14.8	914	4.40	67.8	4.1	2.5	11.4	120	2.2	5.9	0.2	96
REP 1402908	QC			3.3	42.7	113.1	243	1.7	6.5	15.6	920	4.48	67.7	4.1	<0.5	11.6	118	2.4	5.7	0.2	98
1402940	Rock Pulp	0.13	<2	2.2	23.9	2.2	42	0.3	22.2	10.0	383	2.35	4.8	0.2	<0.5	0.8	37	<0.1	0.2	0.2	56
REP 1402940	QC		3																		
1402943	Rock	1.41	6	1.3	23.8	13.4	84	0.1	5.3	15.4	894	3.62	20.1	3.6	6.8	9.8	186	0.3	3.6	<0.1	91
REP 1402943	QC			1.3	23.7	12.8	83	0.1	5.5	14.9	871	3.58	19.3	3.2	6.6	9.9	182	0.3	4.4	<0.1	90
1402974	Rock	0.62	<2	1.6	23.3	3.5	54	<0.1	6.7	15.1	702	3.86	7.1	2.2	2.0	8.0	114	0.1	0.4	<0.1	125
REP 1402974	QC		<2																		
1402978	Rock	1.65	<2	1.8	24.1	4.2	67	<0.1	7.5	16.7	776	4.18	16.7	2.3	1.7	7.6	130	0.2	0.9	<0.1	129
REP 1402978	QC			1.8	24.6	4.1	67	<0.1	7.0	16.4	783	4.23	16.8	2.1	<0.5	7.7	128	0.2	0.9	<0.1	129
1403008	Rock	1.48	3	1.8	23.8	4.7	166	0.2	6.8	15.7	805	3.91	107.7	2.1	6.9	8.2	99	1.5	1.2	0.2	121
REP 1403008	QC		4																		
1403013	Rock	1.92	<2	2.3	25.9	4.5	51	<0.1	6.4	13.4	529	3.24	10.8	1.6	1.0	7.2	78	<0.1	0.4	<0.1	109
REP 1403013	QC			1.9	25.4	4.4	51	<0.1	6.3	13.6	537	3.27	11.0	1.7	<0.5	7.3	78	<0.1	0.3	<0.1	111
Core Reject Duplicates																					
1402884	Rock	1.14	44	2.0	32.3	16.3	61	0.2	6.4	13.2	367	3.99	558.9	2.5	27.6	9.7	47	0.4	2.1	0.4	109
DUP 1402884	QC		28	2.0	33.9	27.3	62	0.4	6.3	13.0	358	3.96	561.7	2.4	22.4	9.9	44	0.4	2.2	0.4	109
1402919	Rock	1.52	3	1.7	25.5	22.5	110	0.3	6.7	17.6	1032	4.88	13.1	3.8	2.4	9.4	115	0.5	4.3	0.3	110
DUP 1402919	QC		<2	1.8	25.0	21.4	105	0.3	6.4	17.9	983	4.76	11.4	3.7	1.0	9.5	112	0.4	4.4	0.3	109
1402954	Rock	1.59	716	1.5	24.4	210.6	281	2.7	5.9	15.2	1217	3.62	4802	5.0	603.6	11.0	148	3.8	14.8	<0.1	40
DUP 1402954	QC		745	1.1	25.1	238.5	315	3.2	5.7	15.9	1244	3.77	4907	4.7	716.2	10.5	150	4.1	16.2	<0.1	41
1402989	Rock	1.26	<2	1.9	21.0	3.4	114	<0.1	6.1	12.2	514	3.24	42.9	1.9	3.0	8.5	91	0.8	0.2	<0.1	110
DUP 1402989	QC		<2	2.2	22.3	3.2	119	<0.1	6.3	12.9	544	3.26	39.3	2.0	2.1	9.0	95	0.8	0.2	<0.1	114
Reference Materials																					
STD DS9	Standard			13.0	111.5	127.9	308	2.0	40.3	7.5	591	2.34	23.7	2.9	104.8	6.7	70	2.3	5.0	6.6	38
STD DS9	Standard			12.3	106.4	122.5	300	1.9	39.9	7.5	585	2.36	26.8	2.6	96.3	6.2	80	2.1	5.0	6.2	41

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 20, 2012

QUALITY CONTROL REPORT WHI12000197.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
1402906	Rock	1.71	0.061	16	25	1.57	737	0.238	<20	2.28	0.165	0.88	0.3	0.01	0.5	0.12	13.5	<0.5	7	<0.2
REP 1402906	QC																			
1402908	Rock	2.33	0.062	16	15	0.84	297	0.045	<20	0.92	0.036	0.31	0.3	0.19	0.3	<0.05	16.7	<0.5	3	<0.2
REP 1402908	QC	2.35	0.063	16	16	0.86	298	0.045	<20	0.95	0.037	0.31	0.4	0.22	0.3	<0.05	16.7	<0.5	3	<0.2
1402940	Rock Pulp	0.73	0.059	4	29	0.76	88	0.111	<20	1.46	0.072	0.13	12.2	0.02	0.2	<0.05	4.2	<0.5	5	<0.2
REP 1402940	QC																			
1402943	Rock	2.94	0.061	17	18	1.46	524	0.071	<20	1.55	0.078	0.40	0.1	0.03	0.3	0.14	13.7	<0.5	6	<0.2
REP 1402943	QC	2.85	0.061	18	17	1.43	515	0.069	<20	1.52	0.077	0.39	0.2	0.02	0.3	0.14	13.3	<0.5	6	<0.2
1402974	Rock	1.74	0.075	14	26	1.42	1127	0.308	<20	2.42	0.262	1.02	0.4	<0.01	0.5	<0.05	11.6	<0.5	7	<0.2
REP 1402974	QC																			
1402978	Rock	1.89	0.076	16	27	1.46	1050	0.282	<20	2.51	0.254	0.92	0.3	<0.01	0.5	0.05	14.5	<0.5	8	<0.2
REP 1402978	QC	1.89	0.075	16	27	1.48	1024	0.276	<20	2.54	0.253	0.92	0.3	<0.01	0.5	0.05	14.1	<0.5	8	<0.2
1403008	Rock	2.09	0.080	15	30	1.57	734	0.193	<20	2.38	0.196	0.59	0.4	<0.01	0.3	0.14	10.8	<0.5	8	<0.2
REP 1403008	QC																			
1403013	Rock	1.37	0.084	15	28	1.24	968	0.294	<20	2.04	0.211	0.74	0.6	<0.01	0.3	0.06	7.0	<0.5	7	<0.2
REP 1403013	QC	1.37	0.083	14	28	1.25	969	0.297	<20	2.06	0.210	0.75	0.6	<0.01	0.3	0.06	7.1	<0.5	6	<0.2
Core Reject Duplicates																				
1402884	Rock	0.56	0.072	18	22	1.33	526	0.154	<20	2.20	0.093	0.59	0.7	0.02	0.5	<0.05	11.0	<0.5	8	<0.2
DUP 1402884	QC	0.54	0.070	18	22	1.31	519	0.153	<20	2.14	0.085	0.59	0.6	0.01	0.5	<0.05	10.5	<0.5	7	<0.2
1402919	Rock	2.30	0.079	16	17	1.10	362	0.064	<20	1.07	0.034	0.39	0.2	0.16	0.4	<0.05	19.7	<0.5	4	<0.2
DUP 1402919	QC	2.22	0.079	16	16	1.09	362	0.070	<20	1.07	0.032	0.40	0.1	0.16	0.4	<0.05	19.5	<0.5	4	<0.2
1402954	Rock	3.19	0.067	12	11	1.19	150	0.014	<20	0.78	0.027	0.32	1.0	0.07	0.2	1.36	9.9	<0.5	2	<0.2
DUP 1402954	QC	3.26	0.067	12	10	1.22	156	0.014	<20	0.78	0.028	0.32	0.8	0.08	0.2	1.45	10.3	<0.5	2	<0.2
1402989	Rock	1.25	0.077	13	27	1.15	1216	0.321	<20	2.31	0.294	1.03	0.7	<0.01	0.5	0.07	6.5	<0.5	7	<0.2
DUP 1402989	QC	1.27	0.078	13	28	1.16	1214	0.319	<20	2.36	0.307	1.04	0.7	<0.01	0.5	0.07	6.7	<0.5	7	<0.2
Reference Materials																				
STD DS9	Standard	0.72	0.084	12	123	0.62	310	0.111	<20	0.95	0.080	0.41	2.6	0.21	5.3	0.16	2.4	5.2	5	4.6
STD DS9	Standard	0.73	0.088	13	121	0.62	328	0.123	<20	0.96	0.084	0.41	2.2	0.21	5.5	0.17	2.5	5.6	5	5.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 20, 2012

QUALITY CONTROL REPORT WHI12000197.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD DS9	Standard			11.7	107.0	123.0	314	1.8	38.0	7.1	592	2.38	25.6	2.8	133.9	6.2	76	2.5	4.0	6.5	40
STD DS9	Standard			13.3	114.5	136.3	319	1.8	41.4	7.7	600	2.45	25.3	2.9	188.4	7.0	81	2.4	4.5	5.9	42
STD DS9	Standard			12.3	106.8	122.5	307	1.8	39.8	7.5	570	2.30	25.7	2.5	147.6	6.3	70	2.2	3.8	5.6	39
STD OREAS45CA	Standard			1.0	525.3	20.6	61	0.3	266.3	99.5	973	17.09	3.6	1.3	40.1	7.5	15	<0.1	0.2	0.2	228
STD OREAS45CA	Standard			0.9	542.8	20.9	61	0.3	269.4	95.8	970	15.77	4.3	1.3	37.0	7.6	17	0.1	0.1	0.1	229
STD OREAS45CA	Standard			0.8	496.2	20.8	59	0.3	243.9	90.1	941	16.42	3.3	1.2	40.6	7.3	15	0.1	<0.1	0.2	209
STD OREAS45CA	Standard			0.9	528.8	22.4	63	0.3	259.3	94.4	943	16.51	4.0	1.4	62.9	8.4	17	<0.1	0.1	0.1	216
STD OREAS45CA	Standard			0.8	512.6	18.5	56	0.3	250.9	91.0	925	13.89	2.6	1.1	42.9	6.6	13	<0.1	<0.1	0.1	225
STD OXC88	Standard		202																		
STD OXC88	Standard		205																		
STD OXC88	Standard		204																		
STD OXC88	Standard		196																		
STD OXC88	Standard		191																		
STD OXG99	Standard		964																		
STD OXG99	Standard		955																		
STD OXG99	Standard		1012																		
STD OXG99	Standard		926																		
STD OXC88 Expected			203																		
STD OXG99 Expected			932																		
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 20, 2012

QUALITY CONTROL REPORT WHI12000197.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD DS9	Standard	0.71	0.081	12	118	0.62	325	0.110	<20	0.94	0.081	0.40	2.8	0.20	5.4	0.17	2.5	5.7	5	5.3
STD DS9	Standard	0.74	0.087	13	124	0.65	330	0.130	<20	0.97	0.082	0.40	3.0	0.22	5.7	0.17	2.6	5.0	5	5.0
STD DS9	Standard	0.63	0.082	12	117	0.60	298	0.111	<20	0.92	0.080	0.39	3.3	0.21	5.7	0.16	2.4	5.5	5	5.3
STD OREAS45CA	Standard	0.47	0.039	15	780	0.14	156	0.149	<20	3.80	0.008	0.07	<0.1	0.02	<0.1	<0.05	48.0	<0.5	21	<0.2
STD OREAS45CA	Standard	0.47	0.043	17	683	0.16	184	0.157	<20	3.87	0.006	0.08	<0.1	0.04	<0.1	<0.05	42.9	<0.5	20	<0.2
STD OREAS45CA	Standard	0.43	0.038	16	712	0.14	162	0.140	<20	3.55	0.010	0.07	<0.1	0.03	<0.1	<0.05	46.0	<0.5	19	<0.2
STD OREAS45CA	Standard	0.43	0.040	18	672	0.16	177	0.161	<20	3.76	0.011	0.07	<0.1	0.03	0.1	<0.05	46.4	<0.5	20	<0.2
STD OREAS45CA	Standard	0.43	0.039	15	699	0.15	157	0.139	<20	3.48	0.005	0.07	<0.1	0.03	0.1	<0.05	43.0	<0.5	19	<0.2
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXC88	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXC88 Expected																				
STD OXG99 Expected																				
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 20, 2012

QUALITY CONTROL REPORT WHI12000197.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.02	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	0.9	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	0.2	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank		<2	0.1	2.9	168.9	43	2.5	3.6	3.9	555	1.92	1.5	1.5	1.0	5.5	64	<0.1	0.7	<0.1	37
G1-WHI	Prep Blank		<2	<0.1	2.0	36.9	43	0.4	2.2	3.6	561	1.94	<0.5	1.6	<0.5	5.7	77	<0.1	0.1	<0.1	38

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 20, 2012

QUALITY CONTROL REPORT WHI12000197.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																				
G1-WHI	Prep Blank	0.47	0.077	12	8	0.51	175	0.124	<20	0.84	0.073	0.47	<0.1	<0.01	0.3	<0.05	2.4	<0.5	4	<0.2
G1-WHI	Prep Blank	0.51	0.078	12	8	0.49	166	0.125	<20	0.91	0.094	0.48	<0.1	<0.01	0.3	<0.05	2.5	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 09, 2012
Report Date: July 24, 2012
Page: 1 of 6

CERTIFICATE OF ANALYSIS WHI12000249.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET007
P.O. Number
Number of Samples: 136

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	124	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	136	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	136	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 24, 2012

CERTIFICATE OF ANALYSIS WHI12000249.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403024	Rock	2.91	<2	1.9	22.9	5.3	49	<0.1	5.7	9.4	542	2.86	12.7	0.8	<0.5	17.7	37	<0.1	0.2	<0.1	77
1403025	Rock	1.78	<2	1.6	16.4	4.8	49	<0.1	6.0	9.1	535	2.81	9.6	0.9	<0.5	18.3	35	<0.1	0.2	<0.1	76
1403026	Rock	1.72	<2	1.9	16.0	4.7	46	<0.1	6.6	8.5	512	2.75	9.4	0.9	<0.5	17.7	35	<0.1	0.2	<0.1	71
1403027	Rock	0.67	3	0.9	23.2	4.6	57	<0.1	4.5	10.8	695	3.23	34.0	1.1	1.4	15.6	48	<0.1	0.3	<0.1	82
1403028	Rock	1.37	<2	1.0	22.7	4.5	55	<0.1	4.7	10.8	677	3.14	21.9	1.0	<0.5	30.0	51	<0.1	0.2	<0.1	92
1403029	Rock	1.24	13	0.8	17.0	4.1	54	<0.1	4.1	10.5	681	3.06	32.5	1.2	8.9	16.2	53	<0.1	0.2	<0.1	82
1403030	Rock	1.52	<2	1.5	17.8	4.6	53	<0.1	5.6	9.8	582	2.97	6.6	0.9	<0.5	17.7	47	<0.1	0.1	<0.1	82
1403031	Rock	1.16	<2	1.3	15.3	4.6	50	<0.1	4.8	9.4	543	2.89	6.2	0.9	<0.5	17.0	44	<0.1	0.1	<0.1	82
1403032	Rock	1.24	<2	1.2	13.5	4.6	52	<0.1	5.5	10.0	583	3.04	11.6	0.8	<0.5	19.6	45	<0.1	0.1	<0.1	85
1403033	Rock	1.27	<2	1.5	14.9	4.3	51	<0.1	5.1	9.9	564	3.05	16.7	0.9	<0.5	19.6	43	<0.1	0.2	<0.1	84
1403034	Rock	1.49	<2	1.6	16.5	6.2	59	<0.1	6.0	11.8	762	3.27	25.4	2.4	<0.5	17.2	49	<0.1	0.6	<0.1	81
1403035	Rock	1.42	<2	1.4	12.0	3.8	49	<0.1	6.0	9.3	521	2.90	1.9	0.7	<0.5	17.7	51	<0.1	<0.1	<0.1	84
1403036	Rock	1.60	<2	1.5	11.6	3.8	49	<0.1	5.3	9.1	511	2.85	2.0	0.5	<0.5	19.3	52	<0.1	0.1	<0.1	83
1403037	Rock	1.65	<2	1.2	16.1	3.8	50	<0.1	5.8	10.2	543	2.99	2.6	0.6	<0.5	17.7	50	<0.1	<0.1	<0.1	86
1403038	Rock	1.35	<2	1.6	10.9	4.1	53	<0.1	5.3	9.9	552	3.07	1.4	0.7	<0.5	21.2	44	<0.1	<0.1	<0.1	89
1403039	Rock	1.45	<2	1.5	14.5	4.1	51	<0.1	6.1	9.7	529	2.96	1.2	0.7	<0.5	13.6	49	<0.1	<0.1	<0.1	84
1403040	Rock Pulp	0.11	5	2.8	27.4	3.0	46	0.2	25.1	11.3	430	2.58	5.2	0.3	0.9	1.3	45	0.2	0.2	<0.1	65
1403041	Rock Pulp	0.12	1522	9.5	54.9	6.6	54	0.3	34.0	9.8	520	3.54	7.2	0.3	1116	1.2	47	0.2	1.0	0.1	71
1403042	Rock	1.60	<2	1.7	13.0	4.1	48	<0.1	5.3	9.4	512	2.87	2.1	0.6	<0.5	15.6	48	<0.1	<0.1	<0.1	82
1403043	Rock	1.51	<2	1.7	13.5	4.4	49	<0.1	6.3	9.4	510	2.98	2.4	0.7	<0.5	17.0	49	<0.1	<0.1	<0.1	84
1403044	Rock	1.76	<2	2.0	17.3	4.1	57	<0.1	6.4	10.6	616	3.30	14.0	0.9	<0.5	15.6	48	<0.1	0.2	<0.1	90
1403045	Rock	1.55	<2	1.3	12.7	4.4	54	<0.1	5.2	10.3	651	3.25	17.2	0.9	<0.5	15.2	66	<0.1	0.2	<0.1	91
1403046	Rock	1.38	3	1.2	15.8	4.3	55	<0.1	5.1	10.5	597	3.18	15.3	0.7	<0.5	14.5	53	<0.1	0.2	<0.1	88
1403047	Rock	1.19	2	1.6	13.1	4.7	54	<0.1	5.4	10.0	648	3.17	23.0	0.7	1.2	17.5	60	<0.1	0.2	<0.1	88
1403048	Rock	1.31	<2	1.3	29.8	3.7	59	<0.1	6.7	12.8	770	3.37	12.0	1.3	<0.5	10.9	68	<0.1	0.2	<0.1	101
1403049	Rock	1.78	<2	1.5	13.7	3.9	58	<0.1	6.0	10.7	652	3.28	3.5	0.8	<0.5	16.3	61	<0.1	0.2	<0.1	92
1403050	Rock	1.94	<2	2.0	14.9	5.6	55	<0.1	5.8	10.8	704	3.29	49.9	1.3	<0.5	12.5	59	<0.1	0.2	<0.1	83
1403051	Rock	1.62	<2	1.6	9.8	4.2	53	<0.1	5.4	9.7	633	3.12	13.3	0.8	<0.5	14.7	56	<0.1	0.2	<0.1	80
1403052	Rock	1.50	<2	1.8	9.7	3.3	54	<0.1	5.8	10.2	656	3.18	9.0	0.8	<0.5	13.7	64	<0.1	0.1	<0.1	89
1403053	Rock	1.39	10	1.5	9.6	5.3	72	<0.1	5.6	11.6	889	3.50	66.6	1.2	7.9	12.4	99	<0.1	0.3	<0.1	90

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 24, 2012

CERTIFICATE OF ANALYSIS WHI12000249.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1403024	Rock	0.52	0.064	25	16	0.76	626	0.236	<20	1.43	0.133	0.59	0.6	<0.01	0.5	<0.05	4.8	<0.5	6	<0.2
1403025	Rock	0.52	0.062	25	16	0.76	616	0.236	<20	1.39	0.131	0.58	0.7	<0.01	0.4	<0.05	4.6	<0.5	6	<0.2
1403026	Rock	0.56	0.063	26	19	0.74	525	0.212	<20	1.29	0.127	0.51	0.7	<0.01	0.4	<0.05	4.3	<0.5	5	<0.2
1403027	Rock	1.03	0.059	26	13	0.90	549	0.162	<20	1.55	0.120	0.52	0.5	0.01	0.4	<0.05	7.8	<0.5	7	<0.2
1403028	Rock	0.98	0.065	56	15	0.93	671	0.209	<20	1.58	0.133	0.67	0.5	<0.01	0.5	<0.05	7.4	<0.5	7	<0.2
1403029	Rock	1.17	0.063	27	14	0.90	587	0.178	<20	1.52	0.113	0.59	0.4	<0.01	0.4	<0.05	7.2	<0.5	6	<0.2
1403030	Rock	0.87	0.067	28	18	0.86	682	0.251	<20	1.51	0.162	0.73	0.7	<0.01	0.5	<0.05	5.7	<0.5	6	<0.2
1403031	Rock	0.72	0.067	27	17	0.85	706	0.253	<20	1.49	0.156	0.72	0.6	<0.01	0.4	<0.05	4.7	<0.5	6	<0.2
1403032	Rock	0.82	0.062	32	18	0.97	664	0.229	<20	1.56	0.146	0.68	0.5	<0.01	0.4	<0.05	6.4	<0.5	6	<0.2
1403033	Rock	0.74	0.069	33	17	0.82	726	0.235	<20	1.53	0.137	0.78	0.4	<0.01	0.5	<0.05	6.6	<0.5	6	<0.2
1403034	Rock	1.60	0.069	31	16	0.66	541	0.157	<20	1.34	0.069	0.54	0.3	<0.01	0.3	<0.05	8.9	<0.5	6	<0.2
1403035	Rock	0.70	0.065	31	17	0.83	738	0.272	<20	1.60	0.200	0.84	1.1	<0.01	0.5	<0.05	4.6	<0.5	6	<0.2
1403036	Rock	0.68	0.064	33	18	0.80	720	0.271	<20	1.60	0.211	0.83	1.1	<0.01	0.5	<0.05	4.4	<0.5	6	<0.2
1403037	Rock	0.73	0.068	30	19	0.88	753	0.287	<20	1.61	0.202	0.87	0.9	<0.01	0.5	<0.05	5.1	<0.5	6	<0.2
1403038	Rock	0.62	0.066	34	18	0.87	815	0.295	<20	1.58	0.170	0.92	0.8	<0.01	0.6	<0.05	4.6	<0.5	6	<0.2
1403039	Rock	0.70	0.066	18	21	0.84	731	0.273	<20	1.64	0.205	0.85	1.0	<0.01	0.5	<0.05	4.5	<0.5	6	<0.2
1403040	Rock Pulp	0.87	0.065	5	34	0.82	103	0.137	<20	1.63	0.085	0.14	13.1	0.01	<0.1	<0.05	5.0	<0.5	5	<0.2
1403041	Rock Pulp	0.89	0.065	5	38	0.86	118	0.150	<20	1.78	0.105	0.16	0.2	0.07	<0.1	<0.05	5.7	<0.5	6	<0.2
1403042	Rock	0.70	0.066	24	18	0.81	730	0.265	<20	1.54	0.186	0.80	0.8	<0.01	0.5	<0.05	4.3	<0.5	6	<0.2
1403043	Rock	0.70	0.065	26	19	0.83	752	0.274	<20	1.59	0.198	0.83	0.9	<0.01	0.5	<0.05	4.7	<0.5	6	<0.2
1403044	Rock	0.82	0.066	26	19	0.89	749	0.236	<20	1.61	0.154	0.78	0.4	<0.01	0.5	<0.05	7.7	<0.5	7	<0.2
1403045	Rock	1.07	0.064	26	18	0.96	735	0.226	<20	1.66	0.165	0.76	0.3	<0.01	0.5	<0.05	7.3	<0.5	7	<0.2
1403046	Rock	0.89	0.065	28	18	0.93	753	0.229	<20	1.58	0.152	0.75	0.3	<0.01	0.5	<0.05	6.5	<0.5	7	<0.2
1403047	Rock	1.02	0.063	31	18	0.94	688	0.208	<20	1.60	0.155	0.70	0.4	<0.01	0.5	<0.05	7.5	<0.5	7	<0.2
1403048	Rock	1.34	0.073	21	19	1.17	927	0.236	<20	1.77	0.145	0.79	0.3	<0.01	0.5	<0.05	8.5	<0.5	7	<0.2
1403049	Rock	0.94	0.066	28	19	0.99	822	0.249	<20	1.69	0.185	0.85	0.4	<0.01	0.5	<0.05	6.3	<0.5	7	<0.2
1403050	Rock	1.67	0.067	26	16	0.81	701	0.192	<20	1.62	0.112	0.70	0.4	<0.01	0.5	<0.05	7.9	<0.5	6	<0.2
1403051	Rock	1.05	0.066	25	17	0.82	637	0.181	<20	1.59	0.144	0.65	0.3	<0.01	0.4	<0.05	7.5	<0.5	6	<0.2
1403052	Rock	0.96	0.064	27	20	0.93	778	0.220	<20	1.63	0.167	0.77	0.3	<0.01	0.5	<0.05	7.4	<0.5	6	<0.2
1403053	Rock	1.81	0.063	25	18	1.06	716	0.140	<20	1.84	0.089	0.59	0.3	0.02	0.4	<0.05	10.0	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 24, 2012

CERTIFICATE OF ANALYSIS WHI12000249.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403054	Rock	1.70	<2	1.2	10.2	4.6	60	<0.1	5.2	11.7	815	3.60	13.0	1.1	<0.5	15.9	92	<0.1	0.3	<0.1	98
1403055	Rock	1.54	<2	1.2	8.3	5.0	58	<0.1	5.3	11.0	836	3.24	5.6	1.0	<0.5	18.1	86	<0.1	0.3	<0.1	85
1403056	Rock	1.68	3	1.0	11.0	4.8	62	<0.1	5.5	11.7	946	3.54	9.4	1.3	<0.5	19.5	105	<0.1	0.2	<0.1	98
1403057	Rock	1.68	<2	1.8	10.5	11.0	54	<0.1	5.5	10.0	688	2.97	3.5	1.0	1.8	16.5	73	0.1	0.2	<0.1	84
1403058	Rock	1.71	<2	1.5	6.8	4.9	53	<0.1	6.0	10.1	728	2.89	3.5	1.1	0.8	25.3	82	<0.1	0.3	<0.1	83
1403059	Rock	1.79	<2	1.4	6.9	5.5	56	<0.1	4.6	10.7	747	2.99	2.3	1.4	<0.5	21.8	77	<0.1	0.3	<0.1	82
1403060	Rock Pulp	0.12	<2	2.4	25.3	2.4	44	0.2	24.0	10.5	404	2.40	4.4	0.3	<0.5	1.1	39	0.2	0.3	<0.1	62
1403061	Rock Pulp	0.12	4044	10.0	73.6	498.0	1498	52.6	31.9	8.6	412	3.31	31.1	0.4	3688	1.3	35	17.3	50.1	1.0	57
1403062	Rock	1.72	2	1.2	7.0	5.7	61	<0.1	5.2	11.2	765	3.20	1.6	1.6	2.0	16.9	91	<0.1	0.4	<0.1	89
1403063	Rock	1.83	<2	1.1	7.3	4.9	57	<0.1	5.0	10.5	791	3.12	2.4	2.1	4.6	16.5	113	<0.1	0.4	<0.1	85
1403064	Rock	1.76	<2	1.2	12.0	4.3	63	<0.1	5.9	12.1	729	3.42	1.9	2.4	0.9	17.1	103	<0.1	0.5	<0.1	91
1403065	Rock	1.50	<2	1.7	10.2	4.6	59	<0.1	5.0	10.5	751	3.06	2.3	2.5	0.6	16.1	95	<0.1	0.5	<0.1	79
1403066	Rock	1.70	8	1.7	10.0	4.7	56	<0.1	4.8	10.7	741	3.17	37.8	2.7	7.1	14.4	109	<0.1	0.8	<0.1	72
1403067	Rock	1.72	<2	1.7	10.3	4.2	58	<0.1	4.9	10.6	741	3.04	5.1	2.3	1.2	15.4	102	<0.1	0.8	<0.1	76
1403068	Rock	1.61	<2	1.7	10.0	4.3	55	<0.1	6.5	10.7	654	3.14	5.0	2.7	<0.5	13.6	97	<0.1	0.9	<0.1	78
1403069	Rock	1.35	19	1.9	10.8	15.5	80	<0.1	5.5	10.4	692	3.22	41.1	4.5	11.3	16.2	109	0.3	1.0	<0.1	71
1403070	Rock	2.20	6	1.6	20.0	14.6	58	0.3	6.2	8.8	681	2.91	209.5	4.7	5.6	11.5	120	0.1	0.7	1.0	46
1403071	Rock	1.72	<2	1.7	14.7	18.6	65	0.5	5.0	9.4	764	3.11	155.9	5.0	1.7	11.3	118	0.1	0.6	1.5	55
1403072	Rock	1.53	<2	1.9	12.5	15.8	63	0.3	5.1	8.4	656	2.95	41.1	4.8	1.1	10.9	107	0.1	0.7	1.1	51
1403073	Rock	1.78	<2	1.0	7.7	17.5	63	<0.1	4.3	7.8	676	2.80	9.0	5.3	0.7	12.9	103	0.3	0.9	0.2	53
1403074	Rock	0.68	<2	1.0	10.6	14.3	77	0.1	4.3	7.8	670	2.53	76.5	6.5	3.1	10.6	94	0.4	0.5	0.8	39
1403075	Rock	0.93	<2	1.1	8.2	14.2	80	0.1	4.2	8.3	699	2.73	81.1	6.8	1.4	10.7	99	0.5	0.4	0.7	44
1403076	Rock	1.75	6	1.8	7.3	20.4	63	0.2	3.0	7.2	981	2.44	110.6	10.4	7.7	11.3	162	0.2	0.6	0.4	29
1403077	Rock	1.74	2	2.2	9.6	21.6	60	0.3	3.9	7.2	645	2.55	15.2	2.8	1.5	13.3	106	0.1	0.7	0.7	43
1403078	Rock	1.58	<2	1.0	4.6	6.9	47	<0.1	3.5	8.1	757	2.45	3.7	2.7	0.8	14.5	166	0.1	0.9	0.1	54
1403079	Rock	1.65	18	1.3	5.1	6.9	47	<0.1	3.6	8.1	783	2.52	165.9	4.9	10.9	17.5	143	0.1	0.9	<0.1	52
1403080	Rock Pulp	0.12	3	2.3	25.6	2.5	43	0.3	24.1	10.7	409	2.43	5.1	0.3	1.0	1.0	41	0.3	0.3	<0.1	62
1403081	Rock Pulp	0.12	1350	9.0	51.4	6.7	54	0.3	32.7	9.2	497	3.37	7.4	0.3	1644	1.1	45	0.2	1.0	0.1	69
1403082	Rock	1.32	<2	1.9	5.0	5.2	53	<0.1	4.4	9.2	623	2.89	116.6	3.5	2.5	19.8	108	<0.1	0.8	<0.1	70
1403083	Rock	1.89	25	1.7	5.2	8.1	49	<0.1	4.3	8.1	711	2.60	394.2	4.6	29.5	18.6	96	0.1	1.3	<0.1	54

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 24, 2012

CERTIFICATE OF ANALYSIS WHI12000249.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1403054	Rock	1.43	0.064	28	17	1.12	740	0.184	<20	1.86	0.121	0.75	0.3	0.02	0.5	<0.05	12.0	<0.5	7	<0.2
1403055	Rock	1.60	0.061	31	17	0.99	619	0.156	<20	1.70	0.091	0.61	0.2	0.01	0.4	<0.05	10.8	<0.5	7	<0.2
1403056	Rock	1.80	0.061	28	16	1.23	658	0.161	<20	1.88	0.089	0.66	0.2	<0.01	0.4	<0.05	12.7	<0.5	8	<0.2
1403057	Rock	1.12	0.054	21	18	0.93	732	0.188	<20	1.65	0.148	0.67	0.3	0.01	0.4	<0.05	9.1	<0.5	6	<0.2
1403058	Rock	1.22	0.050	24	17	0.95	617	0.153	<20	1.45	0.110	0.58	0.3	<0.01	0.4	<0.05	9.0	<0.5	6	<0.2
1403059	Rock	1.23	0.052	24	15	0.98	540	0.126	<20	1.52	0.067	0.53	0.2	0.02	0.3	<0.05	9.3	0.5	7	<0.2
1403060	Rock Pulp	0.81	0.058	4	31	0.78	95	0.122	<20	1.52	0.079	0.13	12.8	<0.01	<0.1	<0.05	4.5	<0.5	5	<0.2
1403061	Rock Pulp	0.68	0.053	6	28	0.58	110	0.111	<20	1.16	0.077	0.11	2.5	0.24	1.1	0.36	4.3	<0.5	6	0.2
1403062	Rock	1.36	0.055	27	17	1.07	568	0.147	<20	1.66	0.075	0.61	0.1	0.02	0.4	<0.05	11.0	<0.5	7	<0.2
1403063	Rock	1.52	0.055	30	15	1.03	602	0.158	<20	1.64	0.088	0.65	0.2	0.05	0.4	<0.05	10.4	<0.5	7	<0.2
1403064	Rock	1.27	0.060	26	22	1.11	641	0.173	<20	1.73	0.085	0.72	0.2	0.03	0.5	<0.05	12.2	<0.5	7	<0.2
1403065	Rock	1.39	0.055	28	16	0.93	586	0.161	<20	1.47	0.093	0.67	0.2	0.02	0.5	<0.05	10.6	<0.5	6	<0.2
1403066	Rock	1.43	0.055	25	14	0.93	568	0.128	<20	1.40	0.077	0.57	0.2	0.02	0.4	<0.05	10.9	<0.5	6	<0.2
1403067	Rock	1.41	0.058	26	14	0.82	645	0.158	<20	1.40	0.090	0.65	0.2	0.02	0.4	<0.05	11.0	<0.5	6	<0.2
1403068	Rock	1.25	0.062	23	15	0.81	711	0.150	<20	1.35	0.085	0.64	0.2	<0.01	0.5	<0.05	11.1	<0.5	6	<0.2
1403069	Rock	1.88	0.056	25	12	0.75	594	0.113	<20	1.32	0.041	0.64	0.2	0.03	0.5	<0.05	12.1	<0.5	5	<0.2
1403070	Rock	2.10	0.068	24	8	0.47	523	0.065	<20	1.09	0.040	0.47	0.3	0.01	0.3	<0.05	8.1	<0.5	4	<0.2
1403071	Rock	1.81	0.069	24	8	0.57	706	0.100	<20	1.21	0.048	0.54	0.3	<0.01	0.4	<0.05	9.7	<0.5	5	<0.2
1403072	Rock	1.51	0.068	20	9	0.51	637	0.092	<20	1.27	0.069	0.49	0.2	<0.01	0.4	<0.05	8.0	<0.5	5	<0.2
1403073	Rock	2.39	0.061	23	6	0.83	272	0.023	<20	0.81	0.007	0.36	0.3	0.01	0.3	<0.05	10.5	<0.5	3	<0.2
1403074	Rock	2.14	0.064	19	5	0.69	343	0.003	<20	0.74	0.007	0.27	0.1	0.03	0.2	<0.05	9.3	<0.5	3	<0.2
1403075	Rock	2.23	0.067	20	6	0.73	327	0.004	<20	0.72	0.006	0.27	0.1	0.02	0.2	<0.05	10.2	<0.5	3	<0.2
1403076	Rock	3.70	0.072	26	4	0.53	876	0.034	<20	0.95	0.016	0.34	0.1	0.05	0.4	<0.05	5.2	<0.5	4	<0.2
1403077	Rock	1.25	0.066	24	8	0.70	384	0.056	<20	1.15	0.049	0.38	0.1	0.09	0.4	<0.05	5.4	<0.5	5	<0.2
1403078	Rock	1.93	0.041	22	10	0.99	313	0.051	<20	0.97	0.037	0.32	0.2	0.04	0.2	<0.05	7.5	<0.5	5	<0.2
1403079	Rock	2.16	0.045	24	10	0.82	347	0.067	<20	0.97	0.036	0.38	0.4	0.04	0.3	<0.05	7.8	<0.5	4	<0.2
1403080	Rock Pulp	0.82	0.057	4	31	0.78	100	0.125	<20	1.54	0.081	0.14	12.6	0.01	<0.1	<0.05	4.7	<0.5	5	<0.2
1403081	Rock Pulp	0.86	0.062	5	36	0.84	114	0.133	<20	1.71	0.098	0.16	0.2	0.09	<0.1	<0.05	5.2	<0.5	6	<0.2
1403082	Rock	1.00	0.050	25	15	0.81	515	0.142	<20	1.21	0.071	0.62	0.3	0.05	0.5	<0.05	9.1	<0.5	5	<0.2
1403083	Rock	1.58	0.049	24	13	0.75	391	0.102	<20	0.95	0.055	0.49	0.6	0.04	0.4	<0.05	7.7	<0.5	4	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 24, 2012

CERTIFICATE OF ANALYSIS WHI12000249.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403084	Rock	1.90	231	1.4	6.3	9.9	47	0.2	3.5	8.2	727	2.41	1607	9.5	81.2	15.5	118	0.2	4.1	<0.1	38
1403085	Rock	1.74	4	1.1	4.6	8.7	48	<0.1	3.9	8.2	666	2.51	225.1	5.2	8.3	15.3	120	0.2	0.9	<0.1	50
1403086	Rock	1.48	12	0.9	8.3	11.9	48	<0.1	3.2	7.7	661	2.37	229.2	4.6	14.1	18.4	97	0.1	1.1	<0.1	44
1403087	Rock	1.68	<2	1.6	4.2	6.9	50	<0.1	4.0	8.2	661	2.62	7.8	4.5	2.1	18.8	87	<0.1	0.6	<0.1	62
1403088	Rock	1.67	<2	2.2	5.3	5.2	47	<0.1	5.1	8.4	648	2.68	17.8	5.6	2.1	18.8	84	<0.1	0.4	<0.1	68
1403089	Rock	1.80	<2	1.8	5.2	6.0	50	<0.1	4.9	8.7	665	2.77	12.3	5.1	1.4	16.6	96	<0.1	0.4	<0.1	72
1403090	Rock	1.50	9	2.0	6.4	7.5	50	<0.1	4.5	8.4	699	2.71	114.8	8.4	8.0	28.5	86	0.1	0.6	<0.1	63
1403091	Rock	1.62	14	1.5	5.5	6.0	48	<0.1	3.8	8.2	757	2.69	181.5	5.5	17.9	21.3	114	0.1	0.7	<0.1	62
1403092	Rock	1.76	17	1.2	4.1	8.0	42	<0.1	4.0	8.6	845	2.38	206.7	7.5	15.9	17.3	174	0.1	0.5	<0.1	43
1403093	Rock	1.86	51	1.0	5.1	7.4	46	0.1	3.8	9.1	871	2.51	380.3	6.2	34.0	15.7	139	0.3	0.8	<0.1	45
1403094	Rock	1.39	2	2.0	15.4	6.5	50	<0.1	6.8	6.9	569	2.42	16.0	2.3	<0.5	11.7	23	0.2	0.5	0.1	46
1403095	Rock	0.58	<2	1.7	9.4	3.4	50	<0.1	4.1	6.5	512	2.38	5.3	3.4	<0.5	13.9	17	<0.1	0.2	<0.1	47
1403096	Rock	1.54	3	1.3	6.0	4.2	50	<0.1	4.0	6.4	557	2.56	10.0	2.9	<0.5	13.0	22	<0.1	0.3	<0.1	48
1403097	Rock	1.01	<2	2.3	8.7	3.3	49	<0.1	6.0	6.7	549	2.51	5.1	2.9	<0.5	12.4	21	<0.1	0.4	<0.1	48
1403098	Rock	1.43	<2	1.7	7.2	3.4	48	<0.1	4.8	6.6	554	2.47	3.6	2.7	<0.5	12.7	26	<0.1	0.5	<0.1	47
1403099	Rock	1.87	<2	1.9	8.1	3.9	48	<0.1	5.3	6.3	542	2.43	3.6	3.8	<0.5	13.3	23	<0.1	0.5	<0.1	45
1403100	Rock Pulp	0.11	<2	2.3	23.6	2.1	41	0.2	24.6	9.9	387	2.34	4.9	0.2	<0.5	0.8	37	0.1	0.2	<0.1	57
1403101	Rock Pulp	0.12	3722	9.7	71.4	499.8	1562	52.2	32.9	8.6	410	3.24	30.8	0.3	2793	1.1	32	15.8	39.8	0.8	53
1403102	Rock	1.48	<2	2.1	6.9	3.3	50	<0.1	5.0	6.6	544	2.51	2.4	3.3	2.1	11.4	22	<0.1	0.2	<0.1	49
1403103	Rock	1.53	11	1.6	6.5	12.1	69	0.1	4.8	6.8	601	2.46	59.4	3.6	7.2	11.9	33	0.8	1.3	<0.1	39
1403104	Rock	1.47	<2	2.0	6.2	4.8	51	<0.1	5.3	6.4	535	2.48	9.1	3.5	0.7	12.2	26	<0.1	0.8	<0.1	44
1403105	Rock	1.38	<2	1.9	6.3	3.8	47	<0.1	4.9	6.4	540	2.53	4.9	4.5	<0.5	12.7	27	<0.1	0.6	<0.1	45
1403106	Rock	1.28	<2	2.0	6.0	3.1	51	<0.1	4.9	6.5	535	2.59	2.0	3.4	<0.5	13.8	25	<0.1	0.2	<0.1	50
1403107	Rock	1.49	4	1.8	6.4	3.3	51	<0.1	5.1	6.7	524	2.48	2.0	3.2	<0.5	13.4	24	<0.1	0.3	<0.1	46
1403108	Rock	1.43	<2	1.6	7.5	4.0	47	<0.1	4.5	5.9	556	2.31	49.3	4.4	7.6	12.4	61	<0.1	1.1	<0.1	32
1403109	Rock	1.65	12	2.1	4.1	21.4	136	0.6	2.7	5.8	845	2.22	434.7	3.1	18.4	12.0	116	4.0	1.4	0.2	12
1403110	Rock	1.52	24	2.0	5.3	10.5	60	0.2	3.9	7.2	685	2.39	26.0	3.8	4.6	12.1	78	0.8	0.7	0.1	29
1403111	Rock	1.91	4	2.1	5.5	3.7	51	<0.1	5.0	6.3	525	2.47	11.0	3.5	<0.5	12.4	29	0.2	0.2	<0.1	46
1403112	Rock	1.59	7	3.5	7.5	2.6	45	<0.1	4.6	6.1	509	2.40	2.2	2.9	<0.5	14.5	23	<0.1	0.3	<0.1	47
1403113	Rock	1.81	<2	2.1	5.2	2.7	49	<0.1	4.4	6.4	520	2.49	2.1	3.2	<0.5	14.1	23	<0.1	0.4	<0.1	49

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 24, 2012

CERTIFICATE OF ANALYSIS WHI12000249.1

		Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
		Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1403084	Rock		2.17	0.046	21	9	0.66	254	0.043	<20	0.59	0.027	0.32	0.4	0.01	0.2	0.19	6.6	<0.5	3	<0.2
1403085	Rock		1.97	0.047	21	11	0.71	372	0.054	<20	0.75	0.024	0.32	0.3	0.02	0.2	0.05	7.7	<0.5	3	<0.2
1403086	Rock		2.05	0.046	24	8	0.76	288	0.032	<20	0.69	0.010	0.27	0.2	<0.01	0.2	<0.05	8.3	<0.5	3	<0.2
1403087	Rock		1.47	0.047	25	13	0.75	395	0.100	<20	0.99	0.041	0.47	0.3	0.02	0.4	<0.05	8.6	<0.5	5	<0.2
1403088	Rock		1.13	0.048	25	17	0.74	489	0.142	<20	1.23	0.108	0.60	0.4	0.05	0.5	<0.05	7.7	<0.5	5	<0.2
1403089	Rock		1.19	0.048	25	17	0.82	492	0.123	<20	1.22	0.079	0.53	0.3	0.03	0.4	<0.05	9.0	<0.5	6	<0.2
1403090	Rock		1.57	0.047	21	16	0.83	360	0.091	<20	1.14	0.070	0.45	0.6	0.02	0.3	0.13	7.4	<0.5	5	<0.2
1403091	Rock		1.73	0.046	22	13	0.92	369	0.087	<20	1.01	0.050	0.44	0.4	0.05	0.3	0.10	8.3	0.7	5	<0.2
1403092	Rock		2.45	0.041	19	10	0.88	386	0.036	<20	0.89	0.032	0.30	0.3	0.05	0.2	0.25	5.7	<0.5	4	<0.2
1403093	Rock		2.24	0.043	18	9	0.93	367	0.038	<20	0.97	0.037	0.32	0.3	0.05	0.2	0.28	6.3	<0.5	4	<0.2
1403094	Rock		0.39	0.051	26	15	0.55	459	0.159	<20	1.06	0.086	0.51	1.1	<0.01	0.5	<0.05	4.2	<0.5	5	<0.2
1403095	Rock		0.36	0.054	30	10	0.63	535	0.199	<20	0.99	0.066	0.63	1.8	<0.01	0.5	<0.05	3.5	<0.5	5	<0.2
1403096	Rock		0.46	0.054	28	10	0.63	492	0.180	<20	1.08	0.086	0.60	1.4	<0.01	0.4	<0.05	4.1	<0.5	5	<0.2
1403097	Rock		0.49	0.056	26	16	0.61	486	0.184	<20	1.00	0.072	0.60	1.4	<0.01	0.5	<0.05	4.0	<0.5	5	<0.2
1403098	Rock		0.61	0.055	28	10	0.62	476	0.176	<20	1.04	0.083	0.57	1.2	<0.01	0.5	<0.05	4.4	<0.5	5	<0.2
1403099	Rock		0.65	0.055	29	14	0.61	429	0.160	<20	0.97	0.066	0.51	1.1	<0.01	0.4	<0.05	4.7	<0.5	5	<0.2
1403100	Rock Pulp		0.78	0.060	4	30	0.75	93	0.114	<20	1.51	0.074	0.13	11.7	0.01	<0.1	<0.05	4.5	<0.5	5	<0.2
1403101	Rock Pulp		0.68	0.053	5	29	0.58	110	0.103	<20	1.18	0.073	0.10	2.0	0.19	1.0	0.34	4.3	0.7	6	<0.2
1403102	Rock		0.51	0.056	23	14	0.63	468	0.193	<20	1.03	0.083	0.56	1.4	<0.01	0.4	<0.05	3.7	<0.5	5	<0.2
1403103	Rock		1.10	0.056	27	12	0.55	359	0.114	<20	0.90	0.062	0.43	0.9	<0.01	0.3	<0.05	4.2	<0.5	4	<0.2
1403104	Rock		0.70	0.058	25	14	0.57	413	0.154	<20	1.00	0.086	0.50	0.9	<0.01	0.4	<0.05	4.2	<0.5	5	<0.2
1403105	Rock		0.62	0.054	29	13	0.59	442	0.173	<20	1.04	0.088	0.53	1.2	<0.01	0.4	<0.05	4.1	<0.5	5	<0.2
1403106	Rock		0.50	0.057	30	14	0.62	527	0.206	<20	1.10	0.099	0.66	1.4	<0.01	0.5	<0.05	4.0	<0.5	5	<0.2
1403107	Rock		0.58	0.055	31	13	0.59	495	0.179	<20	1.04	0.086	0.62	1.0	<0.01	0.5	<0.05	4.2	<0.5	5	<0.2
1403108	Rock		1.06	0.050	28	13	0.52	312	0.088	<20	0.79	0.060	0.36	0.9	0.01	0.3	<0.05	4.8	<0.5	4	<0.2
1403109	Rock		2.50	0.061	16	5	0.70	149	0.013	<20	0.45	0.031	0.37	0.6	0.09	0.2	0.40	3.4	<0.5	2	<0.2
1403110	Rock		1.56	0.057	23	9	0.66	349	0.106	<20	0.72	0.051	0.50	1.0	0.04	0.3	0.31	3.0	<0.5	3	<0.2
1403111	Rock		0.55	0.057	26	14	0.60	528	0.194	<20	1.06	0.102	0.64	1.3	<0.01	0.5	<0.05	3.6	<0.5	5	<0.2
1403112	Rock		0.49	0.056	34	13	0.60	549	0.209	<20	1.04	0.087	0.66	1.3	<0.01	0.5	<0.05	3.7	<0.5	5	<0.2
1403113	Rock		0.60	0.057	32	13	0.62	475	0.187	<20	1.03	0.083	0.58	1.5	<0.01	0.4	<0.05	4.1	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 24, 2012

CERTIFICATE OF ANALYSIS WHI12000249.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403114	Rock	1.63	10	1.6	5.2	8.1	54	0.2	4.3	6.9	611	2.66	197.0	8.3	12.1	13.0	36	0.2	1.4	<0.1	43
1403115	Rock	1.92	222	1.4	9.2	135.3	92	2.5	3.3	5.4	871	2.15	3391	29.0	208.1	9.8	61	2.0	16.1	<0.1	18
1403116	Rock	2.04	217	1.4	10.6	31.0	88	2.6	2.8	5.0	1016	2.07	2848	36.4	185.1	8.6	94	2.0	7.6	<0.1	15
1403117	Rock	2.23	26	2.0	8.7	12.4	61	0.5	4.9	6.6	589	2.48	458.0	10.7	30.2	13.4	27	0.5	2.0	<0.1	46
1403118	Rock	1.82	42	2.0	9.0	26.6	102	1.0	4.0	6.5	587	2.46	544.9	7.9	42.4	11.8	33	1.7	3.5	<0.1	39
1403119	Rock	1.98	209	1.8	9.7	279.3	289	2.7	3.6	5.4	867	2.08	1834	14.2	167.6	9.4	57	10.0	38.4	<0.1	19
1403120	Rock Pulp	0.11	<2	2.5	25.0	2.5	44	0.7	23.9	10.4	392	2.37	7.0	0.2	4.0	0.9	36	0.3	0.2	<0.1	56
1403121	Rock Pulp	0.12	1430	8.7	48.5	5.5	50	0.2	33.3	9.4	469	3.18	7.2	0.3	678.4	1.0	40	0.1	0.7	0.1	62
1403122	Rock	1.71	8	2.2	8.2	7.6	55	<0.1	4.1	6.8	563	2.54	45.1	4.1	14.6	12.9	27	0.2	1.8	<0.1	45
1403123	Rock	1.60	3	2.2	6.0	3.9	49	<0.1	4.5	6.4	512	2.43	11.8	2.6	4.8	11.8	21	<0.1	1.1	<0.1	46
1403124	Rock	0.87	11	2.9	8.4	54.5	118	0.6	4.8	6.8	568	2.66	129.3	3.7	11.7	11.9	22	2.3	3.4	<0.1	49
1403125	Rock	0.76	6	2.2	7.4	34.2	93	0.5	4.6	7.2	581	2.73	91.0	4.7	7.8	12.1	25	1.5	2.8	<0.1	50
1403126	Rock	1.63	3	2.3	6.3	3.4	50	<0.1	4.8	6.7	518	2.52	3.6	2.6	1.0	12.5	20	<0.1	0.8	<0.1	49
1403127	Rock	1.61	3	2.5	7.0	3.5	51	<0.1	5.0	7.1	558	2.60	2.5	3.3	2.6	12.6	23	<0.1	0.7	<0.1	51
1403128	Rock	1.96	<2	2.4	6.6	2.6	50	<0.1	4.9	6.8	524	2.54	1.4	3.0	0.9	12.4	24	<0.1	0.2	<0.1	51
1403129	Rock	1.75	3	2.3	6.2	2.3	50	<0.1	4.7	7.0	538	2.58	1.4	4.4	1.1	11.5	25	<0.1	0.1	<0.1	52
1403130	Rock	1.88	3	2.3	6.6	2.3	49	<0.1	4.9	6.7	524	2.52	1.2	3.5	<0.5	13.3	25	<0.1	0.2	<0.1	51
1403131	Rock	1.55	3	2.4	6.4	2.5	50	<0.1	4.7	7.0	549	2.62	1.1	3.3	1.3	11.6	25	<0.1	0.2	<0.1	52
1403132	Rock	1.62	3	3.4	7.0	2.5	50	<0.1	4.7	7.0	535	2.58	1.8	3.1	<0.5	11.9	25	<0.1	0.1	<0.1	52
1403133	Rock	1.41	2	2.5	6.3	2.9	52	<0.1	5.2	7.3	562	2.70	1.1	2.9	1.6	12.1	26	<0.1	0.2	<0.1	52
1403134	Rock	1.38	45	1.7	5.3	12.0	60	0.2	3.5	7.4	728	2.51	1046	7.1	53.6	11.3	92	0.4	3.9	<0.1	24
1403135	Rock	1.64	13	2.9	6.1	4.1	50	<0.1	4.6	6.9	553	2.56	301.6	3.3	12.6	12.1	35	<0.1	0.9	<0.1	44
1403136	Rock	1.56	<2	2.4	6.2	3.0	48	<0.1	5.2	7.0	549	2.56	16.4	2.9	1.7	11.1	25	<0.1	0.2	<0.1	49
1403137	Rock	1.48	<2	2.5	6.6	2.7	49	<0.1	5.2	6.9	542	2.61	2.7	3.5	<0.5	13.1	26	<0.1	0.1	<0.1	50
1403138	Rock	1.75	<2	2.4	6.5	2.5	50	<0.1	4.2	6.9	546	2.61	2.2	3.6	0.9	12.0	24	<0.1	<0.1	<0.1	51
1403139	Rock	1.44	3	2.4	7.4	3.0	52	<0.1	4.8	7.1	559	2.70	1.6	2.9	0.5	11.5	27	<0.1	0.1	<0.1	51
1403140	Rock Pulp	0.12	<2	2.4	26.0	2.2	42	0.2	24.4	10.7	407	2.42	4.6	0.2	0.8	0.8	37	0.1	0.2	<0.1	59
1403141	Rock Pulp	0.11	3716	10.3	73.5	466.8	1595	55.2	31.9	9.0	401	3.25	30.7	0.3	3011	1.1	31	16.6	39.5	0.8	54
1403142	Rock	1.73	<2	2.1	6.8	2.8	53	<0.1	4.8	7.1	567	2.67	1.3	3.0	3.6	9.6	34	<0.1	0.8	<0.1	48
1403143	Rock	2.11	3	1.5	5.0	5.6	52	<0.1	3.7	6.8	534	2.60	20.8	4.6	3.1	12.7	45	<0.1	2.5	<0.1	37

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 24, 2012

CERTIFICATE OF ANALYSIS WHI12000249.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1403114	Rock	1.51	0.058	30	13	0.64	252	0.086	<20	1.09	0.049	0.31	0.9	<0.01	0.2	0.12	5.5	<0.5	5	<0.2
1403115	Rock	3.76	0.057	16	9	0.31	155	0.019	<20	0.73	0.032	0.25	1.2	0.02	0.2	0.62	3.2	<0.5	3	<0.2
1403116	Rock	4.74	0.049	13	8	0.28	134	0.017	<20	0.63	0.031	0.22	1.5	0.02	0.1	0.62	2.9	<0.5	2	<0.2
1403117	Rock	0.94	0.057	30	12	0.59	467	0.170	<20	1.03	0.074	0.59	1.9	<0.01	0.4	0.11	4.0	<0.5	5	<0.2
1403118	Rock	1.22	0.056	25	11	0.57	359	0.122	<20	0.98	0.057	0.46	1.6	0.01	0.3	0.21	4.0	<0.5	4	<0.2
1403119	Rock	3.70	0.048	16	8	0.30	160	0.026	<20	0.65	0.034	0.25	1.5	0.05	0.2	0.63	3.7	<0.5	3	<0.2
1403120	Rock Pulp	0.77	0.060	4	29	0.76	93	0.108	<20	1.50	0.073	0.13	12.2	0.01	<0.1	<0.05	4.2	<0.5	5	<0.2
1403121	Rock Pulp	0.79	0.059	4	34	0.80	104	0.119	<20	1.67	0.092	0.14	0.3	0.06	<0.1	<0.05	4.9	<0.5	6	<0.2
1403122	Rock	0.84	0.056	30	13	0.66	319	0.143	<20	1.05	0.062	0.37	1.5	<0.01	0.3	<0.05	4.1	<0.5	5	<0.2
1403123	Rock	0.47	0.056	27	14	0.59	495	0.203	<20	1.06	0.091	0.59	1.7	<0.01	0.5	<0.05	3.6	<0.5	5	<0.2
1403124	Rock	0.87	0.058	27	15	0.65	403	0.160	<20	1.08	0.071	0.49	1.2	0.02	0.4	0.07	4.8	<0.5	5	<0.2
1403125	Rock	0.83	0.061	27	15	0.67	452	0.176	<20	1.14	0.085	0.52	1.2	<0.01	0.4	0.06	4.9	<0.5	5	<0.2
1403126	Rock	0.48	0.061	29	14	0.62	492	0.206	<20	1.08	0.086	0.59	1.7	<0.01	0.4	<0.05	3.8	<0.5	5	<0.2
1403127	Rock	0.58	0.059	28	16	0.64	469	0.201	<20	1.09	0.097	0.58	1.5	<0.01	0.4	<0.05	3.9	<0.5	5	<0.2
1403128	Rock	0.48	0.057	28	15	0.61	510	0.209	<20	1.13	0.111	0.67	1.5	<0.01	0.5	<0.05	3.8	<0.5	5	<0.2
1403129	Rock	0.47	0.061	27	14	0.63	531	0.220	<20	1.16	0.119	0.74	1.6	<0.01	0.6	<0.05	4.1	<0.5	5	<0.2
1403130	Rock	0.51	0.059	28	15	0.62	512	0.213	<20	1.11	0.102	0.70	1.7	<0.01	0.5	<0.05	3.7	<0.5	5	<0.2
1403131	Rock	0.50	0.059	24	16	0.64	526	0.207	<20	1.15	0.111	0.71	1.5	<0.01	0.6	<0.05	4.3	<0.5	5	<0.2
1403132	Rock	0.47	0.060	25	15	0.64	554	0.214	<20	1.16	0.116	0.71	1.6	<0.01	0.6	<0.05	4.1	<0.5	5	<0.2
1403133	Rock	0.49	0.060	27	16	0.68	527	0.208	<20	1.17	0.110	0.66	1.8	<0.01	0.5	<0.05	4.0	<0.5	5	<0.2
1403134	Rock	2.18	0.056	26	10	0.62	250	0.050	<20	0.67	0.040	0.34	0.9	0.05	0.3	0.39	4.0	<0.5	3	<0.2
1403135	Rock	0.80	0.060	28	16	0.63	452	0.155	<20	1.01	0.078	0.55	1.3	<0.01	0.4	0.09	4.4	<0.5	5	<0.2
1403136	Rock	0.59	0.060	26	16	0.65	486	0.189	<20	1.08	0.089	0.62	1.6	<0.01	0.5	<0.05	3.6	<0.5	5	<0.2
1403137	Rock	0.59	0.059	31	17	0.64	517	0.196	<20	1.12	0.103	0.65	1.4	<0.01	0.5	<0.05	4.1	<0.5	5	<0.2
1403138	Rock	0.62	0.061	28	16	0.66	542	0.202	<20	1.09	0.091	0.66	1.3	<0.01	0.5	<0.05	4.0	<0.5	5	<0.2
1403139	Rock	0.57	0.060	28	17	0.70	540	0.198	<20	1.14	0.108	0.64	1.6	<0.01	0.5	<0.05	4.3	<0.5	5	<0.2
1403140	Rock Pulp	0.82	0.062	4	31	0.78	92	0.120	<20	1.54	0.075	0.13	11.9	0.02	<0.1	<0.05	4.4	<0.5	5	<0.2
1403141	Rock Pulp	0.68	0.054	5	28	0.59	105	0.103	<20	1.18	0.073	0.11	2.0	0.21	1.0	0.35	4.0	<0.5	6	<0.2
1403142	Rock	0.79	0.060	29	14	0.61	520	0.169	<20	1.14	0.101	0.67	0.9	0.02	0.5	<0.05	6.2	<0.5	5	<0.2
1403143	Rock	1.49	0.053	29	11	0.54	362	0.116	<20	1.05	0.048	0.50	0.9	0.05	0.4	0.06	4.4	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 24, 2012

CERTIFICATE OF ANALYSIS WHI12000249.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403144	Rock	1.78	<2	2.4	5.7	2.4	50	<0.1	4.9	7.0	543	2.57	1.2	3.1	2.5	12.1	24	<0.1	<0.1	<0.1	51
1403145	Rock	1.78	<2	2.1	6.9	2.3	49	<0.1	4.9	6.8	542	2.59	1.3	2.9	2.4	12.1	24	<0.1	<0.1	<0.1	51
1403146	Rock	1.60	<2	2.7	7.1	2.5	49	<0.1	5.3	7.0	549	2.55	0.8	3.1	1.4	13.6	27	<0.1	<0.1	<0.1	50
1403147	Rock	1.87	<2	2.5	6.3	2.4	52	<0.1	5.2	6.8	522	2.55	1.6	2.9	1.3	13.2	23	<0.1	<0.1	<0.1	50
1403148	Rock	2.04	<2	2.9	7.1	2.5	52	<0.1	5.7	6.9	552	2.71	1.0	3.1	0.8	11.7	26	<0.1	0.1	<0.1	52
1403149	Rock	1.71	3	3.3	7.3	2.4	49	<0.1	4.8	6.8	539	2.58	2.0	2.8	0.9	12.4	22	<0.1	0.3	<0.1	50
1403150	Rock	1.47	<2	2.1	6.6	2.4	51	<0.1	4.8	7.0	552	2.66	1.7	2.9	1.3	12.1	25	<0.1	0.1	<0.1	52
1403151	Rock	1.92	<2	2.9	5.9	2.3	48	<0.1	4.9	6.7	513	2.52	0.9	2.8	0.8	13.7	24	<0.1	<0.1	<0.1	50
1403152	Rock	1.35	<2	2.3	6.3	2.3	47	<0.1	5.0	6.8	533	2.60	1.1	2.9	<0.5	11.4	24	<0.1	0.1	<0.1	50
1403153	Rock	1.69	<2	2.2	9.5	2.7	48	<0.1	4.2	6.7	507	2.51	1.7	3.7	1.0	12.1	24	<0.1	0.2	<0.1	49
1403154	Rock	1.61	<2	2.3	7.7	2.4	49	<0.1	4.9	6.6	505	2.55	1.0	4.2	1.0	11.2	24	<0.1	0.1	<0.1	51
1403155	Rock	1.83	<2	2.4	7.4	2.3	48	<0.1	4.4	6.8	504	2.48	0.7	3.6	<0.5	12.1	23	<0.1	<0.1	<0.1	49
1403156	Rock	2.05	<2	2.3	7.4	2.5	45	<0.1	4.3	6.6	496	2.44	0.8	2.5	1.3	10.4	24	<0.1	<0.1	<0.1	48
1403157	Rock	1.27	<2	2.0	8.0	3.3	46	<0.1	4.4	6.4	494	2.50	1.8	2.9	1.1	14.2	23	<0.1	0.2	<0.1	47
1403158	Rock	2.37	<2	4.0	7.0	3.1	47	<0.1	5.0	6.5	502	2.50	1.2	2.2	0.9	11.7	24	<0.1	0.1	<0.1	48
1403159	Rock	2.30	<2	2.5	7.1	2.4	50	<0.1	4.6	6.7	513	2.54	1.0	2.2	1.2	12.6	22	<0.1	0.1	<0.1	50

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 24, 2012

CERTIFICATE OF ANALYSIS WHI12000249.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1403144	Rock	0.50	0.058	28	15	0.63	548	0.207	<20	1.14	0.107	0.72	1.6	<0.01	0.5	<0.05	3.8	<0.5	5	<0.2
1403145	Rock	0.49	0.060	30	18	0.62	526	0.214	<20	1.13	0.102	0.69	2.0	<0.01	0.5	<0.05	3.7	<0.5	5	<0.2
1403146	Rock	0.52	0.060	34	18	0.61	520	0.206	<20	1.13	0.115	0.70	1.8	<0.01	0.5	<0.05	4.0	<0.5	5	<0.2
1403147	Rock	0.49	0.060	33	17	0.62	526	0.215	<20	1.11	0.098	0.70	2.2	<0.01	0.6	<0.05	3.5	<0.5	5	<0.2
1403148	Rock	0.53	0.060	25	18	0.63	517	0.211	<20	1.15	0.115	0.67	1.7	<0.01	0.5	<0.05	3.9	<0.5	5	<0.2
1403149	Rock	0.61	0.062	28	19	0.63	487	0.205	<20	1.08	0.088	0.63	1.7	<0.01	0.5	<0.05	3.5	<0.5	5	<0.2
1403150	Rock	0.52	0.061	28	16	0.64	539	0.216	<20	1.17	0.113	0.71	1.8	<0.01	0.5	<0.05	3.9	<0.5	5	<0.2
1403151	Rock	0.48	0.060	33	18	0.60	509	0.209	<20	1.10	0.101	0.67	1.9	<0.01	0.5	<0.05	3.4	<0.5	5	<0.2
1403152	Rock	0.52	0.058	25	15	0.61	510	0.208	<20	1.12	0.105	0.67	1.9	<0.01	0.5	<0.05	3.6	<0.5	5	<0.2
1403153	Rock	0.52	0.060	27	13	0.59	512	0.205	<20	1.09	0.096	0.65	2.3	<0.01	0.5	<0.05	3.4	<0.5	5	<0.2
1403154	Rock	0.49	0.059	26	16	0.61	526	0.209	<20	1.14	0.106	0.69	1.9	<0.01	0.5	<0.05	3.5	<0.5	5	<0.2
1403155	Rock	0.49	0.059	26	16	0.60	523	0.202	<20	1.10	0.096	0.66	2.0	<0.01	0.5	<0.05	3.6	<0.5	5	<0.2
1403156	Rock	0.50	0.059	28	14	0.58	490	0.199	<20	1.08	0.097	0.62	2.2	<0.01	0.5	<0.05	3.4	<0.5	5	<0.2
1403157	Rock	0.63	0.055	29	14	0.60	390	0.171	<20	1.10	0.086	0.48	2.0	<0.01	0.3	<0.05	3.3	<0.5	5	<0.2
1403158	Rock	0.56	0.058	27	17	0.60	452	0.188	<20	1.11	0.100	0.54	4.7	<0.01	0.4	<0.05	3.5	<0.5	5	<0.2
1403159	Rock	0.52	0.060	31	16	0.61	492	0.202	<20	1.13	0.098	0.60	2.1	<0.01	0.5	<0.05	3.5	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 24, 2012

QUALITY CONTROL REPORT WHI12000249.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1403024	Rock	2.91	<2	1.9	22.9	5.3	49	<0.1	5.7	9.4	542	2.86	12.7	0.8	<0.5	17.7	37	<0.1	0.2	<0.1	77
REP 1403024	QC		2	2.0	22.9	5.4	51	<0.1	6.3	9.4	547	2.85	12.8	0.9	<0.5	17.2	37	<0.1	0.2	<0.1	78
1403058	Rock	1.71	<2	1.5	6.8	4.9	53	<0.1	6.0	10.1	728	2.89	3.5	1.1	0.8	25.3	82	<0.1	0.3	<0.1	83
REP 1403058	QC		<2																		
1403059	Rock	1.79	<2	1.4	6.9	5.5	56	<0.1	4.6	10.7	747	2.99	2.3	1.4	<0.5	21.8	77	<0.1	0.3	<0.1	82
REP 1403059	QC			1.2	6.9	5.8	54	<0.1	4.6	10.7	752	3.00	2.3	1.4	<0.5	22.7	76	<0.1	0.3	<0.1	80
1403092	Rock	1.76	17	1.2	4.1	8.0	42	<0.1	4.0	8.6	845	2.38	206.7	7.5	15.9	17.3	174	0.1	0.5	<0.1	43
REP 1403092	QC		18																		
1403094	Rock	1.39	2	2.0	15.4	6.5	50	<0.1	6.8	6.9	569	2.42	16.0	2.3	<0.5	11.7	23	0.2	0.5	0.1	46
REP 1403094	QC			2.2	14.6	6.2	49	<0.1	7.0	6.9	568	2.41	15.3	2.1	<0.5	11.1	23	0.1	0.4	0.1	46
1403126	Rock	1.63	3	2.3	6.3	3.4	50	<0.1	4.8	6.7	518	2.52	3.6	2.6	1.0	12.5	20	<0.1	0.8	<0.1	49
REP 1403126	QC		4																		
1403144	Rock	1.78	<2	2.4	5.7	2.4	50	<0.1	4.9	7.0	543	2.57	1.2	3.1	2.5	12.1	24	<0.1	<0.1	<0.1	51
REP 1403144	QC			2.5	5.8	2.4	50	<0.1	4.7	6.9	532	2.57	1.0	3.2	1.4	11.8	25	<0.1	<0.1	<0.1	51
Core Reject Duplicates																					
1403034	Rock	1.49	<2	1.6	16.5	6.2	59	<0.1	6.0	11.8	762	3.27	25.4	2.4	<0.5	17.2	49	<0.1	0.6	<0.1	81
DUP 1403034	QC		<2	1.4	15.4	6.1	58	<0.1	5.7	11.4	726	3.28	25.4	2.3	<0.5	16.3	49	<0.1	0.5	<0.1	81
1403069	Rock	1.35	19	1.9	10.8	15.5	80	<0.1	5.5	10.4	692	3.22	41.1	4.5	11.3	16.2	109	0.3	1.0	<0.1	71
DUP 1403069	QC		14	1.7	9.0	14.4	71	<0.1	5.1	9.8	633	2.95	43.3	4.3	12.2	15.8	100	0.3	1.0	0.1	69
1403104	Rock	1.47	<2	2.0	6.2	4.8	51	<0.1	5.3	6.4	535	2.48	9.1	3.5	0.7	12.2	26	<0.1	0.8	<0.1	44
DUP 1403104	QC		4	1.8	5.9	7.2	52	<0.1	5.0	6.5	522	2.43	9.0	3.7	2.5	11.8	24	0.2	0.7	<0.1	43
1403139	Rock	1.44	3	2.4	7.4	3.0	52	<0.1	4.8	7.1	559	2.70	1.6	2.9	0.5	11.5	27	<0.1	0.1	<0.1	51
DUP 1403139	QC		<2	2.1	6.9	3.1	49	<0.1	4.4	6.8	552	2.57	1.4	3.1	0.6	11.0	26	<0.1	0.2	<0.1	50
Reference Materials																					
STD DS9	Standard			13.1	110.6	127.2	304	1.8	41.4	8.0	574	2.32	26.0	2.7	97.9	6.6	72	2.5	4.6	7.1	42
STD DS9	Standard			12.4	121.3	133.7	324	2.2	43.0	8.2	610	2.51	26.9	2.8	113.8	6.8	74	2.6	4.4	7.1	43
STD DS9	Standard			11.9	115.0	120.2	319	1.8	42.0	7.9	577	2.40	28.9	2.9	115.7	6.2	67	2.5	3.8	6.1	40
STD DS9	Standard			13.7	113.8	121.2	317	1.8	41.4	7.9	597	2.38	27.6	2.5	117.8	6.0	68	2.5	3.7	6.2	40

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 24, 2012

QUALITY CONTROL REPORT WHI12000249.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
1403024	Rock	0.52	0.064	25	16	0.76	626	0.236	<20	1.43	0.133	0.59	0.6	<0.01	0.5	<0.05	4.8	<0.5	6	<0.2
REP 1403024	QC	0.52	0.063	24	16	0.76	619	0.236	<20	1.44	0.132	0.59	0.5	<0.01	0.5	<0.05	4.7	<0.5	6	<0.2
1403058	Rock	1.22	0.050	24	17	0.95	617	0.153	<20	1.45	0.110	0.58	0.3	<0.01	0.4	<0.05	9.0	<0.5	6	<0.2
REP 1403058	QC																			
1403059	Rock	1.23	0.052	24	15	0.98	540	0.126	<20	1.52	0.067	0.53	0.2	0.02	0.3	<0.05	9.3	0.5	7	<0.2
REP 1403059	QC	1.23	0.051	24	15	0.99	530	0.126	<20	1.55	0.068	0.53	0.2	0.01	0.3	<0.05	9.4	<0.5	7	<0.2
1403092	Rock	2.45	0.041	19	10	0.88	386	0.036	<20	0.89	0.032	0.30	0.3	0.05	0.2	0.25	5.7	<0.5	4	<0.2
REP 1403092	QC																			
1403094	Rock	0.39	0.051	26	15	0.55	459	0.159	<20	1.06	0.086	0.51	1.1	<0.01	0.5	<0.05	4.2	<0.5	5	<0.2
REP 1403094	QC	0.39	0.052	23	16	0.54	460	0.155	<20	1.07	0.085	0.51	1.1	<0.01	0.4	<0.05	4.1	<0.5	5	<0.2
1403126	Rock	0.48	0.061	29	14	0.62	492	0.206	<20	1.08	0.086	0.59	1.7	<0.01	0.4	<0.05	3.8	<0.5	5	<0.2
REP 1403126	QC																			
1403144	Rock	0.50	0.058	28	15	0.63	548	0.207	<20	1.14	0.107	0.72	1.6	<0.01	0.5	<0.05	3.8	<0.5	5	<0.2
REP 1403144	QC	0.49	0.059	27	16	0.64	557	0.211	<20	1.13	0.109	0.72	1.6	<0.01	0.6	<0.05	4.0	<0.5	5	<0.2
Core Reject Duplicates																				
1403034	Rock	1.60	0.069	31	16	0.66	541	0.157	<20	1.34	0.069	0.54	0.3	<0.01	0.3	<0.05	8.9	<0.5	6	<0.2
DUP 1403034	QC	1.61	0.069	30	16	0.66	537	0.155	<20	1.34	0.071	0.54	0.3	<0.01	0.3	<0.05	8.8	<0.5	6	<0.2
1403069	Rock	1.88	0.056	25	12	0.75	594	0.113	<20	1.32	0.041	0.64	0.2	0.03	0.5	<0.05	12.1	<0.5	5	<0.2
DUP 1403069	QC	1.76	0.053	25	11	0.71	547	0.101	<20	1.17	0.033	0.59	0.2	0.03	0.4	<0.05	10.9	<0.5	5	<0.2
1403104	Rock	0.70	0.058	25	14	0.57	413	0.154	<20	1.00	0.086	0.50	0.9	<0.01	0.4	<0.05	4.2	<0.5	5	<0.2
DUP 1403104	QC	0.70	0.056	24	13	0.57	408	0.146	<20	0.96	0.073	0.49	1.0	<0.01	0.4	<0.05	4.1	<0.5	5	<0.2
1403139	Rock	0.57	0.060	28	17	0.70	540	0.198	<20	1.14	0.108	0.64	1.6	<0.01	0.5	<0.05	4.3	<0.5	5	<0.2
DUP 1403139	QC	0.55	0.059	26	15	0.68	529	0.195	<20	1.12	0.099	0.63	2.1	<0.01	0.5	<0.05	4.1	<0.5	5	<0.2
Reference Materials																				
STD DS9	Standard	0.70	0.082	13	120	0.62	330	0.111	<20	0.95	0.084	0.40	2.7	0.18	5.5	0.18	2.5	5.5	5	5.3
STD DS9	Standard	0.75	0.086	14	126	0.65	335	0.118	<20	1.00	0.089	0.42	2.8	0.23	6.1	0.18	2.6	5.2	5	5.6
STD DS9	Standard	0.71	0.086	11	123	0.63	311	0.104	<20	0.94	0.079	0.41	2.8	0.22	5.6	0.17	2.2	5.6	5	4.9
STD DS9	Standard	0.73	0.087	12	125	0.63	321	0.110	<20	0.97	0.085	0.41	2.9	0.21	5.6	0.17	2.5	5.8	5	4.8

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 24, 2012

QUALITY CONTROL REPORT WHI12000249.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
STD OREAS45CA	Standard			0.8	507.5	21.1	63	0.3	249.1	93.7	947	16.04	3.6	1.3	40.3	7.5	15	0.1	0.1	0.2	211
STD OREAS45CA	Standard			0.9	540.8	23.8	68	0.4	263.7	102.4	986	18.43	3.8	1.4	45.8	8.6	16	<0.1	0.1	0.2	233
STD OREAS45CA	Standard			0.9	516.3	19.9	60	0.2	258.2	98.5	963	17.00	3.5	1.2	44.0	7.0	15	0.1	0.1	0.2	217
STD OREAS45CA	Standard			0.8	500.2	19.3	59	0.3	245.8	92.4	940	16.76	3.4	1.2	37.2	6.9	14	<0.1	<0.1	0.2	212
STD OXD87	Standard		406																		
STD OXD87	Standard		411																		
STD OXD87	Standard		425																		
STD OXD87	Standard		401																		
STD OXD87	Standard		429																		
STD OXD87	Standard		415																		
STD OXG99	Standard		947																		
STD OXG99	Standard		937																		
STD OXG99	Standard		949																		
STD OXG99	Standard		934																		
STD OXG99	Standard		941																		
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OXD87 Expected			417																		
STD OXG99 Expected			932																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	1.2	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	0.6	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 24, 2012

QUALITY CONTROL REPORT WHI12000249.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD OREAS45CA	Standard	0.43	0.039	17	717	0.14	167	0.143	<20	3.74	0.015	0.08	<0.1	0.04	<0.1	<0.05	44.4	0.7	19	<0.2
STD OREAS45CA	Standard	0.47	0.043	19	777	0.15	183	0.154	<20	4.04	0.007	0.08	<0.1	0.03	0.1	<0.05	49.4	<0.5	21	<0.2
STD OREAS45CA	Standard	0.42	0.038	16	805	0.12	170	0.140	<20	3.79	0.007	0.08	<0.1	0.03	<0.1	<0.05	44.8	<0.5	19	<0.2
STD OREAS45CA	Standard	0.42	0.039	16	782	0.13	171	0.131	<20	3.55	0.008	0.07	<0.1	0.02	<0.1	<0.05	43.9	<0.5	18	<0.2
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OXD87 Expected																				
STD OXG99 Expected																				
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 24, 2012

QUALITY CONTROL REPORT WHI12000249.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		3																		
BLK	Blank		3																		
Prep Wash																					
G1-WHI	Prep Blank		<2	0.4	5.1	3.4	57	<0.1	4.0	4.8	617	2.10	<0.5	1.9	<0.5	7.2	74	<0.1	<0.1	<0.1	41
G1-WHI	Prep Blank		<2	0.1	3.3	3.2	51	<0.1	2.7	4.4	612	2.06	<0.5	2.1	<0.5	6.4	71	<0.1	<0.1	<0.1	41

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 24, 2012

QUALITY CONTROL REPORT WHI12000249.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
G1-WHI	Prep Blank	0.51	0.088	16	6	0.54	175	0.144	<20	0.95	0.101	0.51	<0.1	<0.01	0.4	<0.05	2.5	<0.5	5	<0.2
G1-WHI	Prep Blank	0.52	0.082	14	4	0.52	169	0.139	<20	0.95	0.092	0.49	<0.1	<0.01	0.3	<0.05	2.4	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 09, 2012
Report Date: August 01, 2012
Page: 1 of 2

CERTIFICATE OF ANALYSIS WHI12000250.2

CLIENT JOB INFORMATION

Project: BET
Shipment ID: BET007
P.O. Number
Number of Samples: 24

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	22	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	24	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	24	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000250.2

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403160	Rock Pulp	0.12	2	2.6	25.0	2.6	42	0.2	23.0	10.6	393	2.31	4.2	0.2	0.9	0.9	37	0.1	0.2	<0.1	54
1403161	Rock Pulp	0.12	1416	8.3	48.9	6.2	50	0.3	31.9	9.3	461	3.01	6.2	0.3	888.2	1.0	39	0.2	0.9	0.1	59
1403162	Rock	1.65	<2	2.5	10.3	8.4	50	<0.1	4.4	6.9	537	2.57	3.7	2.4	0.8	12.8	28	<0.1	0.3	<0.1	45
1403163	Rock	1.79	<2	2.2	8.7	4.1	51	<0.1	4.2	6.4	504	2.42	0.9	2.6	<0.5	13.0	22	<0.1	0.3	<0.1	43
1403164	Rock	1.91	<2	2.3	7.5	5.4	49	<0.1	4.4	6.7	503	2.42	3.3	3.2	<0.5	13.1	24	<0.1	0.8	<0.1	42
1403165	Rock	1.75	<2	2.6	7.4	5.2	54	<0.1	4.8	6.8	517	2.46	1.1	3.4	<0.5	13.9	27	<0.1	0.6	<0.1	42
1403166	Rock	1.80	<2	2.9	7.5	2.9	51	<0.1	5.4	6.6	503	2.45	2.2	3.7	<0.5	13.3	24	<0.1	0.1	<0.1	47
1403167	Rock	2.20	<2	2.6	7.3	3.5	52	<0.1	5.0	6.6	513	2.46	0.7	3.0	<0.5	14.0	24	<0.1	0.2	<0.1	47
1403168	Rock	1.87	<2	2.6	10.9	3.5	52	<0.1	5.4	7.1	521	2.59	2.9	3.0	<0.5	14.4	25	<0.1	0.2	<0.1	48
1403169	Rock	1.61	<2	2.5	9.8	3.2	51	<0.1	4.6	6.9	527	2.57	<0.5	3.3	<0.5	15.0	28	<0.1	0.1	<0.1	50
1403170	Rock	2.05	<2	2.9	8.3	2.9	51	<0.1	5.3	6.9	518	2.54	1.7	3.9	<0.5	16.1	25	<0.1	0.1	<0.1	49
1403171	Rock	1.45	<2	3.1	8.1	3.0	51	<0.1	5.2	6.6	528	2.57	0.8	3.9	<0.5	13.5	29	<0.1	0.1	<0.1	49
1403172	Rock	2.35	<2	2.7	7.7	2.9	50	<0.1	4.5	6.4	508	2.44	1.2	4.4	0.6	16.1	23	<0.1	<0.1	<0.1	46
1403173	Rock	2.34	<2	2.7	8.4	3.0	50	<0.1	4.6	6.5	503	2.44	<0.5	4.0	<0.5	16.3	24	<0.1	0.1	<0.1	47
1403174	Rock	1.31	6	3.1	10.2	2.7	50	<0.1	5.0	6.7	515	2.46	1.5	4.8	<0.5	14.4	25	<0.1	<0.1	<0.1	48
1403175	Rock	0.61	3	2.9	10.0	2.8	49	<0.1	4.7	6.6	509	2.46	<0.5	4.6	<0.5	13.9	26	<0.1	<0.1	<0.1	47
1403176	Rock	1.73	4	2.3	13.0	3.1	50	<0.1	4.5	6.6	527	2.58	1.6	2.6	<0.5	14.2	26	<0.1	<0.1	<0.1	48
1403177	Rock	1.22	5	2.4	10.9	2.9	48	<0.1	4.0	6.6	527	2.40	<0.5	2.6	<0.5	13.0	24	<0.1	<0.1	<0.1	47
1403178	Rock	2.00	5	2.5	8.8	3.2	46	<0.1	4.5	6.1	565	2.39	1.4	1.7	<0.5	11.8	24	<0.1	<0.1	<0.1	43
1403179	Rock	1.79	5	2.7	7.4	3.5	48	<0.1	4.4	6.3	554	2.37	<0.5	2.6	<0.5	14.3	26	<0.1	<0.1	<0.1	45
1403180	Rock Pulp	0.12	4	2.4	27.0	2.6	45	0.2	25.0	11.5	416	2.48	4.7	0.3	1.1	1.1	41	0.2	0.2	<0.1	59
1403181	Rock Pulp	0.12	4150	10.2	75.2	504.2	1623	55.0	32.0	9.0	417	3.26	32.1	0.4	3855	1.2	35	16.8	46.5	1.2	53
1403182	Rock	1.68	8	2.5	6.8	3.5	50	<0.1	4.6	6.9	538	2.57	1.4	3.0	1.8	14.9	27	<0.1	<0.1	<0.1	47
1403183	Rock	2.40	<2	2.2	7.0	3.2	48	<0.1	3.8	6.3	502	2.36	0.6	3.7	1.6	15.7	28	<0.1	<0.1	<0.1	46

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

CERTIFICATE OF ANALYSIS WHI12000250.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1403160	Rock Pulp	0.74	0.061	4	29	0.74	95	0.104	<20	1.45	0.071	0.12	11.9	0.02	<0.1	<0.05	4.4	<0.5	5	<0.2
1403161	Rock Pulp	0.74	0.058	4	32	0.76	101	0.113	<20	1.59	0.087	0.13	0.2	0.06	<0.1	<0.05	4.6	<0.5	5	<0.2
1403162	Rock	0.68	0.057	30	17	0.62	379	0.170	<20	1.20	0.106	0.42	1.9	<0.01	0.3	<0.05	3.6	<0.5	6	<0.2
1403163	Rock	0.62	0.058	28	15	0.60	322	0.164	<20	1.06	0.071	0.36	2.3	<0.01	0.3	<0.05	3.1	0.7	5	<0.2
1403164	Rock	0.87	0.057	30	17	0.61	258	0.157	<20	1.11	0.076	0.27	1.7	<0.01	0.2	<0.05	3.4	<0.5	6	<0.2
1403165	Rock	0.69	0.060	31	18	0.63	295	0.153	<20	1.08	0.072	0.32	1.7	<0.01	0.2	<0.05	3.5	<0.5	5	<0.2
1403166	Rock	0.51	0.059	31	18	0.59	493	0.200	<20	1.07	0.097	0.54	1.9	<0.01	0.4	<0.05	3.4	<0.5	5	<0.2
1403167	Rock	0.57	0.062	32	18	0.60	465	0.200	<20	1.09	0.099	0.51	2.0	<0.01	0.4	<0.05	3.8	<0.5	6	<0.2
1403168	Rock	0.53	0.064	33	18	0.59	499	0.211	<20	1.10	0.106	0.57	3.0	<0.01	0.4	<0.05	3.9	<0.5	5	<0.2
1403169	Rock	0.52	0.061	35	17	0.61	547	0.216	<20	1.18	0.119	0.62	2.1	<0.01	0.5	<0.05	4.0	<0.5	6	<0.2
1403170	Rock	0.49	0.060	36	19	0.60	529	0.212	<20	1.12	0.103	0.63	1.9	<0.01	0.5	<0.05	3.9	<0.5	6	<0.2
1403171	Rock	0.52	0.059	30	20	0.61	528	0.211	<20	1.19	0.131	0.65	1.7	<0.01	0.5	<0.05	4.1	<0.5	6	<0.2
1403172	Rock	0.47	0.057	34	18	0.57	500	0.210	<20	1.08	0.099	0.62	2.4	<0.01	0.5	<0.05	3.3	<0.5	5	<0.2
1403173	Rock	0.47	0.057	29	17	0.57	509	0.204	<20	1.07	0.104	0.62	2.4	<0.01	0.5	<0.05	3.6	<0.5	5	<0.2
1403174	Rock	0.48	0.058	31	20	0.58	522	0.212	<20	1.11	0.106	0.65	2.4	<0.01	0.5	<0.05	3.6	<0.5	5	<0.2
1403175	Rock	0.49	0.059	30	19	0.59	518	0.215	<20	1.11	0.115	0.65	2.1	<0.01	0.5	<0.05	3.8	<0.5	5	<0.2
1403176	Rock	0.49	0.056	32	17	0.59	512	0.212	<20	1.15	0.115	0.66	2.3	<0.01	0.6	<0.05	3.6	<0.5	5	<0.2
1403177	Rock	0.47	0.054	31	14	0.58	494	0.209	<20	1.11	0.109	0.63	2.4	<0.01	0.6	<0.05	3.9	<0.5	5	<0.2
1403178	Rock	0.45	0.051	28	17	0.53	468	0.194	<20	1.04	0.107	0.60	2.3	<0.01	0.5	<0.05	4.1	<0.5	5	<0.2
1403179	Rock	0.48	0.050	29	18	0.55	488	0.197	<20	1.10	0.123	0.62	2.0	<0.01	0.6	<0.05	3.9	<0.5	5	<0.2
1403180	Rock Pulp	0.83	0.064	4	32	0.80	105	0.126	<20	1.60	0.080	0.13	13.2	0.01	<0.1	<0.05	4.7	<0.5	5	<0.2
1403181	Rock Pulp	0.68	0.055	6	29	0.59	112	0.108	<20	1.19	0.076	0.10	2.1	0.22	1.1	0.35	4.6	<0.5	6	0.2
1403182	Rock	0.48	0.055	32	18	0.58	536	0.209	<20	1.13	0.116	0.64	2.4	<0.01	0.5	<0.05	3.7	<0.5	6	<0.2
1403183	Rock	0.49	0.053	31	16	0.57	524	0.207	<20	1.10	0.119	0.62	2.3	<0.01	0.5	<0.05	3.5	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

QUALITY CONTROL REPORT WHI12000250.2

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
REP G1-WHI	QC		<2																		
1403166	Rock	1.80	<2	2.9	7.5	2.9	51	<0.1	5.4	6.6	503	2.45	2.2	3.7	<0.5	13.3	24	<0.1	0.1	<0.1	47
REP 1403166	QC			2.8	6.9	3.0	49	<0.1	4.9	6.6	490	2.39	2.4	3.1	<0.5	13.3	23	<0.1	0.2	<0.1	46
Reference Materials																					
STD DS9	Standard			13.2	118.6	129.6	320	1.8	41.7	7.9	568	2.35	25.6	2.8	173.8	6.7	73	2.8	4.2	7.5	39
STD OREAS45CA	Standard			0.9	501.4	21.9	63	0.3	247.3	98.0	959	16.92	3.5	1.4	42.8	7.9	15	0.1	0.1	0.2	212
STD OXD87	Standard		406																		
STD OXD87	Standard		412																		
STD OXG99	Standard		947																		
STD OXG99	Standard		957																		
STD OXG99	Standard		940																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
STD OXD87 Expected			417																		
STD OXG99 Expected			932																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		6																		
Prep Wash																					
G1-WHI	Prep Blank			<0.1	3.4	3.5	47	<0.1	3.1	4.0	564	1.90	4.1	1.6	1.0	5.6	62	<0.1	<0.1	<0.1	36
G1-WHI	Prep Blank		<2	<0.1	2.6	3.6	44	<0.1	4.0	4.1	547	1.92	<0.5	1.8	0.7	6.1	66	<0.1	<0.1	<0.1	35
G1-WHI	Prep Blank		<2																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 01, 2012

QUALITY CONTROL REPORT WHI12000250.2

		Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
		Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																					
REP G1-WHI	QC																				
1403166	Rock		0.51	0.059	31	18	0.59	493	0.200	<20	1.07	0.097	0.54	1.9	<0.01	0.4	<0.05	3.4	<0.5	5	<0.2
REP 1403166	QC		0.50	0.059	30	18	0.57	473	0.191	<20	1.06	0.094	0.53	1.9	<0.01	0.4	<0.05	3.4	<0.5	5	<0.2
Reference Materials																					
STD DS9	Standard		0.71	0.087	13	120	0.62	323	0.114	<20	0.94	0.084	0.41	3.2	0.21	5.6	0.17	2.4	6.0	5	5.3
STD OREAS45CA	Standard		0.45	0.039	17	729	0.14	170	0.139	<20	3.67	0.008	0.07	<0.1	0.04	<0.1	<0.05	44.0	<0.5	20	<0.2
STD OXD87	Standard																				
STD OXD87	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD DS9 Expected			0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45CA Expected			0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
STD OXD87 Expected																					
STD OXG99 Expected																					
BLK	Blank		<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
Prep Wash																					
G1-WHI	Prep Blank		0.45	0.078	11	11	0.49	169	0.123	<20	0.90	0.084	0.47	<0.1	<0.01	0.3	<0.05	2.4	<0.5	5	<0.2
G1-WHI	Prep Blank		0.49	0.083	12	13	0.52	173	0.125	<20	0.92	0.099	0.48	<0.1	<0.01	0.3	<0.05	2.4	<0.5	5	<0.2
G1-WHI	Prep Blank																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 12, 2012
Report Date: July 31, 2012
Page: 1 of 5

CERTIFICATE OF ANALYSIS WHI12000313.2

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 116

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	102	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	112	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	112	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Version 2 : Sample weight included.

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI12000313.2

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403184	Rock	1.04	12	1.2	15.2	5.1	43	<0.1	7.6	8.9	809	2.51	27.9	2.1	1.3	10.3	49	0.1	0.4	0.1	64
1403185	Rock	1.05	3	2.7	31.6	7.0	63	<0.1	9.7	13.9	921	3.48	47.0	2.9	1.3	11.1	54	<0.1	0.7	0.1	87
1403186	Rock	1.93	2	2.5	14.1	10.7	26	<0.1	5.2	3.7	498	1.38	37.1	11.0	1.6	16.0	16	<0.1	0.7	<0.1	20
1403187	Rock	1.76	<2	2.2	13.2	11.7	18	<0.1	2.3	1.9	1015	1.23	27.3	9.6	<0.5	18.4	10	0.1	0.7	<0.1	10
1403188	Rock	2.27	<2	2.4	8.2	21.7	13	<0.1	2.2	1.6	1911	1.01	41.5	8.3	2.2	18.5	12	0.2	1.0	<0.1	8
1403189	Rock	0.92	6	1.6	7.2	11.4	11	<0.1	1.8	1.1	377	0.82	20.8	9.8	1.4	17.9	10	<0.1	0.5	<0.1	5
1403190	Rock	1.63	4	1.6	9.0	15.4	17	<0.1	2.0	1.2	329	0.88	26.2	7.0	0.7	18.0	11	<0.1	0.6	<0.1	5
1403191	Rock	1.23	<2	1.8	12.8	17.6	17	<0.1	1.9	1.3	361	0.95	26.5	6.5	<0.5	20.7	9	<0.1	0.7	<0.1	5
1403192	Rock	1.81	<2	2.0	9.7	15.5	12	<0.1	1.9	0.8	318	0.79	21.9	9.9	0.8	18.2	10	<0.1	1.0	<0.1	3
1403193	Rock	1.84	180	1.2	13.8	15.6	16	<0.1	1.9	1.1	279	0.72	22.0	7.3	13.8	17.0	13	<0.1	0.6	<0.1	3
1403194	Rock	1.49	5	0.7	8.9	16.4	24	<0.1	1.6	1.3	227	0.92	24.3	4.0	<0.5	19.1	9	<0.1	0.7	0.1	6
1403195	Rock	1.58	<2	1.7	12.4	13.2	17	<0.1	3.0	0.9	100	0.68	14.1	7.6	2.2	19.3	7	<0.1	0.7	0.1	2
1403196	Rock	1.78	3	1.4	8.8	13.8	33	<0.1	2.9	0.7	73	0.62	13.1	13.3	2.4	14.0	10	<0.1	0.4	<0.1	<2
1403197	Rock	1.68	6	1.1	13.6	23.0	41	0.2	3.5	1.0	93	0.74	26.8	4.8	55.1	17.3	10	<0.1	0.9	<0.1	6
1403198	Rock	1.58	3	0.9	8.3	11.8	23	0.1	2.6	0.7	88	0.68	24.0	6.7	2.2	15.8	7	<0.1	0.9	<0.1	5
1403199	Rock	1.88	5	0.9	20.3	9.5	80	<0.1	8.1	17.8	794	3.98	36.8	2.8	<0.5	9.4	67	0.3	1.3	<0.1	76
1403200	Rock Pulp	0.13	5	2.3	23.7	2.4	43	0.3	22.9	9.9	399	2.44	5.3	0.2	<0.5	0.9	42	0.2	0.2	<0.1	61
1403201	Rock Pulp	0.13	3674	8.9	66.4	471.1	1557	53.3	30.7	8.2	406	3.31	33.9	0.3	4040	1.1	38	16.6	49.0	1.1	55
1403202	Rock	2.01	7	1.1	27.4	6.8	78	<0.1	8.9	19.2	781	4.13	25.1	2.4	1.3	11.4	63	0.2	0.7	<0.1	91
1403203	Rock	1.87	<2	0.8	23.0	5.8	80	<0.1	7.9	19.8	744	4.25	31.2	1.9	4.2	10.4	61	<0.1	0.8	<0.1	84
1403204	Rock	1.78	3	0.9	33.8	5.3	91	0.1	9.3	23.6	910	5.46	28.4	1.9	2.0	10.1	39	0.1	0.6	<0.1	121
1403205	Rock	1.61	<2	0.7	19.3	4.4	87	<0.1	9.4	21.9	969	4.87	15.5	1.8	1.8	8.9	49	0.1	0.4	<0.1	99
1403206	Rock	1.54	3	0.7	24.7	4.2	82	<0.1	7.9	19.7	899	4.53	18.5	2.0	1.2	9.5	45	0.1	0.4	<0.1	91
1403207	Rock	1.51	<2	0.5	17.1	3.6	65	<0.1	6.6	15.5	744	3.58	14.7	3.2	2.3	16.4	43	0.1	0.5	<0.1	67
1403208	Rock	1.47	<2	0.5	21.8	3.6	59	0.1	6.0	14.9	779	3.59	11.1	2.8	<0.5	11.5	37	0.2	0.4	<0.1	69
1403209	Rock	1.01	<2	0.6	17.4	3.2	69	<0.1	7.2	15.9	734	3.71	9.9	2.4	1.6	13.8	60	0.2	0.6	<0.1	77
1403210	Rock	1.40	<2	0.5	14.5	6.2	65	<0.1	5.6	14.8	656	3.46	16.0	3.7	1.0	11.0	46	0.3	0.4	<0.1	74
1403211	Rock	1.36	4	0.9	17.4	8.3	62	<0.1	7.0	12.8	713	3.29	22.1	5.8	<0.5	16.2	34	0.2	0.8	<0.1	63
1403212	Rock	0.43	<2	0.7	16.8	4.7	60	<0.1	5.6	14.3	566	3.28	20.1	2.5	1.4	9.6	50	0.1	0.9	<0.1	70
1403213	Rock	1.59	<2	0.8	17.4	4.4	66	<0.1	7.6	15.9	716	3.78	14.5	2.2	0.6	11.0	55	<0.1	0.5	<0.1	78

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI12000313.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1403184	Rock	0.55	0.070	16	15	0.67	533	0.146	<20	1.30	0.120	0.46	0.9	0.02	0.3	<0.05	4.8	<0.5	4	<0.2
1403185	Rock	0.68	0.075	15	24	1.17	386	0.119	<20	1.69	0.080	0.33	0.8	0.01	0.2	<0.05	8.6	<0.5	6	<0.2
1403186	Rock	0.17	0.029	13	13	0.23	148	0.029	<20	0.59	0.041	0.18	1.5	<0.01	0.2	<0.05	3.5	<0.5	3	<0.2
1403187	Rock	0.09	0.014	15	5	0.12	163	0.024	<20	0.47	0.050	0.22	1.7	<0.01	0.3	<0.05	3.0	<0.5	3	<0.2
1403188	Rock	0.06	0.008	16	5	0.05	241	0.005	<20	0.31	0.043	0.14	2.6	<0.01	0.1	<0.05	2.4	<0.5	2	<0.2
1403189	Rock	0.05	0.007	13	4	0.04	82	0.005	<20	0.31	0.045	0.14	1.8	0.02	0.1	<0.05	1.9	<0.5	2	<0.2
1403190	Rock	0.05	0.006	13	4	0.04	79	0.002	<20	0.33	0.033	0.12	1.8	<0.01	<0.1	<0.05	1.8	<0.5	1	<0.2
1403191	Rock	0.05	0.008	16	5	0.05	95	0.003	<20	0.37	0.044	0.16	1.9	0.01	0.1	<0.05	2.1	<0.5	2	<0.2
1403192	Rock	0.05	0.006	12	6	0.03	81	<0.001	<20	0.28	0.044	0.13	1.7	0.01	<0.1	<0.05	1.5	<0.5	1	<0.2
1403193	Rock	0.05	0.006	14	5	0.04	81	<0.001	<20	0.32	0.039	0.14	1.5	<0.01	<0.1	<0.05	1.2	<0.5	1	<0.2
1403194	Rock	0.06	0.006	13	5	0.06	72	0.006	<20	0.40	0.038	0.15	1.4	<0.01	0.1	<0.05	2.0	<0.5	2	<0.2
1403195	Rock	0.05	0.003	7	9	0.04	40	<0.001	<20	0.32	0.053	0.12	1.1	<0.01	<0.1	<0.05	1.0	<0.5	1	<0.2
1403196	Rock	0.04	0.004	9	8	0.04	36	<0.001	<20	0.31	0.038	0.12	1.1	<0.01	<0.1	<0.05	1.1	<0.5	1	<0.2
1403197	Rock	0.07	0.022	12	7	0.04	59	<0.001	<20	0.37	0.037	0.15	1.8	0.01	<0.1	<0.05	1.1	<0.5	<1	<0.2
1403198	Rock	0.04	0.011	13	7	0.02	46	<0.001	<20	0.28	0.044	0.15	1.9	0.01	<0.1	<0.05	1.2	<0.5	<1	<0.2
1403199	Rock	0.90	0.095	14	25	1.59	73	0.074	<20	2.00	0.038	0.10	0.7	<0.01	<0.1	<0.05	9.8	<0.5	8	<0.2
1403200	Rock Pulp	0.81	0.066	4	30	0.79	101	0.112	<20	1.53	0.082	0.14	13.0	0.02	<0.1	<0.05	4.8	<0.5	5	<0.2
1403201	Rock Pulp	0.67	0.055	5	27	0.58	113	0.100	<20	1.19	0.081	0.11	2.2	0.24	1.1	0.35	4.7	<0.5	6	0.2
1403202	Rock	0.99	0.107	13	29	1.69	72	0.101	<20	2.07	0.042	0.07	0.6	<0.01	<0.1	<0.05	8.9	<0.5	8	<0.2
1403203	Rock	0.81	0.124	13	29	1.83	57	0.091	<20	2.03	0.038	0.05	0.7	<0.01	<0.1	<0.05	9.7	<0.5	7	<0.2
1403204	Rock	0.64	0.119	14	33	2.37	96	0.076	<20	2.57	0.036	0.07	0.3	<0.01	<0.1	<0.05	14.7	<0.5	9	<0.2
1403205	Rock	0.71	0.103	14	30	2.34	68	0.066	<20	2.57	0.032	0.06	0.2	<0.01	<0.1	<0.05	12.5	<0.5	9	<0.2
1403206	Rock	0.78	0.101	13	28	2.07	93	0.075	<20	2.35	0.036	0.08	0.3	<0.01	<0.1	<0.05	11.5	<0.5	8	<0.2
1403207	Rock	0.57	0.078	18	22	1.63	88	0.087	<20	1.84	0.042	0.07	0.4	<0.01	<0.1	<0.05	7.8	<0.5	6	<0.2
1403208	Rock	0.65	0.080	16	22	1.52	135	0.109	<20	1.82	0.049	0.09	0.3	<0.01	<0.1	<0.05	6.9	<0.5	6	<0.2
1403209	Rock	0.91	0.082	13	22	1.75	156	0.110	<20	1.93	0.045	0.07	0.4	<0.01	<0.1	<0.05	9.0	<0.5	7	<0.2
1403210	Rock	0.51	0.072	14	19	1.52	242	0.069	<20	1.79	0.053	0.10	0.2	<0.01	<0.1	<0.05	9.7	<0.5	7	<0.2
1403211	Rock	0.45	0.070	19	20	1.34	114	0.046	<20	1.69	0.044	0.13	0.5	0.01	<0.1	<0.05	8.9	<0.5	6	<0.2
1403212	Rock	0.51	0.071	14	19	1.38	91	0.044	<20	1.70	0.040	0.08	0.3	<0.01	<0.1	<0.05	10.3	<0.5	7	<0.2
1403213	Rock	0.64	0.085	12	22	1.70	183	0.087	<20	2.07	0.058	0.09	0.5	<0.01	<0.1	<0.05	8.1	<0.5	8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI12000313.2

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403214	Rock	1.46	<2	0.5	22.8	3.8	73	<0.1	7.3	18.1	771	4.30	12.9	2.3	1.1	9.0	41	<0.1	0.4	<0.1	104
1403215	Rock	1.38	4	0.6	22.1	3.6	63	<0.1	6.4	16.8	691	3.80	8.4	1.8	<0.5	7.9	48	0.1	0.4	<0.1	83
1403216	Rock	1.63	<2	1.2	18.3	4.1	60	<0.1	6.6	15.2	643	3.63	5.9	2.9	1.0	9.7	55	<0.1	0.3	<0.1	86
1403217	Rock	1.84	5	1.3	23.4	6.7	63	<0.1	7.8	17.5	743	3.78	12.7	3.1	1.3	14.0	68	<0.1	0.3	<0.1	93
1403218	Rock	1.73	3	3.0	45.7	8.5	36	0.1	4.7	9.7	383	2.45	15.5	3.3	1.3	13.5	34	<0.1	0.3	0.1	51
1403219	Rock	1.97	3	1.7	39.2	5.1	59	<0.1	8.9	19.2	617	4.00	19.7	2.6	1.6	9.8	84	<0.1	0.4	<0.1	132
1403220	Rock Pulp	0.13	8	2.6	26.6	2.3	43	0.3	24.6	11.2	402	2.40	4.5	0.2	1.6	0.9	40	0.2	0.3	<0.1	60
1403221	Rock Pulp	0.13	3986	9.8	73.7	464.3	1548	53.9	33.0	9.1	415	3.29	31.1	0.4	4719	1.1	34	16.6	45.0	1.0	56
1403222	Rock	2.15	<2	1.7	33.1	5.0	54	<0.1	7.7	15.4	522	3.52	11.3	1.8	2.8	9.1	92	<0.1	0.2	<0.1	118
1403223	Rock	2.06	9	1.4	34.8	6.0	63	<0.1	7.3	17.7	614	3.85	10.9	2.5	2.7	9.6	80	0.1	0.4	0.1	121
1403224	Rock	0.96	5	1.3	28.4	5.7	54	<0.1	6.8	15.7	570	3.36	13.9	2.4	1.2	9.2	72	<0.1	0.2	<0.1	100
1403225	Rock	0.86	4	1.1	28.9	5.4	54	<0.1	6.9	16.0	575	3.49	13.6	2.4	0.8	9.4	72	<0.1	0.3	<0.1	104
1403226	Rock	1.85	2	1.4	30.6	5.1	58	<0.1	7.5	16.4	623	3.64	12.2	2.2	0.5	12.5	73	<0.1	0.3	<0.1	106
1403227	Rock	0.98	4	1.3	54.7	13.9	93	0.4	7.9	21.4	1338	4.56	6.8	3.5	1.5	9.4	48	0.2	1.6	0.3	144
1403228	Rock	2.59	4	1.2	34.4	8.8	75	0.2	7.0	19.9	1099	4.45	2.1	2.6	1.1	8.5	63	<0.1	0.7	<0.1	140
1403229	Rock	1.56	5	1.6	31.5	18.1	68	0.6	5.7	15.8	1233	3.72	7.2	2.7	1.1	8.5	79	0.2	1.7	<0.1	100
1403230	Rock	2.29	2	1.5	23.5	7.5	59	0.1	5.6	14.9	710	3.48	1.3	2.1	1.8	7.7	69	0.1	0.7	<0.1	100
1403231	Rock	2.48	3	1.8	24.0	6.1	63	0.1	5.4	15.5	767	3.62	1.1	2.0	<0.5	7.6	75	0.1	1.3	<0.1	104
1403232	Rock	2.32	3	1.4	20.3	6.6	64	0.2	5.4	16.8	906	3.96	1.4	1.7	<0.5	6.7	96	0.1	2.1	<0.1	113
1403233	Rock	2.66	<2	1.1	19.4	5.6	81	<0.1	6.3	20.3	1467	4.34	2.3	2.2	0.7	6.7	131	0.1	8.1	<0.1	136
1403234	Rock	2.47	15	1.4	39.6	52.9	295	1.9	8.5	26.2	4445	5.82	14.8	3.8	15.3	7.5	100	1.2	7.6	<0.1	119
1403235	Rock	1.59	<2	1.4	34.8	17.0	98	0.4	8.3	22.6	1473	4.76	3.3	2.3	2.5	8.8	145	0.2	6.6	<0.1	145
1403236	Rock	2.29	3	1.6	34.1	7.2	69	0.2	7.9	21.6	1226	4.44	24.2	2.8	2.6	7.9	115	0.1	2.7	<0.1	120
1403237	Rock	1.88	<2	1.8	39.1	5.7	67	0.1	7.9	19.1	2276	4.08	10.6	2.8	1.7	8.4	95	0.1	1.4	<0.1	123
1403238	Rock	1.33	<2	1.8	36.1	5.5	58	0.1	7.7	18.2	1143	3.93	2.2	2.6	0.7	7.3	105	<0.1	0.4	<0.1	124
1403239	Rock	2.49	5	1.6	46.9	6.6	74	0.1	9.8	22.9	1193	4.77	2.3	2.4	0.9	9.4	83	0.1	0.4	<0.1	145
1403240	Rock Pulp	0.13	3	2.5	26.1	2.4	42	0.3	24.9	10.9	396	2.38	4.8	0.3	<0.5	1.0	41	0.2	0.2	<0.1	59
1403241	Rock Pulp	0.13	1460	9.2	49.6	5.7	50	0.3	32.6	9.5	475	3.18	6.2	0.3	1404	1.0	40	0.2	0.8	0.1	64
1403242	Rock	2.64	6	1.5	33.7	6.3	77	<0.1	8.8	23.4	1328	4.66	2.0	2.0	1.0	7.5	102	0.1	0.8	<0.1	134
1403243	Rock	2.65	10	1.5	32.3	13.7	88	0.4	8.0	19.7	2095	4.16	5.8	2.9	2.3	7.0	90	0.3	1.2	<0.1	102

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI12000313.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1403214	Rock	0.60	0.091	13	25	1.91	162	0.091	<20	2.17	0.054	0.10	0.2	<0.01	<0.1	<0.05	10.5	<0.5	8	<0.2
1403215	Rock	0.88	0.082	10	23	1.71	94	0.100	<20	1.90	0.052	0.07	0.2	<0.01	<0.1	<0.05	7.5	<0.5	7	<0.2
1403216	Rock	1.09	0.088	11	24	1.60	232	0.136	<20	1.89	0.079	0.18	0.4	<0.01	<0.1	<0.05	6.0	<0.5	7	<0.2
1403217	Rock	1.21	0.075	15	30	1.63	194	0.145	<20	2.03	0.089	0.13	0.3	<0.01	<0.1	<0.05	8.8	<0.5	7	<0.2
1403218	Rock	0.56	0.042	17	16	0.76	126	0.068	<20	1.22	0.073	0.16	0.3	<0.01	<0.1	<0.05	5.4	<0.5	5	<0.2
1403219	Rock	1.15	0.099	12	34	1.55	647	0.270	<20	2.22	0.172	0.54	0.6	<0.01	0.2	<0.05	7.9	<0.5	7	<0.2
1403220	Rock Pulp	0.80	0.060	4	33	0.79	93	0.124	<20	1.57	0.075	0.13	12.3	<0.01	<0.1	<0.05	4.5	<0.5	5	<0.2
1403221	Rock Pulp	0.68	0.055	5	30	0.61	109	0.109	<20	1.20	0.076	0.11	2.1	0.23	1.1	0.35	4.2	<0.5	6	<0.2
1403222	Rock	0.95	0.093	11	30	1.29	732	0.262	<20	2.02	0.174	0.62	0.6	<0.01	0.2	<0.05	7.1	<0.5	7	<0.2
1403223	Rock	1.29	0.093	13	30	1.55	386	0.235	<20	2.00	0.137	0.29	0.4	<0.01	<0.1	<0.05	8.4	<0.5	7	<0.2
1403224	Rock	0.99	0.083	12	27	1.27	353	0.207	<20	1.84	0.147	0.25	0.5	<0.01	<0.1	<0.05	6.2	<0.5	6	<0.2
1403225	Rock	1.02	0.086	11	28	1.31	392	0.208	<20	1.89	0.148	0.28	0.6	<0.01	<0.1	<0.05	6.2	<0.5	7	<0.2
1403226	Rock	1.07	0.086	13	29	1.43	368	0.214	<20	2.04	0.144	0.33	0.6	<0.01	0.1	<0.05	6.9	<0.5	7	<0.2
1403227	Rock	1.36	0.107	15	33	1.62	1141	0.327	<20	2.15	0.105	0.96	0.8	<0.01	0.5	0.16	9.8	<0.5	7	<0.2
1403228	Rock	1.43	0.106	14	33	1.69	803	0.274	<20	2.32	0.138	0.69	0.4	<0.01	0.3	0.17	11.1	<0.5	8	<0.2
1403229	Rock	1.84	0.095	14	27	1.26	332	0.154	<20	1.92	0.146	0.27	0.5	<0.01	0.1	0.18	8.7	<0.5	6	<0.2
1403230	Rock	1.45	0.088	13	25	1.33	378	0.168	<20	1.91	0.144	0.28	0.4	<0.01	0.1	0.10	7.1	<0.5	6	<0.2
1403231	Rock	1.40	0.089	13	27	1.39	492	0.178	<20	2.02	0.156	0.34	0.4	<0.01	0.1	0.06	7.6	<0.5	6	<0.2
1403232	Rock	2.04	0.087	14	26	1.49	368	0.123	<20	2.25	0.152	0.29	0.3	0.02	0.1	0.07	10.7	<0.5	7	<0.2
1403233	Rock	2.86	0.086	18	24	1.60	458	0.061	<20	2.39	0.128	0.33	<0.1	0.03	0.2	0.12	16.9	<0.5	7	<0.2
1403234	Rock	3.17	0.101	21	22	1.78	507	0.030	<20	2.09	0.040	0.48	<0.1	0.05	0.5	0.26	23.8	<0.5	6	<0.2
1403235	Rock	2.81	0.098	18	32	1.95	478	0.095	<20	2.59	0.178	0.39	<0.1	0.03	0.2	0.13	18.3	<0.5	8	<0.2
1403236	Rock	2.78	0.096	16	26	1.71	306	0.057	<20	1.96	0.108	0.29	0.1	0.28	0.1	0.15	18.1	<0.5	6	<0.2
1403237	Rock	1.88	0.104	14	31	1.57	427	0.173	<20	2.22	0.165	0.28	0.5	0.03	0.1	0.12	9.8	<0.5	7	<0.2
1403238	Rock	1.71	0.103	14	32	1.58	367	0.189	<20	2.44	0.213	0.26	0.4	<0.01	<0.1	0.11	9.5	<0.5	7	<0.2
1403239	Rock	2.06	0.101	15	39	2.15	96	0.111	<20	2.54	0.102	0.10	0.2	<0.01	<0.1	0.14	13.6	<0.5	8	<0.2
1403240	Rock Pulp	0.76	0.059	4	32	0.78	103	0.113	<20	1.50	0.072	0.13	12.6	0.01	<0.1	<0.05	4.3	<0.5	5	<0.2
1403241	Rock Pulp	0.78	0.060	4	34	0.82	104	0.126	<20	1.64	0.089	0.14	0.2	0.07	<0.1	<0.05	4.8	<0.5	5	<0.2
1403242	Rock	2.57	0.102	17	33	2.18	138	0.076	<20	2.53	0.062	0.10	0.1	0.01	<0.1	0.11	15.5	<0.5	9	<0.2
1403243	Rock	2.03	0.100	15	27	1.45	91	0.096	<20	1.91	0.083	0.14	0.2	0.02	0.1	0.19	14.5	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI12000313.2

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403244	Rock	2.48	<2	1.7	39.2	5.2	57	<0.1	7.1	18.4	619	3.82	1.0	2.4	<0.5	8.6	99	<0.1	0.2	<0.1	113
1403245	Rock	1.86	5	2.3	39.6	4.5	58	<0.1	8.5	19.1	749	3.98	1.6	3.1	1.7	9.6	117	<0.1	0.2	<0.1	130
1403246	Rock	1.99	2	2.2	39.2	6.5	60	0.2	8.3	18.5	1143	3.87	3.5	2.2	1.7	7.1	106	<0.1	0.4	<0.1	134
1403247	Rock	2.82	<2	2.1	37.5	4.1	55	<0.1	7.5	18.2	642	3.84	1.7	2.0	0.5	6.2	122	<0.1	0.1	<0.1	132
1403248	Rock	2.25	5	1.9	26.6	7.0	61	0.1	6.7	15.7	819	3.45	2.0	2.0	1.0	5.8	80	<0.1	0.3	<0.1	96
1403249	Rock	2.44	4	2.0	25.0	9.5	57	0.2	6.2	16.4	662	3.58	1.3	2.0	<0.5	5.5	83	<0.1	0.2	<0.1	107
1403250	Rock	2.86	<2	1.8	37.7	4.5	56	<0.1	7.9	18.0	616	3.80	1.6	1.8	0.5	5.5	98	<0.1	<0.1	<0.1	119
1403251	Rock	2.63	6	1.3	37.3	5.4	64	<0.1	7.5	21.1	862	4.42	2.0	2.4	1.9	5.4	108	0.1	0.4	<0.1	131
1403252	Rock	2.03	4	1.4	39.7	7.6	60	0.1	7.3	17.2	745	3.81	2.5	1.9	1.2	6.7	74	0.1	0.2	<0.1	119
1403253	Rock	2.19	<2	1.6	40.7	5.7	57	<0.1	6.7	16.2	599	3.64	1.6	1.8	<0.5	5.7	65	<0.1	0.1	<0.1	109
1403254	Rock	2.68	5	1.6	45.0	5.3	57	0.2	7.7	16.9	670	3.73	2.6	2.3	1.1	6.0	92	<0.1	0.2	<0.1	120
1403255	Rock	2.49	3	1.7	38.6	4.3	59	<0.1	7.5	17.2	748	3.84	3.1	2.1	<0.5	9.2	114	<0.1	0.2	<0.1	121
1403256	Rock	2.21	5	1.7	20.6	5.2	56	<0.1	6.3	14.4	696	3.61	2.1	2.0	1.1	7.0	83	<0.1	0.2	<0.1	92
1403257	Rock	2.42	<2	1.6	15.5	7.6	60	0.4	6.1	15.6	796	3.67	1.7	1.9	2.4	5.8	111	0.1	0.4	<0.1	90
1403258	Rock	3.02	<2	0.8	18.2	11.7	52	0.1	4.9	12.3	618	2.98	6.0	2.8	<0.5	9.6	152	<0.1	2.8	0.3	56
1403259	Rock	2.43	<2	0.4	8.1	26.0	154	<0.1	7.3	21.2	1212	5.03	29.3	6.9	0.9	9.3	278	1.3	1.1	0.2	98
1403260	Rock Pulp	0.13	2	2.3	23.8	2.4	45	0.3	22.9	10.3	411	2.41	5.2	0.3	0.6	1.0	41	0.2	0.2	<0.1	63
1403261	Rock Pulp	0.13	3634	9.3	63.4	481.8	1483	53.3	29.4	7.6	399	3.21	32.2	0.3	2981	1.2	35	18.2	56.3	1.1	57
1403262	Rock	2.60	<2	0.2	2.5	5.6	82	<0.1	8.0	21.8	1255	5.01	2.0	2.7	0.6	6.7	307	0.2	1.2	<0.1	125
1403263	Rock	1.99	4	0.4	2.7	4.7	82	<0.1	8.3	23.3	1267	5.10	1.6	2.2	1.9	7.8	307	0.2	0.9	0.1	125
1403264	Rock	2.60	4	0.6	1.4	3.5	43	<0.1	4.7	11.4	748	2.94	0.7	3.5	0.9	13.3	237	0.1	1.0	<0.1	75
1403265	Rock	2.53	22	0.3	2.4	5.0	85	<0.1	7.6	22.7	1110	5.39	51.5	3.0	15.5	10.6	277	0.2	0.9	0.1	135
1403266	Rock	2.42	73	0.4	5.0	5.2	77	0.1	7.7	22.4	1220	5.23	1009	3.3	141.6	7.7	278	0.2	1.7	0.1	114
1403267	Rock	2.26	61	0.6	2.6	3.7	69	<0.1	7.8	18.2	1055	4.34	384.2	2.9	47.6	6.4	236	0.2	1.4	<0.1	107
1403268	Rock	2.82	<2	0.8	9.5	4.5	69	<0.1	7.2	19.4	1076	4.59	6.7	1.9	12.2	6.1	266	0.2	2.0	0.2	141
1403269	Rock	2.77	3	0.4	17.5	4.5	107	0.1	10.0	28.4	1381	7.16	11.9	2.3	6.9	7.6	262	0.2	2.1	0.2	171
1403270	Rock	0.60	<2	0.8	19.9	7.6	55	<0.1	7.1	12.2	517	3.11	65.8	1.5	5.5	6.0	64	0.1	0.9	<0.1	93
1403271	Rock	0.79	<2	0.9	17.5	6.7	51	<0.1	4.9	12.4	549	2.87	6.0	1.2	1.6	5.1	74	<0.1	0.4	0.1	69
1403272	Rock	1.17	<2	0.9	23.8	5.7	57	0.1	5.2	14.6	643	3.48	3.7	1.1	<0.5	5.3	65	<0.1	0.6	0.2	89
1403273	Rock	1.44	3	1.2	32.0	10.5	61	0.3	6.6	15.8	853	3.93	3.7	1.4	0.8	5.1	70	0.2	0.6	<0.1	120

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI12000313.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1403244	Rock	1.57	0.100	12	30	1.59	196	0.183	<20	2.38	0.192	0.15	0.5	<0.01	<0.1	0.07	7.8	<0.5	8	<0.2
1403245	Rock	1.79	0.102	12	33	1.53	847	0.240	<20	2.52	0.251	0.67	0.6	0.05	0.3	0.19	10.1	<0.5	7	<0.2
1403246	Rock	1.49	0.103	11	33	1.43	1140	0.285	<20	2.46	0.229	0.91	0.6	<0.01	0.3	0.21	8.1	<0.5	7	<0.2
1403247	Rock	1.51	0.101	11	33	1.45	972	0.291	<20	2.60	0.278	0.73	0.6	<0.01	0.3	0.11	8.1	<0.5	7	<0.2
1403248	Rock	1.36	0.097	10	30	1.35	424	0.189	<20	2.01	0.150	0.29	0.6	<0.01	0.1	0.11	6.4	<0.5	6	<0.2
1403249	Rock	1.39	0.101	10	28	1.50	415	0.200	<20	2.17	0.155	0.27	0.6	<0.01	<0.1	0.07	5.9	<0.5	6	<0.2
1403250	Rock	1.61	0.109	11	33	1.54	253	0.172	<20	2.30	0.187	0.14	0.5	<0.01	<0.1	0.08	7.2	<0.5	7	<0.2
1403251	Rock	2.35	0.105	12	30	1.73	112	0.121	<20	2.42	0.137	0.11	0.2	0.02	<0.1	0.22	12.5	<0.5	7	<0.2
1403252	Rock	1.66	0.116	11	31	1.65	122	0.151	<20	2.17	0.137	0.10	0.4	<0.01	<0.1	0.11	8.2	<0.5	7	<0.2
1403253	Rock	1.24	0.116	11	27	1.62	145	0.161	<20	2.11	0.123	0.10	0.6	<0.01	<0.1	0.08	6.3	<0.5	7	<0.2
1403254	Rock	1.63	0.111	11	29	1.46	261	0.175	<20	2.19	0.180	0.18	0.4	<0.01	<0.1	0.11	7.4	<0.5	7	<0.2
1403255	Rock	2.01	0.100	12	28	1.48	315	0.159	<20	2.32	0.208	0.21	0.4	<0.01	<0.1	0.12	9.3	<0.5	7	<0.2
1403256	Rock	1.62	0.096	11	27	1.52	154	0.160	<20	2.12	0.144	0.11	0.5	<0.01	0.1	<0.05	6.8	<0.5	7	<0.2
1403257	Rock	2.25	0.092	12	25	1.64	235	0.115	<20	2.15	0.073	0.12	0.3	<0.01	<0.1	<0.05	8.5	<0.5	7	<0.2
1403258	Rock	2.68	0.063	13	11	1.11	365	0.006	<20	1.10	0.055	0.17	<0.1	0.03	<0.1	<0.05	9.8	<0.5	4	<0.2
1403259	Rock	5.39	0.095	15	15	2.46	746	0.002	<20	1.23	0.021	0.21	<0.1	0.17	0.2	0.12	17.4	<0.5	4	<0.2
1403260	Rock Pulp	0.81	0.063	4	28	0.79	106	0.110	<20	1.55	0.077	0.14	12.6	0.01	<0.1	<0.05	4.8	<0.5	5	<0.2
1403261	Rock Pulp	0.68	0.054	5	25	0.59	116	0.091	<20	1.14	0.071	0.11	2.1	0.21	1.1	0.35	4.6	<0.5	6	0.3
1403262	Rock	4.99	0.102	18	24	2.46	737	0.006	<20	2.68	0.015	0.15	0.1	0.01	<0.1	<0.05	15.5	<0.5	10	<0.2
1403263	Rock	4.60	0.104	19	29	2.68	885	0.012	<20	3.29	0.018	0.17	<0.1	<0.01	<0.1	<0.05	14.8	<0.5	11	<0.2
1403264	Rock	3.54	0.061	18	15	1.29	890	0.007	<20	1.75	0.058	0.17	0.1	<0.01	<0.1	<0.05	6.5	<0.5	8	<0.2
1403265	Rock	4.21	0.105	19	29	2.64	544	0.006	<20	3.22	0.021	0.15	0.1	<0.01	<0.1	0.22	14.2	<0.5	12	<0.2
1403266	Rock	4.45	0.096	9	26	2.43	152	0.004	<20	2.63	0.015	0.13	0.2	0.02	<0.1	0.68	12.2	<0.5	10	<0.2
1403267	Rock	3.86	0.083	12	25	2.13	316	0.004	<20	2.33	0.017	0.10	0.3	<0.01	<0.1	0.25	12.4	<0.5	9	<0.2
1403268	Rock	3.98	0.090	16	26	2.36	518	0.008	<20	2.64	0.013	0.10	0.2	0.01	<0.1	<0.05	15.4	<0.5	11	<0.2
1403269	Rock	3.76	0.132	18	39	3.41	445	0.009	<20	3.92	0.009	0.11	0.2	0.02	<0.1	0.12	22.5	<0.5	14	<0.2
1403270	Rock	0.86	0.081	11	20	0.99	547	0.126	<20	1.79	0.157	0.29	0.7	0.01	0.1	0.05	5.3	<0.5	6	<0.2
1403271	Rock	0.97	0.094	10	19	1.20	148	0.104	<20	1.62	0.059	0.09	0.5	<0.01	<0.1	0.13	5.2	<0.5	6	<0.2
1403272	Rock	0.85	0.108	12	21	1.31	268	0.136	<20	1.86	0.094	0.13	0.5	<0.01	<0.1	0.15	6.7	<0.5	6	<0.2
1403273	Rock	0.99	0.110	14	29	1.43	507	0.147	<20	2.23	0.172	0.24	0.4	<0.01	<0.1	0.07	10.5	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI12000313.2

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403274	Rock	0.64	<2	1.2	18.7	3.0	47	<0.1	4.9	12.8	527	3.24	1.1	1.4	<0.5	5.6	64	<0.1	0.2	<0.1	107
1403275	Rock	0.63	<2	1.2	19.9	3.2	50	<0.1	4.9	12.6	536	3.28	1.4	1.5	<0.5	6.1	67	<0.1	0.2	<0.1	107
1403276	Rock	1.42	<2	1.0	23.4	4.4	58	<0.1	5.4	14.6	637	3.67	2.8	1.9	<0.5	6.3	61	<0.1	0.4	<0.1	102
1403277	Rock	1.38	4	1.4	19.8	3.5	54	<0.1	5.6	14.1	639	3.65	1.8	1.6	<0.5	5.9	82	0.1	0.3	<0.1	117
1403278	Rock	1.12	2	1.1	27.4	4.5	83	<0.1	6.7	21.3	1095	5.34	1.6	1.5	<0.5	5.4	62	0.1	0.5	<0.1	167
1403279	Rock	0.86	<2	1.1	28.8	4.3	57	<0.1	6.1	15.5	688	3.72	1.1	1.6	<0.5	5.4	67	<0.1	0.7	<0.1	103
1403280	Rock Pulp	0.13	<2	2.3	23.3	2.3	41	0.3	22.8	9.8	408	2.42	4.7	0.2	1.0	0.9	41	0.2	0.3	<0.1	60
1403281	Rock Pulp	0.13	1510	8.2	45.0	5.8	49	0.3	30.2	8.7	479	3.17	7.0	0.3	1450	1.1	44	0.1	1.1	0.1	68
1403282	Rock	1.43	<2	1.2	18.3	40.3	131	0.9	6.5	18.5	977	4.45	3.0	2.0	2.9	7.3	75	0.5	2.4	<0.1	129
1403283	Rock	1.25	3	1.2	16.8	4.0	56	<0.1	5.3	14.4	654	3.43	0.9	1.7	1.3	6.4	66	<0.1	0.8	<0.1	96
1403284	Rock	1.18	<2	1.9	37.4	18.9	87	0.4	8.0	19.9	1031	4.40	4.1	2.0	1.2	6.8	74	0.1	2.5	0.1	133
1403285	Rock	1.26	6	1.1	20.2	12.5	74	0.2	6.1	16.9	1419	4.21	4.2	1.8	1.2	5.4	87	0.2	1.3	<0.1	119
1403286	Rock	1.74	8	1.2	23.4	23.5	91	0.4	6.8	17.1	910	4.27	4.7	1.7	2.5	6.1	82	0.2	1.6	0.1	129
1403287	Rock	1.32	7	1.5	22.8	9.1	62	0.2	6.6	15.8	730	3.74	1.9	1.7	<0.5	6.2	63	<0.1	0.4	<0.1	93
1403288	Rock	1.58	2	1.6	25.7	3.6	48	<0.1	6.7	14.1	515	3.24	0.9	1.6	<0.5	6.7	72	<0.1	0.4	<0.1	99
1403289	Rock	1.43	<2	1.5	21.6	4.3	43	<0.1	5.2	13.3	471	3.08	1.0	1.6	<0.5	6.7	60	<0.1	0.2	<0.1	95
1403290	Rock	1.33	5	1.7	53.2	4.8	75	0.1	8.2	21.4	699	4.51	1.9	2.0	1.2	6.2	64	0.1	0.3	<0.1	167
1403291	Rock	1.07	3	1.8	28.3	5.7	64	0.1	6.8	18.6	999	4.18	2.7	2.2	0.9	6.5	98	0.1	0.4	<0.1	130
1403292	Rock	1.42	4	2.3	25.0	45.0	92	0.7	6.9	16.9	1445	3.93	2.1	2.7	0.9	6.7	91	0.3	0.9	<0.1	127
1403293	Rock	1.73	4	2.5	24.7	5.3	54	0.1	6.7	14.8	754	3.64	1.6	4.8	1.1	13.4	79	<0.1	0.3	<0.1	110
1403294	Rock	1.71	4	2.2	23.3	31.1	64	0.8	7.3	14.8	785	3.60	2.8	1.9	2.4	6.0	83	0.2	1.0	<0.1	119
1403295	Rock	1.61	5	2.2	24.4	20.0	74	0.4	7.1	15.2	754	3.60	2.1	2.3	<0.5	7.7	84	0.1	0.5	<0.1	117
1403296	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1403297	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1403298	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1403299	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI12000313.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1403274	Rock	1.00	0.094	11	23	1.22	666	0.191	<20	1.90	0.191	0.40	0.5	<0.01	0.1	<0.05	5.6	<0.5	6	<0.2
1403275	Rock	1.04	0.096	11	23	1.23	640	0.190	<20	1.90	0.197	0.37	0.4	<0.01	0.1	<0.05	5.6	<0.5	6	<0.2
1403276	Rock	0.98	0.096	13	23	1.36	198	0.097	<20	2.10	0.138	0.12	0.3	<0.01	<0.1	0.05	9.7	<0.5	7	<0.2
1403277	Rock	1.40	0.094	13	24	1.38	385	0.160	<20	2.12	0.200	0.21	0.4	<0.01	<0.1	0.07	9.3	<0.5	7	<0.2
1403278	Rock	1.63	0.128	15	30	2.27	161	0.123	<20	2.65	0.095	0.09	0.2	<0.01	<0.1	0.14	16.2	<0.5	9	<0.2
1403279	Rock	1.31	0.107	11	23	1.65	123	0.099	<20	2.05	0.117	0.08	0.4	<0.01	<0.1	0.06	9.5	<0.5	7	<0.2
1403280	Rock Pulp	0.81	0.062	4	28	0.79	99	0.104	<20	1.49	0.077	0.14	13.0	<0.01	<0.1	<0.05	4.6	<0.5	5	<0.2
1403281	Rock Pulp	0.82	0.061	5	31	0.82	110	0.114	<20	1.67	0.096	0.16	0.2	0.08	<0.1	<0.05	5.1	<0.5	6	<0.2
1403282	Rock	1.47	0.095	13	26	1.90	128	0.074	<20	2.46	0.111	0.08	0.2	0.02	<0.1	0.12	15.3	<0.5	8	<0.2
1403283	Rock	1.31	0.091	10	24	1.46	114	0.111	<20	2.07	0.124	0.08	0.5	<0.01	<0.1	<0.05	6.6	<0.5	7	<0.2
1403284	Rock	1.79	0.110	13	28	1.71	101	0.095	<20	2.36	0.100	0.08	0.3	0.04	<0.1	0.15	13.6	<0.5	8	<0.2
1403285	Rock	4.04	0.083	16	21	1.40	485	0.048	<20	2.53	0.071	0.35	<0.1	0.04	0.1	0.07	15.4	<0.5	8	<0.2
1403286	Rock	1.74	0.096	13	25	1.43	421	0.108	<20	2.38	0.180	0.26	0.2	0.02	0.1	0.08	12.5	<0.5	8	<0.2
1403287	Rock	1.67	0.089	12	27	1.44	116	0.112	<20	2.09	0.132	0.10	0.4	0.11	<0.1	<0.05	7.6	<0.5	7	<0.2
1403288	Rock	1.16	0.086	11	27	1.24	748	0.237	<20	2.03	0.226	0.45	0.4	0.07	0.2	<0.05	5.5	<0.5	6	<0.2
1403289	Rock	1.17	0.079	9	25	1.16	510	0.188	<20	1.86	0.184	0.30	0.4	0.06	<0.1	<0.05	3.8	<0.5	6	<0.2
1403290	Rock	1.39	0.120	12	37	1.66	1120	0.316	<20	2.32	0.185	0.78	0.2	0.06	0.3	0.08	9.9	<0.5	7	<0.2
1403291	Rock	2.05	0.082	12	30	1.51	1126	0.274	<20	2.63	0.262	0.78	0.3	0.04	0.3	0.09	10.4	<0.5	7	<0.2
1403292	Rock	1.93	0.086	12	31	1.36	1166	0.290	<20	2.43	0.261	0.78	0.3	0.03	0.4	0.14	8.1	<0.5	7	<0.2
1403293	Rock	1.46	0.081	14	32	1.25	953	0.287	<20	2.17	0.242	0.78	0.6	0.03	0.4	0.07	6.6	<0.5	7	<0.2
1403294	Rock	1.33	0.085	11	32	1.22	1257	0.328	<20	2.25	0.269	0.90	0.5	0.02	0.4	0.08	5.6	<0.5	7	<0.2
1403295	Rock	1.42	0.085	11	32	1.21	1222	0.307	<20	2.30	0.277	0.84	0.6	0.02	0.4	0.09	6.0	<0.5	7	<0.2
1403296	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1403297	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1403298	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
1403299	Rock	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 31, 2012

QUALITY CONTROL REPORT WHI12000313.2

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1403194	Rock	1.49	5	0.7	8.9	16.4	24	<0.1	1.6	1.3	227	0.92	24.3	4.0	<0.5	19.1	9	<0.1	0.7	0.1	6
REP 1403194	QC		5																		
1403205	Rock	1.61	<2	0.7	19.3	4.4	87	<0.1	9.4	21.9	969	4.87	15.5	1.8	1.8	8.9	49	0.1	0.4	<0.1	99
REP 1403205	QC			0.6	19.6	4.4	86	<0.1	8.3	21.6	970	4.87	14.9	1.6	1.5	8.8	47	0.1	0.4	<0.1	99
1403228	Rock	2.59	4	1.2	34.4	8.8	75	0.2	7.0	19.9	1099	4.45	2.1	2.6	1.1	8.5	63	<0.1	0.7	<0.1	140
REP 1403228	QC		3																		
1403230	Rock	2.29	2	1.5	23.5	7.5	59	0.1	5.6	14.9	710	3.48	1.3	2.1	1.8	7.7	69	0.1	0.7	<0.1	100
REP 1403230	QC			1.6	22.0	7.6	60	0.1	5.9	14.8	690	3.44	1.3	2.3	0.8	7.8	66	0.1	0.7	<0.1	99
1403262	Rock	2.60	<2	0.2	2.5	5.6	82	<0.1	8.0	21.8	1255	5.01	2.0	2.7	0.6	6.7	307	0.2	1.2	<0.1	125
REP 1403262	QC		3																		
1403265	Rock	2.53	22	0.3	2.4	5.0	85	<0.1	7.6	22.7	1110	5.39	51.5	3.0	15.5	10.6	277	0.2	0.9	0.1	135
REP 1403265	QC			0.2	3.0	5.0	85	<0.1	7.8	22.0	1078	5.26	49.9	3.1	38.0	10.3	270	0.1	0.9	0.1	131
Core Reject Duplicates																					
1403209	Rock	1.01	<2	0.6	17.4	3.2	69	<0.1	7.2	15.9	734	3.71	9.9	2.4	1.6	13.8	60	0.2	0.6	<0.1	77
DUP 1403209	QC		<2	0.5	17.7	3.3	70	<0.1	6.7	15.3	728	3.59	9.8	2.3	1.6	13.5	62	0.2	0.4	<0.1	73
1403244	Rock	2.48	<2	1.7	39.2	5.2	57	<0.1	7.1	18.4	619	3.82	1.0	2.4	<0.5	8.6	99	<0.1	0.2	<0.1	113
DUP 1403244	QC		5	1.9	38.8	5.1	57	<0.1	7.7	18.0	586	3.69	1.1	2.3	<0.5	8.3	87	<0.1	0.2	<0.1	109
1403279	Rock	0.86	<2	1.1	28.8	4.3	57	<0.1	6.1	15.5	688	3.72	1.1	1.6	<0.5	5.4	67	<0.1	0.7	<0.1	103
DUP 1403279	QC		<2	1.0	29.1	4.4	56	<0.1	6.0	15.8	669	3.62	1.1	1.5	<0.5	5.1	72	<0.1	0.7	<0.1	104
Reference Materials																					
STD DS9	Standard			11.9	110.3	140.7	332	2.1	40.9	7.7	620	2.46	30.2	2.9	121.2	7.0	82	3.0	5.2	8.1	45
STD DS9	Standard			12.6	113.1	130.5	339	2.0	41.6	7.8	603	2.44	28.0	2.9	160.5	6.5	80	2.5	4.6	7.8	41
STD DS9	Standard			13.7	117.5	124.4	325	2.1	42.6	8.2	602	2.42	26.8	2.9	107.3	6.6	75	2.7	4.9	6.8	41
STD DS9	Standard			12.5	121.7	121.7	315	1.8	43.3	8.2	602	2.39	27.5	2.7	111.6	6.1	65	2.2	3.8	6.1	39
STD OREAS45CA	Standard			1.0	492.8	20.1	59	0.3	244.5	88.4	950	15.68	4.1	1.2	47.4	7.0	16	0.1	0.2	0.2	220
STD OREAS45CA	Standard			0.7	523.5	21.9	59	0.3	243.6	88.8	930	15.51	3.3	1.1	38.6	6.9	15	0.1	0.2	0.2	204
STD OREAS45CA	Standard			1.0	513.5	19.6	57	0.3	249.6	97.1	955	16.53	3.4	1.2	40.7	6.8	14	0.2	0.1	0.2	213
STD OXD87	Standard		408																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 31, 2012

QUALITY CONTROL REPORT WHI12000313.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
1403194	Rock	0.06	0.006	13	5	0.06	72	0.006	<20	0.40	0.038	0.15	1.4	<0.01	0.1	<0.05	2.0	<0.5	2	<0.2
REP 1403194	QC																			
1403205	Rock	0.71	0.103	14	30	2.34	68	0.066	<20	2.57	0.032	0.06	0.2	<0.01	<0.1	<0.05	12.5	<0.5	9	<0.2
REP 1403205	QC	0.71	0.103	15	30	2.38	67	0.063	<20	2.60	0.033	0.06	0.2	<0.01	<0.1	<0.05	12.6	<0.5	9	<0.2
1403228	Rock	1.43	0.106	14	33	1.69	803	0.274	<20	2.32	0.138	0.69	0.4	<0.01	0.3	0.17	11.1	<0.5	8	<0.2
REP 1403228	QC																			
1403230	Rock	1.45	0.088	13	25	1.33	378	0.168	<20	1.91	0.144	0.28	0.4	<0.01	0.1	0.10	7.1	<0.5	6	<0.2
REP 1403230	QC	1.43	0.091	13	25	1.31	366	0.172	<20	1.88	0.144	0.27	0.5	<0.01	0.1	0.09	7.3	<0.5	6	<0.2
1403262	Rock	4.99	0.102	18	24	2.46	737	0.006	<20	2.68	0.015	0.15	0.1	0.01	<0.1	<0.05	15.5	<0.5	10	<0.2
REP 1403262	QC																			
1403265	Rock	4.21	0.105	19	29	2.64	544	0.006	<20	3.22	0.021	0.15	0.1	<0.01	<0.1	0.22	14.2	<0.5	12	<0.2
REP 1403265	QC	4.05	0.101	19	28	2.56	533	0.006	<20	3.14	0.021	0.15	0.2	0.01	<0.1	0.21	14.0	<0.5	12	<0.2
Core Reject Duplicates																				
1403209	Rock	0.91	0.082	13	22	1.75	156	0.110	<20	1.93	0.045	0.07	0.4	<0.01	<0.1	<0.05	9.0	<0.5	7	<0.2
DUP 1403209	QC	0.88	0.080	13	21	1.69	157	0.107	<20	1.89	0.042	0.07	0.4	<0.01	<0.1	<0.05	8.5	<0.5	7	<0.2
1403244	Rock	1.57	0.100	12	30	1.59	196	0.183	<20	2.38	0.192	0.15	0.5	<0.01	<0.1	0.07	7.8	<0.5	8	<0.2
DUP 1403244	QC	1.46	0.101	12	29	1.54	185	0.179	<20	2.23	0.164	0.13	0.6	<0.01	<0.1	0.08	7.5	<0.5	7	<0.2
1403279	Rock	1.31	0.107	11	23	1.65	123	0.099	<20	2.05	0.117	0.08	0.4	<0.01	<0.1	0.06	9.5	<0.5	7	<0.2
DUP 1403279	QC	1.31	0.106	12	22	1.59	133	0.106	<20	2.12	0.124	0.08	0.4	<0.01	<0.1	0.06	9.3	<0.5	7	<0.2
Reference Materials																				
STD DS9	Standard	0.76	0.092	13	118	0.66	379	0.107	<20	0.99	0.087	0.42	3.1	0.22	6.1	0.18	2.6	5.5	5	5.8
STD DS9	Standard	0.74	0.091	13	125	0.64	348	0.111	<20	0.98	0.090	0.42	3.3	0.22	6.0	0.17	2.5	6.8	5	6.2
STD DS9	Standard	0.74	0.086	13	130	0.65	345	0.119	<20	0.96	0.081	0.41	3.0	0.20	5.6	0.18	2.4	6.3	5	5.1
STD DS9	Standard	0.73	0.087	11	124	0.64	320	0.107	<20	0.96	0.083	0.41	2.9	0.19	5.6	0.17	2.4	5.4	4	5.2
STD OREAS45CA	Standard	0.45	0.040	15	702	0.13	168	0.130	<20	3.56	0.005	0.08	<0.1	0.04	<0.1	<0.05	47.5	0.7	20	<0.2
STD OREAS45CA	Standard	0.44	0.040	15	703	0.14	166	0.133	<20	3.59	0.014	0.08	<0.1	0.03	<0.1	<0.05	46.8	<0.5	19	<0.2
STD OREAS45CA	Standard	0.46	0.039	15	745	0.13	158	0.144	<20	3.59	0.010	0.07	<0.1	0.03	<0.1	<0.05	43.7	<0.5	19	<0.2
STD OXD87	Standard																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 31, 2012

QUALITY CONTROL REPORT WHI12000313.2

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD OXD87	Standard		416																		
STD OXD87	Standard		442																		
STD OXD87	Standard		387																		
STD OXD87	Standard		415																		
STD OXG99	Standard		874																		
STD OXG99	Standard		850																		
STD OXG99	Standard		905																		
STD OXG99	Standard		1004																		
STD OXG99	Standard		948																		
STD OXG99	Standard		941																		
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
STD OXD87 Expected			417																		
STD OXG99 Expected			932																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		6																		
BLK	Blank		2																		
BLK	Blank		<2																		
BLK	Blank		4																		
BLK	Blank		5																		
BLK	Blank		<2																		
BLK	Blank		2																		
BLK	Blank		<2																		
BLK	Blank		4																		
BLK	Blank		4																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		3																		
BLK	Blank		3																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 31, 2012

QUALITY CONTROL REPORT WHI12000313.2

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
STD OXD87 Expected																				
STD OXG99 Expected																				
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 31, 2012

QUALITY CONTROL REPORT WHI12000313.2

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank		<2	0.1	2.6	2.8	47	<0.1	2.8	3.9	583	1.99	<0.5	2.1	5.6	5.8	67	<0.1	<0.1	<0.1	38
G1-WHI	Prep Blank		4	0.1	2.3	2.9	46	<0.1	2.8	3.9	561	1.97	0.5	1.5	0.8	5.6	72	<0.1	<0.1	<0.1	38

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 31, 2012

QUALITY CONTROL REPORT WHI12000313.2

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																				
G1-WHI	Prep Blank	0.50	0.084	12	8	0.52	159	0.123	<20	0.93	0.088	0.48	<0.1	<0.01	0.3	<0.05	2.5	<0.5	5	<0.2
G1-WHI	Prep Blank	0.54	0.086	12	7	0.56	167	0.126	<20	0.92	0.091	0.49	<0.1	<0.01	0.3	<0.05	2.6	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 18, 2012
Report Date: July 31, 2012
Page: 1 of 3

CERTIFICATE OF ANALYSIS WHI12000365.2

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 50

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	44	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	50	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	50	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Version 2 : 1DX-U included.

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI12000365.2

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403296	Rock Chip	0.73	204	1.2	31.6	303.0	464	0.3	5.4	14.0	667	3.89	125.7	3.7	117.2	10.1	71	6.2	2.5	0.6	100
1403297	Rock Chip	1.61	15	1.2	22.7	7.1	56	<0.1	5.1	14.5	696	3.76	5.3	2.7	6.0	10.1	66	0.2	0.4	0.2	121
1403298	Rock Chip	1.85	16	1.3	24.8	11.8	65	0.1	6.4	15.6	759	4.00	11.5	3.4	31.3	10.7	84	0.3	0.4	0.3	108
1403299	Rock Chip	0.99	14	1.1	19.8	12.2	73	<0.1	5.5	15.4	707	3.92	19.8	3.3	61.5	10.5	76	0.4	0.3	0.2	105
1403300	Rock Pulp	0.10	4	2.2	23.5	2.2	41	0.2	21.6	9.6	390	2.34	4.5	0.2	0.6	0.8	38	0.1	0.2	<0.1	56
1403301	Rock Pulp	0.10	3582	10.3	66.4	450.8	1525	49.9	29.6	8.2	383	3.20	31.1	0.3	4162	1.1	34	16.3	55.3	0.9	52
1403302	Rock Chip	1.57	5	1.3	21.6	5.5	61	<0.1	5.4	16.7	772	4.17	8.2	2.9	2.7	9.7	80	0.1	0.3	<0.1	133
1403303	Rock Chip	1.35	14	1.8	26.0	6.9	72	<0.1	6.1	15.8	727	4.27	6.3	3.4	8.2	11.3	87	0.2	0.3	<0.1	135
1403304	Rock Chip	1.34	640	1.5	57.2	276.9	611	0.2	6.5	17.1	691	4.71	88.0	6.1	22.3	10.3	62	10.0	1.5	0.7	101
1403305	Rock Chip	1.82	48	1.2	29.1	35.9	126	0.1	6.6	16.9	736	4.13	40.5	3.7	51.4	9.8	62	1.2	0.7	0.3	120
1403306	Rock Chip	1.92	3	1.4	23.8	7.6	54	<0.1	5.4	13.3	737	3.39	36.4	2.6	<0.5	9.4	70	0.2	0.6	<0.1	110
1403307	Rock Chip	1.43	8	1.6	21.9	8.7	47	<0.1	4.9	11.5	436	2.97	38.0	2.7	0.8	10.4	100	<0.1	1.0	<0.1	96
1403308	Rock Chip	1.59	19	1.8	27.3	7.3	47	<0.1	5.6	13.0	503	3.38	66.0	2.2	11.4	10.6	76	<0.1	1.2	0.3	109
1403309	Rock Chip	1.97	16	1.1	22.6	9.2	60	<0.1	5.0	12.7	530	3.35	140.1	2.5	<0.5	12.1	94	0.2	1.5	<0.1	107
1403310	Rock Chip	1.89	8	1.4	34.8	10.6	71	0.2	6.1	15.8	699	3.97	62.8	3.8	4.8	11.8	84	0.2	1.1	<0.1	127
1403311	Rock Chip	1.97	309	2.1	56.5	39.0	279	0.2	4.6	15.1	673	4.42	249.4	5.4	286.9	11.6	78	4.1	2.3	2.5	67
1403312	Rock Chip	1.99	6	1.6	26.1	6.8	62	<0.1	5.8	15.9	694	4.11	28.2	3.5	1.1	8.4	74	0.2	0.6	0.1	132
1403313	Rock Chip	2.00	17	1.4	27.0	27.4	85	0.1	5.9	15.0	746	3.83	40.2	3.7	<0.5	8.7	76	0.5	0.8	0.5	116
1403314	Rock Chip	1.84	3	1.5	27.9	13.6	90	<0.1	6.6	16.7	714	4.03	81.4	4.7	0.6	11.9	80	0.5	1.2	<0.1	125
1403315	Rock Chip	0.84	156	1.3	54.3	10.4	314	0.2	5.5	15.1	556	4.30	756.0	3.5	203.8	24.0	74	5.1	2.4	5.2	104
1403316	Rock Chip	1.67	84	2.0	38.8	6.1	64	<0.1	6.1	13.0	508	3.55	215.9	2.7	83.7	12.9	63	0.4	1.1	1.5	106
1403317	Rock Chip	1.62	16	1.8	26.5	5.1	48	<0.1	5.4	12.4	462	3.14	106.3	2.5	20.3	11.6	76	<0.1	0.9	0.4	101
1403318	Rock Chip	1.78	5	2.1	26.2	7.1	47	<0.1	5.8	12.3	442	3.26	133.8	2.9	9.5	11.0	72	<0.1	0.8	0.6	106
1403319	Rock Chip	1.73	9	2.2	25.8	6.4	51	<0.1	5.9	13.0	491	3.36	262.2	2.9	7.4	11.9	61	0.1	0.8	1.6	110
1403320	Rock Pulp	0.11	2	2.5	27.5	2.4	46	0.3	24.6	10.7	422	2.47	6.5	0.3	<0.5	1.5	45	0.1	0.2	<0.1	60
1403321	Rock Pulp	0.12	1482	9.3	49.6	6.1	51	0.2	33.1	9.1	493	3.36	7.3	0.3	728.2	1.1	47	0.1	1.1	<0.1	66
1403322	Rock Chip	1.80	7	1.6	28.1	12.0	71	0.1	6.1	13.9	648	3.66	105.1	3.9	10.3	12.1	69	0.3	1.5	0.2	102
1403323	Rock Chip	1.55	3	1.6	24.4	7.1	46	<0.1	5.6	12.5	509	3.18	73.4	4.2	<0.5	11.2	275	<0.1	1.1	<0.1	101
1403324	Rock Chip	0.64	9	2.0	29.1	8.0	50	<0.1	5.9	13.2	458	3.36	25.9	3.2	6.5	10.0	140	0.1	1.0	<0.1	107
1403325	Rock Chip	0.85	8	1.9	29.6	7.2	48	<0.1	5.7	13.1	461	3.38	27.8	3.0	6.0	10.1	164	<0.1	0.9	0.1	107

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI12000365.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1403296	Rock Chip	2.80	0.064	18	17	1.18	491	0.148	<20	2.14	0.098	0.59	0.3	0.05	0.5	0.27	12.4	<0.5	6	<0.2
1403297	Rock Chip	1.63	0.067	17	20	1.70	700	0.230	<20	2.41	0.157	0.80	0.3	<0.01	0.5	0.07	12.1	0.6	7	<0.2
1403298	Rock Chip	3.18	0.069	21	20	1.37	485	0.127	<20	2.47	0.066	0.57	0.2	0.02	0.4	0.13	14.6	<0.5	8	<0.2
1403299	Rock Chip	3.52	0.070	23	18	1.48	363	0.067	<20	2.68	0.040	0.49	0.1	0.01	0.3	0.16	13.6	<0.5	8	<0.2
1403300	Rock Pulp	0.79	0.059	4	30	0.75	92	0.115	<20	1.51	0.070	0.12	12.7	<0.01	<0.1	<0.05	4.2	<0.5	5	<0.2
1403301	Rock Pulp	0.67	0.054	5	27	0.56	104	0.103	<20	1.15	0.067	0.10	2.4	0.22	1.0	0.33	4.0	<0.5	6	<0.2
1403302	Rock Chip	2.19	0.071	20	22	1.88	715	0.196	<20	2.52	0.107	0.83	0.2	0.01	0.5	0.09	15.2	<0.5	8	<0.2
1403303	Rock Chip	2.26	0.074	21	23	1.79	729	0.222	<20	2.56	0.134	0.85	0.2	<0.01	0.5	0.13	16.5	<0.5	8	<0.2
1403304	Rock Chip	3.08	0.067	20	18	1.77	334	0.055	<20	2.85	0.020	0.51	0.1	0.04	0.5	1.11	11.9	<0.5	9	<0.2
1403305	Rock Chip	2.36	0.069	20	21	1.92	556	0.138	<20	2.60	0.053	0.65	0.2	0.03	0.4	0.27	13.9	<0.5	8	<0.2
1403306	Rock Chip	1.93	0.069	17	23	1.55	625	0.272	<20	2.29	0.098	0.61	0.4	<0.01	0.4	0.06	10.3	<0.5	8	<0.2
1403307	Rock Chip	2.03	0.068	18	18	1.07	401	0.269	<20	2.20	0.076	0.40	0.5	<0.01	0.2	0.09	6.3	<0.5	9	<0.2
1403308	Rock Chip	1.92	0.069	17	20	1.22	459	0.278	<20	2.29	0.110	0.46	0.6	0.01	0.3	0.29	8.6	<0.5	8	<0.2
1403309	Rock Chip	1.88	0.071	19	20	1.23	342	0.275	<20	2.60	0.067	0.36	0.7	<0.01	0.2	0.06	9.6	<0.5	10	<0.2
1403310	Rock Chip	2.33	0.070	20	23	1.52	649	0.239	<20	2.55	0.142	0.69	0.3	0.04	0.5	0.19	15.2	<0.5	8	<0.2
1403311	Rock Chip	5.96	0.067	19	11	0.54	106	0.002	<20	2.12	0.009	0.18	0.1	0.06	0.6	0.96	12.8	<0.5	5	0.3
1403312	Rock Chip	2.10	0.071	18	24	1.73	710	0.247	<20	2.54	0.177	0.81	0.3	0.02	0.5	0.15	15.0	<0.5	8	<0.2
1403313	Rock Chip	2.28	0.069	19	21	1.49	498	0.228	<20	2.42	0.119	0.61	0.5	0.01	0.4	0.13	13.5	<0.5	8	<0.2
1403314	Rock Chip	2.20	0.072	20	23	1.61	453	0.242	<20	2.48	0.114	0.52	0.4	0.01	0.4	0.11	14.8	<0.5	9	<0.2
1403315	Rock Chip	2.06	0.065	20	18	1.30	201	0.218	<20	2.50	0.061	0.32	0.7	0.04	0.6	0.87	12.0	<0.5	10	<0.2
1403316	Rock Chip	1.45	0.075	15	24	1.13	522	0.278	<20	1.96	0.160	0.53	0.9	<0.01	0.4	0.25	7.6	<0.5	7	0.2
1403317	Rock Chip	1.95	0.070	15	22	1.06	544	0.289	<20	1.95	0.167	0.53	0.7	<0.01	0.3	0.11	6.1	<0.5	7	<0.2
1403318	Rock Chip	2.09	0.075	16	23	1.17	372	0.278	<20	2.25	0.107	0.41	0.7	<0.01	0.2	0.17	5.7	<0.5	8	<0.2
1403319	Rock Chip	1.61	0.074	18	25	1.21	517	0.291	<20	2.13	0.147	0.52	0.7	<0.01	0.3	0.18	7.0	<0.5	8	<0.2
1403320	Rock Pulp	0.86	0.063	4	32	0.81	105	0.134	<20	1.66	0.076	0.13	12.8	0.02	<0.1	<0.05	5.3	<0.5	5	<0.2
1403321	Rock Pulp	0.87	0.063	5	36	0.84	113	0.141	<20	1.77	0.099	0.15	0.2	0.08	<0.1	<0.05	5.5	<0.5	6	<0.2
1403322	Rock Chip	2.25	0.067	17	21	1.17	541	0.248	<20	2.00	0.131	0.61	0.5	0.02	0.5	0.32	9.5	<0.5	7	<0.2
1403323	Rock Chip	1.88	0.071	16	21	1.11	605	0.268	<20	2.27	0.126	0.50	0.4	<0.01	0.3	0.12	7.0	<0.5	7	<0.2
1403324	Rock Chip	1.68	0.073	15	22	1.17	513	0.284	<20	2.30	0.099	0.52	0.6	<0.01	0.3	0.24	6.4	<0.5	8	<0.2
1403325	Rock Chip	1.63	0.073	16	22	1.18	552	0.288	<20	2.34	0.115	0.54	0.5	<0.01	0.3	0.26	6.4	<0.5	8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI12000365.2

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403326	Rock Chip	1.96	6	1.7	25.1	8.6	49	<0.1	5.5	12.6	466	3.23	32.6	2.6	2.6	11.1	110	<0.1	0.7	<0.1	108
1403327	Rock Chip	1.69	90	1.8	49.9	5.0	203	0.1	7.0	19.0	595	5.20	66.2	3.6	73.9	11.3	64	2.9	1.3	1.0	148
1403328	Rock Chip	1.88	92	1.6	28.1	6.0	45	<0.1	5.2	13.3	501	3.44	33.7	3.3	84.1	11.0	91	<0.1	0.9	1.4	106
1403329	Rock Chip	1.71	48	1.9	36.8	262.3	1480	2.8	5.9	15.4	1063	4.09	56.7	6.3	6.9	11.2	87	25.5	2.5	1.0	99
1403330	Rock Chip	1.87	8	1.4	23.9	83.6	80	0.9	5.9	15.9	1007	3.96	46.0	5.6	4.5	12.1	77	0.5	1.0	0.7	137
1403331	Rock Chip	1.66	2	1.5	21.9	6.6	53	<0.1	5.3	13.6	682	3.50	13.6	4.4	1.9	11.5	82	0.1	0.6	<0.1	126
1403332	Rock Chip	1.57	3	1.6	24.2	5.9	58	<0.1	6.0	16.1	787	3.96	11.6	5.1	2.4	12.3	78	0.1	0.6	0.1	144
1403333	Rock Chip	1.67	10	1.6	41.8	13.2	65	0.5	5.9	15.3	715	4.12	264.2	3.6	6.7	11.3	65	0.5	1.1	2.7	108
1403334	Rock Chip	1.10	8	1.7	28.4	5.3	58	<0.1	6.0	16.4	821	4.05	7.1	3.4	3.0	11.6	60	0.2	0.4	0.2	140
1403335	Rock Chip	1.35	<2	1.6	27.0	5.2	55	<0.1	5.7	16.2	744	4.21	11.8	4.0	1.6	11.6	81	0.1	0.8	0.3	141
1403336	Rock Chip	2.10	223	1.4	28.6	6.6	623	0.2	3.7	17.1	914	5.15	290.6	10.2	142.8	9.4	133	12.3	1.7	2.9	111
1403337	Rock Chip	1.57	48	1.6	31.1	6.3	61	<0.1	6.3	17.5	841	4.37	21.5	5.0	11.6	12.7	120	0.2	0.5	0.6	125
1403338	Rock Chip	2.11	4	1.8	20.4	7.2	78	<0.1	5.6	14.4	759	3.75	11.3	5.2	5.0	12.8	97	0.4	0.3	0.1	110
1403339	Rock Chip	1.55	14	1.8	21.5	4.5	49	<0.1	5.4	13.0	589	3.24	4.6	3.5	3.8	11.7	68	<0.1	0.3	0.2	112
1403340	Rock Pulp	0.12	4	2.5	25.2	2.5	46	0.3	23.7	10.3	416	2.44	4.8	0.3	1.0	1.0	44	0.2	0.2	<0.1	64
1403341	Rock Pulp	0.12	4342	9.8	69.1	468.2	1491	53.6	30.3	8.2	408	3.26	31.6	0.3	1929	1.2	36	17.7	47.3	1.0	58
1403342	Rock Chip	1.80	15	1.9	29.9	90.4	289	1.1	5.5	13.2	844	3.51	13.9	3.7	1.8	10.8	66	4.3	1.3	0.4	111
1403343	Rock Chip	1.23	85	2.5	29.2	69.1	172	0.8	6.0	13.2	892	3.38	28.3	3.5	1.8	12.3	70	2.3	1.4	0.4	112
1403344	Rock Chip	2.13	23	2.8	26.9	23.0	61	1.0	6.3	13.0	870	3.31	28.9	3.7	<0.5	11.8	72	0.3	0.8	1.6	111
1403345	Rock Chip	1.97	6	3.6	28.3	9.2	50	0.1	6.4	12.4	545	3.19	11.7	3.3	1.4	11.5	70	0.1	0.4	0.1	108

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 31, 2012

CERTIFICATE OF ANALYSIS WHI12000365.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1403326	Rock Chip	2.54	0.074	17	22	1.26	279	0.283	<20	3.09	0.080	0.35	0.9	<0.01	0.2	0.15	7.0	<0.5	11	<0.2
1403327	Rock Chip	2.35	0.095	17	28	1.82	202	0.298	<20	2.83	0.081	0.63	0.6	0.01	0.6	1.18	14.9	<0.5	10	<0.2
1403328	Rock Chip	2.35	0.069	18	21	1.25	422	0.262	<20	2.49	0.108	0.49	0.5	<0.01	0.3	0.37	8.5	<0.5	9	<0.2
1403329	Rock Chip	3.36	0.073	19	17	1.11	410	0.128	<20	2.38	0.077	0.52	0.3	0.02	0.6	0.71	10.4	<0.5	8	<0.2
1403330	Rock Chip	2.06	0.074	19	22	1.73	510	0.260	<20	2.55	0.123	0.56	0.5	<0.01	0.4	0.22	12.3	<0.5	9	<0.2
1403331	Rock Chip	1.67	0.074	18	22	1.40	512	0.282	<20	2.31	0.176	0.55	0.5	<0.01	0.3	<0.05	8.9	<0.5	8	<0.2
1403332	Rock Chip	2.13	0.074	20	25	1.76	503	0.278	<20	2.47	0.111	0.53	0.6	<0.01	0.3	0.09	12.4	<0.5	9	<0.2
1403333	Rock Chip	2.51	0.068	17	20	1.46	357	0.121	<20	2.30	0.085	0.48	0.3	<0.01	0.3	0.76	10.2	<0.5	7	0.3
1403334	Rock Chip	1.99	0.075	19	24	1.90	594	0.235	<20	2.37	0.109	0.63	0.4	<0.01	0.4	0.26	12.0	<0.5	8	<0.2
1403335	Rock Chip	2.08	0.070	20	23	1.95	602	0.175	<20	2.61	0.106	0.67	0.7	<0.01	0.4	0.34	13.0	<0.5	9	<0.2
1403336	Rock Chip	4.10	0.175	26	10	1.23	241	0.084	<20	2.50	0.055	0.36	<0.1	0.03	0.4	0.57	12.1	<0.5	8	<0.2
1403337	Rock Chip	3.11	0.071	21	20	1.44	681	0.180	<20	2.44	0.104	0.77	0.3	0.09	0.7	0.56	13.5	<0.5	8	<0.2
1403338	Rock Chip	2.94	0.065	20	19	1.32	711	0.181	<20	2.11	0.096	0.71	0.3	0.02	0.5	0.18	11.1	<0.5	7	<0.2
1403339	Rock Chip	1.13	0.066	16	22	1.47	837	0.264	<20	2.18	0.185	0.82	0.7	<0.01	0.5	0.15	7.5	<0.5	7	<0.2
1403340	Rock Pulp	0.85	0.062	4	31	0.80	106	0.121	<20	1.62	0.071	0.14	12.7	<0.01	<0.1	<0.05	4.4	<0.5	5	<0.2
1403341	Rock Pulp	0.71	0.055	6	27	0.59	116	0.106	<20	1.21	0.069	0.12	2.2	0.22	1.1	0.36	4.1	<0.5	6	0.2
1403342	Rock Chip	1.68	0.067	17	20	1.31	681	0.234	<20	2.04	0.150	0.68	0.4	0.01	0.4	0.32	8.5	<0.5	7	<0.2
1403343	Rock Chip	1.71	0.070	18	23	1.34	732	0.257	<20	2.17	0.170	0.71	0.5	<0.01	0.5	0.25	7.8	<0.5	7	<0.2
1403344	Rock Chip	1.82	0.070	18	24	1.26	723	0.297	<20	2.10	0.132	0.69	0.7	<0.01	0.5	0.10	5.9	<0.5	8	<0.2
1403345	Rock Chip	1.40	0.068	17	25	1.12	661	0.288	<20	2.02	0.177	0.64	1.0	<0.01	0.4	0.07	5.7	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 31, 2012

QUALITY CONTROL REPORT WHI12000365.2

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1403305	Rock Chip	1.82	48	1.2	29.1	35.9	126	0.1	6.6	16.9	736	4.13	40.5	3.7	51.4	9.8	62	1.2	0.7	0.3	120
REP 1403305	QC		45																		
1403314	Rock Chip	1.84	3	1.5	27.9	13.6	90	<0.1	6.6	16.7	714	4.03	81.4	4.7	0.6	11.9	80	0.5	1.2	<0.1	125
REP 1403314	QC			1.6	26.8	14.7	86	<0.1	6.3	15.3	712	3.98	82.5	5.0	<0.5	12.8	78	0.6	1.4	<0.1	124
1403339	Rock Chip	1.55	14	1.8	21.5	4.5	49	<0.1	5.4	13.0	589	3.24	4.6	3.5	3.8	11.7	68	<0.1	0.3	0.2	112
REP 1403339	QC		5																		
1403345	Rock Chip	1.97	6	3.6	28.3	9.2	50	0.1	6.4	12.4	545	3.19	11.7	3.3	1.4	11.5	70	0.1	0.4	0.1	108
REP 1403345	QC			3.8	28.9	8.9	53	0.1	6.3	12.5	569	3.27	12.3	3.2	<0.5	11.6	71	0.1	0.4	0.1	113
Core Reject Duplicates																					
1403311	Rock Chip	1.97	309	2.1	56.5	39.0	279	0.2	4.6	15.1	673	4.42	249.4	5.4	286.9	11.6	78	4.1	2.3	2.5	67
DUP 1403311	QC		328	1.9	55.3	38.4	286	0.2	4.9	15.1	660	4.42	240.1	5.5	335.0	10.3	77	4.1	1.9	3.1	67
Reference Materials																					
STD DS9	Standard			13.5	110.6	122.4	308	1.8	39.7	7.6	578	2.33	27.6	2.7	134.8	6.1	71	2.6	5.1	5.9	40
STD DS9	Standard			13.2	114.5	129.0	332	2.3	39.4	7.6	609	2.41	27.8	2.8	128.0	6.8	80	2.6	4.7	7.4	44
STD OREAS45CA	Standard			1.1	532.9	21.6	65	0.3	265.5	101.1	960	17.06	4.5	1.3	42.8	8.1	16	0.1	0.1	<0.1	236
STD OREAS45CA	Standard			0.8	557.6	22.3	61	0.3	269.7	98.3	991	16.78	3.8	1.3	46.6	8.0	17	0.1	<0.1	0.2	229
STD OXD87	Standard		421																		
STD OXG99	Standard		958																		
STD OXG99	Standard		942																		
STD OXD87 Expected			417																		
STD OXG99 Expected			932																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
BLK	Blank		4																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.02	0.9	<0.1	<0.5	0.2	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 31, 2012

QUALITY CONTROL REPORT WHI12000365.2

		Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
		Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																					
1403305	Rock Chip		2.36	0.069	20	21	1.92	556	0.138	<20	2.60	0.053	0.65	0.2	0.03	0.4	0.27	13.9	<0.5	8	<0.2
REP 1403305	QC																				
1403314	Rock Chip		2.20	0.072	20	23	1.61	453	0.242	<20	2.48	0.114	0.52	0.4	0.01	0.4	0.11	14.8	<0.5	9	<0.2
REP 1403314	QC		2.16	0.075	21	22	1.55	449	0.235	<20	2.44	0.113	0.52	0.5	0.02	0.4	0.11	14.7	<0.5	9	<0.2
1403339	Rock Chip		1.13	0.066	16	22	1.47	837	0.264	<20	2.18	0.185	0.82	0.7	<0.01	0.5	0.15	7.5	<0.5	7	<0.2
REP 1403339	QC																				
1403345	Rock Chip		1.40	0.068	17	25	1.12	661	0.288	<20	2.02	0.177	0.64	1.0	<0.01	0.4	0.07	5.7	<0.5	7	<0.2
REP 1403345	QC		1.43	0.068	17	26	1.17	679	0.296	<20	2.14	0.179	0.64	1.0	<0.01	0.4	0.07	5.8	<0.5	7	<0.2
Core Reject Duplicates																					
1403311	Rock Chip		5.96	0.067	19	11	0.54	106	0.002	<20	2.12	0.009	0.18	0.1	0.06	0.6	0.96	12.8	<0.5	5	0.3
DUP 1403311	QC		5.91	0.070	19	12	0.53	105	0.002	<20	2.07	0.008	0.17	0.1	0.07	0.6	0.95	12.5	<0.5	5	0.3
Reference Materials																					
STD DS9	Standard		0.72	0.086	12	125	0.61	322	0.107	<20	0.95	0.077	0.37	2.6	0.23	5.5	0.16	2.2	6.0	4	5.3
STD DS9	Standard		0.76	0.090	13	119	0.64	356	0.111	<20	0.99	0.079	0.42	3.0	0.23	5.8	0.18	2.5	5.6	5	5.2
STD OREAS45CA	Standard		0.47	0.042	18	808	0.15	182	0.144	<20	3.99	0.008	0.07	<0.1	0.04	<0.1	<0.05	49.0	<0.5	19	<0.2
STD OREAS45CA	Standard		0.48	0.041	18	740	0.17	192	0.144	<20	3.74	0.012	0.08	<0.1	0.04	0.2	<0.05	39.3	<0.5	21	<0.2
STD OXD87	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXD87 Expected																					
STD OXG99 Expected																					
STD DS9 Expected			0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45CA Expected			0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank		<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	0.2	<0.5	<1	<0.2
BLK	Blank		<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 31, 2012

QUALITY CONTROL REPORT WHI12000365.2

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
Prep Wash																					
G1-WHI	Prep Blank		8	0.1	11.9	7.1	114	<0.1	2.6	4.1	616	2.09	<0.5	1.7	1.7	5.9	75	0.2	0.3	<0.1	39
G1-WHI	Prep Blank		4	0.1	2.7	3.6	49	<0.1	3.5	4.2	614	2.07	<0.5	1.8	<0.5	6.3	73	<0.1	<0.1	<0.1	38

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: July 31, 2012

QUALITY CONTROL REPORT WHI12000365.2

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
Prep Wash																				
G1-WHI	Prep Blank	0.54	0.082	13	12	0.53	178	0.136	<20	1.03	0.107	0.48	<0.1	0.02	0.4	<0.05	2.7	<0.5	5	<0.2
G1-WHI	Prep Blank	0.58	0.091	14	13	0.55	184	0.143	<20	1.04	0.113	0.49	0.1	<0.01	0.3	<0.05	2.8	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 18, 2012
Report Date: August 17, 2012
Page: 1 of 6

CERTIFICATE OF ANALYSIS WHI12000369.2

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number
Number of Samples: 126

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	113	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	125	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	125	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Version 2 : 1DX-U included.

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme Joyce

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

CERTIFICATE OF ANALYSIS WHI12000369.2

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403346	Rock Chip	1.09	3	2.0	76.5	8.3	52	0.2	6.7	13.4	456	3.54	37.1	1.8	3.0	8.8	74	0.1	0.4	0.9	107
1403347	Rock Chip	2.25	13	2.1	31.6	9.3	46	0.3	7.6	13.2	502	3.29	280.5	2.6	10.2	9.9	79	<0.1	1.1	0.4	109
1403348	Rock Chip	2.05	<2	1.7	26.8	5.8	58	<0.1	7.9	14.9	655	3.73	91.7	3.5	2.4	14.0	73	0.1	0.9	0.1	126
1403349	Rock Chip	2.08	<2	1.9	25.8	4.7	56	<0.1	6.9	15.9	641	3.88	42.2	2.8	<0.5	10.2	72	<0.1	0.5	0.1	130
1403350	Rock Chip	1.87	6	1.6	28.7	6.5	50	0.2	6.6	14.1	522	3.60	62.0	2.1	3.2	9.2	66	<0.1	0.9	3.3	123
1403351	Rock Chip	2.07	8	2.2	27.3	4.9	46	<0.1	6.7	13.2	526	3.34	129.8	2.2	9.8	9.7	71	<0.1	0.6	0.6	115
1403352	Rock Chip	2.66	<2	2.1	25.2	4.1	46	0.1	6.7	13.7	516	3.33	17.1	2.4	3.0	9.6	63	<0.1	0.4	0.2	115
1403353	Rock Chip	1.96	<2	2.1	24.8	4.3	55	<0.1	7.2	14.4	539	3.73	79.9	2.4	3.7	10.2	78	0.1	0.7	0.2	123
1403354	Rock Chip	2.63	6	2.0	29.2	4.3	57	<0.1	7.2	15.4	615	3.65	17.0	3.8	1.2	9.5	82	<0.1	1.2	0.2	126
1403355	Rock Chip	2.43	<2	2.1	24.6	6.6	52	<0.1	6.7	15.0	721	3.92	28.8	4.6	1.1	9.9	87	<0.1	3.3	0.4	116
1403356	Rock Chip	1.84	296	2.4	34.2	108.5	144	3.9	8.6	17.9	935	4.67	513.5	5.0	63.4	9.7	87	1.2	1.9	4.7	129
1403357	Rock Chip	1.98	3	2.0	27.2	6.6	61	0.1	7.4	16.9	828	4.31	7.6	4.7	3.5	9.2	83	0.1	0.4	0.4	139
1403358	Rock Chip	2.00	4	1.9	44.2	5.6	51	0.1	7.0	17.6	694	4.48	11.5	3.6	3.6	8.8	71	<0.1	1.7	0.6	138
1403359	Rock Chip	2.19	3	1.9	33.6	5.6	59	0.1	7.1	15.6	633	4.14	29.7	2.9	0.9	10.0	74	0.1	0.6	5.9	130
1403360	Rock Pulp	0.13	<2	2.7	26.1	2.3	45	0.4	24.9	11.0	420	2.46	5.1	0.2	<0.5	0.9	37	0.2	0.3	<0.1	63
1403361	Rock Pulp	0.13	1310	9.7	51.4	6.3	53	0.3	33.8	9.4	496	3.33	7.5	0.2	1614	0.9	41	0.1	1.1	0.1	69
1403362	Rock Chip	2.96	4	2.3	27.6	4.9	50	<0.1	6.5	13.6	516	3.31	4.9	2.1	5.7	9.9	56	0.1	0.4	0.1	117
1403363	Rock Chip	1.68	4	2.2	31.2	5.4	49	<0.1	6.8	14.3	547	3.57	5.0	3.1	5.7	8.9	69	<0.1	0.6	0.2	123
1403364	Rock Chip	1.15	17	2.0	29.4	165.5	204	1.2	7.8	14.5	1631	3.68	144.4	4.0	5.0	8.3	78	2.3	2.3	0.7	107
1403365	Rock Chip	1.86	<2	2.4	31.3	5.9	55	<0.1	7.0	14.4	629	3.49	13.1	2.6	2.1	8.2	72	0.1	0.3	0.1	117
1403366	Rock Chip	1.59	8	2.5	25.1	4.7	56	0.1	8.3	14.5	662	3.58	102.5	2.5	2.8	8.7	73	0.1	0.9	<0.1	111
1403367	Rock Chip	2.95	<2	2.4	26.8	4.1	49	<0.1	6.8	13.0	489	3.16	6.0	2.2	<0.5	8.9	54	<0.1	0.2	<0.1	108
1403368	Rock Chip	2.56	<2	2.4	28.4	4.4	54	<0.1	7.4	15.3	687	3.71	9.1	2.5	0.8	8.6	69	<0.1	0.7	<0.1	120
1403369	Rock Chip	2.66	13	1.8	28.2	32.8	324	0.2	6.8	13.7	566	3.63	216.6	1.6	9.7	7.0	58	4.7	6.1	0.3	105
1403370	Rock Chip	3.40	<2	1.9	29.1	3.4	51	<0.1	6.9	13.4	525	3.30	3.6	1.5	1.7	7.2	59	<0.1	0.4	<0.1	110
1403371	Rock Chip	2.99	<2	1.3	23.5	6.5	84	0.1	6.1	15.0	748	3.76	8.2	2.2	0.9	7.7	80	0.5	0.8	<0.1	115
1403372	Rock Chip	2.99	15	1.6	24.8	3.2	52	<0.1	6.8	14.3	558	3.51	259.8	1.4	13.4	7.3	62	0.1	0.4	0.2	120
1403373	Rock Chip	2.88	60	1.6	25.7	3.8	51	<0.1	6.5	15.3	545	3.53	1085	1.8	45.8	7.6	63	<0.1	0.8	0.4	113
1403374	Rock Chip	1.54	5	2.2	29.4	3.7	54	<0.1	7.5	15.2	619	3.64	12.9	1.6	5.3	6.5	53	<0.1	0.5	<0.1	112
1403375	Rock Chip	1.29	<2	2.6	28.9	3.4	53	<0.1	7.1	15.5	621	3.69	10.2	1.7	1.8	7.0	52	<0.1	0.5	<0.1	112

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

CERTIFICATE OF ANALYSIS WHI12000369.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1403346	Rock Chip	1.23	0.075	15	21	1.16	544	0.262	<20	2.15	0.135	0.50	0.8	<0.01	0.3	0.28	7.6	<0.5	8	0.3
1403347	Rock Chip	1.33	0.073	14	23	1.05	805	0.253	<20	2.21	0.171	0.72	0.9	0.01	0.4	0.18	6.3	<0.5	7	<0.2
1403348	Rock Chip	1.21	0.074	17	26	1.26	758	0.291	<20	2.39	0.199	0.68	1.0	<0.01	0.3	<0.05	9.6	<0.5	8	<0.2
1403349	Rock Chip	1.43	0.072	17	25	1.42	827	0.282	<20	2.56	0.198	0.72	0.9	<0.01	0.4	0.06	12.1	<0.5	8	<0.2
1403350	Rock Chip	1.15	0.071	14	24	1.25	719	0.282	<20	2.30	0.164	0.65	1.0	<0.01	0.3	0.16	9.1	<0.5	8	1.5
1403351	Rock Chip	1.18	0.073	15	26	1.21	835	0.275	<20	2.33	0.263	0.80	0.8	<0.01	0.4	0.11	7.3	<0.5	7	<0.2
1403352	Rock Chip	1.07	0.071	14	25	1.20	886	0.272	<20	2.16	0.228	0.88	0.7	0.01	0.6	0.07	6.9	<0.5	7	<0.2
1403353	Rock Chip	1.06	0.078	16	27	1.26	808	0.286	<20	2.29	0.234	0.85	0.9	<0.01	0.5	<0.05	8.1	<0.5	7	<0.2
1403354	Rock Chip	1.75	0.073	15	27	1.24	886	0.251	<20	2.30	0.228	0.93	0.8	0.02	0.5	0.13	11.1	<0.5	7	<0.2
1403355	Rock Chip	3.01	0.071	17	22	1.29	566	0.139	<20	2.10	0.121	0.54	0.5	0.02	0.3	0.08	13.4	<0.5	6	<0.2
1403356	Rock Chip	2.34	0.072	16	25	1.49	748	0.180	<20	2.59	0.157	0.76	0.4	<0.01	0.5	0.59	15.2	<0.5	8	<0.2
1403357	Rock Chip	2.46	0.070	18	26	1.78	775	0.182	<20	2.72	0.150	0.81	0.2	<0.01	0.5	0.20	15.2	<0.5	8	<0.2
1403358	Rock Chip	2.23	0.072	17	25	1.78	711	0.188	<20	2.74	0.162	0.74	0.3	0.01	0.6	0.64	14.9	<0.5	8	<0.2
1403359	Rock Chip	1.60	0.074	16	26	1.47	868	0.249	<20	2.57	0.235	0.89	0.6	<0.01	0.5	0.34	11.4	<0.5	8	2.6
1403360	Rock Pulp	0.84	0.062	4	32	0.81	99	0.117	<20	1.59	0.078	0.13	12.5	0.02	0.1	<0.05	4.8	<0.5	5	<0.2
1403361	Rock Pulp	0.85	0.063	4	34	0.86	111	0.124	<20	1.75	0.097	0.15	0.3	0.07	<0.1	<0.05	5.3	<0.5	6	<0.2
1403362	Rock Chip	1.32	0.077	14	25	1.21	777	0.289	<20	2.08	0.186	0.76	0.8	<0.01	0.3	0.11	6.2	<0.5	7	<0.2
1403363	Rock Chip	1.42	0.074	14	26	1.33	811	0.294	<20	2.25	0.198	0.77	0.7	<0.01	0.4	0.25	8.3	<0.5	8	<0.2
1403364	Rock Chip	2.74	0.067	15	23	1.20	825	0.233	<20	2.12	0.192	0.83	0.6	<0.01	0.6	0.42	8.2	<0.5	6	0.3
1403365	Rock Chip	1.46	0.075	12	28	1.32	1392	0.262	<20	2.24	0.234	0.85	0.9	<0.01	0.4	0.11	7.5	<0.5	7	<0.2
1403366	Rock Chip	1.79	0.080	14	30	1.29	1259	0.239	<20	2.09	0.199	0.79	0.8	<0.01	0.4	0.11	7.9	<0.5	6	<0.2
1403367	Rock Chip	1.10	0.077	12	26	1.16	1249	0.271	<20	1.93	0.193	0.73	1.2	<0.01	0.3	<0.05	5.2	<0.5	6	<0.2
1403368	Rock Chip	1.50	0.083	13	29	1.27	1408	0.262	<20	2.10	0.205	0.88	0.6	<0.01	0.5	0.08	8.2	<0.5	6	<0.2
1403369	Rock Chip	1.22	0.075	11	25	1.13	1262	0.243	<20	1.92	0.186	0.82	0.9	<0.01	0.4	0.31	6.6	<0.5	6	<0.2
1403370	Rock Chip	1.23	0.077	12	27	1.17	1286	0.255	<20	2.01	0.202	0.78	0.8	<0.01	0.4	<0.05	6.4	<0.5	6	<0.2
1403371	Rock Chip	2.20	0.073	13	25	1.48	1072	0.210	<20	2.11	0.187	0.75	0.5	<0.01	0.4	0.08	9.5	<0.5	6	<0.2
1403372	Rock Chip	1.20	0.079	12	26	1.32	1451	0.280	<20	2.15	0.215	0.90	0.6	<0.01	0.4	0.09	6.8	<0.5	7	0.2
1403373	Rock Chip	1.23	0.081	13	27	1.26	1296	0.247	<20	2.08	0.206	0.80	0.8	<0.01	0.4	0.15	6.4	<0.5	7	0.8
1403374	Rock Chip	1.47	0.082	12	30	1.37	864	0.222	<20	1.97	0.153	0.53	0.9	<0.01	0.2	0.06	6.5	<0.5	7	<0.2
1403375	Rock Chip	1.49	0.083	12	30	1.37	827	0.220	<20	1.96	0.144	0.50	0.8	<0.01	0.2	0.07	6.5	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

CERTIFICATE OF ANALYSIS WHI12000369.2

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403376	Rock Chip	2.80	7	2.4	27.0	4.3	52	0.2	7.1	14.2	539	3.51	13.9	2.6	8.1	7.0	60	<0.1	0.6	0.7	108
1403377	Rock Chip	3.27	16	2.6	36.5	5.3	52	0.1	6.8	14.5	551	4.07	157.4	2.6	18.5	6.7	58	<0.1	1.0	1.2	113
1403378	Rock Chip	2.86	116	1.9	34.8	9.6	56	0.4	7.0	15.4	572	4.44	1054	2.7	106.1	7.3	63	0.2	2.9	6.7	116
1403379	Rock Chip	3.12	<2	1.5	24.2	15.0	81	0.2	6.5	14.4	677	3.53	14.3	2.3	2.8	5.4	61	0.6	2.2	<0.1	116
1403380	Rock Pulp	0.11	<2	2.6	25.4	2.2	43	0.3	24.2	10.4	410	2.42	4.1	0.2	<0.5	0.8	34	0.2	0.2	<0.1	62
1403381	Rock Pulp	0.13	3770	9.0	64.3	516.8	1490	52.2	29.1	7.7	380	3.22	30.1	0.3	4776	0.9	27	15.3	40.3	0.7	56
1403382	Rock Chip	2.83	<2	1.9	24.6	4.7	82	<0.1	6.9	13.5	577	3.35	5.8	1.3	1.7	5.5	69	0.8	0.4	<0.1	120
1403383	Rock Chip	2.98	2	1.9	23.5	3.0	43	<0.1	5.8	12.4	493	3.18	5.1	1.6	0.9	6.5	67	<0.1	0.2	<0.1	113
1403384	Rock Chip	3.27	<2	1.9	24.1	3.0	46	<0.1	6.7	13.4	549	3.46	5.0	1.5	<0.5	5.8	66	<0.1	0.3	<0.1	122
1403385	Rock Chip	2.97	21	1.8	30.4	8.6	56	0.4	6.8	15.3	679	4.31	382.5	2.2	24.3	6.0	71	<0.1	1.5	0.8	125
1403386	Rock Chip	3.36	3	1.7	23.3	3.2	44	<0.1	6.0	12.8	482	3.19	11.6	1.2	0.7	5.6	63	<0.1	0.3	<0.1	111
1403387	Rock Chip	3.34	2	1.7	22.7	3.0	42	<0.1	6.3	12.7	469	3.11	9.9	1.3	1.6	5.9	67	<0.1	0.3	<0.1	109
1403388	Rock Chip	3.62	13	1.8	21.8	6.0	49	0.1	5.5	13.1	566	3.31	258.8	1.7	13.7	6.1	61	<0.1	0.7	0.1	110
1403389	Rock Chip	2.83	3	1.6	21.5	3.5	46	<0.1	6.1	13.1	571	3.28	11.9	1.7	1.1	6.7	69	0.1	0.5	<0.1	117
1403390	Rock Chip	2.22	5	1.7	23.8	3.1	46	<0.1	6.2	12.4	523	3.11	65.6	1.5	2.7	7.6	58	<0.1	0.7	<0.1	113
1403391	Rock Chip	1.54	4	1.5	19.5	3.1	47	<0.1	6.2	13.4	589	3.43	8.3	1.4	1.3	6.3	81	<0.1	0.3	<0.1	124
1403392	Rock Chip	1.62	2	1.7	22.9	2.6	49	<0.1	6.5	14.2	641	3.61	4.0	1.6	<0.5	6.5	83	<0.1	0.3	<0.1	129
1403393	Rock Chip	1.96	3	1.5	25.0	4.3	68	<0.1	7.1	17.1	886	4.16	21.8	1.7	0.8	6.3	85	0.1	0.8	<0.1	147
1403394	Rock Chip	2.17	6	1.9	23.5	6.6	69	0.2	6.3	14.5	630	3.51	21.2	1.5	4.2	7.3	66	0.3	1.0	0.5	125
1403395	Rock Chip	2.09	<2	1.8	21.8	4.2	50	<0.1	6.7	13.5	535	3.35	3.1	1.6	1.8	6.5	68	<0.1	0.3	<0.1	120
1403396	Rock Chip	1.89	<2	1.8	22.1	2.3	41	<0.1	5.9	12.1	462	3.00	3.9	1.4	0.7	6.2	59	<0.1	0.2	<0.1	109
1403397	Rock Chip	2.19	4	1.9	22.0	2.5	43	<0.1	7.0	12.4	514	3.07	4.3	1.7	<0.5	6.3	65	<0.1	0.2	<0.1	110
1403398	Rock Chip	1.75	3	3.4	27.0	2.7	43	<0.1	6.3	12.8	492	3.27	5.2	1.5	1.9	6.2	64	<0.1	0.1	<0.1	117
1403399	Rock Chip	2.41	17	3.5	31.4	2.7	42	<0.1	7.2	12.4	462	3.11	5.2	1.6	1.4	7.0	59	<0.1	0.2	<0.1	111
1403400	Rock Pulp	0.12	5	2.5	25.1	2.1	42	0.3	24.1	10.4	414	2.43	4.8	0.2	<0.5	0.9	34	0.1	0.2	0.1	64
1403401	Rock Pulp	0.12	3966	9.5	63.1	493.9	1444	52.6	27.5	7.6	375	3.22	29.1	0.3	4714	0.9	27	15.3	37.7	0.7	58
1403402	Rock Chip	1.68	4	1.8	22.8	2.8	46	<0.1	6.1	13.2	544	3.30	5.8	1.8	1.0	7.1	60	<0.1	0.3	<0.1	111
1403403	Rock Chip	1.56	3	2.3	21.1	3.5	46	<0.1	6.7	13.2	557	3.37	5.9	2.4	1.7	6.7	78	<0.1	0.5	<0.1	120
1403404	Rock Chip	2.31	<2	3.0	31.4	3.0	48	<0.1	6.1	13.4	592	3.33	5.1	1.8	0.5	6.3	73	<0.1	0.3	<0.1	120
1403405	Rock Chip	2.36	27	2.1	21.8	2.6	39	<0.1	6.3	11.8	445	2.91	3.1	2.6	0.9	6.8	68	<0.1	0.3	<0.1	103

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

CERTIFICATE OF ANALYSIS WHI12000369.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1403376	Rock Chip	1.24	0.077	12	29	1.25	1108	0.239	<20	2.02	0.194	0.71	1.0	<0.01	0.3	0.26	6.4	<0.5	6	<0.2
1403377	Rock Chip	1.34	0.077	12	26	1.23	1096	0.224	<20	2.11	0.178	0.73	0.8	<0.01	0.4	0.40	7.6	<0.5	7	<0.2
1403378	Rock Chip	1.39	0.076	12	27	1.33	1109	0.215	<20	2.35	0.192	0.77	0.6	<0.01	0.4	0.44	8.6	<0.5	7	<0.2
1403379	Rock Chip	1.51	0.074	12	25	1.24	1754	0.232	<20	2.15	0.215	0.88	0.6	<0.01	0.6	0.22	7.7	<0.5	7	<0.2
1403380	Rock Pulp	0.82	0.061	4	31	0.80	100	0.101	<20	1.61	0.080	0.14	13.3	0.01	<0.1	<0.05	4.3	<0.5	5	<0.2
1403381	Rock Pulp	0.69	0.050	5	26	0.58	107	0.085	<20	1.20	0.079	0.12	2.2	0.23	1.0	0.37	4.0	<0.5	6	<0.2
1403382	Rock Chip	1.21	0.074	12	26	1.32	1885	0.253	<20	2.27	0.258	0.91	0.5	<0.01	0.5	<0.05	6.7	<0.5	7	<0.2
1403383	Rock Chip	1.09	0.075	12	26	1.13	1964	0.253	<20	2.16	0.275	0.93	0.8	<0.01	0.5	<0.05	5.7	<0.5	7	<0.2
1403384	Rock Chip	1.28	0.078	13	28	1.23	1872	0.248	<20	2.23	0.263	0.90	0.6	<0.01	0.5	0.05	7.3	<0.5	7	<0.2
1403385	Rock Chip	1.59	0.075	13	27	1.39	1054	0.214	<20	2.44	0.242	0.83	0.5	<0.01	0.5	0.58	10.0	<0.5	8	<0.2
1403386	Rock Chip	1.11	0.076	12	26	1.15	1908	0.262	<20	2.09	0.248	0.86	0.7	<0.01	0.5	0.07	5.8	<0.5	7	<0.2
1403387	Rock Chip	1.09	0.071	11	27	1.10	1811	0.256	<20	2.17	0.275	0.83	0.8	<0.01	0.4	<0.05	5.6	<0.5	7	<0.2
1403388	Rock Chip	1.26	0.073	12	25	1.22	1692	0.230	<20	2.08	0.215	0.80	0.6	<0.01	0.5	0.10	7.5	<0.5	7	<0.2
1403389	Rock Chip	1.29	0.072	13	25	1.25	1715	0.232	<20	2.22	0.263	0.80	0.5	<0.01	0.4	<0.05	7.5	<0.5	7	<0.2
1403390	Rock Chip	1.21	0.073	12	25	1.12	1625	0.236	<20	1.93	0.221	0.77	0.5	<0.01	0.4	0.06	7.0	<0.5	6	<0.2
1403391	Rock Chip	1.45	0.067	11	27	1.27	1860	0.244	<20	2.41	0.308	0.89	0.4	<0.01	0.5	0.07	8.3	<0.5	7	<0.2
1403392	Rock Chip	1.56	0.075	13	29	1.36	1796	0.231	<20	2.48	0.304	0.89	0.5	<0.01	0.5	<0.05	10.1	<0.5	7	<0.2
1403393	Rock Chip	2.17	0.078	14	29	1.66	1879	0.224	<20	2.58	0.242	0.87	0.3	<0.01	0.5	0.13	13.8	<0.5	8	<0.2
1403394	Rock Chip	1.46	0.075	13	25	1.29	1807	0.239	<20	2.26	0.252	0.92	0.6	<0.01	0.5	0.16	8.4	<0.5	7	<0.2
1403395	Rock Chip	1.17	0.074	12	28	1.22	2126	0.278	<20	2.31	0.286	1.02	0.8	<0.01	0.6	<0.05	6.4	<0.5	7	<0.2
1403396	Rock Chip	1.05	0.070	10	26	1.04	1783	0.258	<20	2.03	0.259	0.88	0.9	<0.01	0.5	<0.05	5.3	<0.5	6	<0.2
1403397	Rock Chip	1.15	0.072	11	28	1.08	1958	0.267	<20	2.08	0.269	0.91	0.9	<0.01	0.5	<0.05	5.5	<0.5	7	<0.2
1403398	Rock Chip	1.13	0.073	11	28	1.10	2036	0.271	<20	2.13	0.271	0.95	1.0	<0.01	0.5	0.06	5.6	<0.5	7	<0.2
1403399	Rock Chip	1.05	0.072	12	29	1.05	1795	0.259	<20	1.99	0.257	0.88	1.1	<0.01	0.5	<0.05	5.8	<0.5	6	<0.2
1403400	Rock Pulp	0.86	0.059	4	32	0.81	99	0.109	<20	1.64	0.084	0.14	12.5	<0.01	0.1	<0.05	4.8	<0.5	5	<0.2
1403401	Rock Pulp	0.71	0.050	5	25	0.58	105	0.087	<20	1.20	0.082	0.12	2.0	0.21	1.0	0.35	4.3	<0.5	6	<0.2
1403402	Rock Chip	1.69	0.068	13	26	1.20	1481	0.222	<20	2.05	0.207	0.71	0.7	<0.01	0.4	<0.05	7.0	<0.5	6	<0.2
1403403	Rock Chip	1.47	0.071	12	29	1.22	1706	0.251	<20	2.26	0.282	0.84	0.7	<0.01	0.5	0.07	7.4	<0.5	7	<0.2
1403404	Rock Chip	1.62	0.071	12	27	1.24	1778	0.233	<20	2.04	0.228	0.83	0.8	<0.01	0.5	0.06	8.2	<0.5	6	<0.2
1403405	Rock Chip	1.06	0.065	11	27	1.06	1769	0.235	<20	1.96	0.248	0.78	0.7	<0.01	0.4	<0.05	5.6	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

CERTIFICATE OF ANALYSIS WHI12000369.2

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403406	Rock Chip	2.40	<2	2.0	21.4	6.5	47	<0.1	6.0	12.3	466	3.03	3.9	2.0	4.9	7.0	62	0.1	0.3	<0.1	103
1403407	Rock Chip	1.63	<2	2.0	23.7	3.1	42	<0.1	6.7	12.3	507	3.14	3.2	1.9	1.4	6.9	73	<0.1	0.3	<0.1	109
1403408	Rock Chip	1.89	<2	2.3	22.9	10.3	205	<0.1	6.2	14.4	680	3.54	2.8	2.0	0.9	6.7	81	2.3	2.6	<0.1	117
1403409	Rock Chip	2.29	3	2.3	21.8	2.6	44	<0.1	6.7	12.7	503	3.09	1.9	1.9	0.6	6.9	70	<0.1	0.3	<0.1	113
1403410	Rock Chip	2.37	231	2.2	31.8	11.8	85	0.5	6.6	17.8	787	4.63	5414	2.0	203.2	7.1	75	0.7	3.6	1.5	114
1403411	Rock Chip	1.92	8	5.1	19.0	4.4	55	0.1	6.5	13.3	595	3.41	194.1	2.6	16.7	10.6	77	0.1	1.1	0.3	102
1403412	Rock Chip	1.58	102	1.1	31.9	7.1	246	0.3	5.8	14.5	714	4.39	213.1	2.2	55.7	7.5	79	3.4	3.5	0.9	89
1403413	Rock Chip	1.59	<2	1.6	20.8	4.1	58	<0.1	7.1	16.3	825	4.00	6.6	2.1	4.9	6.5	109	0.1	1.0	<0.1	135
1403414	Rock Chip	1.89	8	2.0	20.5	8.5	85	<0.1	9.8	16.4	790	3.74	5.4	3.7	1.0	8.3	118	0.6	1.7	<0.1	117
1403415	Rock Chip	1.69	<2	2.1	20.2	3.8	61	<0.1	14.6	18.6	927	4.25	6.2	2.4	<0.5	7.4	136	0.1	2.0	<0.1	133
1403416	Rock Chip	1.31	<2	3.1	20.6	3.3	59	<0.1	7.2	17.7	834	4.02	4.3	2.6	<0.5	7.0	130	<0.1	1.2	<0.1	134
1403417	Rock Chip	2.04	144	3.1	23.1	4.6	54	0.1	8.2	18.4	786	4.33	2961	2.5	132.1	8.5	149	<0.1	1.9	1.2	117
1403418	Rock Chip	2.10	4	2.6	22.0	3.4	58	<0.1	8.0	17.2	737	4.13	28.0	1.9	<0.5	7.6	121	0.1	1.1	0.2	129
1403419	Rock Chip	1.85	<2	2.1	23.7	3.7	49	<0.1	8.1	14.7	624	3.50	6.5	1.9	1.5	7.5	112	<0.1	0.5	0.3	109
1403420	Rock Pulp	0.12	3	2.7	25.6	2.3	44	0.2	24.0	10.8	407	2.38	4.6	0.2	<0.5	1.0	37	0.2	0.2	<0.1	56
1403421	Rock Pulp	0.12	1451	9.6	50.1	6.0	50	0.2	33.5	9.6	486	3.25	7.6	0.3	988.2	1.0	39	<0.1	0.9	0.1	63
1403422	Rock Chip	1.58	8	1.7	21.1	5.0	57	<0.1	6.6	15.5	615	3.62	6.7	1.9	<0.5	7.0	94	0.2	0.7	0.1	106
1403423	Rock Chip	1.87	<2	1.8	20.8	3.3	56	<0.1	7.8	15.3	685	3.66	4.8	2.3	<0.5	6.6	114	0.2	1.3	0.1	107
1403424	Rock Chip	0.81	3	2.4	19.0	6.2	61	0.1	6.4	16.9	738	4.05	5.4	3.0	<0.5	7.3	119	<0.1	2.6	0.3	117
1403425	Rock Chip	0.61	4	2.3	20.0	5.3	60	<0.1	7.0	17.5	712	3.94	5.2	3.8	<0.5	7.6	111	0.1	2.7	0.3	115
1403426	Rock Chip	1.86	150	16.3	36.9	63.8	199	0.5	6.9	19.8	748	5.14	2988	2.8	144.5	5.3	114	2.0	12.4	6.4	92
1403427	Rock Chip	1.38	412	4.1	34.9	569.6	1451	0.9	6.3	18.7	1015	5.14	6785	2.1	400.6	5.8	117	19.7	13.8	9.8	48
1403428	Rock Chip	1.25	9	0.9	9.5	156.1	154	0.3	5.8	16.8	1314	4.24	100.8	1.6	7.5	5.2	112	2.0	4.4	0.6	43
1403429	Rock Chip	1.65	10	0.8	28.5	27.5	125	0.2	7.5	21.4	1139	5.36	144.0	1.9	8.3	5.4	116	0.8	3.2	1.3	89
1403430	Rock Chip	1.72	<2	0.8	28.0	160.5	178	0.3	6.3	19.4	1075	4.74	38.2	1.8	17.9	5.3	99	0.9	3.2	0.1	106
1403431	Rock Chip	1.71	31	1.4	30.0	123.5	221	0.6	6.9	17.2	1049	4.35	256.0	2.6	35.8	5.0	94	1.4	16.1	1.9	79
1403432	Rock Chip	1.79	2	2.7	27.6	3.7	50	<0.1	7.5	15.0	609	3.56	4.2	2.4	1.6	6.8	97	<0.1	0.9	0.1	102
1403433	Rock Chip	1.99	<2	2.2	30.0	3.4	53	<0.1	7.8	16.3	597	3.80	15.2	1.9	6.9	5.9	91	0.1	0.7	0.4	102
1403434	Rock Chip	1.77	7	2.3	29.7	3.7	55	<0.1	7.5	17.4	745	4.18	36.3	2.3	6.4	6.8	126	<0.1	0.8	0.4	115
1403435	Rock Chip	1.98	3	2.1	30.3	4.1	66	<0.1	8.5	17.0	674	4.00	8.1	2.2	3.2	6.5	110	0.3	0.5	0.2	118

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

CERTIFICATE OF ANALYSIS WHI12000369.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1403406	Rock Chip	1.04	0.071	12	28	1.13	1839	0.242	<20	1.93	0.221	0.75	0.8	<0.01	0.4	<0.05	5.3	<0.5	6	<0.2
1403407	Rock Chip	1.29	0.068	12	28	1.06	1844	0.242	<20	2.04	0.269	0.84	0.8	<0.01	0.5	<0.05	6.3	<0.5	6	<0.2
1403408	Rock Chip	1.58	0.074	13	30	1.28	1903	0.250	<20	2.27	0.259	0.90	0.6	<0.01	0.5	0.13	7.5	<0.5	7	<0.2
1403409	Rock Chip	1.20	0.067	11	29	1.13	1887	0.249	<20	2.20	0.290	0.87	0.7	<0.01	0.4	<0.05	6.0	<0.5	7	<0.2
1403410	Rock Chip	2.02	0.074	13	24	1.49	347	0.141	<20	1.94	0.151	0.67	0.6	<0.01	0.4	0.69	11.9	<0.5	6	2.1
1403411	Rock Chip	1.59	0.065	16	27	1.22	1116	0.164	<20	2.15	0.247	0.62	0.6	<0.01	0.3	0.16	9.2	<0.5	7	<0.2
1403412	Rock Chip	2.30	0.063	12	20	1.34	175	0.081	<20	1.91	0.133	0.47	0.3	0.03	0.3	1.20	10.4	<0.5	6	<0.2
1403413	Rock Chip	2.18	0.068	16	28	1.75	1540	0.175	<20	2.62	0.210	0.74	0.3	0.02	0.4	<0.05	13.7	<0.5	9	<0.2
1403414	Rock Chip	2.36	0.068	15	29	1.65	979	0.146	<20	2.23	0.149	0.56	0.3	<0.01	0.2	0.06	13.0	<0.5	7	<0.2
1403415	Rock Chip	2.63	0.071	17	30	2.09	1270	0.168	<20	2.49	0.154	0.61	0.2	<0.01	0.2	<0.05	15.2	<0.5	8	<0.2
1403416	Rock Chip	2.26	0.077	14	33	1.71	1276	0.228	<20	2.40	0.211	0.81	0.3	<0.01	0.4	<0.05	13.4	<0.5	8	<0.2
1403417	Rock Chip	2.31	0.074	15	30	1.61	1080	0.178	<20	2.29	0.187	0.66	0.4	0.01	0.3	0.41	13.2	<0.5	7	0.6
1403418	Rock Chip	1.95	0.078	16	32	1.67	1205	0.207	<20	2.42	0.207	0.74	0.3	<0.01	0.4	0.17	14.3	<0.5	8	<0.2
1403419	Rock Chip	1.80	0.077	14	30	1.36	1249	0.230	<20	2.28	0.252	0.77	0.6	<0.01	0.4	0.08	8.5	<0.5	7	<0.2
1403420	Rock Pulp	0.81	0.060	4	31	0.79	96	0.113	<20	1.58	0.075	0.12	13.1	<0.01	<0.1	<0.05	4.6	<0.5	5	<0.2
1403421	Rock Pulp	0.84	0.060	4	35	0.83	107	0.125	<20	1.74	0.099	0.14	0.2	0.08	<0.1	<0.05	5.2	<0.5	6	<0.2
1403422	Rock Chip	1.69	0.077	14	30	1.46	1019	0.207	<20	2.05	0.179	0.61	0.6	<0.01	0.3	0.09	8.5	<0.5	7	<0.2
1403423	Rock Chip	2.04	0.074	14	29	1.42	979	0.193	<20	2.14	0.189	0.64	0.5	0.02	0.3	0.18	9.5	<0.5	7	<0.2
1403424	Rock Chip	2.05	0.073	16	27	1.73	718	0.126	<20	2.39	0.162	0.47	0.2	0.01	0.2	0.14	12.9	<0.5	8	<0.2
1403425	Rock Chip	1.92	0.078	15	28	1.66	838	0.158	<20	2.29	0.165	0.54	0.2	<0.01	0.3	0.10	12.0	<0.5	8	<0.2
1403426	Rock Chip	2.31	0.075	11	22	1.52	273	0.077	<20	1.85	0.124	0.43	0.3	0.13	0.5	1.44	12.1	0.7	6	0.9
1403427	Rock Chip	3.53	0.047	4	12	1.64	191	<0.001	<20	0.69	0.009	0.23	0.4	0.26	0.7	2.19	12.0	0.6	2	0.8
1403428	Rock Chip	4.84	0.065	8	10	2.06	240	<0.001	<20	0.57	0.011	0.21	0.1	0.12	0.4	0.52	10.5	<0.5	1	<0.2
1403429	Rock Chip	2.97	0.079	13	15	1.55	200	0.001	<20	0.88	0.010	0.15	<0.1	0.20	0.3	0.60	20.3	<0.5	2	<0.2
1403430	Rock Chip	2.78	0.080	12	16	1.39	592	<0.001	<20	0.78	0.009	0.10	<0.1	0.24	0.2	0.20	23.5	<0.5	2	<0.2
1403431	Rock Chip	2.32	0.062	10	18	1.35	625	0.072	<20	1.28	0.097	0.44	0.2	0.29	0.4	0.82	11.4	<0.5	4	0.6
1403432	Rock Chip	1.59	0.084	13	30	1.29	1216	0.239	<20	2.31	0.267	0.93	0.3	<0.01	0.6	0.13	8.1	<0.5	7	<0.2
1403433	Rock Chip	1.63	0.084	12	29	1.28	1156	0.223	<20	2.23	0.250	0.85	0.3	<0.01	0.4	0.28	7.7	<0.5	7	<0.2
1403434	Rock Chip	2.14	0.083	14	30	1.54	941	0.192	<20	2.41	0.217	0.73	0.4	0.01	0.4	0.33	11.8	<0.5	7	<0.2
1403435	Rock Chip	1.83	0.082	14	31	1.50	1035	0.230	<20	2.59	0.271	0.83	0.6	0.01	0.4	0.24	9.3	<0.5	8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

CERTIFICATE OF ANALYSIS WHI12000369.2

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403436	Rock Chip	2.44	<2	2.1	30.1	3.4	52	<0.1	6.7	16.1	612	3.74	3.1	2.2	1.8	6.6	98	<0.1	0.3	0.1	108
1403437	Rock Chip	2.04	2	2.3	27.3	4.2	48	<0.1	7.2	14.4	534	3.29	4.4	2.2	<0.5	6.9	73	<0.1	0.3	<0.1	92
1403438	Rock Chip	1.64	<2	2.0	26.3	4.0	53	<0.1	7.1	16.4	653	3.74	3.2	2.1	1.2	6.0	90	0.1	0.3	<0.1	102
1403439	Rock Chip	2.12	8	2.4	27.8	3.0	54	<0.1	8.1	16.7	684	3.81	2.4	2.3	1.9	6.5	97	<0.1	0.2	<0.1	118
1403440	Rock Pulp	0.12	2	2.6	25.7	2.2	44	0.3	24.3	10.9	409	2.39	4.6	0.3	<0.5	0.9	37	0.2	0.3	<0.1	57
1403441	Rock Pulp	0.12	3848	9.6	72.2	512.9	1620	55.8	31.4	8.7	403	3.20	31.2	0.4	3287	1.1	31	15.8	52.5	1.0	52
1403442	Rock Chip	3.03	5	2.5	26.8	3.2	50	<0.1	7.3	15.0	555	3.49	2.2	1.5	3.6	5.8	90	<0.1	0.2	<0.1	109
1403443	Rock Chip	2.37	3	2.2	27.0	2.8	55	<0.1	8.0	16.3	684	3.82	2.6	2.1	0.8	6.3	104	<0.1	0.2	<0.1	118
1403444	Rock Chip	1.00	29	3.2	27.7	5.1	250	0.2	7.8	15.3	605	3.68	114.2	2.0	29.3	6.2	93	3.5	0.4	0.8	105
1403445	Rock Chip	2.23	2	1.9	24.7	5.2	54	<0.1	7.8	16.5	1151	3.78	7.9	2.8	2.9	6.5	107	<0.1	1.8	<0.1	108
1403446	Rock Chip	2.91	4	1.8	31.6	3.9	60	<0.1	7.5	17.0	723	4.08	3.2	2.2	<0.5	6.2	112	0.1	0.5	0.2	118
1403447	Rock Chip	1.69	6	2.2	24.9	2.8	49	<0.1	7.2	15.2	587	3.49	2.2	2.8	<0.5	7.3	97	<0.1	0.3	<0.1	109
1403448	Rock Chip	2.67	2	2.4	30.8	3.5	50	<0.1	7.2	14.8	548	3.40	8.0	2.7	<0.5	7.8	71	<0.1	0.2	<0.1	105
1403449	Rock Chip	2.37	<2	1.9	28.4	5.2	48	<0.1	7.0	12.9	553	3.14	4.7	2.3	6.3	6.8	89	0.1	0.2	<0.1	107
1403450	Rock Chip	2.44	4	2.3	28.6	3.9	49	<0.1	6.6	14.1	633	3.83	7.8	2.1	6.0	6.2	83	0.1	0.4	<0.1	108
1403451	Rock Chip	2.45	<2	2.5	21.6	2.3	45	<0.1	6.4	13.1	530	3.23	2.7	1.8	5.4	6.6	81	<0.1	0.1	<0.1	116
1403452	Rock Chip	1.20	436	1.8	20.2	3.7	83	<0.1	6.3	14.7	676	4.06	3604	2.1	417.3	6.2	107	1.0	1.1	0.6	114
1403453	Rock Chip	1.94	<2	1.7	21.2	3.2	49	<0.1	6.8	14.1	682	3.65	15.7	2.3	11.4	6.7	106	<0.1	0.5	<0.1	117
1403454	Rock Chip	1.59	266	1.5	23.5	6.3	59	0.3	7.4	18.6	930	4.51	5254	1.6	291.5	6.3	121	0.2	3.2	0.6	93
1403455	Rock Chip	2.03	8	1.6	20.8	3.0	55	<0.1	6.6	13.8	579	3.45	61.5	1.8	9.9	5.5	88	0.3	0.6	<0.1	112
1403456	Rock Chip	1.55	4	1.9	26.7	2.6	59	<0.1	7.2	13.9	542	3.24	12.2	1.8	8.5	5.9	82	0.2	0.2	<0.1	106
1403457	Rock Chip	2.03	3	2.6	27.9	2.8	45	<0.1	6.4	13.4	507	3.21	7.7	2.1	5.2	6.1	79	0.1	0.2	<0.1	112
1403458	Rock Chip	1.63	2	2.7	33.3	2.8	44	<0.1	7.0	13.1	454	3.07	7.3	2.0	26.6	6.4	73	<0.1	0.2	0.2	106
1403459	Rock Chip	2.79	56	2.5	27.5	3.2	94	<0.1	6.2	13.5	544	3.52	98.8	1.8	67.1	5.5	89	0.8	0.3	1.3	114
1403460	Rock Pulp	0.12	<2	2.2	23.3	2.2	42	0.2	21.7	10.0	399	2.36	5.0	0.3	9.9	0.8	38	0.2	0.2	<0.1	60
1403461	Rock Pulp	0.12	3931	9.3	64.8	476.6	1478	52.9	30.2	8.1	389	3.19	29.8	0.3	2949	1.1	32	16.2	44.6	0.8	54
1403462	Rock Chip	2.43	238	2.3	30.9	4.2	107	0.2	7.4	15.6	544	3.87	1317	1.3	212.8	3.9	82	1.0	0.8	1.9	118
1403463	Rock Chip	2.45	4	2.8	25.3	2.8	46	<0.1	6.9	13.9	499	3.29	8.9	1.8	22.2	7.8	86	<0.1	0.2	<0.1	113
1403464	Rock Chip	2.51	7	2.2	28.1	3.1	62	<0.1	7.6	13.9	517	3.48	26.1	1.7	14.2	5.5	87	0.2	0.2	0.1	119
1403465	Rock Chip	2.53	100	2.4	28.8	3.3	61	<0.1	6.2	13.9	491	3.31	867.1	1.8	96.5	5.5	77	0.2	0.6	0.6	114

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

CERTIFICATE OF ANALYSIS WHI12000369.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1403436	Rock Chip	1.81	0.084	14	31	1.46	908	0.219	<20	2.34	0.230	0.66	0.5	0.01	0.3	0.14	7.9	<0.5	7	<0.2
1403437	Rock Chip	1.41	0.084	13	29	1.38	678	0.196	<20	1.97	0.170	0.41	0.6	<0.01	0.2	<0.05	5.9	<0.5	7	<0.2
1403438	Rock Chip	1.92	0.082	13	30	1.45	632	0.200	<20	2.24	0.197	0.44	0.6	0.01	0.2	0.15	7.8	<0.5	7	<0.2
1403439	Rock Chip	1.98	0.086	14	31	1.42	1054	0.239	<20	2.47	0.254	0.81	0.5	<0.01	0.4	0.14	10.1	<0.5	8	<0.2
1403440	Rock Pulp	0.83	0.060	4	31	0.79	94	0.116	<20	1.58	0.077	0.13	13.3	0.02	<0.1	<0.05	4.5	<0.5	5	<0.2
1403441	Rock Pulp	0.69	0.055	5	27	0.60	109	0.099	<20	1.19	0.074	0.11	2.6	0.23	1.2	0.34	4.5	<0.5	6	<0.2
1403442	Rock Chip	1.49	0.086	14	31	1.27	1357	0.272	<20	2.39	0.275	0.97	0.6	<0.01	0.4	0.07	6.6	<0.5	7	<0.2
1403443	Rock Chip	1.96	0.083	14	31	1.40	1253	0.250	<20	2.56	0.268	0.93	0.5	<0.01	0.4	0.06	10.9	<0.5	7	<0.2
1403444	Rock Chip	1.62	0.082	13	31	1.28	1162	0.245	<20	2.40	0.288	0.91	3.7	<0.01	0.4	0.26	7.5	<0.5	7	<0.2
1403445	Rock Chip	2.05	0.082	14	29	1.45	1141	0.223	<20	2.34	0.255	0.88	0.8	<0.01	0.4	0.25	10.1	<0.5	7	<0.2
1403446	Rock Chip	1.98	0.082	15	31	1.51	947	0.194	<20	2.54	0.245	0.73	0.5	<0.01	0.3	0.23	11.0	<0.5	8	<0.2
1403447	Rock Chip	1.79	0.081	14	30	1.37	944	0.226	<20	2.38	0.260	0.72	0.7	<0.01	0.3	0.06	8.8	<0.5	7	<0.2
1403448	Rock Chip	1.31	0.091	15	32	1.29	1180	0.274	<20	2.07	0.212	0.82	0.8	<0.01	0.3	<0.05	6.5	<0.5	7	<0.2
1403449	Rock Chip	1.46	0.081	14	25	1.26	958	0.248	<20	1.98	0.197	0.65	0.6	0.02	0.3	<0.05	6.2	0.9	6	<0.2
1403450	Rock Chip	1.92	0.073	14	25	1.43	509	0.159	<20	2.11	0.154	0.44	0.5	<0.01	0.2	0.42	9.8	<0.5	6	<0.2
1403451	Rock Chip	1.17	0.081	13	28	1.24	1237	0.296	<20	2.14	0.226	0.94	0.6	<0.01	0.4	<0.05	5.8	<0.5	6	<0.2
1403452	Rock Chip	2.13	0.075	14	26	1.41	581	0.123	<20	2.22	0.188	0.43	0.4	0.02	0.2	0.44	10.2	<0.5	6	0.4
1403453	Rock Chip	2.16	0.076	15	24	1.40	765	0.168	<20	2.25	0.208	0.58	0.4	<0.01	0.2	0.06	11.0	1.0	7	<0.2
1403454	Rock Chip	2.74	0.076	15	20	1.52	485	0.098	<20	1.84	0.149	0.52	0.4	<0.01	0.3	0.70	12.0	0.6	5	3.2
1403455	Rock Chip	1.53	0.083	13	25	1.23	952	0.226	<20	2.15	0.237	0.77	1.6	0.02	0.4	0.20	7.4	<0.5	6	<0.2
1403456	Rock Chip	1.33	0.086	13	27	1.25	871	0.242	<20	2.04	0.212	0.66	0.9	<0.01	0.3	0.11	6.0	<0.5	6	<0.2
1403457	Rock Chip	1.18	0.082	13	27	1.19	1114	0.284	<20	2.05	0.226	0.83	0.9	<0.01	0.4	0.06	5.4	<0.5	6	<0.2
1403458	Rock Chip	1.04	0.074	13	30	1.18	1212	0.283	<20	2.07	0.226	0.83	0.8	<0.01	0.4	<0.05	5.1	<0.5	6	<0.2
1403459	Rock Chip	1.34	0.077	13	29	1.34	1193	0.280	<20	2.37	0.263	0.87	0.7	<0.01	0.4	0.13	6.9	<0.5	7	<0.2
1403460	Rock Pulp	0.79	0.059	4	29	0.76	97	0.114	<20	1.54	0.077	0.13	12.0	0.03	<0.1	<0.05	4.5	<0.5	5	<0.2
1403461	Rock Pulp	0.66	0.050	5	26	0.57	108	0.097	<20	1.16	0.075	0.11	2.1	0.23	1.1	0.37	4.0	0.6	6	<0.2
1403462	Rock Chip	1.57	0.075	12	29	1.34	936	0.240	<20	2.28	0.221	0.78	0.7	0.01	0.4	0.50	7.7	<0.5	7	<0.2
1403463	Rock Chip	1.28	0.077	13	30	1.25	1207	0.276	<20	2.24	0.251	0.86	0.7	0.01	0.4	<0.05	5.8	<0.5	6	<0.2
1403464	Rock Chip	1.32	0.082	12	28	1.33	1271	0.293	<20	2.39	0.261	0.96	0.8	<0.01	0.4	0.16	6.0	<0.5	7	<0.2
1403465	Rock Chip	1.16	0.083	12	27	1.24	1281	0.284	<20	2.12	0.232	0.91	0.7	<0.01	0.4	0.19	5.6	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

CERTIFICATE OF ANALYSIS WHI12000369.2

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403466	Rock Chip	2.01	3	2.6	28.1	3.1	52	<0.1	7.7	14.4	568	3.49	10.1	1.9	7.3	5.9	93	<0.1	0.2	<0.1	122
1403467	Rock Chip	2.65	42	2.2	25.4	3.1	47	<0.1	7.1	13.9	487	3.29	166.3	1.8	43.7	5.9	77	<0.1	0.2	<0.1	113
1403468	Rock Chip	2.70	85	2.7	32.8	3.8	59	<0.1	7.7	14.6	524	3.56	195.4	1.5	76.4	4.2	84	0.2	0.6	0.2	116
1403469	Rock Chip	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]
[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]	[redacted]

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

CERTIFICATE OF ANALYSIS WHI12000369.2

		Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
		Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1403466	Rock Chip		1.51	0.082	13	31	1.37	1311	0.289	<20	2.41	0.263	0.96	0.7	<0.01	0.4	0.09	7.0	<0.5	7	<0.2
1403467	Rock Chip		1.12	0.077	12	30	1.25	1312	0.293	<20	2.19	0.244	0.95	1.7	<0.01	0.4	0.10	5.4	<0.5	6	<0.2
1403468	Rock Chip		1.30	0.074	11	30	1.33	1107	0.274	<20	2.27	0.242	0.84	0.7	0.01	0.4	0.26	6.6	<0.5	6	<0.2
1403469	Rock Chip		L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.	L.N.R.
[redacted]	[redacted]																				
[redacted]	[redacted]																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

QUALITY CONTROL REPORT WHI12000369.2

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1403381	Rock Pulp	0.13	3770	9.0	64.3	516.8	1490	52.2	29.1	7.7	380	3.22	30.1	0.3	4776	0.9	27	15.3	40.3	0.7	56
REP 1403381	QC			9.1	66.4	526.7	1491	53.5	29.5	7.9	400	3.26	30.1	0.3	3365	0.9	27	16.0	39.3	0.7	58
1403392	Rock Chip	1.62	2	1.7	22.9	2.6	49	<0.1	6.5	14.2	641	3.61	4.0	1.6	<0.5	6.5	83	<0.1	0.3	<0.1	129
REP 1403392	QC		<2																		
1403421	Rock Pulp	0.12	1451	9.6	50.1	6.0	50	0.2	33.5	9.6	486	3.25	7.6	0.3	988.2	1.0	39	<0.1	0.9	0.1	63
REP 1403421	QC			8.6	48.9	5.7	50	0.3	32.2	9.5	485	3.21	6.9	0.3	1361	1.0	40	0.1	0.9	0.1	62
1403431	Rock Chip	1.71	31	1.4	30.0	123.5	221	0.6	6.9	17.2	1049	4.35	256.0	2.6	35.8	5.0	94	1.4	16.1	1.9	79
REP 1403431	QC		31																		
1403465	Rock Chip	2.53	100	2.4	28.8	3.3	61	<0.1	6.2	13.9	491	3.31	867.1	1.8	96.5	5.5	77	0.2	0.6	0.6	114
REP 1403465	QC		102																		
Core Reject Duplicates																					
1403348	Rock Chip	2.05	<2	1.7	26.8	5.8	58	<0.1	7.9	14.9	655	3.73	91.7	3.5	2.4	14.0	73	0.1	0.9	0.1	126
DUP 1403348	QC		3	1.9	26.6	5.9	57	0.1	8.1	14.8	653	3.62	88.5	2.3	3.8	12.6	68	0.1	0.9	0.1	124
1403383	Rock Chip	2.98	2	1.9	23.5	3.0	43	<0.1	5.8	12.4	493	3.18	5.1	1.6	0.9	6.5	67	<0.1	0.2	<0.1	113
DUP 1403383	QC		3	1.8	22.5	2.9	44	<0.1	6.4	12.3	489	3.13	4.6	1.2	1.1	5.9	64	<0.1	0.2	<0.1	114
1403418	Rock Chip	2.10	4	2.6	22.0	3.4	58	<0.1	8.0	17.2	737	4.13	28.0	1.9	<0.5	7.6	121	0.1	1.1	0.2	129
DUP 1403418	QC		4	2.9	21.3	3.3	58	<0.1	7.2	17.1	769	4.32	27.7	1.6	<0.5	7.9	128	<0.1	1.1	0.2	133
1403453	Rock Chip	1.94	<2	1.7	21.2	3.2	49	<0.1	6.8	14.1	682	3.65	15.7	2.3	11.4	6.7	106	<0.1	0.5	<0.1	117
DUP 1403453	QC		7	1.7	22.8	3.2	51	<0.1	6.2	14.1	701	3.79	19.4	2.3	14.1	7.0	108	<0.1	0.6	<0.1	119
Reference Materials																					
STD DS9	Standard			13.5	112.0	128.9	317	2.0	41.5	7.9	585	2.37	25.2	2.5	104.5	6.4	65	2.4	4.7	6.5	42
STD DS9	Standard			12.6	109.6	120.2	308	1.8	39.2	7.8	568	2.29	25.8	2.4	117.1	5.9	64	2.4	4.5	6.3	37
STD DS9	Standard			13.4	110.1	117.2	304	1.9	42.0	7.6	595	2.38	27.1	2.4	110.2	5.9	62	2.2	3.9	4.5	41
STD DS9	Standard			12.1	106.6	130.6	306	2.0	40.1	7.4	568	2.34	26.6	2.5	132.9	6.2	70	2.3	4.8	6.1	41
STD DS9	Standard			12.6	110.2	121.3	301	1.7	40.8	7.6	604	2.31	24.7	2.8	120.6	6.3	71	2.3	4.3	5.8	40
STD DS9	Standard			13.7	103.1	132.3	315	1.9	38.2	7.6	598	2.34	27.2	2.8	112.5	6.8	79	2.3	4.5	7.3	40
STD OREAS45CA	Standard			1.1	535.6	21.9	58	0.3	263.8	97.3	971	16.88	4.8	1.1	51.7	7.2	15	0.2	0.2	0.2	222
STD OREAS45CA	Standard			1.2	518.4	21.2	57	0.3	252.9	96.6	973	16.23	4.2	1.6	47.3	7.9	14	0.1	0.2	0.2	218

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

QUALITY CONTROL REPORT WHI12000369.2

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
1403381	Rock Pulp	0.69	0.050	5	26	0.58	107	0.085	<20	1.20	0.079	0.12	2.2	0.23	1.0	0.37	4.0	<0.5	6	<0.2
REP 1403381	QC	0.70	0.050	5	26	0.59	106	0.084	<20	1.23	0.080	0.12	1.9	0.22	1.1	0.37	4.1	<0.5	6	<0.2
1403392	Rock Chip	1.56	0.075	13	29	1.36	1796	0.231	<20	2.48	0.304	0.89	0.5	<0.01	0.5	<0.05	10.1	<0.5	7	<0.2
REP 1403392	QC																			
1403421	Rock Pulp	0.84	0.060	4	35	0.83	107	0.125	<20	1.74	0.099	0.14	0.2	0.08	<0.1	<0.05	5.2	<0.5	6	<0.2
REP 1403421	QC	0.83	0.058	4	35	0.82	107	0.126	<20	1.72	0.101	0.15	0.2	0.07	<0.1	<0.05	5.2	<0.5	6	<0.2
1403431	Rock Chip	2.32	0.062	10	18	1.35	625	0.072	<20	1.28	0.097	0.44	0.2	0.29	0.4	0.82	11.4	<0.5	4	0.6
REP 1403431	QC																			
1403465	Rock Chip	1.16	0.083	12	27	1.24	1281	0.284	<20	2.12	0.232	0.91	0.7	<0.01	0.4	0.19	5.6	<0.5	6	<0.2
REP 1403465	QC																			
Core Reject Duplicates																				
1403348	Rock Chip	1.21	0.074	17	26	1.26	758	0.291	<20	2.39	0.199	0.68	1.0	<0.01	0.3	<0.05	9.6	<0.5	8	<0.2
DUP 1403348	QC	1.18	0.072	16	26	1.23	730	0.288	<20	2.32	0.187	0.66	1.1	0.01	0.3	<0.05	9.3	<0.5	8	<0.2
1403383	Rock Chip	1.09	0.075	12	26	1.13	1964	0.253	<20	2.16	0.275	0.93	0.8	<0.01	0.5	<0.05	5.7	<0.5	7	<0.2
DUP 1403383	QC	1.07	0.070	11	27	1.13	1944	0.261	<20	2.15	0.270	0.93	0.8	<0.01	0.5	<0.05	5.6	<0.5	7	<0.2
1403418	Rock Chip	1.95	0.078	16	32	1.67	1205	0.207	<20	2.42	0.207	0.74	0.3	<0.01	0.4	0.17	14.3	<0.5	8	<0.2
DUP 1403418	QC	2.02	0.074	17	31	1.68	1227	0.205	<20	2.55	0.231	0.74	0.3	<0.01	0.4	0.18	14.6	<0.5	8	<0.2
1403453	Rock Chip	2.16	0.076	15	24	1.40	765	0.168	<20	2.25	0.208	0.58	0.4	<0.01	0.2	0.06	11.0	1.0	7	<0.2
DUP 1403453	QC	2.22	0.088	16	25	1.43	757	0.177	<20	2.32	0.221	0.59	0.5	0.02	0.3	0.06	11.1	1.1	7	<0.2
Reference Materials																				
STD DS9	Standard	0.73	0.082	11	120	0.63	320	0.103	<20	0.95	0.082	0.40	2.8	0.19	5.6	0.17	2.3	5.5	5	5.3
STD DS9	Standard	0.70	0.079	11	120	0.61	310	0.102	<20	0.94	0.081	0.39	2.7	0.20	5.4	0.16	2.4	5.4	5	5.0
STD DS9	Standard	0.74	0.085	13	123	0.64	341	0.099	<20	1.00	0.091	0.41	3.0	0.22	5.8	0.17	2.4	5.7	5	5.2
STD DS9	Standard	0.72	0.079	12	118	0.61	332	0.104	<20	0.93	0.081	0.40	2.8	0.23	5.7	0.18	2.2	5.7	5	4.2
STD DS9	Standard	0.71	0.079	11	111	0.61	300	0.104	<20	0.93	0.082	0.38	2.7	0.22	5.1	0.17	2.1	5.7	5	4.9
STD DS9	Standard	0.71	0.095	13	125	0.63	350	0.111	<20	0.94	0.078	0.40	2.6	0.20	5.3	0.17	2.5	5.8	5	5.4
STD OREAS45CA	Standard	0.46	0.041	16	836	0.14	180	0.137	<20	3.71	0.011	0.08	<0.1	0.03	0.1	<0.05	46.6	0.7	20	<0.2
STD OREAS45CA	Standard	0.44	0.039	16	816	0.14	176	0.134	<20	3.62	0.006	0.07	<0.1	0.03	0.1	<0.05	45.6	0.7	19	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

QUALITY CONTROL REPORT WHI12000369.2

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
STD OREAS45CA	Standard			0.9	535.1	18.0	59	0.3	270.5	94.5	994	16.86	3.6	1.0	38.7	6.8	13	<0.1	<0.1	0.1	229
STD OREAS45CA	Standard			1.0	514.6	20.1	62	0.3	262.5	95.1	970	16.47	3.4	1.2	68.9	7.2	14	0.1	0.1	0.1	221
STD OREAS45CA	Standard			0.9	516.9	19.2	59	0.3	259.5	88.7	936	14.98	3.9	1.2	65.9	7.4	16	<0.1	<0.1	<0.1	219
STD OREAS45CA	Standard			0.8	508.6	21.5	64	0.3	254.2	99.2	936	15.55	3.8	1.2	42.7	7.9	15	0.1	0.1	0.2	223
STD OXD87	Standard		427																		
STD OXD87	Standard		430																		
STD OXD87	Standard		411																		
STD OXD87	Standard		396																		
STD OXD87	Standard		421																		
STD OXD87	Standard		405																		
STD OXG99	Standard		981																		
STD OXG99	Standard		912																		
STD OXG99	Standard		932																		
STD OXG99	Standard		950																		
STD OXG99 Expected			932																		
STD OXD87 Expected			417																		
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
BLK	Blank		<2																		
BLK	Blank		6																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		2																		
BLK	Blank		3																		
BLK	Blank		3																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

QUALITY CONTROL REPORT WHI12000369.2

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD OREAS45CA	Standard	0.45	0.040	16	848	0.14	170	0.125	<20	3.93	0.015	0.08	<0.1	0.02	0.1	<0.05	47.3	<0.5	20	<0.2
STD OREAS45CA	Standard	0.45	0.037	16	766	0.14	169	0.129	<20	3.66	0.015	0.07	<0.1	0.05	0.1	<0.05	44.4	0.7	19	<0.2
STD OREAS45CA	Standard	0.44	0.041	16	702	0.14	159	0.139	<20	3.62	0.015	0.07	<0.1	0.02	0.1	<0.05	47.2	1.2	18	<0.2
STD OREAS45CA	Standard	0.45	0.043	16	718	0.15	180	0.143	<20	3.67	0.005	0.07	<0.1	0.04	<0.1	<0.05	47.3	0.7	18	<0.2
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99 Expected																				
STD OXD87 Expected																				
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

QUALITY CONTROL REPORT WHI12000369.2

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
BLK	Blank		4																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		3																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank		11	0.2	3.1	3.4	49	<0.1	2.5	4.3	606	2.10	<0.5	2.2	<0.5	6.0	69	<0.1	<0.1	<0.1	40
G1-WHI	Prep Blank		9	0.1	2.3	4.3	45	0.4	2.7	4.0	588	2.10	<0.5	1.7	8.2	5.9	77	<0.1	0.2	<0.1	39

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

QUALITY CONTROL REPORT WHI12000369.2

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																				
G1-WHI	Prep Blank	0.57	0.079	12	8	0.54	179	0.132	<20	1.03	0.108	0.51	0.1	<0.01	0.3	<0.05	2.4	<0.5	5	<0.2
G1-WHI	Prep Blank	0.52	0.078	14	8	0.52	179	0.139	<20	0.97	0.098	0.49	<0.1	0.04	0.3	<0.05	2.5	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 23, 2012
Report Date: August 12, 2012
Page: 1 of 5

CERTIFICATE OF ANALYSIS WHI12000403.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number NA 12308
Number of Samples: 96

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	86	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	96	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	96	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme
Stephanie Korelin

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 12, 2012

CERTIFICATE OF ANALYSIS WHI12000403.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403469	Rock Chip	1.26	<2	1.6	25.2	2.2	54	<0.1	6.0	14.3	679	3.63	8.5	1.2	3.8	6.9	78	<0.1	0.4	<0.1	102
1403470	Rock Chip	2.87	3	1.1	17.0	2.9	57	<0.1	6.0	14.7	795	3.80	5.0	1.2	<0.5	6.3	95	<0.1	1.2	<0.1	115
1403471	Rock Chip	2.25	16	1.2	18.3	20.5	540	0.2	6.2	15.7	867	4.07	53.2	2.3	10.7	5.9	89	9.5	2.4	0.8	100
1403472	Rock Chip	2.80	18	1.2	21.5	6.5	67	0.1	5.7	16.2	959	4.18	194.7	2.1	8.8	6.1	95	0.4	1.4	0.1	116
1403473	Rock Chip	3.64	6	1.8	26.3	3.5	54	<0.1	6.1	13.9	547	3.33	5.7	1.5	<0.5	6.2	67	0.1	0.3	<0.1	111
1403474	Rock Chip	1.21	<2	1.4	24.1	3.5	50	<0.1	5.5	13.0	512	3.16	4.5	1.3	<0.5	5.6	63	<0.1	0.2	<0.1	103
1403475	Rock Chip	1.07	<2	1.5	21.4	3.4	46	<0.1	5.4	12.2	479	3.12	3.7	1.3	<0.5	5.5	66	<0.1	0.3	<0.1	99
1403476	Rock Chip	2.95	3	1.2	22.8	2.9	50	<0.1	5.0	13.3	565	3.26	3.5	1.6	1.1	6.1	66	<0.1	0.4	<0.1	103
1403477	Rock Chip	2.70	5	2.9	23.4	3.7	47	<0.1	6.0	12.3	497	3.15	3.4	1.7	<0.5	6.8	55	<0.1	0.3	<0.1	96
1403478	Rock Chip	2.65	30	1.2	24.1	6.5	64	0.2	5.7	14.8	803	3.93	534.7	1.9	23.2	6.0	78	0.5	1.3	0.2	86
1403479	Rock Chip	2.97	11	1.6	24.1	5.5	59	<0.1	6.0	15.6	658	4.44	22.1	2.2	2.5	6.3	65	0.1	0.7	0.3	95
1403480	Rock Pulp	0.14	6	2.3	23.4	2.2	42	0.2	22.7	10.1	410	2.40	4.1	0.2	<0.5	1.0	33	0.1	0.1	<0.1	59
1403481	Rock Pulp	0.14	1513	8.2	46.6	5.7	51	0.2	30.7	8.8	475	3.20	6.9	0.3	832.2	1.0	34	<0.1	0.5	<0.1	64
1403482	Rock Chip	2.85	65	1.6	23.4	4.7	55	0.2	5.6	15.0	757	3.97	363.9	2.0	77.6	6.0	82	0.1	1.1	0.5	95
1403483	Rock Chip	2.85	50	1.3	19.5	7.1	93	0.2	5.1	14.7	1292	3.51	1058	2.3	73.3	6.6	83	0.4	1.9	<0.1	78
1403484	Rock Chip	2.79	15	1.2	19.9	2.7	49	0.1	5.0	14.5	706	3.52	229.3	2.2	35.6	6.4	84	0.1	1.3	<0.1	89
1403485	Rock Chip	2.28	<2	0.8	17.3	3.2	60	<0.1	5.4	15.1	767	3.81	17.4	1.7	16.7	6.5	86	<0.1	0.9	<0.1	105
1403486	Rock Chip	2.48	80	1.6	12.6	27.0	64	0.3	4.6	13.8	1331	3.62	1138	1.5	77.5	5.0	103	0.7	1.5	<0.1	34
1403487	Rock Chip	2.10	104	2.0	25.6	119.7	107	0.8	5.4	14.1	1317	3.68	1830	2.3	94.6	5.7	92	1.4	4.5	<0.1	66
1403488	Rock Chip	2.27	5	1.6	21.4	2.5	48	<0.1	5.0	13.4	580	3.31	8.2	1.8	12.4	6.1	68	<0.1	0.3	<0.1	106
1403489	Rock Chip	2.29	<2	1.6	20.7	2.6	46	<0.1	5.5	13.3	550	3.14	6.0	2.0	7.8	7.1	60	<0.1	0.3	<0.1	102
1403490	Rock Chip	2.73	<2	1.5	22.6	7.2	56	0.2	5.3	13.7	603	3.36	3.4	2.3	2.4	7.7	71	0.1	0.2	<0.1	108
1403491	Rock Chip	2.53	<2	2.0	22.3	3.4	45	<0.1	5.5	11.9	431	2.86	4.2	2.0	2.3	6.8	49	<0.1	0.2	<0.1	96
1403492	Rock Chip	2.02	<2	2.0	24.7	2.8	43	<0.1	5.8	12.6	487	3.08	4.4	1.8	1.8	7.3	56	<0.1	0.2	<0.1	102
1403493	Rock Chip	2.45	4	1.7	31.5	2.9	47	<0.1	5.8	13.5	511	3.15	3.3	2.0	0.9	6.9	62	<0.1	0.2	<0.1	104
1403494	Rock Chip	2.73	<2	1.9	17.7	2.9	46	<0.1	5.6	12.7	523	3.19	2.5	1.8	2.0	7.7	71	<0.1	0.2	<0.1	103
1403495	Rock Chip	2.58	<2	1.6	19.9	2.7	53	<0.1	6.9	13.9	615	3.47	2.8	1.9	<0.5	7.1	67	<0.1	0.3	<0.1	108
1403496	Rock Chip	2.15	<2	2.1	23.1	2.9	45	<0.1	5.5	12.9	501	3.18	2.6	1.8	<0.5	7.5	69	<0.1	0.3	<0.1	103
1403497	Rock Chip	2.37	26	2.1	22.7	145.5	202	1.5	5.9	13.0	644	3.38	18.1	2.0	10.4	7.2	65	2.0	1.1	0.1	102
1403498	Rock Chip	2.68	4	1.5	19.6	3.4	45	<0.1	6.3	25.3	529	3.25	1.9	2.0	<0.5	6.6	81	<0.1	0.3	<0.1	108

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 12, 2012

CERTIFICATE OF ANALYSIS WHI12000403.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1403469	Rock Chip	1.98	0.071	11	23	1.33	697	0.134	<20	1.78	0.146	0.48	0.4	0.01	0.2	<0.05	9.1	<0.5	6	<0.2
1403470	Rock Chip	2.32	0.071	13	22	1.36	1048	0.185	<20	2.09	0.183	0.75	0.3	0.02	0.3	<0.05	15.2	0.9	7	<0.2
1403471	Rock Chip	2.78	0.072	12	19	1.44	667	0.102	<20	1.88	0.101	0.48	0.2	0.03	0.2	0.21	13.7	<0.5	6	<0.2
1403472	Rock Chip	3.18	0.073	12	23	1.68	756	0.119	<20	2.05	0.129	0.54	0.2	0.03	0.2	0.19	13.9	0.7	7	<0.2
1403473	Rock Chip	1.43	0.073	11	24	1.24	1841	0.256	<20	2.03	0.221	0.81	0.6	0.01	0.3	<0.05	7.5	<0.5	7	<0.2
1403474	Rock Chip	1.27	0.076	10	23	1.20	1593	0.252	<20	2.05	0.222	0.74	0.4	0.01	0.3	0.05	6.5	<0.5	7	<0.2
1403475	Rock Chip	1.26	0.073	10	23	1.19	1618	0.234	<20	1.99	0.220	0.71	0.4	<0.01	0.3	<0.05	6.2	1.0	6	<0.2
1403476	Rock Chip	1.55	0.067	11	23	1.33	860	0.205	<20	2.00	0.177	0.52	0.4	<0.01	0.2	<0.05	8.3	<0.5	7	<0.2
1403477	Rock Chip	1.22	0.065	11	29	1.16	797	0.232	<20	1.85	0.188	0.46	0.8	<0.01	0.2	<0.05	6.2	0.7	6	<0.2
1403478	Rock Chip	2.55	0.074	11	21	1.47	338	0.052	<20	1.70	0.072	0.27	0.4	0.04	0.2	0.49	11.0	1.1	6	<0.2
1403479	Rock Chip	2.27	0.073	13	21	1.34	205	0.033	<20	2.13	0.083	0.20	0.1	0.08	0.2	0.29	14.2	<0.5	7	<0.2
1403480	Rock Pulp	0.82	0.060	4	30	0.77	95	0.119	<20	1.54	0.075	0.13	11.9	0.01	<0.1	<0.05	4.8	<0.5	5	<0.2
1403481	Rock Pulp	0.83	0.061	4	33	0.80	106	0.126	<20	1.68	0.093	0.14	0.2	0.06	<0.1	<0.05	5.3	<0.5	6	<0.2
1403482	Rock Chip	2.40	0.071	12	22	1.33	559	0.095	<20	1.72	0.118	0.41	0.3	0.03	0.2	0.29	11.3	<0.5	6	<0.2
1403483	Rock Chip	2.33	0.071	13	16	1.36	644	0.076	<20	1.47	0.113	0.43	0.2	0.03	0.2	0.26	12.3	<0.5	5	<0.2
1403484	Rock Chip	2.11	0.065	13	18	1.26	963	0.157	<20	1.67	0.169	0.63	0.2	0.02	0.3	0.09	11.5	1.2	6	<0.2
1403485	Rock Chip	2.46	0.070	14	22	1.45	564	0.083	<20	2.06	0.123	0.37	0.1	0.02	0.2	<0.05	12.7	<0.5	7	<0.2
1403486	Rock Chip	4.06	0.061	7	9	1.43	148	0.008	<20	0.88	0.015	0.31	0.4	0.05	0.2	0.78	8.9	<0.5	2	<0.2
1403487	Rock Chip	3.27	0.061	10	14	1.40	287	0.076	<20	1.26	0.057	0.46	0.4	0.12	0.3	0.63	9.9	<0.5	4	<0.2
1403488	Rock Chip	1.54	0.070	12	26	1.15	1074	0.229	<20	2.03	0.228	0.75	0.6	0.02	0.4	0.10	8.8	<0.5	6	<0.2
1403489	Rock Chip	1.34	0.069	12	24	1.14	1285	0.245	<20	1.93	0.207	0.74	0.6	0.01	0.4	<0.05	7.6	1.1	6	<0.2
1403490	Rock Chip	1.54	0.071	14	26	1.24	1088	0.249	<20	2.07	0.243	0.69	0.4	0.02	0.3	<0.05	8.0	<0.5	7	<0.2
1403491	Rock Chip	1.07	0.073	11	25	1.06	1580	0.266	<20	1.68	0.168	0.64	0.7	0.02	0.3	0.06	5.3	<0.5	6	<0.2
1403492	Rock Chip	1.18	0.069	12	27	1.09	1391	0.269	<20	1.85	0.205	0.73	0.7	0.03	0.3	<0.05	6.0	<0.5	6	<0.2
1403493	Rock Chip	1.22	0.073	13	26	1.19	1523	0.272	<20	1.88	0.188	0.74	0.7	0.02	0.3	<0.05	6.1	0.9	6	<0.2
1403494	Rock Chip	1.41	0.068	12	25	1.13	1313	0.244	<20	2.04	0.251	0.75	0.5	<0.01	0.4	<0.05	7.4	1.3	7	<0.2
1403495	Rock Chip	1.69	0.074	13	25	1.31	927	0.215	<20	1.93	0.152	0.64	0.3	0.01	0.3	<0.05	9.5	0.5	7	<0.2
1403496	Rock Chip	1.22	0.068	12	28	1.20	1702	0.273	<20	2.09	0.244	0.82	0.6	<0.01	0.4	<0.05	7.1	<0.5	7	<0.2
1403497	Rock Chip	1.52	0.074	13	26	1.24	1607	0.263	<20	1.88	0.172	0.80	0.6	<0.01	0.4	0.16	7.7	0.6	6	<0.2
1403498	Rock Chip	1.37	0.066	13	25	1.25	1827	0.284	<20	2.24	0.291	0.85	33.9	<0.01	0.4	<0.05	8.2	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 12, 2012

CERTIFICATE OF ANALYSIS WHI12000403.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403499	Rock Chip	2.45	<2	1.7	22.2	3.9	61	<0.1	6.0	15.5	849	3.91	3.5	2.2	<0.5	7.2	93	0.1	0.5	<0.1	123
1403500	Rock Pulp	0.11	2	2.5	25.2	1.9	42	0.2	23.4	10.2	386	2.38	4.7	0.2	0.5	0.8	32	0.2	0.1	<0.1	59
1403501	Rock Pulp	0.12	3773	9.0	65.9	590.9	1521	50.8	30.4	8.1	390	3.14	29.3	0.3	2671	1.0	27	15.2	31.1	0.7	53
1403502	Rock Chip	2.57	6	2.1	19.7	10.0	65	0.1	5.6	14.0	739	3.64	40.0	2.2	19.2	7.2	99	0.3	0.8	<0.1	111
1403503	Rock Chip	2.35	6	2.1	22.9	4.4	54	0.1	5.8	13.3	569	3.40	1.8	2.1	16.8	6.8	84	0.1	0.2	<0.1	114
1403504	Rock Chip	2.69	4	2.2	19.3	14.7	71	0.2	5.8	13.0	532	3.26	1.9	2.4	15.0	6.9	86	0.1	0.5	<0.1	107
1403505	Rock Chip	3.00	<2	2.0	16.9	3.8	46	<0.1	5.7	12.6	528	3.16	2.2	1.7	15.5	7.4	84	<0.1	0.1	<0.1	104
1403506	Rock Chip	2.79	25	2.0	25.6	5.8	61	0.2	6.3	15.1	705	3.77	433.9	2.1	37.0	6.7	90	0.2	0.6	<0.1	113
1403507	Rock Chip	2.50	<2	2.0	22.8	3.5	51	<0.1	5.8	14.1	536	3.32	3.4	2.2	17.5	7.7	72	<0.1	0.2	<0.1	106
1403508	Rock Chip	2.37	<2	1.8	24.5	5.0	66	<0.1	6.3	16.3	730	4.04	4.3	1.7	15.0	6.6	102	0.1	0.5	<0.1	133
1403509	Rock Chip	2.16	<2	1.8	23.2	4.0	55	<0.1	5.3	14.3	687	3.58	4.1	2.3	13.1	7.3	98	0.1	0.5	<0.1	115
1403510	Rock Chip	1.75	16	2.2	22.6	3.8	54	0.1	6.1	13.6	604	3.54	3.7	2.1	25.9	7.7	90	<0.1	0.5	0.2	107
1403511	Rock Chip	2.32	<2	1.8	23.1	4.2	56	<0.1	5.2	14.6	651	3.63	2.4	2.0	15.5	6.9	88	<0.1	0.3	<0.1	112
1403512	Rock Chip	2.82	4	1.4	27.1	4.1	58	<0.1	5.5	14.7	656	3.71	4.5	2.0	13.7	6.6	97	<0.1	0.5	<0.1	118
1403513	Rock Chip	2.61	<2	1.5	23.9	3.7	51	<0.1	5.4	14.1	596	3.49	4.8	2.3	13.6	6.8	89	0.1	0.5	<0.1	113
1403514	Rock Chip	2.46	4	2.2	28.2	3.1	49	<0.1	5.8	14.2	550	3.42	1.6	2.1	14.2	6.8	78	<0.1	0.2	<0.1	110
1403515	Rock Chip	2.59	5	1.9	24.5	3.5	54	<0.1	6.6	15.1	657	3.68	2.5	1.7	12.2	6.2	101	0.1	0.4	<0.1	115
1403516	Rock Chip	2.52	<2	2.0	23.5	4.8	57	<0.1	6.0	13.6	651	3.49	2.2	2.8	12.5	7.2	95	<0.1	0.6	0.1	106
1403517	Rock Chip	2.37	3	1.5	20.5	8.3	71	0.1	6.0	17.1	922	4.29	11.9	2.2	13.1	7.6	144	0.2	1.1	<0.1	131
1403518	Rock Chip	2.71	3	1.7	21.6	3.5	59	<0.1	5.4	14.8	723	3.78	3.2	1.6	12.4	6.9	109	0.1	0.9	<0.1	122
1403519	Rock Chip	2.59	3	1.8	20.9	3.7	62	<0.1	5.8	15.4	810	3.95	3.1	2.0	13.7	7.2	118	0.1	0.9	<0.1	128
1403520	Rock Pulp	0.12	<2	2.4	23.3	2.3	43	0.3	22.6	10.0	390	2.33	4.4	0.2	12.0	0.8	39	0.2	0.2	<0.1	58
1403521	Rock Pulp	0.12	1415	8.6	47.5	5.7	52	0.2	31.3	8.9	489	3.26	7.1	0.3	961.3	0.9	44	<0.1	0.8	0.1	66
1403522	Rock Chip	2.49	12	2.2	23.7	6.3	67	0.3	6.0	15.1	708	3.97	4.3	2.1	53.1	7.3	107	0.2	1.3	1.8	123
1403523	Rock Chip	2.44	13	1.6	20.7	3.1	59	<0.1	6.0	16.1	794	4.07	2.8	2.2	24.7	6.8	133	<0.1	1.4	<0.1	131
1403524	Rock Chip	0.85	297	4.8	52.0	5.8	71	0.1	6.6	17.6	882	4.56	2292	1.8	285.9	7.1	131	0.2	2.5	0.4	128
1403525	Rock Chip	1.15	377	4.2	53.8	5.5	68	0.1	6.4	18.2	873	4.52	2959	1.8	386.4	7.3	131	0.1	2.7	0.6	129
1403526	Rock Chip	2.15	20	2.2	30.7	4.1	66	<0.1	7.2	17.4	823	4.42	187.8	2.8	47.8	6.7	127	<0.1	2.3	0.2	126
1403527	Rock Chip	2.56	507	4.8	34.8	20.6	78	0.7	5.2	15.8	916	4.67	4721	4.1	474.3	4.9	164	0.7	7.6	10.6	59
1403528	Rock Chip	2.67	44	2.1	13.0	8.8	48	0.2	4.5	13.0	827	3.47	538.9	2.6	58.6	4.5	196	0.2	2.2	0.2	52

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 12, 2012

CERTIFICATE OF ANALYSIS WHI12000403.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1403499	Rock Chip	2.18	0.072	15	28	1.43	1035	0.220	<20	2.23	0.215	0.75	0.3	0.04	0.4	0.06	13.5	0.5	7	<0.2
1403500	Rock Pulp	0.82	0.061	4	30	0.77	95	0.117	<20	1.52	0.074	0.13	11.7	<0.01	0.1	<0.05	4.8	<0.5	5	<0.2
1403501	Rock Pulp	0.68	0.053	5	27	0.57	104	0.102	<20	1.16	0.069	0.10	1.9	0.26	1.0	0.33	4.7	0.9	6	<0.2
1403502	Rock Chip	2.20	0.075	14	26	1.24	1063	0.220	<20	2.07	0.187	0.77	0.7	0.02	0.4	0.08	10.7	<0.5	7	<0.2
1403503	Rock Chip	1.31	0.079	14	29	1.27	1188	0.264	<20	2.05	0.234	0.90	0.5	<0.01	0.4	<0.05	7.9	<0.5	7	<0.2
1403504	Rock Chip	1.23	0.076	13	26	1.21	1282	0.262	<20	2.04	0.228	0.88	1.4	0.02	0.4	<0.05	6.8	<0.5	6	<0.2
1403505	Rock Chip	1.22	0.076	13	26	1.20	1175	0.253	<20	2.03	0.235	0.83	0.5	<0.01	0.4	<0.05	6.8	<0.5	6	<0.2
1403506	Rock Chip	2.00	0.082	14	27	1.34	948	0.217	<20	2.12	0.181	0.70	0.5	0.01	0.3	0.13	9.7	<0.5	7	<0.2
1403507	Rock Chip	1.27	0.083	14	27	1.29	1020	0.240	<20	1.93	0.184	0.68	0.4	<0.01	0.4	<0.05	7.3	<0.5	7	<0.2
1403508	Rock Chip	1.69	0.077	16	29	1.60	1208	0.248	<20	2.39	0.223	0.85	0.4	<0.01	0.4	<0.05	13.6	<0.5	8	<0.2
1403509	Rock Chip	1.90	0.077	15	25	1.49	869	0.183	<20	2.01	0.174	0.53	0.3	0.01	0.2	<0.05	10.9	<0.5	7	<0.2
1403510	Rock Chip	1.52	0.074	14	28	1.27	1036	0.227	<20	2.07	0.226	0.72	0.6	<0.01	0.4	0.06	9.2	<0.5	7	<0.2
1403511	Rock Chip	1.89	0.076	14	27	1.46	752	0.188	<20	1.98	0.141	0.49	0.4	<0.01	0.2	<0.05	9.8	<0.5	7	<0.2
1403512	Rock Chip	1.68	0.080	15	27	1.63	1095	0.223	<20	2.08	0.173	0.57	0.3	<0.01	0.3	<0.05	10.8	<0.5	7	<0.2
1403513	Rock Chip	1.36	0.073	14	25	1.43	1138	0.222	<20	2.00	0.207	0.65	0.4	<0.01	0.3	<0.05	9.6	<0.5	7	<0.2
1403514	Rock Chip	1.21	0.078	14	28	1.27	1155	0.269	<20	1.97	0.214	0.81	0.6	<0.01	0.3	<0.05	7.2	<0.5	7	<0.2
1403515	Rock Chip	1.62	0.075	15	27	1.39	1005	0.226	<20	2.19	0.219	0.77	0.4	<0.01	0.4	<0.05	10.3	<0.5	7	<0.2
1403516	Rock Chip	1.61	0.077	15	25	1.39	925	0.222	<20	2.09	0.214	0.78	0.4	0.03	0.4	0.08	9.7	0.5	7	<0.2
1403517	Rock Chip	2.40	0.075	18	26	1.70	1130	0.206	<20	2.56	0.180	0.78	0.2	0.03	0.4	<0.05	16.5	<0.5	8	<0.2
1403518	Rock Chip	1.76	0.072	16	25	1.49	1196	0.217	<20	2.26	0.190	0.78	0.3	0.02	0.4	<0.05	13.4	0.6	7	<0.2
1403519	Rock Chip	2.04	0.074	15	27	1.68	1287	0.232	<20	2.37	0.221	0.80	0.3	0.02	0.4	0.07	13.4	<0.5	7	<0.2
1403520	Rock Pulp	0.81	0.056	4	28	0.77	87	0.118	<20	1.51	0.068	0.13	11.8	<0.01	<0.1	<0.05	4.5	<0.5	5	<0.2
1403521	Rock Pulp	0.86	0.060	4	33	0.84	103	0.135	<20	1.70	0.104	0.15	0.2	0.06	<0.1	<0.05	5.2	<0.5	6	<0.2
1403522	Rock Chip	1.82	0.074	16	28	1.58	1036	0.228	<20	2.26	0.206	0.79	0.3	0.05	0.4	0.17	13.4	<0.5	7	<0.2
1403523	Rock Chip	2.07	0.072	16	28	1.59	1111	0.228	<20	2.40	0.199	0.81	0.3	<0.01	0.4	<0.05	14.9	<0.5	8	<0.2
1403524	Rock Chip	2.28	0.072	17	26	1.67	1008	0.193	<20	2.33	0.168	0.75	0.5	0.02	0.4	0.18	16.8	0.8	7	<0.2
1403525	Rock Chip	2.38	0.073	17	25	1.69	982	0.192	<20	2.31	0.167	0.73	0.4	0.04	0.4	0.22	17.4	0.8	8	<0.2
1403526	Rock Chip	2.15	0.077	16	26	1.53	1326	0.213	<20	2.44	0.181	0.84	0.4	0.03	0.4	0.10	15.9	0.7	8	<0.2
1403527	Rock Chip	4.99	0.058	8	11	1.99	39	0.010	<20	0.84	0.017	0.26	0.2	0.19	0.5	1.61	12.5	<0.5	2	<0.2
1403528	Rock Chip	5.98	0.055	8	8	2.35	337	<0.001	<20	0.56	0.013	0.19	0.1	0.08	0.2	0.31	12.7	<0.5	1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 12, 2012

CERTIFICATE OF ANALYSIS WHI12000403.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403529	Rock Chip	2.50	143	1.3	15.7	20.4	56	0.8	4.8	16.3	1048	4.00	2074	4.1	143.8	4.9	203	0.2	3.6	5.1	73
1403530	Rock Chip	2.77	13	2.5	14.3	8.2	45	0.1	3.8	10.1	803	3.33	56.4	4.2	29.7	3.9	219	0.1	3.5	0.2	60
1403531	Rock Chip	2.81	11	6.5	9.5	9.2	45	0.2	14.0	9.7	918	3.40	41.7	6.6	19.6	2.8	246	0.2	4.1	<0.1	55
1403532	Rock Chip	2.50	4	0.8	17.7	10.0	58	<0.1	5.0	16.2	884	3.68	40.4	7.2	3.2	5.1	180	<0.1	3.5	<0.1	83
1403533	Rock Chip	3.02	4	1.2	18.7	6.2	58	<0.1	5.6	15.4	769	3.62	18.2	2.9	2.3	6.1	157	<0.1	5.2	0.1	102
1403534	Rock Chip	2.67	46	1.7	22.5	5.2	60	<0.1	5.3	14.9	656	3.59	323.5	1.9	49.3	6.9	100	0.1	2.7	0.6	103
1403535	Rock Chip	2.55	<2	1.8	21.1	3.4	64	<0.1	6.7	16.6	863	4.21	5.3	2.0	5.7	6.3	141	0.1	2.4	<0.1	133
1403536	Rock Chip	2.46	<2	1.7	21.3	5.4	69	<0.1	6.6	16.8	805	4.18	5.9	1.9	3.7	6.9	123	0.2	2.3	0.1	134
1403537	Rock Chip	1.93	<2	1.4	22.8	3.8	61	<0.1	6.3	17.4	764	4.11	4.3	1.5	1.6	6.2	99	0.1	1.3	0.1	135
1403538	Rock Chip	1.75	<2	1.2	23.5	3.4	54	<0.1	6.0	15.1	697	3.74	4.1	1.8	1.2	6.3	83	<0.1	0.8	<0.1	119
1403539	Rock Chip	2.33	25	1.3	21.3	4.7	51	0.1	5.8	14.9	659	3.69	186.7	1.9	27.3	6.8	89	<0.1	1.1	0.9	115
1403540	Rock Pulp	0.12	4	2.2	23.5	2.2	42	0.2	23.1	10.3	398	2.34	4.6	0.2	4.3	0.8	37	0.2	0.2	<0.1	58
1403541	Rock Pulp	0.12	3690	9.4	67.3	499.7	1557	50.1	31.9	8.5	373	3.18	30.5	0.3	2924	1.2	33	16.0	37.8	0.8	53
1403542	Rock Chip	2.48	4	1.5	21.0	4.9	52	0.1	5.5	15.0	700	3.58	6.7	1.9	7.5	5.9	93	<0.1	1.1	<0.1	113
1403543	Rock Chip	2.92	2	1.3	19.4	3.4	48	<0.1	5.5	13.5	575	3.33	5.1	2.5	4.3	7.3	84	<0.1	0.8	<0.1	108
1403544	Rock Chip	2.77	<2	1.5	23.5	3.0	41	<0.1	5.8	12.7	474	2.90	5.4	2.1	4.0	6.2	87	<0.1	0.7	<0.1	97
1403545	Rock Chip	2.25	<2	2.4	19.7	2.8	46	<0.1	6.0	13.0	507	3.17	3.6	1.8	2.5	6.1	70	<0.1	0.6	<0.1	104
1403546	Rock Chip	1.60	<2	2.1	19.0	3.1	43	<0.1	5.2	12.6	488	3.09	4.4	1.9	<0.5	6.3	78	<0.1	0.7	<0.1	99
1403547	Rock Chip	1.86	<2	2.3	21.4	3.0	44	<0.1	5.3	12.4	487	3.03	4.1	1.7	2.9	6.0	65	<0.1	0.7	<0.1	99
1403548	Rock Chip	2.00	<2	2.2	21.0	3.2	50	<0.1	5.6	13.8	581	3.43	6.9	1.8	5.4	6.4	66	<0.1	0.9	<0.1	109
1403549	Rock Chip	2.48	<2	1.9	19.8	3.2	49	<0.1	5.9	13.6	586	3.48	4.8	2.5	2.6	7.4	67	<0.1	0.7	<0.1	110
1403550	Rock Chip	1.42	<2	1.2	21.5	3.4	46	<0.1	4.9	13.1	557	3.28	10.3	2.1	1.6	7.8	70	<0.1	0.9	<0.1	106
1403551	Rock Chip	1.69	<2	2.0	19.2	3.3	44	<0.1	5.3	12.7	505	3.12	6.9	1.7	1.2	7.0	69	<0.1	0.7	<0.1	99
1403552	Rock Chip	1.24	<2	1.0	15.3	2.7	35	<0.1	3.9	9.9	337	2.46	7.7	1.5	1.2	5.0	61	<0.1	0.4	<0.1	78
1403553	Rock Chip	1.51	<2	0.7	16.1	2.9	42	<0.1	4.1	11.2	458	2.92	15.3	1.3	<0.5	4.8	75	<0.1	0.4	<0.1	93
1403554	Rock Chip	2.56	<2	0.9	17.0	3.0	36	<0.1	4.3	10.2	389	2.54	11.8	1.4	1.5	5.5	64	<0.1	0.4	<0.1	82
1403555	Rock Chip	1.58	<2	0.7	16.1	2.8	38	<0.1	4.1	10.9	433	2.80	8.7	1.2	1.7	5.0	70	<0.1	0.4	<0.1	90
1403556	Rock Chip	2.68	<2	0.5	15.2	2.8	43	<0.1	4.3	12.4	474	3.08	3.8	1.5	2.4	4.9	63	<0.1	0.3	<0.1	98
1403557	Rock Chip	3.09	<2	0.6	17.7	3.2	37	<0.1	4.3	11.1	418	2.69	6.7	1.4	<0.5	4.5	61	<0.1	0.8	<0.1	87
1403558	Rock Chip	2.93	<2	0.8	14.0	3.3	40	<0.1	3.6	10.8	385	2.68	5.1	1.5	<0.5	5.3	53	<0.1	0.4	<0.1	80

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 12, 2012

CERTIFICATE OF ANALYSIS WHI12000403.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1403529	Rock Chip	6.79	0.052	10	11	2.46	61	0.001	<20	0.72	0.012	0.12	0.1	0.10	0.2	0.34	13.8	<0.5	2	0.6
1403530	Rock Chip	8.14	0.043	8	11	3.17	300	0.001	<20	0.57	0.012	0.08	<0.1	0.12	0.3	0.16	12.8	<0.5	2	<0.2
1403531	Rock Chip	10.01	0.044	6	22	3.88	196	0.001	<20	0.54	0.014	0.08	<0.1	0.11	0.2	0.12	10.5	<0.5	1	<0.2
1403532	Rock Chip	5.75	0.061	13	11	2.13	443	0.002	<20	0.98	0.010	0.09	<0.1	0.16	0.2	0.23	16.3	0.7	3	<0.2
1403533	Rock Chip	3.58	0.066	16	15	1.66	1095	0.087	<20	1.21	0.047	0.44	0.1	0.07	0.2	0.11	16.5	<0.5	4	<0.2
1403534	Rock Chip	1.70	0.072	15	23	1.27	1078	0.224	<20	1.94	0.196	0.78	0.3	0.03	0.4	0.06	11.5	<0.5	6	<0.2
1403535	Rock Chip	2.38	0.074	17	26	1.61	1105	0.226	<20	2.36	0.197	0.79	0.3	<0.01	0.4	<0.05	15.3	<0.5	8	<0.2
1403536	Rock Chip	2.22	0.075	16	27	1.70	1111	0.217	<20	2.28	0.185	0.75	0.3	0.01	0.3	0.07	16.0	<0.5	8	<0.2
1403537	Rock Chip	1.83	0.077	16	28	1.90	1080	0.224	<20	2.49	0.208	0.73	0.3	<0.01	0.3	<0.05	14.4	<0.5	8	<0.2
1403538	Rock Chip	1.51	0.070	15	24	1.73	1115	0.222	<20	2.29	0.209	0.72	0.3	<0.01	0.4	<0.05	11.3	<0.5	7	<0.2
1403539	Rock Chip	1.88	0.073	15	27	1.41	1112	0.238	<20	2.27	0.223	0.76	0.3	<0.01	0.4	0.10	10.6	<0.5	7	<0.2
1403540	Rock Pulp	0.83	0.056	4	30	0.78	91	0.124	<20	1.58	0.077	0.12	11.1	<0.01	<0.1	<0.05	4.4	<0.5	5	<0.2
1403541	Rock Pulp	0.69	0.052	5	28	0.58	111	0.112	<20	1.20	0.075	0.10	2.1	0.21	1.1	0.33	4.5	<0.5	7	<0.2
1403542	Rock Chip	2.20	0.071	14	25	1.48	1048	0.236	<20	2.08	0.195	0.60	0.4	<0.01	0.3	0.10	9.8	<0.5	7	<0.2
1403543	Rock Chip	1.52	0.073	15	25	1.28	1088	0.266	<20	2.07	0.227	0.70	0.3	<0.01	0.3	<0.05	8.4	<0.5	7	<0.2
1403544	Rock Chip	1.37	0.075	13	25	1.11	984	0.261	<20	1.94	0.247	0.66	0.4	<0.01	0.3	<0.05	6.3	<0.5	6	<0.2
1403545	Rock Chip	1.18	0.071	13	27	1.18	1266	0.293	<20	1.94	0.213	0.79	0.4	<0.01	0.4	<0.05	6.1	<0.5	6	<0.2
1403546	Rock Chip	1.27	0.067	13	24	1.15	1004	0.272	<20	1.97	0.239	0.67	0.5	<0.01	0.3	<0.05	5.9	0.8	7	<0.2
1403547	Rock Chip	1.23	0.070	12	26	1.13	1033	0.284	<20	1.84	0.199	0.72	0.4	<0.01	0.3	<0.05	5.6	0.6	6	<0.2
1403548	Rock Chip	1.95	0.071	14	28	1.31	923	0.249	<20	1.91	0.152	0.55	0.3	<0.01	0.4	<0.05	9.2	<0.5	7	<0.2
1403549	Rock Chip	1.76	0.074	14	29	1.32	1052	0.264	<20	1.97	0.173	0.70	0.4	<0.01	0.4	<0.05	8.6	<0.5	7	<0.2
1403550	Rock Chip	1.56	0.075	15	22	1.29	1017	0.272	<20	1.93	0.193	0.65	0.6	<0.01	0.3	<0.05	7.9	<0.5	6	<0.2
1403551	Rock Chip	1.30	0.068	13	26	1.17	1020	0.276	<20	1.92	0.217	0.72	0.7	<0.01	0.4	<0.05	6.1	<0.5	6	<0.2
1403552	Rock Chip	0.94	0.053	10	19	0.87	876	0.217	<20	1.59	0.199	0.61	0.4	<0.01	0.3	<0.05	4.0	<0.5	5	<0.2
1403553	Rock Chip	1.18	0.051	10	19	1.12	1095	0.268	<20	1.99	0.235	0.81	0.4	<0.01	0.4	<0.05	5.2	<0.5	6	<0.2
1403554	Rock Chip	1.07	0.056	10	19	0.91	866	0.215	<20	1.66	0.213	0.62	0.3	<0.01	0.3	<0.05	4.6	<0.5	5	<0.2
1403555	Rock Chip	1.05	0.055	10	19	1.02	1293	0.268	<20	1.94	0.254	0.83	0.4	<0.01	0.4	<0.05	5.1	<0.5	6	<0.2
1403556	Rock Chip	1.15	0.055	10	20	1.16	1180	0.271	<20	1.94	0.200	0.84	0.3	<0.01	0.4	<0.05	5.8	<0.5	6	<0.2
1403557	Rock Chip	1.19	0.047	10	20	1.01	940	0.255	<20	1.75	0.195	0.61	0.2	<0.01	0.3	0.09	4.6	<0.5	6	<0.2
1403558	Rock Chip	1.19	0.050	10	17	1.01	685	0.214	<20	1.69	0.162	0.46	0.5	<0.01	0.2	0.05	4.2	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 12, 2012

CERTIFICATE OF ANALYSIS WHI12000403.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403559	Rock Chip	2.45	<2	1.2	19.3	3.4	39	<0.1	4.0	12.0	412	2.82	5.5	2.6	1.4	7.3	58	<0.1	0.3	<0.1	94
1403560	Rock Pulp	0.12	<2	2.6	26.0	2.5	43	0.3	24.2	11.0	412	2.42	4.7	0.3	1.7	1.0	45	0.3	0.3	<0.1	62
1403561	Rock Pulp	0.12	1416	7.8	43.7	5.1	46	0.2	30.1	8.8	443	3.06	6.6	0.2	899.5	0.9	37	0.1	0.7	<0.1	59
1403562	Rock Chip	2.55	<2	0.9	21.1	3.4	37	<0.1	5.1	67.5	354	2.56	5.5	1.6	1.4	5.3	46	<0.1	0.2	<0.1	73
1403563	Rock Chip	2.61	<2	0.9	15.8	2.8	39	<0.1	4.2	11.8	372	2.72	4.1	1.2	2.5	4.8	58	<0.1	0.3	<0.1	90
1403564	Rock Chip	3.16	<2	0.7	13.7	3.0	40	<0.1	3.3	11.7	356	2.65	6.5	1.0	<0.5	3.9	59	<0.1	0.7	<0.1	87

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 12, 2012

CERTIFICATE OF ANALYSIS WHI12000403.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1403559	Rock Chip	1.06	0.062	12	23	1.03	860	0.281	<20	1.70	0.183	0.58	0.6	<0.01	0.2	<0.05	4.3	<0.5	6	<0.2
1403560	Rock Pulp	0.86	0.061	4	35	0.79	99	0.140	<20	1.61	0.082	0.13	12.0	<0.01	<0.1	<0.05	4.7	<0.5	5	<0.2
1403561	Rock Pulp	0.79	0.057	4	31	0.79	100	0.121	<20	1.64	0.088	0.13	<0.1	0.05	<0.1	<0.05	4.6	<0.5	5	<0.2
1403562	Rock Chip	1.16	0.055	11	18	0.94	467	0.171	<20	1.53	0.128	0.34	>100	<0.01	0.1	<0.05	3.9	<0.5	5	<0.2
1403563	Rock Chip	1.01	0.054	10	19	1.00	1052	0.269	<20	1.74	0.196	0.75	3.2	<0.01	0.3	<0.05	4.4	<0.5	6	<0.2
1403564	Rock Chip	1.10	0.048	9	16	0.98	1081	0.287	<20	1.72	0.197	0.73	6.7	<0.01	0.3	<0.05	4.2	0.7	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 12, 2012

QUALITY CONTROL REPORT WHI12000403.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1403489	Rock Chip	2.29	<2	1.6	20.7	2.6	46	<0.1	5.5	13.3	550	3.14	6.0	2.0	7.8	7.1	60	<0.1	0.3	<0.1	102
REP 1403489	QC			1.6	20.8	2.5	45	<0.1	5.5	12.6	549	3.14	5.1	1.8	6.2	6.6	61	<0.1	0.3	<0.1	103
1403498	Rock Chip	2.68	4	1.5	19.6	3.4	45	<0.1	6.3	25.3	529	3.25	1.9	2.0	<0.5	6.6	81	<0.1	0.3	<0.1	108
REP 1403498	QC		<2																		
1403524	Rock Chip	0.85	297	4.8	52.0	5.8	71	0.1	6.6	17.6	882	4.56	2292	1.8	285.9	7.1	131	0.2	2.5	0.4	128
REP 1403524	QC			4.3	52.9	6.7	72	0.1	6.7	18.4	860	4.57	2349	1.8	298.5	7.0	133	0.1	2.4	0.5	130
1403532	Rock Chip	2.50	4	0.8	17.7	10.0	58	<0.1	5.0	16.2	884	3.68	40.4	7.2	3.2	5.1	180	<0.1	3.5	<0.1	83
REP 1403532	QC		3																		
1403545	Rock Chip	2.25	<2	2.4	19.7	2.8	46	<0.1	6.0	13.0	507	3.17	3.6	1.8	2.5	6.1	70	<0.1	0.6	<0.1	104
REP 1403545	QC		<2																		
Core Reject Duplicates																					
1403479	Rock Chip	2.97	11	1.6	24.1	5.5	59	<0.1	6.0	15.6	658	4.44	22.1	2.2	2.5	6.3	65	0.1	0.7	0.3	95
DUP 1403479	QC		5	1.5	23.0	5.5	57	0.1	6.3	16.1	677	4.40	23.6	2.2	4.1	6.4	65	<0.1	0.8	0.3	94
1403514	Rock Chip	2.46	4	2.2	28.2	3.1	49	<0.1	5.8	14.2	550	3.42	1.6	2.1	14.2	6.8	78	<0.1	0.2	<0.1	110
DUP 1403514	QC		2	2.3	27.0	3.2	51	<0.1	5.5	13.9	561	3.38	1.7	2.1	14.0	6.6	79	<0.1	0.2	<0.1	114
1403549	Rock Chip	2.48	<2	1.9	19.8	3.2	49	<0.1	5.9	13.6	586	3.48	4.8	2.5	2.6	7.4	67	<0.1	0.7	<0.1	110
DUP 1403549	QC		<2	1.7	20.0	3.2	48	<0.1	5.8	13.9	580	3.41	4.5	1.8	1.2	7.2	66	<0.1	0.8	<0.1	109
Reference Materials																					
STD DS9	Standard			12.6	107.0	115.9	304	1.9	38.7	7.1	564	2.27	24.4	2.7	97.2	6.2	71	2.3	4.3	6.0	38
STD DS9	Standard			12.9	107.1	115.5	309	1.8	40.8	7.3	586	2.32	25.9	2.4	105.0	6.1	67	2.5	3.4	5.3	39
STD DS9	Standard			12.0	110.6	114.7	292	1.8	40.3	7.6	582	2.34	26.0	2.4	110.0	5.9	58	2.3	2.8	4.7	40
STD DS9	Standard			14.7	117.3	136.5	331	1.9	41.8	8.1	615	2.52	28.1	3.2	102.3	7.4	73	2.4	5.2	7.3	45
STD OREAS45CA	Standard			0.7	508.1	19.3	60	0.2	247.6	88.6	901	14.62	3.5	1.2	59.3	6.8	11	0.1	<0.1	0.2	205
STD OREAS45CA	Standard			0.7	492.3	19.5	59	0.2	240.2	89.2	882	15.00	3.2	1.1	39.3	7.4	13	<0.1	0.1	0.1	205
STD OREAS45CA	Standard			0.8	517.3	19.5	65	0.3	251.9	89.5	901	14.86	3.6	1.2	49.3	7.0	13	<0.1	<0.1	0.1	210
STD OREAS45CA	Standard			1.1	517.1	22.2	60	0.2	260.7	94.0	960	16.26	3.8	1.3	41.5	8.1	18	0.1	0.1	0.2	216
STD OXD87	Standard		409																		
STD OXD87	Standard		424																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 12, 2012

QUALITY CONTROL REPORT WHI12000403.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
1403489	Rock Chip	1.34	0.069	12	24	1.14	1285	0.245	<20	1.93	0.207	0.74	0.6	0.01	0.4	<0.05	7.6	1.1	6	<0.2
REP 1403489	QC	1.34	0.067	12	24	1.14	1089	0.240	<20	1.88	0.204	0.75	0.6	<0.01	0.3	<0.05	7.4	<0.5	6	<0.2
1403498	Rock Chip	1.37	0.066	13	25	1.25	1827	0.284	<20	2.24	0.291	0.85	33.9	<0.01	0.4	<0.05	8.2	<0.5	7	<0.2
REP 1403498	QC																			
1403524	Rock Chip	2.28	0.072	17	26	1.67	1008	0.193	<20	2.33	0.168	0.75	0.5	0.02	0.4	0.18	16.8	0.8	7	<0.2
REP 1403524	QC	2.32	0.075	17	26	1.71	1057	0.203	<20	2.44	0.174	0.76	0.4	0.02	0.4	0.18	17.5	<0.5	8	<0.2
1403532	Rock Chip	5.75	0.061	13	11	2.13	443	0.002	<20	0.98	0.010	0.09	<0.1	0.16	0.2	0.23	16.3	0.7	3	<0.2
REP 1403532	QC																			
1403545	Rock Chip	1.18	0.071	13	27	1.18	1266	0.293	<20	1.94	0.213	0.79	0.4	<0.01	0.4	<0.05	6.1	<0.5	6	<0.2
REP 1403545	QC																			
Core Reject Duplicates																				
1403479	Rock Chip	2.27	0.073	13	21	1.34	205	0.033	<20	2.13	0.083	0.20	0.1	0.08	0.2	0.29	14.2	<0.5	7	<0.2
DUP 1403479	QC	2.23	0.074	14	21	1.32	199	0.031	<20	2.05	0.071	0.18	0.1	0.09	0.2	0.30	14.2	0.7	7	<0.2
1403514	Rock Chip	1.21	0.078	14	28	1.27	1155	0.269	<20	1.97	0.214	0.81	0.6	<0.01	0.3	<0.05	7.2	<0.5	7	<0.2
DUP 1403514	QC	1.20	0.081	14	28	1.30	1214	0.273	<20	2.03	0.210	0.84	0.5	<0.01	0.4	<0.05	7.1	<0.5	6	<0.2
1403549	Rock Chip	1.76	0.074	14	29	1.32	1052	0.264	<20	1.97	0.173	0.70	0.4	<0.01	0.4	<0.05	8.6	<0.5	7	<0.2
DUP 1403549	QC	1.70	0.072	14	28	1.30	1043	0.260	<20	1.96	0.169	0.69	0.4	<0.01	0.4	<0.05	8.6	<0.5	7	<0.2
Reference Materials																				
STD DS9	Standard	0.70	0.081	12	112	0.60	302	0.106	<20	0.93	0.075	0.38	2.6	0.17	5.2	0.16	2.5	5.0	4	4.8
STD DS9	Standard	0.72	0.081	13	119	0.63	318	0.111	<20	0.97	0.083	0.39	2.6	0.22	5.3	0.16	2.3	4.6	5	5.7
STD DS9	Standard	0.72	0.080	11	123	0.62	312	0.110	<20	0.95	0.078	0.39	3.0	0.22	5.0	0.17	2.5	5.4	5	4.7
STD DS9	Standard	0.79	0.088	13	129	0.67	341	0.129	<20	0.99	0.094	0.43	2.6	0.25	5.9	0.18	2.5	5.7	5	5.2
STD OREAS45CA	Standard	0.42	0.038	15	669	0.12	153	0.141	<20	3.70	0.014	0.07	<0.1	0.02	<0.1	<0.05	44.3	<0.5	19	<0.2
STD OREAS45CA	Standard	0.41	0.038	16	681	0.12	168	0.135	<20	3.52	0.008	0.07	0.1	0.04	<0.1	<0.05	43.0	<0.5	18	<0.2
STD OREAS45CA	Standard	0.44	0.039	15	805	0.14	159	0.140	<20	3.63	0.005	0.07	<0.1	0.03	<0.1	<0.05	45.4	0.7	19	<0.2
STD OREAS45CA	Standard	0.43	0.040	17	668	0.16	172	0.159	<20	3.69	0.005	0.07	<0.1	0.04	<0.1	<0.05	46.6	<0.5	19	<0.2
STD OXD87	Standard																			
STD OXD87	Standard																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 12, 2012

QUALITY CONTROL REPORT WHI12000403.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD OXD87	Standard		411																		
STD OXG99	Standard		913																		
STD OXG99	Standard		978																		
STD OXG99	Standard		943																		
STD OXD87 Expected			417																		
STD OXG99 Expected			932																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	0.3	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank		2	0.2	2.7	3.0	43	<0.1	3.1	3.8	589	2.03	<0.5	1.8	2.0	5.6	53	<0.1	<0.1	<0.1	38
G1-WHI	Prep Blank		2	<0.1	2.6	3.0	40	<0.1	2.9	4.1	580	1.99	0.6	1.6	2.4	5.6	60	<0.1	<0.1	<0.1	38

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 12, 2012

QUALITY CONTROL REPORT WHI12000403.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD OXD87	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXD87 Expected																				
STD OXG99 Expected																				
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	0.6	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																				
G1-WHI	Prep Blank	0.52	0.074	11	6	0.51	161	0.122	<20	0.94	0.099	0.49	<0.1	0.01	0.3	<0.05	2.4	0.6	5	<0.2
G1-WHI	Prep Blank	0.56	0.080	11	5	0.53	174	0.126	<20	1.01	0.104	0.50	<0.1	0.01	0.3	<0.05	2.4	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 26, 2012
Report Date: August 20, 2012
Page: 1 of 6

CERTIFICATE OF ANALYSIS WHI12000457.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number NA-12308
Number of Samples: 147

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	133	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	147	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	147	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
G6Gr	1	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme Joyce
Stephanie Korelin

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

CERTIFICATE OF ANALYSIS WHI12000457.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403565	Rock Chip	2.25	<2	2.5	26.6	3.3	51	<0.1	6.6	12.3	478	3.16	2.1	2.6	3.7	9.8	84	0.3	0.1	<0.1	92
1403566	Rock Chip	3.04	<2	2.5	27.3	3.1	51	<0.1	6.1	12.5	474	3.09	1.2	2.2	1.4	10.6	87	0.3	<0.1	<0.1	99
1403567	Rock Chip	3.35	<2	2.7	27.7	3.0	59	<0.1	7.1	13.1	487	3.28	1.5	1.6	1.0	10.8	85	0.3	<0.1	<0.1	100
1403568	Rock Chip	2.50	<2	2.7	26.1	3.1	71	<0.1	6.9	13.2	521	3.32	2.2	1.6	<0.5	10.3	100	0.6	<0.1	<0.1	107
1403569	Rock Chip	3.15	<2	3.1	25.8	3.1	66	<0.1	6.5	12.9	514	3.31	2.9	1.9	<0.5	10.9	82	0.6	0.2	<0.1	101
1403570	Rock Chip	3.59	<2	5.8	24.7	3.3	110	<0.1	6.2	13.2	529	3.19	6.2	1.8	1.3	9.8	95	1.1	0.1	<0.1	99
1403571	Rock Chip	2.89	<2	4.5	24.6	2.9	123	<0.1	6.1	12.7	547	3.23	7.5	1.4	0.8	9.9	81	1.7	0.3	<0.1	98
1403572	Rock Chip	3.39	<2	3.5	24.8	2.6	304	<0.1	6.4	14.4	589	3.34	29.2	1.4	1.0	9.2	84	2.6	0.3	<0.1	100
1403573	Rock Chip	3.14	402	5.1	27.0	71.6	2274	2.8	5.9	15.2	825	6.37	1501	4.6	411.1	13.1	98	28.9	6.6	3.2	72
1403574	Rock Chip	1.48	2	1.8	22.1	3.4	115	<0.1	5.5	13.1	538	3.22	18.8	1.9	3.4	9.8	91	1.1	0.3	<0.1	99
1403575	Rock Chip	1.50	4	1.7	22.6	3.3	107	<0.1	5.4	12.9	508	3.20	12.4	1.5	2.2	9.6	79	0.8	0.3	<0.1	97
1403576	Rock Chip	2.87	<2	2.1	24.2	3.2	51	<0.1	6.4	12.9	516	3.16	2.4	1.5	<0.5	11.0	85	0.1	0.1	<0.1	101
1403577	Rock Chip	3.41	<2	1.8	25.6	3.0	53	<0.1	6.5	13.3	518	3.43	3.0	1.9	1.3	9.5	80	<0.1	<0.1	<0.1	106
1403578	Rock Chip	2.64	<2	2.1	25.3	3.4	51	<0.1	6.1	13.7	615	3.41	6.3	1.8	<0.5	10.0	97	<0.1	0.1	<0.1	105
1403579	Rock Chip	3.57	<2	2.3	25.4	3.8	56	<0.1	5.8	12.1	506	3.18	8.2	1.7	2.9	10.6	88	0.2	0.2	<0.1	95
1403580	Rock Pulp	0.14	<2	2.2	23.0	2.3	41	0.2	22.2	9.9	395	2.34	4.3	0.3	1.8	0.9	40	0.1	0.2	<0.1	55
1403581	Rock Pulp	0.12	1518	8.1	47.4	6.0	51	0.2	32.5	9.4	480	3.19	7.0	0.3	1033	1.0	45	0.2	0.9	<0.1	60
1403582	Rock Chip	3.38	<2	2.0	23.2	3.2	48	<0.1	5.5	12.2	471	3.07	3.4	1.7	<0.5	10.3	86	<0.1	<0.1	<0.1	101
1403583	Rock Chip	3.20	3	2.0	25.6	2.9	46	<0.1	6.2	12.8	503	3.32	1.6	1.8	<0.5	9.0	84	<0.1	<0.1	<0.1	103
1403584	Rock Chip	3.03	<2	1.8	23.0	3.0	48	<0.1	6.2	12.9	507	3.26	1.6	2.1	<0.5	9.6	90	<0.1	<0.1	<0.1	106
1403585	Rock Chip	3.31	7	2.5	28.5	3.7	108	<0.1	6.5	13.5	561	3.51	13.2	1.9	6.9	10.5	82	0.3	0.3	<0.1	102
1403586	Rock Chip	3.31	<2	2.1	22.3	2.9	64	<0.1	5.4	12.0	478	3.14	2.9	2.5	1.9	8.0	89	<0.1	0.1	<0.1	100
1403587	Rock Chip	2.45	<2	2.4	24.9	2.9	65	<0.1	5.4	11.9	479	3.20	3.3	1.9	3.6	8.8	81	<0.1	0.1	<0.1	99
1403588	Rock Chip	1.90	6	2.8	23.2	3.0	81	<0.1	6.1	11.5	448	2.94	6.5	1.6	6.9	8.9	80	0.2	0.2	<0.1	91
1403589	Rock Chip	2.78	<2	2.4	22.5	2.4	63	<0.1	5.8	12.1	484	3.30	1.6	2.0	4.4	9.4	81	<0.1	<0.1	<0.1	97
1403590	Rock Chip	1.98	7	2.2	25.2	3.1	85	<0.1	6.5	13.3	559	3.55	5.0	2.0	3.2	9.6	97	0.3	0.2	<0.1	102
1403591	Rock Chip	2.32	3	3.2	19.4	89.2	339	0.6	5.4	14.1	1566	3.91	27.8	6.3	7.4	9.0	79	5.1	0.8	0.3	68
1403592	Rock Chip	1.90	3	2.2	25.9	10.0	108	0.1	5.6	12.6	589	3.29	5.6	2.3	1.2	10.3	82	0.7	0.3	<0.1	91
1403593	Rock Chip		5	2.8	50.6	8.9	90	0.5	5.5	14.9	696	3.99	8.6	3.8	1.5	10.0	82	0.3	1.5	2.7	95
1403594	Rock Chip	1.92	2	1.9	22.3	12.4	78	0.2	5.4	12.5	617	3.27	6.2	2.1	2.6	8.3	74	0.3	0.5	0.2	90

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

CERTIFICATE OF ANALYSIS WHI12000457.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1403565	Rock Chip	1.20	0.075	18	25	1.05	1108	0.273	<20	2.15	0.265	0.78	1.0	<0.01	0.4	<0.05	5.7	<0.5	7	<0.2	
1403566	Rock Chip	1.21	0.079	19	25	1.10	1177	0.297	<20	2.29	0.299	0.87	2.1	<0.01	0.4	<0.05	6.2	<0.5	7	<0.2	
1403567	Rock Chip	1.15	0.082	19	27	1.11	1138	0.288	<20	2.25	0.285	0.90	0.8	<0.01	0.4	<0.05	5.8	<0.5	7	<0.2	
1403568	Rock Chip	1.28	0.082	19	26	1.19	1097	0.292	<20	2.45	0.328	0.97	0.7	<0.01	0.5	<0.05	6.6	<0.5	7	<0.2	
1403569	Rock Chip	1.19	0.081	18	27	1.14	1138	0.287	<20	2.30	0.285	0.90	0.8	<0.01	0.5	<0.05	6.0	<0.5	7	<0.2	
1403570	Rock Chip	1.27	0.072	17	26	1.12	1098	0.267	<20	2.38	0.335	0.82	0.6	<0.01	0.4	<0.05	6.6	<0.5	7	<0.2	
1403571	Rock Chip	1.19	0.078	18	27	1.08	1153	0.266	<20	2.19	0.280	0.84	0.7	<0.01	0.4	<0.05	6.0	<0.5	7	<0.2	
1403572	Rock Chip	1.20	0.078	17	25	1.12	1119	0.271	<20	2.22	0.268	0.80	0.5	<0.01	0.4	<0.05	7.0	<0.5	7	<0.2	
1403573	Rock Chip	0.73	0.072	21	17	0.52	591	0.085	<20	1.49	0.158	0.58	0.3	0.03	0.5	0.44	11.1	<0.5	5	<0.2	
1403574	Rock Chip	1.26	0.075	18	24	1.12	1201	0.279	<20	2.35	0.312	0.91	0.6	<0.01	0.4	<0.05	6.9	<0.5	7	<0.2	
1403575	Rock Chip	1.15	0.076	18	24	1.10	1224	0.277	<20	2.21	0.273	0.90	0.7	<0.01	0.5	<0.05	6.3	<0.5	7	<0.2	
1403576	Rock Chip	1.22	0.077	19	25	1.23	1130	0.280	<20	2.30	0.299	0.92	0.7	<0.01	0.5	<0.05	6.7	<0.5	7	<0.2	
1403577	Rock Chip	1.04	0.079	17	27	1.20	1581	0.323	<20	2.30	0.287	1.07	1.0	<0.01	0.5	<0.05	6.2	<0.5	7	<0.2	
1403578	Rock Chip	1.72	0.079	19	25	1.21	1177	0.267	<20	2.48	0.313	0.94	0.5	<0.01	0.4	<0.05	8.3	<0.5	7	<0.2	
1403579	Rock Chip	1.21	0.075	17	26	1.09	1036	0.251	<20	2.25	0.303	0.85	0.8	<0.01	0.4	<0.05	6.4	<0.5	7	<0.2	
1403580	Rock Pulp	0.83	0.060	4	29	0.77	91	0.118	<20	1.55	0.079	0.13	12.0	0.01	<0.1	<0.05	4.4	<0.5	5	<0.2	
1403581	Rock Pulp	0.86	0.061	5	34	0.82	105	0.133	<20	1.71	0.099	0.15	0.5	0.07	<0.1	<0.05	5.3	<0.5	6	<0.2	
1403582	Rock Chip	1.11	0.075	19	24	1.13	1213	0.288	<20	2.23	0.293	0.94	1.0	<0.01	0.5	<0.05	5.8	<0.5	7	<0.2	
1403583	Rock Chip	1.08	0.077	17	28	1.16	1259	0.299	<20	2.27	0.297	0.98	1.1	<0.01	0.5	<0.05	5.9	<0.5	7	<0.2	
1403584	Rock Chip	1.12	0.075	17	26	1.21	1378	0.299	<20	2.39	0.325	1.04	0.9	<0.01	0.5	<0.05	6.4	<0.5	7	<0.2	
1403585	Rock Chip	1.38	0.076	19	28	1.22	790	0.197	<20	2.21	0.232	0.62	1.4	<0.01	0.3	<0.05	8.1	<0.5	7	<0.2	
1403586	Rock Chip	1.21	0.078	15	27	1.13	1065	0.266	<20	2.30	0.313	0.88	1.3	<0.01	0.4	<0.05	6.5	<0.5	7	<0.2	
1403587	Rock Chip	1.05	0.079	17	28	1.12	1136	0.263	<20	2.18	0.282	0.92	1.4	0.01	0.5	<0.05	5.8	<0.5	7	<0.2	
1403588	Rock Chip	1.05	0.075	16	26	1.06	1060	0.250	<20	2.06	0.249	0.84	1.8	<0.01	0.4	<0.05	5.5	<0.5	6	<0.2	
1403589	Rock Chip	1.07	0.077	17	28	1.07	1114	0.270	<20	2.15	0.278	0.91	1.2	<0.01	0.4	<0.05	5.6	<0.5	6	<0.2	
1403590	Rock Chip	1.48	0.076	18	26	1.03	1071	0.240	<20	2.40	0.298	0.83	0.8	<0.01	0.4	<0.05	9.2	<0.5	7	<0.2	
1403591	Rock Chip	4.05	0.074	23	18	0.65	233	0.026	<20	1.83	0.097	0.28	0.2	0.02	0.1	<0.05	10.5	<0.5	6	<0.2	
1403592	Rock Chip	1.60	0.076	17	23	1.07	651	0.184	<20	2.08	0.223	0.47	1.0	<0.01	0.2	<0.05	7.5	0.5	7	<0.2	
1403593	Rock Chip	1.86	0.072	19	21	0.96	645	0.126	<20	2.20	0.149	0.46	0.3	0.03	0.3	<0.05	11.6	<0.5	7	<0.2	
1403594	Rock Chip	1.76	0.069	15	21	1.12	623	0.175	<20	1.94	0.177	0.48	0.7	<0.01	0.2	<0.05	6.9	<0.5	7	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

CERTIFICATE OF ANALYSIS WHI12000457.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403595	Rock Chip	1.26	2	2.8	23.2	4.0	73	<0.1	6.0	12.5	557	3.26	14.1	2.7	5.4	9.1	84	0.2	0.3	<0.1	95
1403596	Rock Chip	1.61	8	3.2	23.3	4.0	77	<0.1	6.6	12.9	600	3.48	17.0	3.1	14.9	10.7	82	0.3	0.2	<0.1	97
1403597	Rock Chip	1.19	<2	2.4	20.4	2.8	56	<0.1	5.8	12.6	514	3.19	2.2	2.0	2.0	8.2	80	<0.1	0.1	<0.1	98
1403598	Rock Chip	1.70	<2	2.6	24.2	4.2	52	<0.1	6.1	12.6	468	2.94	1.1	1.8	<0.5	7.8	54	<0.1	0.1	<0.1	87
1403599	Rock Chip	2.20	3	3.8	26.8	22.4	90	0.3	6.6	14.3	908	3.22	1.8	2.2	<0.5	7.1	58	0.7	0.4	<0.1	94
1403600	Rock Pulp	0.12	4	2.5	26.2	2.2	42	0.2	24.9	10.8	391	2.37	4.3	0.2	<0.5	0.7	36	0.1	0.2	<0.1	56
1403601	Rock Pulp	0.12	3898	10.3	74.6	507.9	1551	52.2	31.8	8.7	395	3.19	29.9	0.3	3221	1.0	30	16.0	39.6	0.8	52
1403602	Rock Chip	2.48	3	2.5	23.9	11.7	273	0.2	6.8	13.8	866	3.27	3.0	2.4	3.4	5.7	50	4.7	0.4	<0.1	82
1403603	Rock Chip	1.21	3	2.7	26.4	3.5	52	<0.1	6.2	13.1	456	2.90	1.4	1.4	1.8	8.7	50	0.2	0.2	<0.1	84
1403604	Rock Chip	0.72	2	3.1	26.8	4.4	54	0.1	6.9	13.7	684	3.12	1.7	1.8	<0.5	7.9	57	<0.1	0.2	<0.1	93
1403605	Rock Chip	2.05	<2	3.0	24.9	3.0	45	<0.1	7.0	12.2	468	2.88	1.3	1.5	<0.5	7.7	55	<0.1	<0.1	<0.1	85
1403606	Rock Chip	0.78	4	3.2	27.9	15.6	84	0.2	6.7	13.7	659	3.29	8.8	2.0	2.2	8.5	64	0.4	0.4	<0.1	92
1403607	Rock Chip	1.06	3	2.4	25.4	4.3	59	<0.1	6.3	13.8	604	3.17	2.5	2.1	<0.5	8.4	66	0.2	0.3	<0.1	96
1403608	Rock Chip	0.48	<2	2.5	25.1	3.5	46	<0.1	6.4	12.7	468	3.01	1.1	1.7	<0.5	7.9	62	<0.1	<0.1	<0.1	91
1403609	Rock Chip	1.38	3	2.7	29.4	3.6	44	<0.1	6.8	12.4	433	2.89	0.8	1.4	<0.5	8.7	60	<0.1	<0.1	<0.1	82
1403610	Rock Chip	1.37	<2	2.3	28.8	3.1	44	<0.1	6.5	12.1	450	2.90	0.6	1.5	<0.5	7.0	58	<0.1	<0.1	<0.1	88
1403611	Rock Chip	1.31	<2	2.9	30.1	3.0	42	<0.1	7.4	12.5	494	3.05	<0.5	1.5	<0.5	7.5	58	<0.1	<0.1	<0.1	89
1403612	Rock Chip	2.05	7	3.5	30.6	67.6	299	0.8	8.2	12.4	495	2.98	0.9	1.7	<0.5	7.3	59	4.8	2.6	<0.1	86
1403613	Rock Chip	1.79	5	2.5	25.8	10.9	75	0.1	6.3	13.1	481	3.03	<0.5	1.8	2.7	7.7	60	0.5	0.3	<0.1	96
1403624A	Rock Chip	0.45	3	1.1	23.6	11.9	58	0.4	5.7	12.5	516	2.82	5.8	2.1	<0.5	10.1	41	0.1	1.4	<0.1	81
1403624B	Rock Chip	0.46	<2	1.3	23.6	11.3	59	0.4	5.9	12.6	537	2.90	6.5	1.6	<0.5	9.6	42	0.2	1.2	<0.1	82
1403626	Rock Chip	2.08	<2	1.7	26.1	6.9	67	0.2	5.9	13.5	617	3.13	14.8	2.1	3.3	8.6	51	0.3	3.0	<0.1	90
1403627	Rock Chip	1.59	5	2.5	33.8	779.4	786	7.1	6.3	14.0	1004	3.55	48.6	2.6	2.0	7.3	46	5.9	44.6	<0.1	84
1403628	Rock Chip	2.25	<2	1.6	20.9	11.4	118	0.3	5.8	13.2	596	3.04	4.5	1.9	<0.5	10.2	46	0.6	2.8	<0.1	79
1403629	Rock Chip	2.04	<2	1.6	24.8	8.6	63	0.1	5.7	12.7	544	3.07	2.8	2.3	3.7	9.5	48	0.2	1.4	<0.1	84
1403630	Rock Chip	2.67	<2	1.8	23.9	10.3	56	0.2	6.2	12.7	790	2.95	2.9	2.8	3.0	9.2	51	0.2	1.0	<0.1	85
1403631	Rock Chip	2.45	<2	1.5	21.5	17.7	100	0.3	5.6	13.5	792	3.19	11.1	2.0	3.1	9.4	51	0.6	1.4	<0.1	88
1403632	Rock Chip	2.37	<2	2.0	21.8	6.3	70	0.1	5.6	12.5	637	3.02	3.2	2.0	4.4	8.5	51	0.4	0.8	0.2	86
1403633	Rock Chip	2.09	<2	1.6	28.2	4.4	63	<0.1	6.1	12.9	634	3.07	1.7	2.4	3.0	10.0	55	0.2	0.5	<0.1	86
1403634	Rock Chip	1.73	<2	1.5	21.4	3.2	47	<0.1	5.4	12.7	544	3.03	0.6	2.1	2.3	9.1	52	<0.1	0.5	<0.1	92

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

CERTIFICATE OF ANALYSIS WHI12000457.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1403595	Rock Chip	1.48	0.076	17	27	1.12	889	0.217	<20	2.13	0.247	0.68	1.1	0.01	0.3	<0.05	7.1	<0.5	6	<0.2	
1403596	Rock Chip	1.53	0.077	18	28	1.13	868	0.213	<20	2.13	0.246	0.69	1.2	<0.01	0.4	<0.05	7.4	<0.5	7	<0.2	
1403597	Rock Chip	1.23	0.075	16	27	1.13	945	0.247	<20	2.10	0.264	0.73	1.1	<0.01	0.4	0.06	6.6	<0.5	7	<0.2	
1403598	Rock Chip	1.06	0.068	15	30	1.03	851	0.236	<20	1.75	0.181	0.60	1.5	<0.01	0.3	<0.05	5.3	<0.5	6	<0.2	
1403599	Rock Chip	1.30	0.071	15	32	1.07	774	0.202	<20	1.86	0.186	0.58	2.1	<0.01	0.3	0.07	6.5	<0.5	6	<0.2	
1403600	Rock Pulp	0.79	0.053	4	33	0.77	95	0.125	<20	1.53	0.076	0.13	12.5	0.02	<0.1	<0.05	4.3	<0.5	5	<0.2	
1403601	Rock Pulp	0.66	0.050	5	29	0.57	106	0.109	<20	1.19	0.073	0.11	2.0	0.23	1.1	0.32	4.1	<0.5	6	<0.2	
1403602	Rock Chip	1.44	0.066	15	28	1.08	567	0.172	<20	1.74	0.138	0.40	0.9	<0.01	0.2	0.06	6.1	<0.5	6	<0.2	
1403603	Rock Chip	0.99	0.069	15	32	1.00	789	0.246	<20	1.73	0.173	0.55	3.4	<0.01	0.3	<0.05	4.5	<0.5	6	<0.2	
1403604	Rock Chip	1.13	0.075	15	31	1.10	854	0.232	<20	1.84	0.183	0.66	1.0	<0.01	0.4	<0.05	5.9	<0.5	6	<0.2	
1403605	Rock Chip	0.97	0.067	14	32	0.98	895	0.254	<20	1.81	0.211	0.71	1.2	<0.01	0.3	<0.05	4.6	<0.5	5	<0.2	
1403606	Rock Chip	1.36	0.075	16	32	1.03	854	0.224	<20	1.94	0.215	0.71	2.2	0.01	0.4	<0.05	6.9	<0.5	6	<0.2	
1403607	Rock Chip	1.29	0.072	17	31	1.09	934	0.239	<20	1.97	0.217	0.74	1.1	<0.01	0.4	<0.05	6.4	<0.5	6	<0.2	
1403608	Rock Chip	1.03	0.071	15	32	1.02	1021	0.274	<20	1.93	0.243	0.79	1.4	<0.01	0.4	<0.05	5.2	<0.5	6	<0.2	
1403609	Rock Chip	1.06	0.069	15	31	0.92	790	0.244	<20	1.86	0.226	0.61	1.7	<0.01	0.3	<0.05	4.6	<0.5	5	<0.2	
1403610	Rock Chip	1.01	0.072	14	30	0.97	1043	0.262	<20	1.89	0.236	0.73	1.5	<0.01	0.4	<0.05	4.8	<0.5	5	<0.2	
1403611	Rock Chip	1.01	0.071	14	34	0.98	1015	0.271	<20	1.91	0.241	0.76	1.7	<0.01	0.4	<0.05	5.0	<0.5	6	<0.2	
1403612	Rock Chip	1.03	0.071	15	33	0.93	906	0.253	<20	1.86	0.232	0.75	2.0	0.02	0.4	0.06	4.9	<0.5	5	<0.2	
1403613	Rock Chip	0.99	0.067	15	31	1.01	1148	0.281	<20	1.94	0.243	0.83	1.2	<0.01	0.4	0.06	5.0	<0.5	6	<0.2	
1403624A	Rock Chip	0.90	0.061	16	21	0.99	573	0.233	<20	1.73	0.158	0.64	0.6	<0.01	0.4	<0.05	5.9	<0.5	6	<0.2	
1403624B	Rock Chip	0.96	0.060	17	21	1.00	530	0.218	<20	1.73	0.152	0.60	0.6	<0.01	0.4	<0.05	6.2	<0.5	6	<0.2	
1403626	Rock Chip	1.09	0.062	16	23	1.06	614	0.220	<20	1.93	0.169	0.66	0.4	<0.01	0.5	<0.05	7.7	<0.5	6	<0.2	
1403627	Rock Chip	1.24	0.065	18	20	0.87	500	0.172	<20	1.68	0.126	0.63	0.4	<0.01	0.4	<0.05	10.0	<0.5	5	<0.2	
1403628	Rock Chip	1.25	0.059	16	21	0.95	414	0.173	<20	1.73	0.147	0.51	0.6	<0.01	0.3	<0.05	7.3	<0.5	5	<0.2	
1403629	Rock Chip	1.13	0.061	16	22	0.98	533	0.215	<20	1.74	0.170	0.68	0.5	<0.01	0.4	<0.05	6.8	<0.5	6	<0.2	
1403630	Rock Chip	1.34	0.062	16	22	0.92	571	0.223	<20	1.71	0.182	0.70	0.7	0.01	0.4	<0.05	6.8	<0.5	5	<0.2	
1403631	Rock Chip	1.38	0.056	15	21	1.00	418	0.141	<20	1.73	0.123	0.48	0.3	<0.01	0.3	<0.05	8.6	<0.5	6	<0.2	
1403632	Rock Chip	1.38	0.056	16	21	1.09	403	0.163	<20	1.77	0.142	0.48	0.4	<0.01	0.2	<0.05	8.1	<0.5	6	<0.2	
1403633	Rock Chip	1.37	0.060	17	22	1.13	482	0.190	<20	1.78	0.150	0.58	0.5	<0.01	0.4	<0.05	7.9	<0.5	6	<0.2	
1403634	Rock Chip	1.21	0.060	16	23	1.13	595	0.238	<20	1.88	0.177	0.73	0.4	<0.01	0.4	<0.05	7.8	<0.5	6	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

CERTIFICATE OF ANALYSIS WHI12000457.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403635	Rock Chip	2.87	4	1.7	26.4	50.3	219	1.3	5.6	13.8	701	3.44	17.7	2.2	4.0	9.0	57	1.6	1.0	<0.1	102
1403636	Rock Chip	2.06	<2	1.7	23.1	3.1	78	<0.1	6.3	14.5	745	3.42	4.2	2.4	3.7	9.3	65	0.4	0.7	<0.1	103
1403637	Rock Chip	2.83	<2	1.9	24.5	3.1	45	<0.1	5.5	12.1	497	2.84	1.3	2.4	3.3	9.5	48	<0.1	0.3	<0.1	87
1403638	Rock Chip	2.11	<2	2.2	22.6	2.9	42	<0.1	5.7	11.6	475	2.79	0.5	2.1	2.1	8.7	52	<0.1	0.2	<0.1	84
1403639	Rock Chip	2.27	<2	2.3	23.4	3.3	42	0.1	6.2	12.2	489	2.87	0.7	2.3	2.7	9.2	52	<0.1	0.3	0.2	84
1403640	Rock Pulp	0.12	<2	2.5	26.2	1.9	41	0.3	25.5	10.9	388	2.27	3.8	0.2	3.0	0.7	32	<0.1	0.1	<0.1	53
1403641	Rock Pulp	0.12	4345	9.6	74.6	447.6	1518	50.4	33.3	8.7	390	3.06	27.1	0.2	2750	0.8	27	14.8	37.8	0.9	49
1403642	Rock Chip	1.69	5	1.8	26.2	8.4	53	0.2	5.7	13.1	900	2.99	17.4	3.1	3.9	9.7	55	0.1	1.8	<0.1	80
1403643	Rock Chip	2.80	<2	1.7	18.3	8.6	68	0.2	5.6	13.2	894	3.30	13.6	3.1	1.1	9.3	70	0.2	1.8	0.1	92
1403644	Rock Chip	2.89	2	2.0	32.9	31.6	84	0.6	5.7	15.1	849	3.28	34.4	2.8	2.3	10.5	60	0.4	4.6	0.1	88
1403645	Rock Chip	1.61	<2	1.7	26.8	42.7	143	0.8	4.8	13.7	965	3.33	4.6	2.9	<0.5	9.6	61	0.7	3.4	<0.1	90
1403646	Rock Chip	2.24	<2	1.9	22.6	3.2	44	<0.1	5.0	10.9	468	2.76	1.5	2.3	0.8	9.2	46	<0.1	1.8	<0.1	86
1403647	Rock Chip	2.82	<2	2.0	22.0	2.9	63	<0.1	5.3	11.9	517	2.90	3.6	2.9	<0.5	9.0	49	<0.1	2.6	0.1	89
1403648	Rock Chip	2.13	<2	2.1	25.2	119.5	400	2.1	5.6	12.7	711	3.21	11.7	2.4	2.5	10.3	55	4.4	4.6	<0.1	94
1403649	Rock Chip	3.43	<2	1.6	22.9	93.7	174	1.4	5.0	12.4	810	2.96	11.5	2.5	2.2	8.2	47	0.8	4.0	<0.1	86
1403650	Rock Chip	2.73	30	1.8	25.8	598.9	566	6.7	5.5	13.5	1330	3.51	77.3	2.9	29.8	9.7	46	6.8	62.1	<0.1	84
1403651	Rock Chip	1.84	80	2.1	28.8	959.1	1530	18.0	5.5	13.1	1644	3.78	139.9	3.6	78.4	9.0	51	17.8	78.0	<0.1	77
1403652	Rock Chip	2.87	9	1.8	28.6	534.9	1305	3.5	5.3	13.9	1255	3.89	26.0	2.3	13.3	9.6	58	7.8	75.5	<0.1	95
1403653	Rock Chip	2.71	44	1.7	22.0	65.4	187	0.9	5.4	14.4	1291	3.43	566.6	2.3	44.8	8.0	80	1.4	8.9	<0.1	73
1403654	Rock Chip	2.86	2	1.6	25.0	113.6	273	1.7	5.0	15.8	1313	3.94	31.2	2.4	5.4	8.5	59	3.4	6.2	<0.1	102
1403655	Rock Chip	2.93	53	1.5	21.1	38.6	235	0.7	5.2	15.2	987	3.75	267.0	2.5	27.4	13.2	89	1.9	5.0	<0.1	78
1403656	Rock Chip	1.73	260	2.6	25.4	1021	1652	13.3	4.8	13.6	1765	4.85	2492	4.4	279.5	8.1	69	19.0	13.1	<0.1	42
1403657	Rock Chip	2.26	618	2.8	22.5	4965	2049	36.8	3.9	8.3	1654	5.03	4204	4.3	687.6	7.3	182	28.3	22.6	<0.1	9
1403658	Rock Chip	1.86	36	1.8	19.1	70.3	299	3.0	5.5	15.2	1469	3.47	766.9	2.7	35.4	9.0	64	2.5	9.7	<0.1	57
1403659	Rock Chip	1.70	6	1.6	22.8	102.7	258	1.3	4.9	13.5	696	3.24	138.1	1.8	6.9	9.5	55	1.0	4.0	<0.1	97
1403660	Rock Pulp	0.11	<2	2.4	26.4	2.5	47	0.3	25.8	11.3	422	2.49	5.1	0.2	5.4	0.8	37	0.1	0.2	<0.1	61
1403661	Rock Pulp	0.11	1500	8.5	54.5	6.1	55	0.3	37.3	9.8	509	3.40	7.3	0.3	1319	0.9	40	0.1	1.0	<0.1	69
1403662	Rock Chip	2.88	7	2.2	23.8	45.3	103	0.3	5.4	13.5	646	3.28	63.9	1.8	7.4	9.1	56	0.3	2.2	<0.1	102
1403663	Rock Chip	1.45	<2	2.1	25.2	76.1	221	0.9	5.8	13.8	836	3.47	27.8	1.9	5.9	9.8	59	2.5	3.5	0.2	101
1403664	Rock Chip	2.27	11	2.5	30.6	379.1	787	4.1	5.8	13.2	700	3.44	57.0	2.7	15.4	9.6	46	6.9	25.0	<0.1	92

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

CERTIFICATE OF ANALYSIS WHI12000457.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1403635	Rock Chip	1.38	0.063	18	22	1.25	581	0.213	<20	1.98	0.137	0.70	0.3	<0.01	0.5	<0.05	10.2	<0.5	6	<0.2	
1403636	Rock Chip	1.72	0.060	17	23	1.12	572	0.225	<20	2.07	0.188	0.72	0.4	<0.01	0.5	<0.05	10.0	<0.5	6	<0.2	
1403637	Rock Chip	1.15	0.061	16	23	0.96	600	0.246	<20	1.73	0.187	0.73	0.6	<0.01	0.5	<0.05	6.1	<0.5	5	<0.2	
1403638	Rock Chip	1.01	0.060	14	23	0.94	634	0.253	<20	1.82	0.223	0.78	0.5	<0.01	0.5	<0.05	5.1	<0.5	5	<0.2	
1403639	Rock Chip	1.06	0.062	15	24	1.00	616	0.256	<20	1.80	0.207	0.73	0.7	<0.01	0.5	<0.05	5.4	<0.5	5	<0.2	
1403640	Rock Pulp	0.74	0.055	3	31	0.75	86	0.110	<20	1.52	0.072	0.12	11.0	<0.01	<0.1	<0.05	4.1	<0.5	5	<0.2	
1403641	Rock Pulp	0.62	0.050	4	28	0.55	96	0.102	<20	1.14	0.069	0.10	2.0	0.18	0.9	0.32	3.7	<0.5	5	<0.2	
1403642	Rock Chip	1.79	0.063	17	20	0.91	478	0.179	<20	1.56	0.141	0.59	0.4	<0.01	0.4	<0.05	7.3	<0.5	5	<0.2	
1403643	Rock Chip	2.07	0.058	17	19	0.97	530	0.148	<20	1.72	0.119	0.56	0.4	<0.01	0.5	<0.05	9.1	<0.5	6	<0.2	
1403644	Rock Chip	1.66	0.065	19	19	0.94	509	0.144	<20	1.60	0.099	0.59	0.4	<0.01	0.5	0.06	10.1	<0.5	5	<0.2	
1403645	Rock Chip	1.98	0.063	19	18	0.87	546	0.152	<20	1.60	0.082	0.65	0.2	<0.01	0.5	0.07	11.0	<0.5	6	<0.2	
1403646	Rock Chip	1.01	0.060	15	21	0.97	594	0.203	<20	1.59	0.148	0.69	0.6	<0.01	0.4	<0.05	5.8	<0.5	5	<0.2	
1403647	Rock Chip	1.11	0.061	17	23	1.06	565	0.205	<20	1.69	0.150	0.70	0.6	<0.01	0.4	<0.05	6.4	<0.5	6	<0.2	
1403648	Rock Chip	1.20	0.062	16	22	1.10	645	0.215	<20	1.80	0.166	0.84	0.5	<0.01	0.5	0.07	7.5	<0.5	5	<0.2	
1403649	Rock Chip	1.10	0.061	15	20	0.98	536	0.195	<20	1.65	0.146	0.68	0.8	<0.01	0.4	<0.05	6.0	<0.5	5	<0.2	
1403650	Rock Chip	1.33	0.064	17	20	1.02	463	0.136	<20	1.63	0.097	0.62	0.4	<0.01	0.4	0.22	9.1	<0.5	5	<0.2	
1403651	Rock Chip	0.90	0.062	16	18	0.78	489	0.128	<20	1.50	0.096	0.65	0.3	0.01	0.5	0.20	9.1	<0.5	5	<0.2	
1403652	Rock Chip	1.46	0.064	17	21	1.18	388	0.098	<20	1.80	0.100	0.46	0.2	<0.01	0.3	0.14	11.5	<0.5	6	<0.2	
1403653	Rock Chip	2.17	0.062	18	16	1.17	422	0.088	<20	1.53	0.075	0.50	0.2	0.02	0.3	0.06	10.0	<0.5	5	<0.2	
1403654	Rock Chip	1.75	0.062	16	22	1.33	528	0.125	<20	2.03	0.080	0.59	0.2	0.03	0.4	0.07	11.6	<0.5	6	<0.2	
1403655	Rock Chip	2.44	0.065	14	16	1.34	349	0.079	<20	1.60	0.056	0.43	0.3	0.01	0.3	0.06	10.8	<0.5	5	<0.2	
1403656	Rock Chip	0.84	0.057	15	10	0.55	168	0.008	<20	1.04	0.019	0.29	0.3	0.07	0.3	0.09	10.1	<0.5	3	<0.2	
1403657	Rock Chip	0.64	0.053	9	4	0.33	108	<0.001	<20	0.32	0.017	0.25	0.5	0.07	0.2	0.30	5.8	<0.5	<1	<0.2	
1403658	Rock Chip	1.96	0.065	15	12	1.16	458	0.091	<20	1.16	0.068	0.53	0.4	<0.01	0.4	0.07	9.1	<0.5	3	<0.2	
1403659	Rock Chip	1.16	0.063	16	22	1.10	765	0.238	<20	1.87	0.161	0.88	0.5	<0.01	0.6	<0.05	7.5	<0.5	6	<0.2	
1403660	Rock Pulp	0.89	0.062	4	33	0.81	95	0.126	<20	1.62	0.082	0.13	11.5	0.01	<0.1	<0.05	4.5	0.5	5	<0.2	
1403661	Rock Pulp	0.92	0.060	5	37	0.86	108	0.139	<20	1.79	0.106	0.16	0.2	0.07	<0.1	<0.05	5.3	<0.5	6	<0.2	
1403662	Rock Chip	1.34	0.067	16	23	1.22	651	0.234	<20	1.86	0.153	0.85	0.7	<0.01	0.5	<0.05	7.7	<0.5	6	<0.2	
1403663	Rock Chip	1.45	0.065	18	23	1.17	564	0.199	<20	1.87	0.154	0.73	0.5	<0.01	0.5	0.10	9.6	<0.5	6	<0.2	
1403664	Rock Chip	0.93	0.066	17	23	0.92	633	0.218	<20	1.70	0.166	0.81	0.8	<0.01	0.5	0.10	6.9	<0.5	6	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

CERTIFICATE OF ANALYSIS WHI12000457.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403665	Rock Chip	2.04	9	2.6	31.2	349.2	886	5.3	5.9	13.5	838	3.57	93.9	1.9	12.6	10.3	56	10.8	15.7	0.4	97
1403666	Rock Chip	2.36	791	2.1	76.6	4908	3478	>100	3.9	12.5	3002	5.92	3936	6.6	827.6	7.9	99	70.5	809.0	<0.1	29
1403667	Rock Chip	3.60	6	1.7	26.7	81.3	1544	1.1	7.0	19.4	1378	4.32	103.0	2.0	5.0	9.8	68	12.5	15.0	0.3	129
1403668	Rock Chip	2.31	6	1.9	29.0	96.5	223	1.9	5.9	14.3	767	3.54	45.1	1.8	6.3	10.9	56	2.3	7.9	0.1	108
1403669	Rock Chip	2.66	<2	2.4	25.7	8.8	110	0.3	5.1	12.9	546	3.10	13.6	2.4	1.1	10.3	52	0.5	2.8	0.1	100
1403670	Rock Chip	2.48	<2	2.1	26.3	7.0	60	0.2	5.3	13.0	512	3.04	6.0	2.8	1.8	11.3	52	0.2	1.5	<0.1	97
1403671	Rock Chip	2.42	<2	3.0	25.6	3.3	49	<0.1	6.4	12.7	528	3.10	1.9	2.0	8.8	10.2	54	<0.1	0.6	<0.1	100
1403672	Rock Chip	1.53	4	2.7	27.0	3.4	101	0.1	5.5	14.2	675	3.38	11.5	2.4	1.1	9.4	55	0.7	2.3	<0.1	110
1403673	Rock Chip	1.40	24	2.6	28.1	226.0	350	5.8	5.6	13.4	810	3.29	173.4	3.4	21.2	9.0	56	3.4	11.2	<0.1	98
1403674	Rock Chip	0.81	2	2.6	54.3	4.7	80	0.3	6.5	13.6	486	3.11	10.3	2.0	2.4	9.2	56	0.3	2.2	<0.1	102
1403675	Rock Chip	0.60	3	2.8	48.7	4.4	78	0.2	7.4	12.9	493	3.13	9.5	2.1	1.4	10.3	58	0.3	2.2	<0.1	101
1403676	Rock Chip	2.21	<2	2.3	29.1	4.2	75	0.1	6.6	13.4	519	3.19	6.1	1.9	1.0	9.1	61	0.2	2.6	<0.1	106
1403677	Rock Chip	1.78	3	2.5	31.1	5.0	93	0.2	6.5	13.2	573	3.19	9.9	1.9	1.2	9.9	64	0.4	3.1	0.5	100
1403678	Rock Chip	2.21	4	2.1	22.0	139.0	157	1.9	6.0	12.6	744	3.14	35.5	2.4	3.6	8.6	59	1.6	4.8	<0.1	89
1403679	Rock Chip	1.98	2	2.3	24.1	6.0	56	<0.1	5.8	11.6	506	2.88	6.6	1.7	<0.5	8.3	57	0.2	1.7	<0.1	92
1403680	Rock Pulp	0.12	2	2.4	24.3	2.0	40	0.2	24.0	10.2	389	2.30	5.1	0.2	<0.5	0.7	37	0.1	0.1	<0.1	55
1403681	Rock Pulp	0.12	4086	9.8	71.5	496.4	1543	49.5	31.8	8.3	404	3.18	32.5	0.3	3524	1.0	32	15.3	38.5	0.9	52
1403682	Rock Chip	1.99	<2	3.4	22.7	26.6	86	0.3	6.0	12.2	559	2.97	2.9	2.1	1.9	9.1	56	0.4	1.7	<0.1	96
1403683	Rock Chip	1.75	4	5.8	21.5	3.5	45	<0.1	5.8	11.9	552	3.03	3.7	1.9	1.3	8.8	60	0.2	2.3	<0.1	96
1403684	Rock Chip	1.79	<2	2.4	24.6	9.9	59	0.3	6.0	13.2	873	3.17	6.7	2.8	<0.5	9.0	75	0.3	2.7	0.5	82
1403685	Rock Chip	1.70	2	1.8	21.1	11.9	88	0.3	5.9	13.5	723	3.30	10.7	2.1	2.0	8.2	61	0.5	2.8	<0.1	90
1403686	Rock Chip	1.58	<2	2.3	20.0	15.5	67	0.3	5.3	12.3	814	3.19	7.1	3.0	2.3	9.0	71	0.6	3.8	<0.1	83
1403687	Rock Chip	1.60	<2	5.2	16.6	3.9	78	<0.1	6.2	12.8	641	3.19	3.5	2.4	3.5	9.2	82	1.4	4.3	<0.1	92
1403688	Rock Chip	2.01	28	3.2	24.7	741.5	717	8.0	6.4	14.3	762	3.71	100.3	2.9	25.3	8.8	57	5.1	9.5	<0.1	88
1403689	Rock Chip	1.81	3	2.2	25.4	103.0	194	1.5	6.4	13.6	675	3.40	5.6	2.3	4.4	7.9	53	1.7	4.0	<0.1	92
1403690	Rock Chip	1.98	<2	2.4	22.5	8.5	50	0.1	6.2	12.1	532	3.06	2.9	1.7	0.9	9.3	65	0.1	2.4	<0.1	98
1403691	Rock Chip	2.28	<2	2.3	21.5	4.2	41	<0.1	5.9	11.5	449	2.83	2.0	1.3	<0.5	8.4	55	<0.1	1.6	<0.1	88
1403692	Rock Chip	1.83	8	2.6	22.0	16.1	78	0.2	6.4	13.0	683	3.28	30.5	3.2	8.2	9.6	66	0.4	2.9	<0.1	84
1403693	Rock Chip	2.58	4	2.7	22.7	3.7	50	<0.1	6.6	12.4	562	3.19	4.5	2.1	2.5	11.6	70	0.2	1.9	<0.1	95
1403694	Rock Chip	2.22	<2	2.6	22.0	5.6	48	<0.1	6.7	11.9	599	2.99	2.7	2.1	1.5	8.9	62	<0.1	1.6	<0.1	95

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

CERTIFICATE OF ANALYSIS WHI12000457.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1403665	Rock Chip	1.61	0.064	18	21	1.11	510	0.167	<20	1.76	0.128	0.66	0.6	<0.01	0.4	0.12	10.2	<0.5	6	<0.2	
1403666	Rock Chip	2.37	0.050	12	7	0.87	120	0.002	<20	0.66	0.031	0.32	<0.1	0.03	0.5	0.97	7.4	<0.5	2	<0.2	93
1403667	Rock Chip	1.98	0.071	20	25	1.71	660	0.202	<20	2.33	0.115	0.83	0.4	<0.01	0.5	0.12	14.4	<0.5	8	<0.2	
1403668	Rock Chip	1.32	0.069	18	24	1.30	726	0.239	<20	1.98	0.153	0.89	0.6	<0.01	0.5	0.07	9.1	0.9	6	<0.2	
1403669	Rock Chip	1.06	0.066	15	25	1.15	753	0.258	<20	1.82	0.168	0.92	0.8	<0.01	0.6	<0.05	6.4	0.9	6	<0.2	
1403670	Rock Chip	0.97	0.068	19	27	1.10	874	0.284	<20	1.84	0.196	0.97	2.6	<0.01	0.6	<0.05	5.8	0.5	6	<0.2	
1403671	Rock Chip	1.10	0.068	16	27	1.10	739	0.265	<20	1.88	0.206	0.96	1.2	<0.01	0.6	<0.05	5.9	0.7	6	<0.2	
1403672	Rock Chip	1.11	0.073	15	29	1.22	782	0.276	<20	2.01	0.197	1.04	0.7	<0.01	0.7	<0.05	6.9	0.7	6	<0.2	
1403673	Rock Chip	1.24	0.069	17	24	1.09	692	0.231	<20	1.88	0.162	0.87	0.6	<0.01	0.6	0.07	7.2	0.7	6	<0.2	
1403674	Rock Chip	1.06	0.069	15	26	1.11	792	0.268	<20	1.91	0.194	0.92	1.6	<0.01	0.6	<0.05	5.9	1.2	6	<0.2	
1403675	Rock Chip	1.09	0.065	17	27	1.11	788	0.261	<20	1.93	0.205	0.91	1.1	<0.01	0.5	<0.05	5.9	1.0	6	<0.2	
1403676	Rock Chip	1.20	0.070	16	27	1.14	814	0.279	<20	1.95	0.192	0.94	0.7	<0.01	0.5	<0.05	5.9	<0.5	6	<0.2	
1403677	Rock Chip	1.15	0.066	16	27	1.13	721	0.256	<20	1.93	0.206	0.80	1.0	<0.01	0.4	<0.05	6.3	0.9	6	<0.2	
1403678	Rock Chip	1.27	0.062	15	21	1.14	709	0.235	<20	1.89	0.152	0.74	0.4	0.01	0.5	<0.05	6.9	<0.5	6	<0.2	
1403679	Rock Chip	1.07	0.067	14	24	1.06	703	0.274	<20	1.86	0.191	0.77	0.6	<0.01	0.5	<0.05	5.4	<0.5	5	<0.2	
1403680	Rock Pulp	0.79	0.062	4	29	0.75	89	0.125	<20	1.56	0.075	0.13	11.0	<0.01	<0.1	<0.05	4.3	<0.5	5	<0.2	
1403681	Rock Pulp	0.68	0.053	5	28	0.56	105	0.113	<20	1.22	0.074	0.11	1.8	0.24	1.1	0.33	4.4	<0.5	6	0.2	
1403682	Rock Chip	1.17	0.067	15	23	1.05	752	0.266	<20	1.88	0.196	0.82	0.9	<0.01	0.5	<0.05	5.5	<0.5	6	<0.2	
1403683	Rock Chip	1.17	0.066	14	24	1.08	707	0.264	<20	1.93	0.191	0.78	0.5	<0.01	0.4	<0.05	6.0	<0.5	6	<0.2	
1403684	Rock Chip	2.71	0.064	17	22	1.06	323	0.121	<20	1.80	0.112	0.38	0.2	<0.01	0.2	<0.05	7.9	<0.5	6	<0.2	
1403685	Rock Chip	1.62	0.064	15	22	1.18	355	0.129	<20	1.92	0.122	0.34	0.2	0.01	0.2	<0.05	8.5	<0.5	6	<0.2	
1403686	Rock Chip	2.63	0.060	18	20	1.20	276	0.099	<20	1.80	0.092	0.33	0.2	<0.01	0.2	<0.05	8.5	<0.5	6	<0.2	
1403687	Rock Chip	1.62	0.065	16	23	1.32	441	0.142	<20	1.86	0.104	0.47	0.2	<0.01	0.2	<0.05	8.7	<0.5	6	<0.2	
1403688	Rock Chip	1.51	0.068	17	24	1.26	259	0.108	<20	1.86	0.090	0.29	0.2	0.02	0.2	0.06	10.1	<0.5	6	<0.2	
1403689	Rock Chip	1.67	0.065	14	25	1.13	474	0.197	<20	1.85	0.145	0.54	0.7	<0.01	0.3	<0.05	7.5	<0.5	6	<0.2	
1403690	Rock Chip	1.36	0.066	15	26	1.10	685	0.257	<20	1.86	0.202	0.75	0.5	<0.01	0.4	<0.05	6.2	<0.5	6	<0.2	
1403691	Rock Chip	1.10	0.063	15	26	0.99	682	0.269	<20	1.79	0.205	0.78	0.6	<0.01	0.4	<0.05	4.8	<0.5	5	<0.2	
1403692	Rock Chip	1.46	0.067	17	25	1.15	380	0.157	<20	1.79	0.147	0.46	0.4	<0.01	0.3	<0.05	7.9	<0.5	6	<0.2	
1403693	Rock Chip	1.20	0.066	16	26	1.09	628	0.245	<20	1.97	0.221	0.76	0.6	<0.01	0.5	0.08	6.6	<0.5	6	<0.2	
1403694	Rock Chip	1.27	0.061	15	26	1.02	671	0.257	<20	1.90	0.218	0.82	0.8	<0.01	0.5	<0.05	6.0	<0.5	6	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

CERTIFICATE OF ANALYSIS WHI12000457.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403695	Rock Chip	2.65	<2	2.8	20.8	3.3	45	<0.1	6.8	12.6	549	3.10	1.6	1.9	1.1	8.6	62	<0.1	0.9	<0.1	97
1403696	Rock Chip	2.69	<2	2.6	21.4	9.3	59	0.1	6.5	12.5	641	3.20	1.8	2.4	<0.5	8.1	68	0.1	1.0	<0.1	101
1403697	Rock Chip	2.15	<2	3.2	24.3	16.5	91	0.2	7.5	13.1	757	3.36	6.3	2.7	2.2	10.3	65	0.4	0.9	<0.1	99
1403698	Rock Chip	2.77	<2	3.3	22.6	4.7	57	0.1	7.2	13.3	631	3.40	1.9	2.3	0.9	8.4	66	<0.1	0.5	<0.1	103
1403699	Rock Chip	2.29	<2	2.1	21.1	4.0	56	<0.1	6.5	15.1	833	3.52	8.5	5.1	0.5	10.8	79	<0.1	1.2	0.1	82
1403700	Rock Pulp	0.12	4	2.6	24.7	2.0	44	0.3	24.7	10.8	409	2.42	4.8	0.2	<0.5	0.8	37	<0.1	0.2	<0.1	56
1403701	Rock Pulp	0.12	3879	10.2	71.7	466.5	1574	52.5	32.0	8.8	413	3.19	30.6	0.3	2196	0.9	31	15.5	38.1	0.8	52
1403702	Rock Chip	2.24	2	2.6	26.5	3.1	47	<0.1	6.7	13.1	566	3.10	1.1	2.4	1.7	11.0	69	<0.1	0.6	<0.1	96
1403703	Rock Chip	2.54	<2	3.1	18.4	2.6	45	<0.1	6.9	13.9	563	3.25	1.2	2.3	2.0	8.6	69	<0.1	0.6	<0.1	103
1403704	Rock Chip	1.55	<2	2.8	20.0	4.6	46	<0.1	6.2	12.0	481	2.91	1.1	2.4	1.1	9.5	62	<0.1	0.5	<0.1	89
1403705	Rock Chip	2.57	<2	2.3	18.5	2.5	39	<0.1	6.3	11.2	448	2.77	0.9	1.6	1.3	8.1	62	<0.1	0.6	<0.1	85
1403706	Rock Chip	1.40	6	2.9	18.7	10.0	89	0.3	6.8	12.7	561	3.12	5.0	2.3	3.5	8.3	62	0.5	1.1	<0.1	93
1403707	Rock Chip	2.55	<2	3.0	22.6	3.3	43	<0.1	6.9	11.7	451	2.86	1.5	1.9	1.3	8.6	63	<0.1	0.9	<0.1	91
1403708	Rock Chip	2.57	<2	2.8	20.9	2.7	40	<0.1	7.1	12.2	470	2.98	1.5	2.2	0.7	9.1	65	<0.1	0.6	<0.1	90
1403709	Rock Chip	2.65	<2	3.1	24.5	3.7	46	<0.1	7.0	13.4	531	3.11	2.4	2.3	1.5	10.2	71	<0.1	1.2	0.1	92
1403710	Rock Chip	1.82	<2	3.0	22.4	2.6	40	<0.1	6.8	12.4	488	2.93	2.3	1.8	<0.5	8.3	60	<0.1	1.3	<0.1	90
1403711	Rock Chip	2.43	<2	3.0	22.0	2.8	43	<0.1	6.8	12.4	508	3.09	1.7	1.9	<0.5	8.3	68	<0.1	1.1	<0.1	97
1403712	Rock Chip	1.64	<2	3.0	19.1	2.4	41	<0.1	6.6	12.2	459	2.89	1.1	1.7	1.1	10.3	54	<0.1	0.6	<0.1	89
1403713	Rock Chip	1.79	<2	3.1	19.6	2.9	41	<0.1	6.8	12.3	462	2.97	1.3	1.9	1.5	10.9	64	<0.1	0.7	<0.1	89
1403714	Rock Chip	1.83	<2	3.2	20.8	2.9	47	<0.1	7.3	14.1	578	3.37	1.9	2.7	<0.5	10.9	83	<0.1	1.0	<0.1	101
1403715	Rock Chip	1.69	<2	2.5	18.2	2.8	43	<0.1	7.0	12.4	478	3.06	2.5	2.2	1.3	9.0	62	<0.1	0.7	<0.1	88
1403716	Rock Chip	1.26	<2	2.7	22.6	4.3	44	<0.1	6.8	12.0	536	3.05	2.5	2.4	<0.5	10.2	63	<0.1	0.6	<0.1	85
1403717	Rock Chip	1.29	<2	3.0	20.9	2.8	39	<0.1	6.6	11.9	449	2.97	1.0	1.8	<0.5	9.2	57	<0.1	0.2	<0.1	88
1403718	Rock Chip	1.62	<2	2.6	24.1	2.8	39	<0.1	6.6	11.8	430	2.93	1.4	1.8	<0.5	8.1	55	<0.1	0.2	<0.1	87
1403719	Rock Chip	1.58	<2	3.3	20.8	3.1	42	<0.1	7.2	12.7	495	3.02	1.8	2.0	<0.5	10.2	62	<0.1	0.3	<0.1	90
1403720	Rock Pulp	0.11	6	2.8	26.0	2.2	42	0.3	24.7	11.3	411	2.48	4.8	0.2	<0.5	0.8	38	0.2	0.2	<0.1	58
1403721	Rock Pulp	0.11	1455	9.0	50.8	5.3	49	0.2	32.8	9.8	486	3.31	7.1	0.2	806.1	1.0	40	0.2	0.8	<0.1	61

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

CERTIFICATE OF ANALYSIS WHI12000457.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1403695	Rock Chip	1.25	0.065	15	28	1.03	692	0.261	<20	1.96	0.222	0.86	0.7	<0.01	0.5	<0.05	7.1	<0.5	6	<0.2	
1403696	Rock Chip	1.25	0.063	14	27	1.16	730	0.265	<20	2.08	0.244	0.86	0.5	<0.01	0.5	<0.05	7.1	<0.5	6	<0.2	
1403697	Rock Chip	1.38	0.065	16	29	1.14	693	0.245	<20	2.02	0.235	0.87	0.7	<0.01	0.5	<0.05	7.5	<0.5	6	<0.2	
1403698	Rock Chip	1.54	0.068	15	31	1.14	635	0.240	<20	2.11	0.237	0.81	0.7	0.02	0.5	0.05	8.7	<0.5	6	<0.2	
1403699	Rock Chip	2.35	0.065	20	22	1.05	228	0.045	<20	1.45	0.073	0.26	<0.1	0.03	0.2	<0.05	13.5	<0.5	5	<0.2	
1403700	Rock Pulp	0.83	0.061	4	32	0.80	95	0.132	<20	1.63	0.080	0.13	11.2	0.01	<0.1	<0.05	4.6	<0.5	5	<0.2	
1403701	Rock Pulp	0.68	0.053	5	29	0.58	98	0.111	<20	1.22	0.075	0.11	1.9	0.18	1.0	0.33	4.3	<0.5	6	<0.2	
1403702	Rock Chip	1.40	0.062	15	26	1.11	645	0.236	<20	2.01	0.231	0.79	0.6	<0.01	0.4	<0.05	7.6	<0.5	6	<0.2	
1403703	Rock Chip	1.34	0.062	14	31	1.16	701	0.269	<20	2.11	0.227	0.88	0.8	<0.01	0.5	<0.05	7.8	<0.5	6	<0.2	
1403704	Rock Chip	1.02	0.064	16	27	1.04	718	0.266	<20	1.84	0.203	0.85	0.9	<0.01	0.5	<0.05	5.8	<0.5	6	<0.2	
1403705	Rock Chip	0.99	0.060	14	27	0.93	682	0.260	<20	1.83	0.240	0.82	0.8	<0.01	0.5	<0.05	5.2	<0.5	6	<0.2	
1403706	Rock Chip	1.10	0.063	15	29	1.00	724	0.274	<20	2.01	0.235	0.88	0.7	0.01	0.6	0.06	6.8	<0.5	6	<0.2	
1403707	Rock Chip	1.03	0.065	14	30	0.96	695	0.277	<20	1.88	0.235	0.81	0.8	<0.01	0.5	<0.05	5.1	<0.5	6	<0.2	
1403708	Rock Chip	1.15	0.062	14	31	1.00	687	0.273	<20	1.91	0.236	0.85	0.9	<0.01	0.5	<0.05	5.6	<0.5	6	<0.2	
1403709	Rock Chip	1.33	0.062	15	29	1.14	459	0.227	<20	1.82	0.170	0.56	0.6	<0.01	0.3	<0.05	7.4	<0.5	6	<0.2	
1403710	Rock Chip	1.24	0.064	15	31	0.98	645	0.268	<20	1.76	0.191	0.79	0.9	<0.01	0.5	<0.05	5.5	<0.5	6	<0.2	
1403711	Rock Chip	1.36	0.063	15	31	1.03	631	0.264	<20	1.88	0.222	0.80	0.7	<0.01	0.5	<0.05	6.7	<0.5	6	<0.2	
1403712	Rock Chip	1.07	0.061	14	28	0.98	640	0.262	<20	1.76	0.198	0.83	1.0	<0.01	0.5	<0.05	5.5	<0.5	6	<0.2	
1403713	Rock Chip	1.04	0.065	16	30	1.00	742	0.261	<20	1.83	0.221	0.87	0.8	<0.01	0.4	<0.05	5.3	<0.5	5	<0.2	
1403714	Rock Chip	1.68	0.065	17	30	1.09	689	0.245	<20	2.01	0.233	0.83	0.7	<0.01	0.5	<0.05	8.6	<0.5	6	<0.2	
1403715	Rock Chip	0.98	0.058	14	28	1.04	716	0.253	<20	1.90	0.233	0.90	2.0	<0.01	0.5	<0.05	5.1	<0.5	5	<0.2	
1403716	Rock Chip	1.31	0.063	16	26	1.04	563	0.219	<20	1.75	0.187	0.69	0.7	<0.01	0.4	<0.05	5.1	<0.5	5	<0.2	
1403717	Rock Chip	0.98	0.059	13	31	1.01	713	0.248	<20	1.83	0.222	0.81	0.8	<0.01	0.4	<0.05	4.8	<0.5	5	<0.2	
1403718	Rock Chip	0.96	0.062	13	28	1.02	710	0.251	<20	1.77	0.206	0.78	1.0	<0.01	0.4	<0.05	4.7	<0.5	6	<0.2	
1403719	Rock Chip	1.20	0.065	14	32	1.03	542	0.229	<20	1.80	0.219	0.67	0.8	<0.01	0.3	<0.05	5.8	<0.5	5	<0.2	
1403720	Rock Pulp	0.86	0.061	4	33	0.80	97	0.119	<20	1.60	0.085	0.14	10.5	<0.01	<0.1	<0.05	4.5	<0.5	5	<0.2	
1403721	Rock Pulp	0.85	0.061	4	36	0.82	101	0.124	<20	1.71	0.104	0.16	0.2	0.06	<0.1	<0.05	4.9	<0.5	5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

QUALITY CONTROL REPORT WHI12000457.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1403574	Rock Chip	1.48	2	1.8	22.1	3.4	115	<0.1	5.5	13.1	538	3.22	18.8	1.9	3.4	9.8	91	1.1	0.3	<0.1	99
REP 1403574	QC		<2																		
1403575	Rock Chip	1.50	4	1.7	22.6	3.3	107	<0.1	5.4	12.9	508	3.20	12.4	1.5	2.2	9.6	79	0.8	0.3	<0.1	97
REP 1403575	QC			1.8	21.7	3.5	105	<0.1	5.3	12.4	520	3.18	12.6	1.5	3.6	9.5	79	0.8	0.2	<0.1	96
1403601	Rock Pulp	0.12	3898	10.3	74.6	507.9	1551	52.2	31.8	8.7	395	3.19	29.9	0.3	3221	1.0	30	16.0	39.6	0.8	52
REP 1403601	QC			9.3	72.8	496.6	1531	49.9	32.6	8.8	395	3.16	28.8	0.3	3069	0.9	30	15.6	40.3	0.7	52
1403636	Rock Chip	2.06	<2	1.7	23.1	3.1	78	<0.1	6.3	14.5	745	3.42	4.2	2.4	3.7	9.3	65	0.4	0.7	<0.1	103
REP 1403636	QC		<2																		
1403652	Rock Chip	2.87	9	1.8	28.6	534.9	1305	3.5	5.3	13.9	1255	3.89	26.0	2.3	13.3	9.6	58	7.8	75.5	<0.1	95
REP 1403652	QC			1.7	28.2	504.3	1261	3.4	5.2	13.8	1216	3.76	25.3	2.3	10.8	9.1	57	7.9	79.0	<0.1	92
1403664	Rock Chip	2.27	11	2.5	30.6	379.1	787	4.1	5.8	13.2	700	3.44	57.0	2.7	15.4	9.6	46	6.9	25.0	<0.1	92
REP 1403664	QC		12																		
1403681	Rock Pulp	0.12	4086	9.8	71.5	496.4	1543	49.5	31.8	8.3	404	3.18	32.5	0.3	3524	1.0	32	15.3	38.5	0.9	52
REP 1403681	QC			9.5	71.4	490.3	1575	52.7	32.3	8.6	403	3.25	32.3	0.3	2542	1.0	32	16.5	36.8	1.0	53
1403705	Rock Chip	2.57	<2	2.3	18.5	2.5	39	<0.1	6.3	11.2	448	2.77	0.9	1.6	1.3	8.1	62	<0.1	0.6	<0.1	85
REP 1403705	QC		<2																		
1403716	Rock Chip	1.26	<2	2.7	22.6	4.3	44	<0.1	6.8	12.0	536	3.05	2.5	2.4	<0.5	10.2	63	<0.1	0.6	<0.1	85
REP 1403716	QC			2.6	22.8	4.3	43	<0.1	7.1	12.5	550	3.04	2.5	2.4	<0.5	9.8	62	<0.1	0.6	<0.1	85
Core Reject Duplicates																					
1403593	Rock Chip		5	2.8	50.6	8.9	90	0.5	5.5	14.9	696	3.99	8.6	3.8	1.5	10.0	82	0.3	1.5	2.7	95
DUP 1403593	QC	1.81	4	3.2	51.4	9.4	97	0.5	6.3	15.4	724	3.97	9.4	4.0	4.4	11.0	84	0.4	1.4	2.6	98
1403638	Rock Chip	2.11	<2	2.2	22.6	2.9	42	<0.1	5.7	11.6	475	2.79	0.5	2.1	2.1	8.7	52	<0.1	0.2	<0.1	84
DUP 1403638	QC		<2	2.0	23.4	3.1	45	<0.1	5.4	12.2	473	2.82	<0.5	2.1	2.9	9.4	51	<0.1	0.2	<0.1	86
1403673	Rock Chip	1.40	24	2.6	28.1	226.0	350	5.8	5.6	13.4	810	3.29	173.4	3.4	21.2	9.0	56	3.4	11.2	<0.1	98
DUP 1403673	QC		21	2.5	28.8	215.1	358	5.5	6.1	13.7	842	3.41	179.6	2.9	22.8	9.9	58	3.8	10.9	<0.1	99
1403708	Rock Chip	2.57	<2	2.8	20.9	2.7	40	<0.1	7.1	12.2	470	2.98	1.5	2.2	0.7	9.1	65	<0.1	0.6	<0.1	90
DUP 1403708	QC		<2	3.2	20.6	2.5	41	<0.1	7.2	11.7	454	2.90	1.3	1.5	1.0	8.7	60	<0.1	0.7	<0.1	87
Reference Materials																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

QUALITY CONTROL REPORT WHI12000457.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
Pulp Duplicates																					
1403574	Rock Chip	1.26	0.075	18	24	1.12	1201	0.279	<20	2.35	0.312	0.91	0.6	<0.01	0.4	<0.05	6.9	<0.5	7	<0.2	
REP 1403574	QC																				
1403575	Rock Chip	1.15	0.076	18	24	1.10	1224	0.277	<20	2.21	0.273	0.90	0.7	<0.01	0.5	<0.05	6.3	<0.5	7	<0.2	
REP 1403575	QC	1.15	0.078	17	23	1.10	1210	0.278	<20	2.20	0.271	0.90	0.7	<0.01	0.4	<0.05	6.2	<0.5	7	<0.2	
1403601	Rock Pulp	0.66	0.050	5	29	0.57	106	0.109	<20	1.19	0.073	0.11	2.0	0.23	1.1	0.32	4.1	<0.5	6	<0.2	
REP 1403601	QC	0.67	0.050	5	29	0.56	104	0.106	<20	1.15	0.072	0.11	2.2	0.20	1.1	0.32	3.9	<0.5	6	<0.2	
1403636	Rock Chip	1.72	0.060	17	23	1.12	572	0.225	<20	2.07	0.188	0.72	0.4	<0.01	0.5	<0.05	10.0	<0.5	6	<0.2	
REP 1403636	QC																				
1403652	Rock Chip	1.46	0.064	17	21	1.18	388	0.098	<20	1.80	0.100	0.46	0.2	<0.01	0.3	0.14	11.5	<0.5	6	<0.2	
REP 1403652	QC	1.41	0.064	17	20	1.14	380	0.098	<20	1.75	0.099	0.45	0.2	0.01	0.3	0.14	11.5	<0.5	6	<0.2	
1403664	Rock Chip	0.93	0.066	17	23	0.92	633	0.218	<20	1.70	0.166	0.81	0.8	<0.01	0.5	0.10	6.9	<0.5	6	<0.2	
REP 1403664	QC																				
1403681	Rock Pulp	0.68	0.053	5	28	0.56	105	0.113	<20	1.22	0.074	0.11	1.8	0.24	1.1	0.33	4.4	<0.5	6	0.2	
REP 1403681	QC	0.69	0.055	5	28	0.58	107	0.111	<20	1.21	0.076	0.11	1.5	0.20	1.1	0.33	4.5	0.7	6	0.2	
1403705	Rock Chip	0.99	0.060	14	27	0.93	682	0.260	<20	1.83	0.240	0.82	0.8	<0.01	0.5	<0.05	5.2	<0.5	6	<0.2	
REP 1403705	QC																				
1403716	Rock Chip	1.31	0.063	16	26	1.04	563	0.219	<20	1.75	0.187	0.69	0.7	<0.01	0.4	<0.05	5.1	<0.5	5	<0.2	
REP 1403716	QC	1.32	0.063	14	27	1.04	541	0.223	<20	1.76	0.189	0.70	0.8	<0.01	0.4	<0.05	5.4	<0.5	5	<0.2	
Core Reject Duplicates																					
1403593	Rock Chip	1.86	0.072	19	21	0.96	645	0.126	<20	2.20	0.149	0.46	0.3	0.03	0.3	<0.05	11.6	<0.5	7	<0.2	
DUP 1403593	QC	1.89	0.075	20	23	0.97	646	0.130	<20	2.23	0.157	0.47	0.4	0.02	0.3	<0.05	12.2	0.8	7	<0.2	
1403638	Rock Chip	1.01	0.060	14	23	0.94	634	0.253	<20	1.82	0.223	0.78	0.5	<0.01	0.5	<0.05	5.1	<0.5	5	<0.2	
DUP 1403638	QC	0.98	0.062	16	23	0.96	675	0.266	<20	1.80	0.204	0.80	0.6	<0.01	0.5	<0.05	4.8	<0.5	5	<0.2	
1403673	Rock Chip	1.24	0.069	17	24	1.09	692	0.231	<20	1.88	0.162	0.87	0.6	<0.01	0.6	0.07	7.2	0.7	6	<0.2	
DUP 1403673	QC	1.29	0.070	17	27	1.11	678	0.227	<20	1.95	0.178	0.88	0.5	<0.01	0.6	0.07	7.6	0.6	6	<0.2	
1403708	Rock Chip	1.15	0.062	14	31	1.00	687	0.273	<20	1.91	0.236	0.85	0.9	<0.01	0.5	<0.05	5.6	<0.5	6	<0.2	
DUP 1403708	QC	1.08	0.062	15	31	0.99	685	0.271	<20	1.84	0.215	0.83	0.9	<0.01	0.5	<0.05	5.4	<0.5	5	<0.2	
Reference Materials																					

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

QUALITY CONTROL REPORT WHI12000457.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD AGPROOF	Standard																				
STD DS9	Standard			13.5	114.5	107.7	306	1.8	42.4	8.1	581	2.36	26.0	2.1	99.8	5.3	64	2.2	3.9	5.5	39
STD DS9	Standard			11.4	118.1	109.4	308	1.8	43.2	8.4	591	2.33	23.8	2.0	84.9	4.7	60	2.1	3.4	5.2	38
STD DS9	Standard			14.1	123.3	121.8	348	1.9	47.0	8.6	633	2.56	28.8	2.8	127.0	6.1	70	2.8	4.6	6.2	42
STD DS9	Standard			13.4	111.4	124.9	318	1.9	42.4	7.6	590	2.37	27.3	2.6	142.5	6.3	79	2.3	4.4	6.6	38
STD DS9	Standard			13.2	113.4	122.8	299	1.6	42.1	8.0	582	2.39	25.9	2.6	107.1	5.6	62	2.3	3.5	5.0	38
STD OREAS45CA	Standard			1.0	505.1	17.1	60	0.3	252.1	91.8	919	14.89	4.3	1.0	39.9	5.7	13	0.1	<0.1	0.1	205
STD OREAS45CA	Standard			0.8	490.6	17.8	56	0.3	252.4	92.3	884	14.48	3.4	0.9	39.6	5.7	13	0.1	<0.1	0.1	205
STD OREAS45CA	Standard			0.9	570.7	21.6	71	0.3	257.2	110.0	1090	18.46	4.7	1.3	44.3	7.3	15	<0.1	<0.1	0.2	235
STD OREAS45CA	Standard			0.8	530.9	20.8	63	0.3	263.7	96.5	985	16.91	3.6	1.2	43.7	7.2	16	<0.1	0.1	0.2	214
STD OREAS45CA	Standard			0.9	529.3	18.1	65	0.2	259.1	102.1	976	18.56	4.3	1.0	34.5	6.2	15	<0.1	<0.1	0.1	213
STD OXD87	Standard		419																		
STD OXD87	Standard		447																		
STD OXD87	Standard		383																		
STD OXD87	Standard		417																		
STD OXD87	Standard		413																		
STD OXD87	Standard		417																		
STD OXD87	Standard		453																		
STD OXG99	Standard		948																		
STD OXG99	Standard		929																		
STD OXG99	Standard		919																		
STD OXG99	Standard		988																		
STD OXG99	Standard		868																		
STD SP49	Standard																				
STD OXD87 Expected			417																		
STD OXG99 Expected			932																		
STD AGPROOF Expected																					
STD SP49 Expected																					
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

QUALITY CONTROL REPORT WHI12000457.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2	G6Gr Ag gm/t 50
STD AGPROOF	Standard																				97
STD DS9	Standard	0.72	0.087	12	127	0.63	310	0.114	<20	0.98	0.087	0.41	2.6	0.19	5.3	0.16	2.4	3.8	5	5.1	
STD DS9	Standard	0.70	0.079	10	128	0.62	285	0.112	<20	0.96	0.083	0.40	2.3	0.19	5.4	0.16	2.0	4.4	4	5.0	
STD DS9	Standard	0.80	0.092	14	138	0.67	329	0.117	<20	1.06	0.093	0.43	2.6	0.24	5.8	0.19	2.6	5.3	5	5.6	
STD DS9	Standard	0.74	0.089	15	121	0.63	327	0.113	<20	0.98	0.088	0.41	3.3	0.22	5.4	0.17	2.6	5.7	5	5.0	
STD DS9	Standard	0.72	0.083	13	127	0.62	318	0.105	<20	0.95	0.086	0.41	2.7	0.20	5.5	0.17	2.3	5.0	4	4.5	
STD OREAS45CA	Standard	0.44	0.037	14	825	0.13	157	0.133	<20	3.76	0.009	0.07	<0.1	0.03	<0.1	<0.05	44.1	<0.5	18	<0.2	
STD OREAS45CA	Standard	0.40	0.034	15	834	0.12	154	0.136	<20	3.63	0.007	0.07	<0.1	0.02	<0.1	<0.05	40.8	<0.5	17	<0.2	
STD OREAS45CA	Standard	0.47	0.041	17	960	0.15	182	0.134	<20	4.28	0.013	0.08	<0.1	0.04	<0.1	<0.05	48.9	0.9	22	<0.2	
STD OREAS45CA	Standard	0.45	0.041	18	731	0.15	167	0.150	<20	3.86	0.016	0.08	<0.1	0.04	<0.1	<0.05	47.8	<0.5	21	<0.2	
STD OREAS45CA	Standard	0.45	0.039	15	866	0.14	169	0.136	<20	4.06	0.012	0.08	<0.1	0.03	<0.1	<0.05	46.1	<0.5	19	<0.2	
STD OXD87	Standard																				
STD OXD87	Standard																				
STD OXD87	Standard																				
STD OXD87	Standard																				
STD OXD87	Standard																				
STD OXD87	Standard																				
STD OXD87	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD SP49	Standard																				59
STD OXD87 Expected																					
STD OXG99 Expected																					
STD AGPROOF Expected																					94
STD SP49 Expected																					60.2
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

QUALITY CONTROL REPORT WHI12000457.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		4																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank																				
BLK	Blank																				
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank		<2	0.1	3.3	3.3	47	<0.1	3.0	4.2	595	2.14	0.5	1.6	8.3	5.8	78	0.2	0.1	<0.1	36
G1-WHI	Prep Blank		<2	<0.1	4.2	3.4	49	<0.1	2.6	4.1	598	2.05	<0.5	1.6	8.4	5.9	76	<0.1	0.1	<0.1	37

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

QUALITY CONTROL REPORT WHI12000457.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2	G6Gr Ag gm/t 50
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02	
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank																				<50
BLK	Blank																				<50
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
Prep Wash																					
G1-WHI	Prep Blank	0.53	0.083	18	6	0.51	162	0.134	<20	0.96	0.100	0.49	<0.1	0.01	0.3	<0.05	2.5	<0.5	5	<0.2	
G1-WHI	Prep Blank	0.55	0.081	18	5	0.52	161	0.135	<20	0.94	0.103	0.49	<0.1	<0.01	0.3	<0.05	2.7	0.6	5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: July 31, 2012
Report Date: August 20, 2012
Page: 1 of 2

CERTIFICATE OF ANALYSIS WHI12000499.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number NA-12308
Number of Samples: 10

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	8	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	10	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	10	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme Joyce
Stephanie Korelin

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

CERTIFICATE OF ANALYSIS WHI12000499.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403614	Rock Chip	1.94	13	2.3	25.4	13.0	88	0.3	7.3	15.0	801	3.83	4.7	2.1	11.0	7.7	81	0.6	0.9	<0.1	100
1403615	Rock Chip	1.73	3	1.7	27.6	14.4	91	0.1	5.8	13.9	482	3.21	4.7	1.3	2.2	6.8	63	0.7	0.4	<0.1	98
1403616	Rock Chip	2.09	4	1.7	25.2	6.2	72	<0.1	5.9	14.2	539	3.44	5.9	1.6	1.5	6.9	69	0.4	0.2	<0.1	101
1403617	Rock Chip	1.79	16	1.9	26.3	15.2	238	0.1	6.1	13.7	542	3.33	135.9	2.1	11.6	7.5	58	2.9	0.4	<0.1	95
1403618	Rock Chip	2.96	4	2.6	29.0	5.5	66	<0.1	6.3	14.0	617	3.42	12.8	2.7	3.4	9.2	66	0.3	0.3	<0.1	90
1403619	Rock Chip	1.74	<2	2.5	26.8	5.9	52	<0.1	6.0	12.9	504	3.12	3.4	2.2	<0.5	9.6	62	0.1	0.1	<0.1	91
1403620	Rock Pulp	0.12	<2	2.7	26.3	2.0	41	0.2	25.2	10.8	406	2.45	5.3	0.2	<0.5	0.8	37	0.2	0.2	<0.1	57
1403621	Rock Pulp	0.14	1545	10.0	52.0	4.9	51	0.2	33.5	9.7	493	3.43	7.2	0.2	1190	0.8	41	0.1	0.8	<0.1	62
1403622	Rock Chip	2.33	3	2.1	28.0	7.7	56	<0.1	5.6	13.2	497	3.17	8.4	1.9	0.7	7.9	59	0.3	0.1	<0.1	92
1403623	Rock Chip	2.32	3	2.0	27.2	10.4	62	0.1	6.2	13.6	650	3.13	6.2	2.5	<0.5	8.4	61	0.3	0.3	<0.1	86

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

CERTIFICATE OF ANALYSIS WHI12000499.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1403614	Rock Chip	1.36	0.072	16	32	1.16	1246	0.234	<20	2.31	0.298	0.93	0.9	<0.01	0.5	0.13	7.6	<0.5	6	<0.2
1403615	Rock Chip	0.99	0.070	13	26	1.09	1523	0.307	<20	2.09	0.233	0.97	1.0	<0.01	0.5	<0.05	4.8	<0.5	6	<0.2
1403616	Rock Chip	1.15	0.067	14	27	1.19	1467	0.282	<20	2.23	0.257	0.95	1.0	<0.01	0.5	<0.05	5.8	<0.5	7	<0.2
1403617	Rock Chip	1.05	0.070	15	29	1.16	1152	0.244	<20	1.96	0.201	0.77	1.0	<0.01	0.4	0.07	5.4	<0.5	6	<0.2
1403618	Rock Chip	1.64	0.077	17	32	1.20	619	0.175	<20	1.92	0.196	0.49	1.3	<0.01	0.2	0.07	7.2	<0.5	6	<0.2
1403619	Rock Chip	1.19	0.071	16	31	1.07	1026	0.230	<20	1.93	0.225	0.72	1.3	0.01	0.3	<0.05	5.7	<0.5	6	<0.2
1403620	Rock Pulp	0.83	0.062	4	34	0.79	95	0.115	<20	1.58	0.084	0.14	11.0	<0.01	<0.1	<0.05	4.7	<0.5	5	<0.2
1403621	Rock Pulp	0.88	0.059	5	35	0.85	115	0.120	<20	1.78	0.105	0.16	0.1	0.04	<0.1	<0.05	4.6	<0.5	5	<0.2
1403622	Rock Chip	1.10	0.075	16	28	1.10	1121	0.245	<20	1.99	0.226	0.81	1.1	0.01	0.3	<0.05	5.1	<0.5	6	<0.2
1403623	Rock Chip	1.30	0.069	16	28	1.06	1113	0.235	<20	1.90	0.215	0.73	1.1	<0.01	0.4	<0.05	5.9	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

QUALITY CONTROL REPORT WHI12000499.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Core Reject Duplicates																					
1403619	Rock Chip	1.74	<2	2.5	26.8	5.9	52	<0.1	6.0	12.9	504	3.12	3.4	2.2	<0.5	9.6	62	0.1	0.1	<0.1	91
DUP 1403619	QC		2	2.2	27.9	3.7	49	<0.1	6.1	13.2	508	3.17	2.9	2.0	2.3	8.6	65	0.1	0.1	<0.1	90
Reference Materials																					
STD DS9	Standard			13.2	113.4	122.8	299	1.6	42.1	8.0	582	2.39	25.9	2.6	107.1	5.6	62	2.3	3.5	5.0	38
STD OREAS45CA	Standard			0.9	529.3	18.1	65	0.2	259.1	102.1	976	18.56	4.3	1.0	34.5	6.2	15	<0.1	<0.1	0.1	213
STD OXD87	Standard		419																		
STD OXG99	Standard		948																		
STD OXD87 Expected			417																		
STD OXG99 Expected			932																		
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank		2	0.2	6.1	36.1	86	0.3	3.0	4.5	678	2.23	0.6	1.7	2.8	5.8	76	0.3	0.4	<0.1	39

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

QUALITY CONTROL REPORT WHI12000499.1

		Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
		Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Core Reject Duplicates																					
1403619	Rock Chip		1.19	0.071	16	31	1.07	1026	0.230	<20	1.93	0.225	0.72	1.3	0.01	0.3	<0.05	5.7	<0.5	6	<0.2
DUP 1403619	QC		1.24	0.074	17	31	1.09	1072	0.234	<20	2.01	0.242	0.72	1.3	<0.01	0.3	<0.05	6.1	<0.5	6	<0.2
Reference Materials																					
STD DS9	Standard		0.72	0.083	13	127	0.62	318	0.105	<20	0.95	0.086	0.41	2.7	0.20	5.5	0.17	2.3	5.0	4	4.5
STD OREAS45CA	Standard		0.45	0.039	15	866	0.14	169	0.136	<20	4.06	0.012	0.08	<0.1	0.03	<0.1	<0.05	46.1	<0.5	19	<0.2
STD OXD87	Standard																				
STD OXG99	Standard																				
STD OXD87 Expected																					
STD OXG99 Expected																					
STD OREAS45CA Expected			0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
STD DS9 Expected			0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
BLK	Blank																				
BLK	Blank																				
BLK	Blank		<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																					
G1-WHI	Prep Blank		0.63	0.081	15	6	0.53	175	0.143	<20	1.10	0.144	0.55	0.1	0.02	0.3	<0.05	2.7	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: August 02, 2012
Report Date: August 15, 2012
Page: 1 of 5

CERTIFICATE OF ANALYSIS WHI12000532.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number NA-12308
Number of Samples: 120

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	114	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	120	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	120	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 15, 2012

CERTIFICATE OF ANALYSIS WHI12000532.1

Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.


Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 15, 2012

CERTIFICATE OF ANALYSIS WHI12000532.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.


Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 15, 2012

CERTIFICATE OF ANALYSIS WHI12000532.1

Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 15, 2012

CERTIFICATE OF ANALYSIS WHI12000532.1

Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2



This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 15, 2012

CERTIFICATE OF ANALYSIS WHI12000532.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
[redacted]																					
1404054	Rock Chip	1.21	<2	1.6	6.7	6.9	65	0.1	7.0	11.5	1001	3.40	9.1	1.3	3.3	8.7	70	<0.1	0.6	0.2	73
1404055	Rock Chip	1.12	<2	1.5	7.9	5.7	74	0.1	7.0	12.1	965	3.55	20.6	1.2	3.6	8.4	76	<0.1	0.6	<0.1	84
1404056	Rock Chip	2.24	92	1.6	8.4	100.8	294	2.6	4.9	10.0	1921	3.27	801.0	1.8	96.6	8.0	107	2.3	2.7	<0.1	40
1404057	Rock Chip	1.87	10	1.1	11.3	25.6	69	0.3	5.4	12.7	1458	3.26	48.2	3.0	14.9	11.0	162	0.2	1.9	0.3	70
1404058	Rock Chip	2.30	151	2.2	25.3	107.0	259	9.3	5.5	14.7	4227	3.24	315.4	4.6	150.9	11.0	122	2.1	5.2	0.2	49
1404059	Rock Chip	1.92	70	2.7	31.5	323.3	926	11.1	5.9	17.0	1654	4.29	131.3	4.3	75.0	11.2	124	9.2	9.6	0.1	97
1404060	Rock Pulp	0.12	<2	2.5	26.4	2.6	41	0.3	25.9	11.0	444	2.48	5.0	0.3	7.0	1.1	55	<0.1	0.3	<0.1	61
1404061	Rock Pulp	0.12	1401	9.3	51.8	6.0	51	0.2	33.9	9.7	502	3.22	7.1	0.3	650.4	1.1	57	0.1	1.1	0.1	65
1404062	Rock Chip	1.46	12	1.5	24.8	25.4	149	0.8	6.3	16.9	1113	3.98	9.9	3.0	3.6	10.6	103	0.7	3.1	0.1	129
1404063	Rock Chip	2.06	5	1.5	26.9	19.5	87	0.4	6.1	16.0	873	3.62	9.7	2.9	0.7	13.8	101	0.4	2.0	<0.1	115
1404064	Rock Chip	1.82	<2	1.4	26.4	16.0	60	0.3	5.4	13.3	602	3.14	7.5	1.8	0.9	12.1	83	0.2	1.7	<0.1	102
1404065	Rock Chip	2.00	<2	1.5	27.8	9.3	48	0.1	5.1	13.2	530	3.03	4.9	1.8	0.9	11.9	79	0.1	1.4	<0.1	99
1404066	Rock Chip	2.68	<2	1.6	22.7	14.3	61	0.4	5.6	13.2	639	3.15	8.8	2.3	4.5	11.4	82	0.3	1.7	<0.1	103
1404067	Rock Chip	2.39	17	1.6	24.7	16.0	79	0.6	5.7	14.6	792	3.29	16.1	2.7	15.7	9.9	82	0.3	1.8	<0.1	106
1404068	Rock Chip	2.05	2	1.7	26.7	10.3	61	0.3	6.8	15.1	875	3.44	7.6	3.0	2.8	12.4	86	0.2	1.9	<0.1	111
1404069	Rock Chip	1.67	2	1.6	24.4	10.9	57	0.4	5.6	12.9	710	3.16	9.4	2.8	1.1	12.8	87	0.2	1.8	0.1	100
1404070	Rock Chip	1.63	<2	1.5	25.1	4.9	46	0.1	5.1	12.0	515	2.93	5.0	2.0	<0.5	14.4	73	0.1	2.4	<0.1	96
1404071	Rock Chip	2.11	<2	1.1	29.6	5.5	53	<0.1	5.9	13.3	557	3.19	6.8	2.4	<0.5	11.3	66	<0.1	2.0	<0.1	105
1404072	Rock Chip	2.26	<2	2.0	24.5	8.0	57	0.2	5.8	13.3	550	3.06	7.0	2.6	<0.5	10.9	96	0.1	1.3	<0.1	102
1404073	Rock Chip	2.12	3	1.7	21.1	4.2	46	<0.1	5.4	12.8	492	3.06	4.2	2.6	<0.5	10.9	80	<0.1	0.8	<0.1	102
1404074	Rock Chip	1.20	<2	2.2	23.9	13.5	48	0.2	5.9	12.5	512	2.98	6.4	2.7	1.0	14.8	75	0.2	1.3	0.1	98
1404075	Rock Chip	0.92	<2	2.2	23.6	14.0	48	0.2	5.7	12.4	526	3.07	6.6	1.7	<0.5	10.8	81	0.1	1.2	<0.1	99
1404076	Rock Chip	2.20	<2	2.1	24.8	5.0	43	<0.1	5.4	11.3	452	2.80	5.2	1.9	<0.5	13.0	83	<0.1	1.3	<0.1	92
1404077	Rock Chip	2.27	<2	1.7	23.7	4.3	47	<0.1	5.4	12.8	489	2.99	4.8	2.1	<0.5	12.4	74	<0.1	1.4	<0.1	100
1404078	Rock Chip	1.60	2	1.9	22.2	6.9	48	<0.1	6.2	13.5	565	3.21	10.0	3.1	<0.5	12.2	89	<0.1	1.4	0.1	106

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 15, 2012

CERTIFICATE OF ANALYSIS WHI12000532.1

Method		1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL		0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
[redacted]																				
1404054	Rock Chip	1.84	0.074	20	15	1.14	887	0.123	20	2.12	0.087	0.76	0.3	<0.01	0.4	0.05	8.8	<0.5	8	<0.2
1404055	Rock Chip	2.07	0.078	17	15	1.26	1085	0.195	<20	2.29	0.120	1.00	0.3	<0.01	0.5	<0.05	10.5	<0.5	8	<0.2
1404056	Rock Chip	3.27	0.072	15	7	0.91	269	0.019	<20	1.30	0.022	0.37	0.1	0.02	0.3	0.67	6.9	<0.5	4	<0.2
1404057	Rock Chip	3.25	0.070	20	14	1.08	352	0.057	<20	2.07	0.083	0.49	<0.1	0.02	0.4	0.15	9.8	<0.5	7	<0.2
1404058	Rock Chip	3.46	0.067	14	11	0.80	95	<0.001	<20	1.15	0.009	0.21	0.1	0.04	0.4	1.04	10.9	0.7	4	<0.2
1404059	Rock Chip	2.40	0.062	18	19	1.41	795	0.128	<20	2.12	0.068	0.54	0.3	0.04	0.4	0.39	13.0	0.6	6	<0.2
1404060	Rock Pulp	0.90	0.060	4	34	0.83	99	0.137	<20	1.71	0.084	0.13	10.7	0.01	<0.1	<0.05	4.8	<0.5	5	<0.2
1404061	Rock Pulp	0.90	0.058	5	37	0.85	105	0.148	<20	1.78	0.098	0.15	0.3	0.06	<0.1	<0.05	5.0	<0.5	6	<0.2
1404062	Rock Chip	1.91	0.066	20	23	1.99	951	0.226	<20	2.55	0.138	0.67	0.3	0.04	0.4	<0.05	14.9	<0.5	8	<0.2
1404063	Rock Chip	1.84	0.068	22	24	1.55	876	0.228	<20	2.23	0.156	0.69	0.3	0.01	0.4	0.05	11.6	0.7	7	<0.2
1404064	Rock Chip	1.18	0.063	18	22	1.17	1002	0.304	<20	1.99	0.196	0.84	0.4	0.02	0.5	<0.05	7.3	<0.5	7	<0.2
1404065	Rock Chip	1.09	0.068	16	24	1.06	939	0.312	<20	1.87	0.197	0.82	0.4	0.01	0.5	<0.05	6.0	<0.5	6	<0.2
1404066	Rock Chip	1.33	0.067	18	23	1.14	935	0.297	<20	1.98	0.178	0.84	0.5	<0.01	0.5	<0.05	7.5	<0.5	7	<0.2
1404067	Rock Chip	1.51	0.067	16	24	1.26	958	0.296	<20	2.10	0.181	0.85	0.4	<0.01	0.5	0.06	8.4	<0.5	7	<0.2
1404068	Rock Chip	1.69	0.069	19	25	1.24	953	0.306	<20	2.14	0.183	0.86	0.3	0.02	0.5	<0.05	9.9	<0.5	7	<0.2
1404069	Rock Chip	1.40	0.062	19	24	1.13	813	0.259	<20	2.05	0.231	0.74	0.4	<0.01	0.4	<0.05	8.0	<0.5	6	<0.2
1404070	Rock Chip	1.01	0.066	20	22	1.02	831	0.296	<20	1.86	0.195	0.76	0.3	<0.01	0.4	<0.05	6.7	<0.5	6	<0.2
1404071	Rock Chip	1.08	0.071	17	25	1.14	853	0.329	<20	1.87	0.172	0.80	0.5	<0.01	0.5	<0.05	6.7	<0.5	6	<0.2
1404072	Rock Chip	1.58	0.067	17	23	1.11	890	0.311	<20	2.14	0.211	0.81	0.4	<0.01	0.4	<0.05	6.6	<0.5	7	<0.2
1404073	Rock Chip	1.05	0.068	15	25	1.08	945	0.339	<20	1.98	0.211	0.88	0.5	<0.01	0.5	<0.05	5.7	0.5	6	<0.2
1404074	Rock Chip	1.16	0.066	17	24	1.07	855	0.312	<20	1.88	0.203	0.80	0.4	<0.01	0.4	<0.05	5.9	<0.5	6	<0.2
1404075	Rock Chip	1.29	0.068	17	24	1.08	852	0.310	<20	1.97	0.211	0.79	0.4	0.01	0.5	<0.05	6.2	0.6	6	<0.2
1404076	Rock Chip	1.19	0.064	16	24	0.97	767	0.282	<20	1.87	0.199	0.70	0.5	0.01	0.4	<0.05	5.6	<0.5	6	<0.2
1404077	Rock Chip	1.16	0.067	17	25	1.07	923	0.329	<20	1.89	0.209	0.83	0.5	<0.01	0.4	<0.05	5.5	<0.5	6	<0.2
1404078	Rock Chip	1.40	0.068	18	25	1.15	1003	0.316	<20	2.17	0.198	0.88	0.4	<0.01	0.6	<0.05	8.4	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 15, 2012

CERTIFICATE OF ANALYSIS WHI12000532.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1404079	Rock Chip	1.93	8	2.0	21.0	8.7	53	0.2	5.9	14.3	612	3.25	39.4	2.7	6.6	10.1	83	<0.1	1.5	<0.1	100
1404080	Rock Pulp	0.12	4	2.5	25.3	2.3	41	0.2	23.7	10.1	401	2.34	5.1	0.3	<0.5	1.0	49	0.2	0.4	<0.1	57
1404081	Rock Pulp	0.12	4006	9.8	69.1	359.4	1569	52.7	31.2	8.4	417	3.12	30.3	0.3	7328	1.1	41	17.2	58.2	0.9	52
1404082	Rock Chip	1.02	41	1.7	21.8	22.9	60	0.3	5.5	13.2	647	3.17	35.4	2.8	41.7	9.9	82	<0.1	1.7	<0.1	95
1404083	Rock Chip	1.77	3	2.1	21.5	4.6	43	<0.1	5.4	11.9	523	2.97	5.7	2.7	6.3	10.5	85	<0.1	1.2	<0.1	94
1404084	Rock Chip	1.99	20	2.3	23.3	4.3	52	<0.1	6.1	13.7	641	3.43	5.2	3.0	5.3	11.4	96	<0.1	1.2	<0.1	109
1404085	Rock Chip	2.89	22	1.5	25.5	4.7	52	0.2	5.9	14.3	661	3.37	286.5	3.0	17.7	10.9	82	<0.1	2.7	<0.1	100
1404086	Rock Chip	1.92	5	1.6	23.0	4.2	43	<0.1	5.0	11.8	468	2.86	7.9	3.0	6.0	10.6	92	<0.1	0.8	<0.1	93
1404087	Rock Chip	2.47	<2	2.2	19.8	3.1	39	<0.1	5.3	11.4	427	2.74	4.8	2.5	2.7	9.9	74	<0.1	0.6	<0.1	90
1404088	Rock Chip	2.18	<2	2.0	22.7	3.9	45	<0.1	5.4	12.2	495	2.93	7.0	2.8	4.0	9.6	77	<0.1	1.3	<0.1	94
1404089	Rock Chip	2.52	30	1.8	22.0	6.1	46	0.2	5.5	13.3	619	3.12	542.1	2.9	24.2	10.5	85	<0.1	3.1	<0.1	93
1404090	Rock Chip	0.99	<2	2.3	23.3	3.9	42	<0.1	6.0	12.1	494	2.96	9.8	2.7	1.0	11.7	74	<0.1	1.4	<0.1	92
1404091	Rock Chip	1.93	4	1.9	22.8	3.8	44	<0.1	5.6	12.6	508	3.01	16.4	1.9	1.1	10.2	83	<0.1	1.9	<0.1	97
1404092	Rock Chip	2.26	15	2.3	20.4	4.2	53	<0.1	5.5	11.2	625	2.84	96.9	2.3	16.0	8.8	56	0.1	1.4	<0.1	85
1404093	Rock Chip	2.23	175	1.9	24.8	448.3	435	19.4	5.3	13.8	1303	3.60	1275	3.6	137.0	9.4	64	4.0	7.7	<0.1	85
1404094	Rock Chip	2.40	<2	1.9	20.5	5.8	47	0.2	5.0	12.2	582	3.03	13.7	2.5	1.1	9.7	71	<0.1	1.8	<0.1	98
1404095	Rock Chip	2.14	<2	2.1	20.5	4.1	42	<0.1	5.4	11.5	481	2.90	3.8	2.4	1.3	9.1	65	<0.1	1.1	<0.1	93
1404096	Rock Chip	2.68	<2	1.5	20.8	4.0	45	<0.1	5.2	12.9	612	3.11	6.2	2.2	<0.5	9.5	79	<0.1	2.7	<0.1	99
1404097	Rock Chip	2.39	<2	1.8	24.7	4.3	51	<0.1	6.0	13.9	725	3.43	6.1	2.4	<0.5	9.7	79	0.1	2.9	0.2	106
1404098	Rock Chip	2.24	<2	1.9	20.5	4.3	58	<0.1	5.5	16.0	1165	3.87	5.2	2.5	<0.5	8.7	92	0.1	2.9	<0.1	122
1404099	Rock Chip	1.90	331	1.5	34.6	698.2	739	16.4	5.1	13.7	979	3.98	887.4	3.9	297.2	10.5	58	8.3	7.3	0.1	80
1404100	Rock Pulp	0.12	4	2.0	23.3	2.2	40	0.3	22.5	9.5	383	2.28	4.1	0.2	1.3	0.8	34	0.2	0.2	<0.1	53
1404101	Rock Pulp	0.12	1378	8.6	46.9	5.3	48	0.2	32.7	9.0	475	3.15	7.1	0.2	937.2	0.9	38	0.1	0.7	<0.1	61
1404102	Rock Chip	2.09	15	1.8	19.9	14.8	58	0.4	6.2	14.4	1162	3.55	17.5	3.8	12.1	9.4	83	0.2	2.5	<0.1	95
1404103	Rock Chip	1.99	6	1.7	20.7	16.7	74	0.4	5.8	14.5	987	3.64	6.1	3.0	5.4	9.8	93	0.3	2.7	<0.1	104
1404104	Rock Chip	2.17	62	2.3	22.2	52.5	58	0.8	5.8	12.8	752	3.16	364.3	2.4	52.9	9.2	73	0.3	3.3	<0.1	88
1404105	Rock Chip	1.97	2	1.8	22.3	14.0	74	0.3	5.5	14.2	996	3.61	8.7	2.7	3.9	8.9	87	0.3	3.0	<0.1	102
1404106	Rock Chip	1.87	31	2.2	25.5	9.3	63	0.3	6.5	15.0	1041	3.82	253.8	3.8	23.8	10.6	93	0.2	5.5	<0.1	99
1404107	Rock Chip	1.90	13	1.5	23.9	6.2	56	0.2	5.3	14.8	1043	3.46	29.8	5.7	4.8	10.2	86	0.2	6.2	0.1	95
1404108	Rock Chip	1.84	78	1.5	19.6	14.0	66	1.1	5.5	14.3	2645	3.85	715.7	2.7	75.5	8.6	95	0.2	6.5	<0.1	69

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 15, 2012

CERTIFICATE OF ANALYSIS WHI12000532.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1404079	Rock Chip	1.77	0.066	17	25	1.22	791	0.258	<20	1.97	0.168	0.69	0.4	<0.01	0.4	0.09	8.6	<0.5	7	<0.2
1404080	Rock Pulp	0.82	0.060	4	30	0.78	92	0.132	<20	1.55	0.077	0.12	11.2	0.01	<0.1	<0.05	4.4	<0.5	5	<0.2
1404081	Rock Pulp	0.69	0.051	5	27	0.58	103	0.111	<20	1.18	0.072	0.10	2.1	0.21	1.0	0.33	4.1	<0.5	6	<0.2
1404082	Rock Chip	1.57	0.065	16	23	1.10	848	0.283	<20	1.98	0.179	0.74	0.5	<0.01	0.4	0.11	6.7	<0.5	7	<0.2
1404083	Rock Chip	1.26	0.066	16	23	1.07	816	0.289	<20	1.93	0.206	0.71	0.6	0.01	0.4	0.06	5.9	<0.5	6	<0.2
1404084	Rock Chip	1.58	0.067	18	26	1.27	879	0.299	<20	2.19	0.233	0.82	0.6	<0.01	0.5	0.17	9.4	<0.5	7	<0.2
1404085	Rock Chip	2.11	0.066	18	23	1.29	738	0.266	<20	1.97	0.148	0.67	0.4	0.02	0.4	0.16	9.9	<0.5	7	<0.2
1404086	Rock Chip	1.28	0.067	16	24	1.04	856	0.306	<20	2.00	0.205	0.79	0.5	<0.01	0.4	<0.05	5.8	<0.5	6	<0.2
1404087	Rock Chip	0.98	0.065	15	24	0.95	876	0.310	<20	1.82	0.218	0.81	0.8	<0.01	0.4	<0.05	4.6	<0.5	6	<0.2
1404088	Rock Chip	1.30	0.068	16	26	1.05	893	0.320	<20	1.87	0.183	0.80	0.7	<0.01	0.4	<0.05	6.0	<0.5	6	<0.2
1404089	Rock Chip	2.19	0.062	16	22	1.17	676	0.253	<20	1.87	0.124	0.61	0.4	<0.01	0.3	0.15	8.7	<0.5	6	<0.2
1404090	Rock Chip	1.17	0.070	16	27	1.07	795	0.291	<20	1.81	0.195	0.70	0.8	0.01	0.4	<0.05	5.6	<0.5	6	<0.2
1404091	Rock Chip	1.29	0.069	16	24	1.07	885	0.311	<20	1.86	0.179	0.77	0.6	0.01	0.4	<0.05	6.4	<0.5	6	<0.2
1404092	Rock Chip	1.07	0.062	14	23	0.99	872	0.240	<20	1.70	0.179	0.71	0.7	<0.01	0.4	0.09	5.6	<0.5	6	<0.2
1404093	Rock Chip	2.13	0.059	17	19	1.26	258	0.142	<20	1.75	0.107	0.53	0.3	0.02	0.4	0.65	10.3	<0.5	6	<0.2
1404094	Rock Chip	1.63	0.061	15	23	1.13	814	0.244	<20	1.80	0.169	0.70	0.5	<0.01	0.4	<0.05	8.2	<0.5	6	<0.2
1404095	Rock Chip	1.20	0.067	14	25	1.01	907	0.264	<20	1.81	0.205	0.78	0.7	<0.01	0.4	<0.05	6.3	<0.5	6	<0.2
1404096	Rock Chip	1.77	0.062	16	24	1.24	884	0.231	<20	1.83	0.162	0.65	0.4	<0.01	0.3	<0.05	9.4	<0.5	7	<0.2
1404097	Rock Chip	1.84	0.064	17	24	1.42	745	0.209	<20	1.92	0.143	0.58	0.4	<0.01	0.3	<0.05	10.7	<0.5	7	<0.2
1404098	Rock Chip	1.47	0.065	19	24	2.11	782	0.209	<20	2.36	0.126	0.64	0.3	0.02	0.3	<0.05	15.1	<0.5	8	<0.2
1404099	Rock Chip	1.29	0.063	16	17	1.40	62	0.095	<20	1.84	0.084	0.50	0.3	0.04	0.3	1.35	10.5	<0.5	6	<0.2
1404100	Rock Pulp	0.76	0.057	4	29	0.75	93	0.112	<20	1.52	0.073	0.12	11.4	0.01	<0.1	<0.05	4.6	<0.5	5	<0.2
1404101	Rock Pulp	0.80	0.058	4	33	0.81	103	0.126	<20	1.70	0.096	0.15	0.2	0.06	<0.1	<0.05	5.2	<0.5	5	<0.2
1404102	Rock Chip	2.22	0.065	16	21	1.18	802	0.185	<20	1.92	0.135	0.71	0.4	<0.01	0.5	0.34	11.7	<0.5	6	<0.2
1404103	Rock Chip	2.06	0.067	17	23	1.36	809	0.182	<20	2.07	0.128	0.69	0.2	0.01	0.4	0.19	12.3	<0.5	7	<0.2
1404104	Rock Chip	1.55	0.063	15	22	1.14	778	0.201	<20	1.84	0.165	0.73	0.5	<0.01	0.4	0.17	8.8	<0.5	6	<0.2
1404105	Rock Chip	2.01	0.065	17	22	1.30	867	0.198	<20	2.09	0.163	0.76	0.3	0.01	0.5	0.09	11.5	<0.5	6	<0.2
1404106	Rock Chip	2.18	0.066	17	22	1.42	840	0.186	<20	2.08	0.151	0.75	0.4	0.04	0.5	0.28	12.3	<0.5	7	<0.2
1404107	Rock Chip	2.36	0.063	18	19	1.18	643	0.132	<20	1.92	0.108	0.61	0.2	0.05	0.5	0.27	13.6	<0.5	6	<0.2
1404108	Rock Chip	3.00	0.061	15	16	1.23	113	0.085	<20	1.57	0.074	0.55	0.3	0.01	0.5	1.07	11.8	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 15, 2012

QUALITY CONTROL REPORT WHI12000532.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
[redacted]																					
1404077	Rock Chip	2.27	<2	1.7	23.7	4.3	47	<0.1	5.4	12.8	489	2.99	4.8	2.1	<0.5	12.4	74	<0.1	1.4	<0.1	100
REP 1404077	QC			1.7	22.2	4.4	44	<0.1	5.3	12.5	471	2.89	4.4	1.8	<0.5	11.3	71	<0.1	1.5	<0.1	95
1404087	Rock Chip	2.47	<2	2.2	19.8	3.1	39	<0.1	5.3	11.4	427	2.74	4.8	2.5	2.7	9.9	74	<0.1	0.6	<0.1	90
REP 1404087	QC		<2																		
REP 1404094	QC			1.7	20.7	5.7	44	0.2	5.4	12.2	578	3.04	12.9	1.9	2.0	9.0	69	<0.1	1.9	<0.1	98
Core Reject Duplicates																					
[redacted]																					
1404059	Rock Chip	1.92	70	2.7	31.5	323.3	926	11.1	5.9	17.0	1654	4.29	131.3	4.3	75.0	11.2	124	9.2	9.6	0.1	97
DUP 1404059	QC		74	2.9	33.0	320.1	919	11.1	6.8	17.0	1655	4.30	131.6	4.1	87.0	11.8	128	9.6	9.4	0.1	98
1404094	Rock Chip	2.40	<2	1.9	20.5	5.8	47	0.2	5.0	12.2	582	3.03	13.7	2.5	1.1	9.7	71	<0.1	1.8	<0.1	98
DUP 1404094	QC		<2	1.8	22.7	6.0	46	0.2	5.3	12.1	580	3.01	13.4	1.9	1.3	8.7	69	<0.1	1.9	<0.1	97
Reference Materials																					
STD DS9	Standard			13.3	108.8	132.9	331	2.0	41.4	7.7	631	2.40	26.4	2.9	108.6	7.4	75	2.3	5.2	6.5	40
STD DS9	Standard			14.1	110.3	129.3	309	1.6	41.7	7.8	575	2.32	24.7	2.9	97.7	7.1	78	2.3	5.3	7.1	40
STD DS9	Standard			12.9	101.1	122.3	318	1.9	42.2	7.7	594	2.41	26.5	2.4	119.8	5.5	67	2.2	4.0	4.9	39
STD DS9	Standard			11.1	107.2	115.5	312	1.7	40.0	7.4	561	2.23	23.0	2.3	124.7	5.4	62	2.5	3.6	5.6	36
STD OREAS45CA	Standard			0.9	549.8	23.5	66	0.3	271.9	97.8	974	17.64	4.8	1.4	49.4	8.1	16	0.2	<0.1	0.1	220

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 15, 2012

QUALITY CONTROL REPORT WHI12000532.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
[redacted]																				
1404077	Rock Chip	1.16	0.067	17	25	1.07	923	0.329	<20	1.89	0.209	0.83	0.5	<0.01	0.4	<0.05	5.5	<0.5	6	<0.2
REP 1404077	QC	1.12	0.070	16	24	1.04	883	0.313	<20	1.85	0.202	0.80	0.5	<0.01	0.4	<0.05	5.3	<0.5	6	<0.2
1404087	Rock Chip	0.98	0.065	15	24	0.95	876	0.310	<20	1.82	0.218	0.81	0.8	<0.01	0.4	<0.05	4.6	<0.5	6	<0.2
REP 1404087	QC																			
REP 1404094	QC	1.63	0.062	15	23	1.13	807	0.252	<20	1.77	0.169	0.71	0.5	<0.01	0.4	<0.05	8.0	<0.5	6	<0.2
Core Reject Duplicates																				
[redacted]																				
1404059	Rock Chip	2.40	0.062	18	19	1.41	795	0.128	<20	2.12	0.068	0.54	0.3	0.04	0.4	0.39	13.0	0.6	6	<0.2
DUP 1404059	QC	2.42	0.062	19	19	1.42	719	0.129	<20	2.20	0.075	0.56	0.2	0.04	0.5	0.39	13.5	<0.5	7	<0.2
1404094	Rock Chip	1.63	0.061	15	23	1.13	814	0.244	<20	1.80	0.169	0.70	0.5	<0.01	0.4	<0.05	8.2	<0.5	6	<0.2
DUP 1404094	QC	1.66	0.065	15	23	1.11	825	0.246	<20	1.79	0.166	0.70	0.5	<0.01	0.4	<0.05	7.7	<0.5	6	<0.2
Reference Materials																				
STD DS9	Standard	0.75	0.080	14	126	0.65	332	0.118	<20	1.01	0.092	0.42	2.9	0.24	5.7	0.17	2.5	6.1	5	5.0
STD DS9	Standard	0.76	0.077	13	123	0.64	317	0.118	<20	1.00	0.088	0.41	2.5	0.25	5.3	0.16	2.1	5.6	5	5.4
STD DS9	Standard	0.74	0.084	12	125	0.63	339	0.108	24	0.98	0.083	0.40	3.1	0.19	5.9	0.17	2.3	5.4	5	5.5
STD DS9	Standard	0.66	0.080	11	118	0.60	312	0.101	<20	0.92	0.081	0.39	3.0	0.18	5.4	0.16	2.2	5.0	5	5.7
STD OREAS45CA	Standard	0.46	0.038	19	770	0.15	187	0.142	<20	3.93	0.016	0.08	<0.1	0.03	0.1	<0.05	46.0	1.0	20	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 15, 2012

QUALITY CONTROL REPORT WHI12000532.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD OREAS45CA	Standard			1.0	548.1	20.8	62	0.3	261.9	98.7	950	15.94	4.1	1.3	44.9	8.0	20	<0.1	<0.1	0.1	222
STD OREAS45CA	Standard			0.7	515.6	19.5	60	0.3	255.5	96.6	939	16.82	3.5	1.1	46.6	6.6	14	<0.1	<0.1	0.2	217
STD OREAS45CA	Standard			0.8	477.1	19.1	59	0.3	230.1	85.7	909	14.25	2.8	1.1	39.4	6.4	13	0.2	0.1	0.1	201
STD OXD87	Standard		413																		
STD OXD87	Standard		418																		
STD OXD87	Standard		396																		
STD OXD87	Standard		407																		
STD OXD87	Standard		423																		
STD OXD87	Standard		395																		
STD OXG99	Standard		883																		
STD OXG99	Standard		939																		
STD OXG99	Standard		936																		
STD OXG99	Standard		945																		
STD OXG99	Standard		931																		
STD OXG99	Standard		983																		
STD OXD87 Expected			417																		
STD OXG99 Expected			932																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		4																		
BLK	Blank		3																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		2																		
BLK	Blank		<2																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 15, 2012

QUALITY CONTROL REPORT WHI12000532.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD OREAS45CA	Standard	0.46	0.040	17	620	0.20	169	0.151	<20	3.90	0.009	0.07	<0.1	0.05	0.1	<0.05	47.7	0.8	19	<0.2
STD OREAS45CA	Standard	0.43	0.038	15	840	0.14	168	0.131	<20	3.74	0.012	0.08	<0.1	0.03	0.1	<0.05	45.5	<0.5	19	<0.2
STD OREAS45CA	Standard	0.44	0.037	15	760	0.12	169	0.121	<20	3.41	0.009	0.07	<0.1	0.02	<0.1	<0.05	42.1	<0.5	19	<0.2
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXD87 Expected																				
STD OXG99 Expected																				
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 15, 2012

QUALITY CONTROL REPORT WHI12000532.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	0.5	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	0.5	1	<0.1	<0.1	<0.1	3	0.02	0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank		2	0.2	3.5	5.0	60	<0.1	2.5	4.2	615	2.07	1.6	1.8	7.6	7.1	73	<0.1	0.1	<0.1	39
G1-WHI	Prep Blank		<2	0.1	1.9	4.6	54	<0.1	2.3	3.9	573	2.02	0.8	1.5	4.5	6.0	68	0.1	<0.1	<0.1	37

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 15, 2012

QUALITY CONTROL REPORT WHI12000532.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	1	<0.001	<20	0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																				
G1-WHI	Prep Blank	0.61	0.088	17	6	0.59	186	0.139	<20	0.95	0.095	0.51	0.1	<0.01	0.3	<0.05	3.0	<0.5	5	<0.2
G1-WHI	Prep Blank	0.50	0.076	16	5	0.51	184	0.129	<20	0.94	0.098	0.50	<0.1	<0.01	0.3	<0.05	2.6	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: August 03, 2012
Report Date: August 17, 2012
Page: 1 of 5

CERTIFICATE OF ANALYSIS WHI12000533.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number NA-12308
Number of Samples: 120

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	110	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	120	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	120	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
G6Gr	1	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme Joyce

BRITISH COLUMBIA CERTIFIED ASSAYER
RAYMOND CHAN
CHIEF ASSAYER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

CERTIFICATE OF ANALYSIS WHI12000533.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1404109	Rock	2.52	108	2.2	29.7	448.7	743	5.6	6.1	14.8	1580	3.86	237.9	2.7	94.8	10.5	85	8.9	11.5	0.1	104
1404110	Rock	3.06	838	1.3	653.9	>10000	9169	>100	5.6	15.6	1691	6.11	2713	2.4	839.9	8.6	41	132.0	1936	11.3	69
1404111	Rock	1.88	969	0.9	64.9	1826	3558	32.7	4.8	15.4	1406	4.85	1693	5.1	872.6	13.0	64	46.6	11.5	0.2	77
1404112	Rock	2.39	76	1.1	25.4	82.6	258	2.1	5.6	17.5	1544	4.22	143.1	3.6	76.4	14.3	97	2.3	13.1	0.2	116
1404113	Rock	2.77	6	1.5	23.3	76.0	126	0.9	4.9	14.8	831	3.84	12.0	5.4	23.5	10.8	86	0.9	5.0	<0.1	120
1404114	Rock	2.67	2	1.6	21.7	12.6	67	0.2	5.9	15.5	993	4.07	5.5	2.7	13.4	10.2	126	0.1	4.9	<0.1	126
1404115	Rock	2.57	<2	0.7	21.9	41.4	94	0.3	5.7	17.2	966	3.89	6.3	3.4	7.1	12.1	159	0.6	5.3	<0.1	109
1404116	Rock	2.07	3	1.9	25.3	61.4	95	0.9	5.5	16.1	995	3.98	8.0	3.3	2.8	11.3	184	0.5	4.4	<0.1	118
1404117	Rock	2.37	<2	1.9	18.7	5.9	60	<0.1	5.7	15.2	841	3.73	12.2	3.1	1.2	11.1	105	<0.1	6.2	<0.1	105
1404118	Rock	2.01	298	1.3	22.2	199.1	299	2.8	5.2	15.3	1344	3.88	2667	3.1	400.0	10.0	114	3.1	162.3	<0.1	57
1404119	Rock	1.86	4	2.1	23.4	7.5	57	<0.1	5.5	13.7	988	3.39	21.2	3.6	<0.5	12.2	102	<0.1	7.3	0.2	92
1404120	Rock Pulp	0.12	<2	2.4	23.7	2.5	45	0.2	24.1	11.3	458	2.56	4.6	0.3	<0.5	1.0	41	<0.1	0.2	<0.1	67
1404121	Rock Pulp	0.12	3910	9.5	66.3	452.6	1594	54.1	29.5	8.2	437	3.33	31.1	0.3	3005	1.1	34	17.6	42.7	0.8	59
1404122	Rock	2.27	<2	1.6	22.3	6.2	58	0.1	5.6	14.8	779	3.84	7.7	3.5	<0.5	10.6	96	0.1	7.5	<0.1	109
1404123	Rock	2.52	47	8.3	22.5	37.0	130	0.8	5.2	15.9	1107	4.19	227.1	4.1	55.1	10.2	121	0.8	7.4	<0.1	100
1404124	Rock	1.09	55	2.7	23.5	155.4	188	2.1	7.0	15.1	849	3.92	60.6	3.4	67.0	10.6	99	1.1	9.9	<0.1	123
1404125	Rock	1.87	62	2.6	22.8	152.7	177	1.9	6.8	15.4	845	3.93	57.6	3.3	66.4	11.2	107	1.2	10.0	<0.1	123
1404126	Rock	2.13	5	2.6	19.6	13.4	94	0.2	6.8	14.2	814	3.60	92.3	2.7	4.9	9.8	128	0.7	4.9	<0.1	112
1404127	Rock	2.38	253	2.1	31.3	201.5	818	5.9	6.0	15.8	1280	3.99	1683	3.8	262.9	10.5	101	11.5	14.6	0.1	85
1404128	Rock	2.02	5	2.1	21.3	7.9	63	0.2	6.2	15.3	855	3.66	62.6	2.6	7.0	10.3	107	0.4	8.7	<0.1	103
1404129	Rock	2.31	3035	2.1	184.2	6076	>10000	94.3	4.4	12.1	1363	6.27	5377	5.2	3265	8.4	88	203.3	293.1	<0.1	34
1404130	Rock	1.79	19	3.4	43.2	62.8	153	0.9	6.7	16.2	842	3.83	61.7	2.5	26.2	11.7	151	1.3	8.5	0.5	117
1404131	Rock	1.86	5	2.5	25.7	24.8	87	0.4	6.4	16.6	794	3.90	15.5	2.5	9.0	11.5	109	0.6	6.1	0.1	128
1404132	Rock	2.30	<2	2.5	23.2	10.0	62	0.1	6.0	15.3	942	3.68	7.2	3.0	3.2	11.6	99	0.2	4.5	<0.1	120
1404133	Rock	2.08	<2	2.4	22.4	7.0	59	<0.1	6.1	16.5	855	3.89	4.6	3.4	2.5	10.0	81	0.1	4.9	<0.1	126
1404134	Rock	2.27	<2	2.3	23.6	8.2	62	0.1	6.2	16.3	896	3.95	5.4	4.2	1.3	10.5	93	<0.1	5.0	<0.1	109
1404135	Rock	2.24	12	2.7	21.0	21.0	54	0.4	4.8	15.0	1361	3.40	19.2	8.3	10.8	9.6	225	0.3	2.5	<0.1	28
1404136	Rock	2.12	<2	4.2	20.1	6.0	56	0.2	6.3	18.0	1097	4.34	6.3	4.6	<0.5	12.5	96	0.2	2.9	<0.1	90
1404137	Rock	2.15	<2	2.8	22.6	3.7	52	<0.1	6.3	15.1	765	3.69	3.6	2.9	1.5	13.2	84	<0.1	2.1	0.1	106
1404138	Rock	2.12	<2	2.3	24.5	35.4	98	0.4	6.5	14.9	730	3.52	3.5	2.4	<0.5	13.4	82	1.0	3.0	<0.1	110

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

CERTIFICATE OF ANALYSIS WHI12000533.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1404109	Rock	2.21	0.072	16	20	1.26	612	0.154	<20	1.99	0.133	0.71	0.4	0.01	0.5	0.60	13.3	<0.5	6	<0.2	
1404110	Rock	1.82	0.064	9	13	0.91	70	0.029	<20	1.41	0.014	0.34	0.2	0.23	0.8	4.60	12.4	<0.5	5	<0.2	150
1404111	Rock	1.89	0.075	11	13	0.62	33	<0.001	<20	1.58	0.003	0.18	0.1	0.11	0.4	2.55	16.7	<0.5	4	<0.2	
1404112	Rock	2.98	0.067	22	21	1.43	419	0.162	<20	2.29	0.119	0.82	0.3	0.02	0.7	0.74	15.1	<0.5	7	<0.2	
1404113	Rock	1.79	0.069	18	23	1.85	619	0.145	<20	2.33	0.114	0.57	0.3	0.01	0.3	0.09	13.3	<0.5	8	<0.2	
1404114	Rock	2.48	0.069	19	23	1.91	491	0.105	<20	2.42	0.102	0.49	0.2	<0.01	0.3	<0.05	15.5	<0.5	8	<0.2	
1404115	Rock	2.90	0.064	22	18	1.64	359	0.038	<20	2.38	0.064	0.37	0.1	0.02	0.2	<0.05	15.7	<0.5	8	<0.2	
1404116	Rock	3.00	0.068	22	21	1.64	514	0.067	<20	2.38	0.073	0.48	0.1	0.02	0.2	<0.05	16.2	1.1	8	<0.2	
1404117	Rock	2.31	0.071	20	18	1.33	673	0.114	<20	2.14	0.079	0.62	0.1	0.02	0.4	<0.05	14.6	<0.5	6	<0.2	
1404118	Rock	3.30	0.065	13	11	1.16	194	0.023	<20	1.24	0.035	0.38	0.3	0.03	0.5	1.49	12.8	<0.5	4	<0.2	
1404119	Rock	2.90	0.065	21	21	1.06	619	0.114	<20	1.96	0.084	0.57	0.2	0.04	0.3	<0.05	12.5	<0.5	6	<0.2	
1404120	Rock Pulp	0.91	0.064	4	32	0.85	99	0.127	<20	1.69	0.084	0.14	12.9	0.01	<0.1	<0.05	5.1	<0.5	6	<0.2	
1404121	Rock Pulp	0.72	0.054	5	27	0.62	106	0.107	<20	1.24	0.076	0.11	2.3	0.23	1.1	0.36	4.5	<0.5	6	<0.2	
1404122	Rock	1.90	0.073	20	25	1.41	705	0.135	<20	2.23	0.116	0.56	0.1	0.03	0.4	<0.05	12.4	<0.5	7	<0.2	
1404123	Rock	2.88	0.068	20	19	1.47	429	0.055	<20	2.28	0.049	0.41	0.1	0.02	0.3	0.24	15.2	0.5	6	0.3	
1404124	Rock	1.96	0.070	18	26	1.54	748	0.171	<20	2.21	0.143	0.62	0.2	0.05	0.4	0.17	13.7	<0.5	7	<0.2	
1404125	Rock	1.98	0.069	19	28	1.55	758	0.169	<20	2.25	0.156	0.64	0.2	0.03	0.3	0.17	13.5	<0.5	7	<0.2	
1404126	Rock	2.02	0.064	17	27	1.36	872	0.187	<20	2.01	0.143	0.65	0.3	0.01	0.4	<0.05	10.6	<0.5	6	<0.2	
1404127	Rock	2.62	0.060	16	22	1.32	576	0.121	<20	1.75	0.085	0.52	0.3	0.03	0.4	0.68	11.4	<0.5	6	<0.2	
1404128	Rock	1.94	0.063	17	26	1.33	865	0.182	<20	2.02	0.149	0.67	0.5	0.02	0.5	0.14	10.9	<0.5	7	<0.2	
1404129	Rock	2.18	0.046	8	10	0.94	37	0.017	<20	0.92	0.027	0.29	0.5	0.22	0.4	5.14	7.8	0.7	4	<0.2	
1404130	Rock	1.68	0.066	19	27	1.68	1178	0.235	<20	2.35	0.185	0.76	0.4	<0.01	0.5	0.06	12.1	<0.5	7	<0.2	
1404131	Rock	1.75	0.068	20	31	1.70	1180	0.287	<20	2.42	0.219	0.93	0.4	<0.01	0.6	<0.05	12.3	<0.5	8	<0.2	
1404132	Rock	2.65	0.067	19	29	1.61	1040	0.274	<20	2.26	0.183	0.88	0.5	<0.01	0.6	<0.05	12.5	<0.5	7	<0.2	
1404133	Rock	1.82	0.067	18	29	1.77	1034	0.273	<20	2.29	0.174	0.88	0.5	<0.01	0.5	<0.05	13.2	<0.5	8	<0.2	
1404134	Rock	1.58	0.066	19	27	1.60	827	0.218	<20	2.25	0.135	0.76	0.3	0.02	0.6	0.08	12.7	<0.5	7	<0.2	
1404135	Rock	3.78	0.060	12	6	0.68	74	<0.001	<20	1.19	0.006	0.20	0.2	0.10	0.3	0.87	9.7	<0.5	3	<0.2	
1404136	Rock	2.53	0.066	19	20	1.63	466	0.072	<20	2.34	0.051	0.49	0.2	0.02	0.3	0.09	15.6	<0.5	6	<0.2	
1404137	Rock	1.79	0.065	18	29	1.44	864	0.238	<20	2.12	0.160	0.74	0.4	<0.01	0.5	<0.05	10.6	<0.5	7	<0.2	
1404138	Rock	1.55	0.067	18	28	1.42	994	0.272	<20	2.03	0.159	0.82	0.4	<0.01	0.5	<0.05	9.6	<0.5	6	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

CERTIFICATE OF ANALYSIS WHI12000533.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1404139	Rock	2.19	18	2.4	20.9	26.9	139	0.3	5.8	15.9	771	3.63	13.1	3.1	17.1	11.8	79	0.9	3.3	0.1	114
1404140	Rock Pulp	0.12	<2	2.2	25.6	2.6	43	0.3	23.9	10.6	404	2.36	4.4	0.2	<0.5	0.9	36	0.2	0.2	<0.1	54
1404141	Rock Pulp	0.12	1307	8.8	48.4	5.9	49	0.2	30.8	9.2	470	3.15	6.4	0.3	756.0	1.0	39	<0.1	0.9	0.1	60
1404142	Rock	2.43	<2	2.4	19.7	3.9	53	<0.1	6.3	14.7	608	3.43	3.3	2.6	3.0	12.1	81	0.2	2.3	0.1	119
1404143	Rock	1.76	<2	2.3	23.2	3.8	48	<0.1	6.3	14.1	565	3.30	3.4	2.3	<0.5	13.2	75	<0.1	1.7	<0.1	113
1404144	Rock	2.25	5	2.8	22.2	5.0	52	<0.1	6.7	14.1	588	3.30	4.4	2.3	3.1	12.0	75	0.1	1.5	<0.1	113
1404145	Rock	2.55	<2	3.0	28.5	3.9	45	<0.1	6.5	12.8	494	3.08	3.2	1.9	2.5	11.2	64	<0.1	3.0	<0.1	104
1404146	Rock	2.47	<2	3.1	24.8	3.9	49	<0.1	6.0	13.5	551	3.24	3.4	2.1	<0.5	12.1	67	<0.1	2.2	<0.1	112
1404147	Rock	2.43	2	3.1	24.2	3.7	52	<0.1	6.6	15.0	627	3.48	5.9	3.5	3.7	11.9	85	<0.1	1.3	<0.1	116
1404148	Rock	2.16	<2	3.2	24.1	3.9	47	<0.1	6.4	13.4	516	3.15	2.9	2.9	<0.5	11.9	62	<0.1	1.4	0.2	107
1404149	Rock	2.38	3	3.3	24.7	8.5	45	<0.1	6.0	12.6	500	3.05	4.0	2.7	<0.5	11.1	57	<0.1	1.0	<0.1	106
1404150	Rock	2.12	<2	3.2	24.7	3.6	45	<0.1	6.1	13.1	497	3.09	3.7	2.1	<0.5	11.8	65	<0.1	0.9	<0.1	106
1404151	Rock	2.00	<2	2.6	26.4	3.8	48	<0.1	6.0	13.3	504	3.16	3.3	1.9	<0.5	11.5	68	<0.1	2.0	<0.1	108
1404152	Rock	2.35	<2	2.7	25.6	3.8	43	<0.1	5.3	12.2	440	2.88	3.5	1.9	<0.5	12.5	58	<0.1	1.3	<0.1	102
1404153	Rock	2.41	<2	3.2	30.8	3.6	46	<0.1	6.4	12.4	456	3.03	2.5	2.1	<0.5	11.7	60	<0.1	0.9	<0.1	106
1404154	Rock	1.86	<2	2.8	23.4	3.8	46	<0.1	5.7	12.8	472	3.00	3.7	2.9	<0.5	13.5	64	<0.1	1.0	<0.1	105
1404155	Rock	2.18	<2	3.5	27.6	3.9	47	<0.1	6.4	12.9	491	3.07	3.5	2.2	<0.5	11.5	63	<0.1	1.5	<0.1	105
1404156	Rock	1.77	<2	3.2	24.0	6.0	48	<0.1	6.4	13.6	553	3.21	3.2	2.2	<0.5	11.1	59	<0.1	1.6	<0.1	90
1404157	Rock	2.11	<2	3.2	23.9	5.3	49	<0.1	6.3	13.7	554	3.18	3.4	2.4	<0.5	12.6	69	<0.1	2.1	0.2	95
1404158	Rock	2.32	5	2.8	22.8	3.6	44	<0.1	6.0	12.5	496	3.05	3.5	1.9	<0.5	10.8	67	<0.1	1.6	<0.1	107
1404159	Rock	2.13	<2	3.2	22.4	15.6	47	0.2	5.8	13.3	584	3.12	5.5	2.1	0.7	10.3	86	<0.1	1.6	<0.1	111
1403946	Rock	0.60	33	0.8	37.5	26.2	225	1.9	6.1	17.1	1018	3.94	82.2	1.6	26.6	8.8	99	1.7	1.1	<0.1	113
1403947	Rock	1.39	40	0.4	54.7	89.4	146	1.9	6.1	18.6	1148	4.51	44.5	1.6	44.9	9.6	109	1.6	1.0	1.1	137
1403948	Rock	1.20	3	0.3	119.5	38.3	153	2.1	6.0	21.4	1422	4.95	8.5	3.1	6.4	13.2	116	1.7	2.6	6.3	149
1403949	Rock	1.73	2	0.6	192.6	21.0	166	1.4	7.0	22.6	1323	5.24	7.2	1.9	5.3	12.1	86	1.5	1.0	4.2	147
1403950	Rock	2.02	<2	1.1	21.0	5.2	141	<0.1	6.7	19.6	1137	4.44	10.1	2.2	<0.5	11.8	103	0.5	1.0	0.2	129
1403951	Rock	1.39	<2	1.4	25.7	4.6	59	<0.1	5.7	14.5	620	3.27	3.3	1.4	<0.5	11.4	77	0.1	1.1	<0.1	112
1403952	Rock	2.54	<2	1.7	36.1	3.9	75	0.1	6.9	15.6	677	3.47	6.3	1.6	1.0	10.3	79	0.2	1.3	0.2	118
1403953	Rock	1.34	<2	1.5	29.8	3.9	63	<0.1	6.3	16.0	663	3.49	11.8	1.5	1.1	11.2	83	<0.1	2.0	0.1	120
1403954	Rock	1.11	<2	1.4	31.3	4.2	135	<0.1	5.6	15.9	764	3.56	79.6	3.3	2.7	10.9	97	0.3	2.3	<0.1	123

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

CERTIFICATE OF ANALYSIS WHI12000533.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1404139	Rock	1.51	0.064	18	27	1.61	803	0.233	<20	2.15	0.159	0.68	0.2	<0.01	0.4	<0.05	10.9	<0.5	7	<0.2	
1404140	Rock Pulp	0.80	0.058	4	31	0.76	94	0.124	<20	1.51	0.073	0.13	12.7	0.01	<0.1	<0.05	4.3	<0.5	5	<0.2	
1404141	Rock Pulp	0.82	0.056	5	34	0.79	104	0.131	<20	1.64	0.088	0.14	0.3	0.06	<0.1	<0.05	4.9	<0.5	5	<0.2	
1404142	Rock	1.63	0.065	17	28	1.36	867	0.249	<20	2.14	0.203	0.82	0.3	0.01	0.5	<0.05	9.4	<0.5	7	<0.2	
1404143	Rock	1.42	0.066	18	29	1.22	868	0.273	<20	2.03	0.218	0.77	0.8	<0.01	0.4	<0.05	7.1	<0.5	6	<0.2	
1404144	Rock	1.55	0.065	16	30	1.24	801	0.252	<20	2.01	0.197	0.74	0.7	<0.01	0.5	<0.05	7.5	<0.5	7	<0.2	
1404145	Rock	1.29	0.069	16	31	1.11	835	0.265	<20	1.79	0.183	0.69	0.8	<0.01	0.4	<0.05	5.5	<0.5	6	<0.2	
1404146	Rock	1.49	0.070	18	31	1.17	853	0.280	<20	1.90	0.194	0.73	0.6	<0.01	0.4	<0.05	6.7	<0.5	6	<0.2	
1404147	Rock	2.00	0.068	18	29	1.29	789	0.233	<20	2.09	0.190	0.77	0.4	0.01	0.5	<0.05	9.1	<0.5	7	<0.2	
1404148	Rock	1.26	0.066	17	30	1.13	856	0.276	<20	1.99	0.230	0.78	0.8	0.01	0.4	<0.05	6.0	<0.5	6	<0.2	
1404149	Rock	1.20	0.067	16	30	1.09	852	0.272	<20	1.86	0.199	0.78	0.9	<0.01	0.4	<0.05	5.6	<0.5	6	<0.2	
1404150	Rock	1.30	0.066	16	32	1.09	941	0.294	<20	1.95	0.228	0.88	0.9	<0.01	0.5	<0.05	5.8	<0.5	6	<0.2	
1404151	Rock	1.39	0.065	16	29	1.13	941	0.306	<20	2.01	0.231	0.88	0.7	<0.01	0.5	<0.05	5.8	<0.5	7	<0.2	
1404152	Rock	1.21	0.065	16	30	1.01	862	0.281	<20	1.83	0.222	0.79	0.8	<0.01	0.4	<0.05	4.9	<0.5	6	<0.2	
1404153	Rock	1.09	0.068	15	33	1.06	921	0.290	<20	1.97	0.245	0.87	0.9	<0.01	0.5	<0.05	5.3	<0.5	6	<0.2	
1404154	Rock	1.21	0.063	17	29	1.06	846	0.289	<20	1.97	0.250	0.80	0.8	<0.01	0.5	<0.05	5.5	<0.5	7	<0.2	
1404155	Rock	1.34	0.069	17	33	1.08	735	0.276	<20	1.84	0.207	0.69	1.0	<0.01	0.4	<0.05	5.4	<0.5	6	<0.2	
1404156	Rock	1.90	0.065	18	30	1.22	185	0.167	<20	1.80	0.130	0.20	0.9	<0.01	0.1	<0.05	7.4	<0.5	7	<0.2	
1404157	Rock	1.64	0.063	18	27	1.22	345	0.176	<20	1.78	0.136	0.32	0.7	<0.01	0.2	<0.05	7.1	<0.5	7	<0.2	
1404158	Rock	1.39	0.064	16	29	1.08	784	0.268	<20	1.87	0.213	0.78	0.7	<0.01	0.4	<0.05	6.4	<0.5	6	<0.2	
1404159	Rock	1.77	0.062	16	29	1.15	777	0.254	<20	1.92	0.198	0.79	0.5	<0.01	0.5	<0.05	7.6	<0.5	7	<0.2	
1403946	Rock	3.06	0.074	18	22	1.65	306	0.042	<20	2.25	0.073	0.23	0.1	0.01	0.1	<0.05	11.6	<0.5	7	<0.2	
1403947	Rock	3.09	0.068	17	24	1.98	830	0.129	<20	2.66	0.075	0.74	0.2	0.02	0.4	0.07	14.9	<0.5	8	<0.2	
1403948	Rock	3.63	0.075	21	25	1.95	803	0.131	<20	3.08	0.105	0.85	<0.1	0.04	0.5	<0.05	20.4	<0.5	9	<0.2	
1403949	Rock	3.11	0.082	23	25	2.03	1024	0.125	<20	3.35	0.052	0.90	<0.1	0.02	0.6	<0.05	17.2	<0.5	11	<0.2	
1403950	Rock	3.20	0.072	22	24	1.91	803	0.080	<20	2.86	0.068	0.52	<0.1	<0.01	0.3	<0.05	15.7	<0.5	9	<0.2	
1403951	Rock	1.77	0.072	19	24	1.34	1334	0.242	<20	2.08	0.182	0.66	0.5	<0.01	0.3	<0.05	7.1	<0.5	7	<0.2	
1403952	Rock	2.06	0.079	18	24	1.42	1388	0.223	<20	2.15	0.160	0.71	0.5	<0.01	0.5	<0.05	8.1	<0.5	7	<0.2	
1403953	Rock	1.81	0.074	18	24	1.56	1383	0.198	<20	2.26	0.155	0.56	0.2	0.01	0.3	<0.05	9.7	<0.5	7	<0.2	
1403954	Rock	2.51	0.074	23	23	1.59	1402	0.160	<20	2.25	0.110	0.49	0.2	<0.01	0.2	<0.05	9.9	<0.5	7	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

CERTIFICATE OF ANALYSIS WHI12000533.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403955	Rock	1.36	<2	1.4	25.2	4.2	89	<0.1	6.0	15.2	612	3.29	29.9	1.5	<0.5	9.2	78	0.2	1.2	<0.1	116
1403956	Rock	1.10	<2	1.2	28.1	3.9	63	<0.1	5.7	14.3	560	3.17	10.7	2.1	<0.5	11.1	67	0.2	1.1	<0.1	109
1403957	Rock	0.92	<2	1.8	24.7	3.7	85	<0.1	6.1	15.0	646	3.50	25.7	1.6	<0.5	10.1	88	0.2	1.3	<0.1	121
1403958	Rock	1.49	<2	1.4	29.4	3.7	128	<0.1	6.4	15.0	638	3.43	62.4	2.0	0.9	10.2	100	0.2	1.0	<0.1	114
1403959	Rock	0.85	<2	1.4	32.1	3.7	86	<0.1	6.9	15.6	618	3.44	26.2	1.7	<0.5	10.8	80	0.2	1.0	<0.1	124
1403960	Rock Pulp	0.12	<2	2.6	25.9	2.4	45	0.4	24.4	11.1	425	2.51	5.3	0.2	<0.5	0.9	39	0.2	0.2	<0.1	66
1403961	Rock Pulp	0.12	1458	9.2	51.2	5.9	52	0.2	34.3	9.7	503	3.32	7.7	0.3	1006	1.0	42	0.2	0.9	<0.1	73
1403962	Rock	1.19	<2	1.1	26.8	4.1	128	<0.1	6.7	16.5	749	3.84	56.9	2.7	0.6	10.1	94	0.2	0.8	<0.1	130
1403963	Rock	0.89	2	1.1	40.1	23.8	91	0.1	5.7	14.0	595	3.21	28.1	2.2	2.2	9.5	85	0.1	0.9	<0.1	98
1403964	Rock	0.76	<2	1.6	28.9	16.2	100	0.2	6.8	17.1	980	4.14	31.4	3.6	2.7	10.1	114	0.2	0.8	0.2	122
1403965	Rock	0.86	3	1.5	40.1	10.6	62	<0.1	11.8	16.0	647	3.59	6.7	3.2	2.6	10.0	89	<0.1	0.6	<0.1	111
1403966	Rock	1.09	<2	1.4	30.5	15.0	66	0.2	5.8	15.5	931	3.62	13.3	3.0	1.6	9.4	102	0.1	0.7	<0.1	116
1403967	Rock	1.59	<2	1.6	35.5	7.4	55	0.1	7.6	14.5	576	3.35	6.0	2.0	2.7	11.0	85	<0.1	0.5	<0.1	106
1403968	Rock	1.11	<2	2.3	24.5	4.9	67	<0.1	5.4	14.3	596	3.37	16.3	2.5	0.8	11.4	94	<0.1	0.6	<0.1	103
1403969	Rock	0.74	<2	2.7	27.2	6.5	108	<0.1	5.5	13.9	569	3.33	22.0	2.4	0.6	9.8	74	<0.1	0.6	0.1	102
1403970	Rock	1.07	3	3.2	34.5	5.9	70	0.1	5.7	15.1	640	3.54	13.6	2.6	4.2	11.2	82	0.1	0.5	0.1	106
1403971	Rock	0.97	2	1.8	25.1	5.7	74	<0.1	5.6	14.0	627	3.41	21.6	2.0	2.1	9.1	78	0.1	0.7	<0.1	103
1403972	Rock	1.14	<2	1.4	24.4	4.7	70	0.2	6.1	16.7	801	3.95	14.9	2.8	0.7	9.3	90	<0.1	0.5	0.1	123
1403973	Rock	0.98	3	1.6	26.5	4.6	50	0.1	5.4	14.3	633	3.37	4.5	3.1	<0.5	9.6	83	<0.1	0.3	0.1	101
1403974	Rock	0.91	<2	1.7	32.7	3.8	54	0.1	6.0	15.2	694	3.60	5.4	3.0	1.1	10.0	78	<0.1	0.4	0.1	98
1403975	Rock	0.68	6	1.6	37.5	3.8	56	<0.1	6.6	16.1	706	3.73	4.8	2.9	1.4	10.0	72	<0.1	0.2	0.2	112
1403976	Rock	1.25	<2	1.8	31.5	5.1	61	0.1	6.6	15.3	712	3.37	6.9	4.1	1.2	8.8	80	0.2	0.7	0.1	94
1403977	Rock	1.91	13	1.4	21.1	6.0	63	0.3	6.6	17.6	1079	4.23	22.2	4.1	10.5	7.6	135	<0.1	2.9	<0.1	86
1403978	Rock	1.74	<2	1.5	20.9	4.4	53	0.1	5.4	16.0	824	3.76	6.9	4.0	2.0	9.3	113	<0.1	1.9	<0.1	103
1403979	Rock	1.79	8	1.0	22.3	19.5	95	0.4	5.5	16.7	788	3.51	27.1	5.5	5.3	9.2	86	0.4	3.5	0.1	85
1403980	Rock Pulp	0.12	<2	2.3	24.5	2.2	40	0.2	22.5	10.1	382	2.27	4.3	0.2	<0.5	1.0	36	0.1	0.2	<0.1	53
1403981	Rock Pulp	0.12	3564	9.9	69.3	497.2	1493	50.3	29.2	8.4	382	3.09	30.0	0.3	4164	1.1	31	15.7	42.4	0.8	48
1403982	Rock	1.77	11	2.1	19.5	14.8	83	0.4	5.4	15.9	1395	2.82	27.9	8.1	10.4	7.8	86	0.2	2.8	<0.1	74
1403983	Rock	2.14	168	1.5	29.5	1002	1215	10.4	4.0	12.8	3264	4.47	606.4	4.8	182.5	5.2	83	15.3	7.0	<0.1	23
1403984	Rock	1.59	23	1.1	17.9	23.2	73	0.4	5.3	16.7	1362	3.82	101.6	6.4	25.4	5.5	113	0.3	3.7	<0.1	85

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

CERTIFICATE OF ANALYSIS WHI12000533.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1403955	Rock	1.74	0.070	15	24	1.37	1594	0.239	<20	2.12	0.172	0.64	0.3	<0.01	0.4	<0.05	7.2	<0.5	7	<0.2	
1403956	Rock	1.36	0.072	15	23	1.31	1321	0.252	<20	2.04	0.181	0.77	0.4	<0.01	0.4	<0.05	6.5	<0.5	6	<0.2	
1403957	Rock	1.58	0.074	16	25	1.44	1475	0.254	<20	2.32	0.221	0.85	0.4	<0.01	0.4	<0.05	8.2	<0.5	7	<0.2	
1403958	Rock	1.59	0.073	17	25	1.38	1599	0.228	<20	2.30	0.232	0.73	0.3	<0.01	0.4	<0.05	8.5	<0.5	7	<0.2	
1403959	Rock	1.39	0.076	17	26	1.45	1558	0.259	<20	2.29	0.223	0.88	0.3	<0.01	0.5	<0.05	7.8	<0.5	7	<0.2	
1403960	Rock Pulp	0.92	0.060	4	34	0.84	100	0.131	<20	1.68	0.086	0.14	12.6	0.02	<0.1	<0.05	4.6	<0.5	5	<0.2	
1403961	Rock Pulp	0.93	0.059	5	34	0.87	108	0.141	<20	1.83	0.106	0.16	0.3	0.08	<0.1	<0.05	5.3	<0.5	6	<0.2	
1403962	Rock	1.92	0.073	19	26	1.48	1251	0.232	<20	2.54	0.229	0.86	0.3	<0.01	0.4	<0.05	11.5	<0.5	8	<0.2	
1403963	Rock	1.44	0.069	16	21	1.16	1162	0.214	<20	1.95	0.198	0.70	0.4	<0.01	0.4	<0.05	8.5	<0.5	6	<0.2	
1403964	Rock	2.55	0.068	21	23	1.44	1165	0.204	<20	2.28	0.197	0.79	0.2	0.01	0.4	0.08	15.5	<0.5	7	<0.2	
1403965	Rock	1.60	0.067	17	36	1.24	1063	0.224	<20	2.15	0.234	0.79	0.4	0.02	0.5	0.06	10.3	<0.5	7	<0.2	
1403966	Rock	2.13	0.074	19	24	1.27	1144	0.236	<20	2.27	0.241	0.87	1.4	<0.01	0.5	0.09	10.4	<0.5	7	<0.2	
1403967	Rock	1.30	0.073	18	27	1.20	1273	0.264	<20	2.18	0.241	0.89	0.5	<0.01	0.5	<0.05	7.4	<0.5	7	<0.2	
1403968	Rock	1.42	0.072	16	23	1.22	1649	0.246	<20	2.13	0.222	0.86	0.4	<0.01	0.5	0.06	8.8	<0.5	7	<0.2	
1403969	Rock	1.29	0.073	15	24	1.20	1183	0.256	<20	2.07	0.222	0.87	2.0	<0.01	0.5	<0.05	7.2	<0.5	6	<0.2	
1403970	Rock	1.52	0.077	15	25	1.29	1088	0.237	<20	2.14	0.218	0.77	0.4	<0.01	0.5	0.07	8.9	<0.5	7	<0.2	
1403971	Rock	1.51	0.069	16	23	1.23	1098	0.214	<20	1.97	0.170	0.72	0.3	<0.01	0.5	0.05	8.2	<0.5	6	<0.2	
1403972	Rock	2.08	0.071	17	25	1.55	950	0.204	<20	2.41	0.184	0.79	0.3	<0.01	0.5	0.10	12.8	<0.5	7	<0.2	
1403973	Rock	1.59	0.069	15	22	1.22	981	0.220	<20	2.06	0.217	0.74	0.6	<0.01	0.4	0.06	8.1	<0.5	7	<0.2	
1403974	Rock	1.63	0.076	16	24	1.34	938	0.214	<20	2.06	0.195	0.65	0.6	<0.01	0.4	0.06	8.9	<0.5	7	<0.2	
1403975	Rock	1.53	0.084	16	26	1.39	1097	0.250	<20	2.03	0.178	0.79	0.7	<0.01	0.4	0.07	8.6	<0.5	7	<0.2	
1403976	Rock	1.58	0.073	16	25	1.19	915	0.212	<20	1.81	0.197	0.72	0.6	<0.01	0.5	0.12	8.8	<0.5	6	<0.2	
1403977	Rock	3.05	0.066	16	18	1.49	575	0.092	<20	1.54	0.099	0.50	0.2	0.02	0.4	0.26	13.8	<0.5	5	<0.2	
1403978	Rock	2.10	0.068	18	20	1.24	1041	0.185	<20	1.84	0.215	0.75	0.2	0.05	0.6	0.11	14.3	<0.5	6	<0.2	
1403979	Rock	2.72	0.068	19	14	1.01	372	0.021	<20	1.62	0.051	0.23	<0.1	0.07	0.4	0.21	15.7	<0.5	5	<0.2	
1403980	Rock Pulp	0.77	0.054	4	30	0.74	92	0.115	<20	1.45	0.068	0.12	11.6	0.02	<0.1	<0.05	4.2	<0.5	5	<0.2	
1403981	Rock Pulp	0.65	0.050	5	27	0.55	104	0.098	<20	1.11	0.069	0.10	2.0	0.19	1.0	0.33	4.0	<0.5	6	<0.2	
1403982	Rock	3.64	0.068	15	10	1.24	183	0.003	<20	1.23	0.009	0.20	<0.1	0.07	0.4	0.33	14.7	<0.5	3	<0.2	
1403983	Rock	4.98	0.048	8	5	1.66	59	<0.001	<20	0.41	0.006	0.20	0.3	0.10	0.5	3.22	6.8	<0.5	1	<0.2	
1403984	Rock	4.08	0.063	15	14	1.64	138	0.005	<20	1.37	0.006	0.13	0.1	0.09	0.3	0.49	16.0	<0.5	3	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

CERTIFICATE OF ANALYSIS WHI12000533.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403985	Rock	1.15	<2	0.6	21.3	7.5	63	0.1	5.6	16.5	813	4.00	3.9	2.7	2.9	6.5	89	<0.1	2.9	0.2	114
1403986	Rock	1.32	<2	3.7	22.6	6.7	65	<0.1	4.9	14.7	691	3.63	3.8	4.2	1.5	7.3	73	<0.1	2.4	0.1	99
1403987	Rock	1.29	<2	2.0	26.8	13.8	87	0.2	7.0	21.1	878	5.34	14.2	2.9	1.0	6.3	64	0.3	2.9	0.1	138
1403988	Rock	1.68	2	1.7	33.9	25.9	93	0.3	6.3	18.9	934	4.58	8.2	2.5	1.2	6.6	86	0.7	6.2	<0.1	129
1403989	Rock	1.56	<2	1.3	22.2	3.5	53	<0.1	5.5	15.6	904	3.84	2.5	3.3	1.3	6.0	104	<0.1	5.6	<0.1	109
1403990	Rock	1.18	<2	1.0	24.4	5.7	54	<0.1	6.2	18.9	1012	3.62	20.0	6.0	3.9	7.6	92	<0.1	4.5	<0.1	109
1403991	Rock	1.25	<2	0.9	24.2	6.0	59	<0.1	6.1	18.1	815	3.81	22.8	5.0	0.8	8.6	82	0.1	4.3	<0.1	104
1403992	Rock	1.39	<2	1.5	25.1	4.5	59	0.1	5.7	16.4	747	3.96	10.1	3.4	2.1	8.3	77	0.1	3.5	0.1	100
1403993	Rock	1.19	<2	2.4	23.0	2.6	47	<0.1	5.4	13.9	563	3.22	1.7	2.4	1.0	7.7	75	<0.1	1.0	<0.1	100
1403994	Rock	1.02	<2	2.4	22.6	2.7	52	<0.1	5.7	14.6	667	3.54	13.1	2.6	3.7	7.1	107	<0.1	1.8	<0.1	103
1403995	Rock	1.12	<2	1.9	21.1	2.6	53	<0.1	5.8	14.7	694	3.45	3.7	1.8	1.0	7.2	87	<0.1	1.1	<0.1	109
1403996	Rock	0.79	<2	2.0	22.0	3.1	47	<0.1	5.5	13.0	554	3.21	1.2	2.5	0.9	6.5	84	<0.1	0.6	<0.1	99
1403997	Rock	1.68	<2	1.9	27.2	6.1	56	<0.1	6.4	14.0	658	3.61	3.5	2.3	1.1	5.4	88	<0.1	0.6	<0.1	112
1403998	Rock	1.99	<2	2.0	26.1	3.9	54	0.2	7.1	15.7	729	3.63	4.4	3.3	1.0	6.2	93	<0.1	0.7	<0.1	106
1403999	Rock	1.40	<2	1.9	22.6	3.0	51	<0.1	6.6	14.9	673	3.43	1.8	2.3	<0.5	8.1	91	<0.1	0.9	<0.1	104
1404000	Rock Pulp	0.12	<2	2.2	25.1	2.3	42	0.3	23.1	10.7	393	2.34	4.6	0.3	<0.5	0.9	36	0.1	0.2	<0.1	52
1404001	Rock Pulp	0.12	1371	9.0	48.3	5.9	50	0.2	30.6	9.2	470	3.14	6.8	0.3	1058	0.9	39	<0.1	0.8	0.1	56
1404002	Rock	1.57	<2	1.2	24.5	7.3	59	<0.1	6.3	16.7	855	3.75	6.9	2.6	1.2	9.8	132	<0.1	2.5	<0.1	99
1404003	Rock	1.34	<2	1.9	25.9	9.8	64	0.1	5.5	18.4	1035	4.14	34.2	3.8	0.8	8.0	124	0.2	2.8	0.1	88
1404004	Rock	1.46	<2	1.3	30.6	8.2	57	<0.1	7.5	22.8	954	4.34	75.4	5.7	<0.5	10.5	89	0.1	2.4	<0.1	84
1404005	Rock	0.94	<2	0.8	27.8	5.3	57	<0.1	7.9	21.6	772	3.76	17.1	7.2	1.8	12.3	71	<0.1	1.4	<0.1	89
1404006	Rock	0.90	<2	1.0	27.1	5.1	64	<0.1	7.9	21.7	1002	4.43	22.3	5.7	0.9	12.2	79	<0.1	1.4	<0.1	103
1404007	Rock	0.55	<2	1.3	25.8	8.4	52	<0.1	6.4	19.5	1082	4.02	44.8	10.0	<0.5	10.7	125	0.1	1.8	<0.1	87
1404008	Rock	1.75	2	1.1	24.5	7.3	56	<0.1	4.7	16.0	1307	4.28	49.9	6.6	<0.5	8.4	144	0.2	2.1	0.2	82
1404009	Rock	1.98	<2	1.6	22.8	5.4	50	<0.1	5.1	15.2	924	3.63	22.0	3.6	<0.5	9.6	105	<0.1	1.8	<0.1	83
1404010	Rock	1.55	<2	1.3	19.6	5.6	55	<0.1	5.5	14.4	968	3.54	24.3	3.5	<0.5	11.0	128	<0.1	1.6	0.1	84
1404011	Rock	1.38	<2	2.3	23.7	3.0	50	<0.1	6.7	14.7	671	3.39	2.5	2.5	<0.5	13.0	115	<0.1	1.1	0.1	98
1404012	Rock	1.56	<2	2.1	26.4	3.4	57	<0.1	6.8	16.5	737	3.82	3.5	3.3	1.0	12.7	103	<0.1	0.8	0.1	106
1404013	Rock	1.35	<2	2.0	36.9	3.5	57	<0.1	7.0	16.7	797	3.67	7.6	3.5	<0.5	9.7	95	<0.1	0.7	<0.1	99
1404014	Rock	1.29	<2	1.6	26.1	5.5	61	<0.1	6.7	19.6	955	4.02	4.8	3.7	<0.5	10.7	98	<0.1	0.5	0.1	117

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

CERTIFICATE OF ANALYSIS WHI12000533.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1403985	Rock	2.32	0.069	18	22	1.45	788	0.112	<20	2.29	0.078	0.63	<0.1	0.06	0.4	<0.05	15.3	<0.5	8	<0.2	
1403986	Rock	1.88	0.068	19	18	1.36	874	0.093	<20	2.23	0.048	0.65	0.1	0.08	0.4	<0.05	14.6	<0.5	7	<0.2	
1403987	Rock	1.90	0.078	19	26	2.04	1164	0.171	<20	2.99	0.040	0.89	0.3	0.45	0.6	0.12	15.6	<0.5	9	<0.2	
1403988	Rock	2.10	0.080	19	24	1.77	1222	0.239	<20	2.55	0.098	1.02	1.6	0.12	0.5	0.08	14.7	<0.5	8	<0.2	
1403989	Rock	2.28	0.066	17	22	1.42	1103	0.209	<20	2.33	0.125	0.85	0.3	0.01	0.4	<0.05	12.1	<0.5	7	<0.2	
1403990	Rock	3.07	0.078	22	20	1.48	808	0.131	<20	1.57	0.066	0.55	<0.1	0.05	0.7	0.14	16.4	<0.5	5	<0.2	
1403991	Rock	2.61	0.073	21	18	1.48	794	0.116	<20	1.77	0.062	0.55	<0.1	0.08	0.6	0.13	16.8	<0.5	6	<0.2	
1403992	Rock	1.82	0.073	19	20	1.33	982	0.156	<20	1.93	0.107	0.66	0.1	0.02	0.5	0.12	13.4	<0.5	7	<0.2	
1403993	Rock	1.29	0.072	14	24	1.14	1217	0.256	<20	2.03	0.209	0.87	0.4	<0.01	0.5	<0.05	6.7	<0.5	7	<0.2	
1403994	Rock	1.68	0.074	16	23	1.25	1536	0.233	<20	2.02	0.144	0.80	0.3	<0.01	0.4	0.07	8.9	<0.5	7	<0.2	
1403995	Rock	1.78	0.070	15	25	1.30	1094	0.207	<20	2.03	0.144	0.73	0.3	<0.01	0.4	<0.05	9.3	<0.5	7	<0.2	
1403996	Rock	1.37	0.067	16	25	1.20	1178	0.245	<20	2.04	0.214	0.81	0.5	<0.01	0.5	<0.05	6.4	<0.5	7	<0.2	
1403997	Rock	1.66	0.072	16	26	1.31	1213	0.249	<20	2.22	0.224	0.85	0.7	<0.01	0.4	0.08	8.0	<0.5	7	<0.2	
1403998	Rock	1.89	0.072	18	29	1.33	1126	0.221	<20	2.13	0.190	0.70	0.4	<0.01	0.4	0.14	9.1	<0.5	7	<0.2	
1403999	Rock	1.71	0.064	17	25	1.20	1162	0.234	<20	2.07	0.199	0.80	0.4	0.01	0.4	<0.05	9.5	<0.5	7	<0.2	
1404000	Rock Pulp	0.77	0.057	4	31	0.76	94	0.110	<20	1.51	0.068	0.12	12.9	0.01	<0.1	<0.05	4.2	<0.5	5	<0.2	
1404001	Rock Pulp	0.78	0.057	4	34	0.80	101	0.124	<20	1.61	0.082	0.14	0.3	0.08	<0.1	<0.05	4.7	<0.5	6	<0.2	
1404002	Rock	3.28	0.065	19	22	1.63	1007	0.145	<20	1.69	0.102	0.54	0.2	0.03	0.4	0.09	13.3	<0.5	5	<0.2	
1404003	Rock	3.61	0.072	25	15	1.52	854	0.018	<20	0.95	0.018	0.23	<0.1	0.17	0.4	0.19	17.9	<0.5	3	<0.2	
1404004	Rock	2.81	0.079	24	16	1.43	462	0.008	<20	0.97	0.007	0.16	<0.1	0.33	0.5	0.26	19.6	<0.5	4	<0.2	
1404005	Rock	1.60	0.075	19	17	1.11	802	0.064	<20	1.20	0.062	0.43	<0.1	0.18	0.5	0.16	17.4	<0.5	4	<0.2	
1404006	Rock	2.26	0.079	21	19	1.55	927	0.090	<20	1.27	0.035	0.51	<0.1	0.15	0.4	0.18	19.2	<0.5	4	<0.2	
1404007	Rock	4.30	0.067	23	15	1.93	728	0.011	<20	0.81	0.008	0.18	<0.1	0.15	0.3	0.22	17.5	<0.5	3	<0.2	
1404008	Rock	5.40	0.061	20	15	2.31	650	0.009	<20	0.85	0.008	0.12	0.1	0.14	0.3	0.20	14.8	<0.5	3	<0.2	
1404009	Rock	3.49	0.065	17	16	1.62	770	0.072	<20	1.14	0.059	0.39	<0.1	0.07	0.4	0.11	14.5	<0.5	4	<0.2	
1404010	Rock	4.16	0.059	19	17	1.71	960	0.083	<20	1.32	0.068	0.44	0.2	0.05	0.4	0.10	14.6	<0.5	4	<0.2	
1404011	Rock	1.86	0.070	16	24	1.04	1932	0.206	<20	1.90	0.181	0.76	0.6	<0.01	0.4	0.05	11.3	<0.5	6	<0.2	
1404012	Rock	2.04	0.071	17	25	1.23	1203	0.210	<20	1.89	0.160	0.80	0.3	<0.01	0.5	<0.05	13.5	<0.5	6	<0.2	
1404013	Rock	2.09	0.078	16	20	1.33	1375	0.183	<20	1.58	0.117	0.70	0.2	0.03	0.4	0.09	12.6	<0.5	5	<0.2	
1404014	Rock	3.37	0.075	21	20	1.92	1382	0.137	<20	1.42	0.011	0.67	<0.1	0.08	0.4	0.14	19.3	<0.5	6	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

QUALITY CONTROL REPORT WHI12000533.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
REP G1-WHI	QC		<2																		
REP G1-WHI	QC			<0.1	2.2	2.8	45	<0.1	2.4	3.7	607	2.05	<0.5	1.4	<0.5	4.6	62	<0.1	<0.1	<0.1	40
1404141	Rock Pulp	0.12	1307	8.8	48.4	5.9	49	0.2	30.8	9.2	470	3.15	6.4	0.3	756.0	1.0	39	<0.1	0.9	0.1	60
REP 1404141	QC		1301																		
1404154	Rock	1.86	<2	2.8	23.4	3.8	46	<0.1	5.7	12.8	472	3.00	3.7	2.9	<0.5	13.5	64	<0.1	1.0	<0.1	105
REP 1404154	QC		<2																		
1403949	Rock	1.73	2	0.6	192.6	21.0	166	1.4	7.0	22.6	1323	5.24	7.2	1.9	5.3	12.1	86	1.5	1.0	4.2	147
REP 1403949	QC			0.5	198.5	21.7	169	1.5	7.6	23.3	1347	5.35	7.1	2.0	2.5	12.4	87	1.4	0.7	4.2	152
REP 1403950	QC		<2																		
1403982	Rock	1.77	11	2.1	19.5	14.8	83	0.4	5.4	15.9	1395	2.82	27.9	8.1	10.4	7.8	86	0.2	2.8	<0.1	74
REP 1403982	QC			1.1	19.1	14.3	82	0.3	5.4	15.6	1399	2.84	27.9	8.0	9.8	7.8	86	0.2	3.5	<0.1	73
1403996	Rock	0.79	<2	2.0	22.0	3.1	47	<0.1	5.5	13.0	554	3.21	1.2	2.5	0.9	6.5	84	<0.1	0.6	<0.1	99
REP 1403996	QC		<2																		
1403999	Rock	1.40	<2	1.9	22.6	3.0	51	<0.1	6.6	14.9	673	3.43	1.8	2.3	<0.5	8.1	91	<0.1	0.9	<0.1	104
REP 1403999	QC			2.1	22.9	2.9	50	<0.1	6.8	14.4	681	3.37	2.2	2.6	<0.5	7.9	90	<0.1	0.7	<0.1	102
Core Reject Duplicates																					
1404129	Rock	2.31	3035	2.1	184.2	6076	>10000	94.3	4.4	12.1	1363	6.27	5377	5.2	3265	8.4	88	203.3	293.1	<0.1	34
DUP 1404129	QC		3194	1.8	185.2	6239	>10000	95.3	4.1	12.7	1365	6.29	5341	3.9	3344	8.3	88	200.1	236.0	<0.1	34
1403950	Rock	2.02	<2	1.1	21.0	5.2	141	<0.1	6.7	19.6	1137	4.44	10.1	2.2	<0.5	11.8	103	0.5	1.0	0.2	129
DUP 1403950	QC		<2	1.1	21.9	5.3	142	<0.1	7.1	20.1	1154	4.51	10.5	2.1	<0.5	12.0	102	0.6	0.9	0.1	131
1403985	Rock	1.15	<2	0.6	21.3	7.5	63	0.1	5.6	16.5	813	4.00	3.9	2.7	2.9	6.5	89	<0.1	2.9	0.2	114
DUP 1403985	QC		<2	0.7	20.6	6.4	61	0.1	6.2	16.3	799	3.97	3.5	2.8	1.0	6.5	90	<0.1	2.5	0.2	107
Reference Materials																					
STD DS9	Standard			14.9	121.3	137.7	346	2.0	45.8	8.5	639	2.53	27.4	3.0	118.9	7.5	76	2.7	4.3	5.1	45
STD DS9	Standard			14.2	121.2	134.2	329	2.0	43.6	7.9	610	2.46	25.6	2.8	126.2	6.8	73	2.6	4.3	6.3	40
STD DS9	Standard			12.1	110.5	132.1	334	1.7	43.4	8.1	681	2.54	27.9	2.6	116.4	6.3	75	2.2	4.0	6.4	44
STD DS9	Standard			13.3	110.2	125.9	313	1.7	40.6	7.9	571	2.37	25.2	2.9	100.4	6.6	69	2.4	4.1	6.0	39
STD OREAS45CA	Standard			1.0	559.3	20.3	62	0.3	277.0	101.6	981	17.26	4.0	1.2	34.7	7.8	15	<0.1	<0.1	0.1	229

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

QUALITY CONTROL REPORT WHI12000533.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
Pulp Duplicates																					
REP G1-WHI	QC																				
REP G1-WHI	QC	0.50	0.078	11	6	0.52	154	0.123	<20	0.92	0.089	0.49	<0.1	<0.01	0.3	<0.05	2.4	<0.5	5	<0.2	
1404141	Rock Pulp	0.82	0.056	5	34	0.79	104	0.131	<20	1.64	0.088	0.14	0.3	0.06	<0.1	<0.05	4.9	<0.5	5	<0.2	
REP 1404141	QC																				
1404154	Rock	1.21	0.063	17	29	1.06	846	0.289	<20	1.97	0.250	0.80	0.8	<0.01	0.5	<0.05	5.5	<0.5	7	<0.2	
REP 1404154	QC																				
1403949	Rock	3.11	0.082	23	25	2.03	1024	0.125	<20	3.35	0.052	0.90	<0.1	0.02	0.6	<0.05	17.2	<0.5	11	<0.2	
REP 1403949	QC	3.15	0.083	24	27	2.07	1041	0.125	<20	3.40	0.054	0.94	<0.1	0.03	0.6	<0.05	17.8	<0.5	11	<0.2	
REP 1403950	QC																				
1403982	Rock	3.64	0.068	15	10	1.24	183	0.003	<20	1.23	0.009	0.20	<0.1	0.07	0.4	0.33	14.7	<0.5	3	<0.2	
REP 1403982	QC	3.67	0.067	15	12	1.24	186	0.003	<20	1.23	0.009	0.20	<0.1	0.08	0.4	0.33	14.5	<0.5	3	<0.2	
1403996	Rock	1.37	0.067	16	25	1.20	1178	0.245	<20	2.04	0.214	0.81	0.5	<0.01	0.5	<0.05	6.4	<0.5	7	<0.2	
REP 1403996	QC																				
1403999	Rock	1.71	0.064	17	25	1.20	1162	0.234	<20	2.07	0.199	0.80	0.4	0.01	0.4	<0.05	9.5	<0.5	7	<0.2	
REP 1403999	QC	1.69	0.064	16	25	1.18	1153	0.230	<20	2.05	0.197	0.80	0.4	<0.01	0.4	<0.05	9.4	<0.5	7	<0.2	
Core Reject Duplicates																					
1404129	Rock	2.18	0.046	8	10	0.94	37	0.017	<20	0.92	0.027	0.29	0.5	0.22	0.4	5.14	7.8	0.7	4	<0.2	
DUP 1404129	QC	2.19	0.046	8	11	0.94	33	0.018	<20	0.95	0.031	0.31	0.6	0.23	0.4	5.18	7.7	0.6	4	<0.2	
1403950	Rock	3.20	0.072	22	24	1.91	803	0.080	<20	2.86	0.068	0.52	<0.1	<0.01	0.3	<0.05	15.7	<0.5	9	<0.2	
DUP 1403950	QC	3.23	0.075	22	24	1.94	829	0.077	<20	2.91	0.071	0.52	<0.1	<0.01	0.3	<0.05	15.5	<0.5	9	<0.2	
1403985	Rock	2.32	0.069	18	22	1.45	788	0.112	<20	2.29	0.078	0.63	<0.1	0.06	0.4	<0.05	15.3	<0.5	8	<0.2	
DUP 1403985	QC	2.33	0.070	19	21	1.47	785	0.115	<20	2.37	0.079	0.62	<0.1	0.05	0.4	<0.05	15.0	<0.5	8	<0.2	
Reference Materials																					
STD DS9	Standard	0.81	0.088	15	138	0.69	355	0.120	<20	1.09	0.099	0.45	2.9	0.22	6.1	0.18	2.4	6.4	5	5.8	
STD DS9	Standard	0.75	0.085	13	129	0.64	341	0.117	<20	0.99	0.084	0.41	3.3	0.21	5.8	0.18	2.5	5.6	5	4.8	
STD DS9	Standard	0.78	0.089	12	132	0.69	310	0.113	<20	1.05	0.094	0.44	2.7	0.24	5.8	0.18	2.9	4.4	5	4.6	
STD DS9	Standard	0.71	0.081	13	119	0.61	323	0.111	<20	0.93	0.080	0.39	2.9	0.21	5.7	0.17	2.4	5.1	5	5.5	
STD OREAS45CA	Standard	0.45	0.039	17	873	0.16	170	0.142	<20	4.12	0.008	0.09	<0.1	0.02	0.1	<0.05	48.7	<0.5	19	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

QUALITY CONTROL REPORT WHI12000533.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD OREAS45CA	Standard			1.0	472.5	19.8	56	0.3	226.8	93.8	910	15.68	3.3	1.2	37.8	7.2	14	<0.1	0.1	0.2	197
STD OREAS45CA	Standard			0.9	541.8	19.9	64	0.2	264.0	95.3	981	17.26	3.9	1.1	46.6	7.3	15	<0.1	0.1	<0.1	224
STD OREAS45CA	Standard			0.7	481.1	20.1	57	0.2	232.3	91.2	889	15.95	3.0	1.2	39.1	7.2	14	0.1	<0.1	0.2	202
STD OXD87	Standard		418																		
STD OXD87	Standard		410																		
STD OXD87	Standard		409																		
STD OXD87	Standard		418																		
STD OXD87	Standard		402																		
STD OXD87	Standard		395																		
STD OXG99	Standard		873																		
STD OXG99	Standard		892																		
STD OXG99	Standard		910																		
STD OXG99	Standard		939																		
STD OXG99	Standard		1004																		
STD OXG99	Standard		983																		
STD SP49	Standard																				
STD OXD87 Expected			417																		
STD OXG99 Expected			932																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
STD SP49 Expected																					
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

QUALITY CONTROL REPORT WHI12000533.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2	G6Gr Ag gm/t 50
STD OREAS45CA	Standard	0.42	0.037	16	722	0.14	162	0.130	<20	3.35	0.008	0.07	<0.1	0.04	0.1	<0.05	43.0	<0.5	17	<0.2	
STD OREAS45CA	Standard	0.46	0.044	16	769	0.15	161	0.142	<20	3.88	0.007	0.08	<0.1	0.04	<0.1	<0.05	51.7	<0.5	19	<0.2	
STD OREAS45CA	Standard	0.40	0.038	16	746	0.15	162	0.135	<20	3.43	0.008	0.07	<0.1	0.03	0.1	<0.05	43.3	<0.5	19	<0.2	
STD OXD87	Standard																				
STD OXD87	Standard																				
STD OXD87	Standard																				
STD OXD87	Standard																				
STD OXD87	Standard																				
STD OXD87	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD SP49	Standard																				51
STD OXD87 Expected																					
STD OXG99 Expected																					
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02	
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4		
STD SP49 Expected																					60.2
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

QUALITY CONTROL REPORT WHI12000533.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	0.2	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank																				
Prep Wash																					
G1-WHI	Prep Blank			0.1	1.9	3.0	45	<0.1	2.7	4.1	658	2.12	<0.5	1.5	<0.5	5.4	65	<0.1	<0.1	<0.1	41
G1-WHI	Prep Blank		<2																		
G1-WHI	Prep Blank		<2																		
G1-WHI	Prep Blank			0.3	2.1	2.8	42	<0.1	2.7	3.5	622	2.11	<0.5	2.0	<0.5	5.1	67	<0.1	<0.1	<0.1	40

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

QUALITY CONTROL REPORT WHI12000533.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2	G6Gr Ag gm/t 50
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank																				
BLK	Blank																				
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank																				<50
Prep Wash																					
G1-WHI	Prep Blank	0.54	0.083	12	6	0.55	162	0.134	23	1.00	0.100	0.52	0.1	<0.01	0.3	<0.05	2.6	<0.5	5	<0.2	
G1-WHI	Prep Blank																				
G1-WHI	Prep Blank																				
G1-WHI	Prep Blank	0.52	0.084	11	6	0.53	161	0.124	<20	0.96	0.098	0.51	0.1	0.01	0.4	<0.05	2.3	<0.5	5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: August 03, 2012
Report Date: August 17, 2012
Page: 1 of 3

CERTIFICATE OF ANALYSIS WHI12000537.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number NA-12308
Number of Samples: 39

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	35	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	39	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	39	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme Joyce
Stephanie Korelin

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

CERTIFICATE OF ANALYSIS WHI12000537.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1404015	Rock Chip	1.45	<2	2.0	22.8	5.5	60	<0.1	6.6	15.4	744	3.60	4.9	3.8	<0.5	11.2	101	<0.1	0.5	0.1	104
1404016	Rock Chip	1.31	<2	2.6	26.8	3.0	46	<0.1	6.7	12.5	491	3.13	2.6	2.7	<0.5	12.1	88	<0.1	0.1	<0.1	97
1404017	Rock Chip	1.34	<2	3.5	32.3	4.0	54	<0.1	7.4	13.7	524	3.35	6.9	2.5	<0.5	10.5	75	<0.1	0.1	<0.1	114
1404018	Rock Chip	1.15	<2	2.5	24.7	3.2	46	<0.1	6.7	12.3	474	3.06	2.9	2.9	1.7	11.6	80	<0.1	0.1	0.2	100
1404019	Rock Chip	1.44	<2	2.7	28.7	3.2	47	<0.1	7.2	13.4	495	3.23	3.1	2.8	1.0	10.2	82	<0.1	0.1	0.2	104
1404020	Rock Pulp	0.12	<2	2.4	25.2	2.3	44	0.5	24.7	10.3	410	2.47	4.8	0.3	<0.5	0.9	42	0.2	0.2	<0.1	59
1404021	Rock Pulp	0.12	3737	9.6	69.6	442.3	1526	53.5	31.1	8.7	410	3.23	30.5	0.3	4184	1.1	36	16.4	42.9	0.9	53
1404022	Rock Chip	1.31	<2	2.6	25.5	4.4	55	<0.1	6.5	14.1	702	3.40	6.8	5.3	1.8	11.5	97	<0.1	0.2	0.2	100
1404023	Rock Chip	1.39	<2	3.0	25.2	3.1	55	<0.1	6.8	14.1	631	3.46	6.0	3.2	1.7	11.8	96	<0.1	0.2	<0.1	113
1404024	Rock Chip	0.55	<2	2.6	24.2	3.6	50	<0.1	6.5	13.1	546	3.24	10.5	3.0	1.6	10.5	80	<0.1	0.2	0.2	98
1404025	Rock Chip	0.44	<2	3.2	26.7	3.1	57	<0.1	7.1	13.9	589	3.40	25.5	2.8	0.6	10.3	92	<0.1	0.2	0.1	107
1404026	Rock Chip	1.25	<2	3.1	26.3	3.5	63	<0.1	6.9	14.6	692	3.65	11.8	3.3	0.9	11.3	100	<0.1	0.3	0.1	111
1404027	Rock Chip	0.95	<2	2.2	23.7	2.9	55	<0.1	7.0	15.1	688	3.60	3.0	2.9	1.0	11.5	105	0.1	0.2	0.4	105
1404028	Rock Chip	1.00	<2	3.7	24.6	3.2	50	<0.1	6.5	13.2	518	3.13	5.0	2.6	0.8	10.6	78	<0.1	0.3	0.1	93
1404029	Rock Chip	1.09	<2	2.7	25.1	3.0	54	<0.1	7.0	13.8	567	3.40	5.0	2.2	<0.5	9.6	80	<0.1	0.3	<0.1	97
1404030	Rock Chip	1.46	<2	1.8	25.8	3.9	69	0.1	6.4	14.4	694	3.61	38.3	2.7	1.6	10.2	111	0.1	0.7	0.1	101
1404031	Rock Chip	3.02	<2	2.1	22.3	7.4	87	0.1	6.8	15.0	707	3.74	19.1	3.0	0.7	11.2	129	0.2	0.5	<0.1	111
1404032	Rock Chip	1.20	<2	2.3	21.8	3.6	55	<0.1	6.5	14.7	669	3.46	4.3	2.8	2.1	10.4	98	<0.1	0.5	0.1	98
1404033	Rock Chip	1.35	<2	2.7	22.5	3.4	52	<0.1	6.0	14.4	743	3.49	2.3	2.6	<0.5	11.1	122	<0.1	0.7	0.1	93
1404034	Rock Chip	1.45	<2	2.1	21.9	4.0	52	<0.1	6.7	13.7	642	3.35	4.0	2.7	<0.5	11.0	91	<0.1	0.9	0.2	85
1404035	Rock Chip	1.23	<2	1.8	24.8	3.4	56	<0.1	6.5	14.7	653	3.55	7.1	3.0	0.7	10.5	92	<0.1	0.8	0.1	88
1404036	Rock Chip	1.23	<2	2.7	22.2	2.7	47	<0.1	6.1	12.8	526	3.15	3.4	2.9	0.7	10.8	91	<0.1	0.7	0.1	89
1404037	Rock Chip	1.86	<2	1.8	24.2	3.6	57	<0.1	6.1	14.1	606	3.50	6.0	3.1	2.4	12.4	113	<0.1	0.6	0.2	93
1404038	Rock Chip	1.70	<2	2.1	27.9	3.7	57	<0.1	6.6	14.2	612	3.57	5.5	4.0	2.2	12.4	117	<0.1	0.4	0.2	105
1404039	Rock Chip	1.37	<2	2.5	24.0	3.4	51	<0.1	6.4	14.0	574	3.39	2.3	3.4	0.7	11.8	111	<0.1	0.4	0.1	102
1404040	Rock Pulp	0.12	<2	2.4	25.7	2.4	46	0.2	23.9	10.8	409	2.51	4.7	0.3	<0.5	1.0	42	0.2	0.2	<0.1	60
1404041	Rock Pulp	0.12	3631	10.3	70.1	496.0	1654	58.0	33.1	8.9	414	3.49	33.0	0.4	2973	1.3	38	17.1	40.5	1.0	56
1404042	Rock Chip	1.35	2	2.2	21.2	4.4	54	<0.1	6.7	14.2	692	3.63	31.6	5.3	2.7	11.3	106	0.1	1.5	0.1	93
1404043	Rock Chip	1.44	<2	2.1	23.1	4.0	66	<0.1	7.3	18.4	866	4.48	63.0	5.1	2.8	9.9	121	0.2	1.8	<0.1	110
1404044	Rock Chip	1.39	3	2.0	23.3	3.7	60	<0.1	6.5	16.1	740	4.06	53.5	4.5	2.6	11.1	105	<0.1	2.3	<0.1	98

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

CERTIFICATE OF ANALYSIS WHI12000537.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1404015	Rock Chip	2.02	0.077	17	21	1.31	1425	0.201	<20	1.84	0.117	0.83	0.2	0.04	0.5	0.07	11.5	<0.5	6	<0.2
1404016	Rock Chip	1.18	0.074	13	29	1.08	1212	0.282	<20	2.12	0.270	0.87	0.8	<0.01	0.4	<0.05	5.8	<0.5	6	<0.2
1404017	Rock Chip	1.13	0.080	13	30	1.16	1415	0.297	<20	2.07	0.224	0.97	0.7	<0.01	0.5	<0.05	5.9	<0.5	6	<0.2
1404018	Rock Chip	1.08	0.075	13	28	1.06	1224	0.277	<20	2.02	0.236	0.84	0.9	<0.01	0.5	<0.05	5.3	<0.5	6	<0.2
1404019	Rock Chip	1.19	0.073	13	29	1.09	1116	0.268	<20	2.05	0.244	0.79	0.9	<0.01	0.4	<0.05	5.7	<0.5	6	<0.2
1404020	Rock Pulp	0.81	0.061	4	31	0.78	98	0.121	<20	1.54	0.074	0.13	12.5	<0.01	<0.1	<0.05	4.8	<0.5	5	<0.2
1404021	Rock Pulp	0.68	0.052	5	27	0.57	109	0.104	<20	1.16	0.073	0.11	2.5	0.25	1.1	0.34	4.7	<0.5	6	0.2
1404022	Rock Chip	1.83	0.075	16	27	1.19	946	0.200	<20	2.02	0.207	0.67	0.5	0.01	0.3	<0.05	9.4	<0.5	6	<0.2
1404023	Rock Chip	1.61	0.075	15	29	1.19	1254	0.229	<20	2.15	0.230	0.79	0.4	<0.01	0.4	0.06	8.3	<0.5	7	<0.2
1404024	Rock Chip	1.37	0.074	13	28	1.13	947	0.200	<20	1.94	0.196	0.61	0.4	<0.01	0.3	<0.05	6.3	<0.5	6	<0.2
1404025	Rock Chip	1.47	0.077	14	30	1.17	1205	0.225	<20	2.06	0.225	0.70	0.4	<0.01	0.4	<0.05	7.0	<0.5	7	<0.2
1404026	Rock Chip	1.71	0.073	15	28	1.30	905	0.187	<20	2.11	0.194	0.59	0.4	<0.01	0.3	<0.05	9.8	<0.5	7	<0.2
1404027	Rock Chip	1.79	0.073	15	28	1.29	882	0.164	<20	2.02	0.181	0.51	0.5	<0.01	0.2	<0.05	9.7	<0.5	7	<0.2
1404028	Rock Chip	1.23	0.074	14	28	1.09	968	0.198	<20	1.78	0.173	0.55	0.6	<0.01	0.2	<0.05	6.8	<0.5	6	<0.2
1404029	Rock Chip	1.34	0.076	13	28	1.22	845	0.199	<20	1.95	0.176	0.49	0.6	<0.01	0.2	<0.05	6.4	<0.5	6	<0.2
1404030	Rock Chip	1.97	0.071	16	25	1.24	972	0.167	<20	2.12	0.211	0.61	0.3	<0.01	0.3	0.06	10.7	<0.5	6	<0.2
1404031	Rock Chip	1.91	0.070	17	28	1.34	1187	0.210	<20	2.35	0.242	0.67	0.3	0.02	0.4	0.07	10.1	<0.5	7	<0.2
1404032	Rock Chip	1.77	0.073	16	26	1.31	583	0.154	<20	1.97	0.162	0.36	0.4	<0.01	0.2	0.06	8.6	<0.5	7	<0.2
1404033	Rock Chip	2.11	0.070	17	25	1.33	449	0.106	<20	1.90	0.144	0.25	0.2	<0.01	0.1	<0.05	8.9	<0.5	6	<0.2
1404034	Rock Chip	1.84	0.069	16	24	1.26	426	0.085	<20	1.84	0.144	0.24	0.2	<0.01	0.1	<0.05	9.4	<0.5	6	<0.2
1404035	Rock Chip	1.87	0.071	15	24	1.34	289	0.112	<20	1.94	0.144	0.18	0.3	<0.01	<0.1	0.05	8.1	<0.5	7	<0.2
1404036	Rock Chip	1.40	0.067	15	26	1.15	766	0.156	<20	1.83	0.187	0.39	0.6	<0.01	0.2	<0.05	7.0	<0.5	6	<0.2
1404037	Rock Chip	1.85	0.073	18	26	1.24	532	0.137	<20	2.14	0.225	0.33	0.4	<0.01	0.2	<0.05	9.3	0.7	7	<0.2
1404038	Rock Chip	1.68	0.070	18	27	1.27	1245	0.231	<20	2.38	0.292	0.78	0.4	<0.01	0.4	<0.05	9.7	0.6	7	<0.2
1404039	Rock Chip	1.58	0.070	18	27	1.23	1088	0.239	<20	2.38	0.314	0.82	0.5	<0.01	0.4	<0.05	8.4	<0.5	7	<0.2
1404040	Rock Pulp	0.92	0.066	4	32	0.82	98	0.137	<20	1.68	0.091	0.14	11.2	<0.01	<0.1	<0.05	4.9	0.8	6	<0.2
1404041	Rock Pulp	0.78	0.060	6	29	0.63	118	0.119	<20	1.32	0.091	0.12	1.7	0.22	1.1	0.36	4.8	1.1	7	<0.2
1404042	Rock Chip	1.85	0.066	20	23	1.27	1000	0.191	<20	2.12	0.246	0.79	0.9	0.04	0.6	<0.05	10.8	<0.5	6	<0.2
1404043	Rock Chip	1.94	0.070	21	25	1.46	1336	0.220	<20	2.38	0.256	0.96	<0.1	0.07	0.7	0.10	14.6	<0.5	7	<0.2
1404044	Rock Chip	1.74	0.072	18	23	1.28	1011	0.160	<20	2.14	0.242	0.69	<0.1	0.08	0.6	<0.05	12.2	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

CERTIFICATE OF ANALYSIS WHI12000537.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1404045	Rock Chip	1.27	<2	1.6	27.9	3.1	56	<0.1	6.7	15.3	679	3.74	7.1	3.1	1.3	10.7	92	<0.1	2.0	<0.1	105
1404046	Rock Chip	1.63	<2	1.7	21.8	4.0	58	<0.1	6.5	16.3	732	3.86	9.7	3.3	<0.5	11.2	106	<0.1	1.3	<0.1	101
1404047	Rock Chip	1.69	2	2.3	22.4	8.8	65	0.2	6.2	16.2	914	3.88	22.9	3.6	2.3	9.7	106	0.2	2.3	<0.1	95
1404048	Rock Chip	1.62	<2	1.7	21.4	9.3	73	0.1	6.6	18.6	770	4.06	10.5	4.6	0.6	10.6	97	0.2	2.4	<0.1	109
1404049	Rock Chip	1.76	<2	1.0	23.0	5.1	62	<0.1	5.7	14.8	855	3.85	11.2	3.8	<0.5	11.3	107	0.1	3.4	0.1	108
1404050	Rock Chip	1.78	<2	1.3	23.9	7.0	61	<0.1	5.9	17.6	823	4.09	66.7	4.1	<0.5	10.7	99	0.1	2.7	0.1	108
1404051	Rock Chip	1.75	<2	1.3	24.5	9.5	72	<0.1	6.1	16.2	721	4.70	13.9	5.5	0.7	11.5	88	0.1	1.5	<0.1	125
1404052	Rock Chip	1.45	<2	1.0	29.7	8.4	72	<0.1	5.8	17.9	765	4.47	16.2	5.2	1.0	11.9	85	0.2	1.5	<0.1	127
1404053	Rock Chip	1.68	3	5.7	24.1	9.2	67	0.3	5.7	18.9	1072	4.22	84.1	3.8	4.6	8.2	101	0.2	2.0	<0.1	90

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

CERTIFICATE OF ANALYSIS WHI12000537.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1404045	Rock Chip	1.71	0.069	17	22	1.25	1175	0.219	<20	2.19	0.210	0.90	0.1	0.02	0.4	<0.05	12.1	<0.5	7	<0.2
1404046	Rock Chip	2.05	0.074	18	22	1.26	1008	0.196	<20	2.22	0.206	0.83	<0.1	0.05	0.5	<0.05	12.0	0.6	6	<0.2
1404047	Rock Chip	2.61	0.073	18	21	1.29	763	0.128	<20	1.92	0.172	0.57	0.1	0.04	0.4	0.06	13.9	<0.5	6	<0.2
1404048	Rock Chip	2.82	0.082	20	19	1.32	831	0.117	<20	2.28	0.076	0.67	<0.1	0.08	0.4	<0.05	18.7	<0.5	7	<0.2
1404049	Rock Chip	3.19	0.075	22	20	1.42	1066	0.170	<20	2.27	0.118	0.85	<0.1	0.13	0.4	<0.05	17.5	<0.5	7	<0.2
1404050	Rock Chip	3.09	0.079	21	19	1.53	889	0.128	<20	2.35	0.063	0.75	<0.1	0.13	0.7	<0.05	17.7	<0.5	7	<0.2
1404051	Rock Chip	2.96	0.088	23	19	1.41	925	0.152	<20	2.49	0.014	0.80	<0.1	0.19	0.4	<0.05	21.0	<0.5	8	<0.2
1404052	Rock Chip	3.20	0.085	22	19	1.37	865	0.145	<20	2.41	0.014	0.68	<0.1	0.30	0.4	<0.05	22.0	0.8	7	<0.2
1404053	Rock Chip	4.05	0.076	19	14	1.69	445	0.039	<20	1.91	0.026	0.49	<0.1	0.16	0.3	0.07	17.6	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

QUALITY CONTROL REPORT WHI12000537.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1404028	Rock Chip	1.00	<2	3.7	24.6	3.2	50	<0.1	6.5	13.2	518	3.13	5.0	2.6	0.8	10.6	78	<0.1	0.3	0.1	93
REP 1404028	QC		<2	3.2	25.2	3.2	51	<0.1	6.5	13.4	552	3.18	5.1	3.0	<0.5	10.9	80	<0.1	0.2	0.1	92
Core Reject Duplicates																					
1404018	Rock Chip	1.15	<2	2.5	24.7	3.2	46	<0.1	6.7	12.3	474	3.06	2.9	2.9	1.7	11.6	80	<0.1	0.1	0.2	100
DUP 1404018	QC		<2	2.3	24.1	4.1	45	<0.1	6.0	12.0	474	3.09	2.7	2.8	0.9	11.1	84	<0.1	0.1	0.2	102
1404053	Rock Chip	1.68	3	5.7	24.1	9.2	67	0.3	5.7	18.9	1072	4.22	84.1	3.8	4.6	8.2	101	0.2	2.0	<0.1	90
DUP 1404053	QC		<2	6.2	23.5	9.6	67	0.2	5.9	19.3	992	4.19	86.7	3.3	4.6	8.6	98	0.1	2.3	<0.1	89
Reference Materials																					
STD DS9	Standard			12.3	109.0	124.7	320	1.8	41.2	7.3	587	2.38	26.7	2.6	149.9	6.5	77	2.5	4.2	7.2	41
STD DS9	Standard			11.8	105.7	129.6	312	2.0	39.7	7.6	595	2.37	28.1	2.9	104.7	6.9	80	2.2	4.5	6.9	40
STD OREAS45CA	Standard			0.9	519.4	21.4	64	0.3	272.7	94.4	993	16.74	4.1	1.3	41.6	7.6	15	<0.1	<0.1	0.2	231
STD OREAS45CA	Standard			0.7	531.5	21.2	67	0.3	269.7	98.3	977	17.54	3.9	1.3	43.5	7.6	16	0.1	<0.1	0.2	216
STD OXD87	Standard		409																		
STD OXD87	Standard		409																		
STD OXD87	Standard		402																		
STD OXD87	Standard		395																		
STD OXG99	Standard		910																		
STD OXG99	Standard		889																		
STD OXG99	Standard		1004																		
STD OXG99	Standard		983																		
STD OXD87 Expected			417																		
STD OXG99 Expected			932																		
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

QUALITY CONTROL REPORT WHI12000537.1

		Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
		Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																					
1404028	Rock Chip		1.23	0.074	14	28	1.09	968	0.198	<20	1.78	0.173	0.55	0.6	<0.01	0.2	<0.05	6.8	<0.5	6	<0.2
REP 1404028	QC		1.25	0.073	13	27	1.11	976	0.197	<20	1.83	0.179	0.55	0.6	<0.01	0.3	<0.05	6.6	<0.5	6	<0.2
Core Reject Duplicates																					
1404018	Rock Chip		1.08	0.075	13	28	1.06	1224	0.277	<20	2.02	0.236	0.84	0.9	<0.01	0.5	<0.05	5.3	<0.5	6	<0.2
DUP 1404018	QC		1.12	0.068	12	25	1.07	1184	0.276	<20	2.10	0.264	0.86	0.8	<0.01	0.5	<0.05	5.4	<0.5	7	<0.2
1404053	Rock Chip		4.05	0.076	19	14	1.69	445	0.039	<20	1.91	0.026	0.49	<0.1	0.16	0.3	0.07	17.6	<0.5	5	<0.2
DUP 1404053	QC		4.02	0.074	19	14	1.68	467	0.043	<20	1.85	0.022	0.48	<0.1	0.15	0.3	0.07	16.9	<0.5	5	<0.2
Reference Materials																					
STD DS9	Standard		0.74	0.085	12	116	0.62	325	0.112	<20	0.96	0.082	0.40	2.8	0.21	5.6	0.17	2.7	5.8	5	5.2
STD DS9	Standard		0.77	0.085	14	117	0.65	348	0.113	<20	1.02	0.093	0.42	2.5	0.23	5.8	0.09	2.6	4.8	5	5.6
STD OREAS45CA	Standard		0.43	0.040	17	711	0.14	184	0.147	<20	3.71	0.009	0.08	<0.1	0.04	<0.1	<0.05	46.0	<0.5	21	<0.2
STD OREAS45CA	Standard		0.47	0.041	17	767	0.15	182	0.155	<20	4.06	0.016	0.08	<0.1	0.03	<0.1	<0.05	47.6	0.9	21	<0.2
STD OXD87	Standard																				
STD OXD87	Standard																				
STD OXD87	Standard																				
STD OXD87	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXD87 Expected																					
STD OXG99 Expected																					
STD OREAS45CA Expected			0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
STD DS9 Expected			0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

QUALITY CONTROL REPORT WHI12000537.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank		<2	0.2	3.3	9.7	50	0.1	2.8	3.9	586	2.01	<0.5	1.7	<0.5	6.1	75	<0.1	0.2	<0.1	39
G1-WHI	Prep Blank		<2	0.1	2.7	3.1	46	<0.1	2.2	3.8	589	1.96	<0.5	1.5	0.8	5.6	72	<0.1	<0.1	<0.1	39

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 17, 2012

QUALITY CONTROL REPORT WHI12000537.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																				
G1-WHI	Prep Blank	0.53	0.081	13	6	0.51	178	0.131	<20	0.93	0.093	0.49	<0.1	<0.01	0.3	<0.05	2.5	<0.5	5	<0.2
G1-WHI	Prep Blank	0.54	0.077	12	6	0.51	161	0.131	<20	0.94	0.090	0.49	<0.1	<0.01	0.3	<0.05	2.4	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: August 06, 2012
Report Date: August 20, 2012
Page: 1 of 5

CERTIFICATE OF ANALYSIS WHI12000558.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number NA-12308
Number of Samples: 112

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	102	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	112	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	112	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme Joyce
Stephanie Korelin

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

CERTIFICATE OF ANALYSIS WHI12000558.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403722	Rock Chip	2.50	3	1.5	30.9	4.6	54	0.1	6.4	15.6	784	3.59	31.0	0.8	2.8	8.6	59	0.1	1.2	0.1	105
1403723	Rock Chip	2.85	11	2.2	42.2	6.1	65	0.2	7.5	18.2	869	4.40	95.1	1.2	10.9	10.6	58	0.1	1.5	0.3	120
1403724	Rock Chip	0.58	2	1.6	31.3	5.5	52	0.1	7.2	14.9	648	3.40	10.1	0.8	2.4	10.2	63	0.1	1.2	0.6	102
1403725	Rock Chip	0.71	3	1.5	29.6	4.5	52	0.1	6.9	14.8	655	3.55	10.4	0.9	2.2	10.1	72	<0.1	1.0	0.2	106
1403726	Rock Chip	1.53	2	1.3	44.5	4.1	48	<0.1	5.6	13.9	536	3.18	3.5	0.7	1.4	10.0	51	<0.1	0.3	0.2	95
1403727	Rock Chip	1.58	<2	1.3	34.7	3.5	46	<0.1	5.9	13.4	512	3.10	2.2	0.7	1.0	10.0	51	<0.1	0.2	0.3	94
1403728	Rock Chip	1.09	<2	1.8	38.5	3.8	52	<0.1	6.3	16.2	677	3.60	3.4	0.9	0.9	9.9	58	<0.1	0.3	0.3	103
1403729	Rock Chip	0.90	12	1.3	42.3	3.6	47	<0.1	6.4	14.5	552	3.32	2.4	0.6	0.9	8.7	50	<0.1	0.2	0.3	101
1403730	Rock Chip	2.92	<2	1.4	35.3	3.5	50	<0.1	6.0	14.5	573	3.40	1.5	0.7	<0.5	9.5	52	<0.1	0.2	0.2	103
1403731	Rock Chip	1.52	5	1.2	37.2	3.7	47	<0.1	5.8	13.0	492	3.00	1.4	0.7	0.9	9.6	50	<0.1	<0.1	0.3	94
1403732	Rock Chip	2.16	<2	1.3	33.8	4.8	56	<0.1	5.5	14.4	837	3.46	1.5	1.9	<0.5	9.5	64	<0.1	0.6	0.2	98
1403733	Rock Chip	2.30	2	1.4	34.5	3.5	60	0.1	6.4	16.9	769	3.94	1.4	1.3	<0.5	10.6	78	0.1	0.4	0.3	115
1403734	Rock Chip	2.21	5	1.1	30.0	3.1	49	<0.1	5.9	13.8	579	3.25	1.5	0.7	<0.5	9.6	50	<0.1	0.3	0.2	103
1403735	Rock Chip	2.27	<2	1.0	31.1	3.6	51	<0.1	5.9	14.9	603	3.44	1.2	0.6	<0.5	9.4	62	<0.1	0.4	0.1	103
1403736	Rock Chip	2.65	<2	1.0	27.9	3.4	50	<0.1	5.8	14.8	577	3.43	1.8	0.8	<0.5	9.7	57	<0.1	0.5	<0.1	100
1403737	Rock Chip	2.50	3	0.7	24.8	4.0	42	<0.1	4.5	10.2	418	2.36	1.3	0.5	<0.5	6.9	35	<0.1	0.3	0.1	71
1403738	Rock Chip	2.37	<2	1.1	31.2	6.1	70	0.1	6.4	15.8	691	3.68	1.5	1.0	<0.5	9.8	50	<0.1	0.4	0.9	108
1403739	Rock Chip	2.43	<2	0.9	21.3	5.1	58	<0.1	5.3	13.3	622	3.25	1.6	0.7	<0.5	11.2	46	<0.1	0.2	0.4	95
1403740	Rock Pulp	0.13	4	2.6	26.2	2.3	44	0.2	24.9	11.2	425	2.46	4.7	0.2	<0.5	0.9	37	0.1	0.3	<0.1	58
1403741	Rock Pulp	0.14	4043	10.1	71.8	504.6	1629	53.5	32.5	8.9	411	3.23	31.5	0.3	5089	1.0	30	16.4	54.1	0.8	53
1403742	Rock Chip	2.33	<2	0.9	50.3	5.0	57	0.2	5.3	13.5	632	3.27	0.9	0.8	0.6	12.4	54	<0.1	0.2	0.5	96
1403743	Rock Chip	2.50	3	1.0	15.9	4.0	61	<0.1	5.9	13.7	667	3.36	1.0	1.1	<0.5	12.6	51	<0.1	0.3	0.2	105
1403744	Rock Chip	2.18	<2	1.0	19.5	4.1	72	<0.1	6.3	17.2	826	4.09	1.0	0.9	<0.5	8.9	65	<0.1	0.3	0.2	118
1403745	Rock Chip	2.73	2	1.1	10.3	5.3	64	<0.1	4.8	15.8	925	3.66	1.3	2.4	<0.5	14.4	71	<0.1	0.4	0.2	94
1403746	Rock Chip	2.64	3	1.4	60.9	5.1	64	0.2	5.9	15.3	682	3.65	1.9	1.3	<0.5	11.7	53	0.2	0.6	1.0	111
1403747	Rock Chip	2.44	<2	1.4	48.0	4.5	52	0.2	5.7	14.0	554	3.13	1.2	1.2	<0.5	14.8	48	<0.1	0.4	0.7	88
1403748	Rock Chip	2.49	<2	1.8	56.6	3.6	48	0.1	5.6	13.5	530	3.05	1.8	1.4	2.6	12.7	53	<0.1	0.4	0.9	90
1403749	Rock Chip	2.72	<2	1.6	40.7	3.2	48	<0.1	5.4	13.1	512	3.04	1.4	2.2	2.9	8.9	51	0.1	0.3	0.4	94
1403750	Rock Chip	2.24	<2	1.5	31.9	3.0	51	<0.1	5.6	13.8	571	3.27	2.0	1.4	3.4	7.6	64	<0.1	0.2	0.3	100
1403751	Rock Chip	1.41	<2	1.7	27.4	3.4	53	<0.1	5.5	12.7	540	2.99	3.9	1.3	1.5	8.2	54	0.1	0.2	0.1	94

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

CERTIFICATE OF ANALYSIS WHI12000558.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1403722	Rock Chip	1.79	0.074	14	24	1.25	1052	0.187	<20	2.07	0.119	0.62	0.6	<0.01	0.4	<0.05	9.7	<0.5	7	<0.2
1403723	Rock Chip	2.27	0.082	20	26	1.42	698	0.119	<20	2.22	0.077	0.46	0.3	0.02	0.3	<0.05	12.9	<0.5	7	<0.2
1403724	Rock Chip	1.79	0.077	16	24	1.25	725	0.155	<20	1.92	0.136	0.46	0.4	<0.01	0.3	<0.05	8.8	<0.5	6	<0.2
1403725	Rock Chip	1.82	0.073	16	22	1.29	749	0.158	<20	2.18	0.178	0.49	0.3	<0.01	0.3	<0.05	10.0	<0.5	7	<0.2
1403726	Rock Chip	1.35	0.074	15	21	1.20	853	0.192	<20	1.82	0.138	0.47	0.5	<0.01	0.2	<0.05	5.4	<0.5	6	<0.2
1403727	Rock Chip	1.15	0.074	14	23	1.11	1046	0.237	<20	1.89	0.175	0.60	0.7	<0.01	0.3	<0.05	5.7	<0.5	6	<0.2
1403728	Rock Chip	2.00	0.079	17	24	1.32	1033	0.192	<20	2.05	0.109	0.64	0.3	<0.01	0.3	<0.05	8.0	<0.5	7	<0.2
1403729	Rock Chip	1.24	0.079	15	26	1.21	1084	0.240	<20	1.94	0.171	0.60	0.4	<0.01	0.3	<0.05	5.5	<0.5	6	<0.2
1403730	Rock Chip	1.30	0.077	16	25	1.27	1201	0.249	<20	1.96	0.155	0.70	0.4	<0.01	0.4	<0.05	5.9	<0.5	7	<0.2
1403731	Rock Chip	1.04	0.070	15	22	1.10	1238	0.260	<20	1.85	0.171	0.76	0.4	<0.01	0.4	<0.05	4.9	<0.5	6	<0.2
1403732	Rock Chip	2.38	0.074	16	22	0.97	900	0.169	<20	1.87	0.134	0.60	0.2	<0.01	0.3	<0.05	9.7	<0.5	6	<0.2
1403733	Rock Chip	2.48	0.071	17	24	1.22	710	0.137	<20	2.10	0.118	0.56	0.2	<0.01	0.3	<0.05	12.4	<0.5	7	<0.2
1403734	Rock Chip	1.35	0.072	13	24	1.17	1059	0.236	<20	1.92	0.161	0.63	0.6	<0.01	0.3	<0.05	6.0	<0.5	7	<0.2
1403735	Rock Chip	1.62	0.074	15	24	1.26	1006	0.221	<20	2.03	0.174	0.66	0.3	<0.01	0.4	<0.05	7.1	<0.5	7	<0.2
1403736	Rock Chip	1.37	0.076	15	25	1.21	1182	0.262	<20	1.99	0.187	0.73	0.4	<0.01	0.4	<0.05	6.7	<0.5	7	<0.2
1403737	Rock Chip	0.91	0.055	12	18	0.86	746	0.173	<20	1.40	0.110	0.46	0.2	<0.01	0.3	<0.05	3.6	<0.5	5	<0.2
1403738	Rock Chip	1.40	0.088	15	26	1.45	1024	0.251	<20	2.23	0.147	0.85	0.3	<0.01	0.5	<0.05	7.5	<0.5	8	<0.2
1403739	Rock Chip	1.23	0.078	20	22	1.31	969	0.238	<20	2.02	0.151	0.73	0.2	<0.01	0.4	<0.05	8.2	<0.5	7	<0.2
1403740	Rock Pulp	0.83	0.061	4	33	0.82	99	0.115	<20	1.66	0.081	0.14	13.2	0.01	<0.1	<0.05	4.6	<0.5	5	<0.2
1403741	Rock Pulp	0.70	0.051	5	27	0.60	104	0.099	<20	1.22	0.077	0.11	2.3	0.25	1.1	0.34	4.3	<0.5	6	<0.2
1403742	Rock Chip	1.40	0.072	19	23	1.23	977	0.220	<20	2.02	0.184	0.64	0.3	<0.01	0.4	<0.05	8.2	<0.5	7	<0.2
1403743	Rock Chip	1.24	0.078	15	24	1.26	989	0.252	<20	2.14	0.177	0.99	0.2	<0.01	0.5	<0.05	9.6	<0.5	7	<0.2
1403744	Rock Chip	1.86	0.088	17	26	1.51	1066	0.236	<20	2.57	0.168	1.01	0.2	<0.01	0.6	<0.05	11.3	<0.5	9	<0.2
1403745	Rock Chip	3.03	0.081	22	19	1.17	899	0.207	<20	2.23	0.081	0.96	0.1	<0.01	0.6	<0.05	3.8	<0.5	8	<0.2
1403746	Rock Chip	1.46	0.077	22	25	1.36	1256	0.274	<20	2.30	0.170	1.00	0.3	<0.01	0.6	<0.05	9.0	<0.5	8	<0.2
1403747	Rock Chip	1.29	0.073	26	24	1.17	877	0.202	<20	1.84	0.134	0.53	0.5	<0.01	0.3	<0.05	5.8	<0.5	7	<0.2
1403748	Rock Chip	1.28	0.065	19	22	1.12	1126	0.241	<20	1.91	0.174	0.66	3.5	<0.01	0.3	<0.05	5.5	<0.5	7	<0.2
1403749	Rock Chip	1.17	0.068	16	24	1.10	1249	0.261	<20	1.90	0.173	0.75	1.7	<0.01	0.4	<0.05	4.9	<0.5	6	<0.2
1403750	Rock Chip	1.26	0.072	15	23	1.18	1397	0.277	<20	2.21	0.224	0.93	1.0	<0.01	0.5	<0.05	5.6	<0.5	7	<0.2
1403751	Rock Chip	1.12	0.069	14	24	1.08	1284	0.260	<20	1.92	0.182	0.85	1.4	<0.01	0.5	<0.05	5.2	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

CERTIFICATE OF ANALYSIS WHI12000558.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403752	Rock Chip	2.28	<2	1.5	27.1	2.6	45	<0.1	5.7	13.1	465	3.14	1.7	1.6	2.4	7.9	58	<0.1	<0.1	0.1	101
1403753	Rock Chip	1.82	3	1.9	32.3	2.5	46	<0.1	6.1	13.9	490	3.25	1.2	1.4	2.4	6.8	69	<0.1	0.2	<0.1	107
1403754	Rock Chip	0.87	3	1.9	32.8	2.9	50	<0.1	5.9	14.2	546	3.31	1.4	1.5	1.5	9.0	54	<0.1	0.2	0.2	103
1403755	Rock Chip	2.16	2	1.8	30.3	2.6	51	<0.1	6.2	12.9	496	3.11	2.6	1.3	0.8	7.7	67	<0.1	0.3	<0.1	101
1403756	Rock Chip	2.34	<2	1.8	28.7	3.5	50	<0.1	5.9	12.6	509	3.03	3.1	1.4	1.5	7.3	69	0.1	0.3	<0.1	94
1403757	Rock Chip	2.20	2	1.6	28.7	3.0	47	<0.1	5.3	11.8	471	2.94	2.5	1.6	1.6	8.2	61	<0.1	0.3	<0.1	94
1403758	Rock Chip	2.73	2	1.7	29.7	3.1	47	<0.1	5.5	12.6	475	3.04	2.3	1.4	1.6	8.1	70	<0.1	0.3	0.1	98
1403759	Rock Chip	3.08	<2	1.3	29.1	2.9	47	<0.1	5.7	12.4	523	3.05	1.9	1.0	0.6	6.6	70	<0.1	0.3	0.2	98
1403760	Rock Pulp	0.15	2	2.2	24.4	2.1	41	0.3	22.5	9.6	403	2.27	4.7	0.2	<0.5	0.8	39	<0.1	0.3	<0.1	56
1403761	Rock Pulp	0.15	1447	8.7	49.3	5.3	50	0.3	32.4	9.1	476	3.11	6.2	0.3	1749	0.9	42	0.2	1.3	0.1	62
1403762	Rock Chip	2.55	3	1.9	31.0	3.2	50	<0.1	5.6	12.6	520	3.17	1.7	1.4	1.2	6.9	69	<0.1	0.3	0.5	102
1403763	Rock Chip	2.50	18	2.1	30.0	7.0	104	0.4	6.2	14.9	878	3.45	13.7	1.7	17.2	7.3	75	0.5	1.3	0.1	106
1403764	Rock Chip	2.22	2	1.8	28.7	2.6	48	<0.1	5.3	12.4	496	2.89	1.7	1.8	1.4	8.1	69	<0.1	0.3	0.2	94
1403765	Rock Chip	2.48	<2	1.6	28.0	2.9	46	<0.1	5.6	12.8	532	3.05	2.0	1.6	0.6	5.8	78	<0.1	0.4	<0.1	97
1403766	Rock Chip	2.34	<2	1.7	28.5	3.0	46	<0.1	5.7	12.8	519	3.00	2.2	1.3	1.3	5.6	87	<0.1	0.5	<0.1	92
1403767	Rock Chip	1.39	<2	1.7	30.1	3.0	49	<0.1	6.1	13.0	534	3.11	3.4	1.5	<0.5	5.5	73	<0.1	0.5	<0.1	100
1403768	Rock Chip	2.46	<2	1.8	27.5	3.0	50	<0.1	6.0	13.6	512	3.24	2.0	1.2	<0.5	5.5	83	<0.1	0.7	<0.1	102
1403769	Rock Chip	2.43	<2	1.6	24.2	3.2	47	<0.1	6.3	12.3	508	3.10	3.1	1.4	1.8	6.1	77	<0.1	0.8	0.1	98
1403770	Rock Chip	2.83	<2	1.9	25.6	2.9	48	<0.1	5.6	12.3	466	2.89	2.5	1.4	<0.5	6.1	67	<0.1	0.8	<0.1	91
1403771	Rock Chip	2.19	<2	2.0	24.2	2.9	45	<0.1	6.1	12.7	496	3.05	2.6	1.0	<0.5	5.8	72	<0.1	0.8	0.1	97
1403772	Rock Chip	2.67	<2	1.7	23.3	3.3	50	<0.1	5.7	12.7	566	3.03	3.9	1.9	<0.5	5.9	71	0.1	0.7	0.1	97
1403773	Rock Chip	2.62	2	1.5	24.5	2.9	47	<0.1	5.2	12.2	498	3.02	2.0	1.1	<0.5	5.8	77	<0.1	0.4	0.2	95
1403774	Rock Chip	0.96	<2	2.0	23.9	2.7	47	<0.1	5.9	12.1	486	2.93	2.3	1.3	<0.5	6.0	77	<0.1	0.5	<0.1	94
1403775	Rock Chip	1.81	<2	1.5	22.6	2.8	43	<0.1	5.4	11.8	476	2.95	1.8	1.2	<0.5	5.1	76	<0.1	0.4	<0.1	93
1403776	Rock Chip	2.87	<2	1.7	30.1	2.9	48	<0.1	5.6	13.1	525	3.15	2.5	1.4	<0.5	5.8	80	<0.1	0.6	<0.1	102
1403777	Rock Chip	2.73	<2	1.6	25.9	3.2	63	<0.1	5.9	13.0	523	3.17	3.8	1.1	<0.5	7.2	93	<0.1	1.2	<0.1	101
1403778	Rock Chip	2.94	<2	1.5	29.4	3.0	49	<0.1	6.4	13.8	542	3.16	3.1	1.3	1.5	6.2	88	<0.1	0.4	<0.1	100
1403779	Rock Chip	2.66	<2	1.8	32.5	2.6	54	<0.1	6.9	15.2	586	3.57	2.2	1.4	<0.5	5.2	88	<0.1	0.3	<0.1	116
1403780	Rock Pulp	0.15	<2	2.7	24.6	2.0	42	0.3	23.2	9.9	400	2.22	4.5	0.2	0.7	0.9	38	0.2	0.2	<0.1	54
1403781	Rock Pulp	0.15	3912	9.2	69.6	403.4	1516	49.6	30.7	8.0	404	3.03	30.4	0.3	4116	1.1	31	15.1	56.6	0.8	50

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

CERTIFICATE OF ANALYSIS WHI12000558.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1403752	Rock Chip	1.01	0.069	14	25	1.07	1509	0.295	<20	2.09	0.229	0.92	0.9	<0.01	0.6	<0.05	4.8	<0.5	6	<0.2
1403753	Rock Chip	1.09	0.071	13	26	1.09	1442	0.301	<20	2.22	0.250	1.01	0.6	<0.01	0.5	<0.05	5.4	<0.5	7	<0.2
1403754	Rock Chip	1.21	0.074	15	26	1.18	1281	0.271	<20	2.01	0.185	0.89	0.5	<0.01	0.5	<0.05	6.3	<0.5	6	<0.2
1403755	Rock Chip	1.06	0.079	14	24	1.09	1267	0.295	<20	1.98	0.194	0.92	0.6	<0.01	0.4	<0.05	4.8	<0.5	6	<0.2
1403756	Rock Chip	1.11	0.065	12	24	1.04	1220	0.283	<20	1.97	0.208	0.83	0.5	<0.01	0.4	<0.05	5.0	<0.5	5	<0.2
1403757	Rock Chip	1.05	0.070	14	24	1.04	1289	0.286	<20	1.85	0.175	0.81	1.0	<0.01	0.4	<0.05	4.6	<0.5	5	<0.2
1403758	Rock Chip	1.11	0.075	15	25	1.06	1299	0.290	<20	1.98	0.207	0.85	1.3	<0.01	0.4	<0.05	5.1	<0.5	6	<0.2
1403759	Rock Chip	1.18	0.072	15	23	1.10	1312	0.268	<20	1.98	0.200	0.89	0.4	<0.01	0.4	<0.05	5.8	<0.5	6	<0.2
1403760	Rock Pulp	0.82	0.055	4	29	0.74	90	0.113	<20	1.54	0.072	0.12	11.6	<0.01	<0.1	<0.05	4.2	<0.5	4	<0.2
1403761	Rock Pulp	0.84	0.057	4	32	0.80	104	0.129	<20	1.71	0.097	0.15	0.3	0.06	<0.1	<0.05	5.1	<0.5	5	<0.2
1403762	Rock Chip	1.07	0.070	16	25	1.12	1271	0.277	<20	2.04	0.217	0.92	0.5	<0.01	0.4	<0.05	5.8	<0.5	6	<0.2
1403763	Rock Chip	1.60	0.072	17	24	1.18	1167	0.243	<20	2.16	0.164	0.82	0.2	0.01	0.4	<0.05	8.7	<0.5	6	<0.2
1403764	Rock Chip	1.06	0.067	15	25	1.03	1220	0.265	<20	1.94	0.207	0.84	0.5	<0.01	0.4	<0.05	5.4	<0.5	6	<0.2
1403765	Rock Chip	1.23	0.078	16	25	1.08	1259	0.265	<20	2.01	0.213	0.84	0.5	<0.01	0.4	<0.05	5.9	<0.5	6	<0.2
1403766	Rock Chip	1.31	0.071	16	23	1.06	1214	0.269	<20	2.05	0.243	0.80	0.7	<0.01	0.4	<0.05	5.6	<0.5	6	<0.2
1403767	Rock Chip	1.24	0.074	16	25	1.13	1136	0.268	<20	1.97	0.195	0.80	0.5	<0.01	0.4	<0.05	6.2	<0.5	6	<0.2
1403768	Rock Chip	1.33	0.079	16	28	1.13	1295	0.298	<20	2.08	0.237	0.85	0.5	<0.01	0.4	<0.05	6.1	<0.5	6	<0.2
1403769	Rock Chip	1.35	0.073	16	26	1.05	1215	0.274	<20	1.95	0.205	0.80	0.5	<0.01	0.4	<0.05	6.0	<0.5	6	<0.2
1403770	Rock Chip	1.07	0.076	16	25	1.01	1114	0.274	<20	1.79	0.172	0.74	0.5	<0.01	0.3	<0.05	5.5	<0.5	6	<0.2
1403771	Rock Chip	1.18	0.075	16	28	1.06	1222	0.288	<20	1.85	0.185	0.78	0.5	<0.01	0.4	<0.05	5.6	<0.5	6	<0.2
1403772	Rock Chip	1.25	0.073	16	28	1.07	1166	0.272	<20	1.88	0.186	0.77	0.4	<0.01	0.3	<0.05	6.4	<0.5	6	<0.2
1403773	Rock Chip	1.15	0.072	16	25	1.06	1291	0.281	<20	1.96	0.212	0.84	0.5	<0.01	0.4	<0.05	5.4	<0.5	6	<0.2
1403774	Rock Chip	1.18	0.076	15	27	1.01	1211	0.270	<20	1.88	0.204	0.79	0.5	<0.01	0.4	<0.05	5.2	<0.5	6	<0.2
1403775	Rock Chip	1.16	0.070	13	26	0.98	1163	0.268	<20	1.91	0.210	0.79	0.5	<0.01	0.4	<0.05	5.1	<0.5	6	<0.2
1403776	Rock Chip	1.27	0.076	15	26	1.16	1237	0.274	<20	1.99	0.190	0.80	0.6	<0.01	0.4	<0.05	6.6	<0.5	6	<0.2
1403777	Rock Chip	1.28	0.075	17	24	1.11	1279	0.272	<20	2.04	0.232	0.79	0.5	<0.01	0.4	<0.05	7.3	<0.5	7	<0.2
1403778	Rock Chip	1.31	0.077	17	27	1.11	1299	0.286	<20	1.96	0.218	0.83	0.5	<0.01	0.4	<0.05	6.9	<0.5	6	<0.2
1403779	Rock Chip	1.34	0.076	15	30	1.26	1661	0.322	<20	2.24	0.241	1.00	0.3	0.01	0.5	<0.05	7.7	<0.5	7	<0.2
1403780	Rock Pulp	0.77	0.054	4	31	0.72	88	0.115	<20	1.48	0.069	0.12	11.8	0.02	<0.1	<0.05	4.4	<0.5	5	<0.2
1403781	Rock Pulp	0.64	0.049	5	28	0.55	103	0.100	<20	1.14	0.069	0.10	2.3	0.21	1.0	0.32	4.1	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

CERTIFICATE OF ANALYSIS WHI12000558.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403782	Rock Chip	2.08	3	2.0	28.9	4.8	52	<0.1	6.3	13.0	514	3.14	2.1	1.4	2.6	5.9	70	0.1	0.2	<0.1	100
1403783	Rock Chip	1.98	<2	2.1	25.9	2.7	45	<0.1	6.4	12.7	488	3.12	1.7	2.0	1.8	6.0	79	<0.1	0.2	<0.1	100
1403784	Rock Chip	2.73	<2	2.1	27.4	2.7	45	<0.1	5.7	11.7	460	2.88	1.8	1.5	3.5	6.5	67	<0.1	0.2	0.1	92
1403785	Rock Chip	2.37	<2	2.3	27.7	3.0	52	<0.1	6.2	13.8	598	3.28	3.1	2.6	1.6	6.5	85	<0.1	0.2	<0.1	104
1403786	Rock Chip	3.14	<2	1.7	29.5	3.1	46	<0.1	5.4	13.0	546	3.21	1.4	2.3	2.6	7.0	80	<0.1	0.2	<0.1	102
1403787	Rock Chip	3.19	<2	2.8	30.2	2.6	53	<0.1	6.8	14.9	590	3.47	1.1	2.3	<0.5	5.9	80	<0.1	0.2	<0.1	112
1403788	Rock Chip	2.91	<2	2.1	32.1	2.8	61	<0.1	6.3	15.9	609	3.60	2.5	2.2	<0.5	6.6	91	0.1	0.3	<0.1	106
1403789	Rock Chip	2.84	<2	2.5	27.1	11.5	88	0.2	5.8	17.1	932	3.73	4.4	2.4	3.0	7.8	104	0.4	0.7	<0.1	106
1403790	Rock Chip	2.99	3	1.6	30.1	2.7	52	<0.1	5.6	14.4	647	3.55	1.7	1.9	4.9	6.0	102	<0.1	0.6	0.2	109
1403791	Rock Chip	2.77	<2	1.8	29.1	2.5	48	<0.1	5.5	13.2	518	3.18	1.2	2.0	1.1	5.0	75	<0.1	0.3	<0.1	97
1403792	Rock Chip	2.91	<2	1.4	29.1	5.7	66	0.2	6.3	17.3	988	4.00	7.4	3.3	4.5	5.4	90	0.1	1.5	0.2	111
1403793	Rock Chip	3.12	<2	1.8	31.0	139.8	133	5.0	5.7	14.3	773	3.49	25.5	4.4	3.7	7.6	89	0.7	4.7	0.1	99
1403794	Rock Chip	2.63	102	1.5	29.9	4.0	58	0.1	6.2	14.6	641	3.23	2.1	2.0	2.7	5.6	79	0.1	0.7	0.1	97
1403795	Rock Chip	2.35	19	1.3	29.4	3.7	62	<0.1	5.9	17.3	769	3.96	2.8	2.9	2.3	5.7	119	<0.1	1.2	<0.1	112
1403796	Rock Chip	1.20	<2	7.0	105.7	3.6	69	0.1	6.4	17.7	808	4.17	2.9	3.1	1.7	5.4	102	<0.1	1.9	<0.1	115
1403797	Rock Chip	1.78	6	3.4	50.9	52.2	256	2.4	5.9	16.0	812	3.94	11.4	2.6	7.0	4.6	104	1.8	4.4	<0.1	102
1403798	Rock Chip	2.70	33	3.1	41.9	117.2	215	7.3	6.9	17.4	1206	4.26	30.3	3.6	35.5	5.3	97	1.9	8.5	<0.1	115
1403799	Rock Chip	1.92	6	2.5	36.2	5.4	70	0.2	7.0	17.6	1363	4.25	10.0	2.6	9.5	4.7	109	0.1	1.6	<0.1	128
1403800	Rock Pulp	0.15	2	2.2	25.0	2.3	42	0.3	22.6	10.5	395	2.36	4.7	0.2	2.0	0.8	37	0.2	0.2	<0.1	55
1403801	Rock Pulp	0.15	4292	9.1	65.2	455.4	1576	52.6	29.4	8.4	398	3.18	29.4	0.3	3323	1.1	32	16.3	54.5	0.9	51
1403802	Rock Chip	1.76	17	3.2	33.2	7.2	63	0.2	5.9	16.0	1103	3.84	10.1	2.8	19.4	5.3	95	0.2	2.0	0.2	111
1403803	Rock Chip	1.47	3	3.3	26.4	8.1	80	0.2	6.3	17.2	886	4.36	6.1	4.8	5.1	4.7	112	0.3	3.4	<0.1	108
1403804	Rock Chip	1.48	<2	8.8	23.9	5.3	61	<0.1	5.4	15.6	735	3.82	3.9	12.2	3.1	7.4	79	<0.1	4.4	<0.1	107
1403805	Rock Chip	2.26	2	0.7	24.9	10.9	76	0.1	5.9	15.9	1085	3.69	25.9	7.8	4.9	9.6	103	0.2	7.2	0.2	89
1403806	Rock Chip	1.76	3	1.1	17.7	17.4	77	0.2	4.5	12.5	1079	3.49	20.1	3.8	5.6	6.6	156	1.2	4.4	0.1	54
1403807	Rock Chip	2.08	3	1.4	18.4	15.1	64	0.2	4.8	14.5	1250	3.68	18.5	7.0	4.7	7.9	174	0.3	2.8	0.4	53
1403808	Rock Chip	1.79	<2	1.8	27.9	4.5	76	0.1	6.6	19.2	646	4.25	3.0	3.5	3.7	10.5	105	0.2	2.3	0.1	100
1403809	Rock Chip	1.33	<2	1.4	28.1	17.5	80	0.3	5.7	16.0	797	3.99	6.9	2.6	3.1	10.8	125	0.7	1.7	0.2	92
1403810	Rock Chip	2.12	<2	1.2	30.5	8.9	67	0.2	6.2	16.5	759	4.03	5.9	2.9	4.6	10.7	107	0.3	1.7	0.1	99
1403811	Rock Chip	1.02	3	1.7	31.2	16.6	69	0.3	6.8	15.9	756	3.75	6.4	3.1	7.0	9.1	115	0.5	1.3	<0.1	96

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

CERTIFICATE OF ANALYSIS WHI12000558.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1403782	Rock Chip	1.01	0.078	15	30	1.14	1421	0.317	<20	1.91	0.184	0.91	0.5	0.01	0.4	<0.05	5.3	<0.5	6	<0.2
1403783	Rock Chip	1.05	0.077	16	29	1.08	1463	0.294	<20	2.02	0.222	0.88	0.7	<0.01	0.4	<0.05	5.3	<0.5	6	<0.2
1403784	Rock Chip	0.89	0.073	16	27	1.07	1513	0.287	<20	1.83	0.187	0.81	0.9	<0.01	0.5	<0.05	4.4	<0.5	6	<0.2
1403785	Rock Chip	1.52	0.076	17	29	1.13	1298	0.279	<20	2.03	0.209	0.83	0.5	<0.01	0.4	<0.05	7.3	<0.5	6	<0.2
1403786	Rock Chip	1.26	0.072	16	27	1.12	1283	0.282	<20	2.08	0.225	0.84	0.6	<0.01	0.4	<0.05	6.1	<0.5	7	<0.2
1403787	Rock Chip	1.23	0.075	17	28	1.21	1471	0.297	<20	2.09	0.193	0.93	0.4	<0.01	0.5	<0.05	7.5	<0.5	7	<0.2
1403788	Rock Chip	1.28	0.076	17	25	1.13	1238	0.241	<20	2.06	0.153	0.82	0.2	<0.01	0.4	<0.05	10.7	<0.5	7	<0.2
1403789	Rock Chip	2.15	0.071	22	25	1.22	1135	0.214	<20	2.21	0.139	0.80	0.2	0.01	0.4	<0.05	11.9	<0.5	7	<0.2
1403790	Rock Chip	1.54	0.077	15	25	1.26	1119	0.255	<20	2.20	0.214	0.89	0.5	<0.01	0.4	<0.05	9.3	<0.5	7	<0.2
1403791	Rock Chip	1.22	0.080	11	25	1.06	1115	0.256	<20	1.97	0.211	0.86	0.4	<0.01	0.4	<0.05	6.1	<0.5	6	<0.2
1403792	Rock Chip	1.86	0.075	15	22	1.33	1157	0.226	<20	1.96	0.138	0.86	0.3	<0.01	0.5	0.12	12.8	<0.5	7	<0.2
1403793	Rock Chip	1.46	0.069	17	23	1.19	1098	0.235	<20	1.99	0.201	0.84	0.5	<0.01	0.5	0.16	8.4	<0.5	7	<0.2
1403794	Rock Chip	1.32	0.075	14	24	1.13	1131	0.254	<20	1.96	0.191	0.88	0.6	<0.01	0.5	0.06	7.6	<0.5	7	<0.2
1403795	Rock Chip	1.58	0.078	18	25	1.27	1199	0.236	<20	2.05	0.169	0.93	0.7	<0.01	0.5	<0.05	11.9	<0.5	7	<0.2
1403796	Rock Chip	1.64	0.081	18	23	1.27	1224	0.235	<20	2.09	0.130	0.92	0.7	<0.01	0.5	0.05	12.7	<0.5	7	<0.2
1403797	Rock Chip	1.76	0.074	16	22	1.20	1274	0.213	<20	2.12	0.158	0.85	0.3	0.02	0.4	<0.05	11.4	<0.5	7	<0.2
1403798	Rock Chip	2.13	0.077	17	25	1.47	1273	0.238	<20	2.19	0.135	0.96	0.3	<0.01	0.5	0.08	14.0	<0.5	7	<0.2
1403799	Rock Chip	1.78	0.090	15	27	1.46	2095	0.305	<20	2.44	0.183	1.11	0.3	<0.01	0.5	0.08	12.0	<0.5	8	<0.2
1403800	Rock Pulp	0.79	0.064	4	30	0.79	87	0.114	<20	1.55	0.077	0.13	12.6	<0.01	<0.1	<0.05	4.4	<0.5	5	<0.2
1403801	Rock Pulp	0.65	0.057	5	27	0.58	102	0.101	<20	1.18	0.075	0.10	2.1	0.21	1.0	0.33	4.3	<0.5	6	<0.2
1403802	Rock Chip	1.92	0.085	15	24	1.33	1313	0.254	<20	2.20	0.174	0.99	0.3	<0.01	0.5	0.08	10.9	<0.5	7	<0.2
1403803	Rock Chip	2.07	0.084	17	21	1.42	1071	0.187	<20	2.50	0.081	0.91	0.2	<0.01	0.5	<0.05	14.7	<0.5	7	<0.2
1403804	Rock Chip	2.19	0.074	16	19	1.20	589	0.116	<20	1.78	0.068	0.49	0.6	0.04	0.3	0.06	16.3	<0.5	6	<0.2
1403805	Rock Chip	4.08	0.070	18	14	1.72	47	0.003	<20	0.90	0.006	0.07	0.1	0.13	0.1	0.11	17.0	<0.5	3	<0.2
1403806	Rock Chip	6.08	0.053	12	11	2.30	106	0.002	<20	0.63	0.011	0.15	0.1	0.05	<0.1	0.10	10.4	<0.5	2	<0.2
1403807	Rock Chip	6.23	0.058	18	9	2.12	152	0.001	<20	0.82	0.012	0.19	<0.1	0.02	<0.1	0.05	10.8	<0.5	2	<0.2
1403808	Rock Chip	1.76	0.076	16	22	1.27	1387	0.169	<20	2.18	0.123	0.55	0.2	<0.01	0.3	<0.05	10.5	<0.5	7	<0.2
1403809	Rock Chip	2.59	0.070	15	25	1.49	550	0.107	<20	1.84	0.105	0.41	0.2	<0.01	0.2	0.06	10.6	<0.5	6	<0.2
1403810	Rock Chip	2.24	0.076	15	23	1.45	759	0.166	<20	2.12	0.115	0.68	0.2	0.01	0.3	0.06	10.4	<0.5	6	<0.2
1403811	Rock Chip	2.27	0.075	15	25	1.45	728	0.153	<20	1.97	0.131	0.57	0.3	<0.01	0.3	<0.05	9.7	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

CERTIFICATE OF ANALYSIS WHI12000558.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403812	Rock Chip	2.19	24	1.2	24.1	38.6	84	0.5	5.5	15.2	1159	3.89	146.5	5.6	20.9	10.7	150	1.3	3.4	0.1	59
1403813	Rock Chip	1.91	48	1.9	19.9	17.0	69	0.3	6.0	16.3	1102	4.18	194.4	2.9	66.9	9.1	155	0.5	3.0	<0.1	67
1403814	Rock Chip	1.42	<2	2.1	21.4	4.3	66	<0.1	5.9	16.8	752	3.98	8.6	2.4	4.9	10.8	113	0.1	3.1	<0.1	108
1403815	Rock Chip	1.27	<2	2.4	20.1	2.9	47	<0.1	5.7	12.9	534	3.19	2.0	3.2	2.9	11.3	78	0.1	1.3	<0.1	99
1403816	Rock Chip	1.82	<2	2.3	21.8	7.1	62	0.3	6.7	16.6	802	4.10	4.7	3.0	2.0	10.9	116	0.2	1.3	<0.1	111
1403817	Rock Chip	1.88	41	2.0	35.1	26.6	79	0.9	6.0	17.0	1191	4.08	84.6	7.8	43.2	9.3	148	0.6	8.7	0.5	68
1403818	Rock Chip	1.54	5	0.8	51.7	7.9	69	0.4	6.0	16.7	861	4.07	13.4	3.0	8.1	10.3	123	0.2	5.7	1.4	94
1403819	Rock Chip	1.26	5	0.9	69.0	14.3	64	1.0	6.1	16.7	948	4.04	11.7	2.6	6.6	9.7	138	0.3	3.3	1.7	85
1403820	Rock Pulp	0.15	4	2.3	23.0	2.1	41	0.2	21.8	10.6	400	2.42	4.7	0.2	3.4	0.9	36	0.2	0.2	<0.1	56
1403821	Rock Pulp	0.15	1481	8.2	46.1	5.8	48	0.2	29.3	9.0	489	3.31	6.4	0.3	861.7	1.0	40	0.2	1.1	0.1	63
1403822	Rock Chip	2.16	4	1.3	43.5	7.0	59	0.4	5.0	15.1	806	3.73	25.1	5.0	5.5	10.6	120	0.1	3.8	1.5	90
1403823	Rock Chip	1.31	<2	1.5	45.2	7.0	72	0.4	6.5	18.9	951	4.52	7.8	2.3	5.5	9.7	127	0.1	2.1	0.8	119
1403824	Rock Chip	0.90	8	0.7	161.4	32.7	87	4.0	6.3	17.1	957	4.16	62.5	3.1	11.7	10.2	115	0.4	3.6	6.1	89
1403825	Rock Chip	1.06	10	1.2	154.4	31.3	81	3.7	5.4	16.5	957	4.26	58.2	3.1	16.8	9.4	105	0.4	2.4	4.6	93
1403826	Rock Chip	2.32	3	1.1	38.4	11.8	67	0.6	6.3	16.3	871	4.22	12.4	5.4	4.5	10.3	123	0.2	2.1	0.6	123
1403827	Rock Chip	2.37	4	2.3	46.0	14.2	57	0.9	5.5	15.2	970	3.78	45.3	7.1	10.4	9.2	159	0.2	1.9	1.3	81
1403828	Rock Chip	2.05	<2	1.0	35.0	5.3	66	0.2	6.2	16.9	835	4.36	4.0	2.7	1.8	10.1	139	<0.1	1.2	0.3	134
1403829	Rock Chip	1.19	28	2.3	22.7	2.9	55	<0.1	6.3	15.2	616	3.71	4.0	3.0	57.6	10.6	105	<0.1	0.6	<0.1	119
1403830	Rock Chip	1.70	<2	2.6	21.9	3.3	57	0.1	6.0	15.5	626	3.78	2.4	2.9	9.3	11.1	123	<0.1	0.4	<0.1	116
1403831	Rock Chip	1.27	<2	2.2	22.4	2.8	56	0.2	6.6	15.6	696	4.04	1.7	2.4	3.6	9.5	129	<0.1	0.5	<0.1	121
1403832	Rock Chip	1.41	5	2.2	22.1	3.2	61	0.1	6.1	15.8	789	4.27	2.5	2.8	4.3	10.0	113	<0.1	0.4	<0.1	130
1403833	Rock Chip	1.38	2	2.1	20.1	4.2	52	0.1	6.7	14.5	717	3.98	3.9	3.3	0.8	10.1	123	0.1	0.7	<0.1	101

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

CERTIFICATE OF ANALYSIS WHI12000558.1

Method		1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL		0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1403812	Rock Chip	3.83	0.072	13	15	1.50	293	0.027	<20	1.49	0.035	0.34	0.2	0.01	0.1	0.24	10.1	<0.5	4	<0.2
1403813	Rock Chip	3.79	0.076	13	18	1.64	370	0.034	<20	1.49	0.043	0.38	0.2	0.02	0.2	0.30	10.4	<0.5	4	<0.2
1403814	Rock Chip	2.21	0.077	17	25	1.49	760	0.138	<20	2.09	0.117	0.56	0.2	<0.01	0.3	<0.05	12.0	<0.5	7	<0.2
1403815	Rock Chip	1.25	0.073	14	25	1.18	959	0.242	<20	1.97	0.194	0.80	0.5	<0.01	0.5	<0.05	6.3	<0.5	6	<0.2
1403816	Rock Chip	2.47	0.079	15	28	1.55	671	0.164	<20	2.16	0.139	0.63	0.3	<0.01	0.3	0.06	11.4	<0.5	7	<0.2
1403817	Rock Chip	4.22	0.082	12	16	1.63	382	0.026	<20	1.37	0.047	0.41	0.2	0.02	0.2	0.47	11.1	<0.5	4	<0.2
1403818	Rock Chip	3.35	0.087	19	19	1.64	339	0.023	<20	1.82	0.039	0.28	<0.1	0.03	0.2	0.07	16.1	<0.5	6	<0.2
1403819	Rock Chip	3.42	0.075	19	17	1.85	352	0.044	<20	1.87	0.041	0.40	0.1	0.03	0.2	0.08	13.6	<0.5	6	<0.2
1403820	Rock Pulp	0.81	0.065	4	30	0.80	87	0.116	<20	1.59	0.080	0.13	12.4	0.01	<0.1	<0.05	4.4	<0.5	5	<0.2
1403821	Rock Pulp	0.85	0.069	4	33	0.85	100	0.129	<20	1.77	0.102	0.15	0.2	0.07	<0.1	<0.05	4.9	<0.5	5	<0.2
1403822	Rock Chip	2.38	0.060	17	19	1.65	484	0.063	<20	2.08	0.061	0.38	0.1	<0.01	0.2	<0.05	12.8	<0.5	7	<0.2
1403823	Rock Chip	2.67	0.077	19	26	1.82	557	0.099	<20	2.43	0.091	0.47	0.1	0.01	0.2	<0.05	15.8	<0.5	8	<0.2
1403824	Rock Chip	2.78	0.066	18	17	1.78	676	0.106	<20	2.10	0.053	0.59	0.2	<0.01	0.3	0.14	13.1	<0.5	7	<0.2
1403825	Rock Chip	2.84	0.068	18	16	1.87	647	0.090	<20	2.17	0.055	0.57	0.2	0.04	0.3	0.17	13.7	<0.5	6	<0.2
1403826	Rock Chip	2.72	0.070	17	22	1.64	832	0.153	<20	2.46	0.102	0.73	0.2	<0.01	0.4	0.09	15.2	<0.5	7	<0.2
1403827	Rock Chip	3.82	0.069	22	14	1.54	447	0.040	<20	2.06	0.024	0.44	<0.1	0.02	0.2	0.11	12.4	<0.5	6	<0.2
1403828	Rock Chip	2.45	0.070	18	23	1.76	921	0.172	<20	2.52	0.072	0.83	0.2	0.02	0.4	<0.05	16.1	<0.5	8	<0.2
1403829	Rock Chip	1.78	0.072	17	29	1.48	892	0.210	<20	2.18	0.175	0.75	0.6	<0.01	0.4	0.05	11.0	<0.5	7	<0.2
1403830	Rock Chip	1.92	0.074	17	29	1.46	1108	0.203	<20	2.24	0.181	0.73	0.5	<0.01	0.4	0.06	10.4	<0.5	7	<0.2
1403831	Rock Chip	2.37	0.069	16	27	1.62	864	0.171	<20	2.22	0.141	0.68	0.4	<0.01	0.3	<0.05	11.7	<0.5	6	<0.2
1403832	Rock Chip	2.48	0.069	18	25	1.80	730	0.131	<20	2.36	0.089	0.59	0.2	0.03	0.3	0.07	14.0	0.8	7	<0.2
1403833	Rock Chip	2.25	0.064	17	22	1.59	609	0.117	<20	2.10	0.113	0.54	0.3	0.01	0.3	0.05	11.3	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

QUALITY CONTROL REPORT WHI12000558.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1403724	Rock Chip	0.58	2	1.6	31.3	5.5	52	0.1	7.2	14.9	648	3.40	10.1	0.8	2.4	10.2	63	0.1	1.2	0.6	102
REP 1403724	QC		<2																		
1403727	Rock Chip	1.58	<2	1.3	34.7	3.5	46	<0.1	5.9	13.4	512	3.10	2.2	0.7	1.0	10.0	51	<0.1	0.2	0.3	94
REP 1403727	QC			1.4	35.4	3.4	44	<0.1	5.7	13.5	504	3.05	2.4	0.6	1.5	10.0	49	<0.1	0.3	0.2	91
1403758	Rock Chip	2.73	2	1.7	29.7	3.1	47	<0.1	5.5	12.6	475	3.04	2.3	1.4	1.6	8.1	70	<0.1	0.3	0.1	98
REP 1403758	QC		<2																		
1403762	Rock Chip	2.55	3	1.9	31.0	3.2	50	<0.1	5.6	12.6	520	3.17	1.7	1.4	1.2	6.9	69	<0.1	0.3	0.5	102
REP 1403762	QC			1.8	29.9	3.1	48	<0.1	6.2	12.5	507	3.14	1.6	1.1	0.8	6.9	68	<0.1	0.3	0.5	98
1403797	Rock Chip	1.78	6	3.4	50.9	52.2	256	2.4	5.9	16.0	812	3.94	11.4	2.6	7.0	4.6	104	1.8	4.4	<0.1	102
REP 1403797	QC			3.6	51.9	55.9	274	2.5	6.6	16.6	852	4.19	12.4	2.6	4.3	5.0	111	2.2	5.0	<0.1	108
1403826	Rock Chip	2.32	3	1.1	38.4	11.8	67	0.6	6.3	16.3	871	4.22	12.4	5.4	4.5	10.3	123	0.2	2.1	0.6	123
REP 1403826	QC		2																		
1403830	Rock Chip	1.70	<2	2.6	21.9	3.3	57	0.1	6.0	15.5	626	3.78	2.4	2.9	9.3	11.1	123	<0.1	0.4	<0.1	116
REP 1403830	QC			2.6	22.7	3.2	55	0.1	6.5	14.6	624	3.85	2.7	3.1	6.0	10.6	118	0.1	0.4	<0.1	117
Core Reject Duplicates																					
1403734	Rock Chip	2.21	5	1.1	30.0	3.1	49	<0.1	5.9	13.8	579	3.25	1.5	0.7	<0.5	9.6	50	<0.1	0.3	0.2	103
DUP 1403734	QC		7	0.9	28.9	3.2	48	<0.1	5.2	13.9	560	3.18	1.7	0.7	<0.5	9.7	51	<0.1	0.3	0.2	99
1403769	Rock Chip	2.43	<2	1.6	24.2	3.2	47	<0.1	6.3	12.3	508	3.10	3.1	1.4	1.8	6.1	77	<0.1	0.8	0.1	98
DUP 1403769	QC		<2	2.4	24.7	3.1	48	<0.1	6.3	12.5	516	3.10	2.7	1.7	<0.5	6.1	79	<0.1	0.7	0.1	98
1403804	Rock Chip	1.48	<2	8.8	23.9	5.3	61	<0.1	5.4	15.6	735	3.82	3.9	12.2	3.1	7.4	79	<0.1	4.4	<0.1	107
DUP 1403804	QC		<2	7.4	26.6	5.6	63	<0.1	5.8	15.6	733	3.80	4.1	9.8	1.0	7.9	80	0.1	4.1	0.1	108
Reference Materials																					
STD DS9	Standard			13.9	116.5	130.0	321	1.9	43.6	8.3	614	2.42	27.2	2.5	149.2	5.7	66	2.5	4.7	5.6	40
STD DS9	Standard			13.6	112.5	121.5	317	1.8	39.9	7.6	591	2.34	28.8	2.7	149.2	6.1	72	2.5	5.6	6.5	38
STD DS9	Standard			15.1	124.4	132.6	331	1.9	44.2	7.7	618	2.41	26.7	3.0	144.1	6.6	75	2.7	5.7	6.3	40
STD DS9	Standard			13.3	112.7	132.1	319	2.2	42.3	7.8	538	2.41	26.4	2.9	112.1	6.7	76	2.7	5.0	5.4	39
STD OREAS45CA	Standard			1.2	504.8	18.7	55	0.3	247.8	92.8	922	15.05	4.3	1.1	40.4	6.8	13	<0.1	0.1	0.2	208
STD OREAS45CA	Standard			1.0	486.1	20.1	57	0.2	229.2	87.8	885	14.29	4.2	1.1	45.2	6.9	14	0.1	0.2	0.1	198

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

QUALITY CONTROL REPORT WHI12000558.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
1403724	Rock Chip	1.79	0.077	16	24	1.25	725	0.155	<20	1.92	0.136	0.46	0.4	<0.01	0.3	<0.05	8.8	<0.5	6	<0.2
REP 1403724	QC																			
1403727	Rock Chip	1.15	0.074	14	23	1.11	1046	0.237	<20	1.89	0.175	0.60	0.7	<0.01	0.3	<0.05	5.7	<0.5	6	<0.2
REP 1403727	QC	1.12	0.073	14	23	1.08	1013	0.231	<20	1.80	0.168	0.58	0.7	<0.01	0.3	<0.05	5.7	<0.5	6	<0.2
1403758	Rock Chip	1.11	0.075	15	25	1.06	1299	0.290	<20	1.98	0.207	0.85	1.3	<0.01	0.4	<0.05	5.1	<0.5	6	<0.2
REP 1403758	QC																			
1403762	Rock Chip	1.07	0.070	16	25	1.12	1271	0.277	<20	2.04	0.217	0.92	0.5	<0.01	0.4	<0.05	5.8	<0.5	6	<0.2
REP 1403762	QC	1.04	0.072	17	26	1.09	1270	0.280	<20	2.03	0.205	0.91	0.5	<0.01	0.4	<0.05	6.0	<0.5	6	<0.2
1403797	Rock Chip	1.76	0.074	16	22	1.20	1274	0.213	<20	2.12	0.158	0.85	0.3	0.02	0.4	<0.05	11.4	<0.5	7	<0.2
REP 1403797	QC	1.85	0.077	17	24	1.25	1358	0.226	<20	2.28	0.167	0.90	0.3	0.02	0.4	<0.05	11.9	<0.5	7	<0.2
1403826	Rock Chip	2.72	0.070	17	22	1.64	832	0.153	<20	2.46	0.102	0.73	0.2	<0.01	0.4	0.09	15.2	<0.5	7	<0.2
REP 1403826	QC																			
1403830	Rock Chip	1.92	0.074	17	29	1.46	1108	0.203	<20	2.24	0.181	0.73	0.5	<0.01	0.4	0.06	10.4	<0.5	7	<0.2
REP 1403830	QC	1.95	0.070	16	29	1.49	1097	0.203	<20	2.27	0.183	0.73	0.5	0.02	0.4	0.06	10.2	<0.5	7	<0.2
Core Reject Duplicates																				
1403734	Rock Chip	1.35	0.072	13	24	1.17	1059	0.236	<20	1.92	0.161	0.63	0.6	<0.01	0.3	<0.05	6.0	<0.5	7	<0.2
DUP 1403734	QC	1.31	0.073	15	23	1.18	1091	0.235	<20	1.92	0.155	0.62	0.6	<0.01	0.3	<0.05	5.8	<0.5	6	<0.2
1403769	Rock Chip	1.35	0.073	16	26	1.05	1215	0.274	<20	1.95	0.205	0.80	0.5	<0.01	0.4	<0.05	6.0	<0.5	6	<0.2
DUP 1403769	QC	1.33	0.077	16	29	1.07	1188	0.274	<20	1.96	0.210	0.78	0.6	<0.01	0.3	<0.05	6.3	<0.5	6	<0.2
1403804	Rock Chip	2.19	0.074	16	19	1.20	589	0.116	<20	1.78	0.068	0.49	0.6	0.04	0.3	0.06	16.3	<0.5	6	<0.2
DUP 1403804	QC	2.21	0.083	17	19	1.18	628	0.122	<20	1.75	0.069	0.51	0.6	0.04	0.3	0.06	16.3	<0.5	6	<0.2
Reference Materials																				
STD DS9	Standard	0.76	0.084	12	130	0.66	337	0.107	<20	1.03	0.087	0.42	2.7	0.24	5.9	0.17	2.4	6.2	5	5.5
STD DS9	Standard	0.71	0.082	12	120	0.63	319	0.104	<20	0.94	0.084	0.40	3.0	0.22	5.7	0.17	2.4	4.7	4	5.1
STD DS9	Standard	0.75	0.082	13	139	0.64	342	0.119	<20	1.00	0.084	0.41	3.0	0.21	5.6	0.17	2.4	5.1	5	5.3
STD DS9	Standard	0.74	0.088	13	130	0.63	342	0.116	<20	0.96	0.083	0.40	2.7	0.25	5.6	0.18	2.5	6.7	5	4.8
STD OREAS45CA	Standard	0.43	0.036	15	783	0.14	164	0.116	<20	3.67	0.010	0.07	<0.1	0.03	0.1	<0.05	47.5	0.7	18	<0.2
STD OREAS45CA	Standard	0.41	0.041	15	678	0.15	154	0.121	<20	3.42	0.009	0.07	<0.1	0.02	<0.1	<0.05	40.7	<0.5	18	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

QUALITY CONTROL REPORT WHI12000558.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD OREAS45CA	Standard			1.0	494.8	18.5	61	0.3	240.4	88.7	904	14.77	3.7	1.2	35.4	7.1	15	0.1	0.2	0.1	205
STD OREAS45CA	Standard			1.0	505.6	20.4	60	0.3	254.4	86.9	928	16.92	3.5	1.2	40.8	7.3	15	0.2	0.2	<0.1	220
STD OXD87	Standard		410																		
STD OXD87	Standard		429																		
STD OXD87	Standard		439																		
STD OXD87	Standard		413																		
STD OXD87	Standard		449																		
STD OXD87	Standard		436																		
STD OXD87	Standard		395																		
STD OXG99	Standard		909																		
STD OXG99	Standard		1023																		
STD OXG99	Standard		935																		
STD OXG99	Standard		898																		
STD OXG99	Standard		949																		
STD OXG99	Standard		976																		
STD OXG99	Standard		890																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
STD OXD87 Expected			417																		
STD OXG99 Expected			932																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

QUALITY CONTROL REPORT WHI12000558.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD OREAS45CA	Standard	0.39	0.034	17	728	0.13	163	0.126	<20	3.55	0.007	0.07	<0.1	0.02	<0.1	<0.05	41.5	<0.5	18	<0.2
STD OREAS45CA	Standard	0.44	0.037	16	745	0.14	167	0.135	<20	3.54	0.010	0.07	<0.1	0.03	<0.1	<0.05	44.8	<0.5	18	<0.2
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
STD OXD87 Expected																				
STD OXG99 Expected																				
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	0.4	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

QUALITY CONTROL REPORT WHI12000558.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
BLK	Blank		<2																		
BLK	Blank		2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
Prep Wash																					
G1-WHI	Prep Blank		<2	<0.1	2.1	2.7	45	<0.1	2.5	3.7	547	1.83	<0.5	1.4	1.6	4.7	59	<0.1	<0.1	<0.1	34
G1-WHI	Prep Blank		<2	0.1	2.4	2.6	45	<0.1	2.6	4.1	569	1.94	<0.5	1.4	<0.5	5.1	61	<0.1	<0.1	<0.1	36

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

QUALITY CONTROL REPORT WHI12000558.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
G1-WHI	Prep Blank	0.47	0.072	12	9	0.49	160	0.111	<20	0.89	0.093	0.48	<0.1	<0.01	0.3	<0.05	1.9	<0.5	4	<0.2
G1-WHI	Prep Blank	0.50	0.076	12	10	0.51	167	0.120	<20	0.97	0.097	0.49	<0.1	<0.01	0.3	<0.05	2.1	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: August 06, 2012
Report Date: August 20, 2012
Page: 1 of 5

CERTIFICATE OF ANALYSIS WHI12000559.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number NA-12308
Number of Samples: 112

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	100	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	112	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	112	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme Joyce
Stephanie Korelin

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

CERTIFICATE OF ANALYSIS WHI12000559.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403834	Rock Chip	1.35	<2	1.3	35.2	4.8	52	<0.1	6.1	12.9	485	2.96	3.9	1.1	0.9	7.6	62	0.3	0.8	0.6	100
1403835	Rock Chip	1.82	<2	1.2	29.8	5.0	55	<0.1	6.4	13.5	480	3.04	3.5	1.4	1.4	8.1	68	0.4	0.8	0.4	99
1403836	Rock Chip	2.26	<2	1.4	25.5	5.1	70	<0.1	7.2	15.3	562	3.43	2.9	1.8	3.4	7.4	60	0.4	0.7	0.2	117
1403837	Rock Chip	1.59	<2	1.9	29.9	4.6	70	<0.1	6.7	15.7	589	3.45	3.7	2.1	1.0	7.7	60	0.4	0.7	<0.1	118
1403838	Rock Chip	1.56	3	2.3	40.9	3.8	111	0.1	6.4	15.7	574	3.65	2.9	1.8	3.6	7.4	71	0.8	1.5	<0.1	117
1403839	Rock Chip	1.18	<2	2.5	31.3	4.8	157	<0.1	6.6	16.0	654	3.67	2.3	2.0	1.0	8.3	72	1.0	3.5	<0.1	128
1403840	Rock Pulp	0.12	<2	2.5	26.1	2.6	45	0.4	25.0	11.3	416	2.48	5.2	0.3	1.9	1.0	46	0.3	0.2	<0.1	63
1403841	Rock Pulp	0.12	1549	9.2	50.8	6.4	52	0.2	34.4	10.0	502	3.42	7.8	0.3	1008	1.0	48	0.1	1.2	0.1	69
1403842	Rock Chip	1.53	90	2.2	30.6	2526	2173	11.1	6.1	14.5	682	3.82	208.6	3.9	85.4	8.3	75	30.8	287.0	<0.1	102
1403843	Rock Chip	1.32	10	1.5	19.3	35.7	128	0.6	6.1	14.8	946	3.37	12.9	2.5	10.2	7.3	85	1.8	3.1	<0.1	105
1403844	Rock Chip	1.55	2	1.5	25.0	11.0	57	<0.1	6.5	14.4	565	3.29	1.9	1.3	1.1	5.8	78	0.1	1.9	<0.1	109
1403845	Rock Chip	1.27	5	1.7	29.5	8.0	79	0.2	6.3	16.1	690	3.56	5.2	1.7	7.1	7.3	85	0.3	1.5	<0.1	119
1403846	Rock Chip	1.61	62	1.8	32.2	148.2	660	5.7	6.6	16.6	1124	3.83	198.2	2.7	68.4	6.4	77	8.0	9.5	<0.1	112
1403847	Rock Chip	1.71	35	1.8	28.8	396.9	363	5.6	6.7	17.5	1115	3.98	163.5	2.7	43.6	6.6	77	6.8	5.4	<0.1	124
1403848	Rock Chip	1.39	<2	1.5	25.4	5.4	65	0.2	6.1	17.1	788	3.95	3.7	4.7	2.3	9.3	89	0.2	1.5	<0.1	127
1403849	Rock Chip	1.80	<2	1.3	27.0	4.8	62	<0.1	6.5	15.4	656	3.51	2.0	1.8	1.4	9.4	86	0.1	0.7	<0.1	117
1403850	Rock Chip	0.98	<2	1.4	23.5	3.7	69	0.1	5.9	15.1	773	3.76	3.7	2.5	1.6	10.3	93	0.2	0.5	0.1	123
1403851	Rock Chip	0.99	<2	1.5	24.7	3.3	53	<0.1	6.3	14.1	551	3.29	1.4	1.5	1.4	10.1	82	0.2	0.4	<0.1	113
1403852	Rock Chip	1.44	13	1.5	35.2	246.4	582	4.4	6.0	18.2	1011	3.89	46.1	4.9	16.4	10.7	91	5.2	4.7	0.2	109
1403853	Rock Chip	1.56	<2	1.8	26.1	4.6	53	<0.1	6.6	14.2	536	3.28	1.5	2.4	0.6	10.2	80	0.1	0.7	<0.1	109
1403854	Rock Chip	1.26	11	2.7	26.0	46.2	95	1.0	6.7	15.1	676	3.46	19.4	3.2	13.1	11.1	87	0.6	4.2	<0.1	107
1403855	Rock Chip	1.13	<2	2.3	23.6	4.4	54	<0.1	6.3	13.6	523	3.20	2.0	2.3	0.9	10.1	82	<0.1	2.2	<0.1	107
1403856	Rock Chip	1.29	599	2.7	58.7	1916	1667	51.7	6.2	14.6	884	4.22	960.2	6.2	709.6	10.7	93	21.0	88.1	<0.1	104
1403857	Rock Chip	1.23	35	1.9	22.9	28.8	71	1.1	6.2	13.4	597	3.16	39.1	2.1	35.9	10.3	95	0.6	1.8	<0.1	102
1403858	Rock Chip	1.51	9	2.0	22.0	17.1	67	0.4	6.0	12.5	512	2.96	14.8	1.9	9.2	9.3	79	0.4	1.1	<0.1	98
1403859	Rock Chip	1.70	8	2.1	26.3	8.4	65	0.2	6.2	14.3	712	3.30	20.4	2.2	9.8	10.7	73	0.4	0.6	0.2	107
1403860	Rock Pulp	0.12	3	2.6	26.9	2.6	46	0.2	26.2	11.1	455	2.54	5.3	0.3	6.1	1.0	46	0.2	0.3	<0.1	64
1403861	Rock Pulp	0.12	4265	10.6	73.2	511.3	1629	57.0	33.2	9.2	432	3.36	33.8	0.4	3663	1.2	40	17.3	51.8	1.0	60
1403862	Rock Chip	1.45	18	2.1	28.6	119.6	288	2.2	6.3	13.8	738	3.36	13.5	2.5	14.8	10.6	83	2.6	1.7	<0.1	108
1403863	Rock Chip	1.41	5	2.4	24.1	6.1	56	0.1	6.2	12.3	552	3.08	4.1	1.9	2.5	10.9	90	0.2	0.4	<0.1	100

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

CERTIFICATE OF ANALYSIS WHI12000559.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1403834	Rock Chip	1.08	0.070	12	21	1.07	1135	0.285	<20	1.92	0.193	0.79	3.6	<0.01	0.4	<0.05	4.7	<0.5	6	<0.2
1403835	Rock Chip	1.29	0.076	13	21	1.07	1063	0.290	<20	2.06	0.222	0.74	1.7	<0.01	0.3	<0.05	5.2	<0.5	7	<0.2
1403836	Rock Chip	1.26	0.085	15	25	1.26	1234	0.320	<20	2.10	0.200	0.87	0.9	<0.01	0.4	<0.05	6.2	<0.5	7	<0.2
1403837	Rock Chip	1.24	0.093	15	24	1.27	1393	0.333	<20	2.04	0.185	0.93	0.7	<0.01	0.4	<0.05	6.1	<0.5	7	<0.2
1403838	Rock Chip	1.30	0.083	14	26	1.36	1394	0.332	<20	2.28	0.233	0.91	0.7	<0.01	0.4	<0.05	6.3	<0.5	7	<0.2
1403839	Rock Chip	1.50	0.089	17	25	1.41	1321	0.296	<20	2.14	0.191	0.94	0.6	<0.01	0.5	<0.05	8.8	<0.5	7	<0.2
1403840	Rock Pulp	0.89	0.061	4	32	0.82	106	0.128	<20	1.65	0.081	0.14	12.9	0.02	<0.1	<0.05	4.8	<0.5	6	<0.2
1403841	Rock Pulp	0.92	0.064	5	36	0.88	122	0.141	<20	1.82	0.104	0.16	0.2	0.06	<0.1	<0.05	5.3	<0.5	6	<0.2
1403842	Rock Chip	1.12	0.075	16	21	1.07	1004	0.214	<20	2.06	0.194	0.73	0.4	<0.01	0.4	0.05	8.1	<0.5	6	<0.2
1403843	Rock Chip	2.18	0.071	17	22	1.13	1048	0.223	<20	2.15	0.193	0.77	0.3	<0.01	0.4	<0.05	8.1	<0.5	7	<0.2
1403844	Rock Chip	1.20	0.078	14	24	1.26	1320	0.301	<20	2.15	0.230	0.94	0.6	<0.01	0.4	<0.05	6.2	<0.5	7	<0.2
1403845	Rock Chip	1.33	0.086	17	24	1.36	1287	0.286	<20	2.38	0.264	0.99	1.5	<0.01	0.5	<0.05	7.8	<0.5	7	<0.2
1403846	Rock Chip	1.26	0.083	17	23	1.15	1201	0.251	<20	2.14	0.210	0.90	0.9	<0.01	0.5	<0.05	9.2	<0.5	7	<0.2
1403847	Rock Chip	1.45	0.080	17	23	1.25	1356	0.283	<20	2.26	0.216	1.07	0.5	<0.01	0.5	<0.05	9.3	0.6	7	<0.2
1403848	Rock Chip	2.07	0.075	18	23	1.24	1176	0.233	<20	2.41	0.216	0.94	0.3	<0.01	0.4	<0.05	12.4	<0.5	7	<0.2
1403849	Rock Chip	1.55	0.079	15	23	1.24	1282	0.286	<20	2.31	0.255	1.04	0.4	<0.01	0.5	<0.05	8.3	<0.5	7	<0.2
1403850	Rock Chip	2.02	0.071	16	24	1.51	1152	0.248	<20	2.43	0.228	0.97	0.3	<0.01	0.5	<0.05	12.0	<0.5	7	<0.2
1403851	Rock Chip	1.35	0.079	15	23	1.16	1276	0.279	<20	2.25	0.268	1.03	0.5	<0.01	0.5	<0.05	7.1	<0.5	7	<0.2
1403852	Rock Chip	2.60	0.071	18	20	1.21	929	0.172	<20	1.86	0.171	0.75	0.3	0.01	0.4	0.13	12.2	<0.5	6	<0.2
1403853	Rock Chip	1.20	0.079	16	24	1.18	1339	0.287	<20	2.24	0.270	1.03	0.6	<0.01	0.5	<0.05	5.8	<0.5	7	<0.2
1403854	Rock Chip	1.28	0.074	17	23	1.19	1255	0.270	<20	2.31	0.283	0.91	0.7	<0.01	0.4	<0.05	7.3	<0.5	7	<0.2
1403855	Rock Chip	1.17	0.076	16	25	1.16	1279	0.296	<20	2.22	0.278	0.99	0.7	<0.01	0.5	<0.05	6.3	<0.5	7	<0.2
1403856	Rock Chip	0.95	0.071	16	23	1.04	1112	0.234	<20	2.10	0.224	0.91	0.4	<0.01	0.5	0.21	8.3	<0.5	7	<0.2
1403857	Rock Chip	1.34	0.071	16	25	1.11	1089	0.256	<20	2.28	0.303	0.90	0.7	<0.01	0.4	<0.05	6.9	<0.5	7	<0.2
1403858	Rock Chip	1.11	0.068	15	24	1.07	1112	0.258	<20	1.99	0.242	0.86	0.6	<0.01	0.4	<0.05	5.5	<0.5	6	<0.2
1403859	Rock Chip	1.31	0.075	18	24	1.20	1052	0.259	<20	2.05	0.213	0.83	0.6	<0.01	0.4	<0.05	6.7	<0.5	6	<0.2
1403860	Rock Pulp	0.93	0.064	4	35	0.83	103	0.137	<20	1.67	0.086	0.15	12.9	0.02	<0.1	<0.05	5.2	0.7	6	<0.2
1403861	Rock Pulp	0.77	0.058	6	29	0.62	120	0.117	<20	1.27	0.082	0.12	2.4	0.24	1.1	0.37	4.4	0.7	6	<0.2
1403862	Rock Chip	1.43	0.083	18	23	1.18	1164	0.263	<20	2.17	0.238	0.88	0.5	<0.01	0.4	<0.05	6.8	<0.5	7	<0.2
1403863	Rock Chip	1.28	0.074	17	25	1.09	1125	0.256	<20	2.21	0.298	0.86	0.9	<0.01	0.4	<0.05	6.3	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

CERTIFICATE OF ANALYSIS WHI12000559.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403864	Rock Chip	1.58	3	1.8	28.0	8.0	55	0.2	6.2	14.7	710	3.50	3.4	2.5	2.5	11.0	81	0.2	0.6	<0.1	115
1403865	Rock Chip	1.21	3	2.4	25.0	4.3	56	<0.1	6.9	14.9	707	3.51	3.1	2.0	2.9	8.9	95	<0.1	0.9	<0.1	117
1403866	Rock Chip	1.34	86	1.8	27.5	41.1	209	1.1	6.2	15.7	887	3.83	73.5	2.5	89.5	9.9	80	2.9	1.4	0.2	115
1403867	Rock Chip	1.38	12	1.8	22.4	8.8	63	0.2	6.3	14.5	739	3.53	8.3	2.7	6.2	12.0	97	0.3	0.7	0.1	113
1403868	Rock Chip	1.47	8	1.4	21.8	10.4	66	0.2	5.5	14.8	791	3.58	12.5	3.0	9.8	7.6	90	0.1	0.5	0.3	120
1403869	Rock Chip	0.94	<2	1.7	27.9	3.8	63	<0.1	6.8	16.3	671	3.93	2.0	2.0	<0.5	8.2	80	0.1	0.5	<0.1	129
1403870	Rock Chip	1.26	5	1.9	35.3	185.2	245	2.4	6.4	15.0	700	3.79	4.2	2.9	3.5	8.8	70	2.7	2.2	<0.1	114
1403871	Rock Chip	1.32	4	1.8	28.0	26.1	234	0.2	6.6	16.1	845	3.88	12.3	2.3	1.0	9.7	101	2.7	1.3	<0.1	120
1403872	Rock Chip	1.19	26	1.7	25.3	65.8	173	1.4	5.7	14.7	810	3.68	32.9	2.6	26.0	9.0	77	1.4	2.8	0.2	113
1403873	Rock Chip	1.53	30	2.0	29.6	43.1	127	0.8	7.6	16.8	1376	4.12	29.3	3.0	28.3	8.3	103	1.2	1.7	<0.1	127
1403874	Rock Chip	0.55	3	1.9	28.1	13.4	67	0.2	5.9	14.9	726	3.55	3.2	2.6	<0.5	9.0	79	0.3	1.1	<0.1	114
1403875	Rock Chip	0.74	4	1.8	25.6	12.8	64	0.2	6.1	14.2	688	3.40	3.1	2.9	<0.5	8.5	72	0.3	0.9	<0.1	112
1403876	Rock Chip	1.66	4	1.9	25.8	7.0	60	0.1	7.0	13.7	635	3.41	5.5	2.1	0.6	8.5	97	0.3	2.1	<0.1	109
1403877	Rock Chip	1.71	2	2.1	27.3	8.2	69	0.1	7.1	14.4	721	3.62	8.5	2.1	<0.5	10.1	96	0.2	2.5	<0.1	116
1403878	Rock Chip	1.70	<2	1.7	21.5	6.9	62	0.1	7.1	14.1	857	3.60	3.3	3.7	<0.5	10.7	98	0.3	2.5	<0.1	117
1403879	Rock Chip	1.87	22	1.4	21.0	95.0	275	1.3	5.6	12.7	829	3.54	4.1	2.4	2.1	10.7	76	2.2	4.3	<0.1	102
1403880	Rock Pulp	0.12	4	2.5	26.4	2.3	46	0.2	25.5	11.3	460	2.64	5.1	0.3	<0.5	1.0	46	0.1	0.2	<0.1	64
1403881	Rock Pulp	0.12	1331	9.5	51.9	6.4	57	0.2	35.0	10.4	556	3.60	7.7	0.4	761.7	1.2	52	0.2	1.0	<0.1	71
1403882	Rock Chip	1.57	26	1.7	29.2	90.8	262	1.3	8.2	20.3	1022	4.89	15.2	3.6	25.5	9.1	103	4.5	6.3	<0.1	161
1403883	Rock Chip	1.39	<2	2.3	30.0	3.5	58	<0.1	7.4	14.5	636	3.56	1.8	1.8	<0.5	5.8	91	0.1	2.9	<0.1	119
1403884	Rock Chip	2.00	100	1.8	37.1	56.2	589	4.9	6.9	19.9	1012	3.92	91.9	3.0	101.5	8.1	83	6.3	12.0	<0.1	122
1403885	Rock Chip	1.43	1556	2.3	80.1	3347	850	45.8	6.2	15.1	888	4.86	799.9	5.6	680.2	6.9	134	11.5	49.1	0.7	122
1403886	Rock Chip	1.72	4	1.9	23.7	9.0	57	0.1	5.9	12.8	713	3.17	4.7	1.7	2.6	10.2	103	0.6	5.4	<0.1	103
1403887	Rock Chip	1.94	6	1.8	26.3	11.5	57	0.2	7.0	14.2	669	3.48	6.1	1.7	2.3	8.8	97	0.2	3.3	<0.1	113
1403888	Rock Chip	1.39	<2	2.0	31.8	3.7	68	<0.1	7.6	17.4	797	4.16	2.9	1.8	<0.5	8.0	99	0.1	3.9	<0.1	139
1403889	Rock Chip	1.28	17	1.6	24.9	36.9	143	0.5	7.8	18.2	942	4.68	7.6	3.5	13.2	8.9	100	1.5	4.3	<0.1	152
1403890	Rock Chip	1.16	22	1.8	25.0	14.8	144	0.2	7.0	15.5	762	3.87	41.4	1.8	21.9	9.3	116	1.1	3.3	<0.1	126
1403891	Rock Chip	1.49	1159	1.6	58.5	2938	1841	41.9	7.0	14.7	977	5.37	1593	7.4	1301	9.2	129	36.4	19.4	<0.1	97
1403892	Rock Chip	1.53	141	1.7	28.8	195.5	486	3.7	7.6	17.5	984	4.38	203.4	2.7	141.4	8.1	94	4.5	4.8	0.4	128
1403893	Rock Chip	1.81	268	1.2	34.9	304.4	569	9.4	6.9	18.3	1464	5.13	271.8	3.1	273.2	11.1	80	11.5	7.0	8.1	134

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

CERTIFICATE OF ANALYSIS WHI12000559.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1403864	Rock Chip	1.59	0.087	18	26	1.25	1162	0.279	<20	2.17	0.227	0.93	0.6	<0.01	0.5	<0.05	8.1	<0.5	7	<0.2
1403865	Rock Chip	1.59	0.080	18	27	1.31	1191	0.277	<20	2.41	0.275	0.97	0.6	<0.01	0.4	<0.05	8.9	<0.5	7	<0.2
1403866	Rock Chip	2.12	0.077	16	24	1.32	976	0.203	<20	2.24	0.151	0.79	0.3	0.01	0.4	<0.05	12.0	<0.5	7	<0.2
1403867	Rock Chip	1.71	0.068	17	25	1.21	1052	0.265	<20	2.35	0.256	1.00	0.3	<0.01	0.6	<0.05	9.0	<0.5	7	<0.2
1403868	Rock Chip	1.75	0.068	14	25	1.28	1097	0.252	<20	2.26	0.239	1.00	0.4	<0.01	0.5	0.07	10.0	<0.5	7	<0.2
1403869	Rock Chip	1.32	0.092	17	31	1.40	1399	0.341	<20	2.46	0.265	1.19	0.4	<0.01	0.5	<0.05	7.4	<0.5	8	<0.2
1403870	Rock Chip	1.37	0.084	16	28	1.29	1117	0.275	<20	2.31	0.217	0.97	0.5	<0.01	0.5	0.11	8.0	<0.5	7	<0.2
1403871	Rock Chip	1.82	0.082	17	29	1.31	1114	0.257	<20	2.55	0.282	0.95	0.3	<0.01	0.5	0.07	9.8	<0.5	8	<0.2
1403872	Rock Chip	1.51	0.082	16	26	1.30	1138	0.274	<20	2.28	0.219	0.99	0.4	<0.01	0.5	0.08	8.4	<0.5	7	<0.2
1403873	Rock Chip	2.72	0.085	18	29	1.32	1170	0.268	<20	2.51	0.245	1.02	0.3	<0.01	0.5	0.10	10.9	<0.5	8	<0.2
1403874	Rock Chip	1.36	0.082	16	27	1.25	1185	0.285	<20	2.30	0.249	0.97	1.1	<0.01	0.5	0.06	8.4	<0.5	8	<0.2
1403875	Rock Chip	1.27	0.074	15	26	1.20	1124	0.283	<20	2.16	0.229	0.94	0.4	<0.01	0.4	0.06	7.6	<0.5	7	<0.2
1403876	Rock Chip	1.43	0.077	16	26	1.19	1140	0.271	<20	2.36	0.297	0.93	0.5	<0.01	0.4	<0.05	8.1	<0.5	7	<0.2
1403877	Rock Chip	1.53	0.074	16	28	1.24	1147	0.263	<20	2.45	0.294	0.97	0.4	<0.01	0.5	<0.05	9.2	<0.5	7	<0.2
1403878	Rock Chip	1.68	0.077	19	27	1.33	1008	0.226	<20	2.40	0.243	0.90	0.4	<0.01	0.4	<0.05	11.7	<0.5	8	<0.2
1403879	Rock Chip	1.60	0.084	17	24	1.29	1009	0.260	<20	2.30	0.199	1.04	0.3	<0.01	0.5	<0.05	10.1	<0.5	8	<0.2
1403880	Rock Pulp	0.96	0.065	5	35	0.87	105	0.139	<20	1.79	0.094	0.14	11.5	<0.01	<0.1	<0.05	5.3	<0.5	6	<0.2
1403881	Rock Pulp	0.99	0.062	5	40	0.92	118	0.149	<20	1.96	0.117	0.17	0.1	0.08	<0.1	<0.05	5.9	<0.5	6	<0.2
1403882	Rock Chip	1.88	0.094	20	32	1.63	1285	0.273	<20	2.83	0.205	1.08	0.2	<0.01	0.5	<0.05	17.9	<0.5	9	<0.2
1403883	Rock Chip	1.32	0.079	14	27	1.27	1117	0.268	<20	2.44	0.280	0.99	0.4	<0.01	0.4	<0.05	8.4	<0.5	7	<0.2
1403884	Rock Chip	1.29	0.079	17	27	1.35	1095	0.230	<20	2.53	0.226	0.89	0.2	<0.01	0.4	0.13	12.6	<0.5	8	<0.2
1403885	Rock Chip	1.79	0.078	16	27	1.39	505	0.189	<20	2.43	0.165	0.86	0.2	0.02	0.5	0.68	13.4	<0.5	8	<0.2
1403886	Rock Chip	1.59	0.067	15	26	1.19	1051	0.234	<20	2.21	0.244	0.80	0.4	<0.01	0.3	<0.05	8.2	<0.5	7	<0.2
1403887	Rock Chip	1.52	0.081	16	28	1.27	1086	0.260	<20	2.34	0.270	0.90	0.4	<0.01	0.4	<0.05	8.3	<0.5	7	<0.2
1403888	Rock Chip	1.62	0.094	17	33	1.54	1224	0.290	<20	2.52	0.211	1.04	0.3	<0.01	0.6	<0.05	11.4	<0.5	8	<0.2
1403889	Rock Chip	2.10	0.082	19	30	1.68	1081	0.227	<20	2.85	0.189	0.90	0.3	0.01	0.6	<0.05	16.8	<0.5	9	<0.2
1403890	Rock Chip	1.68	0.080	17	29	1.39	1216	0.265	<20	2.61	0.258	0.96	0.3	<0.01	0.5	<0.05	9.8	<0.5	8	<0.2
1403891	Rock Chip	1.42	0.081	20	24	1.08	831	0.118	<20	2.09	0.130	0.74	0.2	0.02	0.4	0.23	12.9	<0.5	7	<0.2
1403892	Rock Chip	1.81	0.077	17	28	1.41	1093	0.231	<20	2.74	0.230	0.96	0.2	<0.01	0.5	<0.05	13.8	<0.5	8	<0.2
1403893	Rock Chip	3.15	0.084	23	26	1.63	717	0.116	<20	2.93	0.104	0.65	0.2	<0.01	0.3	<0.05	19.0	0.9	10	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

CERTIFICATE OF ANALYSIS WHI12000559.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403894	Rock Chip	1.30	92	0.9	23.4	84.2	313	1.3	5.7	17.1	1559	4.47	93.1	7.0	92.6	7.7	82	4.0	5.5	0.3	112
1403895	Rock Chip	1.74	7	1.2	31.3	26.2	111	0.5	6.2	16.1	1049	3.95	14.9	3.4	7.8	5.8	85	1.4	3.1	0.3	117
1403896	Rock Chip	1.42	151	1.6	33.4	186.1	165	2.9	5.6	13.3	957	3.21	56.4	2.0	148.8	9.1	80	1.5	5.3	0.3	97
1403897	Rock Chip	1.92	62	1.6	38.6	74.8	147	1.3	6.1	15.1	952	3.71	84.6	2.2	67.8	7.7	73	1.7	4.1	0.4	114
1403898	Rock Chip	1.62	3	1.9	51.2	27.6	74	0.4	7.2	13.8	730	3.41	3.6	1.8	3.4	7.1	93	0.4	0.6	0.8	114
1403899	Rock Chip	0.97	6	2.1	40.6	15.4	97	0.3	7.8	15.0	797	3.68	9.0	2.8	4.6	8.4	94	0.5	0.7	0.1	119
1403900	Rock Pulp	0.12	27	2.3	26.4	2.5	46	0.2	26.0	11.0	441	2.61	5.1	0.3	<0.5	1.0	45	0.2	0.2	<0.1	62
1403901	Rock Pulp	0.12	4201	10.1	72.3	418.5	1569	53.5	33.9	9.1	450	3.45	34.4	0.4	3411	1.2	39	17.1	52.2	0.8	58
1403902	Rock Chip	1.93	68	2.0	38.6	104.0	277	1.3	6.5	15.4	1203	3.71	147.1	2.3	63.6	7.2	59	3.2	2.2	0.3	106
1403903	Rock Chip	1.76	19	1.9	38.7	38.5	212	0.5	7.2	16.3	821	3.79	52.5	1.4	21.6	7.1	63	1.6	1.5	0.2	117
1403904	Rock Chip	1.28	<2	1.7	29.3	52.1	89	0.6	6.6	14.7	842	3.43	2.8	1.9	<0.5	6.8	71	0.7	1.8	<0.1	104
1403905	Rock Chip	1.67	61	1.7	43.6	133.9	241	1.9	6.0	17.5	1165	4.28	79.9	2.8	61.8	7.3	76	2.0	4.7	0.5	121
1403906	Rock Chip	1.73	39	1.7	43.1	372.3	376	4.6	6.6	16.2	962	3.92	72.8	1.9	23.5	6.5	60	4.9	4.3	0.4	117
1403907	Rock Chip	1.55	<2	5.0	39.3	16.3	128	0.4	7.1	17.2	992	4.11	4.6	2.0	1.5	6.8	69	0.4	1.2	0.9	125
1403908	Rock Chip	1.47	318	4.5	119.8	1788	6640	77.6	5.8	15.6	2138	4.82	534.4	2.8	352.4	5.1	58	90.4	136.0	0.7	89
1403909	Rock Chip	1.41	44	2.3	37.9	80.8	113	1.4	6.8	17.9	1300	4.28	31.5	3.3	58.7	7.0	83	0.7	2.7	0.8	105
1403910	Rock Chip	1.59	2	3.7	44.2	15.2	116	0.5	6.6	15.9	980	3.87	6.4	2.4	8.0	8.6	96	0.5	1.6	0.4	111
1403911	Rock Chip	1.60	3	2.9	34.2	33.7	153	0.5	6.7	16.1	1159	3.82	4.2	2.8	5.5	8.6	70	1.1	1.3	0.2	108
1403912	Rock Chip	1.42	<2	1.5	27.9	8.5	82	0.2	6.1	14.7	838	3.57	3.9	2.0	2.3	8.2	63	0.3	0.5	0.1	116
1403913	Rock Chip	1.76	<2	1.5	29.1	8.2	86	0.2	6.7	16.7	946	4.03	2.5	3.0	1.1	9.6	69	0.2	0.7	0.3	121
1403914	Rock Chip	1.62	<2	1.7	29.8	7.3	75	0.3	6.9	16.7	895	3.59	4.3	5.0	2.2	9.4	72	0.2	2.7	0.5	108
1403915	Rock Chip	1.70	<2	2.4	25.8	4.4	55	<0.1	6.5	13.4	599	3.32	1.1	2.6	<0.5	8.4	74	0.1	0.6	0.1	105
1403916	Rock Chip	1.90	<2	1.9	26.2	3.8	60	<0.1	7.2	15.0	662	3.51	1.1	1.8	<0.5	9.3	71	0.1	0.8	<0.1	115
1403917	Rock Chip	1.30	9	2.0	29.7	19.9	67	0.3	6.9	15.4	759	3.64	8.2	1.8	9.5	8.6	72	0.3	1.0	<0.1	114
1403918	Rock Chip	2.02	<2	2.5	25.0	7.1	78	0.1	6.6	13.7	619	3.19	2.4	2.1	1.6	8.7	78	0.7	0.9	<0.1	99
1403919	Rock Chip	1.47	93	2.5	39.3	1129	1736	14.9	6.4	14.4	703	3.72	133.8	2.6	77.0	8.5	67	25.6	10.6	<0.1	97
1403920	Rock Pulp	0.15	<2	2.6	23.3	1.5	38	0.3	22.0	9.9	370	2.17	4.7	0.2	1.9	0.8	31	0.1	0.2	<0.1	51
1403921	Rock Pulp	0.15	1483	8.5	45.6	5.3	46	0.3	30.7	8.6	449	2.92	6.5	0.2	2014	0.9	34	0.1	1.1	<0.1	60
1403922	Rock Chip	1.76	<2	3.0	33.8	72.9	193	0.9	7.1	14.3	610	3.41	4.4	1.9	24.9	8.1	68	1.6	1.8	0.1	110
1403923	Rock Chip	1.68	<2	3.1	32.9	29.6	314	0.4	6.9	15.0	645	3.65	8.4	1.6	16.4	8.8	67	2.2	1.3	0.1	116

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

CERTIFICATE OF ANALYSIS WHI12000559.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1403894	Rock Chip	3.69	0.074	23	18	0.98	430	0.049	<20	2.32	0.043	0.34	<0.1	0.02	0.3	<0.05	17.9	<0.5	8	<0.2
1403895	Rock Chip	2.39	0.072	13	24	1.15	1039	0.209	<20	2.28	0.141	0.85	0.2	0.02	0.5	<0.05	13.5	<0.5	8	<0.2
1403896	Rock Chip	2.16	0.057	15	22	1.10	977	0.203	<20	2.06	0.180	0.78	0.3	<0.01	0.5	<0.05	8.9	<0.5	6	<0.2
1403897	Rock Chip	1.75	0.071	16	25	1.30	1228	0.249	<20	2.22	0.166	0.95	0.4	<0.01	0.5	<0.05	9.8	<0.5	7	<0.2
1403898	Rock Chip	1.42	0.078	15	28	1.23	1191	0.272	<20	2.44	0.295	1.04	0.4	<0.01	0.5	<0.05	7.4	<0.5	7	<0.2
1403899	Rock Chip	1.51	0.083	15	30	1.30	1299	0.295	<20	2.57	0.284	1.12	0.5	<0.01	0.5	<0.05	7.5	<0.5	8	<0.2
1403900	Rock Pulp	0.94	0.070	5	33	0.86	103	0.135	<20	1.77	0.091	0.14	11.4	<0.01	<0.1	<0.05	5.1	<0.5	6	<0.2
1403901	Rock Pulp	0.76	0.061	6	30	0.61	117	0.121	<20	1.29	0.083	0.12	2.0	0.22	1.0	0.36	4.9	<0.5	7	<0.2
1403902	Rock Chip	1.89	0.070	14	26	1.30	1244	0.243	<20	2.11	0.147	0.98	0.4	<0.01	0.6	0.05	8.8	<0.5	7	<0.2
1403903	Rock Chip	1.55	0.069	14	29	1.44	1450	0.276	<20	2.35	0.182	1.06	0.3	<0.01	0.6	<0.05	9.2	<0.5	8	<0.2
1403904	Rock Chip	1.64	0.063	14	27	1.36	1381	0.249	<20	2.15	0.160	0.93	0.3	<0.01	0.5	<0.05	7.7	<0.5	7	<0.2
1403905	Rock Chip	2.61	0.069	17	25	1.70	1004	0.180	<20	2.54	0.103	0.81	0.2	<0.01	0.5	0.14	15.2	<0.5	8	<0.2
1403906	Rock Chip	2.03	0.069	13	26	1.52	1184	0.220	<20	2.39	0.131	0.95	0.3	<0.01	0.5	0.15	12.1	<0.5	8	<0.2
1403907	Rock Chip	2.39	0.066	17	29	1.61	1009	0.195	<20	2.56	0.148	0.85	0.4	<0.01	0.5	<0.05	14.3	<0.5	8	<0.2
1403908	Rock Chip	2.75	0.062	13	20	1.51	183	0.073	<20	1.63	0.054	0.49	0.5	0.02	0.3	1.56	12.4	<0.5	6	<0.2
1403909	Rock Chip	2.91	0.066	15	24	1.69	568	0.093	<20	2.17	0.058	0.53	0.3	<0.01	0.4	0.32	15.6	<0.5	7	<0.2
1403910	Rock Chip	2.26	0.062	16	27	1.44	1172	0.220	<20	2.34	0.168	0.95	0.3	<0.01	0.5	0.07	12.8	<0.5	8	<0.2
1403911	Rock Chip	2.09	0.067	16	27	1.42	1133	0.216	<20	2.17	0.130	0.87	0.3	<0.01	0.5	0.05	10.0	<0.5	7	<0.2
1403912	Rock Chip	1.75	0.064	13	27	1.34	1214	0.245	<20	2.18	0.155	1.00	0.3	<0.01	0.6	<0.05	10.0	<0.5	7	<0.2
1403913	Rock Chip	2.00	0.068	14	27	1.49	1213	0.244	<20	2.47	0.168	1.03	0.3	<0.01	0.6	<0.05	13.4	<0.5	8	<0.2
1403914	Rock Chip	2.28	0.072	16	26	1.29	1039	0.196	<20	1.95	0.147	0.75	0.3	0.01	0.4	0.13	10.7	<0.5	7	<0.2
1403915	Rock Chip	1.31	0.069	14	29	1.21	1289	0.268	<20	2.26	0.241	0.96	0.4	<0.01	0.5	<0.05	6.8	<0.5	7	<0.2
1403916	Rock Chip	1.55	0.073	14	31	1.36	1521	0.295	<20	2.30	0.203	1.05	0.4	<0.01	0.6	<0.05	7.5	<0.5	7	<0.2
1403917	Rock Chip	1.58	0.077	14	30	1.35	1400	0.275	<20	2.27	0.181	1.01	0.4	<0.01	0.5	0.06	7.6	<0.5	7	<0.2
1403918	Rock Chip	1.47	0.068	14	28	1.22	1212	0.254	<20	2.18	0.216	0.87	0.6	<0.01	0.5	<0.05	6.4	<0.5	7	<0.2
1403919	Rock Chip	1.65	0.063	14	27	1.20	1026	0.203	<20	2.12	0.176	0.73	0.5	<0.01	0.4	0.42	8.3	<0.5	7	<0.2
1403920	Rock Pulp	0.72	0.054	3	28	0.72	86	0.095	<20	1.44	0.070	0.12	12.2	0.01	<0.1	<0.05	3.8	<0.5	5	<0.2
1403921	Rock Pulp	0.81	0.053	4	32	0.76	95	0.111	<20	1.62	0.092	0.14	0.3	0.07	<0.1	<0.05	4.3	<0.5	5	<0.2
1403922	Rock Chip	1.30	0.071	13	30	1.23	1378	0.277	<20	2.21	0.217	0.99	0.5	<0.01	0.5	<0.05	6.9	<0.5	7	<0.2
1403923	Rock Chip	1.48	0.074	14	29	1.29	1393	0.277	<20	2.27	0.221	1.00	0.3	<0.01	0.5	<0.05	8.1	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

CERTIFICATE OF ANALYSIS WHI12000559.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1403924	Rock Chip	0.76	153	4.8	55.8	3324	2106	39.3	5.6	11.7	505	4.16	400.0	5.7	156.8	8.9	65	32.2	32.1	0.2	91
1403925	Rock Chip	1.07	107	4.3	45.5	2211	1698	26.9	5.8	12.0	522	3.70	266.9	4.7	97.7	8.7	59	25.9	22.2	0.2	92
1403926	Rock Chip	1.64	<2	3.5	27.4	29.2	95	0.5	6.4	12.5	505	3.06	6.4	1.9	11.5	8.4	61	0.6	0.7	<0.1	98
1403927	Rock Chip	1.61	<2	3.3	25.2	5.7	48	0.1	6.4	12.8	473	3.02	2.1	2.4	4.2	8.4	54	0.1	0.4	0.1	97
1403928	Rock Chip	1.70	<2	3.4	29.6	78.9	147	0.9	6.5	14.0	729	3.45	2.6	2.4	3.5	7.4	69	1.8	2.5	<0.1	102
1403929	Rock Chip	1.47	<2	2.8	23.1	3.9	54	<0.1	6.9	14.9	608	3.54	1.3	2.4	1.5	8.5	65	0.2	1.8	<0.1	112
1403930	Rock Chip	1.76	<2	2.1	25.3	33.4	91	0.4	6.5	13.3	578	3.20	3.6	2.9	28.2	8.5	82	0.7	1.8	<0.1	104
1403931	Rock Chip	1.90	714	3.0	203.6	3673	5207	56.0	7.4	16.7	857	4.83	1926	2.3	760.1	6.0	49	68.5	305.1	<0.1	119
1403932	Rock Chip	1.88	2	2.4	35.1	12.9	63	0.4	6.8	15.3	570	3.61	11.8	2.1	19.3	8.8	64	0.2	2.4	<0.1	118
1403933	Rock Chip	1.28	22	2.1	31.9	116.7	231	1.6	6.3	13.8	541	3.30	47.1	2.5	29.1	9.4	58	2.8	3.7	0.1	102
1403934	Rock Chip	2.00	87	2.7	30.9	291.1	709	3.4	6.2	13.2	601	3.32	156.1	3.1	88.3	8.7	64	10.8	4.5	<0.1	92
1403935	Rock Chip	1.63	142	3.3	35.7	161.8	673	2.8	7.2	14.4	762	3.56	101.1	2.3	146.1	9.0	68	9.9	8.1	<0.1	100
1403936	Rock Chip	1.60	612	2.5	45.1	1514	1783	26.2	6.1	12.7	592	4.19	997.0	2.6	517.0	8.3	52	25.8	37.6	<0.1	90
1403937	Rock Chip	1.73	253	3.5	38.4	1449	1393	20.1	7.7	14.7	640	4.05	283.2	2.7	249.5	8.7	80	20.9	10.2	0.2	108
1403938	Rock Chip	1.73	5	3.0	29.7	439.4	237	5.8	8.2	14.2	757	3.66	39.3	2.8	7.6	9.6	96	2.5	4.8	<0.1	118
1403939	Rock Chip	1.63	<2	3.5	26.6	18.2	100	0.4	7.8	13.5	526	3.34	2.6	2.3	1.6	9.9	85	0.9	0.6	<0.1	114
1403940	Rock Pulp	0.15	7	2.4	25.7	2.7	45	0.2	24.3	10.9	433	2.58	4.6	0.3	0.6	1.0	46	0.2	0.2	<0.1	64
1403941	Rock Pulp	0.15	4381	10.0	68.3	462.5	1624	55.2	31.3	8.6	439	3.47	31.5	0.4	2412	1.2	39	16.3	42.4	1.2	60
1403942	Rock Chip	1.85	99	2.3	28.3	382.3	793	5.9	6.5	13.2	576	3.52	62.4	2.7	46.1	9.3	84	12.5	2.7	<0.1	108
1403943	Rock Chip	1.28	126	3.4	24.8	79.3	107	1.1	7.3	13.0	727	3.47	615.5	2.8	109.8	10.2	97	0.7	1.6	<0.1	99
1403944	Rock Chip	1.97	<2	2.9	23.7	11.0	49	0.2	6.6	13.4	612	3.32	5.5	2.9	1.0	10.0	96	0.1	0.4	<0.1	108
1403945	Rock Chip	1.62	<2	2.0	25.2	5.9	62	<0.1	6.0	13.1	522	3.17	8.4	2.5	1.8	9.7	86	0.3	0.5	<0.1	108

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

CERTIFICATE OF ANALYSIS WHI12000559.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1403924	Rock Chip	1.04	0.066	13	24	1.01	757	0.163	<20	1.89	0.120	0.73	0.5	0.01	0.4	0.47	8.4	<0.5	6	<0.2
1403925	Rock Chip	1.07	0.067	13	26	1.03	947	0.189	<20	1.83	0.135	0.75	0.5	<0.01	0.4	0.33	7.2	<0.5	6	<0.2
1403926	Rock Chip	1.15	0.070	13	30	1.12	1288	0.259	<20	2.03	0.205	0.88	0.6	<0.01	0.5	<0.05	5.7	<0.5	6	<0.2
1403927	Rock Chip	1.02	0.068	13	29	1.07	1328	0.275	<20	1.94	0.189	0.90	0.7	<0.01	0.5	<0.05	4.5	<0.5	6	<0.2
1403928	Rock Chip	1.72	0.068	14	29	1.27	1185	0.232	<20	2.17	0.191	0.84	0.4	<0.01	0.4	0.07	8.2	<0.5	6	<0.2
1403929	Rock Chip	1.36	0.070	14	29	1.34	1314	0.253	<20	2.24	0.201	0.91	0.4	<0.01	0.5	<0.05	8.6	<0.5	7	<0.2
1403930	Rock Chip	1.41	0.066	14	27	1.18	1267	0.246	<20	2.20	0.241	0.84	0.5	<0.01	0.5	0.05	6.5	<0.5	6	<0.2
1403931	Rock Chip	1.35	0.085	12	31	1.28	140	0.267	<20	1.97	0.161	1.04	0.6	0.01	0.6	1.70	8.2	<0.5	6	<0.2
1403932	Rock Chip	1.10	0.081	15	31	1.33	1629	0.312	<20	2.17	0.211	1.04	0.7	<0.01	0.6	<0.05	6.3	<0.5	7	<0.2
1403933	Rock Chip	1.10	0.076	14	27	1.13	1379	0.275	<20	1.97	0.184	0.90	0.9	<0.01	0.5	0.14	5.4	<0.5	6	<0.2
1403934	Rock Chip	1.16	0.073	14	27	1.08	1180	0.238	<20	1.93	0.196	0.81	0.9	<0.01	0.5	0.36	5.7	<0.5	6	<0.2
1403935	Rock Chip	1.22	0.074	15	28	1.18	1229	0.243	<20	2.08	0.218	0.82	0.8	<0.01	0.4	0.25	7.4	<0.5	6	<0.2
1403936	Rock Chip	0.93	0.072	13	25	0.97	576	0.170	<20	1.74	0.142	0.77	0.3	0.01	0.4	0.73	7.8	<0.5	6	<0.2
1403937	Rock Chip	1.17	0.075	15	31	1.17	68	0.259	<20	2.12	0.215	0.86	1.0	<0.01	0.4	1.04	6.7	<0.5	6	<0.2
1403938	Rock Chip	1.61	0.077	16	32	1.24	1085	0.268	<20	2.15	0.207	0.86	0.6	<0.01	0.4	0.13	8.0	<0.5	7	<0.2
1403939	Rock Chip	1.16	0.081	15	37	1.22	1153	0.300	<20	2.13	0.237	0.90	0.7	<0.01	0.4	0.05	6.0	<0.5	7	<0.2
1403940	Rock Pulp	0.94	0.058	4	32	0.84	102	0.141	<20	1.73	0.086	0.14	12.8	0.01	<0.1	<0.05	4.8	0.7	6	<0.2
1403941	Rock Pulp	0.78	0.053	6	28	0.62	110	0.124	<20	1.27	0.080	0.12	2.2	0.22	1.0	0.35	4.4	<0.5	7	<0.2
1403942	Rock Chip	1.25	0.071	14	27	1.17	165	0.290	<20	2.22	0.251	0.90	0.8	<0.01	0.3	0.36	6.1	<0.5	7	<0.2
1403943	Rock Chip	1.50	0.070	15	31	1.07	157	0.267	<20	2.06	0.232	0.84	0.8	<0.01	0.3	0.33	6.0	1.3	6	<0.2
1403944	Rock Chip	1.45	0.066	14	31	1.16	1074	0.286	<20	2.21	0.275	0.88	0.9	<0.01	0.4	0.11	7.1	0.7	7	<0.2
1403945	Rock Chip	1.19	0.074	14	25	1.18	1092	0.285	<20	2.11	0.242	0.86	0.8	<0.01	0.4	<0.05	5.8	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

QUALITY CONTROL REPORT WHI12000559.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1403839	Rock Chip	1.18	<2	2.5	31.3	4.8	157	<0.1	6.6	16.0	654	3.67	2.3	2.0	1.0	8.3	72	1.0	3.5	<0.1	128
REP 1403839	QC		<2																		
1403858	Rock Chip	1.51	9	2.0	22.0	17.1	67	0.4	6.0	12.5	512	2.96	14.8	1.9	9.2	9.3	79	0.4	1.1	<0.1	98
REP 1403858	QC			2.1	22.0	17.5	68	0.5	5.9	12.6	536	3.03	15.5	1.6	9.2	9.7	81	0.4	1.2	<0.1	100
1403873	Rock Chip	1.53	30	2.0	29.6	43.1	127	0.8	7.6	16.8	1376	4.12	29.3	3.0	28.3	8.3	103	1.2	1.7	<0.1	127
REP 1403873	QC		32																		
1403893	Rock Chip	1.81	268	1.2	34.9	304.4	569	9.4	6.9	18.3	1464	5.13	271.8	3.1	273.2	11.1	80	11.5	7.0	8.1	134
REP 1403893	QC			1.1	35.0	296.8	545	9.2	7.0	18.4	1451	5.08	264.9	2.9	263.3	11.1	80	10.7	7.6	8.1	132
1403897	Rock Chip	1.92	62	1.6	38.6	74.8	147	1.3	6.1	15.1	952	3.71	84.6	2.2	67.8	7.7	73	1.7	4.1	0.4	114
REP 1403897	QC			1.7	38.1	73.1	149	1.3	5.9	15.4	932	3.75	83.4	2.2	59.9	7.7	74	1.5	4.1	0.4	114
1403920	Rock Pulp	0.15	<2	2.6	23.3	1.5	38	0.3	22.0	9.9	370	2.17	4.7	0.2	1.9	0.8	31	0.1	0.2	<0.1	51
REP 1403920	QC			2.5	24.6	2.3	41	0.3	23.5	10.3	387	2.24	4.3	0.2	1.7	0.8	32	0.1	0.3	<0.1	53
1403928	Rock Chip	1.70	<2	3.4	29.6	78.9	147	0.9	6.5	14.0	729	3.45	2.6	2.4	3.5	7.4	69	1.8	2.5	<0.1	102
REP 1403928	QC		<2																		
1403945	Rock Chip	1.62	<2	2.0	25.2	5.9	62	<0.1	6.0	13.1	522	3.17	8.4	2.5	1.8	9.7	86	0.3	0.5	<0.1	108
REP 1403945	QC			2.2	26.6	6.2	63	<0.1	6.1	13.3	550	3.23	8.6	3.0	1.3	10.5	91	0.3	0.5	<0.1	111
Core Reject Duplicates																					
1403855	Rock Chip	1.13	<2	2.3	23.6	4.4	54	<0.1	6.3	13.6	523	3.20	2.0	2.3	0.9	10.1	82	<0.1	2.2	<0.1	107
DUP 1403855	QC		<2	2.1	23.5	4.6	51	<0.1	6.0	13.4	530	3.16	1.9	1.8	<0.5	9.6	85	0.1	2.2	<0.1	107
1403890	Rock Chip	1.16	22	1.8	25.0	14.8	144	0.2	7.0	15.5	762	3.87	41.4	1.8	21.9	9.3	116	1.1	3.3	<0.1	126
DUP 1403890	QC		20	1.8	23.3	15.0	141	0.2	7.0	14.9	727	3.64	39.1	1.5	20.4	8.7	104	1.1	3.0	<0.1	120
1403925	Rock Chip	1.07	107	4.3	45.5	2211	1698	26.9	5.8	12.0	522	3.70	266.9	4.7	97.7	8.7	59	25.9	22.2	0.2	92
DUP 1403925	QC		113	4.5	47.8	2322	1814	27.6	6.2	12.6	556	3.93	273.5	4.4	104.8	9.4	64	26.7	23.0	0.2	97
Reference Materials																					
STD DS9	Standard			13.5	117.8	131.2	337	1.9	43.6	8.5	606	2.44	27.4	3.1	128.1	7.3	81	2.7	4.8	7.0	42
STD DS9	Standard			14.4	114.3	133.5	327	1.7	43.8	8.1	647	2.49	27.8	3.0	123.5	6.8	85	2.7	5.2	5.9	41
STD DS9	Standard			14.1	113.3	124.7	314	1.7	42.7	8.1	594	2.32	24.7	2.4	105.8	5.8	64	2.4	4.6	5.2	38
STD DS9	Standard			13.1	117.1	131.3	328	2.1	43.5	8.1	598	2.47	24.7	2.7	115.8	6.4	69	2.3	4.3	5.2	39

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

QUALITY CONTROL REPORT WHI12000559.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
1403839	Rock Chip	1.50	0.089	17	25	1.41	1321	0.296	<20	2.14	0.191	0.94	0.6	<0.01	0.5	<0.05	8.8	<0.5	7	<0.2
REP 1403839	QC																			
1403858	Rock Chip	1.11	0.068	15	24	1.07	1112	0.258	<20	1.99	0.242	0.86	0.6	<0.01	0.4	<0.05	5.5	<0.5	6	<0.2
REP 1403858	QC	1.14	0.071	15	25	1.11	1156	0.264	<20	2.04	0.253	0.89	0.7	<0.01	0.4	<0.05	5.7	<0.5	6	<0.2
1403873	Rock Chip	2.72	0.085	18	29	1.32	1170	0.268	<20	2.51	0.245	1.02	0.3	<0.01	0.5	0.10	10.9	<0.5	8	<0.2
REP 1403873	QC																			
1403893	Rock Chip	3.15	0.084	23	26	1.63	717	0.116	<20	2.93	0.104	0.65	0.2	<0.01	0.3	<0.05	19.0	0.9	10	<0.2
REP 1403893	QC	3.11	0.085	24	26	1.55	736	0.117	<20	2.87	0.102	0.64	0.2	<0.01	0.4	<0.05	19.0	<0.5	10	<0.2
1403897	Rock Chip	1.75	0.071	16	25	1.30	1228	0.249	<20	2.22	0.166	0.95	0.4	<0.01	0.5	<0.05	9.8	<0.5	7	<0.2
REP 1403897	QC	1.77	0.070	15	25	1.31	1142	0.253	<20	2.27	0.172	0.95	0.4	<0.01	0.5	<0.05	9.8	<0.5	7	<0.2
1403920	Rock Pulp	0.72	0.054	3	28	0.72	86	0.095	<20	1.44	0.070	0.12	12.2	0.01	<0.1	<0.05	3.8	<0.5	5	<0.2
REP 1403920	QC	0.76	0.056	4	30	0.74	89	0.103	<20	1.53	0.077	0.12	11.9	<0.01	<0.1	<0.05	4.1	<0.5	5	<0.2
1403928	Rock Chip	1.72	0.068	14	29	1.27	1185	0.232	<20	2.17	0.191	0.84	0.4	<0.01	0.4	0.07	8.2	<0.5	6	<0.2
REP 1403928	QC																			
1403945	Rock Chip	1.19	0.074	14	25	1.18	1092	0.285	<20	2.11	0.242	0.86	0.8	<0.01	0.4	<0.05	5.8	<0.5	7	<0.2
REP 1403945	QC	1.22	0.078	15	26	1.22	1128	0.292	<20	2.17	0.254	0.87	0.8	<0.01	0.4	<0.05	6.5	0.6	7	<0.2
Core Reject Duplicates																				
1403855	Rock Chip	1.17	0.076	16	25	1.16	1279	0.296	<20	2.22	0.278	0.99	0.7	<0.01	0.5	<0.05	6.3	<0.5	7	<0.2
DUP 1403855	QC	1.20	0.072	15	24	1.13	1248	0.285	<20	2.23	0.292	0.97	0.8	<0.01	0.5	<0.05	6.2	<0.5	7	<0.2
1403890	Rock Chip	1.68	0.080	17	29	1.39	1216	0.265	<20	2.61	0.258	0.96	0.3	<0.01	0.5	<0.05	9.8	<0.5	8	<0.2
DUP 1403890	QC	1.55	0.077	16	28	1.34	1133	0.248	<20	2.39	0.221	0.91	0.2	<0.01	0.5	<0.05	9.0	<0.5	7	<0.2
1403925	Rock Chip	1.07	0.067	13	26	1.03	947	0.189	<20	1.83	0.135	0.75	0.5	<0.01	0.4	0.33	7.2	<0.5	6	<0.2
DUP 1403925	QC	1.14	0.069	14	27	1.09	1012	0.196	<20	2.04	0.153	0.80	0.6	<0.01	0.4	0.35	7.9	<0.5	6	<0.2
Reference Materials																				
STD DS9	Standard	0.76	0.086	13	123	0.65	347	0.120	<20	1.01	0.088	0.42	2.8	0.25	5.8	0.17	2.5	6.2	5	5.5
STD DS9	Standard	0.79	0.089	14	134	0.66	345	0.120	<20	1.04	0.096	0.43	2.9	0.23	5.6	0.14	2.6	5.0	5	5.3
STD DS9	Standard	0.73	0.079	12	126	0.63	323	0.104	<20	0.98	0.084	0.40	2.6	0.29	5.8	0.16	2.2	5.2	5	5.0
STD DS9	Standard	0.75	0.085	13	128	0.65	342	0.113	<20	0.98	0.086	0.41	2.8	0.24	5.9	0.18	2.4	5.4	5	5.3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

QUALITY CONTROL REPORT WHI12000559.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD DS9	Standard			14.6	109.9	128.8	311	1.8	40.8	8.0	620	2.46	25.1	3.1	114.3	7.1	82	2.2	4.2	6.5	43
STD OREAS45CA	Standard			1.0	540.0	21.5	67	0.3	260.2	103.2	980	17.89	3.8	1.2	42.9	7.6	17	0.1	0.1	0.1	219
STD OREAS45CA	Standard			1.3	506.0	17.9	56	0.2	238.8	89.7	922	14.71	3.7	1.1	46.2	6.7	13	<0.1	0.2	0.1	204
STD OREAS45CA	Standard			1.0	501.3	19.9	59	0.2	255.1	95.8	938	16.89	4.1	1.2	43.6	7.3	14	<0.1	0.1	0.2	219
STD OREAS45CA	Standard			0.8	551.2	21.0	65	0.3	274.3	100.3	1001	17.71	3.0	1.3	40.7	7.8	16	<0.1	<0.1	0.2	240
STD OXD87	Standard		424																		
STD OXD87	Standard		428																		
STD OXD87	Standard		427																		
STD OXD87	Standard		429																		
STD OXD87	Standard		446																		
STD OXG99	Standard		933																		
STD OXG99	Standard		926																		
STD OXG99	Standard		953																		
STD OXG99	Standard		1023																		
STD OXG99	Standard		994																		
STD OXD87 Expected			417																		
STD OXG99 Expected			932																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

QUALITY CONTROL REPORT WHI12000559.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD DS9	Standard	0.79	0.084	14	127	0.66	325	0.122	<20	1.02	0.087	0.41	2.7	0.21	5.6	0.17	2.6	6.4	5	5.6
STD OREAS45CA	Standard	0.46	0.042	17	755	0.15	185	0.154	<20	4.01	0.006	0.08	<0.1	0.03	<0.1	<0.05	46.0	0.8	19	<0.2
STD OREAS45CA	Standard	0.42	0.036	15	756	0.14	157	0.115	<20	3.58	0.009	0.07	<0.1	0.02	0.1	<0.05	45.4	<0.5	19	<0.2
STD OREAS45CA	Standard	0.45	0.037	16	814	0.15	159	0.138	<20	3.56	0.010	0.07	<0.1	0.04	0.1	<0.05	44.6	<0.5	19	<0.2
STD OREAS45CA	Standard	0.47	0.041	17	797	0.16	166	0.170	<20	4.19	0.006	0.08	<0.1	0.04	0.2	<0.05	47.7	<0.5	20	<0.2
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXD87 Expected																				
STD OXG99 Expected																				
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

QUALITY CONTROL REPORT WHI12000559.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank		<2	0.2	2.6	3.1	47	<0.1	4.2	4.8	604	2.15	<0.5	1.6	0.8	6.1	79	<0.1	<0.1	<0.1	40
G1-WHI	Prep Blank		<2	0.1	2.9	2.9	48	<0.1	3.6	4.5	615	2.03	<0.5	1.6	<0.5	6.0	74	<0.1	<0.1	0.1	39

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 20, 2012

QUALITY CONTROL REPORT WHI12000559.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																				
G1-WHI	Prep Blank	0.56	0.084	15	7	0.57	198	0.142	<20	1.02	0.103	0.52	24.8	<0.01	0.3	<0.05	2.5	<0.5	5	<0.2
G1-WHI	Prep Blank	0.53	0.078	14	6	0.55	184	0.137	<20	0.96	0.091	0.51	5.1	<0.01	0.4	<0.05	2.6	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: August 13, 2012
Report Date: August 24, 2012
Page: 1 of 4

CERTIFICATE OF ANALYSIS WHI12000649.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number NA-12308
Number of Samples: 86

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	76	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	86	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	86	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme Joyce
Stephanie Korelin

BRITISH COLUMBIA CERTIFIED ASSAYER
RAYMOND CHAN
CHIEF ASSAYER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

CERTIFICATE OF ANALYSIS WHI12000649.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1404160	Rock Pulp	0.12	2	2.6	24.0	2.3	40	0.3	24.1	11.0	396	2.32	4.0	0.3	<0.5	1.0	36	0.2	0.2	<0.1	55
1404161	Rock Pulp	0.12	1468	8.4	49.2	5.4	47	0.2	32.3	9.7	468	3.00	6.2	0.3	886.3	1.0	36	0.2	0.8	0.1	60
1404162	Rock Chip	1.29	3	1.7	58.2	62.0	208	0.6	6.4	13.8	681	3.01	20.2	1.5	1.4	7.7	46	2.3	1.2	<0.1	100
1404163	Rock Chip	2.46	129	1.9	40.9	15.7	82	0.8	8.1	13.8	643	3.22	39.7	2.7	903.2	9.6	47	0.8	1.3	1.1	102
1404164	Rock Chip	2.52	44	2.1	34.3	7.7	52	0.2	7.0	14.6	530	3.06	160.1	2.8	11.3	9.4	51	0.2	0.7	0.3	97
1404165	Rock Chip	2.42	843	2.1	42.6	8.8	198	0.8	7.6	14.7	534	3.76	5533	3.6	539.7	9.7	55	1.1	4.7	8.8	90
1404166	Rock Chip	3.00	8	2.1	33.3	4.6	71	0.1	7.7	13.8	510	3.08	118.9	3.0	11.5	9.7	54	0.4	0.3	0.3	103
1404167	Rock Chip	2.27	4	2.3	33.7	3.1	46	0.1	7.3	13.9	453	2.93	17.2	2.9	2.8	8.7	60	<0.1	0.2	<0.1	106
1404168	Rock Chip	2.92	81	2.0	39.3	27.5	222	0.4	7.8	13.9	503	3.17	14.3	2.8	38.5	8.8	57	3.6	0.3	0.3	104
1404169	Rock Chip	2.65	<2	2.5	29.4	3.6	46	<0.1	8.8	14.0	484	3.01	5.3	3.2	<0.5	9.5	56	<0.1	0.1	<0.1	99
1404170	Rock Chip	2.72	<2	1.8	30.6	6.7	64	0.1	7.2	15.2	638	3.43	16.8	3.0	0.9	9.8	56	0.4	0.3	<0.1	113
1404171	Rock Chip	2.46	113	1.8	38.6	199.8	98	2.0	6.8	15.1	710	3.50	7.8	3.5	31.1	10.1	58	1.3	1.6	0.7	102
1404172	Rock Chip	2.83	<2	1.6	31.6	4.4	47	<0.1	6.7	14.3	507	2.99	3.1	2.6	0.8	9.3	53	<0.1	0.2	<0.1	101
1404173	Rock Chip	2.48	<2	1.5	31.2	4.5	46	<0.1	6.9	13.9	564	3.09	10.4	2.7	1.0	10.0	62	0.2	0.3	<0.1	107
1404174	Rock Chip	1.64	<2	2.0	32.1	4.0	43	<0.1	7.6	12.8	454	2.84	2.9	3.2	0.7	10.4	63	0.1	0.2	<0.1	97
1404175	Rock Chip	0.76	<2	1.8	29.7	4.0	45	<0.1	7.1	13.8	452	2.90	2.7	3.2	<0.5	9.4	61	0.1	0.3	<0.1	100
1404176	Rock Chip	2.74	<2	2.2	28.8	3.7	53	<0.1	7.3	13.5	500	3.02	5.2	3.1	<0.5	13.7	57	0.2	0.2	<0.1	103
1404177	Rock Chip	3.41	<2	1.5	26.5	22.0	100	0.3	6.0	17.2	778	3.62	11.6	2.7	<0.5	8.4	56	0.9	0.6	0.3	106
1404178	Rock Chip	2.73	35	1.7	29.9	4.2	52	0.1	6.6	15.8	711	3.46	258.0	3.0	22.7	8.6	66	0.2	0.7	0.4	115
1404179	Rock Chip	2.09	42	1.4	35.6	6.3	54	0.2	5.9	19.6	982	4.25	534.0	3.0	34.9	7.9	82	0.1	1.3	1.3	113
1404180	Rock Pulp	0.12	3	3.0	25.0	2.3	40	0.2	21.8	10.4	389	2.28	4.1	0.3	<0.5	0.9	36	<0.1	0.2	<0.1	55
1404181	Rock Pulp	0.12	3771	9.8	70.1	435.5	1501	50.1	30.3	8.7	398	3.07	28.6	0.4	2332	1.1	31	13.9	49.9	1.1	51
1404182	Rock Chip	2.58	173	1.8	40.0	69.2	122	1.5	6.4	15.0	679	4.36	160.7	2.8	120.6	9.0	49	2.0	1.4	2.4	106
1404183	Rock Chip	2.92	30	2.0	40.1	6.4	45	0.2	7.0	14.3	620	3.71	13.8	3.6	6.6	8.7	52	<0.1	0.9	0.6	94
1404184	Rock Chip	2.15	5	2.3	26.1	3.9	46	<0.1	6.5	13.0	492	2.96	3.6	3.3	0.8	8.0	53	<0.1	0.5	<0.1	101
1404185	Rock Chip	2.65	42	1.8	28.9	3.9	48	0.1	6.0	13.3	544	3.19	2.6	2.8	132.8	8.1	54	<0.1	0.4	0.5	107
1404186	Rock Chip	2.34	<2	2.0	27.1	3.3	46	<0.1	5.3	13.5	549	3.11	1.9	2.8	0.9	8.4	57	<0.1	0.6	<0.1	105
1404187	Rock Chip	2.47	608	1.5	36.1	44.5	549	4.0	6.4	15.3	819	3.66	375.2	2.7	606.9	8.0	56	11.1	2.4	4.8	108
1404188	Rock Chip	2.34	13	2.3	28.5	307.1	121	2.2	6.9	14.5	825	3.38	23.5	3.2	72.4	9.2	73	1.7	20.6	0.2	104
1404189	Rock Chip	2.60	18	2.1	27.4	9.8	71	0.3	6.8	14.6	719	3.41	321.3	2.9	16.8	10.3	69	0.5	0.8	0.3	103

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

CERTIFICATE OF ANALYSIS WHI12000649.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1404160	Rock Pulp	0.77	0.054	4	30	0.75	90	0.115	<20	1.52	0.071	0.13	13.0	0.02	<0.1	<0.05	4.0	<0.5	5	<0.2
1404161	Rock Pulp	0.78	0.050	4	33	0.76	92	0.127	<20	1.62	0.090	0.14	0.2	0.06	<0.1	<0.05	4.3	<0.5	5	<0.2
1404162	Rock Chip	0.70	0.067	13	21	1.00	820	0.286	<20	1.95	0.161	0.86	0.8	<0.01	0.5	<0.05	4.7	<0.5	6	<0.2
1404163	Rock Chip	0.87	0.067	14	23	1.09	795	0.263	<20	2.07	0.154	0.79	0.6	<0.01	0.5	<0.05	5.4	<0.5	6	<0.2
1404164	Rock Chip	0.92	0.066	14	22	1.06	867	0.270	<20	1.89	0.169	0.76	0.7	<0.01	0.4	0.05	5.0	<0.5	6	<0.2
1404165	Rock Chip	0.91	0.064	13	21	0.97	697	0.207	<20	1.93	0.163	0.68	0.5	<0.01	0.4	0.40	6.2	0.5	6	<0.2
1404166	Rock Chip	0.98	0.066	14	24	1.05	877	0.286	<20	1.95	0.183	0.84	0.9	<0.01	0.4	0.06	4.7	0.5	6	<0.2
1404167	Rock Chip	0.99	0.066	14	25	1.02	971	0.308	<20	1.96	0.206	0.86	0.9	<0.01	0.4	<0.05	4.5	<0.5	6	<0.2
1404168	Rock Chip	1.03	0.071	14	25	1.01	919	0.293	<20	1.95	0.191	0.81	0.9	<0.01	0.4	0.20	4.6	<0.5	6	<0.2
1404169	Rock Chip	1.11	0.071	14	26	1.05	787	0.281	<20	1.87	0.177	0.65	1.1	<0.01	0.3	<0.05	4.3	<0.5	6	<0.2
1404170	Rock Chip	1.54	0.068	15	25	1.32	826	0.261	<20	2.04	0.149	0.73	0.6	<0.01	0.4	<0.05	7.2	<0.5	7	<0.2
1404171	Rock Chip	1.38	0.067	15	23	1.08	788	0.240	<20	1.98	0.166	0.67	0.7	<0.01	0.4	0.30	6.9	<0.5	6	<0.2
1404172	Rock Chip	1.24	0.074	14	23	1.12	778	0.264	<20	1.84	0.154	0.63	0.6	<0.01	0.3	<0.05	4.8	<0.5	7	<0.2
1404173	Rock Chip	1.31	0.072	15	23	1.12	899	0.276	<20	2.07	0.190	0.73	0.4	<0.01	0.4	<0.05	6.0	0.7	6	<0.2
1404174	Rock Chip	0.98	0.069	14	26	0.98	897	0.287	<20	1.89	0.205	0.68	0.9	<0.01	0.3	<0.05	4.3	0.7	6	<0.2
1404175	Rock Chip	0.97	0.067	14	25	1.02	887	0.291	<20	1.90	0.200	0.67	1.0	<0.01	0.3	<0.05	4.2	<0.5	6	<0.2
1404176	Rock Chip	1.09	0.074	13	24	1.13	842	0.271	<20	1.85	0.167	0.65	0.6	<0.01	0.3	<0.05	4.9	<0.5	6	<0.2
1404177	Rock Chip	2.01	0.066	17	24	1.64	270	0.117	<20	2.24	0.112	0.23	0.3	<0.01	0.1	0.07	10.6	<0.5	7	<0.2
1404178	Rock Chip	1.87	0.067	15	25	1.31	896	0.240	<20	2.21	0.167	0.75	0.3	<0.01	0.4	0.13	9.6	<0.5	6	<0.2
1404179	Rock Chip	3.11	0.062	18	23	1.42	674	0.137	<20	2.36	0.108	0.55	0.2	0.01	0.3	0.50	14.2	<0.5	7	<0.2
1404180	Rock Pulp	0.78	0.056	4	30	0.74	87	0.120	<20	1.51	0.072	0.13	12.3	0.01	<0.1	<0.05	4.3	<0.5	5	<0.2
1404181	Rock Pulp	0.66	0.049	5	27	0.56	97	0.108	<20	1.14	0.070	0.11	2.4	0.20	1.0	0.32	4.0	<0.5	6	<0.2
1404182	Rock Chip	1.88	0.063	14	24	1.35	574	0.137	<20	2.25	0.115	0.47	0.3	<0.01	0.2	0.64	10.2	<0.5	7	<0.2
1404183	Rock Chip	1.63	0.066	13	25	1.22	695	0.191	<20	2.01	0.111	0.54	0.6	<0.01	0.3	0.49	7.2	<0.5	7	<0.2
1404184	Rock Chip	1.02	0.068	13	25	1.13	1017	0.291	<20	1.91	0.173	0.78	0.8	<0.01	0.4	<0.05	5.0	<0.5	6	<0.2
1404185	Rock Chip	1.27	0.068	14	27	1.24	997	0.274	<20	1.92	0.150	0.69	0.7	<0.01	0.3	0.10	5.9	<0.5	6	<0.2
1404186	Rock Chip	1.36	0.068	13	26	1.25	923	0.232	<20	1.91	0.157	0.66	0.6	<0.01	0.3	<0.05	6.0	<0.5	6	<0.2
1404187	Rock Chip	1.76	0.064	13	25	1.33	865	0.240	<20	2.07	0.141	0.73	0.3	<0.01	0.4	0.59	7.6	<0.5	6	<0.2
1404188	Rock Chip	1.81	0.065	14	26	1.20	852	0.229	<20	2.03	0.167	0.69	0.4	<0.01	0.4	0.20	8.2	<0.5	6	<0.2
1404189	Rock Chip	1.83	0.063	14	26	1.26	829	0.217	<20	2.04	0.155	0.67	0.6	<0.01	0.3	0.19	7.7	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

CERTIFICATE OF ANALYSIS WHI12000649.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1404190	Rock Chip	2.46	3	2.1	25.1	4.7	47	<0.1	6.8	14.0	572	3.22	6.0	2.5	4.3	7.5	66	<0.1	0.3	<0.1	110
1404191	Rock Chip	2.17	24	1.1	27.0	25.9	126	0.5	6.2	14.1	878	3.22	5.1	2.3	1.6	8.1	65	2.1	1.0	0.5	99
1404192	Rock Chip	2.89	<2	1.9	23.7	3.7	45	<0.1	7.0	13.1	507	2.97	1.9	2.7	<0.5	8.9	57	<0.1	0.3	<0.1	97
1404193	Rock Chip	2.62	7	1.7	23.9	3.0	51	<0.1	6.7	13.6	998	3.27	5.6	2.3	4.6	6.4	46	<0.1	0.6	<0.1	93
1404194	Rock Chip	2.51	1054	1.3	37.4	42.1	48	3.5	5.9	16.2	932	5.09	8035	1.7	640.4	4.8	47	0.3	5.5	5.3	44
1404195	Rock Chip	2.99	12	1.5	24.0	2.8	49	<0.1	6.3	14.0	584	3.22	40.0	2.0	8.7	6.8	49	0.2	0.5	0.1	90
1404196	Rock Chip	2.61	236	1.2	35.9	10.2	59	0.8	6.2	17.7	920	4.17	1202	3.2	175.6	7.0	59	0.1	2.4	1.8	82
1404197	Rock Chip	2.85	4	1.2	21.9	6.2	56	0.1	5.9	15.1	797	3.73	17.8	2.1	6.2	7.1	62	0.2	1.0	0.1	117
1404198	Rock Chip	2.22	10	1.5	24.1	12.4	50	0.5	6.0	14.2	562	3.30	60.8	2.2	10.4	6.6	52	<0.1	0.5	0.6	106
1404199	Rock Chip	2.96	6	1.3	29.9	23.3	88	0.4	7.4	16.4	835	3.99	33.5	2.7	3.0	6.9	70	0.8	0.9	0.3	109
1404200	Rock Pulp	0.12	3	2.4	23.9	1.7	38	0.2	22.7	10.3	367	2.19	4.4	0.2	1.0	0.7	28	0.2	0.2	<0.1	55
1404201	Rock Pulp	0.12	1534	8.1	45.7	4.2	44	0.2	29.7	8.4	452	3.02	6.2	0.2	1053	0.8	30	0.1	0.8	<0.1	61
1404202	Rock Chip	2.44	4	1.2	19.5	2.7	48	<0.1	5.7	13.5	561	3.20	3.6	1.7	1.1	6.1	48	<0.1	0.4	<0.1	103
1404203	Rock Chip	2.42	3	1.3	23.4	3.3	44	<0.1	6.2	13.0	579	2.99	3.0	2.0	<0.5	6.4	48	<0.1	0.2	<0.1	96
1404204	Rock Chip	1.35	<2	1.7	23.3	2.5	43	<0.1	6.0	12.8	522	2.97	2.6	1.9	<0.5	6.2	49	<0.1	0.2	<0.1	93
1404205	Rock Chip	2.21	12	1.5	24.8	22.4	227	0.4	6.6	14.9	660	3.61	87.3	2.2	6.4	6.7	56	3.7	0.6	0.1	105
1404206	Rock Chip	1.92	14	1.6	22.3	3.6	46	<0.1	6.4	12.6	466	2.90	7.9	1.7	9.0	6.0	48	0.1	0.2	0.2	82
1404207	Rock Chip	2.71	<2	1.9	23.4	3.3	50	<0.1	7.0	13.3	506	3.04	3.9	2.1	<0.5	6.5	51	<0.1	0.2	<0.1	90
1404208	Rock Chip	2.71	<2	1.7	20.1	3.0	43	<0.1	6.3	12.1	497	3.06	5.9	1.9	1.1	6.6	49	<0.1	0.2	<0.1	92
1404209	Rock Chip	2.32	3	1.6	20.2	3.3	45	<0.1	6.6	12.5	490	2.93	3.8	2.0	<0.5	6.3	49	<0.1	0.2	<0.1	87
1404210	Rock Chip	2.13	3	2.3	25.9	3.3	45	<0.1	5.9	12.8	531	2.95	5.3	1.9	0.9	6.4	49	0.1	0.3	0.4	91
1404211	Rock Chip	2.75	5	1.5	21.9	7.4	54	<0.1	6.0	13.3	582	3.13	3.1	2.1	3.6	6.4	56	0.1	0.5	<0.1	91
1404212	Rock Chip	2.13	4	1.2	21.9	3.9	51	<0.1	5.8	13.8	603	3.28	16.4	1.7	1.5	5.3	54	0.1	0.4	<0.1	100
1404213	Rock Chip	2.12	8	1.1	20.7	3.7	89	0.1	5.5	16.0	881	3.80	9.4	2.0	81.9	5.5	74	1.1	1.1	<0.1	100
1404214	Rock Chip	2.09	3	1.2	21.4	26.8	352	0.4	7.1	16.5	997	4.00	3.9	2.0	0.8	5.4	81	6.2	1.2	<0.1	112
1404215	Rock Chip	2.03	3	1.2	23.3	6.8	75	0.1	5.9	15.6	724	3.67	2.8	2.0	0.7	5.6	65	0.7	1.0	<0.1	111
1404216	Rock Chip	3.09	33	1.0	26.2	1178	141	10.9	6.1	15.3	977	3.69	253.5	2.2	29.4	6.3	84	1.8	4.9	<0.1	98
1404217	Rock Chip	2.09	<2	0.8	21.1	4.8	56	0.1	5.8	15.9	801	3.85	3.6	1.6	0.7	6.1	111	<0.1	2.4	<0.1	100
1404218	Rock Chip	1.32	7	0.9	18.8	23.3	91	0.3	4.8	13.8	994	3.51	39.8	1.8	4.2	5.5	80	0.9	2.2	0.2	72
1404219	Rock Chip	2.79	81	0.9	19.0	10.3	74	0.2	4.7	13.4	1155	3.67	300.7	1.8	79.2	5.4	84	0.7	3.2	1.0	65

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

CERTIFICATE OF ANALYSIS WHI12000649.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1404190	Rock Chip	1.09	0.071	13	26	1.20	1119	0.312	<20	2.11	0.226	0.91	0.8	<0.01	0.4	<0.05	5.4	<0.5	6	<0.2
1404191	Rock Chip	2.07	0.063	15	25	1.10	844	0.237	<20	1.96	0.152	0.64	0.4	<0.01	0.4	0.20	6.4	<0.5	6	<0.2
1404192	Rock Chip	1.19	0.066	13	28	1.10	888	0.265	<20	1.87	0.172	0.65	0.7	<0.01	0.3	<0.05	5.0	<0.5	5	<0.2
1404193	Rock Chip	1.41	0.064	12	24	1.13	616	0.151	<20	1.84	0.124	0.45	0.5	<0.01	0.2	0.17	6.3	<0.5	5	<0.2
1404194	Rock Chip	2.33	0.051	8	11	1.00	131	0.012	<20	0.60	0.034	0.26	0.6	<0.01	0.3	2.83	6.6	0.6	2	<0.2
1404195	Rock Chip	1.71	0.066	12	24	1.12	591	0.139	<20	1.78	0.125	0.43	0.3	<0.01	0.2	0.12	6.3	<0.5	6	<0.2
1404196	Rock Chip	3.95	0.059	15	16	0.77	148	0.014	<20	1.40	0.033	0.20	0.1	0.02	0.2	0.91	10.7	<0.5	5	<0.2
1404197	Rock Chip	1.83	0.062	14	23	1.47	1157	0.187	<20	2.20	0.136	0.69	0.3	<0.01	0.3	0.10	11.6	<0.5	6	<0.2
1404198	Rock Chip	1.16	0.066	13	23	1.36	1291	0.220	<20	2.20	0.177	0.80	0.3	0.01	0.4	0.13	6.5	<0.5	6	<0.2
1404199	Rock Chip	2.27	0.066	15	24	1.44	962	0.146	<20	2.21	0.128	0.62	0.3	0.04	0.4	0.37	11.4	<0.5	7	<0.2
1404200	Rock Pulp	0.73	0.055	3	29	0.71	83	0.093	<20	1.49	0.068	0.12	11.5	0.01	<0.1	<0.05	3.7	<0.5	5	<0.2
1404201	Rock Pulp	0.78	0.053	4	31	0.77	93	0.099	<20	1.67	0.087	0.14	0.2	0.06	<0.1	<0.05	4.2	<0.5	5	<0.2
1404202	Rock Chip	1.15	0.060	12	23	1.42	1384	0.209	<20	2.09	0.147	0.71	0.2	<0.01	0.3	<0.05	6.1	<0.5	6	<0.2
1404203	Rock Chip	1.10	0.063	13	24	1.28	1307	0.198	<20	1.98	0.153	0.68	0.4	<0.01	0.3	<0.05	5.7	<0.5	6	<0.2
1404204	Rock Chip	1.19	0.063	12	24	1.15	1179	0.199	<20	1.88	0.159	0.67	0.5	<0.01	0.3	<0.05	5.3	<0.5	6	<0.2
1404205	Rock Chip	1.53	0.064	14	24	1.40	980	0.170	<20	2.11	0.130	0.56	0.3	<0.01	0.3	0.19	9.1	<0.5	6	<0.2
1404206	Rock Chip	1.13	0.061	12	23	1.11	583	0.172	<20	1.69	0.129	0.37	0.6	<0.01	0.2	0.06	4.2	<0.5	6	<0.2
1404207	Rock Chip	1.24	0.065	13	25	1.18	733	0.192	<20	1.85	0.132	0.43	0.5	<0.01	0.2	<0.05	5.1	<0.5	6	<0.2
1404208	Rock Chip	1.17	0.063	12	25	1.14	946	0.198	<20	1.82	0.142	0.46	0.5	<0.01	0.2	<0.05	4.5	<0.5	5	<0.2
1404209	Rock Chip	1.09	0.066	12	24	1.25	571	0.175	<20	1.78	0.111	0.34	0.5	<0.01	0.1	<0.05	4.9	<0.5	6	<0.2
1404210	Rock Chip	1.19	0.062	12	22	1.26	744	0.161	<20	1.79	0.126	0.38	0.5	<0.01	0.1	<0.05	5.4	<0.5	6	<0.2
1404211	Rock Chip	1.53	0.063	13	19	1.44	916	0.138	<20	1.84	0.103	0.33	0.3	<0.01	0.1	0.06	7.6	<0.5	6	<0.2
1404212	Rock Chip	1.27	0.055	12	23	1.52	1346	0.188	<20	2.06	0.142	0.59	0.3	<0.01	0.3	0.05	7.2	<0.5	6	<0.2
1404213	Rock Chip	2.67	0.058	13	20	1.34	386	0.057	<20	1.92	0.080	0.30	<0.1	0.01	0.1	0.16	12.0	<0.5	6	<0.2
1404214	Rock Chip	2.58	0.060	14	23	1.55	1125	0.150	<20	2.18	0.133	0.65	0.2	0.01	0.3	0.17	13.1	<0.5	6	<0.2
1404215	Rock Chip	1.64	0.060	13	23	1.57	1086	0.170	<20	2.19	0.156	0.63	0.2	<0.01	0.3	0.08	10.4	<0.5	6	<0.2
1404216	Rock Chip	2.17	0.059	13	21	1.22	914	0.136	<20	1.87	0.139	0.55	0.2	<0.01	0.3	0.41	10.8	<0.5	6	<0.2
1404217	Rock Chip	2.75	0.060	16	20	1.40	462	0.058	<20	1.88	0.066	0.32	<0.1	0.01	0.1	<0.05	11.8	<0.5	7	<0.2
1404218	Rock Chip	3.43	0.058	12	14	1.33	93	0.005	<20	1.08	0.018	0.14	<0.1	0.02	0.1	0.11	12.3	<0.5	4	<0.2
1404219	Rock Chip	4.30	0.050	10	12	1.80	44	<0.001	<20	0.19	0.007	0.10	<0.1	0.03	0.1	0.26	11.4	<0.5	2	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

CERTIFICATE OF ANALYSIS WHI12000649.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1404220	Rock Pulp	0.12	5	2.0	22.7	1.8	38	0.2	21.8	9.7	370	2.18	4.6	0.2	4.0	0.6	27	0.1	0.2	<0.1	54
1404221	Rock Pulp	0.12	4104	8.8	65.1	448.6	1434	47.6	29.8	8.2	373	2.95	28.3	0.2	2434	0.8	24	13.6	38.3	0.7	50
1404222	Rock Chip	1.86	20	1.0	18.8	7.2	55	<0.1	5.7	15.0	962	3.94	76.8	2.2	12.0	5.2	112	0.2	2.7	0.6	79
1404223	Rock Chip	2.16	4	1.1	19.9	4.7	51	<0.1	5.6	13.7	618	3.34	7.3	2.2	1.7	6.6	71	<0.1	1.2	<0.1	87
1404224	Rock Chip	0.70	3	1.0	23.3	7.5	68	<0.1	6.1	15.2	660	3.63	17.4	2.6	2.0	7.5	76	0.4	1.0	<0.1	100
1404225	Rock Chip	0.87	3	1.3	22.4	7.7	62	<0.1	6.1	14.8	642	3.58	16.9	1.9	1.7	7.4	76	0.3	1.0	0.1	97
1404226	Rock Chip	1.74	163	1.1	24.0	42.1	240	1.9	6.2	16.1	1241	4.27	1810	1.9	136.4	6.1	76	3.7	2.8	2.5	103
1404227	Rock Chip	1.88	7	1.9	30.5	6.4	56	0.1	6.5	14.0	676	3.42	68.5	2.2	5.9	6.6	60	0.2	0.7	0.3	96
1404228	Rock Chip	2.07	7	2.3	26.6	4.7	68	<0.1	7.4	15.2	769	3.64	13.0	2.8	1.6	8.7	74	0.3	1.0	<0.1	106
1404229	Rock Chip	1.75	44	2.7	31.9	38.7	147	3.3	7.9	15.5	901	3.81	109.8	2.5	37.7	7.4	77	1.4	3.6	0.5	103
1404230	Rock Chip		4	2.5	28.8	6.9	89	0.1	7.1	14.4	627	3.41	38.0	2.4	4.1	7.1	69	0.7	0.8	<0.1	91
1404231	Rock Chip	1.80	69	2.1	36.9	1149	1084	12.3	7.6	16.5	1502	4.81	398.2	2.8	60.5	6.8	66	15.0	9.0	1.1	70
1404232	Rock Chip	1.91	43	1.5	24.7	87.8	372	3.1	7.1	17.2	1343	4.01	64.2	2.7	30.2	18.9	75	3.9	4.9	<0.1	56
1404233	Rock Chip	1.80	131	2.0	28.2	88.9	220	2.3	6.6	14.2	975	3.58	950.8	2.7	105.5	12.3	67	2.5	3.7	3.7	80
1404234	Rock Chip	1.93	387	2.2	62.0	1003	3139	27.6	7.3	16.0	1194	5.52	2206	2.2	346.1	6.5	59	60.6	28.9	3.0	78
1404235	Rock Chip	1.50	11	2.3	26.9	6.7	63	0.1	7.7	13.8	617	3.34	51.2	2.1	7.6	8.2	60	0.2	0.8	<0.1	101
1404236	Rock Chip	2.27	61	2.0	33.7	95.8	96	1.1	7.2	15.2	962	3.74	170.6	2.3	59.8	9.7	70	0.8	9.2	0.9	84
1404237	Rock Chip	3.39	7	2.4	27.3	5.7	52	0.1	7.5	13.8	591	3.18	30.8	2.4	4.6	9.5	61	0.1	1.4	0.1	94
1404238	Rock Chip	3.33	72	2.6	28.6	160.1	363	1.4	7.3	15.2	866	3.94	399.7	2.4	52.6	7.9	67	6.1	12.4	0.5	89
1404239	Rock Chip	2.41	10	1.8	27.9	6.2	48	0.1	6.4	11.9	554	2.80	48.4	2.8	7.8	10.2	63	0.1	0.9	<0.1	79
1404240	Rock Pulp	0.12	5	2.3	24.7	2.0	41	0.4	23.5	10.3	391	2.32	4.4	0.2	<0.5	0.8	32	0.2	0.2	<0.1	54
1404241	Rock Pulp	0.12	1575	8.9	48.9	5.3	50	0.2	34.6	9.6	481	3.18	6.6	0.3	966.3	0.9	37	<0.1	0.9	<0.1	60
1404242	Rock Chip	1.51	4	1.8	21.8	4.2	49	<0.1	6.4	12.6	491	2.99	23.5	2.4	1.5	8.4	61	0.1	0.6	<0.1	87
1404243	Rock Chip	2.42	246	1.9	28.2	7.9	204	0.7	6.9	14.1	606	4.08	1916	2.4	214.0	7.5	60	3.9	2.1	2.3	89
1404244	Rock Chip	2.48	5	1.5	22.7	7.6	49	0.1	5.9	13.1	527	3.22	39.9	1.8	0.7	7.4	49	0.2	0.3	0.3	78
1404245	Rock Chip	2.09	18	1.9	24.2	5.5	68	0.1	7.0	13.7	612	3.75	27.8	2.0	<0.5	8.3	60	0.3	0.5	0.5	90

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

CERTIFICATE OF ANALYSIS WHI12000649.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1404220	Rock Pulp	0.72	0.054	3	28	0.69	83	0.090	<20	1.46	0.067	0.12	11.9	<0.01	<0.1	<0.05	3.6	<0.5	4	<0.2
1404221	Rock Pulp	0.62	0.047	4	26	0.52	94	0.083	<20	1.13	0.066	0.10	2.2	0.18	0.9	0.32	3.9	<0.5	5	0.3
1404222	Rock Chip	3.94	0.055	12	13	1.62	95	0.005	<20	0.69	0.039	0.12	<0.1	0.04	<0.1	0.25	12.4	<0.5	3	<0.2
1404223	Rock Chip	1.87	0.059	13	20	1.18	332	0.067	<20	1.89	0.133	0.22	<0.1	0.01	<0.1	0.07	8.6	<0.5	6	<0.2
1404224	Rock Chip	2.03	0.067	16	20	1.19	594	0.112	<20	2.02	0.141	0.50	0.2	0.03	0.3	0.16	11.1	<0.5	6	<0.2
1404225	Rock Chip	2.00	0.065	15	20	1.17	600	0.115	<20	1.99	0.140	0.49	0.2	0.02	0.3	0.15	11.0	<0.5	6	<0.2
1404226	Rock Chip	2.60	0.058	15	19	1.28	913	0.132	<20	2.03	0.100	0.65	0.2	0.03	0.4	0.60	12.0	<0.5	6	<0.2
1404227	Rock Chip	1.73	0.067	13	25	1.19	957	0.169	<20	1.96	0.172	0.60	0.5	<0.01	0.3	0.16	7.6	<0.5	6	<0.2
1404228	Rock Chip	1.75	0.065	17	29	1.37	1001	0.227	<20	2.12	0.153	0.69	0.4	<0.01	0.4	0.08	8.5	<0.5	7	<0.2
1404229	Rock Chip	1.78	0.066	15	30	1.31	993	0.227	<20	2.06	0.177	0.72	0.5	<0.01	0.4	0.44	8.9	<0.5	6	<0.2
1404230	Rock Chip	1.67	0.067	14	28	1.29	466	0.153	<20	1.92	0.159	0.35	0.7	0.01	0.2	0.11	7.6	<0.5	6	<0.2
1404231	Rock Chip	2.58	0.069	13	25	1.21	119	0.023	<20	1.74	0.050	0.20	0.3	0.02	0.2	1.89	8.8	<0.5	6	<0.2
1404232	Rock Chip	2.77	0.065	14	21	1.32	117	0.012	<20	1.47	0.040	0.19	0.2	0.01	0.3	0.92	7.3	<0.5	5	<0.2
1404233	Rock Chip	1.79	0.065	16	24	1.16	532	0.137	<20	1.74	0.136	0.39	1.3	<0.01	0.3	0.57	6.6	<0.5	6	<0.2
1404234	Rock Chip	1.68	0.063	12	24	1.07	51	0.143	<20	1.66	0.119	0.57	0.6	0.01	0.4	3.13	7.6	<0.5	6	<0.2
1404235	Rock Chip	1.28	0.064	14	32	1.22	1147	0.257	<20	2.00	0.193	0.74	0.6	<0.01	0.4	0.07	7.0	<0.5	6	<0.2
1404236	Rock Chip	1.78	0.068	14	25	1.13	196	0.177	<20	1.76	0.141	0.57	0.6	<0.01	0.4	0.98	7.5	<0.5	6	<0.2
1404237	Rock Chip	1.23	0.067	15	30	1.23	1002	0.247	<20	1.92	0.170	0.68	0.8	<0.01	0.4	0.08	6.3	<0.5	6	<0.2
1404238	Rock Chip	1.94	0.065	14	29	1.25	476	0.153	<20	1.95	0.150	0.41	0.6	<0.01	0.3	0.80	8.0	<0.5	6	<0.2
1404239	Rock Chip	1.30	0.053	13	24	1.04	810	0.200	<20	1.77	0.163	0.51	1.2	<0.01	0.3	0.11	5.2	<0.5	5	<0.2
1404240	Rock Pulp	0.76	0.055	3	30	0.76	86	0.105	<20	1.50	0.071	0.12	12.1	0.02	<0.1	<0.05	4.1	<0.5	5	<0.2
1404241	Rock Pulp	0.80	0.057	4	35	0.81	98	0.120	<20	1.67	0.091	0.14	0.2	0.07	<0.1	<0.05	4.7	<0.5	5	<0.2
1404242	Rock Chip	1.10	0.052	13	27	1.05	983	0.261	<20	1.94	0.192	0.60	0.7	<0.01	0.3	0.06	4.7	<0.5	6	<0.2
1404243	Rock Chip	1.52	0.065	12	25	1.11	168	0.189	<20	1.92	0.159	0.62	0.8	<0.01	0.4	0.97	6.3	<0.5	6	<0.2
1404244	Rock Chip	1.13	0.060	12	24	1.21	473	0.181	<20	1.76	0.114	0.33	0.6	<0.01	0.2	0.19	5.2	<0.5	6	<0.2
1404245	Rock Chip	1.66	0.068	14	29	1.28	562	0.150	<20	2.00	0.133	0.40	0.7	<0.01	0.2	0.44	6.5	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

QUALITY CONTROL REPORT WHI12000649.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1404161	Rock Pulp	0.12	1468	8.4	49.2	5.4	47	0.2	32.3	9.7	468	3.00	6.2	0.3	886.3	1.0	36	0.2	0.8	0.1	60
REP 1404161	QC			8.6	50.5	6.1	45	0.3	33.2	9.6	463	3.07	6.3	0.3	2360	1.0	36	0.2	0.8	0.1	60
1404196	Rock Chip	2.61	236	1.2	35.9	10.2	59	0.8	6.2	17.7	920	4.17	1202	3.2	175.6	7.0	59	0.1	2.4	1.8	82
REP 1404196	QC			1.2	36.4	10.4	59	0.8	5.8	17.1	929	4.22	1236	3.0	327.0	7.1	59	0.2	2.6	1.9	83
1404221	Rock Pulp	0.12	4104	8.8	65.1	448.6	1434	47.6	29.8	8.2	373	2.95	28.3	0.2	2434	0.8	24	13.6	38.3	0.7	50
REP 1404221	QC		3883																		
1404245	Rock Chip	2.09	18	1.9	24.2	5.5	68	0.1	7.0	13.7	612	3.75	27.8	2.0	<0.5	8.3	60	0.3	0.5	0.5	90
REP 1404245	QC			2.3	24.1	5.4	69	0.1	7.3	13.7	621	3.74	30.8	2.2	11.8	9.6	59	0.3	0.4	0.6	90
Core Reject Duplicates																					
1404187	Rock Chip	2.47	608	1.5	36.1	44.5	549	4.0	6.4	15.3	819	3.66	375.2	2.7	606.9	8.0	56	11.1	2.4	4.8	108
DUP 1404187	QC		625	1.3	34.2	48.0	490	10.0	5.7	15.0	812	3.73	402.0	3.0	10166	8.1	59	10.2	2.6	7.0	110
1404222	Rock Chip	1.86	20	1.0	18.8	7.2	55	<0.1	5.7	15.0	962	3.94	76.8	2.2	12.0	5.2	112	0.2	2.7	0.6	79
DUP 1404222	QC		18	1.0	17.1	6.6	54	<0.1	4.9	14.0	912	3.85	60.0	2.0	11.4	5.2	91	0.2	2.9	0.5	75
Reference Materials																					
STD DS9	Standard			11.5	102.3	112.6	282	1.6	38.4	7.4	559	2.22	24.6	2.1	156.9	4.7	50	2.1	3.6	4.5	38
STD DS9	Standard			12.6	111.5	118.8	292	1.8	42.0	7.7	558	2.29	24.3	2.8	114.0	6.3	68	1.8	4.5	6.6	39
STD DS9	Standard			13.3	113.2	111.0	316	1.7	42.5	7.4	596	2.32	25.1	2.4	97.9	5.4	60	2.3	4.5	5.1	38
STD OREAS45CA	Standard			0.8	506.5	15.3	57	0.2	245.6	95.5	939	16.11	4.0	0.9	35.2	5.5	12	<0.1	0.1	0.1	212
STD OREAS45CA	Standard			0.9	473.0	18.8	54	0.2	237.2	92.8	889	14.37	3.6	1.0	31.0	6.6	14	<0.1	0.1	0.1	209
STD OREAS45CA	Standard			1.0	519.2	19.5	62	0.2	253.1	94.3	965	16.15	3.6	1.2	39.0	6.8	14	0.1	<0.1	0.1	221
STD OXD87	Standard		414																		
STD OXD87	Standard		410																		
STD OXD87	Standard		429																		
STD OXD87	Standard		448																		
STD OXD87	Standard		439																		
STD OXG99	Standard		922																		
STD OXG99	Standard		900																		
STD OXG99	Standard		951																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

QUALITY CONTROL REPORT WHI12000649.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
1404161	Rock Pulp	0.78	0.050	4	33	0.76	92	0.127	<20	1.62	0.090	0.14	0.2	0.06	<0.1	<0.05	4.3	<0.5	5	<0.2
REP 1404161	QC	0.79	0.054	4	33	0.78	97	0.122	<20	1.63	0.093	0.15	0.3	0.07	<0.1	<0.05	4.4	<0.5	5	<0.2
1404196	Rock Chip	3.95	0.059	15	16	0.77	148	0.014	<20	1.40	0.033	0.20	0.1	0.02	0.2	0.91	10.7	<0.5	5	<0.2
REP 1404196	QC	3.97	0.059	15	16	0.78	148	0.015	<20	1.42	0.034	0.20	0.1	0.02	0.2	0.92	11.0	<0.5	6	<0.2
1404221	Rock Pulp	0.62	0.047	4	26	0.52	94	0.083	<20	1.13	0.066	0.10	2.2	0.18	0.9	0.32	3.9	<0.5	5	0.3
REP 1404221	QC																			
1404245	Rock Chip	1.66	0.068	14	29	1.28	562	0.150	<20	2.00	0.133	0.40	0.7	<0.01	0.2	0.44	6.5	<0.5	6	<0.2
REP 1404245	QC	1.66	0.063	14	29	1.29	563	0.157	<20	2.00	0.133	0.41	0.6	<0.01	0.2	0.44	7.1	<0.5	6	<0.2
Core Reject Duplicates																				
1404187	Rock Chip	1.76	0.064	13	25	1.33	865	0.240	<20	2.07	0.141	0.73	0.3	<0.01	0.4	0.59	7.6	<0.5	6	<0.2
DUP 1404187	QC	1.77	0.067	14	24	1.35	910	0.239	<20	2.15	0.152	0.77	0.3	<0.01	0.4	0.54	7.4	<0.5	6	<0.2
1404222	Rock Chip	3.94	0.055	12	13	1.62	95	0.005	<20	0.69	0.039	0.12	<0.1	0.04	<0.1	0.25	12.4	<0.5	3	<0.2
DUP 1404222	QC	3.88	0.053	12	11	1.59	95	0.005	<20	0.60	0.036	0.11	<0.1	0.03	<0.1	0.25	12.1	<0.5	3	<0.2
Reference Materials																				
STD DS9	Standard	0.68	0.076	10	112	0.57	285	0.089	<20	0.93	0.078	0.39	2.6	0.18	4.7	0.16	2.1	4.2	4	4.5
STD DS9	Standard	0.70	0.076	12	121	0.61	302	0.112	<20	0.94	0.077	0.39	2.9	0.19	5.2	0.16	2.2	4.9	5	5.2
STD DS9	Standard	0.72	0.083	10	130	0.62	296	0.108	<20	0.95	0.079	0.39	2.9	0.19	5.2	0.16	2.3	5.3	4	5.1
STD OREAS45CA	Standard	0.42	0.036	13	884	0.11	154	0.116	<20	3.71	0.007	0.07	<0.1	0.03	<0.1	<0.05	41.9	<0.5	18	<0.2
STD OREAS45CA	Standard	0.40	0.032	15	694	0.13	149	0.131	<20	3.62	0.006	0.07	<0.1	0.03	<0.1	<0.05	39.2	0.7	18	<0.2
STD OREAS45CA	Standard	0.45	0.037	15	793	0.14	169	0.126	<20	3.61	0.007	0.07	<0.1	0.03	<0.1	<0.05	42.6	<0.5	19	<0.2
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

QUALITY CONTROL REPORT WHI12000649.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD OXG99	Standard		959																		
STD OXG99	Standard		953																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
STD OXD87 Expected			417																		
STD OXG99 Expected			932																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		2																		
BLK	Blank		<2																		
BLK	Blank		6																		
BLK	Blank		3																		
BLK	Blank		<2																		
Prep Wash																					
G1-WHI	Prep Blank		<2	0.3	2.3	2.8	46	<0.1	2.1	3.8	567	1.98	0.5	1.6	<0.5	5.5	57	<0.1	<0.1	<0.1	36
G1-WHI	Prep Blank		<2	0.1	2.1	2.9	41	<0.1	1.7	3.7	560	1.88	1.0	1.6	<0.5	5.9	53	<0.1	<0.1	<0.1	35

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

QUALITY CONTROL REPORT WHI12000649.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD OXG99	Standard																			
STD OXG99	Standard																			
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
STD OXD87 Expected																				
STD OXG99 Expected																				
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
G1-WHI	Prep Blank	0.46	0.069	11	6	0.51	154	0.129	<20	0.86	0.087	0.48	<0.1	0.01	0.3	<0.05	2.2	<0.5	5	<0.2
G1-WHI	Prep Blank	0.45	0.069	11	6	0.48	146	0.127	<20	0.89	0.082	0.45	<0.1	<0.01	0.3	<0.05	2.1	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: August 13, 2012
Report Date: August 23, 2012
Page: 1 of 4

CERTIFICATE OF ANALYSIS WHI12000650.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number NA-12308
Number of Samples: 71

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	65	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	71	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	71	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme Joyce
Stephanie Korelin

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 23, 2012

CERTIFICATE OF ANALYSIS WHI12000650.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1404246	Rock Chip	0.93	<2	1.4	38.8	3.9	48	<0.1	5.7	13.6	446	3.08	2.7	3.3	2.1	11.1	60	<0.1	0.2	<0.1	110
1404247	Rock Chip	1.90	<2	2.0	44.7	3.7	49	<0.1	6.4	14.3	479	3.26	4.6	3.6	<0.5	10.8	64	<0.1	0.2	<0.1	115
1404248	Rock Chip	1.91	<2	1.8	32.6	3.6	49	<0.1	6.6	14.1	509	3.32	4.9	3.1	<0.5	10.4	70	<0.1	0.4	<0.1	117
1404249	Rock Chip	2.10	6	1.7	29.8	58.1	167	0.6	6.4	15.1	2416	3.47	26.1	3.1	5.3	10.2	63	1.3	8.0	<0.1	104
1404250	Rock Chip	1.73	83	1.7	43.4	310.9	429	6.6	6.6	18.3	3171	4.21	1074	3.2	95.3	10.3	60	5.9	34.2	0.5	105
1404251	Rock Chip	1.91	247	1.8	72.1	871.0	1794	15.5	6.2	19.0	3479	5.23	3580	4.5	266.2	10.7	58	30.0	65.2	1.4	83
1404252	Rock Chip	2.03	5	2.0	26.2	30.2	117	0.5	6.4	14.5	604	3.31	42.5	3.0	5.6	10.3	70	0.7	1.7	<0.1	118
1404253	Rock Chip	2.21	<2	1.8	33.3	11.4	70	0.2	6.1	13.4	591	3.15	13.6	2.6	2.7	9.9	55	0.3	1.6	<0.1	115
1404254	Rock Chip	2.29	9	2.1	31.6	5.4	79	<0.1	6.1	14.2	560	3.30	9.1	3.0	2.5	10.3	55	0.3	1.0	<0.1	114
1404255	Rock Chip	1.97	44	1.6	30.3	5.3	51	0.2	5.5	13.8	567	3.32	36.4	2.6	4.4	10.6	55	<0.1	0.9	0.2	114
1404256	Rock Chip	1.86	4	2.1	31.5	14.2	55	0.2	5.9	13.7	535	3.41	24.7	3.2	1.3	10.4	65	0.1	1.2	0.2	116
1404257	Rock Chip	2.27	3	1.9	29.7	6.8	51	0.2	5.9	13.5	493	3.22	7.9	3.7	<0.5	11.3	60	0.1	0.4	<0.1	113
1404258	Rock Chip	2.12	<2	1.7	28.1	4.0	47	<0.1	5.4	13.5	453	3.08	2.8	3.2	1.3	10.1	73	<0.1	0.1	<0.1	112
1404259	Rock Chip	2.17	2	1.7	26.1	3.6	47	<0.1	5.8	13.5	448	3.03	2.2	3.7	<0.5	9.7	62	<0.1	0.1	<0.1	110
1404260	Rock Pulp	0.12	10	2.5	25.5	2.2	44	0.3	24.8	10.8	413	2.39	5.1	0.2	<0.5	1.0	37	0.1	0.2	<0.1	60
1404261	Rock Pulp	0.12	1485	9.1	49.4	5.9	53	0.2	33.9	9.6	502	3.29	6.5	0.3	797.4	1.0	41	0.1	0.9	<0.1	67
1404262	Rock Chip	1.68	2	1.4	25.9	4.0	53	<0.1	6.0	14.4	592	3.37	4.9	3.2	2.7	9.8	65	<0.1	0.3	<0.1	119
1404263	Rock Chip	1.66	89	1.4	45.6	6.4	72	0.1	8.0	20.0	892	4.27	46.8	5.1	86.4	10.6	73	0.4	0.6	0.6	120
1404264	Rock Chip	2.25	13	1.4	26.7	3.7	53	<0.1	5.6	14.4	576	3.42	4.0	2.9	3.7	11.0	67	<0.1	0.2	<0.1	120
1404265	Rock Chip	1.56	<2	1.8	28.3	3.5	66	<0.1	6.5	14.1	502	3.21	3.6	2.9	3.2	10.1	60	0.2	0.2	<0.1	113
1404266	Rock Chip	2.51	<2	2.0	26.4	3.7	49	<0.1	6.6	13.2	480	3.10	2.9	3.4	1.3	8.7	66	<0.1	0.1	<0.1	108
1404267	Rock Chip	2.50	2	1.8	26.3	4.0	46	<0.1	5.4	12.7	458	2.90	4.3	2.2	0.9	8.8	54	<0.1	0.2	<0.1	95
1404268	Rock Chip	1.62	2	1.8	27.9	4.0	49	<0.1	6.4	13.2	467	3.06	5.4	2.8	<0.5	10.9	60	<0.1	0.2	<0.1	103
1404269	Rock Chip	2.20	834	1.4	36.5	11.2	51	0.4	5.6	13.4	577	3.54	27.5	3.0	199.1	9.1	51	0.1	1.2	6.0	97
1404270	Rock Chip	2.07	2	1.3	26.9	5.1	55	<0.1	5.7	13.7	553	3.20	6.2	2.6	4.1	8.5	63	<0.1	0.8	0.2	108
1404271	Rock Chip	1.88	17	1.7	20.6	4.8	62	<0.1	6.3	17.1	795	3.67	21.6	2.6	4.8	9.9	59	<0.1	0.8	0.2	100
1404272	Rock Chip	2.11	3	1.9	26.7	4.8	54	<0.1	6.0	14.1	615	3.34	4.8	2.8	1.1	9.7	71	<0.1	0.6	<0.1	113
1404273	Rock Chip	1.91	5	2.1	34.0	53.9	269	0.7	6.0	15.5	725	3.79	20.0	3.0	4.4	10.4	80	4.2	0.9	0.3	118
1404274	Rock Chip	1.11	37	1.6	31.6	20.2	79	0.4	6.2	17.7	736	4.02	56.6	2.9	26.1	10.9	87	0.2	0.9	0.5	130
1404275	Rock Chip	0.82	26	1.4	32.3	23.5	85	0.5	6.2	17.0	733	3.96	69.8	2.9	17.1	10.1	82	0.3	0.8	0.7	123

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 23, 2012

CERTIFICATE OF ANALYSIS WHI12000650.1

		Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
		Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1404246	Rock Chip		0.88	0.072	15	21	1.09	961	0.308	<20	2.01	0.220	0.93	1.1	<0.01	0.5	<0.05	4.3	<0.5	6	<0.2
1404247	Rock Chip		1.04	0.080	16	23	1.15	972	0.310	<20	2.15	0.237	0.95	0.9	<0.01	0.6	<0.05	5.0	<0.5	6	<0.2
1404248	Rock Chip		1.08	0.075	15	23	1.18	925	0.303	<20	2.30	0.274	0.98	0.8	<0.01	0.5	<0.05	5.4	<0.5	6	<0.2
1404249	Rock Chip		1.93	0.073	16	19	1.10	845	0.237	<20	1.99	0.187	0.90	0.5	0.01	0.6	0.22	7.1	<0.5	6	<0.2
1404250	Rock Chip		2.32	0.072	18	19	1.05	641	0.177	<20	2.01	0.148	0.77	0.3	<0.01	0.7	0.77	12.0	<0.5	6	<0.2
1404251	Rock Chip		2.97	0.070	19	15	0.77	429	0.104	<20	1.80	0.073	0.60	0.4	0.02	0.7	1.20	11.2	<0.5	5	<0.2
1404252	Rock Chip		1.18	0.072	15	24	1.16	925	0.305	<20	2.30	0.268	1.04	0.9	<0.01	0.5	0.07	5.9	<0.5	7	<0.2
1404253	Rock Chip		1.12	0.076	15	21	1.21	889	0.291	<20	2.13	0.210	1.00	0.7	<0.01	0.5	<0.05	5.2	<0.5	6	<0.2
1404254	Rock Chip		1.16	0.074	17	24	1.29	868	0.284	<20	2.14	0.198	0.85	0.7	<0.01	0.5	<0.05	5.7	<0.5	6	<0.2
1404255	Rock Chip		1.16	0.069	15	23	1.18	877	0.288	<20	2.24	0.212	0.94	0.6	<0.01	0.6	0.09	5.7	<0.5	6	<0.2
1404256	Rock Chip		1.26	0.076	16	24	1.18	957	0.285	<20	2.30	0.242	0.97	0.5	<0.01	0.6	0.09	6.0	<0.5	7	<0.2
1404257	Rock Chip		1.09	0.078	17	23	1.14	985	0.292	<20	2.18	0.228	0.94	0.6	<0.01	0.5	0.08	5.4	<0.5	6	<0.2
1404258	Rock Chip		1.06	0.070	15	25	1.09	941	0.305	<20	2.25	0.277	0.96	0.9	<0.01	0.6	<0.05	5.0	<0.5	7	<0.2
1404259	Rock Chip		0.98	0.073	15	23	1.11	910	0.305	<20	2.15	0.239	0.98	0.8	<0.01	0.6	<0.05	4.9	<0.5	7	<0.2
1404260	Rock Pulp		0.83	0.058	4	32	0.79	93	0.119	<20	1.58	0.076	0.13	12.2	0.02	<0.1	<0.05	4.5	<0.5	5	<0.2
1404261	Rock Pulp		0.88	0.057	5	36	0.86	110	0.135	<20	1.75	0.098	0.15	0.2	0.06	<0.1	<0.05	5.2	<0.5	6	<0.2
1404262	Rock Chip		1.40	0.075	16	23	1.34	855	0.268	<20	2.34	0.223	0.92	0.5	<0.01	0.5	<0.05	8.0	<0.5	7	<0.2
1404263	Rock Chip		3.01	0.068	18	25	1.36	700	0.152	<20	2.62	0.129	0.71	0.1	<0.01	0.6	0.52	13.2	<0.5	8	<0.2
1404264	Rock Chip		1.36	0.068	16	24	1.35	784	0.278	<20	2.34	0.241	0.87	0.5	<0.01	0.5	0.06	7.5	<0.5	7	<0.2
1404265	Rock Chip		1.19	0.067	17	24	1.20	836	0.286	<20	2.11	0.210	0.91	0.9	<0.01	0.5	0.08	5.6	<0.5	6	<0.2
1404266	Rock Chip		1.10	0.068	14	25	1.12	735	0.281	<20	2.14	0.237	0.83	1.1	<0.01	0.4	<0.05	5.0	<0.5	6	<0.2
1404267	Rock Chip		1.12	0.066	15	22	1.07	587	0.252	<20	1.85	0.167	0.65	0.9	<0.01	0.3	<0.05	4.6	<0.5	6	<0.2
1404268	Rock Chip		1.31	0.069	16	24	1.10	750	0.270	<20	2.01	0.205	0.78	0.8	<0.01	0.4	<0.05	5.1	<0.5	6	<0.2
1404269	Rock Chip		2.01	0.064	17	22	1.17	668	0.211	<20	2.00	0.120	0.71	0.4	<0.01	0.5	0.43	6.6	<0.5	6	<0.2
1404270	Rock Chip		1.64	0.065	15	22	1.25	760	0.265	<20	2.07	0.179	0.76	0.5	<0.01	0.5	0.05	6.8	<0.5	6	<0.2
1404271	Rock Chip		2.42	0.062	17	23	1.47	159	0.079	<20	2.12	0.075	0.19	0.2	<0.01	<0.1	0.09	9.9	<0.5	7	<0.2
1404272	Rock Chip		1.56	0.066	16	23	1.40	795	0.240	<20	2.17	0.186	0.75	0.5	<0.01	0.5	<0.05	8.0	<0.5	7	<0.2
1404273	Rock Chip		1.61	0.066	16	25	1.51	812	0.230	<20	2.31	0.202	0.77	0.4	<0.01	0.5	0.30	9.6	<0.5	7	<0.2
1404274	Rock Chip		1.77	0.072	18	24	1.71	848	0.196	<20	2.52	0.206	0.61	0.2	<0.01	0.3	0.15	12.8	<0.5	8	<0.2
1404275	Rock Chip		1.75	0.070	18	23	1.63	781	0.194	<20	2.44	0.189	0.62	0.2	<0.01	0.4	0.19	11.6	<0.5	8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 23, 2012

CERTIFICATE OF ANALYSIS WHI12000650.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1404276	Rock Chip	2.33	<2	1.7	27.3	5.0	130	<0.1	6.3	17.9	770	4.07	5.5	3.1	3.8	10.4	83	0.8	0.6	<0.1	127
1404277	Rock Chip	2.08	37	1.6	27.6	21.5	72	0.6	6.1	16.5	828	4.01	51.4	3.1	33.5	11.7	72	0.2	0.8	0.8	105
1404278	Rock Chip	1.95	<2	1.6	24.2	21.5	77	0.3	5.2	16.1	681	3.68	3.3	2.8	2.0	10.0	87	0.1	0.3	<0.1	125
1404279	Rock Chip	1.68	<2	1.4	24.1	4.7	63	<0.1	6.1	16.6	793	3.80	4.1	2.9	4.0	10.3	63	<0.1	0.9	<0.1	117
1404280	Rock Pulp	0.12	8	2.3	23.6	2.2	41	0.3	21.2	9.9	372	2.20	4.2	0.2	3.9	0.8	33	0.2	0.2	<0.1	49
1404281	Rock Pulp	0.13	3905	9.9	68.8	465.8	1536	49.5	30.7	8.1	371	2.90	27.7	0.4	2895	1.0	30	16.0	50.1	1.0	45
1404282	Rock Chip	2.48	12	1.6	25.8	3.5	60	<0.1	5.8	16.7	661	3.57	5.6	2.7	4.0	6.9	61	0.1	1.0	<0.1	107
1404283	Rock Chip	1.76	29	1.6	22.7	17.6	146	0.3	4.9	14.7	635	3.31	76.8	3.4	7.4	13.5	70	1.1	1.2	0.9	86
1404284	Rock Chip	1.51	2	1.1	21.3	4.7	67	0.1	5.4	17.3	814	4.03	12.1	2.2	2.1	8.5	100	0.1	1.4	0.1	89
1404285	Rock Chip	2.34	133	0.8	26.7	128.6	143	2.5	5.7	16.4	906	4.27	28.2	3.3	191.7	6.9	92	2.0	3.1	0.5	92
1404286	Rock Chip	2.41	2	1.1	20.7	3.8	55	<0.1	6.0	14.8	857	3.54	2.0	4.3	2.7	6.4	92	<0.1	1.7	<0.1	89
1404287	Rock Chip	1.75	2	1.2	21.6	4.0	55	<0.1	5.5	14.2	683	3.09	2.2	3.1	2.9	11.3	85	<0.1	1.8	<0.1	78
1404288	Rock Chip	2.44	<2	1.3	21.3	2.9	59	<0.1	5.7	14.7	736	3.34	2.9	2.4	2.1	9.5	84	<0.1	1.7	<0.1	92
1404289	Rock Chip	2.29	3	1.3	20.8	17.8	92	0.2	5.9	16.2	847	3.64	12.2	3.7	4.7	13.0	102	0.9	2.6	0.2	88
1404290	Rock Chip	2.21	4	1.8	17.7	15.5	93	0.4	5.7	18.5	1034	3.80	31.4	3.6	3.0	9.2	102	0.8	5.8	0.5	78
1404291	Rock Chip	2.45	3	2.7	12.7	41.8	61	0.4	4.7	12.9	1335	3.72	13.9	2.6	1.8	9.2	180	0.3	4.3	0.2	64
1404292	Rock Chip	1.68	<2	1.1	32.5	10.2	77	0.1	6.8	21.4	856	4.00	5.2	2.5	2.2	11.5	77	0.2	6.3	0.1	87
1404293	Rock Chip	1.31	<2	1.4	23.9	4.1	60	<0.1	6.0	15.7	826	3.61	2.7	1.7	0.7	9.8	97	<0.1	2.4	<0.1	74
1404294	Rock Chip	2.39	29	0.9	22.3	4.3	51	<0.1	5.0	13.7	625	3.07	3.2	1.7	1.3	7.8	57	<0.1	1.3	<0.1	71
1404295	Rock Chip	2.10	2	0.9	21.3	8.8	68	0.1	5.4	17.9	552	2.95	5.4	6.2	1.5	9.3	60	0.4	3.2	<0.1	72
1404296	Rock Chip	1.20	<2	1.2	18.9	4.0	57	<0.1	6.0	13.9	626	3.24	2.9	1.6	1.7	6.1	60	0.2	0.9	<0.1	95
1404297	Rock Chip	1.17	<2	1.6	19.6	3.5	44	<0.1	4.9	11.4	456	2.69	2.0	1.2	0.8	7.5	40	<0.1	1.0	0.1	77
1404298	Rock Chip	1.48	<2	1.9	20.5	2.7	36	<0.1	4.4	9.7	359	2.19	1.7	1.8	1.4	7.3	38	<0.1	0.7	<0.1	69
1404299	Rock Chip	1.67	4	1.4	25.2	4.4	60	0.1	10.6	14.0	565	3.34	2.6	1.6	64.0	5.3	45	0.2	0.6	0.1	113
1404300	Rock Pulp	0.12	4	2.4	24.1	2.2	41	0.3	22.5	9.9	368	2.22	4.3	0.2	1.6	0.9	35	0.2	0.2	<0.1	51
1404301	Rock Pulp	0.12	1531	8.5	46.0	5.4	46	0.3	30.1	8.8	450	2.98	6.4	0.3	1411	0.9	37	0.1	0.9	0.1	56
1404302	Rock Chip	1.88	4	1.7	17.9	1.8	33	<0.1	3.8	9.0	280	2.03	2.0	3.0	1.7	12.1	24	<0.1	0.3	<0.1	65
1404303	Rock Chip	1.50	3	1.4	18.2	2.2	32	<0.1	4.0	9.0	286	1.98	3.1	3.8	<0.5	20.2	31	<0.1	0.3	<0.1	64
1404304	Rock Chip	1.69	15	1.3	22.1	3.3	36	<0.1	4.2	10.4	414	2.23	48.1	3.0	7.5	5.8	46	<0.1	1.0	0.1	68
1404305	Rock Chip	2.59	4	1.1	21.2	4.5	44	<0.1	4.3	10.6	363	2.13	6.1	2.6	1.5	4.8	33	0.2	0.9	<0.1	65

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 23, 2012

CERTIFICATE OF ANALYSIS WHI12000650.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1404276	Rock Chip	1.90	0.075	18	25	1.77	614	0.139	<20	2.39	0.159	0.43	0.2	<0.01	0.2	0.08	12.0	<0.5	7	<0.2
1404277	Rock Chip	1.94	0.068	18	23	1.65	519	0.128	<20	2.22	0.115	0.38	0.3	<0.01	0.2	0.43	9.8	<0.5	7	<0.2
1404278	Rock Chip	1.54	0.068	15	25	1.74	1124	0.253	<20	2.49	0.219	0.77	0.2	<0.01	0.4	0.09	10.2	<0.5	7	<0.2
1404279	Rock Chip	1.65	0.071	18	21	2.21	851	0.205	<20	2.11	0.061	0.58	0.2	<0.01	0.3	<0.05	13.4	<0.5	7	<0.2
1404280	Rock Pulp	0.67	0.055	3	27	0.71	88	0.093	<20	1.36	0.065	0.11	12.5	0.01	<0.1	<0.05	3.9	<0.5	4	<0.2
1404281	Rock Pulp	0.57	0.050	5	24	0.55	98	0.083	<20	1.06	0.066	0.09	2.3	0.24	1.0	0.31	3.6	<0.5	6	0.2
1404282	Rock Chip	1.37	0.076	15	21	1.82	713	0.184	<20	1.92	0.078	0.55	0.2	<0.01	0.3	0.09	11.2	<0.5	6	<0.2
1404283	Rock Chip	1.73	0.070	13	18	1.30	613	0.139	<20	1.69	0.052	0.46	0.2	<0.01	0.3	0.22	9.7	<0.5	6	<0.2
1404284	Rock Chip	2.45	0.076	18	18	1.74	682	0.107	<20	2.18	0.033	0.53	0.1	<0.01	0.3	0.07	11.0	<0.5	7	<0.2
1404285	Rock Chip	2.81	0.066	16	18	1.64	485	0.116	<20	2.13	0.023	0.48	0.1	0.02	0.3	0.50	11.4	<0.5	7	<0.2
1404286	Rock Chip	2.64	0.061	16	18	1.36	620	0.111	<20	1.77	0.038	0.44	0.2	<0.01	0.2	<0.05	12.0	<0.5	6	<0.2
1404287	Rock Chip	2.33	0.069	18	22	1.14	448	0.080	<20	1.43	0.047	0.30	0.2	0.02	0.1	0.11	10.7	<0.5	5	<0.2
1404288	Rock Chip	2.00	0.069	17	21	1.25	690	0.141	<20	1.61	0.062	0.50	0.2	<0.01	0.3	0.08	11.3	<0.5	6	<0.2
1404289	Rock Chip	2.63	0.073	18	20	1.29	428	0.076	<20	1.71	0.055	0.30	0.3	0.01	0.2	0.15	12.4	<0.5	6	<0.2
1404290	Rock Chip	3.23	0.073	16	15	1.37	153	0.016	<20	0.96	0.011	0.13	0.1	0.02	<0.1	0.14	15.7	<0.5	3	<0.2
1404291	Rock Chip	5.67	0.052	14	11	2.03	48	0.002	<20	0.42	0.005	0.06	0.2	0.05	<0.1	0.20	11.6	<0.5	2	<0.2
1404292	Rock Chip	2.34	0.078	20	18	1.37	25	0.001	<20	1.09	0.003	0.06	0.1	0.04	<0.1	0.07	17.6	0.5	4	<0.2
1404293	Rock Chip	2.99	0.073	20	23	1.43	63	0.004	<20	1.74	0.015	0.06	0.2	<0.01	<0.1	<0.05	12.0	<0.5	6	<0.2
1404294	Rock Chip	1.87	0.070	18	19	1.33	173	0.051	<20	1.49	0.026	0.11	0.3	<0.01	<0.1	<0.05	8.2	<0.5	5	<0.2
1404295	Rock Chip	2.21	0.068	16	17	1.01	268	0.027	<20	1.39	0.015	0.13	0.3	0.03	<0.1	0.07	10.4	<0.5	5	<0.2
1404296	Rock Chip	1.62	0.060	13	22	1.25	979	0.210	<20	1.66	0.057	0.66	0.4	<0.01	0.3	<0.05	8.9	<0.5	5	<0.2
1404297	Rock Chip	1.06	0.066	12	21	1.23	735	0.187	<20	1.46	0.047	0.45	0.5	<0.01	0.2	<0.05	5.2	<0.5	5	<0.2
1404298	Rock Chip	1.11	0.078	14	21	0.89	817	0.204	<20	1.22	0.059	0.55	0.8	<0.01	0.3	<0.05	2.8	<0.5	4	<0.2
1404299	Rock Chip	1.43	0.182	17	37	1.38	1216	0.286	<20	1.69	0.050	0.82	0.6	<0.01	0.4	0.08	6.2	<0.5	6	<0.2
1404300	Rock Pulp	0.69	0.055	3	29	0.72	87	0.098	<20	1.39	0.066	0.11	12.4	0.02	<0.1	<0.05	3.9	<0.5	4	<0.2
1404301	Rock Pulp	0.71	0.056	4	32	0.75	92	0.116	<20	1.55	0.081	0.12	0.2	0.07	<0.1	<0.05	4.4	<0.5	5	<0.2
1404302	Rock Chip	0.52	0.073	18	21	0.73	853	0.218	<20	1.05	0.048	0.61	0.8	<0.01	0.3	<0.05	1.9	<0.5	3	<0.2
1404303	Rock Chip	0.72	0.064	13	18	0.75	883	0.209	<20	1.10	0.050	0.60	0.6	<0.01	0.3	<0.05	2.4	<0.5	4	<0.2
1404304	Rock Chip	1.50	0.068	12	18	0.90	845	0.190	<20	1.29	0.048	0.53	0.4	<0.01	0.3	0.05	4.0	<0.5	4	<0.2
1404305	Rock Chip	0.94	0.063	10	17	0.82	814	0.209	<20	1.14	0.046	0.54	0.8	<0.01	0.3	<0.05	2.7	<0.5	4	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 23, 2012

CERTIFICATE OF ANALYSIS WHI12000650.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1404306	Rock Chip	2.64	<2	1.5	22.2	3.4	54	<0.1	4.6	11.4	465	2.61	2.2	2.9	1.5	9.1	49	<0.1	1.4	<0.1	82
1404307	Rock Chip	1.48	<2	0.9	25.7	16.7	57	0.2	4.9	15.5	770	3.50	11.0	4.4	2.1	7.4	74	0.1	1.3	<0.1	105
1404308	Rock Chip	2.45	<2	1.7	26.9	10.1	59	0.1	5.9	14.9	741	3.66	3.3	2.7	<0.5	8.1	82	0.2	0.8	<0.1	114
1404309	Rock Chip	1.92	<2	1.6	22.3	7.3	60	<0.1	5.4	15.7	900	3.51	2.3	2.8	0.9	8.2	84	0.2	0.7	<0.1	95
1404310	Rock Chip	1.53	<2	1.2	21.3	7.4	66	0.1	5.2	15.1	1263	3.63	2.2	3.3	0.8	8.8	97	0.2	1.0	<0.1	95
1404311	Rock Chip	1.67	2	2.0	28.8	30.9	109	0.4	6.6	17.6	1042	4.22	4.7	2.9	2.0	7.7	90	1.1	1.3	<0.1	125
1404312	Rock Chip	2.58	2	1.9	26.6	35.2	95	0.4	5.6	15.1	886	3.82	5.8	2.6	<0.5	7.7	85	0.9	1.2	<0.1	120
1404313	Rock Chip	1.94	<2	2.2	23.1	2.6	90	<0.1	4.7	13.5	517	2.76	1.4	1.6	1.2	7.5	35	0.9	0.6	<0.1	81
1404314	Rock Chip	2.02	25	2.5	34.6	221.4	935	3.1	5.6	14.6	825	3.77	100.6	2.9	26.8	9.6	71	21.8	2.5	0.2	113
1404315	Rock Chip	2.00	31	1.8	25.7	215.7	689	2.7	5.8	16.7	1127	4.15	101.1	2.0	24.0	7.2	84	14.6	2.0	0.2	115
1404316	Rock Chip	1.96	5	1.2	23.7	14.4	88	0.2	4.8	13.2	669	3.30	8.8	2.5	1.3	7.7	69	0.9	0.4	<0.1	109

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 23, 2012

CERTIFICATE OF ANALYSIS WHI12000650.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1404306	Rock Chip	1.04	0.067	13	21	1.13	962	0.223	<20	1.54	0.047	0.70	0.4	<0.01	0.4	<0.05	4.9	<0.5	5	<0.2
1404307	Rock Chip	2.27	0.079	13	23	1.42	1009	0.212	<20	1.89	0.048	0.67	0.2	<0.01	0.4	0.13	9.1	<0.5	6	<0.2
1404308	Rock Chip	2.11	0.072	14	25	1.48	1242	0.229	<20	2.35	0.125	0.82	0.4	<0.01	0.4	<0.05	9.7	<0.5	7	<0.2
1404309	Rock Chip	3.71	0.065	18	20	1.52	836	0.116	<20	2.45	0.051	0.59	0.2	<0.01	0.3	0.08	9.8	<0.5	7	<0.2
1404310	Rock Chip	5.83	0.069	18	20	1.44	902	0.113	<20	2.53	0.054	0.58	0.1	0.01	0.3	0.06	10.1	<0.5	7	<0.2
1404311	Rock Chip	3.37	0.073	17	25	1.67	1239	0.188	<20	2.59	0.097	0.73	0.3	<0.01	0.4	0.14	13.0	<0.5	8	<0.2
1404312	Rock Chip	2.77	0.068	16	24	1.56	1207	0.215	<20	2.46	0.129	0.74	0.3	0.01	0.4	0.09	10.8	<0.5	8	<0.2
1404313	Rock Chip	1.09	0.068	11	24	1.11	964	0.225	<20	1.35	0.038	0.65	0.4	<0.01	0.4	<0.05	4.3	<0.5	5	<0.2
1404314	Rock Chip	1.81	0.077	14	26	1.38	1105	0.239	<20	2.10	0.148	0.71	0.5	<0.01	0.3	0.30	8.6	<0.5	7	<0.2
1404315	Rock Chip	4.16	0.070	15	23	1.46	897	0.160	<20	2.37	0.109	0.60	0.2	<0.01	0.3	0.37	10.5	<0.5	8	<0.2
1404316	Rock Chip	1.93	0.071	14	21	1.25	1256	0.257	<20	2.07	0.176	0.84	0.4	<0.01	0.4	<0.05	6.3	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 23, 2012

QUALITY CONTROL REPORT WHI12000650.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1404251	Rock Chip	1.91	247	1.8	72.1	871.0	1794	15.5	6.2	19.0	3479	5.23	3580	4.5	266.2	10.7	58	30.0	65.2	1.4	83
REP 1404251	QC		237																		
1404257	Rock Chip	2.27	3	1.9	29.7	6.8	51	0.2	5.9	13.5	493	3.22	7.9	3.7	<0.5	11.3	60	0.1	0.4	<0.1	113
REP 1404257	QC			1.8	28.5	6.4	50	0.1	6.4	14.1	509	3.21	8.1	3.3	1.9	10.4	61	<0.1	0.4	<0.1	113
1404303	Rock Chip	1.50	3	1.4	18.2	2.2	32	<0.1	4.0	9.0	286	1.98	3.1	3.8	<0.5	20.2	31	<0.1	0.3	<0.1	64
REP 1404303	QC		<2																		
Core Reject Duplicates																					
1404259	Rock Chip	2.17	2	1.7	26.1	3.6	47	<0.1	5.8	13.5	448	3.03	2.2	3.7	<0.5	9.7	62	<0.1	0.1	<0.1	110
DUP 1404259	QC		2	1.7	26.7	3.7	49	<0.1	5.7	13.4	465	3.13	1.9	3.5	<0.5	10.4	68	<0.1	0.1	<0.1	112
1404294	Rock Chip	2.39	29	0.9	22.3	4.3	51	<0.1	5.0	13.7	625	3.07	3.2	1.7	1.3	7.8	57	<0.1	1.3	<0.1	71
DUP 1404294	QC		8	0.8	17.1	4.1	47	<0.1	4.2	12.4	545	2.78	3.9	1.9	0.7	5.2	49	<0.1	1.1	<0.1	64
Reference Materials																					
STD DS9	Standard			11.0	108.3	121.6	303	1.5	39.3	7.5	563	2.22	23.4	2.5	142.7	6.0	65	2.1	4.2	6.8	36
STD DS9	Standard			13.5	122.0	119.3	331	1.9	44.0	8.4	615	2.50	27.5	2.6	94.1	6.0	73	2.3	5.2	5.6	42
STD DS9	Standard			13.8	117.1	133.6	336	1.9	41.8	8.1	596	2.41	26.9	3.1	133.0	7.0	69	2.6	4.2	5.2	42
STD OREAS45CA	Standard			1.0	454.6	21.6	55	0.3	219.7	87.8	910	14.57	4.1	1.3	46.5	7.6	15	0.2	0.2	0.2	197
STD OREAS45CA	Standard			0.9	535.1	19.8	65	0.3	268.6	98.5	999	17.10	4.2	1.2	46.4	7.0	16	<0.1	<0.1	0.1	229
STD OREAS45CA	Standard			0.8	540.0	21.6	65	0.3	263.2	99.0	984	17.21	5.4	1.3	55.2	7.7	14	<0.1	<0.1	0.1	229
STD OXD87	Standard		431																		
STD OXD87	Standard		386																		
STD OXD87	Standard		449																		
STD OXD87	Standard		406																		
STD OXD87	Standard		416																		
STD OXG99	Standard		1021																		
STD OXG99	Standard		912																		
STD OXG99	Standard		945																		
STD OXG99	Standard		942																		
STD OXG99	Standard		954																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 23, 2012

QUALITY CONTROL REPORT WHI12000650.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
1404251	Rock Chip	2.97	0.070	19	15	0.77	429	0.104	<20	1.80	0.073	0.60	0.4	0.02	0.7	1.20	11.2	<0.5	5	<0.2
REP 1404251	QC																			
1404257	Rock Chip	1.09	0.078	17	23	1.14	985	0.292	<20	2.18	0.228	0.94	0.6	<0.01	0.5	0.08	5.4	<0.5	6	<0.2
REP 1404257	QC	1.09	0.076	15	24	1.14	1010	0.298	<20	2.17	0.229	0.94	0.7	<0.01	0.5	0.08	5.3	<0.5	6	<0.2
1404303	Rock Chip	0.72	0.064	13	18	0.75	883	0.209	<20	1.10	0.050	0.60	0.6	<0.01	0.3	<0.05	2.4	<0.5	4	<0.2
REP 1404303	QC																			
Core Reject Duplicates																				
1404259	Rock Chip	0.98	0.073	15	23	1.11	910	0.305	<20	2.15	0.239	0.98	0.8	<0.01	0.6	<0.05	4.9	<0.5	7	<0.2
DUP 1404259	QC	1.06	0.075	16	24	1.14	951	0.302	<20	2.25	0.270	1.00	0.8	<0.01	0.6	<0.05	5.2	<0.5	7	<0.2
1404294	Rock Chip	1.87	0.070	18	19	1.33	173	0.051	<20	1.49	0.026	0.11	0.3	<0.01	<0.1	<0.05	8.2	<0.5	5	<0.2
DUP 1404294	QC	1.57	0.067	13	17	1.22	170	0.047	<20	1.37	0.023	0.10	0.2	<0.01	<0.1	<0.05	6.7	<0.5	5	<0.2
Reference Materials																				
STD DS9	Standard	0.67	0.081	10	117	0.60	298	0.103	<20	0.90	0.074	0.38	2.6	0.21	5.1	0.16	2.2	5.0	4	4.7
STD DS9	Standard	0.77	0.087	12	134	0.66	354	0.114	<20	1.02	0.088	0.43	2.5	0.23	5.4	0.18	2.4	5.0	5	5.0
STD DS9	Standard	0.73	0.087	13	123	0.65	334	0.108	<20	0.97	0.082	0.42	2.7	0.27	6.2	0.18	2.2	6.6	5	5.7
STD OREAS45CA	Standard	0.43	0.038	16	638	0.13	174	0.121	<20	3.13	0.007	0.06	<0.1	0.03	<0.1	<0.05	38.0	<0.5	18	<0.2
STD OREAS45CA	Standard	0.44	0.041	17	775	0.15	172	0.121	<20	3.95	0.011	0.08	<0.1	0.04	<0.1	<0.05	48.0	<0.5	20	<0.2
STD OREAS45CA	Standard	0.47	0.039	16	807	0.16	168	0.139	<20	3.74	0.006	0.08	<0.1	0.02	0.2	<0.05	45.8	0.6	20	<0.2
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 23, 2012

QUALITY CONTROL REPORT WHI12000650.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
STD OXD87 Expected			417																		
STD OXG99 Expected			932																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
Prep Wash																					
G1-WHI	Prep Blank		<2	0.1	3.2	2.9	46	<0.1	2.4	4.0	544	2.02	0.9	1.8	3.0	5.7	62	<0.1	<0.1	0.1	39
G1-WHI	Prep Blank		<2	0.1	2.6	3.2	49	<0.1	3.4	4.7	589	2.06	0.8	2.0	1.8	6.5	61	<0.1	<0.1	<0.1	40

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 23, 2012

QUALITY CONTROL REPORT WHI12000650.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
STD OXD87 Expected																				
STD OXG99 Expected																				
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
G1-WHI	Prep Blank	0.50	0.080	13	5	0.51	175	0.129	<20	0.94	0.093	0.50	<0.1	<0.01	0.4	<0.05	2.3	<0.5	5	<0.2
G1-WHI	Prep Blank	0.53	0.082	14	6	0.55	176	0.139	<20	0.98	0.096	0.53	<0.1	<0.01	0.4	<0.05	2.4	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: August 13, 2012
Report Date: August 23, 2012
Page: 1 of 5

CERTIFICATE OF ANALYSIS WHI12000651.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number NA-12308
Number of Samples: 101

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	91	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	101	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	101	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme Joyce
Stephanie Korelin

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 23, 2012

CERTIFICATE OF ANALYSIS WHI12000651.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1404317	Rock Chip	1.71	<2	2.0	33.9	4.4	49	<0.1	7.1	13.4	502	3.09	2.1	2.6	0.6	9.5	65	0.1	0.2	<0.1	103
1404318	Rock Chip	1.13	<2	1.6	28.8	4.5	53	<0.1	6.7	14.9	517	3.50	1.7	3.2	<0.5	11.2	77	<0.1	0.3	0.1	124
1404319	Rock Chip	1.98	<2	1.6	26.2	3.8	50	<0.1	6.7	14.7	532	3.46	2.1	2.8	<0.5	10.7	73	<0.1	0.3	<0.1	126
1404320	Rock Pulp	0.12	<2	2.5	26.4	2.5	43	0.3	25.9	11.2	421	2.45	4.4	0.3	<0.5	1.0	42	0.1	0.2	<0.1	59
1404321	Rock Pulp	0.12	4054	11.0	76.9	494.9	1712	54.7	34.8	9.9	442	3.37	32.1	0.4	2864	1.3	38	16.6	47.1	1.1	57
1404322	Rock Chip	2.11	<2	1.8	31.0	3.6	49	<0.1	6.7	14.8	561	3.37	2.6	2.9	<0.5	10.0	72	<0.1	0.5	<0.1	117
1404323	Rock Chip	1.81	4	1.7	29.4	4.8	78	0.1	6.4	16.5	1194	3.86	17.6	3.0	<0.5	11.2	71	0.2	7.7	0.1	124
1404324	Rock Chip	0.89	14	1.6	32.3	78.2	514	1.2	7.3	19.2	2467	4.61	34.6	4.3	8.6	11.6	57	5.4	7.1	0.4	100
1404325	Rock Chip	0.75	16	1.5	32.1	61.8	527	0.8	7.6	18.8	2138	4.54	34.8	4.0	8.7	11.6	54	5.0	8.1	0.4	101
1404326	Rock Chip	1.89	18	1.7	33.4	287.0	263	4.6	6.1	18.2	3389	3.90	81.7	5.4	10.7	11.8	79	2.9	25.4	0.1	82
1404327	Rock Chip	2.11	<2	1.6	31.2	40.7	77	0.3	6.7	14.8	678	3.42	6.1	3.5	<0.5	11.5	68	0.6	1.4	<0.1	115
1404328	Rock Chip	1.73	<2	1.5	28.6	5.2	68	<0.1	6.4	13.9	518	3.28	5.6	3.6	<0.5	12.4	69	0.6	0.6	<0.1	113
1404329	Rock Chip	2.08	30	1.7	33.1	7.7	51	0.2	6.0	14.4	602	3.46	16.9	2.7	1.1	11.4	56	0.1	0.9	0.3	111
1404330	Rock Chip	1.70	12	1.5	36.6	10.3	68	0.3	6.2	16.7	693	3.87	103.3	2.9	3.7	10.4	60	0.3	2.2	0.4	110
1404331	Rock Chip	1.98	3	1.7	29.1	4.7	52	0.1	6.5	15.6	647	3.48	9.7	2.9	<0.5	10.6	70	<0.1	0.7	<0.1	113
1404332	Rock Chip	1.78	28	1.3	32.6	7.5	84	0.3	6.6	17.7	788	4.14	239.5	3.0	16.6	10.2	73	0.1	1.9	1.5	126
1404333	Rock Chip	2.16	88	1.7	36.8	6.5	54	0.4	6.6	15.2	680	3.75	425.6	2.9	86.7	9.8	58	<0.1	1.1	1.9	103
1404334	Rock Chip	2.08	<2	1.8	27.3	3.7	47	<0.1	6.2	13.2	505	3.10	6.1	3.2	1.0	10.8	63	<0.1	0.2	<0.1	108
1404335	Rock Chip	2.59	8	1.7	29.0	4.1	49	<0.1	6.2	13.8	536	3.25	10.3	3.5	2.9	10.3	72	<0.1	0.2	0.1	106
1404336	Rock Chip	2.07	<2	1.8	28.0	3.7	51	<0.1	6.0	14.4	587	3.21	6.0	3.7	<0.5	12.5	71	<0.1	0.4	0.1	111
1404337	Rock Chip	2.23	<2	1.7	29.3	4.4	47	<0.1	6.6	14.4	829	3.18	18.6	3.3	<0.5	11.5	64	<0.1	0.8	<0.1	104
1404338	Rock Chip	1.86	2771	2.0	47.3	13.4	87	1.7	7.3	21.2	659	4.86	7403	2.8	4016	8.5	70	0.6	2.8	32.2	113
1404339	Rock Chip	2.27	30	2.3	31.0	5.3	56	0.1	6.7	16.5	661	3.58	119.3	3.1	20.0	9.8	75	0.1	0.7	1.0	118
1404340	Rock Pulp	0.12	5	2.3	25.5	2.4	42	0.3	25.4	10.9	430	2.50	4.5	0.3	<0.5	1.0	43	0.2	0.2	<0.1	60
1404341	Rock Pulp	0.12	3936	11.5	74.6	509.4	1700	54.8	33.3	9.5	433	3.32	33.7	0.4	3202	1.2	37	17.7	47.0	1.1	55
1404342	Rock Chip	2.90	17	1.9	28.4	5.4	51	<0.1	6.3	15.1	573	3.37	46.1	3.5	3.2	11.3	72	0.1	0.6	0.4	110
1404343	Rock Chip	2.36	20	2.1	27.4	7.5	56	0.1	6.2	15.7	705	3.68	30.3	3.6	6.4	11.6	81	<0.1	0.8	0.1	114
1404344	Rock Chip	2.22	171	1.8	37.7	15.7	67	0.6	6.5	17.2	1274	4.08	445.0	3.7	262.4	10.7	86	0.4	1.3	1.5	109
1404345	Rock Chip	2.32	4	1.8	25.6	5.6	53	<0.1	6.3	14.6	659	3.46	16.7	3.6	4.1	10.8	70	<0.1	0.3	0.1	108
1404346	Rock Chip	2.52	3	1.8	26.0	6.1	69	<0.1	7.0	17.4	726	3.85	11.5	3.8	0.7	11.4	80	0.3	0.3	0.2	120

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 23, 2012

CERTIFICATE OF ANALYSIS WHI12000651.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1404317	Rock Chip	1.10	0.077	14	23	1.05	897	0.295	<20	1.99	0.191	0.85	0.8	<0.01	0.4	<0.05	4.7	<0.5	6	<0.2
1404318	Rock Chip	1.09	0.079	16	25	1.19	970	0.335	<20	2.36	0.264	1.00	0.9	<0.01	0.5	<0.05	5.6	<0.5	7	<0.2
1404319	Rock Chip	1.12	0.080	14	25	1.21	931	0.342	<20	2.34	0.257	1.02	0.7	<0.01	0.5	<0.05	5.9	<0.5	7	<0.2
1404320	Rock Pulp	0.87	0.059	4	34	0.82	93	0.138	<20	1.66	0.084	0.13	11.6	0.02	<0.1	<0.05	5.0	<0.5	5	<0.2
1404321	Rock Pulp	0.75	0.053	6	31	0.62	114	0.124	<20	1.29	0.082	0.11	2.2	0.22	1.1	0.35	4.8	<0.5	7	0.4
1404322	Rock Chip	1.13	0.082	16	24	1.20	968	0.337	<20	2.32	0.248	1.03	0.7	<0.01	0.6	<0.05	6.2	<0.5	7	<0.2
1404323	Rock Chip	1.91	0.082	18	23	1.22	869	0.281	<20	2.52	0.179	0.91	0.3	<0.01	0.6	<0.05	10.3	<0.5	7	<0.2
1404324	Rock Chip	2.90	0.075	20	18	1.15	599	0.128	<20	2.45	0.061	0.62	0.1	0.04	1.0	0.42	15.5	<0.5	7	<0.2
1404325	Rock Chip	2.59	0.074	20	17	1.10	634	0.139	<20	2.41	0.067	0.64	0.2	0.03	0.9	0.34	14.7	<0.5	7	<0.2
1404326	Rock Chip	3.43	0.073	19	16	1.15	540	0.121	<20	1.84	0.086	0.62	0.2	0.02	0.6	0.44	13.5	<0.5	5	<0.2
1404327	Rock Chip	1.19	0.079	16	25	1.22	987	0.325	<20	2.28	0.219	0.94	0.6	<0.01	0.5	<0.05	6.8	<0.5	7	<0.2
1404328	Rock Chip	1.07	0.079	15	23	1.12	995	0.330	<20	2.37	0.242	0.99	0.5	<0.01	0.5	<0.05	5.7	<0.5	7	<0.2
1404329	Rock Chip	1.28	0.077	16	23	1.21	903	0.293	<20	2.22	0.173	0.87	0.4	<0.01	0.5	0.12	6.3	<0.5	7	<0.2
1404330	Rock Chip	1.54	0.076	17	24	1.50	587	0.205	<20	2.37	0.140	0.54	0.3	<0.01	0.3	0.09	9.5	<0.5	7	<0.2
1404331	Rock Chip	1.50	0.080	17	25	1.32	824	0.279	<20	2.27	0.206	0.72	0.4	<0.01	0.4	0.07	7.4	<0.5	7	<0.2
1404332	Rock Chip	1.84	0.072	18	24	1.64	689	0.205	<20	2.69	0.169	0.63	0.2	<0.01	0.3	0.15	13.5	<0.5	9	<0.2
1404333	Rock Chip	1.68	0.071	17	22	1.20	745	0.241	<20	2.20	0.162	0.78	0.4	<0.01	0.6	0.47	7.1	<0.5	7	<0.2
1404334	Rock Chip	1.09	0.072	15	23	1.12	929	0.318	<20	2.17	0.215	0.90	0.7	<0.01	0.4	<0.05	5.3	<0.5	6	<0.2
1404335	Rock Chip	1.26	0.072	16	24	1.14	890	0.305	<20	2.22	0.232	0.93	0.9	<0.01	0.5	0.08	5.8	<0.5	7	<0.2
1404336	Rock Chip	1.35	0.073	17	25	1.13	977	0.323	<20	2.27	0.240	0.95	0.7	<0.01	0.5	<0.05	5.6	<0.5	7	<0.2
1404337	Rock Chip	2.72	0.072	17	22	1.19	765	0.270	<20	2.22	0.152	0.70	0.4	<0.01	0.3	<0.05	6.2	<0.5	7	<0.2
1404338	Rock Chip	1.69	0.073	16	22	1.35	96	0.211	<20	2.50	0.183	0.72	0.5	0.02	0.5	1.13	9.9	0.7	8	<0.2
1404339	Rock Chip	1.86	0.076	18	25	1.38	783	0.281	<20	2.25	0.173	0.68	0.4	<0.01	0.4	0.07	8.9	<0.5	7	<0.2
1404340	Rock Pulp	0.87	0.062	4	32	0.83	100	0.129	<20	1.70	0.084	0.13	11.9	0.02	<0.1	<0.05	4.9	<0.5	5	<0.2
1404341	Rock Pulp	0.73	0.053	5	30	0.62	113	0.118	<20	1.28	0.078	0.11	2.1	0.23	1.1	0.35	4.8	<0.5	6	<0.2
1404342	Rock Chip	1.48	0.073	18	24	1.28	819	0.286	<20	2.21	0.193	0.73	0.6	<0.01	0.4	<0.05	7.6	<0.5	7	<0.2
1404343	Rock Chip	1.67	0.079	17	24	1.45	613	0.233	<20	2.16	0.177	0.53	0.3	<0.01	0.3	0.18	9.2	<0.5	7	<0.2
1404344	Rock Chip	2.74	0.077	18	23	1.46	559	0.195	<20	2.29	0.146	0.55	0.2	0.01	0.4	0.58	10.4	<0.5	7	<0.2
1404345	Rock Chip	1.47	0.074	18	26	1.51	778	0.251	<20	2.15	0.174	0.46	0.4	<0.01	0.2	<0.05	7.6	<0.5	7	<0.2
1404346	Rock Chip	1.81	0.075	19	26	1.63	803	0.220	<20	2.35	0.154	0.57	0.2	<0.01	0.3	<0.05	11.7	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 23, 2012

CERTIFICATE OF ANALYSIS WHI12000651.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1404347	Rock Chip	2.55	<2	1.8	24.5	5.0	64	<0.1	6.4	17.5	832	3.97	7.2	3.8	<0.5	12.4	97	<0.1	0.4	0.1	116
1404348	Rock Chip	2.77	<2	1.3	35.5	6.1	67	0.1	6.6	18.6	975	4.16	12.6	4.8	9.2	10.3	120	<0.1	0.5	0.2	111
1404349	Rock Chip	2.62	2	1.6	24.9	4.0	63	<0.1	7.2	18.3	870	4.09	4.5	3.4	0.7	9.3	95	<0.1	0.8	<0.1	120
1404350	Rock Chip	2.50	<2	1.9	23.5	3.0	53	<0.1	6.3	15.9	675	3.84	7.8	2.7	1.7	9.1	76	<0.1	0.8	<0.1	104
1404351	Rock Chip	2.42	790	1.7	70.8	70.0	57	6.3	6.9	18.0	1379	5.52	7487	3.6	1504	8.5	61	0.4	5.7	22.6	35
1404352	Rock Chip	2.07	108	2.5	37.4	188.1	505	2.6	6.8	19.2	1812	4.56	241.0	3.4	70.5	8.5	105	10.9	3.0	2.8	61
1404353	Rock Chip	2.50	8	1.9	26.3	270.7	539	2.0	6.5	17.6	1648	3.98	14.5	2.6	4.5	8.4	109	12.0	2.4	<0.1	102
1404354	Rock Chip	2.53	<2	1.6	38.3	5.8	65	0.1	7.2	17.6	720	3.99	4.1	2.6	0.6	9.1	83	0.1	1.6	<0.1	112
1404355	Rock Chip	2.48	8	1.6	22.4	4.9	64	<0.1	6.3	17.4	679	4.12	4.5	2.8	1.4	9.5	96	0.1	1.9	<0.1	111
1404356	Rock Chip	2.00	<2	1.0	23.1	7.4	66	<0.1	5.8	16.7	882	4.07	6.5	2.8	0.7	9.7	132	0.1	1.8	<0.1	95
1404357	Rock Chip	2.63	<2	1.5	23.4	8.7	69	<0.1	5.8	16.9	1074	3.99	11.7	2.8	0.7	8.6	124	0.2	3.3	<0.1	82
1404358	Rock Chip	2.64	<2	1.7	20.8	3.3	51	<0.1	5.9	13.3	531	3.04	2.3	2.9	<0.5	10.0	56	<0.1	0.4	<0.1	84
1404359	Rock Chip	2.50	<2	6.6	20.9	4.0	53	<0.1	6.1	13.9	638	3.21	3.1	2.8	<0.5	9.7	68	<0.1	0.4	<0.1	76
1404360	Rock Pulp	0.12	<2	2.5	25.8	2.2	43	0.3	24.4	10.8	397	2.31	4.5	0.2	<0.5	0.8	36	0.2	0.2	<0.1	55
1404361	Rock Pulp	0.12	1297	9.0	49.0	5.8	50	0.2	32.6	9.3	476	3.13	6.7	0.2	1195	1.0	39	0.1	1.0	0.1	61
1404362	Rock Chip	2.31	2	1.3	15.3	3.1	63	<0.1	6.0	15.9	777	3.61	2.8	2.9	2.6	9.7	82	<0.1	0.3	<0.1	78
1404363	Rock Chip	2.26	<2	1.9	20.5	3.3	48	<0.1	5.8	12.6	469	2.88	3.6	3.1	<0.5	10.1	52	<0.1	0.1	<0.1	87
1404364	Rock Chip	2.34	<2	1.9	22.5	3.2	67	<0.1	5.8	12.7	491	2.93	2.7	2.7	0.9	9.1	54	0.2	0.2	<0.1	89
1404365	Rock Chip	1.95	12	1.4	30.7	469.8	878	4.2	6.1	16.9	1339	4.10	34.0	4.4	11.4	10.6	104	20.4	3.1	0.3	96
1404366	Rock Chip	2.54	<2	1.7	23.2	5.7	52	<0.1	5.3	14.1	549	3.24	1.9	2.7	2.5	8.9	54	0.2	1.0	<0.1	98
1404367	Rock Chip	2.18	17	1.6	27.5	21.2	99	0.3	5.4	15.0	692	3.42	225.6	3.0	15.7	9.1	63	1.1	1.1	0.3	104
1404368	Rock Chip	2.41	<2	2.2	23.8	3.4	52	<0.1	5.3	12.8	495	2.96	7.4	2.1	<0.5	8.9	54	0.2	0.6	<0.1	99
1404369	Rock Chip	2.47	306	3.4	27.5	19.1	60	1.6	5.9	13.4	525	3.38	3912	2.8	313.6	10.0	60	0.4	2.6	5.2	92
1404370	Rock Chip	2.16	3	3.7	24.1	3.7	57	<0.1	5.9	13.5	515	3.06	26.5	2.4	0.9	9.6	57	0.4	0.3	<0.1	97
1404371	Rock Chip	2.04	<2	2.5	23.3	3.5	56	<0.1	6.0	12.6	474	2.98	12.2	2.7	2.2	9.5	61	0.3	0.2	<0.1	96
1404372	Rock Chip	2.48	<2	2.3	33.7	43.8	128	0.5	6.7	13.7	704	3.33	37.2	3.0	<0.5	10.3	58	1.9	0.9	0.1	98
1404373	Rock Chip	1.92	<2	2.0	24.8	4.0	52	<0.1	5.9	13.4	582	3.17	10.1	3.1	0.6	9.5	64	0.2	0.4	<0.1	101
1404374	Rock Chip	1.44	<2	2.3	24.0	3.7	141	<0.1	5.9	12.8	471	3.03	8.5	2.0	<0.5	8.7	57	1.5	0.2	<0.1	98
1404375	Rock Chip	1.11	<2	2.3	24.0	3.4	140	<0.1	5.7	12.6	473	3.02	8.3	2.4	<0.5	9.3	59	1.4	0.2	<0.1	100
1404376	Rock Chip	2.39	13	1.8	24.7	9.2	337	0.2	4.7	12.0	658	2.90	79.5	2.7	9.3	9.2	62	7.2	0.6	0.2	87

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 23, 2012

CERTIFICATE OF ANALYSIS WHI12000651.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1404347	Rock Chip	2.38	0.074	20	26	1.29	807	0.182	<20	2.34	0.153	0.57	0.1	<0.01	0.3	<0.05	13.4	<0.5	7	<0.2
1404348	Rock Chip	3.28	0.072	22	23	1.42	892	0.152	<20	2.62	0.091	0.65	<0.1	0.01	0.3	<0.05	15.8	<0.5	8	<0.2
1404349	Rock Chip	2.67	0.072	20	24	1.70	855	0.174	<20	2.57	0.122	0.62	0.1	<0.01	0.3	<0.05	14.0	<0.5	8	<0.2
1404350	Rock Chip	1.88	0.078	16	25	1.35	901	0.176	<20	2.05	0.107	0.62	0.3	0.02	0.3	<0.05	9.1	<0.5	7	<0.2
1404351	Rock Chip	2.52	0.074	11	8	0.73	61	<0.001	<20	0.77	0.004	0.23	0.3	0.08	0.5	3.82	8.9	0.7	2	<0.2
1404352	Rock Chip	3.34	0.075	14	14	1.19	218	0.012	<20	1.24	0.024	0.27	0.2	0.05	0.3	1.54	12.2	<0.5	4	<0.2
1404353	Rock Chip	2.97	0.073	19	22	1.55	946	0.154	<20	2.03	0.093	0.61	0.2	0.02	0.4	0.16	13.0	<0.5	7	<0.2
1404354	Rock Chip	1.85	0.079	18	24	1.66	865	0.153	<20	2.14	0.108	0.53	0.1	<0.01	0.3	<0.05	12.5	<0.5	7	<0.2
1404355	Rock Chip	1.97	0.077	18	23	1.68	715	0.115	<20	2.18	0.114	0.44	<0.1	<0.01	0.2	<0.05	13.8	<0.5	7	<0.2
1404356	Rock Chip	3.61	0.073	20	18	1.56	63	0.002	<20	1.76	0.025	0.10	<0.1	<0.01	<0.1	<0.05	15.6	<0.5	6	<0.2
1404357	Rock Chip	3.70	0.068	20	14	1.56	44	<0.001	<20	0.93	0.012	0.09	<0.1	0.04	<0.1	0.08	15.5	<0.5	3	<0.2
1404358	Rock Chip	1.41	0.068	16	24	1.09	569	0.158	<20	1.62	0.110	0.37	0.6	<0.01	0.2	<0.05	6.2	<0.5	6	<0.2
1404359	Rock Chip	1.99	0.070	17	24	1.21	372	0.112	<20	1.67	0.073	0.24	0.4	<0.01	0.1	<0.05	6.3	<0.5	6	<0.2
1404360	Rock Pulp	0.77	0.061	4	30	0.76	95	0.112	<20	1.54	0.073	0.12	13.4	<0.01	0.1	<0.05	4.2	<0.5	5	<0.2
1404361	Rock Pulp	0.78	0.059	4	34	0.81	106	0.120	<20	1.67	0.090	0.14	0.2	0.06	<0.1	<0.05	4.9	<0.5	5	<0.2
1404362	Rock Chip	2.60	0.071	19	24	1.40	173	0.058	<20	1.95	0.049	0.13	0.3	<0.01	<0.1	<0.05	8.2	<0.5	7	<0.2
1404363	Rock Chip	1.01	0.069	16	25	1.12	916	0.229	<20	1.72	0.136	0.51	0.8	<0.01	0.3	<0.05	4.4	<0.5	6	<0.2
1404364	Rock Chip	1.04	0.069	15	25	1.11	1055	0.244	<20	1.73	0.146	0.60	0.7	<0.01	0.3	<0.05	4.7	<0.5	6	<0.2
1404365	Rock Chip	3.65	0.072	21	22	1.22	539	0.074	<20	2.08	0.057	0.35	0.2	0.02	0.3	0.52	12.4	<0.5	7	<0.2
1404366	Rock Chip	1.37	0.074	15	23	1.35	1059	0.223	<20	2.01	0.087	0.67	0.3	<0.01	0.4	<0.05	6.9	<0.5	6	<0.2
1404367	Rock Chip	2.42	0.072	17	23	1.54	1123	0.216	<20	2.18	0.065	0.67	0.3	<0.01	0.4	0.13	8.2	<0.5	7	<0.2
1404368	Rock Chip	1.30	0.074	16	22	1.12	1243	0.278	<20	1.86	0.127	0.79	0.5	<0.01	0.4	<0.05	4.8	<0.5	6	<0.2
1404369	Rock Chip	1.21	0.072	15	26	1.06	1150	0.241	<20	1.84	0.150	0.72	0.6	<0.01	0.4	0.27	4.6	<0.5	6	<0.2
1404370	Rock Chip	1.13	0.074	15	26	1.16	1066	0.260	<20	1.82	0.136	0.65	0.7	<0.01	0.4	<0.05	4.8	<0.5	6	<0.2
1404371	Rock Chip	1.01	0.073	15	27	1.08	1193	0.274	<20	1.84	0.156	0.72	0.7	<0.01	0.4	<0.05	4.6	<0.5	6	<0.2
1404372	Rock Chip	1.63	0.073	16	27	1.14	1039	0.240	<20	1.90	0.139	0.66	0.7	<0.01	0.4	0.14	6.5	<0.5	6	<0.2
1404373	Rock Chip	1.24	0.072	15	26	1.15	1261	0.275	<20	1.96	0.168	0.79	0.6	<0.01	0.5	0.06	6.2	<0.5	6	<0.2
1404374	Rock Chip	1.01	0.072	14	27	1.10	1364	0.291	<20	1.85	0.161	0.87	0.5	<0.01	0.5	<0.05	4.5	<0.5	6	<0.2
1404375	Rock Chip	1.01	0.074	15	27	1.11	1400	0.291	<20	1.93	0.170	0.89	0.5	<0.01	0.5	<0.05	4.6	<0.5	6	<0.2
1404376	Rock Chip	3.30	0.070	21	22	1.08	1115	0.220	<20	1.94	0.086	0.68	0.3	<0.01	0.4	<0.05	5.4	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 23, 2012

CERTIFICATE OF ANALYSIS WHI12000651.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1404377	Rock Chip	2.71	3	1.6	24.3	4.7	90	<0.1	5.1	13.3	594	3.11	43.9	2.4	2.1	9.1	60	1.9	0.5	<0.1	97
1404378	Rock Chip	2.59	<2	1.8	22.6	5.2	48	<0.1	5.4	12.6	543	3.02	4.3	3.1	<0.5	9.5	61	0.4	0.4	<0.1	93
1404379	Rock Chip	2.33	<2	1.3	21.7	3.9	48	<0.1	5.2	12.9	595	2.99	7.0	2.7	<0.5	9.8	67	0.5	0.5	<0.1	95
1404380	Rock Pulp	0.12	<2	2.3	24.7	2.2	44	0.2	23.7	10.4	399	2.35	4.4	0.2	<0.5	0.9	36	0.1	0.2	<0.1	57
1404381	Rock Pulp	0.12	3881	9.7	69.4	480.0	1584	52.9	31.7	8.5	405	3.13	29.9	0.3	2866	1.1	30	14.5	47.0	0.9	51
1404382	Rock Chip	2.28	2	1.0	22.1	4.0	44	<0.1	4.6	12.2	515	2.82	3.5	2.3	<0.5	9.7	59	0.5	0.5	<0.1	91
1404383	Rock Chip	2.56	<2	2.1	21.8	3.4	43	<0.1	5.9	12.3	431	2.85	2.0	2.8	<0.5	8.8	52	<0.1	0.3	<0.1	91
1404384	Rock Chip	2.32	<2	2.7	25.7	24.7	107	0.3	5.2	11.6	486	3.13	3.2	3.2	0.9	8.0	64	1.9	0.3	<0.1	94
1404385	Rock Chip	2.12	<2	2.1	24.5	14.7	95	0.1	6.1	11.7	502	3.08	2.7	2.6	<0.5	7.7	78	1.2	0.2	<0.1	97
1404386	Rock Chip	2.21	6	2.3	28.3	108.7	533	1.1	6.7	14.0	806	3.72	22.4	2.7	4.4	8.3	74	10.1	0.8	0.1	95
1404387	Rock Chip	2.12	9	2.1	22.6	3.4	49	<0.1	6.2	12.2	517	3.07	1.9	2.5	7.9	8.0	73	0.3	0.2	0.1	95
1404388	Rock Chip	2.14	4	1.7	22.4	12.8	103	<0.1	5.8	12.4	604	3.20	2.1	2.3	1.5	7.4	76	1.7	0.2	<0.1	102
1404389	Rock Chip	2.03	144	1.5	60.8	3796	6073	40.4	6.2	13.8	1231	4.29	166.1	2.0	167.9	7.6	78	120.2	12.2	0.8	92
1404390	Rock Chip	2.22	5	1.8	19.8	5.6	39	0.3	5.4	10.1	413	2.66	2.2	2.5	0.6	7.6	93	0.2	0.2	<0.1	85
1404391	Rock Chip	1.33	<2	2.1	26.5	10.7	72	0.2	6.2	11.8	495	3.09	2.1	2.9	0.9	8.7	79	0.8	0.1	<0.1	100
1404392	Rock Chip	2.23	<2	1.7	20.7	4.4	47	<0.1	6.3	11.8	482	3.06	1.8	2.3	<0.5	8.0	72	0.2	0.2	<0.1	95
1404393	Rock Chip	1.37	<2	1.4	19.5	5.3	53	<0.1	5.9	15.3	1077	3.81	2.5	2.4	<0.5	8.6	90	0.1	0.4	<0.1	86
1404394	Rock Chip	1.76	<2	1.6	24.0	5.5	51	<0.1	5.8	14.4	617	3.47	1.7	1.8	<0.5	8.4	68	<0.1	0.4	<0.1	110
1404395	Rock Chip	1.34	<2	1.5	27.8	3.7	58	<0.1	7.5	13.8	597	3.40	2.1	1.9	<0.5	7.7	75	0.1	0.5	<0.1	106
1404396	Rock Chip	1.62	<2	1.8	30.0	4.1	51	<0.1	5.6	13.5	553	3.31	2.7	1.8	1.5	7.5	73	<0.1	0.2	0.1	97
1404397	Rock Chip	2.33	<2	1.5	27.0	3.9	53	<0.1	6.6	14.0	601	3.43	7.3	1.9	2.0	9.2	95	0.2	0.2	0.1	102
1404398	Rock Chip	1.45	9	1.4	21.3	28.5	232	0.3	5.8	14.4	699	3.58	19.0	2.6	2.4	9.1	81	4.0	0.3	0.2	95
1404399	Rock Chip	1.79	7	1.2	18.4	9.9	77	0.1	6.2	14.9	753	3.61	46.0	2.3	3.5	9.0	100	0.5	0.3	0.1	90
1404400	Rock Pulp	0.12	2	2.4	23.2	2.2	40	0.2	23.0	9.8	382	2.29	4.5	0.3	<0.5	0.9	42	0.2	0.2	<0.1	54
1404401	Rock Pulp	0.12	1480	8.3	45.3	5.3	46	0.2	29.6	8.7	454	3.09	6.5	0.3	846.0	0.9	43	<0.1	0.5	<0.1	59
1404402	Rock Chip	2.36	2	1.2	21.5	4.4	63	<0.1	6.2	15.1	709	3.81	6.1	1.9	<0.5	7.4	110	0.2	0.7	0.1	106
1404403	Rock Chip	1.90	2	1.7	22.2	4.1	48	<0.1	6.4	12.3	536	3.06	6.7	2.9	<0.5	8.6	80	0.1	<0.1	<0.1	93
1404404	Rock Chip	1.97	3	1.3	25.5	4.7	48	<0.1	5.4	12.1	489	3.05	22.0	2.3	1.5	10.1	88	0.2	0.1	<0.1	88
1404405	Rock Chip	1.57	<2	1.7	22.8	3.5	46	<0.1	6.2	12.5	504	3.09	5.7	2.5	<0.5	9.0	91	<0.1	0.1	<0.1	90
1404406	Rock Chip	1.57	3	1.9	26.9	3.5	49	<0.1	6.7	12.8	578	3.26	6.4	2.4	<0.5	9.2	87	<0.1	0.2	<0.1	89

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 23, 2012

CERTIFICATE OF ANALYSIS WHI12000651.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1404377	Rock Chip	1.79	0.071	16	24	1.18	1157	0.247	<20	1.98	0.108	0.72	0.3	<0.01	0.4	<0.05	5.5	<0.5	6	<0.2
1404378	Rock Chip	1.75	0.070	16	25	1.11	1113	0.259	<20	1.86	0.128	0.71	0.5	<0.01	0.4	<0.05	4.9	<0.5	6	<0.2
1404379	Rock Chip	2.49	0.070	17	22	1.21	1047	0.231	<20	2.09	0.083	0.72	0.2	<0.01	0.4	<0.05	5.8	<0.5	7	<0.2
1404380	Rock Pulp	0.80	0.062	4	31	0.79	91	0.119	<20	1.55	0.073	0.12	13.0	0.01	<0.1	<0.05	4.3	<0.5	5	<0.2
1404381	Rock Pulp	0.65	0.052	5	27	0.58	104	0.096	<20	1.16	0.072	0.10	2.1	0.22	1.1	0.33	4.1	<0.5	6	<0.2
1404382	Rock Chip	1.80	0.069	17	20	1.16	1156	0.238	<20	1.95	0.075	0.75	0.3	<0.01	0.4	<0.05	4.6	<0.5	6	<0.2
1404383	Rock Chip	0.98	0.070	14	26	1.04	1028	0.265	<20	1.80	0.149	0.65	0.7	<0.01	0.4	<0.05	3.9	<0.5	6	<0.2
1404384	Rock Chip	1.26	0.073	14	24	1.11	1119	0.244	<20	1.81	0.118	0.76	0.4	<0.01	0.4	0.11	5.1	<0.5	6	<0.2
1404385	Rock Chip	1.12	0.071	13	25	1.09	1151	0.250	<20	1.97	0.187	0.80	0.6	<0.01	0.4	0.06	6.0	<0.5	6	<0.2
1404386	Rock Chip	2.14	0.072	14	24	1.26	573	0.186	<20	1.97	0.101	0.58	0.2	<0.01	0.3	0.41	9.0	<0.5	6	<0.2
1404387	Rock Chip	1.18	0.070	13	26	1.17	1040	0.254	<20	1.89	0.164	0.72	0.6	<0.01	0.3	<0.05	5.8	<0.5	6	<0.2
1404388	Rock Chip	1.76	0.068	15	23	1.25	1130	0.245	<20	2.06	0.140	0.82	0.3	<0.01	0.4	0.06	7.3	<0.5	6	<0.2
1404389	Rock Chip	2.37	0.066	13	22	1.06	50	0.180	<20	1.89	0.130	0.68	0.5	0.02	0.4	1.63	9.4	<0.5	6	<0.2
1404390	Rock Chip	0.93	0.062	13	23	0.96	1054	0.244	<20	1.81	0.195	0.71	0.7	<0.01	0.3	<0.05	5.3	<0.5	6	<0.2
1404391	Rock Chip	1.09	0.069	13	25	1.15	1176	0.269	<20	1.97	0.187	0.82	0.7	<0.01	0.4	<0.05	7.0	<0.5	6	<0.2
1404392	Rock Chip	1.05	0.069	14	26	1.16	1100	0.257	<20	1.89	0.162	0.77	0.5	<0.01	0.4	<0.05	5.8	<0.5	6	<0.2
1404393	Rock Chip	4.43	0.073	23	19	1.37	483	0.070	<20	2.32	0.039	0.40	<0.1	<0.01	0.2	<0.05	10.0	<0.5	6	<0.2
1404394	Rock Chip	1.41	0.075	15	24	1.38	1073	0.240	<20	2.03	0.103	0.77	0.2	<0.01	0.3	<0.05	8.5	<0.5	7	<0.2
1404395	Rock Chip	1.36	0.080	14	26	1.39	1011	0.242	<20	2.01	0.139	0.75	0.4	<0.01	0.4	<0.05	8.3	<0.5	6	<0.2
1404396	Rock Chip	1.28	0.076	15	24	1.33	910	0.217	<20	1.90	0.125	0.60	0.2	<0.01	0.3	<0.05	6.7	<0.5	6	<0.2
1404397	Rock Chip	1.60	0.069	14	26	1.35	930	0.209	<20	2.18	0.162	0.62	0.2	<0.01	0.3	<0.05	8.8	<0.5	7	<0.2
1404398	Rock Chip	2.11	0.071	16	25	1.38	458	0.123	<20	1.95	0.095	0.30	0.2	<0.01	0.1	0.11	10.3	<0.5	6	<0.2
1404399	Rock Chip	2.63	0.069	16	22	1.33	415	0.091	<20	2.15	0.115	0.28	0.1	<0.01	0.1	0.05	10.9	<0.5	7	<0.2
1404400	Rock Pulp	0.73	0.057	4	29	0.76	88	0.114	<20	1.46	0.071	0.12	10.6	<0.01	<0.1	<0.05	4.5	<0.5	5	<0.2
1404401	Rock Pulp	0.76	0.059	4	32	0.79	99	0.123	<20	1.64	0.097	0.13	0.2	0.05	<0.1	<0.05	5.1	<0.5	5	<0.2
1404402	Rock Chip	2.30	0.068	15	25	1.45	553	0.117	<20	2.12	0.099	0.38	<0.1	<0.01	0.2	<0.05	12.1	<0.5	8	<0.2
1404403	Rock Chip	1.29	0.068	14	26	1.09	995	0.232	<20	1.93	0.176	0.72	0.4	<0.01	0.3	<0.05	6.0	<0.5	6	<0.2
1404404	Rock Chip	1.24	0.073	14	23	1.10	886	0.207	<20	1.87	0.164	0.59	0.5	<0.01	0.3	<0.05	6.1	<0.5	6	<0.2
1404405	Rock Chip	1.18	0.068	14	24	1.05	928	0.209	<20	1.89	0.174	0.67	0.3	<0.01	0.3	<0.05	7.0	<0.5	6	<0.2
1404406	Rock Chip	1.24	0.070	14	23	1.03	958	0.203	<20	1.78	0.176	0.70	0.3	<0.01	0.3	<0.05	8.2	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 23, 2012

CERTIFICATE OF ANALYSIS WHI12000651.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1404407	Rock Chip	1.79	<2	2.2	26.3	3.8	49	<0.1	6.3	13.4	517	3.26	7.3	2.6	<0.5	9.6	92	0.1	0.1	<0.1	95
1404408	Rock Chip	2.01	10	1.6	26.4	4.2	57	<0.1	6.7	16.4	759	3.78	2.5	2.5	6.8	8.9	106	<0.1	0.3	0.3	97
1404409	Rock Chip	2.02	<2	1.6	25.3	3.7	53	<0.1	6.5	14.8	595	3.63	1.9	3.0	<0.5	9.3	104	0.1	0.2	<0.1	92
1404410	Rock Chip	1.05	<2	1.9	28.2	4.2	44	<0.1	5.6	12.3	489	3.15	1.4	2.9	<0.5	9.1	91	<0.1	0.1	<0.1	94
1404411	Rock Chip	1.42	<2	1.6	28.3	3.6	54	<0.1	6.8	15.6	654	3.65	1.0	2.5	<0.5	7.6	106	<0.1	0.3	<0.1	95
1404412	Rock Chip	1.96	<2	0.9	24.8	5.4	63	<0.1	6.3	16.6	822	3.90	2.1	2.8	<0.5	8.7	107	0.1	0.8	<0.1	91
1404413	Rock Chip	0.99	<2	2.0	28.0	5.1	58	<0.1	5.8	14.8	712	3.56	2.9	2.3	<0.5	7.9	91	<0.1	0.7	<0.1	81
1404414	Rock Chip	1.63	315	2.4	24.9	93.0	242	1.4	6.3	14.5	738	3.74	3805	2.4	304.4	7.6	95	3.9	8.1	1.5	94
1404415	Rock Chip	1.58	<2	4.0	31.5	3.3	41	<0.1	6.8	12.2	430	2.99	7.2	2.6	3.0	8.4	81	<0.1	<0.1	<0.1	89
1404416	Rock Chip	1.36	165	2.1	25.9	167.1	429	2.6	6.3	16.0	805	3.86	1889	2.2	140.0	7.6	105	8.4	6.8	1.0	84
1404417	Rock Chip	1.63	174	2.2	49.0	296.2	694	3.5	7.2	16.5	1106	3.99	2198	2.7	168.4	8.5	110	13.7	9.5	2.4	84

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 23, 2012

CERTIFICATE OF ANALYSIS WHI12000651.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1404407	Rock Chip	1.28	0.070	16	25	1.10	1142	0.237	<20	1.79	0.170	0.76	0.3	<0.01	0.4	<0.05	7.2	<0.5	6	<0.2
1404408	Rock Chip	1.77	0.076	19	22	1.16	846	0.147	<20	1.77	0.097	0.66	0.2	0.01	0.3	0.08	13.2	<0.5	6	<0.2
1404409	Rock Chip	1.28	0.072	16	23	1.09	985	0.179	<20	1.85	0.148	0.66	0.2	<0.01	0.4	<0.05	10.0	<0.5	6	<0.2
1404410	Rock Chip	1.07	0.068	14	23	1.03	1023	0.245	<20	1.89	0.191	0.81	0.7	<0.01	0.4	0.06	6.2	<0.5	6	<0.2
1404411	Rock Chip	1.47	0.074	16	24	1.12	1067	0.204	<20	1.72	0.140	0.81	0.2	<0.01	0.4	<0.05	11.0	<0.5	6	<0.2
1404412	Rock Chip	2.48	0.073	20	18	1.13	602	0.044	<20	1.23	0.050	0.33	<0.1	0.02	0.2	<0.05	16.8	<0.5	4	<0.2
1404413	Rock Chip	2.08	0.074	17	22	1.16	261	0.056	<20	1.47	0.085	0.18	<0.1	<0.01	<0.1	<0.05	11.8	<0.5	6	<0.2
1404414	Rock Chip	1.66	0.071	14	26	1.15	752	0.168	<20	1.95	0.176	0.55	0.4	0.02	0.3	0.32	8.2	<0.5	6	<0.2
1404415	Rock Chip	1.08	0.071	14	28	1.00	788	0.226	<20	1.81	0.191	0.65	1.1	<0.01	0.3	<0.05	5.5	<0.5	6	<0.2
1404416	Rock Chip	1.92	0.064	14	22	1.11	418	0.124	<20	1.62	0.130	0.51	0.2	0.02	0.3	0.46	9.9	<0.5	6	<0.2
1404417	Rock Chip	2.17	0.072	15	22	1.19	520	0.131	<20	1.58	0.118	0.57	0.4	0.04	0.4	0.50	10.8	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 23, 2012

QUALITY CONTROL REPORT WHI12000651.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1404326	Rock Chip	1.89	18	1.7	33.4	287.0	263	4.6	6.1	18.2	3389	3.90	81.7	5.4	10.7	11.8	79	2.9	25.4	0.1	82
REP 1404326	QC			1.9	33.8	270.0	251	4.4	6.8	17.9	3348	3.81	80.8	4.0	14.1	11.0	77	2.6	24.6	<0.1	81
REP 1404338	QC		2736																		
1404363	Rock Chip	2.26	<2	1.9	20.5	3.3	48	<0.1	5.8	12.6	469	2.88	3.6	3.1	<0.5	10.1	52	<0.1	0.1	<0.1	87
REP 1404363	QC			1.8	19.6	3.5	47	<0.1	5.8	12.3	472	2.91	2.8	3.2	1.0	9.9	52	<0.1	0.1	<0.1	85
1404376	Rock Chip	2.39	13	1.8	24.7	9.2	337	0.2	4.7	12.0	658	2.90	79.5	2.7	9.3	9.2	62	7.2	0.6	0.2	87
REP 1404376	QC		14																		
1404410	Rock Chip	1.05	<2	1.9	28.2	4.2	44	<0.1	5.6	12.3	489	3.15	1.4	2.9	<0.5	9.1	91	<0.1	0.1	<0.1	94
REP 1404410	QC		<2																		
1404413	Rock Chip	0.99	<2	2.0	28.0	5.1	58	<0.1	5.8	14.8	712	3.56	2.9	2.3	<0.5	7.9	91	<0.1	0.7	<0.1	81
REP 1404413	QC			2.2	26.7	4.8	58	<0.1	5.5	14.9	728	3.55	3.3	2.3	<0.5	7.5	91	<0.1	0.6	<0.1	80
1404417	Rock Chip	1.63	174	2.2	49.0	296.2	694	3.5	7.2	16.5	1106	3.99	2198	2.7	168.4	8.5	110	13.7	9.5	2.4	84
REP 1404417	QC		166																		
Core Reject Duplicates																					
1404338	Rock Chip	1.86	2771	2.0	47.3	13.4	87	1.7	7.3	21.2	659	4.86	7403	2.8	4016	8.5	70	0.6	2.8	32.2	113
DUP 1404338	QC		2491	2.0	46.7	13.5	89	1.7	6.9	20.6	649	4.82	7323	3.0	4452	9.7	65	0.7	2.9	30.1	110
1404373	Rock Chip	1.92	<2	2.0	24.8	4.0	52	<0.1	5.9	13.4	582	3.17	10.1	3.1	0.6	9.5	64	0.2	0.4	<0.1	101
DUP 1404373	QC		<2	1.9	24.7	3.9	52	<0.1	5.9	13.2	591	3.14	11.4	3.4	<0.5	9.4	62	0.2	0.3	<0.1	101
1404408	Rock Chip	2.01	10	1.6	26.4	4.2	57	<0.1	6.7	16.4	759	3.78	2.5	2.5	6.8	8.9	106	<0.1	0.3	0.3	97
DUP 1404408	QC		13	1.4	26.3	4.4	55	<0.1	6.8	16.6	738	3.70	3.5	2.7	27.3	9.6	103	0.2	0.4	0.3	93
Reference Materials																					
STD DS9	Standard			13.4	115.4	122.3	319	1.9	44.4	8.7	598	2.40	26.0	2.9	101.5	6.9	77	2.3	4.5	7.2	41
STD DS9	Standard			12.1	112.8	126.8	321	1.9	41.6	7.6	573	2.30	25.7	2.7	115.3	6.4	67	2.3	4.7	6.8	38
STD DS9	Standard			11.6	104.3	115.2	286	1.8	38.4	7.3	560	2.27	26.5	3.0	149.0	6.6	72	2.2	3.2	5.6	37
STD OREAS45CA	Standard			1.0	569.4	23.6	63	0.3	277.4	102.8	1067	16.20	4.0	1.5	46.9	8.6	17	0.1	<0.1	0.2	235
STD OREAS45CA	Standard			1.0	505.2	21.4	58	0.3	245.9	95.9	971	15.72	4.5	1.3	47.1	7.7	15	<0.1	<0.1	0.1	214
STD OREAS45CA	Standard			0.6	498.5	18.4	57	0.2	239.7	92.1	893	15.64	3.1	1.1	38.9	6.7	14	0.1	<0.1	0.1	210
STD OXD87	Standard		423																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 23, 2012

QUALITY CONTROL REPORT WHI12000651.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
1404326	Rock Chip	3.43	0.073	19	16	1.15	540	0.121	<20	1.84	0.086	0.62	0.2	0.02	0.6	0.44	13.5	<0.5	5	<0.2
REP 1404326	QC	3.36	0.073	19	15	1.12	528	0.118	<20	1.84	0.086	0.61	0.2	<0.01	0.6	0.43	13.4	<0.5	5	<0.2
REP 1404338	QC																			
1404363	Rock Chip	1.01	0.069	16	25	1.12	916	0.229	<20	1.72	0.136	0.51	0.8	<0.01	0.3	<0.05	4.4	<0.5	6	<0.2
REP 1404363	QC	1.01	0.072	15	25	1.13	899	0.227	<20	1.71	0.134	0.50	0.8	<0.01	0.3	<0.05	4.4	<0.5	6	<0.2
1404376	Rock Chip	3.30	0.070	21	22	1.08	1115	0.220	<20	1.94	0.086	0.68	0.3	<0.01	0.4	<0.05	5.4	<0.5	6	<0.2
REP 1404376	QC																			
1404410	Rock Chip	1.07	0.068	14	23	1.03	1023	0.245	<20	1.89	0.191	0.81	0.7	<0.01	0.4	0.06	6.2	<0.5	6	<0.2
REP 1404410	QC																			
1404413	Rock Chip	2.08	0.074	17	22	1.16	261	0.056	<20	1.47	0.085	0.18	<0.1	<0.01	<0.1	<0.05	11.8	<0.5	6	<0.2
REP 1404413	QC	2.06	0.077	17	22	1.15	265	0.054	<20	1.48	0.082	0.17	<0.1	<0.01	<0.1	<0.05	11.3	<0.5	5	<0.2
1404417	Rock Chip	2.17	0.072	15	22	1.19	520	0.131	<20	1.58	0.118	0.57	0.4	0.04	0.4	0.50	10.8	<0.5	5	<0.2
REP 1404417	QC																			
Core Reject Duplicates																				
1404338	Rock Chip	1.69	0.073	16	22	1.35	96	0.211	<20	2.50	0.183	0.72	0.5	0.02	0.5	1.13	9.9	0.7	8	<0.2
DUP 1404338	QC	1.65	0.073	16	23	1.32	127	0.213	<20	2.42	0.173	0.71	0.5	0.02	0.5	1.10	9.9	0.7	7	<0.2
1404373	Rock Chip	1.24	0.072	15	26	1.15	1261	0.275	<20	1.96	0.168	0.79	0.6	<0.01	0.5	0.06	6.2	<0.5	6	<0.2
DUP 1404373	QC	1.25	0.069	14	25	1.15	1260	0.273	<20	2.00	0.166	0.80	0.6	<0.01	0.5	0.06	6.1	<0.5	6	<0.2
1404408	Rock Chip	1.77	0.076	19	22	1.16	846	0.147	<20	1.77	0.097	0.66	0.2	0.01	0.3	0.08	13.2	<0.5	6	<0.2
DUP 1404408	QC	1.75	0.075	19	22	1.13	812	0.147	<20	1.78	0.097	0.64	0.1	0.02	0.3	0.08	13.4	<0.5	6	<0.2
Reference Materials																				
STD DS9	Standard	0.78	0.084	14	128	0.65	321	0.124	<20	1.03	0.091	0.41	2.7	0.20	5.4	0.17	2.6	5.7	5	5.8
STD DS9	Standard	0.69	0.085	12	121	0.61	325	0.103	<20	0.93	0.076	0.39	3.0	0.21	5.8	0.16	2.2	5.4	5	5.3
STD DS9	Standard	0.67	0.082	11	115	0.61	293	0.105	<20	0.89	0.074	0.38	2.5	0.16	4.9	0.16	2.5	5.0	5	4.6
STD OREAS45CA	Standard	0.46	0.039	19	798	0.15	187	0.152	<20	4.06	0.010	0.08	<0.1	0.03	<0.1	<0.05	46.7	<0.5	20	<0.2
STD OREAS45CA	Standard	0.46	0.041	17	757	0.14	175	0.133	<20	3.55	0.006	0.07	<0.1	0.03	0.2	<0.05	44.8	<0.5	19	<0.2
STD OREAS45CA	Standard	0.42	0.040	15	700	0.13	152	0.138	<20	3.37	0.008	0.06	<0.1	0.03	<0.1	<0.05	43.7	<0.5	18	<0.2
STD OXD87	Standard																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 23, 2012

QUALITY CONTROL REPORT WHI12000651.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD OXD87	Standard		431																		
STD OXD87	Standard		410																		
STD OXD87	Standard		412																		
STD OXD87	Standard		449																		
STD OXG99	Standard		984																		
STD OXG99	Standard		1021																		
STD OXG99	Standard		937																		
STD OXG99	Standard		900																		
STD OXG99	Standard		945																		
STD OXD87 Expected			417																		
STD OXG99 Expected			932																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	1.0	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank		<2	0.2	2.9	3.1	44	<0.1	2.4	4.1	569	2.02	<0.5	1.6	1.5	5.9	61	<0.1	<0.1	<0.1	36

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 23, 2012

QUALITY CONTROL REPORT WHI12000651.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXD87 Expected																				
STD OXG99 Expected																				
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	0.3	<0.5	<1	<0.2
Prep Wash																				
G1-WHI	Prep Blank	0.47	0.081	13	7	0.51	360	0.135	<20	0.91	0.084	0.49	<0.1	<0.01	0.3	<0.05	2.5	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 23, 2012

QUALITY CONTROL REPORT WHI12000651.1

		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
G1-WHI	Prep Blank		<2	0.2	3.2	3.0	47	<0.1	2.7	4.3	582	2.01	<0.5	1.6	<0.5	6.0	69	<0.1	<0.1	<0.1	38

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 23, 2012

QUALITY CONTROL REPORT WHI12000651.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
G1-WHI	Prep Blank	0.51	0.081	13	6	0.52	248	0.141	<20	0.96	0.092	0.49	<0.1	<0.01	0.3	<0.05	2.4	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: August 13, 2012
Report Date: August 24, 2012
Page: 1 of 5

CERTIFICATE OF ANALYSIS WHI12000652.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number NA-12308
Number of Samples: 113

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	101	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	113	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	113	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme Joyce
Stephanie Korelin

BRITISH COLUMBIA CERTIFIED ASSAYER
RAYMOND CHAN
CHIEF ASSAYER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

CERTIFICATE OF ANALYSIS WHI12000652.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1404418	Rock Chip	1.30	31	1.3	29.0	6.3	62	0.2	7.7	17.1	914	4.16	50.2	2.6	9.4	8.1	103	0.2	2.9	0.6	109
1404419	Rock Chip	0.88	18	1.3	27.3	6.3	68	0.2	6.9	15.0	688	3.96	67.8	1.3	4.8	7.3	139	0.3	2.9	0.4	122
1404420	Rock Pulp	0.14	9	2.3	22.9	2.0	40	0.3	21.6	9.7	376	2.26	4.7	0.2	0.6	0.7	33	0.2	0.2	<0.1	51
1404421	Rock Pulp	0.14	1418	8.4	45.4	5.2	48	0.2	29.4	8.3	459	3.08	7.4	0.2	739.3	0.8	38	0.2	1.0	<0.1	57
1404422	Rock Chip	2.35	4	1.2	23.8	3.4	64	<0.1	6.7	16.1	762	4.04	10.1	1.0	2.4	7.9	136	<0.1	0.9	0.1	132
1404423	Rock Chip	1.31	130	0.7	51.6	14.2	207	0.8	7.7	16.3	913	5.34	607.1	2.0	439.5	9.1	99	3.3	3.7	4.0	122
1404424	Rock Chip	0.85	43	0.6	25.5	5.1	110	0.2	6.7	16.6	950	4.66	33.3	1.3	22.2	8.1	85	0.9	3.2	0.8	112
1404425	Rock Chip	1.19	35	0.6	26.6	5.4	108	0.1	6.4	17.4	982	4.63	31.7	1.4	17.6	8.8	89	0.9	3.2	0.7	117
1404426	Rock Chip	1.06	22	0.3	37.5	4.3	71	0.2	6.2	17.8	868	4.31	10.4	1.8	6.2	7.8	122	0.2	3.4	0.3	120
1404427	Rock Chip	1.47	2	0.5	17.3	3.6	67	<0.1	6.8	19.1	1135	4.59	19.9	3.8	2.8	7.6	130	0.2	1.6	0.4	121
1404428	Rock Chip	1.62	7	0.4	30.7	4.1	75	0.2	7.0	19.2	899	4.73	19.0	4.5	6.0	9.5	86	0.2	2.9	0.4	119
1404429	Rock Chip	1.20	3	0.6	21.7	4.1	62	0.1	6.1	17.9	970	4.36	28.1	3.3	2.5	7.5	126	<0.1	3.1	0.3	111
1404430	Rock Chip	1.11	392	0.8	34.5	4.0	66	0.2	7.2	18.4	941	4.65	9.1	3.1	9.9	7.7	132	0.1	1.8	0.7	137
1404431	Rock Chip	1.43	3	0.7	25.3	2.5	65	<0.1	6.4	16.0	922	4.04	2.5	1.5	<0.5	8.1	118	<0.1	0.6	<0.1	125
1404432	Rock Chip	1.32	6	0.6	30.7	10.0	112	0.2	7.0	19.1	987	4.52	5.2	2.6	2.5	7.9	129	0.9	0.9	<0.1	149
1404433	Rock Chip	1.40	6	0.7	28.7	6.1	71	0.3	6.6	17.0	930	4.42	12.5	2.3	4.1	8.2	127	0.1	1.8	1.1	136
1404434	Rock Chip	1.35	<2	0.7	24.3	2.4	68	0.1	7.1	17.3	932	4.47	12.6	1.8	1.3	8.0	98	<0.1	1.2	0.3	135
1404435	Rock Chip	1.43	19	0.5	20.4	6.8	91	<0.1	5.6	15.0	969	4.09	70.6	3.6	6.8	7.1	151	0.6	4.8	0.4	88
1404436	Rock Chip	1.87	64	0.8	32.3	5.9	67	0.1	6.2	18.4	961	4.33	30.9	3.0	3.5	9.2	110	0.2	6.0	0.2	98
1404437	Rock Chip	1.64	32	0.5	48.7	4.9	68	0.2	6.3	18.0	910	4.81	42.4	3.2	6.9	9.0	94	0.2	3.1	1.3	111
1404438	Rock Chip	2.30	97	0.9	46.4	61.5	195	6.3	6.7	18.5	873	4.64	2295	3.6	131.6	8.4	116	2.8	12.8	192.5	102
1404439	Rock Chip	1.40	<2	0.8	28.2	3.4	71	0.1	7.2	18.5	976	4.39	18.7	1.7	0.9	7.6	140	0.1	0.4	0.4	147
1404440	Rock Pulp	0.14	3	2.4	25.1	2.1	44	0.3	24.6	10.4	394	2.37	4.7	0.2	<0.5	0.8	35	0.2	0.2	0.2	55
1404441	Rock Pulp	0.14	3862	9.7	71.1	469.3	1582	53.7	32.2	8.6	408	3.29	32.1	0.3	4049	1.0	32	16.1	53.7	0.9	53
1404442	Rock Chip	1.68	38	1.3	37.4	4.8	68	0.2	7.1	18.6	1014	4.55	57.2	2.4	6.5	8.0	134	0.2	0.5	0.8	148
1404443	Rock Chip	0.80	7	1.0	26.6	3.8	61	0.1	6.2	16.1	747	4.02	107.4	1.9	1.9	8.4	105	0.2	0.4	0.2	127
1404444	Rock Chip	2.26	3	0.9	27.4	3.7	64	<0.1	7.0	17.9	850	4.35	15.7	2.3	<0.5	8.5	127	<0.1	0.4	0.3	138
1404445	Rock Chip	2.26	5	0.5	26.1	5.2	59	<0.1	6.2	16.5	1094	4.66	25.5	2.9	1.2	7.4	115	0.1	1.9	0.6	109
1404446	Rock Chip	1.69	3	1.7	27.7	3.5	67	<0.1	6.5	16.9	992	4.45	12.2	2.0	1.9	8.1	123	0.1	0.3	<0.1	137
1404447	Rock Chip	1.87	2	2.2	34.3	3.0	56	<0.1	6.5	15.3	625	3.71	2.7	1.0	2.4	6.8	93	<0.1	0.2	<0.1	137

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

CERTIFICATE OF ANALYSIS WHI12000652.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1404418	Rock Chip	2.48	0.080	14	20	1.60	906	0.160	<20	1.85	0.123	0.77	0.2	0.01	0.6	<0.05	15.1	<0.5	5	<0.2
1404419	Rock Chip	1.91	0.073	14	23	1.43	1178	0.223	<20	2.31	0.204	0.93	0.4	0.01	0.4	0.05	12.7	<0.5	7	<0.2
1404420	Rock Pulp	0.70	0.060	3	28	0.73	89	0.089	<20	1.42	0.067	0.12	13.0	0.01	<0.1	<0.05	4.1	<0.5	5	<0.2
1404421	Rock Pulp	0.73	0.061	4	30	0.78	107	0.102	<20	1.58	0.088	0.14	0.2	0.04	<0.1	<0.05	4.7	<0.5	5	<0.2
1404422	Rock Chip	1.87	0.080	13	24	1.59	1195	0.251	<20	2.54	0.202	1.02	0.2	<0.01	0.5	<0.05	13.1	<0.5	7	<0.2
1404423	Rock Chip	2.20	0.088	14	26	1.73	743	0.137	<20	2.31	0.094	0.78	0.2	<0.01	0.5	0.53	14.7	<0.5	7	<0.2
1404424	Rock Chip	2.26	0.077	16	21	2.10	729	0.124	<20	2.53	0.067	0.72	0.1	<0.01	0.4	<0.05	14.7	<0.5	8	<0.2
1404425	Rock Chip	2.46	0.081	18	20	2.16	769	0.130	<20	2.58	0.061	0.74	0.1	<0.01	0.4	<0.05	15.2	<0.5	8	<0.2
1404426	Rock Chip	2.39	0.079	17	21	1.72	1278	0.184	<20	2.55	0.128	0.94	0.1	<0.01	0.4	<0.05	15.3	<0.5	8	<0.2
1404427	Rock Chip	3.19	0.077	16	20	1.71	898	0.149	<20	1.98	0.088	0.74	<0.1	0.02	0.3	<0.05	17.7	<0.5	7	<0.2
1404428	Rock Chip	2.02	0.084	19	21	1.45	962	0.164	<20	1.86	0.101	0.84	0.1	0.02	0.5	<0.05	19.4	<0.5	6	<0.2
1404429	Rock Chip	4.10	0.079	17	17	2.00	1494	0.074	<20	1.36	0.073	0.45	<0.1	0.01	0.2	<0.05	18.1	<0.5	4	<0.2
1404430	Rock Chip	2.42	0.077	16	26	1.67	1106	0.227	<20	2.47	0.214	0.97	0.2	0.01	0.5	<0.05	16.6	<0.5	8	<0.2
1404431	Rock Chip	2.06	0.077	15	21	1.52	1066	0.229	<20	2.32	0.197	0.99	0.2	<0.01	0.5	<0.05	14.4	<0.5	7	<0.2
1404432	Rock Chip	2.17	0.088	17	25	1.70	1149	0.257	<20	2.55	0.192	1.06	0.2	<0.01	0.5	<0.05	18.4	<0.5	8	<0.2
1404433	Rock Chip	2.54	0.077	16	24	1.75	1035	0.233	<20	2.35	0.174	1.03	0.2	<0.01	0.5	0.10	17.1	<0.5	7	<0.2
1404434	Rock Chip	1.98	0.076	16	23	1.63	1251	0.240	<20	2.31	0.164	1.10	0.1	<0.01	0.5	0.06	17.2	<0.5	7	<0.2
1404435	Rock Chip	5.36	0.067	18	14	2.51	417	0.025	<20	1.00	0.030	0.22	<0.1	0.02	0.2	0.05	15.8	<0.5	3	<0.2
1404436	Rock Chip	3.07	0.076	17	15	1.75	473	0.049	<20	1.22	0.056	0.35	<0.1	0.02	0.3	0.06	17.4	<0.5	5	<0.2
1404437	Rock Chip	2.65	0.082	14	17	1.70	669	0.120	<20	1.78	0.069	0.64	0.2	<0.01	0.5	0.36	16.1	<0.5	6	<0.2
1404438	Rock Chip	2.43	0.075	15	17	1.32	753	0.118	<20	1.56	0.108	0.64	0.1	<0.01	0.5	0.44	14.5	<0.5	5	<0.2
1404439	Rock Chip	2.49	0.080	16	28	1.77	1230	0.280	<20	2.68	0.183	1.14	0.2	<0.01	0.5	<0.05	15.3	<0.5	8	<0.2
1404440	Rock Pulp	0.77	0.062	4	30	0.77	96	0.103	<20	1.51	0.071	0.13	13.3	0.01	<0.1	<0.05	4.3	<0.5	5	<0.2
1404441	Rock Pulp	0.68	0.054	5	28	0.60	109	0.099	<20	1.21	0.078	0.11	2.2	0.24	1.1	0.35	4.4	<0.5	6	0.2
1404442	Rock Chip	2.50	0.083	15	27	1.70	1199	0.285	<20	2.65	0.217	1.13	0.2	<0.01	0.5	<0.05	15.4	<0.5	8	<0.2
1404443	Rock Chip	1.88	0.076	15	24	1.54	1171	0.267	<20	2.42	0.238	1.08	0.2	<0.01	0.5	<0.05	11.5	<0.5	7	<0.2
1404444	Rock Chip	2.10	0.073	14	26	1.61	1191	0.269	<20	2.72	0.252	1.15	0.2	<0.01	0.6	0.09	14.9	<0.5	8	<0.2
1404445	Rock Chip	3.72	0.076	16	17	2.05	697	0.118	<20	1.69	0.077	0.73	<0.1	<0.01	0.4	0.29	17.2	<0.5	6	<0.2
1404446	Rock Chip	2.83	0.075	17	23	1.85	1011	0.198	<20	2.35	0.156	1.03	0.2	<0.01	0.5	<0.05	17.9	<0.5	8	<0.2
1404447	Rock Chip	1.57	0.082	13	26	1.37	1187	0.310	<20	2.52	0.264	1.13	0.5	<0.01	0.5	<0.05	7.6	<0.5	8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

CERTIFICATE OF ANALYSIS WHI12000652.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1404448	Rock Chip	1.76	3	1.7	24.7	2.9	54	<0.1	6.1	14.8	613	3.58	3.8	0.9	2.6	6.9	91	<0.1	0.1	<0.1	131
1404449	Rock Chip	1.35	3	1.7	26.9	3.2	57	<0.1	6.4	15.5	705	3.81	5.6	1.3	1.2	7.6	91	0.1	0.2	<0.1	133
1404450	Rock Chip	1.37	6	2.3	31.7	3.2	54	<0.1	6.7	14.6	607	3.89	34.5	2.0	4.3	7.0	85	<0.1	0.4	0.3	126
1404451	Rock Chip	1.54	11	1.8	26.7	3.5	52	<0.1	6.6	14.8	562	3.68	7.4	1.2	1.4	8.5	105	<0.1	0.2	0.2	126
1404452	Rock Chip	2.46	4	1.5	27.5	3.4	68	<0.1	7.1	18.0	763	4.38	3.8	2.1	0.8	8.5	116	0.1	0.2	0.1	150
1404453	Rock Chip	1.93	32	1.9	24.1	3.3	54	<0.1	6.5	15.4	704	3.98	57.4	2.3	6.7	9.4	104	0.1	0.4	0.5	128
1404454	Rock Chip	1.74	7	2.1	29.2	3.1	49	<0.1	6.3	15.3	579	3.75	6.9	2.2	8.8	9.3	90	<0.1	0.8	0.6	121
1404455	Rock Chip	2.58	9	1.9	42.9	3.6	57	0.2	13.9	17.2	806	4.28	20.6	2.9	3.5	8.0	134	<0.1	1.0	0.7	132
1404456	Rock Chip	1.53	103	1.1	49.3	6.7	636	0.3	24.5	20.0	1031	4.87	42.6	3.2	36.6	7.9	160	10.2	2.3	0.9	141
1404457	Rock Chip	1.80	33	1.4	37.6	5.4	71	0.2	35.7	16.4	895	5.10	233.4	4.0	16.6	7.5	222	0.2	2.3	7.6	128
1404458	Rock Chip	1.80	23	1.6	68.4	5.5	42	0.1	7.4	16.7	802	4.97	83.7	4.2	11.5	8.1	175	0.1	3.7	6.1	86
1404459	Rock Chip	1.77	21	1.3	26.0	3.8	72	<0.1	7.1	20.1	873	4.80	477.0	3.7	14.2	9.5	157	0.2	1.3	6.5	141
1404460	Rock Pulp	0.14	4	2.5	25.0	2.4	43	0.3	23.0	10.3	390	2.35	4.9	0.2	103.4	0.9	39	0.2	0.3	<0.1	57
1404461	Rock Pulp	0.14	1443	8.5	50.2	6.1	53	0.3	32.2	9.0	496	3.34	7.1	0.3	1346	1.0	44	0.1	1.2	0.1	66
1404462	Rock Chip	1.83	8	1.1	20.4	3.3	66	<0.1	7.3	18.9	847	4.50	5.7	3.1	3.9	9.2	156	<0.1	0.7	0.2	152
1404463	Rock Chip	1.92	58	1.0	30.9	9.4	62	0.4	13.1	17.2	1220	4.29	505.2	4.0	39.8	6.5	258	0.3	3.3	10.3	84
1404464	Rock Chip	2.34	38	1.5	36.7	4.0	68	<0.1	7.7	20.4	883	4.85	58.7	3.1	6.5	8.8	122	0.2	3.2	0.9	134
1404465	Rock Chip	1.52	21	1.3	30.4	5.8	127	0.2	6.2	18.5	933	4.49	136.3	3.3	6.6	8.4	156	1.1	2.3	14.4	133
1404466	Rock Chip	1.45	15	1.4	33.3	4.3	70	<0.1	7.7	18.6	873	4.88	14.6	2.8	3.3	8.0	184	0.1	1.2	1.0	149
1404467	Rock Chip	2.26	30	1.7	52.1	8.8	268	0.4	7.3	18.9	771	5.29	365.6	3.9	13.9	7.8	127	4.1	1.0	3.1	144
1404468	Rock Chip	1.59	8	2.3	40.9	10.4	70	0.3	6.9	17.7	769	4.64	47.3	6.1	5.5	7.9	105	0.3	1.0	21.7	138
1404469	Rock Chip	2.82	43	1.5	31.2	4.2	52	0.1	6.2	17.2	759	4.47	12.6	5.1	20.2	8.1	109	0.2	0.5	3.5	133
1404470	Rock Chip	1.87	15	2.0	35.0	4.0	63	0.1	7.2	18.4	812	4.69	56.4	3.7	8.4	9.0	119	<0.1	0.5	13.9	161
1404471	Rock Chip	1.90	5	2.0	33.3	5.4	106	0.2	6.7	17.3	798	4.39	6.6	2.9	2.2	8.2	108	1.0	0.2	1.0	158
1404472	Rock Chip	1.80	5	2.0	30.1	3.3	56	<0.1	6.7	16.3	617	4.24	14.3	3.2	1.7	7.7	105	<0.1	0.3	18.8	146
1404473	Rock Chip	1.92	10	2.4	39.7	3.6	62	0.1	7.1	16.9	761	4.47	16.1	5.0	5.6	9.3	101	0.1	0.3	1.4	147
1404474	Rock Chip	0.73	4	2.5	26.4	3.4	60	<0.1	7.7	17.0	775	4.29	4.3	6.5	1.0	8.8	122	0.1	0.2	0.4	148
1404475	Rock Chip	0.95	5	2.4	27.4	3.3	62	<0.1	7.6	17.6	809	4.27	3.7	5.5	1.7	8.6	122	0.2	0.2	0.3	148
1404476	Rock Chip	1.80	33	2.1	32.4	4.3	57	<0.1	6.5	16.0	846	4.33	1478	3.8	23.5	9.3	99	0.1	0.6	8.7	127
1404477	Rock Chip	1.30	221	2.2	30.0	3.4	59	<0.1	7.3	17.0	668	4.30	54.8	6.2	27.9	8.7	108	0.1	0.4	10.4	142

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

CERTIFICATE OF ANALYSIS WHI12000652.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1404448	Rock Chip	1.58	0.078	12	27	1.43	1172	0.290	<20	2.44	0.258	1.06	0.5	<0.01	0.5	<0.05	7.7	<0.5	8	<0.2
1404449	Rock Chip	1.72	0.076	13	26	1.60	1123	0.273	<20	2.48	0.241	0.99	0.4	<0.01	0.4	<0.05	10.2	<0.5	8	<0.2
1404450	Rock Chip	1.51	0.075	12	26	1.38	1168	0.278	<20	2.36	0.221	1.06	0.4	<0.01	0.6	0.10	9.1	<0.5	7	<0.2
1404451	Rock Chip	1.24	0.079	14	27	1.49	1089	0.304	<20	2.53	0.285	1.08	0.6	<0.01	0.5	<0.05	8.2	<0.5	7	<0.2
1404452	Rock Chip	1.72	0.085	16	27	1.74	1170	0.298	<20	2.68	0.242	1.12	0.3	<0.01	0.5	<0.05	14.2	<0.5	8	<0.2
1404453	Rock Chip	1.77	0.080	14	27	1.47	996	0.273	<20	2.42	0.232	1.00	0.4	<0.01	0.6	0.14	10.8	<0.5	7	<0.2
1404454	Rock Chip	1.44	0.083	14	26	1.31	947	0.289	<20	2.31	0.231	0.96	0.5	<0.01	0.5	0.11	8.7	<0.5	7	<0.2
1404455	Rock Chip	2.32	0.099	16	45	1.84	917	0.227	<20	2.63	0.164	0.77	0.4	<0.01	0.4	0.19	12.3	<0.5	8	<0.2
1404456	Rock Chip	2.85	0.107	16	67	2.39	570	0.133	<20	2.85	0.114	0.57	0.1	<0.01	0.3	0.43	16.1	<0.5	9	<0.2
1404457	Rock Chip	3.51	0.111	14	83	2.57	316	0.049	<20	3.26	0.116	0.43	<0.1	<0.01	0.4	0.73	13.7	0.7	9	<0.2
1404458	Rock Chip	4.26	0.071	12	17	2.15	271	0.031	<20	1.79	0.066	0.34	0.2	0.01	1.1	1.39	13.5	<0.5	6	<0.2
1404459	Rock Chip	2.21	0.077	17	25	1.75	925	0.227	<20	2.54	0.221	0.93	0.2	<0.01	0.7	0.13	18.1	0.6	8	<0.2
1404460	Rock Pulp	0.79	0.061	4	30	0.76	93	0.114	<20	1.50	0.076	0.13	12.8	0.01	<0.1	<0.05	4.5	<0.5	5	<0.2
1404461	Rock Pulp	0.84	0.062	4	34	0.85	111	0.130	<20	1.76	0.109	0.16	0.2	0.07	<0.1	<0.05	5.0	<0.5	6	<0.2
1404462	Rock Chip	2.39	0.079	17	27	1.92	1037	0.277	<20	2.88	0.232	1.07	0.2	<0.01	0.5	0.16	17.4	<0.5	9	<0.2
1404463	Rock Chip	5.96	0.089	17	21	2.82	865	0.010	<20	1.40	0.079	0.26	<0.1	<0.01	0.1	0.17	14.5	<0.5	5	<0.2
1404464	Rock Chip	2.11	0.081	16	24	1.74	990	0.217	<20	2.29	0.199	0.83	0.2	0.01	0.5	0.14	19.9	<0.5	8	<0.2
1404465	Rock Chip	3.40	0.079	16	22	2.00	1007	0.168	<20	2.07	0.129	0.68	0.1	<0.01	0.4	0.26	19.2	<0.5	7	<0.2
1404466	Rock Chip	2.93	0.078	16	25	2.01	1087	0.237	<20	2.65	0.190	0.88	0.1	<0.01	0.6	0.29	18.3	<0.5	9	<0.2
1404467	Rock Chip	2.13	0.081	14	25	1.86	890	0.234	<20	2.65	0.171	0.91	0.2	<0.01	0.6	0.64	16.5	<0.5	8	<0.2
1404468	Rock Chip	2.11	0.083	15	25	1.60	890	0.235	<20	2.45	0.179	0.93	0.3	<0.01	0.6	0.65	14.2	<0.5	8	<0.2
1404469	Rock Chip	2.34	0.073	14	25	1.83	903	0.234	<20	2.63	0.186	0.93	0.3	<0.01	0.5	0.43	13.3	<0.5	8	<0.2
1404470	Rock Chip	2.10	0.084	15	29	1.92	1114	0.286	<20	3.06	0.255	1.12	0.2	<0.01	0.6	0.19	16.6	<0.5	9	<0.2
1404471	Rock Chip	2.02	0.084	13	29	1.73	1160	0.319	<20	2.98	0.262	1.27	0.3	<0.01	0.6	0.10	13.8	<0.5	8	<0.2
1404472	Rock Chip	1.68	0.081	12	29	1.55	1165	0.330	<20	2.83	0.302	1.26	0.4	<0.01	0.6	0.20	11.2	<0.5	8	<0.2
1404473	Rock Chip	1.79	0.083	14	28	1.60	1199	0.318	<20	2.77	0.252	1.21	0.4	<0.01	0.6	0.26	12.3	<0.5	8	<0.2
1404474	Rock Chip	2.15	0.081	15	30	1.54	1126	0.318	<20	2.94	0.315	1.22	0.4	<0.01	0.6	0.12	14.5	<0.5	8	<0.2
1404475	Rock Chip	2.21	0.082	15	29	1.55	1137	0.305	<20	2.91	0.304	1.21	0.5	<0.01	0.5	0.11	14.7	<0.5	8	<0.2
1404476	Rock Chip	1.99	0.079	14	25	1.47	961	0.258	<20	2.36	0.178	0.99	0.4	<0.01	0.5	0.37	12.5	<0.5	7	<0.2
1404477	Rock Chip	1.96	0.079	14	28	1.51	1020	0.283	<20	2.61	0.233	1.01	0.3	<0.01	0.5	0.23	14.5	<0.5	8	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

CERTIFICATE OF ANALYSIS WHI12000652.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1404478	Rock Chip	1.84	27	2.3	40.7	6.1	54	<0.1	7.0	17.2	808	4.52	386.9	8.0	8.5	8.8	111	0.1	0.9	4.0	128
1404479	Rock Chip	1.76	17	2.5	32.2	4.2	51	0.1	7.6	19.0	726	4.46	626.9	11.7	8.4	9.1	113	<0.1	0.6	6.6	142
1404480	Rock Pulp	0.14	5	2.2	23.7	2.3	42	0.2	23.4	10.1	404	2.38	4.8	0.2	0.6	0.9	39	0.1	0.3	<0.1	57
1404481	Rock Pulp	0.14	3946	9.7	71.3	459.8	1558	54.0	31.5	8.5	393	3.30	31.1	0.4	3024	1.2	35	15.9	55.3	1.0	54
1404482	Rock Chip	1.86	6	1.6	29.8	3.0	58	<0.1	6.7	18.2	829	4.40	530.4	3.6	5.9	8.5	114	<0.1	0.7	88.7	142
1404483	Rock Chip	1.89	<2	2.1	31.6	3.1	48	<0.1	6.3	14.5	598	3.63	12.1	1.7	1.8	7.8	102	<0.1	0.1	0.6	130
1404484	Rock Chip	1.36	<2	2.1	29.5	3.4	53	<0.1	6.8	15.9	686	3.83	7.0	2.1	1.9	8.3	119	<0.1	0.3	1.3	137
1404485	Rock Chip	1.64	<2	2.2	29.4	3.1	59	<0.1	7.2	17.9	803	4.39	3.7	2.6	0.8	8.5	107	0.1	0.2	0.3	154
1404486	Rock Chip	1.86	179	1.9	33.6	28.1	133	2.6	7.0	18.0	1256	4.54	406.2	4.3	91.5	7.7	147	1.2	3.3	20.7	139
1404487	Rock Chip	1.80	11	2.2	32.0	4.8	65	<0.1	7.4	19.0	1016	4.60	23.8	3.7	3.6	8.8	123	<0.1	1.1	3.2	143
1404488	Rock Chip	2.14	<2	2.1	29.1	3.5	70	<0.1	7.7	20.1	1015	4.59	6.3	4.6	2.4	8.8	134	0.1	0.5	0.4	158
1404489	Rock Chip	1.75	236	2.1	28.9	7.6	71	0.2	5.2	18.2	1616	4.59	13.0	7.9	15.1	8.5	198	0.1	1.2	0.2	102
1404490	Rock Chip	1.47	<2	2.0	26.0	4.0	55	<0.1	6.5	16.5	902	4.42	9.6	4.4	<0.5	9.2	100	<0.1	0.5	0.1	121
1404491	Rock Chip	1.66	1606	1.8	36.9	6.4	59	0.2	16.3	21.6	797	4.81	5168	2.1	571.2	8.4	118	0.2	4.4	67.2	104
1404492	Rock Chip	2.49	114	1.1	25.8	2.6	52	<0.1	58.6	19.0	765	4.73	288.6	2.3	64.6	7.5	234	<0.1	2.7	3.8	121
1404493	Rock Chip	2.23	65	1.2	32.0	2.8	51	0.5	55.6	17.3	780	4.55	52.5	4.0	4171	6.9	227	<0.1	0.7	4.2	123
1404494	Rock Chip	1.87	36	1.9	52.6	3.5	54	<0.1	32.6	20.1	920	5.17	699.5	3.7	38.4	7.0	161	0.1	3.7	3.9	107
1404495	Rock Chip	1.71	4	1.8	37.5	2.9	51	<0.1	21.9	18.8	909	5.06	26.6	4.7	6.2	7.3	121	<0.1	2.0	5.0	143
1404496	Rock Chip	1.62	<2	1.1	16.7	1.9	64	<0.1	30.8	22.6	1087	5.07	19.1	4.4	2.8	7.0	224	<0.1	2.9	0.3	146
1404497	Rock Chip	1.31	<2	1.8	23.1	3.1	60	<0.1	7.7	17.2	809	4.37	22.9	3.8	1.7	8.5	115	<0.1	0.7	0.5	147
1404498	Rock Chip	1.72	241	2.3	33.2	4.4	53	<0.1	6.6	17.5	934	4.67	178.7	5.1	61.8	9.0	134	<0.1	5.4	2.1	119
1404499	Rock Chip	1.63	42	1.9	31.7	3.1	52	<0.1	7.1	16.4	752	4.24	71.1	4.0	14.3	9.2	106	<0.1	2.2	1.3	119
1404500	Rock Pulp	0.14	<2	2.5	25.8	2.4	42	0.8	22.5	10.2	395	2.35	5.0	0.3	2.1	1.1	40	0.3	0.3	<0.1	58
1404501	Rock Pulp	0.14	1447	8.4	48.2	6.1	50	0.2	32.4	9.1	482	3.18	7.4	0.3	1453	1.1	42	0.1	1.1	0.1	65
1404502	Rock Chip	2.07	108	2.0	36.5	4.4	42	0.1	6.8	20.9	913	5.05	948.3	4.5	74.2	9.8	107	<0.1	4.0	2.8	94
1404503	Rock Chip	1.97	7	1.6	30.0	3.2	48	<0.1	6.1	16.2	878	4.24	62.5	3.2	20.1	9.0	100	0.1	2.4	0.4	100
1404504	Rock Chip	2.13	93	2.0	42.3	5.8	46	0.1	18.2	20.3	711	5.04	3591	5.3	99.3	8.5	111	<0.1	5.8	11.6	102
1404505	Rock Chip	1.88	37	1.8	62.3	4.6	41	<0.1	6.6	18.5	785	5.05	482.7	4.7	37.0	9.5	102	<0.1	1.8	8.0	86
1404506	Rock Chip	1.97	7	1.6	22.2	3.4	57	<0.1	5.9	16.6	912	4.18	36.2	2.9	7.1	9.6	167	<0.1	0.6	0.3	115
1404507	Rock Chip	2.39	12	1.2	22.1	4.5	57	<0.1	5.7	16.6	957	4.18	22.0	3.6	10.1	9.7	178	<0.1	0.5	0.2	85

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

CERTIFICATE OF ANALYSIS WHI12000652.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1404478	Rock Chip	2.22	0.073	15	25	1.53	801	0.207	<20	2.42	0.184	0.76	0.4	<0.01	0.4	0.40	15.4	<0.5	8	<0.2
1404479	Rock Chip	2.10	0.080	13	28	1.59	981	0.265	<20	2.68	0.257	1.03	0.5	<0.01	0.6	0.33	14.5	<0.5	8	<0.2
1404480	Rock Pulp	0.81	0.060	4	29	0.76	97	0.125	<20	1.54	0.078	0.13	12.5	0.01	<0.1	<0.05	4.8	<0.5	5	<0.2
1404481	Rock Pulp	0.70	0.053	5	27	0.58	111	0.111	<20	1.20	0.078	0.11	2.1	0.20	1.1	0.34	4.5	0.9	7	<0.2
1404482	Rock Chip	2.15	0.081	13	26	1.56	1099	0.289	<20	2.74	0.243	1.11	0.3	<0.01	0.6	0.10	14.3	<0.5	8	<0.2
1404483	Rock Chip	1.53	0.080	11	25	1.21	1121	0.308	<20	2.50	0.295	1.11	0.5	<0.01	0.5	<0.05	7.2	<0.5	7	<0.2
1404484	Rock Chip	1.80	0.081	12	26	1.37	1067	0.313	<20	2.73	0.316	1.13	0.5	<0.01	0.5	0.07	10.4	<0.5	8	<0.2
1404485	Rock Chip	2.03	0.087	12	31	1.62	1102	0.311	<20	2.77	0.258	1.17	0.4	<0.01	0.5	<0.05	12.3	<0.5	8	<0.2
1404486	Rock Chip	3.67	0.077	15	26	1.65	886	0.225	<20	2.64	0.166	0.87	0.4	<0.01	0.4	0.37	17.6	<0.5	8	<0.2
1404487	Rock Chip	2.72	0.079	17	26	1.71	935	0.217	<20	2.85	0.170	0.89	0.2	<0.01	0.5	0.22	19.4	<0.5	9	<0.2
1404488	Rock Chip	2.45	0.082	17	29	1.50	1106	0.294	<20	2.68	0.228	1.08	0.3	<0.01	0.6	0.08	20.3	<0.5	8	<0.2
1404489	Rock Chip	4.72	0.070	17	18	2.33	678	0.136	<20	2.55	0.100	0.64	0.2	<0.01	0.4	0.77	16.3	<0.5	7	<0.2
1404490	Rock Chip	2.60	0.075	15	24	1.84	942	0.225	<20	2.60	0.173	0.86	0.4	<0.01	0.5	0.37	11.5	<0.5	7	<0.2
1404491	Rock Chip	2.66	0.083	13	38	1.81	717	0.165	<20	2.24	0.147	0.76	0.4	<0.01	0.6	0.68	11.3	<0.5	7	0.2
1404492	Rock Chip	3.38	0.145	13	116	2.45	729	0.204	<20	3.86	0.283	1.06	0.2	<0.01	0.6	0.65	12.3	<0.5	9	<0.2
1404493	Rock Chip	3.53	0.140	11	122	2.52	674	0.197	<20	3.89	0.272	1.04	0.2	<0.01	0.6	0.61	10.5	<0.5	10	<0.2
1404494	Rock Chip	3.52	0.112	12	63	1.99	546	0.157	<20	2.98	0.195	0.92	0.3	<0.01	0.9	0.93	12.6	<0.5	8	<0.2
1404495	Rock Chip	3.20	0.113	16	57	2.36	489	0.107	<20	3.08	0.135	0.57	0.2	<0.01	0.4	0.69	17.4	<0.5	10	<0.2
1404496	Rock Chip	3.74	0.135	17	78	2.30	616	0.139	<20	3.52	0.222	0.72	0.1	<0.01	0.5	0.13	17.2	<0.5	10	<0.2
1404497	Rock Chip	2.15	0.080	13	28	1.69	1056	0.287	<20	2.84	0.264	1.07	0.4	<0.01	0.7	0.18	15.4	<0.5	8	<0.2
1404498	Rock Chip	4.29	0.071	16	22	2.11	526	0.084	<20	2.06	0.090	0.45	0.2	0.03	0.4	0.38	17.0	<0.5	6	<0.2
1404499	Rock Chip	2.26	0.069	15	25	1.61	630	0.155	<20	2.13	0.184	0.61	0.4	<0.01	0.5	0.23	14.9	<0.5	7	<0.2
1404500	Rock Pulp	0.82	0.059	4	30	0.78	95	0.125	<20	1.56	0.077	0.13	13.4	<0.01	<0.1	<0.05	4.7	<0.5	5	<0.2
1404501	Rock Pulp	0.84	0.059	4	33	0.82	107	0.128	<20	1.73	0.101	0.15	0.2	0.06	<0.1	<0.05	4.9	<0.5	6	<0.2
1404502	Rock Chip	3.68	0.081	12	21	1.89	217	0.013	<20	1.56	0.037	0.27	0.4	0.03	0.7	1.00	14.6	<0.5	5	<0.2
1404503	Rock Chip	3.26	0.076	15	20	1.68	177	0.016	<20	1.32	0.056	0.26	0.2	<0.01	0.4	0.23	15.3	<0.5	5	<0.2
1404504	Rock Chip	2.84	0.105	14	41	1.92	162	0.029	<20	1.92	0.061	0.37	0.4	0.02	0.7	1.13	15.9	<0.5	6	<0.2
1404505	Rock Chip	2.82	0.075	12	18	1.57	184	0.031	<20	1.53	0.062	0.38	0.5	0.02	0.6	1.40	12.8	<0.5	5	<0.2
1404506	Rock Chip	3.13	0.072	17	21	1.75	519	0.105	<20	1.81	0.122	0.57	0.2	<0.01	0.4	0.12	17.7	<0.5	6	<0.2
1404507	Rock Chip	3.61	0.072	17	14	1.66	182	0.009	<20	1.14	0.061	0.23	<0.1	<0.01	0.2	0.11	16.2	<0.5	4	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

CERTIFICATE OF ANALYSIS WHI12000652.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1404508	Rock Chip	1.96	51	1.8	47.2	21.6	124	0.2	6.2	19.9	789	5.24	1849	4.3	59.1	9.4	117	0.7	5.9	4.1	79
1404509	Rock Chip	1.98	82	1.6	121.4	70.0	385	0.4	5.9	20.0	942	5.87	4543	4.0	87.8	8.5	136	4.4	9.7	11.7	31
1404510	Rock Chip	1.93	27	1.6	27.3	7.4	60	<0.1	6.7	17.7	917	4.92	127.1	4.4	21.1	11.5	116	<0.1	1.9	1.0	110
1404511	Rock Chip	1.82	<2	2.5	29.2	2.9	58	<0.1	6.3	16.8	680	3.91	19.9	2.7	<0.5	10.4	96	<0.1	0.4	0.2	132
1404512	Rock Chip	1.82	<2	2.0	27.9	3.3	64	<0.1	6.0	17.0	811	4.02	17.9	3.0	3.4	9.8	102	<0.1	0.7	0.1	129
1404513	Rock Chip	1.94	2	1.9	34.4	5.8	65	0.1	6.5	20.0	946	4.78	41.4	5.7	<0.5	11.3	160	0.1	3.0	0.8	104
1404514	Rock Chip	1.92	16	2.3	29.6	3.7	63	<0.1	7.5	18.6	757	4.56	1503	4.4	16.4	12.0	106	0.1	1.3	3.8	130
1404515	Rock Chip	2.20	4	2.1	28.3	2.8	57	<0.1	6.4	16.9	666	3.97	34.0	2.5	<0.5	10.9	93	<0.1	0.2	0.6	138
1404516	Rock Chip	2.03	3	2.3	25.5	3.4	57	<0.1	6.1	16.4	831	4.11	15.5	3.2	0.7	10.9	123	0.1	0.4	1.1	132
1404517	Rock Chip	1.48	2	2.1	24.3	5.1	62	<0.1	6.7	17.6	862	4.21	6.4	3.3	<0.5	11.2	112	<0.1	0.2	0.1	126
1404518	Rock Chip	1.64	7	2.3	28.5	4.5	56	<0.1	6.6	17.0	675	4.26	67.8	4.1	<0.5	12.5	92	<0.1	0.5	4.2	128
1404519	Rock Chip	1.53	3	2.4	27.3	3.7	51	<0.1	6.6	15.4	677	3.95	11.2	2.5	<0.5	11.7	90	<0.1	0.3	0.5	134
1404520	Rock Pulp	0.14	5	2.4	24.3	2.5	43	0.2	23.3	10.3	391	2.31	4.9	0.2	<0.5	1.0	38	0.1	0.3	<0.1	57
1404521	Rock Pulp	0.14	3732	10.5	79.3	507.6	1642	54.3	32.8	8.9	426	3.47	33.5	0.4	3314	1.4	39	17.6	50.4	1.1	61
1404522	Rock Chip	1.85	28	2.1	43.0	4.4	63	<0.1	10.2	21.4	868	4.75	1566	3.0	26.7	12.5	94	<0.1	1.0	17.2	140
1404523	Rock Chip	1.83	6	1.9	26.7	4.2	70	<0.1	8.6	18.7	967	4.60	28.2	3.3	6.2	11.4	118	0.1	0.5	0.5	153
1404524	Rock Chip	0.88	3	2.5	26.0	3.3	58	<0.1	7.4	15.5	693	3.89	10.8	3.4	4.4	9.8	93	<0.1	0.6	0.3	133
1404525	Rock Chip	0.87	3	2.1	25.6	3.4	57	<0.1	6.6	16.0	678	3.89	8.4	2.9	2.4	10.0	100	<0.1	0.5	0.2	137
1404526	Rock Chip	1.75	4	2.3	26.6	3.6	65	<0.1	7.3	18.1	857	4.33	6.5	3.3	2.1	10.6	109	<0.1	0.5	0.1	139
1404527	Rock Chip	2.45	3	2.1	29.7	4.1	62	<0.1	6.5	17.4	763	4.05	9.2	3.4	2.6	10.7	99	0.1	0.8	<0.1	124
1404528	Rock Chip	1.91	<2	2.4	20.3	6.3	54	<0.1	5.4	13.6	1252	4.16	80.9	5.5	2.4	8.2	187	<0.1	2.1	<0.1	92
1404529	Rock Chip	1.97	3	2.2	21.6	5.1	63	<0.1	7.0	17.5	961	4.27	23.2	4.9	0.9	10.3	123	<0.1	1.9	<0.1	123
1404530	Rock Chip	2.13	3	2.6	23.2	3.5	53	<0.1	6.3	14.5	598	3.56	10.2	3.2	1.4	11.1	84	<0.1	0.6	<0.1	115

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

CERTIFICATE OF ANALYSIS WHI12000652.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1404508	Rock Chip	3.28	0.070	13	12	1.35	84	0.003	<20	1.72	0.032	0.21	0.2	0.05	0.5	1.27	15.4	<0.5	5	<0.2
1404509	Rock Chip	4.16	0.065	7	7	1.49	40	0.001	<20	1.18	0.010	0.29	0.3	0.15	1.2	2.61	8.0	<0.5	3	<0.2
1404510	Rock Chip	3.33	0.079	18	19	1.74	356	0.055	<20	2.53	0.041	0.49	0.3	0.02	0.6	0.40	17.6	<0.5	7	<0.2
1404511	Rock Chip	1.65	0.081	13	27	1.44	1013	0.306	<20	2.45	0.239	1.06	0.6	<0.01	0.6	0.09	9.5	<0.5	7	<0.2
1404512	Rock Chip	1.85	0.079	14	26	1.35	909	0.269	<20	2.27	0.203	0.96	0.4	<0.01	0.5	0.07	11.5	<0.5	7	<0.2
1404513	Rock Chip	3.34	0.077	18	20	1.67	574	0.073	<20	1.96	0.110	0.45	0.2	<0.01	0.4	0.25	17.8	<0.5	6	<0.2
1404514	Rock Chip	1.90	0.082	17	28	1.63	892	0.260	<20	2.29	0.166	0.98	0.4	<0.01	0.7	0.29	14.7	<0.5	7	<0.2
1404515	Rock Chip	1.64	0.078	14	31	1.44	987	0.297	<20	2.43	0.223	1.09	0.5	<0.01	0.6	0.06	10.2	<0.5	7	<0.2
1404516	Rock Chip	2.16	0.073	15	28	1.74	858	0.252	<20	2.53	0.195	0.97	0.3	<0.01	0.5	0.10	13.9	<0.5	7	<0.2
1404517	Rock Chip	2.52	0.074	19	25	1.63	845	0.232	<20	2.49	0.149	0.97	0.4	<0.01	0.5	0.07	14.6	<0.5	8	<0.2
1404518	Rock Chip	1.73	0.078	19	28	1.47	828	0.253	<20	2.60	0.215	1.00	0.4	<0.01	0.6	0.11	12.2	<0.5	7	<0.2
1404519	Rock Chip	1.80	0.080	15	30	1.44	866	0.286	<20	2.49	0.224	1.03	0.6	<0.01	0.6	0.16	10.1	<0.5	7	<0.2
1404520	Rock Pulp	0.78	0.061	4	29	0.76	93	0.114	<20	1.55	0.074	0.13	13.2	<0.01	<0.1	<0.05	4.5	<0.5	5	<0.2
1404521	Rock Pulp	0.77	0.056	6	28	0.63	125	0.118	<20	1.31	0.081	0.12	1.9	0.22	1.2	0.35	4.2	0.6	7	<0.2
1404522	Rock Chip	2.48	0.083	20	31	1.97	431	0.133	<20	2.72	0.127	0.54	0.3	0.01	0.4	0.40	14.1	<0.5	10	<0.2
1404523	Rock Chip	2.85	0.076	19	29	2.03	756	0.199	<20	3.01	0.169	0.82	0.2	<0.01	0.4	0.05	16.6	<0.5	9	<0.2
1404524	Rock Chip	1.84	0.075	14	30	1.45	900	0.263	<20	2.51	0.246	0.92	0.4	<0.01	0.5	0.07	9.5	<0.5	8	<0.2
1404525	Rock Chip	1.87	0.078	14	29	1.48	924	0.269	<20	2.55	0.254	0.95	0.4	<0.01	0.5	0.06	10.3	<0.5	8	<0.2
1404526	Rock Chip	2.29	0.080	18	29	1.60	659	0.164	<20	2.54	0.209	0.63	0.2	<0.01	0.3	<0.05	15.5	<0.5	8	<0.2
1404527	Rock Chip	2.24	0.079	18	27	1.43	382	0.094	<20	2.26	0.163	0.39	0.1	<0.01	0.2	0.05	14.2	<0.5	8	<0.2
1404528	Rock Chip	8.01	0.059	18	14	2.98	44	<0.001	<20	1.26	0.014	0.07	0.2	<0.01	<0.1	0.10	16.3	<0.5	4	<0.2
1404529	Rock Chip	3.88	0.077	19	26	1.77	525	0.102	<20	2.13	0.114	0.51	0.1	0.01	0.3	0.05	16.7	<0.5	7	<0.2
1404530	Rock Chip	1.70	0.077	16	29	1.27	721	0.240	<20	2.22	0.224	0.67	0.7	<0.01	0.3	<0.05	7.3	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

QUALITY CONTROL REPORT WHI12000652.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1404425	Rock Chip	1.19	35	0.6	26.6	5.4	108	0.1	6.4	17.4	982	4.63	31.7	1.4	17.6	8.8	89	0.9	3.2	0.7	117
REP 1404425	QC			0.6	27.3	5.6	115	0.1	6.9	18.0	1039	4.78	34.8	1.4	23.8	8.6	95	0.8	3.0	0.8	120
1404431	Rock Chip	1.43	3	0.7	25.3	2.5	65	<0.1	6.4	16.0	922	4.04	2.5	1.5	<0.5	8.1	118	<0.1	0.6	<0.1	125
REP 1404431	QC		2																		
1404460	Rock Pulp	0.14	4	2.5	25.0	2.4	43	0.3	23.0	10.3	390	2.35	4.9	0.2	103.4	0.9	39	0.2	0.3	<0.1	57
REP 1404460	QC			2.4	25.3	2.4	43	0.3	24.1	10.6	412	2.43	4.7	0.3	3.2	0.9	41	0.2	0.3	<0.1	59
1404481	Rock Pulp	0.14	3946	9.7	71.3	459.8	1558	54.0	31.5	8.5	393	3.30	31.1	0.4	3024	1.2	35	15.9	55.3	1.0	54
REP 1404481	QC		3989																		
1404487	Rock Chip	1.80	11	2.2	32.0	4.8	65	<0.1	7.4	19.0	1016	4.60	23.8	3.7	3.6	8.8	123	<0.1	1.1	3.2	143
REP 1404487	QC			2.4	32.9	5.0	69	<0.1	7.2	19.6	1034	4.75	24.9	3.9	3.9	8.7	126	0.1	0.9	3.2	147
Core Reject Duplicates																					
1404439	Rock Chip	1.40	<2	0.8	28.2	3.4	71	0.1	7.2	18.5	976	4.39	18.7	1.7	0.9	7.6	140	0.1	0.4	0.4	147
DUP 1404439	QC		2	0.8	27.3	3.4	67	0.1	6.9	17.8	916	4.31	24.1	1.6	<0.5	7.5	136	0.2	0.5	0.7	146
1404474	Rock Chip	0.73	4	2.5	26.4	3.4	60	<0.1	7.7	17.0	775	4.29	4.3	6.5	1.0	8.8	122	0.1	0.2	0.4	148
DUP 1404474	QC		4	2.3	27.0	3.5	57	<0.1	7.3	16.9	795	4.28	3.5	6.3	<0.5	8.5	120	0.1	0.2	0.3	149
1404509	Rock Chip	1.98	82	1.6	121.4	70.0	385	0.4	5.9	20.0	942	5.87	4543	4.0	87.8	8.5	136	4.4	9.7	11.7	31
DUP 1404509	QC		82	1.5	121.8	74.0	396	0.4	6.1	20.5	930	5.79	4636	3.9	89.3	8.4	139	4.2	10.9	12.5	30
Reference Materials																					
STD DS9	Standard			12.8	112.9	131.0	324	1.9	42.3	7.8	588	2.40	27.9	2.9	104.9	7.1	76	2.6	5.3	6.5	40
STD DS9	Standard			13.9	111.7	135.7	319	1.9	39.8	7.4	566	2.30	25.3	3.0	114.9	6.7	72	2.3	5.2	6.9	39
STD DS9	Standard			11.2	107.9	121.1	327	1.9	42.0	7.6	583	2.28	28.1	2.5	107.5	5.5	66	2.8	5.2	6.0	37
STD DS9	Standard			13.2	115.2	135.8	330	1.8	42.0	8.0	610	2.50	28.5	3.0	112.6	6.8	80	2.7	4.6	6.1	43
STD OREAS45CA	Standard			0.9	519.2	21.0	64	0.3	263.0	92.4	959	16.58	4.4	1.3	43.6	7.7	15	0.1	0.2	0.2	222
STD OREAS45CA	Standard			0.9	527.9	21.3	63	0.3	257.0	95.2	959	15.86	4.4	1.3	45.6	7.9	15	0.1	0.1	0.2	223
STD OREAS45CA	Standard			1.0	492.1	17.4	59	0.3	246.6	90.0	911	15.35	4.4	1.1	44.2	6.2	14	0.1	0.2	0.2	215
STD OREAS45CA	Standard			1.0	567.7	22.0	67	0.3	284.8	99.9	1068	16.89	4.1	1.4	47.5	8.3	17	0.1	<0.1	0.1	244
STD OXD87	Standard		402																		
STD OXD87	Standard		402																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

QUALITY CONTROL REPORT WHI12000652.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
1404425	Rock Chip	2.46	0.081	18	20	2.16	769	0.130	<20	2.58	0.061	0.74	0.1	<0.01	0.4	<0.05	15.2	<0.5	8	<0.2
REP 1404425	QC	2.54	0.078	18	22	2.24	805	0.139	<20	2.71	0.062	0.76	0.1	<0.01	0.4	<0.05	16.1	<0.5	9	<0.2
1404431	Rock Chip	2.06	0.077	15	21	1.52	1066	0.229	<20	2.32	0.197	0.99	0.2	<0.01	0.5	<0.05	14.4	<0.5	7	<0.2
REP 1404431	QC																			
1404460	Rock Pulp	0.79	0.061	4	30	0.76	93	0.114	<20	1.50	0.076	0.13	12.8	0.01	<0.1	<0.05	4.5	<0.5	5	<0.2
REP 1404460	QC	0.81	0.060	4	31	0.78	99	0.118	<20	1.55	0.080	0.13	13.3	0.01	<0.1	<0.05	4.4	<0.5	5	<0.2
1404481	Rock Pulp	0.70	0.053	5	27	0.58	111	0.111	<20	1.20	0.078	0.11	2.1	0.20	1.1	0.34	4.5	0.9	7	<0.2
REP 1404481	QC																			
1404487	Rock Chip	2.72	0.079	17	26	1.71	935	0.217	<20	2.85	0.170	0.89	0.2	<0.01	0.5	0.22	19.4	<0.5	9	<0.2
REP 1404487	QC	2.79	0.080	18	26	1.76	932	0.227	<20	2.94	0.174	0.92	0.2	<0.01	0.5	0.22	19.7	<0.5	9	<0.2
Core Reject Duplicates																				
1404439	Rock Chip	2.49	0.080	16	28	1.77	1230	0.280	<20	2.68	0.183	1.14	0.2	<0.01	0.5	<0.05	15.3	<0.5	8	<0.2
DUP 1404439	QC	2.44	0.080	15	27	1.72	1210	0.279	<20	2.64	0.181	1.15	0.2	<0.01	0.5	<0.05	14.8	<0.5	8	<0.2
1404474	Rock Chip	2.15	0.081	15	30	1.54	1126	0.318	<20	2.94	0.315	1.22	0.4	<0.01	0.6	0.12	14.5	<0.5	8	<0.2
DUP 1404474	QC	2.15	0.079	14	30	1.55	1149	0.321	<20	2.91	0.310	1.23	0.4	<0.01	0.6	0.12	14.4	<0.5	8	<0.2
1404509	Rock Chip	4.16	0.065	7	7	1.49	40	0.001	<20	1.18	0.010	0.29	0.3	0.15	1.2	2.61	8.0	<0.5	3	<0.2
DUP 1404509	QC	4.13	0.060	7	6	1.49	37	0.001	<20	1.12	0.009	0.26	0.3	0.17	1.2	2.63	7.7	<0.5	3	<0.2
Reference Materials																				
STD DS9	Standard	0.74	0.087	12	121	0.63	336	0.117	<20	0.98	0.088	0.42	2.8	0.20	5.7	0.17	2.7	6.1	5	4.5
STD DS9	Standard	0.69	0.086	12	124	0.63	323	0.108	<20	0.96	0.083	0.40	2.7	0.20	5.7	0.17	2.3	4.3	5	4.9
STD DS9	Standard	0.67	0.089	10	116	0.60	338	0.095	<20	0.90	0.077	0.39	2.8	0.21	5.5	0.17	2.2	5.6	5	5.2
STD DS9	Standard	0.79	0.092	14	119	0.67	354	0.118	<20	1.04	0.092	0.42	2.5	0.21	6.1	0.18	2.5	5.5	5	5.1
STD OREAS45CA	Standard	0.44	0.043	17	750	0.15	173	0.149	<20	3.84	0.007	0.08	<0.1	0.02	<0.1	<0.05	46.3	0.7	20	<0.2
STD OREAS45CA	Standard	0.44	0.039	17	698	0.14	170	0.138	<20	3.72	0.008	0.07	<0.1	0.02	<0.1	<0.05	46.6	0.9	20	<0.2
STD OREAS45CA	Standard	0.43	0.041	15	696	0.13	169	0.113	<20	3.36	0.011	0.07	<0.1	0.03	<0.1	<0.05	43.7	0.7	18	<0.2
STD OREAS45CA	Standard	0.47	0.040	17	773	0.16	180	0.141	<20	4.12	0.006	0.08	<0.1	0.04	<0.1	<0.05	47.1	<0.5	22	<0.2
STD OXD87	Standard																			
STD OXD87	Standard																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

QUALITY CONTROL REPORT WHI12000652.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD OXD87	Standard		407																		
STD OXD87	Standard		439																		
STD OXD87	Standard		427																		
STD OXG99	Standard		879																		
STD OXG99	Standard		935																		
STD OXG99	Standard		914																		
STD OXG99	Standard		953																		
STD OXG99	Standard		962																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
STD OXD87 Expected			417																		
STD OXG99 Expected			932																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	0.3	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		5																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		3																		
BLK	Blank		<2																		
BLK	Blank		4																		
BLK	Blank		5																		
Prep Wash																					
G1-WHI	Prep Blank		2	0.2	2.8	2.7	45	<0.1	2.9	3.9	567	2.08	<0.5	1.3	2.3	4.6	67	<0.1	<0.1	<0.1	36
G1-WHI	Prep Blank		<2	0.2	2.6	2.9	46	<0.1	2.5	3.9	578	2.06	0.6	1.6	<0.5	5.1	66	<0.1	<0.1	0.1	37

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

QUALITY CONTROL REPORT WHI12000652.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
STD OXD87 Expected																				
STD OXG99 Expected																				
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
G1-WHI	Prep Blank	0.47	0.083	11	8	0.49	335	0.111	<20	0.94	0.105	0.50	<0.1	<0.01	0.3	<0.05	2.4	<0.5	5	<0.2
G1-WHI	Prep Blank	0.52	0.086	11	9	0.49	198	0.121	<20	0.98	0.120	0.52	<0.1	<0.01	0.4	<0.05	2.3	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: August 14, 2012
Report Date: August 24, 2012
Page: 1 of 5

CERTIFICATE OF ANALYSIS WHI12000679.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number NA-12308
Number of Samples: 118

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	106	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	118	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	118	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme Joyce
Stephanie Korelin

BRITISH COLUMBIA CERTIFIED ASSAYER
RAYMOND CHAN
CHIEF ASSAYER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

CERTIFICATE OF ANALYSIS WHI12000679.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1404531	Rock Chip	3.54	<2	1.7	7.8	5.2	28	<0.1	4.9	3.7	311	1.43	1.5	2.4	1.0	34.0	83	<0.1	0.4	<0.1	11
1404532	Rock Chip	0.91	<2	3.7	4.8	4.8	27	<0.1	4.5	3.8	279	1.29	1.8	2.5	1.3	35.3	79	<0.1	0.5	<0.1	9
1404533	Rock Chip	2.07	<2	1.9	7.2	4.3	40	<0.1	8.5	11.4	540	2.55	0.9	2.4	2.6	29.0	110	<0.1	0.4	<0.1	49
1404534	Rock Chip	2.23	<2	2.0	4.8	6.6	26	<0.1	4.2	4.5	308	1.29	1.6	3.1	<0.5	34.5	78	<0.1	0.8	<0.1	8
1404535	Rock Chip	2.03	<2	1.8	8.0	3.1	58	<0.1	8.3	17.1	750	2.95	1.0	2.0	1.2	14.9	175	<0.1	0.6	<0.1	50
1404536	Rock Chip	2.20	<2	1.7	11.0	4.0	70	<0.1	11.5	24.5	876	3.96	4.8	2.5	<0.5	6.3	173	<0.1	1.1	<0.1	74
1404537	Rock Chip	1.85	3	3.7	5.9	7.2	40	<0.1	4.6	10.0	505	2.16	11.2	2.7	0.8	26.2	105	<0.1	0.9	<0.1	30
1404538	Rock Chip	2.08	<2	1.4	5.5	6.5	31	<0.1	4.3	4.2	421	1.52	2.6	2.6	2.0	34.5	106	<0.1	0.4	<0.1	11
1404539	Rock Chip	2.39	<2	2.1	5.5	2.6	58	<0.1	9.3	18.0	656	3.09	0.7	1.5	<0.5	12.7	104	<0.1	0.3	<0.1	54
1404540	Rock Pulp	0.12	<2	2.4	25.1	2.5	44	0.4	23.5	11.0	402	2.41	4.6	0.3	1.3	1.0	40	0.2	0.3	<0.1	57
1404541	Rock Pulp	0.12	3823	10.0	72.9	498.4	1603	54.3	31.1	8.7	422	3.29	33.2	0.4	3391	1.2	36	16.9	58.5	1.1	53
1404542	Rock Chip	2.04	<2	1.9	10.8	3.4	85	<0.1	30.3	26.5	1069	4.13	1.3	1.8	0.6	4.3	193	<0.1	0.4	<0.1	91
1404543	Rock Chip	1.94	<2	1.1	26.2	4.4	66	<0.1	55.0	28.5	859	3.84	1.4	1.7	0.6	2.7	210	<0.1	0.6	<0.1	93
1404544	Rock Chip	2.23	<2	1.9	35.3	13.6	63	0.2	35.8	22.4	1213	4.17	18.0	2.0	3.0	8.9	235	0.1	0.5	0.2	55
1404545	Rock Chip	2.18	<2	1.6	18.0	3.6	61	<0.1	42.2	16.6	591	3.47	3.0	1.1	<0.5	10.4	71	<0.1	0.1	<0.1	49
1404546	Rock Chip	2.23	<2	0.7	25.2	2.9	58	<0.1	28.4	19.6	710	3.57	1.2	0.8	<0.5	6.0	69	<0.1	0.2	<0.1	69
1404547	Rock Chip	1.73	<2	0.7	8.0	32.3	45	<0.1	22.1	10.3	494	2.22	1.3	2.5	<0.5	15.0	121	<0.1	0.1	0.1	34
1404548	Rock Chip	1.90	<2	0.6	27.6	4.2	53	<0.1	55.2	23.2	693	3.11	4.4	0.9	<0.5	2.2	204	<0.1	0.2	<0.1	65
1404549	Rock Chip	2.42	<2	1.3	24.3	3.8	71	<0.1	36.0	15.2	480	2.45	1.5	1.0	1.7	4.3	87	<0.1	0.1	<0.1	29
1404550	Rock Chip	2.40	<2	1.5	24.9	4.6	57	<0.1	32.9	17.0	639	3.14	15.6	1.7	<0.5	4.1	246	<0.1	0.5	<0.1	44
1404551	Rock Chip	2.22	<2	0.9	22.9	7.4	51	<0.1	21.1	14.9	520	2.47	33.4	0.9	<0.5	3.1	468	<0.1	0.9	<0.1	34
1404552	Rock Chip	2.28	<2	1.7	32.5	2.5	64	<0.1	55.0	18.1	505	3.75	30.2	2.4	<0.5	6.5	51	<0.1	0.7	<0.1	62
1404553	Rock Chip	1.98	<2	1.6	48.3	2.3	73	<0.1	44.8	18.7	630	3.71	6.0	2.0	<0.5	4.3	44	<0.1	0.2	<0.1	49
1404554	Rock Chip	2.25	<2	1.5	21.0	2.8	69	<0.1	36.9	17.9	555	3.24	1.9	1.6	0.8	4.3	47	<0.1	<0.1	<0.1	52
1404555	Rock Chip	2.08	<2	1.0	47.8	7.9	86	<0.1	42.7	26.9	826	3.78	2.4	1.7	<0.5	2.5	129	0.1	<0.1	<0.1	92
1404556	Rock Chip	1.82	<2	1.1	49.0	26.2	103	0.2	44.6	17.0	710	3.13	7.3	2.5	0.8	4.8	437	0.2	0.2	<0.1	44
1404557	Rock Chip	1.95	<2	0.7	39.4	5.2	40	<0.1	19.4	8.1	451	1.38	5.6	1.9	0.8	2.2	653	<0.1	0.2	<0.1	17
1404558	Rock Chip	1.60	<2	0.6	75.4	8.7	46	<0.1	16.3	7.2	361	1.40	8.1	2.0	<0.5	2.4	612	<0.1	0.6	<0.1	19
1404559	Rock Chip	2.18	<2	0.2	19.2	3.8	7	<0.1	3.1	1.5	206	0.29	6.8	2.9	0.7	0.6	1038	<0.1	0.4	<0.1	3
1404560	Rock Pulp	0.12	<2	2.4	25.7	2.3	44	0.3	23.7	10.9	399	2.39	4.8	0.2	<0.5	0.9	27	0.2	0.3	<0.1	55

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

CERTIFICATE OF ANALYSIS WHI12000679.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1404531	Rock Chip	1.45	0.046	60	10	0.50	181	0.026	<20	0.87	0.042	0.42	0.3	<0.01	0.2	0.07	1.6	<0.5	4	<0.2
1404532	Rock Chip	1.25	0.051	67	8	0.39	138	0.027	<20	0.85	0.037	0.49	0.3	<0.01	0.2	<0.05	1.3	<0.5	3	<0.2
1404533	Rock Chip	2.17	0.073	57	16	1.03	153	0.119	<20	1.46	0.045	1.10	0.3	<0.01	0.4	0.23	2.8	<0.5	5	<0.2
1404534	Rock Chip	1.27	0.048	62	6	0.33	72	0.018	<20	0.75	0.024	0.38	0.3	<0.01	0.2	0.09	1.2	<0.5	3	<0.2
1404535	Rock Chip	2.50	0.103	30	28	1.91	181	0.150	<20	2.24	0.027	1.52	0.3	<0.01	0.5	<0.05	2.9	<0.5	5	<0.2
1404536	Rock Chip	2.70	0.145	15	32	2.53	492	0.154	<20	2.83	0.020	1.62	0.2	0.01	0.5	0.08	5.1	<0.5	6	<0.2
1404537	Rock Chip	1.76	0.069	48	11	0.97	230	0.063	<20	1.38	0.026	0.81	0.3	0.01	0.3	0.11	2.3	<0.5	4	<0.2
1404538	Rock Chip	2.17	0.050	66	7	0.45	81	0.029	<20	0.84	0.036	0.43	0.2	<0.01	0.2	<0.05	1.3	<0.5	3	<0.2
1404539	Rock Chip	1.96	0.120	29	28	2.10	431	0.182	<20	2.36	0.030	1.83	0.2	<0.01	0.6	0.10	2.3	<0.5	5	<0.2
1404540	Rock Pulp	0.81	0.058	4	30	0.78	95	0.119	<20	1.55	0.077	0.13	12.3	<0.01	<0.1	<0.05	4.4	<0.5	5	<0.2
1404541	Rock Pulp	0.69	0.056	5	28	0.59	112	0.107	<20	1.21	0.079	0.11	2.4	0.22	1.1	0.35	4.2	<0.5	6	<0.2
1404542	Rock Chip	4.15	0.116	12	85	2.84	402	0.211	<20	2.98	0.027	2.28	0.2	<0.01	0.7	0.08	9.9	<0.5	8	<0.2
1404543	Rock Chip	2.99	0.103	8	102	2.85	275	0.189	<20	2.71	0.027	1.63	0.2	<0.01	0.5	0.11	8.1	<0.5	7	<0.2
1404544	Rock Chip	5.05	0.080	17	35	1.54	229	0.120	<20	1.98	0.014	1.10	0.1	<0.01	0.4	0.67	4.5	<0.5	6	<0.2
1404545	Rock Chip	1.49	0.084	23	57	1.49	306	0.146	<20	2.11	0.023	1.15	0.3	<0.01	0.4	0.22	2.8	<0.5	6	<0.2
1404546	Rock Chip	2.29	0.075	13	36	1.71	317	0.176	<20	2.20	0.034	1.19	0.2	<0.01	0.4	0.21	5.3	<0.5	7	<0.2
1404547	Rock Chip	2.75	0.033	30	33	1.24	124	0.056	<20	1.49	0.039	0.68	0.2	<0.01	0.2	0.26	2.6	<0.5	7	<0.2
1404548	Rock Chip	7.37	0.064	6	110	2.20	210	0.149	<20	2.24	0.020	1.31	0.2	<0.01	0.4	0.49	5.5	<0.5	5	<0.2
1404549	Rock Chip	2.97	0.058	7	44	1.10	65	0.183	<20	1.47	0.032	0.68	1.3	<0.01	0.2	0.35	2.0	<0.5	5	<0.2
1404550	Rock Chip	5.48	0.069	9	42	1.46	148	0.148	<20	1.81	0.027	1.20	0.4	<0.01	0.4	0.84	1.8	<0.5	6	<0.2
1404551	Rock Chip	9.77	0.063	7	30	1.37	293	0.095	<20	1.57	0.017	0.94	0.3	<0.01	0.3	0.72	2.0	0.6	4	<0.2
1404552	Rock Chip	0.92	0.054	14	87	1.53	318	0.172	<20	2.04	0.038	1.30	0.5	<0.01	0.3	0.66	3.6	<0.5	7	<0.2
1404553	Rock Chip	1.03	0.057	8	61	1.52	448	0.259	<20	2.08	0.047	1.49	1.2	<0.01	0.4	0.59	2.3	<0.5	7	<0.2
1404554	Rock Chip	0.93	0.070	7	67	1.88	544	0.247	<20	2.24	0.042	1.78	0.6	<0.01	0.3	0.28	2.3	<0.5	6	<0.2
1404555	Rock Chip	3.29	0.102	7	111	2.98	899	0.257	<20	2.95	0.037	2.47	0.3	<0.01	0.3	0.31	4.0	<0.5	7	<0.2
1404556	Rock Chip	3.29	0.054	9	67	1.50	467	0.194	<20	1.89	0.034	1.32	0.6	<0.01	0.3	0.43	2.2	<0.5	6	<0.2
1404557	Rock Chip	20.02	0.040	5	25	0.81	158	0.080	<20	0.95	0.011	0.62	0.2	<0.01	0.2	0.23	1.2	<0.5	3	<0.2
1404558	Rock Chip	16.51	0.056	6	23	0.64	80	0.075	<20	0.91	0.016	0.53	0.3	<0.01	0.2	0.18	1.1	<0.5	3	<0.2
1404559	Rock Chip	34.43	0.033	3	4	0.24	23	0.006	<20	0.12	0.002	0.05	<0.1	<0.01	<0.1	0.09	0.6	<0.5	<1	<0.2
1404560	Rock Pulp	0.70	0.063	4	30	0.78	98	0.113	<20	1.53	0.074	0.13	13.1	<0.01	<0.1	<0.05	4.4	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

CERTIFICATE OF ANALYSIS WHI12000679.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1404561	Rock Pulp	0.12	1592	9.1	48.1	5.9	52	0.2	30.4	9.1	494	3.18	7.3	0.3	1365	1.0	41	<0.1	1.2	<0.1	61
1404562	Rock Chip	1.85	<2	0.6	106.6	23.6	56	<0.1	20.8	8.1	408	1.47	11.9	2.3	<0.5	6.5	510	0.2	0.7	<0.1	20
1404563	Rock Chip	1.78	6	0.9	89.1	16.4	81	0.1	90.1	21.6	572	3.73	8.4	1.4	1.4	8.2	90	<0.1	0.3	0.1	66
1404564	Rock Chip	2.01	<2	1.0	90.6	9.8	85	<0.1	89.3	18.2	551	3.28	3.1	0.8	5.2	4.8	106	0.1	0.4	<0.1	42
1404565	Rock Chip	1.79	<2	0.9	75.3	9.6	60	<0.1	36.3	13.7	490	2.50	2.2	0.6	3.5	6.6	103	<0.1	0.3	<0.1	29
1404566	Rock Chip	1.77	<2	0.8	43.3	6.2	57	<0.1	35.2	13.7	621	2.47	9.6	1.1	1.3	4.5	113	<0.1	0.3	<0.1	23
1404567	Rock Chip	2.19	5	1.3	107.5	4.1	67	<0.1	43.3	14.9	416	3.12	5.8	0.9	4.5	6.0	44	<0.1	0.2	<0.1	37
1404568	Rock Chip	2.01	<2	1.4	83.7	11.3	65	<0.1	37.7	13.5	417	2.62	2.3	0.7	3.1	5.4	61	<0.1	<0.1	<0.1	29
1404569	Rock Chip	1.97	<2	1.1	95.5	7.8	73	<0.1	34.2	12.9	453	2.54	2.8	0.5	3.6	3.9	78	<0.1	<0.1	<0.1	27
1404570	Rock Chip	1.20	2	1.2	28.4	4.1	69	<0.1	50.7	19.9	633	3.29	<0.5	0.4	1.4	3.8	99	<0.1	0.2	<0.1	50
1404571	Rock Chip	1.59	<2	2.3	15.3	3.1	36	<0.1	23.8	14.5	485	2.37	0.6	1.0	<0.5	9.3	57	<0.1	0.2	<0.1	41
1404572	Rock Chip	1.83	<2	2.9	38.2	3.7	32	<0.1	29.6	14.8	403	2.31	0.8	2.8	2.4	14.6	86	<0.1	<0.1	<0.1	33
1404573	Rock Chip	1.80	<2	1.3	15.6	2.3	31	<0.1	29.4	10.2	537	2.39	1.0	0.9	<0.5	9.1	118	<0.1	0.2	<0.1	40
1404574	Rock Chip	0.56	<2	1.3	6.8	1.9	34	<0.1	48.7	10.3	642	2.91	2.3	0.7	0.7	5.4	92	<0.1	<0.1	<0.1	37
1404575	Rock Chip	0.49	<2	1.0	7.2	1.9	33	<0.1	52.4	10.6	657	2.92	2.4	0.6	<0.5	4.7	102	<0.1	<0.1	<0.1	34
1404576	Rock Chip	1.25	<2	0.8	5.6	2.0	25	<0.1	20.2	7.9	416	1.62	2.3	1.1	<0.5	10.7	81	<0.1	0.1	<0.1	26
1404577	Rock Chip	1.75	<2	0.6	31.6	5.1	34	<0.1	24.4	16.9	553	2.71	2.2	0.7	<0.5	7.8	119	<0.1	0.3	<0.1	33
1404578	Rock Chip	1.68	<2	0.6	25.8	2.9	46	<0.1	16.6	16.5	529	3.05	1.7	0.4	<0.5	5.0	57	<0.1	0.1	<0.1	68
1404579	Rock Chip	2.06	<2	0.7	14.6	5.3	54	<0.1	76.7	17.2	559	3.31	1.9	0.6	1.1	6.6	88	<0.1	<0.1	<0.1	54
1404580	Rock Pulp	0.12	7	2.5	25.4	2.2	43	0.3	24.2	10.4	392	2.37	4.6	0.2	<0.5	0.8	36	0.2	0.1	<0.1	55
1404581	Rock Pulp	0.12	4181	9.9	72.0	488.6	1618	53.9	33.9	8.5	406	3.34	30.4	0.3	2978	1.1	32	15.7	48.2	0.6	51
1404582	Rock Chip	1.84	<2	1.4	23.6	6.4	61	0.1	84.5	18.3	604	3.39	32.4	3.1	<0.5	9.8	96	<0.1	0.4	<0.1	41
1404583	Rock Chip	2.02	<2	0.7	33.0	6.7	59	<0.1	26.9	17.8	733	3.55	8.8	2.5	<0.5	11.4	110	<0.1	<0.1	<0.1	70
1404584	Rock Chip	0.80	<2	1.5	29.6	8.2	32	<0.1	3.2	1.3	380	1.21	22.8	0.9	<0.5	18.3	13	<0.1	5.4	<0.1	6
1404585	Rock Chip	1.23	3	1.1	7.0	8.5	30	<0.1	2.7	1.0	297	1.30	106.3	1.0	<0.5	17.0	9	<0.1	18.3	<0.1	5
1404586	Rock Chip	1.47	<2	0.8	3.0	7.6	27	<0.1	1.3	0.9	317	1.19	30.4	0.8	2.4	17.1	11	<0.1	8.3	<0.1	6
1404587	Rock Chip	1.51	<2	1.2	4.7	7.6	29	<0.1	2.1	1.0	390	1.21	15.1	1.2	2.4	18.7	15	<0.1	4.7	<0.1	6
1404588	Rock Chip	1.73	<2	0.8	5.7	8.0	29	<0.1	1.5	0.9	404	1.12	2.6	1.2	1.0	16.7	20	<0.1	4.8	<0.1	6
1404589	Rock Chip	1.79	11	1.0	5.0	7.8	24	<0.1	1.8	0.9	346	1.16	23.1	1.1	12.0	15.1	13	<0.1	9.8	1.6	5
1404590	Rock Chip	1.88	4	1.9	16.2	11.6	18	0.1	1.1	1.0	374	1.22	88.9	1.7	6.3	18.3	11	<0.1	11.1	1.4	2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

CERTIFICATE OF ANALYSIS WHI12000679.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1404561	Rock Pulp	0.79	0.060	4	32	0.81	105	0.119	<20	1.66	0.097	0.15	0.3	0.08	<0.1	<0.05	5.2	<0.5	5	<0.2
1404562	Rock Chip	15.26	0.035	13	33	0.73	281	0.060	<20	0.96	0.014	0.52	0.2	<0.01	0.1	0.19	1.9	0.6	3	<0.2
1404563	Rock Chip	1.80	0.050	20	147	2.21	373	0.127	<20	2.45	0.030	1.06	0.2	<0.01	0.3	0.23	6.2	<0.5	9	<0.2
1404564	Rock Chip	2.00	0.052	10	147	1.90	498	0.129	<20	2.04	0.029	1.12	0.3	<0.01	0.2	0.28	3.0	<0.5	7	<0.2
1404565	Rock Chip	2.33	0.053	18	46	1.10	251	0.096	<20	1.55	0.024	0.94	0.2	<0.01	0.2	0.18	2.3	<0.5	5	<0.2
1404566	Rock Chip	3.31	0.040	11	39	0.92	311	0.113	<20	1.50	0.021	0.91	0.2	<0.01	0.3	0.21	1.5	<0.5	4	<0.2
1404567	Rock Chip	0.95	0.050	11	60	1.50	472	0.131	<20	2.03	0.035	1.08	0.4	<0.01	0.2	0.12	2.5	<0.5	6	<0.2
1404568	Rock Chip	1.29	0.043	10	48	1.06	391	0.138	<20	1.61	0.031	1.06	0.4	<0.01	0.2	0.18	1.7	<0.5	5	<0.2
1404569	Rock Chip	1.96	0.047	8	42	1.21	400	0.126	<20	1.64	0.023	1.05	0.3	0.01	0.2	0.20	1.4	0.6	5	<0.2
1404570	Rock Chip	2.53	0.055	8	80	1.85	454	0.170	<20	2.11	0.027	1.60	0.2	<0.01	0.3	0.52	3.3	<0.5	6	<0.2
1404571	Rock Chip	2.46	0.046	9	74	1.29	163	0.160	<20	1.45	0.050	0.87	0.7	<0.01	0.2	0.25	2.9	<0.5	5	<0.2
1404572	Rock Chip	2.11	0.023	24	70	1.03	121	0.112	<20	1.27	0.030	0.99	0.8	<0.01	0.2	0.41	3.1	<0.5	5	<0.2
1404573	Rock Chip	3.37	0.030	12	77	1.24	167	0.127	<20	1.46	0.035	0.70	0.5	<0.01	0.2	0.08	3.7	<0.5	5	<0.2
1404574	Rock Chip	4.96	0.025	4	192	1.58	345	0.158	<20	1.90	0.046	1.23	0.3	<0.01	0.3	0.08	2.6	<0.5	6	<0.2
1404575	Rock Chip	5.28	0.023	4	200	1.61	322	0.145	<20	1.86	0.037	1.21	0.3	<0.01	0.2	0.10	2.6	<0.5	6	<0.2
1404576	Rock Chip	3.27	0.037	19	47	0.94	174	0.120	<20	1.24	0.043	0.77	0.4	<0.01	0.2	<0.05	2.2	<0.5	4	<0.2
1404577	Rock Chip	2.84	0.052	15	26	1.05	178	0.128	<20	1.40	0.032	0.82	0.5	<0.01	0.2	0.39	2.2	<0.5	4	<0.2
1404578	Rock Chip	1.66	0.078	13	26	1.40	303	0.221	<20	1.79	0.052	1.16	0.2	<0.01	0.2	0.13	3.3	<0.5	5	<0.2
1404579	Rock Chip	2.98	0.062	16	147	2.28	438	0.195	<20	2.27	0.045	1.62	0.3	<0.01	0.4	0.25	5.4	<0.5	7	<0.2
1404580	Rock Pulp	0.77	0.059	4	31	0.77	95	0.105	<20	1.51	0.073	0.12	12.1	<0.01	<0.1	<0.05	4.3	<0.5	5	<0.2
1404581	Rock Pulp	0.67	0.053	5	28	0.60	106	0.098	<20	1.21	0.075	0.11	2.0	0.21	1.1	0.36	4.2	<0.5	6	<0.2
1404582	Rock Chip	2.32	0.034	22	173	1.76	261	0.108	<20	1.90	0.025	1.13	0.3	<0.01	0.3	0.31	5.0	<0.5	6	<0.2
1404583	Rock Chip	2.68	0.086	24	47	1.40	469	0.137	<20	1.63	0.051	1.20	<0.1	<0.01	0.3	0.71	9.9	<0.5	6	<0.2
1404584	Rock Chip	0.33	0.012	44	8	0.13	187	0.053	<20	0.45	0.042	0.23	1.5	<0.01	0.1	<0.05	3.0	<0.5	2	<0.2
1404585	Rock Chip	0.16	0.011	40	6	0.07	133	0.024	<20	0.36	0.046	0.18	0.7	0.02	0.1	<0.05	2.5	<0.5	2	<0.2
1404586	Rock Chip	0.22	0.011	42	5	0.10	181	0.046	<20	0.43	0.049	0.22	0.5	<0.01	<0.1	<0.05	2.8	<0.5	2	<0.2
1404587	Rock Chip	0.32	0.012	46	6	0.13	207	0.058	<20	0.47	0.051	0.26	0.7	<0.01	<0.1	<0.05	3.1	<0.5	3	<0.2
1404588	Rock Chip	0.44	0.012	40	4	0.12	177	0.048	<20	0.45	0.044	0.22	0.5	<0.01	<0.1	<0.05	3.1	<0.5	2	<0.2
1404589	Rock Chip	0.27	0.010	35	5	0.09	153	0.029	<20	0.40	0.059	0.19	0.4	<0.01	0.1	<0.05	2.4	<0.5	2	0.2
1404590	Rock Chip	0.35	0.010	32	3	0.13	208	<0.001	<20	0.31	0.016	0.08	0.3	0.04	<0.1	<0.05	2.2	0.5	<1	0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

CERTIFICATE OF ANALYSIS WHI12000679.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1404591	Rock Chip	1.88	<2	0.9	6.5	10.8	26	<0.1	1.4	0.9	376	1.13	56.9	1.7	3.4	16.8	17	<0.1	7.2	0.6	3
1404592	Rock Chip	1.48	3	0.8	3.9	11.5	26	<0.1	1.1	0.8	301	1.01	129.2	1.1	2.7	16.2	16	<0.1	20.2	0.2	2
1404593	Rock Chip	1.58	60	0.7	6.1	22.0	24	0.2	1.3	0.8	329	1.03	597.9	2.0	63.3	15.0	33	<0.1	823.0	0.3	<2
1404594	Rock Chip	1.69	9	0.8	2.7	11.4	27	<0.1	1.2	1.0	420	1.12	147.8	1.8	9.9	18.9	34	<0.1	21.9	0.1	2
1404595	Rock Chip	1.73	<2	0.6	2.6	10.1	30	<0.1	1.5	1.0	412	1.25	8.3	1.7	3.4	19.2	28	<0.1	11.3	<0.1	4
1404596	Rock Chip	1.78	2	1.3	4.0	9.3	30	<0.1	1.5	1.1	417	1.31	13.0	1.7	3.3	17.5	27	<0.1	7.5	<0.1	5
1404597	Rock Chip	1.32	64	1.0	3.7	10.7	30	<0.1	1.6	1.1	389	1.26	6.1	1.3	69.4	18.5	27	<0.1	7.2	2.0	6
1404598	Rock Chip	1.33	4	1.1	4.9	10.0	31	<0.1	1.6	1.0	384	1.22	3.5	1.2	3.4	19.2	22	<0.1	5.7	0.2	6
1404599	Rock Chip	1.60	<2	0.9	2.5	11.2	31	<0.1	1.4	1.1	394	1.20	2.1	1.7	5.3	17.2	22	<0.1	4.2	0.6	5
1404600	Rock Pulp	0.12	<2	2.1	23.3	2.1	41	0.3	22.6	9.9	368	2.23	4.5	0.2	0.9	0.8	33	0.1	0.2	<0.1	52
1404601	Rock Pulp	0.12	1435	8.2	43.2	5.5	47	0.2	29.5	8.7	450	3.02	6.2	0.2	901.5	0.9	35	0.1	0.9	<0.1	58
1404602	Rock Chip	1.79	2	0.7	2.3	13.4	26	<0.1	1.3	1.0	372	1.05	4.9	1.9	<0.5	17.7	21	<0.1	3.9	0.2	3
1404603	Rock Chip	1.43	<2	0.9	2.3	11.4	26	<0.1	1.5	0.9	380	1.04	2.2	1.8	0.7	17.0	25	<0.1	3.2	0.2	4
1404604	Rock Chip	2.00	<2	1.6	4.7	11.2	26	<0.1	1.1	1.0	361	1.17	2.8	1.8	<0.5	18.0	20	<0.1	5.7	0.5	4
1404605	Rock Chip	1.64	84	0.8	2.7	11.1	28	<0.1	1.4	0.9	289	0.96	5.2	1.9	4.5	15.4	18	<0.1	4.7	3.1	3
1404606	Rock Chip	1.69	6	1.1	2.5	9.1	26	<0.1	1.4	1.0	356	1.13	1.5	1.2	1.8	17.3	18	<0.1	2.5	0.1	5
1404607	Rock Chip	1.60	<2	0.8	2.5	10.5	26	<0.1	1.4	0.9	361	0.96	1.7	1.9	3.0	17.0	21	<0.1	3.1	0.2	3
1404608	Rock Chip	1.61	3	0.6	2.9	9.9	26	<0.1	0.9	0.9	378	1.03	1.0	1.4	2.0	16.7	32	<0.1	6.6	<0.1	4
1404609	Rock Chip	1.60	7	0.6	4.9	10.2	23	<0.1	1.1	0.7	316	0.94	1.9	1.0	6.8	16.1	31	<0.1	6.8	0.3	4
1404610	Rock Chip	1.68	2	0.6	3.4	15.0	26	<0.1	0.6	0.8	402	0.95	3.9	2.5	11.8	17.7	53	<0.1	4.5	0.3	2
1404611	Rock Chip	1.83	5	0.8	4.1	12.5	25	<0.1	0.8	0.9	429	1.04	1.7	2.7	2.1	19.2	37	<0.1	3.4	0.3	3
1404612	Rock Chip	1.78	5	1.0	7.8	9.7	23	<0.1	1.3	0.9	307	1.01	1.7	1.3	3.8	15.9	16	<0.1	3.0	0.2	4
1404613	Rock Chip	1.49	4	0.7	3.2	10.1	28	<0.1	1.3	0.9	427	1.22	1.6	1.7	4.6	17.3	32	<0.1	2.4	0.2	5
1404614	Rock Chip	1.65	<2	0.9	2.4	8.8	29	<0.1	1.4	1.0	430	1.10	0.6	1.5	1.9	17.8	30	<0.1	2.1	0.4	4
1404615	Rock Chip	1.15	4	1.1	2.2	8.8	24	<0.1	1.3	0.8	367	1.05	1.0	0.9	2.2	16.4	23	<0.1	1.6	0.1	5
1404616	Rock Chip	1.66	11	1.1	2.3	9.5	25	<0.1	1.4	0.9	339	0.93	21.1	1.2	6.4	16.5	31	<0.1	2.7	0.1	4
1404617	Rock Chip	1.88	8	1.2	3.1	9.3	25	<0.1	1.6	0.9	346	0.99	96.8	2.0	6.6	17.0	27	<0.1	3.2	<0.1	3
1404618	Rock Chip	1.48	10	1.4	3.3	10.2	25	<0.1	1.7	0.9	328	0.98	143.0	2.0	13.6	16.5	25	<0.1	3.1	<0.1	3
1404619	Rock Chip	1.51	73	1.1	3.5	11.9	20	0.1	1.0	0.8	306	1.01	1236	2.7	72.7	16.4	41	<0.1	6.1	0.2	<2
1404620	Rock Pulp	0.12	5	2.3	23.7	2.1	41	0.3	22.6	10.4	384	2.26	5.9	0.2	0.8	0.9	32	0.2	0.2	<0.1	54

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

CERTIFICATE OF ANALYSIS WHI12000679.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1404591	Rock Chip	0.47	0.011	37	4	0.05	73	0.002	<20	0.27	0.050	0.11	0.2	0.02	<0.1	<0.05	2.1	<0.5	1	<0.2
1404592	Rock Chip	0.40	0.008	36	5	0.06	59	0.002	<20	0.29	0.034	0.11	0.3	<0.01	<0.1	<0.05	1.6	<0.5	1	<0.2
1404593	Rock Chip	0.52	0.005	29	3	0.04	70	0.001	<20	0.32	0.035	0.13	0.4	0.03	0.1	<0.05	1.5	<0.5	<1	<0.2
1404594	Rock Chip	0.72	0.009	36	5	0.04	56	<0.001	<20	0.30	0.032	0.10	0.4	0.03	<0.1	<0.05	2.2	<0.5	1	<0.2
1404595	Rock Chip	0.52	0.012	41	4	0.08	122	0.013	<20	0.41	0.045	0.13	0.3	0.03	<0.1	<0.05	2.7	<0.5	2	<0.2
1404596	Rock Chip	0.53	0.013	43	6	0.09	143	0.022	<20	0.40	0.045	0.15	0.5	<0.01	<0.1	<0.05	3.1	<0.5	2	<0.2
1404597	Rock Chip	0.49	0.013	46	6	0.11	202	0.027	<20	0.47	0.043	0.16	0.4	<0.01	<0.1	<0.05	2.9	<0.5	2	0.4
1404598	Rock Chip	0.41	0.012	43	6	0.11	153	0.031	<20	0.42	0.038	0.16	0.4	<0.01	<0.1	<0.05	2.8	<0.5	3	<0.2
1404599	Rock Chip	0.43	0.013	43	5	0.10	99	0.011	<20	0.41	0.047	0.13	0.3	<0.01	<0.1	<0.05	2.1	<0.5	2	<0.2
1404600	Rock Pulp	0.68	0.056	3	28	0.71	85	0.094	<20	1.40	0.069	0.12	12.2	<0.01	<0.1	<0.05	3.8	<0.5	5	<0.2
1404601	Rock Pulp	0.72	0.058	4	29	0.76	93	0.104	<20	1.56	0.092	0.14	0.2	0.06	<0.1	<0.05	4.6	<0.5	5	<0.2
1404602	Rock Chip	0.56	0.010	37	5	0.06	77	<0.001	<20	0.28	0.040	0.11	0.3	0.02	<0.1	<0.05	1.7	<0.5	1	<0.2
1404603	Rock Chip	0.55	0.011	43	5	0.07	102	0.003	<20	0.33	0.050	0.12	0.2	0.02	<0.1	<0.05	2.0	<0.5	2	<0.2
1404604	Rock Chip	0.46	0.011	43	6	0.08	89	0.005	<20	0.31	0.042	0.11	0.3	0.01	<0.1	0.06	1.8	<0.5	2	<0.2
1404605	Rock Chip	0.30	0.008	35	2	0.05	79	0.003	<20	0.28	0.044	0.12	0.2	0.07	<0.1	<0.05	1.7	<0.5	1	0.4
1404606	Rock Chip	0.30	0.011	39	8	0.11	143	0.031	<20	0.40	0.049	0.18	0.5	<0.01	<0.1	<0.05	2.3	<0.5	2	<0.2
1404607	Rock Chip	0.43	0.010	36	6	0.06	80	0.004	<20	0.31	0.045	0.12	0.2	0.02	<0.1	<0.05	1.9	<0.5	1	<0.2
1404608	Rock Chip	0.62	0.010	40	4	0.09	84	0.015	<20	0.33	0.030	0.12	0.4	<0.01	<0.1	<0.05	1.9	<0.5	2	<0.2
1404609	Rock Chip	0.57	0.011	40	4	0.10	139	0.024	<20	0.44	0.038	0.15	0.3	0.01	<0.1	<0.05	1.9	<0.5	3	<0.2
1404610	Rock Chip	1.02	0.007	32	3	0.05	63	0.002	<20	0.29	0.028	0.12	0.5	0.01	<0.1	0.05	1.4	<0.5	1	<0.2
1404611	Rock Chip	0.75	0.008	29	4	0.05	68	0.004	<20	0.27	0.037	0.12	0.7	0.02	<0.1	<0.05	1.7	<0.5	1	<0.2
1404612	Rock Chip	0.34	0.010	33	5	0.09	116	0.018	<20	0.32	0.035	0.13	0.6	0.01	0.1	<0.05	1.8	<0.5	2	<0.2
1404613	Rock Chip	0.62	0.013	42	6	0.11	182	0.025	<20	0.41	0.044	0.17	0.6	<0.01	<0.1	<0.05	2.3	<0.5	3	<0.2
1404614	Rock Chip	0.72	0.010	40	6	0.11	108	0.016	<20	0.36	0.050	0.15	0.4	0.02	<0.1	<0.05	2.0	<0.5	2	<0.2
1404615	Rock Chip	0.45	0.011	41	7	0.11	128	0.028	<20	0.39	0.045	0.16	0.4	0.01	<0.1	<0.05	1.8	<0.5	2	<0.2
1404616	Rock Chip	0.63	0.008	36	7	0.08	95	0.018	<20	0.37	0.047	0.15	0.5	<0.01	<0.1	<0.05	1.8	<0.5	2	<0.2
1404617	Rock Chip	0.49	0.008	33	7	0.07	86	0.012	<20	0.27	0.043	0.13	0.8	0.01	<0.1	<0.05	1.7	<0.5	1	<0.2
1404618	Rock Chip	0.47	0.009	34	8	0.06	88	0.010	<20	0.31	0.047	0.14	0.6	0.02	<0.1	0.06	1.8	<0.5	2	<0.2
1404619	Rock Chip	0.88	0.007	27	6	0.04	63	0.001	<20	0.23	0.032	0.13	0.7	0.03	0.2	0.33	1.2	<0.5	<1	<0.2
1404620	Rock Pulp	0.71	0.054	4	30	0.73	87	0.102	<20	1.41	0.070	0.12	12.2	<0.01	<0.1	<0.05	4.1	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

CERTIFICATE OF ANALYSIS WHI12000679.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1404621	Rock Pulp	0.12	4183	9.3	65.6	447.9	1470	50.5	29.6	8.1	374	3.03	27.3	0.3	3596	1.0	28	14.5	44.8	0.7	49
1404622	Rock Chip	1.85	57	0.8	5.6	47.4	36	0.8	1.7	0.6	191	0.85	578.8	2.5	45.1	11.3	41	0.4	8.9	2.7	<2
1404623	Rock Chip	1.78	69	1.3	3.9	22.4	28	0.4	1.0	0.8	247	1.01	867.6	2.4	56.2	11.5	33	0.2	9.8	0.7	<2
1404624	Rock Chip	1.02	53	0.8	2.3	13.0	32	0.2	1.2	0.9	264	0.96	768.9	1.9	43.5	11.4	31	0.2	6.4	0.2	<2
1404625	Rock Chip	1.01	45	0.7	3.0	14.3	42	0.2	1.0	0.8	253	0.95	684.4	1.8	40.4	10.8	28	0.3	6.5	0.3	<2
1404626	Rock Chip	1.97	75	0.7	3.7	22.2	66	0.3	1.4	0.7	225	0.87	717.6	1.5	70.8	11.5	19	0.7	6.1	0.4	<2
1404627	Rock Chip	1.84	53	0.9	3.8	19.7	39	0.2	1.5	0.8	230	0.98	379.6	1.1	59.6	11.3	19	0.2	6.9	0.4	<2
1404628	Rock Chip	1.92	23	0.9	2.1	12.1	32	0.1	1.3	0.9	323	1.03	153.5	1.4	21.7	13.9	23	0.1	3.3	0.2	<2
1404629	Rock Chip	1.76	3	1.2	6.0	11.8	22	<0.1	1.2	0.9	304	1.05	9.4	1.4	4.0	13.7	19	<0.1	4.7	0.3	2
1404630	Rock Chip	1.84	<2	1.0	4.5	11.8	24	<0.1	1.6	1.0	366	1.12	2.9	1.6	1.9	14.2	28	<0.1	4.3	0.3	2
1404631	Rock Chip	1.60	2	1.3	2.7	10.0	26	<0.1	1.7	1.0	356	1.04	3.2	1.5	0.8	18.4	25	<0.1	2.0	0.4	5
1404632	Rock Chip	1.96	<2	1.2	2.9	8.9	29	<0.1	1.7	1.0	363	1.16	2.1	1.9	2.4	18.1	16	<0.1	2.0	0.2	5
1404633	Rock Chip	1.12	<2	1.5	2.0	8.6	26	<0.1	1.6	0.9	327	1.01	1.6	2.0	1.2	15.9	20	<0.1	1.3	<0.1	4
1404634	Rock Chip	1.96	7	1.2	2.3	9.2	28	<0.1	1.8	1.1	387	1.11	54.9	1.4	5.8	14.3	31	<0.1	2.7	0.1	4
1404635	Rock Chip	1.81	8	1.8	2.6	8.6	26	<0.1	1.9	1.0	340	1.11	111.8	1.4	9.4	13.7	29	<0.1	2.7	0.1	4
1404636	Rock Chip	1.87	53	6.1	2.5	15.8	35	0.3	1.6	1.0	296	1.07	736.9	1.4	49.3	14.0	33	0.1	7.0	0.4	3
1404637	Rock Chip	1.42	4	12.6	4.2	7.8	27	<0.1	1.9	1.0	371	1.09	10.5	1.5	3.3	15.0	33	<0.1	2.1	0.1	6
1404638	Rock Chip	1.67	3	5.7	6.7	7.4	26	<0.1	2.5	1.0	306	1.15	8.5	1.5	3.6	14.7	24	<0.1	2.6	<0.1	6
1404639	Rock Chip	1.82	2	1.3	3.5	7.4	28	<0.1	1.4	1.2	298	1.06	4.3	1.6	1.8	14.6	31	<0.1	3.3	<0.1	5
1404640	Rock Pulp	0.12	3	2.5	25.0	2.0	43	0.2	23.5	10.4	387	2.32	4.5	0.2	0.9	0.8	35	0.2	0.2	<0.1	53
1404641	Rock Pulp	0.12	1497	8.5	49.9	5.2	49	0.2	33.0	8.9	466	3.14	6.8	0.2	1195	0.8	35	0.2	1.1	0.2	58
1404642	Rock Chip	1.79	26	1.6	2.4	7.9	27	<0.1	2.2	1.0	351	1.16	398.0	1.3	23.0	13.8	32	<0.1	3.8	<0.1	4
1404643	Rock Chip	1.91	19	1.1	3.1	8.3	26	<0.1	1.5	1.0	350	1.03	269.0	1.0	18.0	12.3	35	<0.1	3.4	<0.1	3
1404644	Rock Chip	1.97	7	1.6	2.7	8.2	38	<0.1	1.7	1.1	337	1.12	14.0	1.1	4.7	14.3	28	<0.1	3.0	<0.1	4
1404645	Rock Chip	2.07	<2	1.6	3.1	7.1	25	<0.1	1.8	0.9	317	1.09	3.8	1.1	2.4	15.4	24	<0.1	1.7	<0.1	4
1404646	Rock Chip	1.58	3	1.5	5.4	7.5	28	<0.1	1.7	1.1	320	1.16	2.8	1.2	2.4	14.9	34	<0.1	3.0	0.1	4
1404647	Rock Chip	1.33	4	0.8	4.0	8.2	27	<0.1	1.2	1.1	392	1.27	15.4	1.5	6.0	15.3	37	<0.1	2.8	0.2	3
1404648	Rock Chip	1.13	19	0.7	3.1	9.5	24	0.1	1.3	0.9	278	0.86	208.6	1.3	16.0	13.3	34	<0.1	3.8	0.2	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

CERTIFICATE OF ANALYSIS WHI12000679.1

Method		1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
Unit		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
MDL		0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1404621	Rock Pulp	0.60	0.049	5	26	0.54	97	0.088	<20	1.08	0.070	0.10	2.0	0.21	1.0	0.33	3.7	<0.5	6	<0.2
1404622	Rock Chip	0.23	0.004	20	6	0.05	116	<0.001	<20	0.31	0.016	0.19	0.7	0.04	0.1	0.18	0.8	<0.5	<1	0.3
1404623	Rock Chip	0.44	0.006	16	5	0.02	65	<0.001	<20	0.18	0.034	0.14	0.8	0.03	0.1	0.39	0.8	<0.5	<1	<0.2
1404624	Rock Chip	0.34	0.006	18	5	0.03	58	<0.001	<20	0.19	0.033	0.14	0.6	0.04	0.1	0.29	0.9	<0.5	<1	<0.2
1404625	Rock Chip	0.40	0.005	18	5	0.03	53	<0.001	<20	0.17	0.029	0.13	0.8	0.05	0.1	0.34	0.8	<0.5	<1	<0.2
1404626	Rock Chip	0.38	0.006	15	5	0.05	57	<0.001	<20	0.20	0.030	0.15	0.6	0.04	0.1	0.41	0.7	<0.5	<1	<0.2
1404627	Rock Chip	0.33	0.005	15	6	0.07	67	<0.001	<20	0.18	0.029	0.16	0.7	0.04	0.1	0.46	0.5	<0.5	<1	<0.2
1404628	Rock Chip	0.31	0.006	22	6	0.06	111	<0.001	<20	0.19	0.039	0.14	0.6	0.06	0.1	0.12	1.2	<0.5	<1	<0.2
1404629	Rock Chip	0.29	0.006	20	7	0.05	70	<0.001	<20	0.20	0.037	0.13	0.4	0.07	0.1	0.12	1.2	<0.5	<1	<0.2
1404630	Rock Chip	0.44	0.008	26	6	0.09	128	0.005	<20	0.27	0.042	0.17	0.5	0.06	0.1	0.12	1.6	<0.5	1	<0.2
1404631	Rock Chip	0.45	0.010	41	9	0.10	142	0.031	<20	0.39	0.048	0.19	0.6	0.01	<0.1	<0.05	2.1	<0.5	2	<0.2
1404632	Rock Chip	0.27	0.011	42	9	0.12	173	0.030	<20	0.39	0.053	0.19	0.7	0.02	<0.1	0.05	2.4	<0.5	2	<0.2
1404633	Rock Chip	0.35	0.010	37	10	0.10	117	0.025	<20	0.31	0.040	0.16	0.6	0.02	<0.1	<0.05	1.9	<0.5	2	<0.2
1404634	Rock Chip	0.57	0.011	37	8	0.09	122	0.013	<20	0.28	0.044	0.14	0.7	0.03	<0.1	0.09	1.8	<0.5	1	<0.2
1404635	Rock Chip	0.45	0.010	37	9	0.10	130	0.017	<20	0.29	0.043	0.15	0.7	0.03	<0.1	0.09	2.0	<0.5	1	<0.2
1404636	Rock Chip	0.38	0.007	32	7	0.07	98	0.009	<20	0.28	0.045	0.14	0.8	0.05	0.1	0.19	1.6	<0.5	1	<0.2
1404637	Rock Chip	0.55	0.012	42	9	0.12	195	0.046	<20	0.42	0.042	0.22	0.6	0.02	<0.1	<0.05	2.5	<0.5	2	<0.2
1404638	Rock Chip	0.34	0.011	39	10	0.12	193	0.046	<20	0.45	0.055	0.23	0.7	0.02	0.1	0.07	2.4	<0.5	2	<0.2
1404639	Rock Chip	0.41	0.012	40	7	0.11	189	0.040	<20	0.42	0.043	0.20	0.9	0.02	0.2	0.07	2.1	<0.5	2	<0.2
1404640	Rock Pulp	0.72	0.059	3	30	0.75	95	0.100	<20	1.45	0.070	0.12	13.1	0.02	<0.1	<0.05	4.1	<0.5	5	<0.2
1404641	Rock Pulp	0.76	0.060	4	32	0.79	103	0.113	<20	1.61	0.095	0.15	0.3	0.07	0.1	<0.05	4.7	<0.5	5	<0.2
1404642	Rock Chip	0.44	0.011	37	8	0.09	137	0.016	<20	0.32	0.049	0.16	0.7	0.03	<0.1	0.11	2.0	<0.5	1	<0.2
1404643	Rock Chip	0.62	0.010	28	7	0.09	120	0.012	<20	0.24	0.037	0.14	0.8	0.03	0.1	0.15	1.7	<0.5	1	<0.2
1404644	Rock Chip	0.40	0.011	36	7	0.10	113	0.013	<20	0.30	0.045	0.14	0.6	0.03	<0.1	0.08	2.0	<0.5	1	<0.2
1404645	Rock Chip	0.32	0.011	36	9	0.09	119	0.018	<20	0.28	0.039	0.14	0.7	0.03	<0.1	<0.05	2.0	<0.5	1	<0.2
1404646	Rock Chip	0.44	0.012	37	7	0.09	134	0.012	<20	0.28	0.039	0.13	0.6	0.05	0.2	0.15	2.3	<0.5	1	<0.2
1404647	Rock Chip	0.60	0.012	37	5	0.11	83	0.004	<20	0.29	0.042	0.12	0.7	0.03	<0.1	0.10	1.6	<0.5	1	<0.2
1404648	Rock Chip	0.51	0.009	27	4	0.08	66	0.001	<20	0.31	0.040	0.14	0.4	0.04	<0.1	0.17	1.2	<0.5	1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

QUALITY CONTROL REPORT WHI12000679.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1404538	Rock Chip	2.08	<2	1.4	5.5	6.5	31	<0.1	4.3	4.2	421	1.52	2.6	2.6	2.0	34.5	106	<0.1	0.4	<0.1	11
REP 1404538	QC		<2																		
1404563	Rock Chip	1.78	6	0.9	89.1	16.4	81	0.1	90.1	21.6	572	3.73	8.4	1.4	1.4	8.2	90	<0.1	0.3	0.1	66
REP 1404563	QC			0.9	91.0	16.3	82	<0.1	91.1	22.4	601	3.80	7.6	1.5	<0.5	8.5	97	<0.1	0.3	<0.1	67
1404572	Rock Chip	1.83	<2	2.9	38.2	3.7	32	<0.1	29.6	14.8	403	2.31	0.8	2.8	2.4	14.6	86	<0.1	<0.1	<0.1	33
REP 1404572	QC		<2																		
1404576	Rock Chip	1.25	<2	0.8	5.6	2.0	25	<0.1	20.2	7.9	416	1.62	2.3	1.1	<0.5	10.7	81	<0.1	0.1	<0.1	26
REP 1404576	QC			0.7	5.5	1.9	24	<0.1	20.1	8.0	412	1.63	2.1	1.0	<0.5	10.3	80	<0.1	<0.1	<0.1	26
1404606	Rock Chip	1.69	6	1.1	2.5	9.1	26	<0.1	1.4	1.0	356	1.13	1.5	1.2	1.8	17.3	18	<0.1	2.5	0.1	5
REP 1404606	QC		<2																		
1404633	Rock Chip	1.12	<2	1.5	2.0	8.6	26	<0.1	1.6	0.9	327	1.01	1.6	2.0	1.2	15.9	20	<0.1	1.3	<0.1	4
REP 1404633	QC			1.4	2.0	8.6	26	<0.1	1.7	0.9	324	1.02	1.4	2.0	1.2	16.3	18	<0.1	1.4	<0.1	4
1404640	Rock Pulp	0.12	3	2.5	25.0	2.0	43	0.2	23.5	10.4	387	2.32	4.5	0.2	0.9	0.8	35	0.2	0.2	<0.1	53
REP 1404640	QC		<2																		
Core Reject Duplicates																					
1404543	Rock Chip	1.94	<2	1.1	26.2	4.4	66	<0.1	55.0	28.5	859	3.84	1.4	1.7	0.6	2.7	210	<0.1	0.6	<0.1	93
DUP 1404543	QC		<2	1.1	27.0	4.6	67	<0.1	57.9	29.9	904	3.93	1.5	1.8	<0.5	2.7	211	<0.1	0.6	<0.1	95
1404578	Rock Chip	1.68	<2	0.6	25.8	2.9	46	<0.1	16.6	16.5	529	3.05	1.7	0.4	<0.5	5.0	57	<0.1	0.1	<0.1	68
DUP 1404578	QC		<2	0.7	26.5	2.5	45	<0.1	16.0	16.8	527	3.02	1.8	0.4	<0.5	4.8	53	<0.1	<0.1	<0.1	67
1404613	Rock Chip	1.49	4	0.7	3.2	10.1	28	<0.1	1.3	0.9	427	1.22	1.6	1.7	4.6	17.3	32	<0.1	2.4	0.2	5
DUP 1404613	QC		5	0.7	3.2	9.3	26	<0.1	0.8	1.0	397	1.14	1.0	1.6	3.9	16.6	30	<0.1	2.3	0.1	5
1404648	Rock Chip	1.13	19	0.7	3.1	9.5	24	0.1	1.3	0.9	278	0.86	208.6	1.3	16.0	13.3	34	<0.1	3.8	0.2	<2
DUP 1404648	QC		23	0.6	2.2	9.8	22	0.1	1.0	0.8	266	0.80	212.4	1.3	18.9	14.1	34	<0.1	3.6	0.2	<2
Reference Materials																					
STD DS9	Standard			12.9	111.8	129.8	333	1.9	41.5	7.6	597	2.41	26.8	2.9	120.2	6.6	69	2.3	5.1	6.7	40
STD DS9	Standard			11.5	114.4	120.4	312	1.7	42.0	7.7	552	2.32	27.1	2.5	102.0	5.2	66	2.4	5.6	5.7	38
STD DS9	Standard			12.5	103.1	130.0	296	1.7	39.3	7.2	549	2.24	23.3	2.5	122.9	5.7	63	2.3	4.2	5.6	37
STD DS9	Standard			11.6	109.3	124.5	316	2.1	40.6	7.3	553	2.29	25.3	2.2	100.0	5.5	64	2.4	4.3	5.1	37

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

QUALITY CONTROL REPORT WHI12000679.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
1404538	Rock Chip	2.17	0.050	66	7	0.45	81	0.029	<20	0.84	0.036	0.43	0.2	<0.01	0.2	<0.05	1.3	<0.5	3	<0.2
REP 1404538	QC																			
1404563	Rock Chip	1.80	0.050	20	147	2.21	373	0.127	<20	2.45	0.030	1.06	0.2	<0.01	0.3	0.23	6.2	<0.5	9	<0.2
REP 1404563	QC	1.86	0.053	20	156	2.27	384	0.130	<20	2.45	0.031	1.09	0.2	<0.01	0.3	0.24	6.4	<0.5	9	<0.2
1404572	Rock Chip	2.11	0.023	24	70	1.03	121	0.112	<20	1.27	0.030	0.99	0.8	<0.01	0.2	0.41	3.1	<0.5	5	<0.2
REP 1404572	QC																			
1404576	Rock Chip	3.27	0.037	19	47	0.94	174	0.120	<20	1.24	0.043	0.77	0.4	<0.01	0.2	<0.05	2.2	<0.5	4	<0.2
REP 1404576	QC	3.27	0.038	18	47	0.94	171	0.120	<20	1.24	0.044	0.77	0.4	<0.01	0.2	<0.05	2.2	<0.5	4	<0.2
1404606	Rock Chip	0.30	0.011	39	8	0.11	143	0.031	<20	0.40	0.049	0.18	0.5	<0.01	<0.1	<0.05	2.3	<0.5	2	<0.2
REP 1404606	QC																			
1404633	Rock Chip	0.35	0.010	37	10	0.10	117	0.025	<20	0.31	0.040	0.16	0.6	0.02	<0.1	<0.05	1.9	<0.5	2	<0.2
REP 1404633	QC	0.34	0.010	37	9	0.10	117	0.025	<20	0.30	0.041	0.16	0.6	0.03	<0.1	<0.05	2.0	<0.5	2	<0.2
1404640	Rock Pulp	0.72	0.059	3	30	0.75	95	0.100	<20	1.45	0.070	0.12	13.1	0.02	<0.1	<0.05	4.1	<0.5	5	<0.2
REP 1404640	QC																			
Core Reject Duplicates																				
1404543	Rock Chip	2.99	0.103	8	102	2.85	275	0.189	<20	2.71	0.027	1.63	0.2	<0.01	0.5	0.11	8.1	<0.5	7	<0.2
DUP 1404543	QC	3.11	0.100	8	110	2.88	284	0.185	<20	2.72	0.025	1.65	0.2	<0.01	0.5	0.11	8.2	<0.5	7	<0.2
1404578	Rock Chip	1.66	0.078	13	26	1.40	303	0.221	<20	1.79	0.052	1.16	0.2	<0.01	0.2	0.13	3.3	<0.5	5	<0.2
DUP 1404578	QC	1.62	0.082	12	25	1.39	296	0.209	<20	1.75	0.045	1.15	0.2	<0.01	0.2	0.13	3.3	<0.5	5	<0.2
1404613	Rock Chip	0.62	0.013	42	6	0.11	182	0.025	<20	0.41	0.044	0.17	0.6	<0.01	<0.1	<0.05	2.3	<0.5	3	<0.2
DUP 1404613	QC	0.59	0.011	41	5	0.10	168	0.024	<20	0.38	0.038	0.15	0.5	<0.01	<0.1	<0.05	2.3	<0.5	2	<0.2
1404648	Rock Chip	0.51	0.009	27	4	0.08	66	0.001	<20	0.31	0.040	0.14	0.4	0.04	<0.1	0.17	1.2	<0.5	1	<0.2
DUP 1404648	QC	0.49	0.009	27	4	0.08	49	<0.001	<20	0.26	0.029	0.11	0.5	0.03	<0.1	0.18	1.1	<0.5	1	<0.2
Reference Materials																				
STD DS9	Standard	0.72	0.087	12	123	0.63	335	0.108	<20	0.97	0.084	0.41	3.4	0.23	5.6	0.17	2.2	5.6	5	5.1
STD DS9	Standard	0.68	0.081	10	123	0.61	333	0.101	<20	0.91	0.079	0.40	2.5	0.19	5.2	0.17	2.1	4.8	4	5.0
STD DS9	Standard	0.66	0.079	11	116	0.57	307	0.100	<20	0.90	0.078	0.39	2.9	0.19	5.5	0.16	2.3	5.2	4	4.9
STD DS9	Standard	0.67	0.082	10	117	0.60	306	0.097	<20	0.89	0.074	0.39	2.6	0.20	5.2	0.17	2.2	5.3	4	4.6

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

QUALITY CONTROL REPORT WHI12000679.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD OREAS45CA	Standard			1.1	508.5	23.4	59	0.3	252.6	94.2	955	16.38	4.8	1.3	49.4	7.9	16	<0.1	0.2	0.2	220
STD OREAS45CA	Standard			1.0	474.0	18.2	55	0.3	233.9	91.5	926	15.62	4.8	1.1	41.7	6.2	14	0.1	0.2	0.1	206
STD OREAS45CA	Standard			0.9	464.0	21.0	58	0.3	230.4	92.5	875	15.23	3.5	1.3	44.2	7.4	14	<0.1	0.1	0.1	204
STD OREAS45CA	Standard			0.9	478.7	18.7	57	0.3	237.3	87.7	910	15.75	3.7	1.1	39.6	6.8	14	<0.1	<0.1	<0.1	208
STD OXD87	Standard		432																		
STD OXD87	Standard		393																		
STD OXD87	Standard		449																		
STD OXD87	Standard		429																		
STD OXD87	Standard		427																		
STD OXD87	Standard		441																		
STD OXG99	Standard		981																		
STD OXG99	Standard		913																		
STD OXG99	Standard		945																		
STD OXG99	Standard		941																		
STD OXG99	Standard		981																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
STD OXG99 Expected			932																		
STD OXD87 Expected			417																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

QUALITY CONTROL REPORT WHI12000679.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD OREAS45CA	Standard	0.44	0.043	17	718	0.14	172	0.138	<20	3.56	0.011	0.08	<0.1	0.03	<0.1	<0.05	45.1	0.5	19	<0.2
STD OREAS45CA	Standard	0.43	0.038	15	730	0.12	167	0.123	<20	3.29	0.011	0.07	<0.1	0.03	<0.1	<0.05	45.0	0.5	17	<0.2
STD OREAS45CA	Standard	0.41	0.038	16	668	0.14	163	0.116	<20	3.20	0.007	0.07	<0.1	0.03	0.1	<0.05	41.6	0.5	19	<0.2
STD OREAS45CA	Standard	0.42	0.037	15	711	0.13	160	0.120	<20	3.27	0.010	0.07	<0.1	0.02	<0.1	<0.05	43.0	<0.5	18	<0.2
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
STD OXG99 Expected																				
STD OXD87 Expected																				
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

QUALITY CONTROL REPORT WHI12000679.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		7																		
Prep Wash																					
G1-WHI	Prep Blank		2	<0.1	3.1	3.5	48	<0.1	2.1	4.0	605	1.94	<0.5	1.6	58.2	6.4	77	<0.1	<0.1	<0.1	36
G1-WHI	Prep Blank		2	0.4	3.2	3.4	49	<0.1	2.4	4.2	614	2.10	<0.5	2.0	0.9	6.7	77	<0.1	<0.1	<0.1	38

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 24, 2012

QUALITY CONTROL REPORT WHI12000679.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
Prep Wash																				
G1-WHI	Prep Blank	0.54	0.080	14	4	0.51	174	0.145	<20	1.08	0.133	0.54	<0.1	<0.01	0.3	<0.05	2.5	<0.5	5	<0.2
G1-WHI	Prep Blank	0.54	0.085	15	7	0.51	172	0.148	<20	1.05	0.125	0.54	<0.1	<0.01	0.3	<0.05	2.6	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: August 15, 2012
Report Date: August 21, 2012
Page: 1 of 4

CERTIFICATE OF ANALYSIS WHI12000680.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number NA-12308
Number of Samples: 90

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	82	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	90	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	90	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme Joyce
Stephanie Korelin

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 21, 2012

CERTIFICATE OF ANALYSIS WHI12000680.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1404649	Rock Chip	1.70	70	0.4	3.1	15.9	46	0.5	1.5	1.0	405	1.01	1214	1.3	79.5	13.3	17	0.2	45.5	<0.1	<2
1404650	Rock Chip	1.50	318	0.1	101.6	26.3	65	66.1	1.4	0.6	183	0.75	753.3	1.3	157.3	<0.1	15	4.3	>2000	0.4	<2
1404651	Rock Chip	1.70	37	0.5	7.4	30.1	90	2.0	1.1	1.0	377	1.13	754.7	1.5	37.9	12.7	14	0.3	1433	<0.1	<2
1404652	Rock Chip	1.67	20	0.7	3.9	16.4	32	1.0	2.0	1.0	396	1.08	343.6	1.3	21.5	13.8	18	<0.1	295.3	<0.1	3
1404653	Rock Chip	1.37	9	1.0	3.4	9.9	30	0.3	2.0	0.9	332	1.03	78.8	1.4	10.2	16.5	15	<0.1	159.8	0.2	3
1404654	Rock Chip	1.84	21	0.6	2.7	14.5	28	0.2	1.4	0.9	375	0.97	260.3	1.4	26.9	11.5	18	0.1	30.4	0.2	<2
1404655	Rock Chip	1.76	31	0.8	2.2	14.1	24	0.2	1.6	0.8	346	1.01	424.5	1.4	34.1	10.2	17	<0.1	46.4	0.1	<2
1404656	Rock Chip	1.31	32	0.6	1.7	12.5	25	0.1	1.6	0.8	343	0.98	325.6	1.4	59.0	11.6	16	<0.1	31.3	<0.1	<2
1404657	Rock Chip	1.81	58	1.0	3.9	24.1	21	1.5	1.5	0.8	236	0.95	647.9	1.5	53.6	10.2	21	<0.1	29.0	3.6	<2
1404658	Rock Chip	1.43	6	0.6	7.7	12.7	23	0.3	1.4	0.9	363	0.98	32.1	1.4	5.8	11.5	15	<0.1	21.2	0.8	<2
1404659	Rock Chip	1.42	8	2.1	5.3	9.0	23	<0.1	1.6	0.9	324	1.08	27.3	1.4	17.6	14.6	12	<0.1	23.4	0.7	3
1404660	Rock Pulp	0.12	<2	2.5	24.5	2.2	42	0.2	22.4	10.5	388	2.32	5.1	0.2	<0.5	0.9	38	0.2	0.6	<0.1	53
1404661	Rock Pulp	0.12	1371	7.9	47.0	5.5	47	0.2	28.4	8.8	440	2.96	6.6	0.3	1471	0.9	39	0.1	1.2	<0.1	58
1404662	Rock Chip	1.36	4	1.0	5.3	9.4	26	<0.1	1.1	0.8	448	1.11	8.2	1.6	5.9	14.2	19	<0.1	12.2	0.3	3
1404663	Rock Chip	1.55	8	0.5	1.6	8.1	27	<0.1	1.4	0.9	305	1.06	87.2	1.0	10.4	14.5	11	<0.1	14.2	<0.1	4
1404664	Rock Chip	1.55	55	0.7	1.7	9.8	30	0.1	1.6	0.9	355	1.08	877.8	1.6	55.7	12.5	16	<0.1	23.6	<0.1	2
1404665	Rock Chip	1.88	176	0.7	2.9	14.7	34	0.5	1.3	0.9	379	1.12	2559	1.6	184.3	10.2	24	0.2	32.7	<0.1	<2
1404666	Rock Chip	1.55	33	0.8	1.8	10.3	27	<0.1	1.6	0.9	395	1.03	336.8	1.7	35.0	13.7	17	<0.1	16.3	<0.1	<2
1404667	Rock Chip	1.80	17	1.0	2.1	9.3	29	<0.1	2.1	1.1	425	1.18	156.3	1.6	18.1	14.0	19	<0.1	14.6	<0.1	3
1404668	Rock Chip	1.73	29	0.7	2.5	11.9	27	0.2	1.5	0.9	304	0.97	455.1	1.7	25.2	10.5	20	<0.1	19.1	<0.1	<2
1404669	Rock Chip	1.63	51	0.8	2.0	10.2	29	0.1	2.0	1.0	393	1.16	911.5	1.6	51.8	12.5	24	0.2	12.5	<0.1	<2
1404670	Rock Chip	1.37	8	1.2	2.3	7.2	24	<0.1	2.4	1.0	353	1.15	35.6	1.2	5.1	14.9	16	<0.1	8.0	<0.1	5
1404671	Rock Chip	1.57	28	0.9	2.0	9.1	24	<0.1	1.9	0.9	355	1.10	383.4	1.7	26.9	14.8	21	<0.1	13.6	<0.1	2
1404672	Rock Chip	1.74	10	1.0	2.1	7.5	30	<0.1	2.0	0.9	411	1.13	130.9	1.8	12.2	15.9	21	<0.1	9.5	<0.1	4
1404673	Rock Chip	1.59	5	0.9	1.6	7.4	27	<0.1	2.1	1.0	377	1.22	9.6	1.1	<0.5	18.0	19	<0.1	6.2	<0.1	6
1404674	Rock Chip	0.83	4	0.8	2.1	7.5	25	<0.1	1.7	0.8	298	0.96	17.8	1.0	<0.5	16.4	20	<0.1	5.5	<0.1	4
1404675	Rock Chip	0.74	3	0.9	2.1	7.6	25	<0.1	1.8	0.8	282	0.95	18.0	1.0	<0.5	15.6	19	<0.1	6.2	<0.1	3
1404676	Rock Chip	2.05	5	0.9	2.2	8.6	20	<0.1	1.6	0.6	310	0.88	3.9	0.8	1.8	14.1	23	<0.1	6.7	0.2	4
1404677	Rock Chip	2.03	19	0.8	2.5	8.7	22	<0.1	1.6	0.7	244	0.85	4.4	0.9	13.7	15.8	15	<0.1	5.2	0.5	4
1404678	Rock Chip	1.51	111	1.2	2.6	8.7	20	<0.1	1.4	0.7	272	0.95	3.3	1.2	115.3	15.4	16	<0.1	6.9	1.4	4

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 21, 2012

CERTIFICATE OF ANALYSIS WHI12000680.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1404649	Rock Chip	0.22	0.006	21	5	0.09	139	<0.001	<20	0.32	0.017	0.16	0.5	0.09	0.5	<0.05	1.0	<0.5	<1	<0.2
1404650	Rock Chip	0.12	0.002	<1	7	0.04	126	<0.001	<20	0.26	0.005	0.16	<0.1	0.12	1.1	1.65	<0.1	<0.5	<1	<0.2
1404651	Rock Chip	0.22	0.007	25	5	0.08	166	<0.001	<20	0.33	0.021	0.15	0.5	0.07	0.3	0.08	1.5	<0.5	1	<0.2
1404652	Rock Chip	0.54	0.009	29	6	0.08	80	0.004	<20	0.27	0.031	0.11	0.5	0.04	0.1	<0.05	1.8	<0.5	<1	<0.2
1404653	Rock Chip	0.36	0.010	33	8	0.07	110	0.012	<20	0.29	0.041	0.14	0.6	0.03	0.2	<0.05	1.7	<0.5	1	<0.2
1404654	Rock Chip	0.46	0.005	15	6	0.12	105	0.006	<20	0.37	0.007	0.15	0.4	0.05	0.2	0.12	1.2	<0.5	<1	<0.2
1404655	Rock Chip	0.64	0.005	15	6	0.14	61	<0.001	<20	0.28	0.005	0.14	0.4	0.05	0.4	0.25	0.9	<0.5	<1	<0.2
1404656	Rock Chip	0.53	0.005	19	7	0.10	68	<0.001	<20	0.24	0.027	0.14	0.4	0.05	0.3	0.24	0.7	<0.5	<1	<0.2
1404657	Rock Chip	0.47	0.006	16	6	0.04	81	<0.001	<20	0.28	0.014	0.16	0.5	0.06	0.6	0.26	0.5	<0.5	<1	0.6
1404658	Rock Chip	0.44	0.007	22	5	0.05	71	<0.001	<20	0.24	0.028	0.12	0.5	0.05	0.3	0.20	0.9	<0.5	<1	<0.2
1404659	Rock Chip	0.34	0.010	33	7	0.06	100	0.007	<20	0.27	0.047	0.14	0.4	0.02	0.1	0.10	1.2	<0.5	1	<0.2
1404660	Rock Pulp	0.72	0.058	4	29	0.74	91	0.104	<20	1.43	0.069	0.12	12.9	0.02	<0.1	<0.05	3.9	<0.5	5	<0.2
1404661	Rock Pulp	0.75	0.057	4	31	0.76	98	0.114	<20	1.56	0.088	0.14	0.3	0.09	<0.1	<0.05	4.5	<0.5	5	<0.2
1404662	Rock Chip	0.49	0.011	36	5	0.06	79	0.001	<20	0.27	0.039	0.11	0.3	0.01	<0.1	0.05	1.3	<0.5	<1	<0.2
1404663	Rock Chip	0.20	0.012	39	6	0.10	151	0.025	<20	0.41	0.048	0.17	0.4	0.01	<0.1	<0.05	1.3	<0.5	2	<0.2
1404664	Rock Chip	0.30	0.008	30	6	0.06	110	0.008	<20	0.31	0.030	0.16	0.5	0.04	0.3	0.17	1.3	<0.5	1	<0.2
1404665	Rock Chip	0.56	0.006	17	5	0.05	81	<0.001	<20	0.25	0.019	0.15	0.5	0.06	0.5	0.32	0.8	<0.5	<1	<0.2
1404666	Rock Chip	0.43	0.008	24	6	0.09	64	<0.001	<20	0.24	0.025	0.11	0.4	0.08	0.2	0.17	1.2	<0.5	<1	<0.2
1404667	Rock Chip	0.43	0.009	33	8	0.07	102	0.005	<20	0.31	0.042	0.14	0.6	0.06	0.2	0.09	1.4	<0.5	1	<0.2
1404668	Rock Chip	0.46	0.006	20	6	0.07	90	<0.001	<20	0.26	0.023	0.15	0.5	0.12	0.4	0.25	0.9	<0.5	<1	<0.2
1404669	Rock Chip	0.54	0.009	26	7	0.05	88	0.002	<20	0.31	0.027	0.14	0.6	0.05	0.3	0.24	1.1	<0.5	<1	<0.2
1404670	Rock Chip	0.31	0.009	37	10	0.08	161	0.035	<20	0.36	0.050	0.21	0.7	0.03	0.2	0.05	1.7	<0.5	2	<0.2
1404671	Rock Chip	0.45	0.009	31	8	0.05	88	0.006	<20	0.26	0.043	0.14	0.5	0.03	<0.1	0.09	1.3	<0.5	1	<0.2
1404672	Rock Chip	0.46	0.012	40	8	0.06	148	0.013	<20	0.30	0.041	0.14	0.4	0.03	<0.1	0.06	1.9	<0.5	1	<0.2
1404673	Rock Chip	0.37	0.013	44	9	0.12	211	0.046	<20	0.48	0.052	0.23	0.4	0.03	<0.1	<0.05	2.4	<0.5	3	<0.2
1404674	Rock Chip	0.37	0.010	39	7	0.08	137	0.027	<20	0.37	0.043	0.16	0.3	<0.01	0.1	<0.05	2.0	<0.5	2	<0.2
1404675	Rock Chip	0.37	0.010	35	7	0.08	129	0.026	<20	0.35	0.043	0.16	0.4	0.02	<0.1	<0.05	2.1	<0.5	2	<0.2
1404676	Rock Chip	0.46	0.008	33	7	0.08	111	0.022	<20	0.36	0.048	0.15	0.4	<0.01	<0.1	<0.05	1.7	<0.5	2	<0.2
1404677	Rock Chip	0.32	0.008	34	6	0.07	104	0.021	<20	0.34	0.047	0.15	0.5	<0.01	<0.1	<0.05	1.5	<0.5	2	<0.2
1404678	Rock Chip	0.35	0.007	32	7	0.05	75	0.010	<20	0.28	0.044	0.11	0.6	<0.01	<0.1	<0.05	1.4	<0.5	1	0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 21, 2012

CERTIFICATE OF ANALYSIS WHI12000680.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1404679	Rock Chip	1.64	2	0.8	1.8	8.3	27	<0.1	1.8	1.0	323	1.06	3.4	1.6	10.4	12.0	18	<0.1	4.1	0.1	4
1404680	Rock Pulp	0.12	2	2.4	23.6	2.1	39	0.2	21.9	10.0	367	2.22	4.5	0.2	<0.5	0.8	35	0.1	0.2	<0.1	51
1404681	Rock Pulp	0.12	3877	9.5	68.7	425.8	1468	49.4	29.4	8.0	370	2.96	28.5	0.3	2948	1.0	30	15.3	49.3	0.7	47
1404682	Rock Chip	1.76	5	1.3	2.5	8.3	28	<0.1	2.2	1.1	412	1.16	2.5	1.5	4.5	14.0	19	<0.1	3.4	0.1	5
1404683	Rock Chip	1.24	4	1.4	2.6	7.8	29	<0.1	2.3	1.1	395	1.15	5.1	1.8	<0.5	14.5	18	<0.1	3.4	<0.1	4
1404684	Rock Chip	1.67	62	1.1	3.0	10.4	30	0.1	2.0	0.9	294	1.05	894.7	1.7	61.7	14.5	24	0.1	7.4	<0.1	<2
1404685	Rock Chip	1.90	11	1.2	4.0	8.9	24	<0.1	2.7	0.9	298	1.12	52.4	2.2	10.7	17.2	16	<0.1	5.4	<0.1	3
1404686	Rock Chip	1.74	8	1.4	4.0	9.8	26	<0.1	2.1	0.9	283	1.06	6.2	2.1	3.2	17.5	16	<0.1	3.9	<0.1	3
1404687	Rock Chip	1.66	<2	1.0	1.8	15.7	34	<0.1	1.4	1.1	424	1.10	2.9	2.3	<0.5	15.0	35	<0.1	4.4	<0.1	<2
1404688	Rock Chip	1.77	3	0.9	1.2	12.7	33	<0.1	1.6	1.1	378	1.09	1.6	2.6	0.8	17.6	27	<0.1	2.7	<0.1	3
1404689	Rock Chip	1.71	3	1.2	1.8	9.9	28	<0.1	1.9	1.2	376	1.19	6.1	2.4	<0.5	16.0	26	<0.1	2.5	<0.1	3
1404690	Rock Chip	1.71	10	1.0	2.2	14.1	25	<0.1	1.6	1.1	393	1.14	55.6	2.1	7.9	14.8	27	<0.1	3.1	<0.1	<2
1404691	Rock Chip	1.80	12	1.3	1.6	10.9	29	<0.1	2.1	1.0	387	1.09	79.5	1.7	9.9	15.4	23	<0.1	2.9	<0.1	2
1404692	Rock Chip	1.90	13	1.1	1.5	13.6	36	<0.1	1.7	1.0	385	1.07	134.9	1.9	26.2	14.6	26	<0.1	3.0	<0.1	<2
1404693	Rock Chip	1.45	3	1.3	1.6	8.9	22	<0.1	1.9	0.8	323	0.91	17.2	1.6	1.2	16.2	23	<0.1	3.4	<0.1	<2
1404694	Rock Chip	1.74	<2	1.0	1.2	9.7	23	<0.1	2.0	0.8	299	0.90	2.6	1.8	6.8	17.5	21	<0.1	1.5	<0.1	3
1404695	Rock Chip	2.06	<2	1.3	1.6	7.5	25	<0.1	2.0	1.0	311	1.00	3.5	1.5	8.1	17.8	17	<0.1	2.0	<0.1	5
1404696	Rock Chip	2.12	<2	1.3	1.7	9.0	28	<0.1	2.4	0.9	376	1.09	4.3	1.6	5.2	20.3	28	<0.1	2.1	<0.1	5
1404697	Rock Chip	1.91	<2	1.3	2.1	15.4	32	0.1	2.2	1.0	359	1.05	2.8	1.6	5.0	19.5	19	<0.1	1.8	0.2	5
1404698	Rock Chip	1.99	<2	1.5	2.1	7.8	27	<0.1	2.4	0.8	356	1.00	1.6	1.0	6.1	17.0	17	<0.1	2.7	<0.1	4
1404699	Rock Chip	2.12	<2	1.1	2.6	9.1	30	<0.1	1.8	0.9	371	1.07	7.7	1.4	5.6	19.5	17	<0.1	2.9	<0.1	4
1404700	Rock Pulp	0.12	<2	2.4	25.3	2.2	43	0.2	24.6	10.7	402	2.38	4.8	0.3	6.1	0.9	40	0.1	0.3	<0.1	62
1404701	Rock Pulp	0.12	3634	9.7	70.6	447.7	1531	49.8	32.7	8.2	398	3.20	30.6	0.5	2303	1.2	33	16.3	53.2	0.7	55
1404702	Rock Chip	1.84	11	1.1	1.4	11.2	24	<0.1	2.3	0.7	301	0.86	51.9	1.5	67.5	15.8	16	<0.1	1.9	<0.1	<2
1404703	Rock Chip	1.96	4	0.9	1.4	12.3	12	<0.1	1.2	0.5	251	0.73	3.1	1.0	2.6	14.7	11	<0.1	1.4	<0.1	<2
1404704	Rock Chip	1.59	11	0.9	1.1	14.5	19	<0.1	1.4	0.4	347	0.69	58.8	1.5	8.6	15.7	10	<0.1	2.1	0.1	<2
1404705	Rock Chip	1.50	75	1.4	11.1	20.5	21	0.5	1.5	0.5	130	0.99	1177	1.2	76.5	12.2	15	0.2	5.7	<0.1	<2
1404706	Rock Chip	2.22	13	0.9	33.4	14.4	18	0.2	1.7	0.5	241	0.87	169.0	1.7	12.2	14.4	16	0.3	13.7	<0.1	2
1404707	Rock Chip	1.76	5	1.1	58.8	11.0	21	0.3	1.6	0.4	235	0.85	67.5	1.1	6.9	13.4	11	0.3	19.8	0.1	2
1404708	Rock Chip	1.99	<2	1.5	57.0	9.5	25	0.2	2.2	0.4	228	0.84	10.5	1.4	0.9	14.9	11	0.3	14.6	<0.1	3

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 21, 2012

CERTIFICATE OF ANALYSIS WHI12000680.1

		Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
		Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1404679	Rock Chip		0.36	0.011	33	6	0.06	112	0.009	<20	0.30	0.041	0.14	0.3	0.03	<0.1	<0.05	1.6	<0.5	1	<0.2
1404680	Rock Pulp		0.71	0.057	3	27	0.72	87	0.101	<20	1.41	0.064	0.12	12.2	0.01	<0.1	<0.05	3.9	<0.5	5	<0.2
1404681	Rock Pulp		0.59	0.050	5	25	0.54	99	0.089	<20	1.06	0.066	0.09	2.3	0.19	1.0	0.31	3.7	<0.5	6	0.2
1404682	Rock Chip		0.42	0.014	44	7	0.10	157	0.023	<20	0.39	0.054	0.17	0.5	0.02	<0.1	<0.05	1.9	<0.5	2	<0.2
1404683	Rock Chip		0.43	0.013	37	7	0.07	126	0.014	<20	0.31	0.043	0.14	0.4	0.02	<0.1	<0.05	1.6	<0.5	2	<0.2
1404684	Rock Chip		0.44	0.007	25	6	0.04	72	0.001	<20	0.25	0.037	0.14	0.7	0.05	0.2	0.21	1.0	<0.5	<1	<0.2
1404685	Rock Chip		0.29	0.007	32	9	0.04	82	0.005	<20	0.26	0.050	0.13	0.8	0.08	0.2	0.13	1.1	0.6	1	<0.2
1404686	Rock Chip		0.24	0.008	30	7	0.07	93	0.003	<20	0.28	0.043	0.14	0.5	0.06	0.2	0.07	1.3	<0.5	1	<0.2
1404687	Rock Chip		0.65	0.009	25	5	0.14	190	<0.001	<20	0.33	0.027	0.16	0.3	0.03	0.1	<0.05	1.2	<0.5	<1	<0.2
1404688	Rock Chip		0.67	0.012	37	5	0.19	73	<0.001	<20	0.41	0.019	0.12	0.2	0.04	<0.1	<0.05	1.9	<0.5	1	<0.2
1404689	Rock Chip		0.57	0.011	32	7	0.12	104	0.003	<20	0.32	0.026	0.14	0.4	0.06	0.1	0.05	1.9	<0.5	1	<0.2
1404690	Rock Chip		0.60	0.009	25	6	0.12	71	<0.001	<20	0.28	0.019	0.14	0.6	0.05	0.1	0.14	1.5	<0.5	<1	<0.2
1404691	Rock Chip		0.42	0.011	32	6	0.06	93	0.002	<20	0.33	0.038	0.17	0.4	0.06	0.1	0.07	1.6	<0.5	1	<0.2
1404692	Rock Chip		0.53	0.007	24	5	0.13	105	<0.001	<20	0.34	0.016	0.14	0.4	0.07	0.2	0.11	1.6	<0.5	<1	<0.2
1404693	Rock Chip		0.54	0.008	29	7	0.08	66	0.003	<20	0.24	0.034	0.13	0.5	0.06	<0.1	<0.05	1.5	<0.5	<1	<0.2
1404694	Rock Chip		0.53	0.010	36	6	0.10	64	0.002	<20	0.32	0.036	0.13	0.3	0.11	<0.1	<0.05	1.4	<0.5	1	<0.2
1404695	Rock Chip		0.33	0.012	45	7	0.10	65	0.002	<20	0.33	0.049	0.12	0.2	0.06	<0.1	<0.05	1.9	<0.5	1	<0.2
1404696	Rock Chip		0.64	0.014	43	7	0.12	92	0.004	<20	0.36	0.051	0.12	0.4	0.07	<0.1	<0.05	2.4	<0.5	2	<0.2
1404697	Rock Chip		0.39	0.013	40	8	0.10	70	0.003	<20	0.33	0.049	0.10	0.4	0.06	<0.1	<0.05	2.3	<0.5	2	<0.2
1404698	Rock Chip		0.36	0.011	40	9	0.11	69	0.005	<20	0.34	0.055	0.12	0.3	0.03	<0.1	<0.05	1.9	<0.5	2	<0.2
1404699	Rock Chip		0.38	0.013	46	7	0.09	85	0.007	<20	0.33	0.048	0.13	0.3	0.08	<0.1	<0.05	2.1	<0.5	2	<0.2
1404700	Rock Pulp		0.81	0.059	4	31	0.78	95	0.125	<20	1.54	0.078	0.13	11.6	0.01	<0.1	<0.05	4.3	<0.5	5	<0.2
1404701	Rock Pulp		0.69	0.051	5	26	0.57	104	0.111	<20	1.19	0.079	0.11	2.2	0.22	1.0	0.35	4.2	<0.5	6	<0.2
1404702	Rock Chip		0.39	0.006	32	6	0.11	93	<0.001	<20	0.33	0.033	0.14	0.3	0.05	<0.1	0.10	1.3	<0.5	1	<0.2
1404703	Rock Chip		0.18	0.002	24	5	0.05	44	<0.001	<20	0.20	0.039	0.15	0.4	0.05	<0.1	0.15	0.8	<0.5	<1	<0.2
1404704	Rock Chip		0.09	0.002	28	4	0.03	142	<0.001	<20	0.23	0.031	0.13	0.4	0.07	0.1	0.16	1.2	<0.5	<1	<0.2
1404705	Rock Chip		0.22	0.002	17	5	0.06	38	<0.001	<20	0.32	0.005	0.22	1.1	0.05	0.2	0.57	0.6	<0.5	<1	<0.2
1404706	Rock Chip		0.26	0.001	29	4	0.08	58	<0.001	<20	0.29	0.032	0.16	0.6	0.06	0.2	0.26	0.9	<0.5	<1	<0.2
1404707	Rock Chip		0.17	<0.001	31	5	0.07	48	<0.001	<20	0.20	0.029	0.12	0.6	0.06	0.2	0.23	1.0	<0.5	<1	<0.2
1404708	Rock Chip		0.14	0.001	30	6	0.06	63	<0.001	<20	0.21	0.038	0.14	0.7	0.08	0.2	0.19	1.0	<0.5	<1	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 21, 2012

CERTIFICATE OF ANALYSIS WHI12000680.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1404709	Rock Chip	1.80	17	1.1	44.4	14.9	25	0.5	1.7	0.5	216	0.93	215.6	1.8	24.0	16.6	18	0.2	12.7	<0.1	<2
1404710	Rock Chip	1.93	8	1.0	19.5	10.4	16	0.2	1.6	0.5	202	0.84	41.9	1.6	8.8	17.6	16	<0.1	6.1	<0.1	<2
1404711	Rock Chip	1.91	17	1.4	19.6	13.9	13	0.2	1.7	0.5	238	0.84	227.8	2.3	42.6	18.0	17	<0.1	6.4	<0.1	3
1404712	Rock Chip	1.92	4	1.2	15.3	11.6	25	<0.1	2.0	0.5	237	0.95	26.9	2.5	2.1	20.2	16	0.2	5.4	<0.1	4
1404713	Rock Chip	1.67	<2	2.0	11.9	10.2	25	<0.1	2.4	0.5	309	0.97	4.5	2.1	<0.5	21.8	14	0.2	4.7	<0.1	5
1404714	Rock Chip	1.50	4	3.8	6.8	11.7	26	<0.1	1.7	0.4	336	0.95	20.4	1.8	3.6	21.6	17	<0.1	3.3	<0.1	<2
1404715	Rock Chip	1.79	20	3.4	9.4	12.9	23	<0.1	1.7	0.7	212	0.95	165.2	1.4	20.9	17.8	15	0.2	4.5	<0.1	2
1404716	Rock Chip	1.89	20	8.0	6.2	14.2	35	<0.1	8.2	3.8	359	1.73	294.0	2.6	21.7	15.6	26	<0.1	7.4	<0.1	14
1404717	Rock Chip	1.79	3	2.5	13.3	12.7	60	<0.1	22.6	6.8	460	2.23	10.9	3.4	<0.5	9.5	32	<0.1	11.2	<0.1	32
1404718	Rock Chip	1.85	83	2.6	33.9	62.4	153	1.0	10.2	2.8	208	1.88	944.1	14.9	86.2	9.0	32	1.5	21.5	<0.1	5
1404719	Rock Chip	1.92	22	1.7	17.7	11.3	87	0.2	27.0	8.8	752	2.75	287.7	4.8	14.8	10.9	61	0.2	11.7	<0.1	33
1404720	Rock Pulp	0.12	2	2.5	26.0	2.2	44	0.3	25.2	11.2	425	2.51	5.3	0.3	<0.5	0.9	40	0.2	0.2	<0.1	61
1404721	Rock Pulp	0.12	1346	8.9	50.6	5.7	55	0.3	35.0	9.6	511	3.46	7.8	0.3	1202	0.9	45	0.1	1.1	<0.1	69
1404722	Rock Chip	1.84	7	1.9	25.1	9.3	83	<0.1	20.2	7.9	577	3.00	59.7	3.9	4.8	14.4	33	0.2	6.2	<0.1	32
1404723	Rock Chip	2.05	3	2.2	30.2	8.5	54	<0.1	26.5	7.1	590	2.82	6.4	3.0	1.1	12.5	31	<0.1	4.9	<0.1	45
1404724	Rock Chip	0.91	7	3.9	23.0	12.2	49	0.1	20.6	4.1	433	1.47	101.2	4.6	5.9	10.9	27	0.3	5.7	0.1	23
1404725	Rock Chip	0.93	4	4.3	23.0	11.5	54	0.1	19.1	4.4	465	1.58	86.9	4.2	5.6	11.1	27	0.1	6.3	0.1	23
1404726	Rock Chip	1.91	8	2.5	54.9	7.3	68	0.3	26.3	7.9	592	2.38	63.2	4.3	5.5	4.5	23	0.2	9.5	<0.1	40
1404727	Rock Chip	1.73	4	5.3	74.5	8.1	95	0.3	59.3	15.0	739	3.68	9.3	3.6	1.9	5.6	20	0.4	9.4	0.2	115
1404728	Rock Chip	1.84	<2	2.0	17.4	6.5	46	<0.1	23.8	6.9	579	2.21	2.6	3.5	<0.5	15.5	12	<0.1	1.8	<0.1	44
1404729	Rock Chip	1.99	2	2.7	54.0	6.9	70	0.2	35.4	9.0	489	2.34	6.0	2.6	<0.5	3.6	23	0.2	2.5	0.2	66
1404730	Rock Chip	1.45	<2	1.8	51.7	6.5	53	0.2	50.2	8.0	418	2.20	7.8	1.8	0.7	3.5	26	0.2	3.5	<0.1	58
1404731	Rock Chip	2.67	10	1.3	30.5	18.9	77	0.7	21.6	9.8	541	2.61	134.0	2.1	8.4	3.7	62	0.4	363.2	0.2	60
1404732	Rock Chip	2.11	41	1.4	38.2	15.2	56	1.1	21.4	6.4	380	1.98	105.2	2.1	16.3	3.0	25	0.2	868.7	<0.1	48
1404733	Rock Chip	2.98	14	2.3	63.2	35.3	124	3.6	54.7	11.6	371	2.26	242.2	2.2	7.3	3.8	27	1.3	>2000	0.1	73
1404734	Rock Chip	2.50	7	1.7	61.7	10.5	96	0.7	42.5	11.5	401	2.79	44.3	2.1	2.7	3.3	15	0.5	258.6	<0.1	74
1404735	Rock Chip	1.90	12	1.6	35.0	20.2	56	1.4	23.4	5.6	345	1.55	194.9	1.6	4.7	3.1	9	0.3	1563	<0.1	40
1404736	Rock Chip	2.57	19	3.1	71.5	13.5	93	0.9	55.9	16.3	550	3.15	102.7	3.3	5.5	3.5	24	0.6	653.8	0.2	68
1404737	Rock Chip	2.27	6	2.8	45.1	21.0	74	1.5	37.1	7.8	362	2.17	94.6	1.8	0.5	2.9	11	0.3	>2000	<0.1	73

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 21, 2012

CERTIFICATE OF ANALYSIS WHI12000680.1

		Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
		Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1404709	Rock Chip		0.32	0.002	34	6	0.08	52	<0.001	<20	0.26	0.017	0.15	0.7	0.05	0.2	0.35	1.0	<0.5	<1	<0.2
1404710	Rock Chip		0.26	<0.001	32	6	0.07	126	<0.001	<20	0.22	0.030	0.14	0.7	0.07	0.2	0.30	1.2	<0.5	<1	<0.2
1404711	Rock Chip		0.32	0.002	33	6	0.08	48	<0.001	<20	0.22	0.031	0.12	0.6	0.05	0.2	0.24	1.2	<0.5	<1	<0.2
1404712	Rock Chip		0.25	0.002	42	7	0.08	55	<0.001	<20	0.25	0.038	0.12	0.4	0.07	0.2	0.23	1.6	<0.5	<1	<0.2
1404713	Rock Chip		0.23	0.004	51	8	0.06	55	0.001	<20	0.24	0.044	0.11	0.4	0.06	<0.1	0.15	1.9	<0.5	1	<0.2
1404714	Rock Chip		0.26	0.002	35	5	0.07	40	<0.001	<20	0.22	0.033	0.12	0.5	0.05	<0.1	0.13	1.5	<0.5	<1	<0.2
1404715	Rock Chip		0.26	0.001	22	6	0.08	47	<0.001	<20	0.20	0.030	0.13	0.7	0.09	0.2	0.35	1.8	<0.5	<1	<0.2
1404716	Rock Chip		0.46	0.005	25	12	0.27	136	0.007	<20	0.44	0.027	0.19	0.6	0.05	0.1	0.16	2.8	<0.5	2	<0.2
1404717	Rock Chip		0.76	0.019	25	26	0.45	128	0.005	<20	0.65	0.017	0.14	0.2	0.03	<0.1	0.13	3.8	<0.5	4	<0.2
1404718	Rock Chip		0.42	0.013	10	5	0.19	232	<0.001	<20	0.38	0.004	0.18	0.9	0.14	1.7	1.49	0.9	<0.5	1	<0.2
1404719	Rock Chip		1.46	0.024	17	37	0.74	131	0.004	<20	0.64	0.022	0.18	0.3	0.05	0.2	0.33	5.3	<0.5	3	<0.2
1404720	Rock Pulp		0.86	0.059	4	32	0.82	99	0.118	<20	1.64	0.082	0.14	13.1	0.01	<0.1	<0.05	4.8	<0.5	5	<0.2
1404721	Rock Pulp		0.92	0.063	5	35	0.88	111	0.136	<20	1.84	0.109	0.16	0.2	0.07	<0.1	<0.05	5.5	<0.5	6	<0.2
1404722	Rock Chip		0.75	0.049	31	30	0.58	126	0.024	<20	0.94	0.034	0.28	0.3	0.03	<0.1	0.27	4.5	0.6	5	<0.2
1404723	Rock Chip		0.73	0.032	27	36	0.62	134	0.030	<20	0.93	0.028	0.29	0.3	0.03	0.1	0.28	4.9	0.7	5	<0.2
1404724	Rock Chip		0.45	0.039	8	16	0.34	60	0.005	<20	0.56	0.021	0.21	0.9	0.02	0.1	0.28	2.3	1.1	2	<0.2
1404725	Rock Chip		0.46	0.030	8	17	0.39	54	0.009	<20	0.57	0.021	0.22	1.0	0.03	0.1	0.23	2.5	0.7	2	<0.2
1404726	Rock Chip		0.41	0.037	9	31	0.87	272	0.040	<20	1.07	0.018	0.42	1.1	0.01	0.4	0.60	3.6	0.7	5	<0.2
1404727	Rock Chip		0.45	0.109	15	66	0.97	184	0.050	<20	1.48	0.013	0.38	0.7	0.02	0.5	1.10	4.4	2.2	8	<0.2
1404728	Rock Chip		0.23	0.030	18	42	0.48	71	0.054	<20	0.97	0.034	0.37	0.5	<0.01	0.2	0.15	4.1	0.8	6	<0.2
1404729	Rock Chip		0.36	0.046	9	45	0.60	233	0.042	<20	0.89	0.011	0.29	1.1	0.04	0.2	0.45	4.1	1.3	5	<0.2
1404730	Rock Chip		0.37	0.037	8	67	0.69	947	0.059	<20	0.94	0.019	0.45	1.0	0.04	0.4	0.57	3.8	1.1	5	<0.2
1404731	Rock Chip		1.08	0.047	9	27	0.69	345	0.044	<20	1.06	0.024	0.36	<0.1	0.06	0.8	0.83	4.7	1.0	4	<0.2
1404732	Rock Chip		0.46	0.033	8	29	0.51	217	0.038	<20	0.77	0.021	0.30	0.5	0.02	0.3	0.44	3.0	0.7	4	<0.2
1404733	Rock Chip		0.52	0.065	9	46	0.57	292	0.035	<20	0.76	0.015	0.32	0.3	0.08	0.4	0.80	3.8	2.2	3	<0.2
1404734	Rock Chip		0.28	0.104	13	43	0.65	194	0.061	<20	0.99	0.010	0.44	0.4	0.05	0.4	1.03	3.7	1.8	5	<0.2
1404735	Rock Chip		0.15	0.032	7	23	0.34	143	0.025	<20	0.54	0.012	0.23	0.3	0.03	0.2	0.39	2.2	1.0	3	<0.2
1404736	Rock Chip		0.38	0.099	9	45	0.52	111	0.034	<20	0.83	0.018	0.26	0.2	0.03	0.4	1.30	5.4	3.2	4	<0.2
1404737	Rock Chip		0.20	0.059	7	40	0.53	573	0.055	<20	0.86	0.011	0.41	0.2	0.01	0.3	0.61	3.5	1.7	4	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 21, 2012

QUALITY CONTROL REPORT WHI12000680.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1404671	Rock Chip	1.57	28	0.9	2.0	9.1	24	<0.1	1.9	0.9	355	1.10	383.4	1.7	26.9	14.8	21	<0.1	13.6	<0.1	2
REP 1404671	QC		27																		
1404681	Rock Pulp	0.12	3877	9.5	68.7	425.8	1468	49.4	29.4	8.0	370	2.96	28.5	0.3	2948	1.0	30	15.3	49.3	0.7	47
REP 1404681	QC			9.2	67.2	424.2	1477	49.3	29.0	7.9	374	2.97	28.5	0.3	3881	1.0	30	14.9	51.6	0.8	47
1404704	Rock Chip	1.59	11	0.9	1.1	14.5	19	<0.1	1.4	0.4	347	0.69	58.8	1.5	8.6	15.7	10	<0.1	2.1	0.1	<2
REP 1404704	QC			0.9	1.1	14.1	18	<0.1	1.2	0.4	348	0.69	57.6	1.4	7.9	15.5	10	<0.1	2.4	0.1	<2
1404705	Rock Chip	1.50	75	1.4	11.1	20.5	21	0.5	1.5	0.5	130	0.99	1177	1.2	76.5	12.2	15	0.2	5.7	<0.1	<2
REP 1404705	QC		76																		
1404723	Rock Chip	2.05	3	2.2	30.2	8.5	54	<0.1	26.5	7.1	590	2.82	6.4	3.0	1.1	12.5	31	<0.1	4.9	<0.1	45
REP 1404723	QC		<2																		
1404732	Rock Chip	2.11	41	1.4	38.2	15.2	56	1.1	21.4	6.4	380	1.98	105.2	2.1	16.3	3.0	25	0.2	868.7	<0.1	48
REP 1404732	QC			1.4	39.7	15.0	59	1.0	21.4	6.5	368	1.94	105.9	1.8	16.2	3.1	25	0.2	882.7	<0.1	48
Core Reject Duplicates																					
1404654	Rock Chip	1.84	21	0.6	2.7	14.5	28	0.2	1.4	0.9	375	0.97	260.3	1.4	26.9	11.5	18	0.1	30.4	0.2	<2
DUP 1404654	QC		19	0.5	2.5	13.8	25	0.1	1.3	0.9	357	0.91	239.0	1.4	22.5	11.4	17	<0.1	29.7	0.1	<2
1404689	Rock Chip	1.71	3	1.2	1.8	9.9	28	<0.1	1.9	1.2	376	1.19	6.1	2.4	<0.5	16.0	26	<0.1	2.5	<0.1	3
DUP 1404689	QC		4	1.0	1.3	8.7	27	<0.1	2.1	1.1	356	1.11	5.3	2.1	0.9	14.4	25	<0.1	2.3	<0.1	3
1404724	Rock Chip	0.91	7	3.9	23.0	12.2	49	0.1	20.6	4.1	433	1.47	101.2	4.6	5.9	10.9	27	0.3	5.7	0.1	23
DUP 1404724	QC		5	4.1	23.0	12.0	49	0.1	20.9	4.0	443	1.51	97.5	4.3	5.9	11.0	26	0.3	5.9	0.1	23
Reference Materials																					
STD DS9	Standard			13.5	122.0	119.3	331	1.9	44.0	8.4	615	2.50	27.5	2.6	94.1	6.0	73	2.3	5.2	5.6	42
STD DS9	Standard			15.1	111.7	128.6	314	1.8	40.7	8.0	617	2.42	29.1	2.8	134.7	6.5	75	2.7	5.1	5.7	43
STD DS9	Standard			10.9	105.5	123.0	303	1.6	39.5	7.8	557	2.27	27.1	2.7	113.3	6.1	68	2.2	6.0	5.8	37
STD OREAS45CA	Standard			0.9	535.1	19.8	65	0.3	268.6	98.5	999	17.10	4.2	1.2	46.4	7.0	16	<0.1	<0.1	0.1	229
STD OREAS45CA	Standard			1.0	546.5	22.9	64	0.3	272.5	99.2	986	16.97	4.6	1.4	45.5	7.9	17	<0.1	<0.1	<0.1	231
STD OREAS45CA	Standard			0.9	478.2	19.7	57	0.2	230.3	90.9	935	14.60	4.4	1.2	37.7	7.1	15	<0.1	0.4	0.1	213
STD OXD87	Standard		419																		
STD OXD87	Standard		393																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 21, 2012

QUALITY CONTROL REPORT WHI12000680.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
1404671	Rock Chip	0.45	0.009	31	8	0.05	88	0.006	<20	0.26	0.043	0.14	0.5	0.03	<0.1	0.09	1.3	<0.5	1	<0.2
REP 1404671	QC																			
1404681	Rock Pulp	0.59	0.050	5	25	0.54	99	0.089	<20	1.06	0.066	0.09	2.3	0.19	1.0	0.31	3.7	<0.5	6	0.2
REP 1404681	QC	0.59	0.052	4	25	0.54	96	0.090	<20	1.06	0.066	0.10	2.2	0.22	1.0	0.31	3.7	<0.5	6	0.3
1404704	Rock Chip	0.09	0.002	28	4	0.03	142	<0.001	<20	0.23	0.031	0.13	0.4	0.07	0.1	0.16	1.2	<0.5	<1	<0.2
REP 1404704	QC	0.08	0.002	28	4	0.03	142	<0.001	<20	0.23	0.032	0.13	0.4	0.07	0.1	0.16	1.0	<0.5	<1	<0.2
1404705	Rock Chip	0.22	0.002	17	5	0.06	38	<0.001	<20	0.32	0.005	0.22	1.1	0.05	0.2	0.57	0.6	<0.5	<1	<0.2
REP 1404705	QC																			
1404723	Rock Chip	0.73	0.032	27	36	0.62	134	0.030	<20	0.93	0.028	0.29	0.3	0.03	0.1	0.28	4.9	0.7	5	<0.2
REP 1404723	QC																			
1404732	Rock Chip	0.46	0.033	8	29	0.51	217	0.038	<20	0.77	0.021	0.30	0.5	0.02	0.3	0.44	3.0	0.7	4	<0.2
REP 1404732	QC	0.44	0.033	8	29	0.51	217	0.037	<20	0.76	0.020	0.30	0.3	0.03	0.3	0.43	3.0	<0.5	4	<0.2
Core Reject Duplicates																				
1404654	Rock Chip	0.46	0.005	15	6	0.12	105	0.006	<20	0.37	0.007	0.15	0.4	0.05	0.2	0.12	1.2	<0.5	<1	<0.2
DUP 1404654	QC	0.46	0.004	15	5	0.11	93	<0.001	<20	0.30	0.006	0.12	0.4	0.04	0.2	0.11	1.3	<0.5	<1	<0.2
1404689	Rock Chip	0.57	0.011	32	7	0.12	104	0.003	<20	0.32	0.026	0.14	0.4	0.06	0.1	0.05	1.9	<0.5	1	<0.2
DUP 1404689	QC	0.55	0.011	30	6	0.11	109	0.003	<20	0.36	0.032	0.16	0.3	0.04	0.1	<0.05	1.7	<0.5	1	<0.2
1404724	Rock Chip	0.45	0.039	8	16	0.34	60	0.005	<20	0.56	0.021	0.21	0.9	0.02	0.1	0.28	2.3	1.1	2	<0.2
DUP 1404724	QC	0.46	0.041	8	17	0.35	51	0.005	<20	0.52	0.019	0.20	0.9	0.02	0.1	0.28	2.2	1.2	2	<0.2
Reference Materials																				
STD DS9	Standard	0.77	0.087	12	134	0.66	354	0.114	<20	1.02	0.088	0.43	2.5	0.23	5.4	0.18	2.4	5.0	5	5.0
STD DS9	Standard	0.75	0.087	13	124	0.65	331	0.121	<20	1.00	0.089	0.42	2.8	0.18	5.7	0.18	2.6	5.6	5	5.4
STD DS9	Standard	0.67	0.078	10	114	0.59	307	0.099	<20	0.89	0.077	0.39	2.9	0.16	5.3	0.16	1.9	5.9	4	5.2
STD OREAS45CA	Standard	0.44	0.041	17	775	0.15	172	0.121	<20	3.95	0.011	0.08	<0.1	0.04	<0.1	<0.05	48.0	<0.5	20	<0.2
STD OREAS45CA	Standard	0.46	0.038	17	769	0.14	178	0.148	<20	3.72	0.016	0.08	<0.1	0.03	<0.1	<0.05	43.9	<0.5	19	<0.2
STD OREAS45CA	Standard	0.41	0.036	15	692	0.13	164	0.126	<20	3.31	0.007	0.07	<0.1	0.02	<0.1	<0.05	41.8	<0.5	17	<0.2
STD OXD87	Standard																			
STD OXD87	Standard																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 21, 2012

QUALITY CONTROL REPORT WHI12000680.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD OXD87	Standard		416																		
STD OXG99	Standard		919																		
STD OXG99	Standard		913																		
STD OXG99	Standard		939																		
STD OXD87 Expected			417																		
STD OXG99 Expected			932																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	0.01	0.8	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	2.3	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank		<2	<0.1	3.7	3.0	48	<0.1	2.7	4.3	609	1.94	0.6	1.5	2.3	5.1	71	<0.1	<0.1	<0.1	35
G1-WHI	Prep Blank		<2	<0.1	2.2	2.9	48	<0.1	2.4	4.1	614	1.98	<0.5	1.5	1.5	5.6	79	<0.1	<0.1	<0.1	36

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 21, 2012

QUALITY CONTROL REPORT WHI12000680.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD OXD87	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXD87 Expected																				
STD OXG99 Expected																				
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																				
G1-WHI	Prep Blank	0.48	0.078	11	11	0.50	179	0.131	<20	1.00	0.121	0.52	<0.1	0.01	0.3	<0.05	2.4	<0.5	5	<0.2
G1-WHI	Prep Blank	0.57	0.077	13	10	0.53	192	0.139	<20	1.03	0.129	0.55	<0.1	<0.01	0.4	<0.05	2.6	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: August 21, 2012
Report Date: August 28, 2012
Page: 1 of 5

CERTIFICATE OF ANALYSIS WHI12000746.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number NA-12308
Number of Samples: 101

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	91	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	101	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	101	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme Joyce
Stephanie Korelin

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 28, 2012

CERTIFICATE OF ANALYSIS WHI12000746.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1404738	Rock Chip	1.57	<2	0.8	48.5	5.1	30	<0.1	50.8	19.2	858	3.52	25.9	1.4	1.0	7.7	178	<0.1	1.1	0.1	51
1404739	Rock Chip	1.59	3	0.7	56.6	4.7	43	<0.1	34.5	20.1	807	3.79	77.6	1.3	0.8	8.0	99	<0.1	2.4	0.2	65
1404740	Rock Pulp	0.12	3	2.6	26.3	2.4	45	0.3	24.0	11.1	385	2.37	4.9	0.2	<0.5	0.9	36	0.2	0.2	<0.1	57
1404741	Rock Pulp	0.12	1490	8.8	49.0	5.6	49	0.3	31.0	9.3	468	3.21	6.6	0.3	1322	0.9	38	0.2	1.0	0.1	62
1404742	Rock Chip	3.08	<2	0.7	44.7	2.2	31	<0.1	51.7	19.7	680	3.68	55.7	1.2	4.5	8.5	83	<0.1	1.9	0.2	58
1404743	Rock Chip	2.03	<2	2.0	8.5	5.5	25	<0.1	23.0	24.1	607	4.22	43.1	2.6	2.6	14.2	103	<0.1	1.6	<0.1	66
1404744	Rock Chip	3.01	<2	1.0	24.0	3.9	22	<0.1	28.9	17.8	686	3.40	18.1	1.7	1.0	13.3	121	<0.1	2.3	<0.1	54
1404745	Rock Chip	3.35	10	0.9	30.1	15.3	34	0.2	23.9	20.6	950	3.55	27.7	2.1	4.5	10.6	170	0.2	2.7	<0.1	57
1404746	Rock Chip	2.94	3	0.7	28.1	4.5	44	<0.1	37.2	28.4	933	4.02	8.7	2.0	2.4	7.5	133	0.2	1.8	<0.1	81
1404747	Rock Chip	2.90	<2	2.9	82.5	2.9	36	<0.1	29.0	21.8	737	3.69	3.8	1.8	<0.5	14.8	94	<0.1	2.1	<0.1	79
1404748	Rock Chip	2.96	<2	3.4	18.9	4.3	32	<0.1	27.5	16.5	783	3.04	2.7	1.7	<0.5	12.1	149	<0.1	1.3	<0.1	61
1404749	Rock Chip	2.68	3	0.5	25.0	8.9	30	<0.1	26.4	20.7	981	4.34	15.5	2.5	<0.5	3.5	268	<0.1	1.9	<0.1	64
1404750	Rock Chip	1.54	<2	0.5	10.7	11.9	32	<0.1	41.3	18.5	963	3.91	11.5	2.7	2.0	3.1	167	<0.1	0.7	<0.1	53
1404751	Rock Chip	3.03	2	0.8	40.0	162.1	32	0.2	26.2	17.9	838	3.40	13.7	2.5	0.8	7.8	141	<0.1	3.5	0.3	40
1404752	Rock Chip	2.76	<2	0.6	21.6	5.8	34	<0.1	13.6	25.9	955	4.64	6.7	2.6	<0.5	4.8	175	<0.1	1.0	<0.1	108
1404753	Rock Chip	2.85	<2	0.7	40.0	2.6	28	<0.1	18.3	21.4	789	3.75	1.9	1.9	<0.5	10.1	114	<0.1	1.9	<0.1	84
1404754	Rock Chip	3.14	<2	0.5	19.0	4.4	49	<0.1	22.9	24.3	1045	4.50	8.3	1.7	1.0	3.8	156	<0.1	2.3	<0.1	100
1404755	Rock Chip	2.74	<2	1.0	16.6	2.4	28	<0.1	54.9	22.5	939	3.51	11.3	1.5	<0.5	5.5	179	<0.1	1.4	<0.1	63
1404756	Rock Chip	3.19	<2	0.7	48.7	2.7	23	<0.1	17.1	12.9	529	2.58	4.6	1.9	<0.5	15.3	74	<0.1	2.1	<0.1	36
1404757	Rock Chip	3.77	<2	0.9	29.6	1.5	43	<0.1	28.7	27.6	860	3.96	2.0	0.6	<0.5	1.6	95	<0.1	0.4	<0.1	105
1404758	Rock Chip	3.61	<2	0.3	31.2	1.3	39	<0.1	22.1	30.5	836	4.32	2.0	0.5	<0.5	0.9	80	<0.1	0.4	<0.1	106
1404759	Rock Chip	2.60	<2	1.2	20.6	1.5	33	<0.1	31.2	22.9	741	3.65	4.5	1.0	<0.5	10.9	76	<0.1	1.0	<0.1	84
1404760	Rock Pulp	0.12	<2	2.5	25.2	2.2	42	0.2	23.4	10.4	368	2.32	4.4	0.2	<0.5	0.7	34	0.2	0.2	<0.1	55
1404761	Rock Pulp	0.12	4064	10.3	72.2	454.0	1535	50.5	31.5	8.9	370	3.13	29.7	0.3	2185	1.1	30	15.2	47.8	0.9	51
1404762	Rock Chip	2.62	<2	0.9	31.6	3.2	50	<0.1	24.4	27.8	985	4.63	5.5	0.7	1.8	4.9	82	<0.1	0.8	<0.1	117
1404763	Rock Chip	2.97	<2	0.7	21.1	2.5	47	<0.1	21.0	34.9	1136	5.61	7.8	0.7	2.1	3.2	98	<0.1	1.1	<0.1	184
1404764	Rock Chip	2.91	3	0.4	50.5	2.9	35	<0.1	58.9	30.7	1055	4.80	9.0	0.8	1.7	5.0	102	<0.1	1.3	<0.1	146
1404765	Rock Chip	2.27	<2	1.2	46.4	6.4	23	0.1	15.3	13.1	583	2.85	8.9	1.4	1.2	11.9	69	<0.1	2.9	<0.1	43
1404766	Rock Chip	2.51	<2	1.0	144.6	4.5	28	0.1	12.2	15.8	717	3.25	2.6	1.4	<0.5	14.4	60	0.1	1.5	<0.1	63
1404767	Rock Chip	3.49	<2	1.0	91.9	8.6	36	0.1	23.5	22.6	889	3.67	4.5	1.3	<0.5	9.9	102	<0.1	3.7	<0.1	90

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 28, 2012

CERTIFICATE OF ANALYSIS WHI12000746.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1404738	Rock Chip	6.19	0.077	24	53	2.09	230	0.002	<20	0.50	0.026	0.21	<0.1	<0.01	0.1	0.17	10.8	<0.5	2	<0.2
1404739	Rock Chip	4.06	0.082	28	41	1.42	705	0.011	<20	1.34	0.030	0.25	0.1	<0.01	0.2	0.13	11.6	<0.5	5	<0.2
1404740	Rock Pulp	0.82	0.058	4	32	0.78	89	0.122	<20	1.57	0.076	0.13	11.7	0.01	<0.1	<0.05	4.3	<0.5	5	<0.2
1404741	Rock Pulp	0.85	0.058	5	35	0.83	101	0.133	<20	1.71	0.095	0.15	0.2	0.06	<0.1	<0.05	4.6	<0.5	5	<0.2
1404742	Rock Chip	3.68	0.066	27	84	1.54	960	0.018	<20	1.59	0.023	0.38	0.1	<0.01	0.2	0.14	8.9	<0.5	6	<0.2
1404743	Rock Chip	3.70	0.114	37	28	1.35	213	0.012	<20	0.80	0.024	0.40	0.1	0.45	0.3	<0.05	10.3	<0.5	2	<0.2
1404744	Rock Chip	5.24	0.063	29	31	2.06	401	0.013	<20	1.02	0.021	0.45	0.2	<0.01	0.2	<0.05	10.4	<0.5	3	<0.2
1404745	Rock Chip	5.48	0.071	28	34	1.76	299	0.019	<20	1.13	0.019	0.45	0.2	0.06	0.2	0.07	11.5	<0.5	3	<0.2
1404746	Rock Chip	5.01	0.104	26	71	2.09	502	0.037	<20	1.47	0.021	0.65	<0.1	0.03	0.2	0.06	16.7	<0.5	4	<0.2
1404747	Rock Chip	3.18	0.096	33	44	1.79	838	0.113	<20	1.66	0.032	1.11	0.2	<0.01	0.2	0.07	11.4	<0.5	5	<0.2
1404748	Rock Chip	4.33	0.057	39	58	1.79	768	0.068	<20	1.19	0.034	0.82	<0.1	<0.01	0.2	0.05	11.2	<0.5	3	<0.2
1404749	Rock Chip	11.46	0.088	12	25	4.79	95	0.001	<20	0.63	0.020	0.23	<0.1	0.05	0.1	0.08	9.5	<0.5	2	<0.2
1404750	Rock Chip	8.50	0.060	9	34	3.78	83	<0.001	<20	0.45	0.021	0.21	<0.1	<0.01	0.1	0.13	8.1	<0.5	1	<0.2
1404751	Rock Chip	6.52	0.078	18	24	2.72	97	0.003	<20	0.65	0.015	0.26	0.1	<0.01	0.2	0.11	9.2	<0.5	2	<0.2
1404752	Rock Chip	7.07	0.121	21	15	2.76	251	0.017	<20	0.99	0.012	0.41	<0.1	0.03	0.2	0.06	18.8	<0.5	2	<0.2
1404753	Rock Chip	4.14	0.081	27	35	1.89	613	0.040	<20	1.22	0.028	0.56	<0.1	<0.01	0.2	0.06	16.4	<0.5	4	<0.2
1404754	Rock Chip	6.03	0.122	18	52	2.78	260	0.015	<20	1.49	0.021	0.43	<0.1	0.18	0.4	0.09	15.3	<0.5	5	<0.2
1404755	Rock Chip	6.47	0.065	15	67	2.78	806	0.005	<20	0.75	0.025	0.36	<0.1	0.01	0.4	0.08	13.7	<0.5	2	<0.2
1404756	Rock Chip	2.71	0.064	34	18	1.18	385	0.008	<20	0.73	0.032	0.27	<0.1	0.01	0.2	0.08	7.4	<0.5	2	<0.2
1404757	Rock Chip	3.39	0.135	8	50	2.31	776	0.170	<20	2.08	0.053	0.90	<0.1	<0.01	0.2	0.21	10.7	<0.5	6	<0.2
1404758	Rock Chip	3.37	0.144	4	46	2.51	400	0.183	<20	2.53	0.032	0.93	<0.1	<0.01	0.3	0.13	9.4	<0.5	7	<0.2
1404759	Rock Chip	2.87	0.081	27	67	1.90	231	0.095	<20	1.95	0.036	0.57	<0.1	<0.01	0.2	0.09	8.6	<0.5	7	<0.2
1404760	Rock Pulp	0.77	0.056	4	32	0.76	87	0.108	<20	1.49	0.071	0.12	10.9	<0.01	<0.1	<0.05	4.0	<0.5	5	<0.2
1404761	Rock Pulp	0.65	0.051	5	27	0.57	100	0.101	<20	1.15	0.068	0.10	2.2	0.21	1.0	0.34	4.3	<0.5	6	<0.2
1404762	Rock Chip	3.74	0.127	18	41	2.50	306	0.117	<20	2.43	0.029	0.75	<0.1	<0.01	0.2	0.20	13.5	<0.5	9	<0.2
1404763	Rock Chip	4.78	0.160	18	32	2.76	491	0.103	<20	2.67	0.022	0.71	<0.1	0.03	0.2	0.23	18.8	<0.5	10	<0.2
1404764	Rock Chip	4.72	0.108	20	135	2.97	332	0.081	<20	2.90	0.020	0.75	<0.1	0.02	0.4	0.07	18.8	<0.5	9	<0.2
1404765	Rock Chip	2.57	0.081	22	30	1.15	330	0.039	<20	0.84	0.043	0.35	0.4	0.01	0.1	0.20	6.7	<0.5	3	<0.2
1404766	Rock Chip	2.87	0.089	35	15	1.36	266	0.057	<20	1.44	0.041	0.45	0.4	<0.01	0.1	0.11	6.7	<0.5	6	<0.2
1404767	Rock Chip	4.47	0.093	19	42	2.13	683	0.072	<20	1.45	0.027	0.68	0.3	0.04	0.3	0.16	12.9	<0.5	4	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 28, 2012

CERTIFICATE OF ANALYSIS WHI12000746.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1404768	Rock Chip	3.90	<2	0.7	36.7	10.3	61	<0.1	24.4	34.0	1108	5.23	5.0	1.7	<0.5	4.2	124	<0.1	2.7	<0.1	138
1404769	Rock Chip	2.95	<2	0.7	67.5	6.4	41	<0.1	21.5	26.5	1113	4.83	17.3	2.7	<0.5	6.6	165	<0.1	10.3	<0.1	100
1404770	Rock Chip	3.26	<2	0.5	61.3	5.3	50	0.1	26.0	28.1	1146	4.66	2.4	1.1	<0.5	4.0	125	<0.1	1.4	<0.1	140
1404771	Rock Chip	3.04	146	1.2	53.0	67.6	80	0.4	22.7	27.4	1166	3.96	16.5	1.2	92.8	5.3	195	1.2	2.1	<0.1	59
1404772	Rock Chip	2.96	606	11.4	429.1	1935	44	3.9	37.5	45.8	1145	4.48	10.4	1.3	493.3	3.7	251	0.4	6.9	0.2	76
1404773	Rock Chip	3.21	43	1.0	78.3	66.6	53	0.2	42.4	33.5	1342	5.33	2.7	1.1	35.3	3.2	218	0.1	1.8	<0.1	122
1404774	Rock Chip	1.72	87	1.5	116.1	58.4	48	0.5	37.2	30.6	1325	4.55	20.0	1.2	65.7	3.0	262	0.1	5.1	<0.1	74
1404775	Rock Chip	1.26	52	1.3	114.9	39.0	48	0.6	35.9	31.1	1303	4.58	20.8	1.2	23.7	3.3	268	0.2	4.8	<0.1	73
1404776	Rock Chip	2.75	113	4.0	14.8	19.6	34	0.1	19.9	31.5	1070	2.68	7.5	0.6	58.0	2.2	136	0.4	1.4	<0.1	24
1404777	Rock Chip	2.84	112	4.1	13.7	10.9	15	<0.1	10.7	15.6	495	1.66	7.2	0.5	111.7	6.2	68	0.1	0.9	<0.1	11
1404778	Rock Chip	2.68	190	2.3	19.1	12.3	17	0.1	21.0	36.2	739	2.31	12.8	0.5	114.4	4.0	106	0.2	1.1	<0.1	19
1404779	Rock Chip	3.13	40	1.3	16.3	16.2	25	0.2	18.2	28.6	1118	3.17	15.7	0.9	81.3	3.6	176	0.3	1.3	<0.1	17
1404780	Rock Pulp	0.12	2	2.5	25.0	2.2	41	0.3	24.0	10.5	404	2.38	4.5	0.2	7.4	1.0	37	0.2	0.2	<0.1	58
1404781	Rock Pulp	0.12	1511	8.3	49.9	6.0	50	0.2	33.1	9.6	499	3.29	7.2	0.3	677.6	1.0	41	0.1	1.0	<0.1	65
1404782	Rock Chip	2.25	354	1.9	183.1	975.8	20	0.9	13.8	15.6	726	2.32	7.6	0.8	251.6	2.2	129	0.2	1.6	<0.1	15
1404783	Rock Chip	2.98	79	1.8	84.7	15.0	22	0.1	15.6	24.1	929	2.75	10.0	0.7	75.9	2.7	118	0.2	1.6	<0.1	22
1404784	Rock Chip	2.97	19	10.6	17.8	12.1	26	<0.1	14.2	21.8	1294	3.37	6.0	0.6	21.0	2.6	203	0.3	0.8	<0.1	18
1404785	Rock Chip	2.75	30	2.7	78.3	46.7	23	0.3	11.5	19.7	900	2.43	21.4	1.1	40.8	5.6	118	0.4	1.9	<0.1	13
1404786	Rock Chip	1.50	277	10.0	402.1	752.3	18	8.0	13.2	23.4	522	2.31	38.7	1.9	92.7	1.5	111	0.5	6.0	1.5	7
1404787	Rock Chip	2.59	25	10.2	411.3	670.0	19	11.7	14.6	20.6	597	2.18	16.7	0.8	687.2	1.9	128	0.5	8.2	2.0	12
1404788	Rock Chip	2.51	35	2.7	287.4	1424	13	1.8	8.5	13.4	378	1.56	7.0	0.6	43.1	3.4	89	0.5	2.2	<0.1	13
1404789	Rock Chip	2.88	30	1.9	629.0	3440	15	3.4	8.2	8.6	597	2.05	15.0	2.1	34.9	7.5	150	0.6	2.5	<0.1	11
1404790	Rock Chip	2.50	22	1.3	383.3	98.4	30	0.8	8.8	18.8	982	4.19	12.1	1.4	30.2	4.4	179	0.4	6.7	<0.1	60
1404791	Rock Chip	2.35	10	1.5	422.4	3808	29	4.4	19.6	17.8	853	3.27	5.3	1.2	14.9	7.5	155	0.8	2.6	<0.1	36
1404792	Rock Chip	3.01	9	2.4	279.9	53.5	27	0.6	17.7	12.7	746	3.09	1.9	1.1	10.0	7.2	117	0.2	1.4	<0.1	33
1404793	Rock Chip	3.10	333	1.6	146.9	36.5	23	0.3	9.4	11.4	734	2.82	20.3	1.1	8.9	5.6	116	0.2	2.0	<0.1	19
1404794	Rock Chip	2.82	<2	1.0	37.2	16.9	50	<0.1	20.7	27.4	963	4.87	17.6	1.2	<0.5	7.7	141	0.1	1.8	<0.1	83
1404795	Rock Chip	3.07	<2	0.7	66.7	19.1	52	<0.1	35.0	28.4	990	4.33	2.8	0.8	1.8	3.6	183	<0.1	1.1	<0.1	72
1404796	Rock Chip	2.44	<2	1.1	83.4	18.2	53	0.1	8.5	25.8	1068	5.06	3.0	1.3	<0.5	4.0	146	0.2	1.7	<0.1	95
1404797	Rock Chip	2.21	<2	1.9	31.4	22.0	32	<0.1	11.1	15.8	775	2.76	1.4	1.1	1.1	8.9	102	0.1	1.2	<0.1	36

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 28, 2012

CERTIFICATE OF ANALYSIS WHI12000746.1

		Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
		Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
		Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1404768	Rock Chip		5.17	0.127	14	27	2.49	428	0.089	<20	1.86	0.015	0.81	0.3	0.06	0.3	0.38	16.3	<0.5	6	<0.2
1404769	Rock Chip		7.00	0.093	15	22	2.74	358	0.024	<20	1.06	0.012	0.32	0.2	0.23	0.2	0.46	13.4	<0.5	3	<0.2
1404770	Rock Chip		5.39	0.130	17	46	2.60	361	0.094	<20	2.26	0.023	0.81	0.2	<0.01	0.3	0.27	17.1	<0.5	8	<0.2
1404771	Rock Chip		4.81	0.141	15	24	1.90	265	0.039	<20	1.43	0.024	0.52	1.1	0.04	0.1	0.35	8.9	<0.5	5	<0.2
1404772	Rock Chip		5.06	0.099	13	48	2.20	475	0.020	<20	1.43	0.020	0.29	4.0	0.11	<0.1	0.38	12.6	<0.5	5	<0.2
1404773	Rock Chip		5.80	0.151	17	66	2.70	339	0.083	<20	2.16	0.022	0.73	0.7	0.03	0.3	0.16	16.3	<0.5	8	<0.2
1404774	Rock Chip		5.53	0.115	9	47	2.33	377	0.040	<20	1.37	0.022	0.62	1.7	0.03	0.2	0.44	12.5	<0.5	5	<0.2
1404775	Rock Chip		5.41	0.115	10	43	2.27	373	0.039	<20	1.30	0.021	0.59	1.8	0.03	0.2	0.45	12.4	<0.5	5	<0.2
1404776	Rock Chip		3.96	0.086	4	20	1.39	142	0.009	<20	0.45	0.019	0.34	2.0	0.03	0.1	0.38	7.4	<0.5	2	<0.2
1404777	Rock Chip		1.87	0.040	6	13	0.62	140	0.003	<20	0.31	0.022	0.22	1.6	0.02	<0.1	0.37	2.9	<0.5	1	<0.2
1404778	Rock Chip		2.78	0.058	5	18	0.94	207	0.002	<20	0.31	0.021	0.25	1.4	0.04	0.1	0.70	6.3	<0.5	1	<0.2
1404779	Rock Chip		5.25	0.096	5	10	1.72	188	0.003	<20	0.47	0.016	0.40	1.9	0.02	0.1	0.53	5.7	<0.5	2	<0.2
1404780	Rock Pulp		0.80	0.057	4	31	0.79	96	0.116	<20	1.62	0.078	0.13	12.9	<0.01	<0.1	<0.05	4.5	<0.5	5	<0.2
1404781	Rock Pulp		0.84	0.055	4	36	0.86	109	0.135	<20	1.77	0.097	0.15	0.2	0.06	<0.1	<0.05	5.0	<0.5	6	<0.2
1404782	Rock Chip		2.98	0.104	5	14	0.94	903	0.003	<20	0.32	0.020	0.29	3.4	0.05	<0.1	0.35	4.7	<0.5	1	<0.2
1404783	Rock Chip		3.49	0.082	5	19	1.19	421	0.005	<20	0.40	0.028	0.34	2.6	0.02	0.1	0.41	6.8	<0.5	2	<0.2
1404784	Rock Chip		5.52	0.095	5	9	1.85	700	0.004	<20	0.44	0.021	0.40	1.4	0.02	<0.1	0.37	6.5	<0.5	1	<0.2
1404785	Rock Chip		3.26	0.064	7	10	1.13	278	0.002	<20	0.31	0.023	0.27	1.7	0.03	<0.1	0.25	4.2	<0.5	1	<0.2
1404786	Rock Chip		1.72	0.021	2	11	0.50	205	<0.001	<20	0.20	0.019	0.18	3.0	0.17	<0.1	0.73	2.7	<0.5	<1	<0.2
1404787	Rock Chip		2.44	0.031	3	13	0.86	321	0.011	<20	0.29	0.017	0.25	3.5	0.26	<0.1	0.59	3.4	<0.5	<1	<0.2
1404788	Rock Chip		1.44	0.066	7	13	0.52	561	0.008	<20	0.28	0.030	0.22	2.4	0.04	<0.1	0.36	3.1	<0.5	1	<0.2
1404789	Rock Chip		2.29	0.045	11	10	0.81	883	0.004	<20	0.28	0.028	0.23	1.6	0.10	<0.1	0.37	3.7	<0.5	<1	<0.2
1404790	Rock Chip		3.86	0.168	9	9	1.55	214	0.053	<20	0.95	0.034	0.68	2.1	0.10	0.3	0.31	10.0	<0.5	4	<0.2
1404791	Rock Chip		3.93	0.093	11	28	1.50	216	0.039	<20	1.11	0.029	0.74	1.9	0.06	0.3	0.27	8.4	<0.5	3	<0.2
1404792	Rock Chip		3.16	0.117	20	30	1.09	149	0.041	<20	1.05	0.034	0.70	0.9	0.02	0.2	0.07	6.0	<0.5	4	<0.2
1404793	Rock Chip		2.81	0.108	18	11	0.87	320	0.022	<20	0.66	0.047	0.52	1.0	0.02	0.2	0.19	4.6	<0.5	3	<0.2
1404794	Rock Chip		4.00	0.158	23	27	2.05	209	0.072	<20	1.92	0.029	0.61	0.4	0.02	0.3	0.07	9.5	<0.5	7	<0.2
1404795	Rock Chip		5.24	0.109	13	40	2.63	271	0.080	<20	2.20	0.020	0.80	0.5	0.01	0.3	0.07	10.9	<0.5	6	<0.2
1404796	Rock Chip		4.55	0.225	18	8	1.80	230	0.072	<20	1.66	0.029	0.77	1.7	<0.01	0.3	0.11	8.5	<0.5	6	<0.2
1404797	Rock Chip		3.47	0.104	12	16	1.01	187	0.036	<20	0.85	0.038	0.67	2.8	0.01	0.2	0.22	6.1	<0.5	3	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 28, 2012

CERTIFICATE OF ANALYSIS WHI12000746.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1404798	Rock Chip	2.49	6	2.2	36.7	5.2	20	<0.1	13.3	10.0	529	2.27	2.7	1.2	1.9	15.2	68	<0.1	0.9	<0.1	22
1404799	Rock Chip	2.90	<2	1.4	39.7	24.3	64	<0.1	21.3	21.2	858	3.86	3.4	1.7	<0.5	13.4	138	0.3	1.6	<0.1	57
1404800	Rock Pulp	0.12	4327	10.5	72.2	501.7	1691	56.4	33.8	8.9	430	3.38	30.5	0.3	3326	1.1	33	16.6	47.6	1.0	57
1404801	Rock Pulp	0.12	3	2.5	26.7	2.2	44	0.4	25.5	10.9	416	2.45	4.6	0.3	2.4	0.9	39	0.2	0.3	<0.1	59
1404802	Rock Chip	2.12	5	1.6	26.2	14.9	53	0.1	19.3	20.8	752	3.52	2.5	1.4	2.1	11.5	94	<0.1	1.9	<0.1	60
1404803	Rock Chip	2.79	3	0.8	38.7	11.2	63	<0.1	17.3	31.2	961	5.32	3.0	1.8	<0.5	6.7	141	0.1	0.7	<0.1	98
1404804	Rock Chip	2.73	2	1.3	12.6	273.6	47	0.2	17.6	23.7	683	4.11	4.7	1.3	<0.5	10.8	85	0.1	0.7	<0.1	75
1404805	Rock Chip	3.34	<2	1.2	16.1	16.4	55	<0.1	10.3	22.1	753	4.32	3.9	1.2	<0.5	11.0	60	<0.1	1.0	<0.1	73
1404806	Rock Chip	2.89	14	1.5	16.8	5.9	29	0.1	12.2	18.5	791	3.29	3.9	1.0	11.7	14.1	89	0.1	0.8	0.2	31
1404807	Rock Chip	2.53	25	1.0	16.2	12.0	32	<0.1	15.9	14.1	908	3.09	2.2	1.0	16.8	6.5	198	0.1	0.8	<0.1	53
1404808	Rock Chip	3.32	10	1.1	16.4	22.6	41	<0.1	14.8	20.6	1048	3.71	2.5	0.9	12.0	7.5	152	0.2	0.7	<0.1	59
1404809	Rock Chip	2.92	19	1.9	18.3	4.9	38	<0.1	45.4	20.7	857	3.79	9.1	1.6	12.8	10.4	113	<0.1	0.8	0.2	55
1404810	Rock Chip	2.33	<2	1.3	3.5	2.1	23	<0.1	20.2	16.2	538	3.38	13.6	0.8	1.0	11.0	84	<0.1	0.4	<0.1	61
1404811	Rock Chip	2.90	<2	0.9	4.9	1.2	25	<0.1	12.1	23.3	499	4.28	1.0	0.4	<0.5	4.4	54	<0.1	0.1	<0.1	120
1404812	Rock Chip	3.51	<2	1.3	9.6	1.4	29	<0.1	19.0	18.2	590	3.84	0.5	0.5	<0.5	6.1	62	<0.1	<0.1	<0.1	83
1404813	Rock Chip	3.01	<2	1.1	5.7	1.7	40	<0.1	18.5	20.6	608	3.84	1.9	0.6	<0.5	6.0	73	<0.1	0.2	<0.1	98
1404814	Rock Chip	2.56	<2	1.1	9.2	1.4	44	<0.1	46.8	25.2	860	3.90	1.9	0.6	<0.5	3.1	100	<0.1	0.1	<0.1	90
1404815	Rock Chip	2.76	<2	1.2	7.4	7.6	38	0.1	26.0	22.0	768	3.19	15.1	0.7	<0.5	2.5	106	<0.1	0.1	<0.1	74
1404816	Rock Chip	2.57	<2	1.5	9.5	0.9	27	<0.1	14.2	19.2	486	3.49	<0.5	0.3	<0.5	2.2	43	<0.1	0.1	<0.1	87
1404817	Rock Chip	3.06	<2	1.3	30.2	0.9	37	<0.1	33.6	21.5	485	3.05	0.7	0.4	<0.5	1.7	59	<0.1	<0.1	<0.1	69
1404818	Rock Chip	2.83	<2	0.8	18.3	1.1	35	<0.1	34.0	22.0	647	3.78	<0.5	0.4	<0.5	1.4	97	<0.1	0.1	<0.1	82
1404819	Rock Chip	1.88	<2	2.0	14.2	1.8	39	<0.1	20.2	18.6	539	4.21	3.9	1.0	<0.5	8.6	69	<0.1	0.3	<0.1	99
1404820	Rock Pulp	0.12	<2	2.3	24.8	2.3	44	0.2	22.5	9.9	398	2.30	4.7	0.2	<0.5	0.8	38	0.1	0.2	<0.1	55
1404821	Rock Pulp	0.12	1524	8.2	46.3	5.4	50	0.2	30.5	8.9	464	3.09	6.4	0.3	880.1	0.9	40	0.1	0.8	0.1	60
1404822	Rock Chip	2.61	3	1.4	26.2	0.8	44	<0.1	36.2	19.3	572	3.34	1.2	0.7	9.0	5.3	68	<0.1	0.1	<0.1	70
1404823	Rock Chip	3.00	<2	1.0	6.7	2.5	37	<0.1	34.5	25.4	681	4.30	1.1	1.0	4.2	6.0	88	<0.1	0.2	<0.1	104
1404824	Rock Chip	1.16	2	0.8	7.1	32.8	61	<0.1	33.2	27.9	1391	5.14	12.3	3.5	3.2	3.2	218	0.1	0.2	<0.1	110
1404825	Rock Chip	1.38	<2	0.7	6.7	46.2	61	0.1	32.6	27.8	1371	4.95	13.3	3.5	1.7	3.0	223	0.1	0.2	<0.1	107
1404826	Rock Chip	3.10	<2	0.8	7.4	2.4	50	<0.1	25.4	25.9	869	4.42	2.3	2.0	<0.5	2.2	135	<0.1	0.2	<0.1	102
1404827	Rock Chip	3.45	<2	0.9	22.2	0.5	34	<0.1	31.2	22.5	565	3.66	0.5	0.2	1.9	0.7	72	<0.1	<0.1	<0.1	102

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 28, 2012

CERTIFICATE OF ANALYSIS WHI12000746.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1404798	Rock Chip	2.34	0.051	16	21	0.76	112	0.018	<20	0.64	0.038	0.49	3.1	0.01	0.2	0.18	3.7	<0.5	2	<0.2
1404799	Rock Chip	3.84	0.124	18	29	1.80	308	0.049	<20	1.32	0.033	0.68	0.5	0.04	0.2	0.15	7.6	<0.5	4	<0.2
1404800	Rock Pulp	0.70	0.051	5	29	0.63	110	0.108	<20	1.26	0.081	0.11	2.3	0.23	1.2	0.35	4.4	<0.5	6	<0.2
1404801	Rock Pulp	0.82	0.058	4	32	0.81	96	0.123	<20	1.65	0.080	0.13	12.9	<0.01	<0.1	<0.05	4.7	<0.5	5	<0.2
1404802	Rock Chip	2.90	0.106	16	19	1.54	250	0.043	<20	1.06	0.032	0.60	1.1	0.02	0.2	0.28	8.4	<0.5	4	<0.2
1404803	Rock Chip	3.89	0.200	12	15	2.19	207	0.050	<20	2.03	0.024	0.54	1.7	0.01	0.2	0.18	9.7	<0.5	8	<0.2
1404804	Rock Chip	2.72	0.153	20	20	1.80	202	0.057	<20	1.68	0.033	0.60	0.8	0.01	0.2	0.17	7.9	<0.5	6	<0.2
1404805	Rock Chip	2.36	0.186	22	12	1.69	340	0.095	<20	1.70	0.033	0.82	0.8	<0.01	0.2	0.36	6.5	<0.5	7	<0.2
1404806	Rock Chip	3.06	0.092	17	13	1.25	203	0.042	<20	0.75	0.033	0.57	1.1	0.03	0.2	0.86	4.5	<0.5	3	<0.2
1404807	Rock Chip	9.53	0.110	12	28	1.51	170	0.039	<20	1.15	0.026	0.50	1.3	0.02	0.2	0.24	7.3	<0.5	4	<0.2
1404808	Rock Chip	4.76	0.165	16	15	1.42	248	0.096	<20	1.25	0.028	0.89	2.3	<0.01	0.3	0.31	6.9	<0.5	4	<0.2
1404809	Rock Chip	3.66	0.104	24	102	1.95	361	0.070	<20	1.71	0.027	0.81	0.6	0.02	0.2	0.52	8.0	<0.5	6	<0.2
1404810	Rock Chip	2.04	0.163	31	43	1.56	534	0.165	<20	1.82	0.040	1.27	0.3	0.01	0.3	0.20	3.7	<0.5	6	<0.2
1404811	Rock Chip	1.65	0.142	14	23	1.79	681	0.301	<20	2.22	0.078	1.52	0.3	<0.01	0.3	<0.05	5.2	<0.5	8	<0.2
1404812	Rock Chip	1.59	0.150	20	36	1.92	871	0.292	<20	2.42	0.050	1.79	0.3	<0.01	0.3	<0.05	3.6	<0.5	7	<0.2
1404813	Rock Chip	1.77	0.131	14	48	2.19	693	0.238	<20	2.40	0.050	1.39	0.3	<0.01	0.3	<0.05	5.1	<0.5	7	<0.2
1404814	Rock Chip	3.22	0.125	8	154	2.62	307	0.184	<20	2.53	0.043	0.87	0.2	<0.01	0.2	0.09	7.5	<0.5	8	<0.2
1404815	Rock Chip	2.87	0.109	6	76	2.24	407	0.209	<20	2.12	0.044	1.03	0.2	<0.01	0.3	0.18	7.0	<0.5	6	<0.2
1404816	Rock Chip	1.54	0.194	5	38	1.64	558	0.268	<20	1.89	0.108	0.87	0.3	<0.01	0.2	<0.05	5.6	<0.5	6	<0.2
1404817	Rock Chip	1.61	0.141	4	65	1.95	432	0.235	<20	1.88	0.064	0.80	0.2	<0.01	0.2	0.13	4.3	<0.5	5	<0.2
1404818	Rock Chip	2.05	0.164	6	70	2.00	842	0.250	<20	2.33	0.052	1.18	0.2	0.01	0.3	0.08	5.9	<0.5	6	<0.2
1404819	Rock Chip	1.60	0.116	27	36	1.53	569	0.193	<20	2.11	0.052	1.07	0.2	0.01	0.2	0.06	8.2	<0.5	8	<0.2
1404820	Rock Pulp	0.76	0.059	4	29	0.77	92	0.111	<20	1.53	0.074	0.12	11.1	0.02	<0.1	<0.05	4.5	<0.5	5	<0.2
1404821	Rock Pulp	0.77	0.060	4	32	0.81	102	0.120	<20	1.64	0.093	0.14	0.2	0.06	<0.1	<0.05	4.6	<0.5	5	<0.2
1404822	Rock Chip	1.72	0.102	11	111	1.87	401	0.209	<20	2.04	0.057	0.99	0.4	<0.01	0.3	<0.05	6.3	<0.5	6	<0.2
1404823	Rock Chip	2.70	0.104	15	79	2.22	272	0.199	<20	2.37	0.050	1.10	0.1	<0.01	0.3	<0.05	9.6	<0.5	7	<0.2
1404824	Rock Chip	6.00	0.109	12	57	3.18	294	0.103	<20	2.83	0.020	1.05	<0.1	<0.01	0.3	0.20	16.1	<0.5	7	<0.2
1404825	Rock Chip	6.15	0.100	11	53	3.09	283	0.096	<20	2.74	0.018	0.94	0.2	<0.01	0.3	0.21	15.9	<0.5	7	<0.2
1404826	Rock Chip	3.81	0.118	8	42	2.65	436	0.173	<20	2.67	0.040	0.96	<0.1	<0.01	0.3	0.06	11.8	<0.5	7	<0.2
1404827	Rock Chip	2.08	0.184	3	77	2.06	518	0.272	<20	2.11	0.103	0.93	0.2	<0.01	0.2	0.09	7.9	<0.5	6	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 28, 2012

CERTIFICATE OF ANALYSIS WHI12000746.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1404828	Rock Chip	2.97	<2	1.5	8.4	1.3	18	<0.1	33.6	14.5	309	1.43	0.8	0.3	<0.5	1.5	78	<0.1	<0.1	<0.1	35
1404829	Rock Chip	3.19	<2	1.6	15.3	5.9	38	0.2	40.2	20.9	600	3.19	13.4	0.4	1.1	2.3	82	0.1	0.1	<0.1	70
1404830	Rock Chip	2.52	<2	1.4	13.7	1.1	38	<0.1	9.2	22.2	625	4.03	1.5	0.3	<0.5	1.4	63	<0.1	0.1	<0.1	120
1404831	Rock Chip	2.66	<2	1.6	31.5	0.9	42	<0.1	25.1	21.8	643	3.43	1.3	0.3	<0.5	1.9	81	<0.1	<0.1	<0.1	78
1404832	Rock Chip	3.20	<2	2.2	38.5	1.6	54	<0.1	29.3	21.6	630	3.32	2.4	0.5	<0.5	4.4	74	<0.1	<0.1	<0.1	68
1404833	Rock Chip	2.78	<2	1.5	26.5	2.7	57	<0.1	18.3	22.6	662	3.44	2.3	0.5	<0.5	5.5	89	<0.1	<0.1	<0.1	69
1404834	Rock Chip	2.39	<2	1.3	23.5	1.4	62	<0.1	22.4	24.5	739	3.88	1.9	0.5	<0.5	5.6	86	<0.1	<0.1	<0.1	77
1404835	Rock Chip	2.80	<2	1.6	38.1	2.3	51	<0.1	22.9	19.9	655	3.60	1.8	0.7	<0.5	7.9	89	<0.1	0.1	<0.1	59
1404836	Rock Chip	2.75	<2	1.2	37.7	1.7	47	<0.1	25.7	22.4	623	3.42	1.9	0.5	<0.5	3.7	94	<0.1	<0.1	<0.1	71
1404837	Rock Chip	2.32	2	1.3	40.6	3.4	133	<0.1	34.4	21.6	567	3.20	1.6	0.3	<0.5	1.1	78	<0.1	2.4	<0.1	67
1404838	Rock Chip	2.01	<2	1.4	33.8	2.7	47	<0.1	14.7	22.1	669	4.02	1.0	0.6	<0.5	6.2	87	<0.1	0.1	<0.1	92

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 28, 2012

CERTIFICATE OF ANALYSIS WHI12000746.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
1404828	Rock Chip	2.18	0.049	3	148	1.70	154	0.149	<20	1.24	0.033	0.41	0.1	<0.01	<0.1	<0.05	5.8	<0.5	2	<0.2
1404829	Rock Chip	2.21	0.133	4	122	2.23	347	0.217	<20	2.09	0.048	0.88	0.1	<0.01	0.2	0.13	6.7	<0.5	5	<0.2
1404830	Rock Chip	2.21	0.178	5	18	1.71	359	0.281	<20	2.14	0.153	0.71	0.2	<0.01	0.1	<0.05	8.7	<0.5	7	<0.2
1404831	Rock Chip	2.13	0.134	5	39	1.88	553	0.248	<20	2.12	0.072	1.10	0.2	0.01	0.2	0.05	5.9	<0.5	6	<0.2
1404832	Rock Chip	2.09	0.132	8	62	2.00	462	0.250	<20	2.18	0.067	1.17	0.4	<0.01	0.2	0.16	4.4	<0.5	6	<0.2
1404833	Rock Chip	2.00	0.122	15	37	2.10	518	0.233	<20	2.37	0.063	1.22	0.3	0.01	0.2	0.07	4.1	<0.5	6	<0.2
1404834	Rock Chip	1.83	0.133	16	39	2.44	872	0.279	<20	2.75	0.067	1.65	0.3	<0.01	0.3	0.05	4.6	<0.5	7	<0.2
1404835	Rock Chip	2.04	0.111	26	43	2.09	583	0.219	<20	2.55	0.044	1.50	0.3	<0.01	0.3	0.07	3.9	<0.5	7	<0.2
1404836	Rock Chip	2.06	0.125	14	42	2.02	596	0.237	<20	2.21	0.064	1.02	0.2	<0.01	0.2	0.09	5.6	<0.5	6	<0.2
1404837	Rock Chip	1.81	0.138	5	56	1.89	557	0.274	<20	1.99	0.072	0.88	1.3	<0.01	0.2	0.11	4.9	<0.5	5	<0.2
1404838	Rock Chip	1.67	0.114	16	24	1.86	467	0.271	<20	2.36	0.070	1.09	0.3	<0.01	0.3	0.09	5.3	<0.5	7	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 28, 2012

QUALITY CONTROL REPORT WHI12000746.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
1404750	Rock Chip	1.54	<2	0.5	10.7	11.9	32	<0.1	41.3	18.5	963	3.91	11.5	2.7	2.0	3.1	167	<0.1	0.7	<0.1	53
REP 1404750	QC			0.7	10.5	12.0	33	<0.1	42.2	18.5	962	3.94	11.6	2.6	<0.5	3.0	167	<0.1	0.5	<0.1	53
1404760	Rock Pulp	0.12	<2	2.5	25.2	2.2	42	0.2	23.4	10.4	368	2.32	4.4	0.2	<0.5	0.7	34	0.2	0.2	<0.1	55
REP 1404760	QC		2																		
1404785	Rock Chip	2.75	30	2.7	78.3	46.7	23	0.3	11.5	19.7	900	2.43	21.4	1.1	40.8	5.6	118	0.4	1.9	<0.1	13
REP 1404785	QC			2.8	81.5	47.4	23	0.3	11.2	20.3	928	2.47	22.1	1.1	44.0	5.7	119	0.4	2.1	<0.1	14
1404794	Rock Chip	2.82	<2	1.0	37.2	16.9	50	<0.1	20.7	27.4	963	4.87	17.6	1.2	<0.5	7.7	141	0.1	1.8	<0.1	83
REP 1404794	QC		<2																		
1404820	Rock Pulp	0.12	<2	2.3	24.8	2.3	44	0.2	22.5	9.9	398	2.30	4.7	0.2	<0.5	0.8	38	0.1	0.2	<0.1	55
REP 1404820	QC			2.3	24.7	2.1	44	0.2	24.0	10.3	397	2.31	4.2	0.2	<0.5	0.8	38	0.2	0.2	<0.1	55
1404828	Rock Chip	2.97	<2	1.5	8.4	1.3	18	<0.1	33.6	14.5	309	1.43	0.8	0.3	<0.5	1.5	78	<0.1	<0.1	<0.1	35
REP 1404828	QC		<2																		
Core Reject Duplicates																					
1404739	Rock Chip	1.59	3	0.7	56.6	4.7	43	<0.1	34.5	20.1	807	3.79	77.6	1.3	0.8	8.0	99	<0.1	2.4	0.2	65
DUP 1404739	QC		<2	0.9	56.6	5.8	48	<0.1	34.3	20.2	837	3.79	79.1	1.3	0.6	7.9	99	<0.1	2.6	0.1	64
1404774	Rock Chip	1.72	87	1.5	116.1	58.4	48	0.5	37.2	30.6	1325	4.55	20.0	1.2	65.7	3.0	262	0.1	5.1	<0.1	74
DUP 1404774	QC		103	1.3	111.5	56.4	48	0.5	37.7	30.4	1341	4.55	20.6	1.1	27.9	3.0	268	0.2	5.2	<0.1	73
1404809	Rock Chip	2.92	19	1.9	18.3	4.9	38	<0.1	45.4	20.7	857	3.79	9.1	1.6	12.8	10.4	113	<0.1	0.8	0.2	55
DUP 1404809	QC		21	1.7	16.2	6.2	38	0.1	45.5	21.2	854	3.84	10.0	1.6	37.6	10.0	113	0.1	0.8	0.2	55
Reference Materials																					
STD DS9	Standard			13.9	116.1	130.7	327	1.8	43.7	8.2	606	2.43	25.3	2.8	102.8	6.9	65	2.4	5.0	6.4	40
STD DS9	Standard			13.7	114.6	124.6	310	2.0	44.5	8.1	615	2.43	25.3	2.6	89.7	6.6	70	2.6	4.8	6.1	41
STD DS9	Standard			11.8	109.8	116.9	310	2.0	41.0	7.5	559	2.25	25.9	2.2	132.8	5.6	68	2.4	3.9	6.3	38
STD OREAS45CA	Standard			1.0	510.6	20.2	56	0.3	251.6	96.3	937	16.00	3.3	1.2	44.7	7.6	13	0.1	0.1	0.2	218
STD OREAS45CA	Standard			1.2	529.4	20.5	58	0.3	252.4	94.0	982	16.00	3.6	1.2	48.7	7.5	14	0.1	0.1	0.1	223
STD OREAS45CA	Standard			1.0	543.5	20.7	63	0.3	260.8	95.1	997	16.64	3.6	1.2	40.1	7.0	15	<0.1	<0.1	0.2	222
STD OXD87	Standard		429																		
STD OXD87	Standard		442																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 28, 2012

QUALITY CONTROL REPORT WHI12000746.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2
Pulp Duplicates																				
1404750	Rock Chip	8.50	0.060	9	34	3.78	83	<0.001	<20	0.45	0.021	0.21	<0.1	<0.01	0.1	0.13	8.1	<0.5	1	<0.2
REP 1404750	QC	8.56	0.061	9	35	3.81	82	<0.001	<20	0.44	0.022	0.21	<0.1	<0.01	0.1	0.13	8.2	<0.5	1	<0.2
1404760	Rock Pulp	0.77	0.056	4	32	0.76	87	0.108	<20	1.49	0.071	0.12	10.9	<0.01	<0.1	<0.05	4.0	<0.5	5	<0.2
REP 1404760	QC																			
1404785	Rock Chip	3.26	0.064	7	10	1.13	278	0.002	<20	0.31	0.023	0.27	1.7	0.03	<0.1	0.25	4.2	<0.5	1	<0.2
REP 1404785	QC	3.30	0.065	7	10	1.15	286	0.003	<20	0.32	0.023	0.28	1.7	0.04	<0.1	0.25	4.5	<0.5	1	<0.2
1404794	Rock Chip	4.00	0.158	23	27	2.05	209	0.072	<20	1.92	0.029	0.61	0.4	0.02	0.3	0.07	9.5	<0.5	7	<0.2
REP 1404794	QC																			
1404820	Rock Pulp	0.76	0.059	4	29	0.77	92	0.111	<20	1.53	0.074	0.12	11.1	0.02	<0.1	<0.05	4.5	<0.5	5	<0.2
REP 1404820	QC	0.76	0.059	4	29	0.77	95	0.110	<20	1.50	0.073	0.12	11.4	<0.01	<0.1	<0.05	4.3	<0.5	5	<0.2
1404828	Rock Chip	2.18	0.049	3	148	1.70	154	0.149	<20	1.24	0.033	0.41	0.1	<0.01	<0.1	<0.05	5.8	<0.5	2	<0.2
REP 1404828	QC																			
Core Reject Duplicates																				
1404739	Rock Chip	4.06	0.082	28	41	1.42	705	0.011	<20	1.34	0.030	0.25	0.1	<0.01	0.2	0.13	11.6	<0.5	5	<0.2
DUP 1404739	QC	4.08	0.085	27	40	1.41	729	0.010	<20	1.30	0.027	0.24	0.1	<0.01	0.2	0.12	11.8	<0.5	5	<0.2
1404774	Rock Chip	5.53	0.115	9	47	2.33	377	0.040	<20	1.37	0.022	0.62	1.7	0.03	0.2	0.44	12.5	<0.5	5	<0.2
DUP 1404774	QC	5.57	0.112	9	46	2.36	355	0.041	<20	1.31	0.019	0.58	1.7	0.04	0.2	0.44	12.3	<0.5	5	<0.2
1404809	Rock Chip	3.66	0.104	24	102	1.95	361	0.070	<20	1.71	0.027	0.81	0.6	0.02	0.2	0.52	8.0	<0.5	6	<0.2
DUP 1404809	QC	3.67	0.107	24	103	1.97	384	0.071	<20	1.69	0.028	0.83	0.6	0.01	0.2	0.50	8.1	<0.5	6	<0.2
Reference Materials																				
STD DS9	Standard	0.73	0.088	13	128	0.65	315	0.113	<20	0.98	0.083	0.41	2.8	0.20	5.4	0.18	2.5	5.6	4	4.8
STD DS9	Standard	0.73	0.080	13	128	0.66	324	0.117	<20	1.01	0.085	0.42	3.0	0.19	5.7	0.17	2.3	5.5	5	5.3
STD DS9	Standard	0.70	0.083	11	114	0.61	306	0.107	<20	0.92	0.077	0.38	2.4	0.21	5.3	0.16	2.3	5.2	5	5.5
STD OREAS45CA	Standard	0.44	0.037	16	761	0.14	162	0.137	<20	3.60	0.007	0.07	<0.1	0.02	0.1	<0.05	44.9	<0.5	18	<0.2
STD OREAS45CA	Standard	0.45	0.034	16	780	0.14	175	0.135	<20	3.71	0.008	0.07	<0.1	0.02	<0.1	<0.05	43.5	<0.5	20	<0.2
STD OREAS45CA	Standard	0.47	0.043	17	821	0.15	173	0.147	<20	3.85	0.007	0.07	<0.1	0.02	<0.1	<0.05	46.1	<0.5	20	<0.2
STD OXD87	Standard																			
STD OXD87	Standard																			

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 28, 2012

QUALITY CONTROL REPORT WHI12000746.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD OXD87	Standard		399																		
STD OXD87	Standard		436																		
STD OXD87	Standard		407																		
STD OXG99	Standard		979																		
STD OXG99	Standard		864																		
STD OXG99	Standard		1008																		
STD OXG99	Standard		975																		
STD OXG99	Standard		899																		
STD OXD87 Expected			417																		
STD OXG99 Expected			932																		
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		3																		
BLK	Blank		<2																		
BLK	Blank		3																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank		6																		
BLK	Blank		<2																		
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank		<2	0.4	3.4	2.8	44	<0.1	2.3	4.2	564	1.97	<0.5	1.8	1.6	5.5	56	<0.1	<0.1	<0.1	36
G1-WHI	Prep Blank		<2	<0.1	3.5	3.2	49	<0.1	2.8	4.6	620	2.10	<0.5	1.7	<0.5	6.7	63	<0.1	<0.1	<0.1	39

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 28, 2012

QUALITY CONTROL REPORT WHI12000746.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXD87	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXG99	Standard																			
STD OXD87 Expected																				
STD OXG99 Expected																				
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4	
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
BLK	Blank																			
BLK	Blank																			
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2
Prep Wash																				
G1-WHI	Prep Blank	0.46	0.078	12	6	0.52	164	0.126	<20	0.89	0.079	0.49	<0.1	<0.01	0.3	<0.05	2.1	<0.5	5	<0.2
G1-WHI	Prep Blank	0.53	0.085	14	7	0.55	185	0.144	<20	0.99	0.103	0.54	0.1	<0.01	0.4	<0.05	2.5	<0.5	5	<0.2

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada

www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Submitted By: Peter Tallman
Receiving Lab: Canada-Whitehorse
Received: August 21, 2012
Report Date: August 29, 2012
Page: 1 of 5

CERTIFICATE OF ANALYSIS WHI12000747.1

CLIENT JOB INFORMATION

Project: BET
Shipment ID:
P.O. Number NA-12308
Number of Samples: 110

SAMPLE DISPOSAL

RTRN-PLP Return
DISP-RJT Dispose of Reject After 90 days

Acme does not accept responsibility for samples left at the laboratory after 90 days without prior written instructions for sample storage or return.

SAMPLE PREPARATION AND ANALYTICAL PROCEDURES

Method Code	Number of Samples	Code Description	Test Wgt (g)	Report Status	Lab
R200-250	98	Crush, split and pulverize 250 g rock to 200 mesh			WHI
3B	110	Fire assay fusion Au by ICP-ES	30	Completed	VAN
1DX	110	1:1:1 Aqua Regia digestion ICP-MS analysis	0.5	Completed	VAN
G6Gr	1	Lead collection fire assay 30G fusion - Grav finish	30	Completed	VAN

ADDITIONAL COMMENTS

Invoice To: Ethos Gold Corp.
Suite 680-789 West Pender St
Vancouver BC V6C 1H2
Canada

CC: Graeme Joyce
Stephanie Korelin

BRITISH COLUMBIA CERTIFIED ASSAYER
CLARENCE LEONG
GENERAL MANAGER

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.
All results are considered the confidential property of the client. Acme assumes the liabilities for actual cost of analysis only. Results apply to samples as submitted.
"*" asterisk indicates that an analytical result could not be provided due to unusually high levels of interference from other elements.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 29, 2012

CERTIFICATE OF ANALYSIS WHI12000747.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1404839	Rock Chip	3.12	102	1.0	41.4	560.5	932	11.3	6.2	18.5	1694	4.57	128.4	2.4	104.2	8.8	91	13.0	10.2	<0.1	91
1404840	Rock Pulp	0.12	<2	2.7	25.9	1.9	43	0.4	25.4	11.2	420	2.52	5.0	0.2	2.6	0.9	39	0.3	0.2	<0.1	61
1404841	Rock Pulp	0.12	1375	8.5	48.0	5.7	50	0.3	34.1	9.4	486	3.28	6.8	0.3	1547	0.9	42	0.2	0.9	<0.1	66
1404842	Rock Chip	0.98	5	1.6	30.5	23.5	175	0.4	7.0	16.8	836	4.10	8.7	1.4	4.6	9.3	94	1.4	1.4	<0.1	109
1404843	Rock Chip	1.90	230	1.5	77.2	2108	2495	29.9	8.2	20.7	1063	5.19	401.0	1.9	246.8	8.2	95	32.8	19.3	<0.1	106
1404844	Rock Chip	1.87	329	1.2	58.4	1079	1539	12.9	7.7	19.1	1127	4.52	396.5	1.7	348.2	9.4	88	21.2	7.7	<0.1	106
1404845	Rock Chip	2.15	38	1.2	27.5	101.2	283	1.6	6.7	17.2	1025	3.96	123.1	1.7	61.3	8.9	83	3.2	2.1	<0.1	106
1404846	Rock Chip	2.26	61	0.9	30.3	172.6	248	5.1	6.5	16.7	1093	3.98	88.6	2.2	71.0	8.4	117	2.9	3.8	<0.1	98
1404847	Rock Chip	2.02	3	1.3	25.9	16.3	78	0.3	6.3	15.8	803	3.78	7.6	1.5	8.2	8.6	98	0.3	1.0	<0.1	100
1404848	Rock Chip	1.57	149	1.6	30.0	484.1	194	8.6	8.4	21.1	1522	4.27	233.2	3.1	151.0	9.6	113	1.9	9.4	<0.1	96
1404849	Rock Chip	1.92	2	1.8	25.1	15.7	73	0.3	7.5	15.6	717	3.73	5.7	1.6	33.2	9.8	106	0.4	0.9	<0.1	106
1404850	Rock Chip	2.26	<2	1.5	29.9	9.7	70	0.2	7.3	16.5	826	3.97	3.6	2.2	7.2	9.2	107	0.3	0.8	<0.1	111
1404851	Rock Chip	2.51	3	1.7	39.4	147.3	209	2.2	7.4	16.9	857	3.89	5.7	1.8	3.0	8.4	88	2.0	1.7	<0.1	111
1404852	Rock Chip	2.19	<2	1.7	24.9	11.1	61	0.2	7.5	13.9	586	3.48	2.5	1.4	1.8	8.4	77	0.2	0.5	<0.1	107
1404853	Rock Chip	2.37	<2	1.5	26.5	8.2	54	0.2	6.3	15.2	774	3.58	2.4	2.1	<0.5	8.3	93	0.2	0.8	<0.1	103
1404854	Rock Chip	2.01	9	1.3	25.8	20.5	93	0.3	5.9	16.9	829	3.90	13.7	2.0	7.5	8.8	91	0.3	1.5	<0.1	103
1404855	Rock Chip	2.41	18	1.0	26.4	74.3	296	1.4	6.2	17.5	1138	4.17	33.4	2.4	15.3	8.4	107	3.6	4.8	<0.1	97
1404856	Rock Chip	2.49	5	0.4	18.6	8.8	44	0.2	3.0	8.4	579	2.31	8.3	1.8	2.4	3.9	75	0.2	3.0	0.2	50
1404857	Rock Chip	2.60	3	1.5	29.1	5.4	66	0.1	7.5	17.1	779	4.01	3.6	2.3	<0.5	8.8	126	0.2	3.8	<0.1	121
1404858	Rock Chip	1.96	4	1.9	27.2	42.0	70	0.5	7.0	16.3	721	3.90	8.4	1.7	2.5	8.5	104	0.2	2.6	<0.1	121
1404859	Rock Chip	2.29	155	1.5	38.0	1195	1634	17.8	7.7	19.7	1472	4.80	454.3	2.5	133.7	8.1	90	19.1	71.5	<0.1	99
1404860	Rock Pulp	0.12	<2	2.5	26.2	2.3	43	0.2	23.9	11.1	415	2.43	4.5	0.3	<0.5	1.0	40	0.2	0.2	<0.1	61
1404861	Rock Pulp	0.12	3985	10.0	74.1	487.3	1650	52.9	32.9	8.9	423	3.33	31.4	0.3	3690	1.1	35	15.4	48.1	0.9	56
1404862	Rock Chip	1.64	2	1.2	28.3	9.5	83	0.2	6.7	17.6	876	4.15	4.7	2.2	0.8	9.5	122	0.2	11.4	<0.1	114
1404863	Rock Chip	1.79	294	1.4	50.0	1799	2922	18.4	7.4	20.0	1552	4.94	915.0	2.9	245.8	9.3	92	35.1	45.3	<0.1	84
1404864	Rock Chip	1.70	223	1.3	71.0	1991	4573	34.7	7.4	17.8	1368	4.59	578.2	2.7	221.3	8.5	86	59.9	48.0	<0.1	97
1404865	Rock Chip	2.14	3	1.3	32.7	39.4	186	0.8	7.7	19.5	848	4.44	52.9	2.7	28.4	9.1	132	1.3	7.1	0.2	143
1404866	Rock Chip	1.92	105	1.5	33.9	314.1	561	4.9	7.5	15.9	1007	3.78	169.1	1.8	115.4	9.5	92	7.3	10.1	<0.1	108
1404867	Rock Chip	2.47	<2	1.6	28.5	53.1	128	0.7	6.9	15.8	952	3.74	8.2	2.0	5.6	8.7	93	1.0	4.3	<0.1	113
1404868	Rock Chip	2.60	46	1.4	34.8	198.2	300	2.7	6.6	15.4	849	3.68	52.9	2.5	42.4	9.0	86	4.2	5.2	<0.1	113

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 29, 2012

CERTIFICATE OF ANALYSIS WHI12000747.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1404839	Rock Chip	3.08	0.074	18	16	1.54	707	0.094	<20	1.55	0.047	0.61	0.2	0.02	0.4	0.60	14.9	<0.5	5	<0.2	
1404840	Rock Pulp	0.86	0.062	4	32	0.83	97	0.123	<20	1.68	0.083	0.13	11.9	<0.01	<0.1	<0.05	4.7	<0.5	5	<0.2	
1404841	Rock Pulp	0.89	0.060	4	35	0.85	105	0.133	<20	1.77	0.100	0.15	0.2	0.05	<0.1	<0.05	5.3	<0.5	5	<0.2	
1404842	Rock Chip	1.69	0.076	16	22	1.25	1224	0.224	<20	2.04	0.186	0.88	0.3	<0.01	0.4	<0.05	13.4	<0.5	6	<0.2	
1404843	Rock Chip	2.14	0.084	15	22	1.39	185	0.172	<20	1.82	0.129	0.79	0.2	0.04	0.4	1.16	13.7	<0.5	6	<0.2	
1404844	Rock Chip	1.95	0.078	17	20	1.39	966	0.170	<20	1.78	0.112	0.81	0.2	<0.01	0.4	0.57	16.2	<0.5	6	<0.2	
1404845	Rock Chip	1.89	0.078	15	20	1.33	1104	0.205	<20	1.88	0.144	0.85	0.2	<0.01	0.5	0.17	12.8	<0.5	6	<0.2	
1404846	Rock Chip	2.93	0.073	17	18	1.59	998	0.178	<20	1.72	0.138	0.77	0.2	0.02	0.4	0.19	12.0	<0.5	5	<0.2	
1404847	Rock Chip	1.95	0.073	16	20	1.41	1038	0.192	<20	1.88	0.165	0.81	0.1	0.02	0.5	<0.05	12.2	<0.5	6	<0.2	
1404848	Rock Chip	2.59	0.074	17	20	1.33	915	0.134	<20	1.63	0.143	0.65	0.2	0.04	0.4	0.40	13.3	<0.5	5	<0.2	
1404849	Rock Chip	1.48	0.073	16	23	1.22	1088	0.220	<20	2.15	0.225	0.88	0.2	<0.01	0.4	<0.05	11.3	<0.5	7	<0.2	
1404850	Rock Chip	1.59	0.078	17	23	1.30	1052	0.195	<20	2.09	0.192	0.81	0.2	<0.01	0.4	<0.05	12.2	<0.5	6	<0.2	
1404851	Rock Chip	1.72	0.081	15	25	1.38	1142	0.254	<20	2.17	0.199	0.91	0.4	<0.01	0.4	0.19	9.4	<0.5	7	<0.2	
1404852	Rock Chip	1.37	0.076	14	26	1.25	1132	0.252	<20	2.11	0.207	0.84	0.4	<0.01	0.4	<0.05	7.6	<0.5	6	<0.2	
1404853	Rock Chip	1.90	0.075	14	22	1.26	1090	0.234	<20	1.99	0.182	0.85	0.5	<0.01	0.4	0.11	9.7	<0.5	6	<0.2	
1404854	Rock Chip	1.64	0.075	16	20	1.28	1108	0.214	<20	1.88	0.156	0.89	0.2	<0.01	0.5	0.09	11.8	<0.5	6	<0.2	
1404855	Rock Chip	2.83	0.075	17	16	1.61	953	0.126	<20	1.38	0.071	0.65	<0.1	0.03	0.4	0.21	16.4	<0.5	5	<0.2	
1404856	Rock Chip	2.68	0.033	8	9	1.10	328	0.044	<20	0.82	0.032	0.27	<0.1	<0.01	0.2	<0.05	7.3	<0.5	3	<0.2	
1404857	Rock Chip	2.09	0.072	15	24	1.50	1134	0.221	<20	2.38	0.196	0.85	0.4	0.02	0.4	<0.05	12.5	<0.5	7	<0.2	
1404858	Rock Chip	1.89	0.078	14	24	1.39	1302	0.264	<20	2.46	0.230	0.94	0.2	<0.01	0.4	0.08	10.6	<0.5	7	<0.2	
1404859	Rock Chip	2.32	0.078	17	20	1.38	262	0.159	<20	1.68	0.100	0.75	0.2	0.05	0.4	0.93	14.4	<0.5	6	<0.2	
1404860	Rock Pulp	0.87	0.057	4	32	0.81	96	0.132	<20	1.69	0.081	0.13	11.7	<0.01	<0.1	<0.05	4.9	<0.5	5	<0.2	
1404861	Rock Pulp	0.73	0.052	5	29	0.62	114	0.114	<20	1.28	0.079	0.11	2.1	0.21	1.1	0.34	4.5	<0.5	7	<0.2	
1404862	Rock Chip	2.36	0.074	18	22	1.42	1151	0.194	<20	2.03	0.146	0.80	0.1	<0.01	0.4	<0.05	14.6	<0.5	7	<0.2	
1404863	Rock Chip	3.61	0.074	17	16	1.91	323	0.079	<20	1.40	0.039	0.51	0.1	0.04	0.4	1.32	15.3	<0.5	5	<0.2	
1404864	Rock Chip	2.26	0.070	15	21	1.42	204	0.151	<20	1.83	0.116	0.64	0.3	0.03	0.4	1.34	11.4	<0.5	6	<0.2	
1404865	Rock Chip	2.16	0.084	18	28	1.88	1213	0.256	<20	2.67	0.153	0.92	0.2	<0.01	0.4	0.06	14.0	<0.5	9	<0.2	
1404866	Rock Chip	1.78	0.075	15	25	1.33	1087	0.227	<20	2.19	0.190	0.80	0.4	<0.01	0.4	0.38	9.5	<0.5	7	<0.2	
1404867	Rock Chip	1.88	0.077	15	24	1.43	1074	0.234	<20	2.28	0.193	0.83	0.3	<0.01	0.5	0.17	9.6	<0.5	7	<0.2	
1404868	Rock Chip	1.79	0.071	15	25	1.45	1043	0.222	<20	2.12	0.183	0.77	0.4	<0.01	0.4	0.26	9.3	<0.5	7	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 29, 2012

CERTIFICATE OF ANALYSIS WHI12000747.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1404869	Rock Chip	2.46	86	1.5	35.9	121.3	255	10.8	7.1	16.4	739	3.94	82.6	1.8	56.6	9.0	80	2.1	14.5	<0.1	122
1404870	Rock Chip	2.48	<2	1.5	26.2	89.7	182	1.4	6.6	14.4	658	3.54	2.3	2.6	4.6	9.3	83	1.9	2.8	<0.1	99
1404871	Rock Chip	2.38	264	1.1	41.8	1076	2556	13.2	7.7	18.8	1493	4.46	396.3	3.1	267.8	8.7	102	32.3	22.3	<0.1	84
1404872	Rock Chip	2.65	75	1.1	52.2	659.6	1942	10.1	7.7	18.2	1024	4.46	93.8	3.5	96.0	9.1	88	24.9	12.3	0.2	104
1404873	Rock Chip	2.33	<2	1.7	32.7	6.1	59	0.2	7.8	15.7	672	3.65	6.5	2.0	2.7	8.1	86	0.1	1.8	<0.1	109
1404874	Rock Chip	1.13	14	2.0	26.7	23.9	191	0.4	6.4	14.1	784	3.24	33.1	2.6	12.0	8.7	63	1.4	2.1	0.1	100
1404875	Rock Chip	1.03	23	1.5	27.7	36.4	265	0.6	6.6	15.5	939	3.43	51.5	2.6	21.2	8.6	74	2.1	2.6	0.2	105
1404876	Rock Chip	2.41	<2	1.9	26.0	6.6	54	0.1	7.3	14.6	766	3.41	2.6	2.8	<0.5	8.8	63	<0.1	3.7	<0.1	103
1404877	Rock Chip	1.68	278	1.7	32.1	1487	1500	12.1	6.8	15.2	1056	3.81	334.2	2.8	219.2	9.1	57	20.6	336.0	0.1	88
1404878	Rock Chip	2.16	2	2.6	25.1	7.3	53	0.1	6.3	13.3	498	3.13	4.4	2.2	<0.5	10.3	57	0.2	2.8	<0.1	99
1404879	Rock Chip	2.18	226	1.9	37.3	921.6	962	9.7	6.6	16.0	1084	3.85	189.8	3.4	334.6	10.1	63	13.4	207.8	0.1	92
1404880	Rock Pulp	0.12	<2	2.5	25.3	2.3	43	0.2	23.7	10.3	375	2.34	4.7	0.2	0.7	0.9	34	0.1	0.2	<0.1	56
1404881	Rock Pulp	0.12	1541	8.5	49.3	5.7	47	0.2	30.5	9.2	467	3.15	7.6	0.3	702.7	0.9	37	<0.1	0.9	0.1	63
1404882	Rock Chip	2.29	115	1.8	45.9	893.0	1161	10.3	6.5	16.6	966	4.13	105.7	2.1	222.6	9.9	71	15.9	24.7	0.2	101
1404883	Rock Chip	2.62	285	1.8	66.7	2389	3395	31.5	6.8	17.1	1093	4.72	706.2	2.8	270.5	8.9	67	50.1	44.1	0.2	84
1404884	Rock Chip	2.64	3	1.5	26.5	26.0	90	0.5	6.7	18.9	812	4.15	15.9	4.9	4.4	10.2	76	0.6	2.4	0.2	113
1404885	Rock Chip	2.63	35	1.5	40.2	688.4	2828	8.9	6.1	15.4	1029	3.74	87.5	2.3	32.4	9.6	63	42.3	8.9	0.1	82
1404886	Rock Chip	1.72	2	2.3	29.4	10.5	66	0.2	6.8	15.5	733	3.60	4.9	2.9	1.8	9.1	88	0.1	1.3	0.1	98
1404887	Rock Chip	1.91	<2	1.3	26.1	6.8	60	0.2	6.1	16.1	824	3.79	7.6	2.5	4.3	8.9	91	0.1	1.1	0.1	101
1404888	Rock Chip	1.66	<2	2.3	23.0	7.1	56	0.1	6.5	14.6	708	3.39	3.2	2.7	0.8	8.1	66	<0.1	1.5	0.1	97
1404889	Rock Chip	1.94	56	0.8	41.2	1129	1671	14.1	6.1	19.0	1194	4.35	106.2	4.4	49.8	11.6	93	21.7	9.6	0.2	94
1404890	Rock Chip	2.41	3	1.2	30.6	71.3	129	0.9	6.9	19.1	945	3.99	11.7	4.0	7.0	11.1	93	1.0	4.5	0.2	101
1404891	Rock Chip	2.47	182	0.9	63.0	1575	1628	24.5	6.6	18.6	1214	4.65	256.0	3.1	165.0	9.0	72	20.5	23.3	0.2	77
1404892	Rock Chip	2.37	222	5.6	126.7	4020	2773	79.1	4.2	13.1	1826	4.55	328.6	2.7	181.3	7.4	116	39.5	30.4	0.3	45
1404893	Rock Chip	2.69	52	1.4	24.5	310.3	864	4.1	5.5	17.7	1067	4.52	85.1	11.2	46.4	10.8	88	12.5	6.3	0.1	96
1404894	Rock Chip	2.16	7	1.1	22.9	27.1	78	0.4	6.4	17.5	1110	4.66	20.7	4.8	3.6	10.9	70	0.4	4.1	0.2	114
1404895	Rock Chip	2.16	12	1.4	21.9	63.5	101	0.7	6.3	19.3	1357	4.25	21.1	5.0	13.9	10.1	82	0.9	5.8	0.1	102
1404896	Rock Chip	2.43	29	0.8	24.4	192.8	183	2.3	5.9	17.7	1097	4.39	55.6	3.5	31.8	8.9	91	2.1	5.8	0.1	97
1404897	Rock Chip	2.40	7	0.4	19.7	12.3	63	0.3	5.3	18.8	1105	4.87	20.0	4.3	4.7	7.9	66	0.1	4.2	0.2	89
1404898	Rock Chip	2.36	<2	0.5	27.6	6.6	62	0.2	5.9	16.5	697	4.12	5.4	2.5	<0.5	9.0	70	<0.1	4.6	0.2	103

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 29, 2012

CERTIFICATE OF ANALYSIS WHI12000747.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1404869	Rock Chip	1.62	0.081	15	26	1.40	1373	0.287	<20	2.28	0.202	0.95	0.3	<0.01	0.5	0.25	8.6	<0.5	7	<0.2	
1404870	Rock Chip	1.91	0.070	15	25	1.27	702	0.138	<20	2.10	0.184	0.48	0.6	<0.01	0.2	0.11	8.7	<0.5	7	<0.2	
1404871	Rock Chip	3.37	0.069	16	19	1.56	421	0.049	<20	1.78	0.069	0.38	0.1	0.03	0.2	0.97	12.5	<0.5	6	<0.2	
1404872	Rock Chip	2.41	0.079	16	21	1.49	278	0.155	<20	1.78	0.098	0.65	0.5	0.02	0.3	0.78	14.8	<0.5	6	<0.2	
1404873	Rock Chip	1.65	0.087	15	26	1.37	1146	0.233	<20	2.05	0.174	0.73	0.6	<0.01	0.3	0.07	9.0	<0.5	6	<0.2	
1404874	Rock Chip	1.58	0.072	14	24	1.26	990	0.203	<20	1.76	0.127	0.67	0.5	0.01	0.3	0.15	7.0	<0.5	5	<0.2	
1404875	Rock Chip	1.89	0.070	15	24	1.35	993	0.187	<20	1.87	0.132	0.63	0.4	0.02	0.3	0.21	8.8	<0.5	6	<0.2	
1404876	Rock Chip	1.41	0.077	15	24	1.22	1080	0.230	<20	1.81	0.143	0.77	0.6	<0.01	0.4	0.10	8.1	<0.5	6	<0.2	
1404877	Rock Chip	1.59	0.071	16	22	1.19	250	0.183	<20	1.55	0.130	0.68	0.4	0.01	0.4	1.04	7.8	<0.5	5	<0.2	
1404878	Rock Chip	1.11	0.074	16	24	1.14	1232	0.264	<20	1.80	0.157	0.82	1.3	<0.01	0.4	0.05	5.8	<0.5	6	<0.2	
1404879	Rock Chip	1.78	0.073	17	23	1.28	603	0.179	<20	1.64	0.106	0.69	1.2	0.01	0.3	0.78	9.5	<0.5	5	<0.2	
1404880	Rock Pulp	0.75	0.057	4	30	0.76	89	0.111	<20	1.48	0.069	0.12	11.8	<0.01	<0.1	<0.05	4.3	<0.5	5	<0.2	
1404881	Rock Pulp	0.80	0.058	4	34	0.81	97	0.121	<20	1.64	0.091	0.14	0.2	0.07	<0.1	<0.05	4.6	<0.5	5	<0.2	
1404882	Rock Chip	1.89	0.072	15	22	1.37	614	0.180	<20	1.65	0.103	0.68	0.3	0.01	0.4	0.75	12.1	<0.5	5	<0.2	
1404883	Rock Chip	2.34	0.072	15	18	1.43	154	0.120	<20	1.34	0.073	0.54	0.3	0.02	0.3	1.79	10.8	<0.5	4	<0.2	
1404884	Rock Chip	2.00	0.074	18	23	1.64	1046	0.183	<20	1.97	0.082	0.74	0.3	0.06	0.5	0.19	13.4	<0.5	6	<0.2	
1404885	Rock Chip	2.08	0.074	15	17	1.35	525	0.159	<20	1.31	0.068	0.59	0.4	0.02	0.3	0.87	8.5	<0.5	4	<0.2	
1404886	Rock Chip	2.18	0.072	15	24	1.39	812	0.158	<20	1.94	0.104	0.59	0.5	<0.01	0.3	0.06	9.8	<0.5	6	<0.2	
1404887	Rock Chip	2.24	0.072	16	23	1.48	926	0.164	<20	1.80	0.066	0.62	0.7	<0.01	0.3	0.11	11.2	<0.5	6	<0.2	
1404888	Rock Chip	1.63	0.073	14	23	1.33	1147	0.204	<20	1.63	0.101	0.74	0.3	0.01	0.4	0.07	10.3	<0.5	5	<0.2	
1404889	Rock Chip	3.17	0.075	20	19	1.63	377	0.090	<20	1.72	0.028	0.50	0.2	0.03	0.4	1.02	14.8	<0.5	5	<0.2	
1404890	Rock Chip	2.66	0.070	18	21	1.35	773	0.132	<20	1.51	0.091	0.58	0.3	0.02	0.4	0.21	14.6	<0.5	5	<0.2	
1404891	Rock Chip	2.99	0.068	15	14	1.38	203	0.059	<20	0.87	0.038	0.38	0.1	0.06	0.3	1.63	12.7	<0.5	3	<0.2	
1404892	Rock Chip	5.76	0.056	9	8	2.24	99	<0.001	<20	0.45	0.007	0.15	0.1	0.12	0.2	2.54	11.4	<0.5	1	<0.2	
1404893	Rock Chip	3.36	0.070	18	16	1.58	338	0.031	<20	1.51	0.027	0.25	<0.1	0.06	0.2	0.60	15.9	<0.5	4	<0.2	
1404894	Rock Chip	2.52	0.077	22	19	1.74	684	0.125	<20	2.01	0.035	0.51	0.1	0.08	0.4	0.22	17.3	<0.5	6	<0.2	
1404895	Rock Chip	3.81	0.072	19	16	1.90	289	0.031	<20	1.78	0.004	0.24	<0.1	0.08	0.3	0.25	17.1	<0.5	5	<0.2	
1404896	Rock Chip	3.62	0.074	18	15	1.71	283	0.016	<20	1.74	0.003	0.19	<0.1	0.08	0.2	0.53	16.4	<0.5	5	<0.2	
1404897	Rock Chip	2.92	0.068	15	15	1.97	568	0.043	<20	2.00	0.004	0.39	0.1	0.08	0.4	0.47	14.1	<0.5	6	<0.2	
1404898	Rock Chip	1.89	0.070	19	20	1.44	508	0.046	<20	2.12	0.045	0.33	<0.1	0.04	0.2	0.05	13.6	<0.5	7	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 29, 2012

CERTIFICATE OF ANALYSIS WHI12000747.1

Method		WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
Analyte		Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
Unit		kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
MDL		0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1404899	Rock Chip	1.98	<2	1.1	23.2	5.3	55	<0.1	6.0	15.2	589	3.60	4.1	2.5	<0.5	10.1	62	0.1	4.1	<0.1	91
1404900	Rock Pulp	0.12	7	2.5	23.6	1.9	40	0.3	22.1	10.1	355	2.26	4.2	0.2	<0.5	0.8	33	0.1	0.2	<0.1	53
1404901	Rock Pulp	0.12	3739	9.5	66.1	448.8	1465	49.6	30.7	8.1	362	2.98	29.1	0.3	2719	1.0	28	14.9	45.5	1.0	49
1404902	Rock Chip	2.08	<2	3.3	25.1	3.7	46	0.1	6.5	13.5	554	3.08	1.4	2.6	6.6	9.8	62	0.1	1.8	0.6	92
1404903	Rock Chip	2.41	3	1.7	22.8	3.7	51	<0.1	6.4	15.1	707	3.42	6.4	3.1	2.9	9.3	73	0.1	2.5	0.1	99
1404904	Rock Chip	2.41	<2	1.4	26.0	2.8	48	<0.1	7.0	15.0	666	3.42	2.8	2.9	<0.5	9.7	70	<0.1	1.7	0.3	102
1404905	Rock Chip	2.42	<2	1.1	22.3	3.5	81	0.1	5.7	16.7	747	3.87	32.5	3.8	1.2	12.0	85	<0.1	4.5	0.5	106
1404906	Rock Chip	1.68	<2	0.8	24.6	5.5	61	0.1	6.4	17.2	940	3.82	14.4	4.9	1.1	10.7	86	0.2	5.6	0.3	103
1404907	Rock Chip	2.30	<2	2.3	27.1	4.4	61	<0.1	6.9	16.8	639	3.95	13.6	2.7	3.2	9.7	90	0.1	6.4	0.2	105
1404908	Rock Chip	2.49	<2	1.8	24.1	4.0	64	<0.1	6.3	18.0	711	4.29	8.3	3.1	1.7	9.1	95	0.1	6.9	0.1	122
1404909	Rock Chip	2.28	2	1.3	27.8	3.9	59	0.1	6.1	15.7	745	3.74	10.7	2.6	2.9	8.8	90	<0.1	5.0	0.3	110
1404910	Rock Chip	2.33	7	1.5	25.1	27.0	97	0.5	5.8	17.5	854	4.02	19.6	2.9	8.4	10.0	97	0.6	4.8	0.6	109
1404911	Rock Chip	2.09	4	2.0	23.6	10.2	124	0.2	5.8	17.8	769	4.09	62.7	2.9	3.2	8.8	126	0.4	6.0	0.1	115
1404912	Rock Chip	2.07	23	1.2	26.3	51.0	163	0.8	5.6	18.1	832	4.29	135.2	3.7	25.9	10.5	81	1.2	6.0	0.2	107
1404913	Rock Chip	2.33	33	4.4	23.3	117.4	346	1.2	6.1	16.2	1621	4.01	818.0	3.8	35.3	8.4	124	3.4	9.1	0.3	67
1404914	Rock Chip	2.69	481	19.1	50.7	2915	>10000	39.4	4.7	13.7	1325	5.45	4254	5.8	435.6	6.8	91	143.1	18.0	0.1	30
1404915	Rock Chip	2.48	1231	57.5	143.3	8086	>10000	>100	4.7	11.4	2632	8.25	6687	1.6	1173	4.6	57	217.8	70.9	0.1	9
1404916	Rock Chip	2.26	137	4.0	63.6	1416	2248	22.1	6.5	18.0	1980	4.36	1392	3.2	129.2	9.1	60	31.0	16.3	0.2	57
1404917	Rock Chip	2.37	68	6.2	25.8	265.8	581	4.3	5.3	15.7	2439	4.09	2341	3.5	64.8	8.5	123	6.6	8.2	<0.1	45
1404918	Rock Chip	2.04	241	2.4	25.3	204.5	271	2.6	6.7	17.5	1826	3.82	4631	2.3	276.7	9.0	97	7.1	7.1	0.2	35
1404919	Rock Chip	2.69	128	6.0	29.3	647.6	718	7.6	5.5	16.9	2241	4.66	1906	2.1	146.9	9.9	75	12.2	7.4	0.2	33
1404920	Rock Pulp	0.12	3	2.4	25.9	2.1	43	0.3	25.6	11.4	399	2.48	5.4	0.3	0.6	1.0	39	0.1	0.2	<0.1	62
1404921	Rock Pulp	0.12	1558	9.3	50.5	5.8	51	0.3	33.9	8.9	472	3.30	6.6	0.3	1251	1.0	40	0.1	1.0	0.1	69
1404922	Rock Chip	1.93	304	1.2	41.6	1729	1901	28.5	5.1	13.9	1927	3.86	6309	3.0	307.0	9.1	107	32.0	26.1	0.1	39
1404923	Rock Chip	2.19	16	2.8	27.1	50.6	176	0.8	5.7	16.9	885	3.75	162.4	3.4	12.4	11.6	81	0.8	8.0	0.2	100
1404924	Rock Chip	1.03	16	2.3	27.9	33.0	100	0.6	6.5	14.4	671	3.47	294.3	3.2	7.5	11.5	80	1.2	10.3	0.1	96
1404925	Rock Chip	1.24	18	1.9	25.6	28.5	89	0.5	6.7	14.0	646	3.32	337.9	3.3	9.6	11.2	77	1.1	10.3	<0.1	92
1404926	Rock Chip	2.22	28	1.9	24.6	37.7	93	0.7	6.0	15.0	740	3.60	505.9	3.2	23.0	12.4	92	1.1	14.8	0.2	98
1404927	Rock Chip	1.88	16	2.0	28.4	209.6	110	2.5	6.6	15.1	1075	3.74	47.7	3.1	16.6	11.7	79	1.1	3.3	<0.1	101
1404928	Rock Chip	1.84	<2	1.7	24.3	5.0	55	<0.1	7.2	16.5	713	3.63	4.4	3.4	1.9	11.9	97	0.1	2.3	<0.1	108

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 29, 2012

CERTIFICATE OF ANALYSIS WHI12000747.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1404899	Rock Chip	1.64	0.069	17	20	1.32	621	0.089	<20	1.86	0.074	0.45	<0.1	0.01	0.2	<0.05	9.7	<0.5	6	<0.2	
1404900	Rock Pulp	0.69	0.058	3	29	0.72	85	0.097	<20	1.40	0.065	0.12	11.4	0.01	<0.1	<0.05	3.8	<0.5	4	<0.2	
1404901	Rock Pulp	0.59	0.050	5	26	0.55	98	0.083	<20	1.06	0.064	0.10	2.1	0.18	1.0	0.33	3.7	<0.5	6	<0.2	
1404902	Rock Chip	1.30	0.074	15	23	1.16	1046	0.208	<20	1.70	0.143	0.67	0.4	<0.01	0.3	<0.05	6.0	<0.5	6	<0.2	
1404903	Rock Chip	1.84	0.073	16	23	1.31	1106	0.197	<20	1.62	0.124	0.73	0.1	0.02	0.4	0.07	10.4	<0.5	5	<0.2	
1404904	Rock Chip	1.54	0.072	16	23	1.25	1092	0.215	<20	1.79	0.146	0.75	0.3	<0.01	0.4	0.05	8.9	<0.5	6	<0.2	
1404905	Rock Chip	1.94	0.070	20	20	1.27	1087	0.149	<20	1.92	0.081	0.64	0.2	0.03	0.4	0.07	12.8	<0.5	6	<0.2	
1404906	Rock Chip	2.50	0.072	21	18	1.30	881	0.137	<20	1.69	0.066	0.64	0.1	0.04	0.3	0.11	15.3	<0.5	5	<0.2	
1404907	Rock Chip	1.65	0.078	16	22	1.23	1208	0.132	<20	2.18	0.132	0.56	<0.1	0.02	0.3	<0.05	11.7	<0.5	6	<0.2	
1404908	Rock Chip	1.99	0.073	19	22	1.43	1262	0.191	<20	2.53	0.115	0.88	0.1	0.03	0.5	<0.05	15.4	<0.5	7	<0.2	
1404909	Rock Chip	1.95	0.067	16	22	1.23	1064	0.203	<20	2.16	0.173	0.82	0.3	0.03	0.4	0.07	11.7	<0.5	6	<0.2	
1404910	Rock Chip	2.38	0.065	18	20	1.31	1162	0.169	<20	2.26	0.101	0.77	0.2	0.05	0.4	0.11	14.2	<0.5	6	<0.2	
1404911	Rock Chip	1.93	0.074	18	20	1.37	3382	0.208	<20	2.44	0.082	0.89	0.1	0.05	0.5	0.12	12.9	<0.5	7	<0.2	
1404912	Rock Chip	2.19	0.070	19	19	1.35	918	0.123	<20	2.31	0.063	0.63	0.1	0.07	0.4	0.15	14.1	<0.5	6	<0.2	
1404913	Rock Chip	4.69	0.067	13	12	1.71	114	<0.001	<20	1.07	0.006	0.18	<0.1	0.09	0.2	0.52	13.0	<0.5	2	<0.2	
1404914	Rock Chip	3.65	0.057	6	7	1.38	83	<0.001	<20	0.76	0.005	0.22	0.5	0.63	0.2	3.91	8.6	<0.5	2	<0.2	
1404915	Rock Chip	3.51	0.040	3	6	1.21	50	<0.001	<20	0.26	0.004	0.22	1.9	0.57	0.6	7.93	4.9	0.5	2	<0.2	130
1404916	Rock Chip	3.11	0.071	10	11	1.21	44	<0.001	<20	0.83	0.004	0.22	0.2	0.14	0.4	2.08	13.3	<0.5	2	<0.2	
1404917	Rock Chip	5.53	0.060	10	8	2.02	69	<0.001	<20	0.79	0.005	0.22	0.2	0.16	0.3	0.84	11.5	<0.5	2	<0.2	
1404918	Rock Chip	3.77	0.070	9	9	1.45	119	<0.001	<20	0.74	0.004	0.25	0.2	0.15	0.4	1.00	10.5	<0.5	2	<0.2	
1404919	Rock Chip	4.05	0.065	9	9	1.57	119	<0.001	<20	0.70	0.004	0.28	0.3	0.09	0.4	2.71	9.6	<0.5	1	<0.2	
1404920	Rock Pulp	0.86	0.063	4	33	0.82	97	0.131	<20	1.59	0.085	0.13	12.9	0.02	<0.1	<0.05	4.5	<0.5	5	<0.2	
1404921	Rock Pulp	0.87	0.058	4	36	0.85	104	0.137	<20	1.70	0.103	0.15	0.2	0.09	<0.1	<0.05	4.9	<0.5	5	<0.2	
1404922	Rock Chip	4.09	0.061	9	10	1.57	155	<0.001	<20	0.79	0.004	0.24	0.4	0.11	0.3	1.32	9.7	<0.5	2	<0.2	
1404923	Rock Chip	2.33	0.069	17	22	1.30	825	0.134	<20	1.78	0.114	0.58	0.1	0.05	0.3	0.15	11.9	<0.5	6	<0.2	
1404924	Rock Chip	1.59	0.073	15	25	1.23	1150	0.210	<20	1.96	0.207	0.73	0.5	<0.01	0.3	0.11	7.3	<0.5	6	<0.2	
1404925	Rock Chip	1.55	0.071	15	25	1.19	1106	0.209	<20	1.89	0.202	0.72	0.4	<0.01	0.4	0.12	7.4	<0.5	5	<0.2	
1404926	Rock Chip	1.84	0.067	15	25	1.22	1080	0.210	<20	1.86	0.203	0.77	0.4	0.02	0.4	0.16	9.8	<0.5	6	<0.2	
1404927	Rock Chip	1.70	0.072	14	26	1.17	1093	0.234	<20	1.93	0.213	0.87	0.3	0.03	0.6	0.42	8.4	<0.5	6	<0.2	
1404928	Rock Chip	1.94	0.071	16	26	1.21	1300	0.238	<20	2.15	0.248	0.87	0.3	0.03	0.5	0.05	11.2	<0.5	6	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 29, 2012

CERTIFICATE OF ANALYSIS WHI12000747.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
1404929	Rock Chip	1.86	4	2.4	28.0	3.9	52	<0.1	6.7	15.7	653	3.61	4.2	3.2	<0.5	9.4	98	<0.1	1.4	0.1	108
1404930	Rock Chip	1.58	<2	2.0	27.9	4.1	77	<0.1	7.5	16.1	672	3.71	3.3	3.6	1.5	10.2	90	<0.1	2.2	0.1	107
1404931	Rock Chip	1.58	2	1.8	29.3	3.5	51	<0.1	7.4	14.9	620	3.50	2.9	3.0	<0.5	12.3	85	<0.1	0.9	0.1	108
1404932	Rock Chip	2.61	<2	2.2	22.2	3.7	60	<0.1	6.1	18.1	863	3.98	3.3	5.9	<0.5	12.1	89	<0.1	1.6	0.3	112
1404933	Rock Chip	1.76	<2	3.2	25.9	3.1	58	<0.1	7.6	15.9	634	3.78	2.0	2.2	1.5	11.2	92	<0.1	0.7	0.1	120
1404934	Rock Chip	1.65	<2	2.2	29.9	3.7	52	<0.1	7.1	14.9	686	3.57	9.0	4.8	0.6	11.4	88	<0.1	1.1	<0.1	102
1404935	Rock Chip	2.36	<2	2.9	22.0	3.6	57	0.1	6.1	16.3	942	3.98	7.3	3.9	<0.5	9.8	114	<0.1	1.4	0.1	103
1404936	Rock Chip	1.70	3	1.9	24.8	3.5	57	<0.1	6.7	17.6	785	4.11	3.2	2.6	<0.5	12.2	118	<0.1	1.6	0.1	107
1404937	Rock Chip	2.50	<2	1.9	26.1	3.6	62	<0.1	6.8	15.2	690	3.57	5.1	2.5	<0.5	9.9	100	0.1	1.7	<0.1	107
1404938	Rock Chip	2.27	<2	2.9	34.0	2.7	51	<0.1	7.0	15.5	614	3.48	3.1	3.6	1.8	10.7	76	<0.1	0.9	<0.1	110
1404939	Rock Chip	2.56	<2	2.7	28.9	3.8	51	<0.1	7.7	15.7	674	3.78	2.4	3.6	<0.5	11.6	102	0.1	1.0	0.4	107
1404940	Rock Pulp	0.12	3	2.3	26.3	2.5	42	0.2	24.2	10.7	394	2.42	4.6	0.2	<0.5	0.9	36	<0.1	0.2	<0.1	59
1404941	Rock Pulp	0.12	3795	10.8	75.1	493.3	1630	55.1	33.8	9.3	404	3.33	32.0	0.3	4598	1.2	32	16.0	47.5	0.9	56
1404942	Rock Chip	2.40	<2	2.0	26.3	2.7	47	<0.1	6.2	12.3	530	3.14	0.6	2.6	<0.5	7.3	76	<0.1	0.3	<0.1	96
1404943	Rock Chip	2.55	<2	1.6	22.4	3.0	57	<0.1	6.3	12.7	637	3.49	1.0	3.3	<0.5	8.3	80	<0.1	0.7	<0.1	100
1404944	Rock Chip	2.16	<2	0.7	21.3	13.1	88	0.2	4.1	13.4	1120	4.10	30.6	3.6	1.1	6.3	127	0.2	6.7	0.3	97
1404945	Rock Chip	2.17	4	0.6	43.0	17.3	143	0.2	5.3	14.9	773	3.55	208.2	4.3	2.9	12.4	102	0.4	12.9	0.9	86
1404946	Rock Chip	2.95	<2	0.5	20.6	5.6	91	<0.1	5.6	16.7	696	4.76	7.1	3.0	<0.5	6.0	79	0.2	3.8	0.2	128
1404947	Rock Chip	3.18	<2	0.6	25.3	6.0	80	0.1	5.9	18.0	1076	4.47	10.0	2.8	<0.5	6.7	121	0.3	3.7	0.4	118
1404948	Rock Chip	2.37	<2	0.7	26.4	6.7	62	0.1	4.8	14.1	734	3.77	7.9	3.5	<0.5	7.6	111	0.2	8.2	0.2	113

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 29, 2012

CERTIFICATE OF ANALYSIS WHI12000747.1

Method		1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
Analyte		Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
Unit		%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
MDL		0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
1404929	Rock Chip	1.70	0.079	16	27	1.21	1290	0.263	<20	2.22	0.260	0.93	0.3	0.02	0.5	0.05	8.9	<0.5	7	<0.2	
1404930	Rock Chip	1.38	0.074	16	27	1.25	1356	0.270	<20	2.37	0.290	0.96	0.5	<0.01	0.5	<0.05	9.4	<0.5	6	<0.2	
1404931	Rock Chip	1.45	0.076	16	29	1.17	1196	0.265	<20	2.20	0.266	0.92	0.4	<0.01	0.5	<0.05	8.3	<0.5	7	<0.2	
1404932	Rock Chip	1.95	0.077	18	21	1.35	1252	0.234	<20	2.05	0.164	0.92	0.3	0.02	0.5	<0.05	13.3	<0.5	6	<0.2	
1404933	Rock Chip	1.36	0.081	14	30	1.25	1383	0.318	<20	2.33	0.273	1.06	0.3	<0.01	0.6	<0.05	7.2	<0.5	7	<0.2	
1404934	Rock Chip	1.80	0.069	16	26	1.25	1173	0.221	<20	1.95	0.215	0.80	0.3	0.02	0.5	0.07	9.0	<0.5	6	<0.2	
1404935	Rock Chip	2.99	0.069	16	23	1.51	836	0.154	<20	1.65	0.136	0.65	0.2	0.03	0.4	0.08	12.8	<0.5	5	<0.2	
1404936	Rock Chip	1.58	0.076	17	26	1.24	1188	0.215	<20	2.03	0.207	0.82	0.4	<0.01	0.4	0.05	12.0	<0.5	6	<0.2	
1404937	Rock Chip	1.77	0.075	15	30	1.29	1159	0.222	<20	2.09	0.197	0.76	0.3	<0.01	0.4	<0.05	9.5	<0.5	6	<0.2	
1404938	Rock Chip	1.36	0.081	15	28	1.21	1257	0.280	<20	2.03	0.222	0.92	0.4	<0.01	0.5	0.05	7.3	<0.5	6	<0.2	
1404939	Rock Chip	1.88	0.076	18	30	1.21	993	0.207	<20	2.21	0.200	0.73	0.7	<0.01	0.4	0.05	9.7	<0.5	6	<0.2	
1404940	Rock Pulp	0.81	0.062	4	32	0.80	96	0.117	<20	1.60	0.081	0.13	11.8	0.02	<0.1	<0.05	4.1	<0.5	5	<0.2	
1404941	Rock Pulp	0.69	0.056	6	30	0.61	106	0.110	<20	1.23	0.079	0.11	2.5	0.23	1.2	0.36	4.1	<0.5	6	<0.2	
1404942	Rock Chip	1.29	0.069	12	26	1.05	1112	0.219	<20	1.96	0.239	0.78	0.5	<0.01	0.3	<0.05	6.5	<0.5	6	<0.2	
1404943	Rock Chip	1.51	0.067	13	25	1.23	1191	0.228	<20	1.99	0.220	0.86	0.3	<0.01	0.4	<0.05	8.6	<0.5	6	<0.2	
1404944	Rock Chip	6.01	0.063	16	15	2.41	78	0.007	<20	1.12	0.013	0.09	<0.1	0.13	0.1	0.11	16.1	<0.5	3	<0.2	
1404945	Rock Chip	4.86	0.070	20	15	1.95	39	0.002	<20	1.11	0.007	0.04	<0.1	0.15	0.1	0.07	15.1	<0.5	3	<0.2	
1404946	Rock Chip	2.05	0.078	18	19	1.44	963	0.141	<20	2.17	0.036	0.70	0.1	0.05	0.4	<0.05	21.4	<0.5	7	<0.2	
1404947	Rock Chip	3.05	0.077	19	19	1.61	1153	0.128	<20	1.68	0.057	0.69	0.1	0.03	0.4	0.06	19.4	<0.5	5	<0.2	
1404948	Rock Chip	3.00	0.073	19	16	1.11	266	0.023	<20	1.31	0.017	0.21	<0.1	0.10	0.1	0.06	19.5	<0.5	5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 29, 2012

QUALITY CONTROL REPORT WHI12000747.1

	Method	WGHT	3B	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX
	Analyte	Wgt	Au	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V
	Unit	kg	ppb	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	ppm	ppm	ppm	ppm	ppm
	MDL	0.01	2	0.1	0.1	0.1	1	0.1	0.1	0.1	1	0.01	0.5	0.1	0.5	0.1	1	0.1	0.1	0.1	2
Pulp Duplicates																					
REP G1-WHI	QC			0.1	2.5	2.7	48	<0.1	2.8	4.5	590	2.01	<0.5	1.6	<0.5	5.7	64	<0.1	<0.1	<0.1	38
1404861	Rock Pulp	0.12	3985	10.0	74.1	487.3	1650	52.9	32.9	8.9	423	3.33	31.4	0.3	3690	1.1	35	15.4	48.1	0.9	56
REP 1404861	QC		4107																		
1404889	Rock Chip	1.94	56	0.8	41.2	1129	1671	14.1	6.1	19.0	1194	4.35	106.2	4.4	49.8	11.6	93	21.7	9.6	0.2	94
REP 1404889	QC			1.2	41.3	1110	1648	16.1	6.9	18.5	1183	4.33	111.0	3.7	57.5	9.9	91	22.7	10.6	0.1	95
1404895	Rock Chip	2.16	12	1.4	21.9	63.5	101	0.7	6.3	19.3	1357	4.25	21.1	5.0	13.9	10.1	82	0.9	5.8	0.1	102
REP 1404895	QC		9																		
1404908	Rock Chip	2.49	<2	1.8	24.1	4.0	64	<0.1	6.3	18.0	711	4.29	8.3	3.1	1.7	9.1	95	0.1	6.9	0.1	122
REP 1404908	QC			1.8	23.8	3.9	64	<0.1	6.8	17.8	722	4.26	8.2	3.2	<0.5	9.3	96	0.1	6.5	0.2	120
1404915	Rock Chip	2.48	1231	57.5	143.3	8086	>10000	>100	4.7	11.4	2632	8.25	6687	1.6	1173	4.6	57	217.8	70.9	0.1	9
REP 1404915	QC																				
1404930	Rock Chip	1.58	<2	2.0	27.9	4.1	77	<0.1	7.5	16.1	672	3.71	3.3	3.6	1.5	10.2	90	<0.1	2.2	0.1	107
REP 1404930	QC		2																		
1404948	Rock Chip	2.37	<2	0.7	26.4	6.7	62	0.1	4.8	14.1	734	3.77	7.9	3.5	<0.5	7.6	111	0.2	8.2	0.2	113
REP 1404948	QC		<2																		
Core Reject Duplicates																					
1404855	Rock Chip	2.41	18	1.0	26.4	74.3	296	1.4	6.2	17.5	1138	4.17	33.4	2.4	15.3	8.4	107	3.6	4.8	<0.1	97
DUP 1404855	QC		14	0.9	25.6	72.3	297	1.4	6.2	16.9	1095	4.13	32.9	2.3	16.4	8.5	104	3.9	4.5	<0.1	99
1404890	Rock Chip	2.41	3	1.2	30.6	71.3	129	0.9	6.9	19.1	945	3.99	11.7	4.0	7.0	11.1	93	1.0	4.5	0.2	101
DUP 1404890	QC		3	1.2	31.2	79.4	131	1.0	7.4	18.8	981	3.98	11.0	3.4	0.6	11.0	95	0.9	4.4	0.2	102
1404925	Rock Chip	1.24	18	1.9	25.6	28.5	89	0.5	6.7	14.0	646	3.32	337.9	3.3	9.6	11.2	77	1.1	10.3	<0.1	92
DUP 1404925	QC		14	2.1	25.3	26.2	84	0.4	6.5	14.6	639	3.41	306.0	3.2	8.4	11.7	82	0.8	9.3	0.1	95
Reference Materials																					
STD DS9	Standard			12.7	113.0	121.9	303	2.0	41.6	7.9	602	2.42	24.6	2.6	95.5	6.2	70	2.2	4.6	6.0	41
STD DS9	Standard			13.3	115.8	125.5	310	1.7	40.7	8.1	598	2.36	23.7	2.6	105.8	5.9	65	2.3	4.5	6.4	41
STD DS9	Standard			12.5	115.8	125.3	311	1.9	41.4	7.7	583	2.35	24.6	2.7	120.6	6.2	63	2.3	4.4	6.5	40
STD DS9	Standard			11.8	109.8	116.9	310	2.0	41.0	7.5	559	2.25	25.9	2.2	132.8	5.6	68	2.4	3.9	6.3	38
STD DS9	Standard			11.7	102.3	106.9	292	1.6	37.4	7.4	590	2.30	26.0	2.3	96.6	5.3	66	2.2	4.2	5.3	41

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 29, 2012

QUALITY CONTROL REPORT WHI12000747.1

	Method	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	1DX	G6Gr
	Analyte	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Hg	Tl	S	Sc	Se	Ga	Te	Ag
	Unit	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	gm/t
	MDL	0.01	0.001	1	1	0.01	1	0.001	20	0.01	0.001	0.01	0.1	0.01	0.1	0.05	0.1	0.5	1	0.2	50
Pulp Duplicates																					
REP G1-WHI	QC	0.53	0.084	13	6	0.56	174	0.131	<20	1.01	0.085	0.51	<0.1	<0.01	0.3	<0.05	2.3	<0.5	5	<0.2	
1404861	Rock Pulp	0.73	0.052	5	29	0.62	114	0.114	<20	1.28	0.079	0.11	2.1	0.21	1.1	0.34	4.5	<0.5	7	<0.2	
REP 1404861	QC																				
1404889	Rock Chip	3.17	0.075	20	19	1.63	377	0.090	<20	1.72	0.028	0.50	0.2	0.03	0.4	1.02	14.8	<0.5	5	<0.2	
REP 1404889	QC	3.15	0.076	17	19	1.61	379	0.088	<20	1.70	0.028	0.49	0.2	0.03	0.3	1.05	14.0	<0.5	5	<0.2	
1404895	Rock Chip	3.81	0.072	19	16	1.90	289	0.031	<20	1.78	0.004	0.24	<0.1	0.08	0.3	0.25	17.1	<0.5	5	<0.2	
REP 1404895	QC																				
1404908	Rock Chip	1.99	0.073	19	22	1.43	1262	0.191	<20	2.53	0.115	0.88	0.1	0.03	0.5	<0.05	15.4	<0.5	7	<0.2	
REP 1404908	QC	1.93	0.071	19	22	1.38	1265	0.194	<20	2.46	0.116	0.88	<0.1	0.05	0.5	0.05	15.2	<0.5	7	<0.2	
1404915	Rock Chip	3.51	0.040	3	6	1.21	50	<0.001	<20	0.26	0.004	0.22	1.9	0.57	0.6	7.93	4.9	0.5	2	<0.2	130
REP 1404915	QC																				130
1404930	Rock Chip	1.38	0.074	16	27	1.25	1356	0.270	<20	2.37	0.290	0.96	0.5	<0.01	0.5	<0.05	9.4	<0.5	6	<0.2	
REP 1404930	QC																				
1404948	Rock Chip	3.00	0.073	19	16	1.11	266	0.023	<20	1.31	0.017	0.21	<0.1	0.10	0.1	0.06	19.5	<0.5	5	<0.2	
REP 1404948	QC																				
Core Reject Duplicates																					
1404855	Rock Chip	2.83	0.075	17	16	1.61	953	0.126	<20	1.38	0.071	0.65	<0.1	0.03	0.4	0.21	16.4	<0.5	5	<0.2	
DUP 1404855	QC	2.76	0.074	17	16	1.54	964	0.125	<20	1.39	0.071	0.66	<0.1	0.03	0.4	0.21	16.1	<0.5	4	<0.2	
1404890	Rock Chip	2.66	0.070	18	21	1.35	773	0.132	<20	1.51	0.091	0.58	0.3	0.02	0.4	0.21	14.6	<0.5	5	<0.2	
DUP 1404890	QC	2.68	0.071	18	21	1.36	770	0.139	<20	1.56	0.101	0.59	0.2	0.01	0.4	0.20	15.1	<0.5	5	<0.2	
1404925	Rock Chip	1.55	0.071	15	25	1.19	1106	0.209	<20	1.89	0.202	0.72	0.4	<0.01	0.4	0.12	7.4	<0.5	5	<0.2	
DUP 1404925	QC	1.57	0.070	14	25	1.19	1130	0.213	<20	1.96	0.221	0.73	0.3	0.01	0.4	0.11	7.6	<0.5	6	<0.2	
Reference Materials																					
STD DS9	Standard	0.76	0.082	12	127	0.66	318	0.118	<20	1.01	0.086	0.42	2.9	0.18	5.5	0.16	2.5	5.7	5	5.4	
STD DS9	Standard	0.73	0.084	12	124	0.64	305	0.111	<20	0.98	0.086	0.40	3.0	0.19	5.7	0.18	2.2	4.8	5	5.8	
STD DS9	Standard	0.68	0.081	11	123	0.61	318	0.104	<20	0.92	0.074	0.39	2.9	0.23	5.7	0.17	2.3	5.3	4	4.8	
STD DS9	Standard	0.70	0.083	11	114	0.61	306	0.107	<20	0.92	0.077	0.38	2.4	0.21	5.3	0.16	2.3	5.2	5	5.5	
STD DS9	Standard	0.69	0.077	11	121	0.61	291	0.103	<20	0.92	0.078	0.39	2.3	0.22	4.9	0.18	2.5	5.2	4	4.4	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 29, 2012

QUALITY CONTROL REPORT WHI12000747.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
STD OREAS45CA	Standard			0.9	556.6	21.3	63	0.3	268.7	97.5	1054	16.41	3.9	1.2	47.2	7.5	16	<0.1	<0.1	0.1	228
STD OREAS45CA	Standard			1.0	516.3	20.3	54	0.2	258.1	95.8	946	16.30	2.9	1.2	42.8	7.3	13	<0.1	<0.1	0.2	218
STD OREAS45CA	Standard			1.0	514.2	21.0	59	0.3	255.3	94.4	968	16.54	4.2	1.2	47.4	7.7	14	0.1	0.1	0.2	225
STD OREAS45CA	Standard			1.0	543.5	20.7	63	0.3	260.8	95.1	997	16.64	3.6	1.2	40.1	7.0	15	<0.1	<0.1	0.2	222
STD OREAS45CA	Standard			0.9	512.4	20.5	66	0.3	246.4	91.4	974	16.18	3.5	1.2	87.6	6.9	16	<0.1	<0.1	0.1	224
STD OXD87	Standard		429																		
STD OXD87	Standard		387																		
STD OXD87	Standard		386																		
STD OXD87	Standard		416																		
STD OXG99	Standard		979																		
STD OXG99	Standard		902																		
STD OXG99	Standard		936																		
STD OXG99	Standard		872																		
STD OXG99	Standard		916																		
STD SP49	Standard																				
STD OXG99 Expected			932																		
STD OXD87 Expected			417																		
STD SP49 Expected																					
STD DS9 Expected				12.84	108	126	317	1.83	40.3	7.6	575	2.33	25.5	2.69	118	6.38	69.6	2.4	4.94	6.32	40
STD OREAS45CA Expected				1	494	20	60	0.275	240	92	943	15.69	3.8	1.2	43	7	15	0.1	0.13	0.19	215
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		3																		
BLK	Blank		<2																		
BLK	Blank		2																		
BLK	Blank		<2																		
BLK	Blank		<2																		
BLK	Blank		<2																		

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 29, 2012

QUALITY CONTROL REPORT WHI12000747.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2	G6Gr Ag gm/t 50
STD OREAS45CA	Standard	0.48	0.041	17	813	0.14	180	0.143	<20	3.86	0.008	0.08	<0.1	0.03	<0.1	<0.05	45.7	<0.5	20	<0.2	
STD OREAS45CA	Standard	0.43	0.039	16	746	0.14	156	0.141	<20	3.69	0.010	0.08	<0.1	0.04	0.1	<0.05	42.8	<0.5	18	<0.2	
STD OREAS45CA	Standard	0.45	0.039	17	770	0.15	161	0.138	<20	3.53	0.007	0.07	<0.1	0.03	0.1	<0.05	45.5	<0.5	18	<0.2	
STD OREAS45CA	Standard	0.47	0.043	17	821	0.15	173	0.147	<20	3.85	0.007	0.07	<0.1	0.02	<0.1	<0.05	46.1	<0.5	20	<0.2	
STD OREAS45CA	Standard	0.42	0.039	15	720	0.14	167	0.132	<20	3.52	0.015	0.07	<0.1	0.04	<0.1	<0.05	43.1	0.7	19	<0.2	
STD OXD87	Standard																				
STD OXD87	Standard																				
STD OXD87	Standard																				
STD OXD87	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD OXG99	Standard																				
STD SP49	Standard																				54
STD OXG99 Expected																					
STD OXD87 Expected																					
STD SP49 Expected																					60.2
STD DS9 Expected		0.7201	0.0819	13.3	121	0.6165	330	0.1108		0.9577	0.0853	0.395	2.89	0.2	5.3	0.1615	2.5	5.2	4.59	5.02	
STD OREAS45CA Expected		0.4265	0.0385	15.9	709	0.1358	164	0.128		3.592	0.0075	0.0717		0.03	0.07	0.021	39.7	0.5	18.4		
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				
BLK	Blank																				

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 29, 2012

QUALITY CONTROL REPORT WHI12000747.1

		WGHT Wgt kg 0.01	3B Au ppb 2	1DX Mo ppm 0.1	1DX Cu ppm 0.1	1DX Pb ppm 0.1	1DX Zn ppm 1	1DX Ag ppm 0.1	1DX Ni ppm 0.1	1DX Co ppm 0.1	1DX Mn ppm 1	1DX Fe % 0.01	1DX As ppm 0.5	1DX U ppm 0.1	1DX Au ppb 0.5	1DX Th ppm 0.1	1DX Sr ppm 1	1DX Cd ppm 0.1	1DX Sb ppm 0.1	1DX Bi ppm 0.1	1DX V ppm 2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	0.3	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank																				
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
BLK	Blank			<0.1	<0.1	<0.1	<1	<0.1	<0.1	<0.1	<1	<0.01	<0.5	<0.1	<0.5	<0.1	<1	<0.1	<0.1	<0.1	<2
Prep Wash																					
G1-WHI	Prep Blank		<2	0.2	2.7	3.2	50	<0.1	3.3	4.5	595	2.10	<0.5	1.7	<0.5	5.8	66	<0.1	<0.1	<0.1	39
G1-WHI	Prep Blank		<2																		
G1-WHI	Prep Blank			<0.1	2.2	2.7	44	<0.1	2.9	4.2	564	1.96	<0.5	1.4	<0.5	5.0	61	<0.1	<0.1	<0.1	37

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Acme Analytical Laboratories (Vancouver) Ltd.
1020 Cordova St. East Vancouver BC V6A 4A3 Canada
Phone (604) 253-3158 Fax (604) 253-1716
www.acmelab.com

Client: **Ethos Gold Corp.**
Suite 680-789 West Pender St
Vancouver BC V6C 1H2 Canada

Project: BET
Report Date: August 29, 2012

QUALITY CONTROL REPORT WHI12000747.1

		1DX Ca % 0.01	1DX P % 0.001	1DX La ppm 1	1DX Cr ppm 1	1DX Mg % 0.01	1DX Ba ppm 1	1DX Ti % 0.001	1DX B ppm 20	1DX Al % 0.01	1DX Na % 0.001	1DX K % 0.01	1DX W ppm 0.1	1DX Hg ppm 0.01	1DX Tl ppm 0.1	1DX S % 0.05	1DX Sc ppm 0.1	1DX Se ppm 0.5	1DX Ga ppm 1	1DX Te ppm 0.2	G6Gr Ag gm/t 50
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank																				<50
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	<0.01	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
BLK	Blank	<0.01	<0.001	<1	<1	<0.01	<1	<0.001	<20	<0.01	<0.001	<0.01	<0.1	0.02	<0.1	<0.05	<0.1	<0.5	<1	<0.2	
Prep Wash																					
G1-WHI	Prep Blank	0.53	0.086	11	8	0.56	190	0.136	<20	1.03	0.088	0.52	<0.1	<0.01	0.3	<0.05	2.5	<0.5	5	<0.2	
G1-WHI	Prep Blank																				
G1-WHI	Prep Blank	0.47	0.079	12	6	0.54	160	0.124	<20	0.97	0.085	0.49	<0.1	<0.01	0.3	<0.05	2.4	<0.5	5	<0.2	

This report supersedes all previous preliminary and final reports with this file number dated prior to the date on this certificate. Signature indicates final approval; preliminary reports are unsigned and should be used for reference only.

Appendix V – Geophysics

(See Data Folder)

Appendix VI – Drilling

Appendix VI.I – Drill Collar Locations

Hole_ID	UTM E	UTM N	Elevation	Elevation_ft	Azimuth_TN	Dip	EOH_Ft	EOH_m	Start_Date	End_Date	Target	Collar Survey	Lab	Acme Job Number
BETR12-001	628792	6961466	1010	3314	314	-50	470	143.3	21/05/2012	21/05/2012	Bond	Handheld	Acme	WHI000049
BETR12-002	628704	6961254	1014	3327	134	-50	499	152.1	22/05/2012	23/05/2012	Bond	Handheld	Acme	WHI000049/050
BETR12-003	628802	6961149	982	3222	314	-50	325	99.1	23/05/2012	23/05/2012	Bond	Handheld	Acme	WHI000050
BETR12-004	628802	6961149	982	3222	224	-50	242	73.8	24/05/2012	24/05/2012	Bond	Handheld	Acme	WHI000050/051
BETR12-005	630386	6960476	903	2963	294	-50	285	86.9	24/05/2012	25/05/2012	Mercedes	Handheld	Acme	WHI000051
BETR12-006	630384	6960475	904	2966	244	-50	335	102.1	25/05/2012	25/05/2012	Mercedes	Handheld	Acme	WHI000058
BETR12-007	630360	6960577	906	2972	234	-50	357	108.8	26/05/2012	26/05/2012	Mercedes	Handheld	Acme	WHI000058/059
BETR12-008	630340	6960631	903	2963	314	-50	501	152.7	26/05/2012	27/05/2012	Mercedes	Handheld	Acme	WHI000059
BETR12-009	630413	6960435	907	2976	294	-50	476	145.1	27/05/2012	28/05/2012	Mercedes	Handheld	Acme	WHI12000063
BETR12-010	629860	6962676	932	3058	354	-50	445	135.6	28/05/2012	29/05/2012	Perrault North	Handheld	Acme	WHI12000063
BETR12-011	629858	6962667	933	3061	309	-50	478	145.7	29/05/2012	29/05/2012	Perrault North	Handheld	Acme	WHI12000064
BETR12-012	629569	6962123	1007	3304	314	-50	519	158.2	29/05/2012	30/05/2012	Perrault	Handheld	Acme	WHI12000067
BETR12-013	629452	6962124	996	3268	134	-50	300	91.4	31/05/2012	31/05/2012	Perrault	Handheld	Acme	WHI12000067/68
BETR12-014	629334	6962052	983	3225	314	-50	505	153.9	01/06/2012	01/06/2012	Perrault	Handheld	Acme	WHI12000073
BETR12-015	629369	6962011	991	3251	44	-50	469	143	02/06/2012	02/06/2012	Perrault	Handheld	Acme	WHI12000074
BETR12-016	629369	6962011	991	3251	314	-50	505	153.9	03/06/2012	03/06/2012	Perrault	Handheld	Acme	WHI12000074/75
BETR12-017	629655	6961998	986	3235	134	-50	117	35.7	05/06/2012	05/06/2012	Perrault	Handheld	Acme	WHI12000077/78
BETR12-018	628775	6961746	973	3192	219	-50	505	153.9	05/06/2012	06/06/2012	Bond	Handheld	Acme	WHI12000077
BETR12-019	628467	6961477	978	3209	214	-50	490	149.4	06/06/2012	07/06/2012	Marshall	Handheld	Acme	WHI12000078
BETR12-020	628352	6961347	960	3150	314	-50	139	42.4	07/06/2012	08/06/2012	Marshall	Handheld	Acme	WHI12000084
BETR12-021	628292	6961414	936	3071	314	-50	498	151.8	08/06/2012	09/06/2012	Marshall	Handheld	Acme	WHI12000084/85
BETR12-022	628270	6961589	917	3009	140	-50	500	152.4	09/06/2012	10/06/2012	Marshall	Handheld	Acme	WHI12000085
BETR12-023	628021	6961338	875	2871	39	-50	493	150.3	10/06/2012	11/06/2012	Marshall	Handheld	Acme	WHI12000098/99
BETR12-024	628293	6961049	986	3235	39	-50	299	91.1	11/06/2012	12/06/2012	Marshall	Handheld	Acme	WHI12000099
BETR12-025	624393	6961080	920	3018	54	-50	498	151.8	12/06/2012	13/06/2012	Buck	Handheld	Acme	WHI12000100
BETR12-026	624429	6961023	927	3041	54	-50	384	117	13/06/2012	14/06/2012	Buck	Handheld	Acme	WHI12000117
BETR12-027	630256	6960517	934	3064	54	-50	500	152.4	14/06/2012	15/06/2012	Mercedes	Handheld	Acme	WHI12000117/118
BETR12-028	630256	6960417	955	3133	54	-50	500	152.4	16/06/2012	17/06/2012	Mercedes	Handheld	Acme	WHI12000119
BETR12-029	629829	6959864	980	3215	314	-50	350	106.7	17/06/2012	17/06/2012	Teek	Handheld	Acme	WHI12000119
BETR12-030	629617	6959794	918	3012	134	-50	460	140.2	18/06/2012	19/06/2012	Teek	Handheld	Acme	WHI12000166
BETR12-031	629843	6961790	881	2890	320	-50	190	57.9	20/06/2012	20/06/2012	Spitz	Handheld	Acme	WHI12000166
BETR12-032	629716	6961640	917	3009	320	-50	438	133.5	20/06/2012	21/06/2012	Spitz	Handheld	Acme	WHI12000195
BETR12-033	630012	6961901	872	2861	320	-50	240	73.2	21/06/2012	21/06/2012	Spitz	Handheld	Acme	WHI12000195/196
BETR12-034	630192	6961565	693	2274	320	-50	400	121.9	22/06/2012	23/06/2012	Thornton	Handheld	Acme	WHI12000196
BETR12-035	630389	6961637	602	1975	320	-50	238	72.5	23/06/2012	24/06/2012	Thornton	Handheld	Acme	WHI12000196/197
BETR12-036	630720	6962339	572	1877	320	-50	250	76.2	26/06/2012	26/06/2012	Miller	Handheld	Acme	WHI12000197
BETR12-037	630671	6962511	589	1932	320	-50	280	85.3	28/06/2012	28/06/2012	Miller	Handheld	Acme	WHI12000197
BETR12-038	630872	6957958	1158	3799	140	-50	314	95.7	01/07/2012	03/07/2012	Wildcat	Handheld	Acme	WHI12000249
BETR12-039	630688	6958754	1132	3714	140	-50	399	121.6	03/07/2012	04/07/2012	Wildcat	Handheld	Acme	WHI12000249/250
BETR12-040	629320	6959670	831	2726	140	-50	215	65.5	05/07/2012	07/07/2012	Wildcat	Handheld	Acme	WHI12000313
BETR12-041	629341	6960098	781	2562	270	-50	214	65.2	08/07/2012	08/07/2012	Wildcat	Handheld	Acme	WHI12000313
BETR12-042	629341	6960098	781	2562	124	-50	124	37.8	09/07/2012	09/07/2012	Wildcat	Handheld	Acme	WHI12000313
BETR12-043	630274	6961298	617	2024	320	-50	148	45.1	10/07/2012	14/07/2012	Thornton	Handheld	Acme	WHI12000369
BETR12-044	630452	6961489	601	1972	140	-50	230	70.1	12/07/2012	12/07/2012	Thornton	Handheld	Acme	WHI12000365
BETR12-045	630920	6962865	548	1798	140	-50	450	137.2	18/07/2012	19/07/2012	Miller	Handheld	Acme	WHI12000403
BETR12-046	630920	6962865	548	1798	270	-50	470	143.3	15/07/2012	17/07/2012	Miller	Handheld	Acme	WHI12000369
BETR12-047	629785	6962352	972	3189	320	-50	275	83.8	20/07/2012	21/07/2012	Perrault	Handheld	Acme	WHI12000457/499

Hole_ID	UTM E	UTM N	Elevation	Elevation_ft	Azimuth_TN	Dip	EOH_Ft	EOH_m	Start_Date	End_Date	Target	Collar Survey	Lab	Acme Job Number
BETR12-048	628755	6961934	925	3035	50	-50	445	135.6	22/07/2012	23/07/2012	Bond	Handheld	Acme	WHI12000457
BETR12-049	628170	6961610	898	2946	140	-50	500	152.4	24/07/2012	26/07/2012	Marshall	Handheld	Acme	WHI12000558
BETR12-050	628360	6961642	923	3028	140	-50	500	152.4	27/07/2012	28/07/2012	Marshall	Handheld	Acme	WHI12000559
BETR12-051	628253	6961607	912	2992	140	-60	500	152.4	28/07/2012	29/07/2012	Marshall	Handheld	Acme	WHI12000533/537
BETR12-052	628333	6961896	837	2746	220	-50	500	152.4	30/07/2012	01/08/2012	Perrault	Handheld	Acme	WHI12000532/533
BETR12-053	629569	6962123	1007.5	3305	320	-75	380	115.8	02/08/2012	02/08/2012	Perrault	Handheld	Acme	WHI12000649
BETR12-054	629569	6962123	1007.5	3305	70	-50	330	100.6	03/08/2012	04/08/2012	Perrault	Handheld	Acme	WHI12000650
BETR12-055	627158	6964051	549	1801	140	-50	260	79.2	09/08/2012	10/08/2012	Wildcat	Handheld	Acme	WHI12000679
BETR12-056	630245	6960785	838	2749	230	-50	500	152.4	07/08/2012	08/08/2012	Mercedes	Handheld	Acme	WHI12000652
BETR12-057	629099	6963915	628	2060	140	-50	305	93	11/08/2012	11/08/2012	Wildcat	Handheld	Acme	WHI12000679
BETR12-058	629569	6962123	1007.5	3305	60	-50	455	138.7	04/08/2012	07/08/2012	Perrault	Handheld	Acme	WHI12000651
BETR12-059	629099	6963915	628	2060	320	-50	445	135.6	12/08/2012	13/08/2012	Wildcat	Handheld	Acme	WHI12000680
BETR12-060	627788	6964323	592	1942	180	-50	460	140.2	14/08/2012	15/08/2012	Wildcat	Handheld	Acme	WHI12000746
BETR12-061	628340	6961520	941	3087	320	-50	500	152.4	16/08/2012	17/08/2012	Wildcat	Handheld	Acme	WHI12000747

Appendix VI.II – Drill Hole Assay Results

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1400001	BETR12-001	0	0	7	2.1	Rock	1.68	2	0.2	Acme	12-Jun-12	WHI12000049	25-May-12
1400002	BETR12-001	7	2.1	12	3.7	Rock	3.13	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400003	BETR12-001	12	3.7	15	4.6	Rock	1.38	128	0.4	Acme	12-Jun-12	WHI12000049	25-May-12
1400004	BETR12-001	15	4.6	20	6.1	Rock	1.77	130	2.2	Acme	12-Jun-12	WHI12000049	25-May-12
1400005	BETR12-001	20	6.1	25	7.6	Rock	2.43	67	2.6	Acme	12-Jun-12	WHI12000049	25-May-12
1400006	BETR12-001	25	7.6	30	9.1	Rock	1.74	2	0.2	Acme	12-Jun-12	WHI12000049	25-May-12
1400007	BETR12-001	30	9.1	35	10.7	Rock	2	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400008	BETR12-001	35	10.7	40	12.2	Rock	2.31	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400009	BETR12-001	40	12.2	45	13.7	Rock	2.09	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400010	BETR12-001	45	13.7	50	15.2	Rock	2.1	2	0.2	Acme	12-Jun-12	WHI12000049	25-May-12
1400011	BETR12-001	50	15.2	55	16.8	Rock	2.21	7	0.4	Acme	12-Jun-12	WHI12000049	25-May-12
1400012	BETR12-001	55	16.8	60	18.3	Rock	2.1	187	5.2	Acme	12-Jun-12	WHI12000049	25-May-12
1400013	BETR12-001	60	18.3	65	19.8	Rock	1.83	197	19.7	Acme	12-Jun-12	WHI12000049	25-May-12
1400014	BETR12-001	65	19.8	70	21.3	Rock	2.07	192	5	Acme	12-Jun-12	WHI12000049	25-May-12
1400015	BETR12-001	70	21.3	75	22.9	Rock	1.96	9	0.3	Acme	12-Jun-12	WHI12000049	25-May-12
1400016	BETR12-001	75	22.9	80	24.4	Rock	1.96	4	0.2	Acme	12-Jun-12	WHI12000049	25-May-12
1400017	BETR12-001	80	24.4	85	25.9	Rock	2.1	83	3	Acme	12-Jun-12	WHI12000049	25-May-12
1400018	BETR12-001	85	25.9	90	27.4	Rock	1.76	152	5.2	Acme	12-Jun-12	WHI12000049	25-May-12
1400019	BETR12-001	90	27.4	95	29	Rock	1.84	603	90	Acme	12-Jun-12	WHI12000049	25-May-12
1400020	BETR12-001	CDN-BL-10	0		0	Rock Pulp	0.13	2	0.3	Acme	12-Jun-12	WHI12000049	25-May-12
1400021	BETR12-001	CDN-GS-1P5F	0		0	Rock Pulp	0.13	1516	0.3	Acme	12-Jun-12	WHI12000049	25-May-12
1400022	BETR12-001	95	29	100	30.5	Rock	1.89	818	21	Acme	12-Jun-12	WHI12000049	25-May-12
1400023	BETR12-001	100	30.5	105	32	Rock	2.11	49	0.8	Acme	12-Jun-12	WHI12000049	25-May-12
1400024	BETR12-001	105	32	110	33.5	Rock	0.69	9	0.3	Acme	12-Jun-12	WHI12000049	25-May-12
1400025	BETR12-001	Duplicate	0		0	Rock	1.36	4	0.2	Acme	12-Jun-12	WHI12000049	25-May-12
1400026	BETR12-001	110	33.5	115	35.1	Rock	2.06	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400027	BETR12-001	115	35.1	120	36.6	Rock	1.96	12	0.5	Acme	12-Jun-12	WHI12000049	25-May-12
1400028	BETR12-001	120	36.6	125	38.1	Rock	2.16	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400029	BETR12-001	125	38.1	130	39.6	Rock	2.04	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400030	BETR12-001	130	39.6	135	41.1	Rock	2.07	2	0.3	Acme	12-Jun-12	WHI12000049	25-May-12
1400031	BETR12-001	135	41.1	140	42.7	Rock	1.9	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400032	BETR12-001	140	42.7	145	44.2	Rock	2.11	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400033	BETR12-001	145	44.2	150	45.7	Rock	1.87	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400034	BETR12-001	150	45.7	155	47.2	Rock	1.81	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400035	BETR12-001	155	47.2	160	48.8	Rock	1.95	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400036	BETR12-001	160	48.8	165	50.3	Rock	2.25	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400037	BETR12-001	165	50.3	170	51.8	Rock	2.15	9	1.6	Acme	12-Jun-12	WHI12000049	25-May-12
1400038	BETR12-001	170	51.8	175	53.3	Rock	1.85	9	0.4	Acme	12-Jun-12	WHI12000049	25-May-12
1400039	BETR12-001	175	53.3	180	54.9	Rock	2.1	56	12.5	Acme	12-Jun-12	WHI12000049	25-May-12
1400040	BETR12-001	CDN-BL-10	0		0	Rock Pulp	0.13	2	0.3	Acme	12-Jun-12	WHI12000049	25-May-12
1400041	BETR12-001	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1445	0.2	Acme	12-Jun-12	WHI12000049	25-May-12
1400042	BETR12-001	180	54.9	185	56.4	Rock	2.01	263	33.2	Acme	12-Jun-12	WHI12000049	25-May-12
1400043	BETR12-001	185	56.4	190	57.9	Rock	2.18	502	33.5	Acme	12-Jun-12	WHI12000049	25-May-12
1400044	BETR12-001	190	57.9	195	59.4	Rock	2.07	5	0.4	Acme	12-Jun-12	WHI12000049	25-May-12
1400045	BETR12-001	195	59.4	200	61	Rock	2.02	23	5	Acme	12-Jun-12	WHI12000049	25-May-12
1400046	BETR12-001	200	61	205	62.5	Rock	2.04	7	0.4	Acme	12-Jun-12	WHI12000049	25-May-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1400047	BETR12-001	205	62.5	210	64	Rock	2.07	48	1.4	Acme	12-Jun-12	WHI12000049	25-May-12
1400048	BETR12-001	210	64	215	65.5	Rock	2.24	133	0.8	Acme	12-Jun-12	WHI12000049	25-May-12
1400049	BETR12-001	215	65.5	220	67.1	Rock	2.08	114	4.2	Acme	12-Jun-12	WHI12000049	25-May-12
1400050	BETR12-001	220	67.1	225	68.6	Rock	2.12	4	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400051	BETR12-001	225	68.6	230	70.1	Rock	2.22	49	4.3	Acme	12-Jun-12	WHI12000049	25-May-12
1400052	BETR12-001	230	70.1	235	71.6	Rock	1.88	15	0.8	Acme	12-Jun-12	WHI12000049	25-May-12
1400053	BETR12-001	235	71.6	240	73.2	Rock	2.19	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400054	BETR12-001	240	73.2	245	74.7	Rock	2.34	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400055	BETR12-001	245	74.7	250	76.2	Rock	2.33	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400056	BETR12-001	250	76.2	255	77.7	Rock	2.11	11	3.8	Acme	12-Jun-12	WHI12000049	25-May-12
1400057	BETR12-001	255	77.7	260	79.2	Rock	2.04	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400058	BETR12-001	260	79.2	265	80.8	Rock	2.09	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400059	BETR12-001	265	80.8	270	82.3	Rock	2.15	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400060	BETR12-001	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	12-Jun-12	WHI12000049	25-May-12
1400061	BETR12-001	CDN-GS-1P5F	0		0	Rock Pulp	0.13	1498	0.2	Acme	12-Jun-12	WHI12000049	25-May-12
1400062	BETR12-001	270	82.3	275	83.8	Rock	2.04	6	0.3	Acme	12-Jun-12	WHI12000049	25-May-12
1400063	BETR12-001	275	83.8	280	85.3	Rock	2.2	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400064	BETR12-001	280	85.3	285	86.9	Rock	2.12	12	0.9	Acme	12-Jun-12	WHI12000049	25-May-12
1400065	BETR12-001	285	86.9	290	88.4	Rock	2.18	11	1.6	Acme	12-Jun-12	WHI12000049	25-May-12
1400066	BETR12-001	290	88.4	295	89.9	Rock	2.04	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400067	BETR12-001	295	89.9	300	91.4	Rock	1.93	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400068	BETR12-001	300	91.4	305	93	Rock	2	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400069	BETR12-001	305	93	310	94.5	Rock	2.11	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400070	BETR12-001	310	94.5	315	96	Rock	2.38	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400071	BETR12-001	315	96	320	97.5	Rock	1.87	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400072	BETR12-001	320	97.5	325	99.1	Rock	2.23	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400073	BETR12-001	325	99.1	330	100.6	Rock	2.23	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400074	BETR12-001	330	100.6	335	102.1	Rock	1	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400075	BETR12-001	Duplicate	0		0	Rock	1.26	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400076	BETR12-001	335	102.1	340	103.6	Rock	1.95	5	1.2	Acme	12-Jun-12	WHI12000049	25-May-12
1400077	BETR12-001	340	103.6	345	105.2	Rock	1.84	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400078	BETR12-001	345	105.2	350	106.7	Rock	2.25	2	0.2	Acme	12-Jun-12	WHI12000049	25-May-12
1400079	BETR12-001	350	106.7	355	108.2	Rock	2.17	59	1.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400080	BETR12-001	CDN-BL-10	0		0	Rock Pulp	0.13	2	0.2	Acme	12-Jun-12	WHI12000049	25-May-12
1400081	BETR12-001	CDN-GS-5H	0		0	Rock Pulp	0.14	4005	52.5	Acme	12-Jun-12	WHI12000049	25-May-12
1400082	BETR12-001	355	108.2	360	109.7	Rock	2.06	41	0.5	Acme	12-Jun-12	WHI12000049	25-May-12
1400083	BETR12-001	360	109.7	365	111.3	Rock	2.41	5	0.6	Acme	12-Jun-12	WHI12000049	25-May-12
1400084	BETR12-001	365	111.3	370	112.8	Rock	2.21	6	1.2	Acme	12-Jun-12	WHI12000049	25-May-12
1400085	BETR12-001	370	112.8	375	114.3	Rock	2.08	16	1.4	Acme	12-Jun-12	WHI12000049	25-May-12
1400086	BETR12-001	375	114.3	380	115.8	Rock	2.31	9	1.2	Acme	12-Jun-12	WHI12000049	25-May-12
1400087	BETR12-001	380	115.8	385	117.3	Rock	2.34	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400088	BETR12-001	385	117.3	390	118.9	Rock	2	22	4	Acme	12-Jun-12	WHI12000049	25-May-12
1400089	BETR12-001	390	118.9	395	120.4	Rock	1.96	2	0.2	Acme	12-Jun-12	WHI12000049	25-May-12
1400090	BETR12-001	395	120.4	400	121.9	Rock	2.26	107	9.2	Acme	12-Jun-12	WHI12000049	25-May-12
1400091	BETR12-001	400	121.9	405	123.4	Rock	2.11	657	78.6	Acme	12-Jun-12	WHI12000049	25-May-12
1400092	BETR12-001	405	123.4	410	125	Rock	2.17	24	2.8	Acme	12-Jun-12	WHI12000049	25-May-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1400093	BETR12-001	410	125	415	126.5	Rock	2.1	2	0.2	Acme	12-Jun-12	WHI12000049	25-May-12
1400094	BETR12-001	415	126.5	420	128	Rock	2.04	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400095	BETR12-001	420	128	425	129.5	Rock	2.27	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400096	BETR12-001	425	129.5	430	131.1	Rock	1.82	72	5.2	Acme	12-Jun-12	WHI12000049	25-May-12
1400097	BETR12-001	430	131.1	435	132.6	Rock	1.76	4	0.4	Acme	12-Jun-12	WHI12000049	25-May-12
1400098	BETR12-001	435	132.6	440	134.1	Rock	2.16	42	1.3	Acme	12-Jun-12	WHI12000049	25-May-12
1400099	BETR12-001	440	134.1	445	135.6	Rock	2.14	2	0.2	Acme	12-Jun-12	WHI12000049	25-May-12
1400100	BETR12-001	CDN-BL-10	0		0	Rock Pulp	0.13	34	0.3	Acme	12-Jun-12	WHI12000049	25-May-12
1400101	BETR12-001	CDN-GS-5H	0		0	Rock Pulp	0.14	3895	55.9	Acme	12-Jun-12	WHI12000049	25-May-12
1400102	BETR12-001	445	135.6	450	137.2	Rock	2.23	12	1.7	Acme	12-Jun-12	WHI12000049	25-May-12
1400103	BETR12-001	450	137.2	455	138.7	Rock	2.4	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400104	BETR12-001	455	138.7	460	140.2	Rock	2.21	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400105	BETR12-001	460	140.2	465	141.7	Rock	1.95	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400106	BETR12-001	465	141.7	470	143.3	Rock	1.47	185	10.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400108	BETR12-002	0	0	6	1.8	Rock	1.44	4	0.5	Acme	12-Jun-12	WHI12000049	25-May-12
1400109	BETR12-002	6	1.8	11	3.4	Rock	2.5	5	0.5	Acme	12-Jun-12	WHI12000049	25-May-12
1400110	BETR12-002	11	3.4	16	4.9	Rock	4.51	2	0.2	Acme	12-Jun-12	WHI12000049	25-May-12
1400111	BETR12-002	16	4.9	19	5.8	Rock	1.24	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400112	BETR12-002	19	5.8	24	7.3	Rock	2.8	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400113	BETR12-002	24	7.3	29	8.8	Rock	2.58	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400114	BETR12-002	29	8.8	34	10.4	Rock	2.7	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400115	BETR12-002	34	10.4	39	11.9	Rock	2.61	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400116	BETR12-002	39	11.9	44	13.4	Rock	2.64	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400117	BETR12-002	44	13.4	49	14.9	Rock	2.77	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400118	BETR12-002	49	14.9	54	16.5	Rock	2.84	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400119	BETR12-002	54	16.5	59	18	Rock	2.36	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400120	BETR12-002	CDN-BL-10	0		0	Rock Pulp	0.13	4	0.4	Acme	12-Jun-12	WHI12000049	25-May-12
1400121	BETR12-002	CDN-GS-1P5F	0		0	Rock Pulp	0.13	1467	0.2	Acme	12-Jun-12	WHI12000049	25-May-12
1400122	BETR12-002	59	18	64	19.5	Rock	2.88	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400123	BETR12-002	64	19.5	69	21	Rock	2.74	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400124	BETR12-002	69	21	74	22.6	Rock	1.44	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400125	BETR12-002	Duplicate	0		0	Rock	1.43	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400126	BETR12-002	74	22.6	79	24.1	Rock	3.02	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400127	BETR12-002	79	24.1	84	25.6	Rock	2.42	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400128	BETR12-002	84	25.6	89	27.1	Rock	3.16	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400129	BETR12-002	89	27.1	94	28.7	Rock	2.26	231	95.6	Acme	12-Jun-12	WHI12000049	25-May-12
1400130	BETR12-002	94	28.7	99	30.2	Rock	3.08	478	191	Acme	12-Jun-12	WHI12000049	25-May-12
1400131	BETR12-002	99	30.2	104	31.7	Rock	2.52	4	6.5	Acme	12-Jun-12	WHI12000049	25-May-12
1400132	BETR12-002	104	31.7	109	33.2	Rock	2.8	4	3.4	Acme	12-Jun-12	WHI12000049	25-May-12
1400133	BETR12-002	109	33.2	114	34.7	Rock	2.27	2	0.5	Acme	12-Jun-12	WHI12000049	25-May-12
1400134	BETR12-002	114	34.7	119	36.3	Rock	2.47	2	0.2	Acme	12-Jun-12	WHI12000049	25-May-12
1400135	BETR12-002	119	36.3	124	37.8	Rock	2.19	2	0.2	Acme	12-Jun-12	WHI12000049	25-May-12
1400136	BETR12-002	124	37.8	129	39.3	Rock	2.15	2	0.2	Acme	12-Jun-12	WHI12000049	25-May-12
1400137	BETR12-002	129	39.3	134	40.8	Rock	2.5	2	0.2	Acme	12-Jun-12	WHI12000049	25-May-12
1400138	BETR12-002	134	40.8	139	42.4	Rock	2.26	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400139	BETR12-002	139	42.4	144	43.9	Rock	2.42	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1400140	BETR12-002	CDN-BL-10	0		0	Rock Pulp	0.13	2	0.3	Acme	12-Jun-12	WHI12000049	25-May-12
1400141	BETR12-002	CDN-GS-5H	0		0	Rock Pulp	0.13	4107	52.8	Acme	12-Jun-12	WHI12000049	25-May-12
1400142	BETR12-002	144	43.9	149	45.4	Rock	2.46	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400143	BETR12-002	149	45.4	154	46.9	Rock	2.25	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400144	BETR12-002	154	46.9	159	48.5	Rock	2.49	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400145	BETR12-002	159	48.5	164	50	Rock	2.57	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400146	BETR12-002	164	50	169	51.5	Rock	3.13	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400147	BETR12-002	169	51.5	174	53	Rock	2.54	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400148	BETR12-002	174	53	179	54.6	Rock	2.7	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400149	BETR12-002	179	54.6	184	56.1	Rock	2.43	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400150	BETR12-002	184	56.1	189	57.6	Rock	2.48	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400151	BETR12-002	189	57.6	194	59.1	Rock	2.77	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400152	BETR12-002	194	59.1	199	60.7	Rock	2.72	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400153	BETR12-002	199	60.7	204	62.2	Rock	2.34	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400154	BETR12-002	204	62.2	209	63.7	Rock	2.28	5	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400155	BETR12-002	209	63.7	214	65.2	Rock	3	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400156	BETR12-002	214	65.2	219	66.8	Rock	3.42	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400157	BETR12-002	219	66.8	224	68.3	Rock	2.47	38	0.3	Acme	12-Jun-12	WHI12000049	25-May-12
1400158	BETR12-002	224	68.3	229	69.8	Rock	2.45	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400159	BETR12-002	229	69.8	234	71.3	Rock	2.45	2	0.1	Acme	12-Jun-12	WHI12000049	25-May-12
1400160	BETR12-002	CDN-BL-10	0		0	Rock Pulp	0.13	3	0.3	Acme	12-Jun-12	WHI12000049	25-May-12
1400161	BETR12-002	CDN-GS-1P5F	0		0	Rock Pulp	0.13	1556	0.2	Acme	12-Jun-12	WHI12000049	25-May-12
1400162	BETR12-002	234	71.3	239	72.8	Rock	2.79	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400163	BETR12-002	239	72.8	244	74.4	Rock	3.39	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400164	BETR12-002	244	74.4	249	75.9	Rock	3.14	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400165	BETR12-002	249	75.9	254	77.4	Rock	2.62	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400166	BETR12-002	254	77.4	259	78.9	Rock	2.65	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400167	BETR12-002	259	78.9	264	80.5	Rock	2.69	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400168	BETR12-002	264	80.5	269	82	Rock	2.64	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400169	BETR12-002	269	82	274	83.5	Rock	2.82	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400170	BETR12-002	274	83.5	279	85	Rock	2.69	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400171	BETR12-002	279	85	284	86.6	Rock	2.33	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400172	BETR12-002	284	86.6	289	88.1	Rock	2.38	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400173	BETR12-002	289	88.1	294	89.6	Rock	2.72	18	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400174	BETR12-002	294	89.6	299	91.1	Rock	1.55	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400175	BETR12-002	Duplicate	0		0	Rock	1.19	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400176	BETR12-002	299	91.1	304	92.7	Rock	3.59	2	0.4	Acme	12-Jun-12	WHI12000050	25-May-12
1400177	BETR12-002	304	92.7	309	94.2	Rock	2.28	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400178	BETR12-002	309	94.2	314	95.7	Rock	2.15	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400179	BETR12-002	314	95.7	319	97.2	Rock	2.48	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400180	BETR12-002	CDN-BL-10	0		0	Rock Pulp	0.13	2	0.2	Acme	12-Jun-12	WHI12000050	25-May-12
1400181	BETR12-002	CDN-GS-5H	0		0	Rock Pulp	0.13	4455	52.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400182	BETR12-002	319	97.2	324	98.8	Rock	3.22	3	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400183	BETR12-002	324	98.8	329	100.3	Rock	2.79	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400184	BETR12-002	329	100.3	334	101.8	Rock	2.32	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400185	BETR12-002	334	101.8	339	103.3	Rock	2.71	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1400186	BETR12-002	339	103.3	344	104.9	Rock	2.94	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400187	BETR12-002	344	104.9	349	106.4	Rock	2.7	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400188	BETR12-002	349	106.4	354	107.9	Rock	2.91	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400189	BETR12-002	354	107.9	359	109.4	Rock	2.91	2	0.2	Acme	12-Jun-12	WHI12000050	25-May-12
1400190	BETR12-002	359	109.4	364	110.9	Rock	2.89	2	0.3	Acme	12-Jun-12	WHI12000050	25-May-12
1400191	BETR12-002	364	110.9	369	112.5	Rock	2.81	23	1	Acme	12-Jun-12	WHI12000050	25-May-12
1400192	BETR12-002	369	112.5	374	114	Rock	2.76	10	0.3	Acme	12-Jun-12	WHI12000050	25-May-12
1400193	BETR12-002	374	114	379	115.5	Rock	2.93	290	0.7	Acme	12-Jun-12	WHI12000050	25-May-12
1400194	BETR12-002	379	115.5	384	117	Rock	3.13	3	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400195	BETR12-002	384	117	389	118.6	Rock	2.86	88	0.8	Acme	12-Jun-12	WHI12000050	25-May-12
1400196	BETR12-002	389	118.6	394	120.1	Rock	2.87	100	0.6	Acme	12-Jun-12	WHI12000050	25-May-12
1400197	BETR12-002	394	120.1	399	121.6	Rock	3.15	4	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400198	BETR12-002	399	121.6	404	123.1	Rock	3	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400199	BETR12-002	404	123.1	409	124.7	Rock	2.79	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400200	BETR12-002	CDN-BL-10	0		0	Rock Pulp	0.13	2	0.2	Acme	12-Jun-12	WHI12000050	25-May-12
1400201	BETR12-002	CDN-GS-1P5F	0		0	Rock Pulp	0.13	1405	0.2	Acme	12-Jun-12	WHI12000050	25-May-12
1400202	BETR12-002	409	124.7	414	126.2	Rock	3.09	17	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400203	BETR12-002	414	126.2	419	127.7	Rock	3.36	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400204	BETR12-002	419	127.7	424	129.2	Rock	3.37	3	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400205	BETR12-002	424	129.2	429	130.8	Rock	2.96	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400206	BETR12-002	429	130.8	434	132.3	Rock	2.71	367	3	Acme	12-Jun-12	WHI12000050	25-May-12
1400207	BETR12-002	434	132.3	439	133.8	Rock	3.18	13	0.3	Acme	12-Jun-12	WHI12000050	25-May-12
1400208	BETR12-002	439	133.8	444	135.3	Rock	3.14	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400209	BETR12-002	444	135.3	449	136.9	Rock	2.96	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400210	BETR12-002	449	136.9	454	138.4	Rock	3.14	2	0.3	Acme	12-Jun-12	WHI12000050	25-May-12
1400211	BETR12-002	454	138.4	459	139.9	Rock	2.47	10	1.2	Acme	12-Jun-12	WHI12000050	25-May-12
1400212	BETR12-002	459	139.9	464	141.4	Rock	2.94	45	1.5	Acme	12-Jun-12	WHI12000050	25-May-12
1400213	BETR12-002	464	141.4	469	143	Rock	3.07	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400214	BETR12-002	469	143	474	144.5	Rock	3.06	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400215	BETR12-002	474	144.5	479	146	Rock	2.85	2	0.2	Acme	12-Jun-12	WHI12000050	25-May-12
1400216	BETR12-002	479	146	484	147.5	Rock	3.01	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400217	BETR12-002	484	147.5	489	149	Rock	3	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400218	BETR12-002	489	149	494	150.6	Rock	3.06	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400219	BETR12-002	494	150.6	499	152.1	Rock	1.99	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400220	BETR12-002	Duplicate	0		0	Rock	0.13	2	0.3	Acme	12-Jun-12	WHI12000050	25-May-12
1400221	BETR12-002	CDN-GS-1P5F	0		0	Rock Pulp	0.13	1398	0.2	Acme	12-Jun-12	WHI12000050	25-May-12
1400222	BETR12-003	0	0	7	2.1	Rock	1.72	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400223	BETR12-003	7	2.1	10	3	Rock	0.94	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400224	BETR12-003	10	3	15	4.6	Rock	1.92	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400225	BETR12-003	15	4.6	20	6.1	Rock	2.31	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400226	BETR12-003	20	6.1	25	7.6	Rock	1.97	30	4.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400227	BETR12-003	25	7.6	30	9.1	Rock	1.98	14	2.5	Acme	12-Jun-12	WHI12000050	25-May-12
1400228	BETR12-003	30	9.1	35	10.7	Rock	2.07	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400229	BETR12-003	35	10.7	40	12.2	Rock	2.19	2	0.2	Acme	12-Jun-12	WHI12000050	25-May-12
1400230	BETR12-003	40	12.2	45	13.7	Rock	2.03	2	1.4	Acme	12-Jun-12	WHI12000050	25-May-12
1400231	BETR12-003	45	13.7	50	15.2	Rock	1.79	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1400232	BETR12-003	50	15.2	55	16.8	Rock	2.23	42	21.7	Acme	12-Jun-12	WHI12000050	25-May-12
1400233	BETR12-003	55	16.8	60	18.3	Rock	2.24	2	0.3	Acme	12-Jun-12	WHI12000050	25-May-12
1400234	BETR12-003	60	18.3	65	19.8	Rock	2.14	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400235	BETR12-003	65	19.8	70	21.3	Rock	2.28	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400236	BETR12-003	70	21.3	75	22.9	Rock	1.9	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400237	BETR12-003	75	22.9	80	24.4	Rock	2	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400238	BETR12-003	80	24.4	85	25.9	Rock	1.91	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400239	BETR12-003	85	25.9	90	27.4	Rock	2.16	96	1.8	Acme	12-Jun-12	WHI12000050	25-May-12
1400240	BETR12-003	CDN-BL-10	0		0	Rock Pulp	0.13	2	0.3	Acme	12-Jun-12	WHI12000050	25-May-12
1400241	BETR12-003	CDN-GS-1P5F	0		0	Rock Pulp	0.13	1406	0.2	Acme	12-Jun-12	WHI12000050	25-May-12
1400242	BETR12-003	90	27.4	95	29	Rock	2.11	5	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400243	BETR12-003	95	29	100	30.5	Rock	1.83	3	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400244	BETR12-003	100	30.5	105	32	Rock	0.95	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400245	BETR12-003	Duplicate	0		0	Rock	1.17	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400246	BETR12-003	105	32	110	33.5	Rock	1.97	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400247	BETR12-003	110	33.5	115	35.1	Rock	1.96	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400248	BETR12-003	115	35.1	120	36.6	Rock	2.32	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400249	BETR12-003	120	36.6	125	38.1	Rock	2.3	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400250	BETR12-003	125	38.1	130	39.6	Rock	1.79	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400251	BETR12-003	130	39.6	135	41.1	Rock	1.89	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400252	BETR12-003	135	41.1	140	42.7	Rock	1.95	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400253	BETR12-003	140	42.7	145	44.2	Rock	2.34	9	0.3	Acme	12-Jun-12	WHI12000050	25-May-12
1400254	BETR12-003	145	44.2	150	45.7	Rock	1.99	91	0.7	Acme	12-Jun-12	WHI12000050	25-May-12
1400255	BETR12-003	150	45.7	155	47.2	Rock	2.22	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400256	BETR12-003	155	47.2	160	48.8	Rock	2.08	34	0.5	Acme	12-Jun-12	WHI12000050	25-May-12
1400257	BETR12-003	160	48.8	165	50.3	Rock	2.42	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400258	BETR12-003	165	50.3	170	51.8	Rock	2.32	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400259	BETR12-003	170	51.8	175	53.3	Rock	2.54	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400260	BETR12-003	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	12-Jun-12	WHI12000050	25-May-12
1400261	BETR12-003	CDN-GS-5H	0		0	Rock Pulp	0.12	3946	56.6	Acme	12-Jun-12	WHI12000050	25-May-12
1400262	BETR12-003	175	53.3	180	54.9	Rock	2.55	15	4.2	Acme	12-Jun-12	WHI12000050	25-May-12
1400263	BETR12-003	180	54.9	185	56.4	Rock	2.28	503	28.4	Acme	12-Jun-12	WHI12000050	25-May-12
1400264	BETR12-003	185	56.4	190	57.9	Rock	2.42	29	4.9	Acme	12-Jun-12	WHI12000050	25-May-12
1400265	BETR12-003	190	57.9	195	59.4	Rock	2.04	108	16.9	Acme	12-Jun-12	WHI12000050	25-May-12
1400266	BETR12-003	195	59.4	200	61	Rock	2.2	2124	74.9	Acme	12-Jun-12	WHI12000050	25-May-12
1400267	BETR12-003	200	61	205	62.5	Rock	2.24	64	0.9	Acme	12-Jun-12	WHI12000050	25-May-12
1400268	BETR12-003	205	62.5	210	64	Rock	2.18	129	2.8	Acme	12-Jun-12	WHI12000050	25-May-12
1400269	BETR12-003	210	64	215	65.5	Rock	2.11	215	5.9	Acme	12-Jun-12	WHI12000050	25-May-12
1400270	BETR12-003	215	65.5	220	67.1	Rock	2.53	267	10.3	Acme	12-Jun-12	WHI12000050	25-May-12
1400271	BETR12-003	220	67.1	225	68.6	Rock	2.35	11	1.2	Acme	12-Jun-12	WHI12000050	25-May-12
1400272	BETR12-003	225	68.6	230	70.1	Rock	2.34	495	32.4	Acme	12-Jun-12	WHI12000050	25-May-12
1400273	BETR12-003	230	70.1	235	71.6	Rock	2.37	2607	34.3	Acme	12-Jun-12	WHI12000050	25-May-12
1400274	BETR12-003	235	71.6	240	73.2	Rock	2.52	184	9	Acme	12-Jun-12	WHI12000050	25-May-12
1400275	BETR12-003	240	73.2	245	74.7	Rock	2.46	110	1	Acme	12-Jun-12	WHI12000050	25-May-12
1400276	BETR12-003	245	74.7	250	76.2	Rock	2.2	101	0.6	Acme	12-Jun-12	WHI12000050	25-May-12
1400277	BETR12-003	250	76.2	255	77.7	Rock	2.21	3	0.1	Acme	12-Jun-12	WHI12000050	25-May-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1400278	BETR12-003	255	77.7	260	79.2	Rock	2.12	4	0.8	Acme	12-Jun-12	WHI12000050	25-May-12
1400279	BETR12-003	260	79.2	265	80.8	Rock	2.33	13	4.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400280	BETR12-003	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	12-Jun-12	WHI12000050	25-May-12
1400281	BETR12-003	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1475	0.3	Acme	12-Jun-12	WHI12000050	25-May-12
1400282	BETR12-003	265	80.8	270	82.3	Rock	2.38	21	0.5	Acme	12-Jun-12	WHI12000050	25-May-12
1400283	BETR12-003	270	82.3	275	83.8	Rock	2.3	3	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400284	BETR12-003	275	83.8	280	85.3	Rock	2.22	7	2.5	Acme	12-Jun-12	WHI12000050	25-May-12
1400285	BETR12-003	280	85.3	285	86.9	Rock	2.31	2	0.2	Acme	12-Jun-12	WHI12000050	25-May-12
1400286	BETR12-003	285	86.9	290	88.4	Rock	2.15	4	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400287	BETR12-003	290	88.4	295	89.9	Rock	2.4	10	0.2	Acme	12-Jun-12	WHI12000050	25-May-12
1400288	BETR12-003	295	89.9	300	91.4	Rock	2.11	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400289	BETR12-003	300	91.4	305	93	Rock	1.63	5	0.2	Acme	12-Jun-12	WHI12000050	25-May-12
1400290	BETR12-003	305	93	310	94.5	Rock	2.3	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400291	BETR12-003	310	94.5	315	96	Rock	1.91	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400292	BETR12-003	315	96	320	97.5	Rock	1.33	2	0.2	Acme	12-Jun-12	WHI12000050	25-May-12
1400293	BETR12-004	0	0	7	2.1	Rock	1.8	5	0.8	Acme	12-Jun-12	WHI12000050	25-May-12
1400294	BETR12-004	7	2.1	12	3.7	Rock	0.32	3	0.6	Acme	12-Jun-12	WHI12000050	25-May-12
1400295	BETR12-004	Duplicate	0		0	Rock	0.48	2	0.6	Acme	12-Jun-12	WHI12000050	25-May-12
1400296	BETR12-004	12	3.7	17	5.2	Rock	1.43	14	3.7	Acme	12-Jun-12	WHI12000050	25-May-12
1400297	BETR12-004	17	5.2	22	6.7	Rock	1.81	12	1.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400298	BETR12-004	22	6.7	27	8.2	Rock	1.48	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400299	BETR12-004	27	8.2	32	9.8	Rock	1.82	2	0.3	Acme	12-Jun-12	WHI12000050	25-May-12
1400300	BETR12-004	CDN-BL-10	0		0	Rock Pulp	0.12	3	0.3	Acme	12-Jun-12	WHI12000050	25-May-12
1400301	BETR12-004	CDN-GS-5H	0		0	Rock Pulp	0.12	3976	58	Acme	12-Jun-12	WHI12000050	25-May-12
1400302	BETR12-004	32	9.8	37	11.3	Rock	1.84	3	0.2	Acme	12-Jun-12	WHI12000050	25-May-12
1400303	BETR12-004	37	11.3	42	12.8	Rock	1.81	30	5	Acme	12-Jun-12	WHI12000050	25-May-12
1400304	BETR12-004	42	12.8	47	14.3	Rock	1.84	4	0.2	Acme	12-Jun-12	WHI12000050	25-May-12
1400305	BETR12-004	47	14.3	52	15.8	Rock	1.81	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400306	BETR12-004	52	15.8	57	17.4	Rock	2.05	9	0.2	Acme	12-Jun-12	WHI12000050	25-May-12
1400307	BETR12-004	57	17.4	62	18.9	Rock	1.98	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400308	BETR12-004	62	18.9	67	20.4	Rock	1.51	15	1.3	Acme	12-Jun-12	WHI12000050	25-May-12
1400309	BETR12-004	67	20.4	72	21.9	Rock	1.77	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400310	BETR12-004	72	21.9	77	23.5	Rock	2.15	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400311	BETR12-004	77	23.5	82	25	Rock	1.57	42	15.7	Acme	12-Jun-12	WHI12000050	25-May-12
1400312	BETR12-004	82	25	87	26.5	Rock	1.81	2	0.3	Acme	12-Jun-12	WHI12000050	25-May-12
1400313	BETR12-004	87	26.5	92	28	Rock	1.89	7	0.4	Acme	12-Jun-12	WHI12000050	25-May-12
1400314	BETR12-004	92	28	97	29.6	Rock	1.63	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400315	BETR12-004	97	29.6	102	31.1	Rock	1.89	2	0.1	Acme	12-Jun-12	WHI12000050	25-May-12
1400316	BETR12-004	102	31.1	107	32.6	Rock	1.65	31	4	Acme	12-Jun-12	WHI12000050	25-May-12
1400317	BETR12-004	107	32.6	112	34.1	Rock	1.21	120	3.3	Acme	12-Jun-12	WHI12000050	25-May-12
1400318	BETR12-004	112	34.1	117	35.7	Rock	2.03	639	4.2	Acme	12-Jun-12	WHI12000050	25-May-12
1400319	BETR12-004	117	35.7	122	37.2	Rock	1.88	317	15.6	Acme	12-Jun-12	WHI12000050	25-May-12
1400320	BETR12-004	CDN-BL-10	0		0	Rock Pulp	0.13	4	0.2	Acme	12-Jun-12	WHI12000050	25-May-12
1400321	BETR12-004	CDN-GS-1P5F	0		0	Rock Pulp	0.13	1425	0.2	Acme	12-Jun-12	WHI12000050	25-May-12
1400322	BETR12-004	122	37.2	127	38.7	Rock	1.66	65	17.4	Acme	12-Jun-12	WHI12000050	25-May-12
1400323	BETR12-004	127	38.7	132	40.2	Rock	1.73	10	1.7	Acme	12-Jun-12	WHI12000051	25-May-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1400324	BETR12-004	132	40.2	137	41.8	Rock	1.82	9	1.8	Acme	12-Jun-12	WHI12000051	25-May-12
1400325	BETR12-004	137	41.8	142	43.3	Rock	1.56	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400326	BETR12-004	142	43.3	147	44.8	Rock	1.7	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400327	BETR12-004	147	44.8	152	46.3	Rock	2.16	3	0.3	Acme	12-Jun-12	WHI12000051	25-May-12
1400328	BETR12-004	152	46.3	157	47.9	Rock	2.05	495	10.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1400329	BETR12-004	157	47.9	162	49.4	Rock	1.81	167	4.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1400330	BETR12-004	162	49.4	167	50.9	Rock	1.79	390	5.3	Acme	12-Jun-12	WHI12000051	25-May-12
1400331	BETR12-004	167	50.9	172	52.4	Rock	1.75	46	3.3	Acme	12-Jun-12	WHI12000051	25-May-12
1400332	BETR12-004	172	52.4	177	53.9	Rock	2.05	21	0.5	Acme	12-Jun-12	WHI12000051	25-May-12
1400333	BETR12-004	177	53.9	182	55.5	Rock	2.57	6	0.2	Acme	12-Jun-12	WHI12000051	25-May-12
1400334	BETR12-004	182	55.5	187	57	Rock	1.72	49	2.7	Acme	12-Jun-12	WHI12000051	25-May-12
1400335	BETR12-004	187	57	192	58.5	Rock	1.87	8	0.8	Acme	12-Jun-12	WHI12000051	25-May-12
1400336	BETR12-004	192	58.5	197	60	Rock	2.03	7	0.2	Acme	12-Jun-12	WHI12000051	25-May-12
1400337	BETR12-004	197	60	202	61.6	Rock	2.02	691	7	Acme	12-Jun-12	WHI12000051	25-May-12
1400338	BETR12-004	202	61.6	207	63.1	Rock	1.33	1938	59.8	Acme	12-Jun-12	WHI12000051	25-May-12
1400339	BETR12-004	207	63.1	212	64.6	Rock	1.6	424	6.4	Acme	12-Jun-12	WHI12000051	25-May-12
1400340	BETR12-004	CDN-BL-10	0		0	Rock Pulp	0.12	4	0.4	Acme	12-Jun-12	WHI12000051	25-May-12
1400341	BETR12-004	CDN-GS-5H	0		0	Rock Pulp	0.12	3964	52.7	Acme	12-Jun-12	WHI12000051	25-May-12
1400342	BETR12-004	212	64.6	217	66.1	Rock	1.83	563	7.4	Acme	12-Jun-12	WHI12000051	25-May-12
1400343	BETR12-004	217	66.1	222	67.7	Rock	1.74	297	5.9	Acme	12-Jun-12	WHI12000051	25-May-12
1400344	BETR12-004	222	67.7	227	69.2	Rock	0.98	912	41.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400345	BETR12-004	Duplicate	0		0	Rock	1.15	949	47.7	Acme	12-Jun-12	WHI12000051	25-May-12
1400346	BETR12-004	227	69.2	232	70.7	Rock	1.39	74	6.9	Acme	12-Jun-12	WHI12000051	25-May-12
1400347	BETR12-004	232	70.7	237	72.2	Rock	2.21	11	0.4	Acme	12-Jun-12	WHI12000051	25-May-12
1400348	BETR12-004	237	72.2	242	73.8	Rock	2.04	11	1.4	Acme	12-Jun-12	WHI12000051	25-May-12
1400349	BETR12-005	0	0	8	2.4	Rock	1.83	115	0.4	Acme	12-Jun-12	WHI12000051	25-May-12
1400350	BETR12-005	8	2.4	13	4	Rock	2.92	984	0.2	Acme	12-Jun-12	WHI12000051	25-May-12
1400351	BETR12-005	13	4	18	5.5	Rock	3.83	82	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400352	BETR12-005	18	5.5	20	6.1	Rock	1.3	46	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400353	BETR12-005	20	6.1	25	7.6	Rock	2.4	47	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400354	BETR12-005	25	7.6	30	9.1	Rock	2.26	22	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400355	BETR12-005	30	9.1	35	10.7	Rock	1.5	101	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400356	BETR12-005	35	10.7	40	12.2	Rock	1.92	7	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400357	BETR12-005	40	12.2	45	13.7	Rock	2.5	36	0.2	Acme	12-Jun-12	WHI12000051	25-May-12
1400358	BETR12-005	45	13.7	50	15.2	Rock	2.21	27	0.2	Acme	12-Jun-12	WHI12000051	25-May-12
1400359	BETR12-005	50	15.2	55	16.8	Rock	2.62	3	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400360	BETR12-005	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	12-Jun-12	WHI12000051	25-May-12
1400361	BETR12-005	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1371	0.2	Acme	12-Jun-12	WHI12000051	25-May-12
1400362	BETR12-005	55	16.8	60	18.3	Rock	2.45	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400363	BETR12-005	60	18.3	65	19.8	Rock	2	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400364	BETR12-005	65	19.8	70	21.3	Rock	2	13	0.3	Acme	12-Jun-12	WHI12000051	25-May-12
1400365	BETR12-005	70	21.3	75	22.9	Rock	2.63	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400366	BETR12-005	75	22.9	80	24.4	Rock	2.08	3	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400367	BETR12-005	80	24.4	85	25.9	Rock	1.35	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400368	BETR12-005	85	25.9	90	27.4	Rock	0.97	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400369	BETR12-005	90	27.4	95	29	Rock	1.7	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1400370	BETR12-005	95	29	100	30.5	Rock	2.2	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400371	BETR12-005	100	30.5	105	32	Rock	2.01	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400372	BETR12-005	105	32	110	33.5	Rock	1.86	18	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400373	BETR12-005	110	33.5	115	35.1	Rock	1.6	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400374	BETR12-005	115	35.1	120	36.6	Rock	0.64	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400375	BETR12-005	Duplicate	0		0	Rock	1.12	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400376	BETR12-005	120	36.6	125	38.1	Rock	2.01	3	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400377	BETR12-005	125	38.1	130	39.6	Rock	1.66	54	0.2	Acme	12-Jun-12	WHI12000051	25-May-12
1400378	BETR12-005	130	39.6	135	41.1	Rock	2.49	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400379	BETR12-005	135	41.1	140	42.7	Rock	1.92	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400380	BETR12-005	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	12-Jun-12	WHI12000051	25-May-12
1400381	BETR12-005	CDN-GS-5H	0		0	Rock Pulp	0.13	3764	53.6	Acme	12-Jun-12	WHI12000051	25-May-12
1400382	BETR12-005	140	42.7	145	44.2	Rock	1.96	3	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400383	BETR12-005	145	44.2	150	45.7	Rock	1.55	592	3.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400384	BETR12-005	150	45.7	155	47.2	Rock	1.96	6	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400385	BETR12-005	155	47.2	160	48.8	Rock	1.81	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400386	BETR12-005	160	48.8	165	50.3	Rock	0.8	16	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400387	BETR12-005	165	50.3	170	51.8	Rock	2.48	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400388	BETR12-005	170	51.8	175	53.3	Rock	2.5	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400389	BETR12-005	175	53.3	180	54.9	Rock	2.17	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400390	BETR12-005	180	54.9	185	56.4	Rock	2.6	27	1.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400391	BETR12-005	185	56.4	190	57.9	Rock	2.48	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400392	BETR12-005	190	57.9	195	59.4	Rock	1.9	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400393	BETR12-005	195	59.4	200	61	Rock	2.03	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400394	BETR12-005	200	61	205	62.5	Rock	2.29	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400395	BETR12-005	205	62.5	210	64	Rock	2.37	2	0.2	Acme	12-Jun-12	WHI12000051	25-May-12
1400396	BETR12-005	210	64	215	65.5	Rock	2.1	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400397	BETR12-005	215	65.5	220	67.1	Rock	1.99	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400398	BETR12-005	220	67.1	225	68.6	Rock	2.18	2	0.3	Acme	12-Jun-12	WHI12000051	25-May-12
1400399	BETR12-005	225	68.6	230	70.1	Rock	2.01	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400400	BETR12-005	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	12-Jun-12	WHI12000051	25-May-12
1400401	BETR12-005	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1309	0.2	Acme	12-Jun-12	WHI12000051	25-May-12
1400402	BETR12-005	230	70.1	235	71.6	Rock	2.32	3	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400403	BETR12-005	235	71.6	240	73.2	Rock	2.38	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400404	BETR12-005	240	73.2	245	74.7	Rock	1.92	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400405	BETR12-005	245	74.7	250	76.2	Rock	2.33	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400406	BETR12-005	250	76.2	255	77.7	Rock	1.52	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400407	BETR12-005	255	77.7	260	79.2	Rock	1.86	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400408	BETR12-005	260	79.2	265	80.8	Rock	1.85	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400409	BETR12-005	265	80.8	270	82.3	Rock	1.93	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400410	BETR12-005	270	82.3	275	83.8	Rock	2.14	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400411	BETR12-005	275	83.8	280	85.3	Rock	2	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400412	BETR12-005	280	85.3	285	86.9	Rock	2.72	2	0.1	Acme	12-Jun-12	WHI12000051	25-May-12
1400413	BETR12-006	0	0	7	2.1	Rock	2.16	242	0.2	Acme	12-Jun-12	WHI12000058	29-May-12
1400414	BETR12-006	7	2.1	12	3.7	Rock	3.19	639	0.4	Acme	12-Jun-12	WHI12000058	29-May-12
1400415	BETR12-006	12	3.7	17	5.2	Rock	3.51	261	0.5	Acme	12-Jun-12	WHI12000058	29-May-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1400416	BETR12-006	17	5.2	22	6.7	Rock	3.16	103	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400417	BETR12-006	22	6.7	25	7.6	Rock	1.5	64	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400418	BETR12-006	25	7.6	30	9.1	Rock	2.36	29	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400419	BETR12-006	30	9.1	35	10.7	Rock	2.27	10	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400420	BETR12-006	CDN-BL-10	0		0	Rock Pulp	0.13	2	0.3	Acme	12-Jun-12	WHI12000058	29-May-12
1400421	BETR12-006	CDN-GS-5H	0		0	Rock Pulp	0.12	3847	48.6	Acme	12-Jun-12	WHI12000058	29-May-12
1400422	BETR12-006	35	10.7	40	12.2	Rock	2.01	2564	1	Acme	12-Jun-12	WHI12000058	29-May-12
1400423	BETR12-006	40	12.2	45	13.7	Rock	1.02	121	0.7	Acme	12-Jun-12	WHI12000058	29-May-12
1400424	BETR12-006	45	13.7	50	15.2	Rock	1.6	363	0.6	Acme	12-Jun-12	WHI12000058	29-May-12
1400425	BETR12-006	Duplicate	0		0	Rock	1.37	401	0.8	Acme	12-Jun-12	WHI12000058	29-May-12
1400426	BETR12-006	50	15.2	55	16.8	Rock	1.97	59	0.2	Acme	12-Jun-12	WHI12000058	29-May-12
1400427	BETR12-006	55	16.8	60	18.3	Rock	2.27	328	1	Acme	12-Jun-12	WHI12000058	29-May-12
1400428	BETR12-006	60	18.3	65	19.8	Rock	2.64	31	0.2	Acme	12-Jun-12	WHI12000058	29-May-12
1400429	BETR12-006	65	19.8	70	21.3	Rock	2.5	202	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400430	BETR12-006	70	21.3	75	22.9	Rock	2.69	43	0.2	Acme	12-Jun-12	WHI12000058	29-May-12
1400431	BETR12-006	75	22.9	80	24.4	Rock	2.07	23	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400432	BETR12-006	80	24.4	85	25.9	Rock	2.11	16	0.2	Acme	12-Jun-12	WHI12000058	29-May-12
1400433	BETR12-006	85	25.9	90	27.4	Rock	2.26	15	0.2	Acme	12-Jun-12	WHI12000058	29-May-12
1400434	BETR12-006	90	27.4	95	29	Rock	2.13	4	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400435	BETR12-006	95	29	100	30.5	Rock	1.86	7	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400436	BETR12-006	100	30.5	105	32	Rock	1.62	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400437	BETR12-006	105	32	110	33.5	Rock	2.21	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400438	BETR12-006	110	33.5	115	35.1	Rock	2.29	28	0.2	Acme	12-Jun-12	WHI12000058	29-May-12
1400439	BETR12-006	115	35.1	120	36.6	Rock	2.72	5	0.6	Acme	12-Jun-12	WHI12000058	29-May-12
1400440	BETR12-006	CDN-BL-10	0		0	Rock Pulp	0.12	3	0.2	Acme	12-Jun-12	WHI12000058	29-May-12
1400441	BETR12-006	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1334	0.3	Acme	12-Jun-12	WHI12000058	29-May-12
1400442	BETR12-006	120	36.6	125	38.1	Rock	2.38	21	0.7	Acme	12-Jun-12	WHI12000058	29-May-12
1400443	BETR12-006	125	38.1	130	39.6	Rock	2.98	47	6.4	Acme	12-Jun-12	WHI12000058	29-May-12
1400444	BETR12-006	130	39.6	135	41.1	Rock	2.07	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400445	BETR12-006	135	41.1	140	42.7	Rock	2.59	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400446	BETR12-006	140	42.7	145	44.2	Rock	2.63	2	0.5	Acme	12-Jun-12	WHI12000058	29-May-12
1400447	BETR12-006	145	44.2	150	45.7	Rock	3.1	3	0.4	Acme	12-Jun-12	WHI12000058	29-May-12
1400448	BETR12-006	150	45.7	155	47.2	Rock	2.49	4	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400449	BETR12-006	155	47.2	160	48.8	Rock	2.44	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400450	BETR12-006	160	48.8	165	50.3	Rock	2.51	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400451	BETR12-006	165	50.3	170	51.8	Rock	2.19	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400452	BETR12-006	170	51.8	175	53.3	Rock	2.92	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400453	BETR12-006	175	53.3	180	54.9	Rock	2.65	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400454	BETR12-006	180	54.9	185	56.4	Rock	3.24	3	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400455	BETR12-006	185	56.4	190	57.9	Rock	2.73	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400456	BETR12-006	190	57.9	195	59.4	Rock	3.23	13	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400457	BETR12-006	195	59.4	200	61	Rock	2.92	15	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400458	BETR12-006	200	61	205	62.5	Rock	2.9	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400459	BETR12-006	205	62.5	210	64	Rock	2.6	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400460	BETR12-006	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	12-Jun-12	WHI12000058	29-May-12
1400461	BETR12-006	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1532	0.2	Acme	12-Jun-12	WHI12000058	29-May-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1400462	BETR12-006	210	64	215	65.5	Rock	2.74	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400463	BETR12-006	215	65.5	220	67.1	Rock	2.19	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400464	BETR12-006	220	67.1	225	68.6	Rock	2.72	6	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400465	BETR12-006	225	68.6	230	70.1	Rock	2.36	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400466	BETR12-006	230	70.1	235	71.6	Rock	2.42	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400467	BETR12-006	235	71.6	240	73.2	Rock	2.22	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400468	BETR12-006	240	73.2	245	74.7	Rock	2.5	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400469	BETR12-006	245	74.7	250	76.2	Rock	2.65	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400470	BETR12-006	250	76.2	255	77.7	Rock	2.66	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400471	BETR12-006	255	77.7	260	79.2	Rock	2.7	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400472	BETR12-006	260	79.2	265	80.8	Rock	2.88	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400473	BETR12-006	265	80.8	270	82.3	Rock	0.67	5	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400474	BETR12-006	270	82.3	275	83.8	Rock	1.11	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400475	BETR12-006	Duplicate	0		0	Rock	1.35	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400476	BETR12-006	275	83.8	280	85.3	Rock	2.63	10	0.6	Acme	12-Jun-12	WHI12000058	29-May-12
1400477	BETR12-006	280	85.3	285	86.9	Rock	2.71	2	0.2	Acme	12-Jun-12	WHI12000058	29-May-12
1400478	BETR12-006	285	86.9	290	88.4	Rock	2.65	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400479	BETR12-006	290	88.4	295	89.9	Rock	2.73	12	0.2	Acme	12-Jun-12	WHI12000058	29-May-12
1400480	BETR12-006	CDN-BL-10	0		0	Rock Pulp	0.13	2	0.2	Acme	12-Jun-12	WHI12000058	29-May-12
1400481	BETR12-006	CDN-GS-5H	0		0	Rock Pulp	0.12	3872	51.2	Acme	12-Jun-12	WHI12000058	29-May-12
1400482	BETR12-006	295	89.9	300	91.4	Rock	3.23	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400483	BETR12-006	300	91.4	305	93	Rock	2.55	41	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400484	BETR12-006	305	93	310	94.5	Rock	2.4	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400485	BETR12-006	310	94.5	315	96	Rock	3.18	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400486	BETR12-006	315	96	320	97.5	Rock	2.52	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400487	BETR12-006	320	97.5	325	99.1	Rock	2.5	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400488	BETR12-006	325	99.1	330	100.6	Rock	2.8	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400489	BETR12-006	330	100.6	335	102.1	Rock	3.34	169	0.4	Acme	12-Jun-12	WHI12000058	29-May-12
1400490	BETR12-007	0	0	7	2.1	Rock	1.44	28	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400491	BETR12-007	7	2.1	12	3.7	Rock	2.35	93	0.2	Acme	12-Jun-12	WHI12000058	29-May-12
1400492	BETR12-007	12	3.7	17	5.2	Rock	3.66	63	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400493	BETR12-007	17	5.2	22	6.7	Rock	1.27	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400494	BETR12-007	22	6.7	27	8.2	Rock	1.66	566	1.3	Acme	12-Jun-12	WHI12000058	29-May-12
1400495	BETR12-007	27	8.2	32	9.8	Rock	1.69	279	1.2	Acme	12-Jun-12	WHI12000058	29-May-12
1400496	BETR12-007	32	9.8	37	11.3	Rock	2.02	43	0.2	Acme	12-Jun-12	WHI12000058	29-May-12
1400497	BETR12-007	37	11.3	42	12.8	Rock	1.92	129	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400498	BETR12-007	42	12.8	47	14.3	Rock	1.75	281	0.2	Acme	12-Jun-12	WHI12000058	29-May-12
1400499	BETR12-007	47	14.3	52	15.8	Rock	1.67	457	2	Acme	12-Jun-12	WHI12000058	29-May-12
1400500	BETR12-007	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	12-Jun-12	WHI12000058	29-May-12
1400501	BETR12-007	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1346	0.2	Acme	12-Jun-12	WHI12000058	29-May-12
1400502	BETR12-007	52	15.8	57	17.4	Rock	1.65	375	2.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400503	BETR12-007	57	17.4	62	18.9	Rock	1.84	19	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400504	BETR12-007	62	18.9	67	20.4	Rock	1.69	159	0.6	Acme	12-Jun-12	WHI12000058	29-May-12
1400505	BETR12-007	67	20.4	72	21.9	Rock	1.58	33	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400506	BETR12-007	72	21.9	77	23.5	Rock	1.91	73	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400507	BETR12-007	77	23.5	82	25	Rock	2.2	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1400508	BETR12-007	82	25	87	26.5	Rock	2.16	6	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400509	BETR12-007	87	26.5	92	28	Rock	1.85	160	0.4	Acme	12-Jun-12	WHI12000058	29-May-12
1400510	BETR12-007	92	28	97	29.6	Rock	2.07	469	1.5	Acme	12-Jun-12	WHI12000058	29-May-12
1400511	BETR12-007	97	29.6	102	31.1	Rock	2.12	4	0.2	Acme	12-Jun-12	WHI12000058	29-May-12
1400512	BETR12-007	102	31.1	107	32.6	Rock	2.16	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400513	BETR12-007	107	32.6	112	34.1	Rock	2.19	10	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400514	BETR12-007	112	34.1	117	35.7	Rock	2.1	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400515	BETR12-007	117	35.7	122	37.2	Rock	2.17	24	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400516	BETR12-007	122	37.2	127	38.7	Rock	2.01	806	0.8	Acme	12-Jun-12	WHI12000058	29-May-12
1400517	BETR12-007	127	38.7	132	40.2	Rock	2.44	5	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400518	BETR12-007	132	40.2	137	41.8	Rock	2.38	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400519	BETR12-007	137	41.8	142	43.3	Rock	1.85	246	0.2	Acme	12-Jun-12	WHI12000058	29-May-12
1400520	BETR12-007	CDN-BL-10	0		0	Rock Pulp	0.12	3	0.2	Acme	12-Jun-12	WHI12000058	29-May-12
1400521	BETR12-007	CDN-GS-5H	0		0	Rock Pulp	0.13	3746	52.6	Acme	12-Jun-12	WHI12000058	29-May-12
1400522	BETR12-007	142	43.3	147	44.8	Rock	2.03	12	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400523	BETR12-007	147	44.8	152	46.3	Rock	2.12	574	0.2	Acme	12-Jun-12	WHI12000058	29-May-12
1400524	BETR12-007	152	46.3	157	47.9	Rock	0.88	23	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400525	BETR12-007	Duplicate	0		0	Rock	1.28	18	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400526	BETR12-007	157	47.9	162	49.4	Rock	2.16	7	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400527	BETR12-007	162	49.4	167	50.9	Rock	2.2	10	0.3	Acme	12-Jun-12	WHI12000058	29-May-12
1400528	BETR12-007	167	50.9	172	52.4	Rock	2.08	81	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400529	BETR12-007	172	52.4	177	53.9	Rock	2.32	7	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400530	BETR12-007	177	53.9	182	55.5	Rock	2.42	2	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400531	BETR12-007	182	55.5	187	57	Rock	1.92	546	0.6	Acme	12-Jun-12	WHI12000058	29-May-12
1400532	BETR12-007	187	57	192	58.5	Rock	2.24	828	0.5	Acme	12-Jun-12	WHI12000058	29-May-12
1400533	BETR12-007	192	58.5	197	60	Rock	2.34	2029	0.2	Acme	12-Jun-12	WHI12000058	29-May-12
1400534	BETR12-007	197	60	202	61.6	Rock	2.31	15	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400535	BETR12-007	202	61.6	207	63.1	Rock	2.33	511	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400536	BETR12-007	207	63.1	212	64.6	Rock	2.35	2363	0.4	Acme	12-Jun-12	WHI12000058	29-May-12
1400537	BETR12-007	212	64.6	217	66.1	Rock	2.28	2855	0.9	Acme	12-Jun-12	WHI12000058	29-May-12
1400538	BETR12-007	217	66.1	222	67.7	Rock	2.36	43	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400539	BETR12-007	222	67.7	227	69.2	Rock	2.09	27	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400540	BETR12-007	CDN-BL-10	0		0	Rock Pulp	0.12	9	0.3	Acme	12-Jun-12	WHI12000058	29-May-12
1400541	BETR12-007	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1387	0.2	Acme	12-Jun-12	WHI12000058	29-May-12
1400542	BETR12-007	227	69.2	232	70.7	Rock	2.18	5	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400543	BETR12-007	232	70.7	237	72.2	Rock	2.12	4880	1.8	Acme	12-Jun-12	WHI12000058	29-May-12
1400544	BETR12-007	237	72.2	242	73.8	Rock	2.38	2432	0.5	Acme	12-Jun-12	WHI12000058	29-May-12
1400545	BETR12-007	242	73.8	247	75.3	Rock	2.08	43	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400546	BETR12-007	247	75.3	252	76.8	Rock	2.54	4230	1.8	Acme	12-Jun-12	WHI12000058	29-May-12
1400547	BETR12-007	252	76.8	257	78.3	Rock	2.47	180	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400548	BETR12-007	257	78.3	262	79.9	Rock	2.33	20	0.1	Acme	12-Jun-12	WHI12000058	29-May-12
1400549	BETR12-007	262	79.9	267	81.4	Rock	2.17	65	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400550	BETR12-007	267	81.4	272	82.9	Rock	2.13	21	0.2	Acme	12-Jun-12	WHI12000059	29-May-12
1400551	BETR12-007	272	82.9	277	84.4	Rock	2.21	150	0.3	Acme	12-Jun-12	WHI12000059	29-May-12
1400552	BETR12-007	277	84.4	282	86	Rock	2.09	48	0.2	Acme	12-Jun-12	WHI12000059	29-May-12
1400553	BETR12-007	282	86	287	87.5	Rock	2.15	100	0.3	Acme	12-Jun-12	WHI12000059	29-May-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1400554	BETR12-007	287	87.5	292	89	Rock	2.16	7	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400555	BETR12-007	292	89	297	90.5	Rock	2.31	3	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400556	BETR12-007	297	90.5	302	92	Rock	2.21	3	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400557	BETR12-007	302	92	307	93.6	Rock	2.43	18	0.9	Acme	12-Jun-12	WHI12000059	29-May-12
1400558	BETR12-007	307	93.6	312	95.1	Rock	2.51	2	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400559	BETR12-007	312	95.1	317	96.6	Rock	2.45	2	0.6	Acme	12-Jun-12	WHI12000059	29-May-12
1400560	BETR12-007	CDN-BL-10	0		0	Rock Pulp	0.13	2	0.3	Acme	12-Jun-12	WHI12000059	29-May-12
1400561	BETR12-007	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1406	0.2	Acme	12-Jun-12	WHI12000059	29-May-12
1400562	BETR12-007	317	96.6	322	98.1	Rock	2.34	2	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400563	BETR12-007	322	98.1	327	99.7	Rock	2.06	33	0.8	Acme	12-Jun-12	WHI12000059	29-May-12
1400564	BETR12-007	327	99.7	332	101.2	Rock	2.11	16	0.4	Acme	12-Jun-12	WHI12000059	29-May-12
1400565	BETR12-007	332	101.2	337	102.7	Rock	2.23	334	1.2	Acme	12-Jun-12	WHI12000059	29-May-12
1400566	BETR12-007	337	102.7	342	104.2	Rock	1.86	172	0.8	Acme	12-Jun-12	WHI12000059	29-May-12
1400567	BETR12-007	342	104.2	347	105.8	Rock	2.56	6	0.7	Acme	12-Jun-12	WHI12000059	29-May-12
1400568	BETR12-007	347	105.8	352	107.3	Rock	2.27	2	0.6	Acme	12-Jun-12	WHI12000059	29-May-12
1400569	BETR12-007	352	107.3	357	108.8	Rock	2.56	2	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400570	BETR12-008	0	0	11	3.4	Rock	2.84	21	0.2	Acme	12-Jun-12	WHI12000059	29-May-12
1400571	BETR12-008	11	3.4	16	4.9	Rock	2.16	189	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400572	BETR12-008	16	4.9	21	6.4	Rock	2.02	7	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400573	BETR12-008	21	6.4	26	7.9	Rock	1.31	7	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400574	BETR12-008	26	7.9	31	9.4	Rock	0.68	4	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400575	BETR12-008	Duplicate	0		0	Rock	0.83	11	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400576	BETR12-008	31	9.4	36	11	Rock	2.02	23	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400577	BETR12-008	36	11	41	12.5	Rock	2.08	429	5.5	Acme	12-Jun-12	WHI12000059	29-May-12
1400578	BETR12-008	41	12.5	46	14	Rock	2.01	144	1.9	Acme	12-Jun-12	WHI12000059	29-May-12
1400579	BETR12-008	46	14	51	15.5	Rock	1.73	7	0.2	Acme	12-Jun-12	WHI12000059	29-May-12
1400580	BETR12-008	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.5	Acme	12-Jun-12	WHI12000059	29-May-12
1400581	BETR12-008	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1376	0.3	Acme	12-Jun-12	WHI12000059	29-May-12
1400582	BETR12-008	51	15.5	56	17.1	Rock	2.05	29	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400583	BETR12-008	56	17.1	61	18.6	Rock	1.16	6	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400584	BETR12-008	61	18.6	66	20.1	Rock	1.84	4	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400585	BETR12-008	66	20.1	71	21.6	Rock	2.29	2	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400586	BETR12-008	71	21.6	76	23.2	Rock	2.01	2	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400587	BETR12-008	76	23.2	81	24.7	Rock	2.3	2	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400588	BETR12-008	81	24.7	86	26.2	Rock	2.19	146	0.2	Acme	12-Jun-12	WHI12000059	29-May-12
1400589	BETR12-008	86	26.2	91	27.7	Rock	2.18	29	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400590	BETR12-008	91	27.7	96	29.3	Rock	2.16	42	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400591	BETR12-008	96	29.3	101	30.8	Rock	1.81	4	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400592	BETR12-008	101	30.8	106	32.3	Rock	2.4	2	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400593	BETR12-008	106	32.3	111	33.8	Rock	1.87	2	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400594	BETR12-008	111	33.8	116	35.4	Rock	2.17	7	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400595	BETR12-008	116	35.4	121	36.9	Rock	2.12	2	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400596	BETR12-008	121	36.9	126	38.4	Rock	1.9	38	0.4	Acme	12-Jun-12	WHI12000059	29-May-12
1400597	BETR12-008	126	38.4	131	39.9	Rock	2.47	24	0.2	Acme	12-Jun-12	WHI12000059	29-May-12
1400598	BETR12-008	131	39.9	136	41.5	Rock	2.52	12	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400599	BETR12-008	136	41.5	141	43	Rock	2.2	2	0.3	Acme	12-Jun-12	WHI12000059	29-May-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1400600	BETR12-008	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	12-Jun-12	WHI12000059	29-May-12
1400601	BETR12-008	CDN-GS-5H	0		0	Rock Pulp	0.14	4011	54.7	Acme	12-Jun-12	WHI12000059	29-May-12
1400602	BETR12-008	141	43	146	44.5	Rock	2	2	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400603	BETR12-008	146	44.5	151	46	Rock	2.37	2	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400604	BETR12-008	151	46	156	47.5	Rock	2.28	2	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400605	BETR12-008	156	47.5	161	49.1	Rock	2.99	16	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400606	BETR12-008	161	49.1	166	50.6	Rock	2.69	2	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400607	BETR12-008	166	50.6	171	52.1	Rock	1.65	2	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400608	BETR12-008	171	52.1	176	53.6	Rock	2.57	2	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400609	BETR12-008	176	53.6	181	55.2	Rock	2.16	2	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400610	BETR12-008	181	55.2	186	56.7	Rock	1.84	2	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400611	BETR12-008	186	56.7	191	58.2	Rock	1.81	2	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400612	BETR12-008	191	58.2	196	59.7	Rock	2.23	3	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400613	BETR12-008	196	59.7	201	61.3	Rock	2.47	18	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400614	BETR12-008	201	61.3	206	62.8	Rock	2.7	28	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400615	BETR12-008	206	62.8	211	64.3	Rock	1.85	3	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400616	BETR12-008	211	64.3	216	65.8	Rock	1.95	2	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400617	BETR12-008	216	65.8	221	67.4	Rock	2.04	9	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400618	BETR12-008	221	67.4	226	68.9	Rock	2.08	5	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400619	BETR12-008	226	68.9	231	70.4	Rock	2.02	80	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400620	BETR12-008	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.5	Acme	12-Jun-12	WHI12000059	29-May-12
1400621	BETR12-008	CDN-GS-1P5F	0		0	Rock Pulp	0.13	1479	0.2	Acme	12-Jun-12	WHI12000059	29-May-12
1400622	BETR12-008	231	70.4	236	71.9	Rock	1.96	8	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400623	BETR12-008	236	71.9	241	73.5	Rock	2.3	3	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400624	BETR12-008	241	73.5	246	75	Rock	1.25	58	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400625	BETR12-008	Duplicate	0		0	Rock	0.95	56	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400626	BETR12-008	246	75	251	76.5	Rock	1.91	17	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400627	BETR12-008	251	76.5	256	78	Rock	2.74	87	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400628	BETR12-008	256	78	261	79.6	Rock	2.76	129	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400629	BETR12-008	261	79.6	266	81.1	Rock	1.77	20	0.2	Acme	12-Jun-12	WHI12000059	29-May-12
1400630	BETR12-008	266	81.1	271	82.6	Rock	2	7	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400631	BETR12-008	271	82.6	276	84.1	Rock	2.36	2	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400632	BETR12-008	276	84.1	281	85.6	Rock	1.48	150	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400633	BETR12-008	281	85.6	286	87.2	Rock	2.14	86	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400634	BETR12-008	286	87.2	291	88.7	Rock	2.77	7	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400635	BETR12-008	291	88.7	296	90.2	Rock	2.19	361	1.7	Acme	12-Jun-12	WHI12000059	29-May-12
1400636	BETR12-008	296	90.2	301	91.7	Rock	3.05	25	0.7	Acme	12-Jun-12	WHI12000059	29-May-12
1400637	BETR12-008	301	91.7	306	93.3	Rock	2.16	13	0.2	Acme	12-Jun-12	WHI12000059	29-May-12
1400638	BETR12-008	306	93.3	311	94.8	Rock	3.29	2	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400639	BETR12-008	311	94.8	316	96.3	Rock	2.67	57	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400640	BETR12-008	CDN-BL-10	0		0	Rock Pulp	0.13	2	0.5	Acme	12-Jun-12	WHI12000059	29-May-12
1400641	BETR12-008	CDN-GS-5H	0		0	Rock Pulp	0.12	4099	54.2	Acme	12-Jun-12	WHI12000059	29-May-12
1400642	BETR12-008	316	96.3	321	97.8	Rock	2.42	32	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400643	BETR12-008	321	97.8	326	99.4	Rock	1.95	64	0.4	Acme	12-Jun-12	WHI12000059	29-May-12
1400644	BETR12-008	326	99.4	331	100.9	Rock	2.07	4	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400645	BETR12-008	331	100.9	336	102.4	Rock	2.47	2	0.1	Acme	12-Jun-12	WHI12000059	29-May-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1400646	BETR12-008	336	102.4	341	103.9	Rock	2.34	66	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400647	BETR12-008	341	103.9	346	105.5	Rock	2.81	3	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400648	BETR12-008	346	105.5	351	107	Rock	1.75	63	0.2	Acme	12-Jun-12	WHI12000059	29-May-12
1400649	BETR12-008	351	107	356	108.5	Rock	2.13	72	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400650	BETR12-008	356	108.5	361	110	Rock	2.47	14	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400651	BETR12-008	361	110	366	111.6	Rock	2.66	4	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400652	BETR12-008	366	111.6	371	113.1	Rock	2.7	4	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400653	BETR12-008	371	113.1	376	114.6	Rock	2.59	38	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400654	BETR12-008	376	114.6	381	116.1	Rock	2.84	201	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400655	BETR12-008	381	116.1	386	117.7	Rock	2.05	2	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400656	BETR12-008	386	117.7	391	119.2	Rock	2.23	22	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400657	BETR12-008	391	119.2	396	120.7	Rock	2.66	16	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400658	BETR12-008	396	120.7	401	122.2	Rock	2.6	2	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400659	BETR12-008	401	122.2	406	123.7	Rock	2.79	2	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400660	BETR12-008	CDN-BL-10	0		0	Rock Pulp	0.13	5	0.2	Acme	12-Jun-12	WHI12000059	29-May-12
1400661	BETR12-008	CDN-GS-1P5F	0		0	Rock Pulp	0.13	1455	0.2	Acme	12-Jun-12	WHI12000059	29-May-12
1400662	BETR12-008	406	123.7	411	125.3	Rock	1.79	61	0.3	Acme	12-Jun-12	WHI12000059	29-May-12
1400663	BETR12-008	411	125.3	416	126.8	Rock	2.67	22	0.3	Acme	12-Jun-12	WHI12000059	29-May-12
1400664	BETR12-008	416	126.8	421	128.3	Rock	2.47	69	0.4	Acme	12-Jun-12	WHI12000059	29-May-12
1400665	BETR12-008	421	128.3	426	129.8	Rock	2.62	1622	2.5	Acme	12-Jun-12	WHI12000059	29-May-12
1400666	BETR12-008	426	129.8	431	131.4	Rock	3.23	58	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400667	BETR12-008	431	131.4	436	132.9	Rock	2.23	31	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400668	BETR12-008	436	132.9	441	134.4	Rock	3.41	13	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400669	BETR12-008	441	134.4	446	135.9	Rock	3.02	29	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400670	BETR12-008	446	135.9	451	137.5	Rock	2.8	129	0.3	Acme	12-Jun-12	WHI12000059	29-May-12
1400671	BETR12-008	451	137.5	456	139	Rock	2.93	29	0.2	Acme	12-Jun-12	WHI12000059	29-May-12
1400672	BETR12-008	456	139	461	140.5	Rock	2.76	521	0.2	Acme	12-Jun-12	WHI12000059	29-May-12
1400673	BETR12-008	461	140.5	466	142	Rock	3.15	29	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400674	BETR12-008	466	142	471	143.6	Rock	1.01	144	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400675	BETR12-008	Duplicate	0		0	Rock	1.57	9	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400676	BETR12-008	471	143.6	476	145.1	Rock	1.59	6	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400677	BETR12-008	476	145.1	481	146.6	Rock	2.43	23	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400678	BETR12-008	481	146.6	486	148.1	Rock	2.72	2	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400679	BETR12-008	486	148.1	491	149.7	Rock	1.93	2	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400680	BETR12-008	CDN-GS-1P5F	0		0	Rock Pulp	0.13	1443	0.3	Acme	12-Jun-12	WHI12000059	29-May-12
1400681	BETR12-008	CDN-BL-10	0		0	Rock Pulp	0.13	3	0.3	Acme	12-Jun-12	WHI12000059	29-May-12
1400682	BETR12-008	491	149.7	496	151.2	Rock	2.49	28	0.1	Acme	12-Jun-12	WHI12000059	29-May-12
1400683	BETR12-008	496	151.2	501	152.7	Rock	1.1	33	0.3	Acme	12-Jun-12	WHI12000059	29-May-12
1400684	BETR12-009	0	0	6	1.8	Rock	1.2	200	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400685	BETR12-009	6	1.8	11	3.4	Rock	1.92	1148	0.2	Acme	14-Jun-12	WHI12000063	31-May-12
1400686	BETR12-009	11	3.4	16	4.9	Rock	2.21	342	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400687	BETR12-009	16	4.9	21	6.4	Rock	1.35	185	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400688	BETR12-009	21	6.4	26	7.9	Rock	2.18	32	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400689	BETR12-009	26	7.9	31	9.4	Rock	2.28	6	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400690	BETR12-009	31	9.4	36	11	Rock	2.41	17	0.3	Acme	14-Jun-12	WHI12000063	31-May-12
1400691	BETR12-009	36	11	41	12.5	Rock	3.23	1768	0.3	Acme	14-Jun-12	WHI12000063	31-May-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1400692	BETR12-009	41	12.5	46	14	Rock	2.67	2005	0.8	Acme	14-Jun-12	WHI12000063	31-May-12
1400693	BETR12-009	46	14	51	15.5	Rock	3.11	133	0.2	Acme	14-Jun-12	WHI12000063	31-May-12
1400694	BETR12-009	51	15.5	56	17.1	Rock	2.08	84	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400695	BETR12-009	56	17.1	61	18.6	Rock	1.53	55	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400696	BETR12-009	61	18.6	66	20.1	Rock	1.8	58	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400697	BETR12-009	66	20.1	71	21.6	Rock	1.6	197	0.2	Acme	14-Jun-12	WHI12000063	31-May-12
1400698	BETR12-009	71	21.6	76	23.2	Rock	2.56	55	1.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400699	BETR12-009	76	23.2	81	24.7	Rock	2.37	83	0.2	Acme	14-Jun-12	WHI12000063	31-May-12
1400700	BETR12-009	CDN-BL-10	0		0	Rock Pulp	0.14	2	0.2	Acme	14-Jun-12	WHI12000063	31-May-12
1400701	BETR12-009	CDN-GS-1P5F	0		0	Rock Pulp	0.14	1542	0.2	Acme	14-Jun-12	WHI12000063	31-May-12
1400702	BETR12-009	81	24.7	86	26.2	Rock	2.3	20	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400703	BETR12-009	86	26.2	91	27.7	Rock	1.64	108	0.4	Acme	14-Jun-12	WHI12000063	31-May-12
1400704	BETR12-009	91	27.7	96	29.3	Rock	2.91	116	0.2	Acme	14-Jun-12	WHI12000063	31-May-12
1400705	BETR12-009	96	29.3	101	30.8	Rock	2.2	15	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400706	BETR12-009	101	30.8	106	32.3	Rock	1.45	19	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400707	BETR12-009	106	32.3	111	33.8	Rock	1.89	83	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400708	BETR12-009	111	33.8	116	35.4	Rock	1.69	36	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400709	BETR12-009	116	35.4	121	36.9	Rock	2.78	745	3.2	Acme	14-Jun-12	WHI12000063	31-May-12
1400710	BETR12-009	121	36.9	126	38.4	Rock	2.42	16	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400711	BETR12-009	126	38.4	131	39.9	Rock	1.36	26	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400712	BETR12-009	131	39.9	136	41.5	Rock	1.92	2	0.3	Acme	14-Jun-12	WHI12000063	31-May-12
1400713	BETR12-009	136	41.5	141	43	Rock	1.7	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400714	BETR12-009	141	43	146	44.5	Rock	1.88	27	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400715	BETR12-009	146	44.5	151	46	Rock	2.31	88	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400716	BETR12-009	151	46	156	47.5	Rock	2.01	49	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400717	BETR12-009	156	47.5	161	49.1	Rock	1.51	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400718	BETR12-009	161	49.1	166	50.6	Rock	2.6	2	0.5	Acme	14-Jun-12	WHI12000063	31-May-12
1400719	BETR12-009	166	50.6	171	52.1	Rock	1.85	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400720	BETR12-009	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	14-Jun-12	WHI12000063	31-May-12
1400721	BETR12-009	CDN-GS-5H	0		0	Rock Pulp	0.13	3962	51.5	Acme	14-Jun-12	WHI12000063	31-May-12
1400722	BETR12-009	171	52.1	176	53.6	Rock	1.66	4	0.2	Acme	14-Jun-12	WHI12000063	31-May-12
1400723	BETR12-009	176	53.6	181	55.2	Rock	2.53	17	0.6	Acme	14-Jun-12	WHI12000063	31-May-12
1400724	BETR12-009	181	55.2	186	56.7	Rock	1.54	2	0.2	Acme	14-Jun-12	WHI12000063	31-May-12
1400725	BETR12-009	Duplicate	0		0	Rock	0.77	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400726	BETR12-009	186	56.7	191	58.2	Rock	1.96	2	0.2	Acme	14-Jun-12	WHI12000063	31-May-12
1400727	BETR12-009	191	58.2	196	59.7	Rock	1.8	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400728	BETR12-009	196	59.7	201	61.3	Rock	2.05	1533	0.4	Acme	14-Jun-12	WHI12000063	31-May-12
1400729	BETR12-009	201	61.3	206	62.8	Rock	1.85	4	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400730	BETR12-009	206	62.8	211	64.3	Rock	1.88	4	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400731	BETR12-009	211	64.3	216	65.8	Rock	2.15	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400732	BETR12-009	216	65.8	221	67.4	Rock	1.83	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400733	BETR12-009	221	67.4	226	68.9	Rock	1.74	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400734	BETR12-009	226	68.9	231	70.4	Rock	1.63	99	0.2	Acme	14-Jun-12	WHI12000063	31-May-12
1400735	BETR12-009	231	70.4	236	71.9	Rock	1.73	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400736	BETR12-009	236	71.9	241	73.5	Rock	1.96	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400737	BETR12-009	241	73.5	246	75	Rock	2.23	522	0.1	Acme	14-Jun-12	WHI12000063	31-May-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1400738	BETR12-009	246	75	251	76.5	Rock	2.32	3	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400739	BETR12-009	251	76.5	256	78	Rock	1.64	7	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400740	BETR12-009	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	14-Jun-12	WHI12000063	31-May-12
1400741	BETR12-009	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1403	0.3	Acme	14-Jun-12	WHI12000063	31-May-12
1400742	BETR12-009	256	78	261	79.6	Rock	2.57	3	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400743	BETR12-009	261	79.6	266	81.1	Rock	2.07	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400744	BETR12-009	266	81.1	271	82.6	Rock	2.16	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400745	BETR12-009	271	82.6	276	84.1	Rock	1.9	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400746	BETR12-009	276	84.1	281	85.6	Rock	2.27	6	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400747	BETR12-009	281	85.6	286	87.2	Rock	1.61	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400748	BETR12-009	286	87.2	291	88.7	Rock	2.31	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400749	BETR12-009	291	88.7	296	90.2	Rock	1.73	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400750	BETR12-009	296	90.2	301	91.7	Rock	2.22	4	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400751	BETR12-009	301	91.7	306	93.3	Rock	1.83	3	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400752	BETR12-009	306	93.3	311	94.8	Rock	2.03	3	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400753	BETR12-009	311	94.8	316	96.3	Rock	2.23	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400754	BETR12-009	316	96.3	321	97.8	Rock	1.94	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400755	BETR12-009	321	97.8	326	99.4	Rock	2.04	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400756	BETR12-009	326	99.4	331	100.9	Rock	1.88	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400757	BETR12-009	331	100.9	336	102.4	Rock	2.38	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400758	BETR12-009	336	102.4	341	103.9	Rock	2.46	10	0.2	Acme	14-Jun-12	WHI12000063	31-May-12
1400759	BETR12-009	341	103.9	346	105.5	Rock	2.33	13	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400760	BETR12-009	CDN-BL-10	0		0	Rock Pulp	0.12	30	0.2	Acme	14-Jun-12	WHI12000063	31-May-12
1400761	BETR12-009	CDN-GS-1P5F	0		0	Rock Pulp	0.13	1467	0.3	Acme	14-Jun-12	WHI12000063	31-May-12
1400762	BETR12-009	346	105.5	351	107	Rock	3.24	3	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400763	BETR12-009	351	107	356	108.5	Rock	2.43	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400764	BETR12-009	356	108.5	361	110	Rock	2.6	4	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400765	BETR12-009	361	110	366	111.6	Rock	2.22	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400766	BETR12-009	366	111.6	371	113.1	Rock	2.11	48	0.2	Acme	14-Jun-12	WHI12000063	31-May-12
1400767	BETR12-009	371	113.1	376	114.6	Rock	1.58	4	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400768	BETR12-009	376	114.6	381	116.1	Rock	2.85	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400769	BETR12-009	381	116.1	386	117.7	Rock	1.86	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400770	BETR12-009	386	117.7	391	119.2	Rock	2.68	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400771	BETR12-009	391	119.2	396	120.7	Rock	2.97	9	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400772	BETR12-009	396	120.7	401	122.2	Rock	3.04	4	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400773	BETR12-009	401	122.2	406	123.7	Rock	2.33	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400774	BETR12-009	406	123.7	411	125.3	Rock	1.17	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400775	BETR12-009	Duplicate	0		0	Rock	0.77	5	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400776	BETR12-009	411	125.3	416	126.8	Rock	1.97	5	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400777	BETR12-009	416	126.8	421	128.3	Rock	1.62	6	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400778	BETR12-009	421	128.3	426	129.8	Rock	2.26	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400779	BETR12-009	426	129.8	431	131.4	Rock	2.26	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400780	BETR12-009	CDN-BL-10	0		0	Rock Pulp	0.12	3	0.3	Acme	14-Jun-12	WHI12000063	31-May-12
1400781	BETR12-009	CDN-GS-5H	0		0	Rock Pulp	0.13	3975	53.5	Acme	14-Jun-12	WHI12000063	31-May-12
1400782	BETR12-009	431	131.4	436	132.9	Rock	2.21	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400783	BETR12-009	436	132.9	441	134.4	Rock	2.87	22	0.1	Acme	14-Jun-12	WHI12000063	31-May-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1400784	BETR12-009	441	134.4	446	135.9	Rock	1.51	272	0.2	Acme	14-Jun-12	WHI12000063	31-May-12
1400785	BETR12-009	446	135.9	451	137.5	Rock	1.91	5	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400786	BETR12-009	451	137.5	456	139	Rock	1.98	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400787	BETR12-009	456	139	461	140.5	Rock	2.16	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400788	BETR12-009	461	140.5	466	142	Rock	2.07	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400789	BETR12-009	466	142	471	143.6	Rock	2.96	36	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400790	BETR12-009	471	143.6	476	145.1	Rock	1.76	17	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400791	BETR12-010	0	0	5	1.5	Rock	1.41	6	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400792	BETR12-010	5	1.5	10	3	Rock	2.9	2	0.2	Acme	14-Jun-12	WHI12000063	31-May-12
1400793	BETR12-010	10	3	15	4.6	Rock	1.36	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400794	BETR12-010	15	4.6	20	6.1	Rock	1.28	4	0.2	Acme	14-Jun-12	WHI12000063	31-May-12
1400795	BETR12-010	20	6.1	25	7.6	Rock	1.62	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400796	BETR12-010	25	7.6	30	9.1	Rock	1.64	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400797	BETR12-010	30	9.1	35	10.7	Rock	1.53	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400798	BETR12-010	35	10.7	40	12.2	Rock	1.5	3	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400799	BETR12-010	40	12.2	45	13.7	Rock	2.03	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400800	BETR12-010	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.4	Acme	14-Jun-12	WHI12000063	31-May-12
1400801	BETR12-010	CDN-GS-5H	0		0	Rock Pulp	0.12	3911	49.9	Acme	14-Jun-12	WHI12000063	31-May-12
1400802	BETR12-010	45	13.7	50	15.2	Rock	1.72	2	0.2	Acme	14-Jun-12	WHI12000063	31-May-12
1400803	BETR12-010	50	15.2	55	16.8	Rock	1.88	4	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400804	BETR12-010	55	16.8	60	18.3	Rock	1.61	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400805	BETR12-010	60	18.3	65	19.8	Rock	1.61	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400806	BETR12-010	65	19.8	70	21.3	Rock	1.68	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400807	BETR12-010	70	21.3	75	22.9	Rock	1.52	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400808	BETR12-010	75	22.9	80	24.4	Rock	1.65	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400809	BETR12-010	80	24.4	85	25.9	Rock	1.46	19	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400810	BETR12-010	85	25.9	90	27.4	Rock	1.81	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400811	BETR12-010	90	27.4	95	29	Rock	1.89	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400812	BETR12-010	95	29	100	30.5	Rock	2.01	6	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400813	BETR12-010	100	30.5	105	32	Rock	1.67	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400814	BETR12-010	105	32	110	33.5	Rock	1.6	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400815	BETR12-010	110	33.5	115	35.1	Rock	1.84	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400816	BETR12-010	115	35.1	120	36.6	Rock	1.85	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400817	BETR12-010	120	36.6	125	38.1	Rock	1.27	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400818	BETR12-010	125	38.1	130	39.6	Rock	1.72	47	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400819	BETR12-010	130	39.6	135	41.1	Rock	1.73	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400820	BETR12-010	CDN-BL-10	0		0	Rock Pulp	0.12	10	0.3	Acme	14-Jun-12	WHI12000063	31-May-12
1400821	BETR12-010	CDN-GS-5H	0		0	Rock Pulp	0.12	3835	50.8	Acme	14-Jun-12	WHI12000063	31-May-12
1400822	BETR12-010	135	41.1	140	42.7	Rock	1.77	5	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400823	BETR12-010	140	42.7	145	44.2	Rock	1.36	5	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400824	BETR12-010	145	44.2	150	45.7	Rock	1.01	3	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400825	BETR12-010	Duplicate	0		0	Rock	0.75	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400826	BETR12-010	150	45.7	155	47.2	Rock	1.56	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400827	BETR12-010	155	47.2	160	48.8	Rock	1.66	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400828	BETR12-010	160	48.8	165	50.3	Rock	1.95	6	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400829	BETR12-010	165	50.3	170	51.8	Rock	1.65	3	0.1	Acme	14-Jun-12	WHI12000063	31-May-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1400830	BETR12-010	170	51.8	175	53.3	Rock	1.64	3	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400831	BETR12-010	175	53.3	180	54.9	Rock	1.45	7	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400832	BETR12-010	180	54.9	185	56.4	Rock	1.65	44	0.2	Acme	14-Jun-12	WHI12000063	31-May-12
1400833	BETR12-010	185	56.4	190	57.9	Rock	2.15	158	0.8	Acme	14-Jun-12	WHI12000063	31-May-12
1400834	BETR12-010	190	57.9	195	59.4	Rock	1.52	3	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400835	BETR12-010	195	59.4	200	61	Rock	1.4	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400836	BETR12-010	200	61	205	62.5	Rock	1.05	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400837	BETR12-010	205	62.5	210	64	Rock	2.1	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400838	BETR12-010	210	64	215	65.5	Rock	1.79	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400839	BETR12-010	215	65.5	220	67.1	Rock	2.19	3	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400840	BETR12-010	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	14-Jun-12	WHI12000063	31-May-12
1400841	BETR12-010	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1573	0.2	Acme	14-Jun-12	WHI12000063	31-May-12
1400842	BETR12-010	220	67.1	225	68.6	Rock	1.91	3	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400843	BETR12-010	225	68.6	230	70.1	Rock	2	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400844	BETR12-010	230	70.1	235	71.6	Rock	1.92	2	0.1	Acme	14-Jun-12	WHI12000063	31-May-12
1400845	BETR12-010	235	71.6	240	73.2	Rock	1.92	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400846	BETR12-010	240	73.2	245	74.7	Rock	1.57	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400847	BETR12-010	245	74.7	250	76.2	Rock	1.6	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400848	BETR12-010	250	76.2	255	77.7	Rock	1.29	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400849	BETR12-010	255	77.7	260	79.2	Rock	1.68	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400850	BETR12-010	260	79.2	265	80.8	Rock	2.08	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400851	BETR12-010	265	80.8	270	82.3	Rock	1.64	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400852	BETR12-010	270	82.3	275	83.8	Rock	1.8	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400853	BETR12-010	275	83.8	280	85.3	Rock	1.53	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400854	BETR12-010	280	85.3	285	86.9	Rock	1.94	3	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400855	BETR12-010	285	86.9	290	88.4	Rock	1.81	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400856	BETR12-010	290	88.4	295	89.9	Rock	1.26	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400857	BETR12-010	295	89.9	300	91.4	Rock	1.35	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400858	BETR12-010	300	91.4	305	93	Rock	1.98	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400859	BETR12-010	305	93	310	94.5	Rock	1.4	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400860	BETR12-010	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	20-Jun-12	WHI12000064	31-May-12
1400861	BETR12-010	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1487	0.2	Acme	20-Jun-12	WHI12000064	31-May-12
1400862	BETR12-010	310	94.5	315	96	Rock	1.93	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400863	BETR12-010	315	96	320	97.5	Rock	2.33	3	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400864	BETR12-010	320	97.5	325	99.1	Rock	1.92	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400865	BETR12-010	325	99.1	330	100.6	Rock	2.33	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400866	BETR12-010	330	100.6	335	102.1	Rock	2.09	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400867	BETR12-010	335	102.1	340	103.6	Rock	2.04	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400868	BETR12-010	340	103.6	345	105.2	Rock	2.26	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400869	BETR12-010	345	105.2	350	106.7	Rock	1.39	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400870	BETR12-010	350	106.7	355	108.2	Rock	1.91	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400871	BETR12-010	355	108.2	360	109.7	Rock	1.39	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400872	BETR12-010	360	109.7	365	111.3	Rock	1.95	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400873	BETR12-010	365	111.3	370	112.8	Rock	1.91	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400874	BETR12-010	370	112.8	375	114.3	Rock	1.31	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400875	BETR12-010	Duplicate	0		0	Rock	0.83	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1400876	BETR12-010	375	114.3	380	115.8	Rock	2.27	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400877	BETR12-010	380	115.8	385	117.3	Rock	2.01	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400878	BETR12-010	385	117.3	390	118.9	Rock	2.43	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400879	BETR12-010	390	118.9	395	120.4	Rock	1.53	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400880	BETR12-010	CDN-BL-10	0		0	Rock Pulp	0.12	4	0.2	Acme	20-Jun-12	WHI12000064	31-May-12
1400881	BETR12-010	CDN-GS-5H	0		0	Rock Pulp	0.12	3791	49.3	Acme	20-Jun-12	WHI12000064	31-May-12
1400882	BETR12-010	395	120.4	400	121.9	Rock	1.66	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400883	BETR12-010	400	121.9	405	123.4	Rock	1.81	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400884	BETR12-010	405	123.4	410	125	Rock	1.59	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400885	BETR12-010	410	125	415	126.5	Rock	2.45	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400886	BETR12-010	415	126.5	420	128	Rock	2.4	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400887	BETR12-010	420	128	425	129.5	Rock	2.09	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400888	BETR12-010	425	129.5	430	131.1	Rock	1.45	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400889	BETR12-010	430	131.1	435	132.6	Rock	1.7	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400890	BETR12-010	435	132.6	440	134.1	Rock	1.85	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400891	BETR12-010	440	134.1	445	135.6	Rock	1.88	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400892	BETR12-011	0	0	5	1.5	Rock	2.24	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400893	BETR12-011	5	1.5	10	3	Rock	2.88	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400894	BETR12-011	10	3	13	4	Rock	1.15	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400895	BETR12-011	13	4	18	5.5	Rock	2.24	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400896	BETR12-011	18	5.5	23	7	Rock	1.68	2	0.3	Acme	20-Jun-12	WHI12000064	31-May-12
1400897	BETR12-011	23	7	28	8.5	Rock	2.64	9	0.2	Acme	20-Jun-12	WHI12000064	31-May-12
1400898	BETR12-011	28	8.5	33	10.1	Rock	1.44	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400899	BETR12-011	33	10.1	38	11.6	Rock	1.5	2	0.2	Acme	20-Jun-12	WHI12000064	31-May-12
1400900	BETR12-011	CDN-BL-10	0		0	Rock Pulp	0.12	3	0.7	Acme	20-Jun-12	WHI12000064	31-May-12
1400901	BETR12-011	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1536	0.3	Acme	20-Jun-12	WHI12000064	31-May-12
1400902	BETR12-011	38	11.6	43	13.1	Rock	2.18	2	0.2	Acme	20-Jun-12	WHI12000064	31-May-12
1400903	BETR12-011	43	13.1	48	14.6	Rock	1.58	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400904	BETR12-011	48	14.6	53	16.2	Rock	1.84	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400905	BETR12-011	53	16.2	58	17.7	Rock	1.7	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400906	BETR12-011	58	17.7	63	19.2	Rock	1.52	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400907	BETR12-011	63	19.2	68	20.7	Rock	2.38	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400908	BETR12-011	68	20.7	73	22.3	Rock	1.56	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400909	BETR12-011	73	22.3	78	23.8	Rock	2.02	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400910	BETR12-011	78	23.8	83	25.3	Rock	2.01	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400911	BETR12-011	83	25.3	88	26.8	Rock	2.08	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400912	BETR12-011	88	26.8	93	28.3	Rock	1.77	21	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400913	BETR12-011	93	28.3	98	29.9	Rock	1.72	20	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400914	BETR12-011	98	29.9	103	31.4	Rock	2.15	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400915	BETR12-011	103	31.4	108	32.9	Rock	1.92	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400916	BETR12-011	108	32.9	113	34.4	Rock	1.61	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400917	BETR12-011	113	34.4	118	36	Rock	2.32	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400918	BETR12-011	118	36	123	37.5	Rock	1.55	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400919	BETR12-011	123	37.5	128	39	Rock	2.21	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400920	BETR12-011	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	20-Jun-12	WHI12000064	31-May-12
1400921	BETR12-011	CDN-GS-5H	0		0	Rock Pulp	0.12	4019	55.6	Acme	20-Jun-12	WHI12000064	31-May-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1400922	BETR12-011	128	39	133	40.5	Rock	2.14	9	0.3	Acme	20-Jun-12	WHI12000064	31-May-12
1400923	BETR12-011	133	40.5	138	42.1	Rock	1.71	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400924	BETR12-011	138	42.1	143	43.6	Rock	0.95	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400925	BETR12-011	Duplicate	0		0	Rock	0.81	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400926	BETR12-011	143	43.6	148	45.1	Rock	2.06	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400927	BETR12-011	148	45.1	153	46.6	Rock	1.68	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400928	BETR12-011	153	46.6	158	48.2	Rock	2.04	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400929	BETR12-011	158	48.2	163	49.7	Rock	2.15	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400930	BETR12-011	163	49.7	168	51.2	Rock	1.66	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400931	BETR12-011	168	51.2	173	52.7	Rock	1.52	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400932	BETR12-011	173	52.7	178	54.3	Rock	1.88	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400933	BETR12-011	178	54.3	183	55.8	Rock	1.6	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400934	BETR12-011	183	55.8	188	57.3	Rock	1.68	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400935	BETR12-011	188	57.3	193	58.8	Rock	2.11	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400936	BETR12-011	193	58.8	198	60.4	Rock	1.9	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400937	BETR12-011	198	60.4	203	61.9	Rock	2.06	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400938	BETR12-011	203	61.9	208	63.4	Rock		2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400939	BETR12-011	208	63.4	213	64.9	Rock	1.5	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400940	BETR12-011	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.5	Acme	20-Jun-12	WHI12000064	31-May-12
1400941	BETR12-011	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1365	0.2	Acme	20-Jun-12	WHI12000064	31-May-12
1400942	BETR12-011	213	64.9	218	66.4	Rock	2.19	28	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400943	BETR12-011	218	66.4	223	68	Rock	2.08	3	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400944	BETR12-011	223	68	228	69.5	Rock	2.09	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400945	BETR12-011	228	69.5	233	71	Rock	2.19	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400946	BETR12-011	233	71	238	72.5	Rock	2.2	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400947	BETR12-011	238	72.5	243	74.1	Rock	1.93	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400948	BETR12-011	243	74.1	248	75.6	Rock	1.74	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400949	BETR12-011	248	75.6	253	77.1	Rock	1.57	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400950	BETR12-011	253	77.1	258	78.6	Rock	1.97	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400951	BETR12-011	258	78.6	263	80.2	Rock	2.18	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400952	BETR12-011	263	80.2	268	81.7	Rock	2.25	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400953	BETR12-011	268	81.7	273	83.2	Rock	1.84	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400954	BETR12-011	273	83.2	278	84.7	Rock	1.97	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400955	BETR12-011	278	84.7	283	86.3	Rock	2.34	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400956	BETR12-011	283	86.3	288	87.8	Rock	2.13	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400957	BETR12-011	288	87.8	293	89.3	Rock	2.19	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400958	BETR12-011	293	89.3	298	90.8	Rock	1.87	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400959	BETR12-011	298	90.8	303	92.4	Rock	1.98	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400960	BETR12-011	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	20-Jun-12	WHI12000064	31-May-12
1400961	BETR12-011	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1557	0.3	Acme	20-Jun-12	WHI12000064	31-May-12
1400962	BETR12-011	303	92.4	308	93.9	Rock	2.26	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400963	BETR12-011	308	93.9	313	95.4	Rock	1.8	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400964	BETR12-011	313	95.4	318	96.9	Rock	1.52	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400965	BETR12-011	318	96.9	323	98.5	Rock	1.89	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400966	BETR12-011	323	98.5	328	100	Rock	1.89	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400967	BETR12-011	328	100	333	101.5	Rock	1.9	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1400968	BETR12-011	333	101.5	338	103	Rock	1.77	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400969	BETR12-011	338	103	343	104.5	Rock	1.92	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400970	BETR12-011	343	104.5	348	106.1	Rock	1.74	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400971	BETR12-011	348	106.1	353	107.6	Rock	1.63	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400972	BETR12-011	353	107.6	358	109.1	Rock	1.73	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400973	BETR12-011	358	109.1	363	110.6	Rock	1.99	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400974	BETR12-011	363	110.6	368	112.2	Rock	1.15	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400975	BETR12-011	Duplicate	0		0	Rock	1.15	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400976	BETR12-011	368	112.2	373	113.7	Rock	2.04	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400977	BETR12-011	373	113.7	378	115.2	Rock	1.46	1385	0.6	Acme	20-Jun-12	WHI12000064	31-May-12
1400978	BETR12-011	378	115.2	383	116.7	Rock	1.6	31	0.4	Acme	20-Jun-12	WHI12000064	31-May-12
1400979	BETR12-011	383	116.7	388	118.3	Rock	1.68	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400980	BETR12-011	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	20-Jun-12	WHI12000064	31-May-12
1400981	BETR12-011	CDN-GS-5H	0		0	Rock Pulp	0.12	3999	53.8	Acme	20-Jun-12	WHI12000064	31-May-12
1400982	BETR12-011	388	118.3	393	119.8	Rock	1.95	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400983	BETR12-011	393	119.8	398	121.3	Rock	1.87	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400984	BETR12-011	398	121.3	403	122.8	Rock	1.88	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400985	BETR12-011	403	122.8	408	124.4	Rock	1.53	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400986	BETR12-011	408	124.4	413	125.9	Rock	1.49	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400987	BETR12-011	413	125.9	418	127.4	Rock	2.3	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400988	BETR12-011	418	127.4	423	128.9	Rock	1.64	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400989	BETR12-011	423	128.9	428	130.5	Rock	2.23	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400990	BETR12-011	428	130.5	433	132	Rock	1.54	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400991	BETR12-011	433	132	438	133.5	Rock	1.38	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400992	BETR12-011	438	133.5	443	135	Rock	1.41	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400993	BETR12-011	443	135	448	136.6	Rock	2.1	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400994	BETR12-011	448	136.6	453	138.1	Rock	1.69	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400995	BETR12-011	453	138.1	458	139.6	Rock	1.74	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1400996	BETR12-011	458	139.6	463	141.1	Rock	1.86	2	0.1	Acme	20-Jun-12	WHI12000064	31-May-12
1408000	BETR12-012		0		0								
1408001	BETR12-012	CDN-GS-1P5F	0		0	Rock Pulp	0.13	1359	0.3	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408002	BETR12-012	0	0	6	1.8	Core Chip	1.98	9	0.9	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408003	BETR12-012	6	1.8	11	3.4	Core Chip	2.14	68	0.6	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408004	BETR12-012	11	3.4	14	4.3	Core Chip	1	48	0.5	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408005	BETR12-012	14	4.3	19	5.8	Core Chip	2.09	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408006	BETR12-012	19	5.8	24	7.3	Core Chip	1.94	59	0.2	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408007	BETR12-012	24	7.3	29	8.8	Core Chip	2.4	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408008	BETR12-012	29	8.8	34	10.4	Core Chip	2.06	11	0.9	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408009	BETR12-012	34	10.4	39	11.9	Core Chip	2	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408010	BETR12-012	39	11.9	44	13.4	Core Chip	2.16	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408011	BETR12-012	44	13.4	49	14.9	Core Chip	2.37	66	0.9	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408012	BETR12-012	49	14.9	54	16.5	Core Chip	2.37	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408013	BETR12-012	54	16.5	59	18	Core Chip	2.3	2	0.5	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408014	BETR12-012	59	18	64	19.5	Core Chip	2.03	2	0.3	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408015	BETR12-012	64	19.5	69	21	Core Chip	2.05	10	0.5	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408016	BETR12-012	69	21	74	22.6	Core Chip	2.43	42	0.3	Acme	13-Jun-12	WHI12000067	04-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1408017	BETR12-012	74	22.6	79	24.1	Core Chip	2.45	47	0.4	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408018	BETR12-012	79	24.1	84	25.6	Core Chip	2.24	2	0.3	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408019	BETR12-012	84	25.6	89	27.1	Core Chip	2.3	542	1.2	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408020	BETR12-012	CDN-BL-10	0		0	Rock Pulp	0.13	2	0.2	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408021	BETR12-012	CDN-GS-5H	0		0	Rock Pulp	0.13	4013	55.7	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408022	BETR12-012	89	27.1	94	28.7	Core Chip	2.07	29600	28.5	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408023	BETR12-012	94	28.7	99	30.2	Core Chip	2.06	29900	24.8	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408024	BETR12-012	99	30.2	104	31.7	Core Chip	1.02	164	0.2	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408025	BETR12-012	Duplicate	0		0	Core Chip	1.18	1730	0.2	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408026	BETR12-012	104	31.7	109	33.2	Core Chip	2.09	70	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408027	BETR12-012	109	33.2	114	34.7	Core Chip	1.95	91	0.3	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408028	BETR12-012	114	34.7	119	36.3	Core Chip	2.24	4	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408029	BETR12-012	119	36.3	124	37.8	Core Chip	2.33	9	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408030	BETR12-012	124	37.8	129	39.3	Core Chip	2.09	6	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408031	BETR12-012	129	39.3	134	40.8	Core Chip	2.43	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408032	BETR12-012	134	40.8	139	42.4	Core Chip	1.97	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408033	BETR12-012	139	42.4	144	43.9	Core Chip	2.34	4	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408034	BETR12-012	144	43.9	149	45.4	Core Chip	2.28	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408035	BETR12-012	149	45.4	154	46.9	Core Chip	2.06	11	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408036	BETR12-012	154	46.9	159	48.5	Core Chip	2.66	2	0.7	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408037	BETR12-012	159	48.5	164	50	Core Chip	2.38	65	0.7	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408038	BETR12-012	164	50	169	51.5	Core Chip	2.29	6	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408039	BETR12-012	169	51.5	174	53	Core Chip	2.29	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408040	BETR12-012	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408041	BETR12-012	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1472	0.3	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408042	BETR12-012	174	53	179	54.6	Core Chip	2.06	117	2	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408043	BETR12-012	179	54.6	184	56.1	Core Chip	2.14	9	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408044	BETR12-012	184	56.1	189	57.6	Core Chip	1.82	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408045	BETR12-012	189	57.6	194	59.1	Core Chip	1.88	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408046	BETR12-012	194	59.1	199	60.7	Core Chip	2.33	23	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408047	BETR12-012	199	60.7	204	62.2	Core Chip	2.41	337	1.5	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408048	BETR12-012	204	62.2	209	63.7	Core Chip	2.36	3	0.2	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408049	BETR12-012	209	63.7	214	65.2	Core Chip	3.15	4	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408050	BETR12-012	214	65.2	219	66.8	Core Chip	2.11	6	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408051	BETR12-012	219	66.8	224	68.3	Core Chip	2.18	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408052	BETR12-012	224	68.3	229	69.8	Core Chip	2.26	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408053	BETR12-012	229	69.8	234	71.3	Core Chip	2.39	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408054	BETR12-012	234	71.3	239	72.8	Core Chip	2.13	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408055	BETR12-012	239	72.8	244	74.4	Core Chip	2.05	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408056	BETR12-012	244	74.4	249	75.9	Core Chip	2.44	191	0.6	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408057	BETR12-012	249	75.9	254	77.4	Core Chip	1.96	59	0.9	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408058	BETR12-012	254	77.4	259	78.9	Core Chip	2.17	7	0.3	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408059	BETR12-012	259	78.9	264	80.5	Core Chip	2.14	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408060	BETR12-012	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408061	BETR12-012	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1555	0.2	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408062	BETR12-012	264	80.5	269	82	Core Chip	2.98	4	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1408063	BETR12-012	269	82	274	83.5	Core Chip	2.3	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408064	BETR12-012	274	83.5	279	85	Core Chip	2.2	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408065	BETR12-012	279	85	284	86.6	Core Chip	2.45	6	0.2	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408066	BETR12-012	284	86.6	289	88.1	Core Chip	2.19	10	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408067	BETR12-012	289	88.1	294	89.6	Core Chip	2.07	130	2.7	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408068	BETR12-012	294	89.6	299	91.1	Core Chip	1.41	63	0.2	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408069	BETR12-012	299	91.1	304	92.7	Core Chip	2.1	104	3.5	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408070	BETR12-012	304	92.7	309	94.2	Core Chip	2.46	63	1.3	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408071	BETR12-012	309	94.2	314	95.7	Core Chip	2.39	36	2.4	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408072	BETR12-012	314	95.7	319	97.2	Core Chip	2.56	9	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408073	BETR12-012	319	97.2	324	98.8	Core Chip	2.54	61	0.6	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408074	BETR12-012	324	98.8	329	100.3	Core Chip	1.42	13	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408075	BETR12-012	Duplicate	0		0	Core Chip	1.14	14	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408076	BETR12-012	329	100.3	334	101.8	Core Chip	2.93	24	32	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408077	BETR12-012	334	101.8	339	103.3	Core Chip	2.77	2	0.4	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408078	BETR12-012	339	103.3	344	104.9	Core Chip	2.46	3	0.2	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408079	BETR12-012	344	104.9	349	106.4	Core Chip	2.62	30	1.7	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408080	BETR12-012	CDN-BL-10	0		0	Rock Pulp	0.12	30	0.3	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408081	BETR12-012	CDN-GS-5H	0		0	Rock Pulp	0.12	4087	51.9	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408082	BETR12-012	349	106.4	354	107.9	Core Chip	2.36	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408083	BETR12-012	354	107.9	359	109.4	Core Chip	2.74	3	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408084	BETR12-012	359	109.4	364	110.9	Core Chip	2.95	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408085	BETR12-012	364	110.9	369	112.5	Core Chip	2.58	2	1.8	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408086	BETR12-012	369	112.5	374	114	Core Chip	2.42	2	0.9	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408087	BETR12-012	374	114	379	115.5	Core Chip	2.6	4	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408088	BETR12-012	379	115.5	384	117	Core Chip	2.39	4	0.2	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408089	BETR12-012	384	117	389	118.6	Core Chip	2.59	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408090	BETR12-012	389	118.6	394	120.1	Core Chip	2.66	171	13.9	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408091	BETR12-012	394	120.1	399	121.6	Core Chip	2.47	2	0.4	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408092	BETR12-012	399	121.6	404	123.1	Core Chip	2.68	2	0.6	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408093	BETR12-012	404	123.1	409	124.7	Core Chip	2.39	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408094	BETR12-012	409	124.7	414	126.2	Core Chip	2.37	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408095	BETR12-012	414	126.2	419	127.7	Core Chip	2.49	87	1.4	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408096	BETR12-012	419	127.7	424	129.2	Core Chip	1.98	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408097	BETR12-012	424	129.2	429	130.8	Core Chip	2.56	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408098	BETR12-012	429	130.8	434	132.3	Core Chip	2.26	2	0.7	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408099	BETR12-012	434	132.3	439	133.8	Core Chip	2.3	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408100	BETR12-012	CDN-BL-10	0		0	Rock Pulp	0.13	2	0.4	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408101	BETR12-012	CDN-GS-1P5F	0		0	Rock Pulp	0.13	1416	0.3	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408102	BETR12-012	439	133.8	444	135.3	Core Chip	2.29	2	0.6	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408103	BETR12-012	444	135.3	449	136.9	Core Chip	2.43	3	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408104	BETR12-012	449	136.9	454	138.4	Core Chip	2.89	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408105	BETR12-012	454	138.4	459	139.9	Core Chip	2.69	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408106	BETR12-012	459	139.9	464	141.4	Core Chip	2.35	4	0.7	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408107	BETR12-012	464	141.4	469	143	Core Chip	2.32	12	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408108	BETR12-012	469	143	474	144.5	Core Chip	2.2	8	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1408109	BETR12-012	474	144.5	479	146	Core Chip	2.14	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408110	BETR12-012	479	146	484	147.5	Core Chip	2.62	7	0.2	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408111	BETR12-012	484	147.5	489	149	Core Chip	2.57	9	1.4	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408112	BETR12-012	489	149	494	150.6	Core Chip	2.4	539	32.3	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408113	BETR12-012	494	150.6	499	152.1	Core Chip	2.66	10	1.2	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408114	BETR12-012	499	152.1	504	153.6	Core Chip	2.89	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408115	BETR12-012	504	153.6	509	155.1	Core Chip	2.11	3	1.4	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408116	BETR12-012	509	155.1	514	156.7	Core Chip	2.5	6	0.2	Acme	13-Jun-12	WHI12000067	04-Jun-12
1408117	BETR12-012	514	156.7	519	158.2	Core Chip	2.42	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1400997	BETR12-013	0	0	6	1.8	Core Chip	1.34	23	0.2	Acme	13-Jun-12	WHI12000067	04-Jun-12
1400998	BETR12-013	6	1.8	11	3.4	Core Chip	0.95	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1400999	BETR12-013	11	3.4	15	4.6	Core Chip	0.88	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1401000	BETR12-013	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.8	Acme	13-Jun-12	WHI12000067	04-Jun-12
1401001	BETR12-013	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1459	0.2	Acme	13-Jun-12	WHI12000067	04-Jun-12
1401002	BETR12-013	15	4.6	20	6.1	Core Chip	1.49	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1401003	BETR12-013	20	6.1	25	7.6	Core Chip	2.07	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1401004	BETR12-013	25	7.6	30	9.1	Core Chip	2.04	15	0.7	Acme	13-Jun-12	WHI12000067	04-Jun-12
1401005	BETR12-013	30	9.1	35	10.7	Core Chip	1.82	2	1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1401006	BETR12-013	35	10.7	40	12.2	Core Chip	1.62	5	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1401007	BETR12-013	40	12.2	45	13.7	Core Chip	2.02	9	0.2	Acme	13-Jun-12	WHI12000067	04-Jun-12
1401008	BETR12-013	45	13.7	50	15.2	Core Chip	2.12	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1401009	BETR12-013	50	15.2	55	16.8	Core Chip	1.87	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1401010	BETR12-013	55	16.8	60	18.3	Core Chip	1.83	17	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1401011	BETR12-013	60	18.3	65	19.8	Core Chip	1.58	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1401012	BETR12-013	65	19.8	70	21.3	Core Chip	0.65	2	0.1	Acme	13-Jun-12	WHI12000067	04-Jun-12
1401013	BETR12-013	70	21.3	75	22.9	Core Chip	2.15	65	7.9	Acme	13-Jun-12	WHI12000067	04-Jun-12
1401014	BETR12-013	75	22.9	80	24.4	Core Chip	2.04	8	0.9	Acme	13-Jun-12	WHI12000067	04-Jun-12
1401015	BETR12-013	80	24.4	85	25.9	Core Chip	2.44	2	0.4	Acme	13-Jun-12	WHI12000067	04-Jun-12
1401016	BETR12-013	85	25.9	90	27.4	Core Chip	2.22	2	0.2	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401017	BETR12-013	90	27.4	95	29	Core Chip	2.13	2	0.1	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401018	BETR12-013	95	29	100	30.5	Core Chip	2.51	2	1.3	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401019	BETR12-013	100	30.5	105	32	Core Chip	2.2	2	0.1	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401020	BETR12-013	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401021	BETR12-013	CDN-GS-5H	0		0	Rock Pulp	0.12	3840	51.9	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401022	BETR12-013	105	32	110	33.5	Core Chip	2.56	2	0.1	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401023	BETR12-013	110	33.5	115	35.1	Core Chip	2.21	2	0.2	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401024	BETR12-013	115	35.1	120	36.6	Core Chip	0.84	2	0.1	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401025	BETR12-013	Duplicate	0		0	Core Chip	1.09	2	0.1	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401026	BETR12-013	120	36.6	125	38.1	Core Chip	2.77	2	0.1	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401027	BETR12-013	125	38.1	130	39.6	Core Chip	2.92	2	0.1	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401028	BETR12-013	130	39.6	135	41.1	Core Chip	2.24	2	0.1	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401029	BETR12-013	135	41.1	140	42.7	Core Chip	2.32	2	0.1	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401030	BETR12-013	140	42.7	145	44.2	Core Chip	2.26	2	0.1	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401031	BETR12-013	145	44.2	150	45.7	Core Chip	3.32	2	0.1	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401032	BETR12-013	150	45.7	155	47.2	Core Chip	1.88	2	0.1	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401033	BETR12-013	155	47.2	160	48.8	Core Chip	3.25	2	0.1	Acme	18-Jun-12	WHI12000068	04-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1401034	BETR12-013	160	48.8	165	50.3	Core Chip	2.32	2	0.1	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401035	BETR12-013	165	50.3	170	51.8	Core Chip	2.46	2	0.1	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401036	BETR12-013	170	51.8	175	53.3	Core Chip	3.1	2	0.1	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401037	BETR12-013	175	53.3	180	54.9	Core Chip	2.25	2	0.1	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401038	BETR12-013	180	54.9	185	56.4	Core Chip	2.28	2	0.4	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401039	BETR12-013	185	56.4	190	57.9	Core Chip	2.45	2	0.7	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401040	BETR12-013	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401041	BETR12-013	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1475	0.2	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401042	BETR12-013	190	57.9	195	59.4	Core Chip	1.89	3325	41.3	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401043	BETR12-013	195	59.4	200	61	Core Chip	2.68	40	0.5	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401044	BETR12-013	200	61	205	62.5	Core Chip	2	137	1.2	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401045	BETR12-013	205	62.5	210	64	Core Chip	2.76	4	0.1	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401046	BETR12-013	210	64	215	65.5	Core Chip	1.98	5	0.1	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401047	BETR12-013	215	65.5	220	67.1	Core Chip	2.82	4	0.7	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401048	BETR12-013	220	67.1	225	68.6	Core Chip	2.83	2	0.1	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401049	BETR12-013	225	68.6	230	70.1	Core Chip	2.16	4	0.3	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401050	BETR12-013	230	70.1	235	71.6	Core Chip	2.97	82	30.1	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401051	BETR12-013	235	71.6	240	73.2	Core Chip	2.36	4	0.9	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401052	BETR12-013	240	73.2	245	74.7	Core Chip	3.17	2	0.3	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401053	BETR12-013	245	74.7	250	76.2	Core Chip	2.15	8	0.2	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401054	BETR12-013	250	76.2	255	77.7	Core Chip	3.08	16	0.1	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401055	BETR12-013	255	77.7	260	79.2	Core Chip	3.2	2	1.6	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401056	BETR12-013	260	79.2	265	80.8	Core Chip	3	9	3.8	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401057	BETR12-013	265	80.8	270	82.3	Core Chip	1.83	2	0.1	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401058	BETR12-013	270	82.3	275	83.8	Core Chip	2.27	18	0.6	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401059	BETR12-013	275	83.8	280	85.3	Core Chip	2.01	4	0.1	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401060	BETR12-013	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401061	BETR12-013	CDN-GS-5H	0		0	Rock Pulp	0.12	4169	55.8	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401062	BETR12-013	280	85.3	285	86.9	Core Chip	2.12	2	0.1	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401063	BETR12-013	285	86.9	290	88.4	Core Chip	2.49	3	3.8	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401064	BETR12-013	290	88.4	295	89.9	Core Chip	2.36	36	0.8	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401065	BETR12-013	295	89.9	300	91.4	Core Chip	1.21	43	0.4	Acme	18-Jun-12	WHI12000068	04-Jun-12
1401066	BETR12-014	0	0	6	1.8	Rock	1.06	48	1.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401067	BETR12-014	6	1.8	11	3.4	Rock	1.58	167	1.5	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401068	BETR12-014	11	3.4	16	4.9	Rock	1.92	114	0.5	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401069	BETR12-014	16	4.9	20	6.1	Rock	1.33	25	0.3	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401070	BETR12-014	20	6.1	25	7.6	Rock	2.24	19	0.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401071	BETR12-014	25	7.6	30	9.1	Rock	1.9	7	0.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401072	BETR12-014	30	9.1	35	10.7	Rock	1.88	13	0.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401073	BETR12-014	35	10.7	40	12.2	Rock	1.38	16	0.2	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401074	BETR12-014	40	12.2	45	13.7	Rock	1.07	416	14.5	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401075	BETR12-014	Duplicate	0		0	Rock	0.69	405	12.9	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401076	BETR12-014	45	13.7	50	15.2	Rock	2.04	251	23	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401077	BETR12-014	50	15.2	55	16.8	Rock	2.26	89	1.9	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401078	BETR12-014	55	16.8	60	18.3	Rock	1.92	55	1.6	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401079	BETR12-014	60	18.3	65	19.8	Rock	1.81	19	0.8	Acme	20-Jun-12	WHI12000073	06-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1401080	BETR12-014	CDN-BL-10	0		0	Rock Pulp	0.12	3	0.3	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401081	BETR12-014	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1420	0.2	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401082	BETR12-014	65	19.8	70	21.3	Rock	2.02	90	0.6	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401083	BETR12-014	70	21.3	75	22.9	Rock	1.86	32	0.3	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401084	BETR12-014	75	22.9	80	24.4	Rock	2.11	11	0.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401085	BETR12-014	80	24.4	85	25.9	Rock	2.24	730	6.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401086	BETR12-014	85	25.9	90	27.4	Rock	1.86	467	5.2	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401087	BETR12-014	90	27.4	95	29	Rock	2.16	7	0.4	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401088	BETR12-014	95	29	100	30.5	Rock	2.15	454	0.8	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401089	BETR12-014	100	30.5	105	32	Rock	1.95	268	7.8	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401090	BETR12-014	105	32	110	33.5	Rock	2.15	6	1.2	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401091	BETR12-014	110	33.5	115	35.1	Rock	1.93	5	0.2	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401092	BETR12-014	115	35.1	120	36.6	Rock	2.29	5	0.3	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401093	BETR12-014	120	36.6	125	38.1	Rock	2.08	4	0.2	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401094	BETR12-014	125	38.1	130	39.6	Rock	2.07	87	0.5	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401095	BETR12-014	130	39.6	135	41.1	Rock	2.38	5	0.4	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401096	BETR12-014	135	41.1	140	42.7	Rock	2.16	9	0.4	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401097	BETR12-014	140	42.7	145	44.2	Rock	1.78	11	1.4	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401098	BETR12-014	145	44.2	150	45.7	Rock	2.1	10	1.8	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401099	BETR12-014	150	45.7	155	47.2	Rock	2.1	4	0.6	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401100	BETR12-014	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401101	BETR12-014	CDN-GS-5H	0		0	Rock Pulp	0.13	3837	50.2	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401102	BETR12-014	155	47.2	160	48.8	Rock	1.75	5	0.5	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401103	BETR12-014	160	48.8	165	50.3	Rock	2.2	19	0.5	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401104	BETR12-014	165	50.3	170	51.8	Rock	1.51	2	0.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401105	BETR12-014	170	51.8	175	53.3	Rock	2.36	2	0.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401106	BETR12-014	175	53.3	180	54.9	Rock	1.97	2	0.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401107	BETR12-014	180	54.9	185	56.4	Rock	2.46	4	5	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401108	BETR12-014	185	56.4	190	57.9	Rock	1.95	2	0.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401109	BETR12-014	190	57.9	195	59.4	Rock	2.86	2	0.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401110	BETR12-014	195	59.4	200	61	Rock	2.13	2	0.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401111	BETR12-014	200	61	205	62.5	Rock	2.47	2	0.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401112	BETR12-014	205	62.5	210	64	Rock	2.53	24	6.9	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401113	BETR12-014	210	64	215	65.5	Rock	2.45	2	0.7	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401114	BETR12-014	215	65.5	220	67.1	Rock	2.68	2	1.5	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401115	BETR12-014	220	67.1	225	68.6	Rock	2.25	4	3.9	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401116	BETR12-014	225	68.6	230	70.1	Rock	3.05	3	0.8	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401117	BETR12-014	230	70.1	235	71.6	Rock	2.96	2	0.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401118	BETR12-014	235	71.6	240	73.2	Rock	2.45	2	0.7	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401119	BETR12-014	240	73.2	245	74.7	Rock	2.52	2	0.2	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401120	BETR12-014	CDN-BL-10	0		0	Rock Pulp	0.12	12	0.2	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401121	BETR12-014	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1485	0.3	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401122	BETR12-014	245	74.7	250	76.2	Rock	2.92	6	0.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401123	BETR12-014	250	76.2	255	77.7	Rock	2.52	2	0.7	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401124	BETR12-014	255	77.7	260	79.2	Rock	1.37	2	0.2	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401125	BETR12-014	Duplicate	0		0	Rock	1.25	2	0.2	Acme	20-Jun-12	WHI12000073	06-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1401126	BETR12-014	260	79.2	265	80.8	Rock	2.47	78	0.5	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401127	BETR12-014	265	80.8	270	82.3	Rock	2.22	2	0.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401128	BETR12-014	270	82.3	275	83.8	Rock	3.04	2	0.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401129	BETR12-014	275	83.8	280	85.3	Rock	2.46	2	0.3	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401130	BETR12-014	280	85.3	285	86.9	Rock	2.26	27	0.2	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401131	BETR12-014	285	86.9	290	88.4	Rock	3.06	11	1.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401132	BETR12-014	290	88.4	295	89.9	Rock	2.53	10	1.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401133	BETR12-014	295	89.9	300	91.4	Rock	2.94	36	0.2	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401134	BETR12-014	300	91.4	305	93	Rock	3.24	2	1.2	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401135	BETR12-014	305	93	310	94.5	Rock	2.1	2	0.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401136	BETR12-014	310	94.5	315	96	Rock	2.36	75	0.7	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401137	BETR12-014	315	96	320	97.5	Rock	3.01	22	0.4	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401138	BETR12-014	320	97.5	325	99.1	Rock	2.37	2	0.5	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401139	BETR12-014	325	99.1	330	100.6	Rock	2.37	8	0.4	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401140	BETR12-014	CDN-BL-10	0		0	Rock Pulp	0.13	2	0.2	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401141	BETR12-014	CDN-GS-5H	0		0	Rock Pulp	0.13	3881	48.9	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401142	BETR12-014	330	100.6	335	102.1	Rock	2.74	17	0.8	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401143	BETR12-014	335	102.1	340	103.6	Rock	2.64	7	0.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401144	BETR12-014	340	103.6	345	105.2	Rock	2.46	28	0.4	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401145	BETR12-014	345	105.2	350	106.7	Rock	2.23	3	0.2	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401146	BETR12-014	350	106.7	355	108.2	Rock	2.8	2	0.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401147	BETR12-014	355	108.2	360	109.7	Rock	2.53	616	10.2	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401148	BETR12-014	360	109.7	365	111.3	Rock	2.66	6526	46.9	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401149	BETR12-014	365	111.3	370	112.8	Rock	2.15	5547	7.7	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401150	BETR12-014	370	112.8	375	114.3	Rock	2.3	662	1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401151	BETR12-014	375	114.3	380	115.8	Rock	1.92	148	2.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401152	BETR12-014	380	115.8	385	117.3	Rock	2.04	35	0.5	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401153	BETR12-014	385	117.3	390	118.9	Rock	2.49	1109	76.9	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401154	BETR12-014	390	118.9	395	120.4	Rock	2.14	1105	4.3	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401155	BETR12-014	395	120.4	400	121.9	Rock	2.12	17	0.5	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401156	BETR12-014	400	121.9	405	123.4	Rock	2.29	8	0.2	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401157	BETR12-014	405	123.4	410	125	Rock	2.28	2	0.2	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401158	BETR12-014	410	125	415	126.5	Rock	2.28	12	0.2	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401159	BETR12-014	415	126.5	420	128	Rock	2.08	26	0.6	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401160	BETR12-014	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401161	BETR12-014	CDN-GS-1P5F	0		0	Rock Pulp	0.11	1501	0.3	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401162	BETR12-014	420	128	425	129.5	Rock	1.78	65	0.4	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401163	BETR12-014	425	129.5	430	131.1	Rock	1.98	89	1.4	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401164	BETR12-014	430	131.1	435	132.6	Rock	2.11	3	0.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401165	BETR12-014	435	132.6	440	134.1	Rock	1.88	2	0.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401166	BETR12-014	440	134.1	445	135.6	Rock	2.15	9	0.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401167	BETR12-014	445	135.6	450	137.2	Rock	2.28	2	0.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401168	BETR12-014	450	137.2	455	138.7	Rock	2.23	4	0.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401169	BETR12-014	455	138.7	460	140.2	Rock	2.13	7	0.2	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401170	BETR12-014	460	140.2	465	141.7	Rock	2.32	2	0.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401171	BETR12-014	465	141.7	470	143.3	Rock	1.91	2	0.1	Acme	20-Jun-12	WHI12000073	06-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1401172	BETR12-014	470	143.3	475	144.8	Rock	2	2	0.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401173	BETR12-014	475	144.8	480	146.3	Rock	2.28	2	0.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401174	BETR12-014	480	146.3	485	147.8	Rock	1.1	2	0.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401175	BETR12-014	Duplicate	0		0	Rock	1.03	2	0.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401176	BETR12-014	485	147.8	490	149.4	Rock	1.8	2	0.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401177	BETR12-014	490	149.4	495	150.9	Rock	2.18	2	0.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401178	BETR12-014	495	150.9	500	152.4	Rock	2.25	2	0.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401179	BETR12-014	500	152.4	505	153.9	Rock	1.95	2	0.1	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401180	BETR12-014	CDN-BL-10	0		0	Rock Pulp	0.12	3	0.3	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401181	BETR12-014	CDN-GS-5H	0		0	Rock Pulp	0.12	3772	51.3	Acme	20-Jun-12	WHI12000073	06-Jun-12
1401182	BETR12-015	0	0	6	1.8	Rock	2.12	1577	23.8	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401183	BETR12-015	6	1.8	11	3.4	Rock	4.15	358	2.4	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401184	BETR12-015	11	3.4	14	4.3	Rock	1.64	35	1.3	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401185	BETR12-015	14	4.3	19	5.8	Rock	2.65	14	0.4	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401186	BETR12-015	19	5.8	24	7.3	Rock	2.84	8	0.2	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401187	BETR12-015	24	7.3	29	8.8	Rock	2.75	9	0.3	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401188	BETR12-015	29	8.8	34	10.4	Rock	2.56	9	0.3	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401189	BETR12-015	34	10.4	39	11.9	Rock	2.87	2	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401190	BETR12-015	39	11.9	44	13.4	Rock	2.34	3	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401191	BETR12-015	44	13.4	49	14.9	Rock	2.33	13	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401192	BETR12-015	49	14.9	54	16.5	Rock	3.11	21	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401193	BETR12-015	54	16.5	59	18	Rock	2.98	2	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401194	BETR12-015	59	18	64	19.5	Rock	3.08	14	0.2	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401195	BETR12-015	64	19.5	69	21	Rock	3.23	2	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401196	BETR12-015	69	21	74	22.6	Rock	2.44	10	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401197	BETR12-015	74	22.6	79	24.1	Rock	3	98	1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401198	BETR12-015	79	24.1	84	25.6	Rock	3.28	7	0.3	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401199	BETR12-015	84	25.6	89	27.1	Rock	2.7	27	1.7	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401200	BETR12-015	CDN-BL-10	0		0	Rock Pulp	0.12	3	0.2	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401201	BETR12-015	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1438	0.2	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401202	BETR12-015	89	27.1	94	28.7	Rock	2.78	23	0.4	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401203	BETR12-015	94	28.7	99	30.2	Rock	2.74	584	1.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401204	BETR12-015	99	30.2	104	31.7	Rock	2.83	53	0.2	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401205	BETR12-015	104	31.7	109	33.2	Rock	3.16	110	0.7	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401206	BETR12-015	109	33.2	114	34.7	Rock	2.97	677	2.7	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401207	BETR12-015	114	34.7	119	36.3	Rock	3.15	8	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401208	BETR12-015	119	36.3	124	37.8	Rock	3.14	3	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401209	BETR12-015	124	37.8	129	39.3	Rock	3.05	2	0.3	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401210	BETR12-015	129	39.3	134	40.8	Rock	3.03	4	0.3	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401211	BETR12-015	134	40.8	139	42.4	Rock	3.05	2	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401212	BETR12-015	139	42.4	144	43.9	Rock	3.34	4	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401213	BETR12-015	144	43.9	149	45.4	Rock	3.31	2	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401214	BETR12-015	149	45.4	154	46.9	Rock	1.96	5	0.3	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401215	BETR12-015	154	46.9	159	48.5	Rock	3.18	2	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401216	BETR12-015	159	48.5	164	50	Rock	2.92	2	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401217	BETR12-015	164	50	169	51.5	Rock	3.1	3	0.3	Acme	18-Jun-12	WHI12000074	06-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1401218	BETR12-015	169	51.5	174	53	Rock	2.51	3	1.9	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401219	BETR12-015	174	53	179	54.6	Rock	2.84	2	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401220	BETR12-015	CDN-BL-10	0		0	Rock Pulp	0.12	3	0.2	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401221	BETR12-015	CDN-GS-5H	0		0	Rock Pulp	0.12	3654	52.4	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401222	BETR12-015	179	54.6	184	56.1	Rock	3.07	17	0.2	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401223	BETR12-015	184	56.1	189	57.6	Rock	2.8	29	3.3	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401224	BETR12-015	189	57.6	194	59.1	Rock	1.86	42	0.2	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401225	BETR12-015	Duplicate	0		0	Rock	1.42	40	0.2	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401226	BETR12-015	194	59.1	199	60.7	Rock	2.73	2	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401227	BETR12-015	199	60.7	204	62.2	Rock	2.97	28	0.2	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401228	BETR12-015	204	62.2	209	63.7	Rock	3.08	3857	5.4	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401229	BETR12-015	209	63.7	214	65.2	Rock	2.99	582	2.9	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401230	BETR12-015	214	65.2	219	66.8	Rock	3.54	18	0.2	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401231	BETR12-015	219	66.8	224	68.3	Rock	2.95	11	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401232	BETR12-015	224	68.3	229	69.8	Rock	3.36	2	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401233	BETR12-015	229	69.8	234	71.3	Rock	3.05	28	0.2	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401234	BETR12-015	234	71.3	239	72.8	Rock	2.91	2	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401235	BETR12-015	239	72.8	244	74.4	Rock	3.14	2	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401236	BETR12-015	244	74.4	249	75.9	Rock	3.13	2	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401237	BETR12-015	249	75.9	254	77.4	Rock	3.26	2	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401238	BETR12-015	254	77.4	259	78.9	Rock	3.03	2	0.2	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401239	BETR12-015	259	78.9	264	80.5	Rock	2.69	2	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401240	BETR12-015	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401241	BETR12-015	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1437	0.3	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401242	BETR12-015	264	80.5	269	82	Rock	3.01	2	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401243	BETR12-015	269	82	274	83.5	Rock	3.05	5	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401244	BETR12-015	274	83.5	279	85	Rock	2.91	13	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401245	BETR12-015	279	85	284	86.6	Rock	3.03	76	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401246	BETR12-015	284	86.6	289	88.1	Rock	3.14	52	0.2	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401247	BETR12-015	289	88.1	294	89.6	Rock	2.89	134	0.2	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401248	BETR12-015	294	89.6	299	91.1	Rock	2.97	203	0.2	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401249	BETR12-015	299	91.1	304	92.7	Rock	3.06	57	0.5	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401250	BETR12-015	304	92.7	309	94.2	Rock	2.78	275	2.2	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401251	BETR12-015	309	94.2	314	95.7	Rock	2.81	6	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401252	BETR12-015	314	95.7	319	97.2	Rock	3.02	4	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401253	BETR12-015	319	97.2	324	98.8	Rock	2.93	36	0.4	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401254	BETR12-015	324	98.8	329	100.3	Rock	3.05	2	0.2	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401255	BETR12-015	329	100.3	334	101.8	Rock	3.09	26	0.2	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401256	BETR12-015	334	101.8	339	103.3	Rock	2.96	5	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401257	BETR12-015	339	103.3	344	104.9	Rock	3.11	11	0.2	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401258	BETR12-015	344	104.9	349	106.4	Rock	2.83	40	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401259	BETR12-015	349	106.4	354	107.9	Rock	3.01	869	0.5	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401260	BETR12-015	CDN-BL-10	0		0	Rock Pulp	0.12	3	0.3	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401261	BETR12-015	CDN-GS-5H	0		0	Rock Pulp	0.11	4060	54.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401262	BETR12-015	354	107.9	359	109.4	Rock	2.66	184	0.5	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401263	BETR12-015	359	109.4	364	110.9	Rock	3.01	765	1.5	Acme	18-Jun-12	WHI12000074	06-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1401264	BETR12-015	364	110.9	369	112.5	Rock	3.12	18	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401265	BETR12-015	369	112.5	374	114	Rock	2.98	9	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401266	BETR12-015	374	114	379	115.5	Rock	2.87	2	0.5	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401267	BETR12-015	379	115.5	384	117	Rock	3.07	2	0.2	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401268	BETR12-015	384	117	389	118.6	Rock	2.76	2	0.3	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401269	BETR12-015	389	118.6	394	120.1	Rock	2.87	119	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401270	BETR12-015	394	120.1	399	121.6	Rock	3	38	1.4	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401271	BETR12-015	399	121.6	404	123.1	Rock	2.69	14	0.2	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401272	BETR12-015	404	123.1	409	124.7	Rock	3.05	249	2	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401273	BETR12-015	409	124.7	414	126.2	Rock	2.58	1094	5.3	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401274	BETR12-015	414	126.2	419	127.7	Rock	1.34	10	0.2	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401275	BETR12-015	Duplicate	0		0	Rock	1.1	8	0.2	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401276	BETR12-015	419	127.7	424	129.2	Rock	2.2	2	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401277	BETR12-015	424	129.2	429	130.8	Rock	2.59	2	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401278	BETR12-015	429	130.8	434	132.3	Rock	2.47	5	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401279	BETR12-015	434	132.3	439	133.8	Rock	1.3	2	0.3	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401280	BETR12-015	CDN-BL-10	0		0	Rock Pulp	0.12	3	0.5	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401281	BETR12-015	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1387	0.2	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401282	BETR12-015	439	133.8	444	135.3	Rock	2.37	10	3.7	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401283	BETR12-015	444	135.3	449	136.9	Rock	1.5	421	10.4	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401284	BETR12-015	449	136.9	454	138.4	Rock	1.85	45	2	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401285	BETR12-015	454	138.4	459	139.9	Rock	1.98	17	1.4	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401286	BETR12-015	459	139.9	464	141.4	Rock	2.04	14	0.4	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401287	BETR12-015	464	141.4	469	143	Rock	2.16	13	0.2	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401288	BETR12-016	0	0	6	1.8	Rock	1.34	367	5.7	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401289	BETR12-016	6	1.8	11	3.4	Rock	0.38	28	0.4	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401290	BETR12-016	11	3.4	15	4.6	Rock	0.95	5	0.1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401291	BETR12-016	15	4.6	20	6.1	Rock	2.78	17	1	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401292	BETR12-016	20	6.1	25	7.6	Rock	1.77	14	1.8	Acme	18-Jun-12	WHI12000074	06-Jun-12
1401293	BETR12-016	25	7.6	30	9.1	Rock	1.92	73	2.2	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401294	BETR12-016	30	9.1	35	10.7	Rock	1.81	2	0.2	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401295	BETR12-016	35	10.7	40	12.2	Rock	1.85	2	0.2	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401296	BETR12-016	40	12.2	45	13.7	Rock	1.63	285	3.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401297	BETR12-016	45	13.7	50	15.2	Rock	1.94	98	1.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401298	BETR12-016	50	15.2	55	16.8	Rock	1.6	8	0.2	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401299	BETR12-016	55	16.8	60	18.3	Rock	2.23	2	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401300	BETR12-016	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401301	BETR12-016	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1452	0.2	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401302	BETR12-016	60	18.3	65	19.8	Rock	1.54	4	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401303	BETR12-016	65	19.8	70	21.3	Rock	1.77	46	0.3	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401304	BETR12-016	70	21.3	75	22.9	Rock	2.17	216	3.8	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401305	BETR12-016	75	22.9	80	24.4	Rock	1.94	3	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401306	BETR12-016	80	24.4	85	25.9	Rock	2.05	4	0.7	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401307	BETR12-016	85	25.9	90	27.4	Rock	2.16	500	0.8	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401308	BETR12-016	90	27.4	95	29	Rock	1.82	24	0.2	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401309	BETR12-016	95	29	100	30.5	Rock	2.17	629	1.1	Acme	18-Jun-12	WHI12000075	06-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1401310	BETR12-016	100	30.5	105	32	Rock	2.15	286	1.2	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401311	BETR12-016	105	32	110	33.5	Rock	2.34	3	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401312	BETR12-016	110	33.5	115	35.1	Rock	1.8	13	0.7	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401313	BETR12-016	115	35.1	120	36.6	Rock	2.27	25	0.3	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401314	BETR12-016	120	36.6	125	38.1	Rock	1.8	173	0.9	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401315	BETR12-016	125	38.1	130	39.6	Rock	2.88	14	0.3	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401316	BETR12-016	130	39.6	135	41.1	Rock	2.4	43	0.6	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401317	BETR12-016	135	41.1	140	42.7	Rock	2.11	23	0.4	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401318	BETR12-016	140	42.7	145	44.2	Rock	2.42	2	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401319	BETR12-016	145	44.2	150	45.7	Rock	2.69	21	0.4	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401320	BETR12-016	CDN-BL-10	0		0	Rock Pulp	0.12	3	0.4	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401321	BETR12-016	CDN-GS-5H	0		0	Rock Pulp	0.12	3934	51.8	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401322	BETR12-016	150	45.7	155	47.2	Rock	2.37	36	0.9	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401323	BETR12-016	155	47.2	160	48.8	Rock	1.72	3	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401324	BETR12-016	160	48.8	165	50.3	Rock	0.81	5	0.2	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401325	BETR12-016	Duplicate	0		0	Rock	1	5	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401326	BETR12-016	165	50.3	170	51.8	Rock	1.95	20	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401327	BETR12-016	170	51.8	175	53.3	Rock	2.46	2	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401328	BETR12-016	175	53.3	180	54.9	Rock	2.4	502	0.9	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401329	BETR12-016	180	54.9	185	56.4	Rock	2.47	6	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401330	BETR12-016	185	56.4	190	57.9	Rock	2.36	2	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401331	BETR12-016	190	57.9	195	59.4	Rock	2.02	85	0.5	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401332	BETR12-016	195	59.4	200	61	Rock	1.54	2	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401333	BETR12-016	200	61	205	62.5	Rock	1.86	2	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401334	BETR12-016	205	62.5	210	64	Rock	1.69	38	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401335	BETR12-016	210	64	215	65.5	Rock	2.53	13	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401336	BETR12-016	215	65.5	220	67.1	Rock	2.3	364	3.3	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401337	BETR12-016	220	67.1	225	68.6	Rock	2.25	19	0.2	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401338	BETR12-016	225	68.6	230	70.1	Rock	2.58	47	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401339	BETR12-016	230	70.1	235	71.6	Rock	1.56	13	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401340	BETR12-016	CDN-BL-10	0		0	Rock Pulp	0.11	2	0.2	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401341	BETR12-016	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1440	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401342	BETR12-016	235	71.6	240	73.2	Rock	1.74	14	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401343	BETR12-016	240	73.2	245	74.7	Rock	2.42	5	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401344	BETR12-016	245	74.7	250	76.2	Rock	2.77	26	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401345	BETR12-016	250	76.2	255	77.7	Rock	2.88	39	0.4	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401346	BETR12-016	255	77.7	260	79.2	Rock	2.31	172	0.2	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401347	BETR12-016	260	79.2	265	80.8	Rock	1.7	404	1.3	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401348	BETR12-016	265	80.8	270	82.3	Rock	2.16	6	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401349	BETR12-016	270	82.3	275	83.8	Rock	2.83	31	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401350	BETR12-016	275	83.8	280	85.3	Rock	2.55	2	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401351	BETR12-016	280	85.3	285	86.9	Rock	2.31	3	1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401352	BETR12-016	285	86.9	290	88.4	Rock	2.19	80	0.2	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401353	BETR12-016	290	88.4	295	89.9	Rock	2.31	66	0.3	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401354	BETR12-016	295	89.9	300	91.4	Rock	2.74	2	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401355	BETR12-016	300	91.4	305	93	Rock	1.87	2	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1401356	BETR12-016	305	93	310	94.5	Rock	1.68	4	4.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401357	BETR12-016	310	94.5	315	96	Rock	2.12	14	3.4	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401358	BETR12-016	315	96	320	97.5	Rock	1.66	6	1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401359	BETR12-016	320	97.5	325	99.1	Rock	1.75	559	49.5	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401360	BETR12-016	CDN-BL-10	0		0	Rock Pulp	0.12	6	0.2	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401361	BETR12-016	CDN-GS-5H	0		0	Rock Pulp	0.12	3742	51.4	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401362	BETR12-016	325	99.1	330	100.6	Rock	2.27	6	0.4	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401363	BETR12-016	330	100.6	335	102.1	Rock	1.95	2	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401364	BETR12-016	335	102.1	340	103.6	Rock	2.24	30	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401365	BETR12-016	340	103.6	345	105.2	Rock	2	2	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401366	BETR12-016	345	105.2	350	106.7	Rock	2.28	4	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401367	BETR12-016	350	106.7	355	108.2	Rock	2.03	78	0.2	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401368	BETR12-016	355	108.2	360	109.7	Rock	1.89	2	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401369	BETR12-016	360	109.7	365	111.3	Rock	1.99	2	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401370	BETR12-016	365	111.3	370	112.8	Rock	2.04	6	0.6	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401371	BETR12-016	370	112.8	375	114.3	Rock	2.52	2	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401372	BETR12-016	375	114.3	380	115.8	Rock	2.03	65	7.3	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401373	BETR12-016	380	115.8	385	117.3	Rock	1.94	134	11.6	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401374	BETR12-016	385	117.3	390	118.9	Rock	0.98	14	0.3	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401375	BETR12-016	Duplicate	0		0	Rock	0.91	11	0.2	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401376	BETR12-016	390	118.9	395	120.4	Rock	2.07	2	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401377	BETR12-016	395	120.4	400	121.9	Rock	2.24	2	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401378	BETR12-016	400	121.9	405	123.4	Rock	2.12	2	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401379	BETR12-016	405	123.4	410	125	Rock	1.96	3	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401380	BETR12-016	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401381	BETR12-016	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1304	0.2	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401382	BETR12-016	410	125	415	126.5	Rock	1.95	2	0.2	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401383	BETR12-016	415	126.5	420	128	Rock	2.11	81	53.8	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401384	BETR12-016	420	128	425	129.5	Rock	1.93	2	2.2	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401385	BETR12-016	425	129.5	430	131.1	Rock	2.23	2	0.2	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401386	BETR12-016	430	131.1	435	132.6	Rock	1.87	2	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401387	BETR12-016	435	132.6	440	134.1	Rock	1.77	2	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401388	BETR12-016	440	134.1	445	135.6	Rock	1.82	2	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401389	BETR12-016	445	135.6	450	137.2	Rock	2.55	57	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401390	BETR12-016	450	137.2	455	138.7	Rock	2.46	2	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401391	BETR12-016	455	138.7	460	140.2	Rock	1.92	2	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401392	BETR12-016	460	140.2	465	141.7	Rock	2.49	13	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401393	BETR12-016	465	141.7	470	143.3	Rock	2.11	200	0.3	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401394	BETR12-016	470	143.3	475	144.8	Rock	2.53	133	0.3	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401395	BETR12-016	475	144.8	480	146.3	Rock	2.1	169	0.4	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401396	BETR12-016	480	146.3	485	147.8	Rock	2.26	804	1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401397	BETR12-016	485	147.8	490	149.4	Rock	2.03	5	0.2	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401398	BETR12-016	490	149.4	495	150.9	Rock	1.78	9	0.1	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401399	BETR12-016	495	150.9	500	152.4	Rock	1.8	47	11.8	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401400	BETR12-016	CDN-BL-10	0		0	Rock Pulp	0.12	4	0.4	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401401	BETR12-016	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1512	0.2	Acme	18-Jun-12	WHI12000075	06-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1401402	BETR12-016	500	152.4	505	153.9	Rock	1.58	82	3.3	Acme	18-Jun-12	WHI12000075	06-Jun-12
1401515	BETR12-017	0	0	4	1.2	Rock	1.41	9	0.3	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401516	BETR12-017	4	1.2	9	2.7	Rock	2.16	5	0.3	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401517	BETR12-017	9	2.7	14	4.3	Rock	2.39	5	0.8	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401518	BETR12-017	14	4.3	19	5.8	Rock	2.94	75	8.7	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401519	BETR12-017	19	5.8	24	7.3	Rock	1.96	529	18.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401520	BETR12-017	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401521	BETR12-017	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1388	0.2	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401522	BETR12-017	24	7.3	27	8.2	Rock	0.78	16	0.7	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401523	BETR12-017	27	8.2	32	9.8	Rock	1.65	4	0.2	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401524	BETR12-017	32	9.8	37	11.3	Rock	0.87	2	0.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401525	BETR12-017	Duplicate	0		0	Rock	0.82	4	0.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401526	BETR12-017	37	11.3	42	12.8	Rock	1.54	2	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401527	BETR12-017	42	12.8	47	14.3	Rock	1.63	3	0.2	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401528	BETR12-017	47	14.3	52	15.8	Rock	1.58	3	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401529	BETR12-017	52	15.8	57	17.4	Rock	1.69	3	0.2	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401530	BETR12-017	57	17.4	62	18.9	Rock	1.74	5	0.3	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401531	BETR12-017	62	18.9	67	20.4	Rock	1.46	9	0.3	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401532	BETR12-017	67	20.4	72	21.9	Rock	1.53	5	0.6	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401533	BETR12-017	72	21.9	77	23.5	Rock	1.78	2	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401534	BETR12-017	77	23.5	82	25	Rock	1.69	2	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401535	BETR12-017	82	25	87	26.5	Rock	1.83	2	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401536	BETR12-017	87	26.5	92	28	Rock	1.6	2	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401537	BETR12-017	92	28	97	29.6	Rock	1.57	2	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401538	BETR12-017	97	29.6	102	31.1	Rock	1.71	2	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401539	BETR12-017	102	31.1	107	32.6	Rock	1.59	2	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401540	BETR12-017	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401541	BETR12-017	CDN-GS-5H	0		0	Rock Pulp	0.13	4255	55.9	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401542	BETR12-017	107	32.6	112	34.1	Rock	1.37	2	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401543	BETR12-017	112	34.1	117	35.7	Rock	2.43	4	0.2	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401403	BETR12-018	0	0	5	1.5	Rock	1.78	6	0.8	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401404	BETR12-018	5	1.5	10	3	Rock	1.07	4	0.4	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401405	BETR12-018	10	3	15	4.6	Rock	0.97	3	0.3	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401406	BETR12-018	15	4.6	20	6.1	Rock	1.43	3	0.4	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401407	BETR12-018	20	6.1	25	7.6	Rock	1.74	2	0.7	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401408	BETR12-018	25	7.6	30	9.1	Rock	1.75	46	11.6	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401409	BETR12-018	30	9.1	35	10.7	Rock	1.93	2	0.2	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401410	BETR12-018	35	10.7	40	12.2	Rock	2.13	2	1.4	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401411	BETR12-018	40	12.2	45	13.7	Rock	1.85	143	9	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401412	BETR12-018	45	13.7	50	15.2	Rock	2.06	35	0.7	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401413	BETR12-018	50	15.2	55	16.8	Rock	2.14	2	0.3	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401414	BETR12-018	55	16.8	60	18.3	Rock	1.75	24	0.2	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401415	BETR12-018	60	18.3	65	19.8	Rock	1.9	3	0.2	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401416	BETR12-018	65	19.8	70	21.3	Rock	2.05	27	0.6	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401417	BETR12-018	70	21.3	75	22.9	Rock	1.96	41	3	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401418	BETR12-018	75	22.9	80	24.4	Rock	2.27	2	0.7	Acme	18-Jun-12	WHI12000077	11-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1401419	BETR12-018	80	24.4	85	25.9	Rock	2.13	2	0.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401420	BETR12-018	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1432	0.3	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401421	BETR12-018	CDN-BL-10	0		0	Rock Pulp	0.12	4	0.5	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401422	BETR12-018	85	25.9	90	27.4	Rock	1.31	2	0.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401423	BETR12-018	90	27.4	95	29	Rock	2.47	2	0.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401424	BETR12-018	95	29	100	30.5	Rock	1.02	8	0.7	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401425	BETR12-018	Duplicate	0		0	Rock	1.06	6	0.8	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401426	BETR12-018	100	30.5	105	32	Rock	1.94	15	0.2	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401427	BETR12-018	105	32	110	33.5	Rock	2.16	3	2.6	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401428	BETR12-018	110	33.5	115	35.1	Rock	1.7	61	0.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401429	BETR12-018	115	35.1	120	36.6	Rock	2.64	2	0.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401430	BETR12-018	120	36.6	125	38.1	Rock	1.69	500	1.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401431	BETR12-018	125	38.1	130	39.6	Rock	1.81	142	1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401432	BETR12-018	130	39.6	135	41.1	Rock	1.56	22	15.6	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401433	BETR12-018	135	41.1	140	42.7	Rock	1.74	3	0.2	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401434	BETR12-018	140	42.7	145	44.2	Rock	1.75	2	0.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401435	BETR12-018	145	44.2	150	45.7	Rock	1.64	2	0.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401436	BETR12-018	150	45.7	155	47.2	Rock	1.49	2	0.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401437	BETR12-018	155	47.2	160	48.8	Rock	2.26	35	0.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401438	BETR12-018	160	48.8	165	50.3	Rock	1.53	2	0.3	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401439	BETR12-018	165	50.3	170	51.8	Rock	2.81	732	0.9	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401440	BETR12-018	CDN-BL-10	0		0	Rock Pulp	0.12	4	0.3	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401441	BETR12-018	CDN-GS-5H	0		0	Rock Pulp	0.12	3877	55.3	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401442	BETR12-018	170	51.8	175	53.3	Rock	0.87	12	0.2	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401443	BETR12-018	175	53.3	180	54.9	Rock	1.39	281	1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401444	BETR12-018	180	54.9	185	56.4	Rock	1.74	3	0.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401445	BETR12-018	185	56.4	190	57.9	Rock	1.94	3	0.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401446	BETR12-018	190	57.9	195	59.4	Rock	2.05	3	0.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401447	BETR12-018	195	59.4	200	61	Rock	1.61	10	5.2	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401448	BETR12-018	200	61	205	62.5	Rock	2.1	2	0.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401449	BETR12-018	205	62.5	210	64	Rock	1.46	4	0.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401450	BETR12-018	210	64	215	65.5	Rock	2.01	3	0.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401451	BETR12-018	215	65.5	220	67.1	Rock	2.05	5	0.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401452	BETR12-018	220	67.1	225	68.6	Rock	2	3	0.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401453	BETR12-018	225	68.6	230	70.1	Rock	2.14	2	0.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401454	BETR12-018	230	70.1	235	71.6	Rock	1.86	2	0.2	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401455	BETR12-018	235	71.6	240	73.2	Rock	1.52	6	5.9	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401456	BETR12-018	240	73.2	245	74.7	Rock	1.67	2	0.2	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401457	BETR12-018	245	74.7	250	76.2	Rock	1.54	2	0.4	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401458	BETR12-018	250	76.2	255	77.7	Rock	2.1	146	14.5	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401459	BETR12-018	255	77.7	260	79.2	Rock	1.75	3	1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401460	BETR12-018	CDN-BL-10	0		0	Rock Pulp	0.12	4	0.3	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401461	BETR12-018	CDN-GS-1P5F	0		0	Rock Pulp	0.13	1423	0.2	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401462	BETR12-018	260	79.2	265	80.8	Rock	1.74	23	14.8	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401463	BETR12-018	265	80.8	270	82.3	Rock	1.25	3	0.2	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401464	BETR12-018	270	82.3	275	83.8	Rock	1.94	2	0.3	Acme	18-Jun-12	WHI12000077	11-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1401465	BETR12-018	275	83.8	280	85.3	Rock	1.85	2	1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401466	BETR12-018	280	85.3	285	86.9	Rock	1.82	2	0.4	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401467	BETR12-018	285	86.9	290	88.4	Rock	1.89	13	3.9	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401468	BETR12-018	290	88.4	295	89.9	Rock	1.6	11	2.3	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401469	BETR12-018	295	89.9	300	91.4	Rock	2.04	5	2.8	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401470	BETR12-018	300	91.4	305	93	Rock	1.7	22	13.8	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401471	BETR12-018	305	93	310	94.5	Rock	2	19	3.2	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401472	BETR12-018	310	94.5	315	96	Rock	1.83	16	4.9	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401473	BETR12-018	315	96	320	97.5	Rock	1.91	25	9.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401474	BETR12-018	320	97.5	325	99.1	Rock	1.24	10	2.3	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401475	BETR12-018	Duplicate	0		0	Rock	0.75	16	3.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401476	BETR12-018	325	99.1	330	100.6	Rock	1.81	229	27.6	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401477	BETR12-018	330	100.6	335	102.1	Rock	2.29	3	2.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401478	BETR12-018	335	102.1	340	103.6	Rock	2.48	15	0.5	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401479	BETR12-018	340	103.6	345	105.2	Rock	2.2	4	0.2	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401480	BETR12-018	CDN-BL-10	0		0	Rock Pulp	0.13	2	0.4	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401481	BETR12-018	CDN-GS-5H	0		0	Rock Pulp	0.12	3784	54	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401482	BETR12-018	345	105.2	350	106.7	Rock	2.47	6	0.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401483	BETR12-018	350	106.7	355	108.2	Rock	1.89	3	0.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401484	BETR12-018	355	108.2	360	109.7	Rock	2.14	2	0.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401485	BETR12-018	360	109.7	365	111.3	Rock	2.09	2	0.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401486	BETR12-018	365	111.3	370	112.8	Rock	1.83	2	0.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401487	BETR12-018	370	112.8	375	114.3	Rock	1.98	2	0.5	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401488	BETR12-018	375	114.3	380	115.8	Rock	1.92	108	30.5	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401489	BETR12-018	380	115.8	385	117.3	Rock	2.19	2	0.5	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401490	BETR12-018	385	117.3	390	118.9	Rock	1.68	113	50.4	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401491	BETR12-018	390	118.9	395	120.4	Rock	1.64	2	0.3	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401492	BETR12-018	395	120.4	400	121.9	Rock	1.78	4	0.3	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401493	BETR12-018	400	121.9	405	123.4	Rock	1.66	91	1.8	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401494	BETR12-018	405	123.4	410	125	Rock	1.96	2	0.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401495	BETR12-018	410	125	415	126.5	Rock	1.67	2	0.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401496	BETR12-018	415	126.5	420	128	Rock	1.89	40	13	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401497	BETR12-018	420	128	425	129.5	Rock	2.22	2	0.3	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401498	BETR12-018	425	129.5	430	131.1	Rock	2.05	3	0.6	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401499	BETR12-018	430	131.1	435	132.6	Rock	1.77	15	10.6	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401500	BETR12-018	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.4	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401501	BETR12-018	CDN-GS-5H	0		0	Rock Pulp	0.12	3753	53.8	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401502	BETR12-018	435	132.6	440	134.1	Rock	1.93	2	0.2	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401503	BETR12-018	440	134.1	445	135.6	Rock	1.77	2	0.2	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401504	BETR12-018	445	135.6	450	137.2	Rock	1.88	2	0.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401505	BETR12-018	450	137.2	455	138.7	Rock	1.9	21	3.2	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401506	BETR12-018	455	138.7	460	140.2	Rock	1.87	2	0.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401507	BETR12-018	460	140.2	465	141.7	Rock	1.9	2	0.2	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401508	BETR12-018	465	141.7	470	143.3	Rock	1.89	30	0.3	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401509	BETR12-018	470	143.3	475	144.8	Rock	1.8	2	0.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401510	BETR12-018	475	144.8	480	146.3	Rock	2.47	6	0.4	Acme	18-Jun-12	WHI12000077	11-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1401511	BETR12-018	480	146.3	485	147.8	Rock	1.66	2	0.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401512	BETR12-018	485	147.8	490	149.4	Rock	1.86	2	0.4	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401513	BETR12-018	490	149.4	495	150.9	Rock	1.55	2	1.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401514	BETR12-018	495	150.9	500	152.4	Rock	1.73	2	0.1	Acme	18-Jun-12	WHI12000077	11-Jun-12
1401544	BETR12-019	0	0	7	2.1	Rock	2.48	4	0.3	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401545	BETR12-019	7	2.1	12	3.7	Rock	2.5	8	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401546	BETR12-019	12	3.7	17	5.2	Rock	1.26	12	1.6	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401547	BETR12-019	17	5.2	20	6.1	Rock	1.27	5	0.3	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401548	BETR12-019	20	6.1	25	7.6	Rock	2.96	2	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401549	BETR12-019	25	7.6	30	9.1	Rock	2.51	4	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401550	BETR12-019	30	9.1	35	10.7	Rock	2.35	16	0.2	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401551	BETR12-019	35	10.7	40	12.2	Rock	3.45	2	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401552	BETR12-019	40	12.2	45	13.7	Rock	2.68	5	0.7	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401553	BETR12-019	45	13.7	50	15.2	Rock	3.71	25	1.2	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401554	BETR12-019	50	15.2	55	16.8	Rock	2.73	2	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401555	BETR12-019	55	16.8	60	18.3	Rock	2.82	4	0.4	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401556	BETR12-019	60	18.3	65	19.8	Rock	3.13	7	0.4	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401557	BETR12-019	65	19.8	70	21.3	Rock	2.79	36	0.9	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401558	BETR12-019	70	21.3	75	22.9	Rock	3.6	158	22.4	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401559	BETR12-019	75	22.9	80	24.4	Rock	1.99	43	6.6	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401560	BETR12-019	CDN-BL-10	0		0	Rock Pulp	0.13	2	0.2	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401561	BETR12-019	CDN-GS-1P5F	0		0	Rock Pulp	0.13	1502	0.3	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401562	BETR12-019	80	24.4	85	25.9	Rock	3.16	16	1.2	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401563	BETR12-019	85	25.9	90	27.4	Rock	2.71	3	0.2	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401564	BETR12-019	90	27.4	95	29	Rock	2.43	2	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401565	BETR12-019	95	29	100	30.5	Rock	2.5	2	1.4	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401566	BETR12-019	100	30.5	105	32	Rock	2.5	6	0.2	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401567	BETR12-019	105	32	110	33.5	Rock	2.54	2	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401568	BETR12-019	110	33.5	115	35.1	Rock	1.93	13	0.8	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401569	BETR12-019	115	35.1	120	36.6	Rock	2.95	73	6.8	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401570	BETR12-019	120	36.6	125	38.1	Rock	2.66	2	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401571	BETR12-019	125	38.1	130	39.6	Rock	2.26	35	0.2	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401572	BETR12-019	130	39.6	135	41.1	Rock	2.78	115	5.6	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401573	BETR12-019	135	41.1	140	42.7	Rock	3.17	10	0.3	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401574	BETR12-019	140	42.7	145	44.2	Rock	2.39	2	0.5	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401575	BETR12-019	Duplicate	0		0	Rock	1.19	2	0.5	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401576	BETR12-019	145	44.2	150	45.7	Rock	2.82	2	0.4	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401577	BETR12-019	150	45.7	155	47.2	Rock	3.07	147	4	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401578	BETR12-019	155	47.2	160	48.8	Rock	2.29	5	0.2	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401579	BETR12-019	160	48.8	165	50.3	Rock	2.66	57	1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401580	BETR12-019	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.6	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401581	BETR12-019	CDN-GS-5H	0		0	Rock Pulp	0.12	4244	58.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401582	BETR12-019	165	50.3	170	51.8	Rock	2.36	2	0.2	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401583	BETR12-019	170	51.8	175	53.3	Rock	2.53	3	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401584	BETR12-019	175	53.3	180	54.9	Rock	2.32	2	0.2	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401585	BETR12-019	180	54.9	185	56.4	Rock	2.46	53	2.2	Acme	26-Jun-12	WHI12000078	11-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1401586	BETR12-019	185	56.4	190	57.9	Rock	3	2	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401587	BETR12-019	190	57.9	195	59.4	Rock	3.35	2	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401588	BETR12-019	195	59.4	200	61	Rock	2.56	7	0.3	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401589	BETR12-019	200	61	205	62.5	Rock	2.78	4	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401590	BETR12-019	205	62.5	210	64	Rock	1.58	7	0.2	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401591	BETR12-019	210	64	215	65.5	Rock	2.15	2	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401592	BETR12-019	215	65.5	220	67.1	Rock	2.04	2	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401593	BETR12-019	220	67.1	225	68.6	Rock	2.82	56	1.5	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401594	BETR12-019	225	68.6	230	70.1	Rock	2.83	6	0.5	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401595	BETR12-019	230	70.1	235	71.6	Rock	2.3	4	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401596	BETR12-019	235	71.6	240	73.2	Rock	2.59	8	0.6	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401597	BETR12-019	240	73.2	245	74.7	Rock	2.69	145	55.7	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401598	BETR12-019	245	74.7	250	76.2	Rock	2.81	8	0.7	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401599	BETR12-019	250	76.2	255	77.7	Rock	2.09	23	11	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401600	BETR12-019	CDN-BL-10	0		0	Rock Pulp	0.13	2	0.5	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401601	BETR12-019	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1409	0.3	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401602	BETR12-019	255	77.7	260	79.2	Rock	1.97	3	0.8	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401603	BETR12-019	260	79.2	265	80.8	Rock	3.23	79	9.7	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401604	BETR12-019	265	80.8	270	82.3	Rock	3.14	89	2.2	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401605	BETR12-019	270	82.3	275	83.8	Rock	2.94	81	7.8	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401606	BETR12-019	275	83.8	280	85.3	Rock	2.14	71	2.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401607	BETR12-019	280	85.3	285	86.9	Rock	1.86	2	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401608	BETR12-019	285	86.9	290	88.4	Rock	2.82	26	0.6	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401609	BETR12-019	290	88.4	295	89.9	Rock	2.94	3	0.2	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401610	BETR12-019	295	89.9	300	91.4	Rock	2.93	26	0.8	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401611	BETR12-019	300	91.4	305	93	Rock	3.02	2	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401612	BETR12-019	305	93	310	94.5	Rock	3.14	331	26.8	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401613	BETR12-019	310	94.5	315	96	Rock	3.07	256	17	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401614	BETR12-019	315	96	320	97.5	Rock	3.12	4	0.4	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401615	BETR12-019	320	97.5	325	99.1	Rock	1.56	225	5	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401616	BETR12-019	325	99.1	330	100.6	Rock	1.98	427	34.6	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401617	BETR12-019	330	100.6	335	102.1	Rock	3.04	417	13.9	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401618	BETR12-019	335	102.1	340	103.6	Rock	2.65	372	11.4	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401619	BETR12-019	340	103.6	345	105.2	Rock	3.1	10	0.7	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401620	BETR12-019	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401621	BETR12-019	CDN-GS-5H	0		0	Rock Pulp	0.12	4077	54.4	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401622	BETR12-019	345	105.2	350	106.7	Rock	3.01	2	0.2	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401623	BETR12-019	350	106.7	355	108.2	Rock	1.94	16	1.7	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401624	BETR12-019	355	108.2	360	109.7	Rock	1.99	39	1.5	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401625	BETR12-019	Duplicate	0		0	Rock	1	14	0.4	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401626	BETR12-019	360	109.7	365	111.3	Rock	1.64	10	1.6	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401627	BETR12-019	365	111.3	370	112.8	Rock	3.18	17	0.9	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401628	BETR12-019	370	112.8	375	114.3	Rock	2.9	2	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401629	BETR12-019	375	114.3	380	115.8	Rock	2.92	19	6.2	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401630	BETR12-019	380	115.8	385	117.3	Rock	3.25	26	10	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401631	BETR12-019	385	117.3	390	118.9	Rock	3.16	166	3.3	Acme	26-Jun-12	WHI12000078	11-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1401632	BETR12-019	390	118.9	395	120.4	Rock	1.85	2	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401633	BETR12-019	395	120.4	400	121.9	Rock	3.11	67	57.5	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401634	BETR12-019	400	121.9	405	123.4	Rock	3.27	2	0.4	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401635	BETR12-019	405	123.4	410	125	Rock	1.69	66	1.6	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401636	BETR12-019	410	125	415	126.5	Rock	3.03	2	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401637	BETR12-019	415	126.5	420	128	Rock	1.58	25	2.3	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401638	BETR12-019	420	128	425	129.5	Rock	1.98	2	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401639	BETR12-019	425	129.5	430	131.1	Rock	3.12	2	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401640	BETR12-019	CDN-BL-10	0		0	Rock Pulp	0.12	5	0.2	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401641	BETR12-019	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1485	0.3	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401642	BETR12-019	430	131.1	435	132.6	Rock	2.17	2	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401643	BETR12-019	435	132.6	440	134.1	Rock	2.86	2	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401644	BETR12-019	440	134.1	445	135.6	Rock	3.15	2	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401645	BETR12-019	445	135.6	450	137.2	Rock	2.76	2	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401646	BETR12-019	450	137.2	455	138.7	Rock	1.55	2	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401647	BETR12-019	455	138.7	460	140.2	Rock	3.44	39	1.9	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401648	BETR12-019	460	140.2	465	141.7	Rock	3.15	6	0.4	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401649	BETR12-019	465	141.7	470	143.3	Rock	1.55	2	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401650	BETR12-019	470	143.3	475	144.8	Rock	3.03	12	0.4	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401651	BETR12-019	475	144.8	480	146.3	Rock	1.78	18	0.5	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401652	BETR12-019	480	146.3	485	147.8	Rock	2.72	85	3	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401653	BETR12-019	485	147.8	490	149.4	Rock	2.23	2	0.1	Acme	26-Jun-12	WHI12000078	11-Jun-12
1401654	BETR12-020	0	0	11	3.4	Rock Chip	1.7	18	2.3	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401655	BETR12-020	11	3.4	16	4.9	Rock Chip	1.33	16	2.2	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401656	BETR12-020	16	4.9	19	5.8	Rock Chip	1.01	7	0.4	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401657	BETR12-020	19	5.8	24	7.3	Rock Chip	1.46	5	0.3	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401658	BETR12-020	24	7.3	29	8.8	Rock Chip	1.28	513	4.8	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401659	BETR12-020	29	8.8	34	10.4	Rock Chip	1.39	133	5.6	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401660	BETR12-020	CDN-BL-10	0		0	Rock Pulp	0.15	2	0.2	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401661	BETR12-020	CDN-GS-1P5F	0		0	Rock Pulp	0.15	1488	0.2	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401662	BETR12-020	34	10.4	39	11.9	Rock Chip	1.53	262	13.5	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401663	BETR12-020	39	11.9	44	13.4	Rock Chip	2.09	338	3.5	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401664	BETR12-020	44	13.4	49	14.9	Rock Chip	2.08	427	45.3	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401665	BETR12-020	49	14.9	54	16.5	Rock Chip	1.83	49	5.7	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401666	BETR12-020	54	16.5	59	18	Rock Chip	1.92	181	25.9	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401667	BETR12-020	59	18	64	19.5	Rock Chip	1.42	734	5.2	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401668	BETR12-020	64	19.5	69	21	Rock Chip	1.71	1345	9.3	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401669	BETR12-020	69	21	74	22.6	Rock Chip	1.62	160	2.4	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401670	BETR12-020	74	22.6	79	24.1	Rock Chip	1.57	205	4.4	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401671	BETR12-020	79	24.1	84	25.6	Rock Chip	1.7	166	7	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401672	BETR12-020	84	25.6	89	27.1	Rock Chip	1.63	15	0.4	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401673	BETR12-020	89	27.1	94	28.7	Rock Chip	1.53	27	3.9	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401674	BETR12-020	94	28.7	99	30.2	Rock Chip	1.39	8	0.5	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401675	BETR12-020	Duplicate	0		0	Rock Chip	0.5	5	0.4	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401676	BETR12-020	99	30.2	104	31.7	Rock Chip	1.81	5	1.6	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401677	BETR12-020	104	31.7	109	33.2	Rock Chip	1.86	8	0.5	Acme	28-Jun-12	WHI12000084	11-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1401678	BETR12-020	109	33.2	114	34.7	Rock Chip	1.74	9	0.4	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401679	BETR12-020	114	34.7	119	36.3	Rock Chip	1.73	86	0.3	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401680	BETR12-020	CDN-BL-10	0		0	Rock Pulp	0.12	19	0.2	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401681	BETR12-020	CDN-GS-5H	0		0	Rock Pulp	0.12	3901	57.3	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401682	BETR12-020	119	36.3	124	37.8	Rock Chip	1.94	6	0.7	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401683	BETR12-020	124	37.8	129	39.3	Rock Chip	1.97	13	4.9	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401684	BETR12-020	129	39.3	134	40.8	Rock Chip	2.09	4	0.2	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401685	BETR12-020	134	40.8	139	42.4	Rock Chip	1.88	4	0.2	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401686	BETR12-021	0	0	5	1.5	Rock Chip	1.15	28	1.6	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401687	BETR12-021	5	1.5	10	3	Rock Chip	1.1	9	0.6	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401688	BETR12-021	10	3	15	4.6	Rock Chip	1.36	4	0.3	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401689	BETR12-021	15	4.6	20	6.1	Rock Chip	1.25	5	0.3	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401690	BETR12-021	20	6.1	23	7	Rock Chip	0.85	2	0.2	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401691	BETR12-021	23	7	28	8.5	Rock Chip	2.02	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401692	BETR12-021	28	8.5	33	10.1	Rock Chip	1.86	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401693	BETR12-021	33	10.1	38	11.6	Rock Chip	1.75	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401694	BETR12-021	38	11.6	43	13.1	Rock Chip	1.91	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401695	BETR12-021	43	13.1	48	14.6	Rock Chip	1.68	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401696	BETR12-021	48	14.6	53	16.2	Rock Chip	1.81	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401697	BETR12-021	53	16.2	58	17.7	Rock Chip	1.92	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401698	BETR12-021	58	17.7	63	19.2	Rock Chip	1.48	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401699	BETR12-021	63	19.2	68	20.7	Rock Pulp	1.48	19	0.4	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401700	BETR12-021	CDN-BL-10	0		0	Rock Pulp	0.13	2	0.2	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401701	BETR12-021	Duplicate	0		0	Rock Chip	0.13	1632	0.2	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401702	BETR12-021	68	20.7	73	22.3	Rock Chip	1.68	3	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401703	BETR12-021	73	22.3	78	23.8	Rock Chip	1.92	3	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401704	BETR12-021	78	23.8	83	25.3	Rock Chip	2.23	2	0.2	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401705	BETR12-021	83	25.3	88	26.8	Rock Chip	2.04	3	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401706	BETR12-021	88	26.8	93	28.3	Rock Chip	2.17	5	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401707	BETR12-021	93	28.3	98	29.9	Rock Chip	2.41	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401708	BETR12-021	98	29.9	103	31.4	Rock Chip	2.07	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401709	BETR12-021	103	31.4	108	32.9	Rock Chip	2.38	5	0.8	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401710	BETR12-021	108	32.9	113	34.4	Rock Chip	2.19	2	0.3	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401711	BETR12-021	113	34.4	118	36	Rock Chip	2.14	10	0.8	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401712	BETR12-021	118	36	123	37.5	Rock Chip	2.42	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401713	BETR12-021	123	37.5	128	39	Rock Chip	2.65	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401714	BETR12-021	128	39	133	40.5	Rock Chip	2.19	3	0.8	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401715	BETR12-021	133	40.5	138	42.1	Rock Chip	2.26	2	0.4	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401716	BETR12-021	138	42.1	143	43.6	Rock Chip	2.46	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401717	BETR12-021	143	43.6	148	45.1	Rock Chip	2.37	2	0.7	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401718	BETR12-021	148	45.1	153	46.6	Rock Chip	2.29	3	1.5	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401719	BETR12-021	153	46.6	158	48.2	Rock Chip	1.72	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401720	BETR12-021	CDN-BL-10	0		0	Rock Pulp	0.13	4	0.3	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401721	BETR12-021	CDN-GS-5H	0		0	Rock Pulp	0.13	3698	56.2	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401722	BETR12-021	158	48.2	163	49.7	Rock Chip	2.47	7	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401723	BETR12-021	163	49.7	168	51.2	Rock Chip	2.36	342	70	Acme	28-Jun-12	WHI12000084	11-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1401724	BETR12-021	168	51.2	173	52.7	Rock Chip	1.2	453	65.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401725	BETR12-021	Duplicate	0		0	Rock Chip	0.94	334	44.9	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401726	BETR12-021	173	52.7	178	54.3	Rock Chip	1.78	34	6.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401727	BETR12-021	178	54.3	183	55.8	Rock Chip	1.33	15	2.2	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401728	BETR12-021	183	55.8	188	57.3	Rock Chip	1.22	2	0.3	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401729	BETR12-021	188	57.3	193	58.8	Rock Chip	2.35	2	0.2	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401730	BETR12-021	193	58.8	198	60.4	Rock Chip	3.21	2	0.2	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401731	BETR12-021	198	60.4	203	61.9	Rock Chip	2.85	2	0.2	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401732	BETR12-021	203	61.9	208	63.4	Rock Chip	2.18	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401733	BETR12-021	208	63.4	213	64.9	Rock Chip	3.15	2	0.2	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401734	BETR12-021	213	64.9	218	66.4	Rock Chip	3.13	6	0.2	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401735	BETR12-021	218	66.4	223	68	Rock Chip	2.5	7	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401736	BETR12-021	223	68	228	69.5	Rock Chip	2.68	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401737	BETR12-021	228	69.5	233	71	Rock Chip	2.71	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401738	BETR12-021	233	71	238	72.5	Rock Chip	2.78	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401739	BETR12-021	238	72.5	243	74.1	Rock Chip	2.53	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401740	BETR12-021	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401741	BETR12-021	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1563	0.2	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401742	BETR12-021	243	74.1	248	75.6	Rock Chip	2.73	4	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401743	BETR12-021	248	75.6	253	77.1	Rock Chip	2.92	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401744	BETR12-021	253	77.1	258	78.6	Rock Chip	3.08	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401745	BETR12-021	258	78.6	263	80.2	Rock Chip	2.89	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401746	BETR12-021	263	80.2	268	81.7	Rock Chip	2.67	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401747	BETR12-021	268	81.7	273	83.2	Rock Chip	2.89	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401748	BETR12-021	273	83.2	278	84.7	Rock Chip	2.25	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401749	BETR12-021	278	84.7	283	86.3	Rock Chip	2.84	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401750	BETR12-021	283	86.3	288	87.8	Rock Chip	2.7	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401751	BETR12-021	288	87.8	293	89.3	Rock Chip	2.26	2	0.2	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401752	BETR12-021	293	89.3	298	90.8	Rock Chip	2.61	9	0.3	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401753	BETR12-021	298	90.8	303	92.4	Rock Chip	2.85	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401754	BETR12-021	303	92.4	308	93.9	Rock Chip	2.42	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401755	BETR12-021	308	93.9	313	95.4	Rock Chip	2.63	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401756	BETR12-021	313	95.4	318	96.9	Rock Chip	2.89	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401757	BETR12-021	318	96.9	323	98.5	Rock Chip	2.99	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401758	BETR12-021	323	98.5	328	100	Rock Chip	2.99	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401759	BETR12-021	328	100	333	101.5	Rock Chip	2.93	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401760	BETR12-021	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.5	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401761	BETR12-021	CDN-GS-5H	0		0	Rock Pulp	0.12	4114	54.7	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401762	BETR12-021	333	101.5	338	103	Rock Chip	3.04	2	0.2	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401763	BETR12-021	338	103	343	104.5	Rock Chip	2.94	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401764	BETR12-021	343	104.5	348	106.1	Rock Chip	2.27	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401765	BETR12-021	348	106.1	353	107.6	Rock Chip	2.57	3	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401766	BETR12-021	353	107.6	358	109.1	Rock Chip	3.15	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401767	BETR12-021	358	109.1	363	110.6	Rock Chip	2.72	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401768	BETR12-021	363	110.6	368	112.2	Rock Chip	2.63	27	0.5	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401769	BETR12-021	368	112.2	373	113.7	Rock Chip	3.01	14	0.5	Acme	28-Jun-12	WHI12000084	11-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1401770	BETR12-021	373	113.7	378	115.2	Rock Chip	2.6	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401771	BETR12-021	378	115.2	383	116.7	Rock Chip	2.68	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401772	BETR12-021	383	116.7	388	118.3	Rock Chip	2.74	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401773	BETR12-021	388	118.3	393	119.8	Rock Chip	3.19	12	0.5	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401774	BETR12-021	393	119.8	398	121.3	Rock Chip	1.19	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401775	BETR12-021	Duplicate	0		0	Rock Chip	1.65	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401776	BETR12-021	398	121.3	403	122.8	Rock Chip	2.76	3	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401777	BETR12-021	403	122.8	408	124.4	Rock Chip	2.99	2	0.2	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401778	BETR12-021	408	124.4	413	125.9	Rock Chip	3.33	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401779	BETR12-021	413	125.9	418	127.4	Rock Chip	2.87	3	1.4	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401780	BETR12-021	CDN-BL-10	0		0	Rock Pulp	0.13	2	0.2	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401781	BETR12-021	CDN-GS-1P5F	0		0	Rock Pulp	0.13	1433	0.2	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401782	BETR12-021	418	127.4	423	128.9	Rock Chip	2.83	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401783	BETR12-021	423	128.9	428	130.5	Rock Chip	2.67	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401784	BETR12-021	428	130.5	433	132	Rock Chip	3.03	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401785	BETR12-021	433	132	438	133.5	Rock Chip	2.6	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401786	BETR12-021	438	133.5	443	135	Rock Chip	2.66	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401787	BETR12-021	443	135	448	136.6	Rock Chip	3.28	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401788	BETR12-021	448	136.6	453	138.1	Rock Chip	2.88	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401789	BETR12-021	453	138.1	458	139.6	Rock Chip	3.05	2	0.1	Acme	28-Jun-12	WHI12000084	11-Jun-12
1401790	BETR12-021	458	139.6	463	141.1	Rock Chip	2.57	2	0.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1401791	BETR12-021	463	141.1	468	142.6	Rock Chip	2.7	2	0.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1401792	BETR12-021	468	142.6	473	144.2	Rock Chip	2.62	2	0.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1401793	BETR12-021	473	144.2	478	145.7	Rock Chip	2.76	2	0.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1401794	BETR12-021	478	145.7	483	147.2	Rock Chip	2.84	2	0.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1401795	BETR12-021	483	147.2	488	148.7	Rock Chip	2.69	2	0.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1401796	BETR12-021	488	148.7	493	150.3	Rock Chip	3.02	2	0.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1401797	BETR12-021	493	150.3	498	151.8	Rock Chip	3.34	2	0.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408118	BETR12-022	0	0	7	2.1	Rock Chip	1.23	124	13.6	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408119	BETR12-022	7	2.1	12	3.7	Rock Chip	2.63	88	24	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408120	BETR12-022	CDN-BL-10	0		0	Rock Pulp	0.13	2	0.3	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408121	BETR12-022	CDN-GS-5H	0		0	Rock Pulp	0.13	3697	52.5	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408122	BETR12-022	12	3.7	17	5.2	Rock Chip	1.61	29	6.3	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408123	BETR12-022	17	5.2	22	6.7	Rock Chip	2.91	6	1.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408124	BETR12-022	22	6.7	25	7.6	Rock Chip	0.79	2	0.4	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408125	BETR12-022	Duplicate	0		0	Rock Chip	0.97	2	0.3	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408126	BETR12-022	25	7.6	30	9.1	Rock Chip	1.76	2	0.2	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408127	BETR12-022	30	9.1	35	10.7	Rock Chip	1.97	2	0.2	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408128	BETR12-022	35	10.7	40	12.2	Rock Chip	2.58	2	1.3	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408129	BETR12-022	40	12.2	45	13.7	Rock Chip	1.79	19	5.6	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408130	BETR12-022	45	13.7	50	15.2	Rock Chip	1.96	2	0.8	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408131	BETR12-022	50	15.2	55	16.8	Rock Chip	1.76	68	10.3	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408132	BETR12-022	55	16.8	60	18.3	Rock Chip	1.72	1300	194	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408133	BETR12-022	60	18.3	65	19.8	Rock Chip	2.06	220	53.9	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408134	BETR12-022	65	19.8	70	21.3	Rock Chip	2.17	356	51.9	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408135	BETR12-022	70	21.3	75	22.9	Rock Chip	2.29	272	126	Acme	25-Jun-12	WHI12000085	11-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1408136	BETR12-022	75	22.9	80	24.4	Rock Chip	2.18	715	77.9	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408137	BETR12-022	80	24.4	85	25.9	Rock Chip	2.42	126	30.3	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408138	BETR12-022	85	25.9	90	27.4	Rock Chip	2.43	1600	261	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408139	BETR12-022	90	27.4	95	29	Rock Chip	2.05	3000	118	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408140	BETR12-022	CDN-BL-10	0		0	Rock Pulp	0.12	4	0.3	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408141	BETR12-022	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1356	0.3	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408142	BETR12-022	95	29	100	30.5	Rock Chip	2.06	13500	189	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408143	BETR12-022	100	30.5	105	32	Rock Chip	2.48	8200	285	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408144	BETR12-022	105	32	110	33.5	Rock Chip	2.27	470	36	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408145	BETR12-022	110	33.5	115	35.1	Rock Chip	2.18	536	36.6	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408146	BETR12-022	115	35.1	120	36.6	Rock Chip	2.3	20300	434	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408147	BETR12-022	120	36.6	125	38.1	Rock Chip	3.27	15700	476	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408148	BETR12-022	125	38.1	130	39.6	Rock Chip	2.35	675	44.7	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408149	BETR12-022	130	39.6	135	41.1	Rock Chip	2.64	299	20	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408150	BETR12-022	135	41.1	140	42.7	Rock Chip	2.23	346	30.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408151	BETR12-022	140	42.7	145	44.2	Rock Chip	2.3	187	15.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408152	BETR12-022	145	44.2	150	45.7	Rock Chip	2.17	98	5.9	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408153	BETR12-022	150	45.7	155	47.2	Rock Chip	2.23	214	15.4	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408154	BETR12-022	155	47.2	160	48.8	Rock Chip	2.43	1275	148	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408155	BETR12-022	160	48.8	165	50.3	Rock Chip	2.34	106	8.2	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408156	BETR12-022	165	50.3	170	51.8	Rock Chip	2.37	200	10.3	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408157	BETR12-022	170	51.8	175	53.3	Rock Chip	2.37	220	8.6	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408158	BETR12-022	175	53.3	180	54.9	Rock Chip	2.58	754	109	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408159	BETR12-022	180	54.9	185	56.4	Rock Chip	2.13	285	53.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408160	BETR12-022	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408161	BETR12-022	CDN-GS-5H	0		0	Rock Pulp	0.12	4055	53.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408162	BETR12-022	185	56.4	190	57.9	Rock Chip	2.18	339	59.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408163	BETR12-022	190	57.9	195	59.4	Rock Chip	2.34	126	7.7	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408164	BETR12-022	195	59.4	200	61	Rock Chip	1.76	7	0.9	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408165	BETR12-022	200	61	205	62.5	Rock Chip	1.93	94	3.9	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408166	BETR12-022	205	62.5	210	64	Rock Chip	2.31	80	4.6	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408167	BETR12-022	210	64	215	65.5	Rock Chip	2.27	5	0.6	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408168	BETR12-022	215	65.5	220	67.1	Rock Chip	2.16	3	0.6	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408169	BETR12-022	220	67.1	225	68.6	Rock Chip	2.46	3	0.3	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408170	BETR12-022	225	68.6	230	70.1	Rock Chip	2.58	58	12.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408171	BETR12-022	230	70.1	235	71.6	Rock Chip	2.05	2	0.2	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408172	BETR12-022	235	71.6	240	73.2	Rock Chip	2.21	6	0.9	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408173	BETR12-022	240	73.2	245	74.7	Rock Chip	2.22	15	3.3	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408174	BETR12-022	245	74.7	250	76.2	Rock Chip	0.77	2	0.2	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408175	BETR12-022	Duplicate	0		0	Rock Chip	1.65	2	0.3	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408176	BETR12-022	250	76.2	255	77.7	Rock Chip	2.36	43	7.4	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408177	BETR12-022	255	77.7	260	79.2	Rock Chip	2.11	11	1.9	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408178	BETR12-022	260	79.2	265	80.8	Rock Chip	2.41	27	1.6	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408179	BETR12-022	265	80.8	270	82.3	Rock Chip	2.35	6	0.3	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408180	BETR12-022	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408181	BETR12-022	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1478	0.2	Acme	25-Jun-12	WHI12000085	11-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1408182	BETR12-022	270	82.3	275	83.8	Rock Chip	2.02	2	0.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408183	BETR12-022	275	83.8	280	85.3	Rock Chip	2.74	2	0.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408184	BETR12-022	280	85.3	285	86.9	Rock Chip	2.45	2	0.2	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408185	BETR12-022	285	86.9	290	88.4	Rock Chip	2.08	3	4.2	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408186	BETR12-022	290	88.4	295	89.9	Rock Chip	1.99	5	2.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408187	BETR12-022	295	89.9	300	91.4	Rock Chip	2.26	2	4.4	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408188	BETR12-022	300	91.4	305	93	Rock Chip	2.08	2	0.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408189	BETR12-022	305	93	310	94.5	Rock Chip	2.25	2	0.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408190	BETR12-022	310	94.5	315	96	Rock Chip	2.36	2	0.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408191	BETR12-022	315	96	320	97.5	Rock Chip	2.46	2	0.3	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408192	BETR12-022	320	97.5	325	99.1	Rock Chip	2.18	2	0.6	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408193	BETR12-022	325	99.1	330	100.6	Rock Chip	2.37	14	0.9	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408194	BETR12-022	330	100.6	335	102.1	Rock Chip	2.08	2	0.4	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408195	BETR12-022	335	102.1	340	103.6	Rock Chip	2.15	2	0.2	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408196	BETR12-022	340	103.6	345	105.2	Rock Chip	2.37	2	0.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408197	BETR12-022	345	105.2	350	106.7	Rock Chip	2.56	2	0.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408198	BETR12-022	350	106.7	355	108.2	Rock Chip	2.29	2	0.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408199	BETR12-022	355	108.2	360	109.7	Rock Chip	2.67	2	0.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408200	BETR12-022	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408201	BETR12-022	CDN-GS-5H	0		0	Rock Pulp	0.12	3845	55.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408202	BETR12-022	360	109.7	365	111.3	Rock Chip	2.29	2	0.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408203	BETR12-022	365	111.3	370	112.8	Rock Chip	2.49	2	0.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408204	BETR12-022	370	112.8	375	114.3	Rock Chip	2.26	2	0.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408205	BETR12-022	375	114.3	380	115.8	Rock Chip	2.35	30	1.8	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408206	BETR12-022	380	115.8	385	117.3	Rock Chip	2.45	58	2.7	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408207	BETR12-022	385	117.3	390	118.9	Rock Chip	2.11	125	13.8	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408208	BETR12-022	390	118.9	395	120.4	Rock Chip	2.31	57	5	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408209	BETR12-022	395	120.4	400	121.9	Rock Chip	2.67	2	0.2	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408210	BETR12-022	400	121.9	405	123.4	Rock Chip	2.11	4	0.2	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408211	BETR12-022	405	123.4	410	125	Rock Chip	2.46	34	1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408212	BETR12-022	410	125	415	126.5	Rock Chip	1.67	2	0.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408213	BETR12-022	415	126.5	420	128	Rock Chip	2.36	12	0.5	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408214	BETR12-022	420	128	425	129.5	Rock Chip	2.09	391	19.9	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408215	BETR12-022	425	129.5	430	131.1	Rock Chip	1.98	32	0.7	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408216	BETR12-022	430	131.1	435	132.6	Rock Chip	2.51	7	0.3	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408217	BETR12-022	435	132.6	440	134.1	Rock Chip	1.72	3	0.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408218	BETR12-022	440	134.1	445	135.6	Rock Chip	2.56	7	0.2	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408219	BETR12-022	445	135.6	450	137.2	Rock Chip	2.34	14	0.2	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408220	BETR12-022	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408221	BETR12-022	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1391	0.2	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408222	BETR12-022	450	137.2	455	138.7	Rock Chip	2.25	2	0.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408223	BETR12-022	455	138.7	460	140.2	Rock Chip	2.53	2	0.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408224	BETR12-022	460	140.2	465	141.7	Rock Chip	1.27	3	0.2	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408225	BETR12-022	Duplicate	0		0	Rock Chip	1.35	2	0.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408226	BETR12-022	465	141.7	470	143.3	Rock Chip	1.45	2	0.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408227	BETR12-022	470	143.3	475	144.8	Rock Chip	3.08	4	0.2	Acme	25-Jun-12	WHI12000085	11-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1408228	BETR12-022	475	144.8	480	146.3	Rock Chip	2.67	3	0.3	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408229	BETR12-022	480	146.3	485	147.8	Rock Chip	2.4	2	0.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408230	BETR12-022	485	147.8	490	149.4	Rock Chip	2.33	2	0.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408231	BETR12-022	490	149.4	495	150.9	Rock Chip	2.1	2	0.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1408232	BETR12-022	495	150.9	500	152.4	Rock Chip	2.07	2	0.1	Acme	25-Jun-12	WHI12000085	11-Jun-12
1401798	BETR12-023	0	0	26	7.9	Rock Chip	3.56	25	1.4	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401799	BETR12-023	26	7.9	31	9.4	Rock Chip	0.49	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401800	BETR12-023	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401801	BETR12-023	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1536	0.3	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401802	BETR12-023	31	9.4	36	11	Rock Chip	0.46	6	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401803	BETR12-023	36	11	41	12.5	Rock Chip	1.15	5	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401804	BETR12-023	41	12.5	43	13.1	Rock Chip	1.03	2	0.2	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401805	BETR12-023	43	13.1	48	14.6	Rock Chip	1.76	4	0.7	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401806	BETR12-023	48	14.6	53	16.2	Rock Chip	1.25	3	0.5	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401807	BETR12-023	53	16.2	58	17.7	Rock Chip	1.7	3	0.8	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401808	BETR12-023	58	17.7	63	19.2	Rock Chip	1.61	2	0.4	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401809	BETR12-023	63	19.2	68	20.7	Rock Chip	1.47	3	0.5	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401810	BETR12-023	68	20.7	73	22.3	Rock Chip	1.47	2	0.2	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401811	BETR12-023	73	22.3	78	23.8	Rock Chip	1.84	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401812	BETR12-023	78	23.8	83	25.3	Rock Chip	1.82	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401813	BETR12-023	83	25.3	88	26.8	Rock Chip	1.66	2	0.2	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401814	BETR12-023	88	26.8	93	28.3	Rock Chip	1.58	11	0.3	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401815	BETR12-023	93	28.3	98	29.9	Rock Chip	1.95	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401816	BETR12-023	98	29.9	103	31.4	Rock Chip	1.63	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401817	BETR12-023	103	31.4	108	32.9	Rock Chip	1.52	2	0.2	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401818	BETR12-023	108	32.9	113	34.4	Rock Chip	1.66	3	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401819	BETR12-023	113	34.4	118	36	Rock Chip	1.23	6	0.4	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401820	BETR12-023	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401821	BETR12-023	CDN-GS-5H	0		0	Rock Pulp	0.12	3703	52.7	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401822	BETR12-023	118	36	123	37.5	Rock Chip	1.5	2	0.4	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401823	BETR12-023	123	37.5	128	39	Rock Chip	1.78	4	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401824	BETR12-023	128	39	133	40.5	Rock Chip	0.59	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401825	BETR12-023	Duplicate	0		0	Rock Chip	1.01	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401826	BETR12-023	133	40.5	138	42.1	Rock Chip	1.47	3	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401827	BETR12-023	138	42.1	143	43.6	Rock Chip	1.7	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401828	BETR12-023	143	43.6	148	45.1	Rock Chip	1.86	4	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401829	BETR12-023	148	45.1	153	46.6	Rock Chip	1.74	11	0.4	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401830	BETR12-023	153	46.6	158	48.2	Rock Chip	2.45	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401831	BETR12-023	158	48.2	163	49.7	Rock Chip	2.17	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401832	BETR12-023	163	49.7	168	51.2	Rock Chip	1.98	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401833	BETR12-023	168	51.2	173	52.7	Rock Chip	1.91	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401834	BETR12-023	173	52.7	178	54.3	Rock Chip	1.66	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401835	BETR12-023	178	54.3	183	55.8	Rock Chip	1.53	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401836	BETR12-023	183	55.8	188	57.3	Rock Chip	1.65	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401837	BETR12-023	188	57.3	193	58.8	Rock Chip	2.21	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401838	BETR12-023	193	58.8	198	60.4	Rock Chip	1.95	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1401839	BETR12-023	198	60.4	203	61.9	Rock Chip	1.91	2	0.2	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401840	BETR12-023	CDN-BL-10	0		0	Rock Pulp	0.12	6	0.2	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401841	BETR12-023	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1438	0.2	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401842	BETR12-023	203	61.9	208	63.4	Rock Chip	2.17	4	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401843	BETR12-023	208	63.4	213	64.9	Rock Chip	1.79	3	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401844	BETR12-023	213	64.9	218	66.4	Rock Chip	1.98	2	0.2	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401845	BETR12-023	218	66.4	223	68	Rock Chip	1.92	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401846	BETR12-023	223	68	228	69.5	Rock Chip	1.48	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401847	BETR12-023	228	69.5	233	71	Rock Chip	1.88	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401848	BETR12-023	233	71	238	72.5	Rock Chip	1.75	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401849	BETR12-023	238	72.5	243	74.1	Rock Chip	1.98	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401850	BETR12-023	243	74.1	248	75.6	Rock Chip	1.65	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401851	BETR12-023	248	75.6	253	77.1	Rock Chip	1.81	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401852	BETR12-023	253	77.1	258	78.6	Rock Chip	1.8	483	55.7	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401853	BETR12-023	258	78.6	263	80.2	Rock Chip	1.94	3771	292	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401854	BETR12-023	263	80.2	268	81.7	Rock Chip	1.8	17	1.8	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401855	BETR12-023	268	81.7	273	83.2	Rock Chip	1.8	4	0.2	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401856	BETR12-023	273	83.2	278	84.7	Rock Chip	1.77	6	0.3	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401857	BETR12-023	278	84.7	283	86.3	Rock Chip	1.83	3	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401858	BETR12-023	283	86.3	288	87.8	Rock Chip	1.74	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401859	BETR12-023	288	87.8	293	89.3	Rock Chip	1.86	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401860	BETR12-023	CDN-BL-10	0		0	Rock Pulp	0.12	5	0.3	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401861	BETR12-023	CDN-GS-5H	0		0	Rock Pulp	0.12	4178	54.5	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401862	BETR12-023	293	89.3	298	90.8	Rock Chip	2.01	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401863	BETR12-023	298	90.8	303	92.4	Rock Chip	1.82	4	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401864	BETR12-023	303	92.4	308	93.9	Rock Chip	1.67	14	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401865	BETR12-023	308	93.9	313	95.4	Rock Chip	1.78	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401866	BETR12-023	313	95.4	318	96.9	Rock Chip	1.71	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401867	BETR12-023	318	96.9	323	98.5	Rock Chip	1.38	3	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401868	BETR12-023	323	98.5	328	100	Rock Chip	1.73	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401869	BETR12-023	328	100	333	101.5	Rock Chip	1.9	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401870	BETR12-023	333	101.5	338	103	Rock Chip	2.06	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401871	BETR12-023	338	103	343	104.5	Rock Chip	1.75	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401872	BETR12-023	343	104.5	348	106.1	Rock Chip	1.63	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401873	BETR12-023	348	106.1	353	107.6	Rock Chip	1.61	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401874	BETR12-023	353	107.6	358	109.1	Rock Chip	0.77	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401875	BETR12-023	Duplicate	0		0	Rock Chip	0.86	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401876	BETR12-023	358	109.1	363	110.6	Rock Chip	1.34	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401877	BETR12-023	363	110.6	368	112.2	Rock Chip	1.37	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401878	BETR12-023	368	112.2	373	113.7	Rock Chip	1.47	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401879	BETR12-023	373	113.7	378	115.2	Rock Chip	1.63	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401880	BETR12-023	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401881	BETR12-023	CDN-GS-5H	0		0	Rock Pulp	0.12	4042	51.6	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401882	BETR12-023	378	115.2	383	116.7	Rock Chip	1.7	2	0.1	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401883	BETR12-023	383	116.7	388	118.3	Rock Chip	2.07	3	0.3	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401884	BETR12-023	388	118.3	393	119.8	Rock Chip	1.51	2	0.3	Acme	27-Jun-12	WHI12000098	15-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1401885	BETR12-023	393	119.8	398	121.3	Rock Chip	1.63	2	0.3	Acme	27-Jun-12	WHI12000098	15-Jun-12
1401886	BETR12-023	398	121.3	403	122.8	Rock Chip	1.6	2	0.2	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401887	BETR12-023	403	122.8	408	124.4	Rock Chip	1.6	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401888	BETR12-023	408	124.4	413	125.9	Rock Chip	2.03	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401889	BETR12-023	413	125.9	418	127.4	Rock Chip	1.88	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401890	BETR12-023	418	127.4	423	128.9	Rock Chip	1.4	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401891	BETR12-023	423	128.9	428	130.5	Rock Chip	1.59	2	0.2	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401892	BETR12-023	428	130.5	433	132	Rock Chip	2.03	2	0.2	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401893	BETR12-023	433	132	438	133.5	Rock Chip	2.13	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401894	BETR12-023	438	133.5	443	135	Rock Chip	1.87	2	0.2	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401895	BETR12-023	443	135	448	136.6	Rock Chip	1.85	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401896	BETR12-023	448	136.6	453	138.1	Rock Chip	1.88	3	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401897	BETR12-023	453	138.1	458	139.6	Rock Chip	1.83	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401898	BETR12-023	458	139.6	463	141.1	Rock Chip	1.49	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401899	BETR12-023	463	141.1	468	142.6	Rock Chip	1.86	4	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401900	BETR12-023	CDN-BL-10	0		0	Rock Pulp	0.12	3	0.2	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401901	BETR12-023	CDN-GS-5H	0		0	Rock Pulp	0.12	3848	52.5	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401902	BETR12-023	468	142.6	473	144.2	Rock Chip	2.14	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401903	BETR12-023	473	144.2	478	145.7	Rock Chip	1.68	48	0.5	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401904	BETR12-023	478	145.7	483	147.2	Rock Chip	1.56	2	0.3	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401905	BETR12-023	483	147.2	488	148.7	Rock Chip	1.9	2	0.9	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401906	BETR12-023	488	148.7	493	150.3	Rock Chip	1.6	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401907	BETR12-024	0	0	4	1.2	Rock Chip	1.28	2	0.4	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401908	BETR12-024	4	1.2	9	2.7	Rock Chip	1.35	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401909	BETR12-024	9	2.7	14	4.3	Rock Chip	2.15	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401910	BETR12-024	14	4.3	19	5.8	Rock Chip	2.12	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401911	BETR12-024	19	5.8	24	7.3	Rock Chip	1.84	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401912	BETR12-024	24	7.3	29	8.8	Rock Chip	1.94	2	0.3	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401913	BETR12-024	29	8.8	34	10.4	Rock Chip	2.47	29	5.2	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401914	BETR12-024	34	10.4	39	11.9	Rock Chip	2.07	2	0.2	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401915	BETR12-024	39	11.9	44	13.4	Rock Chip	2.09	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401916	BETR12-024	44	13.4	49	14.9	Rock Chip	1.88	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401917	BETR12-024	49	14.9	54	16.5	Rock Chip	1.85	864	280	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401918	BETR12-024	54	16.5	59	18	Rock Chip	1.9	21	6.9	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401919	BETR12-024	59	18	64	19.5	Rock Chip	1.9	6	0.8	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401920	BETR12-024	CDN-BL-10	0		0	Rock Pulp	0.12	5	0.2	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401921	BETR12-024	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1480	0.2	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401922	BETR12-024	64	19.5	69	21	Rock Chip	1.95	21	2.3	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401923	BETR12-024	69	21	74	22.6	Rock Chip	1.81	4	0.5	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401924	BETR12-024	74	22.6	79	24.1	Rock Chip	1.14	2	0.3	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401925	BETR12-024	Duplicate	0		0	Rock Chip	0.86	2	0.2	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401926	BETR12-024	79	24.1	84	25.6	Rock Chip	2.11	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401927	BETR12-024	84	25.6	89	27.1	Rock Chip	1.93	2	0.2	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401928	BETR12-024	89	27.1	94	28.7	Rock Chip	2.45	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401929	BETR12-024	94	28.7	99	30.2	Rock Chip	2.17	3	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401930	BETR12-024	99	30.2	104	31.7	Rock Chip	1.99	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1401931	BETR12-024	104	31.7	109	33.2	Rock Chip	2.82	12	0.6	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401932	BETR12-024	109	33.2	114	34.7	Rock Chip	2.53	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401933	BETR12-024	114	34.7	119	36.3	Rock Chip	1.75	2	0.2	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401934	BETR12-024	119	36.3	124	37.8	Rock Chip	1.96	69	0.2	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401935	BETR12-024	124	37.8	129	39.3	Rock Chip	2.04	17	1.4	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401936	BETR12-024	129	39.3	134	40.8	Rock Chip	2.08	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401937	BETR12-024	134	40.8	139	42.4	Rock Chip	1.7	2	0.2	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401938	BETR12-024	139	42.4	144	43.9	Rock Chip	2.17	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401939	BETR12-024	144	43.9	149	45.4	Rock Chip	1.88	15	0.7	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401940	BETR12-024	CDN-BL-10	0		0	Rock Pulp	0.13	4	0.2	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401941	BETR12-024	CDN-GS-5H	0		0	Rock Pulp	0.12	4007	52.4	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401942	BETR12-024	149	45.4	154	46.9	Rock Chip	2.06	2	0.3	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401943	BETR12-024	154	46.9	159	48.5	Rock Chip	2.36	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401944	BETR12-024	159	48.5	164	50	Rock Chip	2.06	2	0.3	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401945	BETR12-024	164	50	169	51.5	Rock Chip	2.11	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401946	BETR12-024	169	51.5	174	53	Rock Chip	2.18	3	0.2	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401947	BETR12-024	174	53	179	54.6	Rock Chip	2.15	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401948	BETR12-024	179	54.6	184	56.1	Rock Chip	2.3	2	0.3	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401949	BETR12-024	184	56.1	189	57.6	Rock Chip	2.28	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401950	BETR12-024	189	57.6	194	59.1	Rock Chip	2.15	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401951	BETR12-024	194	59.1	199	60.7	Rock Chip	1.78	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401952	BETR12-024	199	60.7	204	62.2	Rock Chip	2.38	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401953	BETR12-024	204	62.2	209	63.7	Rock Chip	2	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401954	BETR12-024	209	63.7	214	65.2	Rock Chip	1.93	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401955	BETR12-024	214	65.2	219	66.8	Rock Chip	2.35	2	0.3	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401956	BETR12-024	219	66.8	224	68.3	Rock Chip	2.15	73	10.8	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401957	BETR12-024	224	68.3	229	69.8	Rock Chip	2.07	119	21.3	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401958	BETR12-024	229	69.8	234	71.3	Rock Chip	2.12	12	0.5	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401959	BETR12-024	234	71.3	239	72.8	Rock Chip	1.94	7	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401960	BETR12-024	CDN-BL-10	0		0	Rock Pulp	0.12	3	0.5	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401961	BETR12-024	CDN-GS-1P5F	0		0	Rock Pulp	0.13	1553	0.3	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401962	BETR12-024	239	72.8	244	74.4	Rock Chip	2.12	6	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401963	BETR12-024	244	74.4	249	75.9	Rock Chip	2.2	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401964	BETR12-024	249	75.9	254	77.4	Rock Chip	2.44	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401965	BETR12-024	254	77.4	259	78.9	Rock Chip	1.82	4	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401966	BETR12-024	259	78.9	264	80.5	Rock Chip	1.66	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401967	BETR12-024	264	80.5	269	82	Rock Chip	1.94	2	0.2	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401968	BETR12-024	269	82	274	83.5	Rock Chip	2.08	3	0.2	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401969	BETR12-024	274	83.5	279	85	Rock Chip	1.94	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401970	BETR12-024	279	85	284	86.6	Rock Chip	1.65	2	0.2	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401971	BETR12-024	284	86.6	289	88.1	Rock Chip	2.22	4	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401972	BETR12-024	289	88.1	294	89.6	Rock Chip	1.91	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401973	BETR12-024	294	89.6	299	91.1	Rock Chip	1.98	2	0.1	Acme	28-Jun-12	WHI12000099	15-Jun-12
1401974	BETR12-025	0	0	23	7	Rock Chip	0.39	11	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1401975	BETR12-025	Duplicate	0		0	Rock Chip	0.74	9	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1401976	BETR12-025	23	7	28	8.5	Rock Chip	1.93	6	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1401977	BETR12-025	28	8.5	33	10.1	Rock Chip	1.67	25	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1401978	BETR12-025	33	10.1	38	11.6	Rock Chip	2.04	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1401979	BETR12-025	38	11.6	43	13.1	Rock Chip	2.07	5	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1401980	BETR12-025	CDN-BL-10	0		0	Rock Pulp	0.12	18	0.2	Acme	29-Jun-12	WHI12000100	15-Jun-12
1401981	BETR12-025	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1442	0.3	Acme	29-Jun-12	WHI12000100	15-Jun-12
1401982	BETR12-025	43	13.1	48	14.6	Rock Chip	1.78	257	0.6	Acme	29-Jun-12	WHI12000100	15-Jun-12
1401983	BETR12-025	48	14.6	53	16.2	Rock Chip	1.94	148	0.3	Acme	29-Jun-12	WHI12000100	15-Jun-12
1401984	BETR12-025	53	16.2	58	17.7	Rock Chip	1.92	136	0.4	Acme	29-Jun-12	WHI12000100	15-Jun-12
1401985	BETR12-025	58	17.7	63	19.2	Rock Chip	2.03	76	0.4	Acme	29-Jun-12	WHI12000100	15-Jun-12
1401986	BETR12-025	63	19.2	68	20.7	Rock Chip	0.72	12	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1401987	BETR12-025	68	20.7	73	22.3	Rock Chip	1.38	136	0.2	Acme	29-Jun-12	WHI12000100	15-Jun-12
1401988	BETR12-025	73	22.3	78	23.8	Rock Chip	1.71	3	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1401989	BETR12-025	78	23.8	83	25.3	Rock Chip	2.14	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1401990	BETR12-025	83	25.3	88	26.8	Rock Chip	2.22	3	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1401991	BETR12-025	88	26.8	93	28.3	Rock Chip	1.8	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1401992	BETR12-025	93	28.3	98	29.9	Rock Chip	2.04	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1401993	BETR12-025	98	29.9	103	31.4	Rock Chip	1.77	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1401994	BETR12-025	103	31.4	108	32.9	Rock Chip	1.85	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1401995	BETR12-025	108	32.9	113	34.4	Rock Chip	1.96	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1401996	BETR12-025	113	34.4	118	36	Rock Chip	1.77	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1401997	BETR12-025	118	36	123	37.5	Rock Chip	1.87	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1401998	BETR12-025	123	37.5	128	39	Rock Chip	1.96	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1401999	BETR12-025	128	39	133	40.5	Rock Chip	1.71	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402000	BETR12-025	CDN-BL-10	0		0	Rock Pulp	0.13	2	0.3	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402001	BETR12-025	CDN-GS-5H	0		0	Rock Pulp	0.12	4215	56	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402002	BETR12-025	133	40.5	138	42.1	Rock Chip	2.09	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402003	BETR12-025	138	42.1	143	43.6	Rock Chip	1.87	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402004	BETR12-025	143	43.6	148	45.1	Rock Chip	2.28	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402005	BETR12-025	148	45.1	153	46.6	Rock Chip	1.9	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402006	BETR12-025	153	46.6	158	48.2	Rock Chip	1.88	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402007	BETR12-025	158	48.2	163	49.7	Rock Chip	2.14	2	2	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402008	BETR12-025	163	49.7	168	51.2	Rock Chip	1.67	3	0.3	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402009	BETR12-025	168	51.2	173	52.7	Rock Chip	1.57	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402010	BETR12-025	173	52.7	178	54.3	Rock Chip	1.83	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402011	BETR12-025	178	54.3	183	55.8	Rock Chip	2.22	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402012	BETR12-025	183	55.8	188	57.3	Rock Chip	1.94	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402013	BETR12-025	188	57.3	193	58.8	Rock Chip	1.98	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402014	BETR12-025	193	58.8	198	60.4	Rock Chip	2.07	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402015	BETR12-025	198	60.4	203	61.9	Rock Chip	2.08	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402016	BETR12-025	203	61.9	208	63.4	Rock Chip	1.99	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402017	BETR12-025	208	63.4	213	64.9	Rock Chip	2.14	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402018	BETR12-025	213	64.9	218	66.4	Rock Chip	1.97	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402019	BETR12-025	218	66.4	223	68	Rock Chip	2	20	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402020	BETR12-025	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.4	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402021	BETR12-025	CDN-GS-1P5F	0		0	Rock Pulp	0.15	1528	0.2	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402022	BETR12-025	223	68	228	69.5	Rock Chip	1.5	36	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1402023	BETR12-025	228	69.5	233	71	Rock Chip	2.04	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402024	BETR12-025	233	71	238	72.5	Rock Chip	0.92	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402025	BETR12-025	Duplicate	0		0	Rock Chip	1.14	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402026	BETR12-025	238	72.5	243	74.1	Rock Chip	2.15	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402027	BETR12-025	243	74.1	248	75.6	Rock Chip	1.48	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402028	BETR12-025	248	75.6	253	77.1	Rock Chip	1.67	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402029	BETR12-025	253	77.1	258	78.6	Rock Chip	1.86	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402030	BETR12-025	258	78.6	263	80.2	Rock Chip	1.68	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402031	BETR12-025	263	80.2	268	81.7	Rock Chip	1.9	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402032	BETR12-025	268	81.7	273	83.2	Rock Chip	1.98	10	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402033	BETR12-025	273	83.2	278	84.7	Rock Chip	2.05	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402034	BETR12-025	278	84.7	283	86.3	Rock Chip	1.67	3	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402035	BETR12-025	283	86.3	288	87.8	Rock Chip	1.66	10	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402036	BETR12-025	288	87.8	293	89.3	Rock Chip	2.08	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402037	BETR12-025	293	89.3	298	90.8	Rock Chip	1.64	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402038	BETR12-025	298	90.8	303	92.4	Rock Chip	1.71	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402039	BETR12-025	303	92.4	308	93.9	Rock Chip	1.7	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402040	BETR12-025	CDN-BL-10	0		0	Rock Pulp	0.12	5	0.2	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402041	BETR12-025	CDN-GS-5H	0		0	Rock Pulp	0.12	4322	50	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402042	BETR12-025	308	93.9	313	95.4	Rock Chip	1.83	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402043	BETR12-025	313	95.4	318	96.9	Rock Chip	1.98	7	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402044	BETR12-025	318	96.9	323	98.5	Rock Chip	2.21	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402045	BETR12-025	323	98.5	328	100	Rock Chip	2.19	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402046	BETR12-025	328	100	333	101.5	Rock Chip	1.68	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402047	BETR12-025	333	101.5	338	103	Rock Chip	1.62	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402048	BETR12-025	338	103	343	104.5	Rock Chip	1.99	4	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402049	BETR12-025	343	104.5	348	106.1	Rock Chip	2.14	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402050	BETR12-025	348	106.1	353	107.6	Rock Chip	1.74	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402051	BETR12-025	353	107.6	358	109.1	Rock Chip	1.74	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402052	BETR12-025	358	109.1	363	110.6	Rock Chip	1.5	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402053	BETR12-025	363	110.6	368	112.2	Rock Chip	1.57	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402054	BETR12-025	368	112.2	373	113.7	Rock Chip	1.71	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402055	BETR12-025	373	113.7	378	115.2	Rock Chip	2.05	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402056	BETR12-025	378	115.2	383	116.7	Rock Chip	1.8	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402057	BETR12-025	383	116.7	388	118.3	Rock Chip	1.71	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402058	BETR12-025	388	118.3	393	119.8	Rock Chip	1.54	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402059	BETR12-025	393	119.8	398	121.3	Rock Chip	1.65	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402060	BETR12-025	CDN-BL-10	0		0	Rock Pulp	0.12	10	0.4	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402061	BETR12-025	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1567	0.2	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402062	BETR12-025	398	121.3	403	122.8	Rock Chip	1.62	3	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402063	BETR12-025	403	122.8	408	124.4	Rock Chip	2	3	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402064	BETR12-025	408	124.4	413	125.9	Rock Chip	1.65	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402065	BETR12-025	413	125.9	418	127.4	Rock Chip	1.54	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402066	BETR12-025	418	127.4	423	128.9	Rock Chip	1.76	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402067	BETR12-025	423	128.9	428	130.5	Rock Chip	1.83	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402068	BETR12-025	428	130.5	433	132	Rock Chip	1.81	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1402069	BETR12-025	433	132	438	133.5	Rock Chip	1.82	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402070	BETR12-025	438	133.5	443	135	Rock Chip	1.98	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402071	BETR12-025	443	135	448	136.6	Rock Chip	2.04	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402072	BETR12-025	448	136.6	453	138.1	Rock Chip	1.88	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402073	BETR12-025	453	138.1	458	139.6	Rock Chip	1.78	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402074	BETR12-025	458	139.6	463	141.1	Rock Chip	1.01	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402075	BETR12-025	Duplicate	0		0	Rock Chip	0.7	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402076	BETR12-025	463	141.1	468	142.6	Rock Chip	2.19	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402077	BETR12-025	468	142.6	473	144.2	Rock Chip	1.71	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402078	BETR12-025	473	144.2	478	145.7	Rock Chip	1.94	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402079	BETR12-025	478	145.7	483	147.2	Rock Chip	1.89	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402080	BETR12-025	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402081	BETR12-025	CDN-GS-5H	0		0	Rock Pulp	0.13	4411	52.6	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402082	BETR12-025	483	147.2	488	148.7	Rock Chip	1.6	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402083	BETR12-025	488	148.7	493	150.3	Rock Chip	1.99	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402084	BETR12-025	493	150.3	498	151.8	Rock Chip	1.76	2	0.1	Acme	29-Jun-12	WHI12000100	15-Jun-12
1402085	BETR12-026	0	0	11	3.4	Rock	0.23	75	0.3	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402086	BETR12-026	11	3.4	14	4.3	Rock	1.67	72	1.5	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402087	BETR12-026	14	4.3	19	5.8	Rock	2.78	265	0.4	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402088	BETR12-026	19	5.8	24	7.3	Rock	2.53	397	0.5	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402089	BETR12-026	24	7.3	29	8.8	Rock	2.27	99	0.2	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402090	BETR12-026	29	8.8	34	10.4	Rock	2.25	44	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402091	BETR12-026	34	10.4	39	11.9	Rock	2.85	8	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402092	BETR12-026	39	11.9	44	13.4	Rock	2.47	29	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402093	BETR12-026	44	13.4	49	14.9	Rock	2.94	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402094	BETR12-026	49	14.9	54	16.5	Rock	2.82	5	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402095	BETR12-026	54	16.5	59	18	Rock	1.77	15	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402096	BETR12-026	59	18	64	19.5	Rock	2.65	186	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402097	BETR12-026	64	19.5	69	21	Rock	2.83	469	0.8	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402098	BETR12-026	69	21	74	22.6	Rock	2.8	10	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402099	BETR12-026	74	22.6	79	24.1	Rock	3.31	66	0.2	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402100	BETR12-026	CDN-BL-10	0		0	Rock Pulp	0.12	6	0.3	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402101	BETR12-026	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1464	0.2	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402102	BETR12-026	79	24.1	84	25.6	Rock	2.94	41	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402103	BETR12-026	84	25.6	89	27.1	Rock	2.01	35	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402104	BETR12-026	89	27.1	94	28.7	Rock	2.4	76	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402105	BETR12-026	94	28.7	99	30.2	Rock	2.42	4	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402106	BETR12-026	99	30.2	104	31.7	Rock	2.32	25	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402107	BETR12-026	104	31.7	109	33.2	Rock	2.64	93	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402108	BETR12-026	109	33.2	114	34.7	Rock	2.53	6	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402109	BETR12-026	114	34.7	119	36.3	Rock	2.44	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402110	BETR12-026	119	36.3	124	37.8	Rock	2.53	5	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402111	BETR12-026	124	37.8	129	39.3	Rock	2.53	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402112	BETR12-026	129	39.3	134	40.8	Rock	2.96	3	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402113	BETR12-026	134	40.8	139	42.4	Rock	2.32	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402114	BETR12-026	139	42.4	144	43.9	Rock	2.71	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1402115	BETR12-026	144	43.9	149	45.4	Rock	2.57	4	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402116	BETR12-026	149	45.4	154	46.9	Rock	3.22	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402117	BETR12-026	154	46.9	159	48.5	Rock	3.16	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402118	BETR12-026	159	48.5	164	50	Rock	3.27	3	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402119	BETR12-026	164	50	169	51.5	Rock	2.84	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402120	BETR12-026	CDN-BL-10	0		0	Rock Pulp	0.12	4	0.3	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402121	BETR12-026	CDN-GS-5H	0		0	Rock Pulp	0.12	3929	54.8	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402122	BETR12-026	169	51.5	174	53	Rock	2.89	4	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402123	BETR12-026	174	53	179	54.6	Rock	2.37	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402124	BETR12-026	179	54.6	184	56.1	Rock	1.49	3	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402125	BETR12-026	Duplicate	0		0	Rock	0.9	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402126	BETR12-026	184	56.1	189	57.6	Rock	2.59	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402127	BETR12-026	189	57.6	194	59.1	Rock	3.17	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402128	BETR12-026	194	59.1	199	60.7	Rock	2.9	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402129	BETR12-026	199	60.7	204	62.2	Rock	2.91	5	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402130	BETR12-026	204	62.2	209	63.7	Rock	2.67	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402131	BETR12-026	209	63.7	214	65.2	Rock	3.65	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402132	BETR12-026	214	65.2	219	66.8	Rock	3	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402133	BETR12-026	219	66.8	224	68.3	Rock	3.46	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402134	BETR12-026	224	68.3	229	69.8	Rock	2.27	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402135	BETR12-026	229	69.8	234	71.3	Rock	3.2	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402136	BETR12-026	234	71.3	239	72.8	Rock	2.29	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402137	BETR12-026	239	72.8	244	74.4	Rock	2.46	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402138	BETR12-026	244	74.4	249	75.9	Rock	2.38	4	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402139	BETR12-026	249	75.9	254	77.4	Rock	2.77	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402140	BETR12-026	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402141	BETR12-026	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1476	0.2	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402142	BETR12-026	254	77.4	259	78.9	Rock	2.98	3	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402143	BETR12-026	259	78.9	264	80.5	Rock	3.31	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402144	BETR12-026	264	80.5	269	82	Rock	3.79	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402145	BETR12-026	269	82	274	83.5	Rock	3.12	3	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402146	BETR12-026	274	83.5	279	85	Rock	2.78	4	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402147	BETR12-026	279	85	284	86.6	Rock	2.38	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402148	BETR12-026	284	86.6	289	88.1	Rock	2.69	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402149	BETR12-026	289	88.1	294	89.6	Rock	2.71	4	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402150	BETR12-026	294	89.6	299	91.1	Rock	3.11	3	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402151	BETR12-026	299	91.1	304	92.7	Rock	2.65	3	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402152	BETR12-026	304	92.7	309	94.2	Rock	2.96	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402153	BETR12-026	309	94.2	314	95.7	Rock	3.06	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402154	BETR12-026	314	95.7	319	97.2	Rock	2.68	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402155	BETR12-026	319	97.2	324	98.8	Rock	2.87	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402156	BETR12-026	324	98.8	329	100.3	Rock	2.7	47	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402157	BETR12-026	329	100.3	334	101.8	Rock	3.12	24	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402158	BETR12-026	334	101.8	339	103.3	Rock	3.03	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402159	BETR12-026	339	103.3	344	104.9	Rock	2.84	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402160	BETR12-026	CDN-BL-10	0		0	Rock Pulp	0.12	4	0.3	Acme	03-Jul-12	WHI12000117	19-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1402161	BETR12-026	CDN-GS-5H	0		0	Rock Pulp	0.12	3991	51.2	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402162	BETR12-026	344	104.9	349	106.4	Rock	2.87	3	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402163	BETR12-026	349	106.4	354	107.9	Rock	2.66	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402164	BETR12-026	354	107.9	359	109.4	Rock	2.81	3	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402165	BETR12-026	359	109.4	364	110.9	Rock	3	3	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402166	BETR12-026	364	110.9	369	112.5	Rock	2.3	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402167	BETR12-026	369	112.5	374	114	Rock	2.83	3	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402168	BETR12-026	374	114	379	115.5	Rock	2.17	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402169	BETR12-026	379	115.5	384	117	Rock	2.73	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402170	BETR12-027	0	0	10	3	Rock	1.16	4	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402171	BETR12-027	10	3	15	4.6	Rock	1.29	38	0.3	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402172	BETR12-027	15	4.6	20	6.1	Rock	1.95	289	0.5	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402173	BETR12-027	20	6.1	25	7.6	Rock	2.68	25	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402174	BETR12-027	25	7.6	30	9.1	Rock	0.6	14	0.2	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402175	BETR12-027	Duplicate	0		0	Rock	0.44	15	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402176	BETR12-027	30	9.1	35	10.7	Rock	1.32	8	1.6	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402177	BETR12-027	35	10.7	40	12.2	Rock	1.77	20	0.2	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402178	BETR12-027	40	12.2	45	13.7	Rock	1.63	5	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402179	BETR12-027	45	13.7	50	15.2	Rock	1.52	5	0.9	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402180	BETR12-027	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402181	BETR12-027	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1497	0.2	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402182	BETR12-027	50	15.2	55	16.8	Rock	1.34	1066	98	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402183	BETR12-027	55	16.8	60	18.3	Rock	1.53	141	7.3	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402184	BETR12-027	60	18.3	65	19.8	Rock	1.53	133	1.5	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402185	BETR12-027	65	19.8	70	21.3	Rock	1.61	22	0.7	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402186	BETR12-027	70	21.3	75	22.9	Rock	1.57	8	0.5	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402187	BETR12-027	75	22.9	80	24.4	Rock	1.63	9	0.7	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402188	BETR12-027	80	24.4	85	25.9	Rock	1.74	1305	1.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402189	BETR12-027	85	25.9	90	27.4	Rock	1.48	340	2.8	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402190	BETR12-027	90	27.4	95	29	Rock	1.59	726	25.6	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402191	BETR12-027	95	29	100	30.5	Rock	1.54	21	0.5	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402192	BETR12-027	100	30.5	105	32	Rock	1.36	84	4.3	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402193	BETR12-027	105	32	110	33.5	Rock	1.7	7	0.3	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402194	BETR12-027	110	33.5	115	35.1	Rock	1.82	4	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402195	BETR12-027	115	35.1	120	36.6	Rock	2.11	3	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402196	BETR12-027	120	36.6	125	38.1	Rock	1.95	3	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402197	BETR12-027	125	38.1	130	39.6	Rock	1.89	4	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402198	BETR12-027	130	39.6	135	41.1	Rock	1.73	5	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402199	BETR12-027	135	41.1	140	42.7	Rock	1.91	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402200	BETR12-027	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.4	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402201	BETR12-027	CDN-GS-5H	0		0	Rock Pulp	0.12	3902	49.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402202	BETR12-027	140	42.7	145	44.2	Rock	2.22	23	0.3	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402203	BETR12-027	145	44.2	150	45.7	Rock	2.2	6	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402204	BETR12-027	150	45.7	155	47.2	Rock	2.3	4	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402205	BETR12-027	155	47.2	160	48.8	Rock	2.22	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402206	BETR12-027	160	48.8	165	50.3	Rock	2.38	4	0.2	Acme	03-Jul-12	WHI12000117	19-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1402207	BETR12-027	165	50.3	170	51.8	Rock	2.42	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402208	BETR12-027	170	51.8	175	53.3	Rock	2.17	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402209	BETR12-027	175	53.3	180	54.9	Rock	2.5	2	0.1	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402210	BETR12-027	180	54.9	185	56.4	Rock	2.09	2	1.2	Acme	03-Jul-12	WHI12000117	19-Jun-12
1402211	BETR12-027	185	56.4	190	57.9	Rock	2.78	2	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402212	BETR12-027	190	57.9	195	59.4	Rock	1.73	3	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402213	BETR12-027	195	59.4	200	61	Rock	2.79	42	0.3	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402214	BETR12-027	200	61	205	62.5	Rock	1.95	2	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402215	BETR12-027	205	62.5	210	64	Rock	1.51	2	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402216	BETR12-027	210	64	215	65.5	Rock	1.57	44	0.3	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402217	BETR12-027	215	65.5	220	67.1	Rock	1.25	2	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402218	BETR12-027	220	67.1	225	68.6	Rock	1.46	29	0.4	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402219	BETR12-027	225	68.6	230	70.1	Rock	1.35	3	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402220	BETR12-027	CDN-BL-10	0		0	Rock Pulp	N.A.	5	0.2	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402221	BETR12-027	CDN-GS-1P5F	0		0	Rock Pulp	N.A.	1582	0.3	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402222	BETR12-027	230	70.1	235	71.6	Rock	1.73	71	0.3	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402223	BETR12-027	235	71.6	240	73.2	Rock	1.87	3	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402224	BETR12-027	240	73.2	245	74.7	Rock	1.93	3	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402225	BETR12-027	Duplicate	0		0	Rock	1.17	5	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402226	BETR12-027	245	74.7	250	76.2	Rock	1.81	2	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402227	BETR12-027	250	76.2	255	77.7	Rock	1.51	9	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402228	BETR12-027	255	77.7	260	79.2	Rock	1.84	11	0.2	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402229	BETR12-027	260	79.2	265	80.8	Rock	2.57	4	0.3	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402230	BETR12-027	265	80.8	270	82.3	Rock	1.54	4	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402231	BETR12-027	270	82.3	275	83.8	Rock	1.77	12	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402232	BETR12-027	275	83.8	280	85.3	Rock	1.79	16	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402233	BETR12-027	280	85.3	285	86.9	Rock	1.76	3	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402234	BETR12-027	285	86.9	290	88.4	Rock	1.58	226	3.5	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402235	BETR12-027	290	88.4	295	89.9	Rock	1.74	4155	1.4	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402236	BETR12-027	295	89.9	300	91.4	Rock	1.94	138	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402237	BETR12-027	300	91.4	305	93	Rock	1.61	145	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402238	BETR12-027	305	93	310	94.5	Rock	1.39	3	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402239	BETR12-027	310	94.5	315	96	Rock	2.42	6	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402240	BETR12-027	CDN-BL-10	0		0	Rock Pulp	N.A.	5	0.2	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402241	BETR12-027	CDN-GS-5H	0		0	Rock Pulp	N.A.	4051	52.5	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402242	BETR12-027	315	96	320	97.5	Rock	1.64	4	0.2	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402243	BETR12-027	320	97.5	325	99.1	Rock	1.75	5	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402244	BETR12-027	325	99.1	330	100.6	Rock	1.84	3	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402245	BETR12-027	330	100.6	335	102.1	Rock	1.78	3	0.3	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402246	BETR12-027	335	102.1	340	103.6	Rock	2.22	2	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402247	BETR12-027	340	103.6	345	105.2	Rock	1.78	1112	0.2	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402248	BETR12-027	345	105.2	350	106.7	Rock	1.76	285	0.2	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402249	BETR12-027	350	106.7	355	108.2	Rock	1.49	674	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402250	BETR12-027	355	108.2	360	109.7	Rock	1.49	113	0.2	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402251	BETR12-027	360	109.7	365	111.3	Rock	1.69	321	0.4	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402252	BETR12-027	365	111.3	370	112.8	Rock	1.72	77	0.3	Acme	29-Jun-12	WHI12000118	19-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1402253	BETR12-027	370	112.8	375	114.3	Rock	1.7	70	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402254	BETR12-027	375	114.3	380	115.8	Rock	1.55	21	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402255	BETR12-027	380	115.8	385	117.3	Rock	1.74	22	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402256	BETR12-027	385	117.3	390	118.9	Rock	1.46	2550	3.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402257	BETR12-027	390	118.9	395	120.4	Rock	1.76	154	0.6	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402258	BETR12-027	395	120.4	400	121.9	Rock	1.75	405	0.2	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402259	BETR12-027	400	121.9	405	123.4	Rock	1.63	195	1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402260	BETR12-027	CDN-BL-10	0		0	Rock Pulp	N.A.	5	0.2	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402261	BETR12-027	CDN-GS-1P5F	0		0	Rock Pulp	N.A.	1575	0.3	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402262	BETR12-027	405	123.4	410	125	Rock	1.47	215	0.3	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402263	BETR12-027	410	125	415	126.5	Rock	1.74	666	0.8	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402264	BETR12-027	415	126.5	420	128	Rock	1.45	143	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402265	BETR12-027	420	128	425	129.5	Rock	1.8	58	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402266	BETR12-027	425	129.5	430	131.1	Rock	1.87	19	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402267	BETR12-027	430	131.1	435	132.6	Rock	2.25	29	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402268	BETR12-027	435	132.6	440	134.1	Rock	1.66	465	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402269	BETR12-027	440	134.1	445	135.6	Rock	0.76	22	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402270	BETR12-027	445	135.6	450	137.2	Rock	1.52	163	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402271	BETR12-027	450	137.2	455	138.7	Rock	1.68	1114	0.4	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402272	BETR12-027	455	138.7	460	140.2	Rock	1.71	380	0.4	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402273	BETR12-027	460	140.2	465	141.7	Rock	1.47	15	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402274	BETR12-027	465	141.7	470	143.3	Rock	0.92	7	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402275	BETR12-027	Duplicate	0		0	Rock	0.97	4	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402276	BETR12-027	470	143.3	475	144.8	Rock	2.31	42	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402277	BETR12-027	475	144.8	480	146.3	Rock	2.46	23	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402278	BETR12-027	480	146.3	485	147.8	Rock	1.97	236	0.2	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402279	BETR12-027	485	147.8	490	149.4	Rock	2.32	3	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402280	BETR12-027	CDN-BL-10	0		0	Rock Pulp	N.A.	4	0.3	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402281	BETR12-027	CDN-GS-5H	0		0	Rock Pulp	N.A.	4166	53	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402282	BETR12-027	490	149.4	495	150.9	Rock	1.94	112	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402283	BETR12-027	495	150.9	500	152.4	Rock	2.5	104	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402284	BETR12-028	0	0	20	6.1	Rock	4.59	7	0.2	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402285	BETR12-028	20	6.1	25	7.6	Rock	0.77	3	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402286	BETR12-028	25	7.6	30	9.1	Rock	1.27	3	0.2	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402287	BETR12-028	30	9.1	35	10.7	Rock	1.34	4	0.2	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402288	BETR12-028	35	10.7	40	12.2	Rock	1.39	5	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402289	BETR12-028	40	12.2	45	13.7	Rock	1.44	5	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402290	BETR12-028	45	13.7	50	15.2	Rock	1.75	2	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402291	BETR12-028	50	15.2	55	16.8	Rock	1.7	2	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402292	BETR12-028	55	16.8	60	18.3	Rock	1.89	11	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402293	BETR12-028	60	18.3	65	19.8	Rock	1.17	10	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402294	BETR12-028	65	19.8	70	21.3	Rock	1.59	3	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402295	BETR12-028	70	21.3	75	22.9	Rock	1.32	2	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402296	BETR12-028	75	22.9	80	24.4	Rock	1.65	3	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402297	BETR12-028	80	24.4	85	25.9	Rock	1.42	2	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402298	BETR12-028	85	25.9	90	27.4	Rock	1.68	2	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1402299	BETR12-028	90	27.4	95	29	Rock	1.78	2	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402300	BETR12-028	CDN-BL-10	0		0	Rock Pulp	N.A.	2	0.3	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402301	BETR12-028	CDN-GS-1P5F	0		0	Rock Pulp	N.A.	1648	0.2	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402302	BETR12-028	95	29	100	30.5	Rock	2.18	3	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402303	BETR12-028	100	30.5	105	32	Rock	1.76	6	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402304	BETR12-028	105	32	110	33.5	Rock	2.44	2	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402305	BETR12-028	110	33.5	115	35.1	Rock	1.26	2	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402306	BETR12-028	115	35.1	120	36.6	Rock	1.9	3	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402307	BETR12-028	120	36.6	125	38.1	Rock	1.61	2	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402308	BETR12-028	125	38.1	130	39.6	Rock	2.26	3	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402309	BETR12-028	130	39.6	135	41.1	Rock	2.62	2	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402310	BETR12-028	135	41.1	140	42.7	Rock	2.28	2	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402311	BETR12-028	140	42.7	145	44.2	Rock	2.02	2	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402312	BETR12-028	145	44.2	150	45.7	Rock	1.84	2	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402313	BETR12-028	150	45.7	155	47.2	Rock	2.08	6	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402314	BETR12-028	155	47.2	160	48.8	Rock	1.68	2	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402315	BETR12-028	160	48.8	165	50.3	Rock	2.17	5	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402316	BETR12-028	165	50.3	170	51.8	Rock	1.95	2	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402317	BETR12-028	170	51.8	175	53.3	Rock	2.28	4	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402318	BETR12-028	175	53.3	180	54.9	Rock	2.28	3	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402319	BETR12-028	180	54.9	185	56.4	Rock	1.92	4	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402320	BETR12-028	CDN-BL-10	0		0	Rock Pulp	N.A.	3	0.2	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402321	BETR12-028	CDN-GS-5H	0		0	Rock Pulp	N.A.	3918	54.6	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402322	BETR12-028	185	56.4	190	57.9	Rock	1.96	2	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402323	BETR12-028	190	57.9	195	59.4	Rock	1.68	4	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402324	BETR12-028	195	59.4	200	61	Rock	1.78	14	0.4	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402325	BETR12-028	Duplicate	0		0	Rock	1.38	8	0.3	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402326	BETR12-028	200	61	205	62.5	Rock	2.1	5	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402327	BETR12-028	205	62.5	210	64	Rock	2.04	31	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402328	BETR12-028	210	64	215	65.5	Rock	1.07	2	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402329	BETR12-028	215	65.5	220	67.1	Rock	2.05	11	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402330	BETR12-028	220	67.1	225	68.6	Rock	1.71	2	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402331	BETR12-028	225	68.6	230	70.1	Rock	1.81	3	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402332	BETR12-028	230	70.1	235	71.6	Rock	2.27	3	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402333	BETR12-028	235	71.6	240	73.2	Rock	2.37	2	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402334	BETR12-028	240	73.2	245	74.7	Rock	2.19	2	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402335	BETR12-028	245	74.7	250	76.2	Rock	1.8	3	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402336	BETR12-028	250	76.2	255	77.7	Rock	2.16	4	0.1	Acme	29-Jun-12	WHI12000118	19-Jun-12
1402337	BETR12-028	255	77.7	260	79.2	Rock	1.9	5	1.5	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402338	BETR12-028	260	79.2	265	80.8	Rock	2.08	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402339	BETR12-028	265	80.8	270	82.3	Rock	2.15	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402340	BETR12-028	CDN-BL-10	0		0	Rock Pulp	0.12	5	0.2	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402341	BETR12-028	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1512	0.2	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402342	BETR12-028	270	82.3	275	83.8	Rock	2.43	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402343	BETR12-028	275	83.8	280	85.3	Rock	2.11	4	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402344	BETR12-028	280	85.3	285	86.9	Rock	2.47	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1402345	BETR12-028	285	86.9	290	88.4	Rock	2.21	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402346	BETR12-028	290	88.4	295	89.9	Rock	2.08	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402347	BETR12-028	295	89.9	300	91.4	Rock	2.56	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402348	BETR12-028	300	91.4	305	93	Rock	2.85	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402349	BETR12-028	305	93	310	94.5	Rock	2.59	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402350	BETR12-028	310	94.5	315	96	Rock	2.82	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402351	BETR12-028	315	96	320	97.5	Rock	2.96	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402352	BETR12-028	320	97.5	325	99.1	Rock	2.83	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402353	BETR12-028	325	99.1	330	100.6	Rock	2.32	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402354	BETR12-028	330	100.6	335	102.1	Rock	2.28	4	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402355	BETR12-028	335	102.1	340	103.6	Rock	2.43	3	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402356	BETR12-028	340	103.6	345	105.2	Rock	2.68	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402357	BETR12-028	345	105.2	350	106.7	Rock	2.43	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402358	BETR12-028	350	106.7	355	108.2	Rock	2.58	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402359	BETR12-028	355	108.2	360	109.7	Rock	2.38	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402360	BETR12-028	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402361	BETR12-028	CDN-GS-5H	0		0	Rock Pulp	0.12	4056	50.8	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402362	BETR12-028	360	109.7	365	111.3	Rock	2.55	5	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402363	BETR12-028	365	111.3	370	112.8	Rock	2.69	19	12.2	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402364	BETR12-028	370	112.8	375	114.3	Rock	2.65	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402365	BETR12-028	375	114.3	380	115.8	Rock		2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402366	BETR12-028	380	115.8	385	117.3	Rock	2.41	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402367	BETR12-028	385	117.3	390	118.9	Rock	2.77	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402368	BETR12-028	390	118.9	395	120.4	Rock	2.72	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402369	BETR12-028	395	120.4	400	121.9	Rock	2.52	3	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402370	BETR12-028	400	121.9	405	123.4	Rock	2.39	10	6.7	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402371	BETR12-028	405	123.4	410	125	Rock	2.29	23	14.2	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402372	BETR12-028	410	125	415	126.5	Rock	2.38	5	2.2	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402373	BETR12-028	415	126.5	420	128	Rock	2.58	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402374	BETR12-028	420	128	425	129.5	Rock	0.96	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402375	BETR12-028	Duplicate	0		0	Rock	1.41	5	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402376	BETR12-028	425	129.5	430	131.1	Rock	2.21	3	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402377	BETR12-028	430	131.1	435	132.6	Rock	2.05	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402378	BETR12-028	435	132.6	440	134.1	Rock	2.19	3	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402379	BETR12-028	440	134.1	445	135.6	Rock	2.43	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402380	BETR12-028	CDN-BL-10	0		0	Rock Pulp	0.12	5	0.3	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402381	BETR12-028	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1454	0.2	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402382	BETR12-028	445	135.6	450	137.2	Rock	2.55	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402383	BETR12-028	450	137.2	455	138.7	Rock	2.2	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402384	BETR12-028	455	138.7	460	140.2	Rock	2.38	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402385	BETR12-028	460	140.2	465	141.7	Rock	2.57	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402386	BETR12-028	465	141.7	470	143.3	Rock	2.27	13	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402387	BETR12-028	470	143.3	475	144.8	Rock	2.45	16	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402388	BETR12-028	475	144.8	480	146.3	Rock	2.31	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402389	BETR12-028	480	146.3	485	147.8	Rock	2.58	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402390	BETR12-028	485	147.8	490	149.4	Rock	2.51	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1402391	BETR12-028	490	149.4	495	150.9	Rock	2.36	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402392	BETR12-028	495	150.9	500	152.4	Rock	2.37	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402393	BETR12-029	0	0	22	6.7	Rock	3.13	5	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402394	BETR12-029	22	6.7	25	7.6	Rock	0.57	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402395	BETR12-029	25	7.6	30	9.1	Rock	1.58	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402396	BETR12-029	30	9.1	35	10.7	Rock	1.53	3	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402397	BETR12-029	35	10.7	40	12.2	Rock	1.74	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402398	BETR12-029	40	12.2	45	13.7	Rock	2.02	3	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402399	BETR12-029	45	13.7	50	15.2	Rock	1.63	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402400	BETR12-029	CDN-BL-10	0		0	Rock Pulp	0.13	2	0.4	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402401	BETR12-029	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1486	0.2	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402402	BETR12-029	50	15.2	55	16.8	Rock	1.43	16	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402403	BETR12-029	55	16.8	60	18.3	Rock	1.05	3	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402404	BETR12-029	60	18.3	65	19.8	Rock	1.18	3	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402405	BETR12-029	65	19.8	70	21.3	Rock	1.34	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402406	BETR12-029	70	21.3	75	22.9	Rock	1.49	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402407	BETR12-029	75	22.9	80	24.4	Rock	1.75	3	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402408	BETR12-029	80	24.4	85	25.9	Rock	1.66	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402409	BETR12-029	85	25.9	90	27.4	Rock	1.35	207	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402410	BETR12-029	90	27.4	95	29	Rock	1.85	10	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402411	BETR12-029	95	29	100	30.5	Rock	1.76	438	0.2	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402412	BETR12-029	100	30.5	105	32	Rock	1.76	273	0.4	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402413	BETR12-029	105	32	110	33.5	Rock	1.63	14	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402414	BETR12-029	110	33.5	115	35.1	Rock	1.67	29	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402415	BETR12-029	115	35.1	120	36.6	Rock	1.77	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402416	BETR12-029	120	36.6	125	38.1	Rock	1.22	18	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402417	BETR12-029	125	38.1	130	39.6	Rock	1.67	26	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402418	BETR12-029	130	39.6	135	41.1	Rock	1.16	3	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402419	BETR12-029	135	41.1	140	42.7	Rock	1.79	3	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402420	BETR12-029	CDN-BL-10	0		0	Rock Pulp	0.16	4	0.2	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402421	BETR12-029	CDN-GS-5H	0		0	Rock Pulp	0.12	3971	53.4	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402422	BETR12-029	140	42.7	145	44.2	Rock	1.39	68	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402423	BETR12-029	145	44.2	150	45.7	Rock	1.86	35	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402424	BETR12-029	150	45.7	155	47.2	Rock	1.23	3	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402425	BETR12-029	Duplicate	0		0	Rock	1.83	4	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402426	BETR12-029	155	47.2	160	48.8	Rock	1.92	6	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402427	BETR12-029	160	48.8	165	50.3	Rock	1.59	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402428	BETR12-029	165	50.3	170	51.8	Rock	1.86	29	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402429	BETR12-029	170	51.8	175	53.3	Rock	1.9	11	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402430	BETR12-029	175	53.3	180	54.9	Rock	1.81	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402431	BETR12-029	180	54.9	185	56.4	Rock	1.64	3	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402432	BETR12-029	185	56.4	190	57.9	Rock	1.47	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402433	BETR12-029	190	57.9	195	59.4	Rock	1.73	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402434	BETR12-029	195	59.4	200	61	Rock	1.62	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402435	BETR12-029	200	61	205	62.5	Rock	1.83	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402436	BETR12-029	205	62.5	210	64	Rock	1.88	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1402437	BETR12-029	210	64	215	65.5	Rock	1.82	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402438	BETR12-029	215	65.5	220	67.1	Rock	1.55	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402439	BETR12-029	220	67.1	225	68.6	Rock	2.01	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402440	BETR12-029	CDN-BL-10	0		0	Rock Pulp	0.12	8	0.3	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402441	BETR12-029	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1496	0.3	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402442	BETR12-029	225	68.6	230	70.1	Rock	1.86	4	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402443	BETR12-029	230	70.1	235	71.6	Rock	1.61	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402444	BETR12-029	235	71.6	240	73.2	Rock	1.64	3	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402445	BETR12-029	240	73.2	245	74.7	Rock	1.87	4	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402446	BETR12-029	245	74.7	250	76.2	Rock	1.94	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402447	BETR12-029	250	76.2	255	77.7	Rock	1.79	3	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402448	BETR12-029	255	77.7	260	79.2	Rock	1.64	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402449	BETR12-029	260	79.2	265	80.8	Rock	1.48	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402450	BETR12-029	265	80.8	270	82.3	Rock	1.56	15	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402451	BETR12-029	270	82.3	275	83.8	Rock	1.53	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402452	BETR12-029	275	83.8	280	85.3	Rock	1.95	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402453	BETR12-029	280	85.3	285	86.9	Rock	1.67	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402454	BETR12-029	285	86.9	290	88.4	Rock	1.67	6	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402455	BETR12-029	290	88.4	295	89.9	Rock	1.45	4	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402456	BETR12-029	295	89.9	300	91.4	Rock	1.52	9	0.2	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402457	BETR12-029	300	91.4	305	93	Rock	1.67	7	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402458	BETR12-029	305	93	310	94.5	Rock	1.93	16	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402459	BETR12-029	310	94.5	315	96	Rock	1.33	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402460	BETR12-029	CDN-BL-10	0		0	Rock Pulp	0.12	3	0.7	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402461	BETR12-029	CDN-GS-5H	0		0	Rock Pulp	0.12	4162	52.6	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402462	BETR12-029	315	96	320	97.5	Rock Pulp	1.54	13	0.3	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402463	BETR12-029	320	97.5	325	99.1	Rock	1.66	3	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402464	BETR12-029	325	99.1	330	100.6	Rock	2.51	3	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402465	BETR12-029	330	100.6	335	102.1	Rock	1.37	2	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402466	BETR12-029	335	102.1	340	103.6	Rock	2.06	20	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402467	BETR12-029	340	103.6	345	105.2	Rock	2.31	23	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402468	BETR12-029	345	105.2	350	106.7	Rock	2.49	4	0.1	Acme	28-Jun-12	WHI12000119	19-Jun-12
1402469	BETR12-030	0	0	17	5.2	Rock	3.99	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402470	BETR12-030	17	5.2	20	6.1	Rock	0.81	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402471	BETR12-030	20	6.1	25	7.6	Rock	1.37	2	0.3	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402472	BETR12-030	25	7.6	30	9.1	Rock	1.76	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402473	BETR12-030	30	9.1	35	10.7	Rock	1.71	13	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402474	BETR12-030	35	10.7	40	12.2	Rock	1.13	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402475	BETR12-030	Duplicate	0		0	Rock	0.68	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402476	BETR12-030	40	12.2	45	13.7	Rock	1.87	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402477	BETR12-030	45	13.7	50	15.2	Rock	2.13	78	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402478	BETR12-030	50	15.2	55	16.8	Rock	2	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402479	BETR12-030	55	16.8	60	18.3	Rock	2.38	33	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402480	BETR12-030	CDN-BL-10	0		0	Rock Pulp	0.13	2	0.3	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402481	BETR12-030	CDN-GS-5H	0		0	Rock Pulp	0.12	3887	51.5	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402482	BETR12-030	60	18.3	65	19.8	Rock	2.35	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1402483	BETR12-030	65	19.8	70	21.3	Rock	2.67	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402484	BETR12-030	70	21.3	75	22.9	Rock	2.52	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402485	BETR12-030	75	22.9	80	24.4	Rock	2.25	2	0.3	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402486	BETR12-030	80	24.4	85	25.9	Rock	2.69	9	0.4	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402487	BETR12-030	85	25.9	90	27.4	Rock	2.94	30	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402488	BETR12-030	90	27.4	95	29	Rock	2.59	16	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402489	BETR12-030	95	29	100	30.5	Rock	3.09	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402490	BETR12-030	100	30.5	105	32	Rock	2.25	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402491	BETR12-030	105	32	110	33.5	Rock	2.23	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402492	BETR12-030	110	33.5	115	35.1	Rock	2.24	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402493	BETR12-030	115	35.1	120	36.6	Rock	2.45	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402494	BETR12-030	120	36.6	125	38.1	Rock	1.95	36	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402495	BETR12-030	125	38.1	130	39.6	Rock	2.19	3	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402496	BETR12-030	130	39.6	135	41.1	Rock	2.2	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402497	BETR12-030	135	41.1	140	42.7	Rock	2.35	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402498	BETR12-030	140	42.7	145	44.2	Rock	2.71	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402499	BETR12-030	145	44.2	150	45.7	Rock	2.31	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402500	BETR12-030	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402501	BETR12-030	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1467	0.2	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402502	BETR12-030	150	45.7	155	47.2	Rock	2.28	4	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402503	BETR12-030	155	47.2	160	48.8	Rock	2.21	3	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402504	BETR12-030	160	48.8	165	50.3	Rock	1.52	3	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402505	BETR12-030	165	50.3	170	51.8	Rock	2.3	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402506	BETR12-030	170	51.8	175	53.3	Rock	2.06	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402507	BETR12-030	175	53.3	180	54.9	Rock	2.04	8	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402508	BETR12-030	180	54.9	185	56.4	Rock	2.12	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402509	BETR12-030	185	56.4	190	57.9	Rock	2.33	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402510	BETR12-030	190	57.9	195	59.4	Rock	2.53	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402511	BETR12-030	195	59.4	200	61	Rock	2.01	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402512	BETR12-030	200	61	205	62.5	Rock	1.69	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402513	BETR12-030	205	62.5	210	64	Rock	2	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402514	BETR12-030	210	64	215	65.5	Rock	2	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402515	BETR12-030	215	65.5	220	67.1	Rock	3.31	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402516	BETR12-030	220	67.1	225	68.6	Rock	2.32	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402517	BETR12-030	225	68.6	230	70.1	Rock	2.57	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402518	BETR12-030	230	70.1	235	71.6	Rock	2.15	11	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402519	BETR12-030	235	71.6	240	73.2	Rock	2.03	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402520	BETR12-030	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402521	BETR12-030	CDN-GS-5H	0		0	Rock Pulp	0.12	4014	51.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402522	BETR12-030	240	73.2	245	74.7	Rock	1.77	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402523	BETR12-030	245	74.7	250	76.2	Rock	2.5	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402524	BETR12-030	250	76.2	255	77.7	Rock	1.22	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402525	BETR12-030	Duplicate	0		0	Rock	0.83	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402526	BETR12-030	255	77.7	260	79.2	Rock	1.95	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402527	BETR12-030	260	79.2	265	80.8	Rock	2.66	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402528	BETR12-030	265	80.8	270	82.3	Rock	2.69	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1402529	BETR12-030	270	82.3	275	83.8	Rock	2.14	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402530	BETR12-030	275	83.8	280	85.3	Rock	1.79	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402531	BETR12-030	280	85.3	285	86.9	Rock	2.08	102	0.3	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402532	BETR12-030	285	86.9	290	88.4	Rock	1.99	19	0.2	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402533	BETR12-030	290	88.4	295	89.9	Rock	2.11	10	0.2	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402534	BETR12-030	295	89.9	300	91.4	Rock	1.88	88	0.2	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402535	BETR12-030	300	91.4	305	93	Rock	2.45	39	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402536	BETR12-030	305	93	310	94.5	Rock	1.82	8	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402537	BETR12-030	310	94.5	315	96	Rock	2.89	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402538	BETR12-030	315	96	320	97.5	Rock	2.48	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402539	BETR12-030	320	97.5	325	99.1	Rock	2.04	55	0.2	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402540	BETR12-030	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.5	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402541	BETR12-030	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1413	0.3	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402542	BETR12-030	325	99.1	330	100.6	Rock	1.84	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402543	BETR12-030	330	100.6	335	102.1	Rock	2.11	9	0.2	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402544	BETR12-030	335	102.1	340	103.6	Rock	1.65	9	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402545	BETR12-030	340	103.6	345	105.2	Rock	2.22	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402546	BETR12-030	345	105.2	350	106.7	Rock	2.31	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402547	BETR12-030	350	106.7	355	108.2	Rock	2.42	52	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402548	BETR12-030	355	108.2	360	109.7	Rock	1.7	4	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402549	BETR12-030	360	109.7	365	111.3	Rock	2.93	5	0.2	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402550	BETR12-030	365	111.3	370	112.8	Rock	2.39	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402551	BETR12-030	370	112.8	375	114.3	Rock	1.48	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402552	BETR12-030	375	114.3	380	115.8	Rock	2.66	10	0.2	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402553	BETR12-030	380	115.8	385	117.3	Rock	3.17	4	0.9	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402554	BETR12-030	385	117.3	390	118.9	Rock	2.21	3	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402555	BETR12-030	390	118.9	395	120.4	Rock	2.77	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402556	BETR12-030	395	120.4	400	121.9	Rock	2.04	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402557	BETR12-030	400	121.9	405	123.4	Rock	2.58	28	0.4	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402558	BETR12-030	405	123.4	410	125	Rock	2.45	2	0.3	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402559	BETR12-030	410	125	415	126.5	Rock	2.56	130	1.3	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402560	BETR12-030	CDN-BL-10	0		0	Rock Pulp	0.13	3	0.3	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402561	BETR12-030	CDN-GS-5H	0		0	Rock Pulp	0.12	4167	56.4	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402562	BETR12-030	415	126.5	420	128	Rock	2.93	7	0.2	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402563	BETR12-030	420	128	425	129.5	Rock	2.61	3	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402564	BETR12-030	425	129.5	430	131.1	Rock	2.97	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402565	BETR12-030	430	131.1	435	132.6	Rock	2.63	5	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402566	BETR12-030	435	132.6	440	134.1	Rock	1.78	3	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402567	BETR12-030	440	134.1	445	135.6	Rock	2.77	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402568	BETR12-030	445	135.6	450	137.2	Rock	1.18	4	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402569	BETR12-030	450	137.2	455	138.7	Rock	2.68	16	0.3	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402570	BETR12-030	455	138.7	460	140.2	Rock	2.64	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402571	BETR12-031	0	0	17	5.2	Rock	3.95	36	0.6	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402572	BETR12-031	17	5.2	20	6.1	Rock	0.79	18	0.5	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402573	BETR12-031	20	6.1	25	7.6	Rock	1.83	35	0.3	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402574	BETR12-031	25	7.6	30	9.1	Rock	1.72	5	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1402575	BETR12-031	Duplicate	0		0	Rock	2.77	11	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402576	BETR12-031	30	9.1	35	10.7	Rock	1.98	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402577	BETR12-031	35	10.7	40	12.2	Rock	1.97	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402578	BETR12-031	40	12.2	45	13.7	Rock	1.69	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402579	BETR12-031	45	13.7	50	15.2	Rock	1.81	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402580	BETR12-031	CDN-BL-10	0		0	Rock Pulp	0.12	4	0.3	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402581	BETR12-031	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1386	0.3	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402582	BETR12-031	50	15.2	55	16.8	Rock	1.28	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402583	BETR12-031	55	16.8	60	18.3	Rock	1.57	18	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402584	BETR12-031	60	18.3	65	19.8	Rock	1.73	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402585	BETR12-031	65	19.8	70	21.3	Rock	1.85	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402586	BETR12-031	70	21.3	75	22.9	Rock	1.92	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402587	BETR12-031	75	22.9	80	24.4	Rock	1.46	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402588	BETR12-031	80	24.4	85	25.9	Rock	1.94	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402589	BETR12-031	85	25.9	90	27.4	Rock	3.13	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402590	BETR12-031	90	27.4	95	29	Rock	2.89	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402591	BETR12-031	95	29	100	30.5	Rock	1.81	3	0.3	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402592	BETR12-031	100	30.5	105	32	Rock	1.76	35	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402593	BETR12-031	105	32	110	33.5	Rock	1.52	59	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402594	BETR12-031	110	33.5	115	35.1	Rock	1.76	652	0.2	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402595	BETR12-031	115	35.1	120	36.6	Rock	1.55	120	0.3	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402596	BETR12-031	120	36.6	125	38.1	Rock	1.58	3	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402597	BETR12-031	125	38.1	130	39.6	Rock	1.94	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402598	BETR12-031	130	39.6	135	41.1	Rock	1.33	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402599	BETR12-031	135	41.1	140	42.7	Rock	1.7	312	2.3	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402600	BETR12-031	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402601	BETR12-031	CDN-GS-5H	0		0	Rock Pulp	0.13	3990	56.2	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402602	BETR12-031	140	42.7	145	44.2	Rock	1.77	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402603	BETR12-031	145	44.2	150	45.7	Rock	2	3	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402604	BETR12-031	150	45.7	155	47.2	Rock	1.81	3	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402605	BETR12-031	155	47.2	160	48.8	Rock	2.99	2	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402606	BETR12-031	160	48.8	165	50.3	Rock	1.56	62	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402607	BETR12-031	165	50.3	170	51.8	Rock	1.44	4	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402608	BETR12-031	170	51.8	175	53.3	Rock	1.26	9	0.3	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402609	BETR12-031	175	53.3	180	54.9	Rock	1.89	4	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402610	BETR12-031	180	54.9	185	56.4	Rock	1.79	94	0.3	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402611	BETR12-031	185	56.4	190	57.9	Rock	2.26	137	0.1	Acme	09-Jul-12	WHI12000166	22-Jun-12
1402612	BETR12-032	0	0	5	1.5	Rock	2.16	18	1.2	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402613	BETR12-032	5	1.5	10	3	Rock	1.39	384	5.4	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402614	BETR12-032	10	3	15	4.6	Rock	3.31	27	1.6	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402615	BETR12-032	15	4.6	20	6.1	Rock	4.45	6	0.5	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402616	BETR12-032	20	6.1	25	7.6	Rock	3.54	4	8.2	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402617	BETR12-032	25	7.6	30	9.1	Rock	4.52	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402618	BETR12-032	30	9.1	33	10.1	Rock	1.39	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402619	BETR12-032	33	10.1	38	11.6	Rock	2.47	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402620	BETR12-032	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	24-Jul-12	WHI12000195	02-Jul-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1402621	BETR12-032	CDN-GS-1P5F	0		0	Rock Pulp	0.13	1511	0.2	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402622	BETR12-032	38	11.6	43	13.1	Rock	2.63	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402623	BETR12-032	43	13.1	48	14.6	Rock	2.54	2	0.9	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402624	BETR12-032	48	14.6	53	16.2	Rock	1.27	133	7.3	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402625	BETR12-032	Duplicate	0		0	Rock	1.61	5	7.7	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402626	BETR12-032	53	16.2	58	17.7	Rock	3.15	2	0.4	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402627	BETR12-032	58	17.7	63	19.2	Rock	2.79	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402628	BETR12-032	63	19.2	68	20.7	Rock	2.39	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402629	BETR12-032	68	20.7	73	22.3	Rock	2.29	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402630	BETR12-032	73	22.3	78	23.8	Rock	2.92	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402631	BETR12-032	78	23.8	83	25.3	Rock	2.2	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402632	BETR12-032	83	25.3	88	26.8	Rock	2.49	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402633	BETR12-032	88	26.8	93	28.3	Rock	2.39	2	0.2	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402634	BETR12-032	93	28.3	98	29.9	Rock	2.73	45	7.8	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402635	BETR12-032	98	29.9	103	31.4	Rock	2.51	2	0.4	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402636	BETR12-032	103	31.4	108	32.9	Rock	2.32	3	0.4	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402637	BETR12-032	108	32.9	113	34.4	Rock	2.22	23	1.2	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402638	BETR12-032	113	34.4	118	36	Rock	2.17	35	0.6	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402639	BETR12-032	118	36	123	37.5	Rock	3.07	2	0.2	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402640	BETR12-032	CDN-BL-10	0		0	Rock Pulp	0.13	2	0.4	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402641	BETR12-032	CDN-GS-5H	0		0	Rock Pulp	0.13	3961	53.4	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402642	BETR12-032	123	37.5	128	39	Rock	2.59	62	0.3	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402643	BETR12-032	128	39	133	40.5	Rock	2.39	2	0.4	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402644	BETR12-032	133	40.5	138	42.1	Rock	2.77	2	0.2	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402645	BETR12-032	138	42.1	143	43.6	Rock	2.4	76	1.4	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402646	BETR12-032	143	43.6	148	45.1	Rock	2.21	4	0.2	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402647	BETR12-032	148	45.1	153	46.6	Rock	2.5	2	0.2	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402648	BETR12-032	153	46.6	158	48.2	Rock	1.96	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402649	BETR12-032	158	48.2	163	49.7	Rock	2.3	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402650	BETR12-032	163	49.7	168	51.2	Rock	2.78	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402651	BETR12-032	168	51.2	173	52.7	Rock	1.84	2	0.2	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402652	BETR12-032	173	52.7	178	54.3	Rock	2.82	42	0.9	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402653	BETR12-032	178	54.3	183	55.8	Rock	2.21	2	0.9	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402654	BETR12-032	183	55.8	188	57.3	Rock	2.58	2	0.5	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402655	BETR12-032	188	57.3	193	58.8	Rock	2.42	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402656	BETR12-032	193	58.8	198	60.4	Rock	2.09	2	1.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402657	BETR12-032	198	60.4	203	61.9	Rock	3.05	29	1.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402658	BETR12-032	203	61.9	208	63.4	Rock	2.7	2	0.2	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402659	BETR12-032	208	63.4	213	64.9	Rock	2.12	2	0.9	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402660	BETR12-032	CDN-BL-10	0		0	Rock Pulp	0.13	2	0.3	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402661	BETR12-032	CDN-GS-5H	0		0	Rock Pulp	0.13	4129	54.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402662	BETR12-032	213	64.9	218	66.4	Rock	2.49	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402663	BETR12-032	218	66.4	223	68	Rock	2.31	2	0.6	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402664	BETR12-032	223	68	228	69.5	Rock	3.25	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402665	BETR12-032	228	69.5	233	71	Rock	2.68	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402666	BETR12-032	233	71	238	72.5	Rock	2.99	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1402667	BETR12-032	238	72.5	243	74.1	Rock	3.13	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402668	BETR12-032	243	74.1	248	75.6	Rock	2.56	3	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402669	BETR12-032	248	75.6	253	77.1	Rock	2.48	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402670	BETR12-032	253	77.1	258	78.6	Rock	3.52	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402671	BETR12-032	258	78.6	263	80.2	Rock	2.55	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402672	BETR12-032	263	80.2	268	81.7	Rock	2.88	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402673	BETR12-032	268	81.7	273	83.2	Rock	2.32	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402674	BETR12-032	273	83.2	278	84.7	Rock	1.16	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402675	BETR12-032	Duplicate	0		0	Rock	2.03	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402676	BETR12-032	278	84.7	283	86.3	Rock	3.18	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402677	BETR12-032	283	86.3	288	87.8	Rock	2.7	2	0.3	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402678	BETR12-032	288	87.8	293	89.3	Rock	2.82	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402679	BETR12-032	293	89.3	298	90.8	Rock	3.39	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402680	BETR12-032	CDN-BL-10	0		0	Rock Pulp	0.13	2	0.5	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402681	BETR12-032	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1450	0.3	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402682	BETR12-032	298	90.8	303	92.4	Rock	2.43	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402683	BETR12-032	303	92.4	308	93.9	Rock	2.82	2	0.2	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402684	BETR12-032	308	93.9	313	95.4	Rock	0.6	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402685	BETR12-032	313	95.4	318	96.9	Rock	2.32	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402686	BETR12-032	318	96.9	323	98.5	Rock	1.88	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402687	BETR12-032	323	98.5	328	100	Rock	2.76	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402688	BETR12-032	328	100	333	101.5	Rock	2.53	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402689	BETR12-032	328	100	333	101.5	Rock	1.52	2	0.3	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402690	BETR12-032	333	101.5	338	103	Rock	1.83	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402691	BETR12-032	338	103	343	104.5	Rock	1.95	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402692	BETR12-032	343	104.5	348	106.1	Rock	1.67	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402693	BETR12-032	348	106.1	353	107.6	Rock	1.66	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402694	BETR12-032	353	107.6	358	109.1	Rock	2.01	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402695	BETR12-032	358	109.1	363	110.6	Rock	1.75	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402696	BETR12-032	363	110.6	368	112.2	Rock	2.38	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402697	BETR12-032	368	112.2	373	113.7	Rock	2.82	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402698	BETR12-032	373	113.7	378	115.2	Rock	2.25	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402699	BETR12-032	378	115.2	383	116.7	Rock	1.75	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402700	BETR12-032	CDN-BL-10	0		0	Rock Pulp	0.13	4	0.3	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402701	BETR12-032	CDN-GS-5H	0		0	Rock Pulp	0.13	4049	53.6	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402702	BETR12-032	383	116.7	388	118.3	Rock	2.27	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402703	BETR12-032	388	118.3	393	119.8	Rock	1.84	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402704	BETR12-032	393	119.8	398	121.3	Rock	1.96	50	0.6	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402705	BETR12-032	398	121.3	403	122.8	Rock	1.84	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402706	BETR12-032	403	122.8	408	124.4	Rock	2	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402707	BETR12-032	408	124.4	413	125.9	Rock	1.91	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402708	BETR12-032	413	125.9	418	127.4	Rock	1.36	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402709	BETR12-032	418	127.4	423	128.9	Rock	1.76	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402710	BETR12-032	423	128.9	428	130.5	Rock	1.18	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402711	BETR12-032	428	130.5	433	132	Rock	1.4	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402712	BETR12-032	433	132	438	133.5	Rock	1.96	15	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1402713	BETR12-033	0	0	3	0.9	Rock	1.28	146	1.4	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402714	BETR12-033	3	0.9	17	5.2	Rock	3	203	0.9	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402715	BETR12-033	17	5.2	22	6.7	Rock	2.22	3513	6.4	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402716	BETR12-033	22	6.7	25	7.6	Rock	0.9	42	0.5	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402717	BETR12-033	25	7.6	30	9.1	Rock	1.83	4	1.3	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402718	BETR12-033	30	9.1	35	10.7	Rock	1.43	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402719	BETR12-033	35	10.7	40	12.2	Rock	1.81	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402720	BETR12-033	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402721	BETR12-033	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1841	0.2	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402722	BETR12-033	40	12.2	45	13.7	Rock	1.68	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402723	BETR12-033	45	13.7	50	15.2	Rock	2.22	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402724	BETR12-033	50	15.2	55	16.8	Rock	0.71	38	0.6	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402725	BETR12-033	Duplicate	0		0	Rock	0.56	18	0.4	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402726	BETR12-033	55	16.8	60	18.3	Rock	1.65	46	0.4	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402727	BETR12-033	60	18.3	65	19.8	Rock	2.13	52	0.3	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402728	BETR12-033	65	19.8	70	21.3	Rock	1.79	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402729	BETR12-033	70	21.3	75	22.9	Rock	1.68	153	0.3	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402730	BETR12-033	75	22.9	80	24.4	Rock	0.9	159	0.3	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402731	BETR12-033	80	24.4	85	25.9	Rock	1.44	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402732	BETR12-033	85	25.9	90	27.4	Rock	1.91	75	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402733	BETR12-033	90	27.4	95	29	Rock	1.62	2	0.2	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402734	BETR12-033	95	29	100	30.5	Rock	1.55	50	0.2	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402735	BETR12-033	100	30.5	105	32	Rock	1.45	41	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402736	BETR12-033	105	32	110	33.5	Rock	1.96	9	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402737	BETR12-033	110	33.5	115	35.1	Rock	1.48	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402738	BETR12-033	115	35.1	120	36.6	Rock	1.67	8	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402739	BETR12-033	120	36.6	125	38.1	Rock	0.99	40	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402740	BETR12-033	CDN-BL-10	0		0	Rock Pulp	0.13	2	0.2	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402741	BETR12-033	CDN-GS-5H	0		0	Rock Pulp	0.13	3408	53.7	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402742	BETR12-033	125	38.1	130	39.6	Rock	1.19	16	2.8	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402743	BETR12-033	130	39.6	135	41.1	Rock	1.03	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402744	BETR12-033	135	41.1	140	42.7	Rock	1.27	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402745	BETR12-033	140	42.7	145	44.2	Rock	1.84	2	0.1	Acme	24-Jul-12	WHI12000195	02-Jul-12
1402746	BETR12-033	145	44.2	150	45.7	Rock	1.44	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402747	BETR12-033	150	45.7	155	47.2	Rock	1.8	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402748	BETR12-033	155	47.2	160	48.8	Rock	1.28	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402749	BETR12-033	160	48.8	165	50.3	Rock	1.09	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402750	BETR12-033	165	50.3	170	51.8	Rock	1.46	3	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402751	BETR12-033	170	51.8	175	53.3	Rock	1.56	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402752	BETR12-033	175	53.3	180	54.9	Rock	2.21	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402753	BETR12-033	180	54.9	185	56.4	Rock	1.76	4	0.2	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402754	BETR12-033	185	56.4	190	57.9	Rock	1.23	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402755	BETR12-033	190	57.9	195	59.4	Rock	2.13	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402756	BETR12-033	195	59.4	200	61	Rock	1.43	229	0.4	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402757	BETR12-033	200	61	205	62.5	Rock	1.78	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402758	BETR12-033	205	62.5	210	64	Rock	1.97	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1402759	BETR12-033	210	64	215	65.5	Rock	1.71	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402760	BETR12-033	CDN-BL-10	0		0	Rock Pulp	0.11	2	0.3	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402761	BETR12-033	CDN-GS-1P5F	0		0	Rock Pulp	0.13	1436	0.3	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402762	BETR12-033	215	65.5	220	67.1	Rock	2	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402763	BETR12-033	220	67.1	225	68.6	Rock	1.94	11	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402764	BETR12-033	225	68.6	230	70.1	Rock	1.65	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402765	BETR12-033	230	70.1	235	71.6	Rock	1.4	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402766	BETR12-033	235	71.6	240	73.2	Rock	1.7	399	0.7	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402767	BETR12-034	0	0	19	5.8	Rock	2.21	146	0.3	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402768	BETR12-034	19	5.8	26	7.9	Rock	4.19	6	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402769	BETR12-034	26	7.9	30	9.1	Rock	0.81	6	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402770	BETR12-034	30	9.1	35	10.7	Rock	0.94	4	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402771	BETR12-034	35	10.7	40	12.2	Rock	1.04	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402772	BETR12-034	40	12.2	45	13.7	Rock	1.43	86	4.7	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402773	BETR12-034	45	13.7	50	15.2	Rock	1.72	15	0.2	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402774	BETR12-034	50	15.2	55	16.8	Rock	1.24	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402775	BETR12-034	Duplicate	0		0	Rock	1.07	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402776	BETR12-034	55	16.8	60	18.3	Rock	1.35	20	0.2	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402777	BETR12-034	60	18.3	65	19.8	Rock	2.41	32	0.2	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402778	BETR12-034	65	19.8	70	21.3	Rock	2.45	4	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402779	BETR12-034	70	21.3	75	22.9	Rock	1.72	92	0.3	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402780	BETR12-034	CDN-BL-10	0		0	Rock Pulp	0.13	2	0.2	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402781	BETR12-034	CDN-GS-5H	0		0	Rock Pulp	0.13	4055	52.8	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402782	BETR12-034	75	22.9	80	24.4	Rock	1.86	5	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402783	BETR12-034	80	24.4	85	25.9	Rock	2.13	4	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402784	BETR12-034	85	25.9	90	27.4	Rock	1.38	18	0.4	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402785	BETR12-034	90	27.4	95	29	Rock	2.35	2	2.2	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402786	BETR12-034	95	29	100	30.5	Rock	1.68	3	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402787	BETR12-034	100	30.5	105	32	Rock	1.79	6	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402788	BETR12-034	105	32	110	33.5	Rock	2.72	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402789	BETR12-034	110	33.5	115	35.1	Rock	2.09	48	0.2	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402790	BETR12-034	115	35.1	120	36.6	Rock	2.19	4	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402791	BETR12-034	120	36.6	125	38.1	Rock	2	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402792	BETR12-034	125	38.1	130	39.6	Rock	2.05	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402793	BETR12-034	130	39.6	135	41.1	Rock	1.79	30	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402794	BETR12-034	135	41.1	140	42.7	Rock	2.24	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402795	BETR12-034	140	42.7	145	44.2	Rock	2.39	4	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402796	BETR12-034	145	44.2	150	45.7	Rock	1.87	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402797	BETR12-034	150	45.7	155	47.2	Rock	1.69	5	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402798	BETR12-034	155	47.2	160	48.8	Rock	2.2	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402799	BETR12-034	160	48.8	165	50.3	Rock	1.67	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402800	BETR12-034	CDN-BL-10	0		0	Rock Pulp	0.13	3	0.3	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402801	BETR12-034	CDN-GS-5H	0		0	Rock Pulp	0.13	3835	52	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402802	BETR12-034	165	50.3	170	51.8	Rock	1.75	27	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402803	BETR12-034	170	51.8	175	53.3	Rock	1.78	3	0.2	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402804	BETR12-034	175	53.3	180	54.9	Rock	1.96	23	0.2	Acme	20-Jul-12	WHI12000196	02-Jul-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1402805	BETR12-034	180	54.9	185	56.4	Rock	2.03	79	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402806	BETR12-034	185	56.4	190	57.9	Rock	2.28	72	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402807	BETR12-034	190	57.9	195	59.4	Rock	2.03	4	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402808	BETR12-034	195	59.4	200	61	Rock	1.84	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402809	BETR12-034	200	61	205	62.5	Rock	1.84	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402810	BETR12-034	205	62.5	210	64	Rock	1.96	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402811	BETR12-034	210	64	215	65.5	Rock	1.8	8	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402812	BETR12-034	215	65.5	220	67.1	Rock	1.88	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402813	BETR12-034	220	67.1	225	68.6	Rock	1.91	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402814	BETR12-034	225	68.6	230	70.1	Rock	1.88	56	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402815	BETR12-034	230	70.1	235	71.6	Rock	2.01	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402816	BETR12-034	235	71.6	240	73.2	Rock	2.19	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402817	BETR12-034	240	73.2	245	74.7	Rock	2.08	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402818	BETR12-034	245	74.7	250	76.2	Rock	1.91	4	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402819	BETR12-034	250	76.2	255	77.7	Rock	2	4	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402820	BETR12-034	CDN-BL-10	0		0	Rock Pulp	0.13	2	0.2	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402821	BETR12-034	CDN-GS-1P5F	0		0	Rock Pulp	0.13	1500	0.2	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402822	BETR12-034	255	77.7	260	79.2	Rock	1.83	159	1.2	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402823	BETR12-034	260	79.2	265	80.8	Rock	1.66	12	0.3	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402824	BETR12-034	265	80.8	270	82.3	Rock	0.86	7	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402825	BETR12-034	Duplicate	0		0	Rock	0.9	14	0.2	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402826	BETR12-034	270	82.3	275	83.8	Rock	1.97	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402827	BETR12-034	275	83.8	280	85.3	Rock	2.63	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402828	BETR12-034	280	85.3	285	86.9	Rock	2.07	23	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402829	BETR12-034	285	86.9	290	88.4	Rock	2.39	4	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402830	BETR12-034	290	88.4	295	89.9	Rock	2.76	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402831	BETR12-034	295	89.9	300	91.4	Rock	1.71	15	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402832	BETR12-034	300	91.4	305	93	Rock	2.25	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402833	BETR12-034	305	93	310	94.5	Rock	2.17	3	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402834	BETR12-034	310	94.5	315	96	Rock	2.38	11	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402835	BETR12-034	315	96	320	97.5	Rock	1.63	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402836	BETR12-034	320	97.5	325	99.1	Rock	1.66	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402837	BETR12-034	325	99.1	330	100.6	Rock	2.19	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402838	BETR12-034	330	100.6	335	102.1	Rock	1.87	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402839	BETR12-034	335	102.1	340	103.6	Rock	2.96	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402840	BETR12-034	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.4	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402841	BETR12-034	CDN-GS-5H	0		0	Rock Pulp	0.13	4222	49.4	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402842	BETR12-034	340	103.6	345	105.2	Rock	1.7	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402843	BETR12-034	345	105.2	350	106.7	Rock	1.39	5	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402844	BETR12-034	350	106.7	355	108.2	Rock	2.12	68	0.3	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402845	BETR12-034	355	108.2	360	109.7	Rock	2.62	17	0.3	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402846	BETR12-034	360	109.7	365	111.3	Rock	2.73	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402847	BETR12-034	365	111.3	370	112.8	Rock	2.43	5	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402848	BETR12-034	370	112.8	375	114.3	Rock	3.21	27	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402849	BETR12-034	375	114.3	380	115.8	Rock	2	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402850	BETR12-034	380	115.8	385	117.3	Rock	3.34	3	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1402851	BETR12-034	385	117.3	390	118.9	Rock	2.79	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402852	BETR12-034	390	118.9	395	120.4	Rock	2.72	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402853	BETR12-034	395	120.4	400	121.9	Rock	2.69	2327	10.9	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402854	BETR12-035	0	0	15	4.6	Rock	2.37	16	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402855	BETR12-035	15	4.6	20	6.1	Rock	1.44	10	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402856	BETR12-035	20	6.1	25	7.6	Rock	1.5	115	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402857	BETR12-035	25	7.6	30	9.1	Rock	1.73	103	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402858	BETR12-035	30	9.1	35	10.7	Rock	2.54	14	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402859	BETR12-035	35	10.7	40	12.2	Rock	2.93	10	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402860	BETR12-035	CDN-BL-10	0		0	Rock Pulp	0.13	3	0.4	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402861	BETR12-035	CDN-GS-1P5F	0		0	Rock Pulp	0.13	1404	0.3	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402862	BETR12-035	40	12.2	45	13.7	Rock	2.23	20	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402863	BETR12-035	45	13.7	48	14.6	Rock	2.74	35	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402864	BETR12-035	48	14.6	53	16.2	Rock	1.52	98	0.2	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402865	BETR12-035	53	16.2	58	17.7	Rock	1.42	12	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402866	BETR12-035	58	17.7	63	19.2	Rock	1.66	7	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402867	BETR12-035	63	19.2	68	20.7	Rock	1.26	42	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402868	BETR12-035	68	20.7	73	22.3	Rock	1.58	7	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402869	BETR12-035	73	22.3	78	23.8	Rock	1.35	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402870	BETR12-035	78	23.8	83	25.3	Rock	1.51	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402871	BETR12-035	83	25.3	88	26.8	Rock	1.58	2	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402872	BETR12-035	88	26.8	93	28.3	Rock	1.51	24	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402873	BETR12-035	93	28.3	98	29.9	Rock	1.63	7	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402874	BETR12-035	98	29.9	103	31.4	Rock	0.93	44	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402875	BETR12-035	Duplicate	0		0	Rock	0.69	78	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402876	BETR12-035	103	31.4	108	32.9	Rock	1.26	25	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402877	BETR12-035	108	32.9	113	34.4	Rock	1.48	45	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402878	BETR12-035	113	34.4	118	36	Rock	1.46	4	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402879	BETR12-035	118	36	123	37.5	Rock	2.42	4	0.1	Acme	20-Jul-12	WHI12000196	02-Jul-12
1402880	BETR12-035	CDN-BL-10	0		0	Rock Pulp	0.13	4	0.2	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402881	BETR12-035	CDN-GS-5H	0		0	Rock Pulp	0.12	4029	51.9	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402882	BETR12-035	123	37.5	128	39	Rock	1.04	4	1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402883	BETR12-035	128	39	133	40.5	Rock	1.34	8	0.3	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402884	BETR12-035	133	40.5	138	42.1	Rock	1.14	44	0.2	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402885	BETR12-035	138	42.1	143	43.6	Rock	1.07	2	0.2	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402886	BETR12-035	143	43.6	148	45.1	Rock	1.47	2	0.5	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402887	BETR12-035	148	45.1	153	46.6	Rock	1.12	16	0.2	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402888	BETR12-035	153	46.6	158	48.2	Rock	1.46	2	0.3	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402889	BETR12-035	158	48.2	163	49.7	Rock	1.16	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402890	BETR12-035	163	49.7	168	51.2	Rock	1.28	7	0.2	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402891	BETR12-035	168	51.2	173	52.7	Rock	1.64	3	0.2	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402892	BETR12-035	173	52.7	178	54.3	Rock	1.1	20	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402893	BETR12-035	178	54.3	183	55.8	Rock	1.46	32	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402894	BETR12-035	183	55.8	188	57.3	Rock	1.17	61	0.4	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402895	BETR12-035	188	57.3	193	58.8	Rock	1.36	64	0.5	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402896	BETR12-035	193	58.8	198	60.4	Rock	1.23	39	0.7	Acme	20-Jul-12	WHI12000197	02-Jul-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1402897	BETR12-035	198	60.4	203	61.9	Rock	1.36	56	0.2	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402898	BETR12-035	203	61.9	208	63.4	Rock	1.29	72	0.2	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402899	BETR12-035	208	63.4	213	64.9	Rock	1.31	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402900	BETR12-035	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402901	BETR12-035	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1419	0.3	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402902	BETR12-035	213	64.9	218	66.4	Rock	1.38	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402903	BETR12-035	218	66.4	223	68	Rock	1.32	268	0.2	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402904	BETR12-035	223	68	228	69.5	Rock	1.23	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402905	BETR12-035	228	69.5	233	71	Rock	1.63	99	0.2	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402906	BETR12-035	233	71	238	72.5	Rock	0.93	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402907	BETR12-036	0	0	16	4.9	Rock	0.92	19	6.3	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402908	BETR12-036	16	4.9	20	6.1	Rock	0.92	3	1.6	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402909	BETR12-036	20	6.1	25	7.6	Rock	1.42	266	2.2	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402910	BETR12-036	25	7.6	30	9.1	Rock	2.07	8	0.9	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402911	BETR12-036	30	9.1	35	10.7	Rock	1.93	2	0.5	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402912	BETR12-036	35	10.7	40	12.2	Rock	1.67	9	0.4	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402913	BETR12-036	40	12.2	45	13.7	Rock	1.65	39	1.3	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402914	BETR12-036	45	13.7	50	15.2	Rock	1.22	234	1.4	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402915	BETR12-036	50	15.2	55	16.8	Rock	2.61	205	8.9	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402916	BETR12-036	55	16.8	60	18.3	Rock	1.51	19	1.7	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402917	BETR12-036	60	18.3	65	19.8	Rock	1.11	2	0.2	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402918	BETR12-036	65	19.8	70	21.3	Rock	1.7	2	0.6	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402919	BETR12-036	70	21.3	75	22.9	Rock	1.52	3	0.3	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402920	BETR12-036	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402921	BETR12-036	CDN-GS-5H	0		0	Rock Pulp	0.12	3862	50.2	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402922	BETR12-036	75	22.9	80	24.4	Rock	1.46	6	0.3	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402923	BETR12-036	80	24.4	85	25.9	Rock	1.86	2	0.2	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402924	BETR12-036	85	25.9	90	27.4	Rock	0.63	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402925	BETR12-036	Duplicate	0		0	Rock	0.67	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402926	BETR12-036	90	27.4	95	29	Rock	1.53	7	2.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402927	BETR12-036	95	29	100	30.5	Rock	1.22	13	4.2	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402928	BETR12-036	100	30.5	105	32	Rock	1.34	4	0.8	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402929	BETR12-036	105	32	110	33.5	Rock	1.09	9	0.4	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402930	BETR12-036	110	33.5	115	35.1	Rock	1.51	2	0.3	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402931	BETR12-036	115	35.1	120	36.6	Rock	2.16	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402932	BETR12-036	120	36.6	125	38.1	Rock	1.4	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402933	BETR12-036	125	38.1	130	39.6	Rock	1.61	64	0.4	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402934	BETR12-036	130	39.6	135	41.1	Rock	1.22	5	0.2	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402935	BETR12-036	135	41.1	140	42.7	Rock	2.43	4	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402936	BETR12-036	140	42.7	145	44.2	Rock	1.38	2	0.2	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402937	BETR12-036	145	44.2	150	45.7	Rock	1.68	14	0.3	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402938	BETR12-036	150	45.7	155	47.2	Rock	1.88	526	2.5	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402939	BETR12-036	155	47.2	160	48.8	Rock	1.65	282	1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402940	BETR12-036	CDN-BL-10	0		0	Rock Pulp	0.13	2	0.3	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402941	BETR12-036	CDN-GS-1P5F	0		0	Rock Pulp	0.13	1446	0.2	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402942	BETR12-036	160	48.8	165	50.3	Rock	1.68	115	0.2	Acme	20-Jul-12	WHI12000197	02-Jul-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1402943	BETR12-036	165	50.3	170	51.8	Rock	1.41	6	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402944	BETR12-036	170	51.8	175	53.3	Rock	0.85	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402945	BETR12-036	175	53.3	180	54.9	Rock	2.24	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402946	BETR12-036	180	54.9	185	56.4	Rock	1.27	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402947	BETR12-036	185	56.4	190	57.9	Rock	1.97	2	0.3	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402948	BETR12-036	190	57.9	195	59.4	Rock	1.05	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402949	BETR12-036	195	59.4	200	61	Rock	1.44	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402950	BETR12-036	200	61	205	62.5	Rock	1.47	9	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402951	BETR12-036	205	62.5	210	64	Rock	1.21	1587	3.6	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402952	BETR12-036	210	64	215	65.5	Rock	1.84	3	0.2	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402953	BETR12-036	215	65.5	220	67.1	Rock	1.49	6	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402954	BETR12-036	220	67.1	225	68.6	Rock	1.59	716	2.7	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402955	BETR12-036	225	68.6	230	70.1	Rock	2.32	3	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402956	BETR12-036	230	70.1	235	71.6	Rock	1.64	9	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402957	BETR12-036	235	71.6	240	73.2	Rock	1.55	6	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402958	BETR12-036	240	73.2	245	74.7	Rock	1.59	922	0.4	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402959	BETR12-036	245	74.7	250	76.2	Rock	1.14	102	0.2	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402960	BETR12-036	CDN-BL-10	0		0	Rock Pulp	0.13	5	0.2	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402961	BETR12-036	CDN-GS-5H	0		0	Rock Pulp	0.13	4143	50.9	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402962	BETR12-037	0	0	11	3.4	Rock	0.89	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402963	BETR12-037	11	3.4	15	4.6	Rock	0.88	12	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402964	BETR12-037	15	4.6	20	6.1	Rock	2.17	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402965	BETR12-037	20	6.1	25	7.6	Rock	2.89	5	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402966	BETR12-037	25	7.6	30	9.1	Rock	1.89	29	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402967	BETR12-037	30	9.1	35	10.7	Rock	1.23	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402968	BETR12-037	35	10.7	40	12.2	Rock	1.43	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402969	BETR12-037	40	12.2	45	13.7	Rock	1.11	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402970	BETR12-037	45	13.7	50	15.2	Rock	1.32	183	0.3	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402971	BETR12-037	50	15.2	55	16.8	Rock	0.85	48	0.3	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402972	BETR12-037	55	16.8	60	18.3	Rock	1.01	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402973	BETR12-037	60	18.3	65	19.8	Rock	1.69	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402974	BETR12-037	65	19.8	70	21.3	Rock	0.62	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402975	BETR12-037	Duplicate	0		0	Rock	0.73	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402976	BETR12-037	70	21.3	75	22.9	Rock	2.04	79	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402977	BETR12-037	75	22.9	80	24.4	Rock	1.81	7	0.6	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402978	BETR12-037	80	24.4	85	25.9	Rock	1.65	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402979	BETR12-037	85	25.9	90	27.4	Rock	2.28	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402980	BETR12-037	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402981	BETR12-037	CDN-GS-5H	0		0	Rock Pulp	0.16	3809	54.7	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402982	BETR12-037	90	27.4	95	29	Rock	1.5	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402983	BETR12-037	95	29	100	30.5	Rock	1.2	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402984	BETR12-037	100	30.5	105	32	Rock	1.62	2	0.2	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402985	BETR12-037	105	32	110	33.5	Rock	1.81	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402986	BETR12-037	110	33.5	115	35.1	Rock	1.95	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402987	BETR12-037	115	35.1	120	36.6	Rock	2.41	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402988	BETR12-037	120	36.6	125	38.1	Rock	1.99	5	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1402989	BETR12-037	125	38.1	130	39.6	Rock	1.26	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402990	BETR12-037	130	39.6	135	41.1	Rock	2.08	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402991	BETR12-037	135	41.1	140	42.7	Rock	2.08	13	0.3	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402992	BETR12-037	140	42.7	145	44.2	Rock	1.51	13	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402993	BETR12-037	145	44.2	150	45.7	Rock	1.46	4	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402994	BETR12-037	150	45.7	155	47.2	Rock	2.06	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402995	BETR12-037	155	47.2	160	48.8	Rock	0.92	9	21.3	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402996	BETR12-037	160	48.8	165	50.3	Rock	1.29	2	0.3	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402997	BETR12-037	165	50.3	170	51.8	Rock	2.05	29	0.6	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402998	BETR12-037	170	51.8	175	53.3	Rock	1.6	24	0.3	Acme	20-Jul-12	WHI12000197	02-Jul-12
1402999	BETR12-037	175	53.3	180	54.9	Rock	1.15	19	0.2	Acme	20-Jul-12	WHI12000197	02-Jul-12
1403000	BETR12-037	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	20-Jul-12	WHI12000197	02-Jul-12
1403001	BETR12-037	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1423	0.2	Acme	20-Jul-12	WHI12000197	02-Jul-12
1403002	BETR12-037	180	54.9	185	56.4	Rock	3.17	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1403003	BETR12-037	185	56.4	190	57.9	Rock	1.31	2	8.8	Acme	20-Jul-12	WHI12000197	02-Jul-12
1403004	BETR12-037	190	57.9	195	59.4	Rock	2.88	14	0.3	Acme	20-Jul-12	WHI12000197	02-Jul-12
1403005	BETR12-037	195	59.4	200	61	Rock	1.7	2	0.3	Acme	20-Jul-12	WHI12000197	02-Jul-12
1403006	BETR12-037	200	61	205	62.5	Rock	2.01	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1403007	BETR12-037	205	62.5	210	64	Rock	1.92	27	3.8	Acme	20-Jul-12	WHI12000197	02-Jul-12
1403008	BETR12-037	210	64	215	65.5	Rock	1.48	3	0.2	Acme	20-Jul-12	WHI12000197	02-Jul-12
1403009	BETR12-037	215	65.5	220	67.1	Rock	2.29	14	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1403010	BETR12-037	220	67.1	225	68.6	Rock	2.99	5	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1403011	BETR12-037	225	68.6	230	70.1	Rock	1.77	6	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1403012	BETR12-037	230	70.1	235	71.6	Rock	2.49	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1403013	BETR12-037	235	71.6	240	73.2	Rock	1.92	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1403014	BETR12-037	240	73.2	245	74.7	Rock	2.39	2	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1403015	BETR12-037	245	74.7	250	76.2	Rock	1.28	4	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1403016	BETR12-037	250	76.2	255	77.7	Rock	2.18	33	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1403017	BETR12-037	255	77.7	260	79.2	Rock	1.61	4	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1403018	BETR12-037	260	79.2	265	80.8	Rock	2.46	11	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1403019	BETR12-037	265	80.8	270	82.3	Rock	1.86	3	0.1	Acme	20-Jul-12	WHI12000197	02-Jul-12
1403020	BETR12-037	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	20-Jul-12	WHI12000197	02-Jul-12
1403021	BETR12-037	CDN-GS-5H	0		0	Rock Pulp	0.12	3853	53.7	Acme	20-Jul-12	WHI12000197	02-Jul-12
1403022	BETR12-037	270	82.3	275	83.8	Rock	1.6	2	0.2	Acme	20-Jul-12	WHI12000197	02-Jul-12
1403023	BETR12-037	275	83.8	280	85.3	Rock	1.09	12	0.4	Acme	20-Jul-12	WHI12000197	02-Jul-12
1403024	BETR12-038	0	0	11	3.4	Rock	2.91	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403025	BETR12-038	Duplicate	0		0	Rock	1.78	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403026	BETR12-038	11	3.4	16	4.9	Rock	1.72	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403027	BETR12-038	16	4.9	19	5.8	Rock	0.67	3	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403028	BETR12-038	19	5.8	24	7.3	Rock	1.37	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403029	BETR12-038	24	7.3	29	8.8	Rock	1.24	13	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403030	BETR12-038	29	8.8	34	10.4	Rock	1.52	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403031	BETR12-038	34	10.4	39	11.9	Rock	1.16	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403032	BETR12-038	39	11.9	44	13.4	Rock	1.24	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403033	BETR12-038	44	13.4	49	14.9	Rock	1.27	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403034	BETR12-038	49	14.9	54	16.5	Rock	1.49	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1403035	BETR12-038	54	16.5	59	18	Rock	1.42	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403036	BETR12-038	59	18	64	19.5	Rock	1.6	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403037	BETR12-038	64	19.5	69	21	Rock	1.65	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403038	BETR12-038	69	21	74	22.6	Rock	1.35	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403039	BETR12-038	74	22.6	79	24.1	Rock	1.45	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403040	BETR12-038	CDN-BL-10	0		0	Rock Pulp	0.11	5	0.2	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403041	BETR12-038	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1522	0.3	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403042	BETR12-038	79	24.1	84	25.6	Rock	1.6	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403043	BETR12-038	84	25.6	89	27.1	Rock	1.51	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403044	BETR12-038	89	27.1	94	28.7	Rock	1.76	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403045	BETR12-038	94	28.7	99	30.2	Rock	1.55	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403046	BETR12-038	99	30.2	104	31.7	Rock	1.38	3	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403047	BETR12-038	104	31.7	109	33.2	Rock	1.19	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403048	BETR12-038	109	33.2	114	34.7	Rock	1.31	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403049	BETR12-038	114	34.7	119	36.3	Rock	1.78	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403050	BETR12-038	119	36.3	124	37.8	Rock	1.94	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403051	BETR12-038	124	37.8	129	39.3	Rock	1.62	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403052	BETR12-038	129	39.3	134	40.8	Rock	1.5	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403053	BETR12-038	134	40.8	139	42.4	Rock	1.39	10	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403054	BETR12-038	139	42.4	144	43.9	Rock	1.7	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403055	BETR12-038	144	43.9	149	45.4	Rock	1.54	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403056	BETR12-038	149	45.4	154	46.9	Rock	1.68	3	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403057	BETR12-038	154	46.9	159	48.5	Rock	1.68	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403058	BETR12-038	159	48.5	164	50	Rock	1.71	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403059	BETR12-038	164	50	169	51.5	Rock	1.79	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403060	BETR12-038	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403061	BETR12-038	CDN-GS-5H	0		0	Rock Pulp	0.12	4044	52.6	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403062	BETR12-038	169	51.5	174	53	Rock	1.72	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403063	BETR12-038	174	53	179	54.6	Rock	1.83	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403064	BETR12-038	179	54.6	184	56.1	Rock	1.76	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403065	BETR12-038	184	56.1	189	57.6	Rock	1.5	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403066	BETR12-038	189	57.6	194	59.1	Rock	1.7	8	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403067	BETR12-038	194	59.1	199	60.7	Rock	1.72	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403068	BETR12-038	199	60.7	204	62.2	Rock	1.61	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403069	BETR12-038	204	62.2	209	63.7	Rock	1.35	19	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403070	BETR12-038	209	63.7	214	65.2	Rock	2.2	6	0.3	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403071	BETR12-038	214	65.2	219	66.8	Rock	1.72	2	0.5	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403072	BETR12-038	219	66.8	224	68.3	Rock	1.53	2	0.3	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403073	BETR12-038	224	68.3	229	69.8	Rock	1.78	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403074	BETR12-038	229	69.8	234	71.3	Rock	0.68	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403075	BETR12-038	Duplicate	0		0	Rock	0.93	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403076	BETR12-038	234	71.3	239	72.8	Rock	1.75	6	0.2	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403077	BETR12-038	239	72.8	244	74.4	Rock	1.74	2	0.3	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403078	BETR12-038	244	74.4	249	75.9	Rock	1.58	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403079	BETR12-038	249	75.9	254	77.4	Rock	1.65	18	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403080	BETR12-038	CDN-BL-10	0		0	Rock Pulp	0.12	3	0.3	Acme	24-Jul-12	WHI12000249	09-Jul-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1403081	BETR12-038	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1350	0.3	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403082	BETR12-038	254	77.4	259	78.9	Rock	1.32	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403083	BETR12-038	259	78.9	264	80.5	Rock	1.89	25	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403084	BETR12-038	264	80.5	269	82	Rock	1.9	231	0.2	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403085	BETR12-038	269	82	274	83.5	Rock	1.74	4	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403086	BETR12-038	274	83.5	279	85	Rock	1.48	12	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403087	BETR12-038	279	85	284	86.6	Rock	1.68	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403088	BETR12-038	284	86.6	289	88.1	Rock	1.67	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403089	BETR12-038	289	88.1	294	89.6	Rock	1.8	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403090	BETR12-038	294	89.6	299	91.1	Rock	1.5	9	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403091	BETR12-038	299	91.1	304	92.7	Rock	1.62	14	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403092	BETR12-038	304	92.7	309	94.2	Rock	1.76	17	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403093	BETR12-038	309	94.2	314	95.7	Rock	1.86	51	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403094	BETR12-039	0	0	16	4.9	Rock	1.39	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403095	BETR12-039	16	4.9	19	5.8	Rock	0.58	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403096	BETR12-039	19	5.8	24	7.3	Rock	1.54	3	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403097	BETR12-039	24	7.3	29	8.8	Rock	1.01	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403098	BETR12-039	29	8.8	34	10.4	Rock	1.43	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403099	BETR12-039	34	10.4	39	11.9	Rock	1.87	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403100	BETR12-039	CDN-BL-10	0		0	Rock Pulp	0.11	2	0.2	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403101	BETR12-039	CDN-GS-5H	0		0	Rock Pulp	0.12	3722	52.2	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403102	BETR12-039	39	11.9	44	13.4	Rock	1.48	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403103	BETR12-039	44	13.4	49	14.9	Rock	1.53	11	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403104	BETR12-039	49	14.9	54	16.5	Rock	1.47	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403105	BETR12-039	54	16.5	59	18	Rock	1.38	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403106	BETR12-039	59	18	64	19.5	Rock	1.28	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403107	BETR12-039	64	19.5	69	21	Rock	1.49	4	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403108	BETR12-039	69	21	74	22.6	Rock	1.43	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403109	BETR12-039	74	22.6	79	24.1	Rock	1.65	12	0.6	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403110	BETR12-039	79	24.1	84	25.6	Rock	1.52	24	0.2	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403111	BETR12-039	84	25.6	89	27.1	Rock	1.91	4	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403112	BETR12-039	89	27.1	94	28.7	Rock	1.59	7	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403113	BETR12-039	94	28.7	99	30.2	Rock	1.81	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403114	BETR12-039	99	30.2	104	31.7	Rock	1.63	10	0.2	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403115	BETR12-039	104	31.7	109	33.2	Rock	1.92	222	2.5	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403116	BETR12-039	109	33.2	114	34.7	Rock	2.04	217	2.6	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403117	BETR12-039	114	34.7	119	36.3	Rock	2.23	26	0.5	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403118	BETR12-039	119	36.3	124	37.8	Rock	1.82	42	1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403119	BETR12-039	124	37.8	129	39.3	Rock	1.98	209	2.7	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403120	BETR12-039	CDN-BL-10	0		0	Rock Pulp	0.11	2	0.7	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403121	BETR12-039	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1430	0.2	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403122	BETR12-039	129	39.3	134	40.8	Rock	1.71	8	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403123	BETR12-039	134	40.8	139	42.4	Rock	1.6	3	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403124	BETR12-039	139	42.4	144	43.9	Rock	0.87	11	0.6	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403125	BETR12-039	Duplicate	0		0	Rock	0.76	6	0.5	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403126	BETR12-039	144	43.9	149	45.4	Rock	1.63	3	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1403127	BETR12-039	149	45.4	154	46.9	Rock	1.61	3	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403128	BETR12-039	154	46.9	159	48.5	Rock	1.96	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403129	BETR12-039	159	48.5	164	50	Rock	1.75	3	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403130	BETR12-039	164	50	169	51.5	Rock	1.88	3	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403131	BETR12-039	169	51.5	174	53	Rock	1.55	3	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403132	BETR12-039	174	53	179	54.6	Rock	1.62	3	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403133	BETR12-039	179	54.6	184	56.1	Rock	1.41	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403134	BETR12-039	184	56.1	189	57.6	Rock	1.38	45	0.2	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403135	BETR12-039	189	57.6	194	59.1	Rock	1.64	13	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403136	BETR12-039	194	59.1	199	60.7	Rock	1.56	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403137	BETR12-039	199	60.7	204	62.2	Rock	1.48	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403138	BETR12-039	204	62.2	209	63.7	Rock	1.75	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403139	BETR12-039	209	63.7	214	65.2	Rock	1.44	3	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403140	BETR12-039	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403141	BETR12-039	CDN-GS-5H	0		0	Rock Pulp	0.11	3716	55.2	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403142	BETR12-039	214	65.2	219	66.8	Rock	1.73	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403143	BETR12-039	219	66.8	224	68.3	Rock	2.11	3	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403144	BETR12-039	224	68.3	229	69.8	Rock	1.78	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403145	BETR12-039	229	69.8	234	71.3	Rock	1.78	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403146	BETR12-039	234	71.3	239	72.8	Rock	1.6	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403147	BETR12-039	239	72.8	244	74.4	Rock	1.87	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403148	BETR12-039	244	74.4	249	75.9	Rock	2.04	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403149	BETR12-039	249	75.9	254	77.4	Rock	1.71	3	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403150	BETR12-039	254	77.4	259	78.9	Rock	1.47	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403151	BETR12-039	259	78.9	264	80.5	Rock	1.92	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403152	BETR12-039	264	80.5	269	82	Rock	1.35	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403153	BETR12-039	269	82	274	83.5	Rock	1.69	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403154	BETR12-039	274	83.5	279	85	Rock	1.61	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403155	BETR12-039	279	85	284	86.6	Rock	1.83	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403156	BETR12-039	284	86.6	289	88.1	Rock	2.05	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403157	BETR12-039	289	88.1	294	89.6	Rock	1.27	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403158	BETR12-039	294	89.6	299	91.1	Rock	2.37	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403159	BETR12-039	299	91.1	304	92.7	Rock	2.3	2	0.1	Acme	24-Jul-12	WHI12000249	09-Jul-12
1403160	BETR12-039	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	15-Aug-12	WHI12000250	09-Jul-12
1403161	BETR12-039	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1416	0.3	Acme	15-Aug-12	WHI12000250	09-Jul-12
1403162	BETR12-039	304	92.7	309	94.2	Rock	1.65	2	0.1	Acme	15-Aug-12	WHI12000250	09-Jul-12
1403163	BETR12-039	309	94.2	314	95.7	Rock	1.79	2	0.1	Acme	15-Aug-12	WHI12000250	09-Jul-12
1403164	BETR12-039	314	95.7	319	97.2	Rock	1.91	2	0.1	Acme	15-Aug-12	WHI12000250	09-Jul-12
1403165	BETR12-039	319	97.2	324	98.8	Rock	1.75	2	0.1	Acme	15-Aug-12	WHI12000250	09-Jul-12
1403166	BETR12-039	324	98.8	329	100.3	Rock	1.8	2	0.1	Acme	15-Aug-12	WHI12000250	09-Jul-12
1403167	BETR12-039	329	100.3	334	101.8	Rock	2.2	2	0.1	Acme	15-Aug-12	WHI12000250	09-Jul-12
1403168	BETR12-039	334	101.8	339	103.3	Rock	1.87	2	0.1	Acme	15-Aug-12	WHI12000250	09-Jul-12
1403169	BETR12-039	339	103.3	344	104.9	Rock	1.61	2	0.1	Acme	15-Aug-12	WHI12000250	09-Jul-12
1403170	BETR12-039	344	104.9	349	106.4	Rock	2.05	2	0.1	Acme	15-Aug-12	WHI12000250	09-Jul-12
1403171	BETR12-039	349	106.4	354	107.9	Rock	1.45	2	0.1	Acme	15-Aug-12	WHI12000250	09-Jul-12
1403172	BETR12-039	354	107.9	359	109.4	Rock	2.35	2	0.1	Acme	15-Aug-12	WHI12000250	09-Jul-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1403173	BETR12-039	359	109.4	364	110.9	Rock	2.34	2	0.1	Acme	15-Aug-12	WHI12000250	09-Jul-12
1403174	BETR12-039	364	110.9	369	112.5	Rock	1.31	6	0.1	Acme	15-Aug-12	WHI12000250	09-Jul-12
1403175	BETR12-039	Duplicate	0		0	Rock	0.61	3	0.1	Acme	15-Aug-12	WHI12000250	09-Jul-12
1403176	BETR12-039	369	112.5	374	114	Rock	1.73	4	0.1	Acme	15-Aug-12	WHI12000250	09-Jul-12
1403177	BETR12-039	374	114	379	115.5	Rock	1.22	5	0.1	Acme	15-Aug-12	WHI12000250	09-Jul-12
1403178	BETR12-039	379	115.5	384	117	Rock	2	5	0.1	Acme	15-Aug-12	WHI12000250	09-Jul-12
1403179	BETR12-039	384	117	389	118.6	Rock	1.79	5	0.1	Acme	15-Aug-12	WHI12000250	09-Jul-12
1403180	BETR12-039	CDN-BL-10	0		0	Rock Pulp	0.12	4	0.2	Acme	15-Aug-12	WHI12000250	09-Jul-12
1403181	BETR12-039	CDN-GS-5H	0		0	Rock Pulp	0.12	4150	55	Acme	15-Aug-12	WHI12000250	09-Jul-12
1403182	BETR12-039	389	118.6	394	120.1	Rock	1.68	8	0.1	Acme	15-Aug-12	WHI12000250	09-Jul-12
1403183	BETR12-039	394	120.1	399	121.6	Rock	2.4	2	0.1	Acme	15-Aug-12	WHI12000250	09-Jul-12
1403184	BETR12-040	0	0	32	9.8	Rock	1.04	12	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403185	BETR12-040	32	9.8	37	11.3	Rock	1.05	3	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403186	BETR12-040	37	11.3	42	12.8	Rock	1.93	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403187	BETR12-040	42	12.8	45	13.7	Rock	1.76	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403188	BETR12-040	45	13.7	50	15.2	Rock	2.27	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403189	BETR12-040	50	15.2	55	16.8	Rock	0.92	6	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403190	BETR12-040	55	16.8	60	18.3	Rock	1.63	4	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403191	BETR12-040	60	18.3	65	19.8	Rock	1.23	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403192	BETR12-040	65	19.8	70	21.3	Rock	1.81	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403193	BETR12-040	70	21.3	75	22.9	Rock	1.84	180	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403194	BETR12-040	75	22.9	80	24.4	Rock	1.49	5	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403195	BETR12-040	80	24.4	85	25.9	Rock	1.58	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403196	BETR12-040	85	25.9	90	27.4	Rock	1.78	3	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403197	BETR12-040	90	27.4	95	29	Rock	1.68	6	0.2	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403198	BETR12-040	95	29	100	30.5	Rock	1.58	3	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403199	BETR12-040	100	30.5	105	32	Rock	1.88	5	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403200	BETR12-040	CDN-BL-10	0		0	Rock Pulp	0.13	5	0.3	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403201	BETR12-040	CDN-GS-5H	0		0	Rock Pulp	0.13	3674	53.3	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403202	BETR12-040	105	32	110	33.5	Rock	2.01	7	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403203	BETR12-040	110	33.5	115	35.1	Rock	1.87	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403204	BETR12-040	115	35.1	120	36.6	Rock	1.78	3	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403205	BETR12-040	120	36.6	125	38.1	Rock	1.61	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403206	BETR12-040	125	38.1	130	39.6	Rock	1.54	3	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403207	BETR12-040	130	39.6	135	41.1	Rock	1.51	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403208	BETR12-040	135	41.1	140	42.7	Rock	1.47	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403209	BETR12-040	140	42.7	145	44.2	Rock	1.01	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403210	BETR12-040	145	44.2	150	45.7	Rock	1.4	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403211	BETR12-040	150	45.7	155	47.2	Rock	1.36	4	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403212	BETR12-040	155	47.2	160	48.8	Rock	0.43	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403213	BETR12-040	160	48.8	165	50.3	Rock	1.59	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403214	BETR12-040	165	50.3	170	51.8	Rock	1.46	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403215	BETR12-040	170	51.8	175	53.3	Rock	1.38	4	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403216	BETR12-040	175	53.3	180	54.9	Rock	1.63	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403217	BETR12-040	180	54.9	185	56.4	Rock	1.84	5	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403218	BETR12-040	185	56.4	190	57.9	Rock	1.73	3	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1403219	BETR12-040	190	57.9	195	59.4	Rock	1.97	3	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403220	BETR12-040	CDN-BL-10	0		0	Rock Pulp	0.13	8	0.3	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403221	BETR12-040	CDN-GS-5H	0		0	Rock Pulp	0.13	3986	53.9	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403222	BETR12-040	195	59.4	200	61	Rock	2.15	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403223	BETR12-040	200	61	205	62.5	Rock	2.06	9	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403224	BETR12-040	205	62.5	210	64	Rock	0.96	5	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403225	BETR12-040	Duplicate	0		0	Rock	0.86	4	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403226	BETR12-040	210	64	215	65.5	Rock	1.85	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403227	BETR12-041	0	0	19	5.8	Rock	0.98	4	0.4	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403228	BETR12-041	19	5.8	24	7.3	Rock	2.59	4	0.2	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403229	BETR12-041	24	7.3	29	8.8	Rock	1.56	5	0.6	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403230	BETR12-041	29	8.8	34	10.4	Rock	2.29	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403231	BETR12-041	34	10.4	39	11.9	Rock	2.48	3	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403232	BETR12-041	39	11.9	44	13.4	Rock	2.32	3	0.2	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403233	BETR12-041	44	13.4	49	14.9	Rock	2.66	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403234	BETR12-041	49	14.9	54	16.5	Rock	2.47	15	1.9	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403235	BETR12-041	54	16.5	59	18	Rock	1.59	2	0.4	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403236	BETR12-041	59	18	64	19.5	Rock	2.29	3	0.2	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403237	BETR12-041	64	19.5	69	21	Rock	1.88	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403238	BETR12-041	69	21	74	22.6	Rock	1.33	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403239	BETR12-041	74	22.6	79	24.1	Rock	2.49	5	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403240	BETR12-041	CDN-BL-10	0		0	Rock Pulp	0.13	3	0.3	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403241	BETR12-041	CDN-GS-1P5F	0		0	Rock Pulp	0.13	1460	0.3	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403242	BETR12-041	79	24.1	84	25.6	Rock	2.64	6	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403243	BETR12-041	84	25.6	89	27.1	Rock	2.65	10	0.4	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403244	BETR12-041	89	27.1	94	28.7	Rock	2.48	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403245	BETR12-041	94	28.7	99	30.2	Rock	1.86	5	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403246	BETR12-041	99	30.2	104	31.7	Rock	1.99	2	0.2	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403247	BETR12-041	104	31.7	109	33.2	Rock	2.82	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403248	BETR12-041	109	33.2	114	34.7	Rock	2.25	5	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403249	BETR12-041	114	34.7	119	36.3	Rock	2.44	4	0.2	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403250	BETR12-041	119	36.3	124	37.8	Rock	2.86	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403251	BETR12-041	124	37.8	129	39.3	Rock	2.63	6	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403252	BETR12-041	129	39.3	134	40.8	Rock	2.03	4	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403253	BETR12-041	134	40.8	139	42.4	Rock	2.19	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403254	BETR12-041	139	42.4	144	43.9	Rock	2.68	5	0.2	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403255	BETR12-041	144	43.9	149	45.4	Rock	2.49	3	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403256	BETR12-041	149	45.4	154	46.9	Rock	2.21	5	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403257	BETR12-041	154	46.9	159	48.5	Rock	2.42	2	0.4	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403258	BETR12-041	159	48.5	164	50	Rock	3.02	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403259	BETR12-041	164	50	169	51.5	Rock	2.43	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403260	BETR12-041	CDN-BL-10	0		0	Rock Pulp	0.13	2	0.3	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403261	BETR12-041	CDN-GS-5H	0		0	Rock Pulp	0.13	3634	53.3	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403262	BETR12-041	169	51.5	174	53	Rock	2.6	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403263	BETR12-041	174	53	179	54.6	Rock	1.99	4	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403264	BETR12-041	179	54.6	184	56.1	Rock	2.6	4	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1403265	BETR12-041	184	56.1	189	57.6	Rock	2.53	22	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403266	BETR12-041	189	57.6	194	59.1	Rock	2.42	73	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403267	BETR12-041	194	59.1	199	60.7	Rock	2.26	61	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403268	BETR12-041	199	60.7	204	62.2	Rock	2.82	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403269	BETR12-041	204	62.2	209	63.7	Rock	2.77	3	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403270	BETR12-042	0	0	16	4.9	Rock	0.6	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403271	BETR12-042	16	4.9	19	5.8	Rock	0.79	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403272	BETR12-042	19	5.8	24	7.3	Rock	1.17	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403273	BETR12-042	24	7.3	29	8.8	Rock	1.44	3	0.3	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403274	BETR12-042	29	8.8	34	10.4	Rock	0.64	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403275	BETR12-042	Duplicate	0		0	Rock	0.63	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403276	BETR12-042	34	10.4	39	11.9	Rock	1.42	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403277	BETR12-042	39	11.9	44	13.4	Rock	1.38	4	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403278	BETR12-042	44	13.4	49	14.9	Rock	1.12	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403279	BETR12-042	49	14.9	54	16.5	Rock	0.86	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403280	BETR12-042	CDN-BL-10	0		0	Rock Pulp	0.13	2	0.3	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403281	BETR12-042	CDN-GS-1P5F	0		0	Rock Pulp	0.13	1510	0.3	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403282	BETR12-042	54	16.5	59	18	Rock	1.43	2	0.9	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403283	BETR12-042	59	18	64	19.5	Rock	1.25	3	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403284	BETR12-042	64	19.5	69	21	Rock	1.18	2	0.4	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403285	BETR12-042	69	21	74	22.6	Rock	1.26	6	0.2	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403286	BETR12-042	74	22.6	79	24.1	Rock	1.74	8	0.4	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403287	BETR12-042	79	24.1	84	25.6	Rock	1.32	7	0.2	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403288	BETR12-042	84	25.6	89	27.1	Rock	1.58	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403289	BETR12-042	89	27.1	94	28.7	Rock	1.43	2	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403290	BETR12-042	94	28.7	99	30.2	Rock	1.33	5	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403291	BETR12-042	99	30.2	104	31.7	Rock	1.07	3	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403292	BETR12-042	104	31.7	109	33.2	Rock	1.42	4	0.7	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403293	BETR12-042	109	33.2	114	34.7	Rock	1.73	4	0.1	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403294	BETR12-042	114	34.7	119	36.3	Rock	1.71	4	0.8	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403295	BETR12-042	119	36.3	124	37.8	Rock	1.61	5	0.4	Acme	31-Jul-12	WHI12000313	12-Jul-12
1403346	BETR12-043	65	19.8	68	20.7	Rock Chip	1.09	3	0.2	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403347	BETR12-043	68	20.7	73	22.3	Rock Chip	2.25	13	0.3	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403348	BETR12-043	73	22.3	78	23.8	Rock Chip	2.05	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403349	BETR12-043	78	23.8	83	25.3	Rock Chip	2.08	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403350	BETR12-043	83	25.3	88	26.8	Rock Chip	1.87	6	0.2	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403351	BETR12-043	88	26.8	93	28.3	Rock Chip	2.07	8	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403352	BETR12-043	93	28.3	98	29.9	Rock Chip	2.66	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403353	BETR12-043	98	29.9	103	31.4	Rock Chip	1.96	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403354	BETR12-043	103	31.4	108	32.9	Rock Chip	2.63	6	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403355	BETR12-043	108	32.9	113	34.4	Rock Chip	2.43	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403356	BETR12-043	113	34.4	118	36	Rock Chip	1.84	296	3.9	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403357	BETR12-043	118	36	123	37.5	Rock Chip	1.98	3	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403358	BETR12-043	123	37.5	128	39	Rock Chip	2	4	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403359	BETR12-043	128	39	133	40.5	Rock Chip	2.19	3	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403360	BETR12-043	CDN-BL-10	0		0	Rock Pulp	0.13	2	0.4	Acme	17-Aug-12	WHI12000369	18-Jul-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1403361	BETR12-043	CDN-GS-1P5F	0		0	Rock Pulp	0.13	1310	0.3	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403362	BETR12-043	133	40.5	138	42.1	Rock Chip	2.96	4	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403363	BETR12-043	138	42.1	143	43.6	Rock Chip	1.68	4	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403364	BETR12-043	143	43.6	148	45.1	Rock Chip	1.15	17	1.2	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403296	BETR12-044	17	5.2	20	6.1	Rock Chip	0.73	204	0.3	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403297	BETR12-044	20	6.1	25	7.6	Rock Chip	1.61	15	0.1	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403298	BETR12-044	25	7.6	30	9.1	Rock Chip	1.85	16	0.1	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403299	BETR12-044	30	9.1	35	10.7	Rock Chip	0.99	14	0.1	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403300	BETR12-044	CDN-BL-10	0		0	Rock Pulp	0.1	4	0.2	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403301	BETR12-044	CDN-GS-5H	0		0	Rock Pulp	0.1	3582	49.9	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403302	BETR12-044	35	10.7	40	12.2	Rock Chip	1.57	5	0.1	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403303	BETR12-044	40	12.2	45	13.7	Rock Chip	1.35	14	0.1	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403304	BETR12-044	45	13.7	50	15.2	Rock Chip	1.34	640	0.2	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403305	BETR12-044	50	15.2	55	16.8	Rock Chip	1.82	48	0.1	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403306	BETR12-044	55	16.8	60	18.3	Rock Chip	1.92	3	0.1	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403307	BETR12-044	60	18.3	65	19.8	Rock Chip	1.43	8	0.1	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403308	BETR12-044	65	19.8	70	21.3	Rock Chip	1.59	19	0.1	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403309	BETR12-044	70	21.3	75	22.9	Rock Chip	1.97	16	0.1	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403310	BETR12-044	75	22.9	80	24.4	Rock Chip	1.89	8	0.2	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403311	BETR12-044	80	24.4	85	25.9	Rock Chip	1.97	309	0.2	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403312	BETR12-044	85	25.9	90	27.4	Rock Chip	1.99	6	0.1	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403313	BETR12-044	90	27.4	95	29	Rock Chip	2	17	0.1	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403314	BETR12-044	95	29	100	30.5	Rock Chip	1.84	3	0.1	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403315	BETR12-044	100	30.5	105	32	Rock Chip	0.84	156	0.2	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403316	BETR12-044	105	32	110	33.5	Rock Chip	1.67	84	0.1	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403317	BETR12-044	110	33.5	115	35.1	Rock Chip	1.62	16	0.1	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403318	BETR12-044	115	35.1	120	36.6	Rock Chip	1.78	5	0.1	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403319	BETR12-044	120	36.6	125	38.1	Rock Chip	1.73	9	0.1	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403320	BETR12-044	CDN-BL-10	0		0	Rock Pulp	0.11	2	0.3	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403321	BETR12-044	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1482	0.2	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403322	BETR12-044	125	38.1	130	39.6	Rock Chip	1.8	7	0.1	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403323	BETR12-044	130	39.6	135	41.1	Rock Chip	1.55	3	0.1	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403324	BETR12-044	135	41.1	140	42.7	Rock Chip	0.64	9	0.1	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403325	BETR12-044	Duplicate	0		0	Rock Chip	0.85	8	0.1	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403326	BETR12-044	140	42.7	145	44.2	Rock Chip	1.96	6	0.1	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403327	BETR12-044	145	44.2	150	45.7	Rock Chip	1.69	90	0.1	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403328	BETR12-044	150	45.7	155	47.2	Rock Chip	1.88	92	0.1	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403329	BETR12-044	155	47.2	160	48.8	Rock Chip	1.71	48	2.8	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403330	BETR12-044	160	48.8	165	50.3	Rock Chip	1.87	8	0.9	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403331	BETR12-044	165	50.3	170	51.8	Rock Chip	1.66	2	0.1	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403332	BETR12-044	170	51.8	175	53.3	Rock Chip	1.57	3	0.1	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403333	BETR12-044	175	53.3	180	54.9	Rock Chip	1.67	10	0.5	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403334	BETR12-044	180	54.9	185	56.4	Rock Chip	1.1	8	0.1	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403335	BETR12-044	185	56.4	190	57.9	Rock Chip	1.35	2	0.1	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403336	BETR12-044	190	57.9	195	59.4	Rock Chip	2.1	223	0.2	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403337	BETR12-044	195	59.4	200	61	Rock Chip	1.57	48	0.1	Acme	31-Jul-12	WHI12000365	18-Jul-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1403338	BETR12-044	200	61	205	62.5	Rock Chip	2.11	4	0.1	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403339	BETR12-044	205	62.5	210	64	Rock Chip	1.55	14	0.1	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403340	BETR12-044	CDN-BL-10	0		0	Rock Pulp	0.12	4	0.3	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403341	BETR12-044	CDN-GS-5H	0		0	Rock Pulp	0.12	4342	53.6	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403342	BETR12-044	210	64	215	65.5	Rock Chip	1.8	15	1.1	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403343	BETR12-044	215	65.5	220	67.1	Rock Chip	1.23	85	0.8	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403344	BETR12-044	220	67.1	225	68.6	Rock Chip	2.13	23	1	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403345	BETR12-044	225	68.6	230	70.1	Rock Chip	1.97	6	0.1	Acme	31-Jul-12	WHI12000365	18-Jul-12
1403469	BETR12-045	32	9.8	35	10.7	Rock Chip	1.26	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403470	BETR12-045	35	10.7	40	12.2	Rock Chip	2.87	3	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403471	BETR12-045	40	12.2	45	13.7	Rock Chip	2.25	16	0.2	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403472	BETR12-045	45	13.7	50	15.2	Rock Chip	2.8	18	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403473	BETR12-045	50	15.2	55	16.8	Rock Chip	3.64	6	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403474	BETR12-045	55	16.8	60	18.3	Rock Chip	1.21	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403475	BETR12-045	Duplicate	0		0	Rock Chip	1.07	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403476	BETR12-045	60	18.3	65	19.8	Rock Chip	2.95	3	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403477	BETR12-045	65	19.8	70	21.3	Rock Chip	2.7	5	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403478	BETR12-045	70	21.3	75	22.9	Rock Chip	2.65	30	0.2	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403479	BETR12-045	75	22.9	80	24.4	Rock Chip	2.97	11	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403480	BETR12-045	CDN-BL-10	0		0	Rock Pulp	0.14	6	0.2	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403481	BETR12-045	CDN-GS-1P5F	0		0	Rock Pulp	0.14	1513	0.2	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403482	BETR12-045	80	24.4	85	25.9	Rock Chip	2.85	65	0.2	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403483	BETR12-045	85	25.9	90	27.4	Rock Chip	2.85	50	0.2	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403484	BETR12-045	90	27.4	95	29	Rock Chip	2.79	15	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403485	BETR12-045	95	29	100	30.5	Rock Chip	2.28	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403486	BETR12-045	100	30.5	105	32	Rock Chip	2.48	80	0.3	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403487	BETR12-045	105	32	110	33.5	Rock Chip	2.1	104	0.8	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403488	BETR12-045	110	33.5	115	35.1	Rock Chip	2.27	5	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403489	BETR12-045	115	35.1	120	36.6	Rock Chip	2.29	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403490	BETR12-045	120	36.6	125	38.1	Rock Chip	2.73	2	0.2	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403491	BETR12-045	125	38.1	130	39.6	Rock Chip	2.53	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403492	BETR12-045	130	39.6	135	41.1	Rock Chip	2.02	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403493	BETR12-045	135	41.1	140	42.7	Rock Chip	2.45	4	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403494	BETR12-045	140	42.7	145	44.2	Rock Chip	2.73	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403495	BETR12-045	145	44.2	150	45.7	Rock Chip	2.58	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403496	BETR12-045	150	45.7	155	47.2	Rock Chip	2.15	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403497	BETR12-045	155	47.2	160	48.8	Rock Chip	2.37	26	1.5	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403498	BETR12-045	160	48.8	165	50.3	Rock Chip	2.68	4	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403499	BETR12-045	165	50.3	170	51.8	Rock Chip	2.45	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403500	BETR12-045	CDN-BL-10	0		0	Rock Pulp	0.11	2	0.2	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403501	BETR12-045	CDN-GS-5H	0		0	Rock Pulp	0.12	3773	50.8	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403502	BETR12-045	170	51.8	175	53.3	Rock Chip	2.57	6	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403503	BETR12-045	175	53.3	180	54.9	Rock Chip	2.35	6	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403504	BETR12-045	180	54.9	185	56.4	Rock Chip	2.69	4	0.2	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403505	BETR12-045	185	56.4	190	57.9	Rock Chip	3	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403506	BETR12-045	190	57.9	195	59.4	Rock Chip	2.79	25	0.2	Acme	12-Aug-12	WHI12000403	23-Jul-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1403507	BETR12-045	195	59.4	200	61	Rock Chip	2.5	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403508	BETR12-045	200	61	205	62.5	Rock Chip	2.37	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403509	BETR12-045	205	62.5	210	64	Rock Chip	2.16	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403510	BETR12-045	210	64	215	65.5	Rock Chip	1.75	16	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403511	BETR12-045	215	65.5	220	67.1	Rock Chip	2.32	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403512	BETR12-045	220	67.1	225	68.6	Rock Chip	2.82	4	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403513	BETR12-045	225	68.6	230	70.1	Rock Chip	2.61	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403514	BETR12-045	230	70.1	235	71.6	Rock Chip	2.46	4	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403515	BETR12-045	235	71.6	240	73.2	Rock Chip	2.59	5	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403516	BETR12-045	240	73.2	245	74.7	Rock Chip	2.52	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403517	BETR12-045	245	74.7	250	76.2	Rock Chip	2.37	3	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403518	BETR12-045	250	76.2	255	77.7	Rock Chip	2.71	3	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403519	BETR12-045	255	77.7	260	79.2	Rock Chip	2.59	3	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403520	BETR12-045	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403521	BETR12-045	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1415	0.2	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403522	BETR12-045	260	79.2	265	80.8	Rock Chip	2.49	12	0.3	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403523	BETR12-045	265	80.8	270	82.3	Rock Chip	2.44	13	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403524	BETR12-045	270	82.3	275	83.8	Rock Chip	0.85	297	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403525	BETR12-045	Duplicate	0		0	Rock Chip	1.15	377	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403526	BETR12-045	275	83.8	280	85.3	Rock Chip	2.15	20	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403527	BETR12-045	280	85.3	285	86.9	Rock Chip	2.56	507	0.7	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403528	BETR12-045	285	86.9	290	88.4	Rock Chip	2.67	44	0.2	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403529	BETR12-045	290	88.4	295	89.9	Rock Chip	2.5	143	0.8	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403530	BETR12-045	295	89.9	300	91.4	Rock Chip	2.77	13	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403531	BETR12-045	300	91.4	305	93	Rock Chip	2.81	11	0.2	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403532	BETR12-045	305	93	310	94.5	Rock Chip	2.5	4	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403533	BETR12-045	310	94.5	315	96	Rock Chip	3.02	4	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403534	BETR12-045	315	96	320	97.5	Rock Chip	2.67	46	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403535	BETR12-045	320	97.5	325	99.1	Rock Chip	2.55	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403536	BETR12-045	325	99.1	330	100.6	Rock Chip	2.46	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403537	BETR12-045	330	100.6	335	102.1	Rock Chip	1.93	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403538	BETR12-045	335	102.1	340	103.6	Rock Chip	1.75	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403539	BETR12-045	340	103.6	345	105.2	Rock Chip	2.33	25	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403540	BETR12-045	CDN-BL-10	0		0	Rock Pulp	0.12	4	0.2	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403541	BETR12-045	CDN-GS-5H	0		0	Rock Pulp	0.12	3690	50.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403542	BETR12-045	345	105.2	350	106.7	Rock Chip	2.48	4	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403543	BETR12-045	350	106.7	355	108.2	Rock Chip	2.92	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403544	BETR12-045	355	108.2	360	109.7	Rock Chip	2.77	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403545	BETR12-045	360	109.7	365	111.3	Rock Chip	2.25	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403546	BETR12-045	365	111.3	370	112.8	Rock Chip	1.6	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403547	BETR12-045	370	112.8	375	114.3	Rock Chip	1.86	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403548	BETR12-045	375	114.3	380	115.8	Rock Chip	2	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403549	BETR12-045	380	115.8	385	117.3	Rock Chip	2.48	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403550	BETR12-045	385	117.3	390	118.9	Rock Chip	1.42	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403551	BETR12-045	390	118.9	395	120.4	Rock Chip	1.69	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403552	BETR12-045	395	120.4	400	121.9	Rock Chip	1.24	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1403553	BETR12-045	400	121.9	405	123.4	Rock Chip	1.51	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403554	BETR12-045	405	123.4	410	125	Rock Chip	2.56	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403555	BETR12-045	410	125	415	126.5	Rock Chip	1.58	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403556	BETR12-045	415	126.5	420	128	Rock Chip	2.68	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403557	BETR12-045	420	128	425	129.5	Rock Chip	3.09	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403558	BETR12-045	425	129.5	430	131.1	Rock Chip	2.93	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403559	BETR12-045	430	131.1	435	132.6	Rock Chip	2.45	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403560	BETR12-045	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403561	BETR12-045	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1416	0.2	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403562	BETR12-045	435	132.6	440	134.1	Rock Chip	2.55	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403563	BETR12-045	440	134.1	445	135.6	Rock Chip	2.61	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403564	BETR12-045	445	135.6	450	137.2	Rock Chip	3.16	2	0.1	Acme	12-Aug-12	WHI12000403	23-Jul-12
1403365	BETR12-046	12	3.7	15	4.6	Rock Chip	1.86	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403366	BETR12-046	15	4.6	20	6.1	Rock Chip	1.59	8	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403367	BETR12-046	20	6.1	25	7.6	Rock Chip	2.95	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403368	BETR12-046	25	7.6	30	9.1	Rock Chip	2.56	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403369	BETR12-046	30	9.1	35	10.7	Rock Chip	2.66	13	0.2	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403370	BETR12-046	35	10.7	40	12.2	Rock Chip	3.4	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403371	BETR12-046	40	12.2	45	13.7	Rock Chip	2.99	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403372	BETR12-046	45	13.7	50	15.2	Rock Chip	2.99	15	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403373	BETR12-046	50	15.2	55	16.8	Rock Chip	2.88	60	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403374	BETR12-046	55	16.8	60	18.3	Rock Chip	1.54	5	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403375	BETR12-046	Duplicate	0		0	Rock Chip	1.29	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403376	BETR12-046	60	18.3	65	19.8	Rock Chip	2.8	7	0.2	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403377	BETR12-046	65	19.8	70	21.3	Rock Chip	3.27	16	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403378	BETR12-046	70	21.3	75	22.9	Rock Chip	2.86	116	0.4	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403379	BETR12-046	75	22.9	80	24.4	Rock Chip	3.12	2	0.2	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403380	BETR12-046	CDN-BL-10	0		0	Rock Pulp	0.11	2	0.3	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403381	BETR12-046	CDN-GS-5H	0		0	Rock Pulp	0.13	3770	52.2	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403382	BETR12-046	80	24.4	85	25.9	Rock Chip	2.83	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403383	BETR12-046	85	25.9	90	27.4	Rock Chip	2.98	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403384	BETR12-046	90	27.4	95	29	Rock Chip	3.27	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403385	BETR12-046	95	29	100	30.5	Rock Chip	2.97	21	0.4	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403386	BETR12-046	100	30.5	105	32	Rock Chip	3.36	3	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403387	BETR12-046	105	32	110	33.5	Rock Chip	3.34	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403388	BETR12-046	110	33.5	115	35.1	Rock Chip	3.62	13	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403389	BETR12-046	115	35.1	120	36.6	Rock Chip	2.83	3	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403390	BETR12-046	120	36.6	125	38.1	Rock Chip	2.22	5	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403391	BETR12-046	125	38.1	130	39.6	Rock Chip	1.54	4	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403392	BETR12-046	130	39.6	135	41.1	Rock Chip	1.62	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403393	BETR12-046	135	41.1	140	42.7	Rock Chip	1.96	3	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403394	BETR12-046	140	42.7	145	44.2	Rock Chip	2.17	6	0.2	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403395	BETR12-046	145	44.2	150	45.7	Rock Chip	2.09	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403396	BETR12-046	150	45.7	155	47.2	Rock Chip	1.89	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403397	BETR12-046	155	47.2	160	48.8	Rock Chip	2.19	4	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403398	BETR12-046	160	48.8	165	50.3	Rock Chip	1.75	3	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1403399	BETR12-046	165	50.3	170	51.8	Rock Chip	2.41	17	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403400	BETR12-046	CDN-BL-10	0		0	Rock Pulp	0.12	5	0.3	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403401	BETR12-046	CDN-GS-5H	0		0	Rock Pulp	0.12	3966	52.6	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403402	BETR12-046	170	51.8	175	53.3	Rock Chip	1.68	4	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403403	BETR12-046	Duplicate	0		0	Rock Chip	1.56	3	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403404	BETR12-046	180	54.9	185	56.4	Rock Chip	2.31	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403405	BETR12-046	185	56.4	190	57.9	Rock Chip	2.36	27	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403406	BETR12-046	190	57.9	195	59.4	Rock Chip	2.4	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403407	BETR12-046	195	59.4	200	61	Rock Chip	1.63	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403408	BETR12-046	200	61	205	62.5	Rock Chip	1.89	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403409	BETR12-046	205	62.5	210	64	Rock Chip	2.29	3	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403410	BETR12-046	210	64	215	65.5	Rock Chip	2.37	231	0.5	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403411	BETR12-046	215	65.5	220	67.1	Rock Chip	1.92	8	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403412	BETR12-046	220	67.1	225	68.6	Rock Chip	1.58	102	0.3	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403413	BETR12-046	225	68.6	230	70.1	Rock Chip	1.59	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403414	BETR12-046	230	70.1	235	71.6	Rock Chip	1.89	8	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403415	BETR12-046	235	71.6	240	73.2	Rock Chip	1.69	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403416	BETR12-046	240	73.2	245	74.7	Rock Chip	1.31	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403417	BETR12-046	245	74.7	250	76.2	Rock Chip	2.04	144	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403418	BETR12-046	250	76.2	255	77.7	Rock Chip	2.1	4	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403419	BETR12-046	255	77.7	260	79.2	Rock Chip	1.85	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403420	BETR12-046	CDN-BL-10	0		0	Rock Pulp	0.12	3	0.2	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403421	BETR12-046	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1451	0.2	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403422	BETR12-046	260	79.2	265	80.8	Rock Chip	1.58	8	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403423	BETR12-046	265	80.8	270	82.3	Rock Chip	1.87	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403424	BETR12-046	270	82.3	275	83.8	Rock Chip	0.81	3	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403425	BETR12-046	Duplicate	0		0	Rock Chip	0.61	4	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403426	BETR12-046	275	83.8	280	85.3	Rock Chip	1.86	150	0.5	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403427	BETR12-046	280	85.3	285	86.9	Rock Chip	1.38	412	0.9	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403428	BETR12-046	285	86.9	290	88.4	Rock Chip	1.25	9	0.3	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403429	BETR12-046	290	88.4	295	89.9	Rock Chip	1.65	10	0.2	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403430	BETR12-046	295	89.9	300	91.4	Rock Chip	1.72	2	0.3	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403431	BETR12-046	300	91.4	305	93	Rock Chip	1.71	31	0.6	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403432	BETR12-046	305	93	310	94.5	Rock Chip	1.79	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403433	BETR12-046	310	94.5	315	96	Rock Chip	1.99	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403434	BETR12-046	315	96	320	97.5	Rock Chip	1.77	7	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403435	BETR12-046	320	97.5	325	99.1	Rock Chip	1.98	3	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403436	BETR12-046	325	99.1	330	100.6	Rock Chip	2.44	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403437	BETR12-046	330	100.6	335	102.1	Rock Chip	2.04	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403438	BETR12-046	335	102.1	340	103.6	Rock Chip	1.64	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403439	BETR12-046	340	103.6	345	105.2	Rock Chip	2.12	8	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403440	BETR12-046	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403441	BETR12-046	CDN-GS-5H	0		0	Rock Pulp	0.12	3848	55.8	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403442	BETR12-046	345	105.2	350	106.7	Rock Chip	3.03	5	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403443	BETR12-046	350	106.7	355	108.2	Rock Chip	2.37	3	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403444	BETR12-046	355	108.2	360	109.7	Rock Chip	1	29	0.2	Acme	17-Aug-12	WHI12000369	18-Jul-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1403445	BETR12-046	360	109.7	365	111.3	Rock Chip	2.23	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403446	BETR12-046	365	111.3	370	112.8	Rock Chip	2.91	4	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403447	BETR12-046	370	112.8	375	114.3	Rock Chip	1.69	6	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403448	BETR12-046	375	114.3	380	115.8	Rock Chip	2.67	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403449	BETR12-046	380	115.8	385	117.3	Rock Chip	2.37	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403450	BETR12-046	385	117.3	390	118.9	Rock Chip	2.44	4	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403451	BETR12-046	390	118.9	395	120.4	Rock Chip	2.45	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403452	BETR12-046	395	120.4	400	121.9	Rock Chip	1.2	436	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403453	BETR12-046	400	121.9	405	123.4	Rock Chip	1.94	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403454	BETR12-046	405	123.4	410	125	Rock Chip	1.59	266	0.3	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403455	BETR12-046	410	125	415	126.5	Rock Chip	2.03	8	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403456	BETR12-046	415	126.5	420	128	Rock Chip	1.55	4	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403457	BETR12-046	420	128	425	129.5	Rock Chip	2.03	3	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403458	BETR12-046	425	129.5	430	131.1	Rock Chip	1.63	2	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403459	BETR12-046	430	131.1	435	132.6	Rock Chip	2.79	56	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403460	BETR12-046	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403461	BETR12-046	CDN-GS-5H	0		0	Rock Pulp	0.12	3931	52.9	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403462	BETR12-046	435	132.6	440	134.1	Rock Chip	2.43	238	0.2	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403463	BETR12-046	440	134.1	445	135.6	Rock Chip	2.45	4	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403464	BETR12-046	445	135.6	450	137.2	Rock Chip	2.51	7	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403465	BETR12-046	450	137.2	455	138.7	Rock Chip	2.53	100	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403466	BETR12-046	455	138.7	460	140.2	Rock Chip	2.01	3	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403467	BETR12-046	460	140.2	465	141.7	Rock Chip	2.65	42	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403468	BETR12-046	465	141.7	470	143.3	Rock Chip	2.7	85	0.1	Acme	17-Aug-12	WHI12000369	18-Jul-12
1403565	BETR12-047	17	5.2	20	6.1	Rock Chip	2.25	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403566	BETR12-047	20	6.1	25	7.6	Rock Chip	3.04	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403567	BETR12-047	25	7.6	30	9.1	Rock Chip	3.35	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403568	BETR12-047	30	9.1	35	10.7	Rock Chip	2.5	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403569	BETR12-047	35	10.7	40	12.2	Rock Chip	3.15	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403570	BETR12-047	40	12.2	45	13.7	Rock Chip	3.59	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403571	BETR12-047	45	13.7	50	15.2	Rock Chip	2.89	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403572	BETR12-047	50	15.2	55	16.8	Rock Chip	3.39	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403573	BETR12-047	55	16.8	60	18.3	Rock Chip	3.14	402	2.8	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403574	BETR12-047	60	18.3	65	19.8	Rock Chip	1.48	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403575	BETR12-047	Duplicate	0		0	Rock Chip	1.5	4	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403576	BETR12-047	65	19.8	70	21.3	Rock Chip	2.87	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403577	BETR12-047	70	21.3	75	22.9	Rock Chip	3.41	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403578	BETR12-047	75	22.9	80	24.4	Rock Chip	2.64	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403579	BETR12-047	80	24.4	85	25.9	Rock Chip	3.57	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403580	BETR12-047	CDN-BL-10	0		0	Rock Pulp	0.14	2	0.2	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403581	BETR12-047	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1518	0.2	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403582	BETR12-047	85	25.9	90	27.4	Rock Chip	3.38	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403583	BETR12-047	90	27.4	95	29	Rock Chip	3.2	3	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403584	BETR12-047	95	29	100	30.5	Rock Chip	3.03	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403585	BETR12-047	100	30.5	105	32	Rock Chip	3.31	7	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403586	BETR12-047	105	32	110	33.5	Rock Chip	3.31	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1403587	BETR12-047	110	33.5	115	35.1	Rock Chip	2.45	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403588	BETR12-047	115	35.1	120	36.6	Rock Chip	1.9	6	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403589	BETR12-047	120	36.6	125	38.1	Rock Chip	2.78	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403590	BETR12-047	125	38.1	130	39.6	Rock Chip	1.98	7	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403591	BETR12-047	130	39.6	135	41.1	Rock Chip	2.32	3	0.6	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403592	BETR12-047	135	41.1	140	42.7	Rock Chip	1.9	3	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403593	BETR12-047	140	42.7	145	44.2	Rock Chip		5	0.5	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403594	BETR12-047	145	44.2	150	45.7	Rock Chip	1.92	2	0.2	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403595	BETR12-047	150	45.7	155	47.2	Rock Chip	1.26	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403596	BETR12-047	155	47.2	160	48.8	Rock Chip	1.61	8	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403597	BETR12-047	160	48.8	165	50.3	Rock Chip	1.19	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403598	BETR12-047	165	50.3	170	51.8	Rock Chip	1.7	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403599	BETR12-047	170	51.8	175	53.3	Rock Chip	2.2	3	0.3	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403600	BETR12-047	CDN-BL-10	0		0	Rock Pulp	0.12	4	0.2	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403601	BETR12-047	CDN-GS-5H	0		0	Rock Pulp	0.12	3898	52.2	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403602	BETR12-047	175	53.3	180	54.9	Rock Chip	2.48	3	0.2	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403603	BETR12-047	180	54.9	185	56.4	Rock Chip	1.21	3	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403604	BETR12-047	185	56.4	190	57.9	Rock Chip	0.72	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403605	BETR12-047	190	57.9	195	59.4	Rock Chip	2.05	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403606	BETR12-047	150	45.7	155	47.2	Rock Chip	0.78	4	0.2	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403607	BETR12-047	200	61	205	62.5	Rock Chip	1.06	3	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403608	BETR12-047	205	62.5	210	64	Rock Chip	0.48	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403609	BETR12-047	210	64	215	65.5	Rock Chip	1.38	3	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403610	BETR12-047	215	65.5	220	67.1	Rock Chip	1.37	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403611	BETR12-047	220	67.1	225	68.6	Rock Chip	1.31	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403612	BETR12-047	225	68.6	230	70.1	Rock Chip	2.05	7	0.8	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403613	BETR12-047	230	70.1	235	71.6	Rock Chip	1.79	5	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403614	BETR12-047	235	71.6	240	73.2	Rock Chip	1.94	13	0.3	Acme	20-Aug-12	WHI12000499	31-Jul-12
1403615	BETR12-047	240	73.2	245	74.7	Rock Chip	1.73	3	0.1	Acme	20-Aug-12	WHI12000499	31-Jul-12
1403616	BETR12-047	245	74.7	250	76.2	Rock Chip	2.09	4	0.1	Acme	20-Aug-12	WHI12000499	31-Jul-12
1403617	BETR12-047	250	76.2	255	77.7	Rock Chip	1.79	16	0.1	Acme	20-Aug-12	WHI12000499	31-Jul-12
1403618	BETR12-047	255	77.7	260	79.2	Rock Chip	2.96	4	0.1	Acme	20-Aug-12	WHI12000499	31-Jul-12
1403619	BETR12-047	260	79.2	265	80.8	Rock Chip	1.74	2	0.1	Acme	20-Aug-12	WHI12000499	31-Jul-12
1403620	BETR12-047	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	20-Aug-12	WHI12000499	31-Jul-12
1403621	BETR12-047	CDN-GS-1P5F	0		0	Rock Pulp	0.14	1545	0.2	Acme	20-Aug-12	WHI12000499	31-Jul-12
1403622	BETR12-047	265	80.8	270	82.3	Rock Chip	2.33	3	0.1	Acme	20-Aug-12	WHI12000499	31-Jul-12
1403623	BETR12-047	270	82.3	275	83.8	Rock Chip	2.32	3	0.1	Acme	20-Aug-12	WHI12000499	31-Jul-12
1403624	BETR12-048	17	5.2	20	6.1	Rock Chip	0.45	3	0.4	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403625	BETR12-048	Duplicate	0		0	Rock Chip	0.46	2	0.4	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403626	BETR12-048	20	6.1	25	7.6	Rock Chip	2.08	2	0.2	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403627	BETR12-048	25	7.6	30	9.1	Rock Chip	1.59	5	7.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403628	BETR12-048	30	9.1	35	10.7	Rock Chip	2.25	2	0.3	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403629	BETR12-048	35	10.7	40	12.2	Rock Chip	2.04	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403630	BETR12-048	40	12.2	45	13.7	Rock Chip	2.67	2	0.2	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403631	BETR12-048	45	13.7	50	15.2	Rock Chip	2.45	2	0.3	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403632	BETR12-048	50	15.2	55	16.8	Rock Chip	2.37	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1403633	BETR12-048	55	16.8	60	18.3	Rock Chip	2.09	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403634	BETR12-048	60	18.3	65	19.8	Rock Chip	1.73	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403635	BETR12-048	65	19.8	70	21.3	Rock Chip	2.87	4	1.3	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403636	BETR12-048	70	21.3	75	22.9	Rock Chip	2.06	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403637	BETR12-048	75	22.9	80	24.4	Rock Chip	2.83	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403638	BETR12-048	80	24.4	85	25.9	Rock Chip	2.11	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403639	BETR12-048	85	25.9	90	27.4	Rock Chip	2.27	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403640	BETR12-048	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403641	BETR12-048	CDN-GS-5H	0		0	Rock Pulp	0.12	4345	50.4	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403642	BETR12-048	90	27.4	95	29	Rock Chip	1.69	5	0.2	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403643	BETR12-048	95	29	100	30.5	Rock Chip	2.8	2	0.2	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403644	BETR12-048	100	30.5	105	32	Rock Chip	2.89	2	0.6	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403645	BETR12-048	105	32	110	33.5	Rock Chip	1.61	2	0.8	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403646	BETR12-048	110	33.5	115	35.1	Rock Chip	2.24	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403647	BETR12-048	115	35.1	120	36.6	Rock Chip	2.82	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403648	BETR12-048	120	36.6	125	38.1	Rock Chip	2.13	2	2.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403649	BETR12-048	125	38.1	130	39.6	Rock Chip	3.43	2	1.4	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403650	BETR12-048	130	39.6	135	41.1	Rock Chip	2.73	30	6.7	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403651	BETR12-048	135	41.1	140	42.7	Rock Chip	1.84	80	18	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403652	BETR12-048	140	42.7	145	44.2	Rock Chip	2.87	9	3.5	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403653	BETR12-048	145	44.2	150	45.7	Rock Chip	2.71	44	0.9	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403654	BETR12-048	150	45.7	155	47.2	Rock Chip	2.86	2	1.7	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403655	BETR12-048	155	47.2	160	48.8	Rock Chip	2.93	53	0.7	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403656	BETR12-048	160	48.8	165	50.3	Rock Chip	1.73	260	13.3	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403657	BETR12-048	165	50.3	170	51.8	Rock Chip	2.26	618	36.8	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403658	BETR12-048	170	51.8	175	53.3	Rock Chip	1.86	36	3	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403659	BETR12-048	175	53.3	180	54.9	Rock Chip	1.7	6	1.3	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403660	BETR12-048	CDN-BL-10	0		0	Rock Pulp	0.11	2	0.3	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403661	BETR12-048	CDN-GS-1P5F	0		0	Rock Pulp	0.11	1500	0.3	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403662	BETR12-048	180	54.9	185	56.4	Rock Chip	2.88	7	0.3	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403663	BETR12-048	185	56.4	190	57.9	Rock Chip	1.45	2	0.9	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403664	BETR12-048	190	57.9	195	59.4	Rock Chip	2.27	11	4.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403665	BETR12-048	195	59.4	200	61	Rock Chip	2.04	9	5.3	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403666	BETR12-048	200	61	205	62.5	Rock Chip	2.36	791	93	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403667	BETR12-048	205	62.5	210	64	Rock Chip	3.6	6	1.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403668	BETR12-048	210	64	215	65.5	Rock Chip	2.31	6	1.9	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403669	BETR12-048	215	65.5	220	67.1	Rock Chip	2.66	2	0.3	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403670	BETR12-048	220	67.1	225	68.6	Rock Chip	2.48	2	0.2	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403671	BETR12-048	225	68.6	230	70.1	Rock Chip	2.42	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403672	BETR12-048	230	70.1	235	71.6	Rock Chip	1.53	4	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403673	BETR12-048	235	71.6	240	73.2	Rock Chip	1.4	24	5.8	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403674	BETR12-048	240	73.2	245	74.7	Rock Chip	0.81	2	0.3	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403675	BETR12-048	Duplicate	0		0	Rock Chip	0.6	3	0.2	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403676	BETR12-048	245	74.7	250	76.2	Rock Chip	2.21	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403677	BETR12-048	250	76.2	255	77.7	Rock Chip	1.78	3	0.2	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403678	BETR12-048	255	77.7	260	79.2	Rock Chip	2.21	4	1.9	Acme	20-Aug-12	WHI12000457	26-Jul-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1403679	BETR12-048	260	79.2	265	80.8	Rock Chip	1.98	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403680	BETR12-048	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403681	BETR12-048	CDN-GS-5H	0		0	Rock Pulp	0.12	4086	49.5	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403682	BETR12-048	265	80.8	270	82.3	Rock Chip	1.99	2	0.3	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403683	BETR12-048	270	82.3	275	83.8	Rock Chip	1.75	4	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403684	BETR12-048	275	83.8	280	85.3	Rock Chip	1.79	2	0.3	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403685	BETR12-048	280	85.3	285	86.9	Rock Chip	1.7	2	0.3	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403686	BETR12-048	285	86.9	290	88.4	Rock Chip	1.58	2	0.3	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403687	BETR12-048	290	88.4	295	89.9	Rock Chip	1.6	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403688	BETR12-048	295	89.9	300	91.4	Rock Chip	2.01	28	8	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403689	BETR12-048	300	91.4	305	93	Rock Chip	1.81	3	1.5	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403690	BETR12-048	305	93	310	94.5	Rock Chip	1.98	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403691	BETR12-048	310	94.5	315	96	Rock Chip	2.28	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403692	BETR12-048	315	96	320	97.5	Rock Chip	1.83	8	0.2	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403693	BETR12-048	320	97.5	325	99.1	Rock Chip	2.58	4	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403694	BETR12-048	325	99.1	330	100.6	Rock Chip	2.22	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403695	BETR12-048	330	100.6	335	102.1	Rock Chip	2.65	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403696	BETR12-048	335	102.1	340	103.6	Rock Chip	2.69	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403697	BETR12-048	340	103.6	345	105.2	Rock Chip	2.15	2	0.2	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403698	BETR12-048	345	105.2	350	106.7	Rock Chip	2.77	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403699	BETR12-048	350	106.7	355	108.2	Rock Chip	2.29	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403700	BETR12-048	CDN-BL-10	0		0	Rock Pulp	0.12	4	0.3	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403701	BETR12-048	CDN-GS-5H	0		0	Rock Pulp	0.12	3879	52.5	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403702	BETR12-048	355	108.2	360	109.7	Rock Chip	2.24	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403703	BETR12-048	360	109.7	365	111.3	Rock Chip	2.54	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403704	BETR12-048	365	111.3	370	112.8	Rock Chip	1.55	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403705	BETR12-048	370	112.8	375	114.3	Rock Chip	2.57	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403706	BETR12-048	375	114.3	380	115.8	Rock Chip	1.4	6	0.3	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403707	BETR12-048	380	115.8	385	117.3	Rock Chip	2.55	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403708	BETR12-048	385	117.3	390	118.9	Rock Chip	2.57	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403709	BETR12-048	390	118.9	395	120.4	Rock Chip	2.65	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403710	BETR12-048	395	120.4	400	121.9	Rock Chip	1.82	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403711	BETR12-048	400	121.9	405	123.4	Rock Chip	2.43	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403712	BETR12-048	405	123.4	410	125	Rock Chip	1.64	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403713	BETR12-048	410	125	415	126.5	Rock Chip	1.79	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403714	BETR12-048	415	126.5	420	128	Rock Chip	1.83	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403715	BETR12-048	420	128	425	129.5	Rock Chip	1.69	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403716	BETR12-048	425	129.5	430	131.1	Rock Chip	1.26	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403717	BETR12-048	430	131.1	435	132.6	Rock Chip	1.29	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403718	BETR12-048	435	132.6	440	134.1	Rock Chip	1.62	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403719	BETR12-048	440	134.1	445	135.6	Rock Chip	1.58	2	0.1	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403720	BETR12-048	CDN-BL-10	0		0	Rock Pulp	0.11	6	0.3	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403721	BETR12-048	CDN-GS-1P5F	0		0	Rock Pulp	0.11	1455	0.2	Acme	20-Aug-12	WHI12000457	26-Jul-12
1403722	BETR12-049	7	2.1	12	3.7	Rock Chip	2.5	3	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403723	BETR12-049	12	3.7	17	5.2	Rock Chip	2.85	11	0.2	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403724	BETR12-049	17	5.2	22	6.7	Rock Chip	0.58	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1403725	BETR12-049	Duplicate	0		0	Rock Chip	0.71	3	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403726	BETR12-049	22	6.7	25	7.6	Rock Chip	1.53	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403727	BETR12-049	25	7.6	30	9.1	Rock Chip	1.58	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403728	BETR12-049	30	9.1	35	10.7	Rock Chip	1.09	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403729	BETR12-049	35	10.7	40	12.2	Rock Chip	0.9	12	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403730	BETR12-049	40	12.2	45	13.7	Rock Chip	2.92	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403731	BETR12-049	45	13.7	50	15.2	Rock Chip	1.52	5	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403732	BETR12-049	50	15.2	55	16.8	Rock Chip	2.16	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403733	BETR12-049	55	16.8	60	18.3	Rock Chip	2.3	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403734	BETR12-049	60	18.3	65	19.8	Rock Chip	2.21	5	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403735	BETR12-049	65	19.8	70	21.3	Rock Chip	2.27	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403736	BETR12-049	70	21.3	75	22.9	Rock Chip	2.65	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403737	BETR12-049	75	22.9	80	24.4	Rock Chip	2.5	3	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403738	BETR12-049	80	24.4	85	25.9	Rock Chip	2.37	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403739	BETR12-049	85	25.9	90	27.4	Rock Chip	2.43	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403740	BETR12-049	CDN-BL-10	0		0	Rock Pulp	0.13	4	0.2	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403741	BETR12-049	CDN-GS-5H	0		0	Rock Pulp	0.14	4043	53.5	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403742	BETR12-049	90	27.4	95	29	Rock Chip	2.33	2	0.2	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403743	BETR12-049	95	29	100	30.5	Rock Chip	2.5	3	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403744	BETR12-049	100	30.5	105	32	Rock Chip	2.18	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403745	BETR12-049	105	32	110	33.5	Rock Chip	2.73	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403746	BETR12-049	110	33.5	115	35.1	Rock Chip	2.64	3	0.2	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403747	BETR12-049	115	35.1	120	36.6	Rock Chip	2.44	2	0.2	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403748	BETR12-049	120	36.6	125	38.1	Rock Chip	2.49	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403749	BETR12-049	125	38.1	130	39.6	Rock Chip	2.72	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403750	BETR12-049	130	39.6	135	41.1	Rock Chip	2.24	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403751	BETR12-049	135	41.1	140	42.7	Rock Chip	1.41	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403752	BETR12-049	140	42.7	145	44.2	Rock Chip	2.28	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403753	BETR12-049	145	44.2	150	45.7	Rock Chip	1.82	3	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403754	BETR12-049	150	45.7	155	47.2	Rock Chip	0.87	3	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403755	BETR12-049	155	47.2	160	48.8	Rock Chip	2.16	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403756	BETR12-049	160	48.8	165	50.3	Rock Chip	2.34	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403757	BETR12-049	165	50.3	170	51.8	Rock Chip	2.2	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403758	BETR12-049	170	51.8	175	53.3	Rock Chip	2.73	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403759	BETR12-049	175	53.3	180	54.9	Rock Chip	3.08	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403760	BETR12-049	CDN-BL-10	0		0	Rock Pulp	0.15	2	0.3	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403761	BETR12-049	CDN-GS-1P5F	0		0	Rock Pulp	0.15	1447	0.3	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403762	BETR12-049	180	54.9	185	56.4	Rock Chip	2.55	3	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403763	BETR12-049	185	56.4	190	57.9	Rock Chip	2.5	18	0.4	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403764	BETR12-049	190	57.9	195	59.4	Rock Chip	2.22	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403765	BETR12-049	195	59.4	200	61	Rock Chip	2.48	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403766	BETR12-049	200	61	205	62.5	Rock Chip	2.34	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403767	BETR12-049	205	62.5	210	64	Rock Chip	1.39	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403768	BETR12-049	210	64	215	65.5	Rock Chip	2.46	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403769	BETR12-049	215	65.5	220	67.1	Rock Chip	2.43	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403770	BETR12-049	220	67.1	225	68.6	Rock Chip	2.83	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1403771	BETR12-049	225	68.6	230	70.1	Rock Chip	2.19	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403772	BETR12-049	230	70.1	235	71.6	Rock Chip	2.67	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403773	BETR12-049	235	71.6	240	73.2	Rock Chip	2.62	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403774	BETR12-049	240	73.2	245	74.7	Rock Chip	0.96	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403775	BETR12-049	Duplicate	0		0	Rock Chip	1.81	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403776	BETR12-049	245	74.7	250	76.2	Rock Chip	2.87	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403777	BETR12-049	250	76.2	255	77.7	Rock Chip	2.73	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403778	BETR12-049	255	77.7	260	79.2	Rock Chip	2.94	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403779	BETR12-049	260	79.2	265	80.8	Rock Chip	2.66	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403780	BETR12-049	CDN-BL-10	0		0	Rock Pulp	0.15	2	0.3	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403781	BETR12-049	CDN-GS-5H	0		0	Rock Pulp	0.15	3912	49.6	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403782	BETR12-049	265	80.8	270	82.3	Rock Chip	2.08	3	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403783	BETR12-049	270	82.3	275	83.8	Rock Chip	1.98	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403784	BETR12-049	275	83.8	280	85.3	Rock Chip	2.73	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403785	BETR12-049	280	85.3	285	86.9	Rock Chip	2.37	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403786	BETR12-049	285	86.9	290	88.4	Rock Chip	3.14	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403787	BETR12-049	290	88.4	295	89.9	Rock Chip	3.19	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403788	BETR12-049	295	89.9	300	91.4	Rock Chip	2.91	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403789	BETR12-049	300	91.4	305	93	Rock Chip	2.84	2	0.2	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403790	BETR12-049	305	93	310	94.5	Rock Chip	2.99	3	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403791	BETR12-049	310	94.5	315	96	Rock Chip	2.77	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403792	BETR12-049	315	96	320	97.5	Rock Chip	2.91	2	0.2	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403793	BETR12-049	320	97.5	325	99.1	Rock Chip	3.12	2	5	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403794	BETR12-049	325	99.1	330	100.6	Rock Chip	2.63	102	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403795	BETR12-049	330	100.6	335	102.1	Rock Chip	2.35	19	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403796	BETR12-049	335	102.1	340	103.6	Rock Chip	1.2	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403797	BETR12-049	340	103.6	345	105.2	Rock Chip	1.78	6	2.4	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403798	BETR12-049	345	105.2	350	106.7	Rock Chip	2.7	33	7.3	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403799	BETR12-049	350	106.7	355	108.2	Rock Chip	1.92	6	0.2	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403800	BETR12-049	CDN-BL-10	0		0	Rock Pulp	0.15	2	0.3	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403801	BETR12-049	CDN-GS-5H	0		0	Rock Pulp	0.15	4292	52.6	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403802	BETR12-049	355	108.2	360	109.7	Rock Chip	1.76	17	0.2	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403803	BETR12-049	360	109.7	365	111.3	Rock Chip	1.47	3	0.2	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403804	BETR12-049	365	111.3	370	112.8	Rock Chip	1.48	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403805	BETR12-049	370	112.8	375	114.3	Rock Chip	2.26	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403806	BETR12-049	375	114.3	380	115.8	Rock Chip	1.76	3	0.2	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403807	BETR12-049	380	115.8	385	117.3	Rock Chip	2.08	3	0.2	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403808	BETR12-049	385	117.3	390	118.9	Rock Chip	1.79	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403809	BETR12-049	390	118.9	395	120.4	Rock Chip	1.33	2	0.3	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403810	BETR12-049	395	120.4	400	121.9	Rock Chip	2.12	2	0.2	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403811	BETR12-049	400	121.9	405	123.4	Rock Chip	1.02	3	0.3	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403812	BETR12-049	405	123.4	410	125	Rock Chip	2.19	24	0.5	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403813	BETR12-049	410	125	415	126.5	Rock Chip	1.91	48	0.3	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403814	BETR12-049	415	126.5	420	128	Rock Chip	1.42	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403815	BETR12-049	420	128	425	129.5	Rock Chip	1.27	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403816	BETR12-049	425	129.5	430	131.1	Rock Chip	1.82	2	0.3	Acme	20-Aug-12	WHI12000558	06-Aug-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1403817	BETR12-049	430	131.1	435	132.6	Rock Chip	1.88	41	0.9	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403818	BETR12-049	435	132.6	440	134.1	Rock Chip	1.54	5	0.4	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403819	BETR12-049	440	134.1	445	135.6	Rock Chip	1.26	5	1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403820	BETR12-049	CDN-BL-10	0		0	Rock Pulp	0.15	4	0.2	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403821	BETR12-049	CDN-GS-1P5F	0		0	Rock Pulp	0.15	1481	0.2	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403822	BETR12-049	445	135.6	450	137.2	Rock Chip	2.16	4	0.4	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403823	BETR12-049	450	137.2	455	138.7	Rock Chip	1.31	2	0.4	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403824	BETR12-049	455	138.7	460	140.2	Rock Chip	0.9	8	4	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403825	BETR12-049	Duplicate	0		0	Rock Chip	1.06	10	3.7	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403826	BETR12-049	460	140.2	465	141.7	Rock Chip	2.32	3	0.6	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403827	BETR12-049	465	141.7	470	143.3	Rock Chip	2.37	4	0.9	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403828	BETR12-049	470	143.3	475	144.8	Rock Chip	2.05	2	0.2	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403829	BETR12-049	475	144.8	480	146.3	Rock Chip	1.19	28	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403830	BETR12-049	480	146.3	485	147.8	Rock Chip	1.7	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403831	BETR12-049	485	147.8	490	149.4	Rock Chip	1.27	2	0.2	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403832	BETR12-049	490	149.4	495	150.9	Rock Chip	1.41	5	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403833	BETR12-049	495	150.9	500	152.4	Rock Chip	1.38	2	0.1	Acme	20-Aug-12	WHI12000558	06-Aug-12
1403834	BETR12-050	12	3.7	15	4.6	Rock Chip	1.35	2	0.1	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403835	BETR12-050	15	4.6	20	6.1	Rock Chip	1.82	2	0.1	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403836	BETR12-050	20	6.1	25	7.6	Rock Chip	2.26	2	0.1	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403837	BETR12-050	25	7.6	30	9.1	Rock Chip	1.59	2	0.1	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403838	BETR12-050	30	9.1	35	10.7	Rock Chip	1.56	3	0.1	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403839	BETR12-050	35	10.7	40	12.2	Rock Chip	1.18	2	0.1	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403840	BETR12-050	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.4	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403841	BETR12-050	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1549	0.2	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403842	BETR12-050	40	12.2	45	13.7	Rock Chip	1.53	90	11.1	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403843	BETR12-050	45	13.7	50	15.2	Rock Chip	1.32	10	0.6	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403844	BETR12-050	50	15.2	55	16.8	Rock Chip	1.55	2	0.1	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403845	BETR12-050	55	16.8	60	18.3	Rock Chip	1.27	5	0.2	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403846	BETR12-050	60	18.3	65	19.8	Rock Chip	1.61	62	5.7	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403847	BETR12-050	65	19.8	70	21.3	Rock Chip	1.71	35	5.6	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403848	BETR12-050	70	21.3	75	22.9	Rock Chip	1.39	2	0.2	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403849	BETR12-050	75	22.9	80	24.4	Rock Chip	1.8	2	0.1	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403850	BETR12-050	80	24.4	85	25.9	Rock Chip	0.98	2	0.1	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403851	BETR12-050	85	25.9	90	27.4	Rock Chip	0.99	2	0.1	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403852	BETR12-050	90	27.4	95	29	Rock Chip	1.44	13	4.4	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403853	BETR12-050	95	29	100	30.5	Rock Chip	1.56	2	0.1	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403854	BETR12-050	100	30.5	105	32	Rock Chip	1.26	11	1	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403855	BETR12-050	105	32	110	33.5	Rock Chip	1.13	2	0.1	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403856	BETR12-050	110	33.5	115	35.1	Rock Chip	1.29	599	51.7	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403857	BETR12-050	115	35.1	120	36.6	Rock Chip	1.23	35	1.1	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403858	BETR12-050	120	36.6	125	38.1	Rock Chip	1.51	9	0.4	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403859	BETR12-050	125	38.1	130	39.6	Rock Chip	1.7	8	0.2	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403860	BETR12-050	CDN-BL-10	0		0	Rock Pulp	0.12	3	0.2	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403861	BETR12-050	CDN-GS-5H	0		0	Rock Pulp	0.12	4265	57	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403862	BETR12-050	130	39.6	135	41.1	Rock Chip	1.45	18	2.2	Acme	20-Aug-12	WHI12000559	06-Aug-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1403863	BETR12-050	135	41.1	140	42.7	Rock Chip	1.41	5	0.1	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403864	BETR12-050	140	42.7	145	44.2	Rock Chip	1.58	3	0.2	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403865	BETR12-050	145	44.2	150	45.7	Rock Chip	1.21	3	0.1	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403866	BETR12-050	150	45.7	155	47.2	Rock Chip	1.34	86	1.1	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403867	BETR12-050	155	47.2	160	48.8	Rock Chip	1.38	12	0.2	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403868	BETR12-050	160	48.8	165	50.3	Rock Chip	1.47	8	0.2	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403869	BETR12-050	165	50.3	170	51.8	Rock Chip	0.94	2	0.1	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403870	BETR12-050	170	51.8	175	53.3	Rock Chip	1.26	5	2.4	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403871	BETR12-050	175	53.3	180	54.9	Rock Chip	1.32	4	0.2	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403872	BETR12-050	180	54.9	185	56.4	Rock Chip	1.19	26	1.4	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403873	BETR12-050	185	56.4	190	57.9	Rock Chip	1.53	30	0.8	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403874	BETR12-050	190	57.9	195	59.4	Rock Chip	0.55	3	0.2	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403875	BETR12-050	Duplicate	0		0	Rock Chip	0.74	4	0.2	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403876	BETR12-050	195	59.4	200	61	Rock Chip	1.66	4	0.1	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403877	BETR12-050	200	61	205	62.5	Rock Chip	1.71	2	0.1	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403878	BETR12-050	205	62.5	210	64	Rock Chip	1.7	2	0.1	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403879	BETR12-050	210	64	215	65.5	Rock Chip	1.87	22	1.3	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403880	BETR12-050	CDN-BL-10	0		0	Rock Pulp	0.12	4	0.2	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403881	BETR12-050	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1331	0.2	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403882	BETR12-050	215	65.5	220	67.1	Rock Chip	1.57	26	1.3	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403883	BETR12-050	220	67.1	225	68.6	Rock Chip	1.39	2	0.1	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403884	BETR12-050	225	68.6	230	70.1	Rock Chip	2	100	4.9	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403885	BETR12-050	230	70.1	235	71.6	Rock Chip	1.43	1556	45.8	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403886	BETR12-050	235	71.6	240	73.2	Rock Chip	1.72	4	0.1	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403887	BETR12-050	240	73.2	245	74.7	Rock Chip	1.94	6	0.2	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403888	BETR12-050	245	74.7	250	76.2	Rock Chip	1.39	2	0.1	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403889	BETR12-050	250	76.2	255	77.7	Rock Chip	1.28	17	0.5	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403890	BETR12-050	255	77.7	260	79.2	Rock Chip	1.16	22	0.2	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403891	BETR12-050	260	79.2	265	80.8	Rock Chip	1.49	1159	41.9	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403892	BETR12-050	265	80.8	270	82.3	Rock Chip	1.53	141	3.7	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403893	BETR12-050	270	82.3	275	83.8	Rock Chip	1.81	268	9.4	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403894	BETR12-050	275	83.8	280	85.3	Rock Chip	1.3	92	1.3	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403895	BETR12-050	280	85.3	285	86.9	Rock Chip	1.74	7	0.5	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403896	BETR12-050	285	86.9	290	88.4	Rock Chip	1.42	151	2.9	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403897	BETR12-050	290	88.4	295	89.9	Rock Chip	1.92	62	1.3	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403898	BETR12-050	295	89.9	300	91.4	Rock Chip	1.62	3	0.4	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403899	BETR12-050	300	91.4	305	93	Rock Chip	0.97	6	0.3	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403900	BETR12-050	CDN-BL-10	0		0	Rock Pulp	0.12	27	0.2	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403901	BETR12-050	CDN-GS-5H	0		0	Rock Pulp	0.12	4201	53.5	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403902	BETR12-050	305	93	310	94.5	Rock Chip	1.93	68	1.3	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403903	BETR12-050	310	94.5	315	96	Rock Chip	1.76	19	0.5	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403904	BETR12-050	315	96	320	97.5	Rock Chip	1.28	2	0.6	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403905	BETR12-050	320	97.5	325	99.1	Rock Chip	1.67	61	1.9	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403906	BETR12-050	325	99.1	330	100.6	Rock Chip	1.73	39	4.6	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403907	BETR12-050	330	100.6	335	102.1	Rock Chip	1.55	2	0.4	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403908	BETR12-050	335	102.1	340	103.6	Rock Chip	1.47	318	77.6	Acme	20-Aug-12	WHI12000559	06-Aug-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1403909	BETR12-050	340	103.6	345	105.2	Rock Chip	1.41	44	1.4	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403910	BETR12-050	345	105.2	350	106.7	Rock Chip	1.59	2	0.5	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403911	BETR12-050	350	106.7	355	108.2	Rock Chip	1.6	3	0.5	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403912	BETR12-050	355	108.2	360	109.7	Rock Chip	1.42	2	0.2	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403913	BETR12-050	360	109.7	365	111.3	Rock Chip	1.76	2	0.2	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403914	BETR12-050	365	111.3	370	112.8	Rock Chip	1.62	2	0.3	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403915	BETR12-050	370	112.8	375	114.3	Rock Chip	1.7	2	0.1	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403916	BETR12-050	375	114.3	380	115.8	Rock Chip	1.9	2	0.1	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403917	BETR12-050	380	115.8	385	117.3	Rock Chip	1.3	9	0.3	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403918	BETR12-050	385	117.3	390	118.9	Rock Chip	2.02	2	0.1	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403919	BETR12-050	390	118.9	395	120.4	Rock Chip	1.47	93	14.9	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403920	BETR12-050	CDN-BL-10	0		0	Rock Pulp	0.15	2	0.3	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403921	BETR12-050	CDN-GS-1P5F	0		0	Rock Pulp	0.15	1483	0.3	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403922	BETR12-050	395	120.4	400	121.9	Rock Chip	1.76	2	0.9	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403923	BETR12-050	400	121.9	405	123.4	Rock Chip	1.68	2	0.4	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403924	BETR12-050	405	123.4	410	125	Rock Chip	0.76	153	39.3	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403925	BETR12-050	Duplicate	0		0	Rock Chip	1.07	107	26.9	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403926	BETR12-050	410	125	415	126.5	Rock Chip	1.64	2	0.5	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403927	BETR12-050	415	126.5	420	128	Rock Chip	1.61	2	0.1	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403928	BETR12-050	420	128	425	129.5	Rock Chip	1.7	2	0.9	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403929	BETR12-050	425	129.5	430	131.1	Rock Chip	1.47	2	0.1	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403930	BETR12-050	430	131.1	435	132.6	Rock Chip	1.76	2	0.4	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403931	BETR12-050	435	132.6	440	134.1	Rock Chip	1.9	714	56	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403932	BETR12-050	440	134.1	445	135.6	Rock Chip	1.88	2	0.4	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403933	BETR12-050	445	135.6	450	137.2	Rock Chip	1.28	22	1.6	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403934	BETR12-050	450	137.2	455	138.7	Rock Chip	2	87	3.4	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403935	BETR12-050	455	138.7	460	140.2	Rock Chip	1.63	142	2.8	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403936	BETR12-050	460	140.2	465	141.7	Rock Chip	1.6	612	26.2	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403937	BETR12-050	465	141.7	470	143.3	Rock Chip	1.73	253	20.1	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403938	BETR12-050	470	143.3	475	144.8	Rock Chip	1.73	5	5.8	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403939	BETR12-050	475	144.8	480	146.3	Rock Chip	1.63	2	0.4	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403940	BETR12-050	CDN-BL-10	0		0	Rock Pulp	0.15	7	0.2	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403941	BETR12-050	CDN-GS-5H	0		0	Rock Pulp	0.15	4381	55.2	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403942	BETR12-050	480	146.3	485	147.8	Rock Chip	1.85	99	5.9	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403943	BETR12-050	485	147.8	490	149.4	Rock Chip	1.28	126	1.1	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403944	BETR12-050	490	149.4	495	150.9	Rock Chip	1.97	2	0.2	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403945	BETR12-050	495	150.9	500	152.4	Rock Chip	1.62	2	0.1	Acme	20-Aug-12	WHI12000559	06-Aug-12
1403946	BETR12-051	23	7	25	7.6	Rock	0.6	33	1.9	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403947	BETR12-051	25	7.6	30	9.1	Rock	1.39	40	1.9	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403948	BETR12-051	30	9.1	35	10.7	Rock	1.2	3	2.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403949	BETR12-051	35	10.7	40	12.2	Rock	1.73	2	1.4	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403950	BETR12-051	40	12.2	45	13.7	Rock	2.02	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403951	BETR12-051	45	13.7	50	15.2	Rock	1.39	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403952	BETR12-051	50	15.2	55	16.8	Rock	2.54	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403953	BETR12-051	55	16.8	60	18.3	Rock	1.34	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403954	BETR12-051	60	18.3	65	19.8	Rock	1.11	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1403955	BETR12-051	65	19.8	70	21.3	Rock	1.36	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403956	BETR12-051	70	21.3	75	22.9	Rock	1.1	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403957	BETR12-051	75	22.9	80	24.4	Rock	0.92	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403958	BETR12-051	80	24.4	85	25.9	Rock	1.49	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403959	BETR12-051	85	25.9	90	27.4	Rock	0.85	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403960	BETR12-051	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.4	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403961	BETR12-051	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1458	0.2	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403962	BETR12-051	90	27.4	95	29	Rock	1.19	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403963	BETR12-051	95	29	100	30.5	Rock	0.89	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403964	BETR12-051	100	30.5	105	32	Rock	0.76	2	0.2	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403965	BETR12-051	105	32	110	33.5	Rock	0.86	3	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403966	BETR12-051	110	33.5	115	35.1	Rock	1.09	2	0.2	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403967	BETR12-051	115	35.1	120	36.6	Rock	1.59	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403968	BETR12-051	120	36.6	125	38.1	Rock	1.11	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403969	BETR12-051	125	38.1	130	39.6	Rock	0.74	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403970	BETR12-051	130	39.6	135	41.1	Rock	1.07	3	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403971	BETR12-051	135	41.1	140	42.7	Rock	0.97	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403972	BETR12-051	140	42.7	145	44.2	Rock	1.14	2	0.2	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403973	BETR12-051	145	44.2	150	45.7	Rock	0.98	3	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403974	BETR12-051	150	45.7	155	47.2	Rock	0.91	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403975	BETR12-051	Duplicate	0		0	Rock	0.68	6	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403976	BETR12-051	155	47.2	160	48.8	Rock	1.25	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403977	BETR12-051	160	48.8	165	50.3	Rock	1.91	13	0.3	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403978	BETR12-051	165	50.3	170	51.8	Rock	1.74	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403979	BETR12-051	170	51.8	175	53.3	Rock	1.79	8	0.4	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403980	BETR12-051	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403981	BETR12-051	CDN-GS-5H	0		0	Rock Pulp	0.12	3564	50.3	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403982	BETR12-051	175	53.3	180	54.9	Rock	1.77	11	0.4	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403983	BETR12-051	180	54.9	185	56.4	Rock	2.14	168	10.4	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403984	BETR12-051	185	56.4	190	57.9	Rock	1.59	23	0.4	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403985	BETR12-051	190	57.9	195	59.4	Rock	1.15	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403986	BETR12-051	195	59.4	200	61	Rock	1.32	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403987	BETR12-051	200	61	205	62.5	Rock	1.29	2	0.2	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403988	BETR12-051	205	62.5	210	64	Rock	1.68	2	0.3	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403989	BETR12-051	210	64	215	65.5	Rock	1.56	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403990	BETR12-051	215	65.5	220	67.1	Rock	1.18	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403991	BETR12-051	220	67.1	225	68.6	Rock	1.25	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403992	BETR12-051	225	68.6	230	70.1	Rock	1.39	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403993	BETR12-051	230	70.1	235	71.6	Rock	1.19	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403994	BETR12-051	235	71.6	240	73.2	Rock	1.02	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403995	BETR12-051	240	73.2	245	74.7	Rock	1.12	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403996	BETR12-051	245	74.7	250	76.2	Rock	0.79	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403997	BETR12-051	250	76.2	255	77.7	Rock	1.68	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403998	BETR12-051	255	77.7	260	79.2	Rock	1.99	2	0.2	Acme	17-Aug-12	WHI12000533	03-Aug-12
1403999	BETR12-051	260	79.2	265	80.8	Rock	1.4	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404000	BETR12-051	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	17-Aug-12	WHI12000533	03-Aug-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1404001	BETR12-051	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1371	0.2	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404002	BETR12-051	265	80.8	270	82.3	Rock	1.57	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404003	BETR12-051	270	82.3	275	83.8	Rock	1.34	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404004	BETR12-051	275	83.8	280	85.3	Rock	1.46	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404005	BETR12-051	280	85.3	285	86.9	Rock	0.94	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404006	BETR12-051	285	86.9	290	88.4	Rock	0.9	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404007	BETR12-051	290	88.4	295	89.9	Rock	0.55	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404008	BETR12-051	295	89.9	300	91.4	Rock	1.75	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404009	BETR12-051	300	91.4	305	93	Rock	1.98	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404010	BETR12-051	305	93	310	94.5	Rock	1.55	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404011	BETR12-051	310	94.5	315	96	Rock	1.38	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404012	BETR12-051	315	96	320	97.5	Rock	1.56	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404013	BETR12-051	320	97.5	325	99.1	Rock	1.35	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404014	BETR12-051	325	99.1	330	100.6	Rock	1.29	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404015	BETR12-051	330	100.6	335	102.1	Rock Chip	1.45	2	0.1	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404016	BETR12-051	335	102.1	340	103.6	Rock Chip	1.31	2	0.1	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404017	BETR12-051	340	103.6	345	105.2	Rock Chip	1.34	2	0.1	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404018	BETR12-051	345	105.2	350	106.7	Rock Chip	1.15	2	0.1	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404019	BETR12-051	350	106.7	355	108.2	Rock Chip	1.44	2	0.1	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404020	BETR12-051	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.5	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404021	BETR12-051	CDN-GS-5H	0		0	Rock Pulp	0.12	3737	53.5	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404022	BETR12-051	355	108.2	360	109.7	Rock Chip	1.31	2	0.1	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404023	BETR12-051	360	109.7	365	111.3	Rock Chip	1.39	2	0.1	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404024	BETR12-051	365	111.3	370	112.8	Rock Chip	0.55	2	0.1	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404025	BETR12-051	Duplicate	0		0	Rock Chip	0.44	2	0.1	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404026	BETR12-051	370	112.8	375	114.3	Rock Chip	1.25	2	0.1	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404027	BETR12-051	375	114.3	380	115.8	Rock Chip	0.95	2	0.1	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404028	BETR12-051	380	115.8	385	117.3	Rock Chip	1	2	0.1	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404029	BETR12-051	385	117.3	390	118.9	Rock Chip	1.09	2	0.1	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404030	BETR12-051	390	118.9	395	120.4	Rock Chip	1.46	2	0.1	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404031	BETR12-051	395	120.4	400	121.9	Rock Chip	3.02	2	0.1	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404032	BETR12-051	400	121.9	405	123.4	Rock Chip	1.2	2	0.1	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404033	BETR12-051	405	123.4	410	125	Rock Chip	1.35	2	0.1	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404034	BETR12-051	410	125	415	126.5	Rock Chip	1.45	2	0.1	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404035	BETR12-051	415	126.5	420	128	Rock Chip	1.23	2	0.1	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404036	BETR12-051	420	128	425	129.5	Rock Chip	1.23	2	0.1	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404037	BETR12-051	425	129.5	430	131.1	Rock Chip	1.86	2	0.1	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404038	BETR12-051	430	131.1	435	132.6	Rock Chip	1.7	2	0.1	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404039	BETR12-051	435	132.6	440	134.1	Rock Chip	1.37	2	0.1	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404040	BETR12-051	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404041	BETR12-051	CDN-GS-5H	0		0	Rock Pulp	0.12	3631	58	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404042	BETR12-051	440	134.1	445	135.6	Rock Chip	1.35	2	0.1	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404043	BETR12-051	445	135.6	450	137.2	Rock Chip	1.44	2	0.1	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404044	BETR12-051	450	137.2	455	138.7	Rock Chip	1.39	3	0.1	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404045	BETR12-051	455	138.7	460	140.2	Rock Chip	1.27	2	0.1	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404046	BETR12-051	460	140.2	465	141.7	Rock Chip	1.63	2	0.1	Acme	17-Aug-12	WHI12000537	03-Aug-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1404047	BETR12-051	465	141.7	470	143.3	Rock Chip	1.69	2	0.2	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404048	BETR12-051	470	143.3	475	144.8	Rock Chip	1.62	2	0.1	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404049	BETR12-051	475	144.8	480	146.3	Rock Chip	1.76	2	0.1	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404050	BETR12-051	480	146.3	485	147.8	Rock Chip	1.78	2	0.1	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404051	BETR12-051	485	147.8	490	149.4	Rock Chip	1.75	2	0.1	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404052	BETR12-051	490	149.4	495	150.9	Rock Chip	1.45	2	0.1	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404053	BETR12-051	495	150.9	500	152.4	Rock Chip	1.68	3	0.3	Acme	17-Aug-12	WHI12000537	03-Aug-12
1404054	BETR12-052	31	9.4	37	11.3	Rock Chip	1.21	2	0.1	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404055	BETR12-052	37	11.3	40	12.2	Rock Chip	1.12	2	0.1	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404056	BETR12-052	40	12.2	45	13.7	Rock Chip	2.24	92	2.6	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404057	BETR12-052	45	13.7	50	15.2	Rock Chip	1.87	10	0.3	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404058	BETR12-052	50	15.2	55	16.8	Rock Chip	2.3	151	9.3	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404059	BETR12-052	55	16.8	60	18.3	Rock Chip	1.92	70	11.1	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404060	BETR12-052	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404061	BETR12-052	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1401	0.2	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404062	BETR12-052	60	18.3	65	19.8	Rock Chip	1.46	12	0.8	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404063	BETR12-052	65	19.8	70	21.3	Rock Chip	2.06	5	0.4	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404064	BETR12-052	70	21.3	75	22.9	Rock Chip	1.82	2	0.3	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404065	BETR12-052	75	22.9	80	24.4	Rock Chip	2	2	0.1	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404066	BETR12-052	80	24.4	85	25.9	Rock Chip	2.68	2	0.4	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404067	BETR12-052	85	25.9	90	27.4	Rock Chip	2.39	17	0.6	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404068	BETR12-052	90	27.4	95	29	Rock Chip	2.05	2	0.3	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404069	BETR12-052	95	29	100	30.5	Rock Chip	1.67	2	0.4	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404070	BETR12-052	100	30.5	105	32	Rock Chip	1.63	2	0.1	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404071	BETR12-052	105	32	110	33.5	Rock Chip	2.11	2	0.1	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404072	BETR12-052	110	33.5	115	35.1	Rock Chip	2.26	2	0.2	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404073	BETR12-052	115	35.1	120	36.6	Rock Chip	2.12	3	0.1	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404074	BETR12-052	120	36.6	125	38.1	Rock Chip	1.2	2	0.2	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404075	BETR12-052	Duplicate	0		0	Rock Chip	0.92	2	0.2	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404076	BETR12-052	125	38.1	130	39.6	Rock Chip	2.2	2	0.1	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404077	BETR12-052	130	39.6	135	41.1	Rock Chip	2.27	2	0.1	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404078	BETR12-052	135	41.1	140	42.7	Rock Chip	1.6	2	0.1	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404079	BETR12-052	140	42.7	145	44.2	Rock Chip	1.93	8	0.2	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404080	BETR12-052	CDN-BL-10	0		0	Rock Pulp	0.12	4	0.2	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404081	BETR12-052	CDN-GS-5H	0		0	Rock Pulp	0.12	4006	52.7	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404082	BETR12-052	145	44.2	150	45.7	Rock Chip	1.02	41	0.3	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404083	BETR12-052	150	45.7	155	47.2	Rock Chip	1.77	3	0.1	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404084	BETR12-052	155	47.2	160	48.8	Rock Chip	1.99	20	0.1	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404085	BETR12-052	160	48.8	165	50.3	Rock Chip	2.89	22	0.2	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404086	BETR12-052	165	50.3	170	51.8	Rock Chip	1.92	5	0.1	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404087	BETR12-052	170	51.8	175	53.3	Rock Chip	2.47	2	0.1	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404088	BETR12-052	175	53.3	180	54.9	Rock Chip	2.18	2	0.1	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404089	BETR12-052	180	54.9	185	56.4	Rock Chip	2.52	30	0.2	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404090	BETR12-052	185	56.4	190	57.9	Rock Chip	0.99	2	0.1	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404091	BETR12-052	190	57.9	195	59.4	Rock Chip	1.93	4	0.1	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404092	BETR12-052	195	59.4	200	61	Rock Chip	2.26	15	0.1	Acme	15-Aug-12	WHI12000532	02-Aug-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1404093	BETR12-052	200	61	205	62.5	Rock Chip	2.23	175	19.4	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404094	BETR12-052	205	62.5	210	64	Rock Chip	2.4	2	0.2	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404095	BETR12-052	210	64	215	65.5	Rock Chip	2.14	2	0.1	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404096	BETR12-052	215	65.5	220	67.1	Rock Chip	2.68	2	0.1	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404097	BETR12-052	220	67.1	225	68.6	Rock Chip	2.39	2	0.1	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404098	BETR12-052	225	68.6	230	70.1	Rock Chip	2.24	2	0.1	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404099	BETR12-052	230	70.1	235	71.6	Rock Chip	1.9	331	16.4	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404100	BETR12-052	CDN-BL-10	0		0	Rock Pulp	0.12	4	0.3	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404101	BETR12-052	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1378	0.2	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404102	BETR12-052	235	71.6	240	73.2	Rock Chip	2.09	15	0.4	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404103	BETR12-052	240	73.2	245	74.7	Rock Chip	1.99	6	0.4	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404104	BETR12-052	245	74.7	250	76.2	Rock Chip	2.17	62	0.8	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404105	BETR12-052	250	76.2	255	77.7	Rock Chip	1.97	2	0.3	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404106	BETR12-052	255	77.7	260	79.2	Rock Chip	1.87	31	0.3	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404107	BETR12-052	260	79.2	265	80.8	Rock Chip	1.9	13	0.2	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404108	BETR12-052	265	80.8	270	82.3	Rock Chip	1.84	78	1.1	Acme	15-Aug-12	WHI12000532	02-Aug-12
1404109	BETR12-052	270	82.3	275	83.8	Rock	2.52	108	5.6	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404110	BETR12-052	275	83.8	280	85.3	Rock	3.06	838	150	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404111	BETR12-052	280	85.3	285	86.9	Rock	1.88	969	32.7	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404112	BETR12-052	285	86.9	290	88.4	Rock	2.39	76	2.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404113	BETR12-052	290	88.4	295	89.9	Rock	2.77	6	0.9	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404114	BETR12-052	295	89.9	300	91.4	Rock	2.67	2	0.2	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404115	BETR12-052	300	91.4	305	93	Rock	2.57	2	0.3	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404116	BETR12-052	305	93	310	94.5	Rock	2.07	3	0.9	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404117	BETR12-052	310	94.5	315	96	Rock	2.37	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404118	BETR12-052	315	96	320	97.5	Rock	2.01	298	2.8	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404119	BETR12-052	320	97.5	325	99.1	Rock	1.86	4	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404120	BETR12-052	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404121	BETR12-052	CDN-GS-5H	0		0	Rock Pulp	0.12	3910	54.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404122	BETR12-052	325	99.1	330	100.6	Rock	2.27	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404123	BETR12-052	330	100.6	335	102.1	Rock	2.52	47	0.8	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404124	BETR12-052	335	102.1	340	103.6	Rock	1.09	55	2.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404125	BETR12-052	Duplicate	0		0	Rock	1.87	62	1.9	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404126	BETR12-052	340	103.6	345	105.2	Rock	2.13	5	0.2	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404127	BETR12-052	345	105.2	350	106.7	Rock	2.38	253	5.9	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404128	BETR12-052	350	106.7	355	108.2	Rock	2.02	5	0.2	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404129	BETR12-052	355	108.2	360	109.7	Rock	2.31	3035	94.3	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404130	BETR12-052	360	109.7	365	111.3	Rock	1.79	19	0.9	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404131	BETR12-052	365	111.3	370	112.8	Rock	1.86	5	0.4	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404132	BETR12-052	370	112.8	375	114.3	Rock	2.3	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404133	BETR12-052	375	114.3	380	115.8	Rock	2.08	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404134	BETR12-052	380	115.8	385	117.3	Rock	2.27	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404135	BETR12-052	385	117.3	390	118.9	Rock	2.24	12	0.4	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404136	BETR12-052	390	118.9	395	120.4	Rock	2.12	2	0.2	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404137	BETR12-052	395	120.4	400	121.9	Rock	2.15	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404138	BETR12-052	400	121.9	405	123.4	Rock	2.12	2	0.4	Acme	17-Aug-12	WHI12000533	03-Aug-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1404139	BETR12-052	405	123.4	410	125	Rock	2.19	18	0.3	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404140	BETR12-052	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404141	BETR12-052	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1307	0.2	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404142	BETR12-052	410	125	415	126.5	Rock	2.43	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404143	BETR12-052	415	126.5	420	128	Rock	1.76	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404144	BETR12-052	420	128	425	129.5	Rock	2.25	5	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404145	BETR12-052	425	129.5	430	131.1	Rock	2.55	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404146	BETR12-052	430	131.1	435	132.6	Rock	2.47	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404147	BETR12-052	435	132.6	440	134.1	Rock	2.43	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404148	BETR12-052	440	134.1	445	135.6	Rock	2.16	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404149	BETR12-052	445	135.6	450	137.2	Rock	2.38	3	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404150	BETR12-052	450	137.2	455	138.7	Rock	2.12	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404151	BETR12-052	455	138.7	460	140.2	Rock	2	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404152	BETR12-052	460	140.2	465	141.7	Rock	2.35	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404153	BETR12-052	465	141.7	470	143.3	Rock	2.41	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404154	BETR12-052	470	143.3	475	144.8	Rock	1.86	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404155	BETR12-052	475	144.8	480	146.3	Rock	2.18	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404156	BETR12-052	480	146.3	485	147.8	Rock	1.77	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404157	BETR12-052	485	147.8	490	149.4	Rock	2.11	2	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404158	BETR12-052	490	149.4	495	150.9	Rock	2.32	5	0.1	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404159	BETR12-052	495	150.9	500	152.4	Rock	2.13	2	0.2	Acme	17-Aug-12	WHI12000533	03-Aug-12
1404160	BETR12-053	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404161	BETR12-053	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1468	0.2	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404162	BETR12-053	7	2.1	10	3	Rock Chip	1.29	3	0.6	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404163	BETR12-053	10	3	15	4.6	Rock Chip	2.46	129	0.8	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404164	BETR12-053	15	4.6	20	6.1	Rock Chip	2.52	44	0.2	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404165	BETR12-053	20	6.1	25	7.6	Rock Chip	2.42	843	0.8	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404166	BETR12-053	25	7.6	30	9.1	Rock Chip	3	8	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404167	BETR12-053	30	9.1	35	10.7	Rock Chip	2.27	4	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404168	BETR12-053	35	10.7	40	12.2	Rock Chip	2.92	81	0.4	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404169	BETR12-053	40	12.2	45	13.7	Rock Chip	2.65	2	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404170	BETR12-053	45	13.7	50	15.2	Rock Chip	2.72	2	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404171	BETR12-053	50	15.2	55	16.8	Rock Chip	2.46	113	2	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404172	BETR12-053	55	16.8	60	18.3	Rock Chip	2.83	2	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404173	BETR12-053	60	18.3	65	19.8	Rock Chip	2.48	2	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404174	BETR12-053	65	19.8	70	21.3	Rock Chip	1.64	2	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404175	BETR12-053	Duplicate	0		0	Rock Chip	0.76	2	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404176	BETR12-053	70	21.3	75	22.9	Rock Chip	2.74	2	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404177	BETR12-053	75	22.9	80	24.4	Rock Chip	3.41	2	0.3	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404178	BETR12-053	80	24.4	85	25.9	Rock Chip	2.73	35	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404179	BETR12-053	85	25.9	90	27.4	Rock Chip	2.09	42	0.2	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404180	BETR12-053	CDN-BL-10	0		0	Rock Pulp	0.12	3	0.2	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404181	BETR12-053	CDN-GS-5H	0		0	Rock Pulp	0.12	3771	50.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404182	BETR12-053	90	27.4	95	29	Rock Chip	2.58	173	1.5	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404183	BETR12-053	95	29	100	30.5	Rock Chip	2.92	30	0.2	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404184	BETR12-053	100	30.5	105	32	Rock Chip	2.15	5	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1404185	BETR12-053	105	32	110	33.5	Rock Chip	2.65	42	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404186	BETR12-053	110	33.5	115	35.1	Rock Chip	2.34	2	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404187	BETR12-053	115	35.1	120	36.6	Rock Chip	2.47	608	4	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404188	BETR12-053	120	36.6	125	38.1	Rock Chip	2.34	13	2.2	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404189	BETR12-053	125	38.1	130	39.6	Rock Chip	2.6	18	0.3	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404190	BETR12-053	130	39.6	135	41.1	Rock Chip	2.46	3	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404191	BETR12-053	135	41.1	140	42.7	Rock Chip	2.17	24	0.5	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404192	BETR12-053	140	42.7	145	44.2	Rock Chip	2.89	2	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404193	BETR12-053	145	44.2	150	45.7	Rock Chip	2.62	7	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404194	BETR12-053	150	45.7	155	47.2	Rock Chip	2.51	1054	3.5	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404195	BETR12-053	155	47.2	160	48.8	Rock Chip	2.99	12	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404196	BETR12-053	160	48.8	165	50.3	Rock Chip	2.61	236	0.8	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404197	BETR12-053	165	50.3	170	51.8	Rock Chip	2.85	4	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404198	BETR12-053	170	51.8	175	53.3	Rock Chip	2.22	10	0.5	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404199	BETR12-053	175	53.3	180	54.9	Rock Chip	2.96	6	0.4	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404200	BETR12-053	CDN-BL-10	0		0	Rock Pulp	0.12	3	0.2	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404201	BETR12-053	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1534	0.2	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404202	BETR12-053	180	54.9	185	56.4	Rock Chip	2.44	4	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404203	BETR12-053	185	56.4	190	57.9	Rock Chip	2.42	3	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404204	BETR12-053	190	57.9	195	59.4	Rock Chip	1.35	2	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404205	BETR12-053	195	59.4	200	61	Rock Chip	2.21	12	0.4	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404206	BETR12-053	200	61	205	62.5	Rock Chip	1.92	14	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404207	BETR12-053	205	62.5	210	64	Rock Chip	2.71	2	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404208	BETR12-053	210	64	215	65.5	Rock Chip	2.71	2	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404209	BETR12-053	215	65.5	220	67.1	Rock Chip	2.32	3	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404210	BETR12-053	220	67.1	225	68.6	Rock Chip	2.13	3	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404211	BETR12-053	225	68.6	230	70.1	Rock Chip	2.75	5	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404212	BETR12-053	230	70.1	235	71.6	Rock Chip	2.13	4	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404213	BETR12-053	235	71.6	240	73.2	Rock Chip	2.12	8	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404214	BETR12-053	240	73.2	245	74.7	Rock Chip	2.09	3	0.4	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404215	BETR12-053	245	74.7	250	76.2	Rock Chip	2.03	3	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404216	BETR12-053	250	76.2	255	77.7	Rock Chip	3.09	33	10.9	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404217	BETR12-053	255	77.7	260	79.2	Rock Chip	2.09	2	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404218	BETR12-053	260	79.2	265	80.8	Rock Chip	1.32	7	0.3	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404219	BETR12-053	265	80.8	270	82.3	Rock Chip	2.79	81	0.2	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404220	BETR12-053	CDN-BL-10	0		0	Rock Pulp	0.12	5	0.2	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404221	BETR12-053	CDN-GS-5H	0		0	Rock Pulp	0.12	4104	47.6	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404222	BETR12-053	270	82.3	275	83.8	Rock Chip	1.86	20	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404223	BETR12-053	275	83.8	280	85.3	Rock Chip	2.16	4	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404224	BETR12-053	280	85.3	285	86.9	Rock Chip	0.7	3	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404225	BETR12-053	Duplicate	0		0	Rock Chip	0.87	3	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404226	BETR12-053	285	86.9	290	88.4	Rock Chip	1.74	163	1.9	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404227	BETR12-053	290	88.4	295	89.9	Rock Chip	1.88	7	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404228	BETR12-053	295	89.9	300	91.4	Rock Chip	2.07	7	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404229	BETR12-053	300	91.4	305	93	Rock Chip	1.75	44	3.3	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404230	BETR12-053	305	93	310	94.5	Rock Chip		4	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1404231	BETR12-053	310	94.5	315	96	Rock Chip	1.8	69	12.3	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404232	BETR12-053	315	96	320	97.5	Rock Chip	1.91	43	3.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404233	BETR12-053	320	97.5	325	99.1	Rock Chip	1.8	131	2.3	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404234	BETR12-053	325	99.1	330	100.6	Rock Chip	1.93	387	27.6	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404235	BETR12-053	330	100.6	335	102.1	Rock Chip	1.5	11	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404236	BETR12-053	335	102.1	340	103.6	Rock Chip	2.27	61	1.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404237	BETR12-053	340	103.6	345	105.2	Rock Chip	3.39	7	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404238	BETR12-053	345	105.2	350	106.7	Rock Chip	3.33	72	1.4	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404239	BETR12-053	350	106.7	355	108.2	Rock Chip	2.41	10	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404240	BETR12-053	CDN-BL-10	0		0	Rock Pulp	0.12	5	0.4	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404241	BETR12-053	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1575	0.2	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404242	BETR12-053	355	108.2	360	109.7	Rock Chip	1.51	4	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404243	BETR12-053	360	109.7	365	111.3	Rock Chip	2.42	246	0.7	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404244	BETR12-053	365	111.3	370	112.8	Rock Chip	2.48	5	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404245	BETR12-053	370	112.8	375	114.3	Rock Chip	2.09	18	0.1	Acme	24-Aug-12	WHI12000649	13-Aug-12
1404246	BETR12-054	12	3.7	15	4.6	Rock Chip	0.93	2	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404247	BETR12-054	15	4.6	20	6.1	Rock Chip	1.9	2	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404248	BETR12-054	20	6.1	25	7.6	Rock Chip	1.91	2	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404249	BETR12-054	25	7.6	30	9.1	Rock Chip	2.1	6	0.6	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404250	BETR12-054	30	9.1	35	10.7	Rock Chip	1.73	83	6.6	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404251	BETR12-054	35	10.7	40	12.2	Rock Chip	1.91	247	15.5	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404252	BETR12-054	40	12.2	45	13.7	Rock Chip	2.03	5	0.5	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404253	BETR12-054	45	13.7	50	15.2	Rock Chip	2.21	2	0.2	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404254	BETR12-054	50	15.2	55	16.8	Rock Chip	2.29	9	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404255	BETR12-054	55	16.8	60	18.3	Rock Chip	1.97	44	0.2	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404256	BETR12-054	60	18.3	65	19.8	Rock Chip	1.86	4	0.2	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404257	BETR12-054	65	19.8	70	21.3	Rock Chip	2.27	3	0.2	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404258	BETR12-054	70	21.3	75	22.9	Rock Chip	2.12	2	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404259	BETR12-054	75	22.9	80	24.4	Rock Chip	2.17	2	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404260	BETR12-054	CDN-BL-10	0		0	Rock Pulp	0.12	10	0.3	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404261	BETR12-054	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1485	0.2	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404262	BETR12-054	80	24.4	85	25.9	Rock Chip	1.68	2	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404263	BETR12-054	85	25.9	90	27.4	Rock Chip	1.66	89	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404264	BETR12-054	90	27.4	95	29	Rock Chip	2.25	13	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404265	BETR12-054	95	29	100	30.5	Rock Chip	1.56	2	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404266	BETR12-054	100	30.5	105	32	Rock Chip	2.51	2	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404267	BETR12-054	105	32	110	33.5	Rock Chip	2.5	2	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404268	BETR12-054	110	33.5	115	35.1	Rock Chip	1.62	2	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404269	BETR12-054	115	35.1	120	36.6	Rock Chip	2.2	834	0.4	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404270	BETR12-054	120	36.6	125	38.1	Rock Chip	2.07	2	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404271	BETR12-054	125	38.1	130	39.6	Rock Chip	1.88	17	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404272	BETR12-054	130	39.6	135	41.1	Rock Chip	2.11	3	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404273	BETR12-054	135	41.1	140	42.7	Rock Chip	1.91	5	0.7	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404274	BETR12-054	140	42.7	145	44.2	Rock Chip	1.11	37	0.4	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404275	BETR12-054	Duplicate	0		0	Rock Chip	0.82	26	0.5	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404276	BETR12-054	145	44.2	150	45.7	Rock Chip	2.33	2	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1404277	BETR12-054	150	45.7	155	47.2	Rock Chip	2.08	37	0.6	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404278	BETR12-054	155	47.2	160	48.8	Rock Chip	1.95	2	0.3	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404279	BETR12-054	160	48.8	165	50.3	Rock Chip	1.68	2	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404280	BETR12-054	CDN-BL-10	0		0	Rock Pulp	0.12	8	0.3	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404281	BETR12-054	CDN-GS-5H	0		0	Rock Pulp	0.13	3905	49.5	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404282	BETR12-054	165	50.3	170	51.8	Rock Chip	2.48	12	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404283	BETR12-054	170	51.8	175	53.3	Rock Chip	1.76	29	0.3	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404284	BETR12-054	175	53.3	180	54.9	Rock Chip	1.51	2	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404285	BETR12-054	180	54.9	185	56.4	Rock Chip	2.34	133	2.5	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404286	BETR12-054	185	56.4	190	57.9	Rock Chip	2.41	2	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404287	BETR12-054	190	57.9	195	59.4	Rock Chip	1.75	2	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404288	BETR12-054	195	59.4	200	61	Rock Chip	2.44	2	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404289	BETR12-054	200	61	205	62.5	Rock Chip	2.29	3	0.2	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404290	BETR12-054	205	62.5	210	64	Rock Chip	2.21	4	0.4	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404291	BETR12-054	210	64	215	65.5	Rock Chip	2.45	3	0.4	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404292	BETR12-054	215	65.5	220	67.1	Rock Chip	1.68	2	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404293	BETR12-054	220	67.1	225	68.6	Rock Chip	1.31	2	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404294	BETR12-054	225	68.6	230	70.1	Rock Chip	2.39	29	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404295	BETR12-054	230	70.1	235	71.6	Rock Chip	2.1	2	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404296	BETR12-054	235	71.6	240	73.2	Rock Chip	1.2	2	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404297	BETR12-054	240	73.2	245	74.7	Rock Chip	1.17	2	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404298	BETR12-054	245	74.7	250	76.2	Rock Chip	1.48	2	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404299	BETR12-054	250	76.2	255	77.7	Rock Chip	1.67	4	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404300	BETR12-054	CDN-BL-10	0		0	Rock Pulp	0.12	4	0.3	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404301	BETR12-054	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1531	0.3	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404302	BETR12-054	255	77.7	260	79.2	Rock Chip	1.88	4	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404303	BETR12-054	260	79.2	265	80.8	Rock Chip	1.5	3	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404304	BETR12-054	265	80.8	270	82.3	Rock Chip	1.69	15	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404305	BETR12-054	270	82.3	275	83.8	Rock Chip	2.59	4	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404306	BETR12-054	275	83.8	280	85.3	Rock Chip	2.64	2	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404307	BETR12-054	280	85.3	285	86.9	Rock Chip	1.48	2	0.2	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404308	BETR12-054	285	86.9	290	88.4	Rock Chip	2.45	2	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404309	BETR12-054	290	88.4	295	89.9	Rock Chip	1.92	2	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404310	BETR12-054	295	89.9	300	91.4	Rock Chip	1.53	2	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404311	BETR12-054	300	91.4	305	93	Rock Chip	1.67	2	0.4	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404312	BETR12-054	305	93	310	94.5	Rock Chip	2.58	2	0.4	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404313	BETR12-054	310	94.5	315	96	Rock Chip	1.94	2	0.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404314	BETR12-054	315	96	320	97.5	Rock Chip	2.02	25	3.1	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404315	BETR12-054	320	97.5	325	99.1	Rock Chip	2	31	2.7	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404316	BETR12-054	325	99.1	330	100.6	Rock Chip	1.96	5	0.2	Acme	23-Aug-12	WHI12000650	13-Aug-12
1404531	BETR12-055	30	9.1	35	10.7	Rock Chip	3.54	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404532	BETR12-055	35	10.7	40	12.2	Rock Chip	0.91	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404533	BETR12-055	40	12.2	45	13.7	Rock Chip	2.07	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404534	BETR12-055	45	13.7	50	15.2	Rock Chip	2.23	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404535	BETR12-055	50	15.2	55	16.8	Rock Chip	2.03	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404536	BETR12-055	55	16.8	60	18.3	Rock Chip	2.2	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1404537	BETR12-055	60	18.3	65	19.8	Rock Chip	1.85	3	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404538	BETR12-055	65	19.8	70	21.3	Rock Chip	2.08	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404539	BETR12-055	70	21.3	75	22.9	Rock Chip	2.39	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404540	BETR12-055	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.4	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404541	BETR12-055	CDN-GS-5H	0		0	Rock Pulp	0.12	3823	54.3	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404542	BETR12-055	75	22.9	80	24.4	Rock Chip	2.04	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404543	BETR12-055	80	24.4	85	25.9	Rock Chip	1.94	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404544	BETR12-055	85	25.9	90	27.4	Rock Chip	2.23	2	0.2	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404545	BETR12-055	90	27.4	95	29	Rock Chip	2.18	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404546	BETR12-055	95	29	100	30.5	Rock Chip	2.23	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404547	BETR12-055	100	30.5	105	32	Rock Chip	1.73	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404548	BETR12-055	105	32	110	33.5	Rock Chip	1.9	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404549	BETR12-055	110	33.5	115	35.1	Rock Chip	2.42	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404550	BETR12-055	115	35.1	120	36.6	Rock Chip	2.4	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404551	BETR12-055	120	36.6	125	38.1	Rock Chip	2.22	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404552	BETR12-055	125	38.1	130	39.6	Rock Chip	2.28	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404553	BETR12-055	130	39.6	135	41.1	Rock Chip	1.98	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404554	BETR12-055	135	41.1	140	42.7	Rock Chip	2.25	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404555	BETR12-055	140	42.7	145	44.2	Rock Chip	2.08	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404556	BETR12-055	145	44.2	150	45.7	Rock Chip	1.82	2	0.2	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404557	BETR12-055	150	45.7	155	47.2	Rock Chip	1.95	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404558	BETR12-055	155	47.2	160	48.8	Rock Chip	1.6	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404559	BETR12-055	160	48.8	165	50.3	Rock Chip	2.18	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404560	BETR12-055	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404561	BETR12-055	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1592	0.2	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404562	BETR12-055	165	50.3	170	51.8	Rock Chip	1.85	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404563	BETR12-055	170	51.8	175	53.3	Rock Chip	1.78	6	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404564	BETR12-055	175	53.3	180	54.9	Rock Chip	2.01	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404565	BETR12-055	180	54.9	185	56.4	Rock Chip	1.79	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404566	BETR12-055	185	56.4	190	57.9	Rock Chip	1.77	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404567	BETR12-055	190	57.9	195	59.4	Rock Chip	2.19	5	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404568	BETR12-055	195	59.4	200	61	Rock Chip	2.01	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404569	BETR12-055	200	61	205	62.5	Rock Chip	1.97	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404570	BETR12-055	205	62.5	210	64	Rock Chip	1.2	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404571	BETR12-055	210	64	215	65.5	Rock Chip	1.59	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404572	BETR12-055	215	65.5	220	67.1	Rock Chip	1.83	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404573	BETR12-055	220	67.1	225	68.6	Rock Chip	1.8	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404574	BETR12-055	225	68.6	230	70.1	Rock Chip	0.56	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404575	BETR12-055	Duplicate	0		0	Rock Chip	0.49	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404576	BETR12-055	230	70.1	235	71.6	Rock Chip	1.25	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404577	BETR12-055	235	71.6	240	73.2	Rock Chip	1.75	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404578	BETR12-055	240	73.2	245	74.7	Rock Chip	1.68	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404579	BETR12-055	245	74.7	250	76.2	Rock Chip	2.06	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404580	BETR12-055	CDN-BL-10	0		0	Rock Pulp	0.12	7	0.3	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404581	BETR12-055	CDN-GS-5H	0		0	Rock Pulp	0.12	4181	53.9	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404582	BETR12-055	250	76.2	255	77.7	Rock Chip	1.84	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1404583	BETR12-055	255	77.7	260	79.2	Rock Chip	2.02	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404418	BETR12-056	10	3	15	4.6	Rock Chip	1.3	31	0.2	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404419	BETR12-056	15	4.6	20	6.1	Rock Chip	0.88	18	0.2	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404420	BETR12-056	CDN-BL-10	0		0	Rock Pulp	0.14	9	0.3	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404421	BETR12-056	CDN-GS-1P5F	0		0	Rock Pulp	0.14	1418	0.2	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404422	BETR12-056	20	6.1	25	7.6	Rock Chip	2.35	4	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404423	BETR12-056	25	7.6	30	9.1	Rock Chip	1.31	130	0.8	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404424	BETR12-056	30	9.1	35	10.7	Rock Chip	0.85	43	0.2	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404425	BETR12-056	Duplicate	0		0	Rock Chip	1.19	35	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404426	BETR12-056	35	10.7	40	12.2	Rock Chip	1.06	22	0.2	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404427	BETR12-056	40	12.2	45	13.7	Rock Chip	1.47	2	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404428	BETR12-056	45	13.7	50	15.2	Rock Chip	1.62	7	0.2	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404429	BETR12-056	50	15.2	55	16.8	Rock Chip	1.2	3	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404430	BETR12-056	55	16.8	60	18.3	Rock Chip	1.11	392	0.2	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404431	BETR12-056	60	18.3	65	19.8	Rock Chip	1.43	3	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404432	BETR12-056	65	19.8	70	21.3	Rock Chip	1.32	6	0.2	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404433	BETR12-056	70	21.3	75	22.9	Rock Chip	1.4	6	0.3	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404434	BETR12-056	75	22.9	80	24.4	Rock Chip	1.35	2	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404435	BETR12-056	80	24.4	85	25.9	Rock Chip	1.43	19	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404436	BETR12-056	85	25.9	90	27.4	Rock Chip	1.87	64	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404437	BETR12-056	90	27.4	95	29	Rock Chip	1.64	32	0.2	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404438	BETR12-056	95	29	100	30.5	Rock Chip	2.3	97	6.3	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404439	BETR12-056	100	30.5	105	32	Rock Chip	1.4	2	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404440	BETR12-056	CDN-BL-10	0		0	Rock Pulp	0.14	3	0.3	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404441	BETR12-056	CDN-GS-5H	0		0	Rock Pulp	0.14	3862	53.7	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404442	BETR12-056	105	32	110	33.5	Rock Chip	1.68	38	0.2	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404443	BETR12-056	110	33.5	115	35.1	Rock Chip	0.8	7	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404444	BETR12-056	115	35.1	120	36.6	Rock Chip	2.26	3	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404445	BETR12-056	120	36.6	125	38.1	Rock Chip	2.26	5	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404446	BETR12-056	125	38.1	130	39.6	Rock Chip	1.69	3	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404447	BETR12-056	130	39.6	135	41.1	Rock Chip	1.87	2	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404448	BETR12-056	135	41.1	140	42.7	Rock Chip	1.76	3	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404449	BETR12-056	140	42.7	145	44.2	Rock Chip	1.35	3	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404450	BETR12-056	145	44.2	150	45.7	Rock Chip	1.37	6	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404451	BETR12-056	150	45.7	155	47.2	Rock Chip	1.54	11	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404452	BETR12-056	155	47.2	160	48.8	Rock Chip	2.46	4	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404453	BETR12-056	160	48.8	165	50.3	Rock Chip	1.93	32	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404454	BETR12-056	165	50.3	170	51.8	Rock Chip	1.74	7	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404455	BETR12-056	170	51.8	175	53.3	Rock Chip	2.58	9	0.2	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404456	BETR12-056	175	53.3	180	54.9	Rock Chip	1.53	103	0.3	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404457	BETR12-056	180	54.9	185	56.4	Rock Chip	1.8	33	0.2	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404458	BETR12-056	185	56.4	190	57.9	Rock Chip	1.8	23	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404459	BETR12-056	190	57.9	195	59.4	Rock Chip	1.77	21	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404460	BETR12-056	CDN-BL-10	0		0	Rock Pulp	0.14	4	0.3	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404461	BETR12-056	CDN-GS-1P5F	0		0	Rock Pulp	0.14	1443	0.3	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404462	BETR12-056	195	59.4	200	61	Rock Chip	1.83	8	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1404463	BETR12-056	200	61	205	62.5	Rock Chip	1.92	58	0.4	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404464	BETR12-056	205	62.5	210	64	Rock Chip	2.34	38	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404465	BETR12-056	210	64	215	65.5	Rock Chip	1.52	21	0.2	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404466	BETR12-056	215	65.5	220	67.1	Rock Chip	1.45	15	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404467	BETR12-056	220	67.1	225	68.6	Rock Chip	2.26	30	0.4	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404468	BETR12-056	225	68.6	230	70.1	Rock Chip	1.59	8	0.3	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404469	BETR12-056	230	70.1	235	71.6	Rock Chip	2.82	43	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404470	BETR12-056	235	71.6	240	73.2	Rock Chip	1.87	15	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404471	BETR12-056	240	73.2	245	74.7	Rock Chip	1.9	5	0.2	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404472	BETR12-056	245	74.7	250	76.2	Rock Chip	1.8	5	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404473	BETR12-056	250	76.2	255	77.7	Rock Chip	1.92	10	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404474	BETR12-056	255	77.7	260	79.2	Rock Chip	0.73	4	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404475	BETR12-056	Duplicate	0		0	Rock Chip	0.95	5	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404476	BETR12-056	260	79.2	265	80.8	Rock Chip	1.8	33	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404477	BETR12-056	265	80.8	270	82.3	Rock Chip	1.3	221	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404478	BETR12-056	270	82.3	275	83.8	Rock Chip	1.84	27	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404479	BETR12-056	275	83.8	280	85.3	Rock Chip	1.76	17	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404480	BETR12-056	CDN-BL-10	0		0	Rock Pulp	0.14	5	0.2	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404481	BETR12-056	CDN-GS-5H	0		0	Rock Pulp	0.14	3946	54	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404482	BETR12-056	280	85.3	285	86.9	Rock Chip	1.86	6	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404483	BETR12-056	285	86.9	290	88.4	Rock Chip	1.89	2	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404484	BETR12-056	290	88.4	295	89.9	Rock Chip	1.36	2	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404485	BETR12-056	295	89.9	300	91.4	Rock Chip	1.64	2	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404486	BETR12-056	300	91.4	305	93	Rock Chip	1.86	179	2.6	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404487	BETR12-056	305	93	310	94.5	Rock Chip	1.8	11	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404488	BETR12-056	310	94.5	315	96	Rock Chip	2.14	2	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404489	BETR12-056	315	96	320	97.5	Rock Chip	1.75	236	0.2	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404490	BETR12-056	320	97.5	325	99.1	Rock Chip	1.47	2	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404491	BETR12-056	325	99.1	330	100.6	Rock Chip	1.66	1606	0.2	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404492	BETR12-056	330	100.6	335	102.1	Rock Chip	2.49	114	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404493	BETR12-056	335	102.1	340	103.6	Rock Chip	2.23	65	0.5	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404494	BETR12-056	340	103.6	345	105.2	Rock Chip	1.87	36	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404495	BETR12-056	345	105.2	350	106.7	Rock Chip	1.71	4	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404496	BETR12-056	350	106.7	355	108.2	Rock Chip	1.62	2	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404497	BETR12-056	355	108.2	360	109.7	Rock Chip	1.31	2	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404498	BETR12-056	360	109.7	365	111.3	Rock Chip	1.72	241	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404499	BETR12-056	365	111.3	370	112.8	Rock Chip	1.63	42	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404500	BETR12-056	CDN-BL-10	0		0	Rock Pulp	0.14	2	0.8	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404501	BETR12-056	CDN-GS-1P5F	0		0	Rock Pulp	0.14	1447	0.2	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404502	BETR12-056	370	112.8	375	114.3	Rock Chip	2.07	108	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404503	BETR12-056	375	114.3	380	115.8	Rock Chip	1.97	7	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404504	BETR12-056	380	115.8	385	117.3	Rock Chip	2.13	93	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404505	BETR12-056	385	117.3	390	118.9	Rock Chip	1.88	37	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404506	BETR12-056	390	118.9	395	120.4	Rock Chip	1.97	7	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404507	BETR12-056	395	120.4	400	121.9	Rock Chip	2.39	12	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404508	BETR12-056	400	121.9	405	123.4	Rock Chip	1.96	51	0.2	Acme	24-Aug-12	WHI12000652	13-Aug-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1404509	BETR12-056	405	123.4	410	125	Rock Chip	1.98	82	0.4	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404510	BETR12-056	410	125	415	126.5	Rock Chip	1.93	27	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404511	BETR12-056	415	126.5	420	128	Rock Chip	1.82	2	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404512	BETR12-056	420	128	425	129.5	Rock Chip	1.82	2	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404513	BETR12-056	425	129.5	430	131.1	Rock Chip	1.94	2	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404514	BETR12-056	430	131.1	435	132.6	Rock Chip	1.92	16	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404515	BETR12-056	435	132.6	440	134.1	Rock Chip	2.2	4	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404516	BETR12-056	440	134.1	445	135.6	Rock Chip	2.03	3	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404517	BETR12-056	445	135.6	450	137.2	Rock Chip	1.48	2	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404518	BETR12-056	450	137.2	455	138.7	Rock Chip	1.64	7	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404519	BETR12-056	455	138.7	460	140.2	Rock Chip	1.53	3	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404520	BETR12-056	CDN-BL-10	0		0	Rock Pulp	0.14	5	0.2	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404521	BETR12-056	CDN-GS-5H	0		0	Rock Pulp	0.14	3732	54.3	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404522	BETR12-056	460	140.2	465	141.7	Rock Chip	1.85	28	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404523	BETR12-056	465	141.7	470	143.3	Rock Chip	1.83	6	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404524	BETR12-056	470	143.3	475	144.8	Rock Chip	0.88	3	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404525	BETR12-056	Duplicate	0		0	Rock Chip	0.87	3	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404526	BETR12-056	475	144.8	480	146.3	Rock Chip	1.75	4	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404527	BETR12-056	480	146.3	485	147.8	Rock Chip	2.45	3	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404528	BETR12-056	485	147.8	490	149.4	Rock Chip	1.91	2	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404529	BETR12-056	490	149.4	495	150.9	Rock Chip	1.97	3	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404530	BETR12-056	495	150.9	500	152.4	Rock Chip	2.13	3	0.1	Acme	24-Aug-12	WHI12000652	13-Aug-12
1404584	BETR12-057	15	4.6	20	6.1	Rock Chip	0.8	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404585	BETR12-057	20	6.1	25	7.6	Rock Chip	1.23	3	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404586	BETR12-057	25	7.6	30	9.1	Rock Chip	1.47	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404587	BETR12-057	30	9.1	35	10.7	Rock Chip	1.51	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404588	BETR12-057	35	10.7	40	12.2	Rock Chip	1.73	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404589	BETR12-057	40	12.2	45	13.7	Rock Chip	1.79	11	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404590	BETR12-057	45	13.7	50	15.2	Rock Chip	1.88	4	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404591	BETR12-057	50	15.2	55	16.8	Rock Chip	1.88	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404592	BETR12-057	55	16.8	60	18.3	Rock Chip	1.48	3	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404593	BETR12-057	60	18.3	65	19.8	Rock Chip	1.58	60	0.2	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404594	BETR12-057	65	19.8	70	21.3	Rock Chip	1.69	9	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404595	BETR12-057	70	21.3	75	22.9	Rock Chip	1.73	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404596	BETR12-057	75	22.9	80	24.4	Rock Chip	1.78	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404597	BETR12-057	80	24.4	85	25.9	Rock Chip	1.32	64	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404598	BETR12-057	85	25.9	90	27.4	Rock Chip	1.33	4	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404599	BETR12-057	90	27.4	95	29	Rock Chip	1.6	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404600	BETR12-057	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404601	BETR12-057	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1435	0.2	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404602	BETR12-057	95	29	100	30.5	Rock Chip	1.79	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404603	BETR12-057	100	30.5	105	32	Rock Chip	1.43	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404604	BETR12-057	105	32	110	33.5	Rock Chip	2	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404605	BETR12-057	110	33.5	115	35.1	Rock Chip	1.64	84	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404606	BETR12-057	115	35.1	120	36.6	Rock Chip	1.69	6	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404607	BETR12-057	120	36.6	125	38.1	Rock Chip	1.6	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1404608	BETR12-057	125	38.1	130	39.6	Rock Chip	1.61	3	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404609	BETR12-057	130	39.6	135	41.1	Rock Chip	1.6	7	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404610	BETR12-057	135	41.1	140	42.7	Rock Chip	1.68	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404611	BETR12-057	140	42.7	145	44.2	Rock Chip	1.83	5	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404612	BETR12-057	145	44.2	150	45.7	Rock Chip	1.78	5	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404613	BETR12-057	150	45.7	155	47.2	Rock Chip	1.49	4	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404614	BETR12-057	155	47.2	160	48.8	Rock Chip	1.65	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404615	BETR12-057	160	48.8	165	50.3	Rock Chip	1.15	4	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404616	BETR12-057	165	50.3	170	51.8	Rock Chip	1.66	11	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404617	BETR12-057	170	51.8	175	53.3	Rock Chip	1.88	8	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404618	BETR12-057	175	53.3	180	54.9	Rock Chip	1.48	10	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404619	BETR12-057	180	54.9	185	56.4	Rock Chip	1.51	73	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404620	BETR12-057	CDN-BL-10	0		0	Rock Pulp	0.12	5	0.3	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404621	BETR12-057	CDN-GS-5H	0		0	Rock Pulp	0.12	4183	50.5	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404622	BETR12-057	185	56.4	190	57.9	Rock Chip	1.85	57	0.8	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404623	BETR12-057	190	57.9	195	59.4	Rock Chip	1.78	69	0.4	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404624	BETR12-057	195	59.4	200	61	Rock Chip	1.02	53	0.2	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404625	BETR12-057	Duplicate	0		0	Rock Chip	1.01	45	0.2	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404626	BETR12-057	200	61	205	62.5	Rock Chip	1.97	75	0.3	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404627	BETR12-057	205	62.5	210	64	Rock Chip	1.84	53	0.2	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404628	BETR12-057	210	64	215	65.5	Rock Chip	1.92	23	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404629	BETR12-057	215	65.5	220	67.1	Rock Chip	1.76	3	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404630	BETR12-057	220	67.1	225	68.6	Rock Chip	1.84	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404631	BETR12-057	225	68.6	230	70.1	Rock Chip	1.6	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404632	BETR12-057	230	70.1	235	71.6	Rock Chip	1.96	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404633	BETR12-057	235	71.6	240	73.2	Rock Chip	1.12	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404634	BETR12-057	240	73.2	245	74.7	Rock Chip	1.96	7	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404635	BETR12-057	245	74.7	250	76.2	Rock Chip	1.81	8	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404636	BETR12-057	250	76.2	255	77.7	Rock Chip	1.87	53	0.3	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404637	BETR12-057	255	77.7	260	79.2	Rock Chip	1.42	4	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404638	BETR12-057	260	79.2	265	80.8	Rock Chip	1.67	3	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404639	BETR12-057	265	80.8	270	82.3	Rock Chip	1.82	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404640	BETR12-057	CDN-BL-10	0		0	Rock Pulp	0.12	3	0.2	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404641	BETR12-057	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1497	0.2	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404642	BETR12-057	270	82.3	275	83.8	Rock Chip	1.79	26	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404643	BETR12-057	275	83.8	280	85.3	Rock Chip	1.91	19	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404644	BETR12-057	280	85.3	285	86.9	Rock Chip	1.97	7	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404645	BETR12-057	285	86.9	290	88.4	Rock Chip	2.07	2	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404646	BETR12-057	290	88.4	295	89.9	Rock Chip	1.58	3	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404647	BETR12-057	295	89.9	300	91.4	Rock Chip	1.33	4	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404648	BETR12-057	300	91.4	305	93	Rock Chip	1.13	19	0.1	Acme	24-Aug-12	WHI12000679	14-Aug-12
1404317	BETR12-058	12	3.7	15	4.6	Rock Chip	1.71	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404318	BETR12-058	15	4.6	20	6.1	Rock Chip	1.13	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404319	BETR12-058	20	6.1	25	7.6	Rock Chip	1.98	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404320	BETR12-058	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404321	BETR12-058	CDN-GS-5H	0		0	Rock Pulp	0.12	4054	54.7	Acme	23-Aug-12	WHI12000651	13-Aug-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1404322	BETR12-058	25	7.6	30	9.1	Rock Chip	2.11	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404323	BETR12-058	30	9.1	35	10.7	Rock Chip	1.81	4	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404324	BETR12-058	35	10.7	40	12.2	Rock Chip	0.89	14	1.2	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404325	BETR12-058	Duplicate	0		0	Rock Chip	0.75	16	0.8	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404326	BETR12-058	40	12.2	45	13.7	Rock Chip	1.89	18	4.6	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404327	BETR12-058	45	13.7	50	15.2	Rock Chip	2.11	2	0.3	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404328	BETR12-058	50	15.2	55	16.8	Rock Chip	1.73	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404329	BETR12-058	55	16.8	60	18.3	Rock Chip	2.08	30	0.2	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404330	BETR12-058	60	18.3	65	19.8	Rock Chip	1.7	12	0.3	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404331	BETR12-058	65	19.8	70	21.3	Rock Chip	1.98	3	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404332	BETR12-058	70	21.3	75	22.9	Rock Chip	1.78	28	0.3	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404333	BETR12-058	75	22.9	80	24.4	Rock Chip	2.16	88	0.4	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404334	BETR12-058	80	24.4	85	25.9	Rock Chip	2.08	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404335	BETR12-058	85	25.9	90	27.4	Rock Chip	2.59	8	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404336	BETR12-058	90	27.4	95	29	Rock Chip	2.07	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404337	BETR12-058	95	29	100	30.5	Rock Chip	2.23	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404338	BETR12-058	100	30.5	105	32	Rock Chip	1.86	2771	1.7	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404339	BETR12-058	105	32	110	33.5	Rock Chip	2.27	30	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404340	BETR12-058	CDN-BL-10	0		0	Rock Pulp	0.12	5	0.3	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404341	BETR12-058	CDN-GS-5H	0		0	Rock Pulp	0.12	3936	54.8	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404342	BETR12-058	110	33.5	115	35.1	Rock Chip	2.9	17	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404343	BETR12-058	115	35.1	120	36.6	Rock Chip	2.36	20	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404344	BETR12-058	120	36.6	125	38.1	Rock Chip	2.22	171	0.6	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404345	BETR12-058	125	38.1	130	39.6	Rock Chip	2.32	4	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404346	BETR12-058	130	39.6	135	41.1	Rock Chip	2.52	3	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404347	BETR12-058	135	41.1	140	42.7	Rock Chip	2.55	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404348	BETR12-058	140	42.7	145	44.2	Rock Chip	2.77	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404349	BETR12-058	145	44.2	150	45.7	Rock Chip	2.62	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404350	BETR12-058	150	45.7	155	47.2	Rock Chip	2.5	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404351	BETR12-058	155	47.2	160	48.8	Rock Chip	2.42	790	6.3	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404352	BETR12-058	160	48.8	165	50.3	Rock Chip	2.07	108	2.6	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404353	BETR12-058	165	50.3	170	51.8	Rock Chip	2.5	8	2	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404354	BETR12-058	170	51.8	175	53.3	Rock Chip	2.53	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404355	BETR12-058	175	53.3	180	54.9	Rock Chip	2.48	8	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404356	BETR12-058	180	54.9	185	56.4	Rock Chip	2	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404357	BETR12-058	185	56.4	190	57.9	Rock Chip	2.63	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404358	BETR12-058	190	57.9	195	59.4	Rock Chip	2.64	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404359	BETR12-058	195	59.4	200	61	Rock Chip	2.5	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404360	BETR12-058	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404361	BETR12-058	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1297	0.2	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404362	BETR12-058	200	61	205	62.5	Rock Chip	2.31	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404363	BETR12-058	205	62.5	210	64	Rock Chip	2.26	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404364	BETR12-058	210	64	215	65.5	Rock Chip	2.34	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404365	BETR12-058	215	65.5	220	67.1	Rock Chip	1.95	12	4.2	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404366	BETR12-058	220	67.1	225	68.6	Rock Chip	2.54	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404367	BETR12-058	225	68.6	230	70.1	Rock Chip	2.18	17	0.3	Acme	23-Aug-12	WHI12000651	13-Aug-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1404368	BETR12-058	230	70.1	235	71.6	Rock Chip	2.41	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404369	BETR12-058	235	71.6	240	73.2	Rock Chip	2.47	306	1.6	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404370	BETR12-058	240	73.2	245	74.7	Rock Chip	2.16	3	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404371	BETR12-058	245	74.7	250	76.2	Rock Chip	2.04	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404372	BETR12-058	250	76.2	255	77.7	Rock Chip	2.48	2	0.5	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404373	BETR12-058	255	77.7	260	79.2	Rock Chip	1.92	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404374	BETR12-058	260	79.2	265	80.8	Rock Chip	1.44	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404375	BETR12-058	Duplicate	0		0	Rock Chip	1.11	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404376	BETR12-058	265	80.8	270	82.3	Rock Chip	2.39	13	0.2	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404377	BETR12-058	270	82.3	275	83.8	Rock Chip	2.71	3	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404378	BETR12-058	275	83.8	280	85.3	Rock Chip	2.59	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404379	BETR12-058	280	85.3	285	86.9	Rock Chip	2.33	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404380	BETR12-058	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404381	BETR12-058	CDN-GS-5H	0		0	Rock Pulp	0.12	3881	52.9	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404382	BETR12-058	285	86.9	290	88.4	Rock Chip	2.28	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404383	BETR12-058	290	88.4	295	89.9	Rock Chip	2.56	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404384	BETR12-058	295	89.9	300	91.4	Rock Chip	2.32	2	0.3	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404385	BETR12-058	300	91.4	305	93	Rock Chip	2.12	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404386	BETR12-058	305	93	310	94.5	Rock Chip	2.21	6	1.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404387	BETR12-058	310	94.5	315	96	Rock Chip	2.12	9	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404388	BETR12-058	315	96	320	97.5	Rock Chip	2.14	4	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404389	BETR12-058	320	97.5	325	99.1	Rock Chip	2.03	144	40.4	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404390	BETR12-058	325	99.1	330	100.6	Rock Chip	2.22	5	0.3	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404391	BETR12-058	330	100.6	335	102.1	Rock Chip	1.33	2	0.2	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404392	BETR12-058	335	102.1	340	103.6	Rock Chip	2.23	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404393	BETR12-058	340	103.6	345	105.2	Rock Chip	1.37	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404394	BETR12-058	345	105.2	350	106.7	Rock Chip	1.76	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404395	BETR12-058	350	106.7	355	108.2	Rock Chip	1.34	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404396	BETR12-058	355	108.2	360	109.7	Rock Chip	1.62	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404397	BETR12-058	360	109.7	365	111.3	Rock Chip	2.33	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404398	BETR12-058	365	111.3	370	112.8	Rock Chip	1.45	9	0.3	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404399	BETR12-058	370	112.8	375	114.3	Rock Chip	1.79	7	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404400	BETR12-058	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404401	BETR12-058	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1480	0.2	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404402	BETR12-058	375	114.3	380	115.8	Rock Chip	2.36	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404403	BETR12-058	380	115.8	385	117.3	Rock Chip	1.9	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404404	BETR12-058	385	117.3	390	118.9	Rock Chip	1.97	3	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404405	BETR12-058	390	118.9	395	120.4	Rock Chip	1.57	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404406	BETR12-058	395	120.4	400	121.9	Rock Chip	1.57	3	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404407	BETR12-058	400	121.9	405	123.4	Rock Chip	1.79	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404408	BETR12-058	405	123.4	410	125	Rock Chip	2.01	10	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404409	BETR12-058	410	125	415	126.5	Rock Chip	2.02	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404410	BETR12-058	415	126.5	420	128	Rock Chip	1.05	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404411	BETR12-058	420	128	425	129.5	Rock Chip	1.42	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404412	BETR12-058	425	129.5	430	131.1	Rock Chip	1.96	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404413	BETR12-058	430	131.1	435	132.6	Rock Chip	0.99	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1404414	BETR12-058	435	132.6	440	134.1	Rock Chip	1.63	315	1.4	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404415	BETR12-058	440	134.1	445	135.6	Rock Chip	1.58	2	0.1	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404416	BETR12-058	445	135.6	450	137.2	Rock Chip	1.36	165	2.6	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404417	BETR12-058	450	137.2	455	138.7	Rock Chip	1.63	174	3.5	Acme	23-Aug-12	WHI12000651	13-Aug-12
1404649	BETR12-059	50	15.2	55	16.8	Rock Chip	1.7	70	0.5	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404650	BETR12-059	55	16.8	60	18.3	Rock Chip	1.5	318	66.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404651	BETR12-059	60	18.3	65	19.8	Rock Chip	1.7	37	2	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404652	BETR12-059	65	19.8	70	21.3	Rock Chip	1.67	20	1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404653	BETR12-059	70	21.3	75	22.9	Rock Chip	1.37	9	0.3	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404654	BETR12-059	75	22.9	80	24.4	Rock Chip	1.84	21	0.2	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404655	BETR12-059	80	24.4	85	25.9	Rock Chip	1.76	31	0.2	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404656	BETR12-059	85	25.9	90	27.4	Rock Chip	1.31	32	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404657	BETR12-059	90	27.4	95	29	Rock Chip	1.81	58	1.5	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404658	BETR12-059	95	29	100	30.5	Rock Chip	1.43	6	0.3	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404659	BETR12-059	100	30.5	105	32	Rock Chip	1.42	8	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404660	BETR12-059	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404661	BETR12-059	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1371	0.2	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404662	BETR12-059	105	32	110	33.5	Rock Chip	1.36	4	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404663	BETR12-059	110	33.5	115	35.1	Rock Chip	1.55	8	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404664	BETR12-059	115	35.1	120	36.6	Rock Chip	1.55	55	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404665	BETR12-059	120	36.6	125	38.1	Rock Chip	1.88	176	0.5	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404666	BETR12-059	125	38.1	130	39.6	Rock Chip	1.55	33	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404667	BETR12-059	130	39.6	135	41.1	Rock Chip	1.8	17	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404668	BETR12-059	135	41.1	140	42.7	Rock Chip	1.73	29	0.2	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404669	BETR12-059	140	42.7	145	44.2	Rock Chip	1.63	51	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404670	BETR12-059	145	44.2	150	45.7	Rock Chip	1.37	8	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404671	BETR12-059	150	45.7	155	47.2	Rock Chip	1.57	28	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404672	BETR12-059	155	47.2	160	48.8	Rock Chip	1.74	10	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404673	BETR12-059	160	48.8	165	50.3	Rock Chip	1.59	5	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404674	BETR12-059	165	50.3	170	51.8	Rock Chip	0.83	4	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404675	BETR12-059	Duplicate	0		0	Rock Chip	0.74	3	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404676	BETR12-059	170	51.8	175	53.3	Rock Chip	2.05	5	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404677	BETR12-059	175	53.3	180	54.9	Rock Chip	2.03	19	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404678	BETR12-059	180	54.9	185	56.4	Rock Chip	1.51	111	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404679	BETR12-059	185	56.4	190	57.9	Rock Chip	1.64	2	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404680	BETR12-059	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404681	BETR12-059	CDN-GS-5H	0		0	Rock Pulp	0.12	3877	49.4	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404682	BETR12-059	190	57.9	195	59.4	Rock Chip	1.76	5	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404683	BETR12-059	195	59.4	200	61	Rock Chip	1.24	4	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404684	BETR12-059	200	61	205	62.5	Rock Chip	1.67	62	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404685	BETR12-059	205	62.5	210	64	Rock Chip	1.9	11	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404686	BETR12-059	210	64	215	65.5	Rock Chip	1.74	8	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404687	BETR12-059	215	65.5	220	67.1	Rock Chip	1.66	2	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404688	BETR12-059	220	67.1	225	68.6	Rock Chip	1.77	3	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404689	BETR12-059	225	68.6	230	70.1	Rock Chip	1.71	3	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404690	BETR12-059	230	70.1	235	71.6	Rock Chip	1.71	10	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1404691	BETR12-059	235	71.6	240	73.2	Rock Chip	1.8	12	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404692	BETR12-059	240	73.2	245	74.7	Rock Chip	1.9	13	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404693	BETR12-059	245	74.7	250	76.2	Rock Chip	1.45	3	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404694	BETR12-059	250	76.2	255	77.7	Rock Chip	1.74	2	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404695	BETR12-059	255	77.7	260	79.2	Rock Chip	2.06	2	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404696	BETR12-059	260	79.2	265	80.8	Rock Chip	2.12	2	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404697	BETR12-059	265	80.8	270	82.3	Rock Chip	1.91	2	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404698	BETR12-059	270	82.3	275	83.8	Rock Chip	1.99	2	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404699	BETR12-059	275	83.8	280	85.3	Rock Chip	2.12	2	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404700	BETR12-059	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404701	BETR12-059	CDN-GS-5H	0		0	Rock Pulp	0.12	3634	49.8	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404702	BETR12-059	280	85.3	285	86.9	Rock Chip	1.84	11	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404703	BETR12-059	285	86.9	290	88.4	Rock Chip	1.96	4	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404704	BETR12-059	290	88.4	295	89.9	Rock Chip	1.59	11	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404705	BETR12-059	295	89.9	300	91.4	Rock Chip	1.5	75	0.5	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404706	BETR12-059	300	91.4	305	93	Rock Chip	2.22	13	0.2	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404707	BETR12-059	305	93	310	94.5	Rock Chip	1.76	5	0.3	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404708	BETR12-059	310	94.5	315	96	Rock Chip	1.99	2	0.2	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404709	BETR12-059	315	96	320	97.5	Rock Chip	1.8	17	0.5	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404710	BETR12-059	320	97.5	325	99.1	Rock Chip	1.93	8	0.2	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404711	BETR12-059	325	99.1	330	100.6	Rock Chip	1.91	17	0.2	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404712	BETR12-059	330	100.6	335	102.1	Rock Chip	1.92	4	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404713	BETR12-059	335	102.1	340	103.6	Rock Chip	1.67	2	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404714	BETR12-059	340	103.6	345	105.2	Rock Chip	1.5	4	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404715	BETR12-059	345	105.2	350	106.7	Rock Chip	1.79	20	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404716	BETR12-059	350	106.7	355	108.2	Rock Chip	1.89	20	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404717	BETR12-059	355	108.2	360	109.7	Rock Chip	1.79	3	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404718	BETR12-059	360	109.7	365	111.3	Rock Chip	1.85	83	1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404719	BETR12-059	365	111.3	370	112.8	Rock Chip	1.92	22	0.2	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404720	BETR12-059	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404721	BETR12-059	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1346	0.3	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404722	BETR12-059	370	112.8	375	114.3	Rock Chip	1.84	7	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404723	BETR12-059	375	114.3	380	115.8	Rock Chip	2.05	3	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404724	BETR12-059	380	115.8	385	117.3	Rock Chip	0.91	7	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404725	BETR12-059	Duplicate	0		0	Rock Chip	0.93	4	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404726	BETR12-059	385	117.3	390	118.9	Rock Chip	1.91	8	0.3	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404727	BETR12-059	390	118.9	395	120.4	Rock Chip	1.73	4	0.3	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404728	BETR12-059	395	120.4	400	121.9	Rock Chip	1.84	2	0.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404729	BETR12-059	400	121.9	405	123.4	Rock Chip	1.99	2	0.2	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404730	BETR12-059	405	123.4	410	125	Rock Chip	1.45	2	0.2	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404731	BETR12-059	410	125	415	126.5	Rock Chip	2.67	10	0.7	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404732	BETR12-059	415	126.5	420	128	Rock Chip	2.11	41	1.1	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404733	BETR12-059	420	128	425	129.5	Rock Chip	2.98	14	3.6	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404734	BETR12-059	425	129.5	430	131.1	Rock Chip	2.5	7	0.7	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404735	BETR12-059	430	131.1	435	132.6	Rock Chip	1.9	12	1.4	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404736	BETR12-059	435	132.6	440	134.1	Rock Chip	2.57	19	0.9	Acme	21-Aug-12	WHI12000680	15-Aug-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1404737	BETR12-059	440	134.1	445	135.6	Rock Chip	2.27	6	1.5	Acme	21-Aug-12	WHI12000680	15-Aug-12
1404738	BETR12-060	18	5.5	23	7	Rock Chip	1.57	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404739	BETR12-060	23	7	25	7.6	Rock Chip	1.59	3	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404740	BETR12-060	CDN-BL-10	0		0	Rock Pulp	0.12	3	0.3	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404741	BETR12-060	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1490	0.3	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404742	BETR12-060	25	7.6	30	9.1	Rock Chip	3.08	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404743	BETR12-060	30	9.1	35	10.7	Rock Chip	2.03	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404744	BETR12-060	35	10.7	40	12.2	Rock Chip	3.01	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404745	BETR12-060	40	12.2	45	13.7	Rock Chip	3.35	10	0.2	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404746	BETR12-060	45	13.7	50	15.2	Rock Chip	2.94	3	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404747	BETR12-060	50	15.2	55	16.8	Rock Chip	2.9	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404748	BETR12-060	55	16.8	60	18.3	Rock Chip	2.96	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404749	BETR12-060	60	18.3	65	19.8	Rock Chip	2.68	3	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404750	BETR12-060	65	19.8	70	21.3	Rock Chip	1.54	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404751	BETR12-060	70	21.3	75	22.9	Rock Chip	3.03	2	0.2	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404752	BETR12-060	75	22.9	80	24.4	Rock Chip	2.76	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404753	BETR12-060	80	24.4	85	25.9	Rock Chip	2.85	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404754	BETR12-060	85	25.9	90	27.4	Rock Chip	3.14	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404755	BETR12-060	90	27.4	95	29	Rock Chip	2.74	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404756	BETR12-060	95	29	100	30.5	Rock Chip	3.19	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404757	BETR12-060	100	30.5	105	32	Rock Chip	3.77	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404758	BETR12-060	105	32	110	33.5	Rock Chip	3.61	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404759	BETR12-060	110	33.5	115	35.1	Rock Chip	2.6	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404760	BETR12-060	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404761	BETR12-060	CDN-GS-5H	0		0	Rock Pulp	0.12	4064	50.5	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404762	BETR12-060	115	35.1	120	36.6	Rock Chip	2.62	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404763	BETR12-060	120	36.6	125	38.1	Rock Chip	2.97	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404764	BETR12-060	125	38.1	130	39.6	Rock Chip	2.91	3	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404765	BETR12-060	130	39.6	135	41.1	Rock Chip	2.27	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404766	BETR12-060	135	41.1	140	42.7	Rock Chip	2.51	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404767	BETR12-060	140	42.7	145	44.2	Rock Chip	3.49	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404768	BETR12-060	145	44.2	150	45.7	Rock Chip	3.9	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404769	BETR12-060	150	45.7	155	47.2	Rock Chip	2.95	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404770	BETR12-060	155	47.2	160	48.8	Rock Chip	3.26	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404771	BETR12-060	160	48.8	165	50.3	Rock Chip	3.04	146	0.4	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404772	BETR12-060	165	50.3	170	51.8	Rock Chip	2.96	606	3.9	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404773	BETR12-060	170	51.8	175	53.3	Rock Chip	3.21	43	0.2	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404774	BETR12-060	175	53.3	180	54.9	Rock Chip	1.72	87	0.5	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404775	BETR12-060	Duplicate	0		0	Rock Chip	1.26	52	0.6	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404776	BETR12-060	180	54.9	185	56.4	Rock Chip	2.75	113	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404777	BETR12-060	185	56.4	190	57.9	Rock Chip	2.84	112	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404778	BETR12-060	190	57.9	195	59.4	Rock Chip	2.68	190	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404779	BETR12-060	195	59.4	200	61	Rock Chip	3.13	40	0.2	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404780	BETR12-060	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.3	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404781	BETR12-060	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1511	0.2	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404782	BETR12-060	200	61	205	62.5	Rock Chip	2.25	354	0.9	Acme	28-Aug-12	WHI12000746	21-Aug-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1404783	BETR12-060	205	62.5	210	64	Rock Chip	2.98	79	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404784	BETR12-060	210	64	215	65.5	Rock Chip	2.97	19	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404785	BETR12-060	215	65.5	220	67.1	Rock Chip	2.75	30	0.3	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404786	BETR12-060	220	67.1	225	68.6	Rock Chip	1.5	277	8	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404787	BETR12-060	225	68.6	230	70.1	Rock Chip	2.59	25	11.7	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404788	BETR12-060	230	70.1	235	71.6	Rock Chip	2.51	35	1.8	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404789	BETR12-060	235	71.6	240	73.2	Rock Chip	2.88	30	3.4	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404790	BETR12-060	240	73.2	245	74.7	Rock Chip	2.5	22	0.8	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404791	BETR12-060	245	74.7	250	76.2	Rock Chip	2.35	10	4.4	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404792	BETR12-060	250	76.2	255	77.7	Rock Chip	3.01	9	0.6	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404793	BETR12-060	255	77.7	260	79.2	Rock Chip	3.1	333	0.3	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404794	BETR12-060	260	79.2	265	80.8	Rock Chip	2.82	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404795	BETR12-060	265	80.8	270	82.3	Rock Chip	3.07	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404796	BETR12-060	270	82.3	275	83.8	Rock Chip	2.44	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404797	BETR12-060	275	83.8	280	85.3	Rock Chip	2.21	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404798	BETR12-060	280	85.3	285	86.9	Rock Chip	2.49	6	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404799	BETR12-060	285	86.9	290	88.4	Rock Chip	2.9	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404800	BETR12-060	CDN-GS-5H	0		0	Rock Pulp	0.12	4327	56.4	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404801	BETR12-060	CDN-BL-10	0		0	Rock Pulp	0.12	3	0.4	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404802	BETR12-060	290	88.4	295	89.9	Rock Chip	2.12	5	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404803	BETR12-060	295	89.9	300	91.4	Rock Chip	2.79	3	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404804	BETR12-060	300	91.4	305	93	Rock Chip	2.73	2	0.2	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404805	BETR12-060	305	93	310	94.5	Rock Chip	3.34	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404806	BETR12-060	310	94.5	315	96	Rock Chip	2.89	14	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404807	BETR12-060	315	96	320	97.5	Rock Chip	2.53	25	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404808	BETR12-060	320	97.5	325	99.1	Rock Chip	3.32	10	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404809	BETR12-060	325	99.1	330	100.6	Rock Chip	2.92	19	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404810	BETR12-060	330	100.6	335	102.1	Rock Chip	2.33	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404811	BETR12-060	335	102.1	340	103.6	Rock Chip	2.9	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404812	BETR12-060	340	103.6	345	105.2	Rock Chip	3.51	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404813	BETR12-060	345	105.2	350	106.7	Rock Chip	3.01	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404814	BETR12-060	350	106.7	355	108.2	Rock Chip	2.56	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404815	BETR12-060	355	108.2	360	109.7	Rock Chip	2.76	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404816	BETR12-060	360	109.7	365	111.3	Rock Chip	2.57	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404817	BETR12-060	365	111.3	370	112.8	Rock Chip	3.06	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404818	BETR12-060	370	112.8	375	114.3	Rock Chip	2.83	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404819	BETR12-060	375	114.3	380	115.8	Rock Chip	1.88	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404820	BETR12-060	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404821	BETR12-060	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1524	0.2	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404822	BETR12-060	380	115.8	385	117.3	Rock Chip	2.61	3	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404823	BETR12-060	385	117.3	390	118.9	Rock Chip	3	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404824	BETR12-060	390	118.9	395	120.4	Rock Chip	1.16	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404825	BETR12-060	Duplicate	0		0	Rock Chip	1.38	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404826	BETR12-060	395	120.4	400	121.9	Rock Chip	3.1	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404827	BETR12-060	400	121.9	405	123.4	Rock Chip	3.45	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404828	BETR12-060	405	123.4	410	125	Rock Chip	2.97	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1404829	BETR12-060	410	125	415	126.5	Rock Chip	3.19	2	0.2	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404830	BETR12-060	415	126.5	420	128	Rock Chip	2.52	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404831	BETR12-060	420	128	425	129.5	Rock Chip	2.66	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404832	BETR12-060	425	129.5	430	131.1	Rock Chip	3.2	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404833	BETR12-060	430	131.1	435	132.6	Rock Chip	2.78	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404834	BETR12-060	435	132.6	440	134.1	Rock Chip	2.39	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404835	BETR12-060	440	134.1	445	135.6	Rock Chip	2.8	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404836	BETR12-060	445	135.6	450	137.2	Rock Chip	2.75	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404837	BETR12-060	450	137.2	455	138.7	Rock Chip	2.32	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404838	BETR12-060	455	138.7	460	140.2	Rock Chip	2.01	2	0.1	Acme	28-Aug-12	WHI12000746	21-Aug-12
1404839	BETR12-061	20	6.1	25	7.6	Rock Chip	3.12	102	11.3	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404840	BETR12-061	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.4	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404841	BETR12-061	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1375	0.3	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404842	BETR12-061	25	7.6	30	9.1	Rock Chip	0.98	5	0.4	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404843	BETR12-061	30	9.1	35	10.7	Rock Chip	1.9	230	29.9	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404844	BETR12-061	35	10.7	40	12.2	Rock Chip	1.87	329	12.9	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404845	BETR12-061	40	12.2	45	13.7	Rock Chip	2.15	38	1.6	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404846	BETR12-061	45	13.7	50	15.2	Rock Chip	2.26	61	5.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404847	BETR12-061	50	15.2	55	16.8	Rock Chip	2.02	3	0.3	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404848	BETR12-061	55	16.8	60	18.3	Rock Chip	1.57	149	8.6	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404849	BETR12-061	60	18.3	65	19.8	Rock Chip	1.92	2	0.3	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404850	BETR12-061	65	19.8	70	21.3	Rock Chip	2.26	2	0.2	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404851	BETR12-061	70	21.3	75	22.9	Rock Chip	2.51	3	2.2	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404852	BETR12-061	75	22.9	80	24.4	Rock Chip	2.19	2	0.2	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404853	BETR12-061	80	24.4	85	25.9	Rock Chip	2.37	2	0.2	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404854	BETR12-061	85	25.9	90	27.4	Rock Chip	2.01	9	0.3	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404855	BETR12-061	90	27.4	95	29	Rock Chip	2.41	18	1.4	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404856	BETR12-061	95	29	100	30.5	Rock Chip	2.49	5	0.2	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404857	BETR12-061	100	30.5	105	32	Rock Chip	2.6	3	0.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404858	BETR12-061	105	32	110	33.5	Rock Chip	1.96	4	0.5	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404859	BETR12-061	110	33.5	115	35.1	Rock Chip	2.29	155	17.8	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404860	BETR12-061	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404861	BETR12-061	CDN-GS-5H	0		0	Rock Pulp	0.12	3985	52.9	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404862	BETR12-061	115	35.1	120	36.6	Rock Chip	1.64	2	0.2	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404863	BETR12-061	120	36.6	125	38.1	Rock Chip	1.79	294	18.4	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404864	BETR12-061	125	38.1	130	39.6	Rock Chip	1.7	223	34.7	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404865	BETR12-061	130	39.6	135	41.1	Rock Chip	2.14	3	0.8	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404866	BETR12-061	135	41.1	140	42.7	Rock Chip	1.92	105	4.9	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404867	BETR12-061	140	42.7	145	44.2	Rock Chip	2.47	2	0.7	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404868	BETR12-061	145	44.2	150	45.7	Rock Chip	2.6	46	2.7	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404869	BETR12-061	150	45.7	155	47.2	Rock Chip	2.46	86	10.8	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404870	BETR12-061	155	47.2	160	48.8	Rock Chip	2.48	2	1.4	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404871	BETR12-061	160	48.8	165	50.3	Rock Chip	2.38	264	13.2	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404872	BETR12-061	165	50.3	170	51.8	Rock Chip	2.65	75	10.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404873	BETR12-061	170	51.8	175	53.3	Rock Chip	2.33	2	0.2	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404874	BETR12-061	175	53.3	180	54.9	Rock Chip	1.13	14	0.4	Acme	29-Aug-12	WHI12000747	21-Aug-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1404875	BETR12-061	Duplicate	0		0	Rock Chip	1.03	23	0.6	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404876	BETR12-061	180	54.9	185	56.4	Rock Chip	2.41	2	0.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404877	BETR12-061	185	56.4	190	57.9	Rock Chip	1.68	278	12.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404878	BETR12-061	190	57.9	195	59.4	Rock Chip	2.16	2	0.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404879	BETR12-061	195	59.4	200	61	Rock Chip	2.18	226	9.7	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404880	BETR12-061	CDN-BL-10	0		0	Rock Pulp	0.12	2	0.2	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404881	BETR12-061	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1541	0.2	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404882	BETR12-061	200	61	205	62.5	Rock Chip	2.29	115	10.3	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404883	BETR12-061	205	62.5	210	64	Rock Chip	2.62	285	31.5	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404884	BETR12-061	210	64	215	65.5	Rock Chip	2.64	3	0.5	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404885	BETR12-061	215	65.5	220	67.1	Rock Chip	2.63	35	8.9	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404886	BETR12-061	220	67.1	225	68.6	Rock Chip	1.72	2	0.2	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404887	BETR12-061	225	68.6	230	70.1	Rock Chip	1.91	2	0.2	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404888	BETR12-061	230	70.1	235	71.6	Rock Chip	1.66	2	0.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404889	BETR12-061	235	71.6	240	73.2	Rock Chip	1.94	56	14.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404890	BETR12-061	240	73.2	245	74.7	Rock Chip	2.41	3	0.9	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404891	BETR12-061	245	74.7	250	76.2	Rock Chip	2.47	182	24.5	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404892	BETR12-061	250	76.2	255	77.7	Rock Chip	2.37	222	79.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404893	BETR12-061	255	77.7	260	79.2	Rock Chip	2.69	52	4.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404894	BETR12-061	260	79.2	265	80.8	Rock Chip	2.16	7	0.4	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404895	BETR12-061	265	80.8	270	82.3	Rock Chip	2.16	12	0.7	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404896	BETR12-061	270	82.3	275	83.8	Rock Chip	2.43	29	2.3	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404897	BETR12-061	275	83.8	280	85.3	Rock Chip	2.4	7	0.3	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404898	BETR12-061	280	85.3	285	86.9	Rock Chip	2.36	2	0.2	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404899	BETR12-061	285	86.9	290	88.4	Rock Chip	1.98	2	0.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404900	BETR12-061	CDN-BL-10	0		0	Rock Pulp	0.12	7	0.3	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404901	BETR12-061	CDN-GS-5H	0		0	Rock Pulp	0.12	3739	49.6	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404902	BETR12-061	290	88.4	295	89.9	Rock Chip	2.08	2	0.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404903	BETR12-061	295	89.9	300	91.4	Rock Chip	2.41	3	0.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404904	BETR12-061	300	91.4	305	93	Rock Chip	2.41	2	0.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404905	BETR12-061	305	93	310	94.5	Rock Chip	2.42	2	0.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404906	BETR12-061	310	94.5	315	96	Rock Chip	1.68	2	0.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404907	BETR12-061	315	96	320	97.5	Rock Chip	2.3	2	0.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404908	BETR12-061	320	97.5	325	99.1	Rock Chip	2.49	2	0.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404909	BETR12-061	325	99.1	330	100.6	Rock Chip	2.28	2	0.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404910	BETR12-061	330	100.6	335	102.1	Rock Chip	2.33	7	0.5	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404911	BETR12-061	335	102.1	340	103.6	Rock Chip	2.09	4	0.2	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404912	BETR12-061	340	103.6	345	105.2	Rock Chip	2.07	23	0.8	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404913	BETR12-061	345	105.2	350	106.7	Rock Chip	2.33	33	1.2	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404914	BETR12-061	350	106.7	355	108.2	Rock Chip	2.69	481	39.4	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404915	BETR12-061	355	108.2	360	109.7	Rock Chip	2.48	1231	130	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404916	BETR12-061	360	109.7	365	111.3	Rock Chip	2.26	137	22.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404917	BETR12-061	365	111.3	370	112.8	Rock Chip	2.37	68	4.3	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404918	BETR12-061	370	112.8	375	114.3	Rock Chip	2.04	241	2.6	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404919	BETR12-061	375	114.3	380	115.8	Rock Chip	2.69	128	7.6	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404920	BETR12-061	CDN-BL-10	0		0	Rock Pulp	0.12	3	0.3	Acme	29-Aug-12	WHI12000747	21-Aug-12

sample_id	hole_id	from_ft	from_m	to_ft	to_m	Type	Wgt (KG)	Au (PPB)	Ag (PPM)	Lab:	File Created:	Job Number:	Received:
1404921	BETR12-061	CDN-GS-1P5F	0		0	Rock Pulp	0.12	1558	0.3	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404922	BETR12-061	380	115.8	385	117.3	Rock Chip	1.93	304	28.5	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404923	BETR12-061	385	117.3	390	118.9	Rock Chip	2.19	16	0.8	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404924	BETR12-061	390	118.9	395	120.4	Rock Chip	1.03	16	0.6	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404925	BETR12-061	Duplicate	0		0	Rock Chip	1.24	18	0.5	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404926	BETR12-061	395	120.4	400	121.9	Rock Chip	2.22	28	0.7	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404927	BETR12-061	400	121.9	405	123.4	Rock Chip	1.88	16	2.5	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404928	BETR12-061	405	123.4	410	125	Rock Chip	1.84	2	0.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404929	BETR12-061	410	125	415	126.5	Rock Chip	1.86	4	0.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404930	BETR12-061	415	126.5	420	128	Rock Chip	1.58	2	0.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404931	BETR12-061	420	128	425	129.5	Rock Chip	1.58	2	0.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404932	BETR12-061	425	129.5	430	131.1	Rock Chip	2.61	2	0.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404933	BETR12-061	430	131.1	435	132.6	Rock Chip	1.76	2	0.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404934	BETR12-061	435	132.6	440	134.1	Rock Chip	1.65	2	0.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404935	BETR12-061	440	134.1	445	135.6	Rock Chip	2.36	2	0.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404936	BETR12-061	445	135.6	450	137.2	Rock Chip	1.7	3	0.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404937	BETR12-061	450	137.2	455	138.7	Rock Chip	2.5	2	0.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404938	BETR12-061	455	138.7	460	140.2	Rock Chip	2.27	2	0.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404939	BETR12-061	460	140.2	465	141.7	Rock Chip	2.56	2	0.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404940	BETR12-061	CDN-BL-10	0		0	Rock Pulp	0.12	3	0.2	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404941	BETR12-061	CDN-GS-5H	0		0	Rock Pulp	0.12	3795	55.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404942	BETR12-061	465	141.7	470	143.3	Rock Chip	2.4	2	0.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404943	BETR12-061	470	143.3	475	144.8	Rock Chip	2.55	2	0.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404944	BETR12-061	475	144.8	480	146.3	Rock Chip	2.16	2	0.2	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404945	BETR12-061	480	146.3	485	147.8	Rock Chip	2.17	4	0.2	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404946	BETR12-061	485	147.8	490	149.4	Rock Chip	2.95	2	0.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404947	BETR12-061	490	149.4	495	150.9	Rock Chip	3.18	2	0.1	Acme	29-Aug-12	WHI12000747	21-Aug-12
1404948	BETR12-061	495	150.9	500	152.4	Rock Chip	2.37	2	0.1	Acme	29-Aug-12	WHI12000747	21-Aug-12