

All holes drilled with:

CORONATION MINERALS INC., DIAMOND DRILL LOG

HOLE NO. WS-06-150

PAGE 2 OF 3

FEET		METERS		DESCRIPTION	% TS	% cpy	Sample No.	From (ft)	To (ft)	From (m)	To (m)	Length (m)	% Recovered	Cu ppm	Ni ppm	Cu %	Ni %	Pt ppm	Pd ppm	Au ppm	Co ppm
FROM	TO	FROM	TO																		
182.41	247.50	55.60	75.44	Peridotite			C505680	182.41	187.00	55.60	57.00	1.40		714	2420			0.124	0.156	0.022	150
							C505681	187.00	191.00	57.00	58.22	1.22		1300	3180			0.198	0.268	0.030	149
				Poor recovery			C505682	191.00	199.00	58.22	60.66	2.44		1700	3960			0.252	0.378	0.031	178
							C505683	199.00	202.00	60.66	61.57	0.91		862	3050			0.185	0.280	0.108	158
							C505684	202.00	207.00	61.57	63.09	1.52		837	2950			0.184	0.266	0.018	139
							C505685	207.00	212.00	63.09	64.62	1.52		988	3000			0.184	0.254	0.009	147
				Poor recovery			C505686	212.00	220.00	64.62	67.06	2.44		1300	3460			0.244	0.359	0.021	162
							C505687	220.00	225.50	67.06	68.73	1.68		1300	3890			0.267	0.389	0.018	159
							C505688	225.50	232.00	68.73	70.71	1.98		862	3070			0.187	0.268	0.017	149
							C505689	232.00	239.00	70.71	72.85	2.13		864	2750			0.157	0.232	0.011	136
							C505690	239.00	244.00	72.85	74.37	1.52		2380	3330			0.522	0.376	0.054	171
							C505691	239.00	244.00	72.85	74.37	1.52		2270	2950			0.429	0.309	0.055	152
							C505692	OREAS 14P						9800	>10000		2.07	0.104	0.144	0.051	607
							C505693	Blank						42	50			0.010	0.006	0.001	19
							C505694	244.00	247.50	74.37	75.44	1.07		1530	2250			0.337	0.143	0.021	138
247.50	282.75	75.44	86.18	Gabbro?	3	2	C505695	247.50	249.00	75.44	75.90	0.46		2840	2710			0.602	0.220	0.017	109
					3	0.5	C505696	249.00	253.50	75.90	77.27	1.37		3550	3490			0.730	0.300	0.023	139
					1	Tr	C505697	253.50	258.50	77.27	78.79	1.52		2100	2390			0.440	0.184	0.007	122
					2	Tr	C505698	258.50	262.00	78.79	79.86	1.07		1360	1765			0.355	0.146	0.001	109
					2		C505699	262.00	265.25	79.86	80.85	0.99		1285	2690			0.549	0.261	0.003	140
					Tr		C505700	265.25	268.50	80.85	81.84	0.99		778	281			0.026	0.013	0.005	45
					4		C505701	268.50	272.00	81.84	82.91	1.07		2050	678			0.143	0.094	0.004	52
					3	1	C505702	272.00	277.00	82.91	84.43	1.52		2580	2590			0.541	0.349	0.010	114
					3	1	C505703	277.00	282.75	84.43	86.18	1.75		4120	2180			0.392	0.292	0.015	115
282.75	298.75	86.18	91.06	Andesite?			C505704	282.75	285.00	86.18	86.87	0.69		632	751			0.142	0.107	0.017	69
							C505705	285.00	289.00	86.87	88.09	1.22		238	85			0.016	0.025	0.009	39
							C505706	289.00	292.00	88.09	89.00	0.91		265	56			0.006	0.021	0.003	41
							C505707	292.00	297.00	89.00	90.53	1.52		262	60			0.009	0.021	0.009	41
							C505708	297.00	298.75	90.53	91.06	0.53		682	631			0.082	0.070	0.006	59
298.75	304.66	91.06	92.86	Gabbro?	4	0.5	C505709	298.75	304.66	91.06	92.86	1.80		4940	6270			0.823	0.742	0.025	266
304.66	316.16	92.86	96.37	Andesite?			C505710	304.66	308.00	92.86	93.88	1.02		895	1085			0.138	0.127	0.004	76
							C505711	308.00	312.00	93.88	95.10	1.22		304	192			0.024	0.032	0.003	42
							C505712	312.00	316.16	95.10	96.37	1.27		221	148			0.016	0.025	0.004	48

HOLE NO. WS-06-150

PAGE 3 OF 3

[illegible]