

✓ checked

CORONATION MINERALS INC., DIAMOND DRILL LOG

HOLE NO:WS08-155

PAGE 1 OF 3

PROPERTY		AZIMUTH		LENGTH		EASTING		LOGGED BY	DATE STARTED	CORRECTED DOWNHOLE SURVEY DATA										CORE DIAMETER		NOTES
Wellgreen Mine, YT		0°		Feet	Metres	Feet	Metres	RCALHOUN	26-Jun-08	DEPTH	AZIMUTH	DIP	DEPTH	AZIMUTH	DIP	DEPTH	AZIMUTH	DIP	SIZE	Feet	Metres	
PROJECT		DIP		ELEVATION		NORTHING		DRILLED BY	DATE COMPLETED	14.33	6.40	-45.50							HQ	0-452	0-137.77	
Wellgreen		-47°		Feet	Metres	Feet	Metres	CARON	01-Jul-08	136.25	5.30	-45.60										
				4954.068	1510.000		15590.000															
FEET	METERS			DESCRIPTION		% TS	% cpy	Sample No.	From (ft)	To (ft)	From (m)	To (m)	Length (m)	% Recovered	Cu ppm	Ni ppm	Cu %	Ni %	Pt ppm	Pd ppm	Au ppm	Co ppm
FROM	TO	FROM	TO																			
0.00	12.00	0.00	3.66	CASING				NS	0.00	12.00	0.00	3.66	3.66									
12.00	43.91	3.66	13.38	GABBRO: medium to dark gray; mg		0.5	TR	C509165	12.00	17.00	3.66	5.18	1.52		337	997	0.03	0.10	0.019	0.018	0.003	63
						1	TR	C509166	17.00	21.50	5.18	6.55	1.37		105	592	0.01	0.06	0.014	0.012	0.002	42
						1	TR	C509167	21.50	26.00	6.55	7.92	1.37		117	686	0.01	0.07	0.012	0.007	0.002	47
						3	1	C509168	26.00	29.00	7.92	8.84	0.91		443	661	0.04	0.07	0.009	0.005	0.003	43
						2	0.5	C509169	29.00	33.00	8.84	10.06	1.22		1500	1350	0.15	0.14	0.028	0.016	0.014	86
						2	0.25	C509170	33.00	38.00	10.06	11.58	1.52		649	757	0.06	0.08	0.011	0.008	0.005	57
						4	3	C509171	38.00	42.00	11.58	12.80	1.22		2510	744	0.25	0.07	0.007	0.004	0.074	64
				trace malachite on fractures		3	0.5	C509172	42.00	43.91	12.80	13.38	0.58		1090	604	0.11	0.06	0.007	0.004	0.01	59
43.91	58.66	13.38	17.88	ALTERED GABBRO: lt gry to med gry; silicified with fine calcite fracture fills		0.5	0.24	C509173	43.91	47.00	13.38	14.33	0.94		614	215	0.06	0.02	<0.005	0.002	0.005	24
						TR	TR	C509174	47.00	52.00	14.33	15.85	1.52		23	38	0.00	0.00	<0.005	<0.001	0.018	6
								C509175	52.00	57.00	15.85	17.37	1.52		51	29	0.01	0.00	<0.005	<0.001	0.003	7
						TR		C509176	57.00	58.66	17.37	17.88	0.51		122	23	0.01	0.00	<0.005	<0.001	0.003	9
58.66	60.75	17.88	18.52	ANDESITE DYKE: dark gray, aphanitic; fractured with calcite filled fractures to 1 cm		TR		C509177	58.66	60.75	17.88	18.52	0.64		58	6	0.01	0.00	<0.005	<0.001	0.047	35
								C509178	60.75	67.00	18.52	20.42	1.91		31	18	0.00	0.00	<0.005	0.001	0.097	9
						TR	TR	C509179	67.00	71.00	20.42	21.64	1.22		156	31	0.02	0.00	<0.005	0.001	0.02	9
60.75	120.40	18.52	36.70	ALTERED GABBRO: same description as 43.91-58.66 ft		TR	TR	C509180	71.00	75.00	21.64	22.86	1.22		234	51	0.02	0.01	<0.005	0.001	0.007	8
						TR	TR	C509181	75.00	80.00	22.86	24.38	1.52		390	39	0.04	0.00	<0.005	<0.001	0.049	10
						3	3	C509182	80.00	85.30	24.38	26.00	1.62		235	34	0.02	0.00	<0.005	<0.001	0.043	8
						2	2	C509183	85.30	86.75	26.00	26.44	0.44		>10000	99	3.11	0.01	<0.005	0.001	0.183	44
								C509184	86.75	92.00	26.44	28.04	1.60		1250	31	0.13	0.00	<0.005	<0.001	0.235	10
						0.5	TR	C509185	92.00	97.00	28.04	29.57	1.52		626	30	0.06	0.00	<0.005	0.001	0.234	15
						TR		C509186	97.00	102.00	29.57	31.09	1.52		688	27	0.07	0.00	<0.005	<0.001	0.202	15
								C509187	DUPLICATE		29.57	31.09	1.52		558	25	0.06	0.00	<0.005	<0.001	0.234	14
								C509188	STD: OREAS 13P						2400	2080	0.24	0.21	0.054	0.068	0.047	82
								C509189	BLANK SAMPLE						19	11	0.00	0.00	<0.005	0.001	0.002	1
						2		C509190	102.00	107.00	31.09	32.61	1.52		1380	49	0.14	0.00	<0.005	0.002	0.33	17
								C509191	107.00	112.00	32.61	34.14	1.52		1660	356	0.17	0.04	0.055	0.027	0.01	39
						1	TR	C509192	112.00	117.00	34.14	35.66	1.52		185	49	0.02	0.00	0.012	0.016	0.002	34
								C509193	117.00	120.41	35.66	36.70	1.04		189	45	0.02	0.00	0.009	0.015	0.002	30
120.41	152.50	36.70	48.48	PERIDOTITE: dk gm-black; medium grained; magnetic; intensely sheared fr 147-152.5 ft with rock flour between breccia fragments;		7	1	C509194	120.41	124.01	36.70	37.80	1.10		8620	3380	0.86	0.34	1.26	0.593	0.412	183
						9	1	C509195	124.01	128.00	37.80	39.01	1.22		3100	5050	0.31	0.51	0.705	0.426	0.19	190
						11	2	C509196	128.00	132.00	39.01	40.23	1.22		7060	7120	0.71	0.71	1.52	0.784	0.165	376
						3	1	C509197	132.00	137.00	40.23	41.76	1.52		1240	1670	0.12	0.17	0.373	0.14	0.044	97
						5	1	C509198	137.00	142.00	41.76	43.28	1.52		2050	3040	0.21	0.30	0.63	0.326	0.039	206

CORONATION MINERALS INC., DIAMOND DRILL LOG

HOLE NO: WS08-155

PAGE 2 OF 3

FEET		METERS		DESCRIPTION	% TS	% cpy	Sample No.	From (ft)	To (ft)	From (m)	To (m)	Length (m)	% Recovered	Cu ppm	Ni ppm	Cu %	Ni %	Pt ppm	Pd ppm	Au ppm	Co ppm
FROM	TO	FROM	TO																		
					4	1	C509199	142.00	147.00	43.28	44.81	1.52		8270	1925	0.83	0.19	0.926	0.362	0.409	165
					4	0.5	C509200	147.00	152.50	44.81	46.48	1.68		8110	1680	0.81	0.17	0.835	0.315	0.493	142
152.50	157.00	46.48	47.85	GABBRO?: medium gry-grn, mg, heavily sheared	3		C509201	152.50	157.00	46.48	47.85	1.37		7940	2020	0.79	0.20	0.823	0.415	0.126	173
157.00	180.50	47.85	55.02	PERIDOTITE: dark grn-black; mg; sheared	4	TR	C509202	157.00	162.00	47.85	49.38	1.52		5180	2310	0.52	0.23	0.482	0.278	0.161	189
					5	0.5	C509203	162.00	167.00	49.38	50.90	1.52		>10000	5780	1.01	0.58	1.305	0.515	0.188	400
					6	1	C509204	167.00	171.00	50.90	52.12	1.22		7510	4320	0.75	0.43	1.285	0.698	0.355	345
							C509205	171.00	175.00	52.12	53.34	1.22		9820	2440	0.98	0.24	1.055	0.543	0.349	214
							C509206	175.00	180.50	53.34	55.02	1.68		6820	2520	0.68	0.25	1.045	0.481	0.276	203
180.50	181.50	55.02	55.32	ANDESITE DYKE: int serpentine; med gry-grn; aphanitic; intensely sheared, upper contact @85 deg LCA, lower contact - 45 deg			C509207	180.50	181.50	55.02	55.32	0.30		2300	576	0.23	0.06	0.267	0.131	0.1	60
							C509208	181.50	185.66	55.32	56.59	1.27		8450	2290	0.85	0.23	1.03	0.578	0.366	171
							C509209	185.66	187.41	56.59	57.12	0.53		8970	2470	0.90	0.25	1.025	0.549	0.206	165
181.50	185.66	55.32	56.59	PERIDOTITE: dark grn-black; mg; magnetic			C509210	187.41	192.00	57.12	58.52	1.40		237	79	0.02	0.01	0.018	0.024	0.01	36
185.66	187.41	56.59	57.12	GABBRO: medium gray, mg, 3% total sulfides, 1.5% cpy			C509211	DUPLICATE	57.12	58.52	1.40			125	49	0.01	0.00	0.01	0.016	0.006	33
							C509212	STD: OREAS 13P						2480	2140	0.25	0.21	0.051	0.071	0.049	79
187.41	202.00	57.12	61.57	MAPLE CREEK GABBRO: medium gray; mg; numerous calcite/quartz filled fractures;			C509213	BLANK SAMPLE						80	24	0.01	0.00	0.007	0.006	0.003	2
							C509214	192.00	197.00	58.52	60.05	1.52		117	53	0.01	0.01	0.011	0.017	0.007	34
							C509215	197.00	202.00	60.05	61.57	1.52		103	50	0.01	0.01	0.006	0.015	0.007	33
202.00	237.58	61.57	72.41	GABBRO?: lower contact at 50 deg to LCA; medium grn-gry; fg with mg hornblend?; calcite filled fractures; mg to cg plagioclase?			C509216	202.00	206.00	61.57	62.79	1.22		108	60	0.01	0.01	0.014	0.019	0.006	31
							C509217	206.00	211.00	62.79	64.31	1.52		115	58	0.01	0.01	0.009	0.018	0.005	32
							C509218	211.00	217.00	64.31	66.14	1.83		128	58	0.01	0.01	0.008	0.016	0.006	33
							C509219	217.00	222.00	66.14	67.67	1.52		109	50	0.01	0.01	0.007	0.017	0.005	31
							C509220	222.00	227.00	67.67	69.19	1.52		115	49	0.01	0.00	0.007	0.016	0.005	33
							C509221	227.00	232.00	69.19	70.71	1.52		117	44	0.01	0.00	0.008	0.017	0.005	33
							C509222	232.00	237.58	70.71	72.41	1.70		165	45	0.02	0.00	0.011	0.015	0.021	33
237.58	318.50	72.41	97.08	PERIDOTITE: dark green-black, mg, magnetic, upper contact @ 50 deg to LCA; serpentine coated fractures	5	2	C509223	237.58	242.00	72.41	73.76	1.35		6770	1750	0.68	0.18	0.992	0.505	0.413	153
					3	1	C509224	242.00	247.00	73.76	75.29	1.52		7610	2090	0.76	0.21	1.025	0.536	0.366	159
					2		C509225	247.00	251.00	75.29	76.50	1.22		6500	1880	0.65	0.19	0.921	0.452	0.331	166
					2		C509226	251.00	256.00	76.50	78.03	1.52		7080	2020	0.71	0.20	0.95	0.457	0.335	173
				256-265 ft: highly serpentinized; possible shear	4	2	C509227	256.00	261.00	78.03	79.55	1.52		8550	1820	0.86	0.18	0.933	0.467	0.349	161
					2		C509228	261.00	265.00	79.55	80.77	1.22		7770	2050	0.78	0.21	1.03	0.516	0.332	175
					4		C509229	265.00	270.00	80.77	82.30	1.52		7380	2300	0.74	0.23	0.921	0.473	0.33	188
					3		C509230	270.00	274.50	82.30	83.67	1.37		8190	2790	0.82	0.28	1.03	0.498	0.339	218
					4		C509231	274.50	279.50	83.67	85.19	1.52		6570	1940	0.66	0.19	0.852	0.399	0.35	172
				looks like breccia with serp being matrix and min perid fragments	2		C509232	279.50	282.00	85.19	85.95	0.76		5680	2010	0.57	0.20	0.796	0.394	0.307	176
					3		C509233	282.00	287.00	85.95	87.48	1.52		6900	2170	0.69	0.22	0.869	0.417	0.383	193
					2		C509234	287.00	292.00	87.48	89.00	1.52		5840	1790	0.58	0.18	0.802	0.361	0.25	169
							C509235	DUPLICATE	87.48	89.00	1.52			6870	2130	0.69	0.21	0.768	0.379	0.243	201
							C509236	STD: OREAS 13P						2500	2080	0.25	0.21	NSS	NSS	NSS	76
							C509237	BLANK SAMPLE						55	15	0.01	0.00	<0.005	0.003	0.004	3

CORONATION MINERALS INC., DIAMOND DRILL LOG

HOLE NO:WS08-155

PAGE 3 OF 3

FEET		METERS		DESCRIPTION	% TS	% cpy	Sample No.	From (ft)	To (ft)	From (m)	To (m)	Length (m)	% Recovered	Cu ppm	Ni ppm	Cu %	Ni %	Pt ppm	Pd ppm	Au ppm	Co ppm
FROM	TO	FROM	TO																		
					4		C509238	292.00	297.00	89.00	90.53	1.52		7050	2220	0.71	0.22	0.974	0.447	0.311	205
					3		C509239	297.00	302.00	90.53	92.05	1.52		6240	2010	0.62	0.20	0.792	0.37	0.301	186
					5		C509240	302.00	304.50	92.05	92.81	0.76		7290	2260	0.73	0.23	0.892	0.422	0.335	200
				304.5-317 ft: highly serpentinized; possible shear	15	2	C509241	304.50	309.00	92.81	94.18	1.37		>10000	>10000	1.245	1.27	1.59	0.541	0.337	747
				304.5-309 ft: 15% broken up massive sulfides within this section of serpentinization			C509242	309.00	312.00	94.18	95.10	0.91		3630	1320	0.36	0.13	0.581	0.271	0.186	126
							C509243	312.00	317.00	95.10	96.62	1.52		5090	1880	0.51	0.19	0.683	0.326	0.219	167
					2	0.25	C509244	317.00	318.50	96.62	97.08	0.46		6120	1730	0.61	0.17	0.626	0.275	0.217	158
318.50	326.50	97.08	99.52	ANDESITE?: medium gray-grn; aphanitic	4		C509245	318.50	322.00	97.08	98.15	1.07		175	61	0.02	0.01	0.009	0.013	0.004	30
					TR		C509246	322.00	326.50	98.15	99.52	1.37		282	97	0.03	0.01	0.019	0.023	0.01	33
326.50	333.00	99.52	101.50	PERIDOTITE: dk grn-blk; mg; sheared; magnetic	6	0.5	C509247	326.50	330.50	99.52	100.74	1.22		9920	4970	0.99	0.50	1.3	0.862	0.342	339
							C509248	330.50	333.00	100.74	101.50	0.76		7880	3830	0.79	0.38	0.917	0.439	0.239	294
333.00	352.30	101.50	107.38	ANDESITE/VOLC TUFF/AGGLOMERATE: medium grey; fg; fractured with calcite filling; 10 in fault gouge from 333.16-334 ft.			C509249	333.00	334.50	101.50	101.96	0.46		1125	537	0.11	0.05	0.072	0.037	0.039	65
							C509250	334.50	339.50	101.96	103.48	1.52		130	60	0.01	0.01	0.013	0.008	0.005	17
							C509251	339.50	342.00	103.48	104.24	0.76		84	50	0.01	0.01	0.018	0.009	0.003	16
352.30	391.50	107.38	119.33	GABBRO?: medium grey; mg; intensely sheared from 364.5-391.5 ft			C509252	342.00	352.30	104.24	107.38	3.14		17	20	0.00	0.00	<0.005	0.001	0.002	14
							C509253	352.30	357.00	107.38	108.81	1.43		32	25	0.00	0.00	<0.005	0.001	0.001	14
							C509254	357.00	362.00	108.81	110.34	1.52		14	22	0.00	0.00	<0.005	0.001	0.001	16
							C509255	362.00	367.00	110.34	111.86	1.52		1045	518	0.10	0.05	0.053	0.023	0.009	49
				2cm wide massive sulfides seam @ 10 deg to LCA over	6	1	C509256	367.00	372.00	111.86	113.39	1.52		2730	3540	0.27	0.35	0.419	0.134	0.045	179
							C509257	372.00	377.00	113.39	114.91	1.52		1530	831	0.15	0.08	0.099	0.05	0.017	82
							C509258	377.00	380.00	114.91	115.82	0.91		127	74	0.01	0.01	0.01	0.016	0.004	36
							C509259	DUPLICATE	114.91	115.82	0.91			120	57	0.01	0.01	0.008	0.016	0.003	34
							C509260	STD: WGB-1						98	64	0.01	0.01	<0.005	0.012	0.004	24
							C509261	BLANK SAMPLE						12	12	0.00	0.00	<0.005	<0.001	0.001	2
							C509262	380.00	383.00	115.82	116.74	0.91		116	49	0.01	0.00	0.006	0.016	0.004	32
							C509263	383.00	387.00	116.74	117.96	1.22		98	49	0.01	0.00	0.008	0.016	0.006	32
							C509264	387.00	391.50	117.96	119.33	1.37		112	52	0.01	0.01	0.007	0.015	0.006	33
391.50	452.00	119.33	137.77	VOLCANIC TUFF/BRECCIA: medium grey to medium greenish grey; fg			C509265	391.50	396.50	119.33	120.85	1.52		96	49	0.01	0.00	0.007	0.016	0.005	33
							C509266	396.50	401.50	120.85	122.38	1.52		92	49	0.01	0.00	0.005	0.015	0.008	32
							C509267	401.50	406.50	122.38	123.90	1.52		100	48	0.01	0.00	0.007	0.015	0.005	31
							C509268	406.50	412.00	123.90	125.58	1.68		102	45	0.01	0.00	<0.005	0.016	0.011	31
							C509269	412.00	417.00	125.58	127.10	1.52		83	38	0.01	0.00	0.008	0.014	0.004	32
							C509270	417.00	422.00	127.10	128.63	1.52		67	29	0.01	0.00	<0.005	0.01	0.003	31
							C509271	422.00	427.00	128.63	130.15	1.52		57	29	0.01	0.00	<0.005	0.001	0.005	23
				End of Hole @ 137.77 m			C509272	427.00	432.00	130.15	131.67	1.52		30	18	0.00	0.00	<0.005	<0.001	0.001	23
							C509273	432.00	437.00	131.67	133.20	1.52		42	25	0.00	0.00	<0.005	0.001	0.002	20
							C509274	437.00	442.00	133.20	134.72	1.52		35	51	0.00	0.01	<0.005	0.001	0.002	24
							C509275	442.00	447.00	134.72	136.25	1.52		38	87	0.00	0.01	<0.005	0.002	0.002	19
							C509276	447.00	452.00	136.25	137.77	1.52		28	48	0.00	0.00	<0.005	0.002	0.003	19