

WS08-161

10

CORONATION MINERALS INC., DIAMOND DRILL LOG

F

| PROPERTY | | AZIMUTH | | LENGTH | | EASTING | | LOGGED BY | | DATE STARTED | | BOREHOLE | | |
|--------------------|-----|---------|------|--|--------|----------|--------|------------|--|----------------|-------|------------|-----------|---------|
| Wellgreen Mine, YT | | 0 | | Feet | Metres | Feet | Metres | Jm Pena | | | | DEPTH | DIP | |
| PROJECT | | DIP | | ELEVATION | | NORTHING | | DRILLED BY | | DATE COMPLETED | | | | |
| WS08 161 | | -60 | | Feet | Metres | Feet | Metres | Caron | | | | | | |
| | | | | | 1497 | | 15314 | | | | | | | |
| FEET | | METERS | | DESCRIPTION | | | | | | % TS | % cpy | Sample No. | From (ft) | To (ft) |
| FROM | TO | FROM | TO | | | | | | | | | | | |
| 0 | 381 | 0.00 | 0.00 | PERIDOTITE - drusey fmg mod mag int field w/ | | | | | | <1 | | 11718388 | 0 | 13 |
| | | 0.00 | 0.00 | suspensions, 40-55° ACA 2 1/2" gullies w/4" | | | | | | | | 89 | | 19 |
| | | 0.00 | 0.00 | | | | | | | | | 90 | | 24.5 |
| | | 0.00 | 0.00 | 0-110 m/b core soft/friable in some sections | | | | | | | | 91 | | 28.5 |
| | | 0.00 | 0.00 | 32.5-40 f | | | | | | | | 92 | | 37 |
| | | 0.00 | 0.00 | 18-81 soft | | | | | | | | 93 | | 42 |
| | | 0.00 | 0.00 | | | | | | | | | 94 | | 47.5 |
| | | 0.00 | 0.00 | | | | | | | | | 95 | | 56 |
| | | 0.00 | 0.00 | | | | | | | | | 96 | | 63 |
| | | 0.00 | 0.00 | | | | | | | | | 97 | | 72 |
| | | 0.00 | 0.00 | | | | | | | | | 98 | | 80 |
| | | 0.00 | 0.00 | | | | | | | | | 99 | | 88 |
| | | 0.00 | 0.00 | | | | | | | | | 11718400 | | 93 |
| | | 0.00 | 0.00 | | | | | | | | | 1 | | 98 |
| | | 0.00 | 0.00 | | | | | | | | | 2 | | 103 |
| | | 0.00 | 0.00 | | | | | | | | | 3 | | 108 |
| | | 0.00 | 0.00 | | | | | | | | | 4 | | 113 |
| | | 0.00 | 0.00 | | | | | | | | | 5 | | 118 |
| | | 0.00 | 0.00 | | | | | | | | | 6 | | 123 |
| | | 0.00 | 0.00 | | | | | | | | | 7 | | 127.5 |
| | | 0.00 | 0.00 | | | | | | | 1 | | 8 | | 132.5 |
| | | 0.00 | 0.00 | | | | | | | 1 | | 9 | | 132.5 |
| | | 0.00 | 0.00 | | | | | | | | | 11718410 | STD | WPR-1 |
| | | 0.00 | 0.00 | | | | | | | | | 11 | BLANK | |
| | | 0.00 | 0.00 | | | | | | | 1 | | 12 | 132.5 | 132.5 |
| | | 0.00 | 0.00 | | | | | | | <1 | | 13 | | 142.5 |
| | | 0.00 | 0.00 | | | | | | | | | 14 | | 147.5 |
| | | 0.00 | 0.00 | subpyroxenite Seep fac 152.5 | | | | | | | | 15 | | 152.5 |
| | | 0.00 | 0.00 | @ 155.5 2-8 mm Seep fac w/4 gr 50° ACA | | | | | | | | 16 | | 157.5 |
| | | 0.00 | 0.00 | 160.6 100 seep fac 75° ACA | | | | | | | | 17 | | 163 |
| | | 0.00 | 0.00 | | | | | | | | | 18 | | 168 |

All holes drilled with 10 ft rods and 5 ft core barrel.

CORONATION MINERALS INC., DIAMOND DRILL LOG

2 of

| PROPERTY | | AZIMUTH | | LENGTH | | EASTING | | LOGGED BY | | DATE STARTED | | BOREHOLE | | |
|--------------------|--|---------|--|-----------|--------|----------|--------|------------|--|----------------|--|----------|-----|----|
| Wellgreen Mine, YT | | | | Feet | Metres | Feet | Metres | | | | | DEPTH | DIP | Az |
| | | | | 0.000 | | | | | | | | | | |
| PROJECT | | DIP | | ELEVATION | | NORTHING | | DRILLED BY | | DATE COMPLETED | | | | |
| W508 161 | | | | Feet | Metres | Feet | Metres | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| </ | | | | | | | | | | | | | | |

All holes drilled with 10 ft rods and 5 ft core barrel.

| PROPERTY | AZIMUTH | | LENGTH | | EASTING | | LOGGED BY | DATE STARTED | | BOREHOLE | | |
|--------------------|---------|-----------|--------|--|---------|------------|----------------|--------------|-------|------------|-----------|---------|
| Wellgreen Mine, YT | | | Feet | Metres | Feet | Metres | | | | DEPTH | DIP | |
| | | | | 0.000 | | | | | | | | |
| PROJECT | DIP | ELEVATION | | NORTHING | | DRILLED BY | DATE COMPLETED | | | | | |
| W508 161 | | Feet | Metres | Feet | Metres | | | | | | | |
| FEET | | METERS | | DESCRIPTION | | | | % TS | % cpy | Sample No. | From (ft) | To (ft) |
| FROM | TO | FROM | TO | | | | | | | | | |
| | | 0.00 | 0.00 | 302 - 323.5 Serp'd frags | | | | 1 | | 4718450 | 303 | 308 |
| | | 0.00 | 0.00 | | | | | 1 | | 51 | | 313.5 |
| | | 0.00 | 0.00 | | | | | 1 | | 52 | | 317.5 |
| | | 0.00 | 0.00 | | | | | 1 | | 53 | | 323.5 |
| | | 0.00 | 0.00 | | | | | 2 | | 54 | | 328.5 |
| | | 0.00 | 0.00 | | | | | 2 | | 55 | | 333 |
| | | 0.00 | 0.00 | | | | | 4 | <1 | 56 | | 338 |
| | | 0.00 | 0.00 | | | | | 4 | <1 | 57 | | 338 |
| | | 0.00 | 0.00 | | | | | | | 58 | STD | w pr2-) |
| | | 0.00 | 0.00 | | | | | | | 59 | BLANK | |
| | | 0.00 | 0.00 | | | | | 2 | | 60 | 338 | 342 |
| | | 0.00 | 0.00 | | | | | 1 | <1 | 61 | | 347 |
| | | 0.00 | 0.00 | | | | | 1-2 | | 62 | | 357 |
| | | 0.00 | 0.00 | | | | | 1 | | 63 | | 357 |
| | | 0.00 | 0.00 | | | | | 05 | | 64 | | 362 |
| | | 0.00 | 0.00 | | | | | 2 | 1 | 65 | | 367 |
| | | 0.00 | 0.00 | | | | | 1 | | 66 | | 371 |
| | | 0.00 | 0.00 | | | | | 1 | | 67 | | 376 |
| | | 0.00 | 0.00 | | | | | 1 | | 68 | | 381 |
| 381 | 382.8 | 0.00 | 0.00 | XIMED ZONE - intense sil chlo rtho / replacement sediment | | | | 1 | | 69 | 381 | 386.6 |
| | | 0.00 | 0.00 | gray sl carbonates 23 Repetition Added 45.70cm str. samples | | | | | | | | |
| | | 0.00 | 0.00 | 10' gap | | | | | | | | |
| 382.8 | 391 | 0.00 | 0.00 | PERIODITE - mg dk gray mod chlo mixed red-brown ferrug | | | | 8 | 2 | 70 | 386.6 | 392 |
| | | 0.00 | 0.00 | mod. bluish mod. int pyritic 20' (cm) 386.6 - 391 up to 3cm bands of | | | | | | | | |
| | | 0.00 | 0.00 | @ 385.8 - 15cm int sil chlo 40' Repetition (Periodite?) | | | | | | | | |
| | | 0.00 | 0.00 | @ 388 - 10 cm. fa gashy on sediment (non-stone) | | | | | | | | |
| 391 | 401.3 | 0.00 | 0.00 | GALBROFF - f. mg mod - int sil chlo gashy w/ carb frags | | | | | | | | |
| | | 0.00 | 0.00 | 392 - 395 Massive - Semi-massive sulfides pyritic + cpy pn | | | | 80 | 5 | 71 | 392 | 395 |
| | | 0.00 | 0.00 | + add 60 blks | | | | | | | | |
| | | 0.00 | 0.00 | 395 - 398.5 1' int sil chlo gashy w/ 2cm amorphous or @ Start | | | | 3 | 1 | 72 | 395 | 398.5 |
| | | 0.00 | 0.00 | cpy - pd str blks | | | | | | | | |

WELLGREEN PROJECT
Drill Core Rock Quality Log Sheet

Hole No: WS08-161

All holes drilled with imperial rods (10 foot rods with 5 foot core barrel)

Page 1 of

| Hole Id | From (f) | To (f) | Length (f) | From (m) | To (m) | Length (m) | Measured length of core (m) | Recovery % (m) | Sum>10 cm (m) | RQD (%) | Comments |
|---------|----------|--------|------------|----------|--------|------------|-----------------------------|----------------|---------------|---------|-----------|
| | 0 | 13 | | | | | 61 | | 0 | | |
| | | 19 | | | | | 49 | | 0 | | |
| | | 21 | | | | | 26 | | 0 | | w/ casing |
| | | 24.5 | | | | | 68 | | 39 | | |
| | | 28.5 | | | | | 35 | | 0 | | |
| | | 33 | | | | | 58 | | 0 | | |
| | | 37 | | | | | 30 | | 0 | | |
| | | 42 | | | | | 117 | | 16 | | |
| | | 47.5 | | | | | 83 | | 20 | | |
| | | 50.5 | | | | | 35 | | 0 | | |
| | | 53 | | | | | 55 | | 0 | | |
| | | 58 | | | | | 123 | | 0 | | |
| | | 63 | | | | | 96 | | 0 | | w/ casing |
| | | 67 | | | | | 57 | | 0 | | |
| | | 72 | | | | | 103 | | 0 | | |
| | | 75 | | | | | 47 | | 0 | | |
| | | 80 | | | | | 60 | | 12 | | |
| | | 88 | | | | | 114 | | 0 | | |
| | | 93 | | | | | 78 | | 0 | | |
| | | 98 | | | | | 95 | | 0 | | |
| | | 103 | | | | | 110 | | 30 | | |
| | | 108 | | | | | 72 | | 0 | | |
| | | 113 | | | | | 110 | | 50 | | |
| | | 118 | | | | | 145 | | 83 | | |
| | | 123 | | | | | 121 | | 46 | | |
| | | 127.5 | | | | | 100 | | 29 | | |
| | | 132.5 | | | | | 93 | | 0 | | |
| | | 137.5 | | | | | 117 | | 40 | | |
| | | 142.5 | | | | | 152 | | 135 | | |
| | | 147.5 | | | | | 152 | | 124 | | |
| | | 152.5 | | | | | 142 | | 36 | | |
| | | 157.5 | | | | | 134 | | 90 | | |
| | | 160 | | | | | 65 | | 54 | | |
| | | 163 | | | | | 77 | | 43 | | |

WELLGREEN PROJECT
Drill Core Rock Quality Log Sheet

Hole No: WS08-161

All holes drilled with imperial rods (10 foot rods with 5 foot core barrel)

Page 2 of

| Hole Id | From (f) | To (f) | Length (f) | From (m) | To (m) | Length (m) | Measured length of core (m) | Recovery % (m) | Sum>10 cm (m) | RQD (%) | Comments |
|---------|----------|--------|------------|----------|--------|------------|-----------------------------|----------------|---------------|---------|----------|
| | 163 | 168 | | | | | 130 | | 105 | | |
| | | 173 | | | | | 128 | | 71 | | |
| | | 178 | | | | | 118 | | 17 | | |
| | | 183 | | | | | 120 | | 43 | | |
| | | 188 | | | | | 136 | | 56 | | |
| | | 193 | | | | | 145 | | 168 | | |
| | | 198 | | | | | 135 | | 93 | | |
| | | 203 | | | | | 103 | | 58 | | |
| | | 208 | | | | | 100 | | 15 | | |
| | | 213 | | | | | 143 | | 70 | | |
| | | 218 | | | | | 140 | | 59 | | |
| | | 223 | | | | | 146 | | 126 | | |
| | | 228 | | | | | 135 | | 15 | | |
| | | 233 | | | | | 123 | | 28 | | |
| | | 238 | | | | | 145 | | 132 | | |
| | | 243 | | | | | 143 | | 119 | | |
| | | 248 | | | | | 152 | | 114 | | |
| | | 253 | | | | | 136 | | 116 | | |
| | | 258 | | | | | 142 | | 68 | | |
| | | 263 | | | | | 120 | | 56 | | |
| | | 268 | | | | | 132 | | 77 | | |
| | | 273 | | | | | 133 | | 97 | | |
| | | 278 | | | | | 130 | | 17 | | |
| | | 283 | | | | | 140 | | 111 | | |
| | | 288 | | | | | 140 | | 73 | | |
| | | 293 | | | | | 145 | | 102 | | |
| | | 298 | | | | | 148 | | 138 | | |
| | | 303 | | | | | 138 | | 109 | | |
| | | 308 | | | | | 146 | | 63 | | |
| | | 313 | | | | | 130 | | 50 | | |
| | | 318.5 | | | | | 93 | | 25 | | |
| | | 323.5 | | | | | 125 | | 0 | | |
| | | 328.5 | | | | | 140 | | 73 | | |
| | | 333 | | | | | 102 | | 21 | | |

Drill Core Rock Quality Log Sheet

Hole No: W508-161

All holes drilled with imperial rods (10 foot rods with 5 foot core barrel)

Page 3 of [illegible]

CORE PHOTOGRAPHS
WELLGREEN PROJECT, YUKON TERRITORY
HOLE NUMBER: W508 161

8/5

8/6

8/7

| Box No. | From (f) | To (ft) | From (m) | To (m) |
|---------|----------|---------|----------|--------|
| 1 | 0 | 19 | | |
| 2 | | 28.5 | | |
| 3 | | 42 | | |
| 4 | | 55.3 | | |
| 5 | | 67 | | |
| 6 | | 80.3 | | |
| 7 | | 92.5 | | |
| 8 | | 103.1 | | |
| 9 | | 115.5 | | |
| 10 | | 127.5 | | |
| 11 | | 139.5 | | |
| 12 | | 152 | | |
| 13 | 152 | 164.3 | | |
| 14 | | 177.5 | | |
| 15 | | 188 | | |
| 16 | | 198.7 | | |
| 17 | | 209.4 | | |
| 18 | | 220.3 | | |
| 19 | | 232.8 | | |
| 20 | | 245.5 | | |
| 21 | | 258 | | |
| 22 | | 271.5 | | |
| 23 | | 288.6 | | |
| 24 | | 298 | | |
| 25 | | 310.5 | | |
| 26 | | 321 | | |
| 27 | | 333 | | |
| 28 | 333 | 345 | | |
| 29 | | 358 | | |
| 30 | | 370 | | |
| 31 | | 381.5 | | |
| 32 | | 395.2 | | |
| 33 | | 408.3 | | |
| 34 | | 425.5 | | |
| 35 | | 433 | | |
| 36 | | 445.3 | | |
| 37 | | 456.5 | | |
| 38 | | 467.6 | | |
| 39 | | 479.6 | | |
| 40 | | 483 | | |
| 41 | | | | |
| 42 | | | | |
| 43 | | | | |
| 44 | | | | |
| 45 | | | | |
| 46 | | | | |
| 47 | | | | |
| 48 | | | | |
| 49 | | | | |
| 50 | | | | |

| Box No. | From (f) | To (ft) | From (m) | To (m) |
|---------|----------|---------|----------|--------|
| 51 | | | | |
| 52 | | | | |
| 53 | | | | |
| 54 | | | | |
| 55 | | | | |
| 56 | | | | |
| 57 | | | | |
| 58 | | | | |
| 59 | | | | |
| 60 | | | | |
| 61 | | | | |
| 62 | | | | |
| 63 | | | | |
| 64 | | | | |
| 65 | | | | |
| 66 | | | | |
| 67 | | | | |
| 68 | | | | |
| 69 | | | | |
| 70 | | | | |
| 71 | | | | |
| 72 | | | | |
| 73 | | | | |
| 74 | | | | |
| 75 | | | | |
| 76 | | | | |
| 77 | | | | |
| 78 | | | | |
| 79 | | | | |
| 80 | | | | |
| 81 | | | | |
| 82 | | | | |
| 83 | | | | |
| 84 | | | | |
| 85 | | | | |
| 86 | | | | |
| 87 | | | | |
| 88 | | | | |
| 89 | | | | |
| 90 | | | | |
| 91 | | | | |
| 92 | | | | |
| 93 | | | | |
| 94 | | | | |
| 95 | | | | |
| 96 | | | | |
| 97 | | | | |
| 98 | | | | |
| 99 | | | | |
| 100 | | | | |