



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: MIDNIGHT MINING SERVICES
27A MACDONALD RD
WHITEHORSE YT Y1A 4L1

Page: 1
Finalized Date: 12-SEP-2013
This copy reported on
13-SEP-2013
Account: MIDMIN

QC CERTIFICATE WH13155455

Project: Arch

P.O. No.: Rock1

This report is for 22 Rock samples submitted to our lab in Whitehorse, YT, Canada on 26-AUG-2013.

The following have access to data associated with this certificate:

SUSAN CRAIG

DEBBIE JAMES

DERRICK STRICKLAND

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-22 | Sample login - Rcd w/o BarCode |
| CRU-QC | Crushing QC Test |
| PUL-QC | Pulverizing QC Test |
| CRU-31 | Fine crushing - 70% <2mm |
| SPL-21 | Split sample - riffle splitter |
| PUL-32 | Pulverize 1000g to 85% < 75 um |
| BAG-01 | Bulk Master for Storage |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION |
|----------|---------------------------|
| ME-MS41L | 51 anal. aqua regia ICPMS |

To: MIDNIGHT MINING SERVICES
ATTN: DEBBIE JAMES
27A MACDONALD RD
WHITEHORSE YT Y1A 4L1

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: MIDNIGHT MINING SERVICES
 27A MACDONALD RD
 WHITEHORSE YT Y1A 4L1

Page: 2 - A
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 12-SEP-2013
 Account: MIDMIN

Project: Arch

QC CERTIFICATE OF ANALYSIS WH13155455

| Sample Description | Method Analyte Units LOR | ME-MS41L Au ppm 0.0002 | ME-MS41L Ag ppm 0.001 | ME-MS41L Al % 0.01 | ME-MS41L As ppm 0.01 | ME-MS41L B ppm 10 | ME-MS41L Ba ppm 0.5 | ME-MS41L Be ppm 0.01 | ME-MS41L Bi ppm 0.001 | ME-MS41L Ca % 0.01 | ME-MS41L Cd ppm 0.001 | ME-MS41L Ce ppm 0.003 | ME-MS41L Co ppm 0.001 | ME-MS41L Cr ppm 0.01 | ME-MS41L Cs ppm 0.005 | ME-MS41L Cu ppm 0.01 |
|----------------------------|-----------------------------------|---------------------------------|--------------------------------|-----------------------------|-------------------------------|----------------------------|------------------------------|-------------------------------|--------------------------------|-----------------------------|--------------------------------|--------------------------------|--------------------------------|-------------------------------|--------------------------------|-------------------------------|
| STANDARDS | | | | | | | | | | | | | | | | |
| GBM908-10 | | 0.369 | 2.89 | 0.91 | 50.9 | 10 | 102.5 | 0.29 | 1.130 | 0.63 | 1.695 | 81.5 | 13.90 | 21.6 | 0.744 | 3530 |
| GBM908-10 | | 0.394 | 2.85 | 0.98 | 49.9 | <10 | 106.5 | 0.30 | 0.961 | 0.70 | 1.655 | 83.1 | 13.35 | 21.3 | 0.727 | 3680 |
| Target Range - Lower Bound | | 0.401 | 2.70 | 0.85 | 49.5 | <10 | 88.8 | 0.26 | 1.130 | 0.62 | 1.530 | 79.3 | 12.95 | 21.0 | 0.715 | 3380 |
| Upper Bound | | 0.491 | 3.30 | 1.06 | 60.5 | 30 | 121.5 | 0.34 | 1.385 | 0.79 | 1.870 | 97.0 | 15.85 | 25.7 | 0.885 | 3880 |
| OREAS 90 | | 0.0005 | 0.046 | 2.36 | 5.25 | <10 | 53.2 | 0.67 | 0.953 | 0.39 | 0.002 | 61.0 | 15.00 | 39.4 | 1.060 | 112.0 |
| Target Range - Lower Bound | | <0.0002 | 0.053 | 2.09 | 4.04 | <10 | 42.0 | 0.54 | 0.827 | 0.33 | 0.003 | 54.5 | 13.75 | 36.4 | 0.904 | 102.5 |
| Upper Bound | | 0.0010 | 0.067 | 2.57 | 4.96 | 20 | 58.0 | 0.68 | 1.015 | 0.43 | 0.007 | 66.7 | 16.85 | 44.5 | 1.115 | 117.5 |
| BLANKS | | | | | | | | | | | | | | | | |
| BLANK | | <0.0002 | 0.001 | <0.01 | <0.01 | <10 | <0.5 | <0.01 | 0.001 | <0.01 | <0.001 | 0.003 | 0.002 | 0.02 | <0.005 | 0.01 |
| BLANK | | <0.0002 | 0.001 | <0.01 | 0.01 | <10 | <0.5 | <0.01 | 0.001 | <0.01 | 0.001 | <0.003 | 0.002 | 0.01 | <0.005 | 0.02 |
| Target Range - Lower Bound | | <0.0002 | <0.001 | <0.01 | <0.01 | <10 | <0.5 | <0.01 | <0.001 | <0.01 | <0.001 | <0.003 | <0.001 | <0.01 | <0.005 | <0.01 |
| Upper Bound | | 0.0004 | 0.002 | 0.02 | 0.02 | 20 | 1.0 | 0.02 | 0.002 | 0.02 | 0.002 | 0.006 | 0.002 | 0.02 | 0.010 | 0.02 |
| DUPLICATES | | | | | | | | | | | | | | | | |
| ORIGINAL | | 0.0014 | 0.113 | 1.97 | 5.33 | 30 | 287 | 0.79 | 0.178 | 1.69 | 0.384 | 38.6 | 7.76 | 28.0 | 3.37 | 22.6 |
| DUP | | 0.0012 | 0.111 | 2.00 | 6.04 | 30 | 294 | 0.80 | 0.182 | 1.72 | 0.351 | 38.8 | 8.07 | 27.8 | 3.47 | 23.3 |
| Target Range - Lower Bound | | 0.0010 | 0.105 | 1.88 | 5.39 | 20 | 268 | 0.75 | 0.170 | 1.61 | 0.348 | 36.8 | 7.52 | 26.5 | 3.24 | 22.1 |
| Upper Bound | | 0.0016 | 0.119 | 2.09 | 5.98 | 40 | 313 | 0.84 | 0.190 | 1.80 | 0.387 | 40.6 | 8.31 | 29.3 | 3.60 | 23.8 |
| ORIGINAL | | 0.0006 | 1.075 | 0.95 | 6.19 | <10 | 138.5 | 0.41 | 0.256 | 0.59 | 3.27 | 33.3 | 4.23 | 11.30 | 0.565 | 663 |
| DUP | | 0.0006 | 1.105 | 0.97 | 5.97 | <10 | 140.0 | 0.45 | 0.256 | 0.60 | 3.49 | 35.2 | 4.13 | 10.90 | 0.579 | 671 |
| Target Range - Lower Bound | | 0.0004 | 1.035 | 0.90 | 5.77 | <10 | 128.5 | 0.40 | 0.242 | 0.56 | 3.21 | 32.5 | 3.97 | 10.55 | 0.538 | 644 |
| Upper Bound | | 0.0008 | 1.145 | 1.02 | 6.39 | 20 | 150.0 | 0.46 | 0.270 | 0.63 | 3.55 | 36.0 | 4.39 | 11.65 | 0.606 | 690 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: MIDNIGHT MINING SERVICES
 27A MACDONALD RD
 WHITEHORSE YT Y1A 4L1

Page: 2 - B
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 12-SEP-2013
 Account: MIDMIN

Project: Arch

QC CERTIFICATE OF ANALYSIS WH13155455

| Sample Description | Method Analyte Units LOR | ME-MS41L Fe % | ME-MS41L Ga ppm | ME-MS41L Ge ppm | ME-MS41L Hf ppm | ME-MS41L Hg ppm | ME-MS41L In ppm | ME-MS41L K % | ME-MS41L La ppm | ME-MS41L Li ppm | ME-MS41L Mg % | ME-MS41L Mn ppm | ME-MS41L Mo ppm | ME-MS41L Na % | ME-MS41L Nb ppm | ME-MS41L Ni ppm |
|----------------------------|-----------------------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|--------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|
| STANDARDS | | | | | | | | | | | | | | | | |
| GBM908-10 | | 2.58 | 4.55 | 0.134 | 0.555 | 0.015 | 0.024 | 0.40 | 44.9 | 6.2 | 0.52 | 286 | 63.5 | 0.126 | 0.355 | 2250 |
| GBM908-10 | | 2.75 | 4.59 | 0.117 | 0.713 | 0.009 | 0.014 | 0.43 | 43.5 | 6.1 | 0.52 | 312 | 60.8 | 0.133 | 0.348 | 2190 |
| Target Range - Lower Bound | | 2.36 | 4.23 | 0.113 | 0.640 | 0.007 | 0.012 | 0.37 | 43.4 | 5.6 | 0.47 | 264 | 57.9 | 0.107 | 0.347 | 2030 |
| Upper Bound | | 2.88 | 5.17 | 0.149 | 0.787 | 0.026 | 0.034 | 0.48 | 53.0 | 7.1 | 0.59 | 322 | 70.8 | 0.133 | 0.429 | 2480 |
| OREAS 90 | | 3.99 | 6.22 | 0.081 | 0.692 | <0.004 | 0.025 | 0.36 | 29.5 | 19.3 | 1.37 | 643 | 0.38 | 0.015 | 0.383 | 85.7 |
| Target Range - Lower Bound | | 3.40 | 5.82 | 0.071 | 0.628 | <0.004 | 0.016 | 0.31 | 28.1 | 17.8 | 1.21 | 520 | 0.35 | 0.012 | 0.347 | 76.7 |
| Upper Bound | | 4.16 | 7.13 | 0.099 | 0.772 | 0.008 | 0.038 | 0.40 | 34.3 | 22.0 | 1.50 | 636 | 0.45 | 0.018 | 0.429 | 93.8 |
| BLANKS | | | | | | | | | | | | | | | | |
| BLANK | | <0.001 | 0.005 | 0.008 | <0.002 | <0.004 | <0.005 | <0.01 | <0.002 | <0.1 | <0.01 | <0.1 | <0.01 | <0.001 | <0.002 | <0.04 |
| BLANK | | <0.001 | 0.006 | 0.007 | <0.002 | <0.004 | <0.005 | <0.01 | <0.002 | <0.1 | <0.01 | <0.1 | 0.01 | 0.001 | <0.002 | <0.04 |
| Target Range - Lower Bound | | <0.001 | <0.004 | <0.005 | <0.002 | <0.004 | <0.005 | <0.01 | <0.002 | <0.1 | <0.01 | <0.1 | <0.01 | <0.001 | <0.002 | <0.04 |
| Upper Bound | | 0.002 | 0.008 | 0.010 | 0.004 | 0.008 | 0.010 | 0.02 | 0.004 | 0.2 | 0.02 | 0.2 | 0.02 | 0.002 | 0.004 | 0.08 |
| DUPLICATES | | | | | | | | | | | | | | | | |
| ORIGINAL | | 2.39 | 6.16 | 0.118 | 0.325 | 0.021 | 0.041 | 0.72 | 18.20 | 27.6 | 0.81 | 436 | 0.58 | 0.064 | 0.433 | 22.6 |
| DUP | | 2.40 | 6.05 | 0.108 | 0.348 | 0.026 | 0.034 | 0.73 | 18.55 | 27.3 | 0.82 | 443 | 0.58 | 0.064 | 0.387 | 22.7 |
| Target Range - Lower Bound | | 2.27 | 5.80 | 0.102 | 0.318 | 0.018 | 0.031 | 0.68 | 17.45 | 26.0 | 0.76 | 417 | 0.54 | 0.060 | 0.388 | 21.5 |
| Upper Bound | | 2.52 | 6.41 | 0.124 | 0.355 | 0.029 | 0.044 | 0.77 | 19.30 | 28.9 | 0.87 | 462 | 0.62 | 0.068 | 0.433 | 23.8 |
| ORIGINAL | | 1.880 | 5.16 | 0.060 | 0.198 | 0.032 | 0.110 | 0.18 | 15.25 | 18.3 | 0.36 | 413 | 1.74 | 0.036 | 0.015 | 3.14 |
| DUP | | 1.910 | 5.05 | 0.050 | 0.214 | 0.037 | 0.120 | 0.18 | 16.25 | 19.0 | 0.37 | 421 | 1.73 | 0.040 | 0.017 | 3.32 |
| Target Range - Lower Bound | | 1.800 | 4.85 | 0.047 | 0.194 | 0.028 | 0.104 | 0.16 | 14.95 | 17.6 | 0.34 | 396 | 1.64 | 0.035 | 0.013 | 3.03 |
| Upper Bound | | 1.990 | 5.36 | 0.063 | 0.218 | 0.041 | 0.126 | 0.20 | 16.55 | 19.7 | 0.39 | 438 | 1.83 | 0.041 | 0.019 | 3.43 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: MIDNIGHT MINING SERVICES
27A MACDONALD RD
WHITEHORSE YT Y1A 4L1

Page: 2 - C
Total # Pages: 2 (A - D)
Plus Appendix Pages
Finalized Date: 12-SEP-2013
Account: MIDMIN

Project: Arch

QC CERTIFICATE OF ANALYSIS WH13155455

| Sample Description | Method Analyte Units LOR | ME-MS41L P % | ME-MS41L Pb ppm | ME-MS41L Pd ppm | ME-MS41L Pt ppm | ME-MS41L Rb ppm | ME-MS41L Re ppm | ME-MS41L S % | ME-MS41L Sb ppm | ME-MS41L Sc ppm | ME-MS41L Se ppm | ME-MS41L Sn ppm | ME-MS41L Sr ppm | ME-MS41L Ta ppm | ME-MS41L Te ppm | ME-MS41L Th ppm |
|----------------------------|-----------------------------------|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| | | 0.001 | 0.005 | 0.001 | 0.002 | 0.005 | 0.001 | 0.01 | 0.005 | 0.005 | 0.1 | 0.01 | 0.01 | 0.005 | 0.01 | 0.002 |
| STANDARDS | | | | | | | | | | | | | | | | |
| GBM908-10 | | 0.085 | 2070 | <0.001 | 0.007 | 28.8 | <0.001 | 0.39 | 1.195 | 1.990 | 1.0 | 1.55 | 32.4 | 0.006 | 0.05 | 16.20 |
| GBM908-10 | | 0.086 | 2020 | 0.002 | 0.006 | 27.9 | 0.001 | 0.41 | 1.245 | 2.03 | 1.0 | 1.63 | 34.4 | <0.005 | 0.07 | 15.20 |
| Target Range - Lower Bound | | 0.076 | 1860 | | | 27.7 | <0.001 | 0.33 | 1.100 | 1.885 | 0.7 | 1.52 | 31.0 | <0.005 | 0.02 | 14.50 |
| Upper Bound | | 0.096 | 2270 | | | 33.9 | 0.003 | 0.43 | 1.500 | 2.32 | 1.1 | 1.88 | 37.9 | 0.021 | 0.07 | 17.75 |
| OREAS 90 | | 0.066 | 5.06 | 0.002 | <0.002 | 21.4 | <0.001 | 0.09 | 0.359 | 2.19 | 1.0 | 1.21 | 11.50 | 0.015 | 0.03 | 16.35 |
| Target Range - Lower Bound | | 0.057 | 4.95 | | | 19.00 | <0.001 | 0.05 | 0.378 | 2.15 | 0.6 | 1.15 | 10.70 | 0.009 | <0.01 | 14.50 |
| Upper Bound | | 0.072 | 6.06 | | | 23.2 | 0.002 | 0.09 | 0.523 | 2.63 | 1.1 | 1.43 | 13.10 | 0.031 | 0.05 | 17.70 |
| BLANKS | | | | | | | | | | | | | | | | |
| BLANK | | <0.001 | <0.005 | <0.001 | <0.002 | <0.005 | <0.001 | <0.01 | <0.005 | <0.005 | <0.1 | <0.01 | 0.02 | <0.005 | <0.01 | <0.002 |
| BLANK | | <0.001 | 0.010 | <0.001 | <0.002 | <0.005 | <0.001 | 0.01 | 0.005 | <0.005 | <0.1 | 0.01 | <0.01 | <0.005 | 0.01 | <0.002 |
| Target Range - Lower Bound | | <0.001 | <0.005 | | | <0.005 | <0.001 | <0.01 | <0.005 | <0.005 | <0.1 | <0.01 | <0.01 | <0.005 | <0.01 | <0.002 |
| Upper Bound | | 0.002 | 0.010 | | | 0.010 | 0.002 | 0.02 | 0.010 | 0.010 | 0.2 | 0.02 | 0.02 | 0.010 | 0.02 | 0.004 |
| DUPLICATES | | | | | | | | | | | | | | | | |
| ORIGINAL | | 0.086 | 9.08 | 0.003 | <0.002 | 30.1 | <0.001 | 0.02 | 0.765 | 4.76 | 0.6 | 1.52 | 104.5 | <0.005 | 0.03 | 6.15 |
| DUP | | 0.087 | 9.24 | 0.003 | <0.002 | 30.8 | <0.001 | 0.03 | 0.754 | 4.77 | 0.6 | 1.79 | 107.0 | <0.005 | <0.01 | 6.25 |
| Target Range - Lower Bound | | 0.081 | 8.70 | 0.002 | <0.002 | 28.9 | <0.001 | <0.01 | 0.698 | 4.52 | 0.5 | 1.56 | 100.5 | <0.005 | <0.01 | 5.89 |
| Upper Bound | | 0.092 | 9.62 | 0.004 | 0.004 | 32.0 | 0.002 | 0.04 | 0.821 | 5.01 | 0.7 | 1.75 | 111.0 | 0.010 | 0.03 | 6.51 |
| ORIGINAL | | 0.047 | 38.3 | <0.001 | <0.002 | 10.35 | <0.001 | 0.03 | 0.477 | 1.725 | 0.3 | 0.37 | 13.95 | 0.005 | <0.01 | 6.02 |
| DUP | | 0.049 | 40.0 | <0.001 | <0.002 | 10.30 | <0.001 | 0.03 | 0.537 | 1.600 | 0.3 | 0.47 | 14.00 | 0.005 | <0.01 | 6.41 |
| Target Range - Lower Bound | | 0.045 | 37.2 | <0.001 | <0.002 | 9.80 | <0.001 | 0.02 | 0.464 | 1.575 | 0.2 | 0.39 | 13.25 | <0.005 | <0.01 | 5.90 |
| Upper Bound | | 0.051 | 41.1 | 0.002 | 0.004 | 10.85 | 0.002 | 0.04 | 0.550 | 1.750 | 0.4 | 0.45 | 14.70 | 0.010 | 0.02 | 6.53 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: MIDNIGHT MINING SERVICES
 27A MACDONALD RD
 WHITEHORSE YT Y1A 4L1

Page: 2 - D
 Total # Pages: 2 (A - D)
 Plus Appendix Pages
 Finalized Date: 12-SEP-2013
 Account: MIDMIN

Project: Arch

QC CERTIFICATE OF ANALYSIS WH13155455

| Sample Description | Method Analyte Units LOR | ME-MS41L Ti % | ME-MS41L Ti ppm | ME-MS41L U ppm | ME-MS41L V ppm | ME-MS41L W ppm | ME-MS41L Y ppm | ME-MS41L Zn ppm | ME-MS41L Zr ppm |
|----------------------------|-----------------------------------|---------------------|-----------------------|----------------------|----------------------|----------------------|----------------------|-----------------------|-----------------------|
| | | 0.001 | 0.002 | 0.005 | 0.1 | 0.001 | 0.003 | 0.1 | 0.01 |
| STANDARDS | | | | | | | | | |
| GBM908-10 | | 0.296 | 0.200 | 1.215 | 45.3 | 1.740 | 18.85 | 1005 | 25.5 |
| GBM908-10 | | 0.321 | 0.206 | 1.215 | 45.5 | 1.750 | 18.25 | 1035 | 25.4 |
| Target Range - Lower Bound | | 0.280 | 0.178 | 1.190 | 42.2 | 1.620 | 17.60 | 941 | 24.5 |
| Upper Bound | | 0.344 | 0.245 | 1.470 | 51.8 | 2.20 | 21.5 | 1150 | 33.1 |
| OREAS 90 | | 0.092 | 0.117 | 2.22 | 20.7 | 0.414 | 16.55 | 56.7 | 22.6 |
| Target Range - Lower Bound | | 0.075 | 0.092 | 1.860 | 19.7 | 0.356 | 15.45 | 52.6 | 21.1 |
| Upper Bound | | 0.094 | 0.129 | 2.28 | 24.3 | 0.484 | 18.90 | 64.5 | 28.6 |
| BLANKS | | | | | | | | | |
| BLANK | | <0.001 | <0.002 | <0.005 | <0.1 | 0.001 | <0.003 | 0.1 | <0.01 |
| BLANK | | <0.001 | <0.002 | <0.005 | <0.1 | 0.001 | <0.003 | 0.1 | <0.01 |
| Target Range - Lower Bound | | <0.001 | <0.002 | <0.005 | <0.1 | <0.001 | <0.003 | <0.1 | <0.01 |
| Upper Bound | | 0.002 | 0.004 | 0.010 | 0.2 | 0.002 | 0.006 | 0.2 | 0.02 |
| DUPLICATES | | | | | | | | | |
| ORIGINAL | | 0.101 | 0.237 | 0.780 | 47.2 | 0.415 | 12.55 | 66.1 | 16.00 |
| DUP | | 0.101 | 0.233 | 0.771 | 48.1 | 0.385 | 13.00 | 68.5 | 16.40 |
| Target Range - Lower Bound | | 0.095 | 0.215 | 0.732 | 45.2 | 0.369 | 12.15 | 63.8 | 15.00 |
| Upper Bound | | 0.107 | 0.255 | 0.819 | 50.1 | 0.431 | 13.40 | 70.8 | 17.45 |
| ORIGINAL | | 0.002 | 0.072 | 1.330 | 10.0 | 0.029 | 9.07 | 498 | 7.02 |
| DUP | | 0.002 | 0.066 | 1.400 | 9.7 | 0.026 | 9.37 | 509 | 6.69 |
| Target Range - Lower Bound | | <0.001 | 0.062 | 1.290 | 9.3 | 0.024 | 8.76 | 478 | 6.33 |
| Upper Bound | | 0.003 | 0.076 | 1.440 | 10.4 | 0.031 | 9.68 | 529 | 7.38 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: MIDNIGHT MINING SERVICES
 27A MACDONALD RD
 WHITEHORSE YT Y1A 4L1

Page: Appendix 1
 Total # Appendix Pages: 1
 Finalized Date: 12-SEP-2013
 Account: MIDMIN

Project: Arch

QC CERTIFICATE OF ANALYSIS WH13155455

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: Interference: Samples with Ca > 10% on ICP-MS As. ICP-AES As results reported (2 ppm DL)
 ME-MS41L

Applies to Method: Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g).
 ME-MS41L

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
 BAG-01 CRU-31 CRU-QC LOG-22
 PUL-32 PUL-QC SPL-21 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
 ME-MS41L