ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016 – 510 West Hastings Street
Vancouver, B.C. V6B 1L8
Telephone: 604-688-2568 Fax: 604-688-2578

ASSESSMENT REPORT

describing

GEOCHEMICAL SAMPLING, PROSPECTING AND GEOLOGICAL MAPPING

Field work performed from July 14 to 31, 2013

at the

HY PROPERTY

Hy 1-347 YC52861-YC53207

located at

NTS 105H/01, 02, 07 & 08
Latitude 61°16´N; Longitude 128°34´W

in the

Watson Lake Mining District
Yukon Territory

prepared by

Archer, Cathro & Associates (1981) Limited

for

STRATEGIC METALS LTD.

by

E. Flavelle, B.Sc.

November 2013

CONTENTS

INTRODUCTION	1
PROPERTY LOCATION, CLAIM DATA AND ACCESS	1
HISTORY AND PREVIOUS WORK	2
GEOMORPHOLOGY	4
REGIONAL GEOLOGY	4
PROPERTY GEOLOGY	5
MINERALIZATION	7
SOIL GEOCHEMISTRY	13
HISTORICAL GEOPHYSICAL SURVEYS	16
HISTORICAL TRENCHING AND DIAMOND DRILLING	17
AIR PHOTOGRAPHY	21
DISCUSSION AND CONCLUSIONS	21
REFERENCES	23

APPENDICES

I STATEMENT OF QUALIFICATIONS

II STATEMENT OF EXPENDITURES

III CERTIFICATES OF ANALYSIS

IV ROCK SAMPLE DESCRIPTIONS

V 2013 DIGITAL AIR PHOTOS

FIGURES

No.	Description	Follows Page
1	Property Location	1
2	Claim Locations	1
3	Tectonic Setting	4
4	Regional Geology	5
5	Property Geology – Dusty/Tung Area	In Pocket
6	Property Geology – Elsa Area	In Pocket
7	Property Geology – Marg Area	In Pocket
8	Property Geology – Miko Area (Creek Showing)	In Pocket
9	Property Geology – Miko Area (Hillside and Cirque showings)	In Pocket
10	Mineralization – Dusty Zone	In Pocket
11	Mineralization – Tung Zone	10
12	Mineralization – Elsa Zone	11
13	Mineralization – Marg Zone	In Pocket
14	Mineralization – Miko Zone	In Pocket
15	Soil Sample Locations – Dusty Area	In Pocket
16	Soil Sample Locations – Tung Area	In Pocket
17	Soil Sample Locations – Marg, Miko and Elsa Areas	13
18	Silver Geochemistry	In Pocket
19	Copper Geochemistry	In Pocket
20	Bismuth Geochemistry	In Pocket
21	Lead Geochemistry	In Pocket

22	Zinc Geochemistry	In Pocket
23	Total Field Magnetics – Reduced to Pole	In Pocket
24	Late Time B-Field Channel Image	In Pocket
25	Interpreted Magnetic and Electromagnetic Data	In Pocket
26	Historical Diamond Drill Hole Section –Cliff Showing	19
27	Historical Diamond Drill Hole Section –Cirque Showing	20

TABLES

No.	Description	Page
I	Geological Units	5
II	Soil Geochemical Thresholds	13
III	Dusty Zone Trench Highlights	18
IV	Dusty Zone Diamond Drill Highlights	18
V	Marg Zone Diamond Drill Highlights	19
VI	Miko Zone Trench Highlights	20
VII	Miko Zone Diamond Drill Hole Details	20
VIII	Miko Zone Diamond Drill Highlights	21

INTRODUCTION

The Hy property covers multiple silver-lead-zinc-±copper±tungsten skarn and structurally hosted mineral occurrences. The property is located in southeastern Yukon and is wholly owned by Strategic Metals Ltd.

This report describes a program of geochemical sampling, prospecting and geological mapping that was completed by Archer, Cathro & Associates (1981) Limited on behalf of Strategic Metals, from July 14 to 31, 2013. The program was carried out concurrently by two, three to five person crews from various fly camps on the property. The author participated in the program and interpreted all data from this work. Her Statement of Qualifications is provided in Appendix I, and a Statement of Expenditures is located in Appendix II.

PROPERTY LOCATION, CLAIM DATA AND ACCESS

The Hy property comprises 347 contiguous mineral claims, which are located on NTS map sheets 105H/01, 02, 07 and 08, at latitude 61°16′ north and longitude 128°34′ west (Figure 1). The claims cover an area of approximately 7000 hectares (70 km^2).

The claims are registered with the Watson Lake Mining Recorder in the name of Archer Cathro, which holds them in trust for Strategic Metals. The property surrounds two claims (Max 1 and 2) that are owned by an independent prospector. Claim data are listed below while the locations of individual claims are shown on Figure 2.

Claim Name	Grant Number	Expiry Date*
Hy 1-347	YC52861-YC53207	March 13, 2014

* Expiry dates do not include 2013 work that has not yet been filed for assessment credit.

The town of Watson Lake, which is located at the junction of the Alaska Highway and Robert Campbell Highway, is the closest community and supply centre. Access to the property from Watson Lake is possible via the first 110 km of the Robert Campbell Highway, then the first 78 km of the Nahanni Range Road, and finally a 17 km bush road. Once on the property, a 20 km network of roads and trails extends west-ward, allowing access to various mineral showings. The Robert Campbell Highway and Nahanni Range Road are major haulage routes maintained year-round by the Yukon government and North American Tungsten Corporation Ltd., which operates the Cantung Mine (Figure 1). The secondary roads are not maintained and are best driven in four-wheel drive or all-terrain vehicles (ATV).

In 2013, crews accessed the property using a Bell 206B helicopter operated by Trans North Helicopters from its year-round base in Watson Lake. An ATV was used on the secondary roads and trails to reduce crew travel time to some areas.

The Hy property lies within the traditional territory of the Kaska Dene, who have not yet concluded a land claims agreement. A large block of land, which is restricted from staking pending settlement of land claims, adjoins the northeast side of the property.

STRATEGIC METALS LTD.

FIGURE 1

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY LOCATION

HY PROPERTY

0 200 km

FILE: P:2013/Hy/Figures/F01-Property_Location.wor | DATE: NOVEMBER 2013





STRATEGIC METALS LTD.

FIGURE 2

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

CLAIM LOCATIONS

HY PROPERTY

0 1 2 4 km

UTM Zone 9, NAD83, NTS 105H/01, 02, 07 & 08

FILE: P:2013/Hy/Figures/F02-Claim_Locations.wor

DATE: NOVEMBER 2013

HISTORY AND PREVIOUS WORK

Silver-lead-zinc mineralization was first discovered in the vicinity of the current Hy property in 1964. Since then, four main areas (Dusty/Tung, Marg, Miko and Elsa) have been identified on the property (Figure 2). Each of these areas encompasses one or two zones, which themselves comprise multiple showings.

Some work programs that have been conducted within the current property boundary explored for tungsten skarn and intrusion-related gold mineralization, but most evaluated silver-lead-zinc potential.

The following paragraphs provide brief descriptions of the historical work areas and the exploration programs conducted within them. Results are described in the appropriate sections later in this report.

Dusty/Tung Area

The Dusty/Tung Area lies in the western-most part of the property. In 1964, silver-lead-zinc mineralization was discovered and staked by Yukon-Pacific Syndicate. In 1965, Yukon-Pacific performed hand trenching, magnetic surveys and geological mapping before allowing the claims to lapse.

The area was restaked in 1967 by Max Martin and optioned to Silver Duke Mines Ltd., which continued prospecting and mapping. In 1968, Silver Duke constructed a tote-trail to the property. Later that year it conducted electromagnetic (EM) and magnetometer surveys and completed two diamond drill holes totalling 121.6 m at the Dusty Zone (C-1 and C-2). In 1970, hand trenching was done on what are now the Max claims.

The claims were optioned to Dusty Mac Mines Ltd. in 1972, which carried out geological mapping, magnetic surveying, grid soil sampling and trenching that year. Pan Ocean Oil Ltd. later optioned the property and carried out geochemical surveying, mapping and bulldozer trenching in 1973.

In 1974, the claims reverted back to Max Martin who transferred them to Turner-Hindmarsh Tungsten Ltd., which completed bulldozer trenching and installed a crushing/grinding circuit in 1977 to test a mineralized zone on what are now the Max claims. In 1977, Canada Tungsten Mining Corporation briefly optioned the Max property and completed six diamond drill holes totalling 342 m. In 1978, Turner-Hindmarsh changed its name to Tungco Resources Corporation and continued exploration on the property. In 1979, it completed bulldozer trenching and eight diamond drill holes totalling 400 m. In 1980, Tungco drilled four additional holes totalling 304.9 m, but core from these holes was only analyzed for tungsten (Tully, 1980a).

In 1982, Score Resources Corporation and Vancliffe Resources Corporation acquired part of the current property south of the Max claims. They carried out magnetic surveys and geological mapping in 1983. Clifton Star Resources optioned the surrounding claims in 1983 and carried out a brief examination.

Marg Area

The Marg Area is located in the northeastern part of the property. In 1965, Norquest JV staked the Lake and Glenna claims over part of the Marg Area. Norquest conducted mapping, sampling and magnetic surveys in 1965 and 1966. Monarch Metal Mines Ltd. optioned the claims in 1967 and performed bulldozer trenching in 1968 and 12 diamond drill holes totalling 453.8 m in 1969. The property was then optioned to Silver Mark Mines Ltd., which completed 18 diamond drill holes totalling 1624 m in 1970 (Trowsdale, 1970).

Welland Consolidated Mining Ltd. staked the CU and Ace claims to the north and south of Silver Mark's claims in 1970 and performed bulldozer trenching later that year. The claims were allowed to lapse following this work. Dual Resources Ltd. restaked the Ace claims in 1973.

Tungco Corporation and Morning Star Mines Ltd. restaked the Lake and Glenna claims as the Marg claims in 1978. In 1979, they undertook trenching and seven diamond drill holes totalling 641 m. Two more diamond drill holes totalling 282.9 m were completed in 1980 (Tully, 1980b).

The Arm claims were staked to the west in 1979 by J.C. Turner who transferred them to Armor Resources Ltd., which performed trenching later that year. The Arm claims lapsed and were restaked as part of the Con claims by Placer Dome Inc. in 1992, which then performed reconnaissance-scale prospecting and sampling.

Miko Area

The Miko Area lies immediately south of the Marg Area in the southeastern corner of the property. In 1966, the Miko claims were staked by Hyland River Mines Ltd. to cover the Creek, Hillside and Cirque showings. In 1968, Hyland conducted soil geochemical surveys, ground magnetic surveys and airborne magnetic and EM surveys over its claims. This work was followed by bulldozer trenching and seven diamond drill holes totalling 306 m at the Creek and Cirque showings (Simpson, 1969). In 1970, Hyland carried out additional bulldozer trenching and completed eight x-ray drill holes totalling 62 m at the Creek Showing.

In 1973, Targus Resources Ltd. optioned the Miko claims, but performed no work. In 1974, the claims were optioned to Tandem Resources Ltd., which conducted mapping, prospecting and hand trenching. In 1977, the Miko claims were downsized to cover only the Creek Showing and were transferred to Trio Resources Ltd., which performed more trenching in 1979.

The Hillside and Cirque showings were restaked as the Marina claims in 1978 by Patmar Resources Corp., which completed trenching in 1979 and diamond drilling in 1980 (Tully, 1980c). This drilling included three diamond drill holes totalling 287 m on the Hillside Showing.

Elsa Area

The Elsa Area lies in the north-central part of the property and separates the Dusty/Tung Area from the Marg Area. The Elsa Area is the most under-explored of the historical work areas.

In 1968, Fort Steele Mines Ltd. conducted mapping and prospecting within the Elsa Zone (Timmins, 1968).

In 2007, Strategic Metals contracted Geotech Ltd. of Aurora, Ontario to complete helicopter-borne versatile time domain electromagnetic (VTEM) and magnetic surveys across the Hy property. The VTEM survey identified a number of strong conductors – two of which occur within the Elsa Area. Prospecting and grid soil sampling were carried out by Strategic Metals to follow up these conductors.

General

Strategic Metals staked the claims that comprise current Hy property in spring 2007. Golden Predator Corp. (now Americas Bullion Royalty Corp.) optioned the property from Strategic Metals in 2011; however, no work was conducted before it dropped the option in early 2013.

GEOMORPHOLOGY

The Hy property is located in the Logan Range of southeast Yukon. It is drained by Conglomerate Creek, which flows into the Hyland River and ultimately into the Arctic Ocean via the Liard and Mackenzie rivers.

The property was affected by the Late Pleistocene McConnell glaciation and numerous local alpine glaciers. Due to the complex glacial history of the area, the terrain is highly varied with steep alpine ridge systems surrounding a broad central valley. Elevations on the property range from 1160 m to 2140 m. The valley bottom gently rises from east to west across the property. The valley walls are relatively steep, but in many areas give way to wide bench-like plateaus at about 1550 m. Rugged north-facing slopes and moderate south-facing slopes comprise most of the alpine terrain. Soil development is relatively poor at higher elevations where talus slopes are common. Glacial till and moraines predominate on lower slopes and the valley floor.

Outcrop and talus are abundant above 1550 m, but at lower elevations glacial overburden and swampy areas limit bedrock to a few exposures along eroding creek beds and scoured hummocks.

Vegetation ranges from stunted spruce, balsam and willow at lower elevations through a region of thick buckbrush and to moss, grass and lichen at higher elevations. Tree line is at about 1500 m.

REGIONAL GEOLOGY

The Hy property is located within Selwyn Basin (Figure 3), a tectonic element comprised of deep water clastic rocks, chert and minor carbonate accumulated along the North American continental margin during Paleozoic time (Pigage, 2004).

STRATEGIC METALS LTD.

FIGURE 3

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

TECTONIC SETTING

HY PROPERTY

FILE: P:/2013/HY/F03-TectonicSetting | DATE: NOVEMBER 2013

After Colpron, M. and Nelson, J.L., 2011



Legend

Outboard

- CG Chugach
- YA Yakutat

Insular

- WR Wrangellia
- AX Alexander
- KS Kluane schist

Arctic

- AA Arctic Alaska

Intermontane

- CC Cache Creek
- ST Stikinia
- QN Quesnellia
- YT Yukon-Tanana
- SM Slide Mountain

Ancestral North America

- CA Cassiar
- NAb basinal facies
- NAp shelf facies
- NAc craton & cover

Lithologies on the property belong to three main units: Hyland Group metasediments and sediments; Earn Group metasediments and sediments; and, Selwyn Suite intrusives. These units are briefly described in the following table.

Table I – Geological Units (*after Gordey and Makepeace, 2003*)

NAME	AGE	DESCRIPTION
Selwyn Suite	Mid Cretaceous	Resistant, blocky, fine to coarse grained equigranular to porphyritic (K-feldspar) biotite-quartz monzonite and granodiorite with minor quartz diorite, leuco-quartz monzonite and syenite.
Earn Group	Upper Devonian to Mississippian	Thin bedded, laminated slate and phyllite with thin to thick interbeds of fine to medium grained chert-quartz arenite and wacke; thick members of chert-pebble conglomerate; black siliceous siltstone; nodular and bedded barite; rare limestone.
Unconformity		
Hyland Group	Upper Proterozoic to Lower Cambrian	Thin to thick bedded, brown to pale green shale; fine to coarse grained quartz-rich sandstone, grit and quartz-pebble conglomerate; minor argillaceous limestone; quartzite, pelite, mica-schist and gneiss.

Most of the property covers a large roof pendant composed of Upper Devonian to Mississippian Earn Group that unconformably overlies Upper Proterozoic to Lower Cambrian Hyland Group (Figure 4). Earn Group forms most of the bedrock exposures in the central and southern parts of the pendant, while Hyland Group is exposed in an up to two kilometre wide, north-trending band located along its western edge. This band appears to terminate to the north along a north-northwesterly-trending fault. The roof pendant is surrounded by granodiorite belonging to the Mt. Billings Batholith, on all but the east side. An isolated body of Earn Group lies about 1500 m north of the main pendant. This outlying pendant is about 1600 m long and up to 1000 m wide.

PROPERTY GEOLOGY

Historical and recent property-scale mapping has mostly been done within four areas that approximately coincide with the historical work areas (Figure 4). Geological descriptions of the respective map areas are provided in the following sub-sections.

Dusty/Tung Area

The Dusty/Tung Area is underlain by Hyland Group mudstone, siltstone, phyllite and limestone that are unconformably overlain by Earn Group shale, slate and siltstone. The unconformity


510 000 mE
515 000 mE
520 000 mE
525 000 mE
530 000 mE
6 795 000 mN
6 790 000 mN
mKgS
PCH4
DME1
DUSTY/TUNG DETAIL
Fig. 5
Fig. 6
ELSA DETAIL
Fig. 7
MARG DETAIL
Fig. 8
Fig. 9
MIKO DETAIL
FIRST NATIONS LAND CLAIM
LFN R-131B
T.N.
1.32'
21°37'
Grid north
Magnetic north
Annual change
decreasing 23.5'
MID CRETACEOUS
mKgS: SELWYN SUITE
Resistant, blocky, fine to coarse grained equigranular to porphyritic (K-feldspar) biotite-quartz monzonite and granodiorite and minor quartz diorite; minor leuco-quartz monzonite and syenite.
DEVONIAN AND MISSISSIPPIAN
DME1: EARN GROUP
Thin bedded, laminated slate with thin to thick interbeds of fine to medium grained chert-quartz arenite and wacke; thick members of chert-pebble conglomerate; black siliceous siltstone; nodular and bedded barite; rare limestone.
unconformity
UPPER PROTEROZOIC TO LOWER CAMBRIAN
PCH4: HYLAND GROUP
Thin to thick bedded, brown to pale green shale, fine to coarse grained quartz-rich sandstone, grit, and quartz-pebble conglomerate; minor argillaceous limestone; phyllite, quartzofeldspathic and micaceous psammite, gritty psammite and minor marble. May include younger units.
4x4 Road/trail
After Gordey and Makepeace (2003)
Detailed geology map - see respective figures
STRATEGIC METALS LTD.
FIGURE 4
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
REGIONAL GEOLOGY
HY PROPERTY
0 1 5 km
UTM ZONE 9, NAD 83, 105H/01, 02, 07 & 08
FILE: P:2013/HY/Figures/F4-Regional_Geology.wor
DATE: NOVEMBER 2013

contact trends north and bisects the centre of this area. The Mt. Billings Batholith has intrudes both groups in the northern and western parts of the Dusty/Tung Area (Figure 5).

Bedding measurements within the Hyland and Earn groups are nearly perpendicular to each other. Hyland Group sediments strike to the northeast and dip moderately to the southeast, while Earn Group sediments strike to the northwest and dip steeply to the northeast or southwest.

Throughout the Dusty/Tung Area, the sediments are cut by dykes and sills that are usually composed of fine grained biotite granodiorite with lesser monzonite. Pegmatite, orthogneiss, andesite and garnetiferous muscovite-rich granodiorite intrusions are also present in minor amounts. The dykes and sills show a variety of orientations and range in width from 5 to 60 m. Where dykes and sills intrude calcareous rocks, skarn horizons ranging from 1 to 30 m are developed.

Structurally, the Dusty/Tung Area hosts two main fault arrays. The first array trends north and exhibits steep dips to the east and west. These faults cut the host rock into slices up to 60 m wide. The second array trends north to northeast and dips steeply to the north or south. The apparent offsets along these faults vary from less than 10 m to greater than 100 m, but sense of movement is not known.

Veins, breccias and shears related to the faulting occur through the Dusty/Tung Area, but are most easily recognized within the alpine parts of the Tung Zone.

Local zones of intense quartz flooding within the shale may represent a northwesterly-trending structural feature; however, no direct evidence for faulting or shearing has been observed.

Elsa Area

This area is underlain by Earn Group comprising interbedded argillite, mudstone, limestone, shale and siltstone. The Mt. Billings Batholith bounds the sediments in the northern part of the area, and in the western part numerous porphyritic granodiorite and diabase dykes and sills have intruded the country rocks. Skarn lenses up to 10 m wide occur adjacent to intrusives or fault zones throughout the area (Figure 6).

Gentle folding is observed within the Elsa Area as bedding within the sediments strikes northwesterly and dips shallowly to the northeast or southwest. Steeply dipping fractures within the Mt. Billings Batholith exhibit northerly and westerly strikes.

Marg Area

The Marg Area is underlain by Earn Group, which is bound by the Mt. Billings Batholith to the north. The contact between the two units is steep. Earn Group comprises impure quartzite, quartz-mica schist, paragneiss, limestone and phyllite that are interbedded with chert, siltstone, argillite and greywacke. Bedding typically strikes to the east and dips moderately to steeply to the south (Figure 7). Several northerly-striking porphyry dykes of unknown affinity cut Earn

Group at various orientations and where these dykes intrude calcareous beds skarn horizons up to 15 m wide occur.

Miko Area

The Miko Area is mostly underlain by Earn Group comprising muscovite-quartz schist, biotite-muscovite schist, quartzite and limestone. Bedding typically strikes northwest and dips moderately to the southwest. The Mt. Billings Batholith contact with the Earn Group has been projected to lie near the northern edge of the area; however, two granodiorite sills, likely related to the batholith, interfinger with Earn Group in the central part of the area (Figure 8). Some laterally continuous beds of partially calc-silicate altered Earn Group are observed in the southern part of the area, while multiple skarn horizons up to 10 m wide and limy beds are more abundant in the eastern part of the map area (Figure 9).

Comparison of strata north and south of Conglomerate Creek suggests it may coincide with the surface trace of a major fault, but if so, the magnitude and sense of movement on this structure are unknown.

MINERALIZATION

Mineralization on the Hy property is described below within the various zones and showings referenced to the map areas in which they occur. The Dusty/Tung Area encompasses the Dusty and Tung zones. The Dusty Zone is comprised of 11 showings (A to K), while the Tung Zone hosts two showings (1 and 2). The Elsa Area hosts the Elsa Zone, which contains the Elsa and Hike showings. The Marg Area covers the Marg Zone, which has two showings (Upper and Lower). The Miko Area surrounds the Miko Zone, which includes four showings (Creek, Hillside, Cirque and Camp).

In 2013, a total of 228 rock samples were collected from the property. Sample locations and significant results from each of the five zones are shown on Figure 10. Certificates of Analysis and Rock Sample Descriptions appear in Appendices III and IV, respectively.

All rock samples were sent to ALS Minerals in Whitehorse, where they were crushed to 70% passing 2 mm before a 250 g split was pulverized to 85% passing 70 microns. Splits of the pulverized fractions were then sent to ALS Minerals in North Vancouver, where they were dissolved in a four acid solution and analyzed for 48 elements using inductively coupled plasma-mass spectroscopy and inductively coupled plasma-atomic emission spectroscopy techniques (ME-MS61).

Skarn mineralogy within the known showings usually comprises one of the following gangue assemblages: tremolite-actinolite-epidote, pyroxene-epidote-actinolite, epidote-wollastonite or magnetite-diopside. Primary sulphides include pyrite, pyrrhotite, sphalerite and galena with minor bornite. Scheelite is present in some zones. Details pertaining to specific zones and showings are discussed below.

Dusty Zone (Showings A to K)

Most of the mineralization at the Dusty Zone occurs in Showings A to K. In 2013, most of the historical showings were re-visited and a new discovery was made (Showing J). Detailed geology, rock sample locations, metal assemblage distributions and a table containing highlight assay results for the Dusty Zone are shown on Figure 10. The showings are described separately in the following paragraphs.

Showing A lies in the northwest corner of the Dusty Zone. In 1965, a chip sample from a trench reportedly returned 684.0 g/t silver, 9.20% zinc and 11.01% lead over 1.83 m (Ostensoe, 1965). In 2007, a composite sample consisting of chips from 21 float blocks of heavily weathered, hydrozincite coated epidote-calcite skarn with galena and sphalerite assayed 14.8 g/t silver, 2.91% zinc and 6.51% lead (Eaton, 2008). In 2013, a grab sample taken 40 m north of the 2007 composite sample assayed 573 g/t silver, 3.27% zinc, 9.92% lead and 1560 ppm bismuth.

Showing B is located 300 m east of Showing A and is characterized by a diopside skarn containing minor sphalerite and galena. Previous sampling of this showing reported 155.7 g/t silver, 1.10% zinc and 2.30% lead over 0.91 m (Ostensoe, 1965). In 2007, three weakly mineralized float samples from this showing averaged 61.5 g/t silver, 0.44% zinc and 0.86% lead (Eaton, 2008). In 2013, a 70 cm continuous chip sample collected across an oxidized manganese-epidote-galena skarn assayed 175 g/t silver, 3.09% zinc, 3.12% lead and 499 ppm bismuth.

Showing C lies 500 m east of Showing A and hosts variably mineralized skarn types. This showing covers a large area with thick overburden and dense vegetation, which makes exploration difficult. The showing has been sub-divided into four parts (west, north, east and south) as described below.

In the **west** part of Showing C, a trench sample taken in 1965 reportedly assayed 360.0 g/t silver, 7.30% zinc and 3.50% lead (Ostensoe, 1965). In 1968, two short diamond drill holes were completed near this trench. The best interval from these holes was 137.1 g/t silver, 2.45% zinc and 1.86% lead over 0.91 m (White, 1968). In 2007, a composite sample composed of chips from 30 variably mineralized blocks of diopside or epidote skarn taken from the old trench averaged 109 g/t silver, 6.58% zinc and 2.91% lead (Eaton, 2008). Another sample taken in 2007 from a block of well mineralized, hydrozincite-coated, sphalerite- and galena-bearing diopside skarn returned 466 g/t silver,8.06% zinc and 5.88% lead. In 2013, a composite chip sample taken of skarn hosting semi-massive galena and sphalerite exposed within a hand trench assayed 360 g/t silver, 7.19% zinc, 6.26% lead and 1060 ppm bismuth.

In the **north** part of Showing C, abundant, sphalerite-rich epidote-diopside skarn boulders are scattered along an old road cut. A composite sample of chips from 20 mineralized boulders returned 245.0 g/t silver, 6.52% zinc, 2.00% lead and 98.7 ppm indium, and a sample from a boulder of especially sulphide-rich mineralization yielded 605.0 g/t silver, 8.26% zinc, 7.68% lead and 88.6 ppm indium (Eaton, 2008).

In the **east** and **south** parts of Showing C, numerous boulders of magnetite-rich skarn with galena and 'blackjack' sphalerite were identified in 2013. A grab sample from the east part yielded 245 g/t silver, 12.15% zinc, 1.29% lead and 766 ppm bismuth, while a grab sample from the south part returned 325 g/t silver, 0.21% zinc, 1.42% lead and 1220 ppm bismuth.

Showing D is located approximately 200 m west of the Max claims along the batholith contact. A grab sample from the southwestern part of this showing reportedly assayed 2200 g/t silver with only 0.72% lead (Vincent, 1973). In 2013, two noteworthy results were returned from rock samples taken in this area. Select chips from a steeply dipping fault zone yielded a strong tungsten value (4080 ppm), with low multi-element support. A 30 cm chip sample of drusy quartz with fracture-filling sphalerite and galena assayed 791 g/t silver, 0.14% zinc, 1.06% lead, greater than 1.0% bismuth and 171 ppm tellurium. A grab sample of weathered and pitted, limonite fault breccia with trace malachite assayed 1070 g/t silver, 0.67% zinc, 4.57% lead, 0.89% copper and 3530 ppm bismuth.

In 2013, Showing D was expanded to the north and northeast approximately 300 m with the discovery of a northeast-trending, steeply west-dipping epidote-wollastonite skarn hosting massive magnetite, galena, chalcopyrite and pyrite. A sample of this material returned 318 g/t silver, 871 ppm bismuth, 2.75% lead, 0.98% zinc, 26.9 ppm tellurium and 2.08 ppm thallium.

Showing E was historically identified slightly inside the southern boundary of the Max claims, but has since been expanded to cover skarn mineralization found in 2007 to the west. On the Max claims, mineralization consists of disseminated to nearly massive chalcopyrite, galena and sphalerite in epidote-quartz ±magnetite skarn. A historic grab sample returned 37.0 g/t silver, 4.85% zinc, 7.64% lead and 1.38% copper, while a 4.57 m chip sample returned 56.6 g/t silver, 2.79% zinc and 1.32% copper (Tully, 1980a). Drilling for tungsten mineralization in 1980 yielded weighted averages of 0.60% WO_3 over 0.58 m, 0.44% WO_3 over 1.33 m and 0.20% WO_3 over 0.92 m.

In 2013, work in at Showing E on the Hy property resulted in a 45 cm chip sample of epidote-orthoclase skarn with tarnished pyrite, magnetite and minor pyrrhotite, which graded 524 ppm bismuth and 1490 ppm tungsten, with low values for other elements of interest.

Showings F and G are exposed along a creek approximately 800 m north-northeast of the Max claims. Previous samples taken from these showings returned peak values of 189.3 g/t silver, 13.44% zinc, 7.71% lead and 1.08% copper, and 46.3 g/t silver, 6.23% zinc and 7.43% lead, respectively (Tully, 1980a). Follow up prospecting in 2007 produced three significant results; two from float specimens and one from a chip sample. One of the float samples was rusty-weathering, malachite-stained, magnetite-diopside skarn hosting sphalerite and galena that assayed 97.8 g/t silver, 18.20% zinc, 10.95% lead and 0.46% copper. The other float specimen was anglesite- and cerussite-coated, semi-massive galena and sphalerite skarn, which returned 69.8 g/t silver, 17.75% zinc and 15.65% lead. The chip sample was taken across a 0.35 m wide by 1.2 m long exposure of massive magnetite-sphalerite skarn that assayed 36.8 g/t silver, 8.56% zinc, 13.40% lead and 101 ppm indium (Eaton, 2008). In 2013, the best rock sample collected from Showing F was a grab sample from a small lense of manganese-epidote skarn hosting 2-3% blebby galena and minor malachite, which returned 96.8 g/t silver, 3.88% zinc, 5.56% lead,

0.17% copper and 210 ppm bismuth. In 2013, Showing G was revisited, but no samples were collected for assay.

Showing H is located about 300 m southwest of Showing F along the same creek. In 2007, a grab sample of skarn float with massive magnetite and trace chalcopyrite and pyrite assayed 10.2% zinc with low values for other metals of interest; while another grab sample of epidote-diopside skarn with massive magnetite and disseminated chalcopyrite, sphalerite and pyrite assayed 41.7 g/t silver, 1.19% zinc and 1.45% lead. No samples were taken from this showing in 2013.

Showing I comprises mineralized skarn float found adjacent to a creek, 1200 m southeast of Showing H. In 2007, a grab sample was taken from a black siliceous skarn with epidote lenses and trace sphalerite, which assayed 87.4 g/t silver and 3.00% lead. A second sample comprised epidote-quartz skarn with disseminated malachite, pyrite and an unknown silvery-black sulphide, which returned 29 g/t silver and 2.87% copper (Eaton, 2008).

Showing J was discovered in 2013 and lies approximately 1100 m east of Showing H. It consists of a malachite- and azurite-stained, manganese-coated, quartz vein with chalcopyrite, which pinches and swells from 10 to 50 cm wide and is exposed over a 33 m strike length. A 50 cm chip sample taken across it returned 123 g/t silver, 1.77% zinc, 1.46% lead and 1.99% copper.

Showing K is a historical showing that lies immediately southeast of Showing E outside the Max claims. It reportedly hosts chalcopyrite and galena as fracture coatings in a fine grained dyke. No historical results were reported from this work, and the showing was not revisited in 2013.

Tung Zone (Showings 1 and 2)

The Tung Zone is situated about 3000 m south of the Dusty Zone and hosts skarn mineralization. In 1973, a grab sample reportedly assayed 322.2 g/t silver and 0.01% WO_3 (Vincent, 1973). A geophysical survey conducted across this target identified several magnetic highs that may correlate with mineralized carbonate-rich bands that are obscured by overburden.

In 2007, prospecting through old trenches identified float of sucrosic limestone and rusty-weathering micaceous quartzite with rare ‘blackjack’ sphalerite, pyrite, magnetite and an unidentified dark grey, non-magnetic, metallic mineral. In 2013, two skarn showings were defined (Figure 11). Showing 1 comprises a 1.5 m wide, heavily oxidized and pitted, pyroxene-epidote skarn subcrop with blebby galena and disseminated sphalerite and chalcopyrite that abuts micaceous schist and marble/limestone. A grab sample from Showing 1 of intensely oxidized, limonite-pitted biotite-quartz schist to micaceous quartzite with disseminated galena returned 156 g/t silver, 5.06% zinc, 3.69% lead and 364 ppm bismuth.

Showing 2 was discovered in 2013 and it consists of skarnified boulders that are concentrated in a 5 by 10 m area that is traceable to the north for 25 m and south for 100 m. The skarn comprises pyroxene-actinolite-epidote with heavy limonite staining and goethite pits. Mineralization includes minor chalcopyrite, galena, sphalerite and scheelite. Although visual

514,000 mE

515,000 mE

6,792,000 mN

6,791,000 mN

T.N.

1°32'

21°37'

Grid north

Magnetic north

Annual change decreasing 23.5'

L865644

L865646

L865645

L865643

L865641

SHOWING 2

L865640

L865638

L865660

L865650

L865657

L865651

L865662

L865652

L865653

L865647

L865655

L865654

L865656

L865648

L865637

L865649

L865659

G087224

G087223

L865661

G087222

Ag+Pb +Zn+Bi

L865642

L865639

G087221

G087220

L865658

SHOWING 1

G087218

G087219

M898147

M898037

M898036

M898035

M898034

Property Boundary

Trail

Property Boundary

Detailed Map Area
Figure 11

0 4 km

Anomalous rock sample grading
≥ 200 g/t Ag, 200 ppm Bi, 1% Cu, 1% Pb, 1% Zn, 20 ppm Te, 1 ppm Tl, and/or 200 ppm W

Bedrock sample

Float sample

Zn+Pb Metal Assemblages

Selwyn Suite Mt. Billings Batholith

Mineralization

★ Mineralized float

Unmineralized skarn

SampleID	Ag (g/t)	Bi (ppm)	Cu (%)	Pb (%)	Te (ppm)	Tl (ppm)	W (ppm)	Zn (%)
L865639	156	364	0	3.69	9.84	2.1	1.8	5.06

STRATEGIC METALS LTD.

FIGURE 11

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

MINERALIZATION
TUNG ZONE
HY PROPERTY

0 500 m

UTM ZONE 9, NAD 83, 105H/02 & 07 Contour Interval: 20m

FILE: P:2013/Hy/Figures/F11-Mineralization_Tung_zone.wor

DATE: NOVEMBER 2013

mineralization was encouraging, no significant assays were returned from rock samples collected at Showing 2.

Elsa Zone (Elsa and Hike Showings)

The Elsa Zone has been intermittently explored since the 1960's. It is in the north-central part of the property on consists of two showings (Elsa and Hike). Rock sample locations, metal assemblage distributions and a table containing highlight results are shown on Figure 12.

The Elsa Showing lies in the northwestern part of this zone. Previous work at it is poorly documented; however, a grab sample reportedly assayed 161.1 g/t silver, 16.55% zinc and 23.56% lead (Timmins, 1968). Mineralization consists of fracture-controlled and possibly stratiform pyrrhotite and pyrite with minor sphalerite, galena, chalcopyrite and malachite found in a small outcrop on the west side of a cirque. Samples of this material returned up to 200 g/t silver, 2.36% zinc, 3.88% lead, 0.62% copper and 24.8 ppm indium (Eaton, 2008).

The Hike Showing lies about 1000 m southwest of the Elsa Showing, and it was discovered in 2013 while following up strongly anomalous zinc- and lead-in-soil values (2170 ppm and 1095 ppm, respectively). This showing comprises a 12 by 20 m exposure of quartz-carbonate stockwork and breccia with medium grained galena and sphalerite. The best results from select chip and composite samples in this structurally controlled zone were 12.35% zinc and 6.76% lead.

Marg Zone (Cliff and Lower Showings)

The Marg Zone is located in the northeastern part of the property and comprises the Cliff and Lower showings, both of which were revisited in 2013. Rock sample locations, metal assemblage distributions and a table containing highlight results are shown on Figure 13.

The **Cliff Showing** is in the northern part of the Marg Zone. Mineralization at this showing is hosted within diopside-magnetite skarns that strike east and dip steeply to the south. The main mineralized skarn horizon has been traced for about 1100 m along strike and is exposed over widths up to 15.8 m. Historical diamond drill intersections from this horizon include 552.7 g/t silver, 5.30% zinc and 4.06% lead over 0.40 m, and 131.0 g/t silver, 2.1% zinc and 2.04% lead over 0.74 m (Tully, 1980b). These intersections came from holes located 600 m apart. Fourteen float specimens, mainly sphalerite-bearing epidote skarns, were picked up from old trenches in 2007. Of these, the four best averaged 193.8 g/t silver, 4.03% zinc and 2.92% lead (Eaton, 2008). In 2013, a grab sample of oxidized, manganese-epidote altered, light green calc-silicate hosting galena and sphalerite assayed 226 g/t silver, 1.43% zinc, 1.72% lead, 675 ppm bismuth and 560 ppm tungsten.

The **Lower Showing** lies about two kilometres southeast of the Cliff Showing. A historical sample collected from this showing reportedly assayed 171.5 g/t silver, 7.0% zinc and 3.0% lead (Tully, 1980b). In 2007, seven samples were collected – the best of which came from a 0.6 by 0.6 m subcrop exposure in an old trench. The subcrop comprised epidote-diopside skarn with small areas of limonitic boxwork, moderate sphalerite and traces of pyrite and malachite, which

519,000 mE

520,000 mE

521,000 mE

6,793,000 mN

Bi±Pb

Pb

Zn

Pb+Zn

Bi+Zn

Ag+Pb+Bi

Pb+Zn

ELSA SHOWING

Bi+W+Tl

HIKE SHOWING

Pb+Zn

M898110 M898109 M898107 M898106 M898108 M898105 M898104 M898103 M898101 M898102 M898014 M898148 M898017 M898013 M898015

G087284 G087282 G087283 G087280 G087281 G087227 G087279 G087278 G087285 G087226 G087225 G087288 G087291 G087286 G087287 G087290 G087207

M354870 M354872 M354875 M354873 M354871 M354874 M354869 M354868

M650179 M650178 M650175 M650176 M650177 M650194 M650191 M650192 M650189 M650193 M650190 M650188 M650185 M650184 M650180 M650187 M650186 M650183 M650182 M650195 M650196 M650181

G087201

SampleID	Ag (g/t)	Bi (ppm)	Cu (%)	Pb (%)	Te (ppm)	Tl (ppm)	W (ppm)	Zn (%)
G087225	55.5	98.8	0.25	1.87	0.42	0.68	1.7	1.92
G087226	200	430	0.39	3.88	0.58	0.9	2.1	0.29
G087227	73.8	1500	0.63	0.94	0.41	0.02	4.3	1.27
G087278	10.3	14	0.01	0.05	0.43	0.08	0.1	20.60
G087280	6.8	1.6	0.00	2.82	0.08	0.02	4.7	2.24
G087281	34.3	87.9	0.51	3.88	0.13	0.2	1.9	2.36
G087282	52.7	253	0.02	1.27	0.08	0.08	1.4	0.74
G087283	97.1	1200	0.16	0.55	0.82	0.05	0.9	0.60
G087285	1.14	7.92	0.01	0.01	0.025	1.14	1.3	0.02
G087291	22.4	219	0.14	0.05	14.45	1.63	1240	0.02
M354873	1.21	0.47	0.02	0.01	0.05	1.52	1.3	0.02
M354874	0.34	0.15	0.00	0.00	0.025	1.57	0.8	0.00
M354875	0.19	0.11	0.00	0.00	0.025	1.89	1.4	0.00
M650183	0.45	1.49	0.01	0.00	0.07	1.13	1.4	0.01
M650186	1.3	1.17	0.00	0.03	0.5	1.33	1.6	0.07
M650188	0.55	0.32	0.00	0.00	0.07	1.02	1.1	0.02
M650190	4.6	1.23	0.06	0.01	0.69	1.19	1	0.12
M650196	0.12	0.11	0.00	0.00	0.025	1.15	1.2	0.01
M898013	29.4	5.25	0.04	1.64	0.025	0.08	0.6	11.15
M898015	18.9	0.32	0.03	0.79	0.025	0.05	0.1	12.35
M898016	32.7	4.21	0.01	4.48	0.025	0.17	0.1	3.95
M898017	35.9	1.79	0.02	6.76	0.025	0.22	1.9	4.54
M898101	0.25	0.56	0.00	0.00	0.025	2.14	0.6	0.01
M898107	33.2	65.1	0.01	1.74	1.47	0.27	0.9	0.90
M898109	0.22	0.43	0.00	0.01	0.025	1.34	1.6	0.01
M898110	0.32	0.25	0.00	0.01	0.18	1.7	1.7	0.01
M898148	0.66	1.25	0.00	0.02	0.05	1.33	3.2	0.02

Anomalous rock sample grading ≥ 200 g/t Ag, 200 ppm Bi, 1% Cu, 1% Pb, 1% Zn, 20 ppm Te, 1 ppm Tl, and/or 200 ppm W

Bedrock sample

Float sample

Zn+Pb Metal Assemblages

Selwyn Suite Mt. Billings Batholith

T.N.

1°32'

21°37'

Grid north

Magnetic north

Annual change decreasing 23.5'

Property Boundary

Detailed Map Area Figure 12

0 4 km

STRATEGIC METALS LTD.

FIGURE 12

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

MINERALIZATION ELSA ZONE

HY PROPERTY

0 500 m

UTM ZONE 9, NAD 83, 105H/07 Contour Interval: 20m

FILE: P:2013/Hy/Figures/F12-Mineralization_Elsa_zone.wor

DATE: NOVEMBER 201

assayed 26.1 g/t silver, 3.65% zinc, 5.22% lead and 0.32% copper (Eaton, 2008). A float sample from 360 m further up trench returned 75.7 g/t silver, 4.02% zinc and 1.39% lead. In 2013, a 0.4 by 1.0 m subcrop exposure of magnetite skarn with galena and sphalerite from the wall of an old trench returned 507 g/t silver, 5.06% zinc, 4.85% lead, 1375 ppm bismuth and 336 ppm tungsten. A specimen sample of chalcopyrite- and pyrrhotite-bearing skarn from the floor of a different trench returned 1.04% copper.

Miko Zone (Creek, Hillside, Cirque and Camp Showings)

The Miko Zone is situated in the southeastern part of the property and consists of four showings. In 2013, the Creek, Hillside and Cirque showings were revisited and the Camp Showing was discovered. Rock sample locations, metal assemblage distributions and a table containing highlight results are shown on Figure 14.

The **Creek Showing** hosts a poorly exposed skarn that has been traced for approximately 100 m along strike and is up to five metres wide at surface. Mineralization strikes east and dips steeply to the south. Historical bulldozer trenching exposed massive sulphide, which reportedly assayed 65.1 g/t silver, 21.56% zinc and 26.57% lead over 2.8 m (Simpson, 1969). In 2007, samples were collected from a series of old trenches, including a composite sample of chips taken from 35 mineralized boulders. The chip sampled boulders comprise banded epidote-sphalerite to massive sphalerite-galena skarns. The composite sample of this material assayed 135 g/t silver, 24.30% zinc and 28.71% lead. Two samples of highly weathered, hydrozincite coated epidote skarn float containing semi-massive to massive galena and sphalerite averaged 48.3 g/t silver, 29.25% zinc and 37.21% lead. In 2013, a grab sample of mixed limestone and epidote skarn hosting abundant galena and sphalerite returned 755 g/t silver, 6.97% zinc, 7.29% lead and 2210 ppm bismuth.

The **Hillside Showing** consists of three separate skarn lenses, each 50 to 160 m long and up to 12 m wide. The mineralized lenses occur over a total length of 650 m, strike east and dip steeply south. The best assays reported from historical trenching include 432.0 g/t silver, 0.93% zinc and 9.62% lead over 1.28 m; and 370.3 g/t silver, 14.01% zinc and 8.22% lead over 3.20 m. The best diamond drill interval returned 164.6 g/t silver, 2.35% zinc and 3.45% lead over 0.43 m (Tully, 1980c). No significant assays were returned from this showing in 2013.

The **Cirque Showing** comprises a 1 m wide by 60 m long band of siliceous epidote skarn located adjacent to an intrusive sill. Little data is available for this showing; however, a historical surface sample reportedly assayed 116.6 g/t silver, 0.20% zinc and 4.4% lead. The best historical diamond drill intersection returned 83.0 g/t silver, 4.30% zinc and 0.54% lead over 2.13 m (Simpson, 1969). No significant results were returned from the Cirque Showing in 2013.

In 2013, the **Camp Showing** was discovered approximately 1100 m southwest of the Creek Showing and was named for its proximity to the fly camp. This showing comprises a calc-silicate and epidote altered skarn subcrop with disseminated chalcopyrite, galena and sphalerite. A two metre chip sample across the subcrop returned 69.9 g/t silver, 2.4% lead and 0.64% zinc. No detailed mapping has been done in the vicinity of this skarn.

SOIL GEOCHEMISTRY

Historical soil sampling included systematic grid soil sampling near the Dusty Zone and in smaller areas near the other zones. Reconnaissance-scale contour sampling was also done along several of the main drainages and on adjacent hillsides. Due to advances in multi-element analytical techniques, improved sample digestion procedures and a lack of reference points on old maps, results for soil samples taken prior to 2007 have not been incorporated into the dataset.

Sampling by Strategic Metals

In 2013, a total of 1266 grid and contour soil samples were taken from all mineralized areas. Soil samples taken from undisturbed sites were collected at 25 to 50 m intervals along lines spaced at 50 to 200 m apart. These soil sample locations were recorded using hand-held GPS units. Sample sites are marked by aluminum tags inscribed with the sample numbers and affixed to 50 cm wooden lath that were driven into the ground. Most of the soil samples were collected from 30 to 60 cm deep holes using hand-held augers. They were placed into individually pre-numbered Kraft paper bags.

The soil samples taken from previously undisturbed ground within and adjacent to the Dusty, Elsa, Tung and Miko zones and soil samples taken from 23 one metre deep hand pits at the Tung Zone were sent to ALS Minerals in Whitehorse, where they were dried and screened to -180 microns. The fine fractions were then shipped to ALS Minerals in North Vancouver, where they were dissolved in aqua regia and analyzed for 35 elements using the inductively coupled plasma-atomic emission spectroscopy technique (ME-ICP41). Soil samples taken from undisturbed ground, or beneath the floors of historical trenches at the Marg Zone were analyzed using the same technique as the 2013 rock samples, which is described in the previous section. Certificates of Analysis are given in Appendix III.

Table II below lists anomalous thresholds and peak values used to describe the soil results from undisturbed and disturbed ground.

Table II – Soil Geochemical Thresholds

Element	Weak	Moderate	Strong	Peak Value – Undisturbed Soil Sample		Peak Value – Trench or Hand Pit Soil Sample	
				Value	Zone	Value	Zone
Silver (ppm)	≥ 0.5 < 1	≥ 1 < 2	≥ 2	11.4	Elsa	707	Tung
Copper (ppm)	≥ 100 < 200	≥ 200 < 500	≥ 500	327	Elsa	149	Marg
Bismuth (ppm)	≥ 5 < 10	≥ 10 < 20	≥ 20	37	Elsa	1655	Tung
Lead (ppm)	≥ 100 < 200	≥ 200 < 500	≥ 500	3390	Elsa	118,000	Tung
Zinc (ppm)	≥200 < 500	≥500 < 1000	≥ 1000	4150	Elsa	8310	Tung
Tungsten (ppm)	≥ 0 < 20	≥ 20 < 50	≥ 50	50	Elsa	43.1	Tung

Figures 15 through 17 show soil sample locations by area, while thematic illustrations for silver, copper, bismuth, lead and zinc can be found on Figures 18 to 22, respectively. Tungsten results

T.N.
1°32'
21°37'
Grid north
Magnetic north
Annual change
decreasing 23.5'

514,000 mE

515,000 mE

6,791,000 mN

ZZ71984
ZZ71983
ZZ71916
ZZ71917
ZZ71915
ZZ71912
ZZ71914
ZZ71911
ZZ71913
ZZ71910
ZZ71908
ZZ71905
ZZ71909
ZZ71906
ZZ71904
ZZ71903
ZZ71962
ZZ71963
ZZ71902
ZZ71901
ZZ71900
ZZ71899
ZZ71928
ZZ71927
ZZ71926
ZZ71929
ZZ71930
ZZ71931
ZZ71925
ZZ71924
ZZ71923
ZZ71922
ZZ71921
ZZ71920
ZZ71919
ZZ71918
ZZ71977 ZZ71976 ZZ71975 ZZ71974 ZZ71973 ZZ71972 ZZ71971 ZZ71970 ZZ71969 ZZ71968 ZZ71967 ZZ71966 ZZ71965 ZZ71964 ZZ71961 ZZ71960 ZZ71959 ZZ71958 ZZ71957 ZZ71956 ZZ71955 ZZ71954 ZZ71953 ZZ71907
ZZ71978 ZZ71979 ZZ71980 ZZ71981 ZZ71982 ZZ71951 ZZ71950 ZZ71949 ZZ71948 ZZ71947 ZZ71946 ZZ71945 ZZ71944 ZZ71943 ZZ71942 ZZ71941 ZZ71940 ZZ71939 ZZ71938 ZZ71937 ZZ71936 ZZ71935 ZZ71934 ZZ71933 ZZ71932

Property boundary

Property boundary



STRATEGIC METALS LTD.

FIGURE 17

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SOIL SAMPLE LOCATIONS
TUNG AREA

HY PROPERTY

0 200 m

UTM ZONE 9, NAD 83, 105H/07 Contour Interval: 20m

FILE: P:2013/Hy/Figures/F17-Soil_Sample_Locations.wor | DATE: NOVEMBER 2013

were generally low; however, two samples from the Tung Zone returned moderately anomalous values, which is encouraging considering that the partial digestion technique used for these analyses does not completely dissolve scheelite.

Dusty Zone

A 1500 by 1750 m soil grid was established northwest of the Max claims. This grid is underlain by Mt. Billings Batholith and covers Showings A, B, C and D. Soil samples taken at Showings A and B contain strongly anomalous values for lead (up to 1085 ppm), but yielded only moderate values for other elements of interest. Soil from Showing C returned coincident, moderately to strongly anomalous values for silver (up to 2 ppm), bismuth (up to 13 ppm), lead (up to 560 ppm) and zinc (up to 602 ppm). Samples taken around Showing D showed weak response for silver, and weak to moderate response for bismuth, lead and zinc. Copper-in-soil geochemistry for this grid was background.

Small clusters of coincident, elevated soil geochemical values for silver, bismuth, lead and/or zinc also occur outside of the areas of the known showings within the Dusty Zone.

The extension of the 2007 Elsa grid spans the area between the Elsa and Dusty zones, which is underlain by Earn Group. The northwestern part of the Elsa grid extension yielded elevated geochemical values, some of which approximately coincide with the newly discovered Showings I and J. Soil samples near Showing J returned the best multi-element anomaly discovered to date on the property. It comprises a string of samples with moderate to strong response for silver (4.4 ppm), copper (up to 327 ppm), bismuth (up to 16 ppm), lead (up to 756 ppm) and zinc (up to 3690 ppm). This string starts near the mineralized 2013 rock samples and extend to the southeast. The copper-in-soil values at this showing are significant because they are much higher than those from other samples taken on the property – including those from previously trenched areas. No samples were collected north of this anomaly. Samples collected near Showing I yielded low values for all elements of interest; however, a sample collected upslope, 250 m northeast of the showing returned 4150 ppm zinc, which is the peak zinc-in-soil value for the property.

Tung

Sampling at the Tung Zone comprised two soil lines centred on the historical trenches; however, these samples were collected from previously undisturbed ground, rather than from the floors of the trenches or material out of them. A minor amount of additional sampling was done along a contour line in the northern part of the zone and from beneath the floors of 23, one metre deep hand pits. The hand pits were dug within previously excavated trenches and in the vicinity of Showing 1. Although property-scale mapping shows the areas where these samples are taken as Mt. Billings Batholith, detailed mapping indicates that the areas are underlain by the batholith and sediments of the Hyland Group.

Results from the soil lines were low for silver, copper and lead. A small cluster of samples near the mid-point of the lines yielded moderate values for zinc and moderate to strong values for

bismuth (up to 12 ppm). An isolated moderately anomalous tungsten value (43.1 ppm) also lies within this area.

A soil sample taken near surface at Showing 1 returned weak to moderate silver, copper and bismuth response with strong lead (up to 296 ppm) and zinc (up to 553 ppm) values; however, a deep auger soil sample taken at the same location, but beneath the floor of a one metre deep hand pit, returned exponentially higher values including 707 ppm silver, 1655 ppm bismuth, 118,500 ppm lead and 8310 ppm zinc. This sample site is almost on the contact between the Mt. Billings Batholith and the Hyland Group.

The contour sampling yielded mostly low values for silver, copper and zinc with isolated, coincident, moderately anomalous values for bismuth and lead.

Elsa

The 2007 Elsa grid is underlain by Earn Group and covers both the Elsa and Hike showings. Soil samples taken from within the area of the Elsa Showing yielded strongly anomalous values for silver (up to 11.4 ppm), bismuth (37 ppm), lead (3390 ppm) and zinc (3500 ppm) but low copper. Nearby samples returned a strongly anomalous, single-point silver value with weak multi-element support and a cluster of coincident, strongly anomalous bismuth, lead and zinc values.

Soil samples taken at the Hike Showing yielded weakly to moderately anomalous values for silver, copper, bismuth and lead, and an isolated, strongly anomalous value for zinc (2170 ppm). Other samples collected in the vicinity of this showing returned single point anomalies of 1095 ppm lead and 1350 ppm zinc with near background response for silver, copper and bismuth.

A cluster of coincident, strongly anomalous bismuth (11 ppm) and lead (up to 693 ppm) values with moderately anomalous silver and zinc and weak copper lies in the northern-most part of the grid near the contact between Mt. Billings Batholith and Earn Group.

Further southeast within the Elsa grid, there is a small group of coincident, strongly anomalous bismuth, lead and zinc values, and in the southeast corner of the grid, where it overlaps with contour samples taken west of the Marg Lower Showing, there are moderate bismuth and silver values with moderate to strong response for zinc (up to 1040 ppm).

Marg

Sampling at the Marg Lower Showing comprised soil samples from the holes augered beneath the floors of the historical trenches. Contour soil sampling was also completed to the north and west of the showing. No samples were taken in the vicinity of the Cliff Showing. Although a more complete digestion technique was used during the analysis of these samples, their values do not appear to be significantly elevated compared to samples processed with less complete digestion technique (see overlap with Elsa grid).

One of the samples taken beneath a trench floor in the northern part of this showing returned strongly anomalous silver (up to 6.98 ppm), bismuth (up to 28 ppm), lead (up to 1040 ppm) and zinc (1540 ppm) values, but other samples collected nearby returned weak to moderate values.

The core of the Marg Lower Showing is surrounded by a 250 by 250 m halo of strongly anomalous lead (up to 696 ppm) and zinc (up to 3320 ppm) values with sporadic moderate to strong silver, copper and bismuth values.

Contour sampling north of the Marg Lower Showing identified a 200 m by 250 m cluster of coincident, moderately to strongly anomalous values for silver, bismuth, lead and zinc, while sampling west of this showing returned weak to moderate values for all elements of interest.

Miko

Two small soil grids were completed at the Miko Zone in 2013, both of which are underlain by Earn Group. Samples were collected at 50 by 100 m spacings along strike to the northwest of the Hillside Showing and at 25 by 50 m spacings southeast of the Creek Showing.

The Hillside grid returned sporadic, coincident strongly anomalous values for silver (up to 2.8 ppm), bismuth (up to 14 ppm), lead (up to 1570 ppm) and zinc (up to 1960 ppm). The Creek grid yielded small clusters of elevated silver (up to 4.9 ppm), lead (up to 1570 ppm) and zinc (up to 598 ppm).

No soil sampling was completed in the vicinity of the Cirque or Camp showings in 2013.

HISTORICAL GEOPHYSICAL SURVEYS

In 2007, property wide, helicopter-borne VTEM and magnetic surveys were conducted by Geotech Ltd. of Aurora, Ontario using an AStar B3 helicopter operated by TRK Helicopters Ltd. The complete Geotech report including details concerning survey procedures, equipment used and results obtained can be found in the 2008 Hy Property Assessment Report (Eaton, 2008).

The magnetic survey recorded total magnetic field values ranging from 56900 nT to 57500 nT. Areas underlain by intrusive rocks in the extreme eastern and western parts of the property are characterized by high magnetic field values (Figure 23). Another area of magnetic highs in the southern part of the property may be underlain by shallowly-buried intrusive rocks. Smaller and weaker magnetic highs along the northern edge of the roof pendant coincide with some of the showings in the Miko and Marg zones and are likely caused by magnetic skarns in the Earn Group. Areas underlain by Hyland Group exhibit relatively low magnetic response. Although a number of linear magnetic lows are evident on vertical gradient and tilt derivative maps, their significance is uncertain because most do not coincide with known faults or mineralized zones.

Interpretation of VTEM data done by Geotech identified four zones with weak to moderate, late time B-field channel conductance (Zones A to D) as shown on Figure 24. Zones A and B lie east-southeast of the Hike Showing. Zone C comprises five semi-circular conductors, two of which appear to be associated with known showings (Marg Lower and Miko Hillside) while the

others are unexplained. Zone D coincides with an isolated block of Earn Group sediments located about 1500 m north of the main roof pendant. No mapping, prospecting or soil sampling has been done in the vicinity of Zone D.

Figure 25 layers Geotech's interpretation of the magnetic and EM data with the known showings in each of the five main zones. The best EM conductors are shown as circles on this figure. The red circles represent near-surface (less than 100 m deep) conductors, while the blue circles represent conductors at depths greater than 400 m.

At the Dusty Zone, only three showings partially coincide with a strong magnetic response (Showings A, D and F), which may be caused by covered Mt. Billings Batholith rocks. The remaining showings within this zone exhibit weak to moderate magnetism associated with the underlying Hyland and Earn groups. Interestingly, Showing J exhibits both poor magnetism and conductance despite having the strongest soil geochemical response on the property.

At the Tung Zone, the Mt. Billings Batholith has a strong magnetic signature that locally coincides with areas of shallow, strong conductance. Showing 1 has moderate magnetic response and a coincident conductor, which has an interpreted depth of 100 to 200 m.

The Elsa Zone has a moderate to strong magnetic signature, which is interesting considering the lack of mapped intrusive bodies in the area. There are a number of magnetic highs that coincide with strong conductors – one of which nearly underlies the Hike Showing. Similar geophysical signatures occur southeast of this showing in heavily vegetated terrain. The Elsa Showing has a generally weak geophysical signature, with the exception of a few shallow conductors.

At the Marg Zone, the Mt. Billings Batholith is marked by a moderate magnetic high. The most striking geophysical feature in this zone is the 2000 m long, northwesterly-trending coincident, magnetic high and conductor. This zone may be related to the magnetic skarn horizons, which comprise the Cliff Showing. An area of high magnetic response within the Lower Showing may be the continuation of the skarn horizons, which have been offset by a fault.

The Miko Zone exhibits a relatively subdued geophysical signature. The Creek Showing and the northwestern part of the Hillside Showing have local magnetic highs with coincident weak conductors. About 500 m east of the Cirque Showing, there is a small, oval magnetic high and linear conductor that has not received any follow up work.

HISTORICAL TRENCHING AND DIAMOND DRILLING

Since 1965, numerous mechanized trenching and diamond drilling programs have been performed on the Hy property. Limited hand trenching was performed in 2013. Locations for most trenches and diamond drill holes are illustrated by zone, on the appropriate figure referenced in the Mineralization section. Significant results for trenching and drilling are discussed in the following paragraphs.

Dusty Zone

Table III below shows historical trench results from Showings A to G (Ostensoe, 1965; White, 1986; Galloway, 1972; Vincent, 1973 and Tully, 1980a), and 2013 results from hand trenches dug at the Showing D.

Table III – Dusty Zone Trench Highlights

Showing	Type	Width (m)	Silver (g/t)	Zinc (%)	Lead (%)	Copper (%)
A	Trench	1.22	164.6	3.20	2.50	N/R
	Trench	1.52	109.7	3.00	3.00	N/R
	Trench	1.83	684.0	9.20	11.01	N/R
	Trench	1.22	14.4	1.60	1.55	N/R
	Trench	3.35	130.3	2.01	1.76	N/R
	Trench	1.52	43.2	0.28	1.35	N/R
	Trench	0.30	N/A	1.40	1.14	N/R
	Trench	1.52	N/A	4.90	6.65	N/R
	Trench	1.22	N/A	1.06	0.70	N/R
	Trench	1.52	N/A	1.28	1.72	N/R
	Trench	2.13	N/A	1.56	1.44	N/R
B	Trench	0.91	155.7	1.10	2.30	N/R
C	Trench/float	-	360.0	7.30	3.50	N/R
D	Grab	-	2200.0	-	0.72	N/R
	Trench	1.0	13.25	8.87	0.03	0.14
	Trench	0.5	121.0	6.13	0.53	0.25
	Trench	1.4	38.8	2.18	0.12	0.10
	Trench	2.4	151.0	2.47	0.79	0.25
E	Select Grab	4.57	56.6	2.79	-	1.32
	Select Grab	-	37.0	4.85	7.64	1.38
F	Grab	-	189.3	13.44	7.71	1.08
G	Grab	-	46.3	6.23	7.43	N/R

N/R = Not reported

Table IV shows drill highlights from historical diamond drill holes C-1 and C-2, located 75 and 190 m southeast of Showing C, respectfully. These two holes are located north of the area illustrated on Figure 5, and therefore are not plotted.

Table IV – Dusty Zone Diamond Drill Highlights

Hole	From (m)	To (m)	Interval (m)	Silver (g/t)	Zinc (%)	Lead (%)
C-1	26.67	26.97	0.30	27.4	6.79	0.10
	31.39	32.31	0.91	137.1	2.45	1.86
	34.29	35.05	0.76	51.4	1.25	0.05
	42.06	42.82	0.76	10.3	2.25	0.10
C-2	27.74	29.26	1.52	13.7	0.10	0.14

Marg Zone

Table V lists historical diamond drill results for the Marg Zone, and Figure 26 shows a cross section with the dominant lithologies and assay highlight intervals encountered in diamond drill holes 70-12, 70-5, 70-15 and MON 1-80 (Trowsdale, 1970 and Tully, 1980b).

Table V – Marg Zone Diamond Drill Highlights

Hole	From (m)	To (m)	Interval (m)	Silver (g/t)	Zinc (%)	Lead (%)
70-4	69.86	71.02	1.16	10.3	2.36	0.23
70-7	61.87	62.70	0.82	0.0	1.20	0.14
	66.45	68.15	1.71	30.9	1.52	0.15
70-8	15.24	16.61	1.37	3.4	1.44	0.13
70-11	32.83	33.53	0.70	73.7	3.86	2.53
	36.48	36.64	0.15	35.0	1.15	0.23
	39.32	39.72	0.40	552.7	5.30	4.06
	39.72	40.23	0.52	36.3	0.33	0.39
	47.91	48.77	0.85	70.6	2.44	0.61
	50.44	50.75	0.30	132.3	2.41	0.73
70-14	19.20	19.35	0.15	258.2	3.32	2.80
	25.66	26.21	0.55	17.1	2.52	0.14
	29.11	30.24	1.07	19.9	1.61	0.16
	39.93	40.33	0.40	59.0	1.54	0.63
70-16	23.47	25.42	1.95	24.7	1.96	1.88
	38.44	40.26	1.83	23.3	1.02	0.64
	40.26	40.84	0.58	31.9	1.84	2.06
	43.62	44.96	1.34	29.5	1.10	1.23
	44.96	46.48	1.52	37.0	1.57	0.60
	46.48	47.15	0.67	40.1	0.61	0.72
	47.15	48.55	1.40	149.8	2.38	3.43
	48.55	49.23	0.67	117.9	3.88	2.12
	49.53	50.75	1.22	57.9	3.81	1.19
70-18	26.52	26.97	0.46	15.8	1.32	1.04
	32.16	33.68	1.52	25.7	1.23	0.39
	33.68	34.59	0.91	60.3	0.93	1.28
	34.59	36.12	1.52	152.9	2.44	1.57
	36.12	37.64	1.52	105.9	2.47	1.23
	37.64	39.01	1.22	26.4	1.17	0.16
MON 2-80	66.46	67.37	0.91	99.8	3.47	2.43
	77.43	78.17	0.74	131.0	2.10	2.04

Miko Zone

Table VI shows historical trench highlights for the Miko Zone's Hillside and Creek showings (Simpson, 1969). Table VII shows details for the eight diamond drill holes completed in this area, while Table VIII highlights significant drill assay intervals for diamond drill holes HR-2,



	From (m)	To (m)	Interval (m)		Silver (g/t)	Zinc (%)	Lead (%)
70-5	Hole lost				no samples		
70-12	147.01	147.31	0.30		25.0	1.76	1.64
	147.83	148.13	0.30		16.1	1.54	0.97
	169.01	170.23	1.22	(B)	30.9	1.68	0.16
	172.18	172.97	0.79		19.5	1.13	0.12
70-15	80.77	81.08	0.31	(C)	21.9	6.73	4.12
	90.53	91.44	0.91		71.0	1.91	1.54
	93.57	93.88	0.31		107.0	2.42	0.78
	96.68	96.93	0.25		44.9	3.20	2.62
	100.43	100.80	0.37	(D)	9.9	4.79	4.32
MON 1-80	106.49	106.40	0.91		3.8	1.25	0.15
	106.95	107.80	0.85		4.1	2.24	0.25
	108.54	109.45	0.91		9.3	1.97	0.08
	109.45	110.06	0.61		20.2	2.28	0.23
	113.40	113.71	0.31		49.0	2.45	0.37
	122.71	123.02	0.31	(A)	62.1	2.64	0.66

STRATEGIC METALS LTD.

FIGURE 26

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

MARG CLIFF SHOWING
HISTORICAL DIAMOND DRILL HOLE SECTION

HY PROPERTY

0 40 m

UTM ZONE 9, NAD 83, 105H/01, 02, 07 & 08

FILE: P:2013/Hy/Figures/F26-Marg_Cliff_DDH.wor

DATE: NOVEMBER 2013

MAR 2-80 and MAR 3-80 (Tully, 1980c). Figure 27 shows a cross section with the dominant lithologies encountered in diamond drill holes HR-2 and HR-3 at the Cirque Showing.

Table VI – Miko Zone Trench Highlights

Hillside Showing				
Trench	Width (m)	Silver (g/t)	Zinc (%)	Lead (%)
1	2.89	54.9	2.00	1.91
	3.50	27.4	5.47	0.73
2	3.04	144.0	11.80	6.00
	3.20	370.3	14.01	8.22
3	4.26	130.3	3.86	2.94
	3.50	54.9	0.70	0.69
	4.08	37.7	1.60	0.83
4	6.09	44.6	0.55	0.37
5	2.13	68.6	1.08	1.05
	1.37	109.7	4.99	3.33
6	1.83	37.7	1.23	0.34
	1.28	432.0	0.93	9.62
	3.20	41.1	2.44	0.96
7	0.91	78.9	2.47	4.70
7	1.83	61.7	1.17	2.52
8	1.10	18.2	3.47	1.03
9	2.74	48.0	2.10	2.74
9	2.28	58.3	2.36	2.43
PIT 1	3.04	65.1	1.20	2.99
PIT 2	3.04	130.3	1.52	5.15
Creek Showing				
1	4.51	99.4	13.81	19.24
1	2.80	65.1	21.76	27.14
2	3.96	78.9	18.05	21.94
2	2.80	65.1	21.56	26.57
grab (between 1 and 2)		44.1	29.10	44.10
grab (45 m east of 3)		34.89	27.98	34.89

Table VII – Miko Zone Diamond Drill Hole Details

Hole	Azimuth	Dip	Length (m)
HR-1	015°	-15°	32.92
HR-2	350°	-70°	67.67
HR-3	-	-90°	67.67
HR-4	-	-90°	86.41
HR-5	025°	-52°	40.08
MAR 1-80	-	-90°	37.65
MAR 2-80	350°	-65°	101.52
MAR 3-80	350°	-65°	147.87

Hole	From (m)	To (m)	Interval	Silver (g/t)	Zinc (%)	Lead (%)
HR-2	49.62	51.75	2.13 (A)	83.0	4.30	0.54





STRATEGIC METALS LTD.

FIGURE 27

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

MIKO CIRQUE SHOWING HISTORICAL DIAMOND DRILL HOLE SECTION

HY PROPERTY

0 4 12 20 m

UTM ZONE 9, NAD 83, 105H/01, 02, 07 & 08

FILE: P:2013/Hy/Figures/F27-Miko_DDH.wor | DATE: NOVEMBER 2013

Table VIII – Miko Zone Diamond Drill Highlights

Hole	From (m)	To (m)	Interval (m)	Silver (g/t)	Zinc (%)	Lead (%)
HR-2	49.62	51.75	2.13 (A)	83.0	4.30	0.54
MAR 2-80	78.96	80.34	1.38	35.0	-	-
	81.71	82.44	0.73	-	1.66	0.25
	82.44	82.87	0.43	164.6	2.35	3.45
	86.04	87.80	1.76	24.7	2.15	0.45
	90.00	91.31	1.31	23.7	2.49	0.07
	92.07	92.62	0.55	28.5	2.69	2.81
MAR 3-80	64.02	65.40	1.38	49.4	3.22	1.87
	65.40	66.16	0.76	21.6	3.11	1.26
	66.16	67.07	0.91	24.3	1.79	1.02
	90.24	91.16	0.92	23.0	1.68	1.65
	91.16	92.07	0.91	18.2	2.34	2.60
	93.60	94.51	0.91	10.3	1.58	0.11

Tung Zone

Ten historical bulldozer trenches were excavated at the Tung Zone, but bedrock was rarely encountered. No assessment reports detailing this work have been located.

AIR PHOTOGRAPHY

A high resolution, air photo survey was conducted by Underhill Geomatics Ltd. of Whitehorse, Yukon on September 10, 2013, across a grid that covered all of the Hy claims. The survey was flown with an Aero Commander 690A fixed wing airplane operated by Geographic Air Survey Ltd. of Edmonton, Alberta from the Whitehorse airport. The air photos were taken with a Zeiss DMC II 230 camera. A total of 151 images were collected across seven lines spaced 1000 m apart. The air photos have not yet been evaluated and a copy of the images can be found in Appendix V.

DISCUSSION AND CONCLUSIONS

The Hy property continues to demonstrate potential for silver-lead-zinc±copper±tungsten skarn mineralization with locally strongly elevated bismuth, tellurium and indium values. Recent work has also identified breccia-hosted lead-zinc mineralization. Although numerous well mineralized showings have been exposed by trenching, many of the historical trenches did not reach bedrock and none of the showings have been fully delineated. Most historical diamond drilling produced encouraging results over sub-economic widths.

Compilation of geophysical and soil geochemical data provides a comprehensive overview of the characteristics of the known showings. Some of these showings have high magnetic signatures, strong conductors and favourable soil geochemical response; however, encouraging soil geochemistry and mineralization also occurs in areas with low magnetism and no conductors – such as Showing J and the Elsa Showing.

Further exploration on the Hy property is warranted and should include the following:

1. Petrographic analysis – This study should be performed to reliably identify skarn minerals;

2. Mineralogical studies – This work is needed to determine the provenance and probable recoverability of metals, especially silver and indium;

3. Soil sampling – Systematic grid sampling should be completed in the vicinity of all known showings and across coincident magnetic and EM geophysical anomalies;

4. Detailed maps – Underhill Geomatics Ltd. should be contracted conduct ground surveys that will allow for orthophotos and detailed topographic maps to be produced from the existing air photos.

5. Gravity surveys – Ground-based surveys should first be carried out over the Creek Showing (Miko Zone) and Showing 1 (Tung Zone) to delineate non-magnetic skarn horizons in heavily vegetated or overburden covered areas. Pending favourable results this technique could be applied to other skarn occurrences;

6. Trenching – Hand trenching at the Hike Showing and Showing J should be completed. Mechanically deepening the historical trenches at the Lower (Marg) and Creek (Miko) showings would be beneficial because years of thaw have likely removed permafrost in soil so bedrock can be exposed. Additional mechanized trenching may be warranted at the Dusty or Elsa zones or within areas of strong soil geochemical response; and,

7. Diamond drilling - Pending favourable results from the above recommendations (specifically trenching), diamond drilling should be completed at the Lower (Marg) and Creek (Miko) and Hillside (Miko) showings. Additional drilling may be warranted in other areas of the property where particularly promising results are obtained.

Respectfully submitted,

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

Elizabeth Flavelle

Elizabeth Flavelle, B.Sc.

REFERENCES

Colpron, M. and Nelson, J. L.
2011 A digital atlas of terranes for the Northern Cordillera; Yukon Geological Survey and British Columbia Geology Survey, BCGS GeoFile 2011-11 http://www.geology.gov.yk.ca/pdf/CanCord_terranes_2011.pdf

Eaton, S.
2008 Assessment report on Geophysical Surveys, Geochemical Sampling and Prospecting on the Hy Property

Galloway, G.
1972 Report on Geological Mapping, Soil Sampling, Magnetometer Surveys and Trenching on the Max and Mar claims. Assessment Report 061958

Gordey, S.P., and Makepeace, A.J. (comp.)
2003 Yukon Bedrock Geology in Yukon Digital Geology Open File D3826

Ostensoe, E.A.
1965 Report of Trenching, Geological Mapping and Magnetometer Survey. Assessment Report 017454

Pigage, L.C.
2004 Bedrock Geology Compilation of the Anvil District (parts of 105K/2, 3,5,7 and 11), Central Yukon, Bulletin 15, Yukon Geological Survey

Reeve, A.F.
1966 Geological and Geophysical Investigation of the Lake and Glenna Claims

Simpson, J.C.
1969 Hyland River Mines Ltd. Geology Report 1969. Assessment Report 091171

Timmins, W.G.
1968 Report on Geology of the Elsa Claims. Fort Steele Mines Ltd. Assessment Report 092909

Trowsdale, G.
1970 Diamond Drill Logs from the Glenna 7 and Lake 10 Claims by Alrae Engineering Ltd. Assessment Report 091176

Tully, D.W.

1980a. Summary Report on the Tin #1-16, Mar #8, Schee #1-12, Rieta #1-24 and Lite #1-16 Mineral Claim Group. Assessment Report 090702

1980b. Report on the 1980 Diamond Drill Program on Marg #2 claim, Marg #1-23 Mineral Claim Group. Assessment Report 090827

1980c. Report on the Marina #1-16 Mineral Claim Group for Patmar Resources Corporation. Assessment Report 090828

Vincent, J.S

1973 A Geological and Geochemical Report on the Rieta and Wo claims. Assessment Report 060144

White, G.P.E.

1968 Silver Duke Mines Ltd. (N.P.L.). Assessment Report 019125

APPENDIX I

STATEMENT OF QUALIFICATIONS

STATEMENT OF QUALIFICATIONS

I, Elizabeth Flavelle, geologist, with business addresses in Whitehorse, Yukon Territory and in Vancouver, British Columbia and residential address in Squamish, British Columbia, hereby certify that:

1. I graduated from the University of British Columbia in 2013 with a B.Sc. in Earth and Ocean Sciences.

2. From 2011 to present, I have been actively engaged in mineral exploration in Yukon Territory, the Northwest Territories and British Columbia.

3. I have participated in and interpreted all data resulting from this work.

Elizabeth Flavelle

E. Flavelle, B.Sc.

APPENDIX II

STATEMENT OF EXPENDITURES

Statement of Expenditures
Hy 1-347 Mineral Claims
November 14, 2013

Labour

H. Burrell – geologist – 12 days July and August at $768/day	$ 9,676.80
– 43 hrs October at $96/hr	4,334.40
A. Mitchell – geologist – 20 days July and August at $592/day	12,432.00
X. Montague – geologist – 12 days July and August at $578/day	7,282.80
L. Flavelle – geologist – 19 days July and August at $544/day	10,852.80
– 118 hrs October at $68/hr	8,425.20
S. Wedge – field assistant – 19 days July and August at $408/day	8,139.60
L. Vinnedge – field assistant – 20 days July and August at $376/day	7,896.00
K. Gray – field assistant – 19 days July and August at $ 357/day	7,122.15
S. Newman – office – 49 ½ hrs October at $62/hr	3,222.45
	79,384.20

Expenses (incl. management)

Field room and board – 159 mandays @ $130/day	23,439.78
Trans North Helicopters – 17.1 hours Bell 206B @ $990/hr plus fuel	20,717.05
Heli Dynamics – 1 hour Bell 206L4 @ $1475/hr plus fuel	1,926.67
ALS Chemex	15,165.96
North Track Xploration	11,240.44
Mark Roden	11,340.00
Underhill Geomatics Ltd.	13,419.76
	97,249.66

Total	$176,633.86

Total 1,321 soil, silt and rock samples = $133.71/sample

APPENDIX III

CERTIFICATES OF ANALYSIS

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

CERTIFICATE WH13132868

Project: HY (Marg)

P.O. No.:

This report is for 88 Rock samples submitted to our lab in Whitehorse, YT, Canada on 23-JUL-2013.

The following have access to data associated with this certificate:

HEATHER BURRELL	SARAH DRECHSLER	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13132868

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
M898001		1.68	>100	2.65	7	40	31.8	675	12.65	72.3	32.4	36.9	16	1.44	100.5	9.77
M898002		1.85	2.03	2.15	<5	20	8.94	245	13.70	291	36.6	20.7	11	26.9	16.0	11.90
M898003		2.69	1.13	2.02	5	20	12.00	195.0	15.75	304	34.5	17.1	11	13.75	13.9	11.25
M898004		2.56	>100	3.26	<5	20	5.50	300	13.55	405	40.3	29.3	18	0.60	15.1	6.43
M898005		1.45	0.18	9.35	8.1	1110	3.07	1.01	0.23	0.91	55.1	12.4	95	4.72	25.2	5.24
M898006		1.39	0.07	8.78	13.5	640	2.52	0.76	0.17	0.68	64.7	7.1	87	5.75	19.2	4.87
M898007		1.62	0.31	7.45	2.6	240	2.42	12.60	4.40	0.49	116.5	17.9	76	11.50	198.0	6.84
M898008		1.86	0.62	7.04	0.7	960	2.41	1.69	3.30	1.67	82.0	15.5	69	5.16	23.1	3.90
M898009		2.28	>100	4.89	<5	20	2.19	401	14.10	196.5	52.6	31.9	33	0.22	13.9	4.34
M898010		1.76	>100	3.45	<5	60	4.20	1560	11.80	332	39.6	26.6	20	7.03	36.6	7.12
M898011		1.53	>100	3.19	63.9	20	0.60	315	0.11	73.3	20.0	21.8	8	0.25	>10000	12.25
M898012		1.22	>100	3.42	5.9	420	1.18	1140	0.86	40.4	38.6	8.1	25	0.18	131.5	9.42
M898013		1.48	29.4	0.39	15.9	450	0.27	5.25	0.18	440	2.57	8.0	13	0.29	416	1.19
M898014		1.27	2.21	4.64	13.6	>10000	1.94	4.47	0.30	1.52	57.2	6.0	67	1.75	46.6	1.97
M898015		1.22	18.90	0.27	1.5	300	0.26	0.32	1.81	524	2.34	4.9	8	0.47	339	0.73
M898016		1.19	32.7	0.14	0.4	1070	0.09	4.21	2.63	189.0	3.71	1.8	12	0.20	80.0	0.58
M898017		1.34	35.9	0.23	2.3	1530	0.17	1.79	0.63	312	2.01	2.0	16	0.23	197.0	0.82
M898018		1.85	>100	2.79	<5	50	2.14	449	11.75	318	25.0	33.7	25	0.11	9.5	4.44
M898019		1.72	>100	1.37	22.7	50	5.08	458	3.00	154.5	113.0	28.3	22	0.45	7660	4.97
M898020		2.20	5.78	7.23	9	10	1.68	12.40	17.50	20.2	94.2	16.9	57	0.08	15.4	3.95
M898021		1.78	21.2	5.03	8	50	2.11	56.7	18.70	62.5	61.3	24.7	31	4.50	13.9	6.81
M354858		1.60	1.65	1.24	3.4	20	0.31	1.96	1.64	0.56	31.3	5.9	36	0.71	193.5	2.25
M354859		2.35	5.57	6.98	<5	20	2.21	9.23	11.40	61.7	95.6	28.8	53	0.19	3.8	4.64
M354860		5.05	1.99	3.28	8	70	3.76	316	17.10	183.5	43.6	25.0	17	5.94	18.6	10.30
M354861		1.79	3.59	1.50	1.0	170	80.4	87.4	9.90	2.28	23.7	17.6	24	0.19	33.5	11.20
M354862		2.29	>100	0.70	22.9	70	6.37	217	2.79	324	153.5	158.5	10	4.85	4580	21.3
M354863		2.17	11.10	6.78	9.3	80	2.54	90.6	5.32	38.9	296	42.3	10	2.34	1450	8.06
M354864		1.58	18.30	3.51	5.2	30	8.78	4.86	6.46	26.8	329	60.8	<1	0.82	3300	13.90
M354865		0.84	1.32	0.79	5.2	20	0.20	2.51	0.23	3.24	6.13	15.0	26	3.70	161.0	2.01
M354866		1.13	0.24	5.92	20.0	260	1.82	1.18	0.73	0.41	57.8	17.9	55	5.68	49.8	5.09
M354867		2.12	0.97	0.92	1.4	20	0.13	1.71	0.08	1.87	5.91	7.2	29	0.23	41.5	2.09
M354868		1.76	0.25	6.41	6.1	250	0.62	0.39	0.05	0.28	5.25	16.0	339	2.79	47.1	16.55
M354869		2.01	0.04	6.86	2.1	350	0.90	0.12	7.24	0.09	30.9	34.2	190	3.16	33.8	5.63
M354870		2.16	0.48	7.19	1.1	610	1.49	0.10	5.91	0.14	95.1	36.8	3	3.07	32.5	9.22
M354871		1.95	0.45	6.69	1.2	710	1.67	0.35	8.54	1.29	61.0	39.8	192	1.38	109.0	7.21
M354872		9.04	0.14	8.87	4.0	2050	1.43	0.09	6.50	0.06	59.8	36.8	260	7.67	41.5	4.10
M354873		6.52	1.21	8.24	9.2	1340	1.17	0.47	5.18	2.61	56.9	34.4	269	8.12	194.5	5.17
M354874		7.16	0.34	8.34	2.2	690	1.26	0.15	5.04	0.15	51.3	47.1	278	7.86	49.8	5.43
M354875		2.54	0.19	7.85	5.7	4700	1.73	0.11	7.58	0.04	55.2	31.8	265	9.60	46.8	3.77
M650170		2.38	0.19	9.43	12.3	590	2.00	0.21	0.59	0.09	94.4	13.1	90	3.78	44.4	6.23

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13132868

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
M898001		14.65	0.24	0.4	0.659	0.01	17.6	9.5	1.39	24900	5.42	0.03	4.9	9.6	600	>10000
M898002		15.95	0.23	0.4	3.58	0.11	17.9	4.6	0.54	46700	1.78	0.03	10.5	7.9	460	220
M898003		13.10	0.22	0.4	1.970	0.06	16.7	11.4	0.57	51100	0.53	0.04	11.8	9.1	490	34.9
M898004		11.05	0.23	0.5	0.590	0.01	21.7	6.7	0.76	27800	2.14	0.01	9.3	12.1	410	>10000
M898005		29.7	0.19	3.1	0.095	3.32	21.8	74.0	1.15	894	0.35	0.83	19.9	24.9	470	33.8
M898006		25.9	0.19	2.6	0.076	3.13	27.0	68.5	0.89	792	0.60	0.65	16.9	16.5	530	16.6
M898007		27.9	0.30	0.6	0.420	1.59	47.9	58.8	0.85	370	0.95	0.86	16.9	18.9	510	18.4
M898008		24.0	0.21	1.4	0.069	3.61	35.6	72.0	1.05	583	0.61	0.75	18.3	25.8	240	80.4
M898009		11.90	0.20	0.5	0.101	0.03	27.4	20.1	1.04	8930	1.20	0.01	8.0	18.6	410	>10000
M898010		10.00	0.38	0.4	0.514	0.04	21.8	22.0	0.71	22800	3.25	0.02	5.3	7.4	470	>10000
M898011		13.90	0.35	0.9	5.13	0.01	10.7	99.6	8.16	2830	23.4	0.01	1.5	38.3	210	>10000
M898012		11.95	0.63	1.7	1.835	0.02	20.2	51.8	3.38	1910	14.15	0.01	5.2	12.8	450	>10000
M898013		13.50	0.10	0.2	2.46	0.21	1.8	24.1	1.76	168	9.98	0.02	1.5	17.4	30	>10000
M898014		13.20	0.17	1.9	0.023	1.81	30.2	18.8	0.77	151	7.04	0.05	10.4	37.2	890	191.0
M898015		13.70	0.11	0.1	2.69	0.12	1.3	17.0	3.13	208	0.69	0.03	1.0	5.3	30	7910
M898016		3.74	0.11	<0.1	0.684	0.05	2.7	14.6	1.93	168	0.99	0.02	0.3	3.6	980	>10000
M898017		11.10	0.13	<0.1	1.820	0.08	1.6	17.2	0.96	151	2.24	0.02	0.2	4.5	420	>10000
M898018		6.35	0.16	0.5	0.058	<0.01	11.8	4.4	1.53	8090	1.33	0.01	4.2	10.6	240	>10000
M898019		5.64	0.29	0.3	3.44	0.09	44.7	21.4	0.17	5610	0.62	0.12	1.7	5.1	70	>10000
M898020		18.45	0.15	1.5	0.087	0.01	44.9	15.1	0.73	3200	1.64	0.01	21.9	23.3	430	7160
M898021		13.80	0.13	0.8	0.095	0.09	27.3	26.3	1.00	18150	0.28	0.01	18.7	18.8	530	3140
M354858		5.47	0.11	0.2	0.019	0.08	13.2	1.8	0.11	249	4.12	0.03	1.1	4.1	40	73.0
M354859		22.9	0.17	1.3	0.070	0.06	45.0	19.4	1.08	3370	0.21	0.02	13.7	22.5	550	>10000
M354860		11.65	0.12	0.5	2.09	0.03	20.6	3.5	0.56	38200	0.38	0.02	14.6	14.6	500	107.5
M354861		15.10	0.09	0.4	2.59	0.01	11.0	3.9	0.43	22800	1.06	0.03	3.9	7.5	440	171.0
M354862		7.03	0.33	0.1	0.563	0.06	57.8	6.2	0.44	4180	0.26	0.02	0.4	20.8	20	>10000
M354863		33.1	0.52	0.2	3.89	0.64	114.5	46.3	0.99	2200	0.45	0.02	0.5	152.5	40	1790
M354864		26.1	0.60	0.1	0.607	0.04	131.5	13.5	3.01	7560	0.22	0.03	0.3	136.5	40	6750
M354865		2.74	0.08	0.2	0.046	0.05	3.0	10.2	0.17	238	0.31	0.04	1.2	8.5	90	171.5
M354866		15.15	0.14	1.8	0.090	1.36	26.4	82.1	1.19	840	0.64	0.64	9.4	43.2	330	47.0
M354867		3.43	0.08	0.2	0.103	0.08	2.8	17.3	0.60	608	0.57	0.01	1.0	6.2	180	751
M354868		10.15	0.13	1.5	0.025	4.51	1.9	6.7	0.69	64	1.53	0.03	2.9	80.6	580	78.0
M354869		16.25	0.16	2.1	0.056	3.95	13.6	14.5	2.95	897	0.67	0.20	12.6	46.9	780	6.2
M354870		21.4	0.19	2.5	0.104	3.48	42.7	37.8	2.94	1200	1.90	0.31	53.1	8.1	3300	13.3
M354871		16.35	0.18	1.5	0.064	3.10	26.4	31.5	4.34	970	1.75	0.20	32.8	151.0	1640	77.9
M354872		21.1	0.18	3.1	0.055	4.45	25.1	38.9	3.99	431	2.06	0.29	41.7	139.0	2530	26.6
M354873		19.40	0.19	3.2	0.048	4.21	24.1	36.1	3.57	383	1.95	0.48	37.6	122.5	2320	102.5
M354874		19.90	0.18	3.0	0.033	4.57	21.3	27.2	3.25	348	2.18	0.34	40.3	182.0	2480	44.3
M354875		21.2	0.17	2.4	0.059	3.72	22.6	39.1	4.26	583	2.08	0.30	41.8	106.5	2450	11.6
M650170		26.3	0.20	3.0	0.074	2.63	43.0	61.9	1.12	680	0.47	1.00	21.4	23.6	650	26.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13132868

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
M898001		1.8	0.004	0.68	1.94	3.3	21	3.1	403	0.35	20.7	4.4	0.090	0.34	2.3	28
M898002		45.7	0.003	1.75	1.07	5.5	6	15.9	1035	0.68	1.33	4.0	0.235	0.40	2.1	27
M898003		22.0	0.002	1.92	1.41	5.3	7	16.9	96.2	0.75	0.71	3.7	0.251	0.19	1.6	28
M898004		1.5	<0.002	2.64	0.65	6.1	26	2.9	54.8	0.62	5.40	4.9	0.210	0.47	2.6	34
M898005		114.5	<0.002	0.12	0.38	18.4	1	3.1	75.1	1.29	<0.05	10.7	0.529	0.83	2.6	96
M898006		136.5	<0.002	0.10	0.39	16.8	1	2.6	65.3	1.15	<0.05	11.5	0.485	0.77	2.3	87
M898007		111.5	<0.002	0.53	1.84	15.2	4	7.8	399	0.93	0.63	7.8	0.413	1.53	1.6	116
M898008		136.5	0.002	0.65	0.34	13.2	2	4.7	286	1.39	0.06	19.2	0.416	1.12	4.5	63
M898009		2.5	<0.002	1.40	0.72	6.5	22	1.7	213	0.52	5.23	7.4	0.174	1.51	2.5	34
M898010		12.5	0.006	2.34	0.88	4.6	64	2.1	43.7	0.40	11.55	6.0	0.125	7.85	2.0	25
M898011		0.8	<0.002	0.04	8.77	0.6	53	12.3	8.8	0.09	1.13	1.5	0.036	0.10	24.3	146
M898012		0.7	0.004	0.27	1.98	3.1	141	2.0	9.8	0.35	0.30	5.6	0.159	0.08	4.5	35
M898013		3.3	0.005	2.08	22.0	0.3	14	1.8	24.6	0.06	<0.05	0.4	0.020	0.08	1.3	6
M898014		65.1	0.005	0.04	4.81	9.4	3	1.5	350	0.73	0.09	8.3	0.275	0.89	3.9	267
M898015		2.1	<0.002	2.48	20.6	0.4	2	1.7	20.3	0.05	<0.05	0.3	0.012	0.05	0.6	5
M898016		1.1	<0.002	0.95	37.6	0.2	12	0.8	26.1	<0.05	<0.05	0.4	<0.005	0.17	1.1	4
M898017		2.0	<0.002	0.72	49.0	0.1	28	2.1	15.2	<0.05	<0.05	0.3	<0.005	0.22	1.2	4
M898018		0.3	<0.002	2.92	1.20	3.1	36	1.2	43.2	0.29	9.19	3.3	0.120	0.60	1.4	29
M898019		6.5	0.002	2.87	1.22	10.5	30	4.5	40.3	0.13	3.41	3.0	0.056	0.61	0.4	13
M898020		0.5	<0.002	0.10	1.81	11.2	5	2.3	739	1.46	0.63	12.9	0.323	0.20	2.5	57
M898021		10.3	<0.002	0.79	0.54	10.2	5	2.5	334	1.26	1.02	9.7	0.448	0.40	2.6	56
M354858		4.4	<0.002	0.01	0.68	2.1	1	1.0	124.5	0.09	<0.05	2.2	0.035	0.06	0.8	13
M354859		3.5	<0.002	0.50	3.46	9.7	6	3.9	1755	0.96	2.81	14.3	0.298	0.15	3.2	52
M354860		10.2	<0.002	0.51	1.03	7.8	4	5.8	143.5	0.99	1.97	5.2	0.357	0.13	1.7	43
M354861		1.1	<0.002	<0.01	0.51	2.8	<1	81.8	166.0	0.30	0.58	4.1	0.096	0.07	1.9	18
M354862		7.2	<0.002	3.74	0.85	1.8	30	0.5	44.1	<0.05	5.47	0.5	0.013	0.15	0.1	6
M354863		51.7	<0.002	0.59	2.57	14.6	21	2.9	528	0.06	2.36	0.9	0.025	0.37	0.7	66
M354864		2.5	<0.002	0.21	0.95	12.8	30	3.2	246	<0.05	1.88	0.3	0.005	0.04	0.2	62
M354865		3.5	<0.002	0.41	0.22	1.6	1	0.5	18.4	0.08	0.09	0.9	0.039	0.02	0.2	8
M354866		92.2	<0.002	0.84	0.72	12.1	2	1.5	89.0	0.66	<0.05	8.4	0.299	0.65	1.5	52
M354867		3.9	<0.002	0.44	0.21	2.7	1	0.6	7.9	0.07	<0.05	0.9	0.030	0.04	0.2	9
M354868		70.7	<0.002	0.08	1.44	16.2	3	0.6	4.2	0.19	<0.05	1.0	0.323	0.36	0.8	194
M354869		87.1	<0.002	1.08	0.18	24.5	2	0.9	78.0	0.79	<0.05	2.1	0.828	0.40	0.6	185
M354870		81.1	0.002	4.14	1.33	17.7	3	1.7	168.5	3.38	<0.05	4.9	2.08	0.66	1.0	267
M354871		73.0	<0.002	3.07	1.66	18.1	8	1.6	293	2.02	<0.05	3.1	1.120	0.85	0.6	180
M354872		83.1	<0.002	1.63	1.28	22.6	3	1.9	234	2.59	<0.05	3.8	1.540	0.88	0.9	241
M354873		109.0	<0.002	1.47	2.63	21.9	6	2.3	215	2.33	0.05	3.8	1.345	1.52	0.9	224
M354874		91.6	<0.002	2.09	1.04	19.6	3	2.1	145.5	2.48	<0.05	3.5	1.330	1.57	1.0	218
M354875		98.5	<0.002	1.39	0.91	20.2	3	2.4	268	2.60	<0.05	3.1	1.445	1.89	0.8	228
M650170		128.0	<0.002	0.33	0.23	21.6	1	3.1	82.1	1.39	<0.05	13.3	0.645	0.74	2.4	126

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13132868

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
M898001		560	9.6	>10000	13.7	226		1.715	1.425
M898002		323	14.4	>10000	13.3				2.92
M898003		165.5	13.3	>10000	13.0				3.22
M898004		4.0	13.9	>10000	15.2	107		1.180	5.65
M898005		1.9	13.6	190	105.5				
M898006		1.9	16.5	131	84.0				
M898007		1.9	93.4	80	12.1				
M898008		2.2	17.6	291	46.4				
M898009		86.5	16.1	>10000	14.6	140		1.755	2.44
M898010		1070	11.3	>10000	13.3	525		4.52	3.09
M898011		3.8	5.7	>10000	28.5	574	2.07	5.41	10.70
M898012		2.6	15.2	6470	55.8	301		6.18	
M898013		0.6	1.5	>10000	8.2			1.635	11.15
M898014		2.3	13.8	259	65.9				
M898015		0.1	1.7	>10000	2.9				12.35
M898016		0.1	4.4	>10000	1.7			4.48	3.95
M898017		1.9	2.0	>10000	1.7			6.76	4.54
M898018		17.8	6.6	>10000	13.2	178		5.97	4.25
M898019		89.5	223	>10000	7.5	142		1.545	1.575
M898020		6.8	25.4	4880	43.2				
M898021		12.5	22.5	9420	22.5				
M354858		0.5	15.2	74	6.4				
M354859		3.0	24.2	>10000	42.9			1.290	1.505
M354860		8.4	17.9	>10000	14.6				1.925
M354861		164.0	7.5	703	14.1				
M354862		4.7	133.0	>10000	1.8	107		1.060	5.25
M354863		3.5	429	4710	3.4				
M354864		1.1	460	3910	0.5				
M354865		0.4	4.7	537	5.8				
M354866		1.1	15.6	163	59.7				
M354867		0.2	4.4	438	5.8				
M354868		0.2	6.2	38	49.3				
M354869		0.3	19.8	35	85.2				
M354870		0.9	26.6	77	86.0				
M354871		1.0	20.5	128	54.9				
M354872		0.8	26.5	30	119.5				
M354873		1.3	21.2	171	121.0				
M354874		0.8	22.8	37	116.5				
M354875		1.4	24.0	28	87.7				
M650170		1.2	19.2	77	101.0				

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13132868

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
M650171		1.46	0.25	9.15	10.1	470	2.38	0.48	0.75	0.24	91.0	10.2	87	3.87	50.7	6.16
M650172		1.46	0.18	8.76	14.2	560	2.12	0.36	0.86	0.54	62.0	9.5	95	5.18	44.9	5.94
M650173		2.40	0.27	6.82	6.2	320	1.84	0.56	0.74	0.23	71.0	16.1	64	2.79	84.2	5.11
M650174		2.10	1.09	7.98	17.2	470	2.37	1.14	1.32	0.23	96.3	17.9	80	2.93	285	5.42
M650175		1.45	0.15	9.50	11.4	580	2.76	0.23	0.37	0.07	63.9	14.9	88	4.67	49.8	6.11
M650176		2.07	0.14	9.07	8.6	550	2.72	0.22	0.45	0.11	59.8	22.9	86	4.21	46.0	6.56
M650177		2.25	0.20	8.58	4.7	510	2.44	0.26	0.35	0.13	84.7	9.2	78	4.39	37.7	5.20
M650178		2.17	0.08	4.01	5.3	210	1.34	0.40	0.45	0.04	41.6	2.8	45	1.29	21.7	2.63
M650179		2.78	0.10	9.06	10.2	490	2.95	0.26	1.14	0.09	81.1	10.4	88	4.29	28.3	5.16
M650180		0.85	0.11	9.24	24.3	870	2.77	0.37	0.59	0.13	103.0	6.8	82	9.62	18.6	4.19
M650181		1.87	0.26	5.26	2.9	200	1.58	0.52	0.54	0.14	57.7	13.8	57	2.48	10.6	5.51
M650182		1.26	0.12	1.13	1.2	10	0.17	0.20	0.18	0.08	9.13	10.0	25	0.52	28.1	2.96
M650183		1.85	0.45	8.54	61.5	560	2.22	1.49	0.11	0.34	93.3	24.7	73	11.95	103.5	10.25
M650184		1.43	0.13	9.24	10.2	450	2.26	0.37	0.22	0.03	63.4	10.1	91	6.51	24.9	5.74
M650185		0.98	0.75	1.59	0.3	10	0.09	1.99	0.06	0.39	8.11	18.3	30	0.27	68.3	4.32
M650186		1.28	1.30	4.69	94.1	330	3.04	1.17	7.09	2.45	50.5	7.7	101	3.12	42.6	2.78
M650187		1.18	1.49	4.95	2.3	520	1.13	0.71	8.25	0.57	31.7	21.7	95	3.40	189.5	7.55
M650188		1.33	0.55	5.08	8.5	730	1.70	0.32	3.40	1.66	39.6	5.3	97	4.71	27.5	2.22
M650189		1.81	0.25	5.01	6.3	270	1.29	0.30	7.26	0.12	48.4	9.5	51	4.07	36.6	4.09
M650190		1.05	4.60	3.26	0.7	520	1.17	1.23	3.18	9.01	28.8	25.2	60	1.18	563	16.65
M650191		1.56	0.24	7.96	2.2	2850	1.23	0.10	2.80	0.40	49.4	20.5	93	4.58	27.0	6.41
M650192		1.97	0.42	7.01	0.8	1130	0.86	0.11	4.35	0.10	38.6	31.1	52	2.51	34.6	7.56
M650193		1.51	0.31	7.76	1.3	2140	1.44	0.05	5.14	0.11	36.6	33.9	64	3.82	33.7	7.49
M650194		2.37	13.40	5.20	5.6	530	2.02	29.5	9.09	28.2	51.2	8.5	48	1.31	67.9	5.72
M650195		2.00	0.13	7.18	1.9	1300	1.89	0.11	6.31	0.10	63.3	11.0	67	7.93	32.0	3.90
M650196		1.55	0.12	7.18	3.8	1680	1.91	0.11	5.52	0.21	61.4	9.7	62	7.07	27.3	3.11
M650197		1.87	>100	1.11	<5	20	5.68	784	13.70	246	18.70	30.3	7	0.98	305	13.20
M650198		1.68	61.0	1.56	<5	30	6.33	180.0	12.05	102.0	43.3	32.6	18	9.41	39.8	8.33
M650199		1.82	34.3	5.01	28	30	31.3	108.5	19.25	83.3	60.9	31.0	26	2.04	5.3	8.69
M898101		1.03	0.25	4.56	2.0	1150	0.50	0.56	1.06	0.82	30.3	4.4	26	1.85	14.0	2.28
M898102		1.65	0.25	5.09	0.9	770	1.01	0.49	1.01	0.87	54.0	13.6	18	1.02	121.0	5.32
M898103		1.25	0.59	6.92	15.5	2710	1.40	0.30	3.98	0.82	86.8	13.1	80	2.77	50.1	7.27
M898104		1.07	0.65	7.88	3.8	2710	2.19	0.41	6.58	5.57	58.2	34.8	21	1.93	124.5	6.62
M898105		1.38	24.0	9.77	15.9	1590	1.51	16.60	7.17	7.02	45.1	65.1	19	4.91	5010	7.20
M898106		1.27	1.34	9.33	4.4	1040	2.01	5.57	7.43	0.82	46.6	58.9	19	2.71	171.5	7.19
M898107		1.32	33.2	3.65	2.3	130	0.93	65.1	8.21	52.2	39.2	12.9	67	0.42	84.6	2.93
M898108		1.28	1.39	0.79	24	10	0.26	3.08	20.2	2.52	15.60	1.4	2	1.02	17.4	1.38
M898109		1.24	0.22	9.99	4.1	3590	3.99	0.43	0.73	0.15	62.7	7.5	95	10.15	34.2	4.43
M898110		1.17	0.32	8.83	1.9	1670	2.20	0.25	0.34	0.20	67.9	6.8	76	16.65	45.2	4.27
M898111		2.53	>100	3.04	26	150	5.28	318	15.40	187.5	44.2	41.4	16	3.51	16.2	9.98

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13132868

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
M650171		26.0	0.18	3.0	0.095	2.18	41.7	60.2	1.13	941	0.44	1.02	20.4	21.3	690	59.5
M650172		23.6	0.15	1.8	0.391	2.29	24.3	44.8	1.13	1090	0.46	1.33	16.1	16.1	580	17.4
M650173		18.15	0.16	1.8	0.048	1.42	31.9	49.6	0.88	705	1.29	0.99	11.4	19.1	530	35.7
M650174		24.0	0.18	2.5	0.141	2.03	47.4	38.1	0.65	452	0.50	0.87	13.1	19.3	540	38.2
M650175		27.3	0.16	2.9	0.083	2.87	27.1	85.3	1.09	801	0.56	0.94	20.1	25.0	700	20.9
M650176		25.9	0.17	3.0	0.079	2.51	24.6	84.4	1.14	1690	0.51	1.02	20.2	34.8	710	31.6
M650177		23.5	0.17	2.6	0.073	2.49	39.5	74.3	0.96	895	0.41	0.76	17.5	16.7	740	54.8
M650178		9.84	0.12	1.1	0.024	0.78	18.8	23.5	0.49	462	0.48	0.84	6.2	5.9	380	12.4
M650179		25.2	0.18	2.5	0.063	2.25	35.7	62.1	1.14	906	0.37	0.88	17.1	19.9	490	26.6
M650180		26.4	0.17	3.4	0.108	2.96	47.8	85.7	0.97	683	1.03	0.76	20.0	13.0	520	23.2
M650181		14.40	<0.05	1.4	0.055	0.71	30.2	144.5	1.28	811	0.25	0.37	7.8	29.8	360	40.7
M650182		3.45	<0.05	0.3	0.032	0.01	4.5	45.6	0.71	314	0.45	0.07	1.6	8.8	230	16.6
M650183		24.4	0.05	2.5	0.573	2.67	47.0	75.7	0.97	2890	1.95	0.35	16.8	52.3	360	21.6
M650184		27.4	0.16	2.4	0.081	2.51	29.1	129.0	1.12	635	0.98	0.60	13.8	20.2	450	20.6
M650185		5.36	0.05	0.3	0.025	0.01	3.8	65.1	1.11	386	0.37	0.01	1.3	13.3	120	68.9
M650186		14.35	0.17	2.0	0.124	2.27	31.7	24.2	5.29	237	76.4	0.11	7.6	231	1440	335
M650187		15.65	0.18	1.5	0.132	1.81	15.9	33.1	4.70	1290	4.66	0.14	15.0	62.8	730	162.5
M650188		13.45	0.13	2.1	0.065	2.80	22.6	31.2	2.10	234	16.60	0.12	7.4	49.9	590	29.8
M650189		14.35	0.12	1.7	0.065	1.89	27.9	36.6	2.99	598	0.54	0.22	8.2	23.3	360	18.9
M650190		10.55	0.23	1.8	0.078	1.49	16.5	13.7	1.29	253	29.9	0.06	6.2	305	390	62.3
M650191		20.6	0.14	3.2	0.066	3.13	25.9	60.5	3.71	738	5.66	1.14	13.6	47.0	860	7.5
M650192		19.45	0.13	2.1	0.093	1.94	17.5	47.6	3.44	1180	2.35	0.99	14.4	20.7	1130	7.8
M650193		22.0	0.14	1.3	0.083	2.13	16.7	47.9	3.96	1420	1.38	1.08	16.8	19.5	1260	7.7
M650194		15.45	0.14	1.8	1.670	0.64	28.8	21.5	6.47	1180	8.99	0.21	10.5	26.1	1550	1120
M650195		22.4	0.16	2.4	0.057	2.42	34.7	45.3	2.65	437	1.77	0.86	14.4	27.6	550	10.1
M650196		20.5	0.16	2.2	0.052	2.71	34.3	29.9	2.22	474	0.79	1.36	13.6	23.6	550	15.3
M650197		6.30	0.14	0.3	3.19	<0.01	10.2	4.1	0.37	40700	3.47	0.03	2.3	4.9	290	>10000
M650198		6.89	0.14	0.3	0.495	0.05	20.3	6.2	1.33	21500	5.26	0.02	2.5	13.8	250	4950
M650199		18.05	0.13	1.0	0.822	0.02	32.2	5.9	1.60	24800	1.28	0.02	8.2	17.5	660	4020
M898101		7.00	0.16	1.5	0.034	4.63	15.2	14.8	0.76	426	2.57	0.14	7.3	13.7	390	38.7
M898102		14.30	0.17	2.7	0.054	2.98	24.5	85.8	1.68	472	3.85	0.40	20.2	15.5	1270	17.0
M898103		19.70	0.23	2.5	0.038	3.32	42.6	31.0	2.59	432	6.17	0.80	62.8	25.1	4120	51.5
M898104		19.80	0.19	2.8	0.032	2.06	28.6	40.7	3.17	481	5.29	0.69	40.8	44.4	1700	202
M898105		25.5	0.16	2.1	0.097	2.41	19.6	77.7	2.72	930	1.24	0.31	44.7	103.5	2270	281
M898106		24.9	0.17	2.7	0.195	1.76	20.3	109.0	3.92	356	2.18	0.47	47.0	75.9	2330	67.2
M898107		12.90	0.14	2.5	0.306	0.30	23.0	39.5	2.76	1520	7.03	0.09	12.1	45.7	430	>10000
M898108		2.55	0.09	1.8	0.051	0.02	4.2	28.0	10.60	402	0.17	<0.01	1.6	6.0	150	210
M898109		35.4	0.23	2.7	0.071	4.30	26.9	51.6	0.77	484	2.41	0.60	14.8	19.1	490	82.9
M898110		28.0	0.20	2.7	0.055	4.34	30.4	59.9	0.88	393	2.01	0.38	13.7	13.3	440	73.9
M898111		10.35	0.17	0.7	0.153	0.05	26.1	9.8	0.74	24000	0.88	0.01	6.8	10.4	470	>10000

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13132868

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
M650171		110.5	<0.002	0.33	0.20	22.7	2	2.5	102.5	1.31	<0.05	12.0	0.660	0.73	2.4	130
M650172		92.1	<0.002	0.14	0.15	15.3	1	2.7	111.5	1.06	<0.05	8.7	0.529	0.71	1.8	129
M650173		77.0	<0.002	0.42	0.16	11.8	2	1.5	119.5	0.80	<0.05	9.6	0.368	0.49	1.6	79
M650174		96.0	<0.002	0.53	0.29	16.7	2	3.4	119.0	0.90	<0.05	11.1	0.458	0.53	2.1	118
M650175		119.0	<0.002	0.28	0.22	22.4	1	3.1	102.5	1.33	<0.05	9.7	0.608	0.99	2.3	123
M650176		102.5	<0.002	0.27	0.19	22.8	1	2.5	117.5	1.31	<0.05	8.7	0.610	0.75	2.2	119
M650177		132.5	<0.002	0.26	0.23	20.1	1	2.2	108.5	1.15	<0.05	11.0	0.522	0.86	2.1	105
M650178		39.7	<0.002	0.08	0.16	7.1	1	0.9	97.6	0.42	<0.05	5.9	0.205	0.20	1.0	39
M650179		106.0	<0.002	0.22	0.29	16.9	1	2.1	131.0	1.16	<0.05	12.2	0.514	0.73	2.1	92
M650180		156.0	0.006	0.06	1.70	18.5	1	3.5	122.0	1.31	<0.05	16.2	0.469	0.90	3.1	88
M650181		44.2	0.005	0.07	0.84	9.3	1	1.4	141.5	0.55	<0.05	8.2	0.235	0.29	1.2	45
M650182		0.9	0.003	1.01	0.79	4.6	<1	0.4	22.6	0.10	<0.05	1.3	0.046	0.08	0.3	11
M650183		163.0	0.007	4.08	1.02	19.3	2	3.3	54.7	1.01	0.07	12.4	0.458	1.13	2.6	91
M650184		127.0	<0.002	0.33	1.37	19.7	1	2.6	76.1	0.96	<0.05	11.3	0.406	0.83	2.0	89
M650185		0.8	<0.002	1.23	0.17	4.2	1	<0.2	3.9	0.15	0.06	1.4	0.051	0.02	0.3	15
M650186		72.0	0.041	0.19	18.75	8.5	8	1.8	74.1	0.58	0.50	6.4	0.256	1.33	41.3	1040
M650187		70.3	<0.002	0.85	1.68	14.0	20	4.9	129.0	0.92	0.17	2.7	0.585	0.76	1.9	217
M650188		99.7	0.011	0.38	3.17	9.7	4	1.4	96.2	0.55	0.07	6.1	0.276	1.02	7.1	681
M650189		87.9	<0.002	0.58	3.30	8.4	1	2.7	169.5	0.65	<0.05	9.4	0.220	0.50	1.7	63
M650190		50.9	0.019	>10.0	4.45	5.3	46	1.4	70.7	0.49	0.69	5.2	0.179	1.19	6.6	709
M650191		71.2	0.004	1.01	1.00	27.1	3	1.3	148.5	0.87	<0.05	5.7	0.815	0.96	3.7	576
M650192		50.6	0.002	2.27	1.39	33.8	5	1.6	207	0.94	<0.05	2.6	1.065	0.66	0.8	286
M650193		45.2	<0.002	1.90	1.18	37.7	4	1.7	234	1.05	<0.05	2.3	1.255	0.92	0.5	326
M650194		25.6	0.008	0.76	4.67	8.8	5	16.8	259	0.76	0.51	10.6	0.292	0.27	5.7	238
M650195		84.7	0.002	0.41	1.45	11.6	2	2.0	282	0.97	<0.05	11.4	0.353	0.81	2.3	94
M650196		115.0	<0.002	0.28	1.31	11.5	2	2.3	300	0.95	<0.05	11.1	0.319	1.15	2.1	69
M650197		1.5	<0.002	1.58	0.52	2.4	21	10.3	124.5	0.24	10.45	2.8	0.057	1.02	1.2	10
M650198		10.5	0.002	0.67	0.40	3.4	8	4.9	110.5	0.24	2.66	2.6	0.072	0.53	2.8	22
M650199		3.2	<0.002	0.30	1.33	6.7	5	5.1	286	0.74	1.66	10.9	0.186	0.48	2.7	36
M898101		208	<0.002	0.02	0.72	5.5	2	0.9	176.5	0.55	<0.05	3.6	0.295	2.14	1.4	77
M898102		106.0	<0.002	0.11	1.02	16.3	3	1.7	103.0	1.27	<0.05	4.7	0.878	0.82	5.0	163
M898103		72.4	0.002	1.21	5.38	20.7	9	3.7	281	3.80	0.06	5.1	1.990	0.40	2.9	221
M898104		63.9	0.002	1.50	3.53	24.5	10	3.4	376	2.42	<0.05	4.0	1.445	0.61	2.5	333
M898105		51.4	<0.002	0.03	5.19	22.7	2	7.1	358	2.71	0.10	2.6	1.810	0.90	1.4	287
M898106		48.6	0.002	0.97	2.34	24.9	5	7.8	209	2.91	0.06	2.9	1.760	0.79	1.0	270
M898107		10.2	0.002	0.16	3.29	6.4	20	7.7	139.5	0.82	1.47	4.8	0.336	0.27	5.1	315
M898108		1.1	<0.002	0.42	3.79	1.3	5	3.2	104.5	0.18	0.05	1.6	0.047	0.15	0.6	26
M898109		167.5	0.002	0.34	0.67	20.8	3	3.1	159.5	1.04	<0.05	12.3	0.440	1.34	3.2	133
M898110		205	<0.002	0.51	0.33	19.2	3	2.1	80.2	0.92	0.18	12.6	0.350	1.70	2.3	94
M898111		7.0	0.002	1.98	0.33	5.2	23	2.7	98.6	0.57	4.97	5.6	0.178	2.01	2.2	26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13132868

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
M650171		1.4	19.2	133	104.0				
M650172		0.8	10.2	123	61.6				
M650173		1.8	12.3	89	63.2				
M650174		1.2	23.7	69	83.6				
M650175		1.2	14.3	78	99.7				
M650176		1.2	15.6	134	99.2				
M650177		1.2	15.9	83	87.6				
M650178		1.0	9.4	32	36.4				
M650179		1.3	16.7	97	79.5				
M650180		1.7	25.5	48	105.5				
M650181		1.0	14.3	130	42.6				
M650182		0.2	6.6	52	7.2				
M650183		1.4	15.1	75	81.0				
M650184		1.3	15.9	58	77.2				
M650185		0.6	5.2	110	6.7				
M650186		1.6	46.1	725	75.7				
M650187		0.9	17.7	152	48.6				
M650188		1.1	21.6	203	71.8				
M650189		0.9	15.2	42	48.8				
M650190		1.0	18.7	1180	61.9				
M650191		1.1	24.8	139	135.0				
M650192		0.8	31.0	95	122.5				
M650193		1.4	26.3	98	48.7				
M650194		1.1	20.7	3170	62.3				
M650195		1.2	17.1	50	78.1				
M650196		1.2	16.1	86	67.9				
M650197		187.0	5.4	>10000	5.6	245		2.08	2.30
M650198		104.0	32.9	>10000	6.5				1.215
M650199		41.3	16.4	9270	29.9				
M898101		0.6	14.8	131	47.9				
M898102		1.4	24.5	128	121.5				
M898103		2.0	26.0	114	99.7				
M898104		2.1	24.2	237	129.0				
M898105		2.6	25.8	256	66.0				
M898106		1.9	29.1	153	91.6				
M898107		0.9	20.1	8980	85.6			1.735	
M898108		0.5	38.3	138	68.8				
M898109		1.6	15.5	78	86.6				
M898110		1.7	17.2	70	86.0				
M898111		208	15.0	>10000	16.1	118		2.16	3.26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13132868

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
M898112		1.12	17.90	2.38	15.5	40	0.61	4.44	0.88	3.13	21.4	246	21	0.48	>10000	12.90
M898113		2.29	>100	4.82	16	50	2.78	594	18.65	221	60.4	43.3	27	2.26	24.8	8.08
M898114		2.49	34.6	3.46	6	10	3.33	78.2	14.80	155.5	40.1	45.5	28	0.35	28.4	10.55
M898115		3.91	70.2	7.38	7	20	1.71	154.5	17.85	187.5	102.0	26.0	48	0.13	6.9	4.98
M898116		2.32	29.0	2.22	3.9	70	6.53	59.8	7.34	113.0	244	33.8	15	6.03	563	9.33
M898117		2.45	18.85	6.72	7.8	10	2.83	29.5	8.71	167.5	43.4	52.3	19	0.07	1085	8.56
M898118		3.91	>100	1.67	4.3	20	1.83	1375	6.38	377	27.8	38.8	17	2.94	20.8	2.61
M898119		1.58	>100	5.22	75	10	4.42	876	14.50	271	59.4	32.6	24	0.62	19.6	9.77

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13132868

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
M898112		9.02	0.10	0.6	0.547	0.13	12.5	71.7	0.43	461	0.98	0.25	3.0	137.5	200	301
M898113		16.60	0.20	1.3	0.220	0.01	28.4	10.0	0.71	16850	0.55	<0.01	17.1	15.9	530	>10000
M898114		14.65	0.21	0.5	0.082	<0.01	22.1	3.8	0.77	26500	0.47	0.02	8.6	14.8	560	>10000
M898115		20.3	0.18	1.3	0.070	0.01	51.9	6.0	0.90	4960	0.29	0.01	15.5	22.1	500	>10000
M898116		12.20	0.53	0.5	0.540	0.19	100.5	8.1	0.17	14950	0.58	0.14	2.4	7.7	80	>10000
M898117		38.2	0.36	0.6	0.334	0.01	16.5	18.5	0.19	2700	0.43	0.19	2.7	8.2	90	>10000
M898118		5.32	0.28	0.2	0.290	0.02	14.2	19.8	0.45	6970	4.00	<0.01	4.3	7.3	420	>10000
M898119		28.6	0.25	1.1	0.111	0.01	30.1	24.6	1.59	12600	0.95	0.01	8.1	24.6	860	>10000

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13132868

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
M898112		8.3	<0.002	7.41	0.60	4.8	5	3.0	64.1	0.27	0.35	2.5	0.101	0.09	0.5	30
M898113		2.6	<0.002	2.10	0.50	10.5	34	2.1	19.7	1.17	8.97	12.2	0.391	0.75	2.9	49
M898114		0.5	<0.002	2.22	1.30	8.4	54	3.2	595	0.70	3.48	6.4	0.307	0.50	3.5	60
M898115		0.6	<0.002	1.51	1.42	10.4	20	2.5	850	1.05	2.52	15.9	0.302	0.58	2.7	51
M898116		27.5	0.003	1.57	1.68	22.5	39	1.6	110.0	0.25	1.88	2.5	0.071	0.48	0.4	24
M898117		0.4	0.002	2.42	7.77	62.8	67	7.1	625	0.25	4.13	2.1	0.067	0.08	0.7	72
M898118		3.6	0.002	2.80	0.38	3.2	83	0.7	22.4	0.31	14.35	2.6	0.108	1.38	1.8	18
M898119		1.5	<0.002	2.86	1.67	6.6	31	1.8	260	0.59	17.40	8.5	0.179	0.61	4.0	42

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13132868

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
M898112		0.7	11.6	633	16.5		1.040		
M898113		72.3	24.5	>10000	38.4	208		2.26	3.50
M898114		10.4	16.2	>10000	9.5			4.51	2.87
M898115		3.8	26.7	>10000	34.3			3.71	2.66
M898116		210	342	>10000	7.7			2.43	1.605
M898117		2.3	350	>10000	9.4			3.77	3.45
M898118		336	7.9	>10000	6.9	507		4.85	5.06
M898119		84.8	15.8	>10000	34.3	373		3.67	4.64

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13132868

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61

Applies to Method: Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (5 ppm DL)
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.

CRU-31	CRU-QC	LOG-22	PUL-31
PUL-QC	SPL-21	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Ag-OG62	Cu-OG62	ME-MS61	ME-OG62
Pb-OG62	Zn-OG62		

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

CERTIFICATE WH13133013

Project: HY - Miko

P.O. No.:

This report is for 38 Rock samples submitted to our lab in Whitehorse, YT, Canada on 23-JUL-2013.

The following have access to data associated with this certificate:

HEATHER BURRELL	SARAH DRECHSLER	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY - Miko

CERTIFICATE OF ANALYSIS WH13133013

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
L865599		3.15	>100	0.94	<5	90	5.50	334	13.55	190.5	15.20	24.7	8	1.27	807	13.90
L865600		2.66	9.25	5.83	<5	220	3.97	36.9	10.20	62.0	87.3	16.4	39	4.22	12.2	6.33
L865601		1.34	72.0	3.93	<5	30	6.08	253	14.20	36.0	47.1	46.5	24	10.50	406	12.35
L865602		0.96	>100	1.02	2.0	20	17.35	2210	3.53	562	7.15	38.1	10	0.46	83.7	4.09
L865603		1.81	5.87	7.24	<5	70	4.41	16.10	17.20	92.0	100.5	24.2	49	10.05	27.9	6.77
L865604		2.22	8.00	3.63	7	460	0.88	20.1	12.25	4.64	66.3	5.8	21	1.18	10.5	1.50
L865605		2.12	0.33	3.42	<5	220	1.12	0.95	18.95	2.32	46.3	9.4	23	1.95	15.8	1.95
L865606		2.08	4.07	5.31	216	170	1.39	293	4.42	0.53	75.4	67.3	47	5.53	1665	22.2
L865607		1.50	0.18	8.17	2.9	360	2.69	4.86	6.66	0.55	97.1	20.7	78	6.10	41.7	7.36
L865608		1.88	0.28	10.15	6.1	650	3.49	4.14	0.95	0.11	119.5	8.8	107	7.97	33.5	5.98
L865609		3.01	0.09	9.84	0.5	750	3.10	0.50	0.94	0.15	104.0	17.5	103	7.08	24.1	5.68
L865610		0.86	0.08	1.73	<5	160	0.59	0.20	19.20	0.41	28.5	8.4	1	2.45	0.9	6.29
L865611		2.99	0.30	7.91	1.6	270	7.07	2.93	7.34	1.92	133.5	10.0	63	5.85	119.0	9.38
L865612		2.48	4.13	4.42	8	140	6.15	9.86	13.85	14.10	54.8	17.2	31	7.70	5.9	9.33
L865613		1.62	0.11	6.19	<5	<10	2.96	1.35	10.95	0.16	62.2	18.6	43	0.16	1.5	6.81
L865614		2.77	30.4	3.70	<5	30	9.03	77.6	12.70	12.60	48.1	18.6	34	5.04	237	14.90
L865615		2.73	14.20	0.54	1.5	120	22.1	37.3	8.93	7.78	9.47	37.6	4	7.11	604	29.3
L865616		2.83	7.38	6.08	<5	170	14.95	23.1	11.10	8.85	60.4	14.3	21	4.43	150.5	11.70
L865617		4.20	19.85	5.30	4.4	60	7.86	51.2	6.96	3.54	38.9	28.5	25	4.36	1100	18.35
L865618		3.09	12.35	4.86	<5	130	7.61	35.1	12.45	20.9	79.1	17.3	30	3.29	202	12.05
L865619		2.88	17.95	6.04	12	180	5.93	47.9	11.10	27.4	58.6	15.1	36	4.28	25.3	7.81
L865620		1.21	7.72	1.47	1.1	70	0.69	17.05	0.94	2.32	13.35	2.7	23	1.15	285	1.37
L865621		1.79	0.30	8.24	10.6	720	2.90	1.20	4.05	0.32	85.0	16.4	89	8.34	29.4	3.95
L865622		2.17	0.41	8.04	0.8	590	4.21	1.48	4.80	0.52	88.6	23.7	93	5.82	15.7	5.92
L865623		3.43	0.06	8.20	0.7	740	2.66	0.30	1.62	0.15	79.9	24.2	116	8.01	11.6	4.85
L865624		3.36	0.09	8.29	0.4	560	2.20	0.58	1.64	0.14	87.7	19.4	99	8.06	7.1	4.18
L865625		2.29	0.06	7.83	<0.2	920	2.86	0.33	2.13	0.04	73.2	18.4	90	6.38	21.8	4.02
L865626		3.46	0.32	8.31	1.6	920	2.86	0.97	3.65	0.02	106.5	27.5	86	4.72	120.5	6.00
L865627		5.16	0.08	9.42	5.7	640	3.13	0.45	1.02	0.02	95.7	15.4	84	7.83	27.7	5.03
L865628		2.10	0.06	9.55	4.4	640	2.58	0.46	0.71	0.03	112.0	10.9	85	7.99	20.5	5.05
L865629		1.99	0.89	7.04	1.5	550	5.09	3.94	6.16	11.65	96.6	22.3	75	10.80	25.0	7.67
L865630		2.98	0.04	8.04	0.5	760	2.22	0.23	1.45	<0.02	91.8	19.5	86	9.95	9.8	4.50
L865631		1.27	0.07	6.65	0.6	460	1.85	0.27	0.89	0.11	87.8	9.6	56	8.18	7.0	2.93
L865632		1.77	0.10	8.52	1.0	790	2.32	0.32	0.78	0.46	92.6	23.6	89	9.64	16.9	5.92
L865633		1.86	0.10	7.88	5.5	600	2.14	0.63	2.27	0.08	96.1	10.4	65	2.88	23.7	3.76
L865634		2.71	0.10	8.28	3.8	350	2.63	1.65	6.53	<0.02	101.5	18.7	70	3.19	21.9	6.30
L865635		2.02	13.25	4.67	<5	100	2.86	31.9	10.65	23.4	51.3	21.7	29	3.22	259	7.66
L865636		2.44	69.9	6.01	17.8	250	2.90	73.0	5.91	36.9	338	13.8	43	1.18	4670	9.19

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY - Miko

CERTIFICATE OF ANALYSIS WH13133013

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
L865599		5.70	0.06	0.1	4.19	0.01	8.0	4.6	0.33	39300	1.94	0.04	1.9	4.7	270	8950
L865600		19.20	0.09	1.4	2.99	0.55	42.7	15.0	0.72	10950	0.68	0.17	13.1	15.9	430	625
L865601		15.45	0.08	0.5	0.080	0.03	25.5	5.3	0.80	21600	0.82	0.02	5.6	14.6	600	4520
L865602		3.99	0.20	0.1	0.209	0.02	4.0	20.5	0.43	11250	8.11	0.01	1.2	4.4	470	>10000
L865603		23.1	0.16	0.8	3.92	0.09	57.2	18.6	1.31	12450	2.06	0.01	14.2	20.1	430	448
L865604		9.17	0.12	0.4	0.031	1.60	32.0	17.5	0.44	563	0.35	0.75	7.9	7.4	300	789
L865605		8.54	0.11	0.1	0.092	1.37	27.6	10.1	0.79	861	0.25	0.40	8.0	13.0	420	30.4
L865606		18.00	0.30	0.4	0.038	0.95	36.9	32.5	1.58	868	7.20	0.42	12.0	73.8	580	109.0
L865607		25.2	0.13	0.6	0.074	1.57	45.8	45.9	1.49	802	4.11	0.88	25.3	40.2	720	21.0
L865608		29.1	0.17	0.3	0.068	2.88	56.9	79.2	1.12	1180	2.18	1.17	20.6	17.8	970	31.6
L865609		27.8	0.15	0.6	0.079	2.92	49.3	98.8	1.29	598	0.92	0.83	18.8	36.4	780	23.5
L865610		4.11	0.06	0.2	0.048	0.68	13.3	28.9	0.17	5530	18.10	0.17	2.0	1.6	130	8.2
L865611		34.2	0.16	0.9	0.193	0.92	63.6	35.2	1.14	2220	1.96	0.86	47.0	10.7	1300	27.2
L865612		14.55	0.09	0.3	0.983	0.28	31.3	10.3	1.06	32000	1.15	0.26	7.4	20.2	400	652
L865613		26.0	0.07	0.9	0.216	0.01	30.6	13.8	1.15	4120	4.50	0.02	14.0	22.6	420	16.8
L865614		14.70	0.05	0.8	2.08	0.05	23.5	6.0	0.57	21900	0.43	0.03	7.9	8.3	380	1810
L865615		5.64	1.12	0.1	0.877	0.03	4.7	4.8	0.94	16800	0.98	0.04	1.5	5.9	640	997
L865616		24.9	0.19	1.1	3.87	0.45	29.9	15.6	0.91	10900	2.16	0.11	11.0	8.9	710	705
L865617		32.3	0.17	0.7	3.20	0.39	20.3	35.9	1.14	4920	10.50	0.02	9.4	10.8	390	1020
L865618		19.40	0.20	1.2	0.874	0.15	37.4	13.8	0.92	10300	10.25	0.11	29.0	20.6	590	3330
L865619		25.4	0.19	1.1	0.507	0.50	27.8	16.9	0.64	6430	2.16	0.32	24.9	16.5	860	3170
L865620		6.63	0.14	0.4	0.254	0.52	6.9	13.9	0.12	542	2.35	0.05	3.1	4.8	120	810
L865621		26.8	0.25	0.5	0.077	2.16	38.5	49.6	1.26	457	0.47	1.90	23.5	39.3	500	49.6
L865622		28.2	0.17	0.6	0.149	2.30	39.1	67.8	1.34	2570	0.91	0.81	26.2	51.6	610	69.3
L865623		25.3	0.19	0.4	0.052	3.09	35.5	77.0	1.53	2130	0.29	1.12	23.3	69.8	710	12.9
L865624		23.1	0.19	0.5	0.064	3.07	40.7	60.3	1.23	1910	0.51	0.75	19.0	54.3	670	17.8
L865625		19.25	0.22	0.6	0.052	3.05	32.0	65.0	1.28	1690	0.54	1.32	20.3	53.1	750	11.9
L865626		25.9	0.25	0.5	0.151	2.17	48.9	72.3	1.41	1570	0.35	1.28	24.0	48.2	650	16.9
L865627		26.9	0.25	0.5	0.061	2.84	44.2	70.0	0.98	840	0.70	1.06	22.7	33.1	700	10.6
L865628		26.7	0.28	0.4	0.060	3.19	52.1	82.6	0.98	874	0.88	0.85	23.8	21.2	490	10.6
L865629		22.4	0.25	0.6	0.290	2.02	46.3	52.8	1.23	5010	1.77	0.63	33.0	45.6	940	41.5
L865630		21.4	0.23	0.3	0.049	2.79	44.0	64.2	0.97	1090	0.75	1.03	19.4	41.3	670	14.5
L865631		16.75	0.20	0.5	0.027	2.12	41.9	41.1	0.56	683	1.64	1.04	12.7	19.9	380	14.4
L865632		24.6	0.22	0.2	0.070	2.70	42.9	85.7	1.17	1030	0.48	1.22	29.6	46.4	820	35.6
L865633		21.6	0.26	0.8	0.056	2.55	46.8	46.0	0.94	376	0.43	1.89	13.2	23.3	420	20.8
L865634		25.4	0.26	0.7	0.245	1.26	48.7	39.3	1.77	1070	0.63	1.10	22.3	34.1	490	9.0
L865635		18.30	0.19	0.8	0.428	0.68	24.8	80.6	2.25	5440	0.74	0.02	7.1	18.5	340	1810
L865636		33.8	0.50	1.3	0.910	0.66	146.5	19.4	0.60	2360	0.39	0.61	7.0	13.5	200	>10000

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY - Miko

CERTIFICATE OF ANALYSIS WH13133013

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
L865599		1.8	<0.002	1.28	1.14	2.0	9	13.6	133.5	0.13	4.37	2.2	0.043	0.59	1.1	7
L865600		33.6	<0.002	0.19	2.19	9.1	1	17.0	606	1.04	0.54	18.0	0.260	0.22	4.6	38
L865601		12.0	<0.002	0.22	1.59	5.4	7	5.8	577	0.41	3.09	6.1	0.136	0.59	2.3	29
L865602		1.6	0.003	4.22	0.45	0.8	79	1.2	40.5	0.09	35.5	1.2	0.019	1.62	1.5	8
L865603		17.2	<0.002	0.85	2.46	11.4	2	16.9	1060	1.05	0.34	15.6	0.309	0.12	4.0	54
L865604		73.8	<0.002	0.21	0.07	5.0	2	1.4	1150	0.59	0.46	14.2	0.178	0.39	2.2	23
L865605		68.8	<0.002	0.35	0.11	6.0	1	1.5	1070	0.52	<0.05	6.0	0.161	0.32	1.9	25
L865606		91.9	0.003	6.88	3.51	10.5	4	12.3	396	0.70	0.55	9.1	0.304	0.78	1.8	66
L865607		76.3	<0.002	0.21	0.93	16.0	1	16.8	962	1.47	<0.05	13.2	0.534	0.88	2.9	113
L865608		156.0	0.002	0.19	0.12	24.9	1	4.5	154.5	1.33	<0.05	15.5	0.567	0.99	2.5	156
L865609		151.5	<0.002	0.11	0.13	20.3	1	3.0	199.5	1.21	<0.05	14.8	0.567	0.78	2.7	110
L865610		45.7	<0.002	<0.01	0.39	1.9	1	1.7	128.5	0.16	<0.05	2.4	0.036	0.31	14.9	11
L865611		37.9	<0.002	1.21	1.56	11.9	3	33.1	319	3.65	0.07	17.0	0.446	0.36	7.0	106
L865612		19.3	<0.002	0.12	2.78	7.0	1	6.6	619	0.51	0.29	8.4	0.193	0.23	4.3	55
L865613		0.6	<0.002	<0.01	1.39	9.7	1	20.6	906	0.96	<0.05	8.5	0.327	<0.02	2.2	59
L865614		5.7	<0.002	0.58	1.02	5.4	2	5.0	521	0.61	1.14	9.8	0.171	0.14	2.4	25
L865615		5.2	<0.002	3.70	1.19	1.1	2	1.6	57.7	0.11	0.59	1.4	0.032	0.15	1.1	6
L865616		34.2	0.004	0.69	2.44	6.3	2	29.9	605	1.14	0.28	11.5	0.191	0.32	4.0	32
L865617		36.2	0.005	0.97	2.18	4.9	2	75.0	463	0.67	1.16	5.9	0.138	0.30	7.0	49
L865618		9.4	0.004	0.17	2.67	10.7	4	33.0	909	2.05	0.56	7.9	0.485	0.27	3.7	58
L865619		28.9	0.004	0.31	3.50	9.4	3	27.9	1030	1.93	0.81	7.2	0.414	0.39	5.5	61
L865620		35.2	0.002	0.08	0.26	1.7	1	14.6	72.6	0.29	0.44	1.8	0.062	0.25	0.8	14
L865621		95.9	0.003	0.20	0.54	14.4	1	4.7	644	1.60	<0.05	11.7	0.474	1.08	2.3	85
L865622		86.6	0.002	0.01	1.05	17.0	1	14.0	402	1.65	<0.05	10.8	0.584	1.05	2.5	111
L865623		172.0	0.003	<0.01	0.50	19.1	1	8.0	235	1.52	<0.05	9.8	0.610	1.49	2.0	109
L865624		268	0.002	<0.01	0.39	17.3	1	5.9	181.5	1.27	<0.05	11.6	0.511	1.60	1.7	101
L865625		152.0	0.003	<0.01	0.41	14.1	1	9.2	335	1.57	<0.05	9.6	0.531	1.53	2.2	89
L865626		109.5	0.003	0.22	1.41	16.1	2	43.9	526	1.58	<0.05	12.4	0.525	1.26	2.6	100
L865627		144.0	0.003	0.11	0.22	16.1	2	10.2	217	1.58	<0.05	13.0	0.460	1.06	2.9	100
L865628		163.5	0.003	0.09	0.21	16.2	1	5.0	170.5	1.58	0.05	15.0	0.481	1.12	3.0	92
L865629		128.5	0.003	0.12	1.36	15.6	2	13.6	518	2.07	0.07	11.3	0.714	1.28	2.6	103
L865630		174.5	0.003	<0.01	0.34	16.3	1	36.1	255	1.20	<0.05	13.6	0.469	1.31	2.3	89
L865631		158.5	0.004	<0.01	0.27	10.1	1	21.2	126.0	1.02	<0.05	18.0	0.317	1.10	2.7	57
L865632		151.5	0.003	0.01	0.27	19.5	1	3.1	243	1.73	<0.05	11.2	0.655	1.20	2.2	124
L865633		111.5	0.003	0.17	0.48	10.7	1	3.8	398	0.99	0.06	15.7	0.347	0.90	3.3	69
L865634		62.8	0.003	0.11	1.81	13.9	2	16.2	633	1.46	<0.05	14.3	0.478	0.82	3.0	77
L865635		60.3	0.004	0.97	0.33	5.5	3	27.4	514	0.50	0.66	6.8	0.155	0.47	1.7	36
L865636		35.5	0.003	1.13	3.92	10.0	23	5.3	321	0.53	3.17	7.6	0.196	0.39	1.5	68

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY - Miko

CERTIFICATE OF ANALYSIS WH13133013

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
L865599		79.5	4.5	>10000	5.5	119		1.745
L865600		19.5	19.7	6610	40.1			
L865601		27.7	11.3	4840	14.2			
L865602		278	2.5	>10000	4.3	755	7.29	6.97
L865603		31.6	20.0	9800	23.4			
L865604		3.0	13.7	626	12.3			
L865605		1.7	12.3	300	3.0			
L865606		1.6	18.6	118	12.9			
L865607		2.6	26.3	112	17.7			
L865608		1.3	20.9	67	10.1			
L865609		2.5	15.8	102	17.3			
L865610		0.2	30.8	87	4.7			
L865611		9.3	49.1	334	26.1			
L865612		70.7	14.4	2380	11.7			
L865613		2.3	14.6	118	25.1			
L865614		48.7	11.2	2390	24.1			
L865615		192.5	2.4	1560	3.4			
L865616		127.5	18.7	1630	27.0			
L865617		166.0	12.9	526	17.9			
L865618		47.7	25.7	4000	28.2			
L865619		34.1	21.5	4730	26.8			
L865620		2.9	3.7	475	5.8			
L865621		3.4	25.2	91	14.6			
L865622		4.8	25.5	166	17.4			
L865623		5.0	25.8	138	13.6			
L865624		4.8	23.4	119	13.9			
L865625		4.4	22.5	105	15.3			
L865626		4.4	27.0	99	13.8			
L865627		2.8	19.0	57	13.1			
L865628		1.9	15.7	57	11.7			
L865629		6.4	25.5	1900	15.0			
L865630		2.0	19.6	81	9.7			
L865631		1.7	14.2	58	14.6			
L865632		2.4	21.3	149	5.7			
L865633		2.2	20.7	39	23.2			
L865634		5.1	26.5	61	19.2			
L865635		30.5	14.2	3040	19.7			
L865636		3.5	320	6350	23.3		2.40	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY - Miko

CERTIFICATE OF ANALYSIS WH13133013

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61

Applies to Method: Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (5 ppm DL)
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.

CRU-31	CRU-QC	LOG-22	PUL-31
PUL-QC	SPL-21	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Ag-OG62	ME-MS61	ME-OG62	Pb-OG62
Zn-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-AUG-2013
Account: MTT

CERTIFICATE WH13140524

Project: Hy (Dusty)

P.O. No.:

This report is for 29 Rock samples submitted to our lab in Whitehorse, YT, Canada on 2-AUG-2013.

The following have access to data associated with this certificate:

HEATHER BURRELL	SARAH DRECHSLER	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140524

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
L841957		3.10	6.78	4.18	7.4	310	2.12	95.7	0.41	85.9	29.0	11.6	16	2.69	1000	21.3
L841958		2.86	5.61	3.12	28.4	290	0.60	188.0	0.60	13.00	30.2	1.7	12	2.20	437	28.1
L841959		1.78	2.67	3.09	12.9	380	0.64	93.5	0.38	8.94	30.2	0.6	12	2.59	317	23.7
L841960		2.20	11.65	2.55	6.3	300	1.04	388	0.71	1.76	26.6	1.2	16	2.52	437	33.8
L841961		1.96	0.97	5.33	3.8	480	1.32	11.25	0.48	3.48	70.8	6.6	41	4.65	263	15.20
L841962		2.92	1.02	6.34	1.4	300	2.49	12.95	0.56	13.40	24.5	2.2	10	3.17	157.0	6.39
L841963		3.79	13.25	2.85	11.2	50	1.56	103.0	1.17	512	39.0	4.2	8	1.31	1390	36.1
L841964		1.89	18.85	2.61	<5	10	11.60	39.6	30.6	22.3	21.5	4.0	11	1.07	16.5	1.63
L841965		2.09	>100	4.07	3.7	30	4.19	369	4.98	455	23.9	3.9	12	5.87	2490	32.7
L841966		3.05	38.8	1.34	3.7	20	2.01	789	0.48	167.0	17.90	2.9	7	3.60	1000	49.9
L841967		2.18	18.10	5.37	0.8	360	3.19	430	1.85	46.8	19.20	2.4	9	2.90	407	15.05
L841968		4.39	>100	6.28	1.0	40	6.65	475	8.69	176.5	50.7	5.6	21	5.87	2520	19.30
L860751		1.82	3.60	1.46	1.4	120	0.36	82.4	0.10	2.01	2.99	0.2	4	1.15	538	41.4
L860752		1.13	19.70	2.48	4.8	10	2.43	53.5	2.54	9.53	28.5	1.0	10	4.96	267	49.3
L860753		0.72	9.16	1.08	1.1	10	5.98	83.5	0.40	135.0	8.51	4.0	7	0.64	1070	42.4
L860754		0.90	>100	2.74	19.8	80	0.54	3530	0.73	68.8	14.90	17.5	10	1.79	8890	10.45
L860755		2.15	1.09	6.01	10	70	7.84	8.44	25.6	4.51	79.7	9.5	34	0.53	43.7	3.33
L860756		0.33	51.6	2.61	2.8	<10	5.69	43.3	4.02	245	22.6	9.5	10	0.58	>10000	7.54
L860757		1.80	0.27	5.46	5	40	3.15	3.30	27.8	0.85	71.9	7.5	37	0.59	46.3	2.90
L860758		0.58	7.65	2.50	2.9	20	13.20	20.0	6.29	193.0	76.2	15.3	13	1.79	2500	38.4
L860759		0.44	10.00	6.72	0.9	520	4.36	15.90	9.00	131.5	90.0	16.5	39	1.92	2140	3.76
L860760		0.41	0.45	9.14	5	780	2.67	1.68	14.85	4.63	134.0	14.5	55	7.70	115.5	3.91
L860761		0.19	0.35	10.05	<0.2	880	3.59	0.52	4.87	0.68	119.0	14.1	75	11.10	81.2	3.71
L860762		1.05	0.44	8.61	2.0	380	1.88	1.94	8.58	1.01	70.6	36.7	46	8.58	105.0	7.08
L860763		1.11	1.32	4.61	3.2	60	12.95	524	9.73	47.0	55.9	11.6	29	2.94	293	21.1
L860764		1.58	0.21	5.81	<5	180	2.97	7.73	22.9	1.13	80.7	11.1	33	0.89	12.7	2.46
L860765		0.35	32.1	1.69	79.3	40	1.74	123.5	0.80	4.09	5.66	15.2	6	3.90	453	24.4
L860766		3.61	0.77	6.03	<5	20	7.51	8.63	15.65	1.5	120.0	27.4	26	0.95	95.2	8.10
L860767		1.53	>100	8.05	4.9	30	2.06	871	7.79	81.6	51.0	8.8	30	1.34	3850	12.85

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140524

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
L841957		14.70	0.35	0.7	61.4	1.75	19.2	9.9	0.15	3150	6.32	0.66	8.9	5.1	670	327
L841958		17.35	0.49	0.7	51.7	1.34	15.4	6.5	0.11	878	6.38	0.12	10.2	1.1	620	259
L841959		20.4	0.35	1.2	46.1	1.68	15.4	8.4	0.10	412	4.66	0.10	12.2	1.1	610	186.0
L841960		21.1	0.76	0.9	52.3	1.32	14.0	7.2	0.18	520	3.16	0.12	12.0	2.3	560	426
L841961		29.1	0.32	1.1	47.9	2.92	34.6	33.0	0.54	1300	1.45	0.45	14.2	10.1	570	141.0
L841962		17.65	0.17	1.1	18.85	3.03	11.8	15.2	0.13	1480	0.91	1.92	13.9	1.3	800	107.0
L841963		17.80	1.41	0.5	97.5	0.17	20.2	15.8	0.82	3470	1.34	0.08	6.8	4.0	610	346
L841964		11.65	0.09	0.4	0.268	0.11	11.7	21.7	0.48	9930	7.26	0.01	4.2	5.5	560	5460
L841965		29.0	3.16	0.4	92.9	0.16	13.4	21.8	0.88	5400	29.7	0.03	4.9	6.4	570	5270
L841966		15.35	4.17	0.2	71.7	0.05	9.1	11.4	0.51	2600	4.82	0.02	3.7	2.3	480	1215
L841967		14.35	0.27	0.7	7.43	2.16	10.1	21.9	0.27	2690	3.47	1.58	7.6	1.7	260	727
L841968		37.5	0.43	0.7	42.1	0.19	27.3	37.1	0.99	6300	17.20	0.07	16.0	8.0	550	7940
L860751		8.55	0.51	0.4	29.5	0.84	1.5	2.6	0.03	191	2.66	0.13	9.6	0.3	760	130.0
L860752		23.2	3.08	0.4	141.5	0.10	16.7	4.9	0.18	3450	10.85	0.02	9.5	1.7	1000	818
L860753		14.50	5.61	0.1	29.0	0.05	4.2	8.0	0.18	1380	11.20	0.03	2.9	1.0	440	210
L860754		23.2	0.58	0.2	16.75	0.55	7.2	74.9	0.55	835	1.48	0.01	2.2	4.1	1100	>10000
L860755		17.95	0.16	1.4	1.010	0.14	42.3	26.8	0.62	1100	0.58	0.08	11.3	18.3	390	95.9
L860756		15.55	0.21	0.2	1.745	0.03	12.5	22.5	0.41	2670	11.50	<0.01	3.8	7.3	330	>10000
L860757		16.75	0.14	1.2	0.248	0.14	37.1	21.0	0.66	438	0.14	0.12	10.4	13.7	500	56.7
L860758		19.30	8.98	0.5	22.2	0.03	38.0	5.5	0.41	4440	0.93	0.02	6.7	3.3	330	548
L860759		21.8	0.21	1.1	0.214	1.66	45.3	33.0	0.68	1600	4.79	0.42	12.0	20.4	350	>10000
L860760		29.0	0.21	1.0	0.542	2.69	68.9	261	0.97	304	0.50	0.65	14.6	24.8	400	113.5
L860761		33.7	0.25	0.9	0.137	5.36	53.1	284	0.82	216	0.32	0.47	21.7	31.0	400	188.0
L860762		22.5	0.22	0.4	0.263	3.37	37.0	53.0	1.57	1560	0.79	0.84	22.2	57.1	2560	65.6
L860763		21.5	0.39	0.9	2.10	0.77	29.3	25.8	0.51	7260	1.67	0.33	15.2	9.9	1140	42.8
L860764		17.75	0.11	0.9	0.315	0.51	43.4	28.9	0.74	903	0.09	0.15	9.9	20.4	440	24.3
L860765		11.90	0.47	0.2	1.095	0.25	2.8	23.0	0.44	2680	108.0	0.11	3.7	3.1	500	1105
L860766		29.9	0.25	0.8	5.27	0.02	55.3	11.6	1.83	22200	0.90	0.03	10.4	20.4	670	62.7
L860767		47.0	0.44	0.9	34.6	0.33	22.9	29.9	0.34	3630	17.65	0.12	16.8	7.1	310	>10000

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140524

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
L841957		103.5	<0.002	0.19	0.92	4.0	5	9.9	72.5	0.98	0.48	7.5	0.120	0.79	12.9	23
L841958		91.1	<0.002	0.44	1.05	2.4	5	22.7	74.9	0.88	1.72	6.1	0.158	0.70	2.3	23
L841959		102.5	<0.002	0.67	0.78	2.6	4	16.9	42.4	1.15	0.57	8.6	0.163	0.73	1.8	28
L841960		78.1	<0.002	0.73	0.77	3.1	4	11.4	80.4	1.10	1.27	8.9	0.179	0.47	1.4	33
L841961		172.0	<0.002	0.25	0.45	8.8	2	8.3	97.6	1.49	0.12	19.2	0.275	0.96	2.8	45
L841962		187.5	<0.002	0.13	0.31	4.1	2	9.2	152.0	1.26	0.10	6.9	0.072	1.14	3.3	7
L841963		16.7	0.002	5.25	2.41	3.1	9	12.9	98.9	0.97	0.76	3.9	0.069	0.14	3.6	15
L841964		26.2	0.002	0.13	1.01	3.3	8	3.8	425	0.31	0.97	3.6	0.087	0.63	2.3	22
L841965		34.0	0.009	3.67	1.65	2.6	16	18.6	363	0.35	4.28	3.3	0.086	1.02	2.7	25
L841966		8.8	<0.002	1.55	1.06	1.6	8	8.2	24.0	0.26	3.11	1.9	0.061	0.19	1.3	10
L841967		173.0	<0.002	0.18	1.03	1.7	4	29.5	289	1.09	1.50	3.8	0.024	1.29	6.1	4
L841968		31.1	0.006	1.81	2.22	5.1	18	29.7	673	2.25	6.85	7.4	0.153	1.31	3.2	34
L860751		61.1	<0.002	0.86	0.69	1.0	5	12.7	20.2	2.27	0.67	1.3	0.070	0.45	0.7	12
L860752		21.3	0.002	0.26	2.47	3.0	6	29.3	149.5	1.51	0.93	3.3	0.092	0.36	2.1	15
L860753		3.8	0.004	1.59	0.83	1.0	4	4.7	21.5	0.17	0.58	1.3	0.039	0.04	1.8	8
L860754		68.7	<0.002	1.54	0.74	2.2	117	16.3	49.6	0.21	60.4	1.6	0.047	2.49	0.9	23
L860755		13.4	0.002	0.05	4.94	8.8	1	17.1	982	0.82	0.11	13.2	0.255	0.09	5.7	47
L860756		5.4	0.016	7.99	6.64	2.8	24	47.3	387	0.22	3.71	2.3	0.066	0.41	1.9	27
L860757		12.8	0.002	0.08	0.44	8.9	1	18.1	852	0.82	<0.05	13.1	0.243	0.05	5.5	54
L860758		3.4	0.002	2.98	1.63	3.9	5	38.3	523	0.60	0.29	5.7	0.107	0.16	3.1	15
L860759		100.0	0.011	1.83	4.99	11.3	16	27.3	950	1.18	1.83	14.5	0.313	0.81	5.0	57
L860760		160.0	0.003	0.75	0.09	15.9	2	6.1	2120	1.03	0.10	24.5	0.350	0.85	6.7	77
L860761		216	<0.002	0.60	0.10	18.1	2	7.2	741	1.63	0.09	21.0	0.477	1.63	5.9	76
L860762		151.5	0.002	3.95	0.41	20.9	3	5.6	940	1.85	0.10	12.7	0.880	0.81	2.9	115
L860763		53.8	0.015	5.97	2.55	7.4	4	28.0	740	2.09	3.64	11.5	0.165	0.52	7.7	19
L860764		37.2	<0.002	0.08	1.98	10.7	1	30.8	1300	0.97	<0.05	14.9	0.236	0.20	4.7	41
L860765		25.2	0.008	>10.0	0.38	1.1	13	38.7	55.3	0.22	4.50	1.3	0.033	1.00	2.5	11
L860766		1.8	<0.002	0.08	2.68	7.1	2	186.0	857	1.04	0.10	10.3	0.197	0.04	11.1	41
L860767		30.5	<0.002	1.58	3.07	4.5	58	61.1	483	1.13	26.9	13.5	0.281	2.08	3.6	76

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140524

Sample Description	Method / Analyte / Units / LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
L841957		6.0	14.2	9780	22.4				
L841958		4.8	6.4	2940	24.2				
L841959		5.8	5.8	1780	34.0				
L841960		5.9	5.7	999	26.9				
L841961		2.9	12.8	883	36.8				
L841962		1.8	12.5	2310	32.5				
L841963		3.2	11.9	>10000	13.0				8.87
L841964		178.5	7.5	3250	12.1				
L841965		830	8.9	>10000	11.5	121			6.13
L841966		4.6	5.3	>10000	5.1				2.18
L841967		23.4	23.9	7730	16.3				
L841968		480	18.1	>10000	22.1	151			2.47
L860751		9.2	1.2	1620	10.3				
L860752		11.8	9.4	1410	10.2				
L860753		9.4	2.5	>10000	3.2				2.62
L860754		14.4	4.3	6660	7.4	1070		4.57	
L860755		7.2	23.6	826	36.4				
L860756		2130	8.1	>10000	7.3		4.90	6.61	4.13
L860757		4.6	18.8	174	30.3				
L860758		14.0	23.2	>10000	12.8				4.11
L860759		1350	28.0	>10000	32.3			3.23	2.29
L860760		6.4	22.5	961	27.9				
L860761		7.4	22.3	219	31.3				
L860762		2.7	29.3	297	7.6				
L860763		1490	11.7	4680	25.6				
L860764		10.0	20.0	216	26.2				
L860765		15.6	6.2	488	5.4				
L860766		2.4	32.9	250	20.9				
L860767		6.0	16.9	9780	24.0	318		2.75	

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140524

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61

Applies to Method: Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (5 ppm DL)
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.

CRU-31	CRU-QC	LOG-22	PUL-31
PUL-QC	SPL-21	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Ag-OG62	Cu-OG62	ME-MS61	ME-OG62
Pb-OG62	Zn-OG62		

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26-AUG-2013
Account: MTT

CERTIFICATE WH13140525

Project: Hy (Dusty)

P.O. No.:

This report is for 48 Rock samples submitted to our lab in Whitehorse, YT, Canada on 2-AUG-2013.

The following have access to data associated with this certificate:

HEATHER BURRELL	SARAH DRECHSLER	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
EXTRA-01	Extra Sample received in Shipment
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	VARIABLE
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Pb-VOL70	Pb by Titration	
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140525

Sample Description	Method	WEI-21	Au-ICP21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
M898022		1.56	0.053	>100	3.14	1.2	30	6.76	657	8.78	791	21.0	66.0	9	10.65	882
M898023		1.89	<0.001	>100	2.61	5.0	20	7.74	1060	8.15	833	16.80	87.7	7	3.40	850
M898024		1.42	0.001	58.9	0.90	4.2	20	2.58	545	0.59	35.9	17.40	0.6	8	3.76	607
M898025		1.49	<0.001	0.25	9.70	0.8	1120	3.92	1.51	0.30	0.23	102.0	12.4	57	10.80	18.8
M898026		1.93	0.001	25.7	6.96	10	20	7.58	59.4	11.75	45.1	44.8	9.7	22	2.32	1240
M898027		1.73	0.003	>100	3.71	2.9	140	0.86	1130	1.32	76.7	39.1	16.6	29	3.27	9620
M898028		2.37	<0.001	24.5	1.64	2.5	20	3.54	495	0.38	61.7	33.4	3.0	10	3.31	1920
M898029		1.82	0.056	8.06	1.84	18.2	40	1.98	95.7	0.83	373	21.6	13.6	10	2.99	1755
M898030		1.09	<0.001	1.77	9.15	<0.2	190	1.58	7.04	5.62	2.95	45.8	27.5	102	1.90	45.5
M898031		1.83	0.001	>100	1.49	<5	30	5.19	499	12.45	307	20.1	27.3	8	13.35	139.0
M898032		1.52	<0.001	73.2	2.91	<5	30	6.62	190.5	14.50	155.5	27.7	19.4	11	12.55	32.2
M898033		1.44	0.001	>100	2.51	<5	40	6.95	459	11.35	105.5	21.5	16.3	8	41.2	86.7
M898034		1.38	<0.001	0.99	0.11	1.3	20	0.10	3.15	0.03	0.95	0.66	0.6	39	0.23	13.7
M898035		2.16	0.023	0.57	7.03	<0.2	380	1.71	2.45	6.65	0.24	105.5	27.6	55	5.70	249
M898036		1.47	0.016	0.41	7.50	1.1	590	1.83	1.16	4.74	0.15	114.5	42.0	92	4.24	286
M898037		1.11	<0.001	0.30	1.69	0.5	150	0.33	0.72	0.07	0.19	41.1	1.5	30	0.66	3.7
M898038		0.91	<0.001	0.14	7.35	<0.2	750	1.68	22.4	1.69	0.13	69.7	4.0	12	3.40	9.4
M898130		0.94	<0.001	96.8	3.88	1.3	20	21.9	210	9.73	212	32.3	4.4	15	1.38	1730
M898131		1.76	0.003	49.8	3.85	3.7	40	3.11	138.0	4.07	519	15.90	1.5	9	6.31	963
M898132		1.60	0.002	18.70	2.63	7.7	20	1.96	43.9	2.62	165.5	17.80	0.6	10	1.64	630
M898133		1.97	0.004	18.60	4.81	5	20	2.35	7.11	16.15	11.80	24.4	30.2	15	12.25	7980
M898134		1.31	0.001	0.88	8.99	18.1	520	2.48	5.91	1.45	1.69	102.5	13.9	120	8.65	54.3
M898135		2.00	0.004	>100	5.65	66	1060	1.63	56.4	11.40	83.8	64.5	58.8	40	3.22	>10000
M898136		1.60	0.002	45.8	7.35	6.0	1300	1.72	27.4	8.03	44.0	87.5	38.3	56	5.71	>10000
M898137		2.40	0.002	8.13	7.21	<5	130	2.26	4.04	12.70	15.10	69.9	21.1	48	3.48	5780
M898138		1.08	0.006	>100	1.80	4.1	20	9.45	1560	6.41	223	29.9	17.9	14	13.35	73.3
M898139		1.36	0.002	46.9	3.59	<5	30	3.07	111.5	12.20	194.0	47.3	22.0	19	8.92	65.3
M898140		1.48	0.003	>100	3.24	4.9	20	8.32	905	8.38	299	14.70	16.8	6	20.1	1175
M898141		1.42	0.001	53.0	3.78	<5	30	6.76	120.0	10.40	28.3	52.6	12.4	28	22.3	448
M898142		1.38	0.005	>100	5.81	1.7	50	9.98	881	7.46	232	22.3	33.1	6	28.9	780
M898143		1.74	0.004	>100	1.94	<5	10	10.20	1250	10.25	51.0	23.2	10.9	9	13.60	82.3
M898144		1.46	0.001	25.0	2.85	<5	20	4.90	53.8	12.75	60.5	39.5	14.9	14	10.15	473
M898145		1.50	<0.001	14.90	2.23	<5	10	3.43	20.6	12.15	137.0	28.6	16.6	12	7.92	48.6
M898146		2.20	<0.001	44.9	6.03	5	10	4.51	103.5	12.45	11.80	42.4	11.5	28	4.99	274
M898147		0.98	<0.001	0.56	8.76	6	40	9.79	1.39	13.45	1.04	94.2	20.5	65	1.40	6.4
M898148		1.08	<0.001	0.66	7.43	1.9	1190	1.72	1.25	0.95	1.71	65.4	7.6	14	2.44	11.1
M898150		1.54	0.019	>100	3.79	0.6	20	2.13	1220	4.22	8.71	35.7	1.9	10	3.44	666
M354901		1.66	0.009	>100	1.26	0.9	10	6.39	770	1.67	2.59	17.60	2.3	8	4.88	372
M898120		2.57	0.003	29.3	4.15	<5	100	5.51	49.1	15.70	29.8	53.8	23.4	26	13.60	4010
M898121		1.39	0.002	10.05	8.27	5	100	4.99	12.45	14.10	7.79	107.0	19.1	49	4.63	4220

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140525

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M898022		23.3	18.60	0.46	0.5	30.2	0.06	10.6	4.6	0.49	13000	0.57	0.04	6.9	5.6	760
M898023		23.4	16.50	0.58	0.5	26.2	0.03	8.1	3.4	0.35	9550	0.46	0.03	4.5	2.1	1040
M898024		>50	14.55	3.47	0.2	166.5	0.07	8.8	4.3	0.26	1640	2.09	0.02	4.1	1.5	650
M898025		2.41	27.9	0.20	1.5	0.409	6.31	46.2	99.9	0.77	291	0.85	0.95	14.2	21.0	390
M898026		6.43	42.9	0.20	0.9	2.68	0.36	22.5	39.5	0.84	5930	8.16	0.02	10.4	11.3	220
M898027		6.18	23.5	0.27	0.6	1.995	0.98	19.8	79.7	0.83	1150	0.95	0.01	8.3	11.9	710
M898028		>50	16.45	4.87	0.2	29.2	0.03	17.0	14.0	0.29	2030	10.65	0.01	5.3	1.5	420
M898029		49.8	8.30	2.19	0.4	77.0	0.11	10.8	8.7	0.23	4400	1.23	0.05	5.6	3.4	380
M898030		6.68	22.0	0.21	2.7	0.662	0.71	20.5	69.9	3.68	5040	0.90	1.10	9.0	40.6	820
M898031		14.80	8.29	0.36	0.2	4.34	0.04	10.3	4.8	0.48	46200	0.25	0.03	2.9	5.0	260
M898032		12.40	13.45	0.23	0.5	2.94	0.04	13.6	5.7	0.90	38000	0.70	0.04	5.8	9.0	360
M898033		13.75	13.35	0.29	0.2	1.660	0.15	10.7	6.7	0.55	44500	0.58	0.02	5.0	4.5	380
M898034		0.54	0.48	<0.05	<0.1	0.046	0.09	<0.5	4.7	<0.01	124	0.58	0.01	0.6	1.6	10
M898035		7.68	19.75	0.24	0.6	0.133	1.45	50.2	27.6	1.03	973	0.25	0.68	26.4	19.7	430
M898036		7.97	23.4	0.26	0.5	0.061	1.42	53.6	36.2	1.26	554	0.75	1.05	36.4	42.8	1070
M898037		0.92	5.22	0.09	0.4	0.019	0.50	20.6	10.8	0.22	169	0.17	0.22	2.8	6.8	190
M898038		2.61	19.15	0.16	1.4	0.072	2.33	32.9	43.1	0.61	547	0.37	2.79	14.1	1.5	590
M898130		14.15	26.0	0.32	0.6	52.7	0.31	15.9	17.7	3.07	12900	5.51	0.26	8.1	6.1	650
M898131		31.1	29.7	1.26	0.2	139.5	0.35	8.3	20.4	0.85	5000	2.39	0.12	3.5	1.2	390
M898132		46.1	21.8	4.54	0.3	179.5	0.19	8.8	10.6	0.30	2860	11.05	0.04	4.8	1.4	430
M898133		14.00	25.3	0.26	0.6	1.585	0.06	12.9	17.7	0.52	5390	1.28	0.01	6.4	10.8	380
M898134		5.36	25.6	0.25	0.5	1.645	2.53	48.7	93.2	1.48	684	1.15	1.34	20.6	37.8	740
M898135		8.71	16.50	0.34	1.1	1.710	1.66	36.3	38.4	1.00	2020	3.85	0.16	9.3	22.5	600
M898136		7.24	23.2	0.32	0.9	0.810	2.72	50.1	55.0	0.97	1920	2.29	0.32	15.5	29.5	850
M898137		13.90	22.1	0.32	1.0	0.804	0.58	41.9	16.7	1.12	2360	0.89	0.28	12.2	18.9	360
M898138		7.34	8.36	0.57	0.4	2.34	0.04	13.5	7.4	0.65	18250	0.21	0.01	5.1	4.9	370
M898139		10.40	10.75	0.22	0.8	6.11	0.05	24.6	8.9	0.47	22000	0.56	0.06	7.1	8.9	650
M898140		12.95	24.7	0.41	0.2	5.95	0.06	7.4	4.5	0.34	20200	0.21	0.01	2.0	3.1	370
M898141		15.75	20.0	0.29	0.8	2.25	0.11	25.3	7.7	0.94	21600	0.55	0.04	9.0	10.3	620
M898142		16.55	35.7	0.41	0.6	10.15	0.13	10.2	15.5	0.25	16350	0.33	0.04	6.4	5.1	560
M898143		11.10	7.94	0.44	0.5	2.99	0.03	11.8	4.2	0.67	20000	0.47	0.03	3.6	7.9	370
M898144		13.60	10.80	0.22	0.5	4.61	0.03	19.9	5.4	0.49	30900	5.03	0.03	5.1	6.9	430
M898145		13.70	8.61	0.24	0.3	6.13	0.02	14.8	5.6	0.36	35000	0.41	0.03	4.0	5.6	390
M898146		12.85	34.5	0.36	1.0	5.78	0.03	22.3	5.8	0.45	12250	28.6	0.03	20.0	7.5	500
M898147		7.47	39.7	0.31	1.1	0.170	0.02	54.7	23.8	1.30	6090	0.23	0.01	19.9	32.9	1100
M898148		2.49	16.50	0.20	2.4	0.069	3.68	35.2	33.3	0.81	614	2.97	2.18	13.9	15.7	570
M898150		39.4	26.6	5.02	0.3	116.0	0.16	18.0	18.9	0.97	7790	17.55	0.07	3.7	4.9	540
M354901		49.6	15.80	8.23	0.2	154.0	0.18	9.0	7.6	0.85	6370	47.5	0.10	3.0	4.2	700
M898120		11.40	17.85	0.21	0.8	4.32	0.37	27.3	24.3	0.69	7370	1.71	0.20	8.8	15.0	450
M898121		7.59	31.8	0.21	1.9	2.77	0.55	55.7	18.9	0.90	3170	43.3	0.46	14.4	21.6	590

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140525

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
M898022		>10000	11.0	<0.002	4.34	3.15	1.7	26	38.4	214	1.83	12.55	2.7	0.065	0.49	4.5
M898023		>10000	4.4	<0.002	5.57	3.80	1.1	68	28.9	216	0.87	22.6	2.3	0.042	1.88	5.4
M898024		2200	10.1	<0.002	0.62	1.99	1.1	9	12.7	29.2	0.27	2.55	2.4	0.064	0.31	0.9
M898025		52.4	251	<0.002	0.80	0.12	14.9	2	7.5	84.6	1.33	<0.05	22.3	0.301	1.60	8.0
M898026		3320	39.0	0.034	0.26	3.70	5.8	7	46.0	651	0.54	1.48	6.7	0.130	0.88	5.1
M898027		>10000	129.0	<0.002	0.66	0.62	5.3	42	20.5	73.4	0.56	20.3	8.1	0.144	1.32	2.4
M898028		698	5.0	0.002	0.89	1.39	1.7	4	13.4	23.8	0.31	2.93	3.6	0.077	0.14	1.7
M898029		294	11.2	<0.002	3.20	6.68	1.5	7	15.2	39.2	0.68	0.71	2.1	0.052	0.17	2.9
M898030		318	24.5	<0.002	0.70	0.74	28.1	2	7.3	436	0.54	0.06	6.2	0.529	0.54	2.0
M898031		>10000	12.7	<0.002	2.45	1.22	2.1	34	4.0	220	0.19	8.36	2.4	0.060	1.81	1.1
M898032		>10000	11.5	<0.002	1.12	1.37	2.7	14	9.2	310	0.53	3.02	4.4	0.088	0.64	2.1
M898033		>10000	48.2	<0.002	0.94	1.64	2.0	26	7.4	230	0.71	7.91	2.1	0.054	0.84	2.7
M898034		129.5	4.8	<0.002	0.01	0.11	0.1	1	0.6	3.0	0.05	0.08	0.3	0.013	0.03	0.7
M898035		54.0	76.6	<0.002	2.69	0.78	14.4	3	27.0	531	1.85	0.06	14.7	0.552	0.50	3.3
M898036		18.1	88.3	0.002	1.88	0.96	17.1	4	9.4	531	2.38	<0.05	12.1	0.712	0.67	2.8
M898037		34.8	22.9	<0.002	0.01	0.24	3.3	1	1.2	11.3	0.20	<0.05	2.7	0.072	0.14	0.3
M898038		35.3	123.5	<0.002	0.20	0.14	9.4	2	7.3	239	1.24	0.09	14.0	0.240	0.72	6.6
M898130		>10000	21.2	0.002	3.35	4.73	2.8	30	>500	366	1.60	8.90	4.7	0.084	0.49	5.9
M898131		3120	32.5	<0.002	4.64	1.18	1.3	12	159.0	338	0.29	3.66	2.3	0.044	1.45	1.3
M898132		1040	25.2	<0.002	2.01	1.96	1.5	5	45.0	287	0.33	0.99	2.7	0.076	0.26	1.7
M898133		268	17.7	<0.002	3.13	1.24	3.6	3	26.6	737	0.67	0.61	2.7	0.136	0.86	5.4
M898134		151.0	161.5	<0.002	0.42	0.48	21.6	2	3.5	455	1.47	0.14	14.0	0.632	1.61	2.9
M898135		>10000	97.1	<0.002	1.16	2.14	9.5	36	5.3	596	0.67	3.30	9.6	0.276	1.37	4.0
M898136		6360	171.0	<0.002	0.62	3.51	16.4	20	7.3	585	1.05	1.50	14.2	0.430	1.61	4.7
M898137		156.0	31.6	<0.002	0.67	2.51	10.8	3	15.1	1485	0.91	0.23	11.7	0.350	0.48	3.4
M898138		>10000	9.6	<0.002	2.95	1.62	2.6	137	11.9	205	0.44	22.1	4.4	0.074	0.63	2.4
M898139		>10000	9.2	<0.002	2.33	2.47	3.8	13	12.6	310	0.63	3.09	5.7	0.121	0.11	1.9
M898140		>10000	21.1	<0.002	3.26	2.12	1.4	68	14.1	251	0.19	17.10	1.6	0.040	0.45	1.2
M898141		>10000	34.4	<0.002	0.26	1.59	5.4	11	27.1	360	0.72	2.44	8.4	0.164	1.31	2.8
M898142		>10000	21.2	<0.002	0.96	2.52	2.1	45	49.7	342	1.22	14.40	3.1	0.057	0.26	4.6
M898143		>10000	9.1	<0.002	3.12	2.55	2.2	84	25.0	101.5	0.43	14.00	2.8	0.060	1.39	2.6
M898144		>10000	7.0	<0.002	0.37	3.10	3.5	8	22.1	277	0.39	1.50	5.6	0.103	0.08	2.2
M898145		>10000	5.2	<0.002	1.80	10.00	2.6	10	10.0	338	0.31	1.24	3.8	0.084	0.07	1.6
M898146		>10000	5.1	0.004	0.52	2.01	6.0	10	45.8	607	1.35	2.29	10.8	0.222	0.25	4.2
M898147		550	4.1	<0.002	0.01	2.09	19.8	2	20.2	1425	1.77	<0.05	16.2	0.651	0.09	3.8
M898148		201	166.0	<0.002	0.13	0.98	9.4	2	3.1	234	1.19	0.05	17.3	0.254	1.33	6.9
M898150		>10000	19.4	0.002	0.37	0.91	2.5	8	207	318	0.29	11.55	3.5	0.080	0.46	1.6
M354901		>10000	26.5	0.003	0.33	0.67	2.1	10	40.0	34.3	0.22	20.3	2.9	0.059	0.52	2.0
M898120		3630	43.4	<0.002	2.03	0.79	5.6	9	48.2	441	0.63	1.95	8.0	0.156	0.84	3.7
M898121		337	59.2	0.017	0.32	2.28	9.7	3	14.4	1240	1.39	0.66	22.1	0.267	0.70	5.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140525

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Cu-OG62 Cu % 0.001	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001	Pb-VOL70 Pb % 0.01
M898022		28	3.1	11.1	>10000	9.9	189		1.270	7.31	
M898023		20	8.9	7.4	>10000	10.7	360		6.26	7.19	
M898024		13	2.7	5.0	4930	4.2					
M898025		57	3.5	11.3	101	45.8					
M898026		31	4080	15.0	5490	26.2					
M898027		30	13.5	7.9	9340	14.4	356		1.565		
M898028		25	46.6	5.8	7570	5.2					
M898029		10	2.9	10.2	>10000	7.7				5.23	
M898030		223	5.9	19.7	656	92.3					
M898031		12	5.0	6.7	>10000	6.8	175		3.12	3.09	
M898032		20	41.6	7.7	>10000	12.9			1.615	1.615	
M898033		11	3.3	7.1	>10000	6.2	167		2.48	1.300	
M898034		1	0.3	0.3	111	0.6					
M898035		88	2.5	31.2	85	15.3					
M898036		111	3.7	32.0	71	15.9					
M898037		17	0.8	4.0	40	13.9					
M898038		51	1.0	17.2	58	39.0					
M898130		21	6.3	11.4	>10000	16.9			5.56	3.88	
M898131		19	26.5	4.7	>10000	6.2				5.37	
M898132		13	2.4	6.2	>10000	8.5				1.695	
M898133		51	22.4	8.9	1350	18.3					
M898134		152	10.4	27.2	255	15.3					
M898135		72	43.2	18.6	>10000	34.2	123	1.990	1.455	1.765	
M898136		100	13.8	25.8	6970	29.4		1.015			
M898137		85	3.6	17.4	3310	33.2					
M898138		14	1.6	8.5	>10000	9.7	573		9.92	3.27	
M898139		24	3.3	11.7	>10000	23.5			4.74	3.14	
M898140		31	2.9	4.3	>10000	6.9	336		6.21	3.93	
M898141		31	3.4	16.6	3670	21.1			1.375		
M898142		58	4.2	8.8	>10000	15.7	310		2.89	3.08	
M898143		13	39.1	7.4	5930	12.5	482		20.0		19.47
M898144		20	3.1	9.6	>10000	13.6			3.06	1.390	
M898145		15	33.7	6.9	>10000	8.7			5.19	2.43	
M898146		49	271	14.0	2100	28.7			1.625		
M898147		164	5.0	29.7	351	30.2					
M898148		74	3.2	17.0	190	74.8					
M898150		24	1.0	10.8	2120	7.1	325		1.415		
M354901		23	3.4	4.6	1300	5.6	288		1.280		
M898120		37	8.4	12.6	3460	29.7					
M898121		57	4.7	26.4	1780	63.3					

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140525

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	Au-ICP21 Au ppm 0.001	ME-MS61 Ag ppm 0.01	ME-MS61 Al % 0.01	ME-MS61 As ppm 0.2	ME-MS61 Ba ppm 10	ME-MS61 Be ppm 0.05	ME-MS61 Bi ppm 0.01	ME-MS61 Ca % 0.01	ME-MS61 Cd ppm 0.02	ME-MS61 Ce ppm 0.01	ME-MS61 Co ppm 0.1	ME-MS61 Cr ppm 1	ME-MS61 Cs ppm 0.05	ME-MS61 Cu ppm 0.2
M898122		1.41	0.007	>100	2.71	2.3	10	7.66	766	4.10	913	27.2	43.0	9	4.94	1570
M898123		0.85	0.032	>100	1.83	0.8	10	4.01	2200	2.41	4.38	24.0	2.3	9	1.62	433
M898124		0.96	0.004	>100	5.12	1.7	20	7.50	513	6.32	23.3	71.6	4.8	33	1.65	256
M898125		1.34	0.015	>100	2.24	1.0	80	5.14	1045	3.44	386	24.9	7.0	7	17.60	1740
M898126		0.78	0.002	7.81	2.75	14.8	190	1.02	30.9	0.47	1.01	28.9	2.2	14	3.71	173.0
M898127		1.15	0.005	>100	0.95	2.4	40	0.31	>10000	0.05	18.40	4.06	2.4	20	0.80	36.2
M898128		3.31	0.006	>100	1.20	2.8	40	0.33	7110	0.05	13.80	6.27	2.1	25	1.02	30.9
M898129		1.26	0.002	2.94	1.74	0.8	120	0.42	33.0	0.06	0.15	13.10	1.6	22	1.66	5.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140525

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
M898122		32.3	19.75	0.69	0.2	92.3	0.10	14.4	9.1	0.90	5460	3.59	0.09	4.0	10.5	640
M898123		48.2	20.7	6.59	0.2	166.0	0.10	12.8	6.7	0.62	5200	91.6	0.10	3.5	5.1	580
M898124		32.6	32.0	2.80	0.6	51.4	0.12	37.4	20.9	1.16	6440	4.71	0.10	9.3	13.4	390
M898125		35.0	19.40	4.32	0.2	92.1	0.14	13.8	5.2	0.87	9910	22.3	0.11	3.0	4.8	370
M898126		1.60	8.51	0.08	0.5	0.912	0.74	14.5	79.2	0.22	243	3.35	0.06	5.6	3.3	170
M898127		1.94	4.39	0.47	0.1	14.80	0.39	1.9	18.8	0.05	192	9.33	0.01	1.0	2.9	100
M898128		1.76	6.62	0.49	0.2	13.10	0.52	2.9	19.7	0.06	119	16.30	0.01	2.1	2.8	150
M898129		1.16	7.96	0.05	0.3	0.208	0.75	4.4	17.6	0.20	324	0.51	0.03	2.6	3.4	110

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140525

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
M898122		>10000	13.6	<0.002	6.91	0.89	2.9	23	112.5	373	0.35	21.7	3.6	0.060	0.83	2.6
M898123		5700	8.2	0.003	0.27	0.94	2.7	13	107.0	98.9	0.24	18.60	3.0	0.061	0.20	1.2
M898124		9920	9.5	0.002	0.75	0.70	8.5	9	198.5	574	0.89	8.54	12.3	0.199	0.27	3.6
M898125		3430	25.6	0.002	3.34	1.26	2.3	9	102.5	210	0.21	7.07	2.7	0.053	0.45	1.5
M898126		177.0	57.0	<0.002	0.03	0.56	2.4	2	2.1	39.7	0.56	2.62	9.7	0.088	0.26	1.9
M898127		>10000	42.3	<0.002	0.29	7.52	0.7	118	2.0	3.3	0.16	171.0	1.5	0.015	0.35	7.4
M898128		>10000	60.8	<0.002	0.64	4.02	1.5	130	2.8	5.4	0.21	128.5	2.9	0.035	0.73	7.4
M898129		94.2	77.7	<0.002	0.01	0.13	1.9	1	2.0	8.6	0.26	0.62	4.2	0.051	0.41	0.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140525

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Ag-OG62	Cu-OG62	Pb-OG62	Zn-OG62	Pb-VOL70
	Analyte	V	W	Y	Zn	Zr	Ag	Cu	Pb	Zn	Pb
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	%	%	%
	LOR	1	0.1	0.1	2	0.5	1	0.001	0.001	0.001	0.01
M898122		26	2.3	8.8	>10000	7.0	245		1.290	12.15	
M898123		21	0.4	8.2	1400	6.4	465				
M898124		37	1.5	14.1	3570	17.6	181				
M898125		15	0.8	8.3	>10000	8.5	187			5.39	
M898126		16	2.3	4.0	187	16.5					
M898127		7	5.6	1.6	1400	3.2	791		1.060		
M898128		12	15.4	2.1	1220	6.4	822		3.09		
M898129		15	1.4	2.6	33	8.6					

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 26-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140525

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61

Applies to Method: Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (5 ppm DL)
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.

CRU-31	CRU-QC	EXTRA-01	LOG-22
PUL-31	PUL-QC	SPL-21	WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Ag-OG62	Au-ICP21	Cu-OG62	ME-MS61
ME-OG62	Pb-OG62	Pb-VOL70	Zn-OG62

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-AUG-2013
Account: MTT

CERTIFICATE WH13142553

Project: Hy - Tung

P.O. No.:

This report is for 26 Rock samples submitted to our lab in Whitehorse, YT, Canada on 6-AUG-2013.

The following have access to data associated with this certificate:

HEATHER BURRELL	SARAH DRECHSLER	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-AUG-2013
Account: MTT

Project: Hy - Tung

CERTIFICATE OF ANALYSIS WH13142553

Sample Description	Method	WEI-21	Au-ICP21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
	Units	kg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
	LOR	0.02	0.001	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
L865637		1.43	<0.001	0.08	7.85	3.2	580	1.53	0.29	1.95	0.23	56.3	8.6	6	4.03	0.9
L865638		1.07	<0.001	<0.01	7.65	0.7	980	1.90	0.28	1.67	0.24	78.5	4.3	11	2.39	1.4
L865639		1.18	0.001	>100	4.48	<5	40	3.28	364	10.30	296	58.9	36.5	31	5.54	9.1
L865640		1.61	0.001	2.34	5.30	6.0	160	2.50	5.51	1.97	0.79	41.1	3.3	22	6.48	2.5
L865641		1.98	<0.001	0.71	7.37	0.4	1050	1.70	1.67	2.07	1.18	52.6	6.8	9	3.50	3.2
L865642		0.93	0.007	16.70	5.33	71.3	70	1.44	47.8	2.02	7.69	43.0	26.3	30	1.72	3890
L865643		1.57	<0.001	0.10	7.53	1.4	540	1.64	0.22	1.30	0.16	68.0	6.1	8	5.81	10.1
L865644		1.77	<0.001	0.14	6.80	0.4	850	1.98	0.34	1.89	0.11	56.1	5.5	24	3.05	22.8
L865645		0.78	0.001	0.04	7.69	0.3	1000	2.21	0.12	1.01	0.12	59.7	3.5	12	3.50	1.4
L865646		1.93	0.001	0.06	7.15	<0.2	770	1.91	0.49	1.25	0.16	67.0	5.5	24	3.28	6.6
L865647		1.61	0.001	0.01	7.32	<0.2	780	1.78	0.07	0.88	0.06	37.5	1.8	12	5.45	1.4
L865648		1.21	<0.001	0.02	7.68	<0.2	930	2.90	0.15	1.42	0.06	72.5	3.4	11	3.83	1.7
L865649		1.51	<0.001	0.82	7.25	<0.2	740	3.40	6.20	1.39	1.61	57.4	2.3	10	4.62	19.7
L865650		0.94	0.001	0.04	4.99	<0.2	130	6.01	0.75	7.41	0.14	9.93	1.0	7	6.94	4.0
L865651		0.91	0.001	0.04	5.61	<5	160	7.94	0.73	11.50	0.12	18.75	1.7	9	7.50	4.8
L865652		1.82	<0.001	0.03	4.80	<5	90	6.22	0.40	15.35	0.11	14.25	1.3	5	5.85	3.0
L865653		1.31	<0.001	0.04	5.02	<5	100	6.24	0.45	14.95	0.08	13.35	1.5	7	7.30	4.1
L865654		0.92	<0.001	0.15	7.21	<0.2	280	16.75	0.35	5.51	0.15	97.3	12.6	50	4.80	21.9
L865655		1.44	0.001	0.03	0.98	<5	90	0.40	0.11	33.1	0.08	22.0	2.5	5	0.85	6.3
L865656		2.08	<0.001	0.16	5.84	<5	80	4.97	1.04	12.20	0.32	132.5	23.2	45	2.23	35.9
L865657		1.18	0.001	0.01	6.88	<0.2	30	10.25	2.09	0.74	0.09	16.35	0.6	14	4.59	2.8
L865658		1.27	0.002	0.55	9.40	<5	20	9.97	14.90	15.80	0.53	68.0	17.3	51	0.35	140.5
L865659		0.59	0.001	0.04	5.53	<0.2	220	12.80	0.46	8.65	0.53	103.0	16.0	30	3.02	1.4
L865660		1.72	0.001	0.15	4.09	<0.2	540	1.44	5.85	4.82	6.32	56.3	6.4	35	1.59	7.5
L865661		0.69	0.004	0.05	5.34	<5	390	2.01	0.29	10.90	0.10	63.7	6.7	31	7.76	9.2
L865662		1.55	<0.001	0.02	7.14	<0.2	30	9.15	5.13	0.73	0.09	18.05	0.5	12	4.60	1.6

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-AUG-2013
Account: MTT

Project: Hy - Tung

CERTIFICATE OF ANALYSIS WH13142553

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
	Units	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
L865637		3.43	21.5	0.13	0.4	0.043	2.09	26.0	40.9	0.85	752	0.20	1.97	6.1	2.8	850
L865638		2.07	18.35	0.14	1.8	0.030	3.59	38.4	27.3	0.50	565	3.44	2.44	17.4	1.4	550
L865639		2.77	19.45	0.27	0.8	0.170	1.76	31.0	40.9	0.24	3270	1.88	0.02	10.2	10.5	1110
L865640		2.05	29.5	0.09	1.0	0.120	2.19	18.0	27.1	0.18	551	0.32	0.05	16.3	5.6	230
L865641		2.50	18.00	0.13	1.8	0.052	2.96	25.8	41.8	0.73	573	0.97	2.19	13.6	1.8	570
L865642		15.50	29.1	0.27	0.9	5.15	0.62	23.4	134.0	0.78	3090	9.85	0.01	8.2	10.0	680
L865643		2.35	18.70	0.13	1.8	0.037	2.65	35.5	49.5	0.67	509	0.44	1.76	13.5	1.6	530
L865644		2.18	17.25	0.14	1.4	0.073	2.99	27.7	26.0	0.62	578	0.67	2.00	14.7	8.7	480
L865645		2.20	17.85	0.13	1.4	0.027	3.08	30.4	25.9	0.53	456	0.43	2.41	14.5	1.6	600
L865646		2.58	17.35	0.14	1.4	0.097	2.95	33.9	29.2	0.66	623	0.73	2.05	14.6	9.2	490
L865647		1.27	16.80	0.10	1.0	0.036	3.86	18.6	22.3	0.28	276	0.32	2.23	14.3	1.3	590
L865648		1.80	19.70	0.13	0.9	0.048	3.53	35.0	45.0	0.39	531	0.14	2.30	15.1	1.2	680
L865649		2.57	20.9	0.14	1.0	1.325	2.27	26.3	39.1	0.31	1280	1.34	2.03	16.8	1.1	710
L865650		0.51	14.50	0.11	0.7	0.012	2.97	4.5	20.2	0.12	321	0.37	2.28	12.0	1.5	360
L865651		0.64	14.85	0.11	0.6	0.020	2.92	7.5	25.7	0.21	232	0.17	1.87	12.0	2.4	370
L865652		0.54	12.40	0.07	0.7	0.016	2.29	7.5	17.5	0.21	581	0.11	1.69	10.4	0.7	420
L865653		0.66	13.40	0.07	0.7	0.012	2.87	6.8	20.2	0.20	534	0.15	1.63	12.0	1.6	380
L865654		3.27	21.1	0.14	1.4	0.056	0.76	44.7	69.7	1.05	689	0.58	0.98	15.1	18.4	220
L865655		0.77	2.58	0.06	0.2	0.013	0.33	11.1	14.0	0.45	190	0.22	0.18	2.3	2.1	310
L865656		7.98	22.9	0.22	0.8	0.116	0.35	42.1	91.5	5.68	5060	0.65	0.33	17.2	25.8	2670
L865657		0.56	17.50	0.08	1.0	0.005	2.57	7.6	13.9	0.07	458	0.15	3.30	13.3	1.4	190
L865658		8.50	39.0	0.45	1.8	0.822	0.01	39.9	29.4	0.70	4010	0.25	0.02	38.8	29.4	400
L865659		6.82	21.5	0.20	0.3	0.158	0.98	50.8	64.3	6.13	3360	0.14	0.29	16.5	20.2	3420
L865660		2.05	12.70	0.10	1.0	0.960	1.55	25.8	14.7	0.36	1800	0.22	0.21	8.8	7.8	160
L865661		2.26	14.40	0.11	0.9	0.039	1.73	28.0	63.8	0.49	574	0.20	0.60	10.6	9.7	220
L865662		0.57	20.2	0.08	1.6	0.008	2.67	8.2	16.3	0.04	676	0.18	3.28	14.8	1.1	330

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-AUG-2013
Account: MTT

Project: Hy - Tung

CERTIFICATE OF ANALYSIS WH13142553

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
	LOR	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
L865637		13.9	107.5	<0.002	<0.01	0.16	2.6	1	1.4	125.0	0.32	<0.05	6.3	0.223	0.79	0.4
L865638		29.3	161.5	0.002	0.06	0.06	8.1	1	2.6	221	1.48	<0.05	18.7	0.235	0.89	4.6
L865639		>10000	156.5	<0.002	1.20	0.27	7.4	46	14.9	370	0.82	9.84	7.6	0.140	2.10	3.9
L865640		341	161.0	<0.002	0.16	0.48	2.8	2	12.2	98.9	1.44	0.15	11.0	0.100	1.17	3.9
L865641		161.0	128.5	<0.002	0.03	0.27	9.1	1	1.8	273	1.09	0.06	13.0	0.249	0.92	2.7
L865642		662	43.1	<0.002	1.69	2.49	6.7	3	52.3	84.7	0.64	0.63	7.9	0.155	0.37	6.4
L865643		24.0	141.5	<0.002	0.01	0.60	8.1	1	2.1	112.0	1.09	<0.05	16.6	0.241	0.85	2.4
L865644		23.7	153.0	<0.002	0.01	0.41	7.2	1	4.3	229	1.25	<0.05	14.2	0.230	1.00	3.0
L865645		28.6	170.0	<0.002	<0.01	0.20	6.8	1	3.2	237	1.10	<0.05	13.6	0.227	1.11	3.0
L865646		25.6	167.0	<0.002	<0.01	0.24	7.5	1	4.9	171.5	1.27	<0.05	15.9	0.237	1.00	2.8
L865647		37.9	233	<0.002	<0.01	0.13	6.7	1	8.5	200	1.49	<0.05	10.9	0.130	1.26	4.2
L865648		30.9	193.0	<0.002	0.04	0.14	5.3	1	4.8	291	1.35	<0.05	14.5	0.184	1.08	2.8
L865649		49.9	148.5	<0.002	0.02	0.14	4.8	1	21.2	242	2.32	0.39	11.6	0.158	1.01	5.4
L865650		23.7	232	<0.002	0.03	0.07	1.1	1	3.1	507	2.09	<0.05	1.6	0.022	1.32	3.2
L865651		19.5	249	<0.002	0.08	0.07	1.8	1	3.0	705	2.11	<0.05	2.5	0.035	1.25	5.9
L865652		15.8	214	<0.002	0.05	0.06	1.9	1	2.9	845	1.81	<0.05	1.9	0.024	0.94	6.0
L865653		18.1	251	<0.002	0.08	0.06	2.0	1	2.2	966	2.30	<0.05	2.1	0.029	1.20	10.2
L865654		36.5	59.4	<0.002	1.11	0.26	12.5	2	4.1	517	2.62	<0.05	19.2	0.281	0.45	4.8
L865655		7.8	25.8	<0.002	0.14	0.09	2.8	2	0.6	2200	0.19	<0.05	2.7	0.049	0.11	1.7
L865656		11.2	21.4	<0.002	0.22	0.62	31.6	2	14.0	324	1.43	<0.05	13.2	0.346	0.15	4.9
L865657		49.4	181.5	<0.002	0.01	0.06	1.0	1	5.0	93.6	3.38	<0.05	4.1	0.014	0.95	12.0
L865658		65.8	1.6	<0.002	<0.01	3.16	14.9	1	70.6	2110	2.20	<0.05	13.2	0.309	0.03	4.5
L865659		11.7	92.9	<0.002	<0.01	0.33	12.3	1	23.2	164.5	0.93	<0.05	13.7	0.249	0.57	3.4
L865660		16.5	87.6	<0.002	<0.01	0.34	5.3	1	6.3	327	0.78	<0.05	15.7	0.186	0.46	2.3
L865661		26.0	126.5	<0.002	0.06	0.14	8.5	1	3.7	893	0.87	<0.05	13.9	0.209	0.58	3.2
L865662		49.1	194.0	<0.002	<0.01	0.05	1.6	1	5.7	74.8	2.54	<0.05	4.0	0.013	1.00	10.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-AUG-2013
Account: MTT

Project: Hy - Tung

CERTIFICATE OF ANALYSIS WH13142553

Sample Description	Method / Analyte / Units / LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Ag-OG62 Ag ppm 1	Pb-OG62 Pb % 0.001	Zn-OG62 Zn % 0.001
L865637		88	1.7	8.0	89	12.0			
L865638		42	1.3	25.3	46	55.9			
L865639		30	1.8	21.3	>10000	26.4	156	3.69	5.06
L865640		18	11.1	14.7	95	30.7			
L865641		66	2.1	17.1	258	51.9			
L865642		52	6.5	13.3	1090	34.0			
L865643		58	1.4	18.4	65	52.7			
L865644		53	1.3	17.6	52	41.2			
L865645		40	1.6	18.9	44	43.7			
L865646		52	0.9	19.7	56	43.6			
L865647		16	1.3	17.1	24	31.0			
L865648		26	2.2	14.0	49	27.4			
L865649		21	8.1	11.3	436	27.1			
L865650		3	1.1	7.6	21	15.1			
L865651		5	5.6	8.3	23	12.1			
L865652		3	0.5	11.9	17	15.2			
L865653		4	1.5	12.4	16	14.9			
L865654		44	1.6	32.5	63	43.4			
L865655		9	0.4	9.7	19	6.6			
L865656		76	1.3	84.8	247	25.9			
L865657		1	0.6	24.6	23	22.2			
L865658		71	5.9	16.8	248	55.2			
L865659		53	1.3	42.5	227	11.1			
L865660		24	7.9	16.0	1320	30.3			
L865661		27	1.4	21.3	49	28.7			
L865662		1	1.0	27.4	23	33.5			

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 20-AUG-2013
Account: MTT

Project: Hy - Tung

CERTIFICATE OF ANALYSIS WH13142553

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method:	REE's may not be totally soluble in this method. ME-MS61
Applies to Method:	Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (5 ppm DL) ME-MS61

LABORATORY ADDRESSES

Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.

Applies to Method:	CRU-31	CRU-QC	LOG-22	PUL-31
	PUL-QC	SPL-21	WEI-21	

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Applies to Method:	Ag-OG62	Au-ICP21	ME-MS61	ME-OG62
	Pb-OG62	Zn-OG62		

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19-SEP-2013
Account: MTT

CERTIFICATE WH13155644

Project: HY - MIko

P.O. No.:

This report is for 1 Rock sample submitted to our lab in Whitehorse, YT, Canada on 27-AUG-2013.

The following have access to data associated with this certificate:

HEATHER BURRELL	SARAH DRECHSLER	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-31	Fine crushing - 70% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
Zn-OG62	Ore Grade Zn - Four Acid	VARIABLE
Pb-VOL70	Pb by Titration	

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19-SEP-2013
Account: MTT

Project: HY - MIko

CERTIFICATE OF ANALYSIS WH13155644

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
G285346		2.52	32.7	1.05	5.1	10	2.64	0.20	2.54	>1000	15.30	205	7	0.08	16.1	2.11

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19-SEP-2013
Account: MTT

Project: HY - MIko

CERTIFICATE OF ANALYSIS WH13155644

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
G285346		3.16	0.13	0.1	0.832	0.02	6.2	1.0	0.41	2690	0.31	0.01	1.4	11.9	510	>10000

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19-SEP-2013
Account: MTT

Project: HY - MIko

CERTIFICATE OF ANALYSIS WH13155644

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
G285346		1.0	<0.002	>10.0	30.9	1.8	33	2.0	227	0.13	0.68	1.5	0.030	0.02	3.0	5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19-SEP-2013
Account: MTT

Project: HY - MIko

CERTIFICATE OF ANALYSIS WH13155644

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Pb-OG62	Zn-OG62	Pb-VOL70
	Analyte	W	Y	Zn	Zr	Pb	Zn	Pb
	Units	ppm	ppm	ppm	ppm	%	%	%
	LOR	0.1	0.1	2	0.5	0.001	0.001	0.01
G285346		6.4	8.4	>10000	3.6	>20.0	29.0	34.52

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 19-SEP-2013
Account: MTT

Project: HY - MIko

CERTIFICATE OF ANALYSIS WH13155644

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.

CRU-31	CRU-QC	LOG-22	PUL-31
PUL-QC	SPL-21	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

ME-MS61	ME-OG62	Pb-OG62	Pb-VOL70
Zn-OG62			

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3-AUG-2013
Account: MTT

CERTIFICATE WH13132869

Project: Miko - HY

P.O. No.:

This report is for 129 Soil samples submitted to our lab in Whitehorse, YT, Canada on 23-JUL-2013.

The following have access to data associated with this certificate:

HEATHER BURRELL	SARAH DRECHSLER	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3-AUG-2013
Account: MTT

Project: Miko - HY

CERTIFICATE OF ANALYSIS WH13132869

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
ZZ71769		0.31	0.4	1.91	9	<10	80	1.2	2	0.38	3.6	17	22	41	3.15	10
ZZ71770		0.28	<0.2	1.85	11	<10	30	<0.5	3	0.04	<0.5	7	25	11	5.05	10
ZZ71771		0.30	1.1	2.70	10	<10	160	1.6	3	0.90	2.7	14	24	33	3.70	10
ZZ71772		0.25	1.1	1.90	6	<10	130	1.1	<2	1.01	1.3	11	16	27	2.43	10
ZZ71773		0.24	0.2	1.99	8	<10	100	1.6	3	0.84	0.6	12	17	19	3.06	10
ZZ71774		0.38	<0.2	1.67	8	<10	50	0.5	<2	0.21	<0.5	12	19	15	3.23	10
ZZ71775		0.47	0.3	1.60	4	<10	50	0.7	<2	0.08	<0.5	5	13	15	2.14	10
ZZ71776		0.29	0.2	1.83	8	<10	90	1.4	<2	0.68	<0.5	14	17	20	2.90	10
ZZ71777		0.22	0.6	1.95	6	<10	120	0.9	<2	0.93	<0.5	10	18	23	2.82	10
ZZ71778		0.34	1.2	2.98	14	<10	200	2.0	2	0.78	0.6	16	26	42	4.00	10
ZZ71779		0.38	0.8	2.56	10	<10	110	1.7	3	0.17	2.1	15	25	40	3.69	10
ZZ71780		0.38	0.3	1.55	6	<10	70	0.6	<2	0.33	2.6	8	21	17	2.85	10
ZZ71781		0.23	2.8	2.53	12	<10	140	3.2	4	1.26	9.2	15	19	140	2.91	10
ZZ71782		0.38	0.8	2.67	11	<10	140	1.4	<2	0.66	0.9	13	24	28	3.86	10
ZZ71783		0.23	0.7	2.61	13	<10	140	1.8	4	0.79	0.7	15	24	33	3.50	10
ZZ71784		0.28	0.5	2.39	9	<10	140	1.5	2	1.08	<0.5	12	20	33	3.15	10
ZZ71785		0.28	<0.2	2.01	8	<10	80	0.8	2	0.40	<0.5	12	21	14	3.31	10
ZZ71786		0.40	0.4	2.32	5	<10	130	1.8	<2	0.72	<0.5	10	15	14	3.39	10
ZZ71787		0.28	0.3	2.06	3	<10	110	1.7	<2	0.86	<0.5	7	11	9	3.01	10
ZZ71788		0.22	0.6	1.98	10	<10	80	1.1	2	0.33	<0.5	13	23	22	3.41	10
ZZ71789		0.39	0.4	2.50	12	<10	140	1.5	3	0.65	<0.5	13	25	28	3.72	10
ZZ71790		0.27	0.3	2.69	8	<10	140	1.2	<2	0.57	<0.5	11	22	17	3.85	10
ZZ71791		0.30	0.8	2.98	14	<10	170	1.7	2	0.58	0.8	18	29	53	4.13	10
ZZ71792		0.32	0.6	3.21	11	<10	140	1.6	3	0.40	0.5	19	32	49	4.64	10
ZZ71793		0.28	0.3	2.43	9	<10	110	1.4	2	0.67	1.0	20	23	27	3.47	10
ZZ71794		0.28	0.3	2.41	10	<10	130	1.7	2	0.51	1.2	14	24	30	3.51	10
ZZ71795		0.31	<0.2	1.83	3	<10	40	<0.5	<2	0.23	<0.5	7	19	6	2.70	10
ZZ71796		0.27	4.9	2.30	7	<10	50	2.3	14	0.74	8.0	14	23	165	4.42	10
ZZ71797		0.23	0.7	2.08	6	<10	60	1.0	3	0.55	3.1	10	20	14	3.33	10
ZZ71798		0.37	4.2	2.11	7	<10	60	1.2	9	0.57	4.5	14	27	30	3.71	10
ZZ71799		0.30	0.2	2.30	9	<10	40	0.8	<2	0.07	<0.5	9	30	20	4.62	10
ZZ71800		0.23	0.2	2.37	8	<10	50	0.5	<2	0.06	<0.5	9	34	11	4.85	10
ZZ71801		0.25	0.2	2.94	8	<10	40	0.5	3	0.05	<0.5	7	31	10	4.23	10
ZZ71802		0.24	<0.2	1.98	5	<10	30	<0.5	<2	0.08	<0.5	6	31	7	3.80	20
ZZ71803		0.31	0.2	2.18	10	<10	40	0.5	<2	0.12	<0.5	11	31	16	4.85	10
ZZ71804		0.22	<0.2	2.87	13	<10	50	0.5	<2	0.05	<0.5	13	32	25	6.18	10
ZZ71805		0.20	0.3	2.08	10	<10	30	0.5	<2	0.08	<0.5	9	29	13	4.66	10
ZZ71806		0.21	<0.2	2.08	7	<10	20	<0.5	2	0.02	<0.5	7	23	11	5.03	10
ZZ71807		0.34	<0.2	1.11	9	<10	20	<0.5	<2	0.02	<0.5	3	13	7	3.20	10
ZZ71808		0.33	0.2	1.99	8	<10	20	<0.5	<2	0.03	<0.5	6	21	10	3.90	10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3-AUG-2013
Account: MTT

Project: Miko - HY

CERTIFICATE OF ANALYSIS WH13132869

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
ZZ71769		1	0.09	30	0.48	798	3	<0.01	20	510	377	0.04	<2	2	32	<20
ZZ71770		<1	0.04	10	0.47	314	1	<0.01	18	470	17	0.03	<2	2	6	<20
ZZ71771		<1	0.17	30	0.62	819	4	<0.01	24	970	151	0.07	2	4	57	<20
ZZ71772		<1	0.09	30	0.37	865	3	0.01	15	920	111	0.08	2	2	73	<20
ZZ71773		<1	0.14	30	0.49	935	1	0.01	17	830	59	0.06	<2	3	61	<20
ZZ71774		<1	0.05	20	0.57	472	<1	<0.01	16	550	32	0.02	2	3	14	<20
ZZ71775		1	0.03	20	0.27	202	1	<0.01	10	340	29	0.02	<2	2	9	<20
ZZ71776		<1	0.11	20	0.44	986	1	0.01	19	850	63	0.05	<2	2	56	<20
ZZ71777		<1	0.10	20	0.50	584	3	<0.01	18	670	41	0.06	<2	2	65	<20
ZZ71778		<1	0.17	40	0.57	929	4	<0.01	25	910	201	0.06	2	4	61	<20
ZZ71779		<1	0.13	50	0.64	666	2	<0.01	25	240	121	0.02	<2	4	21	<20
ZZ71780		<1	0.09	20	0.45	491	5	<0.01	14	230	246	0.03	2	2	26	<20
ZZ71781		1	0.13	70	0.35	1245	4	<0.01	28	1400	1570	0.12	2	2	81	<20
ZZ71782		<1	0.16	30	0.68	738	3	<0.01	24	720	89	0.04	2	4	45	<20
ZZ71783		<1	0.13	40	0.56	867	3	0.01	26	930	116	0.07	2	3	62	<20
ZZ71784		<1	0.13	30	0.47	753	4	0.01	20	800	56	0.08	<2	3	80	<20
ZZ71785		<1	0.10	20	0.50	701	3	0.01	17	730	58	0.04	2	2	40	<20
ZZ71786		1	0.17	30	0.57	963	1	0.01	14	850	57	0.06	<2	3	49	<20
ZZ71787		<1	0.14	20	0.44	990	1	0.01	10	810	47	0.06	<2	3	56	<20
ZZ71788		<1	0.10	30	0.53	692	2	0.01	22	780	70	0.05	<2	2	40	<20
ZZ71789		<1	0.15	30	0.59	694	3	0.01	25	610	72	0.04	<2	3	60	<20
ZZ71790		<1	0.14	20	0.65	643	1	<0.01	21	640	54	0.04	<2	3	40	<20
ZZ71791		<1	0.17	40	0.70	820	4	0.01	31	860	97	0.07	2	4	47	<20
ZZ71792		<1	0.18	30	0.77	808	5	0.01	36	810	93	0.01	2	4	33	<20
ZZ71793		<1	0.13	30	0.56	1310	2	0.01	23	690	84	0.01	2	3	52	<20
ZZ71794		<1	0.14	40	0.55	928	3	0.01	25	740	74	0.02	<2	3	50	<20
ZZ71795		<1	0.08	20	0.51	387	1	0.01	14	500	28	<0.01	<2	2	20	<20
ZZ71796		1	0.13	30	0.73	1400	4	0.01	23	780	698	0.01	<2	4	71	<20
ZZ71797		<1	0.08	20	0.57	706	3	<0.01	17	560	99	<0.01	<2	2	45	<20
ZZ71798		1	0.08	20	0.59	1210	<1	0.01	23	530	1130	<0.01	<2	3	51	<20
ZZ71799		<1	0.07	20	0.55	389	<1	<0.01	20	390	58	<0.01	<2	2	16	<20
ZZ71800		<1	0.07	20	0.50	408	1	<0.01	17	270	72	<0.01	<2	3	14	<20
ZZ71801		<1	0.06	20	0.40	257	<1	<0.01	17	370	46	0.01	<2	2	11	<20
ZZ71802		<1	0.06	20	0.35	186	<1	<0.01	12	290	13	<0.01	<2	2	21	<20
ZZ71803		<1	0.07	20	0.69	372	<1	<0.01	26	260	9	<0.01	2	2	17	<20
ZZ71804		<1	0.06	20	0.55	444	<1	0.01	37	1080	17	0.01	<2	2	31	<20
ZZ71805		<1	0.07	20	0.40	277	<1	<0.01	21	410	27	<0.01	<2	2	14	<20
ZZ71806		<1	0.03	20	0.34	243	<1	<0.01	14	430	13	<0.01	<2	1	7	<20
ZZ71807		<1	0.04	20	0.13	74	<1	<0.01	5	360	5	<0.01	<2	1	13	<20
ZZ71808		<1	0.04	20	0.29	205	1	<0.01	12	490	11	<0.01	2	2	7	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3-AUG-2013
Account: MTT

Project: Miko - HY

CERTIFICATE OF ANALYSIS WH13132869

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
ZZ71769		0.04	<10	<10	38	<10	517
ZZ71770		0.06	<10	<10	38	<10	75
ZZ71771		0.02	<10	10	35	<10	353
ZZ71772		0.02	<10	20	25	<10	156
ZZ71773		0.02	<10	10	25	<10	142
ZZ71774		0.05	<10	<10	39	<10	68
ZZ71775		0.03	<10	<10	36	<10	51
ZZ71776		0.01	<10	<10	24	<10	134
ZZ71777		0.02	<10	10	30	<10	126
ZZ71778		0.01	<10	10	36	<10	289
ZZ71779		0.03	<10	10	38	<10	282
ZZ71780		0.07	<10	<10	48	<10	365
ZZ71781		0.02	<10	20	25	<10	598
ZZ71782		0.02	<10	10	38	<10	260
ZZ71783		0.02	<10	10	31	<10	218
ZZ71784		0.02	<10	20	31	<10	138
ZZ71785		0.01	<10	<10	29	<10	130
ZZ71786		0.02	<10	10	29	<10	125
ZZ71787		0.01	<10	<10	26	<10	93
ZZ71788		0.01	<10	<10	26	<10	151
ZZ71789		0.02	<10	20	32	<10	200
ZZ71790		0.02	<10	<10	38	<10	165
ZZ71791		0.02	<10	10	37	<10	312
ZZ71792		0.02	<10	10	41	<10	294
ZZ71793		0.01	<10	<10	30	<10	195
ZZ71794		0.02	<10	20	30	<10	233
ZZ71795		0.02	<10	<10	27	<10	77
ZZ71796		0.04	<10	40	32	<10	1960
ZZ71797		0.02	<10	10	30	<10	918
ZZ71798		0.03	<10	<10	32	<10	1650
ZZ71799		0.03	<10	<10	40	<10	106
ZZ71800		0.04	<10	<10	50	<10	166
ZZ71801		0.04	<10	<10	43	<10	100
ZZ71802		0.06	<10	<10	59	<10	43
ZZ71803		0.05	<10	<10	39	<10	76
ZZ71804		0.02	<10	<10	29	<10	70
ZZ71805		0.05	<10	<10	52	<10	76
ZZ71806		0.03	<10	<10	37	<10	49
ZZ71807		0.04	<10	<10	58	<10	22
ZZ71808		0.04	<10	<10	44	<10	46

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3-AUG-2013
Account: MTT

Project: Miko - HY

CERTIFICATE OF ANALYSIS WH13132869

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
ZZ71809		0.21	<0.2	2.00	4	<10	30	<0.5	<2	0.05	<0.5	6	34	6	4.31	20
ZZ71810		0.27	0.2	2.75	6	<10	60	0.7	<2	0.17	<0.5	10	28	15	3.66	10
ZZ71811		0.29	<0.2	2.39	7	<10	50	0.7	<2	0.26	<0.5	13	34	16	3.97	10
ZZ71812		0.23	1.1	2.36	10	<10	100	1.8	2	1.25	0.9	11	25	51	3.61	10
ZZ71813		0.43	0.2	2.24	6	<10	50	0.6	2	0.40	0.8	13	31	14	4.23	10
ZZ71814		0.33	0.5	2.26	11	<10	90	0.8	2	0.33	0.8	15	28	22	3.94	10
ZZ71815		0.18	0.9	2.10	8	<10	100	0.9	2	1.52	1.8	14	22	30	3.22	10
ZZ71816		0.27	0.9	2.17	6	<10	80	1.1	2	1.08	2.7	13	23	34	3.22	10
ZZ71817		0.35	0.2	2.04	8	<10	50	0.7	<2	0.26	<0.5	8	20	15	3.51	10
ZZ71818		0.31	0.2	1.55	3	<10	40	<0.5	2	0.06	<0.5	3	11	7	2.62	10
ZZ71819		0.34	<0.2	1.57	4	<10	30	0.5	<2	0.28	<0.5	9	17	12	2.70	10
ZZ71820		0.36	0.4	2.43	9	<10	110	0.9	3	0.87	0.5	18	27	28	3.93	10
ZZ71821		0.31	0.3	2.63	15	<10	140	1.2	3	1.02	<0.5	17	24	51	3.90	10
ZZ71822		0.28	0.3	3.66	21	<10	180	2.2	3	0.51	<0.5	32	33	114	5.09	10
ZZ71823		0.26	0.6	1.60	8	<10	90	0.9	2	0.59	1.1	11	14	41	2.11	<10
ZZ71824		0.36	<0.2	1.73	8	<10	30	<0.5	3	0.08	<0.5	10	22	16	3.94	10
ZZ71825		0.27	0.6	2.85	23	<10	90	1.6	<2	1.04	<0.5	17	36	64	3.86	10
ZZ71826		0.44	<0.2	2.76	13	<10	70	1.6	<2	0.21	<0.5	20	32	50	4.34	10
ZZ71827		0.45	<0.2	2.25	12	<10	30	0.7	2	0.28	<0.5	26	29	45	4.79	10
ZZ71828		0.70	<0.2	2.50	15	<10	60	0.9	<2	0.21	<0.5	21	32	32	4.93	10
ZZ71829		0.60	0.2	2.49	15	<10	60	1.0	<2	0.22	<0.5	18	34	40	4.64	10
ZZ71830		0.37	0.4	2.50	24	<10	90	1.3	2	0.25	<0.5	27	29	35	4.66	10
ZZ71831		0.33	0.2	2.52	28	<10	100	1.2	3	0.13	<0.5	22	27	30	4.48	10
ZZ71832		0.42	0.3	2.79	13	<10	90	1.2	<2	0.19	<0.5	26	32	33	4.65	10
ZZ71833		0.45	<0.2	2.47	11	<10	70	0.8	<2	0.16	<0.5	14	27	20	4.22	10
ZZ71834		0.35	0.2	2.94	18	<10	130	1.5	<2	0.43	<0.5	20	31	54	4.57	10
ZZ71835		0.54	<0.2	1.92	7	<10	40	0.6	<2	0.33	<0.5	14	25	19	4.25	10
ZZ71836		0.29	0.4	2.70	12	<10	160	1.2	<2	1.09	0.5	18	23	41	3.52	10
ZZ71837		0.29	0.2	2.59	14	<10	100	0.7	<2	0.17	<0.5	11	26	26	3.95	10
ZZ71838		0.31	<0.2	2.61	8	<10	50	0.5	<2	0.06	<0.5	6	25	16	4.99	10
ZZ71839		0.33	<0.2	1.42	6	<10	30	<0.5	<2	0.02	<0.5	3	14	10	3.63	10
ZZ71840		0.28	0.5	3.44	18	<10	220	1.9	<2	0.55	<0.5	27	30	72	4.85	10
ZZ71841		0.32	0.2	2.55	7	<10	50	0.5	2	0.04	<0.5	8	23	15	3.60	10
ZZ71842		0.30	4.1	3.38	14	<10	240	2.1	<2	0.71	<0.5	16	23	102	3.88	10
ZZ71843		0.34	<0.2	1.52	5	<10	40	<0.5	<2	0.02	<0.5	2	12	8	2.16	10
ZZ71844		0.25	0.6	2.65	17	<10	190	1.6	<2	1.26	<0.5	14	18	76	3.08	10
ZZ71845		0.36	0.6	4.00	27	<10	240	2.6	2	0.89	<0.5	29	32	106	5.28	10
ZZ71846		0.33	<0.2	1.50	10	<10	40	<0.5	<2	0.04	<0.5	5	20	11	4.07	10
ZZ71847		0.33	<0.2	1.30	6	<10	30	<0.5	2	0.03	<0.5	4	17	11	3.12	10
ZZ71848		0.45	0.2	2.71	13	<10	120	1.3	<2	0.63	<0.5	21	29	40	4.46	10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3-AUG-2013
Account: MTT

Project: Miko - HY

CERTIFICATE OF ANALYSIS WH13132869

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
ZZ71809		<1	0.11	20	0.43	189	<1	<0.01	15	230	11	<0.01	<2	3	25	<20
ZZ71810		<1	0.08	20	0.43	308	<1	<0.01	20	440	34	<0.01	<2	3	27	<20
ZZ71811		<1	0.08	20	0.71	459	<1	0.01	27	490	127	0.01	<2	3	29	<20
ZZ71812		<1	0.13	70	0.49	542	5	0.01	25	580	101	0.03	<2	3	102	<20
ZZ71813		<1	0.07	20	0.78	539	2	0.01	28	570	42	<0.01	2	3	36	<20
ZZ71814		1	0.11	20	0.56	712	5	0.01	22	840	120	0.02	<2	2	34	<20
ZZ71815		<1	0.10	20	0.52	833	5	0.01	22	840	73	0.05	<2	2	88	<20
ZZ71816		<1	0.12	20	0.54	663	3	0.01	22	750	62	0.04	3	3	68	<20
ZZ71817		<1	0.04	20	0.41	242	1	<0.01	15	330	20	0.01	<2	2	26	<20
ZZ71818		<1	0.05	20	0.25	195	1	<0.01	6	270	24	<0.01	<2	2	9	<20
ZZ71819		<1	0.05	20	0.52	385	<1	<0.01	15	540	16	<0.01	<2	2	21	<20
ZZ71820		<1	0.12	20	0.65	764	5	0.01	26	700	45	0.03	<2	3	60	<20
ZZ71821		<1	0.15	40	0.50	533	3	0.01	31	790	39	0.03	2	3	58	<20
ZZ71822		<1	0.19	50	0.75	723	2	0.01	55	760	101	0.02	<2	4	44	<20
ZZ71823		<1	0.10	40	0.23	297	1	0.02	20	610	36	0.03	<2	2	34	<20
ZZ71824		<1	0.05	20	0.44	379	2	<0.01	18	500	21	0.01	<2	2	10	<20
ZZ71825		<1	0.16	80	0.56	584	1	0.01	46	790	39	0.06	<2	4	75	<20
ZZ71826		<1	0.11	50	0.70	886	1	0.01	53	790	28	0.02	2	2	29	<20
ZZ71827		<1	0.10	30	0.82	636	<1	<0.01	39	760	27	<0.01	<2	3	28	<20
ZZ71828		<1	0.07	30	0.84	667	1	0.01	40	640	29	<0.01	2	3	18	<20
ZZ71829		<1	0.07	50	0.81	505	2	0.01	39	580	23	0.01	<2	4	22	<20
ZZ71830		<1	0.08	40	0.66	551	2	0.01	43	800	34	0.09	2	3	24	<20
ZZ71831		<1	0.07	40	0.55	656	2	0.01	34	710	31	0.12	<2	3	15	<20
ZZ71832		<1	0.08	40	0.77	545	2	0.01	49	620	33	0.10	<2	3	20	<20
ZZ71833		<1	0.06	30	0.70	455	1	0.01	26	520	25	0.09	2	3	16	<20
ZZ71834		<1	0.12	60	0.69	777	3	0.01	42	770	41	0.11	2	3	45	<20
ZZ71835		<1	0.07	30	0.79	572	1	0.01	24	720	21	0.07	<2	3	21	<20
ZZ71836		<1	0.14	40	0.51	671	2	0.02	30	890	41	0.11	<2	3	66	<20
ZZ71837		<1	0.15	20	0.53	374	3	0.01	25	780	37	0.09	<2	3	18	<20
ZZ71838		<1	0.04	10	0.33	275	1	0.01	15	650	26	0.07	<2	2	8	<20
ZZ71839		<1	0.03	20	0.16	94	1	0.01	7	570	9	0.05	<2	1	5	<20
ZZ71840		<1	0.20	50	0.59	1035	5	0.02	40	1020	67	0.10	<2	4	42	<20
ZZ71841		<1	0.05	20	0.33	251	1	0.01	28	690	19	0.07	<2	2	8	<20
ZZ71842		1	0.22	70	0.44	504	4	0.01	42	1040	49	0.10	<2	3	64	<20
ZZ71843		<1	0.02	20	0.12	74	1	<0.01	5	290	12	0.06	<2	1	6	<20
ZZ71844		<1	0.19	80	0.33	403	2	0.03	36	810	38	0.14	<2	3	75	<20
ZZ71845		<1	0.27	100	0.60	783	3	0.01	58	1060	80	0.12	2	5	69	20
ZZ71846		<1	0.04	20	0.34	225	1	0.01	13	380	17	0.05	<2	2	9	<20
ZZ71847		<1	0.04	20	0.31	218	1	0.01	12	290	15	0.05	<2	1	9	<20
ZZ71848		<1	0.12	50	0.70	717	2	0.01	41	770	35	0.08	<2	3	50	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3-AUG-2013
Account: MTT

Project: Miko - HY

CERTIFICATE OF ANALYSIS WH13132869

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
ZZ71809		0.09	<10	<10	64	<10	63
ZZ71810		0.06	<10	<10	44	<10	85
ZZ71811		0.04	<10	<10	38	<10	119
ZZ71812		0.01	<10	60	27	<10	343
ZZ71813		0.04	<10	<10	31	<10	276
ZZ71814		0.02	<10	<10	32	<10	254
ZZ71815		0.02	<10	<10	25	<10	278
ZZ71816		0.02	<10	10	26	<10	422
ZZ71817		0.04	<10	<10	35	<10	84
ZZ71818		0.07	<10	<10	51	<10	49
ZZ71819		0.05	<10	<10	29	<10	67
ZZ71820		0.02	<10	20	31	<10	247
ZZ71821		0.02	<10	10	28	<10	131
ZZ71822		0.02	<10	10	36	<10	158
ZZ71823		0.02	<10	10	18	<10	95
ZZ71824		0.05	<10	<10	49	<10	88
ZZ71825		0.02	<10	30	28	<10	130
ZZ71826		0.02	<10	<10	29	<10	113
ZZ71827		0.06	<10	<10	32	<10	113
ZZ71828		0.03	<10	<10	36	<10	118
ZZ71829		0.03	<10	10	31	<10	124
ZZ71830		0.01	<10	<10	32	<10	147
ZZ71831		0.01	<10	<10	32	<10	128
ZZ71832		0.02	<10	<10	35	<10	170
ZZ71833		0.05	<10	<10	36	<10	92
ZZ71834		0.02	<10	10	36	<10	135
ZZ71835		0.07	<10	<10	42	<10	88
ZZ71836		0.03	<10	10	31	<10	132
ZZ71837		0.02	<10	<10	44	<10	121
ZZ71838		0.05	<10	<10	55	<10	63
ZZ71839		0.04	<10	<10	70	<10	27
ZZ71840		0.02	<10	10	39	<10	158
ZZ71841		0.06	<10	<10	45	<10	83
ZZ71842		0.02	<10	10	33	<10	169
ZZ71843		0.04	<10	<10	52	<10	24
ZZ71844		0.02	<10	20	25	<10	135
ZZ71845		0.02	<10	20	41	<10	204
ZZ71846		0.08	<10	<10	76	<10	50
ZZ71847		0.05	<10	<10	43	<10	42
ZZ71848		0.03	<10	10	36	<10	156

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3-AUG-2013
Account: MTT

Project: Miko - HY

CERTIFICATE OF ANALYSIS WH13132869

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
ZZ71849		0.39	<0.2	2.18	6	<10	60	<0.5	<2	0.05	<0.5	7	25	12	3.55	10
ZZ71850		0.43	<0.2	2.03	7	<10	70	0.6	<2	0.21	<0.5	17	24	21	4.05	10
ZZ71851		0.40	<0.2	1.93	5	<10	60	0.6	2	0.29	<0.5	13	21	18	3.74	10
ZZ71852		0.33	<0.2	2.09	10	<10	60	0.7	<2	0.07	<0.5	11	23	18	3.57	10
ZZ71853		0.41	0.2	2.43	28	<10	80	1.4	3	0.30	<0.5	30	27	34	4.84	10
ZZ71854		0.28	0.2	2.45	28	<10	90	1.0	3	0.36	<0.5	19	28	27	4.84	10
ZZ71855		0.37	<0.2	2.52	8	<10	90	1.0	<2	0.26	<0.5	16	34	33	4.29	10
ZZ71856		0.35	<0.2	1.37	7	<10	40	<0.5	<2	0.03	<0.5	5	17	10	4.29	10
ZZ71857		0.32	0.3	1.79	10	<10	30	<0.5	<2	0.04	<0.5	5	17	15	3.76	10
ZZ71858		0.27	0.4	3.37	17	<10	210	1.7	2	0.66	<0.5	25	27	58	4.56	10
ZZ71859		0.31	<0.2	1.63	10	<10	30	<0.5	<2	0.03	<0.5	4	17	8	3.52	10
ZZ71860		0.26	0.3	2.72	15	<10	140	1.4	2	0.71	<0.5	22	26	47	3.99	10
ZZ71861		0.38	<0.2	2.15	14	<10	70	0.7	<2	0.07	<0.5	9	24	16	4.89	10
ZZ71862		0.56	0.2	2.35	20	<10	80	0.8	<2	0.31	<0.5	18	29	36	4.49	10
ZZ71863		0.34	0.3	1.92	14	<10	70	0.6	<2	0.11	<0.5	10	23	19	3.41	10
ZZ71864		0.40	0.3	2.63	13	<10	50	0.6	2	0.03	<0.5	13	31	20	5.07	10
ZZ71865		0.52	0.2	2.39	15	<10	50	0.8	2	0.16	<0.5	21	28	46	4.45	10
ZZ71866		0.39	<0.2	2.31	25	<10	70	0.9	3	0.18	<0.5	23	26	25	4.83	10
ZZ71867		0.39	<0.2	1.32	10	<10	40	<0.5	<2	0.04	<0.5	5	20	10	3.69	10
ZZ71868		0.43	<0.2	2.14	12	<10	50	0.7	2	0.26	<0.5	17	28	28	4.69	10
ZZ71869		0.39	<0.2	2.24	10	<10	50	0.7	4	0.19	<0.5	14	26	23	4.51	10
ZZ71870		0.34	<0.2	2.13	8	<10	90	0.6	2	0.46	<0.5	11	24	18	4.11	10
ZZ71871		0.35	0.7	2.07	8	<10	100	1.1	3	0.85	1.6	11	19	38	3.29	10
ZZ71872		0.24	<0.2	0.63	7	<10	20	<0.5	<2	0.03	<0.5	3	13	10	2.44	10
ZZ71873		0.26	1.0	3.23	17	<10	190	2.3	3	0.82	1.5	19	25	67	4.07	10
ZZ71874		0.27	0.4	3.38	18	<10	200	2.0	4	0.84	2.9	22	26	58	4.57	10
ZZ71875		0.33	<0.2	1.45	8	<10	40	<0.5	3	0.07	<0.5	3	16	6	4.07	20
ZZ71876		0.33	<0.2	1.27	5	<10	40	<0.5	<2	0.03	<0.5	2	11	4	2.47	10
ZZ71877		0.32	0.2	1.53	7	<10	40	<0.5	2	0.03	<0.5	3	12	5	2.71	10
ZZ71878		0.61	0.2	1.94	8	<10	130	1.0	<2	0.55	0.5	14	21	25	3.02	10
ZZ71879		0.28	<0.2	0.66	7	<10	30	<0.5	2	0.04	<0.5	2	9	5	2.05	10
ZZ71880		0.34	0.2	2.08	9	<10	70	0.6	2	0.33	1.0	17	27	24	3.97	10
ZZ71881		0.30	0.5	2.61	12	<10	90	1.5	2	0.99	3.7	17	24	80	4.14	10
ZZ71882		0.32	<0.2	2.51	12	<10	90	0.9	<2	0.35	<0.5	17	28	32	4.30	10
ZZ71883		0.29	0.4	2.44	10	<10	100	1.0	4	0.68	1.2	15	26	45	4.13	10
ZZ71884		0.32	0.5	2.69	11	<10	140	1.2	2	0.85	2.5	16	26	46	4.17	10
ZZ71885		0.34	0.3	3.33	17	<10	180	1.5	2	0.70	2.1	26	33	54	5.04	10
ZZ71886		0.28	0.4	2.97	18	<10	180	1.7	2	0.53	2.7	27	29	93	4.74	10
ZZ71887		0.31	0.3	2.55	10	<10	130	1.0	3	0.63	1.1	13	27	33	4.18	10
ZZ71888		0.27	<0.2	1.25	7	<10	50	<0.5	3	0.09	<0.5	5	15	6	2.46	10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3-AUG-2013
Account: MTT

Project: Miko - HY

CERTIFICATE OF ANALYSIS WH13132869

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
ZZ71849		<1	0.05	20	0.47	293	1	<0.01	16	290	17	0.03	<2	2	10	<20
ZZ71850		<1	0.06	30	0.73	636	<1	0.01	23	480	31	0.03	2	3	16	<20
ZZ71851		<1	0.08	20	0.73	600	1	0.01	18	660	33	0.03	<2	3	19	<20
ZZ71852		<1	0.05	30	0.49	323	2	0.01	26	360	17	0.04	<2	2	12	<20
ZZ71853		<1	0.08	30	0.68	872	1	0.01	37	760	37	0.05	<2	3	26	<20
ZZ71854		<1	0.07	30	0.66	650	2	<0.01	32	750	37	0.04	<2	3	29	<20
ZZ71855		<1	0.09	40	0.81	425	3	0.01	36	570	18	0.02	<2	3	27	<20
ZZ71856		<1	0.05	10	0.28	188	4	<0.01	9	230	12	0.02	<2	2	6	<20
ZZ71857		<1	0.04	20	0.23	182	1	0.01	11	310	18	0.02	<2	2	7	<20
ZZ71858		<1	0.20	70	0.56	1015	4	0.01	45	1050	48	0.08	<2	3	54	<20
ZZ71859		<1	0.04	10	0.19	136	1	0.01	8	390	11	0.03	<2	1	7	<20
ZZ71860		<1	0.11	80	0.61	582	2	0.01	44	890	34	0.07	<2	3	57	<20
ZZ71861		<1	0.04	20	0.45	317	2	<0.01	19	520	17	0.03	<2	2	14	<20
ZZ71862		<1	0.06	30	0.75	487	2	0.01	43	710	29	0.02	<2	3	24	<20
ZZ71863		<1	0.06	20	0.49	318	2	0.01	25	450	23	0.03	<2	2	15	<20
ZZ71864		<1	0.04	20	0.61	495	2	<0.01	27	440	25	0.01	2	2	8	<20
ZZ71865		<1	0.06	20	0.72	579	1	<0.01	38	670	27	0.01	<2	3	15	<20
ZZ71866		<1	0.06	30	0.68	695	2	<0.01	30	720	33	0.03	2	3	16	<20
ZZ71867		<1	0.05	20	0.35	245	1	<0.01	12	800	21	0.02	<2	2	8	<20
ZZ71868		<1	0.08	30	0.79	651	4	<0.01	30	710	30	<0.01	<2	3	18	<20
ZZ71869		<1	0.07	20	0.77	610	3	<0.01	26	600	35	0.01	2	3	14	<20
ZZ71870		<1	0.09	20	0.64	603	5	<0.01	23	570	32	0.01	<2	2	36	<20
ZZ71871		<1	0.11	20	0.51	616	7	<0.01	20	650	53	0.04	<2	3	56	<20
ZZ71872		<1	0.07	20	0.14	75	2	<0.01	6	200	9	0.01	<2	1	5	<20
ZZ71873		<1	0.18	60	0.51	880	9	0.01	34	1270	503	0.09	2	3	59	<20
ZZ71874		<1	0.21	30	0.54	1150	9	0.02	39	900	371	0.05	<2	3	109	<20
ZZ71875		<1	0.05	10	0.21	172	2	<0.01	7	360	19	0.02	2	2	9	<20
ZZ71876		<1	0.03	20	0.14	150	1	<0.01	5	260	16	0.01	<2	1	6	<20
ZZ71877		<1	0.04	20	0.17	136	1	<0.01	5	220	20	0.01	<2	1	5	<20
ZZ71878		<1	0.09	20	0.81	426	1	0.02	24	570	49	0.03	<2	3	36	<20
ZZ71879		<1	0.04	20	0.08	85	4	<0.01	4	210	15	0.01	<2	1	6	<20
ZZ71880		<1	0.09	20	0.69	619	5	<0.01	25	390	47	0.02	<2	3	30	<20
ZZ71881		<1	0.10	40	0.54	783	6	0.02	32	920	142	0.06	<2	3	147	<20
ZZ71882		<1	0.09	30	0.73	642	9	<0.01	28	450	46	0.02	<2	3	34	<20
ZZ71883		<1	0.11	30	0.72	570	8	<0.01	29	610	48	0.04	<2	3	55	<20
ZZ71884		<1	0.16	30	0.69	622	8	<0.01	30	790	55	0.05	<2	3	60	<20
ZZ71885		<1	0.23	30	0.79	788	8	0.01	40	850	75	0.05	<2	4	62	<20
ZZ71886		<1	0.20	40	0.61	580	7	<0.01	44	920	72	0.05	2	3	49	<20
ZZ71887		<1	0.14	20	0.65	595	6	<0.01	26	650	52	0.03	2	3	43	<20
ZZ71888		<1	0.05	20	0.31	267	3	<0.01	9	160	24	0.01	<2	1	9	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3-AUG-2013
Account: MTT

Project: Miko - HY

CERTIFICATE OF ANALYSIS WH13132869

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
ZZ71849		0.05	<10	<10	39	<10	71
ZZ71850		0.06	<10	<10	40	<10	90
ZZ71851		0.09	<10	<10	44	<10	87
ZZ71852		0.02	<10	<10	28	<10	78
ZZ71853		0.01	<10	<10	34	<10	144
ZZ71854		0.01	<10	<10	35	<10	129
ZZ71855		0.02	<10	<10	30	<10	111
ZZ71856		0.11	<10	<10	62	<10	50
ZZ71857		0.06	<10	<10	50	<10	50
ZZ71858		0.02	<10	<10	37	<10	163
ZZ71859		0.05	<10	<10	43	<10	36
ZZ71860		0.02	<10	<10	29	<10	148
ZZ71861		0.04	<10	<10	41	<10	68
ZZ71862		0.04	<10	<10	33	<10	123
ZZ71863		0.02	<10	<10	28	<10	89
ZZ71864		0.02	<10	<10	34	<10	92
ZZ71865		0.03	<10	<10	31	<10	97
ZZ71866		0.01	<10	<10	35	<10	118
ZZ71867		0.06	<10	<10	58	<10	55
ZZ71868		0.05	<10	<10	33	<10	108
ZZ71869		0.03	<10	<10	33	<10	154
ZZ71870		0.03	<10	<10	36	<10	112
ZZ71871		0.03	<10	10	28	<10	362
ZZ71872		0.12	<10	<10	114	<10	26
ZZ71873		0.03	<10	60	36	<10	381
ZZ71874		0.03	<10	20	40	<10	606
ZZ71875		0.10	<10	<10	76	<10	51
ZZ71876		0.06	<10	<10	49	<10	35
ZZ71877		0.05	<10	<10	59	<10	36
ZZ71878		0.06	<10	<10	39	<10	138
ZZ71879		0.10	<10	<10	69	<10	36
ZZ71880		0.04	<10	<10	35	<10	149
ZZ71881		0.03	<10	30	35	<10	406
ZZ71882		0.03	<10	<10	35	<10	125
ZZ71883		0.03	<10	10	33	<10	240
ZZ71884		0.03	<10	10	33	<10	312
ZZ71885		0.03	<10	10	41	<10	378
ZZ71886		0.03	<10	10	40	<10	274
ZZ71887		0.03	<10	<10	37	<10	274
ZZ71888		0.06	<10	<10	43	<10	75

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3-AUG-2013
Account: MTT

Project: Miko - HY

CERTIFICATE OF ANALYSIS WH13132869

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
ZZ71889		0.27	0.2	0.94	3	<10	60	<0.5	<2	0.39	0.7	5	7	20	1.39	<10
ZZ71890		0.23	0.9	2.14	10	<10	100	1.4	<2	1.08	2.2	16	19	44	3.19	10
ZZ71891		0.29	0.4	2.03	14	<10	80	1.6	3	0.80	2.5	20	21	99	3.23	10
ZZ71892		0.31	<0.2	0.99	3	<10	60	<0.5	2	0.22	<0.5	5	15	5	1.74	10
ZZ71893		0.41	0.2	1.12	8	<10	30	<0.5	3	0.02	<0.5	3	14	6	3.18	10
ZZ71894		0.26	0.3	1.64	20	<10	60	1.2	<2	1.21	2.4	7	16	63	2.15	<10
ZZ71895		0.26	0.4	3.09	10	<10	70	1.8	<2	0.84	<0.5	9	25	34	2.65	10
ZZ71896		0.29	<0.2	1.40	8	<10	40	<0.5	3	0.04	<0.5	6	20	8	3.25	10
ZZ71897		0.24	<0.2	1.10	7	<10	40	<0.5	3	0.04	<0.5	5	17	10	3.28	10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3-AUG-2013
Account: MTT

Project: Miko - HY

CERTIFICATE OF ANALYSIS WH13132869

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
ZZ71889		<1	0.08	10	0.16	225	1	0.02	10	290	13	0.03	<2	1	26	<20
ZZ71890		<1	0.09	30	0.44	734	4	<0.01	23	1090	53	0.08	<2	2	68	<20
ZZ71891		<1	0.07	40	0.47	666	6	<0.01	39	650	214	0.04	<2	2	67	<20
ZZ71892		<1	0.05	20	0.35	155	6	<0.01	9	100	27	0.01	<2	2	18	<20
ZZ71893		<1	0.04	10	0.19	129	1	<0.01	7	430	11	0.01	<2	1	6	<20
ZZ71894		<1	0.04	70	0.20	486	2	0.05	15	870	88	0.06	<2	1	84	<20
ZZ71895		<1	0.07	40	0.46	233	3	0.01	20	850	48	0.08	2	2	54	<20
ZZ71896		<1	0.05	20	0.41	231	2	<0.01	14	140	11	0.01	<2	2	11	<20
ZZ71897		<1	0.07	20	0.32	184	2	<0.01	11	230	31	0.01	<2	2	9	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3-AUG-2013
Account: MTT

Project: Miko - HY

CERTIFICATE OF ANALYSIS WH13132869

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
ZZ71889		0.03	<10	<10	15	<10	76
ZZ71890		0.02	<10	<10	24	<10	215
ZZ71891		0.04	<10	10	33	<10	359
ZZ71892		0.07	<10	<10	30	<10	127
ZZ71893		0.10	<10	<10	80	<10	37
ZZ71894		0.03	<10	<10	23	<10	100
ZZ71895		0.05	<10	<10	29	<10	62
ZZ71896		0.08	<10	<10	46	<10	47
ZZ71897		0.08	<10	<10	53	<10	57

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 3-AUG-2013
Account: MTT

Project: Miko - HY

CERTIFICATE OF ANALYSIS WH13132869

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
LOG-22 SCR-41 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME-ICP41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

CERTIFICATE WH13133011

Project: HY (Marg)

P.O. No.:

This report is for 281 Soil samples submitted to our lab in Whitehorse, YT, Canada on 23-JUL-2013.

The following have access to data associated with this certificate:

HEATHER BURRELL	SARAH DRECHSLER	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133011

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
ZZ79710		0.21	0.27	7.21	10.4	1220	2.34	0.40	0.90	2.01	100.5	12.8	62	11.35	33.3	3.49
ZZ79711		0.20	0.63	7.97	14.3	740	2.56	1.83	1.48	1.23	143.0	15.4	70	8.64	37.9	4.05
ZZ79712		0.15	0.85	8.27	15.8	840	2.34	3.28	1.50	3.52	152.5	18.5	68	9.55	25.3	4.23
ZZ79713		0.25	0.50	6.88	12.3	890	2.26	1.67	1.13	1.35	115.0	10.6	54	6.78	35.3	3.23
ZZ79714		0.18	0.67	7.80	9.9	860	2.79	0.99	2.11	2.96	159.0	24.1	60	5.69	27.0	3.74
ZZ79715		0.28	0.83	6.96	4.8	720	2.24	2.08	1.69	2.66	118.0	11.3	47	5.00	15.8	3.52
ZZ79716		0.21	0.26	6.89	8.9	820	1.91	1.37	2.73	2.78	109.5	14.8	62	9.06	24.8	3.96
ZZ79717		0.20	0.68	6.52	5.5	790	1.78	1.06	1.66	4.58	90.4	10.3	48	5.53	25.4	2.79
ZZ79718		0.20	0.08	9.32	13.9	950	2.69	0.61	0.52	0.99	130.0	19.5	79	6.14	19.6	5.01
ZZ79719		0.34	0.43	8.67	23.4	1090	2.78	0.71	1.06	1.70	161.0	35.4	78	11.40	78.4	4.60
ZZ79720		0.29	0.25	8.52	13.6	840	2.68	0.61	0.79	0.48	178.0	25.9	71	6.20	41.7	4.67
ZZ79721		0.23	0.62	7.13	13.0	920	2.54	0.69	1.72	4.78	111.0	15.8	62	9.59	70.4	3.47
ZZ79722		0.31	0.59	7.97	11.7	1120	2.88	1.06	1.80	2.07	121.5	19.6	80	10.80	39.9	4.50
ZZ79723		0.23	0.40	7.79	11.0	950	2.58	0.48	0.84	1.18	127.5	15.9	62	7.16	35.8	3.87
ZZ79724		0.19	0.36	8.95	8.5	1000	2.81	1.11	1.16	1.32	128.5	17.4	76	6.25	36.1	4.47
ZZ79725		0.25	0.64	7.79	10.1	820	2.41	1.37	1.64	3.15	130.5	19.5	67	7.88	48.3	4.19
ZZ79726		0.21	0.42	8.47	9.2	710	2.55	2.37	1.71	1.89	126.5	23.9	79	7.14	21.3	4.67
ZZ79727		0.17	0.42	7.98	15.7	890	2.62	0.95	1.05	2.30	158.0	15.0	65	9.20	31.9	3.80
ZZ79728		0.24	0.83	7.85	9.4	1050	2.39	1.33	1.39	4.80	119.5	14.7	69	9.34	37.0	3.90
ZZ79729		0.20	0.13	8.25	5.9	730	2.52	1.72	1.55	1.10	119.0	14.9	61	4.96	18.1	4.05
ZZ79730		0.23	0.62	8.24	6.3	790	2.41	1.71	1.16	1.15	109.0	10.4	63	5.36	14.6	4.14
ZZ79731		0.29	0.48	8.08	10.9	840	2.91	1.67	1.66	1.54	134.0	14.6	59	7.31	20.0	3.82
ZZ79732		0.19	0.94	7.33	30.4	800	3.09	0.80	1.49	3.45	136.0	34.1	60	12.00	89.3	3.54
ZZ79733		0.25	1.21	8.61	37.0	810	3.91	0.79	1.45	3.05	132.0	37.4	75	17.55	115.5	4.42
ZZ79734		0.24	0.51	8.47	38.9	1020	3.17	1.07	0.94	1.08	151.5	34.1	84	19.70	83.2	4.59
ZZ79735		0.25	0.58	9.34	17.8	820	3.49	0.82	2.14	1.77	144.5	20.0	94	9.79	75.7	5.69
ZZ79736		0.29	0.77	7.90	9.1	870	2.44	0.77	1.10	1.29	117.0	13.5	66	7.14	31.9	3.85
ZZ79737		0.23	0.79	7.48	10.3	980	2.74	0.67	1.16	5.69	117.0	18.4	71	10.55	98.4	3.67
ZZ79738		0.26	0.17	8.55	8.9	880	2.21	0.73	0.77	0.75	124.5	13.4	72	4.73	20.9	4.36
ZZ79739		0.25	0.25	8.65	24.4	860	2.43	0.48	0.89	0.74	126.0	15.8	72	4.50	20.3	4.24
ZZ79740		0.27	0.44	7.95	5.4	850	2.08	0.52	0.73	1.07	114.0	11.6	70	5.21	16.3	4.15
ZZ79741		0.29	1.11	7.82	9.5	760	2.80	2.02	1.98	3.51	140.0	13.5	59	6.27	28.1	4.21
ZZ79742		0.20	1.51	7.63	8.1	760	2.48	3.89	1.96	5.45	136.0	17.4	60	5.91	24.4	4.28
ZZ79743		0.26	0.21	8.55	10.4	970	2.90	2.30	1.28	2.11	133.5	18.3	68	5.70	42.8	4.50
ZZ79744		0.23	0.35	8.65	14.2	900	2.84	0.93	0.90	1.68	173.5	22.0	76	9.57	49.6	4.53
ZZ79745		0.23	0.82	8.05	6.2	920	2.01	0.67	0.69	0.74	110.0	11.1	68	6.49	25.7	3.57
ZZ79746		0.18	0.10	8.80	5.2	830	2.43	0.31	0.74	0.44	118.5	15.7	77	5.31	25.3	4.71
ZZ79747		0.31	0.71	8.34	7.8	940	2.56	1.04	1.03	2.22	116.0	15.8	72	7.56	37.8	4.26
ZZ79748		0.16	3.10	7.71	13.8	820	4.25	2.98	1.82	8.56	131.0	20.9	80	19.25	149.0	4.12
ZZ79749		0.19	0.17	8.20	6.4	960	2.58	0.47	0.70	0.83	103.0	17.6	76	4.82	27.8	4.22

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133011

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
ZZ79710		17.25	0.22	2.5	0.061	2.27	53.9	71.7	2.16	621	3.56	0.58	13.3	44.3	500	41.9
ZZ79711		20.1	0.29	1.7	0.071	1.97	70.3	66.4	1.07	615	1.44	1.03	18.1	41.4	520	235
ZZ79712		20.7	0.25	1.8	0.082	2.54	61.8	59.6	1.22	1340	2.08	0.77	17.5	36.4	680	335
ZZ79713		17.55	0.23	2.1	0.062	2.22	57.9	50.9	0.95	579	1.76	0.83	14.3	29.9	420	134.5
ZZ79714		19.45	0.27	1.8	0.059	2.38	67.4	55.6	1.16	905	0.85	0.96	18.3	34.6	950	229
ZZ79715		17.65	0.24	1.6	0.080	2.10	58.6	43.2	0.84	910	0.70	1.04	17.1	25.4	710	290
ZZ79716		19.65	0.23	1.9	0.065	1.96	53.6	65.8	1.20	765	1.73	0.76	17.9	31.9	390	101.0
ZZ79717		16.95	0.21	2.1	0.054	1.87	46.9	40.9	0.86	763	1.89	0.99	13.8	22.5	770	75.4
ZZ79718		25.5	0.25	2.3	0.094	2.89	66.7	62.9	1.02	739	0.92	0.90	20.6	46.0	600	26.9
ZZ79719		23.2	0.25	2.3	0.091	2.61	99.6	57.1	1.06	769	2.78	0.89	18.4	60.1	890	87.5
ZZ79720		22.7	0.18	2.3	0.081	2.69	70.0	55.5	1.01	762	0.82	1.01	19.7	64.2	760	60.9
ZZ79721		18.15	0.22	2.2	0.065	1.92	96.1	53.3	1.17	687	2.22	0.84	13.8	35.7	1150	125.5
ZZ79722		22.3	0.21	2.2	0.081	2.42	59.1	69.9	1.41	702	2.05	0.93	17.6	51.6	610	214
ZZ79723		18.75	0.19	2.3	0.077	2.10	61.4	51.0	1.81	530	2.31	0.60	14.7	39.3	470	60.2
ZZ79724		23.0	0.17	2.0	0.083	2.68	56.7	55.5	1.24	753	1.23	1.02	18.1	46.2	730	92.3
ZZ79725		19.80	0.19	2.0	0.077	2.20	77.6	52.8	1.10	856	1.64	0.99	17.9	43.4	850	244
ZZ79726		22.7	0.19	2.0	0.090	2.29	62.5	56.7	1.19	1100	1.41	0.97	18.7	42.3	630	180.5
ZZ79727		21.3	0.16	2.0	0.081	2.76	57.7	56.2	1.00	882	1.75	0.80	18.7	36.5	670	221
ZZ79728		19.95	0.17	2.2	0.081	2.37	61.1	57.8	1.36	813	2.15	0.77	17.6	38.7	770	168.0
ZZ79729		20.3	0.17	1.7	0.086	2.36	57.6	51.6	0.98	950	0.94	0.94	18.2	31.9	770	170.0
ZZ79730		20.2	0.16	2.1	0.101	2.27	56.5	53.1	0.99	687	1.34	0.79	17.8	29.3	410	85.3
ZZ79731		21.1	0.16	1.9	0.116	2.87	60.5	50.7	0.96	1460	0.80	0.78	18.4	29.5	720	268
ZZ79732		17.60	0.34	2.4	0.068	1.99	137.5	49.7	0.90	669	2.46	0.81	12.7	45.5	1250	105.0
ZZ79733		21.6	0.48	2.4	0.091	2.31	191.0	61.9	0.88	686	2.53	0.71	16.2	61.7	1320	102.5
ZZ79734		22.0	0.21	2.5	0.087	2.47	61.5	78.1	2.06	628	4.01	0.56	15.6	83.6	700	173.5
ZZ79735		25.8	0.21	2.4	0.082	1.98	72.5	95.9	1.52	692	1.29	1.17	23.3	48.1	750	101.5
ZZ79736		20.6	0.18	2.3	0.073	2.32	63.6	52.5	1.22	583	1.76	0.95	17.0	37.4	700	186.5
ZZ79737		18.65	0.24	2.5	0.073	2.13	96.1	67.4	1.30	713	2.10	0.76	15.8	42.7	1210	94.9
ZZ79738		21.8	0.16	2.3	0.081	2.54	58.8	51.8	1.04	649	1.04	0.93	18.4	37.5	480	54.4
ZZ79739		22.5	0.18	2.4	0.086	2.59	61.4	51.7	1.06	665	0.92	0.93	19.3	38.5	640	41.4
ZZ79740		21.8	0.16	2.3	0.077	2.34	55.3	62.3	0.97	589	1.19	0.90	18.5	30.9	440	28.9
ZZ79741		18.90	0.20	1.9	0.070	2.10	65.7	52.3	1.28	966	1.11	0.99	20.0	34.9	970	366
ZZ79742		19.95	0.18	2.1	0.081	2.35	65.0	48.4	1.07	1390	0.96	0.94	19.8	33.0	800	696
ZZ79743		23.0	0.20	2.2	0.076	2.66	69.0	53.1	1.15	1160	0.95	0.92	19.4	38.5	740	238
ZZ79744		23.7	0.21	2.4	0.081	2.54	68.8	60.1	1.07	754	1.84	0.86	19.0	50.5	610	80.1
ZZ79745		22.1	0.18	2.6	0.067	2.45	59.6	46.4	0.86	535	2.02	0.99	17.1	25.9	550	69.2
ZZ79746		22.9	0.19	2.0	0.077	2.58	58.7	56.0	1.01	685	1.13	0.92	21.3	39.8	690	36.1
ZZ79747		21.8	0.19	2.4	0.075	2.48	68.3	56.7	1.21	745	1.83	0.83	17.7	37.0	730	132.5
ZZ79748		19.30	0.48	2.4	0.074	1.96	193.5	56.8	1.14	1140	2.30	0.68	14.8	44.0	1660	568
ZZ79749		22.5	0.16	2.4	0.076	2.62	45.8	52.6	1.12	682	1.12	0.83	18.6	39.6	600	47.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133011

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
ZZ79710		102.0	<0.002	0.02	2.21	11.7	1	2.2	117.5	0.99	<0.05	14.3	0.381	0.77	5.2	197
ZZ79711		110.5	<0.002	0.02	0.64	13.4	1	2.8	255	1.30	<0.05	19.1	0.451	0.72	6.1	98
ZZ79712		157.0	<0.002	0.01	0.79	14.4	1	3.1	222	1.30	0.10	21.0	0.481	0.95	3.3	101
ZZ79713		111.5	<0.002	0.02	0.77	11.3	1	2.5	161.0	1.12	<0.05	15.4	0.390	0.78	4.3	108
ZZ79714		121.5	<0.002	0.01	0.68	13.6	1	3.2	412	1.36	<0.05	24.5	0.457	0.80	4.2	77
ZZ79715		113.0	<0.002	<0.01	0.76	11.5	<1	2.7	245	1.30	0.06	16.5	0.489	0.69	2.7	73
ZZ79716		117.0	<0.002	0.01	0.86	12.4	<1	2.8	297	1.26	0.05	11.4	0.507	0.66	3.1	120
ZZ79717		101.0	<0.002	0.04	0.74	10.4	1	2.3	285	1.03	0.05	11.5	0.384	0.62	3.6	90
ZZ79718		148.0	<0.002	0.01	0.41	16.7	1	2.9	151.0	1.46	0.06	19.3	0.561	0.83	2.7	97
ZZ79719		139.0	<0.002	0.03	1.02	15.6	3	2.7	179.0	1.27	<0.05	21.7	0.484	0.88	5.5	128
ZZ79720		135.0	<0.002	<0.01	0.57	15.1	2	2.7	177.0	1.37	<0.05	18.1	0.579	0.75	2.6	96
ZZ79721		104.5	<0.002	0.06	0.98	12.5	3	2.1	219	0.99	<0.05	18.2	0.346	0.74	8.1	108
ZZ79722		112.0	<0.002	0.01	1.25	15.4	2	2.6	282	1.21	0.06	15.8	0.440	0.92	3.8	132
ZZ79723		99.1	<0.002	0.02	1.37	12.0	2	2.1	123.5	1.00	<0.05	16.0	0.379	0.68	3.7	136
ZZ79724		139.0	<0.002	0.01	0.78	15.1	1	2.8	215	1.22	<0.05	16.6	0.465	0.87	2.8	116
ZZ79725		116.5	<0.002	0.02	0.81	13.3	2	2.6	219	1.21	<0.05	16.6	0.486	0.73	5.9	103
ZZ79726		123.5	<0.002	0.02	0.58	14.8	2	2.9	228	1.24	<0.05	16.8	0.483	0.80	3.4	100
ZZ79727		157.0	<0.002	0.02	0.68	13.7	1	3.1	174.0	1.31	<0.05	18.8	0.470	0.91	3.7	100
ZZ79728		123.5	<0.002	0.03	1.36	13.8	2	2.5	187.0	1.23	<0.05	15.8	0.477	0.75	3.4	145
ZZ79729		121.5	<0.002	0.01	0.67	12.9	1	3.1	231	1.29	<0.05	15.6	0.474	0.71	2.6	83
ZZ79730		119.5	<0.002	0.02	0.68	12.5	2	2.8	177.5	1.22	<0.05	14.5	0.451	0.69	3.0	90
ZZ79731		159.0	<0.002	<0.01	0.82	13.1	2	3.8	209	1.38	0.05	21.7	0.453	0.95	3.3	74
ZZ79732		107.0	<0.002	0.07	0.73	12.1	4	1.9	191.5	0.93	<0.05	22.6	0.323	0.76	8.5	99
ZZ79733		130.0	<0.002	0.07	0.62	16.3	6	2.3	181.0	1.08	<0.05	30.4	0.396	0.86	12.7	100
ZZ79734		108.5	0.002	0.03	2.01	14.9	2	2.8	159.5	1.05	0.05	19.8	0.388	0.84	5.1	207
ZZ79735		84.1	<0.002	0.02	0.52	18.2	3	2.8	408	1.48	<0.05	20.4	0.498	0.74	4.8	109
ZZ79736		123.0	<0.002	0.02	0.85	13.0	2	2.5	184.5	1.14	<0.05	15.1	0.427	0.73	3.4	118
ZZ79737		124.5	<0.002	0.05	1.14	13.4	3	2.3	151.5	1.09	<0.05	19.0	0.396	0.85	9.5	127
ZZ79738		129.5	<0.002	0.01	0.61	14.2	1	2.7	145.5	1.27	<0.05	14.6	0.513	0.74	2.4	108
ZZ79739		130.0	<0.002	0.01	0.65	14.7	1	2.7	151.5	1.27	<0.05	14.8	0.514	0.73	2.4	102
ZZ79740		124.0	<0.002	0.01	0.54	13.5	1	2.6	140.5	1.24	<0.05	12.1	0.501	0.71	2.5	102
ZZ79741		108.5	<0.002	0.01	0.77	12.3	2	2.8	343	1.41	0.07	18.0	0.580	0.67	4.2	91
ZZ79742		121.0	<0.002	<0.01	0.75	13.3	2	2.9	229	1.40	0.08	17.3	0.564	0.74	2.8	84
ZZ79743		137.0	<0.002	<0.01	0.80	15.1	2	3.1	217	1.29	0.07	18.0	0.518	0.84	2.8	100
ZZ79744		137.5	<0.002	0.02	0.75	15.6	2	2.6	170.0	1.35	<0.05	22.3	0.497	0.87	4.4	108
ZZ79745		132.5	<0.002	0.02	0.62	13.0	1	2.6	163.0	1.20	<0.05	12.1	0.469	0.80	3.1	109
ZZ79746		131.0	<0.002	0.01	0.44	15.1	2	2.5	170.5	1.48	<0.05	16.1	0.626	0.79	2.4	94
ZZ79747		128.5	<0.002	0.02	0.86	14.7	2	2.7	197.0	1.22	<0.05	15.2	0.479	0.75	4.3	121
ZZ79748		123.0	<0.002	0.08	1.02	18.0	6	2.2	291	1.03	<0.05	23.6	0.334	0.84	26.2	110
ZZ79749		117.5	<0.002	0.01	0.81	15.0	1	2.7	137.0	1.22	<0.05	12.9	0.511	0.77	2.4	114

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133011

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
ZZ79710		1.7	24.6	704	82.2
ZZ79711		2.4	28.2	509	58.3
ZZ79712		4.2	26.6	1390	58.9
ZZ79713		2.8	23.1	383	68.0
ZZ79714		3.1	28.7	397	58.5
ZZ79715		7.9	24.7	1680	58.0
ZZ79716		2.8	21.8	1400	62.1
ZZ79717		3.1	20.7	411	72.1
ZZ79718		3.2	25.8	113	71.7
ZZ79719		2.9	40.9	232	75.3
ZZ79720		4.7	26.9	190	71.7
ZZ79721		2.7	44.9	410	70.5
ZZ79722		4.5	29.3	626	68.5
ZZ79723		2.1	27.3	211	76.4
ZZ79724		2.9	24.2	225	63.5
ZZ79725		6.0	32.6	654	63.8
ZZ79726		3.8	25.4	747	63.5
ZZ79727		5.5	25.7	785	66.8
ZZ79728		4.4	30.7	1550	73.4
ZZ79729		5.4	23.5	382	55.2
ZZ79730		6.9	22.7	380	68.0
ZZ79731		6.8	25.1	661	57.3
ZZ79732		3.0	63.5	260	75.6
ZZ79733		3.6	93.3	245	86.6
ZZ79734		3.7	32.5	479	80.7
ZZ79735		4.3	40.8	383	79.8
ZZ79736		2.6	26.6	302	74.6
ZZ79737		2.8	54.0	623	78.3
ZZ79738		5.9	23.1	181	75.0
ZZ79739		5.2	24.1	130	76.5
ZZ79740		3.5	20.5	389	73.4
ZZ79741		5.1	27.4	1690	57.6
ZZ79742		6.8	25.9	3320	64.2
ZZ79743		5.2	29.1	566	72.8
ZZ79744		5.7	35.0	298	78.8
ZZ79745		3.0	24.0	223	82.5
ZZ79746		2.4	22.6	110	65.8
ZZ79747		3.1	33.3	562	79.3
ZZ79748		3.5	136.5	2050	75.1
ZZ79749		2.7	20.8	195	78.1

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133011

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
ZZ79750		0.21	0.71	8.15	5.9	880	2.21	1.11	0.90	1.25	105.5	13.1	71	5.89	19.8	4.38
ZZ79751		0.36	0.88	7.83	8.0	850	2.66	1.60	1.53	1.82	142.0	14.9	65	7.85	29.6	3.99
ZZ79752		0.23	1.14	8.67	6.3	850	2.70	1.20	1.03	1.14	121.5	16.9	74	5.51	24.5	4.43
ZZ79753		0.27	0.16	8.81	7.3	920	2.47	0.78	0.86	0.59	109.0	14.8	76	5.83	23.0	4.40
ZZ79754		0.25	0.16	9.38	7.7	860	2.66	0.97	0.50	0.50	137.5	15.0	85	5.44	37.7	4.94
ZZ79755		0.25	0.51	6.42	10.4	1410	1.43	0.62	0.53	0.51	91.8	8.2	74	7.35	21.0	3.79
ZZ79756		0.19	0.32	8.83	9.3	810	2.00	0.72	0.38	0.26	100.0	11.4	91	6.66	21.5	5.48
ZZ79757		0.21	0.70	7.76	4.2	700	2.89	6.11	3.04	3.22	114.0	14.8	69	7.62	19.7	4.17
ZZ79758		0.22	1.57	7.94	3.6	740	2.19	4.09	2.31	1.69	91.7	12.0	62	8.48	21.3	3.54
ZZ79759		0.26	0.20	7.92	4.1	750	2.50	3.59	2.50	1.86	119.5	16.8	78	6.40	25.8	4.07
ZZ79760		0.28	0.36	7.58	6.6	800	1.72	0.80	0.69	0.64	93.9	10.5	76	5.95	15.0	5.33
ZZ79761		0.18	0.47	7.97	6.0	840	2.28	1.19	0.84	1.55	114.5	13.4	70	7.15	20.4	4.29
ZZ79762		0.18	0.14	6.98	5.8	960	1.50	0.56	0.58	5.80	89.2	6.9	65	5.57	12.1	3.42
ZZ79763		0.18	0.35	6.19	5.5	850	1.50	0.41	0.44	0.46	84.3	6.0	58	5.92	11.0	3.16
ZZ79764		0.24	0.26	7.17	6.9	950	1.71	0.40	0.50	0.35	99.6	8.1	68	6.04	14.4	3.43
ZZ79765		0.16	0.59	7.41	7.1	940	1.87	0.51	0.70	0.61	96.1	10.5	65	5.44	19.1	3.84
ZZ79766		0.25	0.46	8.21	8.3	850	2.00	0.50	0.51	0.50	107.0	11.7	78	4.78	17.6	4.77
ZZ79767		0.28	0.15	7.94	7.3	880	1.88	0.52	0.40	0.50	99.9	9.0	74	5.30	15.1	4.29
ZZ79768		0.18	0.41	7.65	3.9	950	1.91	0.43	0.94	0.59	93.9	11.2	53	5.18	30.7	2.75
ZZ79769		0.26	0.16	8.70	8.4	980	2.59	0.53	0.49	0.46	126.5	15.2	83	6.60	34.7	4.40
ZZ79770		0.26	0.30	8.41	9.0	980	2.24	0.61	0.48	0.64	106.5	11.6	84	6.45	34.4	4.37
ZZ79771		0.14	0.45	8.81	9.5	1160	2.77	0.75	0.94	1.23	134.0	19.0	83	9.01	56.7	4.29
ZZ79772		0.14	0.37	8.98	9.6	1160	2.73	0.67	0.62	0.70	109.0	17.5	87	7.12	45.6	4.54
ZZ79773		0.25	0.31	8.67	7.7	1040	2.29	0.55	0.53	0.49	102.5	11.0	83	6.93	32.7	4.10
ZZ79774		0.16	0.39	8.01	7.4	1020	2.22	0.50	0.57	0.77	83.9	10.3	76	6.94	43.5	3.46
ZZ79775		0.23	0.43	9.42	12.4	1230	2.72	0.85	0.72	1.00	96.6	20.2	95	9.17	77.2	4.76
ZZ79776		0.19	0.50	8.83	11.6	1170	2.63	0.79	0.61	0.94	106.5	17.0	85	8.27	82.8	4.48
ZZ79777		0.13	0.33	9.91	17.6	1370	3.44	0.89	0.72	1.60	98.5	26.6	104	11.50	118.5	5.24
ZZ79778		0.16	0.13	8.97	13.8	1180	2.91	0.63	0.59	0.57	108.0	36.2	94	9.17	82.5	4.89
ZZ79779		0.25	0.33	8.31	9.7	1090	2.15	0.44	0.81	0.53	79.5	14.2	65	7.48	50.1	3.90
ZZ79780		0.23	0.43	8.24	14.0	1200	2.50	0.60	0.56	1.78	96.3	22.5	84	10.05	62.1	4.48
ZZ79781		0.27	0.32	8.55	14.5	1140	2.89	0.62	0.69	0.86	102.0	26.2	81	9.60	77.0	4.42
ZZ79782		0.22	0.47	7.92	13.1	1060	2.48	0.50	0.53	0.54	107.5	16.0	75	8.39	53.4	4.31
ZZ79783		0.21	0.27	7.99	13.4	1130	2.41	0.50	0.43	0.94	111.0	15.7	79	9.05	69.0	4.32
ZZ79784		0.26	0.31	7.76	13.4	1070	2.30	0.52	0.70	0.53	124.0	18.7	71	9.45	63.6	4.02
ZZ79785		0.22	0.12	7.75	11.6	910	2.01	0.40	0.41	0.42	101.5	10.4	78	5.89	25.1	4.57
ZZ79786		0.20	0.29	7.11	7.7	1090	1.76	0.35	1.02	0.51	91.3	9.2	67	7.30	21.1	3.60
ZZ79787		0.23	0.29	8.07	12.9	1110	2.40	0.44	0.71	0.30	110.0	16.4	79	8.48	32.0	4.07
ZZ79788		0.27	0.14	8.35	10.4	1060	2.31	0.37	0.46	0.68	113.0	9.1	78	9.91	19.7	3.34
ZZ79789		0.26	0.23	6.39	8.1	1200	1.68	0.27	1.08	0.81	99.3	7.5	56	6.05	16.8	2.60

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133011

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
ZZ79750		22.6	0.16	2.2	0.076	2.41	53.4	54.9	1.07	754	1.41	0.83	19.7	31.7	570	77.7
ZZ79751		21.8	0.21	2.1	0.076	2.76	71.0	64.2	0.96	746	1.07	0.80	19.0	33.4	560	160.5
ZZ79752		22.8	0.18	2.1	0.074	2.53	58.2	55.2	1.11	729	1.32	0.84	19.3	39.2	610	135.0
ZZ79753		23.2	0.15	2.3	0.082	2.48	54.4	58.1	1.21	625	1.26	0.78	19.0	41.2	600	65.7
ZZ79754		27.3	0.18	2.7	0.097	2.90	64.2	59.1	0.98	708	0.98	0.95	20.1	41.4	660	56.8
ZZ79755		22.4	0.16	3.0	0.064	2.21	46.6	35.2	1.88	361	5.80	0.37	15.7	31.0	850	43.5
ZZ79756		27.3	0.17	2.7	0.088	2.72	48.4	53.0	1.00	616	1.59	0.66	19.7	33.0	680	32.7
ZZ79757		22.8	0.20	1.4	0.159	2.19	52.2	44.5	0.84	1980	1.61	0.85	20.2	32.8	800	235
ZZ79758		22.0	0.14	2.1	0.101	2.19	46.4	38.2	0.79	1340	2.08	1.21	16.6	25.2	950	285
ZZ79759		22.7	0.17	1.4	0.088	2.36	52.3	44.2	0.92	1530	0.73	0.96	19.7	38.0	540	325
ZZ79760		24.1	0.15	2.2	0.077	2.24	45.8	51.6	1.01	561	1.63	0.65	21.0	28.7	310	42.8
ZZ79761		22.3	0.20	2.2	0.075	2.20	59.8	50.4	0.98	723	1.82	0.80	17.8	29.6	790	136.0
ZZ79762		22.4	0.14	2.5	0.066	2.37	45.7	36.7	1.15	425	3.25	0.66	17.4	22.1	410	28.5
ZZ79763		18.85	0.15	2.3	0.055	1.95	42.4	38.4	0.98	296	2.11	0.73	17.2	16.8	560	39.9
ZZ79764		21.0	0.16	2.4	0.063	2.36	49.7	41.5	1.16	440	2.04	0.70	19.0	23.7	550	33.3
ZZ79765		20.3	0.14	2.3	0.063	2.25	46.9	44.5	1.12	506	2.26	0.78	17.3	29.6	700	40.7
ZZ79766		23.8	0.18	2.3	0.075	2.45	51.4	49.5	1.02	572	1.57	0.74	19.1	33.5	490	36.6
ZZ79767		23.3	0.18	2.6	0.074	2.54	49.4	45.8	0.98	460	1.78	0.69	19.9	27.8	300	31.3
ZZ79768		20.4	0.18	2.8	0.056	2.37	55.8	34.6	0.77	464	2.01	1.43	12.8	21.0	890	36.8
ZZ79769		24.3	0.21	2.5	0.079	2.66	69.1	56.0	1.11	617	1.79	0.76	18.1	38.9	610	37.1
ZZ79770		24.2	0.18	2.5	0.082	2.59	51.7	49.6	1.05	511	2.14	0.72	18.0	34.1	610	45.8
ZZ79771		24.4	0.35	2.7	0.087	2.49	110.0	56.5	1.21	567	3.06	0.55	14.7	48.0	900	56.2
ZZ79772		25.5	0.22	2.9	0.081	2.68	57.6	57.3	1.29	574	2.71	0.67	16.4	44.9	790	50.9
ZZ79773		24.8	0.19	2.7	0.076	2.76	51.8	50.1	1.15	492	1.91	0.78	17.9	33.1	690	35.9
ZZ79774		22.4	0.15	2.7	0.068	2.51	45.6	39.3	1.01	370	2.55	0.77	14.6	32.1	1050	39.9
ZZ79775		26.0	0.21	2.9	0.088	2.86	57.7	62.0	1.38	640	3.31	0.58	16.5	49.1	740	58.4
ZZ79776		25.8	0.23	3.1	0.089	2.75	67.5	58.4	1.21	510	3.31	0.73	16.3	44.9	710	47.1
ZZ79777		27.9	0.27	3.2	0.104	2.84	62.4	71.7	1.46	525	3.56	0.37	13.1	79.3	930	57.7
ZZ79778		25.8	0.22	3.0	0.085	2.80	67.4	63.7	1.37	686	2.68	0.55	15.7	68.1	820	42.3
ZZ79779		22.1	0.17	3.1	0.065	2.58	43.4	48.3	1.14	474	2.48	1.18	13.5	44.6	770	33.0
ZZ79780		23.5	0.18	2.9	0.085	2.58	53.9	61.7	1.44	565	2.79	0.58	15.5	64.3	710	37.3
ZZ79781		23.3	0.25	3.0	0.088	2.64	67.1	59.6	1.36	553	3.05	0.71	14.5	69.2	590	46.2
ZZ79782		22.2	0.17	2.8	0.076	2.37	57.5	60.2	1.33	454	2.66	0.62	16.1	54.7	580	39.9
ZZ79783		22.2	0.20	2.7	0.081	2.37	60.7	62.3	1.43	432	2.73	0.55	16.1	61.2	640	42.1
ZZ79784		22.1	0.21	2.9	0.078	2.34	75.0	61.5	1.25	546	2.75	0.81	15.1	53.8	640	40.4
ZZ79785		24.0	0.17	2.8	0.072	2.48	50.3	43.3	1.15	461	2.16	0.66	18.6	33.3	450	24.0
ZZ79786		18.95	0.17	2.4	0.058	2.22	47.3	54.8	1.51	384	2.62	0.50	14.1	31.7	890	36.7
ZZ79787		21.9	0.20	2.9	0.079	2.70	54.4	64.8	1.55	579	3.02	0.49	16.2	36.2	930	46.8
ZZ79788		26.2	0.18	3.1	0.074	3.05	55.8	52.0	1.18	444	3.19	0.57	19.0	30.3	650	23.4
ZZ79789		18.25	0.20	2.7	0.046	2.34	52.1	35.4	1.56	333	2.91	0.75	15.1	27.3	610	25.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133011

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
ZZ79750		130.5	<0.002	0.02	0.71	14.0	1	2.9	175.5	1.34	<0.05	13.6	0.513	0.75	2.8	114
ZZ79751		141.5	<0.002	0.01	0.69	14.5	2	3.8	220	1.35	<0.05	18.7	0.472	0.86	4.0	87
ZZ79752		137.0	<0.002	0.01	0.69	15.2	2	2.9	185.0	1.27	<0.05	16.9	0.511	0.78	2.6	106
ZZ79753		129.5	<0.002	0.01	0.87	15.4	2	2.8	164.0	1.27	<0.05	15.6	0.483	0.78	2.6	121
ZZ79754		154.0	<0.002	0.01	0.47	18.7	1	3.4	123.0	1.35	<0.05	16.4	0.535	0.85	2.6	104
ZZ79755		128.0	<0.002	0.03	2.58	11.0	1	2.6	82.1	1.06	0.05	10.7	0.411	0.78	3.9	317
ZZ79756		154.0	<0.002	0.02	0.62	16.2	1	3.2	91.3	1.30	<0.05	14.3	0.524	0.84	2.7	125
ZZ79757		125.0	<0.002	0.02	1.02	12.9	1	5.8	353	1.49	0.32	18.7	0.463	0.87	5.7	78
ZZ79758		123.5	<0.002	0.03	0.78	11.5	1	3.7	349	1.15	0.13	14.7	0.429	0.74	5.4	80
ZZ79759		124.0	<0.002	<0.01	0.90	13.6	2	3.9	316	1.35	0.11	18.4	0.465	0.84	3.2	89
ZZ79760		128.5	<0.002	0.01	0.80	13.2	1	3.0	153.0	1.35	<0.05	11.6	0.509	0.69	2.3	129
ZZ79761		136.5	<0.002	0.02	0.65	13.5	1	2.6	179.0	1.20	<0.05	13.7	0.467	0.69	3.3	106
ZZ79762		142.0	<0.002	0.02	1.23	11.6	1	2.6	127.0	1.18	<0.05	10.1	0.478	0.75	2.8	172
ZZ79763		116.0	<0.002	0.02	0.87	9.0	1	2.4	103.5	1.18	<0.05	11.4	0.398	0.59	2.6	131
ZZ79764		126.5	0.002	0.01	1.00	11.6	1	2.7	106.5	1.28	<0.05	11.8	0.500	0.68	2.8	141
ZZ79765		121.5	0.002	0.02	1.02	11.7	1	2.4	138.5	1.17	<0.05	12.9	0.460	0.68	2.7	136
ZZ79766		134.5	<0.002	0.02	0.75	14.4	1	2.8	112.0	1.25	<0.05	14.5	0.505	0.81	2.5	121
ZZ79767		132.0	<0.002	0.01	0.76	13.8	1	3.0	101.5	1.34	<0.05	12.9	0.507	0.82	2.6	123
ZZ79768		119.5	<0.002	0.02	0.64	10.5	1	2.0	268	0.90	<0.05	11.1	0.349	0.67	3.7	98
ZZ79769		147.0	<0.002	0.02	0.75	15.6	1	2.8	120.5	1.21	<0.05	15.6	0.479	0.89	3.6	136
ZZ79770		151.0	<0.002	0.02	0.89	14.6	1	2.8	105.5	1.20	<0.05	15.5	0.467	0.88	3.2	147
ZZ79771		153.5	<0.002	0.04	1.16	15.8	2	2.6	154.0	0.98	0.06	17.6	0.369	0.94	6.1	158
ZZ79772		137.5	<0.002	0.02	1.09	16.4	2	2.8	133.5	1.12	<0.05	15.5	0.429	0.94	4.1	175
ZZ79773		152.0	<0.002	0.02	0.98	15.5	1	2.7	126.0	1.20	<0.05	13.6	0.487	0.89	3.1	159
ZZ79774		137.0	<0.002	0.05	1.06	13.5	1	2.4	145.0	0.98	0.05	13.0	0.396	0.88	3.7	160
ZZ79775		163.0	<0.002	0.02	1.25	16.9	2	2.9	117.0	1.14	0.05	16.2	0.441	0.98	4.4	201
ZZ79776		146.0	<0.002	0.02	1.15	17.2	1	2.7	135.0	1.09	<0.05	14.5	0.437	0.91	4.5	177
ZZ79777		142.5	<0.002	0.04	1.69	19.9	2	2.8	109.5	0.89	0.07	19.5	0.350	1.07	6.0	229
ZZ79778		143.0	<0.002	0.04	1.27	18.8	2	2.8	116.5	1.13	0.05	17.9	0.427	0.94	4.4	187
ZZ79779		126.0	<0.002	0.03	1.16	12.4	1	2.0	224	0.89	<0.05	12.9	0.375	0.76	3.3	146
ZZ79780		137.5	<0.002	0.03	1.39	15.0	1	2.5	110.5	1.01	0.06	14.7	0.404	0.87	3.5	179
ZZ79781		142.0	<0.002	0.02	1.42	14.9	2	2.5	142.5	0.97	0.05	15.7	0.387	0.91	4.1	175
ZZ79782		135.0	<0.002	0.02	1.26	14.0	2	2.4	103.5	1.05	<0.05	14.5	0.405	0.85	3.6	161
ZZ79783		131.0	<0.002	0.02	1.44	13.8	2	2.5	85.9	1.06	0.07	14.9	0.413	0.87	3.7	182
ZZ79784		138.5	0.002	0.02	1.22	12.6	1	2.4	152.0	1.01	0.06	14.5	0.393	0.87	3.7	159
ZZ79785		132.5	<0.002	0.02	1.14	14.6	1	2.7	83.2	1.23	<0.05	12.5	0.497	0.76	3.0	167
ZZ79786		113.5	<0.002	0.04	1.17	10.8	1	2.0	117.5	0.94	<0.05	10.8	0.385	0.72	3.1	159
ZZ79787		133.0	0.004	0.03	1.02	14.7	3	2.4	93.1	1.10	<0.05	15.5	0.435	0.92	6.4	191
ZZ79788		180.0	<0.002	0.02	1.29	15.6	1	2.8	110.0	1.24	<0.05	13.2	0.481	1.07	4.6	195
ZZ79789		106.5	<0.002	0.02	1.67	10.0	1	2.1	150.0	1.01	<0.05	9.5	0.379	0.67	3.3	212

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133011

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
ZZ79750		3.4	21.6	308	74.5
ZZ79751		4.5	34.9	563	65.2
ZZ79752		3.5	24.3	299	68.9
ZZ79753		4.8	22.4	186	74.9
ZZ79754		3.3	24.9	134	85.7
ZZ79755		2.0	17.1	142	96.7
ZZ79756		3.4	17.7	120	94.0
ZZ79757		7.3	23.7	562	47.8
ZZ79758		4.1	20.5	537	74.7
ZZ79759		5.7	21.8	464	47.8
ZZ79760		3.2	16.0	145	77.1
ZZ79761		3.2	23.8	383	73.6
ZZ79762		2.5	16.4	160	87.8
ZZ79763		2.0	13.2	105	79.7
ZZ79764		2.4	16.7	98	83.3
ZZ79765		2.3	17.9	134	78.7
ZZ79766		2.8	20.1	116	80.2
ZZ79767		3.1	18.1	99	84.5
ZZ79768		1.9	22.5	104	100.5
ZZ79769		2.9	26.7	146	85.5
ZZ79770		2.8	20.6	136	87.5
ZZ79771		2.4	48.8	200	91.0
ZZ79772		2.9	26.2	180	93.8
ZZ79773		2.8	20.7	128	93.0
ZZ79774		2.3	19.2	125	92.9
ZZ79775		3.0	27.0	232	97.8
ZZ79776		2.8	29.4	222	104.5
ZZ79777		2.3	37.3	290	105.5
ZZ79778		2.5	37.1	203	101.0
ZZ79779		1.8	19.7	145	110.5
ZZ79780		2.2	26.9	212	97.2
ZZ79781		2.1	33.7	219	102.0
ZZ79782		2.3	25.0	174	96.4
ZZ79783		2.2	27.1	208	95.3
ZZ79784		2.0	27.2	225	99.5
ZZ79785		1.6	20.4	98	94.8
ZZ79786		2.0	17.5	155	86.3
ZZ79787		1.9	27.0	151	93.4
ZZ79788		2.7	22.7	102	108.0
ZZ79789		1.6	17.0	116	101.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133011

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
ZZ79790		0.19	0.51	6.40	8.3	1150	2.10	0.30	1.50	2.41	86.4	12.1	60	6.18	27.7	3.00
ZZ79791		0.15	0.61	6.11	10.9	1090	2.02	0.33	2.33	3.13	76.2	12.4	60	6.49	35.4	3.00
ZZ79792		0.15	0.42	6.47	8.7	1460	1.99	0.28	1.53	1.83	79.2	11.3	60	7.62	26.6	2.97
ZZ79793		0.19	0.50	6.75	8.5	1290	2.29	0.31	1.73	1.82	78.9	11.8	64	8.80	34.0	3.11
ZZ79794		0.21	0.44	7.04	9.5	1240	2.39	0.35	1.48	1.93	86.2	13.5	70	8.54	28.0	3.47
ZZ79795		0.15	0.23	6.53	6.8	1040	2.10	0.27	1.42	1.00	76.7	10.9	63	6.92	22.0	3.14
ZZ79796		0.16	0.52	6.40	7.3	1010	2.31	0.28	2.13	1.50	80.6	11.3	59	6.95	33.4	3.08
ZZ79797		0.13	0.25	6.47	7.8	1030	1.98	0.32	2.11	2.71	67.3	12.4	62	6.62	33.6	3.09
ZZ79798		0.13	0.41	6.68	7.9	1200	2.38	0.30	2.23	2.29	80.8	12.3	64	7.60	31.8	3.28
ZZ79799		0.14	0.40	6.77	6.2	1210	2.07	0.30	2.11	5.85	68.6	11.3	57	6.72	35.6	3.05
ZZ79800		0.18	0.38	6.81	8.6	1250	2.27	0.31	1.78	2.53	83.7	12.4	64	7.62	29.8	3.28
ZZ79801		0.18	0.36	6.71	8.2	1180	2.28	0.26	2.13	1.24	79.4	11.7	65	7.42	34.0	3.44
ZZ79802		0.16	0.25	7.03	8.4	950	2.23	0.30	1.95	0.97	89.4	13.8	62	7.87	29.8	3.44
ZZ79803		0.12	0.17	6.81	5.9	880	1.76	0.28	2.12	0.99	78.7	11.6	57	7.83	17.8	3.05
ZZ79804		0.15	0.09	7.68	7.7	1040	2.06	0.31	0.91	0.60	105.0	15.9	71	8.25	18.4	4.04
ZZ79805		0.21	0.33	8.08	13.7	940	2.83	0.51	0.86	0.60	85.2	18.5	74	15.10	49.9	3.75
ZZ79806		0.18	0.13	6.66	6.0	860	1.65	0.36	1.09	0.50	84.3	7.5	62	9.53	22.5	2.74
ZZ79807		0.27	0.11	6.78	7.8	880	2.08	0.30	0.80	0.42	99.1	14.8	54	7.64	19.9	3.12
ZZ79808		0.34	0.11	7.56	6.9	970	2.28	0.37	0.38	0.24	97.3	8.2	66	14.10	26.4	2.65
ZZ79809		0.21	0.33	7.67	9.0	980	2.13	0.44	0.90	1.92	82.3	15.4	68	14.15	38.9	3.25
ZZ79810		0.29	0.09	8.07	9.9	1010	2.42	0.45	0.95	1.59	105.0	12.9	73	11.00	38.8	3.64
ZZ79811		0.21	0.51	8.23	12.9	990	2.94	0.49	0.71	3.78	96.9	19.2	74	10.45	60.7	3.84
ZZ79812		0.31	0.28	7.97	14.8	1470	2.58	0.38	1.05	1.33	111.0	18.6	82	9.91	42.6	4.18
ZZ79813		0.19	0.28	7.18	11.2	1050	2.21	0.34	1.84	3.30	87.9	12.1	63	8.71	36.9	3.15
ZZ79814		0.14	0.38	7.28	11.6	1050	2.35	0.32	2.07	4.95	88.7	10.6	57	8.32	32.8	2.99
ZZ79815		0.11	0.32	5.91	9.2	1100	1.91	0.28	2.31	11.20	67.7	9.2	51	6.85	29.4	2.57
ZZ79816		0.22	0.64	7.80	9.7	1280	2.82	0.33	2.17	7.36	97.8	15.8	72	9.13	47.9	3.53
ZZ79817		0.21	0.63	6.79	9.5	1060	2.20	0.35	2.30	3.57	78.0	11.5	60	8.16	37.6	2.90
ZZ79818		0.14	0.74	6.65	9.4	980	2.21	0.38	2.84	5.32	70.5	12.7	59	6.62	47.4	3.03
ZZ79819		0.24	0.64	6.81	10.6	1220	2.17	0.33	2.30	7.36	82.1	14.1	61	8.67	43.0	3.25
ZZ79820		0.16	0.12	7.32	9.4	1350	2.29	0.26	1.10	2.36	95.4	11.5	63	8.40	25.8	3.28
ZZ79821		0.26	0.49	7.39	9.7	1290	2.35	0.29	1.81	3.26	103.5	13.3	64	7.89	33.7	3.18
ZZ79822		0.18	0.63	5.93	7.1	1300	1.88	0.24	2.78	2.70	65.6	9.0	55	6.94	33.3	2.66
ZZ79823		0.26	0.10	7.44	12.3	1300	2.13	0.66	1.82	1.50	99.5	14.3	65	6.46	23.2	3.54
ZZ79824		0.22	0.88	7.25	11.8	1210	2.57	0.35	2.05	6.04	86.8	15.9	70	7.64	43.0	3.27
ZZ79825		0.17	0.54	7.35	13.4	1080	2.41	0.48	0.79	1.81	71.6	17.2	75	7.73	54.6	3.75
ZZ79826		0.19	0.38	6.93	9.7	1250	2.17	0.31	0.85	1.76	100.5	16.0	64	8.13	31.0	3.29
ZZ79827		0.23	0.29	7.61	7.6	1170	2.13	0.41	1.23	0.76	100.5	18.8	71	6.71	30.8	3.67
ZZ79828		0.16	0.37	7.18	6.6	980	1.42	0.60	1.48	1.06	91.1	11.2	65	11.30	17.9	3.83
ZZ79829		0.23	0.26	8.05	13.4	1310	2.46	0.63	0.41	0.61	92.5	22.1	78	11.00	86.8	4.73

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133011

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
ZZ79790		17.15	0.20	2.4	0.053	2.14	45.4	45.0	1.64	562	3.05	0.56	13.5	35.2	1160	29.4
ZZ79791		15.75	0.20	2.3	0.047	2.06	41.0	43.3	1.58	604	3.24	0.46	11.2	35.9	1090	41.7
ZZ79792		16.85	0.21	2.4	0.050	2.23	43.8	46.7	1.89	444	3.42	0.46	12.2	36.9	1000	34.4
ZZ79793		16.95	0.22	2.5	0.050	2.33	43.5	55.5	1.91	442	2.68	0.46	12.5	42.5	790	39.9
ZZ79794		18.70	0.22	2.6	0.054	2.46	45.4	59.0	2.15	545	3.43	0.43	14.6	43.8	750	40.6
ZZ79795		17.05	0.19	2.3	0.051	2.14	41.6	42.6	1.94	520	2.66	0.45	12.3	34.7	870	27.3
ZZ79796		16.90	0.21	2.4	0.050	2.11	44.2	49.0	1.76	546	2.72	0.50	12.2	36.0	1050	29.9
ZZ79797		16.85	0.22	2.4	0.050	2.18	36.6	44.0	1.78	549	3.37	0.48	11.6	38.9	750	37.4
ZZ79798		17.70	0.23	2.6	0.050	2.23	44.1	55.5	2.04	544	2.38	0.44	13.7	64.7	870	37.7
ZZ79799		16.75	0.20	2.5	0.044	2.19	37.3	49.5	1.88	581	2.23	0.75	11.4	80.4	970	33.9
ZZ79800		17.55	0.21	2.5	0.050	2.35	45.0	55.7	2.23	579	2.58	0.44	14.1	62.4	880	39.9
ZZ79801		17.45	0.22	2.5	0.055	2.31	44.6	50.9	2.42	487	2.34	0.41	14.2	41.4	830	28.5
ZZ79802		18.65	0.19	2.4	0.060	2.30	46.8	63.5	1.60	579	2.19	0.52	13.0	34.2	720	37.3
ZZ79803		18.50	0.19	2.4	0.048	2.19	42.3	54.5	1.45	487	2.26	0.64	11.9	27.9	780	25.1
ZZ79804		21.9	0.22	2.7	0.063	2.45	55.4	83.5	1.97	507	2.18	0.57	16.3	37.2	430	31.6
ZZ79805		21.2	0.22	2.7	0.067	2.81	46.8	64.4	1.89	628	4.43	0.56	13.9	56.8	1030	67.7
ZZ79806		18.75	0.21	2.6	0.053	2.62	43.7	46.3	1.45	343	4.06	0.59	14.1	25.8	480	41.0
ZZ79807		17.05	0.25	2.5	0.052	2.72	48.4	54.2	1.65	545	2.75	0.61	13.5	38.9	510	39.0
ZZ79808		21.4	0.20	2.5	0.064	2.93	50.3	48.4	1.40	345	3.46	0.59	16.1	25.7	290	38.2
ZZ79809		20.7	0.21	2.7	0.058	2.76	43.5	57.2	1.33	496	4.67	0.65	14.0	33.6	750	47.5
ZZ79810		22.9	0.21	2.7	0.061	2.80	55.2	65.1	1.50	534	4.73	0.53	16.9	33.6	460	56.5
ZZ79811		21.6	0.23	2.8	0.068	2.86	50.8	64.1	1.78	604	5.17	0.56	14.2	47.3	850	91.4
ZZ79812		21.7	0.26	2.8	0.063	2.81	56.8	60.8	2.04	549	4.46	0.37	18.2	64.5	1100	73.2
ZZ79813		18.65	0.24	2.4	0.057	2.40	44.7	64.0	1.40	527	2.96	0.58	13.3	42.0	700	49.2
ZZ79814		18.65	0.23	2.4	0.053	2.42	46.9	59.9	1.27	460	2.87	0.71	13.5	43.8	800	43.5
ZZ79815		15.00	0.21	2.1	0.042	1.98	36.4	49.2	1.48	421	3.64	0.47	10.2	146.5	720	38.4
ZZ79816		19.90	0.26	2.8	0.060	2.59	53.1	59.7	2.18	513	2.58	0.51	13.8	191.5	1060	55.3
ZZ79817		18.20	0.23	2.4	0.052	2.23	41.5	51.4	1.27	494	3.34	0.60	11.8	41.7	950	38.7
ZZ79818		16.65	0.24	2.4	0.054	2.05	38.3	49.0	1.25	627	3.68	0.64	10.7	49.4	1250	47.1
ZZ79819		17.10	0.24	2.4	0.054	2.30	44.3	51.7	1.70	834	4.67	0.54	12.3	50.1	960	50.7
ZZ79820		19.00	0.23	2.6	0.054	2.55	51.3	48.0	2.09	416	3.48	0.50	14.4	40.2	780	31.3
ZZ79821		18.80	0.26	2.5	0.064	2.54	55.1	56.3	1.64	598	3.37	0.60	13.6	41.6	930	44.2
ZZ79822		15.20	0.22	2.4	0.048	1.93	36.7	38.0	1.75	402	2.87	0.45	10.5	33.4	1000	27.8
ZZ79823		19.70	0.21	2.6	0.058	2.30	51.4	55.8	2.00	458	3.06	0.56	15.6	39.6	480	44.1
ZZ79824		18.80	0.23	2.7	0.059	2.34	45.6	51.5	1.49	819	3.46	0.57	14.1	41.6	1520	50.0
ZZ79825		20.5	0.19	2.6	0.080	1.83	38.8	56.1	1.20	867	5.90	0.54	13.7	42.9	2110	64.9
ZZ79826		20.4	0.22	2.3	0.061	2.20	51.5	57.9	1.73	537	4.14	0.52	14.8	40.3	870	33.0
ZZ79827		22.2	0.23	2.5	0.070	2.39	53.4	59.8	1.70	536	2.35	0.62	16.0	40.7	490	41.0
ZZ79828		23.4	0.21	2.8	0.067	1.96	49.9	46.1	1.87	460	2.52	0.64	15.6	29.5	840	50.5
ZZ79829		24.4	0.25	2.8	0.094	2.39	48.1	68.8	1.70	483	4.22	0.43	15.9	76.5	470	58.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133011

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
ZZ79790		105.5	0.003	0.06	1.66	10.7	3	1.8	125.5	0.88	<0.05	10.4	0.349	0.71	6.6	214
ZZ79791		106.0	0.005	0.08	1.91	10.3	3	1.8	132.5	0.81	<0.05	10.9	0.318	0.74	7.9	210
ZZ79792		115.0	0.007	0.06	2.13	11.0	3	1.8	118.5	0.86	<0.05	10.7	0.340	0.81	6.1	258
ZZ79793		116.5	0.011	0.07	1.86	11.0	5	1.8	120.0	0.87	<0.05	11.4	0.346	0.83	8.0	256
ZZ79794		128.5	0.006	0.05	1.71	12.1	4	2.0	106.5	0.95	<0.05	12.8	0.371	0.87	7.7	250
ZZ79795		104.5	0.005	0.06	1.50	10.5	4	1.8	119.0	0.86	<0.05	10.5	0.342	0.75	6.8	212
ZZ79796		108.5	0.006	0.07	1.60	10.8	5	1.8	131.5	0.87	<0.05	11.1	0.325	0.77	15.4	187
ZZ79797		115.5	0.011	0.07	1.62	10.4	6	1.8	128.5	0.85	<0.05	10.7	0.334	0.83	14.2	189
ZZ79798		120.0	0.006	0.07	1.44	11.6	5	1.9	132.0	0.95	<0.05	11.9	0.356	0.95	5.8	198
ZZ79799		109.0	0.006	0.07	1.21	10.0	5	1.7	188.0	0.82	<0.05	10.5	0.340	0.99	4.8	197
ZZ79800		117.5	0.010	0.05	1.48	11.3	4	1.9	125.0	0.94	<0.05	11.5	0.369	0.95	5.1	238
ZZ79801		107.5	0.016	0.06	1.64	11.1	5	1.8	135.0	0.92	<0.05	11.4	0.367	0.76	4.6	196
ZZ79802		133.5	0.005	0.05	1.17	11.8	3	2.0	123.5	0.89	<0.05	12.5	0.343	0.83	13.5	115
ZZ79803		119.0	<0.002	0.06	0.84	10.6	2	1.9	157.0	0.85	<0.05	10.0	0.338	0.75	9.9	103
ZZ79804		126.5	<0.002	0.02	1.12	13.3	1	2.5	108.0	1.06	<0.05	12.5	0.398	0.73	3.4	113
ZZ79805		147.0	0.002	0.04	1.17	13.7	2	2.4	97.1	0.94	<0.05	17.4	0.349	0.93	6.5	135
ZZ79806		140.5	0.002	0.03	0.91	11.0	2	2.4	98.5	0.96	<0.05	11.8	0.370	0.79	3.6	120
ZZ79807		121.5	0.002	0.02	1.14	10.9	2	2.1	91.5	0.89	<0.05	12.8	0.352	0.77	3.6	103
ZZ79808		151.5	<0.002	0.01	0.85	12.4	1	2.7	81.3	1.07	<0.05	13.1	0.402	0.96	4.4	122
ZZ79809		155.0	<0.002	0.04	0.92	12.7	1	2.4	118.5	0.93	<0.05	14.6	0.366	0.99	4.7	122
ZZ79810		153.5	<0.002	0.02	1.16	13.6	2	2.8	100.5	1.11	<0.05	13.8	0.425	1.01	7.0	152
ZZ79811		147.5	0.002	0.03	1.29	14.1	2	2.5	91.2	0.94	0.08	17.4	0.347	1.00	14.1	138
ZZ79812		139.0	<0.002	0.01	2.31	13.8	2	2.5	106.0	1.20	0.05	14.0	0.458	1.11	7.0	268
ZZ79813		128.0	0.011	0.06	1.53	11.7	5	2.0	137.0	0.91	<0.05	12.6	0.373	0.93	7.7	175
ZZ79814		126.5	0.013	0.06	1.20	11.2	4	2.0	167.0	0.88	<0.05	12.8	0.361	0.91	7.6	176
ZZ79815		114.5	0.008	0.08	1.96	9.4	5	1.6	132.0	0.71	<0.05	10.2	0.292	0.94	6.0	218
ZZ79816		139.5	0.008	0.05	1.64	13.5	4	2.2	135.0	0.94	0.05	14.4	0.393	1.51	5.3	384
ZZ79817		123.5	0.021	0.08	1.50	11.2	6	2.0	151.0	0.84	<0.05	12.1	0.329	0.88	7.2	204
ZZ79818		114.0	0.019	0.12	2.04	10.8	9	1.8	171.0	0.77	<0.05	12.4	0.298	0.95	10.6	166
ZZ79819		123.5	0.021	0.09	2.96	11.5	14	2.0	141.5	0.84	<0.05	12.9	0.333	0.97	9.0	281
ZZ79820		120.0	0.006	0.03	2.39	11.8	4	2.1	107.5	0.94	<0.05	12.5	0.382	0.85	5.2	263
ZZ79821		130.0	0.008	0.05	1.70	11.9	4	2.1	137.5	0.90	<0.05	13.4	0.369	0.93	8.2	237
ZZ79822		103.5	0.019	0.10	3.70	9.8	5	1.6	140.0	0.72	<0.05	10.3	0.291	0.72	8.7	226
ZZ79823		113.5	0.002	0.02	1.99	12.1	2	2.2	128.0	1.00	<0.05	12.6	0.394	0.80	6.5	229
ZZ79824		136.0	0.004	0.09	1.92	12.7	3	2.1	129.5	0.92	0.05	14.6	0.347	0.97	12.3	221
ZZ79825		110.0	<0.002	0.09	1.62	13.1	3	2.5	110.0	1.01	<0.05	19.1	0.310	0.96	10.9	193
ZZ79826		124.0	0.002	0.05	2.09	12.9	2	2.2	110.0	1.04	<0.05	13.5	0.350	0.76	6.5	204
ZZ79827		119.5	0.003	0.02	1.32	14.7	2	2.6	146.5	1.14	<0.05	14.6	0.418	0.83	4.6	158
ZZ79828		109.0	<0.002	0.02	1.49	12.3	1	2.9	165.0	1.11	<0.05	12.5	0.395	0.56	2.9	129
ZZ79829		122.0	<0.002	0.02	2.03	15.3	2	2.7	90.8	1.14	0.05	15.2	0.393	1.04	4.1	208

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133011

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
ZZ79790		1.5	20.3	180	84.7
ZZ79791		1.4	21.2	228	82.5
ZZ79792		1.4	21.5	239	85.0
ZZ79793		1.5	24.1	214	91.3
ZZ79794		1.6	22.4	223	93.6
ZZ79795		1.4	19.7	161	87.1
ZZ79796		1.5	21.8	180	115.5
ZZ79797		1.7	20.5	191	84.5
ZZ79798		2.3	22.0	252	89.9
ZZ79799		1.3	19.6	336	94.6
ZZ79800		1.8	21.9	279	90.8
ZZ79801		1.6	21.4	152	93.6
ZZ79802		1.7	21.3	171	83.5
ZZ79803		1.5	17.6	144	85.9
ZZ79804		1.7	20.4	179	98.0
ZZ79805		1.4	33.0	187	95.6
ZZ79806		1.9	17.5	149	88.3
ZZ79807		1.4	21.5	135	85.5
ZZ79808		1.7	20.7	91	91.5
ZZ79809		1.7	22.7	181	94.6
ZZ79810		2.0	24.0	190	102.5
ZZ79811		1.9	27.2	257	97.9
ZZ79812		2.2	25.7	255	100.5
ZZ79813		1.6	22.2	214	87.4
ZZ79814		1.5	21.7	248	88.1
ZZ79815		1.2	20.0	630	72.5
ZZ79816		1.6	34.1	1000	101.0
ZZ79817		1.4	20.8	261	90.4
ZZ79818		1.3	21.9	297	103.5
ZZ79819		1.4	26.4	325	88.6
ZZ79820		1.4	23.0	225	91.5
ZZ79821		1.6	26.2	234	92.0
ZZ79822		1.1	20.8	203	81.1
ZZ79823		1.8	22.5	240	97.0
ZZ79824		1.6	25.6	253	94.2
ZZ79825		2.0	19.7	266	94.1
ZZ79826		1.7	22.6	194	91.2
ZZ79827		2.0	23.7	167	92.9
ZZ79828		2.3	15.9	134	105.5
ZZ79829		2.1	22.7	235	104.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133011

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
ZZ79830		0.18	0.26	6.94	9.2	1160	1.64	0.38	0.60	0.80	92.3	12.9	69	8.63	28.5	3.89
ZZ79831		0.21	0.27	7.33	8.8	1340	2.25	0.43	0.46	0.47	102.5	15.4	70	8.35	57.8	3.70
ZZ79832		0.26	0.30	7.60	10.4	1360	2.21	0.48	0.57	0.49	105.5	17.1	70	7.64	56.6	4.12
ZZ79833		0.17	0.32	6.92	7.6	1080	1.59	0.74	0.48	0.46	86.4	9.7	69	7.51	30.1	3.38
ZZ79834		0.18	0.17	7.45	8.4	1140	1.75	0.40	0.64	0.28	87.6	10.9	66	7.04	32.5	3.68
ZZ79835		0.22	0.56	8.02	10.1	1220	2.13	0.46	0.68	0.38	88.8	14.4	68	8.24	56.1	3.92
ZZ79836		0.20	0.31	9.05	14.5	1270	2.62	0.67	0.45	0.43	92.8	20.6	91	10.20	69.9	5.02
ZZ79837		0.27	0.40	8.46	12.0	1250	2.55	0.71	0.74	1.34	112.5	20.0	84	7.42	85.0	4.72
ZZ79838		0.23	0.55	8.36	10.3	1310	2.32	0.87	0.78	0.74	108.5	14.0	79	7.93	49.1	4.10
ZZ79839		0.21	0.28	8.85	11.1	1260	2.32	0.73	0.38	0.73	104.5	12.7	90	9.19	42.5	4.40
ZZ79840		0.20	0.22	9.77	8.6	1110	2.36	1.10	0.21	0.62	123.5	13.7	97	11.95	34.4	4.80
ZZ79841		0.24	0.28	9.78	12.5	1390	3.07	0.79	0.48	0.80	122.5	20.0	98	9.47	59.3	5.00
ZZ79842		0.21	0.20	8.78	11.0	1340	2.14	0.85	0.24	0.74	82.4	10.8	91	9.50	39.0	3.94
ZZ79843		0.18	0.30	6.66	9.3	880	1.61	0.45	0.47	0.32	87.8	8.2	62	6.26	26.4	3.94
ZZ79844		0.16	0.62	7.12	4.0	930	1.45	0.27	1.36	0.35	57.5	7.5	26	6.27	28.9	2.05
ZZ79845		0.18	0.29	8.34	13.4	900	1.88	0.48	0.38	0.33	104.0	14.3	80	7.41	41.6	6.17
ZZ79846		0.19	0.36	8.47	12.3	810	2.22	0.49	0.40	0.24	100.0	16.9	83	8.36	53.6	5.69
ZZ79847		0.24	0.58	7.02	10.6	980	1.72	0.77	0.39	0.33	92.9	10.3	74	10.20	31.4	4.20
ZZ79848		0.27	0.60	7.59	9.3	1140	2.17	0.43	0.55	0.36	95.2	10.7	65	8.54	41.5	3.49
ZZ79849		0.23	0.29	6.71	11.1	1080	1.67	0.48	0.40	0.24	89.1	8.7	75	9.94	22.5	4.79
ZZ79850		0.29	0.23	8.36	14.6	1330	2.75	0.49	0.26	0.38	114.5	36.0	87	10.40	63.5	5.40
ZZ79851		0.24	0.21	6.81	10.1	1190	1.55	0.43	0.33	0.26	96.8	9.3	76	9.24	18.8	4.43
ZZ79852		0.18	0.43	7.35	20.0	1030	1.65	0.53	0.34	0.19	101.0	5.8	75	13.05	22.7	4.46
ZZ79853		0.21	0.25	6.46	11.7	1190	1.49	0.43	0.38	0.24	84.9	7.2	66	8.54	20.5	3.94
ZZ79854		0.19	0.25	7.21	10.9	810	1.89	0.51	0.28	0.29	98.6	6.8	73	9.85	27.5	4.97
ZZ79855		0.20	0.39	6.95	10.0	1070	2.18	0.64	1.19	0.74	83.4	35.6	75	9.59	62.1	3.97
ZZ79856		0.31	0.47	6.61	8.6	1560	1.82	1.00	1.02	1.41	91.2	10.9	65	6.92	29.5	3.34
ZZ79857		0.19	0.37	6.51	10.0	1050	2.21	0.37	0.62	6.41	82.0	10.7	72	8.75	73.4	3.25
ZZ79858		0.22	0.21	6.42	11.2	1250	1.44	0.33	0.31	1.26	80.9	12.5	73	8.15	20.5	4.42
ZZ79859		0.19	0.37	6.11	7.2	1870	1.73	0.29	0.59	2.14	83.4	8.6	67	6.52	27.6	2.97
ZZ79860		0.34	0.51	6.79	13.7	3640	2.07	0.31	1.19	1.54	96.4	12.9	69	7.11	36.8	3.22
ZZ79861		0.20	0.30	6.46	9.7	3200	2.57	0.22	0.88	1.56	80.8	8.9	72	7.67	33.6	2.99
ZZ79862		0.24	0.52	6.71	12.7	3360	2.49	0.23	1.12	1.49	78.0	11.3	70	7.22	40.2	3.41
ZZ79863		0.17	0.17	6.44	8.6	2160	1.99	0.24	0.53	0.81	82.6	9.0	76	7.57	24.0	3.32
ZZ79864		0.21	0.55	6.67	10.7	2520	2.26	0.24	0.54	1.30	86.3	6.8	76	8.75	33.3	3.01
ZZ79865		0.17	0.41	7.42	19.9	2580	2.63	0.31	0.91	1.71	67.9	14.8	72	8.43	50.4	3.14
ZZ79866		0.30	0.62	5.83	10.1	3920	1.78	0.40	0.44	0.52	72.3	3.0	69	7.33	15.4	2.66
ZZ79867		0.20	0.37	5.82	14.4	4270	1.92	0.36	0.22	1.66	74.8	2.4	73	10.00	18.4	2.82
ZZ79868		0.23	0.39	5.86	13.7	1250	2.29	0.24	0.68	1.79	70.2	10.3	71	6.37	32.3	3.28
ZZ79869		0.14	0.27	5.91	3.7	980	1.64	0.26	0.38	2.81	86.7	7.9	72	10.65	16.7	3.35

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133011

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
ZZ79830		22.6	0.22	2.5	0.062	2.11	49.2	54.4	2.00	422	3.62	0.45	16.0	41.9	660	33.8
ZZ79831		23.1	0.24	2.5	0.067	2.19	66.5	52.5	1.52	371	3.28	0.47	15.6	49.9	960	40.3
ZZ79832		22.4	0.25	2.6	0.069	2.22	59.6	58.4	1.75	459	3.32	0.50	15.5	65.1	670	51.3
ZZ79833		24.5	0.21	2.6	0.063	2.21	45.8	42.0	1.12	362	2.70	0.71	17.4	29.8	820	28.9
ZZ79834		24.1	0.22	2.8	0.064	2.36	47.3	47.4	1.24	400	2.62	0.91	17.0	35.5	570	26.3
ZZ79835		25.7	0.23	3.1	0.070	2.45	58.5	52.6	1.17	424	3.34	0.98	15.9	47.9	880	35.3
ZZ79836		28.9	0.27	3.0	0.099	2.77	53.4	73.6	1.40	584	3.14	0.60	19.1	63.6	710	36.8
ZZ79837		27.6	0.29	2.8	0.095	2.71	75.1	69.0	1.36	685	3.23	0.60	18.9	47.8	790	63.7
ZZ79838		26.1	0.27	2.7	0.094	2.62	68.3	57.0	1.27	579	3.86	0.65	17.4	40.6	910	55.4
ZZ79839		29.7	0.25	3.0	0.096	2.75	57.1	57.2	1.27	484	4.45	0.54	20.1	39.0	960	53.1
ZZ79840		31.9	0.26	2.9	0.102	3.20	59.6	55.4	1.07	568	3.59	0.50	20.3	39.8	690	35.2
ZZ79841		31.6	0.35	2.8	0.105	2.98	89.9	71.2	1.39	696	5.27	0.53	19.1	50.8	760	81.2
ZZ79842		31.9	0.22	2.8	0.098	2.79	43.0	47.7	1.14	429	5.22	0.50	19.0	36.9	1000	64.0
ZZ79843		24.6	0.21	2.7	0.067	2.05	46.8	40.0	0.83	336	2.51	0.74	18.0	22.0	1020	29.7
ZZ79844		21.5	0.15	3.2	0.035	2.22	36.5	28.3	0.61	357	2.24	2.09	10.8	12.9	1040	22.1
ZZ79845		25.3	0.29	2.7	0.100	2.19	53.8	67.0	1.17	540	2.53	0.48	17.5	45.8	830	31.6
ZZ79846		27.6	0.26	3.1	0.107	2.42	52.4	63.8	0.95	511	2.47	0.60	19.3	47.8	960	34.0
ZZ79847		26.4	0.23	2.9	0.077	2.17	51.5	43.1	1.08	375	3.88	0.50	20.6	30.4	980	62.1
ZZ79848		26.0	0.24	2.9	0.080	2.34	51.9	46.6	1.02	405	3.01	0.81	17.7	32.4	760	50.3
ZZ79849		25.5	0.23	2.8	0.074	2.19	49.5	48.1	1.17	364	4.19	0.43	18.9	27.7	700	31.8
ZZ79850		28.3	0.28	3.0	0.098	2.60	60.3	78.0	1.59	573	4.15	0.33	19.7	84.8	650	32.6
ZZ79851		25.2	0.23	2.7	0.072	2.24	52.6	41.9	1.23	393	3.53	0.39	18.9	28.8	910	25.2
ZZ79852		28.8	0.23	2.9	0.074	2.49	56.6	31.3	0.76	421	2.79	0.48	20.8	17.5	1300	36.7
ZZ79853		23.7	0.23	2.5	0.069	2.14	47.3	38.2	1.22	331	3.42	0.45	16.7	24.6	880	23.6
ZZ79854		25.2	0.24	2.7	0.076	2.35	52.2	38.1	0.88	410	1.91	0.54	18.5	20.6	1330	21.0
ZZ79855		25.9	0.25	2.6	0.081	2.29	38.5	81.4	1.65	678	3.50	0.58	17.7	64.9	1010	65.4
ZZ79856		21.6	0.22	2.5	0.067	2.07	50.3	45.1	1.99	493	4.92	0.40	14.8	35.1	790	39.5
ZZ79857		21.2	0.21	2.3	0.065	1.67	45.5	44.0	1.34	513	3.89	0.53	14.9	33.2	1760	37.3
ZZ79858		23.6	0.23	2.8	0.058	2.15	43.5	44.0	2.09	569	8.00	0.27	16.7	32.6	810	25.2
ZZ79859		20.1	0.20	2.4	0.053	1.87	45.9	41.8	1.52	284	4.71	0.46	14.3	30.7	1420	24.7
ZZ79860		21.6	0.22	2.5	0.057	2.18	52.4	49.8	1.91	441	7.58	0.30	14.9	45.6	940	34.7
ZZ79861		19.60	0.20	2.3	0.055	2.00	43.6	42.8	1.86	339	5.96	0.22	14.1	38.6	1390	22.2
ZZ79862		20.6	0.22	2.4	0.061	2.21	41.8	42.0	2.20	393	7.86	0.24	13.9	45.8	900	22.2
ZZ79863		22.4	0.21	2.6	0.056	2.13	46.0	42.5	1.74	352	5.58	0.24	16.2	34.2	1240	20.9
ZZ79864		22.5	0.21	2.6	0.058	2.34	47.2	40.5	1.39	243	7.23	0.42	17.8	35.7	1190	22.8
ZZ79865		22.7	0.21	2.5	0.062	2.30	36.3	47.1	2.02	392	10.65	0.26	15.4	57.8	940	55.7
ZZ79866		25.5	0.18	2.4	0.064	2.02	39.9	24.8	0.64	171	11.15	0.47	18.9	16.5	520	29.4
ZZ79867		24.4	0.20	2.3	0.057	2.50	40.8	19.0	0.62	108	8.10	0.20	18.9	22.9	850	25.2
ZZ79868		22.2	0.24	3.1	0.048	1.71	38.8	72.7	4.65	732	31.2	0.54	19.2	71.1	1280	32.8
ZZ79869		24.9	0.23	2.6	0.057	1.88	46.2	49.6	1.56	317	2.34	0.40	17.6	20.6	1090	14.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133011

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
ZZ79830		113.5	<0.002	0.02	1.72	12.7	2	2.3	98.5	1.15	<0.05	11.1	0.395	0.73	2.9	184
ZZ79831		125.5	<0.002	0.03	1.60	14.1	2	2.5	95.8	1.07	<0.05	13.2	0.397	0.89	3.7	189
ZZ79832		118.0	<0.002	0.02	1.74	14.1	2	2.4	98.9	1.13	<0.05	14.0	0.398	0.83	3.4	183
ZZ79833		143.5	<0.002	0.02	1.10	14.0	2	2.7	121.5	1.27	<0.05	11.4	0.430	0.83	2.9	164
ZZ79834		120.5	<0.002	0.02	1.11	14.1	2	2.5	168.5	1.21	<0.05	10.8	0.447	0.74	2.9	154
ZZ79835		127.5	<0.002	0.03	1.34	14.6	2	2.4	194.0	1.11	<0.05	12.8	0.405	0.86	3.6	165
ZZ79836		140.0	<0.002	0.02	1.26	17.6	2	3.2	114.0	1.31	0.05	14.3	0.478	1.04	3.7	190
ZZ79837		138.0	<0.002	0.02	1.42	18.9	2	2.9	128.5	1.31	<0.05	14.9	0.484	0.95	5.6	180
ZZ79838		151.0	<0.002	0.03	1.42	16.7	2	2.9	144.0	1.26	0.05	14.5	0.456	0.99	4.3	191
ZZ79839		166.0	<0.002	0.03	1.37	19.4	2	3.3	105.0	1.39	<0.05	14.6	0.505	1.06	4.5	198
ZZ79840		212	<0.002	0.02	0.89	20.4	2	3.9	101.0	1.47	0.05	18.0	0.523	1.25	3.1	167
ZZ79841		166.0	<0.002	0.02	1.29	20.6	2	3.5	122.0	1.34	0.05	16.9	0.470	1.18	7.0	215
ZZ79842		168.0	<0.002	0.03	1.53	18.5	2	3.4	100.5	1.30	0.05	12.7	0.459	1.18	3.9	234
ZZ79843		115.0	<0.002	0.03	1.11	12.9	2	2.7	142.0	1.28	<0.05	11.4	0.445	0.65	2.9	146
ZZ79844		93.9	<0.002	0.03	0.57	8.9	1	1.4	420	0.72	<0.05	7.6	0.292	0.50	3.0	79
ZZ79845		110.5	<0.002	0.03	1.15	15.6	2	2.6	80.5	1.18	<0.05	14.8	0.451	0.74	2.9	141
ZZ79846		134.5	<0.002	0.04	1.03	18.7	2	3.0	105.0	1.37	0.05	14.8	0.524	0.77	3.1	145
ZZ79847		139.5	<0.002	0.03	1.41	14.5	2	3.1	92.6	1.45	0.06	12.6	0.471	0.81	3.1	185
ZZ79848		118.5	<0.002	0.02	1.46	14.3	2	2.7	163.5	1.21	<0.05	12.5	0.436	0.76	3.2	159
ZZ79849		130.5	<0.002	0.03	1.59	13.5	2	2.9	89.7	1.32	0.05	11.6	0.471	0.74	3.2	191
ZZ79850		145.0	<0.002	0.02	2.10	18.3	2	2.8	78.8	1.32	0.06	14.5	0.496	0.90	3.4	216
ZZ79851		124.5	<0.002	0.02	1.79	14.1	2	2.8	81.3	1.33	<0.05	11.8	0.470	0.79	3.1	219
ZZ79852		152.5	<0.002	0.03	1.33	15.2	2	3.2	95.5	1.45	0.05	12.4	0.539	0.93	3.1	184
ZZ79853		121.5	<0.002	0.02	1.69	13.0	2	2.6	95.7	1.13	<0.05	11.2	0.431	0.69	3.1	181
ZZ79854		142.5	<0.002	0.05	0.95	15.5	2	2.7	90.6	1.28	0.05	13.7	0.465	0.73	3.0	128
ZZ79855		77.1	<0.002	0.03	1.46	14.2	2	2.6	153.0	1.21	<0.05	10.3	0.427	0.88	3.2	144
ZZ79856		107.0	<0.002	0.03	2.39	12.2	2	2.1	110.5	1.04	<0.05	12.3	0.384	0.77	4.4	216
ZZ79857		100.0	<0.002	0.08	1.60	13.2	2	2.1	99.2	1.07	<0.05	15.1	0.335	0.80	9.3	150
ZZ79858		124.5	<0.002	0.03	3.34	11.7	2	2.3	66.2	1.18	0.05	10.5	0.437	0.65	3.8	268
ZZ79859		105.5	<0.002	0.05	1.94	11.7	2	2.0	106.5	1.01	<0.05	11.5	0.348	0.73	5.8	201
ZZ79860		115.5	0.003	0.04	3.98	13.7	3	2.1	115.0	1.00	0.06	13.0	0.368	1.04	6.6	312
ZZ79861		111.0	0.002	0.07	2.85	11.8	3	1.9	84.3	0.96	<0.05	11.8	0.332	1.03	7.1	265
ZZ79862		117.0	0.003	0.05	4.86	12.0	3	2.0	99.9	0.91	0.05	11.9	0.330	0.98	6.3	315
ZZ79863		106.5	<0.002	0.04	2.61	11.8	2	2.2	71.8	1.13	<0.05	11.4	0.390	0.81	3.6	234
ZZ79864		137.5	<0.002	0.04	3.36	12.1	2	2.4	95.1	1.24	0.05	11.7	0.402	1.10	4.3	302
ZZ79865		91.9	0.002	0.04	5.03	12.4	3	2.4	94.5	0.99	0.07	11.5	0.343	1.06	4.0	329
ZZ79866		126.5	<0.002	0.04	3.65	10.4	2	3.7	119.5	1.25	0.08	9.3	0.450	1.56	4.6	437
ZZ79867		167.0	<0.002	0.06	5.00	10.9	3	3.1	77.5	1.29	0.09	10.3	0.448	1.69	4.3	355
ZZ79868		98.1	0.003	0.03	7.30	10.5	2	2.0	118.5	1.24	0.07	9.2	0.362	1.23	6.9	444
ZZ79869		124.0	<0.002	0.04	0.77	11.4	2	2.5	84.0	1.26	<0.05	10.7	0.406	0.51	3.1	100

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133011

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
ZZ79830		1.8	18.2	173	92.2
ZZ79831		1.9	28.5	170	94.0
ZZ79832		1.9	26.1	178	97.0
ZZ79833		2.3	15.8	113	99.1
ZZ79834		2.2	17.5	115	109.0
ZZ79835		2.4	27.0	148	119.0
ZZ79836		3.2	26.8	205	111.0
ZZ79837		3.5	37.5	268	105.5
ZZ79838		3.0	27.5	192	99.8
ZZ79839		3.6	20.0	149	115.5
ZZ79840		8.6	20.5	136	103.0
ZZ79841		3.5	37.7	222	104.0
ZZ79842		3.2	15.9	141	104.0
ZZ79843		2.7	15.7	80	106.0
ZZ79844		1.3	12.4	71	131.5
ZZ79845		2.8	21.0	132	99.6
ZZ79846		2.5	20.8	121	115.0
ZZ79847		2.8	16.8	136	113.0
ZZ79848		2.4	18.7	113	114.5
ZZ79849		2.7	14.9	114	105.5
ZZ79850		3.2	22.2	236	111.5
ZZ79851		2.6	15.9	100	103.0
ZZ79852		4.0	16.2	67	110.5
ZZ79853		2.5	15.0	79	100.5
ZZ79854		2.5	16.9	73	103.0
ZZ79855		3.7	19.5	197	98.1
ZZ79856		3.2	20.8	181	96.2
ZZ79857		2.5	25.7	175	88.4
ZZ79858		1.7	13.3	133	107.0
ZZ79859		1.6	16.3	161	90.4
ZZ79860		3.5	22.2	181	95.2
ZZ79861		1.6	20.0	188	91.2
ZZ79862		1.5	21.5	201	94.1
ZZ79863		1.5	16.0	139	101.5
ZZ79864		1.6	19.8	190	102.0
ZZ79865		1.4	19.4	320	99.0
ZZ79866		1.9	11.6	89	102.0
ZZ79867		1.9	11.0	118	97.1
ZZ79868		1.5	22.5	160	135.5
ZZ79869		1.6	15.1	106	102.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133011

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
ZZ79870		0.21	0.14	6.68	8.6	740	1.94	0.29	0.36	0.64	88.0	11.8	74	10.35	15.2	5.55
ZZ79871		0.18	0.15	6.89	8.2	720	1.63	0.31	0.42	0.38	93.3	8.1	81	10.50	11.5	5.15
ZZ79872		0.17	0.18	6.32	5.5	920	1.78	0.28	0.42	0.26	85.7	7.4	67	10.65	14.4	3.40
ZZ79873		0.14	0.20	6.38	18.7	660	2.23	0.23	2.09	0.78	64.7	12.4	59	7.95	45.7	3.17
ZZ79874		0.16	0.17	7.10	7.6	830	2.42	0.24	0.74	0.55	81.6	14.1	70	9.02	26.9	3.98
ZZ79875		0.16	0.09	7.82	8.2	660	2.04	0.22	0.66	0.22	66.0	10.9	63	8.70	16.8	3.01
ZZ79876		0.15	0.10	6.81	7.0	810	1.60	0.24	0.73	0.20	72.3	9.5	66	7.93	16.2	3.75
ZZ79877		0.17	0.11	7.98	20.9	890	2.53	0.28	1.19	0.24	55.9	11.1	48	11.40	43.3	2.72
ZZ79878		0.14	0.14	6.86	4.0	910	1.57	0.24	1.21	0.25	70.3	5.7	43	6.68	18.3	2.11
ZZ79879		0.12	0.05	6.55	1.0	810	1.83	0.58	1.36	0.05	71.8	3.1	8	4.43	10.2	1.43
ZZ79880		0.21	0.04	7.29	1.6	820	2.85	1.90	1.24	0.11	91.6	4.7	11	5.88	5.2	2.16
ZZ79881		0.21	0.09	6.77	1.0	780	2.39	0.54	1.07	0.12	71.6	3.5	12	4.54	7.2	1.93
ZZ79882		0.13	0.03	6.37	0.3	810	1.83	0.62	1.23	0.04	74.3	2.7	5	3.69	7.2	1.43
ZZ79883		0.16	0.12	7.40	0.9	750	2.98	1.70	1.51	0.12	87.3	4.4	10	7.76	7.2	2.11
ZZ79884		0.13	0.14	6.57	1.1	690	2.47	0.79	1.30	0.21	76.2	4.0	10	6.27	8.5	1.85
ZZ79885		0.24	0.12	6.59	2.3	820	1.95	1.55	0.84	0.16	83.1	4.6	19	7.53	8.1	3.05
ZZ79886		0.18	0.05	6.50	1.2	840	2.05	1.72	0.96	0.26	86.9	3.5	12	4.68	5.4	2.39
ZZ79887		0.21	0.11	6.62	1.3	830	2.19	0.66	0.98	0.10	90.6	3.3	10	4.40	3.6	2.81
ZZ79888		0.09	0.22	5.50	2.1	700	1.75	0.69	0.76	0.27	76.9	2.7	25	3.98	9.2	1.48
ZZ79889		0.18	0.10	6.41	1.5	840	1.97	0.92	0.92	0.08	93.9	2.5	12	4.46	3.9	1.91
ZZ79890		0.16	0.93	6.24	4.7	720	1.79	3.92	1.13	0.42	90.5	6.1	41	6.67	11.3	3.68
ZZ79891		0.13	1.22	5.99	2.1	730	1.82	2.30	1.39	6.88	84.6	4.5	34	4.76	8.4	2.54
ZZ79892		0.18	1.30	7.49	4.3	720	2.03	3.43	1.77	0.87	94.8	10.1	66	7.92	17.0	4.21
ZZ79893		0.28	1.14	7.42	3.1	760	1.88	3.39	1.81	0.82	95.1	9.9	58	6.36	18.7	3.51
ZZ79894		0.27	1.39	8.46	4.1	860	2.46	1.84	1.26	0.67	97.3	12.7	77	6.63	31.0	4.08
ZZ79895		0.25	0.71	7.86	4.8	780	2.19	2.74	1.00	0.60	92.1	9.8	73	6.42	21.1	3.54
ZZ79896		0.26	0.53	9.11	7.0	840	2.90	0.98	0.84	0.80	119.5	16.2	89	6.87	45.6	4.65
ZZ79897		0.21	0.55	9.54	6.5	850	2.11	1.29	1.15	1.42	99.0	14.1	89	7.38	42.5	4.43
ZZ79898		0.17	0.27	9.85	6.8	920	2.21	1.12	0.77	0.73	97.1	15.3	98	6.41	38.7	4.89
ZZ79899		0.31	0.21	9.18	9.1	1030	2.23	1.34	0.82	0.73	112.5	14.8	94	7.90	42.0	5.15
ZZ79900		0.20	0.62	9.59	6.7	930	2.18	1.51	1.13	3.53	103.5	16.1	95	8.50	36.7	4.74
ZZ79901		0.12	0.02	6.86	1.2	810	1.55	2.07	1.15	0.08	86.9	3.1	11	6.80	4.5	2.47
ZZ79902		0.10	0.29	6.84	1.2	870	1.30	0.52	1.36	0.11	76.2	2.6	9	3.46	8.3	1.35
ZZ79903		0.20	0.08	7.88	2.5	790	2.83	1.80	1.28	0.30	95.2	6.9	21	12.40	9.8	3.07
ZZ79904		0.17	0.04	7.44	1.1	800	2.00	1.83	1.46	0.09	93.2	3.1	6	6.34	2.7	2.22
ZZ79905		0.16	0.10	7.03	1.6	780	1.58	0.81	1.56	0.06	67.7	3.4	7	3.43	8.6	1.79
ZZ79906		0.19	0.14	7.34	1.8	790	1.69	0.89	1.61	0.12	65.0	3.9	9	4.52	11.3	1.88
ZZ79907		0.10	0.17	6.17	1.1	750	1.20	0.33	1.25	0.15	67.8	2.5	12	2.51	10.4	1.15
ZZ79908		0.11	0.10	6.36	1.1	840	1.33	0.65	1.27	0.21	67.3	2.8	10	3.32	9.3	1.50
ZZ79909		0.18	0.14	8.27	3.5	810	3.48	1.79	0.88	0.26	126.0	7.0	28	7.74	10.1	3.36

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133011

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
ZZ79870		26.1	0.26	2.6	0.068	1.82	46.0	70.2	2.12	431	1.75	0.34	17.5	27.8	490	21.5
ZZ79871		31.0	0.26	3.1	0.067	2.33	50.4	53.4	1.74	269	1.93	0.27	20.4	21.0	480	16.9
ZZ79872		25.6	0.22	2.6	0.058	2.03	46.1	55.8	1.24	279	1.59	0.49	17.5	19.5	470	17.5
ZZ79873		20.1	0.21	2.0	0.053	1.59	34.8	75.3	1.55	774	1.18	0.41	12.5	26.2	1490	18.1
ZZ79874		25.3	0.24	2.5	0.061	1.71	43.3	53.5	2.49	415	1.49	0.31	16.0	31.6	520	20.1
ZZ79875		24.4	0.19	2.3	0.051	1.70	32.9	40.8	1.00	207	1.86	0.44	16.5	25.0	520	15.0
ZZ79876		27.1	0.23	2.8	0.053	1.93	38.7	43.3	1.36	303	1.77	0.59	17.0	22.1	430	14.1
ZZ79877		27.1	0.19	2.8	0.044	2.41	30.2	51.7	1.12	404	1.50	1.45	12.7	21.0	540	21.8
ZZ79878		24.2	0.19	2.9	0.040	2.24	38.2	28.7	0.70	261	1.50	1.31	13.8	12.3	420	13.3
ZZ79879		21.0	0.16	2.2	0.050	2.34	35.6	18.7	0.30	296	1.53	2.09	13.0	3.0	630	14.0
ZZ79880		21.6	0.20	1.2	0.073	2.43	42.6	48.6	0.47	580	0.85	1.66	17.1	5.7	960	25.1
ZZ79881		21.7	0.19	1.7	0.053	2.16	36.5	30.2	0.36	313	1.61	1.61	16.5	4.0	680	20.5
ZZ79882		22.5	0.18	1.7	0.055	2.41	36.5	20.3	0.30	325	0.82	1.97	13.5	2.4	530	15.8
ZZ79883		25.1	0.20	1.5	0.074	2.37	40.8	33.5	0.45	627	0.73	1.69	17.4	4.9	930	22.1
ZZ79884		21.9	0.19	1.6	0.056	2.08	38.3	29.8	0.38	515	1.30	1.63	15.0	4.7	1120	18.9
ZZ79885		29.2	0.21	1.9	0.080	2.43	40.3	36.7	0.48	416	2.07	1.37	21.9	6.8	410	20.9
ZZ79886		24.8	0.21	1.7	0.073	2.51	42.3	35.4	0.36	378	1.26	1.56	19.2	4.4	440	19.4
ZZ79887		25.5	0.22	1.3	0.067	2.50	44.3	33.1	0.39	401	0.85	1.53	19.5	3.7	450	21.7
ZZ79888		22.3	0.17	2.0	0.054	1.95	39.0	21.2	0.27	270	1.01	1.26	19.1	6.0	1430	26.7
ZZ79889		27.6	0.21	1.7	0.060	2.62	46.3	24.1	0.28	312	0.63	1.60	21.2	3.3	380	23.8
ZZ79890		27.6	0.24	2.0	0.094	2.02	45.9	33.1	0.47	656	2.13	1.00	21.1	13.3	640	65.4
ZZ79891		24.5	0.23	1.8	0.083	2.13	41.5	23.0	0.34	507	1.14	1.10	18.6	9.4	680	57.7
ZZ79892		27.4	0.25	1.7	0.113	2.13	47.4	45.9	0.69	870	1.27	0.84	22.7	24.2	510	128.0
ZZ79893		26.7	0.25	1.9	0.102	2.13	46.6	39.4	0.64	832	1.05	1.06	20.5	22.7	720	134.5
ZZ79894		29.2	0.25	2.2	0.129	2.51	47.6	47.1	0.78	736	1.30	1.14	21.9	31.7	480	119.5
ZZ79895		32.0	0.25	2.3	0.099	2.43	46.3	41.3	0.66	607	1.91	0.98	23.3	23.8	540	92.7
ZZ79896		31.2	0.31	2.5	0.121	2.76	64.3	61.7	0.90	708	1.62	0.93	20.2	38.0	710	93.0
ZZ79897		24.2	0.20	2.4	0.114	2.73	49.0	57.7	0.90	745	2.05	0.94	15.5	36.6	840	80.8
ZZ79898		27.2	0.20	2.4	0.123	2.88	46.6	59.9	0.94	718	2.89	0.89	17.3	37.5	770	90.1
ZZ79899		25.1	0.23	2.4	0.103	2.64	49.0	69.2	1.48	686	4.11	0.67	17.9	42.6	790	89.9
ZZ79900		24.2	0.23	2.3	0.110	2.71	53.5	70.3	1.05	944	4.60	0.83	16.1	38.0	1060	79.6
ZZ79901		21.6	0.19	1.3	0.074	2.54	41.3	29.6	0.39	505	0.63	1.61	16.7	3.9	1340	23.1
ZZ79902		18.45	0.20	2.1	0.060	2.48	37.4	16.4	0.28	269	1.15	2.06	13.3	3.1	510	15.8
ZZ79903		22.4	0.22	1.6	0.081	2.15	43.3	72.4	0.72	930	1.38	1.24	16.2	10.2	580	28.9
ZZ79904		19.55	0.24	1.1	0.083	2.58	43.3	34.0	0.43	515	0.28	1.73	16.8	2.9	1090	24.3
ZZ79905		18.20	0.22	2.0	0.047	2.22	32.8	21.9	0.41	350	0.95	2.08	11.7	3.5	700	16.3
ZZ79906		18.05	0.23	2.3	0.040	2.22	31.8	27.9	0.45	443	1.17	2.13	11.1	4.7	920	16.8
ZZ79907		16.75	0.24	2.4	0.038	2.18	33.2	15.6	0.26	244	1.11	1.91	12.2	3.1	600	13.3
ZZ79908		18.05	0.22	2.2	0.050	2.40	31.9	20.6	0.32	285	1.22	1.86	12.4	3.3	680	16.1
ZZ79909		24.1	0.23	2.0	0.086	2.25	44.4	57.2	0.68	681	1.72	1.31	20.2	11.3	1240	34.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133011

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
ZZ79870		105.5	<0.002	0.02	1.10	11.8	2	2.3	71.4	1.19	<0.05	11.8	0.390	0.47	2.9	112
ZZ79871		118.5	<0.002	0.02	1.43	12.9	2	2.8	78.7	1.39	<0.05	11.3	0.482	0.53	3.2	142
ZZ79872		117.0	<0.002	0.02	0.88	11.4	2	2.7	88.0	1.26	<0.05	10.8	0.408	0.48	2.7	98
ZZ79873		84.4	<0.002	0.11	1.19	11.0	3	1.7	125.0	0.87	<0.05	11.2	0.286	0.45	7.3	85
ZZ79874		90.0	<0.002	0.04	1.20	12.1	2	2.1	88.5	1.05	<0.05	10.7	0.374	0.44	2.7	98
ZZ79875		76.6	<0.002	0.04	1.07	10.3	2	2.1	86.5	1.12	<0.05	11.4	0.367	0.45	2.5	88
ZZ79876		85.2	<0.002	0.03	0.95	10.6	2	2.2	133.0	1.16	<0.05	11.0	0.389	0.44	2.8	105
ZZ79877		103.0	<0.002	0.03	0.82	10.5	2	1.9	302	0.88	<0.05	10.3	0.315	0.61	4.9	88
ZZ79878		99.3	<0.002	0.03	0.78	8.8	1	1.9	268	0.96	<0.05	8.8	0.339	0.54	2.7	75
ZZ79879		113.0	<0.002	0.02	0.37	5.7	1	3.9	358	1.12	<0.05	8.6	0.227	0.60	2.2	32
ZZ79880		134.0	<0.002	0.02	0.26	7.4	1	4.5	248	1.36	0.07	16.4	0.236	0.73	5.4	43
ZZ79881		109.5	<0.002	0.03	0.30	6.5	1	3.8	268	1.27	<0.05	11.4	0.263	0.58	5.6	42
ZZ79882		116.0	<0.002	0.01	0.29	5.3	1	4.4	322	1.15	<0.05	9.2	0.201	0.61	2.1	27
ZZ79883		120.5	<0.002	0.03	0.30	7.1	1	5.5	268	1.41	0.09	16.2	0.237	0.67	4.4	37
ZZ79884		116.0	<0.002	0.05	0.30	6.3	1	4.4	276	1.22	0.05	14.3	0.215	0.58	3.9	33
ZZ79885		142.5	<0.002	0.02	0.42	7.8	1	5.5	222	1.74	0.08	9.7	0.331	0.74	2.5	70
ZZ79886		136.5	<0.002	0.02	0.31	6.6	1	5.1	236	1.54	0.06	10.3	0.265	0.72	2.3	44
ZZ79887		132.0	<0.002	0.02	0.25	6.6	1	5.1	220	1.61	<0.05	11.3	0.259	0.69	1.9	44
ZZ79888		109.5	<0.002	0.04	0.42	7.4	2	4.3	198.5	1.48	<0.05	10.0	0.311	0.55	2.7	51
ZZ79889		138.0	<0.002	0.01	0.30	6.9	1	5.9	228	1.73	<0.05	12.3	0.291	0.73	2.1	49
ZZ79890		127.5	<0.002	0.02	0.75	9.6	2	5.2	204	1.59	0.11	12.4	0.392	0.68	2.9	81
ZZ79891		122.5	<0.002	0.03	0.59	9.2	1	4.8	247	1.45	0.07	11.7	0.361	0.67	2.6	60
ZZ79892		134.5	<0.002	0.02	0.80	13.6	2	4.7	257	1.58	0.10	13.3	0.490	0.78	2.7	89
ZZ79893		131.0	<0.002	0.01	0.73	13.4	2	4.2	298	1.43	0.09	13.2	0.439	0.76	2.8	79
ZZ79894		139.0	<0.002	0.01	0.61	15.7	2	4.4	251	1.56	0.06	13.9	0.502	0.89	2.8	94
ZZ79895		151.5	<0.002	0.01	0.56	17.0	2	4.3	201	1.65	0.06	10.9	0.545	0.93	2.6	101
ZZ79896		164.0	<0.002	0.02	0.46	19.8	2	3.6	168.5	1.33	<0.05	15.9	0.486	0.94	4.3	107
ZZ79897		157.0	<0.002	0.05	0.39	17.3	1	3.1	190.5	1.04	<0.05	16.1	0.420	0.92	4.3	102
ZZ79898		145.0	<0.002	0.03	0.37	18.1	1	3.5	167.0	1.15	<0.05	14.0	0.458	0.92	3.2	115
ZZ79899		134.0	<0.002	0.02	1.12	16.9	1	3.2	141.0	1.21	0.05	16.7	0.486	0.90	3.4	156
ZZ79900		166.5	<0.002	0.04	0.42	17.8	1	3.2	177.0	1.09	0.06	17.3	0.419	0.96	5.9	119
ZZ79901		129.5	<0.002	0.02	0.27	5.8	1	5.0	245	1.38	0.08	10.8	0.252	0.71	2.3	43
ZZ79902		109.0	<0.002	0.02	0.31	5.1	1	4.0	356	1.11	<0.05	8.1	0.252	0.61	2.1	38
ZZ79903		147.5	<0.002	0.04	0.35	8.2	1	4.4	227	1.26	0.11	14.6	0.287	0.71	15.7	67
ZZ79904		130.0	<0.002	0.02	0.20	5.7	1	5.2	250	1.40	0.06	15.3	0.221	0.67	2.5	35
ZZ79905		84.4	<0.002	0.03	0.27	4.8	1	3.3	366	0.96	<0.05	10.2	0.217	0.50	2.4	34
ZZ79906		87.2	<0.002	0.03	0.34	4.8	1	3.0	388	0.93	<0.05	11.8	0.216	0.49	3.1	36
ZZ79907		84.0	<0.002	0.03	0.35	4.5	1	3.1	333	1.02	<0.05	8.3	0.263	0.54	2.1	40
ZZ79908		109.5	<0.002	0.03	0.33	4.8	<1	3.4	329	1.03	<0.05	7.6	0.242	0.58	2.0	39
ZZ79909		128.5	<0.002	0.04	0.43	9.0	1	5.0	204	1.62	0.07	20.7	0.337	0.73	7.9	72

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133011

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
ZZ79870		1.5	14.4	89	104.5
ZZ79871		1.7	13.7	53	123.0
ZZ79872		1.6	14.2	85	99.4
ZZ79873		1.6	19.3	152	77.5
ZZ79874		1.7	16.4	95	100.5
ZZ79875		1.6	12.5	69	91.2
ZZ79876		1.6	12.8	58	112.5
ZZ79877		1.5	13.8	104	115.0
ZZ79878		1.4	12.6	43	116.5
ZZ79879		1.4	9.5	39	88.0
ZZ79880		4.3	15.1	60	43.6
ZZ79881		2.9	12.3	41	66.7
ZZ79882		1.4	9.5	36	68.5
ZZ79883		3.1	15.0	62	56.9
ZZ79884		1.9	12.2	52	63.5
ZZ79885		2.8	10.5	61	72.4
ZZ79886		1.8	10.5	53	63.4
ZZ79887		1.7	10.5	49	45.5
ZZ79888		2.1	9.6	62	79.5
ZZ79889		2.3	10.0	43	59.5
ZZ79890		5.3	13.0	176	81.9
ZZ79891		8.9	12.0	102	68.4
ZZ79892		5.0	17.1	242	67.7
ZZ79893		4.8	17.5	246	76.8
ZZ79894		3.9	18.7	244	86.5
ZZ79895		4.9	17.2	189	89.5
ZZ79896		3.5	28.2	220	94.6
ZZ79897		3.1	21.7	231	86.6
ZZ79898		3.1	21.1	213	84.0
ZZ79899		3.1	20.2	227	84.5
ZZ79900		3.2	23.0	337	75.9
ZZ79901		1.7	10.4	53	43.4
ZZ79902		1.8	8.8	30	75.3
ZZ79903		5.7	16.0	106	56.3
ZZ79904		2.7	13.2	54	34.2
ZZ79905		1.3	9.1	43	71.7
ZZ79906		1.5	10.0	56	81.8
ZZ79907		1.4	7.1	35	91.6
ZZ79908		1.6	7.5	42	81.1
ZZ79909		5.2	14.6	90	67.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133011

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
ZZ79910		0.14	0.19	7.39	1.3	880	1.66	0.66	1.25	0.14	79.7	3.4	11	3.65	9.1	2.10
ZZ79911		0.18	0.33	7.17	2.5	830	1.85	2.59	1.12	0.59	90.9	4.2	28	6.21	6.8	2.52
ZZ79912		0.12	2.62	8.65	3.5	770	2.23	4.10	1.92	3.42	121.0	15.1	74	7.37	26.4	4.32
ZZ79913		0.20	0.22	6.71	2.0	830	1.30	0.90	1.40	0.48	58.1	3.7	13	3.12	13.4	1.96
ZZ79914		0.28	1.47	8.51	3.7	800	1.75	3.71	1.90	0.95	102.5	11.5	73	6.05	22.7	4.48
ZZ79915		0.29	1.16	8.46	3.4	780	1.77	2.33	1.54	0.97	103.5	11.1	78	6.65	20.1	4.41
ZZ79916		0.33	0.87	9.31	4.6	850	2.23	2.01	1.46	0.89	114.0	16.9	86	6.31	30.9	4.59
ZZ79917		0.30	0.37	9.24	5.1	830	2.01	1.93	1.01	0.71	111.5	14.0	91	6.83	33.2	4.68
ZZ79918		0.26	0.16	9.21	5.1	910	2.27	1.10	0.81	0.65	101.0	15.6	92	6.04	31.1	4.66
ZZ79919		0.26	0.16	9.53	6.4	910	2.34	1.00	0.86	0.48	120.0	15.1	91	5.86	31.2	4.89
ZZ79920		0.39	0.30	9.38	6.7	920	2.37	0.73	0.73	0.59	102.5	13.8	90	6.19	35.8	4.66
ZZ79921		0.29	0.22	7.78	17.0	890	2.07	0.36	0.86	0.37	102.5	13.2	73	13.50	30.4	3.31
ZZ79922		0.20	0.08	6.87	7.2	800	1.27	0.29	0.71	0.24	97.7	7.1	76	12.55	10.5	3.87
ZZ79923		0.10	0.14	7.39	7.3	770	1.18	0.22	1.43	0.16	76.2	8.2	56	10.35	23.5	2.44
ZZ79924		0.20	0.11	7.86	30.0	850	1.84	0.36	0.92	0.22	81.4	11.3	78	27.5	38.2	3.20
ZZ79925		0.19	0.17	7.48	12.3	730	2.24	0.45	1.06	0.80	97.2	23.1	66	10.75	36.5	3.45
ZZ79926		0.19	0.18	7.01	4.2	870	1.29	0.24	1.05	0.26	74.6	6.0	47	5.78	14.9	2.14
ZZ79927		0.29	0.34	6.56	8.6	770	2.01	0.33	1.24	1.54	70.2	9.9	46	5.12	31.5	2.61
ZZ79928		0.21	0.12	5.61	4.8	770	1.34	0.28	0.56	0.29	69.6	6.6	52	5.39	11.9	2.02
ZZ79929		0.28	0.11	6.05	3.9	810	1.18	0.23	0.93	0.23	60.0	5.1	34	3.52	11.5	1.79
ZZ79930		0.22	0.30	6.16	2.8	850	1.21	0.24	1.23	0.49	60.2	4.1	37	4.11	15.8	1.65
ZZ79931		0.16	0.08	5.84	7.8	910	1.17	0.26	0.17	0.22	82.8	5.5	59	4.18	10.9	3.29
ZZ79932		0.16	0.14	6.70	7.3	990	1.37	0.30	0.40	0.29	86.2	5.6	64	9.58	11.3	2.61
ZZ79933		0.21	0.08	7.34	9.3	1130	2.54	0.48	0.61	0.87	106.0	12.2	65	6.01	23.2	4.01
ZZ79934		0.17	0.13	7.77	7.4	850	2.57	0.53	0.79	0.62	107.0	16.1	63	5.92	23.5	4.13
ZZ79935		0.21	0.24	5.90	7.9	960	2.52	0.43	0.77	0.91	69.3	14.6	64	5.43	30.1	3.49
ZZ79936		0.32	0.13	7.37	6.6	890	2.63	0.87	0.73	0.54	94.3	18.6	62	6.24	29.8	3.96
ZZ79937		0.14	0.43	5.67	6.7	1090	2.09	0.28	2.00	2.51	72.1	10.1	56	7.40	32.4	2.66
ZZ79938		0.26	1.37	7.88	6.8	880	2.67	13.75	0.89	1.88	92.9	16.3	67	9.03	153.5	4.33
ZZ79939		0.29	0.40	6.68	5.5	940	2.22	0.91	1.63	1.60	81.5	12.2	61	7.38	32.8	3.17
ZZ79940		0.24	0.14	8.12	8.0	990	3.02	0.92	0.89	0.80	118.0	19.4	77	8.84	39.4	4.19
ZZ79941		0.34	0.32	6.66	3.9	890	2.06	0.47	1.54	0.97	74.5	10.3	48	5.85	25.4	2.82
ZZ79942		0.24	0.29	7.28	5.1	930	2.20	0.82	1.51	0.74	81.3	10.4	53	6.35	31.0	3.05
ZZ79943		0.15	0.34	5.59	5.4	900	2.50	0.81	0.97	3.17	61.6	16.9	65	6.76	36.2	3.38
ZZ79944		0.33	0.03	7.48	6.9	960	2.15	0.37	0.48	0.38	97.8	10.2	72	8.04	11.7	3.90
ZZ79945		0.25	0.35	6.64	8.2	900	2.40	0.36	1.72	1.52	83.4	14.3	61	7.78	35.6	3.12
ZZ79946		0.34	0.09	7.65	11.5	1060	2.43	0.38	0.86	0.67	105.0	14.8	70	9.73	20.8	3.91
ZZ79947		0.16	0.07	7.38	8.5	940	2.36	0.37	0.79	0.47	109.5	14.7	67	7.47	15.5	3.70
ZZ79948		0.22	0.27	7.38	9.6	1020	2.52	0.34	1.41	1.77	92.3	14.5	67	8.56	28.6	3.51
ZZ79949		0.20	0.43	6.26	9.0	870	2.27	0.33	2.31	1.50	71.6	11.2	59	8.18	39.6	2.97

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133011

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
ZZ79910		20.4	0.25	2.0	0.054	2.47	38.7	28.6	0.39	362	0.90	1.99	14.2	4.4	580	23.0
ZZ79911		21.8	0.23	1.7	0.081	2.47	43.4	36.5	0.42	491	1.22	1.31	18.3	8.8	580	58.9
ZZ79912		23.0	0.27	1.7	0.128	2.33	54.0	63.4	0.89	1160	1.26	1.02	19.2	31.5	910	242
ZZ79913		18.90	0.24	2.7	0.042	2.23	28.9	23.8	0.38	390	1.24	2.16	10.7	5.0	700	20.2
ZZ79914		23.0	0.24	1.9	0.115	2.32	48.6	48.5	0.78	1210	0.84	1.06	18.9	27.9	700	195.0
ZZ79915		23.5	0.24	1.8	0.110	2.36	49.8	53.5	0.78	874	0.91	0.94	20.1	28.1	700	181.5
ZZ79916		25.9	0.29	2.1	0.118	2.61	53.3	59.8	0.92	843	1.07	1.07	21.3	37.2	610	167.0
ZZ79917		27.3	0.22	2.3	0.124	2.67	51.7	60.3	0.90	804	1.57	0.94	20.6	34.9	780	148.0
ZZ79918		27.0	0.25	2.3	0.111	2.90	47.0	64.5	0.91	789	1.89	0.97	20.0	36.8	600	80.2
ZZ79919		27.3	0.25	2.6	0.112	2.93	56.9	66.4	1.00	791	2.22	0.99	19.7	36.0	650	66.2
ZZ79920		26.2	0.22	2.5	0.097	2.94	48.9	60.8	0.97	649	1.92	0.91	17.4	34.3	730	73.1
ZZ79921		21.2	0.23	2.6	0.064	2.53	51.4	69.0	1.30	441	2.15	0.64	15.9	28.9	870	30.4
ZZ79922		24.6	0.22	2.7	0.057	2.45	51.4	54.0	1.09	270	1.83	0.54	18.9	19.8	650	18.3
ZZ79923		22.0	0.21	2.8	0.046	2.56	40.6	35.4	0.85	303	1.40	1.07	12.2	17.8	590	11.7
ZZ79924		23.4	0.22	2.5	0.057	2.54	41.5	75.1	1.45	292	1.61	0.56	15.7	27.8	420	24.0
ZZ79925		19.15	0.25	2.2	0.062	2.06	50.6	69.1	1.55	769	2.33	0.54	13.1	36.2	930	50.9
ZZ79926		18.60	0.24	2.6	0.051	2.27	37.4	37.0	1.18	363	1.60	1.16	13.7	15.3	480	31.6
ZZ79927		16.30	0.25	2.6	0.049	1.95	42.9	37.5	1.23	679	2.16	1.12	10.4	22.7	1440	36.5
ZZ79928		14.45	0.23	2.3	0.044	2.16	35.1	34.3	2.02	313	1.88	0.46	12.4	17.5	1020	28.5
ZZ79929		15.20	0.21	2.7	0.032	2.22	30.0	27.6	1.31	325	1.83	1.22	10.2	11.4	730	22.8
ZZ79930		14.70	0.21	2.5	0.035	2.11	31.1	32.3	1.25	234	1.43	1.28	9.6	12.9	980	19.9
ZZ79931		15.20	0.22	2.3	0.046	2.27	40.9	43.8	1.79	245	3.20	0.34	12.5	23.8	470	20.3
ZZ79932		18.85	0.24	2.3	0.048	2.54	42.1	47.1	1.54	264	4.36	0.61	14.7	21.3	360	35.0
ZZ79933		18.30	0.21	2.5	0.082	2.04	52.0	56.8	1.54	452	2.42	0.51	15.1	39.0	840	45.8
ZZ79934		18.40	0.22	2.6	0.083	2.02	50.1	54.7	1.60	566	1.51	0.50	14.4	39.3	900	38.0
ZZ79935		19.10	0.25	2.6	0.075	2.14	32.1	52.6	1.58	521	1.79	0.56	15.2	38.1	770	33.9
ZZ79936		20.0	0.20	2.6	0.093	2.25	43.2	49.7	1.65	582	1.28	0.55	15.1	35.6	560	32.7
ZZ79937		14.70	0.18	2.5	0.051	1.85	38.6	46.8	1.66	381	2.37	0.40	11.8	35.8	820	33.7
ZZ79938		21.2	0.22	2.8	0.668	2.35	44.7	60.5	1.90	862	1.02	0.54	17.1	36.1	580	143.5
ZZ79939		17.90	0.19	2.6	0.089	2.01	42.0	49.8	1.61	567	1.98	0.58	13.5	31.8	890	34.6
ZZ79940		22.3	0.26	3.1	0.094	2.62	57.5	63.8	1.65	576	1.97	0.62	18.1	46.9	750	36.9
ZZ79941		17.20	0.17	2.8	0.064	2.00	38.2	40.1	1.47	460	1.54	0.91	11.8	24.1	660	22.7
ZZ79942		19.75	0.20	3.0	0.090	2.23	42.3	42.5	1.49	469	1.71	0.92	13.7	26.1	650	29.5
ZZ79943		18.25	0.22	2.4	0.094	2.05	29.3	53.0	1.67	810	2.13	0.46	14.5	34.3	710	38.0
ZZ79944		22.1	0.21	2.8	0.073	2.63	48.6	70.4	1.38	494	2.64	0.45	17.1	31.0	380	40.6
ZZ79945		17.05	0.20	2.6	0.063	2.27	41.8	58.2	1.47	761	3.11	0.57	12.9	36.7	870	43.3
ZZ79946		21.5	0.21	2.8	0.077	2.56	50.4	94.9	1.45	503	3.00	0.56	16.4	48.6	320	42.6
ZZ79947		20.0	0.23	2.8	0.065	2.54	50.9	85.0	1.49	552	2.78	0.52	15.7	38.6	380	55.8
ZZ79948		18.60	0.21	2.7	0.069	2.36	46.6	76.5	1.58	574	2.68	0.49	14.0	38.5	540	42.7
ZZ79949		16.25	0.18	2.4	0.056	2.05	36.8	50.9	1.37	490	2.84	0.48	12.0	35.0	800	46.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133011

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
ZZ79910		104.0	0.002	0.02	0.29	5.6	1	3.6	328	1.16	<0.05	10.3	0.249	0.59	2.5	41
ZZ79911		141.0	<0.002	0.01	0.43	7.5	1	5.0	214	1.47	0.07	11.2	0.325	0.72	3.0	60
ZZ79912		128.5	<0.002	0.03	0.59	15.2	1	4.2	288	1.30	0.09	16.4	0.462	0.79	4.7	89
ZZ79913		83.4	<0.002	0.02	0.40	4.6	<1	2.9	388	0.84	<0.05	8.2	0.240	0.46	2.3	40
ZZ79914		121.5	<0.002	0.02	0.68	13.3	1	4.1	292	1.34	0.08	16.0	0.475	0.76	2.8	89
ZZ79915		130.0	<0.002	0.02	0.60	14.6	1	4.3	240	1.42	0.08	14.2	0.505	0.84	2.7	94
ZZ79916		147.0	0.002	0.01	0.57	17.3	1	4.2	251	1.45	0.05	16.0	0.529	0.85	2.9	103
ZZ79917		143.0	<0.002	0.02	0.49	17.6	1	4.2	190.0	1.43	0.05	14.6	0.547	0.92	3.0	109
ZZ79918		148.5	<0.002	0.01	0.36	18.3	1	3.7	166.5	1.37	<0.05	12.6	0.546	0.95	3.1	116
ZZ79919		155.0	<0.002	0.01	0.47	18.8	1	3.7	158.5	1.32	<0.05	13.4	0.553	0.91	2.9	119
ZZ79920		147.5	0.002	0.02	0.51	17.6	1	3.0	148.5	1.19	<0.05	13.0	0.504	0.87	2.8	116
ZZ79921		137.5	<0.002	0.03	1.47	13.4	1	2.5	112.0	1.13	<0.05	13.4	0.417	0.81	4.4	135
ZZ79922		125.0	<0.002	0.03	1.08	10.8	1	2.6	101.5	1.31	<0.05	10.3	0.488	0.60	3.2	150
ZZ79923		97.5	<0.002	0.04	1.04	9.1	1	1.8	243	0.85	<0.05	8.2	0.360	0.49	2.8	98
ZZ79924		125.5	<0.002	0.03	1.11	11.8	1	2.5	104.5	1.13	<0.05	12.5	0.419	0.77	4.7	141
ZZ79925		111.5	0.002	0.06	0.87	12.4	2	2.1	110.0	0.89	<0.05	12.2	0.367	0.70	5.6	112
ZZ79926		101.0	<0.002	0.02	0.61	10.3	1	2.1	220	0.93	<0.05	8.0	0.382	0.62	2.6	90
ZZ79927		87.4	<0.002	0.08	1.16	9.9	1	1.6	216	0.72	<0.05	11.7	0.276	0.59	8.2	107
ZZ79928		91.0	<0.002	0.03	1.15	8.0	1	1.8	73.8	0.83	<0.05	8.8	0.328	0.61	3.3	144
ZZ79929		80.1	<0.002	0.03	0.92	6.5	1	1.4	237	0.71	<0.05	7.5	0.295	0.49	2.7	102
ZZ79930		82.1	<0.002	0.04	0.70	7.1	1	1.3	250	0.70	<0.05	8.3	0.279	0.51	3.2	89
ZZ79931		93.4	<0.002	0.02	1.47	8.2	1	1.7	47.0	0.85	<0.05	8.3	0.342	0.59	2.5	163
ZZ79932		125.0	<0.002	0.01	1.24	10.4	1	2.2	91.6	1.01	<0.05	9.0	0.392	0.80	2.9	170
ZZ79933		92.6	0.002	0.03	1.47	12.0	2	2.0	82.7	1.16	<0.05	14.8	0.363	0.68	7.2	160
ZZ79934		87.3	<0.002	0.03	1.22	12.1	2	2.0	94.1	1.11	<0.05	14.8	0.344	0.61	3.9	120
ZZ79935		64.2	<0.002	0.02	1.26	10.3	2	2.1	105.5	1.16	<0.05	9.1	0.369	0.70	4.2	153
ZZ79936		79.8	<0.002	0.01	1.12	12.2	2	2.1	103.0	1.14	<0.05	12.4	0.365	0.70	2.7	106
ZZ79937		96.0	0.015	0.08	1.75	10.2	6	1.5	113.0	0.91	<0.05	11.9	0.294	0.66	6.6	211
ZZ79938		86.2	<0.002	0.01	1.04	12.6	2	2.6	127.0	1.28	0.05	13.1	0.382	0.74	2.6	108
ZZ79939		97.1	0.005	0.05	1.19	11.4	4	1.8	139.0	1.03	<0.05	13.1	0.325	0.64	7.4	134
ZZ79940		126.5	0.003	0.03	1.16	14.7	3	2.4	115.5	1.36	<0.05	16.1	0.455	0.79	5.7	150
ZZ79941		81.5	0.003	0.04	0.88	9.6	3	1.6	208	0.93	<0.05	11.4	0.294	0.52	5.5	86
ZZ79942		99.0	0.004	0.03	0.99	11.0	3	1.9	209	1.07	<0.05	12.7	0.337	0.61	5.2	93
ZZ79943		67.6	0.002	0.04	1.01	9.8	3	2.0	98.3	1.13	<0.05	8.9	0.344	0.67	8.0	105
ZZ79944		126.0	<0.002	0.01	0.95	13.2	2	2.5	69.1	1.30	<0.05	11.9	0.426	0.85	3.2	126
ZZ79945		118.5	0.003	0.06	1.13	11.5	3	1.9	113.5	0.99	<0.05	14.2	0.315	0.77	9.3	119
ZZ79946		124.0	<0.002	0.02	1.21	13.3	2	2.5	95.2	1.25	<0.05	14.3	0.402	0.89	4.5	147
ZZ79947		117.0	0.002	0.02	1.15	12.9	2	2.3	84.0	1.20	<0.05	13.7	0.389	0.82	4.3	130
ZZ79948		122.5	0.004	0.04	1.06	12.7	3	2.0	100.5	1.08	<0.05	15.7	0.347	0.83	12.0	119
ZZ79949		109.0	0.012	0.07	1.31	10.9	4	1.7	122.0	0.93	<0.05	13.0	0.300	0.77	19.8	116

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133011

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm
	LOR	0.1	0.1	2	0.5
ZZ79910		1.7	9.9	58	72.1
ZZ79911		4.8	11.7	164	54.8
ZZ79912		4.2	22.4	576	63.2
ZZ79913		1.3	7.9	64	102.5
ZZ79914		5.7	18.2	303	65.7
ZZ79915		4.3	18.6	236	61.5
ZZ79916		4.0	21.0	289	74.4
ZZ79917		3.7	20.5	245	77.8
ZZ79918		3.3	20.2	202	80.3
ZZ79919		3.6	23.4	184	88.7
ZZ79920		3.2	20.5	148	86.7
ZZ79921		2.0	20.8	116	88.1
ZZ79922		2.0	14.6	62	102.5
ZZ79923		1.4	12.7	49	99.6
ZZ79924		2.2	15.4	98	88.4
ZZ79925		1.7	24.6	135	83.9
ZZ79926		1.3	14.8	78	94.0
ZZ79927		1.2	30.9	126	98.4
ZZ79928		1.1	13.8	80	81.0
ZZ79929		1.2	10.7	56	96.1
ZZ79930		0.9	12.2	81	95.1
ZZ79931		1.2	12.2	79	98.7
ZZ79932		1.4	13.7	93	83.4
ZZ79933		1.8	24.3	167	74.4
ZZ79934		2.0	22.0	127	73.3
ZZ79935		1.6	18.0	131	77.2
ZZ79936		1.8	19.9	108	76.3
ZZ79937		1.4	21.7	190	73.3
ZZ79938		5.4	19.8	561	81.0
ZZ79939		1.6	20.5	169	77.6
ZZ79940		2.6	26.5	174	91.9
ZZ79941		1.3	16.7	103	81.7
ZZ79942		1.6	18.9	137	90.5
ZZ79943		1.6	14.9	210	69.5
ZZ79944		2.1	19.8	153	80.0
ZZ79945		1.6	23.2	163	79.7
ZZ79946		2.2	21.8	182	83.5
ZZ79947		2.9	22.2	183	77.3
ZZ79948		1.9	23.0	186	78.9
ZZ79949		1.8	20.3	171	71.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133011

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
ZZ79950		0.24	0.16	7.10	7.9	1040	2.75	0.34	1.23	1.05	92.4	13.5	67	8.16	37.3	3.53
ZZ79951		0.31	0.86	7.04	11.1	1490	2.94	0.30	1.30	1.75	71.9	13.8	77	9.99	55.0	4.25
ZZ79952		0.30	0.47	6.98	10.9	1200	2.58	0.33	1.82	2.35	89.2	12.5	68	7.97	37.1	3.30
ZZ79953		0.32	0.40	7.11	9.7	1140	2.67	0.41	1.36	1.69	86.8	13.4	66	8.49	36.2	3.47
ZZ79954		0.30	0.16	7.42	12.8	1550	2.74	0.35	1.18	1.87	94.8	13.8	74	9.71	29.2	3.47
ZZ79955		0.24	0.47	6.25	7.5	1750	2.27	0.27	1.59	2.47	74.7	10.1	63	7.67	35.1	2.81
ZZ79956		0.22	0.36	6.71	9.4	1420	2.52	0.33	1.54	2.25	81.2	12.0	65	8.67	41.5	3.08
ZZ79957		0.24	0.33	6.61	9.1	1220	2.21	0.29	1.64	1.67	94.7	11.7	62	7.34	29.9	3.08
ZZ79958		0.38	0.43	7.21	8.1	1230	2.37	0.42	1.32	1.48	85.8	12.2	70	8.59	24.5	3.58
ZZ79959		0.12	0.59	6.39	4.8	910	1.68	0.31	1.03	1.69	61.6	5.9	44	6.50	24.8	2.25
ZZ79960		0.33	0.21	7.44	9.3	1160	2.58	0.37	0.61	0.63	98.4	15.8	68	9.16	33.2	3.84
ZZ79961		0.22	0.71	8.31	5.6	810	2.32	1.46	0.91	1.05	100.5	11.3	72	5.96	14.5	5.06
ZZ79962		0.26	0.39	7.60	6.2	930	2.24	0.71	0.78	0.72	103.5	10.8	66	5.99	17.6	4.05
ZZ79963		0.23	0.13	6.82	7.3	940	2.07	0.46	0.74	0.75	116.5	9.7	63	4.81	16.2	4.08
ZZ79964		0.26	0.28	7.84	6.6	800	2.43	0.54	1.06	1.75	124.5	12.6	67	4.85	25.4	4.29
ZZ79965		0.18	0.32	8.25	6.9	970	2.38	0.49	0.45	0.59	109.0	12.2	75	5.70	16.5	4.82
ZZ79966		0.37	0.24	7.25	7.5	1040	2.05	0.49	0.45	0.71	95.5	10.3	72	7.40	15.6	4.35
ZZ79967		0.14	0.14	7.89	7.8	770	2.78	0.98	0.94	0.75	118.0	14.3	73	9.22	23.7	4.34
ZZ79968		0.21	0.07	7.86	7.4	800	2.04	0.79	0.58	0.60	114.0	11.1	71	4.52	13.8	4.83
ZZ79969		0.25	0.35	7.04	3.8	850	1.67	0.47	1.35	1.83	81.3	6.3	52	6.09	23.0	2.36
ZZ79970		0.30	0.20	6.93	49.9	790	1.77	0.80	0.63	0.78	97.1	9.4	64	5.58	13.7	4.06
ZZ79971		0.25	0.22	7.30	12.7	730	1.72	0.70	0.55	1.37	103.0	7.7	63	4.22	14.2	4.37
ZZ79972		0.27	0.09	7.46	7.2	820	1.58	0.65	0.65	3.20	85.1	7.2	65	4.39	14.2	3.58
ZZ79973		0.29	0.29	8.07	9.0	950	2.04	0.78	0.66	0.69	101.5	12.0	69	6.85	31.2	3.65
ZZ79974		0.30	0.44	8.05	8.4	920	2.01	0.93	0.48	1.03	113.0	11.7	75	6.62	40.3	4.02
ZZ79975		0.28	0.24	8.48	9.3	1020	2.04	0.72	0.59	0.68	111.0	11.1	77	6.67	26.8	4.48
ZZ79976		0.27	0.26	8.20	10.0	880	1.82	1.05	0.47	0.57	96.4	8.4	77	4.49	10.0	5.06
ZZ79977		0.22	0.60	8.25	8.7	980	2.19	0.72	0.58	0.56	98.4	11.6	75	6.02	37.3	4.04
ZZ79978		0.24	0.27	8.52	8.5	930	2.00	0.85	0.55	0.71	112.5	10.7	77	4.90	15.3	4.93
ZZ79979		0.23	0.14	8.46	10.3	1030	2.32	0.59	0.52	0.90	104.5	12.7	79	5.91	42.8	4.33
ZZ79980		0.30	0.35	9.26	12.8	1100	2.80	0.89	0.63	1.26	108.5	19.2	89	7.59	70.0	5.04
ZZ79981		0.22	0.70	8.94	10.9	1060	2.40	0.78	0.56	0.61	101.0	12.0	83	7.16	66.1	4.60
ZZ79982		0.27	0.28	9.07	13.4	1160	2.65	0.66	0.69	0.79	110.5	22.6	89	8.22	66.1	5.05
ZZ79983		0.21	0.22	9.22	10.6	1040	2.39	0.65	0.33	0.49	101.5	11.6	87	7.45	24.2	4.78
ZZ79984		0.30	0.31	8.65	13.1	1080	2.52	0.63	0.61	0.63	111.5	15.8	81	7.62	53.1	4.54
ZZ79985		0.22	0.43	8.97	16.3	920	1.83	0.59	0.23	0.25	96.7	11.0	90	8.05	16.5	7.64
ZZ79986		0.21	0.18	8.50	8.7	940	2.19	0.40	0.59	0.45	113.5	14.1	67	5.60	31.6	4.31
ZZ79987		0.33	0.21	7.29	5.6	950	1.65	0.66	0.50	0.36	99.2	7.4	68	7.45	12.8	4.26
ZZ79988		0.17	0.19	8.55	9.2	900	2.46	0.55	0.95	0.62	109.5	14.9	74	7.04	27.5	4.58
ZZ79989		0.33	0.30	7.76	10.1	1050	2.52	0.50	0.82	0.83	124.0	21.8	67	6.01	44.0	4.12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133011

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
ZZ79950		18.75	0.23	2.8	0.062	2.45	46.6	61.6	1.69	553	2.71	0.60	14.7	40.1	540	35.2
ZZ79951		19.10	0.22	3.0	0.062	2.37	38.2	54.1	3.29	631	6.46	0.26	15.0	55.3	920	38.0
ZZ79952		18.20	0.23	3.0	0.055	2.30	45.8	57.3	1.76	555	3.36	0.48	14.2	45.8	840	53.9
ZZ79953		18.25	0.20	2.8	0.063	2.42	43.1	57.6	1.77	608	3.91	0.52	15.0	43.8	700	57.6
ZZ79954		19.25	0.24	2.9	0.064	2.44	49.1	57.7	2.00	515	4.25	0.43	15.6	46.4	900	51.2
ZZ79955		16.05	0.19	2.6	0.054	2.02	39.1	45.8	1.85	405	3.73	0.45	13.0	38.4	1050	32.5
ZZ79956		17.25	0.20	2.8	0.058	2.13	43.7	49.6	1.81	494	3.24	0.48	13.5	40.3	960	42.4
ZZ79957		16.95	0.21	2.6	0.058	2.22	48.4	49.5	1.62	502	3.16	0.53	13.6	36.5	850	43.6
ZZ79958		18.65	0.22	2.7	0.064	2.35	42.6	70.9	2.20	480	3.22	0.49	14.3	43.5	680	39.2
ZZ79959		17.70	0.17	2.9	0.045	2.11	31.8	33.3	0.80	328	2.74	1.14	11.2	17.0	790	26.2
ZZ79960		20.2	0.22	2.7	0.074	2.47	49.5	73.8	1.80	419	3.21	0.50	15.3	44.6	550	41.2
ZZ79961		22.6	0.26	2.3	0.092	2.24	48.7	57.0	0.96	696	1.48	0.81	20.0	30.8	390	62.6
ZZ79962		21.4	0.24	2.6	0.075	2.26	51.3	51.5	1.05	544	1.54	0.79	19.5	30.1	530	54.6
ZZ79963		18.05	0.26	2.3	0.074	2.16	58.2	48.5	1.21	491	2.19	0.70	16.8	32.6	780	38.5
ZZ79964		21.7	0.25	2.4	0.079	2.18	60.0	54.6	0.93	581	1.14	0.87	19.1	32.6	420	33.4
ZZ79965		23.0	0.26	2.5	0.089	2.45	52.9	60.3	1.15	533	1.75	0.76	18.9	36.2	320	30.0
ZZ79966		20.8	0.22	2.6	0.081	2.26	45.6	85.8	1.72	452	3.31	0.60	17.3	29.6	350	41.1
ZZ79967		20.9	0.26	2.1	0.074	2.09	58.8	88.1	1.19	616	2.32	1.07	20.4	35.6	440	144.0
ZZ79968		20.8	0.25	2.4	0.097	2.19	55.2	56.6	0.90	566	1.28	0.81	18.7	33.4	350	33.9
ZZ79969		18.90	0.20	2.7	0.049	2.20	50.6	33.2	0.66	367	2.31	1.28	15.7	15.2	730	28.6
ZZ79970		20.3	0.21	2.4	0.065	2.17	51.8	57.5	0.85	464	3.02	0.86	19.2	24.3	260	63.3
ZZ79971		23.5	0.19	2.3	0.071	2.06	54.1	36.6	0.66	438	2.80	0.84	18.6	21.9	350	50.5
ZZ79972		24.0	0.21	2.4	0.067	2.43	43.0	32.3	0.56	392	2.87	0.90	18.9	19.1	270	18.5
ZZ79973		22.8	0.25	2.6	0.070	2.50	54.4	53.5	0.97	553	2.61	0.93	16.7	30.8	960	56.6
ZZ79974		23.1	0.25	2.4	0.090	2.47	62.6	46.7	0.83	506	2.47	0.77	18.6	29.9	480	68.8
ZZ79975		25.1	0.25	2.7	0.077	2.66	65.0	58.1	1.04	496	2.29	0.79	18.6	32.9	560	35.6
ZZ79976		23.0	0.19	2.3	0.084	2.50	50.6	48.3	0.91	497	1.20	0.75	17.7	26.2	340	29.2
ZZ79977		22.3	0.20	2.6	0.076	2.56	53.1	48.9	1.07	488	1.89	0.72	15.8	34.8	890	47.8
ZZ79978		24.7	0.24	2.5	0.094	2.58	58.0	63.5	0.95	603	1.22	0.76	18.7	30.3	390	35.7
ZZ79979		23.0	0.21	2.8	0.086	2.63	56.9	57.3	1.17	501	2.21	0.71	16.9	39.1	680	37.4
ZZ79980		25.8	0.27	3.0	0.100	2.78	62.2	74.1	1.30	649	2.88	0.70	18.3	50.7	730	54.1
ZZ79981		24.2	0.23	3.1	0.089	2.73	54.9	60.8	1.15	504	2.53	0.75	18.1	38.3	840	43.5
ZZ79982		24.5	0.28	3.0	0.090	2.81	69.2	72.9	1.36	673	2.62	0.64	17.6	54.1	780	48.3
ZZ79983		26.7	0.22	2.9	0.087	3.00	56.5	70.4	1.11	532	1.84	0.61	19.3	35.7	400	28.7
ZZ79984		22.8	0.27	3.0	0.081	2.73	63.5	68.3	1.24	556	2.16	0.68	16.6	53.0	770	37.7
ZZ79985		28.5	0.21	2.7	0.080	2.77	51.3	47.5	1.00	410	1.99	0.43	17.3	34.3	780	14.7
ZZ79986		19.90	0.24	2.6	0.077	2.30	59.1	70.1	1.39	513	1.42	0.62	16.3	43.3	760	47.1
ZZ79987		24.3	0.22	3.0	0.068	2.34	52.4	46.3	1.08	384	1.49	0.68	20.2	20.4	330	23.3
ZZ79988		21.5	0.24	2.7	0.087	2.27	55.9	64.4	1.74	563	1.82	0.47	16.5	37.3	780	89.6
ZZ79989		20.6	0.28	2.7	0.074	2.49	67.8	62.6	1.54	662	1.89	0.61	17.2	51.7	700	39.9

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133011

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
ZZ79950		127.0	0.003	0.03	1.26	13.0	3	2.1	106.5	1.17	<0.05	15.6	0.358	0.87	6.0	134
ZZ79951		105.5	0.003	0.02	3.05	12.3	3	1.8	85.7	1.13	0.05	14.2	0.369	0.89	10.3	470
ZZ79952		121.0	0.014	0.05	1.71	12.3	7	1.9	116.5	1.12	<0.05	15.1	0.368	0.99	5.8	280
ZZ79953		112.0	0.005	0.04	1.59	12.2	4	2.0	109.0	1.16	<0.05	14.5	0.364	0.88	8.5	193
ZZ79954		119.5	0.005	0.04	2.30	12.9	5	2.1	95.7	1.21	<0.05	16.3	0.390	0.96	9.8	305
ZZ79955		103.0	0.010	0.06	2.24	10.9	4	1.7	114.5	0.99	<0.05	12.8	0.322	0.81	7.9	257
ZZ79956		110.5	0.007	0.06	1.98	11.7	4	1.8	113.0	1.03	<0.05	14.6	0.334	0.83	16.6	241
ZZ79957		109.5	0.003	0.05	2.00	11.2	3	1.9	113.5	1.05	<0.05	14.0	0.339	0.76	8.2	217
ZZ79958		107.5	0.002	0.03	1.98	12.0	2	2.0	106.0	1.10	<0.05	14.7	0.351	0.70	7.1	206
ZZ79959		104.0	<0.002	0.04	0.79	9.2	2	1.6	220	0.88	<0.05	9.9	0.297	0.66	4.8	121
ZZ79960		111.5	0.002	0.01	1.35	12.5	2	2.1	80.6	1.16	<0.05	14.0	0.380	0.81	3.7	186
ZZ79961		115.5	<0.002	0.02	0.73	13.8	2	2.9	155.0	1.56	0.07	18.2	0.496	0.76	2.9	112
ZZ79962		119.0	<0.002	0.01	0.81	12.9	2	2.7	137.0	1.51	0.05	14.8	0.481	0.75	3.1	119
ZZ79963		101.5	<0.002	0.02	1.09	11.6	2	2.1	109.5	1.29	<0.05	15.8	0.423	0.68	3.2	132
ZZ79964		115.5	<0.002	0.02	0.55	13.7	2	2.5	149.0	1.45	<0.05	14.8	0.493	0.74	4.6	101
ZZ79965		122.0	<0.002	0.01	0.84	14.4	2	2.6	103.5	1.44	<0.05	14.4	0.468	0.79	2.8	125
ZZ79966		124.5	<0.002	0.02	1.22	12.6	2	2.5	88.1	1.36	<0.05	12.5	0.431	0.75	3.1	179
ZZ79967		106.5	<0.002	0.01	0.59	13.2	2	2.4	280	1.56	<0.05	16.0	0.466	0.72	3.0	107
ZZ79968		110.5	<0.002	0.02	0.64	13.0	2	2.5	110.5	1.45	0.05	15.9	0.491	0.70	2.6	102
ZZ79969		126.0	<0.002	0.03	0.53	10.2	1	2.3	253	1.03	<0.05	9.5	0.402	0.65	3.1	85
ZZ79970		121.0	<0.002	0.01	0.71	11.1	1	2.7	123.5	1.26	0.05	10.6	0.464	0.68	2.6	109
ZZ79971		117.0	<0.002	0.02	0.63	11.9	1	2.9	117.5	1.16	0.05	10.5	0.513	0.68	2.6	127
ZZ79972		128.0	<0.002	0.02	0.50	12.7	1	3.0	151.0	1.19	0.06	7.9	0.503	0.75	2.2	105
ZZ79973		145.5	<0.002	0.03	0.62	13.5	1	2.6	156.0	1.07	0.05	11.6	0.420	0.88	3.2	119
ZZ79974		147.5	<0.002	0.02	0.63	13.7	1	2.8	112.0	1.50	0.06	13.7	0.445	0.83	3.4	116
ZZ79975		146.0	<0.002	0.02	0.88	14.8	1	2.9	133.0	1.15	0.05	11.3	0.471	0.84	3.2	136
ZZ79976		127.0	<0.002	0.01	0.62	13.5	1	2.8	93.3	1.08	<0.05	8.7	0.480	0.74	2.2	116
ZZ79977		137.5	<0.002	0.03	0.81	14.6	1	2.6	125.0	0.99	<0.05	12.2	0.421	0.86	3.2	138
ZZ79978		137.5	<0.002	0.01	0.70	14.8	1	3.0	106.5	1.13	0.05	10.4	0.497	0.77	2.4	122
ZZ79979		135.0	<0.002	0.02	1.01	15.4	1	2.5	114.5	1.05	<0.05	12.1	0.446	0.81	3.2	163
ZZ79980		154.0	<0.002	0.02	1.04	17.5	1	2.9	115.5	1.12	0.05	15.1	0.468	0.92	4.2	174
ZZ79981		148.5	<0.002	0.03	0.87	16.0	2	2.7	122.5	1.13	<0.05	13.0	0.480	0.86	3.9	163
ZZ79982		148.5	<0.002	0.02	1.16	16.8	2	2.7	114.0	1.09	0.06	14.1	0.472	0.85	3.7	183
ZZ79983		159.0	<0.002	0.02	0.80	16.9	1	2.9	96.8	1.21	<0.05	10.5	0.514	0.90	2.9	154
ZZ79984		142.5	<0.002	0.02	0.99	15.1	1	2.6	118.0	1.07	0.05	13.7	0.450	0.85	3.5	155
ZZ79985		154.0	<0.002	0.03	0.91	14.9	1	2.6	95.5	1.06	0.05	10.3	0.449	0.91	2.5	156
ZZ79986		113.0	<0.002	0.02	0.93	13.8	1	2.3	90.3	0.98	<0.05	12.7	0.415	0.67	2.6	115
ZZ79987		129.5	<0.002	0.01	0.80	12.3	1	2.9	105.0	1.32	<0.05	10.6	0.488	0.73	2.8	129
ZZ79988		112.0	<0.002	0.03	1.31	13.8	1	2.4	105.0	1.04	0.05	13.4	0.423	0.70	2.9	119
ZZ79989		117.0	0.002	0.01	1.26	14.4	2	2.3	118.0	1.04	<0.05	12.3	0.436	0.77	3.2	160

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133011

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	W	Y	Zn	Zr
	Units	ppm	ppm	ppm	ppm
	LOR	0.1	0.1	2	0.5
ZZ79950		1.9	24.9	131	80.8
ZZ79951		1.4	20.3	282	93.9
ZZ79952		1.9	25.7	245	86.4
ZZ79953		2.0	23.2	192	81.1
ZZ79954		1.8	25.6	271	85.9
ZZ79955		1.4	23.3	233	79.1
ZZ79956		1.6	25.9	207	84.9
ZZ79957		1.7	21.9	191	76.3
ZZ79958		1.7	20.2	232	81.9
ZZ79959		1.4	13.1	93	87.7
ZZ79960		1.7	21.4	169	76.4
ZZ79961		4.6	18.5	287	69.0
ZZ79962		3.2	18.9	171	72.9
ZZ79963		2.5	21.7	121	70.1
ZZ79964		7.8	22.7	225	72.3
ZZ79965		3.6	18.2	115	77.3
ZZ79966		2.3	16.1	349	78.9
ZZ79967		4.0	21.6	506	65.0
ZZ79968		5.2	19.7	138	71.5
ZZ79969		2.5	16.9	106	95.9
ZZ79970		2.7	17.9	185	80.5
ZZ79971		3.5	19.8	99	76.9
ZZ79972		4.1	15.1	94	81.5
ZZ79973		3.1	20.7	165	85.7
ZZ79974		3.6	22.2	160	83.3
ZZ79975		3.9	24.1	137	94.2
ZZ79976		3.7	16.3	121	79.5
ZZ79977		2.6	21.5	148	86.3
ZZ79978		3.9	20.7	136	84.8
ZZ79979		2.7	23.1	145	92.5
ZZ79980		3.9	27.1	232	101.0
ZZ79981		2.7	22.1	179	104.5
ZZ79982		2.5	30.8	201	101.0
ZZ79983		4.2	22.4	126	96.5
ZZ79984		2.9	27.9	175	95.4
ZZ79985		4.5	14.4	90	89.6
ZZ79986		2.0	24.4	130	86.0
ZZ79987		2.5	17.0	89	103.0
ZZ79988		3.6	22.4	120	87.6
ZZ79989		2.1	30.7	162	94.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133011

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
ZZ79990		0.18	0.20	7.48	9.2	1380	2.51	0.37	1.10	0.83	95.5	19.0	70	8.02	35.0	3.58

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133011

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
ZZ79990		19.60	0.24	2.7	0.065	2.35	54.7	69.1	1.75	484	2.38	0.51	15.1	45.7	800	42.2

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133011

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
ZZ79990		116.0	0.002	0.04	1.46	13.1	2	2.1	123.0	0.97	<0.05	12.1	0.390	0.75	5.7	181

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133011

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
ZZ79990		2.0	29.1	205	89.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133011

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
LOG-22 SCR-41 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME-MS61

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

CERTIFICATE WH13133012

Project: HY (Marg)

P.O. No.:

This report is for 162 Soil samples submitted to our lab in Whitehorse, YT, Canada on 23-JUL-2013.

The following have access to data associated with this certificate:

HEATHER BURRELL	SARAH DRECHSLER	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION
ME-MS61	48 element four acid ICP-MS

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133012

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
ZZ79682		0.22	0.20	8.51	9.4	890	2.39	0.70	0.78	0.61	120.0	16.3	71	4.36	37.2	4.52
ZZ79683		0.13	0.50	7.97	13.1	760	2.80	1.95	1.34	1.13	157.0	22.8	69	7.93	27.4	4.39
ZZ79684		0.31	0.21	8.84	8.8	1000	2.49	0.55	1.05	0.75	124.5	18.8	72	6.81	29.6	4.19
ZZ79685		0.28	0.11	8.61	6.3	880	2.10	0.53	0.53	0.47	111.0	14.0	75	4.55	18.9	4.29
ZZ79686		0.33	0.43	8.24	7.0	940	2.34	0.69	0.82	2.16	124.5	16.4	71	7.14	36.1	4.06
ZZ79687		0.26	0.23	8.39	6.6	1050	2.28	0.51	1.01	0.91	113.5	15.8	70	5.03	24.5	4.25
ZZ79688		0.21	0.28	8.25	6.3	830	2.25	0.86	1.15	0.99	123.0	16.3	66	4.78	21.9	4.28
ZZ79689		0.21	0.37	7.85	6.5	800	1.86	1.94	1.44	2.25	108.0	15.3	70	6.70	18.0	4.93
ZZ79690		0.35	0.49	8.51	6.6	870	2.21	1.17	1.07	0.70	115.0	16.3	69	5.09	25.8	4.25
ZZ79691		0.30	0.23	8.54	8.4	910	2.39	1.10	0.97	0.68	116.0	17.9	66	6.48	33.7	4.20
ZZ79692		0.31	0.16	8.23	5.7	800	2.23	1.41	1.21	0.78	111.0	13.9	62	5.37	21.6	4.18
ZZ79693		0.30	3.17	9.73	11.4	860	3.31	3.64	1.30	1.52	184.5	21.7	85	14.30	41.1	5.03
ZZ79694		0.31	0.32	8.12	7.9	1080	2.00	0.65	0.60	0.83	107.5	14.4	73	5.96	28.6	4.18
ZZ79695		0.28	0.56	9.11	11.3	1010	2.10	0.68	0.48	0.39	109.5	13.5	89	7.04	29.2	5.38
ZZ79696		0.33	0.15	9.29	8.9	1000	2.31	0.65	0.63	0.43	124.5	14.8	87	6.67	38.9	4.98
ZZ79697		0.36	0.32	9.04	9.9	1060	2.28	0.59	0.58	0.47	131.0	16.3	83	6.25	40.0	4.90
ZZ79698		0.32	0.15	9.66	10.8	1230	2.21	0.71	0.36	0.39	110.5	15.8	94	8.58	37.8	5.18
ZZ79699		0.27	0.72	8.35	14.2	1950	2.27	0.47	0.34	0.67	103.5	14.0	83	6.65	41.7	4.57
ZZ79700		0.18	0.58	7.04	10.5	1460	1.84	0.86	0.72	2.75	90.1	11.7	77	6.81	30.1	4.66
ZZ85001		0.20	0.69	8.38	9.3	1220	2.41	0.38	0.75	0.58	135.5	19.5	76	8.33	86.8	3.98
ZZ85002		0.31	0.37	6.95	7.8	1170	1.81	0.39	0.62	0.90	98.8	11.5	60	7.75	44.3	3.14
ZZ85003		0.19	0.12	7.04	11.0	1160	1.74	0.31	0.54	0.51	109.5	9.7	71	6.99	23.0	4.48
ZZ85004		0.27	0.53	7.70	10.2	1090	2.07	0.46	0.73	0.48	98.5	14.0	58	9.43	72.2	3.38
ZZ85005		0.40	0.42	8.22	13.8	1110	1.94	0.53	0.55	0.65	105.0	13.9	79	8.60	59.2	4.21
ZZ85006		0.29	0.48	8.57	13.3	1150	2.33	0.51	0.70	0.66	109.0	23.1	76	9.21	71.5	4.39
ZZ85007		0.39	0.33	8.58	15.3	1280	2.46	0.57	0.55	0.68	104.0	32.2	82	10.20	73.9	4.69
ZZ85008		0.22	0.29	8.79	13.9	1150	2.40	0.53	0.81	0.58	87.4	24.9	69	9.05	70.0	4.28
ZZ85009		0.25	0.18	8.37	11.6	1210	2.17	0.50	0.43	0.54	94.0	16.2	80	9.38	53.6	4.46
ZZ85010		0.25	0.29	8.72	12.3	1180	2.20	0.55	0.52	0.67	88.9	20.1	80	10.00	76.7	4.58
ZZ85011		0.23	0.37	9.08	13.6	1240	2.48	0.66	0.73	0.95	113.5	25.6	87	9.82	87.9	4.99
ZZ85012		0.23	0.66	8.84	12.2	1210	2.31	0.69	1.02	1.16	106.0	25.9	84	9.48	109.0	4.43
ZZ85013		0.12	0.28	8.82	12.1	1210	2.49	0.88	0.85	1.25	101.0	32.0	83	8.19	92.3	4.42
ZZ85014		0.34	0.20	8.97	10.0	1250	2.67	0.59	0.61	0.54	89.2	14.1	83	7.13	51.0	4.21
ZZ85015		0.28	0.19	8.70	10.1	1180	2.42	0.58	0.67	0.53	86.1	14.7	86	6.74	45.9	4.54
ZZ85016		0.20	0.16	9.07	8.3	1180	2.32	0.48	0.82	0.43	103.5	15.3	86	5.60	34.6	4.57
ZZ85017		0.23	0.61	9.20	10.1	1190	2.72	0.80	0.75	0.57	99.7	14.8	90	7.11	50.8	4.61
ZZ85018		0.18	0.24	8.42	6.8	900	1.81	0.65	0.57	0.40	94.9	10.8	82	4.29	16.0	4.81
ZZ85020		0.28	0.13	8.40	12.2	1560	2.39	0.42	0.43	0.60	110.5	12.9	84	5.69	43.0	4.72
ZZ85021		0.34	0.28	9.08	11.7	1530	2.40	0.75	0.35	0.82	88.4	12.6	95	8.04	39.3	4.71
ZZ85022		0.36	0.12	8.72	11.3	1310	2.39	0.53	0.39	0.48	109.0	11.9	85	6.04	38.0	4.78

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133012

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
ZZ79682		24.0	0.16	2.2	0.075	2.60	56.1	51.0	1.03	699	0.89	0.94	18.2	41.8	760	54.9
ZZ79683		21.7	0.19	2.1	0.069	2.05	62.3	61.4	1.31	1020	2.33	0.78	17.9	40.8	700	195.0
ZZ79684		23.9	0.18	2.5	0.075	2.61	55.2	53.8	1.37	589	1.84	0.82	18.8	47.8	560	52.2
ZZ79685		23.6	0.17	2.4	0.078	2.59	51.8	50.3	1.26	587	1.03	0.84	17.5	40.3	570	38.9
ZZ79686		23.4	0.19	2.5	0.074	2.39	71.7	53.3	1.09	677	1.76	0.87	18.1	35.3	620	64.7
ZZ79687		22.7	0.18	2.3	0.068	2.45	51.6	42.5	1.20	694	1.61	0.84	19.0	41.1	730	74.7
ZZ79688		22.3	0.19	2.0	0.067	2.26	57.7	41.1	1.06	770	0.99	0.90	19.2	39.1	750	120.0
ZZ79689		24.7	0.19	2.1	0.076	2.21	51.7	52.3	1.04	1000	1.89	0.73	19.3	31.0	550	87.4
ZZ79690		23.2	0.19	2.2	0.072	2.37	55.2	43.9	1.06	741	1.14	0.86	19.6	40.0	690	127.0
ZZ79691		24.1	0.20	2.1	0.081	2.62	55.8	44.0	0.99	830	1.41	0.82	19.5	40.2	720	95.4
ZZ79692		23.1	0.19	1.9	0.084	2.29	50.6	44.6	0.96	729	1.29	0.89	17.4	35.6	730	100.5
ZZ79693		27.5	0.28	2.3	0.093	2.59	76.9	63.0	1.21	931	1.68	0.79	21.2	55.9	730	373
ZZ79694		24.4	0.17	2.6	0.074	2.43	51.5	42.4	1.14	607	2.69	0.66	17.9	38.3	680	54.1
ZZ79695		28.2	0.21	2.8	0.090	2.71	51.5	52.7	1.26	637	2.06	0.64	18.8	39.7	570	43.1
ZZ79696		28.4	0.21	2.8	0.094	2.92	55.4	47.3	1.16	687	1.82	0.79	19.9	41.1	680	59.4
ZZ79697		26.5	0.22	2.7	0.088	2.77	56.9	48.4	1.20	706	2.12	0.69	19.3	42.0	670	57.4
ZZ79698		29.5	0.20	3.1	0.089	3.05	48.1	47.4	1.26	564	2.73	0.58	19.9	45.9	690	50.2
ZZ79699		23.7	0.21	2.8	0.080	2.56	52.9	46.3	1.53	520	6.58	0.43	16.4	51.9	900	57.3
ZZ79700		21.3	0.18	2.5	0.076	2.12	45.8	48.2	1.79	531	6.34	0.36	14.6	43.0	840	62.0
ZZ85001		24.2	0.23	3.0	0.076	2.81	66.3	57.0	1.62	499	2.50	0.55	16.9	44.5	810	47.0
ZZ85002		22.0	0.19	2.7	0.061	2.11	56.4	42.8	1.32	363	2.64	0.68	14.8	42.3	650	37.2
ZZ85003		22.6	0.20	2.6	0.067	2.22	55.1	50.8	1.82	424	2.62	0.38	15.6	37.7	460	32.1
ZZ85004		23.4	0.20	3.1	0.070	2.27	60.6	43.1	1.11	388	2.70	1.04	13.9	52.7	800	44.7
ZZ85005		25.2	0.19	2.9	0.079	2.40	57.6	49.0	1.24	423	2.69	0.71	17.8	51.1	750	48.0
ZZ85006		25.1	0.22	3.1	0.077	2.54	60.4	51.5	1.31	526	2.82	0.84	14.7	66.3	770	44.4
ZZ85007		25.6	0.25	3.0	0.090	2.65	63.1	52.3	1.51	695	3.46	0.56	15.6	74.5	740	49.7
ZZ85008		25.1	0.22	3.2	0.075	2.61	50.1	48.2	1.26	541	2.74	0.98	13.0	67.7	670	47.3
ZZ85009		25.7	0.22	3.0	0.083	2.54	51.7	46.4	1.34	495	2.94	0.64	16.6	54.2	730	39.0
ZZ85010		26.0	0.23	3.1	0.080	2.60	53.2	47.6	1.27	494	2.88	0.72	14.9	65.0	830	42.8
ZZ85011		26.8	0.28	3.1	0.090	2.72	72.5	55.8	1.35	672	2.89	0.56	16.7	58.9	720	48.3
ZZ85012		25.4	0.26	2.9	0.084	2.59	69.2	49.7	1.25	624	3.43	0.55	15.1	53.3	850	51.9
ZZ85013		25.7	0.30	2.7	0.095	2.35	80.5	46.3	1.28	832	4.24	0.48	13.7	51.4	1050	110.5
ZZ85014		24.3	0.17	2.9	0.081	2.65	50.0	59.4	1.28	484	2.77	0.75	15.8	40.2	670	46.5
ZZ85015		23.7	0.17	2.8	0.076	2.67	45.0	63.3	1.33	561	2.51	0.65	16.9	42.4	780	45.9
ZZ85016		22.0	0.19	2.5	0.077	2.78	52.5	59.5	1.35	679	1.91	0.73	16.4	37.2	730	44.4
ZZ85017		24.0	0.23	2.9	0.092	2.68	70.0	62.8	1.28	562	3.00	0.67	15.7	44.0	1010	68.1
ZZ85018		25.4	0.18	2.3	0.078	2.72	47.8	52.4	1.02	595	1.39	0.74	17.7	28.6	370	24.5
ZZ85020		21.8	0.19	2.7	0.077	2.59	58.6	62.1	1.50	609	4.11	0.48	17.0	41.4	890	65.7
ZZ85021		24.4	0.16	2.9	0.084	2.78	47.8	59.3	1.47	550	4.53	0.44	16.8	36.9	970	50.2
ZZ85022		23.3	0.18	2.8	0.080	2.59	55.8	69.4	1.29	558	2.78	0.57	17.8	38.2	800	52.8

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133012

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
ZZ79682		127.0	<0.002	0.01	0.62	14.6	2	2.9	141.5	1.26	0.05	15.5	0.509	0.79	2.4	105
ZZ79683		106.0	<0.002	0.03	1.04	13.4	2	2.5	215	1.22	0.07	18.3	0.451	0.68	3.5	110
ZZ79684		126.0	<0.002	0.01	1.17	15.0	2	2.9	217	1.27	<0.05	15.9	0.455	0.82	3.0	131
ZZ79685		121.0	<0.002	0.01	0.67	14.9	1	2.7	117.0	1.23	<0.05	14.4	0.464	0.75	2.4	109
ZZ79686		132.0	<0.002	0.02	0.68	14.4	2	2.8	146.5	1.31	0.05	16.2	0.485	0.79	5.2	115
ZZ79687		118.0	<0.002	0.01	1.11	14.2	2	2.7	183.0	1.31	<0.05	14.3	0.514	0.78	2.9	136
ZZ79688		114.0	<0.002	0.01	0.74	13.8	2	2.7	194.5	1.32	0.05	15.3	0.544	0.74	2.6	102
ZZ79689		125.0	<0.002	0.02	0.68	14.1	2	3.5	207	1.33	0.07	12.1	0.501	0.74	3.3	116
ZZ79690		122.5	0.002	0.01	0.77	14.8	2	2.9	187.0	1.36	0.06	15.3	0.515	0.75	2.7	107
ZZ79691		142.0	<0.002	0.01	0.76	14.4	2	3.6	176.0	1.42	0.05	17.6	0.484	0.90	3.3	102
ZZ79692		125.0	<0.002	0.02	0.66	13.8	2	3.5	207	1.22	0.06	15.2	0.427	0.76	2.6	93
ZZ79693		141.5	<0.002	0.02	0.93	18.1	3	3.4	237	1.48	0.09	22.1	0.543	1.03	5.2	119
ZZ79694		123.0	0.002	0.02	1.42	14.6	2	2.8	129.0	1.24	<0.05	13.4	0.463	0.77	2.9	163
ZZ79695		139.0	<0.002	0.02	1.01	16.4	2	3.2	98.9	1.29	0.05	14.5	0.512	0.86	2.8	153
ZZ79696		143.5	0.002	0.01	0.86	16.9	2	3.3	120.0	1.33	0.05	14.9	0.549	0.90	3.0	125
ZZ79697		137.0	<0.002	0.01	1.09	16.7	2	3.1	110.0	1.28	<0.05	14.6	0.517	0.87	2.9	143
ZZ79698		161.0	<0.002	0.02	1.22	17.8	2	3.3	103.0	1.36	0.06	15.7	0.497	1.02	3.2	189
ZZ79699		124.5	0.002	0.04	4.28	14.8	2	2.6	81.9	1.10	0.07	14.0	0.445	0.99	4.5	377
ZZ79700		100.0	<0.002	0.04	2.36	12.1	2	2.4	91.6	0.98	0.06	12.8	0.393	0.75	4.0	257
ZZ85001		130.0	0.003	0.03	1.15	15.4	3	2.5	98.9	1.13	0.05	15.5	0.438	0.90	6.1	183
ZZ85002		113.5	<0.002	0.02	1.38	11.5	2	2.2	134.5	0.99	<0.05	11.5	0.371	0.74	3.6	160
ZZ85003		107.5	<0.002	0.02	1.73	12.6	2	2.3	71.3	1.02	<0.05	11.8	0.406	0.68	2.9	173
ZZ85004		117.0	<0.002	0.03	1.22	12.0	2	2.2	197.5	0.94	0.05	13.5	0.344	0.78	4.1	137
ZZ85005		131.0	<0.002	0.02	1.26	14.3	2	2.9	112.0	1.24	0.05	14.0	0.456	0.86	3.7	176
ZZ85006		126.5	<0.002	0.03	1.37	14.5	2	2.4	155.5	1.02	0.05	14.6	0.397	0.83	4.0	165
ZZ85007		130.5	<0.002	0.03	1.63	15.5	2	2.7	108.5	1.07	0.05	14.6	0.410	0.92	3.9	192
ZZ85008		122.5	<0.002	0.03	1.29	14.2	2	2.3	206	0.88	0.05	14.3	0.345	0.80	3.7	164
ZZ85009		130.5	<0.002	0.02	1.46	15.3	2	2.7	106.0	1.11	0.05	12.9	0.441	0.86	3.4	188
ZZ85010		130.0	<0.002	0.03	1.32	15.3	2	2.5	137.0	1.01	0.05	14.5	0.392	0.83	4.2	179
ZZ85011		142.0	<0.002	0.03	1.40	17.5	2	2.9	114.0	1.14	0.06	15.8	0.442	0.89	4.7	189
ZZ85012		138.0	0.002	0.04	1.32	16.1	2	2.6	137.5	1.02	0.06	14.3	0.400	0.86	5.3	180
ZZ85013		124.5	<0.002	0.05	1.53	15.8	2	2.6	124.0	0.92	0.06	15.3	0.355	0.84	6.2	198
ZZ85014		136.5	<0.002	0.02	1.27	15.5	1	2.4	146.0	1.05	<0.05	14.9	0.428	0.96	3.9	192
ZZ85015		128.5	<0.002	0.02	1.26	15.9	1	2.6	125.0	1.10	<0.05	13.6	0.459	0.93	3.3	186
ZZ85016		133.0	<0.002	0.02	1.08	15.1	1	2.4	126.5	1.09	<0.05	13.9	0.498	0.87	3.0	174
ZZ85017		135.5	<0.002	0.04	0.97	16.9	2	2.5	139.0	1.07	<0.05	16.8	0.436	0.94	4.8	175
ZZ85018		146.0	<0.002	0.02	0.76	15.3	1	2.7	112.5	1.19	0.05	9.8	0.506	0.84	2.4	137
ZZ85020		125.5	<0.002	0.03	2.78	16.6	2	2.3	94.6	1.09	<0.05	14.0	0.499	0.90	3.8	277
ZZ85021		160.0	<0.002	0.03	2.05	17.7	1	2.5	91.1	1.08	<0.05	13.8	0.483	0.99	3.9	282
ZZ85022		131.0	<0.002	0.02	1.70	17.7	1	2.5	102.0	1.16	<0.05	13.0	0.508	0.88	3.0	211

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133012

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
ZZ79682		6.2	23.0	141	74.4
ZZ79683		12.6	26.6	463	68.4
ZZ79684		3.0	23.0	181	83.4
ZZ79685		2.9	20.1	123	75.0
ZZ79686		2.8	28.0	384	81.0
ZZ79687		2.7	22.2	227	75.4
ZZ79688		3.2	22.3	272	65.1
ZZ79689		4.3	21.3	544	68.8
ZZ79690		3.9	22.4	233	72.9
ZZ79691		7.0	23.3	206	66.9
ZZ79692		3.5	20.5	216	62.2
ZZ79693		4.6	44.7	702	74.0
ZZ79694		2.8	19.1	185	84.7
ZZ79695		3.1	18.9	154	92.4
ZZ79696		3.1	22.9	145	91.4
ZZ79697		3.3	23.7	140	91.3
ZZ79698		3.0	19.0	146	99.5
ZZ79699		2.3	22.5	223	95.6
ZZ79700		2.0	17.7	252	83.7
ZZ85001		1.9	26.8	174	97.1
ZZ85002		1.7	23.7	161	94.6
ZZ85003		1.6	19.0	118	88.3
ZZ85004		1.8	25.2	182	107.5
ZZ85005		2.6	23.8	197	100.0
ZZ85006		2.1	27.5	210	100.5
ZZ85007		2.2	30.2	226	97.2
ZZ85008		1.8	21.9	193	107.0
ZZ85009		2.2	23.5	162	98.8
ZZ85010		2.1	25.6	187	104.0
ZZ85011		2.7	34.7	221	101.0
ZZ85012		2.4	32.1	236	96.3
ZZ85013		2.3	35.9	247	89.5
ZZ85014		2.4	23.2	164	101.5
ZZ85015		2.5	22.5	173	96.7
ZZ85016		2.4	23.6	158	83.5
ZZ85017		3.0	30.2	201	97.2
ZZ85018		10.3	20.6	115	82.5
ZZ85020		2.5	24.3	187	103.5
ZZ85021		2.5	24.3	180	106.0
ZZ85022		2.8	23.2	161	97.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133012

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
ZZ85023		0.44	0.25	9.29	10.3	1330	2.77	0.44	0.56	0.47	110.5	19.6	92	6.99	40.9	5.19
ZZ85024		0.36	0.32	10.00	16.0	1370	3.25	0.66	0.63	0.33	97.6	22.5	103	13.60	79.3	5.32
ZZ85025		0.33	0.16	9.12	13.8	1250	2.78	0.57	0.34	0.47	76.9	15.9	98	11.85	78.5	5.04
ZZ85026		0.25	0.31	8.79	10.8	1150	2.54	0.42	0.39	0.37	95.7	15.5	90	7.71	37.8	4.91
ZZ85027		0.27	0.10	8.39	9.5	1170	2.34	0.37	0.41	0.38	99.7	11.8	82	7.93	31.1	4.65
ZZ85028		0.17	0.18	9.00	9.4	1290	3.18	0.33	0.60	0.38	114.5	35.5	84	8.31	48.8	4.56
ZZ85029		0.35	0.47	8.67	18.9	1130	4.09	0.77	0.42	0.33	113.0	32.0	86	22.7	95.2	5.17
ZZ85030		0.24	0.52	7.52	5.6	1060	1.96	0.36	0.74	0.13	84.5	11.8	60	8.92	30.7	3.30
ZZ85031		0.16	0.26	8.93	11.3	1240	3.63	0.45	0.42	0.38	129.5	20.2	88	14.75	52.6	4.85
ZZ85032		0.23	0.15	7.92	7.2	930	1.72	0.49	0.48	0.11	86.4	5.9	72	8.80	18.7	3.22
ZZ85033		0.23	0.38	7.85	6.4	1280	3.06	0.54	0.78	0.89	101.0	24.4	70	9.65	66.4	2.70
ZZ85034		0.26	0.16	7.16	7.9	1230	1.97	0.37	1.12	0.81	83.3	13.9	71	7.90	24.4	4.14
ZZ85035		0.21	0.48	6.75	7.0	1060	2.57	0.33	0.61	4.91	80.3	11.0	64	6.04	53.9	3.11
ZZ85036		0.31	0.37	6.84	7.3	1070	2.13	0.33	0.73	1.29	82.7	7.0	69	5.98	28.1	3.44
ZZ85037		0.26	0.80	6.52	11.5	2270	2.17	0.31	1.27	1.58	85.4	11.2	70	8.96	34.7	2.99
ZZ85038		0.22	0.39	6.51	3.9	1500	1.44	0.21	1.49	0.69	56.4	6.0	44	5.69	18.2	2.09
ZZ85039		0.17	0.68	5.86	5.4	2260	2.12	0.28	0.90	1.81	70.8	4.6	59	6.53	26.3	2.13
ZZ85040		0.23	0.29	6.29	5.6	1820	1.43	0.33	0.81	1.02	80.4	4.5	57	6.48	16.6	1.78
ZZ85041		0.15	0.10	5.53	3.7	1660	1.55	0.15	0.73	1.75	64.0	13.1	46	4.38	14.1	1.82
ZZ85042		0.23	0.51	6.40	10.2	3000	1.66	0.37	0.55	1.26	83.6	5.3	75	8.11	16.7	2.69
ZZ85043		0.24	0.32	8.56	10.9	1060	2.33	0.41	1.26	0.96	104.0	15.9	74	6.83	30.8	3.81
ZZ85044		0.25	0.21	8.19	9.2	1180	1.92	0.39	0.82	0.63	98.5	7.2	70	8.84	29.5	3.36
ZZ85045		0.26	1.28	7.03	6.8	930	1.79	0.30	1.84	6.20	57.8	8.1	40	9.56	61.9	2.10
ZZ85046		0.21	0.18	7.75	9.2	1160	2.13	0.41	0.86	0.46	113.0	9.6	68	6.73	31.3	3.47
ZZ85047		0.20	0.48	7.98	13.8	990	2.03	0.46	1.06	1.37	78.4	9.4	64	9.72	46.2	3.25
ZZ85048		0.19	0.14	6.91	4.5	1160	1.64	0.42	0.35	0.51	96.5	3.1	66	18.90	9.6	1.74
ZZ85049		0.28	0.29	7.60	12.2	1320	1.95	0.41	0.38	0.65	85.7	4.3	77	14.85	15.7	3.27
ZZ85050		0.16	0.23	7.62	8.9	1220	1.63	0.35	0.36	0.44	98.7	6.8	73	10.60	18.5	3.86
ZZ85051		0.28	6.98	9.27	10.1	1080	3.34	27.5	1.41	6.01	123.0	23.2	76	8.01	41.4	5.14
ZZ85052		0.23	2.32	7.95	9.7	1330	2.33	7.55	0.81	2.87	106.5	12.4	68	8.31	42.0	3.90
ZZ85053		0.23	0.17	7.85	7.2	990	1.83	0.55	0.52	0.35	95.5	8.4	69	5.48	19.1	4.65
ZZ85054		0.20	0.98	6.25	3.2	850	1.28	0.44	0.64	0.30	80.9	4.1	47	5.29	11.0	2.09
ZZ85055		0.20	1.17	7.56	4.3	950	2.14	0.94	1.37	2.92	84.3	11.3	53	6.13	39.1	3.05
ZZ85056		0.22	0.78	7.82	4.8	940	1.92	1.74	0.64	0.60	100.5	8.1	69	5.96	23.3	3.16
ZZ85057		0.27	0.34	9.31	5.0	940	2.10	1.03	0.58	0.37	105.0	9.5	91	7.72	25.1	4.07
ZZ85058		0.27	0.20	10.45	6.7	1030	2.67	1.09	0.55	0.96	86.0	15.4	105	10.30	38.8	4.49
ZZ85059		0.21	0.50	9.78	5.1	960	2.42	1.28	1.04	0.82	79.0	13.5	91	7.17	35.8	4.54
ZZ85060		0.24	0.26	10.55	5.2	980	2.58	1.31	0.90	0.91	112.5	15.9	95	6.94	35.7	4.95
ZZ85061		0.26	0.50	10.10	4.0	900	2.17	1.88	1.13	0.58	120.5	13.3	99	7.71	28.1	4.77
ZZ85062		0.27	0.45	10.05	4.8	890	2.47	2.41	1.42	1.00	125.0	17.2	98	7.83	36.4	5.04

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133012

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
ZZ85023		24.6	0.20	2.9	0.084	2.89	63.1	70.8	1.32	763	2.18	0.60	18.3	39.4	810	47.7
ZZ85024		28.4	0.20	3.3	0.094	2.98	57.2	86.6	1.41	737	3.47	0.53	18.0	73.3	800	56.8
ZZ85025		23.6	0.18	2.7	0.078	2.68	46.9	71.3	1.38	576	2.97	0.45	16.3	60.0	880	82.3
ZZ85026		24.5	0.17	2.9	0.076	2.74	49.3	69.1	1.29	618	2.57	0.57	18.6	41.2	740	39.3
ZZ85027		23.7	0.17	2.9	0.070	2.55	51.2	62.6	1.29	486	1.99	0.55	17.6	39.5	860	32.8
ZZ85028		23.6	0.20	2.9	0.077	2.66	61.5	72.0	1.53	612	2.05	0.50	17.0	66.5	900	45.0
ZZ85029		23.5	0.21	3.4	0.098	2.48	63.6	94.0	1.27	505	3.27	0.75	17.7	53.5	640	109.5
ZZ85030		22.1	0.14	3.0	0.053	2.38	45.8	50.2	1.01	419	2.03	1.05	14.7	32.9	580	45.8
ZZ85031		26.1	0.19	3.2	0.081	2.70	67.7	75.5	1.46	485	3.05	0.45	18.1	46.7	700	205
ZZ85032		25.6	0.14	3.1	0.062	2.47	44.3	40.5	0.71	332	1.86	0.74	18.3	17.5	710	24.7
ZZ85033		21.3	0.16	3.1	0.113	2.50	53.8	47.8	0.83	392	2.28	0.82	16.3	38.2	1230	58.4
ZZ85034		19.75	0.15	2.9	0.063	2.10	42.9	63.8	2.66	628	2.44	0.29	13.4	32.6	930	34.7
ZZ85035		16.00	0.14	2.3	0.054	1.62	42.9	38.8	1.04	484	2.44	0.64	14.3	30.8	1710	26.5
ZZ85036		16.80	0.14	2.5	0.060	1.74	41.5	44.5	1.08	371	2.10	0.73	15.3	24.2	2580	31.9
ZZ85037		17.00	0.16	2.7	0.067	2.11	45.5	59.3	2.15	456	7.57	0.31	14.1	46.0	1220	39.4
ZZ85038		16.85	0.11	2.8	0.031	2.06	30.7	28.0	1.25	332	3.67	1.22	9.5	18.4	910	20.7
ZZ85039		14.55	0.12	2.3	0.049	1.87	39.1	25.1	1.17	225	3.45	0.30	12.5	21.2	1520	49.1
ZZ85040		19.10	0.14	2.9	0.045	2.36	43.3	27.4	1.21	225	3.81	0.77	14.9	20.4	850	25.6
ZZ85041		12.25	0.12	2.3	0.035	1.88	32.3	28.0	2.98	374	2.38	0.20	8.7	76.4	530	26.4
ZZ85042		20.2	0.15	2.7	0.056	2.32	44.8	37.4	1.19	246	6.46	0.56	17.6	26.4	770	35.8
ZZ85043		21.9	0.17	2.5	0.076	2.69	50.8	64.7	1.41	632	1.63	0.76	19.4	33.9	660	60.8
ZZ85044		21.3	0.16	2.6	0.056	2.66	51.0	57.0	1.00	413	4.74	0.69	16.1	24.0	670	63.9
ZZ85045		17.65	0.11	2.8	0.041	2.15	31.2	36.2	0.68	546	2.28	1.48	8.8	13.4	1230	41.4
ZZ85046		20.4	0.16	2.5	0.062	2.67	57.5	64.3	1.11	505	4.02	0.64	17.8	25.7	470	75.1
ZZ85047		19.70	0.15	2.8	0.057	2.52	41.5	51.4	1.06	479	3.23	0.87	12.9	24.5	760	64.4
ZZ85048		21.1	0.16	2.7	0.045	2.67	49.5	33.5	0.56	222	3.14	0.69	20.0	9.9	480	29.9
ZZ85049		23.6	0.15	2.6	0.057	2.66	44.3	42.9	0.63	243	7.48	0.57	18.9	13.5	700	46.3
ZZ85050		20.6	0.16	2.4	0.060	2.58	51.5	56.9	1.11	370	5.77	0.45	16.5	24.7	510	50.3
ZZ85051		26.2	0.18	2.2	0.142	2.84	54.4	65.0	1.25	2160	3.84	0.72	20.9	40.8	900	1040
ZZ85052		21.2	0.21	2.5	0.068	2.35	65.7	54.0	1.30	714	5.04	0.61	14.7	35.4	860	319
ZZ85053		22.9	0.15	2.5	0.062	2.40	46.7	49.4	1.12	452	2.32	0.65	17.9	29.3	800	31.9
ZZ85054		19.65	0.11	2.9	0.034	2.08	40.0	25.6	0.50	328	1.95	1.01	17.9	8.6	840	35.7
ZZ85055		20.7	0.22	2.9	0.066	2.02	65.4	45.5	0.83	651	3.75	1.31	11.3	22.6	1270	65.6
ZZ85056		24.2	0.18	2.8	0.067	2.20	56.8	38.6	0.77	435	2.92	0.88	17.7	19.6	730	90.0
ZZ85057		28.1	0.16	2.7	0.098	2.79	53.6	44.4	0.94	572	2.43	0.75	19.6	26.9	1090	59.9
ZZ85058		32.5	0.13	3.1	0.112	3.22	41.4	49.7	0.95	646	3.19	0.77	19.9	36.0	980	78.7
ZZ85059		29.2	0.15	3.2	0.118	2.87	39.2	54.7	0.94	705	3.05	1.16	17.0	35.2	970	76.4
ZZ85060		29.1	0.16	3.0	0.122	2.85	57.2	59.9	0.99	841	2.40	1.10	19.8	37.8	760	101.5
ZZ85061		30.3	0.16	3.1	0.120	2.77	60.3	50.7	0.95	836	1.98	0.97	23.3	35.1	720	125.0
ZZ85062		28.6	0.19	2.3	0.133	2.60	60.2	59.1	1.01	1060	1.87	1.02	22.8	40.3	670	213

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133012

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
ZZ85023		134.5	<0.002	0.02	1.21	19.6	2	2.6	114.0	1.18	<0.05	13.7	0.534	0.94	3.6	177
ZZ85024		148.0	<0.002	0.03	1.40	21.5	2	2.8	125.0	1.22	<0.05	14.1	0.494	1.15	4.4	219
ZZ85025		114.0	<0.002	0.02	1.47	16.5	2	2.5	84.7	1.07	0.05	11.5	0.474	0.99	3.8	220
ZZ85026		138.0	<0.002	0.02	1.50	18.7	2	2.6	97.2	1.22	<0.05	13.2	0.527	0.92	3.1	184
ZZ85027		132.0	<0.002	0.02	1.37	16.1	1	2.4	94.9	1.15	<0.05	13.2	0.486	0.80	2.8	165
ZZ85028		130.5	<0.002	0.02	1.56	16.3	2	2.3	108.0	1.11	<0.05	14.2	0.484	0.86	3.2	163
ZZ85029		133.5	<0.002	0.03	1.63	14.6	2	2.7	119.5	1.23	0.06	19.3	0.416	0.91	4.3	178
ZZ85030		114.5	<0.002	0.02	0.99	11.2	1	2.1	206	0.97	<0.05	10.9	0.415	0.68	2.9	134
ZZ85031		154.5	<0.002	0.02	1.64	18.4	2	2.5	103.5	1.20	<0.05	14.7	0.495	0.93	3.4	189
ZZ85032		124.0	<0.002	0.02	1.07	14.0	1	2.8	131.5	1.26	<0.05	12.1	0.531	0.86	2.9	159
ZZ85033		150.5	<0.002	0.04	1.06	13.5	1	2.4	193.0	1.09	<0.05	13.1	0.446	0.86	3.7	152
ZZ85034		103.0	<0.002	0.04	1.98	11.4	1	1.7	90.1	0.89	<0.05	12.4	0.355	0.58	4.7	161
ZZ85035		92.9	<0.002	0.08	1.12	11.1	2	1.8	102.5	0.98	<0.05	15.1	0.328	0.63	9.9	127
ZZ85036		99.2	<0.002	0.09	1.01	10.8	2	1.9	115.5	1.07	<0.05	15.3	0.359	0.67	6.0	134
ZZ85037		112.0	0.002	0.05	3.97	11.3	2	1.8	102.0	0.90	0.05	12.7	0.349	0.90	9.0	363
ZZ85038		102.5	<0.002	0.05	1.63	7.3	1	1.3	273	0.72	<0.05	7.6	0.294	0.62	4.7	182
ZZ85039		118.0	0.002	0.06	1.63	8.5	2	1.8	80.9	0.84	<0.05	10.3	0.339	0.83	4.6	181
ZZ85040		121.5	<0.002	0.03	1.63	9.5	1	2.2	169.5	1.01	<0.05	9.0	0.377	0.96	3.6	177
ZZ85041		70.5	<0.002	0.02	1.61	6.6	1	1.3	64.0	0.72	<0.05	8.1	0.284	0.55	2.6	91
ZZ85042		148.5	<0.002	0.04	2.49	10.6	2	2.7	102.0	1.18	0.05	11.3	0.447	1.14	4.4	288
ZZ85043		113.5	<0.002	0.01	1.22	14.4	1	2.8	163.5	1.32	<0.05	13.6	0.532	0.93	3.2	161
ZZ85044		138.5	<0.002	0.03	1.29	12.7	1	2.4	144.0	1.10	<0.05	12.6	0.446	1.05	3.6	194
ZZ85045		95.2	<0.002	0.05	0.64	8.4	1	1.3	321	0.69	<0.05	10.3	0.282	0.77	11.3	102
ZZ85046		124.5	<0.002	0.02	1.37	12.8	1	2.4	127.0	1.24	<0.05	13.3	0.479	1.06	4.2	185
ZZ85047		148.5	<0.002	0.04	1.07	12.1	1	1.9	183.5	0.88	<0.05	13.5	0.355	0.94	6.6	140
ZZ85048		167.5	<0.002	0.02	0.72	11.1	1	3.0	106.5	1.36	0.05	12.9	0.463	1.06	3.6	165
ZZ85049		165.0	<0.002	0.03	1.77	12.0	1	2.7	110.5	1.32	0.05	12.8	0.472	1.31	4.0	189
ZZ85050		136.0	<0.002	0.03	1.53	11.4	1	2.2	81.8	1.12	<0.05	12.3	0.423	1.02	3.2	205
ZZ85051		126.5	<0.002	0.01	1.37	16.6	2	4.1	260	1.37	0.36	18.2	0.530	1.01	3.9	146
ZZ85052		115.0	<0.002	0.04	1.64	12.6	2	2.6	158.5	1.01	0.12	15.3	0.396	0.83	5.6	195
ZZ85053		119.5	<0.002	0.02	1.21	13.4	1	2.7	110.0	1.20	<0.05	11.7	0.469	0.67	2.5	160
ZZ85054		105.0	<0.002	0.02	0.69	9.0	1	2.8	173.0	1.21	<0.05	9.8	0.431	0.56	2.6	107
ZZ85055		105.5	<0.002	0.06	0.60	10.9	2	2.1	282	0.80	<0.05	11.2	0.328	0.60	6.1	96
ZZ85056		128.0	0.003	0.02	0.72	13.6	1	3.0	159.0	1.20	0.05	12.5	0.462	0.83	3.2	125
ZZ85057		166.0	0.002	0.02	0.61	18.7	1	3.5	137.5	1.26	<0.05	11.7	0.533	0.92	2.8	134
ZZ85058		201	<0.002	0.02	0.58	21.9	1	4.0	139.0	1.28	<0.05	12.9	0.525	1.14	3.0	134
ZZ85059		147.0	<0.002	0.03	0.44	17.2	1	3.5	220	1.15	<0.05	11.2	0.465	0.95	3.2	113
ZZ85060		165.0	0.002	0.02	0.46	20.0	2	3.7	206	1.30	0.05	16.7	0.536	0.97	3.8	114
ZZ85061		167.5	0.002	0.01	0.53	20.5	1	4.7	208	1.53	<0.05	14.3	0.630	0.99	2.9	118
ZZ85062		168.5	0.002	0.01	0.62	19.2	1	4.6	239	1.50	0.08	19.8	0.560	0.96	3.2	110

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133012

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
ZZ85023		2.8	29.1	163	102.5
ZZ85024		2.8	32.1	215	111.5
ZZ85025		2.4	22.8	235	95.9
ZZ85026		2.4	22.8	144	102.5
ZZ85027		3.0	23.1	137	102.0
ZZ85028		1.9	33.8	254	102.0
ZZ85029		2.0	38.8	338	120.0
ZZ85030		2.5	17.5	163	110.0
ZZ85031		2.1	31.7	204	127.5
ZZ85032		2.4	15.9	69	108.0
ZZ85033		3.0	29.9	148	110.5
ZZ85034		1.6	17.1	167	90.8
ZZ85035		2.0	23.4	173	82.7
ZZ85036		1.7	20.0	170	88.7
ZZ85037		1.4	23.2	292	92.9
ZZ85038		1.1	12.3	147	102.0
ZZ85039		1.3	17.7	113	74.9
ZZ85040		1.5	15.2	76	108.0
ZZ85041		0.9	18.7	375	85.0
ZZ85042		1.6	16.7	142	98.8
ZZ85043		2.2	22.4	160	89.4
ZZ85044		1.7	19.7	117	87.8
ZZ85045		1.3	18.3	175	101.5
ZZ85046		1.8	22.8	123	84.9
ZZ85047		1.5	17.6	170	94.8
ZZ85048		2.0	15.2	59	95.1
ZZ85049		1.8	14.3	77	91.2
ZZ85050		1.5	16.8	133	81.7
ZZ85051		22.8	28.9	1540	72.8
ZZ85052		2.7	32.6	441	89.1
ZZ85053		2.5	18.3	105	86.2
ZZ85054		2.1	11.9	58	105.0
ZZ85055		2.1	28.3	211	101.0
ZZ85056		2.9	21.4	134	94.2
ZZ85057		2.9	19.6	132	86.5
ZZ85058		3.6	18.7	159	102.0
ZZ85059		2.9	17.9	215	104.5
ZZ85060		3.1	23.8	227	94.6
ZZ85061		3.9	22.9	217	85.3
ZZ85062		3.7	23.1	339	76.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133012

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
ZZ85063		0.25	0.39	9.71	3.9	880	2.39	3.15	1.96	1.42	140.0	19.2	85	6.18	33.6	4.69
ZZ85064		0.23	1.04	8.42	2.7	810	1.48	6.52	1.95	0.38	102.0	6.4	72	5.23	14.3	3.81
ZZ85065		0.10	1.19	6.58	1.0	760	1.49	0.64	1.00	0.94	104.0	2.0	30	3.68	8.2	1.20
ZZ85066		0.21	0.66	8.51	2.3	790	2.15	4.30	2.42	10.55	117.5	11.2	69	7.78	18.2	3.94
ZZ85067		0.19	0.53	7.74	2.0	820	1.68	3.70	1.11	0.61	94.5	5.7	45	8.68	9.3	3.15
ZZ85068		0.24	0.04	7.01	0.7	840	1.50	0.71	0.81	0.08	96.8	1.5	18	3.49	2.7	1.81
ZZ85069		0.17	0.05	7.72	0.3	920	1.85	0.65	1.08	0.13	102.0	2.9	10	4.65	4.0	2.32
ZZ85070		0.22	0.08	7.64	2.4	780	2.06	0.90	0.89	0.17	90.6	4.2	25	5.20	7.5	3.06
ZZ85071		0.17	0.36	7.33	1.3	810	2.20	0.58	1.52	0.22	51.5	6.4	10	3.53	15.3	2.01
ZZ85072		0.19	0.09	7.04	0.7	900	1.44	1.95	0.81	0.10	96.3	2.6	17	5.32	3.4	2.52
ZZ85073		0.16	0.20	7.63	1.9	870	2.69	2.24	0.97	0.17	89.2	4.9	24	7.87	5.3	3.27
ZZ85074		0.10	0.05	7.03	0.6	800	1.70	1.42	1.06	0.13	85.7	3.1	10	5.20	4.6	2.97
ZZ85075		0.13	0.12	7.12	0.3	770	1.89	1.42	1.38	0.12	88.0	3.3	9	7.36	5.9	2.07
ZZ85076		0.15	0.32	7.39	0.9	800	3.21	1.21	1.54	0.27	96.2	7.2	12	6.23	8.5	2.41
ZZ85077		0.19	0.05	6.89	0.9	810	1.70	0.82	0.89	0.07	86.6	2.5	14	5.27	3.7	2.47
ZZ85078		0.22	0.07	6.65	1.6	810	1.50	0.86	0.81	0.06	88.3	2.9	23	4.50	4.1	2.48
ZZ85079		0.18	0.06	7.30	0.2	870	1.81	0.96	0.97	0.07	93.7	2.5	11	4.90	3.4	2.00
ZZ85080		0.18	0.18	8.26	5.1	830	2.65	2.33	0.69	0.52	93.8	8.7	38	10.05	15.4	3.77
ZZ85081		0.18	0.13	6.56	0.7	790	1.40	2.56	1.17	0.15	90.4	3.6	27	5.36	6.3	2.60
ZZ85082		0.22	0.64	6.66	0.9	740	1.50	3.03	1.13	0.63	94.4	2.7	41	6.51	7.2	1.84
ZZ85083		0.23	0.69	8.46	3.0	840	2.58	4.00	1.88	1.72	104.0	11.2	57	7.35	22.7	3.53
ZZ85084		0.18	0.12	6.98	1.4	810	1.69	1.98	1.14	0.15	94.1	3.7	19	9.25	4.6	3.14
ZZ85085		0.25	0.72	7.64	2.0	820	1.47	1.84	1.57	0.92	81.8	6.2	49	4.71	17.2	2.68
ZZ85086		0.32	0.47	9.18	3.5	880	2.27	2.74	1.96	0.99	109.0	12.5	78	6.36	22.1	4.36
ZZ85087		0.26	0.76	9.02	3.5	840	2.02	1.87	1.50	0.82	90.1	11.4	79	6.17	22.3	4.49
ZZ85088		0.25	0.60	9.59	4.9	940	2.28	1.20	1.10	0.73	96.3	12.2	90	6.70	28.9	4.69
ZZ85089		0.21	0.67	9.09	2.7	970	1.76	0.60	1.15	0.92	74.7	7.8	61	5.15	18.6	3.08
ZZ85090		0.24	0.27	9.67	4.7	960	1.98	0.94	0.86	0.46	85.7	10.2	86	6.39	24.0	4.24
ZZ85091		0.23	0.44	8.92	3.9	1000	1.76	0.60	1.00	0.33	77.1	6.6	63	5.81	17.8	3.00
ZZ85092		0.19	0.19	9.40	7.9	1000	2.10	1.14	0.70	0.48	97.2	12.3	90	6.84	22.7	5.71
ZZ85093		0.21	0.93	7.74	4.5	930	1.60	0.90	0.56	0.30	91.5	4.9	67	6.91	14.3	2.66
ZZ85094		0.18	0.29	7.17	3.0	1060	1.44	0.58	0.53	0.42	91.6	4.3	63	7.41	8.5	2.12
ZZ85095		0.25	0.28	7.34	4.2	960	1.35	0.72	0.93	1.52	80.4	9.1	62	6.52	11.0	2.91
ZZ85096		0.24	0.23	7.96	7.8	970	1.57	0.57	0.50	0.25	90.5	8.8	78	7.05	13.1	5.24
ZZ85097		0.27	0.14	8.68	16.0	900	2.45	0.38	0.94	0.41	124.5	26.8	66	6.01	48.2	4.37
ZZ85098		0.26	0.44	10.45	9.0	1180	2.35	1.24	0.61	0.45	103.0	12.5	100	8.79	34.3	5.37
ZZ85101		0.21	0.84	9.02	5.0	1030	1.98	1.95	0.75	0.84	89.4	10.0	73	6.34	27.8	3.90
ZZ85102		0.18	0.14	7.39	9.0	1120	1.43	0.78	0.62	0.55	93.7	8.0	77	6.57	15.5	4.99
ZZ85103		0.16	0.16	7.00	8.5	1070	1.33	0.74	0.59	0.53	90.8	7.3	74	6.17	14.7	4.70
ZZ85104		0.36	0.62	8.70	4.4	1060	1.93	0.89	1.07	0.86	88.3	11.4	62	7.12	26.0	3.63

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133012

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
ZZ85063		26.3	0.20	2.0	0.127	2.64	66.1	49.9	0.99	1360	0.66	1.10	22.8	38.2	690	258
ZZ85064		28.7	0.18	2.2	0.120	2.35	51.4	26.2	0.50	848	0.83	0.88	23.3	16.0	610	104.0
ZZ85065		22.3	0.16	2.9	0.052	2.23	54.3	15.9	0.22	292	0.75	1.52	21.3	4.4	980	20.5
ZZ85066		24.1	0.19	1.9	0.112	2.37	61.3	48.6	0.85	1120	1.14	1.12	21.6	27.0	830	140.0
ZZ85067		26.4	0.15	2.4	0.096	2.28	46.2	37.8	0.59	625	2.25	1.15	21.8	13.9	660	140.0
ZZ85068		26.4	0.17	2.2	0.065	2.46	50.0	18.2	0.20	256	0.55	1.50	22.6	2.7	470	24.5
ZZ85069		24.4	0.17	1.8	0.063	2.74	50.6	32.2	0.41	417	0.54	1.82	19.3	3.0	830	27.1
ZZ85070		20.1	0.14	1.6	0.080	2.14	45.7	39.1	0.48	444	0.79	1.35	18.0	8.0	890	25.5
ZZ85071		19.30	0.13	3.2	0.037	2.02	28.8	27.0	0.50	810	1.85	2.24	8.5	4.6	960	17.5
ZZ85072		26.8	0.19	2.0	0.088	2.67	48.7	23.3	0.32	336	1.05	1.46	24.0	3.4	640	22.0
ZZ85073		24.5	0.18	1.6	0.087	2.61	47.7	46.4	0.58	496	1.32	1.34	19.4	8.6	380	26.7
ZZ85074		25.1	0.16	1.7	0.066	2.41	43.7	28.6	0.37	425	1.00	1.68	19.3	4.0	760	24.2
ZZ85075		21.2	0.17	1.7	0.062	2.27	44.4	25.0	0.42	437	0.64	1.75	15.9	3.8	770	21.6
ZZ85076		23.2	0.20	2.0	0.063	2.19	64.7	45.4	0.49	1900	2.54	1.69	15.1	4.9	940	36.2
ZZ85077		23.6	0.17	1.5	0.063	2.41	43.4	28.1	0.30	326	1.04	1.46	19.4	3.5	540	23.5
ZZ85078		23.1	0.19	2.0	0.057	2.39	45.0	26.9	0.34	302	1.33	1.39	20.5	5.3	470	23.7
ZZ85079		23.9	0.18	1.6	0.071	2.67	47.4	26.8	0.33	324	0.74	1.63	19.0	3.9	500	25.3
ZZ85080		26.2	0.15	1.8	0.103	2.18	43.9	64.1	0.76	795	2.11	1.11	19.5	16.8	1070	57.5
ZZ85081		23.4	0.15	2.2	0.079	2.29	46.3	24.4	0.38	471	1.60	1.41	19.6	6.3	390	40.1
ZZ85082		21.1	0.18	2.4	0.087	1.97	49.5	23.4	0.34	393	1.98	1.06	19.3	7.3	680	148.5
ZZ85083		23.3	0.20	2.2	0.099	2.30	55.3	54.5	0.77	1200	2.71	1.38	16.7	23.3	920	171.5
ZZ85084		25.1	0.19	1.6	0.074	2.52	46.2	28.2	0.44	491	1.19	1.60	19.5	7.1	500	29.9
ZZ85085		22.8	0.15	2.7	0.084	2.24	41.9	24.1	0.54	617	0.98	1.45	16.7	13.9	1040	76.0
ZZ85086		26.1	0.20	2.1	0.117	2.67	55.8	51.3	0.85	1060	0.89	1.09	21.8	30.2	650	176.0
ZZ85087		26.5	0.19	2.0	0.111	2.57	45.0	54.0	0.86	815	1.24	1.10	19.8	30.8	670	261
ZZ85088		29.4	0.21	2.7	0.123	2.96	47.8	54.4	0.90	744	1.98	1.11	20.2	34.7	800	71.1
ZZ85089		25.4	0.17	3.1	0.070	2.89	39.3	33.8	0.69	519	2.28	1.72	15.3	18.8	650	33.7
ZZ85090		28.8	0.20	2.8	0.103	3.08	44.3	43.7	0.83	625	2.65	1.15	18.7	27.2	690	59.9
ZZ85091		26.4	0.16	3.1	0.068	2.98	41.2	30.9	0.68	473	1.94	1.50	16.7	17.1	800	33.0
ZZ85092		28.1	0.21	2.8	0.099	2.83	51.0	54.6	1.20	708	2.58	0.78	19.4	33.9	740	64.2
ZZ85093		24.8	0.17	2.9	0.073	2.48	46.7	29.3	0.66	338	2.31	0.86	19.8	15.3	690	61.9
ZZ85094		23.0	0.18	2.7	0.055	2.48	49.7	28.8	0.74	311	3.37	0.85	20.9	14.2	490	33.8
ZZ85095		23.6	0.19	2.9	0.060	2.29	42.7	41.0	0.81	686	4.89	1.07	18.8	16.8	400	46.6
ZZ85096		26.3	0.21	2.6	0.074	2.49	47.9	39.7	1.03	538	2.30	0.66	19.9	26.5	500	25.6
ZZ85097		22.6	0.24	2.6	0.081	2.75	61.3	56.9	1.29	708	1.17	0.85	15.0	44.1	750	47.1
ZZ85098		31.1	0.23	3.1	0.109	3.17	54.7	50.7	1.26	706	4.34	0.85	21.3	35.8	1150	75.1
ZZ85101		26.6	0.22	2.9	0.078	2.69	51.0	41.7	0.88	520	3.05	1.05	16.6	27.1	900	106.0
ZZ85102		26.7	0.21	2.8	0.072	2.47	49.4	37.4	1.29	473	5.42	0.60	19.8	26.7	840	34.4
ZZ85103		25.6	0.22	2.6	0.066	2.34	48.0	34.0	1.22	447	5.19	0.57	18.7	25.3	800	32.5
ZZ85104		26.0	0.23	2.8	0.079	2.55	53.8	40.9	0.94	648	5.22	1.34	16.3	24.7	450	48.3

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133012

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
ZZ85063		152.5	<0.002	0.01	0.73	17.5	2	4.6	298	1.55	0.10	19.1	0.572	0.88	3.1	96
ZZ85064		132.5	<0.002	0.01	0.80	14.8	2	5.6	274	1.64	0.13	11.9	0.599	0.89	2.7	105
ZZ85065		121.0	<0.002	0.02	0.49	7.5	1	5.9	228	1.64	<0.05	12.9	0.410	0.69	2.5	57
ZZ85066		148.5	<0.002	0.03	0.65	14.0	1	4.7	321	1.58	0.11	16.8	0.529	0.85	4.3	80
ZZ85067		142.5	<0.002	0.02	0.57	9.6	1	5.7	199.5	1.59	0.10	11.9	0.437	0.76	3.0	91
ZZ85068		124.5	<0.002	0.01	0.33	6.1	1	6.1	209	1.74	<0.05	11.8	0.373	0.68	2.2	57
ZZ85069		139.5	<0.002	0.02	0.25	6.3	1	5.4	267	1.49	<0.05	14.9	0.302	0.75	2.2	47
ZZ85070		120.0	<0.002	0.03	0.42	6.9	1	4.1	182.0	1.39	<0.05	16.9	0.292	0.66	2.7	58
ZZ85071		72.2	<0.002	0.05	0.43	4.9	1	1.7	425	0.67	<0.05	7.7	0.231	0.40	5.0	41
ZZ85072		161.0	<0.002	0.02	0.36	6.4	1	6.4	209	1.87	0.07	10.0	0.361	0.75	2.0	59
ZZ85073		160.0	<0.002	0.02	0.41	7.6	1	5.2	194.5	1.54	0.08	12.0	0.315	0.80	5.6	63
ZZ85074		130.0	0.002	0.03	0.31	5.8	1	5.8	249	1.48	0.07	11.2	0.284	0.66	2.2	48
ZZ85075		119.0	<0.002	0.04	0.30	5.9	1	5.0	273	1.32	0.08	13.6	0.243	0.61	2.6	35
ZZ85076		108.0	0.002	0.04	0.32	6.5	1	3.9	300	1.19	0.05	13.3	0.255	0.62	17.0	49
ZZ85077		145.0	<0.002	0.02	0.32	5.9	1	4.8	201	1.49	<0.05	10.5	0.295	0.70	2.0	55
ZZ85078		126.0	<0.002	0.01	0.39	6.3	1	4.6	193.0	1.55	<0.05	10.0	0.337	0.65	2.0	66
ZZ85079		146.0	<0.002	0.02	0.32	6.0	1	5.7	223	1.52	<0.05	10.4	0.274	0.76	2.2	44
ZZ85080		148.0	0.003	0.03	0.50	9.7	1	4.9	158.0	1.51	0.10	26.0	0.334	0.84	8.0	86
ZZ85081		122.0	<0.002	0.01	0.50	7.0	1	5.1	238	1.52	0.11	11.0	0.363	0.68	2.3	69
ZZ85082		123.0	<0.002	0.03	0.54	8.6	1	4.5	199.5	1.42	0.06	11.6	0.414	0.65	3.7	71
ZZ85083		124.0	<0.002	0.03	0.54	11.6	1	4.2	318	1.19	0.11	16.1	0.386	0.72	11.8	74
ZZ85084		145.0	<0.002	0.02	0.37	6.6	1	6.1	224	1.57	0.08	12.9	0.301	0.76	2.1	61
ZZ85085		115.0	<0.002	0.02	0.59	11.1	1	3.7	323	1.19	<0.05	9.4	0.450	0.69	2.5	73
ZZ85086		140.5	<0.002	0.01	0.70	14.4	2	4.7	303	1.49	0.08	15.9	0.542	0.84	3.0	96
ZZ85087		135.0	<0.002	0.01	0.58	14.1	1	4.2	266	1.35	0.06	12.8	0.484	0.80	2.5	97
ZZ85088		152.0	<0.002	0.02	0.47	16.7	2	4.0	214	1.36	<0.05	12.4	0.555	0.91	2.7	112
ZZ85089		128.0	<0.002	0.02	0.41	13.0	1	2.8	325	1.05	<0.05	9.1	0.427	0.73	2.6	89
ZZ85090		152.5	<0.002	0.02	0.48	15.7	1	3.6	210	1.25	<0.05	10.9	0.508	0.88	2.7	113
ZZ85091		137.5	<0.002	0.02	0.58	13.3	1	3.0	273	1.14	<0.05	9.6	0.482	0.78	2.7	100
ZZ85092		150.0	<0.002	0.02	0.86	16.1	2	3.4	132.0	1.40	0.06	13.0	0.528	0.85	2.8	147
ZZ85093		135.0	<0.002	0.01	0.70	12.8	1	3.5	136.5	1.45	<0.05	11.4	0.500	0.80	2.8	132
ZZ85094		153.0	<0.002	0.01	0.59	11.7	1	3.3	121.0	1.48	<0.05	10.7	0.520	0.77	2.9	144
ZZ85095		128.0	<0.002	0.01	0.65	11.2	1	3.1	189.0	1.30	<0.05	10.2	0.466	0.67	2.7	134
ZZ85096		138.0	<0.002	0.01	1.05	13.4	2	3.2	112.0	1.36	<0.05	10.3	0.548	0.74	2.6	169
ZZ85097		126.0	<0.002	0.01	1.88	13.3	2	2.5	129.0	1.04	<0.05	14.0	0.415	0.78	2.6	100
ZZ85098		172.5	<0.002	0.02	0.95	17.3	2	3.9	141.0	1.46	0.05	15.1	0.560	1.03	3.6	172
ZZ85101		133.0	<0.002	0.02	0.70	14.5	2	3.1	203	1.15	0.05	12.5	0.424	0.83	3.6	126
ZZ85102		135.5	<0.002	0.03	1.44	13.0	2	3.3	111.5	1.34	0.05	10.5	0.524	0.78	3.0	212
ZZ85103		124.5	<0.002	0.03	1.36	12.0	2	3.2	104.0	1.25	0.05	10.3	0.504	0.72	3.0	203
ZZ85104		136.0	<0.002	0.02	0.67	13.0	2	2.9	273	1.09	<0.05	11.6	0.409	0.73	4.3	115

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133012

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
ZZ85063		4.2	26.1	382	65.8
ZZ85064		4.6	17.4	136	73.5
ZZ85065		2.2	10.7	39	95.5
ZZ85066		12.1	22.0	465	59.0
ZZ85067		7.3	14.3	259	77.2
ZZ85068		2.4	9.0	32	71.1
ZZ85069		1.8	11.5	53	57.1
ZZ85070		1.8	12.6	61	51.9
ZZ85071		1.5	9.8	59	117.0
ZZ85072		2.2	8.9	43	69.0
ZZ85073		3.8	15.2	74	50.3
ZZ85074		2.0	10.2	47	53.5
ZZ85075		2.1	11.5	53	56.1
ZZ85076		3.9	20.8	72	66.3
ZZ85077		2.3	9.9	40	50.0
ZZ85078		2.6	9.7	45	65.0
ZZ85079		2.3	9.1	42	51.2
ZZ85080		5.5	13.2	160	58.8
ZZ85081		3.9	10.3	88	72.7
ZZ85082		4.3	12.8	100	80.1
ZZ85083		4.9	22.3	554	74.0
ZZ85084		2.9	10.2	81	48.2
ZZ85085		2.9	14.7	110	89.7
ZZ85086		4.0	21.2	316	66.5
ZZ85087		4.1	17.5	280	67.0
ZZ85088		3.2	19.3	206	88.3
ZZ85089		2.3	14.5	115	108.0
ZZ85090		2.9	16.9	161	95.1
ZZ85091		2.7	14.9	83	110.5
ZZ85092		3.2	19.1	193	90.3
ZZ85093		3.1	15.1	75	94.5
ZZ85094		2.7	15.1	85	91.8
ZZ85095		3.1	14.6	199	102.0
ZZ85096		3.1	15.2	104	91.3
ZZ85097		4.7	25.5	137	83.2
ZZ85098		3.3	19.7	189	102.0
ZZ85101		3.1	19.6	189	93.6
ZZ85102		3.1	16.0	117	96.5
ZZ85103		4.7	15.3	110	91.4
ZZ85104		2.5	19.3	182	97.4

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133012

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
ZZ85105		0.32	0.41	8.49	5.6	1000	1.68	1.20	0.72	0.37	93.6	9.3	74	6.92	20.8	3.82
ZZ85106		0.28	0.43	10.00	6.9	1050	2.01	1.12	0.54	0.40	100.5	10.6	92	8.07	26.5	4.50
ZZ85107		0.32	0.24	9.65	6.8	970	2.22	0.78	0.64	0.42	113.5	11.3	86	6.82	26.4	4.68
ZZ85108		0.31	0.23	9.40	6.5	900	2.10	1.14	0.79	0.51	102.0	11.8	87	7.51	27.9	4.58
ZZ85109		0.35	0.21	10.25	6.3	940	2.23	1.07	0.69	0.61	105.5	14.5	92	7.59	29.9	5.09
ZZ85110		0.23	0.23	10.60	5.8	970	2.33	1.08	0.70	0.48	108.5	13.8	94	7.77	32.3	4.81
ZZ85111		0.31	0.73	9.34	3.8	910	1.79	1.69	1.20	0.54	87.1	11.4	75	6.18	25.3	4.26
ZZ85112		0.23	0.28	9.13	3.2	900	1.91	2.14	1.84	0.72	98.2	12.3	64	6.14	23.4	4.02
ZZ85113		0.19	1.53	9.04	3.7	770	2.17	3.78	2.11	1.43	101.0	13.0	65	5.94	17.5	4.16
ZZ85114		0.29	1.06	8.84	3.3	870	1.47	3.48	2.03	0.72	95.1	9.2	66	6.00	15.7	3.81
ZZ85115		0.18	0.38	7.47	2.9	870	1.27	0.43	1.33	0.19	63.4	2.5	16	4.21	11.5	1.20
ZZ85116		0.26	1.33	8.56	2.0	780	1.93	2.82	2.30	2.48	95.8	12.6	62	7.20	23.2	3.79
ZZ85117		0.32	0.21	7.58	2.6	850	1.49	4.46	1.35	0.29	88.0	5.3	35	6.54	7.0	2.98
ZZ85118		0.25	0.09	7.75	1.8	930	2.25	1.09	1.14	0.19	92.0	5.0	21	5.89	6.5	2.44
ZZ85119		0.24	0.09	7.85	2.9	860	1.69	1.62	1.16	0.17	72.3	6.0	19	6.93	14.5	2.54
ZZ85120		0.23	0.04	7.74	1.0	760	1.57	0.48	1.00	0.09	67.1	2.2	6	3.22	2.5	2.64
ZZ85121		0.16	0.01	6.88	2.3	820	1.45	1.14	0.80	0.14	76.5	4.4	21	6.88	4.7	3.29
ZZ85122		0.11	0.02	6.97	0.9	850	1.67	1.16	1.51	0.51	82.1	4.3	11	6.22	4.0	1.79
ZZ85123		0.27	0.05	6.99	3.6	780	2.35	1.23	1.02	0.18	81.7	4.8	25	8.19	5.4	2.84
ZZ85124		0.16	0.04	7.44	1.3	900	1.65	0.67	1.38	0.13	88.7	2.6	9	5.06	6.7	1.35
ZZ85125		0.15	<0.01	8.00	1.3	940	2.55	1.33	1.40	0.17	86.3	5.8	15	8.95	5.8	2.66
ZZ85126		0.20	0.01	6.96	0.8	860	1.84	0.53	1.02	0.08	89.1	2.1	11	4.70	3.9	1.34
ZZ85127		0.21	0.20	8.17	2.1	880	3.18	1.25	1.16	0.19	103.0	5.3	17	7.44	5.7	2.36
ZZ85128		0.19	<0.01	6.25	2.0	880	1.14	0.99	0.88	0.06	79.8	1.1	19	4.72	2.0	0.93
ZZ85129		0.23	0.34	7.74	1.9	870	2.01	2.45	1.28	0.45	88.4	4.9	21	6.84	9.3	2.38
ZZ85130		0.23	0.08	7.49	3.6	890	1.49	1.41	1.15	0.42	81.2	3.9	31	5.88	10.5	2.09
ZZ85131		0.16	0.06	6.97	1.2	850	1.36	1.28	0.88	0.43	91.4	1.4	32	5.98	6.3	1.05
ZZ85132		0.19	0.06	7.29	3.4	870	1.50	1.54	1.08	3.35	80.4	5.9	39	5.75	9.9	2.82
ZZ85133		0.22	0.68	8.85	3.2	870	1.71	2.82	1.51	1.00	107.0	10.5	75	7.93	16.6	4.35
ZZ85134		0.16	0.88	8.95	3.3	860	2.24	2.21	1.98	1.84	107.5	11.4	59	7.95	25.3	3.71
ZZ85135		0.36	0.76	9.99	3.9	910	2.34	1.70	1.29	1.02	133.0	13.3	88	7.81	31.8	4.63
ZZ85136		0.20	0.68	9.98	4.5	920	2.35	1.87	1.29	1.49	121.5	15.4	87	8.94	36.6	4.53
ZZ85137		0.26	1.07	9.31	5.4	960	2.30	0.96	1.26	0.79	109.0	12.8	55	6.74	37.3	3.70
ZZ85138		0.25	0.21	9.07	4.9	880	1.93	1.01	1.01	0.47	111.0	12.1	67	6.50	22.9	4.16
ZZ85139		0.23	0.37	8.80	5.8	870	2.07	0.83	0.79	0.48	120.0	10.3	59	5.69	20.9	4.21
ZZ85140		0.16	0.37	8.52	5.4	830	1.62	0.93	0.71	0.60	95.1	9.0	63	5.30	15.4	4.32
ZZ85141		0.29	0.17	8.71	7.7	1010	1.78	1.07	0.64	0.42	111.5	11.8	79	7.02	20.4	5.06
ZZ85142		0.31	0.31	9.08	6.2	1090	1.65	2.33	0.74	0.78	102.0	13.8	87	8.01	26.2	4.64
ZZ85143		0.24	0.64	8.24	6.6	990	1.80	1.21	0.86	0.84	110.5	12.8	77	7.59	23.3	4.29
ZZ85144		0.24	0.22	9.12	12.0	850	2.92	0.71	0.76	0.72	134.5	29.2	70	8.12	36.7	4.72

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133012

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
ZZ85105		27.0	0.22	2.6	0.076	2.61	50.1	36.8	0.95	542	3.60	0.85	18.2	26.4	770	70.8
ZZ85106		31.1	0.23	2.9	0.101	3.15	52.2	44.5	1.01	573	2.80	0.86	20.0	32.2	870	65.4
ZZ85107		29.1	0.25	2.8	0.099	2.99	58.1	45.2	0.87	652	1.49	0.89	20.2	30.6	710	51.1
ZZ85108		29.5	0.24	2.8	0.112	2.84	53.5	41.0	0.84	649	2.55	0.92	20.8	31.7	950	72.5
ZZ85109		31.0	0.25	2.9	0.124	3.13	54.3	51.2	0.95	770	2.59	0.98	19.8	37.3	680	74.1
ZZ85110		31.5	0.26	2.8	0.121	3.15	56.4	48.0	0.92	703	2.26	1.02	19.8	37.3	630	90.0
ZZ85111		27.9	0.21	2.6	0.107	2.81	44.4	36.4	0.83	726	1.67	1.35	18.3	29.6	680	90.2
ZZ85112		26.2	0.22	2.2	0.101	2.56	49.4	38.6	0.84	854	1.26	1.39	19.5	29.6	610	209
ZZ85113		24.2	0.23	1.7	0.130	2.45	50.2	37.7	0.78	1110	0.88	1.03	19.5	28.8	800	205
ZZ85114		28.2	0.22	2.2	0.114	2.52	48.1	28.9	0.72	870	1.14	1.17	21.3	23.8	590	84.7
ZZ85115		22.7	0.16	3.0	0.042	2.58	33.5	14.2	0.29	294	1.25	2.11	13.0	3.3	1010	20.8
ZZ85116		24.4	0.23	2.2	0.100	2.31	50.7	37.3	0.80	1200	2.11	1.25	18.3	27.4	890	134.0
ZZ85117		29.0	0.22	2.0	0.103	2.62	43.5	26.3	0.49	628	1.92	1.21	21.3	11.9	340	46.8
ZZ85118		23.1	0.22	1.7	0.072	2.56	53.2	37.5	0.51	482	0.68	1.57	18.2	8.0	800	30.9
ZZ85119		23.3	0.17	2.7	0.058	2.22	29.3	41.8	0.57	491	1.87	1.91	11.9	9.8	600	25.8
ZZ85120		19.30	0.19	0.9	0.058	2.36	33.5	22.0	0.27	309	0.44	1.52	14.1	2.3	910	24.0
ZZ85121		22.7	0.20	1.8	0.070	2.48	37.5	34.7	0.50	418	1.87	1.37	18.4	8.2	340	22.9
ZZ85122		22.2	0.19	1.6	0.066	2.72	45.4	20.2	0.30	1150	2.74	1.73	16.7	4.1	520	25.1
ZZ85123		22.9	0.25	1.6	0.064	2.34	59.3	33.5	0.51	407	1.97	1.22	16.8	9.6	450	22.7
ZZ85124		22.0	0.17	2.2	0.059	2.88	44.4	25.1	0.30	294	1.83	2.00	16.6	3.7	370	21.6
ZZ85125		24.5	0.22	1.6	0.083	2.79	51.8	66.3	0.58	633	1.41	1.52	20.4	7.1	570	30.7
ZZ85126		18.75	0.18	1.7	0.059	2.62	44.7	22.0	0.26	259	1.35	1.70	15.1	3.2	460	24.7
ZZ85127		21.3	0.25	1.3	0.074	2.58	56.9	85.9	0.48	667	0.98	1.57	17.0	7.0	930	34.3
ZZ85128		22.8	0.17	1.9	0.047	2.83	41.0	15.5	0.15	212	1.09	1.32	19.0	2.7	240	26.2
ZZ85129		22.7	0.21	1.9	0.081	2.60	44.0	42.1	0.49	530	1.44	1.67	16.5	9.0	710	62.6
ZZ85130		23.4	0.21	2.4	0.063	2.61	40.6	28.6	0.38	384	2.57	1.59	18.3	8.3	530	40.6
ZZ85131		22.8	0.19	2.5	0.065	2.57	47.2	18.9	0.20	238	3.52	1.31	20.3	4.0	590	40.6
ZZ85132		24.2	0.21	2.7	0.061	2.43	41.5	35.5	0.56	490	3.55	1.62	19.6	12.6	600	71.1
ZZ85133		26.6	0.26	2.1	0.116	2.72	53.2	46.3	0.76	869	2.30	1.06	23.4	26.4	440	84.6
ZZ85134		23.4	0.25	1.7	0.108	2.69	60.1	54.7	0.71	1060	2.40	1.30	17.7	26.3	740	139.5
ZZ85135		28.5	0.32	2.4	0.120	2.91	82.6	54.6	0.88	810	1.84	1.08	22.8	36.0	540	120.5
ZZ85136		27.4	0.31	2.3	0.119	2.82	69.5	55.6	0.86	881	2.48	0.95	17.8	36.8	880	134.0
ZZ85137		25.3	0.29	3.1	0.087	2.71	66.7	48.4	0.75	645	2.40	1.69	13.4	27.3	620	86.0
ZZ85138		25.5	0.25	2.4	0.094	2.78	57.4	46.6	0.77	717	2.48	1.25	19.4	27.3	640	67.5
ZZ85139		24.7	0.27	2.3	0.094	2.65	58.7	50.5	0.76	616	1.93	1.21	19.8	25.7	620	53.4
ZZ85140		27.3	0.26	2.4	0.082	2.61	48.4	42.9	0.78	580	2.05	1.11	19.3	24.7	570	31.6
ZZ85141		25.7	0.28	2.6	0.090	2.71	56.5	56.5	1.21	617	2.51	0.71	19.4	34.5	520	64.1
ZZ85142		27.0	0.26	2.5	0.128	2.74	51.3	50.3	1.13	795	7.36	0.80	20.1	34.6	460	73.0
ZZ85143		23.9	0.28	2.3	0.087	2.45	59.5	50.8	0.99	744	4.13	0.75	19.1	30.5	810	83.8
ZZ85144		21.0	0.29	2.4	0.112	2.58	57.3	57.4	1.04	660	2.41	0.72	14.5	46.3	830	134.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133012

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
ZZ85105		142.0	<0.002	0.02	0.79	14.2	2	3.2	161.0	1.24	0.05	11.3	0.474	0.84	2.9	135
ZZ85106		165.0	<0.002	0.01	0.71	17.8	2	3.8	136.5	1.33	0.05	12.6	0.523	0.99	3.0	148
ZZ85107		156.0	<0.002	0.01	0.66	17.0	2	3.6	137.5	1.39	<0.05	13.4	0.545	0.89	2.7	121
ZZ85108		155.0	<0.002	0.02	0.53	16.7	2	4.1	170.5	1.43	0.05	13.7	0.532	0.90	3.1	117
ZZ85109		167.5	<0.002	0.01	0.47	18.4	2	4.0	158.5	1.37	0.05	13.7	0.536	0.96	3.1	120
ZZ85110		163.5	<0.002	0.01	0.45	18.9	2	4.0	182.0	1.32	0.05	14.1	0.508	0.99	3.2	121
ZZ85111		135.5	<0.002	0.02	0.46	14.7	2	3.9	284	1.26	0.05	11.6	0.474	0.81	2.5	96
ZZ85112		125.5	<0.002	0.01	0.64	13.6	2	4.2	340	1.33	0.07	14.0	0.472	0.77	2.9	83
ZZ85113		126.0	<0.002	0.01	0.72	12.8	2	4.7	294	1.40	0.11	16.4	0.448	0.77	3.0	80
ZZ85114		122.0	<0.002	0.01	0.75	13.7	2	4.9	333	1.51	0.10	12.0	0.527	0.78	2.7	90
ZZ85115		96.0	<0.002	0.02	0.42	5.9	1	3.6	381	1.06	<0.05	8.5	0.283	0.61	2.4	43
ZZ85116		119.5	<0.002	0.04	0.56	12.6	2	3.8	363	1.30	0.08	12.9	0.466	0.72	5.4	79
ZZ85117		136.5	<0.002	0.01	0.60	9.0	1	6.4	244	1.72	0.13	11.7	0.411	0.75	2.6	84
ZZ85118		122.5	<0.002	0.02	0.32	7.4	1	4.8	251	1.47	0.05	14.8	0.289	0.71	7.5	57
ZZ85119		88.5	<0.002	0.02	0.45	6.1	1	2.9	356	0.91	0.07	10.5	0.249	0.54	3.3	58
ZZ85120		102.5	<0.002	0.03	0.16	4.3	1	3.3	213	1.16	<0.05	13.1	0.173	0.59	1.8	29
ZZ85121		126.5	<0.002	0.02	0.35	7.0	1	4.4	177.0	1.47	0.07	10.3	0.296	0.67	2.5	68
ZZ85122		152.5	<0.002	0.03	0.28	5.8	1	4.9	275	1.40	0.06	10.7	0.252	0.73	12.1	45
ZZ85123		142.0	<0.002	0.03	0.42	6.9	1	4.2	191.0	1.34	0.08	11.8	0.284	0.68	14.7	68
ZZ85124		143.5	<0.002	0.01	0.31	6.0	1	5.4	327	1.39	<0.05	10.4	0.253	0.68	3.0	36
ZZ85125		151.5	<0.002	0.02	0.28	8.4	1	5.8	254	1.67	0.06	12.0	0.299	0.79	10.9	62
ZZ85126		119.5	<0.002	0.02	0.26	5.6	1	4.3	260	1.24	<0.05	12.5	0.231	0.61	4.6	34
ZZ85127		123.5	<0.002	0.03	0.24	7.7	2	4.8	244	1.38	0.05	20.0	0.236	0.74	15.0	51
ZZ85128		128.5	<0.002	0.01	0.50	5.5	1	5.0	208	1.46	<0.05	10.1	0.364	0.76	2.0	66
ZZ85129		122.5	<0.002	0.02	0.41	7.5	1	4.6	300	1.31	0.08	12.8	0.285	0.68	4.1	54
ZZ85130		127.0	<0.002	0.02	0.48	8.0	1	4.7	284	1.45	0.07	12.9	0.356	0.68	3.3	69
ZZ85131		122.5	<0.002	0.01	0.40	7.9	2	5.5	208	1.58	<0.05	13.8	0.403	0.72	3.8	62
ZZ85132		122.0	<0.002	0.02	0.53	8.3	1	3.9	277	1.44	0.06	12.1	0.389	0.60	2.8	80
ZZ85133		145.0	<0.002	0.01	0.62	14.3	2	5.3	254	1.70	0.11	13.3	0.534	0.84	3.0	102
ZZ85134		146.5	<0.002	0.02	0.53	12.1	2	4.5	302	1.33	0.07	17.6	0.399	0.84	11.2	75
ZZ85135		160.0	0.002	0.01	0.54	17.8	2	4.7	241	1.57	0.06	15.3	0.576	0.97	7.0	110
ZZ85136		161.0	<0.002	0.04	0.45	17.6	2	4.1	222	1.21	0.06	16.9	0.428	0.92	6.7	105
ZZ85137		120.5	<0.002	0.02	0.47	12.9	2	2.8	351	0.92	<0.05	15.0	0.339	0.73	7.3	84
ZZ85138		145.0	<0.002	0.01	0.46	14.5	2	4.0	221	1.40	<0.05	14.2	0.483	0.81	3.1	95
ZZ85139		134.0	<0.002	0.01	0.53	13.3	2	4.2	171.5	1.41	0.05	15.9	0.448	0.78	3.4	92
ZZ85140		137.5	<0.002	0.02	0.53	13.5	2	3.9	159.0	1.36	0.05	11.6	0.476	0.78	2.4	108
ZZ85141		141.5	<0.002	0.01	1.03	15.4	2	3.4	127.0	1.34	0.06	15.0	0.483	0.79	3.2	151
ZZ85142		166.0	<0.002	0.02	0.85	15.8	2	4.8	151.0	1.39	0.08	13.2	0.497	0.92	2.9	151
ZZ85143		140.0	<0.002	0.03	0.80	14.8	2	3.4	155.5	1.33	0.06	14.2	0.476	0.79	3.8	134
ZZ85144		126.5	0.002	0.04	1.08	13.8	3	2.9	107.5	1.01	0.05	16.9	0.362	0.82	3.6	102

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133012

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
ZZ85105		3.1	17.5	139	89.0
ZZ85106		3.7	18.5	150	96.6
ZZ85107		9.8	20.7	129	89.8
ZZ85108		3.4	19.2	161	90.8
ZZ85109		3.5	21.4	193	89.7
ZZ85110		3.3	21.1	201	88.8
ZZ85111		3.2	16.6	206	85.3
ZZ85112		10.2	19.5	344	75.1
ZZ85113		5.8	19.3	375	53.5
ZZ85114		4.3	17.3	214	74.6
ZZ85115		2.4	8.4	39	104.5
ZZ85116		3.8	19.6	390	73.8
ZZ85117		6.2	11.9	208	64.3
ZZ85118		2.8	17.7	95	52.4
ZZ85119		3.5	9.1	132	91.7
ZZ85120		1.1	9.2	36	25.2
ZZ85121		7.2	10.5	74	54.3
ZZ85122		3.7	11.7	47	48.3
ZZ85123		3.6	16.8	69	48.4
ZZ85124		2.5	9.3	41	71.9
ZZ85125		4.0	15.9	95	49.6
ZZ85126		2.4	10.5	31	54.8
ZZ85127		3.8	18.4	110	38.5
ZZ85128		3.1	8.2	20	64.6
ZZ85129		3.3	11.9	176	64.0
ZZ85130		5.5	10.3	94	82.0
ZZ85131		5.7	10.2	46	81.0
ZZ85132		3.3	11.5	175	95.2
ZZ85133		5.3	17.8	244	69.6
ZZ85134		4.5	22.6	391	55.9
ZZ85135		4.3	29.7	260	78.4
ZZ85136		3.4	25.4	307	74.5
ZZ85137		2.3	26.6	187	109.0
ZZ85138		3.5	19.5	154	80.3
ZZ85139		3.6	19.7	132	74.6
ZZ85140		4.6	16.6	101	77.8
ZZ85141		3.6	18.7	168	86.4
ZZ85142		19.0	17.2	230	80.9
ZZ85143		3.9	20.4	185	78.3
ZZ85144		32.7	23.0	203	77.7

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133012

Sample Description	Method	WEI-21	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.02	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
ZZ85145		0.36	0.05	8.78	14.2	930	2.31	0.40	0.70	0.16	147.5	22.1	67	6.77	46.7	4.52
ZZ85146		0.28	0.33	8.94	13.1	900	2.23	0.87	0.76	0.66	127.0	19.5	79	9.30	33.0	6.00

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133012

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
	Units	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
ZZ85145		22.2	0.31	2.8	0.095	2.73	75.3	70.9	1.19	635	1.16	0.81	16.0	44.3	560	52.4
ZZ85146		25.6	0.31	2.8	0.119	2.89	59.9	71.2	1.23	838	2.39	0.72	18.0	43.1	540	64.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133012

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOR	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1	1
ZZ85145		126.0	<0.002	<0.01	1.46	14.7	2	2.6	120.0	1.12	<0.05	17.2	0.422	0.84	3.1	103
ZZ85146		146.0	<0.002	0.02	1.14	15.6	3	3.3	113.0	1.23	0.06	15.4	0.460	0.90	5.5	117

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133012

Sample Description	Method Analyte Units LOR	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5
ZZ85145		2.0	28.3	115	89.2
ZZ85146		2.1	23.8	198	89.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 7-AUG-2013
Account: MTT

Project: HY (Marg)

CERTIFICATE OF ANALYSIS WH13133012

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
LOG-22 SCR-41 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME-MS61

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-AUG-2013
Account: MTT

CERTIFICATE WH13140520

Project: Hy (Dusty)

P.O. No.:

This report is for 295 Soil samples submitted to our lab in Whitehorse, YT, Canada on 2-AUG-2013.

The following have access to data associated with this certificate:

HEATHER BURRELL	SARAH DRECHSLER	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140520

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
ZZ85151		0.21	0.4	2.11	9	<10	240	0.9	<2	0.05	<0.5	5	41	34	2.98	10
ZZ85152		0.26	0.3	2.44	17	<10	330	1.6	5	0.12	<0.5	9	37	57	4.18	10
ZZ85153		0.26	1.0	2.47	8	<10	360	0.9	9	0.23	<0.5	7	27	45	3.48	10
ZZ85154		0.26	0.7	1.99	11	<10	250	1.0	<2	0.10	<0.5	5	25	38	3.57	10
ZZ85155		0.27	0.4	1.75	5	<10	210	0.8	2	0.08	<0.5	5	21	32	2.55	10
ZZ85156		0.18	0.2	0.70	<2	<10	90	<0.5	<2	0.06	0.7	3	7	12	0.91	<10
ZZ85157		0.24	<0.2	3.05	14	<10	610	2.0	<2	0.20	<0.5	17	33	72	5.62	10
ZZ85158		0.13	1.0	2.27	2	<10	660	1.2	2	0.49	2.2	9	18	34	2.31	10
ZZ85159		0.27	0.6	2.97	4	<10	750	1.6	2	0.39	<0.5	6	23	53	3.03	10
ZZ85160		0.21	<0.2	0.69	<2	<10	120	<0.5	<2	0.10	<0.5	2	12	10	0.93	<10
ZZ85161		0.21	0.3	3.37	<2	<10	570	1.8	<2	0.26	0.5	17	35	66	4.28	10
ZZ85162		0.14	0.3	0.65	<2	<10	190	<0.5	<2	0.17	<0.5	2	4	5	0.66	<10
ZZ85163		0.14	<0.2	1.69	2	<10	320	<0.5	<2	0.31	<0.5	3	10	10	1.76	10
ZZ85164		0.15	0.2	0.83	<2	<10	50	<0.5	<2	0.04	<0.5	1	6	4	0.73	10
ZZ85165		0.13	0.4	1.85	<2	<10	110	1.0	<2	0.61	0.7	4	7	16	1.17	10
ZZ85166		0.20	0.2	1.38	<2	<10	220	<0.5	<2	0.19	<0.5	4	8	9	1.35	10
ZZ85167		0.10	0.3	2.78	3	<10	290	1.3	<2	0.11	<0.5	8	33	34	3.47	10
ZZ85168		0.20	0.7	1.92	5	<10	310	1.2	<2	0.18	0.8	6	20	42	2.60	<10
ZZ85169		0.15	0.6	1.31	7	<10	210	1.0	<2	0.19	1.1	6	13	29	1.73	<10
ZZ85170		0.17	0.5	2.34	7	<10	370	1.4	<2	0.17	<0.5	10	27	44	3.25	10
ZZ85171		0.25	0.4	3.44	8	<10	600	2.4	<2	0.46	0.8	20	34	85	4.10	10
ZZ85172		0.17	0.9	2.92	5	<10	400	1.9	<2	0.45	0.7	36	26	56	3.97	10
ZZ85173		0.30	0.6	3.28	19	<10	570	2.3	2	0.47	1.0	11	27	70	6.57	10
ZZ85174		0.21	0.2	2.89	5	<10	480	2.0	<2	0.09	<0.5	7	38	55	3.31	10
ZZ85175		0.28	0.2	2.51	3	<10	430	2.1	<2	0.23	0.5	17	28	62	4.09	10
ZZ85176		0.21	0.2	2.49	2	<10	330	1.4	<2	0.10	<0.5	7	33	38	3.65	10
ZZ85177		0.19	0.3	2.27	4	<10	390	1.4	<2	0.21	<0.5	8	27	34	2.64	10
ZZ85178		0.23	<0.2	2.24	4	<10	300	1.4	<2	0.20	<0.5	13	32	42	3.35	10
ZZ85179		0.24	0.5	2.99	<2	<10	440	1.8	2	0.55	1.5	12	32	51	2.99	10
ZZ85180		0.22	<0.2	2.48	4	<10	630	1.5	<2	0.56	<0.5	20	26	46	2.85	10
ZZ85181		0.23	<0.2	2.92	10	<10	260	1.7	2	0.34	<0.5	66	35	86	4.54	10
ZZ85182		0.27	0.3	2.34	7	<10	190	1.7	<2	0.28	<0.5	32	27	120	3.47	10
ZZ85183		0.19	0.5	2.58	10	<10	170	1.8	<2	0.32	<0.5	34	34	115	3.79	10
ZZ85184		0.20	0.9	2.42	9	<10	100	1.7	3	0.66	1.2	18	30	123	3.20	10
ZZ85185		0.26	1.1	1.79	2	10	40	1.0	6	15.3	2.1	13	17	132	2.29	10
ZZ85186		0.19	1.9	2.57	6	20	80	1.3	10	6.00	2.7	17	37	197	3.37	10
ZZ85187		0.15	1.2	0.85	12	<10	20	0.5	2	24.8	3.1	9	8	222	1.48	<10
ZZ85188		0.21	1.5	1.31	18	10	40	0.7	10	16.7	2.2	16	16	73	2.12	<10
ZZ85189		0.23	2.0	2.94	16	10	80	2.5	8	1.32	2.6	22	27	293	3.74	10
ZZ85190		0.19	4.4	2.71	9	20	60	1.8	16	2.69	9.9	17	21	327	3.52	10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140520

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
ZZ85151		<1	0.29	10	0.73	216	3	0.01	26	1040	46	0.19	<2	2	43	<20
ZZ85152		1	0.31	20	0.76	274	8	0.03	43	1120	154	0.24	2	3	100	<20
ZZ85153		1	0.24	20	0.70	346	3	0.02	28	1130	225	0.15	<2	2	70	<20
ZZ85154		<1	0.20	20	0.50	171	4	0.02	22	1170	104	0.19	2	1	76	<20
ZZ85155		<1	0.20	20	0.48	195	3	0.02	22	1000	112	0.14	<2	1	51	<20
ZZ85156		<1	0.06	10	0.13	103	1	0.02	6	500	26	0.06	<2	<1	18	<20
ZZ85157		1	0.34	30	0.72	336	5	0.03	52	1650	50	0.20	3	2	201	<20
ZZ85158		<1	0.16	10	0.37	325	2	0.02	24	1840	114	0.19	<2	<1	150	<20
ZZ85159		1	0.17	10	0.42	141	3	0.03	29	2370	92	0.18	<2	<1	147	<20
ZZ85160		<1	0.08	10	0.17	66	1	0.02	6	640	44	0.08	<2	<1	24	<20
ZZ85161		<1	0.37	20	0.70	233	5	0.04	49	1230	36	0.29	<2	3	208	<20
ZZ85162		<1	0.02	<10	0.06	45	<1	0.03	3	730	21	0.05	<2	<1	12	<20
ZZ85163		1	0.06	10	0.30	160	1	0.01	8	530	23	0.05	<2	1	51	<20
ZZ85164		<1	0.04	10	0.07	68	1	0.01	3	470	13	0.03	<2	<1	9	<20
ZZ85165		<1	0.05	20	0.35	193	<1	0.02	7	630	335	0.06	<2	1	45	<20
ZZ85166		<1	0.06	10	0.24	704	1	0.02	6	700	21	0.07	<2	<1	33	<20
ZZ85167		<1	0.17	20	0.57	229	2	0.01	28	640	50	0.07	<2	1	29	<20
ZZ85168		1	0.29	10	0.54	172	3	0.02	27	1130	25	0.19	3	1	94	<20
ZZ85169		<1	0.20	10	0.33	115	2	0.03	17	1010	16	0.13	<2	<1	59	<20
ZZ85170		<1	0.34	20	0.73	273	4	0.02	32	950	31	0.14	3	1	78	<20
ZZ85171		1	0.44	20	0.88	258	4	0.02	66	1200	39	0.09	2	3	174	<20
ZZ85172		<1	0.31	20	0.71	319	5	0.03	64	1110	37	0.20	3	1	157	<20
ZZ85173		<1	0.65	20	0.94	239	8	0.11	50	2310	54	0.64	3	3	340	<20
ZZ85174		<1	0.45	20	0.85	195	3	0.01	35	970	21	0.10	2	1	50	<20
ZZ85175		1	0.34	20	0.67	191	4	0.02	49	940	47	0.14	<2	1	133	<20
ZZ85176		<1	0.29	20	0.62	220	3	0.01	35	870	26	0.08	2	1	57	<20
ZZ85177		<1	0.26	10	0.42	290	1	0.01	25	890	25	0.09	2	<1	49	<20
ZZ85178		<1	0.23	20	0.65	397	2	0.01	33	1310	38	0.03	2	2	63	<20
ZZ85179		<1	0.16	10	1.37	451	3	0.01	41	970	119	0.10	<2	1	107	<20
ZZ85180		<1	0.12	20	0.65	417	2	0.02	36	780	98	0.07	<2	2	145	<20
ZZ85181		<1	0.12	20	0.68	703	2	0.01	63	1060	65	0.07	<2	2	140	<20
ZZ85182		<1	0.14	20	0.53	477	2	0.02	39	1120	68	0.08	2	2	78	<20
ZZ85183		<1	0.22	20	0.69	802	2	0.02	41	1140	134	0.09	2	3	75	<20
ZZ85184		<1	0.15	20	0.61	768	1	0.02	34	890	246	0.06	<2	3	65	<20
ZZ85185		1	0.08	10	0.45	466	<1	0.05	21	840	327	0.04	<2	2	984	<20
ZZ85186		1	0.18	20	0.76	573	<1	0.08	31	1050	332	0.06	<2	4	477	<20
ZZ85187		1	0.04	10	0.27	334	<1	0.02	11	560	246	0.06	<2	1	1685	<20
ZZ85188		1	0.06	10	0.51	941	<1	0.02	28	990	589	0.12	<2	1	1190	<20
ZZ85189		<1	0.09	30	0.76	1350	2	0.02	34	1080	470	0.11	<2	3	124	<20
ZZ85190		<1	0.09	30	0.60	960	<1	0.07	25	1340	756	0.13	3	3	355	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140520

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
ZZ85151		0.09	<10	<10	128	<10	121
ZZ85152		0.13	<10	<10	128	<10	241
ZZ85153		0.10	<10	<10	79	<10	347
ZZ85154		0.05	<10	<10	71	<10	157
ZZ85155		0.05	<10	<10	59	<10	186
ZZ85156		0.02	<10	<10	22	<10	40
ZZ85157		0.12	<10	<10	100	<10	241
ZZ85158		0.01	<10	<10	54	<10	182
ZZ85159		0.01	<10	<10	63	<10	147
ZZ85160		0.03	<10	<10	41	<10	41
ZZ85161		0.11	<10	<10	115	<10	216
ZZ85162		0.04	<10	<10	22	<10	16
ZZ85163		0.04	<10	<10	45	<10	54
ZZ85164		0.03	<10	<10	24	<10	18
ZZ85165		0.04	<10	<10	28	<10	91
ZZ85166		0.04	<10	<10	29	<10	49
ZZ85167		0.09	<10	<10	79	<10	153
ZZ85168		0.04	<10	<10	54	<10	147
ZZ85169		0.03	<10	<10	39	<10	102
ZZ85170		0.06	<10	<10	77	<10	162
ZZ85171		0.13	<10	<10	89	<10	299
ZZ85172		0.08	<10	<10	75	<10	273
ZZ85173		0.11	<10	<10	86	<10	271
ZZ85174		0.07	<10	<10	138	<10	149
ZZ85175		0.07	<10	<10	71	<10	247
ZZ85176		0.05	<10	<10	94	<10	146
ZZ85177		0.05	<10	<10	67	<10	107
ZZ85178		0.12	<10	<10	87	<10	141
ZZ85179		0.07	<10	<10	102	<10	281
ZZ85180		0.08	<10	<10	87	<10	146
ZZ85181		0.09	<10	<10	58	<10	162
ZZ85182		0.06	<10	<10	37	<10	142
ZZ85183		0.08	<10	<10	40	<10	172
ZZ85184		0.08	<10	<10	37	10	394
ZZ85185		0.05	<10	<10	23	10	461
ZZ85186		0.11	<10	<10	54	<10	676
ZZ85187		0.03	<10	<10	10	<10	659
ZZ85188		0.03	<10	<10	19	<10	342
ZZ85189		0.07	<10	<10	39	20	1190
ZZ85190		0.06	<10	<10	30	50	3690

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140520

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
ZZ85191		0.21	0.4	0.70	2	<10	10	<0.5	<2	>25.0	0.8	6	7	31	1.06	<10
ZZ85192		0.22	0.6	3.59	3	<10	200	1.0	3	1.88	<0.5	25	103	127	5.33	10
ZZ85193		0.19	0.8	2.70	17	<10	90	1.8	3	0.32	0.5	22	34	64	4.30	10
ZZ85194		0.10	0.5	1.62	<2	<10	70	1.1	3	3.02	3.0	11	20	124	2.04	10
ZZ85195		0.15	0.3	2.50	<2	<10	70	2.9	5	0.47	<0.5	22	29	80	3.91	10
ZZ85196		0.17	0.5	1.96	4	<10	70	2.1	5	0.38	<0.5	13	28	59	4.15	10
ZZ85197		0.23	0.3	2.95	<2	<10	140	2.2	5	1.21	<0.5	22	53	36	4.16	10
ZZ85198		0.18	0.4	1.67	8	<10	240	1.2	2	0.14	0.8	13	21	53	3.35	<10
ZZ85199		0.18	0.2	1.37	8	<10	110	0.8	<2	0.05	<0.5	7	23	33	3.63	<10
ZZ85200		0.16	0.2	0.99	9	<10	130	0.5	<2	0.05	<0.5	5	17	23	2.80	10
ZZ85201		0.20	0.2	1.17	6	<10	100	0.5	2	0.04	<0.5	4	22	25	3.05	<10
ZZ85202		0.21	0.5	1.99	8	<10	220	0.7	2	0.05	<0.5	5	27	28	3.11	10
ZZ85203		0.20	0.3	1.40	6	<10	320	0.5	<2	0.08	<0.5	4	18	21	2.26	10
ZZ85204		0.25	<0.2	1.94	6	<10	490	0.8	2	0.16	1.0	8	29	29	3.30	10
ZZ85205		0.22	<0.2	1.51	<2	<10	310	0.8	<2	4.75	2.0	5	17	12	1.34	<10
ZZ85206		0.20	0.2	2.60	5	<10	110	0.5	<2	0.11	<0.5	4	17	13	2.97	10
ZZ85207		0.18	0.3	2.30	5	<10	370	1.0	<2	0.11	<0.5	7	18	27	2.07	10
ZZ85208		0.21	<0.2	1.51	3	<10	90	<0.5	3	0.06	<0.5	4	17	14	2.59	10
ZZ85209		0.20	0.3	2.22	3	<10	120	0.5	3	0.12	<0.5	4	18	15	2.95	10
ZZ85210		0.24	0.4	2.64	7	<10	700	1.3	2	1.28	1.5	7	17	30	2.30	10
ZZ85211		0.14	<0.2	0.31	<2	<10	20	<0.5	<2	0.05	<0.5	1	2	2	0.43	<10
ZZ85212		0.16	0.2	0.62	4	<10	80	<0.5	<2	0.05	<0.5	2	12	11	1.57	<10
ZZ85213		0.14	0.7	1.21	10	<10	200	0.5	2	0.05	0.7	3	25	35	3.64	10
ZZ85214		0.17	0.8	0.58	<2	<10	110	<0.5	<2	0.03	<0.5	2	10	13	1.65	<10
ZZ85215		0.17	0.2	1.29	<2	<10	90	0.7	<2	0.09	<0.5	5	21	33	2.21	<10
ZZ85216		0.18	0.3	1.70	3	<10	140	0.7	<2	0.10	<0.5	6	25	23	2.56	10
ZZ85217		0.22	0.3	1.38	2	<10	180	0.6	<2	0.05	<0.5	3	18	20	2.00	10
ZZ85218		0.20	0.2	1.33	4	<10	150	0.5	2	0.07	<0.5	3	26	20	3.10	10
ZZ85219		0.19	0.5	1.14	2	<10	100	0.5	<2	0.05	<0.5	3	14	21	1.88	<10
ZZ85220		0.19	0.5	2.15	2	<10	200	0.9	2	0.16	<0.5	7	30	34	3.79	10
ZZ85221		0.17	0.4	1.30	3	<10	110	0.5	3	0.10	<0.5	4	17	19	1.68	10
ZZ85222		0.22	0.3	2.26	5	<10	140	0.9	4	0.16	<0.5	8	33	25	3.55	10
ZZ85223		0.20	0.2	0.68	4	<10	150	<0.5	3	0.09	<0.5	4	13	8	1.51	10
ZZ85224		0.19	0.5	1.91	3	<10	190	0.9	2	0.22	0.9	9	25	34	2.70	10
ZZ85225		0.16	0.3	1.30	<2	<10	220	<0.5	<2	0.05	0.6	4	20	21	2.45	10
ZZ85226		0.25	0.3	1.79	6	<10	3000	1.1	<2	0.65	11.5	22	19	52	2.34	10
ZZ85227		0.15	0.5	1.60	4	<10	100	0.6	4	0.40	<0.5	6	28	21	2.72	10
ZZ85228		0.19	0.8	1.06	2	<10	100	<0.5	<2	0.12	<0.5	4	15	19	1.98	10
ZZ85229		0.19	0.7	2.08	5	<10	70	0.8	2	0.28	<0.5	7	33	38	3.91	10
ZZ85230		0.14	0.6	2.31	7	<10	260	1.5	4	0.57	0.8	16	33	82	3.44	10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140520

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
ZZ85191		1	0.03	<10	0.23	234	<1	0.03	10	480	173	0.07	<2	1	1400	<20
ZZ85192		<1	0.63	30	1.48	528	1	0.13	72	1720	108	0.09	<2	10	207	<20
ZZ85193		<1	0.52	30	0.94	740	2	0.02	28	660	123	0.25	<2	3	77	<20
ZZ85194		<1	0.17	20	0.48	676	2	0.03	15	1100	168	0.19	<2	2	253	<20
ZZ85195		<1	0.31	20	0.62	919	7	0.02	34	640	145	0.22	<2	2	80	<20
ZZ85196		<1	0.26	20	0.54	733	4	0.01	25	790	170	0.14	<2	3	54	<20
ZZ85197		<1	0.38	20	0.85	812	1	0.02	39	1130	148	0.15	<2	5	110	<20
ZZ85198		1	0.10	20	0.43	465	4	0.01	33	1110	94	0.15	2	2	68	<20
ZZ85199		<1	0.08	20	0.23	342	3	0.01	22	1220	39	0.15	<2	1	36	<20
ZZ85200		1	0.07	20	0.11	293	2	0.01	11	1190	31	0.16	<2	<1	33	<20
ZZ85201		<1	0.08	20	0.20	278	3	0.01	13	1020	37	0.13	<2	1	27	<20
ZZ85202		<1	0.10	20	0.37	200	2	0.01	21	820	71	0.09	<2	1	24	<20
ZZ85203		<1	0.09	20	0.40	124	2	0.01	17	500	55	0.07	<2	1	27	<20
ZZ85204		<1	0.13	20	1.12	338	3	0.01	31	610	80	0.07	<2	1	27	<20
ZZ85205		<1	0.07	20	4.26	406	1	0.01	40	1620	52	0.08	<2	1	33	<20
ZZ85206		<1	0.07	20	0.44	197	1	0.01	13	740	34	0.07	<2	1	15	<20
ZZ85207		<1	0.10	10	0.44	284	1	0.02	23	860	526	0.06	<2	1	16	<20
ZZ85208		<1	0.07	20	0.26	155	2	<0.01	13	320	38	0.04	2	2	18	<20
ZZ85209		1	0.08	20	0.37	222	2	0.01	13	920	45	0.07	<2	2	21	<20
ZZ85210		<1	0.11	20	1.69	522	<1	0.02	27	840	240	0.06	<2	3	62	<20
ZZ85211		<1	0.02	<10	0.03	22	<1	0.03	1	270	4	0.04	<2	<1	7	<20
ZZ85212		<1	0.07	10	0.12	109	1	0.01	10	790	15	0.06	<2	<1	16	<20
ZZ85213		1	0.08	20	0.11	128	5	0.01	11	1660	25	0.13	<2	<1	26	<20
ZZ85214		<1	0.06	10	0.04	89	2	0.01	8	720	16	0.07	<2	<1	22	<20
ZZ85215		<1	0.10	20	0.30	106	3	<0.01	24	950	25	0.08	<2	2	33	<20
ZZ85216		<1	0.11	20	0.36	262	2	<0.01	17	760	29	0.09	<2	1	22	<20
ZZ85217		<1	0.09	10	0.28	96	2	0.01	14	530	24	0.07	<2	<1	28	<20
ZZ85218		<1	0.14	20	0.28	117	3	0.01	16	750	23	0.09	<2	<1	41	<20
ZZ85219		<1	0.11	10	0.25	106	2	0.02	13	660	17	0.10	<2	<1	37	<20
ZZ85220		<1	0.12	20	0.54	234	2	<0.01	26	630	56	0.06	<2	2	30	<20
ZZ85221		<1	0.08	10	0.25	170	1	0.01	12	590	33	0.07	<2	<1	20	<20
ZZ85222		<1	0.11	20	0.60	379	2	<0.01	23	790	45	0.09	<2	1	25	<20
ZZ85223		<1	0.06	10	0.08	334	2	<0.01	8	430	30	0.05	<2	1	27	<20
ZZ85224		<1	0.12	20	0.51	350	2	0.01	25	850	66	0.06	<2	1	30	<20
ZZ85225		<1	0.08	10	0.13	268	2	<0.01	12	790	30	0.08	<2	1	8	<20
ZZ85226		<1	0.08	10	1.00	1465	1	0.01	80	1000	59	0.07	3	1	40	<20
ZZ85227		<1	0.14	20	0.42	278	1	0.01	14	610	49	0.05	2	1	48	<20
ZZ85228		<1	0.10	10	0.19	304	1	0.01	11	450	33	0.05	<2	<1	29	<20
ZZ85229		<1	0.18	20	0.53	310	3	0.01	18	570	80	0.07	<2	2	44	<20
ZZ85230		<1	0.23	20	0.80	607	1	0.02	30	840	149	0.05	<2	4	67	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140520

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
ZZ85191		0.02	<10	<10	9	<10	164
ZZ85192		0.27	<10	<10	96	10	228
ZZ85193		0.13	<10	<10	37	<10	345
ZZ85194		0.06	<10	<10	22	<10	421
ZZ85195		0.08	<10	<10	35	10	243
ZZ85196		0.07	<10	<10	34	<10	171
ZZ85197		0.17	<10	<10	57	10	208
ZZ85198		0.13	<10	<10	47	<10	246
ZZ85199		0.11	<10	<10	50	<10	134
ZZ85200		0.08	<10	<10	47	<10	76
ZZ85201		0.12	<10	<10	57	<10	83
ZZ85202		0.06	<10	<10	73	<10	114
ZZ85203		0.05	<10	<10	51	<10	105
ZZ85204		0.09	<10	<10	90	<10	434
ZZ85205		0.02	<10	<10	80	<10	401
ZZ85206		0.07	<10	<10	48	<10	80
ZZ85207		0.03	<10	<10	39	<10	242
ZZ85208		0.10	<10	<10	87	<10	81
ZZ85209		0.10	<10	<10	71	<10	79
ZZ85210		0.07	<10	<10	70	<10	296
ZZ85211		0.03	<10	<10	15	<10	8
ZZ85212		0.04	<10	<10	42	<10	51
ZZ85213		0.02	<10	<10	75	<10	72
ZZ85214		0.04	<10	<10	44	<10	53
ZZ85215		0.15	<10	<10	47	<10	121
ZZ85216		0.06	<10	<10	55	<10	90
ZZ85217		0.04	<10	<10	60	<10	64
ZZ85218		0.07	<10	<10	87	<10	78
ZZ85219		0.05	<10	<10	36	<10	66
ZZ85220		0.10	<10	<10	61	<10	183
ZZ85221		0.03	<10	<10	32	<10	84
ZZ85222		0.08	<10	<10	62	<10	203
ZZ85223		0.10	<10	<10	59	<10	62
ZZ85224		0.07	<10	<10	45	<10	268
ZZ85225		0.14	<10	<10	69	<10	137
ZZ85226		0.05	<10	<10	43	<10	4150
ZZ85227		0.07	<10	<10	44	<10	101
ZZ85228		0.05	<10	<10	41	<10	63
ZZ85229		0.10	<10	<10	46	<10	130
ZZ85230		0.09	<10	<10	39	<10	196

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140520

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
ZZ85231		0.19	<0.2	1.29	3	<10	40	<0.5	3	0.19	<0.5	5	23	18	2.47	10
ZZ85232		0.21	0.8	2.07	7	<10	50	0.8	3	0.19	<0.5	7	31	44	3.29	10
ZZ85233		0.18	0.3	1.33	3	<10	30	0.6	3	0.21	<0.5	4	19	26	1.96	10
ZZ85234		0.20	0.4	2.80	3	<10	60	2.0	4	0.23	<0.5	23	33	63	3.43	10
ZZ85235		0.20	0.4	2.37	2	<10	50	1.0	2	0.32	0.5	12	25	49	2.65	10
ZZ85236		0.25	0.4	2.60	2	<10	90	2.0	5	0.64	0.6	12	33	28	3.37	10
ZZ85237		0.24	0.4	3.11	2	<10	90	2.3	4	0.48	<0.5	15	37	34	3.59	10
ZZ85238		0.12	0.2	1.67	<2	<10	40	1.4	2	0.18	<0.5	7	17	19	1.88	10
ZZ85239		0.14	0.5	2.69	7	<10	60	1.9	4	1.07	1.6	15	40	88	3.50	10
ZZ85240		0.17	0.6	2.32	3	<10	70	1.9	2	0.39	0.8	10	28	31	2.85	10
ZZ85241		0.11	0.2	1.20	2	<10	60	0.6	2	0.19	0.6	5	19	15	2.24	10
ZZ85242		0.13	0.2	2.14	3	<10	100	1.8	5	0.44	0.7	9	29	16	2.86	10
ZZ85243		0.21	0.7	2.14	3	<10	50	1.5	2	0.26	<0.5	7	21	22	1.90	10
ZZ85244		0.18	0.5	2.57	4	<10	70	2.1	5	0.47	<0.5	10	36	30	3.44	10
ZZ85245		0.13	0.2	1.28	2	<10	60	0.9	2	0.32	1.4	6	18	14	1.93	10
ZZ85246		0.22	0.5	2.34	2	<10	60	2.0	4	0.74	0.6	9	28	24	2.91	10
ZZ85247		0.17	<0.2	0.80	2	<10	30	0.5	<2	0.27	0.8	3	10	8	1.13	10
ZZ85248		0.22	0.8	3.05	5	<10	70	3.0	6	0.87	0.7	14	33	56	3.33	10
ZZ85249		0.20	0.4	2.47	<2	<10	50	2.3	10	0.86	0.9	10	26	24	2.64	10
ZZ85250		0.12	<0.2	2.58	2	<10	60	1.7	2	1.78	0.9	11	26	24	2.51	10
ZZ85251		0.04	0.8	0.80	<2	<10	30	<0.5	<2	0.11	<0.5	6	11	33	1.27	<10
ZZ85252		0.09	0.6	2.12	8	<10	50	1.5	2	0.21	0.8	11	27	59	2.81	10
ZZ85253		0.18	<0.2	1.01	<2	<10	50	0.5	<2	0.16	<0.5	5	21	35	2.36	10
ZZ85254		0.17	0.3	2.91	14	<10	70	2.1	<2	0.70	0.7	31	39	77	3.88	10
ZZ85255		0.20	0.9	2.30	2	<10	30	1.4	2	12.0	1.2	22	26	82	3.32	10
ZZ85256		0.25	1.0	3.41	9	<10	130	1.1	2	1.66	0.6	27	97	141	4.87	10
ZZ85257		0.12	<0.2	1.99	40	<10	50	1.0	2	0.17	<0.5	10	28	56	3.93	10
ZZ85258		0.12	<0.2	1.92	3	<10	80	1.8	<2	0.34	<0.5	14	31	35	3.62	10
ZZ85259		0.19	0.2	4.28	5	<10	40	3.3	<2	1.97	0.6	109	37	49	3.17	10
ZZ85260		0.19	0.4	1.63	<2	<10	50	1.1	<2	0.31	0.7	7	14	32	1.75	10
ZZ85261		0.17	0.4	1.83	<2	<10	80	1.5	<2	0.37	<0.5	9	22	40	3.27	10
ZZ85262		0.14	0.9	2.11	222	10	90	2.2	4	0.33	0.7	23	39	55	5.08	10
ZZ85263		0.16	0.6	1.41	12	<10	150	1.0	<2	0.08	1.0	15	18	55	3.85	<10
ZZ85264		0.23	0.2	1.41	10	<10	130	0.8	<2	0.05	<0.5	11	22	36	3.05	<10
ZZ85265		0.27	0.4	1.43	10	<10	120	1.0	<2	0.06	0.5	8	20	54	4.30	<10
ZZ85266		0.34	0.5	1.68	10	<10	140	1.0	<2	0.06	<0.5	7	22	47	3.82	<10
ZZ85267		0.27	0.2	2.07	6	<10	630	1.0	<2	0.13	<0.5	8	26	39	3.23	10
ZZ85268		0.33	0.3	2.29	9	<10	330	1.0	<2	0.09	<0.5	10	29	38	3.76	10
ZZ85269		0.13	0.3	1.23	2	<10	330	<0.5	<2	0.06	<0.5	3	16	14	2.21	10
ZZ85270		0.23	0.3	2.14	4	<10	290	0.5	<2	0.12	<0.5	5	18	17	2.69	10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140520

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
ZZ85231		<1	0.12	20	0.33	289	2	<0.01	12	380	71	0.02	<2	1	23	<20
ZZ85232		<1	0.17	20	0.53	338	2	0.01	19	620	160	0.06	<2	2	34	<20
ZZ85233		<1	0.13	20	0.31	218	1	0.01	11	420	79	0.04	<2	1	31	<20
ZZ85234		<1	0.21	20	0.64	1315	1	0.01	22	630	176	0.08	<2	2	34	<20
ZZ85235		<1	0.12	20	0.50	519	1	0.04	20	790	115	0.07	<2	2	71	<20
ZZ85236		<1	0.20	20	0.62	836	1	0.01	20	650	145	0.06	<2	2	84	<20
ZZ85237		<1	0.35	20	0.73	734	1	0.01	28	670	97	0.06	2	5	63	<20
ZZ85238		<1	0.10	10	0.29	451	1	0.01	10	630	67	0.07	<2	1	25	<20
ZZ85239		<1	0.18	20	0.72	708	3	0.02	30	1030	228	0.09	<2	3	127	<20
ZZ85240		<1	0.14	20	0.50	737	1	0.01	17	900	218	0.09	3	2	58	<20
ZZ85241		<1	0.13	20	0.24	258	2	0.01	9	490	33	0.09	<2	1	41	<20
ZZ85242		<1	0.12	20	0.46	713	1	0.01	16	1480	84	0.16	2	1	52	<20
ZZ85243		<1	0.10	10	0.31	440	1	0.01	13	680	65	0.06	<2	1	30	<20
ZZ85244		1	0.14	20	0.65	718	2	0.01	23	1140	164	0.12	<2	2	49	<20
ZZ85245		<1	0.13	10	0.28	539	1	0.01	10	790	105	0.09	<2	1	38	<20
ZZ85246		<1	0.17	20	0.50	874	1	0.01	17	890	114	0.07	<2	2	70	<20
ZZ85247		<1	0.06	10	0.14	406	<1	0.02	6	570	46	0.07	<2	<1	32	<20
ZZ85248		<1	0.15	30	0.71	1125	1	0.02	24	1170	178	0.07	<2	4	102	<20
ZZ85249		1	0.09	20	0.53	870	<1	0.01	20	1110	154	0.10	<2	2	81	<20
ZZ85250		<1	0.07	30	0.43	922	1	0.02	15	1990	65	0.21	<2	1	162	<20
ZZ85251		<1	0.07	10	0.15	290	1	0.01	7	770	100	0.08	<2	<1	19	<20
ZZ85252		<1	0.14	20	0.44	565	2	0.01	21	730	165	0.09	2	1	35	<20
ZZ85253		<1	0.14	20	0.18	266	2	0.01	15	730	59	0.10	2	1	26	<20
ZZ85254		<1	0.21	30	0.64	785	3	0.01	56	850	98	0.09	3	3	72	<20
ZZ85255		<1	0.10	30	0.70	713	<1	0.15	41	1010	158	0.07	2	3	867	<20
ZZ85256		<1	0.20	30	1.33	598	1	0.07	79	1390	257	0.08	2	7	191	<20
ZZ85257		<1	0.32	30	0.57	365	2	0.01	20	610	67	0.19	2	2	32	<20
ZZ85258		<1	0.39	20	0.63	689	2	0.01	21	640	39	0.10	<2	3	51	<20
ZZ85259		1	0.35	20	0.67	1405	2	0.01	56	510	27	0.05	2	5	117	<20
ZZ85260		<1	0.09	10	0.27	554	<1	0.02	9	780	71	0.14	<2	1	36	<20
ZZ85261		<1	0.41	20	0.49	405	4	0.03	13	850	56	0.25	<2	2	72	<20
ZZ85262		<1	0.26	20	0.53	1325	1	0.01	42	710	428	0.06	<2	5	36	<20
ZZ85263		<1	0.09	20	0.41	327	4	0.01	32	1160	49	0.11	2	1	31	<20
ZZ85264		<1	0.09	20	0.41	475	3	<0.01	24	1110	50	0.06	<2	3	43	<20
ZZ85265		<1	0.08	20	0.41	192	4	0.01	29	760	112	0.09	<2	2	58	<20
ZZ85266		<1	0.10	20	0.46	163	3	0.01	26	720	98	0.08	<2	2	50	<20
ZZ85267		<1	0.13	20	0.68	221	2	0.01	29	680	122	0.06	<2	1	36	<20
ZZ85268		<1	0.17	20	0.68	248	2	0.01	32	640	89	0.06	<2	2	33	<20
ZZ85269		<1	0.07	10	0.23	826	2	0.01	11	850	29	0.06	<2	<1	19	<20
ZZ85270		<1	0.08	20	0.39	237	1	0.01	12	750	41	0.04	<2	1	16	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140520

Sample Description	Method Analyte Units LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
ZZ85231		0.08	<10	<10	39	<10	94
ZZ85232		0.09	<10	<10	39	<10	200
ZZ85233		0.09	<10	<10	28	<10	103
ZZ85234		0.09	<10	<10	37	<10	174
ZZ85235		0.07	<10	<10	33	<10	146
ZZ85236		0.09	<10	<10	39	<10	203
ZZ85237		0.14	<10	<10	40	<10	148
ZZ85238		0.05	<10	<10	25	<10	68
ZZ85239		0.11	<10	<10	46	20	604
ZZ85240		0.08	<10	<10	35	<10	193
ZZ85241		0.09	<10	<10	39	<10	64
ZZ85242		0.06	<10	<10	37	<10	123
ZZ85243		0.08	<10	<10	27	<10	92
ZZ85244		0.08	<10	<10	46	<10	185
ZZ85245		0.07	<10	<10	28	<10	137
ZZ85246		0.08	<10	<10	35	<10	165
ZZ85247		0.04	<10	<10	18	<10	77
ZZ85248		0.09	<10	10	41	<10	237
ZZ85249		0.06	<10	<10	32	<10	288
ZZ85250		0.06	<10	<10	30	<10	151
ZZ85251		0.03	<10	<10	18	<10	87
ZZ85252		0.08	<10	<10	33	<10	178
ZZ85253		0.09	<10	<10	34	<10	82
ZZ85254		0.14	<10	<10	38	<10	269
ZZ85255		0.03	<10	<10	33	<10	283
ZZ85256		0.22	<10	<10	80	<10	357
ZZ85257		0.11	<10	<10	32	<10	174
ZZ85258		0.16	<10	<10	41	<10	136
ZZ85259		0.17	<10	<10	39	<10	196
ZZ85260		0.04	<10	<10	19	<10	112
ZZ85261		0.07	<10	<10	27	<10	99
ZZ85262		0.04	<10	<10	43	<10	386
ZZ85263		0.07	<10	<10	39	<10	184
ZZ85264		0.19	<10	<10	48	<10	139
ZZ85265		0.15	<10	<10	50	<10	211
ZZ85266		0.14	<10	<10	52	<10	177
ZZ85267		0.07	<10	<10	70	<10	190
ZZ85268		0.09	<10	<10	67	<10	188
ZZ85269		0.03	<10	<10	52	<10	69
ZZ85270		0.07	<10	<10	61	<10	84

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140520

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
ZZ85271		0.15	0.2	1.65	4	<10	120	<0.5	<2	0.09	<0.5	4	17	13	3.29	10
ZZ85272		0.25	<0.2	0.88	<2	<10	100	<0.5	<2	0.03	<0.5	2	10	5	0.91	10
ZZ85273		0.30	<0.2	0.75	<2	<10	70	<0.5	2	0.05	<0.5	1	9	4	0.79	10
ZZ85274		0.23	0.2	2.48	<2	<10	330	1.0	<2	0.29	<0.5	9	20	28	2.58	10
ZZ85275		0.14	0.2	1.02	3	<10	90	<0.5	<2	0.09	<0.5	3	20	16	2.52	10
ZZ85276		0.24	0.4	1.18	<2	<10	90	0.5	<2	0.03	<0.5	2	10	10	1.35	<10
ZZ85277		0.22	0.3	1.97	3	<10	250	1.1	<2	0.15	<0.5	8	26	39	3.23	10
ZZ85278		0.21	0.3	0.85	4	<10	130	<0.5	<2	0.04	<0.5	2	12	14	2.20	10
ZZ85279		0.20	0.4	1.92	8	<10	130	0.7	<2	0.12	<0.5	7	29	27	3.78	10
ZZ85280		0.33	0.3	1.75	4	<10	170	0.5	<2	0.06	<0.5	4	28	19	3.32	10
ZZ85281		0.33	0.4	1.85	3	<10	170	0.7	<2	0.07	<0.5	5	26	21	3.39	10
ZZ85282		0.33	0.3	1.76	4	<10	200	0.7	<2	0.11	<0.5	6	27	34	3.59	10
ZZ85283		0.15	0.8	2.59	4	<10	120	0.8	3	0.20	<0.5	7	30	29	3.63	10
ZZ85284		0.17	0.6	2.51	6	<10	100	0.8	<2	0.19	<0.5	6	36	22	4.35	10
ZZ85285		0.26	0.7	3.03	3	<10	120	1.2	<2	0.26	<0.5	15	32	44	3.29	10
ZZ85286		0.23	0.2	3.00	3	<10	500	1.0	<2	0.37	1.1	13	36	42	2.61	10
ZZ85287		0.33	0.5	2.69	4	<10	240	1.2	3	0.41	0.9	13	27	50	2.92	10
ZZ85288		0.34	0.5	2.62	2	<10	90	0.8	2	0.12	<0.5	7	33	23	3.79	10
ZZ85289		0.26	0.4	1.99	5	<10	70	0.6	3	0.14	<0.5	6	27	23	3.10	10
ZZ85290		0.28	0.4	2.07	3	<10	90	0.7	2	0.15	<0.5	6	26	25	3.12	10
ZZ85291		0.16	0.2	2.38	4	<10	90	0.6	2	0.14	<0.5	7	28	21	4.46	10
ZZ85292		0.24	0.3	0.44	<2	<10	30	<0.5	<2	0.09	<0.5	1	5	2	0.36	<10
ZZ85293		0.33	0.9	2.41	2	<10	70	1.2	3	0.28	<0.5	7	29	32	3.00	10
ZZ85294		0.43	0.4	2.12	4	<10	170	1.3	<2	0.46	0.7	13	28	75	2.94	10
ZZ85295		0.25	0.8	2.95	2	<10	70	1.5	3	0.31	<0.5	7	26	20	2.72	10
ZZ85296		0.24	0.3	2.35	3	<10	60	1.1	3	0.37	<0.5	8	26	26	2.80	10
ZZ85297		0.16	0.2	2.22	<2	<10	70	1.1	4	0.32	<0.5	7	29	23	3.35	10
ZZ85298		0.12	0.3	2.00	2	<10	60	0.7	4	0.25	<0.5	6	30	22	3.64	10
ZZ85299		0.23	0.6	1.75	4	<10	60	0.6	2	0.20	<0.5	7	28	29	3.29	10
ZZ85300		0.15	<0.2	0.50	<2	<10	30	<0.5	2	0.12	<0.5	3	9	13	0.98	<10
ZZ85301		0.17	0.3	1.37	2	<10	50	<0.5	<2	0.04	<0.5	2	10	4	1.99	10
ZZ85302		0.22	0.3	3.10	<2	<10	70	0.5	2	0.06	<0.5	3	10	5	3.24	10
ZZ85303		0.27	<0.2	0.92	<2	<10	60	<0.5	<2	0.17	<0.5	2	5	2	0.95	10
ZZ85304		0.26	<0.2	1.21	2	<10	60	<0.5	2	0.10	<0.5	3	7	5	1.56	10
ZZ85305		0.20	<0.2	1.22	2	<10	50	<0.5	2	0.08	<0.5	3	6	3	2.15	10
ZZ85306		0.17	<0.2	1.55	3	<10	100	<0.5	2	0.14	<0.5	2	12	8	1.43	10
ZZ85307		0.18	0.2	1.48	<2	<10	80	<0.5	<2	0.21	<0.5	2	9	7	1.25	10
ZZ85308		0.20	<0.2	2.08	3	<10	120	0.6	2	0.60	<0.5	4	14	12	1.93	10
ZZ85309		0.16	0.2	2.52	3	<10	150	0.7	2	0.64	<0.5	4	14	14	2.23	10
ZZ85310		0.19	<0.2	1.56	4	<10	60	0.5	2	0.37	<0.5	3	7	7	1.70	10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140520

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
ZZ85271		<1	0.07	10	0.40	310	1	0.01	12	600	27	0.04	<2	1	15	<20
ZZ85272		<1	0.05	10	0.15	67	1	0.01	6	210	16	0.01	<2	<1	11	<20
ZZ85273		<1	0.05	20	0.11	93	1	0.01	4	230	42	0.01	<2	<1	11	<20
ZZ85274		<1	0.10	20	0.70	384	1	0.01	23	760	63	0.03	<2	3	28	<20
ZZ85275		<1	0.08	10	0.26	162	2	0.01	14	660	20	0.04	<2	1	20	<20
ZZ85276		<1	0.05	10	0.15	104	1	0.01	7	480	14	0.03	<2	<1	10	<20
ZZ85277		<1	0.13	20	0.74	163	2	0.01	35	590	33	0.04	<2	2	35	<20
ZZ85278		<1	0.06	20	0.10	45	2	0.01	9	710	26	0.06	<2	1	41	<20
ZZ85279		<1	0.09	20	0.54	207	2	0.01	23	610	32	0.05	<2	2	34	<20
ZZ85280		<1	0.11	20	0.38	182	2	0.01	17	630	31	0.04	<2	1	24	<20
ZZ85281		<1	0.12	20	0.46	207	2	0.01	19	620	30	0.06	<2	1	35	<20
ZZ85282		<1	0.14	20	0.59	158	3	0.01	29	770	34	0.06	<2	2	45	<20
ZZ85283		<1	0.09	20	0.53	263	1	0.01	23	940	101	0.06	<2	1	24	<20
ZZ85284		<1	0.11	20	0.59	303	1	0.01	19	900	43	0.03	<2	2	17	<20
ZZ85285		<1	0.18	20	0.74	475	1	0.01	31	740	90	0.03	<2	3	25	<20
ZZ85286		<1	0.14	10	1.60	400	2	0.01	46	810	99	0.02	<2	3	23	<20
ZZ85287		<1	0.10	20	0.84	449	1	0.01	28	680	121	0.02	<2	3	33	<20
ZZ85288		<1	0.14	20	0.53	286	1	0.01	16	510	51	0.03	<2	2	16	<20
ZZ85289		<1	0.11	20	0.52	329	2	0.01	15	360	57	0.02	<2	2	17	<20
ZZ85290		<1	0.12	20	0.51	379	2	0.01	16	310	49	0.03	<2	2	29	<20
ZZ85291		<1	0.08	20	0.54	323	2	0.01	19	500	51	0.04	<2	3	22	<20
ZZ85292		<1	0.03	10	0.03	55	<1	0.01	1	220	16	0.02	<2	<1	12	<20
ZZ85293		<1	0.20	20	0.46	350	1	0.01	16	450	97	0.02	<2	3	27	<20
ZZ85294		<1	0.18	30	0.69	435	1	0.01	29	610	166	0.03	<2	4	51	<20
ZZ85295		<1	0.16	20	0.39	402	<1	0.01	12	480	103	0.02	<2	4	24	<20
ZZ85296		<1	0.16	20	0.42	393	1	0.01	17	640	103	0.02	<2	3	32	<20
ZZ85297		<1	0.19	20	0.54	411	1	0.01	16	380	79	0.02	<2	3	24	<20
ZZ85298		<1	0.14	20	0.41	351	1	0.01	14	680	65	0.04	<2	2	25	<20
ZZ85299		<1	0.18	20	0.50	344	2	<0.01	16	330	73	0.05	<2	2	26	<20
ZZ85300		<1	0.05	10	0.07	164	1	0.01	5	280	26	0.02	<2	1	17	<20
ZZ85301		1	0.04	10	0.13	121	2	<0.01	4	430	20	0.04	<2	1	8	<20
ZZ85302		<1	0.04	20	0.26	189	1	0.01	4	670	16	0.06	<2	2	8	<20
ZZ85303		<1	0.05	10	0.17	129	1	0.01	2	300	12	0.02	<2	1	15	<20
ZZ85304		<1	0.08	10	0.25	203	1	0.01	4	280	16	0.03	<2	1	13	<20
ZZ85305		<1	0.09	10	0.39	299	1	0.01	3	300	19	0.02	<2	2	8	<20
ZZ85306		<1	0.10	10	0.21	89	1	0.01	7	320	19	0.03	<2	1	37	<20
ZZ85307		<1	0.08	10	0.24	130	<1	0.01	6	330	13	0.02	<2	1	40	<20
ZZ85308		<1	0.16	10	0.45	234	1	0.01	12	660	23	0.03	<2	1	77	<20
ZZ85309		1	0.17	10	0.50	234	1	0.01	13	710	23	0.03	<2	2	87	<20
ZZ85310		<1	0.10	20	0.33	328	<1	0.01	5	720	22	0.02	<2	2	26	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140520

Sample Description	Method Analyte Units LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
ZZ85271		0.10	<10	<10	69	<10	78
ZZ85272		0.05	<10	<10	38	<10	26
ZZ85273		0.08	<10	<10	41	<10	24
ZZ85274		0.10	<10	<10	55	<10	152
ZZ85275		0.11	<10	<10	54	<10	68
ZZ85276		0.03	<10	<10	29	<10	47
ZZ85277		0.16	<10	<10	65	<10	176
ZZ85278		0.11	<10	<10	54	<10	65
ZZ85279		0.12	<10	<10	62	<10	142
ZZ85280		0.12	<10	<10	79	<10	88
ZZ85281		0.09	<10	<10	79	<10	107
ZZ85282		0.13	<10	<10	76	<10	140
ZZ85283		0.07	<10	<10	54	<10	194
ZZ85284		0.10	<10	<10	57	<10	137
ZZ85285		0.09	<10	<10	40	<10	199
ZZ85286		0.15	<10	<10	126	<10	958
ZZ85287		0.09	<10	<10	48	<10	285
ZZ85288		0.08	<10	<10	50	<10	97
ZZ85289		0.08	<10	<10	67	<10	117
ZZ85290		0.09	<10	<10	58	<10	122
ZZ85291		0.09	<10	<10	60	<10	98
ZZ85292		0.05	<10	<10	14	<10	11
ZZ85293		0.12	<10	<10	42	<10	116
ZZ85294		0.12	<10	<10	43	<10	249
ZZ85295		0.11	<10	<10	31	<10	129
ZZ85296		0.10	<10	<10	33	10	115
ZZ85297		0.12	<10	<10	40	<10	192
ZZ85298		0.09	<10	<10	34	<10	88
ZZ85299		0.13	<10	<10	47	<10	116
ZZ85300		0.05	<10	<10	27	<10	40
ZZ85301		0.09	<10	<10	49	<10	28
ZZ85302		0.09	<10	<10	48	<10	39
ZZ85303		0.04	<10	<10	23	<10	29
ZZ85304		0.06	<10	<10	40	<10	50
ZZ85305		0.13	<10	<10	48	<10	50
ZZ85306		0.04	<10	<10	58	<10	58
ZZ85307		0.03	<10	<10	38	<10	57
ZZ85308		0.05	<10	<10	46	<10	119
ZZ85309		0.04	<10	<10	51	<10	122
ZZ85310		0.06	<10	<10	35	<10	69

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140520

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
ZZ85311		0.22	<0.2	2.19	<2	<10	100	1.0	<2	0.87	0.7	5	8	11	1.83	10
ZZ85312		0.13	<0.2	2.36	3	<10	40	<0.5	2	0.03	<0.5	2	13	6	2.47	10
ZZ85313		0.18	0.3	2.19	3	<10	50	0.7	3	0.12	<0.5	4	10	6	3.20	10
ZZ85314		0.25	0.3	3.44	<2	<10	30	0.7	2	1.12	<0.5	3	5	7	1.79	10
ZZ85315		0.15	<0.2	0.92	<2	<10	50	<0.5	<2	0.05	<0.5	<1	6	2	0.45	10
ZZ85316		0.15	<0.2	0.62	<2	<10	20	<0.5	<2	0.02	<0.5	<1	4	2	0.49	10
ZZ85317		0.18	0.2	1.29	<2	<10	30	<0.5	3	0.05	<0.5	2	5	3	2.17	10
ZZ85318		0.20	0.3	2.11	2	<10	40	0.5	3	0.06	<0.5	3	15	7	2.26	10
ZZ85319		0.14	0.2	0.75	<2	<10	30	<0.5	5	0.03	<0.5	1	5	1	0.78	10
ZZ85320		0.08	<0.2	0.31	<2	<10	10	<0.5	<2	0.03	<0.5	<1	2	1	0.24	<10
ZZ85321		0.12	0.4	1.41	6	<10	50	1.5	<2	0.27	<0.5	2	7	9	1.54	10
ZZ85322		0.19	1.0	2.07	4	<10	40	2.1	2	0.30	<0.5	3	8	6	1.25	10
ZZ85323		0.20	0.5	2.98	15	<10	180	2.0	3	0.55	<0.5	4	8	8	2.17	10
ZZ85324		0.16	<0.2	0.54	3	<10	20	<0.5	<2	0.04	<0.5	<1	4	1	0.31	10
ZZ85325		0.11	0.7	2.85	10	<10	90	3.9	2	0.31	<0.5	3	7	8	1.47	10
ZZ85326		0.12	<0.2	0.91	2	<10	20	<0.5	<2	0.03	<0.5	1	3	3	1.08	10
ZZ85327		0.11	0.2	1.54	6	<10	40	<0.5	<2	0.03	<0.5	2	12	5	2.51	10
ZZ85328		0.18	0.6	1.85	4	<10	40	<0.5	3	0.03	<0.5	2	5	4	4.38	20
ZZ85329		0.15	<0.2	1.14	<2	<10	40	<0.5	4	0.07	<0.5	3	4	2	1.95	10
ZZ85330		0.17	0.3	1.83	5	<10	40	<0.5	<2	0.04	<0.5	3	21	7	2.81	10
ZZ85331		0.12	<0.2	0.76	2	<10	30	<0.5	3	0.04	<0.5	1	5	2	1.46	10
ZZ85332		0.20	<0.2	0.81	12	<10	30	<0.5	<2	0.03	<0.5	1	7	3	0.76	10
ZZ85333		0.15	0.2	0.87	4	<10	30	<0.5	<2	0.02	<0.5	<1	6	1	0.39	10
ZZ85334		0.19	<0.2	1.66	4	<10	50	<0.5	<2	0.07	<0.5	2	8	4	2.44	10
ZZ85335		0.22	<0.2	2.76	4	<10	60	1.4	<2	0.25	<0.5	3	11	5	1.95	10
ZZ85336		0.22	<0.2	1.97	4	<10	40	<0.5	<2	0.08	<0.5	4	9	4	2.33	10
ZZ85337		0.13	<0.2	0.90	4	<10	30	<0.5	2	0.04	<0.5	1	4	1	2.18	20
ZZ85338		0.17	0.3	4.00	8	<10	150	1.8	2	0.14	1.1	7	16	14	3.31	10
ZZ85339		0.23	0.6	1.13	2	<10	40	<0.5	2	0.09	<0.5	2	5	10	2.40	10
ZZ85340		0.18	<0.2	0.38	<2	<10	20	<0.5	<2	0.02	<0.5	<1	4	1	0.30	10
ZZ85341		0.23	1.5	3.81	7	<10	140	7.4	<2	1.03	7.7	12	20	81	2.90	10
ZZ85342		0.20	0.2	1.79	<2	<10	80	0.5	<2	0.28	<0.5	4	12	7	2.01	10
ZZ85343		0.13	<0.2	1.16	3	<10	40	<0.5	<2	0.04	<0.5	2	12	4	2.61	20
ZZ85344		0.17	<0.2	0.59	<2	<10	20	<0.5	<2	0.02	<0.5	1	5	2	0.51	10
ZZ85345		0.17	0.2	1.94	<2	<10	40	<0.5	<2	0.05	<0.5	2	9	3	3.81	20
ZZ85346		0.25	0.4	4.21	3	<10	160	6.1	<2	0.14	0.7	6	11	16	3.08	10
ZZ85347		0.17	0.7	3.42	3	<10	110	6.4	<2	0.43	1.3	5	10	18	2.49	10
ZZ85348		0.19	<0.2	1.02	2	<10	50	<0.5	<2	0.07	<0.5	1	6	4	1.44	10
ZZ85349		0.19	<0.2	1.04	5	<10	40	<0.5	<2	0.08	<0.5	2	6	3	1.68	10
ZZ85350		0.17	<0.2	1.28	<2	<10	40	0.6	<2	0.09	<0.5	2	6	6	1.06	10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140520

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
ZZ85311		<1	0.15	10	0.46	313	1	0.01	11	650	23	0.03	<2	2	77	<20
ZZ85312		<1	0.04	10	0.19	146	1	<0.01	4	630	16	0.04	<2	1	8	<20
ZZ85313		<1	0.08	20	0.36	379	<1	<0.01	4	450	35	0.03	<2	2	12	<20
ZZ85314		<1	0.07	10	0.27	530	1	0.01	2	750	37	0.03	<2	2	66	<20
ZZ85315		<1	0.03	20	0.04	38	1	<0.01	1	200	30	0.02	<2	1	8	<20
ZZ85316		<1	0.03	10	0.04	33	<1	0.01	1	300	13	0.03	<2	<1	6	<20
ZZ85317		<1	0.04	10	0.30	291	<1	0.01	2	350	20	0.04	<2	1	7	<20
ZZ85318		<1	0.04	20	0.23	214	1	0.01	7	400	44	0.03	<2	1	10	<20
ZZ85319		<1	0.05	10	0.09	106	1	0.01	2	180	23	0.02	<2	1	6	<20
ZZ85320		<1	0.01	<10	0.01	9	<1	0.03	<1	210	4	0.02	<2	<1	6	<20
ZZ85321		<1	0.07	20	0.22	358	1	0.01	4	870	27	0.07	<2	<1	18	<20
ZZ85322		<1	0.05	50	0.15	241	1	0.02	4	690	26	0.10	<2	1	19	<20
ZZ85323		<1	0.15	20	0.39	1060	3	0.01	6	990	56	0.07	<2	2	35	<20
ZZ85324		<1	0.03	10	0.02	36	<1	0.01	1	190	12	0.02	<2	<1	6	<20
ZZ85325		<1	0.09	50	0.20	856	2	0.01	5	1290	57	0.14	<2	1	23	<20
ZZ85326		<1	0.04	10	0.12	177	1	0.01	2	350	9	0.02	<2	<1	6	<20
ZZ85327		<1	0.03	10	0.13	162	1	<0.01	5	420	15	0.03	2	1	6	<20
ZZ85328		<1	0.04	10	0.29	297	1	0.01	2	430	21	0.03	<2	2	6	<20
ZZ85329		<1	0.08	10	0.32	312	<1	0.01	2	240	12	0.02	<2	2	9	<20
ZZ85330		<1	0.04	10	0.23	178	1	0.01	8	410	17	0.03	<2	1	6	<20
ZZ85331		<1	0.05	10	0.10	168	<1	0.01	2	190	13	0.02	<2	1	6	<20
ZZ85332		<1	0.04	20	0.08	62	1	<0.01	1	280	27	0.03	<2	<1	6	<20
ZZ85333		<1	0.04	20	0.05	41	1	<0.01	1	260	40	0.02	<2	<1	6	<20
ZZ85334		<1	0.06	10	0.23	214	1	0.01	2	480	20	0.04	2	1	8	<20
ZZ85335		<1	0.05	40	0.26	220	1	<0.01	6	1100	92	0.08	<2	<1	16	<20
ZZ85336		<1	0.04	20	0.41	343	<1	<0.01	3	480	42	0.04	<2	1	10	<20
ZZ85337		<1	0.05	10	0.16	176	<1	0.01	<1	220	14	0.02	<2	2	5	<20
ZZ85338		<1	0.15	30	0.52	870	3	<0.01	11	1300	475	0.09	<2	2	15	<20
ZZ85339		<1	0.04	10	0.23	333	1	0.01	<1	420	113	0.03	<2	1	10	<20
ZZ85340		<1	0.05	10	0.04	35	<1	<0.01	<1	120	32	0.01	<2	<1	10	<20
ZZ85341		<1	0.11	110	0.37	2460	3	0.01	19	1930	365	0.15	2	2	64	<20
ZZ85342		<1	0.06	10	0.38	267	1	0.01	6	570	44	0.03	2	1	43	<20
ZZ85343		<1	0.07	10	0.14	122	1	<0.01	4	250	12	0.02	<2	1	7	<20
ZZ85344		<1	0.03	20	0.03	31	1	<0.01	<1	200	9	0.02	<2	<1	5	<20
ZZ85345		<1	0.07	10	0.27	206	1	<0.01	2	320	17	0.02	<2	2	6	<20
ZZ85346		<1	0.15	60	0.50	846	1	0.01	9	760	207	0.07	<2	2	18	<20
ZZ85347		<1	0.13	40	0.37	1655	1	0.01	6	990	333	0.11	<2	1	36	<20
ZZ85348		<1	0.05	10	0.13	140	1	<0.01	2	360	26	0.03	<2	1	12	<20
ZZ85349		<1	0.06	10	0.25	195	<1	<0.01	2	250	18	0.02	<2	1	11	<20
ZZ85350		<1	0.05	10	0.13	128	<1	0.01	3	700	19	0.05	<2	<1	13	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140520

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
ZZ85311		0.06	<10	<10	38	<10	124
ZZ85312		0.02	<10	<10	44	<10	35
ZZ85313		0.06	<10	<10	58	<10	54
ZZ85314		0.06	<10	<10	38	<10	54
ZZ85315		0.08	<10	<10	37	<10	9
ZZ85316		0.05	<10	<10	23	<10	13
ZZ85317		0.06	<10	<10	42	<10	47
ZZ85318		0.07	<10	<10	44	<10	40
ZZ85319		0.10	<10	<10	33	<10	16
ZZ85320		0.02	<10	<10	6	<10	4
ZZ85321		0.01	<10	10	19	<10	60
ZZ85322		0.03	<10	20	26	<10	32
ZZ85323		0.01	<10	30	36	<10	145
ZZ85324		0.05	<10	<10	21	<10	8
ZZ85325		0.01	<10	50	28	<10	88
ZZ85326		0.02	<10	<10	15	<10	28
ZZ85327		0.07	<10	<10	58	<10	28
ZZ85328		0.08	<10	<10	69	<10	41
ZZ85329		0.11	<10	<10	49	<10	35
ZZ85330		0.05	<10	<10	40	<10	41
ZZ85331		0.08	<10	<10	55	<10	21
ZZ85332		0.08	<10	<10	37	<10	28
ZZ85333		0.07	<10	<10	28	<10	12
ZZ85334		0.10	<10	<10	62	<10	38
ZZ85335		0.02	<10	<10	33	<10	51
ZZ85336		0.04	<10	<10	39	<10	57
ZZ85337		0.20	<10	<10	96	<10	19
ZZ85338		0.04	<10	10	61	<10	398
ZZ85339		0.09	<10	<10	64	<10	133
ZZ85340		0.07	<10	<10	18	<10	9
ZZ85341		0.03	<10	90	45	10	480
ZZ85342		0.04	<10	<10	40	<10	94
ZZ85343		0.12	<10	<10	118	<10	27
ZZ85344		0.05	<10	<10	27	<10	9
ZZ85345		0.12	<10	<10	74	<10	45
ZZ85346		0.04	<10	<10	53	<10	191
ZZ85347		0.03	<10	<10	53	<10	172
ZZ85348		0.08	<10	<10	36	<10	31
ZZ85349		0.08	<10	<10	43	<10	36
ZZ85350		0.02	<10	<10	19	<10	29

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140520

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
ZZ85351		0.19	0.2	1.79	3	<10	80	0.8	<2	0.29	0.6	8	24	24	2.83	10
ZZ85352		0.26	1.0	2.79	7	<10	70	1.3	4	0.52	0.5	13	37	65	3.60	10
ZZ85353		0.21	0.4	1.85	2	<10	60	1.4	2	0.38	1.2	7	19	22	2.11	10
ZZ85354		0.19	0.2	1.83	5	<10	70	0.5	2	0.16	<0.5	8	27	23	3.88	10
ZZ85355		0.27	0.6	1.52	2	<10	50	0.6	<2	0.17	<0.5	3	16	11	1.91	10
ZZ85356		0.26	0.2	2.76	5	<10	70	1.1	<2	0.17	<0.5	5	26	20	3.16	10
ZZ85357		0.17	0.3	2.14	4	<10	70	0.9	2	0.27	<0.5	6	21	12	2.47	10
ZZ85358		0.18	0.4	2.37	3	<10	50	2.0	2	0.79	2.5	8	21	24	2.19	10
ZZ85359		0.16	0.4	2.67	3	<10	70	1.2	2	0.38	<0.5	7	21	19	2.56	10
ZZ85360		0.21	0.5	2.58	3	<10	50	1.7	2	0.52	0.6	7	18	17	1.98	10
ZZ85361		0.23	<0.2	1.98	6	<10	60	1.1	<2	0.11	<0.5	6	23	12	2.95	10
ZZ85362		0.24	<0.2	1.07	4	<10	20	<0.5	<2	0.04	<0.5	4	14	5	1.82	10
ZZ85363		0.13	<0.2	1.22	4	<10	20	<0.5	<2	0.05	<0.5	2	16	6	2.48	10
ZZ85364		0.24	0.2	2.16	7	<10	60	2.3	<2	0.17	<0.5	8	23	16	3.32	10
ZZ85365		0.22	0.2	4.44	2	<10	40	1.2	2	0.11	<0.5	5	27	9	2.64	10
ZZ85366		0.24	<0.2	0.96	<2	<10	30	<0.5	<2	0.05	<0.5	2	12	6	1.46	10
ZZ85367		0.10	0.6	1.05	3	<10	30	<0.5	<2	0.03	<0.5	1	5	6	0.53	10
ZZ85368		0.15	0.2	2.86	<2	<10	70	1.8	<2	0.48	3.1	11	24	28	2.90	10
ZZ85369		0.13	<0.2	1.54	3	<10	40	<0.5	<2	0.06	<0.5	3	17	5	2.16	10
ZZ85370		0.20	0.3	3.13	8	<10	100	7.0	3	0.34	<0.5	8	20	85	2.76	10
ZZ85371		0.20	<0.2	2.16	4	<10	40	0.9	<2	0.14	<0.5	2	10	11	1.16	10
ZZ85372		0.32	0.3	2.10	3	<10	60	1.7	<2	0.14	<0.5	6	16	13	2.66	10
ZZ85373		0.29	<0.2	1.73	3	<10	50	2.0	<2	0.23	<0.5	5	15	12	2.26	10
ZZ85374		0.29	<0.2	1.44	4	<10	70	0.7	<2	0.36	<0.5	5	15	9	2.42	10
ZZ85375		0.14	<0.2	1.01	5	<10	50	0.6	<2	0.09	<0.5	4	15	7	2.13	10
ZZ85376		0.26	0.2	2.81	6	<10	70	1.9	<2	0.19	<0.5	9	24	30	3.68	10
ZZ85377		0.26	<0.2	0.94	5	<10	40	<0.5	<2	0.07	<0.5	2	9	4	0.92	10
ZZ85378		0.22	<0.2	1.76	5	<10	40	0.5	<2	0.07	<0.5	2	15	4	2.09	10
ZZ85379		0.34	0.5	2.24	<2	<10	40	<0.5	<2	0.11	<0.5	4	15	5	3.34	10
ZZ85380		0.24	<0.2	2.79	5	<10	60	0.9	<2	0.14	<0.5	5	30	14	4.60	10
ZZ85381		0.23	<0.2	2.48	6	<10	50	0.9	<2	0.09	<0.5	6	23	11	3.34	10
ZZ85382		0.34	<0.2	1.26	<2	<10	40	<0.5	<2	0.04	<0.5	1	12	4	1.14	10
ZZ85383		0.15	0.2	0.34	<2	<10	10	<0.5	<2	0.03	<0.5	<1	2	4	0.23	<10
ZZ85384		0.26	<0.2	1.50	8	<10	50	0.5	<2	0.09	<0.5	7	22	16	2.38	10
ZZ85385		0.17	<0.2	1.23	<2	<10	40	0.6	<2	0.43	1.2	3	7	7	1.32	10
ZZ85386		0.30	0.2	1.91	2	<10	40	<0.5	<2	0.10	<0.5	3	11	4	2.14	10
ZZ85387		0.11	<0.2	1.61	<2	<10	50	0.5	<2	0.10	<0.5	5	23	7	2.49	10
ZZ85388		0.18	0.2	1.44	4	<10	40	<0.5	2	0.04	<0.5	3	14	5	2.75	10
ZZ85389		0.18	0.3	1.57	2	<10	40	<0.5	<2	0.05	<0.5	3	15	6	2.08	10
ZZ85390		0.12	0.2	0.88	2	<10	40	<0.5	<2	0.04	<0.5	1	9	3	0.77	10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140520

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
ZZ85351		<1	0.17	20	0.37	469	1	0.01	13	470	57	0.05	<2	2	42	<20
ZZ85352		<1	0.24	20	0.68	566	1	0.01	26	650	169	0.03	<2	5	50	<20
ZZ85353		<1	0.11	20	0.38	716	1	0.01	11	630	331	0.06	<2	1	30	<20
ZZ85354		<1	0.15	20	0.48	532	2	<0.01	16	370	47	0.02	<2	2	17	<20
ZZ85355		<1	0.09	10	0.22	213	1	<0.01	6	280	41	0.02	<2	2	16	<20
ZZ85356		<1	0.10	20	0.32	274	2	0.01	11	550	93	<0.01	<2	2	22	<20
ZZ85357		<1	0.10	20	0.30	702	1	<0.01	9	630	72	0.01	<2	2	24	<20
ZZ85358		<1	0.14	20	0.47	631	1	0.02	15	810	164	0.01	<2	3	70	<20
ZZ85359		<1	0.12	20	0.46	424	1	0.01	11	580	89	<0.01	<2	3	32	<20
ZZ85360		<1	0.11	20	0.44	462	<1	0.01	11	760	89	<0.01	<2	4	44	<20
ZZ85361		<1	0.05	30	0.41	198	4	0.01	14	450	46	0.01	2	1	11	<20
ZZ85362		<1	0.05	10	0.31	198	1	<0.01	6	210	25	<0.01	<2	1	6	<20
ZZ85363		<1	0.05	10	0.19	142	2	<0.01	4	390	17	0.01	<2	1	7	<20
ZZ85364		<1	0.06	40	0.41	287	4	<0.01	19	450	69	0.02	<2	2	19	<20
ZZ85365		<1	0.05	10	0.41	261	<1	<0.01	8	460	47	<0.01	<2	4	8	<20
ZZ85366		<1	0.03	10	0.08	91	4	0.01	4	440	20	0.02	<2	1	15	<20
ZZ85367		<1	0.04	10	0.05	23	1	0.01	1	410	46	<0.01	<2	<1	6	<20
ZZ85368		<1	0.09	60	0.60	1080	<1	0.01	15	690	82	0.01	<2	4	48	<20
ZZ85369		<1	0.05	10	0.21	142	2	<0.01	5	270	15	<0.01	<2	1	8	<20
ZZ85370		<1	0.07	180	0.32	288	5	0.01	33	1480	147	0.11	<2	3	33	<20
ZZ85371		1	0.03	20	0.09	60	2	<0.01	3	630	30	0.03	<2	<1	22	<20
ZZ85372		<1	0.08	30	0.44	406	2	0.01	13	450	41	0.04	<2	2	12	<20
ZZ85373		<1	0.06	40	0.36	419	2	<0.01	10	360	53	0.01	<2	2	19	<20
ZZ85374		<1	0.06	20	0.42	336	3	0.01	8	360	34	0.01	<2	2	25	<20
ZZ85375		<1	0.06	20	0.22	238	1	<0.01	7	460	31	0.01	<2	1	13	<20
ZZ85376		<1	0.11	40	0.52	460	3	0.01	20	530	121	0.01	<2	3	20	<20
ZZ85377		<1	0.05	10	0.12	96	1	0.01	3	360	30	0.01	<2	<1	10	<20
ZZ85378		<1	0.04	10	0.21	147	1	<0.01	4	480	37	0.02	<2	1	9	<20
ZZ85379		<1	0.05	20	0.40	337	1	<0.01	5	460	58	<0.01	<2	3	9	<20
ZZ85380		<1	0.11	10	0.39	197	1	<0.01	10	680	19	0.02	<2	4	14	<20
ZZ85381		<1	0.07	20	0.40	270	3	<0.01	13	520	23	0.02	<2	2	12	<20
ZZ85382		<1	0.03	20	0.09	44	2	<0.01	2	250	41	<0.01	<2	1	8	<20
ZZ85383		<1	0.02	<10	0.01	12	<1	0.02	1	330	9	<0.01	<2	<1	5	<20
ZZ85384		1	0.06	20	0.34	397	3	<0.01	11	390	110	<0.01	<2	1	12	<20
ZZ85385		<1	0.05	10	0.18	225	1	0.02	2	780	14	0.03	<2	1	27	<20
ZZ85386		<1	0.07	10	0.30	293	<1	0.01	4	370	42	<0.01	<2	2	5	<20
ZZ85387		<1	0.08	10	0.44	281	<1	0.01	7	240	36	<0.01	<2	2	15	<20
ZZ85388		<1	0.08	10	0.30	229	1	<0.01	5	400	23	0.01	<2	1	6	<20
ZZ85389		<1	0.07	10	0.25	253	1	<0.01	5	480	22	0.02	<2	1	6	<20
ZZ85390		<1	0.06	10	0.10	74	1	<0.01	2	290	39	<0.01	<2	<1	8	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140520

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
ZZ85351		0.11	<10	<10	41	<10	109
ZZ85352		0.14	<10	<10	48	10	252
ZZ85353		0.06	<10	<10	29	<10	275
ZZ85354		0.11	<10	<10	55	<10	104
ZZ85355		0.09	<10	<10	37	<10	58
ZZ85356		0.08	<10	<10	41	<10	134
ZZ85357		0.10	<10	<10	39	10	84
ZZ85358		0.09	<10	<10	31	<10	236
ZZ85359		0.10	<10	<10	32	<10	105
ZZ85360		0.09	<10	<10	26	<10	123
ZZ85361		0.04	<10	<10	39	<10	71
ZZ85362		0.06	<10	<10	38	<10	47
ZZ85363		0.07	<10	<10	45	<10	30
ZZ85364		0.07	<10	10	39	<10	96
ZZ85365		0.08	<10	<10	26	<10	91
ZZ85366		0.10	<10	<10	32	<10	24
ZZ85367		0.04	<10	<10	15	<10	9
ZZ85368		0.08	<10	20	33	<10	224
ZZ85369		0.06	<10	<10	54	<10	37
ZZ85370		0.02	<10	190	28	<10	210
ZZ85371		0.03	<10	<10	24	<10	20
ZZ85372		0.07	<10	<10	34	<10	84
ZZ85373		0.04	<10	<10	27	<10	104
ZZ85374		0.06	<10	<10	36	<10	84
ZZ85375		0.07	<10	<10	43	<10	54
ZZ85376		0.07	<10	<10	46	<10	125
ZZ85377		0.04	<10	<10	30	<10	28
ZZ85378		0.05	<10	<10	36	<10	52
ZZ85379		0.11	<10	<10	50	<10	142
ZZ85380		0.10	<10	<10	44	<10	75
ZZ85381		0.05	<10	<10	40	<10	68
ZZ85382		0.10	<10	<10	48	<10	16
ZZ85383		0.01	<10	<10	5	<10	8
ZZ85384		0.06	<10	<10	51	<10	145
ZZ85385		0.05	<10	<10	26	<10	123
ZZ85386		0.09	<10	<10	38	<10	75
ZZ85387		0.10	<10	<10	38	<10	57
ZZ85388		0.07	<10	<10	49	<10	50
ZZ85389		0.04	<10	<10	30	10	46
ZZ85390		0.05	<10	<10	22	<10	28

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140520

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
ZZ85391		0.21	0.2	2.83	2	<10	50	0.7	<2	0.11	<0.5	6	26	7	4.03	10
ZZ85392		0.23	<0.2	3.21	7	<10	130	3.5	3	0.50	1.5	86	34	32	3.74	10
ZZ85393		0.21	0.6	2.25	7	<10	30	0.8	4	0.28	<0.5	7	21	15	2.59	10
ZZ85394		0.21	<0.2	0.77	<2	<10	30	<0.5	2	0.03	<0.5	1	6	4	0.62	10
ZZ85395		0.15	0.5	1.37	2	<10	40	0.8	2	0.07	0.6	2	7	15	1.14	10
ZZ85396		0.22	0.2	2.66	3	<10	60	0.6	3	0.13	<0.5	2	9	6	2.51	10
ZZ85397		0.42	0.2	2.23	5	<10	60	0.6	<2	0.13	<0.5	4	8	6	2.77	10
ZZ85398		0.21	<0.2	3.18	3	<10	110	1.7	3	0.56	<0.5	6	10	12	2.36	10
ZZ85399		0.28	0.2	2.37	3	<10	50	0.6	<2	0.18	<0.5	3	5	4	2.01	10
ZZ85400		0.16	<0.2	0.26	<2	<10	10	<0.5	<2	0.03	<0.5	<1	2	1	0.24	<10
ZZ85401		0.25	<0.2	2.54	3	<10	50	0.7	<2	0.18	<0.5	4	5	5	2.69	10
ZZ85402		0.18	<0.2	1.12	4	<10	30	<0.5	2	0.05	<0.5	1	8	3	0.77	10
ZZ85403		0.19	0.6	0.87	2	<10	20	<0.5	2	0.04	<0.5	1	5	3	0.81	<10
ZZ85404		0.25	<0.2	2.14	7	<10	40	<0.5	2	0.11	<0.5	3	15	7	2.32	10
ZZ85405		0.21	<0.2	0.16	<2	<10	10	<0.5	<2	0.03	<0.5	1	1	1	0.20	<10
ZZ85406		0.13	<0.2	0.89	2	<10	40	<0.5	<2	0.10	<0.5	2	5	2	1.30	10
ZZ85407		0.17	<0.2	1.54	7	<10	80	0.8	2	0.23	<0.5	4	15	8	2.25	10
ZZ85408		0.12	0.4	3.44	4	<10	50	1.5	2	0.18	<0.5	2	12	8	3.46	10
ZZ85409		0.24	1.6	3.04	6	<10	70	2.2	2	0.41	<0.5	3	12	10	2.17	10
ZZ85410		0.19	0.2	3.31	3	<10	50	1.2	2	1.40	<0.5	4	7	6	1.65	10
ZZ85411		0.15	0.2	2.14	5	<10	40	<0.5	2	0.06	<0.5	2	9	4	2.03	10
ZZ85412		0.27	0.2	2.57	3	<10	60	0.7	<2	0.16	<0.5	4	4	2	2.31	10
ZZ85413		0.20	<0.2	0.68	<2	<10	30	<0.5	<2	0.02	<0.5	1	4	2	0.72	10
ZZ85414		0.15	<0.2	0.54	2	<10	40	<0.5	<2	0.04	<0.5	1	5	1	0.50	10
ZZ85415		0.26	0.4	2.09	3	<10	40	<0.5	3	0.03	<0.5	1	5	2	2.48	10
ZZ85416		0.11	<0.2	0.42	<2	<10	20	<0.5	<2	0.02	<0.5	1	2	1	0.39	<10
ZZ85417		0.12	0.2	0.11	<2	<10	10	<0.5	<2	0.03	<0.5	<1	1	1	0.14	<10
ZZ85418		0.13	<0.2	0.68	<2	<10	40	<0.5	2	0.08	<0.5	2	5	2	1.03	10
ZZ85419		0.14	0.2	0.34	<2	<10	20	<0.5	<2	0.02	<0.5	1	2	1	0.35	<10
ZZ85420		0.16	0.5	2.07	15	<10	70	1.6	4	0.13	<0.5	5	19	9	2.96	10
ZZ85421		0.18	0.3	1.77	<2	<10	50	0.5	2	0.18	<0.5	3	5	5	1.42	<10
ZZ85422		0.18	0.2	1.44	<2	<10	50	<0.5	4	0.06	<0.5	2	4	2	3.53	10
ZZ85423		0.22	0.2	2.00	4	<10	40	<0.5	<2	0.06	<0.5	1	4	3	2.37	10
ZZ85424		0.17	0.2	0.89	<2	<10	30	<0.5	<2	0.02	<0.5	<1	6	4	0.45	10
ZZ85425		0.28	1.8	3.41	5	<10	100	2.3	3	0.44	0.9	5	11	13	2.42	10
ZZ85426		0.27	0.2	2.76	5	<10	70	0.6	2	0.12	<0.5	3	8	5	3.44	10
ZZ85427		0.17	1.3	1.96	4	<10	30	0.6	2	0.05	<0.5	2	15	10	1.95	10
ZZ85428		0.14	0.3	1.35	4	<10	40	<0.5	2	0.05	<0.5	1	14	6	2.05	10
ZZ85429		0.15	<0.2	0.51	<2	<10	20	<0.5	2	0.05	<0.5	1	3	2	0.57	10
ZZ85430		0.11	<0.2	0.63	<2	<10	50	<0.5	<2	0.15	<0.5	2	13	5	1.14	10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140520

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
ZZ85391		<1	0.11	20	0.53	396	1	0.01	9	440	35	0.01	<2	3	9	<20
ZZ85392		1	0.11	30	0.61	3180	5	0.01	35	1620	89	0.16	<2	2	40	<20
ZZ85393		<1	0.08	10	0.50	389	1	0.01	12	650	112	0.02	<2	3	14	<20
ZZ85394		<1	0.04	10	0.05	54	1	<0.01	3	200	10	0.01	<2	<1	6	<20
ZZ85395		1	0.04	20	0.09	158	2	0.01	3	500	60	0.06	<2	<1	11	<20
ZZ85396		<1	0.07	10	0.29	245	1	0.01	5	600	19	0.05	<2	1	14	<20
ZZ85397		<1	0.11	20	0.43	424	1	<0.01	5	370	23	0.02	<2	2	13	<20
ZZ85398		<1	0.13	10	0.49	570	1	0.02	9	830	37	0.14	<2	2	44	<20
ZZ85399		<1	0.08	20	0.33	344	<1	0.01	2	530	25	0.14	<2	2	9	<20
ZZ85400		<1	0.03	<10	0.02	19	<1	0.01	<1	260	4	0.01	<2	<1	4	<20
ZZ85401		<1	0.11	30	0.45	535	1	0.01	4	550	31	0.02	<2	2	20	<20
ZZ85402		<1	0.05	10	0.12	94	1	<0.01	2	360	29	0.02	<2	<1	8	<20
ZZ85403		<1	0.03	10	0.07	71	<1	0.01	2	390	12	0.03	<2	<1	6	<20
ZZ85404		1	0.05	20	0.27	231	1	0.01	7	500	108	0.03	<2	1	9	<20
ZZ85405		<1	0.02	<10	0.01	10	<1	0.02	<1	260	8	0.02	<2	<1	6	<20
ZZ85406		<1	0.05	10	0.18	187	1	0.01	2	240	19	0.02	<2	1	12	<20
ZZ85407		<1	0.05	30	0.27	212	2	0.01	9	540	47	0.04	<2	1	17	<20
ZZ85408		<1	0.04	60	0.25	204	2	0.01	6	910	43	0.06	<2	3	15	<20
ZZ85409		<1	0.06	40	0.25	671	2	0.01	7	1300	116	0.15	<2	1	24	<20
ZZ85410		<1	0.08	10	0.31	427	1	0.01	4	650	58	0.04	<2	2	60	<20
ZZ85411		<1	0.05	10	0.18	200	<1	<0.01	4	520	28	0.03	<2	1	6	<20
ZZ85412		<1	0.10	20	0.42	489	<1	0.01	2	710	45	0.03	<2	3	7	<20
ZZ85413		<1	0.03	10	0.04	55	<1	0.01	1	200	12	0.02	<2	<1	5	<20
ZZ85414		<1	0.04	10	0.05	78	2	0.01	2	210	37	0.02	<2	<1	6	<20
ZZ85415		<1	0.05	10	0.18	186	1	<0.01	1	520	24	0.04	<2	1	5	<20
ZZ85416		<1	0.03	10	0.02	46	<1	0.01	1	130	4	0.01	<2	<1	5	<20
ZZ85417		<1	0.02	<10	0.01	11	<1	0.02	<1	280	<2	0.02	<2	<1	5	<20
ZZ85418		<1	0.05	10	0.11	220	<1	0.01	2	320	8	0.01	<2	1	7	<20
ZZ85419		1	0.02	10	0.02	28	<1	0.01	1	140	3	0.02	<2	<1	4	<20
ZZ85420		<1	0.07	40	0.34	452	2	<0.01	11	710	188	0.06	<2	1	14	<20
ZZ85421		1	0.06	10	0.22	330	1	0.01	3	800	40	0.05	<2	2	12	<20
ZZ85422		<1	0.07	10	0.37	339	1	0.01	2	290	14	0.03	<2	3	5	<20
ZZ85423		1	0.05	10	0.17	167	<1	<0.01	1	620	15	0.07	<2	1	5	<20
ZZ85424		<1	0.03	10	0.03	24	1	0.01	1	430	72	0.08	<2	<1	5	<20
ZZ85425		<1	0.09	30	0.29	953	3	0.01	7	1180	620	0.16	<2	1	27	<20
ZZ85426		<1	0.06	20	0.36	355	<1	<0.01	3	630	48	0.06	<2	2	17	<20
ZZ85427		<1	0.03	10	0.17	167	2	0.01	6	550	288	0.03	<2	1	7	<20
ZZ85428		<1	0.04	10	0.17	138	1	0.01	5	290	20	0.03	<2	1	8	<20
ZZ85429		<1	0.05	10	0.04	44	<1	<0.01	2	110	5	0.01	<2	<1	8	<20
ZZ85430		<1	0.07	10	0.11	147	1	0.01	4	140	32	0.01	<2	1	64	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140520

Sample Description	Method / Analyte / Units / LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
ZZ85391		0.10	<10	<10	51	<10	81
ZZ85392		0.04	<10	10	40	<10	396
ZZ85393		0.08	<10	<10	32	<10	113
ZZ85394		0.03	<10	<10	18	<10	21
ZZ85395		0.03	<10	<10	23	<10	43
ZZ85396		0.06	<10	<10	34	<10	51
ZZ85397		0.06	<10	<10	45	<10	89
ZZ85398		0.05	<10	<10	43	<10	114
ZZ85399		0.09	<10	<10	38	<10	50
ZZ85400		0.01	<10	<10	9	<10	5
ZZ85401		0.01	<10	<10	30	<10	77
ZZ85402		0.06	<10	<10	30	<10	20
ZZ85403		0.03	<10	<10	17	<10	15
ZZ85404		0.04	<10	<10	40	<10	46
ZZ85405		0.01	<10	<10	6	<10	3
ZZ85406		0.10	<10	<10	42	<10	24
ZZ85407		0.05	<10	<10	51	<10	39
ZZ85408		0.07	<10	<10	42	<10	36
ZZ85409		0.03	<10	20	48	<10	78
ZZ85410		0.04	<10	<10	29	<10	72
ZZ85411		0.04	<10	<10	35	<10	36
ZZ85412		0.07	<10	<10	34	<10	62
ZZ85413		0.05	<10	<10	23	<10	10
ZZ85414		0.09	<10	<10	24	<10	14
ZZ85415		0.04	<10	<10	27	<10	29
ZZ85416		0.02	<10	<10	15	<10	9
ZZ85417		0.01	<10	<10	4	<10	4
ZZ85418		0.04	<10	<10	29	<10	22
ZZ85419		0.04	<10	<10	15	<10	5
ZZ85420		0.04	<10	10	59	<10	84
ZZ85421		0.04	<10	<10	24	<10	39
ZZ85422		0.12	<10	<10	57	<10	43
ZZ85423		0.05	<10	<10	25	<10	21
ZZ85424		0.03	<10	<10	21	<10	8
ZZ85425		0.03	<10	10	45	<10	305
ZZ85426		0.04	<10	<10	42	<10	72
ZZ85427		0.04	<10	<10	35	<10	36
ZZ85428		0.05	<10	<10	37	<10	30
ZZ85429		0.05	<10	<10	22	<10	13
ZZ85430		0.12	<10	<10	41	<10	26

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140520

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
ZZ85431		0.26	<0.2	0.92	3	<10	40	<0.5	<2	0.22	<0.5	1	9	2	0.50	10
ZZ85432		0.11	0.5	1.51	2	<10	40	<0.5	2	0.08	<0.5	2	7	5	2.07	10
ZZ85433		0.19	<0.2	0.42	<2	<10	20	1.3	4	0.52	<0.5	1	7	1	0.40	<10
ZZ85434		0.22	0.3	3.86	4	<10	210	3.0	2	0.15	0.8	6	12	17	2.93	10
ZZ85435		0.24	0.2	4.49	2	<10	220	3.2	3	0.20	<0.5	8	16	23	3.63	20
ZZ85436		0.11	0.2	1.05	3	<10	60	0.5	2	0.06	<0.5	2	10	9	1.81	10
ZZ85437		0.24	0.2	2.65	4	<10	50	0.8	2	0.10	<0.5	2	12	8	2.20	10
ZZ85438		0.28	0.4	2.39	3	<10	80	0.7	2	0.13	<0.5	3	9	6	2.33	10
ZZ85439		0.22	<0.2	1.39	2	<10	70	<0.5	<2	0.08	<0.5	2	11	6	2.25	10
ZZ85440		0.23	0.2	3.70	2	<10	220	2.1	2	0.27	<0.5	8	18	15	3.77	20
ZZ85441		0.16	0.3	1.77	<2	<10	110	0.7	<2	0.28	<0.5	3	9	8	1.91	10
ZZ85442		0.21	<0.2	1.74	<2	<10	90	0.7	<2	0.17	<0.5	4	8	5	2.49	10
ZZ85443		0.18	0.6	2.50	3	<10	90	1.3	2	0.17	<0.5	5	14	13	2.59	10
ZZ85444		0.13	0.3	3.57	<2	<10	140	2.4	2	0.46	0.6	9	15	16	2.64	10
ZZ85445		0.16	0.4	4.28	4	<10	250	2.4	2	0.42	<0.5	8	16	19	3.27	10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140520

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
ZZ85431		<1	0.04	10	0.06	37	1	<0.01	3	240	27	0.02	<2	<1	11	<20
ZZ85432		<1	0.05	10	0.16	153	<1	0.01	3	590	22	0.04	<2	1	9	<20
ZZ85433		<1	0.01	10	0.02	271	1	<0.01	2	130	44	0.01	<2	<1	21	<20
ZZ85434		<1	0.17	30	0.58	885	<1	0.01	12	440	145	0.03	<2	4	15	<20
ZZ85435		<1	0.20	30	0.74	836	1	0.01	14	600	211	0.04	<2	4	22	<20
ZZ85436		<1	0.07	10	0.11	366	1	0.01	4	360	31	0.03	<2	1	14	<20
ZZ85437		<1	0.09	20	0.28	246	1	0.01	5	670	23	0.05	<2	1	9	<20
ZZ85438		<1	0.11	20	0.37	358	<1	0.01	6	520	24	0.03	<2	3	11	<20
ZZ85439		<1	0.08	10	0.25	229	1	0.01	6	390	13	0.03	<2	1	11	<20
ZZ85440		<1	0.22	20	0.84	1165	1	0.01	14	390	45	0.03	<2	3	25	<20
ZZ85441		1	0.12	10	0.25	300	1	0.01	6	580	27	0.06	<2	1	25	<20
ZZ85442		<1	0.10	20	0.45	356	<1	0.01	5	340	14	0.03	<2	2	12	<20
ZZ85443		<1	0.14	20	0.44	511	<1	0.01	11	490	35	0.04	<2	2	17	<20
ZZ85444		<1	0.16	20	0.50	793	<1	0.01	14	680	44	0.04	<2	2	47	<20
ZZ85445		<1	0.15	30	0.61	1630	1	0.01	15	1270	62	0.10	<2	2	33	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140520

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
ZZ85431		0.11	<10	<10	26	<10	11
ZZ85432		0.06	<10	<10	43	<10	27
ZZ85433		0.11	<10	<10	17	<10	54
ZZ85434		0.05	<10	<10	52	<10	231
ZZ85435		0.05	<10	<10	65	<10	241
ZZ85436		0.08	<10	<10	56	<10	44
ZZ85437		0.05	<10	<10	34	<10	50
ZZ85438		0.09	<10	<10	42	<10	69
ZZ85439		0.08	<10	<10	52	<10	44
ZZ85440		0.05	<10	<10	66	<10	193
ZZ85441		0.04	<10	<10	44	<10	71
ZZ85442		0.09	<10	<10	43	<10	63
ZZ85443		0.07	<10	<10	40	<10	102
ZZ85444		0.05	<10	<10	42	<10	145
ZZ85445		0.04	<10	<10	56	<10	175

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 15-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140520

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
LOG-22 SCR-41 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME-ICP41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12-AUG-2013
Account: MTT

CERTIFICATE WH13140521

Project: Hy (Dusty)

P.O. No.:

This report is for 65 Soil samples submitted to our lab in Whitehorse, YT, Canada on 2-AUG-2013.

The following have access to data associated with this certificate:

HEATHER BURRELL	SARAH DRECHSLER	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140521

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
ZZ85459		0.20	0.2	1.46	<2	<10	70	0.7	<2	0.16	<0.5	2	7	4	1.40	10
ZZ85460		0.21	<0.2	1.16	<2	<10	50	<0.5	<2	0.06	<0.5	2	6	3	1.54	10
ZZ85461		0.16	0.3	0.76	<2	<10	40	<0.5	<2	0.08	<0.5	1	4	4	0.81	<10
ZZ85462		0.10	0.6	1.63	<2	<10	50	1.2	<2	0.23	0.9	3	5	6	1.18	10
ZZ85463		0.15	0.2	3.40	<2	<10	120	1.7	<2	0.37	0.7	7	10	12	3.79	20
ZZ85472		0.22	0.4	1.71	7	<10	150	0.5	<2	0.09	<0.5	5	21	35	3.41	10
ZZ85473		0.10	1.5	2.16	13	<10	480	1.5	3	0.37	3.1	13	20	185	4.57	10
ZZ85474		0.11	0.3	1.77	7	<10	150	0.9	<2	0.06	<0.5	6	26	36	3.64	10
ZZ85475		0.21	0.2	1.60	7	<10	220	0.6	<2	0.06	<0.5	5	26	24	3.02	10
ZZ85476		0.13	0.2	1.23	2	<10	230	<0.5	<2	0.09	<0.5	4	24	14	2.11	10
ZZ85477		0.19	0.6	2.13	5	<10	310	0.8	<2	0.11	<0.5	7	28	24	3.05	10
ZZ85478		0.18	<0.2	2.49	5	<10	240	0.9	<2	0.11	<0.5	12	34	28	4.56	10
ZZ85479		0.16	<0.2	2.62	3	<10	240	0.7	<2	0.06	<0.5	5	55	29	4.42	10
ZZ85480		0.19	<0.2	2.21	6	<10	230	0.6	<2	0.05	<0.5	6	45	29	3.75	10
ZZ85481		0.11	0.4	2.96	6	<10	340	0.8	<2	0.06	<0.5	6	61	40	4.16	10
ZZ85482		0.34	1.0	2.53	4	<10	2140	1.3	3	0.35	1.0	12	23	62	2.96	10
ZZ85483		0.14	0.2	1.47	3	<10	290	<0.5	<2	0.07	<0.5	3	24	10	1.87	10
ZZ85484		0.16	0.2	0.65	<2	<10	120	<0.5	<2	0.05	<0.5	3	11	9	1.48	<10
ZZ85485		0.18	0.2	0.78	4	<10	120	<0.5	<2	0.05	<0.5	3	14	10	1.81	<10
ZZ85486		0.20	0.2	1.85	4	<10	190	0.7	<2	0.07	<0.5	6	29	27	3.93	10
ZZ85487		0.07	0.3	1.92	3	<10	170	0.7	<2	0.07	<0.5	5	31	27	4.41	10
ZZ85488		0.17	0.5	3.17	8	<10	240	2.1	2	0.39	<0.5	17	40	73	4.12	10
ZZ85489		0.15	0.2	2.02	10	<10	220	0.9	<2	0.05	<0.5	6	31	39	4.43	10
ZZ85490		0.13	0.4	1.11	2	<10	120	<0.5	<2	0.06	<0.5	2	13	15	1.56	<10
ZZ85491		0.14	0.6	1.67	3	<10	170	1.1	<2	0.12	<0.5	6	17	29	2.08	<10
ZZ85492		0.13	0.3	2.10	4	<10	250	0.9	<2	0.10	<0.5	7	31	35	3.37	10
ZZ85493		0.22	0.5	3.31	7	<10	720	1.8	2	0.39	0.6	19	40	84	4.08	10
ZZ85494		0.16	0.4	2.76	3	<10	590	1.3	<2	0.18	<0.5	8	32	35	3.05	10
ZZ85495		0.22	0.4	1.37	4	<10	750	<0.5	<2	0.09	<0.5	5	23	38	2.30	10
ZZ85496		0.15	0.3	3.74	6	<10	180	1.9	<2	0.25	<0.5	24	45	79	4.64	10
ZZ85497		0.15	0.4	3.40	7	<10	120	1.5	<2	0.14	<0.5	24	45	100	5.27	10
ZZ85498		0.10	0.4	1.57	2	<10	50	<0.5	<2	0.07	<0.5	6	21	29	2.58	10
ZZ85499		0.32	0.3	3.49	7	<10	190	1.5	<2	0.22	<0.5	34	45	104	5.56	10
ZZ85500		0.13	0.4	0.81	<2	<10	40	<0.5	<2	0.12	<0.5	3	8	56	1.04	<10
ZZ87301		0.17	0.2	2.18	2	<10	50	1.7	2	0.37	0.9	6	30	23	5.06	10
ZZ87302		0.15	0.2	0.96	<2	<10	30	<0.5	2	0.05	<0.5	1	9	8	1.07	10
ZZ87303		0.07	0.5	0.95	<2	<10	40	0.9	<2	0.34	0.7	2	8	8	0.67	<10
ZZ87304		0.26	0.7	3.12	3	<10	60	2.7	10	0.20	0.5	8	24	30	3.41	10
ZZ87305		0.21	0.4	1.47	3	<10	30	0.9	<2	0.17	<0.5	4	10	6	1.45	10
ZZ87306		0.19	1.3	3.55	3	<10	100	3.6	4	0.78	1.4	17	20	30	3.16	10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140521

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
ZZ85459		<1	0.08	10	0.23	191	1	0.01	3	410	20	0.03	<2	<1	18	<20
ZZ85460		<1	0.07	10	0.21	199	1	<0.01	3	200	15	0.01	<2	1	11	<20
ZZ85461		<1	0.04	10	0.07	68	1	0.01	2	470	12	0.04	<2	<1	10	<20
ZZ85462		<1	0.07	10	0.18	910	1	0.02	2	1070	41	0.10	<2	<1	18	<20
ZZ85463		1	0.19	20	0.86	850	<1	0.02	6	420	69	0.05	<2	4	28	<20
ZZ85472		<1	0.08	20	0.31	212	2	0.01	14	1420	384	0.15	<2	1	26	<20
ZZ85473		<1	0.12	30	0.64	481	4	0.03	37	1280	2110	0.16	2	4	223	<20
ZZ85474		<1	0.10	20	0.29	303	2	0.02	15	1000	181	0.12	<2	1	40	<20
ZZ85475		<1	0.11	20	0.33	245	3	0.02	16	1200	96	0.14	<2	1	41	<20
ZZ85476		<1	0.09	10	0.23	190	1	0.02	11	850	88	0.09	<2	<1	22	<20
ZZ85477		1	0.13	20	0.54	217	2	0.01	20	690	106	0.06	<2	1	30	<20
ZZ85478		1	0.14	30	0.76	311	1	0.01	30	710	106	0.06	<2	2	26	<20
ZZ85479		<1	0.33	20	0.77	168	2	0.02	27	780	30	0.17	<2	2	54	<20
ZZ85480		<1	0.22	20	0.65	114	4	0.01	22	890	23	0.13	<2	2	37	<20
ZZ85481		<1	0.27	20	0.88	152	5	0.02	25	890	17	0.17	<2	2	46	<20
ZZ85482		1	0.14	20	0.93	431	1	0.02	32	1160	173	0.13	<2	2	62	<20
ZZ85483		<1	0.12	20	0.34	114	2	0.01	14	490	31	0.07	<2	1	22	<20
ZZ85484		<1	0.08	10	0.07	270	1	0.02	6	930	19	0.09	<2	<1	21	<20
ZZ85485		<1	0.08	10	0.11	256	1	0.02	7	880	18	0.10	<2	<1	19	<20
ZZ85486		<1	0.12	20	0.34	380	1	0.01	19	970	24	0.17	<2	1	34	<20
ZZ85487		1	0.11	20	0.31	238	2	0.01	17	1010	29	0.13	2	1	42	<20
ZZ85488		1	0.30	30	0.84	495	<1	0.02	32	1140	83	0.12	<2	4	55	<20
ZZ85489		1	0.16	20	0.44	172	2	0.02	24	1040	36	0.24	<2	1	79	<20
ZZ85490		1	0.07	10	0.15	112	1	0.02	8	610	26	0.12	<2	<1	31	<20
ZZ85491		<1	0.12	10	0.30	194	1	0.03	15	730	51	0.11	<2	<1	40	<20
ZZ85492		<1	0.24	20	0.54	261	2	0.02	27	1160	35	0.12	<2	1	36	<20
ZZ85493		1	0.23	30	0.90	577	1	0.02	39	1160	137	0.09	<2	4	55	<20
ZZ85494		1	0.20	20	0.46	313	1	0.02	19	1300	77	0.25	<2	1	33	<20
ZZ85495		1	0.09	20	0.24	192	7	0.02	15	700	34	0.20	<2	1	47	<20
ZZ85496		<1	0.19	30	0.94	555	<1	0.02	40	980	82	0.11	<2	4	42	<20
ZZ85497		1	0.14	30	0.96	566	<1	0.02	41	770	68	0.08	<2	3	51	<20
ZZ85498		<1	0.06	20	0.31	213	<1	0.02	13	580	23	0.06	<2	1	29	<20
ZZ85499		<1	0.18	40	1.20	722	1	0.02	47	810	68	0.06	<2	4	57	<20
ZZ85500		1	0.05	10	0.10	118	<1	0.03	4	380	61	0.06	<2	<1	22	<20
ZZ87301		1	0.12	20	0.46	326	31	0.01	9	600	65	0.07	<2	3	21	<20
ZZ87302		<1	0.04	20	0.07	45	8	0.01	2	290	24	0.03	<2	1	6	<20
ZZ87303		<1	0.05	10	0.06	66	2	0.02	2	730	21	0.08	<2	<1	17	<20
ZZ87304		1	0.06	20	0.37	214	13	0.01	22	1200	86	0.11	<2	1	17	<20
ZZ87305		<1	0.04	10	0.20	191	3	0.02	6	550	48	0.04	<2	1	11	<20
ZZ87306		1	0.10	50	0.45	787	6	0.02	25	1120	192	0.12	<2	2	46	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140521

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
ZZ85459		0.04	<10	<10	27	<10	54
ZZ85460		0.07	<10	<10	34	<10	43
ZZ85461		0.03	<10	<10	20	<10	21
ZZ85462		0.01	<10	<10	23	<10	50
ZZ85463		0.10	<10	<10	67	<10	151
ZZ85472		0.06	<10	<10	54	<10	158
ZZ85473		0.17	<10	<10	57	<10	1140
ZZ85474		0.11	<10	<10	62	<10	113
ZZ85475		0.09	<10	<10	65	<10	92
ZZ85476		0.06	<10	<10	62	<10	64
ZZ85477		0.06	<10	<10	62	<10	109
ZZ85478		0.07	<10	<10	67	<10	130
ZZ85479		0.13	<10	<10	164	<10	97
ZZ85480		0.15	<10	<10	181	<10	91
ZZ85481		0.13	<10	<10	216	<10	103
ZZ85482		0.07	<10	<10	77	<10	223
ZZ85483		0.07	<10	<10	87	<10	58
ZZ85484		0.02	<10	<10	42	<10	36
ZZ85485		0.04	<10	<10	51	<10	40
ZZ85486		0.08	<10	<10	68	<10	87
ZZ85487		0.14	<10	<10	75	<10	90
ZZ85488		0.13	<10	<10	49	<10	205
ZZ85489		0.08	<10	<10	90	<10	103
ZZ85490		0.02	<10	<10	35	<10	41
ZZ85491		0.03	<10	<10	40	<10	85
ZZ85492		0.06	<10	<10	85	<10	114
ZZ85493		0.13	<10	<10	64	<10	210
ZZ85494		0.06	<10	<10	45	<10	95
ZZ85495		0.06	<10	<10	102	<10	51
ZZ85496		0.10	<10	<10	49	10	159
ZZ85497		0.09	<10	<10	47	<10	133
ZZ85498		0.03	<10	<10	28	<10	44
ZZ85499		0.08	<10	<10	49	<10	141
ZZ85500		0.03	<10	<10	18	10	41
ZZ87301		0.05	<10	10	57	<10	241
ZZ87302		0.04	<10	<10	27	<10	52
ZZ87303		0.02	<10	10	14	<10	26
ZZ87304		0.03	<10	10	35	<10	132
ZZ87305		0.02	<10	<10	22	<10	75
ZZ87306		0.04	<10	20	35	<10	438

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140521

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
ZZ87307		0.22	0.9	2.38	3	<10	70	3.4	<2	0.60	1.2	9	14	34	2.23	10
ZZ87308		0.24	1.3	3.72	3	<10	120	3.5	2	0.87	1.8	19	24	39	3.54	10
ZZ87309		0.18	1.2	3.42	3	<10	70	2.4	2	0.85	1.4	19	24	35	3.35	10
ZZ87310		0.19	2.1	2.72	<2	<10	50	2.0	3	0.61	<0.5	12	16	28	2.38	10
ZZ87311		0.17	0.2	2.20	3	<10	30	0.5	<2	0.13	<0.5	6	21	10	2.53	10
ZZ87312		0.16	<0.2	1.23	3	<10	30	<0.5	<2	0.10	<0.5	3	11	3	1.19	10
ZZ87313		0.20	<0.2	2.06	6	<10	60	0.9	<2	0.11	<0.5	8	45	25	5.01	10
ZZ87314		0.13	<0.2	2.61	3	<10	70	2.6	<2	0.65	<0.5	14	24	25	3.11	10
ZZ87315		0.15	<0.2	0.36	<2	<10	20	<0.5	<2	0.40	<0.5	1	3	3	0.34	<10
ZZ87316		0.22	0.2	0.57	2	<10	20	0.5	<2	0.23	<0.5	1	6	5	0.81	<10
ZZ87317		0.28	0.4	3.30	6	<10	70	4.1	<2	0.89	1.1	15	21	29	3.23	10
ZZ87318		0.17	<0.2	2.10	<2	<10	40	<0.5	<2	0.10	<0.5	2	12	2	2.50	10
ZZ87319		0.17	<0.2	1.66	5	<10	40	<0.5	<2	0.04	<0.5	3	17	8	2.27	10
ZZ87320		0.15	0.2	1.94	3	<10	40	<0.5	<2	0.07	<0.5	2	10	4	2.80	10
ZZ87321		0.17	<0.2	0.60	2	<10	20	<0.5	<2	0.05	<0.5	1	3	<1	0.57	10
ZZ87322		0.19	<0.2	0.63	2	<10	20	0.5	<2	0.11	1.9	2	2	2	0.51	<10
ZZ87323		0.19	0.2	2.04	5	<10	50	1.3	<2	0.46	<0.5	3	6	4	1.57	10
ZZ87324		0.09	0.6	3.81	5	<10	40	0.9	<2	0.05	<0.5	3	24	15	3.64	10
ZZ87325		0.17	1.0	1.62	<2	<10	60	1.2	<2	0.31	0.7	3	13	12	1.31	10
ZZ87326		0.15	0.4	2.83	3	<10	50	0.7	<2	0.52	<0.5	2	15	6	2.81	10
ZZ87327		0.10	0.2	0.46	<2	<10	20	<0.5	<2	0.05	<0.5	<1	3	<1	0.48	10
ZZ87328		0.16	<0.2	0.89	4	<10	40	<0.5	<2	0.05	<0.5	3	11	5	1.46	10
ZZ87329		0.16	0.2	1.75	<2	<10	40	0.5	<2	0.06	<0.5	1	7	5	1.76	10
ZZ87330		0.13	0.2	0.59	<2	<10	30	<0.5	<2	0.05	<0.5	1	4	2	0.74	10
ZZ87331		0.13	<0.2	0.76	2	<10	40	<0.5	<2	0.06	<0.5	1	6	2	0.92	10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140521

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
ZZ87307		<1	0.09	60	0.31	540	8	0.02	18	1310	125	0.13	<2	1	31	<20
ZZ87308		1	0.13	40	0.55	865	4	0.01	35	1040	252	0.09	<2	3	51	<20
ZZ87309		<1	0.12	30	0.49	729	3	0.02	29	970	195	0.10	<2	3	50	<20
ZZ87310		<1	0.09	30	0.33	544	3	0.02	20	710	230	0.06	<2	2	35	<20
ZZ87311		<1	0.08	10	0.42	392	<1	0.01	8	660	34	0.05	2	1	11	<20
ZZ87312		<1	0.04	10	0.19	232	<1	0.01	4	490	21	0.04	<2	<1	12	<20
ZZ87313		<1	0.26	20	0.79	251	6	0.01	15	360	42	0.08	<2	6	14	<20
ZZ87314		<1	0.09	30	0.38	317	9	0.01	33	870	43	0.08	<2	2	44	<20
ZZ87315		<1	0.03	10	0.03	50	<1	0.03	1	350	20	0.04	<2	<1	20	<20
ZZ87316		<1	0.04	10	0.09	112	1	0.02	3	410	14	0.05	<2	<1	14	<20
ZZ87317		<1	0.11	40	0.46	740	5	0.01	35	1110	173	0.11	<2	2	53	<20
ZZ87318		<1	0.05	10	0.22	220	<1	0.01	2	410	15	0.03	<2	2	7	<20
ZZ87319		1	0.04	20	0.24	167	2	0.01	7	350	32	0.03	<2	1	8	<20
ZZ87320		<1	0.05	10	0.21	180	<1	0.01	2	440	23	0.04	<2	1	7	<20
ZZ87321		<1	0.05	10	0.07	57	1	0.01	<1	130	12	0.01	<2	1	9	<20
ZZ87322		<1	0.02	10	0.04	94	<1	0.02	<1	450	20	0.05	<2	<1	9	<20
ZZ87323		<1	0.06	20	0.28	246	2	0.01	3	630	52	0.04	2	1	27	<20
ZZ87324		<1	0.04	10	0.10	200	<1	<0.01	5	760	42	0.06	2	2	6	<20
ZZ87325		<1	0.06	20	0.21	196	<1	0.01	6	820	34	0.07	<2	<1	22	<20
ZZ87326		<1	0.07	10	0.19	193	<1	0.01	2	440	30	0.03	<2	2	26	<20
ZZ87327		<1	0.03	10	0.05	50	<1	0.01	<1	130	9	0.01	<2	1	6	<20
ZZ87328		<1	0.06	20	0.13	179	<1	0.01	5	320	21	0.02	<2	1	7	<20
ZZ87329		<1	0.03	10	0.10	112	<1	0.01	2	220	16	0.02	<2	2	7	<20
ZZ87330		<1	0.04	10	0.07	77	<1	0.01	1	250	14	0.02	<2	<1	6	<20
ZZ87331		<1	0.04	10	0.10	91	<1	0.01	1	220	21	0.02	<2	1	8	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140521

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
ZZ87307		0.03	<10	50	28	<10	355
ZZ87308		0.04	<10	20	36	<10	474
ZZ87309		0.03	<10	10	32	<10	264
ZZ87310		0.02	<10	10	23	<10	227
ZZ87311		0.06	<10	<10	31	<10	65
ZZ87312		0.02	<10	<10	19	<10	33
ZZ87313		0.15	<10	<10	53	<10	144
ZZ87314		0.06	<10	10	32	<10	153
ZZ87315		0.02	<10	<10	7	<10	9
ZZ87316		0.03	<10	<10	13	<10	26
ZZ87317		0.04	<10	10	32	<10	347
ZZ87318		0.09	<10	<10	41	<10	44
ZZ87319		0.07	<10	<10	58	<10	35
ZZ87320		0.07	<10	<10	45	<10	38
ZZ87321		0.05	<10	<10	19	<10	15
ZZ87322		0.02	<10	<10	10	<10	20
ZZ87323		0.03	<10	20	24	<10	88
ZZ87324		0.09	<10	<10	43	<10	53
ZZ87325		0.01	<10	<10	31	<10	75
ZZ87326		0.08	<10	<10	43	<10	49
ZZ87327		0.07	<10	<10	18	<10	8
ZZ87328		0.09	<10	<10	55	<10	35
ZZ87329		0.06	<10	<10	40	<10	26
ZZ87330		0.04	<10	<10	23	<10	12
ZZ87331		0.06	<10	<10	29	<10	17

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 12-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140521

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
LOG-22 SCR-41 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME-ICP41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-AUG-2013
Account: MTT

CERTIFICATE WH13140522

Project: Hy (Dusty)

P.O. No.:

This report is for 247 Soil samples submitted to our lab in Whitehorse, YT, Canada on 2-AUG-2013.

The following have access to data associated with this certificate:

HEATHER BURRELL	SARAH DRECHSLER	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140522

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
ZZ87001		0.15	<0.2	1.26	2	<10	30	<0.5	<2	0.10	<0.5	3	10	6	2.02	10
ZZ87002		0.17	0.2	1.11	2	<10	40	<0.5	<2	0.06	<0.5	1	6	5	1.13	10
ZZ87003		0.19	0.3	3.64	4	<10	220	1.8	<2	0.21	<0.5	9	15	14	3.50	10
ZZ87004		0.12	0.4	3.44	6	<10	180	2.2	<2	0.26	0.8	6	12	14	2.76	10
ZZ87005		0.11	0.2	1.59	<2	<10	70	0.8	<2	0.17	<0.5	2	6	7	1.58	10
ZZ87006		0.19	0.2	2.91	<2	<10	120	2.1	<2	0.41	0.5	7	11	9	2.58	10
ZZ87007		0.16	<0.2	1.89	2	<10	80	0.5	<2	0.15	<0.5	3	13	5	3.25	10
ZZ87008		0.17	1.1	4.05	4	<10	60	2.8	3	0.75	1.1	6	10	10	2.29	10
ZZ87009		0.10	<0.2	0.75	2	<10	20	<0.5	<2	0.05	<0.5	1	4	3	1.26	10
ZZ87010		0.09	<0.2	3.89	3	<10	30	0.7	<2	0.24	<0.5	2	14	9	3.38	10
ZZ87011		0.15	1.3	3.49	2	<10	130	4.6	<2	0.85	2.1	6	11	25	2.52	10
ZZ87012		0.14	0.7	2.10	10	<10	80	1.9	<2	0.16	0.9	6	23	26	2.58	10
ZZ87013		0.20	1.4	3.44	8	<10	40	11.0	<2	1.46	3.9	4	15	82	2.35	10
ZZ87014		0.14	0.5	1.46	3	<10	20	<0.5	<2	0.09	<0.5	2	8	5	2.24	10
ZZ87015		0.17	<0.2	2.34	4	<10	50	<0.5	<2	0.06	<0.5	5	27	6	4.49	20
ZZ87016		0.14	1.6	2.12	<2	<10	70	3.1	<2	3.98	1.6	9	19	8	1.60	10
ZZ87017		0.15	<0.2	1.81	2	<10	20	<0.5	<2	0.07	<0.5	4	24	8	4.71	20
ZZ87018		0.22	<0.2	0.62	2	<10	20	<0.5	<2	0.02	<0.5	<1	5	2	0.25	10
ZZ87019		0.14	<0.2	1.74	<2	<10	40	<0.5	<2	0.06	<0.5	2	6	2	1.90	10
ZZ87020		0.18	0.4	1.09	<2	<10	30	<0.5	<2	0.07	<0.5	3	5	2	2.19	10
ZZ87021		0.11	0.2	1.65	3	<10	40	<0.5	<2	0.10	<0.5	2	9	5	2.09	10
ZZ87022		0.12	1.4	1.59	2	<10	50	1.0	<2	0.19	0.5	1	2	6	0.73	<10
ZZ87023		0.15	0.6	2.63	3	<10	50	0.6	2	0.21	<0.5	1	5	3	3.28	10
ZZ87024		0.17	<0.2	0.81	2	<10	20	<0.5	<2	0.04	<0.5	1	4	3	1.25	10
ZZ87025		0.14	<0.2	0.85	2	<10	20	<0.5	<2	0.07	<0.5	1	3	1	1.01	10
ZZ87026		0.11	<0.2	1.12	<2	<10	30	<0.5	<2	0.06	<0.5	1	3	3	1.32	10
ZZ87027		0.16	0.2	1.63	3	<10	30	1.0	<2	0.55	<0.5	2	3	3	1.40	10
ZZ87028		0.17	0.3	0.46	2	<10	<10	<0.5	<2	0.03	<0.5	<1	2	2	0.36	<10
ZZ87029		0.09	0.2	1.04	3	<10	10	<0.5	<2	0.06	<0.5	1	5	5	1.04	10
ZZ87030		0.20	<0.2	1.86	4	<10	50	1.0	<2	0.06	<0.5	3	6	4	2.24	10
ZZ87031		0.13	<0.2	0.66	2	<10	40	<0.5	<2	0.03	<0.5	1	7	6	0.61	10
ZZ87032		0.15	0.2	1.52	5	<10	40	0.6	<2	0.08	<0.5	4	14	7	2.04	10
ZZ87033		0.19	0.5	2.31	2	<10	60	1.4	<2	0.62	<0.5	6	6	7	1.46	10
ZZ87034		0.18	<0.2	1.31	<2	<10	50	0.6	<2	0.07	<0.5	2	6	2	1.13	10
ZZ87035		0.09	0.6	1.50	<2	<10	90	0.9	<2	0.22	<0.5	1	5	5	0.86	<10
ZZ87036		0.15	0.3	4.30	<2	<10	60	1.6	<2	1.89	<0.5	3	4	6	1.56	10
ZZ87037		0.19	0.7	5.17	<2	<10	60	2.2	<2	1.99	<0.5	5	6	9	2.10	10
ZZ87038		0.19	1.4	2.03	3	<10	50	1.7	2	0.27	0.5	4	13	18	2.25	10
ZZ87039		0.23	0.5	2.28	2	<10	30	1.3	<2	0.70	<0.5	3	4	8	1.28	10
ZZ87040		0.17	<0.2	2.43	6	<10	50	1.1	<2	0.78	<0.5	3	5	2	2.06	10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140522

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
ZZ87001		<1	0.08	10	0.27	279	1	0.01	5	350	14	0.02	<2	1	11	<20
ZZ87002		<1	0.05	10	0.13	127	1	0.01	3	360	17	0.03	<2	<1	9	<20
ZZ87003		<1	0.23	30	0.72	992	2	0.01	13	480	46	0.04	2	3	25	<20
ZZ87004		<1	0.20	30	0.57	848	1	0.02	10	940	42	0.08	<2	2	31	<20
ZZ87005		<1	0.08	10	0.22	347	1	0.02	5	900	29	0.07	<2	<1	26	<20
ZZ87006		<1	0.16	30	0.47	1715	1	0.02	7	880	44	0.07	<2	2	37	<20
ZZ87007		<1	0.12	10	0.36	280	1	0.02	7	370	18	0.03	<2	2	50	<20
ZZ87008		<1	0.09	20	0.40	810	1	0.02	7	1030	197	0.04	<2	3	53	<20
ZZ87009		<1	0.05	10	0.13	120	<1	0.01	2	210	12	0.01	<2	1	6	<20
ZZ87010		<1	0.06	20	0.24	216	1	0.01	2	1080	34	0.08	<2	3	15	<20
ZZ87011		<1	0.17	60	0.44	1235	1	0.02	9	910	184	0.06	<2	4	67	<20
ZZ87012		<1	0.13	20	0.36	334	6	0.01	14	1360	203	0.10	<2	2	22	<20
ZZ87013		<1	0.07	120	0.17	1185	2	0.02	10	1790	1085	0.21	<2	2	85	<20
ZZ87014		<1	0.04	10	0.16	177	1	0.01	3	270	14	0.02	<2	1	10	<20
ZZ87015		<1	0.07	10	0.49	373	1	0.01	9	420	22	0.04	<2	3	8	<20
ZZ87016		<1	0.02	40	0.07	1365	<1	0.01	12	2150	166	0.12	<2	1	576	<20
ZZ87017		<1	0.05	10	0.33	299	1	0.01	9	340	29	0.02	<2	2	8	<20
ZZ87018		<1	0.03	20	0.03	16	1	0.01	<1	160	28	0.01	<2	<1	8	<20
ZZ87019		<1	0.04	10	0.24	205	1	0.01	2	410	35	0.04	<2	1	9	<20
ZZ87020		<1	0.07	10	0.39	357	1	0.01	2	420	14	0.02	<2	2	6	<20
ZZ87021		<1	0.05	10	0.20	202	1	0.01	2	550	44	0.03	<2	1	11	<20
ZZ87022		<1	0.05	20	0.09	110	1	0.02	2	670	96	0.08	<2	<1	15	<20
ZZ87023		<1	0.04	20	0.17	224	1	0.01	2	850	50	0.10	<2	2	16	<20
ZZ87024		<1	0.04	10	0.10	109	1	0.01	2	300	10	0.02	<2	1	8	<20
ZZ87025		<1	0.06	10	0.10	90	1	0.01	2	340	15	0.02	<2	<1	8	<20
ZZ87026		<1	0.06	10	0.13	142	1	0.01	2	360	13	0.02	<2	<1	9	<20
ZZ87027		<1	0.07	20	0.27	324	2	0.01	1	780	32	0.03	<2	2	29	<20
ZZ87028		<1	0.02	<10	0.03	21	<1	0.03	2	400	6	0.03	<2	<1	6	<20
ZZ87029		<1	0.04	10	0.09	144	1	0.02	3	640	20	0.04	<2	<1	7	<20
ZZ87030		<1	0.08	20	0.33	345	2	0.01	4	300	20	0.02	<2	2	7	<20
ZZ87031		<1	0.04	10	0.04	218	7	0.01	6	290	27	0.04	<2	<1	7	<20
ZZ87032		<1	0.06	10	0.29	275	6	0.01	9	460	41	0.05	<2	1	9	<20
ZZ87033		<1	0.06	20	0.23	2050	7	0.02	5	870	62	0.11	<2	1	35	<20
ZZ87034		<1	0.05	20	0.13	195	4	0.01	3	420	19	0.04	<2	<1	9	<20
ZZ87035		<1	0.03	10	0.03	39	2	0.01	2	1690	36	0.14	<2	<1	21	<20
ZZ87036		<1	0.09	20	0.34	360	2	0.01	3	890	69	0.08	<2	1	106	<20
ZZ87037		1	0.10	30	0.44	629	4	0.01	3	900	180	0.08	<2	2	112	<20
ZZ87038		1	0.06	30	0.34	278	10	0.01	8	890	515	0.10	<2	1	16	<20
ZZ87039		<1	0.06	20	0.28	258	4	0.01	2	580	205	0.06	<2	2	39	<20
ZZ87040		<1	0.06	20	0.39	539	4	0.01	3	720	52	0.04	<2	2	46	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140522

Sample Description	Method Analyte Units LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
ZZ87001		0.06	<10	<10	37	<10	44
ZZ87002		0.04	<10	<10	28	<10	30
ZZ87003		0.06	<10	<10	62	<10	139
ZZ87004		0.04	<10	<10	44	<10	148
ZZ87005		0.01	<10	<10	27	<10	55
ZZ87006		0.05	<10	<10	48	<10	111
ZZ87007		0.11	<10	<10	54	<10	56
ZZ87008		0.05	<10	<10	31	<10	262
ZZ87009		0.06	<10	<10	26	<10	23
ZZ87010		0.07	<10	<10	43	<10	38
ZZ87011		0.05	<10	10	45	<10	383
ZZ87012		0.03	<10	30	51	10	173
ZZ87013		0.02	<10	110	37	10	186
ZZ87014		0.05	<10	<10	47	<10	30
ZZ87015		0.09	<10	<10	61	<10	59
ZZ87016		0.02	<10	10	12	<10	230
ZZ87017		0.12	<10	<10	80	<10	56
ZZ87018		0.05	<10	<10	18	<10	6
ZZ87019		0.08	<10	<10	37	<10	32
ZZ87020		0.08	<10	<10	41	<10	45
ZZ87021		0.05	<10	<10	40	<10	37
ZZ87022		0.03	<10	10	13	<10	54
ZZ87023		0.09	<10	<10	62	<10	25
ZZ87024		0.06	<10	<10	37	<10	16
ZZ87025		0.06	<10	<10	36	<10	18
ZZ87026		0.02	<10	<10	32	<10	34
ZZ87027		0.04	<10	10	20	<10	53
ZZ87028		0.01	<10	<10	8	<10	5
ZZ87029		0.04	<10	<10	22	<10	21
ZZ87030		0.04	<10	<10	26	<10	61
ZZ87031		0.06	<10	<10	33	<10	20
ZZ87032		0.03	<10	<10	36	<10	58
ZZ87033		0.03	<10	<10	28	<10	42
ZZ87034		0.02	<10	<10	23	<10	36
ZZ87035		<0.01	<10	10	8	<10	17
ZZ87036		0.02	<10	<10	29	<10	69
ZZ87037		0.03	<10	10	38	<10	123
ZZ87038		0.03	<10	20	39	<10	333
ZZ87039		0.03	<10	10	24	<10	134
ZZ87040		0.03	<10	10	33	<10	87

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140522

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
ZZ87041		0.23	0.3	2.05	3	<10	50	1.4	<2	0.78	<0.5	4	4	4	1.70	10
ZZ87042		0.10	<0.2	0.64	2	<10	40	<0.5	2	0.03	<0.5	1	5	1	1.35	10
ZZ87043		0.19	<0.2	0.57	<2	<10	30	<0.5	<2	0.01	<0.5	<1	5	<1	0.28	10
ZZ87044		0.18	0.2	1.01	3	<10	30	<0.5	2	0.04	<0.5	2	11	3	0.75	10
ZZ87045		0.16	0.2	0.59	<2	<10	30	<0.5	<2	0.23	0.5	1	7	5	0.87	<10
ZZ87046		0.10	0.6	0.76	<2	<10	30	<0.5	<2	0.04	<0.5	1	8	<1	0.49	10
ZZ87047		0.17	0.2	2.06	<2	<10	90	0.7	<2	0.35	<0.5	3	9	5	1.44	10
ZZ87048		0.13	<0.2	3.95	3	<10	40	3.1	<2	0.68	0.8	9	14	10	2.94	10
ZZ87049		0.09	2.0	5.23	<2	<10	70	4.2	13	1.48	<0.5	5	9	5	2.45	20
ZZ87050		0.16	<0.2	1.58	<2	<10	70	0.5	<2	0.22	<0.5	3	10	3	1.66	10
ZZ87051		0.15	0.3	2.48	<2	<10	90	1.8	<2	0.79	0.9	5	12	11	2.23	10
ZZ87052		0.19	0.3	2.52	4	<10	90	1.8	<2	0.85	0.6	5	11	11	2.06	10
ZZ87053		0.17	0.2	2.92	2	<10	50	0.7	<2	0.07	<0.5	3	11	3	3.67	20
ZZ87054		0.13	0.2	1.85	<2	<10	40	0.7	<2	0.23	<0.5	3	5	3	1.60	10
ZZ87055		0.11	0.4	1.09	<2	<10	120	<0.5	<2	0.24	<0.5	4	4	3	1.10	10
ZZ87056		0.17	<0.2	0.72	<2	<10	60	<0.5	<2	0.11	<0.5	1	6	1	0.65	10
ZZ87057		0.23	<0.2	2.20	<2	<10	100	1.0	<2	0.37	<0.5	5	16	8	2.57	10
ZZ87058		0.14	0.2	1.46	<2	<10	90	0.9	<2	0.62	0.7	4	9	6	1.24	10
ZZ87059		0.18	0.3	1.77	2	<10	50	0.6	<2	0.09	<0.5	3	11	5	2.00	10
ZZ87060		0.13	0.3	1.59	<2	<10	50	<0.5	<2	0.08	<0.5	2	9	3	1.78	10
ZZ87061		0.11	0.2	1.52	<2	<10	50	<0.5	<2	0.03	<0.5	3	22	11	3.27	10
ZZ87062		0.17	0.2	1.41	<2	<10	50	0.5	2	0.10	<0.5	4	13	5	2.04	10
ZZ87063		0.18	0.6	1.84	<2	<10	60	1.0	<2	0.27	<0.5	4	12	6	1.83	10
ZZ87064		0.14	0.3	1.53	<2	<10	50	1.9	<2	0.88	0.9	5	7	8	1.21	10
ZZ87065		0.13	0.7	1.29	<2	<10	80	1.4	3	0.60	8.9	7	8	15	1.32	10
ZZ87066		0.14	0.3	1.69	<2	<10	80	0.9	<2	0.10	0.6	18	12	6	2.07	10
ZZ87067		0.20	1.1	2.08	<2	<10	50	1.5	<2	0.21	0.7	4	13	7	1.80	10
ZZ87068		0.19	<0.2	1.37	<2	<10	30	<0.5	<2	0.03	<0.5	2	15	2	2.08	10
ZZ87069		0.21	0.2	2.46	<2	<10	90	1.5	<2	0.49	0.5	4	14	8	2.31	10
ZZ87070		0.13	<0.2	0.82	<2	<10	20	<0.5	<2	0.04	<0.5	1	6	2	1.18	10
ZZ87071		0.11	<0.2	1.89	<2	<10	40	<0.5	<2	0.06	<0.5	2	8	4	2.00	10
ZZ87072		0.16	<0.2	0.68	<2	<10	20	<0.5	2	0.03	<0.5	1	7	2	0.61	10
ZZ87073		0.14	1.3	3.80	4	<10	40	0.9	<2	0.08	<0.5	2	21	10	2.53	10
ZZ87074		0.13	<0.2	0.99	<2	<10	20	<0.5	<2	0.03	<0.5	1	12	1	2.46	20
ZZ87075		0.13	0.2	0.74	<2	<10	20	<0.5	<2	0.02	<0.5	<1	4	1	0.26	10
ZZ87076		0.16	0.7	2.48	3	<10	60	3.0	2	0.38	<0.5	6	19	24	2.83	10
ZZ87077		0.21	0.9	3.75	<2	<10	70	2.7	<2	1.17	0.7	8	17	25	2.36	10
ZZ87078		0.22	0.9	3.58	3	<10	70	2.4	2	1.03	<0.5	12	16	23	2.35	10
ZZ87079		0.20	<0.2	1.53	3	<10	50	0.5	<2	0.07	<0.5	3	18	8	2.08	10
ZZ87080		0.12	<0.2	0.75	<2	<10	20	<0.5	<2	0.13	<0.5	1	6	1	0.54	10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140522

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
ZZ87041		1	0.09	20	0.36	430	2	0.01	2	750	65	0.03	<2	2	46	<20
ZZ87042		<1	0.03	10	0.05	98	1	0.01	1	190	12	0.02	<2	1	5	<20
ZZ87043		<1	0.03	20	0.03	17	2	<0.01	<1	200	37	0.02	<2	<1	5	<20
ZZ87044		1	0.03	10	0.10	60	2	<0.01	3	330	121	0.03	<2	<1	7	<20
ZZ87045		<1	0.05	10	0.08	68	3	0.02	2	320	32	0.04	<2	<1	15	<20
ZZ87046		<1	0.02	20	0.05	164	<1	<0.01	2	160	50	0.02	<2	<1	6	<20
ZZ87047		<1	0.10	10	0.26	177	2	0.01	5	670	16	0.09	<2	1	42	<20
ZZ87048		<1	0.04	20	0.24	783	1	0.05	12	1580	52	0.10	<2	2	119	<20
ZZ87049		<1	0.02	10	0.17	726	<1	0.01	5	1030	136	0.06	<2	2	158	<20
ZZ87050		<1	0.07	10	0.29	232	<1	0.01	4	340	20	0.03	<2	2	22	<20
ZZ87051		<1	0.09	20	0.33	1040	1	0.01	8	1130	40	0.09	<2	1	63	<20
ZZ87052		<1	0.11	20	0.39	580	<1	0.02	8	830	42	0.07	<2	2	69	<20
ZZ87053		<1	0.07	10	0.25	234	1	0.01	3	480	28	0.04	<2	3	9	<20
ZZ87054		<1	0.08	10	0.25	295	<1	0.01	2	590	25	0.03	<2	2	13	<20
ZZ87055		<1	0.04	10	0.09	3680	1	0.01	2	970	18	0.09	<2	<1	22	<20
ZZ87056		<1	0.04	10	0.10	83	<1	0.01	2	230	19	0.03	<2	<1	15	<20
ZZ87057		1	0.12	20	0.50	542	1	0.01	9	370	21	0.03	<2	2	32	<20
ZZ87058		1	0.06	10	0.23	966	<1	0.02	4	830	24	0.08	<2	<1	45	<20
ZZ87059		<1	0.07	10	0.24	216	<1	0.01	4	260	19	0.02	<2	2	12	<20
ZZ87060		<1	0.05	10	0.18	153	1	0.01	3	320	22	0.03	<2	1	11	<20
ZZ87061		1	0.13	20	0.35	179	2	<0.01	6	370	16	0.03	<2	3	10	<20
ZZ87062		<1	0.08	10	0.32	258	1	0.01	6	290	20	0.02	<2	2	13	<20
ZZ87063		1	0.07	10	0.33	250	<1	0.01	5	640	36	0.03	<2	2	24	<20
ZZ87064		<1	0.04	20	0.14	963	<1	0.02	4	760	35	0.07	<2	1	55	<20
ZZ87065		<1	0.04	20	0.15	824	1	0.01	3	520	560	0.05	<2	1	44	<20
ZZ87066		<1	0.06	10	0.29	1105	1	0.01	8	380	160	0.03	<2	2	14	<20
ZZ87067		<1	0.07	20	0.25	303	1	<0.01	6	690	56	0.05	<2	1	23	<20
ZZ87068		<1	0.05	20	0.21	146	1	<0.01	4	230	11	<0.01	<2	2	6	<20
ZZ87069		1	0.10	20	0.37	289	1	0.01	9	730	39	0.06	<2	1	43	<20
ZZ87070		1	0.04	10	0.10	86	<1	0.01	2	470	9	0.03	<2	<1	6	<20
ZZ87071		<1	0.07	10	0.18	144	1	0.01	2	480	13	0.04	<2	1	7	<20
ZZ87072		<1	0.05	20	0.06	67	1	<0.01	1	230	10	<0.01	<2	<1	6	<20
ZZ87073		1	0.03	10	0.16	176	1	<0.01	4	780	44	0.07	<2	1	9	<20
ZZ87074		<1	0.03	10	0.14	137	1	<0.01	2	220	13	0.01	<2	1	4	<20
ZZ87075		<1	0.02	10	0.02	9	1	0.01	<1	250	26	0.01	<2	<1	6	<20
ZZ87076		<1	0.06	30	0.36	398	9	<0.01	13	860	210	0.06	<2	1	22	<20
ZZ87077		1	0.08	40	0.38	496	4	0.01	14	850	154	0.05	<2	3	73	<20
ZZ87078		1	0.08	30	0.37	706	4	0.01	15	870	172	0.05	<2	3	66	<20
ZZ87079		1	0.06	20	0.29	148	6	<0.01	10	450	51	0.04	<2	1	10	<20
ZZ87080		<1	0.04	10	0.06	39	<1	0.01	1	410	16	0.03	<2	<1	10	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140522

Sample Description	Method Analyte Units LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
ZZ87041		0.05	<10	20	27	<10	88
ZZ87042		0.13	<10	<10	64	<10	15
ZZ87043		0.11	<10	<10	25	<10	4
ZZ87044		0.08	<10	<10	32	<10	30
ZZ87045		0.04	<10	<10	22	<10	24
ZZ87046		0.06	<10	<10	29	<10	25
ZZ87047		0.04	<10	<10	24	<10	56
ZZ87048		0.06	<10	<10	34	<10	96
ZZ87049		0.04	<10	<10	28	<10	99
ZZ87050		0.08	<10	<10	38	<10	71
ZZ87051		0.04	<10	<10	40	<10	136
ZZ87052		0.05	<10	<10	34	<10	108
ZZ87053		0.13	<10	<10	66	<10	44
ZZ87054		0.06	<10	<10	28	<10	45
ZZ87055		0.03	<10	<10	22	<10	35
ZZ87056		0.05	<10	<10	20	<10	23
ZZ87057		0.04	<10	<10	46	<10	117
ZZ87058		0.03	<10	<10	23	<10	67
ZZ87059		0.08	<10	<10	35	<10	56
ZZ87060		0.06	<10	<10	37	<10	34
ZZ87061		0.09	<10	<10	66	<10	59
ZZ87062		0.09	<10	<10	38	<10	56
ZZ87063		0.06	<10	<10	29	<10	69
ZZ87064		0.03	<10	<10	22	<10	52
ZZ87065		0.05	<10	<10	31	<10	602
ZZ87066		0.05	<10	<10	39	<10	207
ZZ87067		0.04	<10	<10	35	<10	87
ZZ87068		0.07	<10	<10	57	<10	26
ZZ87069		0.05	<10	<10	39	<10	86
ZZ87070		0.05	<10	<10	30	<10	15
ZZ87071		0.08	<10	<10	42	<10	22
ZZ87072		0.03	<10	<10	19	<10	10
ZZ87073		0.04	<10	<10	34	<10	38
ZZ87074		0.10	<10	<10	72	<10	25
ZZ87075		0.03	<10	<10	14	<10	5
ZZ87076		0.05	<10	10	41	<10	121
ZZ87077		0.01	<10	<10	27	<10	206
ZZ87078		0.01	<10	10	28	<10	194
ZZ87079		0.05	<10	<10	40	<10	60
ZZ87080		0.03	<10	<10	13	<10	12

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140522

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
ZZ87081		0.14	<0.2	1.01	<2	<10	40	<0.5	2	0.07	<0.5	1	5	1	1.76	10
ZZ87082		0.21	2.2	2.91	<2	<10	50	2.7	2	0.66	<0.5	5	9	15	1.73	10
ZZ87083		0.16	0.8	1.79	2	<10	40	0.9	<2	0.37	<0.5	3	8	7	1.91	10
ZZ87084		0.14	1.3	4.57	2	<10	50	2.4	5	1.73	0.8	7	10	32	2.46	10
ZZ87085		0.17	0.5	4.63	<2	<10	40	2.9	<2	2.43	0.6	19	24	43	2.96	10
ZZ87086		0.20	0.6	3.40	<2	<10	60	2.2	<2	1.28	<0.5	11	22	27	2.51	10
ZZ87087		0.17	0.4	4.01	2	<10	50	2.2	2	1.27	<0.5	10	23	29	2.77	10
ZZ87088		0.13	<0.2	5.15	<2	<10	30	0.7	<2	2.39	<0.5	3	23	3	3.31	20
ZZ87089		0.15	<0.2	0.26	<2	<10	10	<0.5	<2	0.05	<0.5	<1	2	<1	0.16	<10
ZZ87090		0.09	<0.2	0.87	<2	<10	30	<0.5	<2	0.04	<0.5	1	5	1	0.55	10
ZZ87091		0.14	<0.2	0.30	<2	<10	10	<0.5	<2	0.02	<0.5	<1	4	<1	0.21	<10
ZZ87092		0.16	0.2	2.39	8	<10	40	0.8	<2	0.08	<0.5	4	20	12	3.41	10
ZZ87093		0.12	<0.2	1.20	<2	<10	40	<0.5	<2	0.04	<0.5	3	24	4	1.42	10
ZZ87094		0.12	0.2	0.60	2	<10	10	<0.5	<2	0.04	<0.5	1	6	4	0.72	<10
ZZ87095		0.16	0.2	1.20	<2	<10	30	1.1	<2	0.09	<0.5	2	7	4	1.08	10
ZZ87096		0.20	0.2	1.96	6	<10	40	1.3	<2	0.63	<0.5	3	4	3	1.46	10
ZZ87097		0.18	<0.2	0.45	<2	<10	20	<0.5	<2	0.10	<0.5	1	3	1	0.50	<10
ZZ87098		0.16	0.5	1.72	<2	<10	60	1.3	<2	0.14	<0.5	4	14	7	1.63	10
ZZ87099		0.17	0.2	1.40	2	<10	90	0.8	<2	0.09	<0.5	2	10	5	0.80	10
ZZ87100		0.19	0.2	1.04	<2	<10	30	<0.5	<2	0.07	<0.5	1	8	2	0.94	10
ZZ87101		0.18	<0.2	1.84	<2	<10	80	<0.5	<2	0.17	<0.5	3	11	5	2.38	10
ZZ87102		0.26	<0.2	1.29	<2	<10	50	<0.5	<2	0.08	<0.5	2	8	2	2.00	10
ZZ87103		0.18	0.4	2.07	<2	<10	50	0.5	<2	0.09	<0.5	4	9	18	2.95	10
ZZ87104		0.11	<0.2	1.38	<2	<10	50	<0.5	<2	0.10	<0.5	3	11	5	2.05	10
ZZ87105		0.21	0.3	1.76	<2	<10	50	1.3	<2	0.24	<0.5	3	6	6	1.10	10
ZZ87106		0.11	0.4	1.96	<2	<10	40	0.5	<2	0.10	<0.5	3	17	7	3.62	10
ZZ87107		0.20	<0.2	2.08	<2	<10	50	0.7	<2	0.16	<0.5	1	11	3	2.12	10
ZZ87108		0.20	0.2	0.79	<2	<10	10	<0.5	<2	0.22	<0.5	1	4	4	0.71	10
ZZ87109		0.15	0.3	1.37	3	<10	30	0.5	3	0.18	0.6	4	13	11	2.14	10
ZZ87110		0.22	0.6	4.25	3	<10	40	1.7	<2	0.46	0.9	9	20	7	2.63	10
ZZ87111		0.19	0.3	2.62	9	<10	60	2.9	<2	1.32	7.8	13	24	26	3.87	10
ZZ87112		0.19	<0.2	1.14	<2	<10	30	<0.5	<2	0.08	<0.5	3	16	4	2.37	20
ZZ87113		0.14	0.9	1.70	2	<10	50	2.1	<2	0.81	6.7	5	14	22	1.65	10
ZZ87114		0.24	<0.2	0.49	<2	<10	10	<0.5	<2	0.02	<0.5	<1	3	<1	0.45	10
ZZ87115		0.17	<0.2	0.43	<2	<10	10	<0.5	<2	0.05	<0.5	<1	3	1	0.67	10
ZZ87116		0.15	<0.2	0.80	<2	<10	30	<0.5	<2	0.06	<0.5	2	5	1	1.30	10
ZZ87117		0.28	0.2	1.25	3	<10	30	0.9	<2	0.37	<0.5	2	2	2	1.11	10
ZZ87118		0.20	0.2	1.50	<2	<10	40	0.9	<2	0.41	<0.5	2	3	2	1.24	10
ZZ87119		0.16	<0.2	1.76	5	<10	50	1.7	<2	0.32	<0.5	3	7	5	1.73	10
ZZ87120		0.27	0.2	1.05	<2	<10	60	0.8	<2	0.22	<0.5	2	5	3	0.83	10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140522

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
ZZ87081		<1	0.05	10	0.16	160	3	<0.01	2	320	20	0.01	<2	1	8	<20
ZZ87082		<1	0.07	30	0.27	414	6	0.01	6	840	267	0.10	<2	1	47	<20
ZZ87083		<1	0.05	20	0.33	292	3	0.01	5	540	58	0.05	<2	2	19	<20
ZZ87084		1	0.10	30	0.58	806	3	0.01	6	740	332	0.02	<2	4	105	<20
ZZ87085		<1	0.14	40	0.49	809	2	0.01	25	470	140	0.03	<2	4	138	20
ZZ87086		<1	0.09	30	0.37	502	4	0.01	19	820	89	0.06	<2	2	72	<20
ZZ87087		<1	0.10	20	0.42	345	4	0.01	22	920	106	0.06	<2	2	78	<20
ZZ87088		<1	0.06	10	0.19	213	<1	0.01	5	510	20	0.03	<2	2	148	<20
ZZ87089		<1	0.02	10	0.01	8	<1	0.01	1	180	3	<0.01	<2	<1	6	<20
ZZ87090		1	0.05	10	0.06	43	2	<0.01	1	440	32	0.03	<2	<1	8	<20
ZZ87091		<1	0.02	10	0.01	10	<1	0.01	1	220	10	0.01	<2	<1	5	<20
ZZ87092		<1	0.04	10	0.31	180	5	<0.01	11	720	84	0.05	<2	1	12	<20
ZZ87093		<1	0.18	10	0.27	143	<1	<0.01	8	310	16	0.02	<2	2	18	<20
ZZ87094		<1	0.03	<10	0.06	63	<1	0.01	2	360	7	0.02	<2	<1	5	<20
ZZ87095		<1	0.04	10	0.11	482	6	0.01	3	560	70	0.05	<2	<1	9	<20
ZZ87096		<1	0.08	20	0.29	375	2	0.01	2	690	45	0.04	<2	1	38	<20
ZZ87097		<1	0.03	<10	0.03	99	<1	0.02	<1	420	8	0.05	<2	<1	10	<20
ZZ87098		1	0.06	10	0.16	211	2	<0.01	6	1040	136	0.08	<2	<1	16	<20
ZZ87099		<1	0.04	20	0.09	113	1	<0.01	2	660	106	0.04	<2	<1	15	<20
ZZ87100		<1	0.04	10	0.14	99	<1	0.01	3	210	25	0.01	<2	1	9	<20
ZZ87101		1	0.11	10	0.28	305	1	0.01	5	430	22	0.01	<2	1	24	<20
ZZ87102		<1	0.07	10	0.28	287	1	0.01	3	210	15	0.01	<2	1	10	<20
ZZ87103		<1	0.08	10	0.42	391	<1	0.01	6	280	28	0.03	<2	3	11	<20
ZZ87104		<1	0.08	10	0.33	231	<1	<0.01	7	230	15	0.02	<2	2	14	<20
ZZ87105		<1	0.05	20	0.18	599	<1	0.02	4	790	21	0.05	<2	<1	21	<20
ZZ87106		<1	0.06	10	0.23	295	1	0.01	5	540	30	0.04	<2	2	16	<20
ZZ87107		<1	0.04	10	0.15	118	<1	<0.01	2	510	17	0.04	<2	1	18	<20
ZZ87108		<1	0.05	<10	0.07	50	<1	0.02	2	280	10	0.03	<2	<1	16	<20
ZZ87109		<1	0.05	10	0.20	328	1	0.01	7	490	187	0.03	<2	1	20	<20
ZZ87110		<1	0.02	20	0.13	573	<1	<0.01	6	1400	49	0.06	<2	3	42	<20
ZZ87111		1	0.06	50	0.62	1970	1	0.03	17	1840	239	0.08	<2	2	172	<20
ZZ87112		<1	0.03	10	0.19	150	<1	<0.01	6	220	21	0.02	<2	2	26	<20
ZZ87113		1	0.07	60	0.24	1475	1	0.01	6	710	227	0.06	<2	2	53	<20
ZZ87114		<1	0.03	10	0.04	59	<1	<0.01	<1	110	16	0.01	<2	<1	5	<20
ZZ87115		<1	0.04	10	0.06	80	<1	0.01	1	260	37	0.02	<2	<1	6	<20
ZZ87116		<1	0.07	10	0.22	193	<1	0.01	2	180	10	0.02	<2	1	7	<20
ZZ87117		<1	0.05	10	0.18	283	1	0.01	1	600	22	0.03	<2	1	21	<20
ZZ87118		1	0.05	10	0.22	222	1	0.01	2	680	28	0.04	<2	1	23	<20
ZZ87119		<1	0.07	20	0.23	906	6	0.01	5	930	57	0.08	<2	1	20	<20
ZZ87120		<1	0.05	20	0.12	505	3	0.01	3	630	33	0.06	<2	<1	15	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140522

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
ZZ87081		0.06	<10	<10	44	<10	29
ZZ87082		0.02	<10	10	30	<10	150
ZZ87083		0.05	<10	<10	32	<10	80
ZZ87084		0.02	<10	20	40	<10	344
ZZ87085		0.02	<10	<10	25	<10	212
ZZ87086		0.02	<10	<10	28	<10	136
ZZ87087		0.02	<10	<10	29	<10	153
ZZ87088		0.06	<10	<10	32	<10	34
ZZ87089		0.01	<10	<10	6	<10	3
ZZ87090		0.05	<10	<10	25	<10	13
ZZ87091		0.04	<10	<10	11	<10	5
ZZ87092		0.04	<10	<10	44	<10	60
ZZ87093		0.12	<10	<10	38	<10	31
ZZ87094		0.02	<10	<10	15	<10	16
ZZ87095		0.03	<10	10	31	<10	25
ZZ87096		0.03	<10	20	25	10	76
ZZ87097		0.03	<10	<10	14	<10	10
ZZ87098		0.02	<10	<10	38	<10	59
ZZ87099		0.02	<10	<10	28	<10	30
ZZ87100		0.05	<10	<10	21	<10	28
ZZ87101		0.07	<10	<10	48	<10	60
ZZ87102		0.09	<10	<10	48	<10	42
ZZ87103		0.08	<10	<10	49	<10	104
ZZ87104		0.08	<10	<10	44	<10	59
ZZ87105		0.02	<10	<10	19	<10	45
ZZ87106		0.09	<10	<10	59	<10	57
ZZ87107		0.05	<10	<10	31	<10	22
ZZ87108		0.02	<10	<10	15	<10	26
ZZ87109		0.05	<10	<10	42	<10	103
ZZ87110		0.06	<10	<10	36	<10	84
ZZ87111		0.04	<10	10	56	10	564
ZZ87112		0.11	<10	<10	70	<10	61
ZZ87113		0.06	<10	20	35	<10	189
ZZ87114		0.09	<10	<10	25	<10	8
ZZ87115		0.07	<10	<10	26	<10	10
ZZ87116		0.08	<10	<10	34	<10	21
ZZ87117		0.03	<10	10	19	<10	40
ZZ87118		0.03	<10	10	21	<10	46
ZZ87119		0.02	<10	10	31	<10	54
ZZ87120		0.01	<10	<10	18	<10	30

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140522

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
ZZ87121		0.32	<0.2	1.50	3	<10	60	0.5	<2	0.27	<0.5	2	5	3	1.59	10
ZZ87122		0.14	0.2	0.51	<2	<10	10	<0.5	<2	0.03	<0.5	1	4	2	0.61	<10
ZZ87123		0.18	0.2	0.82	2	<10	20	<0.5	<2	0.04	<0.5	1	6	2	0.73	10
ZZ87124		0.17	0.3	1.92	<2	<10	10	0.7	<2	0.14	<0.5	1	5	9	1.08	10
ZZ87125		0.11	<0.2	1.70	<2	<10	40	0.6	<2	0.09	<0.5	3	8	7	1.44	10
ZZ87126		0.24	0.2	3.90	<2	<10	40	1.3	<2	1.56	<0.5	4	4	7	1.67	10
ZZ87127		0.17	0.2	4.75	3	<10	40	1.5	2	2.55	<0.5	4	3	7	1.56	20
ZZ87128		0.31	0.3	4.50	<2	<10	30	1.4	<2	2.43	<0.5	4	3	8	1.48	10
ZZ87129		0.15	<0.2	1.70	3	<10	30	<0.5	<2	0.13	<0.5	2	7	6	1.77	10
ZZ87130		0.25	2.2	3.61	<2	<10	50	2.2	4	1.40	1.6	5	8	26	2.03	10
ZZ87131		0.23	1.9	4.02	<2	<10	70	2.2	5	1.64	2.2	6	10	24	2.49	10
ZZ87132		0.09	<0.2	0.29	<2	<10	10	<0.5	<2	0.03	<0.5	<1	4	1	0.45	<10
ZZ87133		0.23	0.2	1.96	3	<10	60	2.4	2	0.47	1.6	6	19	16	2.95	10
ZZ87134		0.09	<0.2	0.29	<2	<10	<10	<0.5	<2	0.04	<0.5	1	4	1	0.34	<10
ZZ87135		0.24	0.2	1.82	7	<10	30	1.1	<2	0.16	0.9	2	9	4	1.85	10
ZZ87136		0.16	0.2	2.24	18	<10	80	0.8	<2	0.47	0.6	3	14	7	3.33	20
ZZ87137		0.19	<0.2	1.02	4	<10	10	<0.5	<2	0.05	<0.5	2	5	2	1.27	10
ZZ87138		0.22	0.4	2.09	5	<10	50	2.6	<2	0.55	1.8	5	7	16	1.81	10
ZZ87139		0.13	<0.2	2.46	2	<10	80	1.2	2	0.39	<0.5	4	12	11	2.03	10
ZZ87140		0.18	<0.2	1.72	<2	<10	60	0.7	<2	0.19	<0.5	3	12	6	2.20	10
ZZ87141		0.11	<0.2	3.11	3	<10	70	2.1	5	0.39	0.6	8	25	21	3.06	10
ZZ87142		0.08	0.2	0.53	<2	<10	70	<0.5	2	0.09	5.5	1	4	2	0.66	10
ZZ87143		0.16	0.4	3.77	2	<10	150	3.2	3	0.76	1.8	7	15	25	3.05	10
ZZ87144		0.22	<0.2	0.74	<2	<10	20	<0.5	<2	0.06	<0.5	1	5	2	0.79	10
ZZ87145		0.11	<0.2	0.39	<2	<10	30	<0.5	<2	0.04	<0.5	1	3	3	0.27	<10
ZZ87146		0.18	<0.2	0.33	<2	<10	20	<0.5	<2	0.05	<0.5	1	3	3	0.48	<10
ZZ87147		0.19	0.4	1.99	<2	<10	50	1.3	<2	0.20	<0.5	5	13	8	2.42	10
ZZ87148		0.16	0.3	1.19	<2	<10	30	<0.5	<2	0.09	<0.5	1	8	4	1.24	10
ZZ87149		0.21	<0.2	1.60	<2	<10	30	0.5	<2	0.15	<0.5	2	5	3	1.50	10
ZZ87150		0.11	0.2	1.96	<2	<10	30	<0.5	<2	0.11	<0.5	2	6	3	1.93	10
ZZ87151		0.27	0.3	3.21	<2	<10	40	0.7	<2	0.11	<0.5	3	11	4	2.59	10
ZZ87152		0.14	0.5	1.84	<2	<10	50	0.8	<2	0.12	<0.5	2	10	7	1.92	10
ZZ87153		0.17	0.2	1.62	<2	<10	100	0.6	<2	0.55	0.8	4	13	9	2.00	10
ZZ87154		0.33	0.5	2.08	3	<10	40	2.2	<2	0.62	5.3	5	15	23	1.90	10
ZZ87155		0.32	<0.2	2.38	<2	<10	20	1.0	<2	0.29	<0.5	3	13	5	2.07	10
ZZ87156		0.21	<0.2	1.48	3	<10	40	<0.5	<2	0.05	<0.5	2	13	6	2.13	10
ZZ87157		0.18	<0.2	0.69	<2	<10	20	<0.5	<2	0.02	<0.5	<1	5	1	0.44	10
ZZ87158		0.16	0.2	1.61	3	<10	50	0.7	<2	0.40	<0.5	3	15	8	2.72	20
ZZ87159		0.31	0.2	1.88	4	<10	40	1.3	<2	0.73	<0.5	3	4	5	1.56	10
ZZ87160		0.14	<0.2	1.94	<2	<10	20	<0.5	<2	0.03	<0.5	2	15	6	1.96	10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140522

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
ZZ87121		<1	0.08	20	0.22	286	3	<0.01	3	560	19	0.04	<2	<1	14	<20
ZZ87122		<1	0.02	<10	0.05	40	<1	0.02	2	380	10	0.03	<2	<1	4	<20
ZZ87123		<1	0.04	10	0.08	84	2	0.01	1	410	20	0.03	<2	<1	7	<20
ZZ87124		<1	0.04	20	0.09	204	2	0.01	2	990	15	0.07	<2	1	9	<20
ZZ87125		1	0.06	10	0.24	204	2	0.01	5	510	27	0.04	<2	<1	10	<20
ZZ87126		<1	0.09	20	0.39	406	1	0.01	3	640	40	0.04	<2	3	82	<20
ZZ87127		<1	0.10	20	0.36	606	1	0.01	2	670	58	0.06	<2	2	137	<20
ZZ87128		1	0.10	20	0.37	487	1	0.02	1	530	83	0.04	<2	3	129	<20
ZZ87129		<1	0.06	10	0.23	444	3	0.01	3	620	32	0.04	<2	1	13	<20
ZZ87130		<1	0.09	30	0.43	791	4	0.01	5	900	477	0.07	<2	2	81	<20
ZZ87131		<1	0.10	20	0.54	611	5	0.01	9	900	390	0.07	<2	3	97	<20
ZZ87132		<1	0.03	10	0.02	33	1	0.01	1	100	7	0.01	<2	<1	4	<20
ZZ87133		<1	0.07	30	0.42	439	6	0.01	13	1060	266	0.09	<2	1	27	<20
ZZ87134		<1	0.03	10	0.04	42	1	0.01	1	120	12	0.01	<2	<1	3	<20
ZZ87135		<1	0.05	20	0.20	169	6	<0.01	4	310	76	0.03	<2	1	14	<20
ZZ87136		<1	0.08	20	0.33	287	8	0.01	7	630	107	0.06	<2	1	28	<20
ZZ87137		<1	0.04	10	0.18	164	2	<0.01	1	400	30	0.04	<2	1	7	<20
ZZ87138		<1	0.06	30	0.25	862	3	0.01	5	1340	187	0.15	<2	<1	32	<20
ZZ87139		1	0.11	20	0.37	356	<1	0.01	8	750	63	0.04	<2	2	40	<20
ZZ87140		<1	0.07	20	0.31	216	<1	0.01	6	300	20	0.02	<2	2	28	<20
ZZ87141		1	0.03	20	0.29	260	<1	0.02	17	700	49	0.04	<2	3	71	<20
ZZ87142		<1	0.04	10	0.05	236	<1	0.01	1	130	50	0.01	<2	1	27	<20
ZZ87143		<1	0.10	40	0.38	2320	<1	0.01	11	1720	139	0.10	<2	1	79	<20
ZZ87144		<1	0.04	10	0.06	127	<1	0.01	2	250	20	0.02	<2	<1	15	<20
ZZ87145		<1	0.03	<10	0.02	32	<1	0.01	1	850	7	0.05	<2	<1	8	<20
ZZ87146		<1	0.03	10	0.04	40	<1	0.01	1	200	5	0.02	<2	<1	7	<20
ZZ87147		<1	0.11	20	0.40	388	<1	0.01	8	440	21	0.03	<2	2	18	<20
ZZ87148		<1	0.05	10	0.14	128	<1	0.01	3	320	20	0.02	<2	1	10	<20
ZZ87149		<1	0.06	20	0.23	270	<1	0.01	3	690	15	0.03	<2	1	9	<20
ZZ87150		1	0.04	10	0.13	231	<1	0.01	<1	480	16	0.03	<2	1	8	<20
ZZ87151		<1	0.06	10	0.26	332	<1	0.01	4	830	24	0.05	<2	2	8	<20
ZZ87152		<1	0.07	10	0.22	176	<1	0.01	3	520	27	0.03	<2	1	14	<20
ZZ87153		<1	0.10	10	0.30	311	1	0.01	8	320	34	0.04	<2	1	37	<20
ZZ87154		<1	0.07	30	0.37	736	1	0.01	8	780	51	0.08	<2	1	45	<20
ZZ87155		<1	0.05	20	0.25	214	<1	0.01	5	740	20	0.03	<2	2	21	<20
ZZ87156		<1	0.04	20	0.15	113	<1	<0.01	5	380	17	0.03	<2	1	7	<20
ZZ87157		<1	0.03	20	0.04	29	1	0.01	<1	80	15	0.01	<2	1	6	<20
ZZ87158		<1	0.05	20	0.20	149	2	<0.01	7	600	34	0.06	<2	1	24	<20
ZZ87159		<1	0.06	20	0.32	405	1	0.01	3	630	45	0.03	<2	2	40	<20
ZZ87160		<1	0.04	20	0.12	91	1	<0.01	3	420	17	0.04	<2	1	7	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140522

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
ZZ87121		0.01	<10	<10	24	<10	56
ZZ87122		0.02	<10	<10	13	<10	9
ZZ87123		0.03	<10	<10	23	<10	13
ZZ87124		0.04	<10	<10	21	<10	15
ZZ87125		0.03	<10	<10	32	<10	37
ZZ87126		0.03	<10	<10	32	<10	58
ZZ87127		0.02	<10	<10	29	<10	68
ZZ87128		0.04	<10	10	27	<10	84
ZZ87129		0.04	<10	<10	33	<10	51
ZZ87130		0.02	<10	10	33	<10	313
ZZ87131		0.02	<10	10	38	<10	328
ZZ87132		0.04	<10	<10	20	<10	7
ZZ87133		0.04	<10	10	47	<10	345
ZZ87134		0.03	<10	<10	12	<10	18
ZZ87135		0.03	<10	10	38	<10	89
ZZ87136		0.03	<10	10	57	<10	95
ZZ87137		0.03	<10	<10	25	<10	39
ZZ87138		0.02	<10	40	29	<10	113
ZZ87139		0.05	<10	<10	31	<10	101
ZZ87140		0.06	<10	<10	42	<10	49
ZZ87141		0.06	<10	<10	42	<10	141
ZZ87142		0.06	<10	<10	29	<10	66
ZZ87143		0.04	<10	<10	46	<10	252
ZZ87144		0.07	<10	<10	24	<10	27
ZZ87145		<0.01	<10	<10	9	<10	8
ZZ87146		0.03	<10	<10	14	<10	15
ZZ87147		0.06	<10	<10	34	<10	76
ZZ87148		0.06	<10	<10	27	<10	30
ZZ87149		0.05	<10	<10	29	<10	35
ZZ87150		0.06	<10	<10	39	<10	23
ZZ87151		0.07	<10	<10	34	<10	48
ZZ87152		0.04	<10	<10	26	<10	48
ZZ87153		0.06	<10	<10	40	10	93
ZZ87154		0.04	<10	10	39	10	151
ZZ87155		0.06	<10	<10	30	<10	47
ZZ87156		0.06	<10	<10	42	<10	28
ZZ87157		0.09	<10	<10	27	<10	6
ZZ87158		0.09	<10	10	77	<10	32
ZZ87159		0.05	<10	20	26	<10	67
ZZ87160		0.09	<10	<10	44	<10	18

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140522

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
ZZ87161		0.17	<0.2	0.66	<2	<10	10	<0.5	<2	0.07	<0.5	<1	5	2	0.50	10
ZZ87162		0.08	<0.2	0.90	<2	<10	10	<0.5	<2	0.03	<0.5	1	6	1	1.74	10
ZZ87163		0.20	<0.2	0.94	<2	<10	10	<0.5	<2	0.04	<0.5	<1	5	2	0.33	10
ZZ87164		0.11	0.2	0.28	<2	<10	<10	<0.5	<2	0.03	<0.5	<1	2	1	0.31	<10
ZZ87165		0.13	<0.2	0.51	<2	<10	10	<0.5	<2	0.03	<0.5	1	5	2	0.56	10
ZZ87166		0.23	0.2	2.04	3	<10	20	0.5	<2	0.03	<0.5	3	16	7	2.39	10
ZZ87167		0.14	0.5	3.67	3	<10	50	2.3	3	1.09	<0.5	10	21	39	2.63	10
ZZ87168		0.26	0.5	2.53	2	<10	40	1.6	<2	0.87	<0.5	7	12	24	1.59	10
ZZ87169		0.15	0.9	1.70	<2	<10	50	0.9	<2	0.46	0.8	3	8	15	1.46	10
ZZ87170		0.29	<0.2	3.18	3	<10	90	2.2	<2	0.26	<0.5	8	19	21	3.19	10
ZZ87171		0.17	0.4	1.34	<2	<10	20	1.0	<2	0.28	<0.5	2	9	8	1.15	10
ZZ87172		0.10	0.6	2.15	<2	<10	40	1.6	<2	0.30	<0.5	5	14	16	2.10	10
ZZ87173		0.26	0.2	2.64	3	<10	40	1.4	2	0.13	<0.5	7	22	22	3.76	10
ZZ87174		0.19	<0.2	2.04	2	<10	40	1.4	2	0.17	<0.5	3	14	14	2.14	10
ZZ87175		0.12	0.4	3.61	<2	<10	30	1.0	<2	0.47	<0.5	2	8	9	1.61	10
ZZ87176		0.17	<0.2	0.42	<2	<10	20	<0.5	<2	0.08	<0.5	<1	3	1	0.29	<10
ZZ87177		0.09	<0.2	0.32	<2	<10	20	<0.5	<2	0.04	<0.5	1	4	2	0.35	<10
ZZ87178		0.16	<0.2	0.88	<2	<10	20	<0.5	<2	0.03	<0.5	2	9	3	2.17	10
ZZ87179		0.30	0.5	2.12	2	<10	50	1.4	2	0.83	<0.5	3	5	5	1.68	10
ZZ87180		0.17	0.3	1.84	8	<10	60	1.4	<2	0.33	<0.5	4	5	6	2.08	10
ZZ87181		0.26	0.6	1.93	<2	<10	100	3.2	2	0.28	0.8	3	13	16	2.09	10
ZZ87182		0.19	0.2	1.43	<2	<10	30	<0.5	<2	0.06	<0.5	2	12	5	2.11	10
ZZ87183		0.20	0.2	1.84	2	<10	30	<0.5	<2	0.08	<0.5	1	11	3	1.65	10
ZZ87184		0.13	0.2	1.97	<2	<10	40	<0.5	<2	0.07	<0.5	1	10	4	1.89	10
ZZ87185		0.13	0.4	2.23	5	<10	50	0.5	<2	0.10	<0.5	3	14	5	3.15	10
ZZ87186		0.19	0.6	5.07	<2	<10	90	1.8	<2	0.18	<0.5	3	17	13	3.24	10
ZZ87187		0.31	0.2	2.08	<2	<10	40	0.5	<2	0.05	<0.5	2	9	3	2.55	10
ZZ87188		0.22	<0.2	2.22	2	<10	50	<0.5	2	0.07	<0.5	3	11	5	3.03	10
ZZ87189		0.15	0.2	2.00	<2	<10	30	<0.5	<2	0.07	<0.5	2	8	4	2.56	10
ZZ87190		0.26	<0.2	2.39	<2	<10	70	0.5	<2	0.09	<0.5	2	8	4	2.00	10
ZZ87191		0.30	<0.2	0.69	<2	<10	30	<0.5	<2	0.03	<0.5	<1	5	1	0.97	10
ZZ87192		0.12	<0.2	1.29	<2	<10	40	<0.5	<2	0.06	<0.5	2	5	2	2.42	10
ZZ87193		0.23	<0.2	1.36	<2	<10	40	<0.5	2	0.06	<0.5	2	8	3	2.74	10
ZZ87194		0.24	<0.2	1.93	<2	<10	40	<0.5	2	0.10	<0.5	2	7	3	2.33	10
ZZ87195		0.20	0.2	2.44	2	<10	80	0.6	2	0.12	<0.5	5	15	8	3.81	10
ZZ87196		0.17	0.2	2.20	<2	<10	30	0.7	<2	0.08	<0.5	1	7	3	1.59	<10
ZZ87197		0.12	0.3	3.04	2	<10	30	0.7	2	0.13	<0.5	2	13	6	3.19	10
ZZ87198		0.11	0.2	2.66	<2	<10	50	0.7	<2	0.05	<0.5	2	16	6	3.32	10
ZZ87199		0.30	0.3	0.85	2	<10	20	<0.5	<2	0.10	0.5	1	2	1	0.59	10
ZZ87200		0.28	0.2	2.06	3	<10	50	1.4	2	0.83	0.5	4	5	4	1.71	10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140522

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
ZZ87161		<1	0.03	20	0.04	51	<1	0.01	1	110	14	0.01	<2	<1	10	<20
ZZ87162		<1	0.03	10	0.12	113	<1	0.01	1	210	14	0.02	<2	1	5	<20
ZZ87163		<1	0.03	10	0.03	16	1	0.01	<1	270	25	0.02	<2	<1	5	<20
ZZ87164		<1	0.02	<10	0.01	11	<1	0.02	1	490	4	0.04	<2	<1	5	<20
ZZ87165		<1	0.03	20	0.04	60	4	<0.01	2	120	12	0.01	<2	<1	5	<20
ZZ87166		<1	0.04	10	0.21	158	7	<0.01	8	750	49	0.06	<2	1	6	<20
ZZ87167		<1	0.10	40	0.44	491	4	0.01	24	760	139	0.06	<2	3	69	<20
ZZ87168		<1	0.07	30	0.24	454	3	0.02	11	720	102	0.06	<2	2	48	<20
ZZ87169		<1	0.07	10	0.16	295	3	0.02	6	700	107	0.06	<2	1	26	<20
ZZ87170		1	0.13	30	0.44	504	10	0.01	21	840	112	0.10	<2	1	18	<20
ZZ87171		<1	0.05	20	0.17	128	2	0.01	6	840	41	0.12	<2	<1	16	<20
ZZ87172		1	0.05	20	0.27	234	4	0.02	11	770	56	0.08	<2	1	18	<20
ZZ87173		1	0.07	20	0.40	284	8	0.01	19	830	83	0.08	<2	1	11	<20
ZZ87174		<1	0.06	20	0.19	145	8	<0.01	7	1130	103	0.09	<2	<1	14	<20
ZZ87175		<1	0.06	10	0.11	214	1	0.01	6	940	26	0.08	<2	1	23	<20
ZZ87176		<1	0.04	10	0.03	34	<1	0.01	1	150	5	0.01	<2	<1	9	<20
ZZ87177		<1	0.05	10	0.03	31	<1	0.01	1	350	7	0.02	<2	<1	5	<20
ZZ87178		<1	0.04	10	0.15	179	1	0.01	3	360	15	0.01	<2	1	4	<20
ZZ87179		<1	0.06	20	0.35	392	2	0.01	3	750	58	0.04	<2	2	47	<20
ZZ87180		<1	0.07	20	0.41	467	1	<0.01	4	720	70	0.02	<2	3	18	<20
ZZ87181		<1	0.09	20	0.31	426	2	0.01	8	680	32	0.06	<2	1	21	<20
ZZ87182		<1	0.05	10	0.19	146	<1	<0.01	3	380	21	0.03	<2	1	6	<20
ZZ87183		<1	0.04	10	0.16	114	1	<0.01	4	520	34	0.03	<2	1	6	<20
ZZ87184		<1	0.04	10	0.09	84	<1	0.01	2	790	18	0.06	<2	1	8	<20
ZZ87185		<1	0.05	10	0.24	281	1	0.01	6	500	30	0.03	<2	2	8	<20
ZZ87186		<1	0.06	10	0.23	215	<1	0.01	5	1140	27	0.07	<2	2	48	<20
ZZ87187		<1	0.04	10	0.18	217	<1	<0.01	3	280	17	0.01	<2	2	6	<20
ZZ87188		<1	0.08	20	0.29	246	1	0.01	4	500	23	0.02	<2	2	6	<20
ZZ87189		<1	0.05	10	0.22	204	<1	0.01	2	710	19	0.03	<2	2	4	<20
ZZ87190		<1	0.08	10	0.25	219	<1	0.01	3	450	20	0.02	<2	2	7	<20
ZZ87191		<1	0.03	10	0.05	68	<1	0.01	1	210	12	0.01	<2	1	5	<20
ZZ87192		<1	0.05	10	0.21	200	<1	0.01	2	530	16	0.01	<2	2	3	<20
ZZ87193		<1	0.07	10	0.26	224	<1	0.01	3	270	15	0.01	<2	2	5	<20
ZZ87194		<1	0.05	10	0.24	266	<1	0.01	2	460	17	0.01	<2	2	6	<20
ZZ87195		<1	0.15	20	0.54	403	1	0.01	7	590	34	0.01	<2	4	9	<20
ZZ87196		<1	0.04	20	0.17	147	<1	0.01	2	570	19	0.03	<2	1	5	<20
ZZ87197		<1	0.06	10	0.23	224	1	0.01	3	730	76	0.04	<2	2	10	<20
ZZ87198		<1	0.05	10	0.19	257	<1	0.01	4	630	30	0.04	<2	1	12	<20
ZZ87199		<1	0.03	10	0.06	51	1	0.01	<1	330	24	0.03	<2	<1	10	<20
ZZ87200		<1	0.07	20	0.35	647	2	0.01	3	680	59	0.03	<2	2	46	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140522

Sample Description	Method Analyte Units LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
ZZ87161		0.06	<10	<10	25	<10	11
ZZ87162		0.10	<10	<10	52	<10	18
ZZ87163		0.02	<10	<10	14	<10	7
ZZ87164		0.01	<10	<10	7	<10	4
ZZ87165		0.05	<10	<10	31	<10	13
ZZ87166		0.04	<10	<10	43	<10	47
ZZ87167		0.02	<10	<10	29	<10	214
ZZ87168		0.01	<10	<10	21	<10	131
ZZ87169		0.01	<10	<10	23	<10	139
ZZ87170		0.03	<10	10	44	<10	201
ZZ87171		0.03	<10	<10	21	<10	42
ZZ87172		0.04	<10	<10	27	<10	90
ZZ87173		0.04	<10	10	40	<10	130
ZZ87174		0.02	<10	10	31	<10	58
ZZ87175		0.09	<10	<10	19	<10	33
ZZ87176		0.03	<10	<10	11	<10	11
ZZ87177		0.02	<10	<10	11	<10	8
ZZ87178		0.14	<10	<10	67	<10	24
ZZ87179		0.04	<10	20	26	<10	87
ZZ87180		0.06	<10	30	31	<10	105
ZZ87181		0.04	<10	30	38	10	193
ZZ87182		0.05	<10	<10	34	<10	37
ZZ87183		0.04	<10	<10	31	<10	31
ZZ87184		0.04	<10	<10	25	<10	17
ZZ87185		0.07	<10	<10	48	<10	48
ZZ87186		0.07	<10	<10	26	<10	45
ZZ87187		0.09	<10	<10	44	<10	33
ZZ87188		0.10	<10	<10	52	<10	43
ZZ87189		0.07	<10	<10	33	<10	29
ZZ87190		0.09	<10	<10	36	<10	39
ZZ87191		0.08	<10	<10	36	<10	10
ZZ87192		0.11	<10	<10	45	<10	22
ZZ87193		0.12	<10	<10	58	<10	35
ZZ87194		0.08	<10	<10	38	<10	32
ZZ87195		0.09	<10	<10	63	<10	93
ZZ87196		0.05	<10	<10	26	<10	25
ZZ87197		0.06	<10	<10	32	<10	85
ZZ87198		0.05	<10	<10	31	<10	41
ZZ87199		0.02	<10	<10	16	<10	20
ZZ87200		0.04	<10	20	27	<10	96

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140522

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
ZZ87201		0.20	0.2	2.17	2	<10	40	<0.5	<2	0.05	<0.5	1	12	3	2.73	10
ZZ87202		0.16	0.6	2.97	<2	<10	50	0.8	4	0.09	<0.5	3	11	6	2.83	10
ZZ87203		0.14	<0.2	1.00	<2	<10	40	<0.5	<2	0.08	<0.5	2	7	4	1.23	10
ZZ87204		0.16	0.2	1.66	<2	<10	50	<0.5	2	0.12	<0.5	2	10	6	2.81	10
ZZ87205		0.20	0.2	1.80	<2	<10	50	0.6	<2	0.05	<0.5	4	17	8	2.38	10
ZZ87206		0.15	<0.2	1.06	<2	<10	40	<0.5	<2	0.07	<0.5	2	7	2	1.44	10
ZZ87207		0.18	<0.2	1.43	<2	<10	50	<0.5	2	0.13	<0.5	3	7	3	1.81	10
ZZ87208		0.26	0.4	3.15	3	<10	90	2.5	2	0.50	<0.5	18	26	37	3.29	10
ZZ87209		0.16	0.3	1.92	<2	<10	40	0.8	2	0.10	<0.5	5	18	12	2.45	10
ZZ87210		0.19	<0.2	2.43	<2	<10	50	0.8	<2	0.10	<0.5	3	15	9	2.10	10
ZZ87211		0.16	0.6	1.99	<2	<10	20	2.6	<2	0.48	0.8	7	5	18	1.04	<10
ZZ87212		0.12	<0.2	1.95	2	<10	50	1.2	13	0.28	<0.5	10	24	14	3.32	10
ZZ87213		0.19	0.2	1.45	<2	<10	30	0.7	<2	0.14	<0.5	2	11	6	1.29	10
ZZ87214		0.16	0.4	1.82	<2	<10	70	1.1	<2	0.31	<0.5	6	18	14	2.22	10
ZZ87215		0.14	0.7	0.89	<2	<10	20	0.7	<2	0.19	<0.5	<1	2	5	0.44	<10
ZZ87216		0.14	2.2	3.43	<2	<10	40	5.8	2	1.00	6.8	13	7	54	1.79	10
ZZ87217		0.12	<0.2	1.18	<2	<10	20	<0.5	2	0.03	<0.5	1	9	2	1.99	20
ZZ87218		0.26	0.2	1.51	<2	<10	40	1.4	<2	0.29	0.9	3	10	20	1.48	10
ZZ87219		0.23	0.5	1.86	4	<10	30	1.2	<2	0.62	<0.5	3	4	4	1.43	10
ZZ87220		0.21	<0.2	1.53	<2	<10	30	1.0	<2	0.54	<0.5	3	3	3	1.36	10
ZZ87221		0.14	1.2	4.67	13	<10	190	8.8	5	0.76	2.9	35	26	74	3.53	10
ZZ87222		0.12	<0.2	1.67	3	<10	70	0.7	2	0.09	0.7	4	13	6	2.25	10
ZZ87223		0.13	0.3	1.53	<2	<10	40	<0.5	<2	0.05	<0.5	1	8	4	1.95	10
ZZ87224		0.19	0.2	2.87	<2	<10	30	0.7	<2	0.08	<0.5	2	13	4	2.54	10
ZZ87225		0.13	0.2	0.55	<2	<10	20	<0.5	<2	0.04	<0.5	1	4	2	0.94	10
ZZ87226		0.13	<0.2	0.53	<2	<10	20	<0.5	<2	0.02	<0.5	1	3	2	0.54	<10
ZZ87227		0.16	0.2	1.92	<2	<10	30	<0.5	<2	0.06	<0.5	1	9	3	3.10	20
ZZ87228		0.12	0.2	3.01	<2	<10	30	0.6	<2	0.10	<0.5	1	10	4	2.04	10
ZZ87229		0.20	0.2	3.24	<2	<10	50	0.8	<2	0.08	<0.5	3	9	4	1.94	10
ZZ87230		0.14	<0.2	1.91	2	<10	30	<0.5	<2	0.05	<0.5	2	13	6	2.17	10
ZZ87231		0.17	<0.2	1.49	<2	<10	30	<0.5	<2	0.06	<0.5	2	9	4	2.26	10
ZZ87232		0.10	<0.2	0.90	2	<10	20	<0.5	2	0.04	<0.5	1	6	2	1.81	10
ZZ87233		0.10	<0.2	0.60	<2	<10	10	<0.5	<2	0.04	<0.5	<1	3	1	0.39	<10
ZZ87234		0.18	0.3	1.18	<2	<10	40	<0.5	<2	0.08	<0.5	1	8	4	1.33	10
ZZ87235		0.21	1.1	2.41	2	<10	40	0.6	<2	0.08	<0.5	3	15	8	2.22	10
ZZ87236		0.24	0.2	2.00	3	<10	40	1.4	<2	0.76	<0.5	3	4	5	1.63	10
ZZ87237		0.14	<0.2	1.26	<2	<10	20	<0.5	<2	0.03	<0.5	1	9	7	1.29	10
ZZ87238		0.10	<0.2	0.88	<2	<10	20	<0.5	<2	0.02	<0.5	1	8	2	1.17	10
ZZ87239		0.15	<0.2	1.47	4	<10	20	<0.5	<2	0.05	<0.5	2	12	4	3.51	20
ZZ87240		0.25	0.6	2.85	<2	<10	40	4.3	2	0.58	0.6	14	15	64	2.79	10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140522

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
ZZ87201		<1	0.04	10	0.13	132	<1	0.01	2	330	19	0.02	<2	2	6	<20
ZZ87202		<1	0.06	20	0.27	256	1	0.01	3	530	28	0.03	<2	2	9	<20
ZZ87203		<1	0.06	10	0.25	198	<1	0.01	3	400	13	<0.01	<2	1	7	<20
ZZ87204		<1	0.06	10	0.22	336	<1	0.01	4	350	16	0.02	<2	2	12	<20
ZZ87205		<1	0.10	10	0.33	242	<1	0.01	6	280	21	0.02	<2	2	7	<20
ZZ87206		<1	0.06	10	0.20	150	<1	0.01	2	200	17	0.01	<2	2	7	<20
ZZ87207		<1	0.07	10	0.25	289	<1	0.01	3	450	20	0.01	<2	2	8	<20
ZZ87208		<1	0.13	30	0.58	791	3	0.01	34	780	113	0.08	<2	2	30	<20
ZZ87209		<1	0.07	10	0.33	219	2	0.01	10	640	44	0.07	<2	1	10	<20
ZZ87210		<1	0.03	20	0.16	118	2	0.01	8	750	41	0.06	<2	1	9	<20
ZZ87211		<1	0.04	40	0.06	616	5	0.03	4	970	38	0.10	<2	1	22	<20
ZZ87212		<1	0.10	20	0.55	913	10	0.01	15	550	61	0.05	<2	2	22	<20
ZZ87213		<1	0.05	20	0.14	103	6	<0.01	4	430	53	0.04	<2	1	12	<20
ZZ87214		<1	0.07	20	0.27	360	12	0.01	10	660	66	0.08	<2	1	22	<20
ZZ87215		<1	0.03	10	0.04	24	1	0.02	1	570	19	0.06	<2	<1	17	<20
ZZ87216		<1	0.07	60	0.13	987	9	0.01	7	1110	374	0.15	<2	1	45	<20
ZZ87217		<1	0.05	10	0.14	116	<1	<0.01	2	320	17	0.04	<2	1	5	<20
ZZ87218		<1	0.05	20	0.19	235	6	0.01	5	480	80	0.06	<2	1	21	<20
ZZ87219		<1	0.06	10	0.24	297	1	0.02	2	660	37	0.05	<2	1	36	<20
ZZ87220		1	0.06	10	0.26	408	1	0.01	2	630	34	0.03	<2	1	30	<20
ZZ87221		<1	0.15	90	0.48	2400	3	0.01	51	2040	455	0.14	<2	3	58	<20
ZZ87222		<1	0.07	10	0.25	937	2	0.01	7	410	31	0.02	<2	1	12	<20
ZZ87223		<1	0.04	10	0.14	126	<1	0.01	2	460	17	0.03	<2	1	7	<20
ZZ87224		<1	0.05	10	0.22	199	<1	<0.01	3	700	21	0.04	<2	2	5	<20
ZZ87225		<1	0.03	10	0.05	69	<1	0.01	<1	240	7	0.01	<2	<1	5	<20
ZZ87226		<1	0.03	10	0.04	26	<1	0.02	1	510	12	0.02	<2	<1	5	<20
ZZ87227		<1	0.03	10	0.18	167	<1	<0.01	1	420	18	0.03	<2	2	6	<20
ZZ87228		<1	0.03	20	0.17	143	<1	<0.01	2	780	16	0.06	<2	1	8	<20
ZZ87229		<1	0.06	10	0.29	247	<1	0.01	3	500	20	0.02	<2	3	8	<20
ZZ87230		1	0.05	10	0.20	147	1	0.01	5	420	20	0.03	<2	1	7	<20
ZZ87231		1	0.04	10	0.11	190	<1	0.01	3	320	19	0.02	<2	1	7	<20
ZZ87232		<1	0.05	10	0.10	122	<1	0.01	1	170	16	0.02	<2	1	5	<20
ZZ87233		<1	0.03	10	0.02	21	<1	0.02	1	250	10	0.02	<2	<1	6	<20
ZZ87234		<1	0.04	10	0.09	102	<1	0.01	2	230	20	0.02	<2	1	12	<20
ZZ87235		<1	0.05	10	0.22	184	1	0.01	6	380	26	0.03	<2	2	11	<20
ZZ87236		<1	0.07	20	0.33	428	1	0.01	2	670	51	0.03	<2	2	42	<20
ZZ87237		<1	0.05	10	0.08	50	5	<0.01	3	640	17	0.06	<2	<1	8	<20
ZZ87238		<1	0.03	10	0.06	50	<1	<0.01	1	250	13	0.02	<2	<1	6	<20
ZZ87239		<1	0.06	10	0.23	218	1	<0.01	3	320	26	0.02	<2	2	11	<20
ZZ87240		<1	0.07	40	0.26	488	5	0.01	23	1140	80	0.12	<2	1	30	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140522

Sample Description	Method Analyte Units LOR	ME-ICP41 Ti % 0.01	ME-ICP41 Tl ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
ZZ87201		0.09	<10	<10	62	<10	27
ZZ87202		0.07	<10	<10	41	<10	91
ZZ87203		0.06	<10	<10	23	<10	73
ZZ87204		0.10	<10	<10	53	<10	39
ZZ87205		0.08	<10	<10	36	<10	45
ZZ87206		0.10	<10	<10	39	<10	28
ZZ87207		0.08	<10	<10	34	<10	44
ZZ87208		0.05	<10	10	36	<10	262
ZZ87209		0.06	<10	<10	33	<10	66
ZZ87210		0.04	<10	<10	28	<10	40
ZZ87211		0.02	<10	20	10	<10	82
ZZ87212		0.05	<10	<10	46	<10	261
ZZ87213		0.04	<10	<10	33	<10	43
ZZ87214		0.03	<10	<10	39	<10	142
ZZ87215		0.02	<10	<10	7	<10	15
ZZ87216		0.03	<10	30	20	<10	607
ZZ87217		0.08	<10	<10	50	<10	25
ZZ87218		0.04	<10	10	31	<10	266
ZZ87219		0.03	<10	10	23	<10	80
ZZ87220		0.04	<10	10	22	<10	76
ZZ87221		0.04	<10	110	81	20	571
ZZ87222		0.05	<10	<10	64	10	101
ZZ87223		0.07	<10	<10	41	<10	24
ZZ87224		0.06	<10	<10	36	<10	42
ZZ87225		0.06	<10	<10	31	<10	9
ZZ87226		0.02	<10	<10	12	<10	8
ZZ87227		0.11	<10	<10	52	<10	23
ZZ87228		0.05	<10	<10	26	<10	30
ZZ87229		0.09	<10	<10	31	<10	67
ZZ87230		0.07	<10	<10	40	<10	34
ZZ87231		0.09	<10	<10	47	<10	24
ZZ87232		0.13	<10	<10	58	<10	20
ZZ87233		0.03	<10	<10	13	<10	5
ZZ87234		0.10	<10	<10	45	<10	26
ZZ87235		0.08	<10	<10	42	<10	89
ZZ87236		0.04	<10	20	27	<10	91
ZZ87237		0.06	<10	<10	38	<10	19
ZZ87238		0.05	<10	<10	25	<10	12
ZZ87239		0.15	<10	<10	83	<10	41
ZZ87240		0.04	<10	30	30	<10	164

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140522

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
ZZ87241		0.18	0.6	5.63	<2	<10	140	9.4	3	0.62	1.4	40	19	77	3.74	10
ZZ87242		0.15	0.3	2.65	4	<10	40	1.7	<2	0.16	<0.5	5	16	16	2.75	10
ZZ87243		0.13	0.2	0.92	<2	<10	10	<0.5	<2	0.04	<0.5	<1	2	1	0.36	10
ZZ87244		0.18	0.3	1.75	5	<10	40	<0.5	<2	0.07	<0.5	4	22	9	3.18	10
ZZ87245		0.21	<0.2	1.79	3	<10	30	0.5	2	0.05	<0.5	3	16	7	1.80	10
ZZ87246		0.14	<0.2	0.73	<2	<10	20	<0.5	2	0.07	<0.5	1	6	4	0.88	10
ZZ87247		0.16	0.3	2.65	<2	<10	30	0.7	3	0.09	<0.5	1	15	12	4.19	10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140522

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
ZZ87241		1	0.14	40	0.35	1615	5	0.01	44	1200	159	0.13	<2	3	38	<20
ZZ87242		<1	0.07	20	0.33	251	2	0.01	13	680	39	0.05	<2	2	17	<20
ZZ87243		<1	0.04	20	0.04	53	<1	<0.01	<1	200	20	0.01	<2	<1	8	<20
ZZ87244		<1	0.04	10	0.30	185	2	<0.01	9	500	33	0.05	<2	1	10	<20
ZZ87245		<1	0.06	20	0.34	191	3	<0.01	9	290	55	0.02	<2	1	8	<20
ZZ87246		<1	0.04	10	0.07	59	1	0.01	2	240	18	0.02	<2	<1	8	<20
ZZ87247		<1	0.05	20	0.27	317	<1	0.01	6	680	51	0.06	<2	1	8	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140522

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Ti	Tl	U	V	W	Zn
	Units	%	ppm	ppm	ppm	ppm	ppm
	LOR	0.01	10	10	1	10	2
ZZ87241		0.05	<10	40	38	<10	702
ZZ87242		0.05	<10	<10	29	10	93
ZZ87243		0.02	<10	<10	11	<10	12
ZZ87244		0.05	<10	<10	56	<10	50
ZZ87245		0.03	<10	<10	38	<10	235
ZZ87246		0.05	<10	<10	23	<10	42
ZZ87247		0.10	<10	<10	57	<10	64

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 14-AUG-2013
Account: MTT

Project: Hy (Dusty)

CERTIFICATE OF ANALYSIS WH13140522

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.
LOG-22 SCR-41 WEI-21

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME-ICP41

ALS Canada Ltd.

2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16-AUG-2013
Account: MTT

CERTIFICATE WH13140523

Project: Hy - Tung Zone

P.O. No.:

This report is for 87 Soil samples submitted to our lab in Whitehorse, YT, Canada on 2-AUG-2013.

The following have access to data associated with this certificate:

HEATHER BURRELL	SARAH DRECHSLER	JOAN MARIACHER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
SCR-41	Screen to -180um and save both

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Pb-OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Ag-OG46	Ore Grade Ag - Aqua Regia	VARIABLE
ME-MS61	48 element four acid ICP-MS	
Ag-OG62	Ore Grade Ag - Four Acid	VARIABLE
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Pb-OG62	Ore Grade Pb - Four Acid	VARIABLE
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES

To: **STRATEGIC METALS LTD.**
ATTN: JOAN MARIACHER
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16-AUG-2013
Account: MTT

Project: Hy - Tung Zone

CERTIFICATE OF ANALYSIS WH13140523

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
ZZ71898		0.64	0.5	2.48	4	<10	60	1.5	3	0.16	<0.5	7	15	12	2.46	10
ZZ71899		0.71	<0.2	2.04	4	<10	70	1.0	<2	0.41	<0.5	7	11	17	2.32	10
ZZ71900		0.63	<0.2	1.94	<2	<10	60	0.9	<2	0.50	<0.5	7	12	13	2.21	10
ZZ71901		0.60	<0.2	1.96	2	<10	50	0.9	2	0.32	<0.5	6	13	11	2.19	10
ZZ71902		0.65	0.2	2.41	3	<10	50	0.7	<2	0.13	<0.5	4	10	11	2.22	10
ZZ71903		0.46	<0.2	2.02	3	<10	80	1.2	<2	0.24	<0.5	7	12	18	2.42	10
ZZ71904		0.62	0.3	4.47	10	<10	190	5.4	<2	1.43	1.2	19	28	37	4.07	10
ZZ71905		0.47	<0.2	2.04	3	<10	50	0.6	<2	0.44	<0.5	6	15	11	2.49	10
ZZ71906		0.62	<0.2	2.12	6	<10	70	1.0	<2	2.32	<0.5	12	28	23	2.87	10
ZZ71907		0.52	>100	0.87	<2	<10	20	6.3	1810	0.89	21.5	73	18	21	5.80	<10
ZZ71908		0.53	0.9	2.20	2	<10	70	0.9	<2	0.22	<0.5	8	15	12	2.38	10
ZZ71909		0.40	0.2	3.62	7	<10	130	3.1	4	0.77	1.1	11	19	21	3.00	10
ZZ71910		0.82	0.3	2.61	8	<10	120	2.9	4	1.61	1.4	12	18	20	3.06	10
ZZ71911		0.61	0.4	2.53	4	<10	60	0.8	2	0.15	<0.5	7	15	10	2.50	10
ZZ71912		0.65	<0.2	2.84	3	<10	90	2.0	3	0.55	<0.5	13	23	24	3.71	10
ZZ71913		0.66	<0.2	2.43	3	<10	80	1.4	2	0.30	<0.5	9	19	18	2.73	10
ZZ71914		0.50	<0.2	3.14	8	<10	80	2.4	<2	0.59	<0.5	27	32	41	4.36	10
ZZ71915		0.47	<0.2	3.51	3	<10	60	1.3	2	0.49	<0.5	11	18	16	2.95	10
ZZ71916		0.63	<0.2	1.81	2	<10	80	2.4	3	0.38	<0.5	12	25	23	3.20	10
ZZ71917		0.50	<0.2	1.82	3	<10	50	1.3	<2	0.08	<0.5	8	19	12	2.39	10
ZZ71918		0.39	<0.2	3.24	10	<10	90	3.4	2	1.35	<0.5	11	30	15	3.63	10
ZZ71919		0.27	<0.2	3.71	19	<10	100	2.9	2	2.21	0.8	14	24	16	4.05	10
ZZ71920		0.30	<0.2	2.83	8	<10	60	1.7	2	8.8	<0.5	16	24	22	3.65	10
ZZ71921		0.36	0.2	3.43	3	<10	50	1.8	<2	6.64	<0.5	19	23	23	4.14	10
ZZ71922		0.30	<0.2	3.43	10	<10	50	3.8	4	1.81	0.5	15	33	24	3.93	10
ZZ71923		0.28	<0.2	2.37	3	<10	70	3.7	4	0.20	<0.5	15	34	22	4.48	10
ZZ71924		0.32	<0.2	3.16	8	<10	80	2.4	4	0.28	<0.5	12	25	19	3.09	10
ZZ71925		0.40	<0.2	2.42	7	<10	60	2.6	3	0.44	<0.5	15	17	23	2.94	10
ZZ71926		0.40	<0.2	2.77	29	<10	50	1.1	<2	0.86	<0.5	5	11	18	1.81	10
ZZ71927		0.35	<0.2	2.22	5	<10	50	0.9	3	0.49	<0.5	6	10	17	1.97	10
ZZ71928		0.32	<0.2	1.78	3	<10	40	0.9	<2	0.42	<0.5	6	9	24	2.15	10
ZZ71929		0.36	<0.2	2.49	4	<10	60	1.0	<2	0.30	<0.5	7	9	12	2.52	10
ZZ71930		0.29	<0.2	2.18	4	<10	40	0.9	<2	0.39	<0.5	5	5	10	2.23	10
ZZ71931		0.34	<0.2	2.52	2	<10	60	1.4	<2	0.58	<0.5	5	8	8	2.47	10
ZZ71932		0.27	1.1	3.04	5	<10	50	3.3	6	0.49	1.4	9	24	85	2.85	10
ZZ71933		0.32	<0.2	2.59	7	<10	60	1.7	2	0.28	<0.5	6	22	11	2.80	10
ZZ71934		0.32	<0.2	5.22	7	<10	50	2.7	<2	0.91	0.6	15	25	19	4.08	10
ZZ71935		0.29	<0.2	2.09	6	<10	60	1.7	<2	3.19	<0.5	11	18	13	2.74	10
ZZ71936		0.33	<0.2	2.80	5	<10	40	1.4	2	0.20	<0.5	6	22	8	3.02	10
ZZ71937		0.34	<0.2	2.24	5	<10	40	0.8	2	0.13	<0.5	5	20	10	2.68	10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16-AUG-2013
Account: MTT

Project: Hy - Tung Zone

CERTIFICATE OF ANALYSIS WH13140523

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
ZZ71898		<1	0.12	20	0.41	409	<1	0.01	11	740	32	0.04	<2	2	11	<20
ZZ71899		<1	0.18	20	0.51	546	<1	0.01	7	630	30	0.01	<2	3	25	<20
ZZ71900		<1	0.15	20	0.48	493	<1	0.01	7	630	34	0.01	<2	3	32	<20
ZZ71901		<1	0.14	20	0.43	486	<1	0.01	7	610	33	0.02	<2	2	19	<20
ZZ71902		<1	0.11	20	0.44	420	<1	0.01	4	690	22	0.04	<2	1	7	<20
ZZ71903		<1	0.13	20	0.57	477	<1	0.01	6	610	22	0.01	<2	3	16	<20
ZZ71904		<1	0.14	80	0.78	1185	<1	0.04	31	1470	45	0.02	2	16	293	20
ZZ71905		<1	0.11	20	0.45	371	<1	0.01	8	710	27	0.03	<2	2	27	<20
ZZ71906		<1	0.21	30	0.64	407	<1	0.05	23	1150	30	0.02	<2	4	225	<20
ZZ71907		1	0.09	80	0.10	8170	13	0.01	23	2630	>10000	0.08	<2	5	60	<20
ZZ71908		<1	0.11	20	0.55	428	<1	0.01	8	620	142	0.02	<2	3	11	<20
ZZ71909		<1	0.14	20	0.62	799	<1	0.01	19	1490	59	0.02	<2	4	114	<20
ZZ71910		<1	0.10	50	0.53	647	1	0.03	19	1820	46	0.02	<2	7	220	20
ZZ71911		<1	0.11	20	0.55	393	<1	0.01	8	560	23	0.03	<2	2	9	<20
ZZ71912		<1	0.15	30	0.56	530	1	0.02	21	830	36	0.05	<2	4	84	<20
ZZ71913		<1	0.20	30	0.61	469	<1	0.01	13	580	34	0.01	<2	4	44	<20
ZZ71914		<1	0.32	40	0.70	627	1	0.03	37	500	46	0.02	<2	5	189	20
ZZ71915		<1	0.08	20	0.39	979	1	0.04	15	1780	33	0.06	<2	2	83	<20
ZZ71916		<1	0.16	40	0.55	583	<1	0.01	22	730	40	0.01	<2	4	25	20
ZZ71917		<1	0.12	20	0.53	470	<1	<0.01	11	380	36	0.01	<2	3	5	<20
ZZ71918		<1	0.07	40	0.74	575	<1	0.05	20	2080	30	0.13	<2	3	152	<20
ZZ71919		<1	0.06	50	0.65	1340	<1	0.14	22	3420	40	0.15	<2	3	355	<20
ZZ71920		<1	0.08	40	0.58	563	<1	0.13	27	1700	27	0.14	<2	3	821	<20
ZZ71921		1	0.07	40	0.56	692	<1	0.13	29	2410	45	0.17	<2	3	558	<20
ZZ71922		<1	0.08	50	0.75	848	<1	0.08	25	1410	48	0.12	<2	3	277	<20
ZZ71923		<1	0.29	30	0.53	615	1	0.01	18	1020	37	0.20	<2	2	32	<20
ZZ71924		<1	0.08	20	0.50	532	1	0.01	26	890	44	0.06	<2	2	42	<20
ZZ71925		<1	0.07	20	0.62	798	1	0.01	25	660	114	0.02	<2	3	35	<20
ZZ71926		<1	0.08	20	0.43	443	<1	0.01	8	970	30	0.04	<2	2	47	<20
ZZ71927		<1	0.07	20	0.48	529	1	0.01	8	970	36	0.03	<2	2	31	<20
ZZ71928		1	0.07	20	0.53	627	1	0.01	7	1090	42	0.02	<2	3	25	<20
ZZ71929		1	0.06	20	0.63	666	1	0.01	6	850	42	0.03	<2	2	20	<20
ZZ71930		<1	0.06	20	0.48	561	6	0.01	4	610	34	0.03	<2	2	27	<20
ZZ71931		1	0.09	20	0.51	814	1	0.01	5	1160	64	0.06	<2	2	34	<20
ZZ71932		<1	0.07	30	0.42	636	1	0.03	19	1400	309	0.09	<2	2	71	<20
ZZ71933		1	0.05	20	0.32	254	<1	0.01	13	1050	52	0.06	<2	1	24	<20
ZZ71934		1	0.02	40	0.26	1000	1	0.06	22	2750	47	0.14	<2	3	140	<20
ZZ71935		<1	0.04	30	0.30	994	<1	0.06	14	2040	28	0.19	<2	1	303	<20
ZZ71936		<1	0.05	20	0.22	218	<1	0.01	12	970	24	0.07	<2	1	36	<20
ZZ71937		1	0.07	10	0.29	306	<1	0.01	10	730	27	0.06	<2	1	20	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16-AUG-2013
Account: MTT

Project: Hy - Tung Zone

CERTIFICATE OF ANALYSIS WH13140523

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Pb-OG46	Ag-OG46	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ti	Tl	U	V	W	Zn	Pb	Ag	Ag	Al	As	Ba	Be	Bi	Ca
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	10	1	10	2	0.001	1	0.01	0.01	0.2	10	0.05	0.01	0.01
ZZ71898		0.05	<10	<10	27	10	246			0.21	7.89	3.3	810	2.80	3.26	1.01
ZZ71899		0.08	<10	<10	27	10	107			0.10	8.05	2.2	900	2.98	3.34	1.19
ZZ71900		0.07	<10	<10	24	10	111			0.11	7.83	1.7	870	3.14	3.25	1.28
ZZ71901		0.06	<10	<10	25	10	107			0.11	7.50	1.7	840	2.76	3.21	1.03
ZZ71902		0.05	<10	<10	27	20	75			0.23	7.58	2.5	780	2.30	3.29	0.77
ZZ71903		0.08	<10	<10	30	10	59			0.05	7.65	2.2	910	3.18	2.57	0.97
ZZ71904		0.04	<10	<10	29	<10	120			0.36	10.15	8.8	1770	7.23	1.59	1.98
ZZ71905		0.06	<10	<10	31	10	80			0.09	7.28	3.8	800	2.26	3.64	1.16
ZZ71906		0.11	<10	<10	32	<10	79			0.14	7.37	3.9	860	3.09	0.84	3.53
ZZ71907		0.01	<10	<10	17	<10	8570	11.85	707	>100	8.67	2.6	190	9.47	1655	1.15
ZZ71908		0.07	<10	<10	30	<10	65			0.98	7.84	1.6	840	2.99	2.86	0.93
ZZ71909		0.06	<10	<10	26	30	139			0.36	8.96	5.6	830	5.40	4.07	1.55
ZZ71910		0.06	<10	<10	23	<10	105			0.41	7.51	7.3	900	5.08	2.69	2.53
ZZ71911		0.06	<10	<10	31	<10	80			0.43	7.58	2.3	750	2.53	1.61	0.78
ZZ71912		0.07	<10	<10	26	<10	108			0.17	8.83	4.0	880	4.58	1.95	1.33
ZZ71913		0.10	<10	<10	31	10	96			0.12	8.32	2.2	930	3.75	2.29	1.00
ZZ71914		0.12	<10	10	32	<10	132			0.16	10.45	8.3	940	5.33	1.42	1.18
ZZ71915		0.05	<10	<10	26	<10	106			0.10	8.23	2.7	790	3.13	1.87	1.56
ZZ71916		0.04	<10	<10	23	<10	90			0.10	8.29	2.7	840	5.44	1.94	0.72
ZZ71917		0.04	<10	<10	22	<10	67			0.13	7.96	1.9	860	3.85	1.54	0.37
ZZ71918		0.06	<10	<10	36	<10	130			0.11	7.48	9.7	780	5.70	1.89	2.49
ZZ71919		0.03	<10	<10	28	<10	146			0.11	7.57	17.9	670	4.82	1.42	3.55
ZZ71920		0.03	<10	<10	25	<10	102			0.16	6.39	8	600	3.02	3.15	10.10
ZZ71921		0.05	<10	<10	25	<10	114			0.17	6.79	6.3	640	2.94	1.30	8.34
ZZ71922		0.04	<10	<10	34	<10	166			0.22	7.93	10.1	670	5.57	2.32	2.88
ZZ71923		0.07	<10	<10	34	<10	137			0.10	8.91	4.3	910	5.74	2.78	0.59
ZZ71924		0.05	<10	<10	36	<10	111			0.10	7.53	5.9	690	4.00	3.44	0.99
ZZ71925		0.05	<10	<10	34	<10	136			0.21	8.23	4.9	700	4.21	6.25	1.11
ZZ71926		0.03	<10	<10	28	10	69			0.10	7.57	29.4	580	2.34	0.76	1.77
ZZ71927		0.04	<10	<10	29	<10	70			0.13	8.16	4.2	780	2.27	0.69	1.34
ZZ71928		0.06	<10	<10	32	<10	77			0.11	7.60	3.0	750	2.37	0.80	1.28
ZZ71929		0.02	<10	<10	34	<10	75			0.06	8.27	1.7	760	2.59	0.58	1.01
ZZ71930		0.04	<10	<10	35	<10	63			0.07	7.58	1.4	700	2.40	0.80	1.11
ZZ71931		0.05	<10	<10	40	<10	85			0.06	7.47	2.4	650	2.46	0.91	1.14
ZZ71932		0.04	<10	<10	28	10	529			1.11	6.86	4.9	600	4.34	4.41	1.47
ZZ71933		0.04	<10	<10	32	<10	84			0.13	7.01	6.8	630	3.35	1.65	0.99
ZZ71934		0.03	<10	<10	21	<10	88			0.10	8.51	5.1	740	3.79	0.53	2.69
ZZ71935		0.03	<10	<10	21	<10	88			0.12	5.57	4.1	640	2.77	0.75	4.59
ZZ71936		0.04	<10	<10	27	<10	52			0.10	6.19	3.7	660	2.29	0.93	1.78
ZZ71937		0.05	<10	<10	32	<10	70			0.09	6.92	5.1	680	2.18	1.49	0.91

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16-AUG-2013
Account: MTT

Project: Hy - Tung Zone

CERTIFICATE OF ANALYSIS WH13140523

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%
	LOR	0.02	0.01	0.1	1	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01
ZZ71898		0.62	138.0	7.2	27	5.36	13.9	2.85	19.10	0.27	1.6	0.122	2.63	59.5	49.8	0.54
ZZ71899		0.39	98.9	6.6	17	5.21	18.5	2.56	22.0	0.19	1.4	0.105	3.15	47.5	51.7	0.58
ZZ71900		0.38	101.0	7.4	20	5.06	15.1	2.46	20.6	0.22	1.5	0.095	3.14	47.0	50.6	0.56
ZZ71901		0.37	93.9	6.1	21	5.02	12.6	2.40	20.5	0.22	1.5	0.095	2.96	45.4	44.4	0.51
ZZ71902		0.20	84.2	4.8	17	5.09	13.1	2.52	20.6	0.19	1.5	0.090	2.63	41.6	43.8	0.53
ZZ71903		0.25	112.0	7.3	19	4.80	21.1	2.58	21.1	0.24	1.6	0.068	2.94	53.0	52.5	0.63
ZZ71904		1.36	195.5	17.7	47	9.64	39.1	3.95	26.5	0.30	1.4	0.105	3.58	94.6	180.0	1.15
ZZ71905		0.18	86.6	6.2	25	4.98	13.1	2.73	20.3	0.18	1.9	0.094	2.54	42.9	43.1	0.58
ZZ71906		0.28	130.0	13.2	52	6.33	24.7	3.24	20.1	0.20	2.0	0.065	2.83	63.5	99.8	0.89
ZZ71907		20.8	163.5	76.6	53	10.15	22.8	6.51	35.1	0.26	1.5	0.647	2.92	89.3	73.1	0.29
ZZ71908		0.16	103.5	7.6	25	5.04	13.6	2.60	20.3	0.12	1.7	0.058	2.98	48.6	52.6	0.63
ZZ71909		1.18	123.5	12.3	32	10.55	24.8	3.41	24.7	0.12	1.5	0.144	2.69	43.1	83.7	0.80
ZZ71910		1.40	125.5	12.0	31	7.26	21.7	3.18	20.2	0.21	1.4	0.096	2.68	73.0	71.4	0.67
ZZ71911		0.20	84.3	6.8	24	5.38	10.9	2.69	20.2	0.16	1.5	0.061	2.73	40.8	52.2	0.62
ZZ71912		0.36	144.5	13.2	47	7.62	27.0	3.89	25.1	0.18	1.7	0.092	3.17	69.6	104.0	0.75
ZZ71913		0.33	115.0	10.0	31	6.90	20.7	3.04	23.3	0.17	1.6	0.083	3.35	61.3	77.0	0.72
ZZ71914		0.34	170.5	28.8	57	12.45	48.3	4.85	30.2	0.24	1.3	0.088	4.07	85.9	143.0	0.86
ZZ71915		0.35	123.0	11.6	37	6.53	18.4	3.38	23.2	0.21	1.7	0.081	2.60	56.6	74.9	0.60
ZZ71916		0.34	124.5	12.8	49	7.61	25.7	3.48	25.3	0.18	1.5	0.066	3.65	66.6	64.2	0.72
ZZ71917		0.13	96.4	8.6	34	6.34	14.2	2.65	22.7	0.19	1.7	0.063	3.56	46.0	56.5	0.67
ZZ71918		0.47	137.0	12.4	48	9.82	18.1	4.10	19.65	0.17	2.0	0.078	2.14	68.7	134.5	1.15
ZZ71919		0.97	142.5	15.3	47	11.35	17.7	4.48	19.75	0.16	1.7	0.076	1.55	73.2	106.5	1.05
ZZ71920		0.45	115.0	16.3	42	9.16	23.1	3.91	16.80	0.16	1.6	0.061	1.61	62.3	85.1	0.83
ZZ71921		0.51	137.0	19.2	36	7.69	25.2	4.57	17.65	0.23	1.4	0.066	2.04	71.0	110.0	0.92
ZZ71922		0.65	150.0	16.0	46	12.50	26.3	4.45	22.1	0.25	1.5	0.078	2.15	74.4	128.5	0.96
ZZ71923		0.39	172.5	14.7	67	13.30	23.0	4.93	26.8	0.27	2.0	0.104	3.47	83.3	99.8	0.72
ZZ71924		0.28	113.5	12.9	47	8.85	18.0	3.59	20.7	0.20	2.1	0.068	1.87	45.6	73.2	0.71
ZZ71925		0.46	140.0	16.1	35	8.88	24.6	3.48	22.1	0.22	2.4	0.111	2.34	61.1	56.0	0.79
ZZ71926		0.21	89.3	6.1	24	8.68	21.9	2.47	19.70	0.18	2.0	0.084	1.70	38.9	54.1	0.58
ZZ71927		0.17	99.9	6.9	22	6.83	21.5	2.71	20.4	0.18	2.4	0.076	2.15	43.5	45.6	0.69
ZZ71928		0.26	120.5	6.4	21	5.37	27.9	2.59	19.50	0.26	2.1	0.083	2.37	55.2	43.7	0.63
ZZ71929		0.24	146.0	7.5	17	7.04	13.6	2.95	22.8	0.30	2.2	0.084	2.26	43.9	46.7	0.71
ZZ71930		0.15	120.5	5.4	10	5.84	12.9	2.56	19.80	0.32	2.3	0.051	2.27	51.8	42.7	0.52
ZZ71931		0.29	136.0	5.8	13	5.74	9.3	2.54	19.70	0.21	2.1	0.074	2.05	49.3	39.5	0.53
ZZ71932		1.46	110.5	9.0	39	6.58	89.0	3.06	19.35	0.24	1.6	0.066	1.95	54.1	78.9	0.60
ZZ71933		0.23	86.5	6.8	41	5.80	11.7	3.27	18.80	0.18	2.0	0.071	1.87	42.6	60.1	0.51
ZZ71934		0.80	173.5	16.2	38	4.28	20.8	4.96	18.25	0.24	1.2	0.070	1.87	81.0	93.2	0.57
ZZ71935		0.45	116.0	11.4	37	7.91	13.7	3.41	15.10	0.21	1.6	0.053	1.73	54.4	83.5	0.55
ZZ71936		0.16	83.8	7.1	43	6.71	9.8	3.85	21.1	0.18	1.8	0.063	2.02	36.2	74.9	0.57
ZZ71937		0.45	86.1	6.7	41	7.31	12.1	3.44	20.4	0.18	2.0	0.068	2.12	38.7	59.0	0.53

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16-AUG-2013
Account: MTT

Project: Hy - Tung Zone

CERTIFICATE OF ANALYSIS WH13140523

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Mn	Mo	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	5	0.05	0.01	0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2
ZZ71898		567	1.03	1.38	15.8	14.1	1120	46.1	159.5	<0.002	0.04	0.57	7.7	1	4.6	193.5
ZZ71899		611	0.69	1.72	17.3	8.2	740	46.6	189.0	<0.002	0.01	0.37	8.3	1	7.5	227
ZZ71900		609	0.66	1.65	16.8	9.3	720	52.2	181.5	<0.002	0.01	0.42	8.3	1	5.9	227
ZZ71901		587	0.78	1.50	16.3	8.3	790	46.7	173.0	<0.002	0.01	0.38	7.7	2	5.6	206
ZZ71902		508	1.19	1.46	16.7	6.3	1050	35.8	161.0	<0.002	0.04	0.30	7.6	2	7.2	177.5
ZZ71903		543	0.81	1.71	17.2	7.8	640	36.6	174.5	<0.002	<0.01	0.50	9.6	1	5.8	204
ZZ71904		1060	0.67	0.57	27.7	35.0	1390	47.7	197.5	<0.002	0.01	0.30	22.5	3	6.0	1045
ZZ71905		458	1.14	1.47	15.9	10.7	930	35.2	150.0	<0.002	0.02	0.44	8.2	1	5.6	219
ZZ71906		538	0.64	1.35	18.4	27.4	1210	35.2	158.5	<0.002	0.01	0.50	11.7	1	5.0	551
ZZ71907		7870	13.20	0.20	11.5	26.5	2480	>10000	265	<0.002	0.07	0.68	16.8	30	18.6	129.0
ZZ71908		502	0.60	1.54	17.3	9.9	710	178.0	176.5	<0.002	0.01	0.35	9.9	1	5.0	177.5
ZZ71909		910	0.72	1.18	19.6	22.2	1700	101.5	181.5	<0.002	0.02	0.43	10.9	1	7.5	312
ZZ71910		724	0.67	1.30	19.5	21.2	1850	62.4	154.0	<0.002	0.01	0.36	12.2	2	6.4	481
ZZ71911		459	0.68	1.33	16.2	9.2	700	35.4	165.5	<0.002	0.03	0.35	9.2	1	5.5	155.5
ZZ71912		601	0.94	1.05	18.8	23.8	970	55.7	197.0	<0.002	0.05	0.34	13.3	2	6.1	319
ZZ71913		565	0.61	1.48	18.8	14.8	670	51.8	201	<0.002	0.01	0.31	10.9	1	6.5	227
ZZ71914		683	1.76	1.09	21.1	44.1	600	68.4	244	<0.002	0.01	0.26	16.2	2	6.8	391
ZZ71915		1080	1.17	1.03	20.4	19.1	2020	47.0	165.5	<0.002	0.05	0.35	9.7	1	6.5	424
ZZ71916		655	0.69	0.96	19.6	24.3	780	57.7	223	<0.002	<0.01	0.34	12.4	2	6.0	149.0
ZZ71917		531	0.54	1.23	18.7	13.6	470	61.9	211	<0.002	0.01	0.29	10.0	1	5.2	125.0
ZZ71918		689	0.69	0.84	20.7	25.7	2800	42.3	137.0	<0.002	0.13	0.55	13.1	1	4.7	433
ZZ71919		1420	0.68	0.87	21.7	25.9	3880	44.3	119.5	<0.002	0.14	0.54	13.9	2	5.3	1005
ZZ71920		619	0.53	0.80	14.9	30.5	1930	29.8	108.5	<0.002	0.12	0.50	10.9	2	3.7	1370
ZZ71921		775	0.48	0.68	18.6	32.1	2650	51.4	127.0	0.003	0.15	0.36	11.6	2	4.5	1065
ZZ71922		964	0.76	0.77	19.4	29.2	1860	56.6	132.5	0.002	0.13	0.54	14.2	3	6.4	654
ZZ71923		668	1.37	0.54	25.2	21.4	1750	50.2	240	0.003	0.19	0.51	15.2	2	8.2	160.0
ZZ71924		621	1.11	0.88	18.6	30.5	1290	49.3	122.5	0.002	0.06	0.75	10.5	1	5.0	227
ZZ71925		866	1.37	1.30	20.0	28.1	730	115.0	138.5	0.002	0.01	0.79	11.3	1	5.1	181.0
ZZ71926		584	0.88	1.28	15.5	11.3	1120	35.9	97.1	0.003	0.03	0.68	8.5	1	4.1	187.5
ZZ71927		665	1.24	1.74	16.0	11.1	1120	42.5	119.5	0.002	0.02	0.62	9.3	2	4.1	240
ZZ71928		709	1.23	1.99	17.4	9.0	1180	51.6	145.5	<0.002	0.02	0.53	9.1	1	4.8	205
ZZ71929		713	1.62	1.96	18.6	8.0	930	47.8	147.0	<0.002	0.02	0.63	10.2	1	4.7	178.0
ZZ71930		635	6.84	1.96	16.2	4.1	820	45.3	140.0	<0.002	0.03	0.32	8.5	1	3.3	193.0
ZZ71931		791	1.42	1.67	15.1	6.1	1320	66.3	131.0	<0.002	0.05	0.37	8.8	2	3.5	172.0
ZZ71932		715	0.92	0.85	15.6	21.1	1650	296	129.5	<0.002	0.08	0.42	9.6	1	5.3	346
ZZ71933		359	0.90	0.91	17.9	16.8	1360	59.6	109.5	0.003	0.05	0.55	8.3	1	5.7	236
ZZ71934		1140	1.10	0.61	14.4	26.7	3120	57.0	109.0	0.002	0.14	0.28	9.7	3	2.8	1085
ZZ71935		1100	0.49	0.71	18.6	17.3	2550	35.8	109.5	0.002	0.18	0.32	9.1	2	4.9	860
ZZ71936		384	0.62	0.61	20.2	14.6	1320	33.9	123.5	0.002	0.06	0.35	9.3	1	5.1	433
ZZ71937		446	0.96	0.94	19.9	13.7	1310	35.9	129.5	0.002	0.06	0.53	8.4	1	4.7	257

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16-AUG-2013
Account: MTT

Project: Hy - Tung Zone

CERTIFICATE OF ANALYSIS WH13140523

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Ag-OG62	Pb-OG62
	Analyte	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr	Ag	Pb
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.05	0.05	0.2	0.005	0.02	0.1	1	0.1	0.1	2	0.5	1	0.001
ZZ71898		1.35	0.08	24.8	0.268	0.84	5.6	52	19.6	18.8	325	50.7		
ZZ71899		1.54	0.08	20.7	0.264	1.04	3.5	46	19.7	17.4	109	42.2		
ZZ71900		1.58	0.05	20.4	0.261	1.00	3.4	44	16.9	17.5	125	45.0		
ZZ71901		1.51	0.05	19.0	0.263	0.96	3.3	44	11.1	14.9	114	46.7		
ZZ71902		1.48	0.08	17.7	0.261	0.92	3.3	48	23.7	14.2	82	47.3		
ZZ71903		1.46	0.14	22.7	0.285	0.95	3.7	52	12.0	19.7	62	46.5		
ZZ71904		2.26	0.08	30.9	0.585	1.43	11.6	84	7.3	58.1	123	38.5		
ZZ71905		1.36	0.07	19.0	0.284	0.83	3.3	55	12.3	13.4	84	59.5		
ZZ71906		1.54	<0.05	23.8	0.394	0.87	4.4	70	3.7	23.8	90	63.2		
ZZ71907		1.37	50.9	22.6	0.193	3.16	14.4	59	4.4	37.7	8310	49.8	701	11.90
ZZ71908		1.65	0.09	21.4	0.295	0.93	4.0	53	5.3	17.2	70	50.0		
ZZ71909		1.86	0.08	21.0	0.313	1.05	6.4	55	43.1	20.2	151	44.9		
ZZ71910		1.73	0.05	22.9	0.357	0.93	6.1	58	28.3	36.8	110	41.2		
ZZ71911		1.50	<0.05	19.5	0.276	0.86	3.3	51	6.4	13.3	79	44.3		
ZZ71912		1.67	0.05	28.5	0.363	1.08	6.6	62	6.3	24.0	116	53.9		
ZZ71913		1.68	<0.05	23.8	0.319	1.07	5.0	57	13.8	23.5	103	48.7		
ZZ71914		1.87	0.05	34.4	0.418	1.24	13.3	72	6.2	32.2	146	43.6		
ZZ71915		1.89	<0.05	24.2	0.358	0.87	5.5	59	11.2	21.0	123	53.8		
ZZ71916		2.03	0.05	26.3	0.333	1.19	7.6	57	4.5	32.8	92	47.4		
ZZ71917		2.01	<0.05	23.4	0.285	1.14	5.1	46	2.9	13.8	69	49.8		
ZZ71918		1.73	0.05	25.7	0.415	0.71	7.2	72	2.5	36.2	151	67.6		
ZZ71919		1.86	0.07	24.5	0.413	0.65	7.8	70	2.0	41.4	178	55.6		
ZZ71920		1.25	0.08	19.3	0.328	0.60	4.8	59	1.6	28.3	111	46.0		
ZZ71921		1.39	0.05	22.7	0.401	0.68	7.1	59	2.2	36.0	139	45.4		
ZZ71922		1.67	0.05	24.7	0.376	0.80	10.5	65	5.6	41.5	195	45.6		
ZZ71923		2.13	0.05	33.2	0.474	1.19	11.3	77	4.8	26.9	150	65.6		
ZZ71924		1.59	0.06	18.2	0.358	0.75	7.7	77	4.5	18.2	127	66.3		
ZZ71925		1.69	<0.05	23.0	0.360	0.94	7.3	77	3.4	27.4	150	79.9		
ZZ71926		1.13	<0.05	15.3	0.301	0.60	3.6	66	7.1	17.3	87	62.1		
ZZ71927		1.20	<0.05	17.6	0.318	0.78	4.2	72	2.1	19.2	87	74.1		
ZZ71928		1.46	0.06	24.0	0.305	0.87	5.9	62	2.2	23.3	86	70.1		
ZZ71929		1.52	0.07	26.0	0.322	0.97	4.8	69	3.5	17.8	81	69.4		
ZZ71930		1.39	0.05	24.9	0.262	0.81	5.3	56	1.3	18.3	71	73.0		
ZZ71931		1.27	<0.05	23.9	0.270	0.68	5.1	58	1.6	21.9	93	63.4		
ZZ71932		1.50	0.07	17.2	0.308	0.79	6.2	55	14.7	24.6	553	49.3		
ZZ71933		1.54	0.06	14.4	0.340	0.79	4.6	68	2.7	15.2	99	66.1		
ZZ71934		1.07	0.10	25.3	0.338	0.66	6.9	52	1.5	33.1	113	41.4		
ZZ71935		1.55	<0.05	21.9	0.368	0.60	4.6	52	1.9	26.1	121	56.4		
ZZ71936		1.67	0.06	17.7	0.388	0.64	4.0	59	2.9	18.0	76	59.8		
ZZ71937		1.66	<0.05	15.2	0.374	0.72	3.8	71	9.1	12.7	92	69.7		

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16-AUG-2013
Account: MTT

Project: Hy - Tung Zone

CERTIFICATE OF ANALYSIS WH13140523

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOR	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
ZZ71938		0.43	<0.2	1.97	13	<10	60	1.5	3	0.70	<0.5	6	26	14	2.40	10
ZZ71939		0.23	<0.2	1.00	3	<10	40	<0.5	3	0.05	<0.5	3	9	5	1.57	10
ZZ71940		0.31	<0.2	1.80	2	<10	40	0.7	3	0.11	<0.5	4	11	7	2.19	10
ZZ71941		0.31	<0.2	1.65	3	<10	40	<0.5	3	0.06	<0.5	3	12	7	1.86	10
ZZ71942		0.35	<0.2	2.14	4	<10	40	0.6	4	0.13	<0.5	5	12	9	2.06	10
ZZ71943		0.27	0.2	1.69	2	<10	30	0.5	4	0.09	<0.5	3	9	6	1.87	10
ZZ71944		0.32	<0.2	1.38	4	<10	30	<0.5	17	0.04	<0.5	4	14	6	2.32	10
ZZ71945		0.36	<0.2	1.40	<2	<10	40	<0.5	3	0.11	<0.5	3	10	6	1.91	10
ZZ71946		0.33	0.2	1.68	3	<10	40	0.7	<2	0.12	<0.5	4	10	6	2.06	10
ZZ71947		0.24	<0.2	1.34	2	<10	40	<0.5	<2	0.05	<0.5	3	11	5	1.81	10
ZZ71948		0.23	<0.2	1.19	2	<10	40	<0.5	<2	0.04	<0.5	2	10	5	1.95	10
ZZ71949		0.23	0.3	2.33	3	<10	50	0.7	<2	0.07	<0.5	6	17	10	2.97	10
ZZ71950		0.23	<0.2	2.06	2	<10	40	0.5	<2	0.06	<0.5	4	15	6	2.98	10
ZZ71951		0.25	<0.2	2.27	<2	<10	50	0.6	<2	0.09	<0.5	6	18	7	2.88	10
ZZ71952		0.33	<0.2	2.16	8	<10	30	2.4	<2	0.80	<0.5	5	15	17	1.48	10
ZZ71953		0.26	<0.2	2.18	3	<10	40	0.5	<2	0.07	<0.5	4	16	6	2.51	10
ZZ71954		0.30	<0.2	5.83	2	<10	40	3.1	<2	1.90	<0.5	27	17	24	3.44	20
ZZ71955		0.21	<0.2	1.71	3	<10	40	1.1	<2	0.47	<0.5	11	10	9	1.28	10
ZZ71956		0.29	<0.2	2.04	5	<10	80	1.2	<2	0.40	<0.5	8	25	10	2.86	10
ZZ71957		0.33	<0.2	3.47	4	<10	50	1.9	<2	0.81	<0.5	14	36	16	3.19	10
ZZ71958		0.32	<0.2	4.30	15	<10	70	2.4	<2	2.07	0.5	13	34	16	3.89	10
ZZ71959		0.27	0.3	2.02	8	<10	30	1.6	<2	0.85	<0.5	5	15	20	1.28	10
ZZ71960		0.24	0.2	2.03	3	<10	40	0.6	<2	0.17	<0.5	5	17	10	2.31	10
ZZ71961		0.27	<0.2	2.09	4	<10	50	0.6	2	0.08	<0.5	4	12	7	2.48	10
ZZ71962		0.28	<0.2	2.02	5	<10	50	<0.5	<2	0.06	<0.5	4	21	7	2.42	10
ZZ71963		0.31	<0.2	1.77	<2	<10	50	<0.5	<2	0.07	<0.5	4	10	8	2.46	10
ZZ71964		0.29	<0.2	2.72	3	<10	50	0.8	3	0.22	<0.5	6	16	9	2.56	10
ZZ71965		0.25	<0.2	2.53	2	<10	50	0.8	<2	0.11	<0.5	6	17	9	3.09	10
ZZ71966		0.33	0.4	2.37	3	<10	50	1.0	2	0.17	<0.5	5	12	9	2.21	10
ZZ71967		0.26	<0.2	2.56	6	<10	80	1.1	<2	0.11	<0.5	6	21	12	3.24	10
ZZ71968		0.22	<0.2	1.24	3	<10	60	<0.5	<2	0.27	<0.5	2	12	5	1.45	10
ZZ71969		0.27	<0.2	3.05	6	<10	80	1.2	<2	0.81	<0.5	6	14	11	2.16	10
ZZ71970		0.26	<0.2	2.15	4	<10	50	0.9	<2	0.06	<0.5	7	23	12	2.91	10
ZZ71971		0.31	<0.2	2.71	2	<10	50	0.7	<2	0.09	<0.5	6	18	7	2.73	10
ZZ71972		0.27	<0.2	2.15	2	<10	50	0.5	<2	0.10	<0.5	6	15	6	2.87	10
ZZ71973		0.24	<0.2	1.79	4	<10	50	<0.5	<2	0.06	<0.5	4	17	7	2.91	10
ZZ71974		0.32	<0.2	2.32	3	<10	50	0.7	<2	0.10	<0.5	5	16	6	2.70	10
ZZ71975		0.28	<0.2	1.97	<2	<10	50	0.5	<2	0.10	<0.5	5	16	7	2.89	10
ZZ71976		0.27	0.2	1.08	<2	<10	20	0.6	<2	0.24	<0.5	2	5	4	0.85	<10
ZZ71977		0.24	<0.2	2.18	4	<10	60	0.5	<2	0.04	<0.5	5	19	7	3.12	10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16-AUG-2013
Account: MTT

Project: Hy - Tung Zone

CERTIFICATE OF ANALYSIS WH13140523

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
ZZ71938		<1	0.10	20	0.39	248	<1	0.01	13	750	26	0.08	<2	2	57	<20
ZZ71939		<1	0.08	10	0.14	1145	1	0.01	3	750	13	0.06	<2	<1	7	<20
ZZ71940		<1	0.08	10	0.25	432	1	0.01	5	630	17	0.06	<2	1	8	<20
ZZ71941		<1	0.09	10	0.28	279	1	0.01	5	480	13	0.05	<2	1	7	<20
ZZ71942		<1	0.12	10	0.38	370	<1	0.01	6	610	26	0.05	<2	1	8	<20
ZZ71943		<1	0.08	10	0.27	260	1	0.01	4	520	22	0.04	<2	1	7	<20
ZZ71944		<1	0.09	10	0.30	507	1	0.01	5	370	14	0.04	<2	1	5	<20
ZZ71945		<1	0.09	10	0.32	271	<1	0.01	5	270	17	0.02	2	1	7	<20
ZZ71946		<1	0.08	10	0.35	361	<1	0.01	5	430	22	0.03	<2	1	8	<20
ZZ71947		<1	0.06	10	0.12	308	1	<0.01	4	450	18	0.04	<2	1	7	<20
ZZ71948		<1	0.07	10	0.16	231	2	<0.01	3	420	17	0.02	<2	<1	6	<20
ZZ71949		<1	0.10	10	0.41	416	1	0.01	12	580	29	0.04	<2	1	7	<20
ZZ71950		<1	0.09	10	0.45	367	<1	<0.01	6	500	15	0.04	<2	1	6	<20
ZZ71951		<1	0.10	20	0.52	396	<1	0.01	7	500	17	0.04	<2	2	7	<20
ZZ71952		<1	0.05	20	0.20	311	<1	0.03	13	1120	16	0.14	<2	1	58	<20
ZZ71953		<1	0.08	20	0.40	308	<1	<0.01	5	490	19	0.03	<2	2	5	<20
ZZ71954		<1	0.03	40	0.27	1695	1	0.20	37	3010	32	0.15	<2	2	426	<20
ZZ71955		<1	0.03	10	0.18	396	<1	0.03	17	830	10	0.08	<2	1	41	<20
ZZ71956		<1	0.06	20	0.39	721	<1	0.01	15	1330	27	0.10	<2	1	39	<20
ZZ71957		<1	0.08	50	0.50	600	<1	0.04	14	1440	24	0.09	2	2	82	<20
ZZ71958		<1	0.05	50	0.60	630	<1	0.08	26	2210	28	0.13	3	4	235	<20
ZZ71959		<1	0.06	30	0.18	514	<1	0.03	8	1500	16	0.12	<2	1	59	<20
ZZ71960		<1	0.09	10	0.30	574	<1	0.01	7	1070	22	0.07	<2	<1	15	<20
ZZ71961		<1	0.10	10	0.35	309	<1	0.01	6	500	16	0.05	<2	1	8	<20
ZZ71962		<1	0.07	20	0.35	187	1	<0.01	8	480	20	0.03	<2	1	8	<20
ZZ71963		<1	0.10	10	0.37	431	<1	0.01	4	570	14	0.03	<2	1	6	<20
ZZ71964		<1	0.14	20	0.49	419	<1	0.01	8	930	34	0.03	<2	3	10	<20
ZZ71965		<1	0.09	10	0.36	407	<1	0.01	8	720	25	0.06	<2	1	12	<20
ZZ71966		<1	0.11	20	0.42	355	<1	0.01	7	700	41	0.04	<2	2	10	<20
ZZ71967		<1	0.15	20	0.53	360	<1	0.01	11	520	65	0.05	<2	2	10	<20
ZZ71968		<1	0.05	10	0.15	144	1	0.01	5	540	36	0.05	<2	<1	18	<20
ZZ71969		<1	0.09	10	0.39	394	1	0.02	10	1010	51	0.08	2	1	43	<20
ZZ71970		<1	0.13	10	0.52	328	<1	0.01	13	490	20	0.04	<2	2	7	<20
ZZ71971		<1	0.11	10	0.54	405	<1	0.01	8	490	22	0.05	<2	2	7	<20
ZZ71972		<1	0.09	10	0.53	420	<1	0.01	6	520	35	0.04	<2	2	7	<20
ZZ71973		<1	0.07	10	0.37	318	1	0.01	7	430	26	0.05	<2	1	8	<20
ZZ71974		<1	0.07	20	0.40	374	1	0.01	6	510	65	0.03	2	1	9	<20
ZZ71975		<1	0.09	20	0.50	376	1	0.01	6	520	23	0.04	2	2	7	<20
ZZ71976		<1	0.04	10	0.12	169	<1	0.02	2	720	71	0.05	2	<1	13	<20
ZZ71977		<1	0.10	10	0.41	290	1	<0.01	7	470	34	0.04	<2	2	6	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16-AUG-2013
Account: MTT

Project: Hy - Tung Zone

CERTIFICATE OF ANALYSIS WH13140523

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Pb-OG46	Ag-OG46	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ti	Tl	U	V	W	Zn	Pb	Ag	Ag	Al	As	Ba	Be	Bi	Ca
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	10	1	10	2	0.001	1	0.01	0.01	0.2	10	0.05	0.01	0.01
ZZ71938		0.06	<10	20	24	<10	93			0.18	7.22	9.8	730	3.49	1.90	1.47
ZZ71939		0.03	<10	<10	23	<10	49			0.22	6.11	2.1	780	1.63	2.76	0.92
ZZ71940		0.05	<10	<10	24	10	80			0.12	6.45	2.1	730	1.94	2.75	0.94
ZZ71941		0.04	<10	<10	25	10	61			0.13	6.99	2.6	820	1.78	2.34	0.85
ZZ71942		0.06	<10	<10	24	10	81			0.18	7.17	2.2	780	2.11	3.10	0.83
ZZ71943		0.03	<10	<10	23	10	61			0.26	6.80	1.1	770	2.00	3.27	0.83
ZZ71944		0.04	<10	<10	32	<10	52			0.08	6.51	2.1	750	1.75	11.75	0.47
ZZ71945		0.06	<10	<10	25	10	78			0.07	6.96	1.1	890	2.03	4.40	0.86
ZZ71946		0.05	<10	<10	23	10	102			0.21	7.27	1.5	870	2.34	4.11	1.06
ZZ71947		0.05	<10	<10	33	<10	40			0.08	6.43	2.9	810	1.49	1.79	0.65
ZZ71948		0.04	<10	<10	36	10	36			0.13	6.66	2.0	830	1.74	2.08	0.57
ZZ71949		0.05	<10	<10	34	10	95			0.26	7.49	3.1	750	2.27	2.09	0.60
ZZ71950		0.06	<10	<10	35	<10	67			0.08	6.88	2.0	770	1.79	1.37	0.63
ZZ71951		0.08	<10	<10	37	<10	74			0.06	7.06	1.6	790	1.93	1.18	0.65
ZZ71952		0.03	<10	50	16	<10	75			0.21	6.94	7.6	640	3.63	1.11	1.98
ZZ71953		0.07	<10	<10	34	<10	54			0.04	7.15	1.2	800	1.75	2.17	0.64
ZZ71954		0.02	<10	10	20	10	138			0.09	8.38	3.9	660	4.08	1.03	4.69
ZZ71955		0.04	<10	<10	14	20	59			0.11	7.41	2.5	770	2.24	0.57	1.96
ZZ71956		0.03	<10	<10	34	<10	113			0.07	6.29	4.9	700	2.57	1.61	1.20
ZZ71957		0.04	<10	<10	36	<10	91			0.14	8.03	3.1	830	3.28	0.70	2.63
ZZ71958		0.06	<10	<10	35	<10	112			0.24	7.88	15.6	560	3.95	0.81	3.08
ZZ71959		0.03	<10	90	16	<10	75			0.41	7.54	9.8	720	2.87	0.62	2.07
ZZ71960		0.03	<10	<10	28	10	74			0.15	7.05	3.3	700	2.08	1.75	0.91
ZZ71961		0.05	<10	<10	27	10	168			0.13	7.09	2.4	760	1.94	2.92	0.77
ZZ71962		0.05	<10	<10	35	<10	61			0.10	6.80	5.3	760	1.69	1.57	0.61
ZZ71963		0.04	<10	<10	29	10	54			0.15	7.33	1.8	820	1.82	2.67	0.76
ZZ71964		0.07	<10	<10	27	10	126			0.13	8.16	2.3	810	2.54	4.30	0.94
ZZ71965		0.05	<10	<10	33	10	84			0.07	7.31	2.7	700	2.21	2.86	0.76
ZZ71966		0.06	<10	<10	24	10	100			0.30	7.73	1.9	780	2.74	3.64	0.90
ZZ71967		0.07	<10	<10	35	10	131			0.15	8.00	3.3	790	2.80	3.57	0.65
ZZ71968		0.04	<10	<10	41	<10	31			0.09	6.14	3.2	680	1.76	0.84	0.81
ZZ71969		0.03	<10	10	34	10	83			0.17	8.18	6.9	680	2.43	1.66	1.42
ZZ71970		0.07	<10	<10	32	<10	86			0.09	7.83	2.7	800	2.72	1.26	0.65
ZZ71971		0.07	<10	<10	38	<10	80			0.08	7.92	1.8	790	2.02	1.61	0.64
ZZ71972		0.07	<10	<10	37	<10	78			0.06	7.47	1.4	780	2.03	1.22	0.74
ZZ71973		0.07	<10	<10	41	<10	71			0.07	6.87	3.4	740	1.75	1.05	0.59
ZZ71974		0.06	<10	<10	40	<10	87			0.12	7.54	2.4	770	2.10	1.33	0.69
ZZ71975		0.07	<10	<10	38	<10	75			0.08	7.63	1.5	840	2.02	1.55	0.74
ZZ71976		0.03	<10	<10	12	<10	53			0.21	7.25	2.2	810	1.71	0.71	1.64
ZZ71977		0.06	<10	<10	43	<10	71			0.08	7.06	3.5	710	1.64	1.48	0.53

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16-AUG-2013
Account: MTT

Project: Hy - Tung Zone

CERTIFICATE OF ANALYSIS WH13140523

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%
	LOR	0.02	0.01	0.1	1	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01
ZZ71938		0.24	99.3	6.8	44	11.95	15.3	2.89	20.6	0.20	1.8	0.066	2.66	49.3	94.1	0.56
ZZ71939		0.16	68.6	3.9	20	5.75	8.5	2.16	18.50	0.16	2.1	0.079	2.39	34.6	26.6	0.32
ZZ71940		0.37	89.2	4.3	19	4.54	8.0	2.61	18.15	0.18	1.5	0.124	2.39	43.9	33.6	0.35
ZZ71941		0.16	74.5	4.2	25	5.51	10.3	2.48	20.3	0.17	2.1	0.088	2.46	38.1	40.2	0.46
ZZ71942		0.36	81.7	5.5	21	4.82	9.9	2.45	18.60	0.17	1.4	0.093	2.66	40.3	48.1	0.47
ZZ71943		0.22	75.8	3.4	16	4.83	7.4	2.32	20.1	0.16	1.5	0.108	2.63	38.5	39.8	0.36
ZZ71944		0.12	69.5	4.3	31	7.59	7.0	2.59	21.0	0.15	1.7	0.062	2.87	35.5	35.6	0.41
ZZ71945		0.16	86.8	3.2	17	5.94	5.8	2.27	22.3	0.19	1.6	0.126	3.00	43.6	36.9	0.40
ZZ71946		0.25	89.1	4.7	18	5.08	8.0	2.60	20.5	0.18	1.8	0.158	2.91	44.5	46.0	0.46
ZZ71947		0.19	86.0	3.5	35	8.96	7.7	2.40	21.1	0.19	2.4	0.079	2.43	43.4	26.6	0.29
ZZ71948		0.07	89.3	2.8	26	7.88	6.7	2.47	24.8	0.19	2.0	0.075	2.84	45.1	27.2	0.29
ZZ71949		0.18	78.4	6.3	31	10.85	12.3	3.47	21.9	0.17	1.7	0.087	2.57	38.5	52.6	0.53
ZZ71950		0.19	83.9	4.9	25	5.40	7.9	3.43	20.9	0.18	1.8	0.076	2.55	41.0	46.0	0.53
ZZ71951		0.26	85.1	5.8	29	5.19	8.1	3.17	19.90	0.17	1.8	0.072	2.59	43.1	48.6	0.57
ZZ71952		0.25	53.4	7.9	24	9.94	24.7	2.41	16.85	0.17	2.8	0.036	1.64	37.0	77.8	0.53
ZZ71953		0.15	78.2	4.5	26	4.73	7.2	2.92	19.95	0.17	1.9	0.072	2.65	39.5	37.3	0.48
ZZ71954		0.60	144.0	28.4	42	6.77	25.7	4.35	21.5	0.25	1.2	0.065	1.16	71.4	126.5	0.84
ZZ71955		0.17	61.5	13.7	16	5.20	20.1	2.48	18.25	0.15	3.1	0.032	1.88	30.5	63.5	0.58
ZZ71956		0.36	85.2	9.0	47	12.00	11.9	3.43	19.35	0.18	2.0	0.068	1.86	41.7	71.2	0.60
ZZ71957		0.27	135.0	15.3	59	7.29	17.4	3.73	21.5	0.22	1.9	0.053	2.40	66.9	107.0	0.74
ZZ71958		0.60	119.0	14.6	59	6.73	17.6	4.31	18.25	0.23	1.7	0.066	1.37	68.9	78.5	0.85
ZZ71959		0.35	55.3	7.3	28	9.92	28.4	2.15	18.10	0.17	2.9	0.028	1.96	49.6	44.1	0.53
ZZ71960		0.14	72.9	4.7	35	8.82	11.5	2.63	19.90	0.16	2.0	0.061	2.46	35.7	38.3	0.47
ZZ71961		0.29	79.4	4.5	26	4.92	9.0	2.78	20.2	0.17	1.8	0.136	2.53	38.8	38.3	0.46
ZZ71962		0.12	87.5	4.9	54	5.58	8.5	2.79	19.65	0.17	2.3	0.072	2.11	43.6	35.6	0.58
ZZ71963		0.10	76.4	4.1	21	5.29	10.1	2.76	22.9	0.16	1.9	0.076	2.72	38.6	36.4	0.49
ZZ71964		0.22	90.0	5.9	28	5.73	10.6	2.77	20.3	0.19	1.6	0.131	2.91	44.0	48.5	0.56
ZZ71965		0.32	88.6	5.7	30	6.05	10.6	3.29	22.0	0.18	1.6	0.084	2.34	41.1	40.1	0.46
ZZ71966		0.31	90.9	5.3	25	4.99	10.3	2.40	18.45	0.19	1.6	0.100	2.71	44.7	43.1	0.50
ZZ71967		0.36	97.1	6.3	40	7.21	13.5	3.50	22.4	0.20	1.7	0.171	2.80	47.8	54.6	0.65
ZZ71968		0.13	79.8	3.1	42	6.41	7.4	1.87	22.3	0.17	3.0	0.046	1.85	40.6	20.2	0.35
ZZ71969		0.30	60.9	6.5	32	11.35	16.4	2.63	22.2	0.15	2.6	0.058	1.86	29.8	37.6	0.61
ZZ71970		0.20	92.4	8.1	44	7.00	14.5	3.28	20.7	0.16	1.9	0.061	2.73	45.6	55.4	0.69
ZZ71971		0.23	82.1	6.2	32	5.40	8.2	3.00	20.1	0.17	1.9	0.061	2.68	39.9	43.9	0.63
ZZ71972		0.21	90.0	5.8	28	4.98	7.4	3.16	21.3	0.19	2.1	0.067	2.69	43.7	43.7	0.61
ZZ71973		0.32	77.8	5.1	40	5.85	9.2	3.32	21.4	0.17	2.3	0.064	2.28	39.2	34.8	0.53
ZZ71974		0.19	86.5	5.1	35	5.48	8.0	2.99	20.6	0.18	2.4	0.077	2.42	43.6	38.8	0.52
ZZ71975		0.31	90.2	5.2	30	5.54	8.6	3.15	21.8	0.18	2.0	0.074	2.87	45.0	41.4	0.59
ZZ71976		0.20	42.6	4.7	12	3.50	15.8	1.83	17.85	0.15	3.3	0.022	2.04	22.8	25.5	0.47
ZZ71977		0.19	69.2	5.3	40	6.61	10.0	3.61	23.3	0.17	2.3	0.068	2.25	34.7	40.0	0.60

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16-AUG-2013
Account: MTT

Project: Hy - Tung Zone

CERTIFICATE OF ANALYSIS WH13140523

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Mn	Mo	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	5	0.05	0.01	0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2
ZZ71938		366	0.59	1.07	19.0	16.2	1070	40.2	173.0	0.003	0.08	0.35	9.7	2	5.4	253
ZZ71939		1320	1.05	1.24	14.9	5.5	1600	24.1	141.0	0.003	0.06	0.40	6.0	1	4.4	226
ZZ71940		613	1.06	1.16	13.4	6.8	1130	28.8	138.0	0.002	0.05	0.37	6.0	1	4.6	178.0
ZZ71941		429	1.29	1.34	16.6	7.6	1150	24.5	142.0	0.002	0.05	0.42	7.2	1	5.2	221
ZZ71942		487	0.79	1.26	16.1	7.6	940	39.4	152.5	0.002	0.04	0.31	7.4	1	6.0	174.0
ZZ71943		392	0.84	1.29	16.7	5.0	1050	36.2	156.5	0.002	0.04	0.29	6.8	1	6.6	184.5
ZZ71944		589	1.14	0.91	17.9	6.4	770	24.8	170.5	0.002	0.03	0.33	7.6	1	5.3	121.5
ZZ71945		399	0.76	1.35	19.6	4.7	640	30.4	167.0	0.002	0.02	0.34	7.3	1	6.8	202
ZZ71946		549	1.05	1.43	17.5	6.3	840	38.9	159.5	0.002	0.03	0.31	7.2	1	6.1	222
ZZ71947		478	2.93	0.92	22.0	7.2	1020	29.1	157.0	0.003	0.05	0.60	7.6	1	5.3	143.0
ZZ71948		372	13.10	1.00	21.2	5.6	1290	30.8	169.0	0.004	0.03	0.38	7.4	1	6.7	148.0
ZZ71949		535	1.64	1.10	19.2	15.0	1180	41.8	163.5	0.002	0.05	0.41	8.6	1	5.1	147.0
ZZ71950		467	1.33	1.17	18.0	8.3	1080	27.8	148.5	0.002	0.04	0.36	8.0	1	4.3	148.0
ZZ71951		479	1.27	1.20	17.8	9.2	900	30.1	146.5	0.002	0.04	0.31	8.7	1	3.6	145.0
ZZ71952		521	1.23	1.61	9.7	16.6	1580	22.0	65.0	0.002	0.15	0.47	6.4	2	2.4	413
ZZ71953		410	1.19	1.21	17.4	6.8	910	33.5	139.0	0.002	0.04	0.24	8.1	1	3.6	148.5
ZZ71954		2060	1.92	0.64	17.7	42.9	3210	37.6	69.5	0.002	0.15	0.27	10.9	2	7.2	1075
ZZ71955		660	1.23	2.01	9.2	21.1	1220	18.1	62.3	0.002	0.08	0.50	6.0	1	2.2	504
ZZ71956		828	0.82	0.80	17.8	19.2	2140	36.0	120.5	0.003	0.10	0.55	9.1	1	4.9	269
ZZ71957		728	0.67	1.01	19.0	16.1	2170	36.0	132.5	<0.002	0.09	0.32	12.0	2	4.8	497
ZZ71958		736	0.69	0.79	18.7	29.5	2750	33.2	82.9	0.002	0.14	0.47	14.4	2	3.4	571
ZZ71959		738	1.27	1.84	9.7	11.0	1900	22.8	79.2	0.002	0.12	0.52	7.5	2	1.8	419
ZZ71960		700	1.52	1.05	26.0	9.0	1880	32.5	156.0	0.002	0.07	0.53	7.7	1	4.7	194.5
ZZ71961		433	1.12	1.15	16.4	7.2	1060	27.0	138.5	<0.002	0.05	0.39	7.0	1	5.1	172.0
ZZ71962		301	1.86	1.01	19.3	12.2	960	28.6	116.0	<0.002	0.03	0.62	9.3	1	3.8	143.0
ZZ71963		527	1.59	1.39	17.3	5.3	1180	24.4	144.5	<0.002	0.03	0.36	7.2	1	6.6	195.0
ZZ71964		539	1.04	1.33	17.4	9.6	1160	48.0	158.0	<0.002	0.03	0.35	8.2	1	5.6	181.0
ZZ71965		504	1.04	1.10	17.1	10.1	1200	36.7	132.5	<0.002	0.06	0.35	7.4	1	4.7	178.0
ZZ71966		469	0.86	1.37	16.0	8.7	950	52.2	143.5	0.002	0.03	0.31	7.4	1	5.2	184.5
ZZ71967		458	1.56	0.98	19.3	12.8	940	73.5	158.0	<0.002	0.05	0.39	9.6	1	5.3	146.5
ZZ71968		263	2.05	1.01	21.3	7.4	1290	42.3	98.7	<0.002	0.05	0.61	7.7	1	3.6	162.5
ZZ71969		510	2.52	1.17	14.8	12.5	1380	55.5	104.5	<0.002	0.08	0.59	8.3	1	3.0	213
ZZ71970		458	1.54	1.18	16.9	15.6	880	32.3	145.0	<0.002	0.05	0.44	9.3	1	4.0	163.5
ZZ71971		502	1.22	1.28	18.4	10.0	980	34.6	147.0	0.002	0.05	0.35	9.2	1	3.3	150.0
ZZ71972		522	1.32	1.38	18.4	8.0	880	50.3	140.5	<0.002	0.04	0.33	8.6	1	3.4	164.0
ZZ71973		437	2.53	1.17	19.9	10.0	930	35.7	128.5	<0.002	0.05	0.56	8.1	1	3.2	145.0
ZZ71974		482	2.01	1.36	20.1	8.6	1060	77.0	129.5	<0.002	0.03	0.44	8.6	1	3.5	152.5
ZZ71975		485	2.09	1.39	18.7	7.5	900	37.8	150.5	<0.002	0.04	0.31	8.8	1	3.6	164.0
ZZ71976		433	1.86	2.25	7.9	5.3	1050	74.0	64.9	<0.002	0.05	0.48	4.4	1	1.3	465
ZZ71977		402	2.36	0.93	19.0	9.9	990	44.2	128.0	<0.002	0.05	0.45	9.1	1	3.3	138.0

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16-AUG-2013
Account: MTT

Project: Hy - Tung Zone

CERTIFICATE OF ANALYSIS WH13140523

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Ag-OG62	Pb-OG62
	Analyte	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr	Ag	Pb
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.05	0.05	0.2	0.005	0.02	0.1	1	0.1	0.1	2	0.5	1	0.001
ZZ71938		1.83	<0.05	17.3	0.322	0.92	29.6	56	5.7	22.6	116	60.2		
ZZ71939		1.23	<0.05	11.6	0.282	0.80	3.0	50	8.5	8.6	67	71.0		
ZZ71940		1.18	0.06	16.1	0.247	0.84	3.6	43	12.5	12.5	91	49.5		
ZZ71941		1.35	0.06	13.2	0.311	0.87	3.0	58	15.4	9.9	77	73.8		
ZZ71942		1.43	0.06	15.8	0.264	0.91	3.0	45	20.5	12.2	89	44.7		
ZZ71943		1.44	0.05	13.7	0.265	0.90	2.6	45	24.0	10.1	70	47.7		
ZZ71944		1.60	0.10	12.7	0.311	0.99	2.7	59	6.8	8.8	57	57.0		
ZZ71945		1.66	0.05	11.9	0.308	1.05	2.5	47	12.4	10.6	84	53.7		
ZZ71946		1.49	0.05	14.3	0.282	0.98	3.5	45	17.3	13.0	124	56.4		
ZZ71947		1.71	<0.05	13.1	0.394	0.83	3.1	79	9.1	10.7	56	81.6		
ZZ71948		1.79	<0.05	13.7	0.371	1.09	2.9	71	11.6	9.7	48	67.9		
ZZ71949		1.60	0.06	16.7	0.341	0.90	4.0	65	8.2	11.2	113	57.9		
ZZ71950		1.50	0.07	16.9	0.324	0.84	3.3	59	4.9	11.2	77	59.2		
ZZ71951		1.43	0.06	17.6	0.336	0.86	3.6	61	5.4	14.4	83	57.3		
ZZ71952		0.81	<0.05	8.1	0.251	0.38	54.9	47	3.3	29.9	116	97.8		
ZZ71953		1.41	<0.05	15.5	0.344	0.83	3.5	57	4.3	12.5	66	60.2		
ZZ71954		1.32	0.11	17.9	0.377	0.46	15.3	67	3.3	29.5	212	38.9		
ZZ71955		0.73	<0.05	8.4	0.260	0.40	6.4	45	10.2	14.6	103	115.0		
ZZ71956		2.06	<0.05	13.2	0.370	0.72	5.1	76	2.2	15.0	146	65.4		
ZZ71957		1.54	0.05	25.1	0.412	0.66	7.3	64	2.8	28.0	120	58.7		
ZZ71958		1.81	0.06	19.7	0.387	0.47	9.5	74	2.0	41.3	137	54.6		
ZZ71959		0.79	<0.05	11.0	0.245	0.46	88.0	49	3.7	32.7	129	101.5		
ZZ71960		5.57	0.05	15.3	0.304	0.76	5.3	57	11.0	11.7	94	64.5		
ZZ71961		1.39	0.05	15.3	0.286	0.77	3.1	52	17.4	11.3	211	56.3		
ZZ71962		1.45	<0.05	15.7	0.385	0.71	3.1	86	8.9	13.2	73	77.6		
ZZ71963		1.41	0.06	14.1	0.281	0.91	2.7	55	16.7	10.8	63	59.5		
ZZ71964		1.46	0.05	20.3	0.277	0.94	3.9	49	17.8	15.4	139	46.4		
ZZ71965		1.41	0.06	18.4	0.286	0.78	3.6	56	9.2	11.2	96	50.5		
ZZ71966		1.34	0.05	18.1	0.263	0.86	3.9	46	17.8	14.8	110	47.8		
ZZ71967		1.53	0.07	20.5	0.336	0.87	4.8	65	15.6	14.2	139	57.0		
ZZ71968		1.59	<0.05	12.7	0.421	0.61	4.1	89	3.1	11.4	45	101.0		
ZZ71969		1.08	<0.05	15.0	0.294	0.62	8.4	76	7.0	13.9	113	83.7		
ZZ71970		1.46	<0.05	17.9	0.329	0.85	4.3	63	7.7	11.9	106	61.5		
ZZ71971		1.44	0.07	18.2	0.328	0.84	3.7	63	3.3	14.1	93	58.8		
ZZ71972		1.53	<0.05	19.3	0.321	0.86	3.6	60	2.5	14.2	92	62.4		
ZZ71973		1.42	<0.05	15.5	0.367	0.73	3.3	80	2.9	11.6	87	78.3		
ZZ71974		1.55	0.05	17.1	0.356	0.78	4.0	72	3.4	14.7	102	76.3		
ZZ71975		1.47	0.05	19.8	0.350	0.89	3.9	64	5.0	14.4	87	59.9		
ZZ71976		0.60	<0.05	6.6	0.210	0.38	4.8	37	4.3	9.5	109	118.0		
ZZ71977		1.46	0.05	14.6	0.370	0.70	3.3	79	3.3	10.3	87	76.9		

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16-AUG-2013
Account: MTT

Project: Hy - Tung Zone

CERTIFICATE OF ANALYSIS WH13140523

Sample Description	Method / Analyte / Units / LOR	WEI-21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
ZZ71978		0.22	<0.2	1.67	4	<10	40	<0.5	<2	0.05	<0.5	3	15	5	2.45	10
ZZ71979		0.26	<0.2	1.60	<2	<10	60	1.0	<2	0.15	<0.5	4	12	5	1.88	10
ZZ71980		0.20	<0.2	1.91	<2	<10	50	0.5	<2	0.06	<0.5	4	15	6	2.28	10
ZZ71981		0.29	0.2	2.68	2	<10	50	0.6	<2	0.08	<0.5	6	20	8	3.63	10
ZZ71982		0.23	<0.2	2.37	6	<10	50	0.8	3	0.10	<0.5	8	21	12	2.78	10
ZZ71983		0.29	0.8	2.45	10	<10	80	3.5	32	0.66	1.5	9	18	25	2.44	10
ZZ71984		0.27	<0.2	2.32	2	<10	60	2.1	4	0.09	<0.5	12	24	14	3.34	10

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16-AUG-2013
Account: MTT

Project: Hy - Tung Zone

CERTIFICATE OF ANALYSIS WH13140523

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
	Units	ppm	%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOR	1	0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20
ZZ71978		<1	0.08	10	0.24	271	<1	<0.01	5	550	19	0.04	<2	1	6	<20
ZZ71979		<1	0.07	10	0.31	284	1	0.01	6	500	51	0.05	<2	1	11	<20
ZZ71980		<1	0.09	10	0.38	466	<1	<0.01	5	550	15	0.05	<2	1	5	<20
ZZ71981		<1	0.10	20	0.52	390	<1	<0.01	8	580	23	0.04	<2	3	6	<20
ZZ71982		1	0.10	20	0.46	384	1	<0.01	13	660	30	0.05	<2	1	10	<20
ZZ71983		1	0.13	40	0.51	749	<1	0.01	15	1130	91	0.03	<2	3	37	<20
ZZ71984		<1	0.09	20	0.56	495	<1	0.01	20	610	40	0.02	<2	3	7	<20

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16-AUG-2013
Account: MTT

Project: Hy - Tung Zone

CERTIFICATE OF ANALYSIS WH13140523

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	Pb-OG46	Ag-OG46	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Ti	Tl	U	V	W	Zn	Pb	Ag	Ag	Al	As	Ba	Be	Bi	Ca
	Units	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%
	LOR	0.01	10	10	1	10	2	0.001	1	0.01	0.01	0.2	10	0.05	0.01	0.01
ZZ71978		0.05	<10	<10	37	<10	44			0.10	6.73	1.7	750	1.62	0.96	0.60
ZZ71979		0.04	<10	<10	27	10	88			0.20	7.69	2.3	830	2.44	1.51	1.15
ZZ71980		0.06	<10	<10	29	<10	54			0.17	7.47	1.4	830	1.81	1.21	0.74
ZZ71981		0.08	<10	<10	41	<10	71			0.07	7.56	1.3	770	1.99	1.50	0.66
ZZ71982		0.05	<10	<10	31	10	101			0.12	7.37	4.4	730	2.85	1.69	0.68
ZZ71983		0.05	<10	40	26	30	669			0.86	8.80	9.6	840	5.65	32.4	2.31
ZZ71984		0.02	<10	<10	24	<10	85			0.06	9.21	2.8	740	6.29	2.55	0.34

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16-AUG-2013
Account: MTT

Project: Hy - Tung Zone

CERTIFICATE OF ANALYSIS WH13140523

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Cd	Ce	Co	Cr	Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg
	Units	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%
	LOR	0.02	0.01	0.1	1	0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01
ZZ71978		0.09	73.1	3.8	33	5.58	7.2	2.80	20.3	0.16	2.2	0.051	2.41	36.7	25.6	0.37
ZZ71979		0.29	67.2	5.4	26	7.55	12.5	2.64	21.0	0.15	2.8	0.057	2.46	35.3	44.5	0.58
ZZ71980		0.31	85.2	4.7	28	4.99	9.1	2.75	20.2	0.19	2.1	0.054	2.82	40.9	36.6	0.52
ZZ71981		0.19	86.9	5.2	28	4.45	8.6	3.82	19.65	0.19	1.8	0.071	2.70	42.0	41.1	0.58
ZZ71982		0.21	93.1	7.5	41	6.28	12.7	2.89	19.55	0.18	1.9	0.064	2.61	43.5	45.6	0.59
ZZ71983		1.62	124.5	9.4	26	12.05	27.4	2.84	24.0	0.27	1.5	0.793	3.00	72.8	65.7	0.62
ZZ71984		0.14	91.9	12.4	53	8.59	14.8	3.53	27.6	0.19	1.7	0.063	3.37	42.7	53.8	0.74

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16-AUG-2013
Account: MTT

Project: Hy - Tung Zone

CERTIFICATE OF ANALYSIS WH13140523

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61
	Analyte	Mn	Mo	Na	Nb	Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr
	Units	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOR	5	0.05	0.01	0.1	0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2
ZZ71978		367	1.56	1.14	19.5	6.6	1310	30.1	139.0	<0.002	0.05	0.42	7.4	1	3.1	144.5
ZZ71979		481	2.50	1.72	15.0	8.8	1010	63.0	117.5	<0.002	0.06	0.44	7.6	1	2.6	299
ZZ71980		599	1.28	1.37	16.9	7.2	1100	30.9	148.5	<0.002	0.06	0.31	8.4	1	3.1	184.0
ZZ71981		462	0.95	1.21	16.1	7.2	890	35.4	136.0	0.002	0.04	0.25	8.5	1	3.0	141.5
ZZ71982		475	1.29	1.04	17.3	13.2	1030	39.3	151.0	<0.002	0.04	0.51	8.8	1	4.5	160.0
ZZ71983		1010	0.99	1.51	16.7	16.2	1280	100.5	171.0	<0.002	0.03	0.56	9.7	2	7.1	294
ZZ71984		544	1.11	0.92	22.4	19.4	710	51.2	206	<0.002	0.01	0.40	12.4	1	5.8	118.5

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16-AUG-2013
Account: MTT

Project: Hy - Tung Zone

CERTIFICATE OF ANALYSIS WH13140523

Sample Description	Method	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Ag-OG62	Pb-OG62
	Analyte	Ta	Te	Th	Ti	Tl	U	V	W	Y	Zn	Zr	Ag	Pb
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%
	LOR	0.05	0.05	0.2	0.005	0.02	0.1	1	0.1	0.1	2	0.5	1	0.001
ZZ71978		1.52	<0.05	14.7	0.353	0.70	3.4	68	4.7	11.1	53	72.2		
ZZ71979		1.14	<0.05	13.9	0.309	0.63	7.7	58	15.0	14.1	142	96.7		
ZZ71980		1.37	0.05	18.8	0.313	0.84	3.8	53	5.0	13.3	70	67.3		
ZZ71981		1.29	<0.05	20.3	0.300	0.79	3.5	55	4.0	13.6	76	51.4		
ZZ71982		1.64	<0.05	17.6	0.303	0.79	5.2	63	12.3	14.3	112	60.0		
ZZ71983		1.38	0.21	23.0	0.262	1.02	39.8	52	38.5	43.8	797	42.4		
ZZ71984		2.24	<0.05	21.6	0.334	1.16	5.6	59	5.6	16.7	90	52.8		

***** See Appendix Page for comments regarding this certificate *****

ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: **STRATEGIC METALS LTD.**
C/O ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
1016-510 W HASTINGS ST
VANCOUVER BC V6B 1L8

Finalized Date: 16-AUG-2013
Account: MTT

Project: Hy - Tung Zone

CERTIFICATE OF ANALYSIS WH13140523

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method: REE's may not be totally soluble in this method.
ME-MS61

Applies to Method: Interference: Samples with Ca>10% on ICP-MS As. ICP-AES As results reported (5 ppm DL)
ME-MS61

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Whitehorse located at 78 Mt. Sima Rd, Whitehorse, YT, Canada.

LOG-22	SCR-41	WEI-21	

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.

Ag-OG46	Ag-OG62	ME-ICP41	ME-MS61
ME-OG46	ME-OG62	Pb-OG46	Pb-OG62

APPENDIX IV

ROCK SAMPLE DESCRIPTIONS

Rock Sample Descriptions Property: Hy-Dusty

Sample Number:	L814957	UTM:	514852	mE	Nad83, Zone 9
Elevation:	1490 m	UTM:	6793303	mN	
Comments:	1.0 m outcrop chip sample of granodiorite with galena-magnetite mineralization as massive.				

Sample Number:	L814958	UTM:	514852	mE	Nad83, Zone 9
Elevation:	1490 m	UTM:	6793303	mN	
Comments:	1.0 m chip sample, outcrop. Galena-magnetite mineralized skarn hosting at GRD				

Sample Number:	L814959	UTM:	514852	mE	Nad83, Zone 9
Elevation:	1490 m	UTM:	6793303	mN	
Comments:	1.0 m Orange/red gougey granular GRD weathered rock.				

Sample Number:	L841957	UTM:	514852	mE	Nad83, Zone 9
Elevation:	1490 m	UTM:	6793303	mN	
Comments:	1.0 m outcrop chip sample of granodiorite with galena-magnetite mineralization as massive.				

Sample Number:	L841958	UTM:	514852	mE	Nad83, Zone 9
Elevation:	1490 m	UTM:	6793303	mN	
Comments:	1.0 m chip sample, outcrop. Galena-magnetite mineralized skarn hosting at GRD				

Sample Number:	L841959	UTM:	514852	mE	Nad83, Zone 9
Elevation:	1490 m	UTM:	6793303	mN	
Comments:	1.0 m Orange/red gougey granular GRD weathered rock.				

Sample Number:	L841960	UTM:	514852	mE	Nad83, Zone 9
Elevation:	1491 m	UTM:	6793303	mN	
Comments:	1.0 m Orange/red gougey granular GRD weathered rock.				

Rock Sample Descriptions Property: Hy-Dusty

Sample Number:	L841961	UTM:	514852	mE	Nad83, Zone 9
Elevation:	1492 m	UTM:	6793303	mN	
Comments:	1.0 m Orange/red gougey granular GRD weathered rock.				

Sample Number:	L841962	UTM:	514850	mE	Nad83, Zone 9
Elevation:	1486 m	UTM:	6793305	mN	
Comments:	1.0 m Orange/red gougey granular GRD weathered rock. Some blue-grey granular weathered rock				

Sample Number:	L841963	UTM:	514850	mE	Nad83, Zone 9
Elevation:	1483 m	UTM:	6793305	mN	
Comments:	1.0 m Orange/red gougey granular GRD weathered rock.				

Sample Number:	L841964	UTM:	514846	mE	Nad83, Zone 9
Elevation:	1493 m	UTM:	6793305	mN	
Comments:	75 cm chip sample at 220 azimuth. Light grey, calcareous skarn hosting bands of disseminated galena and pyrite (3-5%). Rep taken.				

Sample Number:	L841965	UTM:	514826	mE	Nad83, Zone 9
Elevation:	1505 m	UTM:	6793308	mN	
Comments:	50 cm chip sample at 220 azimuth of epidote skarn hosting massive magnetite>galena>blackjack sphalerite. Rep taken.				

Sample Number:	L841966	UTM:	514854	mE	Nad83, Zone 9
Elevation:	1493 m	UTM:	6793306	mN	
Comments:	1.4 m chip sample at 258 azimuth of limonite weathered, dark blue black massive magnetite>galena +/- Cpy, +/- Py +/- epidote. Rep taken.				

Sample Number:	L841967	UTM:	514853	mE	Nad83, Zone 9
Elevation:	1500 m	UTM:	6793299	mN	
Comments:	40 cm chip sample at 258 azimuth of white felsic dyke, mafic poor. Orientation 165/07 W. Rep taken.				

Rock Sample Descriptions Property: Hy-Dusty

Sample Number:	L841968	UTM:	514846	mE	Nad83, Zone 9
Elevation:	1493 m	UTM:	6793308	mN	

Comments: 2.4 m chip sample at 258 azimuth of epidote skarn hosting massive magnetite>galena (5%). Dirty limestone 1.5 m to the north, partially exposed. Rep taken.

Sample Number:	L860751	UTM:	514851	mE	Nad83, Zone 9
Elevation:	1490 m	UTM:	6793303	mN	

Comments: Subcrop. 40 cm boulder, football sized sample. Very altered, limonite stained, breccia. Clasts are sub-angular to rounded , matrix is cemented-non calcareous. Clasts appear to be meta-seds. Found as local float (2m uphill is most likely source. In magnetite horizon) Pic and rep

Sample Number:	L860752	UTM:	514849	mE	Nad83, Zone 9
Elevation:	1490 m	UTM:	6793306	mN	

Comments: Subcrop-2m uphill is source. 45 cm angular boulder. Weathers limonite red/brown. Fresh is dark grey-> black 75-85% medium grained magnetite, remainder is galena with blackjack spahlerite and with yellow Zn oxide (~4%). Pic and Rep taken. 12 m by 10 m showing.

Sample Number:	L860753	UTM:	514854	mE	Nad83, Zone 9
Elevation:	1496 m	UTM:	6793266	mN	

Comments: Outcrop. Dark grey/black medium grained massive magnetite, galena, and blackjack sphalerite. Majority is magnetite. Rep taken. Area is 12 m by 10 m showing with oxidized rocks. May follow up with hand trenching.

Sample Number:	L860754	UTM:	514793	mE	Nad83, Zone 9
Elevation:	1520 m	UTM:	6793327	mN	

Comments: Grab sample. Local (local topo high) ridge. Very weathered and pitted. Limonite stained, 3-5% malachite, possible intrusive and/or conglomerate-like fault. Rep taken. Football sized sample. Old red flagging at same spot.

Rock Sample Descriptions Property: Hy-Dusty

Sample Number:	L860755	UTM:	515171	mE	Nad83, Zone 9
Elevation:	1393 m	UTM:	6792993	mN	

Comments: Subcrop. Football sized sample, k-feldspar band hosting possible scheelite-most likely beryl in a grey limestone boulder. Felsic* intrusive adjacent to subcrop. Rep and photo. Location is historic trench, water is 40 m away. 6 ft wide flowing.

Sample Number:	L860756	UTM:	515181	mE	Nad83, Zone 9
Elevation:	1390 m	UTM:	6792984	mN	

Comments: Historic trench first sized grab sample. Azurite and malachite coated quartz rich intrusive hosting chalcopyrite (20%) and galena (5%).

Sample Number:	L860757	UTM:	515191	mE	Nad83, Zone 9
Elevation:	1388 m	UTM:	6792997	mN	

Comments: Historic trench football sized grab sample. Green and pink feldspar rock hosting euhedral, red/brown amber coloured, traslucednt, adamantine luster, elongated (1.5 cm) beryl (or amybe scheelite?). Scratches glass. Found at contact of limestone and felsic* intrusive dyke.

Sample Number:	L860758	UTM:	515192	mE	Nad83, Zone 9
Elevation:	1395 m	UTM:	6793002	mN	

Comments: Historical trench outcrop sample (large fist sized) of magnetite-epidote skarn hosted adjacent to *felsic intrusion. 2 x 3 m outcrop, 2% chalcopyrite, majority is magnetite.

Sample Number:	L860759	UTM:	515172	mE	Nad83, Zone 9
Elevation:	1388 m	UTM:	6792987	mN	

Comments: Outcrop at historic trench at SE-Dusty-22 (2007 sample G087249). At contact between limestone and *felsic dyke. Steeply dipping bands of epidote, k-feldspar, barite? With grading to a quartz rich band (approx 30cm thick) hosting near cubic blackjack sphalerite, galena, and abundant chalcopyrite. No rep, photo taken.

Rock Sample Descriptions Property: Hy-Dusty

Sample Number:	L860760	UTM:	514981	mE	Nad83, Zone 9
Elevation:	1541 m	UTM:	6792644	mN	

Comments: Outcrop. 20 cm chip sample of oxidized mica schist lens between thick beds of light grey limestone. Lens pinches and swells, but oxidation is stratabound. Pic and rep taken.

Sample Number:	L860761	UTM:	515024	mE	Nad83, Zone 9
Elevation:	1546 m	UTM:	6792676	mN	

Comments: Outcrop. 20 cm chip sample of oxidized mica schist lens between thick beds of light grey limestone. Lens pinches and swells, but oxidation is stratabound. No rep, no pic.

Sample Number:	L860762	UTM:	515378	mE	Nad83, Zone 9
Elevation:	1565 m	UTM:	6792479	mN	

Comments: Grab sample. Heavy, quartz rich meta seds. Irredescent tarnish, rusty weathering hosting ~3% py. Rep, no photo.

Sample Number:	L860763	UTM:	514772	mE	Nad83, Zone 9
Elevation:	1466 m	UTM:	6792901	mN	

Comments: 45 cm chip sample of epidote, beryl (?), orthoclase skarn hosting massive sulphides (~20 cm true thickness) chalcopyrite>bornite>magnetite +/- pyrhotite?. Sample taken ~perpendicular to mineralizaition dip. Mineralization trending at 070/52 S. Large rep taken. On outcrop west side of Jane Creek. Old (2007) flagging at site. Chip sample included calc-silicate rock (see L860764), which was noticed stratigraphically above the mineralization.

Sample Number:	L860764	UTM:	514759	mE	Nad83, Zone 9
Elevation:	1459 m	UTM:	6792898	mN	

Comments: 75 cm chip sample of calc-silicate skarn (epidote, orthoclase, beryl (?). ~Perpendicular to dip. Rep taken. On outcrop on west side of Jane Creek.

Sample Number:	L860765	UTM:	515734	mE	Nad83, Zone 9
Elevation:	1462 m	UTM:	6793934	mN	

Comments: 25 cm chip sample of a 0.75 m X 1.0 m boulder of massive sulphides (Py dominant, with some magnetite). Rep taken, photo.

Rock Sample Descriptions Property: Hy-Dusty

Sample Number:	L860766	UTM:	515724	mE	Nad83, Zone 9
Elevation:	1461 m	UTM:	6793905	mN	

Comments: Grab sample. Football size, beside L860766. Extremely heavy, epitote, green and pink feldspar skarn hosting bands of massive sulphides (galena? +/- blackjack sphalerite?), dark grey fine-grained sulphide (~15% of total rock sample). Rep taken. Good sample showing skarn and mineralization.

Sample Number:	L860767	UTM:	515019	mE	Nad83, Zone 9
Elevation:	1426 m	UTM:	6793470	mN	

Comments: Subcrop composite grab sample-football sized. Pervasive limonite alteration, very pitted, goethite veinlets. Pale green gougy mineral present hosting crystals (up to 2mm) euhedral galena and blebs of pyrrhotite, hosted in granodiorite at quartzite/granodiorite contact. Pic and rep taken.

Sample Number:	M354901	UTM:	515235	mE	Nad83, Zone 9
Elevation:	1392 m	UTM:	6794063	mN	

Comments: Type: grab; bolder of scarn 0.70x1.0 m in sea of granite bolders. Very mag. Fx. Galena blebs.green.black some spal.Des fg galena

Sample Number:	M898022	UTM:	514915	mE	Nad83, Zone 9
Elevation:	1376 m	UTM:	6794353	mN	

Comments: Area: Dusty; Type: Select subcrop; Dimension: 20x30x25 cm; From the SE bank of an old 4 x 1.5 m hand trench. Dark orange-brown-black weathered, manganese-diopside-epidote skarn with 5% fine grained galena and ~4% combined sphalerite. Planer surfaces suggest a narrow shear zone? Trench exposes a contact with a felsic intrusive and white quartzite. Skarned material appears to be a small pod or narrow lense. The trench is situated in till epsecially to the east in an upslope direction. Prviously sampled-2007?

Sample Number:	M898023	UTM:	514915	mE	Nad83, Zone 9
Elevation:	1385 m	UTM:	6794362	mN	

Comments: Area: Dusty; Type: High grade chips; Dimension: 20x24x27 cm; Bright orange weathered block at the base of the same trench as sample 898022. Sample is of skarn material with semi-masive galena and sphalerite, is extremely magnetic with strong epidote and a trace of chalcopyrite. Block has a strong manganese coating on fractures. Looks in situ??

Rock Sample Descriptions Property: Hy-Dusty

Sample Number:	M898024	UTM:	514855	mE	Nad83, Zone 9
Elevation:	1485 m	UTM:	6793307	mN	

Comments: Area: Dusty -Walk Zone; Type: Talus Float; Dimension: 56x35x30 cm; Weathered with intense, pervasive orange-brown-black oxide. Strong shear fabric and highly magnetic. From talus directly below "Walk Zone".

Sample Number:	M898025	UTM:	514591	mE	Nad83, Zone 9
Elevation:	1487 m	UTM:	6792782	mN	

Comments: Area: Dusty-showing D area; Type: Float; Dimension: 35x25x08 cm; Bright orange, tabualr shaped mica schist. Weakly sliceous with a 2cm white quartz vein, weak green diopside spots and 4% disseminated to clustered medium grained pyrite. From the active creek ~ 100 m downsteam from an alpine lake.

Sample Number:	M898026	UTM:	514799	mE	Nad83, Zone 9
Elevation:	1500 m	UTM:	6793275	mN	

Comments: Area: Dusty-showing D area; Type: Select chips; From the spine of a NE 020 trending ridge/ fault zone. Sample is on the east side of this structure that forms a sharply incised, recessive "V" shaped gorge that is probably a major fault (NE 020 and steeply dipping.). Sample is also taken from a previous sample site but with a higher visual grade of mineralization. Site is at the contact with a fine grained, quartz rich granitoid and a narrow sliver of limestone and associated flat lying mica schist. Material contains sparse malachite with a trace to 0.5% fine grained galena in weak epidote altered skarn material and with an extremely limited dimesion. Non magnetic with spotty orange oxide. Joint set of 068/82.

Sample Number:	M898027	UTM:	514791	mE	Nad83, Zone 9
Elevation:	1492 m	UTM:	6393328	mN	

Comments: Area: Dusty-showing D area; Type: select float; Dimension: 2 x 0.3m ; On the NE trending rock spine described above. Quartz-carbonate-diopside-weak epidote, altered felsic intrusive with a trace to 0.5% galena, 1-2% blebs of chalcopyrite and ~3% malachite. Extracted from tabular elongate shaped talus with coarse vugs and a rough, pitted, grey-brown weathered surface.

Rock Sample Descriptions Property: Hy-Dusty

Sample Number:	M898028	UTM:	514850	mE	Nad83, Zone 9
Elevation:	1490 m	UTM:	6793311	mN	

Comments: Area: Dusty-Walk Zone; Type: Composite; Dimension: 70x 50 cm; Skarn at the contact with a felsic, fine grained dyke. From a NE facing out crop bench. Grey orange weathering with manganese on fractures. Semi-massive magnetie-galena-chalcopyrite-pyrite mineralization. 2-3% blebs of chalcopyrite in small clasts and minute epidote crystals and orange oxide on internal fractures.

Sample Number:	M898029	UTM:	514850	mE	Nad83, Zone 9
Elevation:	1490 m	UTM:	6793307	mN	

Comments: Area: Dusty- Walk Zone; Type: 0.5m chip; Dimension: 0.5 m; Lateral chip across magnetic skarn outcrop face. Semi massive zonation of vfg magnetite and galena (?) at the contact with a felsic granatoid dyke(?).

Sample Number:	M898030	UTM:	514479	mE	Nad83, Zone 9
Elevation:	1426 m	UTM:	6794213	mN	

Comments: Area: Dusty-Showing A area; Type: grab; Dimension: 2 x 1 m; Weaky pyritized, fine grained granodiorite dyke in a shear zone at the contact with a mica schist with a strong orange-red gossanous weathering. Gossan zone is 20 x 4 m and is located on the north bank of creek to form a small bluff. Shear is steeply dipping with an attitude of 292/90. Both schist and granodiorite are non magnetic.

Sample Number:	M898031	UTM:	514772	mE	Nad83, Zone 9
Elevation:	1377 m	UTM:	6794401	mN	

Comments: Area: Dusty-Showing A area; Type: 0.7 m chip; Dimension: 0.7m lateral line; From the NE side of a small 4 x 2m NW 330 trending hand trench. Manganese-epidote-galena-oxidized skarn at the contact with laminated meta siltstone. Skarn zone hs a strong shear fafric with an attitude of 100/90. Metased is on end and trends east. Skarn is non magnetic with 3-4 % very fine grained galena and sphalerite.

Rock Sample Descriptions Property: Hy-Dusty

Sample Number:	M898032	UTM:	514773	mE	Nad83, Zone 9
Elevation:	1377 m	UTM:	6794401	mN	

Comments: Area: Dusty-Showing A area; Type: 0.8 m chip; From the SE portion of trench from last sample on the east wall. Dark-ornage-black-green weathering. Epidote-diopside with 3% very fine grained galena and sphalerite. At contact with quartz rich granatoid-monzonite?

Sample Number:	M898033	UTM:	514734	mE	Nad83, Zone 9
Elevation:	1385 m	UTM:	6794394	mN	

Comments: Area: Dusty-Showing A area; Type: grab; Dimension: 25x 30 cm; From the floor of a small hand 2 x 0.5 m hand trench that trends NE 030 degrees. Extremely manganese rich, oxidized grungy material. Fresh surfaces exhibit radiating, dark fibrous mineral and epidote crystals with 3% fine grained galena and sphalerite. Located 38 m @ 260 degrees (up slope) from the previous two samples and associated trench. Mineralized material is hosted in blocky, angular felsic intrusive boulders.

Sample Number:	M898034	UTM:	515356	mE	Nad83, Zone 9
Elevation:	1678 m	UTM:	6791174	mN	

Comments: Area: South Tungsten Anomaly; Type: Composite; Dimension: 2x 0.5 m; Brittle white quartz blowout with pervasive oranage staining. Dark brown elongated resonous mineral on internal fractures. Sampled for tungsten?

Sample Number:	M898035	UTM:	515889	mE	Nad83, Zone 9
Elevation:	1600 m	UTM:	6791202	mN	

Comments: Area: South Tungsten Anomaly; Type: float; Dimension: 40x 16 x 20cm; From an isolated piece of float with rusty orange weathering with manganese on fractures. Light green and weakly siliceous skarn with weak fabric. Contains 1-2% disseminated pyrite with a faint tarnish.Trace amounts of vfg chalcopyrite?? From an open NE 20 degree slope just off the ridge line. Sampled for tungsten.

Sample Number:	M898036	UTM:	516070	mE	Nad83, Zone 9
Elevation:	1532 m	UTM:	6791326	mN	

Comments: Area: South Tungsten Anomaly; Type: float; Dimension: 30x 20 x 15 cm; Sub- rounded with moderate ornage weathering. Fine grained, siliceous and dark grey with weak fabric and 2-3% pyrite. Simialr rock type to previous sample. Sampled for tungsten.

Sample Number:	M898037	UTM:	516008	mE	Nad83, Zone 9
Elevation:	1542 m	UTM:	6791329	mN	
Comments:	Area: South Tungsten Anomaly; Type: float; Dimension: 20x 15 x 18 cm; Quartz rich block with a green tinge and brown-white-micaceous sheen. Proximal to a singualr anomalous tungston (104 ppb??) in soil site.				

Sample Number:	M898122	UTM:	515142	mE	Nad83, Zone 9
Elevation:	1422 m	UTM:	6794283	mN	
Comments:	Type: grab-float; in trench maybe a doz 0.5x0.5 m scarn bolders. Galena.bj. Mag. Very magnetic,no oc				

Sample Number:	M898123	UTM:	515000	mE	Nad83, Zone 9
Elevation:	1406 m	UTM:	6794500	mN	
Comments:	Type: grab-float; scarn bolder 0.5x.05 m, Galena.bj. Mag. Very magnetic				

Sample Number:	M898124	UTM:	515175	mE	Nad83, Zone 9
Elevation:	1402 m	UTM:	6794251	mN	
Comments:	Type: grab-float; scarn bolder 0.5x.05 m ,Galena.bj. Mag. Very magnetic				

Sample Number:	M898125	UTM:	515794	mE	Nad83, Zone 9
Elevation:	1409 m	UTM:	6793449	mN	
Comments:	Type: grab-float; scarn subcrop? 1.0x3.0 ,mGalena.bj. Mag. Very magnetic				

Sample Number:	M898126	UTM:	514546	mE	Nad83, Zone 9
Elevation:	1433 m	UTM:	6793985	mN	
Comments:	Type: grab.oc; small oc of meta seds with 10cm arg alt.qzt vien x 5m no vis sulfides.				

Sample Number:	M898127	UTM:	514796	mE	Nad83, Zone 9
Elevation:	1478 m	UTM:	6793193	mN	
Comments:	Type: chip; DEM: 0.30m; small rusy qzt filled fracture, dip vertical, strike 026 30cm wide x 3m,maybe a few spal cystals vert, minor Less 1% Galena				

Sample Number:	M898128	UTM:	514792	mE	Nad83, Zone 9
Elevation:	1479 m	UTM:	6793192	mN	
Comments:	Type: select grab; same vein as above , select of the more rusty vuggy qzt 10cm in middle of fracture galena.possibly silver sulphosalts.				

Sample Number:	M898129	UTM:	514766	mE	Nad83, Zone 9
Elevation:	1481 m	UTM:	6793180	mN	
Comments:	Type: grab; bull white qzt silica in schists.slighty fx small oc showing 0.30x 1.0m no vis sulphides				

Sample Number:	M898130	UTM:	515945	mE	Nad83, Zone 9
Elevation:	1525 m	UTM:	6794455	mN	
Comments:	Type: grab; small pod of scarn 25 cm x 1.0 m .sub crop strike 120-300 ? Galena blebs 2-3 % minor mal. Maganese.epd.				

Sample Number:	M898131	UTM:	515934	mE	Nad83, Zone 9
Elevation:	1535 m	UTM:	6794446	mN	
Comments:	Type: chip; DEM: 0.60 m; scarn 0.60x 1.80 very fx as above slighty magnetic				

Sample Number:	M898132	UTM:	515941	mE	Nad83, Zone 9
Elevation:	1534 m	UTM:	6794445	mN	
Comments:	Type: grab; o.90x 5.0 m scarn yellow,green powdery coating galena blebs, non magnetic				

Sample Number:	M898133	UTM:	516614	mE	Nad83, Zone 9
Elevation:	1836 m	UTM:	6794368	mN	
Comments:	Type: grab ; scarn 1.50m x2.5 m as above				

Sample Number:	M898134	UTM:	516785	mE	Nad83, Zone 9
Elevation:	1987 m	UTM:	6794285	mN	
Comments:	Type: composite; large very fx gossan thought saddle 15 meters wide ,black shale heavy maganese,minor pyrite on contact with mica schists				

Rock Sample Descriptions Property: Hy-Dusty

Sample Number:	M898135	UTM:	516900	mE	Nad83, Zone 9
Elevation:	1898 m	UTM:	6794147	mN	

Comments: Type: chip; DEM: 0.50 m; Mineralization: Malachite; bedded seam of fx maganese coated qzt ,calco,mal./azur. Pinch and swells 10cm to 50cmx 33 meters sandwich between LS and qztzite.

Sample Number:	M898136	UTM:	516904	mE	Nad83, Zone 9
Elevation:	1891 m	UTM:	6794147	mN	

Comments: Type: chip; DEM: 0.50 m; Mineralization: Malachite; bedded seam of fx maganese coated qzt ,calco,mal./azur. Pinch and swells 10cm to 50cmx 33 meters schists above 1 m LS seam below

Sample Number:	M898137	UTM:	516906	mE	Nad83, Zone 9
Elevation:	1891 m	UTM:	6794157	mN	

Comments: Type: chip; DEM: 0.50 m; Mineralization: Malachite; as above separate paralellseam 0.50 x 10.0 m 10 m south of above

Sample Number:	M898138	UTM:	514615	mE	Nad83, Zone 9
Elevation:	1408 m	UTM:	6794501	mN	

Comments: Type: grab; very small .40 x.70 scarn subcrop.bolder? Galena blebs ,minor spal. Non mag. + qzt.

Sample Number:	M898139	UTM:	514593	mE	Nad83, Zone 9
Elevation:	1411 m	UTM:	6794503	mN	

Comments: Type: grab; as above

Sample Number:	M898140	UTM:	514391	mE	Nad83, Zone 9
Elevation:	1444 m	UTM:	6794456	mN	

Comments: Type: chip; DEM: 1.50m; showing "A" hand trench scarn slighty mag. On contact felisc dyke /LS galena.minor mal. OC

Sample Number:	M898141	UTM:	514393	mE	Nad83, Zone 9
Elevation:	1446 m	UTM:	6794460	mN	

Comments: Type: chip; DEM: 0.60 m; as above .60 x 2.0 m non mag. OC

Rock Sample Descriptions Property: Hy-Dusty

Sample Number:	M898142	UTM:	514437	mE	Nad83, Zone 9
Elevation:	1438 m	UTM:	6794435	mN	
Comments:	Type: grab; hand pit.baseball size pieces scarn				

Sample Number:	M898143	UTM:	514372	mE	Nad83, Zone 9
Elevation:	1451 m	UTM:	6794604	mN	
Comments:	Type: grab; small bleb scarn .60x1.20 semi massive galena subcrop.bolder?				

Sample Number:	M898144	UTM:	514385	mE	Nad83, Zone 9
Elevation:	1450 m	UTM:	6794626	mN	
Comments:	Type: grab; 1.0x2.0 non mag. Strike poss 210				

Sample Number:	M898145	UTM:	514379	mE	Nad83, Zone 9
Elevation:	1454 m	UTM:	6794633	mN	
Comments:	Type: grab; very mucked up zig,zag scarn,				

Sample Number:	M898146	UTM:	514362	mE	Nad83, Zone 9
Elevation:	1456 m	UTM:	6794620	mN	
Comments:	Type: composite; DEM: 3.0m; along wall of hand trench scarn very fx non mag. Galena blebs heavy mag. Coating				

Sample Number:	M898147	UTM:	516139	mE	Nad83, Zone 9
Elevation:	1532 m	UTM:	6791346	mN	
Comments:	Type: grab; foot ball size piece of very epd, rich fx scarn. With minor fg des galena contact here between schists and black shales,bull white qzt veining here				

Sample Number:	M898148	UTM:	518903	mE	Nad83, Zone 9
Elevation:	1587 m	UTM:	6792299	mN	
Comments:	Type: grab; Small Oc of felsic intrus. Tiny bit fx some small minor amounts of pyrite blebs 1/4"				

Rock Sample Descriptions Property: Hy-Dusty

Sample Number:	M898150	UTM:	515235	mE	Nad83, Zone 9
Elevation:	1392 m	UTM:	6794063	mN	

Comments: Type: grab; bolder of scarn 0.70x1.0 m in sea of granite bolders. Very mag. Fx. Galena blebs.green.black some spal. Des fg galena

Sample Number:	Malachite	UTM:	516978	mE	Nad83, Zone 9
Elevation:	1809 m	UTM:	6794084	mN	

Comments: Type: chip; DEM: 0.50 m; Mineralization: Malachite; as above separate paralellseam 0.50 x 10.0 m 10 m south of above

Rock Sample Descriptions Property: Hy-Marg

Sample Number:	M354856	UTM:	530421	mE	Nad83, Zone 9
Elevation:	1193 m	UTM:	6882504	mN	
Comments:	From Van.				

Sample Number:	M354858	UTM:	522232	mE	Nad83, Zone 9
Elevation:	1801 m	UTM:	6793167	mN	
Comments:	Specimen sample - marble and epidote skarn with pale orange-yellow oxidized and pitted fractures. Abundant over 5 m talus area.				

Sample Number:	M354859	UTM:	522305	mE	Nad83, Zone 9
Elevation:	1791 m	UTM:	6793196	mN	
Comments:	Specimen sample - calc-silicate epidote skarn with coarse galena, honey sphalerite and limonite areas. Deep brown weathering of sphalerite. Less than 2% sulphides.				

Sample Number:	M354860	UTM:	522947	mE	Nad83, Zone 9
Elevation:	1703 m	UTM:	6793165	mN	
Comments:	Composite grab of 10 x 10 m area. Epidote-diopside skarn with manganese surface. About 5% galena and sphalerite with orange limonite cludsters. Pieces typically less than 10 x 10 x 10 cm. Tremolite crystals on surfaces. Alteration - canary yellow precipitate (lead alteration?) and hydrozincite.				

Sample Number:	M354861	UTM:	522958	mE	Nad83, Zone 9
Elevation:	1699 m	UTM:	6793158	mN	
Comments:	Specimen sample of diopside-magnetite skarn. Fine grained orange to mananiferous surface coating. Black jack sphalerite <1%. No visible galena.				

Sample Number:	M354862	UTM:	523850	mE	Nad83, Zone 9
Elevation:	1175 m	UTM:	6791331	mN	
Comments:	Specimen sample 15x20x35 cm. Magnetite-diopside skarn with 2% black jack sphalerite and stringers of chalcopyrite primarily within marble fractures. Well banded - 3 cm magnetite-sphalerite-chalcopyrite, 1 cm marble, 1 cm magnetite-chalcopyrite-sphalerite and 1.5 cm marble with chalcopyrite on fractures.				

Sample Number:	M354863	UTM:	523854	mE	Nad83, Zone 9
Elevation:	1168 m	UTM:	6791329	mN	

Comments: Specimen 12x18x30 cm. Epidote-diopside skarn. Non-magnetic clusters of disseminated sphalerite and trace chalcopyrite. Calcite clusters within skarn and malachite on broken surface. Yellow and orange oxidation <1%.

Sample Number:	M354864	UTM:	523865	mE	Nad83, Zone 9
Elevation:	1170 m	UTM:	6791316	mN	

Comments: Specimen sample 40 x 20 x 12 cm. Epidote-tremolite skarn - almost porphyritic. Non-magnetic. Disseminated chalcopyrite and sphalerite. Trace malachite.

Sample Number:	M354865	UTM:	523818	mE	Nad83, Zone 9
Elevation:	1189 m	UTM:	6791311	mN	

Comments: Float from road cut of angular quartz vein. Sample is 15 x 6 x 12 cm - oxidized surface ~1% pyrrhotite on fractures/seams and blebby areas of chalcopyrite. *Run for gold*

Sample Number:	M354866	UTM:	522185	mE	Nad83, Zone 9
Elevation:	1308 m	UTM:	6791377	mN	

Comments: Specimen sample from old cat scratch. Calc-silicate skarn with blebby arsenopyrite and disseminated sphalerite <1%. Weak orange and yellow weathering.

Sample Number:	M354867	UTM:	522193	mE	Nad83, Zone 9
Elevation:	1305 m	UTM:	6791339	mN	

Comments: Specimen sample of sub-rounded quartz vein with iron surface coating. White quartz with pale mint green alteration (chlorite). Within altered chlorite zones very fine arsenopyrite is disseminated. Trace disseminated tetrahedrite with black honeycomb weathering.

Sample Number:	M354868	UTM:	520612	mE	Nad83, Zone 9
Elevation:	1641 m	UTM:	6791887	mN	

Comments: Composite chip sample 10 pieces over 3 m area in float. Limonitic rocks with boxworked pits and goethite. Occurs within a shale talus field.

Rock Sample Descriptions Property: Hy-Marg

Sample Number:	M354869	UTM:	520292	mE	Nad83, Zone 9
Elevation:	1707 m	UTM:	6791965	mN	

Comments: Chip sample across 80 cm fine grained diorite sill with porphyritic black blebs and ~1% disseminated coarse pyrite.

Sample Number:	M354870	UTM:	519417	mE	Nad83, Zone 9
Elevation:	1752 m	UTM:	6793007	mN	

Comments: Specimen sample 40 x 30 x 30 cm of magnetite-pyrrhotite and minor diopside skarn with disseminated pyrite. Oxidized weathering surface. Talus below bleached outcrop of quartzite.

Sample Number:	M354871	UTM:	520432	mE	Nad83, Zone 9
Elevation:	1676 m	UTM:	6793006	mN	

Comments: A 1.20 m chip sample of diopside-pyrrhotite skarn with iron oxidized surface. Pyrrhotite ~10%. Skarn occurs as a lens within bedded siltstone. Up to 9 m long by 1.20 m wide at middle.

Sample Number:	M354872	UTM:	520352	mE	Nad83, Zone 9
Elevation:	1118 m	UTM:	6793195	mN	

Comments: Samples M354872, M354873 and M354874 are all taken from the same continuous skarn horizon (25 by 7 m). Diopside-epidote-pyrrhotite skarn with minor honey sphalerite. Chip sample across 7 m.

Sample Number:	M354873	UTM:	520359	mE	Nad83, Zone 9
Elevation:	1108 m	UTM:	6793184	mN	

Comments: Samples M354872, M354873 and M354874 are all taken from the same continuous skarn horizon (25 by 7 m). Diopside-epidote-pyrrhotite skarn with minor honey sphalerite. Chip sample across 5.25 m.

Sample Number:	M354874	UTM:	520388	mE	Nad83, Zone 9
Elevation:	1102 m	UTM:	6793182	mN	

Comments: Samples M354872, M354873 and M354874 are all taken from the same continuous skarn horizon (25 by 7 m). Diopside-epidote-pyrrhotite skarn with minor honey sphalerite. Chip sample across 5 m.

Rock Sample Descriptions Property: Hy-Marg

Sample Number:	M354875	UTM:	520436	mE	Nad83, Zone 9
Elevation:	1788 m	UTM:	6793203	mN	
Comments:	A 3 m chip sample across part of a 12 m thick by 8 m long (exposed for 8 m) diopside-epidote-pyrrhotite-honey shalerite skarn. Small clusters of calcite within the skarn.				

Sample Number:	M650170	UTM:	520584	mE	Nad83, Zone 9
Elevation:	1721 m	UTM:	6793501	mN	
Comments:	Type: composite; DEM: 10m; Description: the mound very fx.mag coated schist,shale.qzt, thinly foliated, 5% fg des pyr. 50x125 m				

Sample Number:	M650171	UTM:	520562	mE	Nad83, Zone 9
Elevation:	1723 m	UTM:	6793508	mN	
Comments:	Type: composite; DEM: 10m; Description: the mound very fx.mag coated schist,shale.qzt, thinly foliated, 5% fg des pyr. 50x125 m				

Sample Number:	M650172	UTM:	520590	mE	Nad83, Zone 9
Elevation:	1743 m	UTM:	6793542	mN	
Comments:	Type: composite; DEM: 10m; Description: the mound very fx.mag coated schist,shale.qzt, thinly foliated, 5% fg des pyr. 50x125 m				

Sample Number:	M650173	UTM:	520618	mE	Nad83, Zone 9
Elevation:	1724 m	UTM:	6793519	mN	
Comments:	Type: composite; DEM: 5m; Description: the mound very fx.mag coated schist,shale.qzt, thinly foliated, 5% fg des pyr. 50x125 m				

Sample Number:	M650174	UTM:	520631	mE	Nad83, Zone 9
Elevation:	1712 m	UTM:	6793483	mN	
Comments:	Type: composite; DEM: 5m; Description: the mound very fx.mag coated schist,shale.qzt, thinly foliated, 5% fg des pyr. 50x125 m				

Rock Sample Descriptions Property: Hy-Marg

Sample Number:	M650175	UTM:	520942	mE	Nad83, Zone 9
Elevation:	1705 m	UTM:	6793330	mN	
Comments:	Type: chip; DEM: 5m; Description: very fx.mag coated schist,shale.qzt, thinly foliated, 5% fg des pyr. 5 -10 wide strikes 110-115				

Sample Number:	M650176	UTM:	520965	mE	Nad83, Zone 9
Elevation:	1713 m	UTM:	6793321	mN	
Comments:	Type: chip; DEM: 5m; Description: very fx.mag coated schist,shale.qzt, thinly foliated, 5% fg des pyr. 5 -10 wide strikes 110-115				

Sample Number:	M650177	UTM:	520976	mE	Nad83, Zone 9
Elevation:	1713 m	UTM:	6793318	mN	
Comments:	Type: chip; DEM: 5m; Description: very fx.mag coated schist,shale.qzt, thinly foliated, 5% fg des pyr. 5 -10 wide strikes 110-115				

Sample Number:	M650178	UTM:	520745	mE	Nad83, Zone 9
Elevation:	1697 m	UTM:	6793364	mN	
Comments:	Type: chip; DEM: 5m; Description: very fx.mag coated schist,shale.qzt, thinly foliated, 5% fg des pyr. 5 -10 wide strikes 110-115				

Sample Number:	M650179	UTM:	520693	mE	Nad83, Zone 9
Elevation:	1690 m	UTM:	6793348	mN	
Comments:	Type: chip; DEM: 5m; Description: very fx.mag coated schist,shale.qzt, thinly foliated, 5% fg des pyr.				

Sample Number:	M650180	UTM:	521198	mE	Nad83, Zone 9
Elevation:	1554 m	UTM:	6792898	mN	
Comments:	Type: grab; Description: black arg. 3 m thick 5% fg des pyr.				

Sample Number:	M650181	UTM:	521236	mE	Nad83, Zone 9
Elevation:	1553 m	UTM:	6792849	mN	
Comments:	Type: grab; Description: small bullwhite qzt vein in creek, 10-15 cm wide,spotty pyr.calco.pero. Exposed 2 m stike 310?				

Sample Number:	M650182	UTM:	521260	mE	Nad83, Zone 9
Elevation:	1542 m	UTM:	6792856	mN	
Comments:	Type: select grab; Mineralization: 0.02; Description: small bullwhite qzt vein in creek, 10-15 cm wide,spotty pyr.calco.pero. Exposed 2 m				

Sample Number:	M650183	UTM:	521225	mE	Nad83, Zone 9
Elevation:	1565 m	UTM:	6792886	mN	
Comments:	Type: composite; DEM: 25m; Mineralization: 5% des pyr.; Description: very fx, mag , coated scarn float ,sub crop along ridge of creek, des pyr				

Sample Number:	M650184	UTM:	521152	mE	Nad83, Zone 9
Elevation:	1565 m	UTM:	6792920	mN	
Comments:	Type: grab; Description: black arg. 3 m thick 5% fg des pyr.				

Sample Number:	M650185	UTM:	521156	mE	Nad83, Zone 9
Elevation:	1564 m	UTM:	6792920	mN	
Comments:	Type: grab; Mineralization: 0.02; Description: qzt,shale.scarn breccia float in creek, baseball,football size chunks,pyr.calco, pero				

Sample Number:	M650186	UTM:	521007	mE	Nad83, Zone 9
Elevation:	1598 m	UTM:	6792902	mN	
Comments:	Type: chip; DEM: 3m; Description: black arg. 3 m thick 5% fg des pyr.				

Sample Number:	M650187	UTM:	520962	mE	Nad83, Zone 9
Elevation:	1602 m	UTM:	6792937	mN	
Comments:	Type: chip; DEM: 3m; Description: black arg. 3 m thick 5% fg des pyr.				

Sample Number:	M650188	UTM:	520931	mE	Nad83, Zone 9
Elevation:	1605 m	UTM:	6792952	mN	
Comments:	Type: composite; DEM: 10m; Description: black arg. 5 m thick 5% fg des pyr.				

Sample Number:	M650189	UTM:	520785	mE	Nad83, Zone 9
Elevation:	1644 m	UTM:	6793065	mN	
Comments:	Type: select composite; DEM: 10m; Description: numerous very narrow 1-5cm steeping dipping qzt veins. Des pyr. Fx.mag.				

Sample Number:	M650190	UTM:	520701	mE	Nad83, Zone 9
Elevation:	1680 m	UTM:	6793117	mN	
Comments:	Type: select grab; Description: small seam 10 cm wide of massive perotite.in arg. Scarn. Mix				

Sample Number:	M650191	UTM:	520703	mE	Nad83, Zone 9
Elevation:	1693 m	UTM:	6793115	mN	
Comments:	Type: composite; DEM: 10m; Description: black arg. 5 m thick 5% fg des pyr.				

Sample Number:	M650192	UTM:	520661	mE	Nad83, Zone 9
Elevation:	1710 m	UTM:	6793133	mN	
Comments:	Type: chip; DEM: 10m; Description: large oc cliff face bedded black arg. With narrow scarn seam and qzt.,des. Pyrite/per.calco?				

Sample Number:	M650193	UTM:	520675	mE	Nad83, Zone 9
Elevation:	1705 m	UTM:	6793122	mN	
Comments:	Type: composite; DEM: 10m; Description: large oc cliff face bedded black arg. With narrow scarn seam and qzt.,des. Pyrite/per.calco?				

Sample Number:	M650194	UTM:	520697	mE	Nad83, Zone 9
Elevation:	1696 m	UTM:	6793148	mN	
Comments:	Type: composite; DEM: 10m; Mineralization: 3% des pyr.; Description: across cliff face, heavy mag.coatinf.limonite .fx. Des pyr. Minor galena.pyrotite?				

Sample Number:	M650195	UTM:	521147	mE	Nad83, Zone 9
Elevation:	1612 m	UTM:	6792807	mN	
Comments:	Type: composite; DEM: 10m; Description: large oc cliff face bedded black arg. With narrow scarn seam and qzt.,des. Pyrite fg				

Sample Number:	M650196	UTM:	521187	mE	Nad83, Zone 9
Elevation:	1607 m	UTM:	6792781	mN	
Comments:	Type: grab; Mineralization: 5% pyrite; Description: large oc cliff face bedded black arg. With narrow scarn seam and qzt.,des. Pyrite fg				

Sample Number:	M650197	UTM:	525225	mE	Nad83, Zone 9
Elevation:	1103 m	UTM:	6791590	mN	
Comments:	Type: grab; Mineralization: 10% galena; Description: scarn 20 cm wide exposed 1 m				

Sample Number:	M650198	UTM:	525213	mE	Nad83, Zone 9
Elevation:	1111 m	UTM:	6791568	mN	
Comments:	Type: chip; DEM: 30 cm; Mineralization: 10% galena; Description: small scarn seam in banded quartzites, 50 dip sw exposed 1 meter epidote.mag.				

Sample Number:	M650199	UTM:	525228	mE	Nad83, Zone 9
Elevation:	1111 m	UTM:	6791588	mN	
Comments:	Type: chip ; DEM: 70 cm; Mineralization: 10% galena; Description: small scarn seam in banded quartzites, 50 dip sw exposed 1 meter				

Sample Number:	M898001	UTM:	522753	mE	Nad83, Zone 9
Elevation:	1701 m	UTM:	6793344	mN	
Comments:	Area: Marg Cliff; Type: Talus Grab; Dimension: 3x4 m; Dark- purple- black manganese weathering. Weak epidote with orange oxide and 2% fine grained galena and 2% honey coloured sphalerite. Strong epidote on fractures and diopside altered. Hosted in light grey-green weakly banded metased. From cat 'push up' on the north side of road cut.				

Rock Sample Descriptions Property: Hy-Marg

Sample Number:	M898002	UTM:	522918	mE	Nad83, Zone 9
Elevation:	1690 m	UTM:	6793183	mN	

Comments: Area: Marg Cliff; Type: sub crop grab; Dimension: 2.5 x 1 m ; Manganese weathered zone 1 m wide x 2.5 m strike. Strong manganese coating with light green diopside alteration and pervasive, moderate intensity epidote alteration on fresh surfaces. Contains ~2% fine grained galena on fractures faces with 3% light brown black sphalerite. Powdery white coating on weathered faces: hydrozyncite? Dull orange oxide and canary yellow oxide on fresh fractures which are associated with the galena. Cat trench trends 054 degrees for ~60m. Mineralized zone is at the SW end of the trench floor and is exposed for 15m. White fibrous mineral-wallastonite?

Sample Number:	M898003	UTM:	522905	mE	Nad83, Zone 9
Elevation:	1681 m	UTM:	6793170	mN	

Comments: Area: Marg Cliff; Type: sub crop-talus grab; Dimension: 3x2m ; Strong manganese coated, epidote, diopside altered, siliceous metased with 2% fine-grained galena and 3% black to honey coloured sphalerite and trace-0.5% pyrite. Orange and canary yellow oxide and possibly white powdery hydrozincite. Sample is from the SW end of trench.

Sample Number:	M898004	UTM:	523476	mE	Nad83, Zone 9
Elevation:	1674 m	UTM:	6792937	mN	

Comments: Area: Marg Cliff; Type: sub crop grab; Dimension: 1.5 x 2 m ; Sample taken from the top end of 080 degree N-S trending cat trench. Dark brown black manganese altered weathering with orange and canary yellow oxide on fresh fractures that also contain 4% medium grained galena interstial to weak fabric or bedding. Also contains 4% dark brown sphalerite. At limestone-metased-intrusive contact. Limestone (barren) trends NW 312 degrees.

Sample Number:	M898005	UTM:	520330	mE	Nad83, Zone 9
Elevation:	1798 m	UTM:	6793618	mN	

Comments: Area: Marg West Cirque; Type: composite; Dimension: 3x5 m; From rusty orange weathered dark grey argillite at contact with felsic porphyry dyke. Trace amounts of very fine grained pyrite. Taken from east facing outcrop face.

Rock Sample Descriptions Property: Hy-Marg

Sample Number:	M898006	UTM:	520329	mE	Nad83, Zone 9
Elevation:	1797 m	UTM:	6793585	mN	

Comments: Area: Marg West Cirque; Type: ; Dimension: 8 x 1 m ; Rusty red to dull orange weathering. Light to dark grey argillite with weak cleavage. Trace amounts of pyrite and possibly trace amounts of vfg dark black sphalerite. Very scant mineralization. Chips taken over 8m on east face of bluff/outcrop.

Sample Number:	M898007	UTM:	523772	mE	Nad83, Zone 9
Elevation:	1544 m	UTM:	6792728	mN	

Comments: Area: Lower Marg Roads; Type: sub crop grab; Dimension: 1x 0.5m ; Rusty weathered siliceous, light grey, metased with orange-red oxide on internal fractures. Contains 1-2% disseminated, but patchy pyrite. Light grey, foliated metased exposed on road bed immediately adjacent to oxidized sub crop.

Sample Number:	M898008	UTM:	524139	mE	Nad83, Zone 9
Elevation:	1379 m	UTM:	6792281	mN	

Comments: Area: Lower Marg Roads; Type: sub crop grab; Dimension: 0.3x 0.35m; Light grey-purple, weakly siliceous metased with 7% fine grained disseminated pyrite. Light brown mica on fracture planes and possible secondary biotite. From a small 0.3x 0.35 m exposure on the north side of the road cut. Small spring coming out of bank on road-fault related??

Sample Number:	M898009	UTM:	524152	mE	Nad83, Zone 9
Elevation:	1360 m	UTM:	6792213	mN	

Comments: Area: Lower Marg Roads; Type: discontinuous chip 0.6m; Dimension: 0.6m chip line; Sub crop from north side of cat trench/sump. 1.2m wide (?) felsic dyke. Weak carbonate and black oxide on fractures. Dyke is texturally altered, siliceous and also has weak epidote and contains 4-5% medium grained galena; 4% brown sphalerite and a platy white micaceous looking mineral-scheelite?? Orange spotted oxide and patchy canary yellow oxide associated with galena. Pronounced joint set 296/78. Contacts grey-green weakly banded metased. Dyke is exposed for 1.2m width with W/NW trend. Strongest mineralization concentrated near centre and FW of dyke.

Rock Sample Descriptions Property: Hy-Marg

Sample Number:	M898010	UTM:	524180	mE	Nad83, Zone 9
Elevation:	1315 m	UTM:	6792121	mN	

Comments: Area: Lower Marg Roads; Type: Float; Dimension: 10x8x5cm; Three angular pieces of grey-green-siliceous weakly epidote altered metased float chunks from a cat trench. Epidote occurs in wispy 0.5 to 1cm bands parallel to cleavage. Average 3% but up to 5% fine grained galena and 3% brown sphalerite. Float material has red-brown to dark manganese weathering. From west end of trench (Lower Mechanical Tench-2).

Sample Number:	M898011	UTM:	598980	mE	Nad83, Zone 9
Elevation:	1761 m	UTM:	6793064	mN	

Comments: Area: Upper Elsa; Type: float; Dimension: 12x 6 x 8 cm; Two small, but angular pieces, of probable shear hosted material? Float material exhibits dark orange weathering and are mineralized with 10% malachite and ~ 4% fine grained clusters of a dark blue-black-silver sulphide: tetrahedrite or argentite (?). Also contains drusy white-grey quartz and silceous cavities. Highly altered rock located in a steep, 40 degree inclined and south facing, recessive gorge that trends 010 degrees north. Altered float picked up about 25m below steep grey-white looking metased bluffs. Mineralized float comprises > 0.5% of talus in this zone.

Sample Number:	M898012	UTM:	598961	mE	Nad83, Zone 9
Elevation:	1787 m	UTM:	6993105	mN	

Comments: Area: Upper Elsa; Type: Float; Dimension: 25x 16x 8cm; Located NW and up slope in the same area described in the previous sample. Semi angular, extremely oxidized grungy looking material. Strong orange-yellow-red oxide throughout and has a white to -dark black mineral on fresh fractures (calcite?). Dense material- argillite protolith? May have a dark black vfg sulphide?

Sample Number:	M898013	UTM:	518572	mE	Nad83, Zone 9
Elevation:	1613 m	UTM:	6792262	mN	

Comments: Area: West Elsa; Type: Select float; Dimension: 12x 18x 20cm; From north 040 trending knoll in lenses like slab of limestone. Weakly siliceous with drusy vugs and white weathered coating: hydrozincite? Fresh surface has a pervasive, strong orange oxide with a fine box worked texture. Patchy galena, up to 4% with combined brown-purple hued sphalerite. Very fine grained sphalerite also occurs in 2x 3 cm clasts. Weak toothy quartz crystals and small globs of dark grey silica are also present.

Rock Sample Descriptions Property: Hy-Marg

Sample Number:	M898014	UTM:	518719	mE	Nad83, Zone 9
Elevation:	1608 m	UTM:	6792291	mN	

Comments: Area: West Elsa; Type: composite; Dimension: 2 x 0.25m; Weak orange-red weathered argillite outcrop that is producing an orange colour anomaly in the scree slope below. Argillite is dark grey black and weakly siliceous and contains up to 3% disseminated primary looking, euhedral pyrite.

Sample Number:	M898015	UTM:	518585	mE	Nad83, Zone 9
Elevation:	1614 m	UTM:	6792262	mN	

Comments: Area: West Elsa; Type: Select ; Dimension: 1.5 x0.5 m ; Weak quartz-carbonate stockwork in limestone. Contains up to 4% medium grained galena and strong, dull orange oxide. On a steep 40 degree slope ~ about 60m directly above anomalous soil sample CC21639.

Sample Number:	M898016	UTM:	518586	mE	Nad83, Zone 9
Elevation:	1614 m	UTM:	6792261	mN	

Comments: Area: West Elsa; Type: select chips; Dimension: 0.15m ; Quartz-carbonate breccia in limestone with 3% medium grained galena. Strong orange oxide is associated with the galena. From a 2m (L) x 0.5m (W) exposure. Located 3m east, along contour from sample M898016. Limestone outcrop on a steep 40 degree slope.

Sample Number:	M898017	UTM:	518590	mE	Nad83, Zone 9
Elevation:	1607 m	UTM:	6792264	mN	

Comments: Area: West Elsa; Type: composite; Dimension: 3x 0.4 m; From a quartz-carbonate altered limestone outcrop that trends N-S on a steep 40 degree talus slope. Altered limestone contains 3-4% medium grained galena with a strong orange oxide that fills fine vugs, with a pitted to box worked texture. Galena is patchy. Outcrop hosts 1-2 mm N-S trending quartz veinlets. From the same altered limestone zone as previous two samples.

Sample Number:	M898018	UTM:	524768	mE	Nad83, Zone 9
Elevation:	1210 m	UTM:	6791817	mN	

Comments: Area: Lower Marg trenches ; Type: Float; Dimension: 38x 20 x 25cm; An angular, felsic intrusive block on NW bank of a Cat trench. Light-brown to buff weathering. Weak, wispy textured epidote veinlets on fresh fractures parallel to foliation. Mineralized with 3% fine grained galena and 2% very fine grained brown sphalerite. Spotty textured orange oxide on faces with galena. Dark manganese on planer fractures or joint surfaces. Situated in 0.5 m scale angular blocks of weak epidote altered, laminated looking grey-green meta-siltstone.

Sample Number:	M898019	UTM:	524625	mE	Nad83, Zone 9
Elevation:	1208 m	UTM:	6791761	mN	

Comments: Area: Lower Marg trenches ; Type: Float; Dimension: 0.4 x 0.3x 0.2 m ; Tabular shaped 20 cm wide float with intense manganese weathered coating. Siliceous with strong orange oxide and mineralized with 5% fine grained galena, 10% medium grained chalcopyrite, and up to 5% medium grained pyrite. Could be a silica a altered intrusive or more probably, from a fault/shear zone.

Sample Number:	M898020	UTM:	524570	mE	Nad83, Zone 9
Elevation:	1195 m	UTM:	6991696	mN	

Comments: Area: Lower Marg trenches ; Type: Near crop?; Dimension: 0.6 x 0.2 x0.3m; Siliceous, grey-green finely layered or laminated meta-siltstone with weak epidote alteration. Contains 3% medium grained galena with spots of medium to coarse grained dark orange oxide. From large angular sub crop blocks on the trench floor just above a 2 m x 0.5 m polished, rounded sub crop of laminated/layered grey-green sugary textured metased with 1-2cm white quartz veinlets parallel to layering or bedding. Spring is located at this site as well. Fault related water flow??

Sample Number:	M898021	UTM:	524769	mE	Nad83, Zone 9
Elevation:	1229 m	UTM:	6791867	mN	

Comments: Area: Lower Marg trenches ; Type: Near crop?; Dimension: 0.4x 0.2 x 0.35m; Chips from several angular sub crop boulders on trench floor. Light brownish weathering. Fresh surfaces are green-grey with weak epidote alteration. Foliated to laminated laminated texture with fine grained 0.5-1% galena and 1% pyrite that is interstial to fabric in the rock. Located about ~18m west of the main road.

Rock Sample Descriptions Property: Hy-Marg

Sample Number:	M898101	UTM:	519582	mE	Nad83, Zone 9
Elevation:	1636 m	UTM:	6792619	mN	
Comments:	Type: grab; Description: abundent rusty bull white qzt. float in saddle select of more fx vuggy stuff				
Sample Number:	M898102	UTM:	519571	mE	Nad83, Zone 9
Elevation:	1630 m	UTM:	6792614	mN	
Comments:	Type: grab; Description: small seam (sill?) of grey quartzite bedded in black shales… 10% VFG PYR. 20cm x 5 m				
Sample Number:	M898103	UTM:	519243	mE	Nad83, Zone 9
Elevation:	1760 m	UTM:	6793032	mN	
Comments:	Type: chip; DEM: 50cm; Mineralization: 5% vfg pyr.; Description: small exposure 50cm x 5m fx rusty grey qztzite cutting black shales				
Sample Number:	M898104	UTM:	519261	mE	Nad83, Zone 9
Elevation:	1819 m	UTM:	6793122	mN	
Comments:	Type: grab; Mineralization: 5% vfg pyr.; Description: small exposure 50cm x 5m fx rusty grey qztzite cutting black shales				
Sample Number:	M898105	UTM:	519259	mE	Nad83, Zone 9
Elevation:	1881 m	UTM:	6793207	mN	
Comments:	Type: grab; Description: very small discontinous of grey quartzite with 1% malachite 10cm x 2m				
Sample Number:	M898106	UTM:	519236	mE	Nad83, Zone 9
Elevation:	1904 m	UTM:	6793253	mN	
Comments:	Type: grab; Description: small float train subcrop 30-40cm x10m grey quartzite with 1% malachite				
Sample Number:	M898107	UTM:	519234	mE	Nad83, Zone 9
Elevation:	1904 m	UTM:	6793241	mN	
Comments:	Type: grab; Mineralization: 2% galena; Description: narrow shear 15-20cm x 10m grey qztzite carb alt. chorite alt. 2 % des pyr.				

Rock Sample Descriptions Property: Hy-Marg

Sample Number:	M898108	UTM:	519237	mE	Nad83, Zone 9
Elevation:	1906 m	UTM:	6793236	mN	

Comments: Type: grab; Mineralization: 2% galena; Description: narrow shear 20-30cm x 10m grey qztzite carb alt. chorite alt. 2 % des pyr.

Sample Number:	M898109	UTM:	519520	mE	Nad83, Zone 9
Elevation:	1710 m	UTM:	6793328	mN	

Comments: Type: composite; DEM: 10m; Description: narrow sill/seam of very fx weird finely banded swirled silica azt ,shale breccia.no vis sulphides

Sample Number:	M898110	UTM:	519294	mE	Nad83, Zone 9
Elevation:	1769 m	UTM:	6793370	mN	

Comments: Type: composite; DEM: 10m; Description: sill 70 cmx 10m very fx qzt,silica.shale breccia on contact with intrusion (granite) no vis. Sulphides

Sample Number:	M898111	UTM:	524710	mE	Nad83, Zone 9
Elevation:	1233 m	UTM:	6791955	mN	

Comments: Type: grab; Description: float in trench fist size piece scarn 2% fine grained galena

Sample Number:	M898112	UTM:	524700	mE	Nad83, Zone 9
Elevation:	1237 m	UTM:	6791929	mN	

Comments: Type: gra b; Description: float in trench fist size piece qzt. With calco.phyrrotite very fx surface

Sample Number:	M898113	UTM:	524697	mE	Nad83, Zone 9
Elevation:	1237 m	UTM:	6791919	mN	

Comments: Type: grab; Description: float in trench football size scarn galena.spalarite

Sample Number:	M898114	UTM:	524670	mE	Nad83, Zone 9
Elevation:	1237 m	UTM:	6791912	mN	

Comments: Type: grab; Description: float in trench football size scarn galena.spalarite

Rock Sample Descriptions Property: Hy-Marg

Sample Number:	M898115	UTM:	524564	mE	Nad83, Zone 9
Elevation:	1226 m	UTM:	6791778	mN	
Comments:	Type: grab; Mineralization: 5% galena; Description: little showing 1x2 m green,grey banded silica with galena seams				

Sample Number:	M898116	UTM:	524535	mE	Nad83, Zone 9
Elevation:	1220 m	UTM:	6791770	mN	
Comments:	Type: grab; Mineralization: 5% galena; Description: float in trench football size scarn galena.spalarite,mag,ebd.				

Sample Number:	M898117	UTM:	524487	mE	Nad83, Zone 9
Elevation:	1215 m	UTM:	6791730	mN	
Comments:	Type: grab; Mineralization: 5% galena; Description: small seam subcrop scarn. galena.spalarite,mag,ebd. 40cm x 1.0 m				

Sample Number:	M898118	UTM:	524803	mE	Nad83, Zone 9
Elevation:	1202 m	UTM:	6791858	mN	
Comments:	Type: grab; Mineralization: 5% galena; Description: small seam subcrop scarn. galena.spalarite,mag,ebd. 40cm x 1.0 m				

Sample Number:	M898119	UTM:	524864	mE	Nad83, Zone 9
Elevation:	1209 m	UTM:	6791917	mN	
Comments:	Type: grab; Mineralization: 3% galena; Description: Large bolder scarn 1.5x3.0m banded ,clor./ebd. Galena ,spalarite				

Rock Sample Descriptions Property: Hy-Miko

Sample Number:	G285346	UTM:	525326	mE	Nad83, Zone 9
Elevation:	m	UTM:	6791505	mN	

Comments: Location: Creekside Showing; Type: Chip; Grab sample taken from the blast zone at the CreekSide Showing. Sample was taken to be tested for more elements (sample from this area was also taken in 2007). Sample comprises massive galena and sphalerite.

Sample Number:	L865599	UTM:	525236	mE	Nad83, Zone 9
Elevation:	1099 m	UTM:	6791562	mN	

Comments: Location: Creekside Showing; Subcrop with clasts up to 15 cm hosting fine grained semi-massive sphalerite and galena and trace cp within purple stained and green weathering pyroxene-epidote skarn. Appears to be sourcing from an ~ 1 m wide skarn horizon defined by vegetation cover mixed with skarn with siliceous epidote skarn on either side (defines mineralized contact). Taken from creek cut.

Sample Number:	L865600	UTM:	525253	mE	Nad83, Zone 9
Elevation:	1103 m	UTM:	6791565	mN	

Comments: Location: Creekside Showing; A continuous chip sample taken across a 1.5 m interval hosting variable galena and sphalerite (trace to semi-massive - ~ 2% over total interval) pyroxene skarn hosted sandwiched between calc-silicate horizons and taken from creek cut

Sample Number:	L865601	UTM:	525304	mE	Nad83, Zone 9
Elevation:	1115 m	UTM:	6791604	mN	

Comments: Location: Creekside Showing; Type: Grab; A continuous chip sample taken over 50 cm from a moderate to semi-massive magnetite rich pyroxene skarn. Sample is exposed over 50 cm and then trends into vegetation and may be wider than is exposed. It trends into vegetation and then micaceous schist.

Sample Number:	L865602	UTM:	525425	mE	Nad83, Zone 9
Elevation:	1115 m	UTM:	6791484	mN	

Comments: Location: Creekside Showing; Type: Grab; Grab from bedrock - quartz vein and epidote skarn hosting massive galena and possible disseminated sphalerite. Intense limonite, hematite and goethite staining.

Rock Sample Descriptions Property: Hy-Miko

Sample Number:	L865603	UTM:	525241	mE	Nad83, Zone 9
Elevation:	1109 m	UTM:	6791574	mN	

Comments: Location: Creekside Showing; Type: Grab; 2-3 m wide vegetation covered chute with subcrop to boulders. Boulders were up to 15 cm wide and comprised epidote-pyroxene skarn with trace to weak galena and sphalerite.

Sample Number:	L865604	UTM:	525227	mE	Nad83, Zone 9
Elevation:	1111 m	UTM:	6791553	mN	

Comments: Location: Creekside Showing; Type: Grab; Chip sample taken over 70 cm from semi-massive to massive magnetite skarn horizon with trace to moderate cp (fg and disseminated) and gn/sph?

Sample Number:	L865605	UTM:	525222	mE	Nad83, Zone 9
Elevation:	1111 m	UTM:	6791553	mN	

Comments: Location: Creekside Showing; Type: Grab; Float sample from ~ 50 cm vegetated chute. Boulder was 20 cm wide and comprised siliceous epidote-pyroxene (weak) calc-silicate hosting weak to moderate fine grained disseminated galena and sphalerite.

Sample Number:	L865606	UTM:	525109	mE	Nad83, Zone 9
Elevation:	1112 m	UTM:	6791495	mN	

Comments: Location: Creekside Showing; Type: Grab; Semi-massive to massive magnetite/pyrrhotite, pyroxene skarn hosting weak to strong cp and fine grained disseminated gn/sph? Chip sample was taken across 70 cm (couldn't sample top near cliff where swells to ~ 1.5 m)

Sample Number:	L865607	UTM:	525102	mE	Nad83, Zone 9
Elevation:	1114 m	UTM:	6791492	mN	

Comments: Location: Creekside Showing; Type: Grab; Chip sample taken from 1 m wide epidote-pyroxene actinolite skarn with rusty surface weathering and taken from within calc-silicate horizon. Trace to weak very fine grained gn/sph?.

Rock Sample Descriptions Property: Hy-Miko

Sample Number:	L865608	UTM:	525094	mE	Nad83, Zone 9
Elevation:	1118 m	UTM:	6791494	mN	

Comments: Location: Creekside Showing; Type: Grab; Quartz-biotite schist/gneiss with hydrozincite?. 5% of the rock hosts hydrozincite and also purple sph? which is disseminated throughout (2-5% in more high grade areas). Sample was taken from 3 boulders below subcropy cliff, which appears to be about 1 m in size.

Sample Number:	L865609	UTM:	525125	mE	Nad83, Zone 9
Elevation:	1109 m	UTM:	6791503	mN	

Comments: Location: Creekside Showing; Type: Grab; 2 m wide chip sample across chl-biotite quartz schist (mylonite? Shear zone?) within large calc-silicate package. Appears to host moderate to strong sphalerite mineralization (rock is heavy, but difficult to differentiate sphal and biotite (fine grained and hard to test with scratcher).

Sample Number:	L865610	UTM:	525401	mE	Nad83, Zone 9
Elevation:	1345 m	UTM:	6790860	mN	

Comments: Location: Hillside Showing; Type: Grab; Within a 5x5 m area, a 3 piece composite chip sample of limonitic quartz vein hosting mg sph (within intrusive) was taken. Rocks in the talus field represented about 5%, with the others comprising intrusive.

Sample Number:	L865611	UTM:	526689	mE	Nad83, Zone 9
Elevation:	1464 m	UTM:	6790153	mN	

Comments: Location: Cirque Showing; Type: Grab; 1 m wide continuous chip sample of altered intrusive and limestone their contact at the Cirque showing. Difficult to tell, but appears skarny and hosts pyrrhotite and magnetite +/- gn and sph?

Sample Number:	L865612	UTM:	526676	mE	Nad83, Zone 9
Elevation:	1461 m	UTM:	6790151	mN	

Comments: Location: Cirque Showing; Type: Grab; ~ 1 m wide chip sample across epidote-pyroxene skarn hosting moderate to strong gn and sph and strong manganese stain on surface. ~ 3 m wide limestone package sits between it and the altered country rock adjacent to the skarn horizon at the intrusive contact. Stikes 115 and dips 45 to the southwest

Rock Sample Descriptions Property: Hy-Miko

Sample Number:	L865613	UTM:	526800	mE	Nad83, Zone 9
Elevation:	1534 m	UTM:	6790072	mN	

Comments: Location: Cirque Showing; Type: Grab; ~ 50 cm continuous chip sample across epidote-pyx skarn with moderate gn and sph (2%) taken within calc silicate package with a dyke cross cutting uphill, which may be the mineralizer?

Sample Number:	L865614	UTM:	525329	mE	Nad83, Zone 9
Elevation:	1330 m	UTM:	6790878	mN	

Comments: Location: Chip Sample Site 1; Type: Grab; Epidote-Pyx skarn with variably gn and sph at chip sample location 1

Sample Number:	L865615	UTM:	525329	mE	Nad83, Zone 9
Elevation:	1330 m	UTM:	6790878	mN	

Comments: Location: Chip Sample Site 1; Type: Grab; Epidote-Pyx skarn with variably gn and sph at chip sample location 1

Sample Number:	L865616	UTM:	525329	mE	Nad83, Zone 9
Elevation:	1330 m	UTM:	6790878	mN	

Comments: Location: Chip Sample Site 1; Type: Grab; Epidote-Pyx skarn with variably gn and sph at chip sample Site 1

Sample Number:	L865617	UTM:	525610	mE	Nad83, Zone 9
Elevation:	1451 m	UTM:	6790761	mN	

Comments: Location: Chip Sample Site 2; Type: Grab; Skarn contact with intrusive along northern contact. Skarn comprises magnetite and pyx-epidote actinolite skarn. Chip Sample Site 2

Sample Number:	L865618	UTM:	525696	mE	Nad83, Zone 9
Elevation:	1501 m	UTM:	6790678	mN	

Comments: Location: Chip Sample Site 3; Type: Grab; Calc-Sil/epidote skarn at contact with intrusive. Hosts moderate to strong quartz veining and lies at contact with intrusive to the north - Chip Sample Site 3

Rock Sample Descriptions Property: Hy-Miko

Sample Number:	L865619	UTM:	525696	mE	Nad83, Zone 9
Elevation:	1501 m	UTM:	6790678	mN	
Comments:	Location: Chip Sample Site 3; Type: Grab; Calc-Sil interval overlying L865618 - Chip Sample Site 3				

Sample Number:	L865620	UTM:	525696	mE	Nad83, Zone 9
Elevation:	1501 m	UTM:	6790678	mN	
Comments:	Location: Chip Sample Site 3; Type: Grab; Calc-Sil interval overlying L865618 - Chip Sample Site 3				

Sample Number:	L865621	UTM:	525804	mE	Nad83, Zone 9
Elevation:	1578 m	UTM:	6790620	mN	
Comments:	Location: Chip Sample Site 4; Type: Grab; Interbedded calc-silicate and epidote skarn variably mineralized (generally weakly with gn and sph - vfg) - Chip Sample Site 4				

Sample Number:	L865622	UTM:	525859	mE	Nad83, Zone 9
Elevation:	1592 m	UTM:	6790606	mN	
Comments:	Location: Chip Sample Site 7; Type: Grab; Skarn - Epidote and pyroxene rich and variably mineralized with gn and sph Chip Sample Site 7				

Sample Number:	L865623	UTM:	525859	mE	Nad83, Zone 9
Elevation:	1592 m	UTM:	6790606	mN	
Comments:	Location: Chip Sample Site 7; Type: Grab; Skarn - Epidote and pyroxene rich and variably mineralized with gn and sph Chip Sample Site 7				

Sample Number:	L865624	UTM:	525859	mE	Nad83, Zone 9
Elevation:	1592 m	UTM:	6790606	mN	
Comments:	Location: Chip Sample Site 7; Type: Grab; Skarn - Epidote and pyroxene rich and variably mineralized with gn and sph Chip Sample Site 8				

Rock Sample Descriptions Property: Hy-Miko

Sample Number:	L865625	UTM:	525859	mE	Nad83, Zone 9
Elevation:	1592 m	UTM:	6790606	mN	
Comments:	Location: Chip Sample Site 7; Type: Grab; Skarn - Epidote and pyroxene rich and variably mineralized with gn and sph Chip Sample Site 9				
Sample Number:	L865626	UTM:	525859	mE	Nad83, Zone 9
Elevation:	1592 m	UTM:	6790606	mN	
Comments:	Location: Chip Sample Site 7; Type: Grab; Skarn - Epidote and pyroxene rich and variably mineralized with gn and sph Chip Sample Site 10				
Sample Number:	L865627	UTM:	525859	mE	Nad83, Zone 9
Elevation:	1592 m	UTM:	6790606	mN	
Comments:	Location: Chip Sample Site 7; Type: Grab; Rusty weathering micaceous quartzite and quartz-biotite schist (fissile) - Chip Sample Site 7				
Sample Number:	L865628	UTM:	525859	mE	Nad83, Zone 9
Elevation:	1592 m	UTM:	6790606	mN	
Comments:	Location: Chip Sample Site 7; Type: Grab; Rusty weathering micaceous quartzite and quartz-biotite schist (fissile) - Chip Sample Site 7				
Sample Number:	L865629	UTM:	526011	mE	Nad83, Zone 9
Elevation:	1541 m	UTM:	6790494	mN	
Comments:	Location: Chip Sample Site 5; Type: Grab; Epidote-pyx skarn with moderate magnetite - strong gn and sph - Chip Sample Site 5				
Sample Number:	L865630	UTM:	526011	mE	Nad83, Zone 9
Elevation:	1541 m	UTM:	6790494	mN	
Comments:	Location: Chip Sample Site 5; Type: Grab; Epidote-pyx skarn with moderate magnetite - strong gn and sph - Chip Sample Site 5				

Rock Sample Descriptions Property: Hy-Miko

Sample Number:	L865631	UTM:	526011	mE	Nad83, Zone 9
Elevation:	1541 m	UTM:	6790494	mN	
Comments:	Location: Chip Sample Site 5; Type: Grab; Calc-sil underlying dyke with weak quartz veining - Chip Sample Site 5				

Sample Number:	L865632	UTM:	526011	mE	Nad83, Zone 9
Elevation:	1541 m	UTM:	6790494	mN	
Comments:	Location: Chip Sample Site 5; Type: Grab; Calc-sil overlying dyke with weak quartz veining - Chip Sample Site 5				

Sample Number:	L865633	UTM:	525530	mE	Nad83, Zone 9
Elevation:	1522 m	UTM:	6790651	mN	
Comments:	Location: Chip Sample Site 6; Type: Grab; Interbedded calc-silicate, biotite hornfels to micaceous quartzite. Rusty orange weathering with calc-silicate hosting trace cp and pyrrhotite over 2.6 m. ~ 70% B-H and 30% Calc-Silicate				

Sample Number:	L865634	UTM:	525859	mE	Nad83, Zone 9
Elevation:	1592 m	UTM:	6790606	mN	
Comments:	Location: Chip Sample Site 7; Type: Grab; Pyroxene skarn to calc silicate. Variably banded and weakly to moderately silicifed with a small up to 10 cm rusty/pyroxene skarn horizon within - Chip Sample Site 7				

Sample Number:	L865635	UTM:	525840	mE	Nad83, Zone 9
Elevation:	1574 m	UTM:	6790626	mN	
Comments:	Location: Hillside Showing; Type; Grab; Grab sample taken from ~ 1 m wide skarn horizon/lense adjacent to 3 m wide vug-filling acicular quartz vein.				

Sample Number:	L865636	UTM:	524439	mE	Nad83, Zone 9
Elevation:	1188 m	UTM:	6790888	mN	
Comments:	Location: Laura Showing; Type: Chip; Continuous chip sample across 2 m of calc-silicate (epidote altered) and skarn with variable (weak to moderate) disseminated chaclcopyrite, galena and sphalerite.				

Rock Sample Descriptions Property: Hy-Tung

Sample Number:	L865637	UTM:	513763	mE	Nad83, Zone 9
Elevation:	1719 m	UTM:	6791232	mN	

Comments: Type: Grab; ~ 50 cm wide skarny horizon - pyroxene with plag - endoskarn? Found bordering biotite porphyry (~ 2 m wide) to the south. Contact at 60 degrees dipping 54 degrees to the northwest

Sample Number:	L865638	UTM:	513306	mE	Nad83, Zone 9
Elevation:	1848 m	UTM:	6791467	mN	

Comments: Type: Grab; Biotite-hornblende granodiorite hosting blebby medium grained limonite with relict fine grained sulphides. Near fault

Sample Number:	L865639	UTM:	514564	mE	Nad83, Zone 9
Elevation:	1666 m	UTM:	6791038	mN	

Comments: Type: Grab; Heavily oxidized with manganese, hematite and limonite pitted biotite quartz schist or micaceous quartzite float with minor quartz veining and up to 3 % disseminated galena. Host rock shows weak reaction to HCl, adjacent to limestone subcrop. Dark brown-red soil where sample was taken from.

Sample Number:	L865640	UTM:	514144	mE	Nad83, Zone 9
Elevation:	1714 m	UTM:	6791349	mN	

Comments: Type: Grab; Sample of pyroxene rich skarn float. Hosts weak gn and moderate to strong purple-pink sph? Gar? (disseminated and blebby) with vugs infilled with rusty to purple weathered quartz

Sample Number:	L865641	UTM:	514043	mE	Nad83, Zone 9
Elevation:	1679 m	UTM:	6791635	mN	

Comments: Type: Grab; Biotite-quartz-feldspar porphyritic dyke contact, features red/pink to grey weathering. Med grey ground mass with trace py blebs (mg)

Rock Sample Descriptions Property: Hy-Tung

Sample Number:	L865642	UTM:	514564	mE	Nad83, Zone 9
Elevation:	1666 m	UTM:	6791038	mN	

Comments: Type: Grab; Showing 2: 7-piece composite chip sample of skarnified rocks in 5x10 m area (talue slope consisting of megacrystic k-feldspar/plagioclase-rich intrusive and hornblende-biotite granodiorite. Skarn makes up 1% of rocks in the area. Pyroxene-actinolite-epidote rich, heavily manganese and limonite stained. Hosting less than 1% galena, sphalerite and scheelite, chalcopyrite in some samples.

Sample Number:	L865643	UTM:	513863	mE	Nad83, Zone 9
Elevation:	1857 m	UTM:	6791709	mN	

Comments: Type: Grab; Quartz-feldspar biotite granodiorite featuring weak endoskarn?

Sample Number:	L865644	UTM:	513784	mE	Nad83, Zone 9
Elevation:	1870 m	UTM:	6791721	mN	

Comments: Type: Grab; ~ 20 m wide? Breccia (volcanic/fault?) hosting quartz, green shale, micaceous, granodiorite and chert clasts within a medium grey-green fine grained matrix with fine grained mica. Appears to be post

Sample Number:	L865645	UTM:	513652	mE	Nad83, Zone 9
Elevation:	1800 m	UTM:	6791707	mN	

Comments: Type: Grab; 10x10 m outcrop of biotite-granodiorite with limonite pitting and unknown yellow mineral, green hue.

Sample Number:	L865646	UTM:	513784	mE	Nad83, Zone 9
Elevation:	1870 m	UTM:	6791721	mN	

Comments: Type: Grab; 5 m continuous chip sample across approx.~ 20 m wide? Breccia (volcanic/fault?) hosting quartz, green shale, micaceous, granodiorite and chert clasts within a medium grey-green fine grained matrix with fine grained mica. Appears to be post

Sample Number:	L865647	UTM:	513577	mE	Nad83, Zone 9
Elevation:	1770 m	UTM:	6791297	mN	

Comments: Type: Grab; Hornblende-biotite granodiorite with weak hematite and k-feldspar taken within fault zone - grey to white weathering

Rock Sample Descriptions Property: Hy-Tung

Sample Number:	L865648	UTM:	513591	mE	Nad83, Zone 9
Elevation:	1736 m	UTM:	6791198	mN	

Comments: Type: Grab; Hornblende-biotite granodiorite with rusty-metallic prismatic crystal (trace to weak) within a suspected fault zone.

Sample Number:	L865649	UTM:	513592	mE	Nad83, Zone 9
Elevation:	1743 m	UTM:	6791188	mN	

Comments: Type: Grab; Biotite-hornblende granodiorite rusty to manganese stained - weathering with rusty elongate blebs weathering out. Taken from fault zone.

Sample Number:	L865650	UTM:	514178	mE	Nad83, Zone 9
Elevation:	1750 m	UTM:	6791328	mN	

Comments: Type: Chip; 1.35 m wide continous chip sample of white, silicified dyke hosting andraditic garnet.

Sample Number:	L865651	UTM:	514178	mE	Nad83, Zone 9
Elevation:	1750 m	UTM:	6791328	mN	

Comments: Type: Chip; 0.5 m wide continuous chip sample of white-blue silicified marble hosting andraditic garnet and radiating white mineral.

Sample Number:	L865652	UTM:	514178	mE	Nad83, Zone 9
Elevation:	1750 m	UTM:	6791328	mN	

Comments: Type: Chip; 1.4 m wide continous chip sample of white-blue silicified marble hosting andraditic garnet and unknown yellow mineral, interbedded with marble.

Sample Number:	L865653	UTM:	514178	mE	Nad83, Zone 9
Elevation:	1750 m	UTM:	6791328	mN	

Comments: Type: Chip; 1.45 m wide continous chip sample of white-blue silicified marble hosting andraditic garnet and unknown yellow mineral, interbedded with marble.

Rock Sample Descriptions Property: Hy-Tung

Sample Number:	L865654	UTM:	514178	mE	Nad83, Zone 9
Elevation:	1750 m	UTM:	6791328	mN	

Comments: Type: Chip; 0.90 m continuous chip sample of highly oxidized (manganese and limonite) skarn/calc-silicate hosting fine-grained sulphide.

Sample Number:	L865655	UTM:	514178	mE	Nad83, Zone 9
Elevation:	1750 m	UTM:	6791328	mN	

Comments: Type: Grab; 2.20 m continous chip sample of weakly altered, limonitic marble.

Sample Number:	L865656	UTM:	514195	mE	Nad83, Zone 9
Elevation:	1700 m	UTM:	6791245	mN	

Comments: Type: Grab; Pyroxene rich skarn hosting moderate radiating black -actinolite looking mineral (wolframite?) with < 1% scheelite found fg disseminated within

Sample Number:	L865657	UTM:	514144	mE	Nad83, Zone 9
Elevation:	1714 m	UTM:	6791349	mN	

Comments: Type: Grab; White, siliceous felsic dyke with muscovite and garnet (~ 1%) with 2% wolframite? Taken from hand trench 3 and represents ~ 5 % of subcrop boulders within trench

Sample Number:	L865658	UTM:	514557	mE	Nad83, Zone 9
Elevation:	1666 m	UTM:	6791030	mN	

Comments: Type: Grab; Manganese oxidized epidote-rich skarn. Taken 15 m to the southwest of Showing 1.

Sample Number:	L865659	UTM:	514260	mE	Nad83, Zone 9
Elevation:	1640 m	UTM:	6791135	mN	

Comments: Type: Grab; Pyroxene rich skarn to calc silicate hosting black vitreous mineral (~ 20% - wolframite?) taken as float from Cat Trench 5

Rock Sample Descriptions Property: Hy-Tung

Sample Number:	L865660	UTM:	513979	mE	Nad83, Zone 9
Elevation:	1666 m	UTM:	6791413	mN	

Comments: Type: Grab; Heavy, manganese/limonite pitted calc-silicate.

Sample Number:	L865661	UTM:	514286	mE	Nad83, Zone 9
Elevation:	1666 m	UTM:	6791116	mN	

Comments: Type: Grab; Grab sample of calc-silicate altered rock within ZZ71906 pit at cat trench 3.

Sample Number:	L865662	UTM:	514148	mE	Nad83, Zone 9
Elevation:	1666 m	UTM:	6791350	mN	

Comments: Type: Grab; 3 piece composite chip sample taken over 1 m area from large boulders or discontinuously excavated bedrock of highly siliceous dyke/altered marble hosting andraditic garnet and crystalline/fracture filling wolframite (black, minor green). Wolframite content variable; from trace to 5 %.

APPENDIX V

2013 DIGITAL AIR PHOTOS

T.N.
20.6°
21°37'
Grid north
Magnetic north
Annual change decreasing 23.5'

110°
Altitude
5500'
5000'
4500'
A
N.V.E.
A'
0 125 250 500 m

Schists (biotite, chlorite, muscovite)
Gneisses (biotite, chlorite, siliceous)
Recrystallized limestone (occasionally remobilized)
Granodiorite (minor quartz monzonite)
Granitic gneiss (also with quartz augen)
Fault movement (in/out)
Fault movement (up/down)
Talus
Vegetation

After Vincent (1973)

MID CRETACEOUS
SELWYN SUITE
Porphyritic biotite granodiorite
Monzonite
Pegmatite
Laminated siliceous igneous rock and granitic gneiss
Skarn
Mineralization
DEVONIAN AND MISSISSIPPIAN
EARN GROUP
Blue to black shale to slate
Grey siltstone
unconformity
UPPER PROTEROZOIC TO LOWER CAMBRIAN
HYLAND GROUP
Muscovite schist, containing occasionally red-brown garnets, muscovite-biotite schist and muscovite-chlorite schist
Muscovite gneiss, muscovite-biotite gneiss and siliceous gneiss
Light grey phyllitic mudstone
Outcrop
Recrystallized impure limestone, remobilized flow laminated and tightly flow foided
Quartzite
Approximate regional contact
Broken up rock, ill-defined outcrop boundary
Talus
Contact; known and inferred
Shearing
Fault
Axis of accessory fold (punge direction/angle)
Axial trend of synform
Axial trend of antiform
Bedding orientation
Foliation orientation
Fracture orientation
Mineralized float
Camp
Rock slide

After Vincent (1973)

SELWYN SUITE
HYLAND GROUP
EARN GROUP
TUNG ZONE
DUSTY ZONE
Detailed Map Area Figure 5
0 1.5 3 km

STRATEGIC METALS LTD.

FIGURE 5
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY GEOLOGY
DUSTY/TUNG AREA
HY PROPERTY

0 125 250 500 m
UTM ZONE 9, NAD 83, 105H/02 & 07, Contour Interval: 20 m

FILE: P:2013/Hy/Figures/F05-Property_Geology_Dusty_Tung_Area.wor | DATE: NOVEMBER 2013

STRATEGIC METALS LTD.

FIGURE 6

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY GEOLOGY
ELSA AREA

HY PROPERTY

0 60 m 120 m 240 m

UTM ZONE 9, NAD 83, 105H/07, Contour Interval: 20 m

FILE: P:2013/Hy/Figures/F06_Property_Geology_Elsa_Area.wor

DATE: NOVEMBER 2013

T.N. 19.6° 21°37' Grid north Magnetic north

Annual change decreasing 23.5'

Detailed Map Area Figure 6

0 1:5 3 km

MID CRETACEOUS SELWYN SUITE

GRD Porphyritic granodiorite plugs, sills and dykes

Diabase sills and dykes

SK SK: Skarn

UPPER DEVONIAN TO MISSISSIPPIAN EARN GROUP

PL PL: Pelite

AR AR: Argillite (hornfelsed)

MS MS: Mudstone

LS LS: Limestone

SH SH: Shale

SS SS: Siltstone ± calcareous beds

WMS UMS: Heavily weathered mudstone

Quartz-flooded shale

Contact; known and inferred

Bedding orientation

Fracture orientation

Vegetation/grass

Mineralized float

Outcrop

Fault showing sense of movement

4x4 Road

Talus

6 793 000 mN

6 792 000 mN

519 000 mE

520 000 mE

521 000 mE

TOP OF EXPOSURE

4x4 road

GRD

AR

LS

SS

SK

PL

MS

SH

WMS

Limestone float hosting azurite

Blocky intrusive, siltstone and limestone talus

Intrusive and siltstone-argillite talus

Blocky siltstone talus

Argillite talus

Quartz float

Porphyry sill

Diabase sill

Porphyry float

Breccia

Marble boulders

Bleached, non-calcareous

Bleached, calcareous bedded siltstone

Talus

STRATEGIC METALS LTD.

FIGURE 7

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY GEOLOGY
MARG CLIFF AREA

HY PROPERTY

0 80 160 320 m

UTM ZONE 9, NAD 83, 105H/07, Contour Interval: 20 m

FILE:P:2013/Hy/Figures/F07-Property_Geology_Marg_Cliff_Area.wor

DATE: NOVEMBER 2013





6 794 000 mN

6 793 000 mN

522 000 mE

523 000 mE

1:800

1:700

1:600

1:500

TALUS

Area of 12 parallel trenches – testing geophysical anomaly?

4x4 Road

MON 1-80
MON 2-80

70-03
70-05
70-06
70-07
70-09
70-10
70-11
70-12
70-13
70-14
70-15
70-16
70-17
70-18

MID CRETACEOUS SELWYN SUITE

- a: Mineralized skarn with sphalerite, galena and minor chalcopyrite.
- b: Unmineralized skarn.
- c: Granodiorite and quartz monzonite.
- g: Feldspar porphyry dykes.

UPPER DEVONIAN TO MISSISSIPPIAN EARN GROUP

- d: Impure quartzite, quartz-mica schist and gneiss, silicified limestone and chert, siltstone and phyllite.
- e: Medium to dark grey limestone.
- f: Black argillite and grey wacke.

Contact; known and inferred

Historical bulldozer trench

Bedding measurement

Quartz vein

Fracture measurement

Mineralized float

Outcrop

Historical diamond drill hole showing surface trace

Road/Trail

Talus

After Reeve (1966)





1:200

1:700

1:300

CONGLOMERATE CREEK

6 791 500 mN

6 791 000 mN

524 500 mE

525 000 mE

4x4 Road

MIKO CREEK SHOWING

Epidote on bedding plane

Massive magnetite

Subcrop/mineralized boulders

Mineralized boulder

DDH HR-5

Mineralized boulder

SILICIFIED BS

QT

SK

LS

MS

GRD

BS

CS

C-1

C-2

C-3

C-5/6

C-7

STRATEGIC METALS LTD.

FIGURE 8

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY GEOLOGY
MIKO AREA
(CREEK SHOWING)
HY PROPERTY

0 25 100 m

UTM ZONE 9, NAD 83, 105H/07, Contour intervals: 20 m

FILE: P:2013/Hy/Figures/F08-Property_Geology_Miko_Area.wor

DATE: NOVEMBER 2013

MID CRETACEOUS SELWYN SUITE

GRD: Granodiorite
Resistant, blocky, fine to coarse grained, equigranular to porphyritic biotite-quartz hornblende granodiorite.

SK: Skarn
Pyroxene, epidote, and actinolite dominant with minor garnet found locally; sometimes hosting semi-massive magnetite. White to green, siliceous, epidote rich skarn also present.

CS: Calc-silicate
Pale green, variably silicified and calc-silicate altered with pyroxene and epidote.

Mineralization: variable; trace to massive galena, disseminated to blebby sphalerite ± magnetite ± chalcopyrite.

UPPER DEVONIAN TO MISSISSIPPIAN EARN GROUP

MS: Muscovite-quartz schist
Thin to thick bedded and moderately foliated. Often interbedded with minor quartzite and biotite-muscovite-chlorite schist.

BS: Biotite-muscovite-chlorite schist
Thin to thick bedded and foliated.

Q: Quartzite
Quartzite interbedded with thick bedded micaceous schist.

LS: Limestone
Medium to dark grey with grey weathering.

Contact; known and inferred

Fault; sense of movement unknown

Bedding measurement

Fracture measurement

Foliation measurement

Outcrop

Historical diamond drill hole showing surface trace

C- Historical bulldozer trench

STRATEGIC METALS LTD.

FIGURE 9

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

PROPERTY GEOLOGY
MIKO AREA
(HILLSIDE AND CIRQUE SHOWINGS)

HY PROPERTY

0 100 m 200 m

UTM ZONE 9, NAD 83, 105H/01, 02, 07 & 08, Contour Interval: 20 m

FILE: P:2013/Hy/Figures/F09_Property_Geology_Miko_Area_Hillside.wor | DATE: NOVEMBER 2013

T.N. 39.6° 21°37' Grid north Magnetic north

Annual change decreasing 23.5'



6 791 000 mN

6 790 500 mN

525 500 mE

526 000 mE

526 500 mE

HILLSIDE SHOWING

CIRQUE SHOWING

MIKO HILLSIDE

MIKO CIRQUE

DDH MAR 1-80 (vertical)

DDH MAR 2-80

DDH MAR 3-80

Approximate location of DDH HR#2 and HR#3 (vertical)

TR-1 TR-2 TR-3 TR-4 TR-5 TR-6 TR-7 TR-8 TR-9

MID CRETACEOUS SELWYN SUITE

GRD: Granodiorite
Resistant, blocky, fine to coarse grained, equigranular to porphyritic biotite-quartz-hornblende granodiorite.

SK: Skarn
Pyroxene, epidote, and actinolite dominant with minor garnet found locally; sometimes hosting semi-massive magnetite. White to green, siliceous, epidote rich skarn also present.

CS: Calc-silicate
Pale green, variably silicified and calc-silicate altered with pyroxene and epidote.

Mineralization: variable; trace to massive galena, disseminated to blebby sphalerite ± magnetite ± chalcopyrite.

UPPER DEVONIAN TO MISSISSIPPIAN EARN GROUP

MS: Muscovite-quartz schist
Thin to thick bedded and moderately foliated. Often interbedded with minor quartzite and biotite-muscovite-chlorite schist.

LS: Limestone
Medium to dark grey with grey weathering.

Contact; known and inferred

Bedding measurement

Fracture measurement

Foliation measurement

Outcrop

TR- Historical hand trench

Historical diamond drill hole showing surface trace

Skarn float ± mineralization

After Simpson (1969)

STRATEGIC METALS LTD.

FIGURE 10

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

MINERALIZATION
DUSTY ZONE
HY PROPERTY

0 — 500 m

UTM ZONE 9, NAD 83, 105H/07 Contour Interval: 20m

FILE: P:2013/Hy/Figures/F10-Mineralization_Dusty_zone.wor | DATE: NOVEMBER 2013

T.N. 21°37' Magnetic north — Grid north 1°32'E — Annual change decreasing 23.5'

Property Boundary

MAX CLAIMS

Trail

515,000 mE | 516,000 mE | 517,000 mE

6,794,000 mN | 6,793,000 mN

SHOWING A — Ag+Pb+Zn+Bi

SHOWING B

SHOWING C — Ag+Bi+Pb

SHOWING D — Ag+Bi+Pb+Te | Ag+Bi+Pb +Te±W±Zn | Ag+Bi+Pb+Te

SHOWING E — Bi+W | Cu+Pb+Zn+W

SHOWING F — Pb±Zn±Bi

SHOWING G — Pb+Zn

SHOWING H — Zn | Pb+Zn | Zn

SHOWING I — Cu±Pb

SHOWING J — Cu+Pb+Zn

- Anomalous rock sample grading ≥ 200 g/t Ag, 200 ppm Bi, 1% Cu, 1% Pb, 1% Zn, 20 ppm Te, 1 ppm Tl, and/or 200 ppm W
- Bedrock sample
- Float sample
- Zn+Pb Metal Assemblages
- Selwyn Suite Mt. Billings Batholith
- Mineralization
- ★ Mineralized float
- Unmineralized skarn

Detailed Map Area Figure 10

0 — 4 km

SampleID	Ag (g/t)	Bi (ppm)	Cu (%)	Pb (%)	Te (ppm)	Tl (ppm)	W (ppm)	Zn (%)
G087229	86.5	246	0.01	1.17	4.68	1.41	4.7	0.48
G087231	10.05	7.6	0.00	4.53	1.75	0.05	1.2	3.30
G087232	14.8	2.54	0.01	6.51	2.61	0.08	1.2	2.91
G087233	466	1370	0.08	5.88	36.6	1.7	1.9	8.06
G087234	309	972	0.11	4.58	28.3	1.53	1.5	12.05
G087235	109	570	0.14	2.91	15.8	0.42	7.3	6.58
G087236	98.6	263	0.06	0.37	8.81	0.32	1.4	11.25
G087237	605	1665	0.05	7.68	55.1	0.42	6.4	8.26
G087238	245	674	0.12	2.00	18.3	0.42	7.3	6.52
G087240	25.7	37.7	0.53	0.17	1.16	0.14	4.7	1.05
G087241	40.4	66.7	0.42	0.12	2.75	0.62	46.1	8.96
G087242	97.8	222	0.46	10.95	46.8	1.84	181.5	18.20
G087243	9.42	36	0.11	0.06	1.66	0.21	3.6	7.66
G087244	7.47	90	0.08	0.04	0.44	0.05	2.5	1.28
G087245	7.94	6.05	0.00	4.30	5.8	0.06	6.7	0.37
G087246	31	12.85	1.77	3.81	4.35	0.12	2550	2.77
G087247	44.9	43.7	6.03	14.75	5.99	0.39	1190	12.35
G087248	28.8	22.4	1.53	7.57	3.42	0.04	1340	5.73
G087249	16.85	12.8	0.89	4.45	2.56	0.03	1630	3.89
G087250	9.92	0.75	2.58	0.55	0.41	0.05	158	0.43
G087251	28.8	30.8	1.19	6.93	7.09	0.03	1390	2.23
G087252	22	0.54	3.88	14.60	5.08	0.01	1210	9.34
G087253	1.96	713	0.10	0.08	4.06	0.11	209	0.05
G087254	1.75	570	0.02	0.07	2.17	0.13	2890	0.08
G087255	20.7	44.2	0.00	2.35	2.23	0.35	17.3	1.20
G087256	14.55	21.7	0.00	5.39	5.7	0.09	10.6	3.73
G087257	47.4	113.5	0.95	0.32	2.75	1.05	55.3	2.64
G087258	300	1055	0.17	1.21	10.05	0.19	7.4	9.96
G087259	11.9	240	0.17	0.05	1.35	0.12	52.5	0.16
G087267	345	5570	0.00	0.68	72.5	0.52	5	0.10
G087268	9.78	22.3	0.22	0.04	0.32	0.99	2220	0.40
G087270	19	42.2	0.09	0.07	1.29	0.46	0.8	12.55
G087271	24.9	17.7	0.54	0.01	0.77	1.12	7.4	0.09
G087272	25.9	45.3	0.22	0.08	1.36	0.33	15.7	10.20
G087273	41.7	35.2	1.45	0.14	1.39	0.26	2.4	1.19
G087274	36.8	27	0.03	13.40	18.8	0.16	88.3	8.56
G087275	69.8	81.1	0.15	15.65	74.4	1.06	3.7	17.75
G087276	100	1060	0.09	3.62	31.1	0.72	1.1	8.12
G087277	100	598	0.17	0.97	13.45	0.41	2.4	8.75
G087293	1.56	2.03	0.06	0.00	0.11	1.76	7	0.01
G087296	87.4	183.5	0.00	3.00	12.85	2.3	1.4	0.70
G087297	29	2.03	2.87	0.01	0.18	0.2	1.8	0.04
G087299	23.8	2.55	1.07	0.00	0.025	0.47	1.5	0.05
G087300	0.27	0.3	0.01	0.01	0.025	2.35	1.8	0.01
G087302	30.8	20.2	0.32	1.14	1.82	0.68	1.4	0.05
L841960	11.65	388	0.04	0.04	1.27	0.47	5.9	0.10
L841962	1.02	12.95	0.02	0.01	0.1	1.14	1.8	0.23
L841963	13.25	103	0.14	0.03	0.76	0.14	3.2	8.87
L841965	121	369	0.25	0.53	4.28	1.02	830	6.13
L841966	38.8	789	0.10	0.12	3.11	0.19	4.6	2.18
L841967	18.1	430	0.04	0.07	1.5	1.29	23.4	0.77
L841968	151	475	0.25	0.79	6.85	1.31	480	2.47
L860753	9.16	83.5	0.11	0.02	0.58	0.04	9.4	2.62
L860754	1070	3530	0.89	4.57	60.4	2.49	14.4	0.67
L860756	51.6	43.3	4.90	6.61	3.71	0.41	2130	4.13
L860758	7.65	20	0.25	0.05	0.29	0.16	14	4.11
L860759	10	15.9	0.21	3.23	1.83	0.81	1350	2.29
L860761	0.35	0.52	0.01	0.02	0.09	1.63	7.4	0.02
L860763	1.32	524	0.03	0.00	3.64	0.52	1490	0.47
L860765	32.1	123.5	0.05	0.11	4.5	1	15.6	0.05
L860767	318	871	0.39	2.75	26.9	2.08	6	0.98
M354901	288	770	0.04	1.28	20.3	0.52	3.4	0.13
M898022	189	657	0.09	1.27	12.55	0.49	3.1	7.31
M898023	360	1060	0.09	6.26	22.6	1.88	8.9	7.19
M898024	58.9	545	0.06	0.22	2.55	0.31	2.7	0.49
M898025	0.25	1.51	0.00	0.01	0.025	1.6	3.5	0.01
M898026	25.7	59.4	0.12	0.33	1.48	0.88	4080	0.55
M898028	24.5	495	0.19	0.07	2.93	0.14	46.6	0.76
M898029	8.06	95.7	0.18	0.03	0.71	0.17	2.9	5.23
M898031	175	499	0.01	3.12	8.36	1.81	5	3.09
M898032	73.2	190.5	0.00	1.62	3.02	0.64	41.6	1.62
M898033	167	459	0.01	2.48	7.91	0.84	3.3	1.30
M898122	245	766	0.16	1.29	21.7	0.83	2.3	12.15
M898123	465	2200	0.04	0.57	18.6	0.2	0.4	0.14
M898124	181	513	0.03	0.99	8.54	0.27	1.5	0.36
M898125	187	1045	0.17	0.34	7.07	0.45	0.8	5.39
M898127	791	10000.5	0.00	1.06	171	0.35	5.6	0.14
M898128	822	7110	0.00	3.09	128.5	0.73	15.4	0.12
M898130	96.8	210	0.17	5.56	8.9	0.49	6.3	3.88
M898131	49.8	138	0.10	0.31	3.66	1.45	26.5	5.37
M898132	18.7	43.9	0.06	0.10	0.99	0.26	2.4	1.70
M898134	0.88	5.91	0.01	0.02	0.14	1.61	10.4	0.03
M898135	123	56.4	1.99	1.46	3.3	1.37	43.2	1.77
M898136	45.8	27.4	1.02	0.64	1.5	1.61	13.8	0.70
M898138	573	1560	0.01	9.92	22.1	0.63	1.6	3.27
M898139	46.9	111.5	0.01	4.74	3.09	0.11	3.3	3.14
M898140	336	905	0.12	6.21	17.1	0.45	2.9	3.93
M898141	53	120	0.04	1.38	2.44	1.31	3.4	0.37
M898142	310	881	0.08	2.89	14.4	0.26	4.2	3.08
M898143	482	1250	0.01	20.00	14	1.39	39.1	0.59
M898144	25	53.8	0.05	3.06	1.5	0.08	3.1	1.39
M898145	14.9	20.6	0.00	5.19	1.24	0.07	33.7	2.43
M898146	44.9	103.5	0.03	1.63	2.29	0.25	271	0.21
M898150	325	1220	0.07	1.42	11.55	0.46	1	0.21

STRATEGIC METALS LTD.

FIGURE 13

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

MINERALIZATION
MARG ZONE

HY PROPERTY

0 500 m

UTM ZONE 9, NAD 83, 105H/07 Contour Interval: 20m

FILE: .../2013/HY/Figures/F13-Mineralization_Marg_zone.wor

DATE: NOVEMBER 2013

- Anomalous rock sample grading ≥ 200 g/t Ag, 200 ppm Bi, 1% Cu, 1% Pb, 1% Zn, 20 ppm Te, 1 ppm Tl, and/or 200 ppm W
- Bedrock sample
- Float sample
- Zn+Pb Metal Assemblages
- Selwyn Suite Mt. Billings Batholith





CLIFF SHOWING



Property Boundary

6,793,000 mN

G087306

4 X 4 ROAD



LOWER SHOWING



523,000 mE

524,000 mE

SampleID	Ag (g/t)	Bi (ppm)	Cu (%)	Pb (%)	Te (ppm)	Tl (ppm)	W (ppm)	Zn (%)
G087203	0.51	6.15	0.00	0.00	1.58	0.09	5.3	7.43
G087204	75.7	188.5	0.00	1.39	3.39	2.11	344	4.02
G087208	12.7	29.9	0.00	3.19	7.15	0.24	3.8	2.64
G087209	87.7	359	0.00	0.36	22	0.13	392	2.74
G087210	343	1880	0.00	1.12	67.2	0.66	480	2.46
G087211	12.3	275	0.00	0.08	16.25	0.07	348	1.21
G087212	119	297	0.00	2.03	12.85	0.28	191	2.39
G087213	87.7	240	0.00	0.86	8.52	0.97	20.8	8.33
G087214	165	519	0.00	1.15	9.07	0.43	3.4	5.45
G087215	11.75	29.3	0.00	0.05	0.45	0.09	57.3	12.90
G087216	148	372	0.00	7.39	7.01	4.79	77.2	5.81
G087217	1.11	69	0.00	0.01	0.57	1.2	202	2.02
G087303	52.4	119.5	0.05	1.06	5.44	0.16	96.1	0.94
G087304	18.75	1045	0.04	0.09	5.44	0.3	7.5	0.04
G087305	22.5	61.8	0.00	0.34	0.89	0.22	218	3.18
G087307	56.3	122	0.00	3.11	3.83	0.19	14.9	3.08
G087308	26.1	44.9	0.24	5.22	6.36	0.05	2.8	3.65
G087309	100	1315	0.01	0.61	22.9	0.79	435	5.24
G087310	100	326	0.00	2.52	6.68	0.32	95.7	3.28
M354859	5.57	9.23	0.00	1.29	2.81	0.15	3	1.51
M354860	1.99	316	0.00	0.01	1.97	0.13	8.4	1.93
M354862	107	217	0.46	1.06	5.47	0.15	4.7	5.25
M898001	226	675	0.01	1.72	20.7	0.34	560	1.43
M898002	2.03	245	0.00	0.02	1.33	0.4	323	2.92
M898003	1.13	195	0.00	0.00	0.71	0.19	165.5	3.22
M898004	107	300	0.00	1.18	5.4	0.47	4	5.65
M898007	0.31	12.6	0.02	0.00	0.63	1.53	1.9	0.01
M898008	0.62	1.69	0.00	0.01	0.06	1.12	2.2	0.03
M898009	140	401	0.00	1.76	5.23	1.51	86.5	2.44
M898010	525	1560	0.00	4.52	11.55	7.85	1070	3.09
M898018	178	449	0.00	5.97	9.19	0.6	17.8	4.25
M898019	142	458	0.77	1.55	3.41	0.61	89.5	1.58
M898111	118	318	0.00	2.16	4.97	2.01	208	3.26
M898112	17.9	4.44	1.04	0.03	0.35	0.09	0.7	0.06
M898113	208	594	0.00	2.26	8.97	0.75	72.3	3.50
M898114	34.6	78.2	0.00	4.51	3.48	0.5	10.4	2.87
M898115	70.2	154.5	0.00	3.71	2.52	0.58	3.8	2.66
M898116	29	59.8	0.06	2.43	1.88	0.48	210	1.61
M898117	18.85	29.5	0.11	3.77	4.13	0.08	2.3	3.45
M898118	507	1375	0.00	4.85	14.35	1.38	336	5.06
M898119	373	876	0.00	3.67	17.4	0.61	84.8	4.64

STRATEGIC METALS LTD.

FIGURE 14

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

MINERALIZATION
MIKO ZONE

HY PROPERTY

0 500 m

UTM ZONE 9, NAD 83, 105H/01,02,07 & 08 Contour Interval: 20m

FILE: P:2013/Hy/Figures/F14-Mineralization_Miko_zone.wor

DATE: NOVEMBER 2013

T.N.
1°32'
21°37'
Grid north
Magnetic north
Annual change decreasing 23.5'

525,000 mE

526,000 mE

6,791,000 mN

6,790,000 mN

CREEK SHOWING

Ag+Bi +Pb-Zn
M650199
L865603
L865601
L865600
M650197
G087260
G087261
Bi+Zn
Zn
M650198
L865599
Pb-Zn±Bi
G087262
G285346
G087263
L865605
L865604
Zn
G087264
Pb+Zn
Ag+Bi+ Pb-Zn+W
L865608
L865602
L865609
L865606
L865607

HILLSIDE SHOWING

L865615
L865616
L865614
L865610
L865617
L865620
L865619
L865618
L865633
L865621
L865635
L865634
L865628
L865627
L865626
L865625
L865632
L865622
L865631
L865623
L865624
L865630
L865629

CIRQUE SHOWING

L865611
L865612
L865613

CAMP
L865636
Pb
CAMP SHOWING

TRAIL

PROPERTY BOUNDARY

Property Boundary
Detailed Map Area
Figure 14
0 4 km

Anomalous rock sample grading ≥ 200 g/t Ag, 200 ppm Bi, 1% Cu, 1% Pb, 1% Zn, 20 ppm Te, 1 ppm Tl, and/or 200 ppm W

Bedrock sample

Float sample

Zn+Pb Metal Assemblages

Selwyn Suite Mt. Billings Batholith

SampleID	Ag (g/t)	Bi (ppm)	Cu (%)	Pb (%)	Te (ppm)	Tl (ppm)	W (ppm)	Zn (%)
G087261	61.4	16.55	0.00	20.00	4.69	0.02	26	28.70
G087262	135	235	0.00	20.00	5.53	0.09	32	24.30
G087263	35.2	1.65	0.00	20.00	0.1	0.01	4.7	30.00
G087264	20.5	48.4	0.00	0.42	0.81	0.17	20.7	1.79
G285346	32.7	0.2	0.00	34.52	0.68	0.02	6.4	29.00
L865599	119	334	0.08	0.90	4.37	0.59	79.5	1.75
L865601	72	253	0.04	0.45	3.09	0.59	27.7	0.48
L865602	755	2210	0.01	7.29	35.5	1.62	278	6.97
L865606	4.07	293	0.17	0.01	0.55	0.78	1.6	0.01
L865621	0.3	1.2	0.00	0.00	0.025	1.08	3.4	0.01
L865622	0.41	1.48	0.00	0.01	0.025	1.05	4.8	0.02
L865623	0.06	0.3	0.00	0.00	0.025	1.49	5	0.01
L865624	0.09	0.58	0.00	0.00	0.025	1.6	4.8	0.01
L865625	0.06	0.33	0.00	0.00	0.025	1.53	4.4	0.01
L865626	0.32	0.97	0.01	0.00	0.025	1.26	4.4	0.01
L865627	0.08	0.45	0.00	0.00	0.025	1.06	2.8	0.01
L865628	0.06	0.46	0.00	0.00	0.05	1.12	1.9	0.01
L865629	0.89	3.94	0.00	0.00	0.07	1.28	6.4	0.19
L865630	0.04	0.23	0.00	0.00	0.025	1.31	2	0.01
L865631	0.07	0.27	0.00	0.00	0.025	1.1	1.7	0.01
L865632	0.1	0.32	0.00	0.00	0.025	1.2	2.4	0.01
L865636	69.9	73	0.47	2.40	3.17	0.39	3.5	0.64
M650197	245	784	0.03	2.08	10.45	1.02	187	2.30
M650198	61	180	0.00	0.50	2.66	0.53	104	1.22

514,000 mE

516,000 mE

518,000 mE

6,794,000 mN

6,792,000 mN

Property boundary





STRATEGIC METALS LTD.

FIGURE 15

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SOIL SAMPLE LOCATIONS DUSTY AREA

HY PROPERTY

0 400 m

UTM ZONE 9, NAD 83, 105H/07 Contour Interval: 20m

FILE: P:2013/Hy/Figures/F15-Soil_Sample_Locations.wor

DATE: NOVEMBER 2013

522,000 mE

523,000 mE

524,000 mE

525,000 mE

6,793,000 mN

6,792,000 mN

6,791,000 mN

Property boundary

T.N.
1°32'
21°37'
Grid north
Magnetic north
Annual change decreasing 23.5'

STRATEGIC METALS LTD.

FIGURE 16

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SOIL SAMPLE LOCATIONS MARG, MIKO AND ELSA AREAS

HY PROPERTY

0 1 km

UTM ZONE 9, NAD 83, 105H/01,02,07 & 08 Contour Interval: 20m

FILE: P:2013/Hy/Figures/F16-Soil_Sample_Locations.wor

DATE: NOVEMBER 2013



514,000 mE
516,000 mE
518,000 mE
520,000 mE
522,000 mE
524,000 mE
526,000 mE
6,796,000 mN
6,794,000 mN
6,792,000 mN
6,790,000 mN
6,788,000 mN
2,000
1,500
Property boundary
DME1
mKgS
DUSTY
SHOWING A
SHOWING B
SHOWING C
SHOWING D
SHOWING E
SHOWING F
SHOWING G
SHOWING H
SHOWING I
SHOWING J
SHOWING K
ELSA
ELSA SHOWING
11.4
HIKE SHOWING
MARG
CLIFF SHOWING
6.98
LOWER SHOWING
CREEK SHOWING
CAMP SHOWING
MIKO
HILLSIDE SHOWING
PCH4
TUNG
SHOWING 1
SHOWING 2
707

mKgS	Selwyn Suite Mt. Billings Batholith
DME1	Earn Group
PCH4	Hyland Group
— — —	Regional geological contact
	Area of Mineral Showing

Soil Ag (g/t)
- ≥5 ≤11.4
- ≥2 <5
- ≥1 <2
- ≥0.5 <1
- ≥0.2 <0.5
- ≥0 <0.2

2013 Tung Soil Pit Ag (ppm)
- ≥5 ≤707
- ≥0.5 <1
- ≥0.2 <0.5
- ≥0 <0.2

STRATEGIC METALS LTD.

FIGURE 18

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

SILVER GEOCHEMISTRY

HY PROPERTY

T.N.
1°32'
21°37'
Grid north
Magnetic north
Annual change decreasing 23.5'

0 1 km

UTM ZONE 9, NAD 83, 105H/01, 02, 07 & 08 Contour Interval: 20m

FILE: P:2013/Hy/Figures/F18-Silver_Geochemistry.wor

DATE: NOVEMBER 2013

514,000 mE
516,000 mE
518,000 mE
520,000 mE
522,000 mE
524,000 mE
526,000 mN
6,796,000 mN
6,794,000 mN
6,792,000 mN
6,790,000 mN
6,788,000 mN
2,000
1,500
Property boundary
DME1
mKgS
SHOWING A
SHOWING B
SHOWING C
SHOWING D
SHOWING E
SHOWING F
SHOWING G
SHOWING H
SHOWING I
SHOWING J
SHOWING K
DUSTY
ELSA
ELSA SHOWING
HIKE SHOWING
MARG
CLIFF SHOWING
LOWER SHOWING
CREEK SHOWING
CAMP SHOWING
MIKO
HILLSIDE SHOWING
PCH4
TUNG
SHOWING 1
SHOWING 2

Soil Cu (ppm)
- ≥200 ≤327
- ≥100 <200
- ≥50 <100
- ≥0 <50

2013 Tung Soil Pit Cu (ppm)
- ≥0 ≤48

T.N.
21°37'
17°32'
Grid north
Magnetic north
Annual change decreasing 23.5'

mKgS	Selwyn Suite Mt. Billings Batholith
DME1	Earn Group
PCH4	Hyland Group
— — —	Regional geological contact
	Area of Mineral Showing

STRATEGIC METALS LTD.

FIGURE 19

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

COPPER GEOCHEMISTRY

HY PROPERTY

0 1 km

UTM ZONE 9, NAD 83, 105H/01,02,07 & 08 Contour Interval: 20m

FILE: P:2013/Hy/Figures/F19-Copper_Geochemistry.wor

DATE: NOVEMBER 2013

514,000 mE
516,000 mE
518,000 mE
520,000 mE
522,000 mE
524,000 mE
526,000 mE
6,796,000 mN
6,794,000 mN
6,792,000 mN
6,790,000 mN
6,788,000 mN
Property boundary
DME1
mKgS
DUSTY
SHOWING A
SHOWING B
SHOWING C
SHOWING D
SHOWING E
SHOWING F
SHOWING G
SHOWING H
SHOWING I
SHOWING J
SHOWING K
ELSA
ELSA SHOWING
HIKE SHOWING
MARG
CLIFF SHOWING
LOWER SHOWING
CREEK SHOWING
CAMP SHOWING
MIKO
HILLSIDE SHOWING
PCH4
TUNG
SHOWING 1
SHOWING 2
1655
2,000
1,500
1,000
500
13
10
16
37
11
28
14
32
12

mKgS	Selwyn Suite Mt. Billings Batholith
DME1	Earn Group
PCH4	Hyland Group
	Regional geological contact
	Area of Mineral Showing

Soil Bi (ppm)
- ≥10 ≤37
- ≥5 <10
- ≥2 <5
- ≥1 <2
- ≥0 <1

2013 Tung Soil Pit Bi (ppm)
- ≥10 ≤1655
- ≥5 <10
- ≥2 <5
- ≥1 <2
- ≥0 <1

T.N.
Grid north
21°37'
1°32'
Magnetic north
Annual change decreasing 23.5'

0 1 km
UTM ZONE 9, NAD 83, 105H/01,02,07 & 08 Contour Interval: 20m

STRATEGIC METALS LTD.

FIGURE 20

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

BISMUTH GEOCHEMISTRY

HY PROPERTY

FILE: P:2013/Hy/Figures/F20-Bismuth_Geochemistry.wor

DATE: NOVEMBER 2013

514,000 mE
516,000 mE
518,000 mE
520,000 mE
522,000 mE
524,000 mE
526,000 mE
6,796,000 mN
6,794,000 mN
6,792,000 mN
6,790,000 mN
6,788,000 mN
2,000
1,500
Property boundary
DME1
mKgS
DUSTY
620
1085
560
515
SHOWING A
SHOWING B
SHOWING C
SHOWING D
SHOWING E
SHOWING F
SHOWING G
SHOWING H
SHOWING I
SHOWING J
SHOWING K
756
589
ELSA
693
3390
ELSA SHOWING
933
684
526
2110
1095
HIKE SHOWING
645
MARG
CLIFF SHOWING
mKgS
1040
LOWER SHOWING
568
696
1570
503
CREEK SHOWING
998
1130
CAMP SHOWING
MIKO
HILLSIDE SHOWING
PCH4
TUNG
SHOWING 2
SHOWING 1
18,500
DME1
DME1

mKgS	Selwyn Suite Mt. Billings Batholith
DME1	Earn Group
PCH4	Hyland Group
	Regional geological contact
	Area of Mineral Showing

Soil Pb (ppm)
- ≥500 ≤3390
- ≥200 <500
- ≥100 <200
- ≥50 <100
- ≥0 <50

2013 Tung Soil Pit Pb (ppm)
- ≥500 ≤18,500
- ≥200 <500
- ≥100 <200
- ≥50 <100
- ≥0 <50

T.N.
21°37'
17°32'
Grid north
Magnetic north
Annual change decreasing 23.5'

STRATEGIC METALS LTD.

FIGURE 21

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

LEAD GEOCHEMISTRY

HY PROPERTY

0 1 km

UTM ZONE 9, NAD 83, 105H/01,02,07 & 08 Contour Interval: 20m

FILE: P:2013/Hy/Figures/F21-Lead_Geochemistry.wor

DATE: NOVEMBER 2013

514,000 mE
516,000 mE
518,000 mE
520,000 mE
522,000 mE
524,000 mE
526,000 mE
6,796,000 mN
6,794,000 mN
6,792,000 mN
6,790,000 mN
6,788,000 mN
2,000
1,500
Property boundary
DME1
mKgS
PCH4
DUSTY
SHOWING A
SHOWING B
SHOWING C
SHOWING D
SHOWING E
SHOWING F
SHOWING G
SHOWING H
SHOWING I
SHOWING J
SHOWING K
4150
3690
1190
ELSA
ELSA SHOWING
3500
1080
1140
HIKE SHOWING
2170
1350
MARG
CLIFF SHOWING
LOWER SHOWING
1540
3320
1650
1680
1400
1390
1550
2050
1040
1000
CREEK SHOWING
1960
MIKO
1650
CAMP SHOWING
HILLSIDE SHOWING
TUNG
SHOWING 1
SHOWING 2
8310

mKgS	Selwyn Suite Mt. Billings Batholith
DME1	Earn Group
PCH4	Hyland Group
	Regional geological contact
	Area of Mineral Showing

Soil Zn (ppm)
- ≥1000 <4150
- ≥500 <1000
- ≥200 <500
- ≥100 <200
- ≥0 <100

2013 Tung Soil Pit Zn (ppm)
- ≥1000 ≤8310
- ≥500 <1000
- ≥200 <500
- ≥100 <200
- ≥0 <100

T.N.
21°37'
Magnetic north
1°32'
Grid north
Annual change decreasing 23.5'

STRATEGIC METALS LTD.

FIGURE 22

ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

ZINC GEOCHEMISTRY

HY PROPERTY

0 1 km

UTM ZONE 9, NAD 83, 105H/01, 02, 07 & 08 Contour Interval: 20m

FILE: P:2013/Hy/Figures/F22-Zinc_Geochemistry.wor

DATE: NOVEMBER 2013

PROPERTY BOUNDARY

FIRST NATIONS LAND CLAIM
LFN R-131B

SHOWING A
SHOWING B
SHOWING C
SHOWING D
SHOWING E
SHOWING F
SHOWING G
SHOWING H
SHOWING I
SHOWING J
SHOWING K
SHOWING 1
SHOWING 2
ELSA SHOWING
HIKE SHOWING
CLIFF SHOWING
LOWER SHOWING
CREEK SHOWING
HILLSIDE SHOWING
CAMP SHOWING
CIRQUE SHOWING

6 795 000 mN
6 791 000 mN
515 000 mE
520 000 mE
525 000 mE

Magnetic field (nT)

58148
58140
58136
58130
58126
58120
58114
58108
58102
58098
58094
58092
58088
58086
58082
58080
58078
58076
58074
58072
58070
58068
58066
58064
58062
58060
58058
58056
58054
58050
58046
58042
58034

Mineralized showing

T.N.
1°32'
21°37'
Grid north
Magnetic north
Annual change decreasing 23.5'

STRATEGIC METALS LTD.

FIGURE 23
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
TOTAL FIELD MAGNETICS REDUCED TO POLE
HY PROPERTY

0 2 km
UTM Zone 9, NAD 83, NTS 105H 01, 02, 07 & 08

FILE: P:2013/Hy/Figures/F23-TF_Magnetics.wor | DATE: NOVEMBER 2013

PROPERTY BOUNDARY

FIRST NATIONS LAND CLAIM
LFN R-131B

Zone A
Zone B
Zone C
Zone D

SHOWING A
SHOWING B
SHOWING C
SHOWING D
SHOWING E
SHOWING F
SHOWING G
SHOWING H
SHOWING I
SHOWING J
SHOWING K
SHOWING 1
SHOWING 2
ELSA SHOWING
HIKE SHOWING
CLIFF SHOWING
LOWER SHOWING
CREEK SHOWING
HILLSIDE SHOWING
CAMP SHOWING
CIRQUE SHOWING

6 795 000 mN
6 790 000 mN
515 000 mE
520 000 mE
525 000 mE

0.6227
0.0113
0.0088
0.0073
0.0062
0.0054
0.0046
0.0039
0.0032
0.0026
0.0020
0.0013
0.0007
0.0000
-0.0006
-0.0014
-0.0022
-0.0032
-0.0043
-0.0063
-0.0091

B-field-Response
fT/(A*m^2)

Mineralized showing

T.N.
1°32'
21°37'
Grid north
Magnetic north
Annual change decreasing 23.5'

STRATEGIC METALS LTD.

FIGURE 24
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED

LATE TIME B-FIELD CHANNEL IMAGE

HY PROPERTY

0 2 km

UTM Zone 9, NAD 83, NTS 105H 01, 02, 07 & 08

FILE: P:2013/Hy/Figures/F24-VTEM.wor

DATE: NOVEMBER 2013

T.N.
1°32'
21°37'
Grid north
Magnetic north
Annual change decreasing 23.5'

6 795 000 mN
6 790 000 mN

PROPERTY BOUNDARY

FIRST NATIONS LAND CLAIM
LFN R-131B

Zone A
Zone B
Zone C
Zone D

SHOWING A
SHOWING B
SHOWING C
SHOWING D
SHOWING E
SHOWING F
SHOWING G
SHOWING H
SHOWING I
SHOWING J
SHOWING K
SHOWING 1
SHOWING 2
ELSA SHOWING
HIKE SHOWING
CLIFF SHOWING
LOWER SHOWING
CREEK SHOWING
HILLSIDE SHOWING
CAMP SHOWING
CIRQUE SHOWING

515 000 mE
520 000 mE
525 000 mE

1.833
0.584
0.490
0.433
0.394
0.362
0.333
0.305
0.280
0.257
0.234
0.208
0.185
0.161
0.136
0.107
0.076
0.042
0.002

Tot. grad.
nT/m

Mineralized showing

Euler Solutions
Depth (m)
> 400
300 - 400
200 - 300
100 - 200
< 100

STRATEGIC METALS LTD.

FIGURE 25
ARCHER, CATHRO & ASSOCIATES (1981) LIMITED
INTERPRETED MAGNETIC AND ELECTROMAGNETIC DATA
HY PROPERTY

0 2 km
UTM Zone 9, NAD 83, NTS 105H 01, 02, 07 & 08

FILE: P:2013/Hy/Figures/F25-Mag_VTEM_Interp.wor
DATE: NOVEMBER 2013