

**CLIENT NAME: ANTHILL RESOURCES
1090-999 WEST HASTINGS STREET
Vancouver, BC V6C2W2
(604) 569-3892**

ATTENTION TO: Yinghua Chen

PROJECT NO:

AGAT WORK ORDER: 12T613679

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, Certified Assayer - Director - Technical Services (Mining)

DATE REPORTED: Jul 04, 2012

PAGES (INCLUDING COVER): 39

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

***NOTES**



Certificate of Analysis

AGAT WORK ORDER: 12T613679

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 25, 2012

DATE RECEIVED: Jun 25, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
RE5505073	<0.2	0.84	73	<5	53	<0.5	3	0.76	<0.5	15	69.5	86.7	85.1	9.40
RE5505074	<0.2	0.69	87	<5	30	<0.5	5	0.54	<0.5	22	111	140	106	10.2
RE5505075	<0.2	0.81	62	<5	83	<0.5	3	0.44	<0.5	20	48.2	111	51.6	6.92
RE5505076	<0.2	0.43	1	<5	162	<0.5	<1	0.27	<0.5	4	4.6	106	5.8	1.71
RE5505077	<0.2	2.19	33	<5	59	<0.5	<1	<0.01	<0.5	2	10.6	52.4	59.0	8.57
RE5505078	<0.2	0.56	4220	<5	551	<0.5	2	0.03	<0.5	4	9.1	122	9.3	3.42
RE5505079	<0.2	0.38	910	<5	114	<0.5	<1	1.14	<0.5	2	6.2	93.9	11.2	2.44
RE5505080	<0.2	0.56	15	<5	1140	0.9	<1	0.18	<0.5	4	15.9	73.7	28.1	5.94
RE5505081	2.3	0.45	118	<5	2340	0.8	<1	0.02	<0.5	3	30.6	52.7	194	11.2
RE5505082	<0.2	0.54	3	<5	431	0.7	<1	0.03	<0.5	4	12.0	73.7	16.4	4.48
RE5505083	<0.2	0.68	3	<5	475	0.7	<1	0.05	<0.5	5	15.3	37.3	22.4	5.06
RE5505084	<0.2	0.19	3	<5	186	<0.5	<1	<0.01	<0.5	1	9.0	133	26.4	3.98
RE5505085	<0.2	1.00	15	<5	119	0.6	11	<0.01	<0.5	5	36.3	27.2	56.3	9.30
RE5505086	<0.2	0.59	3	<5	556	<0.5	<1	0.30	<0.5	5	18.2	79.2	33.6	4.85
RE5505087	1.1	0.07	<1	6	18	<0.5	<1	28.7	<0.5	8	1.2	10.4	2.8	0.78
RE5505088	<0.2	1.76	17	<5	61	0.7	3	0.18	<0.5	3	22.3	35.3	49.0	4.35
RE5505089	<0.2	2.07	19	<5	84	0.6	<1	0.03	<0.5	2	11.5	39.9	30.5	4.62
RE5505090	0.3	0.13	9	<5	12	<0.5	<1	1.93	<0.5	5	2.8	125	6.8	1.23
RE5505091	<0.2	1.84	18	<5	43	<0.5	<1	<0.01	<0.5	2	3.2	42.7	38.6	6.11
RE5505092	<0.2	0.31	901	<5	257	<0.5	<1	0.03	<0.5	5	3.1	123	14.6	1.69
RE5505093	<0.2	0.26	2830	<5	430	<0.5	<1	0.03	<0.5	3	1.7	129	25.6	0.97
RE5505220	<0.2	1.43	8	<5	54	<0.5	<1	0.39	<0.5	4	8.4	138	17.4	2.94
RE5505221	<0.2	0.59	12	<5	34	<0.5	<1	0.10	<0.5	7	4.1	232	19.0	1.43
RE5505222	0.8	0.03	<1	<5	10	<0.5	<1	19.8	<0.5	<1	<0.5	4.6	1.4	0.35
RE5505223	1.1	0.03	<1	<5	10	<0.5	<1	21.3	<0.5	<1	<0.5	4.2	0.9	0.44
RE5505224	1.0	0.05	<1	<5	17	<0.5	<1	26.6	<0.5	2	<0.5	3.8	3.1	0.50
RE5505225	0.9	0.04	<1	<5	41	<0.5	<1	32.4	<0.5	<1	<0.5	2.5	1.4	0.08
RE5505226	1.4	0.05	<1	<5	41	<0.5	<1	30.7	<0.5	<1	<0.5	2.2	2.1	0.09
RE5505227	1.0	0.02	<1	<5	18	<0.5	<1	26.2	<0.5	<1	<0.5	2.7	0.7	0.06
RE5505228	1.3	0.04	<1	<5	7	<0.5	<1	19.4	<0.5	<1	<0.5	5.5	<0.5	0.57
RE5505229	<0.2	0.36	<1	<5	39	<0.5	<1	3.28	<0.5	15	10.0	94.4	27.2	3.46
RE5505234	<0.2	0.20	<1	<5	402	<0.5	<1	0.02	<0.5	1	7.6	155	12.9	2.57

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T613679

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 25, 2012		DATE RECEIVED: Jun 25, 2012					DATE REPORTED: Jul 04, 2012					SAMPLE TYPE: Rock				
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01	
RE5505235		<0.2	0.38	2	<5	43	<0.5	<1	0.03	<0.5	<1	11.1	149	22.6	3.44	
RE5505236		<0.2	1.61	5	<5	57	0.6	6	<0.01	<0.5	6	9.5	35.0	53.3	7.21	
RE5505237		<0.2	2.17	3	<5	55	0.7	<1	0.09	<0.5	4	5.4	39.0	27.1	4.38	
RE5505238		<0.2	0.29	<1	<5	241	<0.5	<1	3.27	<0.5	2	5.3	134	4.1	2.91	
RE5505537		<0.2	2.77	3	<5	717	0.9	<1	0.04	<0.5	11	18.0	48.0	30.3	4.47	
RE5505538		<0.2	1.55	<1	<5	3470	<0.5	<1	0.09	<0.5	5	13.5	64.0	18.6	8.13	
RE5505539		<0.2	1.58	3	<5	223	<0.5	<1	0.11	<0.5	4	18.0	92.6	12.1	5.92	
RE5505540		<0.2	1.22	8	<5	89	<0.5	<1	0.21	<0.5	14	8.4	59.6	17.8	2.88	
RE5505541		<0.2	0.25	<1	<5	1150	<0.5	<1	0.01	<0.5	5	3.0	141	7.8	2.95	
RE5505542		<0.2	0.23	<1	<5	36	<0.5	<1	0.06	<0.5	8	2.1	154	4.5	1.87	
RE5506787		<0.2	2.35	6	<5	113	1.3	<1	0.04	<0.5	13	24.0	46.7	38.4	5.85	
RE5506788		<0.2	1.51	3	<5	54	0.6	1	0.01	<0.5	6	7.5	51.4	21.9	3.20	
RE5506789		<0.2	2.92	<1	<5	70	0.7	<1	0.19	<0.5	3	14.4	49.3	30.3	5.40	
RE5506790		<0.2	0.31	<1	<5	168	<0.5	<1	1.67	<0.5	4	8.7	72.1	20.2	1.81	
RE5506791		<0.2	1.74	<1	<5	308	<0.5	<1	0.48	<0.5	3	10.2	66.1	7.8	3.53	
RE5506792		0.7	0.17	456	<5	21	<0.5	<1	6.46	<0.5	8	2.0	71.9	1.2	2.57	
RE5506793		0.3	0.03	<1	<5	35	<0.5	<1	32.0	<0.5	<1	<0.5	3.6	0.8	0.09	
RE5506794		<0.2	1.06	16	8	87	1.0	<1	0.52	<0.5	31	14.4	23.0	26.1	3.31	
RE5506795		<0.2	0.40	8	<5	56	<0.5	<1	0.36	<0.5	19	4.5	27.5	12.7	1.13	
RE5506796		<0.2	0.76	4	<5	56	0.5	<1	3.05	<0.5	18	8.3	14.7	21.2	2.55	
RE5506797		<0.2	0.91	3	8	84	<0.5	<1	0.01	<0.5	25	2.6	46.6	20.7	2.44	
RE5506798		<0.2	1.01	7	<5	72	0.5	2	0.01	<0.5	22	9.0	58.0	30.5	2.46	
RE5506799		2.5	2.22	10	7	103	<0.5	4	0.97	2.7	23	18.1	36.1	835	5.49	
RE5506800		1.0	0.02	<1	<5	11	<0.5	<1	19.0	<0.5	<1	<0.5	3.2	1.2	0.42	
RE5506801		<0.2	0.63	10	<5	30	<0.5	<1	0.10	<0.5	4	10.6	68.5	9.6	3.94	
RE5506802		<0.2	0.20	3440	<5	81	<0.5	<1	0.09	<0.5	4	4.4	74.4	7.6	1.18	
RE5506803		<0.2	0.88	12	<5	131	<0.5	<1	0.41	<0.5	4	6.0	47.8	15.4	2.93	
RE5507360		<0.2	0.15	19	<5	78	<0.5	<1	0.04	<0.5	5	2.8	109	6.3	1.19	
RE5507361		0.3	0.73	11	<5	697	<0.5	<1	0.11	<0.5	10	26.0	65.2	55.2	3.22	
RE5507362		<0.2	1.93	5	<5	54	0.6	<1	<0.01	<0.5	3	8.4	33.2	29.0	4.60	
RE5507363		<0.2	0.30	<1	<5	85	<0.5	<1	0.03	<0.5	1	2.3	108	12.2	1.15	
RE5507364		<0.2	2.66	8	<5	89	0.8	<1	0.01	<0.5	6	13.6	41.5	20.8	4.32	

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T613679

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 25, 2012

DATE RECEIVED: Jun 25, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
RE5507365	<0.2	0.73	4	6	63	0.7	<1	2.62	<0.5	16	15.6	27.7	26.0	3.76
RE5507366	<0.2	1.81	27	6	72	0.6	2	0.41	<0.5	29	19.5	32.6	23.9	5.72
RE5505543	<0.2	1.76	4	<5	50	0.5	<1	1.07	<0.5	4	12.3	46.4	13.6	4.96
RE5505544	<0.2	2.85	3	<5	69	1.0	<1	0.28	<0.5	7	23.3	56.7	43.9	6.69
RE5505545	<0.2	1.71	28	<5	288	0.7	<1	0.05	<0.5	4	6.0	32.7	33.6	4.78
RE5505546	<0.2	0.44	1	<5	71	<0.5	<1	0.10	<0.5	6	4.8	37.5	4.0	1.72
RE5505547	<0.2	0.71	<1	<5	219	<0.5	<1	0.15	<0.5	5	3.9	60.2	3.9	1.53
RE5505548	<0.2	1.52	9	<5	693	<0.5	<1	0.51	<0.5	11	13.4	52.9	16.5	3.91
RE5505549	<0.2	2.21	16	<5	40	0.7	<1	0.01	<0.5	14	8.6	36.2	23.2	4.74
RE5505550	<0.2	0.39	2	<5	47	<0.5	<1	0.22	<0.5	8	4.9	53.7	5.8	2.73
RE5505551	<0.2	0.58	<1	<5	27	<0.5	3	0.02	<0.5	6	3.1	93.8	6.4	1.49
RE5505552	<0.2	0.54	<1	<5	32	<0.5	<1	0.04	<0.5	6	3.3	89.9	7.9	1.20
RE5505553	<0.2	0.23	1	<5	14	<0.5	<1	0.02	<0.5	7	5.0	92.7	13.0	1.55
RE5505554	<0.2	0.13	<1	<5	41	<0.5	<1	0.02	<0.5	5	2.9	93.4	5.8	0.71
RE5505555	<0.2	0.23	1	<5	29	<0.5	<1	0.01	<0.5	5	4.5	74.1	7.7	1.97
RE5505556	<0.2	0.61	3	<5	202	<0.5	<1	0.06	<0.5	7	6.5	80.9	58.2	2.21
RE5505557	<0.2	1.40	<1	9	171	1.1	<1	2.07	<0.5	41	8.0	25.4	163	3.71
RE5505558	<0.2	0.38	4	<5	34	<0.5	<1	0.04	<0.5	16	4.0	71.9	9.3	1.87
RE5505559	<0.2	0.12	<1	<5	18	<0.5	<1	0.05	<0.5	<1	2.7	98.4	7.9	0.77
RE5505239	1.2	0.07	<1	<5	14	<0.5	<1	20.3	<0.5	<1	<0.5	3.3	1.9	0.65
RE5505241	<0.2	0.30	<1	<5	18	<0.5	<1	2.53	<0.5	4	2.5	74.8	3.8	1.88
RE5505242	<0.2	1.74	2	5	52	0.6	<1	1.74	<0.5	12	14.2	39.6	23.5	3.54
RE5505243	<0.2	0.06	17	<5	6	<0.5	<1	0.03	<0.5	4	4.3	93.0	10.2	1.64
RE5505244	1.5	0.42	<1	7	27	<0.5	<1	22.1	<0.5	18	4.2	4.4	17.1	1.61
RE5505245	0.8	0.05	<1	<5	5	<0.5	<1	23.7	<0.5	<1	<0.5	6.3	1.4	0.70
RE5505246	0.7	0.10	<1	<5	18	<0.5	<1	29.8	<0.5	8	1.0	7.2	3.4	0.76
RE5507367	<0.2	2.17	<1	<5	106	<0.5	<1	2.88	<0.5	3	10.3	27.1	12.2	4.47
RE5507368	<0.2	2.35	4	7	48	<0.5	<1	3.65	<0.5	6	7.6	29.0	30.5	4.66
RE5507369	<0.2	0.13	16	<5	10	<0.5	1	17.0	<0.5	25	3.2	26.2	4.5	1.26
RE5507370	<0.2	1.24	7	<5	16	<0.5	6	2.27	<0.5	9	6.6	85.6	13.9	2.30
RE5507371	<0.2	1.15	<1	<5	15	<0.5	<1	0.24	<0.5	2	3.7	47.0	11.9	2.46
RE5507372	<0.2	3.36	1	<5	72	0.6	<1	0.17	<0.5	2	11.5	54.7	26.9	6.46

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T613679

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 25, 2012		DATE RECEIVED: Jun 25, 2012					DATE REPORTED: Jul 04, 2012					SAMPLE TYPE: Rock				
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01	
RE5507373		0.3	1.29	10	<5	76	<0.5	<1	0.69	<0.5	17	14.6	61.1	36.9	3.46	
RE5507374		0.6	0.07	<1	<5	21	<0.5	<1	32.3	<0.5	<1	<0.5	2.5	1.7	0.11	
RE5507375		<0.2	0.05	14	21	127	<0.5	8	27.5	<0.5	19	0.9	6.3	3.3	7.07	
RE5507376		0.9	0.22	<1	9	28	<0.5	<1	21.3	<0.5	13	2.2	4.0	2.1	1.86	
RE5507377		0.4	0.19	32	<5	12	<0.5	<1	1.77	<0.5	5	3.1	47.9	6.9	1.16	
RE5507378		0.9	0.05	<1	<5	5	<0.5	<1	33.6	<0.5	<1	<0.5	1.8	2.9	0.10	
RE5506804		1.1	0.06	<1	<5	37	<0.5	<1	31.3	<0.5	<1	0.7	2.5	2.0	0.57	
RE5506805		<0.2	0.42	28	10	66	<0.5	<1	3.63	<0.5	7	5.1	58.1	24.2	10.0	
RE5506806		0.7	0.26	6	<5	43	<0.5	<1	7.88	<0.5	10	2.0	15.3	15.9	0.92	
RE5506807		<0.2	0.08	15	<5	9	<0.5	<1	0.08	<0.5	4	1.4	69.6	4.2	0.75	
RE5506808		<0.2	0.21	18	<5	11	<0.5	<1	0.55	<0.5	8	0.6	51.8	2.2	0.33	
RE5506809		0.9	0.10	<1	7	58	<0.5	<1	29.2	<0.5	1	1.3	2.9	4.1	1.48	
RE5507060		1.3	0.13	<1	<5	26	<0.5	<1	28.5	<0.5	4	1.9	6.7	10.3	0.69	
RE5507061		1.2	0.04	<1	<5	7	<0.5	<1	19.8	<0.5	<1	<0.5	3.2	0.5	0.36	
RE5507062		<0.2	0.28	55	<5	220	<0.5	<1	1.41	<0.5	5	48.6	37.0	46.4	9.97	
RE5507063		<0.2	0.30	25	<5	36	<0.5	<1	0.66	<0.5	10	4.4	49.1	13.0	1.75	
RE5507064		<0.2	0.34	107	<5	192	<0.5	<1	0.06	<0.5	5	20.4	35.1	53.2	11.0	
RE5507065		<0.2	0.17	275	<5	17	<0.5	<1	0.08	<0.5	4	4.4	79.7	13.4	1.09	
RE5507066		<0.2	0.11	240	<5	17	<0.5	<1	0.06	<0.5	3	2.0	68.1	6.0	0.81	
RE5507067		<0.2	0.20	1070	<5	16	<0.5	<1	0.02	<0.5	4	0.9	68.0	6.5	1.33	
RE5507068		0.4	0.18	1550	<5	10	<0.5	<1	0.02	<0.5	2	0.7	80.6	3.3	0.77	
RE5507069		1.5	0.08	<1	<5	28	<0.5	<1	23.9	<0.5	1	2.1	12.8	3.9	1.20	
RE5506811		<0.2	4.62	<1	25	143	1.0	<1	4.85	<0.5	71	34.4	330	76.2	7.80	
RE5506812		<0.2	1.86	<1	<5	97	1.0	<1	1.00	<0.5	63	7.1	26.7	54.1	3.74	
RE5506813		<0.2	2.37	<1	15	195	1.6	<1	5.41	<0.5	104	18.2	191	77.4	6.09	
RE5506814		<0.2	3.71	<1	16	135	1.3	<1	5.83	<0.5	113	23.3	146	83.8	7.90	
RE5506815		<0.2	0.05	21	<5	6	<0.5	<1	17.9	<0.5	15	0.9	1.4	2.7	0.37	
RE5506816		<0.2	0.09	24	<5	14	<0.5	<1	19.9	<0.5	15	1.0	4.6	1.8	0.54	
RE5506817		1.9	0.05	226	88	19	<0.5	81	0.14	5.3	21	6.5	<0.5	51.9	35.6	
RE5506818		<0.2	0.03	1120	6	32	<0.5	1	18.4	<0.5	16	0.7	13.6	<0.5	2.05	
RE5506819		<0.2	0.07	1370	<5	54	<0.5	<1	20.9	<0.5	13	0.8	5.2	10.7	1.57	
RE5506820		<0.2	4.12	56	<5	344	2.7	<1	9.53	<0.5	113	30.1	251	70.3	7.63	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12T613679

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 25, 2012

DATE RECEIVED: Jun 25, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
RE5506821	<0.2	3.62	162	15	275	4.5	<1	3.92	<0.5	95	28.1	320	82.2	9.53
RE5506822	<0.2	3.27	47	<5	181	1.6	<1	10.8	<0.5	120	13.7	102	43.8	5.97
RE5506823	<0.2	4.93	36	14	415	2.3	<1	4.44	<0.5	132	20.9	132	76.4	6.46
RE5506824	<0.2	5.20	17	16	492	1.8	<1	6.63	<0.5	98	11.3	119	67.0	6.75
RE5506825	<0.2	4.02	17	21	683	2.7	2	6.51	<0.5	85	16.0	229	77.2	5.45
RE5506826	<0.2	7.00	24	18	1850	2.2	<1	3.42	<0.5	129	18.6	13.0	46.0	8.81
RE5506827	<0.2	3.70	9	25	1200	2.3	<1	3.10	<0.5	94	11.2	64.8	51.8	4.12
RE5506828	<0.2	2.47	16	18	417	2.1	1	18.0	<0.5	111	4.6	18.0	37.7	4.60
RE5506829	<0.2	2.68	10	8	337	1.1	<1	13.1	<0.5	106	9.1	119	63.0	6.26
RE5506830	<0.2	9.42	13	28	1060	3.8	<1	2.69	<0.5	151	<0.5	29.5	19.7	5.87
RE5506831	<0.2	4.92	12	30	2740	2.8	<1	4.81	<0.5	188	14.2	129	55.0	7.23
RE5506832	<0.2	3.51	16	13	297	2.5	<1	7.67	<0.5	126	20.5	235	60.3	6.50
RE5506833	<0.2	3.57	9	8	365	2.7	<1	4.36	<0.5	111	13.4	259	60.0	6.88
RE5506834	<0.2	5.02	52	11	523	4.0	<1	9.07	<0.5	139	18.8	75.6	63.8	7.00
RE5506835	<0.2	4.17	36	14	1630	4.0	<1	6.76	<0.5	98	15.4	208	67.8	6.70
RE5506836	<0.2	3.89	15	18	296	2.6	3	7.03	<0.5	132	26.5	278	70.1	7.31
RE5506837	<0.2	3.28	330	<5	1080	2.7	<1	5.62	<0.5	197	13.8	105	39.6	6.57
RE5506838	<0.2	4.77	134	8	3410	1.4	<1	14.3	<0.5	123	28.3	224	73.9	8.35
RE5506839	<0.2	3.96	80	9	375	2.4	<1	4.26	<0.5	105	18.2	140	66.3	6.64
RE5506840	<0.2	3.09	37	11	129	2.7	1	7.08	<0.5	83	12.0	112	59.9	5.92
RE5506841	<0.2	2.67	11	70	268	<0.5	<1	2.39	<0.5	39	69.6	526	70.3	6.42
RE5506842	<0.2	1.72	27	<5	36	0.7	<1	1.53	<0.5	62	17.8	76.8	57.6	4.42
RE5506843	<0.2	2.87	12	11	194	2.5	3	3.45	<0.5	73	14.3	117	53.0	4.82
RE5506844	<0.2	3.78	17	7	253	1.5	<1	5.41	<0.5	80	33.4	356	94.7	9.52
RE5506845	<0.2	2.61	16	<5	189	1.1	<1	2.41	<0.5	9	11.0	40.6	48.5	4.14
RE5506846	<0.2	1.71	24	<5	374	<0.5	<1	1.65	<0.5	19	10.3	161	47.2	3.49
RE5506847	<0.2	0.48	7	<5	43	<0.5	3	0.02	0.8	31	7.6	20.5	42.4	4.71
RE5506848	<0.2	0.57	9	<5	52	<0.5	4	0.02	1.2	42	8.8	29.0	43.4	4.82
RE5506849	2.7	2.50	19	<5	133	<0.5	<1	1.23	2.6	22	9.7	32.1	757	5.44
RE5506850	<0.2	0.02	15	<5	27	<0.5	<1	21.5	<0.5	13	0.8	3.8	1.8	0.45
RE5506851	<0.2	0.07	28	<5	27	<0.5	<1	33.4	<0.5	20	1.6	5.4	4.6	0.59
RE5506852	<0.2	0.07	33	<5	35	<0.5	<1	30.5	<0.5	22	1.9	3.3	3.1	0.41

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T613679

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 25, 2012

DATE RECEIVED: Jun 25, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
RE5506853		<0.2	0.04	15	<5	9	<0.5	<1	13.7	<0.5	12	0.7	33.9	1.6	0.22
RE5506854		<0.2	0.08	19	<5	9	<0.5	<1	23.1	<0.5	19	1.3	13.2	2.2	0.36
RE5506855		<0.2	0.41	13	<5	42	<0.5	<1	3.54	<0.5	24	8.7	18.1	39.3	2.44
RE5506856		<0.2	0.14	21	<5	30	<0.5	2	24.2	<0.5	29	1.9	12.0	4.4	1.08
RE5506857		<0.2	0.50	17	<5	44	<0.5	4	3.28	<0.5	73	5.4	20.4	20.5	1.85
RE5506858		<0.2	0.15	152	<5	15	<0.5	4	0.05	<0.5	5	7.6	130	8.3	1.82
RE5506859		<0.2	0.75	43	<5	43	<0.5	4	2.23	<0.5	30	8.4	77.2	10.1	1.73
RE5506860		<0.2	0.09	306	<5	9	<0.5	10	0.03	<0.5	5	2.8	117	26.5	5.49
RE5506861		<0.2	0.07	20	<5	6	<0.5	<1	20.7	<0.5	14	1.0	14.7	1.7	0.36

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T613679

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 25, 2012		DATE RECEIVED: Jun 25, 2012				DATE REPORTED: Jul 04, 2012				SAMPLE TYPE: Rock					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
RE5505073		<5	<1	<1	0.07	3	20	0.25	816	2.4	0.02	57.8	1980	172	<10
RE5505074		5	<1	<1	0.05	4	17	0.19	358	2.9	0.01	72.9	2830	170	<10
RE5505075		<5	<1	1	0.07	4	18	0.21	570	1.8	0.01	31.1	2860	161	<10
RE5505076		<5	<1	<1	0.15	<1	7	0.07	370	1.2	0.03	8.8	209	30.8	14
RE5505077		12	<1	<1	0.22	<1	27	0.63	269	3.7	0.03	20.5	193	70.9	24
RE5505078		<5	5	<1	0.02	1	28	0.04	639	2.1	<0.01	17.3	25	13.7	<10
RE5505079		<5	1	2	0.03	<1	30	0.46	887	1.4	<0.01	12.1	222	8.3	<10
RE5505080		<5	<1	<1	0.07	1	13	0.09	1790	<0.5	0.01	38.9	111	9.5	<10
RE5505081		<5	6	2	0.04	1	22	0.04	706	49.5	<0.01	32.4	672	759	<10
RE5505082		<5	<1	<1	0.06	1	14	0.04	1080	0.9	0.01	32.3	132	12.1	<10
RE5505083		<5	<1	<1	0.15	2	7	0.06	689	<0.5	0.03	34.3	141	8.7	16
RE5505084		<5	<1	<1	0.02	<1	4	0.04	1330	2.3	<0.01	24.8	44	10.3	<10
RE5505085		6	<1	<1	0.18	2	19	0.12	830	<0.5	0.03	22.8	181	79.4	22
RE5505086		<5	<1	<1	0.11	2	10	0.12	1110	0.8	0.03	25.7	368	5.7	11
RE5505087		<5	<1	1	0.02	5	7	0.44	445	0.5	<0.01	2.4	359	4.8	10
RE5505088		8	<1	<1	0.26	1	27	0.63	339	1.0	0.02	30.7	104	65.5	24
RE5505089		8	<1	<1	0.23	<1	36	0.82	350	1.1	0.03	21.3	97	30.4	21
RE5505090		<5	<1	<1	0.05	1	9	0.24	522	1.6	<0.01	6.8	78	4.0	<10
RE5505091		10	<1	<1	0.22	<1	28	0.56	129	<0.5	0.02	23.1	162	25.7	20
RE5505092		<5	<1	<1	0.03	1	83	0.02	133	2.0	<0.01	7.4	102	11.4	<10
RE5505093		<5	<1	<1	0.01	<1	90	0.02	58	2.4	<0.01	5.1	93	6.1	<10
RE5505220		6	<1	<1	0.09	1	21	0.39	2040	1.4	<0.01	16.9	84	156	<10
RE5505221		<5	<1	<1	0.11	2	10	0.19	190	2.4	<0.01	13.9	183	4.4	<10
RE5505222		<5	1	<1	<0.01	2	2	11.6	505	0.8	<0.01	<0.5	905	21.2	<10
RE5505223		<5	<1	<1	<0.01	2	3	11.8	619	0.7	0.01	<0.5	232	6.3	<10
RE5505224		<5	<1	1	0.02	3	2	6.24	572	0.8	<0.01	0.8	644	12.2	<10
RE5505225		<5	<1	1	0.01	2	<1	1.15	43	0.7	<0.01	0.7	348	15.7	<10
RE5505226		<5	<1	2	0.02	2	1	1.59	56	0.6	<0.01	1.5	633	3.7	<10
RE5505227		<5	<1	<1	<0.01	1	1	6.36	106	0.7	<0.01	<0.5	397	5.0	<10
RE5505228		<5	<1	1	<0.01	2	2	12.2	770	0.7	<0.01	0.6	182	12.2	<10
RE5505229		<5	<1	2	0.10	4	6	0.24	443	1.1	<0.01	27.2	765	13.1	<10
RE5505234		<5	<1	<1	0.03	<1	5	0.03	848	2.4	<0.01	17.2	67	9.3	<10

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T613679

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 25, 2012		DATE RECEIVED: Jun 25, 2012				DATE REPORTED: Jul 04, 2012				SAMPLE TYPE: Rock					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
RE5505235		<5	<1	<1	0.05	<1	4	0.04	699	3.4	0.01	26.5	51	28.7	<10
RE5505236		8	<1	<1	0.26	3	24	0.45	168	1.1	0.02	24.6	139	46.3	26
RE5505237		7	<1	1	0.28	1	38	0.78	381	<0.5	0.03	27.0	152	14.9	25
RE5505238		<5	<1	<1	0.06	<1	7	1.00	1600	1.7	0.01	13.0	88	16.2	<10
RE5505537		10	<1	2	0.21	4	38	0.57	116	<0.5	0.01	34.1	141	8.9	24
RE5505538		7	<1	2	0.07	2	28	0.58	7070	1.7	<0.01	17.2	274	6.0	<10
RE5505539		7	<1	<1	0.02	1	17	0.54	2790	6.1	<0.01	12.2	435	366	<10
RE5505540		<5	<1	<1	0.17	3	10	0.26	240	2.8	0.01	12.1	1170	37.5	17
RE5505541		<5	<1	<1	0.02	2	3	0.03	2110	2.1	<0.01	8.3	56	26.5	<10
RE5505542		<5	<1	<1	0.02	2	2	0.02	726	2.4	<0.01	6.1	354	9.3	<10
RE5506787		9	<1	<1	0.24	4	27	0.43	1750	0.8	0.03	30.0	415	15.6	25
RE5506788		6	<1	<1	0.21	2	17	0.30	400	<0.5	0.01	15.6	261	17.4	20
RE5506789		12	<1	2	0.10	<1	63	1.24	674	<0.5	0.02	36.8	180	4.4	11
RE5506790		<5	<1	<1	0.05	1	6	0.49	2690	1.3	0.03	11.2	192	4.7	<10
RE5506791		8	<1	<1	0.04	<1	35	0.76	1120	0.5	0.02	20.0	295	9.9	<10
RE5506792		<5	<1	1	0.06	3	23	0.62	2580	1.3	<0.01	5.1	138	2.9	<10
RE5506793		<5	<1	<1	<0.01	2	1	0.20	82	0.6	<0.01	<0.5	220	3.3	<10
RE5506794		<5	<1	2	0.52	14	23	0.28	118	<0.5	0.02	28.6	108	24.7	43
RE5506795		<5	<1	2	0.22	9	5	0.05	103	<0.5	<0.01	9.1	64	15.3	12
RE5506796		<5	<1	2	0.29	8	12	0.23	168	0.7	<0.01	19.1	103	19.5	25
RE5506797		<5	<1	<1	0.34	8	13	0.20	52	0.7	<0.01	7.4	116	23.9	27
RE5506798		<5	<1	<1	0.34	7	18	0.24	85	1.3	<0.01	18.6	132	32.7	27
RE5506799		10	<1	<1	0.26	11	15	1.20	706	12.9	0.10	35.0	661	284	20
RE5506800		<5	<1	<1	0.01	1	<1	12.1	223	0.7	<0.01	1.1	186	2.1	<10
RE5506801		<5	<1	<1	0.06	1	17	0.16	963	4.2	0.01	24.7	62	16.2	<10
RE5506802		<5	<1	<1	0.09	1	13	0.01	65	2.0	<0.01	7.8	49	3.8	<10
RE5506803		<5	<1	<1	0.07	1	20	0.24	573	1.3	0.02	16.5	71	17.8	<10
RE5507360		<5	<1	<1	0.05	2	11	0.01	955	2.1	<0.01	7.0	70	11.6	<10
RE5507361		<5	<1	<1	0.07	3	17	0.19	269	5.5	0.03	15.1	801	177	<10
RE5507362		7	<1	<1	0.26	1	34	0.68	250	0.5	0.03	21.5	172	21.9	24
RE5507363		<5	<1	<1	0.03	<1	9	0.09	1330	2.1	<0.01	7.7	55	13.5	<10
RE5507364		9	<1	<1	0.35	2	40	0.78	242	<0.5	0.04	37.7	200	44.6	38

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12T613679

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 25, 2012		DATE RECEIVED: Jun 25, 2012				DATE REPORTED: Jul 04, 2012				SAMPLE TYPE: Rock					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
RE5507365		<5	<1	<1	0.23	4	12	0.52	1020	<0.5	0.01	23.5	880	28.7	23
RE5507366		7	<1	<1	0.26	6	32	0.49	206	1.0	0.01	35.6	3050	50.8	25
RE5505543		8	<1	<1	0.10	<1	39	0.81	1350	<0.5	0.03	23.7	315	21.8	<10
RE5505544		12	<1	<1	0.18	2	59	0.93	957	<0.5	0.03	46.3	108	20.6	19
RE5505545		6	<1	2	0.32	<1	22	0.49	169	0.6	0.02	19.0	268	51.9	31
RE5505546		<5	<1	<1	0.16	2	4	0.03	255	0.6	0.03	9.3	219	29.7	15
RE5505547		<5	<1	<1	0.09	1	12	0.19	305	0.8	0.04	7.9	189	24.2	<10
RE5505548		6	<1	<1	0.15	2	25	0.39	611	2.3	0.03	14.1	1280	156	15
RE5505549		9	<1	1	0.19	6	35	0.56	185	<0.5	0.04	23.2	296	68.4	20
RE5505550		<5	<1	<1	0.10	3	8	0.06	1310	0.9	0.02	12.8	219	35.8	<10
RE5505551		<5	<1	2	0.06	2	7	0.20	1180	2.2	<0.01	7.1	45	7.7	<10
RE5505552		<5	<1	<1	0.11	2	5	0.12	114	1.4	<0.01	7.1	232	2.8	<10
RE5505553		<5	<1	<1	0.04	2	5	0.02	214	1.9	<0.01	7.5	90	43.1	<10
RE5505554		<5	<1	<1	0.05	2	8	0.02	765	1.7	<0.01	4.3	68	18.7	<10
RE5505555		<5	2	<1	0.04	2	10	0.02	1160	1.5	<0.01	8.6	40	31.4	<10
RE5505556		<5	<1	2	0.07	2	6	0.19	1830	2.1	<0.01	8.3	359	9.6	<10
RE5505557		8	<1	<1	0.43	15	29	1.53	1930	<0.5	0.02	19.4	388	11.3	43
RE5505558		<5	<1	<1	0.06	5	16	0.08	151	2.2	<0.01	10.4	243	15.6	<10
RE5505559		<5	<1	<1	0.02	<1	6	0.03	395	3.5	<0.01	9.6	70	1.7	<10
RE5505239		<5	<1	1	0.01	2	14	11.2	812	0.7	<0.01	0.9	272	54.1	<10
RE5505241		<5	<1	<1	0.04	<1	10	0.12	1320	1.1	0.03	6.7	<10	13.6	<10
RE5505242		6	<1	<1	0.22	3	37	0.97	643	1.8	0.02	26.3	181	16.1	21
RE5505243		<5	<1	<1	0.02	1	2	0.01	133	0.9	<0.01	8.1	36	11.7	<10
RE5505244		<5	<1	1	0.18	10	4	0.12	203	0.6	0.01	11.3	113	17.7	29
RE5505245		<5	<1	<1	0.02	2	3	9.43	502	0.7	<0.01	1.4	231	2.5	<10
RE5505246		<5	<1	1	0.04	5	2	0.31	166	0.7	<0.01	2.1	117	4.9	12
RE5507367		8	<1	<1	0.05	1	37	1.53	527	0.5	0.02	22.2	111	5.4	<10
RE5507368		9	<1	3	0.27	2	42	0.73	280	<0.5	0.03	21.3	118	12.9	29
RE5507369		6	<1	<1	0.03	5	1	0.28	4680	2.6	0.02	3.3	650	7.9	<10
RE5507370		10	<1	2	0.07	3	34	0.86	3430	2.2	0.03	11.0	47	6.0	<10
RE5507371		<5	<1	<1	0.04	<1	27	0.49	176	0.9	0.03	9.7	<10	3.7	<10
RE5507372		13	<1	<1	0.27	<1	75	1.22	270	0.6	0.02	37.9	186	30.7	25

Certified By:

Ron Cardinali



Certificate of Analysis

AGAT WORK ORDER: 12T613679

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 25, 2012

DATE RECEIVED: Jun 25, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Rock

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
RE5507373	7	<1	2	0.18	4	19	0.35	192	1.6	0.02	19.1	4060	50.9	18
RE5507374	<5	<1	2	0.02	2	4	0.27	19	0.7	<0.01	0.6	843	2.9	10
RE5507375	<5	<1	5	0.01	12	6	0.38	615	<0.5	<0.01	0.8	154	5.7	<10
RE5507376	<5	<1	2	0.11	7	4	4.93	756	0.6	0.01	5.1	996	3.0	20
RE5507377	<5	<1	2	0.09	2	1	0.41	357	1.5	<0.01	6.2	490	2.6	<10
RE5507378	<5	<1	1	0.02	3	1	0.18	26	0.7	<0.01	0.8	426	4.0	<10
RE5506804	<5	<1	2	0.02	3	4	0.54	154	0.6	<0.01	0.5	266	3.2	<10
RE5506805	<5	<1	4	0.18	3	10	0.05	73	<0.5	<0.01	18.8	390	21.9	17
RE5506806	<5	<1	<1	0.16	5	4	0.14	93	1.1	<0.01	4.8	106	10.9	12
RE5506807	<5	<1	<1	0.04	2	<1	0.01	38	1.3	<0.01	4.4	52	2.5	<10
RE5506808	<5	<1	<1	0.05	3	1	0.01	29	1.9	<0.01	2.1	23	5.2	<10
RE5506809	<5	<1	2	0.02	3	2	2.14	557	0.5	<0.01	4.2	410	7.0	<10
RE5507060	<5	<1	<1	0.05	4	2	0.31	360	<0.5	<0.01	3.3	566	10.5	12
RE5507061	<5	<1	1	0.01	3	4	11.4	291	0.6	<0.01	1.1	429	2.2	<10
RE5507062	<5	<1	<1	0.07	2	7	0.08	4630	1.9	<0.01	20.6	378	6.9	<10
RE5507063	<5	<1	<1	0.15	4	3	0.30	227	0.9	<0.01	10.5	104	13.6	<10
RE5507064	<5	<1	1	0.09	1	4	0.03	1830	<0.5	<0.01	27.6	262	110	<10
RE5507065	<5	<1	<1	0.02	<1	2	0.02	192	2.1	<0.01	11.4	35	23.6	<10
RE5507066	<5	<1	<1	0.05	<1	1	0.01	120	2.6	<0.01	5.5	13	10.2	<10
RE5507067	<5	<1	<1	0.12	1	2	<0.01	27	1.8	<0.01	3.2	21	17.3	<10
RE5507068	<5	<1	<1	0.06	<1	6	<0.01	26	2.5	<0.01	2.7	20	20.6	<10
RE5507069	<5	<1	1	0.03	2	<1	0.07	1060	0.6	<0.01	4.6	59	8.0	<10
RE5506811	22	<1	4	0.02	33	99	6.06	5330	1.9	0.02	231	1870	8.5	<10
RE5506812	9	<1	2	0.23	27	22	0.85	982	1.6	0.02	21.8	215	56.0	23
RE5506813	18	<1	2	0.04	54	20	2.78	1120	1.6	0.05	76.6	3210	13.2	<10
RE5506814	22	<1	3	0.07	58	37	3.45	1680	0.6	0.04	68.2	4170	3.8	29
RE5506815	<5	1	<1	0.01	3	2	11.4	714	2.4	0.01	<0.5	462	0.9	<10
RE5506816	<5	<1	<1	0.01	4	3	12.4	687	2.4	0.01	1.1	512	32.3	<10
RE5506817	75	11	72	0.01	<1	1	0.09	341	<0.5	<0.01	15.3	482	807	<10
RE5506818	<5	2	<1	0.01	3	<1	10.3	2030	2.4	<0.01	<0.5	210	19.0	<10
RE5506819	<5	3	<1	0.01	3	<1	12.6	1540	2.5	<0.01	<0.5	242	0.7	<10
RE5506820	15	<1	<1	0.39	49	58	2.68	1360	3.1	0.95	136	3060	11.6	96

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12T613679

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 25, 2012		DATE RECEIVED: Jun 25, 2012				DATE REPORTED: Jul 04, 2012				SAMPLE TYPE: Rock					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
RE5506821		15	<1	5	0.51	41	60	2.38	876	31.7	0.62	141	2880	13.7	106
RE5506822		15	<1	<1	0.14	57	63	3.33	1310	2.1	0.31	59.8	2640	9.4	26
RE5506823		16	<1	<1	0.20	69	64	3.67	1160	<0.5	1.45	74.7	3750	17.9	98
RE5506824		14	<1	<1	0.33	53	81	4.07	986	2.3	1.35	56.1	2910	18.4	94
RE5506825		13	<1	<1	0.27	51	72	3.89	1170	<0.5	0.85	91.7	2740	16.2	92
RE5506826		18	<1	<1	0.28	66	96	5.00	1400	5.5	2.23	13.6	4180	20.6	99
RE5506827		10	<1	<1	0.36	53	55	2.36	824	0.6	1.30	34.7	2870	13.5	83
RE5506828		14	<1	2	0.56	65	30	1.66	1330	3.2	0.63	7.5	2580	14.1	90
RE5506829		11	<1	<1	0.75	54	42	2.02	1120	3.0	0.50	32.3	2510	8.9	100
RE5506830		20	<1	<1	1.41	95	58	2.45	1270	1.0	4.76	2.9	2490	41.8	265
RE5506831		15	<1	<1	0.19	91	58	4.42	1510	1.5	1.22	68.0	4070	17.9	79
RE5506832		18	<1	<1	0.21	68	47	3.91	1380	5.1	0.35	109	2830	17.1	51
RE5506833		16	<1	<1	0.09	62	46	4.34	1330	1.6	0.40	120	2730	17.9	26
RE5506834		17	<1	<1	0.45	71	75	3.29	1280	1.8	1.47	47.6	3680	14.4	108
RE5506835		14	<1	3	0.21	54	76	4.72	991	1.3	0.63	99.6	2820	14.8	54
RE5506836		20	<1	<1	0.46	66	64	3.68	1570	2.8	0.59	127	3520	12.2	101
RE5506837		18	<1	<1	0.02	114	40	4.38	1360	2.4	0.09	56.4	3970	27.0	10
RE5506838		13	<1	7	1.04	51	58	3.62	1920	5.0	0.05	99.7	3080	10.2	134
RE5506839		15	<1	<1	0.17	57	36	3.30	1250	<0.5	0.75	76.4	2710	17.4	43
RE5506840		17	<1	<1	0.05	49	27	2.96	1270	2.4	0.32	37.3	2310	16.8	17
RE5506841		11	<1	2	0.36	19	45	10.3	1150	<0.5	0.05	546	1420	25.6	47
RE5506842		9	<1	<1	0.14	28	28	1.31	264	3.3	0.11	31.9	3080	15.6	17
RE5506843		15	<1	2	0.57	41	48	3.06	1110	1.2	0.40	51.2	2270	13.9	212
RE5506844		18	<1	1	0.15	44	61	4.29	841	1.7	0.12	128	3190	17.0	30
RE5506845		6	<1	<1	0.34	2	48	1.93	1860	0.5	0.01	27.9	254	16.7	36
RE5506846		7	<1	<1	0.06	7	45	1.64	1570	3.1	0.03	49.3	403	11.0	<10
RE5506847		<5	<1	2	0.29	12	9	0.03	70	<0.5	0.02	23.1	416	5.9	18
RE5506848		<5	<1	<1	0.34	16	9	0.03	77	<0.5	0.02	23.2	394	6.9	22
RE5506849		7	<1	<1	0.34	9	18	1.47	638	12.2	0.17	29.0	458	257	23
RE5506850		<5	<1	<1	0.02	2	<1	13.9	242	2.4	<0.01	0.6	172	<0.5	<10
RE5506851		<5	<1	<1	0.03	3	1	0.37	291	2.9	<0.01	2.1	283	5.3	<10
RE5506852		<5	<1	<1	0.03	3	<1	0.24	855	3.8	<0.01	1.9	104	<0.5	<10

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T613679

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 25, 2012

DATE RECEIVED: Jun 25, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Rock

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
RE5506853	<5	<1	<1	0.02	2	2	4.90	167	2.5	<0.01	1.0	139	<0.5	<10
RE5506854	<5	<1	<1	0.05	4	3	5.17	218	3.0	<0.01	1.2	337	<0.5	<10
RE5506855	<5	<1	<1	0.35	10	3	0.28	152	1.5	0.01	13.3	263	12.8	18
RE5506856	<5	<1	<1	0.10	8	2	1.79	307	2.7	<0.01	2.1	329	<0.5	<10
RE5506857	<5	<1	3	0.34	32	4	1.15	116	1.0	0.01	8.6	243	17.5	23
RE5506858	<5	<1	1	0.07	1	2	0.02	98	1.5	<0.01	16.5	38	11.7	<10
RE5506859	<5	<1	2	0.19	11	12	0.27	303	1.4	<0.01	13.3	442	9.6	16
RE5506860	7	<1	7	<0.01	<1	<1	0.01	105	0.6	<0.01	5.6	138	9.0	<10
RE5506861	<5	<1	<1	0.04	3	4	12.7	306	2.2	<0.01	1.0	315	<0.5	<10

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T613679

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 25, 2012		DATE RECEIVED: Jun 25, 2012					DATE REPORTED: Jul 04, 2012					SAMPLE TYPE: Rock			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1
RE5505073		7.67	3	<0.5	<10	<5	14.1	<10	<10	<5	<0.01	<5	<5	7.1	1
RE5505074		8.55	4	<0.5	<10	<5	13.1	<10	<10	<5	<0.01	<5	<5	7.8	1
RE5505075		3.21	2	1.6	<10	<5	11.3	<10	<10	<5	<0.01	<5	<5	10.0	1
RE5505076		0.026	<1	0.6	<10	<5	9.5	<10	<10	<5	<0.01	<5	<5	4.1	<1
RE5505077		0.143	<1	2.8	<10	<5	0.7	<10	<10	7	<0.01	<5	<5	28.5	1
RE5505078		0.161	11	5.1	<10	<5	15.4	<10	<10	<5	<0.01	<5	<5	19.6	<1
RE5505079		0.119	3	3.7	<10	<5	16.3	<10	<10	<5	<0.01	<5	<5	12.9	<1
RE5505080		0.025	1	7.9	<10	<5	12.5	<10	<10	<5	<0.01	<5	<5	32.6	<1
RE5505081		0.089	38	3.3	<10	<5	32.6	<10	<10	<5	<0.01	<5	<5	27.7	1
RE5505082		0.013	<1	7.6	<10	<5	10.3	<10	<10	<5	<0.01	<5	<5	40.7	<1
RE5505083		0.011	<1	3.1	<10	<5	8.7	<10	<10	<5	<0.01	<5	<5	18.5	<1
RE5505084		0.011	1	2.7	<10	<5	2.4	<10	<10	<5	<0.01	<5	<5	10.9	<1
RE5505085		1.45	1	5.1	<10	<5	1.6	<10	<10	<5	<0.01	<5	<5	18.5	1
RE5505086		0.041	1	2.9	<10	<5	22.2	<10	<10	7	<0.01	<5	<5	13.0	<1
RE5505087		0.514	2	1.7	<10	<5	1460	<10	<10	<5	<0.01	<5	14	2.5	1
RE5505088		0.931	1	2.9	<10	<5	9.9	<10	<10	6	<0.01	<5	<5	15.5	1
RE5505089		0.463	1	2.7	<10	<5	4.1	<10	<10	8	<0.01	<5	<5	16.6	<1
RE5505090		0.077	1	1.1	<10	<5	41.4	<10	<10	<5	<0.01	<5	<5	<0.5	<1
RE5505091		0.211	1	1.8	<10	<5	0.9	<10	<10	8	<0.01	<5	<5	19.6	<1
RE5505092		0.075	2	1.7	<10	<5	18.6	<10	<10	<5	<0.01	<5	<5	6.3	<1
RE5505093		0.463	3	<0.5	<10	<5	18.5	<10	<10	<5	<0.01	<5	<5	1.3	<1
RE5505220		0.007	<1	2.8	<10	<5	4.0	<10	<10	<5	<0.01	<5	<5	18.3	<1
RE5505221		0.240	<1	1.0	<10	<5	11.9	<10	<10	<5	<0.01	<5	<5	11.4	<1
RE5505222		0.013	3	<0.5	<10	<5	69.1	<10	<10	10	<0.01	<5	9	7.7	3
RE5505223		0.011	<1	<0.5	<10	<5	72.0	<10	<10	8	<0.01	<5	11	10.0	2
RE5505224		0.022	2	<0.5	<10	<5	411	<10	<10	8	<0.01	<5	11	3.6	2
RE5505225		0.019	1	0.5	<10	<5	1040	<10	<10	<5	<0.01	<5	13	<0.5	2
RE5505226		0.024	1	0.7	<10	<5	639	<10	<10	6	<0.01	<5	13	<0.5	2
RE5505227		0.008	2	<0.5	<10	<5	221	<10	<10	7	<0.01	<5	11	4.5	2
RE5505228		0.012	<1	<0.5	<10	<5	48.4	<10	<10	10	<0.01	<5	9	9.4	3
RE5505229		0.024	<1	4.6	<10	<5	68.5	<10	<10	<5	<0.01	<5	<5	3.3	<1
RE5505234		0.013	<1	1.2	<10	<5	6.2	<10	<10	<5	<0.01	<5	<5	10.6	<1

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12T613679

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 25, 2012

DATE RECEIVED: Jun 25, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Rock

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1
Sample Description														
RE5505235	<0.005	<1	2.6	<10	<5	7.2	<10	<10	<5	<0.01	<5	<5	14.6	<1
RE5505236	1.30	1	3.3	<10	<5	2.3	<10	<10	<5	<0.01	<5	<5	15.1	1
RE5505237	0.095	<1	3.2	<10	<5	5.4	<10	<10	8	<0.01	<5	<5	16.2	<1
RE5505238	0.021	<1	2.1	<10	<5	38.0	<10	<10	6	<0.01	<5	<5	10.9	1
RE5505537	0.041	<1	5.6	<10	<5	40.9	<10	<10	7	<0.01	<5	<5	29.4	<1
RE5505538	0.069	<1	2.7	<10	<5	67.2	<10	<10	<5	<0.01	9	6	20.0	1
RE5505539	0.129	<1	1.6	<10	<5	5.9	<10	<10	<5	<0.01	<5	<5	19.8	<1
RE5505540	0.035	<1	2.6	<10	<5	7.9	<10	<10	<5	<0.01	<5	<5	20.2	<1
RE5505541	0.028	<1	0.6	<10	<5	5.0	<10	<10	<5	<0.01	<5	<5	8.6	<1
RE5505542	<0.005	<1	0.8	<10	<5	4.9	<10	<10	<5	<0.01	<5	<5	8.3	<1
RE5506787	0.011	<1	5.5	<10	<5	3.7	<10	<10	5	<0.01	<5	<5	25.2	<1
RE5506788	0.020	<1	2.4	<10	<5	4.2	<10	<10	6	<0.01	<5	<5	16.4	<1
RE5506789	0.010	<1	3.1	<10	<5	3.9	<10	<10	13	<0.01	<5	<5	31.1	1
RE5506790	<0.005	<1	2.6	<10	<5	16.0	<10	<10	<5	<0.01	<5	<5	10.4	<1
RE5506791	0.016	<1	2.6	<10	<5	10.3	<10	<10	8	<0.01	<5	<5	22.1	1
RE5506792	0.030	2	2.3	<10	<5	66.0	<10	<10	5	<0.01	<5	<5	4.9	1
RE5506793	0.013	2	0.5	<10	<5	973	<10	<10	<5	<0.01	<5	14	<0.5	1
RE5506794	2.68	<1	3.2	<10	<5	44.8	<10	<10	7	<0.01	<5	<5	13.5	1
RE5506795	0.797	1	0.8	<10	<5	23.6	<10	<10	<5	<0.01	<5	<5	3.1	<1
RE5506796	1.33	2	2.6	<10	<5	158	<10	<10	5	<0.01	<5	<5	7.5	1
RE5506797	0.420	<1	1.4	<10	<5	4.9	<10	<10	6	<0.01	<5	<5	12.4	<1
RE5506798	1.14	1	1.6	<10	<5	4.8	<10	<10	6	<0.01	<5	<5	11.4	<1
RE5506799	1.26	6	5.6	<10	<5	34.2	<10	<10	6	0.18	<5	<5	74.0	6
RE5506800	0.010	1	<0.5	<10	<5	30.9	<10	<10	10	<0.01	<5	8	7.7	2
RE5506801	0.008	<1	2.2	<10	<5	7.7	<10	<10	<5	<0.01	<5	<5	9.7	<1
RE5506802	0.012	16	1.5	<10	<5	9.0	<10	<10	<5	<0.01	<5	<5	1.6	<1
RE5506803	0.028	<1	1.6	<10	<5	11.4	<10	<10	<5	<0.01	<5	<5	5.6	<1
RE5507360	0.007	4	0.6	<10	<5	3.6	<10	<10	<5	<0.01	<5	<5	1.5	<1
RE5507361	0.426	<1	1.0	<10	<5	18.6	<10	<10	13	<0.01	<5	<5	5.5	<1
RE5507362	0.208	2	2.7	<10	<5	6.2	<10	<10	6	<0.01	<5	<5	16.0	<1
RE5507363	<0.005	<1	2.0	<10	<5	3.6	<10	<10	<5	<0.01	<5	<5	2.2	<1
RE5507364	0.009	<1	3.1	<10	<5	5.2	<10	<10	11	<0.01	<5	<5	19.1	<1

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T613679

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 25, 2012		DATE RECEIVED: Jun 25, 2012					DATE REPORTED: Jul 04, 2012					SAMPLE TYPE: Rock			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1
RE5507365		0.557	<1	4.3	<10	<5	68.7	<10	<10	9	<0.01	<5	<5	8.6	1
RE5507366		1.63	1	2.6	<10	<5	24.6	<10	<10	9	<0.01	<5	<5	16.5	1
RE5505543		0.082	<1	3.3	<10	<5	12.0	<10	<10	6	0.01	<5	<5	17.7	1
RE5505544		0.051	<1	5.6	<10	<5	6.1	<10	<10	8	0.02	<5	<5	35.5	1
RE5505545		0.432	2	4.2	<10	<5	7.8	<10	<10	8	<0.01	<5	<5	17.8	<1
RE5505546		0.007	<1	1.0	<10	<5	4.8	<10	<10	6	<0.01	<5	<5	6.6	<1
RE5505547		0.009	<1	0.5	<10	<5	6.9	<10	<10	6	<0.01	<5	<5	5.3	<1
RE5505548		0.663	<1	0.9	<10	<5	18.5	<10	<10	9	<0.01	<5	<5	11.2	<1
RE5505549		0.046	1	3.8	<10	<5	6.6	<10	<10	8	<0.01	<5	<5	24.6	1
RE5505550		0.006	<1	2.1	<10	<5	7.8	<10	<10	<5	<0.01	<5	<5	6.3	<1
RE5505551		<0.005	<1	1.8	<10	<5	5.0	<10	<10	<5	<0.01	<5	<5	10.2	<1
RE5505552		<0.005	<1	0.6	<10	<5	2.8	<10	<10	<5	<0.01	<5	<5	6.5	<1
RE5505553		0.012	<1	<0.5	<10	<5	5.2	<10	<10	<5	<0.01	<5	<5	7.6	<1
RE5505554		<0.005	<1	<0.5	<10	<5	3.1	<10	<10	<5	<0.01	<5	<5	3.5	<1
RE5505555		<0.005	<1	1.4	<10	<5	3.9	<10	<10	<5	<0.01	<5	<5	7.9	<1
RE5505556		<0.005	<1	1.5	<10	<5	7.5	<10	<10	<5	0.02	<5	<5	33.9	<1
RE5505557		0.046	<1	5.5	<10	<5	51.5	<10	<10	9	<0.01	<5	<5	17.8	1
RE5505558		0.007	<1	0.9	<10	<5	4.1	<10	<10	<5	<0.01	<5	<5	6.0	<1
RE5505559		<0.005	<1	0.5	<10	<5	3.3	<10	<10	<5	<0.01	<5	<5	1.9	<1
RE5505239		0.008	13	<0.5	<10	<5	87.3	<10	<10	10	<0.01	<5	11	8.3	2
RE5505241		0.038	<1	1.5	<10	<5	138	<10	<10	<5	<0.01	<5	<5	3.2	<1
RE5505242		0.354	<1	1.7	<10	<5	107	<10	<10	9	<0.01	<5	<5	11.6	<1
RE5505243		0.008	3	<0.5	<10	<5	7.2	<10	<10	<5	<0.01	<5	<5	1.1	<1
RE5505244		0.048	2	3.2	<10	<5	634	<10	<10	<5	<0.01	<5	9	4.1	<1
RE5505245		0.009	2	<0.5	<10	<5	610	<10	<10	7	<0.01	<5	13	10.5	2
RE5505246		0.063	1	1.8	<10	<5	1530	<10	<10	<5	<0.01	<5	15	4.7	1
RE5507367		<0.005	<1	1.1	<10	<5	69.9	<10	<10	10	<0.01	<5	<5	13.4	1
RE5507368		0.065	<1	2.5	<10	<5	156	<10	<10	8	<0.01	<5	<5	17.0	1
RE5507369		0.560	4	2.4	<10	5	363	<10	<10	<5	<0.01	<5	<5	3.7	<1
RE5507370		0.130	<1	2.9	<10	<5	89.4	<10	<10	<5	<0.01	8	<5	11.7	<1
RE5507371		0.111	<1	0.7	<10	<5	6.9	<10	<10	<5	<0.01	<5	<5	5.9	<1
RE5507372		0.479	2	2.7	<10	<5	7.4	<10	<10	10	<0.01	<5	<5	28.1	1

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12T613679

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 25, 2012		DATE RECEIVED: Jun 25, 2012					DATE REPORTED: Jul 04, 2012					SAMPLE TYPE: Rock			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1
RE5507373		0.202	<1	1.2	<10	<5	21.4	<10	<10	5	<0.01	<5	<5	9.9	<1
RE5507374		0.030	<1	0.6	<10	<5	2060	<10	<10	<5	<0.01	<5	15	<0.5	1
RE5507375		8.90	2	0.9	<10	<5	7490	<10	<10	<5	<0.01	<5	18	3.3	3
RE5507376		0.065	<1	2.6	<10	<5	1630	<10	<10	10	<0.01	<5	10	6.4	2
RE5507377		0.097	1	0.8	<10	<5	72.9	<10	<10	<5	<0.01	<5	<5	<0.5	<1
RE5507378		0.039	1	0.6	<10	<5	1300	<10	<10	<5	<0.01	<5	14	<0.5	2
RE5506804		0.582	1	0.5	<10	<5	1100	<10	<10	<5	<0.01	<5	13	<0.5	2
RE5506805		0.031	9	4.3	<10	<5	151	<10	<10	5	<0.01	<5	21	9.7	4
RE5506806		0.116	3	0.6	<10	<5	228	<10	<10	<5	<0.01	<5	<5	1.8	<1
RE5506807		0.006	4	<0.5	<10	<5	6.0	<10	<10	<5	<0.01	<5	<5	0.7	1
RE5506808		0.013	2	<0.5	<10	<5	26.7	<10	<10	<5	<0.01	<5	<5	1.1	<1
RE5506809		<0.005	10	3.3	<10	<5	9.6	<10	<10	<5	<0.01	<5	14	2.0	4
RE5507060		<0.005	6	2.0	<10	<5	24.7	<10	<10	<5	<0.01	<5	12	<0.5	3
RE5507061		0.012	1	0.7	<10	<5	248	<10	<10	13	<0.01	<5	11	10.0	2
RE5507062		0.024	10	<0.5	<10	<5	72.9	<10	<10	<5	<0.01	7	7	<0.5	5
RE5507063		0.006	8	<0.5	<10	<5	33.1	<10	<10	<5	<0.01	<5	<5	1.9	3
RE5507064		0.019	11	<0.5	<10	<5	184	<10	<10	<5	<0.01	<5	5	1.7	3
RE5507065		0.007	13	1.2	<10	<5	8.7	<10	<10	<5	<0.01	<5	<5	1.7	1
RE5507066		<0.005	7	0.8	<10	<5	8.7	<10	<10	<5	<0.01	<5	<5	1.6	<1
RE5507067		0.212	5	0.5	<10	<5	8.1	<10	<10	<5	<0.01	<5	<5	2.2	<1
RE5507068		0.113	8	<0.5	<10	<5	8.6	<10	<10	<5	<0.01	<5	<5	1.4	<1
RE5507069		0.007	3	2.3	<10	<5	8.8	<10	<10	<5	<0.01	<5	12	3.0	2
RE5506811		0.014	<1	18.4	<10	<5	124	<10	<10	9	0.22	10	<5	171	1
RE5506812		0.030	1	3.5	<10	<5	8.7	<10	<10	10	<0.01	<5	<5	19.6	1
RE5506813		0.191	<1	10.0	<10	<5	236	<10	<10	9	0.84	<5	<5	194	2
RE5506814		0.056	<1	5.8	<10	<5	289	<10	<10	7	0.90	<5	<5	226	2
RE5506815		0.201	7	0.5	<10	<5	42.8	<10	<10	<5	<0.01	<5	10	17.1	<1
RE5506816		0.218	7	0.8	<10	5	84.7	<10	<10	<5	0.02	<5	9	20.8	<1
RE5506817		0.139	<1	0.8	18	<5	72.4	28	34	39	<0.01	<5	<5	0.9	<1
RE5506818		0.200	11	0.6	<10	<5	51.1	<10	<10	<5	<0.01	<5	7	17.1	<1
RE5506819		0.227	12	1.0	<10	7	61.3	<10	<10	<5	<0.01	<5	8	15.7	<1
RE5506820		0.193	<1	13.2	<10	<5	699	<10	<10	<5	0.15	9	<5	199	<1

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T613679

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 25, 2012

DATE RECEIVED: Jun 25, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Rock

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1
Sample Description														
RE5506821	0.152	<1	16.1	<10	<5	399	<10	<10	<5	0.14	10	<5	218	<1
RE5506822	0.143	<1	10.6	<10	<5	1310	<10	<10	<5	0.29	12	<5	176	<1
RE5506823	0.066	<1	9.1	<10	<5	426	<10	<10	<5	0.63	26	<5	177	<1
RE5506824	0.100	<1	12.1	<10	<5	519	<10	<10	<5	1.01	44	<5	204	<1
RE5506825	0.096	<1	14.6	<10	<5	469	<10	<10	<5	0.95	35	<5	212	<1
RE5506826	0.079	<1	12.3	<10	<5	758	<10	<10	<5	0.64	30	<5	242	<1
RE5506827	0.037	<1	8.7	<10	<5	344	<10	<10	<5	0.64	25	<5	211	<1
RE5506828	0.213	<1	8.7	<10	<5	663	<10	<10	<5	0.87	29	<5	100	<1
RE5506829	0.136	<1	7.4	<10	<5	536	<10	<10	<5	0.58	23	<5	130	<1
RE5506830	0.038	<1	4.7	<10	<5	371	<10	<10	<5	0.93	45	<5	126	<1
RE5506831	0.110	<1	6.4	<10	<5	748	<10	<10	<5	0.77	36	<5	175	<1
RE5506832	0.144	<1	11.0	<10	<5	629	<10	<10	<5	0.79	30	<5	184	<1
RE5506833	0.084	<1	12.4	<10	<5	518	<10	<10	<5	0.99	42	<5	174	<1
RE5506834	0.160	<1	10.0	<10	<5	1110	<10	<10	<5	0.33	16	<5	215	<1
RE5506835	0.121	<1	13.5	<10	<5	808	<10	<10	<5	0.99	40	<5	206	<1
RE5506836	0.383	<1	15.8	<10	<5	721	<10	<10	<5	0.61	24	<5	260	<1
RE5506837	0.091	<1	11.5	<10	<5	929	<10	<10	<5	0.59	26	<5	198	<1
RE5506838	0.247	<1	16.9	<10	<5	1270	<10	<10	<5	0.06	<5	<5	210	<1
RE5506839	0.129	<1	10.6	<10	<5	496	<10	<10	<5	0.74	31	<5	185	<1
RE5506840	0.134	<1	16.7	<10	<5	405	<10	<10	<5	1.05	38	<5	186	<1
RE5506841	0.054	<1	13.5	<10	<5	156	<10	<10	<5	0.29	16	<5	112	<1
RE5506842	1.96	<1	9.6	<10	<5	70.1	<10	<10	<5	0.13	9	<5	91.1	<1
RE5506843	0.170	<1	11.7	<10	<5	287	<10	<10	<5	0.76	27	<5	172	<1
RE5506844	3.93	<1	21.4	<10	<5	516	<10	<10	<5	1.19	50	<5	209	<1
RE5506845	0.034	<1	6.3	<10	<5	41.7	<10	<10	<5	<0.01	7	<5	23.9	<1
RE5506846	0.482	<1	5.6	<10	<5	74.4	<10	<10	<5	0.01	6	<5	59.5	<1
RE5506847	0.021	<1	3.9	<10	<5	13.4	<10	<10	10	<0.01	<5	<5	10.0	<1
RE5506848	0.025	<1	4.4	<10	<5	12.6	<10	<10	12	<0.01	<5	<5	10.9	<1
RE5506849	1.42	<1	7.8	<10	<5	55.6	<10	<10	<5	0.20	12	<5	72.9	<1
RE5506850	0.240	7	<0.5	<10	7	69.2	<10	<10	<5	<0.01	<5	10	16.1	<1
RE5506851	0.384	12	2.9	<10	26	56.5	<10	<10	<5	<0.01	<5	14	3.1	<1
RE5506852	0.358	12	2.6	<10	16	78.4	<10	<10	<5	<0.01	<5	15	4.7	<1

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T613679

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 25, 2012

DATE RECEIVED: Jun 25, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Rock

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1
Sample Description														
RE5506853	0.146	7	0.6	<10	<5	99.4	<10	<10	<5	<0.01	<5	6	9.7	<1
RE5506854	0.279	8	1.4	<10	7	423	<10	<10	<5	<0.01	<5	9	10.9	<1
RE5506855	0.538	<1	3.7	<10	<5	28.5	<10	<10	6	<0.01	5	<5	6.0	<1
RE5506856	0.308	6	2.0	<10	12	187	<10	<10	<5	<0.01	<5	7	7.4	<1
RE5506857	0.209	2	2.6	<10	<5	22.4	<10	<10	5	<0.01	5	<5	9.3	<1
RE5506858	0.012	1	1.2	<10	<5	10.7	<10	<10	<5	<0.01	<5	<5	2.5	<1
RE5506859	0.034	7	3.2	<10	<5	79.3	<10	<10	<5	<0.01	6	<5	9.2	<1
RE5506860	0.023	4	0.8	<10	<5	13.5	<10	<10	6	<0.01	<5	<5	2.9	2
RE5506861	0.228	7	0.9	<10	10	113	<10	<10	<5	<0.01	<5	8	17.6	<1

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T613679

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 25, 2012

DATE RECEIVED: Jun 25, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Y	Zn	Zr	Zn-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	0.01
RE5505073		13	33.8	5	
RE5505074		16	31.7	5	
RE5505075		14	34.0	<5	
RE5505076		3	36.2	<5	
RE5505077		5	68.4	8	
RE5505078		2	104	<5	
RE5505079		3	55.1	<5	
RE5505080		4	130	<5	
RE5505081		5	110	6	
RE5505082		3	106	<5	
RE5505083		5	119	<5	
RE5505084		2	99.8	<5	
RE5505085		5	86.5	9	
RE5505086		5	105	8	
RE5505087		9	30.7	10	
RE5505088		5	75.9	8	
RE5505089		5	87.9	7	
RE5505090		4	15.6	<5	
RE5505091		4	63.5	6	
RE5505092		2	28.3	<5	
RE5505093		1	10.4	<5	
RE5505220		4	57.6	<5	
RE5505221		2	31.4	<5	
RE5505222		1	344	<5	
RE5505223		1	76.4	<5	
RE5505224		3	120	<5	
RE5505225		1	36.6	<5	
RE5505226		2	19.6	<5	
RE5505227		1	24.3	<5	
RE5505228		2	163	<5	
RE5505229		10	214	8	
RE5505234		2	58.1	<5	

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T613679

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 25, 2012

DATE RECEIVED: Jun 25, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Y	Zn	Zr	Zn-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	0.01
RE5505235		2	76.8	<5	
RE5505236		5	61.0	8	
RE5505237		6	75.6	7	
RE5505238		7	62.7	6	
RE5505537		5	104	7	
RE5505538		5	86.2	8	
RE5505539		4	93.9	<5	
RE5505540		8	48.3	6	
RE5505541		1	42.6	<5	
RE5505542		3	53.6	<5	
RE5506787		6	125	<5	
RE5506788		3	56.0	<5	
RE5506789		6	134	<5	
RE5506790		4	52.3	<5	
RE5506791		5	80.4	<5	
RE5506792		8	16.9	<5	
RE5506793		2	4.9	<5	
RE5506794		6	116	7	
RE5506795		2	4.2	<5	
RE5506796		7	38.1	5	
RE5506797		3	33.8	5	
RE5506798		3	67.0	6	
RE5506799		12	1690	14	
RE5506800		<1	16.9	<5	
RE5506801		5	75.1	<5	
RE5506802		2	7.0	<5	
RE5506803		4	79.2	<5	
RE5507360		1	41.0	<5	
RE5507361		7	45.6	14	
RE5507362		5	78.3	5	
RE5507363		4	18.2	<5	
RE5507364		7	113	6	

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T613679

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 25, 2012

DATE RECEIVED: Jun 25, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Y	Zn	Zr	Zn-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	0.01
RE5507365		10	77.0	6	
RE5507366		23	67.1	7	
RE5505543		6	62.2	<5	
RE5505544		5	123	7	
RE5505545		6	81.6	9	
RE5505546		5	39.4	6	
RE5505547		4	34.2	8	
RE5505548		10	54.2	<5	
RE5505549		5	85.3	7	
RE5505550		5	49.2	<5	
RE5505551		1	37.6	<5	
RE5505552		2	24.6	7	
RE5505553		1	43.2	<5	
RE5505554		2	9.3	<5	
RE5505555		2	33.6	<5	
RE5505556		4	38.3	5	
RE5505557		7	50.8	<5	
RE5505558		4	44.4	5	
RE5505559		2	12.5	<5	
RE5505239		2	57.8	<5	
RE5505241		7	23.7	<5	
RE5505242		6	68.8	5	
RE5505243		<1	10.1	<5	
RE5505244		16	35.2	<5	
RE5505245		3	17.4	<5	
RE5505246		6	9.2	<5	
RE5507367		5	98.0	7	
RE5507368		4	86.1	6	
RE5507369		14	12.0	<5	
RE5507370		7	45.8	<5	
RE5507371		2	40.9	<5	
RE5507372		4	111	7	

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T613679

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 25, 2012

DATE RECEIVED: Jun 25, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Y	Zn	Zr	Zn-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	0.01
RE5507373		16	55.4	6	
RE5507374		2	3.3	<5	
RE5507375		11	103	<5	
RE5507376		8	28.7	5	
RE5507377		3	29.5	<5	
RE5507378		2	7.4	<5	
RE5506804		3	15.4	<5	
RE5506805		4	55.0	5	
RE5506806		2	26.3	<5	
RE5506807		1	32.3	<5	
RE5506808		2	7.7	<5	
RE5506809		5	41.7	<5	
RE5507060		3	19.0	<5	
RE5507061		3	9.0	<5	
RE5507062		3	103	<5	
RE5507063		1	24.5	<5	
RE5507064		2	310	5	
RE5507065		4	33.4	<5	
RE5507066		2	20.9	<5	
RE5507067		4	7.8	<5	
RE5507068		<1	1.7	<5	
RE5507069		9	36.2	<5	
RE5506811		12	95.5	12	
RE5506812		6	68.6	5	
RE5506813		14	119	42	
RE5506814		16	94.3	39	
RE5506815		3	612	<5	
RE5506816		2	172	<5	
RE5506817		4	>10000	<5	1.02
RE5506818		3	8.5	<5	
RE5506819		2	49.8	<5	
RE5506820		17	55.2	<5	

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T613679

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 25, 2012

DATE RECEIVED: Jun 25, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Y	Zn	Zr	Zn-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	0.01
RE5506821		11	69.9	6	
RE5506822		13	64.0	5	
RE5506823		19	80.4	13	
RE5506824		16	75.3	15	
RE5506825		14	75.7	24	
RE5506826		19	74.3	19	
RE5506827		14	69.3	22	
RE5506828		16	38.2	17	
RE5506829		16	51.3	11	
RE5506830		26	93.5	10	
RE5506831		34	91.3	11	
RE5506832		18	73.6	18	
RE5506833		15	72.2	30	
RE5506834		20	65.0	11	
RE5506835		17	62.9	17	
RE5506836		20	83.3	20	
RE5506837		17	101	47	
RE5506838		18	57.7	7	
RE5506839		13	75.5	26	
RE5506840		13	67.2	52	
RE5506841		10	71.5	19	
RE5506842		15	132	11	
RE5506843		12	64.3	33	
RE5506844		13	74.8	39	
RE5506845		6	106	<5	
RE5506846		5	35.9	<5	
RE5506847		4	85.3	<5	
RE5506848		4	84.8	<5	
RE5506849		10	1380	13	
RE5506850		1	9.4	<5	
RE5506851		4	21.9	<5	
RE5506852		6	25.5	<5	

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T613679

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 25, 2012

DATE RECEIVED: Jun 25, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Y	Zn	Zr	Zn-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	0.01
RE5506853		2	20.2	<5	
RE5506854		3	6.0	<5	
RE5506855		3	10.9	<5	
RE5506856		5	2.6	<5	
RE5506857		3	19.8	<5	
RE5506858		3	248	<5	
RE5506859		4	47.3	<5	
RE5506860		1	97.3	<5	
RE5506861		2	3.9	<5	

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T613679

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jun 25, 2012

DATE RECEIVED: Jun 25, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Rock

	Analyte:	Au
	Unit:	ppm
Sample Description	RDL:	0.001

RE5505073	0.050
RE5505074	0.006
RE5505075	0.004
RE5505076	<0.001
RE5505077	0.010
RE5505078	0.001
RE5505079	0.046
RE5505080	0.002
RE5505081	0.033
RE5505082	<0.001
RE5505083	0.001
RE5505084	<0.001
RE5505085	0.006
RE5505086	0.002
RE5505087	0.001
RE5505088	0.004
RE5505089	0.001
RE5505090	0.009
RE5505091	0.002
RE5505092	0.001
RE5505093	0.063
RE5505220	0.002
RE5505221	<0.001
RE5505222	0.001
RE5505223	<0.001
RE5505224	0.001
RE5505225	0.038
RE5505226	0.001
RE5505227	<0.001
RE5505228	0.001
RE5505229	<0.001
RE5505234	<0.001

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T613679

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jun 25, 2012

DATE RECEIVED: Jun 25, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Rock

	Analyte:	Au
	Unit:	ppm
Sample Description	RDL:	0.001

RE5505235	0.046
RE5505236	0.002
RE5505237	0.005
RE5505238	<0.001
RE5505537	<0.001
RE5505538	0.059
RE5505539	0.002
RE5505540	0.004
RE5505541	<0.001
RE5505542	<0.001
RE5506787	0.045
RE5506788	0.002
RE5506789	0.002
RE5506790	<0.001
RE5506791	<0.001
RE5506792	0.002
RE5506793	0.027
RE5506794	0.001
RE5506795	0.063
RE5506796	<0.001
RE5506797	0.001
RE5506798	0.001
RE5506799	2.47
RE5506800	0.003
RE5506801	0.046
RE5506802	0.509
RE5506803	0.007
RE5507360	0.011
RE5507361	0.003
RE5507362	0.001
RE5507363	<0.001
RE5507364	0.002

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T613679

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jun 25, 2012

DATE RECEIVED: Jun 25, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Rock

	Analyte:	Au
	Unit:	ppm
Sample Description	RDL:	0.001

RE5507365	0.003
RE5507366	0.003
RE5505543	0.001
RE5505544	0.001
RE5505545	0.011
RE5505546	0.001
RE5505547	<0.001
RE5505548	0.002
RE5505549	0.002
RE5505550	0.001
RE5505551	0.004
RE5505552	0.008
RE5505553	0.002
RE5505554	<0.001
RE5505555	0.002
RE5505556	0.001
RE5505557	<0.001
RE5505558	<0.001
RE5505559	<0.001
RE5505239	0.011
RE5505241	<0.001
RE5505242	0.002
RE5505243	0.034
RE5505244	0.001
RE5505245	0.001
RE5505246	0.011
RE5507367	<0.001
RE5507368	0.002
RE5507369	<0.001
RE5507370	<0.001
RE5507371	0.001
RE5507372	0.001

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T613679

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jun 25, 2012

DATE RECEIVED: Jun 25, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Rock

	Analyte:	Au
	Unit:	ppm
Sample Description	RDL:	0.001

RE5507373	0.015
RE5507374	0.003
RE5507375	0.003
RE5507376	<0.001
RE5507377	0.060
RE5507378	0.002
RE5506804	0.005
RE5506805	0.007
RE5506806	<0.001
RE5506807	<0.001
RE5506808	0.018
RE5506809	0.009
RE5507060	0.011
RE5507061	0.001
RE5507062	0.001
RE5507063	0.008
RE5507064	0.002
RE5507065	0.027
RE5507066	0.030
RE5507067	0.191
RE5507068	0.383
RE5507069	0.004
RE5506811	0.002
RE5506812	<0.001
RE5506813	0.004
RE5506814	0.012
RE5506815	0.008
RE5506816	0.002
RE5506817	0.130
RE5506818	0.002
RE5506819	0.008
RE5506820	<0.001

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T613679

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jun 25, 2012

DATE RECEIVED: Jun 25, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Rock

	Analyte:	Au
	Unit:	ppm
Sample Description	RDL:	0.001

RE5506821	<0.001
RE5506822	0.001
RE5506823	<0.001
RE5506824	0.001
RE5506825	0.002
RE5506826	<0.001
RE5506827	0.015
RE5506828	0.001
RE5506829	<0.001
RE5506830	<0.001
RE5506831	<0.001
RE5506832	0.004
RE5506833	<0.001
RE5506834	<0.001
RE5506835	<0.001
RE5506836	<0.001
RE5506837	<0.001
RE5506838	<0.001
RE5506839	<0.001
RE5506840	0.002
RE5506841	0.004
RE5506842	0.003
RE5506843	<0.001
RE5506844	<0.001
RE5506845	0.011
RE5506846	0.001
RE5506847	0.001
RE5506848	<0.001
RE5506849	2.41
RE5506850	<0.001
RE5506851	0.009
RE5506852	0.020

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12T613679

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jun 25, 2012

DATE RECEIVED: Jun 25, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Rock

	Analyte:	Au
	Unit:	ppm
Sample Description	RDL:	0.001
RE5506853		0.003
RE5506854		0.002
RE5506855		<0.001
RE5506856		<0.001
RE5506857		<0.001
RE5506858		0.023
RE5506859		0.005
RE5506860		<0.001
RE5506861		0.003

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12T613679

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis											
RPT Date: Jul 04, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)											
Ag	1	3457862	< 0.2	< 0.2	0.0%	< 0.2	5.8	6	96%	80%	120%
Al	1	3457862	0.07	0.07	0.0%	< 0.01				80%	120%
As	1	3457862	20	20	0.0%	< 1				80%	120%
B	1	3457862	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3457862	6	6	0.0%	< 1				80%	120%
Be	1	3457862	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Bi	1	3457862	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	3457862	20.7	20.7	0.0%	< 0.01				80%	120%
Cd	1	3457862	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	3457862	14	14	0.0%	< 1				80%	120%
Co	1	3457862	1.0	1.0	0.0%	< 0.5	5.5	5.0	110%	80%	120%
Cr	1	3457862	14.7	11.0	28.8%	< 0.5				80%	120%
Cu	1	3457862	1.7	1.7	0.0%	< 0.5	3817	3800	100%	80%	120%
Fe	1	3457862	0.364	0.371	1.9%	< 0.01				80%	120%
Ga	1	3457862	< 5	< 5	0.0%	< 5				80%	120%
Hg	1	3457862	< 1	< 1	0.0%	< 1	1	1	100%	80%	120%
In	1	3457862	< 1	< 1	0.0%	< 1				80%	120%
K	1	3457862	0.04	0.04	0.0%	< 0.01				80%	120%
La	1	3457862	3	3	0.0%	< 1				80%	120%
Li	1	3457862	4	4	0.0%	< 1				80%	120%
Mg	1	3457862	12.7	12.8	0.8%	< 0.01				80%	120%
Mn	1	3457862	306	307	0.3%	< 1				80%	120%
Mo	1	3457862	2.2	2.1	4.7%	< 0.5				80%	120%
Na	1	3457862	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Ni	1	3457862	0.97	0.90	7.5%	< 0.5	7	7	100%	80%	120%
P	1	3457862	315	313	0.6%	< 10	543	600	90%	80%	120%
Pb	1	3457862	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Rb	1	3457862	< 10	< 10	0.0%	< 10	13	13	98%	80%	120%
S	1	3457862	0.228	0.234	2.6%	< 0.005	0.82	0.80	102%	80%	120%
Sb	1	3457862	7	7	0.0%	< 1				80%	120%
Sc	1	3457862	0.9	0.9	0.0%	< 0.5				80%	120%
Se	1	3457862	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	3457862	10	10	0.0%	< 5	8	7.1	112%	80%	120%
Sr	1	3457862	113	116	2.6%	< 0.5	324	290	111%	80%	120%
Ta	1	3457862	< 10	< 10	0.0%	< 10				80%	120%
Te	1	3457862	< 10	< 10	0.0%	< 10				80%	120%
Th	1	3457862	< 5	< 5	0.0%	< 5				80%	120%
Ti	1	3457862	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Tl	1	3457862	< 5	< 5	0.0%	< 5				80%	120%
U	1	3457862	8	8	0.0%	< 5				80%	120%
V	1	3457862	17.6	16.5	6.5%	< 0.5				80%	120%
W	1	3457862	< 1	< 1	0.0%	< 1				80%	120%
Y	1	3457862	2	2	0.0%	< 1				80%	120%
Zn	1	3457862	3.90	3.62	7.4%	< 0.5				80%	120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12T613679

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 04, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Zr	1	3457862	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)										
Ag	1	3457510	1.0	1.0	0.0%	< 0.2				80% 120%
Al	1	3457510	0.045	0.045	0.0%	< 0.01				80% 120%
As	1	3457510	< 1	< 1	0.0%	< 1				80% 120%
B	1	3457510	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3457510	17	16	6.1%	< 1				80% 120%
Be	1	3457510	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	3457510	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3457510	26.6	26.2	1.5%	< 0.01				80% 120%
Cd	1	3457510	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3457510	2	2	0.0%	< 1				80% 120%
Co	1	3457510	< 0.5	< 0.5	0.0%	< 0.5	5.6	5.0	112%	80% 120%
Cr	1	3457510	3.84	3.87	0.8%	< 0.5				80% 120%
Cu	1	3457842	57.6	60.7	5.2%	< 0.5	3962	3800	104%	80% 120%
Fe	1	3457510	0.495	0.479	3.3%	< 0.01	1.25	1.31	95%	80% 120%
Ga	1	3457510	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3457842	< 1	< 1	0.0%	< 1	1	1	100%	80% 120%
In	1	3457842	< 1	< 1	0.0%	< 1				80% 120%
K	1	3457510	0.02	0.02	0.0%	< 0.01				80% 120%
La	1	3457510	3	3	0.0%	< 1				80% 120%
Li	1	3457510	2	2	0.0%	< 1				80% 120%
Mg	1	3457510	6.24	6.07	2.8%	< 0.01				80% 120%
Mn	1	3457510	572	574	0.3%	< 1				80% 120%
Mo	1	3457510	0.81	0.74	9.0%	< 0.5	362	380	95%	80% 120%
Na	1	3457510	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3457510	0.77	0.71	8.1%	< 0.5	8	7	114%	80% 120%
P	1	3457510	644	633	1.7%	< 10	632	600	105%	80% 120%
Pb	1	3457510	12.2	11.7	4.2%	< 0.5				80% 120%
Rb	1	3457510	< 10	< 10	0.0%	< 10	13	13	101%	80% 120%
S	1	3457510	0.0216	0.0214	0.9%	< 0.005	0.96	0.80	120%	80% 120%
Sb	1	3457842	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	3457510	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Se	1	3457510	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3457510	< 5	< 5	0.0%	< 5	8	7	114%	80% 120%
Sr	1	3457510	411	401	2.5%	< 0.5	337	290	116%	80% 120%
Ta	1	3457510	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3457510	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3457510	8	7	13.3%	< 5				80% 120%
Ti	1	3457510	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3457510	< 5	< 5	0.0%	< 5				80% 120%
U	1	3457510	11	11	0.0%	< 5				80% 120%
V	1	3457510	3.62	4.11	12.7%	< 0.5				80% 120%
W	1	3457510	2	2	0.0%	< 1				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12T613679

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 04, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Y	1	3457510	3	3	0.0%	< 1				80% 120%
Zn	1	3457510	120	116	3.4%	< 0.5				80% 120%
Zr	1	3457510	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)										
Ag	1	3457534	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3457534	1.06	1.02	3.8%	< 0.01				80% 120%
As	1	3457534	16	15	6.5%	< 1				80% 120%
B	1	3457534	8	13		< 5				80% 120%
Ba	1	3457534	87	81	7.1%	< 1				80% 120%
Be	1	3457534	1.0	1.0	0.0%	< 0.5				80% 120%
Bi	1	3457534	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3457534	0.52	0.48	8.0%	< 0.01				80% 120%
Cd	1	3457534	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3457534	31	32	3.2%	< 1				80% 120%
Co	1	3457534	14.4	14.5	0.7%	< 0.5	5	5.0	100%	80% 120%
Cr	1	3457534	23.0	23.0	0.0%	< 0.5				80% 120%
Cu	1	3457534	26.1	26.0	0.4%	< 0.5	3927	3800	103%	80% 120%
Fe	1	3457534	3.31	3.06	7.8%	< 0.01				80% 120%
Ga	1	3457534	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3457534	< 1	< 1	0.0%	< 1	1	1	100%	80% 120%
In	1	3457534	2	< 1		< 1				80% 120%
K	1	3457534	0.520	0.493	5.3%	< 0.01				80% 120%
La	1	3457534	14	14	0.0%	< 1				80% 120%
Li	1	3457534	23	22	4.4%	< 1				80% 120%
Mg	1	3457534	0.28	0.26	7.4%	< 0.01				80% 120%
Mn	1	3457534	118	126	6.6%	< 1				80% 120%
Mo	1	3457534	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Na	1	3457534	0.02	0.02	0.0%	< 0.01				80% 120%
Ni	1	3457534	28.6	29.1	1.7%	< 0.5	8	7	114%	80% 120%
P	1	3457534	108	113	4.5%	< 10	591	600	98%	80% 120%
Pb	1	3457534	24.7	25.2	2.0%	< 0.5				80% 120%
Rb	1	3457534	43	46	6.7%	< 10	13	13	100%	80% 120%
S	1	3457534	2.68	2.72	1.5%	< 0.005				80% 120%
Sb	1	3457534	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	3457534	3.2	3.3	3.1%	< 0.5				80% 120%
Se	1	3457534	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3457534	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3457534	44.8	41.6	7.4%	0.6	307	290	105%	80% 120%
Ta	1	3457534	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3457534	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3457534	7	8	13.3%	< 5				80% 120%
Ti	1	3457534	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3457534	< 5	< 5	0.0%	< 5				80% 120%
U	1	3457534	< 5	< 5	0.0%	< 5				80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12T613679

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 04, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
V	1	3457534	13.5	14.2	5.1%	< 0.5				80% 120%
W	1	3457534	1	< 1		< 1				80% 120%
Y	1	3457534	6	6	0.0%	< 1				80% 120%
Zn	1	3457534	116	116	0.0%	< 0.5				80% 120%
Zr	1	3457534	7	7	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)										
Ag	1	3457565	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3457565	1.40	1.40	0.0%	< 0.01				80% 120%
As	1	3457565	< 1	< 1	0.0%	< 1				80% 120%
B	1	3457565	9	12	28.6%	< 5				80% 120%
Ba	1	3457565	171	167	2.4%	< 1				80% 120%
Be	1	3457565	1.1	1.1	0.0%	< 0.5				80% 120%
Bi	1	3457565	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3457565	2.07	2.03	2.0%	< 0.01				80% 120%
Cd	1	3457565	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3457565	41	41	0.0%	< 1				80% 120%
Co	1	3457565	8.04	8.19	1.8%	< 0.5				80% 120%
Cr	1	3457565	25.4	26.1	2.7%	< 0.5				80% 120%
Cu	1	3457565	163	168	3.0%	< 0.5	3753	3800	98%	80% 120%
Fe	1	3457565	3.71	3.65	1.6%	< 0.01				80% 120%
Ga	1	3457565	8	7	13.3%	< 5				80% 120%
Hg	1	3457565	< 1	< 1	0.0%	< 1				80% 120%
In	1	3457565	< 1	1		< 1				80% 120%
K	1	3457565	0.427	0.409	4.3%	< 0.01				80% 120%
La	1	3457565	15	15	0.0%	< 1				80% 120%
Li	1	3457565	29	29	0.0%	< 1				80% 120%
Mg	1	3457565	1.53	1.42	7.5%	< 0.01				80% 120%
Mn	1	3457565	1930	1950	1.0%	< 1				80% 120%
Mo	1	3457565	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Na	1	3457565	0.02	0.02	0.0%	< 0.01				80% 120%
Ni	1	3457565	19.4	18.2	6.4%	< 0.5				80% 120%
P	1	3457565	388	393	1.3%	< 10	558	600	93%	80% 120%
Pb	1	3457565	11.3	11.4	0.9%	< 0.5				80% 120%
Rb	1	3457565	43	45	4.5%	< 10				80% 120%
S	1	3457565	0.046	0.047	2.2%	< 0.005	0.82	0.80	102%	80% 120%
Sb	1	3457565	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	3457565	5.5	5.5	0.0%	< 0.5				80% 120%
Se	1	3457565	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3457565	< 5	< 5	0.0%	< 5	8.4	7.1	118%	80% 120%
Sr	1	3457565	51.5	51.1	0.8%	< 0.5	280	290	96%	80% 120%
Ta	1	3457565	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3457565	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3457565	9	8	11.8%	< 5				80% 120%
Ti	1	3457565	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3457565	< 5	< 5	0.0%	< 5				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12T613679

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 04, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
U	1	3457565	< 5	< 5	0.0%	< 5				80% 120%
V	1	3457565	17.8	18.2	2.2%	< 0.5				80% 120%
W	1	3457565	1	1	0.0%	< 1				80% 120%
Y	1	3457565	7	7	0.0%	< 1				80% 120%
Zn	1	3457565	50.8	51.8	1.9%	< 0.5				80% 120%
Zr	1	3457565	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)										
Ag	1	3457790	0.9	1.0	10.5%	< 0.2				80% 120%
Al	1	3457790	0.22	0.20	9.5%	< 0.01				80% 120%
As	1	3457790	< 1	< 1	0.0%	< 1				80% 120%
B	1	3457790	9	7	25.0%	< 5	6	7.00	85%	80% 120%
Ba	1	3457790	28	26	7.4%	< 1				80% 120%
Be	1	3457790	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	3457790	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3457790	21.3	21.3	0.0%	< 0.01				80% 120%
Cd	1	3457790	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3457790	13	13	0.0%	< 1				80% 120%
Co	1	3457790	2.19	2.25	2.7%	< 0.5				80% 120%
Cr	1	3457790	4.0	3.7	7.8%	< 0.5				80% 120%
Cu	1	3457790	2.1	2.9		< 0.5	3758	3800	98%	80% 120%
Fe	1	3457790	1.86	1.88	1.1%	< 0.01				80% 120%
Ga	1	3457790	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3457790	< 1	< 1	0.0%	< 1				80% 120%
In	1	3457790	2	< 1		< 1				80% 120%
K	1	3457790	0.11	0.10	9.5%	< 0.01				80% 120%
La	1	3457790	7	7	0.0%	< 1				80% 120%
Li	1	3457790	4	4	0.0%	< 1				80% 120%
Mg	1	3457790	4.93	4.98	1.0%	< 0.01				80% 120%
Mn	1	3457790	756	747	1.2%	< 1				80% 120%
Mo	1	3457790	0.6	0.8	28.6%	< 0.5				80% 120%
Na	1	3457790	0.01	0.01	0.0%	< 0.01				80% 120%
Ni	1	3457790	5.1	5.1	0.0%	< 0.5				80% 120%
P	1	3457790	996	972	2.4%	< 10	567	600	95%	80% 120%
Pb	1	3457790	3.0	3.1	3.3%	< 0.5				80% 120%
Rb	1	3457790	20	18	10.5%	< 10	13	13	100%	80% 120%
S	1	3457790	0.0646	0.0641	0.8%	< 0.005				80% 120%
Sb	1	3457790	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	3457790	2.6	2.6	0.0%	< 0.5				80% 120%
Se	1	3457790	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3457790	< 5	< 5	0.0%	< 5	8	7	114%	80% 120%
Sr	1	3457790	1630	1650	1.2%	< 0.5				80% 120%
Ta	1	3457790	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3457790	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3457790	10	9	10.5%	< 5				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12T613679

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 04, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ti	1	3457790	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3457790	< 5	< 5	0.0%	< 5				80% 120%
U	1	3457790	10	12	18.2%	< 5				80% 120%
V	1	3457790	6.4	6.8	6.1%	< 0.5				80% 120%
W	1	3457790	2	2	0.0%	< 1				80% 120%
Y	1	3457790	8	8	0.0%	< 1				80% 120%
Zn	1	3457790	28.7	28.0	2.5%	< 0.5				80% 120%
Zr	1	3457790	5	5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)										
Ag	1	3457812	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3457812	3.71	3.59	3.3%	< 0.01				80% 120%
As	1	3457812	< 1	< 1	0.0%	< 1				80% 120%
B	1	3457812	16	15	6.5%	< 5				80% 120%
Ba	1	3457812	135	135	0.0%	< 1				80% 120%
Be	1	3457812	1.3	1.3	0.0%	< 0.5				80% 120%
Bi	1	3457812	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3457812	5.83	5.76	1.2%	< 0.01				80% 120%
Cd	1	3457812	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3457812	113	110	2.7%	< 1				80% 120%
Co	1	3457812	23.3	22.5	3.5%	< 0.5				80% 120%
Cr	1	3457812	146	140	4.2%	< 0.5				80% 120%
Cu	1	3457812	83.8	78.6	6.4%	< 0.5	3938	3800	103%	80% 120%
Fe	1	3457812	7.90	7.75	1.9%	< 0.01				80% 120%
Ga	1	3457812	22	19	14.6%	< 5				80% 120%
Hg	1	3457812	< 1	< 1	0.0%	< 1				80% 120%
In	1	3457812	3	4	28.6%	< 1				80% 120%
K	1	3457812	0.07	0.07	0.0%	< 0.01				80% 120%
La	1	3457812	58	56	3.5%	< 1				80% 120%
Li	1	3457812	37	36	2.7%	< 1				80% 120%
Mg	1	3457812	3.45	3.37	2.3%	< 0.01				80% 120%
Mn	1	3457812	1680	1620	3.6%	< 1				80% 120%
Mo	1	3457812	0.6	1.2		< 0.5				80% 120%
Na	1	3457812	0.04	0.04	0.0%	< 0.01				80% 120%
Ni	1	3457812	68.2	65.8	3.6%	< 0.5				80% 120%
P	1	3457812	4170	4090	1.9%	< 10	589	600	98%	80% 120%
Pb	1	3457812	3.77	3.19	16.7%	< 0.5				80% 120%
Rb	1	3457812	29	28	3.5%	< 10				80% 120%
S	1	3457812	0.0558	0.0545	2.4%	< 0.005				80% 120%
Sb	1	3457812	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	3457812	5.8	5.8	0.0%	< 0.5				80% 120%
Se	1	3457812	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3457812	< 5	< 5	0.0%	< 5	7	7	100%	80% 120%
Sr	1	3457812	289	285	1.4%	< 0.5	299	290	103%	80% 120%
Ta	1	3457812	< 10	< 10	0.0%	< 10				80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12T613679

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 04, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Te	1	3457812	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3457812	7	8	13.3%	< 5				80% 120%
Ti	1	3457812	0.90	0.91	1.1%	< 0.01				80% 120%
Tl	1	3457812	< 5	< 5	0.0%	< 5				80% 120%
U	1	3457812	< 5	< 5	0.0%	< 5				80% 120%
V	1	3457812	226	221	2.2%	< 0.5				80% 120%
W	1	3457812	2	2	0.0%	< 1				80% 120%
Y	1	3457812	16	16	0.0%	< 1				80% 120%
Zn	1	3457812	94.3	91.6	2.9%	< 0.5				80% 120%
Zr	1	3457812	39	40	2.5%	< 5				80% 120%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3457560	0.008	0.008	0.0%	< 0.001	0.264	0.263	100%	90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3457573	0.001	0.010		< 0.001	1.49	1.52	98%	90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3457790	< 0.001	< 0.001	0.0%	< 0.001	1.43	1.52	94%	90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3457523	0.002	0.002	0.0%	< 0.001				90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3457817	0.002	0.002	0.0%	< 0.001				90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3457547	< 0.001	< 0.001	0.0%	< 0.001				90% 110%

Certified By:

Ron Cardinal

Method Summary

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12T613679

PROJECT NO:

ATTENTION TO: Yinghua Chen

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
B	MIN-200-12020		ICP/OES
Ba	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
In	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP/OES
Li	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr	MIN-200-12020		ICP/OES
Ta	MIN-200-12020		ICP/OES
Te	MIN-200-12020		ICP/OES
Th	MIN-200-12020		ICP/OES
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP/OES
U	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP/OES
Y	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Zr	MIN-200-12020		ICP/OES
Zn-OL	MIN-200-12032		AA
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES