

**CLIENT NAME: ANTHILL RESOURCES
1090-999 WEST HASTINGS STREET
Vancouver, BC V6C2W2
(604) 569-3892**

ATTENTION TO: Yinghua Chen

PROJECT NO:

AGAT WORK ORDER: 12Y611165

SOLID ANALYSIS REVIEWED BY: Ron Cardinali, Certified Assayer - Director - Technical Services (Mining)

DATE REPORTED: Jul 04, 2012

PAGES (INCLUDING COVER): 54

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

***NOTES**



Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012		DATE RECEIVED: Jun 18, 2012					DATE REPORTED: Jul 04, 2012					SAMPLE TYPE: Soil			
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
SE 5505660 (-)		0.3	1.24	29	<5	341	1.7	<1	0.27	<0.5	38	15.4	25.1	37.0	3.35
SE 5505661 (-)		<0.2	0.64	51	<5	231	3.1	<1	0.07	<0.5	23	28.9	14.0	39.0	4.76
SE 5505662 (-)		<0.2	0.71	85	<5	125	1.2	<1	0.07	<0.5	16	15.9	13.6	31.9	4.13
SE 5505663 (-)		<0.2	0.73	17	<5	86	0.9	<1	0.03	<0.5	14	17.3	12.8	32.8	3.79
SE 5505664 (-)		<0.2	0.37	18	<5	97	0.9	<1	0.09	<0.5	15	13.3	7.1	25.3	2.90
SE 5505665 (-)		<0.2	0.33	379	<5	201	<0.5	<1	0.11	<0.5	10	11.3	52.9	14.8	2.38
SE 5505666 (-)		<0.2	0.76	1170	<5	126	1.0	<1	0.12	<0.5	20	14.9	12.6	29.3	3.52
SE 5505667 (-)		<0.2	0.73	246	<5	97	1.4	<1	0.15	<0.5	31	15.8	11.6	33.9	3.79
SE 5505668 (-)		<0.2	0.61	292	<5	148	0.7	<1	0.36	<0.5	15	12.4	11.8	23.9	3.08
SE 5505669 (-)		<0.2	0.68	351	<5	114	1.1	<1	0.12	<0.5	19	13.6	13.5	29.9	3.57
SE 5505670 (-)		<0.2	1.28	278	<5	199	0.7	<1	0.45	<0.5	25	8.7	24.2	18.0	4.09
SE 5505671 (-)		<0.2	0.75	463	<5	87	0.9	<1	0.11	<0.5	29	10.7	10.6	22.4	3.73
SE 5505672 (-)		<0.2	0.72	262	<5	114	<0.5	<1	0.10	<0.5	20	11.3	23.8	18.5	3.78
SE 5505673 (-)		<0.2	1.01	62	<5	150	1.5	<1	0.21	<0.5	61	16.8	28.1	40.3	4.77
SE 5505674 (-)		<0.2	1.58	32	<5	264	1.6	<1	0.42	<0.5	34	18.8	40.3	32.3	4.33
SE 5505675 (-)		<0.2	1.79	25	<5	148	0.7	<1	0.34	<0.5	21	11.4	35.9	22.6	4.01
SE 5505676 (-)		<0.2	1.88	15	<5	419	1.8	<1	0.18	<0.5	19	17.7	35.7	46.6	4.64
SE 5505677 (-)		<0.2	1.51	16	<5	236	1.8	<1	0.13	<0.5	20	18.7	29.0	42.7	3.99
SE 5505678 (-)		<0.2	1.60	4	<5	165	1.2	<1	0.09	<0.5	16	14.8	30.5	18.6	4.15
SE 5505679 (-)		<0.2	1.94	18	<5	438	1.6	<1	0.41	<0.5	19	14.8	36.4	43.4	3.80
SE 5505680 (-)		<0.2	1.94	9	<5	170	1.7	<1	0.11	<0.5	25	20.0	44.2	41.4	4.66
SE 5505681 (-)		<0.2	2.84	85	<5	649	0.9	<1	0.17	<0.5	18	11.9	45.3	20.4	3.89
SE 5505682 (-)		<0.2	0.87	2740	9	212	0.8	<1	7.07	<0.5	14	12.2	14.9	33.4	3.56
SE 5505683 (-)		<0.2	1.24	935	<5	163	1.4	<1	0.70	<0.5	14	13.0	21.2	32.9	3.77
SE 5505684 (-)		<0.2	1.48	303	<5	235	1.3	<1	0.40	<0.5	30	15.1	31.4	29.8	4.10
SE 5505685 (-)		<0.2	2.10	493	<5	312	1.6	<1	0.43	<0.5	31	14.7	34.9	28.8	4.68
SE 5505686 (-)		<0.2	2.18	649	<5	273	1.5	<1	0.35	<0.5	45	18.0	65.7	30.8	4.80
SE 5505687 (-)		<0.2	1.89	502	6	325	1.2	<1	4.56	<0.5	64	15.9	111	40.5	3.93
SE 5505688 (-)		<0.2	1.76	426	13	227	1.4	<1	3.50	<0.5	64	13.7	95.4	41.9	3.55
SE 5505689 (-)		<0.2	1.06	17	<5	141	0.7	<1	0.53	<0.5	36	6.8	80.5	22.1	2.17
SE 5505690 (-)		<0.2	4.35	<1	12	381	2.3	<1	2.48	<0.5	183	32.2	362	78.2	8.54
SE 5505691 (-)		<0.2	4.35	<1	28	441	1.6	<1	2.35	<0.5	128	32.7	341	64.8	7.17

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
SE 5505692 (-)	<0.2	3.47	4	13	734	5.1	<1	2.29	<0.5	148	24.8	186	79.2	5.92
SE 5505693 (-)	<0.2	4.01	<1	12	339	2.5	<1	2.60	<0.5	141	34.9	239	51.6	7.72
SE 5505694 (-)	<0.2	2.48	12	<5	177	2.2	<1	2.23	<0.5	80	14.7	74.1	32.1	4.50
SE 5505695 (-)	<0.2	4.50	6	22	243	3.3	<1	4.13	<0.5	209	34.5	77.5	97.3	6.56
SE 5505696 (-)	<0.2	4.27	<1	15	358	2.3	<1	2.73	<0.5	163	38.0	331	98.6	8.67
SE 5505697 (-)	<0.2	3.91	7	7	303	2.1	<1	2.62	<0.5	148	38.9	291	84.4	8.30
SE 5505698 (-)	<0.2	3.55	5	9	284	2.1	<1	2.38	<0.5	139	40.6	269	78.7	7.62
SE 5505699 (-)	2.3	2.02	13	<5	104	<0.5	<1	0.95	3.3	21	16.8	34.0	728	4.93
SE 5505700 (-)	<0.2	0.03	<1	<5	18	<0.5	<1	20.0	<0.5	<1	<0.5	3.4	<0.5	0.41
SE 5505701 (-)	<0.2	4.24	<1	20	248	3.8	<1	2.72	<0.5	128	43.3	367	120	8.69
SE 5505702 (-)	<0.2	4.37	<1	14	341	0.9	<1	2.46	<0.5	100	43.7	259	86.0	9.33
SE 5505703 (-)	<0.2	4.80	27	12	350	2.1	<1	1.94	<0.5	170	28.9	183	61.0	7.58
SE 5505704 (-)	<0.2	3.41	79	6	430	1.9	<1	3.04	<0.5	104	24.4	103	47.3	6.73
SE 5505705 (-)	<0.2	4.73	35	16	708	2.3	<1	2.18	<0.5	197	35.3	210	68.7	7.41
SE 5505706 (-)	<0.2	3.21	21	<5	238	2.1	<1	0.94	<0.5	109	16.4	93.7	32.0	4.69
SE 5505707 (-)	<0.2	3.90	67	<5	581	1.5	<1	1.75	<0.5	122	32.6	188	57.5	6.89
SE 5505708 (-)	<0.2	4.07	49	10	358	1.3	<1	1.78	<0.5	124	31.4	288	83.7	6.28
SE 5505709 (-)	<0.2	3.38	8	<5	332	0.9	<1	1.54	<0.5	95	24.2	166	35.9	7.10
SE 5505760 (-)	<0.2	4.49	259	<5	392	1.9	<1	1.66	<0.5	152	26.5	180	71.7	6.57
SE 5505761 (-)	<0.2	2.57	531	6	370	1.8	<1	0.92	<0.5	77	22.3	114	37.2	5.43
SE 5505762 (-)	<0.2	2.57	398	8	516	2.0	<1	1.50	<0.5	91	25.4	123	70.2	5.11
SE 5505763 (-)	<0.2	1.54	310	<5	153	1.2	<1	0.13	<0.5	21	14.7	32.8	29.5	5.06
SE 5505764 (-)	<0.2	1.85	88	<5	114	0.9	<1	0.04	<0.5	16	11.8	35.5	25.3	5.74
SE 5505765 (-)	<0.2	1.43	84	<5	107	0.8	<1	0.05	<0.5	12	14.7	34.2	15.8	4.67
SE 5505766 (-)	<0.2	1.44	597	<5	271	1.2	<1	0.58	<0.5	13	9.9	27.5	26.2	3.79
SE 5505767 (-)	<0.2	1.70	4	<5	361	1.1	<1	3.02	<0.5	56	9.6	51.3	52.7	2.62
SE 5505768 (-)	<0.2	1.10	<1	<5	177	0.7	<1	0.93	<0.5	35	3.7	71.5	31.8	3.63
SE 5505769 (-)	<0.2	0.81	<1	<5	213	<0.5	<1	0.28	<0.5	31	0.5	47.7	14.3	3.19
SE 5505770 (-)	<0.2	3.37	<1	<5	231	1.4	<1	1.71	<0.5	112	10.7	28.7	59.4	4.73
SE 5505771 (-)	<0.2	1.98	12	<5	439	1.5	<1	1.35	<0.5	33	18.3	58.7	73.7	3.46
SE 5505772 (-)	0.3	2.63	25	<5	428	2.2	<1	0.49	<0.5	37	26.0	67.3	120	5.02
SE 5505773 (-)	0.3	2.22	36	<5	425	1.8	<1	0.71	<0.5	36	24.8	63.0	85.3	4.74

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
SE 5505774 (-)	<0.2	2.45	47	5	225	2.0	<1	0.82	<0.5	49	25.2	125	44.4	5.45
SE 5505775 (-)	<0.2	1.43	1	<5	203	0.9	<1	2.43	<0.5	54	11.4	57.4	26.0	2.69
SE 5505776 (-)	<0.2	2.63	13	<5	438	1.3	<1	1.88	<0.5	83	15.3	109	37.0	3.54
SE 5505777 (-)	<0.2	2.84	3	7	290	1.7	<1	1.39	<0.5	120	26.2	186	45.8	5.84
SE 5505778 (-)	<0.2	1.96	15	<5	203	1.7	<1	0.69	<0.5	84	12.4	66.9	30.0	4.03
SE 5505779 (-)	<0.2	3.13	13	8	291	3.2	<1	0.90	<0.5	215	31.9	134	53.1	7.47
SE 5505780 (-)	<0.2	3.01	24	<5	239	2.6	<1	1.49	<0.5	174	25.4	139	52.9	6.30
SE 5505781 (-)	<0.2	2.28	2	<5	147	1.3	<1	3.21	<0.5	91	15.7	107	55.0	3.88
SE 5505782 (-)	<0.2	3.20	10	7	226	1.6	<1	1.82	<0.5	100	17.1	108	50.4	4.57
SE 5505410 (-)	<0.2	2.95	21	<5	323	2.3	<1	0.77	<0.5	199	25.5	115	43.6	5.13
SE 5505411 (-)	<0.2	2.51	9	<5	771	2.0	<1	1.63	<0.5	113	21.6	129	62.3	5.25
SE 5505412 (-)	<0.2	2.85	<1	<5	576	2.2	<1	1.21	<0.5	121	25.1	135	42.4	6.29
SE 5505413 (-)	<0.2	2.88	13	<5	616	2.7	<1	0.65	<0.5	151	31.9	93.9	50.5	7.22
SE 5505414 (-)	<0.2	3.56	15	<5	1100	2.7	<1	1.36	<0.5	182	33.8	148	67.7	7.02
SE 5505415 (-)	<0.2	3.40	10	<5	522	2.3	<1	0.63	<0.5	189	37.1	147	68.0	7.33
SE 5505416 (-)	<0.2	2.58	38	<5	327	2.3	<1	0.40	<0.5	159	32.7	116	62.8	6.55
SE 5505417 (-)	<0.2	2.12	112	<5	476	2.2	<1	0.27	<0.5	134	27.7	83.4	75.1	6.24
SE 5505418 (-)	<0.2	1.72	83	<5	295	2.0	<1	0.23	<0.5	91	29.1	53.9	80.9	6.30
SE 5505419 (-)	<0.2	2.76	25	<5	405	2.1	<1	0.27	<0.5	104	29.4	148	60.2	6.58
SE 5505420 (-)	<0.2	2.40	14	<5	361	2.0	<1	0.21	<0.5	77	30.8	107	52.8	6.37
SE 5505421 (-)	<0.2	2.49	27	<5	262	1.5	<1	0.17	<0.5	60	27.3	96.8	50.9	6.22
SE 5505422 (-)	<0.2	1.90	25	<5	247	1.2	<1	0.27	<0.5	32	14.7	62.2	26.4	4.35
SE 5505423 (-)	<0.2	1.92	23	<5	764	1.6	<1	0.78	<0.5	52	17.2	74.9	42.9	4.52
SE 5505424 (-)	<0.2	1.42	16	<5	246	1.7	<1	0.19	<0.5	13	20.5	28.4	46.0	4.86
SE 5505425 (-)	<0.2	1.04	9	<5	140	1.1	<1	0.22	<0.5	31	10.5	20.2	28.4	2.72
SE 5505426 (-)	<0.2	0.78	14	<5	89	0.8	<1	0.21	<0.5	15	11.0	17.5	24.3	2.73
SE 5505427 (-)	<0.2	1.26	19	<5	162	1.1	<1	0.29	<0.5	19	14.2	29.5	31.8	3.29
SE 5505428 (-)	<0.2	1.34	15	<5	330	1.8	<1	0.11	<0.5	14	22.1	19.7	33.9	4.17
SE 5505429 (-)	<0.2	0.78	19	<5	171	1.3	<1	0.61	<0.5	16	11.6	16.4	29.0	2.68
SE 5505430 (-)	0.3	2.72	16	<5	689	3.3	<1	1.11	<0.5	150	36.8	110	108	6.28
SE 5505431 (-)	<0.2	1.58	15	<5	410	1.8	<1	1.28	<0.5	82	21.7	79.4	40.6	4.72
SE 5505432 (-)	<0.2	1.20	23	<5	367	2.0	<1	2.06	<0.5	89	25.1	139	47.9	6.02

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
SE 5505433 (-)	<0.2	2.08	12	<5	191	1.7	<1	0.08	<0.5	45	24.6	58.7	45.2	4.95
SE 5505434 (-)	<0.2	1.65	19	<5	331	1.7	<1	0.31	<0.5	59	21.4	52.4	41.1	5.03
SE 5505435 (-)	<0.2	1.82	4	<5	218	1.8	<1	0.05	<0.5	21	21.4	40.0	41.4	4.60
SE 5505436 (-)	<0.2	2.41	19	<5	318	1.1	<1	0.33	<0.5	53	32.0	146	54.2	6.17
SE 5505437 (-)	<0.2	2.61	40	<5	328	1.8	<1	0.48	<0.5	119	35.9	132	79.9	6.22
SE 5505438 (-)	<0.2	1.60	18	<5	292	1.8	<1	0.35	<0.5	67	23.4	69.2	54.1	5.07
SE 5505439 (-)	<0.2	0.69	21	<5	186	1.6	<1	0.09	<0.5	19	19.5	18.9	44.9	4.44
SE 5505440 (-)	<0.2	1.28	358	<5	268	1.3	<1	0.34	<0.5	25	13.9	28.5	26.7	3.68
SE 5505441 (-)	<0.2	1.31	151	<5	335	1.0	<1	0.50	<0.5	24	12.4	37.9	27.8	4.46
SE 5505442 (-)	<0.2	1.68	79	<5	296	1.4	<1	0.44	<0.5	49	11.8	41.5	27.5	4.04
SE 5505443 (-)	<0.2	1.35	13	<5	163	1.6	<1	0.12	<0.5	22	18.7	25.9	42.1	4.69
SE 5505444 (-)	<0.2	1.33	18	<5	268	1.3	<1	0.18	<0.5	7	14.9	28.9	31.9	4.43
SE 5505710 (-)	<0.2	2.17	77	<5	167	1.8	<1	0.23	<0.5	21	25.5	50.5	49.7	5.14
SE 5505711 (-)	<0.2	2.20	243	<5	264	1.5	<1	1.08	<0.5	72	25.3	137	44.0	5.24
SE 5505712 (-)	<0.2	3.11	67	<5	375	1.7	<1	1.15	<0.5	81	23.4	194	39.9	7.04
SE 5505713 (-)	<0.2	2.68	46	<5	457	1.5	<1	1.96	<0.5	102	21.3	146	46.8	5.13
SE 5505714 (-)	<0.2	3.08	9	21	398	2.6	<1	1.08	<0.5	108	27.6	248	43.9	7.15
SE 5505715 (-)	<0.2	2.89	<1	<5	311	1.0	<1	0.97	<0.5	44	16.4	147	34.2	6.51
SE 5505716 (-)	<0.2	3.15	<1	<5	302	1.8	<1	1.29	<0.5	125	34.1	166	42.7	8.21
SE 5505717 (-)	<0.2	2.65	<1	<5	213	1.0	<1	1.36	<0.5	62	24.6	201	35.6	7.83
SE 5505718 (-)	<0.2	3.14	9	<5	462	1.1	<1	0.84	<0.5	69	12.3	96.0	28.7	4.85
SE 5505719 (-)	<0.2	3.89	3	<5	686	1.6	<1	1.28	<0.5	101	21.9	141	44.5	6.50
SE 5505720 (-)	<0.2	2.78	<1	<5	502	<0.5	<1	1.73	<0.5	79	35.6	378	43.9	7.06
SE 5505721 (-)	<0.2	4.00	7	8	381	1.9	<1	2.34	<0.5	151	33.5	292	65.4	8.70
SE 5505722 (-)	<0.2	4.50	<1	<5	214	2.1	<1	2.38	<0.5	167	20.0	162	51.6	7.60
SE 5505723 (-)	<0.2	4.91	<1	27	486	2.2	<1	2.09	<0.5	162	23.5	178	55.3	7.36
SE 5505724 (-)	<0.2	5.32	<1	17	510	3.3	<1	1.15	<0.5	148	7.0	14.0	16.6	3.67
SE 5505725 (-)	<0.2	4.82	22	21	689	2.5	<1	2.05	<0.5	167	21.5	136	54.2	6.04
SE 5505726 (-)	<0.2	3.37	8	6	561	1.7	<1	1.22	<0.5	108	15.1	116	29.5	5.74
SE 5505727 (-)	<0.2	2.37	33	<5	250	0.8	<1	0.94	<0.5	64	10.1	141	30.7	5.17
SE 5505728 (-)	<0.2	4.17	15	39	471	1.7	<1	2.14	<0.5	144	29.0	246	79.9	7.62
SE 5505729 (-)	<0.2	3.53	30	<5	360	1.8	<1	1.87	<0.5	112	24.9	132	42.7	6.83

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012		DATE RECEIVED: Jun 18, 2012						DATE REPORTED: Jul 04, 2012				SAMPLE TYPE: Soil			
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
SE 5505730 (-)		<0.2	1.68	84	<5	116	1.1	<1	0.04	<0.5	14	18.3	35.6	27.2	5.36
SE 5505731 (-)		<0.2	1.60	107	<5	152	1.1	<1	0.12	<0.5	12	17.4	38.2	24.5	4.55
SE 5505732 (-)		<0.2	2.14	906	<5	260	1.7	<1	0.97	<0.5	62	18.8	81.3	34.4	5.73
SE 5505733 (-)		<0.2	2.12	1030	7	309	1.6	<1	1.86	<0.5	52	20.2	102	47.7	5.18
SE 5505734 (-)		<0.2	2.89	4	<5	627	2.1	<1	0.56	<0.5	69	26.0	113	62.2	5.84
SE 5505735 (-)		<0.2	3.01	4	<5	552	1.8	<1	1.26	<0.5	68	19.9	108	44.5	5.61
SE 5505736 (-)		<0.2	3.49	<1	13	407	1.8	<1	2.31	<0.5	130	28.1	214	60.6	6.69
SE 5505737 (-)		<0.2	2.91	<1	<5	638	1.6	<1	2.54	<0.5	102	19.9	140	58.2	5.08
SE 5505738 (-)		<0.2	1.24	46	<5	135	0.8	<1	0.45	<0.5	30	8.3	69.6	122	2.99
SE 5505739 (-)		<0.2	3.60	<1	<5	292	0.9	<1	1.14	<0.5	90	20.4	174	43.1	10.3
SE 5505740 (-)		<0.2	3.02	6	<5	323	1.4	<1	0.72	<0.5	93	15.4	116	42.5	5.27
SE 5505741 (-)		<0.2	2.47	6	<5	179	0.8	<1	0.65	<0.5	67	16.7	127	33.1	6.11
SE 5505742 (-)		<0.2	3.38	3	<5	239	1.1	<1	0.25	<0.5	58	22.0	70.5	41.6	6.83
SE 5505743 (-)		<0.2	0.71	5	<5	84	<0.5	<1	0.19	<0.5	13	3.1	24.2	16.4	1.19
SE 5505744 (-)		<0.2	1.96	6	<5	182	1.0	<1	0.36	<0.5	57	22.0	70.5	40.0	4.88
SE 5505745 (-)		<0.2	1.75	21	<5	287	1.1	<1	1.27	<0.5	21	17.4	56.7	37.7	3.98
SE 5505746 (-)		<0.2	2.33	55	5	432	1.7	<1	0.94	<0.5	62	21.2	133	50.0	5.46
SE 5505747 (-)		<0.2	2.86	31	7	530	1.9	<1	2.04	<0.5	107	21.6	92.6	69.7	5.34
SE 5505748 (-)		<0.2	3.15	22	6	450	2.0	<1	1.26	<0.5	139	23.5	116	48.8	5.61
SE 5505749 (-)		2.2	2.08	14	<5	107	<0.5	<1	1.00	3.5	24	17.5	36.3	755	5.14
SE 5505110 (-)		<0.2	0.80	20	<5	272	1.8	<1	0.06	<0.5	22	22.0	17.0	53.1	3.90
SE 5505111 (-)		<0.2	<0.01	<1	<5	<1	<0.5	<1	<0.01	<0.5	<1	<0.5	<0.5	<0.5	<0.01
SE 5505112 (-)		<0.2	1.22	12	<5	116	1.6	<1	0.03	<0.5	16	22.8	28.8	49.9	4.80
SE 5505113 (-)		<0.2	1.70	2	<5	171	1.4	<1	0.03	<0.5	12	16.6	34.6	39.7	4.37
SE 5505114 (-)		<0.2	2.04	10	<5	143	2.2	<1	0.03	<0.5	20	30.7	38.5	50.2	4.78
SE 5505115 (-)		<0.2	1.65	6	<5	107	1.1	<1	0.02	<0.5	14	18.1	34.7	35.1	4.56
SE 5505116 (-)		<0.2	1.87	13	<5	155	1.1	<1	0.03	<0.5	15	15.9	37.1	30.9	4.33
SE 5505117 (-)		<0.2	1.49	15	<5	134	1.6	<1	0.05	<0.5	20	19.3	30.9	39.0	3.97
SE 5505118 (-)		<0.2	1.33	11	<5	114	1.0	<1	0.04	<0.5	13	11.9	28.1	26.9	3.55
SE 5505119 (-)		<0.2	1.17	8	<5	145	1.1	<1	0.08	<0.5	9	16.6	24.1	25.5	3.58
SE 5505120 (-)		<0.2	1.17	19	<5	197	1.7	<1	0.09	<0.5	19	16.8	24.8	46.4	3.89
SE 5505121 (-)		<0.2	1.13	19	<5	104	1.3	<1	0.06	<0.5	7	17.2	19.6	24.9	3.58

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012		DATE RECEIVED: Jun 18, 2012					DATE REPORTED: Jul 04, 2012					SAMPLE TYPE: Soil				
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01	
SE 5505122 (-)		<0.2	1.22	25	<5	280	1.7	<1	0.14	<0.5	11	17.2	27.2	34.7	4.22	
SE 5505123 (-)		<0.2	1.65	20	<5	84	1.5	<1	0.04	<0.5	17	24.7	30.1	48.0	3.83	
SE 5505124 (-)		<0.2	1.75	15	<5	216	1.5	<1	0.17	<0.5	24	18.1	32.2	38.9	4.17	
SE 5505125 (-)		<0.2	1.37	9	<5	128	1.3	<1	0.05	<0.5	19	17.9	27.3	32.3	4.47	
SE 5505126 (-)		<0.2	1.50	14	<5	106	1.2	<1	0.03	<0.5	17	17.8	30.5	37.9	4.67	
SE 5505127 (-)		<0.2	2.25	7	<5	274	1.8	<1	0.24	<0.5	51	25.2	116	44.3	5.70	
SE 5505128 (-)		<0.2	1.28	9	<5	299	0.8	<1	0.13	<0.5	18	12.8	47.0	27.2	3.52	
SE 5505129 (-)		<0.2	1.10	9	<5	140	1.4	<1	0.02	<0.5	10	14.6	23.1	34.4	4.48	
SE 5505130 (-)		<0.2	1.16	16	<5	88	0.9	<1	0.04	<0.5	17	13.3	26.5	29.0	3.95	
SE 5505131 (-)		<0.2	1.05	12	<5	97	0.9	<1	0.03	<0.5	15	13.0	24.2	32.5	4.28	
SE 5505132 (-)		<0.2	0.92	13	<5	115	1.0	<1	0.02	<0.5	12	17.2	17.2	46.2	4.55	
SE 5505133 (-)		<0.2	1.28	9	<5	243	1.9	<1	0.05	<0.5	14	26.7	27.2	42.8	5.18	
SE 5505134 (-)		<0.2	0.70	142	<5	111	1.0	<1	0.28	<0.5	32	13.4	7.6	22.4	3.82	
SE 5505135 (-)		<0.2	0.64	1560	<5	175	0.8	<1	0.21	<0.5	19	14.1	9.3	27.8	4.60	
SE 5505136 (-)		<0.2	0.56	394	<5	88	<0.5	<1	0.31	<0.5	12	10.5	8.6	16.2	3.11	
SE 5505137 (-)		0.2	0.93	2010	<5	109	<0.5	<1	5.05	1.3	15	6.6	16.1	16.1	2.76	
SE 5505138 (-)		1.5	0.71	4520	<5	82	<0.5	<1	7.10	11.0	9	6.6	10.3	17.3	3.19	
SE 5505139 (-)		<0.2	0.27	2660	5	98	<0.5	<1	11.7	<0.5	5	3.6	5.2	8.4	1.91	
SE 5505140 (-)		0.3	0.32	1570	7	97	<0.5	<1	14.8	<0.5	7	3.2	7.8	7.8	1.49	
SE 5505141 (-)		<0.2	0.94	1040	<5	290	1.7	<1	0.62	<0.5	11	22.1	14.0	45.9	4.69	
SE 5505142 (-)		<0.2	1.52	497	<5	303	1.8	<1	0.30	<0.5	15	22.0	26.6	47.4	4.39	
SE 5505143 (-)		<0.2	0.97	1090	<5	195	1.5	<1	0.57	<0.5	11	10.6	13.8	28.0	3.06	
SE 5505144 (-)		<0.2	0.83	1590	<5	207	0.8	<1	2.53	<0.5	21	6.8	13.7	15.0	4.59	
SE 5505145 (-)		<0.2	1.88	362	<5	314	1.7	<1	0.22	<0.5	21	23.7	31.5	40.1	4.01	
SE 5505146 (-)		<0.2	1.51	169	<5	210	1.6	<1	0.12	<0.5	21	18.3	34.3	35.5	4.47	
SE 5505147 (-)		<0.2	1.33	128	<5	199	1.2	<1	0.12	<0.5	5	18.3	34.3	29.4	4.30	
SE 5505148 (-)		<0.2	1.70	85	<5	318	1.8	<1	0.12	<0.5	9	21.7	41.0	31.6	5.06	
SE 5505149 (-)		2.1	2.10	19	<5	108	<0.5	<1	1.02	3.5	24	17.4	36.0	748	5.16	
SE 5505150 (-)		<0.2	0.02	<1	<5	11	<0.5	<1	20.1	<0.5	<1	0.6	12.2	<0.5	0.29	
SE 5505151 (-)		<0.2	0.83	37	<5	166	0.6	<1	0.63	<0.5	10	11.0	26.1	17.1	2.98	
SE 5505152 (-)		<0.2	1.07	15	<5	120	1.1	<1	0.01	<0.5	8	18.1	22.3	33.0	4.25	
SE 5505153 (-)		<0.2	1.57	4	<5	105	0.9	<1	0.02	<0.5	7	14.8	31.5	21.5	5.01	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012		DATE RECEIVED: Jun 18, 2012						DATE REPORTED: Jul 04, 2012				SAMPLE TYPE: Soil			
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
SE 5505154 (-)		<0.2	1.84	18	<5	284	2.0	<1	0.26	<0.5	15	19.9	32.9	35.6	4.60
SE 5505155 (-)		<0.2	1.71	22	<5	287	1.3	<1	0.38	<0.5	14	12.5	27.7	38.2	3.34
SE 5505156 (-)		<0.2	1.81	9	<5	121	0.9	<1	0.06	<0.5	13	15.0	30.9	33.3	4.29
SE 5505157 (-)		1.0	1.68	17	<5	167	1.2	<1	0.08	<0.5	10	21.6	26.5	42.9	4.42
SE 5505158 (-)		<0.2	2.16	21	<5	344	1.8	<1	0.14	<0.5	20	24.9	36.0	45.7	4.65
SE 5505159 (-)		<0.2	3.65	22	<5	228	2.0	<1	0.38	<0.5	62	31.3	186	74.2	7.03
SE 5505750 (-)		<0.2	0.02	<1	<5	10	<0.5	<1	19.2	<0.5	<1	0.5	11.7	<0.5	0.49
SE 5505751 (-)		0.4	2.17	28	<5	262	1.4	<1	1.13	<0.5	44	16.7	64.7	80.8	4.22
SE 5505752 (-)		<0.2	1.92	202	<5	307	1.7	<1	0.56	<0.5	29	20.3	52.6	47.7	4.72
SE 5505753 (-)		<0.2	3.75	26	98	330	1.9	<1	2.39	<0.5	121	22.3	148	55.4	6.10
SE 5505754 (-)		<0.2	2.62	11	5	257	1.7	<1	2.55	<0.5	105	22.6	113	57.7	4.44
SE 5505755 (-)		<0.2	3.63	7	9	277	2.0	<1	2.19	<0.5	144	25.4	192	57.5	6.84
SE 5505756 (-)		3.2	2.83	282	<5	214	1.7	<1	0.62	2.1	40	38.4	231	274	6.59
SE 5505757 (-)		<0.2	2.06	22	<5	336	1.4	<1	1.37	<0.5	76	15.9	81.8	39.0	3.23
SE 5505758 (-)		<0.2	3.77	17	9	295	2.2	<1	1.40	<0.5	128	37.9	168	57.1	7.69
SE 5505759 (-)		<0.2	2.25	10	7	518	2.1	<1	1.83	<0.5	108	21.6	94.3	36.0	4.28
SE 5506360 (-)		<0.2	2.46	46	7	355	1.9	<1	1.99	<0.5	90	21.2	93.2	54.0	4.20
SE 5506361 (-)		<0.2	3.77	23	8	497	2.1	<1	1.90	<0.5	116	24.2	144	68.3	5.85
SE 5506362 (-)		<0.2	2.68	33	7	415	2.0	<1	1.79	<0.5	69	19.3	90.3	47.1	4.26
SE 5506363 (-)		<0.2	3.10	31	7	368	2.1	<1	2.18	<0.5	94	19.2	91.0	56.9	3.96
SE 5506364 (-)		<0.2	2.52	80	<5	264	2.0	<1	0.52	<0.5	43	24.8	83.8	41.3	4.86
SE 5506365 (-)		<0.2	2.50	14	<5	396	1.7	<1	0.75	<0.5	68	23.6	64.9	48.3	4.20
SE 5506366 (-)		<0.2	1.99	12	<5	246	1.2	<1	0.10	<0.5	25	15.8	40.0	32.3	5.55
SE 5506367 (-)		<0.2	4.51	4	7	299	1.9	<1	0.45	<0.5	68	30.1	111	52.4	7.09
SE 5506368 (-)		<0.2	2.98	<1	<5	283	1.0	<1	0.34	<0.5	41	11.7	93.0	28.2	5.89
SE 5506369 (-)		<0.2	2.86	<1	<5	386	0.9	<1	0.91	<0.5	78	11.7	81.9	38.0	5.85
SE 5507110 (-)		<0.2	2.91	19	<5	178	2.0	<1	0.23	<0.5	19	15.8	65.1	66.3	5.23
SE 5507111 (-)		<0.2	2.30	118	5	342	1.8	<1	1.55	<0.5	73	21.9	136	49.3	5.27
SE 5507112 (-)		<0.2	3.36	20	13	276	2.0	<1	2.37	<0.5	115	30.9	229	50.2	7.03
SE 5507113 (-)		<0.2	3.95	12	99	301	2.4	<1	2.47	<0.5	157	31.1	272	79.9	8.20
SE 5507114 (-)		<0.2	2.83	8	13	248	3.2	<1	3.08	<0.5	133	17.2	51.0	43.5	4.83
SE 5507115 (-)		<0.2	2.14	7	15	219	1.7	<1	2.78	<0.5	93	20.7	143	52.3	4.31

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
SE 5507116 (-)	<0.2	4.38	7	32	482	2.7	<1	3.29	<0.5	151	32.1	277	82.4	7.77
SE 5507117 (-)	<0.2	4.40	<1	19	621	1.8	<1	3.05	<0.5	159	31.5	303	75.7	8.23
SE 5507118 (-)	<0.2	4.49	<1	21	361	1.8	<1	3.25	<0.5	166	28.1	220	70.5	8.31
SE 5507119 (-)	<0.2	4.87	<1	21	381	2.6	<1	1.96	<0.5	166	26.5	176	57.5	7.32
SE 5507120 (-)	<0.2	4.56	6	23	544	1.8	<1	2.75	<0.5	142	27.5	277	67.9	7.87
SE 5507121 (-)	<0.2	4.34	1	33	539	2.8	<1	1.20	<0.5	125	9.6	50.6	17.9	5.11
SE 5507122 (-)	<0.2	3.50	72	22	543	1.9	<1	1.99	<0.5	134	40.2	218	39.4	7.13
SE 5507123 (-)	<0.2	2.68	111	<5	336	1.8	<1	0.65	<0.5	55	26.3	113	34.8	5.19
SE 5507124 (-)	<0.2	2.51	75	<5	327	1.6	<1	0.20	<0.5	15	22.8	45.0	36.3	4.71
SE 5507610 (-)	<0.2	2.93	498	10	382	1.7	<1	1.50	<0.5	60	22.5	121	48.2	5.49
SE 5507611 (-)	<0.2	1.85	11	<5	314	1.7	<1	0.14	<0.5	16	22.5	41.6	50.5	4.46
SE 5507612 (-)	<0.2	1.37	17	<5	283	1.5	<1	0.14	<0.5	13	19.4	28.2	40.3	3.83
SE 5507613 (-)	<0.2	2.06	537	<5	377	1.4	<1	2.09	<0.5	58	21.9	97.8	66.2	4.96
SE 5507614 (-)	<0.2	2.31	8	9	212	1.1	<1	3.01	<0.5	68	17.9	143	62.5	3.76
SE 5507615 (-)	<0.2	2.14	188	<5	274	1.6	<1	0.82	<0.5	37	18.8	78.9	42.2	4.50

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012		DATE RECEIVED: Jun 18, 2012				DATE REPORTED: Jul 04, 2012				SAMPLE TYPE: Soil					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
SE 5505660 (-)		<5	<1	3	0.14	11	14	0.24	4810	0.9	<0.01	34.6	673	40.0	29
SE 5505661 (-)		<5	<1	<1	0.13	7	8	0.09	1070	0.6	<0.01	52.4	275	39.0	24
SE 5505662 (-)		<5	2	<1	0.14	5	8	0.07	1040	0.9	<0.01	28.6	368	27.0	28
SE 5505663 (-)		<5	<1	1	0.14	5	6	0.06	998	<0.5	<0.01	28.0	385	29.8	30
SE 5505664 (-)		<5	2	<1	0.09	5	3	0.08	466	<0.5	<0.01	24.7	167	20.8	15
SE 5505665 (-)		<5	1	<1	0.11	4	1	0.05	2600	0.9	<0.01	13.8	568	20.4	18
SE 5505666 (-)		<5	2	<1	0.15	6	5	0.12	671	<0.5	<0.01	23.8	511	56.1	21
SE 5505667 (-)		<5	2	2	0.19	7	3	0.07	871	<0.5	<0.01	29.8	353	37.5	24
SE 5505668 (-)		<5	<1	<1	0.13	4	3	0.10	1370	0.7	<0.01	22.8	367	32.5	20
SE 5505669 (-)		<5	<1	<1	0.14	6	6	0.11	735	0.6	<0.01	25.7	344	23.4	19
SE 5505670 (-)		5	2	1	0.19	9	12	0.26	629	<0.5	<0.01	18.3	683	22.5	36
SE 5505671 (-)		<5	3	<1	0.15	7	5	0.10	728	<0.5	<0.01	21.6	251	46.9	19
SE 5505672 (-)		5	<1	<1	0.09	7	3	0.13	1200	1.2	<0.01	17.3	662	39.4	28
SE 5505673 (-)		<5	1	1	0.14	14	9	0.19	1370	2.1	<0.01	41.2	1510	24.4	23
SE 5505674 (-)		8	<1	<1	0.20	11	17	0.39	2130	1.4	<0.01	35.2	727	27.4	42
SE 5505675 (-)		8	<1	<1	0.21	9	13	0.34	954	1.5	<0.01	20.4	624	19.7	60
SE 5505676 (-)		8	<1	<1	0.16	6	25	0.43	1520	1.6	<0.01	34.9	304	29.3	40
SE 5505677 (-)		5	1	2	0.25	6	19	0.41	1610	<0.5	<0.01	32.9	377	26.7	39
SE 5505678 (-)		7	<1	2	0.16	3	22	0.42	1070	0.7	<0.01	27.5	351	20.9	39
SE 5505679 (-)		6	<1	<1	0.22	7	26	0.61	1030	1.5	0.01	29.8	344	23.1	62
SE 5505680 (-)		9	1	1	0.19	7	31	0.61	1340	<0.5	0.01	41.2	620	25.7	35
SE 5505681 (-)		11	<1	3	0.18	7	28	0.48	1060	2.4	0.01	23.2	993	16.5	67
SE 5505682 (-)		6	23	<1	0.24	7	9	4.02	993	1.8	<0.01	28.1	838	147	39
SE 5505683 (-)		<5	3	<1	0.26	6	14	0.50	502	<0.5	<0.01	28.5	480	29.2	54
SE 5505684 (-)		6	<1	<1	0.19	9	22	0.51	1490	1.2	<0.01	32.2	514	44.6	40
SE 5505685 (-)		8	2	<1	0.25	10	21	0.59	2380	1.7	<0.01	29.6	879	32.0	52
SE 5505686 (-)		9	6	<1	0.19	18	21	0.81	1680	1.6	0.01	49.7	646	46.8	47
SE 5505687 (-)		11	15	<1	0.20	35	31	2.64	1240	2.2	0.12	64.2	1880	9.3	34
SE 5505688 (-)		11	9	2	0.17	37	25	2.08	928	1.7	0.10	55.7	1770	8.9	32
SE 5505689 (-)		6	3	2	0.09	19	4	0.44	338	1.6	0.02	29.2	1700	8.7	21
SE 5505690 (-)		25	4	6	0.17	98	50	5.03	2270	1.2	0.12	164	3010	8.6	42
SE 5505691 (-)		21	3	1	0.23	65	43	4.31	1850	1.3	0.37	145	2490	6.8	49

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012		DATE RECEIVED: Jun 18, 2012				DATE REPORTED: Jul 04, 2012				SAMPLE TYPE: Soil					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
SE 5505692 (-)		17	3	<1	0.79	111	31	2.18	2350	0.5	0.12	94.0	2700	19.0	152
SE 5505693 (-)		22	<1	1	0.31	66	63	4.73	2140	2.3	0.18	122	2730	5.4	65
SE 5505694 (-)		14	<1	3	0.22	33	25	1.45	1650	1.6	0.22	40.1	1790	9.4	42
SE 5505695 (-)		18	<1	5	1.40	106	28	2.56	1670	2.4	0.52	105	5060	3.1	279
SE 5505696 (-)		25	5	5	0.17	98	71	5.90	2760	4.0	0.05	164	3230	7.4	47
SE 5505697 (-)		20	<1	2	0.29	87	47	4.40	2060	1.4	0.06	156	2760	6.4	71
SE 5505698 (-)		21	2	3	0.27	82	42	3.93	1990	2.6	0.06	149	2060	7.1	73
SE 5505699 (-)		8	2	3	0.24	9	13	1.16	656	12.4	0.12	32.4	474	282	21
SE 5505700 (-)		<5	<1	<1	<0.01	2	<1	12.9	215	2.7	<0.01	1.4	205	1.5	<10
SE 5505701 (-)		23	4	1	0.40	74	54	4.20	2330	2.3	0.13	261	2720	5.3	97
SE 5505702 (-)		23	1	6	0.08	55	76	5.54	2410	0.7	0.20	187	2900	5.4	32
SE 5505703 (-)		19	5	2	0.08	73	47	3.67	1940	1.5	0.15	97.7	2740	10.3	27
SE 5505704 (-)		16	2	2	0.18	52	57	3.12	2150	1.2	0.28	62.2	2250	6.7	32
SE 5505705 (-)		21	4	<1	0.56	110	58	3.69	2330	1.7	0.57	125	4070	7.5	102
SE 5505706 (-)		14	3	<1	0.46	39	32	1.62	1220	0.6	0.05	58.0	584	7.0	101
SE 5505707 (-)		15	3	2	0.20	59	69	3.23	1700	2.2	0.09	123	2090	7.2	34
SE 5505708 (-)		18	4	<1	0.23	60	54	2.86	1450	2.2	0.06	149	2160	9.5	57
SE 5505709 (-)		16	2	2	0.13	40	37	2.18	1770	2.8	0.11	94.9	2020	10.0	41
SE 5505760 (-)		15	1	1	0.14	67	46	2.51	1660	1.7	0.07	124	2130	11.0	42
SE 5505761 (-)		11	8	<1	0.18	32	38	1.55	1580	1.0	0.03	85.5	1120	37.0	39
SE 5505762 (-)		12	12	<1	0.17	52	40	1.79	1800	1.0	0.03	84.0	1220	19.5	35
SE 5505763 (-)		6	4	<1	0.14	7	16	0.41	1150	1.6	<0.01	26.5	605	33.9	31
SE 5505764 (-)		9	<1	<1	0.16	7	17	0.30	671	1.3	<0.01	19.8	513	25.4	49
SE 5505765 (-)		8	<1	2	0.23	4	14	0.34	1290	<0.5	<0.01	26.0	568	19.4	55
SE 5505766 (-)		5	<1	<1	0.17	7	20	0.45	570	0.9	<0.01	25.3	839	19.0	56
SE 5505767 (-)		7	5	<1	0.18	35	10	0.56	883	2.1	0.04	28.0	1360	8.8	35
SE 5505768 (-)		11	2	<1	0.05	19	6	0.62	549	2.1	0.02	25.2	790	18.5	<10
SE 5505769 (-)		9	1	<1	0.04	19	2	0.16	166	1.4	0.02	10.8	269	28.5	10
SE 5505770 (-)		13	1	1	0.34	43	31	0.92	854	1.5	0.01	25.5	768	9.5	77
SE 5505771 (-)		8	<1	<1	0.14	22	22	0.62	1570	3.9	<0.01	38.2	971	19.4	36
SE 5505772 (-)		12	2	<1	0.28	16	40	1.14	1970	6.7	0.01	68.9	1010	24.3	45
SE 5505773 (-)		8	1	1	0.18	16	33	1.05	1630	3.8	0.01	55.0	847	30.7	33

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012		DATE RECEIVED: Jun 18, 2012				DATE REPORTED: Jul 04, 2012				SAMPLE TYPE: Soil					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
SE 5505774 (-)		12	24	<1	0.17	20	39	1.78	1400	1.1	0.02	71.2	1060	26.0	39
SE 5505775 (-)		9	2	2	0.08	29	12	0.74	827	2.0	0.02	25.7	1340	10.3	15
SE 5505776 (-)		10	3	<1	0.17	48	24	1.63	884	2.3	0.03	61.5	1620	10.8	43
SE 5505777 (-)		17	2	2	0.14	55	34	2.41	1400	2.0	0.05	103	1840	10.5	40
SE 5505778 (-)		11	3	<1	0.13	43	12	0.85	1090	2.4	0.02	29.3	1700	11.8	33
SE 5505779 (-)		18	<1	1	0.16	75	29	1.72	2790	3.9	0.02	66.8	1880	14.7	45
SE 5505780 (-)		19	2	2	0.12	88	26	1.94	2060	3.7	0.02	66.2	1990	15.5	37
SE 5505781 (-)		10	2	<1	0.13	56	15	1.38	1110	2.8	0.09	55.7	1430	9.4	33
SE 5505782 (-)		14	5	<1	0.17	57	21	1.53	998	1.6	0.10	58.2	1560	12.0	33
SE 5505410 (-)		11	2	<1	0.08	49	33	1.21	2660	2.6	0.01	55.4	1290	13.2	25
SE 5505411 (-)		13	4	<1	0.06	58	31	1.35	2710	2.0	0.01	50.5	1830	13.5	19
SE 5505412 (-)		16	<1	<1	0.09	34	41	1.61	1700	1.0	<0.01	62.7	1530	10.4	25
SE 5505413 (-)		14	2	<1	0.21	46	33	0.97	2010	1.0	<0.01	59.8	2460	11.2	47
SE 5505414 (-)		17	4	2	0.21	72	44	1.45	2500	2.5	0.01	82.0	3290	9.2	56
SE 5505415 (-)		16	<1	<1	0.24	45	49	1.39	2250	1.5	0.02	88.2	2000	11.2	50
SE 5505416 (-)		14	<1	<1	0.16	45	36	0.89	1650	1.4	<0.01	81.2	2580	13.4	33
SE 5505417 (-)		10	3	<1	0.14	56	21	0.50	1680	5.2	<0.01	65.6	3010	17.9	36
SE 5505418 (-)		6	3	<1	0.14	32	19	0.42	1850	6.9	<0.01	65.6	2160	24.2	25
SE 5505419 (-)		12	<1	1	0.19	33	39	1.02	2210	2.4	<0.01	68.8	1230	15.6	40
SE 5505420 (-)		11	<1	1	0.17	26	29	0.80	2320	1.0	<0.01	54.4	1350	19.1	38
SE 5505421 (-)		9	1	<1	0.18	20	31	0.77	1720	1.9	<0.01	57.1	1440	15.6	41
SE 5505422 (-)		8	<1	<1	0.14	12	33	0.60	866	1.1	<0.01	37.3	736	12.4	47
SE 5505423 (-)		8	2	<1	0.10	21	27	0.85	1010	2.0	0.01	47.7	1360	13.3	36
SE 5505424 (-)		5	2	<1	0.13	4	23	0.44	1080	<0.5	<0.01	33.5	369	26.1	29
SE 5505425 (-)		<5	1	<1	0.15	8	13	0.31	2780	<0.5	<0.01	21.9	590	19.8	24
SE 5505426 (-)		<5	<1	<1	0.10	4	12	0.26	762	1.5	<0.01	22.7	456	19.5	17
SE 5505427 (-)		<5	4	<1	0.19	6	15	0.40	868	3.5	<0.01	30.2	843	25.1	29
SE 5505428 (-)		6	2	5	0.21	3	21	0.39	1520	0.8	<0.01	31.6	432	33.4	35
SE 5505429 (-)		<5	<1	1	0.17	5	7	0.27	1460	1.1	<0.01	20.9	440	20.0	23
SE 5505430 (-)		13	2	1	0.30	80	45	1.35	2610	3.0	0.01	73.9	2540	20.1	58
SE 5505431 (-)		8	4	<1	0.12	38	19	0.82	1480	<0.5	<0.01	47.5	2140	8.1	22
SE 5505432 (-)		7	<1	<1	0.05	57	8	0.34	2170	1.7	<0.01	73.9	2870	10.4	12

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012		DATE RECEIVED: Jun 18, 2012				DATE REPORTED: Jul 04, 2012				SAMPLE TYPE: Soil					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
SE 5505433 (-)		7	2	<1	0.16	15	27	0.61	1330	2.0	<0.01	45.1	857	27.3	37
SE 5505434 (-)		8	2	4	0.12	20	18	0.51	1810	1.0	<0.01	39.9	950	22.9	32
SE 5505435 (-)		9	1	1	0.20	9	25	0.45	977	0.8	<0.01	38.6	743	20.0	40
SE 5505436 (-)		13	<1	<1	0.16	17	25	0.88	2250	1.7	0.01	68.7	1480	10.9	62
SE 5505437 (-)		12	2	2	0.17	34	36	1.19	2000	2.4	0.03	100	1560	14.2	36
SE 5505438 (-)		7	<1	2	0.16	31	24	0.71	1270	1.2	<0.01	60.0	1200	17.2	32
SE 5505439 (-)		<5	<1	1	0.15	7	7	0.16	1010	0.6	<0.01	35.2	554	21.3	24
SE 5505440 (-)		<5	1	4	0.19	8	21	0.28	818	1.2	<0.01	25.7	645	21.6	50
SE 5505441 (-)		6	<1	2	0.17	9	17	0.34	897	1.2	<0.01	26.1	1080	20.9	38
SE 5505442 (-)		7	<1	<1	0.16	18	26	0.46	549	1.3	<0.01	30.8	799	18.2	35
SE 5505443 (-)		5	2	<1	0.11	6	18	0.33	1680	<0.5	<0.01	29.3	831	26.3	23
SE 5505444 (-)		<5	1	4	0.12	2	15	0.39	796	<0.5	<0.01	21.7	361	21.5	32
SE 5505710 (-)		10	<1	2	0.15	6	36	0.84	2090	<0.5	0.01	45.1	444	44.0	30
SE 5505711 (-)		13	24	3	0.17	33	23	1.51	1760	2.0	0.05	68.3	1490	17.4	41
SE 5505712 (-)		19	2	2	0.27	37	36	2.00	1430	1.7	0.03	80.2	1180	11.2	82
SE 5505713 (-)		12	2	1	0.22	71	27	2.17	1190	1.8	0.05	77.0	2110	10.7	47
SE 5505714 (-)		23	4	4	0.13	42	39	2.58	1460	0.7	0.02	99.5	2290	14.0	41
SE 5505715 (-)		19	2	1	0.31	20	29	1.88	892	0.7	0.13	71.0	1010	9.9	76
SE 5505716 (-)		19	2	<1	0.19	38	36	2.52	2430	1.1	0.04	76.9	2320	9.2	47
SE 5505717 (-)		21	2	3	0.16	21	37	2.62	1740	2.0	0.02	60.8	1580	9.0	45
SE 5505718 (-)		15	5	<1	0.18	32	25	1.48	795	1.1	0.02	54.6	1350	12.0	38
SE 5505719 (-)		16	2	<1	0.23	44	31	2.36	1450	1.1	0.08	89.0	1840	9.5	48
SE 5505720 (-)		16	<1	3	0.12	40	27	3.05	1930	1.4	0.05	148	2040	2.8	34
SE 5505721 (-)		23	5	2	0.23	70	45	4.54	2130	3.1	0.04	143	3150	6.2	50
SE 5505722 (-)		17	<1	3	0.47	67	28	2.01	1560	1.3	0.44	74.8	2610	6.1	105
SE 5505723 (-)		22	5	2	0.62	92	48	4.39	2050	1.0	0.40	84.4	3440	9.0	109
SE 5505724 (-)		16	2	1	0.68	73	14	0.94	1340	2.9	0.69	11.7	3120	20.4	123
SE 5505725 (-)		20	2	1	0.75	93	31	2.68	1890	2.0	0.33	85.2	3790	13.7	124
SE 5505726 (-)		18	<1	1	0.36	56	32	2.36	1610	1.1	0.25	62.4	1910	14.6	71
SE 5505727 (-)		17	4	<1	0.12	37	20	1.01	707	2.8	0.06	58.5	1110	22.1	46
SE 5505728 (-)		20	2	<1	0.17	79	47	3.92	1720	1.8	0.30	142	3280	10.0	44
SE 5505729 (-)		19	<1	<1	0.22	52	39	2.44	1580	2.3	0.15	81.8	2080	11.9	52

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012		DATE RECEIVED: Jun 18, 2012				DATE REPORTED: Jul 04, 2012				SAMPLE TYPE: Soil					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
SE 5505730 (-)		8	2	<1	0.14	5	18	0.30	1290	0.6	<0.01	21.1	597	28.0	45
SE 5505731 (-)		7	<1	2	0.19	4	22	0.52	844	<0.5	<0.01	30.8	409	25.9	36
SE 5505732 (-)		8	11	<1	0.17	26	29	1.07	2040	1.4	0.02	53.6	1400	24.4	34
SE 5505733 (-)		9	28	2	0.28	29	38	1.87	867	1.9	0.04	73.9	1600	26.6	43
SE 5505734 (-)		16	2	4	0.27	26	38	1.19	2000	1.5	0.01	57.7	1150	26.9	55
SE 5505735 (-)		15	1	3	0.26	31	43	1.67	1320	1.2	0.03	58.3	1130	23.0	51
SE 5505736 (-)		21	2	3	0.23	68	35	3.29	1610	1.7	0.13	110	3250	9.7	52
SE 5505737 (-)		15	1	<1	0.15	62	25	2.26	1300	2.8	0.09	76.1	2320	10.5	34
SE 5505738 (-)		8	<1	<1	0.43	19	15	0.44	256	33.3	<0.01	47.5	1210	17.1	66
SE 5505739 (-)		29	<1	10	0.30	36	47	2.47	1100	3.5	0.02	72.2	1870	12.4	55
SE 5505740 (-)		15	3	2	0.36	46	22	1.29	1020	3.5	0.02	50.2	1220	17.0	79
SE 5505741 (-)		18	4	2	0.20	32	17	1.36	1280	2.9	0.02	52.5	1720	18.4	55
SE 5505742 (-)		19	<1	6	0.33	23	31	1.01	2320	3.8	0.01	30.1	1160	19.9	83
SE 5505743 (-)		<5	<1	<1	0.07	6	2	0.12	138	2.2	0.01	7.5	739	12.9	11
SE 5505744 (-)		12	<1	1	0.28	22	17	0.68	1350	1.8	<0.01	35.9	946	23.9	51
SE 5505745 (-)		9	2	1	0.13	9	26	0.84	1050	3.1	0.01	36.4	619	17.6	25
SE 5505746 (-)		12	14	<1	0.20	30	36	1.76	1260	1.8	0.04	70.4	1310	21.6	37
SE 5505747 (-)		13	3	<1	0.34	55	41	1.77	1700	1.3	0.03	48.5	1730	19.8	53
SE 5505748 (-)		17	1	3	0.31	71	51	2.18	1590	1.0	0.02	56.0	2230	14.9	47
SE 5505749 (-)		9	1	3	0.24	10	14	1.20	690	13.5	0.11	34.1	501	300	20
SE 5505110 (-)		5	1	3	0.14	8	12	0.12	1270	2.0	0.01	30.0	392	21.6	24
SE 5505111 (-)		<5	<1	<1	<0.01	<1	<1	<0.01	<1	<0.5	<0.01	<0.5	<10	<0.5	<10
SE 5505112 (-)		7	<1	2	0.09	5	16	0.24	1290	1.5	<0.01	33.9	508	31.9	22
SE 5505113 (-)		10	<1	<1	0.11	4	22	0.42	563	<0.5	<0.01	37.5	349	14.4	25
SE 5505114 (-)		10	<1	<1	0.12	6	32	0.57	1730	0.9	0.01	39.3	392	56.2	27
SE 5505115 (-)		8	<1	<1	0.16	5	19	0.30	1160	<0.5	0.01	27.0	692	22.2	43
SE 5505116 (-)		8	<1	<1	0.16	5	24	0.39	872	<0.5	0.01	27.9	514	22.9	43
SE 5505117 (-)		7	<1	<1	0.14	6	21	0.35	967	1.2	<0.01	37.3	445	23.1	27
SE 5505118 (-)		6	<1	<1	0.14	4	15	0.24	662	0.6	<0.01	21.8	664	19.9	36
SE 5505119 (-)		6	1	<1	0.17	3	13	0.35	1720	0.9	<0.01	23.2	767	24.8	29
SE 5505120 (-)		<5	2	1	0.20	5	16	0.34	1190	1.7	<0.01	32.6	398	28.4	29
SE 5505121 (-)		5	<1	1	0.13	2	14	0.31	1410	<0.5	<0.01	24.2	629	25.9	25

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012		DATE RECEIVED: Jun 18, 2012				DATE REPORTED: Jul 04, 2012				SAMPLE TYPE: Soil					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
SE 5505122 (-)		<5	3	3	0.16	3	15	0.34	803	1.4	<0.01	28.3	359	80.8	32
SE 5505123 (-)		8	2	<1	0.11	6	23	0.39	735	<0.5	<0.01	30.8	323	19.1	27
SE 5505124 (-)		8	<1	<1	0.15	5	26	0.45	1080	1.1	<0.01	32.4	585	23.5	35
SE 5505125 (-)		6	<1	<1	0.10	5	15	0.22	1390	1.3	<0.01	27.0	1060	29.9	29
SE 5505126 (-)		6	2	<1	0.11	4	18	0.33	1130	1.0	<0.01	31.2	707	29.4	27
SE 5505127 (-)		12	<1	<1	0.14	15	28	0.78	1730	2.0	<0.01	55.9	1090	20.0	35
SE 5505128 (-)		8	2	<1	0.13	7	8	0.20	1620	1.9	<0.01	19.3	855	20.2	42
SE 5505129 (-)		6	<1	<1	0.12	4	10	0.12	943	0.7	<0.01	25.2	914	18.8	33
SE 5505130 (-)		6	3	<1	0.07	6	10	0.20	742	1.2	<0.01	25.7	645	20.0	20
SE 5505131 (-)		6	<1	<1	0.08	5	5	0.12	1420	0.6	<0.01	21.4	858	22.2	27
SE 5505132 (-)		<5	1	2	0.11	4	6	0.11	931	1.6	<0.01	28.5	595	23.2	28
SE 5505133 (-)		7	3	2	0.17	4	20	0.24	1450	0.7	0.01	39.3	403	22.5	35
SE 5505134 (-)		<5	4	<1	0.13	8	3	0.09	835	<0.5	<0.01	24.1	482	28.0	22
SE 5505135 (-)		<5	4	<1	0.22	4	2	0.08	962	1.0	<0.01	26.1	578	51.6	24
SE 5505136 (-)		<5	3	<1	0.14	3	2	0.10	727	0.7	<0.01	14.5	681	30.3	20
SE 5505137 (-)		<5	26	<1	0.07	7	6	2.75	1030	2.7	<0.01	14.5	1240	633	18
SE 5505138 (-)		5	240	<1	0.04	4	4	4.31	1230	3.1	<0.01	13.3	870	4210	13
SE 5505139 (-)		<5	7	<1	0.04	3	2	7.15	1270	1.2	<0.01	7.4	724	82.6	<10
SE 5505140 (-)		<5	20	2	0.04	4	3	9.15	1170	1.1	0.01	7.6	645	37.9	11
SE 5505141 (-)		<5	3	<1	0.20	3	13	0.53	1910	0.8	<0.01	36.9	223	62.2	25
SE 5505142 (-)		6	1	<1	0.25	4	25	0.48	903	0.9	<0.01	41.1	269	36.4	36
SE 5505143 (-)		<5	5	1	0.19	4	9	0.29	457	<0.5	<0.01	24.5	488	47.6	30
SE 5505144 (-)		<5	6	<1	0.05	10	2	1.10	3830	1.6	<0.01	15.3	1550	45.9	15
SE 5505145 (-)		6	<1	2	0.17	5	28	0.53	1600	1.6	<0.01	33.8	617	32.7	31
SE 5505146 (-)		7	<1	<1	0.15	4	20	0.35	1340	1.1	<0.01	30.1	916	46.5	32
SE 5505147 (-)		<5	<1	2	0.19	1	12	0.28	461	<0.5	<0.01	26.3	1030	16.8	38
SE 5505148 (-)		5	<1	<1	0.25	1	21	0.40	402	<0.5	<0.01	36.9	481	21.2	45
SE 5505149 (-)		9	3	3	0.24	10	14	1.21	683	12.5	0.11	32.5	516	298	20
SE 5505150 (-)		<5	<1	<1	<0.01	1	<1	13.3	175	2.7	<0.01	1.1	174	0.9	<10
SE 5505151 (-)		5	2	2	0.11	3	10	0.26	884	1.8	<0.01	18.5	853	18.2	45
SE 5505152 (-)		6	1	<1	0.10	2	7	0.18	1590	3.4	<0.01	22.1	1060	26.1	30
SE 5505153 (-)		9	<1	1	0.10	2	12	0.28	1540	<0.5	<0.01	18.2	1370	26.6	31

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012		DATE RECEIVED: Jun 18, 2012				DATE REPORTED: Jul 04, 2012				SAMPLE TYPE: Soil					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
SE 5505154 (-)		8	<1	2	0.16	4	27	0.48	1120	1.3	<0.01	30.6	558	29.8	44
SE 5505155 (-)		6	1	3	0.27	5	20	0.49	648	4.3	<0.01	35.9	1210	17.1	45
SE 5505156 (-)		9	2	<1	0.18	5	17	0.40	1260	2.4	<0.01	23.9	1300	22.0	35
SE 5505157 (-)		7	2	<1	0.16	3	24	0.37	1330	1.6	<0.01	27.5	1110	30.8	33
SE 5505158 (-)		9	<1	<1	0.28	6	32	0.52	1650	2.3	<0.01	31.7	908	31.1	71
SE 5505159 (-)		16	<1	<1	0.21	27	42	1.46	2020	3.9	<0.01	82.1	2050	14.9	54
SE 5505750 (-)		<5	<1	<1	<0.01	1	<1	12.5	254	2.3	<0.01	1.3	142	<0.5	<10
SE 5505751 (-)		9	2	3	0.23	20	27	0.94	581	5.8	0.01	53.4	1230	18.9	41
SE 5505752 (-)		7	14	1	0.25	13	30	0.84	1100	1.9	0.03	44.6	654	23.8	41
SE 5505753 (-)		18	<1	2	0.31	70	27	2.70	1260	2.5	0.25	84.7	2200	11.3	71
SE 5505754 (-)		13	2	<1	0.31	59	18	1.57	1220	1.2	0.03	62.5	2030	8.2	62
SE 5505755 (-)		19	3	<1	0.45	77	28	2.57	1560	1.9	0.02	82.8	1290	10.7	83
SE 5505756 (-)		12	1	2	0.31	17	35	1.73	1840	41.2	0.03	191	1430	21.5	52
SE 5505757 (-)		11	2	4	0.14	53	16	1.06	1040	2.1	0.02	46.0	1610	13.0	56
SE 5505758 (-)		22	2	4	0.29	57	38	2.50	2330	<0.5	0.03	82.1	2120	11.4	90
SE 5505759 (-)		11	2	2	0.23	64	14	1.14	2100	2.5	0.02	52.7	1780	9.2	47
SE 5506360 (-)		13	<1	<1	0.33	60	20	1.28	1110	1.5	0.03	56.3	1890	8.9	71
SE 5506361 (-)		18	2	1	0.42	72	34	2.00	1420	2.3	0.03	77.3	1840	10.7	99
SE 5506362 (-)		12	4	2	0.32	41	27	1.32	1140	1.0	0.03	54.2	1180	17.9	61
SE 5506363 (-)		13	2	<1	0.22	55	28	1.46	1270	2.0	0.07	54.5	1510	14.7	59
SE 5506364 (-)		13	3	3	0.19	17	30	1.06	1210	1.5	0.02	50.4	744	35.0	47
SE 5506365 (-)		12	1	2	0.28	31	21	0.80	1780	4.0	0.01	43.4	1220	21.4	59
SE 5506366 (-)		11	3	<1	0.18	13	12	0.36	1220	3.9	<0.01	19.6	1050	24.5	57
SE 5506367 (-)		18	3	3	0.22	25	52	1.41	851	<0.5	0.01	70.6	821	13.7	66
SE 5506368 (-)		18	1	4	0.32	20	24	0.94	692	2.8	0.01	35.5	573	14.9	125
SE 5506369 (-)		20	2	3	0.20	37	28	1.64	1070	2.4	0.09	34.4	1400	20.7	44
SE 5507110 (-)		13	<1	3	0.30	13	30	0.62	1060	9.6	<0.01	34.0	1240	29.9	68
SE 5507111 (-)		11	4	2	0.21	37	31	1.84	1340	2.4	0.04	72.4	1750	19.2	44
SE 5507112 (-)		22	3	1	0.19	61	40	2.98	1670	1.7	0.06	106	2680	10.6	47
SE 5507113 (-)		25	3	2	0.21	93	40	3.82	1900	2.0	0.06	126	3530	8.8	56
SE 5507114 (-)		12	2	4	0.41	67	28	2.20	1430	1.4	0.40	40.2	4810	10.0	71
SE 5507115 (-)		11	2	2	0.22	51	28	2.30	1130	2.4	0.06	77.6	3020	6.8	41

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
	Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
SE 5507116 (-)		22	5	2	0.42	83	53	4.42	1980	2.9	0.44	147	3660	6.8	78
SE 5507117 (-)		24	6	4	0.15	87	59	5.70	2030	0.7	0.31	160	3610	6.2	39
SE 5507118 (-)		22	3	3	0.22	90	54	5.01	1940	1.8	0.37	126	3990	9.3	49
SE 5507119 (-)		21	<1	3	0.68	83	42	3.62	2060	2.7	0.44	97.7	3100	6.6	133
SE 5507120 (-)		23	2	2	0.11	68	53	4.76	1800	1.5	0.16	140	2600	6.1	35
SE 5507121 (-)		19	3	<1	1.25	70	23	1.35	1390	0.7	0.21	29.8	2320	13.1	214
SE 5507122 (-)		20	3	5	0.32	65	43	3.21	2280	1.4	0.08	122	1780	9.7	93
SE 5507123 (-)		12	4	5	0.27	24	39	1.40	1750	<0.5	0.02	74.4	1270	21.4	55
SE 5507124 (-)		9	<1	<1	0.38	5	32	0.63	2110	1.1	0.01	38.6	757	24.5	68
SE 5507610 (-)		13	9	<1	0.32	30	45	1.94	1120	1.9	0.08	81.7	1410	20.0	61
SE 5507611 (-)		7	2	<1	0.22	5	29	0.56	1580	2.0	0.01	50.1	524	26.4	39
SE 5507612 (-)		6	<1	4	0.14	4	22	0.40	1310	1.9	<0.01	34.0	496	22.3	28
SE 5507613 (-)		11	16	3	0.20	30	35	1.96	1390	1.8	0.08	73.9	1590	21.4	33
SE 5507614 (-)		12	4	3	0.22	38	14	1.45	1140	1.9	0.02	50.0	1440	5.8	40
SE 5507615 (-)		8	23	2	0.19	17	32	1.19	833	1.5	0.06	55.9	824	19.9	41

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012		DATE RECEIVED: Jun 18, 2012					DATE REPORTED: Jul 04, 2012					SAMPLE TYPE: Soil			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1
SE 5505660 (-)		0.053	<1	3.8	<10	<5	11.2	<10	<10	<5	<0.01	6	<5	24.8	3
SE 5505661 (-)		0.010	5	7.0	<10	<5	34.9	<10	<10	<5	<0.01	<5	<5	22.1	4
SE 5505662 (-)		0.015	3	4.6	<10	<5	15.9	<10	<10	<5	<0.01	<5	<5	22.7	4
SE 5505663 (-)		0.013	4	4.1	<10	<5	7.2	<10	<10	<5	<0.01	<5	<5	21.0	4
SE 5505664 (-)		0.006	<1	4.2	<10	<5	9.7	<10	<10	<5	<0.01	<5	<5	11.3	4
SE 5505665 (-)		0.043	4	<0.5	<10	<5	8.3	<10	<10	<5	<0.01	<5	<5	22.4	3
SE 5505666 (-)		0.099	11	2.9	<10	<5	15.8	<10	<10	<5	<0.01	<5	<5	17.7	4
SE 5505667 (-)		0.018	6	6.2	<10	<5	10.8	<10	<10	<5	<0.01	<5	<5	14.6	3
SE 5505668 (-)		0.059	2	2.5	<10	<5	11.8	<10	<10	<5	<0.01	<5	<5	17.6	4
SE 5505669 (-)		0.023	5	4.1	<10	<5	14.2	<10	<10	<5	<0.01	<5	<5	18.3	5
SE 5505670 (-)		0.047	4	2.2	<10	<5	19.8	<10	<10	<5	0.02	<5	<5	41.4	5
SE 5505671 (-)		0.032	5	3.1	<10	<5	8.0	<10	<10	<5	<0.01	<5	<5	14.8	5
SE 5505672 (-)		0.039	5	1.1	<10	<5	7.6	<10	<10	<5	<0.01	<5	<5	44.9	5
SE 5505673 (-)		0.028	2	3.3	<10	<5	12.4	<10	<10	<5	0.01	<5	<5	38.9	5
SE 5505674 (-)		0.032	2	4.3	<10	<5	19.8	<10	<10	<5	0.01	<5	<5	49.6	6
SE 5505675 (-)		0.039	4	1.4	<10	<5	27.3	<10	<10	<5	0.02	<5	<5	58.7	5
SE 5505676 (-)		0.012	2	6.9	<10	<5	14.7	<10	<10	6	<0.01	<5	<5	39.3	6
SE 5505677 (-)		0.009	3	5.8	<10	<5	15.6	<10	<10	8	0.01	<5	<5	29.5	5
SE 5505678 (-)		0.022	4	3.4	<10	<5	8.9	<10	<10	6	<0.01	<5	<5	33.6	6
SE 5505679 (-)		0.034	5	7.7	<10	<5	26.3	<10	<10	7	<0.01	<5	<5	35.0	5
SE 5505680 (-)		0.021	5	4.7	<10	<5	15.6	<10	<10	6	0.02	<5	<5	45.9	5
SE 5505681 (-)		0.042	4	5.3	<10	<5	18.1	<10	<10	5	0.01	<5	<5	67.7	4
SE 5505682 (-)		0.055	21	4.5	<10	<5	39.5	<10	<10	6	<0.01	<5	5	24.9	8
SE 5505683 (-)		0.043	2	6.4	<10	<5	31.1	<10	<10	7	<0.01	<5	<5	25.7	5
SE 5505684 (-)		0.037	5	4.3	<10	<5	17.3	<10	<10	<5	0.02	<5	<5	37.0	6
SE 5505685 (-)		0.034	5	5.2	<10	<5	19.5	<10	<10	6	0.01	<5	<5	47.4	6
SE 5505686 (-)		0.031	11	6.5	<10	<5	20.6	<10	<10	7	0.03	<5	<5	67.6	8
SE 5505687 (-)		0.132	4	4.2	<10	<5	287	<10	<10	6	0.36	<5	<5	97.2	6
SE 5505688 (-)		0.157	2	4.7	<10	<5	215	<10	<10	7	0.38	<5	<5	109	6
SE 5505689 (-)		0.144	<1	2.5	<10	<5	58.6	<10	<10	<5	0.14	<5	<5	60.7	4
SE 5505690 (-)		0.049	<1	10.9	<10	<5	323	<10	<10	11	0.93	<5	<5	243	8
SE 5505691 (-)		0.063	<1	8.3	<10	<5	291	<10	<10	11	0.94	9	<5	201	10

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012		DATE RECEIVED: Jun 18, 2012					DATE REPORTED: Jul 04, 2012					SAMPLE TYPE: Soil			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1
SE 5505692 (-)		0.110	<1	9.0	<10	<5	263	<10	<10	7	0.35	8	<5	159	7
SE 5505693 (-)		0.070	<1	10.6	<10	<5	350	<10	<10	8	0.69	9	<5	235	11
SE 5505694 (-)		0.167	<1	5.0	<10	<5	217	<10	<10	5	0.52	<5	<5	147	7
SE 5505695 (-)		0.039	<1	16.4	<10	<5	592	<10	<10	13	0.14	<5	<5	212	8
SE 5505696 (-)		0.054	<1	10.2	<10	<5	285	<10	<10	9	0.61	<5	<5	240	9
SE 5505697 (-)		0.077	<1	11.5	<10	<5	259	<10	<10	8	0.66	<5	<5	262	8
SE 5505698 (-)		0.090	7	10.0	<10	<5	245	<10	<10	8	0.35	<5	<5	239	10
SE 5505699 (-)		1.19	10	5.2	<10	<5	33.7	<10	<10	6	0.15	<5	<5	70.9	14
SE 5505700 (-)		0.016	<1	<0.5	<10	<5	43.2	<10	<10	9	<0.01	9	7	13.8	5
SE 5505701 (-)		0.083	<1	17.1	<10	<5	228	<10	<10	9	0.77	16	<5	261	9
SE 5505702 (-)		0.039	<1	3.6	<10	<5	269	<10	<10	7	0.50	15	<5	204	11
SE 5505703 (-)		0.066	4	6.3	<10	<5	190	<10	<10	8	0.55	<5	<5	184	9
SE 5505704 (-)		0.107	<1	6.6	<10	<5	196	<10	<10	7	0.58	8	<5	205	9
SE 5505705 (-)		0.042	5	10.5	<10	<5	472	<10	<10	9	0.56	<5	<5	228	10
SE 5505706 (-)		0.033	<1	8.1	<10	<5	80.7	<10	<10	9	0.40	<5	<5	135	6
SE 5505707 (-)		0.088	<1	6.3	<10	<5	189	<10	<10	9	0.54	<5	<5	196	8
SE 5505708 (-)		0.040	<1	7.3	<10	<5	228	<10	<10	10	0.81	<5	<5	189	10
SE 5505709 (-)		0.053	4	4.7	<10	<5	121	<10	<10	7	0.98	9	<5	203	9
SE 5505760 (-)		0.069	<1	7.4	<10	<5	214	<10	<10	10	0.44	<5	<5	195	9
SE 5505761 (-)		0.030	7	8.6	<10	<5	66.5	<10	<10	12	0.25	<5	<5	96.9	9
SE 5505762 (-)		0.093	<1	7.9	<10	<5	92.0	<10	<10	6	0.16	10	<5	110	9
SE 5505763 (-)		0.034	4	2.2	<10	<5	10.6	<10	<10	<5	0.03	<5	<5	50.0	5
SE 5505764 (-)		0.024	1	2.8	<10	<5	8.1	<10	<10	<5	0.03	<5	<5	55.0	6
SE 5505765 (-)		0.033	3	2.0	<10	<5	6.4	<10	<10	<5	0.03	<5	<5	45.3	6
SE 5505766 (-)		0.069	<1	5.7	<10	<5	24.1	<10	<10	7	<0.01	<5	<5	30.5	6
SE 5505767 (-)		0.137	2	3.4	<10	<5	124	<10	<10	<5	0.26	<5	<5	70.7	5
SE 5505768 (-)		0.078	<1	3.7	<10	<5	121	<10	<10	<5	0.76	<5	<5	164	5
SE 5505769 (-)		0.035	<1	2.0	<10	<5	31.6	<10	<10	5	0.50	8	<5	175	4
SE 5505770 (-)		0.081	<1	5.1	<10	<5	72.8	<10	<10	6	0.65	<5	<5	157	7
SE 5505771 (-)		0.089	3	4.7	<10	<5	112	<10	<10	5	0.03	<5	<5	66.4	6
SE 5505772 (-)		0.035	7	9.3	<10	<5	80.2	<10	<10	10	0.01	<5	<5	114	6
SE 5505773 (-)		0.074	2	6.7	<10	<5	49.3	<10	<10	8	0.06	<5	<5	72.0	7

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1
Sample Description														
SE 5505774 (-)	0.033	3	7.1	<10	<5	70.3	<10	<10	9	0.30	5	<5	98.2	7
SE 5505775 (-)	0.173	1	3.8	<10	<5	152	<10	<10	5	0.35	<5	<5	86.3	5
SE 5505776 (-)	0.090	3	6.6	<10	<5	348	<10	<10	7	0.39	<5	<5	100	6
SE 5505777 (-)	0.070	<1	7.5	<10	<5	184	<10	<10	9	0.54	<5	<5	188	8
SE 5505778 (-)	0.105	1	4.6	<10	<5	58.7	<10	<10	<5	0.20	<5	<5	125	5
SE 5505779 (-)	0.055	2	7.9	<10	<5	103	<10	<10	9	0.38	9	<5	223	8
SE 5505780 (-)	0.092	3	7.4	<10	<5	127	<10	<10	6	0.38	<5	<5	184	8
SE 5505781 (-)	0.161	<1	4.5	<10	<5	258	<10	<10	6	0.38	<5	<5	121	7
SE 5505782 (-)	0.130	<1	6.0	<10	<5	191	<10	<10	8	0.52	<5	<5	160	6
SE 5505410 (-)	0.084	<1	9.3	<10	<5	39.7	<10	<10	5	0.09	<5	<5	140	7
SE 5505411 (-)	0.139	5	10.1	<10	<5	69.6	<10	<10	6	0.38	7	<5	159	7
SE 5505412 (-)	0.097	<1	6.9	<10	<5	72.4	<10	<10	6	0.28	<5	<5	176	7
SE 5505413 (-)	0.077	3	7.5	<10	<5	59.3	<10	<10	<5	0.02	<5	<5	188	7
SE 5505414 (-)	0.104	2	4.2	<10	<5	115	<10	<10	<5	0.04	<5	<5	208	7
SE 5505415 (-)	0.073	7	6.9	<10	<5	57.3	<10	<10	<5	0.14	9	<5	201	8
SE 5505416 (-)	0.077	3	2.3	<10	<5	54.5	<10	<10	<5	0.03	7	<5	148	7
SE 5505417 (-)	0.082	2	1.8	<10	<5	40.8	<10	<10	<5	0.01	<5	<5	124	7
SE 5505418 (-)	0.059	4	1.7	<10	<5	43.5	<10	<10	<5	0.02	<5	<5	91.2	7
SE 5505419 (-)	0.061	5	3.3	<10	<5	31.2	<10	<10	<5	0.06	<5	<5	142	7
SE 5505420 (-)	0.054	5	1.8	<10	<5	26.0	<10	<10	<5	0.04	6	<5	109	7
SE 5505421 (-)	0.048	4	2.4	<10	<5	24.9	<10	<10	<5	0.04	8	<5	109	7
SE 5505422 (-)	0.032	2	2.5	<10	<5	20.3	<10	<10	<5	0.03	<5	<5	75.7	5
SE 5505423 (-)	0.091	4	6.5	<10	<5	39.0	<10	<10	<5	0.03	<5	<5	75.2	6
SE 5505424 (-)	0.017	5	5.7	<10	<5	16.2	<10	<10	<5	<0.01	<5	<5	29.2	6
SE 5505425 (-)	0.023	2	3.7	<10	<5	9.3	<10	<10	<5	0.01	<5	<5	24.3	4
SE 5505426 (-)	0.025	3	2.1	<10	<5	10.1	<10	<10	<5	<0.01	<5	<5	20.0	3
SE 5505427 (-)	0.047	2	3.4	<10	<5	12.0	<10	<10	<5	<0.01	<5	<5	37.0	5
SE 5505428 (-)	0.016	3	4.8	<10	<5	17.4	<10	<10	6	<0.01	<5	<5	21.9	5
SE 5505429 (-)	0.044	4	4.3	<10	<5	16.1	<10	<10	<5	<0.01	<5	<5	15.8	4
SE 5505430 (-)	0.062	3	16.3	<10	<5	84.2	<10	<10	5	0.02	<5	<5	158	8
SE 5505431 (-)	0.136	4	4.6	<10	<5	69.8	<10	<10	<5	0.02	<5	<5	99.2	6
SE 5505432 (-)	0.175	1	10.1	<10	<5	80.0	<10	<10	<5	<0.01	<5	<5	155	6

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012		DATE RECEIVED: Jun 18, 2012					DATE REPORTED: Jul 04, 2012					SAMPLE TYPE: Soil			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1
SE 5505433 (-)		0.044	6	2.1	<10	<5	13.8	<10	<10	<5	0.02	<5	<5	72.2	5
SE 5505434 (-)		0.032	2	2.9	<10	<5	43.0	<10	<10	<5	0.01	6	<5	72.1	6
SE 5505435 (-)		0.037	5	5.1	<10	<5	19.3	<10	<10	<5	<0.01	<5	<5	45.1	6
SE 5505436 (-)		0.091	6	3.0	<10	<5	22.2	<10	<10	<5	0.09	<5	<5	164	7
SE 5505437 (-)		0.043	5	7.2	<10	<5	43.4	<10	<10	<5	0.12	<5	<5	140	9
SE 5505438 (-)		0.029	5	5.8	<10	<5	56.8	<10	<10	<5	0.03	<5	<5	83.5	6
SE 5505439 (-)		0.022	2	5.8	<10	<5	17.1	<10	<10	<5	<0.01	<5	<5	27.9	5
SE 5505440 (-)		0.040	8	5.0	<10	<5	30.7	<10	<10	<5	0.01	<5	<5	37.1	5
SE 5505441 (-)		0.062	6	2.9	<10	<5	37.3	<10	<10	<5	0.02	<5	<5	49.1	5
SE 5505442 (-)		0.048	2	2.9	<10	<5	33.6	<10	<10	<5	0.02	<5	<5	54.0	7
SE 5505443 (-)		0.025	3	4.5	<10	<5	12.1	<10	<10	<5	<0.01	<5	<5	27.0	4
SE 5505444 (-)		0.018	4	3.6	<10	<5	14.1	<10	<10	<5	0.01	<5	<5	32.1	6
SE 5505710 (-)		0.025	5	5.9	<10	<5	20.9	<10	<10	6	0.02	<5	<5	40.9	7
SE 5505711 (-)		0.103	<1	5.0	<10	<5	93.4	<10	<10	6	0.36	7	<5	128	7
SE 5505712 (-)		0.064	2	6.7	<10	<5	99.0	<10	<10	7	0.59	8	<5	226	8
SE 5505713 (-)		0.102	1	5.8	<10	<5	211	<10	<10	<5	0.41	8	<5	128	8
SE 5505714 (-)		0.067	1	9.1	<10	<5	97.8	<10	<10	15	0.65	6	<5	241	11
SE 5505715 (-)		0.078	3	4.7	<10	<5	64.3	<10	<10	8	0.87	<5	<5	220	10
SE 5505716 (-)		0.057	<1	8.4	<10	<5	91.4	<10	<10	8	0.77	14	<5	244	8
SE 5505717 (-)		0.059	<1	11.1	<10	<5	79.4	<10	<10	6	0.97	<5	<5	250	9
SE 5505718 (-)		0.044	<1	4.7	<10	<5	81.8	<10	<10	6	0.52	<5	<5	149	6
SE 5505719 (-)		0.068	1	5.5	<10	<5	137	<10	<10	10	0.67	<5	<5	171	9
SE 5505720 (-)		0.083	<1	6.1	<10	<5	199	<10	<10	9	0.83	8	<5	228	8
SE 5505721 (-)		0.042	1	10.4	<10	<5	300	<10	<10	8	0.85	5	<5	240	8
SE 5505722 (-)		0.073	2	10.2	<10	<5	179	<10	<10	6	0.83	<5	<5	193	9
SE 5505723 (-)		0.030	2	9.0	<10	<5	428	<10	<10	9	0.90	<5	<5	206	10
SE 5505724 (-)		0.086	3	1.7	<10	<5	358	<10	<10	5	0.49	<5	<5	88.5	7
SE 5505725 (-)		0.077	<1	6.2	<10	<5	395	<10	<10	8	0.68	<5	<5	173	8
SE 5505726 (-)		0.078	<1	4.9	<10	<5	210	<10	<10	11	0.85	<5	<5	185	7
SE 5505727 (-)		0.054	2	4.0	<10	<5	285	<10	<10	9	0.79	7	<5	201	6
SE 5505728 (-)		0.034	1	8.6	<10	<5	333	<10	<10	12	0.83	8	<5	212	8
SE 5505729 (-)		0.049	<1	7.3	<10	<5	180	<10	<10	11	0.96	6	<5	217	8

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1
Sample Description														
SE 5505730 (-)	0.035	6	2.6	<10	<5	5.6	<10	<10	<5	0.02	6	<5	47.5	7
SE 5505731 (-)	0.022	2	3.2	<10	<5	9.5	<10	<10	<5	0.04	<5	<5	37.5	6
SE 5505732 (-)	0.104	10	3.6	<10	<5	32.6	<10	<10	<5	0.08	<5	<5	71.5	7
SE 5505733 (-)	0.071	7	8.0	<10	<5	81.7	<10	<10	9	0.21	<5	<5	91.0	7
SE 5505734 (-)	0.046	4	9.3	<10	<5	30.5	<10	<10	8	0.28	<5	<5	139	7
SE 5505735 (-)	0.035	<1	9.2	<10	<5	80.9	<10	<10	10	0.50	<5	<5	116	9
SE 5505736 (-)	0.037	<1	8.2	<10	<5	252	<10	<10	10	0.96	7	<5	199	10
SE 5505737 (-)	0.082	<1	7.0	<10	<5	220	<10	<10	9	0.55	<5	<5	138	7
SE 5505738 (-)	0.134	13	3.6	<10	<5	75.3	<10	<10	7	<0.01	<5	<5	307	5
SE 5505739 (-)	0.051	<1	9.7	<10	<5	81.9	<10	<10	<5	1.25	12	<5	324	10
SE 5505740 (-)	0.041	3	7.5	<10	<5	64.2	<10	<10	9	0.62	7	<5	164	7
SE 5505741 (-)	0.031	3	5.2	<10	<5	59.1	<10	<10	9	0.66	8	<5	194	9
SE 5505742 (-)	0.038	1	5.1	<10	<5	27.0	<10	<10	6	0.25	<5	<5	208	8
SE 5505743 (-)	0.064	2	1.0	<10	<5	13.2	<10	<10	<5	0.03	<5	<5	44.6	3
SE 5505744 (-)	0.056	1	4.5	<10	<5	23.5	<10	<10	7	0.28	<5	<5	95.6	7
SE 5505745 (-)	0.072	3	4.1	<10	<5	153	<10	<10	5	0.09	<5	<5	54.1	6
SE 5505746 (-)	0.068	2	7.5	<10	<5	94.4	<10	<10	8	0.38	5	<5	99.8	7
SE 5505747 (-)	0.067	2	10.7	<10	<5	164	<10	<10	9	0.28	<5	<5	120	8
SE 5505748 (-)	0.061	1	8.7	<10	<5	104	<10	<10	10	0.14	<5	<5	129	9
SE 5505749 (-)	1.32	4	5.6	<10	<5	36.3	<10	<10	10	0.18	<5	<5	75.7	15
SE 5505110 (-)	0.005	5	6.7	<10	<5	35.6	<10	<10	7	<0.01	<5	<5	27.4	6
SE 5505111 (-)	<0.005	1	<0.5	<10	<5	2.6	<10	<10	<5	<0.01	<5	<5	<0.5	<1
SE 5505112 (-)	0.008	1	6.5	<10	<5	15.9	<10	<10	6	<0.01	7	<5	36.4	5
SE 5505113 (-)	<0.005	1	5.7	<10	<5	7.6	<10	<10	6	<0.01	<5	<5	35.4	6
SE 5505114 (-)	0.006	6	6.8	<10	<5	9.9	<10	<10	9	<0.01	<5	<5	39.3	8
SE 5505115 (-)	0.033	6	4.4	<10	<5	11.0	<10	<10	<5	0.01	<5	<5	40.0	6
SE 5505116 (-)	0.028	3	4.0	<10	<5	9.4	<10	<10	<5	0.01	<5	<5	40.5	6
SE 5505117 (-)	0.011	4	4.6	<10	<5	8.3	<10	<10	6	<0.01	<5	<5	30.5	6
SE 5505118 (-)	0.036	4	2.6	<10	<5	7.9	<10	<10	<5	<0.01	<5	<5	31.3	4
SE 5505119 (-)	0.053	2	1.8	<10	<5	3.5	<10	<10	<5	0.01	<5	<5	26.8	6
SE 5505120 (-)	0.022	5	5.0	<10	<5	12.8	<10	<10	7	0.01	<5	<5	28.5	5
SE 5505121 (-)	0.026	5	3.1	<10	<5	2.9	<10	<10	<5	<0.01	6	<5	21.7	5

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1
Sample Description														
SE 5505122 (-)	0.033	7	4.8	<10	<5	17.7	<10	<10	6	<0.01	<5	<5	28.3	7
SE 5505123 (-)	0.013	<1	5.0	<10	<5	16.4	<10	<10	7	<0.01	<5	<5	28.8	6
SE 5505124 (-)	0.030	2	4.8	<10	<5	12.4	<10	<10	6	<0.01	<5	<5	34.5	6
SE 5505125 (-)	0.044	5	1.4	<10	<5	6.0	<10	<10	<5	0.01	<5	<5	37.5	5
SE 5505126 (-)	0.030	5	2.6	<10	<5	5.1	<10	<10	<5	<0.01	<5	<5	34.0	5
SE 5505127 (-)	0.089	5	2.7	<10	<5	21.2	<10	<10	<5	0.09	<5	<5	114	6
SE 5505128 (-)	0.075	4	0.9	<10	<5	13.6	<10	<10	<5	0.03	<5	<5	84.0	5
SE 5505129 (-)	0.049	6	3.0	<10	<5	18.9	<10	<10	<5	<0.01	<5	<5	33.4	5
SE 5505130 (-)	0.046	5	0.8	<10	<5	5.5	<10	<10	<5	0.01	<5	<5	38.0	5
SE 5505131 (-)	0.050	5	0.9	<10	<5	5.4	<10	<10	<5	<0.01	<5	<5	39.4	5
SE 5505132 (-)	0.020	9	3.3	<10	<5	12.5	<10	<10	<5	<0.01	<5	<5	36.0	5
SE 5505133 (-)	0.008	2	7.1	<10	<5	28.4	<10	<10	7	<0.01	5	<5	32.3	7
SE 5505134 (-)	0.040	3	3.7	<10	<5	11.5	<10	<10	<5	<0.01	<5	<5	12.6	4
SE 5505135 (-)	0.337	8	2.7	<10	<5	19.6	<10	<10	<5	<0.01	<5	<5	18.2	4
SE 5505136 (-)	0.057	2	2.8	<10	<5	5.9	<10	<10	<5	<0.01	<5	<5	16.6	3
SE 5505137 (-)	0.146	50	1.0	<10	<5	11.8	<10	<10	<5	0.01	<5	<5	25.9	8
SE 5505138 (-)	0.095	476	0.6	<10	<5	15.0	<10	<10	8	<0.01	<5	5	20.0	17
SE 5505139 (-)	0.052	37	0.8	<10	<5	26.7	<10	<10	8	<0.01	<5	6	15.0	7
SE 5505140 (-)	0.042	25	1.1	<10	<5	39.7	<10	<10	10	0.01	8	7	18.2	4
SE 5505141 (-)	0.066	19	6.8	<10	<5	21.8	<10	<10	7	<0.01	<5	<5	16.2	5
SE 5505142 (-)	0.035	9	6.7	<10	<5	21.5	<10	<10	7	<0.01	<5	<5	21.1	6
SE 5505143 (-)	0.092	13	5.4	<10	<5	18.6	<10	<10	<5	<0.01	<5	<5	14.8	5
SE 5505144 (-)	0.109	19	1.9	<10	<5	9.5	<10	<10	<5	<0.01	7	5	19.9	8
SE 5505145 (-)	0.035	6	5.2	<10	<5	8.8	<10	<10	6	<0.01	8	<5	30.8	6
SE 5505146 (-)	0.058	7	1.9	<10	<5	10.4	<10	<10	<5	0.01	<5	<5	36.0	6
SE 5505147 (-)	0.071	2	<0.5	<10	<5	5.9	<10	<10	<5	<0.01	<5	<5	29.2	5
SE 5505148 (-)	0.025	4	4.1	<10	<5	5.3	<10	<10	<5	0.02	<5	<5	33.9	6
SE 5505149 (-)	1.30	10	5.6	<10	<5	37.8	<10	<10	6	0.18	6	<5	75.2	14
SE 5505150 (-)	0.017	5	<0.5	<10	<5	61.0	<10	<10	13	<0.01	10	10	14.5	3
SE 5505151 (-)	0.095	5	1.3	<10	<5	22.8	<10	<10	<5	0.01	<5	<5	33.1	5
SE 5505152 (-)	0.037	2	0.9	<10	<5	3.1	<10	<10	<5	<0.01	<5	<5	34.7	4
SE 5505153 (-)	0.065	6	2.0	<10	<5	1.5	<10	<10	<5	<0.01	<5	<5	29.8	5

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1
Sample Description														
SE 5505154 (-)	0.033	1	5.4	<10	<5	21.6	<10	<10	6	<0.01	<5	<5	35.0	6
SE 5505155 (-)	0.070	3	4.0	<10	<5	21.9	<10	<10	<5	<0.01	<5	<5	50.6	5
SE 5505156 (-)	0.062	4	1.6	<10	<5	5.4	<10	<10	<5	0.01	<5	<5	45.3	5
SE 5505157 (-)	0.076	5	2.7	<10	<5	7.3	<10	<10	<5	<0.01	<5	<5	33.0	4
SE 5505158 (-)	0.058	4	5.3	<10	<5	14.0	<10	<10	6	0.01	<5	<5	40.1	6
SE 5505159 (-)	0.065	<1	6.0	<10	<5	39.1	<10	<10	7	0.16	<5	<5	217	9
SE 5505750 (-)	0.018	<1	<0.5	<10	<5	18.6	<10	<10	12	<0.01	6	9	13.3	4
SE 5505751 (-)	0.066	6	7.1	<10	<5	77.8	<10	<10	7	0.10	<5	<5	93.1	6
SE 5505752 (-)	0.041	2	6.7	<10	<5	46.7	<10	<10	9	0.06	<5	<5	53.4	6
SE 5505753 (-)	0.093	4	6.8	<10	<5	310	<10	<10	9	0.68	<5	<5	185	8
SE 5505754 (-)	0.108	2	8.3	<10	<5	168	<10	<10	5	0.22	<5	<5	145	7
SE 5505755 (-)	0.083	1	14.4	<10	<5	128	<10	<10	8	0.57	<5	<5	201	10
SE 5505756 (-)	0.180	13	13.4	<10	<5	112	<10	<10	6	0.05	<5	<5	318	9
SE 5505757 (-)	0.160	1	4.9	<10	<5	128	<10	<10	6	0.21	<5	<5	102	7
SE 5505758 (-)	0.047	<1	11.4	<10	<5	108	<10	<10	7	0.92	7	<5	232	9
SE 5505759 (-)	0.103	5	8.0	<10	<5	178	<10	<10	7	0.09	<5	<5	133	6
SE 5506360 (-)	0.121	1	9.8	<10	<5	189	<10	<10	7	0.18	<5	<5	144	6
SE 5506361 (-)	0.085	<1	12.1	<10	<5	147	<10	<10	9	0.50	<5	<5	210	9
SE 5506362 (-)	0.085	<1	9.1	<10	<5	176	<10	<10	8	0.26	<5	<5	104	5
SE 5506363 (-)	0.120	6	8.0	<10	<5	295	<10	<10	5	0.24	<5	<5	108	6
SE 5506364 (-)	0.059	5	6.8	<10	<5	44.4	<10	<10	9	0.13	<5	<5	77.1	6
SE 5506365 (-)	0.072	7	5.4	<10	<5	53.8	<10	<10	5	0.15	<5	<5	116	6
SE 5506366 (-)	0.046	10	3.0	<10	<5	10.9	<10	<10	<5	0.01	8	<5	85.4	5
SE 5506367 (-)	0.024	2	6.8	<10	<5	50.7	<10	<10	7	0.37	<5	<5	181	10
SE 5506368 (-)	0.028	<1	4.9	<10	<5	51.3	<10	<10	8	0.60	8	<5	181	8
SE 5506369 (-)	0.038	<1	7.1	<10	<5	54.6	<10	<10	10	0.87	<5	<5	201	8
SE 5507110 (-)	0.057	11	3.9	<10	<5	10.8	<10	<10	5	0.02	<5	<5	144	7
SE 5507111 (-)	0.057	3	8.2	<10	<5	130	<10	<10	10	0.45	<5	<5	117	7
SE 5507112 (-)	0.067	5	8.6	<10	<5	261	<10	<10	10	0.85	<5	<5	220	10
SE 5507113 (-)	0.042	<1	10.8	<10	<5	322	<10	<10	10	0.87	<5	<5	252	8
SE 5507114 (-)	0.133	<1	5.0	<10	<5	364	<10	<10	7	0.53	<5	<5	170	8
SE 5507115 (-)	0.116	2	6.8	<10	<5	305	<10	<10	5	0.52	<5	<5	131	6

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1
Sample Description														
SE 5507116 (-)	0.073	<1	9.8	<10	<5	353	<10	<10	10	0.80	<5	<5	220	9
SE 5507117 (-)	0.048	<1	9.3	<10	<5	355	<10	<10	12	0.92	6	<5	227	10
SE 5507118 (-)	0.061	<1	9.4	<10	<5	393	<10	<10	10	1.02	<5	<5	228	8
SE 5507119 (-)	0.049	4	8.3	<10	<5	277	<10	<10	11	0.70	<5	<5	201	10
SE 5507120 (-)	0.054	4	9.5	<10	<5	255	<10	<10	10	1.06	<5	<5	239	8
SE 5507121 (-)	0.057	4	2.4	<10	<5	299	<10	<10	5	0.56	<5	<5	134	6
SE 5507122 (-)	0.057	1	7.6	<10	<5	261	<10	<10	10	0.52	<5	<5	222	8
SE 5507123 (-)	0.050	6	7.1	<10	<5	53.0	<10	<10	8	0.15	<5	<5	102	8
SE 5507124 (-)	0.039	4	4.9	<10	<5	10.5	<10	<10	<5	0.02	<5	<5	40.1	7
SE 5507610 (-)	0.061	7	8.4	<10	<5	95.8	<10	<10	9	0.24	<5	<5	103	7
SE 5507611 (-)	0.019	4	5.9	<10	<5	15.8	<10	<10	6	<0.01	6	<5	36.0	6
SE 5507612 (-)	0.031	4	4.4	<10	<5	10.4	<10	<10	5	<0.01	<5	<5	28.8	6
SE 5507613 (-)	0.076	2	6.2	<10	<5	97.8	<10	<10	8	0.18	<5	<5	92.4	8
SE 5507614 (-)	0.140	<1	8.0	<10	<5	137	<10	<10	5	0.24	6	<5	140	8
SE 5507615 (-)	0.043	<1	6.6	<10	<5	76.3	<10	<10	6	0.14	<5	<5	71.1	7

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
SE 5505660 (-)		16	97.9	<5
SE 5505661 (-)		11	99.9	<5
SE 5505662 (-)		5	70.7	<5
SE 5505663 (-)		4	72.4	<5
SE 5505664 (-)		5	68.3	<5
SE 5505665 (-)		2	77.5	<5
SE 5505666 (-)		7	48.7	<5
SE 5505667 (-)		15	46.3	<5
SE 5505668 (-)		6	52.2	<5
SE 5505669 (-)		7	60.0	<5
SE 5505670 (-)		6	98.2	<5
SE 5505671 (-)		7	45.8	<5
SE 5505672 (-)		4	86.6	<5
SE 5505673 (-)		10	128	<5
SE 5505674 (-)		12	101	<5
SE 5505675 (-)		4	90.3	<5
SE 5505676 (-)		13	99.3	<5
SE 5505677 (-)		13	95.3	<5
SE 5505678 (-)		4	77.0	<5
SE 5505679 (-)		12	81.1	<5
SE 5505680 (-)		6	96.9	<5
SE 5505681 (-)		4	75.5	<5
SE 5505682 (-)		9	871	<5
SE 5505683 (-)		9	129	<5
SE 5505684 (-)		9	156	<5
SE 5505685 (-)		9	171	<5
SE 5505686 (-)		10	223	<5
SE 5505687 (-)		10	117	19
SE 5505688 (-)		10	68.0	18
SE 5505689 (-)		4	39.4	5
SE 5505690 (-)		22	102	23
SE 5505691 (-)		18	95.5	26

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
SE 5505692 (-)		26	81.4	11
SE 5505693 (-)		21	106	19
SE 5505694 (-)		10	63.9	11
SE 5505695 (-)		39	98.2	15
SE 5505696 (-)		23	101	14
SE 5505697 (-)		21	103	13
SE 5505698 (-)		20	87.5	7
SE 5505699 (-)		10	1560	14
SE 5505700 (-)		1	14.3	<5
SE 5505701 (-)		21	86.4	18
SE 5505702 (-)		14	98.4	20
SE 5505703 (-)		23	86.5	18
SE 5505704 (-)		16	72.3	16
SE 5505705 (-)		24	99.9	19
SE 5505706 (-)		8	46.7	11
SE 5505707 (-)		16	82.0	16
SE 5505708 (-)		16	89.7	27
SE 5505709 (-)		12	94.3	22
SE 5505760 (-)		19	96.2	16
SE 5505761 (-)		19	373	9
SE 5505762 (-)		18	91.3	8
SE 5505763 (-)		6	130	<5
SE 5505764 (-)		4	98.0	<5
SE 5505765 (-)		4	98.9	<5
SE 5505766 (-)		10	112	<5
SE 5505767 (-)		10	31.0	9
SE 5505768 (-)		5	52.7	14
SE 5505769 (-)		3	23.9	16
SE 5505770 (-)		15	58.8	25
SE 5505771 (-)		16	89.7	<5
SE 5505772 (-)		16	260	<5
SE 5505773 (-)		15	140	<5

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
SE 5505774 (-)		9	117	12
SE 5505775 (-)		8	45.8	14
SE 5505776 (-)		15	88.8	16
SE 5505777 (-)		13	64.0	21
SE 5505778 (-)		7	56.2	<5
SE 5505779 (-)		13	76.9	11
SE 5505780 (-)		16	77.1	9
SE 5505781 (-)		13	51.8	15
SE 5505782 (-)		14	57.7	20
SE 5505410 (-)		14	92.5	<5
SE 5505411 (-)		16	84.3	7
SE 5505412 (-)		9	80.6	6
SE 5505413 (-)		10	91.3	<5
SE 5505414 (-)		15	106	<5
SE 5505415 (-)		11	116	<5
SE 5505416 (-)		10	130	<5
SE 5505417 (-)		15	164	<5
SE 5505418 (-)		10	182	<5
SE 5505419 (-)		10	102	<5
SE 5505420 (-)		10	106	<5
SE 5505421 (-)		7	113	<5
SE 5505422 (-)		5	106	<5
SE 5505423 (-)		12	103	<5
SE 5505424 (-)		10	94.9	<5
SE 5505425 (-)		12	68.1	<5
SE 5505426 (-)		4	74.5	<5
SE 5505427 (-)		8	122	<5
SE 5505428 (-)		9	95.0	<5
SE 5505429 (-)		14	72.7	<5
SE 5505430 (-)		23	152	<5
SE 5505431 (-)		8	83.1	<5
SE 5505432 (-)		23	69.3	<5

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
SE 5505433 (-)		6	93.6	<5
SE 5505434 (-)		7	97.2	<5
SE 5505435 (-)		7	95.5	<5
SE 5505436 (-)		4	94.4	<5
SE 5505437 (-)		12	108	<5
SE 5505438 (-)		11	88.0	<5
SE 5505439 (-)		7	81.2	<5
SE 5505440 (-)		7	78.6	<5
SE 5505441 (-)		6	89.5	<5
SE 5505442 (-)		11	84.0	<5
SE 5505443 (-)		11	90.5	<5
SE 5505444 (-)		3	74.9	<5
SE 5505710 (-)		9	116	<5
SE 5505711 (-)		9	93.3	9
SE 5505712 (-)		10	78.3	10
SE 5505713 (-)		14	69.2	11
SE 5505714 (-)		11	95.5	13
SE 5505715 (-)		7	72.5	16
SE 5505716 (-)		11	89.3	10
SE 5505717 (-)		7	84.9	11
SE 5505718 (-)		9	67.9	9
SE 5505719 (-)		14	83.2	19
SE 5505720 (-)		12	92.9	19
SE 5505721 (-)		18	97.7	22
SE 5505722 (-)		19	71.0	18
SE 5505723 (-)		20	98.2	46
SE 5505724 (-)		16	102	28
SE 5505725 (-)		23	109	23
SE 5505726 (-)		13	83.6	26
SE 5505727 (-)		9	64.1	38
SE 5505728 (-)		20	105	37
SE 5505729 (-)		13	83.6	28

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
SE 5505730 (-)		4	98.0	<5
SE 5505731 (-)		4	109	<5
SE 5505732 (-)		13	225	<5
SE 5505733 (-)		14	141	7
SE 5505734 (-)		12	106	6
SE 5505735 (-)		12	104	23
SE 5505736 (-)		18	99.2	53
SE 5505737 (-)		18	72.6	23
SE 5505738 (-)		9	484	<5
SE 5505739 (-)		9	91.2	21
SE 5505740 (-)		10	80.6	11
SE 5505741 (-)		7	89.2	14
SE 5505742 (-)		6	107	6
SE 5505743 (-)		2	33.2	<5
SE 5505744 (-)		6	88.5	8
SE 5505745 (-)		7	119	<5
SE 5505746 (-)		13	108	22
SE 5505747 (-)		15	91.8	11
SE 5505748 (-)		13	98.6	6
SE 5505749 (-)		11	1660	16
SE 5505110 (-)		12	94.0	<5
SE 5505111 (-)		<1	<0.5	<5
SE 5505112 (-)		8	121	<5
SE 5505113 (-)		7	109	<5
SE 5505114 (-)		9	114	<5
SE 5505115 (-)		5	99.1	<5
SE 5505116 (-)		5	93.8	<5
SE 5505117 (-)		6	108	<5
SE 5505118 (-)		4	84.8	<5
SE 5505119 (-)		3	107	<5
SE 5505120 (-)		9	108	<5
SE 5505121 (-)		4	105	<5

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
SE 5505122 (-)		7	305	<5
SE 5505123 (-)		7	91.2	<5
SE 5505124 (-)		6	106	<5
SE 5505125 (-)		6	123	<5
SE 5505126 (-)		5	103	<5
SE 5505127 (-)		6	85.7	<5
SE 5505128 (-)		4	78.9	<5
SE 5505129 (-)		4	106	<5
SE 5505130 (-)		5	97.1	<5
SE 5505131 (-)		4	106	<5
SE 5505132 (-)		5	122	<5
SE 5505133 (-)		8	111	<5
SE 5505134 (-)		13	48.0	<5
SE 5505135 (-)		7	33.4	<5
SE 5505136 (-)		4	27.5	<5
SE 5505137 (-)		8	1730	<5
SE 5505138 (-)		7	3940	<5
SE 5505139 (-)		5	297	<5
SE 5505140 (-)		6	243	<5
SE 5505141 (-)		7	166	<5
SE 5505142 (-)		10	123	<5
SE 5505143 (-)		10	137	<5
SE 5505144 (-)		16	648	<5
SE 5505145 (-)		12	145	<5
SE 5505146 (-)		5	128	<5
SE 5505147 (-)		3	97.1	<5
SE 5505148 (-)		5	91.7	<5
SE 5505149 (-)		11	1650	16
SE 5505150 (-)		1	14.8	<5
SE 5505151 (-)		2	178	<5
SE 5505152 (-)		3	116	<5
SE 5505153 (-)		3	70.9	<5

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
SE 5505154 (-)		7	96.7	<5
SE 5505155 (-)		9	178	<5
SE 5505156 (-)		4	111	<5
SE 5505157 (-)		4	131	<5
SE 5505158 (-)		9	138	<5
SE 5505159 (-)		5	175	<5
SE 5505750 (-)		<1	10.6	<5
SE 5505751 (-)		15	187	6
SE 5505752 (-)		10	112	<5
SE 5505753 (-)		16	93.1	28
SE 5505754 (-)		15	81.9	8
SE 5505755 (-)		18	85.2	24
SE 5505756 (-)		26	789	<5
SE 5505757 (-)		15	109	7
SE 5505758 (-)		11	122	20
SE 5505759 (-)		11	87.3	<5
SE 5506360 (-)		15	80.2	9
SE 5506361 (-)		17	78.8	15
SE 5506362 (-)		11	84.5	9
SE 5506363 (-)		14	93.6	9
SE 5506364 (-)		10	105	<5
SE 5506365 (-)		10	110	<5
SE 5506366 (-)		5	150	<5
SE 5506367 (-)		7	82.9	14
SE 5506368 (-)		5	60.3	8
SE 5506369 (-)		9	80.7	34
SE 5507110 (-)		7	159	<5
SE 5507111 (-)		13	136	13
SE 5507112 (-)		15	94.2	25
SE 5507113 (-)		21	121	26
SE 5507114 (-)		20	80.6	24
SE 5507115 (-)		15	61.9	20

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
SE 5507116 (-)		24	99.7	28
SE 5507117 (-)		22	107	29
SE 5507118 (-)		23	107	32
SE 5507119 (-)		19	103	12
SE 5507120 (-)		23	105	24
SE 5507121 (-)		16	119	16
SE 5507122 (-)		17	100	9
SE 5507123 (-)		11	119	<5
SE 5507124 (-)		6	122	<5
SE 5507610 (-)		13	139	7
SE 5507611 (-)		9	124	<5
SE 5507612 (-)		8	114	<5
SE 5507613 (-)		13	130	7
SE 5507614 (-)		9	57.6	5
SE 5507615 (-)		11	103	5

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE 5505660 (-)		0.51	<0.001
SE 5505661 (-)		0.52	<0.001
SE 5505662 (-)		0.58	<0.001
SE 5505663 (-)		0.50	0.006
SE 5505664 (-)		0.65	0.064
SE 5505665 (-)		0.34	0.001
SE 5505666 (-)		0.45	<0.001
SE 5505667 (-)		0.47	<0.001
SE 5505668 (-)		0.54	<0.001
SE 5505669 (-)		0.55	<0.001
SE 5505670 (-)		0.56	0.074
SE 5505671 (-)		0.51	0.048
SE 5505672 (-)		0.49	<0.001
SE 5505673 (-)		0.39	<0.001
SE 5505674 (-)		0.55	0.003
SE 5505675 (-)		0.46	0.077
SE 5505676 (-)		0.44	<0.001
SE 5505677 (-)		0.50	<0.001
SE 5505678 (-)		0.52	<0.001
SE 5505679 (-)		0.61	<0.001
SE 5505680 (-)		0.40	<0.001
SE 5505681 (-)		0.36	<0.001
SE 5505682 (-)		0.53	0.234
SE 5505683 (-)		0.66	0.013
SE 5505684 (-)		0.53	0.006
SE 5505685 (-)		0.58	0.026
SE 5505686 (-)		0.58	0.038
SE 5505687 (-)		0.36	0.091
SE 5505688 (-)		0.26	0.002
SE 5505689 (-)		0.50	<0.001
SE 5505690 (-)		0.58	<0.001

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE 5505691 (-)		0.65	<0.001
SE 5505692 (-)		0.62	0.002
SE 5505693 (-)		0.45	<0.001
SE 5505694 (-)		0.40	<0.001
SE 5505695 (-)		0.59	<0.001
SE 5505696 (-)		0.67	<0.001
SE 5505697 (-)		0.51	<0.001
SE 5505698 (-)		0.47	<0.001
SE 5505699 (-)		0.12	2.39
SE 5505700 (-)		0.28	<0.001
SE 5505701 (-)		0.51	0.001
SE 5505702 (-)		0.48	<0.001
SE 5505703 (-)		0.55	<0.001
SE 5505704 (-)		0.36	<0.001
SE 5505705 (-)		0.70	0.057
SE 5505706 (-)		0.64	<0.001
SE 5505707 (-)		0.48	<0.001
SE 5505708 (-)		0.59	<0.001
SE 5505709 (-)		0.55	<0.001
SE 5505760 (-)		0.55	0.005
SE 5505761 (-)		0.72	0.095
SE 5505762 (-)		0.41	0.029
SE 5505763 (-)		0.33	0.002
SE 5505764 (-)		0.59	<0.001
SE 5505765 (-)		0.46	0.003
SE 5505766 (-)		0.44	0.061
SE 5505767 (-)		0.47	<0.001
SE 5505768 (-)		0.45	<0.001
SE 5505769 (-)		0.43	<0.001
SE 5505770 (-)		0.60	<0.001
SE 5505771 (-)		0.43	<0.001

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE 5505772 (-)		0.55	0.004
SE 5505773 (-)		0.53	<0.001
SE 5505774 (-)		0.35	0.067
SE 5505775 (-)		0.36	<0.001
SE 5505776 (-)		0.45	<0.001
SE 5505777 (-)		0.41	<0.001
SE 5505778 (-)		0.52	<0.001
SE 5505779 (-)		0.51	<0.001
SE 5505780 (-)		0.60	<0.001
SE 5505781 (-)		0.42	<0.001
SE 5505782 (-)		0.36	0.035
SE 5505410 (-)		0.35	<0.001
SE 5505411 (-)		0.47	<0.001
SE 5505412 (-)		0.46	<0.001
SE 5505413 (-)		0.47	<0.001
SE 5505414 (-)		0.62	<0.001
SE 5505415 (-)		0.66	<0.001
SE 5505416 (-)		0.50	<0.001
SE 5505417 (-)		0.43	<0.001
SE 5505418 (-)		0.48	<0.001
SE 5505419 (-)		0.37	0.036
SE 5505420 (-)		0.44	<0.001
SE 5505421 (-)		0.55	<0.001
SE 5505422 (-)		0.54	<0.001
SE 5505423 (-)		0.57	<0.001
SE 5505424 (-)		0.46	0.035
SE 5505425 (-)		0.44	<0.001
SE 5505426 (-)		0.46	<0.001
SE 5505427 (-)		0.42	<0.001
SE 5505428 (-)		0.54	<0.001
SE 5505429 (-)		0.34	0.045

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE 5505430 (-)		0.44	0.002
SE 5505431 (-)		0.26	<0.001
SE 5505432 (-)		0.31	<0.001
SE 5505433 (-)		0.56	<0.001
SE 5505434 (-)		0.61	0.034
SE 5505435 (-)		0.50	<0.001
SE 5505436 (-)		0.41	<0.001
SE 5505437 (-)		0.47	<0.001
SE 5505438 (-)		0.48	<0.001
SE 5505439 (-)		0.66	0.036
SE 5505440 (-)		0.73	0.037
SE 5505441 (-)		0.68	<0.001
SE 5505442 (-)		0.53	0.001
SE 5505443 (-)		0.56	<0.001
SE 5505444 (-)		0.62	<0.001
SE 5505710 (-)		0.43	0.024
SE 5505711 (-)		0.29	<0.001
SE 5505712 (-)		0.35	<0.001
SE 5505713 (-)		0.29	<0.001
SE 5505714 (-)		0.38	<0.001
SE 5505715 (-)		0.42	<0.001
SE 5505716 (-)		0.41	<0.001
SE 5505717 (-)		0.37	<0.001
SE 5505718 (-)		0.36	0.026
SE 5505719 (-)		0.34	<0.001
SE 5505720 (-)		0.25	<0.001
SE 5505721 (-)		0.42	<0.001
SE 5505722 (-)		0.35	<0.001
SE 5505723 (-)		0.32	0.024
SE 5505724 (-)		0.38	<0.001
SE 5505725 (-)		0.40	<0.001

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE 5505726 (-)		0.18	<0.001
SE 5505727 (-)		0.28	<0.001
SE 5505728 (-)		0.34	<0.001
SE 5505729 (-)		0.30	0.040
SE 5505730 (-)		0.35	<0.001
SE 5505731 (-)		0.29	<0.001
SE 5505732 (-)		0.37	<0.001
SE 5505733 (-)		0.35	0.038
SE 5505734 (-)		0.40	<0.001
SE 5505735 (-)		0.34	<0.001
SE 5505736 (-)		0.32	<0.001
SE 5505737 (-)		0.28	<0.001
SE 5505738 (-)		0.45	0.007
SE 5505739 (-)		0.18	<0.001
SE 5505740 (-)		0.30	<0.001
SE 5505741 (-)		0.27	<0.001
SE 5505742 (-)		0.25	<0.001
SE 5505743 (-)		0.17	<0.001
SE 5505744 (-)		0.34	<0.001
SE 5505745 (-)		0.25	<0.001
SE 5505746 (-)		0.32	<0.001
SE 5505747 (-)		0.28	<0.001
SE 5505748 (-)		0.25	<0.001
SE 5505749 (-)		0.12	2.30
SE 5505110 (-)		0.49	0.045
SE 5505111 (-)		0.42	<0.001
SE 5505112 (-)		0.51	<0.001
SE 5505113 (-)		0.39	<0.001
SE 5505114 (-)		0.36	<0.001
SE 5505115 (-)		0.51	<0.001
SE 5505116 (-)		0.45	0.033

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE 5505117 (-)		0.60	<0.001
SE 5505118 (-)		0.36	<0.001
SE 5505119 (-)		0.31	<0.001
SE 5505120 (-)		0.43	<0.001
SE 5505121 (-)		0.42	0.035
SE 5505122 (-)		0.39	<0.001
SE 5505123 (-)		0.48	<0.001
SE 5505124 (-)		0.43	0.085
SE 5505125 (-)		0.47	<0.001
SE 5505126 (-)		0.60	<0.001
SE 5505127 (-)		0.30	<0.001
SE 5505128 (-)		0.39	0.036
SE 5505129 (-)		0.42	<0.001
SE 5505130 (-)		0.42	<0.001
SE 5505131 (-)		0.43	<0.001
SE 5505132 (-)		0.46	<0.001
SE 5505133 (-)		0.56	0.043
SE 5505134 (-)		0.32	<0.001
SE 5505135 (-)		0.37	<0.001
SE 5505136 (-)		0.31	0.003
SE 5505137 (-)		0.35	0.859
SE 5505138 (-)		0.27	0.419
SE 5505139 (-)		0.42	0.341
SE 5505140 (-)		0.32	0.068
SE 5505141 (-)		0.39	0.016
SE 5505142 (-)		0.40	0.007
SE 5505143 (-)		0.32	0.017
SE 5505144 (-)		0.32	0.023
SE 5505145 (-)		0.39	0.004
SE 5505146 (-)		0.32	<0.001
SE 5505147 (-)		0.38	<0.001

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE 5505148 (-)		0.51	<0.001
SE 5505149 (-)		0.12	2.33
SE 5505150 (-)		0.32	0.040
SE 5505151 (-)		0.24	<0.001
SE 5505152 (-)		0.34	<0.001
SE 5505153 (-)		0.41	<0.001
SE 5505154 (-)		0.55	<0.001
SE 5505155 (-)		0.24	<0.001
SE 5505156 (-)		0.24	<0.001
SE 5505157 (-)		0.24	<0.001
SE 5505158 (-)		0.38	<0.001
SE 5505159 (-)		0.28	0.021
SE 5505750 (-)		0.23	<0.001
SE 5505751 (-)		0.41	<0.001
SE 5505752 (-)		0.45	0.037
SE 5505753 (-)		0.26	0.070
SE 5505754 (-)		0.45	<0.001
SE 5505755 (-)		0.31	<0.001
SE 5505756 (-)		0.33	0.033
SE 5505757 (-)		0.17	<0.001
SE 5505758 (-)		0.31	0.073
SE 5505759 (-)		0.30	<0.001
SE 5506360 (-)		0.18	<0.001
SE 5506361 (-)		0.33	0.001
SE 5506362 (-)		0.22	<0.001
SE 5506363 (-)		0.23	0.002
SE 5506364 (-)		0.32	0.047
SE 5506365 (-)		0.27	0.001
SE 5506366 (-)		0.41	<0.001
SE 5506367 (-)		0.39	0.002
SE 5506368 (-)		0.36	<0.001

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611165

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE 5506369 (-)		0.34	<0.001
SE 5507110 (-)		0.44	0.035
SE 5507111 (-)		0.41	0.001
SE 5507112 (-)		0.34	0.001
SE 5507113 (-)		0.47	<0.001
SE 5507114 (-)		0.16	<0.001
SE 5507115 (-)		0.33	0.047
SE 5507116 (-)		0.38	<0.001
SE 5507117 (-)		0.40	<0.001
SE 5507118 (-)		0.20	<0.001
SE 5507119 (-)		0.50	<0.001
SE 5507120 (-)		0.43	<0.001
SE 5507121 (-)		0.30	<0.001
SE 5507122 (-)		0.39	0.052
SE 5507123 (-)		0.52	0.006
SE 5507124 (-)		0.47	0.003
SE 5507610 (-)		0.39	0.042
SE 5507611 (-)		0.42	<0.001
SE 5507612 (-)		0.37	0.040
SE 5507613 (-)		0.46	0.027
SE 5507614 (-)		0.25	<0.001
SE 5507615 (-)		0.46	0.008

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y611165

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis											
RPT Date: Jul 04, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)											
Ag	1	3435474	0.3	< 0.2		< 0.2	6.2	6	103%	80%	120%
Al	1	3435474	1.24	1.34	7.8%	< 0.01				80%	120%
As	1	3435474	29	25	14.8%	< 1				80%	120%
B	1	3435474	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3435474	341	348	2.0%	< 1				80%	120%
Be	1	3435474	1.7	1.7	0.0%	< 0.5				80%	120%
Bi	1	3435474	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	3435474	0.274	0.277	1.1%	< 0.01				80%	120%
Cd	1	3435474	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	3435474	38	38	0.0%	< 1				80%	120%
Co	1	3435474	15.4	15.4	0.0%	< 0.5				80%	120%
Cr	1	3435474	25.1	28.6	13.0%	< 0.5				80%	120%
Cu	1	3435474	37.0	35.7	3.6%	< 0.5	4017	3800	105%	80%	120%
Fe	1	3435474	3.35	3.35	0.0%	< 0.01				80%	120%
Ga	1	3435474	< 5	6		< 5				80%	120%
Hg	1	3435474	< 1	< 1	0.0%	< 1				80%	120%
In	1	3435474	3	< 1		< 1				80%	120%
K	1	3435474	0.14	0.17	19.4%	< 0.01				80%	120%
La	1	3435474	11	12	8.7%	< 1				80%	120%
Li	1	3435474	14	15	6.9%	< 1				80%	120%
Mg	1	3435474	0.24	0.24	0.0%	< 0.01				80%	120%
Mn	1	3435474	4810	4880	1.4%	< 1				80%	120%
Mo	1	3435474	0.9	1.3		< 0.5				80%	120%
Na	1	3435474	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Ni	1	3435474	34.6	35.0	1.1%	< 0.5				80%	120%
P	1	3435474	673	698	3.6%	< 10	653	600	108%	80%	120%
Pb	1	3435474	40.0	38.8	3.0%	< 0.5				80%	120%
Rb	1	3435474	29	34	15.9%	< 10	12	13	96%	80%	120%
S	1	3435474	0.0532	0.0551	3.5%	< 0.005				80%	120%
Sb	1	3435474	< 1	4		2				80%	120%
Sc	1	3435474	3.8	3.9	2.6%	< 0.5				80%	120%
Se	1	3435474	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	3435474	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	3435474	11.2	13.9	21.5%	2.7	305	290	105%	80%	120%
Ta	1	3435474	< 10	< 10	0.0%	< 10				80%	120%
Te	1	3435474	< 10	< 10	0.0%	< 10				80%	120%
Th	1	3435474	< 5	< 5	0.0%	< 5				80%	120%
Ti	1	3435474	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Tl	1	3435474	6	< 5		< 5				80%	120%
U	1	3435474	< 5	< 5	0.0%	< 5				80%	120%
V	1	3435474	24.8	27.2	9.2%	< 0.5				80%	120%
W	1	3435474	3	4	28.6%	< 1				80%	120%
Y	1	3435474	16	17	6.1%	< 1				80%	120%
Zn	1	3435474	97.9	99.3	1.4%	< 0.5				80%	120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y611165

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 04, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Zr	1	3435474	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)										
Ag	1	3435500	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3435500	2.18	1.77	20.8%	< 0.01				80% 120%
As	1	3435500	649	626	3.6%	< 1				80% 120%
B	1	3435500	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3435500	273	243	11.6%	< 1				80% 120%
Be	1	3435500	1.5	1.3	14.3%	< 0.5				80% 120%
Bi	1	3435500	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3435500	0.35	0.31	12.1%	< 0.01				80% 120%
Cd	1	3435500	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3435500	45	37	19.5%	< 1				80% 120%
Co	1	3435500	18.0	17.4	3.4%	< 0.5				80% 120%
Cr	1	3435500	65.7	56.3	15.4%	< 0.5				80% 120%
Cu	1	3435500	30.8	27.0	13.1%	< 0.5	3918	3800	103%	80% 120%
Fe	1	3435500	4.80	4.52	6.0%	< 0.01				80% 120%
Ga	1	3435500	9	8	11.8%	< 5				80% 120%
Hg	1	3435500	6	5	18.2%	< 1				80% 120%
In	1	3435500	< 1	1		< 1				80% 120%
K	1	3435500	0.19	0.11		< 0.01				80% 120%
La	1	3435500	18	15	18.2%	< 1				80% 120%
Li	1	3435500	21	18	15.4%	< 1				80% 120%
Mg	1	3435500	0.809	0.764	5.7%	< 0.01				80% 120%
Mn	1	3435500	1680	1620	3.6%	< 1				80% 120%
Mo	1	3435500	1.6	1.1		< 0.5				80% 120%
Na	1	3435500	0.01	< 0.01		< 0.01				80% 120%
Ni	1	3435500	49.7	44.9	10.1%	< 0.5				80% 120%
P	1	3435500	646	599	7.6%	< 10	644	600	107%	80% 120%
Pb	1	3435500	46.8	45.2	3.5%	< 0.5				80% 120%
Rb	1	3435500	47	30		< 10	12	13	94%	80% 120%
S	1	3435500	0.0307	0.0259	17.0%	< 0.005				80% 120%
Sb	1	3435500	11	8		< 1				80% 120%
Sc	1	3435500	6.45	5.52	15.5%	< 0.5				80% 120%
Se	1	3435500	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3435500	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3435500	20.6	15.2		< 0.5	301	290	103%	80% 120%
Ta	1	3435500	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3435500	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3435500	7	5		< 5				80% 120%
Ti	1	3435500	0.03	< 0.01		< 0.01				80% 120%
Tl	1	3435500	< 5	< 5	0.0%	< 5				80% 120%
U	1	3435500	< 5	< 5	0.0%	< 5				80% 120%
V	1	3435500	67.6	54.3	21.8%	< 0.5				80% 120%
W	1	3435500	8	6	28.6%	< 1				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y611165

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 04, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Y	1	3435500	10	8	22.2%	< 1				80% 120%
Zn	1	3435500	223	210	6.0%	< 0.5				80% 120%
Zr	1	3435500	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)										
Ag	1	3435526	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3435526	2.57	2.95	13.8%	< 0.01				80% 120%
As	1	3435526	531	533	0.4%	< 1				80% 120%
B	1	3435526	6	6	0.0%	< 5				80% 120%
Ba	1	3435526	370	398	7.3%	< 1				80% 120%
Be	1	3435526	1.8	1.9	5.4%	< 0.5				80% 120%
Bi	1	3435526	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3435526	0.92	1.05	13.2%	< 0.01				80% 120%
Cd	1	3435526	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3435526	77	83	7.5%	< 1				80% 120%
Co	1	3435526	22.3	21.9	1.8%	< 0.5				80% 120%
Cr	1	3435526	114	124	8.4%	< 0.5				80% 120%
Cu	1	3435526	37.2	39.4	5.7%	< 0.5	3983	3800	104%	80% 120%
Fe	1	3435526	5.43	5.87	7.8%	< 0.01				80% 120%
Ga	1	3435526	11	11	0.0%	< 5				80% 120%
Hg	1	3435526	8	13		< 1				80% 120%
In	1	3435526	< 1	< 1	0.0%	< 1				80% 120%
K	1	3435526	0.18	0.23	24.4%	< 0.01				80% 120%
La	1	3435526	32	34	6.1%	< 1				80% 120%
Li	1	3435526	38	40	5.1%	< 1				80% 120%
Mg	1	3435526	1.55	1.75	12.1%	< 0.01				80% 120%
Mn	1	3435526	1580	1620	2.5%	< 1				80% 120%
Mo	1	3435526	1.0	2.2		< 0.5				80% 120%
Na	1	3435526	0.03	0.03	0.0%	< 0.01				80% 120%
Ni	1	3435526	85.5	89.1	4.1%	< 0.5				80% 120%
P	1	3435526	1120	1170	4.4%	< 10	660	600	110%	80% 120%
Pb	1	3435526	37.0	36.4	1.6%	< 0.5				80% 120%
Rb	1	3435526	39	49	22.7%	< 10	11	13	84%	80% 120%
S	1	3435526	0.0301	0.0308	2.3%	< 0.005				80% 120%
Sb	1	3435526	7	6	15.4%	2				80% 120%
Sc	1	3435526	8.64	9.42	8.6%	< 0.5				80% 120%
Se	1	3435526	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3435526	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3435526	66.5	74.3	11.1%	1.7	303	290	104%	80% 120%
Ta	1	3435526	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3435526	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3435526	12	10	18.2%	< 5				80% 120%
Ti	1	3435526	0.25	0.30	18.2%	< 0.01				80% 120%
Tl	1	3435526	< 5	< 5	0.0%	< 5				80% 120%
U	1	3435526	< 5	< 5	0.0%	< 5				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y611165

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 04, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
V	1	3435526	96.9	108	10.8%	< 0.5				80% 120%
W	1	3435526	9	6		< 1				80% 120%
Y	1	3435526	19	20	5.1%	< 1				80% 120%
Zn	1	3435526	373	389	4.2%	< 0.5				80% 120%
Zr	1	3435526	9	9	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)										
Ag	1	3435552	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3435552	3.56	3.39	4.9%	< 0.01				80% 120%
As	1	3435552	15	20	28.6%	< 1				80% 120%
B	1	3435552	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3435552	1100	1140	3.6%	< 1				80% 120%
Be	1	3435552	2.68	2.55	5.0%	< 0.5				80% 120%
Bi	1	3435552	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3435552	1.36	1.34	1.5%	< 0.01				80% 120%
Cd	1	3435552	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3435552	182	178	2.2%	< 1				80% 120%
Co	1	3435552	33.8	34.0	0.6%	< 0.5				80% 120%
Cr	1	3435552	148	141	4.8%	< 0.5				80% 120%
Cu	1	3435552	67.7	65.9	2.7%	< 0.5	3983	3800	104%	80% 120%
Fe	1	3435552	7.02	6.91	1.6%	< 0.01				80% 120%
Ga	1	3435552	17	17	0.0%	< 5				80% 120%
Hg	1	3435552	4	3	28.6%	< 1				80% 120%
In	1	3435552	2	6		< 1				80% 120%
K	1	3435552	0.21	0.21	0.0%	< 0.01				80% 120%
La	1	3435552	72	71	1.4%	< 1				80% 120%
Li	1	3435552	44	46	4.4%	< 1				80% 120%
Mg	1	3435552	1.45	1.49	2.7%	< 0.01				80% 120%
Mn	1	3435552	2500	2480	0.8%	< 1				80% 120%
Mo	1	3435552	2.5	1.5		< 0.5				80% 120%
Na	1	3435552	0.01	0.01	0.0%	< 0.01				80% 120%
Ni	1	3435552	82.0	80.4	2.0%	< 0.5				80% 120%
P	1	3435552	3290	3280	0.3%	< 10	563	600	93%	80% 120%
Pb	1	3435552	9.2	9.4	2.2%	< 0.5				80% 120%
Rb	1	3435552	56	53	5.5%	< 10	13	13	100%	80% 120%
S	1	3435552	0.104	0.104	0.0%	< 0.005				80% 120%
Sb	1	3435552	2	< 1		1				80% 120%
Sc	1	3435552	4.2	4.9	15.4%	< 0.5				80% 120%
Se	1	3435552	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3435552	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3435552	115	119	3.4%	< 0.5	298	290	102%	80% 120%
Ta	1	3435552	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3435552	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3435552	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3435552	0.041	0.034	18.7%	< 0.01				80% 120%
Tl	1	3435552	< 5	8		< 5				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y611165

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 04, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
U	1	3435552	< 5	< 5	0.0%	< 5				80% 120%
V	1	3435552	208	201	3.4%	< 0.5				80% 120%
W	1	3435552	7	8	13.3%	< 1				80% 120%
Y	1	3435552	15	15	0.0%	< 1				80% 120%
Zn	1	3435552	106	106	0.0%	< 0.5				80% 120%
Zr	1	3435552	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)										
Ag	1	3435578	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3435578	1.28	1.15	10.7%	< 0.01				80% 120%
As	1	3435578	358	355	0.8%	< 1				80% 120%
B	1	3435578	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3435578	268	254	5.4%	< 1				80% 120%
Be	1	3435578	1.3	1.3	0.0%	< 0.5				80% 120%
Bi	1	3435578	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3435578	0.341	0.321	6.0%	< 0.01				80% 120%
Cd	1	3435578	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3435578	25	25	0.0%	< 1				80% 120%
Co	1	3435578	13.9	13.9	0.0%	< 0.5				80% 120%
Cr	1	3435578	28.5	27.1	5.0%	< 0.5				80% 120%
Cu	1	3435578	26.7	26.0	2.7%	< 0.5	3827	3800	100%	80% 120%
Fe	1	3435578	3.68	3.49	5.3%	< 0.01				80% 120%
Ga	1	3435578	5	5	0.0%	< 5				80% 120%
Hg	1	3435578	1	3		1				80% 120%
In	1	3435578	4	2		< 1				80% 120%
K	1	3435578	0.19	0.17	11.1%	< 0.01				80% 120%
La	1	3435578	8	8	0.0%	< 1				80% 120%
Li	1	3435578	21	19	10.0%	< 1				80% 120%
Mg	1	3435578	0.277	0.265	4.4%	< 0.01				80% 120%
Mn	1	3435578	818	800	2.2%	< 1				80% 120%
Mo	1	3435578	1.2	< 0.5		< 0.5				80% 120%
Na	1	3435578	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3435578	25.7	25.7	0.0%	< 0.5				80% 120%
P	1	3435578	645	631	2.2%	< 10	627	600	104%	80% 120%
Pb	1	3435578	21.6	21.6	0.0%	< 0.5				80% 120%
Rb	1	3435578	50	46	8.3%	< 10	12	13	90%	80% 120%
S	1	3435578	0.040	0.040	0.0%	< 0.005				80% 120%
Sb	1	3435578	8	6	28.6%	1				80% 120%
Sc	1	3435578	5.01	4.83	3.7%	< 0.5				80% 120%
Se	1	3435578	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3435578	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3435578	30.7	27.5	11.0%	1.2	288	290	99%	80% 120%
Ta	1	3435578	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3435578	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3435578	< 5	< 5	0.0%	< 5	1.6	1.4	111%	80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y611165

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 04, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ti	1	3435578	0.01	< 0.01		< 0.01				80% 120%
Tl	1	3435578	< 5	< 5	0.0%	< 5				80% 120%
U	1	3435578	< 5	< 5	0.0%	< 5				80% 120%
V	1	3435578	37.1	35.5	4.4%	< 0.5				80% 120%
W	1	3435578	5	5	0.0%	< 1				80% 120%
Y	1	3435578	7	7	0.0%	< 1				80% 120%
Zn	1	3435578	78.6	78.8	0.3%	< 0.5				80% 120%
Zr	1	3435578	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)										
Ag	1	3435604	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3435604	1.60	1.51	5.8%	< 0.01				80% 120%
As	1	3435604	107	110	2.8%	< 1				80% 120%
B	1	3435604	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3435604	152	144	5.4%	< 1				80% 120%
Be	1	3435604	1.06	1.02	3.8%	< 0.5				80% 120%
Bi	1	3435604	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3435604	0.12	0.12	0.0%	< 0.01				80% 120%
Cd	1	3435604	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3435604	12	11	8.7%	< 1				80% 120%
Co	1	3435604	17.4	19.2	9.8%	< 0.5				80% 120%
Cr	1	3435604	38.2	37.2	2.7%	< 0.5				80% 120%
Cu	1	3435604	24.5	23.9	2.5%	< 0.5	3805	3800	100%	80% 120%
Fe	1	3435604	4.55	4.45	2.2%	< 0.01				80% 120%
Ga	1	3435604	7	8	13.3%	< 5				80% 120%
Hg	1	3435604	< 1	< 1	0.0%	1				80% 120%
In	1	3435604	2	2	0.0%	< 1				80% 120%
K	1	3435604	0.19	0.17	11.1%	< 0.01				80% 120%
La	1	3435604	4	4	0.0%	< 1				80% 120%
Li	1	3435604	22	21	4.7%	< 1				80% 120%
Mg	1	3435604	0.515	0.497	3.6%	< 0.01				80% 120%
Mn	1	3435604	844	848	0.5%	< 1				80% 120%
Mo	1	3435604	0.5	0.5	0.0%	< 0.5				80% 120%
Na	1	3435604	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3435604	30.8	29.3	5.0%	< 0.5				80% 120%
P	1	3435604	409	405	1.0%	< 10	520	600	86%	80% 120%
Pb	1	3435604	25.9	26.0	0.4%	< 0.5				80% 120%
Rb	1	3435604	36	34	5.7%	< 10	13	13	100%	80% 120%
S	1	3435604	0.022	0.022	0.0%	< 0.005				80% 120%
Sb	1	3435604	2	2	0.0%	2				80% 120%
Sc	1	3435604	3.20	3.04	5.1%	< 0.5				80% 120%
Se	1	3435604	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3435604	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3435604	9.51	7.14	28.5%	0.8	289	290	99%	80% 120%
Ta	1	3435604	< 10	< 10	0.0%	< 10				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y611165

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 04, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Te	1	3435604	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3435604	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3435604	0.038	0.033	14.1%	< 0.01				80% 120%
Tl	1	3435604	< 5	< 5	0.0%	< 5				80% 120%
U	1	3435604	< 5	< 5	0.0%	< 5				80% 120%
V	1	3435604	37.5	36.4	3.0%	< 0.5				80% 120%
W	1	3435604	6	7	15.4%	< 1				80% 120%
Y	1	3435604	4	4	0.0%	< 1				80% 120%
Zn	1	3435604	109	110	0.9%	< 0.5				80% 120%
Zr	1	3435604	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)										
Ag	1	3435630	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3435630	1.49	1.40	6.2%	< 0.01				80% 120%
As	1	3435630	15	12	22.2%	< 1				80% 120%
B	1	3435630	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3435630	134	126	6.2%	< 1				80% 120%
Be	1	3435630	1.56	1.42	9.4%	< 0.5				80% 120%
Bi	1	3435630	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3435630	0.05	0.05	0.0%	< 0.01				80% 120%
Cd	1	3435630	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3435630	20	17	16.2%	< 1				80% 120%
Co	1	3435630	19.3	18.0	7.0%	< 0.5				80% 120%
Cr	1	3435630	30.9	28.1	9.5%	< 0.5				80% 120%
Cu	1	3435630	39.0	37.9	2.9%	< 0.5	3806	3800	100%	80% 120%
Fe	1	3435630	3.97	4.02	1.3%	< 0.01				80% 120%
Ga	1	3435630	7	7	0.0%	< 5				80% 120%
Hg	1	3435630	< 1	< 1	0.0%	< 1				80% 120%
In	1	3435630	< 1	< 1	0.0%	< 1				80% 120%
K	1	3435630	0.140	0.111	23.1%	< 0.01				80% 120%
La	1	3435630	6	5	18.2%	< 1				80% 120%
Li	1	3435630	21	20	4.9%	< 1				80% 120%
Mg	1	3435630	0.346	0.333	3.8%	< 0.01				80% 120%
Mn	1	3435630	967	924	4.5%	< 1				80% 120%
Mo	1	3435630	1.2	0.7		< 0.5				80% 120%
Na	1	3435630	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3435630	37.3	35.6	4.7%	< 0.5				80% 120%
P	1	3435630	445	405	9.4%	< 10	621	600	103%	80% 120%
Pb	1	3435630	23.1	22.2	4.0%	< 0.5				80% 120%
Rb	1	3435630	27	23	16.0%	< 10	12	13	90%	80% 120%
S	1	3435630	0.0105	0.0102	2.9%	< 0.005				80% 120%
Sb	1	3435630	4	3	28.6%	< 1				80% 120%
Sc	1	3435630	4.64	4.35	6.5%	< 0.5				80% 120%
Se	1	3435630	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3435630	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3435630	8.3	7.5	10.1%	< 0.5	297	290	102%	80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y611165

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 04, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ta	1	3435630	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3435630	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3435630	6	6	0.0%	< 5				80% 120%
Ti	1	3435630	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3435630	< 5	< 5	0.0%	< 5				80% 120%
U	1	3435630	< 5	< 5	0.0%	< 5				80% 120%
V	1	3435630	30.5	27.3	11.1%	< 0.5				80% 120%
W	1	3435630	6	4		< 1				80% 120%
Y	1	3435630	6	6	0.0%	< 1				80% 120%
Zn	1	3435630	108	102	5.7%	< 0.5				80% 120%
Zr	1	3435630	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)										
Ag	1	3435656	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3435656	0.97	0.98	1.0%	< 0.01				80% 120%
As	1	3435656	1090	1090	0.0%	< 1				80% 120%
B	1	3435656	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3435656	195	192	1.6%	< 1				80% 120%
Be	1	3435656	1.5	1.5	0.0%	< 0.5				80% 120%
Bi	1	3435656	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3435656	0.57	0.57	0.0%	< 0.01				80% 120%
Cd	1	3435656	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3435656	11	12	8.7%	< 1				80% 120%
Co	1	3435656	10.6	10.3	2.9%	< 0.5				80% 120%
Cr	1	3435656	13.8	14.0	1.4%	< 0.5				80% 120%
Cu	1	3435656	28.0	30.9	9.8%	< 0.5	3914	3800	103%	80% 120%
Fe	1	3435656	3.06	3.07	0.3%	< 0.01				80% 120%
Ga	1	3435656	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3435656	5	3		< 1				80% 120%
In	1	3435656	1	< 1		< 1				80% 120%
K	1	3435656	0.19	0.19	0.0%	< 0.01				80% 120%
La	1	3435656	4	4	0.0%	< 1				80% 120%
Li	1	3435656	9	9	0.0%	< 1				80% 120%
Mg	1	3435656	0.29	0.28	3.5%	< 0.01				80% 120%
Mn	1	3435656	457	461	0.9%	< 1				80% 120%
Mo	1	3435656	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Na	1	3435656	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3435656	24.5	24.4	0.4%	< 0.5				80% 120%
P	1	3435656	488	502	2.8%	< 10	642	600	107%	80% 120%
Pb	1	3435656	47.6	46.0	3.4%	< 0.5				80% 120%
Rb	1	3435656	30	30	0.0%	< 10	13	13	101%	80% 120%
S	1	3435656	0.0916	0.0881	3.9%	< 0.005				80% 120%
Sb	1	3435656	13	12	8.0%	< 1				80% 120%
Sc	1	3435656	5.4	5.4	0.0%	< 0.5				80% 120%
Se	1	3435656	< 10	< 10	0.0%	< 10				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y611165

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 04, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Sn	1	3435656	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3435656	18.6	18.5	0.5%	< 0.5	295	290	101%	80% 120%
Ta	1	3435656	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3435656	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3435656	< 5	5		< 5				80% 120%
Ti	1	3435656	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3435656	< 5	< 5	0.0%	< 5				80% 120%
U	1	3435656	< 5	< 5	0.0%	< 5				80% 120%
V	1	3435656	14.8	15.0	1.3%	< 0.5				80% 120%
W	1	3435656	5	4	22.2%	< 1				80% 120%
Y	1	3435656	10	10	0.0%	< 1				80% 120%
Zn	1	3435656	137	135	1.5%	< 0.5				80% 120%
Zr	1	3435656	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)										
Ag	1	3435682	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3435682	2.25	2.40	6.5%	< 0.01				80% 120%
As	1	3435682	10	18		< 1				80% 120%
B	1	3435682	7	9	25.0%	< 5				80% 120%
Ba	1	3435682	518	522	0.8%	< 1				80% 120%
Be	1	3435682	2.1	2.2	4.7%	< 0.5				80% 120%
Bi	1	3435682	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3435682	1.83	1.89	3.2%	< 0.01				80% 120%
Cd	1	3435682	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3435682	108	115	6.3%	< 1				80% 120%
Co	1	3435682	21.6	22.8	5.4%	< 0.5				80% 120%
Cr	1	3435682	94.3	102	7.8%	< 0.5				80% 120%
Cu	1	3435682	36.0	38.9	7.7%	< 0.5	3881	3800	102%	80% 120%
Fe	1	3435682	4.28	4.41	3.0%	< 0.01				80% 120%
Ga	1	3435682	11	12	8.7%	< 5				80% 120%
Hg	1	3435682	2	< 1		< 1				80% 120%
In	1	3435682	2	< 1		< 1				80% 120%
K	1	3435682	0.23	0.27	16.0%	< 0.01				80% 120%
La	1	3435682	64	69	7.5%	< 1				80% 120%
Li	1	3435682	14	15	6.9%	< 1				80% 120%
Mg	1	3435682	1.14	1.15	0.9%	< 0.01				80% 120%
Mn	1	3435682	2100	2150	2.4%	< 1				80% 120%
Mo	1	3435682	2.5	4.6		< 0.5				80% 120%
Na	1	3435682	0.02	0.02	0.0%	< 0.01				80% 120%
Ni	1	3435682	52.7	56.4	6.8%	< 0.5				80% 120%
P	1	3435682	1780	1950	9.1%	< 10	521	600	86%	80% 120%
Pb	1	3435682	9.2	9.5	3.2%	< 0.5				80% 120%
Rb	1	3435682	47	57	19.2%	< 10	12	13	91%	80% 120%
S	1	3435682	0.103	0.109	5.7%	< 0.005				80% 120%
Sb	1	3435682	5	4	22.2%	< 1				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y611165

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 04, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Sc	1	3435682	7.99	8.77	9.3%	< 0.5				80% 120%
Se	1	3435682	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3435682	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3435682	178	180	1.1%	< 0.5	283	290	97%	80% 120%
Ta	1	3435682	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3435682	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3435682	7	5		< 5				80% 120%
Ti	1	3435682	0.09	0.11	20.0%	< 0.01				80% 120%
Tl	1	3435682	< 5	< 5	0.0%	< 5				80% 120%
U	1	3435682	< 5	< 5	0.0%	< 5				80% 120%
V	1	3435682	133	144	7.9%	< 0.5				80% 120%
W	1	3435682	6	7	15.4%	< 1				80% 120%
Y	1	3435682	11	12	8.7%	< 1				80% 120%
Zn	1	3435682	87.3	90.1	3.2%	< 0.5				80% 120%
Zr	1	3435682	5	5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

Ag	1	3435708	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3435708	2.93	2.90	1.0%	< 0.01				80% 120%
As	1	3435708	498	489	1.8%	< 1				80% 120%
B	1	3435708	10	10	0.0%	< 5				80% 120%
Ba	1	3435708	382	381	0.3%	< 1				80% 120%
Be	1	3435708	1.7	1.7	0.0%	< 0.5				80% 120%
Bi	1	3435708	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3435708	1.50	1.48	1.3%	< 0.01				80% 120%
Cd	1	3435708	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3435708	60	60	0.0%	< 1				80% 120%
Co	1	3435708	22.5	22.0	2.2%	< 0.5				80% 120%
Cr	1	3435708	121	121	0.0%	< 0.5				80% 120%
Cu	1	3435708	48.2	48.6	0.8%	< 0.5	3980	3800	104%	80% 120%
Fe	1	3435708	5.49	5.44	0.9%	< 0.01				80% 120%
Ga	1	3435708	13	15	14.3%	< 5				80% 120%
Hg	1	3435708	9	10	10.5%	< 1				80% 120%
In	1	3435708	< 1	< 1	0.0%	< 1				80% 120%
K	1	3435708	0.32	0.32	0.0%	< 0.01				80% 120%
La	1	3435708	30	30	0.0%	< 1				80% 120%
Li	1	3435708	45	45	0.0%	< 1				80% 120%
Mg	1	3435708	1.94	1.93	0.5%	< 0.01				80% 120%
Mn	1	3435708	1120	1110	0.9%	< 1				80% 120%
Mo	1	3435708	1.88	2.17	14.3%	< 0.5				80% 120%
Na	1	3435708	0.08	0.08	0.0%	< 0.01				80% 120%
Ni	1	3435708	81.7	83.6	2.3%	< 0.5				80% 120%
P	1	3435708	1410	1360	3.6%	< 10	492	600	82%	80% 120%
Pb	1	3435708	20.0	18.1	10.0%	< 0.5				80% 120%
Rb	1	3435708	61	62	1.6%	< 10	11	13	84%	80% 120%
S	1	3435708	0.061	0.061	0.0%	< 0.005				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y611165

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)											
RPT Date: Jul 04, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Sb	1	3435708	7	3		< 1				80%	120%
Sc	1	3435708	8.43	8.47	0.5%	< 0.5				80%	120%
Se	1	3435708	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	3435708	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	3435708	95.8	95.7	0.1%	< 0.5	298	290	102%	80%	120%
Ta	1	3435708	< 10	< 10	0.0%	< 10				80%	120%
Te	1	3435708	< 10	< 10	0.0%	< 10				80%	120%
Th	1	3435708	9	7	25.0%	< 5				80%	120%
Ti	1	3435708	0.24	0.23	4.3%	< 0.01				80%	120%
Tl	1	3435708	< 5	< 5	0.0%	< 5				80%	120%
U	1	3435708	< 5	< 5	0.0%	< 5				80%	120%
V	1	3435708	103	105	1.9%	< 0.5				80%	120%
W	1	3435708	7	7	0.0%	< 1				80%	120%
Y	1	3435708	13	13	0.0%	< 1				80%	120%
Zn	1	3435708	139	136	2.2%	< 0.5				80%	120%
Zr	1	3435708	7	8	13.3%	< 5				80%	120%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3435474	< 0.001	< 0.001	0.0%	< 0.001	0.26	0.263	99%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3435565	< 0.001	< 0.001	0.0%	< 0.001	1.62	1.52	106%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3435500	0.0375	0.0369	1.6%	< 0.001	0.268	0.263	102%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3435514	< 0.001	< 0.001	0.0%	< 0.001	1.52	1.52	100%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3435604	< 0.001	< 0.001	0.0%	< 0.001	0.246	0.263	94%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3435617	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3435630	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3435643	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3435657	0.023	0.051		< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3435668	< 0.001	< 0.001	0.0%	< 0.001				90%	110%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y611165

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 04, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper

Certified By:

Ron Cardinal

Method Summary

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y611165

PROJECT NO:

ATTENTION TO: Yinghua Chen

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
B	MIN-200-12020		ICP/OES
Ba	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
In	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP/OES
Li	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr	MIN-200-12020		ICP/OES
Ta	MIN-200-12020		ICP/OES
Te	MIN-200-12020		ICP/OES
Th	MIN-200-12020		ICP/OES
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP/OES
U	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP/OES
Y	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Zr	MIN-200-12020		ICP/OES
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES