

**CLIENT NAME: ANTHILL RESOURCES
1090-999 WEST HASTINGS STREET
Vancouver, BC V6C2W2
(604) 569-3892**

ATTENTION TO: Yinghua Chen

PROJECT NO:

AGAT WORK ORDER: 12Y611192

SOLID ANALYSIS REVIEWED BY: Ron Cardinali, Certified Assayer - Director - Technical Services (Mining)

DATE REPORTED: Jul 04, 2012

PAGES (INCLUDING COVER): 54

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

***NOTES**

VERSION 1:Version 2. Lower detection limit reported for TI.

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
SE 5505460 (-)	<0.2	3.22	<1	18	537	2.0	<1	1.35	<0.5	86	26.3	296	88.0	7.44
SE 5505461 (-)	<0.2	3.95	<1	19	550	1.7	<1	1.12	<0.5	111	34.0	264	111	7.92
SE 5505462 (-)	0.3	1.75	15	7	538	1.5	<1	0.34	1.0	48	18.8	65.7	56.1	4.12
SE 5505463 (-)	<0.2	3.50	<1	17	573	1.8	<1	1.28	<0.5	104	23.5	261	64.2	6.79
SE 5505464 (-)	0.5	2.07	20	6	475	2.1	<1	0.56	0.6	120	35.0	108	74.6	6.82
SE 5505465 (-)	<0.2	2.92	59	8	538	2.1	<1	0.48	1.5	147	34.5	158	66.1	7.55
SE 5505466 (-)	0.2	2.64	15	10	409	2.2	<1	0.51	0.7	102	29.4	104	63.8	6.13
SE 5505467 (-)	<0.2	2.46	11	5	271	1.4	<1	0.24	<0.5	71	20.1	90.5	33.7	5.46
SE 5505468 (-)	<0.2	1.42	13	6	156	1.6	<1	0.21	<0.5	32	16.6	48.2	42.4	5.73
SE 5505469 (-)	0.5	1.64	8	<5	154	1.2	<1	0.07	0.5	21	22.5	59.5	35.3	5.28
SE 5505470 (-)	0.3	1.38	6	<5	236	1.4	<1	0.13	<0.5	21	14.1	40.8	32.4	4.04
SE 5505471 (-)	0.3	1.50	6	<5	304	0.8	<1	0.42	<0.5	13	9.4	44.5	25.7	3.87
SE 5505472 (-)	0.3	1.97	15	<5	43	1.2	<1	0.02	<0.5	9	17.7	39.9	40.3	4.42
SE 5505473 (-)	0.5	0.60	16	<5	146	1.1	<1	0.41	<0.5	16	13.3	13.7	31.9	2.70
SE 5505474 (-)	0.4	0.80	9	<5	129	0.8	<1	0.36	<0.5	14	8.2	13.9	22.8	2.39
SE 5505475 (-)	0.3	1.29	7	5	273	1.6	<1	0.14	<0.5	7	15.2	31.4	49.7	3.05
SE 5505476 (-)	0.5	0.98	19	<5	163	1.1	<1	0.35	<0.5	26	13.0	31.5	32.4	2.82
SE 5505477 (-)	0.2	1.11	20	6	107	0.9	<1	0.06	0.6	12	13.7	53.2	30.3	2.98
SE 5505478 (-)	0.3	1.87	11	7	282	1.6	<1	0.26	<0.5	11	16.8	31.6	54.4	3.83
SE 5505479 (-)	0.4	1.81	5	6	315	1.5	<1	0.06	<0.5	8	18.2	30.7	36.4	4.45
SE 5505480 (-)	0.3	0.98	9	<5	192	1.2	<1	0.62	<0.5	17	12.5	26.4	32.7	2.89
SE 5505483 (-)	0.3	0.58	382	<5	86	1.0	<1	0.02	5.7	16	14.7	8.1	33.6	2.69
SE 5505484 (-)	0.3	0.62	432	<5	134	0.6	<1	0.27	6.6	12	6.0	9.6	13.7	2.40
SE 5505485 (-)	0.3	0.57	244	<5	87	0.9	<1	0.05	4.4	19	15.0	9.3	27.3	3.52
SE 5505486 (-)	0.3	0.49	108	5	93	0.9	<1	0.13	1.7	24	12.2	8.1	27.5	3.45
SE 5505487 (-)	0.4	0.64	374	<5	106	0.5	<1	0.12	6.2	14	12.5	12.6	20.2	3.01
SE 5505488 (-)	0.9	0.62	2040	8	108	<0.5	<1	7.02	34.9	14	6.5	20.0	17.6	3.12
SE 5505489 (-)	0.5	0.94	962	<5	100	0.9	<1	0.80	16.2	24	11.7	21.1	20.5	3.64
SE 5505490 (-)	0.3	1.20	230	<5	253	1.6	<1	0.30	4.5	12	17.5	17.9	43.8	4.77
SE 5505491 (-)	0.3	0.76	685	<5	182	1.5	<1	0.40	10.1	11	12.2	12.1	33.1	3.84
SE 5505492 (-)	0.5	0.86	1970	<5	135	0.9	<1	1.68	31.8	18	10.2	18.1	23.1	4.00
SE 5505493 (-)	0.3	1.79	1130	<5	229	1.2	<1	0.22	18.3	26	10.9	30.7	28.2	4.11

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012		DATE RECEIVED: Jun 18, 2012						DATE REPORTED: Jul 04, 2012				SAMPLE TYPE: Soil			
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
SE 5505494 (-)		0.3	1.40	437	<5	198	0.8	<1	0.15	6.9	21	9.3	32.9	20.9	3.41
SE 5505495 (-)		0.3	1.04	324	<5	100	0.8	<1	0.10	5.2	17	14.6	32.5	30.0	4.66
SE 5505496 (-)		0.3	1.49	150	<5	144	1.4	<1	0.12	2.4	26	16.2	38.7	35.1	4.23
SE 5505497 (-)		0.4	1.87	36	6	274	1.1	<1	0.13	0.7	18	11.7	62.5	25.4	3.66
SE 5505498 (-)		0.4	2.13	36	<5	335	0.9	<1	0.11	0.7	18	11.3	54.8	22.6	3.73
SE 5505499 (-)		3.1	1.81	10	8	93	<0.5	6	0.88	4.8	20	17.3	34.0	762	4.80
SE 5505500 (-)		0.7	0.02	<1	<5	14	<0.5	<1	20.1	<0.5	<1	<0.5	3.5	<0.5	0.42
SE 5505501 (-)		0.2	1.60	9	<5	90	1.1	<1	0.02	<0.5	10	14.5	29.6	34.2	4.40
SE 5505502 (-)		0.4	1.21	6	7	159	1.0	<1	0.04	<0.5	7	17.7	26.9	22.5	3.68
SE 5505503 (-)		0.8	0.83	19	11	323	1.2	<1	1.17	0.5	9	11.6	19.8	30.3	2.26
SE 5505504 (-)		0.4	0.51	21	<5	105	1.3	<1	0.21	<0.5	17	13.0	18.6	35.2	3.16
SE 5505505 (-)		0.3	1.72	7	<5	132	0.7	<1	0.07	<0.5	12	12.1	32.9	18.4	4.50
SE 5505506 (-)		<0.2	1.46	9	<5	93	<0.5	<1	0.04	<0.5	17	8.3	30.5	18.3	3.99
SE 5505507 (-)		0.5	1.85	8	10	260	1.5	<1	0.09	0.8	22	18.4	23.4	45.0	3.86
SE 5505360 (-)		<0.2	3.08	<1	9	424	1.1	<1	2.00	<0.5	84	15.9	218	35.9	6.83
SE 5505361 (-)		0.2	0.94	4	<5	139	<0.5	<1	0.64	<0.5	24	15.7	35.5	10.6	1.78
SE 5505362 (-)		<0.2	2.97	<1	<5	333	1.1	<1	1.67	<0.5	89	13.7	153	39.9	5.48
SE 5505363 (-)		0.3	1.68	3	<5	203	1.2	<1	0.85	<0.5	75	6.3	57.0	23.7	3.01
SE 5505364 (-)		<0.2	2.83	<1	<5	259	1.4	<1	1.03	<0.5	84	7.3	190	24.6	6.51
SE 5505365 (-)		0.2	4.24	<1	19	359	1.6	<1	2.72	<0.5	111	18.7	351	52.0	7.10
SE 5505366 (-)		0.4	3.90	<1	12	459	1.7	<1	2.02	<0.5	110	18.8	163	70.8	6.39
SE 5505367 (-)		<0.2	2.19	8	<5	248	0.9	<1	0.71	0.8	52	16.2	110	29.0	4.74
SE 5505368 (-)		<0.2	3.27	53	11	425	1.6	<1	1.09	1.1	82	14.9	120	50.8	5.60
SE 5505369 (-)		<0.2	2.89	17	6	509	1.6	<1	1.20	<0.5	82	16.2	141	37.8	6.11
SE 5505370 (-)		0.6	2.30	4	7	675	2.3	<1	1.73	<0.5	96	21.8	138	49.1	4.41
SE 5505371 (-)		1.1	0.12	3110	<5	24	<0.5	<1	15.0	48.5	<1	1.3	13.6	6.4	0.59
SE 5505372 (-)		<0.2	2.66	4600	16	396	1.6	<1	1.75	72.7	110	28.7	174	53.1	7.68
SE 5505373 (-)		0.9	1.27	222	11	886	1.6	<1	1.15	5.1	40	23.7	56.1	65.1	5.04
SE 5505374 (-)		0.5	1.10	860	<5	201	1.4	<1	1.80	13.2	27	17.8	35.5	38.6	4.78
SE 5505375 (-)		<0.2	1.09	277	<5	301	1.7	<1	0.19	5.0	11	24.0	25.9	75.6	4.85
SE 5505376 (-)		0.9	0.73	1200	11	140	0.6	<1	5.47	18.6	11	6.3	15.4	17.0	3.43
SE 5505377 (-)		0.2	0.90	1960	<5	168	0.8	<1	0.11	31.1	14	13.3	20.1	29.6	4.97

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012		DATE RECEIVED: Jun 18, 2012					DATE REPORTED: Jul 04, 2012					SAMPLE TYPE: Soil			
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
SE 5505378 (-)		0.4	0.47	421	<5	203	1.1	<1	0.24	6.5	10	13.2	11.2	22.0	3.42
SE 5505379 (-)		0.3	1.37	160	<5	127	1.2	<1	0.06	2.5	28	15.7	34.5	33.6	4.25
SE 5505380 (-)		0.5	0.96	82	<5	258	0.6	<1	0.20	1.7	16	15.4	29.4	20.8	3.44
SE 5505381 (-)		0.4	3.20	269	<5	349	2.7	<1	0.43	5.4	119	32.1	71.4	55.0	7.15
SE 5505382 (-)		0.5	1.88	512	<5	694	1.2	<1	0.36	7.8	10	12.3	33.3	29.0	3.98
SE 5505383 (-)		0.3	1.71	971	<5	367	1.4	<1	0.76	15.7	7	12.0	32.4	35.5	3.84
SE 5505384 (-)		0.6	1.61	858	6	422	1.3	<1	0.94	13.1	8	12.3	36.9	33.0	3.42
SE 5505385 (-)		0.3	1.95	629	<5	396	1.3	<1	0.25	8.5	10	12.4	35.8	22.9	4.06
SE 5505386 (-)		0.3	1.00	10	<5	206	<0.5	<1	0.13	<0.5	5	8.1	23.0	12.9	3.60
SE 5505387 (-)		0.4	2.55	126	10	417	1.6	<1	1.64	2.2	89	16.9	107	38.3	4.87
SE 5505388 (-)		0.3	2.50	88	8	385	1.2	<1	1.51	1.8	63	15.0	90.1	51.3	4.17
SE 5505389 (-)		<0.2	0.59	30	<5	101	<0.5	<1	0.88	0.7	16	3.4	20.5	12.1	1.01
SE 5505390 (-)		<0.2	2.46	25	7	322	0.8	<1	1.43	0.8	57	15.1	171	33.2	5.13
SE 5505391 (-)		0.6	2.37	2	5	600	2.3	<1	1.47	<0.5	70	17.6	125	42.2	3.92
SE 5505392 (-)		0.4	2.32	3	6	599	1.2	<1	1.39	<0.5	47	15.2	83.6	39.5	3.51
SE 5505393 (-)		<0.2	2.34	<1	<5	402	1.2	<1	1.13	<0.5	56	18.6	126	36.0	4.12
SE 5505394 (-)		0.5	2.41	<1	<5	372	1.1	<1	1.48	<0.5	82	11.2	154	39.9	4.27
SE 5505395 (-)		<0.2	3.16	<1	10	428	1.3	<1	1.97	<0.5	80	16.7	173	48.2	5.14
SE 5505396 (-)		0.2	2.27	7	<5	120	1.4	<1	0.10	<0.5	13	16.0	45.0	31.8	4.92
SE 5505397 (-)		0.2	1.96	55	<5	175	1.5	<1	0.33	1.0	28	24.4	58.5	40.7	4.52
SE 5505398 (-)		<0.2	2.11	66	<5	201	1.7	<1	0.36	1.2	30	26.6	64.5	45.3	4.84
SE 5505399 (-)		2.8	1.86	10	<5	97	<0.5	4	0.91	5.2	20	16.8	32.9	755	4.93
SE 5505400 (-)		1.1	0.02	<1	<5	4380	<0.5	<1	18.3	0.8	<1	<0.5	2.5	<0.5	0.43
SE 5505401 (-)		<0.2	2.40	<1	<5	246	1.3	<1	1.26	0.6	102	11.7	113	28.8	5.22
SE 5505402 (-)		<0.2	1.37	<1	<5	183	0.7	<1	0.60	<0.5	36	4.3	94.7	26.5	3.06
SE 5505403 (-)		<0.2	3.69	201	9	616	1.8	<1	1.88	3.3	111	22.0	195	65.2	6.59
SE 5505404 (-)		0.2	3.95	<1	13	315	1.4	<1	1.88	<0.5	121	21.2	221	50.8	6.86
SE 5505405 (-)		<0.2	3.34	62	15	358	1.8	<1	1.59	1.2	111	16.9	169	38.1	6.68
SE 5505406 (-)		<0.2	4.26	<1	20	346	2.0	<1	2.01	<0.5	142	44.3	378	81.2	9.47
SE 5505407 (-)		<0.2	4.10	<1	20	427	1.6	<1	2.13	<0.5	131	19.1	208	74.6	6.58
SE 5505408 (-)		<0.2	3.88	<1	15	181	1.9	<1	2.38	<0.5	132	22.6	262	68.9	7.79
SE 5505409 (-)		<0.2	4.05	12	13	310	2.1	<1	1.77	<0.5	134	20.6	183	53.8	6.96

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012		DATE RECEIVED: Jun 18, 2012					DATE REPORTED: Jul 04, 2012					SAMPLE TYPE: Soil				
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe	
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01	
SE 5505610 (-)		0.2	3.67	<1	20	319	1.5	<1	2.17	<0.5	110	21.3	234	49.5	7.09	
SE 5505611 (-)		0.3	4.25	9	21	407	2.1	<1	2.49	<0.5	121	14.0	77.8	43.3	5.41	
SE 5505612 (-)		0.2	3.13	39	8	458	1.7	<1	2.52	0.7	93	22.7	67.7	44.0	7.13	
SE 5505613 (-)		<0.2	0.84	6	<5	511	0.7	<1	1.58	<0.5	50	7.4	50.5	17.3	2.18	
SE 5505614 (-)		<0.2	3.06	<1	14	840	<0.5	<1	1.50	0.7	74	34.8	289	49.1	7.09	
SE 5505615 (-)		<0.2	4.70	38	24	1010	2.1	<1	2.24	1.0	213	20.6	163	62.4	6.46	
SE 5505616 (-)		0.3	4.69	113	18	797	2.1	<1	1.73	2.0	151	15.8	119	48.0	5.44	
SE 5505617 (-)		0.3	1.75	349	<5	257	1.2	<1	0.24	6.1	31	18.5	43.1	42.6	5.28	
SE 5505618 (-)		0.4	0.83	1200	<5	225	1.5	<1	0.38	19.1	16	12.7	17.0	32.9	4.93	
SE 5505619 (-)		0.5	2.13	325	7	372	1.5	<1	0.87	6.6	67	16.7	28.4	41.7	4.90	
SE 5505620 (-)		0.2	2.19	45	<5	198	1.8	<1	0.20	1.2	22	20.3	35.5	50.4	4.63	
SE 5505621 (-)		0.3	1.89	174	<5	200	1.7	<1	0.36	2.7	36	16.1	43.3	35.8	4.12	
SE 5505622 (-)		<0.2	3.17	<1	10	243	1.3	<1	1.75	<0.5	111	23.7	262	49.6	6.24	
SE 5505623 (-)		<0.2	1.49	<1	<5	158	1.1	<1	1.18	<0.5	62	8.1	44.4	18.4	3.39	
SE 5505624 (-)		0.3	4.11	<1	116	291	1.6	<1	2.19	<0.5	132	20.9	172	58.8	6.72	
SE 5505625 (-)		0.2	2.15	<1	7	125	1.1	<1	1.23	<0.5	71	5.6	48.9	22.1	3.29	
SE 5505626 (-)		0.2	2.70	<1	17	220	1.2	<1	2.24	<0.5	93	11.5	112	50.2	4.20	
SE 5505627 (-)		0.3	1.21	36	7	215	0.7	<1	1.61	0.9	29	9.3	47.8	43.4	1.94	
SE 5505628 (-)		0.7	1.16	419	9	220	0.9	<1	1.96	7.0	19	7.4	25.0	32.4	2.44	
SE 5505629 (-)		0.5	1.54	142	5	275	1.4	<1	0.54	2.7	23	19.7	44.6	47.8	4.70	
SE 5505630 (-)		<0.2	2.66	<1	<5	271	1.2	<1	0.96	<0.5	63	11.5	170	32.6	7.17	
SE 5505631 (-)		0.2	2.22	<1	7	266	0.9	<1	0.92	<0.5	63	14.8	171	28.6	5.85	
SE 5505632 (-)		<0.2	2.66	<1	<5	422	1.1	<1	1.08	<0.5	102	14.7	152	32.6	5.43	
SE 5505633 (-)		0.5	0.88	4	5	225	0.7	<1	1.73	0.5	64	4.4	13.2	28.8	0.77	
SE 5505634 (-)		0.3	0.98	11	<5	238	0.6	<1	0.98	<0.5	32	4.9	35.6	17.3	1.49	
SE 5505635 (-)		0.3	2.18	12	5	298	1.0	<1	0.90	0.5	64	15.2	80.8	28.7	4.13	
SE 5505636 (-)		<0.2	3.41	<1	6	217	1.4	<1	1.87	<0.5	104	10.3	129	44.0	5.35	
SE 5505310 (-)		1.2	0.61	5030	9	87	<0.5	<1	7.59	81.8	11	11.2	10.2	22.5	3.45	
SE 5505311 (-)		1.1	0.60	2610	11	75	<0.5	<1	9.81	41.5	12	6.9	12.3	17.2	2.24	
SE 5505312 (-)		1.2	0.36	6640	9	83	<0.5	<1	11.9	112	8	5.9	8.3	14.8	2.62	
SE 5505313 (-)		1.3	0.83	4460	10	134	<0.5	<1	9.77	72.6	14	8.7	16.8	25.8	3.24	
SE 5505314 (-)		1.3	0.36	>10000	8	104	<0.5	2	8.97	217	7	3.5	6.2	9.6	4.32	

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012		DATE RECEIVED: Jun 18, 2012						DATE REPORTED: Jul 04, 2012				SAMPLE TYPE: Soil			
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
SE 5505315 (-)		1.1	0.28	4970	10	71	<0.5	<1	9.93	78.6	7	4.4	7.0	12.5	2.87
SE 5505316 (-)		1.2	0.96	3840	9	182	0.6	<1	4.84	63.3	19	7.8	17.9	20.9	4.92
SE 5505317 (-)		0.9	0.84	3630	7	137	0.7	<1	6.99	59.7	15	8.2	16.5	23.5	3.94
SE 5505318 (-)		1.3	1.14	1860	5	137	1.3	<1	3.24	29.5	12	23.9	25.5	83.3	4.78
SE 5505319 (-)		0.8	0.46	768	7	69	<0.5	<1	11.1	12.5	11	4.5	8.6	11.5	1.65
SE 5505320 (-)		1.3	0.45	1380	8	66	<0.5	<1	13.0	21.8	8	4.8	7.8	10.3	1.71
SE 5505321 (-)		0.4	0.69	1420	<5	170	1.4	<1	0.32	22.1	10	13.3	12.2	31.4	3.48
SE 5505322 (-)		0.2	0.94	99	<5	278	1.8	<1	0.06	1.5	6	22.7	19.2	45.8	4.77
SE 5505323 (-)		<0.2	2.94	694	5	251	2.3	<1	0.04	10.5	12	31.4	39.6	48.7	6.75
SE 5505324 (-)		0.2	1.62	339	<5	132	0.8	<1	0.04	6.1	7	10.8	31.2	22.9	4.62
SE 5505325 (-)		0.3	1.76	14	<5	200	1.3	<1	0.17	<0.5	16	13.1	30.8	26.4	3.79
SE 5505326 (-)		<0.2	1.77	13	<5	193	1.1	<1	0.30	<0.5	9	14.1	34.8	17.5	4.09
SE 5505327 (-)		0.4	1.89	9	<5	232	1.8	<1	0.20	0.5	17	25.9	34.3	60.1	4.91
SE 5505328 (-)		0.6	1.60	12	<5	288	1.5	<1	0.36	<0.5	11	13.8	27.3	29.0	3.43
SE 5505329 (-)		0.4	1.93	6	<5	343	1.6	<1	0.33	<0.5	9	11.3	34.2	31.8	3.60
SE 5505330 (-)		<0.2	4.21	<1	12	223	1.7	<1	1.78	<0.5	120	32.0	245	68.2	8.28
SE 5505331 (-)		<0.2	1.81	<1	<5	344	1.1	<1	0.33	0.6	45	7.5	75.9	37.1	4.48
SE 5505332 (-)		0.3	4.00	<1	16	592	2.5	<1	5.02	<0.5	146	51.2	235	96.4	8.55
SE 5505333 (-)		0.4	1.57	29	<5	175	0.9	<1	0.29	0.5	23	6.8	48.7	22.3	2.46
SE 5505334 (-)		<0.2	3.44	<1	60	504	2.6	<1	2.29	<0.5	95	21.0	271	64.6	6.84
SE 5505335 (-)		0.3	2.40	<1	8	433	1.2	<1	2.29	<0.5	58	14.7	101	44.3	3.33
SE 5505336 (-)		0.4	1.41	1	8	325	0.9	<1	2.01	<0.5	39	9.3	47.5	33.2	1.82
SE 5505337 (-)		0.2	3.85	<1	20	895	4.2	<1	2.24	<0.5	107	22.2	204	73.6	6.19
SE 5505338 (-)		0.6	2.47	<1	11	913	1.4	<1	2.33	<0.5	66	14.5	94.9	34.6	4.46
SE 5505339 (-)		<0.2	3.19	<1	10	281	1.4	<1	1.56	<0.5	88	20.6	115	46.7	6.64
SE 5505340 (-)		<0.2	3.07	<1	7	278	0.8	<1	1.49	<0.5	63	23.6	222	56.7	6.02
SE 5505341 (-)		0.3	2.67	81	<5	492	1.0	<1	0.52	1.9	44	13.7	68.5	27.1	5.02
SE 5505342 (-)		<0.2	3.10	<1	7	352	1.5	<1	1.86	<0.5	93	21.0	189	60.8	6.19
SE 5505343 (-)		<0.2	2.17	<1	<5	183	0.9	<1	1.27	<0.5	56	11.1	90.2	25.4	3.23
SE 5505344 (-)		<0.2	3.68	<1	10	182	1.4	<1	2.69	<0.5	126	18.3	201	46.5	7.84
SE 5505345 (-)		<0.2	1.54	<1	<5	221	<0.5	<1	0.49	<0.5	35	5.8	115	24.1	3.63
SE 5505346 (-)		<0.2	3.96	<1	9	217	0.7	<1	1.78	<0.5	161	24.8	219	71.7	6.68

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012		DATE RECEIVED: Jun 18, 2012						DATE REPORTED: Jul 04, 2012				SAMPLE TYPE: Soil			
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
SE 5505347 (-)		0.2	3.30	<1	5	321	<0.5	<1	2.33	<0.5	70	26.2	441	54.2	6.05
SE 5505348 (-)		0.4	3.24	<1	8	355	<0.5	<1	1.84	<0.5	66	26.5	438	56.6	5.65
SE 5505349 (-)		2.9	1.86	10	<5	95	<0.5	5	0.85	4.8	19	16.7	32.7	739	4.76
SE 5505350 (-)		<0.2	<0.01	16	<5	11	<0.5	<1	21.0	<0.5	12	0.9	<0.5	2.0	0.37
SE 5505351 (-)		0.9	0.01	<1	<5	11	<0.5	<1	20.3	<0.5	<1	<0.5	1.6	<0.5	0.43
SE 5505352 (-)		0.2	2.92	49	<5	367	1.4	<1	1.02	1.4	88	14.9	107	37.8	4.98
SE 5505353 (-)		0.3	2.45	114	<5	413	1.0	<1	0.85	2.8	56	19.6	113	36.3	4.47
SE 5505354 (-)		0.4	1.59	144	<5	236	0.9	<1	0.46	2.4	23	12.0	43.8	22.3	3.80
SE 5505355 (-)		0.4	0.91	29	<5	166	0.6	<1	2.18	0.9	30	7.5	32.6	27.2	1.72
SE 5505356 (-)		0.4	1.96	90	<5	289	1.5	<1	0.99	1.6	51	17.6	83.1	27.0	4.16
SE 5505357 (-)		<0.2	2.68	166	<5	324	1.4	<1	1.38	3.3	56	17.5	122	46.6	4.59
SE 5505358 (-)		0.4	1.67	1040	7	256	1.4	<1	1.17	16.6	38	18.0	75.8	44.6	4.48
SE 5505359 (-)		0.4	1.98	9	<5	182	1.6	<1	0.39	<0.5	26	23.4	50.3	37.5	4.41
SE 5508060 (-)		0.4	2.46	4	<5	243	1.7	<1	0.59	<0.5	42	19.2	70.0	42.6	4.40
SE 5508061 (-)		0.3	1.79	3	<5	140	0.9	<1	0.09	<0.5	16	14.4	38.8	26.5	3.82
SE 5508062 (-)		0.4	2.79	<1	<5	417	1.7	<1	1.60	0.5	64	15.5	112	77.6	4.49
SE 5508063 (-)		<0.2	2.04	3	<5	243	0.8	<1	0.58	<0.5	18	16.9	58.6	18.1	4.85
SE 5508064 (-)		0.3	1.78	11	<5	265	1.0	<1	0.13	<0.5	15	11.7	33.9	23.3	4.02
SE 5508065 (-)		<0.2	2.74	<1	<5	293	1.4	<1	0.50	<0.5	53	14.7	167	37.2	6.90
SE 5508066 (-)		0.3	3.04	17	5	231	1.8	<1	0.25	0.9	72	27.8	70.6	69.3	4.41
SE 5508067 (-)		0.6	2.48	5	<5	718	1.4	<1	1.03	0.5	65	18.5	69.4	64.9	3.68
SE 5508068 (-)		0.6	2.14	<1	6	601	1.1	<1	1.44	0.5	48	17.3	73.5	51.6	3.02
SE 5508069 (-)		0.3	2.24	5	<5	239	1.3	<1	0.63	<0.5	31	18.3	56.8	33.3	4.25
SE 5508070 (-)		1.0	1.79	<1	<5	456	2.2	<1	1.29	<0.5	65	16.1	31.4	59.7	2.59
SE 5508071 (-)		<0.2	0.86	<1	<5	152	<0.5	<1	0.17	<0.5	24	1.2	36.8	17.6	1.88
SE 5508072 (-)		0.4	2.15	5	<5	125	1.2	<1	0.08	<0.5	23	16.5	45.8	39.2	4.63
SE 5508073 (-)		<0.2	2.08	82	6	281	1.6	<1	0.97	2.3	55	23.4	118	46.7	5.05
SE 5508074 (-)		<0.2	3.09	50	10	343	1.7	<1	1.96	0.9	89	19.8	152	72.4	6.08
SE 5508075 (-)		0.3	2.68	19	<5	342	1.3	<1	1.13	0.6	47	19.3	96.9	29.9	4.66
SE 5508076 (-)		<0.2	2.25	30	<5	272	1.1	<1	0.89	0.9	60	21.4	105	31.0	4.93
SE 5508077 (-)		0.4	2.63	17	<5	317	1.3	<1	0.75	0.6	43	21.3	87.3	28.2	4.39
SE 5508078 (-)		1.1	1.72	16	<5	476	1.4	<1	1.31	1.4	53	14.0	42.7	43.4	2.43

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012		DATE RECEIVED: Jun 18, 2012					DATE REPORTED: Jul 04, 2012					SAMPLE TYPE: Soil			
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
SE 5508079 (-)		0.5	2.58	13	9	290	1.4	<1	0.61	0.9	31	23.9	111	55.7	4.86
SE 5508080 (-)		0.4	2.25	15	<5	313	1.2	<1	0.53	<0.5	34	15.1	70.5	36.2	4.09
SE 5508081 (-)		0.3	1.84	12	<5	185	1.2	<1	0.33	<0.5	15	15.7	44.1	30.1	3.81
SE 5508082 (-)		0.4	1.95	143	18	314	1.5	<1	0.91	2.9	41	15.8	76.9	43.6	4.56
SE 5508083 (-)		0.6	1.79	176	8	270	1.5	<1	1.11	3.1	37	15.1	63.6	58.3	3.75
SE 5508084 (-)		0.6	1.38	3	6	462	1.2	<1	2.33	0.6	28	9.9	41.6	53.3	1.90
SE 5508085 (-)		0.3	2.06	5	<5	148	1.6	<1	0.11	<0.5	14	17.8	38.8	42.2	3.61
SE 5508086 (-)		0.4	1.69	6	<5	250	1.0	<1	0.34	<0.5	10	10.8	28.5	41.1	3.22
SE 5508087 (-)		0.3	2.05	3	<5	255	1.4	<1	0.41	<0.5	19	14.2	36.6	42.8	3.25
SE 5508088 (-)		0.2	2.40	<1	<5	131	0.9	<1	0.02	<0.5	7	19.5	40.5	44.9	4.10
SE 5508089 (-)		<0.2	2.68	<1	<5	322	1.6	<1	0.01	<0.5	8	19.1	50.8	26.8	5.27
SE 5508090 (-)		<0.2	2.84	17	5	400	1.4	<1	0.84	0.5	49	18.5	105	34.8	4.30
SE 5508091 (-)		0.2	2.75	28	6	483	1.4	<1	1.08	1.0	43	19.2	98.3	40.8	4.65
SE 5508092 (-)		1.1	1.91	16	8	583	1.6	<1	1.97	1.1	85	13.2	51.6	65.8	2.61
SE 5508093 (-)		0.2	2.85	7	<5	394	1.4	<1	0.90	0.7	63	20.6	97.4	30.0	4.47
SE 5508094 (-)		0.4	3.04	6	<5	435	1.8	<1	1.19	1.1	115	24.6	91.2	40.2	4.44
SE 5508095 (-)		0.3	2.29	14	6	270	1.7	<1	0.92	0.6	67	21.8	89.6	55.9	4.66
SE 5508096 (-)		<0.2	2.26	18	<5	323	1.9	<1	0.37	<0.5	43	32.6	57.8	53.2	4.68
SE 5508097 (-)		0.3	2.63	5	<5	335	1.9	<1	0.48	0.5	63	25.5	70.8	61.0	5.28
SE 5508098 (-)		0.3	2.73	6	<5	356	2.0	<1	0.55	0.5	66	24.1	73.7	62.6	5.14
SE 5508099 (-)		3.1	2.04	9	<5	106	<0.5	5	1.02	4.9	22	16.2	34.1	730	4.77
SE 5508100 (-)		1.6	0.02	<1	<5	15	<0.5	<1	20.0	<0.5	<1	<0.5	0.9	0.8	0.44
SE 5508101 (-)		0.4	2.57	<1	<5	350	1.6	<1	0.89	<0.5	37	16.0	92.0	42.3	4.00
SE 5508102 (-)		<0.2	0.56	13	24	358	0.6	<1	3.79	<0.5	7	3.8	39.9	23.3	0.69
SE 5508103 (-)		0.6	1.05	3	6	498	1.0	<1	2.44	<0.5	12	8.6	34.4	43.9	1.70
SE 5508104 (-)		0.4	2.24	4	<5	333	1.7	<1	0.28	<0.5	29	27.0	46.6	40.0	4.27
SE 5508105 (-)		<0.2	2.26	<1	<5	147	0.9	<1	0.04	<0.5	11	15.5	42.7	19.1	4.40
SE 5508106 (-)		0.4	2.59	10	<5	110	0.9	<1	0.04	<0.5	18	12.8	48.8	25.6	5.33
SE 5508107 (-)		0.2	2.63	3	<5	287	1.6	<1	0.03	<0.5	11	24.8	47.1	28.1	5.59
SE 5508108 (-)		0.4	2.10	6	<5	155	0.6	<1	0.02	0.5	19	13.8	35.8	22.5	3.95
SE 5508109 (-)		<0.2	2.58	<1	<5	241	1.4	<1	0.45	<0.5	47	18.3	70.8	40.7	4.27
SE 5508660 (-)		0.4	2.41	11	<5	59	1.6	<1	0.02	<0.5	11	18.7	46.0	41.7	4.89

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
SE 5508661 (-)	<0.2	2.15	4	<5	68	1.5	<1	0.01	<0.5	11	17.7	39.5	35.9	4.44
SE 5508662 (-)	0.2	1.76	11	<5	77	0.7	<1	0.01	<0.5	10	13.9	27.8	26.0	4.17
SE 5508663 (-)	0.4	2.69	4	<5	111	1.4	<1	0.05	<0.5	22	22.0	53.5	30.3	6.10
SE 5508664 (-)	0.3	2.86	<1	<5	250	1.6	<1	0.09	<0.5	11	14.6	43.7	33.6	5.25
SE 5508665 (-)	0.3	2.10	<1	<5	153	0.8	<1	0.01	<0.5	10	7.9	38.0	29.5	4.42
SE 5508666 (-)	<0.2	2.34	2	<5	289	1.1	<1	0.02	<0.5	11	16.0	39.5	24.5	5.65
TE 5508110 (-)	<0.2	2.58	110	8	324	1.5	<1	1.77	1.9	86	17.7	181	64.6	5.97
TE 5508111 (-)	0.6	1.44	280	<5	283	1.4	<1	0.69	5.2	21	19.1	40.0	47.4	4.24
TE 5508112 (-)	0.3	1.92	35	<5	215	1.3	<1	1.63	1.2	38	15.0	83.5	48.1	4.40
TE 5508113 (-)	0.5	1.41	<1	16	351	1.3	<1	2.26	<0.5	24	9.7	95.1	54.5	2.46
TE 5508114 (-)	0.5	1.96	4	10	349	1.7	<1	1.16	<0.5	11	11.1	85.3	38.2	3.16
TE 5508115 (-)	0.7	1.20	4	20	577	1.1	<1	2.64	0.9	12	9.7	61.8	60.7	2.16
TE 5508116 (-)	0.6	1.48	1	9	711	1.0	<1	1.29	<0.5	12	11.2	48.9	48.6	3.19

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012		DATE RECEIVED: Jun 18, 2012				DATE REPORTED: Jul 04, 2012				SAMPLE TYPE: Soil					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
SE 5505460 (-)		16	<1	<1	0.10	40	57	2.48	1590	0.6	0.01	135	1550	5.3	28
SE 5505461 (-)		17	<1	<1	0.07	33	86	3.79	3120	2.0	0.01	173	1700	4.5	21
SE 5505462 (-)		8	<1	<1	0.15	16	27	0.82	1880	3.4	<0.01	52.8	926	21.3	32
SE 5505463 (-)		15	<1	<1	0.11	45	63	2.29	1620	1.1	0.01	108	1670	6.5	30
SE 5505464 (-)		10	<1	<1	0.10	45	32	1.07	2390	2.0	<0.01	83.1	1730	9.0	22
SE 5505465 (-)		11	<1	<1	0.11	46	43	1.57	2880	1.4	0.02	86.8	1850	10.1	24
SE 5505466 (-)		11	<1	<1	0.17	36	40	1.25	1880	2.5	0.01	69.1	1510	16.0	34
SE 5505467 (-)		11	<1	<1	0.13	22	35	0.89	1460	0.7	<0.01	47.1	1190	12.8	29
SE 5505468 (-)		7	<1	<1	0.20	7	21	0.35	1020	2.7	<0.01	39.3	1290	24.8	28
SE 5505469 (-)		8	<1	<1	0.14	7	17	0.44	1950	2.1	<0.01	33.8	769	23.0	29
SE 5505470 (-)		7	<1	<1	0.14	9	16	0.27	1050	0.6	<0.01	30.4	638	14.1	35
SE 5505471 (-)		8	<1	<1	0.15	4	14	0.40	484	1.1	<0.01	23.3	674	14.6	39
SE 5505472 (-)		10	<1	<1	0.08	3	29	0.54	778	1.1	<0.01	33.2	369	29.4	17
SE 5505473 (-)		<5	<1	1	0.10	3	5	0.17	2040	0.7	<0.01	22.5	781	17.8	15
SE 5505474 (-)		<5	<1	<1	0.11	3	8	0.20	2770	0.8	<0.01	13.4	708	16.9	19
SE 5505475 (-)		5	<1	<1	0.22	2	22	0.55	1490	0.7	<0.01	30.3	238	21.2	25
SE 5505476 (-)		<5	<1	<1	0.22	8	12	0.38	696	1.3	<0.01	30.4	579	21.9	25
SE 5505477 (-)		5	<1	<1	0.21	4	13	0.25	417	2.2	<0.01	25.2	559	19.7	28
SE 5505478 (-)		8	<1	<1	0.26	3	31	0.57	1200	2.9	<0.01	38.0	753	22.3	38
SE 5505479 (-)		6	<1	<1	0.16	2	40	0.70	2310	1.7	<0.01	32.9	236	36.2	24
SE 5505480 (-)		<5	<1	<1	0.23	5	16	0.63	783	<0.5	<0.01	28.6	416	14.6	23
SE 5505483 (-)		<5	<1	<1	0.20	6	2	0.04	138	<0.5	<0.01	31.1	277	18.6	21
SE 5505484 (-)		<5	1	<1	0.17	4	3	0.09	493	0.5	<0.01	11.8	512	25.4	20
SE 5505485 (-)		<5	2	<1	0.13	5	3	0.07	723	<0.5	<0.01	22.7	567	33.4	19
SE 5505486 (-)		<5	<1	<1	0.15	7	3	0.08	641	0.6	<0.01	26.4	468	26.2	17
SE 5505487 (-)		<5	<1	<1	0.16	5	3	0.08	927	<0.5	<0.01	18.0	736	25.1	24
SE 5505488 (-)		5	10	<1	0.29	5	4	3.95	756	1.0	0.01	12.1	902	172	30
SE 5505489 (-)		<5	7	<1	0.12	9	7	0.45	1290	<0.5	<0.01	22.9	722	302	17
SE 5505490 (-)		<5	<1	<1	0.20	3	21	0.38	1420	1.1	<0.01	34.4	266	51.4	24
SE 5505491 (-)		<5	5	<1	0.19	4	6	0.20	788	0.7	<0.01	25.5	355	115	25
SE 5505492 (-)		<5	9	<1	0.11	7	8	0.93	1240	1.0	<0.01	23.7	758	299	18
SE 5505493 (-)		6	4	<1	0.17	10	19	0.44	967	0.8	<0.01	28.2	747	115	37

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012		DATE RECEIVED: Jun 18, 2012				DATE REPORTED: Jul 04, 2012				SAMPLE TYPE: Soil					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
SE 5505494 (-)		8	<1	<1	0.09	8	14	0.33	791	1.4	<0.01	21.1	666	35.7	28
SE 5505495 (-)		6	1	<1	0.14	5	13	0.27	1080	<0.5	<0.01	24.7	607	69.0	26
SE 5505496 (-)		7	<1	<1	0.15	9	19	0.44	1360	1.3	<0.01	33.1	680	58.3	26
SE 5505497 (-)		9	<1	<1	0.19	7	24	0.44	815	1.8	<0.01	24.6	1010	18.7	100
SE 5505498 (-)		7	<1	<1	0.26	7	24	0.38	819	2.0	0.01	21.2	1090	19.2	110
SE 5505499 (-)		9	<1	<1	0.23	9	13	1.11	606	11.8	0.08	32.3	594	258	17
SE 5505500 (-)		<5	<1	<1	0.01	2	<1	12.6	283	0.6	<0.01	0.9	265	2.8	<10
SE 5505501 (-)		8	<1	<1	0.11	3	17	0.28	833	1.7	<0.01	20.5	765	18.1	32
SE 5505502 (-)		7	<1	<1	0.16	3	12	0.27	1810	0.7	<0.01	20.3	752	20.7	35
SE 5505503 (-)		<5	<1	<1	0.22	4	6	0.33	908	1.8	<0.01	23.3	815	20.3	34
SE 5505504 (-)		<5	<1	<1	0.19	5	3	0.12	1100	0.9	<0.01	30.2	466	19.2	18
SE 5505505 (-)		8	<1	<1	0.18	5	20	0.48	663	1.2	<0.01	27.0	418	16.6	35
SE 5505506 (-)		8	<1	<1	0.09	8	9	0.35	476	2.0	<0.01	20.7	371	14.0	24
SE 5505507 (-)		6	<1	<1	0.33	6	23	0.50	409	6.2	<0.01	45.1	725	18.7	49
SE 5505360 (-)		19	6	<1	0.19	41	34	2.72	1520	3.0	0.16	115	1960	6.2	48
SE 5505361 (-)		5	<1	<1	0.12	12	5	0.48	1610	1.2	0.07	15.6	2010	9.8	20
SE 5505362 (-)		17	<1	<1	0.14	45	25	2.31	1520	0.6	0.27	89.6	2260	8.2	33
SE 5505363 (-)		9	<1	<1	0.09	40	9	0.61	651	1.3	0.02	25.2	1530	9.2	19
SE 5505364 (-)		20	<1	<1	0.12	54	26	2.11	1030	1.3	0.07	76.7	1430	11.6	32
SE 5505365 (-)		19	<1	<1	0.52	56	45	5.08	1580	1.7	0.20	165	2160	5.4	105
SE 5505366 (-)		18	<1	1	0.26	63	32	2.86	1750	0.7	0.04	89.8	2460	8.7	67
SE 5505367 (-)		12	<1	<1	0.20	23	18	1.32	840	2.0	0.02	57.9	1340	8.8	34
SE 5505368 (-)		14	8	<1	0.27	35	33	2.08	1210	1.0	0.02	77.1	1960	9.4	54
SE 5505369 (-)		15	<1	<1	0.26	32	36	2.27	1520	0.9	0.03	78.0	1870	8.7	54
SE 5505370 (-)		12	<1	2	0.10	57	23	1.65	2650	2.4	0.03	78.2	2320	6.0	24
SE 5505371 (-)		<5	13	<1	0.01	2	<1	9.47	646	0.7	<0.01	2.5	340	4.9	<10
SE 5505372 (-)		15	34	<1	0.23	60	54	2.40	1930	<0.5	0.02	117	3020	9.7	39
SE 5505373 (-)		7	<1	<1	0.24	20	19	0.76	1060	3.6	<0.01	70.6	1290	15.6	28
SE 5505374 (-)		7	6	2	0.14	12	17	1.18	1370	0.6	<0.01	43.5	841	17.9	22
SE 5505375 (-)		5	1	<1	0.27	4	18	0.34	917	0.8	<0.01	42.3	151	18.1	58
SE 5505376 (-)		6	8	<1	0.09	6	5	2.76	2170	1.7	<0.01	13.1	1230	34.7	17
SE 5505377 (-)		<5	11	<1	0.13	5	8	0.10	1090	1.3	<0.01	27.0	455	133	21

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012		DATE RECEIVED: Jun 18, 2012					DATE REPORTED: Jul 04, 2012					SAMPLE TYPE: Soil			
	Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
	Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
SE 5505378 (-)		<5	1	<1	0.15	4	3	0.14	650	<0.5	<0.01	25.8	255	30.9	15
SE 5505379 (-)		5	<1	<1	0.10	7	21	0.38	1150	1.2	<0.01	33.4	539	21.1	20
SE 5505380 (-)		5	<1	<1	0.15	6	8	0.22	2540	1.8	<0.01	18.2	1120	25.4	26
SE 5505381 (-)		13	<1	<1	0.34	48	57	1.13	2700	1.9	0.01	68.9	2120	11.3	57
SE 5505382 (-)		9	<1	<1	0.13	4	32	0.48	1050	1.2	<0.01	23.5	574	17.5	42
SE 5505383 (-)		6	<1	<1	0.12	3	29	0.59	793	2.3	<0.01	28.3	689	14.3	29
SE 5505384 (-)		6	<1	<1	0.15	3	27	0.62	847	0.5	<0.01	28.0	756	17.3	36
SE 5505385 (-)		6	<1	<1	0.12	3	36	0.59	823	0.8	<0.01	30.3	583	16.3	33
SE 5505386 (-)		6	<1	<1	0.14	2	8	0.20	530	1.1	<0.01	11.6	492	14.7	29
SE 5505387 (-)		12	<1	<1	0.15	46	28	1.58	1790	1.4	0.08	57.1	2220	10.5	32
SE 5505388 (-)		10	<1	<1	0.13	34	23	1.44	1540	0.8	0.03	55.4	1790	13.4	36
SE 5505389 (-)		<5	<1	<1	0.08	9	4	0.29	199	0.5	0.03	12.4	788	5.8	<10
SE 5505390 (-)		12	<1	<1	0.19	26	24	2.28	1270	2.1	0.15	89.1	1730	10.6	38
SE 5505391 (-)		11	<1	<1	0.13	40	25	1.59	896	1.7	0.02	74.8	2190	6.1	27
SE 5505392 (-)		10	<1	<1	0.12	29	20	1.28	899	1.1	0.01	47.8	1670	6.7	32
SE 5505393 (-)		11	<1	2	0.17	29	25	1.64	673	0.9	0.02	69.4	1570	7.6	45
SE 5505394 (-)		10	<1	<1	0.16	43	25	2.13	901	1.6	0.14	80.0	2270	6.7	31
SE 5505395 (-)		15	<1	<1	0.14	43	33	2.61	1180	0.9	0.12	94.2	1890	7.3	32
SE 5505396 (-)		11	<1	<1	0.13	5	41	0.81	547	<0.5	0.01	37.2	304	37.5	25
SE 5505397 (-)		9	<1	1	0.15	12	32	0.96	845	<0.5	0.02	43.1	567	22.8	28
SE 5505398 (-)		10	<1	<1	0.18	13	36	1.07	1050	1.2	0.02	45.6	576	29.0	32
SE 5505399 (-)		9	<1	<1	0.24	9	14	1.13	630	12.0	0.08	31.8	620	249	18
SE 5505400 (-)		<5	<1	2	0.01	1	<1	10.7	268	0.6	<0.01	2.0	170	2.4	<10
SE 5505401 (-)		14	<1	<1	0.07	42	21	1.27	5030	1.2	0.02	46.6	1420	10.2	13
SE 5505402 (-)		11	<1	1	0.06	19	9	0.73	572	1.8	0.01	34.9	1110	17.6	11
SE 5505403 (-)		18	6	1	0.27	53	45	2.84	1580	1.3	0.05	101	2970	7.9	60
SE 5505404 (-)		21	17	3	0.10	58	49	4.41	1780	<0.5	0.30	103	3830	5.6	25
SE 5505405 (-)		20	2	<1	0.24	56	33	2.97	1810	0.9	0.08	83.3	2300	10.9	61
SE 5505406 (-)		26	<1	2	0.14	76	66	6.36	2480	<0.5	0.04	171	3750	3.8	33
SE 5505407 (-)		19	<1	<1	0.34	73	49	3.72	1760	<0.5	0.29	117	2830	5.9	64
SE 5505408 (-)		21	<1	3	0.21	75	60	4.57	2270	<0.5	0.13	142	2840	4.8	46
SE 5505409 (-)		20	<1	1	0.14	69	48	3.29	1740	<0.5	0.16	109	2870	6.2	35

Certified By:

Ron Cardinali



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012		DATE RECEIVED: Jun 18, 2012				DATE REPORTED: Jul 04, 2012				SAMPLE TYPE: Soil					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
SE 5505610 (-)		20	<1	2	0.21	53	51	3.19	2060	1.8	0.14	122	2330	5.8	47
SE 5505611 (-)		16	<1	1	0.68	63	45	2.34	1590	0.6	0.94	52.8	3050	5.6	104
SE 5505612 (-)		17	<1	<1	0.16	48	63	3.56	1850	0.5	0.05	38.6	2930	3.4	24
SE 5505613 (-)		7	<1	<1	0.05	25	12	1.02	728	0.9	0.02	23.5	1680	5.5	<10
SE 5505614 (-)		17	<1	<1	0.12	39	85	2.95	2110	0.8	0.09	147	2100	4.2	25
SE 5505615 (-)		17	<1	2	0.58	99	80	3.16	2140	0.9	0.08	104	4200	10.0	106
SE 5505616 (-)		15	<1	<1	0.49	71	63	2.42	1800	1.1	0.26	78.9	3540	12.4	78
SE 5505617 (-)		7	<1	<1	0.18	12	29	0.59	1180	1.2	0.01	37.2	772	19.4	29
SE 5505618 (-)		<5	4	<1	0.11	6	6	0.27	1350	<0.5	<0.01	30.6	518	44.8	22
SE 5505619 (-)		11	<1	<1	0.20	32	27	0.82	1680	0.9	0.01	31.8	2300	40.4	37
SE 5505620 (-)		8	<1	1	0.20	11	38	0.85	1140	1.3	<0.01	41.6	424	24.5	30
SE 5505621 (-)		7	2	<1	0.21	12	26	0.73	978	<0.5	<0.01	39.2	1010	22.6	36
SE 5505622 (-)		18	<1	<1	0.18	59	33	3.47	1630	1.3	0.05	143	1920	8.4	41
SE 5505623 (-)		11	<1	<1	0.34	31	10	0.90	700	2.2	0.04	23.6	1780	10.3	48
SE 5505624 (-)		18	<1	<1	0.23	71	28	3.00	1670	0.6	0.55	97.2	3160	5.6	51
SE 5505625 (-)		9	<1	1	0.13	37	12	0.99	619	1.2	0.17	29.7	1530	9.4	24
SE 5505626 (-)		13	<1	<1	0.21	54	19	1.88	1040	1.1	0.25	70.1	1780	6.9	39
SE 5505627 (-)		7	<1	1	0.09	21	9	0.63	705	<0.5	0.06	30.8	1500	10.2	24
SE 5505628 (-)		<5	2	1	0.07	11	10	0.58	936	0.8	0.01	21.4	1720	41.9	17
SE 5505629 (-)		8	8	<1	0.14	11	27	0.76	1180	2.1	0.02	43.7	712	21.5	24
SE 5505630 (-)		19	<1	<1	0.14	28	28	1.77	1430	1.3	0.02	68.1	1270	8.5	34
SE 5505631 (-)		18	<1	1	0.29	31	19	2.12	1420	0.5	0.03	79.9	1510	9.9	63
SE 5505632 (-)		14	<1	<1	0.16	57	31	2.42	1140	1.3	0.04	84.2	1900	7.6	32
SE 5505633 (-)		<5	<1	<1	0.05	41	2	0.23	1220	1.3	0.01	10.0	1820	4.4	<10
SE 5505634 (-)		<5	<1	<1	0.06	20	6	0.47	281	1.1	0.03	19.9	1930	5.1	11
SE 5505635 (-)		10	<1	<1	0.28	31	21	1.23	772	1.2	0.02	47.2	2130	8.7	51
SE 5505636 (-)		13	<1	<1	0.22	58	32	2.31	1180	1.7	0.20	67.8	2410	7.0	42
SE 5505310 (-)		<5	842	<1	0.14	5	4	4.38	1570	1.5	<0.01	19.5	1230	43.2	19
SE 5505311 (-)		<5	449	1	0.09	6	4	5.82	1370	1.2	0.01	14.3	1650	35.6	16
SE 5505312 (-)		5	171	1	0.06	4	2	6.77	1480	1.1	<0.01	10.6	1500	52.2	13
SE 5505313 (-)		5	9	<1	0.07	7	5	5.62	1880	1.4	<0.01	19.9	2220	60.7	15
SE 5505314 (-)		<5	30	2	0.04	4	2	5.05	2160	1.1	<0.01	8.8	1330	107	<10

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012		DATE RECEIVED: Jun 18, 2012						DATE REPORTED: Jul 04, 2012				SAMPLE TYPE: Soil			
	Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
	Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
SE 5505315 (-)		<5	10	<1	0.04	4	2	5.68	2250	0.7	<0.01	10.0	1340	29.3	<10
SE 5505316 (-)		<5	47	<1	0.04	9	5	2.44	3880	1.5	<0.01	18.2	1920	253	11
SE 5505317 (-)		<5	25	<1	0.11	7	8	3.87	2130	2.6	<0.01	19.0	1790	88.5	20
SE 5505318 (-)		7	4	<1	0.15	5	25	2.00	1430	6.7	<0.01	55.8	786	26.8	22
SE 5505319 (-)		<5	13	1	0.07	6	4	6.62	914	1.0	0.01	10.4	1050	22.9	12
SE 5505320 (-)		<5	6	2	0.10	5	3	7.91	1060	0.8	0.01	10.3	863	31.1	17
SE 5505321 (-)		<5	<1	1	0.14	3	6	0.17	582	0.9	<0.01	29.1	436	17.4	19
SE 5505322 (-)		5	<1	<1	0.19	1	13	0.20	803	0.7	<0.01	41.5	283	12.5	30
SE 5505323 (-)		10	1	<1	0.19	2	53	0.65	1670	1.1	<0.01	41.5	592	26.8	44
SE 5505324 (-)		8	<1	<1	0.13	3	15	0.24	1370	0.6	<0.01	17.1	980	17.1	44
SE 5505325 (-)		7	<1	<1	0.13	5	34	0.49	258	1.1	<0.01	32.0	537	17.4	25
SE 5505326 (-)		7	<1	<1	0.16	3	32	0.49	856	0.8	<0.01	27.9	546	16.5	43
SE 5505327 (-)		8	<1	<1	0.16	5	30	0.54	1680	0.9	<0.01	36.0	421	32.1	29
SE 5505328 (-)		6	<1	1	0.22	4	27	0.50	774	1.9	<0.01	25.8	807	20.3	46
SE 5505329 (-)		7	<1	<1	0.24	3	32	0.58	1090	1.0	<0.01	30.0	636	11.7	46
SE 5505330 (-)		24	<1	7	0.10	54	64	3.10	1980	2.9	0.02	107	2070	7.4	30
SE 5505331 (-)		12	<1	<1	0.17	24	10	0.48	961	4.8	<0.01	27.3	872	16.9	32
SE 5505332 (-)		25	<1	<1	0.09	74	56	3.76	3130	5.5	0.02	95.0	3200	6.9	24
SE 5505333 (-)		8	<1	<1	0.15	12	9	0.51	279	1.5	0.01	21.8	1270	13.0	42
SE 5505334 (-)		16	<1	<1	0.38	51	33	2.94	1070	0.6	0.09	113	2610	4.9	68
SE 5505335 (-)		11	<1	1	0.15	37	22	1.63	738	1.1	0.03	55.0	1370	7.1	32
SE 5505336 (-)		6	<1	<1	0.08	29	9	0.70	564	1.5	0.03	29.6	1460	4.2	21
SE 5505337 (-)		18	<1	<1	0.49	55	37	2.65	1430	1.3	0.08	107	2760	5.1	99
SE 5505338 (-)		15	<1	<1	0.47	38	16	1.61	2820	<0.5	0.04	55.6	1630	9.9	86
SE 5505339 (-)		17	<1	<1	0.31	37	30	2.58	1970	0.8	0.11	60.6	2760	7.0	54
SE 5505340 (-)		15	<1	<1	0.31	30	29	2.66	1780	1.3	0.05	101	1960	4.7	49
SE 5505341 (-)		11	<1	<1	0.13	20	25	0.99	1040	2.0	0.01	38.9	1030	12.9	38
SE 5505342 (-)		17	<1	2	0.12	55	29	2.65	1690	1.2	0.02	103	2180	6.0	32
SE 5505343 (-)		9	<1	<1	0.10	27	14	1.31	1250	1.9	0.40	48.2	1880	8.3	20
SE 5505344 (-)		23	<1	3	0.05	63	39	4.71	2300	<0.5	0.03	97.5	3270	7.5	22
SE 5505345 (-)		11	<1	2	0.10	18	8	0.75	610	2.0	0.05	37.8	1900	11.4	18
SE 5505346 (-)		22	<1	3	0.05	109	29	3.98	1560	1.2	0.05	123	1550	8.4	17

Certified By:

Ron Cardinali



Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
SE 5505347 (-)	16	<1	3	0.05	34	32	4.58	1280	0.9	0.14	218	1530	1.1	17
SE 5505348 (-)	16	<1	4	0.04	32	30	4.26	1110	<0.5	0.11	223	1170	1.1	16
SE 5505349 (-)	7	<1	2	0.22	8	13	1.11	571	12.0	0.11	30.0	620	241	18
SE 5505350 (-)	<5	<1	<1	<0.01	2	<1	13.1	240	1.9	<0.01	0.5	178	<0.5	<10
SE 5505351 (-)	<5	<1	<1	<0.01	1	<1	12.8	285	0.8	<0.01	1.1	186	3.2	<10
SE 5505352 (-)	14	<1	<1	0.23	47	24	1.48	1380	3.8	0.06	62.4	2210	13.1	45
SE 5505353 (-)	11	<1	<1	0.18	26	30	1.29	1030	0.6	0.02	70.1	1220	16.5	47
SE 5505354 (-)	9	<1	<1	0.21	8	26	0.46	972	2.1	<0.01	27.0	624	22.1	44
SE 5505355 (-)	5	<1	1	0.10	25	6	0.36	831	1.0	0.02	16.4	1830	7.8	20
SE 5505356 (-)	10	2	<1	0.12	23	22	1.10	1370	1.9	0.02	48.5	1400	15.5	30
SE 5505357 (-)	11	<1	<1	0.20	33	44	1.76	780	1.1	0.05	73.9	1480	15.0	46
SE 5505358 (-)	9	36	2	0.20	19	32	1.35	829	1.2	0.03	60.1	1140	21.7	34
SE 5505359 (-)	9	<1	2	0.12	12	31	0.65	1150	1.7	0.01	34.1	520	30.8	29
SE 5508060 (-)	11	<1	2	0.16	18	43	0.99	1090	<0.5	0.01	45.7	582	24.7	33
SE 5508061 (-)	11	<1	<1	0.16	6	16	0.31	916	0.9	0.01	18.1	641	25.7	34
SE 5508062 (-)	13	<1	<1	0.17	37	40	1.46	1040	2.7	0.01	52.3	1200	14.3	42
SE 5508063 (-)	11	<1	1	0.13	8	32	0.75	681	1.1	<0.01	30.5	472	23.0	41
SE 5508064 (-)	10	2	<1	0.13	7	18	0.34	743	2.1	<0.01	18.5	341	20.3	39
SE 5508065 (-)	15	<1	5	0.07	21	41	1.27	1330	1.2	0.01	51.8	1670	10.9	26
SE 5508066 (-)	11	<1	<1	0.27	33	42	1.08	1260	6.8	<0.01	54.9	838	20.2	59
SE 5508067 (-)	11	<1	1	0.27	34	32	0.88	1600	2.1	0.01	43.1	1130	18.1	55
SE 5508068 (-)	10	<1	2	0.13	32	17	0.83	1550	2.3	0.02	41.3	1870	13.8	35
SE 5508069 (-)	11	<1	4	0.20	13	33	0.90	1040	1.2	0.01	40.3	676	25.6	37
SE 5508070 (-)	5	<1	3	0.10	51	9	0.34	1420	1.5	<0.01	29.0	1720	12.8	31
SE 5508071 (-)	8	<1	<1	0.06	12	3	0.12	238	1.0	<0.01	9.6	658	18.1	15
SE 5508072 (-)	9	<1	1	0.18	8	26	0.58	607	1.5	0.01	30.4	436	20.4	45
SE 5508073 (-)	12	21	3	0.17	27	33	1.69	1150	2.3	0.04	68.3	1360	16.9	31
SE 5508074 (-)	13	<1	3	0.31	48	40	2.46	1630	2.2	0.09	83.1	2200	9.3	51
SE 5508075 (-)	12	<1	<1	0.22	23	31	1.39	1200	1.1	0.02	54.9	1110	11.1	48
SE 5508076 (-)	12	<1	<1	0.18	28	24	1.36	1190	1.3	0.02	54.4	1430	12.9	39
SE 5508077 (-)	12	<1	4	0.19	20	32	1.19	1300	0.9	0.01	53.3	1170	15.1	48
SE 5508078 (-)	6	<1	1	0.11	24	14	0.52	1710	1.5	0.01	48.5	1350	13.4	28

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012		DATE RECEIVED: Jun 18, 2012					DATE REPORTED: Jul 04, 2012					SAMPLE TYPE: Soil			
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
SE 5508079 (-)		12	<1	<1	0.26	14	39	1.23	809	2.2	0.02	68.6	855	16.3	46
SE 5508080 (-)		10	<1	2	0.20	16	29	0.96	954	1.9	0.01	42.4	779	14.2	47
SE 5508081 (-)		8	<1	<1	0.13	6	29	0.72	549	1.4	<0.01	36.2	288	15.9	26
SE 5508082 (-)		10	3	<1	0.21	19	32	1.20	742	0.6	0.05	53.1	1070	15.8	36
SE 5508083 (-)		9	3	2	0.17	20	25	0.89	898	1.8	0.03	44.7	1010	15.1	39
SE 5508084 (-)		5	<1	<1	0.08	12	12	0.55	856	1.2	0.02	27.5	1450	9.0	21
SE 5508085 (-)		8	<1	<1	0.16	5	34	0.67	797	1.0	0.01	37.3	464	26.0	34
SE 5508086 (-)		7	<1	2	0.22	4	20	0.50	499	4.1	<0.01	26.9	590	11.9	39
SE 5508087 (-)		8	<1	<1	0.23	8	30	0.60	450	2.6	0.01	36.3	432	16.2	43
SE 5508088 (-)		9	<1	<1	0.20	3	44	0.69	536	<0.5	0.01	38.4	188	4.9	44
SE 5508089 (-)		10	<1	2	0.26	2	48	0.73	615	<0.5	0.01	42.1	112	13.3	61
SE 5508090 (-)		12	<1	<1	0.27	25	34	1.31	1280	1.4	0.02	57.5	1320	13.3	59
SE 5508091 (-)		11	<1	3	0.26	23	32	1.30	980	1.8	0.02	59.7	984	14.1	52
SE 5508092 (-)		8	<1	<1	0.16	46	16	0.63	6690	1.6	0.01	49.1	1430	9.7	36
SE 5508093 (-)		13	<1	<1	0.20	32	32	1.34	1670	0.9	0.02	51.5	1160	10.6	50
SE 5508094 (-)		13	1	3	0.21	53	30	1.31	3300	0.6	0.02	54.7	1460	12.0	44
SE 5508095 (-)		11	<1	<1	0.24	36	30	1.29	978	1.2	0.03	58.0	1400	15.4	43
SE 5508096 (-)		10	<1	<1	0.19	16	36	0.97	1710	1.6	0.01	49.2	620	30.0	35
SE 5508097 (-)		13	<1	<1	0.20	27	41	1.18	1260	2.9	0.01	53.6	1110	22.3	36
SE 5508098 (-)		14	<1	1	0.26	30	40	1.18	1180	2.4	0.01	54.3	1200	22.6	44
SE 5508099 (-)		10	<1	<1	0.26	10	14	1.16	630	11.4	0.12	30.6	627	239	21
SE 5508100 (-)		<5	<1	<1	<0.01	2	<1	12.9	277	0.5	<0.01	1.2	209	2.3	<10
SE 5508101 (-)		11	<1	<1	0.27	17	39	1.03	478	2.3	0.01	47.9	756	12.7	60
SE 5508102 (-)		<5	<1	1	0.09	2	5	0.24	106	2.8	0.01	6.0	606	7.9	34
SE 5508103 (-)		5	<1	<1	0.10	7	12	0.23	649	2.6	<0.01	18.9	869	10.7	36
SE 5508104 (-)		10	<1	3	0.17	9	36	0.73	1020	0.8	0.01	37.5	414	29.3	33
SE 5508105 (-)		10	<1	<1	0.22	4	27	0.62	461	1.3	0.01	29.6	184	16.2	58
SE 5508106 (-)		15	<1	1	0.21	8	31	0.33	1020	<0.5	0.01	18.8	718	25.6	71
SE 5508107 (-)		11	<1	<1	0.23	5	39	0.62	376	0.6	0.01	37.7	374	14.4	54
SE 5508108 (-)		13	<1	<1	0.19	9	14	0.19	1180	0.9	0.01	11.3	554	20.4	62
SE 5508109 (-)		11	<1	<1	0.18	21	29	0.91	789	1.3	0.01	43.8	795	16.2	43
SE 5508660 (-)		11	<1	2	0.10	4	32	0.56	1050	1.0	<0.01	38.8	404	28.7	24

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
SE 5508661 (-)	11	<1	<1	0.14	4	30	0.41	1160	<0.5	<0.01	29.6	487	12.3	39
SE 5508662 (-)	12	<1	2	0.11	4	12	0.17	988	0.9	<0.01	11.0	433	19.2	43
SE 5508663 (-)	12	<1	2	0.21	9	35	0.51	1090	1.0	0.01	29.2	716	12.1	51
SE 5508664 (-)	13	<1	<1	0.19	4	45	0.42	642	0.9	0.01	28.1	539	13.2	59
SE 5508665 (-)	12	<1	3	0.15	4	21	0.24	315	<0.5	<0.01	17.1	397	7.4	56
SE 5508666 (-)	13	<1	<1	0.16	4	27	0.24	1120	<0.5	<0.01	16.0	693	21.0	54
TE 5508110 (-)	14	38	<1	0.25	45	41	2.76	1290	0.9	0.07	89.3	2320	9.9	44
TE 5508111 (-)	7	2	2	0.15	8	26	0.86	1090	0.5	0.02	41.6	619	25.5	29
TE 5508112 (-)	9	<1	4	0.20	18	29	1.27	875	2.3	0.04	53.6	1020	12.7	31
TE 5508113 (-)	8	<1	<1	0.13	17	22	0.64	468	1.7	0.02	29.1	1010	11.8	35
TE 5508114 (-)	10	<1	<1	0.22	4	28	0.61	337	<0.5	0.01	30.3	506	20.6	53
TE 5508115 (-)	6	<1	2	0.15	9	18	0.38	692	2.7	0.01	23.4	1190	14.5	47
TE 5508116 (-)	7	<1	1	0.15	10	20	0.47	638	0.8	0.01	26.0	626	16.8	43

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012		DATE RECEIVED: Jun 18, 2012					DATE REPORTED: Jul 04, 2012					SAMPLE TYPE: Soil			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
SE 5505460 (-)		0.075	<1	13.4	<10	<5	62.0	<10	<10	<5	0.47	0.15	<5	199	1
SE 5505461 (-)		0.035	<1	11.9	<10	<5	61.6	<10	<10	<5	0.35	0.09	<5	226	1
SE 5505462 (-)		0.027	1	5.0	<10	<5	34.3	<10	<10	<5	0.02	0.28	<5	80.2	1
SE 5505463 (-)		0.133	<1	7.6	<10	<5	47.2	<10	<10	<5	0.30	0.16	<5	200	1
SE 5505464 (-)		0.019	<1	12.9	<10	<5	59.7	<10	<10	5	0.03	0.12	<5	140	1
SE 5505465 (-)		0.059	<1	6.0	<10	<5	75.2	<10	<10	<5	0.09	0.15	<5	187	<1
SE 5505466 (-)		0.048	<1	5.2	<10	<5	71.0	<10	<10	<5	0.16	0.17	<5	129	<1
SE 5505467 (-)		0.074	<1	2.4	14	<5	26.9	<10	<10	<5	0.08	0.18	<5	105	<1
SE 5505468 (-)		0.042	<1	2.1	<10	<5	11.0	<10	<10	<5	0.02	0.17	<5	80.1	<1
SE 5505469 (-)		0.055	<1	1.1	<10	<5	8.7	<10	<10	<5	0.02	0.16	<5	56.9	<1
SE 5505470 (-)		0.038	<1	2.1	<10	<5	22.9	<10	<10	<5	0.02	0.18	<5	43.8	<1
SE 5505471 (-)		0.047	<1	1.6	<10	<5	16.4	<10	<10	<5	0.03	0.19	<5	57.1	1
SE 5505472 (-)		0.011	<1	3.7	<10	<5	3.1	<10	<10	<5	<0.01	0.09	<5	32.9	<1
SE 5505473 (-)		0.059	<1	3.7	<10	<5	9.4	<10	<10	<5	<0.01	0.11	<5	18.7	<1
SE 5505474 (-)		0.047	<1	2.1	<10	<5	7.2	<10	<10	<5	<0.01	0.10	<5	17.9	<1
SE 5505475 (-)		<0.005	<1	5.1	<10	<5	9.0	<10	<10	6	<0.01	0.14	<5	19.0	<1
SE 5505476 (-)		0.018	<1	4.2	<10	<5	14.0	<10	<10	5	<0.01	0.13	<5	18.1	<1
SE 5505477 (-)		0.024	<1	2.0	<10	<5	6.4	<10	<10	<5	<0.01	0.13	<5	29.8	<1
SE 5505478 (-)		0.049	<1	4.3	<10	<5	17.9	<10	<10	<5	<0.01	0.21	<5	29.8	<1
SE 5505479 (-)		0.009	<1	4.3	<10	<5	7.8	<10	<10	<5	<0.01	0.11	<5	19.6	<1
SE 5505480 (-)		0.029	<1	4.8	<10	<5	20.5	<10	<10	7	<0.01	0.11	<5	15.2	<1
SE 5505483 (-)		0.143	2	2.8	<10	<5	22.5	<10	<10	<5	<0.01	0.23	<5	13.1	<1
SE 5505484 (-)		0.155	2	1.8	<10	<5	23.9	<10	<10	<5	<0.01	0.64	<5	18.3	<1
SE 5505485 (-)		0.035	1	2.9	<10	<5	5.9	<10	<10	<5	<0.01	0.40	<5	15.8	<1
SE 5505486 (-)		0.035	<1	4.4	<10	<5	8.6	<10	<10	<5	<0.01	0.24	<5	12.8	<1
SE 5505487 (-)		0.070	3	0.7	<10	<5	6.5	<10	<10	<5	<0.01	0.53	<5	23.1	<1
SE 5505488 (-)		0.399	58	4.4	<10	<5	47.1	<10	<10	10	<0.01	1.45	<5	21.9	1
SE 5505489 (-)		0.073	21	4.1	<10	<5	8.8	<10	<10	<5	0.01	0.48	<5	23.8	<1
SE 5505490 (-)		0.018	3	5.8	<10	<5	16.3	<10	<10	<5	<0.01	0.21	<5	15.0	<1
SE 5505491 (-)		0.039	11	5.7	<10	<5	17.4	<10	<10	<5	<0.01	0.31	<5	13.5	<1
SE 5505492 (-)		0.055	22	4.5	11	<5	13.6	<10	<10	<5	<0.01	0.55	<5	22.6	1
SE 5505493 (-)		0.045	12	3.6	<10	<5	18.3	<10	<10	<5	0.02	0.66	<5	43.8	<1

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012		DATE RECEIVED: Jun 18, 2012					DATE REPORTED: Jul 04, 2012					SAMPLE TYPE: Soil			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
SE 5505494 (-)		0.044	4	0.7	<10	<5	9.6	<10	<10	<5	0.01	0.31	<5	53.8	<1
SE 5505495 (-)		0.041	8	1.5	<10	<5	12.7	<10	<10	<5	0.02	0.18	<5	36.1	1
SE 5505496 (-)		0.042	3	1.3	<10	<5	11.1	<10	<10	<5	0.03	0.17	<5	42.4	<1
SE 5505497 (-)		0.073	<1	5.4	<10	<5	14.1	<10	<10	<5	0.02	0.22	<5	49.8	1
SE 5505498 (-)		0.088	<1	5.4	<10	<5	19.0	<10	<10	<5	0.02	0.28	<5	49.9	<1
SE 5505499 (-)		1.24	4	4.8	<10	<5	29.8	<10	<10	5	0.15	0.70	<5	68.0	6
SE 5505500 (-)		0.206	<1	<0.5	<10	<5	24.5	<10	<10	11	<0.01	<0.01	10	9.0	2
SE 5505501 (-)		0.047	<1	1.7	<10	<5	3.5	<10	<10	<5	0.01	0.17	<5	35.2	1
SE 5505502 (-)		0.055	<1	1.0	<10	<5	3.4	<10	<10	<5	0.01	0.17	<5	31.3	<1
SE 5505503 (-)		0.131	<1	3.1	<10	<5	54.4	<10	<10	<5	<0.01	0.21	<5	19.9	<1
SE 5505504 (-)		0.021	<1	5.1	<10	<5	9.7	<10	<10	<5	<0.01	0.11	<5	17.4	<1
SE 5505505 (-)		0.035	<1	2.4	<10	<5	4.8	<10	<10	<5	0.02	0.19	<5	41.4	1
SE 5505506 (-)		0.031	<1	1.3	<10	<5	4.1	<10	<10	<5	0.03	0.19	<5	53.5	<1
SE 5505507 (-)		0.018	1	5.1	<10	<5	7.4	<10	<10	5	<0.01	0.34	<5	43.9	<1
SE 5505360 (-)		0.049	<1	5.4	<10	<5	248	<10	<10	7	1.05	0.15	<5	213	1
SE 5505361 (-)		0.216	<1	1.1	<10	<5	79.2	<10	<10	<5	0.16	0.14	<5	53.0	<1
SE 5505362 (-)		0.103	<1	3.9	<10	<5	211	<10	<10	6	0.82	0.09	<5	172	1
SE 5505363 (-)		0.176	<1	2.4	<10	<5	129	<10	<10	<5	0.23	0.12	<5	99.6	<1
SE 5505364 (-)		0.050	<1	5.9	<10	<5	121	<10	<10	6	0.91	0.16	<5	428	1
SE 5505365 (-)		0.065	<1	6.5	<10	<5	281	<10	<10	7	1.09	0.09	<5	190	2
SE 5505366 (-)		0.140	<1	6.5	<10	<5	204	<10	<10	5	0.55	0.15	<5	199	1
SE 5505367 (-)		0.088	<1	4.6	<10	<5	56.1	<10	<10	<5	0.46	0.14	<5	125	1
SE 5505368 (-)		0.037	<1	6.8	<10	<5	105	<10	<10	<5	0.60	0.19	<5	136	1
SE 5505369 (-)		0.052	<1	7.3	<10	<5	127	<10	<10	<5	0.60	0.18	<5	161	1
SE 5505370 (-)		0.149	<1	3.9	<10	<5	192	<10	<10	<5	0.17	0.17	<5	124	1
SE 5505371 (-)		0.174	6	0.6	<10	<5	32.5	<10	<10	7	<0.01	4.18	8	13.7	2
SE 5505372 (-)		0.105	8	8.6	<10	<5	218	<10	<10	5	0.35	10.5	<5	161	1
SE 5505373 (-)		0.078	1	8.7	<10	<5	87.2	<10	<10	<5	<0.01	0.97	<5	76.9	<1
SE 5505374 (-)		0.054	3	6.3	<10	<5	26.4	<10	<10	<5	<0.01	0.79	<5	41.3	<1
SE 5505375 (-)		0.010	1	7.0	<10	<5	27.3	<10	<10	<5	0.01	0.43	<5	36.2	<1
SE 5505376 (-)		0.167	5	1.7	<10	<5	13.5	<10	<10	<5	<0.01	0.33	6	17.3	1
SE 5505377 (-)		0.027	6	3.5	<10	<5	11.8	<10	<10	<5	<0.01	0.45	<5	30.3	<1

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012		DATE RECEIVED: Jun 18, 2012					DATE REPORTED: Jul 04, 2012					SAMPLE TYPE: Soil			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
SE 5505378 (-)		0.038	2	3.8	<10	<5	10.5	<10	<10	<5	<0.01	0.19	<5	9.9	1
SE 5505379 (-)		0.027	1	2.6	<10	<5	4.8	<10	<10	<5	0.01	0.13	<5	37.5	<1
SE 5505380 (-)		0.077	1	<0.5	<10	<5	13.2	<10	<10	<5	0.01	0.18	<5	40.4	<1
SE 5505381 (-)		0.030	<1	6.9	<10	<5	105	<10	<10	<5	<0.01	0.19	<5	107	<1
SE 5505382 (-)		0.032	<1	4.2	<10	<5	14.0	<10	<10	<5	<0.01	0.16	<5	38.5	1
SE 5505383 (-)		0.100	1	3.4	<10	<5	26.2	<10	<10	<5	<0.01	0.13	5	25.7	<1
SE 5505384 (-)		0.129	1	4.0	<10	<5	22.2	<10	<10	<5	<0.01	0.15	<5	22.6	<1
SE 5505385 (-)		0.046	<1	4.5	<10	<5	14.8	<10	<10	<5	<0.01	0.13	<5	26.2	<1
SE 5505386 (-)		0.027	<1	1.7	<10	<5	8.8	<10	<10	<5	<0.01	0.14	<5	30.6	<1
SE 5505387 (-)		0.163	<1	3.7	<10	<5	200	<10	<10	<5	0.30	0.26	<5	151	1
SE 5505388 (-)		0.159	<1	3.5	<10	<5	183	<10	<10	<5	0.26	0.18	<5	135	1
SE 5505389 (-)		0.092	<1	1.0	<10	<5	75.2	<10	<10	<5	0.11	0.06	<5	28.2	<1
SE 5505390 (-)		0.109	<1	4.0	<10	<5	165	<10	<10	5	0.62	0.12	<5	137	1
SE 5505391 (-)		0.171	<1	5.0	<10	<5	159	<10	<10	<5	0.21	0.20	<5	123	1
SE 5505392 (-)		0.140	<1	3.7	<10	<5	86.8	<10	<10	<5	0.13	0.15	<5	107	1
SE 5505393 (-)		0.086	<1	5.7	12	<5	117	<10	<10	6	0.36	0.13	<5	121	1
SE 5505394 (-)		0.126	<1	4.3	<10	<5	206	<10	<10	<5	0.54	0.09	<5	114	<1
SE 5505395 (-)		0.086	<1	6.2	<10	<5	218	<10	<10	7	0.55	0.13	<5	143	2
SE 5505396 (-)		0.015	<1	5.1	<10	<5	16.1	<10	<10	<5	0.01	0.12	<5	32.4	<1
SE 5505397 (-)		0.041	<1	5.3	<10	<5	32.5	<10	<10	7	0.07	0.13	<5	50.2	1
SE 5505398 (-)		0.044	<1	5.5	<10	<5	38.7	<10	<10	7	0.09	0.20	<5	54.1	<1
SE 5505399 (-)		1.34	4	4.6	<10	<5	32.7	<10	<10	<5	0.15	0.69	<5	65.6	5
SE 5505400 (-)		0.325	<1	<0.5	<10	<5	188	<10	<10	10	<0.01	<0.01	8	8.6	2
SE 5505401 (-)		0.089	<1	8.0	<10	<5	89.9	<10	<10	<5	0.54	0.09	<5	146	1
SE 5505402 (-)		0.076	<1	3.9	<10	<5	132	<10	<10	<5	0.51	0.10	<5	134	<1
SE 5505403 (-)		0.069	<1	7.5	<10	<5	265	<10	<10	7	0.59	0.47	<5	184	2
SE 5505404 (-)		0.081	<1	4.7	<10	<5	280	<10	<10	6	0.57	0.12	<5	171	2
SE 5505405 (-)		0.064	<1	7.2	<10	<5	228	<10	<10	6	0.80	0.31	<5	184	2
SE 5505406 (-)		0.039	<1	8.0	<10	<5	272	<10	<10	<5	0.64	0.07	<5	225	2
SE 5505407 (-)		0.067	<1	5.7	<10	<5	337	<10	<10	7	0.82	0.08	<5	173	2
SE 5505408 (-)		0.077	<1	8.9	<10	<5	309	<10	<10	6	0.87	0.10	<5	205	1
SE 5505409 (-)		0.062	<1	5.5	<10	<5	398	<10	<10	8	0.82	0.06	<5	187	2

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012		DATE RECEIVED: Jun 18, 2012					DATE REPORTED: Jul 04, 2012					SAMPLE TYPE: Soil			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
SE 5505610 (-)		0.106	<1	6.5	<10	<5	244	<10	<10	<5	0.91	0.11	<5	204	2
SE 5505611 (-)		0.090	<1	4.1	<10	<5	242	<10	<10	<5	0.58	0.16	<5	139	<1
SE 5505612 (-)		0.121	<1	6.1	<10	<5	188	<10	<10	<5	0.36	0.15	<5	224	1
SE 5505613 (-)		0.143	<1	2.1	<10	<5	139	<10	<10	<5	0.32	0.08	<5	75.6	1
SE 5505614 (-)		0.061	<1	3.5	<10	<5	213	<10	<10	6	0.88	0.11	<5	209	2
SE 5505615 (-)		0.063	<1	4.2	<10	<5	539	<10	<10	6	0.56	0.24	<5	165	1
SE 5505616 (-)		0.076	<1	3.6	<10	<5	554	<10	<10	<5	0.53	0.32	<5	139	1
SE 5505617 (-)		0.024	<1	5.6	<10	<5	43.0	<10	<10	<5	0.02	0.30	<5	49.9	<1
SE 5505618 (-)		0.022	3	5.7	<10	<5	10.3	<10	<10	<5	<0.01	0.29	<5	18.4	<1
SE 5505619 (-)		0.062	5	5.1	<10	<5	64.1	<10	<10	<5	0.10	0.26	<5	78.3	1
SE 5505620 (-)		0.013	<1	5.0	<10	<5	11.9	<10	<10	<5	<0.01	0.17	<5	29.9	<1
SE 5505621 (-)		0.040	<1	4.7	12	<5	22.7	<10	<10	<5	0.02	0.25	<5	47.9	1
SE 5505622 (-)		0.088	<1	5.2	<10	<5	211	<10	<10	<5	0.76	0.09	<5	192	1
SE 5505623 (-)		0.115	<1	4.7	<10	<5	102	<10	<10	<5	0.69	0.13	<5	123	1
SE 5505624 (-)		0.066	<1	5.5	<10	<5	375	<10	<10	6	0.72	0.09	<5	179	1
SE 5505625 (-)		0.123	<1	3.1	<10	<5	190	<10	<10	<5	0.44	0.10	<5	88.1	<1
SE 5505626 (-)		0.134	<1	3.4	<10	<5	249	<10	<10	<5	0.53	0.10	<5	122	1
SE 5505627 (-)		0.181	<1	1.5	<10	<5	182	<10	<10	<5	0.13	0.09	<5	54.1	<1
SE 5505628 (-)		0.180	4	1.6	<10	<5	49.3	<10	<10	<5	0.02	0.19	<5	33.9	<1
SE 5505629 (-)		0.038	<1	5.4	<10	<5	41.3	<10	<10	<5	0.04	0.21	<5	42.9	1
SE 5505630 (-)		0.069	<1	4.2	<10	<5	106	<10	<10	<5	0.91	0.14	<5	219	1
SE 5505631 (-)		0.035	<1	5.1	<10	<5	105	<10	<10	<5	0.87	0.11	<5	188	1
SE 5505632 (-)		0.052	<1	4.7	<10	<5	151	<10	<10	6	0.67	0.10	<5	146	1
SE 5505633 (-)		0.238	<1	<0.5	<10	<5	325	<10	<10	<5	0.03	0.09	<5	18.1	<1
SE 5505634 (-)		0.189	<1	1.0	<10	<5	194	<10	<10	<5	0.10	0.10	<5	41.1	<1
SE 5505635 (-)		0.061	<1	4.3	<10	<5	113	<10	<10	6	0.41	0.14	<5	110	1
SE 5505636 (-)		0.062	<1	6.1	<10	<5	251	<10	<10	5	0.75	0.11	<5	141	1
SE 5505310 (-)		0.214	15	2.9	<10	<5	27.7	<10	<10	5	<0.01	6.09	7	15.8	1
SE 5505311 (-)		0.190	9	1.4	<10	<5	30.0	<10	<10	6	0.01	1.85	6	18.4	2
SE 5505312 (-)		0.185	21	1.3	<10	<5	47.5	<10	<10	7	<0.01	5.38	8	14.1	3
SE 5505313 (-)		0.205	16	1.0	<10	<5	37.0	<10	<10	6	<0.01	4.66	7	23.0	2
SE 5505314 (-)		0.134	45	0.6	<10	<5	19.8	<10	<10	<5	<0.01	4.10	8	11.0	2

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
SE 5505315 (-)	0.132	24	0.7	<10	<5	20.0	<10	<10	8	<0.01	1.86	8	11.3	2
SE 5505316 (-)	0.207	24	1.2	<10	<5	13.4	<10	<10	<5	<0.01	1.14	7	25.8	1
SE 5505317 (-)	0.142	23	2.6	<10	<5	26.3	<10	<10	<5	<0.01	1.32	6	22.5	1
SE 5505318 (-)	0.054	7	6.4	<10	<5	21.5	<10	<10	<5	<0.01	0.88	<5	46.4	1
SE 5505319 (-)	0.134	7	1.6	<10	<5	43.5	<10	<10	8	0.02	0.30	5	17.0	2
SE 5505320 (-)	0.169	11	1.9	<10	<5	57.7	<10	<10	6	0.01	0.76	6	15.4	2
SE 5505321 (-)	0.035	4	5.4	<10	<5	15.4	<10	<10	<5	<0.01	0.40	<5	15.9	<1
SE 5505322 (-)	0.009	<1	5.9	<10	<5	16.9	<10	<10	<5	<0.01	0.21	<5	19.0	<1
SE 5505323 (-)	0.031	<1	4.5	<10	<5	1.6	<10	<10	<5	<0.01	0.23	<5	25.5	1
SE 5505324 (-)	0.060	1	1.8	<10	<5	3.7	<10	<10	<5	<0.01	0.18	<5	33.9	<1
SE 5505325 (-)	0.012	<1	4.7	<10	<5	13.4	<10	<10	5	<0.01	0.10	<5	24.7	<1
SE 5505326 (-)	0.044	<1	3.8	<10	<5	17.1	<10	<10	<5	<0.01	0.13	<5	26.8	<1
SE 5505327 (-)	0.023	<1	6.2	<10	<5	15.5	<10	<10	5	<0.01	0.13	<5	29.9	<1
SE 5505328 (-)	0.052	<1	4.1	<10	<5	21.7	<10	<10	<5	<0.01	0.17	<5	27.1	<1
SE 5505329 (-)	0.058	<1	4.3	<10	<5	20.8	<10	<10	<5	<0.01	0.18	<5	27.1	<1
SE 5505330 (-)	0.056	<1	9.7	<10	<5	210	<10	<10	8	1.12	0.12	<5	252	2
SE 5505331 (-)	0.042	<1	4.6	<10	<5	58.5	<10	<10	<5	0.43	0.12	<5	168	<1
SE 5505332 (-)	0.070	<1	11.5	<10	<5	292	<10	<10	<5	0.48	0.14	<5	250	2
SE 5505333 (-)	0.089	<1	1.7	<10	<5	29.8	<10	<10	<5	0.04	0.22	<5	64.5	<1
SE 5505334 (-)	0.089	<1	8.5	<10	<5	250	<10	<10	7	0.59	0.10	<5	185	1
SE 5505335 (-)	0.162	<1	4.5	<10	<5	333	<10	<10	<5	0.29	0.15	<5	105	<1
SE 5505336 (-)	0.169	<1	1.2	<10	<5	94.1	<10	<10	<5	0.09	0.08	<5	58.3	<1
SE 5505337 (-)	0.117	<1	11.0	<10	<5	199	<10	<10	8	0.44	0.38	<5	200	1
SE 5505338 (-)	0.168	<1	5.6	<10	<5	165	<10	<10	<5	0.54	0.14	<5	165	1
SE 5505339 (-)	0.110	<1	6.4	<10	<5	128	<10	<10	<5	0.60	0.09	<5	206	1
SE 5505340 (-)	0.128	<1	6.0	<10	<5	80.5	<10	<10	<5	0.57	0.09	<5	166	1
SE 5505341 (-)	0.057	1	4.0	<10	<5	38.7	<10	<10	<5	0.21	0.29	<5	122	1
SE 5505342 (-)	0.154	<1	6.4	<10	<5	171	<10	<10	<5	0.37	0.13	<5	177	1
SE 5505343 (-)	0.130	<1	2.9	<10	<5	109	<10	<10	5	0.36	0.08	<5	89.8	1
SE 5505344 (-)	0.091	<1	7.6	<10	<5	310	<10	<10	5	1.00	0.08	<5	208	2
SE 5505345 (-)	0.237	<1	3.3	<10	<5	45.7	<10	<10	<5	0.48	0.12	<5	123	1
SE 5505346 (-)	0.108	<1	5.0	<10	<5	296	<10	<10	6	0.83	0.02	<5	199	1

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012		DATE RECEIVED: Jun 18, 2012					DATE REPORTED: Jul 04, 2012					SAMPLE TYPE: Soil			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
SE 5505347 (-)		0.084	<1	4.4	<10	<5	188	<10	<10	7	0.73	0.02	<5	141	1
SE 5505348 (-)		0.079	<1	3.3	<10	<5	146	<10	<10	8	0.59	0.02	<5	136	1
SE 5505349 (-)		1.27	5	4.4	<10	<5	28.2	<10	<10	<5	0.13	0.60	<5	63.7	5
SE 5505350 (-)		0.235	7	<0.5	<10	11	52.3	<10	<10	<5	<0.01	<0.01	9	16.7	<1
SE 5505351 (-)		0.222	<1	<0.5	<10	<5	26.1	<10	<10	11	<0.01	0.08	8	9.1	2
SE 5505352 (-)		0.106	<1	4.3	<10	<5	164	<10	<10	<5	0.49	0.14	<5	142	1
SE 5505353 (-)		0.056	<1	5.2	12	<5	100	<10	<10	7	0.28	0.23	<5	109	1
SE 5505354 (-)		0.044	1	3.2	<10	<5	31.0	<10	<10	<5	0.06	0.18	<5	57.9	<1
SE 5505355 (-)		0.273	<1	1.8	<10	<5	134	<10	<10	<5	0.07	0.11	<5	51.1	<1
SE 5505356 (-)		0.101	<1	4.1	<10	<5	64.0	<10	<10	<5	0.10	0.15	<5	96.0	1
SE 5505357 (-)		0.129	<1	5.4	<10	<5	124	<10	<10	<5	0.28	0.15	<5	122	1
SE 5505358 (-)		0.049	3	6.8	<10	<5	58.5	<10	<10	<5	0.10	1.22	<5	66.5	1
SE 5505359 (-)		0.067	<1	4.6	<10	<5	52.1	<10	<10	<5	0.01	0.13	<5	48.9	1
SE 5508060 (-)		0.058	<1	7.5	<10	<5	41.1	<10	<10	6	0.04	0.14	<5	62.5	1
SE 5508061 (-)		0.050	<1	3.6	<10	<5	10.3	<10	<10	<5	<0.01	0.16	<5	49.6	<1
SE 5508062 (-)		0.108	<1	9.9	<10	<5	82.5	<10	<10	7	0.17	0.12	<5	107	1
SE 5508063 (-)		0.025	<1	4.0	14	<5	41.4	<10	<10	<5	0.09	0.12	<5	74.3	2
SE 5508064 (-)		0.021	<1	3.6	18	<5	9.2	<10	<10	<5	0.01	0.11	<5	52.5	<1
SE 5508065 (-)		0.068	<1	5.1	<10	<5	34.8	<10	<10	7	0.62	0.12	<5	181	2
SE 5508066 (-)		0.022	2	5.7	<10	<5	18.8	<10	<10	8	0.08	0.38	<5	107	<1
SE 5508067 (-)		0.088	<1	7.1	<10	<5	58.0	<10	<10	<5	0.11	0.21	<5	91.7	<1
SE 5508068 (-)		0.163	<1	4.7	<10	<5	72.8	<10	<10	<5	0.20	0.18	<5	90.6	<1
SE 5508069 (-)		0.031	<1	4.8	<10	<5	38.4	<10	<10	7	0.12	0.14	<5	66.4	1
SE 5508070 (-)		0.144	<1	1.6	<10	<5	74.5	<10	<10	<5	0.03	0.15	<5	40.4	<1
SE 5508071 (-)		0.056	<1	1.9	<10	<5	25.2	<10	<10	<5	0.19	0.11	<5	80.4	<1
SE 5508072 (-)		0.047	<1	4.1	<10	<5	15.1	<10	<10	5	0.02	0.18	<5	44.0	<1
SE 5508073 (-)		0.061	<1	6.6	<10	<5	103	<10	<10	7	0.31	0.18	<5	89.9	1
SE 5508074 (-)		0.057	<1	8.6	<10	<5	209	<10	<10	6	0.51	0.17	<5	140	1
SE 5508075 (-)		0.042	<1	7.2	<10	<5	87.9	<10	<10	7	0.28	0.16	<5	102	1
SE 5508076 (-)		0.044	<1	5.4	<10	<5	93.0	<10	<10	<5	0.38	0.13	<5	124	1
SE 5508077 (-)		0.047	<1	6.9	<10	<5	67.5	<10	<10	6	0.19	0.20	<5	90.6	<1
SE 5508078 (-)		0.171	<1	5.6	<10	<5	81.2	<10	<10	<5	0.04	0.22	<5	42.1	<1

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012		DATE RECEIVED: Jun 18, 2012					DATE REPORTED: Jul 04, 2012					SAMPLE TYPE: Soil			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
SE 5508079 (-)		0.043	<1	7.2	<10	<5	43.4	<10	<10	7	0.09	0.18	<5	70.5	1
SE 5508080 (-)		0.042	<1	6.1	<10	<5	39.5	<10	<10	<5	0.13	0.19	<5	77.2	1
SE 5508081 (-)		0.013	<1	4.5	<10	<5	18.6	<10	<10	6	0.02	0.10	<5	36.3	1
SE 5508082 (-)		0.059	<1	6.4	16	<5	83.1	<10	<10	6	0.18	0.21	<5	73.9	1
SE 5508083 (-)		0.092	<1	5.5	<10	<5	111	<10	<10	<5	0.08	0.18	<5	65.8	<1
SE 5508084 (-)		0.226	<1	3.2	<10	<5	136	<10	<10	<5	0.05	0.09	<5	32.3	<1
SE 5508085 (-)		0.064	<1	4.9	<10	<5	25.4	<10	<10	6	<0.01	0.17	<5	31.5	<1
SE 5508086 (-)		0.043	1	3.9	<10	<5	32.2	<10	<10	<5	<0.01	0.17	<5	41.7	<1
SE 5508087 (-)		0.044	<1	5.1	<10	<5	40.5	<10	<10	<5	0.01	0.18	<5	37.8	<1
SE 5508088 (-)		<0.005	<1	4.7	<10	<5	3.8	<10	<10	<5	<0.01	0.16	<5	28.1	<1
SE 5508089 (-)		0.007	<1	5.6	<10	<5	4.6	<10	<10	8	0.02	0.24	<5	46.2	<1
SE 5508090 (-)		0.061	<1	8.1	<10	<5	67.4	<10	<10	5	0.29	0.23	<5	101	1
SE 5508091 (-)		0.051	<1	7.2	<10	<5	72.4	<10	<10	6	0.31	0.19	<5	96.3	1
SE 5508092 (-)		0.164	<1	6.0	<10	<5	99.4	<10	<10	<5	0.07	0.17	<5	50.8	<1
SE 5508093 (-)		0.066	<1	7.8	<10	<5	64.5	<10	<10	6	0.28	0.18	<5	112	<1
SE 5508094 (-)		0.083	<1	8.8	<10	<5	89.1	<10	<10	6	0.30	0.19	<5	107	1
SE 5508095 (-)		0.032	<1	8.0	<10	<5	91.1	<10	<10	7	0.30	0.14	<5	94.8	1
SE 5508096 (-)		0.037	<1	6.7	10	<5	33.5	<10	<10	7	0.07	0.15	<5	61.1	<1
SE 5508097 (-)		0.022	<1	7.2	<10	<5	38.9	<10	<10	7	0.20	0.15	<5	93.0	1
SE 5508098 (-)		0.022	<1	8.0	<10	<5	43.1	<10	<10	8	0.23	0.15	<5	99.9	1
SE 5508099 (-)		1.36	4	5.6	<10	<5	38.7	<10	<10	6	0.18	0.65	<5	71.6	5
SE 5508100 (-)		0.227	<1	<0.5	<10	<5	26.3	<10	<10	9	<0.01	<0.01	10	10.0	2
SE 5508101 (-)		0.036	<1	7.5	<10	<5	91.6	<10	<10	6	0.15	0.17	<5	71.6	1
SE 5508102 (-)		0.269	4	1.9	<10	<5	399	<10	<10	<5	<0.01	0.22	9	28.0	<1
SE 5508103 (-)		0.158	<1	2.1	<10	<5	235	<10	<10	<5	0.01	0.08	<5	35.3	<1
SE 5508104 (-)		0.025	<1	5.4	<10	<5	36.0	<10	<10	8	0.03	0.13	<5	41.0	<1
SE 5508105 (-)		0.008	<1	5.2	<10	<5	7.4	<10	<10	7	0.01	0.20	<5	47.3	1
SE 5508106 (-)		0.018	<1	4.0	<10	<5	9.8	<10	<10	<5	0.03	0.23	<5	72.5	<1
SE 5508107 (-)		0.011	<1	6.0	<10	<5	4.6	<10	<10	5	0.02	0.19	<5	48.9	<1
SE 5508108 (-)		0.010	<1	3.8	<10	<5	9.8	<10	<10	<5	0.02	0.24	<5	71.9	<1
SE 5508109 (-)		0.020	<1	5.7	<10	<5	28.8	<10	<10	6	0.27	0.15	<5	88.0	1
SE 5508660 (-)		0.009	2	5.3	<10	<5	4.3	<10	<10	<5	<0.01	0.10	<5	43.3	<1

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
SE 5508661 (-)		0.011	<1	5.2	13	<5	5.7	<10	<10	<5	<0.01	0.15	<5	37.7	<1
SE 5508662 (-)		0.009	<1	3.5	<10	<5	5.8	<10	<10	<5	<0.01	0.17	<5	57.4	<1
SE 5508663 (-)		0.021	<1	4.3	<10	<5	12.5	<10	<10	<5	0.04	0.19	<5	62.2	1
SE 5508664 (-)		0.025	<1	4.4	<10	<5	13.9	<10	<10	<5	<0.01	0.21	<5	52.1	<1
SE 5508665 (-)		0.012	<1	3.8	<10	<5	5.8	<10	<10	<5	<0.01	0.17	<5	53.9	<1
SE 5508666 (-)		0.019	<1	3.9	<10	<5	6.4	<10	<10	<5	0.01	0.19	<5	51.0	1
TE 5508110 (-)		0.076	<1	8.4	<10	<5	191	<10	<10	<5	0.56	0.26	<5	131	1
TE 5508111 (-)		0.042	<1	5.7	<10	<5	32.7	<10	<10	6	0.02	0.30	<5	38.3	1
TE 5508112 (-)		0.069	<1	6.1	<10	<5	84.9	<10	<10	6	0.17	0.12	<5	67.3	1
TE 5508113 (-)		0.151	<1	4.3	<10	<5	240	<10	<10	<5	0.10	0.12	6	54.2	1
TE 5508114 (-)		0.093	<1	5.8	<10	<5	125	<10	<10	5	0.02	0.14	<5	45.0	1
TE 5508115 (-)		0.204	<1	3.0	<10	<5	270	<10	<10	<5	0.02	0.13	5	47.3	1
TE 5508116 (-)		0.098	<1	4.9	<10	<5	144	<10	<10	<5	0.04	0.15	<5	47.7	1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr	As-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	
SE 5505460 (-)		14	86.0	6	
SE 5505461 (-)		11	83.0	5	
SE 5505462 (-)		7	145	<5	
SE 5505463 (-)		14	105	<5	
SE 5505464 (-)		12	104	<5	
SE 5505465 (-)		14	110	<5	
SE 5505466 (-)		10	125	<5	
SE 5505467 (-)		8	97.7	<5	
SE 5505468 (-)		7	131	<5	
SE 5505469 (-)		6	108	<5	
SE 5505470 (-)		8	87.8	<5	
SE 5505471 (-)		3	79.2	<5	
SE 5505472 (-)		4	103	<5	
SE 5505473 (-)		9	86.1	<5	
SE 5505474 (-)		7	95.3	<5	
SE 5505475 (-)		7	89.5	<5	
SE 5505476 (-)		12	81.1	<5	
SE 5505477 (-)		4	105	<5	
SE 5505478 (-)		7	117	<5	
SE 5505479 (-)		6	105	<5	
SE 5505480 (-)		8	78.3	<5	
SE 5505483 (-)		4	55.0	<5	
SE 5505484 (-)		5	38.3	<5	
SE 5505485 (-)		8	52.0	<5	
SE 5505486 (-)		14	56.7	<5	
SE 5505487 (-)		4	70.0	<5	
SE 5505488 (-)		9	1550	<5	
SE 5505489 (-)		13	618	<5	
SE 5505490 (-)		10	196	<5	
SE 5505491 (-)		9	460	<5	
SE 5505492 (-)		12	797	<5	
SE 5505493 (-)		7	500	<5	

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Y ppm 1	Zn ppm 0.5	Zr ppm 5	As-OL %
SE 5505494 (-)		4	176	<5	
SE 5505495 (-)		4	133	<5	
SE 5505496 (-)		7	128	<5	
SE 5505497 (-)		10	127	<5	
SE 5505498 (-)		7	136	<5	
SE 5505499 (-)		10	1600	13	
SE 5505500 (-)		1	11.1	<5	
SE 5505501 (-)		4	83.9	<5	
SE 5505502 (-)		3	90.7	<5	
SE 5505503 (-)		9	77.0	<5	
SE 5505504 (-)		12	85.9	<5	
SE 5505505 (-)		3	99.2	<5	
SE 5505506 (-)		3	76.6	<5	
SE 5505507 (-)		13	185	<5	
SE 5505360 (-)		13	81.0	33	
SE 5505361 (-)		4	48.3	<5	
SE 5505362 (-)		12	73.1	21	
SE 5505363 (-)		10	41.3	7	
SE 5505364 (-)		8	89.1	23	
SE 5505365 (-)		17	91.9	39	
SE 5505366 (-)		21	106	10	
SE 5505367 (-)		7	85.4	6	
SE 5505368 (-)		11	101	12	
SE 5505369 (-)		10	91.0	7	
SE 5505370 (-)		18	66.4	5	
SE 5505371 (-)		4	40.5	<5	
SE 5505372 (-)		18	166	12	
SE 5505373 (-)		14	154	<5	
SE 5505374 (-)		10	110	<5	
SE 5505375 (-)		10	110	<5	
SE 5505376 (-)		9	194	<5	
SE 5505377 (-)		4	360	<5	

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Y ppm 1	Zn ppm 0.5	Zr ppm 5	As-OL %
SE 5505378 (-)		6	95.5	<5	
SE 5505379 (-)		6	100	<5	
SE 5505380 (-)		3	143	<5	
SE 5505381 (-)		9	128	<5	
SE 5505382 (-)		7	69.9	<5	
SE 5505383 (-)		9	91.5	<5	
SE 5505384 (-)		8	82.4	<5	
SE 5505385 (-)		9	98.0	<5	
SE 5505386 (-)		3	88.2	<5	
SE 5505387 (-)		14	82.8	9	
SE 5505388 (-)		13	93.2	8	
SE 5505389 (-)		3	26.4	5	
SE 5505390 (-)		9	101	18	
SE 5505391 (-)		13	69.9	7	
SE 5505392 (-)		12	81.0	<5	
SE 5505393 (-)		10	96.3	11	
SE 5505394 (-)		12	76.2	19	
SE 5505395 (-)		14	81.5	24	
SE 5505396 (-)		5	103	<5	
SE 5505397 (-)		7	116	<5	
SE 5505398 (-)		7	120	<5	
SE 5505399 (-)		10	1560	12	
SE 5505400 (-)		2	7.7	<5	
SE 5505401 (-)		9	68.9	7	
SE 5505402 (-)		4	52.2	8	
SE 5505403 (-)		16	122	19	
SE 5505404 (-)		16	98.9	12	
SE 5505405 (-)		13	87.7	17	
SE 5505406 (-)		18	112	15	
SE 5505407 (-)		17	92.5	23	
SE 5505408 (-)		17	103	21	
SE 5505409 (-)		16	97.1	23	

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr	As-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	
SE 5505610 (-)		15	87.5	18	
SE 5505611 (-)		16	80.9	16	
SE 5505612 (-)		13	88.6	8	
SE 5505613 (-)		7	46.1	12	
SE 5505614 (-)		10	89.9	12	
SE 5505615 (-)		25	106	15	
SE 5505616 (-)		22	98.3	13	
SE 5505617 (-)		6	92.2	<5	
SE 5505618 (-)		11	254	<5	
SE 5505619 (-)		16	168	<5	
SE 5505620 (-)		8	109	<5	
SE 5505621 (-)		10	116	<5	
SE 5505622 (-)		11	72.8	28	
SE 5505623 (-)		6	44.1	18	
SE 5505624 (-)		18	91.2	36	
SE 5505625 (-)		9	51.5	28	
SE 5505626 (-)		15	55.9	30	
SE 5505627 (-)		8	56.1	6	
SE 5505628 (-)		10	170	<5	
SE 5505629 (-)		8	108	<5	
SE 5505630 (-)		7	80.1	17	
SE 5505631 (-)		8	76.2	23	
SE 5505632 (-)		13	84.2	16	
SE 5505633 (-)		13	25.3	<5	
SE 5505634 (-)		6	40.8	<5	
SE 5505635 (-)		9	95.1	13	
SE 5505636 (-)		15	88.8	26	
SE 5505310 (-)		9	229	<5	
SE 5505311 (-)		10	178	<5	
SE 5505312 (-)		9	1750	<5	
SE 5505313 (-)		13	307	<5	
SE 5505314 (-)		9	386	<5	1.138

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr	As-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	
SE 5505315 (-)		8	227	<5	
SE 5505316 (-)		16	1110	<5	
SE 5505317 (-)		14	1010	<5	
SE 5505318 (-)		13	542	<5	
SE 5505319 (-)		7	261	<5	
SE 5505320 (-)		6	372	<5	
SE 5505321 (-)		8	150	<5	
SE 5505322 (-)		6	106	<5	
SE 5505323 (-)		5	160	<5	
SE 5505324 (-)		3	130	<5	
SE 5505325 (-)		11	98.1	<5	
SE 5505326 (-)		4	108	<5	
SE 5505327 (-)		11	112	<5	
SE 5505328 (-)		8	104	<5	
SE 5505329 (-)		8	99.2	<5	
SE 5505330 (-)		13	90.1	31	
SE 5505331 (-)		6	94.0	8	
SE 5505332 (-)		15	114	12	
SE 5505333 (-)		4	52.9	<5	
SE 5505334 (-)		16	98.3	20	
SE 5505335 (-)		13	67.5	7	
SE 5505336 (-)		10	37.6	<5	
SE 5505337 (-)		17	80.8	12	
SE 5505338 (-)		9	62.3	14	
SE 5505339 (-)		11	79.2	8	
SE 5505340 (-)		10	85.6	10	
SE 5505341 (-)		7	92.8	<5	
SE 5505342 (-)		17	87.8	9	
SE 5505343 (-)		8	67.3	9	
SE 5505344 (-)		17	109	23	
SE 5505345 (-)		5	48.9	10	
SE 5505346 (-)		15	97.4	22	

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte: Unit: RDL:	Y ppm 1	Zn ppm 0.5	Zr ppm 5	As-OL %
SE 5505347 (-)		13	82.0	20	
SE 5505348 (-)		13	77.0	18	
SE 5505349 (-)		9	1540	12	
SE 5505350 (-)		<1	11.7	<5	
SE 5505351 (-)		<1	14.0	<5	
SE 5505352 (-)		13	112	15	
SE 5505353 (-)		10	115	6	
SE 5505354 (-)		4	108	<5	
SE 5505355 (-)		6	47.5	<5	
SE 5505356 (-)		9	128	<5	
SE 5505357 (-)		13	97.2	7	
SE 5505358 (-)		11	140	<5	
SE 5505359 (-)		12	84.8	<5	
SE 5508060 (-)		11	104	<5	
SE 5508061 (-)		5	74.7	<5	
SE 5508062 (-)		16	82.9	5	
SE 5508063 (-)		4	86.0	<5	
SE 5508064 (-)		5	85.8	<5	
SE 5508065 (-)		7	104	22	
SE 5508066 (-)		7	183	<5	
SE 5508067 (-)		13	99.9	<5	
SE 5508068 (-)		12	64.5	5	
SE 5508069 (-)		7	107	<5	
SE 5508070 (-)		18	44.9	<5	
SE 5508071 (-)		3	29.0	<5	
SE 5508072 (-)		5	84.3	<5	
SE 5508073 (-)		11	106	15	
SE 5508074 (-)		14	102	22	
SE 5508075 (-)		7	101	9	
SE 5508076 (-)		8	95.3	10	
SE 5508077 (-)		9	105	6	
SE 5508078 (-)		20	65.4	<5	

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr	As-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	
SE 5508079 (-)		11	118	5	
SE 5508080 (-)		8	116	<5	
SE 5508081 (-)		5	101	<5	
SE 5508082 (-)		9	106	8	
SE 5508083 (-)		11	101	<5	
SE 5508084 (-)		13	45.2	<5	
SE 5508085 (-)		6	100	<5	
SE 5508086 (-)		5	106	<5	
SE 5508087 (-)		8	110	<5	
SE 5508088 (-)		6	106	<5	
SE 5508089 (-)		5	99.1	<5	
SE 5508090 (-)		10	105	7	
SE 5508091 (-)		10	94.1	10	
SE 5508092 (-)		23	64.9	<5	
SE 5508093 (-)		9	104	6	
SE 5508094 (-)		14	90.4	8	
SE 5508095 (-)		13	110	10	
SE 5508096 (-)		10	112	<5	
SE 5508097 (-)		11	130	7	
SE 5508098 (-)		13	134	9	
SE 5508099 (-)		11	1500	16	
SE 5508100 (-)		<1	16.9	<5	
SE 5508101 (-)		12	96.4	6	
SE 5508102 (-)		5	21.8	<5	
SE 5508103 (-)		9	50.3	<5	
SE 5508104 (-)		8	104	<5	
SE 5508105 (-)		4	82.8	<5	
SE 5508106 (-)		4	95.1	<5	
SE 5508107 (-)		4	85.9	<5	
SE 5508108 (-)		4	76.2	<5	
SE 5508109 (-)		8	81.3	6	
SE 5508660 (-)		5	117	<5	

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr	As-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	
SE 5508661 (-)		6	97.6	<5	
SE 5508662 (-)		4	69.4	<5	
SE 5508663 (-)		5	115	<5	
SE 5508664 (-)		4	129	<5	
SE 5508665 (-)		4	83.0	<5	
SE 5508666 (-)		5	92.7	<5	
TE 5508110 (-)		14	107	17	
TE 5508111 (-)		9	129	<5	
TE 5508112 (-)		9	108	15	
TE 5508113 (-)		12	60.6	<5	
TE 5508114 (-)		12	84.7	<5	
TE 5508115 (-)		12	74.9	<5	
TE 5508116 (-)		12	59.0	<5	

Comments: RDL - Reported Detection Limit
Version 2. Lower detection limit reported for TI.

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE 5505460 (-)		0.48	0.005
SE 5505461 (-)		0.51	0.012
SE 5505462 (-)		0.52	0.002
SE 5505463 (-)		0.48	<0.001
SE 5505464 (-)		0.54	<0.001
SE 5505465 (-)		0.52	<0.001
SE 5505466 (-)		0.51	0.002
SE 5505467 (-)		0.36	<0.001
SE 5505468 (-)		0.31	0.001
SE 5505469 (-)		0.38	<0.001
SE 5505470 (-)		0.30	0.001
SE 5505471 (-)		0.44	<0.001
SE 5505472 (-)		0.61	<0.001
SE 5505473 (-)		0.35	<0.001
SE 5505474 (-)		0.34	<0.001
SE 5505475 (-)		0.42	0.035
SE 5505476 (-)		0.59	<0.001
SE 5505477 (-)		0.60	<0.001
SE 5505478 (-)		0.52	<0.001
SE 5505479 (-)		0.66	<0.001
SE 5505480 (-)		0.53	<0.001
SE 5505483 (-)		0.49	0.001
SE 5505484 (-)		0.58	0.010
SE 5505485 (-)		0.60	<0.001
SE 5505486 (-)		0.40	0.002
SE 5505487 (-)		0.39	0.001
SE 5505488 (-)		0.52	0.094
SE 5505489 (-)		0.53	0.040
SE 5505490 (-)		0.52	0.021
SE 5505491 (-)		0.51	0.058
SE 5505492 (-)		0.44	0.184

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE 5505493 (-)		0.35	0.160
SE 5505494 (-)		0.40	0.011
SE 5505495 (-)		0.54	0.026
SE 5505496 (-)		0.46	<0.001
SE 5505497 (-)		0.32	0.013
SE 5505498 (-)		0.32	<0.001
SE 5505499 (-)		0.12	2.57
SE 5505500 (-)		0.25	<0.001
SE 5505501 (-)		0.37	<0.001
SE 5505502 (-)		0.50	0.002
SE 5505503 (-)		0.28	0.002
SE 5505504 (-)		0.28	0.008
SE 5505505 (-)		0.42	<0.001
SE 5505506 (-)		0.51	<0.001
SE 5505507 (-)		0.46	<0.001
SE 5505360 (-)		0.35	<0.001
SE 5505361 (-)		0.21	<0.001
SE 5505362 (-)		0.25	<0.001
SE 5505363 (-)		0.18	<0.001
SE 5505364 (-)		0.40	<0.001
SE 5505365 (-)		0.48	0.004
SE 5505366 (-)		0.43	0.009
SE 5505367 (-)		0.22	<0.001
SE 5505368 (-)		0.46	0.001
SE 5505369 (-)		0.43	<0.001
SE 5505370 (-)		0.29	<0.001
SE 5505371 (-)		0.39	0.026
SE 5505372 (-)		0.42	0.024
SE 5505373 (-)		0.48	0.020
SE 5505374 (-)		0.52	0.022
SE 5505375 (-)		0.45	0.018

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE 5505376 (-)		0.29	0.092
SE 5505377 (-)		0.41	0.051
SE 5505378 (-)		0.50	0.029
SE 5505379 (-)		0.46	0.016
SE 5505380 (-)		0.32	<0.001
SE 5505381 (-)		0.43	<0.001
SE 5505382 (-)		0.44	<0.001
SE 5505383 (-)		0.49	0.001
SE 5505384 (-)		0.48	0.002
SE 5505385 (-)		0.48	<0.001
SE 5505386 (-)		0.34	<0.001
SE 5505387 (-)		0.21	0.016
SE 5505388 (-)		0.39	0.004
SE 5505389 (-)		0.21	0.004
SE 5505390 (-)		0.35	0.001
SE 5505391 (-)		0.21	<0.001
SE 5505392 (-)		0.29	<0.001
SE 5505393 (-)		0.30	<0.001
SE 5505394 (-)		0.26	0.001
SE 5505395 (-)		0.33	0.002
SE 5505396 (-)		0.35	<0.001
SE 5505397 (-)		0.38	<0.001
SE 5505398 (-)		0.39	<0.001
SE 5505399 (-)		0.12	2.37
SE 5505400 (-)		0.25	0.004
SE 5505401 (-)		0.35	<0.001
SE 5505402 (-)		0.27	0.006
SE 5505403 (-)		0.52	0.004
SE 5505404 (-)		0.33	<0.001
SE 5505405 (-)		0.36	<0.001
SE 5505406 (-)		0.45	<0.001

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE 5505407 (-)		0.36	0.008
SE 5505408 (-)		0.45	<0.001
SE 5505409 (-)		0.42	0.005
SE 5505610 (-)		0.37	<0.001
SE 5505611 (-)		0.36	<0.001
SE 5505612 (-)		0.38	<0.001
SE 5505613 (-)		0.21	<0.001
SE 5505614 (-)		0.39	0.011
SE 5505615 (-)		0.46	0.006
SE 5505616 (-)		0.46	<0.001
SE 5505617 (-)		0.37	<0.001
SE 5505618 (-)		0.45	0.030
SE 5505619 (-)		0.48	0.020
SE 5505620 (-)		0.50	0.005
SE 5505621 (-)		0.58	0.012
SE 5505622 (-)		0.40	<0.001
SE 5505623 (-)		0.28	<0.001
SE 5505624 (-)		0.39	0.001
SE 5505625 (-)		0.27	0.002
SE 5505626 (-)		0.30	0.012
SE 5505627 (-)		0.22	0.003
SE 5505628 (-)		0.30	0.017
SE 5505629 (-)		0.38	0.005
SE 5505630 (-)		0.35	0.002
SE 5505631 (-)		0.34	<0.001
SE 5505632 (-)		0.24	0.003
SE 5505633 (-)		0.20	0.028
SE 5505634 (-)		0.30	0.003
SE 5505635 (-)		0.27	0.003
SE 5505636 (-)		0.39	<0.001
SE 5505310 (-)		0.39	1.92

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE 5505311 (-)		0.33	0.582
SE 5505312 (-)		0.42	0.483
SE 5505313 (-)		0.39	0.193
SE 5505314 (-)		0.47	2.00
SE 5505315 (-)		0.38	1.05
SE 5505316 (-)		0.23	0.114
SE 5505317 (-)		0.54	0.149
SE 5505318 (-)		0.46	0.027
SE 5505319 (-)		0.41	0.040
SE 5505320 (-)		0.48	0.023
SE 5505321 (-)		0.49	0.005
SE 5505322 (-)		0.46	<0.001
SE 5505323 (-)		0.37	<0.001
SE 5505324 (-)		0.31	<0.001
SE 5505325 (-)		0.37	0.013
SE 5505326 (-)		0.47	<0.001
SE 5505327 (-)		0.51	<0.001
SE 5505328 (-)		0.59	<0.001
SE 5505329 (-)		0.50	0.079
SE 5505330 (-)		0.32	<0.001
SE 5505331 (-)		0.41	<0.001
SE 5505332 (-)		0.36	<0.001
SE 5505333 (-)		0.25	<0.001
SE 5505334 (-)		0.20	<0.001
SE 5505335 (-)		0.20	0.008
SE 5505336 (-)		0.20	<0.001
SE 5505337 (-)		0.31	0.060
SE 5505338 (-)		0.21	<0.001
SE 5505339 (-)		0.25	<0.001
SE 5505340 (-)		0.29	<0.001
SE 5505341 (-)		0.20	<0.001

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE 5505342 (-)		0.23	<0.001
SE 5505343 (-)		0.14	<0.001
SE 5505344 (-)		0.31	0.002
SE 5505345 (-)		0.05	<0.001
SE 5505346 (-)		0.40	0.060
SE 5505347 (-)		0.32	<0.001
SE 5505348 (-)		0.35	<0.001
SE 5505349 (-)		0.11	2.30
SE 5505350 (-)		0.41	0.002
SE 5505351 (-)		0.23	0.001
SE 5505352 (-)		0.25	0.936
SE 5505353 (-)		0.27	0.005
SE 5505354 (-)		0.35	<0.001
SE 5505355 (-)		0.19	<0.001
SE 5505356 (-)		0.39	0.048
SE 5505357 (-)		0.50	<0.001
SE 5505358 (-)		0.43	0.102
SE 5505359 (-)		0.43	<0.001
SE 5508060 (-)		0.46	0.006
SE 5508061 (-)		0.42	0.035
SE 5508062 (-)		0.54	0.002
SE 5508063 (-)		0.42	<0.001
SE 5508064 (-)		0.38	<0.001
SE 5508065 (-)		0.47	<0.001
SE 5508066 (-)		0.47	<0.001
SE 5508067 (-)		0.28	<0.001
SE 5508068 (-)		0.15	<0.001
SE 5508069 (-)		0.37	<0.001
SE 5508070 (-)		0.26	<0.001
SE 5508071 (-)		0.15	0.002
SE 5508072 (-)		0.34	<0.001

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE 5508073 (-)		0.32	<0.001
SE 5508074 (-)		0.64	<0.001
SE 5508075 (-)		0.32	<0.001
SE 5508076 (-)		0.32	<0.001
SE 5508077 (-)		0.47	<0.001
SE 5508078 (-)		0.21	<0.001
SE 5508079 (-)		0.48	0.010
SE 5508080 (-)		0.77	<0.001
SE 5508081 (-)		0.64	<0.001
SE 5508082 (-)		0.53	<0.001
SE 5508083 (-)		0.46	<0.001
SE 5508084 (-)		0.22	<0.001
SE 5508085 (-)		0.42	<0.001
SE 5508086 (-)		0.36	<0.001
SE 5508087 (-)		0.43	<0.001
SE 5508088 (-)		0.45	<0.001
SE 5508089 (-)		0.33	<0.001
SE 5508090 (-)		0.34	0.002
SE 5508091 (-)		0.62	<0.001
SE 5508092 (-)		0.27	<0.001
SE 5508093 (-)		0.53	<0.001
SE 5508094 (-)		0.42	0.066
SE 5508095 (-)		0.54	<0.001
SE 5508096 (-)		0.36	<0.001
SE 5508097 (-)		0.36	0.001
SE 5508098 (-)		0.38	<0.001
SE 5508099 (-)		0.11	2.24
SE 5508100 (-)		0.39	0.021
SE 5508101 (-)		0.41	<0.001
SE 5508102 (-)		0.25	<0.001
SE 5508103 (-)		0.28	<0.001

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y611192

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jun 18, 2012

DATE RECEIVED: Jun 18, 2012

DATE REPORTED: Jul 04, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE 5508104 (-)		0.61	<0.001
SE 5508105 (-)		0.50	<0.001
SE 5508106 (-)		0.38	<0.001
SE 5508107 (-)		0.37	<0.001
SE 5508108 (-)		0.53	<0.001
SE 5508109 (-)		0.42	<0.001
SE 5508660 (-)		0.44	<0.001
SE 5508661 (-)		0.42	<0.001
SE 5508662 (-)		0.43	0.018
SE 5508663 (-)		0.42	<0.001
SE 5508664 (-)		0.30	<0.001
SE 5508665 (-)		0.32	<0.001
SE 5508666 (-)		0.37	<0.001
TE 5508110 (-)		0.43	<0.001
TE 5508111 (-)		0.59	0.016
TE 5508112 (-)		0.32	0.002
TE 5508113 (-)		0.47	<0.001
TE 5508114 (-)		0.61	0.003
TE 5508115 (-)		0.37	0.002
TE 5508116 (-)		0.43	0.003

Comments: RDL - Reported Detection Limit
Version 2. Lower detection limit reported for TI.

Certified By:

Ron Cardinal

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y611192

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis											
RPT Date: Jul 04, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)											
Ag	1	3435761	< 0.2	< 0.2	0.0%	< 0.2	6	6	100%	80%	120%
Al	1	3435761	3.22	3.09	4.1%	< 0.01				80%	120%
As	1	3435761	< 1	< 1	0.0%	< 1				80%	120%
B	1	3435761	18	17	5.7%	< 5	6	7.00	85%	80%	120%
Ba	1	3435761	537	542	0.9%	< 1				80%	120%
Be	1	3435761	2.0	1.9	5.1%	< 0.5				80%	120%
Bi	1	3435761	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	3435761	1.35	1.27	6.1%	< 0.01				80%	120%
Cd	1	3435761	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	3435761	86	84	2.4%	< 1				80%	120%
Co	1	3435761	26.3	26.5	0.8%	< 0.5	5.6	5.0	112%	80%	120%
Cr	1	3435761	296	290	2.0%	< 0.5				80%	120%
Cu	1	3435761	88.0	85.2	3.2%	< 0.5	4054	3800	106%	80%	120%
Fe	1	3435761	7.44	7.36	1.1%	< 0.01				80%	120%
Ga	1	3435761	16	17	6.1%	< 5				80%	120%
Hg	1	3435761	< 1	< 1	0.0%	< 1	1	1	100%	80%	120%
In	1	3435761	< 1	< 1	0.0%	< 1				80%	120%
K	1	3435761	0.095	0.077	20.9%	< 0.01				80%	120%
La	1	3435761	40	39	2.5%	< 1				80%	120%
Li	1	3435761	57	57	0.0%	< 1				80%	120%
Mg	1	3435761	2.48	2.45	1.2%	< 0.01				80%	120%
Mn	1	3435761	1590	1600	0.6%	< 1				80%	120%
Mo	1		1.92	2.08	8.0%	< 0.5				80%	120%
Na	1	3435761	0.01	0.01	0.0%	< 0.01				80%	120%
Ni	1	3435761	135	133	1.5%	< 0.5				80%	120%
P	1	3435761	1550	1480	4.6%	< 10	546	600	91%	80%	120%
Pb	1	3435761	5.3	5.5	3.7%	< 0.5				80%	120%
Rb	1	3435761	28	26	7.4%	< 10	13	13	101%	80%	120%
S	1	3435761	0.0746	0.0722	3.3%	< 0.005				80%	120%
Sb	1	3435761	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	3435761	13.4	12.6	6.2%	< 0.5				80%	120%
Se	1	3435761	< 10	< 10	0.0%	< 10	0.7	0.8	89%	80%	120%
Sn	1	3435761	< 5	< 5	0.0%	< 5	7.9	7.1	111%	80%	120%
Sr	1	3435761	62.0	58.0	6.7%	1.2	291	290	100%	80%	120%
Ta	1	3435761	< 10	< 10	0.0%	< 10				80%	120%
Te	1	3435761	< 10	< 10	0.0%	< 10				80%	120%
Th	1	3435761	< 5	< 5	0.0%	< 5				80%	120%
Ti	1	3435761	0.47	0.39	18.6%	< 0.01				80%	120%
Tl	1	3435761	< 5	< 5	0.0%	< 5				80%	120%
U	1	3435761	< 5	< 5	0.0%	< 5				80%	120%
V	1	3435761	199	191	4.1%	< 0.5				80%	120%
W	1	3435761	1	1	0.0%	< 1				80%	120%
Y	1	3435761	14	14	0.0%	< 1				80%	120%
Zn	1	3435761	86.0	84.8	1.4%	< 0.5				80%	120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y611192

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 04, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Zr	1	3435761	6	6	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)										
Ag	1	3435787	0.88	0.82	7.1%	< 0.2				80% 120%
Al	1	3435787	0.62	0.45		< 0.01				80% 120%
As	1	3435787	2040	2000	2.0%	< 1				80% 120%
B	1	3435787	8	8	0.0%	< 5				80% 120%
Ba	1	3435787	108	94	13.9%	< 1				80% 120%
Be	1	3435787	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	3435787	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3435787	7.02	6.76	3.8%	< 0.01				80% 120%
Cd	1	3435787	34.9	34.1	2.3%	< 0.5				80% 120%
Ce	1	3435787	14	11	24.0%	< 1				80% 120%
Co	1	3435787	6.51	6.34	2.6%	< 0.5				80% 120%
Cr	1	3435787	20.0	16.4	19.8%	< 0.5				80% 120%
Cu	1	3435787	17.6	17.0	3.5%	< 0.5	4014	3800	105%	80% 120%
Fe	1	3435787	3.12	2.96	5.3%	< 0.01				80% 120%
Ga	1	3435787	5	5	0.0%	< 5				80% 120%
Hg	1	3435787	10	10	0.0%	< 1				80% 120%
In	1	3435787	< 1	1		< 1				80% 120%
K	1	3435787	0.29	0.22	27.5%	< 0.01				80% 120%
La	1	3435787	5	4	22.2%	< 1				80% 120%
Li	1	3435787	4	3	28.6%	< 1				80% 120%
Mg	1	3435787	3.95	3.77	4.7%	< 0.01				80% 120%
Mn	1	3435787	756	718	5.2%	< 1				80% 120%
Mo	1	3435787	1.00	0.82	19.8%	< 0.5				80% 120%
Na	1	3435787	0.01	0.01	0.0%	< 0.01				80% 120%
Ni	1	3435787	12.1	11.6	4.2%	< 0.5				80% 120%
P	1	3435787	902	868	3.8%	< 10	554	600	92%	80% 120%
Pb	1	3435787	172	167	2.9%	< 0.5				80% 120%
Rb	1	3435787	30	23	26.4%	< 10	14	13	107%	80% 120%
S	1	3435787	0.399	0.371	7.3%	< 0.005				80% 120%
Sb	1	3435787	58	56	3.5%	< 1				80% 120%
Sc	1	3435787	4.4	4.1	7.1%	< 0.5				80% 120%
Se	1	3435787	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3435787	< 5	< 5	0.0%	< 5	8	7	114%	80% 120%
Sr	1	3435787	47.1	39.3	18.1%	< 0.5	288	290	99%	80% 120%
Ta	1	3435787	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3435787	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3435787	10	7		< 5				80% 120%
Ti	1	3435787	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3435787	< 5	< 5	0.0%	< 5				80% 120%
U	1	3435787	< 5	< 5	0.0%	< 5				80% 120%
V	1	3435787	21.9	19.0	14.2%	< 0.5				80% 120%
W	1	3435787	1	< 1		< 1				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y611192

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 04, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Y	1	3435787	9	8	11.8%	< 1				80% 120%
Zn	1	3435787	1550	1520	2.0%	< 0.5				80% 120%
Zr	1	3435787	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)										
Ag	1	3435813	0.40	0.31	25.4%	< 0.2				80% 120%
Al	1	3435813	3.90	4.05	3.8%	< 0.01				80% 120%
As	1	3435813	< 1	< 1	0.0%	< 1				80% 120%
B	1	3435813	12	18		< 5				80% 120%
Ba	1	3435813	459	473	3.0%	< 1				80% 120%
Be	1	3435813	1.7	1.8	5.7%	< 0.5				80% 120%
Bi	1	3435813	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3435813	2.02	2.14	5.8%	< 0.01				80% 120%
Cd	1	3435813	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3435813	110	115	4.4%	< 1				80% 120%
Co	1	3435813	18.8	19.2	2.1%	< 0.5				80% 120%
Cr	1	3435813	163	169	3.6%	< 0.5				80% 120%
Cu	1	3435813	70.8	72.2	2.0%	< 0.5	4254	3800	111%	80% 120%
Fe	1	3435813	6.39	6.59	3.1%	< 0.01				80% 120%
Ga	1	3435813	18	18	0.0%	< 5				80% 120%
Hg	1	3435813	< 1	< 1	0.0%	< 1				80% 120%
In	1	3435813	1	2		< 1				80% 120%
K	1	3435813	0.26	0.30	14.3%	< 0.01				80% 120%
La	1	3435813	63	66	4.7%	< 1				80% 120%
Li	1	3435813	32	33	3.1%	< 1				80% 120%
Mg	1	3435813	2.86	2.97	3.8%	< 0.01				80% 120%
Mn	1	3435813	1750	1760	0.6%	< 1				80% 120%
Mo	1	3435813	0.7	1.8		< 0.5				80% 120%
Na	1	3435813	0.044	0.047	6.6%	< 0.01				80% 120%
Ni	1	3435813	89.8	91.7	2.1%	< 0.5				80% 120%
P	1	3435813	2460	2480	0.8%	< 10	573	600	96%	80% 120%
Pb	1	3435813	8.72	8.85	1.5%	< 0.5				80% 120%
Rb	1	3435813	67	75	11.3%	< 10				80% 120%
S	1	3435813	0.140	0.143	2.1%	< 0.005				80% 120%
Sb	1	3435813	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	3435813	6.49	6.97	7.1%	< 0.5				80% 120%
Se	1	3435813	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3435813	< 5	< 5	0.0%	< 5	7.7	7.1	109%	80% 120%
Sr	1	3435813	204	208	1.9%	0.7	303	290	104%	80% 120%
Ta	1	3435813	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3435813	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3435813	5	< 5		< 5				80% 120%
Ti	1	3435813	0.552	0.587	6.1%	< 0.01				80% 120%
Tl	1	3435813	< 5	< 5	0.0%	< 5				80% 120%
U	1	3435813	< 5	< 5	0.0%	< 5				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y611192

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 04, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
V	1	3435813	199	208	4.4%	< 0.5				80% 120%
W	1	3435813	1	< 1		< 1				80% 120%
Y	1	3435813	21	22	4.7%	< 1				80% 120%
Zn	1	3435813	106	110	3.7%	< 0.5				80% 120%
Zr	1	3435813	10	8	22.2%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)										
Ag	1	3435839	0.37	0.30	20.9%	< 0.2				80% 120%
Al	1	3435839	2.32	2.45	5.5%	< 0.01				80% 120%
As	1	3435839	3	4	28.6%	< 1				80% 120%
B	1	3435839	6	< 5		< 5				80% 120%
Ba	1	3435839	599	613	2.3%	< 1				80% 120%
Be	1	3435839	1.2	1.2	0.0%	< 0.5				80% 120%
Bi	1	3435839	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3435839	1.39	1.45	4.2%	< 0.01				80% 120%
Cd	1	3435839	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3435839	47	48	2.1%	< 1				80% 120%
Co	1	3435839	15.2	16.1	5.8%	< 0.5				80% 120%
Cr	1	3435839	83.6	87.2	4.2%	< 0.5				80% 120%
Cu	1	3435839	39.5	41.1	4.0%	< 0.5	3993	3800	105%	80% 120%
Fe	1	3435839	3.51	3.69	5.0%	< 0.01				80% 120%
Ga	1	3435839	10	11	9.5%	< 5				80% 120%
Hg	1	3435839	< 1	< 1	0.0%	< 1				80% 120%
In	1	3435839	< 1	< 1	0.0%	< 1				80% 120%
K	1	3435839	0.124	0.125	0.8%	< 0.01				80% 120%
La	1	3435839	29	30	3.4%	< 1				80% 120%
Li	1	3435839	20	20	0.0%	< 1				80% 120%
Mg	1	3435839	1.28	1.31	2.3%	< 0.01				80% 120%
Mn	1	3435839	899	914	1.7%	< 1				80% 120%
Mo	1	3435839	1.11	1.17	5.3%	< 0.5				80% 120%
Na	1	3435839	0.01	0.01	0.0%	< 0.01				80% 120%
Ni	1	3435839	47.8	49.7	3.9%	< 0.5				80% 120%
P	1	3435839	1670	1830	9.1%	< 10	561	600	94%	80% 120%
Pb	1	3435839	6.72	8.07	18.3%	< 0.5				80% 120%
Rb	1	3435839	32	33	3.1%	< 10	10	13	81%	80% 120%
S	1	3435839	0.140	0.146	4.2%	< 0.005				80% 120%
Sb	1	3435839	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	3435839	3.70	3.78	2.1%	< 0.5				80% 120%
Se	1	3435839	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3435839	< 5	< 5	0.0%	< 5	7	7.1	98%	80% 120%
Sr	1	3435839	86.8	88.9	2.4%	< 0.5	299	290	103%	80% 120%
Ta	1	3435839	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3435839	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3435839	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3435839	0.13	0.13	0.0%	< 0.01				80% 120%
Tl	1	3435839	< 5	< 5	0.0%	< 5				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y611192

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 04, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
U	1	3435839	< 5	< 5	0.0%	< 5				80% 120%
V	1	3435839	107	113	5.5%	< 0.5				80% 120%
W	1	3435839	1	1	0.0%	< 1				80% 120%
Y	1	3435839	12	13	8.0%	< 1				80% 120%
Zn	1	3435839	81.0	81.9	1.1%	< 0.5				80% 120%
Zr	1	3435839	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)										
Ag	1	3435865	0.27	0.21	25.0%	< 0.2				80% 120%
Al	1	3435865	1.75	1.75	0.0%	< 0.01				80% 120%
As	1	3435865	349	337	3.5%	< 1				80% 120%
B	1	3435865	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3435865	257	251	2.4%	< 1				80% 120%
Be	1	3435865	1.2	1.2	0.0%	< 0.5				80% 120%
Bi	1	3435865	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3435865	0.24	0.24	0.0%	< 0.01				80% 120%
Cd	1	3435865	6.09	6.67	9.1%	< 0.5				80% 120%
Ce	1	3435865	31	30	3.3%	< 1				80% 120%
Co	1	3435865	18.5	17.9	3.3%	< 0.5				80% 120%
Cr	1	3435865	43.1	41.8	3.1%	< 0.5				80% 120%
Cu	1	3435865	42.6	40.8	4.3%	< 0.5	4072	3800	107%	80% 120%
Fe	1	3435865	5.28	5.28	0.0%	< 0.01				80% 120%
Ga	1	3435865	7	7	0.0%	< 5				80% 120%
Hg	1	3435865	< 1	< 1	0.0%	< 1				80% 120%
In	1	3435865	< 1	< 1	0.0%	< 1				80% 120%
K	1	3435865	0.180	0.174	3.4%	< 0.01				80% 120%
La	1	3435865	12	12	0.0%	< 1				80% 120%
Li	1	3435865	29	28	3.5%	< 1				80% 120%
Mg	1	3435865	0.59	0.58	1.7%	< 0.01				80% 120%
Mn	1	3435865	1180	1160	1.7%	< 1				80% 120%
Mo	1	3435865	1.2	2.1		< 0.5				80% 120%
Na	1	3435865	0.01	0.01	0.0%	< 0.01				80% 120%
Ni	1	3435865	37.2	34.9	6.4%	< 0.5				80% 120%
P	1	3435865	772	732	5.3%	< 10	587	600	98%	80% 120%
Pb	1	3435865	19.4	19.2	1.0%	< 0.5				80% 120%
Rb	1	3435865	29	27	7.1%	< 10	12	13	92%	80% 120%
S	1	3435865	0.0243	0.0251	3.2%	< 0.005				80% 120%
Sb	1	3435865	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	3435865	5.59	5.31	5.1%	< 0.5				80% 120%
Se	1	3435865	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3435865	< 5	< 5	0.0%	< 5	7	7.1	98%	80% 120%
Sr	1	3435865	43.0	42.3	1.6%	< 0.5	294	290	101%	80% 120%
Ta	1	3435865	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3435865	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3435865	< 5	< 5	0.0%	< 5				80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y611192

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 04, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ti	1	3435865	0.02	0.02	0.0%	< 0.01				80% 120%
Tl	1	3435865	< 5	< 5	0.0%	< 5				80% 120%
U	1	3435865	< 5	< 5	0.0%	< 5				80% 120%
V	1	3435865	49.9	46.8	6.4%	< 0.5				80% 120%
W	1	3435865	< 1	1		< 1				80% 120%
Y	1	3435865	6	6	0.0%	< 1				80% 120%
Zn	1	3435865	92.2	91.0	1.3%	< 0.5				80% 120%
Zr	1	3435865	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)										
Ag	1	3435891	1.25	1.32	5.4%	< 0.2				80% 120%
Al	1	3435891	0.964	1.14	16.7%	< 0.01				80% 120%
As	1	3435891	3840	4070	5.8%	< 1				80% 120%
B	1	3435891	9	11	20.0%	< 5				80% 120%
Ba	1	3435891	182	204	11.4%	< 1				80% 120%
Be	1	3435891	0.6	0.6	0.0%	< 0.5				80% 120%
Bi	1	3435891	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3435891	4.84	5.20	7.2%	< 0.01				80% 120%
Cd	1	3435891	63.3	66.9	5.5%	< 0.5				80% 120%
Ce	1	3435891	19	21	10.0%	< 1				80% 120%
Co	1	3435891	7.8	7.8	0.0%	< 0.5				80% 120%
Cr	1	3435891	17.9	21.1	16.4%	< 0.5				80% 120%
Cu	1	3435891	20.9	22.5	7.4%	< 0.5	4133	3800	108%	80% 120%
Fe	1	3435891	4.92	5.36	8.6%	< 0.01				80% 120%
Ga	1	3435891	< 5	6		< 5				80% 120%
Hg	1	3435891	47	71		< 1				80% 120%
In	1	3435891	< 1	2		< 1				80% 120%
K	1	3435891	0.04	0.07		< 0.01				80% 120%
La	1	3435891	9	10	10.5%	< 1				80% 120%
Li	1	3435891	5	6	18.2%	< 1				80% 120%
Mg	1	3435891	2.44	2.66	8.6%	< 0.01				80% 120%
Mn	1	3435891	3880	4180	7.4%	< 1				80% 120%
Mo	1	3435891	1.5	2.1		< 0.5				80% 120%
Na	1	3435891	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3435891	18.2	18.5	1.6%	< 0.5				80% 120%
P	1	3435891	1920	2190	13.1%	< 10	608	600	101%	80% 120%
Pb	1	3435891	253	255	0.8%	< 0.5				80% 120%
Rb	1	3435891	11	16		< 10	13	13	100%	80% 120%
S	1	3435891	0.207	0.227	9.2%	< 0.005				80% 120%
Sb	1	3435891	24	25	4.1%	< 1				80% 120%
Sc	1	3435891	1.2	1.4	15.4%	< 0.5				80% 120%
Se	1	3435891	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3435891	< 5	< 5	0.0%	< 5	7	7.1	98%	80% 120%
Sr	1	3435891	13.4	16.3	19.5%	< 0.5	299	290	103%	80% 120%
Ta	1	3435891	< 10	< 10	0.0%	< 10				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y611192

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 04, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Te	1	3435891	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3435891	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3435891	< 0.01	0.01		< 0.01				80% 120%
Tl	1	3435891	5	6	18.2%	< 5				80% 120%
U	1	3435891	7	6	15.4%	< 5				80% 120%
V	1	3435891	25.8	30.1	15.4%	< 0.5				80% 120%
W	1	3435891	1	< 1		< 1				80% 120%
Y	1	3435891	16	17	6.1%	< 1				80% 120%
Zn	1	3435891	1110	1180	6.1%	< 0.5				80% 120%
Zr	1	3435891	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)										
Ag	1	3435917	< 0.2	0.2		< 0.2				80% 120%
Al	1	3435917	3.10	3.08	0.6%	< 0.01				80% 120%
As	1	3435917	< 1	< 1	0.0%	< 1				80% 120%
B	1	3435917	7	7	0.0%	< 5				80% 120%
Ba	1	3435917	352	339	3.8%	< 1				80% 120%
Be	1	3435917	1.5	1.5	0.0%	< 0.5				80% 120%
Bi	1	3435917	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3435917	1.86	1.86	0.0%	< 0.01				80% 120%
Cd	1	3435917	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3435917	93	93	0.0%	< 1				80% 120%
Co	1	3435917	21.0	20.3	3.4%	< 0.5				80% 120%
Cr	1	3435917	189	188	0.5%	< 0.5				80% 120%
Cu	1	3435917	60.8	61.1	0.5%	< 0.5	3922	3800	103%	80% 120%
Fe	1	3435917	6.19	6.13	1.0%	< 0.01				80% 120%
Ga	1	3435917	17	16	6.1%	< 5				80% 120%
Hg	1	3435917	< 1	< 1	0.0%	< 1				80% 120%
In	1	3435917	2	< 1		< 1				80% 120%
K	1	3435917	0.117	0.114	2.6%	< 0.01				80% 120%
La	1	3435917	55	55	0.0%	< 1				80% 120%
Li	1	3435917	29	28	3.5%	< 1				80% 120%
Mg	1	3435917	2.65	2.61	1.5%	< 0.01				80% 120%
Mn	1	3435917	1690	1600	5.5%	< 1				80% 120%
Mo	1	3435917	1.2	1.6	28.6%	< 0.5				80% 120%
Na	1	3435917	0.02	0.02	0.0%	< 0.01				80% 120%
Ni	1	3435917	103	102	1.0%	< 0.5				80% 120%
P	1	3435917	2180	2110	3.3%	< 10	577	600	96%	80% 120%
Pb	1	3435917	6.0	6.6	9.5%	< 0.5				80% 120%
Rb	1	3435917	32	34	6.1%	< 10				80% 120%
S	1	3435917	0.154	0.148	4.0%	< 0.005				80% 120%
Sb	1	3435917	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	3435917	6.4	6.4	0.0%	< 0.5				80% 120%
Se	1	3435917	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3435917	< 5	< 5	0.0%	< 5	8.1	7.1	115%	80% 120%
Sr	1	3435917	171	165	3.6%	< 0.5	274	290	94%	80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y611192

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 04, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ta	1	3435917	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3435917	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3435917	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3435917	0.371	0.377	1.6%	< 0.01				80% 120%
Tl	1	3435917	< 5	< 5	0.0%	< 5				80% 120%
U	1	3435917	< 5	< 5	0.0%	< 5				80% 120%
V	1	3435917	177	179	1.1%	< 0.5				80% 120%
W	1	3435917	1	1	0.0%	< 1				80% 120%
Y	1	3435917	17	17	0.0%	< 1				80% 120%
Zn	1	3435917	87.8	87.0	0.9%	< 0.5				80% 120%
Zr	1	3435917	9	8	11.8%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)										
Ag	1	3435943	0.57	0.52	9.2%	< 0.2				80% 120%
Al	1	3435943	2.14	1.72	21.8%	< 0.01				80% 120%
As	1	3435943	< 1	1		< 1				80% 120%
B	1	3435943	6	< 5		< 5				80% 120%
Ba	1	3435943	601	592	1.5%	< 1				80% 120%
Be	1	3435943	1.09	1.03	5.7%	< 0.5				80% 120%
Bi	1	3435943	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3435943	1.44	1.37	5.0%	< 0.01				80% 120%
Cd	1	3435943	0.5	< 0.5		< 0.5				80% 120%
Ce	1	3435943	48	44	8.7%	< 1				80% 120%
Co	1	3435943	17.3	18.2	5.1%	< 0.5				80% 120%
Cr	1	3435943	73.5	65.9	10.9%	< 0.5				80% 120%
Cu	1	3435943	51.6	45.0	13.7%	< 0.5	4071	3800	107%	80% 120%
Fe	1	3435943	3.02	2.99	1.0%	< 0.01				80% 120%
Ga	1	3435943	10	9	10.5%	< 5				80% 120%
Hg	1	3435943	< 1	< 1	0.0%	< 1				80% 120%
In	1	3435943	2	1		< 1				80% 120%
K	1	3435943	0.13	0.07		< 0.01				80% 120%
La	1	3435943	32	30	6.5%	< 1				80% 120%
Li	1	3435943	17	13	26.7%	< 1				80% 120%
Mg	1	3435943	0.83	0.74	11.5%	< 0.01				80% 120%
Mn	1	3435943	1550	1480	4.6%	< 1				80% 120%
Mo	1	3435943	2.3	2.7	16.0%	< 0.5				80% 120%
Na	1	3435943	0.02	0.01		< 0.01				80% 120%
Ni	1	3435943	41.3	39.8	3.7%	< 0.5				80% 120%
P	1	3435943	1870	1540	19.4%	< 10	598	600	100%	80% 120%
Pb	1	3435943	13.8	13.5	2.2%	< 0.5				80% 120%
Rb	1	3435943	35	20		< 10	13	13	100%	80% 120%
S	1	3435943	0.163	0.150	8.3%	< 0.005				80% 120%
Sb	1	3435943	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	3435943	4.7	3.7	23.8%	< 0.5				80% 120%
Se	1	3435943	< 10	< 10	0.0%	< 10				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y611192

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 04, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				Acceptable Limits	
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery		Lower	Upper
Sn	1	3435943	< 5	< 5	0.0%	< 5	8.4	7.1	118%		80%	120%
Sr	1	3435943	72.8	63.6	13.5%	< 0.5	300	290	103%		80%	120%
Ta	1	3435943	< 10	< 10	0.0%	< 10					80%	120%
Te	1	3435943	< 10	< 10	0.0%	< 10					80%	120%
Th	1	3435943	< 5	< 5	0.0%	< 5					80%	120%
Ti	1	3435943	0.20	0.12		< 0.01					80%	120%
Tl	1	3435943	< 5	< 5	0.0%	< 5					80%	120%
U	1	3435943	< 5	< 5	0.0%	< 5					80%	120%
V	1	3435943	90.6	77.0	16.2%	< 0.5					80%	120%
W	1	3435943	< 1	1		< 1					80%	120%
Y	1	3435943	12	12	0.0%	< 1					80%	120%
Zn	1	3435943	64.5	61.3	5.1%	< 0.5					80%	120%
Zr	1	3435943	5	4	22.2%	< 5					80%	120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)												
Ag	1	3435969	0.4	0.4	0.0%	< 0.2					80%	120%
Al	1	3435969	3.04	3.17	4.2%	< 0.01					80%	120%
As	1	3435969	6	7	15.4%	< 1					80%	120%
B	1	3435969	< 5	8		< 5					80%	120%
Ba	1	3435969	435	448	2.9%	< 1					80%	120%
Be	1	3435969	1.8	1.9	5.4%	< 0.5					80%	120%
Bi	1	3435969	< 1	< 1	0.0%	< 1					80%	120%
Ca	1	3435969	1.19	1.23	3.3%	< 0.01					80%	120%
Cd	1	3435969	1.1	0.6		< 0.5					80%	120%
Ce	1	3435969	115	122	5.9%	< 1					80%	120%
Co	1	3435969	24.6	20.2	19.6%	< 0.5					80%	120%
Cr	1	3435969	91.2	97.0	6.2%	< 0.5					80%	120%
Cu	1	3435969	40.2	44.2	9.5%	< 0.5	4094	3800	107%		80%	120%
Fe	1	3435969	4.44	4.63	4.2%	< 0.01					80%	120%
Ga	1	3435969	13	14	7.4%	< 5					80%	120%
Hg	1	3435969	1	< 1		< 1					80%	120%
In	1	3435969	3	3	0.0%	< 1					80%	120%
K	1	3435969	0.21	0.21	0.0%	< 0.01					80%	120%
La	1	3435969	53	56	5.5%	< 1					80%	120%
Li	1	3435969	30	31	3.3%	< 1					80%	120%
Mg	1	3435969	1.31	1.36	3.7%	< 0.01					80%	120%
Mn	1	3435969	3300	3480	5.3%	< 1					80%	120%
Mo	1	3435969	0.6	1.3		< 0.5					80%	120%
Na	1	3435969	0.02	0.02	0.0%	< 0.01					80%	120%
Ni	1	3435969	54.7	59.3	8.1%	< 0.5					80%	120%
P	1	3435969	1460	1550	6.0%	< 10	610	600	102%		80%	120%
Pb	1	3435969	12.0	12.5	4.1%	< 0.5					80%	120%
Rb	1	3435969	44	45	2.2%	< 10	14	13	107%		80%	120%
S	1	3435969	0.083	0.084	1.2%	< 0.005					80%	120%
Sb	1	3435969	< 1	< 1	0.0%	< 1					80%	120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y611192

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 04, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Sc	1	3435969	8.8	9.2	4.4%	< 0.5				80% 120%
Se	1	3435969	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3435969	< 5	< 5	0.0%	< 5	7	7.1	98%	80% 120%
Sr	1	3435969	89.1	91.5	2.7%	< 0.5	303	290	104%	80% 120%
Ta	1	3435969	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3435969	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3435969	6	6	0.0%	< 5				80% 120%
Ti	1	3435969	0.30	0.31	3.3%	< 0.01				80% 120%
Tl	1	3435969	5	5	0.0%	< 5				80% 120%
U	1	3435969	< 5	< 5	0.0%	< 5				80% 120%
V	1	3435969	107	114	6.3%	< 0.5				80% 120%
W	1	3435969	1	< 1		< 1				80% 120%
Y	1	3435969	14	15	6.9%	< 1				80% 120%
Zn	1	3435969	90.4	96.9	6.9%	< 0.5				80% 120%
Zr	1	3435969	8	8	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

Ag	1	3435995	0.3	0.6		< 0.2				80% 120%
Al	1	3435995	1.92	2.15	11.3%	< 0.01				80% 120%
As	1	3435995	35	33	5.9%	< 1				80% 120%
B	1	3435995	5	6	18.2%	< 5				80% 120%
Ba	1	3435995	215	250	15.1%	< 1				80% 120%
Be	1	3435995	1.3	1.4	7.4%	< 0.5				80% 120%
Bi	1	3435995	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3435995	1.63	1.66	1.8%	< 0.01				80% 120%
Cd	1	3435995	1.2	1.2	0.0%	< 0.5				80% 120%
Ce	1	3435995	38	40	5.1%	< 1				80% 120%
Co	1	3435995	15.0	14.5	3.4%	< 0.5				80% 120%
Cr	1	3435995	83.5	87.7	4.9%	< 0.5				80% 120%
Cu	1	3435995	48.1	53.8	11.2%	< 0.5	3909	3800	102%	80% 120%
Fe	1	3435995	4.40	4.50	2.2%	< 0.01				80% 120%
Ga	1	3435995	9	10	10.5%	< 5				80% 120%
Hg	1	3435995	< 1	< 1	0.0%	< 1				80% 120%
In	1	3435995	4	2		< 1				80% 120%
K	1	3435995	0.20	0.29		< 0.01				80% 120%
La	1	3435995	18	19	5.4%	< 1				80% 120%
Li	1	3435995	29	31	6.7%	< 1				80% 120%
Mg	1	3435995	1.27	1.36	6.8%	< 0.01				80% 120%
Mn	1	3435995	875	930	6.1%	< 1				80% 120%
Mo	1	3435995	2.3	2.9	23.1%	< 0.5				80% 120%
Na	1	3435995	0.04	0.04	0.0%	< 0.01				80% 120%
Ni	1	3435995	53.6	54.1	0.9%	< 0.5				80% 120%
P	1	3435995	1020	1030	1.0%	< 10	580	600	96%	80% 120%
Pb	1	3435995	12.7	12.1	4.8%	< 0.5				80% 120%
Rb	1	3435995	31	41	27.8%	< 10				80% 120%
S	1	3435995	0.069	0.069	0.0%	< 0.005				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y611192

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 04, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Sb	1	3435995	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	3435995	6.1	6.6	7.9%	< 0.5				80% 120%
Se	1	3435995	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3435995	< 5	< 5	0.0%	< 5	8.3	7.1	116%	80% 120%
Sr	1	3435995	84.9	92.7	8.8%	0.6	292	290	100%	80% 120%
Ta	1	3435995	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3435995	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3435995	6	6	0.0%	< 5				80% 120%
Ti	1	3435995	0.17	0.19	11.1%	< 0.01				80% 120%
Tl	1	3435995	< 5	< 5	0.0%	< 5				80% 120%
U	1	3435995	< 5	< 5	0.0%	< 5				80% 120%
V	1	3435995	67.3	74.9	10.7%	< 0.5				80% 120%
W	1	3435995	1	1	0.0%	< 1				80% 120%
Y	1	3435995	9	9	0.0%	< 1				80% 120%
Zn	1	3435995	108	109	0.9%	< 0.5				80% 120%
Zr	1	3435995	15	16	6.5%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)										
Cu	1					< 0.5	4127	3800	108%	80% 120%
P	1					< 10	612	600	102%	80% 120%
Rb	1					< 10	13	13	100%	80% 120%
Sn	1					< 5	7	7.1	98%	80% 120%
Sr	1					< 0.5	299	290	103%	80% 120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)										
Cu	1					< 0.5	4011	3800	105%	80% 120%
P	1					< 10	611	600	102%	80% 120%
Sn	1					< 5	8.4	7.1	119%	80% 120%
Sr	1					< 0.5	292	290	100%	80% 120%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)										
Cu	1					< 0.5	3834	3800	100%	80% 120%
P	1					< 10	570	600	95%	80% 120%
Rb	1					< 10	13	13	100%	80% 120%
Sn	1					< 5	7.9	7.1	112%	80% 120%
Sr	1					< 0.5	287	290	98%	80% 120%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3435981	< 0.001	< 0.001	0.0%	< 0.001	0.243	0.263	92%	90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3435773	< 0.001	< 0.001	0.0%	< 0.001				90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3435787	0.0944	0.105	10.6%	< 0.001				90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3435799	< 0.001	< 0.001	0.0%	< 0.001				90% 110%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y611192

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 04, 2012			REPLICATE			Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3435813	0.0094	0.0107	12.9%	< 0.001				90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3435825	0.029	0.029	0.0%	< 0.001				90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3435839	< 0.001	0.012		< 0.001				90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3435851	< 0.001	< 0.001	0.0%	< 0.001				90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3435865	< 0.001	0.002		< 0.001				90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3435877	0.005	0.005	0.0%	< 0.001				90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3435903	< 0.001	< 0.001	0.0%	< 0.001				90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3435917	< 0.001	< 0.001	0.0%	< 0.001				90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3435929	< 0.001	< 0.001	0.0%	< 0.001				90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3435943	< 0.001	< 0.001	0.0%	< 0.001				90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3435955	< 0.001	< 0.001		< 0.001				90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3435969	< 0.001	< 0.001	0.0%	< 0.001				90% 110%

Certified By:

Ron Cardinal

Method Summary

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y611192

PROJECT NO:

ATTENTION TO: Yinghua Chen

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
B	MIN-200-12020		ICP/OES
Ba	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
In	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP/OES
Li	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr	MIN-200-12020		ICP/OES
Ta	MIN-200-12020		ICP/OES
Te	MIN-200-12020		ICP/OES
Th	MIN-200-12020		ICP/OES
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP/OES
U	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP/OES
Y	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Zr	MIN-200-12020		ICP/OES
As-OL			ICP/OES
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES