

**CLIENT NAME: ANTHILL RESOURCES
1090-999 WEST HASTINGS STREET
Vancouver, BC V6C2W2
(604) 569-3892**

ATTENTION TO: Yinghua Chen

PROJECT NO:

AGAT WORK ORDER: 12Y615538

SOLID ANALYSIS REVIEWED BY: Kevin Motomura, ICP Supervisor

DATE REPORTED: Jul 09, 2012

PAGES (INCLUDING COVER): 43

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

***NOTES**



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012		DATE RECEIVED: Jun 29, 2012						DATE REPORTED: Jul 09, 2012				SAMPLE TYPE: Rock			
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
RE5507389		<0.2	0.11	15	<5	15	<0.5	<1	4.58	<0.5	3	1.4	65.9	22.6	0.55
RE5507390		<0.2	0.16	4	<5	30	<0.5	<1	0.04	<0.5	6	1.3	146	4.8	0.47
RE5507391		<0.2	0.38	4	<5	27	<0.5	4	0.14	<0.5	21	5.2	195	20.0	1.65
RE5507392		<0.2	0.26	18	7	25	<0.5	4	18.3	0.5	9	2.8	6.6	2.9	2.61
RE5507393		<0.2	0.96	11	<5	30	<0.5	5	1.49	<0.5	14	6.1	38.4	21.2	2.46
RE5507394		<0.2	0.04	16	<5	260	<0.5	<1	12.7	<0.5	15	2.7	43.7	4.0	1.01
RE5507395		<0.2	0.06	14	<5	22	<0.5	3	7.85	<0.5	3	3.4	67.6	6.4	2.02
RE5507396		<0.2	2.19	4	<5	67	0.7	11	0.01	0.5	<1	14.1	33.8	13.8	6.32
RE5507397		<0.2	1.05	4	<5	59	0.6	9	0.34	<0.5	<1	16.9	54.5	8.8	3.73
RE5507398		<0.2	0.56	36	<5	31	<0.5	8	0.16	<0.5	<1	6.3	106	4.4	4.50
RE5507399		<0.2	0.28	249	<5	28	<0.5	5	0.05	<0.5	2	4.0	83.7	3.1	2.20
RE5507400		<0.2	0.08	118	<5	11	<0.5	2	<0.01	<0.5	<1	0.5	143	3.0	0.45
RE5507379		<0.2	0.07	24	<5	8	<0.5	2	3.39	<0.5	<1	2.2	90.5	7.2	1.41
RE5507380		<0.2	0.33	17	<5	39	<0.5	3	0.04	<0.5	11	4.3	103	8.8	1.08
RE5507381		<0.2	0.06	20	<5	8	<0.5	<1	11.1	<0.5	5	0.7	68.4	1.9	0.33
RE5507382		<0.2	0.06	48	<5	5	<0.5	3	0.83	<0.5	<1	1.8	140	3.4	1.43
RE5507383		<0.2	0.07	69	<5	6	<0.5	<1	0.29	<0.5	<1	1.5	146	2.9	0.56
RE5507384		<0.2	0.08	19	<5	8	<0.5	<1	9.24	<0.5	<1	1.2	78.4	2.4	1.28
RE5507385		<0.2	0.05	168	<5	3	<0.5	2	0.60	<0.5	<1	4.4	173	9.5	0.76
RE5507386		<0.2	0.07	27	<5	7	<0.5	<1	12.2	<0.5	4	3.6	62.3	5.9	0.84
RE5507387		<0.2	0.07	29	<5	10	<0.5	5	8.55	<0.5	2	2.6	55.3	3.8	1.69
RE5507388		<0.2	0.09	25	<5	10	<0.5	1	1.12	<0.5	<1	1.5	106	3.6	0.72
RE5507401		<0.2	0.19	9	<5	16	<0.5	2	0.08	<0.5	<1	7.4	95.1	6.5	1.69
RE5507402		<0.2	0.03	28	<5	100	<0.5	<1	33.9	<0.5	71	1.0	3.1	2.0	0.13
RE5507403		<0.2	0.82	26	<5	181	<0.5	<1	22.1	1.0	24	2.2	12.8	4.7	0.45
RE5507404		<0.2	0.71	20	9	176	<0.5	<1	22.0	<0.5	23	2.4	11.3	8.7	0.80
RE5507405		<0.2	4.18	20	40	1080	2.1	19	5.88	1.8	81	52.3	307	89.2	8.32
RE5507406		<0.2	3.09	211	40	756	2.1	17	4.90	1.2	90	42.9	373	82.2	7.98
RE5505094		<0.2	0.21	20	<5	34	<0.5	<1	0.15	<0.5	5	2.5	126	6.3	0.81
RE5505095		<0.2	0.55	29	<5	33	<0.5	10	0.07	<0.5	5	9.7	74.4	25.9	4.86
RE5505096		<0.2	0.19	7	<5	26	<0.5	<1	0.54	<0.5	7	3.8	85.7	4.8	3.81
RE5505097		<0.2	0.15	52	<5	17	<0.5	<1	2.91	<0.5	<1	2.0	102	12.3	0.89

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
RE5505098	<0.2	0.10	40	<5	11	<0.5	<1	2.38	<0.5	1	1.6	109	8.5	0.67
RE5505099	2.5	2.00	29	5	104	<0.5	12	0.96	4.9	<1	16.1	32.9	731	4.68
RE5505100	<0.2	0.01	20	<5	12	<0.5	<1	19.8	<0.5	7	1.3	3.0	1.7	0.46
RE5505101	<0.2	0.20	61	<5	11	<0.5	2	0.28	<0.5	<1	6.6	121	9.2	1.39
RE5505102	<0.2	0.07	16	<5	11	<0.5	1	1.02	<0.5	<1	1.4	112	3.7	0.82
RE5505103	<0.2	0.77	77	11	24	<0.5	14	4.71	1.4	27	39.4	20.0	180	8.71
RE5505104	<0.2	0.60	194	11	25	<0.5	16	9.06	1.4	17	33.1	21.0	110	7.61
RE5505105	<0.2	0.19	1480	<5	19	<0.5	3	0.05	<0.5	2	1.5	138	5.7	0.90
RE5505106	<0.2	0.08	5	<5	18	<0.5	<1	0.04	<0.5	2	<0.5	127	3.3	0.41
RE5505107	<0.2	0.82	50	<5	100	1.6	<1	0.02	<0.5	36	7.9	25.0	29.6	3.90
RE5505108	1.0	0.11	51	<5	8	<0.5	<1	0.04	<0.5	2	1.8	118	35.7	0.94
RE5505109	2.0	0.15	19	<5	13	<0.5	<1	0.05	<0.5	2	0.6	129	177	0.59
RE5507070	<0.2	0.03	2	<5	6	<0.5	<1	<0.01	<0.5	<1	<0.5	181	1.4	0.40
RE5507071	<0.2	0.73	<1	<5	124	<0.5	<1	0.24	<0.5	24	4.8	108	7.9	6.71
RE5507072	<0.2	0.42	>10000	<5	45	0.7	<1	0.01	<0.5	5	4.7	40.2	52.7	7.58
RE5507073	<0.2	0.37	4380	<5	36	<0.5	<1	0.01	<0.5	6	6.2	63.5	53.8	4.95
RE5507074	<0.2	0.12	311	<5	12	<0.5	<1	0.14	<0.5	4	1.8	149	5.6	0.54
RE5507075	<0.2	0.19	234	<5	19	<0.5	<1	0.15	<0.5	4	2.0	154	3.9	0.75
RE5507076	<0.2	0.50	49	<5	24	<0.5	<1	<0.01	<0.5	3	2.1	46.3	12.5	1.90
RE5507077	<0.2	2.25	405	<5	95	1.0	<1	0.01	<0.5	24	14.4	51.3	63.9	6.72
RE5507078	<0.2	0.31	213	<5	32	<0.5	<1	0.02	<0.5	3	3.0	83.3	5.7	1.46
RE5507079	69.1	0.19	285	<5	33	<0.5	<1	0.03	<0.5	2	<0.5	111	100	4.68
RE5507080	1.2	0.02	3	<5	4	<0.5	<1	9.29	<0.5	<1	<0.5	56.1	<0.5	0.41
RE5507081	6.0	0.18	50	<5	7	<0.5	<1	0.04	<0.5	2	<0.5	123	79.8	0.66
RE5507082	<0.2	0.59	102	<5	48	2.2	<1	0.09	<0.5	21	23.4	76.1	37.3	14.9
RE5507083	<0.2	0.12	10	<5	20	<0.5	<1	<0.01	<0.5	3	<0.5	174	1.5	0.46
RE5507084	<0.2	0.25	44	<5	19	<0.5	<1	0.04	<0.5	3	4.3	123	25.3	1.87
RE5507085	0.5	0.14	16	<5	15	<0.5	<1	<0.01	<0.5	2	<0.5	101	11.2	0.71
RE5507086	<0.2	0.75	41	<5	81	1.1	<1	0.02	<0.5	28	18.1	19.4	27.8	3.63
RE5507087	10.2	0.09	33	<5	7	<0.5	<1	0.21	67.7	2	2.9	103	321	0.83
RE5507088	0.6	0.36	25	<5	20	0.8	<1	0.28	<0.5	9	3.6	77.4	76.4	1.56
RE5507089	27.8	0.26	70	<5	19	<0.5	<1	0.17	244	4	3.8	69.2	755	1.17

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
RE5507090	21.7	0.24	68	<5	20	<0.5	<1	0.54	2.5	5	2.3	84.8	315	1.71
RE5507091	6.4	0.15	40	<5	13	<0.5	<1	0.13	0.9	3	1.0	124	157	0.87
RE5507092	18.0	0.12	29	<5	9	<0.5	<1	0.08	111	2	2.4	107	209	1.07
RE5507093	13.5	0.34	21	<5	15	<0.5	<1	0.23	180	6	5.2	60.6	431	1.40
RE5507094	<0.2	0.22	248	<5	48	<0.5	<1	0.04	<0.5	5	3.3	105	24.5	5.99
RE5507095	<0.2	0.25	96	<5	17	<0.5	<1	<0.01	<0.5	15	6.6	169	28.5	2.12
RE5507096	15.2	<0.01	81	<5	<1	<0.5	<1	<0.01	1.4	<1	<0.5	200	814	0.24
RE5507097	0.3	0.02	<1	<5	1	<0.5	<1	1.49	<0.5	<1	<0.5	195	7.8	0.28
RE5507098	6.9	0.02	13	<5	1	<0.5	<1	0.87	<0.5	<1	<0.5	176	174	0.25
RE5507099	2.3	1.93	9	<5	97	1.3	<1	0.86	4.8	20	16.6	34.4	722	4.84
RE5507100	1.8	0.01	<1	<5	12	<0.5	<1	18.0	<0.5	<1	<0.5	3.7	<0.5	0.43
RE5507101	<0.2	0.01	<1	<5	2	<0.5	<1	0.25	<0.5	<1	<0.5	93.3	1.1	0.16
RE5507102	0.2	0.02	<1	<5	1	<0.5	<1	1.70	<0.5	<1	<0.5	125	3.0	0.20
RE5507103	0.9	0.01	2	<5	1	<0.5	<1	0.30	0.5	<1	<0.5	187	37.2	0.26
RE5507104	<0.2	0.67	21	<5	84	0.5	<1	0.03	<0.5	77	19.4	71.8	34.0	3.28
RE5507105	0.2	0.19	1230	<5	28	<0.5	<1	<0.01	<0.5	3	<0.5	133	1.9	0.91
RE5507106	<0.2	0.27	31	<5	27	<0.5	4	<0.01	<0.5	4	1.8	110	8.9	0.99
RE5507107	8.5	0.02	470	<5	2	<0.5	5	1.32	1.7	<1	<0.5	166	4220	0.21
RE5507108	<0.2	0.19	19	<5	13	<0.5	<1	17.0	<0.5	9	2.3	17.1	8.5	0.65
RE5507109	<0.2	0.16	26	<5	11	<0.5	<1	17.1	<0.5	14	2.5	17.7	12.5	0.77
RE5510560	<0.2	0.09	29	<5	7	<0.5	<1	18.2	<0.5	11	1.2	12.3	2.2	0.41
RE5505247	<0.2	0.19	25	<5	26	<0.5	<1	20.0	<0.5	11	3.3	22.3	9.4	1.46
RE5505248	<0.2	0.21	28	<5	28	<0.5	3	18.9	<0.5	9	4.4	21.3	10.5	1.57
RE5505249	2.9	2.21	21	8	125	0.5	15	0.96	4.9	1	16.1	33.8	755	4.69
RE5505250	<0.2	0.02	27	<5	17	<0.5	<1	19.8	<0.5	7	1.3	2.0	0.9	0.39
RE5505251	<0.2	0.07	15	<5	9	<0.5	3	8.08	<0.5	4	1.0	56.9	2.7	0.40
RE5505252	<0.2	0.11	27	<5	15	<0.5	<1	29.3	<0.5	19	2.5	9.8	4.5	1.18
RE5505253	<0.2	0.39	30	7	34	<0.5	4	21.9	0.6	19	5.4	7.8	14.1	2.19
RE5505254	<0.2	0.12	21	5	22	<0.5	11	17.6	0.8	<1	2.7	39.9	4.2	4.20
RE5505255	<0.2	0.11	19	<5	13	<0.5	<1	15.3	<0.5	7	1.4	38.7	3.2	0.68
RE5505256	<0.2	0.26	35	7	36	<0.5	5	19.6	<0.5	11	6.2	15.2	17.7	1.88
RE5505257	<0.2	0.19	16	<5	19	<0.5	3	9.88	<0.5	4	3.0	34.6	5.9	1.69

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
RE5505258	<0.2	0.21	13	<5	15	<0.5	5	0.77	<0.5	<1	8.0	93.6	10.9	1.44
RE5505259	<0.2	0.18	47	8	22	<0.5	10	24.9	0.8	7	5.7	4.8	6.2	3.94
RE5510110	<0.2	0.06	82	<5	16	<0.5	<1	29.6	<0.5	11	1.0	18.0	1.1	0.48
RE5510111	<0.2	0.29	54	6	28	<0.5	5	16.4	<0.5	10	5.5	21.4	16.0	1.92
RE5510112	<0.2	0.16	10	<5	14	<0.5	3	0.49	<0.5	<1	3.4	62.8	2.5	1.03
RE5510113	<0.2	0.18	11	<5	34	<0.5	2	0.33	<0.5	<1	2.6	102	4.3	1.09
RE5510114	<0.2	0.14	24	5	38	<0.5	2	31.2	<0.5	17	2.2	11.8	3.8	0.95
RE5510115	<0.2	0.87	3	6	62	0.6	9	0.06	0.7	<1	13.9	28.0	11.3	4.75
RE5510116	<0.2	1.41	5	7	209	0.7	6	0.54	<0.5	14	11.0	58.0	32.3	1.54
RE5510118	<0.2	0.26	18	6	27	<0.5	5	18.3	0.6	9	2.7	6.6	2.9	2.63
RE5510119	<0.2	0.60	23	<5	1280	<0.5	<1	18.1	2.0	34	2.3	16.8	7.8	0.73
RE5510120	<0.2	0.33	20	6	339	<0.5	1	22.8	1.5	25	2.4	7.1	13.8	0.54
RE5510121	<0.2	0.29	24	6	145	<0.5	<1	18.9	0.8	23	2.6	8.7	15.2	0.79
RE5510122	<0.2	0.54	27	11	199	<0.5	2	17.8	1.7	23	2.8	9.0	15.7	0.93
RE5510123	<0.2	0.58	14	9	225	<0.5	9	6.24	0.9	43	3.8	29.0	8.8	3.23
RE5510124	<0.2	0.68	36	15	128	0.6	3	14.9	1.9	27	3.8	16.8	29.2	1.11
RE5510125	0.3	0.99	33	10	242	0.7	<1	11.2	2.5	29	3.9	21.1	33.8	1.16
RE5510126	<0.2	0.69	37	9	406	0.5	<1	14.6	0.5	23	3.5	14.2	14.9	1.08
RE5510128	<0.2	0.36	38	7	191	<0.5	6	0.12	<0.5	<1	<0.5	41.7	8.7	2.60
RE5510130	<0.2	0.15	25	6	62	<0.5	<1	33.0	0.6	20	2.1	3.9	2.8	0.49
RE5510131	<0.2	0.50	2	<5	180	<0.5	3	0.17	<0.5	14	6.0	69.2	14.9	2.47
RE5510132	0.6	0.10	457	72	30	0.5	74	0.12	7.5	<1	8.2	<0.5	8.0	41.7
RE5507407	0.2	0.26	4	7	180	<0.5	<1	0.02	<0.5	<1	<0.5	49.5	1.6	0.30
RE5507408	0.2	0.30	6	8	133	<0.5	<1	0.01	<0.5	<1	<0.5	48.9	1.8	0.17
RE5507409	0.8	0.55	8	13	189	<0.5	1	0.02	<0.5	<1	<0.5	22.7	2.6	0.21
RE5509610	0.9	0.42	9	11	297	<0.5	5	0.10	4.0	<1	1.0	30.2	20.7	0.52
RE5509611	0.2	0.33	5	<5	535	<0.5	<1	0.05	<0.5	2	<0.5	20.2	3.4	0.82
RE5509612	<0.2	0.66	<1	<5	252	<0.5	<1	0.63	<0.5	13	4.5	70.5	3.6	1.94
RE5509613	<0.2	0.35	121	<5	141	0.7	<1	<0.01	<0.5	<1	1.9	<0.5	22.4	49.0
RE5509614	<0.2	0.52	<1	<5	108	<0.5	<1	0.15	<0.5	29	2.1	87.3	1.8	1.50
RE5506862	<0.2	1.74	9	<5	118	0.8	<1	0.07	<0.5	45	11.2	35.5	26.9	4.19
RE5506863	<0.2	2.77	8	<5	65	0.9	<1	0.02	<0.5	32	15.4	50.1	34.7	5.96

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
RE5506864	<0.2	2.50	4	<5	83	0.8	<1	0.02	<0.5	44	5.7	46.8	17.3	4.92
RE5506865	<0.2	2.55	9	<5	77	0.7	<1	0.01	<0.5	37	15.5	61.5	16.8	6.36
RE5506866	<0.2	3.19	24	<5	64	1.3	<1	0.19	<0.5	19	15.1	60.4	42.4	5.45
RE5506867	0.3	1.57	15	<5	32	<0.5	<1	0.02	<0.5	12	8.0	50.2	23.5	4.42
RE5506868	<0.2	0.85	<1	<5	171	<0.5	<1	1.03	<0.5	5	16.2	84.0	8.6	4.00
RE5506869	<0.2	0.77	66	<5	65	1.2	<1	0.06	<0.5	15	18.7	16.3	59.2	7.17
RE5506870	<0.2	0.85	80	<5	65	1.1	<1	0.06	<0.5	12	16.5	13.0	32.6	6.98
RE5506871	<0.2	1.08	56	<5	83	1.0	<1	1.07	<0.5	16	12.5	49.1	33.8	5.21
RE5506872	<0.2	0.60	18	<5	37	<0.5	<1	1.10	<0.5	6	6.7	90.6	12.9	4.17
RE5506873	<0.2	0.74	302	<5	51	1.1	<1	0.15	<0.5	14	23.8	14.5	60.6	6.51
RE5506874	<0.2	0.89	2	<5	62	0.8	<1	0.05	<0.5	16	19.2	17.8	22.7	5.94
RE5506875	<0.2	1.44	1	<5	117	1.1	<1	0.06	<0.5	18	20.1	23.0	84.9	5.57
RE5506876	<0.2	1.19	2	<5	63	0.8	<1	0.07	<0.5	12	19.6	19.0	77.1	5.48
RE5506877	<0.2	1.72	<1	<5	90	0.8	<1	0.05	<0.5	5	5.9	30.2	43.4	4.62
RE5506878	<0.2	2.11	2	<5	79	0.7	<1	0.04	<0.5	7	7.5	36.0	20.8	4.87
RE5506879	<0.2	2.52	<1	<5	67	0.6	<1	<0.01	<0.5	6	2.7	45.7	27.6	5.94
RE5506880	<0.2	1.95	4	<5	61	0.5	<1	<0.01	<0.5	5	1.8	40.4	30.8	5.71
RE5506881	<0.2	2.47	<1	<5	64	0.7	<1	<0.01	<0.5	5	10.7	44.9	22.6	4.05
RE5506882	<0.2	2.47	4	<5	70	0.7	<1	<0.01	<0.5	7	7.0	43.6	23.6	4.97
RE5506883	<0.2	1.99	<1	<5	62	0.6	<1	<0.01	<0.5	5	7.9	38.1	30.8	6.38
RE5506884	<0.2	2.68	<1	<5	71	0.8	<1	<0.01	<0.5	9	17.1	50.2	24.8	4.90
RE5506885	<0.2	2.93	<1	<5	76	0.8	<1	<0.01	<0.5	9	13.6	47.8	30.7	4.61
RE5506886	<0.2	2.30	2	<5	68	0.7	<1	<0.01	<0.5	7	7.1	42.7	24.5	5.64
RE5506887	<0.2	2.08	6	<5	61	0.6	<1	<0.01	<0.5	6	2.8	41.4	29.6	5.42
RE5506888	<0.2	2.06	3	<5	58	0.6	<1	<0.01	<0.5	5	4.8	40.1	29.9	5.20
RE5506889	<0.2	2.07	18	<5	64	0.8	<1	<0.01	<0.5	5	5.6	38.9	35.4	5.53
RE5506890	<0.2	1.96	8	<5	68	0.9	<1	0.04	<0.5	6	9.7	33.3	38.9	6.28
RE5506891	<0.2	2.77	3	<5	92	0.9	<1	0.01	<0.5	8	10.4	44.7	37.9	5.44
RE5506892	<0.2	1.79	11	<5	50	0.7	<1	0.02	<0.5	5	14.0	38.2	27.3	4.82
RE5506893	<0.2	2.68	<1	<5	60	0.9	<1	0.01	<0.5	8	23.7	46.8	39.1	5.16
RE5506894	<0.2	2.19	4	<5	55	0.6	<1	<0.01	<0.5	4	5.9	35.7	21.3	5.89
RE5506895	<0.2	2.05	5	<5	48	0.6	<1	<0.01	<0.5	5	4.5	37.1	23.2	4.97

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012		DATE RECEIVED: Jun 29, 2012				DATE REPORTED: Jul 09, 2012				SAMPLE TYPE: Rock					
Sample Description	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit: RDL:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
		0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
RE5506896		<0.2	0.73	18	<5	66	0.8	<1	0.74	<0.5	8	15.4	9.0	38.8	3.95
RE5506897		<0.2	1.97	5	<5	51	0.6	<1	<0.01	<0.5	7	6.9	28.6	33.0	5.70
RE5506898		<0.2	2.49	8	14	85	0.8	11	<0.01	<0.5	<1	6.5	33.6	35.8	4.93
RE5506899		2.7	2.31	22	8	127	0.5	18	1.03	5.2	2	16.7	35.3	748	4.85
RE5506900		<0.2	0.03	18	<5	23	<0.5	<1	20.1	<0.5	7	1.2	2.2	6.8	0.43
RE5506901		<0.2	2.64	10	13	83	0.7	8	0.05	<0.5	<1	2.2	36.9	28.8	4.88
RE5506902		<0.2	2.54	9	13	80	0.9	12	0.01	<0.5	<1	9.1	35.7	42.5	4.84
RE5506903		<0.2	2.44	8	10	70	0.7	11	0.02	0.6	<1	4.3	34.8	29.0	4.95
RE5506904		<0.2	3.17	8	15	78	1.3	13	0.08	<0.5	<1	14.1	41.8	53.8	5.21
RE5506905		<0.2	1.94	37	8	131	1.0	10	0.10	<0.5	<1	30.0	37.3	28.8	3.32
RE5506906		<0.2	2.03	10	12	72	0.6	14	0.03	<0.5	<1	1.6	37.5	35.0	4.78
RE5506907		<0.2	0.34	22	8	63	<0.5	4	18.0	0.5	1	4.2	5.4	11.4	2.50
RE5506908		<0.2	0.33	27	7	65	<0.5	2	23.6	<0.5	9	6.0	4.0	10.1	1.91
RE5506909		<0.2	0.31	19	8	107	<0.5	9	18.3	1.0	<1	6.2	2.3	11.6	4.60
RE5506910		<0.2	0.23	26	6	81	<0.5	3	22.2	0.6	6	4.4	3.3	5.9	2.34
RE5510561		<0.2	0.09	18	<5	11	<0.5	<1	14.0	<0.5	9	1.1	20.0	1.2	0.18
RE5510562		<0.2	0.06	19	<5	11	<0.5	<1	19.0	<0.5	11	1.2	20.0	1.5	0.18
RE5510563		<0.2	1.05	60	14	120	0.9	9	0.22	<0.5	32	8.2	40.2	23.3	3.53
RE5510564		<0.2	0.07	23	<5	10	<0.5	<1	15.7	<0.5	9	0.8	24.0	1.6	0.21
RE5510565		<0.2	0.15	28	<5	16	<0.5	<1	11.4	<0.5	10	1.4	27.1	4.9	0.45
RE5510566		<0.2	0.28	20	<5	42	<0.5	<1	7.07	<0.5	13	2.6	41.2	7.2	0.87
RE5510567		<0.2	1.09	13	15	89	0.7	10	0.16	<0.5	87	9.9	17.9	34.7	1.93
RE5510568		<0.2	0.48	18	8	52	<0.5	4	2.73	<0.5	26	3.8	45.3	10.7	1.47
RE5510569		<0.2	0.35	32	<5	29	<0.5	5	0.06	<0.5	<1	4.3	52.8	11.4	1.82
RE5510570		<0.2	0.61	39	5	34	<0.5	4	0.01	<0.5	11	7.9	108	22.6	1.54
RE5510571		<0.2	0.31	32	<5	29	<0.5	3	0.01	<0.5	18	4.2	101	13.7	2.05
RE5510572		<0.2	0.73	27	9	85	0.7	5	0.03	<0.5	40	7.2	63.3	31.0	1.88
RE5510573		<0.2	0.73	16	9	72	0.5	3	0.02	<0.5	37	6.9	63.6	15.1	1.68
RE5510574		<0.2	0.21	20	<5	121	<0.5	4	0.04	<0.5	1	4.4	151	8.5	1.25
RE5510575		<0.2	0.16	25	<5	59	<0.5	4	0.04	<0.5	<1	4.0	96.0	7.7	1.43
RE5510576		<0.2	0.50	33	8	59	<0.5	6	0.02	<0.5	4	5.5	86.7	13.2	1.86
RE5510577		<0.2	0.37	15	6	51	<0.5	4	<0.01	<0.5	9	3.9	81.1	9.3	0.97

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
RE5510578		<0.2	0.52	15	7	74	<0.5	6	<0.01	<0.5	11	4.5	75.7	12.0	1.19

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012		DATE RECEIVED: Jun 29, 2012				DATE REPORTED: Jul 09, 2012				SAMPLE TYPE: Rock					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
RE5507389		<5	<1	<1	0.05	2	<1	0.03	45	2.4	<0.01	4.2	75	1.8	11
RE5507390		<5	<1	<1	0.08	4	<1	<0.01	23	2.5	<0.01	4.7	32	3.0	<10
RE5507391		<5	<1	<1	0.13	11	6	0.04	204	1.2	<0.01	13.3	210	9.8	<10
RE5507392		<5	<1	<1	0.16	8	4	7.28	712	3.1	<0.01	4.9	388	<0.5	35
RE5507393		<5	<1	<1	0.26	10	14	0.68	474	1.3	<0.01	13.2	275	6.1	22
RE5507394		<5	<1	<1	0.02	4	<1	0.32	1040	5.4	<0.01	5.3	298	5.1	15
RE5507395		<5	<1	<1	0.02	3	<1	0.83	1170	2.9	<0.01	4.7	162	4.0	12
RE5507396		10	<1	<1	0.29	5	40	0.63	104	<0.5	0.04	30.0	129	14.3	30
RE5507397		6	<1	<1	0.26	3	16	0.35	578	<0.5	0.04	23.9	200	8.8	28
RE5507398		<5	<1	<1	0.13	3	13	0.13	1540	1.2	0.03	12.6	301	8.4	11
RE5507399		<5	<1	1	0.11	4	<1	0.01	118	1.3	0.03	6.8	141	20.1	<10
RE5507400		<5	<1	<1	0.04	<1	<1	<0.01	21	1.8	<0.01	2.8	<10	13.9	<10
RE5507379		<5	<1	<1	0.04	1	<1	0.19	118	2.2	<0.01	4.0	180	16.5	<10
RE5507380		<5	<1	<1	0.17	6	1	0.01	32	1.1	<0.01	8.3	144	12.1	11
RE5507381		<5	<1	<1	0.03	1	<1	0.04	138	3.0	<0.01	2.4	71	<0.5	16
RE5507382		<5	<1	<1	0.03	<1	<1	0.01	149	2.6	<0.01	6.1	54	2.8	<10
RE5507383		<5	<1	<1	0.04	<1	<1	0.01	47	3.1	<0.01	6.5	88	6.8	<10
RE5507384		<5	<1	<1	0.04	1	<1	0.39	425	2.6	<0.01	2.3	181	<0.5	15
RE5507385		<5	<1	<1	0.02	<1	<1	<0.01	43	3.5	<0.01	10.6	87	3.5	<10
RE5507386		<5	<1	<1	0.03	1	<1	0.06	209	3.6	<0.01	5.6	154	1.0	17
RE5507387		<5	<1	<1	0.03	2	<1	0.24	283	3.0	0.01	9.4	73	9.3	13
RE5507388		<5	<1	<1	0.04	<1	4	<0.01	114	2.1	<0.01	5.7	119	3.2	<10
RE5507401		<5	<1	<1	0.06	3	9	0.01	186	1.8	0.03	12.6	209	18.6	<10
RE5507402		<5	<1	<1	0.01	21	<1	0.13	505	4.0	<0.01	<0.5	41	<0.5	23
RE5507403		<5	1	<1	0.06	11	41	2.17	117	3.2	<0.01	6.4	671	<0.5	31
RE5507404		<5	<1	2	0.25	12	16	1.59	129	3.4	<0.01	7.1	494	<0.5	51
RE5507405		24	<1	<1	0.39	57	72	5.34	968	2.8	0.01	115	4140	13.9	101
RE5507406		19	<1	<1	0.44	57	121	7.17	872	1.4	<0.01	131	3720	5.0	88
RE5505094		<5	<1	<1	0.09	3	4	0.10	100	2.6	<0.01	6.5	106	5.1	<10
RE5505095		<5	<1	<1	0.17	10	6	0.12	724	1.0	<0.01	15.2	310	19.0	12
RE5505096		<5	<1	<1	0.07	2	<1	0.05	830	1.0	<0.01	6.8	375	9.0	<10
RE5505097		<5	<1	<1	0.07	1	1	0.92	216	2.1	<0.01	4.3	1220	27.9	11

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
RE5505098	<5	<1	<1	0.05	1	<1	0.73	170	2.4	<0.01	4.0	1450	19.8	<10
RE5505099	9	<1	<1	0.25	8	14	1.21	643	10.4	0.12	30.1	611	262	22
RE5505100	<5	<1	<1	<0.01	2	<1	12.9	258	3.0	<0.01	0.9	204	<0.5	18
RE5505101	<5	<1	<1	0.06	1	1	0.03	213	1.7	<0.01	13.1	267	5.8	<10
RE5505102	<5	<1	<1	0.04	1	<1	0.16	308	2.6	<0.01	3.6	73	1.9	<10
RE5505103	9	<1	<1	0.20	30	50	2.01	1370	2.2	0.09	37.4	3430	4.7	29
RE5505104	8	<1	<1	0.16	22	53	3.46	1590	2.4	0.07	27.2	2930	4.5	29
RE5505105	<5	<1	<1	0.09	2	2	0.02	33	2.4	<0.01	4.5	44	6.3	<10
RE5505106	<5	<1	<1	0.05	<1	2	0.01	19	2.6	<0.01	2.7	53	8.5	<10
RE5505107	<5	<1	<1	0.31	16	14	0.05	255	0.7	<0.01	20.9	232	76.7	23
RE5505108	<5	2	<1	0.04	<1	4	<0.01	74	2.4	<0.01	7.5	117	721	<10
RE5505109	<5	7	<1	0.03	<1	19	0.01	29	1.8	<0.01	3.2	202	9520	<10
RE5507070	<5	<1	<1	<0.01	<1	1	<0.01	36	3.0	<0.01	3.8	23	35.3	<10
RE5507071	<5	<1	<1	0.17	7	9	0.11	1450	1.7	0.04	10.1	177	28.3	<10
RE5507072	<5	<1	<1	0.20	2	4	0.01	83	1.0	0.01	14.3	120	33.7	16
RE5507073	<5	<1	<1	0.16	3	2	0.02	202	1.2	<0.01	14.1	63	29.1	13
RE5507074	<5	<1	<1	0.05	2	<1	0.05	66	2.7	<0.01	6.1	27	7.2	<10
RE5507075	<5	<1	<1	0.08	2	<1	0.02	102	3.4	<0.01	7.1	56	9.5	<10
RE5507076	<5	1	<1	0.07	1	4	<0.01	37	1.4	<0.01	6.1	21	24.1	<10
RE5507077	10	<1	<1	0.48	10	33	0.45	395	1.6	0.05	46.7	268	38.9	47
RE5507078	<5	<1	<1	0.10	1	2	<0.01	38	1.6	<0.01	9.1	74	44.1	<10
RE5507079	<5	33	<1	0.08	<1	10	0.01	23	3.6	<0.01	4.1	1590	>10000	<10
RE5507080	<5	<1	<1	<0.01	<1	1	3.77	144	1.1	<0.01	1.1	105	46.5	<10
RE5507081	6	9	<1	0.02	<1	16	0.01	14	1.7	<0.01	2.7	277	>10000	<10
RE5507082	6	<1	<1	0.11	5	8	0.06	534	1.8	<0.01	35.9	1000	274	11
RE5507083	<5	<1	<1	0.05	<1	1	<0.01	21	2.9	<0.01	3.0	59	84.7	<10
RE5507084	<5	<1	<1	0.04	<1	2	0.02	49	1.9	<0.01	11.7	367	13.9	<10
RE5507085	<5	<1	<1	0.03	<1	2	<0.01	18	2.6	<0.01	2.6	103	692	<10
RE5507086	<5	<1	<1	0.26	12	11	0.04	398	<0.5	<0.01	25.6	219	40.3	21
RE5507087	5	17	<1	0.02	<1	2	0.01	156	3.1	<0.01	6.4	339	>10000	<10
RE5507088	<5	<1	<1	0.04	3	4	0.02	151	1.6	<0.01	9.9	739	1090	<10
RE5507089	21	83	<1	0.09	1	9	0.04	170	5.4	<0.01	6.4	554	>10000	<10

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012		DATE RECEIVED: Jun 29, 2012				DATE REPORTED: Jul 09, 2012				SAMPLE TYPE: Rock					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
RE5507090		<5	7	<1	0.09	2	19	0.19	147	2.3	<0.01	6.8	645	>10000	<10
RE5507091		<5	13	<1	0.05	1	5	<0.01	53	2.0	<0.01	4.2	569	>10000	<10
RE5507092		6	37	<1	0.03	<1	6	0.01	145	4.1	<0.01	6.6	232	>10000	<10
RE5507093		11	41	<1	0.08	2	9	0.04	282	3.1	<0.01	9.0	680	>10000	<10
RE5507094		<5	<1	<1	0.03	1	3	<0.01	251	7.7	<0.01	10.3	534	383	<10
RE5507095		<5	<1	<1	0.04	6	3	0.01	177	1.4	<0.01	16.6	146	35.1	<10
RE5507096		<5	<1	<1	<0.01	<1	<1	<0.01	22	2.0	<0.01	3.9	11	3040	<10
RE5507097		<5	<1	<1	<0.01	<1	<1	0.89	64	1.5	<0.01	3.7	<10	99.8	<10
RE5507098		<5	<1	<1	<0.01	<1	<1	0.50	45	1.9	<0.01	3.1	14	363	<10
RE5507099		10	<1	<1	0.23	9	13	1.03	676	11.3	0.11	30.7	572	259	19
RE5507100		<5	<1	<1	<0.01	1	<1	11.8	229	0.7	<0.01	1.3	149	6.0	<10
RE5507101		<5	<1	<1	<0.01	<1	<1	0.14	46	1.9	<0.01	2.0	<10	7.1	<10
RE5507102		<5	<1	<1	0.01	<1	<1	1.04	49	2.1	<0.01	2.6	13	6.8	<10
RE5507103		<5	<1	<1	<0.01	<1	<1	0.17	57	1.7	<0.01	3.4	<10	505	<10
RE5507104		<5	<1	<1	0.35	33	7	0.07	431	1.1	<0.01	23.6	223	27.1	22
RE5507105		<5	<1	<1	0.12	1	<1	<0.01	16	2.1	<0.01	2.3	22	18.9	<10
RE5507106		<5	<1	<1	0.15	3	3	0.02	55	2.4	<0.01	4.9	80	9.3	<10
RE5507107		<5	<1	<1	<0.01	<1	<1	0.78	51	2.1	<0.01	4.6	69	>10000	<10
RE5507108		<5	1	<1	0.09	3	5	11.0	526	2.5	<0.01	2.9	251	22.1	25
RE5507109		<5	<1	<1	0.08	5	6	11.0	410	2.8	<0.01	3.8	517	31.5	25
RE5510560		<5	<1	<1	0.05	3	6	11.9	420	3.0	<0.01	1.0	342	2.0	21
RE5505247		<5	<1	<1	0.10	5	<1	0.33	337	3.7	<0.01	6.7	273	11.7	28
RE5505248		<5	<1	<1	0.12	4	<1	0.36	345	3.6	<0.01	8.2	258	10.6	28
RE5505249		11	<1	<1	0.31	8	15	1.23	660	10.8	0.21	29.9	622	263	26
RE5505250		<5	<1	<1	0.01	2	<1	12.5	242	2.4	<0.01	0.9	194	<0.5	18
RE5505251		<5	<1	<1	0.04	1	<1	0.06	125	2.4	<0.01	2.4	75	3.7	14
RE5505252		<5	<1	<1	0.05	7	2	0.24	409	4.5	<0.01	3.2	183	0.6	26
RE5505253		<5	<1	<1	0.17	9	2	0.15	535	4.3	0.02	11.3	325	10.1	39
RE5505254		6	<1	<1	0.05	1	1	0.24	1090	3.4	<0.01	3.8	204	4.9	21
RE5505255		<5	<1	<1	0.05	2	2	0.83	167	3.5	<0.01	2.9	312	5.2	21
RE5505256		<5	<1	<1	0.12	4	1	0.15	289	3.1	<0.01	12.8	144	11.1	29
RE5505257		<5	<1	<1	0.07	3	<1	0.07	498	2.8	0.02	7.6	120	6.8	18

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
RE5505258	<5	<1	<1	0.07	<1	1	0.02	148	1.6	0.02	14.6	64	11.7	<10
RE5505259	6	<1	<1	0.10	7	1	1.00	693	4.3	0.01	12.7	444	11.4	30
RE5510110	<5	<1	<1	0.02	1	2	0.11	261	4.8	<0.01	0.8	36	<0.5	22
RE5510111	<5	<1	<1	0.14	6	1	0.06	323	3.5	<0.01	13.7	186	15.0	30
RE5510112	<5	<1	<1	0.03	1	4	0.02	556	2.6	0.04	5.2	60	7.5	<10
RE5510113	<5	<1	<1	0.03	2	2	0.02	834	1.9	0.07	6.9	102	17.2	<10
RE5510114	<5	<1	<1	0.08	4	2	0.25	158	4.7	<0.01	2.2	475	<0.5	31
RE5510115	<5	<1	<1	0.29	2	47	0.07	617	0.7	0.01	27.6	85	3.1	26
RE5510116	5	<1	5	0.45	7	14	0.27	276	1.8	0.07	16.8	507	97.1	45
RE5510118	<5	<1	<1	0.16	8	4	7.34	721	3.6	<0.01	4.9	420	<0.5	35
RE5510119	<5	<1	<1	0.09	15	18	4.44	221	3.2	0.01	5.9	1790	<0.5	28
RE5510120	<5	<1	<1	0.17	11	4	1.38	166	3.7	<0.01	7.4	712	<0.5	36
RE5510121	<5	<1	<1	0.16	12	4	1.77	185	4.1	<0.01	8.2	783	0.8	31
RE5510122	<5	<1	<1	0.32	11	9	3.63	230	2.4	<0.01	8.0	765	<0.5	49
RE5510123	<5	<1	<1	0.34	25	2	1.73	1600	2.0	0.01	5.1	823	7.2	41
RE5510124	<5	<1	<1	0.34	13	5	2.58	181	3.5	<0.01	9.7	1580	34.5	48
RE5510125	<5	<1	<1	0.32	16	36	4.92	134	3.5	<0.01	13.3	1930	3.0	53
RE5510126	<5	<1	<1	0.32	12	15	5.15	191	3.3	<0.01	8.5	782	2.6	53
RE5510128	<5	<1	1	0.14	<1	9	0.05	8	11.8	<0.01	4.1	143	24.6	13
RE5510130	<5	<1	<1	0.09	5	1	0.67	116	4.5	<0.01	4.8	149	14.6	30
RE5510131	<5	<1	<1	0.26	8	1	0.03	401	2.5	<0.01	15.3	394	7.6	18
RE5510132	30	<1	<1	0.03	<1	<1	<0.01	11	14.6	<0.01	30.5	268	26.3	<10
RE5507407	<5	<1	2	0.10	<1	<1	0.02	9	21.2	<0.01	1.3	16	9.5	<10
RE5507408	<5	<1	<1	0.12	<1	<1	0.02	7	12.0	<0.01	1.3	<10	6.1	10
RE5507409	<5	1	<1	0.21	<1	1	0.04	6	45.1	<0.01	4.4	93	8.9	20
RE5509610	<5	<1	<1	0.17	<1	1	0.11	16	15.5	<0.01	21.6	195	2.5	15
RE5509611	<5	<1	<1	0.13	<1	<1	0.02	10	3.9	<0.01	16.4	42	4.3	10
RE5509612	<5	<1	<1	0.29	4	<1	0.18	771	1.6	0.03	9.3	141	4.9	22
RE5509613	22	<1	<1	0.07	<1	1	0.04	140	2.8	<0.01	30.4	107	<0.5	16
RE5509614	<5	<1	<1	0.25	9	<1	0.05	426	2.3	<0.01	4.5	396	5.5	17
RE5506862	7	<1	<1	0.48	19	14	0.51	234	2.1	0.05	23.1	174	52.5	48
RE5506863	12	<1	<1	0.34	14	37	0.88	464	0.7	0.03	42.3	253	43.7	33

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
RE5506864	11	<1	<1	0.44	20	37	0.82	305	0.7	0.04	25.1	215	28.0	44
RE5506865	11	<1	<1	0.41	17	34	0.82	328	<0.5	0.03	32.8	176	71.7	40
RE5506866	14	<1	<1	0.36	7	65	1.00	741	<0.5	0.09	40.8	173	14.5	36
RE5506867	7	<1	<1	0.14	5	34	0.47	386	3.2	0.06	19.9	191	47.8	14
RE5506868	6	<1	<1	0.13	2	20	0.32	1700	1.4	0.04	20.4	202	42.3	14
RE5506869	<5	<1	<1	0.30	7	4	0.10	1010	<0.5	0.02	46.4	234	32.7	29
RE5506870	6	<1	<1	0.33	5	5	0.18	827	0.6	0.03	39.4	232	24.3	32
RE5506871	5	<1	<1	0.41	7	5	0.37	926	1.3	0.04	30.4	132	56.6	39
RE5506872	<5	<1	<1	0.22	3	8	0.50	823	1.9	0.02	17.0	170	55.4	20
RE5506873	<5	<1	<1	0.29	6	3	0.20	797	0.6	0.03	48.0	456	55.2	27
RE5506874	<5	<1	<1	0.31	7	15	0.15	697	0.6	0.02	36.1	166	<0.5	30
RE5506875	6	<1	<1	0.45	8	13	0.51	1110	2.0	0.04	39.0	191	8.7	44
RE5506876	6	<1	<1	0.30	5	17	0.62	667	2.6	0.03	38.4	167	2.5	31
RE5506877	7	<1	<1	0.20	2	35	0.52	215	0.7	0.03	23.9	151	13.7	20
RE5506878	9	<1	<1	0.28	3	43	0.71	268	0.6	0.05	34.2	238	24.2	29
RE5506879	12	<1	<1	0.31	3	50	0.80	239	<0.5	0.03	20.7	148	19.6	33
RE5506880	10	<1	<1	0.26	2	33	0.58	160	<0.5	0.03	14.1	93	28.5	27
RE5506881	11	<1	<1	0.29	2	57	0.89	301	2.8	0.05	52.6	173	75.8	30
RE5506882	10	<1	<1	0.30	2	53	0.81	269	0.8	0.03	33.8	256	17.5	30
RE5506883	10	<1	<1	0.27	2	34	0.56	228	<0.5	0.03	32.0	204	37.9	27
RE5506884	12	<1	<1	0.33	4	61	0.97	436	1.5	0.08	43.0	164	61.6	34
RE5506885	11	<1	<1	0.35	4	62	0.96	378	2.5	0.10	43.7	113	128	34
RE5506886	11	<1	<1	0.31	3	42	0.67	225	0.6	0.05	32.4	243	28.9	31
RE5506887	11	<1	<1	0.28	2	31	0.60	170	0.7	0.02	16.1	158	31.0	30
RE5506888	10	<1	<1	0.26	2	37	0.64	222	<0.5	0.02	20.8	92	22.0	27
RE5506889	10	<1	<1	0.28	2	37	0.59	234	0.6	0.02	25.4	117	21.1	30
RE5506890	10	<1	<1	0.30	2	39	0.56	312	<0.5	0.02	24.7	132	25.8	31
RE5506891	11	<1	<1	0.28	3	55	0.91	436	<0.5	0.03	37.6	190	11.1	30
RE5506892	9	<1	<1	0.23	2	37	0.64	320	<0.5	0.03	51.9	232	22.4	22
RE5506893	12	<1	<1	0.28	3	56	0.95	452	3.3	0.08	49.9	195	108	30
RE5506894	10	<1	<1	0.24	2	42	0.75	225	1.0	0.02	22.8	112	24.7	25
RE5506895	9	<1	<1	0.24	2	38	0.70	215	<0.5	0.02	19.9	118	26.4	25

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
RE5506896	<5	<1	<1	0.30	4	5	0.14	817	1.1	0.03	31.8	141	30.8	28
RE5506897	8	<1	<1	0.25	3	38	0.60	153	0.6	0.02	20.4	78	21.1	24
RE5506898	10	<1	<1	0.45	5	47	0.73	170	0.5	0.06	21.7	113	26.4	42
RE5506899	10	<1	<1	0.32	9	15	1.26	674	11.0	0.21	30.8	584	265	25
RE5506900	<5	<1	<1	0.01	2	<1	12.8	253	2.8	<0.01	0.6	205	<0.5	19
RE5506901	12	<1	<1	0.39	5	67	0.96	175	<0.5	0.05	18.7	162	28.8	38
RE5506902	11	<1	<1	0.46	6	57	0.86	357	<0.5	0.07	29.3	155	31.1	44
RE5506903	9	<1	<1	0.40	5	50	0.81	204	<0.5	0.05	20.6	71	29.4	38
RE5506904	12	<1	<1	0.45	6	84	1.17	366	<0.5	0.08	39.8	138	39.3	44
RE5506905	9	<1	<1	0.31	5	35	0.65	355	3.4	0.06	39.6	211	117	29
RE5506906	10	<1	<1	0.38	4	33	0.53	93	<0.5	0.05	8.8	96	31.4	37
RE5506907	<5	<1	<1	0.15	3	1	4.32	491	2.2	0.02	7.2	250	3.4	37
RE5506908	<5	<1	<1	0.14	4	2	3.14	438	3.8	0.02	7.9	236	5.2	40
RE5506909	6	<1	<1	0.14	3	5	4.47	929	2.8	0.02	14.9	145	7.7	36
RE5506910	5	<1	<1	0.10	3	<1	3.73	453	3.2	0.02	6.4	215	2.9	33
RE5510561	<5	<1	<1	0.02	2	<1	0.09	77	2.6	<0.01	1.0	202	<0.5	16
RE5510562	<5	<1	<1	0.02	3	<1	0.07	89	3.5	<0.01	1.5	158	<0.5	19
RE5510563	<5	<1	<1	0.51	21	12	0.13	362	1.1	<0.01	14.3	605	15.3	33
RE5510564	<5	<1	<1	0.03	3	<1	0.07	80	3.2	<0.01	1.3	205	<0.5	19
RE5510565	<5	<1	<1	0.06	4	2	0.04	127	2.2	<0.01	2.8	375	4.0	19
RE5510566	<5	<1	<1	0.15	6	3	0.05	185	2.2	<0.01	5.0	338	3.7	20
RE5510567	<5	<1	<1	0.70	44	13	0.11	69	<0.5	<0.01	15.0	328	12.3	39
RE5510568	<5	<1	<1	0.27	13	5	0.07	227	1.5	<0.01	7.2	332	5.2	21
RE5510569	<5	<1	<1	0.15	4	3	0.04	97	0.8	<0.01	9.4	210	5.7	<10
RE5510570	<5	<1	<1	0.18	5	4	0.03	118	<0.5	<0.01	16.2	134	11.3	12
RE5510571	<5	<1	<1	0.17	9	2	0.03	52	1.2	<0.01	11.2	122	6.3	<10
RE5510572	<5	<1	<1	0.45	24	9	0.08	106	0.6	<0.01	13.5	216	24.0	24
RE5510573	<5	<1	<1	0.41	20	9	0.07	127	<0.5	<0.01	10.9	176	18.0	20
RE5510574	<5	<1	<1	0.07	4	3	0.03	571	0.8	<0.01	8.2	233	8.7	<10
RE5510575	<5	<1	<1	0.06	3	2	0.03	308	<0.5	<0.01	6.6	228	4.8	<10
RE5510576	<5	<1	<1	0.28	6	6	0.06	141	0.9	<0.01	11.2	199	6.2	14
RE5510577	<5	<1	<1	0.21	5	3	0.03	143	0.8	<0.01	6.3	66	12.1	11

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

	Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
	Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
RE5510578		<5	<1	<1	0.29	6	4	0.04	158	0.8	<0.01	6.4	90	12.2	15

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U	V	W	Y
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	0.5	1	1
RE5507389	0.144	6	0.9	<10	<5	155	<10	<10	<5	<0.01	<5	2.8	<1	1
RE5507390	0.051	<1	<0.5	<10	<5	5.3	<10	<10	<5	<0.01	<5	1.8	<1	<1
RE5507391	0.033	<1	1.6	<10	<5	5.7	<10	<10	5	<0.01	<5	5.4	<1	3
RE5507392	0.259	4	2.6	<10	<5	1010	<10	<10	<5	<0.01	<5	16.6	<1	5
RE5507393	0.551	2	1.9	<10	<5	39.1	<10	<10	<5	<0.01	<5	10.1	<1	3
RE5507394	0.809	7	1.4	<10	<5	2260	<10	<10	<5	<0.01	<5	2.6	<1	10
RE5507395	0.319	5	0.8	<10	<5	206	<10	<10	<5	<0.01	<5	4.1	<1	5
RE5507396	0.327	<1	4.8	<10	<5	12.3	<10	<10	<5	<0.01	<5	27.9	<1	3
RE5507397	0.371	<1	5.2	<10	<5	15.8	<10	<10	<5	<0.01	<5	13.0	<1	5
RE5507398	0.018	<1	5.2	<10	<5	16.9	<10	<10	<5	<0.01	<5	7.9	<1	4
RE5507399	0.273	<1	2.0	<10	<5	4.9	<10	<10	<5	<0.01	<5	2.8	<1	2
RE5507400	<0.005	<1	<0.5	<10	<5	1.6	<10	<10	<5	<0.01	<5	1.1	<1	<1
RE5507379	0.155	6	1.1	<10	<5	94.6	<10	<10	<5	<0.01	<5	3.0	<1	2
RE5507380	0.010	2	1.9	<10	<5	9.9	<10	<10	6	<0.01	<5	5.1	<1	1
RE5507381	0.148	8	1.2	<10	<5	322	<10	<10	<5	<0.01	<5	1.9	<1	4
RE5507382	0.024	6	0.7	<10	<5	19.4	<10	<10	<5	<0.01	<5	2.0	<1	1
RE5507383	0.010	5	0.5	<10	<5	8.9	<10	<10	<5	<0.01	<5	1.4	<1	<1
RE5507384	0.132	4	1.0	<10	<5	447	<10	<10	<5	<0.01	<5	3.6	<1	4
RE5507385	0.015	4	0.5	<10	<5	41.7	<10	<10	<5	<0.01	<5	1.7	<1	<1
RE5507386	0.147	10	1.8	<10	<5	540	<10	<10	<5	<0.01	<5	2.5	<1	6
RE5507387	0.356	8	1.8	<10	<5	513	<10	<10	<5	<0.01	<5	3.5	<1	5
RE5507388	0.031	5	0.8	<10	<5	31.6	<10	<10	<5	<0.01	<5	2.0	<1	2
RE5507401	0.190	<1	1.6	<10	<5	8.7	<10	<10	6	<0.01	<5	2.7	<1	3
RE5507402	0.405	11	2.3	<10	21	625	<10	<10	<5	<0.01	5	3.5	<1	16
RE5507403	0.367	8	2.6	<10	<5	490	<10	<10	<5	<0.01	<5	118	<1	8
RE5507404	0.561	9	2.7	<10	<5	465	<10	<10	<5	<0.01	<5	23.6	<1	7
RE5507405	0.413	<1	22.7	<10	<5	427	<10	12	<5	0.11	<5	258	<1	17
RE5507406	0.151	<1	18.1	<10	<5	358	<10	<10	<5	0.08	<5	197	<1	17
RE5505094	0.017	3	1.0	<10	<5	12.1	<10	<10	<5	<0.01	<5	6.3	<1	<1
RE5505095	0.015	<1	3.2	<10	<5	8.5	<10	<10	<5	<0.01	<5	10.3	<1	3
RE5505096	0.012	1	1.1	<10	<5	6.0	<10	<10	<5	<0.01	<5	1.3	<1	5
RE5505097	0.033	13	1.8	<10	<5	69.3	<10	<10	<5	<0.01	<5	6.2	<1	3

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012		DATE RECEIVED: Jun 29, 2012					DATE REPORTED: Jul 09, 2012					SAMPLE TYPE: Rock			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U	V	W	Y
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	0.5	1	1
RE5505098		0.028	11	1.5	<10	<5	55.5	<10	<10	<5	<0.01	<5	4.9	<1	3
RE5505099		1.16	3	7.3	<10	<5	34.6	<10	<10	<5	0.15	<5	72.6	2	9
RE5505100		0.236	10	<0.5	<10	<5	51.2	<10	<10	<5	<0.01	<5	15.9	<1	<1
RE5505101		0.011	8	2.6	<10	<5	5.4	<10	<10	<5	<0.01	<5	3.2	1	2
RE5505102		0.032	5	0.8	<10	<5	32.7	<10	<10	<5	<0.01	<5	2.2	<1	2
RE5505103		0.355	6	13.7	<10	<5	298	<10	12	<5	<0.01	<5	66.1	<1	16
RE5505104		0.388	10	14.2	<10	<5	414	<10	12	<5	0.02	<5	65.9	<1	17
RE5505105		0.539	1	1.1	<10	<5	6.9	<10	<10	<5	<0.01	<5	3.0	<1	<1
RE5505106		0.040	2	<0.5	<10	<5	16.5	<10	<10	<5	<0.01	<5	1.3	<1	<1
RE5505107		0.007	17	3.7	<10	<5	5.6	<10	<10	<5	0.01	<5	6.2	<1	6
RE5505108		0.018	22	1.3	<10	<5	3.9	<10	<10	<5	<0.01	<5	1.8	<1	1
RE5505109		0.045	50	1.5	<10	<5	4.2	<10	<10	<5	<0.01	<5	1.8	<1	2
RE5507070		<0.005	1	<0.5	<10	<5	<0.5	<10	<10	<5	<0.01	<5	0.7	<1	<1
RE5507071		0.007	<1	2.2	<10	<5	7.4	<10	<10	<5	<0.01	<5	<0.5	<1	12
RE5507072		0.245	6	5.2	<10	<5	4.1	<10	<10	<5	<0.01	<5	4.8	<1	4
RE5507073		0.095	9	6.1	18	<5	7.8	<10	<10	<5	<0.01	<5	6.4	<1	3
RE5507074		0.191	<1	0.6	<10	<5	7.7	<10	<10	<5	<0.01	<5	0.7	<1	<1
RE5507075		0.127	<1	0.6	<10	<5	4.9	<10	<10	<5	<0.01	<5	1.3	<1	1
RE5507076		0.007	17	1.7	<10	<5	11.3	<10	<10	<5	<0.01	<5	11.1	<1	1
RE5507077		0.411	1	3.9	13	<5	14.5	<10	<10	<5	0.04	<5	23.8	<1	4
RE5507078		0.079	3	1.2	<10	<5	10.7	<10	<10	<5	<0.01	<5	1.3	<1	2
RE5507079		1.20	3370	<0.5	<10	<5	31.1	<10	<10	<5	<0.01	<5	7.1	<1	<1
RE5507080		0.006	7	<0.5	<10	<5	73.2	<10	<10	<5	<0.01	6	0.6	<1	3
RE5507081		0.060	284	1.0	<10	<5	26.9	<10	<10	<5	<0.01	<5	1.8	<1	<1
RE5507082		0.026	18	4.8	<10	<5	86.4	<10	<10	<5	<0.01	5	11.2	<1	26
RE5507083		0.019	4	<0.5	<10	<5	14.0	<10	<10	<5	<0.01	<5	1.0	<1	<1
RE5507084		0.013	3	4.3	<10	<5	14.2	<10	<10	<5	<0.01	<5	3.2	<1	2
RE5507085		0.033	6	<0.5	<10	<5	12.9	<10	<10	<5	<0.01	<5	1.9	<1	<1
RE5507086		<0.005	7	3.9	<10	<5	8.3	<10	<10	<5	<0.01	<5	6.4	<1	4
RE5507087		0.041	299	0.9	<10	<5	8.6	<10	<10	<5	<0.01	<5	1.6	<1	1
RE5507088		0.010	72	1.8	<10	<5	60.5	<10	<10	<5	<0.01	<5	5.0	<1	5
RE5507089		0.143	450	1.3	<10	<5	45.6	<10	17	<5	<0.01	<5	3.5	<1	2

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012		DATE RECEIVED: Jun 29, 2012					DATE REPORTED: Jul 09, 2012					SAMPLE TYPE: Rock			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U	V	W	Y
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	0.5	1	1
RE5507090		0.190	373	2.1	<10	<5	81.4	<10	<10	<5	<0.01	<5	3.7	<1	3
RE5507091		0.082	51	1.2	<10	<5	14.1	<10	<10	<5	<0.01	<5	2.0	<1	2
RE5507092		0.310	60	0.9	<10	<5	17.1	<10	11	<5	<0.01	<5	1.6	<1	2
RE5507093		0.049	256	2.1	<10	<5	32.8	<10	11	<5	<0.01	<5	3.2	<1	3
RE5507094		0.018	23	<0.5	<10	<5	36.1	<10	<10	<5	<0.01	<5	5.8	<1	2
RE5507095		0.008	5	<0.5	<10	<5	6.9	<10	<10	<5	<0.01	<5	2.1	<1	3
RE5507096		0.013	952	<0.5	<10	<5	<0.5	<10	<10	<5	<0.01	<5	<0.5	<1	<1
RE5507097		<0.005	8	<0.5	<10	<5	4.3	<10	<10	<5	<0.01	<5	<0.5	<1	<1
RE5507098		0.015	143	<0.5	<10	<5	3.0	<10	<10	<5	<0.01	<5	<0.5	<1	<1
RE5507099		1.13	6	5.1	<10	<5	31.9	<10	<10	<5	0.15	<5	67.6	<1	10
RE5507100		0.014	1	<0.5	<10	<5	32.2	<10	<10	<5	<0.01	11	6.8	<1	<1
RE5507101		<0.005	3	<0.5	<10	<5	1.8	<10	<10	<5	<0.01	<5	<0.5	<1	<1
RE5507102		<0.005	1	<0.5	<10	<5	11.4	<10	<10	<5	<0.01	<5	<0.5	<1	<1
RE5507103		<0.005	266	<0.5	<10	<5	1.1	<10	<10	<5	<0.01	<5	<0.5	<1	<1
RE5507104		<0.005	4	2.4	<10	<5	29.8	<10	<10	7	0.01	<5	6.8	<1	4
RE5507105		0.116	9	<0.5	<10	<5	5.7	<10	<10	<5	<0.01	<5	1.7	<1	<1
RE5507106		0.007	4	0.9	<10	<5	6.7	<10	<10	<5	<0.01	<5	2.8	<1	1
RE5507107		0.188	5320	<0.5	16	<5	11.3	<10	<10	<5	<0.01	<5	3.8	<1	<1
RE5507108		0.205	19	1.9	<10	<5	148	<10	<10	<5	<0.01	<5	15.7	<1	4
RE5507109		0.212	18	3.0	<10	<5	202	<10	<10	<5	<0.01	<5	19.0	<1	7
RE5510560		0.212	10	1.2	<10	<5	132	<10	<10	<5	<0.01	<5	15.8	<1	4
RE5505247		0.457	10	3.2	<10	<5	633	<10	<10	<5	<0.01	<5	6.1	<1	11
RE5505248		0.500	10	3.2	<10	<5	614	<10	<10	<5	<0.01	<5	6.2	<1	11
RE5505249		1.17	4	8.6	<10	<5	40.6	<10	<10	<5	0.15	<5	75.8	2	9
RE5505250		0.227	7	<0.5	<10	<5	58.4	<10	<10	<5	<0.01	<5	14.4	<1	1
RE5505251		0.092	8	1.3	<10	<5	201	<10	<10	<5	<0.01	<5	2.4	<1	4
RE5505252		0.368	11	4.0	<10	11	1330	<10	<10	<5	<0.01	<5	6.0	<1	17
RE5505253		0.274	12	5.3	<10	<5	1060	<10	<10	7	<0.01	<5	9.4	<1	20
RE5505254		0.199	7	2.6	<10	<5	477	<10	<10	<5	<0.01	<5	7.2	<1	16
RE5505255		0.248	11	2.2	<10	<5	507	<10	<10	<5	<0.01	<5	5.8	<1	4
RE5505256		0.356	15	4.9	<10	<5	905	<10	<10	<5	0.01	<5	7.1	<1	15
RE5505257		0.126	9	2.8	<10	<5	514	<10	<10	<5	<0.01	<5	3.9	<1	6

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U	V	W	Y
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	0.5	1	1
Sample Description														
RE5505258	0.042	6	1.5	<10	<5	26.0	<10	<10	<5	<0.01	<5	3.4	<1	2
RE5505259	0.437	6	5.1	<10	<5	1400	<10	<10	<5	<0.01	6	9.7	<1	19
RE5510110	0.339	13	1.0	<10	10	1250	<10	<10	<5	<0.01	<5	6.0	<1	7
RE5510111	0.187	39	3.8	<10	<5	348	<10	<10	<5	<0.01	<5	6.9	<1	13
RE5510112	0.009	3	2.0	<10	<5	14.7	<10	<10	<5	<0.01	<5	2.8	<1	2
RE5510113	0.010	1	2.0	<10	<5	14.5	<10	<10	<5	<0.01	<5	3.1	<1	2
RE5510114	0.431	11	3.0	<10	9	1310	<10	<10	<5	<0.01	<5	5.8	<1	5
RE5510115	0.007	<1	4.2	<10	<5	30.1	<10	<10	<5	0.02	<5	24.9	<1	4
RE5510116	0.031	3	4.2	<10	<5	40.7	<10	<10	7	0.02	<5	14.3	<1	8
RE5510118	0.260	4	2.7	<10	<5	1020	<10	<10	<5	<0.01	<5	16.9	<1	5
RE5510119	0.420	9	3.0	<10	<5	379	<10	<10	<5	<0.01	<5	84.5	<1	9
RE5510120	0.558	12	3.2	<10	<5	339	<10	<10	<5	<0.01	<5	37.6	<1	8
RE5510121	0.546	11	3.0	<10	<5	518	<10	<10	<5	<0.01	<5	31.1	<1	8
RE5510122	0.441	8	4.0	<10	<5	305	<10	<10	<5	<0.01	<5	28.4	<1	7
RE5510123	0.067	5	5.3	<10	<5	186	<10	<10	<5	0.02	<5	16.5	<1	12
RE5510124	0.420	12	4.7	<10	<5	351	<10	<10	<5	<0.01	<5	66.4	<1	11
RE5510125	0.434	9	5.2	<10	<5	240	<10	<10	<5	<0.01	<5	120	<1	12
RE5510126	0.459	7	4.4	<10	<5	301	<10	<10	<5	<0.01	<5	55.1	<1	8
RE5510128	0.885	2	2.6	<10	<5	23.9	<10	<10	<5	<0.01	<5	95.2	<1	2
RE5510130	0.619	13	2.3	<10	14	387	<10	<10	<5	<0.01	<5	8.1	<1	7
RE5510131	0.016	<1	2.7	<10	<5	13.3	<10	<10	7	<0.01	<5	13.4	<1	2
RE5510132	1.55	<1	0.9	<10	<5	<0.5	<10	64	<5	<0.01	21	20.3	<1	23
RE5507407	0.146	2	1.1	<10	<5	3.3	<10	<10	<5	<0.01	<5	15.3	<1	<1
RE5507408	0.091	3	1.0	<10	<5	2.2	<10	<10	<5	<0.01	<5	55.4	<1	1
RE5507409	0.202	10	2.4	15	<5	4.2	<10	<10	<5	<0.01	<5	221	<1	3
RE5509610	0.240	7	1.9	28	<5	12.9	<10	<10	<5	<0.01	<5	139	<1	5
RE5509611	0.135	3	0.8	<10	<5	16.1	<10	<10	<5	<0.01	<5	51.6	<1	1
RE5509612	0.012	<1	0.9	<10	<5	35.6	<10	<10	<5	<0.01	<5	1.4	<1	3
RE5509613	0.165	1	<0.5	32	5	<0.5	12	<10	<5	<0.01	23	40.6	<1	12
RE5509614	<0.005	<1	0.6	<10	<5	22.8	<10	<10	13	<0.01	<5	2.0	<1	4
RE5506862	0.803	1	2.1	<10	<5	16.2	<10	<10	<5	0.05	<5	15.1	<1	3
RE5506863	0.462	3	2.8	<10	<5	8.8	<10	<10	6	0.03	<5	23.4	<1	4

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U	V	W	Y
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	0.5	1	1
Sample Description														
RE5506864	0.480	1	2.2	<10	<5	9.0	<10	<10	6	0.04	<5	21.1	<1	3
RE5506865	1.05	2	1.9	11	<5	11.0	<10	<10	<5	0.03	<5	20.2	<1	4
RE5506866	0.016	<1	4.5	<10	<5	12.9	<10	<10	<5	0.05	<5	34.4	<1	6
RE5506867	0.036	3	1.5	<10	<5	4.9	<10	<10	<5	<0.01	<5	16.0	<1	3
RE5506868	0.016	2	2.3	<10	<5	19.3	<10	<10	<5	<0.01	<5	13.6	<1	5
RE5506869	0.048	2	7.8	<10	<5	13.2	<10	<10	<5	0.01	<5	10.4	<1	5
RE5506870	0.147	1	7.8	<10	<5	10.9	<10	<10	<5	0.02	<5	10.7	<1	3
RE5506871	0.045	3	6.1	<10	<5	44.2	<10	<10	<5	0.03	<5	11.4	<1	5
RE5506872	0.072	1	3.6	<10	<5	42.4	<10	<10	<5	0.01	<5	6.2	<1	3
RE5506873	0.858	3	6.2	<10	<5	16.2	<10	<10	<5	0.01	<5	7.3	<1	4
RE5506874	0.043	2	5.6	<10	<5	19.9	<10	<10	<5	0.01	<5	10.5	<1	3
RE5506875	<0.005	1	6.7	<10	<5	25.7	<10	<10	<5	0.02	<5	13.3	<1	4
RE5506876	<0.005	2	5.7	<10	<5	22.1	<10	<10	<5	0.01	<5	11.0	<1	3
RE5506877	0.023	1	2.8	<10	<5	17.0	<10	<10	<5	<0.01	<5	15.1	<1	3
RE5506878	0.581	<1	3.1	<10	<5	12.0	<10	<10	<5	0.02	<5	17.8	<1	4
RE5506879	0.131	3	2.9	<10	<5	5.7	<10	<10	<5	0.01	<5	20.6	<1	4
RE5506880	0.080	1	2.4	<10	<5	5.0	<10	<10	<5	0.01	<5	18.6	<1	3
RE5506881	0.089	1	2.9	<10	<5	11.2	<10	<10	<5	0.01	<5	24.7	<1	4
RE5506882	0.069	1	2.5	<10	<5	8.0	<10	<10	<5	0.01	<5	20.6	<1	4
RE5506883	0.125	2	2.6	<10	<5	7.3	<10	<10	<5	0.01	<5	17.8	<1	4
RE5506884	0.203	2	3.0	<10	<5	5.4	<10	<10	<5	0.03	<5	29.9	<1	4
RE5506885	0.043	<1	2.9	<10	<5	11.0	<10	<10	<5	0.04	<5	25.8	<1	4
RE5506886	0.143	<1	2.5	<10	<5	7.1	<10	<10	<5	0.02	<5	20.3	<1	4
RE5506887	0.062	2	2.7	<10	<5	6.7	<10	<10	<5	<0.01	<5	20.3	<1	4
RE5506888	0.246	<1	2.3	<10	<5	4.9	<10	<10	<5	<0.01	<5	18.4	<1	4
RE5506889	0.221	3	2.7	<10	<5	8.5	<10	<10	<5	0.01	<5	20.3	<1	4
RE5506890	0.381	<1	2.8	<10	<5	9.3	<10	<10	<5	0.01	<5	18.3	<1	5
RE5506891	0.029	1	3.4	<10	<5	7.5	<10	<10	<5	0.02	<5	21.8	<1	6
RE5506892	0.760	3	2.4	<10	<5	8.8	<10	<10	<5	0.01	<5	18.7	<1	5
RE5506893	0.326	3	3.4	<10	<5	6.2	<10	<10	<5	0.02	<5	28.3	<1	5
RE5506894	0.701	2	2.0	<10	<5	4.4	<10	<10	<5	<0.01	<5	16.7	<1	4
RE5506895	0.359	2	1.8	<10	<5	7.1	<10	<10	<5	<0.01	<5	18.0	<1	4

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U	V	W	Y
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	0.5	1	1
Sample Description														
RE5506896	0.284	1	9.6	<10	<5	30.3	<10	<10	<5	0.01	<5	6.3	<1	5
RE5506897	0.323	1	4.5	<10	<5	8.5	<10	<10	<5	0.01	<5	14.1	<1	3
RE5506898	0.337	<1	7.9	<10	<5	11.3	<10	<10	<5	0.04	<5	26.7	<1	4
RE5506899	1.18	4	8.6	<10	<5	43.3	<10	<10	<5	0.17	<5	78.5	3	10
RE5506900	0.229	10	<0.5	<10	<5	51.7	<10	<10	<5	<0.01	<5	16.1	<1	1
RE5506901	0.094	<1	5.1	<10	<5	8.3	<10	<10	<5	0.04	<5	27.8	<1	3
RE5506902	0.798	<1	6.6	<10	<5	9.5	<10	<10	<5	0.04	<5	27.9	<1	4
RE5506903	0.350	<1	5.5	<10	<5	10.5	<10	<10	<5	0.03	<5	27.5	<1	3
RE5506904	1.42	<1	6.6	<10	<5	13.3	<10	<10	<5	0.05	<5	32.9	<1	5
RE5506905	0.033	<1	5.9	<10	<5	32.0	<10	<10	<5	0.03	<5	31.8	<1	4
RE5506906	0.103	<1	4.9	<10	<5	10.8	<10	<10	<5	0.03	<5	25.9	<1	3
RE5506907	0.283	9	6.6	<10	<5	514	<10	<10	<5	<0.01	<5	12.4	<1	8
RE5506908	0.357	12	5.9	<10	<5	715	<10	<10	<5	<0.01	<5	10.6	<1	7
RE5506909	0.253	3	7.3	<10	<5	564	<10	10	<5	<0.01	<5	13.8	<1	12
RE5506910	0.286	9	5.3	<10	<5	569	<10	<10	<5	<0.01	<5	10.5	<1	7
RE5510561	0.152	11	0.8	<10	<5	382	<10	<10	<5	<0.01	<5	1.7	<1	1
RE5510562	0.209	11	1.1	<10	<5	306	<10	<10	<5	<0.01	<5	1.8	<1	3
RE5510563	0.007	12	4.7	<10	<5	17.4	<10	<10	8	0.04	<5	14.0	3	6
RE5510564	0.166	9	1.1	<10	<5	216	<10	<10	<5	<0.01	<5	1.8	<1	3
RE5510565	0.118	15	2.0	<10	<5	83.7	<10	<10	<5	<0.01	<5	2.6	<1	5
RE5510566	0.072	9	1.9	<10	<5	59.9	<10	<10	<5	<0.01	<5	4.0	<1	4
RE5510567	<0.005	<1	4.9	<10	<5	8.5	<10	<10	14	0.06	<5	12.8	<1	5
RE5510568	0.028	8	3.2	<10	<5	17.5	<10	<10	<5	0.02	<5	6.5	<1	7
RE5510569	<0.005	10	2.8	<10	<5	68.7	<10	<10	<5	0.01	<5	5.3	3	3
RE5510570	0.011	4	2.0	<10	<5	11.9	<10	<10	<5	0.01	<5	5.5	<1	3
RE5510571	<0.005	4	1.5	<10	<5	<0.5	<10	<10	<5	<0.01	<5	5.2	2	2
RE5510572	<0.005	10	4.2	<10	<5	9.2	<10	<10	11	0.03	<5	11.9	4	4
RE5510573	<0.005	6	3.6	<10	<5	13.2	<10	<10	7	0.03	<5	9.7	2	4
RE5510574	0.009	9	2.5	<10	<5	157	<10	<10	<5	<0.01	<5	4.3	2	3
RE5510575	0.008	9	2.2	<10	<5	122	<10	<10	<5	<0.01	<5	3.6	3	2
RE5510576	<0.005	11	3.3	15	<5	63.9	<10	<10	<5	0.02	<5	7.9	2	3
RE5510577	<0.005	7	2.1	<10	<5	11.7	<10	<10	<5	0.02	<5	5.3	<1	2

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U	V	W	Y
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	0.5	1
RE5510578		<0.005	6	2.6	<10	<5	9.7	<10	<10	<5	0.02	<5	6.9	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Zn	Zr
	Unit:	ppm	ppm
	RDL:	0.5	5
RE5507389		6.0	<5
RE5507390		2.4	<5
RE5507391		22.5	<5
RE5507392		30.5	<5
RE5507393		32.9	<5
RE5507394		24.9	<5
RE5507395		21.4	<5
RE5507396		91.6	<5
RE5507397		71.0	7
RE5507398		59.9	<5
RE5507399		18.0	<5
RE5507400		1.8	<5
RE5507379		3.0	<5
RE5507380		35.6	<5
RE5507381		20.8	<5
RE5507382		11.6	<5
RE5507383		2.4	<5
RE5507384		6.6	<5
RE5507385		4.3	<5
RE5507386		3.1	<5
RE5507387		11.9	<5
RE5507388		4.5	<5
RE5507401		23.0	<5
RE5507402		3.2	<5
RE5507403		93.8	<5
RE5507404		22.1	<5
RE5507405		157	12
RE5507406		91.4	7
RE5505094		17.9	<5
RE5505095		30.0	<5
RE5505096		33.3	<5
RE5505097		16.9	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Zn	Zr
	Unit:	ppm	ppm
	RDL:	0.5	5
RE5505098		15.2	<5
RE5505099		1430	12
RE5505100		14.4	<5
RE5505101		11.8	<5
RE5505102		12.4	<5
RE5505103		132	6
RE5505104		276	9
RE5505105		15.6	<5
RE5505106		1.9	<5
RE5505107		566	8
RE5505108		592	<5
RE5505109		2450	<5
RE5507070		13.5	<5
RE5507071		29.9	<5
RE5507072		113	<5
RE5507073		62.2	<5
RE5507074		19.8	<5
RE5507075		17.4	<5
RE5507076		67.0	<5
RE5507077		99.1	14
RE5507078		287	<5
RE5507079		158	5
RE5507080		3.3	<5
RE5507081		206	<5
RE5507082		2250	14
RE5507083		22.9	<5
RE5507084		218	<5
RE5507085		70.7	<5
RE5507086		395	6
RE5507087		>10000	<5
RE5507088		1440	<5
RE5507089		>10000	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Zn	Zr
	Unit:	ppm	ppm
	RDL:	0.5	5
RE5507090		2950	<5
RE5507091		2110	<5
RE5507092		>10000	<5
RE5507093		>10000	<5
RE5507094		1330	<5
RE5507095		121	<5
RE5507096		146	<5
RE5507097		27.3	<5
RE5507098		57.1	<5
RE5507099		1420	15
RE5507100		21.6	<5
RE5507101		12.8	<5
RE5507102		11.4	<5
RE5507103		18.6	<5
RE5507104		65.2	5
RE5507105		5.8	<5
RE5507106		22.4	<5
RE5507107		104	<5
RE5507108		15.4	<5
RE5507109		11.6	<5
RE5510560		7.5	<5
RE5505247		12.5	6
RE5505248		14.5	6
RE5505249		1460	20
RE5505250		12.4	<5
RE5505251		5.0	<5
RE5505252		13.7	9
RE5505253		39.1	8
RE5505254		10.7	<5
RE5505255		13.1	<5
RE5505256		31.5	<5
RE5505257		14.6	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Zn	Zr
	Unit:	ppm	ppm
	RDL:	0.5	5
RE5505258		20.7	<5
RE5505259		34.7	<5
RE5510110		2.9	<5
RE5510111		46.7	<5
RE5510112		19.2	<5
RE5510113		63.1	<5
RE5510114		6.2	6
RE5510115		102	<5
RE5510116		40.4	13
RE5510118		31.2	<5
RE5510119		142	<5
RE5510120		94.6	6
RE5510121		59.6	6
RE5510122		135	6
RE5510123		46.9	9
RE5510124		270	6
RE5510125		186	9
RE5510126		33.5	5
RE5510128		9.4	<5
RE5510130		139	<5
RE5510131		71.2	6
RE5510132		1680	<5
RE5507407		8.8	<5
RE5507408		2.1	<5
RE5507409		5.9	6
RE5509610		124	<5
RE5509611		67.8	<5
RE5509612		65.7	<5
RE5509613		2790	14
RE5509614		12.5	17
RE5506862		59.0	12
RE5506863		99.5	9

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Zn	Zr
	Unit:	ppm	ppm
	RDL:	0.5	5
RE5506864		81.8	10
RE5506865		79.3	11
RE5506866		120	11
RE5506867		54.4	8
RE5506868		75.9	<5
RE5506869		160	8
RE5506870		113	10
RE5506871		89.3	10
RE5506872		67.3	6
RE5506873		125	7
RE5506874		125	5
RE5506875		106	8
RE5506876		121	<5
RE5506877		82.7	6
RE5506878		89.8	8
RE5506879		88.4	7
RE5506880		69.9	7
RE5506881		101	6
RE5506882		90.7	6
RE5506883		78.9	7
RE5506884		99.7	10
RE5506885		94.5	10
RE5506886		81.7	10
RE5506887		73.8	7
RE5506888		76.7	6
RE5506889		86.2	7
RE5506890		77.4	7
RE5506891		101	9
RE5506892		95.4	9
RE5506893		106	10
RE5506894		79.1	7
RE5506895		82.7	6

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Zn	Zr
	Unit:	ppm	ppm
	RDL:	0.5	5
RE5506896		88.0	6
RE5506897		76.0	7
RE5506898		85.5	11
RE5506899		1460	17
RE5506900		11.2	<5
RE5506901		86.4	8
RE5506902		96.0	11
RE5506903		86.8	8
RE5506904		108	12
RE5506905		104	10
RE5506906		53.8	10
RE5506907		26.5	<5
RE5506908		34.8	<5
RE5506909		19.5	<5
RE5506910		20.5	<5
RE5510561		5.2	<5
RE5510562		10.1	<5
RE5510563		99.8	12
RE5510564		14.8	<5
RE5510565		34.3	<5
RE5510566		44.3	<5
RE5510567		69.1	13
RE5510568		72.9	7
RE5510569		112	9
RE5510570		41.0	5
RE5510571		72.5	5
RE5510572		90.7	12
RE5510573		67.8	7
RE5510574		49.9	7
RE5510575		61.6	6
RE5510576		78.2	11
RE5510577		34.1	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Analyte:	Zn	Zr
Unit:	ppm	ppm
RDL:	0.5	5
Sample Description		
RE5510578	41.6	6

Comments: RDL - Reported Detection Limit

Certified By:



PROJECT NO:

Page 30 of 43



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
RE5505097		0.91	0.016
RE5505098		0.96	0.011
RE5505099		0.14	2.37
RE5505100		0.44	0.001
RE5505101		1.26	0.043
RE5505102		0.92	0.026
RE5505103		0.14	0.002
RE5505104		1.48	0.019
RE5505105		1.11	0.004
RE5505106		1.22	0.144
RE5505107		1.39	<0.001
RE5505108		1.35	0.015
RE5505109		0.39	0.008
RE5507070		1.17	<0.001
RE5507071		1.38	<0.001
RE5507072		1.35	9.27
RE5507073		1.24	4.63
RE5507074		1.10	0.089
RE5507075		1.56	0.103
RE5507076		1.11	0.003
RE5507077		1.36	0.059
RE5507078		1.56	0.025
RE5507079		0.91	0.010
RE5507080		1.25	<0.001
RE5507081		1.07	0.003
RE5507082		1.04	0.019
RE5507083		1.25	0.009
RE5507084		1.25	0.019
RE5507085		1.29	0.004
RE5507086		1.20	0.005
RE5507087		1.02	0.006

Certified By:



PROJECT NO:

Page 32 of 43



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
RE5505255		0.82	0.005
RE5505256		0.59	0.014
RE5505257		0.59	0.017
RE5505258		0.80	0.016
RE5505259		0.55	0.011
RE5510110		0.66	0.017
RE5510111		0.48	0.081
RE5510112		0.58	<0.001
RE5510113		0.51	<0.001
RE5510114		0.58	<0.001
RE5510115		0.59	<0.001
RE5510116		0.57	0.012
RE5510118		0.58	<0.001
RE5510119		0.78	<0.001
RE5510120		0.48	<0.001
RE5510121		0.56	<0.001
RE5510122		0.51	<0.001
RE5510123		0.40	<0.001
RE5510124		0.54	<0.001
RE5510125		0.53	<0.001
RE5510126		0.50	<0.001
RE5510128		0.66	0.001
RE5510130		0.71	<0.001
RE5510131		0.72	<0.001
RE5510132		0.90	<0.001
RE5507407		1.34	<0.001
RE5507408		1.93	0.003
RE5507409		1.48	0.001
RE5509610		1.51	0.001
RE5509611		1.75	0.002
RE5509612		1.62	<0.001

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
RE5509613		1.74	<0.001
RE5509614		2.01	<0.001
RE5506862		0.90	0.014
RE5506863		0.88	0.001
RE5506864		1.07	<0.001
RE5506865		0.94	<0.001
RE5506866		1.26	<0.001
RE5506867		0.97	0.008
RE5506868		0.90	<0.001
RE5506869		0.79	0.001
RE5506870		0.83	0.032
RE5506871		0.78	0.008
RE5506872		1.07	0.001
RE5506873		0.91	0.163
RE5506874		0.67	0.002
RE5506875		0.84	<0.001
RE5506876		0.87	<0.001
RE5506877		0.76	<0.001
RE5506878		0.79	<0.001
RE5506879		0.75	0.014
RE5506880		0.80	<0.001
RE5506881		1.01	<0.001
RE5506882		0.79	<0.001
RE5506883		0.83	<0.001
RE5506884		0.79	<0.001
RE5506885		0.75	<0.001
RE5506886		0.83	<0.001
RE5506887		0.64	<0.001
RE5506888		0.74	<0.001
RE5506889		1.01	<0.001
RE5506890		0.97	<0.001

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
RE5506891		0.95	<0.001
RE5506892		0.88	<0.001
RE5506893		0.84	<0.001
RE5506894		0.93	<0.001
RE5506895		0.92	<0.001
RE5506896		0.77	0.006
RE5506897		0.80	0.001
RE5506898		0.72	<0.001
RE5506899		0.14	2.35
RE5506900		0.55	<0.001
RE5506901		0.69	<0.001
RE5506902		0.73	0.008
RE5506903		0.72	<0.001
RE5506904		0.81	<0.001
RE5506905		0.61	<0.001
RE5506906		0.67	<0.001
RE5506907		0.76	<0.001
RE5506908		0.71	<0.001
RE5506909		1.15	<0.001
RE5506910		0.77	<0.001
RE5510561		0.94	0.002
RE5510562		1.35	0.005
RE5510563		1.18	0.010
RE5510564		1.30	0.002
RE5510565		1.55	<0.001
RE5510566		1.51	0.001
RE5510567		2.20	<0.001
RE5510568		1.23	<0.001
RE5510569		1.62	<0.001
RE5510570		0.81	0.006
RE5510571		1.41	<0.001

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
RE5510572		1.63	<0.001
RE5510573		2.80	<0.001
RE5510574		1.81	0.005
RE5510575		1.58	<0.001
RE5510576		1.40	0.006
RE5510577		2.24	<0.001
RE5510578		2.00	0.017

Comments: RDL - Reported Detection Limit

Certified By:

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y615538

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis											
RPT Date: Jul 09, 2012			REPLICATE			Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3472264	0.027	< 0.001		< 0.001	0.266	0.263	101%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3472277	0.013	0.014	7.4%	< 0.001	1.55	1.52	102%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3472289	< 0.001	< 0.001	0.0%	< 0.001	0.265	0.263	101%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3472302	0.0190	0.0196	3.1%	< 0.001	0.264	0.263	100%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3472314	0.003	0.001		< 0.001	1.55	1.52	102%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3472327	0.004	0.004	0.0%	< 0.001	1.52	1.52	100%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3472340	< 0.001	0.009		< 0.001	1.51	1.52	99%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3472353	< 0.001	< 0.001	0.0%	< 0.001	0.265	0.263	101%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3472365	< 0.001	< 0.001	0.0%	< 0.001	0.269	0.263	102%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3472379	0.001	< 0.001		< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3472390	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3472403	0.002	0.001		< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3472415	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3472427	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3472440	0.002	< 0.001		< 0.001				90%	110%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)											
Ag	1	3472264	< 0.2	< 0.2	0.0%	< 0.2				80%	120%
Al	1	3472264	0.113	0.128	12.4%	< 0.01				80%	120%
As	1	3472264	15	15	0.0%	< 1				80%	120%
B	1	3472264	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3472264	15	15	0.0%	< 1				80%	120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y615538

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 09, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Be	1	3472264	< 0.5	< 0.5	0.0%	< 0.5	0.4	0.4	106%	80%	120%
Bi	1	3472314	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	3472264	4.58	4.75	3.6%	< 0.01				80%	120%
Cd	1	3472264	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	3472264	3	4	28.6%	< 1				80%	120%
Co	1	3472264	1.4	1.4	0.0%	< 0.5				80%	120%
Cr	1	3472264	65.9	71.8	8.6%	< 0.5				80%	120%
Cu	1	3472264	22.6	22.8	0.9%	< 0.5	3846	3800	101%	80%	120%
Fe	1	3472264	0.55	0.56	1.8%	< 0.01				80%	120%
Ga	1	3472264	< 5	< 5	0.0%	< 5				80%	120%
Hg	1	3472264	< 1	< 1	0.0%	< 1	1.4	1.3	109%	80%	120%
In	1	3472264	< 1	< 1	0.0%	< 1				80%	120%
K	1	3472264	0.050	0.056	11.3%	< 0.01				80%	120%
La	1	3472264	2	2	0.0%	< 1				80%	120%
Li	1	3472264	< 1	< 1	0.0%	< 1				80%	120%
Mg	1	3472264	0.03	0.03	0.0%	< 0.01				80%	120%
Mn	1	3472264	45	46	2.2%	< 1				80%	120%
Mo	1	3472264	2.4	2.5	4.1%	< 0.5				80%	120%
Na	1	3472264	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Ni	1	3472264	4.2	4.2	0.0%	< 0.5				80%	120%
P	1	3472314	21	27	25.0%	< 10	603	600	100%	80%	120%
Pb	1	3472264	1.80	1.43	22.9%	< 0.5				80%	120%
Rb	1	3472264	11	12	8.7%	< 10	15	13	117%	80%	120%
S	1	3472264	0.144	0.149	3.4%	< 0.005				80%	120%
Sb	1	3472264	6	6	0.0%	< 1				80%	120%
Sc	1	3472264	0.9	0.9	0.0%	< 0.5				80%	120%
Se	1	3472264	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	3472264	< 5	< 5	0.0%	< 5	7.9	7.1	112%	80%	120%
Sr	1	3472264	155	156	0.6%	0.9	317	390	81%	80%	120%
Ta	1	3472264	< 10	< 10	0.0%	< 10				80%	120%
Te	1	3472264	< 10	< 10	0.0%	< 10				80%	120%
Th	1	3472264	< 5	< 5	0.0%	< 5				80%	120%
Ti	1	3472264	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
U	1	3472264	< 5	< 5	0.0%	< 5				80%	120%
V	1	3472264	2.82	3.08	8.8%	< 0.5				80%	120%
W	1	3472264	< 1	< 1	0.0%	< 1				80%	120%
Y	1	3472264	1	1	0.0%	< 1				80%	120%
Zn	1	3472264	6.03	6.16	2.1%	< 0.5				80%	120%
Zr	1	3472264	< 5	< 5	0.0%	< 5				80%	120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1	3472289	< 0.2	< 0.2	0.0%	< 0.2				80%	120%
Al	1	3472289	0.71	0.67	5.8%	< 0.01				80%	120%
As	1	3472289	20	22	9.5%	< 1				80%	120%
B	1	3472289	9	9	0.0%	< 5				80%	120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y615538

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 09, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ba	1	3472289	176	165	6.5%	< 1				80% 120%
Be	1	3472289	< 0.5	< 0.5	0.0%	< 0.5	0.4	0.4	105%	80% 120%
Bi	1	3472289	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3472289	22.0	20.4	7.5%	< 0.01				80% 120%
Cd	1	3472289	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3472289	23	22	4.4%	< 1				80% 120%
Co	1	3472289	2.4	2.4	0.0%	< 0.5				80% 120%
Cr	1	3472289	11.3	11.3	0.0%	< 0.5				80% 120%
Cu	1	3472289	8.66	7.87	9.6%	< 0.5	3793	3800	99%	80% 120%
Fe	1	3472289	0.796	0.732	8.4%	< 0.01				80% 120%
Ga	1	3472289	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3472289	< 1	< 1	0.0%	< 1				80% 120%
In	1	3472340	< 1	< 1	0.0%	< 1				80% 120%
K	1	3472289	0.25	0.24	4.1%	< 0.01				80% 120%
La	1	3472289	12	11	8.7%	< 1				80% 120%
Li	1	3472289	16	15	6.5%	< 1				80% 120%
Mg	1	3472289	1.59	1.46	8.5%	< 0.01				80% 120%
Mn	1	3472289	129	119	8.1%	< 1				80% 120%
Mo	1	3472289	3.38	3.29	2.7%	< 0.5				80% 120%
Na	1	3472289	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3472289	7.1	6.5	8.8%	< 0.5				80% 120%
P	1	3472289	494	480	2.9%	< 10	611	600	102%	80% 120%
Pb	1	3472289	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Rb	1	3472289	51	48	6.1%	< 10				80% 120%
S	1	3472289	0.561	0.514	8.7%	< 0.005				80% 120%
Sb	1	3472289	9	8	11.8%	< 1				80% 120%
Sc	1	3472289	2.7	2.6	3.8%	< 0.5				80% 120%
Se	1	3472289	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3472289	< 5	< 5	0.0%	< 5	7.5	7.1	106%	80% 120%
Sr	1	3472289	465	421	9.9%	< 0.5	313	390	80%	80% 120%
Ta	1	3472289	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3472289	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3472289	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3472289	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
U	1	3472289	< 5	< 5	0.0%	< 5				80% 120%
V	1	3472289	23.6	23.0	2.6%	< 0.5				80% 120%
W	1	3472289	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3472289	7	7	0.0%	< 1				80% 120%
Zn	1	3472289	22.1	20.7	6.5%	< 0.5				80% 120%
Zr	1	3472289	< 5	< 5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1	3472365	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3472365	0.16	0.15	6.5%	< 0.01				80% 120%
As	1	3472365	10	10	0.0%	< 1				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y615538

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 09, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				Acceptable Limits	
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery		Lower	Upper
B	1	3472365	< 5	< 5	0.0%	< 5					80%	120%
Ba	1	3472365	14	14	0.0%	< 1					80%	120%
Be	1	3472365	< 0.5	< 0.5	0.0%	< 0.5	0.4	0.4	100%		80%	120%
Bi	1	3472365	3	4	28.6%	< 1					80%	120%
Ca	1	3472365	0.490	0.484	1.2%	< 0.01					80%	120%
Cd	1	3472365	< 0.5	< 0.5	0.0%	< 0.5					80%	120%
Ce	1	3472365	< 1	< 1	0.0%	< 1					80%	120%
Co	1	3472365	3.4	3.4	0.0%	< 0.5					80%	120%
Cr	1	3472365	62.8	54.0	15.1%	< 0.5					80%	120%
Cu	1	3472365	2.48	2.31	7.1%	< 0.5	3900	3800	102%		80%	120%
Fe	1	3472365	1.03	1.02	1.0%	< 0.01					80%	120%
Ga	1	3472365	< 5	< 5	0.0%	< 5					80%	120%
Hg	1	3472365	< 1	< 1	0.0%	< 1					80%	120%
In	1	3472365	< 1	< 1	0.0%	< 1					80%	120%
K	1	3472365	0.03	0.03	0.0%	< 0.01					80%	120%
La	1	3472365	1	1	0.0%	< 1					80%	120%
Li	1	3472365	4	4	0.0%	< 1					80%	120%
Mg	1	3472365	0.02	0.02	0.0%	< 0.01					80%	120%
Mn	1	3472365	556	549	1.3%	< 1					80%	120%
Mo	1	3472365	2.6	2.2	16.7%	< 0.5					80%	120%
Na	1	3472365	0.04	0.04	0.0%	< 0.01					80%	120%
Ni	1	3472365	5.2	5.3	1.9%	< 0.5					80%	120%
P	1	3472365	60	52	14.3%	< 10	629	600	105%		80%	120%
Pb	1	3472365	7.5	6.6	12.8%	< 0.5					80%	120%
Rb	1	3472365	< 10	< 10	0.0%	< 10					80%	120%
S	1	3472365	0.0086	0.0078	9.8%	< 0.005					80%	120%
Sb	1	3472390	< 1	< 1	0.0%	< 1					80%	120%
Sc	1	3472365	1.99	1.90	4.6%	< 0.5					80%	120%
Se	1	3472365	< 10	< 10	0.0%	< 10					80%	120%
Sn	1	3472365	< 5	< 5	0.0%	< 5	7.5	7.1	105%		80%	120%
Sr	1	3472365	14.7	13.6	7.8%	< 0.5	323	390	83%		80%	120%
Ta	1	3472365	< 10	< 10	0.0%	< 10					80%	120%
Te	1	3472365	< 10	< 10	0.0%	< 10					80%	120%
Th	1	3472365	< 5	< 5	0.0%	< 5					80%	120%
Ti	1	3472365	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
U	1	3472365	< 5	< 5	0.0%	< 5					80%	120%
V	1	3472365	2.78	2.51	10.2%	< 0.5					80%	120%
W	1	3472365	< 1	< 1	0.0%	< 1					80%	120%
Y	1	3472365	2	2	0.0%	< 1					80%	120%
Zn	1	3472365	19.2	19.2	0.0%	< 0.5					80%	120%
Zr	1	3472365	< 5	< 5	0.0%	< 5					80%	120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1	3472440	< 0.2	< 0.2	0.0%	< 0.2					80%	120%
Al	1	3472440	0.09	0.09	0.0%	< 0.01					80%	120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y615538

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 09, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				Acceptable Limits	
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery		Lower	Upper
As	1	3472415	2	3		< 1					80%	120%
B	1	3472440	< 5	< 5	0.0%	< 5					80%	120%
Ba	1	3472440	11	12	8.7%	< 1					80%	120%
Be	1	3472440	< 0.5	< 0.5	0.0%	< 0.5	0.4	0.4	100%		80%	120%
Bi	1	3472440	< 1	< 1	0.0%	< 1					80%	120%
Ca	1	3472440	14.0	14.8	5.6%	< 0.01					80%	120%
Cd	1	3472440	< 0.5	< 0.5	0.0%	< 0.5					80%	120%
Ce	1	3472440	9	9	0.0%	< 1					80%	120%
Co	1	3472440	1.13	1.20	6.0%	< 0.5					80%	120%
Cr	1	3472440	20.0	18.7	6.7%	< 0.5					80%	120%
Cu	1	3472440	1.2	1.3	8.0%	< 0.5	3887	3800	102%		80%	120%
Fe	1	3472440	0.18	0.19	5.4%	< 0.01					80%	120%
Ga	1	3472440	< 5	< 5	0.0%	< 5					80%	120%
Hg	1	3472440	< 1	< 1	0.0%	< 1	1.1	1.3	82%		80%	120%
In	1	3472440	< 1	< 1	0.0%	< 1					80%	120%
K	1	3472440	0.02	0.02	0.0%	< 0.01					80%	120%
La	1	3472440	2	2	0.0%	< 1					80%	120%
Li	1	3472440	< 1	< 1	0.0%	< 1					80%	120%
Mg	1	3472440	0.09	0.09	0.0%	< 0.01					80%	120%
Mn	1	3472440	77	81	5.1%	< 1					80%	120%
Mo	1	3472440	2.6	3.2	20.7%	< 0.5					80%	120%
Na	1	3472440	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
Ni	1	3472440	1.0	1.0	0.0%	< 0.5					80%	120%
P	1	3472440	202	218	7.6%	< 10	617	600	103%		80%	120%
Pb	1	3472440	< 0.5	< 0.5	0.0%	< 0.5					80%	120%
Rb	1	3472440	16	16	0.0%	< 10	12	13	90%		80%	120%
S	1	3472440	0.152	0.157	3.2%	< 0.005					80%	120%
Sb	1	3472440	11	9	20.0%	< 1					80%	120%
Sc	1	3472440	0.78	0.71	9.4%	< 0.5					80%	120%
Se	1	3472440	< 10	< 10	0.0%	< 10					80%	120%
Sn	1	3472440	< 5	< 5	0.0%	< 5	8	7.1	113%		80%	120%
Sr	1	3472440	382	399	4.4%	< 0.5	332	390	85%		80%	120%
Ta	1	3472440	< 10	< 10	0.0%	< 10					80%	120%
Te	1	3472440	< 10	< 10	0.0%	< 10					80%	120%
Th	1	3472440	< 5	< 5	0.0%	< 5					80%	120%
Ti	1	3472440	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
U	1	3472440	< 5	< 5	0.0%	< 5					80%	120%
V	1	3472440	1.70	1.54	9.9%	< 0.5					80%	120%
W	1	3472440	< 1	< 1	0.0%	< 1					80%	120%
Y	1	3472440	1	1	0.0%	< 1					80%	120%
Zn	1	3472440	5.2	5.8	10.9%	< 0.5					80%	120%
Zr	1	3472440	< 5	< 5	0.0%	< 5					80%	120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Be	1					< 0.5	0.4	0.4	89%	80%	120%
----	---	--	--	--	--	-------	-----	-----	-----	-----	------



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y615538

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 09, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper

Cd	1					< 0.5	0.1	0.10	96%	80% 120%
Cu	1					< 0.5	3858	3800	101%	80% 120%
Hg	1					< 1	1.1	1.3	85%	80% 120%
K	1					< 0.01	0.6	0.6	99%	80% 120%
Mo	1					< 0.5	362	380	95%	80% 120%
P	1					< 10	577	600	96%	80% 120%
Rb	1					< 10	11	13	85%	80% 120%
Se	1					< 10	0.8	0.8	101%	80% 120%
Sn	1					< 5	6.6	7.1	93%	80% 120%
Ti	1					< 0.01	0.06	0.07	86%	80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Be	1					< 0.5	0.4	0.4	96%	80% 120%
Cu	1					< 0.5	3910	3800	102%	80% 120%
Hg	1					< 1	1.3	1.3	97%	80% 120%
Mo	1					< 0.5	363	380	95%	80% 120%
P	1					< 10	584	600	97%	80% 120%
Rb	1					< 10	12	13	96%	80% 120%
Se	1					< 10	0.8	0.8	96%	80% 120%
Sn	1					< 5	6.8	7.1	95%	80% 120%
Sr	1					< 0.5	324	390	83%	80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Cu	1					< 0.5	3885	3800	102%	80% 120%
Hg	1					< 1	1.1	1.3	82%	80% 120%
P	1					< 10	608	600	101%	80% 120%
Sr	1					< 0.5	329	390	84%	80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

B	1					< 5	6.22	7.00	89%	80% 120%
Cu	1					< 0.5	3958	3800	104%	80% 120%
Hg	1					< 1	1.2	1.3	95%	80% 120%
P	1					< 10	593	600	99%	80% 120%
Sr	1					< 0.5	330	390	85%	80% 120%

Certified By:

Method Summary

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y615538

PROJECT NO:

ATTENTION TO: Yinghua Chen

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
B	MIN-200-12020		ICP/OES
Ba	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
In	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP/OES
Li	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr	MIN-200-12020		ICP/OES
Ta	MIN-200-12020		ICP/OES
Te	MIN-200-12020		ICP/OES
Th	MIN-200-12020		ICP/OES
Ti	MIN-200-12020		ICP/OES
U	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP/OES
Y	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Zr	MIN-200-12020		ICP/OES
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES