

**CLIENT NAME: ANTHILL RESOURCES
1090-999 WEST HASTINGS STREET
Vancouver, BC V6C2W2
(604) 569-3892**

ATTENTION TO: Yinghua Chen

PROJECT NO:

AGAT WORK ORDER: 12Y615538

SOLID ANALYSIS REVIEWED BY: Kevin Motomura, ICP Supervisor

DATE REPORTED: Jul 09, 2012

PAGES (INCLUDING COVER): 44

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

***NOTES**



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012		DATE RECEIVED: Jun 29, 2012						DATE REPORTED: Jul 09, 2012				SAMPLE TYPE: Rock			
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
RE5507389		<0.2	0.11	15	<5	15	<0.5	<1	4.58	<0.5	3	1.4	65.9	22.6	0.55
RE5507390		<0.2	0.16	4	<5	30	<0.5	<1	0.04	<0.5	6	1.3	146	4.8	0.47
RE5507391		<0.2	0.38	4	<5	27	<0.5	4	0.14	<0.5	21	5.2	195	20.0	1.65
RE5507392		<0.2	0.26	18	7	25	<0.5	4	18.3	0.5	9	2.8	6.6	2.9	2.61
RE5507393		<0.2	0.96	11	<5	30	<0.5	5	1.49	<0.5	14	6.1	38.4	21.2	2.46
RE5507394		<0.2	0.04	16	<5	260	<0.5	<1	12.7	<0.5	15	2.7	43.7	4.0	1.01
RE5507395		<0.2	0.06	14	<5	22	<0.5	3	7.85	<0.5	3	3.4	67.6	6.4	2.02
RE5507396		<0.2	2.19	4	<5	67	0.7	11	0.01	0.5	<1	14.1	33.8	13.8	6.32
RE5507397		<0.2	1.05	4	<5	59	0.6	9	0.34	<0.5	<1	16.9	54.5	8.8	3.73
RE5507398		<0.2	0.56	36	<5	31	<0.5	8	0.16	<0.5	<1	6.3	106	4.4	4.50
RE5507399		<0.2	0.28	249	<5	28	<0.5	5	0.05	<0.5	2	4.0	83.7	3.1	2.20
RE5507400		<0.2	0.08	118	<5	11	<0.5	2	<0.01	<0.5	<1	0.5	143	3.0	0.45
RE5507379		<0.2	0.07	24	<5	8	<0.5	2	3.39	<0.5	<1	2.2	90.5	7.2	1.41
RE5507380		<0.2	0.33	17	<5	39	<0.5	3	0.04	<0.5	11	4.3	103	8.8	1.08
RE5507381		<0.2	0.06	20	<5	8	<0.5	<1	11.1	<0.5	5	0.7	68.4	1.9	0.33
RE5507382		<0.2	0.06	48	<5	5	<0.5	3	0.83	<0.5	<1	1.8	140	3.4	1.43
RE5507383		<0.2	0.07	69	<5	6	<0.5	<1	0.29	<0.5	<1	1.5	146	2.9	0.56
RE5507384		<0.2	0.08	19	<5	8	<0.5	<1	9.24	<0.5	<1	1.2	78.4	2.4	1.28
RE5507385		<0.2	0.05	168	<5	3	<0.5	2	0.60	<0.5	<1	4.4	173	9.5	0.76
RE5507386		<0.2	0.07	27	<5	7	<0.5	<1	12.2	<0.5	4	3.6	62.3	5.9	0.84
RE5507387		<0.2	0.07	29	<5	10	<0.5	5	8.55	<0.5	2	2.6	55.3	3.8	1.69
RE5507388		<0.2	0.09	25	<5	10	<0.5	1	1.12	<0.5	<1	1.5	106	3.6	0.72
RE5507401		<0.2	0.19	9	<5	16	<0.5	2	0.08	<0.5	<1	7.4	95.1	6.5	1.69
RE5507402		<0.2	0.03	28	<5	100	<0.5	<1	33.9	<0.5	71	1.0	3.1	2.0	0.13
RE5507403		<0.2	0.82	26	<5	181	<0.5	<1	22.1	1.0	24	2.2	12.8	4.7	0.45
RE5507404		<0.2	0.71	20	9	176	<0.5	<1	22.0	<0.5	23	2.4	11.3	8.7	0.80
RE5507405		<0.2	4.18	20	40	1080	2.1	19	5.88	1.8	81	52.3	307	89.2	8.32
RE5507406		<0.2	3.09	211	40	756	2.1	17	4.90	1.2	90	42.9	373	82.2	7.98
RE5505094		<0.2	0.21	20	<5	34	<0.5	<1	0.15	<0.5	5	2.5	126	6.3	0.81
RE5505095		<0.2	0.55	29	<5	33	<0.5	10	0.07	<0.5	5	9.7	74.4	25.9	4.86
RE5505096		<0.2	0.19	7	<5	26	<0.5	<1	0.54	<0.5	7	3.8	85.7	4.8	3.81
RE5505097		<0.2	0.15	52	<5	17	<0.5	<1	2.91	<0.5	<1	2.0	102	12.3	0.89

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
RE5505098	<0.2	0.10	40	<5	11	<0.5	<1	2.38	<0.5	1	1.6	109	8.5	0.67
RE5505099	2.5	2.00	29	5	104	<0.5	12	0.96	4.9	<1	16.1	32.9	731	4.68
RE5505100	<0.2	0.01	20	<5	12	<0.5	<1	19.8	<0.5	7	1.3	3.0	1.7	0.46
RE5505101	<0.2	0.20	61	<5	11	<0.5	2	0.28	<0.5	<1	6.6	121	9.2	1.39
RE5505102	<0.2	0.07	16	<5	11	<0.5	1	1.02	<0.5	<1	1.4	112	3.7	0.82
RE5505103	<0.2	0.77	77	11	24	<0.5	14	4.71	1.4	27	39.4	20.0	180	8.71
RE5505104	<0.2	0.60	194	11	25	<0.5	16	9.06	1.4	17	33.1	21.0	110	7.61
RE5505105	<0.2	0.19	1480	<5	19	<0.5	3	0.05	<0.5	2	1.5	138	5.7	0.90
RE5505106	<0.2	0.08	5	<5	18	<0.5	<1	0.04	<0.5	2	<0.5	127	3.3	0.41
RE5505107	<0.2	0.82	50	<5	100	1.6	<1	0.02	<0.5	36	7.9	25.0	29.6	3.90
RE5505108	1.0	0.11	51	<5	8	<0.5	<1	0.04	<0.5	2	1.8	118	35.7	0.94
RE5505109	2.0	0.15	19	<5	13	<0.5	<1	0.05	<0.5	2	0.6	129	177	0.59
RE5507070	<0.2	0.03	2	<5	6	<0.5	<1	<0.01	<0.5	<1	<0.5	181	1.4	0.40
RE5507071	<0.2	0.73	<1	<5	124	<0.5	<1	0.24	<0.5	24	4.8	108	7.9	6.71
RE5507072	<0.2	0.42	>10000	<5	45	0.7	<1	0.01	<0.5	5	4.7	40.2	52.7	7.58
RE5507073	<0.2	0.37	4380	<5	36	<0.5	<1	0.01	<0.5	6	6.2	63.5	53.8	4.95
RE5507074	<0.2	0.12	311	<5	12	<0.5	<1	0.14	<0.5	4	1.8	149	5.6	0.54
RE5507075	<0.2	0.19	234	<5	19	<0.5	<1	0.15	<0.5	4	2.0	154	3.9	0.75
RE5507076	<0.2	0.50	49	<5	24	<0.5	<1	<0.01	<0.5	3	2.1	46.3	12.5	1.90
RE5507077	<0.2	2.25	405	<5	95	1.0	<1	0.01	<0.5	24	14.4	51.3	63.9	6.72
RE5507078	<0.2	0.31	213	<5	32	<0.5	<1	0.02	<0.5	3	3.0	83.3	5.7	1.46
RE5507079	69.1	0.19	285	<5	33	<0.5	<1	0.03	<0.5	2	<0.5	111	100	4.68
RE5507080	1.2	0.02	3	<5	4	<0.5	<1	9.29	<0.5	<1	<0.5	56.1	<0.5	0.41
RE5507081	6.0	0.18	50	<5	7	<0.5	<1	0.04	<0.5	2	<0.5	123	79.8	0.66
RE5507082	<0.2	0.59	102	<5	48	2.2	<1	0.09	<0.5	21	23.4	76.1	37.3	14.9
RE5507083	<0.2	0.12	10	<5	20	<0.5	<1	<0.01	<0.5	3	<0.5	174	1.5	0.46
RE5507084	<0.2	0.25	44	<5	19	<0.5	<1	0.04	<0.5	3	4.3	123	25.3	1.87
RE5507085	0.5	0.14	16	<5	15	<0.5	<1	<0.01	<0.5	2	<0.5	101	11.2	0.71
RE5507086	<0.2	0.75	41	<5	81	1.1	<1	0.02	<0.5	28	18.1	19.4	27.8	3.63
RE5507087	10.2	0.09	33	<5	7	<0.5	<1	0.21	67.7	2	2.9	103	321	0.83
RE5507088	0.6	0.36	25	<5	20	0.8	<1	0.28	<0.5	9	3.6	77.4	76.4	1.56
RE5507089	27.8	0.26	70	<5	19	<0.5	<1	0.17	244	4	3.8	69.2	755	1.17

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012		DATE RECEIVED: Jun 29, 2012						DATE REPORTED: Jul 09, 2012				SAMPLE TYPE: Rock			
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
RE5507090		21.7	0.24	68	<5	20	<0.5	<1	0.54	2.5	5	2.3	84.8	315	1.71
RE5507091		6.4	0.15	40	<5	13	<0.5	<1	0.13	0.9	3	1.0	124	157	0.87
RE5507092		18.0	0.12	29	<5	9	<0.5	<1	0.08	111	2	2.4	107	209	1.07
RE5507093		13.5	0.34	21	<5	15	<0.5	<1	0.23	180	6	5.2	60.6	431	1.40
RE5507094		<0.2	0.22	248	<5	48	<0.5	<1	0.04	<0.5	5	3.3	105	24.5	5.99
RE5507095		<0.2	0.25	96	<5	17	<0.5	<1	<0.01	<0.5	15	6.6	169	28.5	2.12
RE5507096		15.2	<0.01	81	<5	<1	<0.5	<1	<0.01	1.4	<1	<0.5	200	814	0.24
RE5507097		0.3	0.02	<1	<5	1	<0.5	<1	1.49	<0.5	<1	<0.5	195	7.8	0.28
RE5507098		6.9	0.02	13	<5	1	<0.5	<1	0.87	<0.5	<1	<0.5	176	174	0.25
RE5507099		2.3	1.93	9	<5	97	1.3	<1	0.86	4.8	20	16.6	34.4	722	4.84
RE5507100		1.8	0.01	<1	<5	12	<0.5	<1	18.0	<0.5	<1	<0.5	3.7	<0.5	0.43
RE5507101		<0.2	0.01	<1	<5	2	<0.5	<1	0.25	<0.5	<1	<0.5	93.3	1.1	0.16
RE5507102		0.2	0.02	<1	<5	1	<0.5	<1	1.70	<0.5	<1	<0.5	125	3.0	0.20
RE5507103		0.9	0.01	2	<5	1	<0.5	<1	0.30	0.5	<1	<0.5	187	37.2	0.26
RE5507104		<0.2	0.67	21	<5	84	0.5	<1	0.03	<0.5	77	19.4	71.8	34.0	3.28
RE5507105		0.2	0.19	1230	<5	28	<0.5	<1	<0.01	<0.5	3	<0.5	133	1.9	0.91
RE5507106		<0.2	0.27	31	<5	27	<0.5	4	<0.01	<0.5	4	1.8	110	8.9	0.99
RE5507107		8.5	0.02	470	<5	2	<0.5	5	1.32	1.7	<1	<0.5	166	4220	0.21
RE5507108		<0.2	0.19	19	<5	13	<0.5	<1	17.0	<0.5	9	2.3	17.1	8.5	0.65
RE5507109		<0.2	0.16	26	<5	11	<0.5	<1	17.1	<0.5	14	2.5	17.7	12.5	0.77
RE5510560		<0.2	0.09	29	<5	7	<0.5	<1	18.2	<0.5	11	1.2	12.3	2.2	0.41
RE5505247		<0.2	0.19	25	<5	26	<0.5	<1	20.0	<0.5	11	3.3	22.3	9.4	1.46
RE5505248		<0.2	0.21	28	<5	28	<0.5	3	18.9	<0.5	9	4.4	21.3	10.5	1.57
RE5505249		2.9	2.21	21	8	125	0.5	15	0.96	4.9	1	16.1	33.8	755	4.69
RE5505250		<0.2	0.02	27	<5	17	<0.5	<1	19.8	<0.5	7	1.3	2.0	0.9	0.39
RE5505251		<0.2	0.07	15	<5	9	<0.5	3	8.08	<0.5	4	1.0	56.9	2.7	0.40
RE5505252		<0.2	0.11	27	<5	15	<0.5	<1	29.3	<0.5	19	2.5	9.8	4.5	1.18
RE5505253		<0.2	0.39	30	7	34	<0.5	4	21.9	0.6	19	5.4	7.8	14.1	2.19
RE5505254		<0.2	0.12	21	5	22	<0.5	11	17.6	0.8	<1	2.7	39.9	4.2	4.20
RE5505255		<0.2	0.11	19	<5	13	<0.5	<1	15.3	<0.5	7	1.4	38.7	3.2	0.68
RE5505256		<0.2	0.26	35	7	36	<0.5	5	19.6	<0.5	11	6.2	15.2	17.7	1.88
RE5505257		<0.2	0.19	16	<5	19	<0.5	3	9.88	<0.5	4	3.0	34.6	5.9	1.69

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012		DATE RECEIVED: Jun 29, 2012						DATE REPORTED: Jul 09, 2012				SAMPLE TYPE: Rock			
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
RE5505258		<0.2	0.21	13	<5	15	<0.5	5	0.77	<0.5	<1	8.0	93.6	10.9	1.44
RE5505259		<0.2	0.18	47	8	22	<0.5	10	24.9	0.8	7	5.7	4.8	6.2	3.94
RE5510110		<0.2	0.06	82	<5	16	<0.5	<1	29.6	<0.5	11	1.0	18.0	1.1	0.48
RE5510111		<0.2	0.29	54	6	28	<0.5	5	16.4	<0.5	10	5.5	21.4	16.0	1.92
RE5510112		<0.2	0.16	10	<5	14	<0.5	3	0.49	<0.5	<1	3.4	62.8	2.5	1.03
RE5510113		<0.2	0.18	11	<5	34	<0.5	2	0.33	<0.5	<1	2.6	102	4.3	1.09
RE5510114		<0.2	0.14	24	5	38	<0.5	2	31.2	<0.5	17	2.2	11.8	3.8	0.95
RE5510115		<0.2	0.87	3	6	62	0.6	9	0.06	0.7	<1	13.9	28.0	11.3	4.75
RE5510116		<0.2	1.41	5	7	209	0.7	6	0.54	<0.5	14	11.0	58.0	32.3	1.54
RE5510118		<0.2	0.26	18	6	27	<0.5	5	18.3	0.6	9	2.7	6.6	2.9	2.63
RE5510119		<0.2	0.60	23	<5	1280	<0.5	<1	18.1	2.0	34	2.3	16.8	7.8	0.73
RE5510120		<0.2	0.33	20	6	339	<0.5	1	22.8	1.5	25	2.4	7.1	13.8	0.54
RE5510121		<0.2	0.29	24	6	145	<0.5	<1	18.9	0.8	23	2.6	8.7	15.2	0.79
RE5510122		<0.2	0.54	27	11	199	<0.5	2	17.8	1.7	23	2.8	9.0	15.7	0.93
RE5510123		<0.2	0.58	14	9	225	<0.5	9	6.24	0.9	43	3.8	29.0	8.8	3.23
RE5510124		<0.2	0.68	36	15	128	0.6	3	14.9	1.9	27	3.8	16.8	29.2	1.11
RE5510125		0.3	0.99	33	10	242	0.7	<1	11.2	2.5	29	3.9	21.1	33.8	1.16
RE5510126		<0.2	0.69	37	9	406	0.5	<1	14.6	0.5	23	3.5	14.2	14.9	1.08
RE5510128		<0.2	0.36	38	7	191	<0.5	6	0.12	<0.5	<1	<0.5	41.7	8.7	2.60
RE5510130		<0.2	0.15	25	6	62	<0.5	<1	33.0	0.6	20	2.1	3.9	2.8	0.49
RE5510131		<0.2	0.50	2	<5	180	<0.5	3	0.17	<0.5	14	6.0	69.2	14.9	2.47
RE5510132		0.6	0.10	457	72	30	0.5	74	0.12	7.5	<1	8.2	<0.5	8.0	41.7
RE5507407		0.2	0.26	4	7	180	<0.5	<1	0.02	<0.5	<1	<0.5	49.5	1.6	0.30
RE5507408		0.2	0.30	6	8	133	<0.5	<1	0.01	<0.5	<1	<0.5	48.9	1.8	0.17
RE5507409		0.8	0.55	8	13	189	<0.5	1	0.02	<0.5	<1	<0.5	22.7	2.6	0.21
RE5509610		0.9	0.42	9	11	297	<0.5	5	0.10	4.0	<1	1.0	30.2	20.7	0.52
RE5509611		0.2	0.33	5	<5	535	<0.5	<1	0.05	<0.5	2	<0.5	20.2	3.4	0.82
RE5509612		<0.2	0.66	<1	<5	252	<0.5	<1	0.63	<0.5	13	4.5	70.5	3.6	1.94
RE5509613		<0.2	0.35	121	<5	141	0.7	<1	<0.01	<0.5	<1	1.9	<0.5	22.4	49.0
RE5509614		<0.2	0.52	<1	<5	108	<0.5	<1	0.15	<0.5	29	2.1	87.3	1.8	1.50
RE5506862		<0.2	1.74	9	<5	118	0.8	<1	0.07	<0.5	45	11.2	35.5	26.9	4.19
RE5506863		<0.2	2.77	8	<5	65	0.9	<1	0.02	<0.5	32	15.4	50.1	34.7	5.96

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
RE5506864	<0.2	2.50	4	<5	83	0.8	<1	0.02	<0.5	44	5.7	46.8	17.3	4.92
RE5506865	<0.2	2.55	9	<5	77	0.7	<1	0.01	<0.5	37	15.5	61.5	16.8	6.36
RE5506866	<0.2	3.19	24	<5	64	1.3	<1	0.19	<0.5	19	15.1	60.4	42.4	5.45
RE5506867	0.3	1.57	15	<5	32	<0.5	<1	0.02	<0.5	12	8.0	50.2	23.5	4.42
RE5506868	<0.2	0.85	<1	<5	171	<0.5	<1	1.03	<0.5	5	16.2	84.0	8.6	4.00
RE5506869	<0.2	0.77	66	<5	65	1.2	<1	0.06	<0.5	15	18.7	16.3	59.2	7.17
RE5506870	<0.2	0.85	80	<5	65	1.1	<1	0.06	<0.5	12	16.5	13.0	32.6	6.98
RE5506871	<0.2	1.08	56	<5	83	1.0	<1	1.07	<0.5	16	12.5	49.1	33.8	5.21
RE5506872	<0.2	0.60	18	<5	37	<0.5	<1	1.10	<0.5	6	6.7	90.6	12.9	4.17
RE5506873	<0.2	0.74	302	<5	51	1.1	<1	0.15	<0.5	14	23.8	14.5	60.6	6.51
RE5506874	<0.2	0.89	2	<5	62	0.8	<1	0.05	<0.5	16	19.2	17.8	22.7	5.94
RE5506875	<0.2	1.44	1	<5	117	1.1	<1	0.06	<0.5	18	20.1	23.0	84.9	5.57
RE5506876	<0.2	1.19	2	<5	63	0.8	<1	0.07	<0.5	12	19.6	19.0	77.1	5.48
RE5506877	<0.2	1.72	<1	<5	90	0.8	<1	0.05	<0.5	5	5.9	30.2	43.4	4.62
RE5506878	<0.2	2.11	2	<5	79	0.7	<1	0.04	<0.5	7	7.5	36.0	20.8	4.87
RE5506879	<0.2	2.52	<1	<5	67	0.6	<1	<0.01	<0.5	6	2.7	45.7	27.6	5.94
RE5506880	<0.2	1.95	4	<5	61	0.5	<1	<0.01	<0.5	5	1.8	40.4	30.8	5.71
RE5506881	<0.2	2.47	<1	<5	64	0.7	<1	<0.01	<0.5	5	10.7	44.9	22.6	4.05
RE5506882	<0.2	2.47	4	<5	70	0.7	<1	<0.01	<0.5	7	7.0	43.6	23.6	4.97
RE5506883	<0.2	1.99	<1	<5	62	0.6	<1	<0.01	<0.5	5	7.9	38.1	30.8	6.38
RE5506884	<0.2	2.68	<1	<5	71	0.8	<1	<0.01	<0.5	9	17.1	50.2	24.8	4.90
RE5506885	<0.2	2.93	<1	<5	76	0.8	<1	<0.01	<0.5	9	13.6	47.8	30.7	4.61
RE5506886	<0.2	2.30	2	<5	68	0.7	<1	<0.01	<0.5	7	7.1	42.7	24.5	5.64
RE5506887	<0.2	2.08	6	<5	61	0.6	<1	<0.01	<0.5	6	2.8	41.4	29.6	5.42
RE5506888	<0.2	2.06	3	<5	58	0.6	<1	<0.01	<0.5	5	4.8	40.1	29.9	5.20
RE5506889	<0.2	2.07	18	<5	64	0.8	<1	<0.01	<0.5	5	5.6	38.9	35.4	5.53
RE5506890	<0.2	1.96	8	<5	68	0.9	<1	0.04	<0.5	6	9.7	33.3	38.9	6.28
RE5506891	<0.2	2.77	3	<5	92	0.9	<1	0.01	<0.5	8	10.4	44.7	37.9	5.44
RE5506892	<0.2	1.79	11	<5	50	0.7	<1	0.02	<0.5	5	14.0	38.2	27.3	4.82
RE5506893	<0.2	2.68	<1	<5	60	0.9	<1	0.01	<0.5	8	23.7	46.8	39.1	5.16
RE5506894	<0.2	2.19	4	<5	55	0.6	<1	<0.01	<0.5	4	5.9	35.7	21.3	5.89
RE5506895	<0.2	2.05	5	<5	48	0.6	<1	<0.01	<0.5	5	4.5	37.1	23.2	4.97

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012		DATE RECEIVED: Jun 29, 2012						DATE REPORTED: Jul 09, 2012				SAMPLE TYPE: Rock			
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
RE5506896		<0.2	0.73	18	<5	66	0.8	<1	0.74	<0.5	8	15.4	9.0	38.8	3.95
RE5506897		<0.2	1.97	5	<5	51	0.6	<1	<0.01	<0.5	7	6.9	28.6	33.0	5.70
RE5506898		<0.2	2.49	8	14	85	0.8	11	<0.01	<0.5	<1	6.5	33.6	35.8	4.93
RE5506899		2.7	2.31	22	8	127	0.5	18	1.03	5.2	2	16.7	35.3	748	4.85
RE5506900		<0.2	0.03	18	<5	23	<0.5	<1	20.1	<0.5	7	1.2	2.2	6.8	0.43
RE5506901		<0.2	2.64	10	13	83	0.7	8	0.05	<0.5	<1	2.2	36.9	28.8	4.88
RE5506902		<0.2	2.54	9	13	80	0.9	12	0.01	<0.5	<1	9.1	35.7	42.5	4.84
RE5506903		<0.2	2.44	8	10	70	0.7	11	0.02	0.6	<1	4.3	34.8	29.0	4.95
RE5506904		<0.2	3.17	8	15	78	1.3	13	0.08	<0.5	<1	14.1	41.8	53.8	5.21
RE5506905		<0.2	1.94	37	8	131	1.0	10	0.10	<0.5	<1	30.0	37.3	28.8	3.32
RE5506906		<0.2	2.03	10	12	72	0.6	14	0.03	<0.5	<1	1.6	37.5	35.0	4.78
RE5506907		<0.2	0.34	22	8	63	<0.5	4	18.0	0.5	1	4.2	5.4	11.4	2.50
RE5506908		<0.2	0.33	27	7	65	<0.5	2	23.6	<0.5	9	6.0	4.0	10.1	1.91
RE5506909		<0.2	0.31	19	8	107	<0.5	9	18.3	1.0	<1	6.2	2.3	11.6	4.60
RE5506910		<0.2	0.23	26	6	81	<0.5	3	22.2	0.6	6	4.4	3.3	5.9	2.34
RE5510561		<0.2	0.09	18	<5	11	<0.5	<1	14.0	<0.5	9	1.1	20.0	1.2	0.18
RE5510562		<0.2	0.06	19	<5	11	<0.5	<1	19.0	<0.5	11	1.2	20.0	1.5	0.18
RE5510563		<0.2	1.05	60	14	120	0.9	9	0.22	<0.5	32	8.2	40.2	23.3	3.53
RE5510564		<0.2	0.07	23	<5	10	<0.5	<1	15.7	<0.5	9	0.8	24.0	1.6	0.21
RE5510565		<0.2	0.15	28	<5	16	<0.5	<1	11.4	<0.5	10	1.4	27.1	4.9	0.45
RE5510566		<0.2	0.28	20	<5	42	<0.5	<1	7.07	<0.5	13	2.6	41.2	7.2	0.87
RE5510567		<0.2	1.09	13	15	89	0.7	10	0.16	<0.5	87	9.9	17.9	34.7	1.93
RE5510568		<0.2	0.48	18	8	52	<0.5	4	2.73	<0.5	26	3.8	45.3	10.7	1.47
RE5510569		<0.2	0.35	32	<5	29	<0.5	5	0.06	<0.5	<1	4.3	52.8	11.4	1.82
RE5510570		<0.2	0.61	39	5	34	<0.5	4	0.01	<0.5	11	7.9	108	22.6	1.54
RE5510571		<0.2	0.31	32	<5	29	<0.5	3	0.01	<0.5	18	4.2	101	13.7	2.05
RE5510572		<0.2	0.73	27	9	85	0.7	5	0.03	<0.5	40	7.2	63.3	31.0	1.88
RE5510573		<0.2	0.73	16	9	72	0.5	3	0.02	<0.5	37	6.9	63.6	15.1	1.68
RE5510574		<0.2	0.21	20	<5	121	<0.5	4	0.04	<0.5	1	4.4	151	8.5	1.25
RE5510575		<0.2	0.16	25	<5	59	<0.5	4	0.04	<0.5	<1	4.0	96.0	7.7	1.43
RE5510576		<0.2	0.50	33	8	59	<0.5	6	0.02	<0.5	4	5.5	86.7	13.2	1.86
RE5510577		<0.2	0.37	15	6	51	<0.5	4	<0.01	<0.5	9	3.9	81.1	9.3	0.97

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
RE5510578		<0.2	0.52	15	7	74	<0.5	6	<0.01	<0.5	11	4.5	75.7	12.0	1.19

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
RE5507389	<5	<1	<1	0.05	2	<1	0.03	45	2.4	<0.01	4.2	75	1.8	11
RE5507390	<5	<1	<1	0.08	4	<1	<0.01	23	2.5	<0.01	4.7	32	3.0	<10
RE5507391	<5	<1	<1	0.13	11	6	0.04	204	1.2	<0.01	13.3	210	9.8	<10
RE5507392	<5	<1	<1	0.16	8	4	7.28	712	3.1	<0.01	4.9	388	<0.5	35
RE5507393	<5	<1	<1	0.26	10	14	0.68	474	1.3	<0.01	13.2	275	6.1	22
RE5507394	<5	<1	<1	0.02	4	<1	0.32	1040	5.4	<0.01	5.3	298	5.1	15
RE5507395	<5	<1	<1	0.02	3	<1	0.83	1170	2.9	<0.01	4.7	162	4.0	12
RE5507396	10	<1	<1	0.29	5	40	0.63	104	<0.5	0.04	30.0	129	14.3	30
RE5507397	6	<1	<1	0.26	3	16	0.35	578	<0.5	0.04	23.9	200	8.8	28
RE5507398	<5	<1	<1	0.13	3	13	0.13	1540	1.2	0.03	12.6	301	8.4	11
RE5507399	<5	<1	1	0.11	4	<1	0.01	118	1.3	0.03	6.8	141	20.1	<10
RE5507400	<5	<1	<1	0.04	<1	<1	<0.01	21	1.8	<0.01	2.8	<10	13.9	<10
RE5507379	<5	<1	<1	0.04	1	<1	0.19	118	2.2	<0.01	4.0	180	16.5	<10
RE5507380	<5	<1	<1	0.17	6	1	0.01	32	1.1	<0.01	8.3	144	12.1	11
RE5507381	<5	<1	<1	0.03	1	<1	0.04	138	3.0	<0.01	2.4	71	<0.5	16
RE5507382	<5	<1	<1	0.03	<1	<1	0.01	149	2.6	<0.01	6.1	54	2.8	<10
RE5507383	<5	<1	<1	0.04	<1	<1	0.01	47	3.1	<0.01	6.5	88	6.8	<10
RE5507384	<5	<1	<1	0.04	1	<1	0.39	425	2.6	<0.01	2.3	181	<0.5	15
RE5507385	<5	<1	<1	0.02	<1	<1	<0.01	43	3.5	<0.01	10.6	87	3.5	<10
RE5507386	<5	<1	<1	0.03	1	<1	0.06	209	3.6	<0.01	5.6	154	1.0	17
RE5507387	<5	<1	<1	0.03	2	<1	0.24	283	3.0	0.01	9.4	73	9.3	13
RE5507388	<5	<1	<1	0.04	<1	4	<0.01	114	2.1	<0.01	5.7	119	3.2	<10
RE5507401	<5	<1	<1	0.06	3	9	0.01	186	1.8	0.03	12.6	209	18.6	<10
RE5507402	<5	<1	<1	0.01	21	<1	0.13	505	4.0	<0.01	<0.5	41	<0.5	23
RE5507403	<5	1	<1	0.06	11	41	2.17	117	3.2	<0.01	6.4	671	<0.5	31
RE5507404	<5	<1	2	0.25	12	16	1.59	129	3.4	<0.01	7.1	494	<0.5	51
RE5507405	24	<1	<1	0.39	57	72	5.34	968	2.8	0.01	115	4140	13.9	101
RE5507406	19	<1	<1	0.44	57	121	7.17	872	1.4	<0.01	131	3720	5.0	88
RE5505094	<5	<1	<1	0.09	3	4	0.10	100	2.6	<0.01	6.5	106	5.1	<10
RE5505095	<5	<1	<1	0.17	10	6	0.12	724	1.0	<0.01	15.2	310	19.0	12
RE5505096	<5	<1	<1	0.07	2	<1	0.05	830	1.0	<0.01	6.8	375	9.0	<10
RE5505097	<5	<1	<1	0.07	1	1	0.92	216	2.1	<0.01	4.3	1220	27.9	11

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012		DATE RECEIVED: Jun 29, 2012				DATE REPORTED: Jul 09, 2012				SAMPLE TYPE: Rock					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
RE5505098		<5	<1	<1	0.05	1	<1	0.73	170	2.4	<0.01	4.0	1450	19.8	<10
RE5505099		9	<1	<1	0.25	8	14	1.21	643	10.4	0.12	30.1	611	262	22
RE5505100		<5	<1	<1	<0.01	2	<1	12.9	258	3.0	<0.01	0.9	204	<0.5	18
RE5505101		<5	<1	<1	0.06	1	1	0.03	213	1.7	<0.01	13.1	267	5.8	<10
RE5505102		<5	<1	<1	0.04	1	<1	0.16	308	2.6	<0.01	3.6	73	1.9	<10
RE5505103		9	<1	<1	0.20	30	50	2.01	1370	2.2	0.09	37.4	3430	4.7	29
RE5505104		8	<1	<1	0.16	22	53	3.46	1590	2.4	0.07	27.2	2930	4.5	29
RE5505105		<5	<1	<1	0.09	2	2	0.02	33	2.4	<0.01	4.5	44	6.3	<10
RE5505106		<5	<1	<1	0.05	<1	2	0.01	19	2.6	<0.01	2.7	53	8.5	<10
RE5505107		<5	<1	<1	0.31	16	14	0.05	255	0.7	<0.01	20.9	232	76.7	23
RE5505108		<5	2	<1	0.04	<1	4	<0.01	74	2.4	<0.01	7.5	117	721	<10
RE5505109		<5	7	<1	0.03	<1	19	0.01	29	1.8	<0.01	3.2	202	9520	<10
RE5507070		<5	<1	<1	<0.01	<1	1	<0.01	36	3.0	<0.01	3.8	23	35.3	<10
RE5507071		<5	<1	<1	0.17	7	9	0.11	1450	1.7	0.04	10.1	177	28.3	<10
RE5507072		<5	<1	<1	0.20	2	4	0.01	83	1.0	0.01	14.3	120	33.7	16
RE5507073		<5	<1	<1	0.16	3	2	0.02	202	1.2	<0.01	14.1	63	29.1	13
RE5507074		<5	<1	<1	0.05	2	<1	0.05	66	2.7	<0.01	6.1	27	7.2	<10
RE5507075		<5	<1	<1	0.08	2	<1	0.02	102	3.4	<0.01	7.1	56	9.5	<10
RE5507076		<5	1	<1	0.07	1	4	<0.01	37	1.4	<0.01	6.1	21	24.1	<10
RE5507077		10	<1	<1	0.48	10	33	0.45	395	1.6	0.05	46.7	268	38.9	47
RE5507078		<5	<1	<1	0.10	1	2	<0.01	38	1.6	<0.01	9.1	74	44.1	<10
RE5507079		<5	33	<1	0.08	<1	10	0.01	23	3.6	<0.01	4.1	1590	>10000	<10
RE5507080		<5	<1	<1	<0.01	<1	1	3.77	144	1.1	<0.01	1.1	105	46.5	<10
RE5507081		6	9	<1	0.02	<1	16	0.01	14	1.7	<0.01	2.7	277	>10000	<10
RE5507082		6	<1	<1	0.11	5	8	0.06	534	1.8	<0.01	35.9	1000	274	11
RE5507083		<5	<1	<1	0.05	<1	1	<0.01	21	2.9	<0.01	3.0	59	84.7	<10
RE5507084		<5	<1	<1	0.04	<1	2	0.02	49	1.9	<0.01	11.7	367	13.9	<10
RE5507085		<5	<1	<1	0.03	<1	2	<0.01	18	2.6	<0.01	2.6	103	692	<10
RE5507086		<5	<1	<1	0.26	12	11	0.04	398	<0.5	<0.01	25.6	219	40.3	21
RE5507087		5	17	<1	0.02	<1	2	0.01	156	3.1	<0.01	6.4	339	>10000	<10
RE5507088		<5	<1	<1	0.04	3	4	0.02	151	1.6	<0.01	9.9	739	1090	<10
RE5507089		21	83	<1	0.09	1	9	0.04	170	5.4	<0.01	6.4	554	>10000	<10

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
RE5507090	<5	7	<1	0.09	2	19	0.19	147	2.3	<0.01	6.8	645	>10000	<10
RE5507091	<5	13	<1	0.05	1	5	<0.01	53	2.0	<0.01	4.2	569	>10000	<10
RE5507092	6	37	<1	0.03	<1	6	0.01	145	4.1	<0.01	6.6	232	>10000	<10
RE5507093	11	41	<1	0.08	2	9	0.04	282	3.1	<0.01	9.0	680	>10000	<10
RE5507094	<5	<1	<1	0.03	1	3	<0.01	251	7.7	<0.01	10.3	534	383	<10
RE5507095	<5	<1	<1	0.04	6	3	0.01	177	1.4	<0.01	16.6	146	35.1	<10
RE5507096	<5	<1	<1	<0.01	<1	<1	<0.01	22	2.0	<0.01	3.9	11	3040	<10
RE5507097	<5	<1	<1	<0.01	<1	<1	0.89	64	1.5	<0.01	3.7	<10	99.8	<10
RE5507098	<5	<1	<1	<0.01	<1	<1	0.50	45	1.9	<0.01	3.1	14	363	<10
RE5507099	10	<1	<1	0.23	9	13	1.03	676	11.3	0.11	30.7	572	259	19
RE5507100	<5	<1	<1	<0.01	1	<1	11.8	229	0.7	<0.01	1.3	149	6.0	<10
RE5507101	<5	<1	<1	<0.01	<1	<1	0.14	46	1.9	<0.01	2.0	<10	7.1	<10
RE5507102	<5	<1	<1	0.01	<1	<1	1.04	49	2.1	<0.01	2.6	13	6.8	<10
RE5507103	<5	<1	<1	<0.01	<1	<1	0.17	57	1.7	<0.01	3.4	<10	505	<10
RE5507104	<5	<1	<1	0.35	33	7	0.07	431	1.1	<0.01	23.6	223	27.1	22
RE5507105	<5	<1	<1	0.12	1	<1	<0.01	16	2.1	<0.01	2.3	22	18.9	<10
RE5507106	<5	<1	<1	0.15	3	3	0.02	55	2.4	<0.01	4.9	80	9.3	<10
RE5507107	<5	<1	<1	<0.01	<1	<1	0.78	51	2.1	<0.01	4.6	69	>10000	<10
RE5507108	<5	1	<1	0.09	3	5	11.0	526	2.5	<0.01	2.9	251	22.1	25
RE5507109	<5	<1	<1	0.08	5	6	11.0	410	2.8	<0.01	3.8	517	31.5	25
RE5510560	<5	<1	<1	0.05	3	6	11.9	420	3.0	<0.01	1.0	342	2.0	21
RE5505247	<5	<1	<1	0.10	5	<1	0.33	337	3.7	<0.01	6.7	273	11.7	28
RE5505248	<5	<1	<1	0.12	4	<1	0.36	345	3.6	<0.01	8.2	258	10.6	28
RE5505249	11	<1	<1	0.31	8	15	1.23	660	10.8	0.21	29.9	622	263	26
RE5505250	<5	<1	<1	0.01	2	<1	12.5	242	2.4	<0.01	0.9	194	<0.5	18
RE5505251	<5	<1	<1	0.04	1	<1	0.06	125	2.4	<0.01	2.4	75	3.7	14
RE5505252	<5	<1	<1	0.05	7	2	0.24	409	4.5	<0.01	3.2	183	0.6	26
RE5505253	<5	<1	<1	0.17	9	2	0.15	535	4.3	0.02	11.3	325	10.1	39
RE5505254	6	<1	<1	0.05	1	1	0.24	1090	3.4	<0.01	3.8	204	4.9	21
RE5505255	<5	<1	<1	0.05	2	2	0.83	167	3.5	<0.01	2.9	312	5.2	21
RE5505256	<5	<1	<1	0.12	4	1	0.15	289	3.1	<0.01	12.8	144	11.1	29
RE5505257	<5	<1	<1	0.07	3	<1	0.07	498	2.8	0.02	7.6	120	6.8	18

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012		DATE RECEIVED: Jun 29, 2012				DATE REPORTED: Jul 09, 2012				SAMPLE TYPE: Rock					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
RE5505258		<5	<1	<1	0.07	<1	1	0.02	148	1.6	0.02	14.6	64	11.7	<10
RE5505259		6	<1	<1	0.10	7	1	1.00	693	4.3	0.01	12.7	444	11.4	30
RE5510110		<5	<1	<1	0.02	1	2	0.11	261	4.8	<0.01	0.8	36	<0.5	22
RE5510111		<5	<1	<1	0.14	6	1	0.06	323	3.5	<0.01	13.7	186	15.0	30
RE5510112		<5	<1	<1	0.03	1	4	0.02	556	2.6	0.04	5.2	60	7.5	<10
RE5510113		<5	<1	<1	0.03	2	2	0.02	834	1.9	0.07	6.9	102	17.2	<10
RE5510114		<5	<1	<1	0.08	4	2	0.25	158	4.7	<0.01	2.2	475	<0.5	31
RE5510115		<5	<1	<1	0.29	2	47	0.07	617	0.7	0.01	27.6	85	3.1	26
RE5510116		5	<1	5	0.45	7	14	0.27	276	1.8	0.07	16.8	507	97.1	45
RE5510118		<5	<1	<1	0.16	8	4	7.34	721	3.6	<0.01	4.9	420	<0.5	35
RE5510119		<5	<1	<1	0.09	15	18	4.44	221	3.2	0.01	5.9	1790	<0.5	28
RE5510120		<5	<1	<1	0.17	11	4	1.38	166	3.7	<0.01	7.4	712	<0.5	36
RE5510121		<5	<1	<1	0.16	12	4	1.77	185	4.1	<0.01	8.2	783	0.8	31
RE5510122		<5	<1	<1	0.32	11	9	3.63	230	2.4	<0.01	8.0	765	<0.5	49
RE5510123		<5	<1	<1	0.34	25	2	1.73	1600	2.0	0.01	5.1	823	7.2	41
RE5510124		<5	<1	<1	0.34	13	5	2.58	181	3.5	<0.01	9.7	1580	34.5	48
RE5510125		<5	<1	<1	0.32	16	36	4.92	134	3.5	<0.01	13.3	1930	3.0	53
RE5510126		<5	<1	<1	0.32	12	15	5.15	191	3.3	<0.01	8.5	782	2.6	53
RE5510128		<5	<1	1	0.14	<1	9	0.05	8	11.8	<0.01	4.1	143	24.6	13
RE5510130		<5	<1	<1	0.09	5	1	0.67	116	4.5	<0.01	4.8	149	14.6	30
RE5510131		<5	<1	<1	0.26	8	1	0.03	401	2.5	<0.01	15.3	394	7.6	18
RE5510132		30	<1	<1	0.03	<1	<1	<0.01	11	14.6	<0.01	30.5	268	26.3	<10
RE5507407		<5	<1	2	0.10	<1	<1	0.02	9	21.2	<0.01	1.3	16	9.5	<10
RE5507408		<5	<1	<1	0.12	<1	<1	0.02	7	12.0	<0.01	1.3	<10	6.1	10
RE5507409		<5	1	<1	0.21	<1	1	0.04	6	45.1	<0.01	4.4	93	8.9	20
RE5509610		<5	<1	<1	0.17	<1	1	0.11	16	15.5	<0.01	21.6	195	2.5	15
RE5509611		<5	<1	<1	0.13	<1	<1	0.02	10	3.9	<0.01	16.4	42	4.3	10
RE5509612		<5	<1	<1	0.29	4	<1	0.18	771	1.6	0.03	9.3	141	4.9	22
RE5509613		22	<1	<1	0.07	<1	1	0.04	140	2.8	<0.01	30.4	107	<0.5	16
RE5509614		<5	<1	<1	0.25	9	<1	0.05	426	2.3	<0.01	4.5	396	5.5	17
RE5506862		7	<1	<1	0.48	19	14	0.51	234	2.1	0.05	23.1	174	52.5	48
RE5506863		12	<1	<1	0.34	14	37	0.88	464	0.7	0.03	42.3	253	43.7	33

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
RE5506864	11	<1	<1	0.44	20	37	0.82	305	0.7	0.04	25.1	215	28.0	44
RE5506865	11	<1	<1	0.41	17	34	0.82	328	<0.5	0.03	32.8	176	71.7	40
RE5506866	14	<1	<1	0.36	7	65	1.00	741	<0.5	0.09	40.8	173	14.5	36
RE5506867	7	<1	<1	0.14	5	34	0.47	386	3.2	0.06	19.9	191	47.8	14
RE5506868	6	<1	<1	0.13	2	20	0.32	1700	1.4	0.04	20.4	202	42.3	14
RE5506869	<5	<1	<1	0.30	7	4	0.10	1010	<0.5	0.02	46.4	234	32.7	29
RE5506870	6	<1	<1	0.33	5	5	0.18	827	0.6	0.03	39.4	232	24.3	32
RE5506871	5	<1	<1	0.41	7	5	0.37	926	1.3	0.04	30.4	132	56.6	39
RE5506872	<5	<1	<1	0.22	3	8	0.50	823	1.9	0.02	17.0	170	55.4	20
RE5506873	<5	<1	<1	0.29	6	3	0.20	797	0.6	0.03	48.0	456	55.2	27
RE5506874	<5	<1	<1	0.31	7	15	0.15	697	0.6	0.02	36.1	166	<0.5	30
RE5506875	6	<1	<1	0.45	8	13	0.51	1110	2.0	0.04	39.0	191	8.7	44
RE5506876	6	<1	<1	0.30	5	17	0.62	667	2.6	0.03	38.4	167	2.5	31
RE5506877	7	<1	<1	0.20	2	35	0.52	215	0.7	0.03	23.9	151	13.7	20
RE5506878	9	<1	<1	0.28	3	43	0.71	268	0.6	0.05	34.2	238	24.2	29
RE5506879	12	<1	<1	0.31	3	50	0.80	239	<0.5	0.03	20.7	148	19.6	33
RE5506880	10	<1	<1	0.26	2	33	0.58	160	<0.5	0.03	14.1	93	28.5	27
RE5506881	11	<1	<1	0.29	2	57	0.89	301	2.8	0.05	52.6	173	75.8	30
RE5506882	10	<1	<1	0.30	2	53	0.81	269	0.8	0.03	33.8	256	17.5	30
RE5506883	10	<1	<1	0.27	2	34	0.56	228	<0.5	0.03	32.0	204	37.9	27
RE5506884	12	<1	<1	0.33	4	61	0.97	436	1.5	0.08	43.0	164	61.6	34
RE5506885	11	<1	<1	0.35	4	62	0.96	378	2.5	0.10	43.7	113	128	34
RE5506886	11	<1	<1	0.31	3	42	0.67	225	0.6	0.05	32.4	243	28.9	31
RE5506887	11	<1	<1	0.28	2	31	0.60	170	0.7	0.02	16.1	158	31.0	30
RE5506888	10	<1	<1	0.26	2	37	0.64	222	<0.5	0.02	20.8	92	22.0	27
RE5506889	10	<1	<1	0.28	2	37	0.59	234	0.6	0.02	25.4	117	21.1	30
RE5506890	10	<1	<1	0.30	2	39	0.56	312	<0.5	0.02	24.7	132	25.8	31
RE5506891	11	<1	<1	0.28	3	55	0.91	436	<0.5	0.03	37.6	190	11.1	30
RE5506892	9	<1	<1	0.23	2	37	0.64	320	<0.5	0.03	51.9	232	22.4	22
RE5506893	12	<1	<1	0.28	3	56	0.95	452	3.3	0.08	49.9	195	108	30
RE5506894	10	<1	<1	0.24	2	42	0.75	225	1.0	0.02	22.8	112	24.7	25
RE5506895	9	<1	<1	0.24	2	38	0.70	215	<0.5	0.02	19.9	118	26.4	25

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012		DATE RECEIVED: Jun 29, 2012				DATE REPORTED: Jul 09, 2012				SAMPLE TYPE: Rock					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
RE5506896		<5	<1	<1	0.30	4	5	0.14	817	1.1	0.03	31.8	141	30.8	28
RE5506897		8	<1	<1	0.25	3	38	0.60	153	0.6	0.02	20.4	78	21.1	24
RE5506898		10	<1	<1	0.45	5	47	0.73	170	0.5	0.06	21.7	113	26.4	42
RE5506899		10	<1	<1	0.32	9	15	1.26	674	11.0	0.21	30.8	584	265	25
RE5506900		<5	<1	<1	0.01	2	<1	12.8	253	2.8	<0.01	0.6	205	<0.5	19
RE5506901		12	<1	<1	0.39	5	67	0.96	175	<0.5	0.05	18.7	162	28.8	38
RE5506902		11	<1	<1	0.46	6	57	0.86	357	<0.5	0.07	29.3	155	31.1	44
RE5506903		9	<1	<1	0.40	5	50	0.81	204	<0.5	0.05	20.6	71	29.4	38
RE5506904		12	<1	<1	0.45	6	84	1.17	366	<0.5	0.08	39.8	138	39.3	44
RE5506905		9	<1	<1	0.31	5	35	0.65	355	3.4	0.06	39.6	211	117	29
RE5506906		10	<1	<1	0.38	4	33	0.53	93	<0.5	0.05	8.8	96	31.4	37
RE5506907		<5	<1	<1	0.15	3	1	4.32	491	2.2	0.02	7.2	250	3.4	37
RE5506908		<5	<1	<1	0.14	4	2	3.14	438	3.8	0.02	7.9	236	5.2	40
RE5506909		6	<1	<1	0.14	3	5	4.47	929	2.8	0.02	14.9	145	7.7	36
RE5506910		5	<1	<1	0.10	3	<1	3.73	453	3.2	0.02	6.4	215	2.9	33
RE5510561		<5	<1	<1	0.02	2	<1	0.09	77	2.6	<0.01	1.0	202	<0.5	16
RE5510562		<5	<1	<1	0.02	3	<1	0.07	89	3.5	<0.01	1.5	158	<0.5	19
RE5510563		<5	<1	<1	0.51	21	12	0.13	362	1.1	<0.01	14.3	605	15.3	33
RE5510564		<5	<1	<1	0.03	3	<1	0.07	80	3.2	<0.01	1.3	205	<0.5	19
RE5510565		<5	<1	<1	0.06	4	2	0.04	127	2.2	<0.01	2.8	375	4.0	19
RE5510566		<5	<1	<1	0.15	6	3	0.05	185	2.2	<0.01	5.0	338	3.7	20
RE5510567		<5	<1	<1	0.70	44	13	0.11	69	<0.5	<0.01	15.0	328	12.3	39
RE5510568		<5	<1	<1	0.27	13	5	0.07	227	1.5	<0.01	7.2	332	5.2	21
RE5510569		<5	<1	<1	0.15	4	3	0.04	97	0.8	<0.01	9.4	210	5.7	<10
RE5510570		<5	<1	<1	0.18	5	4	0.03	118	<0.5	<0.01	16.2	134	11.3	12
RE5510571		<5	<1	<1	0.17	9	2	0.03	52	1.2	<0.01	11.2	122	6.3	<10
RE5510572		<5	<1	<1	0.45	24	9	0.08	106	0.6	<0.01	13.5	216	24.0	24
RE5510573		<5	<1	<1	0.41	20	9	0.07	127	<0.5	<0.01	10.9	176	18.0	20
RE5510574		<5	<1	<1	0.07	4	3	0.03	571	0.8	<0.01	8.2	233	8.7	<10
RE5510575		<5	<1	<1	0.06	3	2	0.03	308	<0.5	<0.01	6.6	228	4.8	<10
RE5510576		<5	<1	<1	0.28	6	6	0.06	141	0.9	<0.01	11.2	199	6.2	14
RE5510577		<5	<1	<1	0.21	5	3	0.03	143	0.8	<0.01	6.3	66	12.1	11

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

	Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
	Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
RE5510578		<5	<1	<1	0.29	6	4	0.04	158	0.8	<0.01	6.4	90	12.2	15

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
RE5507389	0.144	6	0.9	<10	<5	155	<10	<10	<5	<0.01	0.02	<5	2.8	<1
RE5507390	0.051	<1	<0.5	<10	<5	5.3	<10	<10	<5	<0.01	0.02	<5	1.8	<1
RE5507391	0.033	<1	1.6	<10	<5	5.7	<10	<10	5	<0.01	0.04	<5	5.4	<1
RE5507392	0.259	4	2.6	<10	<5	1010	<10	<10	<5	<0.01	0.04	<5	16.6	<1
RE5507393	0.551	2	1.9	<10	<5	39.1	<10	<10	<5	<0.01	0.07	<5	10.1	<1
RE5507394	0.809	7	1.4	<10	<5	2260	<10	<10	<5	<0.01	<0.01	<5	2.6	<1
RE5507395	0.319	5	0.8	<10	<5	206	<10	<10	<5	<0.01	<0.01	<5	4.1	<1
RE5507396	0.327	<1	4.8	<10	<5	12.3	<10	<10	<5	<0.01	0.08	<5	27.9	<1
RE5507397	0.371	<1	5.2	<10	<5	15.8	<10	<10	<5	<0.01	0.11	<5	13.0	<1
RE5507398	0.018	<1	5.2	<10	<5	16.9	<10	<10	<5	<0.01	0.04	<5	7.9	<1
RE5507399	0.273	<1	2.0	<10	<5	4.9	<10	<10	<5	<0.01	0.04	<5	2.8	<1
RE5507400	<0.005	<1	<0.5	<10	<5	1.6	<10	<10	<5	<0.01	0.02	<5	1.1	<1
RE5507379	0.155	6	1.1	<10	<5	94.6	<10	<10	<5	<0.01	0.02	<5	3.0	<1
RE5507380	0.010	2	1.9	<10	<5	9.9	<10	<10	6	<0.01	0.06	<5	5.1	<1
RE5507381	0.148	8	1.2	<10	<5	322	<10	<10	<5	<0.01	0.01	<5	1.9	<1
RE5507382	0.024	6	0.7	<10	<5	19.4	<10	<10	<5	<0.01	0.01	<5	2.0	<1
RE5507383	0.010	5	0.5	<10	<5	8.9	<10	<10	<5	<0.01	0.02	<5	1.4	<1
RE5507384	0.132	4	1.0	<10	<5	447	<10	<10	<5	<0.01	0.01	<5	3.6	<1
RE5507385	0.015	4	0.5	<10	<5	41.7	<10	<10	<5	<0.01	0.02	<5	1.7	<1
RE5507386	0.147	10	1.8	<10	<5	540	<10	<10	<5	<0.01	0.01	<5	2.5	<1
RE5507387	0.356	8	1.8	<10	<5	513	<10	<10	<5	<0.01	<0.01	<5	3.5	<1
RE5507388	0.031	5	0.8	<10	<5	31.6	<10	<10	<5	<0.01	0.02	<5	2.0	<1
RE5507401	0.190	<1	1.6	<10	<5	8.7	<10	<10	6	<0.01	0.02	<5	2.7	<1
RE5507402	0.405	11	2.3	<10	21	625	<10	<10	<5	<0.01	<0.01	5	3.5	<1
RE5507403	0.367	8	2.6	<10	<5	490	<10	<10	<5	<0.01	0.07	<5	118	<1
RE5507404	0.561	9	2.7	<10	<5	465	<10	<10	<5	<0.01	0.08	<5	23.6	<1
RE5507405	0.413	<1	22.7	<10	<5	427	<10	12	<5	0.11	0.57	<5	258	<1
RE5507406	0.151	<1	18.1	<10	<5	358	<10	<10	<5	0.08	0.23	<5	197	<1
RE5505094	0.017	3	1.0	<10	<5	12.1	<10	<10	<5	<0.01	0.04	<5	6.3	<1
RE5505095	0.015	<1	3.2	<10	<5	8.5	<10	<10	<5	<0.01	0.07	<5	10.3	<1
RE5505096	0.012	1	1.1	<10	<5	6.0	<10	<10	<5	<0.01	0.04	<5	1.3	<1
RE5505097	0.033	13	1.8	<10	<5	69.3	<10	<10	<5	<0.01	0.06	<5	6.2	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012		DATE RECEIVED: Jun 29, 2012					DATE REPORTED: Jul 09, 2012					SAMPLE TYPE: Rock			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
RE5505098		0.028	11	1.5	<10	<5	55.5	<10	<10	<5	<0.01	0.05	<5	4.9	<1
RE5505099		1.16	3	7.3	<10	<5	34.6	<10	<10	<5	0.15	0.71	<5	72.6	2
RE5505100		0.236	10	<0.5	<10	<5	51.2	<10	<10	<5	<0.01	<0.01	<5	15.9	<1
RE5505101		0.011	8	2.6	<10	<5	5.4	<10	<10	<5	<0.01	0.11	<5	3.2	1
RE5505102		0.032	5	0.8	<10	<5	32.7	<10	<10	<5	<0.01	0.01	<5	2.2	<1
RE5505103		0.355	6	13.7	<10	<5	298	<10	12	<5	<0.01	0.06	<5	66.1	<1
RE5505104		0.388	10	14.2	<10	<5	414	<10	12	<5	0.02	0.05	<5	65.9	<1
RE5505105		0.539	1	1.1	<10	<5	6.9	<10	<10	<5	<0.01	0.04	<5	3.0	<1
RE5505106		0.040	2	<0.5	<10	<5	16.5	<10	<10	<5	<0.01	0.05	<5	1.3	<1
RE5505107		0.007	17	3.7	<10	<5	5.6	<10	<10	<5	0.01	0.10	<5	6.2	<1
RE5505108		0.018	22	1.3	<10	<5	3.9	<10	<10	<5	<0.01	0.02	<5	1.8	<1
RE5505109		0.045	50	1.5	<10	<5	4.2	<10	<10	<5	<0.01	0.03	<5	1.8	<1
RE5507070		<0.005	1	<0.5	<10	<5	<0.5	<10	<10	<5	<0.01	<0.01	<5	0.7	<1
RE5507071		0.007	<1	2.2	<10	<5	7.4	<10	<10	<5	<0.01	0.05	<5	<0.5	<1
RE5507072		0.245	6	5.2	<10	<5	4.1	<10	<10	<5	<0.01	0.07	<5	4.8	<1
RE5507073		0.095	9	6.1	18	<5	7.8	<10	<10	<5	<0.01	0.07	<5	6.4	<1
RE5507074		0.191	<1	0.6	<10	<5	7.7	<10	<10	<5	<0.01	0.03	<5	0.7	<1
RE5507075		0.127	<1	0.6	<10	<5	4.9	<10	<10	<5	<0.01	0.03	<5	1.3	<1
RE5507076		0.007	17	1.7	<10	<5	11.3	<10	<10	<5	<0.01	0.05	<5	11.1	<1
RE5507077		0.411	1	3.9	13	<5	14.5	<10	<10	<5	0.04	0.10	<5	23.8	<1
RE5507078		0.079	3	1.2	<10	<5	10.7	<10	<10	<5	<0.01	0.03	<5	1.3	<1
RE5507079		1.20	3370	<0.5	<10	<5	31.1	<10	<10	<5	<0.01	0.41	<5	7.1	<1
RE5507080		0.006	7	<0.5	<10	<5	73.2	<10	<10	<5	<0.01	<0.01	6	0.6	<1
RE5507081		0.060	284	1.0	<10	<5	26.9	<10	<10	<5	<0.01	0.08	<5	1.8	<1
RE5507082		0.026	18	4.8	<10	<5	86.4	<10	<10	<5	<0.01	0.53	5	11.2	<1
RE5507083		0.019	4	<0.5	<10	<5	14.0	<10	<10	<5	<0.01	0.11	<5	1.0	<1
RE5507084		0.013	3	4.3	<10	<5	14.2	<10	<10	<5	<0.01	0.06	<5	3.2	<1
RE5507085		0.033	6	<0.5	<10	<5	12.9	<10	<10	<5	<0.01	0.07	<5	1.9	<1
RE5507086		<0.005	7	3.9	<10	<5	8.3	<10	<10	<5	<0.01	0.09	<5	6.4	<1
RE5507087		0.041	299	0.9	<10	<5	8.6	<10	<10	<5	<0.01	0.02	<5	1.6	<1
RE5507088		0.010	72	1.8	<10	<5	60.5	<10	<10	<5	<0.01	0.02	<5	5.0	<1
RE5507089		0.143	450	1.3	<10	<5	45.6	<10	17	<5	<0.01	0.06	<5	3.5	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012		DATE RECEIVED: Jun 29, 2012					DATE REPORTED: Jul 09, 2012					SAMPLE TYPE: Rock			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
RE5507090		0.190	373	2.1	<10	<5	81.4	<10	<10	<5	<0.01	0.06	<5	3.7	<1
RE5507091		0.082	51	1.2	<10	<5	14.1	<10	<10	<5	<0.01	0.03	<5	2.0	<1
RE5507092		0.310	60	0.9	<10	<5	17.1	<10	11	<5	<0.01	0.05	<5	1.6	<1
RE5507093		0.049	256	2.1	<10	<5	32.8	<10	11	<5	<0.01	0.04	<5	3.2	<1
RE5507094		0.018	23	<0.5	<10	<5	36.1	<10	<10	<5	<0.01	0.28	<5	5.8	<1
RE5507095		0.008	5	<0.5	<10	<5	6.9	<10	<10	<5	<0.01	0.04	<5	2.1	<1
RE5507096		0.013	952	<0.5	<10	<5	<0.5	<10	<10	<5	<0.01	0.04	<5	<0.5	<1
RE5507097		<0.005	8	<0.5	<10	<5	4.3	<10	<10	<5	<0.01	0.01	<5	<0.5	<1
RE5507098		0.015	143	<0.5	<10	<5	3.0	<10	<10	<5	<0.01	0.01	<5	<0.5	<1
RE5507099		1.13	6	5.1	<10	<5	31.9	<10	<10	<5	0.15	0.74	<5	67.6	<1
RE5507100		0.014	1	<0.5	<10	<5	32.2	<10	<10	<5	<0.01	<0.01	11	6.8	<1
RE5507101		<0.005	3	<0.5	<10	<5	1.8	<10	<10	<5	<0.01	<0.01	<5	<0.5	<1
RE5507102		<0.005	1	<0.5	<10	<5	11.4	<10	<10	<5	<0.01	<0.01	<5	<0.5	<1
RE5507103		<0.005	266	<0.5	<10	<5	1.1	<10	<10	<5	<0.01	0.03	<5	<0.5	<1
RE5507104		<0.005	4	2.4	<10	<5	29.8	<10	<10	7	0.01	0.13	<5	6.8	<1
RE5507105		0.116	9	<0.5	<10	<5	5.7	<10	<10	<5	<0.01	0.14	<5	1.7	<1
RE5507106		0.007	4	0.9	<10	<5	6.7	<10	<10	<5	<0.01	0.04	<5	2.8	<1
RE5507107		0.188	5320	<0.5	16	<5	11.3	<10	<10	<5	<0.01	0.11	<5	3.8	<1
RE5507108		0.205	19	1.9	<10	<5	148	<10	<10	<5	<0.01	0.03	<5	15.7	<1
RE5507109		0.212	18	3.0	<10	<5	202	<10	<10	<5	<0.01	0.03	<5	19.0	<1
RE5510560		0.212	10	1.2	<10	<5	132	<10	<10	<5	<0.01	0.02	<5	15.8	<1
RE5505247		0.457	10	3.2	<10	<5	633	<10	<10	<5	<0.01	0.03	<5	6.1	<1
RE5505248		0.500	10	3.2	<10	<5	614	<10	<10	<5	<0.01	0.03	<5	6.2	<1
RE5505249		1.17	4	8.6	<10	<5	40.6	<10	<10	<5	0.15	0.65	<5	75.8	2
RE5505250		0.227	7	<0.5	<10	<5	58.4	<10	<10	<5	<0.01	<0.01	<5	14.4	<1
RE5505251		0.092	8	1.3	<10	<5	201	<10	<10	<5	<0.01	0.01	<5	2.4	<1
RE5505252		0.368	11	4.0	<10	11	1330	<10	<10	<5	<0.01	0.01	<5	6.0	<1
RE5505253		0.274	12	5.3	<10	<5	1060	<10	<10	7	<0.01	0.04	<5	9.4	<1
RE5505254		0.199	7	2.6	<10	<5	477	<10	<10	<5	<0.01	0.03	<5	7.2	<1
RE5505255		0.248	11	2.2	<10	<5	507	<10	<10	<5	<0.01	0.02	<5	5.8	<1
RE5505256		0.356	15	4.9	<10	<5	905	<10	<10	<5	0.01	0.03	<5	7.1	<1
RE5505257		0.126	9	2.8	<10	<5	514	<10	<10	<5	<0.01	0.02	<5	3.9	<1

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012		DATE RECEIVED: Jun 29, 2012					DATE REPORTED: Jul 09, 2012					SAMPLE TYPE: Rock			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
RE5505258		0.042	6	1.5	<10	<5	26.0	<10	<10	<5	<0.01	0.02	<5	3.4	<1
RE5505259		0.437	6	5.1	<10	<5	1400	<10	<10	<5	<0.01	0.03	6	9.7	<1
RE5510110		0.339	13	1.0	<10	10	1250	<10	<10	<5	<0.01	<0.01	<5	6.0	<1
RE5510111		0.187	39	3.8	<10	<5	348	<10	<10	<5	<0.01	0.06	<5	6.9	<1
RE5510112		0.009	3	2.0	<10	<5	14.7	<10	<10	<5	<0.01	<0.01	<5	2.8	<1
RE5510113		0.010	1	2.0	<10	<5	14.5	<10	<10	<5	<0.01	0.01	<5	3.1	<1
RE5510114		0.431	11	3.0	<10	9	1310	<10	<10	<5	<0.01	0.04	<5	5.8	<1
RE5510115		0.007	<1	4.2	<10	<5	30.1	<10	<10	<5	0.02	0.11	<5	24.9	<1
RE5510116		0.031	3	4.2	<10	<5	40.7	<10	<10	7	0.02	0.11	<5	14.3	<1
RE5510118		0.260	4	2.7	<10	<5	1020	<10	<10	<5	<0.01	0.05	<5	16.9	<1
RE5510119		0.420	9	3.0	<10	<5	379	<10	<10	<5	<0.01	0.06	<5	84.5	<1
RE5510120		0.558	12	3.2	<10	<5	339	<10	<10	<5	<0.01	0.08	<5	37.6	<1
RE5510121		0.546	11	3.0	<10	<5	518	<10	<10	<5	<0.01	0.09	<5	31.1	<1
RE5510122		0.441	8	4.0	<10	<5	305	<10	<10	<5	<0.01	0.08	<5	28.4	<1
RE5510123		0.067	5	5.3	<10	<5	186	<10	<10	<5	0.02	0.07	<5	16.5	<1
RE5510124		0.420	12	4.7	<10	<5	351	<10	<10	<5	<0.01	0.11	<5	66.4	<1
RE5510125		0.434	9	5.2	<10	<5	240	<10	<10	<5	<0.01	0.13	<5	120	<1
RE5510126		0.459	7	4.4	<10	<5	301	<10	<10	<5	<0.01	0.13	<5	55.1	<1
RE5510128		0.885	2	2.6	<10	<5	23.9	<10	<10	<5	<0.01	0.42	<5	95.2	<1
RE5510130		0.619	13	2.3	<10	14	387	<10	<10	<5	<0.01	0.03	<5	8.1	<1
RE5510131		0.016	<1	2.7	<10	<5	13.3	<10	<10	7	<0.01	0.12	<5	13.4	<1
RE5510132		1.55	<1	0.9	<10	<5	<0.5	<10	64	<5	<0.01	0.06	21	20.3	<1
RE5507407		0.146	2	1.1	<10	<5	3.3	<10	<10	<5	<0.01	0.98	<5	15.3	<1
RE5507408		0.091	3	1.0	<10	<5	2.2	<10	<10	<5	<0.01	1.24	<5	55.4	<1
RE5507409		0.202	10	2.4	15	<5	4.2	<10	<10	<5	<0.01	1.26	<5	221	<1
RE5509610		0.240	7	1.9	28	<5	12.9	<10	<10	<5	<0.01	0.26	<5	139	<1
RE5509611		0.135	3	0.8	<10	<5	16.1	<10	<10	<5	<0.01	0.27	<5	51.6	<1
RE5509612		0.012	<1	0.9	<10	<5	35.6	<10	<10	<5	<0.01	0.05	<5	1.4	<1
RE5509613		0.165	1	<0.5	32	5	<0.5	12	<10	<5	<0.01	0.14	23	40.6	<1
RE5509614		<0.005	<1	0.6	<10	<5	22.8	<10	<10	13	<0.01	0.06	<5	2.0	<1
RE5506862		0.803	1	2.1	<10	<5	16.2	<10	<10	<5	0.05	0.10	<5	15.1	<1
RE5506863		0.462	3	2.8	<10	<5	8.8	<10	<10	6	0.03	0.07	<5	23.4	<1

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012		DATE RECEIVED: Jun 29, 2012					DATE REPORTED: Jul 09, 2012					SAMPLE TYPE: Rock			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
RE5506864		0.480	1	2.2	<10	<5	9.0	<10	<10	6	0.04	0.10	<5	21.1	<1
RE5506865		1.05	2	1.9	11	<5	11.0	<10	<10	<5	0.03	0.10	<5	20.2	<1
RE5506866		0.016	<1	4.5	<10	<5	12.9	<10	<10	<5	0.05	0.07	<5	34.4	<1
RE5506867		0.036	3	1.5	<10	<5	4.9	<10	<10	<5	<0.01	0.05	<5	16.0	<1
RE5506868		0.016	2	2.3	<10	<5	19.3	<10	<10	<5	<0.01	0.04	<5	13.6	<1
RE5506869		0.048	2	7.8	<10	<5	13.2	<10	<10	<5	0.01	0.08	<5	10.4	<1
RE5506870		0.147	1	7.8	<10	<5	10.9	<10	<10	<5	0.02	0.07	<5	10.7	<1
RE5506871		0.045	3	6.1	<10	<5	44.2	<10	<10	<5	0.03	0.07	<5	11.4	<1
RE5506872		0.072	1	3.6	<10	<5	42.4	<10	<10	<5	0.01	0.04	<5	6.2	<1
RE5506873		0.858	3	6.2	<10	<5	16.2	<10	<10	<5	0.01	0.10	<5	7.3	<1
RE5506874		0.043	2	5.6	<10	<5	19.9	<10	<10	<5	0.01	0.09	<5	10.5	<1
RE5506875		<0.005	1	6.7	<10	<5	25.7	<10	<10	<5	0.02	0.11	<5	13.3	<1
RE5506876		<0.005	2	5.7	<10	<5	22.1	<10	<10	<5	0.01	0.08	<5	11.0	<1
RE5506877		0.023	1	2.8	<10	<5	17.0	<10	<10	<5	<0.01	0.06	<5	15.1	<1
RE5506878		0.581	<1	3.1	<10	<5	12.0	<10	<10	<5	0.02	0.08	<5	17.8	<1
RE5506879		0.131	3	2.9	<10	<5	5.7	<10	<10	<5	0.01	0.09	<5	20.6	<1
RE5506880		0.080	1	2.4	<10	<5	5.0	<10	<10	<5	0.01	0.09	<5	18.6	<1
RE5506881		0.089	1	2.9	<10	<5	11.2	<10	<10	<5	0.01	0.09	<5	24.7	<1
RE5506882		0.069	1	2.5	<10	<5	8.0	<10	<10	<5	0.01	0.09	<5	20.6	<1
RE5506883		0.125	2	2.6	<10	<5	7.3	<10	<10	<5	0.01	0.09	<5	17.8	<1
RE5506884		0.203	2	3.0	<10	<5	5.4	<10	<10	<5	0.03	0.06	<5	29.9	<1
RE5506885		0.043	<1	2.9	<10	<5	11.0	<10	<10	<5	0.04	0.06	<5	25.8	<1
RE5506886		0.143	<1	2.5	<10	<5	7.1	<10	<10	<5	0.02	0.07	<5	20.3	<1
RE5506887		0.062	2	2.7	<10	<5	6.7	<10	<10	<5	<0.01	0.11	<5	20.3	<1
RE5506888		0.246	<1	2.3	<10	<5	4.9	<10	<10	<5	<0.01	0.11	<5	18.4	<1
RE5506889		0.221	3	2.7	<10	<5	8.5	<10	<10	<5	0.01	0.11	<5	20.3	<1
RE5506890		0.381	<1	2.8	<10	<5	9.3	<10	<10	<5	0.01	0.11	<5	18.3	<1
RE5506891		0.029	1	3.4	<10	<5	7.5	<10	<10	<5	0.02	0.08	<5	21.8	<1
RE5506892		0.760	3	2.4	<10	<5	8.8	<10	<10	<5	0.01	0.10	<5	18.7	<1
RE5506893		0.326	3	3.4	<10	<5	6.2	<10	<10	<5	0.02	0.09	<5	28.3	<1
RE5506894		0.701	2	2.0	<10	<5	4.4	<10	<10	<5	<0.01	0.09	<5	16.7	<1
RE5506895		0.359	2	1.8	<10	<5	7.1	<10	<10	<5	<0.01	0.09	<5	18.0	<1

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012		DATE RECEIVED: Jun 29, 2012					DATE REPORTED: Jul 09, 2012					SAMPLE TYPE: Rock			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
RE5506896		0.284	1	9.6	<10	<5	30.3	<10	<10	<5	0.01	0.11	<5	6.3	<1
RE5506897		0.323	1	4.5	<10	<5	8.5	<10	<10	<5	0.01	0.08	<5	14.1	<1
RE5506898		0.337	<1	7.9	<10	<5	11.3	<10	<10	<5	0.04	0.08	<5	26.7	<1
RE5506899		1.18	4	8.6	<10	<5	43.3	<10	<10	<5	0.17	0.73	<5	78.5	3
RE5506900		0.229	10	<0.5	<10	<5	51.7	<10	<10	<5	<0.01	<0.01	<5	16.1	<1
RE5506901		0.094	<1	5.1	<10	<5	8.3	<10	<10	<5	0.04	0.07	<5	27.8	<1
RE5506902		0.798	<1	6.6	<10	<5	9.5	<10	<10	<5	0.04	0.10	<5	27.9	<1
RE5506903		0.350	<1	5.5	<10	<5	10.5	<10	<10	<5	0.03	0.09	<5	27.5	<1
RE5506904		1.42	<1	6.6	<10	<5	13.3	<10	<10	<5	0.05	0.09	<5	32.9	<1
RE5506905		0.033	<1	5.9	<10	<5	32.0	<10	<10	<5	0.03	0.11	<5	31.8	<1
RE5506906		0.103	<1	4.9	<10	<5	10.8	<10	<10	<5	0.03	0.09	<5	25.9	<1
RE5506907		0.283	9	6.6	<10	<5	514	<10	<10	<5	<0.01	0.06	<5	12.4	<1
RE5506908		0.357	12	5.9	<10	<5	715	<10	<10	<5	<0.01	0.04	<5	10.6	<1
RE5506909		0.253	3	7.3	<10	<5	564	<10	10	<5	<0.01	0.04	<5	13.8	<1
RE5506910		0.286	9	5.3	<10	<5	569	<10	<10	<5	<0.01	0.04	<5	10.5	<1
RE5510561		0.152	11	0.8	<10	<5	382	<10	<10	<5	<0.01	<0.01	<5	1.7	<1
RE5510562		0.209	11	1.1	<10	<5	306	<10	<10	<5	<0.01	0.01	<5	1.8	<1
RE5510563		0.007	12	4.7	<10	<5	17.4	<10	<10	8	0.04	0.15	<5	14.0	3
RE5510564		0.166	9	1.1	<10	<5	216	<10	<10	<5	<0.01	0.01	<5	1.8	<1
RE5510565		0.118	15	2.0	<10	<5	83.7	<10	<10	<5	<0.01	0.04	<5	2.6	<1
RE5510566		0.072	9	1.9	<10	<5	59.9	<10	<10	<5	<0.01	0.05	<5	4.0	<1
RE5510567		<0.005	<1	4.9	<10	<5	8.5	<10	<10	14	0.06	0.09	<5	12.8	<1
RE5510568		0.028	8	3.2	<10	<5	17.5	<10	<10	<5	0.02	0.06	<5	6.5	<1
RE5510569		<0.005	10	2.8	<10	<5	68.7	<10	<10	<5	0.01	0.05	<5	5.3	3
RE5510570		0.011	4	2.0	<10	<5	11.9	<10	<10	<5	0.01	0.08	<5	5.5	<1
RE5510571		<0.005	4	1.5	<10	<5	<0.5	<10	<10	<5	<0.01	0.04	<5	5.2	2
RE5510572		<0.005	10	4.2	<10	<5	9.2	<10	<10	11	0.03	0.10	<5	11.9	4
RE5510573		<0.005	6	3.6	<10	<5	13.2	<10	<10	7	0.03	0.11	<5	9.7	2
RE5510574		0.009	9	2.5	<10	<5	157	<10	<10	<5	<0.01	0.30	<5	4.3	2
RE5510575		0.008	9	2.2	<10	<5	122	<10	<10	<5	<0.01	0.16	<5	3.6	3
RE5510576		<0.005	11	3.3	15	<5	63.9	<10	<10	<5	0.02	0.09	<5	7.9	2
RE5510577		<0.005	7	2.1	<10	<5	11.7	<10	<10	<5	0.02	0.06	<5	5.3	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
RE5510578		<0.005	6	2.6	<10	<5	9.7	<10	<10	<5	0.02	0.08	<5	6.9	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Y	Zn	Zr	As-OL	Pb-OL	Zn-OL
	Unit:	ppm	ppm	ppm	%	%	%
	RDL:	1	0.5	5	0.01	0.05	0.01
RE5507389		1	6.0	<5			
RE5507390		<1	2.4	<5			
RE5507391		3	22.5	<5			
RE5507392		5	30.5	<5			
RE5507393		3	32.9	<5			
RE5507394		10	24.9	<5			
RE5507395		5	21.4	<5			
RE5507396		3	91.6	<5			
RE5507397		5	71.0	7			
RE5507398		4	59.9	<5			
RE5507399		2	18.0	<5			
RE5507400		<1	1.8	<5			
RE5507379		2	3.0	<5			
RE5507380		1	35.6	<5			
RE5507381		4	20.8	<5			
RE5507382		1	11.6	<5			
RE5507383		<1	2.4	<5			
RE5507384		4	6.6	<5			
RE5507385		<1	4.3	<5			
RE5507386		6	3.1	<5			
RE5507387		5	11.9	<5			
RE5507388		2	4.5	<5			
RE5507401		3	23.0	<5			
RE5507402		16	3.2	<5			
RE5507403		8	93.8	<5			
RE5507404		7	22.1	<5			
RE5507405		17	157	12			
RE5507406		17	91.4	7			
RE5505094		<1	17.9	<5			
RE5505095		3	30.0	<5			
RE5505096		5	33.3	<5			
RE5505097		3	16.9	<5			

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte: Unit: RDL:	Y ppm 1	Zn ppm 0.5	Zr ppm 5	As-OL % 0.01	Pb-OL % 0.05	Zn-OL % 0.01
RE5505098		3	15.2	<5			
RE5505099		9	1430	12			
RE5505100		<1	14.4	<5			
RE5505101		2	11.8	<5			
RE5505102		2	12.4	<5			
RE5505103		16	132	6			
RE5505104		17	276	9			
RE5505105		<1	15.6	<5			
RE5505106		<1	1.9	<5			
RE5505107		6	566	8			
RE5505108		1	592	<5			
RE5505109		2	2450	<5			
RE5507070		<1	13.5	<5			
RE5507071		12	29.9	<5			
RE5507072		4	113	<5	1.20		
RE5507073		3	62.2	<5			
RE5507074		<1	19.8	<5			
RE5507075		1	17.4	<5			
RE5507076		1	67.0	<5			
RE5507077		4	99.1	14			
RE5507078		2	287	<5			
RE5507079		<1	158	5		2.08	
RE5507080		3	3.3	<5			
RE5507081		<1	206	<5		2.22	
RE5507082		26	2250	14			
RE5507083		<1	22.9	<5			
RE5507084		2	218	<5			
RE5507085		<1	70.7	<5			
RE5507086		4	395	6			
RE5507087		1	>10000	<5		1.32	4.09
RE5507088		5	1440	<5			
RE5507089		2	>10000	<5		3.34	10.2

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Analyte:	Y	Zn	Zr	As-OL	Pb-OL	Zn-OL
Unit:	ppm	ppm	ppm	%	%	%
RDL:	1	0.5	5	0.01	0.05	0.01
Sample Description						
RE5507090	3	2950	<5		3.83	
RE5507091	2	2110	<5		1.88	
RE5507092	2	>10000	<5		3.46	4.88
RE5507093	3	>10000	<5		3.56	8.86
RE5507094	2	1330	<5			
RE5507095	3	121	<5			
RE5507096	<1	146	<5			
RE5507097	<1	27.3	<5			
RE5507098	<1	57.1	<5			
RE5507099	10	1420	15			
RE5507100	<1	21.6	<5			
RE5507101	<1	12.8	<5			
RE5507102	<1	11.4	<5			
RE5507103	<1	18.6	<5			
RE5507104	4	65.2	5			
RE5507105	<1	5.8	<5			
RE5507106	1	22.4	<5			
RE5507107	<1	104	<5		1.47	
RE5507108	4	15.4	<5			
RE5507109	7	11.6	<5			
RE5510560	4	7.5	<5			
RE5505247	11	12.5	6			
RE5505248	11	14.5	6			
RE5505249	9	1460	20			
RE5505250	1	12.4	<5			
RE5505251	4	5.0	<5			
RE5505252	17	13.7	9			
RE5505253	20	39.1	8			
RE5505254	16	10.7	<5			
RE5505255	4	13.1	<5			
RE5505256	15	31.5	<5			
RE5505257	6	14.6	<5			

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Y	Zn	Zr	As-OL	Pb-OL	Zn-OL
	Unit:	ppm	ppm	ppm	%	%	%
	RDL:	1	0.5	5	0.01	0.05	0.01
RE5505258		2	20.7	<5			
RE5505259		19	34.7	<5			
RE5510110		7	2.9	<5			
RE5510111		13	46.7	<5			
RE5510112		2	19.2	<5			
RE5510113		2	63.1	<5			
RE5510114		5	6.2	6			
RE5510115		4	102	<5			
RE5510116		8	40.4	13			
RE5510118		5	31.2	<5			
RE5510119		9	142	<5			
RE5510120		8	94.6	6			
RE5510121		8	59.6	6			
RE5510122		7	135	6			
RE5510123		12	46.9	9			
RE5510124		11	270	6			
RE5510125		12	186	9			
RE5510126		8	33.5	5			
RE5510128		2	9.4	<5			
RE5510130		7	139	<5			
RE5510131		2	71.2	6			
RE5510132		23	1680	<5			
RE5507407		<1	8.8	<5			
RE5507408		1	2.1	<5			
RE5507409		3	5.9	6			
RE5509610		5	124	<5			
RE5509611		1	67.8	<5			
RE5509612		3	65.7	<5			
RE5509613		12	2790	14			
RE5509614		4	12.5	17			
RE5506862		3	59.0	12			
RE5506863		4	99.5	9			

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Y	Zn	Zr	As-OL	Pb-OL	Zn-OL
	Unit:	ppm	ppm	ppm	%	%	%
	RDL:	1	0.5	5	0.01	0.05	0.01
RE5506864		3	81.8	10			
RE5506865		4	79.3	11			
RE5506866		6	120	11			
RE5506867		3	54.4	8			
RE5506868		5	75.9	<5			
RE5506869		5	160	8			
RE5506870		3	113	10			
RE5506871		5	89.3	10			
RE5506872		3	67.3	6			
RE5506873		4	125	7			
RE5506874		3	125	5			
RE5506875		4	106	8			
RE5506876		3	121	<5			
RE5506877		3	82.7	6			
RE5506878		4	89.8	8			
RE5506879		4	88.4	7			
RE5506880		3	69.9	7			
RE5506881		4	101	6			
RE5506882		4	90.7	6			
RE5506883		4	78.9	7			
RE5506884		4	99.7	10			
RE5506885		4	94.5	10			
RE5506886		4	81.7	10			
RE5506887		4	73.8	7			
RE5506888		4	76.7	6			
RE5506889		4	86.2	7			
RE5506890		5	77.4	7			
RE5506891		6	101	9			
RE5506892		5	95.4	9			
RE5506893		5	106	10			
RE5506894		4	79.1	7			
RE5506895		4	82.7	6			

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Y	Zn	Zr	As-OL	Pb-OL	Zn-OL
	Unit:	ppm	ppm	ppm	%	%	%
	RDL:	1	0.5	5	0.01	0.05	0.01
RE5506896		5	88.0	6			
RE5506897		3	76.0	7			
RE5506898		4	85.5	11			
RE5506899		10	1460	17			
RE5506900		1	11.2	<5			
RE5506901		3	86.4	8			
RE5506902		4	96.0	11			
RE5506903		3	86.8	8			
RE5506904		5	108	12			
RE5506905		4	104	10			
RE5506906		3	53.8	10			
RE5506907		8	26.5	<5			
RE5506908		7	34.8	<5			
RE5506909		12	19.5	<5			
RE5506910		7	20.5	<5			
RE5510561		1	5.2	<5			
RE5510562		3	10.1	<5			
RE5510563		6	99.8	12			
RE5510564		3	14.8	<5			
RE5510565		5	34.3	<5			
RE5510566		4	44.3	<5			
RE5510567		5	69.1	13			
RE5510568		7	72.9	7			
RE5510569		3	112	9			
RE5510570		3	41.0	5			
RE5510571		2	72.5	5			
RE5510572		4	90.7	12			
RE5510573		4	67.8	7			
RE5510574		3	49.9	7			
RE5510575		2	61.6	6			
RE5510576		3	78.2	11			
RE5510577		2	34.1	<5			

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

	Analyte:	Y	Zn	Zr	As-OL	Pb-OL	Zn-OL
	Unit:	ppm	ppm	ppm	%	%	%
Sample Description	RDL:	1	0.5	5	0.01	0.05	0.01
RE5510578		3	41.6	6			

Comments: RDL - Reported Detection Limit

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
RE5507389		1.42	0.027
RE5507390		1.15	0.003
RE5507391		1.13	<0.001
RE5507392		1.77	<0.001
RE5507393		1.67	0.028
RE5507394		1.88	<0.001
RE5507395		1.63	0.020
RE5507396		1.59	0.003
RE5507397		0.86	<0.001
RE5507398		1.60	0.008
RE5507399		1.09	0.030
RE5507400		1.35	0.164
RE5507379		0.95	0.107
RE5507380		1.16	0.013
RE5507381		1.15	0.008
RE5507382		1.23	0.008
RE5507383		1.22	0.024
RE5507384		1.51	<0.001
RE5507385		1.12	0.125
RE5507386		1.26	0.010
RE5507387		1.70	0.004
RE5507388		1.17	0.012
RE5507401		1.55	<0.001
RE5507402		0.90	<0.001
RE5507403		1.14	<0.001
RE5507404		1.04	<0.001
RE5507405		1.13	0.001
RE5507406		1.07	<0.001
RE5505094		1.18	0.038
RE5505095		0.93	0.042
RE5505096		0.79	0.004

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
RE5505097		0.91	0.016
RE5505098		0.96	0.011
RE5505099		0.14	2.37
RE5505100		0.44	0.001
RE5505101		1.26	0.043
RE5505102		0.92	0.026
RE5505103		0.14	0.002
RE5505104		1.48	0.019
RE5505105		1.11	0.004
RE5505106		1.22	0.144
RE5505107		1.39	<0.001
RE5505108		1.35	0.015
RE5505109		0.39	0.008
RE5507070		1.17	<0.001
RE5507071		1.38	<0.001
RE5507072		1.35	9.27
RE5507073		1.24	4.63
RE5507074		1.10	0.089
RE5507075		1.56	0.103
RE5507076		1.11	0.003
RE5507077		1.36	0.059
RE5507078		1.56	0.025
RE5507079		0.91	0.010
RE5507080		1.25	<0.001
RE5507081		1.07	0.003
RE5507082		1.04	0.019
RE5507083		1.25	0.009
RE5507084		1.25	0.019
RE5507085		1.29	0.004
RE5507086		1.20	0.005
RE5507087		1.02	0.006

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
RE5507088		1.21	0.004
RE5507089		1.45	0.022
RE5507090		1.44	0.007
RE5507091		1.49	0.076
RE5507092		1.58	0.021
RE5507093		1.60	0.009
RE5507094		1.03	0.033
RE5507095		1.89	<0.001
RE5507096		0.86	<0.001
RE5507097		0.64	<0.001
RE5507098		0.66	<0.001
RE5507099		0.14	2.38
RE5507100		1.00	0.001
RE5507101		1.10	<0.001
RE5507102		1.24	<0.001
RE5507103		1.50	<0.001
RE5507104		0.73	0.002
RE5507105		1.12	0.411
RE5507106		1.20	0.054
RE5507107		1.45	<0.001
RE5507108		1.43	0.002
RE5507109		1.26	0.002
RE5510560		1.25	<0.001
RE5505247		0.54	<0.001
RE5505248		0.60	<0.001
RE5505249		0.15	2.48
RE5505250		0.54	<0.001
RE5505251		0.64	<0.001
RE5505252		0.67	<0.001
RE5505253		0.64	<0.001
RE5505254		0.78	<0.001

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
RE5505255		0.82	0.005
RE5505256		0.59	0.014
RE5505257		0.59	0.017
RE5505258		0.80	0.016
RE5505259		0.55	0.011
RE5510110		0.66	0.017
RE5510111		0.48	0.081
RE5510112		0.58	<0.001
RE5510113		0.51	<0.001
RE5510114		0.58	<0.001
RE5510115		0.59	<0.001
RE5510116		0.57	0.012
RE5510118		0.58	<0.001
RE5510119		0.78	<0.001
RE5510120		0.48	<0.001
RE5510121		0.56	<0.001
RE5510122		0.51	<0.001
RE5510123		0.40	<0.001
RE5510124		0.54	<0.001
RE5510125		0.53	<0.001
RE5510126		0.50	<0.001
RE5510128		0.66	0.001
RE5510130		0.71	<0.001
RE5510131		0.72	<0.001
RE5510132		0.90	<0.001
RE5507407		1.34	<0.001
RE5507408		1.93	0.003
RE5507409		1.48	0.001
RE5509610		1.51	0.001
RE5509611		1.75	0.002
RE5509612		1.62	<0.001

Certified By:



PROJECT NO:

Page 34 of 44



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
RE5506891		0.95	<0.001
RE5506892		0.88	<0.001
RE5506893		0.84	<0.001
RE5506894		0.93	<0.001
RE5506895		0.92	<0.001
RE5506896		0.77	0.006
RE5506897		0.80	0.001
RE5506898		0.72	<0.001
RE5506899		0.14	2.35
RE5506900		0.55	<0.001
RE5506901		0.69	<0.001
RE5506902		0.73	0.008
RE5506903		0.72	<0.001
RE5506904		0.81	<0.001
RE5506905		0.61	<0.001
RE5506906		0.67	<0.001
RE5506907		0.76	<0.001
RE5506908		0.71	<0.001
RE5506909		1.15	<0.001
RE5506910		0.77	<0.001
RE5510561		0.94	0.002
RE5510562		1.35	0.005
RE5510563		1.18	0.010
RE5510564		1.30	0.002
RE5510565		1.55	<0.001
RE5510566		1.51	0.001
RE5510567		2.20	<0.001
RE5510568		1.23	<0.001
RE5510569		1.62	<0.001
RE5510570		0.81	0.006
RE5510571		1.41	<0.001

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y615538

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jun 29, 2012

DATE RECEIVED: Jun 29, 2012

DATE REPORTED: Jul 09, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
RE5510572		1.63	<0.001
RE5510573		2.80	<0.001
RE5510574		1.81	0.005
RE5510575		1.58	<0.001
RE5510576		1.40	0.006
RE5510577		2.24	<0.001
RE5510578		2.00	0.017

Comments: RDL - Reported Detection Limit

Certified By:

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y615538

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis											
RPT Date: Jul 09, 2012			REPLICATE			Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3472264	0.027	< 0.001		< 0.001	0.266	0.263	101%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3472277	0.013	0.014	7.4%	< 0.001	1.55	1.52	102%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3472289	< 0.001	< 0.001	0.0%	< 0.001	0.265	0.263	101%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3472302	0.0190	0.0196	3.1%	< 0.001	0.264	0.263	100%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3472314	0.003	0.001		< 0.001	1.55	1.52	102%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3472327	0.004	0.004	0.0%	< 0.001	1.52	1.52	100%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3472340	< 0.001	0.009		< 0.001	1.51	1.52	99%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3472353	< 0.001	< 0.001	0.0%	< 0.001	0.265	0.263	101%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3472365	< 0.001	< 0.001	0.0%	< 0.001	0.269	0.263	102%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3472379	0.001	< 0.001		< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3472390	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3472403	0.002	0.001		< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3472415	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3472427	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3472440	0.002	< 0.001		< 0.001				90%	110%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)											
Ag	1	3472264	< 0.2	< 0.2	0.0%	< 0.2				80%	120%
Al	1	3472264	0.113	0.128	12.4%	< 0.01				80%	120%
As	1	3472264	15	15	0.0%	< 1				80%	120%
B	1	3472264	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3472264	15	15	0.0%	< 1				80%	120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y615538

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 09, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Be	1	3472264	< 0.5	< 0.5	0.0%	< 0.5	0.4	0.4	106%	80%	120%
Bi	1	3472314	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	3472264	4.58	4.75	3.6%	< 0.01				80%	120%
Cd	1	3472264	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	3472264	3	4	28.6%	< 1				80%	120%
Co	1	3472264	1.4	1.4	0.0%	< 0.5				80%	120%
Cr	1	3472264	65.9	71.8	8.6%	< 0.5				80%	120%
Cu	1	3472264	22.6	22.8	0.9%	< 0.5	3846	3800	101%	80%	120%
Fe	1	3472264	0.55	0.56	1.8%	< 0.01				80%	120%
Ga	1	3472264	< 5	< 5	0.0%	< 5				80%	120%
Hg	1	3472264	< 1	< 1	0.0%	< 1	1.4	1.3	109%	80%	120%
In	1	3472264	< 1	< 1	0.0%	< 1				80%	120%
K	1	3472264	0.050	0.056	11.3%	< 0.01				80%	120%
La	1	3472264	2	2	0.0%	< 1				80%	120%
Li	1	3472264	< 1	< 1	0.0%	< 1				80%	120%
Mg	1	3472264	0.03	0.03	0.0%	< 0.01				80%	120%
Mn	1	3472264	45	46	2.2%	< 1				80%	120%
Mo	1	3472264	2.4	2.5	4.1%	< 0.5				80%	120%
Na	1	3472264	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Ni	1	3472264	4.2	4.2	0.0%	< 0.5				80%	120%
P	1	3472314	21	27	25.0%	< 10	603	600	100%	80%	120%
Pb	1	3472264	1.80	1.43	22.9%	< 0.5				80%	120%
Rb	1	3472264	11	12	8.7%	< 10	15	13	117%	80%	120%
S	1	3472264	0.144	0.149	3.4%	< 0.005				80%	120%
Sb	1	3472264	6	6	0.0%	< 1				80%	120%
Sc	1	3472264	0.9	0.9	0.0%	< 0.5				80%	120%
Se	1	3472264	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	3472264	< 5	< 5	0.0%	< 5	7.9	7.1	112%	80%	120%
Sr	1	3472264	155	156	0.6%	0.9	317	390	81%	80%	120%
Ta	1	3472264	< 10	< 10	0.0%	< 10				80%	120%
Te	1	3472264	< 10	< 10	0.0%	< 10				80%	120%
Th	1	3472264	< 5	< 5	0.0%	< 5				80%	120%
Ti	1	3472264	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Tl	1	3472264	7.99	7.75	3.0%	< 0.01				80%	120%
U	1	3472264	< 5	< 5	0.0%	< 5				80%	120%
V	1	3472264	2.82	3.08	8.8%	< 0.5				80%	120%
W	1	3472264	< 1	< 1	0.0%	< 1				80%	120%
Y	1	3472264	1	1	0.0%	< 1				80%	120%
Zn	1	3472264	6.03	6.16	2.1%	< 0.5				80%	120%
Zr	1	3472264	< 5	< 5	0.0%	< 5				80%	120%

Aqua Regia Digest - Metals Package, ICP-OES (Low Tl) (201073)

Ag	1	3472289	< 0.2	< 0.2	0.0%	< 0.2				80%	120%
Al	1	3472289	0.71	0.67	5.8%	< 0.01				80%	120%
As	1	3472289	20	22	9.5%	< 1				80%	120%
B	1	3472289	9	9	0.0%	< 5				80%	120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y615538

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 09, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ba	1	3472289	176	165	6.5%	< 1				80% 120%
Be	1	3472289	< 0.5	< 0.5	0.0%	< 0.5	0.4	0.4	105%	80% 120%
Bi	1	3472289	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3472289	22.0	20.4	7.5%	< 0.01				80% 120%
Cd	1	3472289	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3472289	23	22	4.4%	< 1				80% 120%
Co	1	3472289	2.4	2.4	0.0%	< 0.5				80% 120%
Cr	1	3472289	11.3	11.3	0.0%	< 0.5				80% 120%
Cu	1	3472289	8.66	7.87	9.6%	< 0.5	3793	3800	99%	80% 120%
Fe	1	3472289	0.796	0.732	8.4%	< 0.01				80% 120%
Ga	1	3472289	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3472289	< 1	< 1	0.0%	< 1				80% 120%
In	1	3472340	< 1	< 1	0.0%	< 1				80% 120%
K	1	3472289	0.25	0.24	4.1%	< 0.01				80% 120%
La	1	3472289	12	11	8.7%	< 1				80% 120%
Li	1	3472289	16	15	6.5%	< 1				80% 120%
Mg	1	3472289	1.59	1.46	8.5%	< 0.01				80% 120%
Mn	1	3472289	129	119	8.1%	< 1				80% 120%
Mo	1	3472289	3.38	3.29	2.7%	< 0.5				80% 120%
Na	1	3472289	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3472289	7.1	6.5	8.8%	< 0.5				80% 120%
P	1	3472289	494	480	2.9%	< 10	611	600	102%	80% 120%
Pb	1	3472289	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Rb	1	3472289	51	48	6.1%	< 10				80% 120%
S	1	3472289	0.561	0.514	8.7%	< 0.005				80% 120%
Sb	1	3472289	9	8	11.8%	< 1				80% 120%
Sc	1	3472289	2.7	2.6	3.8%	< 0.5				80% 120%
Se	1	3472289	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3472289	< 5	< 5	0.0%	< 5	7.5	7.1	106%	80% 120%
Sr	1	3472289	465	421	9.9%	< 0.5	313	390	80%	80% 120%
Ta	1	3472289	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3472289	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3472289	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3472289	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3472289	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
U	1	3472289	< 5	< 5	0.0%	< 5				80% 120%
V	1	3472289	23.6	23.0	2.6%	< 0.5				80% 120%
W	1	3472289	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3472289	7	7	0.0%	< 1				80% 120%
Zn	1	3472289	22.1	20.7	6.5%	< 0.5				80% 120%
Zr	1	3472289	< 5	< 5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1	3472365	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3472365	0.16	0.15	6.5%	< 0.01				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y615538

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 09, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				Acceptable Limits	
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery		Lower	Upper
As	1	3472365	10	10	0.0%	< 1					80%	120%
B	1	3472365	< 5	< 5	0.0%	< 5					80%	120%
Ba	1	3472365	14	14	0.0%	< 1					80%	120%
Be	1	3472365	< 0.5	< 0.5	0.0%	< 0.5	0.4	0.4	100%		80%	120%
Bi	1	3472365	3	4	28.6%	< 1					80%	120%
Ca	1	3472365	0.490	0.484	1.2%	< 0.01					80%	120%
Cd	1	3472365	< 0.5	< 0.5	0.0%	< 0.5					80%	120%
Ce	1	3472365	< 1	< 1	0.0%	< 1					80%	120%
Co	1	3472365	3.4	3.4	0.0%	< 0.5					80%	120%
Cr	1	3472365	62.8	54.0	15.1%	< 0.5					80%	120%
Cu	1	3472365	2.48	2.31	7.1%	< 0.5	3900	3800	102%		80%	120%
Fe	1	3472365	1.03	1.02	1.0%	< 0.01					80%	120%
Ga	1	3472365	< 5	< 5	0.0%	< 5					80%	120%
Hg	1	3472365	< 1	< 1	0.0%	< 1					80%	120%
In	1	3472365	< 1	< 1	0.0%	< 1					80%	120%
K	1	3472365	0.03	0.03	0.0%	< 0.01					80%	120%
La	1	3472365	1	1	0.0%	< 1					80%	120%
Li	1	3472365	4	4	0.0%	< 1					80%	120%
Mg	1	3472365	0.02	0.02	0.0%	< 0.01					80%	120%
Mn	1	3472365	556	549	1.3%	< 1					80%	120%
Mo	1	3472365	2.6	2.2	16.7%	< 0.5					80%	120%
Na	1	3472365	0.04	0.04	0.0%	< 0.01					80%	120%
Ni	1	3472365	5.2	5.3	1.9%	< 0.5					80%	120%
P	1	3472365	60	52	14.3%	< 10	629	600	105%		80%	120%
Pb	1	3472365	7.5	6.6	12.8%	< 0.5					80%	120%
Rb	1	3472365	< 10	< 10	0.0%	< 10					80%	120%
S	1	3472365	0.0086	0.0078	9.8%	< 0.005					80%	120%
Sb	1	3472390	< 1	< 1	0.0%	< 1					80%	120%
Sc	1	3472365	1.99	1.90	4.6%	< 0.5					80%	120%
Se	1	3472365	< 10	< 10	0.0%	< 10					80%	120%
Sn	1	3472365	< 5	< 5	0.0%	< 5	7.5	7.1	105%		80%	120%
Sr	1	3472365	14.7	13.6	7.8%	< 0.5	323	390	83%		80%	120%
Ta	1	3472365	< 10	< 10	0.0%	< 10					80%	120%
Te	1	3472365	< 10	< 10	0.0%	< 10					80%	120%
Th	1	3472365	< 5	< 5	0.0%	< 5					80%	120%
Ti	1	3472365	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
Tl	1	3472314	0.053	0.057	7.3%	< 0.01					80%	120%
U	1	3472365	< 5	< 5	0.0%	< 5					80%	120%
V	1	3472365	2.78	2.51	10.2%	< 0.5					80%	120%
W	1	3472365	< 1	< 1	0.0%	< 1					80%	120%
Y	1	3472365	2	2	0.0%	< 1					80%	120%
Zn	1	3472365	19.2	19.2	0.0%	< 0.5					80%	120%
Zr	1	3472365	< 5	< 5	0.0%	< 5					80%	120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y615538

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 09, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				Acceptable Limits	
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery		Lower	Upper
Ag	1	3472440	< 0.2	< 0.2	0.0%	< 0.2					80%	120%
Al	1	3472440	0.09	0.09	0.0%	< 0.01					80%	120%
As	1	3472415	2	3		< 1					80%	120%
B	1	3472440	< 5	< 5	0.0%	< 5					80%	120%
Ba	1	3472440	11	12	8.7%	< 1					80%	120%
Be	1	3472440	< 0.5	< 0.5	0.0%	< 0.5	0.4	0.4	100%		80%	120%
Bi	1	3472440	< 1	< 1	0.0%	< 1					80%	120%
Ca	1	3472440	14.0	14.8	5.6%	< 0.01					80%	120%
Cd	1	3472440	< 0.5	< 0.5	0.0%	< 0.5					80%	120%
Ce	1	3472440	9	9	0.0%	< 1					80%	120%
Co	1	3472440	1.13	1.20	6.0%	< 0.5					80%	120%
Cr	1	3472440	20.0	18.7	6.7%	< 0.5					80%	120%
Cu	1	3472440	1.2	1.3	8.0%	< 0.5	3887	3800	102%		80%	120%
Fe	1	3472440	0.18	0.19	5.4%	< 0.01					80%	120%
Ga	1	3472440	< 5	< 5	0.0%	< 5					80%	120%
Hg	1	3472440	< 1	< 1	0.0%	< 1	1.1	1.3	82%		80%	120%
In	1	3472440	< 1	< 1	0.0%	< 1					80%	120%
K	1	3472440	0.02	0.02	0.0%	< 0.01					80%	120%
La	1	3472440	2	2	0.0%	< 1					80%	120%
Li	1	3472440	< 1	< 1	0.0%	< 1					80%	120%
Mg	1	3472440	0.09	0.09	0.0%	< 0.01					80%	120%
Mn	1	3472440	77	81	5.1%	< 1					80%	120%
Mo	1	3472440	2.6	3.2	20.7%	< 0.5					80%	120%
Na	1	3472440	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
Ni	1	3472440	1.0	1.0	0.0%	< 0.5					80%	120%
P	1	3472440	202	218	7.6%	< 10	617	600	103%		80%	120%
Pb	1	3472440	< 0.5	< 0.5	0.0%	< 0.5					80%	120%
Rb	1	3472440	16	16	0.0%	< 10	12	13	90%		80%	120%
S	1	3472440	0.152	0.157	3.2%	< 0.005					80%	120%
Sb	1	3472440	11	9	20.0%	< 1					80%	120%
Sc	1	3472440	0.78	0.71	9.4%	< 0.5					80%	120%
Se	1	3472440	< 10	< 10	0.0%	< 10					80%	120%
Sn	1	3472440	< 5	< 5	0.0%	< 5	8	7.1	113%		80%	120%
Sr	1	3472440	382	399	4.4%	< 0.5	332	390	85%		80%	120%
Ta	1	3472440	< 10	< 10	0.0%	< 10					80%	120%
Te	1	3472440	< 10	< 10	0.0%	< 10					80%	120%
Th	1	3472440	< 5	< 5	0.0%	< 5					80%	120%
Ti	1	3472440	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
Tl	1	3472340	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
U	1	3472440	< 5	< 5	0.0%	< 5					80%	120%
V	1	3472440	1.70	1.54	9.9%	< 0.5					80%	120%
W	1	3472440	< 1	< 1	0.0%	< 1					80%	120%
Y	1	3472440	1	1	0.0%	< 1					80%	120%
Zn	1	3472440	5.2	5.8	10.9%	< 0.5					80%	120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y615538

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 09, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper

Zr	1	3472440	< 5	< 5	0.0%	< 5				80% 120%
----	---	---------	-----	-----	------	-----	--	--	--	----------

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Be	1					< 0.5	0.4	0.4	89%	80% 120%
Cd	1					< 0.5	0.1	0.10	96%	80% 120%
Cu	1					< 0.5	3858	3800	101%	80% 120%
Hg	1					< 1	1.1	1.3	85%	80% 120%
K	1					< 0.01	0.6	0.6	99%	80% 120%
Mo	1					< 0.5	362	380	95%	80% 120%
P	1					< 10	577	600	96%	80% 120%
Rb	1					< 10	11	13	85%	80% 120%
Se	1					< 10	0.8	0.8	101%	80% 120%
Sn	1					< 5	6.6	7.1	93%	80% 120%
Ti	1					< 0.01	0.06	0.07	86%	80% 120%
TI	1	3472365	< 0.01	< 0.01	0.0%	< 0.01				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Be	1					< 0.5	0.4	0.4	96%	80% 120%
Cu	1					< 0.5	3910	3800	102%	80% 120%
Hg	1					< 1	1.3	1.3	97%	80% 120%
Mo	1					< 0.5	363	380	95%	80% 120%
P	1					< 10	584	600	97%	80% 120%
Rb	1					< 10	12	13	96%	80% 120%
Se	1					< 10	0.8	0.8	96%	80% 120%
Sn	1					< 5	6.8	7.1	95%	80% 120%
Sr	1					< 0.5	324	390	83%	80% 120%
TI	1	3472390	0.059	0.044	29.1%	< 0.01				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Cu	1					< 0.5	3885	3800	102%	80% 120%
Hg	1					< 1	1.1	1.3	82%	80% 120%
P	1					< 10	608	600	101%	80% 120%
Sr	1					< 0.5	329	390	84%	80% 120%
TI	1	3472415	0.07	0.08	13.3%	< 0.01				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

B	1					< 5	6.22	7.00	89%	80% 120%
Cu	1					< 0.5	3958	3800	104%	80% 120%
Hg	1					< 1	1.2	1.3	95%	80% 120%
P	1					< 10	593	600	99%	80% 120%
Sr	1					< 0.5	330	390	85%	80% 120%
TI	1	3472440	< 0.01	< 0.01	0.0%	< 0.01				80% 120%

Certified By:

Method Summary

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y615538

PROJECT NO:

ATTENTION TO: Yinghua Chen

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
B	MIN-200-12020		ICP/OES
Ba	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
In	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP/OES
Li	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr	MIN-200-12020		ICP/OES
Ta	MIN-200-12020		ICP/OES
Te	MIN-200-12020		ICP/OES
Th	MIN-200-12020		ICP/OES
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP-MS
U	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP/OES
Y	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Zr	MIN-200-12020		ICP/OES
As-OL			AA
Pb-OL	MIN-200-12032		AA
Zn-OL	MIN-200-12032		AA
Sample Login Weight	MIN-12009		BALANCE

Method Summary

CLIENT NAME: ANTHILL RESOURCES

AGAT WORK ORDER: 12Y615538

PROJECT NO:

ATTENTION TO: Yinghua Chen

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES