

CLIENT NAME: ANTHILL RESOURCES (YUKON)
1090-999 WEST HASTINGS STREET
Vancouver, BC V6C2W2
(604) 569-3892

ATTENTION TO: Yinghua Chen

PROJECT NO:

AGAT WORK ORDER: 12Y617149

SOLID ANALYSIS REVIEWED BY: Kevin Motomura, ICP Supervisor

DATE REPORTED: Jul 25, 2012

PAGES (INCLUDING COVER): 78

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

***NOTES**



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
06049	1.2	0.81	8	<5	188	0.6	<1	6.07	<0.5	25	5.1	14.3	54.8	1.37
06050	1.6	0.98	9	<5	286	0.7	<1	9.48	<0.5	30	6.7	17.9	57.7	1.60
06051	1.3	1.18	20	<5	176	0.9	<1	6.91	<0.5	39	12.3	23.5	87.1	3.12
06052	1.1	0.81	30	<5	252	1.0	<1	2.64	1.3	38	10.4	17.9	74.2	2.81
06053	0.7	1.08	27	<5	299	1.1	<1	1.63	0.6	39	10.8	23.6	73.8	3.03
06054	1.0	1.23	17	<5	358	1.1	<1	1.73	0.8	44	11.4	25.8	71.8	2.98
06055	1.0	1.14	23	<5	345	1.3	<1	1.74	1.1	46	10.9	22.9	84.7	3.31
06056	1.1	0.60	14	<5	210	0.7	<1	3.22	0.9	28	6.6	13.3	52.5	1.80
06057	0.9	0.89	12	<5	231	0.9	<1	1.69	0.6	37	8.6	19.5	59.8	2.04
06058	1.3	0.68	20	<5	334	1.1	<1	1.74	0.9	39	8.9	12.5	60.2	2.28
06059	1.3	0.37	20	<5	356	0.8	<1	5.62	<0.5	31	8.3	6.1	58.6	2.34
06060	1.5	0.78	17	<5	324	1.0	<1	1.58	0.8	33	7.3	14.6	54.6	2.20
06061	1.5	0.45	20	<5	237	0.9	<1	1.84	1.7	36	5.6	7.9	49.6	1.74
06062	0.9	0.96	11	<5	224	0.7	<1	4.20	0.8	26	3.8	15.7	28.6	1.29
06063	1.3	0.61	11	<5	233	0.7	<1	6.86	1.0	27	4.3	17.3	41.3	1.21
06064	1.2	0.64	19	<5	296	1.0	<1	1.93	1.5	36	6.7	16.1	86.2	1.67
06065	0.7	1.00	32	<5	372	1.0	<1	3.32	<0.5	32	8.9	30.0	50.2	2.60
06066	1.4	0.56	21	<5	262	0.6	<1	8.34	<0.5	27	6.3	22.1	92.4	1.73
06067	0.9	0.92	26	<5	344	1.2	<1	1.88	<0.5	35	10.5	27.3	57.8	2.83
06068	0.9	0.91	20	<5	314	1.0	<1	2.75	<0.5	30	8.6	33.5	57.0	2.47
06069	1.4	1.15	24	<5	398	1.1	<1	1.59	2.5	42	12.7	31.0	95.3	3.68
06070	0.3	1.23	18	<5	339	0.8	<1	0.84	0.6	41	9.0	24.6	46.3	2.99
06071	1.5	0.78	26	<5	218	0.8	<1	5.82	0.8	33	10.2	15.5	74.2	3.09
06072	0.6	0.87	24	<5	331	0.9	<1	1.13	0.6	31	12.7	18.6	53.0	3.15
06073	0.3	1.06	19	<5	329	1.0	<1	0.93	<0.5	36	9.5	31.5	38.0	2.99
06074	0.6	0.81	24	<5	235	0.9	<1	2.27	1.1	30	12.6	17.6	52.2	3.23
06075	<0.2	1.09	19	<5	303	1.0	<1	0.52	<0.5	37	13.3	20.8	41.1	3.47
06076	0.3	0.84	30	<5	369	0.8	<1	0.74	0.7	33	10.8	17.8	70.1	3.23
06077	0.7	0.75	22	<5	345	0.9	<1	1.48	1.3	30	8.5	15.7	79.1	2.54
06078	0.6	0.83	20	<5	495	0.9	<1	1.37	<0.5	29	9.4	20.1	51.0	3.06
06079	0.4	0.83	23	<5	349	1.0	<1	1.12	0.8	37	12.4	23.6	61.5	3.29
06080	1.0	0.67	31	<5	210	0.7	<1	3.54	2.6	31	5.9	14.2	40.3	1.84

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
06081	0.8	1.44	12	<5	272	1.1	<1	1.87	1.1	37	6.5	26.6	87.4	1.83
06082	0.9	1.06	19	<5	215	0.9	<1	2.77	0.6	38	7.9	22.1	53.7	2.10
06083	0.9	1.21	21	<5	223	1.1	<1	2.22	0.8	44	9.4	27.7	55.4	2.57
06084	1.4	1.01	27	<5	200	0.9	<1	5.66	0.9	35	9.7	24.8	70.3	2.65
06085	1.9	0.72	25	<5	260	0.7	<1	10.7	1.3	27	9.0	20.7	66.2	2.39
06086	4.4	0.51	82	<5	428	0.8	<1	8.45	26.7	20	15.9	12.7	197	3.31
06087	1.6	0.73	19	<5	292	0.8	<1	6.26	0.7	33	6.9	22.8	58.4	2.24
06088	1.0	0.79	22	<5	451	0.8	<1	4.18	0.7	31	10.1	21.5	59.7	2.87
06089	0.6	1.05	18	<5	451	0.9	<1	1.82	<0.5	33	9.2	27.5	53.2	2.58
06090	1.0	1.07	19	<5	303	1.2	<1	1.10	<0.5	40	9.6	25.5	62.3	2.85
06091	0.9	0.73	17	<5	248	0.7	<1	3.05	<0.5	30	9.0	18.2	51.0	2.48
06092	0.6	1.23	19	<5	307	1.0	<1	1.51	<0.5	39	11.3	31.0	61.1	3.27
06093	0.7	1.08	16	<5	359	1.0	<1	1.29	0.5	32	8.4	30.4	60.3	2.61
06094	0.4	1.10	18	<5	353	0.9	<1	1.39	<0.5	30	8.2	27.4	46.2	2.58
06095	0.4	0.94	18	<5	222	0.8	<1	0.87	<0.5	35	10.3	21.4	42.1	3.05
06096	0.4	1.12	15	<5	315	0.9	<1	1.34	<0.5	35	10.5	25.5	45.8	3.04
06097	0.6	1.17	15	<5	268	0.9	<1	2.19	<0.5	33	9.9	26.2	52.3	2.82
06098	0.6	1.28	16	<5	339	1.0	<1	1.58	<0.5	34	10.4	29.0	60.5	3.15
06099	0.8	1.07	16	<5	351	0.9	<1	1.99	<0.5	32	10.0	27.3	55.4	2.84
06100	0.5	1.17	18	<5	400	1.0	<1	1.77	<0.5	37	10.0	31.9	54.2	2.79
06101	0.4	0.89	21	<5	355	1.0	<1	1.18	<0.5	40	9.8	27.9	54.1	2.81
06102	0.4	1.15	23	<5	388	1.1	<1	1.14	<0.5	52	11.0	36.2	53.7	3.17
06103	0.7	1.16	20	<5	375	1.0	<1	1.17	<0.5	38	10.8	34.7	45.1	2.99
06104	1.7	0.71	50	<5	355	0.9	<1	4.46	<0.5	60	14.9	13.9	167	3.63
06105	0.3	1.20	11	<5	287	0.7	<1	1.21	<0.5	37	8.3	34.3	28.0	2.27
06106	0.8	1.19	13	<5	482	1.0	<1	2.71	1.0	46	8.3	30.2	37.8	2.71
06107	0.6	1.21	11	<5	398	0.9	<1	1.10	<0.5	33	8.6	26.2	36.3	2.76
06108	0.5	1.05	15	<5	288	0.8	<1	2.79	<0.5	32	11.0	25.0	42.1	3.34
06109	<0.2	1.65	8	<5	213	1.0	<1	1.73	<0.5	26	13.0	23.2	36.7	3.69
06110	1.3	0.90	24	<5	208	1.0	<1	1.86	1.9	43	6.3	13.3	34.6	2.10
06111	0.6	0.95	30	<5	464	1.8	<1	0.73	<0.5	41	15.1	17.9	228	3.68
06112	0.5	1.07	16	<5	271	0.8	<1	1.25	1.6	30	9.5	26.6	61.9	2.95

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
06113	<0.2	0.27	11	<5	159	0.7	<1	0.07	<0.5	20	18.1	5.0	21.2	3.15
06114	<0.2	0.45	8	<5	113	0.9	<1	0.03	<0.5	29	18.4	5.4	25.5	2.57
06115	<0.2	0.27	9	<5	132	0.9	<1	0.02	<0.5	25	23.0	3.7	26.4	2.80
06116	<0.2	0.22	9	<5	153	0.7	<1	0.02	<0.5	28	19.4	3.2	21.8	2.85
06117	<0.2	0.23	9	<5	110	0.8	<1	0.03	<0.5	23	17.9	3.3	19.5	2.84
06118	<0.2	0.33	9	<5	135	0.8	<1	0.05	<0.5	29	17.7	4.0	21.8	2.91
06119	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06120	<0.2	0.22	12	<5	112	0.7	<1	0.06	<0.5	38	15.2	2.3	25.0	2.83
06121	<0.2	0.23	10	<5	123	0.7	<1	0.08	<0.5	41	15.8	2.0	26.5	2.98
06122	<0.2	0.19	10	<5	144	0.7	<1	0.04	<0.5	37	16.0	3.8	22.7	2.63
06123	<0.2	0.21	10	<5	130	0.7	<1	0.07	<0.5	31	14.7	1.9	21.8	2.66
06124	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06125	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06126	<0.2	0.24	9	<5	164	0.6	<1	0.14	<0.5	26	16.3	8.6	25.3	2.38
06127	<0.2	0.25	10	<5	182	0.7	<1	0.06	<0.5	25	13.0	2.1	19.6	2.31
06128	<0.2	0.61	14	<5	320	0.8	<1	0.18	<0.5	29	11.1	7.7	21.5	2.59
06129	0.6	0.41	41	<5	522	1.3	<1	2.06	<0.5	33	23.7	33.1	57.2	3.71
06130	<0.2	0.98	11	<5	253	0.8	<1	0.23	<0.5	35	14.3	12.1	27.4	3.83
06131	<0.2	0.61	12	<5	248	0.9	<1	0.26	<0.5	24	11.7	6.8	28.4	3.23
06132	0.4	0.62	13	<5	281	0.8	<1	0.23	15.7	33	13.9	7.2	32.8	3.13
06133	0.6	0.70	38	<5	1190	0.8	<1	0.09	1.1	13	9.2	10.8	44.7	4.91
06134	<0.2	0.98	11	<5	537	0.7	<1	0.22	<0.5	23	7.8	10.1	16.8	2.66
06135	<0.2	0.58	40	<5	399	1.1	<1	0.14	1.8	10	30.2	7.7	46.1	3.24
06136	<0.2	0.91	25	<5	735	0.7	<1	0.24	<0.5	10	7.1	9.8	34.1	2.66
06137	<0.2	0.57	33	<5	559	<0.5	<1	0.20	<0.5	8	4.9	8.7	20.8	2.57
06138	<0.2	0.47	48	<5	285	<0.5	<1	0.01	<0.5	12	4.4	9.8	40.2	3.35
06139	<0.2	1.90	25	<5	1310	1.0	<1	0.29	<0.5	20	11.1	22.3	31.2	3.65
06140	1.5	1.53	44	<5	1130	1.1	<1	0.39	<0.5	22	8.5	20.4	51.9	4.84
06141	<0.2	1.23	17	<5	473	1.0	<1	0.08	1.2	25	20.2	16.5	40.3	3.06
06142	<0.2	1.36	22	<5	892	0.9	<1	0.13	<0.5	19	10.7	20.5	36.9	3.56
06143	0.3	0.53	22	<5	199	<0.5	<1	0.02	<0.5	14	5.6	12.2	21.6	2.41
06144	0.6	0.73	45	<5	524	0.5	<1	0.12	1.0	13	5.5	16.4	32.3	2.96

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
06145	0.4	1.08	38	<5	565	0.7	<1	0.06	<0.5	19	8.7	19.1	36.2	2.88
06146	<0.2	0.93	32	<5	920	0.8	<1	0.19	<0.5	9	4.1	13.3	31.1	3.06
06147	0.3	1.14	23	<5	240	0.8	<1	0.02	<0.5	20	14.0	17.2	40.4	2.88
06148	<0.2	1.12	25	<5	393	0.8	<1	0.04	0.7	23	10.3	17.3	37.2	2.83
06149	<0.2	1.45	27	<5	340	1.1	<1	0.05	<0.5	16	10.9	20.1	62.5	2.88
06150	<0.2	0.79	12	<5	241	0.6	<1	0.05	<0.5	20	4.3	11.5	31.1	2.49
06151	<0.2	1.09	20	<5	232	0.5	<1	0.08	<0.5	16	14.3	9.0	86.0	14.1
06152	0.2	0.36	8	<5	136	<0.5	<1	0.02	<0.5	25	<0.5	5.7	7.0	0.95
06153	<0.2	0.62	32	<5	181	<0.5	<1	0.02	<0.5	18	6.8	12.0	28.7	2.94
06154	0.3	0.44	36	<5	452	<0.5	<1	0.05	<0.5	13	5.5	11.8	20.2	2.12
06155	1.2	1.46	74	<5	1300	0.9	<1	0.14	<0.5	10	7.9	23.6	37.2	4.37
06156	<0.2	0.90	19	<5	445	0.9	<1	0.05	<0.5	19	26.2	13.0	36.2	3.09
06157	<0.2	0.62	16	<5	437	0.6	<1	0.13	0.5	17	9.9	10.3	28.4	2.73
06158	<0.2	1.04	15	<5	853	0.8	<1	0.34	1.8	14	7.9	14.8	27.1	2.66
06159	<0.2	1.25	20	<5	1110	0.9	<1	0.32	<0.5	16	9.6	17.3	31.0	3.03
06160	0.4	1.00	13	<5	866	0.8	<1	0.32	<0.5	26	9.4	13.0	26.1	3.51
06161	0.5	1.12	12	<5	812	0.8	<1	0.41	0.8	22	7.2	13.4	22.7	2.50
06162	<0.2	0.82	30	<5	416	<0.5	<1	0.23	1.4	17	7.5	13.5	20.7	2.75
06163	0.4	0.51	25	<5	477	<0.5	<1	0.13	<0.5	25	10.0	8.9	34.9	2.68
06164	0.6	0.69	36	<5	488	0.8	<1	0.30	2.7	15	10.4	9.4	35.2	1.71
06165	<0.2	0.13	9	<5	166	0.5	<1	0.03	<0.5	37	13.0	1.9	18.6	1.99
06166	<0.2	0.15	15	<5	150	0.8	<1	0.04	<0.5	41	17.1	0.5	21.0	2.71
06167	<0.2	0.23	18	<5	130	0.8	<1	0.02	<0.5	25	12.9	1.7	17.5	2.30
06168	<0.2	0.44	16	<5	225	0.7	<1	0.04	<0.5	20	11.7	6.0	19.5	2.41
06169	<0.2	0.16	13	<5	127	0.6	<1	0.04	<0.5	30	14.3	1.9	21.8	2.46
06170	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06171	<0.2	0.18	11	<5	74	0.6	<1	0.04	<0.5	14	14.7	1.3	18.9	2.65
06172	<0.2	0.42	14	<5	254	0.9	<1	0.21	<0.5	38	13.4	2.6	19.8	2.37
06173	<0.2	0.52	17	<5	327	2.1	<1	0.12	2.0	22	81.5	1.3	23.7	15.7
06174	<0.2	0.83	29	<5	770	0.7	<1	0.33	0.7	14	8.0	15.0	21.6	2.25
06175	1.0	1.38	16	<5	971	0.7	<1	0.39	7.5	20	4.4	17.1	23.7	1.70
06176	0.5	0.63	26	<5	825	0.6	<1	0.35	0.8	14	5.9	10.5	28.0	2.49

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
06177		0.8	1.04	27	<5	1130	0.7	<1	0.51	1.0	14	6.7	16.9	24.7	3.05
06178		0.5	0.94	13	<5	1260	0.7	<1	0.43	2.5	18	11.6	15.7	23.5	1.86
06179		<0.2	1.14	24	<5	1010	0.8	<1	0.42	1.5	16	7.3	16.5	25.5	3.01
06180		<0.2	1.02	19	<5	841	0.8	<1	0.08	<0.5	18	21.7	13.4	28.9	3.40
06181		1.1	0.57	38	<5	282	0.6	<1	4.42	5.0	22	5.9	23.9	63.2	1.71
06182		0.5	0.54	30	<5	323	<0.5	<1	3.38	3.3	25	6.3	23.3	44.4	2.01
06183		0.8	0.56	26	9	331	<0.5	<1	4.85	4.3	18	4.5	22.6	44.0	1.37
06184		0.8	0.73	27	11	350	0.5	<1	5.56	3.4	19	5.3	27.7	49.3	1.49
06185		1.6	0.74	41	14	390	0.6	<1	7.49	11.3	24	5.5	37.9	108	1.61
06186		1.2	0.80	34	7	381	0.7	<1	2.87	5.7	29	5.9	38.7	60.0	1.85
06187		0.7	0.60	32	8	337	0.5	<1	4.52	3.0	20	5.5	24.5	50.0	1.48
06188		1.2	0.57	29	7	322	0.5	<1	5.86	4.8	22	4.7	23.0	51.7	1.42
06189		2.4	0.56	34	<5	382	0.7	<1	2.90	7.0	23	4.7	46.9	102	1.57
06190		1.2	0.64	29	8	345	0.6	<1	5.79	4.9	21	4.8	25.2	53.5	1.44
06191		0.6	0.75	79	<5	450	0.9	<1	2.07	<0.5	45	14.0	55.4	75.8	3.37
06192		1.0	1.38	23	<5	354	1.0	<1	2.08	0.7	40	8.4	38.0	60.8	2.45
06193		0.9	1.18	58	<5	406	0.9	<1	2.62	0.5	39	7.5	34.1	51.9	2.56
06194		0.8	1.05	21	<5	336	0.7	<1	2.14	1.0	25	5.9	23.7	51.0	1.84
06195		0.9	0.96	27	<5	273	0.8	<1	2.45	0.9	35	5.2	28.3	41.6	1.88
06196		0.9	0.90	47	<5	274	0.9	<1	1.45	0.5	45	12.0	42.5	61.6	2.55
06197		1.0	0.92	17	<5	323	0.8	<1	2.36	<0.5	31	5.2	18.4	88.9	1.71
06198		1.4	1.49	18	8	393	1.1	<1	2.04	1.6	39	5.8	32.0	85.7	2.02
06199		1.0	1.41	17	7	261	0.9	<1	2.21	1.8	36	5.8	30.7	69.4	1.95
06200		0.9	1.14	18	<5	344	0.7	<1	3.67	0.6	39	7.4	28.7	48.8	2.24
06201		1.0	1.05	29	<5	309	0.9	<1	2.10	2.3	36	7.9	27.7	70.9	2.12
06202		0.6	1.37	15	<5	333	0.9	<1	1.26	1.0	39	6.2	31.3	62.2	2.05
06203		0.6	1.46	18	<5	313	1.0	<1	1.62	<0.5	42	9.2	31.4	51.6	2.56
06204		0.6	1.28	18	<5	324	1.0	<1	1.18	<0.5	39	9.6	29.8	55.3	2.61
06205		0.3	1.68	21	<5	396	1.2	<1	0.91	<0.5	47	10.0	28.2	58.5	3.06
06206		0.4	1.73	21	<5	261	1.0	<1	0.67	<0.5	40	9.3	29.3	56.2	2.98
06207		1.0	0.85	17	<5	361	0.5	<1	8.29	<0.5	29	6.8	16.1	55.1	1.78
06208		1.0	0.95	32	<5	404	0.8	<1	2.64	4.6	32	8.2	34.6	59.9	2.13

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
06209	1.2	0.65	32	5	311	0.6	<1	5.47	6.9	23	5.0	31.3	71.0	1.49
06210	0.7	0.43	25	<5	227	0.5	<1	2.52	2.9	20	5.3	19.6	38.4	1.54
06211	0.3	0.35	19	<5	290	<0.5	<1	3.62	3.4	15	4.2	14.7	34.8	1.10
06212	0.8	0.54	32	<5	321	0.6	<1	3.08	4.6	23	5.7	25.2	60.4	1.67
06213	1.8	0.57	32	<5	357	0.6	<1	4.96	9.8	22	5.5	33.2	91.2	1.52
06214	1.3	0.51	25	<5	363	0.7	<1	4.78	7.0	26	5.0	27.6	64.0	1.47
06215	0.2	0.61	28	<5	391	0.7	<1	2.67	6.1	25	5.6	24.8	52.7	1.55
06216	1.9	0.35	27	<5	315	0.6	<1	4.32	7.7	20	5.1	20.1	75.0	1.35
06217	0.8	1.05	32	<5	513	1.1	<1	1.30	1.9	38	10.5	39.1	149	2.28
06218	0.9	0.90	53	<5	370	1.0	<1	4.15	1.0	47	17.0	45.3	73.2	3.36
06219	0.5	0.90	42	<5	268	0.8	<1	2.27	1.5	34	10.4	35.1	70.5	2.40
06220	0.7	0.97	22	<5	266	0.9	<1	1.62	1.7	34	9.7	30.4	60.8	2.45
06221	0.4	0.94	51	<5	396	1.0	<1	1.18	1.6	48	8.2	27.6	55.7	2.73
06222	0.7	1.25	22	<5	383	1.0	<1	1.42	0.9	37	9.7	31.9	70.8	2.78
06223	0.9	1.26	23	<5	249	1.0	<1	1.95	1.8	38	6.8	29.6	68.2	2.14
06224	1.1	1.45	19	<5	309	1.1	<1	1.53	2.2	40	7.3	32.1	79.7	2.35
06225	1.1	1.55	22	<5	365	1.1	<1	1.67	2.4	38	7.2	35.0	83.9	2.37
06226	1.5	1.26	23	<5	304	1.0	<1	1.93	2.3	38	6.8	28.1	105	2.08
06227	1.0	1.47	18	<5	337	1.1	<1	1.71	2.4	39	7.6	34.9	105	2.20
06228	0.5	1.38	18	<5	529	1.0	<1	1.72	1.7	40	9.0	33.3	86.2	2.35
06229	0.4	1.55	24	<5	385	1.2	<1	0.88	1.4	41	9.1	35.1	77.8	2.89
06230	0.4	1.61	24	<5	441	1.2	<1	1.30	1.0	39	10.5	35.1	75.9	3.15
06231	0.3	1.61	17	<5	386	1.2	<1	1.32	1.0	43	10.5	32.4	67.3	2.50
06232	0.6	1.69	19	<5	392	1.3	<1	1.96	1.0	47	10.7	28.6	77.1	2.98
06233	0.5	1.39	12	<5	415	1.1	<1	2.40	1.1	49	7.8	22.9	36.7	2.18
06234	0.9	1.14	17	<5	314	0.9	<1	4.66	1.4	42	7.9	20.2	51.6	2.36
06501	<0.2	0.99	21	<5	240	<0.5	<1	0.03	0.6	18	5.1	17.2	28.4	2.85
06502	<0.2	0.75	20	<5	272	<0.5	<1	0.07	3.0	16	5.4	14.8	26.6	2.39
06503	<0.2	0.76	20	<5	223	0.6	<1	0.02	0.8	22	9.9	15.1	31.5	2.48
06504	<0.2	0.43	28	<5	493	<0.5	<1	0.03	<0.5	4	1.7	8.9	24.0	1.98
06505	<0.2	0.33	18	<5	787	<0.5	<1	0.07	<0.5	3	0.9	5.2	15.0	1.51
06506	<0.2	0.21	15	<5	784	<0.5	<1	0.23	<0.5	3	<0.5	5.1	24.6	1.42

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
06507	<0.2	0.53	14	<5	321	<0.5	<1	0.01	<0.5	8	1.9	9.3	19.6	1.37
06508	<0.2	0.65	26	<5	275	<0.5	<1	0.01	<0.5	12	5.5	12.0	29.5	2.72
06509	<0.2	1.87	59	<5	1270	0.9	<1	0.03	<0.5	9	5.1	27.1	58.2	4.24
06510	<0.2	1.88	32	<5	1130	1.7	<1	0.09	0.6	15	26.8	26.6	111	4.27
06511	0.3	1.44	18	<5	528	1.6	<1	0.21	1.8	25	36.2	19.2	36.2	3.71
06512	<0.2	1.12	16	<5	407	1.4	<1	0.10	<0.5	22	11.1	10.7	36.1	12.2
06513	<0.2	0.86	16	<5	372	1.1	<1	0.09	<0.5	25	9.1	10.5	25.4	5.69
06514	<0.2	0.85	22	<5	773	0.9	<1	0.18	2.4	28	23.3	13.8	45.7	3.83
06515	<0.2	0.53	19	<5	639	<0.5	<1	0.16	4.6	23	10.9	10.6	25.5	4.93
06516	<0.2	0.84	35	<5	782	0.9	<1	0.42	5.1	22	17.5	14.7	47.6	3.49
06517	<0.2	0.29	9	<5	124	0.5	<1	0.09	<0.5	20	11.1	5.0	14.9	2.11
06518	0.9	0.97	14	<5	319	0.9	<1	4.25	1.3	38	7.5	17.9	47.5	2.18
06519	0.7	1.15	13	<5	334	0.9	<1	2.78	0.9	40	6.7	20.1	39.4	1.97
06520	1.3	1.16	16	<5	324	0.9	<1	5.55	0.9	32	6.8	20.8	63.7	1.97
06521	0.3	1.34	16	<5	336	1.0	<1	1.35	0.6	37	8.0	23.1	53.8	2.36
06522	0.5	1.19	16	<5	317	1.0	<1	1.12	0.7	30	8.4	27.5	54.0	2.61
06523	0.3	1.11	15	<5	262	0.9	<1	1.05	0.9	29	9.6	25.6	60.4	2.74
06524	<0.2	1.31	15	<5	265	1.0	<1	0.99	1.4	38	11.6	29.7	72.6	3.23
06525	<0.2	1.26	8	<5	233	0.9	<1	0.32	<0.5	31	14.2	19.2	34.2	3.32
06526	0.5	1.16	8	<5	146	0.7	<1	4.28	<0.5	20	13.7	16.0	41.2	3.13
06527	<0.2	1.34	10	<5	180	0.8	<1	0.58	<0.5	24	13.0	18.4	35.6	3.57
06528	<0.2	1.32	10	<5	266	0.9	<1	0.90	0.7	26	11.1	23.2	45.7	3.04
06529	<0.2	1.14	10	<5	142	0.7	<1	2.30	<0.5	21	12.3	16.9	43.9	3.27
06530	<0.2	1.14	13	<5	258	0.8	<1	0.82	0.9	23	11.2	22.0	60.0	3.01
06531	<0.2	1.39	17	<5	376	1.0	<1	0.81	1.3	35	18.4	30.3	75.2	3.52
06532	<0.2	1.19	17	<5	308	0.9	<1	0.80	0.9	36	11.7	26.5	56.3	3.14
06533	0.7	0.92	15	<5	265	0.8	<1	2.76	<0.5	29	9.3	21.1	111	2.44
06534	0.8	1.28	12	<5	318	1.0	<1	1.75	1.4	53	9.3	26.6	62.9	2.64
06535	0.6	1.27	23	<5	386	1.1	<1	0.82	1.4	43	8.4	29.6	65.9	2.82
06536	1.6	0.85	23	<5	432	0.8	<1	7.96	1.5	32	7.5	17.4	108	2.06
06537	1.3	0.59	19	<5	283	0.9	<1	2.21	1.9	36	8.3	14.8	76.8	2.16
06538	0.9	0.90	18	<5	355	1.0	<1	2.36	2.3	44	7.1	18.9	55.9	2.22

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
06539	0.7	1.37	20	<5	345	1.2	<1	1.29	1.4	42	11.5	28.5	95.9	3.06
06540	<0.2	1.44	10	<5	189	0.8	<1	1.23	<0.5	29	13.6	19.3	41.6	3.33
06541	<0.2	1.23	9	<5	152	0.7	<1	0.99	<0.5	29	14.5	17.5	34.3	3.32
06542	0.3	1.41	9	<5	110	0.6	<1	4.11	<0.5	26	15.2	16.7	38.2	3.63
06543	0.9	0.80	18	<5	396	0.6	<1	7.61	1.1	25	6.9	14.2	110	1.79
06544	1.0	0.81	15	<5	263	0.7	<1	3.77	1.1	31	6.2	14.9	51.6	1.78
06545	1.1	0.73	15	<5	279	0.7	<1	4.54	0.6	30	6.3	13.5	56.7	1.81
06546	0.3	1.30	12	<5	348	0.8	<1	1.88	1.3	32	7.2	21.9	43.6	2.05
06547	0.7	1.13	14	<5	284	0.9	<1	3.48	1.9	40	7.0	20.0	47.0	1.86
06548	0.6	1.24	16	<5	309	1.0	<1	1.14	1.1	35	8.8	25.4	67.2	2.55
06549	<0.2	1.16	16	<5	268	0.9	<1	0.80	1.6	31	8.1	26.9	54.8	2.70
06550	<0.2	1.46	8	<5	204	0.9	<1	0.47	<0.5	26	13.6	20.0	40.3	3.48
06551	0.3	1.08	13	<5	160	0.6	<1	2.58	<0.5	21	11.8	16.8	56.4	3.28
06552	0.5	1.07	19	<5	188	0.7	<1	2.53	0.8	26	13.4	19.0	68.3	3.38
06553	<0.2	1.06	9	<5	151	0.6	<1	1.43	<0.5	18	10.4	14.3	34.6	3.05
06554	<0.2	1.30	9	<5	176	0.8	<1	0.39	<0.5	24	13.6	18.4	43.4	3.56
06555	0.8	1.16	18	<5	170	0.6	<1	6.27	0.5	29	14.6	16.6	64.7	3.48
06556	<0.2	1.32	9	<5	194	0.8	<1	0.60	<0.5	28	13.4	20.4	56.2	3.53
06557	<0.2	1.24	12	<5	215	0.9	<1	1.06	0.7	30	12.7	21.4	46.5	3.13
06558	<0.2	1.05	13	<5	232	0.8	<1	0.77	<0.5	28	11.5	20.8	51.7	3.06
06559	<0.2	1.12	12	<5	233	0.8	<1	0.70	0.9	28	11.8	21.9	57.3	3.08
06560	0.4	1.25	12	<5	161	0.7	<1	3.45	<0.5	26	13.5	17.7	45.8	3.46
06561	1.3	0.55	22	<5	392	0.7	<1	4.11	1.2	28	7.2	11.0	63.1	2.20
06562	0.8	0.39	14	<5	264	0.5	<1	3.32	1.7	22	5.2	7.8	44.4	1.44
06563	1.5	0.70	26	<5	426	0.8	<1	5.24	1.5	32	9.1	16.3	94.8	2.53
06564	1.5	0.74	18	<5	245	0.9	<1	4.24	1.3	34	7.6	18.8	77.6	2.11
06751	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06752	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06753	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06754	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06755	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06756	0.6	0.89	18	<5	718	0.7	<1	0.48	2.6	15	6.5	13.6	27.9	2.22

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
06757	<0.2	0.69	22	<5	631	0.6	<1	0.27	1.4	22	14.7	11.1	40.9	2.99
06758	<0.2	0.21	8	<5	145	0.8	<1	0.03	<0.5	24	19.3	3.3	21.1	2.75
06759	<0.2	0.28	8	<5	115	0.7	<1	0.04	<0.5	25	16.4	4.3	21.3	2.50
06760	<0.2	0.25	8	<5	109	0.7	<1	0.02	<0.5	28	16.9	2.9	23.9	2.29
06761	<0.2	0.20	9	<5	122	0.7	<1	0.05	<0.5	38	14.2	1.7	25.9	2.53
06762	<0.2	0.48	8	<5	170	1.0	<1	0.04	<0.5	36	25.4	5.6	35.6	2.77
06763	<0.2	0.23	8	<5	151	0.7	<1	0.03	<0.5	33	17.8	2.2	27.7	2.44
06764	<0.2	0.25	9	<5	155	0.6	<1	0.03	<0.5	31	16.1	3.0	22.7	2.17
06765	<0.2	0.20	7	<5	147	0.6	<1	0.05	<0.5	36	18.6	4.5	24.1	2.02
06766	<0.2	0.14	9	<5	191	0.6	<1	0.06	<0.5	44	15.4	0.7	22.4	2.41
06767	<0.2	0.32	12	<5	173	0.8	<1	0.05	<0.5	29	13.1	3.5	24.6	2.56
06768	<0.2	0.17	11	<5	54	<0.5	<1	0.02	<0.5	16	11.8	2.2	18.0	2.17
06769	<0.2	0.33	11	<5	171	0.7	<1	0.04	<0.5	31	12.6	3.4	21.0	2.55
06770	1.5	0.61	86	<5	362	0.9	<1	4.33	12.8	26	5.3	39.1	136	1.60
06771	<0.2	0.93	71	<5	310	1.1	<1	1.11	<0.5	84	38.4	90.8	84.0	6.81
06772	0.2	0.62	22	<5	250	0.6	<1	1.52	3.0	25	6.7	27.5	41.5	1.37
06773	<0.2	0.65	31	<5	401	0.8	<1	2.23	3.1	26	6.2	34.3	49.5	1.69
06774	<0.2	1.02	81	<5	356	0.8	<1	2.59	1.7	42	13.8	75.5	55.9	3.34
06775	0.6	0.53	39	<5	382	0.7	<1	3.40	3.5	26	7.3	29.4	60.4	2.07
06776	1.1	0.44	67	<5	423	0.7	<1	2.91	6.3	30	11.5	42.5	76.8	2.54
06777	1.5	0.64	40	<5	570	0.7	<1	3.29	3.4	44	12.0	35.5	80.6	3.21
06778	1.6	0.80	58	<5	468	1.1	<1	1.95	2.1	34	9.1	31.0	151	2.61
06779	0.9	0.76	95	<5	676	0.9	<1	1.67	2.3	48	17.3	49.4	107	3.58
06780	0.7	0.48	56	<5	269	0.9	<1	1.78	<0.5	38	11.7	30.8	80.7	3.09
06781	1.6	0.69	22	<5	298	0.6	<1	9.15	1.2	25	8.8	20.3	78.0	2.52
06782	0.7	1.45	35	<5	245	1.0	<1	1.37	1.3	30	6.3	29.6	49.5	1.98
06783	0.9	0.98	32	<5	333	1.0	<1	1.73	1.7	33	7.8	24.7	72.8	2.08
06784	0.9	1.02	20	<5	263	0.9	<1	2.78	0.9	32	9.4	29.3	64.4	2.60
06785	0.5	0.88	43	<5	249	0.9	<1	1.83	1.5	37	8.6	31.4	64.6	1.94
06786	1.0	1.13	19	<5	275	0.9	<1	2.18	2.1	33	6.1	24.2	63.4	1.72
06787	1.1	1.07	13	<5	238	0.9	<1	1.77	2.1	31	5.3	25.3	84.1	1.71
06788	1.0	0.98	13	<5	244	0.8	<1	2.11	2.5	29	5.2	23.2	71.0	1.75

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
06789	1.1	0.90	45	<5	309	0.9	<1	2.07	2.4	40	10.2	31.0	90.3	2.47
06790	0.8	1.15	19	<5	254	0.9	<1	2.04	1.6	31	6.3	24.5	85.4	1.89
06791	1.0	0.96	24	<5	343	0.9	<1	2.46	0.7	30	10.0	25.7	96.5	2.62
06792	0.6	1.00	19	<5	312	0.9	<1	1.59	1.2	38	10.9	31.1	72.5	2.76
06793	0.8	1.08	17	<5	329	1.0	<1	1.73	0.7	38	9.4	24.1	89.9	2.47
06794	0.3	1.05	16	<5	392	0.8	<1	1.43	<0.5	34	6.7	19.1	58.0	2.29
06795	1.8	0.85	19	<5	290	0.8	<1	9.00	0.6	32	8.6	16.1	86.0	2.34
06796	1.5	0.86	18	<5	263	0.8	<1	6.00	0.8	35	7.2	15.7	63.7	2.10
06797	<0.2	0.78	30	<5	241	<0.5	<1	0.02	<0.5	16	6.5	17.4	27.5	3.15
06798	<0.2	0.65	22	<5	198	<0.5	<1	0.02	<0.5	15	4.9	14.0	22.7	2.25
06799	<0.2	0.79	24	<5	263	0.6	<1	0.02	0.5	18	7.4	13.4	32.0	2.88
06800	<0.2	1.99	38	<5	1070	1.1	<1	0.24	1.8	11	7.5	31.3	47.1	4.18
06801	<0.2	1.00	22	<5	366	0.5	<1	0.09	<0.5	20	9.0	11.9	34.6	4.55
06802	<0.2	1.09	23	<5	506	0.9	<1	0.14	1.5	17	9.0	16.4	42.9	2.54
06803	0.3	1.79	33	<5	674	1.3	<1	0.09	<0.5	13	236	30.0	84.8	8.86
06804	<0.2	0.55	17	<5	791	0.5	<1	0.08	<0.5	10	4.0	9.2	31.5	1.84
06805	<0.2	1.14	20	<5	206	0.5	<1	0.03	<0.5	24	8.1	18.2	25.9	2.90
06806	<0.2	0.65	61	<5	330	<0.5	<1	0.04	<0.5	15	6.2	25.3	57.2	6.66
06807	<0.2	0.58	49	<5	332	<0.5	<1	0.03	<0.5	18	12.8	19.3	50.9	4.29
06808	<0.2	0.52	48	<5	335	<0.5	<1	0.05	<0.5	15	6.3	13.5	41.6	2.81
06809	<0.2	0.78	27	<5	742	0.7	<1	0.14	1.6	21	10.3	13.3	48.8	2.92
06810	<0.2	0.82	20	<5	723	0.8	<1	0.12	0.7	19	17.0	13.4	57.3	3.81
06811	<0.2	1.50	19	<5	1080	1.1	<1	0.14	1.6	22	11.9	20.9	50.9	3.70
06812	<0.2	1.14	16	<5	1420	1.1	<1	0.41	4.3	12	11.6	13.8	71.6	3.08
06813	0.3	0.84	9	<5	707	0.6	<1	0.25	0.9	24	4.3	10.9	18.5	1.70
06814	0.3	1.04	35	<5	774	1.0	<1	0.31	1.3	21	13.0	13.5	28.7	4.26
06815	0.2	1.05	13	<5	561	0.8	<1	0.39	0.7	17	5.7	15.0	23.2	2.37
06816	0.3	0.69	101	<5	384	0.8	<1	0.38	7.0	18	8.8	9.6	37.1	2.98
06817	<0.2	0.86	21	<5	531	0.8	<1	0.41	2.5	17	7.1	12.2	29.4	2.59
06818	<0.2	0.57	9	<5	313	0.5	<1	0.21	1.3	21	9.6	9.1	18.4	1.54
06819	0.3	0.67	29	<5	426	<0.5	<1	0.02	<0.5	19	5.9	16.3	28.7	3.03
06820	1.4	0.58	53	<5	716	<0.5	<1	0.05	1.1	12	2.8	13.7	25.7	3.02

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
06821	<0.2	1.11	43	<5	411	0.9	<1	0.02	0.9	17	11.0	24.0	86.2	4.00
06822	<0.2	0.72	64	<5	676	0.5	<1	0.05	<0.5	13	3.5	17.1	32.5	3.55
06823	<0.2	0.84	22	<5	204	0.6	<1	0.02	<0.5	21	9.5	15.2	30.1	3.23
06824	<0.2	0.48	74	<5	542	<0.5	<1	0.11	0.7	15	5.4	18.5	31.7	3.09
06825	<0.2	0.71	36	<5	513	<0.5	<1	0.07	<0.5	11	2.6	14.8	29.6	4.00
06826	<0.2	0.74	37	<5	515	0.7	<1	0.07	1.8	12	6.0	16.2	55.4	4.20
06827	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
07001	<0.2	0.72	34	<5	268	<0.5	4	0.01	<0.5	5	6.2	13.9	46.9	2.91
07002	<0.2	1.07	38	<5	259	0.7	4	0.02	0.9	6	8.3	17.2	45.9	4.10
07003	<0.2	0.81	104	<5	1070	1.0	6	0.21	3.0	<1	11.8	16.6	76.5	5.95
07004	<0.2	0.77	35	<5	198	<0.5	4	0.01	<0.5	4	6.2	12.9	35.7	3.28
07005	<0.2	0.61	45	<5	206	<0.5	3	0.01	<0.5	4	6.1	11.7	43.4	3.12
07006	<0.2	0.90	33	<5	548	0.7	3	0.04	0.6	5	8.8	13.2	35.1	3.15
07007	<0.2	1.15	34	<5	528	0.6	3	0.03	<0.5	6	6.7	16.7	33.1	3.18
07008	<0.2	0.54	24	<5	468	<0.5	3	0.05	0.6	15	4.9	11.7	20.6	2.27
07009	<0.2	1.20	29	<5	1040	1.0	4	0.18	1.4	13	11.0	17.9	39.1	3.32
07010	<0.2	0.58	16	<5	507	0.6	2	0.21	1.2	24	7.6	10.4	15.0	2.24
07011	0.3	0.66	14	<5	546	0.5	3	0.23	<0.5	13	7.7	10.8	16.1	1.96
07012	<0.2	1.14	21	<5	839	0.8	5	0.49	1.0	9	8.3	17.7	22.9	2.79
07013	<0.2	0.80	19	<5	361	0.6	2	0.22	0.7	12	6.0	14.3	18.4	2.61
07014	<0.2	0.75	25	<5	663	0.6	3	0.16	1.0	18	8.3	13.8	27.4	2.74
07015	<0.2	0.78	26	<5	453	0.6	2	0.20	0.9	17	9.7	12.8	28.4	2.75
07016	<0.2	1.13	19	<5	503	0.7	<1	0.21	<0.5	15	5.3	18.0	18.2	2.39
07017	<0.2	1.19	23	<5	616	0.9	2	0.16	1.3	15	11.6	17.6	29.7	2.81
07018	0.4	0.96	29	8	268	0.9	2	5.83	1.1	34	7.8	18.0	49.7	2.19
07019	0.3	1.24	24	<5	388	1.0	2	2.60	0.9	26	9.5	24.1	49.6	2.78
07020	0.4	1.32	32	11	386	1.1	2	1.26	1.3	33	11.3	33.4	51.6	3.06
07021	0.4	1.33	29	10	483	1.0	2	3.07	1.3	29	9.6	30.6	68.2	2.88
07022	0.7	1.36	27	8	429	1.1	3	1.46	1.2	28	10.1	32.8	56.1	2.83
07023	0.4	1.11	28	8	296	0.9	2	1.42	1.3	26	10.4	31.4	43.1	2.72
07024	<0.2	1.35	32	6	305	0.9	2	6.14	1.8	21	14.2	24.0	65.5	3.49
07025	0.3	1.08	31	<5	1020	0.9	3	1.98	1.0	21	11.6	24.5	57.0	3.36

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
07026	<0.2	1.63	19	<5	296	1.2	5	1.02	0.7	11	15.7	24.2	41.8	3.65
07027	0.3	1.25	21	<5	302	1.0	2	0.89	1.0	24	11.1	26.2	50.6	2.79
07028	0.4	1.26	27	6	283	0.9	2	4.57	1.7	20	11.7	25.9	64.0	3.30
07029	<0.2	1.37	22	6	315	1.0	2	1.52	1.6	23	12.8	31.3	48.0	3.23
07030	0.5	1.42	25	8	324	1.1	2	1.39	0.8	27	11.8	31.8	55.7	3.44
07031	0.4	1.11	28	5	310	0.9	2	4.39	1.3	23	12.3	23.8	55.8	3.11
07032	<0.2	1.10	29	6	255	0.7	4	6.56	0.9	18	11.0	18.3	49.1	3.09
07033	0.4	1.21	25	7	331	1.0	3	1.04	1.2	29	12.9	31.6	48.3	3.06
07034	0.7	0.97	28	<5	242	1.0	1	1.29	1.4	33	10.2	24.7	47.5	2.68
07035	0.7	0.84	28	5	345	0.9	2	4.75	1.3	30	8.2	20.3	68.4	2.32
07036	0.5	0.72	27	8	396	0.9	1	4.71	1.7	30	7.3	15.0	54.5	1.96
07037	0.9	1.36	32	10	373	1.3	3	1.80	2.4	37	10.2	29.6	68.0	2.78
07038	0.5	0.85	29	<5	283	0.8	2	3.84	1.7	28	8.3	21.4	50.0	2.43
07039	<0.2	1.54	22	<5	186	0.8	3	4.60	<0.5	10	13.8	20.0	35.5	3.45
07040	0.3	1.45	10	<5	167	0.7	<1	3.97	<0.5	26	13.8	20.0	32.0	3.53
07041	0.3	1.34	10	<5	156	0.7	<1	3.36	<0.5	22	13.0	18.6	31.4	3.38
07042	<0.2	1.19	9	<5	102	0.7	<1	0.93	<0.5	25	14.7	17.3	33.5	3.70
07043	<0.2	1.53	11	<5	209	0.9	<1	0.96	<0.5	28	14.2	23.4	35.4	4.07
07044	<0.2	1.11	12	<5	155	0.8	<1	0.38	0.9	28	11.6	19.8	24.4	3.38
07045	<0.2	0.15	17	<5	94	0.7	<1	0.03	<0.5	15	16.6	3.7	17.0	2.72
07046	<0.2	0.33	12	<5	171	1.2	<1	0.22	<0.5	35	18.2	4.9	28.1	2.66
07047	<0.2	0.45	8	<5	176	1.1	<1	1.09	<0.5	55	8.9	8.8	22.3	2.50
07048	<0.2	0.33	11	<5	183	0.9	<1	0.21	<0.5	22	13.7	6.9	19.6	2.58
07049	<0.2	0.38	13	<5	219	1.1	<1	0.17	<0.5	27	15.3	9.0	21.5	3.05
07050	<0.2	0.76	16	<5	528	1.0	<1	0.26	2.5	26	13.7	10.3	22.6	2.95
07051	<0.2	0.78	25	<5	1220	0.9	<1	0.40	<0.5	23	9.3	14.9	36.9	3.49
07052	<0.2	0.62	19	<5	874	0.6	<1	0.18	0.6	26	11.8	11.6	34.5	2.89
07053	<0.2	0.74	19	<5	834	0.6	<1	0.23	<0.5	16	8.7	12.2	28.3	2.62
07054	<0.2	0.80	15	<5	881	0.6	<1	0.21	1.8	19	6.0	13.9	21.6	1.69
07055	0.3	0.86	16	<5	766	0.6	<1	0.22	1.7	18	4.6	12.5	25.4	1.43
07056	<0.2	1.25	37	<5	1010	1.1	<1	0.09	1.5	19	102	20.9	62.8	8.15
07057	0.6	2.27	30	<5	1090	1.7	<1	0.44	2.8	13	4.8	33.2	71.0	2.39

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
07058		<0.2	0.68	16	<5	591	0.5	<1	0.21	<0.5	23	3.4	11.4	17.6	1.93
07059		0.8	2.32	44	<5	1570	1.4	<1	0.76	0.8	10	11.6	30.6	40.0	4.56
07060		<0.2	0.58	13	<5	567	<0.5	<1	0.24	<0.5	20	5.3	10.4	18.3	1.89
07061		<0.2	0.62	21	<5	673	0.5	<1	0.25	<0.5	16	9.4	12.3	22.6	2.49
07062		<0.2	1.07	23	<5	633	0.9	<1	0.47	2.0	16	44.3	21.8	35.5	6.26
07063		0.3	1.01	22	<5	502	0.9	<1	0.32	1.7	20	8.3	19.7	39.0	2.99
07064		0.4	1.34	63	<5	785	1.0	<1	0.23	2.1	27	7.2	23.5	40.5	3.57
07065		<0.2	0.59	28	<5	571	0.7	<1	0.26	1.7	20	14.5	10.0	31.5	3.25
07066		0.5	0.88	27	<5	570	1.2	<1	0.27	15.3	18	40.8	13.6	41.3	1.42
07067		2.7	1.20	50	<5	723	1.3	<1	0.32	20.1	16	17.7	26.3	82.9	1.59
07068		0.2	0.73	39	<5	726	0.8	<1	0.15	1.3	11	10.3	12.8	41.8	3.01
07069		<0.2	0.65	41	<5	628	0.7	<1	0.15	1.1	9	8.0	12.0	35.5	2.86

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
	Unit: RDL:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
06049		6	<1	<1	0.15	13	20	1.16	158	4.4	<0.01	17.6	1430	5.8	22
06050		6	<1	<1	0.20	16	25	1.67	220	4.5	<0.01	22.5	1450	6.4	28
06051		7	<1	<1	0.27	19	26	1.04	321	7.7	<0.01	35.3	2880	13.0	34
06052		5	<1	<1	0.12	22	13	0.42	334	6.0	<0.01	36.0	2220	18.2	14
06053		7	<1	<1	0.21	23	16	0.43	396	5.7	<0.01	36.8	1930	16.7	24
06054		6	<1	<1	0.25	25	19	0.49	455	6.0	<0.01	36.8	2230	17.5	29
06055		6	<1	<1	0.27	27	15	0.39	370	6.6	<0.01	42.7	2220	23.8	29
06056		<5	<1	<1	0.13	18	8	0.28	304	4.0	<0.01	21.5	2890	10.7	17
06057		<5	<1	<1	0.17	19	16	0.47	250	3.7	<0.01	26.9	1760	13.1	20
06058		<5	<1	<1	0.12	19	9	0.24	281	5.1	<0.01	31.4	1430	13.7	17
06059		<5	<1	<1	0.10	15	5	0.53	239	4.1	<0.01	24.8	1560	14.8	14
06060		<5	<1	<1	0.11	18	13	0.45	217	3.7	<0.01	25.5	1320	15.4	16
06061		<5	<1	<1	0.15	20	7	0.18	223	4.3	<0.01	24.8	1180	16.2	18
06062		6	<1	<1	0.19	14	38	1.51	171	2.8	<0.01	15.3	841	12.3	27
06063		<5	<1	<1	0.23	15	8	0.44	186	2.5	0.01	16.6	1230	11.2	25
06064		<5	<1	<1	0.16	19	8	0.19	263	4.2	<0.01	33.0	1720	17.7	20
06065		<5	<1	<1	0.24	15	11	0.56	453	5.0	<0.01	31.1	1120	26.0	27
06066		<5	<1	<1	0.15	14	7	0.61	290	6.4	<0.01	23.2	1830	19.6	17
06067		<5	<1	<1	0.23	16	11	0.32	366	5.8	<0.01	38.2	1200	27.7	22
06068		<5	<1	<1	0.23	15	12	0.61	271	5.3	<0.01	35.6	1330	18.3	25
06069		7	<1	<1	0.23	21	22	0.85	304	7.2	<0.01	47.6	1750	27.9	30
06070		5	<1	<1	0.12	17	16	0.35	364	5.3	<0.01	33.2	1390	27.9	23
06071		<5	<1	<1	0.16	16	12	0.56	417	6.6	<0.01	34.8	1600	48.2	24
06072		<5	<1	<1	0.08	13	14	0.30	549	5.1	<0.01	35.1	1200	45.9	12
06073		<5	<1	<1	0.18	16	13	0.32	572	3.5	<0.01	26.1	1500	31.1	24
06074		<5	<1	<1	0.12	14	14	0.55	508	5.4	<0.01	42.4	1110	39.5	21
06075		6	<1	<1	0.11	15	15	0.32	621	5.1	<0.01	38.1	682	37.0	23
06076		<5	<1	<1	0.10	14	12	0.28	494	9.2	<0.01	48.2	1060	39.7	17
06077		<5	<1	<1	0.11	15	10	0.25	315	5.3	<0.01	39.4	2050	30.1	20
06078		<5	<1	<1	0.07	14	11	0.29	381	5.4	<0.01	35.5	1160	29.0	12
06079		5	<1	<1	0.11	19	12	0.42	473	5.6	<0.01	42.7	1150	33.7	17
06080		<5	<1	<1	0.13	15	12	1.18	192	3.5	<0.01	20.8	1430	107	16

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
06081	7	<1	<1	0.18	20	30	1.32	240	2.6	<0.01	29.4	1360	16.6	27
06082	6	<1	<1	0.16	19	22	1.03	308	3.2	<0.01	25.3	1600	20.7	22
06083	6	<1	<1	0.19	22	24	1.08	270	3.6	<0.01	30.2	2230	26.1	26
06084	6	<1	<1	0.18	18	20	0.95	295	5.4	<0.01	33.4	1890	40.6	28
06085	6	<1	<1	0.15	14	13	1.14	288	6.3	<0.01	36.1	1710	31.4	24
06086	5	<1	<1	0.13	10	11	1.95	257	12.7	<0.01	53.6	1560	439	21
06087	<5	<1	<1	0.10	18	15	0.74	258	5.2	<0.01	29.0	2440	22.8	16
06088	5	<1	<1	0.11	16	13	0.60	407	5.0	<0.01	34.5	1810	35.0	16
06089	6	<1	<1	0.11	16	16	0.42	332	3.5	<0.01	31.2	1490	23.4	18
06090	5	<1	<1	0.15	20	17	0.46	<1	4.1	<0.01	38.1	2070	20.9	20
06091	<5	<1	<1	0.09	14	13	0.49	27	4.2	<0.01	32.3	1730	30.1	13
06092	7	<1	<1	0.17	18	19	0.56	367	5.3	<0.01	43.6	1780	25.5	23
06093	7	<1	<1	0.12	17	16	0.45	<1	3.8	<0.01	39.5	1710	20.1	20
06094	6	<1	<1	0.12	14	15	0.39	3	3.5	<0.01	30.8	1230	21.8	20
06095	<5	<1	<1	0.10	16	17	0.42	362	3.3	<0.01	33.4	1650	43.3	12
06096	6	<1	<1	0.13	16	18	0.43	122	3.5	<0.01	32.9	1490	27.0	16
06097	7	<1	<1	0.17	15	19	0.63	<1	3.8	<0.01	39.6	1570	24.8	21
06098	6	<1	<1	0.14	16	21	0.53	33	4.2	<0.01	42.4	1590	26.0	19
06099	6	<1	<1	0.13	15	18	0.60	<1	4.4	<0.01	41.1	1500	24.2	19
06100	6	<1	<1	0.16	18	17	0.51	<1	4.3	<0.01	42.2	1770	22.6	20
06101	6	<1	<1	0.12	20	12	0.34	<1	4.2	<0.01	44.9	1960	23.3	16
06102	<5	<1	<1	0.21	25	15	0.40	<1	3.9	<0.01	46.6	2330	25.2	23
06103	6	<1	<1	0.16	19	14	0.35	25	3.9	<0.01	37.0	1540	33.5	24
06104	6	<1	<1	0.24	26	8	0.79	<1	7.5	<0.01	47.9	4620	23.8	23
06105	6	<1	<1	0.12	16	15	0.36	211	4.0	<0.01	20.8	1280	13.6	18
06106	7	<1	<1	0.19	22	15	0.51	332	4.3	<0.01	41.5	4930	17.4	28
06107	5	<1	<1	0.12	15	17	0.38	298	3.1	<0.01	26.8	1360	21.4	21
06108	7	<1	<1	0.08	14	15	1.45	<1	4.0	<0.01	38.8	941	22.2	18
06109	8	<1	<1	0.13	11	32	0.64	17	2.4	<0.01	37.5	530	21.2	16
06110	<5	<1	<1	0.21	20	8	0.19	192	3.6	<0.01	19.5	1850	33.3	25
06111	6	<1	<1	0.34	20	9	0.15	185	7.5	<0.01	67.2	2540	19.2	34
06112	5	<1	<1	0.13	14	15	0.48	<1	4.7	<0.01	51.4	1220	28.3	19

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
06113	<5	<1	<1	0.09	6	4	0.06	653	1.1	<0.01	22.9	390	30.6	<10
06114	<5	<1	<1	0.07	9	13	0.14	614	<0.5	<0.01	28.6	268	25.2	<10
06115	<5	<1	<1	0.05	7	5	0.07	783	0.5	<0.01	30.5	324	28.4	<10
06116	<5	<1	<1	0.06	8	3	0.06	1020	0.8	<0.01	22.4	338	26.7	<10
06117	<5	<1	<1	0.05	8	5	0.08	430	1.1	<0.01	24.8	313	17.3	<10
06118	<5	<1	<1	0.06	9	8	0.11	437	1.9	<0.01	25.0	391	20.9	<10
06119	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06120	<5	<1	<1	0.06	13	3	0.06	347	<0.5	<0.01	19.5	477	35.7	<10
06121	<5	<1	<1	0.06	15	3	0.06	367	1.8	<0.01	20.2	416	69.6	<10
06122	<5	<1	<1	0.06	13	4	0.06	358	1.9	<0.01	21.6	314	26.5	<10
06123	<5	<1	<1	0.06	11	5	0.09	298	0.7	<0.01	19.6	405	20.0	<10
06124	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06125	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06126	<5	<1	<1	0.05	9	3	0.10	672	0.6	<0.01	21.6	445	46.3	<10
06127	<5	<1	<1	0.06	8	3	0.06	298	<0.5	<0.01	16.3	326	39.8	<10
06128	<5	<1	<1	0.09	11	7	0.13	153	1.8	<0.01	28.1	551	37.7	15
06129	<5	<1	<1	0.14	15	3	0.24	440	10.3	<0.01	87.4	841	82.6	15
06130	6	<1	<1	0.13	13	19	0.25	347	3.0	<0.01	25.6	476	32.5	23
06131	<5	<1	<1	0.10	9	9	0.14	160	2.8	<0.01	26.8	376	29.0	13
06132	<5	<1	<1	0.11	13	10	0.16	242	3.7	<0.01	65.9	617	28.7	16
06133	<5	<1	<1	0.14	5	3	0.06	562	19.9	<0.01	35.6	868	33.1	20
06134	<5	<1	<1	0.14	9	8	0.14	224	4.8	<0.01	20.9	972	28.7	29
06135	<5	<1	<1	0.11	4	6	0.08	119	11.5	<0.01	101	390	45.1	20
06136	<5	<1	<1	0.09	4	8	0.13	<1	9.1	<0.01	54.1	363	35.8	23
06137	<5	<1	<1	0.11	3	1	0.05	116	7.6	<0.01	20.4	469	30.4	18
06138	<5	<1	<1	0.12	4	1	0.03	116	22.4	<0.01	30.0	1000	84.2	18
06139	8	<1	<1	0.16	8	14	0.21	425	9.3	<0.01	32.7	1230	39.8	43
06140	8	<1	<1	0.16	10	20	0.22	105	22.8	<0.01	50.6	1750	94.0	34
06141	5	<1	<1	0.11	10	15	0.14	384	9.8	<0.01	42.5	668	32.3	25
06142	7	<1	<1	0.14	8	7	0.12	329	10.8	<0.01	31.2	1760	43.1	38
06143	<5	<1	<1	0.09	6	2	0.05	418	15.6	<0.01	18.9	1190	22.9	15
06144	5	<1	<1	0.16	5	3	0.07	204	27.3	<0.01	23.6	2000	32.3	24

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
06145	6	<1	<1	0.14	8	8	0.14	168	32.3	<0.01	29.2	1160	28.8	25
06146	5	<1	<1	0.14	4	6	0.09	135	16.5	<0.01	23.3	552	21.1	24
06147	<5	<1	<1	0.12	8	8	0.10	219	14.8	<0.01	51.7	929	27.7	25
06148	<5	<1	<1	0.14	9	10	0.12	187	13.5	<0.01	41.7	791	39.6	26
06149	6	<1	<1	0.13	7	8	0.11	215	16.9	<0.01	60.9	780	25.7	33
06150	<5	<1	<1	0.06	8	12	0.12	<1	8.4	<0.01	24.6	280	18.6	18
06151	7	<1	<1	0.08	5	7	0.08	<1	12.3	<0.01	30.2	529	13.2	25
06152	<5	<1	<1	0.07	10	2	0.04	<1	3.2	<0.01	4.7	186	14.4	12
06153	<5	<1	<1	0.10	7	2	0.04	203	12.8	<0.01	23.2	1280	36.0	20
06154	<5	<1	<1	0.13	5	1	0.03	1710	16.8	<0.01	18.0	1400	85.8	20
06155	10	<1	<1	0.30	4	4	0.09	316	32.6	<0.01	37.0	2150	100	61
06156	<5	<1	<1	0.07	8	10	0.14	405	11.5	<0.01	50.2	816	43.4	17
06157	<5	<1	<1	0.09	7	4	0.07	303	8.1	<0.01	38.5	918	36.7	17
06158	5	<1	<1	0.16	6	6	0.13	253	7.5	<0.01	53.8	1280	36.5	26
06159	6	<1	<1	0.19	7	10	0.16	317	8.9	<0.01	46.1	1140	48.0	29
06160	<5	<1	<1	0.11	9	12	0.17	500	5.3	<0.01	37.0	629	35.8	18
06161	<5	<1	<1	0.16	9	15	0.17	144	3.8	<0.01	31.1	710	31.8	25
06162	<5	<1	<1	0.12	7	4	0.09	265	15.8	<0.01	24.3	1140	38.8	31
06163	<5	<1	<1	0.10	10	5	0.09	320	10.9	<0.01	34.5	718	35.9	14
06164	<5	<1	<1	0.07	6	10	0.13	<1	7.3	<0.01	36.3	366	42.1	12
06165	<5	<1	<1	0.06	13	1	0.04	399	0.6	<0.01	13.6	227	30.0	<10
06166	<5	<1	<1	0.08	14	<1	0.03	452	0.8	<0.01	17.7	363	70.7	<10
06167	<5	<1	<1	0.11	9	<1	0.02	269	<0.5	<0.01	13.7	346	99.9	12
06168	<5	<1	<1	0.11	8	2	0.05	248	1.2	<0.01	16.9	567	54.9	15
06169	<5	<1	<1	0.07	10	1	0.04	465	0.6	<0.01	16.0	321	53.5	<10
06170	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06171	<5	<1	<1	0.05	4	2	0.04	382	0.8	<0.01	14.1	357	59.2	<10
06172	<5	<1	<1	0.13	14	2	0.05	327	<0.5	<0.01	26.5	346	66.6	18
06173	10	<1	<1	0.10	6	2	0.04	1050	6.4	<0.01	96.9	916	25.6	21
06174	<5	<1	<1	0.09	6	7	0.09	183	11.2	<0.01	29.5	656	22.3	22
06175	5	<1	<1	0.09	8	8	0.12	<1	8.4	<0.01	20.9	509	35.2	25
06176	<5	<1	<1	0.08	5	5	0.09	131	14.8	<0.01	38.6	823	25.5	15

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
06177	6	<1	<1	0.09	6	7	0.13	192	15.2	<0.01	31.4	948	26.7	26
06178	<5	<1	<1	0.09	7	8	0.12	<1	9.7	<0.01	55.6	680	37.2	22
06179	6	<1	<1	0.11	7	8	0.15	212	14.2	<0.01	51.4	1020	23.4	29
06180	5	<1	<1	0.09	7	8	0.11	1050	13.2	<0.01	84.2	755	20.7	24
06181	5	<1	<1	0.11	14	7	0.34	<1	21.0	<0.01	124	1190	11.7	16
06182	<5	2	<1	0.13	18	7	0.37	<1	25.8	<0.01	155	1130	13.6	18
06183	<5	<1	<1	0.16	14	5	0.32	<1	25.4	<0.01	155	947	9.5	22
06184	<5	<1	<1	0.22	13	6	0.40	<1	33.2	<0.01	170	982	11.2	29
06185	6	<1	<1	0.26	18	6	0.50	<1	33.2	<0.01	152	1090	12.0	36
06186	<5	<1	<1	0.21	20	8	0.29	<1	23.1	<0.01	131	1070	13.9	25
06187	<5	<1	<1	0.18	15	5	0.29	<1	40.8	<0.01	199	779	11.0	24
06188	<5	<1	<1	0.17	17	5	0.21	<1	28.2	<0.01	150	881	9.7	23
06189	<5	<1	<1	0.13	18	4	0.26	<1	18.4	<0.01	135	2320	10.7	17
06190	<5	<1	<1	0.20	16	5	0.22	<1	28.3	<0.01	150	889	10.9	25
06191	<5	<1	<1	0.20	27	5	0.15	228	6.4	<0.01	112	2280	25.9	21
06192	8	<1	<1	0.29	23	23	0.80	<1	3.2	<0.01	38.3	1770	22.7	37
06193	6	<1	<1	0.25	23	15	0.55	129	4.5	<0.01	58.9	2060	28.5	31
06194	5	<1	<1	0.16	13	14	0.46	<1	3.3	<0.01	30.7	1540	18.2	26
06195	<5	<1	<1	0.18	22	13	0.57	<1	3.1	<0.01	40.5	1820	15.2	26
06196	6	<1	<1	0.16	22	12	0.45	330	2.8	<0.01	49.4	2150	38.7	22
06197	5	<1	<1	0.13	18	16	0.63	<1	2.0	<0.01	29.1	1650	22.3	19
06198	8	<1	<1	0.35	22	23	0.85	<1	3.5	<0.01	31.6	2100	24.4	50
06199	6	<1	<1	0.34	19	25	1.17	<1	3.4	<0.01	28.4	1740	16.4	43
06200	7	<1	<1	0.28	19	19	1.00	<1	3.7	<0.01	28.1	2130	24.2	34
06201	6	<1	<1	0.25	18	16	0.73	<1	3.5	<0.01	34.3	1820	42.6	32
06202	6	<1	<1	0.26	19	20	0.63	<1	3.0	<0.01	30.9	2010	30.9	34
06203	8	<1	<1	0.31	20	25	0.79	<1	2.9	<0.01	32.2	1780	24.1	38
06204	6	<1	<1	0.18	19	19	0.49	32	3.8	<0.01	30.7	1730	29.1	29
06205	8	<1	<1	0.28	22	26	0.68	<1	5.5	<0.01	30.7	2100	17.3	42
06206	8	<1	<1	0.38	18	26	0.59	<1	6.1	<0.01	31.2	1940	17.9	51
06207	<5	<1	<1	0.24	15	18	1.21	<1	4.4	<0.01	24.6	1950	16.2	30
06208	5	<1	<1	0.17	19	11	0.41	<1	13.3	<0.01	102	1750	18.2	25

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
06209	<5	<1	<1	0.15	15	7	0.60	<1	19.6	<0.01	121	1190	13.8	23
06210	<5	<1	<1	0.09	14	5	0.25	<1	20.8	<0.01	115	1190	11.2	11
06211	<5	<1	<1	0.06	11	3	0.27	140	19.1	<0.01	120	934	8.7	<10
06212	<5	1	<1	0.12	16	6	0.18	111	36.3	<0.01	169	742	11.1	16
06213	6	<1	<1	0.15	16	6	0.66	124	21.8	<0.01	142	1250	12.0	19
06214	<5	<1	<1	0.09	19	5	0.48	162	13.9	<0.01	133	1190	10.7	14
06215	<5	1	<1	0.11	18	6	0.26	208	15.2	<0.01	142	1080	11.5	14
06216	<5	<1	<1	0.06	14	4	0.31	159	16.8	<0.01	145	1390	10.5	<10
06217	<5	<1	<1	0.25	22	10	0.31	593	8.5	<0.01	74.0	2550	23.3	28
06218	<5	<1	<1	0.27	25	12	0.46	553	5.7	<0.01	70.8	2400	24.7	30
06219	5	<1	<1	0.18	18	15	0.62	412	5.0	<0.01	51.0	1830	27.2	22
06220	5	<1	<1	0.17	17	15	0.56	319	4.8	<0.01	44.2	1780	26.4	21
06221	5	<1	<1	0.20	27	11	0.37	460	7.1	<0.01	70.2	2070	21.3	22
06222	6	<1	<1	0.17	19	19	0.62	378	4.3	<0.01	41.2	1840	27.1	24
06223	6	<1	<1	0.23	20	23	1.11	218	4.7	<0.01	31.9	2090	20.2	28
06224	7	<1	<1	0.27	21	26	1.13	212	3.8	<0.01	31.6	1890	28.2	35
06225	8	<1	<1	0.31	21	24	0.88	243	4.6	<0.01	33.7	2120	35.5	42
06226	6	<1	<1	0.24	20	21	0.96	226	4.3	<0.01	34.8	1790	31.9	32
06227	8	<1	<1	0.28	21	24	0.94	237	4.2	<0.01	34.0	1660	20.5	39
06228	6	<1	<1	0.20	18	21	0.57	243	3.9	<0.01	43.0	1350	34.9	27
06229	7	<1	<1	0.25	20	25	0.61	205	4.8	<0.01	37.6	1710	37.8	35
06230	7	<1	<1	0.25	19	22	0.56	323	4.1	<0.01	37.5	1440	27.8	36
06231	8	<1	<1	0.27	19	26	0.77	442	5.0	<0.01	34.5	1440	21.4	37
06232	7	<1	<1	0.31	23	25	0.73	349	6.3	<0.01	35.7	2190	16.6	42
06233	6	<1	<1	0.19	26	21	0.65	598	4.3	<0.01	21.7	1850	12.7	28
06234	6	<1	<1	0.21	22	22	1.04	371	5.5	<0.01	25.7	1760	17.9	27
06501	<5	<1	<1	0.08	8	4	0.08	214	10.6	<0.01	21.3	1230	28.2	18
06502	<5	<1	<1	0.07	7	5	0.08	190	10.0	<0.01	23.6	804	28.0	13
06503	<5	<1	<1	0.08	9	7	0.10	391	8.9	<0.01	32.1	607	29.2	16
06504	<5	<1	<1	0.13	2	<1	0.03	44	18.2	<0.01	15.4	208	15.3	16
06505	<5	<1	<1	0.12	1	<1	0.03	64	16.4	<0.01	17.6	114	10.4	16
06506	<5	<1	<1	0.09	1	<1	0.07	69	24.3	<0.01	19.7	113	8.5	11

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
06507	<5	<1	<1	0.09	4	1	0.04	85	19.3	<0.01	17.7	252	9.9	18
06508	<5	<1	<1	0.12	5	1	0.04	339	15.4	<0.01	28.7	638	22.9	24
06509	6	1	<1	0.24	4	4	0.09	211	58.5	<0.01	32.2	1100	79.5	70
06510	6	<1	<1	0.18	6	17	0.16	872	24.3	<0.01	72.8	944	54.2	49
06511	5	<1	<1	0.09	9	20	0.21	417	9.5	<0.01	218	667	22.7	23
06512	6	<1	<1	0.08	8	7	0.10	178	9.6	<0.01	62.7	638	24.5	21
06513	<5	<1	<1	0.07	10	9	0.13	181	7.1	<0.01	62.0	346	20.5	16
06514	5	<1	<1	0.14	11	10	0.18	714	9.7	<0.01	178	442	37.4	16
06515	<5	<1	<1	0.12	9	2	0.08	162	9.8	<0.01	101	455	29.1	16
06516	5	<1	<1	0.16	9	11	0.34	578	12.0	<0.01	118	618	33.0	20
06517	<5	<1	<1	0.08	7	3	0.07	430	0.7	<0.01	18.1	281	35.8	<10
06518	<5	<1	<1	0.12	21	20	0.94	385	5.2	<0.01	25.1	1460	17.0	18
06519	6	<1	<1	0.20	21	22	0.82	308	4.6	<0.01	21.1	1130	18.3	27
06520	6	<1	<1	0.29	17	21	1.03	223	5.4	<0.01	26.0	1680	11.5	38
06521	7	<1	<1	0.25	18	21	0.70	255	5.1	<0.01	27.1	1560	15.3	30
06522	5	<1	<1	0.16	15	16	0.43	284	4.4	<0.01	30.9	1320	22.6	24
06523	<5	<1	<1	0.16	14	17	0.45	335	4.3	<0.01	34.3	1340	30.4	19
06524	6	<1	<1	0.19	18	21	0.56	386	5.0	<0.01	44.8	1410	33.8	24
06525	<5	<1	<1	0.10	12	30	0.42	211	3.4	<0.01	30.5	448	28.2	15
06526	7	<1	<1	0.08	9	26	0.56	496	2.8	<0.01	29.7	505	25.2	12
06527	7	<1	<1	0.08	10	25	0.49	458	2.4	<0.01	32.4	395	25.7	11
06528	<5	<1	<1	0.13	12	20	0.39	436	4.0	<0.01	34.4	879	26.2	19
06529	5	<1	<1	0.08	9	23	0.51	454	2.6	<0.01	31.3	575	25.9	12
06530	<5	<1	<1	0.09	10	19	0.41	364	4.2	<0.01	35.3	914	28.0	14
06531	6	<1	<1	0.19	17	21	0.46	1250	4.6	<0.01	41.8	1260	26.0	25
06532	5	<1	<1	0.14	17	19	0.39	428	3.8	<0.01	40.2	1250	23.6	19
06533	5	<1	<1	0.17	14	13	0.77	346	6.7	<0.01	46.9	1430	24.0	19
06534	7	<1	<1	0.16	25	19	0.64	564	3.7	<0.01	31.6	1620	14.8	24
06535	6	<1	<1	0.19	22	17	0.42	233	5.8	<0.01	34.0	1990	19.4	30
06536	<5	<1	<1	0.29	16	13	1.32	217	6.4	<0.01	31.2	2400	25.9	37
06537	<5	<1	<1	0.11	20	9	0.43	273	5.2	<0.01	31.6	1780	25.5	15
06538	<5	<1	<1	0.16	22	11	0.35	316	4.8	<0.01	26.9	1260	20.0	22

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
06539	6	<1	<1	0.27	21	21	0.53	291	6.4	<0.01	41.7	1670	24.1	37
06540	7	<1	<1	0.13	12	29	0.59	530	2.5	<0.01	31.5	606	21.1	16
06541	6	<1	<1	0.09	12	26	0.55	599	2.4	<0.01	30.8	670	22.4	11
06542	7	<1	<1	0.09	11	31	0.60	583	2.4	<0.01	30.5	479	21.9	12
06543	6	<1	<1	0.20	13	18	1.41	214	5.4	<0.01	24.1	1570	16.8	23
06544	5	<1	<1	0.18	15	17	0.94	171	4.4	<0.01	22.5	1960	14.3	19
06545	5	<1	<1	0.12	16	16	1.02	164	4.6	<0.01	25.8	1770	13.5	16
06546	7	<1	<1	0.24	16	20	0.69	338	4.4	<0.01	21.2	1450	12.0	31
06547	6	<1	<1	0.26	23	21	0.90	364	4.5	<0.01	23.1	1500	12.2	34
06548	6	<1	<1	0.20	17	19	0.58	277	4.5	<0.01	31.9	1530	21.2	27
06549	7	<1	<1	0.18	15	17	0.42	226	5.3	<0.01	31.7	1350	37.8	23
06550	7	<1	<1	0.10	11	27	0.49	534	1.9	<0.01	33.4	506	23.9	14
06551	<5	<1	<1	0.06	9	22	0.45	436	2.6	<0.01	32.9	698	29.9	<10
06552	7	<1	<1	0.08	12	21	0.46	444	2.8	<0.01	38.8	846	50.5	11
06553	5	<1	<1	0.05	8	21	0.50	377	2.1	<0.01	33.1	501	25.2	10
06554	7	<1	<1	0.07	10	26	0.45	560	2.1	<0.01	31.7	511	31.9	11
06555	7	<1	<1	0.11	13	25	0.72	542	3.5	<0.01	34.8	781	30.5	15
06556	5	<1	<1	0.10	12	26	0.50	522	2.7	<0.01	34.7	700	25.3	14
06557	6	<1	<1	0.13	13	24	0.59	492	3.2	<0.01	36.6	913	23.6	15
06558	<5	<1	<1	0.08	13	18	0.38	404	3.5	<0.01	36.1	1070	23.6	12
06559	5	<1	<1	0.09	13	18	0.37	394	3.4	<0.01	36.6	956	28.8	14
06560	6	<1	<1	0.09	11	26	0.64	586	3.6	<0.01	33.1	733	25.4	14
06561	5	<1	<1	0.12	15	8	0.73	237	5.3	<0.01	27.8	1430	27.1	16
06562	<5	<1	<1	0.07	12	6	0.43	244	4.1	<0.01	19.8	1240	15.1	<10
06563	<5	<1	<1	0.20	16	11	1.08	241	7.5	<0.01	36.9	2360	25.0	23
06564	5	<1	<1	0.18	17	12	0.81	189	5.9	<0.01	34.1	2640	15.5	24
06751	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06752	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06753	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06754	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06755	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06756	<5	<1	<1	0.10	7	9	0.14	198	7.9	<0.01	55.6	824	26.2	24

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
06757	<5	<1	<1	0.12	8	9	0.15	421	8.5	<0.01	58.3	623	29.2	16
06758	<5	<1	<1	0.06	9	5	0.07	533	0.9	<0.01	25.7	274	16.6	<10
06759	<5	<1	<1	0.06	8	8	0.10	438	0.7	<0.01	22.6	289	17.5	<10
06760	<5	<1	<1	0.05	9	3	0.05	729	0.9	<0.01	17.9	367	27.5	<10
06761	<5	<1	<1	0.05	14	3	0.05	403	1.0	<0.01	17.4	338	55.7	<10
06762	<5	<1	<1	0.05	12	13	0.16	847	0.8	<0.01	29.2	330	44.3	<10
06763	<5	<1	<1	0.06	11	5	0.07	630	0.8	<0.01	21.9	304	24.0	<10
06764	<5	<1	<1	0.06	10	3	0.05	738	0.7	<0.01	15.9	390	49.9	<10
06765	<5	<1	<1	0.06	12	3	0.06	1270	1.0	<0.01	18.1	371	50.6	<10
06766	<5	<1	<1	0.05	15	<1	0.03	642	0.8	<0.01	15.2	501	66.9	<10
06767	<5	<1	<1	0.09	11	3	0.07	411	1.1	<0.01	16.9	493	56.4	10
06768	<5	<1	<1	0.05	6	<1	0.02	405	1.0	<0.01	12.9	634	43.5	<10
06769	<5	<1	<1	0.08	11	4	0.06	414	0.9	<0.01	15.2	355	50.2	11
06770	<5	1	<1	0.17	17	5	1.07	170	30.1	<0.01	165	1130	13.0	25
06771	7	<1	<1	0.25	42	9	0.37	1260	5.4	<0.01	148	2120	16.4	26
06772	<5	<1	<1	0.12	15	7	0.27	215	6.2	<0.01	60.8	1140	14.7	14
06773	<5	<1	<1	0.13	20	6	0.23	208	17.7	<0.01	121	1090	9.6	16
06774	6	<1	<1	0.12	24	13	0.46	451	11.9	<0.01	88.5	1510	14.6	16
06775	5	<1	<1	0.09	18	6	0.36	270	22.4	<0.01	131	1110	13.6	12
06776	5	<1	<1	0.09	19	4	0.27	430	21.8	<0.01	151	1360	10.1	12
06777	<5	<1	<1	0.18	24	5	0.17	230	15.2	<0.01	137	4170	18.5	19
06778	5	<1	<1	0.20	21	7	0.18	239	8.8	<0.01	98.5	2180	56.0	23
06779	<5	<1	<1	0.18	26	6	0.19	434	9.5	<0.01	125	2560	31.5	19
06780	<5	<1	<1	0.17	23	2	0.08	276	6.1	<0.01	117	2070	9.1	15
06781	5	<1	<1	0.14	14	12	0.98	293	5.4	<0.01	38.8	1890	26.9	22
06782	8	<1	<1	0.21	17	39	1.61	235	4.3	<0.01	36.0	1250	20.4	31
06783	<5	<1	<1	0.15	17	16	0.65	350	4.3	<0.01	39.4	1580	26.9	20
06784	5	<1	<1	0.20	17	16	0.69	303	4.4	<0.01	43.0	1850	21.4	23
06785	<5	<1	<1	0.18	19	13	0.53	270	3.5	<0.01	39.2	1820	42.9	22
06786	6	<1	<1	0.22	19	20	0.89	277	4.1	<0.01	24.2	1450	15.8	29
06787	6	<1	<1	0.21	18	23	1.01	144	3.9	<0.01	28.5	1570	11.9	29
06788	7	<1	<1	0.18	17	21	0.98	188	3.8	<0.01	26.9	1610	12.4	27

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
06789	5	<1	<1	0.17	19	13	0.59	350	4.1	<0.01	39.4	2060	47.7	24
06790	6	<1	<1	0.17	17	23	1.03	248	2.9	<0.01	27.1	1590	26.5	24
06791	6	<1	<1	0.12	16	16	0.60	356	5.0	<0.01	40.1	1420	26.9	20
06792	6	<1	<1	0.15	18	16	0.55	411	4.9	<0.01	42.2	1720	25.2	21
06793	6	<1	<1	0.11	20	17	0.51	422	4.6	<0.01	30.8	1420	26.5	20
06794	6	<1	<1	0.14	17	17	0.42	210	4.8	<0.01	21.5	932	14.3	27
06795	7	<1	<1	0.23	15	18	1.38	256	6.6	<0.01	30.7	2100	16.0	31
06796	<5	<1	<1	0.16	19	19	1.12	271	5.2	<0.01	24.5	1590	17.2	24
06797	<5	<1	<1	0.13	7	4	0.08	304	18.5	<0.01	23.1	1070	27.3	23
06798	<5	<1	<1	0.10	6	3	0.06	227	14.6	<0.01	19.7	986	23.1	18
06799	<5	<1	<1	0.07	7	8	0.10	248	17.3	<0.01	29.9	685	24.2	16
06800	7	<1	<1	0.20	5	10	0.15	455	29.6	<0.01	38.0	1490	41.0	52
06801	<5	<1	<1	0.17	8	10	0.16	334	15.5	<0.01	27.9	858	23.0	15
06802	<5	<1	<1	0.12	7	13	0.14	362	12.4	<0.01	58.8	634	25.0	29
06803	10	<1	<1	0.17	5	14	0.10	6840	21.4	<0.01	82.0	1290	24.1	65
06804	<5	<1	<1	0.09	4	4	0.07	145	6.0	<0.01	30.8	199	43.8	15
06805	5	<1	<1	0.08	10	9	0.15	280	8.7	<0.01	27.4	722	25.4	23
06806	6	<1	<1	0.12	7	2	0.06	354	29.3	<0.01	26.3	2370	47.1	27
06807	<5	<1	<1	0.14	7	2	0.04	379	33.7	<0.01	35.0	1330	107	26
06808	<5	<1	<1	0.11	7	1	0.03	174	27.6	<0.01	28.1	1410	62.1	24
06809	<5	<1	<1	0.12	9	6	0.10	355	17.6	<0.01	36.6	1220	57.8	24
06810	<5	<1	<1	0.12	8	7	0.12	528	13.7	<0.01	40.5	1330	48.1	17
06811	6	<1	<1	0.18	9	13	0.17	503	11.4	<0.01	44.3	1080	55.6	37
06812	<5	<1	<1	0.16	5	7	0.13	933	9.4	<0.01	71.2	1420	47.4	27
06813	<5	<1	<1	0.06	10	13	0.17	117	4.4	<0.01	28.2	375	26.1	13
06814	5	<1	<1	0.13	8	13	0.15	890	10.1	<0.01	47.7	612	44.1	20
06815	<5	<1	<1	0.13	8	13	0.18	390	5.5	<0.01	32.1	422	21.4	21
06816	<5	<1	<1	0.08	7	11	0.13	97	19.5	<0.01	69.4	496	35.0	15
06817	<5	<1	<1	0.15	7	9	0.18	198	5.6	<0.01	139	539	29.2	22
06818	<5	<1	<1	0.10	8	7	0.12	211	5.1	<0.01	72.2	323	15.2	17
06819	<5	<1	<1	0.15	8	2	0.04	477	26.9	<0.01	19.7	1510	37.3	21
06820	<5	<1	<1	0.17	6	1	0.03	126	76.3	<0.01	24.4	1950	38.9	26

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
06821	<5	<1	<1	0.14	7	7	0.09	256	31.4	<0.01	47.4	1430	37.1	22
06822	<5	<1	<1	0.18	6	2	0.05	125	53.4	<0.01	19.8	1660	59.5	26
06823	<5	<1	<1	0.09	8	7	0.10	312	11.6	<0.01	32.9	725	28.2	18
06824	<5	<1	<1	0.15	6	1	0.04	322	45.5	<0.01	37.8	1690	83.4	20
06825	<5	<1	<1	0.15	5	1	0.04	106	27.8	<0.01	17.8	1210	56.0	21
06826	<5	<1	<1	0.14	5	2	0.05	208	25.4	<0.01	27.8	1860	54.8	19
06827	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
07001	<5	<1	<1	0.11	6	4	0.07	159	15.8	<0.01	23.1	643	28.8	18
07002	<5	<1	<1	0.10	8	7	0.12	312	13.2	<0.01	40.2	783	27.3	21
07003	<5	<1	2	0.14	4	2	0.06	730	49.3	<0.01	129	1030	32.3	19
07004	<5	<1	<1	0.09	6	4	0.06	181	15.5	<0.01	26.2	707	25.3	18
07005	<5	<1	<1	0.10	5	2	0.05	238	21.7	<0.01	31.0	823	27.2	17
07006	<5	<1	5	0.10	5	11	0.14	362	15.7	<0.01	34.3	599	39.1	18
07007	<5	<1	<1	0.13	7	6	0.10	221	13.7	<0.01	28.9	620	38.4	28
07008	<5	<1	4	0.09	9	2	0.04	174	10.6	<0.01	22.0	547	26.3	16
07009	<5	<1	1	0.16	10	16	0.14	545	9.6	<0.01	46.6	844	62.3	29
07010	<5	<1	2	0.09	11	4	0.05	605	4.3	<0.01	16.8	740	27.5	15
07011	<5	<1	6	0.06	8	15	0.15	141	3.4	<0.01	17.7	339	28.4	10
07012	<5	<1	1	0.09	8	12	0.24	741	5.0	<0.01	33.7	671	26.4	19
07013	<5	<1	5	0.09	8	10	0.12	274	5.0	<0.01	22.6	682	27.2	14
07014	<5	<1	1	0.12	10	10	0.16	328	6.7	<0.01	29.9	567	32.2	15
07015	<5	<1	<1	0.11	10	10	0.17	368	7.2	<0.01	35.2	525	27.5	15
07016	<5	<1	3	0.10	11	16	0.25	305	5.2	<0.01	35.8	371	31.2	25
07017	<5	<1	<1	0.11	10	14	0.20	389	6.2	<0.01	76.9	551	25.5	25
07018	<5	<1	<1	0.22	21	21	1.06	273	4.4	<0.01	23.1	2000	16.3	33
07019	<5	<1	<1	0.13	17	20	0.66	338	3.2	<0.01	27.8	1600	29.8	23
07020	6	<1	2	0.28	20	23	0.62	439	3.2	<0.01	35.2	2120	28.9	34
07021	5	<1	<1	0.31	18	22	0.89	326	4.9	<0.01	40.0	2140	23.6	37
07022	6	<1	<1	0.23	18	22	0.52	352	2.3	<0.01	33.6	1730	26.3	30
07023	<5	<1	<1	0.20	16	17	0.52	395	3.7	<0.01	31.4	1970	36.9	25
07024	5	<1	<1	0.21	14	24	0.76	475	3.4	0.01	46.6	1200	65.1	32
07025	<5	<1	<1	0.16	15	19	0.61	486	3.6	<0.01	38.5	1500	62.2	21

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
07026	7	<1	<1	0.14	10	32	0.56	493	0.6	<0.01	36.8	734	33.0	17
07027	<5	<1	<1	0.14	15	23	0.44	236	1.7	<0.01	33.9	1590	35.8	20
07028	<5	<1	<1	0.20	14	22	0.74	535	5.6	<0.01	45.1	1440	33.7	30
07029	<5	<1	<1	0.19	15	24	0.68	534	2.9	<0.01	38.6	1330	28.9	26
07030	6	<1	<1	0.22	20	25	0.60	437	2.3	<0.01	41.1	1440	30.0	28
07031	<5	<1	<1	0.17	15	19	0.68	375	2.9	<0.01	39.4	1390	29.5	25
07032	6	<1	<1	0.15	12	20	0.68	380	2.8	<0.01	31.9	1020	27.1	27
07033	<5	<1	<1	0.18	17	18	0.41	450	2.9	<0.01	38.6	1410	28.1	23
07034	<5	<1	<1	0.18	18	17	0.51	318	4.1	<0.01	34.8	2330	22.5	21
07035	<5	<1	<1	0.16	18	15	0.92	216	3.5	<0.01	30.8	2100	22.9	24
07036	<5	<1	<1	0.19	19	11	0.68	293	2.9	<0.01	22.0	1670	22.9	27
07037	6	<1	<1	0.33	24	22	0.61	368	3.4	<0.01	31.8	2530	29.3	38
07038	<5	<1	1	0.15	17	15	0.92	403	4.2	<0.01	27.6	1960	21.7	23
07039	7	<1	<1	0.15	9	35	0.75	521	1.3	0.01	30.9	559	24.1	23
07040	7	<1	<1	0.13	11	32	0.66	547	2.2	<0.01	30.7	585	17.5	18
07041	7	<1	<1	0.10	9	29	0.63	468	2.4	<0.01	29.7	467	17.2	15
07042	7	<1	<1	0.06	10	29	0.47	606	1.7	<0.01	31.8	475	21.7	<10
07043	8	<1	<1	0.11	13	30	0.63	535	2.4	<0.01	33.7	481	21.0	16
07044	7	<1	<1	0.09	12	24	0.41	362	3.2	<0.01	28.6	488	24.2	19
07045	<5	<1	<1	0.08	5	<1	0.03	603	0.8	<0.01	15.2	346	116	<10
07046	<5	<1	<1	0.09	14	4	0.07	524	1.3	<0.01	23.0	443	85.9	12
07047	<5	<1	<1	0.12	25	3	0.25	393	1.9	<0.01	16.0	575	65.6	15
07048	<5	<1	<1	0.10	8	3	0.05	457	1.2	<0.01	16.5	468	34.8	14
07049	<5	<1	<1	0.13	11	4	0.08	470	0.9	<0.01	20.9	430	44.6	14
07050	<5	<1	<1	0.11	10	3	0.08	356	3.8	<0.01	31.1	623	32.9	24
07051	<5	<1	<1	0.12	9	3	0.09	285	9.9	<0.01	24.9	681	33.7	24
07052	<5	<1	<1	0.06	10	9	0.14	414	7.7	<0.01	40.4	525	28.7	11
07053	<5	<1	<1	0.07	6	13	0.12	302	9.2	<0.01	32.5	471	22.5	16
07054	<5	<1	<1	0.08	8	10	0.12	153	12.3	<0.01	30.7	371	23.0	24
07055	<5	<1	<1	0.10	7	8	0.12	183	9.0	<0.01	36.4	360	25.0	21
07056	7	<1	<1	0.16	7	10	0.12	3640	43.6	<0.01	213	978	17.9	55
07057	8	1	<1	0.33	5	19	0.21	94	15.5	<0.01	92.2	595	60.1	78

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
07058	<5	<1	<1	0.11	9	8	0.12	57	8.3	<0.01	15.8	365	17.8	18
07059	8	1	<1	0.33	4	13	0.20	541	14.3	<0.01	52.7	848	49.0	68
07060	<5	<1	<1	0.06	8	6	0.11	180	5.3	<0.01	36.7	254	16.2	14
07061	<5	<1	<1	0.10	6	5	0.11	261	8.2	<0.01	116	379	24.2	20
07062	6	<1	<1	0.18	6	7	0.17	1480	12.4	<0.01	324	706	23.5	37
07063	6	<1	<1	0.15	8	13	0.18	272	11.0	<0.01	84.9	497	34.6	27
07064	5	<1	<1	0.14	11	13	0.18	198	22.3	<0.01	35.1	431	49.7	34
07065	<5	<1	<1	0.07	7	10	0.12	620	7.1	<0.01	46.7	490	28.8	15
07066	<5	<1	<1	0.08	7	12	0.14	56	9.1	<0.01	221	394	38.4	18
07067	<5	1	<1	0.17	6	16	0.13	53	20.1	<0.01	155	356	91.0	34
07068	<5	<1	<1	0.12	5	5	0.07	390	22.0	<0.01	45.1	699	40.4	25
07069	<5	<1	<1	0.10	4	5	0.07	289	20.0	<0.01	39.5	692	37.1	22

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
06049	0.176	1	1.6	<10	<5	132	<10	<10	<5	<0.01	0.12	<5	40.8	<1
06050	0.127	1	3.3	<10	<5	255	<10	<10	<5	<0.01	0.17	<5	45.3	<1
06051	0.049	1	7.1	<10	<5	160	<10	<10	<5	<0.01	0.27	<5	70.7	<1
06052	0.088	3	4.4	<10	<5	64.0	<10	<10	<5	<0.01	0.18	<5	50.5	<1
06053	0.068	4	5.7	<10	<5	47.3	<10	<10	<5	<0.01	0.23	<5	70.1	<1
06054	0.096	3	4.9	<10	<5	49.3	<10	<10	<5	<0.01	0.25	<5	75.1	<1
06055	0.068	3	6.3	<10	<5	51.3	<10	<10	<5	<0.01	0.27	<5	93.0	<1
06056	0.154	2	2.9	<10	<5	72.8	<10	<10	<5	<0.01	0.14	<5	40.9	<1
06057	0.091	3	4.3	<10	<5	44.5	<10	<10	<5	<0.01	0.18	<5	60.9	<1
06058	0.095	3	5.1	<10	<5	47.9	<10	<10	<5	<0.01	0.24	<5	43.8	<1
06059	0.113	2	3.3	<10	<5	114	<10	<10	<5	<0.01	0.13	<5	18.7	<1
06060	0.099	4	4.5	<10	<5	37.3	<10	<10	<5	<0.01	0.20	<5	49.4	<1
06061	0.093	2	3.8	<10	<5	35.7	<10	<10	<5	<0.01	0.26	<5	40.5	<1
06062	0.121	<1	2.5	<10	<5	84.2	<10	<10	<5	<0.01	0.19	<5	59.5	<1
06063	0.121	2	2.1	<10	<5	124	<10	<10	<5	<0.01	2.55	<5	47.8	<1
06064	0.123	3	3.3	<10	<5	42.7	<10	<10	<5	<0.01	0.24	<5	51.3	<1
06065	0.086	2	3.3	<10	<5	44.5	<10	<10	<5	<0.01	1.39	<5	61.2	<1
06066	0.117	2	2.1	<10	<5	133	<10	<10	<5	<0.01	1.92	<5	36.0	<1
06067	0.094	3	3.7	<10	<5	38.1	<10	<10	<5	<0.01	1.76	<5	57.2	<1
06068	0.123	3	3.3	<10	<5	49.1	<10	<10	<5	<0.01	2.71	<5	59.6	<1
06069	0.112	6	6.0	<10	<5	43.4	<10	<10	<5	<0.01	0.37	<5	87.6	<1
06070	0.029	2	4.5	<10	<5	31.8	<10	<10	<5	0.01	0.21	<5	62.0	<1
06071	0.033	5	6.0	<10	<5	134	<10	<10	<5	<0.01	0.27	<5	44.5	<1
06072	0.051	3	3.8	<10	<5	35.9	<10	<10	<5	<0.01	0.18	<5	41.0	<1
06073	0.048	2	3.0	<10	<5	27.4	<10	<10	<5	<0.01	1.80	<5	50.1	<1
06074	0.064	3	4.7	<10	<5	63.3	<10	<10	<5	<0.01	0.36	<5	45.1	<1
06075	0.033	3	4.9	<10	<5	24.9	<10	<10	<5	<0.01	0.25	<5	45.3	<1
06076	0.035	4	4.4	<10	<5	30.3	<10	<10	<5	<0.01	0.28	<5	47.8	<1
06077	0.078	2	4.4	<10	<5	37.6	<10	<10	<5	<0.01	0.18	<5	40.5	<1
06078	0.075	2	4.2	<10	<5	37.7	<10	<10	<5	<0.01	0.19	<5	40.2	<1
06079	0.062	2	5.1	13	<5	33.8	<10	<10	<5	<0.01	0.22	<5	44.7	<1
06080	0.068	4	3.3	<10	<5	67.6	<10	<10	<5	<0.01	0.14	<5	52.0	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
06081	0.120	2	3.7	<10	<5	48.0	<10	<10	<5	<0.01	0.17	<5	71.3	<1
06082	0.080	2	3.7	<10	<5	58.4	<10	<10	<5	<0.01	0.14	<5	50.8	<1
06083	0.060	4	5.2	<10	<5	54.7	<10	<10	<5	<0.01	0.18	<5	68.4	<1
06084	0.048	4	6.3	<10	<5	131	<10	<10	<5	<0.01	0.20	<5	63.7	<1
06085	0.050	4	4.9	<10	<5	237	<10	<10	<5	<0.01	0.24	<5	48.3	<1
06086	0.418	42	4.5	12	<5	173	<10	<10	<5	<0.01	0.34	<5	55.0	<1
06087	0.090	3	3.3	<10	<5	134	<10	<10	<5	<0.01	0.14	<5	47.2	<1
06088	0.083	2	4.5	<10	<5	88.5	<10	<10	<5	<0.01	0.17	<5	47.5	<1
06089	0.081	1	3.5	<10	<5	45.5	<10	<10	<5	<0.01	0.18	<5	56.1	<1
06090	0.053	2	4.9	<10	<5	32.3	<10	<10	<5	<0.01	0.21	<5	67.0	<1
06091	0.052	2	3.5	<10	<5	69.9	<10	<10	<5	<0.01	0.17	<5	40.9	<1
06092	0.045	1	5.3	<10	<5	42.9	<10	<10	<5	<0.01	0.27	<5	65.7	<1
06093	0.085	1	3.9	<10	<5	36.0	<10	<10	<5	<0.01	0.22	<5	65.8	<1
06094	0.079	2	3.0	<10	<5	35.6	<10	<10	<5	<0.01	0.20	<5	58.7	<1
06095	0.036	1	3.9	<10	<5	29.3	<10	<10	<5	<0.01	0.15	<5	42.2	<1
06096	0.046	1	3.6	<10	<5	44.5	<10	<10	<5	<0.01	0.15	<5	52.4	<1
06097	0.039	3	4.3	<10	<5	52.7	<10	<10	<5	<0.01	0.22	<5	55.5	<1
06098	0.058	3	4.1	<10	<5	42.7	<10	<10	<5	<0.01	0.21	<5	59.7	<1
06099	0.048	2	4.1	<10	<5	47.6	<10	<10	<5	<0.01	0.21	<5	54.8	<1
06100	0.058	2	4.4	<10	<5	50.9	<10	<10	<5	<0.01	0.21	<5	64.3	<1
06101	0.048	1	3.9	<10	<5	32.6	<10	<10	<5	<0.01	0.19	<5	54.8	<1
06102	0.046	3	5.3	<10	<5	36.4	<10	<10	<5	<0.01	0.23	<5	69.5	<1
06103	0.063	2	4.7	<10	<5	32.0	<10	<10	<5	<0.01	0.26	<5	64.2	<1
06104	0.252	3	4.2	<10	<5	81.4	<10	<10	<5	<0.01	0.31	<5	37.4	<1
06105	0.060	2	3.4	<10	<5	33.4	<10	<10	<5	<0.01	0.24	<5	80.6	<1
06106	0.077	2	3.9	<10	<5	53.8	<10	<10	<5	0.01	0.20	<5	80.3	<1
06107	0.064	1	3.9	<10	<5	31.7	<10	<10	<5	<0.01	0.19	<5	54.4	<1
06108	0.068	2	3.6	<10	<5	43.3	<10	<10	<5	<0.01	0.17	<5	38.7	<1
06109	0.012	1	4.0	<10	<5	52.4	<10	<10	5	<0.01	0.11	<5	25.2	<1
06110	0.034	2	3.7	<10	<5	39.9	<10	<10	<5	<0.01	0.25	<5	86.9	<1
06111	0.027	3	6.7	<10	<5	18.9	<10	<10	<5	<0.01	0.22	<5	42.1	<1
06112	0.062	<1	3.6	<10	<5	30.5	<10	<10	<5	<0.01	0.19	<5	50.7	<1

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
06113	0.036	<1	1.7	<10	<5	25.8	<10	<10	9	<0.01	0.11	<5	5.7	<1
06114	0.008	<1	1.7	<10	<5	11.3	<10	<10	11	<0.01	0.08	<5	5.1	<1
06115	0.009	<1	1.9	<10	<5	9.6	<10	<10	9	<0.01	0.07	<5	4.8	<1
06116	0.012	<1	2.0	<10	<5	10.8	<10	<10	9	<0.01	0.08	<5	4.1	<1
06117	0.010	<1	1.6	<10	<5	12.8	<10	<10	6	<0.01	0.06	<5	2.9	<1
06118	0.015	<1	1.7	<10	<5	16.9	<10	<10	7	<0.01	0.07	<5	3.9	<1
06119	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06120	0.012	<1	1.6	<10	<5	20.8	<10	<10	7	<0.01	0.07	<5	7.5	<1
06121	0.011	<1	1.7	<10	<5	20.0	<10	<10	8	<0.01	0.07	<5	6.3	<1
06122	0.008	<1	1.5	<10	<5	19.6	<10	<10	11	<0.01	0.05	<5	2.0	<1
06123	0.017	<1	1.5	<10	<5	21.6	<10	<10	9	<0.01	0.05	<5	1.8	<1
06124	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06125	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06126	0.024	<1	1.1	<10	<5	23.4	<10	<10	<5	<0.01	0.07	<5	4.7	<1
06127	0.014	<1	1.6	<10	<5	15.0	<10	<10	7	<0.01	0.05	<5	2.3	<1
06128	0.026	<1	1.7	<10	<5	27.3	<10	<10	<5	<0.01	0.25	<5	21.6	<1
06129	0.106	3	8.9	<10	<5	81.2	<10	<10	<5	<0.01	1.08	<5	64.3	<1
06130	0.037	1	2.1	<10	<5	25.4	<10	<10	7	<0.01	0.22	<5	26.2	<1
06131	0.037	<1	3.0	<10	<5	21.6	<10	<10	<5	<0.01	0.35	<5	14.9	<1
06132	0.032	5	2.4	<10	<5	29.8	<10	<10	<5	<0.01	0.41	<5	31.9	<1
06133	0.069	15	2.4	15	<5	19.4	<10	<10	<5	<0.01	2.30	<5	63.5	<1
06134	0.054	2	1.9	<10	<5	25.6	<10	<10	<5	<0.01	0.52	<5	40.6	<1
06135	0.391	3	4.4	<10	<5	26.0	<10	<10	<5	<0.01	0.84	<5	45.0	<1
06136	0.291	2	4.2	<10	<5	36.2	<10	<10	<5	<0.01	0.69	<5	52.6	<1
06137	0.039	3	2.4	<10	<5	24.0	<10	<10	<5	<0.01	0.80	<5	28.8	<1
06138	0.073	11	1.6	11	<5	23.0	<10	<10	<5	<0.01	1.52	<5	40.9	<1
06139	0.059	5	3.2	<10	<5	32.9	<10	<10	<5	<0.01	1.20	<5	103	<1
06140	0.075	12	4.5	<10	<5	55.9	<10	<10	<5	<0.01	2.63	6	93.9	<1
06141	0.034	3	2.1	<10	<5	19.7	<10	<10	<5	<0.01	0.69	<5	74.5	<1
06142	0.074	5	2.7	<10	<5	33.1	<10	<10	<5	<0.01	1.16	<5	101	<1
06143	0.101	8	<0.5	<10	<5	24.0	<10	<10	<5	<0.01	1.14	<5	123	<1
06144	0.236	15	<0.5	13	<5	70.7	<10	<10	<5	<0.01	2.05	6	229	<1

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
06145	0.138	14	2.1	11	<5	44.5	<10	<10	<5	<0.01	2.03	<5	184	<1
06146	0.044	8	2.3	<10	<5	39.0	<10	<10	<5	<0.01	1.09	<5	102	<1
06147	0.083	6	1.9	<10	<5	25.4	<10	<10	<5	<0.01	1.34	<5	119	<1
06148	0.069	5	2.3	<10	<5	24.4	<10	<10	<5	<0.01	1.18	<5	112	<1
06149	0.064	3	4.0	<10	<5	29.5	<10	<10	<5	<0.01	1.27	7	120	<1
06150	0.019	2	3.2	<10	<5	18.8	<10	<10	<5	<0.01	0.92	<5	64.9	<1
06151	0.047	6	3.5	<10	<5	30.7	<10	<10	<5	<0.01	1.13	11	70.7	<1
06152	0.018	1	1.4	<10	<5	14.4	<10	<10	<5	<0.01	0.66	<5	29.1	<1
06153	0.049	3	0.5	<10	<5	18.3	<10	<10	<5	<0.01	1.28	<5	80.3	<1
06154	0.084	4	0.5	<10	<5	31.8	<10	<10	<5	<0.01	1.14	<5	121	<1
06155	0.269	15	3.2	11	<5	113	<10	<10	<5	<0.01	6.37	7	233	<1
06156	0.048	3	1.4	<10	<5	26.1	<10	<10	<5	<0.01	0.74	<5	67.3	<1
06157	0.048	3	0.9	<10	<5	30.4	<10	<10	<5	<0.01	0.54	<5	60.2	<1
06158	0.073	2	1.7	<10	<5	51.5	<10	<10	<5	<0.01	0.73	<5	80.2	<1
06159	0.062	3	2.7	<10	<5	50.7	<10	<10	<5	<0.01	0.88	<5	101	<1
06160	0.036	2	2.7	<10	<5	32.8	<10	<10	<5	<0.01	0.44	<5	60.7	<1
06161	0.039	2	3.1	<10	<5	42.8	<10	<10	<5	<0.01	0.55	<5	73.7	<1
06162	0.063	3	1.8	<10	<5	38.7	<10	<10	<5	<0.01	0.98	<5	92.4	<1
06163	0.036	4	2.0	<10	<5	32.9	<10	<10	<5	<0.01	0.87	<5	51.5	<1
06164	0.511	3	3.4	<10	<5	33.4	<10	<10	<5	<0.01	0.43	<5	38.2	<1
06165	0.010	<1	1.3	<10	<5	17.4	<10	<10	11	<0.01	0.06	<5	2.1	<1
06166	0.016	<1	1.7	<10	<5	24.8	<10	<10	11	<0.01	0.07	<5	1.8	<1
06167	0.050	<1	1.2	<10	<5	23.0	<10	<10	<5	<0.01	0.08	<5	3.1	<1
06168	0.056	<1	0.9	<10	<5	20.3	<10	<10	<5	<0.01	0.10	<5	6.9	<1
06169	0.017	<1	1.4	<10	<5	17.0	<10	<10	7	<0.01	0.06	<5	2.3	<1
06170	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06171	0.024	<1	1.7	<10	<5	13.1	<10	<10	6	<0.01	0.05	<5	3.2	<1
06172	0.025	<1	1.7	<10	<5	29.4	<10	<10	7	<0.01	0.12	<5	4.4	<1
06173	0.062	3	<0.5	31	<5	27.7	<10	<10	<5	<0.01	0.62	10	41.1	<1
06174	0.045	3	2.1	<10	<5	36.7	<10	<10	<5	<0.01	0.91	<5	125	<1
06175	0.044	2	3.8	<10	<5	43.2	<10	<10	<5	<0.01	0.97	<5	131	<1
06176	0.041	4	2.2	<10	<5	49.2	<10	<10	<5	<0.01	0.59	<5	99.4	<1

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
06177	0.058	3	2.8	<10	<5	70.6	<10	<10	<5	<0.01	0.60	6	145	<1
06178	0.047	4	3.3	<10	<5	73.5	<10	<10	<5	<0.01	0.68	<5	106	<1
06179	0.048	4	2.9	<10	<5	85.1	<10	<10	<5	<0.01	0.86	<5	128	<1
06180	0.056	3	3.1	<10	<5	54.0	<10	<10	<5	<0.01	0.82	<5	88.3	<1
06181	0.068	7	2.8	<10	<5	103	<10	<10	<5	<0.01	1.06	5	176	<1
06182	0.078	5	4.4	<10	<5	83.6	<10	<10	<5	<0.01	1.82	5	179	<1
06183	0.086	7	2.4	<10	<5	126	<10	<10	<5	<0.01	1.94	7	226	<1
06184	0.065	7	3.2	<10	<5	166	<10	<10	<5	<0.01	2.66	9	254	<1
06185	0.066	15	4.2	<10	<5	231	<10	<10	<5	<0.01	2.19	11	327	<1
06186	0.070	8	4.2	<10	<5	96.3	<10	<10	<5	<0.01	1.74	<5	262	<1
06187	0.058	7	3.6	<10	<5	145	<10	<10	<5	<0.01	2.57	8	228	<1
06188	0.061	8	3.0	<10	<5	174	<10	<10	<5	<0.01	2.10	7	230	<1
06189	0.065	9	3.2	<10	<5	90.4	<10	<10	<5	<0.01	0.85	6	271	<1
06190	0.062	9	3.1	<10	<5	185	<10	<10	<5	<0.01	2.25	7	249	<1
06191	0.092	3	6.9	<10	<5	57.7	<10	<10	<5	<0.01	0.40	<5	73.4	<1
06192	0.055	3	5.3	<10	<5	52.3	<10	<10	<5	0.01	0.27	<5	84.7	<1
06193	0.076	4	4.0	<10	<5	62.5	<10	<10	<5	<0.01	0.37	<5	80.9	<1
06194	0.133	1	2.4	<10	<5	52.3	<10	<10	<5	<0.01	0.24	<5	65.8	<1
06195	0.107	3	3.2	<10	<5	53.0	<10	<10	<5	<0.01	0.26	<5	71.7	<1
06196	0.071	3	5.9	<10	<5	41.4	<10	<10	<5	<0.01	0.18	<5	69.1	<1
06197	0.091	2	2.8	<10	<5	50.4	<10	<10	<5	<0.01	0.16	<5	62.3	<1
06198	0.091	3	4.1	<10	<5	47.0	<10	<10	<5	<0.01	0.30	<5	118	<1
06199	0.103	4	3.8	<10	<5	47.9	<10	<10	<5	<0.01	0.26	<5	111	<1
06200	0.071	2	4.0	<10	<5	80.9	<10	<10	<5	<0.01	0.20	<5	80.2	<1
06201	0.090	4	4.4	<10	<5	50.7	<10	<10	<5	<0.01	0.25	<5	78.7	<1
06202	0.079	2	4.3	<10	<5	38.2	<10	<10	<5	<0.01	0.26	<5	79.9	<1
06203	0.037	2	4.9	<10	<5	45.3	<10	<10	<5	<0.01	0.23	<5	86.6	<1
06204	0.070	2	4.6	<10	<5	39.2	<10	<10	<5	<0.01	0.23	<5	71.9	<1
06205	0.027	2	5.1	<10	<5	32.5	<10	<10	<5	<0.01	0.27	<5	102	<1
06206	0.017	3	3.9	<10	<5	22.7	<10	<10	<5	<0.01	0.33	<5	113	<1
06207	0.119	1	3.5	<10	<5	200	<10	<10	<5	<0.01	0.19	6	50.5	<1
06208	0.046	6	4.3	<10	<5	71.6	<10	<10	<5	<0.01	0.86	<5	240	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
06209	0.049	9	3.4	<10	<5	146	<10	<10	<5	<0.01	1.25	7	296	<1
06210	0.069	5	2.9	<10	<5	66.9	<10	<10	<5	<0.01	1.06	<5	173	<1
06211	0.143	6	1.4	<10	<5	96.6	<10	<10	<5	<0.01	1.00	5	148	<1
06212	0.058	8	3.5	<10	<5	96.3	<10	<10	<5	<0.01	2.05	<5	190	<1
06213	0.061	9	4.0	14	<5	140	<10	<10	<5	<0.01	1.32	<5	213	<1
06214	0.051	6	3.3	<10	<5	138	<10	<10	<5	<0.01	0.92	<5	188	<1
06215	0.066	6	2.6	<10	<5	76.6	<10	<10	<5	<0.01	1.05	<5	212	<1
06216	0.074	7	2.3	<10	<5	118	<10	<10	<5	<0.01	0.82	<5	148	<1
06217	0.052	3	5.0	<10	<5	42.3	<10	<10	<5	<0.01	0.34	<5	93.3	<1
06218	0.131	2	8.2	<10	<5	89.3	<10	<10	<5	<0.01	0.30	<5	68.3	<1
06219	0.128	2	3.9	<10	<5	58.3	<10	<10	<5	<0.01	0.22	<5	62.0	<1
06220	0.068	4	4.5	<10	<5	46.7	<10	<10	<5	<0.01	0.24	<5	66.2	<1
06221	0.048	3	4.7	<10	<5	47.1	<10	<10	<5	<0.01	0.39	<5	70.0	<1
06222	0.063	4	4.8	<10	<5	43.6	<10	<10	<5	<0.01	0.22	<5	74.0	<1
06223	0.063	4	5.1	<10	<5	44.9	<10	<10	<5	<0.01	0.21	<5	93.2	<1
06224	0.072	3	5.5	<10	<5	39.1	<10	<10	<5	<0.01	0.26	<5	111	<1
06225	0.075	5	5.6	<10	<5	45.7	<10	<10	<5	<0.01	0.31	<5	118	<1
06226	0.086	6	4.8	<10	<5	45.0	<10	<10	<5	<0.01	0.31	<5	97.5	<1
06227	0.099	4	5.1	<10	<5	46.4	<10	<10	<5	<0.01	0.26	<5	110	<1
06228	0.071	4	5.8	<10	<5	49.6	<10	<10	<5	<0.01	0.25	<5	73.0	<1
06229	0.042	3	6.2	<10	<5	35.0	<10	<10	<5	<0.01	0.27	<5	87.6	<1
06230	0.068	2	6.4	13	<5	43.2	<10	<10	<5	<0.01	0.29	<5	85.2	<1
06231	0.075	3	4.8	<10	<5	42.2	<10	<10	<5	<0.01	0.26	<5	89.9	<1
06232	0.041	3	6.0	<10	<5	57.7	<10	<10	<5	<0.01	0.31	<5	97.1	<1
06233	0.087	2	3.3	<10	<5	77.6	<10	<10	<5	<0.01	0.17	<5	75.2	<1
06234	0.085	2	4.8	<10	<5	116	<10	<10	<5	<0.01	0.19	<5	63.3	<1
06501	0.074	7	0.9	11	<5	29.5	<10	<10	<5	<0.01	0.93	<5	114	<1
06502	0.057	5	1.3	10	<5	24.1	<10	<10	<5	<0.01	0.71	<5	82.6	<1
06503	0.046	5	2.3	<10	<5	19.8	<10	<10	<5	<0.01	0.80	<5	76.8	<1
06504	0.040	3	1.3	<10	<5	19.1	<10	<10	<5	<0.01	0.64	<5	89.0	<1
06505	0.074	2	1.5	<10	<5	29.4	<10	<10	<5	<0.01	0.81	<5	56.3	<1
06506	0.170	4	1.4	<10	<5	51.8	<10	<10	<5	<0.01	1.14	5	87.5	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
06507	0.029	6	1.3	<10	<5	23.5	<10	<10	<5	<0.01	0.62	<5	213	<1
06508	0.065	4	1.3	<10	<5	33.2	<10	<10	<5	<0.01	0.80	<5	131	<1
06509	0.212	7	5.4	23	<5	133	<10	<10	<5	<0.01	4.67	6	263	<1
06510	0.112	5	9.4	20	<5	75.8	<10	<10	<5	<0.01	2.54	5	161	<1
06511	0.018	3	4.8	14	<5	40.2	<10	<10	<5	<0.01	0.73	<5	67.5	<1
06512	0.039	3	2.9	<10	<5	31.5	<10	<10	<5	<0.01	0.59	<5	51.2	<1
06513	0.019	4	2.7	14	<5	25.2	<10	<10	<5	<0.01	0.45	<5	41.5	<1
06514	0.021	4	4.0	12	<5	44.0	<10	<10	9	<0.01	0.79	<5	54.3	<1
06515	0.034	4	2.2	18	<5	35.4	<10	<10	6	<0.01	0.50	<5	56.9	<1
06516	0.121	4	4.0	14	<5	53.6	<10	<10	6	<0.01	0.57	<5	63.7	<1
06517	0.018	<1	1.4	<10	<5	20.2	<10	<10	<5	<0.01	0.06	<5	3.0	<1
06518	0.090	1	3.6	<10	<5	108	<10	<10	<5	<0.01	0.14	<5	50.6	<1
06519	0.079	2	3.4	<10	<5	78.7	<10	<10	<5	<0.01	0.18	<5	64.6	<1
06520	0.050	2	4.0	<10	<5	139	<10	<10	<5	<0.01	0.23	<5	76.1	<1
06521	0.054	1	4.2	<10	<5	40.6	<10	<10	<5	<0.01	0.24	<5	74.9	<1
06522	0.068	3	4.4	<10	<5	37.0	<10	<10	<5	<0.01	0.24	<5	61.2	<1
06523	0.049	2	4.3	<10	<5	36.6	<10	<10	<5	<0.01	0.17	<5	47.0	<1
06524	0.030	3	5.6	<10	<5	37.6	<10	<10	<5	<0.01	0.21	<5	55.5	<1
06525	0.039	<1	4.6	<10	<5	24.8	<10	<10	5	<0.01	0.10	<5	20.6	<1
06526	0.020	1	3.9	<10	<5	106	<10	<10	<5	<0.01	0.11	<5	17.7	<1
06527	0.022	2	4.0	<10	<5	25.8	<10	<10	<5	<0.01	0.10	<5	20.0	<1
06528	0.056	2	4.1	<10	<5	34.7	<10	<10	<5	<0.01	0.18	<5	41.1	<1
06529	0.026	2	3.7	<10	<5	68.4	<10	<10	<5	<0.01	0.11	<5	18.1	<1
06530	0.050	2	4.1	<10	<5	30.8	<10	<10	<5	<0.01	0.15	<5	36.5	<1
06531	0.051	2	5.2	13	<5	33.2	<10	<10	<5	<0.01	0.23	<5	61.8	<1
06532	0.040	2	5.0	10	<5	33.1	<10	<10	<5	<0.01	0.19	<5	47.4	<1
06533	0.034	4	4.6	<10	<5	60.6	<10	<10	<5	<0.01	0.21	<5	56.2	<1
06534	0.087	2	4.4	<10	<5	41.2	<10	<10	<5	<0.01	0.24	<5	64.3	<1
06535	0.039	3	4.8	11	<5	28.7	<10	<10	<5	<0.01	0.31	<5	86.0	<1
06536	0.103	4	4.3	<10	<5	126	<10	<10	<5	<0.01	0.24	<5	65.9	<1
06537	0.068	4	4.4	<10	<5	42.5	<10	<10	<5	<0.01	0.18	<5	45.7	<1
06538	0.088	2	4.8	<10	<5	49.0	<10	<10	<5	<0.01	0.21	<5	60.3	<1

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
06539	0.044	4	5.8	<10	<5	37.0	<10	<10	<5	<0.01	0.30	<5	78.4	<1
06540	0.026	2	3.9	<10	<5	42.7	<10	<10	<5	<0.01	0.12	<5	24.4	<1
06541	0.029	1	3.6	<10	<5	35.5	<10	<10	<5	<0.01	0.10	<5	19.8	<1
06542	0.018	2	4.0	<10	<5	105	<10	<10	<5	<0.01	0.09	<5	15.9	<1
06543	0.146	2	3.3	<10	<5	183	<10	<10	<5	<0.01	0.18	<5	44.9	<1
06544	0.080	2	2.8	<10	<5	89.4	<10	<10	<5	<0.01	0.15	<5	50.5	<1
06545	0.116	2	3.2	<10	<5	109	<10	<10	<5	<0.01	0.15	<5	42.4	<1
06546	0.100	2	2.7	<10	<5	57.1	<10	<10	<5	<0.01	0.22	<5	77.3	<1
06547	0.085	3	4.6	<10	<5	90.6	<10	<10	<5	<0.01	0.19	<5	70.2	<1
06548	0.065	3	4.2	<10	<5	37.5	<10	<10	<5	<0.01	0.22	<5	68.2	<1
06549	0.058	3	4.4	10	<5	32.6	<10	<10	<5	<0.01	0.19	<5	57.3	<1
06550	0.024	<1	3.9	<10	<5	27.2	<10	<10	<5	<0.01	0.12	<5	23.6	<1
06551	0.036	3	3.6	<10	<5	66.6	<10	<10	<5	<0.01	0.11	<5	20.3	<1
06552	0.031	3	4.5	10	<5	63.6	<10	<10	<5	<0.01	0.14	<5	25.6	<1
06553	0.041	2	2.9	<10	<5	44.8	<10	<10	<5	<0.01	0.09	<5	15.9	<1
06554	0.019	2	3.5	<10	<5	24.6	<10	<10	<5	<0.01	0.10	<5	20.2	<1
06555	0.034	2	4.7	<10	<5	142	<10	<10	<5	<0.01	0.14	<5	26.4	<1
06556	0.024	<1	4.4	11	<5	29.2	<10	<10	5	<0.01	0.12	<5	27.6	<1
06557	0.028	2	4.4	<10	<5	33.8	<10	<10	<5	<0.01	0.15	<5	37.3	<1
06558	0.039	2	4.1	10	<5	29.2	<10	<10	<5	<0.01	0.14	<5	33.4	<1
06559	0.042	1	4.2	<10	<5	26.9	<10	<10	<5	<0.01	0.15	<5	34.8	<1
06560	0.018	3	4.4	<10	<5	90.6	<10	<10	<5	<0.01	0.13	<5	22.9	<1
06561	0.136	3	3.2	<10	<5	68.3	<10	<10	<5	<0.01	0.20	<5	35.4	<1
06562	0.150	2	2.0	<10	<5	52.4	<10	<10	<5	<0.01	0.14	<5	26.5	<1
06563	0.082	3	4.4	<10	<5	90.3	<10	<10	<5	<0.01	0.25	<5	56.7	<1
06564	0.039	3	5.4	<10	<5	70.4	<10	<10	<5	<0.01	0.21	<5	57.6	<1
06751	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06752	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06753	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06754	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06755	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06756	0.047	3	3.0	<10	<5	52.7	<10	<10	<5	<0.01	0.66	<5	88.8	<1

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
06757		0.044	4	3.0	13	<5	45.6	<10	<10	<5	<0.01	0.75	<5	64.1	<1
06758		<0.005	<1	1.9	<10	<5	20.8	<10	<10	9	<0.01	0.06	<5	3.6	<1
06759		<0.005	<1	1.8	<10	<5	18.5	<10	<10	9	<0.01	0.04	<5	2.7	<1
06760		0.014	<1	1.7	<10	<5	12.8	<10	<10	6	<0.01	0.06	<5	4.5	<1
06761		0.007	<1	1.9	<10	<5	22.1	<10	<10	11	<0.01	0.05	<5	4.3	1
06762		0.011	1	2.0	<10	<5	17.4	<10	<10	9	<0.01	0.08	<5	6.4	<1
06763		0.008	<1	1.9	<10	<5	20.2	<10	<10	11	<0.01	0.07	<5	2.7	1
06764		0.023	<1	1.1	<10	<5	17.5	<10	<10	<5	<0.01	0.08	<5	4.4	<1
06765		0.025	<1	1.3	<10	<5	19.0	<10	<10	6	<0.01	0.08	<5	3.6	<1
06766		0.010	<1	1.7	<10	<5	36.4	<10	<10	13	<0.01	0.06	<5	2.2	1
06767		0.030	2	1.9	<10	<5	29.1	<10	<10	5	<0.01	0.08	<5	5.8	<1
06768		0.029	<1	0.7	<10	<5	13.5	<10	<10	<5	<0.01	0.07	<5	3.6	<1
06769		0.022	<1	1.5	<10	<5	26.0	<10	<10	5	<0.01	0.08	<5	3.7	<1
06770		0.063	16	4.0	12	<5	77.9	<10	<10	<5	<0.01	1.44	5	360	<1
06771		0.245	4	18.7	14	<5	72.8	<10	<10	<5	<0.01	0.23	<5	84.4	<1
06772		0.100	4	3.6	<10	<5	44.4	<10	<10	<5	<0.01	0.56	<5	139	<1
06773		0.081	5	4.2	<10	<5	68.7	<10	<10	<5	<0.01	1.17	<5	187	<1
06774		0.092	4	7.4	12	<5	89.1	<10	<10	<5	<0.01	0.60	<5	141	<1
06775		0.094	7	3.6	<10	<5	93.4	<10	<10	<5	<0.01	1.12	<5	165	<1
06776		0.092	8	4.6	<10	<5	91.2	<10	<10	<5	<0.01	1.00	<5	154	<1
06777		0.216	4	3.4	11	<5	155	<10	<10	<5	<0.01	0.99	<5	95.8	<1
06778		0.071	6	5.4	10	<5	56.2	<10	<10	<5	<0.01	0.50	<5	77.4	<1
06779		0.055	5	8.2	13	<5	61.2	<10	<10	<5	<0.01	0.40	<5	65.8	<1
06780		0.070	3	8.4	<10	<5	56.4	<10	<10	<5	<0.01	0.46	<5	47.9	<1
06781		0.089	3	5.2	<10	<5	193	<10	<10	<5	<0.01	0.22	<5	46.4	<1
06782		0.084	4	4.6	<10	<5	44.1	<10	<10	<5	<0.01	0.28	<5	95.7	<1
06783		0.078	4	4.3	<10	<5	48.4	<10	<10	<5	<0.01	0.23	<5	75.9	<1
06784		0.063	2	5.6	<10	<5	63.8	<10	<10	<5	<0.01	0.29	<5	60.9	<1
06785		0.098	2	5.2	<10	<5	45.7	<10	<10	<5	<0.01	0.21	<5	63.5	<1
06786		0.129	3	3.8	<10	<5	51.4	<10	<10	<5	<0.01	0.23	<5	83.9	<1
06787		0.119	3	3.7	<10	<5	42.8	<10	<10	<5	<0.01	0.23	<5	89.5	<1
06788		0.118	3	3.6	<10	<5	50.3	<10	<10	<5	<0.01	0.22	<5	76.3	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
06789	0.079	6	4.9	<10	<5	54.7	<10	<10	<5	<0.01	0.21	<5	73.2	<1
06790	0.109	2	3.2	<10	<5	48.7	<10	<10	<5	<0.01	0.16	<5	66.2	<1
06791	0.094	3	4.4	<10	<5	60.6	<10	<10	<5	<0.01	0.19	<5	53.6	<1
06792	0.062	2	5.0	11	<5	45.3	<10	<10	<5	<0.01	0.21	<5	64.6	<1
06793	0.092	2	4.7	<10	<5	58.3	<10	<10	<5	<0.01	0.20	<5	59.9	<1
06794	0.044	1	4.2	<10	<5	46.5	<10	<10	<5	<0.01	0.25	<5	75.4	<1
06795	0.073	4	5.0	<10	<5	212	<10	<10	<5	<0.01	0.22	<5	55.2	<1
06796	0.074	1	4.8	<10	<5	156	<10	<10	<5	<0.01	0.15	<5	49.4	<1
06797	0.116	10	1.1	14	<5	33.9	<10	<10	<5	<0.01	1.70	<5	188	<1
06798	0.081	10	1.3	11	<5	22.7	<10	<10	<5	<0.01	1.16	<5	132	<1
06799	0.086	6	2.2	12	<5	26.8	<10	<10	<5	<0.01	1.15	<5	114	<1
06800	0.091	17	4.6	17	<5	54.6	<10	<10	<5	<0.01	2.57	6	296	<1
06801	0.057	7	1.7	<10	<5	42.9	<10	<10	<5	<0.01	0.89	<5	79.1	<1
06802	0.037	6	3.2	<10	<5	37.0	<10	<10	<5	<0.01	0.99	<5	101	<1
06803	0.118	8	5.5	37	<5	51.3	<10	<10	<5	<0.01	4.43	<5	132	<1
06804	0.050	3	2.8	<10	<5	45.3	<10	<10	<5	<0.01	0.54	<5	38.5	<1
06805	0.032	3	1.9	<10	<5	21.8	<10	<10	<5	<0.01	0.65	<5	92.9	<1
06806	0.191	10	<0.5	23	<5	67.1	<10	<10	<5	<0.01	1.80	<5	166	<1
06807	0.131	15	2.2	17	<5	65.0	<10	<10	<5	<0.01	2.87	<5	185	<1
06808	0.085	11	1.6	<10	<5	48.9	<10	<10	<5	<0.01	1.88	<5	140	<1
06809	0.082	10	2.3	10	<5	49.8	<10	<10	<5	<0.01	1.52	<5	90.7	<1
06810	0.074	8	2.3	12	<5	47.3	<10	<10	<5	<0.01	0.88	<5	69.9	<1
06811	0.059	5	3.4	14	<5	40.6	<10	<10	<5	<0.01	1.08	<5	109	<1
06812	0.088	3	2.6	<10	<5	65.9	<10	<10	<5	<0.01	0.78	<5	81.8	<1
06813	0.019	2	3.0	<10	<5	35.9	<10	<10	6	<0.01	0.32	<5	55.0	<1
06814	0.027	2	4.1	13	<5	43.8	<10	<10	<5	<0.01	0.53	<5	89.1	<1
06815	0.035	3	3.7	<10	<5	43.3	<10	<10	<5	<0.01	0.52	<5	80.0	<1
06816	0.033	4	3.3	<10	<5	47.4	<10	<10	<5	<0.01	0.48	<5	55.1	<1
06817	0.056	3	3.6	<10	<5	86.3	<10	<10	<5	<0.01	0.83	<5	75.9	<1
06818	0.025	2	2.9	<10	<5	55.9	<10	<10	<5	<0.01	0.51	<5	55.4	<1
06819	0.222	12	1.7	14	<5	67.1	<10	<10	<5	<0.01	1.88	<5	148	<1
06820	0.374	24	1.2	23	<5	90.6	<10	<10	<5	<0.01	7.07	5	293	1

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
06821	0.166	14	4.4	14	<5	71.8	<10	<10	<5	<0.01	1.98	<5	131	<1
06822	0.280	18	2.2	20	<5	88.4	<10	<10	<5	<0.01	3.20	<5	233	<1
06823	0.037	5	2.0	10	<5	23.3	<10	<10	<5	<0.01	0.84	<5	84.2	<1
06824	0.194	12	1.3	11	<5	82.7	<10	<10	<5	<0.01	2.95	<5	221	<1
06825	0.090	11	1.7	14	<5	51.0	<10	<10	<5	<0.01	1.69	<5	126	<1
06826	0.104	17	3.0	15	<5	46.1	<10	<10	<5	<0.01	1.15	<5	122	<1
06827	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
07001	0.062	2	2.4	<10	<5	24.6	<10	<10	<5	<0.01	1.04	<5	82.7	<1
07002	0.050	<1	2.3	<10	<5	21.0	<10	<10	<5	<0.01	0.82	<5	99.9	<1
07003	0.184	13	6.3	<10	<5	121	<10	<10	<5	<0.01	2.14	<5	403	<1
07004	0.050	<1	1.7	<10	<5	21.1	<10	<10	<5	<0.01	0.75	<5	109	<1
07005	0.057	4	2.1	<10	<5	30.1	<10	<10	<5	<0.01	1.07	<5	141	<1
07006	0.126	1	2.9	<10	<5	52.2	<10	<10	<5	<0.01	1.33	<5	97.6	<1
07007	0.078	1	2.9	<10	<5	35.8	<10	<10	<5	<0.01	1.29	<5	108	<1
07008	0.031	<1	1.1	<10	<5	20.3	<10	<10	<5	<0.01	0.54	<5	76.1	<1
07009	0.062	<1	2.9	<10	<5	43.6	<10	<10	<5	<0.01	1.02	<5	91.8	<1
07010	0.034	<1	1.6	<10	<5	23.2	<10	<10	<5	<0.01	0.45	<5	52.4	<1
07011	0.014	1	2.1	<10	<5	27.0	<10	<10	<5	<0.01	0.27	<5	43.8	<1
07012	0.041	2	3.3	<10	<5	45.1	<10	<10	<5	<0.01	0.43	<5	66.8	<1
07013	0.032	<1	1.4	<10	<5	28.3	<10	<10	<5	<0.01	0.41	<5	61.2	<1
07014	0.030	1	2.6	<10	<5	36.6	<10	<10	<5	<0.01	0.51	<5	58.2	<1
07015	0.035	<1	2.4	<10	<5	41.8	<10	<10	<5	<0.01	0.57	<5	60.3	<1
07016	0.032	<1	2.6	<10	<5	40.9	<10	<10	<5	<0.01	0.47	<5	69.5	<1
07017	0.045	<1	2.9	<10	<5	38.7	<10	<10	5	<0.01	0.63	<5	74.5	<1
07018	0.125	5	4.5	<10	<5	154	<10	<10	<5	<0.01	0.16	<5	65.7	<1
07019	0.090	3	4.5	<10	<5	69.3	<10	<10	<5	<0.01	0.17	<5	58.3	<1
07020	0.052	3	4.7	<10	<5	38.9	<10	<10	<5	<0.01	0.23	<5	87.9	<1
07021	0.068	2	5.4	<10	<5	71.5	<10	<10	<5	<0.01	0.29	<5	81.2	<1
07022	0.073	2	5.4	<10	<5	42.1	<10	<10	<5	<0.01	0.23	<5	77.6	<1
07023	0.073	2	4.3	<10	<5	41.3	<10	<10	<5	<0.01	0.19	<5	67.8	<1
07024	0.091	5	5.7	<10	<5	135	<10	<10	<5	<0.01	0.24	<5	45.1	<1
07025	0.076	3	5.4	<10	<5	61.1	<10	<10	<5	<0.01	0.24	<5	52.2	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
07026	0.030	1	5.0	<10	<5	33.9	<10	<10	5	<0.01	0.12	<5	33.4	<1
07027	0.040	2	5.2	<10	<5	29.9	<10	<10	5	<0.01	0.17	<5	54.9	<1
07028	0.078	4	5.8	<10	<5	98.7	<10	<10	<5	<0.01	0.26	<5	58.7	<1
07029	0.059	2	4.8	<10	<5	40.8	<10	<10	<5	<0.01	0.19	<5	55.0	<1
07030	0.061	1	5.6	<10	<5	43.4	<10	<10	<5	<0.01	0.21	<5	65.8	<1
07031	0.086	4	4.9	<10	<5	95.6	<10	<10	<5	<0.01	0.21	<5	49.7	<1
07032	0.111	4	4.4	<10	<5	138	<10	<10	<5	<0.01	0.20	<5	34.2	<1
07033	0.054	2	4.8	<10	<5	32.2	<10	<10	<5	<0.01	0.19	<5	58.7	<1
07034	0.046	3	4.0	<10	<5	33.9	<10	<10	<5	<0.01	0.18	<5	68.0	<1
07035	0.103	5	4.6	<10	<5	86.1	<10	<10	<5	<0.01	0.17	<5	56.2	<1
07036	0.135	5	3.6	<10	<5	85.3	<10	<10	<5	<0.01	0.18	<5	51.1	<1
07037	0.058	3	5.1	<10	<5	46.0	<10	<10	<5	<0.01	0.26	<5	95.6	<1
07038	0.096	4	3.6	<10	<5	69.3	<10	<10	<5	<0.01	0.17	<5	60.8	<1
07039	0.060	2	4.6	<10	<5	109	<10	<10	7	<0.01	0.10	<5	24.7	<1
07040	0.012	2	3.7	<10	<5	97.0	<10	<10	6	<0.01	0.10	<5	19.0	2
07041	0.017	2	3.6	10	<5	84.6	<10	<10	<5	<0.01	0.09	<5	17.7	1
07042	0.013	<1	4.1	<10	<5	38.4	<10	<10	<5	<0.01	0.08	<5	15.8	<1
07043	0.023	2	4.4	<10	<5	35.2	<10	<10	<5	<0.01	0.11	<5	25.3	<1
07044	0.023	<1	3.9	14	<5	23.0	<10	<10	<5	<0.01	0.15	<5	26.8	<1
07045	0.043	<1	1.3	<10	<5	21.5	<10	<10	<5	<0.01	0.08	<5	2.5	1
07046	0.027	1	3.3	<10	<5	25.5	<10	<10	5	<0.01	0.10	<5	6.9	<1
07047	0.048	1	5.2	<10	<5	31.8	<10	<10	<5	<0.01	0.11	<5	9.5	<1
07048	0.042	1	1.9	<10	<5	24.2	<10	<10	<5	<0.01	0.08	<5	6.7	<1
07049	0.035	<1	3.1	<10	<5	32.3	<10	<10	5	<0.01	0.10	<5	7.5	1
07050	0.044	2	2.8	<10	<5	30.3	<10	<10	<5	<0.01	0.54	<5	38.9	<1
07051	0.065	4	4.7	11	<5	42.5	<10	<10	<5	<0.01	0.84	<5	65.6	<1
07052	0.028	4	2.8	<10	<5	39.4	<10	<10	<5	<0.01	0.43	<5	57.6	<1
07053	0.028	2	2.8	<10	<5	35.2	<10	<10	<5	<0.01	0.53	<5	63.2	<1
07054	0.022	4	2.8	<10	<5	42.1	<10	<10	<5	<0.01	0.62	<5	102	<1
07055	0.031	5	2.6	<10	<5	48.7	<10	<10	<5	<0.01	0.65	<5	101	<1
07056	0.167	10	6.8	25	<5	101	<10	<10	<5	<0.01	3.50	<5	212	<1
07057	0.118	4	9.7	<10	<5	92.5	<10	<10	<5	<0.01	2.47	6	212	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
07058		0.024	3	2.5	<10	<5	40.5	<10	<10	<5	<0.01	0.56	<5	71.2	<1
07059		0.068	5	6.9	18	<5	90.2	<10	<10	<5	<0.01	2.11	5	231	<1
07060		0.020	<1	1.9	<10	<5	36.3	<10	<10	<5	<0.01	0.33	<5	53.9	<1
07061		0.028	3	3.0	<10	<5	65.5	<10	<10	<5	<0.01	0.60	<5	89.0	<1
07062		0.064	5	4.5	18	<5	107	<10	<10	<5	<0.01	1.20	<5	111	<1
07063		0.041	5	4.7	<10	<5	40.6	<10	<10	<5	<0.01	1.04	<5	89.0	<1
07064		0.037	8	4.3	18	<5	36.2	<10	<10	<5	<0.01	1.43	<5	123	<1
07065		0.035	3	3.1	<10	<5	38.8	<10	<10	<5	<0.01	0.43	<5	37.1	<1
07066		0.308	4	4.1	11	<5	53.3	<10	<10	<5	<0.01	0.82	<5	53.1	<1
07067		0.238	10	6.2	21	<5	66.3	<10	<10	<5	<0.01	2.92	21	147	<1
07068		0.078	8	3.0	11	<5	56.4	<10	<10	<5	<0.01	1.44	<5	103	<1
07069		0.064	8	3.0	<10	<5	46.7	<10	<10	<5	<0.01	1.22	<5	92.7	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr	Zn-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	0.01
06049		15	76.9	<5	
06050		17	92.6	5	
06051		23	170	<5	
06052		25	224	<5	
06053		26	216	<5	
06054		26	227	<5	
06055		28	302	<5	
06056		25	176	<5	
06057		22	165	<5	
06058		22	205	<5	
06059		18	164	<5	
06060		20	232	<5	
06061		17	234	<5	
06062		11	145	<5	
06063		11	166	<5	
06064		17	220	<5	
06065		16	225	<5	
06066		16	147	<5	
06067		20	238	<5	
06068		16	203	<5	
06069		19	391	<5	
06070		14	206	<5	
06071		19	290	<5	
06072		15	236	<5	
06073		15	216	<5	
06074		17	506	<5	
06075		14	258	<5	
06076		13	533	<5	
06077		19	367	<5	
06078		18	221	<5	
06079		20	254	<5	
06080		14	868	<5	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr	Zn-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	0.01
06081		22	283	<5	
06082		20	227	<5	
06083		23	320	<5	
06084		22	628	<5	
06085		15	413	<5	
06086		12	>10000	<5	1.881
06087		20	479	<5	
06088		20	270	<5	
06089		17	217	<5	
06090		22	246	<5	
06091		16	215	<5	
06092		18	251	<5	
06093		18	298	<5	
06094		15	197	<5	
06095		16	242	<5	
06096		16	236	<5	
06097		15	220	<5	
06098		18	265	<5	
06099		15	285	<5	
06100		16	225	<5	
06101		17	250	<5	
06102		18	246	<5	
06103		15	242	<5	
06104		29	229	<5	
06105		10	111	<5	
06106		21	308	<5	
06107		13	192	<5	
06108		14	302	<5	
06109		8	162	<5	
06110		15	494	<5	
06111		19	320	<5	
06112		13	758	<5	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

	Analyte:	Y	Zn	Zr	Zn-OL
	Unit:	ppm	ppm	ppm	%
Sample Description	RDL:	1	0.5	5	0.01

06113	4	79.8	<5	
06114	5	60.5	5	
06115	5	67.9	<5	
06116	6	47.6	<5	
06117	5	49.6	<5	
06118	6	53.6	<5	
06119	NRC	NRC	NRC	
06120	5	75.0	<5	
06121	5	79.8	<5	
06122	4	51.3	7	
06123	3	51.1	<5	
06124	NRC	NRC	NRC	
06125	NRC	NRC	NRC	
06126	5	46.6	<5	
06127	5	49.7	<5	
06128	6	151	<5	
06129	9	425	<5	
06130	6	146	<5	
06131	7	101	<5	
06132	8	922	<5	
06133	11	376	<5	
06134	5	226	<5	
06135	9	420	<5	
06136	7	207	<5	
06137	3	138	<5	
06138	5	273	<5	
06139	9	227	<5	
06140	15	448	<5	
06141	8	464	<5	
06142	7	281	<5	
06143	5	126	<5	
06144	6	201	<5	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr	Zn-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	0.01
06145		9	194	<5	
06146		8	169	<5	
06147		11	293	<5	
06148		12	247	<5	
06149		11	241	<5	
06150		10	146	<5	
06151		6	320	<5	
06152		3	24.2	<5	
06153		5	189	<5	
06154		3	176	<5	
06155		5	274	<5	
06156		7	257	<5	
06157		6	281	<5	
06158		7	391	<5	
06159		8	324	<5	
06160		10	253	<5	
06161		10	253	<5	
06162		4	279	<5	
06163		6	295	<5	
06164		8	297	<5	
06165		3	32.7	6	
06166		5	49.4	7	
06167		4	52.3	<5	
06168		4	61.0	<5	
06169		4	50.4	<5	
06170		NRC	NRC	NRC	
06171		3	78.4	11	
06172		6	192	<5	
06173		38	1660	5	
06174		7	370	<5	
06175		9	178	<5	
06176		7	345	<5	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr	Zn-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	0.01
06177		8	303	<5	
06178		9	410	<5	
06179		8	437	<5	
06180		10	642	<5	
06181		23	611	<5	
06182		28	613	<5	
06183		23	708	<5	
06184		21	666	<5	
06185		23	1220	<5	
06186		28	763	<5	
06187		22	727	<5	
06188		24	747	<5	
06189		33	732	<5	
06190		24	755	<5	
06191		25	374	<5	
06192		20	230	<5	
06193		19	348	<5	
06194		13	243	<5	
06195		17	245	<5	
06196		18	301	<5	
06197		16	205	<5	
06198		19	288	<5	
06199		15	271	<5	
06200		16	319	<5	
06201		16	788	<5	
06202		17	363	<5	
06203		18	273	<5	
06204		18	368	<5	
06205		19	219	<5	
06206		15	226	<5	
06207		15	194	<5	
06208		25	533	<5	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr	Zn-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	0.01
06209		24	684	<5	
06210		25	626	<5	
06211		21	473	<5	
06212		24	777	<5	
06213		25	917	<5	
06214		30	718	<5	
06215		27	781	<5	
06216		25	801	<5	
06217		23	367	<5	
06218		21	356	<5	
06219		16	340	<5	
06220		17	303	<5	
06221		23	351	<5	
06222		20	283	<5	
06223		18	304	<5	
06224		19	316	<5	
06225		20	395	<5	
06226		20	379	<5	
06227		19	342	<5	
06228		18	470	<5	
06229		20	413	<5	
06230		19	327	<5	
06231		19	261	<5	
06232		24	251	<5	
06233		23	144	<5	
06234		22	264	<5	
06501		7	153	<5	
06502		7	161	<5	
06503		8	202	<5	
06504		4	66.9	<5	
06505		5	43.9	<5	
06506		6	47.2	<5	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr	Zn-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	0.01
06507		4	78.4	<5	
06508		5	182	<5	
06509		9	203	<5	
06510		17	431	<5	
06511		38	1480	<5	
06512		24	888	<5	
06513		22	713	<5	
06514		11	784	<5	
06515		5	837	<5	
06516		9	882	7	
06517		3	89.3	<5	
06518		23	209	<5	
06519		20	135	<5	
06520		18	180	<5	
06521		18	192	<5	
06522		16	259	<5	
06523		14	230	<5	
06524		16	398	<5	
06525		10	149	<5	
06526		8	130	<5	
06527		9	261	<5	
06528		12	342	<5	
06529		8	150	<5	
06530		12	303	<5	
06531		15	262	<5	
06532		14	233	<5	
06533		13	212	<5	
06534		21	211	<5	
06535		18	275	<5	
06536		16	253	<5	
06537		21	254	<5	
06538		20	205	<5	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr	Zn-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	0.01
06539		20	311	<5	
06540		9	154	<5	
06541		9	130	<5	
06542		7	112	<5	
06543		14	295	<5	
06544		16	205	<5	
06545		18	155	<5	
06546		16	162	<5	
06547		22	180	<5	
06548		18	260	<5	
06549		14	470	<5	
06550		9	145	<5	
06551		9	190	<5	
06552		10	200	<5	
06553		8	431	<5	
06554		8	144	<5	
06555		8	211	<5	
06556		10	189	<5	
06557		12	200	<5	
06558		12	206	<5	
06559		12	219	<5	
06560		9	174	<5	
06561		16	183	<5	
06562		12	137	<5	
06563		16	283	<5	
06564		19	256	<5	
06751		NRC	NRC	NRC	
06752		NRC	NRC	NRC	
06753		NRC	NRC	NRC	
06754		NRC	NRC	NRC	
06755		NRC	NRC	NRC	
06756		8	482	<5	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr	Zn-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	0.01
06757		8	399	<5	
06758		4	52.2	11	
06759		4	55.7	11	
06760		5	58.8	<5	
06761		6	57.5	<5	
06762		6	68.8	<5	
06763		5	52.3	8	
06764		4	40.4	<5	
06765		5	43.8	<5	
06766		5	36.1	<5	
06767		6	61.8	<5	
06768		2	53.1	<5	
06769		4	51.5	<5	
06770		31	931	<5	
06771		19	229	<5	
06772		20	346	<5	
06773		31	510	<5	
06774		21	331	<5	
06775		28	558	<5	
06776		23	740	<5	
06777		27	459	<5	
06778		22	611	<5	
06779		23	628	<5	
06780		26	297	<5	
06781		15	324	<5	
06782		16	315	<5	
06783		17	325	<5	
06784		17	271	<5	
06785		16	283	<5	
06786		17	257	<5	
06787		16	214	<5	
06788		15	291	<5	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	Y	Zn	Zr	Zn-OL
Unit:	ppm	ppm	ppm	%
RDL:	1	0.5	5	0.01

Sample Description

06789	17	1020	<5	
06790	18	358	<5	
06791	18	311	<5	
06792	18	306	<5	
06793	20	305	<5	
06794	15	170	<5	
06795	18	212	<5	
06796	21	197	<5	
06797	4	148	<5	
06798	5	129	<5	
06799	9	191	<5	
06800	9	327	<5	
06801	6	260	<5	
06802	10	295	<5	
06803	13	378	<5	
06804	6	214	<5	
06805	4	186	<5	
06806	4	195	<5	
06807	5	250	<5	
06808	4	217	<5	
06809	7	278	<5	
06810	10	261	<5	
06811	11	290	<5	
06812	12	464	<5	
06813	8	212	<5	
06814	12	289	<5	
06815	9	205	<5	
06816	8	526	<5	
06817	8	913	<5	
06818	7	444	<5	
06819	5	132	<5	
06820	6	116	<5	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr	Zn-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	0.01
06821		9	237	<5	
06822		5	157	<5	
06823		5	200	<5	
06824		8	477	<5	
06825		4	176	<5	
06826		9	314	<5	
06827	NRC	NRC	NRC	NRC	
07001		4	128	<5	
07002		8	205	<5	
07003		24	345	<5	
07004		4	149	<5	
07005		6	188	<5	
07006		8	207	<5	
07007		7	199	<5	
07008		4	166	<5	
07009		11	362	<5	
07010		8	151	<5	
07011		6	125	<5	
07012		7	285	<5	
07013		4	169	<5	
07014		6	178	<5	
07015		6	236	<5	
07016		7	342	<5	
07017		9	605	<5	
07018		19	149	<5	
07019		18	206	<5	
07020		17	264	<5	
07021		17	234	<5	
07022		17	237	<5	
07023		15	264	<5	
07024		11	559	<5	
07025		15	336	<5	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Analyte:	Y	Zn	Zr	Zn-OL
Unit:	ppm	ppm	ppm	%
RDL:	1	0.5	5	0.01

Sample Description

07026	9	159	<5	
07027	14	288	<5	
07028	15	310	<5	
07029	14	271	<5	
07030	15	225	<5	
07031	13	225	<5	
07032	10	152	<5	
07033	14	227	<5	
07034	15	297	<5	
07035	18	203	<5	
07036	19	156	<5	
07037	21	273	<5	
07038	16	224	<5	
07039	7	117	<5	
07040	7	109	<5	
07041	7	117	<5	
07042	8	119	<5	
07043	10	132	<5	
07044	9	224	<5	
07045	3	61.0	<5	
07046	9	169	<5	
07047	18	175	<5	
07048	5	70.5	<5	
07049	7	96.8	<5	
07050	12	204	<5	
07051	8	149	<5	
07052	8	195	<5	
07053	7	183	<5	
07054	6	298	<5	
07055	5	349	<5	
07056	30	1530	<5	
07057	14	447	<5	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr	Zn-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	0.01
07058		7	110	<5	
07059		10	316	5	
07060		5	273	<5	
07061		8	603	<5	
07062		8	1800	<5	
07063		9	736	<5	
07064		10	270	<5	
07065		7	389	<5	
07066		12	1710	<5	
07067		23	949	<5	
07068		10	292	<5	
07069		8	299	<5	

Comments: RDL - Reported Detection Limit

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
06049		0.60	0.009
06050		0.75	0.008
06051		0.83	0.006
06052		0.61	0.008
06053		0.75	0.035
06054		0.55	0.009
06055		0.73	0.008
06056		0.72	0.008
06057		0.64	0.008
06058		0.65	0.006
06059		0.73	0.009
06060		0.69	0.006
06061		0.60	0.026
06062		0.69	0.008
06063		0.71	0.010
06064		0.61	0.006
06065		0.58	0.010
06066		0.65	0.002
06067		0.75	0.055
06068		0.62	0.009
06069		0.70	0.005
06070		0.85	0.004
06071		0.93	0.005
06072		0.71	0.003
06073		0.85	0.002
06074		0.65	0.004
06075		0.83	0.003
06076		0.82	0.003
06077		0.74	0.006
06078		0.75	0.004
06079		0.83	0.004

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
06080		NRC	NRC
06081		0.70	0.050
06082		0.79	0.009
06083		0.81	0.006
06084		0.71	0.005
06085		0.68	0.002
06086		0.75	0.005
06087		0.85	0.021
06088		0.72	0.004
06089		0.57	0.003
06090		0.72	0.005
06091		0.80	0.003
06092		0.58	0.013
06093		0.72	<0.001
06094		0.52	0.002
06095		0.70	0.001
06096		0.69	0.003
06097		0.61	0.002
06098		0.62	0.002
06099		0.70	0.002
06100		0.66	0.004
06101		0.57	0.011
06102		0.66	0.002
06103		0.68	0.004
06104		0.58	0.023
06105		0.55	0.003
06106		0.62	0.004
06107		0.72	0.017
06108		0.59	0.003
06109		0.68	0.001
06110		0.45	0.004

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
06111		0.65	0.013
06112		0.72	0.035
06113		0.56	0.002
06114		0.49	0.002
06115		0.56	0.002
06116		0.53	0.001
06117		0.67	0.002
06118		0.59	0.005
06119		NRC	NRC
06120		0.56	0.002
06121		0.66	0.001
06122		0.49	0.001
06123		0.71	0.002
06124		NRC	NRC
06125		NRC	NRC
06126		0.67	0.002
06127		0.59	0.002
06128		0.49	0.002
06129		0.71	0.002
06130		0.58	0.001
06131		0.78	0.004
06132		0.85	0.003
06133		0.69	0.007
06134		0.62	0.004
06135		0.69	<0.001
06136		0.66	0.003
06137		0.80	0.003
06138		0.72	0.004
06139		0.61	0.003
06140		0.69	0.007
06141		NRC	0.003

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
06142		0.62	0.002
06143		0.56	0.003
06144		0.78	0.004
06145		0.68	0.008
06146		0.80	0.004
06147		0.72	0.002
06148		0.62	0.002
06149		NRC	0.002
06150		0.44	0.003
06151		0.64	0.003
06152		0.71	0.002
06153		0.55	0.002
06154		0.48	0.002
06155		0.55	0.007
06156		0.52	0.003
06157		0.66	0.001
06158		0.58	0.001
06159		0.47	0.003
06160		0.55	0.002
06161		0.65	0.012
06162		0.48	0.001
06163		0.70	0.003
06164		0.64	0.004
06165		0.54	0.002
06166		0.66	0.002
06167		0.58	0.001
06168		0.48	0.002
06169		0.52	0.001
06170		NRC	NRC
06171		0.49	0.002
06172		0.56	0.002

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
06173		0.40	0.002
06174		0.33	0.002
06175		0.40	0.003
06176		0.37	0.002
06177		0.51	0.002
06178		0.43	0.003
06179		0.32	0.003
06180		0.40	0.002
06181		0.50	0.007
06182		0.33	0.003
06183		0.55	0.002
06184		0.49	0.003
06185		0.39	0.005
06186		0.51	0.005
06187		0.43	0.007
06188		0.33	0.005
06189		0.64	0.005
06190		0.41	0.004
06191		0.61	0.016
06192		0.68	0.005
06193		0.52	0.005
06194		0.45	0.004
06195		0.52	0.003
06196		0.49	0.008
06197		0.63	0.006
06198		0.55	0.020
06199		0.44	0.006
06200		0.52	0.006
06201		0.62	0.005
06202		0.45	0.006
06203		0.67	0.005

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
06204		0.61	0.016
06205		0.51	0.007
06206		0.63	0.006
06207		0.55	0.007
06208		0.45	0.005
06209		0.74	0.004
06210		0.51	0.003
06211		0.71	0.003
06212		0.78	0.004
06213		0.62	0.005
06214		0.55	0.004
06215		0.62	0.015
06216		0.59	0.005
06217		0.73	0.012
06218		0.65	0.004
06219		0.54	0.010
06220		0.62	0.005
06221		0.72	0.007
06222		0.55	0.006
06223		0.77	0.006
06224		0.71	0.006
06225		0.61	0.006
06226		0.73	0.007
06227		0.65	0.006
06228		0.55	0.017
06229		0.84	0.007
06230		0.61	0.009
06231		0.81	0.004
06232		0.88	0.008
06233		0.72	0.004
06234		0.65	0.005

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
06501		0.72	0.002
06502		0.69	0.003
06503		0.83	0.009
06504		0.75	0.005
06505		0.64	0.004
06506		0.72	0.005
06507		0.82	0.002
06508		0.65	0.002
06509		0.87	0.012
06510		0.81	0.005
06511		0.71	0.003
06512		0.83	0.002
06513		0.75	0.002
06514		0.65	0.003
06515		0.71	0.003
06516		0.48	0.004
06517		0.68	0.006
06518		0.75	0.006
06519		0.59	0.005
06520		0.52	0.007
06521		0.59	0.004
06522		0.56	0.010
06523		0.70	0.003
06524		0.62	0.002
06525		0.51	<0.001
06526		0.59	<0.001
06527		0.69	<0.001
06528		0.52	0.002
06529		0.74	0.001
06530		0.68	0.010
06531		0.58	0.004

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
06532		0.70	0.001
06533		0.62	0.006
06534		0.52	0.003
06535		0.72	0.005
06536		0.45	0.006
06537		0.59	0.008
06538		0.72	0.005
06539		0.55	0.003
06540		0.61	<0.001
06541		0.56	<0.001
06542		0.63	0.006
06543		0.67	0.002
06544		0.49	0.002
06545		0.48	0.003
06546		0.68	0.003
06547		0.66	0.004
06548		0.57	0.003
06549		0.71	0.001
06550		0.65	<0.001
06551		0.55	0.011
06552		0.72	<0.001
06553		0.67	<0.001
06554		0.54	<0.001
06555		0.74	0.001
06556		0.58	0.008
06557		0.72	0.002
06558		0.66	<0.001
06559		0.68	0.002
06560		0.74	<0.001
06561		0.69	0.013
06562		0.76	0.932

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
06563		0.80	0.006
06564		0.62	0.005
06751		NRC	NRC
06752		NRC	NRC
06753		NRC	NRC
06754		NRC	NRC
06755		NRC	NRC
06756		0.78	0.011
06757		0.68	0.002
06758		0.74	0.001
06759		0.80	0.001
06760		0.67	0.007
06761		0.71	0.003
06762		0.44	<0.001
06763		0.58	0.001
06764		0.71	<0.001
06765		0.54	<0.001
06766		0.60	0.005
06767		0.55	<0.001
06768		0.62	<0.001
06769		0.66	<0.001
06770		0.48	0.001
06771		0.47	<0.001
06772		0.67	<0.001
06773		0.65	<0.001
06774		0.56	<0.001
06775		0.70	<0.001
06776		0.64	0.038
06777		0.54	0.003
06778		0.71	0.006
06779		0.66	0.010

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
06780		0.53	<0.001
06781		0.56	0.002
06782		0.49	<0.001
06783		0.43	<0.001
06784		0.56	0.003
06785		0.39	<0.001
06786		0.45	0.002
06787		0.40	0.002
06788		0.47	0.001
06789		0.51	0.001
06790		0.33	0.004
06791		0.32	0.005
06792		0.52	0.003
06793		0.50	<0.001
06794		0.41	0.001
06795		0.55	0.002
06796		0.49	0.012
06797		0.39	<0.001
06798		0.56	0.001
06799		0.51	0.001
06800		0.38	0.006
06801		0.68	0.005
06802		0.41	<0.001
06803		0.55	0.003
06804		0.68	0.002
06805		0.51	0.002
06806		0.57	0.009
06807		0.52	0.013
06808		0.59	<0.001
06809		0.63	0.003
06810		0.45	0.007

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
06811		0.44	0.023
06812		0.64	<0.001
06813		0.62	<0.001
06814		0.53	0.003
06815		0.67	0.010
06816		0.61	0.002
06817		0.51	0.006
06818		0.68	0.002
06819		0.63	<0.001
06820		0.50	0.003
06821		0.78	0.004
06822		0.51	0.002
06823		0.65	0.004
06824		0.78	<0.001
06825		0.61	0.005
06826		0.67	0.004
06827		NRC	NRC
07001		0.69	<0.001
07002		0.73	0.008
07003		0.55	0.001
07004		0.54	<0.001
07005		0.74	<0.001
07006		0.72	0.004
07007		0.63	<0.001
07008		0.77	<0.001
07009		0.71	0.012
07010		0.61	<0.001
07011		0.78	<0.001
07012		0.73	<0.001
07013		0.60	<0.001
07014		0.88	<0.001

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
07015		0.61	0.009
07016		0.75	<0.001
07017		0.88	<0.001
07018		0.71	0.006
07019		0.77	0.013
07020		0.72	0.004
07021		0.79	0.005
07022		0.83	0.013
07023		0.65	0.003
07024		0.64	0.013
07025		0.84	0.004
07026		0.82	0.003
07027		0.73	0.003
07028		0.87	0.004
07029		0.81	0.003
07030		0.71	0.003
07031		0.88	0.024
07032		0.83	0.014
07033		0.70	0.004
07034		0.75	0.006
07035		0.48	0.007
07036		0.62	0.007
07037		0.75	0.010
07038		0.58	0.024
07039		0.64	0.003
07040		0.59	0.034
07041		0.66	0.010
07042		0.70	0.003
07043		0.52	0.003
07044		0.51	0.003
07045		0.71	0.008

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y617149

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 05, 2012

DATE RECEIVED: Jul 04, 2012

DATE REPORTED: Jul 25, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
07046		0.69	0.002
07047		0.60	<0.001
07048		0.74	0.003
07049		0.68	0.003
07050		0.58	0.002
07051		0.75	0.003
07052		0.70	0.004
07053		0.57	0.003
07054		0.59	0.030
07055		0.49	0.005
07056		0.75	0.005
07057		0.64	0.009
07058		0.63	0.002
07059		0.71	0.008
07060		0.43	0.003
07061		0.63	0.004
07062		0.67	0.009
07063		0.59	0.005
07064		0.48	0.008
07065		0.58	0.003
07066		0.66	0.004
07067		0.66	0.011
07068		0.73	0.007
07069		0.65	0.007

Comments: RDL - Reported Detection Limit

Certified By:

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y617149

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis											
RPT Date: Jul 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)											
Ag	1	3486792	1.17	0.98	17.7%	< 0.2	6.0	6.0	100%	80%	120%
Al	1	3486792	0.812	0.784	3.5%	< 0.01				80%	120%
As	1	3486792	8	7	13.3%	< 1				80%	120%
B	1	3486792	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3486792	188	184	2.2%	< 1				80%	120%
Be	1	3486792	0.6	0.6	0.0%	< 0.5				80%	120%
Bi	1	3486792	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	3486792	6.07	5.83	4.0%	< 0.01				80%	120%
Cd	1	3486792	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	3486792	25	24	4.1%	< 1				80%	120%
Co	1	3486792	5.10	4.92	3.6%	< 0.5				80%	120%
Cr	1	3486792	14.3	13.0	9.5%	< 0.5				80%	120%
Cu	1	3486792	54.8	52.5	4.3%	< 0.5	3999	3800	105%	80%	120%
Fe	1	3486792	1.37	1.35	1.5%	< 0.01				80%	120%
Ga	1	3486792	6	5	18.2%	< 5				80%	120%
Hg	1	3486792	< 1	< 1	0.0%	< 1				80%	120%
In	1	3486792	< 1	< 1	0.0%	< 1				80%	120%
K	1	3486792	0.15	0.13	14.3%	< 0.01				80%	120%
La	1	3486792	13	12	8.0%	< 1				80%	120%
Li	1	3486792	20	19	5.1%	< 1				80%	120%
Mg	1	3486792	1.16	1.13	2.6%	< 0.01				80%	120%
Mn	1	3486792	158	152	3.9%	< 1				80%	120%
Mo	1	3486792	4.4	4.0	9.5%	< 0.5	382	380	100%	80%	120%
Na	1	3486792	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Ni	1	3486792	17.6	16.8	4.7%	< 0.5				80%	120%
P	1	3486792	1430	1380	3.6%	< 10				80%	120%
Pb	1	3486792	5.8	5.5	5.3%	< 0.5				80%	120%
Rb	1	3486792	22	19	14.6%	< 10	13	13	101%	80%	120%
S	1	3486792	0.176	0.172	2.3%	< 0.005				80%	120%
Sb	1	3487131	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	3486792	1.6	1.5	6.5%	< 0.5				80%	120%
Se	1	3486792	< 10	< 10	0.0%	< 10	0.9	0.8	112%	80%	120%
Sn	1	3486792	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	3486792	132	130	1.5%	< 0.5				80%	120%
Ta	1	3486792	< 10	< 10	0.0%	< 10				80%	120%
Te	1	3486792	< 10	< 10	0.0%	< 10				80%	120%
Th	1	3486792	< 5	< 5	0.0%	< 5	1.3	1.4	90%	80%	120%
Ti	1	3486792	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Tl	1	3486792	0.117	0.109	7.1%	< 0.01				80%	120%
U	1	3486792	< 5	< 5	0.0%	< 5				80%	120%
V	1	3486792	40.8	36.4	11.4%	< 0.5				80%	120%
W	1	3486792	< 1	< 1	0.0%	< 1				80%	120%
Y	1	3486792	15	14	6.9%	< 1				80%	120%
Zn	1	3486792	76.9	74.0	3.8%	< 0.5				80%	120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y617149

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Zr	1	3486792	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1	3486817	0.6	0.8	28.6%	< 0.2	5.8	6.0	96%	80% 120%
Al	1	3486817	0.81	0.76	6.4%	< 0.01				80% 120%
As	1	3486817	24	23	4.3%	< 1				80% 120%
B	1	3486817	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3486817	235	238	1.3%	< 1				80% 120%
Be	1	3486817	0.9	0.9	0.0%	< 0.5				80% 120%
Bi	1	3486817	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3486817	2.27	2.01	12.1%	< 0.01				80% 120%
Cd	1	3487156	1.3	1.3	0.0%	< 0.5				80% 120%
Ce	1	3486817	30	31	3.3%	< 1				80% 120%
Co	1	3486817	12.6	13.0	3.1%	< 0.5				80% 120%
Cr	1	3486817	17.6	17.7	0.6%	< 0.5				80% 120%
Cu	1	3486817	52.2	48.9	6.5%	< 0.5	4272	3800	112%	80% 120%
Fe	1	3486817	3.23	3.07	5.1%	< 0.01				80% 120%
Ga	1	3487156	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3486817	< 1	< 1	0.0%	< 1				80% 120%
In	1	3486817	< 1	< 1	0.0%	< 1				80% 120%
K	1	3486817	0.122	0.127	4.0%	< 0.01				80% 120%
La	1	3486817	14	15	6.9%	< 1				80% 120%
Li	1	3486817	14	13	7.4%	< 1				80% 120%
Mg	1	3486817	0.55	0.52	5.6%	< 0.01				80% 120%
Mn	1	3486817	508	519	2.1%	< 1				80% 120%
Mo	1	3486817	5.37	5.55	3.3%	< 0.5	382	380	100%	80% 120%
Na	1	3486817	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3486817	42.4	44.3	4.4%	< 0.5				80% 120%
P	1	3486817	1110	1110	0.0%	< 10	504	600	84%	80% 120%
Pb	1	3486817	39.5	41.7	5.4%	< 0.5				80% 120%
Rb	1	3486817	21	22	4.7%	< 10	14	13	108%	80% 120%
S	1	3486817	0.0641	0.0691	7.5%	< 0.005				80% 120%
Sb	1	3486817	3	3	0.0%	< 1				80% 120%
Sc	1	3486817	4.7	5.2	10.1%	< 0.5				80% 120%
Se	1	3486817	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3486817	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3486817	63.3	54.2	15.5%	< 0.5	323	390	82%	80% 120%
Ta	1	3486817	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3486817	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3486817	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3486817	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3486817	0.359	0.368	2.5%	< 0.01				80% 120%
U	1	3486817	< 5	< 5	0.0%	< 5				80% 120%
V	1	3486817	45.1	45.6	1.1%	< 0.5				80% 120%
W	1	3486817	< 1	< 1	0.0%	< 1				80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y617149

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Y	1	3486817	17	17	0.0%	< 1				80% 120%
Zn	1	3486817	506	541	6.7%	< 0.5				80% 120%
Zr	1	3486817	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Ti) (201073)										
Ag	1	3486972	0.4	0.4	0.0%	< 0.2	5.7	6.0	95%	80% 120%
Al	1	3486972	1.55	1.35	13.8%	< 0.01				80% 120%
As	1	3486972	24	23	4.3%	< 1				80% 120%
B	1	3486972	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3486972	385	350	9.5%	< 1				80% 120%
Be	1	3486972	1.2	1.1	8.7%	< 0.5				80% 120%
Bi	1	3486972	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3486972	0.88	0.87	1.1%	< 0.01				80% 120%
Cd	1	3486896	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3486972	41	38	7.6%	< 1				80% 120%
Co	1	3486972	9.07	8.39	7.8%	< 0.5				80% 120%
Cr	1	3486972	35.1	29.5	17.3%	< 0.5				80% 120%
Cu	1	3486972	77.8	72.6	6.9%	< 0.5	3835	3800	100%	80% 120%
Fe	1	3486972	2.89	2.86	1.0%	< 0.01				80% 120%
Ga	1	3486972	7	7	0.0%	< 5				80% 120%
Hg	1	3486972	< 1	< 1	0.0%	< 1				80% 120%
In	1	3486972	< 1	< 1	0.0%	< 1				80% 120%
K	1	3486896	0.101	0.105	3.9%	< 0.01				80% 120%
La	1	3486972	20	18	10.5%	< 1				80% 120%
Li	1	3486972	25	21	17.4%	< 1				80% 120%
Mg	1	3486972	0.613	0.553	10.3%	< 0.01				80% 120%
Mn	1	3486972	205	193	6.0%	< 1				80% 120%
Mo	1	3486972	4.8	4.8	0.0%	< 0.5	381	380	100%	80% 120%
Na	1	3486972	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3486972	37.6	34.9	7.4%	< 0.5				80% 120%
P	1	3486972	1710	1600	6.6%	< 10				80% 120%
Pb	1	3486972	37.8	33.8	11.2%	< 0.5				80% 120%
Rb	1	3486896	20	20	0.0%	< 10	13	13	100%	80% 120%
S	1	3486972	0.0416	0.0382	8.5%	< 0.005				80% 120%
Sb	1	3486896	3	3	0.0%	< 1				80% 120%
Sc	1	3486972	6.2	5.7	8.4%	< 0.5				80% 120%
Se	1	3486972	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3486972	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3486972	35.0	31.6	10.2%	< 0.5				80% 120%
Ta	1	3486972	< 10	< 10	0.0%	< 10	1	0.9	111%	80% 120%
Te	1	3486972	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3486972	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3486972	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3486843	0.213	0.229	7.2%	< 0.01				80% 120%
U	1	3486972	< 5	< 5	0.0%	< 5				80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y617149

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
V	1	3486972	87.6	71.6	20.1%	< 0.5				80% 120%
W	1	3486972	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3486972	20	18	10.5%	< 1				80% 120%
Zn	1	3486972	413	384	7.3%	< 0.5				80% 120%
Zr	1	3486972	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Ti) (201073)										
Ag	1	3486997	1.3	1.2	8.0%	< 0.2	6.0	6.0	100%	80% 120%
Al	1	3486997	1.16	1.12	3.5%	< 0.01				80% 120%
As	1	3486997	16	18	11.8%	< 1				80% 120%
B	1	3486997	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3486997	324	327	0.9%	< 1				80% 120%
Be	1	3486997	0.9	0.9	0.0%	< 0.5				80% 120%
Bi	1	3486997	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3486997	5.55	5.99	7.6%	< 0.01				80% 120%
Cd	1	3486997	0.9	0.9	0.0%	< 0.5				80% 120%
Ce	1	3486997	32	35	9.0%	< 1				80% 120%
Co	1	3486997	6.82	7.28	6.5%	< 0.5				80% 120%
Cr	1	3486997	20.8	20.0	3.9%	< 0.5				80% 120%
Cu	1	3486997	63.7	67.1	5.2%	< 0.5	3663	3800	96%	80% 120%
Fe	1	3486997	1.97	2.12	7.3%	< 0.01				80% 120%
Ga	1	3486997	6	6	0.0%	< 5				80% 120%
Hg	1	3486997	< 1	< 1	0.0%	< 1				80% 120%
In	1	3486997	< 1	< 1	0.0%	< 1				80% 120%
K	1	3486997	0.29	0.25	14.8%	< 0.01				80% 120%
La	1	3486997	17	18	5.7%	< 1				80% 120%
Li	1	3486997	21	21	0.0%	< 1				80% 120%
Mg	1	3486997	1.03	1.09	5.7%	< 0.01				80% 120%
Mn	1	3486997	223	234	4.8%	< 1				80% 120%
Mo	1	3486997	5.43	5.80	6.6%	< 0.5	367	380	96%	80% 120%
Na	1	3486997	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3486997	26.0	27.6	6.0%	< 0.5				80% 120%
P	1	3486997	1680	1790	6.3%	< 10				80% 120%
Pb	1	3486997	11.5	12.7	9.9%	< 0.5				80% 120%
Rb	1	3486997	38	32	17.1%	< 10				80% 120%
S	1	3486997	0.0504	0.0533	5.6%	< 0.005				80% 120%
Sb	1	3486922	4	5	22.2%	< 1				80% 120%
Sc	1	3486997	4.0	4.2	4.9%	< 0.5				80% 120%
Se	1	3486997	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3486997	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3486997	139	146	4.9%	< 0.5				80% 120%
Ta	1	3486997	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3486997	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3486997	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3486997	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3486870	0.052	0.060	14.3%	< 0.01				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y617149

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
U	1	3486997	< 5	< 5	0.0%	< 5				80% 120%
V	1	3486997	76.1	70.6	7.5%	< 0.5				80% 120%
W	1	3486997	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3486997	18	19	5.4%	< 1				80% 120%
Zn	1	3486997	180	189	4.9%	< 0.5				80% 120%
Zr	1	3486997	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Ti) (201073)										
Ag	1	3487023	1.1	0.9	20.0%	< 0.2	5.7	6.0	95%	80% 120%
Al	1	3486947	1.28	1.21	5.6%	< 0.01				80% 120%
As	1	3487023	15	14	6.9%	< 1				80% 120%
B	1	3487023	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3487023	279	321	14.0%	< 1				80% 120%
Be	1	3487023	0.7	0.8	13.3%	< 0.5				80% 120%
Bi	1	3487023	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3487023	4.54	4.55	0.2%	< 0.01				80% 120%
Cd	1	3486947	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3487023	30	31	3.3%	< 1				80% 120%
Co	1	3487023	6.3	6.1	3.2%	< 0.5				80% 120%
Cr	1	3486947	29.8	29.1	2.4%	< 0.5				80% 120%
Cu	1	3487023	56.7	57.1	0.7%	< 0.5	3762	3800	99%	80% 120%
Fe	1	3487023	1.81	1.82	0.6%	< 0.01				80% 120%
Ga	1	3487023	5	6	18.2%	< 5				80% 120%
Hg	1	3487023	< 1	< 1	0.0%	< 1				80% 120%
In	1	3487023	< 1	< 1	0.0%	< 1				80% 120%
K	1	3486947	0.183	0.145	23.2%	< 0.01				80% 120%
La	1	3487023	16	17	6.1%	< 1				80% 120%
Li	1	3487023	16	20	22.2%	< 1				80% 120%
Mg	1	3487023	1.02	1.11	8.5%	< 0.01				80% 120%
Mn	1	3487023	164	161	1.8%	< 1				80% 120%
Mo	1	3487023	4.65	4.77	2.5%	< 0.5	377	380	99%	80% 120%
Na	1	3487023	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3487023	25.8	25.2	2.4%	< 0.5				80% 120%
P	1	3487023	1770	1750	1.1%	< 10				80% 120%
Pb	1	3487023	13.5	14.8	9.2%	< 0.5				80% 120%
Rb	1	3486947	29	24	18.9%	< 10				80% 120%
S	1	3487023	0.116	0.116	0.0%	< 0.005				80% 120%
Sb	1	3487023	2	2	0.0%	< 1				80% 120%
Sc	1	3487023	3.21	3.80	16.8%	< 0.5				80% 120%
Se	1	3487023	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3487023	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3487023	109	110	0.9%	< 0.5				80% 120%
Ta	1	3487023	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3487023	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3487023	< 5	< 5	0.0%	< 5				80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y617149

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ti	1	3487023	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
TI	1	3486896	1.28	1.23	4.0%	< 0.01				80% 120%
U	1	3487023	< 5	< 5	0.0%	< 5				80% 120%
V	1	3486947	71.9	65.9	8.7%	< 0.5				80% 120%
W	1	3487023	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3487023	18	18	0.0%	< 1				80% 120%
Zn	1	3487023	155	152	2.0%	< 0.5				80% 120%
Zr	1	3487023	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1	3487053	< 0.2	< 0.2	0.0%	< 0.2	5.9	6.0	98%	80% 120%
Al	1	3487053	0.198	0.191	3.6%	< 0.01				80% 120%
As	1	3487053	9	9	0.0%	< 1				80% 120%
B	1	3487053	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3487053	122	121	0.8%	< 1				80% 120%
Be	1	3487053	0.7	0.7	0.0%	< 0.5				80% 120%
Bi	1	3487053	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3487053	0.05	0.05	0.0%	< 0.01				80% 120%
Cd	1	3487053	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3487053	38	38	0.0%	< 1				80% 120%
Co	1	3487053	14.2	15.0	5.5%	< 0.5				80% 120%
Cr	1	3487053	1.7	1.7	0.0%	< 0.5				80% 120%
Cu	1	3487053	25.9	26.8	3.4%	< 0.5	3773	3800	99%	80% 120%
Fe	1	3487053	2.53	2.52	0.4%	< 0.01				80% 120%
Ga	1	3487053	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3487053	< 1	< 1	0.0%	< 1				80% 120%
In	1	3487053	< 1	< 1	0.0%	< 1				80% 120%
K	1	3487053	0.048	0.045	6.5%	< 0.01				80% 120%
La	1	3487053	14	14	0.0%	< 1				80% 120%
Li	1	3487053	3	3	0.0%	< 1				80% 120%
Mg	1	3487053	0.05	0.05	0.0%	< 0.01				80% 120%
Mn	1	3487053	403	420	4.1%	< 1				80% 120%
Mo	1	3487053	1.0	0.7		< 0.5	385	380	101%	80% 120%
Na	1	3487053	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3487053	17.4	18.9	8.3%	< 0.5				80% 120%
P	1	3487053	338	356	5.2%	< 10				80% 120%
Pb	1	3487053	55.7	58.1	4.2%	< 0.5				80% 120%
Rb	1	3487053	< 10	< 10	0.0%	< 10				80% 120%
S	1	3487053	0.007	0.007	0.0%	< 0.005				80% 120%
Sb	1	3487053	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	3487053	1.9	1.9	0.0%	< 0.5				80% 120%
Se	1	3487053	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3487053	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3487053	22.1	20.9	5.6%	< 0.5				80% 120%
Ta	1	3487053	< 10	< 10	0.0%	< 10				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y617149

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Te	1	3487053	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3487053	11	12	8.7%	< 5				80% 120%
Ti	1	3487053	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3486922	0.86	0.76	12.3%	< 0.01				80% 120%
U	1	3487053	< 5	< 5	0.0%	< 5				80% 120%
V	1	3487053	4.3	4.3	0.0%	< 0.5				80% 120%
W	1	3487053	1	< 1		< 1				80% 120%
Y	1	3487053	6	6	0.0%	< 1				80% 120%
Zn	1	3487053	57.5	59.4	3.3%	< 0.5				80% 120%
Zr	1	3487053	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Tl) (201073)										
Ag	1	3487078	1.0	1.2	18.2%	< 0.2				80% 120%
Al	1	3487078	1.13	0.884	24.4%	< 0.01				80% 120%
As	1	3487078	19	19	0.0%	< 1				80% 120%
B	1	3487078	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3487078	275	254	7.9%	< 1				80% 120%
Be	1	3487078	0.88	0.80	9.5%	< 0.5				80% 120%
Bi	1	3487078	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3487078	2.18	2.07	5.2%	< 0.01				80% 120%
Cd	1	3487078	2.08	1.93	7.5%	< 0.5				80% 120%
Ce	1	3487078	33	34	3.0%	< 1				80% 120%
Co	1	3487078	6.1	6.2	1.6%	< 0.5				80% 120%
Cr	1	3487078	24.2	21.1	13.7%	< 0.5				80% 120%
Cu	1	3487078	63.4	64.3	1.4%	< 0.5	3673	3800	96%	80% 120%
Fe	1	3487078	1.72	1.78	3.4%	< 0.01				80% 120%
Ga	1	3487078	6	5	18.2%	< 5				80% 120%
Hg	1	3487078	< 1	< 1	0.0%	< 1				80% 120%
In	1	3487078	< 1	< 1	0.0%	< 1				80% 120%
K	1	3487078	0.22	0.15		< 0.01				80% 120%
La	1	3487078	19	19	0.0%	< 1				80% 120%
Li	1	3487078	20	18	10.5%	< 1				80% 120%
Mg	1	3487078	0.89	0.81	9.4%	< 0.01				80% 120%
Mn	1	3487078	277	275	0.7%	< 1				80% 120%
Mo	1	3487078	4.1	4.1	0.0%	< 0.5				80% 120%
Na	1	3487078	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3487078	24.2	24.1	0.4%	< 0.5				80% 120%
P	1	3487078	1450	1480	2.0%	< 10				80% 120%
Pb	1	3487078	15.8	15.2	3.9%	< 0.5				80% 120%
Rb	1	3487078	29	21		< 10				80% 120%
S	1	3487078	0.129	0.125	3.1%	< 0.005	0.96	0.80	120%	80% 120%
Sb	1	3487078	3	2		< 1				80% 120%
Sc	1	3487078	3.77	3.38	10.9%	< 0.5				80% 120%
Se	1	3487078	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3487078	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3487078	51.4	50.0	2.8%	< 0.5				80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y617149

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper

Ta	1	3487078	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3487078	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3487078	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3487078	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
TI	1	3486947	0.23	0.20	14.0%	< 0.01				80% 120%
U	1	3487078	< 5	< 5	0.0%	< 5				80% 120%
V	1	3487078	83.9	69.1	19.3%	< 0.5				80% 120%
W	1	3487078	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3487078	17	17	0.0%	< 1				80% 120%
Zn	1	3487078	257	260	1.2%	< 0.5				80% 120%
Zr	1	3487078	< 5	< 5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1	3487105	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3487105	1.50	1.29	15.1%	< 0.01				80% 120%
As	1	3487105	19	18	5.4%	< 1				80% 120%
B	1	3487105	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3487105	1080	991	8.6%	< 1				80% 120%
Be	1	3487105	1.13	1.05	7.3%	< 0.5				80% 120%
Bi	1	3487105	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3487105	0.14	0.14	0.0%	< 0.01				80% 120%
Cd	1	3487105	1.59	1.42	11.3%	< 0.5				80% 120%
Ce	1	3487105	22	19	14.6%	< 1				80% 120%
Co	1	3487105	11.9	11.1	7.0%	< 0.5				80% 120%
Cr	1	3487105	20.9	18.2	13.8%	< 0.5				80% 120%
Cu	1	3487105	50.9	48.1	5.7%	< 0.5	3887	3800	102%	80% 120%
Fe	1	3487105	3.70	3.48	6.1%	< 0.01				80% 120%
Ga	1	3487105	6	< 5		< 5				80% 120%
Hg	1	3487105	< 1	< 1	0.0%	< 1				80% 120%
In	1	3487105	< 1	< 1	0.0%	< 1				80% 120%
K	1	3487105	0.18	0.14	25.0%	< 0.01				80% 120%
La	1	3487105	9	8	11.8%	< 1				80% 120%
Li	1	3487105	13	11	16.7%	< 1				80% 120%
Mg	1	3487105	0.168	0.151	10.7%	< 0.01				80% 120%
Mn	1	3487105	503	480	4.7%	< 1				80% 120%
Mo	1	3487105	11.4	8.4		< 0.5				80% 120%
Na	1	3487105	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3487105	44.3	41.9	5.6%	< 0.5				80% 120%
P	1	3487105	1080	978	9.9%	< 10				80% 120%
Pb	1	3487105	55.6	50.6	9.4%	< 0.5				80% 120%
Rb	1	3487105	37	29	24.2%	< 10				80% 120%
S	1	3487105	0.059	0.056	5.2%	< 0.005				80% 120%
Sb	1	3487105	5	4	22.2%	< 1				80% 120%
Sc	1	3487105	3.39	3.00	12.2%	< 0.5				80% 120%
Se	1	3487105	14	< 10		< 10				80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y617149

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Sn	1	3487105	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3487105	40.6	36.2	11.5%	< 0.5				80% 120%
Ta	1	3487105	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3487105	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3487105	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3487105	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3486972	0.27	0.23	16.0%	< 0.01				80% 120%
U	1	3487105	< 5	< 5	0.0%	< 5				80% 120%
V	1	3487105	109	95.1	13.6%	< 0.5				80% 120%
W	1	3487105	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3487105	11	10	9.5%	< 1				80% 120%
Zn	1	3487105	290	282	2.8%	< 0.5				80% 120%
Zr	1	3487105	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Ti) (201073)										
Ag	1	3487182	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3487182	0.581	0.706	19.4%	< 0.01				80% 120%
As	1	3487182	13	13	0.0%	< 1				80% 120%
B	1	3487182	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3487182	567	665	15.9%	< 1				80% 120%
Be	1	3487182	0.45	0.51	12.5%	< 0.5				80% 120%
Bi	1	3487182	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3487182	0.243	0.257	5.6%	< 0.01				80% 120%
Cd	1	3487182	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3487182	20	25	22.2%	< 1				80% 120%
Co	1	3487182	5.33	5.72	7.1%	< 0.5				80% 120%
Cr	1	3487182	10.4	12.3	16.7%	< 0.5				80% 120%
Cu	1	3487182	18.3	14.4	23.9%	< 0.5	4037	3800	106%	80% 120%
Fe	1	3487182	1.89	2.00	5.7%	< 0.01				80% 120%
Ga	1	3487182	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3487182	< 1	< 1	0.0%	< 1				80% 120%
In	1	3487182	< 1	< 1	0.0%	< 1				80% 120%
K	1	3487182	0.06	0.09		< 0.01				80% 120%
La	1	3487182	8	10	22.2%	< 1				80% 120%
Li	1	3487182	6	8	28.6%	< 1				80% 120%
Mg	1	3487182	0.109	0.127	15.3%	< 0.01				80% 120%
Mn	1	3487182	180	209	14.9%	< 1				80% 120%
Mo	1	3487182	5.31	5.51	3.7%	< 0.5				80% 120%
Na	1	3487182	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3487182	36.7	39.5	7.3%	< 0.5				80% 120%
P	1	3487182	254	294	14.6%	< 10				80% 120%
Pb	1	3487182	16.2	16.5	1.8%	< 0.5				80% 120%
Rb	1	3487182	14	19		< 10				80% 120%
S	1	3487182	0.0204	0.0214	4.8%	< 0.005				80% 120%
Sb	1	3487182	< 1	3		< 1				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y617149

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Sc	1	3487182	1.91	2.21	14.6%	< 0.5				80% 120%
Se	1	3487182	< 10	< 10	0.0%	< 10	0.7	0.8	87%	80% 120%
Sn	1	3487182	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3487182	36.3	43.0	16.9%	< 0.5				80% 120%
Ta	1	3487182	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3487182	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3487182	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3487182	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3486997	0.23	0.20	14.0%	< 0.01				80% 120%
U	1	3487182	< 5	< 5	0.0%	< 5				80% 120%
V	1	3487182	53.9	67.0	21.7%	< 0.5				80% 120%
W	1	3487182	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3487182	5	6	18.2%	< 1				80% 120%
Zn	1	3487182	273	293	7.1%	< 0.5				80% 120%
Zr	1	3487182	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Cu	1					< 0.5	3650	3800	96%	80% 120%
Mo	1					< 0.5				80% 120%
S	1					< 0.005	0.93	0.80	116%	80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Cu	1					< 0.5	3912	3800	102%	80% 120%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3486935	0.0053	0.0055	3.7%	< 0.001	0.192	0.207	92%	90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3486804	0.026	0.005		< 0.001	0.569	0.607	93%	90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3486896	0.002	0.002	0.0%	< 0.001	0.607	0.607	100%	90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3486909	0.0016	0.0014	13.3%	< 0.001	1.53	1.52	101%	90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3486985	0.002	0.002	0.0%	< 0.001	0.578	0.607	95%	90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3486997	0.0065	0.0062	4.7%	< 0.001	1.52	1.52	100%	90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3487092	0.001	0.002		< 0.001				90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3487105	0.023	0.011		< 0.001				90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3487118	< 0.001	< 0.001	0.0%	< 0.001				90% 110%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y617149

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 25, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

Au	1	3487131	< 0.001	0.005		< 0.001				90%	110%
----	---	---------	---------	-------	--	---------	--	--	--	-----	------

Certified By:

Method Summary

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y617149

PROJECT NO:

ATTENTION TO: Yinghua Chen

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
B	MIN-200-12020		ICP/OES
Ba	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
In	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP/OES
Li	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr	MIN-200-12020		ICP/OES
Ta	MIN-200-12020		ICP/OES
Te	MIN-200-12020		ICP/OES
Th	MIN-200-12020		ICP/OES
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP-MS
U	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP/OES
Y	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Zr	MIN-200-12020		ICP/OES
Zn-OL	MIN-200-12032		AA
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES