

CLIENT NAME: ANTHILL RESOURCES (YUKON)
1090-999 WEST HASTINGS STREET
Vancouver, BC V6C2W2
(604) 569-3892

ATTENTION TO: Yinghua Chen

PROJECT NO:

AGAT WORK ORDER: 12Y619219

SOLID ANALYSIS REVIEWED BY: Kevin Motomura, ICP Supervisor

DATE REPORTED: Jul 30, 2012

PAGES (INCLUDING COVER): 66

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

***NOTES**



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
06827	<0.2	1.22	17	<5	169	0.7	4	0.64	<0.5	8	10.3	14.7	28.2	3.31
06828	<0.2	1.17	17	<5	179	0.7	4	1.03	<0.5	6	9.4	13.9	27.2	3.13
06829	<0.2	1.40	17	<5	252	0.8	5	0.59	<0.5	11	13.4	18.1	31.2	3.52
06830	<0.2	0.37	23	7	253	<0.5	1	4.46	<0.5	15	4.0	5.1	17.6	0.93
06831	<0.2	1.36	20	<5	170	0.8	4	0.48	0.6	10	13.3	19.7	31.6	3.59
06832	<0.2	1.28	14	<5	169	0.8	5	0.33	0.8	14	12.9	19.7	32.1	3.61
06833	0.2	1.31	19	<5	162	0.9	3	0.44	1.3	23	12.9	21.2	50.2	3.24
06834	<0.2	1.18	19	<5	98	0.6	4	3.51	<0.5	15	12.6	15.5	33.3	3.09
06835	0.5	1.20	27	8	269	1.0	3	1.57	1.5	26	9.5	22.8	59.2	2.64
06836	0.6	1.44	34	21	266	1.4	8	2.49	1.7	45	11.4	37.7	76.4	2.24
06837	0.4	1.42	27	12	290	1.1	4	1.26	1.7	31	10.2	31.2	56.8	2.82
06838	0.5	1.37	35	11	347	1.1	4	1.01	1.6	25	9.2	29.7	56.2	2.91
06839	0.7	1.28	30	11	291	1.1	3	2.78	1.4	32	9.5	21.7	76.1	2.59
06840	0.5	1.15	28	9	318	0.9	2	4.80	1.1	31	8.1	19.5	54.1	2.32
06841	0.5	1.37	29	13	316	1.0	1	4.94	1.3	32	8.2	22.8	58.9	2.38
06842	0.7	1.38	33	13	281	1.1	3	4.47	1.3	30	9.1	23.2	75.5	2.45
06843	0.4	1.18	36	10	245	0.9	3	2.21	4.0	34	9.4	20.3	45.6	2.47
06844	0.3	1.33	32	16	379	0.9	2	7.97	0.9	28	7.8	22.3	68.5	2.09
06845	<0.2	0.62	24	11	283	<0.5	2	5.38	1.3	19	4.2	11.3	37.9	1.13
06846	<0.2	0.76	27	12	474	0.6	<1	8.16	1.3	28	5.6	13.7	37.4	1.40
06847	0.4	1.13	31	14	300	0.9	3	4.76	1.0	30	8.4	20.0	64.4	2.15
06848	<0.2	0.89	37	11	455	0.5	1	12.3	1.1	27	8.1	18.5	64.3	1.89
06849	0.4	1.44	31	15	344	1.0	3	6.06	1.2	31	8.7	25.4	75.7	2.29
06850	0.7	1.41	29	15	360	1.0	2	6.72	1.5	32	7.8	23.9	72.2	2.27
06851	0.5	1.60	34	16	348	1.2	4	2.80	1.0	33	8.7	27.6	69.8	2.43
06852	0.7	0.78	42	11	363	0.8	3	4.04	6.6	22	7.2	29.6	74.6	1.95
06853	0.5	0.93	46	8	252	0.7	3	6.03	4.6	21	9.0	24.4	65.9	2.41
06854	1.0	0.77	42	14	376	0.9	2	3.14	10.4	23	5.1	40.5	86.5	1.57
06855	0.4	0.61	41	10	314	0.7	<1	3.65	4.1	17	4.7	26.1	50.0	1.49
06856	<0.2	0.79	39	14	397	0.8	2	2.77	4.9	21	5.7	29.3	51.5	1.69
06857	0.3	0.69	37	12	375	0.7	2	3.19	7.9	18	4.3	27.5	48.6	1.42
06858	1.2	0.69	47	17	376	0.6	1	5.10	12.2	19	4.8	36.2	66.6	1.39

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
06859	1.0	0.71	43	17	405	0.7	2	4.13	8.5	22	4.3	39.7	62.5	1.36
06860	0.9	0.63	35	10	416	0.8	2	1.93	8.8	21	4.8	26.6	103	1.61
06861	0.8	0.82	57	17	673	1.0	4	2.17	1.5	33	8.0	36.3	96.6	2.60
06862	0.7	0.84	45	13	417	1.0	3	1.53	1.8	31	7.5	36.8	117	1.86
06863	0.8	1.36	56	16	414	1.3	3	1.60	3.0	39	15.3	57.8	108	2.36
06864	0.7	1.42	55	14	382	1.2	2	1.69	2.3	38	10.5	45.1	62.4	3.02
06865	0.7	1.49	35	11	404	1.2	4	1.21	1.9	32	11.0	37.1	65.8	2.77
06866	0.3	1.45	31	7	491	1.0	5	1.39	0.9	22	12.2	26.5	52.0	3.36
06867	<0.2	0.76	24	<5	197	0.5	<1	0.02	<0.5	17	6.6	15.1	29.4	2.83
06868	<0.2	0.82	37	<5	322	0.5	<1	0.03	<0.5	16	4.0	20.8	34.0	3.27
06869	<0.2	1.39	110	<5	771	1.0	<1	0.31	1.6	11	4.2	33.7	38.0	4.53
06870	<0.2	1.15	92	<5	1030	0.8	<1	0.43	1.2	9	4.1	31.7	49.5	4.42
06871	0.5	1.00	74	<5	1070	0.8	<1	0.41	2.0	9	2.8	22.0	49.3	3.47
06872	<0.2	0.59	26	<5	430	0.6	<1	0.11	<0.5	18	7.7	10.4	33.5	2.68
06873	0.2	1.03	31	<5	972	0.9	<1	0.19	1.0	13	7.2	16.0	57.3	3.64
06874	<0.2	0.68	21	<5	642	0.8	<1	0.30	0.6	23	11.9	8.7	27.9	3.27
06875	<0.2	0.69	21	<5	661	1.1	<1	0.21	1.4	22	23.2	8.3	33.2	4.13
06876	0.2	0.93	18	<5	165	2.8	<1	0.36	56.6	16	48.7	13.6	176	2.21
06877	0.3	0.67	71	<5	149	1.7	<1	1.81	108	6	37.3	9.3	119	1.69
06878	1.1	1.09	44	<5	312	1.7	<1	1.17	25.1	14	27.6	12.8	53.1	1.24
06879	<0.2	0.89	29	<5	616	0.8	<1	0.09	<0.5	16	8.8	12.3	35.7	3.51
06880	<0.2	0.81	20	<5	369	0.7	<1	0.07	0.6	23	11.3	11.8	39.3	2.79
06881	<0.2	0.71	29	<5	188	0.5	<1	0.03	<0.5	19	8.2	16.0	31.2	2.76
06882	<0.2	0.66	35	<5	376	0.8	<1	0.08	0.7	18	8.4	12.7	60.0	2.76
06883	<0.2	0.78	18	<5	474	0.6	<1	0.14	<0.5	21	8.4	11.9	26.9	2.75
06884	<0.2	0.81	21	<5	301	0.5	<1	0.03	<0.5	21	5.3	14.2	20.0	2.53
06885	<0.2	0.59	12	<5	195	<0.5	<1	0.02	<0.5	21	3.1	9.7	17.1	1.42
06886	<0.2	0.66	13	<5	277	0.6	<1	0.03	<0.5	18	6.2	7.9	23.4	2.21
06887	1.2	0.74	15	<5	2180	0.5	<1	0.24	1.0	10	1.6	20.3	27.4	1.56
06888	0.3	0.85	14	<5	1060	0.5	<1	0.05	<0.5	13	3.6	19.9	24.7	1.98
06889	1.9	0.68	12	<5	1840	0.6	<1	0.19	<0.5	11	3.0	29.6	30.8	1.61
06890	1.1	0.75	13	<5	927	<0.5	<1	0.06	<0.5	16	3.2	24.8	21.2	1.88

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
06891	0.3	0.76	10	<5	795	<0.5	<1	0.09	<0.5	21	6.3	19.2	22.8	2.13
06892	<0.2	0.91	16	<5	1130	0.6	<1	0.11	<0.5	22	6.8	14.4	32.7	2.63
06893	<0.2	0.91	11	<5	332	<0.5	<1	0.04	<0.5	21	4.6	14.7	16.9	1.98
06894	<0.2	0.64	12	<5	469	0.7	<1	0.17	<0.5	30	9.6	8.7	23.8	2.54
06895	<0.2	0.81	11	<5	390	0.6	<1	0.12	<0.5	24	7.4	9.8	19.1	2.39
06896	<0.2	0.50	15	<5	345	0.5	<1	0.04	<0.5	22	6.6	8.0	21.2	2.09
06897	<0.2	1.13	18	<5	1150	0.8	<1	0.28	<0.5	37	8.9	15.1	28.9	2.98
06898	<0.2	0.94	19	<5	594	0.8	<1	0.40	<0.5	23	6.0	12.8	31.8	2.29
06899	<0.2	0.78	21	<5	802	0.7	<1	0.05	<0.5	22	6.1	12.1	37.4	2.11
06900	<0.2	0.42	47	<5	824	<0.5	<1	0.02	<0.5	9	3.3	8.7	30.4	2.47
06901	<0.2	0.56	39	<5	610	<0.5	<1	<0.01	<0.5	12	2.6	9.8	29.6	1.97
06902	<0.2	0.49	27	<5	440	<0.5	<1	0.02	<0.5	13	4.1	8.1	24.3	1.91
06903	<0.2	0.70	21	<5	682	0.6	<1	0.04	<0.5	12	2.8	10.0	26.1	1.82
06904	<0.2	1.02	17	<5	591	0.7	<1	0.04	<0.5	16	5.4	13.3	28.3	2.56
06905	<0.2	0.40	8	<5	352	<0.5	<1	0.02	<0.5	7	1.6	6.0	8.6	0.78
06906	<0.2	0.95	18	<5	258	0.9	<1	0.04	<0.5	28	9.8	16.4	39.6	2.72
06907	0.5	1.25	42	<5	735	1.1	4	0.20	1.7	7	8.4	26.4	42.0	3.18
06908	<0.2	1.16	22	<5	356	0.8	4	0.10	1.0	17	10.1	17.8	28.2	3.03
06909	<0.2	0.79	25	<5	333	0.5	3	0.10	1.4	11	7.0	14.6	25.0	2.78
06910	<0.2	0.80	31	<5	553	0.6	3	0.16	2.2	4	6.5	13.4	31.4	2.81
06911	1.3	1.31	31	8	1810	1.1	2	0.89	8.3	1	15.9	18.6	61.9	2.41
06912	<0.2	0.56	27	<5	721	0.7	3	0.16	1.9	14	11.7	7.9	31.3	2.81
06913	0.2	0.70	17	8	467	0.7	3	1.51	5.6	3	6.1	17.0	65.3	2.33
06914	<0.2	0.95	24	<5	403	0.8	3	0.29	1.9	8	12.1	13.1	30.3	3.16
06915	<0.2	0.49	9	<5	356	0.8	2	0.04	<0.5	31	8.4	4.7	17.4	1.97
06916	<0.2	0.22	9	<5	117	0.7	4	0.02	<0.5	12	17.8	2.5	26.6	2.76
06917	6.8	0.58	18	8	4260	0.6	2	0.28	2.8	2	2.9	39.9	46.2	1.32
06918	5.6	0.82	19	<5	3760	0.5	2	0.43	3.3	2	2.8	28.1	42.0	1.46
06919	<0.2	1.34	12	<5	236	<0.5	3	0.05	<0.5	20	4.7	22.1	11.7	2.38
06920	5.5	0.65	21	<5	2010	0.5	3	0.07	<0.5	6	6.0	19.3	22.7	2.63
06921	4.0	1.36	21	<5	1960	0.6	<1	0.17	4.1	6	2.6	32.4	36.1	1.36
06922	<0.2	0.48	21	<5	258	<0.5	3	0.05	<0.5	11	6.0	9.3	18.1	2.19

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
06923	<0.2	0.51	24	<5	244	<0.5	3	0.03	0.5	6	8.9	9.8	37.1	2.62
06924	<0.2	0.80	70	<5	256	0.6	3	0.05	<0.5	<1	5.9	19.9	67.2	4.19
06925	0.3	1.47	30	<5	645	1.3	3	0.05	3.5	5	36.9	16.7	60.4	3.64
06926	0.3	0.56	24	<5	596	0.7	3	0.18	3.7	7	24.8	9.1	37.2	3.34
06927	0.7	1.80	54	11	1630	1.2	5	0.44	0.9	<1	9.0	22.9	62.3	4.23
06928	<0.2	0.79	25	<5	357	0.6	3	0.03	<0.5	19	6.2	10.6	23.9	2.28
06929	<0.2	0.67	21	<5	366	0.6	3	0.05	0.8	19	6.9	9.0	26.4	2.51
06930	<0.2	1.24	20	<5	372	0.6	3	0.06	<0.5	16	6.2	14.3	19.5	2.50
06931	<0.2	1.54	23	<5	291	0.7	4	0.09	0.7	19	10.0	22.9	24.2	3.08
06932	<0.2	1.11	21	<5	284	0.7	3	0.05	0.7	18	10.7	14.2	24.7	2.90
06933	1.9	2.34	72	6	1840	1.9	5	0.63	6.3	<1	11.0	37.6	70.6	5.13
06934	1.1	1.48	38	6	751	1.1	5	0.25	5.1	12	8.2	23.4	40.2	3.45
06935	0.3	0.71	24	5	490	0.7	3	0.20	4.0	25	10.4	11.3	40.5	2.58
06936	0.6	0.70	29	<5	491	0.8	3	0.42	3.6	11	10.0	11.5	50.2	2.80
06937	<0.2	0.68	13	<5	151	<0.5	2	0.02	<0.5	26	2.6	10.7	13.3	1.26
06938	<0.2	1.01	21	<5	456	0.5	3	0.34	0.8	8	8.8	17.7	20.1	2.36
06939	0.4	1.14	21	<5	523	0.9	3	0.43	1.6	18	8.7	18.7	31.2	2.28
06940	0.3	0.83	27	<5	893	0.6	3	0.45	1.5	8	6.3	12.8	30.7	2.12
06941	0.2	0.50	31	<5	171	<0.5	2	0.03	0.6	<1	8.4	9.1	31.6	2.47
06942	<0.2	0.60	21	<5	188	<0.5	2	0.03	<0.5	15	2.8	11.0	15.3	1.74
06943	0.2	0.53	32	<5	194	<0.5	2	0.03	0.7	4	7.0	10.6	31.7	2.40
06944	<0.2	0.67	49	7	913	<0.5	4	0.02	<0.5	<1	4.3	17.3	37.5	3.58
06945	<0.2	0.52	36	6	572	<0.5	3	0.01	<0.5	<1	2.9	10.3	22.3	2.19
06946	<0.2	0.46	26	8	888	<0.5	1	0.01	<0.5	1	0.9	11.1	11.9	1.05
06947	<0.2	1.01	16	<5	182	<0.5	3	0.02	<0.5	13	7.4	17.5	19.5	2.76
06948	<0.2	0.75	16	<5	124	<0.5	2	0.02	<0.5	14	7.1	11.1	15.7	2.45
06949	<0.2	0.64	29	<5	175	<0.5	3	0.02	<0.5	13	7.7	13.1	30.7	3.28
06950	<0.2	0.80	19	<5	150	<0.5	4	0.04	<0.5	14	7.4	11.1	15.2	3.02
06951	0.2	0.91	25	<5	1050	0.7	3	0.25	2.8	6	8.2	11.8	42.7	2.68
06952	<0.2	0.43	22	<5	437	<0.5	4	0.05	<0.5	4	7.7	5.9	24.5	2.63
06953	<0.2	0.62	29	5	624	<0.5	2	0.02	<0.5	<1	2.4	8.9	18.9	1.63
06954	<0.2	0.58	30	5	472	<0.5	1	0.03	0.5	5	3.5	8.6	17.3	1.87

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
06955	<0.2	0.54	45	8	1190	<0.5	3	<0.01	<0.5	<1	<0.5	11.0	7.3	2.31
06956	<0.2	0.81	33	<5	869	0.5	3	0.14	<0.5	9	4.8	13.5	20.8	2.06
06957	<0.2	0.45	24	7	1010	<0.5	2	0.16	<0.5	1	1.2	7.0	16.0	0.99
06958	<0.2	0.34	33	<5	907	<0.5	2	0.11	<0.5	3	2.0	6.3	16.9	1.18
06959	<0.2	0.79	22	<5	265	<0.5	3	0.03	<0.5	8	3.6	11.5	17.3	2.05
06960	<0.2	0.95	36	<5	359	0.6	3	0.03	0.5	2	5.4	13.3	26.4	2.91
06961	<0.2	0.71	28	<5	466	0.6	2	0.03	0.6	12	6.3	10.6	29.5	2.28
06962	0.3	0.44	54	<5	2860	<0.5	2	0.03	<0.5	3	0.7	14.9	14.0	1.19
06963	<0.2	0.74	71	5	384	<0.5	3	0.01	<0.5	4	7.2	13.3	44.7	2.66
06964	<0.2	0.84	25	7	457	<0.5	2	0.02	<0.5	5	1.7	11.7	14.1	1.48
06965	<0.2	0.64	45	5	440	<0.5	3	0.02	<0.5	9	6.6	13.2	31.4	2.86
06966	<0.2	1.35	65	5	1120	0.8	3	0.10	0.6	<1	6.2	19.0	41.1	3.82
06967	<0.2	1.02	26	<5	180	<0.5	3	0.02	<0.5	6	3.1	14.7	13.9	2.65
06968	<0.2	0.74	51	<5	277	<0.5	3	0.02	<0.5	3	2.3	12.5	22.1	2.89
06969	<0.2	0.77	39	<5	356	<0.5	3	0.02	<0.5	8	2.4	12.5	21.3	2.38
06970	<0.2	1.89	29	<5	590	3.1	5	0.07	2.4	8	12.7	26.0	164	4.64
06971	<0.2	1.03	32	<5	744	0.7	4	0.13	0.8	23	8.0	14.6	27.3	2.91
06972	<0.2	1.12	26	<5	583	0.8	3	0.30	1.9	23	11.0	15.4	31.2	3.00
06973	<0.2	1.12	20	<5	405	0.8	3	0.33	1.4	19	10.7	15.5	27.3	3.04
06974	<0.2	1.09	16	<5	269	0.6	2	0.14	0.5	23	6.6	13.6	19.4	2.60
06975	0.7	1.62	39	<5	1010	1.3	4	0.69	3.7	1	11.1	20.9	56.4	4.18
06976	0.3	1.10	24	<5	368	0.9	3	0.41	2.5	18	14.2	15.8	43.1	3.27
06977	0.6	1.18	34	5	757	1.0	4	0.73	5.5	5	10.4	17.3	37.1	2.93
06978	<0.2	1.17	20	<5	706	0.7	2	0.15	1.9	8	7.4	14.6	25.9	2.76
06979	0.4	1.03	53	<5	609	2.4	3	0.33	8.8	12	52.1	9.8	48.2	3.80
06980	<0.2	0.63	18	<5	378	<0.5	3	0.10	1.0	12	4.7	8.3	16.9	2.07
06981	1.4	0.81	32	<5	1460	0.8	3	0.50	5.1	<1	8.2	11.1	48.2	3.16
06982	0.4	0.72	24	<5	708	0.7	3	0.18	4.7	10	11.6	11.5	36.7	2.96
06983	<0.2	0.85	21	<5	491	0.5	3	0.08	1.8	11	7.2	11.4	27.3	2.56
06984	<0.2	0.97	22	<5	602	0.7	4	0.08	1.8	12	7.5	14.3	29.2	2.74
06985	<0.2	0.75	23	<5	328	<0.5	3	0.30	1.7	9	5.1	10.4	23.5	2.26
06986	<0.2	0.57	21	<5	186	<0.5	2	0.25	0.8	6	5.6	9.5	17.1	2.19

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
06987	0.3	0.58	28	<5	368	0.7	3	0.25	1.6	4	9.5	10.1	36.0	2.50
06988	<0.2	0.50	20	<5	306	<0.5	1	0.20	1.8	4	4.1	7.8	16.9	1.66
06989	0.9	1.56	61	5	947	1.3	4	0.51	3.8	<1	10.5	22.1	48.1	4.17
06990	0.4	0.66	23	<5	137	<0.5	3	0.02	1.0	3	8.1	8.9	32.3	3.13
06991	<0.2	0.48	27	6	762	0.7	3	0.43	3.6	5	14.4	7.4	47.6	2.98
06992	0.3	0.57	26	<5	472	0.7	2	0.19	1.3	6	11.2	11.8	55.9	3.32
06993	0.5	0.63	22	<5	489	0.7	3	0.12	2.8	16	12.4	9.8	40.3	2.85
06994	<0.2	0.50	19	<5	209	<0.5	2	0.18	1.4	7	5.0	8.8	20.7	2.02
06995	<0.2	0.65	21	<5	146	0.5	2	0.02	0.9	9	7.4	10.1	33.2	2.61
06996	<0.2	0.69	27	<5	176	<0.5	3	0.05	3.6	11	7.2	12.4	24.9	3.04
06997	<0.2	0.63	18	<5	152	<0.5	1	0.02	<0.5	16	3.7	9.1	15.0	1.53
06998	<0.2	0.99	26	<5	180	0.7	2	0.05	1.1	12	8.5	14.8	26.3	3.27
06999	1.0	1.19	40	<5	977	0.8	4	0.35	2.0	6	7.3	15.3	36.1	3.24
07000	1.0	1.84	56	11	1320	2.0	5	0.50	8.5	<1	8.1	23.8	108	4.55
07071	0.3	0.79	33	10	366	0.6	<1	10.5	1.1	27	8.0	14.5	62.4	1.94
07072	0.4	1.45	30	15	378	1.1	2	5.29	1.0	36	8.7	25.7	63.6	2.45
07073	0.5	1.31	33	13	306	1.1	3	5.17	1.0	32	8.6	24.0	72.3	2.41
07074	0.5	1.62	28	11	379	1.3	4	1.18	1.4	33	12.3	30.2	61.0	2.96
07075	0.5	1.63	29	7	350	1.2	5	0.94	1.2	26	13.7	28.4	57.8	3.31
07076	0.3	1.47	29	7	285	1.1	5	2.82	1.0	21	13.8	25.5	66.7	3.31
07077	0.3	1.48	24	<5	333	1.1	5	0.73	1.1	20	12.7	25.1	54.7	3.38
07078	<0.2	1.36	35	9	272	0.9	4	5.77	1.4	24	13.6	29.1	73.2	3.33
07079	0.9	1.47	26	13	340	1.1	2	1.20	4.0	30	5.8	32.7	75.5	1.99
07080	0.7	1.53	30	12	268	1.1	2	1.54	2.3	33	9.2	32.1	83.9	2.70
07081	1.0	2.00	32	17	306	1.4	4	0.97	2.4	39	8.3	42.5	91.2	2.45
07082	0.8	1.62	29	14	320	1.2	2	1.38	2.3	37	9.1	39.8	76.6	2.35
07083	0.5	1.41	25	<5	398	1.1	4	1.50	1.2	23	12.6	25.6	60.1	2.86
07084	0.3	0.74	36	<5	219	0.6	2	0.05	0.7	6	7.0	16.8	37.7	3.09
07085	1.2	0.76	43	5	966	0.5	3	0.14	1.0	5	3.2	15.3	23.3	2.74
07086	0.7	0.63	37	5	394	<0.5	2	0.06	0.9	5	4.0	15.7	26.8	2.82
07087	3.0	2.07	61	10	1540	1.4	5	0.17	4.6	1	8.8	35.6	71.7	4.03
07088	2.3	1.15	88	6	1070	1.0	4	0.19	5.1	9	10.9	27.8	70.9	4.82

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
07089		0.4	1.05	37	6	562	0.7	3	0.09	1.5	5	5.4	16.4	27.7	2.77
07090		<0.2	0.68	23	5	518	0.6	2	0.12	1.0	7	7.9	10.4	23.4	2.06
07091		0.3	0.87	24	<5	420	0.9	3	0.57	2.0	19	10.1	15.4	34.8	3.05
07092		0.4	0.98	22	<5	270	0.9	4	0.58	0.9	22	10.4	12.9	42.6	3.37
07093		1.1	0.55	22	6	553	0.9	3	1.23	1.6	24	10.6	14.2	59.2	2.94
07094		0.4	1.00	24	<5	427	0.9	2	0.81	0.8	19	11.9	12.1	48.3	3.02
07095		0.4	1.03	25	5	397	0.9	4	0.73	1.7	25	11.8	16.2	37.6	2.91
07096		2.8	1.02	25	<5	298	0.9	5	0.59	1.6	15	12.9	18.7	49.2	3.62
07097		0.2	0.84	40	<5	423	1.3	5	0.53	8.8	3	19.2	15.8	54.4	4.10
07098		<0.2	1.18	22	<5	144	0.6	5	3.59	<0.5	13	12.2	15.6	35.1	3.32
07099		<0.2	0.76	10	<5	302	0.8	<1	0.69	0.7	28	9.2	11.8	39.3	2.76
07100		<0.2	0.96	12	<5	251	0.8	<1	1.05	<0.5	35	12.2	13.6	42.6	3.15
07101		<0.2	0.91	13	<5	295	0.9	<1	0.42	<0.5	36	12.3	11.3	45.1	3.42
07102		<0.2	0.93	8	<5	383	0.8	<1	0.55	<0.5	24	9.7	11.4	32.7	2.87
07103		<0.2	1.01	12	<5	285	0.7	<1	0.93	<0.5	21	10.8	14.0	48.9	2.71
07104		<0.2	1.15	8	<5	278	0.8	<1	0.91	<0.5	20	9.2	13.4	23.8	2.89
07105		<0.2	1.21	7	<5	204	0.8	<1	0.31	<0.5	27	12.1	16.3	34.4	3.40
07106		<0.2	0.95	11	<5	279	0.8	<1	0.85	<0.5	27	10.6	13.0	36.1	3.06
07107		1.0	1.01	20	<5	292	1.2	<1	1.31	1.2	41	9.4	24.4	106	2.89
07108		1.1	1.00	21	<5	278	1.1	<1	2.16	1.0	41	8.5	23.8	86.7	2.85
07109		<0.2	1.16	12	<5	225	0.9	<1	0.85	<0.5	31	10.9	23.3	45.8	3.06
07110		0.5	0.95	7	<5	64	<0.5	<1	5.17	<0.5	21	11.6	11.6	36.1	3.03
07111		0.3	1.11	5	<5	81	0.5	<1	5.27	<0.5	23	10.6	12.2	33.0	3.09
07112		<0.2	1.26	6	<5	82	0.7	<1	2.12	<0.5	26	15.0	14.4	45.2	3.51
07113		<0.2	1.30	6	<5	108	0.7	<1	0.89	<0.5	22	13.7	17.1	39.6	3.71
07114		<0.2	1.36	5	<5	106	0.7	<1	2.80	<0.5	24	13.3	17.1	37.2	3.55
07115		<0.2	1.22	5	<5	154	0.7	<1	0.60	<0.5	29	11.3	16.7	28.6	3.28
07116		0.5	1.28	15	<5	247	1.0	<1	1.61	0.8	42	8.7	22.5	47.8	2.76
07117		0.3	1.53	18	<5	260	1.3	<1	0.92	0.9	47	11.2	29.0	73.2	2.97
07118		<0.2	1.09	12	<5	232	0.9	<1	0.79	0.7	32	8.2	24.3	50.7	2.64
07119		<0.2	1.18	14	<5	285	1.0	<1	0.84	1.2	38	11.2	26.2	69.6	2.95
07120		0.5	1.26	15	<5	290	1.1	<1	1.52	<0.5	41	8.3	22.8	66.8	2.59

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
07121		0.9	1.13	14	<5	256	1.0	<1	3.28	0.7	40	8.1	20.8	71.4	2.27
07122		<0.2	0.61	38	<5	284	0.6	<1	0.03	<0.5	27	6.6	19.1	38.2	3.61
07123		<0.2	0.61	42	<5	195	0.5	<1	0.01	<0.5	25	6.9	16.6	35.9	2.98
07124		<0.2	0.64	35	<5	248	0.5	<1	0.03	<0.5	23	5.5	14.8	30.0	3.43
07125		<0.2	0.59	29	<5	225	0.6	<1	0.06	<0.5	15	15.1	13.7	33.5	3.14
07126		<0.2	1.05	25	<5	165	0.8	<1	0.06	<0.5	20	8.2	11.6	42.2	8.16
07127		1.6	1.70	13	<5	206	1.1	<1	0.08	2.1	19	10.1	15.8	63.0	2.15
07128		<0.2	0.97	40	<5	725	0.9	<1	0.35	2.1	17	8.8	11.2	35.5	3.38
07129		<0.2	0.57	21	<5	480	0.8	<1	0.22	1.0	20	11.6	8.1	30.2	2.73
07130		<0.2	0.86	15	<5	529	0.8	<1	0.29	0.7	27	10.4	11.2	31.1	2.74
07131		0.5	0.34	24	<5	485	1.2	<1	0.55	<0.5	29	11.2	8.6	36.8	2.43
07132		0.6	0.44	18	<5	557	1.0	<1	1.55	<0.5	20	7.6	8.9	33.8	1.96
07133		0.3	0.51	29	<5	539	0.9	<1	0.41	2.1	20	14.2	13.6	50.9	2.83
07134		0.5	0.62	32	<5	2290	0.7	<1	0.58	4.7	18	24.5	17.5	54.9	5.03
07135		<0.2	0.83	25	<5	2630	0.6	<1	0.20	12.3	29	16.3	15.9	50.5	2.82
07136		<0.2	1.46	19	<5	1410	0.8	<1	0.17	<0.5	17	5.5	20.1	27.5	2.78
07137		<0.2	0.88	19	<5	661	0.7	<1	0.07	<0.5	23	5.4	11.3	28.7	2.33
07138		<0.2	0.71	18	<5	310	0.6	<1	0.03	<0.5	18	5.4	10.8	27.2	2.97
07139		<0.2	0.76	29	<5	368	0.6	<1	0.05	<0.5	17	7.2	12.6	38.6	3.92
07140		<0.2	0.78	27	<5	1060	0.7	<1	0.13	0.7	13	7.2	11.9	37.3	2.93
07141		<0.2	1.47	48	6	1370	1.0	5	0.23	1.0	<1	7.9	20.8	68.8	4.76
07142		<0.2	0.61	29	<5	388	<0.5	3	0.10	0.6	6	6.8	9.8	22.1	2.61
07143		0.2	0.65	54	<5	283	<0.5	14	0.05	1.1	<1	22.4	11.4	14.1	20.6
07144		<0.2	0.52	38	<5	499	0.6	3	0.07	0.9	8	7.9	10.3	32.1	2.53
07145		<0.2	0.46	23	6	398	0.5	3	0.03	<0.5	<1	4.8	7.9	43.1	3.13
07146		<0.2	0.62	26	<5	273	<0.5	3	0.01	<0.5	<1	4.2	9.5	27.8	2.70
07147		<0.2	0.85	28	<5	344	<0.5	2	0.03	<0.5	9	4.4	12.5	26.7	2.11
07148		<0.2	1.15	26	<5	215	0.5	3	0.04	0.5	10	7.5	19.9	28.4	3.32
07149		0.4	0.87	35	<5	891	0.7	3	0.22	1.7	5	10.8	15.5	44.4	3.14
07150		<0.2	0.84	28	<5	1000	0.7	4	0.18	1.1	12	9.4	12.4	30.4	2.88
07151		<0.2	0.98	27	<5	840	0.8	3	0.26	0.7	9	10.1	13.0	28.5	2.99
07152		1.1	1.28	212	6	482	1.7	7	0.56	5.4	<1	29.7	18.9	64.5	7.41

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
07153		<0.2	1.09	27	<5	395	0.7	3	0.07	0.8	14	8.3	14.0	25.6	3.14
07154		<0.2	1.14	34	<5	769	0.8	3	0.14	1.6	18	11.1	17.1	46.4	3.10
07155		<0.2	0.52	14	<5	218	0.9	2	0.07	<0.5	33	18.2	6.6	33.9	3.02
07156		<0.2	0.69	17	<5	255	0.5	3	0.02	<0.5	17	9.6	12.7	23.8	2.88
07157		<0.2	0.91	16	<5	170	0.6	3	0.02	<0.5	19	10.0	13.3	19.6	3.15
07158		<0.2	0.64	23	<5	534	<0.5	2	0.03	<0.5	9	5.5	11.6	15.2	1.96
07159		<0.2	0.45	18	<5	307	0.6	3	0.10	<0.5	26	10.3	7.7	22.4	2.61
07160		<0.2	0.51	17	<5	265	<0.5	2	0.03	<0.5	8	5.0	8.8	18.6	1.84
07161		<0.2	0.82	22	<5	321	0.6	3	0.04	0.7	28	10.0	10.8	25.5	2.80
07162		<0.2	0.63	26	<5	519	0.6	2	0.06	1.1	30	8.8	10.2	25.4	2.44
07163		<0.2	1.16	27	<5	729	0.7	3	0.08	0.6	15	7.8	17.3	26.3	2.63
07164		<0.2	1.04	54	6	378	0.9	5	0.04	1.1	<1	12.1	19.6	125	6.81
07165		<0.2	0.79	24	<5	240	0.7	2	0.03	1.2	7	12.4	11.9	32.3	3.00
07166		<0.2	1.22	31	<5	466	0.8	2	0.05	0.6	7	9.6	17.1	25.6	3.11
07167		<0.2	0.55	37	<5	730	0.6	2	0.15	1.2	5	9.4	8.8	30.5	2.55
07168		<0.2	1.14	29	<5	788	0.7	3	0.15	0.9	12	11.4	18.5	23.5	2.80
07169		<0.2	0.91	25	<5	657	0.7	3	0.12	0.6	23	8.2	12.5	22.4	2.64
07170		<0.2	0.58	32	<5	775	0.8	3	0.20	1.4	13	12.2	8.9	33.6	3.23
07171		<0.2	0.52	34	<5	780	0.8	3	0.19	1.7	6	12.5	8.4	38.7	3.34
07172		<0.2	0.63	32	<5	1030	0.8	4	0.15	1.7	11	11.3	9.1	29.9	3.30
07173		0.7	0.54	30	<5	492	0.8	3	0.47	3.0	7	13.3	9.7	34.4	3.03
07174		<0.2	0.77	22	<5	531	0.7	3	0.16	1.1	21	14.2	11.3	26.4	2.78
07175		0.3	0.41	30	<5	966	<0.5	3	0.12	1.0	3	13.0	6.9	34.5	3.22
07176		<0.2	0.47	22	<5	534	0.6	2	0.12	1.2	21	9.0	8.0	29.1	2.49
07177		<0.2	0.53	21	<5	456	0.6	3	0.14	1.1	20	10.2	8.7	28.2	2.51
07178		<0.2	1.09	23	<5	334	0.6	3	0.04	0.5	11	7.2	15.7	21.1	2.73
07179		<0.2	0.81	25	<5	357	0.6	2	0.07	<0.5	11	7.0	11.1	23.4	2.70
07180		<0.2	0.91	28	<5	352	0.5	3	0.05	<0.5	8	8.0	12.4	25.5	2.85
07181		<0.2	0.66	32	<5	486	0.6	3	0.07	0.8	12	7.5	10.5	31.2	2.48
07182		<0.2	0.62	26	<5	479	0.6	2	0.09	0.7	15	8.9	9.3	25.0	2.53
07183		<0.2	0.46	22	<5	525	<0.5	2	0.05	<0.5	<1	4.2	5.1	21.2	1.81
07184		<0.2	1.40	30	<5	384	1.2	3	0.02	1.1	11	12.8	15.9	67.3	3.36

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
07185	<0.2	1.31	29	<5	1130	0.8	3	0.18	<0.5	8	6.7	15.6	25.9	2.70
07186	<0.2	0.75	33	<5	588	0.7	3	0.09	<0.5	10	8.4	10.3	26.2	2.51
07187	<0.2	1.51	35	<5	1190	1.0	4	0.17	0.9	9	9.3	20.8	34.6	3.25
07188	<0.2	0.77	25	<5	554	0.6	3	0.07	0.6	19	7.9	10.0	23.3	2.43
07189	<0.2	0.82	25	<5	669	0.6	3	0.14	0.7	9	7.7	12.8	24.0	2.96
07190	0.2	0.59	28	<5	437	0.8	4	0.26	1.7	12	14.9	8.1	33.1	3.30
07191	0.2	0.77	30	<5	527	0.8	3	0.23	1.4	12	12.6	11.3	39.4	2.99
07192	<0.2	0.82	23	<5	257	0.8	3	0.06	1.0	15	13.5	12.6	42.6	3.04
07193	<0.2	1.28	21	<5	264	0.7	4	0.05	0.9	16	12.7	19.3	24.7	3.29
07194	<0.2	1.10	20	<5	301	0.8	3	0.07	0.7	25	11.3	13.3	25.1	3.15
07195	<0.2	1.46	32	<5	492	0.9	4	0.07	1.1	13	11.9	18.9	28.7	3.52
07196	<0.2	0.75	20	<5	227	<0.5	2	0.03	<0.5	17	4.9	10.7	13.9	2.08
07197	<0.2	0.89	20	<5	383	0.9	4	0.08	0.6	33	11.8	12.3	21.9	3.15
07198	<0.2	0.44	30	6	474	<0.5	1	0.02	<0.5	3	2.7	8.1	19.3	1.50
07199	<0.2	0.88	18	<5	190	<0.5	3	0.03	<0.5	14	7.2	12.0	15.3	2.75
07200	<0.2	0.95	16	<5	319	<0.5	3	0.07	<0.5	19	8.9	15.1	13.9	2.49
07201	<0.2	0.91	19	<5	520	0.7	4	0.12	<0.5	23	10.4	12.4	23.4	3.07
07202	<0.2	0.55	14	10	817	<0.5	1	0.01	<0.5	2	1.4	7.3	7.7	0.77
07203	<0.2	0.55	21	<5	296	0.6	3	0.09	<0.5	15	8.7	9.4	20.0	2.85
07204	<0.2	0.78	21	<5	165	<0.5	3	0.03	<0.5	14	8.9	15.7	19.9	3.39
07205	<0.2	0.76	20	<5	729	0.7	3	0.20	<0.5	11	9.3	8.6	19.0	2.38
07206	0.2	0.49	23	<5	886	0.6	3	0.23	<0.5	4	8.3	7.0	20.0	2.33
07207	<0.2	0.71	18	<5	946	0.7	2	0.22	<0.5	4	7.1	7.7	16.9	2.18
07208	<0.2	0.54	37	<5	630	0.6	2	0.20	<0.5	2	4.3	7.7	20.4	2.02
07209	<0.2	0.64	21	<5	642	0.6	2	0.13	<0.5	6	6.8	8.3	18.8	2.20
07210	<0.2	1.52	34	<5	611	0.8	3	0.03	0.7	3	10.0	20.0	28.5	3.61
07211	<0.2	0.52	17	<5	317	<0.5	2	0.02	<0.5	4	2.6	8.2	14.1	1.89
07212	<0.2	0.36	13	6	1550	<0.5	2	0.05	<0.5	2	1.8	5.7	7.9	0.95
07213	<0.2	0.94	29	<5	404	0.5	3	0.02	0.5	13	8.6	12.7	22.0	3.17
07214	<0.2	0.99	141	<5	1690	0.6	3	0.02	<0.5	4	4.8	17.7	17.7	2.81
07215	<0.2	1.22	25	<5	178	<0.5	3	0.05	<0.5	16	5.8	16.6	12.0	2.79
07216	<0.2	0.74	72	<5	325	<0.5	3	0.02	<0.5	6	4.2	11.9	20.8	2.51

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
07217		<0.2	0.75	169	<5	829	<0.5	5	0.05	<0.5	<1	3.1	15.0	28.8	4.52
07218		<0.2	0.66	47	<5	379	0.6	5	0.04	<0.5	3	7.6	15.7	62.6	5.33
07219		<0.2	0.34	31	<5	125	<0.5	2	<0.01	<0.5	5	4.9	8.7	24.8	1.76
07220		<0.2	0.70	27	<5	426	0.7	3	0.07	0.7	9	8.4	8.2	41.1	3.04
07221		<0.2	0.82	44	<5	380	0.5	3	0.03	0.8	<1	6.9	10.8	38.7	3.77
07222		0.3	0.84	107	7	497	1.0	9	0.19	3.3	<1	19.3	13.5	122	6.54
07223		<0.2	0.38	27	<5	629	<0.5	2	0.06	<0.5	<1	2.6	5.5	18.6	1.37
07224		<0.2	1.17	26	<5	471	1.2	<1	0.18	1.9	2	47.3	15.1	64.1	4.33
07225		0.3	1.04	18	<5	518	0.8	<1	0.19	1.0	15	10.4	13.2	34.8	3.12
07226		0.2	1.24	21	<5	538	0.9	5	0.42	2.8	17	8.4	16.3	29.5	3.32
07227		<0.2	0.64	19	<5	336	<0.5	4	0.21	0.9	14	5.8	10.4	22.0	2.24
07228		0.3	0.86	26	<5	512	1.0	4	0.26	2.4	11	10.5	12.5	49.5	2.67
07229		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
06827	5	<1	<1	0.07	8	25	0.39	330	4.1	<0.01	24.9	621	26.6	14
06828	<5	<1	<1	0.07	7	23	0.37	340	2.6	<0.01	20.6	677	24.7	14
06829	6	<1	1	0.09	9	28	0.42	433	3.6	<0.01	27.9	643	28.1	18
06830	<5	<1	<1	0.09	8	3	0.55	164	3.3	<0.01	9.0	774	8.6	18
06831	6	<1	2	0.09	9	30	0.45	398	2.3	<0.01	29.4	684	27.9	12
06832	6	<1	<1	0.09	11	27	0.42	218	1.6	<0.01	30.1	743	28.0	12
06833	6	<1	<1	0.13	15	28	0.55	257	4.2	<0.01	34.3	1320	29.0	16
06834	5	<1	2	0.09	10	29	0.57	417	2.0	<0.01	26.0	622	26.7	17
06835	5	<1	2	0.18	18	23	0.64	279	5.2	<0.01	32.6	1600	28.5	27
06836	7	<1	5	0.34	25	28	1.13	175	4.9	<0.01	39.7	2390	32.7	58
06837	6	<1	3	0.29	19	24	0.64	316	4.2	<0.01	35.9	1830	36.3	39
06838	6	<1	4	0.26	17	22	0.55	209	5.8	<0.01	33.9	1630	38.1	35
06839	5	<1	<1	0.30	19	26	1.30	250	5.3	<0.01	32.7	2210	19.3	38
06840	<5	<1	<1	0.23	18	24	1.09	208	5.5	<0.01	23.6	2080	17.3	35
06841	<5	<1	<1	0.34	19	28	1.37	219	5.4	<0.01	24.6	2060	18.1	46
06842	6	<1	4	0.36	18	27	1.39	234	5.5	<0.01	31.0	2030	17.6	49
06843	5	<1	4	0.28	19	22	0.74	280	5.7	<0.01	22.3	2320	20.6	33
06844	5	<1	<1	0.40	17	25	1.40	207	6.0	<0.01	25.0	2070	14.9	57
06845	<5	<1	<1	0.18	12	12	0.78	161	4.4	<0.01	17.3	1710	8.3	27
06846	<5	<1	<1	0.22	16	19	1.50	190	5.1	<0.01	16.5	1760	11.6	34
06847	6	<1	1	0.29	18	23	1.23	225	5.9	<0.01	25.0	2260	17.9	40
06848	<5	<1	<1	0.27	14	20	1.45	270	7.0	<0.01	22.9	2740	22.4	43
06849	7	<1	<1	0.39	18	28	1.38	233	5.7	<0.01	29.9	2160	16.9	59
06850	6	<1	<1	0.42	18	27	1.51	184	6.6	<0.01	25.7	2220	17.0	56
06851	6	<1	2	0.41	20	30	1.00	204	5.2	<0.01	29.6	2190	19.8	53
06852	<5	<1	<1	0.14	17	11	0.48	168	14.3	<0.01	100	1710	18.4	25
06853	5	<1	<1	0.17	15	14	0.43	255	11.9	<0.01	90.5	1560	24.1	27
06854	<5	2	<1	0.17	17	9	0.53	110	12.8	<0.01	115	1700	16.6	28
06855	<5	<1	1	0.12	16	6	0.34	104	18.8	<0.01	112	1300	12.9	21
06856	<5	<1	2	0.16	19	7	0.22	132	20.8	<0.01	138	1370	15.7	25
06857	<5	<1	1	0.14	16	7	0.22	114	12.6	<0.01	89.9	1240	13.0	24
06858	<5	1	<1	0.20	16	6	0.65	106	20.1	<0.01	118	1470	11.9	31

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
06859	<5	1	2	0.16	19	7	0.80	103	17.6	<0.01	117	1570	11.6	30
06860	<5	<1	<1	0.11	17	6	0.17	101	13.4	<0.01	162	1810	16.8	16
06861	<5	<1	4	0.23	24	8	0.33	149	7.2	<0.01	69.9	2830	27.5	27
06862	<5	<1	1	0.20	21	10	0.35	109	5.7	<0.01	73.2	2620	33.0	26
06863	6	<1	<1	0.32	26	19	0.58	306	4.1	<0.01	72.4	2310	38.2	42
06864	5	<1	3	0.32	27	18	0.55	365	5.5	<0.01	60.0	2450	36.7	41
06865	7	<1	<1	0.28	21	21	0.54	450	4.6	<0.01	47.4	1910	32.4	37
06866	7	<1	<1	0.17	16	21	0.45	421	2.7	<0.01	37.5	1050	54.1	24
06867	<5	<1	<1	0.09	7	4	0.08	219	27.6	<0.01	24.1	896	26.8	16
06868	5	<1	<1	0.13	7	2	0.05	139	56.0	<0.01	21.1	1320	38.3	26
06869	9	3	<1	0.38	5	3	0.09	247	162	0.01	32.5	2830	87.5	60
06870	9	2	<1	0.33	4	3	0.09	255	124	0.01	36.4	2380	67.7	47
06871	<5	2	<1	0.25	4	4	0.09	122	84.1	0.01	42.8	1700	66.5	36
06872	<5	<1	<1	0.10	7	6	0.10	278	28.8	<0.01	31.6	571	31.5	13
06873	<5	<1	<1	0.14	5	5	0.09	260	27.8	<0.01	44.9	845	43.0	26
06874	<5	<1	<1	0.09	9	9	0.13	317	6.5	<0.01	40.5	539	30.0	17
06875	<5	<1	<1	0.10	9	8	0.11	465	6.7	<0.01	72.2	497	24.8	18
06876	5	<1	<1	0.13	6	14	0.17	75	9.7	<0.01	722	290	28.8	18
06877	8	<1	<1	0.06	2	4	0.13	50	12.6	<0.01	1650	491	46.5	<10
06878	<5	<1	<1	0.10	7	12	0.13	385	6.5	<0.01	840	1150	17.0	20
06879	<5	<1	<1	0.10	6	6	0.10	347	13.3	<0.01	41.4	666	37.2	21
06880	<5	<1	<1	0.09	9	9	0.13	444	9.6	<0.01	35.3	504	28.9	15
06881	<5	<1	<1	0.09	8	4	0.07	371	11.3	<0.01	24.5	675	69.7	20
06882	<5	<1	<1	0.08	7	6	0.09	293	12.8	<0.01	30.4	609	47.3	14
06883	<5	<1	<1	0.11	9	7	0.10	347	10.7	<0.01	23.7	643	27.8	23
06884	<5	<1	<1	0.12	9	4	0.08	273	13.9	<0.01	20.2	864	24.5	25
06885	<5	<1	<1	0.10	9	1	0.04	60	9.0	<0.01	11.1	769	13.5	22
06886	<5	<1	<1	0.05	7	7	0.10	236	5.4	<0.01	19.4	382	18.2	<10
06887	<5	<1	2	0.13	5	2	0.05	116	8.4	<0.01	20.5	1730	20.4	21
06888	<5	<1	<1	0.13	6	3	0.07	147	9.6	<0.01	16.6	1430	29.0	25
06889	<5	<1	<1	0.12	6	2	0.05	213	5.8	<0.01	17.2	1990	21.1	20
06890	<5	<1	<1	0.11	8	2	0.04	126	6.2	<0.01	15.3	1950	33.6	22

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
06891	<5	<1	<1	0.13	9	2	0.06	542	7.2	<0.01	20.0	1590	28.4	30
06892	<5	<1	<1	0.10	9	4	0.06	211	8.8	<0.01	29.6	1290	35.1	20
06893	<5	<1	<1	0.09	9	5	0.11	171	7.1	<0.01	13.3	846	22.3	22
06894	<5	<1	<1	0.06	11	6	0.10	362	7.7	<0.01	24.8	356	32.7	11
06895	<5	<1	<1	0.07	10	5	0.08	217	7.3	<0.01	17.6	583	27.3	18
06896	<5	<1	<1	0.07	9	3	0.06	258	8.6	<0.01	17.4	384	23.3	10
06897	<5	<1	<1	0.09	14	11	0.21	332	8.6	<0.01	32.3	749	26.4	18
06898	<5	<1	<1	0.09	9	6	0.12	228	7.9	<0.01	24.6	488	22.6	20
06899	<5	<1	<1	0.10	9	5	0.08	195	9.3	<0.01	25.2	334	21.4	19
06900	<5	<1	<1	0.16	4	1	0.03	70	26.2	<0.01	28.0	440	32.4	24
06901	<5	<1	<1	0.13	5	1	0.03	80	19.5	<0.01	17.7	286	16.6	24
06902	<5	<1	<1	0.10	5	2	0.04	128	14.6	<0.01	18.7	303	17.2	16
06903	<5	<1	<1	0.13	5	2	0.05	80	11.4	<0.01	16.3	350	15.5	23
06904	<5	<1	<1	0.13	6	3	0.06	227	10.4	<0.01	22.9	522	20.4	29
06905	<5	<1	<1	0.09	3	<1	0.03	43	3.2	<0.01	8.1	97	7.2	13
06906	<5	<1	<1	0.09	11	10	0.12	389	10.9	<0.01	33.2	620	26.6	19
06907	7	<1	6	0.15	7	13	0.15	350	48.2	<0.01	37.2	1350	50.3	27
06908	<5	<1	2	0.11	10	15	0.19	341	9.8	<0.01	31.6	681	35.5	20
06909	<5	<1	4	0.12	8	5	0.08	233	24.5	<0.01	28.8	811	29.9	22
06910	<5	<1	8	0.11	6	4	0.08	241	37.0	<0.01	34.9	1190	38.7	21
06911	<5	<1	8	0.17	4	8	0.15	449	23.6	<0.01	106	1400	57.1	31
06912	<5	<1	<1	0.10	9	8	0.11	255	7.6	<0.01	39.7	584	32.7	13
06913	<5	<1	<1	0.08	5	8	0.13	557	13.3	<0.01	27.0	914	18.3	14
06914	<5	<1	<1	0.13	7	13	0.12	468	8.6	<0.01	43.6	851	41.6	22
06915	<5	<1	<1	0.13	14	4	0.07	183	1.4	<0.01	11.6	466	27.9	17
06916	<5	<1	3	0.07	8	4	0.06	523	1.5	<0.01	21.9	343	21.8	<10
06917	<5	<1	5	0.13	5	1	0.02	137	9.6	<0.01	25.0	3850	17.9	15
06918	<5	<1	5	0.10	4	2	0.06	129	12.3	<0.01	33.0	4220	17.3	13
06919	7	<1	<1	0.11	13	7	0.18	140	3.5	<0.01	11.7	685	26.0	31
06920	<5	<1	1	0.15	9	1	0.02	110	10.8	<0.01	19.9	3400	50.3	19
06921	<5	<1	6	0.14	5	3	0.09	45	10.3	<0.01	23.9	3670	27.6	25
06922	<5	<1	2	0.12	7	1	0.03	239	11.6	<0.01	17.4	1060	26.8	19

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
06923	<5	<1	2	0.12	6	1	0.03	623	11.4	<0.01	24.6	1500	40.6	19
06924	<5	<1	1	0.12	6	3	0.07	192	11.0	<0.01	23.6	1130	55.5	19
06925	6	<1	<1	0.14	8	10	0.12	607	17.0	<0.01	180	765	38.1	27
06926	<5	<1	2	0.12	7	4	0.08	1060	11.4	<0.01	95.3	613	27.6	19
06927	7	<1	1	0.31	4	9	0.15	359	19.6	<0.01	49.7	1070	58.9	54
06928	<5	<1	1	0.10	11	7	0.09	166	10.1	<0.01	19.7	446	24.3	17
06929	<5	<1	<1	0.11	10	7	0.09	191	8.7	<0.01	22.4	523	26.5	13
06930	<5	<1	1	0.11	10	11	0.14	168	8.1	<0.01	22.9	466	24.4	26
06931	7	<1	2	0.14	12	16	0.30	428	6.4	<0.01	28.9	883	28.7	31
06932	<5	<1	3	0.10	10	15	0.15	349	7.0	<0.01	32.6	538	33.0	23
06933	6	2	9	0.32	4	12	0.20	395	156	<0.01	121	1860	70.5	60
06934	6	<1	2	0.20	10	13	0.19	268	69.8	<0.01	63.4	969	40.5	34
06935	<5	<1	3	0.14	13	9	0.14	304	13.7	<0.01	45.9	704	29.0	15
06936	<5	<1	<1	0.13	8	8	0.13	224	9.5	<0.01	93.9	677	28.5	18
06937	6	<1	1	0.09	14	2	0.04	48	7.5	<0.01	12.3	383	11.8	17
06938	5	<1	2	0.12	7	12	0.19	573	11.1	<0.01	36.8	689	18.5	24
06939	5	<1	5	0.14	11	15	0.24	186	5.9	<0.01	91.7	643	22.2	22
06940	<5	<1	3	0.10	6	7	0.13	238	14.8	<0.01	43.0	548	23.1	16
06941	<5	<1	1	0.09	3	2	0.03	282	15.2	<0.01	29.6	885	24.2	15
06942	<5	<1	<1	0.10	9	2	0.04	72	12.3	<0.01	12.5	509	15.7	20
06943	<5	<1	3	0.11	5	2	0.04	231	14.4	<0.01	25.3	1020	28.1	14
06944	<5	2	4	0.14	4	1	0.04	117	60.1	<0.01	28.7	820	18.3	22
06945	<5	<1	8	0.14	2	1	0.03	58	31.0	<0.01	16.5	451	14.9	25
06946	<5	<1	1	0.17	2	1	0.03	15	24.3	<0.01	9.3	253	17.5	26
06947	6	<1	2	0.13	9	4	0.09	219	9.1	<0.01	18.1	749	30.3	30
06948	<5	<1	1	0.08	9	2	0.05	228	9.4	<0.01	13.1	640	28.1	18
06949	<5	<1	1	0.11	8	3	0.06	220	13.8	<0.01	18.8	940	27.3	19
06950	<5	<1	<1	0.10	8	2	0.04	174	12.7	<0.01	15.2	713	32.8	20
06951	<5	<1	5	0.14	6	3	0.06	207	14.5	<0.01	32.6	784	24.5	22
06952	<5	<1	5	0.08	5	1	0.03	166	10.3	<0.01	21.7	403	25.2	13
06953	<5	<1	4	0.16	2	<1	0.03	60	10.4	<0.01	11.2	294	18.9	21
06954	<5	<1	7	0.15	5	1	0.03	61	9.3	<0.01	14.0	431	22.3	21

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
06955	<5	<1	8	0.29	2	2	0.02	<1	42.9	<0.01	2.8	241	43.2	41
06956	<5	<1	2	0.14	6	5	0.08	135	16.9	<0.01	14.0	535	28.5	20
06957	<5	<1	<1	0.15	2	1	0.03	31	10.2	<0.01	8.5	204	13.1	19
06958	<5	<1	3	0.11	2	2	0.03	48	10.1	<0.01	9.1	222	16.6	14
06959	<5	<1	<1	0.09	6	2	0.05	117	10.4	<0.01	13.6	999	23.3	20
06960	<5	<1	<1	0.10	5	4	0.07	157	12.4	<0.01	20.1	720	34.3	21
06961	<5	<1	5	0.11	8	5	0.08	191	11.1	<0.01	21.7	446	26.8	15
06962	<5	<1	5	0.13	3	<1	0.01	5	49.6	<0.01	11.4	696	159	14
06963	<5	<1	<1	0.16	5	2	0.05	144	23.0	<0.01	20.9	500	34.1	30
06964	<5	<1	<1	0.18	4	2	0.05	41	11.1	<0.01	6.8	395	18.8	32
06965	<5	<1	2	0.14	8	1	0.04	1390	17.0	<0.01	20.7	888	29.5	28
06966	<5	<1	<1	0.22	4	5	0.09	329	18.4	<0.01	32.0	948	40.3	49
06967	6	<1	4	0.07	6	5	0.12	113	9.1	<0.01	9.8	346	19.1	24
06968	<5	<1	5	0.13	5	1	0.04	25	15.9	<0.01	10.1	516	21.4	27
06969	<5	<1	2	0.14	6	2	0.04	31	13.7	<0.01	11.1	616	19.0	29
06970	<5	<1	<1	0.17	8	22	0.17	273	9.5	<0.01	118	743	40.9	31
06971	<5	<1	<1	0.12	12	15	0.16	221	9.5	<0.01	35.4	490	33.3	20
06972	<5	<1	5	0.15	12	15	0.22	332	8.6	<0.01	44.8	684	28.4	23
06973	5	<1	4	0.09	11	18	0.28	288	6.4	<0.01	36.8	345	26.9	16
06974	<5	<1	3	0.09	12	13	0.18	149	5.5	<0.01	24.4	312	22.1	19
06975	<5	<1	<1	0.23	7	14	0.24	327	18.2	<0.01	104	759	42.0	34
06976	<5	<1	2	0.17	11	16	0.26	418	6.8	<0.01	54.4	637	30.7	20
06977	<5	<1	<1	0.17	6	12	0.19	301	12.8	<0.01	72.4	862	30.2	28
06978	<5	<1	3	0.10	6	8	0.13	251	7.3	<0.01	30.2	774	26.7	21
06979	<5	<1	2	0.12	8	8	0.15	1120	13.6	<0.01	250	732	32.5	18
06980	<5	<1	<1	0.04	7	11	0.12	104	8.3	<0.01	21.2	258	18.5	10
06981	<5	<1	2	0.11	4	8	0.10	264	15.1	<0.01	79.2	805	36.5	17
06982	<5	<1	5	0.12	7	8	0.13	401	10.4	<0.01	47.8	595	29.6	14
06983	<5	<1	4	0.11	8	7	0.07	182	7.5	<0.01	32.7	581	24.2	21
06984	<5	<1	3	0.13	8	8	0.11	193	10.5	<0.01	32.4	619	27.4	21
06985	<5	<1	<1	0.08	7	4	0.09	118	8.8	<0.01	25.7	489	17.9	17
06986	<5	<1	<1	0.08	5	5	0.09	182	7.6	<0.01	22.2	572	23.3	14

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
06987	<5	<1	2	0.08	4	6	0.08	339	10.3	<0.01	43.5	889	26.4	14
06988	<5	<1	<1	0.06	4	2	0.05	150	10.7	<0.01	28.4	451	16.9	15
06989	5	<1	<1	0.14	6	8	0.16	381	33.9	<0.01	47.2	2050	46.5	39
06990	<5	<1	<1	0.07	5	4	0.05	266	7.2	<0.01	31.5	945	30.3	16
06991	<5	<1	<1	0.09	6	6	0.13	389	6.2	<0.01	53.3	669	33.3	11
06992	<5	<1	7	0.08	6	8	0.10	242	12.3	<0.01	54.2	572	29.7	12
06993	<5	<1	<1	0.08	9	10	0.12	316	7.9	<0.01	50.9	672	25.0	11
06994	<5	<1	1	0.07	6	1	0.05	311	8.3	<0.01	23.9	609	15.6	14
06995	<5	<1	2	0.09	7	5	0.07	202	7.5	<0.01	32.4	768	22.4	15
06996	<5	<1	<1	0.10	7	4	0.06	297	10.1	<0.01	40.2	863	32.8	19
06997	<5	<1	2	0.08	9	2	0.04	101	8.8	<0.01	14.6	557	15.2	16
06998	<5	<1	3	0.12	9	10	0.11	285	9.2	<0.01	32.7	1120	29.9	19
06999	<5	<1	<1	0.14	6	11	0.13	274	22.1	<0.01	43.8	928	31.4	30
07000	7	<1	1	0.33	4	11	0.17	211	23.7	<0.01	81.4	1400	50.6	58
07071	<5	<1	<1	0.20	15	19	1.63	234	7.0	<0.01	23.1	2000	19.7	36
07072	5	<1	3	0.37	21	28	1.10	239	5.9	<0.01	27.8	2430	17.9	53
07073	6	<1	1	0.31	21	25	1.01	206	6.1	<0.01	30.8	2490	19.1	50
07074	6	<1	<1	0.31	19	26	0.65	410	6.1	<0.01	31.9	2070	26.8	48
07075	6	<1	<1	0.23	17	27	0.54	484	4.1	<0.01	38.9	1560	41.5	31
07076	7	<1	<1	0.19	14	26	0.59	434	4.7	<0.01	41.5	1250	41.2	28
07077	5	<1	<1	0.14	14	26	0.49	429	3.9	<0.01	39.1	1240	37.6	18
07078	7	<1	1	0.22	16	24	0.72	470	4.1	<0.01	42.6	1500	67.7	35
07079	5	<1	1	0.29	19	26	0.86	35	2.3	<0.01	32.9	1830	26.2	39
07080	6	<1	<1	0.32	19	26	0.93	356	6.2	<0.01	37.0	2290	38.9	41
07081	6	<1	<1	0.46	23	36	1.17	111	4.9	<0.01	38.0	2380	41.1	60
07082	6	<1	3	0.35	22	27	0.92	172	3.6	<0.01	38.9	2110	34.5	47
07083	5	<1	<1	0.15	15	24	0.58	273	3.8	<0.01	40.8	1180	41.4	21
07084	<5	<1	<1	0.10	7	6	0.09	215	31.6	<0.01	32.0	894	26.1	14
07085	<5	<1	5	0.18	6	4	0.08	135	34.2	<0.01	19.3	1960	40.8	26
07086	<5	<1	<1	0.15	6	3	0.06	133	19.1	<0.01	17.5	2350	26.7	19
07087	7	2	<1	0.37	7	6	0.13	278	39.2	0.01	36.7	4230	68.0	75
07088	<5	1	2	0.28	13	5	0.07	404	47.3	0.01	48.2	3290	117	40

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
07089	<5	<1	1	0.17	5	4	0.07	148	23.4	<0.01	22.8	1640	45.7	34
07090	<5	<1	6	0.10	5	6	0.08	435	11.9	<0.01	25.1	363	31.9	14
07091	<5	<1	2	0.09	13	10	0.19	283	8.7	<0.01	40.7	628	42.7	16
07092	<5	<1	2	0.10	15	17	0.28	284	7.3	<0.01	35.5	684	32.4	13
07093	<5	<1	1	0.10	18	6	0.21	371	12.0	<0.01	72.7	1020	17.1	15
07094	<5	<1	1	0.12	12	13	0.25	363	5.3	<0.01	33.6	687	33.4	19
07095	<5	<1	<1	0.13	15	13	0.21	352	9.8	<0.01	36.2	842	35.0	24
07096	<5	<1	<1	0.09	12	17	0.28	479	8.0	0.02	48.2	850	47.0	14
07097	<5	<1	<1	0.09	6	7	0.12	447	22.5	<0.01	116	929	39.2	16
07098	6	<1	<1	0.09	10	27	0.68	415	2.9	<0.01	29.5	660	26.6	17
07099	<5	<1	<1	0.09	13	10	0.21	304	6.1	<0.01	39.7	554	20.7	13
07100	<5	<1	<1	0.14	16	16	0.36	404	4.6	<0.01	38.7	551	24.3	17
07101	<5	<1	<1	0.13	16	16	0.28	314	4.4	<0.01	37.6	583	30.7	14
07102	<5	<1	<1	0.09	11	16	0.27	286	2.4	<0.01	25.6	459	20.1	12
07103	6	<1	<1	0.06	9	18	0.32	461	2.7	<0.01	27.0	475	72.1	13
07104	<5	<1	<1	0.08	9	18	0.32	356	2.6	<0.01	20.9	514	19.1	17
07105	<5	<1	<1	0.08	12	24	0.40	377	2.3	<0.01	29.9	336	20.7	12
07106	<5	<1	<1	0.08	12	15	0.37	472	4.1	<0.01	32.7	553	23.9	15
07107	<5	<1	<1	0.24	23	16	0.50	230	6.4	<0.01	46.5	2190	21.3	24
07108	6	<1	<1	0.29	23	15	0.73	249	5.4	<0.01	39.3	1790	25.6	29
07109	6	<1	<1	0.15	15	19	0.41	369	3.1	<0.01	33.1	897	22.8	18
07110	6	<1	<1	0.06	9	24	0.57	495	1.9	<0.01	23.1	413	22.4	<10
07111	6	<1	<1	0.11	10	27	0.54	413	1.9	<0.01	22.5	420	17.1	13
07112	7	<1	<1	0.09	11	27	0.50	607	2.0	<0.01	29.9	458	24.4	13
07113	<5	<1	<1	0.08	9	28	0.48	494	1.7	<0.01	29.9	413	22.1	<10
07114	6	<1	<1	0.09	10	31	0.57	508	1.6	<0.01	28.9	433	19.4	11
07115	<5	<1	<1	0.09	12	29	0.48	396	1.6	<0.01	25.8	546	21.3	12
07116	6	<1	<1	0.18	22	22	0.66	442	3.7	<0.01	28.0	1090	20.8	26
07117	8	<1	<1	0.34	24	27	0.81	325	5.7	<0.01	40.0	2010	23.1	39
07118	<5	<1	<1	0.17	15	17	0.42	258	4.1	<0.01	30.6	1280	29.0	21
07119	<5	<1	<1	0.18	17	18	0.45	420	4.6	<0.01	44.6	1360	36.8	24
07120	6	<1	<1	0.27	20	25	0.90	226	4.6	<0.01	29.5	1600	13.5	29

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
07121	6	<1	<1	0.27	19	23	1.09	206	4.9	<0.01	28.6	1910	12.9	31
07122	<5	<1	<1	0.11	11	4	0.06	235	32.6	<0.01	27.8	816	42.0	15
07123	<5	<1	<1	0.11	10	3	0.05	354	29.0	<0.01	23.9	693	65.9	15
07124	<5	<1	<1	0.13	9	2	0.04	294	26.2	<0.01	22.6	1020	50.7	19
07125	<5	<1	<1	0.13	6	2	0.05	563	19.0	<0.01	30.8	1100	45.0	22
07126	<5	<1	<1	0.12	8	10	0.11	156	12.9	<0.01	33.0	800	28.5	32
07127	<5	<1	<1	0.09	8	18	0.13	129	9.1	<0.01	85.5	858	23.6	27
07128	<5	<1	<1	0.11	7	11	0.14	1000	5.4	<0.01	51.2	456	24.9	19
07129	<5	<1	<1	0.08	8	7	0.13	329	6.0	<0.01	34.5	429	28.9	14
07130	<5	<1	<1	0.10	11	13	0.17	448	8.3	<0.01	35.9	431	27.4	16
07131	<5	<1	<1	0.12	12	1	0.10	376	8.3	<0.01	30.9	730	80.4	12
07132	<5	<1	<1	0.11	10	2	0.35	287	4.9	<0.01	22.6	814	87.1	14
07133	<5	<1	<1	0.09	8	4	0.08	337	11.2	<0.01	63.0	610	61.0	12
07134	<5	<1	<1	0.12	8	4	0.12	575	16.0	<0.01	123	2150	25.2	19
07135	<5	<1	<1	0.10	11	6	0.12	542	14.2	<0.01	86.9	1450	25.3	14
07136	6	<1	<1	0.16	8	7	0.13	275	10.6	<0.01	27.2	1040	26.9	42
07137	<5	<1	<1	0.10	9	5	0.08	179	7.6	<0.01	21.8	422	21.6	21
07138	<5	<1	<1	0.08	7	3	0.07	182	11.1	<0.01	20.8	628	21.0	20
07139	<5	<1	<1	0.10	7	4	0.12	279	18.1	<0.01	33.3	709	20.4	23
07140	<5	<1	<1	0.11	5	5	0.08	322	22.9	<0.01	30.1	784	29.2	22
07141	<5	<1	3	0.23	3	5	0.11	349	33.9	<0.01	59.4	1360	44.0	62
07142	<5	<1	4	0.08	5	3	0.06	212	11.8	<0.01	25.2	733	30.2	18
07143	10	1	2	0.10	2	1	0.02	534	9.4	<0.01	25.0	954	77.3	17
07144	<5	<1	5	0.10	6	4	0.06	236	15.0	<0.01	28.6	615	34.1	14
07145	<5	<1	4	0.13	3	1	0.02	80	8.2	<0.01	18.6	575	19.5	16
07146	<5	<1	2	0.12	3	1	0.03	103	10.0	<0.01	14.6	573	22.9	21
07147	<5	<1	3	0.11	6	2	0.05	105	11.5	<0.01	17.2	747	18.3	21
07148	6	<1	3	0.12	9	7	0.17	295	9.3	<0.01	23.1	1090	27.0	25
07149	<5	<1	3	0.14	6	10	0.15	327	13.1	<0.01	43.3	1010	38.3	21
07150	<5	<1	<1	0.10	8	9	0.16	300	12.7	<0.01	34.5	555	34.2	17
07151	<5	<1	<1	0.09	7	12	0.17	308	10.1	<0.01	34.0	461	34.1	18
07152	6	<1	1	0.16	6	10	0.17	225	36.6	<0.01	172	680	84.8	25

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
07153	<5	<1	<1	0.11	9	10	0.11	239	9.9	<0.01	28.7	730	31.4	24
07154	<5	<1	2	0.12	10	13	0.16	396	13.3	<0.01	39.5	699	44.1	24
07155	<5	<1	<1	0.09	14	5	0.13	543	1.2	<0.01	20.3	606	43.6	14
07156	<5	<1	1	0.12	9	5	0.10	443	9.9	<0.01	19.3	713	26.1	20
07157	<5	<1	<1	0.10	11	9	0.13	276	10.4	<0.01	18.9	544	29.7	18
07158	<5	<1	<1	0.14	6	1	0.05	346	15.1	<0.01	12.4	932	29.8	28
07159	<5	<1	<1	0.07	12	5	0.09	302	12.0	<0.01	21.8	491	29.3	<10
07160	<5	<1	<1	0.12	5	<1	0.03	105	7.0	<0.01	13.6	693	21.1	21
07161	<5	<1	<1	0.09	14	5	0.08	245	9.8	<0.01	25.5	464	56.0	17
07162	<5	<1	6	0.09	15	5	0.08	219	10.5	<0.01	24.7	545	30.0	14
07163	<5	<1	4	0.13	9	8	0.13	230	10.6	<0.01	21.6	607	28.4	28
07164	<5	<1	1	0.14	6	5	0.05	187	16.0	<0.01	49.4	996	32.3	23
07165	<5	<1	<1	0.09	6	5	0.08	324	8.1	<0.01	40.3	687	26.7	17
07166	<5	<1	<1	0.10	7	15	0.21	334	10.0	<0.01	26.9	628	32.4	23
07167	<5	<1	4	0.09	5	6	0.10	302	12.3	<0.01	33.6	576	32.1	13
07168	<5	<1	8	0.10	8	13	0.24	562	9.0	<0.01	29.6	554	31.4	20
07169	<5	<1	1	0.10	12	10	0.15	262	9.3	<0.01	28.1	402	26.4	16
07170	<5	<1	1	0.12	8	5	0.08	278	12.3	<0.01	45.1	734	35.5	16
07171	<5	<1	<1	0.09	6	4	0.07	313	15.2	<0.01	55.1	676	33.1	15
07172	<5	<1	<1	0.10	8	4	0.06	269	13.0	<0.01	36.9	714	32.7	17
07173	<5	<1	6	0.09	6	5	0.13	559	12.3	<0.01	43.4	1160	59.9	13
07174	<5	<1	6	0.10	11	7	0.11	415	11.0	<0.01	32.5	803	53.7	15
07175	<5	<1	6	0.13	5	2	0.05	432	12.0	<0.01	47.3	545	28.0	17
07176	<5	<1	3	0.08	11	5	0.09	239	11.0	<0.01	29.1	500	30.0	11
07177	<5	<1	5	0.09	11	6	0.10	317	11.5	<0.01	26.5	536	30.9	12
07178	<5	<1	3	0.08	7	8	0.12	236	8.7	<0.01	19.4	900	32.8	22
07179	<5	<1	<1	0.08	8	5	0.08	216	10.7	<0.01	19.6	521	27.7	17
07180	<5	<1	<1	0.07	6	5	0.07	219	12.7	<0.01	22.5	504	29.3	18
07181	<5	<1	5	0.10	7	4	0.07	212	11.6	<0.01	25.3	481	26.9	15
07182	<5	<1	4	0.09	9	4	0.07	264	11.4	<0.01	23.1	460	28.3	14
07183	<5	<1	5	0.03	2	4	0.06	104	8.9	<0.01	15.7	254	18.0	<10
07184	<5	<1	<1	0.12	8	11	0.12	202	11.0	<0.01	55.2	642	33.2	22

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
07185	<5	<1	3	0.09	6	11	0.15	197	10.2	<0.01	25.8	581	32.1	21
07186	<5	<1	<1	0.06	7	8	0.12	209	10.6	<0.01	25.7	474	31.7	14
07187	5	<1	2	0.14	8	14	0.22	290	10.6	<0.01	35.5	752	38.2	32
07188	<5	<1	<1	0.08	10	9	0.14	219	8.7	<0.01	25.6	355	25.4	13
07189	<5	<1	4	0.11	7	3	0.07	247	11.0	<0.01	28.2	1120	30.0	19
07190	<5	<1	<1	0.10	8	9	0.14	471	10.3	<0.01	37.0	715	42.8	12
07191	<5	<1	<1	0.11	8	10	0.15	316	11.3	<0.01	46.3	513	32.9	13
07192	<5	<1	<1	0.06	9	11	0.13	341	8.4	<0.01	57.3	478	29.6	11
07193	5	<1	<1	0.09	10	11	0.16	374	8.8	<0.01	50.7	807	30.2	21
07194	<5	<1	<1	0.10	13	15	0.18	352	6.1	<0.01	33.5	505	31.4	17
07195	6	<1	8	0.15	9	13	0.17	450	18.6	<0.01	42.7	866	49.0	31
07196	<5	<1	<1	0.08	9	4	0.08	102	8.2	<0.01	13.6	407	20.3	17
07197	<5	<1	3	0.12	15	8	0.11	402	10.2	<0.01	23.3	610	41.8	19
07198	<5	<1	2	0.14	3	<1	0.02	76	13.4	<0.01	16.4	221	15.6	17
07199	<5	<1	<1	0.08	8	4	0.10	179	11.4	<0.01	14.4	635	25.1	17
07200	<5	<1	2	0.12	10	4	0.08	1250	10.3	<0.01	14.5	852	26.5	29
07201	<5	<1	5	0.13	12	8	0.12	241	13.3	<0.01	22.9	530	32.8	21
07202	<5	<1	3	0.17	2	<1	0.03	10	11.6	<0.01	11.3	148	10.5	24
07203	<5	<1	<1	0.10	8	3	0.04	292	11.6	<0.01	15.6	581	30.3	13
07204	<5	<1	<1	0.11	9	4	0.10	478	11.2	<0.01	17.1	903	32.1	19
07205	<5	<1	<1	0.14	6	4	0.08	260	6.7	<0.01	22.0	613	23.6	22
07206	<5	<1	1	0.09	4	4	0.07	201	7.8	<0.01	16.8	407	24.5	12
07207	<5	<1	5	0.10	4	4	0.08	204	5.9	<0.01	17.4	565	22.0	17
07208	<5	<1	<1	0.13	3	3	0.07	124	7.7	<0.01	27.8	399	19.9	16
07209	<5	<1	<1	0.11	5	3	0.06	174	8.7	<0.01	16.0	354	21.3	17
07210	6	<1	3	0.16	5	4	0.07	420	20.0	<0.01	25.5	1260	36.8	43
07211	<5	<1	<1	0.11	4	<1	0.03	55	6.3	<0.01	9.0	336	15.1	14
07212	<5	<1	3	0.15	2	<1	0.02	20	4.2	<0.01	6.9	136	17.7	16
07213	<5	<1	<1	0.09	9	6	0.10	233	12.4	<0.01	27.0	576	34.9	18
07214	<5	<1	4	0.10	4	5	0.07	102	18.9	<0.01	18.5	695	37.7	20
07215	6	<1	1	0.07	10	7	0.14	169	8.5	<0.01	15.6	391	30.9	19
07216	<5	<1	<1	0.13	5	3	0.06	116	20.6	<0.01	20.4	507	27.4	27

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
	Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
07217		<5	<1	2	0.15	4	2	0.07	54	62.3	<0.01	14.2	736	55.3	28
07218		<5	<1	<1	0.11	8	3	0.05	110	17.9	<0.01	39.8	1020	29.3	16
07219		<5	<1	<1	0.06	4	<1	0.02	126	17.4	<0.01	14.0	531	21.1	11
07220		<5	<1	1	0.07	7	9	0.09	161	10.1	<0.01	30.9	427	29.8	<10
07221		<5	<1	2	0.12	3	2	0.04	371	20.0	<0.01	42.2	468	31.1	26
07222		5	<1	2	0.14	3	5	0.09	787	48.0	<0.01	111	555	41.7	25
07223		<5	<1	3	0.09	2	2	0.03	73	9.2	<0.01	15.0	231	15.9	15
07224		<5	<1	<1	0.12	6	14	0.15	1120	10.3	<0.01	133	758	30.0	20
07225		<5	<1	<1	0.08	10	17	0.22	389	6.9	<0.01	57.3	387	27.6	15
07226		<5	<1	2	0.15	11	14	0.21	506	6.4	<0.01	48.1	528	23.6	26
07227		<5	<1	<1	0.09	8	5	0.10	271	7.7	<0.01	24.5	533	21.1	18
07228		<5	<1	5	0.08	8	12	0.19	405	8.3	<0.01	62.3	789	32.3	17
07229		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
06827	0.048	<1	3.9	<10	<5	24.5	<10	<10	<5	<0.01	0.11	<5	19.8	<1
06828	0.071	1	3.5	<10	<5	31.5	<10	<10	<5	<0.01	0.10	<5	18.8	<1
06829	0.052	<1	4.1	<10	<5	22.3	<10	<10	<5	<0.01	0.15	<5	28.0	<1
06830	0.175	6	1.9	<10	<5	75.6	<10	<10	<5	<0.01	0.09	<5	20.5	<1
06831	0.040	<1	4.2	<10	<5	19.8	<10	<10	<5	<0.01	0.08	<5	27.6	<1
06832	0.023	<1	4.2	<10	<5	18.0	<10	<10	<5	<0.01	0.09	<5	34.0	<1
06833	0.018	1	5.1	<10	<5	19.8	<10	<10	<5	<0.01	0.12	<5	41.3	<1
06834	0.053	3	4.0	<10	<5	105	<10	<10	5	<0.01	0.08	<5	18.6	<1
06835	0.087	4	5.0	<10	<5	48.9	<10	<10	<5	<0.01	0.18	<5	63.4	<1
06836	0.127	7	8.5	<10	<5	64.2	<10	<10	7	<0.01	0.22	<5	107	<1
06837	0.074	4	6.4	<10	<5	46.6	<10	<10	<5	<0.01	0.23	<5	76.8	<1
06838	0.078	2	5.9	<10	<5	41.2	<10	<10	<5	<0.01	0.22	<5	72.8	<1
06839	0.071	5	5.5	<10	<5	67.3	<10	<10	<5	<0.01	0.24	<5	83.2	<1
06840	0.133	6	4.7	<10	<5	125	<10	<10	<5	<0.01	0.21	<5	71.4	<1
06841	0.126	6	5.6	<10	<5	126	<10	<10	<5	<0.01	0.22	<5	82.4	<1
06842	0.094	7	5.4	<10	<5	106	<10	<10	<5	<0.01	0.26	<5	91.2	<1
06843	0.122	5	4.7	<10	<5	64.9	<10	<10	<5	<0.01	0.18	<5	74.5	<1
06844	0.129	7	4.9	<10	<5	197	<10	<10	<5	<0.01	0.24	<5	90.4	<1
06845	0.233	7	3.0	<10	<5	140	<10	<10	<5	<0.01	0.13	<5	42.9	<1
06846	0.211	7	5.3	<10	<5	216	<10	<10	<5	<0.01	0.13	<5	50.6	<1
06847	0.135	7	4.6	<10	<5	117	<10	<10	<5	<0.01	0.21	<5	75.0	<1
06848	0.277	9	4.9	<10	<5	321	<10	<10	<5	<0.01	0.17	<5	68.0	<1
06849	0.122	7	5.3	<10	<5	154	<10	<10	<5	<0.01	0.26	<5	96.1	<1
06850	0.146	8	5.1	<10	<5	161	<10	<10	<5	<0.01	0.35	<5	99.8	<1
06851	0.101	4	5.5	<10	<5	76.4	<10	<10	<5	<0.01	0.27	<5	103	<1
06852	0.113	11	4.5	<10	<5	109	<10	<10	<5	<0.01	0.78	<5	186	<1
06853	0.092	9	5.1	<10	<5	159	<10	<10	<5	<0.01	0.76	<5	116	<1
06854	0.088	13	4.5	<10	<5	92.6	<10	<10	<5	<0.01	1.08	<5	380	<1
06855	0.092	12	4.1	<10	<5	103	<10	<10	<5	<0.01	1.14	<5	238	<1
06856	0.103	12	3.9	<10	<5	86.3	<10	<10	<5	<0.01	1.52	<5	240	<1
06857	0.121	12	3.2	<10	<5	104	<10	<10	<5	<0.01	1.17	<5	231	<1
06858	0.126	15	4.1	<10	<5	157	<10	<10	<5	<0.01	1.42	<5	232	<1

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
06859		0.103	12	4.3	<10	<5	121	<10	<10	<5	<0.01	1.12	<5	255	<1
06860		0.105	9	4.0	<10	<5	66.1	<10	<10	<5	<0.01	0.73	<5	152	<1
06861		0.120	6	6.0	<10	<5	73.6	<10	<10	<5	<0.01	0.47	<5	81.4	<1
06862		0.112	5	5.6	<10	<5	51.4	<10	<10	<5	<0.01	0.37	<5	78.2	<1
06863		0.138	6	9.6	<10	<5	54.7	<10	<10	<5	<0.01	0.37	<5	97.0	<1
06864		0.076	4	7.6	<10	<5	58.1	<10	<10	<5	0.01	0.40	<5	89.4	<1
06865		0.075	4	5.8	<10	<5	39.9	<10	<10	<5	<0.01	0.29	<5	88.7	<1
06866		0.055	3	5.6	<10	<5	39.4	<10	<10	<5	<0.01	0.21	<5	54.0	<1
06867		0.087	6	1.1	<10	<5	28.4	<10	<10	<5	<0.01	1.42	<5	131	<1
06868		0.114	8	0.8	12	<5	47.4	<10	<10	<5	<0.01	3.01	<5	222	<1
06869		0.585	35	2.8	28	<5	197	<10	<10	<5	<0.01	10.5	18	766	<1
06870		0.456	26	3.0	28	<5	166	<10	<10	<5	<0.01	8.57	14	549	<1
06871		0.338	24	2.9	25	<5	125	<10	<10	<5	<0.01	6.17	11	378	<1
06872		0.061	9	1.8	<10	<5	34.9	<10	<10	<5	<0.01	1.14	<5	102	<1
06873		0.069	8	3.0	20	<5	46.1	<10	<10	<5	<0.01	1.52	<5	111	<1
06874		0.034	2	2.9	11	<5	39.2	<10	<10	6	<0.01	0.42	<5	40.0	<1
06875		0.034	3	3.2	12	<5	39.6	<10	<10	6	<0.01	0.40	<5	45.6	<1
06876		2.18	4	4.5	34	<5	33.9	<10	<10	<5	<0.01	0.99	22	60.8	<1
06877		3.51	9	2.1	49	<5	63.2	<10	<10	<5	<0.01	1.51	129	81.3	<1
06878		0.423	3	2.0	10	<5	56.6	<10	<10	<5	<0.01	0.86	51	75.6	<1
06879		0.062	3	2.7	14	<5	30.5	<10	<10	<5	<0.01	1.08	<5	86.6	<1
06880		0.035	3	2.4	<10	<5	28.6	<10	<10	<5	<0.01	0.63	<5	72.6	<1
06881		0.044	3	1.7	<10	<5	24.2	<10	<10	<5	<0.01	0.91	<5	130	<1
06882		0.057	5	2.5	<10	<5	32.4	<10	<10	<5	<0.01	1.07	<5	84.4	<1
06883		0.074	4	1.8	<10	<5	36.4	<10	<10	<5	<0.01	1.20	<5	74.3	<1
06884		0.123	3	1.5	<10	<5	37.9	<10	<10	<5	<0.01	1.66	<5	115	<1
06885		0.081	1	0.6	<10	<5	19.7	<10	<10	<5	<0.01	1.19	<5	88.1	<1
06886		0.033	3	1.8	<10	<5	17.5	<10	<10	<5	<0.01	0.37	<5	51.1	<1
06887		0.142	3	2.0	<10	<5	137	<10	<10	<5	<0.01	0.88	<5	118	<1
06888		0.119	2	1.6	<10	<5	72.8	<10	<10	<5	<0.01	1.02	<5	115	<1
06889		0.097	1	1.8	<10	<5	93.1	<10	<10	<5	<0.01	0.66	<5	95.6	<1
06890		0.107	2	0.9	<10	<5	84.1	<10	<10	<5	<0.01	0.61	<5	117	<1

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
06891	0.078	2	0.5	<10	<5	63.1	<10	<10	<5	<0.01	0.50	<5	101	<1
06892	0.071	4	1.6	<10	<5	52.5	<10	<10	<5	<0.01	0.62	<5	123	<1
06893	0.047	3	1.2	<10	<5	26.0	<10	<10	<5	<0.01	0.64	<5	96.6	<1
06894	0.038	2	2.6	<10	<5	23.2	<10	<10	6	<0.01	0.55	<5	52.9	<1
06895	0.038	2	1.7	<10	<5	18.3	<10	<10	<5	<0.01	0.60	<5	60.5	<1
06896	0.048	3	1.7	<10	<5	19.7	<10	<10	<5	<0.01	0.54	<5	57.3	<1
06897	0.049	2	2.9	<10	<5	40.4	<10	<10	6	<0.01	0.59	<5	89.3	<1
06898	0.049	2	3.2	<10	<5	33.1	<10	<10	<5	<0.01	0.61	<5	75.6	<1
06899	0.046	3	3.3	<10	<5	31.8	<10	<10	<5	<0.01	0.73	<5	71.7	<1
06900	0.249	4	3.3	<10	<5	90.4	<10	<10	<5	<0.01	1.16	<5	129	<1
06901	0.054	4	2.4	<10	<5	37.1	<10	<10	<5	<0.01	1.35	<5	113	<1
06902	0.042	2	1.9	<10	<5	28.9	<10	<10	<5	<0.01	0.71	<5	86.7	<1
06903	0.039	3	2.3	<10	<5	30.7	<10	<10	<5	<0.01	0.80	<5	83.9	<1
06904	0.038	2	2.4	<10	<5	23.6	<10	<10	<5	<0.01	0.77	<5	78.5	<1
06905	0.015	<1	1.4	<10	<5	17.9	<10	<10	<5	<0.01	0.56	<5	21.4	<1
06906	0.033	3	2.5	<10	<5	23.9	<10	<10	<5	<0.01	0.78	<5	104	<1
06907	0.139	9	3.8	<10	<5	67.1	<10	<10	<5	<0.01	1.96	<5	177	<1
06908	0.028	1	2.6	<10	<5	17.2	<10	<10	<5	<0.01	0.59	<5	72.7	<1
06909	0.039	1	1.5	<10	<5	17.2	<10	<10	<5	<0.01	0.86	<5	78.9	<1
06910	0.071	2	2.2	<10	<5	28.4	<10	<10	<5	<0.01	1.21	<5	77.1	<1
06911	0.137	8	4.9	<10	<5	79.3	<10	<10	<5	<0.01	2.34	<5	114	<1
06912	0.042	1	3.0	<10	<5	33.1	<10	<10	<5	<0.01	0.46	<5	38.6	<1
06913	0.664	5	3.6	70	<5	57.5	<10	<10	8	<0.01	0.38	81	54.8	<1
06914	0.055	2	2.9	<10	<5	27.5	<10	<10	<5	<0.01	0.92	<5	74.4	<1
06915	0.017	<1	1.5	<10	<5	29.0	<10	<10	<5	<0.01	0.10	<5	7.6	<1
06916	<0.005	<1	3.5	<10	<5	8.4	<10	<10	9	<0.01	0.05	<5	4.2	<1
06917	0.159	6	2.4	<10	<5	162	<10	<10	<5	<0.01	0.66	<5	148	<1
06918	0.259	8	<0.5	<10	<5	168	<10	<10	<5	<0.01	0.72	<5	154	<1
06919	0.037	<1	0.7	<10	<5	15.7	<10	<10	<5	0.02	0.45	<5	72.2	<1
06920	0.198	<1	1.6	<10	<5	152	<10	<10	<5	<0.01	1.31	<5	103	<1
06921	0.254	4	<0.5	<10	<5	94.4	<10	<10	<5	<0.01	1.64	<5	190	<1
06922	0.043	1	0.7	<10	<5	19.2	<10	<10	<5	<0.01	0.54	<5	96.1	<1

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
06923	0.068	<1	1.2	<10	<5	19.2	<10	<10	<5	<0.01	0.72	<5	88.9	<1
06924	0.073	<1	0.9	<10	<5	20.1	<10	<10	<5	<0.01	0.79	<5	123	<1
06925	0.090	<1	4.4	<10	<5	39.4	<10	<10	<5	<0.01	1.34	<5	107	<1
06926	0.025	<1	3.4	<10	<5	40.8	<10	<10	<5	<0.01	0.74	<5	75.5	<1
06927	0.086	3	8.2	<10	<5	83.2	<10	<10	<5	<0.01	2.06	<5	142	<1
06928	0.045	<1	2.3	<10	<5	25.1	<10	<10	<5	<0.01	0.59	<5	69.0	<1
06929	0.035	<1	1.9	<10	<5	22.3	<10	<10	<5	<0.01	0.46	<5	58.9	<1
06930	0.026	1	2.3	<10	<5	17.4	<10	<10	<5	<0.01	0.67	<5	80.3	<1
06931	0.037	<1	2.7	<10	<5	22.7	<10	<10	<5	0.02	0.75	<5	85.4	<1
06932	0.030	<1	2.4	<10	<5	18.4	<10	<10	<5	<0.01	0.71	<5	73.5	<1
06933	0.210	31	6.4	<10	<5	112	<10	<10	<5	<0.01	5.32	<5	437	<1
06934	0.052	14	4.2	<10	<5	46.3	<10	<10	<5	<0.01	1.87	<5	189	<1
06935	0.033	3	3.0	<10	<5	39.6	<10	<10	<5	<0.01	0.86	<5	68.7	<1
06936	0.035	4	4.9	<10	<5	35.8	<10	<10	<5	<0.01	1.07	<5	71.9	<1
06937	0.022	1	0.7	<10	<5	10.8	<10	<10	<5	0.02	0.61	<5	90.6	<1
06938	0.056	2	2.5	<10	<5	27.1	<10	<10	<5	<0.01	0.69	<5	76.3	<1
06939	0.039	2	4.3	<10	<5	33.3	<10	<10	<5	<0.01	0.59	<5	74.4	<1
06940	0.054	5	3.3	<10	<5	32.5	<10	<10	<5	<0.01	0.73	<5	70.1	<1
06941	0.068	3	1.6	<10	<5	23.4	<10	<10	<5	<0.01	1.30	<5	89.0	<1
06942	0.031	1	0.7	<10	<5	14.0	<10	<10	<5	0.01	0.81	<5	102	<1
06943	0.086	2	1.1	<10	<5	25.3	<10	<10	<5	<0.01	1.19	<5	84.3	<1
06944	0.089	13	4.7	<10	<5	90.3	<10	<10	<5	<0.01	1.39	<5	347	<1
06945	0.097	4	3.1	<10	<5	44.0	<10	<10	<5	<0.01	1.04	<5	143	<1
06946	0.172	2	3.4	<10	<5	36.9	<10	<10	<5	<0.01	1.26	<5	76.4	<1
06947	0.040	<1	0.6	<10	<5	11.8	<10	<10	<5	<0.01	0.65	<5	74.5	<1
06948	0.031	<1	0.6	<10	<5	13.1	<10	<10	<5	<0.01	0.51	<5	56.9	<1
06949	0.047	<1	1.5	<10	<5	16.2	<10	<10	<5	<0.01	0.67	<5	120	<1
06950	0.045	<1	1.3	<10	<5	10.5	<10	<10	<5	<0.01	0.68	<5	71.5	<1
06951	0.055	2	2.9	<10	<5	24.3	<10	<10	<5	<0.01	0.72	<5	75.6	<1
06952	0.025	<1	2.2	<10	<5	10.1	<10	<10	<5	<0.01	0.50	<5	39.8	<1
06953	0.068	<1	1.8	<10	<5	26.8	<10	<10	<5	<0.01	0.77	<5	52.6	<1
06954	0.053	<1	1.3	<10	<5	23.6	<10	<10	<5	<0.01	0.84	<5	47.0	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
06955	0.355	2	2.3	10	<5	51.4	<10	<10	<5	<0.01	3.24	<5	92.1	<1
06956	0.123	3	2.3	<10	<5	50.9	<10	<10	<5	<0.01	1.09	<5	94.7	<1
06957	0.119	2	1.9	<10	<5	31.4	<10	<10	<5	<0.01	0.77	<5	48.5	<1
06958	0.097	2	1.7	<10	<5	28.6	<10	<10	<5	<0.01	0.68	<5	42.3	<1
06959	0.072	<1	0.8	<10	<5	19.8	<10	<10	<5	<0.01	0.77	<5	81.4	<1
06960	0.079	<1	2.2	<10	<5	19.5	<10	<10	<5	<0.01	1.23	<5	78.1	<1
06961	0.058	<1	2.6	<10	<5	20.9	<10	<10	<5	<0.01	0.71	<5	71.7	<1
06962	0.121	7	9.3	<10	<5	140	<10	<10	<5	<0.01	1.47	<5	133	<1
06963	0.088	<1	2.5	<10	<5	69.3	<10	<10	<5	<0.01	1.59	<5	110	<1
06964	0.035	<1	1.6	<10	<5	28.6	<10	<10	<5	<0.01	0.99	<5	74.9	<1
06965	0.065	<1	1.0	<10	<5	28.0	<10	<10	<5	<0.01	1.10	<5	108	<1
06966	0.099	<1	4.5	<10	<5	63.4	<10	<10	<5	<0.01	1.82	<5	123	<1
06967	0.022	<1	1.6	<10	<5	10.8	<10	<10	<5	<0.01	0.56	<5	73.0	<1
06968	0.021	<1	1.4	<10	<5	27.4	<10	<10	<5	<0.01	0.69	<5	101	<1
06969	0.030	<1	1.5	<10	<5	24.0	<10	<10	<5	<0.01	0.77	<5	95.4	<1
06970	0.059	<1	13.0	<10	<5	22.3	<10	<10	6	<0.01	1.19	5	84.2	<1
06971	0.035	3	2.9	<10	<5	27.1	<10	<10	5	<0.01	0.80	<5	79.8	<1
06972	0.028	2	3.2	<10	<5	30.1	<10	<10	<5	<0.01	0.79	<5	73.1	<1
06973	0.027	<1	2.9	<10	<5	23.0	<10	<10	6	<0.01	0.38	<5	51.1	<1
06974	0.013	<1	2.1	<10	<5	12.1	<10	<10	5	<0.01	0.36	<5	59.3	<1
06975	0.061	3	6.4	<10	<5	44.2	<10	<10	<5	<0.01	1.27	<5	102	<1
06976	0.034	1	4.5	<10	<5	31.3	<10	<10	7	<0.01	0.68	<5	59.6	<1
06977	0.073	3	4.4	<10	<5	44.2	<10	<10	<5	<0.01	1.19	<5	83.6	<1
06978	0.044	<1	3.2	<10	<5	17.9	<10	<10	<5	<0.01	0.60	<5	65.9	<1
06979	0.084	<1	3.9	<10	<5	46.8	<10	<10	<5	<0.01	0.92	5	62.0	<1
06980	0.011	<1	2.0	<10	<5	12.9	<10	<10	<5	<0.01	0.22	<5	39.7	<1
06981	0.060	4	4.3	<10	<5	41.3	<10	<10	<5	<0.01	0.90	<5	70.7	<1
06982	0.028	<1	3.5	<10	<5	22.5	<10	<10	<5	<0.01	0.58	<5	53.2	<1
06983	0.035	<1	2.5	<10	<5	17.4	<10	<10	<5	<0.01	0.68	<5	72.9	<1
06984	0.035	1	3.0	<10	<5	22.0	<10	<10	<5	<0.01	0.74	<5	90.5	<1
06985	0.026	<1	1.9	<10	<5	23.8	<10	<10	<5	<0.01	0.40	<5	59.7	<1
06986	0.037	1	1.1	<10	<5	20.2	<10	<10	<5	<0.01	0.52	<5	54.3	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
06987	0.054	2	2.6	<10	<5	25.5	<10	<10	<5	<0.01	0.87	<5	57.8	<1
06988	0.037	2	1.5	<10	<5	19.1	<10	<10	<5	<0.01	0.54	<5	61.5	<1
06989	0.137	12	4.5	<10	<5	59.4	<10	<10	<5	<0.01	2.79	<5	162	<1
06990	0.029	<1	2.3	<10	<5	10.9	<10	<10	<5	<0.01	0.52	<5	48.7	<1
06991	0.055	2	3.8	<10	<5	37.1	<10	<10	<5	<0.01	0.54	<5	47.0	<1
06992	0.023	<1	6.2	<10	<5	25.8	<10	<10	<5	<0.01	0.99	<5	42.1	<1
06993	0.027	1	3.2	<10	<5	31.3	<10	<10	<5	<0.01	0.43	<5	52.5	<1
06994	0.037	1	1.3	<10	<5	14.8	<10	<10	<5	0.01	0.36	<5	59.8	<1
06995	0.035	<1	2.0	<10	<5	15.4	<10	<10	<5	<0.01	0.62	<5	58.8	<1
06996	0.035	2	1.7	<10	<5	19.3	<10	<10	<5	<0.01	0.79	<5	84.3	<1
06997	0.023	<1	1.3	<10	<5	11.4	<10	<10	<5	<0.01	0.81	<5	71.7	<1
06998	0.040	2	2.3	<10	<5	21.8	<10	<10	<5	<0.01	0.69	<5	95.6	<1
06999	0.066	4	4.4	<10	<5	41.0	<10	<10	<5	<0.01	1.50	<5	97.3	<1
07000	0.126	5	12.6	<10	<5	94.3	<10	<10	<5	<0.01	3.57	<5	142	<1
07071	0.234	8	4.5	<10	<5	270	<10	<10	<5	<0.01	0.19	<5	54.1	<1
07072	0.095	6	5.5	<10	<5	131	<10	<10	<5	<0.01	0.22	<5	95.6	<1
07073	0.099	6	6.0	<10	<5	127	<10	<10	<5	<0.01	0.23	<5	87.7	<1
07074	0.069	3	6.0	<10	<5	37.4	<10	<10	<5	<0.01	0.28	<5	95.5	<1
07075	0.052	2	5.6	<10	<5	32.1	<10	<10	<5	<0.01	0.22	<5	66.5	<1
07076	0.049	4	6.1	<10	<5	69.1	<10	<10	5	<0.01	0.18	<5	46.4	<1
07077	0.042	2	5.8	<10	<5	27.2	<10	<10	<5	<0.01	0.14	<5	42.7	<1
07078	0.087	5	6.6	<10	<5	125	<10	<10	5	<0.01	0.21	<5	54.7	<1
07079	0.128	6	5.9	<10	<5	33.2	<10	<10	<5	<0.01	0.29	<5	108	<1
07080	0.068	6	6.2	<10	<5	41.4	<10	<10	<5	<0.01	0.29	<5	111	<1
07081	0.047	6	6.6	<10	<5	30.6	<10	<10	<5	<0.01	0.32	<5	154	<1
07082	0.062	5	6.6	<10	<5	37.8	<10	<10	<5	<0.01	0.29	<5	118	<1
07083	0.057	4	5.6	<10	<5	40.7	<10	<10	<5	<0.01	0.18	<5	50.4	<1
07084	0.156	9	2.1	<10	<5	43.8	<10	<10	<5	<0.01	1.80	<5	151	<1
07085	0.293	13	2.4	<10	<5	105	<10	<10	<5	<0.01	2.70	<5	169	<1
07086	0.208	8	1.2	<10	<5	65.9	<10	<10	<5	<0.01	1.65	<5	142	<1
07087	0.456	40	6.1	15	<5	169	<10	<10	<5	<0.01	4.55	<5	422	<1
07088	0.492	26	4.5	10	<5	260	<10	<10	<5	<0.01	5.82	<5	247	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
07089	0.087	15	3.6	<10	<5	46.3	<10	<10	<5	<0.01	2.19	<5	121	<1
07090	0.021	3	2.3	<10	<5	27.9	<10	<10	<5	<0.01	0.57	<5	77.3	<1
07091	0.040	3	4.1	<10	<5	24.5	<10	<10	<5	<0.01	0.31	<5	68.1	<1
07092	0.032	1	3.7	<10	<5	24.7	<10	<10	<5	<0.01	0.20	<5	31.6	<1
07093	0.066	5	4.4	<10	<5	21.0	<10	<10	<5	<0.01	0.32	<5	63.4	<1
07094	0.046	3	4.1	<10	<5	22.4	<10	<10	<5	<0.01	0.22	<5	29.6	<1
07095	0.049	3	3.9	<10	<5	27.8	<10	<10	<5	<0.01	0.30	<5	60.4	<1
07096	0.041	2	4.1	<10	<5	25.2	<10	<10	<5	<0.01	0.35	<5	49.6	<1
07097	0.069	4	4.1	<10	<5	31.0	<10	<10	<5	<0.01	0.97	<5	100	<1
07098	0.053	3	4.3	<10	<5	99.4	<10	<10	5	<0.01	0.12	<5	23.5	<1
07099	0.041	<1	3.2	<10	<5	23.1	<10	<10	<5	<0.01	0.23	<5	38.4	<1
07100	0.020	<1	4.0	10	<5	40.9	<10	<10	6	<0.01	0.21	<5	31.0	<1
07101	0.023	1	3.8	<10	<5	31.3	<10	<10	9	<0.01	0.22	<5	21.4	<1
07102	0.032	1	3.1	<10	<5	24.7	<10	<10	<5	<0.01	0.12	<5	18.1	<1
07103	0.047	4	2.9	<10	<5	29.7	<10	<10	<5	<0.01	0.11	<5	20.2	<1
07104	0.051	<1	2.9	<10	<5	30.4	<10	<10	<5	<0.01	0.14	<5	20.2	<1
07105	0.013	<1	3.8	<10	<5	20.6	<10	<10	<5	<0.01	0.11	<5	18.3	<1
07106	0.035	1	3.3	<10	<5	28.3	<10	<10	<5	<0.01	0.17	<5	27.1	<1
07107	0.035	3	6.2	<10	<5	34.7	<10	<10	<5	<0.01	0.25	<5	77.5	<1
07108	0.055	3	5.8	<10	<5	44.1	<10	<10	<5	<0.01	0.28	<5	72.8	<1
07109	0.045	<1	4.8	<10	<5	28.1	<10	<10	<5	<0.01	0.17	<5	41.6	<1
07110	0.022	<1	3.1	<10	<5	140	<10	<10	<5	<0.01	0.06	<5	10.3	<1
07111	0.024	<1	3.3	<10	<5	148	<10	<10	5	<0.01	0.07	<5	11.8	<1
07112	0.019	<1	4.4	<10	<5	64.1	<10	<10	7	<0.01	0.10	<5	15.4	<1
07113	0.012	1	4.0	<10	<5	39.6	<10	<10	<5	<0.01	0.07	<5	16.7	<1
07114	0.011	<1	3.9	<10	<5	79.8	<10	<10	<5	<0.01	0.08	<5	16.4	<1
07115	0.034	<1	3.3	<10	<5	31.7	<10	<10	5	<0.01	0.08	<5	17.9	<1
07116	0.061	1	5.5	<10	<5	49.3	<10	<10	<5	<0.01	0.18	<5	56.6	<1
07117	0.022	3	6.4	<10	<5	35.0	<10	<10	<5	<0.01	0.26	<5	95.1	<1
07118	0.043	1	4.4	<10	<5	28.6	<10	<10	<5	<0.01	0.18	<5	53.0	<1
07119	0.031	2	5.2	<10	<5	30.2	<10	<10	<5	<0.01	0.23	<5	58.8	<1
07120	0.048	2	4.6	<10	<5	42.6	<10	<10	<5	<0.01	0.24	<5	79.7	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
07121	0.053	2	4.3	<10	<5	83.5	<10	<10	<5	<0.01	0.20	<5	73.0	<1
07122	0.061	9	3.0	<10	<5	41.6	<10	<10	<5	<0.01	1.82	<5	116	<1
07123	0.063	9	2.1	11	<5	33.8	<10	<10	<5	<0.01	1.52	<5	133	<1
07124	0.058	8	1.3	<10	<5	30.6	<10	<10	<5	<0.01	1.56	<5	122	<1
07125	0.065	6	1.2	<10	<5	30.4	<10	<10	<5	<0.01	1.64	<5	98.9	<1
07126	0.069	5	2.5	<10	<5	38.8	<10	<10	<5	<0.01	3.61	<5	73.8	<1
07127	0.079	<1	3.5	<10	<5	25.5	<10	<10	<5	<0.01	1.77	<5	55.8	<1
07128	0.029	3	3.8	<10	<5	52.9	<10	<10	<5	<0.01	0.42	<5	55.0	<1
07129	0.027	2	3.0	<10	<5	34.2	<10	<10	<5	<0.01	0.42	<5	37.2	<1
07130	0.020	3	3.0	<10	<5	34.1	<10	<10	5	<0.01	0.65	<5	60.2	<1
07131	0.053	3	5.0	<10	<5	62.6	<10	<10	<5	<0.01	0.82	<5	55.7	<1
07132	0.089	3	3.1	<10	<5	69.9	<10	<10	<5	<0.01	0.53	<5	43.7	<1
07133	0.065	6	4.7	<10	<5	61.1	<10	<10	<5	<0.01	0.77	<5	81.6	<1
07134	0.087	9	3.2	15	<5	179	<10	<10	<5	<0.01	1.22	6	210	<1
07135	0.055	10	2.7	<10	<5	85.3	<10	<10	<5	<0.01	0.93	<5	206	<1
07136	0.067	4	3.1	<10	<5	41.6	<10	<10	<5	<0.01	1.14	<5	141	<1
07137	0.042	3	2.4	<10	<5	28.3	<10	<10	<5	<0.01	0.76	<5	82.6	<1
07138	0.044	3	1.7	<10	<5	21.2	<10	<10	<5	<0.01	0.67	<5	77.8	<1
07139	0.069	3	1.9	<10	<5	27.7	<10	<10	<5	0.01	1.57	<5	68.5	<1
07140	0.107	5	2.7	<10	<5	66.3	<10	<10	<5	<0.01	1.43	<5	140	<1
07141	0.212	3	7.6	<10	<5	108	<10	<10	<5	<0.01	2.64	<5	162	<1
07142	0.058	2	2.0	<10	<5	33.8	<10	<10	<5	<0.01	0.78	<5	80.8	<1
07143	0.129	<1	3.4	<10	<5	2.2	<10	14	<5	<0.01	0.80	<5	72.7	<1
07144	0.064	2	2.9	<10	<5	46.4	<10	<10	<5	<0.01	0.79	<5	93.7	<1
07145	0.058	<1	3.6	<10	<5	32.0	<10	<10	<5	<0.01	0.51	<5	34.4	<1
07146	0.032	<1	2.2	<10	<5	23.7	<10	<10	<5	<0.01	0.76	<5	45.7	<1
07147	0.043	<1	2.7	<10	<5	22.6	<10	<10	<5	<0.01	0.79	<5	81.9	<1
07148	0.064	1	1.5	<10	<5	20.9	<10	<10	<5	0.01	0.98	<5	94.9	<1
07149	0.086	6	3.4	<10	<5	45.4	<10	<10	<5	<0.01	1.76	<5	96.5	<1
07150	0.051	4	3.3	<10	<5	32.0	<10	<10	<5	<0.01	0.94	<5	75.3	<1
07151	0.048	2	3.6	<10	<5	28.1	<10	<10	<5	<0.01	0.73	<5	65.7	<1
07152	0.057	3	7.4	<10	<5	51.2	<10	<10	<5	<0.01	0.96	15	137	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
07153	0.039	<1	2.5	<10	<5	20.9	<10	<10	<5	<0.01	0.78	<5	84.4	<1
07154	0.051	2	4.0	<10	<5	31.8	<10	<10	<5	<0.01	1.02	<5	101	<1
07155	0.042	<1	2.5	<10	<5	28.3	<10	<10	8	<0.01	0.14	<5	16.5	<1
07156	0.069	<1	2.2	<10	<5	20.5	<10	<10	<5	0.01	0.64	<5	63.9	<1
07157	0.039	<1	2.1	<10	<5	12.9	<10	<10	<5	<0.01	0.54	<5	54.2	<1
07158	0.103	<1	1.6	<10	<5	34.6	<10	<10	<5	<0.01	1.07	<5	83.9	<1
07159	0.038	1	2.4	<10	<5	21.3	<10	<10	<5	<0.01	0.46	<5	50.7	<1
07160	0.053	<1	1.5	<10	<5	21.7	<10	<10	<5	<0.01	0.44	<5	58.9	<1
07161	0.031	1	2.5	<10	<5	21.2	<10	<10	5	<0.01	0.58	<5	74.5	<1
07162	0.050	2	2.5	<10	<5	27.5	<10	<10	<5	<0.01	0.63	<5	66.2	<1
07163	0.079	1	3.1	<10	<5	31.8	<10	<10	<5	<0.01	0.89	<5	82.4	<1
07164	0.075	<1	5.2	<10	<5	29.4	<10	<10	<5	<0.01	1.43	<5	84.9	<1
07165	0.058	<1	3.0	<10	<5	20.9	<10	<10	<5	<0.01	0.81	<5	66.6	<1
07166	0.078	<1	3.3	<10	<5	30.2	<10	<10	<5	<0.01	1.06	<5	76.8	<1
07167	0.091	1	2.6	<10	<5	46.5	<10	<10	<5	<0.01	1.12	<5	61.4	<1
07168	0.047	2	3.5	<10	<5	35.1	<10	<10	<5	<0.01	0.63	<5	77.3	<1
07169	0.039	<1	2.5	<10	<5	23.1	<10	<10	<5	<0.01	0.52	<5	73.4	<1
07170	0.037	1	3.0	<10	<5	46.5	<10	<10	<5	<0.01	0.69	<5	72.9	<1
07171	0.043	2	3.2	<10	<5	41.0	<10	<10	<5	<0.01	0.76	<5	71.6	<1
07172	0.041	1	3.0	<10	<5	41.3	<10	<10	<5	<0.01	0.67	<5	74.8	<1
07173	0.078	5	3.5	<10	<5	47.1	<10	<10	<5	<0.01	0.71	<5	86.4	<1
07174	0.043	2	2.6	<10	<5	27.1	<10	<10	<5	<0.01	0.59	<5	64.5	<1
07175	0.046	<1	3.4	<10	<5	46.7	<10	<10	<5	<0.01	0.65	<5	43.3	<1
07176	0.034	<1	3.3	<10	<5	28.1	<10	<10	6	<0.01	0.57	<5	49.1	<1
07177	0.050	1	2.7	<10	<5	29.4	<10	<10	<5	<0.01	0.63	<5	56.0	<1
07178	0.063	1	1.8	<10	<5	17.3	<10	<10	<5	<0.01	0.68	<5	70.5	<1
07179	0.043	<1	2.3	<10	<5	20.3	<10	<10	<5	<0.01	0.64	<5	67.4	<1
07180	0.043	<1	2.2	<10	<5	21.2	<10	<10	<5	<0.01	0.75	<5	73.0	<1
07181	0.068	<1	2.8	<10	<5	28.1	<10	<10	<5	<0.01	0.69	<5	69.2	<1
07182	0.051	<1	2.3	<10	<5	25.0	<10	<10	<5	<0.01	0.50	<5	66.2	<1
07183	0.036	<1	2.0	<10	<5	11.5	<10	<10	<5	<0.01	0.29	<5	37.4	<1
07184	0.074	<1	5.3	<10	<5	28.7	<10	<10	<5	<0.01	0.88	<5	80.4	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
07185	0.063	<1	3.3	<10	<5	33.4	<10	<10	<5	<0.01	0.82	<5	85.8	<1
07186	0.067	1	2.9	<10	<5	27.9	<10	<10	<5	<0.01	0.62	<5	66.4	<1
07187	0.081	<1	4.9	<10	<5	41.8	<10	<10	<5	<0.01	1.02	<5	100	<1
07188	0.049	<1	2.7	<10	<5	29.9	<10	<10	5	<0.01	0.56	<5	57.4	<1
07189	0.071	<1	2.5	<10	<5	30.7	<10	<10	<5	<0.01	0.51	<5	87.0	<1
07190	0.035	<1	3.1	<10	<5	32.6	<10	<10	<5	<0.01	0.46	<5	41.9	<1
07191	0.051	1	3.6	<10	<5	35.2	<10	<10	<5	<0.01	0.83	<5	69.7	<1
07192	0.028	<1	2.7	<10	<5	14.9	<10	<10	<5	<0.01	0.46	<5	57.9	<1
07193	0.034	<1	2.4	<10	<5	10.5	<10	<10	<5	<0.01	0.56	<5	83.9	<1
07194	0.025	<1	2.5	<10	<5	15.2	<10	<10	5	<0.01	0.53	<5	64.4	<1
07195	0.055	<1	3.4	<10	<5	21.7	<10	<10	<5	<0.01	1.37	<5	104	<1
07196	0.033	<1	1.7	<10	<5	13.7	<10	<10	<5	<0.01	0.42	<5	53.9	<1
07197	0.053	<1	3.0	<10	<5	19.3	<10	<10	<5	<0.01	0.74	<5	55.3	<1
07198	0.073	1	2.2	<10	<5	30.1	<10	<10	<5	<0.01	0.72	<5	54.3	<1
07199	0.046	<1	1.7	<10	<5	11.5	<10	<10	<5	0.01	0.55	<5	66.1	<1
07200	0.050	<1	1.4	<10	<5	15.2	<10	<10	<5	0.01	0.59	<5	93.4	<1
07201	0.047	<1	2.6	<10	<5	23.8	<10	<10	<5	<0.01	0.66	<5	66.3	<1
07202	0.090	<1	1.9	<10	<5	28.3	<10	<10	<5	<0.01	0.80	<5	40.6	<1
07203	0.048	1	2.2	<10	<5	15.5	<10	<10	<5	<0.01	0.77	<5	68.7	<1
07204	0.055	<1	1.2	<10	<5	13.4	<10	<10	<5	0.02	0.75	<5	84.7	<1
07205	0.044	<1	2.5	<10	<5	23.4	<10	<10	<5	<0.01	0.55	<5	37.9	<1
07206	0.080	1	2.6	<10	<5	26.0	<10	<10	<5	<0.01	0.63	<5	39.4	<1
07207	0.046	<1	2.8	<10	<5	22.5	<10	<10	<5	<0.01	0.56	<5	37.5	<1
07208	0.076	<1	3.1	<10	<5	37.0	<10	<10	<5	<0.01	0.70	<5	47.6	<1
07209	0.049	<1	2.5	<10	<5	24.1	<10	<10	<5	<0.01	0.68	<5	43.7	<1
07210	0.061	<1	2.7	<10	<5	30.9	<10	<10	<5	<0.01	1.63	<5	134	<1
07211	0.019	<1	1.4	<10	<5	10.1	<10	<10	<5	<0.01	0.45	<5	41.5	<1
07212	0.106	<1	1.7	<10	<5	46.8	<10	<10	<5	<0.01	0.77	<5	20.4	<1
07213	0.053	<1	2.6	<10	<5	16.6	<10	<10	<5	<0.01	0.83	<5	74.0	<1
07214	0.148	<1	2.6	<10	<5	248	<10	<10	<5	<0.01	0.77	<5	104	<1
07215	0.038	<1	1.7	<10	<5	24.0	<10	<10	<5	0.01	0.74	<5	83.3	<1
07216	0.049	<1	1.7	<10	<5	32.2	<10	<10	<5	<0.01	1.23	<5	83.7	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
07217	0.209	<1	2.3	<10	<5	106	<10	<10	<5	<0.01	2.15	<5	131	<1
07218	0.069	<1	3.0	<10	<5	39.0	<10	<10	<5	<0.01	0.76	<5	84.6	<1
07219	0.058	<1	0.7	<10	<5	17.1	<10	<10	<5	<0.01	0.71	<5	102	<1
07220	0.018	<1	2.7	<10	<5	16.0	<10	<10	<5	<0.01	0.34	<5	56.0	<1
07221	0.080	<1	3.1	<10	<5	43.2	<10	<10	<5	<0.01	1.75	<5	115	6
07222	0.056	<1	7.8	<10	<5	45.8	<10	<10	<5	<0.01	4.04	5	78.6	4
07223	0.052	<1	1.6	<10	<5	24.4	<10	<10	<5	<0.01	0.64	<5	37.7	1
07224	0.057	<1	5.0	17	<5	29.2	<10	<10	<5	<0.01	0.83	<5	64.8	11
07225	0.021	<1	3.4	<10	<5	19.2	<10	<10	<5	<0.01	0.51	<5	57.1	4
07226	0.040	<1	4.1	<10	<5	23.9	<10	<10	<5	<0.01	0.45	<5	73.1	4
07227	0.031	<1	1.9	<10	<5	19.3	<10	<10	<5	<0.01	0.45	<5	58.6	5
07228	0.046	3	4.6	<10	<5	40.4	<10	<10	<5	<0.01	0.63	<5	58.8	3
07229	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
06827		7	153	<5
06828		7	128	<5
06829		7	139	<5
06830		6	45.6	<5
06831		8	152	<5
06832		9	155	<5
06833		12	215	<5
06834		6	107	<5
06835		17	220	<5
06836		22	314	<5
06837		16	398	<5
06838		15	439	<5
06839		18	221	<5
06840		17	179	<5
06841		18	192	<5
06842		17	202	<5
06843		17	301	<5
06844		16	161	<5
06845		12	93.7	<5
06846		15	148	<5
06847		18	204	<5
06848		16	209	<5
06849		18	194	<5
06850		16	235	<5
06851		19	198	<5
06852		24	523	<5
06853		17	491	<5
06854		30	741	<5
06855		28	611	<5
06856		28	671	<5
06857		23	718	<5
06858		24	845	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
06859		30	663	<5
06860		24	533	<5
06861		22	389	<5
06862		20	368	<5
06863		21	337	<5
06864		21	448	<5
06865		18	291	<5
06866		14	229	<5
06867		7	158	<5
06868		5	142	<5
06869		9	211	<5
06870		7	257	<5
06871		8	218	<5
06872		6	212	<5
06873		12	290	<5
06874		7	271	<5
06875		10	584	<5
06876		55	5470	<5
06877		17	16300	<5
06878		18	4580	<5
06879		10	302	<5
06880		7	239	<5
06881		5	215	<5
06882		9	189	<5
06883		5	133	<5
06884		5	137	<5
06885		2	78.0	<5
06886		6	113	<5
06887		9	102	<5
06888		6	96.8	<5
06889		10	80.4	<5
06890		6	90.7	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
06891		4	126	<5
06892		5	170	<5
06893		4	87.3	<5
06894		7	135	<5
06895		5	109	<5
06896		5	98.7	<5
06897		8	148	<5
06898		7	129	<5
06899		7	125	<5
06900		6	226	<5
06901		5	93.6	<5
06902		5	93.8	<5
06903		5	86.8	<5
06904		5	122	<5
06905		3	23.6	<5
06906		9	218	<5
06907		11	265	<5
06908		8	227	<5
06909		5	216	<5
06910		6	249	<5
06911		21	445	<5
06912		8	291	<5
06913		10	111	<5
06914		9	282	<5
06915		6	30.6	<5
06916		4	50.1	7
06917		16	141	<5
06918		10	222	<5
06919		3	76.1	<5
06920		7	135	<5
06921		8	90.1	<5
06922		3	135	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
06923		3	168	<5
06924		4	145	<5
06925		15	749	<5
06926		8	497	<5
06927		10	243	<5
06928		6	122	<5
06929		5	144	<5
06930		5	123	<5
06931		7	181	<5
06932		6	201	<5
06933		24	719	<5
06934		15	439	<5
06935		9	310	<5
06936		10	792	<5
06937		3	80.1	<5
06938		3	288	<5
06939		11	800	<5
06940		7	265	<5
06941		5	191	<5
06942		2	89.5	<5
06943		6	148	<5
06944		10	112	6
06945		5	73.9	<5
06946		4	17.8	<5
06947		4	110	<5
06948		3	79.5	<5
06949		4	107	<5
06950		3	98.7	<5
06951		6	216	<5
06952		4	122	<5
06953		4	73.7	<5
06954		4	111	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
06955		4	6.4	<5
06956		6	106	<5
06957		4	31.3	<5
06958		3	48.3	<5
06959		4	87.9	<5
06960		4	159	<5
06961		6	130	<5
06962		8	13.8	<5
06963		5	112	<5
06964		3	51.9	<5
06965		3	150	<5
06966		7	186	<5
06967		2	66.3	<5
06968		3	70.8	<5
06969		3	83.4	<5
06970		11	492	<5
06971		7	230	<5
06972		7	315	<5
06973		6	246	<5
06974		5	162	<5
06975		12	666	<5
06976		10	292	<5
06977		10	546	<5
06978		9	268	<5
06979		49	2400	<5
06980		5	192	<5
06981		10	515	<5
06982		8	341	<5
06983		7	283	<5
06984		7	283	<5
06985		3	227	<5
06986		3	176	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
06987		8	258	<5
06988		3	186	<5
06989		12	403	<5
06990		5	265	<5
06991		8	371	<5
06992		11	380	<5
06993		9	324	<5
06994		3	206	<5
06995		5	228	<5
06996		4	319	<5
06997		3	106	<5
06998		6	239	<5
06999		7	313	<5
07000		27	612	<5
07071		15	216	<5
07072		20	176	<5
07073		21	187	<5
07074		18	301	<5
07075		15	271	<5
07076		12	228	<5
07077		12	224	<5
07078		12	275	<5
07079		17	327	<5
07080		17	365	<5
07081		19	369	<5
07082		18	308	<5
07083		13	211	<5
07084		8	205	<5
07085		6	119	<5
07086		4	124	<5
07087		12	297	<5
07088		11	348	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
07089		6	212	<5
07090		5	192	<5
07091		12	373	<5
07092		10	174	<5
07093		20	284	<5
07094		12	165	<5
07095		11	302	<5
07096		12	317	<5
07097		17	1130	<5
07098		8	125	<5
07099		11	249	<5
07100		10	193	<5
07101		10	194	<5
07102		8	130	<5
07103		7	193	<5
07104		7	121	<5
07105		8	124	<5
07106		10	214	<5
07107		22	309	<5
07108		21	290	<5
07109		13	226	<5
07110		6	98.5	<5
07111		6	83.1	6
07112		8	110	<5
07113		7	122	<5
07114		7	108	<5
07115		8	145	<5
07116		19	218	<5
07117		22	245	<5
07118		14	389	<5
07119		16	449	<5
07120		19	197	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
07121		19	205	<5
07122		8	220	<5
07123		8	179	<5
07124		6	185	<5
07125		7	264	<5
07126		16	420	<5
07127		19	671	<5
07128		10	373	<5
07129		8	297	<5
07130		9	205	<5
07131		12	211	<5
07132		14	197	<5
07133		13	367	<5
07134		12	1440	<5
07135		11	786	<5
07136		6	198	<5
07137		6	125	<5
07138		5	129	<5
07139		5	165	<5
07140		7	205	<5
07141		7	376	<5
07142		3	161	<5
07143		3	1090	<5
07144		6	195	<5
07145		3	86.4	<5
07146		3	85.2	<5
07147		4	125	<5
07148		5	143	<5
07149		8	253	<5
07150		7	209	<5
07151		7	193	<5
07152		16	2090	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
07153		7	212	<5
07154		8	284	<5
07155		8	70.9	<5
07156		6	75.5	<5
07157		5	90.2	<5
07158		4	76.5	<5
07159		6	98.5	<5
07160		2	82.4	<5
07161		5	176	<5
07162		8	143	<5
07163		6	124	<5
07164		5	228	<5
07165		7	169	<5
07166		6	164	<5
07167		7	175	<5
07168		6	215	<5
07169		6	160	<5
07170		7	284	<5
07171		8	360	<5
07172		8	308	<5
07173		10	269	<5
07174		7	198	<5
07175		6	198	<5
07176		6	161	<5
07177		6	156	<5
07178		5	121	<5
07179		5	121	<5
07180		5	142	<5
07181		6	157	<5
07182		5	146	<5
07183		4	103	<5
07184		6	176	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
07185		6	145	<5
07186		8	145	<5
07187		8	207	<5
07188		7	142	<5
07189		4	236	<5
07190		7	248	<5
07191		8	239	<5
07192		9	286	<5
07193		7	271	<5
07194		8	197	<5
07195		9	278	<5
07196		3	77.5	<5
07197		8	132	<5
07198		5	69.7	<5
07199		4	73.5	<5
07200		4	88.5	<5
07201		6	99.6	<5
07202		3	45.6	<5
07203		9	81.8	<5
07204		4	105	<5
07205		5	69.2	<5
07206		5	67.4	<5
07207		5	62.5	<5
07208		5	108	<5
07209		5	77.2	<5
07210		5	198	<5
07211		2	57.1	<5
07212		2	29.1	<5
07213		5	173	<5
07214		8	110	<5
07215		4	97.0	<5
07216		3	108	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
07217		4	86.3	<5
07218		4	202	<5
07219		3	91.1	<5
07220		5	193	<5
07221		9	255	<5
07222		17	416	<5
07223		3	62.9	<5
07224		7	444	<5
07225		10	267	<5
07226		9	297	<5
07227		4	165	<5
07228		14	401	<5
07229		NRC	NRC	NRC

Comments: RDL - Reported Detection Limit

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
06827		0.56	0.043
06828		0.38	<0.001
06829		0.56	0.005
06830		0.29	0.015
06831		0.53	0.010
06832		0.58	<0.001
06833		0.62	0.001
06834		0.61	<0.001
06835		0.57	<0.001
06836		0.86	<0.001
06837		0.66	<0.001
06838		0.67	0.019
06839		0.51	0.010
06840		0.54	<0.001
06841		0.65	0.005
06842		0.65	0.005
06843		0.50	0.024
06844		0.68	0.002
06845		0.45	<0.001
06846		0.68	<0.001
06847		0.70	0.001
06848		0.65	<0.001
06849		0.77	0.012
06850		0.71	0.024
06851		0.60	0.002
06852		0.85	<0.001
06853		0.94	0.001
06854		0.65	<0.001
06855		0.71	0.011
06856		0.67	0.001
06857		0.64	<0.001

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
06858		0.71	<0.001
06859		0.78	<0.001
06860		0.47	0.014
06861		0.77	0.003
06862		0.63	0.006
06863		0.46	<0.001
06864		0.66	0.003
06865		0.68	<0.001
06866		0.77	0.015
06867		0.84	<0.001
06868		0.76	<0.001
06869		0.59	0.004
06870		0.57	0.006
06871		0.58	0.013
06872		0.80	<0.001
06873		0.77	0.021
06874		0.62	<0.001
06875		1.05	<0.001
06876		0.80	<0.001
06877		0.45	0.012
06878		0.41	0.004
06879		0.75	<0.001
06880		0.89	<0.001
06881		0.96	0.027
06882		0.81	0.004
06883		0.89	<0.001
06884		0.98	0.019
06885		0.82	<0.001
06886		0.93	<0.001
06887		0.86	<0.001
06888		0.86	<0.001

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
06889		0.89	<0.001
06890		0.80	0.021
06891		0.75	<0.001
06892		0.65	<0.001
06893		0.86	<0.001
06894		0.99	0.001
06895		0.79	0.004
06896		0.82	0.002
06897		0.80	0.003
06898		0.86	0.002
06899		0.86	0.002
06900		0.21	0.002
06901		0.89	0.003
06902		0.93	0.002
06903		0.82	0.002
06904		0.75	0.002
06905		0.70	0.002
06906		0.93	0.001
06907		0.70	0.006
06908		0.94	0.001
06909		0.84	<0.001
06910		0.72	0.001
06911		0.55	0.008
06912		0.87	0.002
06913		0.49	0.028
06914		0.95	0.001
06915		0.66	0.001
06916		0.80	0.001
06917		0.82	<0.001
06918		0.81	0.001
06919		0.79	0.084

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
06920		0.59	0.003
06921		0.60	0.003
06922		0.80	<0.001
06923		0.83	<0.001
06924		0.91	<0.001
06925		0.87	0.003
06926		0.77	0.002
06927		0.75	0.009
06928		0.86	0.002
06929		0.64	0.019
06930		0.89	<0.001
06931		0.81	0.002
06932		1.05	<0.001
06933		0.65	0.010
06934		0.70	0.008
06935		1.01	0.002
06936		0.87	0.019
06937		0.75	0.001
06938		0.80	<0.001
06939		0.82	0.003
06940		0.96	0.003
06941		0.84	0.002
06942		0.84	0.016
06943		0.84	0.002
06944		0.91	0.005
06945		0.71	0.002
06946		0.84	0.008
06947		0.78	<0.001
06948		0.84	0.021
06949		0.85	0.001
06950		0.70	0.001

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
06951		0.66	0.002
06952		0.94	0.001
06953		0.76	0.019
06954		0.66	0.005
06955		0.78	0.008
06956		0.05	0.002
06957		0.82	0.001
06958		0.81	0.001
06959		0.90	<0.001
06960		0.71	0.002
06961		0.84	0.004
06962		0.84	0.006
06963		0.38	0.001
06964		0.92	0.002
06965		0.76	0.025
06966		0.64	0.003
06967		0.76	0.001
06968		0.95	<0.001
06969		0.94	<0.001
06970		0.87	0.002
06971		1.02	0.002
06972		0.81	0.002
06973		0.76	0.021
06974		0.78	0.002
06975		0.58	0.004
06976		1.05	0.002
06977		0.55	0.004
06978		0.81	0.018
06979		0.77	0.002
06980		0.71	<0.001
06981		0.74	0.006

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
06982		0.71	0.002
06983		0.84	0.002
06984		0.77	0.035
06985		0.75	0.001
06986		0.77	<0.001
06987		0.92	0.001
06988		0.77	<0.001
06989		0.56	0.004
06990		0.80	0.017
06991		0.70	0.002
06992		0.53	0.003
06993		0.96	0.002
06994		0.74	0.006
06995		0.86	0.001
06996		0.79	<0.001
06997		0.80	0.019
06998		0.75	0.001
06999		0.69	0.006
07000		0.59	0.013
07071		0.61	0.004
07072		0.62	0.006
07073		0.58	0.006
07074		0.50	0.004
07075		0.55	0.004
07076		0.54	0.003
07077		0.50	0.021
07078		0.68	0.003
07079		0.40	0.006
07080		0.81	0.005
07081		0.49	0.005
07082		0.65	0.005

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
07083		0.61	0.004
07084		0.65	0.004
07085		0.61	0.012
07086		0.65	0.003
07087		0.46	0.031
07088		0.59	0.013
07089		0.58	0.020
07090		0.83	0.003
07091		0.53	0.002
07092		0.61	0.002
07093		0.49	0.002
07094		0.63	0.002
07095		0.61	0.041
07096		0.60	0.001
07097		0.73	0.002
07098		0.69	0.009
07099		0.50	0.023
07100		0.67	0.002
07101		0.56	0.008
07102		0.60	0.002
07103		0.35	<0.001
07104		0.45	<0.001
07105		0.53	0.001
07106		0.54	0.019
07107		0.61	0.007
07108		0.53	0.006
07109		0.46	0.003
07110		0.48	<0.001
07111		0.61	<0.001
07112		0.72	0.013
07113		0.60	0.001

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
07114		0.65	0.001
07115		0.66	0.001
07116		0.44	0.003
07117		0.62	0.005
07118		0.46	0.019
07119		0.63	0.004
07120		0.49	0.006
07121		0.53	0.006
07122		0.71	0.016
07123		0.69	0.005
07124		0.64	0.002
07125		0.57	0.003
07126		0.68	0.003
07127		0.53	0.003
07128		0.54	0.003
07129		0.68	0.014
07130		0.72	0.002
07131		0.65	0.004
07132		0.51	0.004
07133		0.68	0.005
07134		0.67	0.004
07135		0.71	0.014
07136		0.58	0.003
07137		0.67	0.002
07138		0.73	0.001
07139		0.70	0.002
07140		0.56	<0.001
07141		0.52	0.012
07142		0.81	0.001
07143		0.69	0.003
07144		0.77	0.004

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
07145		0.68	0.002
07146		0.64	0.013
07147		0.64	0.002
07148		0.68	0.002
07149		0.70	0.003
07150		0.70	0.002
07151		0.62	0.002
07152		0.52	0.007
07153		0.71	0.014
07154		0.68	0.003
07155		0.56	0.002
07156		0.73	0.002
07157		0.65	0.033
07158		0.70	0.001
07159		0.73	<0.001
07160		0.72	0.001
07161		0.70	0.003
07162		0.65	0.003
07163		0.62	0.003
07164		0.63	0.018
07165		0.59	0.002
07166		0.57	0.002
07167		0.65	0.002
07168		0.65	0.002
07169		0.69	0.003
07170		0.65	0.003
07171		0.70	0.003
07172		0.69	0.002
07173		0.66	0.002
07174		0.60	0.022
07175		0.71	0.021

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
07176		0.68	0.003
07177		0.82	0.003
07178		0.57	0.001
07179		0.75	<0.001
07180		0.65	0.002
07181		0.80	0.004
07182		0.72	0.037
07183		0.64	0.002
07184		0.59	0.003
07185		0.56	0.005
07186		0.69	0.002
07187		0.47	0.003
07188		0.75	0.002
07189		0.63	0.001
07190		0.77	0.002
07191		0.63	0.003
07192		0.66	0.002
07193		0.62	0.022
07194		0.71	0.001
07195		0.59	0.002
07196		0.71	0.002
07197		0.69	0.002
07198		0.66	0.002
07199		0.59	0.016
07200		0.58	0.002
07201		0.61	0.045
07202		0.59	0.003
07203		0.64	0.001
07204		0.54	0.002
07205		0.54	<0.001
07206		0.67	0.003

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y619219

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 15, 2012

DATE RECEIVED: Jul 09, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
07207		0.60	0.002
07208		0.61	0.002
07209		0.66	0.002
07210		0.59	0.001
07211		0.70	0.023
07212		0.64	0.003
07213		0.66	0.003
07214		0.68	0.002
07215		0.65	0.002
07216		0.43	0.049
07217		0.53	0.003
07218		0.71	0.003
07219		0.71	0.002
07220		0.64	0.002
07221		0.61	0.004
07222		0.60	0.005
07223		0.58	0.003
07224		0.58	0.003
07225		0.67	0.001
07226		0.64	0.005
07227		0.79	0.002
07228		0.72	0.003
07229		NRC	NRC

Comments: RDL - Reported Detection Limit

Certified By:

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y619219

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis											
RPT Date: Jul 30, 2012			REPLICATE			Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3517744	0.006	0.008	28.6%	< 0.001	0.244	0.263	93%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3517620	0.0014	0.0016	13.3%	< 0.001	1.52	1.52	100%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3517631	0.003	0.004	28.6%	< 0.001	1.66	1.52	109%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3517780	0.004	0.004	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3517656	0.001	< 0.001		< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3517595	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3517681	0.004	0.004	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3517694	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3517848	0.0034	0.0045	27.8%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3517719	0.004	0.038		< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3517731	0.041	0.003		< 0.001				90%	110%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)											
Ag	1	3517557	0.5	0.5	0.0%	< 0.2				80%	120%
Al	1	3517557	1.60	1.56	2.5%	< 0.01				80%	120%
As	1	3517557	34	31	9.2%	< 1				80%	120%
B	1	3517557	16	15	6.5%	< 5				80%	120%
Ba	1	3517557	348	340	2.3%	< 1				80%	120%
Be	1	3517557	1.2	1.2	0.0%	< 0.5				80%	120%
Bi	1	3517557	4	4	0.0%	< 1				80%	120%
Ca	1	3517557	2.80	2.79	0.4%	< 0.01				80%	120%
Cd	1	3517557	1.0	1.0	0.0%	< 0.5				80%	120%
Ce	1	3517557	33	34	3.0%	< 1				80%	120%
Co	1	3517557	8.7	8.6	1.2%	< 0.5				80%	120%
Cr	1	3517557	27.6	27.0	2.2%	< 0.5				80%	120%
Cu	1	3517557	69.8	69.1	1.0%	< 0.5	3916	3800	103%	80%	120%
Fe	1	3517557	2.43	2.46	1.2%	< 0.01				80%	120%
Ga	1	3517557	6	6	0.0%	< 5				80%	120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y619219

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 30, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Hg	1	3517557	< 1	< 1	0.0%	< 1				80% 120%
In	1	3517607	< 1	< 1	0.0%	< 1				80% 120%
K	1	3517557	0.41	0.40	2.5%	< 0.01				80% 120%
La	1	3517557	20	21	4.9%	< 1				80% 120%
Li	1	3517557	30	30	0.0%	< 1				80% 120%
Mg	1	3517557	0.997	0.989	0.8%	< 0.01				80% 120%
Mn	1	3517607	80	82	2.5%	< 1				80% 120%
Mo	1	3517557	5.17	5.02	2.9%	< 0.5	341	380	89%	80% 120%
Na	1	3517557	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3517557	29.6	29.1	1.7%	< 0.5				80% 120%
P	1	3517557	2190	2150	1.8%	< 10	542	600	90%	80% 120%
Pb	1	3517557	19.8	20.1	1.5%	< 0.5				80% 120%
Rb	1	3517557	53	50	5.8%	< 10	15	13	114%	80% 120%
S	1	3517557	0.101	0.102	1.0%	< 0.005	0.88	0.80	110%	80% 120%
Sb	1	3517557	4	5	22.2%	< 1				80% 120%
Sc	1	3517557	5.5	5.5	0.0%	< 0.5				80% 120%
Se	1	3517557	< 10	< 10	0.0%	< 10	0.8	0.8	99%	80% 120%
Sn	1	3517557	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3517557	76.4	77.5	1.4%	< 0.5	313	390	80%	80% 120%
Ta	1	3517557	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3517557	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3517557	< 5	< 5	0.0%	< 5	1.3	1.4	96%	80% 120%
Ti	1	3517557	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3517557	0.27	0.27	0.0%	< 0.01				80% 120%
U	1	3517557	< 5	< 5	0.0%	< 5				80% 120%
V	1	3517557	103	100	3.0%	< 0.5				80% 120%
W	1	3517557	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3517557	19	19	0.0%	< 1				80% 120%
Zn	1	3517557	198	195	1.5%	< 0.5				80% 120%
Zr	1	3517557	< 5	< 5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1	3517533	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3517533	1.22	1.21	0.8%	< 0.01				80% 120%
As	1	3517533	17	17	0.0%	< 1				80% 120%
B	1	3517533	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3517533	169	170	0.6%	< 1				80% 120%
Be	1	3517533	0.7	0.7	0.0%	< 0.5				80% 120%
Bi	1	3517533	4	4	0.0%	< 1				80% 120%
Ca	1	3517533	0.64	0.65	1.6%	< 0.01				80% 120%
Cd	1	3517533	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3517533	8	7	13.3%	< 1				80% 120%
Co	1	3517533	10.3	10.5	1.9%	< 0.5				80% 120%
Cr	1	3517533	14.7	15.0	2.0%	< 0.5				80% 120%
Cu	1	3517533	28.2	28.9	2.5%	< 0.5	3875	3800	101%	80% 120%
Fe	1	3517533	3.31	3.35	1.2%	< 0.01				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y619219

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 30, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ga	1	3517533	5	5	0.0%	< 5				80% 120%
Hg	1	3517533	< 1	< 1	0.0%	< 1				80% 120%
In	1		< 1	< 1	0.0%	< 1				80% 120%
K	1	3517533	0.07	0.07	0.0%	< 0.01				80% 120%
La	1	3517533	8	7	13.3%	< 1				80% 120%
Li	1	3517533	25	25	0.0%	< 1				80% 120%
Mg	1	3517533	0.39	0.39	0.0%	< 0.01				80% 120%
Mn	1	3517582	75	77	2.6%	< 1				80% 120%
Mo	1		3.3	3.6	8.7%	< 0.5	362	380	95%	80% 120%
Na	1	3517533	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3517533	24.9	24.9	0.0%	< 0.5				80% 120%
P	1	3517533	621	642	3.3%	< 10	535	600	89%	80% 120%
Pb	1	3517533	26.6	25.9	2.7%	< 0.5				80% 120%
Rb	1	3517533	14	13	7.4%	< 10	15	13	118%	80% 120%
S	1	3517533	0.0482	0.0487	1.0%	< 0.005				80% 120%
Sb	1	3517533	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	3517533	3.9	3.9	0.0%	< 0.5				80% 120%
Se	1	3517533	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3517533	< 5	< 5	0.0%	< 5	6.2	7.1	88%	80% 120%
Sr	1	3517533	24.5	23.2	5.5%	0.5	311	390	80%	80% 120%
Ta	1	3517533	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3517533	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3517533	< 5	< 5	0.0%	< 5	1.6	1.4	113%	80% 120%
Ti	1	3517533	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3517533	0.11	0.10	9.5%	< 0.01				80% 120%
U	1	3517533	< 5	< 5	0.0%	< 5				80% 120%
V	1	3517533	19.8	20.2	2.0%	< 0.5				80% 120%
W	1	3517533	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3517533	7	7	0.0%	< 1				80% 120%
Zn	1	3517533	153	156	1.9%	< 0.5				80% 120%
Zr	1	3517533	< 5	< 5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1	3517756	0.5	0.5	0.0%	< 0.2				80% 120%
Al	1	3517631	1.47	1.48	0.7%	< 0.01				80% 120%
As	1	3517631	30	28	6.9%	< 1				80% 120%
B	1	3517631	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3517631	645	624	3.3%	< 1				80% 120%
Be	1	3517631	1.28	1.20	6.5%	< 0.5				80% 120%
Bi	1	3517631	3	4	28.6%	< 1				80% 120%
Ca	1	3517631	0.05	0.05	0.0%	< 0.01				80% 120%
Cd	1	3517631	3.50	3.41	2.6%	< 0.5				80% 120%
Ce	1	3517631	5	6	18.2%	< 1				80% 120%
Co	1	3517631	36.9	34.6	6.4%	< 0.5				80% 120%
Cr	1	3517631	16.7	15.9	4.9%	< 0.5				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y619219

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 30, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				Acceptable Limits	
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery		Lower	Upper
Cu	1	3517631	60.4	58.3	3.5%	< 0.5	3816	3800	100%		80%	120%
Fe	1	3517631	3.64	3.48	4.5%	< 0.01					80%	120%
Ga	1	3517631	6	5	18.2%	< 5					80%	120%
Hg	1	3517631	< 1	< 1	0.0%	< 1					80%	120%
In	1	3517631	< 1	< 1	0.0%	< 1					80%	120%
K	1	3517631	0.140	0.146	4.2%	< 0.01					80%	120%
La	1	3517631	8	7	13.3%	< 1					80%	120%
Li	1	3517631	10	10	0.0%	< 1					80%	120%
Mg	1	3517631	0.12	0.12	0.0%	< 0.01					80%	120%
Mn	1	3517756	226	220	2.7%	< 1					80%	120%
Mo	1	3517631	17.0	16.9	0.6%	< 0.5	362	380	95%		80%	120%
Na	1	3517631	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
Ni	1	3517631	180	169	6.3%	< 0.5					80%	120%
P	1	3517631	765	760	0.7%	< 10	527	600	88%		80%	120%
Pb	1	3517631	38.1	36.5	4.3%	< 0.5					80%	120%
Rb	1	3517631	27	28	3.6%	< 10	13	13	101%		80%	120%
S	1	3517631	0.090	0.092	2.2%	< 0.005					80%	120%
Sb	1	3517631	< 1	< 1	0.0%	< 1					80%	120%
Sc	1	3517631	4.40	4.35	1.1%	< 0.5					80%	120%
Se	1	3517631	< 10	< 10	0.0%	< 10					80%	120%
Sn	1	3517631	< 5	< 5	0.0%	< 5					80%	120%
Sr	1	3517631	39.4	40.2	2.0%	0.8					80%	120%
Ta	1	3517631	< 10	< 10	0.0%	< 10					80%	120%
Te	1	3517631	< 10	< 10	0.0%	< 10					80%	120%
Th	1	3517631	< 5	< 5	0.0%	< 5	1.4	1.4	103%		80%	120%
Ti	1	3517631	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
Tl	1	3517582	0.991	1.07	7.7%	< 0.01					80%	120%
U	1	3517631	< 5	< 5	0.0%	< 5					80%	120%
V	1	3517631	107	103	3.8%	< 0.5					80%	120%
W	1	3517631	< 1	< 1	0.0%	< 1					80%	120%
Y	1	3517631	15	15	0.0%	< 1					80%	120%
Zn	1	3517631	749	695	7.5%	< 0.5					80%	120%
Zr	1	3517631	< 5	< 5	0.0%	< 5					80%	120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)												
Ag	1	3517706	1.0	1.0	0.0%	< 0.2					80%	120%
Al	1	3517706	1.84	1.65	10.9%	< 0.01					80%	120%
As	1	3517706	56	52	7.4%	< 1					80%	120%
B	1	3517848	6	5	18.2%	< 5					80%	120%
Ba	1	3517706	1320	1190	10.4%	< 1					80%	120%
Be	1	3517706	2.0	1.9	5.1%	< 0.5					80%	120%
Bi	1	3517706	5	4	22.2%	< 1					80%	120%
Ca	1	3517706	0.497	0.491	1.2%	< 0.01					80%	120%
Cd	1	3517706	8.48	8.31	2.0%	< 0.5					80%	120%
Ce	1	3517706	< 1	< 1	0.0%	< 1					80%	120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y619219

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 30, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Co	1	3517706	8.06	7.94	1.5%	< 0.5				80% 120%
Cr	1	3517706	23.8	18.4	25.6%	< 0.5				80% 120%
Cu	1	3517706	108	105	2.8%	< 0.5	3804	3800	100%	80% 120%
Fe	1	3517706	4.55	4.47	1.8%	< 0.01				80% 120%
Ga	1	3517848	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3517706	< 1	< 1	0.0%	< 1				80% 120%
In	1	3517848	3	3	0.0%	< 1				80% 120%
K	1	3517848	0.15	0.12	22.2%	< 0.01				80% 120%
La	1	3517706	4	4	0.0%	< 1				80% 120%
Li	1	3517706	11	9	20.0%	< 1				80% 120%
Mg	1	3517706	0.166	0.141	16.3%	< 0.01				80% 120%
Mn	1	3517706	211	205	2.9%	< 1				80% 120%
Mo	1	3517706	23.7	22.4	5.6%	< 0.5	330	380	86%	80% 120%
Na	1	3517706	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3517706	81.4	80.2	1.5%	< 0.5				80% 120%
P	1	3517706	1400	1340	4.4%	< 10	511	600	85%	80% 120%
Pb	1	3517706	50.6	48.9	3.4%	< 0.5				80% 120%
Rb	1	3517848	16	14	13.3%	< 10	15	13	117%	80% 120%
S	1	3517706	0.126	0.123	2.4%	< 0.005				80% 120%
Sb	1	3517706	5	5	0.0%	< 1				80% 120%
Sc	1	3517706	12.6	11.3	10.9%	< 0.5				80% 120%
Se	1	3517706	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3517706	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3517706	94.3	87.5	7.5%	0.7				80% 120%
Ta	1	3517706	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3517706	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3517706	< 5	< 5	0.0%	< 5	1.6	1.4	112%	80% 120%
Ti	1	3517706	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3517607	1.35	1.04	25.9%	< 0.01				80% 120%
U	1	3517706	< 5	< 5	0.0%	< 5				80% 120%
V	1	3517706	142	128	10.4%	< 0.5				80% 120%
W	1	3517706	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3517706	27	26	3.8%	< 1				80% 120%
Zn	1	3517706	612	591	3.5%	< 0.5				80% 120%
Zr	1	3517706	< 5	< 5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1	3517731	0.4	0.4	0.0%	< 0.2				80% 120%
Al	1	3517731	1.03	0.93	10.2%	< 0.01				80% 120%
As	1	3517731	25	26	3.9%	< 1				80% 120%
B	1	3517731	5	< 5		< 5				80% 120%
Ba	1	3517731	397	393	1.0%	< 1				80% 120%
Be	1	3517731	0.9	0.9	0.0%	< 0.5				80% 120%
Bi	1	3517731	4	3	28.6%	< 1				80% 120%
Ca	1	3517731	0.731	0.758	3.6%	< 0.01				80% 120%
Cd	1	3517731	1.75	1.75	0.0%	< 0.5				80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y619219

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 30, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ce	1	3517731	25	20	22.2%	< 1				80% 120%
Co	1	3517731	11.8	12.1	2.5%	< 0.5				80% 120%
Cr	1	3517731	16.2	14.7	9.7%	< 0.5				80% 120%
Cu	1	3517731	37.6	38.8	3.1%	< 0.5	3796	3800	99%	80% 120%
Fe	1	3517731	2.91	3.00	3.0%	< 0.01				80% 120%
Ga	1	3517731	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3517731	< 1	< 1	0.0%	< 1				80% 120%
In	1	3517731	< 1	< 1	0.0%	< 1				80% 120%
K	1	3517731	0.13	0.11	16.7%	< 0.01				80% 120%
La	1	3517731	15	13	14.3%	< 1				80% 120%
Li	1	3517731	13	12	8.0%	< 1				80% 120%
Mg	1	3517731	0.21	0.21	0.0%	< 0.01				80% 120%
Mn	1	3517731	352	360	2.2%	< 1				80% 120%
Mo	1	3517731	9.8	9.8	0.0%	< 0.5	328	380	86%	80% 120%
Na	1	3517731	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3517731	36.2	37.1	2.5%	< 0.5				80% 120%
P	1	3517731	842	817	3.0%	< 10	519	600	86%	80% 120%
Pb	1	3517731	35.0	35.8	2.3%	< 0.5				80% 120%
Rb	1	3517731	24	21	13.3%	< 10	13	13	103%	80% 120%
S	1	3517731	0.049	0.049	0.0%	< 0.005	0.87	0.80	109%	80% 120%
Sb	1	3517731	3	3	0.0%	< 1				80% 120%
Sc	1	3517731	3.9	3.8	2.6%	< 0.5				80% 120%
Se	1	3517731	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3517731	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3517731	27.8	25.9	7.1%	< 0.5	316	390	81%	80% 120%
Ta	1	3517731	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3517731	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3517731	< 5	< 5	0.0%	< 5	1.2	1.4	87%	80% 120%
Ti	1	3517731	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3517631	1.34	1.17	13.5%	< 0.01				80% 120%
U	1	3517731	< 5	< 5	0.0%	< 5				80% 120%
V	1	3517731	60.4	51.9	15.1%	< 0.5				80% 120%
W	1	3517731	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3517731	11	11	0.0%	< 1				80% 120%
Zn	1	3517731	302	307	1.6%	< 0.5				80% 120%
Zr	1	3517731	< 5	< 5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1	3517780	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3517780	0.523	0.537	2.6%	< 0.01				80% 120%
As	1	3517780	38	37	2.7%	< 1				80% 120%
B	1	3517780	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3517780	499	505	1.2%	< 1				80% 120%
Be	1	3517780	0.65	0.65	0.0%	< 0.5	0.3	0.4	84%	80% 120%
Bi	1	3517780	3	2		< 1				80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y619219

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 30, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ca	1	3517780	0.07	0.07	0.0%	< 0.01				80% 120%
Cd	1	3517780	0.9	0.9	0.0%	< 0.5				80% 120%
Ce	1	3517780	8	8	0.0%	< 1				80% 120%
Co	1	3517780	7.9	8.0	1.3%	< 0.5				80% 120%
Cr	1	3517780	10.3	9.64	6.6%	< 0.5				80% 120%
Cu	1	3517780	32.1	32.1	0.0%	< 0.5	3827	3800	100%	80% 120%
Fe	1	3517780	2.53	2.66	5.0%	< 0.01				80% 120%
Ga	1	3517780	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3517780	< 1	< 1	0.0%	< 1				80% 120%
In	1	3517780	5	3		< 1				80% 120%
K	1	3517780	0.10	0.10	0.0%	< 0.01				80% 120%
La	1	3517780	6	6	0.0%	< 1				80% 120%
Li	1	3517780	4	4	0.0%	< 1				80% 120%
Mg	1	3517780	0.064	0.066	3.1%	< 0.01				80% 120%
Mn	1	3517780	236	246	4.1%	< 1				80% 120%
Mo	1	3517780	15.0	15.2	1.3%	< 0.5	352	380	92%	80% 120%
Na	1	3517780	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3517780	28.6	29.1	1.7%	< 0.5				80% 120%
P	1	3517780	615	634	3.0%	< 10	521	600	87%	80% 120%
Pb	1	3517780	34.1	34.4	0.9%	< 0.5				80% 120%
Rb	1	3517780	14	14	0.0%	< 10	13	13	103%	80% 120%
S	1	3517780	0.064	0.066	3.1%	< 0.005				80% 120%
Sb	1	3517780	2	2	0.0%	< 1				80% 120%
Sc	1	3517780	2.91	2.95	1.4%	< 0.5				80% 120%
Se	1	3517780	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3517780	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3517780	46.4	47.9	3.2%	< 0.5				80% 120%
Ta	1	3517780	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3517780	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3517780	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3517780	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3517656	0.68	0.70	2.9%	< 0.01				80% 120%
U	1	3517780	< 5	< 5	0.0%	< 5				80% 120%
V	1	3517780	93.7	92.2	1.6%	< 0.5				80% 120%
W	1	3517780	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3517780	6	6	0.0%	< 1				80% 120%
Zn	1	3517780	195	195	0.0%	< 0.5				80% 120%
Zr	1	3517780	< 5	< 5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1	3517805	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3517805	0.912	0.932	2.2%	< 0.01				80% 120%
As	1	3517805	25	24	4.1%	< 1				80% 120%
B	1	3517805	< 5	< 5	0.0%	< 5	5.79	7.00	83%	80% 120%
Ba	1	3517805	657	674	2.6%	< 1				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y619219

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 30, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Be	1	3517805	0.7	0.7	0.0%	< 0.5				80% 120%
Bi	1	3517805	3	2		< 1				80% 120%
Ca	1	3517805	0.124	0.126	1.6%	< 0.01				80% 120%
Cd	1	3517805	0.6	0.6	0.0%	< 0.5				80% 120%
Ce	1	3517805	23	24	4.3%	< 1				80% 120%
Co	1	3517805	8.17	8.10	0.9%	< 0.5				80% 120%
Cr	1	3517805	12.5	12.3	1.6%	< 0.5				80% 120%
Cu	1	3517805	22.4	22.7	1.3%	< 0.5	3913	3800	102%	80% 120%
Fe	1	3517805	2.64	2.68	1.5%	< 0.01				80% 120%
Ga	1	3517805	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3517805	< 1	< 1	0.0%	< 1				80% 120%
In	1	3517805	1	7		< 1				80% 120%
K	1	3517805	0.10	0.10	0.0%	< 0.01				80% 120%
La	1	3517805	12	12	0.0%	< 1				80% 120%
Li	1	3517805	10	11	9.5%	< 1				80% 120%
Mg	1	3517805	0.15	0.15	0.0%	< 0.01				80% 120%
Mn	1	3517805	262	270	3.0%	< 1				80% 120%
Mo	1	3517805	9.35	8.45	10.1%	< 0.5				80% 120%
Na	1	3517805	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3517805	28.1	28.4	1.1%	< 0.5				80% 120%
P	1	3517805	402	406	1.0%	< 10	516	600	86%	80% 120%
Pb	1	3517805	26.4	27.0	2.2%	< 0.5				80% 120%
Rb	1	3517805	16	16	0.0%	< 10	16	13	120%	80% 120%
S	1	3517805	0.039	0.039	0.0%	< 0.005				80% 120%
Sb	1	3517805	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	3517805	2.50	2.56	2.4%	< 0.5				80% 120%
Se	1	3517805	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3517805	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3517805	23.1	23.8	3.0%	< 0.5	313	390	80%	80% 120%
Ta	1	3517805	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3517805	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3517805	4	5	22.2%	< 5	1.3	1.4	92%	80% 120%
Ti	1	3517805	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3517681	1.27	1.60	23.0%	< 0.01				80% 120%
U	1	3517805	< 5	< 5	0.0%	< 5				80% 120%
V	1	3517805	73.4	74.2	1.1%	< 0.5				80% 120%
W	1	3517805	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3517805	6	6	0.0%	< 1				80% 120%
Zn	1	3517805	160	161	0.6%	< 0.5				80% 120%
Zr	1	3517805	< 5	< 5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low Ti) (201073)

Cu	1					< 0.5	3744	3800	98%	80% 120%
Hg	1					< 1	1.4	1.3	111%	80% 120%
P	1					< 10	522	600	87%	80% 120%
Rb	1					< 10	14	13	110%	80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y619219

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Jul 30, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
TI	1	3517706	3.57	2.90	20.7%	< 0.01				80%	120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)											
Cu	1					< 0.5	4038	3800	106%	80%	120%
P	1					< 10	555	600	93%	80%	120%
Sr	1					< 0.5	343	390	88%	80%	120%
TI	1	3517731	0.30	0.25	18.2%	< 0.01				80%	120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)											
Cu	1					< 0.5	3985	3800	104%	80%	120%
P	1					< 10	561	600	94%	80%	120%
Sr	1					< 0.5	325	390	83%	80%	120%
Th	1					< 5	1.4	1.4	98%	80%	120%
TI	1	3517756	0.24	0.22	8.7%	< 0.01				80%	120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)											
Cu	1					< 0.5	3915	3800	103%	80%	120%
Hg	1					< 1	1.4	1.3	108%	80%	120%
P	1					< 10	550	600	92%	80%	120%
Rb	1					< 10	15	13	114%	80%	120%
Sr	1					< 0.5	317	390	81%	80%	120%
TI	1	3517780	0.791	0.801	1.3%	< 0.01				80%	120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)											
TI	1	3517805	0.52	0.55	5.6%	< 0.01				80%	120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)											
TI	1	3517823	1.02	1.19	15.4%	< 0.01				80%	120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)											
TI	1	3517848	0.77	0.60	24.8%	< 0.01				80%	120%

Certified By:

Method Summary

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y619219

PROJECT NO:

ATTENTION TO: Yinghua Chen

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
B	MIN-200-12020		ICP/OES
Ba	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
In	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP/OES
Li	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr	MIN-200-12020		ICP/OES
Ta	MIN-200-12020		ICP/OES
Te	MIN-200-12020		ICP/OES
Th	MIN-200-12020		ICP/OES
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP-MS
U	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP/OES
Y	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Zr	MIN-200-12020		ICP/OES
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES