

**CLIENT NAME: ANTHILL RESOURCES (YUKON)**  
**1090-999 WEST HASTINGS STREET**  
**Vancouver, BC V6C2W2**  
**(604) 569-3892**

**ATTENTION TO: Yinghua Chen**

**PROJECT NO:**

**AGAT WORK ORDER: 12Y619224**

**SOLID ANALYSIS REVIEWED BY: Kevin Motomura, ICP Supervisor**

**DATE REPORTED: Jul 30, 2012**

**PAGES (INCLUDING COVER): 73**

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

**\*NOTES**



## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
SE5506197	<0.2	1.45	12	<5	109	1.4	4	0.04	<0.5	<1	34.5	30.5	62.8	5.26
SE5506198	<0.2	1.43	13	<5	112	1.4	3	0.03	<0.5	<1	35.9	25.1	63.4	5.36
SE5506199	2.6	1.95	18	6	106	<0.5	7	0.93	4.1	5	13.9	34.6	754	4.72
SE5506200	<0.2	0.05	16	<5	164	<0.5	<1	18.6	<0.5	8	1.4	0.7	3.1	0.46
SE5506201	3.8	1.65	13	<5	253	1.8	3	0.27	<0.5	<1	37.5	27.2	59.3	4.49
SE5506202	1.9	1.92	12	<5	136	1.2	3	0.06	<0.5	<1	38.9	30.9	51.2	4.51
SE5506203	<0.2	0.64	24	<5	45	1.0	3	0.08	<0.5	<1	20.6	12.6	40.1	4.93
SE5506204	<0.2	0.84	17	<5	82	1.4	3	0.19	<0.5	4	29.2	15.3	41.2	4.16
SE5506205	<0.2	0.66	23	<5	55	1.2	3	0.09	<0.5	<1	23.7	15.3	43.9	4.91
SE5506206	<0.2	0.58	24	<5	40	1.2	6	0.06	<0.5	<1	23.9	12.0	43.8	5.02
SE5506207	<0.2	0.51	25	<5	55	1.0	3	0.05	<0.5	<1	22.2	9.7	41.7	4.88
SE5506208	<0.2	1.63	13	<5	80	1.3	3	0.04	<0.5	<1	27.3	27.6	50.1	4.85
SE5506209	<0.2	1.72	15	<5	111	1.1	3	0.04	<0.5	<1	20.0	29.2	44.9	5.14
SE5506210	<0.2	1.62	11	<5	86	1.0	4	0.11	<0.5	4	18.8	27.8	37.2	4.46
SE5506211	<0.2	1.85	11	<5	88	0.9	5	0.04	<0.5	<1	19.6	30.5	38.5	4.95
SE5506212	<0.2	1.57	11	<5	82	0.9	3	0.07	<0.5	6	16.6	28.2	33.6	4.36
SE5506213	<0.2	1.67	15	<5	83	1.2	3	0.12	<0.5	<1	19.1	28.0	42.7	4.92
SE5506214	<0.2	1.09	25	<5	74	1.1	3	0.30	<0.5	26	14.7	16.2	30.0	3.82
SE5506215	<0.2	0.56	25	<5	48	0.7	2	0.04	<0.5	2	14.9	8.4	32.8	3.78
SE5506216	<0.2	0.88	14	<5	126	0.6	3	0.06	<0.5	5	21.5	13.2	29.8	4.08
SE5506217	<0.2	0.81	32	<5	116	0.9	2	0.07	<0.5	9	17.1	12.9	33.5	3.90
SE5506218	<0.2	0.59	44	<5	139	0.7	4	0.08	<0.5	<1	21.3	10.2	37.0	4.10
SE5506219	<0.2	0.69	11	<5	113	0.6	2	0.02	<0.5	3	18.2	14.1	37.1	3.95
SE5506220	<0.2	1.23	7	<5	226	1.0	2	0.06	<0.5	7	8.1	25.0	53.4	3.44
SE5506221	<0.2	1.76	10	<5	88	0.7	4	0.06	<0.5	8	14.3	27.0	36.9	4.43
SE5506222	<0.2	1.41	16	<5	141	1.1	1	0.11	<0.5	5	20.5	22.8	56.5	4.18
SE5506223	<0.2	2.05	16	<5	109	0.7	3	0.07	<0.5	12	12.5	31.8	46.9	4.65
SE5506224	0.3	0.53	57	<5	63	0.6	3	0.07	1.5	20	11.7	7.6	55.5	3.65
SE5506225	<0.2	0.91	31	<5	63	0.6	3	0.12	<0.5	15	14.3	14.6	28.6	3.01
SE5506226	<0.2	0.56	19	<5	52	0.5	3	0.05	<0.5	19	7.7	8.6	23.0	2.75
SE5506227	<0.2	0.86	19	<5	110	0.7	2	0.29	<0.5	21	10.1	15.0	22.4	3.00
SE5506228	<0.2	0.75	13	<5	42	0.7	2	0.04	<0.5	20	18.9	13.9	38.0	5.00

Certified By:



# AGAT Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
SE5506229	<0.2	1.29	17	<5	46	0.7	3	2.75	<0.5	20	22.7	13.7	46.6	4.49
SE5506230	<0.2	1.49	15	<5	50	0.8	3	0.25	<0.5	36	21.0	20.4	48.5	4.76
SE5506231	<0.2	1.59	14	<5	50	0.8	3	0.32	<0.5	41	21.5	21.1	54.3	4.80
SE5506232	<0.2	2.16	11	<5	73	0.9	4	0.09	<0.5	36	22.6	32.5	69.4	4.88
SE5506233	<0.2	0.60	17	<5	26	0.5	4	0.58	<0.5	6	15.3	8.7	41.1	4.35
SE5506234	<0.2	0.29	23	<5	23	<0.5	5	0.16	<0.5	<1	17.7	3.8	46.1	4.40
SE5506235	<0.2	0.65	9	<5	35	<0.5	3	0.23	<0.5	8	12.1	8.7	24.7	3.55
SE5506236	<0.2	0.30	29	<5	34	0.5	4	0.44	<0.5	14	18.0	4.5	32.7	3.94
SE5506237	<0.2	0.25	37	<5	27	0.5	5	0.82	<0.5	10	12.3	3.0	32.3	3.87
SE5506238	<0.2	0.21	40	<5	23	<0.5	5	0.14	<0.5	14	14.8	3.2	32.9	4.50
SE5506239	<0.2	0.19	34	<5	18	<0.5	3	0.04	<0.5	16	20.1	6.2	37.2	4.82
SE5506240	0.2	0.62	47	<5	19	0.5	3	0.37	<0.5	23	21.7	9.7	44.4	5.29
SE5506241	<0.2	0.19	52	<5	17	<0.5	3	1.66	<0.5	6	14.3	3.8	33.9	3.80
SE5506242	<0.2	0.16	62	<5	15	<0.5	4	3.00	<0.5	<1	15.7	2.5	37.2	3.78
SE5506243	<0.2	0.17	56	<5	16	<0.5	4	1.30	<0.5	1	17.3	2.6	36.6	3.99
SE5506244	<0.2	0.19	66	<5	18	<0.5	5	0.97	<0.5	14	14.7	3.0	37.0	3.56
SE5506245	<0.2	0.28	47	<5	23	<0.5	5	0.08	<0.5	22	22.2	7.1	39.4	4.70
SE5506246	<0.2	0.19	139	<5	21	<0.5	4	0.16	<0.5	15	17.4	4.8	37.8	4.49
SE5506247	<0.2	0.23	34	<5	28	<0.5	5	0.18	<0.5	10	11.3	3.4	29.3	3.92
SE5506248	<0.2	0.20	37	<5	27	0.5	6	0.24	<0.5	5	12.2	2.8	31.6	4.12
SE5506249	2.7	2.19	20	7	113	<0.5	7	1.03	4.2	6	13.9	35.8	774	4.92
SE5506250	<0.2	0.04	14	<5	27	<0.5	<1	19.4	<0.5	9	3.5	0.6	0.9	0.44
SE5506251	<0.2	0.43	42	<5	23	<0.5	4	3.14	<0.5	32	14.9	6.0	41.0	3.85
SE5506252	<0.2	1.20	24	<5	55	0.7	5	0.20	<0.5	26	19.1	17.3	51.0	4.87
SE5506253	<0.2	0.47	33	<5	26	0.5	4	0.23	<0.5	26	16.7	7.2	42.2	4.23
SE5506254	<0.2	0.96	16	<5	28	<0.5	5	6.20	<0.5	34	12.9	13.4	38.4	3.68
SE5506255	<0.2	0.49	37	<5	15	<0.5	5	7.74	<0.5	12	12.8	6.7	36.0	3.42
SE5506256	<0.2	0.49	33	<5	16	<0.5	4	10.7	<0.5	20	11.5	7.1	31.2	3.27
SE5506257	<0.2	0.34	36	<5	17	<0.5	5	5.18	<0.5	24	12.5	4.0	34.8	3.19
SE5506258	<0.2	2.40	16	<5	41	0.6	5	0.06	<0.5	61	23.5	32.3	54.9	5.53
SE5506259	<0.2	2.67	12	<5	38	0.6	4	0.03	<0.5	55	22.4	34.6	71.2	6.97
SE5506310	<0.2	2.37	10	<5	51	0.7	4	0.08	<0.5	55	24.8	30.3	51.0	5.21

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
SE5506311	<0.2	2.47	10	<5	30	<0.5	4	0.04	<0.5	61	15.1	34.0	39.5	5.11
SE5506312	<0.2	2.16	11	<5	50	0.6	3	0.15	<0.5	42	19.2	30.2	41.4	4.76
SE5506313	<0.2	2.25	12	<5	51	0.7	4	0.08	<0.5	33	23.5	30.1	44.6	4.89
SE5506314	<0.2	1.85	11	<5	46	0.6	4	0.14	<0.5	69	21.8	23.4	56.8	4.99
SE5506315	<0.2	2.36	11	<5	29	0.7	6	0.04	<0.5	60	24.6	30.8	52.8	5.07
SE5506316	<0.2	0.67	19	<5	30	<0.5	<1	13.4	<0.5	15	5.1	8.1	11.0	1.34
SE5506317	<0.2	2.27	18	<5	118	0.8	5	0.34	<0.5	53	15.3	31.4	35.1	4.36
SE5506318	<0.2	2.57	21	<5	79	0.9	5	0.35	<0.5	46	19.5	30.5	34.4	4.48
SE5506319	<0.2	2.06	24	<5	65	0.9	4	1.95	<0.5	45	13.9	26.7	38.1	3.64
SE5506320	<0.2	2.46	26	<5	109	0.7	5	0.08	<0.5	34	25.0	29.4	38.3	5.34
SE5506321	<0.2	2.46	34	<5	62	0.9	5	0.11	<0.5	36	29.9	29.7	49.1	5.00
SE5506322	<0.2	1.02	28	<5	96	<0.5	2	14.3	<0.5	32	17.3	10.6	28.2	2.39
SE5506323	<0.2	1.27	27	<5	78	0.5	3	10.0	<0.5	30	15.1	13.3	28.2	2.99
SE5506324	<0.2	1.34	26	<5	82	0.6	2	9.68	<0.5	35	15.8	14.8	30.7	3.11
SE5506325	<0.2	1.08	23	<5	70	0.5	4	5.49	<0.5	35	14.1	12.7	25.5	2.88
SE5506326	<0.2	1.69	13	<5	46	0.6	4	0.21	<0.5	54	16.9	21.6	44.8	4.21
SE5506327	<0.2	0.28	3	<5	31	<0.5	<1	0.27	<0.5	30	4.3	2.7	5.8	2.48
SE5506328	<0.2	1.50	29	<5	43	0.6	<1	0.71	<0.5	46	16.2	20.4	30.4	4.11
SE5506329	<0.2	1.68	45	<5	42	0.6	<1	0.80	<0.5	57	17.9	22.6	42.6	4.29
SE5506330	<0.2	1.67	22	<5	80	0.8	<1	0.66	<0.5	54	19.3	20.4	30.5	4.27
SE5506331	<0.2	0.84	54	<5	44	0.6	<1	0.14	<0.5	45	16.0	9.5	34.4	3.73
SE5506332	<0.2	0.73	63	<5	35	<0.5	<1	0.13	<0.5	32	12.7	7.5	29.9	3.61
SE5506333	<0.2	0.77	30	<5	40	<0.5	<1	0.85	<0.5	34	13.0	12.2	29.9	3.33
SE5506334	<0.2	1.63	41	<5	77	0.9	<1	0.11	<0.5	61	23.1	17.9	46.3	4.33
SE5506335	<0.2	0.39	44	<5	35	0.6	<1	0.14	<0.5	49	14.2	6.6	33.8	4.84
SE5506336	<0.2	1.50	13	<5	70	0.8	<1	0.44	<0.5	38	16.3	22.9	38.1	4.02
SE5506337	<0.2	0.39	15	<5	25	0.5	<1	0.18	<0.5	54	15.0	5.5	35.4	3.37
SE5506338	<0.2	1.55	46	<5	72	0.7	<1	0.11	<0.5	59	19.9	19.5	44.1	4.60
SE5506339	<0.2	1.45	21	<5	78	0.5	<1	0.31	<0.5	42	9.9	19.1	18.9	4.20
SE5506340	<0.2	1.21	29	<5	67	0.6	<1	0.31	<0.5	40	18.3	16.8	34.5	4.17
SE5506558	<0.2	0.82	3	<5	190	1.1	<1	0.12	<0.5	6	23.6	17.7	52.3	2.69
SE5506559	<0.2	0.76	<1	<5	137	0.7	<1	0.03	<0.5	8	16.0	20.1	13.5	4.07

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
SE5507410	<0.2	1.42	5	<5	116	0.6	<1	0.07	<0.5	16	10.8	24.5	31.6	3.38
SE5507411	<0.2	1.24	5	<5	133	0.9	<1	0.09	<0.5	10	19.7	16.3	33.7	4.71
SE5507412	<0.2	1.06	9	<5	207	0.6	<1	0.12	<0.5	12	16.6	21.9	40.0	4.07
SE5507413	<0.2	0.48	21	<5	80	<0.5	<1	0.05	<0.5	15	9.1	10.1	26.4	2.93
SE5507414	<0.2	0.73	15	<5	65	0.7	<1	0.06	<0.5	12	14.0	11.0	34.1	3.55
SE5507415	<0.2	0.84	11	<5	97	0.7	<1	0.07	<0.5	17	14.0	14.3	26.5	3.37
SE5507416	<0.2	1.18	16	<5	70	0.9	<1	0.20	<0.5	13	13.6	18.4	27.1	3.71
SE5507417	<0.2	1.87	10	<5	155	1.1	<1	0.25	<0.5	33	14.7	33.5	32.0	3.79
SE5507418	<0.2	1.50	8	<5	136	1.2	<1	0.15	<0.5	16	19.9	24.8	47.1	3.97
SE5507419	<0.2	1.35	13	<5	108	1.1	<1	0.64	<0.5	14	16.7	20.9	56.9	3.99
SE5507420	<0.2	0.94	9	<5	76	1.1	<1	0.09	<0.5	11	23.8	15.2	47.8	4.47
SE5507421	0.6	0.92	7	<5	226	1.2	<1	0.38	<0.5	15	38.1	18.9	41.6	3.09
SE5507422	<0.2	0.52	22	<5	62	1.1	<1	0.21	<0.5	15	23.4	10.3	38.6	4.33
SE5507423	<0.2	0.64	19	<5	66	1.1	<1	0.17	<0.5	16	23.1	13.3	43.9	4.47
SE5507424	<0.2	0.63	21	<5	51	1.2	<1	0.11	<0.5	18	26.0	11.0	43.9	4.63
SE5507425	<0.2	0.62	16	<5	53	0.7	<1	0.10	<0.5	11	15.5	10.9	28.8	3.40
SE5507426	<0.2	1.24	10	<5	121	1.1	<1	0.11	<0.5	12	34.3	20.5	51.4	4.32
SE5507427	<0.2	0.76	12	<5	95	<0.5	<1	0.22	<0.5	12	11.1	16.3	26.1	3.00
SE5507428	<0.2	1.09	20	<5	126	1.2	<1	0.07	<0.5	9	33.8	17.3	57.1	4.74
SE5507429	<0.2	0.53	20	<5	119	0.9	<1	0.07	<0.5	11	32.8	11.2	64.2	5.52
SE5507430	<0.2	0.32	45	<5	51	0.8	<1	0.19	<0.5	9	19.7	5.8	37.5	3.98
SE5507431	0.4	0.54	143	<5	66	0.7	<1	0.08	<0.5	9	24.7	7.5	51.4	3.73
SE5507432	<0.2	0.84	24	<5	115	1.1	<1	0.07	<0.5	16	28.0	11.2	33.3	3.77
SE5507433	<0.2	0.23	13	<5	27	<0.5	<1	0.02	<0.5	10	1.0	5.2	11.0	1.05
SE5507434	<0.2	0.32	37	<5	35	<0.5	<1	0.02	<0.5	14	3.9	7.2	21.7	2.32
SE5507435	<0.2	0.27	39	<5	75	<0.5	<1	0.04	<0.5	15	12.5	6.4	27.0	2.20
SE5507436	<0.2	0.47	13	<5	48	<0.5	<1	0.03	<0.5	32	13.1	7.0	35.3	3.07
SE5507437	<0.2	0.34	6	<5	71	<0.5	<1	0.01	<0.5	31	12.6	5.1	33.9	3.12
SE5507438	<0.2	0.35	5	<5	50	<0.5	<1	0.29	<0.5	16	6.3	5.6	8.6	1.39
SE5507439	<0.2	0.45	6	<5	59	<0.5	<1	0.04	<0.5	31	7.7	13.5	26.9	2.95
SE5507440	<0.2	0.42	10	<5	73	1.2	<1	0.42	<0.5	30	18.7	4.8	36.6	4.17
SE5507441	<0.2	0.42	8	<5	40	<0.5	<1	0.02	<0.5	32	4.1	5.6	13.1	1.39

Certified By:



# Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

**Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)**

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
SE5507442	<0.2	0.65	4	<5	51	<0.5	<1	0.16	<0.5	21	6.0	5.9	7.0	2.68
SE5507443	<0.2	0.90	12	<5	30	0.5	<1	2.69	<0.5	43	25.5	7.7	56.7	4.09
SE5507444	<0.2	0.77	7	<5	36	<0.5	<1	2.06	<0.5	38	18.9	11.0	36.6	2.93
SE5507445	<0.2	1.10	10	<5	37	0.6	<1	2.30	<0.5	47	22.2	10.9	52.6	4.05
SE5507446	<0.2	1.79	10	<5	86	0.9	<1	0.16	<0.5	40	28.4	17.9	48.0	5.48
SE5507447	<0.2	1.30	8	<5	52	0.9	<1	1.16	<0.5	45	25.4	16.7	46.6	4.72
SE5507448	<0.2	1.26	9	<5	44	0.8	<1	1.42	<0.5	34	26.1	16.0	47.6	4.94
SE5507449	2.6	1.92	12	<5	103	0.8	<1	0.91	4.4	22	17.1	34.1	816	4.75
SE5507450	0.5	0.06	3	<5	28	<0.5	<1	21.2	<0.5	<1	0.7	1.8	2.6	0.46
SE5507451	<0.2	0.83	9	<5	44	<0.5	<1	0.85	<0.5	19	10.9	12.8	29.0	3.27
SE5507452	<0.2	1.21	11	<5	46	0.6	<1	0.39	<0.5	43	18.3	16.8	46.8	5.23
SE5507453	<0.2	0.75	5	<5	69	0.5	<1	0.29	<0.5	22	11.2	10.1	20.9	3.26
SE5507454	<0.2	0.47	25	<5	28	<0.5	<1	1.53	<0.5	38	14.9	6.0	39.3	3.86
SE5507455	<0.2	1.02	14	<5	20	<0.5	<1	0.22	<0.5	25	23.0	14.6	56.6	4.57
SE5507456	<0.2	0.37	88	<5	41	<0.5	<1	0.21	<0.5	14	15.8	6.0	68.8	7.53
SE5507457	<0.2	0.38	35	<5	24	0.5	<1	0.14	<0.5	39	15.4	4.5	34.4	4.54
SE5507458	<0.2	0.68	27	<5	23	<0.5	<1	0.04	<0.5	26	16.4	12.1	43.6	4.20
SE5507459	<0.2	0.19	50	<5	20	<0.5	<1	1.52	<0.5	44	23.6	1.8	44.5	4.87
SE5507460	<0.2	0.19	51	<5	20	<0.5	<1	0.89	<0.5	26	19.2	2.9	38.9	4.29
SE5507461	<0.2	0.20	56	<5	26	<0.5	<1	0.37	<0.5	20	20.6	4.2	40.9	5.05
SE5507462	<0.2	0.12	55	<5	17	<0.5	<1	0.54	<0.5	15	19.8	1.3	40.0	4.29
SE5507463	<0.2	0.23	40	<5	21	<0.5	<1	0.19	<0.5	25	17.4	2.9	44.2	4.05
SE5507464	<0.2	0.14	41	<5	14	<0.5	<1	2.48	<0.5	27	11.8	3.5	33.8	2.79
SE5507465	<0.2	0.41	29	<5	36	<0.5	<1	0.03	<0.5	35	10.8	10.3	27.5	4.33
SE5507466	<0.2	0.22	30	<5	23	<0.5	<1	0.04	<0.5	48	21.6	9.1	45.5	4.39
SE5507467	<0.2	0.25	47	<5	36	<0.5	<1	0.14	<0.5	33	27.8	7.6	48.9	5.49
SE5507468	<0.2	0.24	37	<5	31	<0.5	<1	0.27	<0.5	25	18.9	5.7	40.0	4.88
SE5507469	<0.2	1.62	8	<5	58	0.6	<1	0.12	<0.5	41	15.1	23.9	40.6	4.30
SE5507470	<0.2	0.80	6	<5	20	<0.5	<1	0.20	<0.5	34	19.6	11.8	51.7	4.13
SE5507471	<0.2	0.65	6	<5	61	<0.5	<1	0.10	<0.5	14	9.9	10.2	24.2	3.37
SE5507472	<0.2	0.90	7	<5	37	0.6	<1	0.39	<0.5	39	17.1	12.4	42.0	4.56
SE5507473	<0.2	1.23	5	<5	29	0.8	<1	1.26	<0.5	44	16.8	16.4	45.6	4.81

Certified By:



# AGAT Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
SE5507474	<0.2	0.57	16	<5	59	<0.5	<1	0.32	<0.5	41	11.0	7.2	17.4	2.74
SE5507475	<0.2	0.25	37	<5	24	<0.5	<1	0.22	<0.5	36	18.4	3.4	48.1	4.54
SE5507476	<0.2	0.33	37	<5	26	<0.5	<1	1.09	<0.5	23	14.7	3.0	43.5	3.60
SE5507477	0.4	0.34	27	<5	20	<0.5	<1	6.18	<0.5	28	11.2	4.1	33.3	3.10
SE5507478	0.3	0.29	20	<5	17	<0.5	<1	5.00	<0.5	27	9.9	3.5	28.6	2.65
SE5507479	<0.2	2.11	3	<5	41	0.5	<1	0.05	<0.5	69	16.6	30.1	39.9	4.41
SE5507480	<0.2	1.66	7	<5	36	0.8	<1	0.05	<0.5	52	34.0	18.6	54.1	4.58
SE5507481	<0.2	1.81	7	<5	57	0.6	<1	0.06	<0.5	47	19.4	24.8	34.7	4.08
SE5507482	<0.2	2.03	7	<5	79	0.7	<1	0.40	<0.5	29	19.1	26.7	52.1	4.24
SE5507483	<0.2	1.29	7	<5	58	0.5	<1	0.15	<0.5	49	17.0	16.6	29.9	3.68
SE5507484	<0.2	1.93	8	<5	108	0.9	<1	0.37	<0.5	39	19.0	25.3	31.5	4.20
SE5507485	<0.2	1.89	6	<5	73	0.6	<1	0.26	<0.5	63	15.6	24.2	28.0	4.24
SE5507486	<0.2	2.01	6	<5	74	0.6	<1	0.34	<0.5	53	15.2	26.7	29.3	3.96
SE5507487	<0.2	2.15	6	<5	73	0.6	<1	0.18	<0.5	66	14.0	28.5	28.3	4.22
SE5507488	<0.2	1.68	5	<5	60	<0.5	<1	0.63	<0.5	49	11.2	22.8	30.6	3.57
SE5507489	<0.2	1.78	11	<5	104	0.6	<1	1.68	<0.5	24	15.2	24.6	29.7	3.21
SE5507490	<0.2	2.31	5	<5	58	0.7	<1	0.05	<0.5	71	20.7	29.0	45.9	4.69
SE5507491	<0.2	1.61	4	<5	57	0.5	<1	0.10	<0.5	45	13.5	21.0	23.6	3.66
SE5507492	<0.2	1.88	11	<5	91	0.7	<1	0.11	<0.5	51	12.7	29.5	26.8	3.05
SE5507493	<0.2	2.18	6	<5	74	0.7	<1	0.11	<0.5	65	21.7	29.3	41.2	4.60
SE5507494	<0.2	1.99	7	<5	47	0.6	<1	0.12	<0.5	73	19.8	24.2	41.1	4.55
SE5507495	0.3	1.36	11	<5	73	0.5	<1	3.39	<0.5	31	14.5	18.6	31.1	3.03
SE5507496	0.5	0.90	15	<5	72	<0.5	<1	8.26	<0.5	29	13.9	8.4	27.0	2.36
SE5507497	0.3	1.61	16	<5	75	0.8	<1	0.36	<0.5	52	17.5	16.7	36.8	3.50
SE5507498	<0.2	1.50	13	<5	78	0.8	<1	0.26	<0.5	53	17.3	16.7	39.4	3.74
SE5507499	2.5	2.10	11	<5	111	0.9	<1	1.00	4.7	22	16.3	34.3	797	4.77
SE5507500	0.7	0.06	2	<5	36	<0.5	<1	19.4	<0.5	<1	0.8	2.6	4.4	0.43
SE5507501	<0.2	1.67	16	<5	84	0.7	<1	1.73	<0.5	58	16.4	22.6	38.2	3.72
SE5507502	<0.2	1.42	15	<5	74	0.8	<1	0.94	<0.5	56	17.7	17.8	42.3	3.79
SE5507503	<0.2	1.47	14	<5	70	0.5	<1	0.12	<0.5	35	15.0	21.3	31.1	3.74
SE5507504	<0.2	0.74	95	<5	29	<0.5	<1	0.31	<0.5	37	17.4	8.1	35.0	3.78
SE5507505	<0.2	0.85	79	<5	47	<0.5	<1	0.11	<0.5	40	14.4	11.0	32.8	3.84

Certified By:



# Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

**Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)**

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
SE5507506	<0.2	1.27	45	<5	62	0.8	<1	0.42	<0.5	51	13.8	14.2	30.4	3.73
SE5507507	<0.2	1.48	16	<5	81	0.8	<1	0.25	<0.5	58	19.3	18.8	38.8	4.10
SE5507508	<0.2	0.79	8	<5	55	<0.5	<1	0.29	<0.5	22	5.3	12.9	9.1	2.13
SE5507509	<0.2	0.99	12	<5	34	0.5	<1	0.99	<0.5	38	12.0	12.4	34.8	3.21
SE5507510	<0.2	0.78	157	<5	35	0.5	<1	0.18	<0.5	52	13.2	9.0	33.0	3.72
SE5507511	0.5	1.42	16	<5	84	0.7	<1	5.96	<0.5	41	13.7	14.5	32.9	2.98
SE5507512	<0.2	1.22	13	<5	49	0.6	<1	0.12	<0.5	55	18.3	14.6	44.5	3.83
SE5507513	<0.2	1.50	13	<5	85	0.6	<1	0.29	<0.5	52	12.5	16.8	39.0	3.62
SE5507514	<0.2	0.58	14	<5	45	0.5	<1	1.25	<0.5	28	10.9	5.2	29.5	2.49
SE5507515	<0.2	1.06	10	<5	35	0.8	<1	0.17	<0.5	46	31.6	12.1	47.3	4.49
SE5507516	<0.2	0.94	10	<5	21	0.6	<1	0.37	<0.5	31	30.1	11.6	59.6	4.32
SE5507517	<0.2	1.38	11	<5	55	0.8	<1	0.32	<0.5	33	24.5	13.8	38.1	4.78
SE5507518	<0.2	0.77	19	<5	39	0.7	<1	0.19	<0.5	23	31.3	8.7	63.2	4.88
SE5507519	<0.2	0.85	33	<5	39	0.6	<1	0.09	<0.5	36	25.7	10.1	52.7	4.47
SE5507520	<0.2	1.48	26	<5	72	0.6	<1	0.83	<0.5	34	11.4	19.1	26.4	3.45
SE5507521	<0.2	1.62	20	<5	74	0.5	<1	0.27	<0.5	43	10.6	21.8	18.4	3.98
SE5507522	<0.2	1.48	30	<5	31	<0.5	<1	0.61	<0.5	25	12.9	18.7	35.1	3.65
SE5507523	<0.2	1.00	36	<5	49	<0.5	<1	1.95	<0.5	33	22.4	13.0	43.5	3.39
SE5507524	<0.2	0.94	27	<5	41	<0.5	<1	2.43	<0.5	23	13.0	12.0	34.9	2.89
SE5507525	0.2	0.91	152	<5	49	0.6	<1	1.41	<0.5	21	23.6	12.7	50.8	3.45
SE5507526	0.3	0.99	27	<5	61	<0.5	<1	4.03	<0.5	23	9.0	14.4	24.2	2.49
SE5507527	<0.2	1.24	20	<5	84	0.5	<1	1.91	<0.5	19	8.9	15.3	21.6	2.42
SE5507528	<0.2	1.43	20	<5	88	0.6	<1	0.58	<0.5	34	9.0	21.0	18.7	2.67
SE5507529	<0.2	1.42	21	<5	88	0.5	<1	1.43	<0.5	31	9.2	21.9	21.2	2.79
SE5507530	<0.2	1.40	14	<5	59	1.0	<1	0.32	<0.5	39	17.7	16.7	34.8	3.41
SE5507531	<0.2	1.35	23	<5	84	0.8	<1	1.31	<0.5	32	10.9	19.9	26.3	3.22
SE5507532	<0.2	2.21	17	<5	57	0.7	<1	0.47	<0.5	54	19.4	27.3	45.6	4.75
SE5507533	<0.2	1.30	30	<5	78	0.8	<1	0.49	<0.5	44	15.1	19.1	31.1	4.60
SE5507534	<0.2	0.68	9	<5	52	<0.5	<1	0.08	<0.5	25	7.2	12.6	13.2	3.05
SE5507535	<0.2	1.87	15	<5	66	0.9	<1	0.14	<0.5	34	30.2	22.0	63.0	4.83
SE5507536	<0.2	1.83	21	<5	51	0.6	<1	0.04	<0.5	63	17.5	25.3	45.4	4.25
SE5507537	<0.2	2.13	30	<5	35	0.7	<1	0.06	<0.5	60	27.8	29.1	54.2	5.14

Certified By:





# AGAT Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
SE5507538	<0.2	1.51	18	<5	46	1.0	<1	0.07	<0.5	50	48.3	18.5	74.5	5.11
SE5507539	<0.2	1.26	18	<5	37	1.0	<1	0.08	<0.5	64	49.4	14.3	78.4	5.21
SE5507540	<0.2	1.23	158	<5	39	1.1	<1	0.04	<0.5	73	57.1	18.0	84.1	5.81
SE5507541	<0.2	1.19	156	<5	39	0.9	<1	0.06	<0.5	60	38.6	15.2	67.6	5.54
SE5507542	<0.2	1.10	70	<5	26	0.7	<1	0.06	<0.5	81	37.1	13.8	60.9	4.73
SE5507543	<0.2	1.74	15	<5	57	0.9	<1	0.26	<0.5	34	32.5	24.7	59.7	4.16
SE5507544	<0.2	2.29	7	<5	47	0.9	<1	0.08	<0.5	60	32.7	31.9	57.4	5.08
SE5507545	<0.2	0.67	13	<5	90	<0.5	<1	0.04	<0.5	25	12.1	12.2	22.4	2.49
SE5507546	<0.2	1.78	15	<5	67	0.6	<1	0.21	<0.5	62	22.2	24.5	49.0	4.60
SE5507547	<0.2	1.53	9	<5	117	0.6	<1	0.31	<0.5	32	14.1	22.6	23.8	3.22
SE5507548	<0.2	1.77	11	<5	138	0.6	<1	0.36	<0.5	37	14.6	26.7	26.5	3.64
SE5507549	2.5	1.97	12	<5	101	0.8	<1	0.94	4.1	21	16.1	32.4	790	4.62
SE5507550	0.3	0.06	3	<5	44	<0.5	<1	18.3	<0.5	<1	0.8	2.4	6.6	0.40
SE5507551	<0.2	1.35	21	<5	65	0.8	<1	0.24	<0.5	48	20.7	16.3	43.4	4.85
SE5507552	<0.2	1.20	21	<5	39	0.5	<1	0.21	<0.5	41	14.2	14.8	26.6	3.43
SE5507553	<0.2	1.50	56	<5	51	0.8	<1	0.09	<0.5	56	29.7	20.7	57.4	5.00
SE5507554	<0.2	1.36	23	<5	48	0.7	<1	0.17	<0.5	36	20.7	17.9	41.7	3.93
SE5507555	<0.2	1.51	38	<5	67	0.6	<1	0.09	<0.5	38	16.2	21.8	40.4	3.82
SE5507556	<0.2	1.17	2150	<5	42	0.8	<1	0.06	<0.5	40	48.7	13.2	70.0	6.03
SE5507557	<0.2	1.69	45	<5	82	0.9	<1	0.05	<0.5	29	30.6	21.1	54.1	4.24
SE5507558	<0.2	1.79	64	<5	81	1.0	<1	0.13	<0.5	34	42.5	23.5	63.4	4.98
SE5507559	<0.2	2.57	9	<5	37	0.5	<1	0.03	<0.5	66	36.3	36.7	134	5.78
SE5507660	<0.2	0.64	19	<5	27	<0.5	<1	0.49	<0.5	30	13.7	9.1	36.4	4.29
SE5507661	<0.2	0.78	14	<5	44	<0.5	<1	0.07	<0.5	36	12.7	12.3	37.9	3.69
SE5507662	<0.2	0.21	39	<5	28	<0.5	<1	0.24	<0.5	22	12.7	1.6	31.0	4.35
SE5507663	<0.2	0.17	47	<5	20	<0.5	<1	0.37	<0.5	14	13.4	2.3	32.9	4.61
SE5507664	<0.2	0.15	36	<5	24	0.5	<1	0.20	<0.5	15	12.5	2.9	31.2	4.19
SE5507665	<0.2	0.37	39	<5	43	0.5	<1	0.20	<0.5	33	16.7	7.7	36.4	4.97
SE5507666	<0.2	0.21	35	<5	29	0.5	<1	0.36	<0.5	36	17.4	3.5	41.5	4.70
SE5507667	<0.2	0.25	300	<5	32	<0.5	<1	0.25	<0.5	21	14.7	3.9	39.9	3.95
SE5507668	<0.2	0.21	29	<5	18	<0.5	<1	0.21	<0.5	39	15.2	2.5	39.6	3.52
SE5507669	<0.2	0.27	32	<5	27	<0.5	<1	0.69	<0.5	22	11.9	2.4	34.2	3.53

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
SE5507670	<0.2	0.24	39	<5	29	<0.5	<1	0.38	<0.5	13	14.9	1.9	38.2	3.74
SE5507671	<0.2	0.22	34	<5	19	<0.5	<1	0.24	<0.5	21	17.8	2.4	45.3	4.16
SE5507672	0.2	0.42	27	<5	17	<0.5	<1	5.58	<0.5	23	13.1	5.5	37.2	3.55
SE5507673	<0.2	0.87	12	<5	60	0.7	<1	0.44	<0.5	32	11.7	12.6	29.5	3.76
SE5507674	0.6	0.60	8	<5	38	<0.5	<1	13.0	<0.5	22	6.9	8.8	25.1	2.06
SE5507945	<0.2	1.50	6	<5	97	1.0	<1	0.05	<0.5	13	16.8	20.6	30.7	3.74
SE5507946	<0.2	1.23	11	<5	107	0.6	<1	0.05	<0.5	26	10.1	19.3	24.9	3.45
SE5507947	<0.2	0.47	8	<5	59	<0.5	<1	0.02	<0.5	11	12.3	9.5	32.0	3.81
SE5507948	<0.2	0.40	11	<5	42	0.5	<1	<0.01	<0.5	6	21.3	7.6	47.0	4.90
SE5507972	<0.2	1.27	6	<5	214	1.0	<1	0.07	<0.5	17	14.7	19.3	28.5	3.77
SE5507973	<0.2	1.31	13	<5	86	0.9	<1	0.05	<0.5	16	14.6	20.6	33.6	3.87
SE5507974	<0.2	1.36	11	<5	115	1.2	<1	0.07	<0.5	12	21.2	20.6	47.2	3.89
SE5507975	<0.2	0.93	13	<5	149	0.7	<1	0.17	<0.5	19	13.4	16.7	29.4	2.83
SE5507976	<0.2	0.96	12	<5	87	0.7	<1	0.06	<0.5	16	12.5	17.9	28.2	3.22
SE5507977	<0.2	1.02	16	<5	87	1.0	<1	0.13	<0.5	20	14.3	15.4	30.9	3.43
SE5507978	<0.2	1.14	13	<5	91	0.9	<1	0.28	<0.5	9	14.4	17.2	31.7	3.54
SE5507979	<0.2	1.07	12	<5	88	1.3	<1	0.06	<0.5	9	30.9	14.9	44.6	4.42
SE5507980	<0.2	0.56	23	<5	48	1.1	<1	0.06	<0.5	14	24.0	9.6	43.8	5.12
SE5507981	<0.2	0.46	21	<5	45	0.9	<1	0.08	<0.5	13	19.0	7.9	33.0	3.82
SE5507982	<0.2	1.75	6	<5	58	0.6	<1	0.03	<0.5	10	22.6	27.9	44.1	4.90
SE5507983	<0.2	1.14	12	<5	54	1.8	<1	0.05	<0.5	12	25.5	21.2	65.6	6.43
SE5507984	<0.2	0.35	88	<5	26	0.6	<1	0.01	<0.5	5	20.7	9.6	48.2	5.65
SE5507985	<0.2	0.86	10	<5	90	1.0	<1	0.06	<0.5	9	25.8	13.5	49.6	4.47
SE5507986	<0.2	0.97	10	<5	67	1.0	<1	0.05	<0.5	10	21.9	16.3	45.6	4.47
SE5507987	<0.2	1.27	15	<5	84	0.8	<1	0.28	<0.5	22	12.0	17.3	24.4	3.44
SE5507988	<0.2	1.20	12	<5	120	0.8	<1	0.60	<0.5	18	9.3	18.2	20.9	2.88
SE5507989	<0.2	1.35	13	<5	110	0.7	<1	0.21	<0.5	21	12.4	25.8	22.6	3.83
SE5507990	<0.2	0.54	99	<5	117	0.6	<1	0.47	<0.5	9	13.0	7.1	33.9	3.73
SE5507991	<0.2	1.20	24	<5	93	1.0	<1	0.24	<0.5	9	19.2	20.8	41.0	3.98
SE5507992	<0.2	1.15	37	<5	146	1.2	<1	0.08	<0.5	13	35.9	17.6	50.0	4.78
SE5507993	<0.2	1.29	18	<5	94	1.4	<1	0.06	<0.5	15	29.4	20.2	49.1	4.23
SE5507994	<0.2	0.59	<1	<5	246	1.2	<1	0.05	<0.5	4	34.4	13.5	92.7	5.31

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
SE5507995	<0.2	1.56	10	<5	183	1.2	<1	0.27	<0.5	32	12.1	22.3	27.1	3.67
SE5507996	<0.2	1.29	10	<5	115	1.0	<1	0.06	<0.5	21	20.6	17.3	33.7	4.19
SE5507997	0.2	0.92	15	<5	99	0.8	<1	0.79	<0.5	27	11.4	14.2	25.9	3.26
SE5507998	<0.2	0.75	3	<5	80	<0.5	<1	0.02	<0.5	8	15.3	17.8	10.7	3.83
SE5507999	<0.2	0.70	110	<5	78	0.9	<1	0.03	<0.5	10	26.1	8.5	53.7	4.85
SE5508000	<0.2	0.30	27	<5	42	<0.5	<1	0.03	<0.5	15	12.7	3.1	30.6	2.79
SE5508001	<0.2	0.26	39	<5	41	<0.5	<1	0.04	1.5	29	12.3	3.6	36.5	2.83
SE5508002	<0.2	2.08	5	<5	59	0.6	<1	0.03	<0.5	33	18.2	30.7	50.5	5.41
SE5508003	<0.2	1.11	12	<5	29	0.6	<1	1.80	<0.5	40	16.7	14.7	44.8	5.27
SE5508004	<0.2	1.42	14	<5	86	0.7	<1	2.08	<0.5	49	16.7	17.7	44.2	4.39
SE5508005	<0.2	1.34	15	<5	78	0.7	<1	0.92	<0.5	42	18.3	18.1	47.3	4.07
SE5508006	<0.2	1.68	13	<5	82	0.7	<1	0.55	<0.5	38	12.8	25.4	40.3	3.87
SE5508007	<0.2	1.37	6	<5	45	0.7	<1	0.44	<0.5	35	14.7	19.2	41.1	4.85
SE5508008	<0.2	0.80	20	<5	46	0.6	<1	0.36	<0.5	31	13.5	10.0	37.3	4.64
SE5508009	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
SE5508126	<0.2	0.99	39	<5	103	0.8	<1	0.66	<0.5	9	18.1	16.5	46.3	4.15
SE5508262	<0.2	0.93	11	<5	31	0.7	<1	0.15	<0.5	38	29.1	9.4	55.8	5.10
SE5508263	<0.2	0.94	10	<5	49	0.6	<1	0.76	<0.5	28	13.8	9.9	34.9	4.21
SE5508264	<0.2	0.99	30	<5	43	0.7	<1	1.45	<0.5	38	21.5	11.2	49.1	4.52
SE5508265	<0.2	2.13	12	<5	102	0.6	<1	0.21	<0.5	57	14.3	28.3	32.2	4.33
SE5508266	<0.2	1.90	20	<5	59	0.6	<1	0.14	<0.5	64	18.8	26.0	39.2	4.39
SE5508267	<0.2	1.90	41	<5	38	<0.5	<1	2.47	<0.5	67	19.9	22.8	54.0	4.47
SE5508268	<0.2	2.32	20	<5	79	0.8	<1	0.31	<0.5	61	18.7	28.5	36.8	4.58
SE5508269	<0.2	2.09	13	<5	45	0.6	<1	0.03	<0.5	64	18.4	26.7	39.6	4.75
SE5508270	<0.2	1.48	43	<5	51	0.6	<1	0.46	<0.5	45	14.5	20.2	41.5	4.28
SE5508271	<0.2	1.81	23	<5	84	0.6	<1	0.67	<0.5	34	11.6	27.2	30.8	4.03
SE5508272	<0.2	0.55	17	<5	51	0.6	<1	0.84	<0.5	44	15.1	5.3	31.4	4.04
SE5508273	<0.2	1.85	46	<5	72	0.7	<1	0.28	<0.5	51	19.1	24.1	41.8	4.80
SE5508274	0.3	1.21	110	<5	61	0.7	<1	4.67	<0.5	30	11.2	16.8	37.1	4.67
SE5508275	0.6	0.89	74	<5	42	<0.5	<1	9.91	<0.5	18	10.9	12.1	21.4	2.94
SE5508276	0.3	0.48	59	<5	36	<0.5	<1	14.0	<0.5	14	8.3	6.4	21.8	2.17
SE5508277	<0.2	2.34	8	<5	46	1.4	<1	0.05	<0.5	72	50.1	30.8	96.3	5.03

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
SE5508278	<0.2	2.55	5	<5	58	1.1	<1	0.02	<0.5	54	47.3	33.1	104	4.99
SE5508279	<0.2	2.52	<1	<5	23	<0.5	<1	<0.01	<0.5	62	10.8	36.6	47.3	5.10
SE5508280	<0.2	2.68	2	<5	28	<0.5	<1	<0.01	<0.5	76	11.7	37.5	48.0	5.30
SE5508281	<0.2	2.65	4	<5	38	0.5	<1	0.02	<0.5	81	34.9	35.2	69.4	5.09
SE5508282	<0.2	2.65	5	<5	41	0.8	<1	<0.01	<0.5	76	48.8	36.4	163	6.14
SE5508283	<0.2	2.40	18	<5	54	1.1	<1	0.03	<0.5	72	56.8	33.0	93.5	5.11
SE5508284	<0.2	2.20	34	<5	45	0.9	6	0.03	<0.5	52	62.8	32.3	114	5.54
SE5508285	<0.2	2.32	60	<5	58	1.5	7	0.03	<0.5	50	86.2	30.5	138	5.43
SE5508286	<0.2	2.91	26	<5	57	1.5	7	0.04	<0.5	76	68.7	37.1	112	5.58
SE5508287	<0.2	2.64	17	5	46	1.1	7	0.03	<0.5	61	50.8	34.0	90.3	5.11
SE5508288	<0.2	1.28	52	<5	85	0.6	4	0.73	<0.5	8	18.0	17.3	46.6	3.59
SE5508289	<0.2	1.77	18	<5	50	1.1	5	0.06	<0.5	30	56.8	17.1	80.2	5.21
SE5508290	<0.2	2.09	29	<5	63	0.9	8	0.12	<0.5	37	24.2	27.7	59.6	4.82
SE5508291	<0.2	1.58	47	<5	53	1.0	5	0.05	<0.5	38	48.0	17.1	66.2	5.48
SE5508292	<0.2	1.67	30	<5	48	0.8	6	0.04	<0.5	46	33.4	19.2	58.0	5.12
SE5508293	<0.2	1.78	19	5	30	1.5	7	0.04	<0.5	33	94.5	12.9	134	6.84
SE5508294	<0.2	2.26	16	5	64	1.0	5	0.12	<0.5	50	26.1	30.2	57.4	4.67
SE5508295	<0.2	2.21	17	<5	50	0.7	6	0.06	<0.5	45	19.4	29.9	52.5	4.23
SE5508296	<0.2	1.77	21	<5	50	0.6	7	0.02	<0.5	57	18.4	23.3	43.0	4.02
SE5508297	<0.2	1.91	63	<5	58	0.6	6	0.03	<0.5	36	23.7	24.3	51.3	4.55
SE5508298	<0.2	2.05	60	<5	64	0.6	5	0.05	<0.5	36	19.6	24.9	50.9	4.64
SE5508299	2.5	2.23	18	10	112	0.6	9	1.04	3.8	4	13.7	35.9	760	4.55
SE5508300	<0.2	0.04	12	<5	19	<0.5	<1	18.1	<0.5	8	1.1	<0.5	1.9	0.38
SE5508301	<0.2	1.36	128	5	70	0.6	6	0.02	<0.5	40	18.6	14.2	45.3	4.30
SE5508302	<0.2	1.35	51	<5	55	0.5	5	0.12	<0.5	37	13.8	16.9	36.1	3.74
SE5508303	<0.2	1.90	23	<5	92	0.7	4	1.99	<0.5	18	15.0	26.0	45.5	3.80
SE5508304	<0.2	0.70	28	6	45	<0.5	<1	11.3	0.6	16	7.5	11.1	22.1	2.34
SE5508305	<0.2	1.39	92	<5	39	0.8	7	0.04	<0.5	53	31.6	20.2	73.8	5.16
SE5508512	<0.2	2.11	9	<5	126	1.5	4	0.06	<0.5	<1	23.1	28.8	53.5	4.33
SE5508538	<0.2	1.05	9	<5	94	0.7	3	0.10	<0.5	1	11.4	11.9	20.7	3.09
SE5508539	<0.2	1.88	10	<5	103	1.1	5	0.07	<0.5	4	18.4	25.5	28.4	4.32
SE5508540	<0.2	2.23	11	5	235	1.4	5	0.13	<0.5	7	30.1	29.2	36.4	4.49

Certified By:



**AGAT** Laboratories

# Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

## Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
SE5508541	<0.2	1.68	12	<5	109	0.9	6	0.05	<0.5	<1	17.1	22.5	34.4	4.61
SE5508542	<0.2	1.84	13	5	133	1.0	6	0.09	<0.5	<1	15.9	27.2	34.8	4.95
SE5508543	<0.2	1.44	16	6	162	0.9	3	0.31	<0.5	8	14.6	21.8	29.7	3.61
SE5508544	<0.2	1.37	15	<5	151	0.9	3	0.70	<0.5	7	13.5	19.6	32.5	3.25
SE5508545	<0.2	1.38	17	<5	154	1.0	4	0.69	<0.5	9	14.3	17.9	37.7	3.61
SE5508546	<0.2	1.16	37	<5	102	1.1	5	0.38	<0.5	<1	18.6	18.6	49.0	4.02
SE5508547	<0.2	0.44	27	<5	25	<0.5	4	0.02	<0.5	<1	9.6	6.2	25.7	2.97
SE5508548	<0.2	0.40	26	<5	21	<0.5	4	0.02	<0.5	<1	10.6	6.3	25.9	2.89
SE5508549	2.5	1.98	18	9	98	0.5	8	0.88	3.9	<1	14.5	32.1	738	4.41
SE5508550	<0.2	0.03	14	<5	42	<0.5	<1	18.7	<0.5	9	1.2	<0.5	1.8	0.44
SE5508551	<0.2	0.38	4	<5	50	<0.5	2	0.06	<0.5	<1	4.0	9.8	28.8	1.34
SE5508552	<0.2	0.88	27	<5	46	<0.5	4	0.03	<0.5	<1	8.8	12.8	27.5	3.60
SE5508553	<0.2	0.40	18	<5	39	<0.5	3	0.01	<0.5	<1	7.8	5.1	27.9	2.54
SE5508554	<0.2	0.67	52	<5	143	0.7	5	0.36	<0.5	<1	19.5	12.4	39.5	4.16
SE5508555	<0.2	1.27	12	<5	83	0.7	5	0.06	<0.5	3	12.0	18.7	23.9	4.01
SE5508556	<0.2	1.51	8	<5	75	0.9	<1	0.02	<0.5	15	14.6	22.6	33.4	4.33
SE5508557	<0.2	1.18	10	<5	103	1.0	<1	0.04	<0.5	23	17.9	18.5	37.8	4.25
SE5508558	<0.2	1.14	17	<5	94	1.0	<1	0.06	<0.5	15	19.6	16.9	32.6	3.96
SE5508559	<0.2	1.23	14	<5	128	1.1	<1	0.42	<0.5	25	14.7	16.9	33.9	3.68
SE5508616	<0.2	0.71	7	<5	65	<0.5	<1	0.03	<0.5	19	11.8	10.2	24.8	4.35
SE5508617	<0.2	0.33	27	<5	28	<0.5	<1	0.02	<0.5	10	8.3	4.5	26.5	3.28
SE5508618	<0.2	0.34	37	<5	39	<0.5	<1	0.01	<0.5	12	11.4	4.0	25.0	3.52
SE5508619	0.3	1.24	20	<5	102	1.2	<1	0.58	<0.5	35	11.2	18.2	26.9	3.50
SE5508620	<0.2	0.38	13	<5	82	<0.5	<1	0.05	<0.5	14	12.4	6.4	21.4	2.61
SE5508621	<0.2	0.19	52	<5	21	<0.5	<1	0.01	<0.5	10	5.4	2.7	21.2	2.54

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
SE5506197	6	<1	1	0.06	2	33	0.51	1560	2.3	<0.01	41.3	595	45.9	11
SE5506198	6	<1	<1	0.05	2	32	0.49	1660	1.8	<0.01	38.2	607	48.2	11
SE5506199	8	<1	<1	0.26	8	14	1.15	652	11.6	0.13	29.9	535	256	23
SE5506200	<5	<1	<1	0.02	2	1	11.4	259	2.6	<0.01	1.5	254	<0.5	16
SE5506201	7	<1	2	0.07	3	35	0.60	2250	1.0	0.01	34.1	1080	64.8	15
SE5506202	9	<1	<1	0.08	5	26	0.49	3630	2.0	0.01	28.7	1580	63.7	23
SE5506203	<5	<1	1	0.08	5	10	0.21	893	2.2	<0.01	33.1	288	33.6	<10
SE5506204	<5	<1	<1	0.08	5	11	0.23	2380	1.0	<0.01	29.3	663	58.5	13
SE5506205	<5	<1	<1	0.08	5	11	0.22	1200	0.9	<0.01	35.6	353	41.3	10
SE5506206	<5	<1	4	0.07	5	9	0.19	1010	<0.5	<0.01	35.1	329	39.4	<10
SE5506207	<5	<1	2	0.05	4	8	0.15	918	1.3	<0.01	32.4	285	35.8	<10
SE5506208	7	<1	<1	0.06	4	35	0.53	1170	1.6	<0.01	35.1	410	34.6	12
SE5506209	7	<1	<1	0.07	6	32	0.49	1190	1.1	<0.01	31.4	728	32.6	17
SE5506210	6	<1	<1	0.07	7	37	0.57	967	1.1	<0.01	34.8	494	33.3	12
SE5506211	9	<1	3	0.07	4	37	0.51	1370	1.0	<0.01	27.6	907	33.9	18
SE5506212	6	<1	<1	0.07	8	33	0.50	800	1.2	<0.01	28.8	417	28.2	12
SE5506213	6	<1	<1	0.08	5	41	0.57	805	1.0	<0.01	36.5	344	32.1	13
SE5506214	<5	<1	1	0.06	11	18	0.27	839	1.4	<0.01	27.0	705	40.0	11
SE5506215	<5	<1	1	0.06	4	8	0.10	624	0.8	<0.01	22.9	458	38.0	<10
SE5506216	5	<1	2	0.10	5	8	0.13	2320	1.5	<0.01	16.2	1230	39.4	24
SE5506217	<5	<1	<1	0.08	6	10	0.13	874	1.9	<0.01	24.4	699	50.1	19
SE5506218	5	<1	4	0.08	4	6	0.09	2130	1.3	<0.01	25.4	694	45.6	19
SE5506219	<5	<1	<1	0.10	6	3	0.06	1640	1.9	<0.01	20.0	713	27.8	25
SE5506220	7	<1	<1	0.07	7	10	0.22	663	0.9	<0.01	13.8	479	20.7	18
SE5506221	8	<1	<1	0.07	10	21	0.27	1100	1.9	<0.01	19.9	656	31.0	25
SE5506222	<5	<1	3	0.05	7	19	0.37	1490	2.3	<0.01	37.2	553	23.0	10
SE5506223	9	<1	<1	0.08	11	23	0.31	955	2.5	<0.01	22.7	577	17.3	25
SE5506224	<5	<1	4	0.08	12	5	0.10	673	<0.5	<0.01	19.2	809	626	<10
SE5506225	<5	<1	2	0.07	10	11	0.21	617	1.2	<0.01	22.9	641	86.2	11
SE5506226	<5	<1	2	0.07	11	4	0.08	299	1.4	<0.01	16.1	384	29.9	15
SE5506227	<5	<1	2	0.08	12	8	0.15	820	1.3	<0.01	15.2	681	34.7	24
SE5506228	5	<1	<1	0.07	14	5	0.10	1010	1.4	<0.01	24.7	716	34.4	16

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
SE5506229	6	<1	2	0.06	13	36	1.94	1440	0.8	<0.01	30.8	734	60.6	16
SE5506230	6	<1	2	0.05	21	38	0.59	1050	0.8	<0.01	37.0	603	48.6	<10
SE5506231	6	<1	2	0.05	23	42	0.59	924	1.3	<0.01	36.9	599	36.3	<10
SE5506232	8	<1	6	0.06	21	50	0.78	1000	<0.5	<0.01	42.8	504	38.3	10
SE5506233	<5	<1	<1	0.04	7	23	0.19	584	1.3	<0.01	33.9	709	34.3	<10
SE5506234	<5	<1	<1	0.04	5	9	0.07	643	1.0	<0.01	35.0	406	41.2	<10
SE5506235	<5	<1	<1	0.03	8	20	0.15	763	0.7	<0.01	21.6	705	24.5	<10
SE5506236	<5	<1	1	0.03	11	4	0.06	436	0.7	<0.01	33.2	598	33.3	<10
SE5506237	<5	<1	<1	0.04	8	1	0.03	268	0.6	<0.01	32.9	354	35.6	<10
SE5506238	<5	<1	<1	0.04	13	2	0.04	453	0.8	<0.01	33.0	528	43.0	<10
SE5506239	<5	<1	<1	0.04	13	2	0.05	708	1.5	<0.01	39.6	469	34.2	<10
SE5506240	<5	<1	2	0.04	17	25	0.17	779	0.7	<0.01	41.3	872	54.6	<10
SE5506241	<5	<1	<1	0.05	7	2	0.20	422	2.1	<0.01	31.0	796	30.7	<10
SE5506242	<5	<1	3	0.05	5	1	0.09	403	1.2	<0.01	33.4	612	31.9	<10
SE5506243	<5	<1	<1	0.05	5	1	0.05	471	0.9	<0.01	36.1	567	31.3	<10
SE5506244	<5	<1	3	0.04	10	3	0.05	384	1.1	<0.01	34.1	683	31.6	<10
SE5506245	<5	<1	1	0.05	16	2	0.06	690	1.8	<0.01	35.1	642	23.0	<10
SE5506246	<5	<1	<1	0.04	14	1	0.04	639	1.2	<0.01	36.2	551	36.0	<10
SE5506247	<5	<1	1	0.04	9	1	0.03	257	0.5	<0.01	33.6	460	28.7	<10
SE5506248	<5	<1	3	0.03	8	1	0.03	293	2.4	<0.01	35.1	429	30.8	<10
SE5506249	10	<1	2	0.28	10	15	1.25	677	13.1	0.15	30.6	559	270	25
SE5506250	<5	<1	<1	0.03	2	1	12.3	245	2.7	<0.01	1.7	257	<0.5	17
SE5506251	<5	<1	3	0.06	17	16	0.12	573	1.1	<0.01	31.7	680	33.5	11
SE5506252	<5	<1	3	0.07	17	37	0.35	534	1.0	<0.01	42.7	498	34.8	10
SE5506253	<5	<1	<1	0.07	15	17	0.12	564	1.2	<0.01	35.7	528	35.3	<10
SE5506254	<5	<1	1	0.06	20	67	1.13	376	1.9	<0.01	29.6	820	29.8	15
SE5506255	<5	<1	3	0.04	8	33	0.21	457	1.9	<0.01	26.3	627	28.1	14
SE5506256	<5	<1	3	0.05	11	33	0.24	456	3.0	<0.01	21.1	565	24.4	17
SE5506257	<5	<1	2	0.05	14	16	0.12	436	1.9	<0.01	25.5	645	27.5	13
SE5506258	8	<1	3	0.05	34	52	0.83	947	1.3	<0.01	40.1	626	38.4	11
SE5506259	8	<1	<1	0.07	32	54	0.84	1160	0.9	<0.01	38.3	862	40.3	13
SE5506310	7	<1	1	0.06	31	65	0.76	1290	0.9	<0.01	44.0	628	30.9	12

Certified By:



# Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

**Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)**

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
SE5506311	8	<1	<1	0.04	34	53	0.85	646	<0.5	<0.01	35.1	458	25.8	10
SE5506312	6	<1	<1	0.05	25	64	0.76	861	<0.5	<0.01	39.5	476	28.2	11
SE5506313	8	<1	<1	0.04	21	46	0.69	1050	0.6	<0.01	36.1	697	33.4	11
SE5506314	7	<1	<1	0.08	37	40	0.63	855	<0.5	<0.01	39.7	656	29.0	<10
SE5506315	8	<1	<1	0.05	32	55	0.79	937	<0.5	<0.01	41.7	510	34.2	<10
SE5506316	<5	<1	<1	0.02	7	17	8.85	508	1.8	0.01	7.8	483	6.2	15
SE5506317	8	<1	5	0.08	29	39	0.67	680	0.5	<0.01	33.6	768	30.0	19
SE5506318	8	<1	<1	0.05	20	38	0.52	945	1.0	<0.01	34.2	1200	39.5	14
SE5506319	5	<1	1	0.05	25	30	0.82	622	0.5	<0.01	36.4	1590	33.6	17
SE5506320	7	<1	<1	0.05	20	38	0.57	2180	0.5	<0.01	34.8	995	46.1	<10
SE5506321	8	<1	2	0.05	18	40	0.57	1430	1.6	<0.01	39.1	1050	50.7	12
SE5506322	6	<1	<1	0.11	16	21	0.88	1240	2.2	<0.01	30.7	582	19.0	26
SE5506323	7	<1	4	0.09	16	24	0.38	904	3.5	<0.01	29.5	588	26.1	25
SE5506324	7	<1	<1	0.10	18	25	0.39	934	2.4	<0.01	32.5	621	26.8	26
SE5506325	5	<1	4	0.07	19	22	0.84	943	1.7	<0.01	28.4	666	22.8	19
SE5506326	6	<1	4	0.09	29	36	0.55	712	0.7	<0.01	33.6	510	27.3	12
SE5506327	<5	<1	<1	0.02	7	1	0.03	529	<0.5	<0.01	4.9	632	8.8	<10
SE5506328	7	<1	<1	0.03	21	30	0.62	762	<0.5	<0.01	30.7	1320	29.9	<10
SE5506329	8	<1	<1	0.03	26	35	0.88	783	0.6	<0.01	36.7	771	59.3	<10
SE5506330	6	<1	<1	0.04	24	29	0.54	1530	0.7	<0.01	31.6	1020	32.9	<10
SE5506331	<5	<1	<1	0.04	19	17	0.22	858	<0.5	<0.01	22.7	615	28.5	11
SE5506332	<5	<1	<1	0.03	13	18	0.21	636	0.7	<0.01	22.4	512	25.3	<10
SE5506333	6	<1	<1	0.05	15	14	0.22	620	<0.5	<0.01	19.8	623	24.6	13
SE5506334	7	<1	<1	0.06	22	30	0.40	1030	1.7	<0.01	41.8	543	35.4	14
SE5506335	<5	<1	<1	0.04	21	7	0.13	1260	0.6	<0.01	30.2	360	24.0	<10
SE5506336	7	<1	<1	0.07	16	46	0.57	711	1.1	<0.01	33.1	513	29.0	14
SE5506337	<5	<1	<1	0.04	23	5	0.12	798	2.7	<0.01	25.2	359	28.5	<10
SE5506338	6	<1	<1	0.06	22	25	0.40	876	<0.5	<0.01	39.1	564	35.3	13
SE5506339	8	<1	<1	0.04	17	26	0.35	603	0.9	<0.01	19.5	603	21.7	13
SE5506340	7	<1	<1	0.04	15	22	0.38	1090	<0.5	<0.01	30.4	489	28.5	<10
SE5506558	5	<1	<1	0.08	2	10	0.26	3400	1.0	<0.01	27.0	1190	27.2	14
SE5506559	5	<1	<1	0.07	3	6	0.13	1430	<0.5	<0.01	18.5	350	14.0	21

Certified By:





## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
SE5507410	8	<1	<1	0.09	7	13	0.31	827	1.5	0.01	21.7	684	14.7	27
SE5507411	7	<1	<1	0.06	4	11	0.17	2290	2.6	<0.01	28.9	877	25.2	16
SE5507412	7	<1	<1	0.08	5	10	0.15	2330	<0.5	<0.01	23.1	1770	32.5	34
SE5507413	5	<1	<1	0.07	7	2	0.05	460	0.7	<0.01	18.6	845	19.2	19
SE5507414	5	<1	<1	0.05	4	12	0.16	662	<0.5	<0.01	23.1	401	26.9	11
SE5507415	5	<1	<1	0.08	6	9	0.16	1210	1.2	<0.01	18.4	1010	33.5	21
SE5507416	6	<1	<1	0.10	4	25	0.34	441	0.8	<0.01	27.1	727	27.0	19
SE5507417	9	<1	<1	0.09	15	30	0.60	834	0.8	0.01	28.1	494	24.6	20
SE5507418	7	<1	<1	0.08	6	33	0.52	1170	2.1	<0.01	32.8	556	33.3	14
SE5507419	6	<1	<1	0.06	5	30	0.52	642	0.8	<0.01	32.5	517	30.6	<10
SE5507420	6	<1	<1	0.05	4	18	0.33	1120	0.6	<0.01	35.5	268	34.6	<10
SE5507421	6	<1	<1	0.07	4	15	0.28	4080	1.4	<0.01	32.2	835	64.8	<10
SE5507422	<5	<1	<1	0.07	5	7	0.17	1270	1.0	<0.01	32.3	534	37.3	11
SE5507423	6	<1	<1	0.07	6	11	0.25	1080	1.1	<0.01	36.9	307	32.2	<10
SE5507424	<5	<1	<1	0.07	7	9	0.20	1220	0.5	<0.01	35.1	366	40.0	11
SE5507425	<5	<1	<1	0.06	5	6	0.13	1010	<0.5	<0.01	21.3	618	30.8	11
SE5507426	8	<1	<1	0.07	4	22	0.40	2460	3.7	<0.01	34.1	722	48.6	11
SE5507427	6	<1	<1	0.07	5	7	0.15	1040	0.9	<0.01	16.1	1110	21.2	19
SE5507428	7	<1	<1	0.04	3	23	0.35	1880	1.0	<0.01	37.3	423	52.8	<10
SE5507429	6	<1	<1	0.05	4	10	0.21	1630	1.0	<0.01	44.4	344	40.0	<10
SE5507430	<5	<1	<1	0.06	3	5	0.08	797	0.8	<0.01	34.7	433	30.6	<10
SE5507431	<5	<1	<1	0.06	3	6	0.09	1820	<0.5	<0.01	31.9	580	44.9	12
SE5507432	<5	<1	<1	0.06	4	9	0.14	3220	0.6	<0.01	27.7	877	65.6	15
SE5507433	<5	<1	<1	0.06	4	1	0.03	89	<0.5	<0.01	2.7	398	63.1	10
SE5507434	<5	<1	<1	0.06	6	1	0.03	269	1.5	<0.01	8.3	513	238	13
SE5507435	<5	<1	<1	0.07	6	<1	0.03	1210	1.3	<0.01	14.2	593	93.2	15
SE5507436	<5	<1	<1	0.09	13	3	0.07	508	<0.5	<0.01	21.1	503	62.0	16
SE5507437	<5	<1	<1	0.10	14	1	0.03	1200	<0.5	<0.01	18.2	456	25.5	20
SE5507438	<5	<1	<1	0.05	6	3	0.06	514	0.7	<0.01	8.1	612	18.0	13
SE5507439	<5	<1	<1	0.07	12	1	0.03	631	<0.5	<0.01	19.0	588	19.5	20
SE5507440	<5	<1	<1	0.07	8	5	0.05	1260	1.3	<0.01	29.1	462	41.1	11
SE5507441	<5	<1	<1	0.05	13	1	0.02	76	0.6	<0.01	8.4	192	10.1	14

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
SE5507442	<5	<1	<1	0.04	6	7	0.04	584	0.6	<0.01	6.9	382	27.7	<10
SE5507443	5	<1	<1	0.06	18	21	1.83	1060	0.7	<0.01	35.7	510	35.3	<10
SE5507444	5	<1	<1	0.07	16	17	1.27	978	1.3	<0.01	27.8	716	26.4	<10
SE5507445	7	<1	<1	0.07	20	25	1.69	1010	0.8	<0.01	33.4	553	47.3	11
SE5507446	8	<1	<1	0.13	16	35	0.47	1740	1.1	<0.01	33.0	1070	56.6	25
SE5507447	8	<1	<1	0.06	20	43	0.53	720	<0.5	<0.01	51.9	608	31.6	<10
SE5507448	6	<1	<1	0.04	15	43	0.53	692	1.3	<0.01	55.8	605	31.8	<10
SE5507449	10	<1	<1	0.23	10	14	1.26	660	13.3	0.09	35.9	537	277	18
SE5507450	<5	<1	<1	0.05	2	1	13.4	275	0.6	<0.01	1.8	252	2.1	14
SE5507451	<5	<1	<1	0.05	8	26	0.24	626	0.8	<0.01	23.5	798	21.7	<10
SE5507452	8	<1	<1	0.04	18	60	0.39	742	<0.5	<0.01	38.9	680	30.9	<10
SE5507453	<5	<1	<1	0.06	8	8	0.15	900	0.7	<0.01	21.2	907	27.7	14
SE5507454	<5	<1	<1	0.04	16	17	0.13	549	1.2	<0.01	31.6	515	28.6	<10
SE5507455	5	<1	<1	0.02	11	52	0.42	407	<0.5	<0.01	45.6	499	39.6	<10
SE5507456	<5	<1	<1	0.04	5	2	0.05	308	<0.5	<0.01	34.6	584	97.5	<10
SE5507457	<5	<1	<1	0.03	18	8	0.09	482	0.6	<0.01	32.8	657	39.3	<10
SE5507458	<5	<1	<1	0.03	12	27	0.22	464	<0.5	<0.01	32.3	683	29.9	<10
SE5507459	<5	<1	<1	0.04	20	2	0.06	571	1.7	<0.01	49.9	652	55.7	<10
SE5507460	<5	<1	<1	0.04	11	2	0.05	528	1.0	<0.01	39.6	488	31.5	<10
SE5507461	<5	<1	<1	0.05	8	3	0.07	765	1.2	<0.01	40.8	598	27.8	<10
SE5507462	<5	<1	<1	0.03	6	1	0.06	570	1.0	<0.01	39.3	457	26.9	<10
SE5507463	<5	<1	<1	0.03	11	5	0.07	409	<0.5	<0.01	38.2	587	32.1	<10
SE5507464	<5	<1	<1	0.03	13	2	0.05	261	0.9	<0.01	29.2	531	26.5	<10
SE5507465	<5	<1	<1	0.04	16	3	0.09	305	<0.5	<0.01	26.1	709	10.4	<10
SE5507466	<5	<1	<1	0.04	22	2	0.05	619	<0.5	<0.01	30.7	679	19.4	<10
SE5507467	<5	<1	<1	0.05	14	2	0.06	865	<0.5	<0.01	46.5	622	37.6	<10
SE5507468	<5	<1	<1	0.04	11	1	0.05	676	2.7	<0.01	36.4	713	24.6	<10
SE5507469	8	<1	<1	0.05	18	41	0.50	618	1.0	<0.01	31.5	735	25.3	13
SE5507470	5	<1	<1	0.03	16	38	0.26	409	<0.5	<0.01	40.2	545	32.5	<10
SE5507471	5	<1	<1	0.03	6	17	0.11	574	<0.5	<0.01	17.7	644	22.1	<10
SE5507472	5	<1	<1	0.04	17	52	0.40	550	0.5	<0.01	39.3	668	35.3	<10
SE5507473	5	<1	<1	0.03	19	81	0.77	631	0.8	<0.01	37.9	590	35.5	<10

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
SE5507474	<5	<1	<1	0.05	15	8	0.16	752	0.6	<0.01	15.9	423	23.1	<10
SE5507475	<5	<1	<1	0.04	14	5	0.07	594	<0.5	<0.01	38.4	498	37.6	<10
SE5507476	<5	<1	<1	0.08	9	5	0.06	462	1.0	0.01	32.6	427	29.9	<10
SE5507477	<5	<1	<1	0.06	11	12	0.12	473	1.8	<0.01	24.9	540	25.5	<10
SE5507478	<5	<1	<1	0.05	11	11	0.11	428	1.3	<0.01	21.9	446	22.7	<10
SE5507479	10	<1	<1	0.04	31	48	0.73	736	<0.5	<0.01	37.4	542	21.5	13
SE5507480	7	<1	<1	0.04	22	41	0.42	1340	<0.5	<0.01	46.6	575	24.7	<10
SE5507481	8	<1	<1	0.04	20	38	0.59	1100	<0.5	<0.01	32.3	629	23.4	11
SE5507482	8	<1	<1	0.08	13	47	0.56	909	1.5	<0.01	40.5	836	28.2	21
SE5507483	6	<1	<1	0.06	21	24	0.33	1190	<0.5	<0.01	22.6	809	26.5	16
SE5507484	7	<1	<1	0.10	17	28	0.42	1300	1.5	<0.01	26.0	1790	24.7	28
SE5507485	9	<1	<1	0.07	27	33	0.50	788	0.9	<0.01	28.3	938	21.6	19
SE5507486	9	<1	<1	0.07	24	38	0.61	710	0.6	<0.01	31.0	746	19.7	15
SE5507487	9	<1	<1	0.05	26	39	0.64	1010	<0.5	<0.01	35.1	728	18.6	14
SE5507488	8	<1	<1	0.06	22	34	0.60	619	0.5	<0.01	27.9	939	17.9	13
SE5507489	9	<1	<1	0.06	11	21	0.42	1210	1.6	<0.01	24.0	2090	22.8	18
SE5507490	10	<1	<1	0.06	31	44	0.70	708	1.0	<0.01	42.4	404	25.7	14
SE5507491	6	<1	<1	0.04	17	30	0.47	616	0.6	<0.01	26.4	633	22.6	<10
SE5507492	8	<1	<1	0.06	20	24	0.42	638	2.7	<0.01	26.4	790	18.6	19
SE5507493	8	<1	<1	0.07	27	43	0.70	819	<0.5	<0.01	40.4	534	24.4	14
SE5507494	7	<1	<1	0.07	32	40	0.64	758	0.8	<0.01	36.8	439	25.3	12
SE5507495	7	<1	<1	0.05	15	25	0.93	659	1.0	<0.01	31.0	967	22.1	13
SE5507496	<5	<1	<1	0.06	14	17	0.86	887	1.5	<0.01	29.7	671	23.1	13
SE5507497	5	<1	<1	0.09	23	23	0.33	879	0.8	<0.01	36.7	908	29.0	16
SE5507498	5	<1	<1	0.08	22	27	0.34	849	0.6	<0.01	35.4	907	29.5	17
SE5507499	10	<1	<1	0.27	10	14	1.24	666	12.7	0.14	34.7	601	267	21
SE5507500	<5	<1	<1	0.04	2	1	12.5	264	0.7	<0.01	2.4	372	3.0	13
SE5507501	7	<1	<1	0.08	27	27	0.89	841	1.3	<0.01	35.4	1190	29.3	17
SE5507502	6	<1	<1	0.09	26	23	0.54	913	1.0	<0.01	36.4	814	30.3	16
SE5507503	7	<1	<1	0.04	15	27	0.40	782	<0.5	<0.01	29.1	782	24.3	13
SE5507504	<5	<1	<1	0.05	16	18	0.22	884	<0.5	<0.01	25.6	487	28.0	<10
SE5507505	5	<1	<1	0.06	17	16	0.20	893	<0.5	<0.01	23.1	654	31.1	13

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
SE5507506	<5	<1	<1	0.06	19	14	0.12	740	0.8	<0.01	27.6	981	29.3	19
SE5507507	6	<1	<1	0.07	26	21	0.33	931	0.8	<0.01	34.2	815	33.8	15
SE5507508	<5	<1	<1	0.06	9	13	0.20	738	0.9	<0.01	10.4	699	11.7	19
SE5507509	<5	<1	<1	0.06	17	20	0.32	486	0.9	<0.01	22.3	982	28.0	17
SE5507510	<5	<1	<1	0.06	23	19	0.23	632	<0.5	<0.01	25.5	459	28.3	10
SE5507511	6	<1	<1	0.13	19	22	0.54	628	1.3	<0.01	27.7	479	23.9	22
SE5507512	6	<1	<1	0.07	24	24	0.33	833	0.5	<0.01	30.3	441	29.4	13
SE5507513	6	<1	<1	0.12	24	25	0.34	469	<0.5	<0.01	28.8	612	20.6	20
SE5507514	<5	<1	<1	0.06	12	6	0.12	606	1.0	<0.01	18.4	954	23.0	11
SE5507515	6	<1	<1	0.05	19	30	0.37	1660	0.8	<0.01	37.5	678	37.6	<10
SE5507516	6	<1	<1	0.04	12	37	0.41	1350	0.7	<0.01	39.4	513	36.0	<10
SE5507517	6	<1	<1	0.04	14	34	0.36	1490	0.8	<0.01	28.4	989	32.3	<10
SE5507518	5	<1	<1	0.06	10	19	0.24	1350	0.8	<0.01	36.2	513	47.2	<10
SE5507519	5	<1	<1	0.05	16	20	0.27	1370	1.5	<0.01	35.6	480	36.8	<10
SE5507520	5	<1	<1	0.04	16	25	0.48	707	0.9	<0.01	24.6	1150	23.3	10
SE5507521	9	<1	<1	0.04	18	33	0.43	491	1.3	<0.01	22.4	353	19.2	12
SE5507522	7	<1	<1	0.03	11	26	0.42	618	0.6	<0.01	28.2	1600	20.5	<10
SE5507523	6	<1	<1	0.07	14	23	1.31	1010	0.6	<0.01	33.2	497	26.7	<10
SE5507524	<5	<1	<1	0.06	11	19	0.81	612	0.7	<0.01	23.3	817	21.0	<10
SE5507525	6	<1	<1	0.05	9	21	0.79	1210	0.8	<0.01	34.1	758	32.9	<10
SE5507526	7	<1	<1	0.03	11	17	1.72	924	1.3	<0.01	19.0	1120	22.6	<10
SE5507527	6	<1	<1	0.05	8	12	0.24	938	1.3	<0.01	14.7	1810	23.1	11
SE5507528	6	<1	<1	0.05	14	18	0.36	594	0.9	<0.01	22.1	1020	19.7	14
SE5507529	6	<1	<1	0.05	12	21	0.32	537	1.1	<0.01	23.1	1020	18.4	14
SE5507530	6	<1	<1	0.04	16	19	0.26	1200	0.9	<0.01	28.3	1540	33.4	10
SE5507531	5	<1	<1	0.03	14	14	0.33	564	1.1	<0.01	27.5	1360	25.4	<10
SE5507532	10	<1	<1	0.07	23	45	0.81	928	<0.5	<0.01	38.8	504	30.0	12
SE5507533	6	<1	<1	0.05	22	17	0.36	1390	1.0	<0.01	25.7	1000	36.7	14
SE5507534	5	<1	<1	0.04	9	10	0.14	913	1.6	<0.01	11.0	649	19.0	10
SE5507535	9	<1	<1	0.09	15	39	0.52	1220	0.5	<0.01	36.3	585	39.2	19
SE5507536	10	<1	<1	0.05	27	34	0.55	684	0.8	<0.01	34.6	431	26.6	12
SE5507537	9	<1	<1	0.04	26	52	0.81	999	0.5	<0.01	43.2	365	31.1	<10

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
SE5507538	7	<1	<1	0.06	21	41	0.47	1840	<0.5	<0.01	47.6	616	50.3	10
SE5507539	6	<1	<1	0.07	28	36	0.46	1570	0.7	<0.01	45.8	499	49.8	<10
SE5507540	8	<1	<1	0.08	33	35	0.45	1730	<0.5	<0.01	58.3	498	60.7	<10
SE5507541	6	<1	<1	0.05	26	27	0.35	1390	<0.5	<0.01	47.0	514	40.3	<10
SE5507542	7	<1	<1	0.05	35	32	0.43	1260	<0.5	<0.01	38.7	435	42.8	<10
SE5507543	9	<1	<1	0.05	14	39	0.58	1550	1.3	<0.01	36.3	838	39.0	<10
SE5507544	9	<1	<1	0.05	26	59	0.86	1160	0.9	<0.01	40.0	542	38.1	<10
SE5507545	5	<1	<1	0.05	11	7	0.09	1380	1.3	<0.01	12.2	592	29.0	14
SE5507546	7	<1	<1	0.06	27	38	0.67	977	1.0	<0.01	36.4	537	26.8	<10
SE5507547	8	<1	<1	0.05	13	27	0.41	970	1.0	<0.01	22.0	1070	22.5	16
SE5507548	9	<1	<1	0.06	15	31	0.48	1040	1.3	<0.01	23.8	1140	24.0	19
SE5507549	11	1	<1	0.24	10	13	1.18	642	12.0	0.11	33.7	521	258	19
SE5507550	<5	<1	<1	0.04	2	1	11.9	245	1.0	<0.01	2.0	312	4.2	12
SE5507551	6	<1	<1	0.06	21	22	0.35	781	<0.5	<0.01	34.9	736	30.3	14
SE5507552	6	<1	<1	0.03	18	26	0.37	788	0.6	<0.01	32.4	746	20.1	<10
SE5507553	8	<1	<1	0.05	23	36	0.48	1540	0.7	<0.01	42.9	603	38.5	<10
SE5507554	5	<1	<1	0.04	16	33	0.42	1530	0.6	<0.01	31.0	1070	27.0	<10
SE5507555	7	<1	<1	0.05	16	31	0.37	1360	1.1	<0.01	23.1	1020	28.9	14
SE5507556	7	<1	<1	0.05	16	32	0.35	1690	<0.5	<0.01	54.7	460	54.5	<10
SE5507557	7	<1	<1	0.07	13	34	0.42	1550	<0.5	<0.01	26.2	856	42.8	18
SE5507558	8	<1	<1	0.06	15	41	0.46	2500	1.5	<0.01	60.5	863	33.1	16
SE5507559	11	<1	<1	0.04	29	53	0.99	1280	1.1	<0.01	38.8	777	45.5	10
SE5507660	<5	<1	<1	0.03	12	30	0.19	422	0.6	<0.01	29.6	575	28.3	<10
SE5507661	<5	<1	<1	0.03	16	27	0.24	297	1.6	<0.01	29.8	302	23.3	<10
SE5507662	<5	<1	<1	0.03	9	<1	0.03	331	0.5	<0.01	33.1	473	30.7	<10
SE5507663	<5	<1	<1	0.03	6	1	0.04	290	1.1	<0.01	35.1	508	38.0	<10
SE5507664	<5	<1	<1	0.02	7	<1	0.03	357	<0.5	<0.01	32.1	451	49.7	<10
SE5507665	<5	<1	<1	0.04	15	2	0.07	528	1.5	<0.01	34.0	1010	32.5	<10
SE5507666	<5	<1	<1	0.03	17	2	0.06	616	1.2	<0.01	35.8	607	34.1	<10
SE5507667	<5	<1	<1	0.05	8	2	0.05	493	<0.5	<0.01	32.3	718	45.0	<10
SE5507668	<5	<1	<1	0.04	15	4	0.05	490	<0.5	<0.01	31.6	634	29.0	<10
SE5507669	<5	<1	<1	0.04	9	3	0.06	416	1.0	<0.01	28.8	464	27.5	<10

Certified By:



# Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

**Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)**

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
SE5507670	<5	<1	<1	0.03	5	3	0.05	414	1.8	<0.01	31.7	450	31.9	<10
SE5507671	<5	<1	<1	0.03	8	6	0.06	605	2.2	<0.01	37.5	496	36.0	<10
SE5507672	<5	<1	<1	0.03	10	23	0.16	451	1.0	<0.01	28.5	622	26.3	<10
SE5507673	5	<1	<1	0.04	13	20	0.23	643	1.2	<0.01	24.7	827	25.9	12
SE5507674	<5	<1	<1	0.09	12	29	2.15	311	1.7	<0.01	18.8	1300	23.7	17
SE5507945	8	<1	<1	0.08	5	21	0.25	910	1.5	<0.01	19.3	712	40.3	20
SE5507946	6	<1	<1	0.09	10	15	0.23	459	1.2	<0.01	21.6	366	21.8	27
SE5507947	5	<1	<1	0.04	5	3	0.07	592	1.6	<0.01	18.7	301	16.0	16
SE5507948	<5	<1	<1	0.04	2	2	0.06	568	<0.5	<0.01	29.7	282	18.2	12
SE5507972	7	<1	<1	0.07	7	18	0.19	990	<0.5	<0.01	18.0	552	41.3	29
SE5507973	8	<1	<1	0.07	7	20	0.27	731	1.0	<0.01	23.1	568	28.2	19
SE5507974	7	<1	<1	0.09	5	27	0.33	1610	<0.5	<0.01	25.0	731	37.1	22
SE5507975	5	<1	<1	0.08	8	11	0.20	1120	0.8	<0.01	18.3	698	34.5	25
SE5507976	6	<1	<1	0.06	6	14	0.22	804	1.7	<0.01	18.9	857	30.8	18
SE5507977	6	<1	<1	0.06	7	18	0.27	580	<0.5	<0.01	24.7	438	30.8	12
SE5507978	5	<1	<1	0.04	3	12	0.20	1690	3.2	<0.01	18.4	1540	58.9	<10
SE5507979	7	<1	<1	0.05	3	17	0.27	1950	0.9	<0.01	30.0	710	54.8	13
SE5507980	<5	<1	<1	0.05	5	8	0.18	922	<0.5	<0.01	34.8	317	37.0	<10
SE5507981	<5	<1	<1	0.05	5	5	0.10	1050	1.5	<0.01	27.2	360	31.9	<10
SE5507982	8	<1	<1	0.07	4	44	0.55	1760	2.4	<0.01	29.7	499	29.5	13
SE5507983	8	<1	<1	0.04	5	27	0.38	1190	1.0	<0.01	47.1	492	35.9	<10
SE5507984	<5	<1	<1	0.03	2	5	0.11	705	1.9	<0.01	40.8	343	26.1	<10
SE5507985	5	<1	<1	0.05	3	18	0.33	1150	<0.5	<0.01	35.9	271	36.4	<10
SE5507986	6	<1	<1	0.06	4	20	0.34	1110	<0.5	<0.01	35.6	275	30.4	<10
SE5507987	5	<1	<1	0.05	6	18	0.30	764	1.0	<0.01	22.4	796	36.7	15
SE5507988	6	<1	<1	0.05	7	14	0.29	906	1.2	<0.01	19.7	1310	26.3	16
SE5507989	7	<1	<1	0.08	6	19	0.37	1120	1.0	<0.01	22.1	840	27.2	18
SE5507990	<5	<1	<1	0.06	3	4	0.12	488	<0.5	<0.01	27.7	683	27.0	11
SE5507991	6	<1	<1	0.08	3	26	0.43	1150	<0.5	<0.01	31.0	396	28.5	13
SE5507992	6	<1	<1	0.08	4	23	0.28	2460	0.6	<0.01	33.9	640	60.6	14
SE5507993	7	<1	<1	0.11	5	24	0.34	1650	<0.5	<0.01	34.5	467	47.9	18
SE5507994	5	<1	<1	0.06	1	9	0.16	2100	1.4	<0.01	36.0	435	12.9	<10

Certified By:



# Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

**Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)**

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
SE5507995	7	<1	<1	0.06	10	19	0.32	896	1.1	<0.01	22.5	1050	30.1	18
SE5507996	6	<1	<1	0.05	6	18	0.28	2170	1.1	<0.01	25.8	839	35.4	13
SE5507997	<5	<1	<1	0.04	11	12	0.23	680	0.9	<0.01	24.4	873	43.1	<10
SE5507998	8	<1	<1	0.05	3	4	0.11	1210	1.3	<0.01	14.2	653	16.9	17
SE5507999	6	<1	<1	0.05	3	9	0.18	2010	<0.5	<0.01	35.0	529	42.7	12
SE5508000	<5	<1	<1	0.06	3	2	0.04	413	<0.5	<0.01	19.8	375	32.7	<10
SE5508001	<5	<1	<1	0.08	11	2	0.03	479	1.1	<0.01	14.2	522	708	<10
SE5508002	11	<1	<1	0.06	13	34	0.51	1500	3.1	<0.01	28.0	862	38.2	16
SE5508003	6	<1	<1	0.04	17	56	0.50	575	0.7	<0.01	39.7	399	38.8	<10
SE5508004	7	<1	<1	0.08	23	25	1.43	989	1.2	<0.01	34.9	1080	35.7	15
SE5508005	6	<1	<1	0.06	19	20	0.74	848	1.1	<0.01	34.2	997	38.1	12
SE5508006	8	<1	<1	0.05	18	25	0.54	523	1.5	<0.01	31.8	1120	30.8	16
SE5508007	7	<1	<1	0.04	17	60	0.54	494	0.7	<0.01	35.7	693	30.0	<10
SE5508008	<5	<1	<1	0.04	13	22	0.18	557	1.2	<0.01	29.4	627	30.2	<10
SE5508009	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
SE5508126	6	<1	<1	0.06	3	25	0.66	988	0.7	<0.01	32.4	230	26.5	<10
SE5508262	5	<1	<1	0.05	16	26	0.33	1410	0.8	<0.01	39.1	569	37.2	<10
SE5508263	<5	<1	<1	0.07	12	18	0.26	690	1.0	<0.01	22.4	803	30.5	11
SE5508264	6	<1	<1	0.07	17	25	1.00	1140	0.7	<0.01	32.9	621	40.7	12
SE5508265	9	<1	<1	0.07	24	35	0.59	1040	1.0	<0.01	28.5	712	21.0	18
SE5508266	9	<1	<1	0.06	28	39	0.64	765	1.2	<0.01	36.1	334	24.4	12
SE5508267	8	<1	<1	0.05	30	39	1.24	763	0.6	<0.01	34.6	460	26.2	<10
SE5508268	9	<1	<1	0.06	26	42	0.61	812	0.7	<0.01	37.5	667	29.3	15
SE5508269	9	<1	<1	0.04	28	44	0.68	826	1.5	<0.01	38.8	333	26.7	<10
SE5508270	6	<1	<1	0.03	19	26	0.43	711	1.0	<0.01	32.5	1070	32.9	<10
SE5508271	8	<1	<1	0.05	16	29	0.76	656	1.2	<0.01	29.4	826	21.4	16
SE5508272	<5	<1	<1	0.03	19	7	0.19	487	0.5	<0.01	26.9	593	30.1	<10
SE5508273	8	<1	<1	0.05	21	32	0.52	1030	0.7	<0.01	33.1	847	46.7	13
SE5508274	6	<1	<1	0.05	15	17	2.99	1700	0.9	<0.01	23.3	1250	26.6	12
SE5508275	7	<1	<1	0.03	10	20	6.22	998	<0.5	<0.01	17.7	914	19.4	<10
SE5508276	6	<1	<1	0.03	8	13	9.14	824	1.5	<0.01	13.1	550	16.1	10
SE5508277	11	<1	<1	0.06	27	61	0.80	2340	1.3	<0.01	42.6	470	80.7	12

Certified By:



# AGAT Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
SE5508278	10	<1	<1	0.05	21	47	0.76	2950	1.8	<0.01	37.9	821	71.4	15
SE5508279	11	<1	<1	0.02	26	52	0.96	543	<0.5	<0.01	38.4	324	25.1	<10
SE5508280	12	<1	<1	0.03	32	54	1.00	571	0.9	<0.01	40.7	316	24.3	<10
SE5508281	12	<1	<1	0.04	34	49	0.93	1520	1.8	<0.01	37.5	662	40.1	12
SE5508282	11	<1	<1	0.04	32	51	0.93	1310	1.8	<0.01	39.0	650	56.6	12
SE5508283	11	<1	<1	0.06	30	45	0.79	1730	<0.5	<0.01	45.8	597	45.0	14
SE5508284	8	<1	<1	0.08	31	45	0.76	1620	0.9	0.01	45.0	489	50.4	12
SE5508285	8	<1	2	0.08	30	53	0.72	2390	<0.5	0.01	50.7	625	66.1	15
SE5508286	11	<1	<1	0.09	41	66	0.91	2510	1.1	<0.01	47.6	819	63.9	18
SE5508287	10	<1	<1	0.07	35	68	0.88	1810	<0.5	<0.01	48.4	559	47.2	13
SE5508288	6	<1	1	0.09	9	23	0.24	845	1.4	<0.01	16.4	973	42.0	23
SE5508289	6	<1	<1	0.07	20	46	0.46	2420	<0.5	<0.01	54.2	604	52.5	12
SE5508290	8	<1	<1	0.09	24	57	0.62	1340	<0.5	<0.01	44.0	681	40.0	17
SE5508291	6	<1	<1	0.09	23	43	0.40	2180	<0.5	<0.01	53.2	664	46.1	13
SE5508292	6	<1	<1	0.08	26	43	0.48	1970	<0.5	<0.01	41.5	613	39.1	11
SE5508293	5	<1	<1	0.08	25	52	0.42	3130	0.6	<0.01	84.3	587	60.0	<10
SE5508294	8	<1	<1	0.08	29	57	0.72	1210	<0.5	<0.01	44.7	510	36.1	15
SE5508295	8	<1	<1	0.05	27	46	0.72	889	<0.5	<0.01	35.6	598	30.5	11
SE5508296	7	<1	2	0.07	32	39	0.58	696	<0.5	<0.01	32.3	333	27.5	10
SE5508297	7	<1	<1	0.16	23	37	0.52	879	<0.5	0.02	37.0	315	34.4	17
SE5508298	7	<1	<1	0.20	22	38	0.54	836	<0.5	0.02	36.2	307	33.4	19
SE5508299	9	<1	<1	0.29	10	15	1.24	672	11.3	0.15	29.8	471	263	26
SE5508300	<5	<1	<1	0.03	2	1	11.8	239	2.0	<0.01	1.0	229	<0.5	18
SE5508301	<5	<1	<1	0.24	24	17	0.19	639	<0.5	0.01	27.3	369	31.9	23
SE5508302	<5	<1	<1	0.10	22	25	0.37	631	<0.5	<0.01	25.8	396	26.7	13
SE5508303	7	<1	<1	0.06	14	32	1.43	1240	1.9	<0.01	28.8	962	36.3	19
SE5508304	<5	<1	<1	0.05	11	9	7.10	1190	1.6	0.01	12.6	1230	34.3	20
SE5508305	6	<1	<1	0.07	32	42	0.47	1180	<0.5	<0.01	42.3	500	47.2	<10
SE5508512	7	<1	2	0.11	6	42	0.57	1650	<0.5	<0.01	29.8	609	59.0	22
SE5508538	5	<1	3	0.10	5	26	0.10	642	<0.5	<0.01	16.6	300	25.7	25
SE5508539	7	<1	<1	0.14	8	26	0.27	1270	<0.5	<0.01	22.6	580	40.9	44
SE5508540	10	<1	<1	0.18	8	30	0.33	3310	1.7	0.01	24.4	689	65.1	60

Certified By:





# Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

**Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)**

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
SE5508541	7	<1	<1	0.10	6	24	0.36	674	0.7	<0.01	24.5	358	37.5	27
SE5508542	9	<1	3	0.13	7	27	0.39	864	0.8	<0.01	25.9	467	38.8	30
SE5508543	6	<1	<1	0.12	8	25	0.37	899	0.7	<0.01	24.8	584	36.6	30
SE5508544	6	<1	<1	0.11	9	23	0.32	930	1.2	<0.01	22.8	508	30.6	24
SE5508545	5	<1	<1	0.10	8	24	0.31	860	0.8	<0.01	25.8	635	35.4	20
SE5508546	5	<1	<1	0.09	4	28	0.46	985	<0.5	<0.01	31.8	395	34.9	15
SE5508547	<5	<1	<1	0.06	2	3	0.05	422	<0.5	<0.01	16.9	424	22.2	10
SE5508548	<5	<1	<1	0.05	2	3	0.06	459	0.5	<0.01	17.3	402	22.9	<10
SE5508549	8	<1	3	0.25	8	14	1.15	619	10.8	0.12	29.0	473	253	22
SE5508550	<5	<1	<1	0.02	2	1	11.8	238	2.0	<0.01	0.8	323	<0.5	15
SE5508551	<5	<1	2	0.05	2	3	0.07	267	0.6	0.02	7.6	723	16.2	<10
SE5508552	5	<1	<1	0.07	5	7	0.11	269	1.3	<0.01	16.8	399	24.6	14
SE5508553	<5	<1	<1	0.05	4	2	0.03	141	0.6	<0.01	15.9	353	16.1	11
SE5508554	<5	<1	<1	0.10	2	11	0.33	1100	0.6	<0.01	27.8	443	31.2	13
SE5508555	6	<1	2	0.08	7	21	0.22	353	<0.5	<0.01	19.6	355	30.1	19
SE5508556	6	<1	<1	0.06	5	20	0.31	328	<0.5	<0.01	25.5	244	19.1	19
SE5508557	7	<1	<1	0.07	8	16	0.28	970	<0.5	<0.01	30.4	365	29.9	18
SE5508558	7	<1	<1	0.08	5	19	0.23	1090	0.6	<0.01	24.1	427	32.6	20
SE5508559	6	<1	<1	0.08	9	20	0.33	663	<0.5	<0.01	29.1	410	37.4	14
SE5508616	6	<1	<1	0.07	7	2	0.07	1490	0.8	<0.01	14.7	674	21.9	17
SE5508617	<5	<1	<1	0.03	3	1	0.03	289	0.6	<0.01	15.5	334	25.0	12
SE5508618	<5	<1	<1	0.03	4	2	0.04	915	1.1	<0.01	18.8	726	29.3	10
SE5508619	<5	<1	<1	0.06	14	10	0.27	845	1.2	<0.01	24.9	825	48.8	15
SE5508620	<5	<1	<1	0.06	5	2	0.04	1030	0.9	<0.01	14.5	591	33.7	20
SE5508621	<5	<1	<1	0.05	3	<1	0.01	165	0.5	<0.01	15.4	312	19.4	<10

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
SE5506197	0.041	<1	3.7	<10	<5	12.0	<10	<10	<5	<0.01	0.07	<5	25.2	<1
SE5506198	0.043	<1	3.7	<10	<5	11.4	<10	<10	<5	<0.01	0.06	<5	25.7	<1
SE5506199	1.13	<1	7.5	<10	<5	34.2	<10	<10	<5	0.15	0.59	<5	74.7	<1
SE5506200	0.231	7	<0.5	<10	<5	49.6	<10	<10	<5	<0.01	0.01	<5	17.5	<1
SE5506201	0.086	<1	3.7	<10	<5	22.9	<10	<10	<5	0.01	0.10	<5	26.5	<1
SE5506202	0.122	<1	2.8	<10	<5	9.6	<10	<10	<5	0.02	0.16	7	38.5	<1
SE5506203	0.015	<1	4.7	<10	<5	13.7	<10	<10	<5	<0.01	0.05	<5	13.0	<1
SE5506204	0.080	<1	3.8	<10	<5	20.0	<10	<10	<5	<0.01	0.12	<5	16.0	<1
SE5506205	0.019	<1	4.8	<10	<5	13.7	<10	<10	<5	<0.01	0.07	<5	12.9	<1
SE5506206	0.013	<1	4.9	<10	<5	12.2	<10	<10	<5	<0.01	0.06	<5	13.1	<1
SE5506207	0.010	<1	4.4	<10	<5	8.8	<10	<10	<5	<0.01	0.05	<5	12.1	<1
SE5506208	0.012	<1	3.5	<10	<5	4.6	<10	<10	<5	0.02	0.07	<5	31.9	<1
SE5506209	0.023	<1	2.6	<10	<5	6.1	<10	<10	<5	0.02	0.09	<5	37.7	<1
SE5506210	0.012	<1	3.1	<10	<5	10.2	<10	<10	<5	0.03	0.06	<5	34.8	<1
SE5506211	0.036	<1	1.9	<10	<5	5.1	<10	<10	<5	0.02	0.08	<5	37.8	<1
SE5506212	0.018	<1	2.4	<10	<5	7.4	<10	<10	<5	0.03	0.06	<5	38.9	<1
SE5506213	0.015	<1	3.7	<10	<5	10.2	<10	<10	<5	0.01	0.06	<5	30.7	<1
SE5506214	0.032	<1	3.7	<10	<5	17.1	<10	<10	<5	<0.01	0.07	<5	20.3	<1
SE5506215	0.020	<1	2.7	<10	<5	7.1	<10	<10	<5	<0.01	0.06	<5	14.8	<1
SE5506216	0.061	<1	1.0	<10	<5	8.7	<10	<10	<5	0.01	0.10	<5	26.3	<1
SE5506217	0.027	<1	2.8	<10	<5	11.9	<10	<10	<5	0.02	0.11	<5	27.2	<1
SE5506218	0.041	<1	3.1	<10	<5	12.6	<10	<10	<5	0.01	0.13	<5	22.5	<1
SE5506219	0.048	<1	1.6	<10	<5	7.1	<10	<10	<5	0.02	0.12	<5	36.0	<1
SE5506220	0.027	<1	2.1	<10	<5	8.1	<10	<10	<5	0.03	0.14	<5	58.1	<1
SE5506221	0.024	<1	2.9	<10	<5	8.4	<10	<10	<5	0.04	0.13	<5	61.7	<1
SE5506222	0.017	<1	3.8	<10	<5	12.3	<10	<10	<5	0.03	0.07	<5	38.3	<1
SE5506223	0.029	<1	3.2	<10	<5	8.3	<10	<10	<5	0.06	0.15	<5	65.6	<1
SE5506224	0.055	9	4.4	<10	<5	37.5	<10	<10	<5	0.02	0.15	<5	18.9	<1
SE5506225	0.023	1	2.8	<10	<5	14.0	<10	<10	<5	0.03	0.12	<5	27.7	<1
SE5506226	0.021	<1	1.7	<10	<5	10.5	<10	<10	<5	0.02	0.08	<5	27.9	<1
SE5506227	0.040	<1	2.0	<10	<5	21.4	<10	<10	<5	0.02	0.11	<5	39.6	<1
SE5506228	0.025	<1	1.6	<10	<5	10.0	<10	<10	<5	0.02	0.09	<5	29.9	<1

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
SE5506229	0.049	<1	2.9	<10	<5	24.8	<10	<10	<5	<0.01	0.06	<5	19.5	<1
SE5506230	0.019	<1	3.1	<10	<5	18.1	<10	<10	6	<0.01	0.06	<5	19.8	<1
SE5506231	0.020	<1	2.9	<10	<5	28.6	<10	<10	7	<0.01	0.05	<5	19.5	<1
SE5506232	0.011	<1	3.3	<10	<5	8.1	<10	<10	10	0.02	0.07	<5	30.2	<1
SE5506233	0.059	<1	4.5	<10	<5	36.9	<10	<10	8	<0.01	0.05	<5	12.1	<1
SE5506234	0.035	1	3.6	<10	<5	15.2	<10	<10	8	<0.01	0.04	<5	5.8	<1
SE5506235	0.036	<1	2.6	<10	<5	9.2	<10	<10	<5	<0.01	0.05	<5	11.5	<1
SE5506236	0.031	<1	3.5	<10	<5	34.0	<10	<10	<5	<0.01	0.05	<5	8.1	<1
SE5506237	0.081	3	5.7	<10	<5	45.3	<10	<10	6	<0.01	0.06	<5	6.3	<1
SE5506238	0.009	2	4.0	<10	<5	22.2	<10	<10	8	<0.01	0.03	<5	6.5	<1
SE5506239	0.009	<1	3.6	<10	<5	13.1	<10	<10	7	<0.01	0.05	<5	9.0	<1
SE5506240	0.043	3	4.9	<10	<5	31.5	<10	<10	8	<0.01	0.04	<5	9.9	<1
SE5506241	0.086	8	4.4	<10	<5	73.8	<10	<10	8	<0.01	0.04	<5	8.0	<1
SE5506242	0.180	12	4.8	<10	<5	128	<10	<10	9	<0.01	0.04	<5	6.5	<1
SE5506243	0.138	9	4.9	<10	<5	79.4	<10	<10	9	<0.01	0.06	<5	6.5	<1
SE5506244	0.102	9	4.0	<10	<5	53.3	<10	<10	9	<0.01	0.05	<5	5.5	<1
SE5506245	0.014	<1	3.4	<10	<5	6.7	<10	<10	7	<0.01	0.05	<5	13.1	<1
SE5506246	0.020	2	4.0	<10	<5	20.3	<10	<10	7	<0.01	0.06	<5	8.0	<1
SE5506247	0.016	<1	5.5	<10	<5	28.0	<10	<10	8	<0.01	0.10	<5	6.1	<1
SE5506248	0.019	<1	5.8	<10	<5	18.1	<10	<10	7	<0.01	0.09	<5	5.9	<1
SE5506249	1.20	<1	8.4	<10	<5	39.0	<10	<10	<5	0.18	0.67	<5	78.9	<1
SE5506250	0.239	8	<0.5	<10	<5	50.3	<10	<10	<5	<0.01	0.01	<5	16.6	<1
SE5506251	0.067	5	4.8	<10	<5	173	<10	<10	11	<0.01	0.05	<5	8.1	<1
SE5506252	0.014	<1	3.5	<10	<5	22.9	<10	<10	9	0.01	0.08	<5	22.5	<1
SE5506253	0.040	<1	4.1	<10	<5	28.4	<10	<10	9	<0.01	0.09	<5	9.4	<1
SE5506254	0.135	2	3.7	<10	<5	267	<10	<10	10	<0.01	0.06	<5	16.0	<1
SE5506255	0.150	4	4.9	<10	<5	410	<10	<10	10	<0.01	0.03	<5	7.9	<1
SE5506256	0.219	4	4.9	<10	<5	577	<10	<10	10	<0.01	0.03	<5	8.5	<1
SE5506257	0.100	5	4.5	<10	<5	229	<10	<10	12	<0.01	0.03	<5	6.8	<1
SE5506258	0.024	<1	2.5	<10	<5	7.8	<10	<10	8	0.01	0.08	<5	29.0	<1
SE5506259	0.049	<1	3.5	<10	<5	3.7	<10	<10	9	0.01	0.11	<5	30.7	<1
SE5506310	0.031	<1	2.9	<10	<5	12.9	<10	<10	7	0.01	0.09	<5	28.3	<1

Certified By:



**AGAT** Laboratories

# Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

## Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
SE5506311	0.017	<1	2.1	<10	<5	4.9	<10	<10	5	0.01	0.06	<5	28.1	<1
SE5506312	0.023	<1	3.1	<10	<5	17.3	<10	<10	<5	<0.01	0.05	<5	24.7	<1
SE5506313	0.028	<1	2.2	<10	<5	6.3	<10	<10	<5	<0.01	0.06	<5	26.4	<1
SE5506314	0.009	<1	3.1	<10	<5	10.8	<10	<10	12	<0.01	0.05	<5	18.0	<1
SE5506315	0.015	<1	2.2	<10	<5	6.1	<10	<10	8	<0.01	0.05	<5	23.2	<1
SE5506316	0.162	7	1.1	<10	<5	32.4	<10	<10	<5	<0.01	0.05	<5	20.3	<1
SE5506317	0.028	<1	3.5	<10	<5	14.6	<10	<10	<5	0.02	0.16	<5	38.3	<1
SE5506318	0.053	<1	2.8	<10	<5	14.4	<10	<10	<5	0.02	0.10	<5	31.4	<1
SE5506319	0.064	2	3.8	<10	<5	45.9	<10	<10	<5	0.01	0.14	<5	24.7	<1
SE5506320	0.041	<1	2.5	<10	<5	10.3	<10	<10	6	0.01	0.17	5	23.5	<1
SE5506321	0.031	<1	3.0	<10	<5	8.7	<10	<10	<5	0.02	0.12	<5	34.7	<1
SE5506322	0.162	7	2.5	<10	<5	250	<10	<10	<5	<0.01	0.15	<5	12.8	<1
SE5506323	0.116	5	2.6	<10	<5	171	<10	<10	5	<0.01	0.12	<5	13.1	<1
SE5506324	0.114	5	2.8	<10	<5	170	<10	<10	6	<0.01	0.14	<5	14.8	<1
SE5506325	0.072	4	2.4	<10	<5	93.5	<10	<10	5	<0.01	0.12	<5	15.1	<1
SE5506326	0.011	<1	2.4	<10	<5	18.9	<10	<10	9	<0.01	0.06	<5	19.0	<1
SE5506327	0.030	<1	0.9	<10	<5	7.6	<10	<10	<5	<0.01	0.04	<5	5.5	1
SE5506328	0.022	2	1.7	<10	<5	21.1	<10	<10	<5	<0.01	0.05	<5	11.3	2
SE5506329	0.018	7	3.1	<10	<5	19.8	<10	<10	<5	<0.01	0.07	<5	13.0	2
SE5506330	0.035	2	5.1	<10	<5	22.6	<10	<10	<5	<0.01	0.08	<5	12.3	<1
SE5506331	0.026	2	1.7	<10	<5	18.6	<10	<10	<5	<0.01	0.09	<5	10.4	1
SE5506332	0.026	2	1.2	<10	<5	17.8	<10	<10	<5	<0.01	0.06	<5	5.9	<1
SE5506333	0.065	2	1.1	<10	<5	55.1	<10	<10	<5	<0.01	0.07	<5	16.0	1
SE5506334	0.020	2	2.4	<10	<5	18.5	<10	<10	8	<0.01	0.10	<5	16.6	2
SE5506335	0.009	2	2.1	<10	<5	19.7	<10	<10	8	<0.01	0.08	<5	7.6	1
SE5506336	0.042	2	2.4	<10	<5	46.5	<10	<10	<5	0.04	0.10	<5	29.2	1
SE5506337	0.024	<1	1.9	<10	<5	19.5	<10	<10	6	<0.01	0.05	<5	7.7	<1
SE5506338	0.020	6	2.6	<10	<5	17.6	<10	<10	<5	0.01	0.10	<5	20.3	2
SE5506339	0.029	2	1.0	<10	<5	14.3	<10	<10	<5	0.02	0.09	<5	23.3	2
SE5506340	0.025	2	1.6	<10	<5	16.4	<10	<10	<5	<0.01	0.08	<5	14.5	1
SE5506558	0.073	<1	1.6	<10	<5	10.7	<10	<10	<5	0.01	0.09	<5	18.2	<1
SE5506559	0.020	1	1.8	<10	<5	15.9	<10	<10	<5	0.02	0.11	<5	30.8	1

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
SE5507410	0.057	1	1.0	<10	<5	16.5	<10	<10	<5	0.04	0.14	<5	46.2	<1
SE5507411	0.055	1	2.0	<10	<5	23.0	<10	<10	<5	0.01	0.10	<5	26.0	<1
SE5507412	0.097	2	<0.5	<10	<5	17.8	<10	<10	<5	0.01	0.12	<5	29.3	<1
SE5507413	0.031	2	<0.5	<10	<5	11.8	<10	<10	<5	0.01	0.10	<5	35.9	<1
SE5507414	0.021	2	2.1	<10	<5	11.5	<10	<10	<5	<0.01	0.08	<5	17.2	<1
SE5507415	0.041	1	0.8	<10	<5	12.2	<10	<10	<5	0.02	0.08	<5	25.5	1
SE5507416	0.036	4	2.6	<10	<5	17.4	<10	<10	<5	<0.01	0.10	<5	17.6	<1
SE5507417	0.026	<1	1.9	<10	<5	22.7	<10	<10	<5	0.07	0.13	<5	51.4	1
SE5507418	0.034	2	2.7	<10	<5	13.5	<10	<10	<5	0.02	0.08	<5	24.7	<1
SE5507419	0.034	1	3.6	<10	<5	30.9	<10	<10	<5	<0.01	0.08	<5	18.7	<1
SE5507420	0.015	2	2.9	<10	<5	15.3	<10	<10	<5	<0.01	0.06	<5	11.4	<1
SE5507421	0.101	<1	2.9	<10	<5	26.3	<10	<10	<5	<0.01	0.12	<5	11.3	1
SE5507422	0.046	<1	3.4	<10	<5	24.6	<10	<10	<5	<0.01	0.06	<5	8.1	<1
SE5507423	0.024	2	4.0	<10	<5	22.6	<10	<10	<5	<0.01	0.06	<5	8.8	<1
SE5507424	0.030	<1	3.4	<10	<5	20.8	<10	<10	<5	<0.01	0.07	<5	9.4	<1
SE5507425	0.049	1	1.6	<10	<5	16.1	<10	<10	<5	<0.01	0.08	<5	13.7	<1
SE5507426	0.056	3	2.6	<10	<5	18.8	<10	<10	<5	<0.01	0.10	<5	16.2	<1
SE5507427	0.069	<1	<0.5	<10	<5	23.0	<10	<10	<5	0.01	0.10	<5	34.8	1
SE5507428	0.019	3	2.9	<10	<5	15.7	<10	<10	<5	<0.01	0.07	<5	17.9	<1
SE5507429	0.008	2	4.1	<10	<5	42.7	<10	<10	<5	<0.01	0.05	<5	10.7	<1
SE5507430	0.017	2	3.3	<10	<5	19.3	<10	<10	<5	<0.01	0.06	<5	6.7	<1
SE5507431	0.035	13	3.4	<10	<5	19.2	<10	<10	<5	<0.01	0.14	<5	9.9	<1
SE5507432	0.058	3	4.4	<10	<5	12.7	<10	<10	<5	0.01	0.19	<5	20.0	<1
SE5507433	0.071	4	0.5	<10	<5	22.9	<10	<10	<5	<0.01	0.15	<5	8.6	<1
SE5507434	0.062	8	<0.5	<10	<5	23.2	<10	<10	<5	0.01	0.16	<5	25.4	<1
SE5507435	0.052	4	0.6	<10	<5	17.4	<10	<10	<5	<0.01	0.21	<5	19.0	<1
SE5507436	0.035	3	1.8	<10	<5	17.4	<10	<10	<5	<0.01	0.13	<5	15.4	<1
SE5507437	0.020	<1	1.7	<10	<5	5.2	<10	<10	<5	<0.01	0.12	<5	12.8	<1
SE5507438	0.054	<1	1.1	<10	<5	19.6	<10	<10	<5	0.01	0.06	<5	11.6	<1
SE5507439	0.038	<1	0.6	<10	<5	11.7	<10	<10	<5	<0.01	0.09	<5	26.3	<1
SE5507440	0.035	2	5.4	<10	<5	27.4	<10	<10	<5	<0.01	0.15	<5	8.7	1
SE5507441	0.010	2	0.9	<10	<5	9.0	<10	<10	<5	<0.01	0.11	<5	22.7	<1

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
SE5507442	0.026	1	1.0	<10	<5	12.9	<10	<10	<5	<0.01	0.06	<5	10.9	1
SE5507443	0.029	1	1.2	<10	<5	17.1	<10	<10	8	<0.01	0.05	<5	4.7	<1
SE5507444	0.059	<1	1.0	<10	<5	15.3	<10	<10	<5	<0.01	0.06	<5	5.3	1
SE5507445	0.022	1	1.4	<10	<5	16.1	<10	<10	5	<0.01	0.05	<5	8.6	<1
SE5507446	0.051	2	2.3	<10	<5	12.1	<10	<10	<5	<0.01	0.13	<5	18.3	<1
SE5507447	0.099	<1	2.8	<10	<5	67.7	<10	<10	7	<0.01	0.10	<5	15.8	1
SE5507448	0.096	<1	2.6	<10	<5	74.6	<10	<10	8	<0.01	0.09	<5	13.1	<1
SE5507449	1.18	6	4.9	<10	<5	38.2	<10	<10	<5	0.15	0.66	<5	67.6	<1
SE5507450	0.016	1	<0.5	<10	<5	32.6	<10	<10	<5	<0.01	0.02	16	9.4	<1
SE5507451	0.080	<1	2.4	<10	<5	51.4	<10	<10	<5	<0.01	0.06	<5	13.1	<1
SE5507452	0.040	2	4.6	<10	<5	31.0	<10	<10	8	<0.01	0.07	<5	15.6	<1
SE5507453	0.071	<1	3.0	<10	<5	18.3	<10	<10	<5	0.01	0.11	<5	18.3	<1
SE5507454	0.024	3	3.1	<10	<5	87.3	<10	<10	8	<0.01	0.04	<5	6.9	1
SE5507455	0.030	1	1.9	<10	<5	28.5	<10	<10	9	<0.01	0.04	<5	7.5	<1
SE5507456	0.044	14	1.9	12	<5	25.6	<10	<10	14	<0.01	0.09	6	10.3	1
SE5507457	0.013	5	3.6	<10	<5	21.0	<10	<10	8	<0.01	0.04	<5	6.1	1
SE5507458	0.027	4	1.8	<10	<5	11.3	<10	<10	6	<0.01	0.04	<5	10.4	<1
SE5507459	0.038	10	3.1	<10	<5	99.4	<10	<10	9	<0.01	0.04	<5	4.6	1
SE5507460	0.044	11	3.7	<10	<5	84.5	<10	<10	8	<0.01	0.06	<5	5.8	1
SE5507461	0.048	10	4.2	<10	<5	50.7	<10	<10	8	<0.01	0.06	<5	6.6	2
SE5507462	0.116	8	3.9	<10	<5	45.6	<10	<10	8	<0.01	0.05	<5	3.8	2
SE5507463	0.046	8	2.9	<10	<5	40.3	<10	<10	9	<0.01	0.04	<5	4.4	<1
SE5507464	0.086	8	2.5	<10	<5	116	<10	<10	8	<0.01	0.04	<5	3.7	<1
SE5507465	0.030	3	1.2	<10	<5	11.1	<10	<10	<5	0.01	0.08	<5	21.8	1
SE5507466	0.016	3	2.4	<10	<5	20.3	<10	<10	7	<0.01	0.05	<5	13.0	1
SE5507467	0.021	6	3.8	<10	<5	27.5	<10	<10	7	<0.01	0.08	<5	10.1	1
SE5507468	0.041	5	3.9	<10	<5	29.0	<10	<10	6	<0.01	0.05	<5	8.7	1
SE5507469	0.022	1	2.0	<10	<5	14.8	<10	<10	<5	0.02	0.09	<5	27.2	<1
SE5507470	0.034	<1	2.1	<10	<5	17.8	<10	<10	9	<0.01	0.04	<5	7.0	1
SE5507471	0.041	1	<0.5	<10	<5	10.6	<10	<10	<5	<0.01	0.09	<5	16.8	<1
SE5507472	0.059	2	3.8	<10	<5	35.0	<10	<10	9	<0.01	0.06	<5	10.5	<1
SE5507473	0.093	1	4.8	<10	<5	76.4	<10	<10	10	<0.01	0.06	<5	11.4	1

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
SE5507474	0.032	2	1.5	<10	<5	12.7	<10	<10	<5	<0.01	0.06	<5	9.2	<1
SE5507475	0.035	5	3.4	<10	<5	27.1	<10	<10	10	<0.01	0.05	<5	4.1	1
SE5507476	0.036	6	2.7	<10	<5	49.3	<10	<10	8	0.01	0.05	<5	5.1	<1
SE5507477	0.062	2	3.2	<10	<5	259	<10	<10	8	<0.01	0.03	<5	4.9	1
SE5507478	0.051	2	2.9	<10	<5	206	<10	<10	8	<0.01	0.03	<5	4.4	1
SE5507479	0.025	<1	1.5	<10	<5	11.4	<10	<10	7	<0.01	0.06	<5	21.6	<1
SE5507480	0.031	2	1.7	<10	<5	11.9	<10	<10	9	<0.01	0.08	<5	13.7	<1
SE5507481	0.027	1	2.0	<10	<5	12.5	<10	<10	<5	0.01	0.10	<5	23.8	<1
SE5507482	0.061	<1	2.4	<10	<5	44.1	<10	<10	<5	<0.01	0.09	<5	20.2	<1
SE5507483	0.037	2	1.2	<10	<5	14.2	<10	<10	<5	<0.01	0.09	<5	14.5	<1
SE5507484	0.133	2	1.7	<10	<5	21.8	<10	<10	<5	0.01	0.18	<5	30.9	<1
SE5507485	0.043	2	1.7	<10	<5	13.0	<10	<10	<5	<0.01	0.09	<5	21.7	<1
SE5507486	0.040	1	1.6	<10	<5	15.6	<10	<10	<5	0.01	0.08	<5	24.1	<1
SE5507487	0.028	<1	1.7	<10	<5	12.4	<10	<10	6	0.01	0.08	<5	24.2	<1
SE5507488	0.045	1	1.7	<10	<5	20.8	<10	<10	<5	<0.01	0.08	<5	17.0	1
SE5507489	0.185	3	1.2	<10	<5	40.9	<10	<10	<5	0.01	0.15	13	32.5	<1
SE5507490	0.014	2	1.7	<10	<5	11.4	<10	<10	10	<0.01	0.06	<5	15.9	1
SE5507491	0.031	2	1.0	<10	<5	9.3	<10	<10	<5	0.01	0.05	<5	15.1	<1
SE5507492	0.034	<1	1.4	<10	<5	14.3	<10	<10	<5	0.03	0.16	<5	41.2	<1
SE5507493	0.018	2	1.8	<10	<5	12.6	<10	<10	7	<0.01	0.07	<5	19.3	<1
SE5507494	0.016	2	1.5	<10	<5	14.2	<10	<10	9	<0.01	0.06	<5	14.7	<1
SE5507495	0.026	3	2.2	<10	<5	61.1	<10	<10	<5	<0.01	0.08	<5	15.1	2
SE5507496	0.018	3	1.7	<10	<5	134	<10	<10	<5	<0.01	0.12	<5	7.2	4
SE5507497	0.026	3	2.7	<10	<5	22.8	<10	<10	<5	<0.01	0.14	<5	10.2	1
SE5507498	0.029	2	2.3	<10	<5	17.2	<10	<10	<5	<0.01	0.12	<5	12.8	1
SE5507499	1.16	5	5.4	<10	<5	41.3	<10	<10	<5	0.17	0.65	<5	70.0	<1
SE5507500	0.015	1	<0.5	<10	<5	30.7	<10	<10	<5	<0.01	0.02	13	8.9	<1
SE5507501	0.030	4	2.7	<10	<5	47.6	<10	<10	<5	0.01	0.13	<5	20.4	1
SE5507502	0.029	3	2.2	<10	<5	29.7	<10	<10	<5	<0.01	0.12	<5	13.5	1
SE5507503	0.029	<1	1.9	<10	<5	11.9	<10	<10	<5	<0.01	0.09	<5	18.8	2
SE5507504	0.034	3	1.6	<10	<5	29.7	<10	<10	<5	<0.01	0.07	<5	6.6	1
SE5507505	0.032	4	1.4	<10	<5	19.4	<10	<10	5	<0.01	0.09	<5	9.2	1

Certified By:



# Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

**Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)**

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
SE5507506	0.043	3	2.2	<10	<5	25.1	<10	<10	<5	<0.01	0.12	<5	17.2	<1
SE5507507	0.036	3	2.8	<10	<5	20.2	<10	<10	<5	0.01	0.11	<5	17.2	2
SE5507508	0.037	<1	0.7	<10	<5	28.4	<10	<10	<5	0.02	0.09	<5	22.5	<1
SE5507509	0.086	1	0.9	<10	<5	73.4	<10	<10	<5	<0.01	0.08	<5	11.4	<1
SE5507510	0.024	5	1.7	<10	<5	27.1	<10	<10	7	<0.01	0.09	<5	8.3	<1
SE5507511	0.020	<1	2.1	<10	<5	106	<10	<10	<5	<0.01	0.12	<5	11.4	2
SE5507512	0.013	2	2.2	<10	<5	11.3	<10	<10	7	<0.01	0.10	<5	9.7	<1
SE5507513	0.022	<1	2.3	<10	<5	21.6	<10	<10	<5	<0.01	0.11	<5	13.5	<1
SE5507514	0.104	1	1.1	<10	<5	28.9	<10	<10	<5	<0.01	0.08	<5	8.1	<1
SE5507515	0.042	<1	2.0	<10	<5	21.3	<10	<10	7	<0.01	0.08	<5	9.9	<1
SE5507516	0.056	2	2.3	<10	<5	37.0	<10	<10	8	<0.01	0.04	<5	5.7	<1
SE5507517	0.063	<1	1.7	<10	<5	35.2	<10	<10	<5	<0.01	0.06	<5	10.5	1
SE5507518	0.030	2	3.3	<10	<5	40.1	<10	<10	9	<0.01	0.05	<5	8.2	1
SE5507519	0.016	2	2.8	<10	<5	25.5	<10	<10	7	<0.01	0.05	<5	9.0	1
SE5507520	0.066	2	1.4	<10	<5	21.0	<10	<10	<5	<0.01	0.07	<5	16.4	<1
SE5507521	0.016	2	1.3	<10	<5	16.0	<10	<10	<5	0.01	0.09	<5	27.6	1
SE5507522	0.058	3	1.4	<10	<5	25.3	<10	<10	<5	<0.01	0.05	<5	12.1	<1
SE5507523	0.033	6	1.9	<10	<5	25.9	<10	<10	<5	<0.01	0.10	<5	7.7	1
SE5507524	0.094	2	1.5	<10	<5	39.1	<10	<10	<5	<0.01	0.07	<5	8.3	2
SE5507525	0.071	5	1.7	<10	<5	31.1	<10	<10	<5	<0.01	0.08	<5	8.1	<1
SE5507526	0.076	2	1.6	<10	<5	56.8	<10	<10	<5	<0.01	0.07	<5	13.3	<1
SE5507527	0.154	2	1.0	<10	<5	59.7	<10	<10	<5	0.01	0.09	5	21.8	<1
SE5507528	0.064	2	1.7	<10	<5	28.3	<10	<10	<5	0.02	0.13	<5	30.2	<1
SE5507529	0.082	4	1.6	<10	<5	65.5	<10	<10	<5	0.01	0.12	<5	26.8	3
SE5507530	0.040	3	3.1	<10	<5	25.1	<10	<10	<5	<0.01	0.10	<5	13.2	1
SE5507531	0.081	4	1.7	<10	<5	36.2	<10	<10	<5	<0.01	0.13	<5	22.8	1
SE5507532	0.017	<1	2.4	<10	<5	16.5	<10	<10	7	<0.01	0.06	<5	16.3	<1
SE5507533	0.051	3	3.7	<10	<5	15.5	<10	<10	<5	0.01	0.11	<5	25.4	5
SE5507534	0.039	1	<0.5	<10	<5	8.1	<10	<10	<5	0.02	0.07	<5	19.4	<1
SE5507535	0.026	1	2.5	<10	<5	24.9	<10	<10	<5	0.01	0.10	<5	21.1	<1
SE5507536	0.014	<1	1.8	<10	<5	10.0	<10	<10	5	0.02	0.08	<5	24.3	<1
SE5507537	0.009	<1	1.8	<10	<5	17.1	<10	<10	9	<0.01	0.04	<5	17.3	<1

Certified By:





# Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

**Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)**

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
SE5507538	0.027	2	2.2	<10	<5	20.2	<10	<10	7	<0.01	0.07	<5	13.0	1
SE5507539	0.033	2	2.2	<10	<5	23.4	<10	<10	9	<0.01	0.06	<5	9.4	<1
SE5507540	0.036	6	2.9	<10	<5	24.5	<10	<10	13	<0.01	0.09	<5	12.5	<1
SE5507541	0.021	5	2.4	<10	<5	19.8	<10	<10	10	<0.01	0.09	<5	11.4	<1
SE5507542	0.014	2	2.0	<10	<5	22.5	<10	<10	13	<0.01	0.05	<5	9.6	<1
SE5507543	0.062	1	1.4	<10	<5	33.4	<10	<10	<5	<0.01	0.07	<5	19.4	<1
SE5507544	0.029	<1	1.5	<10	<5	16.9	<10	<10	7	<0.01	0.04	<5	18.6	<1
SE5507545	0.040	2	<0.5	<10	<5	8.9	<10	<10	<5	0.01	0.11	<5	29.9	1
SE5507546	0.011	2	2.4	<10	<5	20.8	<10	<10	7	0.02	0.06	<5	19.8	<1
SE5507547	0.066	<1	1.6	<10	<5	20.9	<10	<10	<5	0.02	0.10	<5	31.7	<1
SE5507548	0.069	2	1.9	<10	<5	24.2	<10	<10	<5	0.02	0.13	<5	37.5	1
SE5507549	1.08	7	5.1	<10	<5	38.2	<10	<10	<5	0.16	0.58	<5	67.7	<1
SE5507550	0.014	<1	<0.5	<10	<5	30.4	<10	<10	<5	<0.01	0.02	14	8.4	<1
SE5507551	0.026	2	2.0	<10	<5	16.3	<10	<10	5	<0.01	0.09	<5	12.0	1
SE5507552	0.016	2	2.3	<10	<5	13.9	<10	<10	<5	<0.01	0.04	<5	8.2	1
SE5507553	0.022	4	2.4	<10	<5	15.2	<10	<10	10	0.01	0.09	<5	17.2	<1
SE5507554	0.027	1	2.3	<10	<5	21.1	<10	<10	<5	<0.01	0.07	<5	14.8	1
SE5507555	0.051	<1	1.9	<10	<5	13.0	<10	<10	<5	0.01	0.08	<5	23.2	<1
SE5507556	0.042	7	2.3	<10	<5	34.8	<10	<10	9	<0.01	0.13	<5	9.4	<1
SE5507557	0.078	2	1.8	<10	<5	12.8	<10	<10	<5	0.01	0.14	<5	24.3	<1
SE5507558	0.043	<1	3.1	<10	<5	27.0	<10	<10	<5	0.01	0.10	<5	21.7	<1
SE5507559	0.035	2	2.6	<10	<5	10.7	<10	<10	10	<0.01	0.12	<5	23.6	<1
SE5507660	0.042	2	3.4	<10	<5	39.7	<10	<10	6	<0.01	0.04	<5	7.6	1
SE5507661	0.007	<1	2.2	<10	<5	12.6	<10	<10	7	<0.01	0.05	<5	12.0	<1
SE5507662	0.028	6	5.1	<10	<5	35.0	<10	<10	6	<0.01	0.07	<5	4.4	1
SE5507663	0.029	7	4.0	<10	<5	39.5	<10	<10	<5	<0.01	0.08	<5	4.7	1
SE5507664	0.021	7	3.6	<10	<5	25.7	<10	<10	6	<0.01	0.04	<5	5.1	1
SE5507665	0.017	6	3.6	<10	<5	28.9	<10	<10	5	<0.01	0.06	<5	13.3	1
SE5507666	0.017	6	3.9	<10	<5	38.3	<10	<10	7	<0.01	0.06	<5	7.0	1
SE5507667	0.024	14	3.7	<10	<5	55.5	<10	<10	7	<0.01	0.06	<5	8.1	<1
SE5507668	0.035	5	2.5	<10	<5	37.0	<10	<10	11	<0.01	0.04	<5	4.1	1
SE5507669	0.029	6	3.5	<10	<5	52.0	<10	<10	6	<0.01	0.05	<5	4.8	<1

Certified By:



# AGAT Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
SE5507670	0.021	7	3.4	<10	<5	36.1	<10	<10	6	<0.01	0.04	<5	3.7	1
SE5507671	0.033	6	3.0	<10	<5	27.7	<10	<10	9	<0.01	0.03	<5	3.3	<1
SE5507672	0.040	3	3.3	<10	<5	278	<10	<10	9	<0.01	0.03	<5	5.2	1
SE5507673	0.042	<1	3.0	<10	<5	30.3	<10	<10	<5	<0.01	0.12	<5	18.9	<1
SE5507674	0.039	2	2.3	<10	<5	638	<10	<10	<5	<0.01	0.18	9	8.5	<1
SE5507945	0.044	1	1.7	<10	<5	10.1	<10	<10	<5	0.02	0.12	<5	29.2	<1
SE5507946	0.019	<1	2.4	<10	<5	13.3	<10	<10	<5	0.02	0.13	<5	40.0	<1
SE5507947	0.014	1	1.3	<10	<5	6.8	<10	<10	<5	0.01	0.07	<5	29.1	<1
SE5507948	0.009	<1	2.1	<10	<5	7.9	<10	<10	<5	<0.01	0.07	<5	14.9	<1
SE5507972	0.029	<1	1.5	<10	<5	12.7	<10	<10	<5	0.02	0.13	<5	47.7	1
SE5507973	0.026	<1	1.9	<10	<5	12.4	<10	<10	<5	0.02	0.08	<5	33.0	<1
SE5507974	0.034	2	2.2	<10	<5	13.6	<10	<10	<5	0.01	0.08	<5	26.2	<1
SE5507975	0.030	2	1.1	<10	<5	18.5	<10	<10	<5	0.02	0.09	<5	32.7	<1
SE5507976	0.033	1	0.8	<10	<5	10.9	<10	<10	<5	0.01	0.08	<5	29.9	<1
SE5507977	0.019	3	2.6	<10	<5	15.2	<10	<10	<5	0.02	0.06	<5	19.5	<1
SE5507978	0.097	2	1.3	<10	<5	16.8	<10	<10	<5	<0.01	0.05	<5	15.6	<1
SE5507979	0.040	1	2.1	<10	<5	13.7	<10	<10	<5	<0.01	0.08	<5	15.3	1
SE5507980	0.017	2	3.8	<10	<5	16.7	<10	<10	<5	<0.01	0.05	<5	8.7	<1
SE5507981	0.022	1	2.6	<10	<5	17.1	<10	<10	<5	<0.01	0.06	<5	8.0	<1
SE5507982	0.023	2	2.2	<10	<5	17.0	<10	<10	<5	0.02	0.08	<5	29.1	<1
SE5507983	0.009	2	3.2	<10	<5	21.4	<10	<10	<5	0.01	0.05	<5	25.1	1
SE5507984	0.009	2	4.5	<10	<5	12.5	<10	<10	<5	<0.01	0.04	<5	12.9	<1
SE5507985	0.011	<1	3.3	<10	<5	13.6	<10	<10	<5	<0.01	0.05	<5	10.4	1
SE5507986	0.013	<1	3.3	<10	<5	12.7	<10	<10	<5	<0.01	0.06	<5	11.4	<1
SE5507987	0.028	1	2.6	<10	<5	15.3	<10	<10	<5	0.01	0.10	<5	22.9	<1
SE5507988	0.060	2	1.5	<10	<5	28.3	<10	<10	<5	0.01	0.11	<5	30.1	<1
SE5507989	0.035	1	1.4	<10	<5	16.5	<10	<10	<5	0.02	0.12	<5	35.6	<1
SE5507990	0.052	6	3.4	<10	<5	33.3	<10	<10	<5	<0.01	0.21	<5	8.3	<1
SE5507991	0.028	3	3.0	<10	<5	15.6	<10	<10	<5	<0.01	0.06	<5	14.5	<1
SE5507992	0.044	2	3.2	<10	<5	13.0	<10	<10	<5	<0.01	0.09	<5	19.5	<1
SE5507993	0.027	<1	2.7	<10	<5	11.9	<10	<10	<5	<0.01	0.10	<5	16.1	<1
SE5507994	0.025	2	2.5	<10	<5	16.1	<10	<10	<5	<0.01	0.04	<5	23.8	<1

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
SE5507995	0.066	2	2.2	<10	<5	19.1	<10	<10	<5	0.02	0.11	<5	33.0	<1
SE5507996	0.054	1	1.7	<10	<5	8.3	<10	<10	<5	<0.01	0.08	<5	23.3	<1
SE5507997	0.068	2	2.5	<10	<5	35.3	<10	<10	<5	<0.01	0.07	<5	20.2	<1
SE5507998	0.042	2	<0.5	<10	<5	6.0	<10	<10	<5	<0.01	0.11	<5	33.6	<1
SE5507999	0.021	3	4.6	<10	<5	8.0	<10	<10	<5	<0.01	0.12	<5	14.8	<1
SE5508000	0.036	2	4.4	<10	<5	29.9	<10	<10	<5	<0.01	0.11	<5	5.0	<1
SE5508001	0.115	16	3.1	<10	<5	94.8	<10	<10	<5	<0.01	0.48	<5	7.1	<1
SE5508002	0.055	1	1.4	<10	<5	8.1	<10	<10	<5	<0.01	0.12	<5	33.9	<1
SE5508003	0.214	2	3.4	<10	<5	125	<10	<10	6	<0.01	0.06	<5	10.7	<1
SE5508004	0.030	1	2.9	<10	<5	34.5	<10	<10	<5	0.01	0.12	<5	18.9	<1
SE5508005	0.034	3	2.5	<10	<5	29.9	<10	<10	<5	0.01	0.09	<5	20.1	<1
SE5508006	0.057	2	2.4	<10	<5	45.7	<10	<10	<5	0.01	0.12	<5	28.3	<1
SE5508007	0.046	1	5.0	<10	<5	39.5	<10	<10	<5	<0.01	0.07	<5	17.1	<1
SE5508008	0.039	2	3.8	<10	<5	31.2	<10	<10	6	<0.01	0.06	<5	10.7	1
SE5508009	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
SE5508126	0.052	2	3.1	<10	<5	30.2	<10	<10	<5	<0.01	0.04	<5	11.8	<1
SE5508262	0.027	2	2.2	<10	<5	21.7	<10	<10	8	<0.01	0.06	<5	7.1	1
SE5508263	0.090	1	1.5	<10	<5	43.1	<10	<10	<5	<0.01	0.06	<5	8.2	<1
SE5508264	0.030	3	3.2	<10	<5	31.8	<10	<10	<5	<0.01	0.06	<5	9.3	1
SE5508265	0.031	1	2.0	<10	<5	15.7	<10	<10	<5	<0.01	0.11	<5	25.4	<1
SE5508266	0.015	3	2.1	<10	<5	17.0	<10	<10	9	<0.01	0.06	<5	15.9	<1
SE5508267	0.014	3	1.7	<10	<5	38.0	<10	<10	7	<0.01	0.04	<5	13.0	3
SE5508268	0.031	3	1.9	<10	<5	18.8	<10	<10	<5	<0.01	0.07	<5	17.9	3
SE5508269	0.014	1	1.3	<10	<5	8.4	<10	<10	8	<0.01	0.04	<5	15.2	<1
SE5508270	0.025	6	2.7	<10	<5	19.3	<10	<10	<5	<0.01	0.06	<5	14.6	2
SE5508271	0.046	<1	2.3	<10	<5	13.4	<10	<10	<5	0.01	0.09	<5	30.2	<1
SE5508272	0.051	2	3.5	<10	<5	19.0	<10	<10	<5	<0.01	0.04	<5	6.1	1
SE5508273	0.040	7	2.8	<10	<5	16.8	<10	<10	<5	0.01	0.08	<5	24.6	2
SE5508274	0.056	6	2.9	<10	<5	34.8	<10	<10	<5	<0.01	0.09	<5	19.6	2
SE5508275	0.022	6	1.6	<10	<5	33.2	<10	<10	<5	<0.01	0.05	9	11.7	2
SE5508276	0.013	11	1.1	<10	<5	47.9	<10	<10	<5	<0.01	0.06	11	10.8	3
SE5508277	0.025	3	2.5	<10	<5	13.4	<10	<10	16	<0.01	0.08	<5	17.9	<1

Certified By:



# AGAT Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
SE5508278	0.028	2	3.3	<10	<5	7.3	<10	<10	<5	<0.01	0.08	<5	24.1	<1
SE5508279	0.025	<1	1.6	<10	<5	5.5	<10	<10	11	<0.01	0.04	<5	19.5	<1
SE5508280	0.028	<1	1.8	<10	<5	8.2	<10	<10	10	<0.01	0.03	<5	19.3	<1
SE5508281	0.029	2	2.6	<10	<5	7.4	<10	<10	10	<0.01	0.08	<5	22.4	1
SE5508282	0.044	2	2.9	<10	<5	11.1	<10	<10	11	<0.01	0.10	<5	21.1	<1
SE5508283	0.025	6	2.7	<10	<5	12.1	<10	<10	10	<0.01	0.11	<5	23.5	<1
SE5508284	0.010	<1	3.7	<10	<5	10.2	<10	<10	13	0.01	0.10	5	29.2	<1
SE5508285	0.021	<1	3.0	<10	<5	15.0	<10	<10	13	0.01	0.11	7	30.3	<1
SE5508286	0.021	<1	3.1	<10	<5	11.6	<10	<10	15	0.01	0.11	8	34.5	<1
SE5508287	0.010	<1	2.7	<10	<5	7.1	<10	<10	12	0.01	0.08	6	29.8	<1
SE5508288	0.099	<1	1.6	<10	<5	76.1	<10	<10	<5	<0.01	0.14	<5	31.0	<1
SE5508289	0.017	<1	2.8	<10	<5	15.2	<10	<10	10	<0.01	0.09	6	20.1	<1
SE5508290	0.012	<1	3.2	<10	<5	18.3	<10	<10	9	0.01	0.08	<5	29.6	<1
SE5508291	0.016	<1	3.3	<10	<5	11.2	<10	<10	9	0.01	0.11	6	21.2	<1
SE5508292	0.013	<1	2.5	<10	<5	7.2	<10	<10	11	0.01	0.11	5	22.1	<1
SE5508293	0.071	<1	2.7	<10	<5	7.4	<10	<10	16	<0.01	0.10	9	15.4	<1
SE5508294	0.005	<1	2.6	<10	<5	15.2	<10	<10	10	0.02	0.07	<5	32.0	<1
SE5508295	0.013	<1	1.8	<10	<5	9.1	<10	<10	8	0.01	0.07	<5	29.9	<1
SE5508296	<0.005	<1	1.9	<10	<5	6.3	<10	<10	8	<0.01	0.06	<5	22.2	<1
SE5508297	<0.005	<1	3.3	<10	<5	17.9	<10	<10	12	<0.01	0.07	<5	22.8	<1
SE5508298	<0.005	<1	3.5	<10	<5	21.5	<10	<10	10	<0.01	0.08	<5	23.1	<1
SE5508299	1.00	<1	8.4	<10	<5	45.2	<10	<10	<5	0.17	0.59	<5	80.5	<1
SE5508300	0.174	8	<0.5	<10	<5	52.2	<10	<10	<5	<0.01	0.01	<5	16.0	<1
SE5508301	<0.005	2	3.3	<10	<5	22.4	<10	<10	9	<0.01	0.16	<5	17.9	<1
SE5508302	<0.005	<1	1.8	<10	<5	14.2	<10	<10	7	<0.01	0.08	<5	18.2	<1
SE5508303	0.082	2	2.4	<10	<5	25.9	<10	<10	<5	<0.01	0.09	<5	34.0	<1
SE5508304	0.148	10	2.0	<10	<5	60.9	<10	<10	<5	<0.01	0.07	<5	28.1	<1
SE5508305	0.015	<1	3.2	<10	<5	19.2	<10	<10	13	<0.01	0.07	<5	19.6	<1
SE5508512	0.019	<1	1.9	<10	<5	9.0	<10	<10	<5	0.02	0.09	<5	38.3	<1
SE5508538	0.010	<1	1.6	<10	<5	13.2	<10	<10	<5	<0.01	0.10	<5	21.5	<1
SE5508539	0.020	<1	1.8	<10	<5	9.6	<10	<10	<5	0.01	0.16	<5	42.5	<1
SE5508540	0.034	<1	2.7	<10	<5	13.9	<10	<10	<5	0.02	0.22	6	49.1	<1

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
SE5508541	0.007	<1	2.3	<10	<5	10.6	<10	<10	5	<0.01	0.10	<5	34.1	<1
SE5508542	0.013	<1	2.1	<10	<5	11.5	<10	<10	<5	0.02	0.11	<5	41.3	<1
SE5508543	0.020	<1	2.1	<10	<5	23.8	<10	<10	<5	0.02	0.10	<5	38.0	<1
SE5508544	0.030	<1	2.4	<10	<5	39.2	<10	<10	<5	0.01	0.09	<5	32.9	<1
SE5508545	0.031	<1	3.0	<10	<5	39.6	<10	<10	<5	<0.01	0.09	<5	25.4	<1
SE5508546	0.024	<1	3.4	<10	<5	29.2	<10	<10	<5	<0.01	0.06	<5	20.5	<1
SE5508547	0.007	<1	1.9	<10	<5	7.1	<10	<10	<5	<0.01	0.07	<5	12.9	<1
SE5508548	0.005	<1	1.8	<10	<5	5.9	<10	<10	<5	<0.01	0.05	<5	10.7	<1
SE5508549	1.04	<1	6.4	<10	<5	34.6	<10	<10	<5	0.14	0.48	<5	71.3	<1
SE5508550	0.178	7	<0.5	<10	<5	54.4	<10	<10	<5	<0.01	<0.01	<5	16.0	<1
SE5508551	0.031	<1	<0.5	<10	<5	6.1	<10	<10	<5	<0.01	0.07	<5	17.1	<1
SE5508552	0.010	<1	1.3	<10	<5	10.3	<10	<10	<5	0.01	0.08	<5	27.0	<1
SE5508553	<0.005	<1	1.2	<10	<5	5.8	<10	<10	<5	<0.01	0.09	<5	23.5	<1
SE5508554	0.014	<1	2.9	<10	<5	17.2	<10	<10	<5	<0.01	0.07	<5	19.8	<1
SE5508555	0.006	<1	1.8	<10	<5	6.6	<10	<10	<5	<0.01	0.09	<5	33.5	<1
SE5508556	0.012	2	1.8	<10	<5	7.2	<10	<10	<5	<0.01	0.09	<5	19.3	1
SE5508557	0.018	2	2.4	<10	<5	10.7	<10	<10	<5	0.01	0.07	<5	22.2	1
SE5508558	0.021	3	2.1	<10	<5	11.7	<10	<10	<5	<0.01	0.09	<5	22.3	<1
SE5508559	0.025	2	3.4	<10	<5	26.2	<10	<10	<5	<0.01	0.08	<5	18.8	1
SE5508616	0.032	1	0.8	<10	<5	7.7	<10	<10	<5	0.02	0.11	<5	26.7	1
SE5508617	0.014	4	0.8	<10	<5	6.2	<10	<10	<5	<0.01	0.07	<5	16.3	<1
SE5508618	0.022	6	<0.5	<10	<5	7.9	<10	<10	<5	<0.01	0.10	<5	12.6	<1
SE5508619	0.040	3	4.7	<10	<5	25.2	<10	<10	<5	0.02	0.10	<5	26.3	<1
SE5508620	0.025	2	0.6	<10	<5	8.2	<10	<10	<5	<0.01	0.10	<5	20.5	<1
SE5508621	0.009	5	1.9	<10	<5	12.8	<10	<10	<5	<0.01	0.08	<5	6.4	1

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
SE5506197		5	124	<5
SE5506198		5	124	<5
SE5506199		9	1450	13
SE5506200		1	16.6	<5
SE5506201		6	123	<5
SE5506202		5	115	<5
SE5506203		6	117	<5
SE5506204		9	94.8	<5
SE5506205		9	120	<5
SE5506206		7	129	<5
SE5506207		6	118	<5
SE5506208		5	115	<5
SE5506209		5	119	<5
SE5506210		5	103	<5
SE5506211		4	109	<5
SE5506212		4	104	<5
SE5506213		5	116	<5
SE5506214		11	151	<5
SE5506215		4	113	<5
SE5506216		3	90.5	<5
SE5506217		6	112	<5
SE5506218		4	136	<5
SE5506219		2	98.1	<5
SE5506220		3	44.1	<5
SE5506221		3	88.2	<5
SE5506222		4	106	<5
SE5506223		4	101	<5
SE5506224		8	1250	<5
SE5506225		5	209	<5
SE5506226		3	65.6	<5
SE5506227		6	69.1	<5
SE5506228		4	103	<5

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
SE5506229		10	145	<5
SE5506230		10	189	<5
SE5506231		9	120	<5
SE5506232		6	130	<5
SE5506233		15	96.9	<5
SE5506234		8	105	<5
SE5506235		11	73.1	<5
SE5506236		11	83.2	<5
SE5506237		14	89.7	<5
SE5506238		7	93.1	<5
SE5506239		4	99.2	<5
SE5506240		10	106	<5
SE5506241		4	75.0	<5
SE5506242		5	77.9	<5
SE5506243		5	88.8	<5
SE5506244		5	77.8	<5
SE5506245		4	105	<5
SE5506246		8	107	<5
SE5506247		13	85.0	<5
SE5506248		14	89.9	<5
SE5506249		10	1450	14
SE5506250		1	12.4	<5
SE5506251		10	80.7	<5
SE5506252		6	117	<5
SE5506253		10	99.3	<5
SE5506254		10	83.9	<5
SE5506255		10	69.6	7
SE5506256		11	62.9	7
SE5506257		9	69.8	6
SE5506258		4	118	<5
SE5506259		6	127	<5
SE5506310		8	130	<5

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
SE5506311		4	105	<5
SE5506312		9	112	<5
SE5506313		7	103	<5
SE5506314		11	104	<5
SE5506315		5	115	<5
SE5506316		4	27.4	<5
SE5506317		11	116	<5
SE5506318		10	102	<5
SE5506319		17	108	<5
SE5506320		5	107	<5
SE5506321		7	103	<5
SE5506322		9	122	<5
SE5506323		8	110	<5
SE5506324		8	118	<5
SE5506325		9	103	<5
SE5506326		6	101	<5
SE5506327		4	38.6	<5
SE5506328		9	93.9	<5
SE5506329		15	131	<5
SE5506330		23	187	<5
SE5506331		8	92.5	<5
SE5506332		6	91.8	<5
SE5506333		5	100	<5
SE5506334		9	104	<5
SE5506335		13	104	<5
SE5506336		8	96.3	<5
SE5506337		10	63.7	<5
SE5506338		8	110	<5
SE5506339		4	80.1	<5
SE5506340		6	91.7	<5
SE5506558		2	103	<5
SE5506559		2	48.8	<5

Certified By:





**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
SE5507410		3	90.9	<5
SE5507411		3	122	<5
SE5507412		2	130	<5
SE5507413		2	96.3	<5
SE5507414		4	97.1	<5
SE5507415		4	77.7	<5
SE5507416		4	156	<5
SE5507417		6	88.3	<5
SE5507418		6	114	<5
SE5507419		9	118	<5
SE5507420		6	116	<5
SE5507421		10	93.2	<5
SE5507422		6	139	<5
SE5507423		8	117	<5
SE5507424		9	125	<5
SE5507425		4	84.6	<5
SE5507426		6	105	<5
SE5507427		3	87.2	<5
SE5507428		5	124	<5
SE5507429		6	151	<5
SE5507430		6	111	<5
SE5507431		7	465	<5
SE5507432		8	123	<5
SE5507433		1	29.4	<5
SE5507434		2	79.8	<5
SE5507435		2	196	<5
SE5507436		3	210	<5
SE5507437		2	73.5	<5
SE5507438		3	82.0	<5
SE5507439		3	90.4	<5
SE5507440		16	109	<5
SE5507441		2	41.5	<5

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
SE5507442		3	43.3	<5
SE5507443		9	114	<5
SE5507444		9	86.1	<5
SE5507445		9	153	<5
SE5507446		12	187	<5
SE5507447		13	162	<5
SE5507448		13	159	<5
SE5507449		10	1570	14
SE5507450		1	16.7	<5
SE5507451		13	111	<5
SE5507452		21	114	<5
SE5507453		15	90.6	<5
SE5507454		11	93.1	<5
SE5507455		6	119	<5
SE5507456		10	176	<5
SE5507457		10	99.2	<5
SE5507458		3	94.5	<5
SE5507459		8	113	6
SE5507460		5	94.0	<5
SE5507461		5	107	<5
SE5507462		4	98.6	<5
SE5507463		6	104	<5
SE5507464		5	78.9	<5
SE5507465		2	99.0	<5
SE5507466		3	103	<5
SE5507467		6	128	<5
SE5507468		7	115	<5
SE5507469		6	111	<5
SE5507470		10	113	<5
SE5507471		3	78.7	<5
SE5507472		15	112	<5
SE5507473		24	126	<5

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
SE5507474		9	112	<5
SE5507475		8	117	<5
SE5507476		6	86.4	7
SE5507477		10	76.9	6
SE5507478		9	67.5	6
SE5507479		5	115	<5
SE5507480		11	138	<5
SE5507481		8	97.9	<5
SE5507482		10	132	<5
SE5507483		6	91.9	<5
SE5507484		13	139	<5
SE5507485		6	95.5	<5
SE5507486		6	99.0	<5
SE5507487		6	99.5	<5
SE5507488		6	92.1	<5
SE5507489		7	109	<5
SE5507490		6	111	<5
SE5507491		4	85.0	<5
SE5507492		7	98.3	<5
SE5507493		6	114	<5
SE5507494		6	101	<5
SE5507495		11	101	<5
SE5507496		9	107	<5
SE5507497		14	127	<5
SE5507498		12	122	<5
SE5507499		11	1490	17
SE5507500		1	18.7	<5
SE5507501		15	117	<5
SE5507502		13	147	<5
SE5507503		9	103	<5
SE5507504		8	86.0	<5
SE5507505		6	88.7	<5

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
SE5507506		11	160	<5
SE5507507		16	111	<5
SE5507508		3	73.8	<5
SE5507509		8	153	<5
SE5507510		7	84.2	<5
SE5507511		8	102	<5
SE5507512		10	101	<5
SE5507513		9	98.5	<5
SE5507514		10	74.0	<5
SE5507515		8	120	<5
SE5507516		8	118	<5
SE5507517		8	81.8	<5
SE5507518		8	110	<5
SE5507519		9	104	<5
SE5507520		8	122	<5
SE5507521		3	83.3	<5
SE5507522		7	97.4	<5
SE5507523		6	92.1	<5
SE5507524		6	83.6	<5
SE5507525		9	162	<5
SE5507526		9	120	<5
SE5507527		8	373	<5
SE5507528		8	77.5	<5
SE5507529		7	89.8	<5
SE5507530		21	108	<5
SE5507531		15	147	<5
SE5507532		11	192	<5
SE5507533		24	73.0	<5
SE5507534		2	48.9	<5
SE5507535		8	112	<5
SE5507536		5	98.0	<5
SE5507537		6	120	<5

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
SE5507538		10	118	<5
SE5507539		8	123	<5
SE5507540		7	138	7
SE5507541		9	126	<5
SE5507542		7	107	<5
SE5507543		5	97.0	<5
SE5507544		4	112	<5
SE5507545		2	45.3	<5
SE5507546		9	131	<5
SE5507547		4	79.6	<5
SE5507548		5	86.9	<5
SE5507549		10	1430	15
SE5507550		1	13.6	<5
SE5507551		10	128	<5
SE5507552		14	68.1	<5
SE5507553		10	121	<5
SE5507554		11	85.2	<5
SE5507555		9	75.7	<5
SE5507556		7	135	<5
SE5507557		6	94.2	<5
SE5507558		13	142	<5
SE5507559		7	112	<5
SE5507660		13	101	<5
SE5507661		7	97.9	<5
SE5507662		12	95.2	<5
SE5507663		10	99.4	<5
SE5507664		11	91.8	<5
SE5507665		11	107	<5
SE5507666		11	99.9	<5
SE5507667		10	126	<5
SE5507668		6	85.0	<5
SE5507669		9	79.0	<5

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
SE5507670		7	79.8	<5
SE5507671		7	102	<5
SE5507672		10	78.5	6
SE5507673		19	108	<5
SE5507674		10	102	<5
SE5507945		5	90.1	<5
SE5507946		4	95.0	<5
SE5507947		2	67.9	<5
SE5507948		3	87.4	<5
SE5507972		4	86.1	<5
SE5507973		4	108	<5
SE5507974		3	91.3	<5
SE5507975		5	114	<5
SE5507976		4	95.2	<5
SE5507977		5	95.1	<5
SE5507978		5	163	<5
SE5507979		4	97.5	<5
SE5507980		8	121	<5
SE5507981		6	98.3	<5
SE5507982		3	93.6	<5
SE5507983		6	125	<5
SE5507984		5	122	<5
SE5507985		6	109	<5
SE5507986		6	106	<5
SE5507987		7	131	<5
SE5507988		7	144	<5
SE5507989		4	136	<5
SE5507990		5	95.4	<5
SE5507991		6	102	<5
SE5507992		5	109	<5
SE5507993		7	110	<5
SE5507994		3	120	<5

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
SE5507995		13	91.2	<5
SE5507996		8	115	<5
SE5507997		14	150	<5
SE5507998		2	54.2	<5
SE5507999		8	123	<5
SE5508000		6	142	<5
SE5508001		5	1180	<5
SE5508002		4	113	<5
SE5508003		15	109	<5
SE5508004		14	237	<5
SE5508005		12	203	<5
SE5508006		12	151	<5
SE5508007		22	123	<5
SE5508008		17	91.3	<5
SE5508009		NRC	NRC	NRC
SE5508126		5	99.8	<5
SE5508262		11	109	<5
SE5508263		9	91.4	<5
SE5508264		12	97.0	<5
SE5508265		5	77.6	<5
SE5508266		7	107	<5
SE5508267		5	98.1	<5
SE5508268		7	115	<5
SE5508269		4	112	<5
SE5508270		13	140	<5
SE5508271		10	93.4	<5
SE5508272		14	62.9	<5
SE5508273		9	94.3	<5
SE5508274		19	86.4	<5
SE5508275		9	51.3	<5
SE5508276		5	44.6	<5
SE5508277		9	112	7

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
SE5508278		11	114	<5
SE5508279		3	113	<5
SE5508280		5	112	6
SE5508281		8	116	<5
SE5508282		7	109	<5
SE5508283		11	131	<5
SE5508284		8	115	<5
SE5508285		9	128	<5
SE5508286		11	134	<5
SE5508287		8	126	<5
SE5508288		4	72.3	<5
SE5508289		14	138	<5
SE5508290		11	122	<5
SE5508291		13	135	<5
SE5508292		10	124	<5
SE5508293		13	197	<5
SE5508294		8	116	<5
SE5508295		6	105	<5
SE5508296		5	86.3	<5
SE5508297		6	103	<5
SE5508298		6	102	<5
SE5508299		11	1360	11
SE5508300		1	11.6	<5
SE5508301		5	96.3	<5
SE5508302		5	88.3	<5
SE5508303		14	104	<5
SE5508304		12	124	<5
SE5508305		9	119	<5
SE5508512		5	94.8	<5
SE5508538		4	60.8	<5
SE5508539		4	110	<5
SE5508540		6	111	<5

Certified By:





**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
SE5508541		5	102	<5
SE5508542		5	90.6	<5
SE5508543		5	108	<5
SE5508544		7	93.5	<5
SE5508545		9	92.3	<5
SE5508546		7	106	<5
SE5508547		3	69.5	<5
SE5508548		3	69.8	<5
SE5508549		9	1360	6
SE5508550		1	13.0	<5
SE5508551		1	58.8	<5
SE5508552		3	81.0	<5
SE5508553		3	70.1	<5
SE5508554		4	92.8	<5
SE5508555		3	85.9	<5
SE5508556		4	87.8	<5
SE5508557		5	108	<5
SE5508558		4	96.4	<5
SE5508559		10	111	<5
SE5508616		4	86.4	<5
SE5508617		3	87.9	<5
SE5508618		3	143	<5
SE5508619		20	150	<5
SE5508620		2	96.2	<5
SE5508621		3	57.9	<5

Comments: RDL - Reported Detection Limit

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE5506197		0.45	0.090
SE5506198		0.46	0.003
SE5506199		0.12	2.32
SE5506200		0.25	0.006
SE5506201		0.46	0.002
SE5506202		0.48	0.003
SE5506203		0.36	0.018
SE5506204		0.42	0.003
SE5506205		0.62	0.003
SE5506206		0.41	0.019
SE5506207		0.71	0.002
SE5506208		0.54	0.002
SE5506209		0.55	0.016
SE5506210		0.44	0.002
SE5506211		0.47	0.001
SE5506212		0.49	0.003
SE5506213		0.43	0.004
SE5506214		0.45	0.043
SE5506215		0.52	0.005
SE5506216		0.45	0.001
SE5506217		0.47	0.008
SE5506218		0.47	0.004
SE5506219		0.48	0.003
SE5506220		0.56	0.001
SE5506221		0.40	0.001
SE5506222		0.47	0.004
SE5506223		0.42	0.003
SE5506224		0.68	0.014
SE5506225		0.50	0.012
SE5506226		0.54	0.003
SE5506227		0.55	0.002

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE5506228		0.64	0.003
SE5506229		0.56	0.018
SE5506230		0.68	0.002
SE5506231		0.60	0.004
SE5506232		0.56	0.002
SE5506233		0.49	0.004
SE5506234		0.41	0.032
SE5506235		0.40	0.002
SE5506236		0.46	0.004
SE5506237		0.44	0.012
SE5506238		0.51	0.004
SE5506239		0.46	0.002
SE5506240		0.46	0.017
SE5506241		0.45	0.031
SE5506242		0.61	0.060
SE5506243		0.60	0.077
SE5506244		0.55	0.045
SE5506245		0.56	0.004
SE5506246		0.43	0.005
SE5506247		0.42	0.004
SE5506248		0.43	0.004
SE5506249		0.19	2.41
SE5506250		0.24	0.002
SE5506251		0.52	0.038
SE5506252		0.46	0.010
SE5506253		0.48	0.017
SE5506254		0.45	0.001
SE5506255		0.42	0.006
SE5506256		0.49	0.007
SE5506257		0.44	0.029
SE5506258		0.37	0.001

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE5506259		0.50	0.001
SE5506310		0.50	0.001
SE5506311		0.46	0.001
SE5506312		0.52	0.002
SE5506313		0.45	0.001
SE5506314		0.43	0.002
SE5506315		0.38	0.002
SE5506316		0.47	0.001
SE5506317		0.43	0.004
SE5506318		0.45	0.023
SE5506319		0.44	0.018
SE5506320		0.42	0.002
SE5506321		0.53	0.004
SE5506322		0.43	0.007
SE5506323		0.42	0.005
SE5506324		0.48	0.007
SE5506325		0.42	0.007
SE5506326		0.48	0.004
SE5506327		0.35	0.001
SE5506328		0.33	0.005
SE5506329		0.44	0.010
SE5506330		0.43	0.019
SE5506331		0.46	0.004
SE5506332		0.42	0.007
SE5506333		0.39	0.003
SE5506334		0.44	0.009
SE5506335		0.47	0.002
SE5506336		0.45	0.012
SE5506337		0.49	0.004
SE5506338		0.38	0.016
SE5506339		0.44	0.002

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE5506340		0.45	0.009
SE5506558		0.45	0.054
SE5506559		0.57	0.002
SE5507410		0.44	0.002
SE5507411		0.41	0.002
SE5507412		0.43	0.004
SE5507413		0.48	0.002
SE5507414		0.46	0.003
SE5507415		0.48	0.002
SE5507416		0.51	0.003
SE5507417		0.45	0.003
SE5507418		0.50	0.017
SE5507419		0.48	0.006
SE5507420		0.51	0.002
SE5507421		0.36	0.009
SE5507422		0.46	0.002
SE5507423		0.51	0.003
SE5507424		0.51	0.002
SE5507425		0.45	0.023
SE5507426		0.42	0.002
SE5507427		0.52	0.003
SE5507428		0.59	0.003
SE5507429		0.66	0.002
SE5507430		0.53	0.003
SE5507431		0.62	0.025
SE5507432		0.41	0.002
SE5507433		0.50	0.001
SE5507434		0.55	0.004
SE5507435		0.40	0.002
SE5507436		0.48	0.001
SE5507437		0.56	0.009

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE5507438		0.28	0.002
SE5507439		0.42	0.011
SE5507440		0.49	0.001
SE5507441		0.40	0.023
SE5507442		0.38	0.001
SE5507443		0.56	0.001
SE5507444		0.47	0.002
SE5507445		0.72	0.002
SE5507446		0.39	0.001
SE5507447		0.50	0.016
SE5507448		0.47	0.002
SE5507449		0.12	2.29
SE5507450		0.16	<0.001
SE5507451		0.41	<0.001
SE5507452		0.45	0.003
SE5507453		0.45	0.031
SE5507454		0.59	0.011
SE5507455		0.52	0.004
SE5507456		0.47	0.126
SE5507457		0.50	0.008
SE5507458		0.47	0.002
SE5507459		0.52	0.019
SE5507460		0.65	0.065
SE5507461		0.65	0.067
SE5507462		0.51	0.089
SE5507463		0.56	0.013
SE5507464		0.60	0.017
SE5507465		0.46	0.002
SE5507466		0.44	0.002
SE5507467		0.44	0.005
SE5507468		0.41	0.005

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE5507469		0.59	0.004
SE5507470		0.51	0.001
SE5507471		0.46	0.013
SE5507472		0.53	0.002
SE5507473		0.40	0.002
SE5507474		0.45	0.005
SE5507475		0.44	0.030
SE5507476		0.53	0.023
SE5507477		0.44	0.024
SE5507478		0.47	0.021
SE5507479		0.55	0.002
SE5507480		0.59	<0.001
SE5507481		0.54	0.002
SE5507482		0.46	0.002
SE5507483		0.44	0.011
SE5507484		0.43	0.002
SE5507485		0.55	0.002
SE5507486		0.54	0.002
SE5507487		0.52	0.004
SE5507488		0.51	0.013
SE5507489		0.47	0.068
SE5507490		0.55	0.002
SE5507491		0.54	<0.001
SE5507492		0.55	0.003
SE5507493		0.54	0.003
SE5507494		0.54	0.003
SE5507495		0.51	0.018
SE5507496		0.68	0.010
SE5507497		0.45	0.009
SE5507498		0.46	0.011
SE5507499		0.12	2.27

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE5507500		0.30	0.014
SE5507501		0.51	0.009
SE5507502		0.49	0.008
SE5507503		0.64	0.004
SE5507504		0.50	0.019
SE5507505		0.55	0.005
SE5507506		0.52	0.031
SE5507507		0.47	0.007
SE5507508		0.53	0.002
SE5507509		0.52	0.002
SE5507510		0.47	0.005
SE5507511		0.61	0.005
SE5507512		0.53	0.004
SE5507513		0.46	0.004
SE5507514		0.40	0.007
SE5507515		0.54	0.002
SE5507516		0.33	0.031
SE5507517		0.41	0.002
SE5507518		0.45	0.009
SE5507519		0.50	0.010
SE5507520		0.51	0.005
SE5507521		0.51	0.002
SE5507522		0.56	0.006
SE5507523		0.44	0.011
SE5507524		0.36	0.010
SE5507525		0.42	0.039
SE5507526		0.36	0.009
SE5507527		0.32	0.011
SE5507528		0.50	0.006
SE5507529		0.54	0.014
SE5507530		0.48	0.017

Certified By:





**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE5507531		0.33	0.016
SE5507532		0.57	0.005
SE5507533		0.52	0.021
SE5507534		0.47	0.001
SE5507535		0.45	0.003
SE5507536		0.60	0.004
SE5507537		0.60	0.013
SE5507538		0.51	0.002
SE5507539		0.51	0.004
SE5507540		0.52	0.006
SE5507541		0.57	0.014
SE5507542		0.59	0.005
SE5507543		0.39	0.004
SE5507544		0.44	0.004
SE5507545		0.40	0.004
SE5507546		0.59	0.004
SE5507547		0.40	0.002
SE5507548		0.42	0.013
SE5507549		0.12	2.45
SE5507550		0.28	0.002
SE5507551		0.47	0.003
SE5507552		0.57	0.003
SE5507553		0.55	0.004
SE5507554		0.56	0.003
SE5507555		0.66	0.004
SE5507556		0.54	0.183
SE5507557		0.33	0.003
SE5507558		0.49	0.002
SE5507559		0.46	0.025
SE5507660		0.53	0.008
SE5507661		0.63	0.003

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE5507662		0.67	0.010
SE5507663		0.55	0.014
SE5507664		0.57	0.007
SE5507665		0.55	0.003
SE5507666		0.63	0.004
SE5507667		0.61	0.037
SE5507668		0.58	0.020
SE5507669		0.55	0.066
SE5507670		0.42	0.096
SE5507671		0.53	0.034
SE5507672		0.55	0.012
SE5507673		0.56	0.005
SE5507674		0.58	0.004
SE5507945		0.46	0.002
SE5507946		0.41	0.002
SE5507947		0.46	0.029
SE5507948		0.51	0.001
SE5507972		0.49	0.002
SE5507973		0.49	0.004
SE5507974		0.40	0.013
SE5507975		0.40	0.004
SE5507976		0.58	0.003
SE5507977		0.63	0.004
SE5507978		0.46	0.005
SE5507979		0.38	0.004
SE5507980		0.62	0.004
SE5507981		0.57	0.002
SE5507982		0.45	0.003
SE5507983		0.61	0.002
SE5507984		0.63	0.043
SE5507985		0.68	0.002

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE5507986		0.58	0.002
SE5507987		0.47	0.003
SE5507988		0.58	0.002
SE5507989		0.46	0.002
SE5507990		0.45	0.020
SE5507991		0.54	0.021
SE5507992		0.50	0.004
SE5507993		0.44	0.010
SE5507994		0.60	0.002
SE5507995		0.55	0.003
SE5507996		0.49	0.010
SE5507997		0.52	0.004
SE5507998		0.60	0.001
SE5507999		0.61	0.073
SE5508000		0.56	0.007
SE5508001		0.72	0.003
SE5508002		0.50	<0.001
SE5508003		0.48	0.019
SE5508004		0.60	0.003
SE5508005		0.66	0.002
SE5508006		0.61	0.003
SE5508007		0.65	0.002
SE5508008		0.57	0.012
SE5508009		NRC	NRC
SE5508126		0.84	0.014
SE5508262		0.52	0.003
SE5508263		0.29	0.004
SE5508264		0.55	0.014
SE5508265		0.42	0.003
SE5508266		0.55	0.022
SE5508267		0.76	0.038

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE5508268		0.53	0.061
SE5508269		0.50	0.138
SE5508270		0.50	0.072
SE5508271		0.50	0.034
SE5508272		0.53	0.004
SE5508273		0.58	0.005
SE5508274		0.60	0.030
SE5508275		0.62	0.030
SE5508276		0.69	0.010
SE5508277		0.56	0.016
SE5508278		0.49	0.001
SE5508279		0.57	0.002
SE5508280		0.57	0.003
SE5508281		0.51	0.001
SE5508282		0.55	0.003
SE5508283		0.97	0.006
SE5508284		0.66	0.001
SE5508285		0.63	0.009
SE5508286		0.54	0.002
SE5508287		0.65	0.001
SE5508288		0.34	0.010
SE5508289		0.54	0.001
SE5508290		0.65	0.002
SE5508291		0.72	0.002
SE5508292		0.59	0.002
SE5508293		0.60	0.002
SE5508294		0.46	0.007
SE5508295		0.85	0.002
SE5508296		0.58	0.061
SE5508297		0.55	0.095
SE5508298		0.45	0.029

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE5508299		0.11	2.10
SE5508300		0.10	0.001
SE5508301		0.50	0.014
SE5508302		0.50	0.082
SE5508303		0.49	0.006
SE5508304		0.48	0.028
SE5508305		0.66	0.054
SE5508512		0.49	0.002
SE5508538		0.29	<0.001
SE5508539		0.39	0.020
SE5508540		0.45	<0.001
SE5508541		0.49	<0.001
SE5508542		0.52	0.002
SE5508543		0.49	<0.001
SE5508544		0.52	0.006
SE5508545		0.49	0.018
SE5508546		0.47	0.016
SE5508547		0.46	0.005
SE5508548		0.38	0.005
SE5508549		0.11	2.48
SE5508550		0.58	<0.001
SE5508551		0.44	0.067
SE5508552		0.52	0.004
SE5508553		0.47	0.002
SE5508554		0.54	0.002
SE5508555		0.43	<0.001
SE5508556		0.61	<0.001
SE5508557		0.64	0.012
SE5508558		0.52	<0.001
SE5508559		0.56	0.003
SE5508616		0.52	<0.001

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y619224

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 11, 2012

DATE RECEIVED: Jul 11, 2012

DATE REPORTED: Jul 30, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE5508617		0.58	0.006
SE5508618		0.59	0.004
SE5508619		0.63	0.015
SE5508620		0.58	<0.001
SE5508621		0.48	<0.001

Comments: RDL - Reported Detection Limit

Certified By:

## Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y619224

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis											
RPT Date: Jul 30, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)											
Ag	1	3505782	< 0.2	< 0.2	0.0%	< 0.2				80%	120%
Al	1	3505782	1.45	1.46	0.7%	< 0.01				80%	120%
As	1	3505782	12	12	0.0%	< 1				80%	120%
B	1	3505782	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3505782	109	114	4.5%	< 1				80%	120%
Be	1	3505782	1.4	1.4	0.0%	< 0.5				80%	120%
Bi	1	3505782	4	4	0.0%	< 1				80%	120%
Ca	1	3505782	0.04	0.04	0.0%	< 0.01				80%	120%
Cd	1	3505782	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	3505782	< 1	< 1	0.0%	< 1				80%	120%
Co	1	3505782	34.5	36.6	5.9%	< 0.5				80%	120%
Cr	1	3505782	30.5	29.3	4.0%	< 0.5				80%	120%
Cu	1	3505782	62.8	65.2	3.8%	< 0.5	3837	3800	100%	80%	120%
Fe	1	3505782	5.26	5.39	2.4%	< 0.01				80%	120%
Ga	1	3505782	6	7	15.4%	< 5				80%	120%
Hg	1	3505782	< 1	< 1	0.0%	< 1				80%	120%
In	1	3505883	< 1	< 1	0.0%	< 1				80%	120%
K	1	3505782	0.06	0.06	0.0%	< 0.01				80%	120%
La	1	3505782	2	2	0.0%	< 1				80%	120%
Li	1	3505782	33	33	0.0%	< 1				80%	120%
Mg	1	3505782	0.514	0.517	0.6%	< 0.01				80%	120%
Mn	1	3505782	1560	1610	3.2%	< 1				80%	120%
Mo	1	3506114	0.88	0.69	24.2%	< 0.5				80%	120%
Na	1	3505782	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Ni	1	3505782	41.3	41.6	0.7%	< 0.5				80%	120%
P	1	3505782	595	623	4.6%	< 10	539	600	89%	80%	120%
Pb	1	3505782	45.9	50.4	9.3%	< 0.5				80%	120%
Rb	1	3505782	11	12	8.7%	< 10				80%	120%
S	1	3505782	0.041	0.043	4.8%	< 0.005				80%	120%
Sb	1	3505782	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	3505782	3.73	3.82	2.4%	< 0.5				80%	120%
Se	1	3505782	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	3505782	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	3505782	12.0	11.6	3.4%	< 0.5				80%	120%
Ta	1	3505782	< 10	< 10	0.0%	< 10				80%	120%
Te	1	3505782	< 10	< 10	0.0%	< 10				80%	120%
Th	1	3505782	< 5	< 5	0.0%	< 5	1.6	1.4	116%	80%	120%
Ti	1	3505782	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Tl	1	3506011	0.06	0.06	0.0%	< 0.01				80%	120%
U	1	3505782	< 5	< 5	0.0%	< 5				80%	120%
V	1	3505782	25.2	26.2	3.9%	< 0.5				80%	120%
W	1	3505782	< 1	< 1	0.0%	< 1				80%	120%
Y	1	3505782	5	5	0.0%	< 1				80%	120%
Zn	1	3505782	124	129	4.0%	< 0.5				80%	120%

## Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y619224

PROJECT NO:

ATTENTION TO: Yinghua Chen

### Solid Analysis (Continued)

RPT Date: Jul 30, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Zr	1	3505782	< 5	< 5	0.0%	< 5				80% 120%
<b>Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)</b>										
Ag	1	3505808	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3505808	1.41	1.36	3.6%	< 0.01				80% 120%
As	1	3505808	16	16	0.0%	< 1				80% 120%
B	1	3505808	< 5	< 5	0.0%	< 5	5.64	7.00	81%	80% 120%
Ba	1	3505808	141	128	9.7%	< 1				80% 120%
Be	1	3505808	1.1	1.1	0.0%	< 0.5				80% 120%
Bi	1	3505908	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3505808	0.11	0.11	0.0%	< 0.01				80% 120%
Cd	1	3505808	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3505808	5	5	0.0%	< 1				80% 120%
Co	1	3505808	20.5	20.0	2.5%	< 0.5				80% 120%
Cr	1	3505808	22.8	21.8	4.5%	< 0.5				80% 120%
Cu	1	3505808	56.5	53.1	6.2%	< 0.5	3812	3800	100%	80% 120%
Fe	1	3505808	4.18	3.98	4.9%	< 0.01				80% 120%
Ga	1	3505808	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3505808	< 1	< 1	0.0%	< 1	1.4	1.3	109%	80% 120%
In	1	3505808	3	3	0.0%	< 1				80% 120%
K	1	3505808	0.05	0.05	0.0%	< 0.01				80% 120%
La	1	3505808	7	7	0.0%	< 1				80% 120%
Li	1	3505808	19	18	5.4%	< 1				80% 120%
Mg	1	3505808	0.37	0.37	0.0%	< 0.01				80% 120%
Mn	1	3505808	1490	1450	2.7%	< 1				80% 120%
Mo	1	3505808	2.30	2.25	2.2%	< 0.5				80% 120%
Na	1	3505808	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3505808	37.2	35.3	5.2%	< 0.5				80% 120%
P	1	3505808	553	546	1.3%	< 10	546	600	91%	80% 120%
Pb	1	3505808	23.0	22.1	4.0%	< 0.5				80% 120%
Rb	1	3505808	10	10	0.0%	< 10	13	13	103%	80% 120%
S	1	3505808	0.0172	0.0162	6.0%	< 0.005	0.88	0.80	110%	80% 120%
Sb	1	3505808	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	3505808	3.8	3.7	2.7%	< 0.5				80% 120%
Se	1	3505808	< 10	< 10	0.0%	< 10	0.8	0.8	103%	80% 120%
Sn	1	3505808	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3505808	12.3	12.1	1.6%	< 0.5				80% 120%
Ta	1	3505808	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3505808	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3505808	< 5	< 5	0.0%	< 5	1.7	1.4	120%	80% 120%
Ti	1	3505808	0.03	0.03	0.0%	< 0.01				80% 120%
Tl	1	3506037	0.04	0.04	0.0%	< 0.01				80% 120%
U	1	3505808	< 5	< 5	0.0%	< 5				80% 120%
V	1	3505808	38.3	37.5	2.1%	< 0.5				80% 120%
W	1	3505808	< 1	< 1	0.0%	< 1				80% 120%



## Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y619224

PROJECT NO:

ATTENTION TO: Yinghua Chen

### Solid Analysis (Continued)

RPT Date: Jul 30, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Y	1	3505808	4	4	0.0%	< 1				80% 120%
Zn	1	3505808	106	103	2.9%	< 0.5				80% 120%
Zr	1	3505808	< 5	< 5	0.0%	< 5				80% 120%
<b>Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)</b>										
Ag	1	3505833	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3505833	0.233	0.250	7.0%	< 0.01				80% 120%
As	1	3505833	34	37	8.5%	< 1				80% 120%
B	1	3505833	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3505833	28	30	6.9%	< 1				80% 120%
Be	1	3505833	0.5	0.5	0.0%	< 0.5				80% 120%
Bi	1	3505833	5	4	22.2%	< 1				80% 120%
Ca	1	3505833	0.181	0.196	8.0%	< 0.01				80% 120%
Cd	1	3505833	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3505833	10	13	26.1%	< 1				80% 120%
Co	1	3505833	11.3	12.0	6.0%	< 0.5				80% 120%
Cr	1	3505833	3.40	3.98	15.7%	< 0.5				80% 120%
Cu	1	3505833	29.3	30.9	5.3%	< 0.5	3952	3800	104%	80% 120%
Fe	1	3505833	3.92	4.25	8.1%	< 0.01				80% 120%
Ga	1	3505833	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3505833	< 1	< 1	0.0%	< 1				80% 120%
In	1	3505934	< 1	< 1	0.0%	< 1				80% 120%
K	1	3505833	0.04	0.04	0.0%	< 0.01				80% 120%
La	1	3505833	9	11	20.0%	< 1				80% 120%
Li	1	3505833	1	1	0.0%	< 1				80% 120%
Mg	1	3505833	0.03	0.03	0.0%	< 0.01				80% 120%
Mn	1	3505833	257	274	6.4%	< 1				80% 120%
Mo	1	3505934	0.90	1.16	25.2%	< 0.5				80% 120%
Na	1	3505833	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3505833	33.6	35.6	5.8%	< 0.5				80% 120%
P	1	3505833	460	497	7.7%	< 10	544	600	90%	80% 120%
Pb	1	3505833	28.7	30.0	4.4%	< 0.5				80% 120%
Rb	1	3505833	< 10	< 10	0.0%	< 10	14	13	107%	80% 120%
S	1	3505833	0.0160	0.0188	16.1%	< 0.005				80% 120%
Sb	1	3505833	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	3505833	5.5	5.8	5.3%	< 0.5				80% 120%
Se	1	3505833	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3505833	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3505833	28.0	29.8	6.2%	< 0.5				80% 120%
Ta	1	3505833	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3505833	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3505833	8	8	0.0%	< 5				80% 120%
Ti	1	3505833	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3506063	0.075	0.068	9.8%	< 0.01				80% 120%
U	1	3505833	< 5	< 5	0.0%	< 5				80% 120%

## Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y619224

PROJECT NO:

ATTENTION TO: Yinghua Chen

### Solid Analysis (Continued)

RPT Date: Jul 30, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
V	1	3505833	6.14	6.56	6.6%	< 0.5				80% 120%
W	1	3505833	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3505833	13	14	7.4%	< 1				80% 120%
Zn	1	3505833	85.0	89.8	5.5%	< 0.5				80% 120%
Zr	1	3505833	< 5	< 5	0.0%	< 5				80% 120%
<b>Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)</b>										
Ag	1	3505858	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3505858	1.02	0.98	4.0%	< 0.01				80% 120%
As	1	3505858	28	28	0.0%	< 1				80% 120%
B	1	3505858	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3505858	96	87	9.8%	< 1				80% 120%
Be	1	3505858	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	3505960	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3505858	14.3	13.9	2.8%	< 0.01				80% 120%
Cd	1	3505858	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3505858	32	31	3.2%	< 1				80% 120%
Co	1	3505858	17.3	16.8	2.9%	< 0.5				80% 120%
Cr	1	3505858	10.6	10.3	2.9%	< 0.5				80% 120%
Cu	1	3505858	28.2	27.6	2.2%	< 0.5	3910	3800	102%	80% 120%
Fe	1	3505858	2.39	2.30	3.8%	< 0.01				80% 120%
Ga	1	3505858	6	5	18.2%	< 5				80% 120%
Hg	1	3505858	< 1	< 1	0.0%	< 1				80% 120%
In	1	3505960	< 1	< 1	0.0%	< 1				80% 120%
K	1	3505858	0.11	0.11	0.0%	< 0.01				80% 120%
La	1	3505858	16	15	6.5%	< 1				80% 120%
Li	1	3505858	21	20	4.9%	< 1				80% 120%
Mg	1	3505858	0.884	0.855	3.3%	< 0.01				80% 120%
Mn	1	3505858	1240	1200	3.3%	< 1				80% 120%
Mo	1	3505858	2.18	2.13	2.3%	< 0.5				80% 120%
Na	1	3505858	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3505858	30.7	30.3	1.3%	< 0.5				80% 120%
P	1	3505858	582	561	3.7%	< 10	550	600	91%	80% 120%
Pb	1	3505858	19.0	18.5	2.7%	< 0.5				80% 120%
Rb	1	3505858	26	26	0.0%	< 10				80% 120%
S	1	3505858	0.162	0.157	3.1%	< 0.005				80% 120%
Sb	1	3505858	7	7	0.0%	< 1				80% 120%
Sc	1	3505858	2.5	2.5	0.0%	< 0.5				80% 120%
Se	1	3505858	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3505858	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3505858	250	244	2.4%	< 0.5	312	390	80%	80% 120%
Ta	1	3505858	< 10	< 10	0.0%	< 10	0.9	0.9	100%	80% 120%
Te	1	3505858	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3505858	< 5	< 5	0.0%	< 5	1.4	1.4	100%	80% 120%
Ti	1	3505858	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
TI	1	3506088	0.066	0.064	3.1%	< 0.01				80% 120%



## Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y619224

PROJECT NO:

ATTENTION TO: Yinghua Chen

### Solid Analysis (Continued)

RPT Date: Jul 30, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
U	1	3505858	< 5	< 5	0.0%	< 5				80% 120%
V	1	3505858	12.8	13.6	6.1%	< 0.5				80% 120%
W	1	3505858	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3505858	9	8	11.8%	< 1				80% 120%
Zn	1	3505858	122	120	1.7%	< 0.5				80% 120%
Zr	1	3505858	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Ti) (201073)										
Ag	1	3505986	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3505986	0.58	0.60	3.4%	< 0.01				80% 120%
As	1	3505986	14	15	6.9%	< 1				80% 120%
B	1	3505986	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3505986	45	45	0.0%	< 1				80% 120%
Be	1	3505986	0.5	0.5	0.0%	< 0.5				80% 120%
Bi	1	3505986	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3505986	1.25	1.25	0.0%	< 0.01				80% 120%
Cd	1	3505986	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3505986	28	28	0.0%	< 1				80% 120%
Co	1	3505986	10.9	10.6	2.8%	< 0.5				80% 120%
Cr	1	3505986	5.2	5.4	3.8%	< 0.5				80% 120%
Cu	1	3505986	29.5	28.0	5.2%	< 0.5	3892	3800	102%	80% 120%
Fe	1	3505986	2.49	2.42	2.9%	< 0.01				80% 120%
Ga	1	3505986	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3505986	< 1	< 1	0.0%	< 1				80% 120%
In	1	3505986	< 1	< 1	0.0%	< 1				80% 120%
K	1	3505986	0.062	0.068	9.2%	< 0.01				80% 120%
La	1	3505986	12	13	8.0%	< 1				80% 120%
Li	1	3505986	6	6	0.0%	< 1				80% 120%
Mg	1	3505986	0.120	0.126	4.9%	< 0.01				80% 120%
Mn	1	3505986	606	594	2.0%	< 1				80% 120%
Mo	1	3505986	1.0	0.6	< 0.5	< 0.5				80% 120%
Na	1	3505986	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3505986	18.4	18.0	2.2%	< 0.5				80% 120%
P	1	3505986	954	982	2.9%	< 10	549	600	91%	80% 120%
Pb	1	3505986	23.0	22.4	2.6%	< 0.5				80% 120%
Rb	1	3505986	11	11	0.0%	< 10				80% 120%
S	1	3505986	0.104	0.105	1.0%	< 0.005				80% 120%
Sb	1	3505986	1	3	< 1	< 1				80% 120%
Sc	1	3505986	1.1	1.1	0.0%	< 0.5				80% 120%
Se	1	3505986	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3505986	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3505986	28.9	29.4	1.7%	< 0.5	312	390	80%	80% 120%
Ta	1	3505986	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3505986	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3505986	< 5	< 5	0.0%	< 5				80% 120%



## Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y619224

PROJECT NO:

ATTENTION TO: Yinghua Chen

### Solid Analysis (Continued)

RPT Date: Jul 30, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ti	1	3505986	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3506114	0.104	0.111	6.5%	< 0.01				80% 120%
U	1	3505986	< 5	< 5	0.0%	< 5				80% 120%
V	1	3505986	8.1	7.9	2.5%	< 0.5				80% 120%
W	1	3505986	< 1	2		< 1				80% 120%
Y	1	3505986	10	9	10.5%	< 1				80% 120%
Zn	1	3505986	74.0	72.5	2.0%	< 0.5				80% 120%
Zr	1	3505986	< 5	< 5	0.0%	< 5				80% 120%
<b>Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)</b>										
Ag	1	3506011	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3506011	1.26	1.18	6.6%	< 0.01				80% 120%
As	1	3506011	18	17	5.7%	< 1				80% 120%
B	1	3506011	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3506011	37	35	5.6%	< 1				80% 120%
Be	1	3506011	1.0	1.0	0.0%	< 0.5				80% 120%
Bi	1	3506011	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3506011	0.08	0.08	0.0%	< 0.01				80% 120%
Cd	1	3506011	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3506011	64	59	8.1%	< 1				80% 120%
Co	1	3506011	49.4	49.3	0.2%	< 0.5				80% 120%
Cr	1	3506011	14.3	14.0	2.1%	< 0.5				80% 120%
Cu	1	3506011	78.4	72.6	7.7%	< 0.5	4056	3800	106%	80% 120%
Fe	1	3506011	5.21	4.95	5.1%	< 0.01				80% 120%
Ga	1	3506011	6	7	15.4%	< 5				80% 120%
Hg	1	3506011	< 1	< 1	0.0%	< 1				80% 120%
In	1	3506011	< 1	< 1	0.0%	< 1				80% 120%
K	1	3506011	0.065	0.061	6.3%	< 0.01				80% 120%
La	1	3506011	28	26	7.4%	< 1				80% 120%
Li	1	3506011	36	35	2.8%	< 1				80% 120%
Mg	1	3506011	0.457	0.454	0.7%	< 0.01				80% 120%
Mn	1	3506011	1570	1530	2.6%	< 1				80% 120%
Mo	1	3506011	0.7	1.4		< 0.5				80% 120%
Na	1	3506011	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3506011	45.8	44.6	2.7%	< 0.5				80% 120%
P	1	3506011	499	489	2.0%	< 10	547	600	91%	80% 120%
Pb	1	3506011	49.8	50.0	0.4%	< 0.5				80% 120%
Rb	1	3506011	< 10	< 10	0.0%	< 10				80% 120%
S	1	3506011	0.0326	0.0279	15.5%	< 0.005				80% 120%
Sb	1	3506011	2	1		< 1				80% 120%
Sc	1	3506011	2.2	2.2	0.0%	< 0.5				80% 120%
Se	1	3506011	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3506011	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3506011	23.4	22.2	5.3%	< 0.5	319	390	82%	80% 120%
Ta	1	3506011	< 10	< 10	0.0%	< 10				80% 120%

## Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y619224

PROJECT NO:

ATTENTION TO: Yinghua Chen

### Solid Analysis (Continued)

RPT Date: Jul 30, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				Acceptable Limits	
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery		Lower	Upper
Te	1	3506011	< 10	< 10	0.0%	< 10					80%	120%
Th	1	3506011	9	8	11.8%	< 5	1.5	1.4	110%		80%	120%
Ti	1	3506011	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
Tl	1	3506139	0.22	0.18	20.0%	< 0.01					80%	120%
U	1	3506011	< 5	< 5	0.0%	< 5					80%	120%
V	1	3506011	9.4	9.1	3.2%	< 0.5					80%	120%
W	1	3506011	< 1	< 1	0.0%	< 1					80%	120%
Y	1	3506011	8	8	0.0%	< 1					80%	120%
Zn	1	3506011	123	114	7.6%	< 0.5					80%	120%
Zr	1	3506011	< 5	< 5	0.0%	< 5					80%	120%
<b>Aqua Regia Digest - Metals Package, ICP-OES (Low Tl) (201073)</b>												
Ag	1	3506037	< 0.2	< 0.2	0.0%	< 0.2					80%	120%
Al	1	3506037	0.15	0.16	6.5%	< 0.01					80%	120%
As	1	3506037	36	34	5.7%	< 1					80%	120%
B	1	3506037	< 5	< 5	0.0%	< 5					80%	120%
Ba	1	3506037	24	24	0.0%	< 1					80%	120%
Be	1	3506037	0.5	0.5	0.0%	< 0.5					80%	120%
Bi	1	3506037	< 1	< 1	0.0%	< 1					80%	120%
Ca	1	3506037	0.20	0.20	0.0%	< 0.01					80%	120%
Cd	1	3506037	< 0.5	< 0.5	0.0%	< 0.5					80%	120%
Ce	1	3506037	15	17	12.5%	< 1					80%	120%
Co	1	3506037	12.5	12.4	0.8%	< 0.5					80%	120%
Cr	1	3506037	2.92	3.26	11.0%	< 0.5					80%	120%
Cu	1	3506037	31.2	29.6	5.3%	< 0.5	3688	3800	97%		80%	120%
Fe	1	3506037	4.19	4.23	1.0%	< 0.01					80%	120%
Ga	1	3506037	< 5	< 5	0.0%	< 5					80%	120%
Hg	1	3506037	< 1	< 1	0.0%	< 1					80%	120%
In	1	3506037	< 1	< 1	0.0%	< 1					80%	120%
K	1	3506037	0.02	0.02	0.0%	< 0.01					80%	120%
La	1	3506037	7	8	13.3%	< 1					80%	120%
Li	1	3506037	< 1	< 1	0.0%	< 1					80%	120%
Mg	1	3506037	0.03	0.03	0.0%	< 0.01					80%	120%
Mn	1	3506037	357	349	2.3%	< 1					80%	120%
Mo	1	3506037	< 0.5	< 0.5	0.0%	< 0.5					80%	120%
Na	1	3506037	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
Ni	1	3506037	32.1	29.7	7.8%	< 0.5					80%	120%
P	1	3506037	451	448	0.7%	< 10					80%	120%
Pb	1	3506037	49.7	48.5	2.4%	< 0.5					80%	120%
Rb	1	3506037	< 10	< 10	0.0%	< 10	11	13	84%		80%	120%
S	1	3506037	0.0215	0.0218	1.4%	< 0.005	0.96	0.80	120%		80%	120%
Sb	1	3506037	7	6	15.4%	< 1					80%	120%
Sc	1	3506037	3.55	3.47	2.3%	< 0.5					80%	120%
Se	1	3506037	< 10	< 10	0.0%	< 10					80%	120%
Sn	1	3506037	< 5	< 5	0.0%	< 5					80%	120%
Sr	1	3506037	25.7	26.1	1.5%	< 0.5					80%	120%

## Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y619224

PROJECT NO:

ATTENTION TO: Yinghua Chen

### Solid Analysis (Continued)

RPT Date: Jul 30, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ta	1	3506037	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3506037	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3506037	6	5	18.2%	< 5				80% 120%
Ti	1	3506037	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3506164	0.08	0.08	0.0%	< 0.01				80% 120%
U	1	3506037	< 5	< 5	0.0%	< 5				80% 120%
V	1	3506037	5.1	5.1	0.0%	< 0.5				80% 120%
W	1	3506037	1	1	0.0%	< 1				80% 120%
Y	1	3506037	11	10	9.5%	< 1				80% 120%
Zn	1	3506037	91.8	88.4	3.8%	< 0.5				80% 120%
Zr	1	3506037	< 5	< 5	0.0%	< 5				80% 120%
<b>Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)</b>										
Ag	1	3506063	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3506063	1.75	1.63	7.1%	< 0.01				80% 120%
As	1	3506063	6	4		< 1				80% 120%
B	1	3506063	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3506063	58	55	5.3%	< 1				80% 120%
Be	1	3506063	0.6	0.6	0.0%	< 0.5				80% 120%
Bi	1	3506063	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3506063	0.03	0.03	0.0%	< 0.01				80% 120%
Cd	1	3506063	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3506063	10	8	22.2%	< 1				80% 120%
Co	1	3506063	22.6	21.5	5.0%	< 0.5				80% 120%
Cr	1	3506063	27.9	27.3	2.2%	< 0.5				80% 120%
Cu	1	3506063	44.1	41.9	5.1%	< 0.5	4128	3800	108%	80% 120%
Fe	1	3506063	4.90	4.55	7.4%	< 0.01				80% 120%
Ga	1	3506063	8	8	0.0%	< 5				80% 120%
Hg	1	3506063	< 1	< 1	0.0%	< 1				80% 120%
In	1	3506063	< 1	< 1	0.0%	< 1				80% 120%
K	1	3506063	0.07	0.06	15.4%	< 0.01				80% 120%
La	1	3506063	4	3	28.6%	< 1				80% 120%
Li	1	3506063	44	42	4.7%	< 1				80% 120%
Mg	1	3506063	0.550	0.493	10.9%	< 0.01				80% 120%
Mn	1	3506063	1760	1660	5.8%	< 1				80% 120%
Mo	1	3506063	2.4	1.4		< 0.5				80% 120%
Na	1	3506063	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3506063	29.7	29.0	2.4%	< 0.5				80% 120%
P	1	3506063	499	475	4.9%	< 10	575	600	95%	80% 120%
Pb	1	3506063	29.5	27.6	6.7%	< 0.5				80% 120%
Rb	1	3506063	13	12	8.0%	< 10	15	13	115%	80% 120%
S	1	3506063	0.0233	0.0224	3.9%	< 0.005				80% 120%
Sb	1	3506063	2	2	0.0%	< 1				80% 120%
Sc	1	3506063	2.19	2.10	4.2%	< 0.5				80% 120%
Se	1	3506063	< 10	< 10	0.0%	< 10				80% 120%

## Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y619224

PROJECT NO:

ATTENTION TO: Yinghua Chen

### Solid Analysis (Continued)

RPT Date: Jul 30, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Sn	1	3506063	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3506063	17.0	13.8	20.8%	< 0.5	314	390	80%	80% 120%
Ta	1	3506063	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3506063	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3506063	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3506063	0.016	0.014	13.3%	< 0.01				80% 120%
Tl	1	3506063	< 0.01	2.29		< 0.01				80% 120%
U	1	3506063	< 5	< 5	0.0%	< 5				80% 120%
V	1	3506063	29.1	27.1	7.1%	< 0.5				80% 120%
W	1	3506063	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3506063	3	3	0.0%	< 1				80% 120%
Zn	1	3506063	93.6	87.3	7.0%	< 0.5				80% 120%
Zr	1	3506063	< 5	< 5	0.0%	< 5				80% 120%
<b>Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)</b>										
Cu	1					< 0.5	3917	3800	103%	80% 120%
P	1					< 10	502	600	84%	80% 120%
Rb	1					< 10	13	13	99%	80% 120%
Tl	1	3505986	0.081	0.089	9.4%	< 0.01				80% 120%
<b>Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)</b>										
Cu	1					< 0.5	3923	3800	103%	80% 120%
P	1					< 10	519	600	87%	80% 120%
Sr	1					< 0.5	317	390	81%	80% 120%
<b>Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)</b>										
Cu	1					< 0.5	3783	3800	99%	80% 120%
Mo	1					< 0.5	361	380	95%	80% 120%
S	1					< 0.005	0.94	0.80	118%	80% 120%
<b>Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)</b>										
Cu	1					< 0.5	3832	3800	100%	80% 120%
Mo	1					< 0.5	361	380	95%	80% 120%
P	1					< 10	478	600	80%	80% 120%
<b>Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)</b>										
Cu	1					< 0.5	3629	3800	95%	80% 120%
Mo	1					< 0.5	331	380	87%	80% 120%
S	1					< 0.005	0.91	0.80	114%	80% 120%
<b>Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)</b>										
Cu	1					< 0.5	3864	3800	101%	80% 120%
Mo	1					< 0.5	360	380	94%	80% 120%
P	1					< 10	496	600	83%	80% 120%
S	1					< 0.005	0.94	0.80	118%	80% 120%
<b>Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)</b>										
Cu	1					< 0.5	3983	3800	104%	80% 120%
P	1					< 10	499	600	83%	80% 120%



## Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y619224

PROJECT NO:

ATTENTION TO: Yinghua Chen

### Solid Analysis (Continued)

RPT Date: Jul 30, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
<b>Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)</b>											
Au	1	3506140	< 0.001	< 0.001	0.0%	< 0.001	1.58	1.52	103%	90%	110%
<b>Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)</b>											
Au	1	3505798	0.003	0.003	0.0%	< 0.001	1.47	1.52	97%	90%	110%
<b>Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)</b>											
Au	1	3505808	0.0037	0.0032	14.5%	< 0.001	0.9	0.946	95%	90%	110%
<b>Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)</b>											
Au	1	3505821	0.002	0.002	0.0%	< 0.001	0.908	0.946	95%	90%	110%
<b>Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)</b>											
Au	1	3505833	0.004	0.004	0.0%	< 0.001				90%	110%
<b>Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)</b>											
Au	1	3505986	0.0072	0.0077	6.7%	< 0.001				90%	110%
<b>Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)</b>											
Au	1	3505858	0.0072	0.0078	8.0%	< 0.001				90%	110%
<b>Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)</b>											
Au	1	3505873	0.0044	0.0048	8.7%	< 0.001				90%	110%
<b>Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)</b>											
Au	1	3506025	0.003	0.010		< 0.001				90%	110%
<b>Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)</b>											
Au	1	3506037	0.007	0.023		< 0.001				90%	110%
<b>Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)</b>											
Au	1	3506050	0.029	0.002		< 0.001				90%	110%

**Certified By:**



## Method Summary

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y619224

PROJECT NO:

ATTENTION TO: Yinghua Chen

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
<b>Solid Analysis</b>			
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
B	MIN-200-12020		ICP/OES
Ba	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
In	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP/OES
Li	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr	MIN-200-12020		ICP/OES
Ta	MIN-200-12020		ICP/OES
Te	MIN-200-12020		ICP/OES
Th	MIN-200-12020		ICP/OES
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP-MS
U	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP/OES
Y	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Zr	MIN-200-12020		ICP/OES
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES