

CLIENT NAME: ANTHILL RESOURCES (YUKON)
1090-999 WEST HASTINGS STREET
Vancouver, BC V6C2W2
(604) 569-3892

ATTENTION TO: Yinghua Chen

PROJECT NO:

AGAT WORK ORDER: 12Y621461

SOLID ANALYSIS REVIEWED BY: Ron Cardinali, Certified Assayer - Director - Technical Services (Mining)

DATE REPORTED: Aug 07, 2012

PAGES (INCLUDING COVER): 76

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

***NOTES**



Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
SE5510901	<0.2	2.38	2	<5	35	0.6	<1	0.04	<0.5	70	44.7	36.2	119	5.37
SE5510902	<0.2	1.48	11	<5	62	1.0	<1	0.12	<0.5	46	41.3	26.0	71.5	5.01
SE5510903	<0.2	2.26	108	<5	56	0.5	<1	0.04	<0.5	45	12.9	32.7	56.0	5.87
SE5510904	<0.2	1.86	37	<5	109	0.8	<1	0.64	<0.5	32	19.3	31.9	44.4	4.04
SE5510905	0.2	0.58	10	<5	61	0.7	<1	0.64	<0.5	39	8.5	8.1	14.4	2.71
SE5510906	<0.2	1.43	52	<5	27	0.7	<1	0.03	<0.5	70	31.2	21.6	66.2	4.32
SE5510907	<0.2	1.90	39	<5	59	0.7	<1	0.04	<0.5	49	22.9	25.8	60.8	4.87
SE5510908	<0.2	1.80	16	<5	59	0.6	<1	0.04	<0.5	41	18.4	28.1	39.9	4.09
SE5510909	<0.2	1.17	17	<5	104	0.6	<1	0.63	<0.5	33	10.0	19.7	22.6	3.26
SE5509710	<0.2	1.64	11	<5	134	1.0	<1	0.54	<0.5	48	11.3	26.4	24.1	3.32
SE5509711	<0.2	1.85	13	<5	144	1.1	<1	0.55	<0.5	49	11.2	29.3	25.4	3.49
SE5509712	<0.2	1.07	9	<5	84	0.7	<1	0.35	<0.5	35	8.5	14.6	18.2	2.23
SE5509713	<0.2	0.75	36	<5	42	<0.5	<1	0.02	<0.5	58	11.3	7.6	28.7	3.19
SE5509714	<0.2	1.52	13	<5	25	1.1	<1	0.04	<0.5	44	63.6	14.1	102	6.22
SE5506341	<0.2	1.58	11	<5	41	1.1	<1	0.03	<0.5	49	67.1	15.7	102	6.69
SE5506342	<0.2	1.76	107	<5	40	0.6	<1	0.06	<0.5	77	27.3	23.9	62.3	4.93
SE5506343	<0.2	1.78	67	<5	39	0.6	<1	0.03	<0.5	81	24.2	23.8	56.7	4.64
SE5506344	<0.2	2.05	25	<5	73	0.7	<1	0.07	<0.5	67	21.3	28.2	55.1	4.59
SE5506345	<0.2	1.60	22	<5	67	0.7	<1	0.11	<0.5	48	23.8	16.0	46.3	3.42
SE5506346	<0.2	1.93	68	<5	58	0.7	<1	0.02	<0.5	75	24.1	25.8	59.7	5.11
SE5506347	<0.2	0.89	216	<5	53	<0.5	<1	0.02	<0.5	45	28.3	11.2	47.6	4.58
SE5506348	<0.2	0.98	215	<5	62	<0.5	<1	0.02	<0.5	46	44.0	12.1	54.7	4.84
SE5506349	2.5	1.92	10	<5	96	0.9	<1	0.96	4.1	22	16.1	34.0	771	4.66
SE5506350	<0.2	0.06	6	<5	47	<0.5	<1	19.9	<0.5	<1	0.9	3.2	4.6	0.45
SE5506351	<0.2	2.79	3	<5	75	0.8	<1	0.14	<0.5	72	23.8	37.4	56.8	5.66
SE5506352	<0.2	1.28	25	<5	89	0.7	<1	1.93	<0.5	37	10.8	20.2	31.3	3.30
SE5506353	0.4	0.59	17	<5	60	0.5	<1	4.83	<0.5	27	8.6	9.3	20.1	2.39
SE5506354	<0.2	1.08	30	<5	54	<0.5	<1	0.04	<0.5	60	12.4	12.0	40.7	3.54
SE5506355	<0.2	0.95	7	<5	24	0.7	<1	0.06	<0.5	69	25.4	11.1	53.0	4.75
SE5506356	<0.2	1.16	9	<5	29	0.9	<1	0.03	<0.5	69	39.2	13.1	63.7	5.21
SE5506357	<0.2	0.93	7	<5	18	0.7	<1	0.04	<0.5	66	27.7	10.7	55.7	3.89
SE5506358	<0.2	1.30	11	<5	29	1.0	<1	0.04	<0.5	56	55.3	14.6	88.8	5.32

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
SE5506359	<0.2	1.02	37	<5	39	1.0	<1	0.04	<0.5	70	58.3	13.8	88.3	5.46
SE5509060	<0.2	0.45	62	<5	29	0.5	<1	<0.01	<0.5	27	15.3	3.0	33.0	5.39
SE5509061	<0.2	0.98	32	<5	44	<0.5	<1	0.02	<0.5	58	16.7	12.4	35.0	3.27
SE5509062	<0.2	0.90	30	<5	65	0.5	<1	0.02	<0.5	42	31.9	12.2	45.8	3.77
SE5509063	<0.2	1.55	16	<5	36	1.1	<1	0.04	<0.5	63	79.1	13.7	124	6.21
SE5509064	<0.2	1.91	14	<5	58	1.3	<1	0.12	<0.5	58	71.1	20.6	111	5.06
SE5509065	<0.2	1.50	10	<5	55	1.0	<1	0.03	<0.5	69	34.7	22.9	68.9	4.41
SE5509066	<0.2	1.67	6	<5	61	0.7	<1	0.08	<0.5	44	20.2	24.9	33.4	3.87
SE5509067	<0.2	1.41	20	<5	83	0.8	<1	0.27	<0.5	57	25.7	18.0	50.5	4.35
SE5509068	<0.2	1.77	6	<5	80	0.8	<1	0.08	<0.5	46	16.4	26.0	37.7	3.76
SE5509069	<0.2	1.49	15	<5	70	0.8	<1	1.32	<0.5	56	17.4	17.2	43.6	4.31
SE5509070	<0.2	2.22	8	<5	63	0.9	<1	0.09	<0.5	74	33.1	30.2	55.8	5.24
SE5509071	<0.2	1.46	14	<5	44	0.5	<1	3.54	<0.5	66	21.6	16.3	48.7	3.98
SE5509072	<0.2	1.62	11	<5	56	0.7	<1	0.05	<0.5	64	18.0	20.3	42.5	4.30
SE5509073	<0.2	1.47	18	<5	80	0.8	<1	0.23	<0.5	59	16.8	20.5	32.7	4.03
SE5509074	<0.2	1.17	12	<5	60	0.6	<1	0.24	<0.5	65	16.5	15.9	30.5	3.68
SE5509075	<0.2	1.57	17	<5	69	0.7	<1	0.36	<0.5	61	18.4	18.5	45.7	4.26
SE5509076	<0.2	0.68	11	<5	51	<0.5	<1	8.38	<0.5	11	6.2	9.2	15.1	1.84
SE5509077	0.2	1.00	13	<5	69	0.6	<1	10.4	<0.5	25	9.6	10.4	23.4	2.38
SE5509078	<0.2	1.48	21	<5	56	0.6	<1	0.24	<0.5	53	20.0	20.7	44.2	4.34
SE5509079	0.2	0.46	13	<5	58	<0.5	<1	15.5	<0.5	12	4.0	7.0	13.0	1.22
SE5509080	<0.2	0.90	6	<5	20	<0.5	<1	8.26	<0.5	24	16.7	10.9	36.9	4.47
SE5509081	0.2	0.46	21	<5	20	<0.5	<1	0.98	<0.5	35	16.7	6.3	40.1	4.09
SE5509082	<0.2	0.46	35	<5	25	<0.5	<1	0.26	<0.5	32	18.1	5.5	34.6	4.00
SE5509083	<0.2	0.25	41	<5	22	<0.5	<1	0.76	<0.5	26	14.7	2.3	28.4	3.22
SE5509084	<0.2	0.60	34	<5	44	<0.5	<1	1.18	<0.5	46	11.5	7.7	30.1	3.44
SE5509085	<0.2	0.56	43	<5	42	0.5	<1	0.37	<0.5	36	13.7	6.4	33.5	4.24
SE5509086	<0.2	0.72	46	<5	42	0.6	<1	3.44	<0.5	51	14.6	7.5	33.6	3.95
SE5509087	<0.2	0.61	50	<5	31	0.5	<1	5.21	<0.5	62	13.3	6.2	33.3	3.98
SE5509088	<0.2	0.58	48	<5	23	<0.5	<1	8.15	<0.5	54	13.4	6.6	31.9	3.81
SE5509089	<0.2	0.70	39	<5	34	<0.5	<1	5.88	<0.5	39	13.2	8.1	33.5	3.57
SE5509090	0.4	0.79	34	<5	48	0.6	<1	9.62	<0.5	34	10.7	10.0	33.9	3.14

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
SE5509091	<0.2	0.63	16	<5	48	0.5	<1	7.89	<0.5	27	6.8	10.0	20.4	2.13
SE5509092	<0.2	0.12	7	<5	12	<0.5	<1	16.4	<0.5	3	1.5	3.8	2.4	0.54
SE5509093	0.2	0.30	33	<5	36	<0.5	<1	14.5	<0.5	24	8.1	4.6	22.3	2.43
SE5509094	<0.2	0.44	11	<5	39	<0.5	<1	19.0	<0.5	15	3.9	6.8	11.1	1.05
SE5509095	<0.2	0.25	5	<5	25	<0.5	<1	21.8	<0.5	10	2.8	4.4	11.7	0.73
SE5509096	<0.2	0.68	15	<5	78	<0.5	<1	13.7	<0.5	23	6.4	10.4	21.5	2.04
SE5509097	<0.2	0.23	22	<5	37	<0.5	<1	12.1	<0.5	31	7.4	2.7	17.7	1.82
SE5509098	<0.2	0.23	21	<5	36	<0.5	<1	12.5	<0.5	30	7.8	3.1	18.9	1.91
SE5509099	2.3	1.96	10	<5	103	0.8	<1	0.94	3.2	21	14.5	30.7	694	4.60
SE5509100	<0.2	0.06	4	<5	45	<0.5	<1	19.5	<0.5	<1	0.8	2.7	<0.5	0.42
SE5509101	<0.2	0.19	12	<5	28	<0.5	<1	16.9	<0.5	16	4.7	2.9	12.2	1.43
TE5506277	<0.2	0.41	21	<5	13	<0.5	<1	11.7	<0.5	23	8.6	5.5	21.2	2.66
TE5506278	<0.2	0.47	22	<5	11	<0.5	<1	10.5	<0.5	20	9.5	5.7	25.0	2.89
TE5506279	<0.2	0.87	24	<5	36	<0.5	<1	1.77	<0.5	14	9.5	13.1	27.7	2.43
TE5506280	<0.2	1.02	14	<5	29	0.6	<1	0.40	<0.5	63	25.3	15.1	49.6	4.28
TE5506281	<0.2	0.47	32	<5	22	<0.5	<1	0.40	<0.5	32	12.4	6.6	27.0	3.62
SE5509035	0.4	0.30	9	<5	37	<0.5	<1	3.75	<0.5	15	6.2	4.1	20.7	1.11
SE5509036	<0.2	0.40	5	<5	41	<0.5	<1	1.99	<0.5	18	5.3	5.2	18.4	1.51
SE5509037	<0.2	0.63	24	<5	40	<0.5	<1	0.27	<0.5	53	11.7	6.3	31.2	3.10
SE5509038	<0.2	0.58	231	<5	27	<0.5	<1	0.10	<0.5	52	17.0	8.4	37.7	3.77
SE5509039	<0.2	0.76	217	<5	25	0.5	<1	0.15	<0.5	43	13.1	11.8	35.8	3.78
SE5509040	<0.2	0.96	10	<5	24	<0.5	<1	0.33	<0.5	32	10.6	18.2	46.2	5.96
SE5509041	<0.2	1.03	16	<5	54	0.6	<1	0.24	<0.5	36	14.8	13.8	40.3	4.19
SE5509042	<0.2	0.72	61	<5	30	<0.5	<1	0.05	<0.5	40	14.1	7.5	32.9	3.54
SE5509043	<0.2	0.72	91	<5	29	0.5	<1	0.09	<0.5	49	19.5	8.9	43.5	3.81
SE5509044	<0.2	0.58	72	<5	27	0.5	<1	0.16	<0.5	44	16.4	7.6	36.5	3.51
SE5509045	<0.2	0.67	80	<5	27	0.5	<1	0.11	<0.5	54	16.7	8.2	38.9	3.76
SE5509046	<0.2	0.49	55	<5	32	<0.5	<1	0.20	<0.5	46	12.7	6.0	35.2	3.60
SE5509047	<0.2	1.83	13	<5	126	0.9	<1	0.25	<0.5	60	17.1	25.9	32.6	4.46
SE5509048	<0.2	1.71	10	<5	120	0.8	<1	0.28	<0.5	54	16.7	24.5	32.0	4.34
SE5509049	2.6	1.75	11	<5	90	0.7	<1	0.82	3.7	19	15.7	30.0	741	4.53
SE5509050	0.2	0.05	1	<5	34	<0.5	<1	18.9	<0.5	<1	0.8	3.0	4.2	0.42

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
SE5509051	0.2	1.10	7	<5	37	<0.5	<1	8.30	<0.5	35	12.6	12.7	36.4	2.85
SE5509052	0.4	1.12	13	<5	52	0.5	<1	6.00	<0.5	46	16.7	13.5	41.9	3.34
SE5509053	0.4	1.46	14	<5	98	0.8	<1	6.72	<0.5	28	12.4	18.6	28.7	3.06
SE5509054	0.3	1.65	18	<5	139	0.9	<1	5.72	<0.5	50	15.2	17.7	41.3	4.26
SE5509055	<0.2	1.56	14	<5	55	0.6	<1	0.11	<0.5	67	20.1	18.6	49.4	4.56
SE5509056	<0.2	1.88	7	<5	74	0.6	<1	0.19	<0.5	62	15.1	24.2	37.8	4.11
SE5509057	<0.2	2.09	5	<5	78	0.7	<1	0.14	<0.5	75	13.7	26.0	32.0	4.41
SE5509058	<0.2	1.23	18	<5	54	0.6	<1	0.16	<0.5	69	17.0	15.2	45.9	3.81
SE5509059	<0.2	1.86	8	<5	49	0.6	<1	0.12	<0.5	81	17.2	25.0	38.9	4.54
SE5535060	<0.2	1.74	7	<5	94	0.7	<1	1.03	<0.5	60	16.5	26.9	43.1	3.95
SE5535061	0.7	0.34	14	<5	34	<0.5	<1	12.5	<0.5	11	6.6	5.0	20.2	1.41
SE5535062	<0.2	1.30	8	<5	41	0.6	<1	0.44	<0.5	45	16.7	17.8	32.8	3.75
SE5535063	<0.2	1.96	5	<5	65	0.5	<1	0.30	<0.5	37	13.3	24.7	28.2	4.46
SE5535064	<0.2	1.09	7	<5	71	0.7	<1	0.84	<0.5	43	15.9	11.6	35.3	4.29
SE5535065	<0.2	1.95	7	<5	71	0.9	<1	0.17	<0.5	57	24.0	21.3	43.4	4.36
SE5535066	<0.2	1.03	6	<5	56	0.6	<1	0.16	<0.5	52	23.5	10.8	41.0	4.65
SE5535067	<0.2	2.49	3	<5	61	0.8	<1	0.08	<0.5	70	24.3	29.9	61.0	5.22
SE5535068	<0.2	2.11	2	<5	36	0.6	<1	0.08	<0.5	82	22.0	29.6	58.7	5.06
SE5535069	<0.2	2.02	7	<5	37	0.9	<1	0.03	<0.5	66	33.2	26.8	66.1	5.22
SE5535070	<0.2	1.12	12	<5	29	0.6	<1	0.01	<0.5	68	21.5	14.5	49.7	4.22
SE5535071	<0.2	1.46	14	<5	31	0.6	<1	0.07	<0.5	60	31.8	19.3	62.6	4.72
SE5535072	<0.2	1.89	11	<5	94	0.8	<1	0.12	<0.5	37	13.4	32.2	30.6	3.32
SE5535073	<0.2	1.77	13	<5	67	1.0	<1	0.19	<0.5	34	23.1	21.4	59.8	4.76
SE5535074	<0.2	1.51	14	<5	63	0.7	<1	0.37	<0.5	43	22.8	18.3	59.1	4.80
SE5535075	<0.2	1.31	13	<5	63	0.7	<1	0.45	<0.5	45	19.0	17.5	52.6	4.15
SE5535076	<0.2	1.63	27	<5	69	0.6	<1	0.07	<0.5	65	21.4	20.9	57.8	4.52
SE5535077	<0.2	1.24	11	<5	38	0.5	<1	0.05	<0.5	70	16.8	17.0	43.3	4.00
SE5535078	<0.2	1.62	10	<5	55	0.7	<1	0.19	<0.5	66	21.9	19.3	48.4	4.44
SE5535079	0.2	0.57	10	<5	28	<0.5	<1	17.9	<0.5	23	7.6	5.1	22.8	1.70
SE5535080	0.6	1.37	15	<5	114	0.8	<1	7.02	<0.5	47	11.9	17.7	30.4	2.73
SE5535081	0.3	1.40	20	<5	110	0.9	<1	2.44	<0.5	45	21.5	16.6	43.8	4.06
SE5535082	<0.2	0.84	7	<5	63	0.6	<1	0.63	<0.5	40	7.3	10.0	14.9	2.15

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
SE5535083	<0.2	1.16	20	<5	70	0.7	<1	0.98	<0.5	35	10.3	14.5	31.9	3.40
SE5535084	<0.2	1.76	12	<5	96	1.0	<1	0.31	<0.5	68	16.6	16.1	30.5	3.72
SE5535085	<0.2	1.23	10	<5	75	0.7	<1	0.77	<0.5	35	8.0	14.7	23.9	2.94
SE5535086	<0.2	1.26	11	<5	62	0.6	<1	0.50	<0.5	38	15.8	17.0	29.5	3.97
SE5535087	<0.2	1.74	12	<5	107	0.9	<1	0.20	<0.5	66	18.6	19.9	32.5	3.87
SE5535088	0.5	0.50	12	<5	35	<0.5	<1	13.0	<0.5	15	4.7	6.7	16.0	1.29
SE5535089	0.2	0.59	25	<5	35	<0.5	<1	8.80	<0.5	20	7.9	7.2	24.1	2.78
SE5535090	<0.2	0.63	61	<5	28	<0.5	<1	3.16	<0.5	43	15.6	7.3	41.3	4.33
SE5535091	<0.2	0.46	40	<5	15	<0.5	<1	1.65	<0.5	38	14.5	5.2	37.0	3.82
SE5535092	<0.2	0.36	42	<5	19	<0.5	<1	0.19	<0.5	47	17.0	4.1	48.1	3.89
SE5535093	<0.2	0.24	34	<5	21	<0.5	<1	0.16	<0.5	20	18.4	3.3	47.9	4.54
SE5535094	<0.2	0.23	33	<5	36	<0.5	<1	0.11	<0.5	16	18.0	3.3	46.6	4.64
SE5535095	<0.2	0.49	27	<5	54	0.5	<1	0.16	<0.5	27	8.9	6.5	25.3	3.12
SE5535096	<0.2	0.13	52	<5	15	<0.5	<1	1.90	<0.5	20	16.2	<0.5	39.2	3.56
SE5535097	<0.2	0.69	34	<5	24	<0.5	<1	0.14	<0.5	32	26.8	10.5	44.3	3.75
SE5535098	<0.2	0.75	35	<5	25	0.5	<1	0.15	<0.5	36	28.4	11.7	47.9	4.00
SE5535099	2.5	1.84	11	<5	98	0.7	<1	0.90	3.8	21	16.1	32.1	780	4.59
SE5535100	<0.2	0.06	2	<5	40	<0.5	<1	19.7	<0.5	<1	0.9	3.0	3.5	0.45
SE5535101	<0.2	0.21	44	<5	29	<0.5	<1	0.34	<0.5	28	17.1	0.9	35.7	3.21
SE5535102	<0.2	0.42	34	<5	24	<0.5	<1	0.15	<0.5	28	19.3	5.8	38.5	3.57
SE5535103	<0.2	0.95	6	<5	23	0.6	<1	5.95	<0.5	34	16.4	13.0	43.5	4.55
SE5535104	<0.2	0.49	17	<5	17	<0.5	<1	2.09	<0.5	24	15.9	6.1	42.8	4.05
SE5535105	<0.2	0.55	17	<5	17	<0.5	<1	3.38	<0.5	27	15.8	7.0	43.4	4.19
SE5535106	<0.2	0.23	52	<5	26	<0.5	<1	0.06	<0.5	10	22.2	1.3	45.1	4.65
SE5535107	<0.2	0.86	30	<5	60	0.5	<1	0.03	<0.5	28	15.2	9.4	37.1	3.54
SE5535108	<0.2	0.77	18	<5	48	0.6	<1	0.42	<0.5	20	18.8	10.5	36.5	3.91
SE5535109	<0.2	0.72	39	<5	41	0.6	<1	0.47	<0.5	59	14.0	9.7	36.5	4.35
SE5535110	<0.2	0.51	42	<5	32	<0.5	<1	1.41	<0.5	46	13.9	6.6	38.1	4.40
SE5535111	<0.2	0.69	40	<5	40	0.7	<1	1.28	<0.5	50	15.4	8.3	39.7	4.27
SE5535112	<0.2	0.61	35	<5	41	<0.5	<1	2.20	<0.5	27	13.6	7.9	34.7	3.37
SE5535113	<0.2	0.63	40	<5	40	<0.5	<1	1.32	<0.5	48	14.1	7.7	37.7	3.82
SE5535114	0.4	0.67	28	<5	55	0.5	<1	1.77	<0.5	34	12.7	10.2	35.3	2.81

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
SE5535115	<0.2	0.85	36	<5	56	0.5	<1	3.96	<0.5	28	12.0	9.0	33.7	3.60
SE5535116	<0.2	0.63	38	<5	30	<0.5	<1	11.4	<0.5	40	11.3	7.3	35.4	3.40
SE5535117	<0.2	0.88	44	<5	40	0.6	2	2.96	<0.5	26	13.9	10.9	45.7	4.07
SE5535118	<0.2	0.51	47	<5	39	0.6	2	8.39	<0.5	33	13.4	6.2	42.7	3.65
SE5535119	<0.2	0.37	45	5	30	<0.5	2	15.8	0.5	30	8.7	14.0	26.5	2.42
SE5535120	<0.2	0.76	20	8	88	<0.5	<1	6.71	0.5	16	5.5	10.5	24.8	1.62
SE5535121	<0.2	0.89	25	<5	69	0.5	1	7.79	<0.5	22	8.1	12.9	30.1	2.53
SE5535122	<0.2	1.09	21	<5	100	0.9	2	2.20	0.7	27	8.8	15.3	27.9	2.55
SE5535123	<0.2	1.37	23	6	101	0.9	2	5.50	0.6	26	9.4	18.6	34.2	2.93
SE5535124	<0.2	1.18	26	<5	113	0.7	3	2.74	<0.5	17	11.1	16.1	32.8	3.03
SE5535125	<0.2	0.78	30	<5	54	<0.5	3	7.80	<0.5	28	10.7	10.3	29.3	2.81
SE5535126	<0.2	1.03	25	<5	84	0.7	2	1.43	<0.5	43	9.8	13.9	26.0	2.95
SE5535127	<0.2	2.04	18	5	171	1.1	3	0.82	<0.5	25	11.8	24.1	38.5	3.56
SE5535128	<0.2	1.78	15	<5	148	1.0	3	0.24	<0.5	39	11.6	21.0	28.2	3.49
SE5535129	<0.2	1.69	20	<5	151	1.0	3	0.71	<0.5	33	11.6	21.0	32.5	3.64
SE5535130	<0.2	1.08	25	5	74	0.5	4	5.56	<0.5	34	11.7	13.6	32.9	2.96
SE5535131	<0.2	1.30	24	<5	89	0.6	3	5.88	<0.5	27	12.6	15.3	41.5	3.55
SE5535132	<0.2	1.11	31	<5	74	0.6	1	2.61	<0.5	33	11.6	11.6	32.2	3.55
SE5535133	<0.2	1.77	19	<5	158	1.1	4	0.34	<0.5	30	10.9	23.1	33.5	3.48
SE5535134	<0.2	1.23	25	<5	92	0.8	3	1.42	<0.5	20	10.5	17.3	32.1	3.23
SE5535135	<0.2	1.46	23	<5	122	0.9	3	1.50	<0.5	26	12.1	18.2	34.2	3.19
SE5535136	<0.2	0.97	26	<5	65	0.6	2	3.02	<0.5	23	9.5	14.5	32.1	3.04
SE5535137	<0.2	0.33	25	<5	23	<0.5	<1	19.6	<0.5	21	5.3	4.0	15.4	1.35
SE5535138	<0.2	0.36	22	<5	28	<0.5	<1	19.8	<0.5	18	3.5	5.0	11.6	0.95
SE5535139	<0.2	0.28	20	<5	27	<0.5	<1	19.7	0.6	20	3.6	3.6	11.7	0.98
SE5509914	<0.2	1.31	23	<5	44	<0.5	4	0.04	<0.5	35	14.2	16.6	33.1	3.86
SE5509915	<0.2	0.98	14	<5	109	0.5	2	0.44	<0.5	28	10.0	13.1	21.7	2.38
SE5509916	<0.2	2.02	30	<5	70	0.6	3	0.03	<0.5	57	16.8	28.4	51.5	4.41
SE5509917	<0.2	1.88	50	<5	65	0.6	3	0.03	<0.5	57	15.9	26.0	48.8	4.43
SE5509918	<0.2	1.71	33	<5	72	0.5	2	0.40	<0.5	33	12.2	22.6	40.3	4.07
SE5509919	<0.2	1.56	37	<5	71	0.7	3	3.76	<0.5	18	16.2	19.2	42.4	3.85
SE5509920	<0.2	1.46	77	<5	56	1.0	6	0.37	<0.5	13	30.1	20.3	59.7	4.55

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
SE5509921	<0.2	1.29	34	<5	34	0.6	5	0.10	<0.5	44	18.9	26.6	45.2	4.45
SE5509922	<0.2	1.14	15	<5	33	0.7	6	0.10	<0.5	51	17.4	35.2	39.0	4.00
SE5509923	<0.2	1.00	27	<5	36	1.0	5	0.10	<0.5	48	40.8	13.3	67.3	4.95
SE5509924	<0.2	1.02	14	<5	26	0.8	6	0.06	<0.5	49	22.1	21.6	50.1	4.10
SE5509925	<0.2	0.96	12	<5	28	0.7	2	0.11	<0.5	51	19.9	17.0	44.6	4.29
SE5509926	<0.2	0.90	13	<5	22	0.8	<1	0.11	<0.5	47	37.0	11.8	59.0	4.05
SE5509927	<0.2	1.35	12	<5	56	0.7	4	0.04	<0.5	28	21.4	26.3	51.0	4.28
SE5509928	<0.2	1.08	29	<5	59	0.7	2	0.21	<0.5	25	15.6	14.5	33.8	2.67
SE5509929	<0.2	0.62	28	<5	39	<0.5	4	0.02	<0.5	25	12.7	14.3	32.8	2.90
SE5509930	<0.2	0.63	28	<5	35	<0.5	4	0.01	<0.5	20	11.0	10.3	31.6	2.79
SE5509931	<0.2	0.85	19	<5	47	<0.5	4	0.07	<0.5	42	20.4	21.6	37.3	3.26
SE5509932	<0.2	0.95	25	<5	73	0.6	3	0.13	<0.5	26	23.4	22.3	42.9	3.41
SE5509933	<0.2	1.15	26	<5	36	0.5	4	0.07	<0.5	48	19.4	25.1	48.0	4.23
SE5509934	<0.2	1.67	97	<5	36	0.6	3	0.04	<0.5	55	23.3	24.9	60.6	4.96
SE5509935	<0.2	1.59	138	<5	34	0.5	4	0.01	<0.5	56	23.5	23.2	58.3	4.76
SE5509936	<0.2	2.19	16	<5	66	0.9	4	0.07	<0.5	40	45.1	27.7	60.2	4.49
SE5509937	<0.2	2.08	15	<5	37	0.7	4	0.07	<0.5	39	20.1	28.0	58.9	4.37
SE5509938	<0.2	0.64	46	<5	28	<0.5	3	5.11	<0.5	22	9.7	9.0	31.9	3.28
SE5509939	<0.2	0.94	52	5	33	<0.5	5	6.99	<0.5	38	14.8	8.4	41.4	4.02
SE5509940	<0.2	0.83	35	<5	48	0.5	1	2.92	<0.5	12	10.3	8.6	29.5	2.77
SE5509941	0.2	0.76	56	<5	43	0.6	5	0.58	<0.5	56	15.8	10.4	42.7	4.19
SE5509942	<0.2	0.37	40	<5	20	<0.5	4	0.19	<0.5	36	14.2	4.6	41.3	3.64
SE5509943	<0.2	0.43	43	<5	22	<0.5	6	0.17	<0.5	8	16.9	5.8	52.8	4.46
SE5509944	<0.2	0.24	32	<5	24	<0.5	3	0.11	<0.5	18	17.0	3.2	40.6	3.41
SE5509945	<0.2	0.25	39	<5	26	<0.5	3	1.15	<0.5	15	11.4	2.3	27.8	2.95
SE5509946	<0.2	0.29	34	<5	20	<0.5	4	0.51	<0.5	15	12.5	5.5	36.7	3.33
SE5509947	<0.2	0.21	40	<5	22	<0.5	4	0.19	<0.5	24	16.4	2.8	35.9	3.22
SE5509948	<0.2	0.22	38	<5	22	<0.5	4	0.19	<0.5	28	16.4	2.2	34.8	3.13
SE5509949	3.5	2.05	19	6	106	<0.5	6	1.02	3.5	9	12.5	33.8	728	4.47
SE5509950	<0.2	0.05	16	<5	40	<0.5	<1	18.2	<0.5	9	1.3	1.4	1.7	0.39
SE5509951	<0.2	0.67	19	<5	19	<0.5	4	2.99	<0.5	19	15.5	9.0	41.5	3.93
SE5509952	<0.2	1.00	13	<5	43	0.9	4	2.29	<0.5	30	13.9	14.1	38.7	4.41

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
SE5509953	<0.2	1.00	13	<5	41	1.1	3	2.18	<0.5	42	15.8	15.4	45.3	4.96
SE5509954	<0.2	1.12	12	<5	77	0.8	2	1.44	<0.5	16	12.9	15.9	24.2	3.30
SE5509955	<0.2	0.76	26	<5	27	0.5	4	0.18	<0.5	26	16.0	10.6	38.6	4.33
SE5509956	<0.2	1.11	22	<5	37	0.6	4	0.26	<0.5	27	14.8	16.4	39.2	4.25
SE5509957	<0.2	0.37	36	<5	32	0.5	4	0.31	<0.5	4	11.3	4.9	37.5	3.31
SE5509958	<0.2	0.63	29	<5	37	<0.5	3	0.19	<0.5	<1	9.4	11.3	25.5	3.11
SE5509959	<0.2	0.72	23	<5	63	<0.5	2	0.28	<0.5	6	3.6	8.0	12.7	2.44
SE5509960	<0.2	0.61	30	<5	41	<0.5	3	1.03	<0.5	5	8.5	11.8	26.2	2.78
SE5509961	<0.2	0.97	27	<5	90	0.6	3	0.15	<0.5	28	8.5	13.3	28.8	3.06
SE5509962	<0.2	0.93	32	<5	65	0.6	4	0.46	<0.5	17	10.4	17.3	32.9	3.33
SE5509963	<0.2	0.80	29	<5	51	0.5	3	0.80	<0.5	13	10.7	13.9	28.6	3.32
SE5509964	<0.2	0.73	38	5	45	0.6	4	0.87	<0.5	10	10.5	10.5	33.6	3.40
SE5509965	<0.2	0.86	41	<5	54	0.6	5	0.39	<0.5	26	10.9	10.5	30.4	3.58
SE5509966	<0.2	0.61	45	<5	43	0.5	4	0.33	<0.5	18	15.4	11.6	41.7	3.78
SE5509967	0.2	0.57	49	<5	27	<0.5	5	1.51	<0.5	3	16.9	9.4	43.8	3.78
SE5509968	<0.2	0.88	38	<5	50	0.7	4	0.46	<0.5	27	14.8	11.5	40.6	4.03
SE5509969	<0.2	0.82	46	<5	55	0.9	5	0.73	<0.5	26	16.9	12.4	48.9	4.23
SE5509970	<0.2	0.49	51	6	48	0.5	3	10.4	<0.5	30	11.2	6.5	33.0	2.88
SE5509971	<0.2	0.60	38	<5	52	0.7	2	2.91	<0.5	21	9.8	8.8	30.4	2.68
SE5509972	<0.2	1.10	28	<5	106	0.8	3	1.14	0.7	29	10.8	17.2	33.9	3.21
SE5509973	<0.2	0.33	14	<5	39	<0.5	<1	1.37	<0.5	11	4.5	4.0	12.5	1.05
SE5509974	<0.2	1.02	37	<5	76	0.6	3	1.16	<0.5	33	12.6	13.2	39.1	3.64
SE5509975	<0.2	1.06	51	<5	51	0.8	5	0.42	<0.5	55	18.1	17.9	42.6	5.23
SE5509976	0.2	0.95	49	<5	48	0.6	3	0.76	<0.5	50	15.1	12.9	45.5	4.61
SE5509977	<0.2	1.07	26	<5	83	<0.5	3	6.80	<0.5	17	11.5	13.3	34.5	2.71
SE5509978	<0.2	0.59	23	<5	40	<0.5	2	4.86	<0.5	14	7.6	7.7	22.9	1.82
SE5509979	<0.2	0.66	27	<5	45	<0.5	3	7.47	<0.5	17	9.7	9.3	28.0	2.30
SE5509980	<0.2	1.13	21	<5	109	0.6	2	1.19	<0.5	13	8.9	12.2	26.6	2.39
SE5509981	<0.2	1.79	18	<5	163	1.0	4	0.83	<0.5	26	13.1	22.6	34.2	3.54
SE5509982	<0.2	1.82	17	<5	149	1.0	2	0.39	<0.5	40	13.5	23.8	33.0	3.47
SE5509983	<0.2	1.28	35	<5	87	0.9	3	1.66	<0.5	51	9.0	17.2	26.9	3.67
SE5509984	<0.2	0.78	33	<5	44	0.5	3	1.79	<0.5	36	10.6	9.9	32.9	3.28

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
SE5509985	<0.2	1.51	17	<5	114	0.9	3	0.59	<0.5	27	12.4	16.6	30.2	3.73
SE5509986	<0.2	1.31	18	<5	104	0.8	2	0.25	<0.5	35	14.6	14.5	41.0	4.18
SE5509987	<0.2	0.17	1	<5	11	<0.5	<1	0.06	<0.5	4	2.3	1.5	3.6	0.32
SE5509988	<0.2	1.26	19	<5	99	0.7	2	1.32	<0.5	19	8.7	14.7	28.5	2.59
SE5509989	<0.2	2.12	21	<5	201	1.1	4	0.41	<0.5	27	12.6	25.8	37.5	3.64
SE5509990	<0.2	0.72	28	<5	41	0.5	4	0.20	<0.5	29	10.9	8.9	31.2	3.60
SE5509991	<0.2	0.63	38	<5	38	<0.5	3	0.10	<0.5	7	16.0	8.5	33.2	3.68
SE5509992	<0.2	0.47	24	<5	32	<0.5	4	0.07	<0.5	12	7.6	5.2	20.3	2.92
SE5509993	<0.2	0.45	47	<5	26	<0.5	3	0.32	<0.5	5	15.0	4.8	34.9	3.59
SE5509994	0.3	0.40	50	<5	22	<0.5	4	0.22	<0.5	9	14.3	3.6	31.8	3.79
SE5509995	<0.2	0.56	45	<5	44	<0.5	3	0.14	<0.5	14	7.8	5.4	29.3	3.08
SE5509996	<0.2	0.44	67	<5	35	0.5	3	0.17	<0.5	31	10.5	4.1	39.8	3.55
SE5509997	<0.2	0.58	41	<5	38	0.6	3	0.13	<0.5	57	10.9	7.3	38.1	3.73
SE5509998	<0.2	0.57	40	<5	36	0.6	3	0.12	<0.5	55	10.4	7.1	35.4	3.81
SE5509999	2.4	2.20	17	9	111	<0.5	6	1.08	3.5	8	12.5	35.0	751	4.45
SE5510000	<0.2	0.06	2	<5	41	<0.5	<1	20.3	<0.5	<1	0.9	2.5	<0.5	0.44
SE5510001	<0.2	0.50	56	<5	26	0.5	4	3.01	<0.5	34	13.5	5.8	38.8	3.39
SE5510002	<0.2	0.61	33	<5	31	<0.5	3	0.15	<0.5	20	7.9	7.0	27.5	3.12
SE5510003	0.2	0.79	50	<5	42	0.7	3	0.32	<0.5	20	12.6	9.0	36.8	3.93
SE5510004	<0.2	0.67	43	<5	46	0.5	3	0.27	<0.5	30	12.9	7.6	38.1	3.74
SE5510005	<0.2	0.78	35	<5	44	0.5	3	0.26	<0.5	33	11.4	9.5	36.6	3.75
SE5510006	<0.2	0.61	18	<5	49	<0.5	2	0.14	<0.5	14	5.0	7.7	16.4	2.30
SE5510007	<0.2	0.97	30	<5	68	0.6	3	0.14	<0.5	42	9.1	11.5	29.9	3.39
SE5510008	<0.2	0.04	<1	<5	5	<0.5	<1	0.03	<0.5	2	0.6	<0.5	2.5	0.09
SE5510009	<0.2	0.95	37	<5	58	0.6	4	0.19	<0.5	49	13.4	12.2	43.8	3.90
SE5510010	<0.2	0.43	10	<5	32	<0.5	<1	0.52	<0.5	12	3.6	4.6	8.3	1.11
SE5510011	0.2	1.07	51	<5	75	0.6	4	1.41	<0.5	36	16.0	14.0	42.1	4.76
SE5510012	<0.2	0.83	34	<5	48	0.7	4	1.01	<0.5	36	11.2	10.9	31.2	3.57
SE5510013	<0.2	1.15	25	<5	87	0.7	<1	0.72	<0.5	38	10.3	14.7	34.1	4.24
SE5510014	<0.2	0.93	53	<5	45	0.9	<1	0.33	<0.5	75	20.8	10.7	51.3	5.61
SE5510015	<0.2	1.04	33	<5	85	0.7	<1	0.50	<0.5	40	11.7	12.2	35.2	4.02
SE5510016	<0.2	0.64	60	<5	58	0.7	<1	1.26	<0.5	43	18.3	6.8	51.4	5.24

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
SE5510017	<0.2	1.07	23	<5	104	0.7	<1	1.46	<0.5	28	12.0	12.3	31.2	3.29
SE5510018	0.2	0.86	18	<5	97	0.5	<1	3.08	<0.5	21	8.2	9.9	25.6	2.44
SE5510019	<0.2	1.15	17	<5	96	0.7	<1	0.61	<0.5	44	13.4	14.3	35.5	3.66
SE5510020	<0.2	1.43	12	<5	72	0.7	<1	0.23	<0.5	54	17.0	16.9	41.3	4.23
SE5510021	0.2	1.43	18	<5	121	0.9	<1	3.66	<0.5	31	11.5	16.0	39.4	3.26
SE5510022	<0.2	1.73	13	<5	138	0.9	<1	0.68	<0.5	37	10.1	20.8	26.9	3.75
SE5510023	<0.2	0.50	15	<5	38	<0.5	<1	15.9	<0.5	15	5.6	4.3	20.9	1.51
SE5510024	0.4	0.79	18	<5	53	0.6	<1	4.67	<0.5	30	9.7	8.8	28.2	2.57
SE5508306	<0.2	1.91	8	<5	32	1.3	<1	0.10	<0.5	83	40.9	26.6	78.6	5.16
SE5508307	<0.2	2.39	5	<5	58	0.9	<1	0.03	<0.5	62	32.4	30.9	69.1	5.26
SE5508308	<0.2	2.35	6	<5	53	0.9	<1	0.02	<0.5	56	41.6	31.1	71.0	5.46
SE5508309	<0.2	2.46	6	<5	69	1.3	<1	0.02	<0.5	52	48.6	32.8	129	4.97
SE5510960	<0.2	2.65	3	<5	42	0.8	<1	0.03	<0.5	77	64.5	33.7	95.6	5.08
SE5510961	<0.2	2.90	7	<5	76	1.0	<1	0.06	<0.5	70	88.6	35.5	225	5.13
SE5510962	<0.2	2.77	10	<5	56	1.4	<1	0.04	<0.5	64	95.4	33.9	200	5.04
SE5510963	<0.2	2.27	8	<5	75	1.6	<1	0.05	<0.5	45	109	30.0	170	4.60
SE5510964	<0.2	2.16	18	<5	37	1.1	<1	0.03	<0.5	74	83.4	32.2	162	5.25
SE5510965	<0.2	2.44	28	<5	57	1.2	<1	0.03	<0.5	63	65.4	32.4	158	5.71
SE5510966	<0.2	2.11	29	<5	70	1.2	<1	0.06	<0.5	55	56.5	25.1	95.4	6.15
SE5510967	<0.2	1.03	17	<5	31	0.8	<1	0.20	<0.5	48	43.0	9.9	58.4	5.07
SE5510968	<0.2	1.43	18	<5	35	0.9	<1	0.13	<0.5	49	43.3	12.3	58.1	4.44
SE5510969	<0.2	1.19	9	<5	56	1.0	<1	0.07	<0.5	51	49.6	11.2	72.1	5.34
SE5510970	<0.2	2.15	15	<5	44	0.6	<1	0.05	<0.5	77	25.2	28.8	63.7	5.28
SE5510971	<0.2	1.60	21	<5	39	1.6	<1	0.07	<0.5	43	98.4	13.9	152	6.41
SE5510972	<0.2	1.81	22	<5	37	0.8	<1	0.04	<0.5	59	47.3	23.9	82.1	5.06
SE5510973	<0.2	1.96	35	<5	34	0.7	<1	0.04	<0.5	88	30.8	27.8	60.1	5.24
SE5510974	<0.2	2.35	31	<5	105	1.0	<1	0.04	<0.5	49	33.4	27.7	80.5	5.22
SE5510975	<0.2	2.12	20	<5	31	0.6	<1	0.02	<0.5	85	22.3	31.1	56.4	4.95
SE5510976	<0.2	0.68	48	<5	44	<0.5	<1	<0.01	<0.5	57	7.6	7.6	28.6	3.23
SE5510977	<0.2	0.84	58	<5	51	0.5	<1	<0.01	<0.5	44	16.3	6.6	41.4	4.59
SE5510978	<0.2	1.39	11	<5	69	1.1	<1	0.33	<0.5	44	8.7	16.4	19.3	3.26
SE5510979	0.2	0.69	6	<5	94	1.0	<1	0.76	<0.5	47	8.5	8.7	12.1	2.69

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
SE5510980	<0.2	0.95	18	<5	61	<0.5	<1	0.03	<0.5	45	12.0	8.7	20.0	2.42
SE5510981	<0.2	1.51	14	<5	110	0.6	<1	0.14	<0.5	59	16.8	17.0	43.1	4.37
SE5510982	<0.2	0.95	10	<5	35	0.7	<1	0.02	<0.5	55	29.4	10.9	50.1	4.61
SE5510983	<0.2	1.16	37	<5	36	0.8	<1	0.01	<0.5	56	59.6	11.6	83.5	6.54
SE5510984	<0.2	1.00	12	<5	31	0.8	<1	0.04	<0.5	57	38.7	9.6	59.4	4.97
SE5510985	<0.2	2.01	5	<5	78	0.8	<1	0.10	<0.5	58	17.4	29.2	47.0	4.22
SE5510986	<0.2	2.21	4	<5	46	0.5	<1	0.02	<0.5	52	12.8	29.1	34.0	4.61
SE5510987	<0.2	2.03	8	<5	65	0.8	<1	0.07	<0.5	58	21.4	25.3	43.0	4.70
SE5510988	<0.2	1.80	7	<5	51	0.6	<1	0.02	<0.5	52	16.6	22.1	36.9	4.22
SE5510989	<0.2	1.93	8	<5	74	0.7	<1	0.09	<0.5	56	15.9	23.3	31.9	4.54
SE5510990	<0.2	1.60	9	<5	73	0.7	<1	0.09	<0.5	59	18.3	20.0	37.3	4.14
SE5510991	<0.2	1.44	9	<5	62	0.7	<1	0.83	<0.5	61	15.9	16.6	30.3	3.97
SE5510992	<0.2	2.45	2	<5	51	<0.5	<1	0.04	<0.5	61	13.3	31.7	35.1	4.94
SE5510993	<0.2	2.34	4	<5	45	<0.5	<1	0.02	<0.5	59	13.0	31.0	32.3	4.69
SE5510994	<0.2	1.73	13	<5	69	0.9	<1	0.08	<0.5	65	25.5	17.2	45.8	4.54
SE5510995	<0.2	1.61	12	<5	63	0.8	<1	0.29	<0.5	57	18.7	18.2	42.5	4.06
SE5510996	<0.2	1.47	11	<5	115	0.8	<1	0.91	<0.5	44	14.4	16.9	24.5	3.81
SE5510997	<0.2	1.45	15	<5	71	0.6	<1	0.74	<0.5	30	13.8	16.7	32.4	3.89
SE5510998	<0.2	1.44	13	<5	75	0.6	<1	0.90	<0.5	40	13.0	18.3	32.3	3.59
SE5510999	2.7	1.92	10	<5	102	0.7	<1	0.87	3.4	20	15.3	30.8	718	4.71
SE5511000	<0.2	0.07	5	<5	45	<0.5	<1	19.3	<0.5	<1	1.0	3.0	0.7	0.44
SE5511001	0.2	1.14	10	<5	79	0.6	<1	1.56	<0.5	27	14.4	14.0	29.7	3.01
SE5511002	<0.2	1.80	10	<5	73	0.6	<1	0.78	<0.5	36	10.8	21.8	28.4	3.79
SE5511003	<0.2	2.12	7	<5	65	0.6	<1	0.32	<0.5	46	14.9	29.6	26.5	4.30
SE5511004	<0.2	2.08	9	<5	117	0.7	<1	0.10	<0.5	41	14.1	29.3	28.3	3.51
SE5511005	<0.2	2.02	6	<5	69	<0.5	<1	0.06	<0.5	49	8.7	30.0	21.2	3.98
SE5511006	<0.2	0.38	53	<5	27	<0.5	<1	0.25	<0.5	51	13.0	5.5	30.6	3.20
SE5511007	<0.2	0.60	72	<5	27	0.5	<1	0.12	<0.5	65	16.4	7.1	33.5	3.62
SE5511008	<0.2	1.01	19	<5	60	0.6	<1	0.07	<0.5	53	17.0	14.4	33.3	4.40
SE5511009	<0.2	0.97	15	<5	41	0.5	<1	0.02	<0.5	53	17.6	10.7	32.5	4.76
SE5536160	<0.2	0.74	13	<5	59	0.7	<1	0.06	<0.5	60	18.2	12.4	31.8	4.32
SE5536161	<0.2	0.47	40	<5	31	0.5	<1	0.08	<0.5	59	15.2	6.3	34.7	3.89

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
SE5536162	0.2	1.53	22	<5	123	1.1	<1	1.87	<0.5	43	12.4	20.2	29.6	3.31
SE5536163	0.3	1.63	9	<5	80	1.1	<1	2.09	<0.5	32	7.3	18.1	24.6	3.18
SE5536164	<0.2	1.74	8	<5	116	0.9	<1	0.59	<0.5	50	16.3	25.1	45.7	3.68
SE5536165	<0.2	0.81	15	<5	51	<0.5	<1	13.5	<0.5	25	10.7	8.8	25.4	2.17
SE5536166	<0.2	0.60	14	<5	57	<0.5	<1	14.2	<0.5	18	6.4	8.2	19.0	1.84
SE5536167	<0.2	0.30	13	<5	28	<0.5	<1	15.7	<0.5	11	3.0	5.1	10.6	1.43
SE5536168	0.3	0.93	16	<5	95	0.7	<1	7.00	<0.5	19	7.2	10.5	24.8	2.27
SE5536169	<0.2	1.17	13	<5	128	0.5	<1	0.24	<0.5	27	7.2	14.0	15.5	2.93
SE5536170	<0.2	0.70	19	<5	58	<0.5	<1	7.40	<0.5	42	8.4	7.6	20.3	2.47
SE5536171	<0.2	1.22	19	<5	109	0.7	<1	1.86	<0.5	30	11.2	15.2	26.6	3.16
SE5536172	<0.2	1.25	26	<5	100	1.0	<1	0.45	<0.5	37	14.2	15.2	35.8	3.74
SE5536173	<0.2	1.07	27	<5	117	0.8	<1	0.94	<0.5	31	11.7	11.9	25.7	3.60
SE5536174	<0.2	0.92	39	<5	86	0.7	<1	1.84	<0.5	26	12.4	9.6	32.5	3.83
SE5536175	0.2	1.03	33	<5	91	0.9	<1	1.23	<0.5	32	12.6	11.7	34.9	3.74
SE5536176	<0.2	0.70	46	<5	43	<0.5	<1	3.15	<0.5	40	15.9	6.9	47.0	4.33
SE5536177	<0.2	0.71	43	<5	57	0.5	<1	3.59	<0.5	33	12.8	7.3	36.8	3.71
SE5536178	<0.2	0.97	36	<5	74	0.7	<1	0.27	<0.5	43	11.2	10.8	31.7	4.11
SE5536179	<0.2	0.85	40	<5	52	<0.5	<1	1.67	<0.5	35	15.7	11.1	44.9	3.97
SE5536180	<0.2	0.75	29	<5	63	<0.5	<1	0.16	<0.5	37	7.0	8.3	27.0	3.28
SE5536181	<0.2	0.71	49	<5	50	0.7	<1	0.42	<0.5	50	12.7	8.5	36.0	4.49
SE5536182	<0.2	0.55	38	<5	38	<0.5	<1	0.16	<0.5	29	11.2	7.8	32.7	3.40
SE5536183	<0.2	0.54	60	<5	32	0.7	<1	0.58	<0.5	38	16.0	5.7	37.6	4.60
SE5536184	0.2	0.49	61	<5	20	<0.5	<1	4.61	<0.5	33	15.7	5.3	42.0	4.16
SE5536185	<0.2	0.49	54	<5	18	<0.5	<1	6.67	<0.5	49	14.6	5.9	42.5	3.95
SE5536186	<0.2	0.31	49	<5	15	<0.5	<1	7.51	<0.5	28	14.6	2.6	41.6	3.62
SE5536187	<0.2	0.36	41	<5	15	<0.5	<1	7.94	<0.5	24	13.4	3.3	35.3	3.71
SE5536188	0.4	0.30	59	<5	16	<0.5	<1	7.65	<0.5	23	14.9	2.8	35.5	4.23
SE5536189	<0.2	0.41	65	<5	20	<0.5	<1	4.97	<0.5	38	15.8	4.2	40.9	4.54
SE5536190	<0.2	0.51	63	<5	23	0.5	<1	3.49	<0.5	45	15.6	5.3	42.2	4.58
SE5536191	<0.2	0.72	41	<5	51	0.5	<1	0.31	<0.5	31	15.5	9.6	44.5	4.26
SE5536192	<0.2	0.70	37	<5	51	<0.5	<1	0.28	<0.5	31	13.2	8.7	40.1	3.94
SE5536193	<0.2	0.52	51	<5	33	<0.5	<1	7.52	<0.5	39	13.5	6.2	36.9	4.04

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
SE5536194		<0.2	0.78	44	<5	53	0.6	<1	2.80	<0.5	48	14.1	9.6	39.3	4.59
SE5536195		<0.2	0.74	34	<5	48	0.5	<1	0.71	<0.5	38	13.0	9.9	37.0	3.72
SE5536196		<0.2	0.74	41	<5	54	0.6	<1	3.14	<0.5	50	13.0	8.9	36.6	4.08
SE5536197		<0.2	0.80	34	<5	61	0.5	<1	3.91	<0.5	36	13.2	9.6	38.0	3.51
SE5536198		<0.2	0.80	36	<5	62	0.5	<1	4.54	<0.5	39	13.6	9.3	39.6	3.61
SE5536199		2.2	1.85	9	<5	92	0.7	<1	0.89	2.8	20	14.6	29.8	735	4.59
SE5536200		<0.2	0.05	1	<5	30	<0.5	<1	19.5	<0.5	<1	1.0	3.2	3.3	0.44
SE5536201		<0.2	1.01	17	<5	103	0.6	<1	0.41	<0.5	26	8.1	12.4	14.6	3.14
SE5536202		<0.2	1.21	25	<5	103	0.7	<1	0.26	<0.5	53	11.0	16.1	34.1	3.72
SE5536203		<0.2	0.79	22	<5	58	<0.5	<1	0.10	<0.5	26	6.8	11.8	21.7	2.90
SE5536204		<0.2	0.89	27	<5	60	<0.5	<1	0.10	<0.5	25	9.8	10.5	32.8	3.87
SE5536205		<0.2	0.66	31	<5	44	<0.5	<1	0.21	<0.5	33	12.1	8.4	35.1	3.55
SE5536206		<0.2	0.89	46	<5	54	0.7	<1	0.23	<0.5	41	15.6	10.1	38.4	4.42
SE5536207		<0.2	0.52	57	<5	18	<0.5	<1	6.86	<0.5	55	14.4	6.4	40.3	4.42

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
SE5510901	11	<1	<1	0.05	31	49	0.91	1320	1.0	<0.01	40.5	455	40.2	<10
SE5510902	8	<1	<1	0.07	18	27	0.38	2020	<0.5	<0.01	53.3	768	58.0	14
SE5510903	10	<1	<1	0.06	19	38	0.57	813	<0.5	<0.01	27.3	764	44.1	16
SE5510904	9	<1	<1	0.10	14	35	0.45	1150	1.6	<0.01	29.4	1910	31.8	30
SE5510905	<5	<1	<1	0.02	15	5	0.17	1360	0.9	<0.01	11.2	1080	19.2	<10
SE5510906	8	<1	<1	0.06	31	34	0.50	1040	3.3	<0.01	42.1	365	35.7	<10
SE5510907	7	<1	<1	0.14	21	37	0.58	846	1.9	0.01	49.5	394	29.6	15
SE5510908	8	<1	<1	0.05	18	32	0.57	1050	1.4	<0.01	29.8	648	24.3	13
SE5510909	5	<1	<1	0.06	12	13	0.28	853	1.9	<0.01	19.2	1090	30.3	15
SE5509710	7	<1	<1	0.07	18	14	0.38	963	2.2	<0.01	23.0	1530	20.3	20
SE5509711	7	<1	<1	0.09	20	17	0.42	919	1.8	<0.01	23.9	1580	20.0	24
SE5509712	<5	<1	<1	0.06	16	11	0.25	716	1.3	<0.01	15.3	1180	16.7	14
SE5509713	<5	<1	<1	0.06	25	17	0.22	414	<0.5	<0.01	18.9	272	21.4	<10
SE5509714	6	<1	<1	0.04	18	48	0.45	1930	<0.5	<0.01	59.4	959	56.7	<10
SE5506341	6	<1	<1	0.05	18	30	0.31	2990	<0.5	<0.01	52.9	891	45.4	11
SE5506342	8	<1	<1	0.12	34	38	0.58	979	2.8	<0.01	39.8	362	34.8	12
SE5506343	9	<1	<1	0.06	36	41	0.64	882	1.6	<0.01	35.5	383	29.9	<10
SE5506344	8	<1	<1	0.09	29	43	0.62	1020	1.3	<0.01	34.5	635	28.3	17
SE5506345	5	<1	<1	0.09	20	27	0.39	1030	0.5	<0.01	38.2	527	20.1	<10
SE5506346	9	<1	<1	0.12	32	35	0.56	855	<0.5	<0.01	39.8	398	31.4	15
SE5506347	<5	<1	<1	0.12	19	16	0.20	975	<0.5	<0.01	29.6	349	33.7	10
SE5506348	<5	<1	<1	0.12	19	19	0.22	1580	<0.5	<0.01	34.1	381	37.5	10
SE5506349	10	<1	<1	0.23	10	13	1.17	646	12.2	0.09	33.9	521	267	19
SE5506350	<5	<1	<1	0.04	2	2	12.7	258	1.9	<0.01	2.3	328	1.4	13
SE5506351	11	1	<1	0.07	29	57	1.06	1020	0.9	<0.01	44.9	338	31.6	13
SE5506352	6	<1	<1	0.07	18	19	1.26	1070	1.4	<0.01	24.3	983	28.7	18
SE5506353	<5	<1	<1	0.04	12	8	2.67	906	2.1	<0.01	15.8	1180	19.5	13
SE5506354	<5	<1	<1	0.16	26	23	0.32	379	0.7	<0.01	23.6	330	27.4	14
SE5506355	<5	<1	<1	0.07	30	36	0.40	1330	0.7	<0.01	35.4	416	33.6	<10
SE5506356	5	<1	<1	0.06	29	39	0.44	1750	1.0	<0.01	41.1	524	40.6	<10
SE5506357	<5	<1	<1	0.04	27	30	0.32	1390	<0.5	<0.01	41.5	387	32.0	<10
SE5506358	6	<1	<1	0.05	23	41	0.39	2090	2.8	<0.01	53.0	684	46.1	<10

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
SE5506359	7	<1	<1	0.05	30	31	0.31	2420	1.4	<0.01	58.9	672	61.4	<10
SE5509060	<5	<1	<1	0.07	11	7	0.08	791	0.7	<0.01	44.3	334	49.2	<10
SE5509061	5	<1	<1	0.06	25	17	0.25	730	<0.5	<0.01	21.6	610	28.3	14
SE5509062	5	<1	<1	0.06	18	17	0.22	1390	0.9	<0.01	24.0	679	45.1	<10
SE5509063	7	<1	<1	0.06	26	42	0.44	2620	1.1	<0.01	53.1	764	68.5	<10
SE5509064	9	<1	<1	0.09	24	60	0.54	2560	<0.5	<0.01	68.2	725	57.9	16
SE5509065	10	<1	<1	0.06	30	35	0.46	1380	<0.5	<0.01	47.8	676	44.8	13
SE5509066	7	<1	<1	0.06	18	30	0.42	1160	1.0	<0.01	28.3	724	26.3	13
SE5509067	6	<1	<1	0.11	24	27	0.46	967	0.8	<0.01	39.6	634	31.3	12
SE5509068	6	<1	<1	0.06	20	34	0.59	668	1.9	<0.01	32.5	325	24.2	13
SE5509069	6	<1	<1	0.07	26	28	0.59	755	1.1	<0.01	34.3	1110	33.7	14
SE5509070	9	<1	<1	0.06	32	49	0.80	970	0.9	<0.01	46.5	406	35.9	11
SE5509071	6	<1	<1	0.14	30	32	0.48	754	<0.5	<0.01	34.6	362	25.2	14
SE5509072	6	<1	<1	0.08	29	36	0.48	614	0.5	<0.01	33.6	237	24.8	12
SE5509073	<5	<1	<1	0.09	23	27	0.42	729	<0.5	<0.01	31.0	507	32.7	18
SE5509074	7	<1	<1	0.09	29	20	0.32	1980	<0.5	<0.01	28.3	234	30.1	13
SE5509075	5	<1	<1	0.12	27	27	0.42	664	0.6	<0.01	33.6	224	28.2	16
SE5509076	<5	<1	<1	0.06	6	9	4.91	680	0.6	<0.01	13.6	1200	22.4	10
SE5509077	<5	<1	<1	0.08	14	10	1.02	499	2.6	<0.01	20.5	2080	23.2	14
SE5509078	6	<1	<1	0.05	23	30	0.51	755	1.2	<0.01	36.6	479	30.0	<10
SE5509079	<5	<1	<1	0.10	6	12	3.15	222	3.4	<0.01	14.3	1810	40.2	20
SE5509080	5	<1	<1	0.05	11	61	0.51	386	2.2	<0.01	34.7	590	29.7	<10
SE5509081	<5	1	<1	0.05	16	23	0.20	434	1.6	<0.01	37.3	576	38.2	<10
SE5509082	<5	<1	<1	0.04	14	16	0.15	514	0.7	<0.01	34.4	504	31.3	<10
SE5509083	<5	<1	<1	0.05	11	5	0.07	350	1.6	<0.01	33.1	467	31.6	<10
SE5509084	<5	<1	<1	0.07	21	14	0.12	341	1.1	<0.01	26.2	368	24.9	<10
SE5509085	<5	<1	<1	0.04	16	11	0.13	499	0.5	<0.01	32.8	417	29.7	<10
SE5509086	<5	<1	<1	0.06	24	22	0.24	505	1.5	<0.01	33.2	565	32.6	<10
SE5509087	<5	<1	<1	0.06	30	19	0.23	407	1.7	<0.01	30.8	641	33.4	<10
SE5509088	<5	<1	<1	0.05	27	22	0.26	353	2.0	<0.01	29.5	701	28.6	<10
SE5509089	<5	<1	<1	0.06	19	27	0.30	363	1.5	<0.01	29.9	673	28.8	<10
SE5509090	<5	<1	<1	0.06	16	26	1.46	366	1.8	<0.01	25.4	1520	41.3	13

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
SE5509091	<5	<1	<1	0.07	14	9	3.79	407	1.2	<0.01	19.2	1990	40.6	11
SE5509092	<5	<1	<1	0.02	3	5	10.3	354	1.2	0.01	2.9	622	10.3	<10
SE5509093	<5	<1	<1	0.05	12	6	3.07	408	1.5	<0.01	19.9	1020	27.0	11
SE5509094	<5	<1	<1	0.04	9	6	3.10	376	2.2	0.01	9.4	1660	22.9	14
SE5509095	<5	1	1	0.03	7	4	3.79	266	2.7	<0.01	7.6	1480	13.9	11
SE5509096	<5	<1	<1	0.05	12	8	1.32	347	3.4	<0.01	21.7	1960	28.8	14
SE5509097	<5	<1	<1	0.06	16	4	3.00	385	1.7	<0.01	17.3	793	39.8	<10
SE5509098	<5	<1	<1	0.06	16	4	3.23	398	1.1	<0.01	18.2	847	53.6	<10
SE5509099	11	<1	<1	0.24	9	14	1.19	599	12.7	0.11	30.8	449	240	19
SE5509100	<5	<1	<1	0.04	2	1	12.5	242	1.6	<0.01	2.3	250	2.5	13
SE5509101	<5	<1	<1	0.04	10	4	5.44	340	2.2	<0.01	12.1	918	32.7	<10
TE5506277	<5	<1	<1	0.03	10	28	1.31	389	2.7	<0.01	18.0	535	20.1	<10
TE5506278	<5	<1	<1	0.02	8	35	0.26	414	2.2	<0.01	20.6	474	22.3	<10
TE5506279	<5	<1	<1	0.05	7	16	0.26	451	1.2	<0.01	18.3	1150	20.0	14
TE5506280	5	<1	<1	0.05	26	25	0.51	959	<0.5	<0.01	36.6	309	31.0	<10
TE5506281	<5	<1	<1	0.04	14	12	0.14	333	<0.5	<0.01	25.5	528	28.6	<10
SE5509035	<5	<1	<1	0.03	7	3	0.29	594	1.7	<0.01	9.9	1180	11.0	<10
SE5509036	<5	<1	<1	0.02	8	3	0.13	296	1.9	<0.01	12.1	750	14.4	<10
SE5509037	<5	<1	<1	0.07	22	11	0.14	513	0.6	<0.01	23.0	444	26.9	<10
SE5509038	<5	<1	<1	0.04	22	16	0.20	934	0.7	<0.01	29.3	298	31.6	<10
SE5509039	5	<1	<1	0.05	18	21	0.24	576	1.2	<0.01	25.8	375	31.6	<10
SE5509040	7	<1	<1	0.08	14	12	0.18	729	1.6	<0.01	14.8	1020	34.7	11
SE5509041	5	<1	<1	0.05	14	18	0.25	654	0.9	<0.01	27.1	689	27.9	11
SE5509042	<5	<1	<1	0.04	16	15	0.16	654	0.8	<0.01	21.6	428	27.6	<10
SE5509043	<5	<1	<1	0.05	20	18	0.22	987	1.0	<0.01	30.2	411	33.2	<10
SE5509044	<5	<1	<1	0.04	18	15	0.19	982	0.6	<0.01	26.6	418	30.0	<10
SE5509045	<5	<1	<1	0.06	23	18	0.22	841	0.8	<0.01	28.2	368	28.3	<10
SE5509046	<5	<1	<1	0.05	20	9	0.11	503	0.8	<0.01	22.2	397	26.3	<10
SE5509047	6	<1	<1	0.10	22	33	0.52	865	1.1	<0.01	36.5	641	30.5	20
SE5509048	8	<1	<1	0.09	20	33	0.49	867	1.9	<0.01	34.3	813	31.4	19
SE5509049	11	1	<1	0.21	8	13	1.12	592	12.1	0.08	32.6	464	258	16
SE5509050	<5	<1	<1	0.04	2	2	12.0	243	1.1	<0.01	2.0	279	3.0	11

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
SE5509051	5	<1	<1	0.07	16	26	0.78	534	1.5	<0.01	24.3	406	20.7	11
SE5509052	6	<1	<1	0.08	21	24	1.00	729	1.8	<0.01	28.6	675	29.9	12
SE5509053	6	<1	<1	0.06	13	15	3.75	1470	1.9	<0.01	20.1	1950	25.2	22
SE5509054	6	<1	<1	0.10	23	30	0.77	1810	1.4	<0.01	32.7	516	31.5	22
SE5509055	6	<1	<1	0.08	30	32	0.44	870	0.9	<0.01	36.0	518	30.7	13
SE5509056	8	<1	<1	0.06	27	39	0.53	598	0.5	<0.01	32.2	455	21.4	16
SE5509057	7	<1	<1	0.06	33	43	0.64	489	0.8	<0.01	34.8	347	18.1	12
SE5509058	6	<1	<1	0.08	31	25	0.35	781	<0.5	<0.01	29.7	269	26.2	12
SE5509059	8	<1	<1	0.06	36	40	0.65	789	<0.5	<0.01	36.3	302	24.5	<10
SE5535060	10	<1	<1	0.07	28	35	0.82	670	1.4	<0.01	38.4	810	22.2	13
SE5535061	<5	<1	<1	0.04	7	6	4.98	342	2.1	<0.01	15.6	1380	23.4	<10
SE5535062	7	<1	<1	0.03	21	26	0.44	647	1.1	<0.01	33.4	555	28.2	<10
SE5535063	8	<1	<1	0.03	14	38	0.55	1480	0.9	<0.01	27.2	761	22.9	12
SE5535064	<5	<1	<1	0.06	17	17	0.29	1230	1.1	<0.01	27.7	934	25.6	10
SE5535065	6	<1	<1	0.06	22	41	0.48	939	1.3	<0.01	47.9	589	28.9	15
SE5535066	6	<1	<1	0.09	21	19	0.34	1430	0.9	<0.01	32.0	609	28.8	12
SE5535067	9	<1	<1	0.06	31	58	0.78	976	1.2	<0.01	48.3	409	29.8	15
SE5535068	8	<1	<1	0.06	36	49	0.82	821	2.8	<0.01	40.3	392	28.3	<10
SE5535069	8	<1	<1	0.04	30	47	0.69	1090	<0.5	<0.01	43.8	400	37.4	<10
SE5535070	5	<1	<1	0.04	30	30	0.42	794	0.8	<0.01	34.9	270	30.7	<10
SE5535071	7	<1	<1	0.05	27	36	0.55	1030	<0.5	<0.01	41.1	328	34.3	<10
SE5535072	8	<1	<1	0.08	16	20	0.51	621	2.5	<0.01	25.6	479	22.6	19
SE5535073	9	<1	<1	0.06	15	42	0.46	917	3.8	<0.01	34.4	803	37.8	20
SE5535074	6	<1	<1	0.05	19	35	0.49	978	1.3	<0.01	36.3	954	35.1	10
SE5535075	6	<1	<1	0.06	21	25	0.45	722	0.9	<0.01	33.5	777	29.8	11
SE5535076	7	<1	<1	0.09	29	32	0.43	676	1.0	<0.01	36.4	346	29.1	13
SE5535077	6	<1	<1	0.06	32	27	0.37	708	0.5	<0.01	32.0	226	26.6	<10
SE5535078	7	<1	<1	0.08	30	33	0.47	749	<0.5	<0.01	37.4	437	31.3	12
SE5535079	<5	<1	<1	0.07	13	12	1.70	377	2.2	<0.01	14.5	547	12.6	13
SE5535080	6	<1	<1	0.10	23	15	0.66	648	1.6	<0.01	27.1	1030	23.9	23
SE5535081	7	<1	<1	0.07	20	21	0.68	1430	1.1	<0.01	36.4	916	32.4	15
SE5535082	<5	<1	<1	0.05	13	8	0.15	543	0.9	<0.01	13.7	1060	20.7	<10

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
SE5535083	<5	<1	<1	0.05	18	14	0.24	365	0.9	<0.01	26.1	959	28.1	14
SE5535084	6	<1	<1	0.08	28	23	0.29	916	1.5	<0.01	38.0	889	25.0	17
SE5535085	5	<1	<1	0.06	17	13	0.26	519	1.0	<0.01	19.3	1130	23.0	17
SE5535086	6	<1	<1	0.04	15	19	0.28	1380	1.1	<0.01	23.5	856	32.4	12
SE5535087	7	<1	<1	0.08	28	24	0.35	1020	0.8	<0.01	33.5	742	25.7	17
SE5535088	<5	<1	<1	0.05	8	14	2.33	249	1.3	<0.01	11.0	1330	24.3	12
SE5535089	<5	<1	<1	0.03	11	24	0.94	290	2.1	<0.01	19.1	968	25.1	<10
SE5535090	<5	<1	<1	0.04	21	25	0.19	368	1.6	<0.01	34.7	619	33.6	<10
SE5535091	<5	<1	<1	0.03	19	17	0.14	466	1.3	<0.01	30.4	566	29.7	<10
SE5535092	<5	<1	<1	0.03	22	14	0.11	509	0.7	<0.01	36.9	546	31.9	<10
SE5535093	<5	<1	<1	0.03	9	5	0.07	758	1.8	<0.01	34.9	557	29.4	<10
SE5535094	<5	<1	<1	0.04	6	2	0.06	905	<0.5	<0.01	35.6	558	30.3	<10
SE5535095	<5	<1	<1	0.04	12	4	0.07	310	0.6	<0.01	21.9	524	28.0	<10
SE5535096	<5	<1	<1	0.03	8	<1	0.03	286	1.4	<0.01	38.1	1020	51.0	<10
SE5535097	<5	<1	<1	0.03	14	30	0.22	686	0.9	<0.01	41.7	441	36.0	<10
SE5535098	<5	<1	<1	0.03	15	31	0.23	738	0.8	<0.01	44.0	479	37.1	<10
SE5535099	10	1	<1	0.22	10	14	1.20	632	11.6	0.09	33.6	462	261	18
SE5535100	<5	<1	<1	0.04	2	2	12.5	258	1.0	<0.01	2.3	296	4.2	13
SE5535101	<5	<1	<1	0.03	13	2	0.07	450	0.6	<0.01	40.8	508	37.0	<10
SE5535102	<5	<1	<1	0.04	12	13	0.11	555	0.9	<0.01	36.6	579	32.4	<10
SE5535103	6	<1	<1	0.05	16	64	0.56	539	2.0	<0.01	36.0	613	36.8	<10
SE5535104	<5	<1	<1	0.03	11	30	0.26	384	0.9	<0.01	34.3	526	35.5	<10
SE5535105	<5	<1	<1	0.03	13	34	0.30	389	1.9	<0.01	34.6	515	34.9	<10
SE5535106	<5	<1	<1	0.02	4	2	0.06	452	1.3	<0.01	40.6	453	31.3	<10
SE5535107	<5	<1	<1	0.05	12	19	0.14	320	<0.5	<0.01	30.2	327	25.3	12
SE5535108	5	<1	<1	0.05	8	31	0.27	470	1.2	<0.01	31.3	646	40.2	<10
SE5535109	<5	<1	<1	0.05	26	17	0.17	570	1.0	<0.01	34.0	752	32.0	<10
SE5535110	<5	<1	<1	0.03	21	16	0.19	541	0.7	<0.01	31.9	638	30.6	<10
SE5535111	<5	<1	<1	0.06	22	20	0.19	539	1.7	<0.01	36.3	1090	37.4	10
SE5535112	<5	<1	<1	0.04	12	16	0.18	371	1.5	<0.01	30.6	513	25.5	<10
SE5535113	<5	<1	<1	0.05	22	18	0.17	507	1.3	<0.01	31.1	697	30.6	<10
SE5535114	5	<1	<1	0.05	16	14	0.16	425	1.0	<0.01	29.5	719	29.6	10

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
SE5535115	<5	<1	<1	0.07	13	24	0.56	494	1.3	<0.01	27.3	1120	29.9	11
SE5535116	<5	<1	<1	0.05	20	29	0.73	342	2.1	<0.01	23.6	632	25.9	<10
SE5535117	<5	<1	<1	0.07	17	36	0.66	317	1.4	<0.01	34.8	1030	35.1	13
SE5535118	<5	<1	<1	0.08	20	11	0.91	369	2.5	<0.01	30.8	979	35.0	19
SE5535119	<5	<1	3	0.08	15	9	0.82	483	2.9	<0.01	18.4	958	23.3	21
SE5535120	<5	<1	<1	0.06	8	8	0.79	636	2.1	0.01	13.0	2200	24.3	18
SE5535121	<5	<1	<1	0.07	13	13	1.65	378	1.0	0.01	23.3	1850	31.5	20
SE5535122	<5	<1	<1	0.07	15	10	0.29	783	1.1	0.01	18.7	2410	110	17
SE5535123	5	<1	3	0.12	16	16	0.98	690	2.5	0.02	25.2	2500	42.0	28
SE5535124	6	<1	<1	0.11	12	21	0.82	523	1.2	<0.01	28.2	800	30.7	18
SE5535125	<5	<1	<1	0.09	16	20	0.74	419	1.1	<0.01	23.0	736	26.2	20
SE5535126	<5	<1	<1	0.09	23	15	0.36	574	0.7	<0.01	23.5	912	39.7	17
SE5535127	7	<1	<1	0.29	16	34	0.44	492	<0.5	0.02	32.4	406	28.0	36
SE5535128	<5	<1	1	0.17	21	31	0.37	523	0.8	0.01	28.3	225	29.7	26
SE5535129	6	<1	1	0.16	20	27	0.40	531	1.1	0.01	29.0	640	29.8	27
SE5535130	<5	<1	5	0.12	18	21	0.67	509	1.2	<0.01	25.4	727	28.3	25
SE5535131	5	<1	<1	0.14	16	28	0.45	475	1.7	0.01	29.5	550	30.7	27
SE5535132	<5	<1	<1	0.12	19	23	0.54	451	1.3	<0.01	25.7	580	29.8	22
SE5535133	7	<1	<1	0.20	18	29	0.35	417	2.1	0.01	29.3	720	31.9	32
SE5535134	<5	<1	<1	0.08	14	18	0.39	544	0.9	<0.01	26.4	1340	37.4	18
SE5535135	6	<1	<1	0.17	16	27	0.53	465	1.0	0.01	29.2	536	32.9	25
SE5535136	<5	<1	2	0.06	15	19	1.19	429	0.9	<0.01	23.9	1120	32.7	16
SE5535137	<5	<1	<1	0.05	9	8	1.03	208	2.3	<0.01	10.8	716	12.7	18
SE5535138	<5	<1	<1	0.04	6	5	3.55	219	2.5	<0.01	8.8	1350	12.7	19
SE5535139	<5	<1	<1	0.05	7	5	4.52	298	2.1	<0.01	7.8	1120	19.3	19
SE5509914	<5	<1	<1	0.05	19	25	0.31	836	1.3	<0.01	21.3	714	28.2	14
SE5509915	<5	<1	2	0.09	15	7	0.15	1310	1.7	<0.01	12.0	1850	26.3	19
SE5509916	7	<1	2	0.14	30	37	0.62	663	<0.5	0.01	37.1	364	26.8	18
SE5509917	7	<1	<1	0.13	30	34	0.55	646	<0.5	0.01	32.7	393	26.4	17
SE5509918	6	<1	<1	0.08	19	31	0.54	567	<0.5	<0.01	29.6	563	23.8	14
SE5509919	6	<1	<1	0.09	12	34	2.37	908	1.1	<0.01	29.0	1130	37.0	24
SE5509920	6	<1	<1	0.10	12	41	0.48	1120	1.2	<0.01	40.8	706	51.2	17

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
SE5509921	<5	<1	2	0.12	24	44	0.51	1010	0.6	<0.01	34.8	432	30.8	11
SE5509922	6	<1	6	0.12	27	39	0.62	1170	<0.5	<0.01	62.1	446	26.4	11
SE5509923	<5	<1	3	0.09	26	32	0.28	1870	<0.5	<0.01	49.9	576	47.6	11
SE5509924	5	<1	<1	0.11	26	37	0.40	1170	<0.5	<0.01	38.0	473	30.7	<10
SE5509925	<5	<1	<1	0.11	27	35	0.38	1110	<0.5	<0.01	33.3	370	30.8	<10
SE5509926	7	<1	<1	0.04	20	34	0.38	1620	0.7	<0.01	49.0	381	43.5	<10
SE5509927	6	<1	<1	0.12	17	35	0.39	1100	<0.5	<0.01	25.3	656	40.5	17
SE5509928	<5	<1	2	0.07	13	21	0.26	555	0.6	<0.01	23.1	559	25.0	15
SE5509929	<5	<1	3	0.12	14	10	0.10	356	0.9	<0.01	23.8	322	26.1	12
SE5509930	<5	<1	2	0.08	12	11	0.11	273	<0.5	<0.01	22.9	350	25.7	11
SE5509931	<5	<1	<1	0.14	22	22	0.26	769	<0.5	<0.01	23.0	399	27.3	12
SE5509932	<5	<1	1	0.10	15	23	0.32	1140	<0.5	<0.01	27.1	528	32.7	11
SE5509933	6	<1	<1	0.10	25	24	0.38	1010	<0.5	<0.01	32.8	398	32.0	10
SE5509934	6	<1	<1	0.08	29	36	0.57	960	0.6	<0.01	40.5	355	34.7	<10
SE5509935	5	<1	<1	0.07	30	34	0.56	986	0.5	<0.01	38.1	394	35.1	<10
SE5509936	7	<1	<1	0.07	22	47	0.66	2050	0.9	0.01	39.3	770	38.7	16
SE5509937	7	<1	<1	0.04	22	50	0.69	848	<0.5	<0.01	38.5	565	32.2	<10
SE5509938	<5	<1	2	0.05	15	22	1.18	234	1.1	<0.01	26.1	1260	31.5	14
SE5509939	6	<1	<1	0.06	22	52	0.78	374	1.1	<0.01	30.1	1190	32.1	15
SE5509940	<5	<1	<1	0.10	8	30	0.25	424	1.7	<0.01	25.5	851	24.6	16
SE5509941	<5	<1	3	0.08	33	25	0.20	590	0.8	<0.01	37.7	1260	40.3	11
SE5509942	<5	<1	<1	0.05	22	9	0.07	531	<0.5	<0.01	31.6	554	31.6	<10
SE5509943	<5	<1	3	0.06	10	10	0.10	585	<0.5	<0.01	36.5	469	37.2	<10
SE5509944	<5	<1	<1	0.04	12	4	0.05	572	0.8	<0.01	30.0	541	28.1	<10
SE5509945	<5	<1	<1	0.05	9	2	0.05	255	1.2	<0.01	28.8	669	27.6	<10
SE5509946	<5	<1	<1	0.04	10	8	0.10	532	<0.5	<0.01	30.0	613	25.2	<10
SE5509947	<5	<1	<1	0.04	15	3	0.04	406	<0.5	<0.01	33.5	712	33.4	<10
SE5509948	<5	<1	1	0.04	16	3	0.04	400	<0.5	<0.01	33.1	684	32.4	<10
SE5509949	8	<1	2	0.27	9	14	1.17	647	11.0	0.13	28.8	491	259	23
SE5509950	<5	<1	<1	0.04	2	1	11.4	242	2.2	<0.01	1.3	351	<0.5	18
SE5509951	<5	<1	2	0.06	14	42	0.31	413	2.6	<0.01	33.8	597	36.9	11
SE5509952	5	<1	<1	0.04	19	55	0.57	644	<0.5	<0.01	31.5	1060	36.6	10

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
SE5509953	5	<1	1	0.06	25	58	0.92	696	0.6	<0.01	38.8	1180	39.8	12
SE5509954	<5	<1	1	0.06	10	43	0.36	496	2.9	<0.01	21.4	1020	28.0	14
SE5509955	<5	<1	<1	0.05	18	25	0.16	407	<0.5	<0.01	37.6	795	44.0	<10
SE5509956	<5	<1	<1	0.05	18	47	0.32	484	<0.5	<0.01	34.0	677	32.9	10
SE5509957	<5	<1	<1	0.04	5	5	0.07	336	1.0	<0.01	26.5	544	24.7	<10
SE5509958	<5	<1	2	0.04	3	15	0.12	399	1.6	<0.01	19.3	1070	23.8	<10
SE5509959	<5	<1	2	0.04	6	11	0.10	115	0.5	<0.01	9.6	768	18.5	<10
SE5509960	<5	<1	<1	0.05	6	11	0.11	275	0.5	<0.01	24.1	840	21.8	<10
SE5509961	<5	<1	<1	0.08	16	16	0.16	318	0.7	<0.01	23.6	348	22.8	15
SE5509962	<5	<1	2	0.07	12	16	0.15	381	2.0	<0.01	28.8	757	27.5	14
SE5509963	<5	<1	3	0.06	9	12	0.14	689	2.2	<0.01	26.0	1030	26.2	11
SE5509964	<5	<1	<1	0.06	9	11	0.14	403	0.8	<0.01	28.2	927	27.1	12
SE5509965	<5	<1	<1	0.07	17	18	0.16	304	<0.5	<0.01	26.0	494	26.3	13
SE5509966	<5	<1	3	0.05	13	13	0.13	482	<0.5	<0.01	36.0	533	32.5	<10
SE5509967	<5	<1	2	0.05	6	17	0.15	423	1.3	<0.01	38.1	542	32.9	<10
SE5509968	<5	<1	<1	0.08	17	24	0.23	473	<0.5	<0.01	34.4	698	33.7	<10
SE5509969	5	<1	<1	0.06	18	22	0.22	534	0.9	<0.01	38.3	1010	48.8	11
SE5509970	<5	<1	<1	0.08	16	8	1.12	366	3.0	<0.01	27.4	1500	32.4	21
SE5509971	<5	<1	<1	0.06	13	9	0.43	489	0.6	<0.01	25.9	1270	30.0	13
SE5509972	<5	<1	2	0.10	18	16	0.26	678	1.1	<0.01	29.3	2000	41.1	17
SE5509973	<5	<1	2	0.04	6	5	0.58	265	0.8	<0.01	10.2	779	26.6	<10
SE5509974	<5	<1	<1	0.12	20	21	0.39	354	0.8	<0.01	30.8	805	39.9	17
SE5509975	6	<1	3	0.05	35	39	0.28	733	<0.5	<0.01	43.3	855	46.4	11
SE5509976	<5	<1	3	0.07	29	27	0.23	453	<0.5	<0.01	34.6	786	37.0	12
SE5509977	<5	<1	1	0.15	10	23	0.57	393	1.2	0.01	26.1	560	25.0	26
SE5509978	<5	<1	<1	0.07	8	16	0.32	233	1.1	<0.01	15.5	474	18.5	16
SE5509979	<5	<1	<1	0.09	10	16	0.23	325	1.9	<0.01	18.3	483	19.9	20
SE5509980	<5	<1	2	0.15	9	17	0.23	388	1.0	0.01	22.3	571	27.0	22
SE5509981	6	<1	2	0.20	16	27	0.39	588	0.5	0.01	31.6	438	33.8	32
SE5509982	6	<1	<1	0.20	22	30	0.42	618	1.0	0.01	30.9	575	33.8	32
SE5509983	<5	<1	<1	0.09	30	20	0.32	436	1.2	<0.01	23.8	1200	40.4	20
SE5509984	<5	<1	<1	0.10	21	21	0.33	256	<0.5	<0.01	26.6	891	31.6	14

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
SE5509985	6	<1	<1	0.12	17	24	0.32	566	0.7	<0.01	26.8	418	33.2	24
SE5509986	<5	<1	<1	0.12	21	23	0.33	936	1.5	<0.01	29.3	307	35.8	20
SE5509987	<5	<1	<1	0.02	2	3	0.05	111	<0.5	<0.01	3.4	99	4.5	<10
SE5509988	5	<1	<1	0.12	12	19	0.47	317	<0.5	<0.01	23.4	821	26.7	23
SE5509989	7	<1	<1	0.27	17	31	0.39	536	0.9	0.02	33.2	445	32.4	44
SE5509990	<5	<1	<1	0.08	18	17	0.12	327	<0.5	<0.01	25.4	595	32.1	12
SE5509991	<5	<1	<1	0.07	7	18	0.11	483	1.5	<0.01	30.1	543	29.4	11
SE5509992	<5	<1	<1	0.03	8	8	0.08	288	<0.5	<0.01	16.8	492	19.6	<10
SE5509993	<5	<1	2	0.05	6	10	0.08	328	<0.5	<0.01	33.8	524	34.1	<10
SE5509994	<5	<1	<1	0.05	8	7	0.07	262	<0.5	<0.01	35.7	541	39.4	<10
SE5509995	<5	<1	<1	0.06	10	9	0.07	204	0.6	<0.01	20.9	455	24.4	11
SE5509996	<5	<1	3	0.08	18	6	0.05	295	<0.5	<0.01	26.9	517	30.1	10
SE5509997	<5	<1	<1	0.07	30	11	0.10	530	1.2	<0.01	30.2	533	28.8	<10
SE5509998	<5	<1	<1	0.07	29	11	0.09	534	0.5	<0.01	30.0	500	27.8	<10
SE5509999	10	<1	5	0.28	10	15	1.21	674	11.1	0.15	28.8	483	260	27
SE5510000	<5	<1	<1	0.05	1	2	12.6	204	1.0	<0.01	2.2	257	1.8	11
SE5510001	<5	<1	<1	0.06	21	15	0.18	369	1.3	<0.01	32.4	668	29.6	14
SE5510002	<5	<1	4	0.05	11	15	0.09	270	0.7	<0.01	21.6	502	20.9	<10
SE5510003	<5	<1	4	0.07	15	19	0.14	363	1.2	<0.01	32.5	459	30.6	12
SE5510004	<5	<1	<1	0.10	18	13	0.11	412	0.7	<0.01	32.2	492	29.8	11
SE5510005	<5	<1	<1	0.08	20	19	0.16	353	<0.5	<0.01	30.7	409	27.1	10
SE5510006	<5	<1	<1	0.05	10	12	0.11	183	<0.5	<0.01	14.9	491	13.3	<10
SE5510007	<5	<1	1	0.08	24	22	0.18	280	<0.5	<0.01	26.4	349	21.8	14
SE5510008	<5	<1	<1	0.01	1	1	0.01	34	<0.5	<0.01	1.2	12	2.7	<10
SE5510009	<5	<1	<1	0.09	28	23	0.21	391	0.7	<0.01	36.5	532	30.9	15
SE5510010	<5	<1	<1	0.02	8	5	0.08	378	<0.5	<0.01	7.9	593	20.1	<10
SE5510011	5	<1	<1	0.05	23	27	0.27	625	0.7	<0.01	35.6	786	37.0	14
SE5510012	<5	<1	<1	0.09	22	23	0.21	360	<0.5	<0.01	27.8	873	32.6	15
SE5510013	6	<1	<1	0.06	18	20	0.25	469	1.2	<0.01	26.9	943	25.1	13
SE5510014	<5	<1	<1	0.03	34	25	0.19	812	<0.5	<0.01	45.6	870	38.0	<10
SE5510015	6	<1	<1	0.07	19	21	0.22	341	0.8	<0.01	27.6	662	28.8	13
SE5510016	<5	<1	<1	0.10	21	13	0.16	617	0.8	<0.01	45.3	1060	37.0	11

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
SE5510017	<5	<1	<1	0.10	13	19	0.26	449	1.3	<0.01	25.7	413	26.6	13
SE5510018	<5	<1	<1	0.09	10	11	0.72	499	1.3	<0.01	19.5	672	22.2	13
SE5510019	<5	<1	<1	0.07	17	21	0.32	635	1.2	<0.01	33.6	670	36.8	13
SE5510020	6	<1	<1	0.07	26	36	0.46	703	0.7	<0.01	32.3	262	33.0	14
SE5510021	6	<1	<1	0.13	14	21	1.34	674	1.4	<0.01	28.0	1020	76.5	24
SE5510022	6	<1	<1	0.14	18	30	0.40	482	0.9	0.01	27.2	529	29.6	24
SE5510023	<5	<1	<1	0.06	9	9	2.37	384	1.9	<0.01	14.6	975	25.9	14
SE5510024	<5	<1	<1	0.09	15	14	0.55	471	1.6	<0.01	24.2	1120	31.0	14
SE5508306	10	<1	<1	0.05	32	55	0.77	1670	<0.5	<0.01	41.0	476	63.0	<10
SE5508307	9	<1	<1	0.07	25	51	0.73	2290	<0.5	<0.01	36.8	668	58.2	17
SE5508308	11	<1	<1	0.05	23	51	0.76	2330	3.8	<0.01	35.7	734	53.6	14
SE5508309	10	<1	<1	0.07	21	47	0.71	1760	<0.5	<0.01	36.1	706	65.7	22
SE5510960	11	<1	<1	0.04	32	48	0.82	2280	1.8	<0.01	42.1	612	35.4	12
SE5510961	10	<1	<1	0.11	28	47	0.79	2340	4.9	0.01	38.2	1210	53.3	25
SE5510962	11	<1	<1	0.07	25	53	0.76	2160	0.6	<0.01	42.9	789	57.2	18
SE5510963	10	<1	<1	0.09	17	45	0.58	2510	1.7	<0.01	30.2	684	39.0	26
SE5510964	10	<1	<1	0.03	30	49	0.81	2330	<0.5	<0.01	43.7	497	79.9	<10
SE5510965	12	<1	<1	0.06	26	46	0.80	2270	3.1	<0.01	41.1	785	59.0	14
SE5510966	8	<1	<1	0.07	23	54	0.57	2870	1.5	<0.01	49.9	916	58.4	20
SE5510967	5	<1	<1	0.04	18	35	0.40	2050	1.2	<0.01	47.3	427	51.9	<10
SE5510968	<5	<1	<1	0.04	19	38	0.32	1820	0.9	<0.01	50.9	526	29.5	<10
SE5510969	6	<1	<1	0.06	19	24	0.28	2640	0.8	<0.01	44.8	746	38.2	11
SE5510970	9	<1	<1	0.12	35	44	0.75	830	<0.5	0.01	43.5	325	27.2	13
SE5510971	9	<1	<1	0.05	17	46	0.44	3100	1.3	<0.01	73.1	663	66.9	11
SE5510972	7	<1	<1	0.06	26	41	0.66	1460	<0.5	<0.01	47.9	380	37.6	<10
SE5510973	9	<1	<1	0.05	38	45	0.74	1010	1.9	<0.01	45.3	326	32.2	<10
SE5510974	10	<1	<1	0.12	21	54	0.64	1250	0.6	<0.01	42.8	651	40.3	23
SE5510975	11	<1	<1	0.05	36	47	0.80	808	0.6	<0.01	39.6	349	27.2	<10
SE5510976	<5	<1	<1	0.10	25	6	0.05	264	0.9	<0.01	13.2	343	20.2	20
SE5510977	<5	<1	<1	0.14	19	11	0.12	589	<0.5	<0.01	28.2	318	25.4	13
SE5510978	5	<1	<1	0.07	11	10	0.14	858	1.3	<0.01	18.0	2080	21.9	20
SE5510979	<5	<1	<1	0.02	10	5	0.09	1210	1.1	<0.01	8.9	1400	19.8	<10

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
SE5510980	<5	<1	<1	0.05	16	15	0.17	445	0.8	<0.01	18.7	422	19.8	<10
SE5510981	7	<1	<1	0.11	25	27	0.29	975	1.6	<0.01	26.7	734	25.6	29
SE5510982	<5	<1	<1	0.04	22	30	0.31	1770	1.0	<0.01	32.0	509	34.5	<10
SE5510983	7	<1	<1	0.05	23	27	0.32	2740	2.4	<0.01	45.6	659	62.0	<10
SE5510984	<5	<1	<1	0.05	23	29	0.31	2050	0.5	<0.01	44.3	475	42.0	<10
SE5510985	9	<1	<1	0.07	26	39	0.65	557	0.7	<0.01	35.4	389	23.9	17
SE5510986	10	<1	<1	0.04	23	39	0.70	571	0.7	<0.01	30.1	618	24.1	12
SE5510987	8	<1	<1	0.05	24	45	0.63	739	<0.5	<0.01	35.2	549	28.3	15
SE5510988	7	<1	<1	0.04	22	39	0.58	672	<0.5	<0.01	34.4	396	24.8	11
SE5510989	7	<1	<1	0.04	24	43	0.68	603	0.8	<0.01	36.0	227	22.6	10
SE5510990	6	<1	<1	0.07	25	34	0.49	729	0.7	<0.01	36.5	426	27.5	15
SE5510991	<5	<1	<1	0.05	28	28	0.43	795	<0.5	<0.01	29.1	857	27.0	14
SE5510992	8	<1	<1	0.04	27	44	0.79	725	0.9	<0.01	33.3	576	26.2	13
SE5510993	10	<1	<1	0.04	26	43	0.79	505	<0.5	<0.01	32.0	495	22.8	12
SE5510994	5	<1	<1	0.07	27	36	0.48	856	<0.5	<0.01	41.6	573	35.0	13
SE5510995	6	<1	<1	0.08	25	32	0.47	695	0.8	<0.01	34.7	553	28.0	13
SE5510996	7	<1	<1	0.06	14	19	0.30	1370	1.4	<0.01	24.8	1130	29.9	17
SE5510997	6	<1	<1	0.05	13	20	0.36	700	1.1	<0.01	25.9	998	29.0	13
SE5510998	<5	<1	<1	0.07	17	22	0.42	643	1.2	<0.01	25.7	1040	26.4	17
SE5510999	8	<1	<1	0.23	9	14	1.18	605	12.2	0.10	32.0	483	253	19
SE5511000	<5	<1	<1	0.04	2	2	12.6	243	3.4	<0.01	2.4	242	3.7	13
SE5511001	<5	<1	<1	0.04	9	16	0.35	1030	0.8	<0.01	22.7	1190	26.5	10
SE5511002	7	<1	<1	0.05	15	30	0.50	500	0.7	<0.01	27.2	1020	22.8	13
SE5511003	7	<1	<1	0.04	19	44	0.75	665	0.7	<0.01	32.2	437	19.5	14
SE5511004	8	1	<1	0.05	17	29	0.63	458	1.0	<0.01	32.5	455	17.7	14
SE5511005	9	<1	<1	0.07	22	31	0.48	430	1.5	<0.01	22.0	492	16.3	22
SE5511006	<5	<1	<1	0.04	21	8	0.11	528	0.9	<0.01	23.0	389	24.7	<10
SE5511007	<5	<1	<1	0.05	27	16	0.20	751	<0.5	<0.01	25.5	363	27.0	<10
SE5511008	5	<1	<1	0.07	22	19	0.26	1160	1.2	<0.01	24.3	639	36.0	16
SE5511009	6	<1	<1	0.04	21	18	0.24	1410	<0.5	<0.01	22.8	775	37.8	12
SE5536160	<5	<1	<1	0.06	21	11	0.13	1340	1.2	<0.01	26.2	705	34.2	15
SE5536161	<5	<1	<1	0.05	24	10	0.13	513	<0.5	<0.01	23.2	391	30.8	<10

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
SE5536162	6	<1	<1	0.10	20	16	0.47	663	1.3	<0.01	30.6	1380	33.2	20
SE5536163	<5	<1	<1	0.05	20	17	0.56	441	1.2	<0.01	20.6	2820	31.0	13
SE5536164	6	<1	<1	0.09	24	26	0.63	647	1.5	<0.01	35.4	921	28.5	18
SE5536165	<5	<1	<1	0.07	13	13	2.18	493	1.7	<0.01	18.7	842	27.4	17
SE5536166	<5	<1	<1	0.04	11	9	3.83	610	2.2	<0.01	15.2	1220	116	13
SE5536167	<5	<1	<1	0.03	7	7	7.52	721	1.6	<0.01	8.1	966	80.3	11
SE5536168	6	<1	<1	0.04	9	10	3.26	692	1.6	<0.01	17.5	1270	120	15
SE5536169	6	1	<1	0.08	11	15	0.14	260	1.1	<0.01	16.1	434	21.4	18
SE5536170	<5	<1	<1	0.08	20	13	1.23	324	1.5	<0.01	19.8	792	30.1	12
SE5536171	5	<1	<1	0.10	13	19	0.60	477	1.3	<0.01	26.8	679	31.7	17
SE5536172	5	<1	<1	0.08	15	19	0.31	614	0.7	<0.01	32.6	738	55.6	14
SE5536173	<5	<1	<1	0.05	12	15	0.23	554	0.9	<0.01	26.3	911	29.0	<10
SE5536174	<5	<1	<1	0.07	12	16	0.27	375	1.0	<0.01	29.7	685	30.1	11
SE5536175	<5	<1	<1	0.05	15	15	0.18	580	1.6	<0.01	27.3	1020	27.1	11
SE5536176	<5	<1	<1	0.06	19	24	0.23	427	1.7	<0.01	35.0	572	29.3	<10
SE5536177	<5	1	<1	0.08	16	16	0.18	368	1.1	<0.01	29.1	549	27.5	10
SE5536178	<5	<1	<1	0.07	19	17	0.16	335	1.0	<0.01	26.8	487	25.8	12
SE5536179	<5	<1	<1	0.07	17	22	0.80	449	0.9	<0.01	35.2	458	30.4	10
SE5536180	<5	<1	<1	0.06	17	16	0.13	190	0.9	<0.01	21.2	369	20.3	11
SE5536181	<5	<1	<1	0.06	24	15	0.12	344	1.0	<0.01	31.6	463	29.7	<10
SE5536182	<5	<1	<1	0.04	13	15	0.13	274	0.8	<0.01	28.6	309	23.8	<10
SE5536183	5	<1	<1	0.03	17	13	0.11	490	1.4	<0.01	37.2	536	34.8	<10
SE5536184	<5	<1	<1	0.03	16	23	0.19	392	1.7	<0.01	35.5	535	35.2	<10
SE5536185	<5	<1	<1	0.04	25	22	0.18	388	2.6	<0.01	32.1	541	26.6	<10
SE5536186	<5	<1	<1	0.03	14	13	0.13	403	2.0	<0.01	31.5	516	30.4	<10
SE5536187	<5	<1	<1	0.03	12	18	0.16	338	2.2	<0.01	29.0	355	24.4	<10
SE5536188	<5	<1	<1	0.03	11	13	0.14	304	1.6	<0.01	35.7	673	30.3	<10
SE5536189	<5	<1	<1	0.03	18	16	0.15	368	2.0	<0.01	37.7	630	33.5	<10
SE5536190	<5	<1	<1	0.03	22	21	0.18	354	1.9	<0.01	37.3	546	34.8	<10
SE5536191	<5	<1	<1	0.09	14	16	0.15	365	1.1	<0.01	38.2	377	26.9	<10
SE5536192	<5	<1	<1	0.06	14	15	0.13	310	1.1	<0.01	35.0	428	27.0	<10
SE5536193	<5	<1	<1	0.07	19	12	0.15	350	2.3	<0.01	30.6	525	30.6	11

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
SE5536194	<5	<1	<1	0.06	21	18	0.20	464	1.7	<0.01	33.0	548	31.0	<10
SE5536195	<5	<1	<1	0.04	17	19	0.19	363	1.1	<0.01	28.8	523	27.5	<10
SE5536196	<5	<1	<1	0.07	23	18	0.21	382	1.4	<0.01	30.1	536	28.5	<10
SE5536197	<5	<1	<1	0.09	17	18	0.19	416	1.8	<0.01	29.5	539	26.5	13
SE5536198	<5	<1	<1	0.10	18	18	0.20	427	2.1	<0.01	30.5	561	27.5	14
SE5536199	7	1	<1	0.22	9	13	1.11	594	10.8	0.09	31.1	389	242	17
SE5536200	<5	<1	<1	0.03	2	2	12.6	251	1.5	<0.01	1.6	161	3.1	10
SE5536201	<5	<1	<1	0.06	11	11	0.14	722	1.5	<0.01	15.3	830	25.1	16
SE5536202	5	<1	<1	0.08	25	23	0.27	354	1.2	<0.01	31.3	460	24.2	15
SE5536203	<5	<1	<1	0.03	12	18	0.16	230	<0.5	<0.01	19.6	373	16.4	<10
SE5536204	<5	<1	<1	0.03	11	23	0.18	303	0.8	<0.01	25.8	402	22.4	<10
SE5536205	<5	<1	<1	0.04	15	17	0.16	337	1.0	<0.01	28.5	402	25.5	<10
SE5536206	<5	<1	<1	0.06	19	22	0.17	424	1.2	<0.01	32.1	404	32.0	11
SE5536207	<5	<1	<1	0.03	28	25	0.20	381	1.6	<0.01	32.7	588	28.4	<10

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
SE5510901	0.021	3	1.9	<10	<5	11.6	<10	<10	10	<0.01	0.08	<5	19.5	1
SE5510902	0.036	3	2.6	<10	<5	24.5	<10	<10	8	<0.01	0.10	<5	17.4	1
SE5510903	0.045	5	1.3	<10	<5	8.5	<10	<10	<5	0.02	0.13	<5	33.0	<1
SE5510904	0.123	<1	2.0	<10	<5	34.2	10	<10	<5	0.01	0.17	<5	39.0	1
SE5510905	0.056	<1	1.2	<10	<5	16.9	<10	<10	<5	<0.01	0.05	<5	12.1	2
SE5510906	0.007	2	2.1	<10	<5	15.7	<10	<10	9	<0.01	0.05	<5	13.4	<1
SE5510907	<0.005	5	2.9	<10	<5	24.2	<10	<10	8	<0.01	0.08	<5	15.8	1
SE5510908	0.044	2	1.4	<10	<5	7.7	<10	<10	<5	<0.01	0.09	<5	22.7	1
SE5510909	0.071	4	1.6	<10	<5	25.3	<10	<10	<5	0.02	0.13	<5	36.6	2
SE5509710	0.104	3	2.4	<10	<5	26.1	<10	<10	<5	0.02	0.17	<5	44.9	2
SE5509711	0.106	3	2.5	<10	<5	28.5	<10	<10	<5	0.03	0.21	<5	49.9	2
SE5509712	0.052	<1	1.7	<10	<5	23.2	<10	<10	<5	0.02	0.13	<5	26.6	1
SE5509713	0.010	4	1.2	<10	<5	21.6	<10	<10	7	<0.01	0.06	<5	5.8	1
SE5509714	0.138	<1	2.3	<10	<5	26.0	<10	<10	10	<0.01	0.08	<5	7.8	<1
SE5506341	0.066	2	2.4	<10	<5	8.4	<10	<10	8	0.01	0.12	<5	13.5	<1
SE5506342	<0.005	2	2.4	<10	<5	22.1	<10	<10	10	<0.01	0.07	<5	14.1	1
SE5506343	0.008	1	2.0	<10	<5	10.5	<10	<10	9	<0.01	0.06	<5	15.7	<1
SE5506344	0.022	<1	1.8	<10	<5	15.2	<10	<10	<5	0.01	0.09	<5	23.6	1
SE5506345	<0.005	4	2.3	<10	<5	28.6	<10	<10	<5	<0.01	0.11	<5	9.9	<1
SE5506346	0.007	5	2.6	<10	<5	13.9	<10	<10	10	<0.01	0.10	<5	16.1	<1
SE5506347	0.010	8	2.4	<10	<5	14.7	<10	<10	8	<0.01	0.12	<5	7.5	<1
SE5506348	0.013	10	3.0	<10	<5	14.9	<10	<10	7	<0.01	0.14	<5	8.2	1
SE5506349	1.09	7	5.1	<10	<5	37.9	<10	<10	<5	0.16	0.58	<5	69.0	<1
SE5506350	0.015	2	<0.5	<10	<5	32.6	<10	<10	<5	<0.01	0.02	14	9.1	<1
SE5506351	0.015	2	1.8	<10	<5	12.9	<10	<10	7	<0.01	0.06	<5	22.4	2
SE5506352	0.049	6	2.7	<10	<5	23.8	<10	<10	<5	0.02	0.13	<5	27.0	<1
SE5506353	0.070	5	1.6	<10	<5	35.9	<10	<10	<5	<0.01	0.08	5	14.6	2
SE5506354	<0.005	3	1.7	<10	<5	26.7	<10	<10	11	<0.01	0.07	<5	7.7	1
SE5506355	0.016	1	2.2	<10	<5	17.2	<10	<10	11	<0.01	0.05	<5	6.5	<1
SE5506356	0.032	2	2.2	<10	<5	12.7	<10	<10	11	<0.01	0.06	<5	7.8	1
SE5506357	0.038	<1	2.0	<10	<5	9.0	<10	<10	10	<0.01	0.05	<5	6.3	<1
SE5506358	0.055	<1	2.5	<10	<5	14.9	<10	<10	13	<0.01	0.08	<5	9.8	<1

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
SE5506359	0.022	2	3.0	<10	<5	18.3	<10	<10	11	<0.01	0.09	<5	11.6	<1
SE5509060	0.005	19	3.9	<10	<5	17.7	<10	<10	13	<0.01	0.06	<5	5.7	4
SE5509061	0.017	6	1.4	<10	<5	7.3	<10	<10	5	0.01	0.13	<5	17.6	2
SE5509062	0.042	5	1.4	<10	<5	10.4	<10	<10	<5	<0.01	0.12	<5	10.5	2
SE5509063	0.045	<1	2.2	<10	<5	13.0	<10	<10	9	<0.01	0.10	<5	9.9	<1
SE5509064	0.024	2	2.9	10	<5	30.4	<10	<10	12	0.01	0.12	6	17.8	1
SE5509065	0.024	1	2.0	<10	<5	11.7	<10	<10	9	0.01	0.10	<5	21.1	<1
SE5509066	0.034	2	1.2	<10	<5	11.6	<10	<10	<5	0.02	0.09	<5	27.8	1
SE5509067	0.010	2	2.4	<10	<5	23.8	<10	<10	7	0.01	0.49	<5	14.6	2
SE5509068	0.018	<1	1.8	<10	<5	11.3	<10	<10	<5	0.02	0.61	<5	29.5	1
SE5509069	0.045	1	2.3	<10	<5	43.2	<10	<10	<5	<0.01	2.73	<5	16.1	3
SE5509070	0.012	3	1.7	<10	<5	12.7	<10	<10	8	<0.01	2.21	<5	20.0	2
SE5509071	0.017	<1	2.0	<10	<5	69.3	<10	<10	9	<0.01	2.07	<5	11.1	3
SE5509072	0.008	<1	1.5	<10	<5	8.4	<10	<10	8	<0.01	1.30	<5	11.6	2
SE5509073	0.025	5	1.7	<10	<5	18.1	<10	<10	<5	0.01	0.40	<5	20.2	1
SE5509074	0.017	2	2.2	<10	<5	16.9	<10	<10	7	<0.01	2.24	<5	9.6	2
SE5509075	0.021	<1	1.9	<10	<5	17.0	<10	<10	<5	<0.01	1.22	<5	13.9	2
SE5509076	0.073	7	0.6	<10	<5	57.7	<10	<10	<5	<0.01	2.53	6	11.4	<1
SE5509077	0.096	3	1.5	<10	<5	231	<10	<10	<5	0.01	0.87	7	15.5	2
SE5509078	0.021	1	1.6	<10	<5	16.3	<10	<10	<5	<0.01	2.87	<5	17.1	3
SE5509079	0.071	2	0.9	<10	<5	279	<10	<10	<5	<0.01	0.87	14	8.9	1
SE5509080	0.304	2	2.5	<10	<5	473	<10	<10	7	<0.01	3.70	7	6.9	3
SE5509081	0.166	4	2.6	<10	<5	64.5	<10	<10	10	<0.01	2.43	<5	5.5	3
SE5509082	0.022	8	2.6	<10	<5	36.8	<10	<10	9	<0.01	2.89	<5	4.7	3
SE5509083	0.091	10	2.2	<10	<5	43.3	<10	<10	10	<0.01	0.95	<5	3.0	3
SE5509084	0.016	6	2.6	<10	<5	57.8	<10	<10	8	<0.01	2.51	<5	8.2	2
SE5509085	0.011	7	3.3	<10	<5	25.8	<10	<10	6	<0.01	0.27	<5	8.1	3
SE5509086	0.016	8	3.5	<10	<5	129	<10	<10	8	<0.01	2.14	<5	9.6	2
SE5509087	0.027	8	3.6	<10	<5	213	<10	<10	10	<0.01	3.22	<5	7.6	3
SE5509088	0.053	10	3.3	<10	<5	236	<10	<10	11	<0.01	4.36	5	6.3	4
SE5509089	0.028	6	2.8	<10	<5	156	<10	<10	6	<0.01	2.82	<5	9.1	3
SE5509090	0.047	7	2.8	<10	<5	230	<10	<10	<5	<0.01	3.56	8	12.9	2

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
SE5509091	0.070	3	1.6	<10	<5	99.6	<10	<10	<5	<0.01	0.62	6	15.1	<1
SE5509092	0.038	4	0.5	<10	<5	96.1	<10	<10	<5	<0.01	1.69	12	10.4	<1
SE5509093	0.039	7	2.7	<10	<5	356	<10	<10	<5	<0.01	1.94	11	7.1	2
SE5509094	0.068	<1	0.8	<10	<5	320	<10	<10	<5	<0.01	2.93	14	11.7	<1
SE5509095	0.040	2	1.1	<10	<5	446	<10	<10	<5	<0.01	3.68	18	6.2	<1
SE5509096	0.068	5	1.0	<10	<5	307	<10	<10	<5	<0.01	1.09	9	15.8	<1
SE5509097	0.040	2	1.3	<10	<5	164	<10	<10	<5	<0.01	4.64	7	3.9	<1
SE5509098	0.039	3	1.4	<10	<5	171	<10	<10	<5	<0.01	<0.01	7	3.5	<1
SE5509099	1.05	7	4.8	<10	<5	37.6	<10	<10	<5	0.16	<0.01	<5	63.7	<1
SE5509100	0.013	<1	<0.5	<10	<5	31.7	<10	<10	<5	<0.01	<0.01	15	9.3	<1
SE5509101	0.023	3	1.1	<10	<5	230	<10	<10	<5	<0.01	4.54	12	6.6	2
TE5506277	0.094	2	3.1	<10	<5	541	<10	<10	<5	<0.01	1.07	8	4.8	4
TE5506278	0.087	2	3.2	<10	<5	547	<10	<10	7	<0.01	3.60	7	4.0	3
TE5506279	0.159	3	1.1	<10	<5	107	<10	<10	<5	<0.01	0.90	<5	9.8	<1
TE5506280	0.042	<1	1.7	<10	<5	23.1	<10	<10	10	<0.01	1.76	<5	9.8	1
TE5506281	0.041	5	3.0	<10	<5	27.9	<10	<10	5	<0.01	0.55	<5	6.9	2
SE5509035	0.144	1	0.5	<10	<5	60.9	<10	<10	<5	<0.01	0.05	<5	4.2	<1
SE5509036	0.096	<1	0.7	<10	<5	30.3	<10	<10	<5	<0.01	0.05	<5	7.7	1
SE5509037	0.041	2	1.3	<10	<5	18.4	<10	<10	5	<0.01	0.05	<5	6.5	1
SE5509038	0.013	5	1.6	<10	<5	21.7	<10	<10	8	<0.01	0.09	<5	6.3	2
SE5509039	0.019	6	1.6	<10	<5	26.9	<10	<10	<5	<0.01	0.09	<5	7.9	2
SE5509040	0.082	2	<0.5	<10	<5	32.3	<10	<10	<5	<0.01	0.06	<5	12.5	2
SE5509041	0.031	2	1.6	<10	<5	24.8	<10	<10	<5	<0.01	0.09	<5	16.4	1
SE5509042	0.017	4	1.1	<10	<5	13.2	<10	<10	<5	<0.01	0.07	<5	8.2	2
SE5509043	0.020	3	1.6	<10	<5	18.5	<10	<10	5	<0.01	0.02	<5	7.2	1
SE5509044	0.027	2	1.6	<10	<5	23.2	<10	<10	5	<0.01	0.06	<5	5.6	1
SE5509045	0.017	3	1.4	<10	<5	18.8	<10	<10	<5	<0.01	0.06	<5	5.7	1
SE5509046	0.019	3	1.6	<10	<5	21.0	<10	<10	<5	<0.01	0.07	<5	7.7	1
SE5509047	0.028	<1	2.2	<10	<5	22.4	<10	<10	<5	0.02	0.16	<5	32.9	1
SE5509048	0.038	2	2.1	<10	<5	19.4	<10	<10	<5	0.02	0.15	<5	33.7	1
SE5509049	1.04	6	4.2	<10	<5	32.0	<10	<10	<5	0.14	0.58	<5	60.4	<1
SE5509050	0.012	<1	<0.5	<10	<5	29.6	<10	<10	<5	<0.01	0.02	14	9.5	<1

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
SE5509051	0.011	1	1.3	<10	<5	141	<10	<10	<5	<0.01	0.04	6	8.5	<1
SE5509052	0.021	1	2.0	<10	<5	87.9	<10	<10	<5	<0.01	0.08	<5	12.1	1
SE5509053	0.089	3	1.7	<10	<5	35.1	<10	<10	<5	0.02	0.13	7	24.4	1
SE5509054	0.017	5	3.8	<10	<5	27.9	<10	<10	<5	<0.01	0.22	<5	14.2	2
SE5509055	0.009	3	2.0	<10	<5	14.5	<10	<10	7	<0.01	0.08	<5	10.3	1
SE5509056	0.016	1	1.5	<10	<5	13.3	<10	<10	<5	<0.01	0.08	<5	16.5	1
SE5509057	0.011	3	1.3	<10	<5	11.4	<10	<10	6	<0.01	0.07	<5	15.2	1
SE5509058	0.008	<1	1.8	<10	<5	16.9	<10	<10	6	<0.01	0.07	<5	10.9	<1
SE5509059	0.010	3	1.6	<10	<5	13.4	<10	<10	7	<0.01	0.05	<5	14.4	1
SE5535060	0.017	2	2.9	<10	<5	28.6	<10	<10	<5	0.02	0.10	<5	27.3	1
SE5535061	0.111	4	1.0	<10	<5	103	<10	<10	<5	<0.01	0.09	10	8.6	<1
SE5535062	0.029	<1	2.2	<10	<5	14.3	<10	<10	<5	<0.01	0.05	<5	13.0	1
SE5535063	0.047	2	1.1	<10	<5	14.3	<10	<10	<5	0.01	0.06	<5	21.3	2
SE5535064	0.061	<1	1.9	<10	<5	28.0	<10	<10	<5	<0.01	0.07	<5	12.4	2
SE5535065	0.028	2	1.4	<10	<5	13.1	<10	<10	<5	<0.01	0.09	<5	14.5	<1
SE5535066	0.028	<1	1.6	<10	<5	10.0	<10	<10	<5	<0.01	0.08	<5	9.2	2
SE5535067	0.020	3	2.0	<10	<5	22.1	<10	<10	8	<0.01	0.07	<5	17.6	<1
SE5535068	0.008	<1	1.9	<10	<5	22.7	<10	<10	8	<0.01	0.05	<5	17.4	2
SE5535069	0.016	<1	1.4	<10	<5	16.0	<10	<10	7	<0.01	0.04	<5	15.5	<1
SE5535070	0.006	<1	1.3	<10	<5	7.9	<10	<10	8	<0.01	0.04	<5	8.7	1
SE5535071	0.006	1	1.6	<10	<5	17.5	<10	<10	9	<0.01	0.05	<5	10.9	1
SE5535072	0.028	1	2.3	<10	<5	14.3	<10	<10	<5	0.05	0.12	<5	54.8	<1
SE5535073	0.041	2	2.4	<10	<5	25.7	<10	<10	<5	<0.01	0.11	<5	21.7	1
SE5535074	0.023	2	2.6	<10	<5	21.7	<10	<10	<5	<0.01	0.07	<5	14.9	1
SE5535075	0.031	2	2.3	<10	<5	22.7	<10	<10	<5	<0.01	0.07	<5	15.9	1
SE5535076	0.013	1	1.8	<10	<5	11.4	<10	<10	6	<0.01	0.08	<5	16.2	<1
SE5535077	<0.005	<1	1.5	<10	<5	10.9	<10	<10	6	<0.01	0.06	<5	10.7	<1
SE5535078	0.016	1	1.7	<10	<5	18.5	<10	<10	5	<0.01	0.07	<5	12.8	1
SE5535079	0.012	1	1.3	<10	<5	266	<10	<10	<5	<0.01	0.04	12	4.2	1
SE5535080	0.023	5	3.6	<10	<5	111	<10	<10	<5	0.02	0.15	<5	25.4	2
SE5535081	0.029	5	3.0	<10	<5	55.0	<10	<10	<5	<0.01	0.15	<5	19.8	2
SE5535082	0.039	3	1.6	<10	<5	20.0	<10	<10	<5	<0.01	0.08	<5	13.9	1

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
SE5535083	0.062	10	1.8	<10	<5	43.2	<10	<10	<5	<0.01	0.13	<5	15.1	1
SE5535084	0.022	2	3.2	<10	<5	50.8	<10	<10	<5	<0.01	0.12	<5	16.4	2
SE5535085	0.061	1	2.0	<10	<5	25.3	<10	<10	<5	<0.01	0.11	<5	19.1	1
SE5535086	0.039	<1	1.4	<10	<5	23.2	<10	<10	<5	0.01	0.08	<5	20.3	2
SE5535087	0.028	3	2.5	<10	<5	19.2	<10	<10	<5	0.01	0.12	<5	19.8	2
SE5535088	0.048	<1	1.3	<10	<5	266	<10	<10	<5	<0.01	0.09	9	8.5	<1
SE5535089	0.058	3	1.8	<10	<5	232	<10	<10	<5	<0.01	0.06	6	8.1	<1
SE5535090	0.038	13	3.1	<10	<5	151	<10	<10	6	<0.01	0.05	<5	8.2	2
SE5535091	0.015	9	2.2	<10	<5	90.4	<10	<10	7	<0.01	0.03	<5	4.5	2
SE5535092	0.019	9	1.9	<10	<5	21.0	<10	<10	10	<0.01	0.04	<5	4.2	1
SE5535093	0.015	8	2.8	<10	<5	18.2	<10	<10	6	<0.01	0.05	<5	5.2	2
SE5535094	0.017	7	3.1	<10	<5	12.9	<10	<10	6	<0.01	0.06	<5	6.4	2
SE5535095	0.025	7	4.0	<10	<5	18.3	<10	<10	<5	<0.01	0.07	<5	11.6	2
SE5535096	0.186	15	1.9	<10	<5	113	<10	<10	8	<0.01	0.04	<5	1.7	2
SE5535097	0.011	7	1.9	<10	<5	29.3	<10	<10	9	<0.01	0.05	<5	7.1	1
SE5535098	0.011	8	2.1	<10	<5	29.8	<10	<10	11	<0.01	0.05	<5	7.9	<1
SE5535099	1.06	5	4.8	<10	<5	37.1	<10	<10	<5	0.15	0.64	<5	66.2	<1
SE5535100	0.014	<1	<0.5	<10	<5	32.7	<10	<10	<5	<0.01	0.02	16	9.4	<1
SE5535101	0.036	9	2.3	<10	<5	33.6	<10	<10	7	<0.01	0.05	<5	2.2	2
SE5535102	0.034	12	2.2	<10	<5	31.4	<10	<10	9	<0.01	0.04	<5	5.3	2
SE5535103	0.198	2	4.1	<10	<5	375	<10	<10	6	<0.01	0.05	5	10.1	<1
SE5535104	0.089	3	2.2	<10	<5	116	<10	<10	6	<0.01	0.03	<5	5.0	3
SE5535105	0.128	4	2.3	<10	<5	174	<10	<10	8	<0.01	0.03	<5	6.1	2
SE5535106	0.009	7	3.6	<10	<5	8.1	<10	<10	<5	<0.01	0.05	<5	4.6	1
SE5535107	0.016	6	1.6	<10	<5	10.1	<10	<10	5	<0.01	0.08	<5	12.4	1
SE5535108	0.045	4	2.4	<10	<5	44.3	<10	<10	<5	<0.01	0.08	<5	10.2	1
SE5535109	0.018	6	4.7	<10	<5	33.9	<10	<10	7	<0.01	0.07	<5	14.1	2
SE5535110	0.026	8	3.6	<10	<5	68.7	<10	<10	5	<0.01	0.05	<5	7.5	2
SE5535111	0.023	8	3.2	<10	<5	55.7	<10	<10	7	<0.01	0.09	<5	9.9	<1
SE5535112	0.023	6	2.6	<10	<5	82.1	<10	<10	5	<0.01	0.06	<5	9.2	2
SE5535113	0.030	6	2.9	<10	<5	63.5	<10	<10	6	<0.01	0.05	<5	9.0	2
SE5535114	0.022	5	2.9	<10	<5	46.1	<10	<10	6	<0.01	0.06	<5	13.5	2

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
SE5535115	0.059	5	2.6	<10	<5	117	<10	<10	<5	<0.01	0.09	<5	11.7	2
SE5535116	0.031	5	2.6	<10	<5	334	<10	<10	6	<0.01	0.04	6	7.6	2
SE5535117	0.078	3	3.8	<10	<5	97.1	<10	<10	6	<0.01	0.06	<5	16.2	<1
SE5535118	0.141	7	3.6	<10	<5	250	<10	<10	9	<0.01	0.06	<5	13.8	<1
SE5535119	0.228	12	4.0	<10	<5	668	<10	<10	5	<0.01	0.05	<5	11.5	<1
SE5535120	0.270	4	1.4	<10	<5	135	<10	<10	<5	<0.01	0.11	<5	22.5	<1
SE5535121	0.147	4	3.2	<10	<5	165	<10	<10	<5	0.01	0.09	<5	26.8	<1
SE5535122	0.164	3	2.3	<10	<5	54.2	<10	<10	<5	<0.01	0.16	<5	28.0	<1
SE5535123	0.172	3	2.7	<10	<5	98.2	<10	<10	<5	0.02	0.15	<5	35.8	<1
SE5535124	0.049	3	3.8	<10	<5	63.0	<10	<10	7	<0.01	0.08	<5	25.7	<1
SE5535125	0.117	6	3.2	<10	<5	251	<10	<10	7	<0.01	0.06	<5	16.2	<1
SE5535126	0.051	2	2.8	<10	<5	49.7	<10	<10	<5	0.01	0.10	<5	24.6	<1
SE5535127	0.019	<1	4.5	<10	<5	44.5	<10	<10	9	0.02	0.15	<5	29.5	<1
SE5535128	0.011	<1	4.0	<10	<5	22.8	<10	<10	8	0.01	0.12	<5	27.1	<1
SE5535129	0.041	<1	4.1	<10	<5	35.9	<10	<10	6	<0.01	0.12	<5	28.0	<1
SE5535130	0.086	4	3.4	<10	<5	146	<10	<10	8	<0.01	0.08	<5	18.3	<1
SE5535131	0.090	2	4.5	<10	<5	246	<10	<10	11	<0.01	0.08	<5	18.8	<1
SE5535132	0.053	3	4.0	<10	<5	88.4	<10	<10	8	<0.01	0.09	<5	18.3	<1
SE5535133	0.024	<1	4.4	<10	<5	26.6	<10	<10	8	0.01	0.15	<5	31.2	<1
SE5535134	0.100	<1	3.5	<10	<5	40.2	<10	<10	<5	<0.01	0.11	<5	29.8	<1
SE5535135	0.037	2	3.9	<10	<5	41.6	<10	<10	9	<0.01	0.10	<5	24.8	<1
SE5535136	0.066	3	3.6	<10	<5	52.8	<10	<10	<5	<0.01	0.07	<5	26.3	<1
SE5535137	0.250	8	2.0	<10	<5	390	<10	<10	6	<0.01	0.03	<5	11.3	<1
SE5535138	0.265	7	1.5	<10	<5	258	<10	<10	<5	<0.01	0.05	<5	18.6	<1
SE5535139	0.249	8	1.5	<10	<5	264	<10	<10	<5	<0.01	0.05	<5	16.5	<1
SE5509914	0.039	<1	1.7	<10	<5	3.6	<10	<10	7	<0.01	0.08	<5	23.0	<1
SE5509915	0.159	<1	2.0	<10	<5	20.1	<10	<10	<5	0.01	0.16	<5	31.8	<1
SE5509916	0.008	<1	3.8	<10	<5	7.7	<10	<10	11	0.02	0.08	<5	28.4	<1
SE5509917	0.013	<1	3.1	<10	<5	10.8	<10	<10	10	<0.01	0.08	<5	26.1	<1
SE5509918	0.028	<1	3.0	<10	<5	14.0	<10	<10	6	<0.01	0.08	<5	23.8	4
SE5509919	0.099	2	3.6	<10	<5	41.4	<10	<10	<5	<0.01	0.10	<5	26.6	<1
SE5509920	0.037	<1	3.9	<10	<5	35.1	<10	<10	10	<0.01	0.09	<5	21.0	<1

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
SE5509921	0.024	<1	2.9	<10	<5	22.7	<10	<10	12	<0.01	0.05	<5	15.4	<1
SE5509922	0.017	<1	3.0	<10	<5	21.6	<10	<10	13	<0.01	0.05	<5	15.2	<1
SE5509923	0.032	<1	3.5	<10	<5	26.1	<10	<10	14	<0.01	0.11	5	13.0	<1
SE5509924	0.032	<1	3.1	<10	<5	20.9	<10	<10	15	<0.01	0.06	<5	12.6	<1
SE5509925	0.035	<1	2.9	<10	<5	27.0	<10	<10	13	<0.01	0.06	<5	10.7	<1
SE5509926	0.106	<1	2.0	<10	<5	25.9	<10	<10	13	<0.01	0.07	<5	6.3	2
SE5509927	0.032	<1	2.8	<10	<5	15.2	<10	<10	12	<0.01	0.09	<5	19.0	<1
SE5509928	0.026	<1	2.7	<10	<5	21.0	<10	<10	<5	<0.01	0.09	<5	18.1	1
SE5509929	0.025	<1	1.7	<10	<5	18.2	<10	<10	7	<0.01	0.09	<5	9.8	<1
SE5509930	0.020	1	1.7	<10	<5	16.1	<10	<10	7	<0.01	0.09	<5	10.6	<1
SE5509931	0.033	<1	2.0	<10	<5	17.7	<10	<10	8	<0.01	0.07	<5	12.7	<1
SE5509932	0.043	<1	2.2	<10	<5	21.4	<10	<10	8	<0.01	0.10	<5	14.4	<1
SE5509933	0.018	<1	2.9	<10	<5	17.9	<10	<10	11	<0.01	0.09	<5	16.6	<1
SE5509934	0.009	<1	3.4	<10	<5	15.9	<10	<10	12	<0.01	0.06	<5	21.7	<1
SE5509935	0.011	<1	3.1	<10	<5	11.0	<10	<10	11	<0.01	0.07	<5	21.3	<1
SE5509936	0.050	<1	3.0	<10	<5	11.9	<10	<10	7	<0.01	0.18	<5	28.9	<1
SE5509937	0.029	<1	2.5	<10	<5	10.2	<10	<10	10	<0.01	0.07	<5	25.5	<1
SE5509938	0.130	7	3.9	<10	<5	123	<10	<10	7	<0.01	0.07	<5	15.2	<1
SE5509939	0.137	7	4.6	<10	<5	147	<10	<10	11	<0.01	0.06	<5	26.1	<1
SE5509940	0.124	6	3.0	<10	<5	73.6	<10	<10	<5	<0.01	0.09	<5	16.6	<1
SE5509941	0.037	5	4.1	<10	<5	42.0	<10	<10	13	<0.01	0.08	<5	14.3	<1
SE5509942	0.015	4	3.3	<10	<5	14.5	<10	<10	11	<0.01	0.04	<5	7.5	<1
SE5509943	0.016	4	3.9	<10	<5	13.6	<10	<10	11	<0.01	0.06	<5	9.4	<1
SE5509944	0.010	2	2.9	<10	<5	13.7	<10	<10	10	<0.01	0.03	<5	6.7	<1
SE5509945	0.034	9	3.5	<10	<5	54.4	<10	<10	10	<0.01	0.04	<5	6.2	<1
SE5509946	0.076	5	3.5	<10	<5	30.9	<10	<10	11	<0.01	0.03	<5	6.6	<1
SE5509947	0.037	6	2.8	<10	<5	32.1	<10	<10	12	<0.01	0.04	<5	6.5	<1
SE5509948	0.037	6	2.8	<10	<5	32.2	<10	<10	13	<0.01	0.05	<5	6.7	<1
SE5509949	1.10	<1	8.2	<10	<5	38.3	<10	<10	<5	0.17	0.65	<5	76.1	<1
SE5509950	0.215	8	0.5	<10	<5	49.9	<10	<10	<5	<0.01	0.02	<5	16.8	<1
SE5509951	0.255	1	3.8	<10	<5	156	<10	<10	10	<0.01	0.04	<5	11.2	<1
SE5509952	0.133	<1	6.2	<10	<5	114	<10	<10	6	<0.01	0.07	<5	23.2	<1

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
SE5509953	0.093	<1	7.7	<10	<5	91.9	<10	<10	11	<0.01	0.09	<5	23.3	<1
SE5509954	0.137	<1	3.2	<10	<5	89.8	<10	<10	<5	<0.01	0.10	<5	20.1	<1
SE5509955	0.013	<1	2.7	<10	<5	24.7	<10	<10	9	<0.01	0.05	<5	10.7	<1
SE5509956	0.028	<1	3.5	<10	<5	31.1	<10	<10	7	<0.01	0.07	<5	19.2	<1
SE5509957	0.028	8	5.2	<10	<5	30.4	<10	<10	7	<0.01	0.05	<5	8.7	<1
SE5509958	0.066	<1	2.1	<10	<5	15.9	<10	<10	<5	<0.01	0.08	<5	15.6	<1
SE5509959	0.054	2	2.2	<10	<5	24.9	<10	<10	<5	<0.01	0.10	<5	17.5	<1
SE5509960	0.110	3	2.8	<10	<5	60.1	<10	<10	<5	<0.01	0.05	<5	13.1	<1
SE5509961	0.013	1	3.3	<10	<5	17.3	<10	<10	7	0.01	0.10	<5	21.6	<1
SE5509962	0.052	2	4.1	<10	<5	31.9	<10	<10	<5	<0.01	0.08	<5	18.9	<1
SE5509963	0.103	3	3.4	<10	<5	52.1	<10	<10	<5	<0.01	0.08	<5	17.4	<1
SE5509964	0.091	4	3.7	<10	<5	63.0	<10	<10	<5	<0.01	0.07	<5	16.0	<1
SE5509965	0.033	3	3.9	<10	<5	34.0	<10	<10	7	<0.01	0.08	<5	16.2	<1
SE5509966	0.038	3	3.8	<10	<5	26.1	<10	<10	7	<0.01	0.05	<5	12.4	<1
SE5509967	0.059	5	4.3	<10	<5	89.3	<10	<10	9	<0.01	0.05	<5	9.3	<1
SE5509968	0.027	1	4.2	<10	<5	29.7	<10	<10	8	<0.01	0.06	<5	15.2	<1
SE5509969	0.055	3	4.7	<10	<5	40.2	<10	<10	9	<0.01	0.09	<5	18.0	<1
SE5509970	0.140	11	3.9	<10	<5	302	<10	<10	8	<0.01	0.08	<5	15.2	<1
SE5509971	0.133	7	2.9	<10	<5	81.7	<10	<10	<5	<0.01	0.07	<5	15.3	<1
SE5509972	0.090	2	3.1	<10	<5	54.8	<10	<10	<5	0.01	0.16	<5	28.6	<1
SE5509973	0.039	4	1.4	<10	<5	25.3	<10	<10	<5	<0.01	0.07	<5	10.6	<1
SE5509974	0.036	2	4.0	<10	<5	48.9	<10	<10	7	<0.01	0.09	<5	20.2	<1
SE5509975	0.027	3	6.6	<10	<5	23.3	<10	<10	11	<0.01	0.09	<5	17.8	<1
SE5509976	0.044	3	5.4	<10	<5	50.8	<10	<10	8	<0.01	0.07	<5	18.9	<1
SE5509977	0.097	3	4.1	<10	<5	207	<10	<10	9	<0.01	0.07	<5	17.8	<1
SE5509978	0.092	4	2.6	<10	<5	182	<10	<10	7	<0.01	0.04	<5	10.8	<1
SE5509979	0.098	5	3.1	<10	<5	293	<10	<10	7	<0.01	0.05	<5	11.6	<1
SE5509980	0.073	2	2.5	<10	<5	42.3	<10	<10	<5	<0.01	0.13	<5	19.8	<1
SE5509981	0.031	<1	4.3	<10	<5	37.0	<10	<10	9	<0.01	0.11	<5	27.8	<1
SE5509982	0.021	<1	4.5	<10	<5	28.5	<10	<10	8	0.01	0.11	<5	31.2	<1
SE5509983	0.071	3	5.2	<10	<5	58.9	<10	<10	<5	0.01	0.11	<5	23.9	<1
SE5509984	0.079	3	3.6	<10	<5	74.9	<10	<10	6	<0.01	0.07	<5	14.8	<1

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
SE5509985	0.028	<1	3.7	<10	<5	32.0	<10	<10	8	<0.01	0.10	<5	20.3	<1
SE5509986	0.015	<1	3.5	<10	<5	22.1	<10	<10	8	<0.01	0.10	<5	16.9	<1
SE5509987	0.006	<1	0.5	<10	<5	2.7	<10	<10	<5	<0.01	0.04	<5	2.3	<1
SE5509988	0.063	1	3.5	<10	<5	33.0	<10	<10	<5	<0.01	0.09	<5	21.0	<1
SE5509989	0.015	<1	5.0	<10	<5	33.1	<10	<10	10	<0.01	0.16	<5	33.2	<1
SE5509990	0.032	1	3.4	<10	<5	17.4	<10	<10	7	<0.01	0.06	<5	12.0	<1
SE5509991	0.014	2	3.2	<10	<5	20.3	<10	<10	6	<0.01	0.07	<5	11.6	<1
SE5509992	0.022	<1	3.1	<10	<5	9.9	<10	<10	6	<0.01	0.06	<5	9.8	<1
SE5509993	0.030	6	3.8	<10	<5	23.4	<10	<10	7	<0.01	0.05	<5	7.4	<1
SE5509994	0.017	5	4.0	<10	<5	24.4	<10	<10	7	<0.01	0.04	<5	6.4	<1
SE5509995	0.020	2	3.8	<10	<5	13.8	<10	<10	7	<0.01	0.06	<5	9.7	<1
SE5509996	0.016	4	3.9	<10	<5	13.5	<10	<10	10	<0.01	0.05	<5	8.4	<1
SE5509997	0.012	3	4.3	<10	<5	16.9	<10	<10	13	<0.01	0.05	<5	10.4	<1
SE5509998	0.011	2	4.0	<10	<5	16.1	<10	<10	10	<0.01	0.05	<5	9.9	<1
SE5509999	1.09	<1	8.8	<10	<5	41.6	<10	<10	<5	0.18	0.62	<5	78.3	<1
SE5510000	0.015	<1	<0.5	<10	<5	28.5	<10	<10	<5	<0.01	1.19	12	9.6	<1
SE5510001	0.053	10	3.6	<10	<5	215	<10	<10	10	<0.01	0.05	<5	8.1	<1
SE5510002	0.011	<1	3.7	<10	<5	17.5	<10	<10	6	<0.01	0.06	<5	10.1	<1
SE5510003	0.024	3	4.2	<10	<5	32.7	<10	<10	8	<0.01	0.06	<5	12.1	<1
SE5510004	0.027	2	4.6	<10	<5	30.1	<10	<10	10	<0.01	0.06	<5	11.3	<1
SE5510005	0.021	<1	4.3	<10	<5	24.1	<10	<10	10	<0.01	0.05	<5	12.9	<1
SE5510006	0.016	<1	3.0	<10	<5	11.4	<10	<10	6	<0.01	0.07	<5	11.6	<1
SE5510007	0.009	1	4.0	<10	<5	17.8	<10	<10	10	<0.01	0.08	<5	16.3	<1
SE5510008	<0.005	<1	<0.5	<10	<5	3.1	<10	<10	<5	<0.01	0.07	<5	<0.5	<1
SE5510009	0.009	2	4.5	<10	<5	19.5	<10	<10	11	<0.01	0.08	<5	16.2	<1
SE5510010	0.041	2	2.0	<10	<5	18.8	<10	<10	<5	<0.01	0.06	<5	9.2	<1
SE5510011	0.048	4	5.3	<10	<5	83.8	<10	<10	7	<0.01	0.10	<5	23.1	<1
SE5510012	0.044	3	4.4	<10	<5	60.2	<10	<10	9	<0.01	0.08	<5	14.1	<1
SE5510013	0.050	4	4.2	<10	<5	45.3	<10	<10	<5	0.01	0.10	<5	23.4	1
SE5510014	0.022	10	7.7	<10	<5	28.1	<10	<10	9	<0.01	0.08	<5	12.8	2
SE5510015	0.030	5	4.0	<10	<5	35.7	<10	<10	<5	<0.01	0.08	<5	15.8	1
SE5510016	0.029	10	5.2	<10	<5	67.8	<10	<10	8	<0.01	0.10	<5	10.4	2

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
SE5510017	0.026	3	2.7	<10	<5	73.1	<10	<10	<5	<0.01	0.07	<5	14.2	1
SE5510018	0.093	4	1.3	<10	<5	77.2	<10	<10	<5	<0.01	0.08	<5	12.3	<1
SE5510019	0.017	4	3.6	<10	<5	32.8	<10	<10	<5	<0.01	0.08	<5	15.8	<1
SE5510020	0.013	2	2.0	<10	<5	21.5	<10	<10	7	<0.01	0.07	<5	13.3	1
SE5510021	0.033	2	3.0	<10	<5	52.1	<10	<10	<5	<0.01	0.12	<5	22.4	<1
SE5510022	0.047	2	3.1	<10	<5	38.1	<10	<10	<5	<0.01	0.13	<5	23.2	1
SE5510023	0.038	3	1.4	<10	<5	187	<10	<10	<5	<0.01	0.06	11	6.5	<1
SE5510024	0.051	4	1.9	<10	<5	83.3	<10	<10	<5	<0.01	0.08	<5	12.3	<1
SE5508306	0.020	3	2.6	<10	<5	15.1	<10	<10	12	<0.01	0.06	<5	14.9	2
SE5508307	0.024	3	2.0	<10	<5	8.7	<10	<10	7	<0.01	0.09	<5	22.5	1
SE5508308	0.032	<1	1.8	<10	<5	7.0	<10	<10	7	<0.01	0.09	<5	21.3	1
SE5508309	0.040	2	2.7	<10	<5	10.0	<10	<10	6	<0.01	0.14	<5	26.2	<1
SE5510960	0.039	<1	2.1	<10	<5	8.0	<10	<10	7	<0.01	0.10	<5	21.6	1
SE5510961	0.046	<1	3.1	<10	<5	15.0	12	<10	5	0.03	0.22	<5	40.9	1
SE5510962	0.036	2	2.6	<10	<5	11.5	<10	<10	10	<0.01	0.15	<5	27.1	<1
SE5510963	0.058	2	2.3	<10	<5	11.3	<10	<10	<5	0.02	0.17	<5	38.4	1
SE5510964	0.022	<1	2.8	<10	<5	9.4	<10	<10	8	<0.01	0.10	<5	18.7	<1
SE5510965	0.037	2	3.5	<10	<5	12.1	<10	<10	7	<0.01	0.13	<5	25.2	<1
SE5510966	0.042	<1	3.2	<10	<5	16.5	<10	<10	5	0.01	0.11	<5	23.3	<1
SE5510967	0.061	<1	2.2	<10	<5	34.6	<10	<10	6	<0.01	0.06	<5	8.2	<1
SE5510968	0.036	2	1.8	<10	<5	22.1	<10	<10	<5	<0.01	0.07	<5	9.9	1
SE5510969	0.035	1	2.6	<10	<5	13.9	<10	<10	<5	0.01	0.12	<5	13.6	<1
SE5510970	<0.005	2	2.6	<10	<5	24.2	<10	<10	11	<0.01	0.06	<5	17.5	<1
SE5510971	0.058	1	2.6	<10	<5	17.4	<10	<10	9	<0.01	0.10	<5	11.3	1
SE5510972	0.008	<1	2.3	<10	<5	18.4	<10	<10	7	<0.01	0.06	<5	14.6	1
SE5510973	0.007	1	2.2	<10	<5	16.6	<10	<10	11	<0.01	0.05	<5	17.3	2
SE5510974	0.022	4	3.4	<10	<5	14.6	<10	<10	5	<0.01	0.11	<5	25.1	1
SE5510975	0.006	4	1.8	<10	<5	9.3	<10	<10	10	<0.01	0.04	<5	18.2	<1
SE5510976	0.015	6	1.2	<10	<5	16.4	<10	<10	<5	<0.01	0.15	<5	12.7	2
SE5510977	0.008	7	2.5	<10	<5	19.2	<10	<10	7	<0.01	0.12	<5	6.9	1
SE5510978	0.049	4	1.2	<10	<5	17.7	<10	<10	<5	0.01	0.11	<5	28.3	1
SE5510979	0.101	2	1.2	<10	<5	32.3	<10	<10	<5	<0.01	0.06	<5	19.2	2

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
SE5510980	0.016	3	1.1	<10	<5	8.8	<10	<10	<5	<0.01	0.08	<5	6.8	<1
SE5510981	0.035	2	2.2	<10	<5	23.0	<10	<10	<5	0.01	0.16	<5	26.3	2
SE5510982	0.017	2	2.5	<10	<5	10.4	<10	<10	6	<0.01	0.07	<5	9.8	1
SE5510983	0.036	3	3.4	<10	<5	15.3	<10	<10	8	<0.01	0.09	<5	10.8	1
SE5510984	0.012	2	2.6	<10	<5	16.1	<10	<10	10	<0.01	0.07	<5	8.0	<1
SE5510985	0.016	3	2.1	<10	<5	16.2	<10	<10	<5	0.02	1.53	<5	33.9	<1
SE5510986	0.028	<1	1.2	<10	<5	7.7	<10	<10	<5	0.01	3.93	<5	23.6	2
SE5510987	0.017	1	1.6	<10	<5	10.0	<10	<10	6	<0.01	1.31	<5	20.8	2
SE5510988	0.018	1	1.3	<10	<5	7.9	<10	<10	8	<0.01	<0.01	<5	16.7	2
SE5510989	0.008	1	1.3	<10	<5	9.0	<10	<10	6	<0.01	1.09	<5	16.8	1
SE5510990	0.017	<1	1.7	<10	<5	11.4	<10	<10	7	<0.01	1.24	<5	17.6	2
SE5510991	0.054	2	2.6	<10	<5	33.5	<10	<10	<5	<0.01	<0.01	<5	14.2	2
SE5510992	0.031	1	1.5	<10	<5	9.1	<10	<10	5	<0.01	0.97	<5	22.8	2
SE5510993	0.022	<1	1.3	<10	<5	6.9	<10	<10	<5	<0.01	2.18	<5	24.9	2
SE5510994	0.012	3	2.4	<10	<5	12.0	<10	<10	7	<0.01	2.54	<5	11.8	2
SE5510995	0.014	1	2.1	<10	<5	22.1	<10	<10	6	<0.01	1.61	<5	14.9	2
SE5510996	0.074	3	1.8	<10	<5	36.9	<10	<10	<5	0.01	3.71	<5	22.1	2
SE5510997	0.067	<1	1.4	<10	<5	26.7	<10	<10	<5	<0.01	1.11	<5	13.5	2
SE5510998	0.070	3	1.7	<10	<5	30.4	<10	<10	<5	<0.01	<0.01	<5	15.1	2
SE5510999	1.05	4	4.4	<10	<5	35.4	<10	<10	<5	0.14	0.92	<5	62.0	<1
SE5511000	0.015	<1	<0.5	<10	<5	32.7	<10	<10	<5	<0.01	1.47	15	11.0	<1
SE5511001	0.117	1	1.0	<10	<5	44.2	<10	<10	<5	<0.01	1.07	<5	15.8	2
SE5511002	0.065	3	1.4	<10	<5	23.9	<10	<10	<5	<0.01	0.68	<5	19.0	2
SE5511003	0.026	2	1.4	<10	<5	13.2	<10	<10	<5	<0.01	1.24	<5	25.4	1
SE5511004	0.018	<1	2.1	<10	<5	12.5	<10	<10	<5	0.03	1.77	<5	40.2	2
SE5511005	0.030	<1	0.8	<10	<5	9.0	<10	<10	<5	0.02	<0.01	<5	42.8	2
SE5511006	0.021	4	1.7	<10	<5	23.7	<10	<10	7	<0.01	3.22	<5	6.3	2
SE5511007	0.015	2	1.6	<10	<5	22.4	<10	<10	9	<0.01	2.54	<5	5.5	2
SE5511008	0.033	1	1.6	<10	<5	15.1	<10	<10	<5	0.01	<0.01	<5	19.3	2
SE5511009	0.023	2	1.6	<10	<5	7.4	<10	<10	<5	<0.01	1.44	<5	13.1	2
SE5536160	0.029	2	2.1	<10	<5	8.1	<10	<10	<5	<0.01	2.73	<5	11.8	2
SE5536161	0.012	4	2.0	<10	<5	24.2	<10	<10	9	<0.01	3.20	<5	7.7	2

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
SE5536162	0.034	4	3.2	<10	<5	45.9	<10	<10	<5	0.01	1.06	<5	27.8	2
SE5536163	0.116	3	2.2	<10	<5	50.2	<10	<10	<5	<0.01	2.76	<5	16.1	1
SE5536164	0.027	4	3.7	<10	<5	29.8	<10	<10	<5	0.03	1.14	<5	30.0	2
SE5536165	0.025	5	2.3	<10	<5	189	<10	<10	<5	<0.01	<0.01	9	9.4	1
SE5536166	0.040	3	1.6	<10	<5	180	<10	<10	<5	<0.01	4.70	11	12.7	<1
SE5536167	0.028	5	0.9	<10	<5	114	<10	<10	<5	<0.01	<0.01	11	10.9	<1
SE5536168	0.074	2	1.1	<10	<5	53.7	<10	<10	<5	<0.01	<0.01	6	16.3	<1
SE5536169	0.019	3	1.4	<10	<5	17.4	<10	<10	<5	<0.01	0.99	<5	26.5	2
SE5536170	0.009	5	2.3	<10	<5	128	<10	<10	<5	<0.01	0.87	<5	10.2	<1
SE5536171	0.039	5	2.8	<10	<5	49.2	<10	<10	<5	<0.01	0.77	<5	19.3	1
SE5536172	0.017	5	3.7	<10	<5	27.0	<10	<10	5	<0.01	2.85	<5	20.1	<1
SE5536173	0.042	5	2.3	<10	<5	42.3	<10	<10	<5	<0.01	2.14	<5	17.7	3
SE5536174	0.035	6	3.2	<10	<5	48.6	<10	<10	<5	<0.01	1.75	<5	12.4	2
SE5536175	0.081	4	2.9	<10	<5	63.4	<10	<10	<5	<0.01	0.78	<5	17.0	3
SE5536176	0.026	8	3.7	<10	<5	153	<10	<10	6	<0.01	0.06	<5	8.8	2
SE5536177	0.033	8	3.0	<10	<5	143	<10	<10	<5	<0.01	0.06	<5	9.2	2
SE5536178	0.021	6	3.6	<10	<5	24.2	<10	<10	<5	<0.01	0.08	<5	14.1	2
SE5536179	0.019	4	3.3	<10	<5	42.7	<10	<10	<5	<0.01	0.06	<5	10.0	1
SE5536180	0.017	4	3.0	<10	<5	18.2	<10	<10	5	<0.01	0.07	<5	10.2	2
SE5536181	0.027	8	3.8	<10	<5	38.9	<10	<10	5	<0.01	0.05	<5	8.8	2
SE5536182	0.006	5	2.6	<10	<5	22.2	<10	<10	6	<0.01	0.04	<5	6.0	1
SE5536183	0.023	11	3.5	<10	<5	44.2	<10	<10	<5	<0.01	0.05	<5	7.5	2
SE5536184	0.030	12	2.9	<10	<5	260	<10	<10	8	<0.01	0.05	<5	4.6	2
SE5536185	0.044	10	2.8	<10	<5	441	<10	<10	10	<0.01	0.04	<5	4.7	2
SE5536186	0.051	9	2.8	<10	<5	477	<10	<10	7	<0.01	0.03	6	3.6	2
SE5536187	0.084	8	2.3	<10	<5	482	<10	<10	<5	<0.01	0.04	5	2.5	2
SE5536188	0.069	15	2.4	<10	<5	347	<10	<10	7	<0.01	0.05	7	3.1	2
SE5536189	0.054	13	3.2	<10	<5	242	<10	<10	9	<0.01	0.05	<5	4.8	2
SE5536190	0.036	12	3.2	<10	<5	177	<10	<10	9	<0.01	0.05	<5	5.1	2
SE5536191	0.014	8	3.8	<10	<5	38.2	<10	<10	7	<0.01	0.07	<5	9.0	1
SE5536192	0.022	5	3.6	<10	<5	27.8	<10	<10	6	<0.01	0.06	<5	8.9	1
SE5536193	0.098	10	3.3	<10	<5	435	<10	<10	6	<0.01	0.05	5	7.7	3

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
SE5536194		0.041	6	3.6	<10	<5	131	<10	<10	<5	<0.01	0.06	<5	10.0	2
SE5536195		0.028	6	2.9	<10	<5	49.1	<10	<10	<5	<0.01	0.05	<5	10.0	2
SE5536196		0.028	8	3.6	<10	<5	150	<10	<10	<5	<0.01	0.06	<5	10.2	1
SE5536197		0.031	5	2.9	<10	<5	154	<10	<10	<5	<0.01	0.07	<5	12.0	1
SE5536198		0.032	5	3.1	<10	<5	183	<10	<10	<5	<0.01	0.07	<5	11.9	2
SE5536199		0.956	5	4.5	<10	<5	33.6	<10	<10	<5	0.15	0.59	<5	61.2	<1
SE5536200		0.015	1	<0.5	<10	<5	31.5	<10	<10	<5	<0.01	0.01	15	9.6	<1
SE5536201		0.056	3	1.6	<10	<5	21.4	<10	<10	<5	<0.01	0.14	<5	26.8	<1
SE5536202		0.008	5	3.5	<10	<5	24.5	<10	<10	6	0.01	0.10	<5	20.1	1
SE5536203		0.008	4	1.7	<10	<5	10.2	<10	<10	<5	<0.01	0.08	<5	13.4	1
SE5536204		0.014	4	2.6	<10	<5	11.5	<10	<10	<5	<0.01	0.07	<5	11.9	2
SE5536205		0.011	7	2.9	<10	<5	26.2	<10	<10	6	<0.01	0.05	<5	9.4	1
SE5536206		0.016	8	3.4	<10	<5	28.3	<10	<10	6	<0.01	0.07	<5	11.0	<1
SE5536207		0.063	11	3.2	<10	<5	379	<10	<10	9	<0.01	0.04	<5	5.1	2

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
SE5510901		6	109	<5
SE5510902		12	131	<5
SE5510903		3	94.1	<5
SE5510904		8	107	<5
SE5510905		15	50.7	<5
SE5510906		6	105	<5
SE5510907		6	116	6
SE5510908		4	89.4	<5
SE5510909		8	76.9	<5
SE5509710		20	101	<5
SE5509711		20	106	<5
SE5509712		10	86.0	<5
SE5509713		4	65.6	<5
SE5509714		8	156	<5
SE5506341		12	151	<5
SE5506342		6	109	5
SE5506343		6	105	<5
SE5506344		5	97.7	<5
SE5506345		8	130	<5
SE5506346		6	109	<5
SE5506347		4	98.6	<5
SE5506348		4	106	5
SE5506349		10	1450	15
SE5506350		1	14.7	<5
SE5506351		5	108	<5
SE5506352		13	94.5	<5
SE5506353		11	50.9	<5
SE5506354		4	74.7	<5
SE5506355		6	116	6
SE5506356		7	129	<5
SE5506357		9	108	<5
SE5506358		10	147	<5

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
SE5506359		11	148	<5
SE5509060		5	90.8	<5
SE5509061		5	88.2	<5
SE5509062		5	91.1	<5
SE5509063		10	150	<5
SE5509064		14	171	<5
SE5509065		7	134	<5
SE5509066		5	88.9	<5
SE5509067		10	132	<5
SE5509068		5	92.9	<5
SE5509069		14	108	<5
SE5509070		6	127	<5
SE5509071		6	93.2	9
SE5509072		6	98.1	<5
SE5509073		6	137	<5
SE5509074		11	87.9	<5
SE5509075		7	113	<5
SE5509076		6	318	<5
SE5509077		13	75.5	<5
SE5509078		6	133	<5
SE5509079		6	210	6
SE5509080		11	84.0	8
SE5509081		8	78.7	6
SE5509082		6	98.2	<5
SE5509083		4	83.3	<5
SE5509084		9	74.8	<5
SE5509085		12	97.1	<5
SE5509086		14	93.4	<5
SE5509087		14	82.9	<5
SE5509088		12	73.6	<5
SE5509089		11	84.3	<5
SE5509090		13	123	<5

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
SE5509091		13	155	<5
SE5509092		3	82.8	<5
SE5509093		10	130	<5
SE5509094		8	161	<5
SE5509095		6	65.0	<5
SE5509096		11	387	<5
SE5509097		6	238	<5
SE5509098		6	238	<5
SE5509099		10	1330	16
SE5509100		1	14.6	<5
SE5509101		6	158	<5
TE5506277		10	59.5	6
TE5506278		10	58.9	8
TE5506279		11	163	<5
TE5506280		6	121	<5
TE5506281		12	92.5	<5
SE5509035		8	116	<5
SE5509036		7	61.6	<5
SE5509037		8	71.0	<5
SE5509038		8	75.9	<5
SE5509039		7	70.1	<5
SE5509040		4	95.4	<5
SE5509041		8	98.6	<5
SE5509042		6	79.5	<5
SE5509043		7	89.3	<5
SE5509044		10	74.6	<5
SE5509045		8	84.4	<5
SE5509046		6	90.2	<5
SE5509047		7	111	<5
SE5509048		6	111	<5
SE5509049		9	1390	11
SE5509050		1	13.3	<5

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
SE5509051		5	81.4	<5
SE5509052		9	111	<5
SE5509053		16	167	<5
SE5509054		25	156	<5
SE5509055		10	109	<5
SE5509056		6	98.1	<5
SE5509057		5	97.7	<5
SE5509058		7	118	<5
SE5509059		6	99.6	<5
SE5535060		11	106	<5
SE5535061		9	63.6	<5
SE5535062		14	74.7	<5
SE5535063		5	114	<5
SE5535064		19	98.1	<5
SE5535065		6	124	<5
SE5535066		11	102	<5
SE5535067		8	127	<5
SE5535068		7	112	<5
SE5535069		5	125	<5
SE5535070		7	95.2	<5
SE5535071		7	114	<5
SE5535072		7	91.5	<5
SE5535073		10	154	<5
SE5535074		11	130	<5
SE5535075		9	129	<5
SE5535076		6	156	<5
SE5535077		6	121	<5
SE5535078		8	102	<5
SE5535079		6	51.0	<5
SE5535080		18	91.2	<5
SE5535081		19	145	<5
SE5535082		10	85.9	<5

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
SE5535083		14	138	<5
SE5535084		18	95.5	<5
SE5535085		13	88.2	<5
SE5535086		12	88.6	<5
SE5535087		12	111	<5
SE5535088		8	98.9	<5
SE5535089		12	87.1	<5
SE5535090		14	91.6	<5
SE5535091		8	88.9	<5
SE5535092		6	98.0	<5
SE5535093		7	94.3	<5
SE5535094		9	57.1	<5
SE5535095		14	62.2	<5
SE5535096		6	78.3	<5
SE5535097		5	93.0	<5
SE5535098		5	101	<5
SE5535099		10	1390	14
SE5535100		1	13.8	<5
SE5535101		6	85.1	<5
SE5535102		7	89.8	<5
SE5535103		19	92.8	<5
SE5535104		8	78.2	6
SE5535105		8	78.1	7
SE5535106		8	127	<5
SE5535107		5	76.8	<5
SE5535108		8	112	<5
SE5535109		18	127	<5
SE5535110		15	105	<5
SE5535111		12	171	<5
SE5535112		8	87.8	<5
SE5535113		11	95.0	<5
SE5535114		11	93.2	<5

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
SE5535115		14	95.6	<5
SE5535116		10	70.0	<5
SE5535117		12	122	<5
SE5535118		10	109	<5
SE5535119		13	82.8	<5
SE5535120		9	208	<5
SE5535121		12	214	<5
SE5535122		15	456	<5
SE5535123		16	336	<5
SE5535124		10	145	<5
SE5535125		8	96.3	<5
SE5535126		12	138	<5
SE5535127		7	113	<5
SE5535128		8	110	<5
SE5535129		10	107	<5
SE5535130		9	101	<5
SE5535131		10	101	<5
SE5535132		11	91.6	<5
SE5535133		8	221	<5
SE5535134		14	191	<5
SE5535135		8	161	<5
SE5535136		13	145	<5
SE5535137		5	64.7	<5
SE5535138		5	122	<5
SE5535139		5	176	<5
SE5509914		3	79.2	<5
SE5509915		7	43.6	<5
SE5509916		6	107	<5
SE5509917		5	103	<5
SE5509918		6	98.4	<5
SE5509919		10	170	<5
SE5509920		10	157	<5

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
SE5509921		5	111	<5
SE5509922		6	95.7	<5
SE5509923		13	127	<5
SE5509924		7	117	<5
SE5509925		6	106	<5
SE5509926		9	118	7
SE5509927		6	104	<5
SE5509928		7	73.2	<5
SE5509929		3	65.5	<5
SE5509930		3	68.1	<5
SE5509931		4	83.0	<5
SE5509932		5	96.3	<5
SE5509933		6	97.4	<5
SE5509934		5	118	<5
SE5509935		5	112	<5
SE5509936		9	128	<5
SE5509937		7	115	<5
SE5509938		12	110	<5
SE5509939		13	97.2	<5
SE5509940		9	131	<5
SE5509941		14	133	<5
SE5509942		7	99.9	<5
SE5509943		6	115	<5
SE5509944		6	67.3	<5
SE5509945		9	56.0	<5
SE5509946		6	108	<5
SE5509947		5	82.7	<5
SE5509948		5	80.5	<5
SE5509949		10	1400	14
SE5509950		1	12.3	<5
SE5509951		8	72.3	5
SE5509952		25	119	<5

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
SE5509953		28	142	<5
SE5509954		13	92.9	<5
SE5509955		6	107	<5
SE5509956		10	118	<5
SE5509957		11	114	<5
SE5509958		2	75.1	<5
SE5509959		4	42.2	<5
SE5509960		8	85.1	<5
SE5509961		9	71.0	<5
SE5509962		12	85.2	<5
SE5509963		14	102	<5
SE5509964		13	95.2	<5
SE5509965		11	102	<5
SE5509966		10	98.6	<5
SE5509967		9	112	<5
SE5509968		12	122	<5
SE5509969		15	174	<5
SE5509970		11	173	<5
SE5509971		13	153	<5
SE5509972		15	553	<5
SE5509973		5	227	<5
SE5509974		10	179	<5
SE5509975		24	139	<5
SE5509976		19	113	<5
SE5509977		7	98.8	<5
SE5509978		5	66.9	<5
SE5509979		6	70.0	<5
SE5509980		7	152	<5
SE5509981		9	109	<5
SE5509982		9	143	<5
SE5509983		23	145	<5
SE5509984		11	133	<5

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
SE5509985		9	99.9	<5
SE5509986		10	105	<5
SE5509987		<1	16.4	<5
SE5509988		9	107	<5
SE5509989		9	126	<5
SE5509990		7	71.2	<5
SE5509991		3	93.9	<5
SE5509992		6	79.1	<5
SE5509993		5	101	<5
SE5509994		6	90.7	<5
SE5509995		6	81.5	<5
SE5509996		6	87.9	<5
SE5509997		12	92.0	<5
SE5509998		11	89.2	<5
SE5509999		11	1370	15
SE5510000		<1	11.8	<5
SE5510001		10	90.3	<5
SE5510002		7	83.8	<5
SE5510003		12	98.0	<5
SE5510004		11	103	<5
SE5510005		11	102	<5
SE5510006		6	58.7	<5
SE5510007		11	86.4	<5
SE5510008		<1	3.9	<5
SE5510009		12	108	<5
SE5510010		11	63.9	<5
SE5510011		17	109	<5
SE5510012		12	104	<5
SE5510013		18	96.7	<5
SE5510014		34	109	<5
SE5510015		15	116	<5
SE5510016		18	116	<5

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
SE5510017		8	96.8	<5
SE5510018		9	147	<5
SE5510019		13	112	<5
SE5510020		8	105	<5
SE5510021		11	570	<5
SE5510022		11	90.5	<5
SE5510023		8	147	<5
SE5510024		12	189	<5
SE5508306		10	103	<5
SE5508307		6	105	<5
SE5508308		5	102	<5
SE5508309		8	97.5	<5
SE5510960		9	109	<5
SE5510961		12	113	<5
SE5510962		13	123	<5
SE5510963		20	96.1	<5
SE5510964		9	103	<5
SE5510965		12	118	<5
SE5510966		15	134	<5
SE5510967		14	109	<5
SE5510968		13	115	<5
SE5510969		15	127	<5
SE5510970		6	110	6
SE5510971		13	164	<5
SE5510972		7	112	<5
SE5510973		7	109	<5
SE5510974		10	119	<5
SE5510975		6	104	<5
SE5510976		3	56.7	<5
SE5510977		5	90.1	<5
SE5510978		12	117	<5
SE5510979		15	50.5	<5

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
SE5510980		4	68.7	<5
SE5510981		10	94.1	<5
SE5510982		9	102	<5
SE5510983		6	122	<5
SE5510984		9	117	<5
SE5510985		6	96.9	<5
SE5510986		4	91.8	<5
SE5510987		6	106	<5
SE5510988		5	101	<5
SE5510989		5	95.6	<5
SE5510990		7	96.0	<5
SE5510991		13	80.2	<5
SE5510992		5	99.0	<5
SE5510993		4	93.0	<5
SE5510994		12	111	<5
SE5510995		10	106	<5
SE5510996		11	109	<5
SE5510997		11	126	<5
SE5510998		12	121	<5
SE5510999		10	1360	14
SE5511000		1	18.1	<5
SE5511001		8	90.0	<5
SE5511002		7	98.2	<5
SE5511003		4	100	<5
SE5511004		5	90.9	<5
SE5511005		4	77.3	<5
SE5511006		7	83.1	<5
SE5511007		8	80.1	<5
SE5511008		5	95.8	<5
SE5511009		6	88.2	<5
SE5536160		11	81.2	<5
SE5536161		8	80.5	<5

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
SE5536162		19	141	<5
SE5536163		25	127	<5
SE5536164		14	110	<5
SE5536165		12	59.2	<5
SE5536166		8	310	<5
SE5536167		6	426	<5
SE5536168		11	489	<5
SE5536169		4	63.6	<5
SE5536170		7	174	<5
SE5536171		10	151	<5
SE5536172		13	332	<5
SE5536173		12	118	<5
SE5536174		13	107	<5
SE5536175		16	85.4	<5
SE5536176		13	92.2	<5
SE5536177		12	79.5	<5
SE5536178		12	88.4	<5
SE5536179		10	93.6	<5
SE5536180		10	74.6	<5
SE5536181		17	88.6	<5
SE5536182		8	77.8	<5
SE5536183		16	101	<5
SE5536184		11	79.1	<5
SE5536185		11	78.8	<5
SE5536186		9	73.5	<5
SE5536187		8	70.6	5
SE5536188		9	71.1	9
SE5536189		12	83.6	<5
SE5536190		13	85.8	<5
SE5536191		10	96.2	<5
SE5536192		10	88.6	<5
SE5536193		13	75.4	<5

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
SE5536194		15	90.6	<5
SE5536195		11	90.3	<5
SE5536196		14	86.0	<5
SE5536197		12	88.2	<5
SE5536198		12	87.7	<5
SE5536199		9	1280	12
SE5536200		1	13.1	<5
SE5536201		6	145	<5
SE5536202		11	113	<5
SE5536203		5	65.5	<5
SE5536204		8	81.8	<5
SE5536205		10	81.5	<5
SE5536206		12	98.5	<5
SE5536207		13	79.2	<5

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE5510901		0.54	<0.001
SE5510902		0.52	0.022
SE5510903		0.56	0.003
SE5510904		0.61	<0.001
SE5510905		0.63	<0.001
SE5510906		0.67	0.002
SE5510907		0.68	0.010
SE5510908		0.66	<0.001
SE5510909		0.64	0.013
SE5509710		0.65	0.025
SE5509711		0.62	0.002
SE5509712		0.63	0.001
SE5509713		0.67	0.023
SE5509714		0.68	<0.001
SE5506341		0.62	<0.001
SE5506342		0.63	<0.001
SE5506343		0.68	0.002
SE5506344		0.71	0.025
SE5506345		0.55	0.004
SE5506346		0.53	0.011
SE5506347		0.58	0.059
SE5506348		0.66	0.060
SE5506349		0.67	2.56
SE5506350		0.68	<0.001
SE5506351		0.69	0.023
SE5506352		0.42	0.016
SE5506353		0.55	0.015
SE5506354		0.52	0.002
SE5506355		0.61	<0.001
SE5506356		0.64	0.016
SE5506357		0.66	<0.001

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE5506358		0.65	<0.001
SE5506359		0.76	0.001
SE5509060		0.74	0.012
SE5509061		0.64	<0.001
SE5509062		0.68	<0.001
SE5509063		0.63	0.012
SE5509064		0.67	<0.001
SE5509065		0.64	<0.001
SE5509066		0.56	<0.001
SE5509067		0.68	<0.001
SE5509068		0.63	<0.001
SE5509069		0.68	0.015
SE5509070		0.56	<0.001
SE5509071		0.63	<0.001
SE5509072		0.63	<0.001
SE5509073		0.59	<0.001
SE5509074		0.63	0.023
SE5509075		0.63	<0.001
SE5509076		0.61	<0.001
SE5509077		0.58	<0.001
SE5509078		0.58	<0.001
SE5509079		0.54	<0.001
SE5509080		0.58	0.021
SE5509081		0.41	0.008
SE5509082		0.59	0.108
SE5509083		0.61	0.062
SE5509084		0.58	0.048
SE5509085		0.68	0.066
SE5509086		0.71	0.011
SE5509087		0.63	0.036
SE5509088		0.53	0.011

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE5509089		0.55	0.011
SE5509090		0.63	0.002
SE5509091		0.71	0.001
SE5509092		0.62	<0.001
SE5509093		0.61	0.010
SE5509094		0.66	0.023
SE5509095		0.71	<0.001
SE5509096		0.48	<0.001
SE5509097		0.73	<0.001
SE5509098		0.78	0.007
SE5509099		0.72	2.46
SE5509100		0.62	<0.001
SE5509101		0.79	<0.001
TE5506277		0.68	<0.001
TE5506278		0.66	0.001
TE5506279		0.71	0.009
TE5506280		0.58	<0.001
TE5506281		0.66	0.034
SE5509035		0.58	<0.001
SE5509036		0.59	<0.001
SE5509037		0.66	0.011
SE5509038		0.67	0.003
SE5509039		0.71	<0.001
SE5509040		0.72	<0.001
SE5509041		0.53	0.002
SE5509042		0.66	0.002
SE5509043		0.64	0.006
SE5509044		0.61	0.009
SE5509045		0.59	0.005
SE5509046		0.63	0.007
SE5509047		0.44	<0.001

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE5509048		0.48	<0.001
SE5509049		0.53	2.48
SE5509050		0.58	0.003
SE5509051		0.44	<0.001
SE5509052		0.43	0.001
SE5509053		0.49	0.006
SE5509054		0.52	0.006
SE5509055		0.53	<0.001
SE5509056		0.57	<0.001
SE5509057		0.61	<0.001
SE5509058		0.58	<0.001
SE5509059		0.59	0.002
SE5535060		0.44	0.002
SE5535061		0.51	0.034
SE5535062		0.53	<0.001
SE5535063		0.52	<0.001
SE5535064		0.55	0.002
SE5535065		0.42	<0.001
SE5535066		0.54	<0.001
SE5535067		0.44	<0.001
SE5535068		0.56	<0.001
SE5535069		0.61	<0.001
SE5535070		0.55	<0.001
SE5535071		0.51	<0.001
SE5535072		0.72	0.004
SE5535073		0.73	<0.001
SE5535074		0.61	<0.001
SE5535075		0.59	<0.001
SE5535076		0.55	<0.001
SE5535077		0.31	<0.001
SE5535078		0.67	<0.001

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE5535079		0.44	0.001
SE5535080		0.66	<0.001
SE5535081		0.63	0.004
SE5535082		0.48	<0.001
SE5535083		0.65	0.012
SE5535084		0.64	<0.001
SE5535085		0.64	0.004
SE5535086		0.61	<0.001
SE5535087		0.55	0.001
SE5535088		0.67	0.001
SE5535089		0.47	0.004
SE5535090		0.64	0.055
SE5535091		0.53	0.080
SE5535092		0.67	0.130
SE5535093		0.62	0.016
SE5535094		0.74	0.015
SE5535095		0.52	0.027
SE5535096		0.56	0.056
SE5535097		0.68	0.080
SE5535098		0.64	0.090
SE5535099		0.46	2.27
SE5535100		0.54	0.001
SE5535101		0.48	0.071
SE5535102		0.56	0.012
SE5535103		0.61	<0.001
SE5535104		0.55	0.008
SE5535105		0.66	0.005
SE5535106		0.59	0.054
SE5535107		0.58	0.033
SE5535108		0.61	0.012
SE5535109		0.65	0.058

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE5535110		0.55	0.062
SE5535111		0.61	0.055
SE5535112		0.67	0.049
SE5535113		0.62	0.054
SE5535114		0.66	0.034
SE5535115		0.63	0.008
SE5535116		0.62	0.007
SE5535117		0.65	0.009
SE5535118		0.67	0.025
SE5535119		0.64	0.010
SE5535120		0.71	0.003
SE5535121		0.69	0.010
SE5535122		0.58	0.006
SE5535123		0.53	0.006
SE5535124		0.61	0.012
SE5535125		0.77	0.011
SE5535126		0.58	0.009
SE5535127		0.71	0.009
SE5535128		0.66	0.007
SE5535129		0.68	0.007
SE5535130		0.60	0.044
SE5535131		0.64	0.013
SE5535132		0.63	0.012
SE5535133		0.58	0.007
SE5535134		0.59	0.010
SE5535135		0.54	0.037
SE5535136		0.56	0.015
SE5535137		0.66	0.014
SE5535138		0.61	0.002
SE5535139		0.58	0.001
SE5509914		0.51	0.027

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE5509915		0.77	<0.001
SE5509916		0.71	0.006
SE5509917		0.68	0.011
SE5509918		0.69	0.022
SE5509919		0.66	0.042
SE5509920		0.54	0.112
SE5509921		0.55	0.057
SE5509922		0.53	0.006
SE5509923		0.57	0.004
SE5509924		0.71	0.005
SE5509925		0.59	0.003
SE5509926		0.51	0.025
SE5509927		0.71	0.003
SE5509928		0.63	0.015
SE5509929		0.71	0.002
SE5509930		0.69	<0.001
SE5509931		0.52	<0.001
SE5509932		0.71	0.003
SE5509933		0.53	0.004
SE5509934		0.55	0.072
SE5509935		0.57	0.057
SE5509936		0.51	0.001
SE5509937		0.52	<0.001
SE5509938		0.51	0.010
SE5509939		0.58	0.057
SE5509940		0.46	0.015
SE5509941		0.54	0.048
SE5509942		0.48	0.077
SE5509943		0.51	0.032
SE5509944		0.61	0.020
SE5509945		0.56	0.011

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE5509946		0.61	0.078
SE5509947		0.43	0.012
SE5509948		0.51	0.012
SE5509949		0.53	2.76
SE5509950		0.52	0.002
SE5509951		0.55	0.002
SE5509952		0.42	0.001
SE5509953		0.58	0.025
SE5509954		0.48	<0.001
SE5509955		0.56	<0.001
SE5509956		0.66	<0.001
SE5509957		0.55	0.078
SE5509958		0.52	0.023
SE5509959		0.56	0.047
SE5509960		0.73	0.046
SE5509961		0.61	0.036
SE5509962		0.58	0.048
SE5509963		0.55	0.039
SE5509964		0.31	0.062
SE5509965		0.67	0.058
SE5509966		0.53	0.126
SE5509967		0.66	0.075
SE5509968		0.63	0.043
SE5509969		0.61	0.017
SE5509970		0.65	0.017
SE5509971		0.67	0.013
SE5509972		0.64	0.017
SE5509973		0.66	0.035
SE5509974		0.55	0.041
SE5509975		0.55	0.050
SE5509976		0.58	0.063

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE5509977		0.61	0.020
SE5509978		0.47	0.024
SE5509979		0.55	0.025
SE5509980		0.41	0.011
SE5509981		0.61	0.010
SE5509982		0.58	0.009
SE5509983		0.61	0.014
SE5509984		0.48	0.086
SE5509985		0.53	0.005
SE5509986		0.63	0.006
SE5509987		0.44	0.002
SE5509988		0.54	0.009
SE5509989		0.66	0.036
SE5509990		0.48	0.015
SE5509991		0.67	0.065
SE5509992		0.63	0.028
SE5509993		0.58	0.158
SE5509994		0.62	0.349
SE5509995		0.59	0.122
SE5509996		0.58	0.173
SE5509997		0.61	0.065
SE5509998		0.62	0.064
SE5509999		0.65	2.55
SE5510000		0.63	<0.001
SE5510001		0.58	0.078
SE5510002		0.52	0.063
SE5510003		0.65	0.061
SE5510004		0.55	0.087
SE5510005		0.62	0.063
SE5510006		0.51	0.037
SE5510007		0.45	0.047

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE5510008		0.33	0.066
SE5510009		0.42	0.060
SE5510010		0.41	0.040
SE5510011		0.62	0.055
SE5510012		0.65	0.030
SE5510013		0.52	0.034
SE5510014		0.53	0.055
SE5510015		0.65	0.033
SE5510016		0.76	0.096
SE5510017		0.74	0.021
SE5510018		0.53	0.011
SE5510019		0.54	0.008
SE5510020		0.53	0.006
SE5510021		0.71	0.002
SE5510022		0.66	0.016
SE5510023		0.72	0.005
SE5510024		0.62	0.051
SE5508306		0.71	0.002
SE5508307		0.68	<0.001
SE5508308		0.61	<0.001
SE5508309		0.79	<0.001
SE5510960		0.58	<0.001
SE5510961		0.66	<0.001
SE5510962		0.58	<0.001
SE5510963		0.56	<0.001
SE5510964		0.75	<0.001
SE5510965		0.71	<0.001
SE5510966		0.76	<0.001
SE5510967		0.41	0.018
SE5510968		0.42	<0.001
SE5510969		0.53	<0.001

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE5510970		0.57	<0.001
SE5510971		0.66	<0.001
SE5510972		0.67	0.002
SE5510973		0.52	0.003
SE5510974		0.58	0.006
SE5510975		0.71	0.019
SE5510976		0.66	0.006
SE5510977		0.58	0.012
SE5510978		0.61	<0.001
SE5510979		0.47	0.015
SE5510980		0.53	0.001
SE5510981		0.62	<0.001
SE5510982		0.58	0.001
SE5510983		0.61	<0.001
SE5510984		0.66	<0.001
SE5510985		0.63	0.002
SE5510986		0.61	<0.001
SE5510987		0.63	<0.001
SE5510988		0.58	0.016
SE5510989		0.59	<0.001
SE5510990		0.64	0.001
SE5510991		0.56	<0.001
SE5510992		0.53	0.001
SE5510993		0.55	<0.001
SE5510994		0.53	0.015
SE5510995		0.57	<0.001
SE5510996		0.71	0.002
SE5510997		0.59	0.001
SE5510998		0.52	0.018
SE5510999		0.68	2.40
SE5511000		0.63	0.006

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE5511001		0.71	0.005
SE5511002		0.64	0.019
SE5511003		0.52	<0.001
SE5511004		0.71	<0.001
SE5511005		0.53	<0.001
SE5511006		0.52	0.009
SE5511007		0.57	0.006
SE5511008		0.51	0.024
SE5511009		0.58	0.001
SE5536160		0.56	<0.001
SE5536161		0.48	0.007
SE5536162		0.47	0.009
SE5536163		0.51	0.005
SE5536164		0.55	0.036
SE5536165		0.61	0.016
SE5536166		0.68	0.002
SE5536167		0.64	0.002
SE5536168		0.61	0.005
SE5536169		0.43	0.003
SE5536170		0.51	0.039
SE5536171		0.53	0.015
SE5536172		0.52	0.011
SE5536173		0.55	0.017
SE5536174		0.42	0.040
SE5536175		0.58	0.030
SE5536176		0.48	0.076
SE5536177		0.58	0.056
SE5536178		0.53	0.036
SE5536179		0.48	0.062
SE5536180		0.58	0.066
SE5536181		0.53	0.064

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y621461

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 18, 2012

DATE RECEIVED: Jul 16, 2012

DATE REPORTED: Aug 07, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE5536182		0.68	0.103
SE5536183		0.71	0.091
SE5536184		0.64	0.063
SE5536185		0.59	0.066
SE5536186		0.66	0.109
SE5536187		0.67	0.097
SE5536188		0.58	0.058
SE5536189		0.69	0.061
SE5536190		0.58	0.051
SE5536191		0.71	0.078
SE5536192		0.61	0.081
SE5536193		0.66	0.069
SE5536194		0.64	0.063
SE5536195		0.63	0.046
SE5536196		0.38	0.043
SE5536197		0.68	0.030
SE5536198		0.61	0.048
SE5536199		0.56	2.54
SE5536200		0.61	0.001
SE5536201		0.55	<0.001
SE5536202		0.58	0.036
SE5536203		0.64	0.033
SE5536204		0.62	0.041
SE5536205		0.58	0.072
SE5536206		0.39	0.063
SE5536207		0.66	0.043

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y621461

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis											
RPT Date: Aug 07, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)											
Ag	1	3527852	< 0.2	< 0.2	0.0%	< 0.2				80%	120%
Al	1	3527852	2.38	2.50	4.9%	< 0.01				80%	120%
As	1	3528027	25	23	8.3%	< 1				80%	120%
B	1	3527852	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3527852	35	38	8.2%	< 1				80%	120%
Be	1	3527852	0.6	0.6	0.0%	< 0.5	0.4	0.4	100%	80%	120%
Bi	1	3527852	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	3528027	5.56	5.47	1.6%	< 0.01				80%	120%
Cd	1	3527852	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	3527852	70	78	10.8%	< 1				80%	120%
Co	1	3527852	44.7	45.5	1.8%	< 0.5	5.8	5.0	117%	80%	120%
Cr	1	3527852	36.2	36.6	1.1%	< 0.5				80%	120%
Cu	1	3527852	119	120	0.8%	< 0.5	3870	3800	101%	80%	120%
Fe	1	3527852	5.37	5.50	2.4%	< 0.01				80%	120%
Ga	1	3527852	11	12	8.7%	< 5				80%	120%
Hg	1	3527852	< 1	< 1	0.0%	< 1	1.5	1.3	114%	80%	120%
In	1	3527852	< 1	< 1	0.0%	< 1				80%	120%
K	1	3527852	0.05	0.06	18.2%	< 0.01				80%	120%
La	1	3527852	31	34	9.2%	< 1				80%	120%
Li	1	3527852	49	52	5.9%	< 1				80%	120%
Mg	1	3527852	0.912	0.957	4.8%	< 0.01				80%	120%
Mn	1	3527852	1320	1360	3.0%	< 1				80%	120%
Mo	1	3528027	1.2	0.9	28.6%	< 0.5				80%	120%
Na	1	3528027	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Ni	1	3527852	40.5	41.9	3.4%	< 0.5				80%	120%
P	1	3527852	455	474	4.1%	< 10	498	600	83%	80%	120%
Pb	1	3527852	40.2	42.7	6.0%	< 0.5				80%	120%
Rb	1	3527852	10	10	0.0%	< 10	13	13	100%	80%	120%
S	1	3527852	0.021	0.021	0.0%	< 0.005	0.82	0.80	102%	80%	120%
Sb	1	3528027	4	4	0.0%	< 1				80%	120%
Sc	1	3527852	1.94	2.06	6.0%	< 0.5				80%	120%
Se	1	3527852	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	3527852	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	3527852	11.6	9.5	19.9%	< 0.5	310	290	106%	80%	120%
Ta	1	3527852	< 10	< 10	0.0%	< 10	0.7	0.9	82%	80%	120%
Te	1	3527852	< 10	< 10	0.0%	< 10				80%	120%
Th	1	3527852	10	12	18.2%	< 5	1.5	1.4	110%	80%	120%
Ti	1	3527852	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Tl	1	3527852	0.08	0.08	0.0%	< 0.01				80%	120%
U	1	3527852	< 5	< 5	0.0%	< 5				80%	120%
V	1	3527852	19.5	19.2	1.6%	< 0.5				80%	120%
W	1	3528027	< 1	< 1	0.0%	< 1				80%	120%
Y	1	3527852	6	6	0.0%	< 1				80%	120%
Zn	1	3527852	109	106	2.8%	< 0.5				80%	120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y621461

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Aug 07, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Zr	1	3527852	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1	3527877	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3527877	1.28	1.35	5.3%	< 0.01				80% 120%
As	1	3527877	25	27	7.7%	< 1				80% 120%
B	1	3527877	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3527877	89	92	3.3%	< 1				80% 120%
Be	1	3527877	0.7	0.7	0.0%	< 0.5	0.3	0.4	80%	80% 120%
Bi	1	3527877	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3527877	1.93	2.09	8.0%	< 0.01				80% 120%
Cd	1	3527877	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3527877	37	37	0.0%	< 1				80% 120%
Co	1	3527877	10.8	11.6	7.1%	< 0.5	5	5.0	100%	80% 120%
Cr	1	3527877	20.2	21.5	6.2%	< 0.5				80% 120%
Cu	1	3527877	31.3	32.0	2.2%	< 0.5	4017	3800	105%	80% 120%
Fe	1	3527877	3.30	3.52	6.5%	< 0.01				80% 120%
Ga	1	3527877	6	6	0.0%	< 5				80% 120%
Hg	1	3527877	< 1	< 1	0.0%	< 1	1.3	1.3	100%	80% 120%
In	1	3527877	< 1	< 1	0.0%	< 1				80% 120%
K	1	3527877	0.07	0.07	0.0%	< 0.01				80% 120%
La	1	3527877	18	18	0.0%	< 1				80% 120%
Li	1	3527877	19	19	0.0%	< 1				80% 120%
Mg	1	3527877	1.26	1.28	1.6%	< 0.01				80% 120%
Mn	1	3527877	1070	1130	5.5%	< 1				80% 120%
Mo	1	3527877	1.44	1.49	3.4%	< 0.5				80% 120%
Na	1	3527877	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3527877	24.3	26.3	7.9%	< 0.5				80% 120%
P	1	3527877	983	1050	6.6%	< 10	531	600	88%	80% 120%
Pb	1	3527877	28.7	32.5	12.4%	0.7				80% 120%
Rb	1	3527877	18	18	0.0%	< 10	13	13	100%	80% 120%
S	1	3527877	0.0489	0.0527	7.5%	< 0.005	0.82	0.80	102%	80% 120%
Sb	1	3527877	6	7	15.4%	< 1				80% 120%
Sc	1	3527877	2.74	2.78	1.4%	< 0.5				80% 120%
Se	1	3527877	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3527877	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3527877	23.8	22.6	5.2%	< 0.5	314	290	108%	80% 120%
Ta	1	3527877	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3527877	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3527877	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3527877	0.015	0.014	6.9%	< 0.01				80% 120%
Tl	1	3527877	0.13	0.13	0.0%	< 0.01				80% 120%
U	1	3527877	< 5	< 5	0.0%	< 5				80% 120%
V	1	3527877	27.0	27.3	1.1%	< 0.5				80% 120%
W	1	3528054	< 1	< 1	0.0%	< 1				80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y621461

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Aug 07, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Y	1	3527877	13	13	0.0%	< 1				80% 120%
Zn	1	3527877	94.5	101	6.6%	< 0.5				80% 120%
Zr	1	3527877	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Tl) (201073)										
Ag	1	3527952	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3527952	1.56	1.46	6.6%	< 0.01				80% 120%
As	1	3527952	14	15	6.9%	< 1				80% 120%
B	1	3527952	< 5	< 5	0.0%	< 5	7	7.00	100%	80% 120%
Ba	1	3527952	55	54	1.8%	< 1				80% 120%
Be	1	3527952	0.6	0.6	0.0%	< 0.5				80% 120%
Bi	1	3527952	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3527952	0.11	0.11	0.0%	< 0.01				80% 120%
Cd	1	3527952	< 0.5	< 0.5	0.0%	< 0.5	0.1	0.10	104%	80% 120%
Ce	1	3527952	67	59	12.7%	< 1				80% 120%
Co	1	3527952	20.1	20.0	0.5%	< 0.5	6.	5.0	120%	80% 120%
Cr	1	3527952	18.6	17.3	7.2%	< 0.5				80% 120%
Cu	1	3527952	49.4	50.0	1.2%	< 0.5	4084	3800	107%	80% 120%
Fe	1	3527952	4.56	4.39	3.8%	< 0.01				80% 120%
Ga	1	3527952	6	6	0.0%	< 5				80% 120%
Hg	1	3527952	< 1	< 1	0.0%	< 1	1	1	100%	80% 120%
In	1	3527952	< 1	< 1	0.0%	< 1				80% 120%
K	1	3527952	0.076	0.064	17.1%	< 0.01				80% 120%
La	1	3527952	30	26	14.3%	< 1				80% 120%
Li	1	3527952	32	32	0.0%	< 1				80% 120%
Mg	1	3527952	0.436	0.428	1.9%	< 0.01				80% 120%
Mn	1	3527952	870	870	0.0%	< 1				80% 120%
Mo	1	3528179	0.77	0.70	9.5%	< 0.5				80% 120%
Na	1	3527952	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3527952	36.0	37.1	3.0%	< 0.5				80% 120%
P	1	3527952	518	525	1.3%	< 10	534	600	89%	80% 120%
Pb	1	3527952	30.7	29.9	2.6%	< 0.5				80% 120%
Rb	1	3527952	13	12	8.0%	< 10	13	13	100%	80% 120%
S	1	3527952	0.009	0.009	0.0%	< 0.005	0.81	0.80	101%	80% 120%
Sb	1	3528079	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	3527952	2.0	2.0	0.0%	< 0.5				80% 120%
Se	1	3527952	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3527952	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3527952	14.5	13.8	4.9%	< 0.5	296	290	102%	80% 120%
Ta	1	3527952	< 10	< 10	0.0%	< 10	0.7	0.9	83%	80% 120%
Te	1	3527952	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3527952	7	8	13.3%	< 5				80% 120%
Ti	1	3527952	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3527952	0.077	0.074	4.0%	< 0.01				80% 120%
U	1	3527952	< 5	< 5	0.0%	< 5				80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y621461

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Aug 07, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
V	1	3527952	10.3	10.3	0.0%	< 0.5				80% 120%
W	1	3528079	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3527952	10	10	0.0%	< 1				80% 120%
Zn	1	3527952	109	107	1.9%	< 0.5				80% 120%
Zr	1	3527952	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1	3527977	0.6	0.6	0.0%	< 0.2				80% 120%
Al	1	3527977	1.37	1.42	3.6%	< 0.01	0.329	0.359	91%	80% 120%
As	1	3527977	15	13	14.3%	< 1				80% 120%
B	1	3527977	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3527977	114	113	0.9%	< 1				80% 120%
Be	1	3527977	0.8	0.8	0.0%	< 0.5				80% 120%
Bi	1	3527977	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3527977	7.02	7.37	4.9%	< 0.01				80% 120%
Cd	1	3527977	< 0.5	< 0.5	0.0%	< 0.5	0.12	0.10	115%	80% 120%
Ce	1	3527977	47	46	2.2%	< 1				80% 120%
Co	1	3527977	11.9	12.5	4.9%	< 0.5	5.2	5.0	104%	80% 120%
Cr	1	3527977	17.7	17.9	1.1%	< 0.5				80% 120%
Cu	1	3527977	30.4	31.0	2.0%	< 0.5	3840	3800	101%	80% 120%
Fe	1	3527977	2.73	2.89	5.7%	< 0.01	1.41	1.31	107%	80% 120%
Ga	1	3527977	6	6	0.0%	< 5				80% 120%
Hg	1	3527977	< 1	< 1	0.0%	< 1	1.3	1.3	100%	80% 120%
In	1	3527977	< 1	< 1	0.0%	< 1				80% 120%
K	1	3527977	0.098	0.090	8.5%	< 0.01				80% 120%
La	1	3527977	23	22	4.4%	< 1				80% 120%
Li	1	3527977	15	15	0.0%	< 1				80% 120%
Mg	1	3527977	0.66	0.67	1.5%	< 0.01				80% 120%
Mn	1	3527977	648	675	4.1%	< 1				80% 120%
Mo	1	3528204	1.17	0.94	21.8%	< 0.5	351	380	92%	80% 120%
Na	1	3527977	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3527977	27.1	28.4	4.7%	< 0.5				80% 120%
P	1	3527977	1030	1050	1.9%	< 10	588	600	98%	80% 120%
Pb	1	3527977	23.9	26.4	9.9%	< 0.5				80% 120%
Rb	1	3527977	23	22	4.4%	< 10	15	13	115%	80% 120%
S	1	3527977	0.0229	0.0238	3.9%	< 0.005	0.86	0.80	107%	80% 120%
Sb	1	3528104	5	4	22.2%	< 1				80% 120%
Sc	1	3527977	3.61	3.69	2.2%	< 0.5				80% 120%
Se	1	3527977	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3527977	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3527977	111	112	0.9%	< 0.5	314	290	108%	80% 120%
Ta	1	3527977	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3527977	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3527977	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3527977	0.02	0.02	0.0%	< 0.01				80% 120%
Tl	1	3527977	0.151	0.156	3.3%	< 0.01				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y621461

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Aug 07, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
U	1	3527977	< 5	< 5	0.0%	< 5				80% 120%
V	1	3527977	25.4	26.1	2.7%	< 0.5				80% 120%
W	1	3527977	2	2	0.0%	< 1				80% 120%
Y	1	3527977	18	19	5.4%	< 1				80% 120%
Zn	1	3527977	91.2	95.6	4.7%	< 0.5				80% 120%
Zr	1	3527977	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Ti) (201073)										
Ag	1	3528002	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3528002	0.55	0.55	0.0%	< 0.01				80% 120%
As	1	3528002	17	15	12.5%	< 1				80% 120%
B	1	3528002	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3528002	17	18	5.7%	< 1				80% 120%
Be	1	3528002	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	3528002	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3528002	3.38	3.34	1.2%	< 0.01				80% 120%
Cd	1	3528002	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3528002	27	30	10.5%	< 1				80% 120%
Co	1	3528002	15.8	15.1	4.5%	< 0.5	5.2	5.0	104%	80% 120%
Cr	1	3528002	7.0	6.7	4.4%	< 0.5				80% 120%
Cu	1	3528002	43.4	41.7	4.0%	< 0.5	3950	3800	103%	80% 120%
Fe	1	3528002	4.19	4.27	1.9%	< 0.01				80% 120%
Ga	1	3528002	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3528002	< 1	< 1	0.0%	< 1	1.4	1.3	107%	80% 120%
In	1	3528002	< 1	< 1	0.0%	< 1				80% 120%
K	1	3528002	0.034	0.037	8.5%	< 0.01				80% 120%
La	1	3528002	13	14	7.4%	< 1				80% 120%
Li	1	3528002	34	35	2.9%	< 1				80% 120%
Mg	1	3528002	0.30	0.30	0.0%	< 0.01				80% 120%
Mn	1	3528002	389	379	2.6%	< 1				80% 120%
Mo	1	3528002	1.85	1.50	20.9%	< 0.5				80% 120%
Na	1	3528002	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3528002	34.6	32.7	5.6%	< 0.5				80% 120%
P	1	3528002	515	497	3.6%	< 10	578	600	96%	80% 120%
Pb	1	3528002	34.9	32.9	5.9%	< 0.5				80% 120%
Rb	1	3528002	< 10	< 10	0.0%	< 10	13	13	100%	80% 120%
S	1	3528002	0.128	0.120	6.5%	< 0.005	0.88	0.80	110%	80% 120%
Sb	1	3528002	4	2		< 1				80% 120%
Sc	1	3528002	2.3	2.3	0.0%	< 0.5				80% 120%
Se	1	3528002	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3528002	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3528002	174	176	1.1%	< 0.5	294	290	101%	80% 120%
Ta	1	3528002	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3528002	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3528002	8	6	28.6%	< 5				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y621461

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Aug 07, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ti	1	3528002	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3528002	0.032	0.037	14.5%	< 0.01				80% 120%
U	1	3528002	< 5	< 5	0.0%	< 5				80% 120%
V	1	3528002	6.11	5.12	17.6%	< 0.5				80% 120%
W	1	3528002	2	2	0.0%	< 1				80% 120%
Y	1	3528002	8	8	0.0%	< 1				80% 120%
Zn	1	3528002	78.1	75.0	4.0%	< 0.5				80% 120%
Zr	1	3528002	7	6	15.4%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1	3528154	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3528154	2.65	2.66	0.4%	< 0.01				80% 120%
As	1	3528154	3	3	0.0%	< 1				80% 120%
B	1	3528154	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3528154	42	43	2.4%	< 1				80% 120%
Be	1	3528154	0.8	0.8	0.0%	< 0.5				80% 120%
Bi	1	3528154	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3528154	0.03	0.03	0.0%	< 0.01				80% 120%
Cd	1	3528154	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3528154	77	80	3.8%	< 1				80% 120%
Co	1	3528154	64.5	64.7	0.3%	< 0.5	5.1	5.0	101%	80% 120%
Cr	1	3528154	33.7	33.5	0.6%	< 0.5				80% 120%
Cu	1	3528154	95.6	97.2	1.7%	< 0.5	3851	3800	101%	80% 120%
Fe	1	3528154	5.08	5.01	1.4%	< 0.01				80% 120%
Ga	1	3528154	11	11	0.0%	< 5				80% 120%
Hg	1	3528154	< 1	< 1	0.0%	< 1				80% 120%
In	1	3528154	< 1	< 1	0.0%	< 1				80% 120%
K	1	3528154	0.045	0.048	6.5%	< 0.01				80% 120%
La	1	3528154	32	34	6.1%	< 1				80% 120%
Li	1	3528154	48	49	2.1%	< 1				80% 120%
Mg	1	3528154	0.823	0.814	1.1%	< 0.01				80% 120%
Mn	1	3528154	2280	2300	0.9%	< 1				80% 120%
Mo	1	3528154	1.82	2.01	9.9%	< 0.5	362	380	95%	80% 120%
Na	1	3528154	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3528154	42.1	44.1	4.6%	< 0.5				80% 120%
P	1	3528154	612	642	4.8%	< 10	561	600	93%	80% 120%
Pb	1	3528154	35.4	37.5	5.8%	< 0.5				80% 120%
Rb	1	3528154	12	13	8.0%	< 10	14	13	107%	80% 120%
S	1	3528154	0.0389	0.0405	4.0%	< 0.005	0.82	0.80	102%	80% 120%
Sb	1	3528154	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	3528154	2.12	2.19	3.2%	< 0.5				80% 120%
Se	1	3528154	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3528154	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3528154	8.0	8.5	6.1%	< 0.5	303	290	104%	80% 120%
Ta	1	3528154	< 10	< 10	0.0%	< 10				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y621461

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Aug 07, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Te	1	3528154	< 10	< 10	0.0%	< 10				80%	120%
Th	1	3528154	7	8	13.3%	< 5				80%	120%
Ti	1	3528154	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Tl	1	3528027	0.076	0.069	9.7%	< 0.01				80%	120%
U	1	3528154	< 5	< 5	0.0%	< 5				80%	120%
V	1	3528154	21.6	22.6	4.5%	< 0.5				80%	120%
W	1	3528154	1	1	0.0%	< 1				80%	120%
Y	1	3528154	9	9	0.0%	< 1				80%	120%
Zn	1	3528154	109	112	2.7%	< 0.5				80%	120%
Zr	1	3528154	< 5	< 5	0.0%	< 5				80%	120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Tl) (201073)											
Ag	1	3528229	< 0.2	< 0.2	0.0%	< 0.2				80%	120%
Al	1	3528229	0.491	0.432	12.8%	< 0.01				80%	120%
As	1	3528229	54	50	7.7%	< 1				80%	120%
B	1	3528229	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3528229	18	16	11.8%	< 1				80%	120%
Be	1	3528229	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Bi	1	3528229	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	3528229	6.67	6.51	2.4%	< 0.01				80%	120%
Cd	1	3528229	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	3528229	49	42	15.4%	< 1				80%	120%
Co	1	3528229	14.6	14.0	4.2%	< 0.5	5.9	5.0	118%	80%	120%
Cr	1	3528229	5.88	5.30	10.4%	< 0.5				80%	120%
Cu	1	3528229	42.5	38.1	10.9%	< 0.5	3707	3800	97%	80%	120%
Fe	1	3528229	3.95	3.69	6.8%	< 0.01				80%	120%
Ga	1	3528229	< 5	< 5	0.0%	< 5				80%	120%
Hg	1	3528229	< 1	< 1	0.0%	< 1	1.3	1.3	100%	80%	120%
In	1	3528229	< 1	< 1	0.0%	< 1				80%	120%
K	1	3528229	0.04	0.03	28.6%	< 0.01				80%	120%
La	1	3528229	25	21	17.4%	< 1				80%	120%
Li	1	3528229	22	20	9.5%	< 1				80%	120%
Mg	1	3528229	0.18	0.17	5.7%	< 0.01				80%	120%
Mn	1	3528229	388	371	4.5%	< 1				80%	120%
Mo	1	3528229	2.6	1.1		< 0.5	363	380	95%	80%	120%
Na	1	3528229	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Ni	1	3528229	32.1	30.9	3.8%	< 0.5				80%	120%
P	1	3528229	541	522	3.6%	< 10	639	600	106%	80%	120%
Pb	1	3528229	26.6	26.6	0.0%	< 0.5				80%	120%
Rb	1	3528229	< 10	< 10	0.0%	< 10	15	13	115%	80%	120%
S	1	3528229	0.0437	0.0429	1.8%	< 0.005	0.84	0.80	105%	80%	120%
Sb	1	3528229	10	11	9.5%	< 1				80%	120%
Sc	1	3528229	2.8	2.7	3.6%	< 0.5				80%	120%
Se	1	3528229	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	3528229	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	3528229	441	405	8.5%	< 0.5	283	290	97%	80%	120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y621461

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)											
RPT Date: Aug 07, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Ta	1	3528229	< 10	< 10	0.0%	< 10				80%	120%
Te	1	3528229	< 10	< 10	0.0%	< 10				80%	120%
Th	1	3528229	10	8	22.2%	< 5				80%	120%
Ti	1	3528229	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Tl	1	3528054	0.09	0.08	11.8%	< 0.01				80%	120%
U	1	3528229	< 5	< 5	0.0%	< 5				80%	120%
V	1	3528229	4.7	4.5	4.3%	< 0.5				80%	120%
W	1	3528229	2	2	0.0%	< 1				80%	120%
Y	1	3528229	11	10	9.5%	< 1				80%	120%
Zn	1	3528229	78.8	75.3	4.5%	< 0.5				80%	120%
Zr	1	3528229	< 5	< 5	0.0%	< 5				80%	120%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3527852	< 0.001	< 0.001	0.0%	< 0.001	0.26	0.263	99%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3528079	< 0.001	< 0.001	0.0%	< 0.001	1.55	1.52	102%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3527877	0.016	0.016	0.0%	< 0.001	0.266	0.263	101%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3527889	< 0.001	< 0.001	0.0%	< 0.001	1.48	1.52	97%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3527902	< 0.001	< 0.001	0.0%	< 0.001	0.245	0.263	93%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3528054	0.002	0.002	0.0%	< 0.001	0.283	0.263	107%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3527927	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3528154	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3528166	0.002	0.003		< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3528179	0.002	< 0.001		< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3527977	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3528204	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3528216	0.011	0.013	16.7%	< 0.001				90%	110%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y621461

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Aug 07, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper

Method Summary

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y621461

PROJECT NO:

ATTENTION TO: Yinghua Chen

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
B	MIN-200-12020		ICP/OES
Ba	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
In	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP/OES
Li	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr	MIN-200-12020		ICP/OES
Ta	MIN-200-12020		ICP/OES
Te	MIN-200-12020		ICP/OES
Th	MIN-200-12020		ICP/OES
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP-MS
U	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP/OES
Y	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Zr	MIN-200-12020		ICP/OES
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES