

**CLIENT NAME: ANTHILL RESOURCES (YUKON)**  
**1090-999 WEST HASTINGS STREET**  
**Vancouver, BC V6C2W2**  
**(604) 569-3892**

**ATTENTION TO: Yinghua Chen**

**PROJECT NO:**

**AGAT WORK ORDER: 12Y623284**

**SOLID ANALYSIS REVIEWED BY: Kevin Motomura, ICP Supervisor**

**DATE REPORTED: Jul 31, 2012**

**PAGES (INCLUDING COVER): 29**

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

**\*NOTES**



## Certificate of Analysis

AGAT WORK ORDER: 12Y623284

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 23, 2012

DATE RECEIVED: Jul 23, 2012

DATE REPORTED: Jul 28, 2012

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
RE5536068	<0.2	0.57	22	5	71	1.0	2	0.06	<0.5	2	13.2	89.7	11.2	2.73
RE5536069	<0.2	0.32	145	<5	266	<0.5	2	0.23	<0.5	<1	4.2	80.9	11.3	1.41
RE5536070	<0.2	0.13	1230	<5	22	<0.5	2	0.43	<0.5	4	4.1	194	6.1	1.42
RE5536071	<0.2	0.09	801	<5	71	<0.5	2	4.29	<0.5	<1	2.6	153	4.4	2.46
RE5536072	<0.2	0.29	48	5	72	<0.5	<1	0.04	<0.5	<1	0.8	155	5.0	1.18
RE5536073	<0.2	0.12	26	6	32	<0.5	1	17.5	<0.5	19	2.2	43.1	3.4	1.56
RE5536074	<0.2	0.17	529	<5	37	<0.5	1	2.88	<0.5	7	6.8	167	5.7	1.37
RE5536075	<0.2	1.41	418	31	109	<0.5	4	0.35	<0.5	9	4.7	43.2	18.3	2.59
RE5536076	<0.2	0.07	41	<5	9	<0.5	<1	28.3	<0.5	23	1.7	10.1	1.6	0.32
RE5536077	<0.2	0.11	2710	<5	13	<0.5	<1	16.2	<0.5	8	1.1	22.7	1.3	1.19
RE5536078	<0.2	0.32	3470	7	49	<0.5	<1	14.6	<0.5	9	2.6	21.9	3.7	0.97
RE5536079	<0.2	0.11	1600	<5	36	<0.5	<1	10.0	<0.5	8	3.1	53.1	2.1	0.47
RE5536080	<0.2	0.31	313	7	30	<0.5	<1	0.20	<0.5	4	0.7	118	1.8	0.62
RE5536081	<0.2	0.06	855	<5	4	<0.5	<1	17.8	<0.5	9	1.1	11.2	1.9	0.72
RE5536082	<0.2	1.12	1530	24	128	0.6	2	1.92	<0.5	6	3.2	46.3	11.0	2.21
RE5536083	<0.2	1.21	642	22	126	0.9	3	0.46	<0.5	9	7.0	30.2	10.7	1.39
RE5536062	<0.2	0.09	374	<5	41	<0.5	<1	19.2	<0.5	9	0.9	14.5	0.9	0.41
RE5536330	0.5	0.19	466	<5	2080	<0.5	4	0.93	0.6	<1	6.6	17.7	33.7	2.84
RE5536331	<0.2	0.01	49	<5	11	<0.5	<1	18.5	<0.5	9	1.0	8.8	1.8	0.43
RE5536084	<0.2	0.38	81	8	27	<0.5	<1	0.19	<0.5	3	0.7	120	4.5	0.40
RE5536085	<0.2	0.85	2690	16	113	<0.5	2	0.56	<0.5	5	4.7	31.3	11.4	2.09
RE5536086	<0.2	0.14	>10000	<5	19	<0.5	19	0.04	<0.5	<1	0.7	136	5.8	0.63
RE5536087	<0.2	0.49	>10000	<5	41	<0.5	3	0.03	<0.5	<1	2.1	111	13.1	1.13
RE5536088	<0.2	0.07	>10000	<5	5	<0.5	79	0.02	<0.5	<1	0.5	99.6	2.6	0.36
RE5536089	<0.2	0.46	>10000	13	33	<0.5	1	0.41	<0.5	2	0.9	109	24.1	1.04
RE5536090	<0.2	0.10	493	<5	11	<0.5	<1	16.4	<0.5	8	0.8	12.5	0.7	0.52
RE5536091	<0.2	0.28	1660	6	33	<0.5	<1	3.26	<0.5	1	2.1	134	7.3	0.92
RE5536092	<0.2	0.15	1560	<5	24	<0.5	<1	1.46	<0.5	<1	1.6	144	4.1	0.61
RE5536093	<0.2	0.25	580	6	33	<0.5	<1	0.95	<0.5	<1	2.2	191	6.5	0.65
RE5536094	<0.2	0.05	469	<5	6	<0.5	<1	17.8	<0.5	8	0.7	13.3	0.6	0.76
RE5536095	0.2	0.22	1120	<5	21	<0.5	2	1.03	131	<1	1.1	171	179	0.67
RE5536096	<0.2	0.11	811	<5	14	<0.5	<1	12.1	11.3	3	0.9	38.5	8.9	1.29

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y623284

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 23, 2012

DATE RECEIVED: Jul 23, 2012

DATE REPORTED: Jul 28, 2012

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
RE5536097	<0.2	0.04	838	<5	12	<0.5	<1	17.5	0.6	10	0.7	8.1	1.5	0.72
RE5536332	0.4	0.18	458	<5	1630	<0.5	3	0.97	0.6	<1	6.5	17.4	33.3	2.98
RE5536333	<0.2	0.01	27	<5	16	<0.5	<1	18.4	<0.5	9	0.9	3.6	0.8	0.41
RE5536098	<0.2	0.14	1500	<5	12	<0.5	<1	8.40	17.1	4	1.4	71.8	22.6	0.80
RE5536099	<0.2	0.67	901	21	37	<0.5	<1	11.2	0.6	6	1.0	52.0	3.8	0.35
RE5536100	<0.2	0.08	756	<5	19	<0.5	<1	19.5	<0.5	11	0.8	5.5	0.8	0.25
RE5536101	<0.2	0.06	4460	<5	11	<0.5	<1	15.5	<0.5	7	1.4	15.0	0.9	0.64
RE5536102	<0.2	0.13	66	6	30	<0.5	<1	29.9	<0.5	34	1.8	3.2	3.0	0.62
RE5536103	<0.2	1.35	896	34	133	0.8	3	0.87	<0.5	9	10.9	48.8	21.0	2.85
RE5536104	<0.2	1.34	471	11	589	1.5	4	11.1	<0.5	113	26.5	285	46.3	6.22
RE5536105	<0.2	0.05	1830	<5	17	<0.5	<1	14.5	<0.5	6	1.0	25.9	1.0	1.03
RE5536106	<0.2	2.47	3260	22	771	1.9	3	6.62	0.7	172	26.1	13.6	43.5	6.79
RE5536107	<0.2	0.28	6940	<5	21	<0.5	<1	3.79	<0.5	2	1.4	76.6	6.2	0.89
RE5536108	<0.2	0.27	6160	<5	20	<0.5	<1	9.36	<0.5	4	2.6	41.5	3.3	1.36
RE5536109	<0.2	0.05	409	<5	21	<0.5	<1	17.8	<0.5	8	0.8	5.9	<0.5	0.38
RE5536310	<0.2	0.05	787	<5	10	<0.5	<1	16.6	<0.5	7	0.7	15.5	<0.5	0.46
RE5536311	<0.2	0.80	>10000	12	111	<0.5	8	3.57	1.1	14	5.1	46.5	18.7	7.51
RE5536312	<0.2	0.72	>10000	<5	29	<0.5	6	0.08	<0.5	<1	1.5	17.7	13.1	1.26
RE5536313	<0.2	0.08	2540	<5	12	<0.5	<1	13.6	<0.5	7	0.9	15.2	1.4	0.57
RE5536314	<0.2	0.06	523	<5	10	<0.5	<1	13.2	<0.5	7	0.9	7.5	1.4	0.36
RE5536315	<0.2	0.07	>10000	<5	7	<0.5	4	0.05	<0.5	<1	0.6	125	6.6	0.68
RE5536316	<0.2	0.11	6220	<5	17	<0.5	<1	18.8	<0.5	11	1.3	2.1	2.7	0.47
RE5510186	<0.2	0.44	6800	<5	40	<0.5	4	0.15	<0.5	<1	3.0	50.5	27.6	4.56
RE5510187	<0.2	0.21	93	<5	32	<0.5	2	17.4	<0.5	9	2.8	5.6	3.1	2.68
RE5510188	<0.2	2.38	35	9	76	1.2	6	0.09	<0.5	4	6.1	53.2	22.9	3.87
RE5510189	<0.2	0.15	41	<5	14	<0.5	2	0.03	<0.5	1	1.6	10.4	2.6	1.35
RE5510190	<0.2	1.70	16	11	103	1.6	5	0.09	<0.5	13	16.2	34.4	29.1	5.88
RE5510191	0.3	0.32	64	<5	33	<0.5	4	0.02	<0.5	<1	7.0	6.0	11.2	4.42
RE5510192	<0.2	0.16	40	<5	61	<0.5	<1	22.9	<0.5	31	1.3	19.6	2.0	0.47
RE5510193	<0.2	0.29	29	<5	60	<0.5	<1	15.7	<0.5	22	6.6	8.5	9.4	1.49
RE5510194	<0.2	0.56	25	9	68	0.5	1	14.1	<0.5	23	7.9	26.5	17.3	2.22
RE5510195	<0.2	1.45	5	10	109	0.8	1	0.10	<0.5	<1	4.3	23.6	29.0	2.08

Certified By:



# AGAT Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y623284

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 23, 2012

DATE RECEIVED: Jul 23, 2012

DATE REPORTED: Jul 28, 2012

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
RE5510196	<0.2	0.11	20	<5	29	<0.5	2	1.27	<0.5	1	5.1	115	2.6	0.94
RE5506973	<0.2	0.07	46	<5	29	<0.5	<1	30.8	<0.5	22	1.0	2.0	2.1	0.15
RE5506974	<0.2	0.06	79	<5	17	<0.5	<1	9.58	<0.5	5	1.1	45.0	4.6	0.49
RE5506975	<0.2	0.03	26	<5	13	<0.5	<1	32.3	<0.5	18	0.8	0.8	<0.5	0.07
RE5506976	<0.2	<0.01	22	<5	5	<0.5	<1	31.5	<0.5	17	0.7	2.2	<0.5	0.01
RE5506977	<0.2	0.03	22	<5	15	<0.5	<1	30.1	<0.5	19	0.8	0.8	0.6	0.06
RE5506978	<0.2	0.10	25	<5	46	<0.5	<1	28.2	<0.5	21	1.2	1.6	1.9	0.17
RE5506979	<0.2	0.07	23	<5	39	<0.5	<1	29.3	<0.5	18	0.8	7.0	<0.5	0.09
RE5506980	<0.2	0.05	24	<5	45	<0.5	<1	29.4	<0.5	17	0.9	1.4	<0.5	0.12
RE5506981	<0.2	0.04	24	<5	43	<0.5	<1	32.5	<0.5	18	0.8	2.5	<0.5	0.05
RE5506982	<0.2	0.04	30	<5	9	<0.5	<1	31.5	<0.5	17	0.9	1.8	1.4	0.23
RE5506983	<0.2	0.02	21	<5	15	<0.5	<1	28.8	<0.5	18	0.8	1.7	<0.5	0.09
RE5506984	<0.2	<0.01	21	<5	9	<0.5	<1	32.9	<0.5	17	0.7	0.5	<0.5	0.02
RE5506985	<0.2	0.03	23	<5	7	<0.5	<1	32.1	<0.5	16	0.7	0.8	<0.5	0.15
RE5506986	<0.2	0.16	30	<5	62	<0.5	<1	19.0	<0.5	11	1.8	1.9	6.0	0.58
RE5506987	<0.2	0.13	22	<5	90	<0.5	<1	27.7	<0.5	22	1.6	9.2	3.4	0.34
RE5506988	<0.2	0.08	21	<5	42	<0.5	<1	27.8	<0.5	15	1.5	1.3	4.3	0.46
RE5506989	<0.2	0.16	30	<5	46	<0.5	<1	28.5	<0.5	24	2.6	3.4	6.7	0.63
RE5506990	<0.2	0.06	20	<5	27	<0.5	<1	30.0	<0.5	20	1.3	1.4	1.4	0.24
RE5506991	<0.2	0.10	22	<5	27	<0.5	<1	26.8	<0.5	21	1.6	12.7	4.2	0.41
RE5506992	<0.2	0.07	24	<5	30	<0.5	<1	30.8	<0.5	19	1.2	1.3	3.7	0.17
RE5506993	<0.2	1.31	4	<5	114	0.6	1	0.32	<0.5	<1	9.1	67.9	23.8	2.75
RE5506994	<0.2	0.29	6	<5	36	<0.5	2	0.19	<0.5	<1	7.9	15.3	16.2	3.56
RE5506995	<0.2	0.08	1500	<5	10	<0.5	<1	17.0	<0.5	10	1.1	10.5	0.8	0.98
RE5506996	<0.2	0.17	287	7	16	<0.5	<1	17.5	<0.5	10	1.8	2.3	2.2	1.16
RE5506997	<0.2	0.04	455	<5	9	<0.5	<1	18.0	1.2	9	0.9	3.8	1.2	0.86
RE5506998	<0.2	0.05	926	<5	13	<0.5	<1	16.8	1.6	9	0.8	1.0	1.4	0.85
RE5506999	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
RE5507001	<0.2	0.02	413	<5	5	<0.5	<1	16.6	<0.5	7	0.7	1.2	<0.5	0.68
RE5507002	<0.2	0.03	650	<5	8	<0.5	<1	17.7	<0.5	9	0.7	0.8	0.5	0.65
RE5507003	0.5	0.02	>10000	<5	4	<0.5	1	0.30	3.1	<1	0.5	113	6.2	1.39
RE5507004	5.8	0.01	8400	<5	6	<0.5	2	3.68	133	<1	0.6	7.9	151	1.04

Certified By:



# Certificate of Analysis

AGAT WORK ORDER: 12Y623284

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

**Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)**

DATE SAMPLED: Jul 23, 2012

DATE RECEIVED: Jul 23, 2012

DATE REPORTED: Jul 28, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
RE5507005		<0.2	0.03	429	<5	9	<0.5	<1	17.6	<0.5	8	0.7	4.6	0.7	0.48
RE5507006		<0.2	0.01	1510	<5	9	<0.5	<1	14.9	0.8	6	0.7	12.4	0.6	0.51
RE5507007		<0.2	2.10	68	12	576	1.4	3	0.50	<0.5	<1	19.2	48.8	26.3	5.63
RE5507008		<0.2	4.56	58	15	146	0.9	4	5.49	<0.5	114	42.6	466	52.8	10.0
RE5507009		<0.2	5.03	176	18	455	1.5	4	4.20	<0.5	141	41.8	286	264	10.2
RE5242060		<0.2	0.41	793	<5	35	0.5	5	1.11	<0.5	<1	14.4	22.6	27.6	4.63
RE5242061		<0.2	0.44	290	<5	34	0.5	2	0.95	<0.5	2	15.5	37.5	295	2.36
RE5242062		<0.2	0.25	503	<5	21	<0.5	1	0.13	<0.5	<1	3.0	159	20.3	1.28
RE5242063		<0.2	0.23	610	<5	32	<0.5	<1	0.05	<0.5	<1	0.8	161	12.0	0.53
RE5242064		<0.2	0.53	3310	<5	62	0.7	3	0.10	<0.5	<1	9.3	32.3	352	5.71
RE5242065		<0.2	0.47	>10000	<5	57	<0.5	2	0.03	<0.5	<1	1.0	58.6	10.3	3.03
RE5242066		<0.2	0.39	3520	<5	37	<0.5	5	0.03	0.6	<1	4.1	86.5	203	7.86
RE5242067		<0.2	2.51	47	<5	96	0.7	4	0.03	<0.5	<1	17.0	99.7	14.1	5.27
RE5242068		<0.2	0.78	28	<5	726	<0.5	2	0.84	<0.5	10	5.0	86.6	10.4	1.70
RE5242069		<0.2	0.82	14	<5	216	<0.5	3	0.39	<0.5	16	6.8	114	11.1	1.82
RE5242070		<0.2	0.60	12	<5	507	<0.5	1	1.93	<0.5	7	5.3	87.4	10.4	1.53
RE5242071		<0.2	2.30	8	<5	474	0.7	4	0.16	<0.5	<1	9.5	74.7	25.2	3.99
RE5536334		0.3	0.18	447	<5	3020	<0.5	2	0.98	<0.5	<1	6.5	17.0	32.0	2.95
RE5536335		<0.2	0.02	20	<5	23	<0.5	<1	18.1	<0.5	9	1.0	4.0	2.1	0.41

Certified By:



# AGAT Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y623284

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 23, 2012

DATE RECEIVED: Jul 23, 2012

DATE REPORTED: Jul 28, 2012

SAMPLE TYPE: Rock

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
RE5536068	<5	<1	<1	0.25	3	10	0.08	98	1.5	<0.01	24.7	99	15.9	17
RE5536069	<5	2	<1	0.12	1	5	0.01	225	2.0	<0.01	7.0	46	19.5	<10
RE5536070	<5	<1	2	0.07	2	<1	0.14	424	1.5	<0.01	9.5	106	10.3	<10
RE5536071	<5	3	1	0.03	1	<1	0.07	860	2.6	<0.01	6.6	326	5.8	<10
RE5536072	<5	2	<1	0.22	1	<1	0.02	29	1.8	<0.01	2.8	64	47.7	11
RE5536073	<5	<1	1	0.08	5	<1	0.22	116	3.5	<0.01	3.5	165	4.4	18
RE5536074	<5	<1	1	0.08	3	<1	0.28	439	2.4	<0.01	14.1	195	2.8	<10
RE5536075	6	1	2	0.79	5	7	0.11	21	1.4	<0.01	6.4	182	40.4	81
RE5536076	<5	<1	<1	0.04	4	<1	0.58	388	3.2	<0.01	0.9	495	<0.5	14
RE5536077	<5	43	<1	0.04	3	<1	9.93	1380	2.4	0.01	0.7	282	9.0	14
RE5536078	<5	93	<1	0.07	3	2	8.65	816	2.4	<0.01	4.0	473	7.3	17
RE5536079	<5	2	<1	0.03	3	<1	6.10	308	2.0	<0.01	3.4	234	2.5	12
RE5536080	<5	1	<1	0.16	3	4	0.09	29	1.6	<0.01	2.4	39	4.2	<10
RE5536081	<5	3	<1	<0.01	3	<1	11.6	1050	2.3	0.01	<0.5	267	0.7	<10
RE5536082	<5	47	<1	0.73	5	11	1.03	155	1.3	<0.01	4.7	181	32.5	62
RE5536083	5	2	<1	0.67	5	9	0.35	67	1.5	<0.01	9.0	160	28.0	60
RE5536062	<5	2	<1	0.04	2	1	12.3	486	2.4	<0.01	<0.5	318	1.8	14
RE5536330	<5	2	<1	0.07	1	2	0.03	53	19.1	0.01	9.5	93	14.3	<10
RE5536331	<5	<1	<1	<0.01	2	<1	12.2	243	2.8	<0.01	0.7	219	<0.5	12
RE5536084	<5	<1	2	0.21	2	2	0.12	22	1.4	<0.01	2.5	58	13.4	14
RE5536085	<5	32	1	0.51	4	14	0.32	79	0.7	<0.01	7.9	145	21.3	41
RE5536086	<5	88	<1	0.06	<1	2	0.03	26	1.5	<0.01	2.6	35	10.1	<10
RE5536087	<5	3980	<1	0.06	<1	3	0.02	31	2.0	<0.01	1.7	281	11.6	<10
RE5536088	<5	79	<1	0.02	<1	<1	<0.01	16	2.0	<0.01	2.0	191	7.7	<10
RE5536089	<5	1800	2	0.24	2	4	0.25	20	3.5	<0.01	1.9	93	8.1	15
RE5536090	<5	4	<1	0.04	2	<1	10.7	501	2.3	0.01	<0.5	471	1.9	13
RE5536091	<5	6	<1	0.12	<1	1	1.67	327	2.0	<0.01	6.4	1540	84.2	12
RE5536092	<5	4	<1	0.05	<1	<1	0.78	165	2.2	<0.01	4.3	446	71.3	<10
RE5536093	<5	5	<1	0.11	<1	<1	0.24	85	2.3	<0.01	8.4	2330	158	<10
RE5536094	<5	<1	<1	0.02	3	<1	11.6	1110	2.3	0.01	<0.5	236	5.6	12
RE5536095	<5	758	1	0.09	<1	<1	0.32	77	1.6	<0.01	4.3	2750	4720	<10
RE5536096	<5	29	<1	0.04	1	<1	7.12	827	2.2	<0.01	1.1	752	880	14

Certified By:



# AGAT Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y623284

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 23, 2012

DATE RECEIVED: Jul 23, 2012

DATE REPORTED: Jul 28, 2012

SAMPLE TYPE: Rock

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
RE5536097	<5	8	<1	0.01	3	<1	11.4	1050	2.7	0.01	<0.5	526	39.0	12
RE5536332	<5	2	<1	0.07	1	2	0.03	52	16.4	0.01	9.4	86	13.9	<10
RE5536333	<5	<1	<1	<0.01	2	<1	11.9	224	2.6	<0.01	0.5	246	<0.5	12
RE5536098	<5	125	<1	0.05	1	<1	4.86	485	2.5	<0.01	3.4	1450	3110	13
RE5536099	<5	12	<1	0.30	1	2	0.82	117	2.7	<0.01	1.6	989	19.3	30
RE5536100	<5	6	<1	0.01	2	<1	10.9	323	2.8	<0.01	<0.5	322	14.9	13
RE5536101	<5	24	<1	0.01	2	<1	9.15	439	2.6	<0.01	1.2	1620	10.3	12
RE5536102	<5	<1	<1	0.07	7	1	0.57	583	3.9	0.01	1.0	219	1.3	19
RE5536103	6	3	2	0.76	6	9	0.35	155	1.8	<0.01	14.0	237	30.6	60
RE5536104	12	4	2	0.23	59	10	3.79	1670	2.5	<0.01	108	3400	4.6	47
RE5536105	<5	5	1	0.01	2	<1	8.92	1220	2.1	<0.01	0.8	156	<0.5	12
RE5536106	16	9	<1	0.29	87	95	1.58	1970	1.5	0.04	21.0	6130	10.0	53
RE5536107	<5	57	2	0.08	2	2	1.92	266	1.8	<0.01	2.9	1240	10.1	12
RE5536108	<5	50	<1	0.06	2	3	5.22	692	2.3	<0.01	3.3	823	6.2	14
RE5536109	<5	2	<1	<0.01	2	1	11.3	748	2.5	<0.01	<0.5	264	<0.5	12
RE5536310	<5	3	<1	<0.01	2	<1	10.3	684	2.2	<0.01	<0.5	155	<0.5	11
RE5536311	7	116	1	0.14	14	110	1.75	424	2.2	<0.01	21.1	6080	10.0	27
RE5536312	<5	6580	2	0.05	<1	2	0.04	40	1.5	<0.01	0.5	319	11.0	<10
RE5536313	<5	14	<1	0.03	2	<1	8.72	666	2.1	<0.01	<0.5	263	1.9	13
RE5536314	<5	10	<1	0.01	2	<1	8.36	559	2.5	<0.01	0.6	284	0.7	11
RE5536315	<5	54	2	0.02	<1	<1	0.02	28	3.1	<0.01	2.4	107	1.9	<10
RE5536316	<5	657	<1	0.03	3	1	10.1	178	2.9	<0.01	0.7	477	5.7	15
RE5510186	<5	5	<1	0.21	3	5	0.07	58	1.4	0.01	6.0	89	24.2	17
RE5510187	<5	2	<1	0.10	3	10	1.52	792	3.5	<0.01	5.9	312	1.4	23
RE5510188	10	<1	<1	0.51	5	45	0.68	2070	1.7	0.08	25.9	181	28.2	51
RE5510189	<5	<1	2	0.04	2	11	0.01	174	<0.5	<0.01	2.0	155	5.6	<10
RE5510190	6	<1	4	0.55	10	21	0.15	910	1.0	0.10	34.0	235	6.2	48
RE5510191	<5	<1	2	0.11	3	1	0.01	312	1.8	0.03	7.9	580	59.4	<10
RE5510192	10	<1	<1	0.07	8	3	0.49	5150	3.8	<0.01	1.6	2010	6.0	21
RE5510193	<5	<1	<1	0.09	7	4	0.74	969	2.9	<0.01	10.0	522	6.6	24
RE5510194	<5	<1	2	0.22	6	4	1.07	963	2.8	0.01	14.1	714	12.6	41
RE5510195	<5	<1	<1	0.31	2	19	0.46	192	<0.5	0.01	14.2	66	18.9	34

Certified By:



# AGAT Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y623284

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 23, 2012

DATE RECEIVED: Jul 23, 2012

DATE REPORTED: Jul 28, 2012

SAMPLE TYPE: Rock

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
RE5510196	<5	<1	<1	0.02	<1	6	0.22	671	2.7	<0.01	7.9	149	5.5	<10
RE5506973	<5	<1	<1	0.03	4	4	0.24	128	4.8	<0.01	0.9	315	38.8	15
RE5506974	<5	4	<1	0.02	1	8	4.28	290	2.2	<0.01	2.0	314	174	12
RE5506975	<5	<1	<1	0.02	3	<1	2.09	120	3.6	<0.01	<0.5	397	<0.5	14
RE5506976	<5	<1	<1	<0.01	2	<1	0.30	61	3.7	<0.01	<0.5	216	<0.5	11
RE5506977	<5	<1	<1	0.02	3	<1	0.26	30	4.2	<0.01	<0.5	352	<0.5	12
RE5506978	<5	<1	<1	0.06	5	1	0.25	72	4.7	<0.01	1.6	414	0.7	16
RE5506979	<5	<1	<1	0.03	3	1	0.35	42	4.4	<0.01	<0.5	504	<0.5	15
RE5506980	<5	<1	<1	0.03	3	<1	0.78	58	4.4	<0.01	0.6	416	<0.5	14
RE5506981	<5	<1	<1	0.02	2	<1	0.28	39	4.6	<0.01	<0.5	314	<0.5	13
RE5506982	<5	<1	<1	0.02	2	1	0.37	181	3.3	<0.01	0.6	344	<0.5	11
RE5506983	<5	<1	<1	<0.01	3	<1	1.68	156	3.7	<0.01	<0.5	258	<0.5	11
RE5506984	<5	<1	<1	<0.01	1	<1	0.13	27	4.3	<0.01	<0.5	143	<0.5	11
RE5506985	<5	<1	<1	0.01	1	<1	0.12	76	3.8	<0.01	<0.5	217	<0.5	13
RE5506986	<5	<1	<1	0.09	3	2	3.21	174	2.9	<0.01	3.0	289	5.4	20
RE5506987	<5	<1	<1	0.07	5	2	0.16	91	4.5	<0.01	2.0	172	<0.5	18
RE5506988	<5	<1	<1	0.06	3	<1	0.12	112	4.0	<0.01	1.8	322	1.2	16
RE5506989	<5	<1	<1	0.10	7	3	0.16	96	5.1	<0.01	4.2	200	0.9	23
RE5506990	<5	<1	<1	0.04	4	2	0.24	61	4.6	<0.01	1.2	346	<0.5	15
RE5506991	<5	<1	<1	0.06	5	3	0.21	43	4.9	<0.01	3.1	233	<0.5	18
RE5506992	<5	<1	<1	0.04	3	1	0.25	27	4.8	<0.01	1.7	310	<0.5	15
RE5506993	5	<1	2	0.19	2	21	0.38	388	<0.5	0.03	22.9	152	5.4	19
RE5506994	<5	<1	<1	0.05	<1	3	0.02	704	1.7	<0.01	24.4	118	7.6	<10
RE5506995	<5	20	<1	0.03	3	<1	10.4	1250	2.4	0.01	0.5	268	<0.5	13
RE5506996	<5	<1	<1	0.07	3	1	10.2	1110	2.2	0.01	1.5	576	4.2	16
RE5506997	<5	4	<1	0.01	3	<1	11.5	1210	2.2	<0.01	<0.5	448	54.7	11
RE5506998	<5	7	<1	0.01	3	<1	10.4	1150	2.3	<0.01	<0.5	537	148	12
RE5506999	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
RE5507001	<5	2	<1	<0.01	2	<1	10.6	844	2.3	0.01	<0.5	234	57.7	11
RE5507002	<5	1	<1	<0.01	3	<1	11.3	955	2.4	0.01	<0.5	454	187	11
RE5507003	<5	25	<1	<0.01	<1	<1	0.09	30	1.9	<0.01	1.7	147	1540	<10
RE5507004	9	634	<1	<0.01	<1	<1	2.19	173	1.2	<0.01	0.7	260	4730	<10

Certified By:





# Certificate of Analysis

AGAT WORK ORDER: 12Y623284

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

**Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)**

DATE SAMPLED: Jul 23, 2012

DATE RECEIVED: Jul 23, 2012

DATE REPORTED: Jul 28, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
	Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
RE5507005		<5	4	<1	<0.01	2	<1	11.3	826	2.2	<0.01	<0.5	474	5.1	10
RE5507006		<5	28	<1	<0.01	2	<1	9.46	414	2.5	<0.01	<0.5	140	110	11
RE5507007		10	<1	1	0.37	3	40	0.67	1910	1.9	0.01	35.6	261	22.6	47
RE5507008		35	<1	2	0.03	61	115	3.88	9280	5.7	<0.01	212	4100	84.0	13
RE5507009		31	<1	2	0.20	73	102	3.68	6370	6.0	0.02	176	4080	84.9	35
RE5242060		<5	<1	<1	0.15	2	6	0.70	812	<0.5	<0.01	32.2	206	23.4	16
RE5242061		<5	<1	1	0.19	3	3	0.48	474	0.7	0.01	37.1	78	11.6	19
RE5242062		<5	<1	1	0.06	2	4	0.10	395	2.2	<0.01	12.2	115	12.8	<10
RE5242063		<5	<1	1	0.11	1	2	0.03	40	2.5	<0.01	3.5	27	140	<10
RE5242064		<5	<1	<1	0.22	3	2	0.04	279	1.8	0.01	32.8	163	18.1	18
RE5242065		<5	<1	<1	0.25	2	2	0.02	42	0.6	0.02	1.5	69	22.4	19
RE5242066		<5	<1	2	0.18	1	1	0.01	125	1.0	0.01	10.4	105	20.7	15
RE5242067		10	<1	<1	0.16	2	57	0.87	409	<0.5	0.03	35.6	102	23.7	18
RE5242068		5	<1	2	0.03	5	17	0.30	1170	1.7	0.09	9.5	349	12.8	<10
RE5242069		5	<1	<1	0.04	6	16	0.32	681	1.8	0.10	13.1	590	28.1	<10
RE5242070		<5	<1	<1	0.03	3	14	0.21	3580	1.8	0.10	8.4	308	12.3	<10
RE5242071		9	<1	1	0.30	2	49	0.83	386	1.2	0.04	36.6	960	80.2	29
RE5536334		<5	2	5	0.07	1	2	0.03	51	17.4	0.01	9.3	86	13.1	<10
RE5536335		<5	<1	<1	0.01	2	<1	11.4	253	2.2	<0.01	0.7	198	<0.5	13

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y623284

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 23, 2012

DATE RECEIVED: Jul 23, 2012

DATE REPORTED: Jul 28, 2012

SAMPLE TYPE: Rock

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
RE5536068	0.012	<1	3.8	<10	<5	13.7	<10	<10	<5	<0.01	0.08	<5	12.8	<1
RE5536069	1.63	2	1.5	<10	<5	9.3	<10	<10	<5	<0.01	0.47	<5	4.6	<1
RE5536070	0.054	3	1.5	<10	<5	4.6	<10	<10	<5	<0.01	0.10	<5	5.2	<1
RE5536071	0.068	7	1.5	<10	<5	5.2	<10	<10	<5	<0.01	0.15	<5	7.1	<1
RE5536072	0.263	3	1.0	<10	<5	5.0	<10	<10	<5	<0.01	0.15	<5	3.5	<1
RE5536073	1.60	8	2.5	<10	<5	476	<10	<10	<5	<0.01	0.05	<5	4.6	<1
RE5536074	0.041	5	3.7	<10	<5	8.9	<10	<10	<5	<0.01	0.10	<5	4.3	<1
RE5536075	0.434	<1	5.9	<10	<5	23.3	<10	<10	6	<0.01	1.11	<5	23.4	<1
RE5536076	0.520	10	0.8	<10	15	298	<10	<10	<5	<0.01	0.04	<5	4.6	<1
RE5536077	0.213	14	1.2	<10	<5	71.6	<10	<10	<5	<0.01	0.77	5	17.1	<1
RE5536078	0.186	22	1.6	<10	<5	170	<10	<10	<5	<0.01	1.44	<5	18.2	<1
RE5536079	0.128	80	0.8	<10	<5	74.6	<10	<10	<5	<0.01	0.29	<5	13.2	<1
RE5536080	0.057	2	0.7	<10	<5	12.5	<10	<10	<5	<0.01	0.27	<5	4.4	<1
RE5536081	0.225	14	2.0	<10	<5	50.1	<10	<10	<5	<0.01	0.58	<5	18.2	<1
RE5536082	0.609	7	4.9	<10	<5	42.0	<10	<10	<5	<0.01	3.18	<5	16.5	<1
RE5536083	0.230	5	5.3	<10	<5	27.4	<10	<10	<5	<0.01	2.46	<5	16.4	<1
RE5536062	0.240	10	<0.5	<10	<5	72.4	<10	<10	<5	<0.01	0.11	<5	16.8	<1
RE5536330	0.182	31	2.8	<10	<5	30.0	<10	<10	<5	0.01	13.1	<5	12.1	28
RE5536331	0.238	9	<0.5	<10	<5	49.2	<10	<10	<5	<0.01	<0.01	<5	17.2	<1
RE5536084	0.132	4	0.9	<10	<5	4.0	<10	<10	<5	<0.01	0.17	<5	6.3	<1
RE5536085	0.410	12	5.6	<10	<5	35.3	<10	<10	<5	<0.01	18.4	<5	15.3	<1
RE5536086	3.75	194	<0.5	<10	<5	10.2	<10	<10	<5	<0.01	2.27	<5	2.3	<1
RE5536087	0.660	93	1.0	<10	<5	120	<10	<10	<5	<0.01	5.52	<5	8.8	<1
RE5536088	12.6	748	<0.5	<10	<5	<0.5	<10	<10	<5	<0.01	2.91	<5	2.0	<1
RE5536089	0.554	40	1.3	<10	<5	43.9	<10	<10	<5	<0.01	6.07	<5	10.2	<1
RE5536090	0.217	14	1.0	<10	<5	41.5	<10	<10	<5	<0.01	0.20	<5	17.6	<1
RE5536091	0.079	46	1.9	<10	<5	22.6	<10	<10	<5	<0.01	0.83	<5	9.7	<1
RE5536092	0.042	46	0.7	<10	<5	10.0	<10	<10	<5	<0.01	1.15	<5	5.7	<1
RE5536093	0.038	72	1.2	<10	<5	10.6	<10	<10	<5	<0.01	0.49	<5	4.9	<1
RE5536094	0.223	24	0.5	<10	<5	37.5	<10	<10	<5	<0.01	0.18	<5	16.5	<1
RE5536095	0.174	1830	0.6	<10	<5	9.9	<10	38	<5	<0.01	2.92	6	5.6	<1
RE5536096	0.167	403	2.2	<10	<5	44.7	<10	10	<5	<0.01	0.63	<5	16.3	1

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y623284

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 23, 2012

DATE RECEIVED: Jul 23, 2012

DATE REPORTED: Jul 28, 2012

SAMPLE TYPE: Rock

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
RE5536097	0.242	28	<0.5	<10	<5	46.1	<10	<10	<5	<0.01	0.32	6	16.5	<1
RE5536332	0.174	27	2.6	<10	<5	24.7	<10	<10	<5	0.01	13.2	<5	11.3	29
RE5536333	0.235	9	<0.5	<10	<5	48.9	<10	<10	<5	<0.01	0.03	<5	16.1	<1
RE5536098	0.196	1330	1.6	<10	<5	33.3	<10	12	<5	<0.01	1.54	5	13.3	2
RE5536099	0.150	27	1.4	<10	<5	18.5	<10	<10	<5	<0.01	0.36	<5	9.2	<1
RE5536100	0.244	18	<0.5	<10	<5	212	<10	<10	<5	<0.01	0.98	<5	18.2	<1
RE5536101	0.213	24	1.8	<10	<5	105	<10	<10	<5	<0.01	7.06	5	16.7	<1
RE5536102	0.655	10	2.9	<10	19	979	<10	<10	<5	<0.01	0.09	7	5.9	<1
RE5536103	0.341	4	5.9	<10	<5	28.3	<10	<10	<5	0.02	1.13	<5	21.7	<1
RE5536104	0.160	<1	23.6	<10	<5	304	<10	<10	<5	0.07	0.20	<5	235	<1
RE5536105	0.185	14	0.5	<10	<5	40.1	<10	<10	<5	<0.01	2.80	<5	15.4	<1
RE5536106	0.642	<1	12.8	<10	<5	513	<10	<10	<5	0.11	13.8	6	143	<1
RE5536107	0.054	42	2.1	<10	<5	67.7	<10	<10	<5	<0.01	13.4	<5	12.0	<1
RE5536108	0.143	41	4.3	<10	<5	69.4	<10	<10	<5	<0.01	8.43	<5	19.5	<1
RE5536109	0.220	10	<0.5	<10	<5	74.7	<10	<10	<5	<0.01	1.04	<5	17.2	<1
RE5536310	0.208	11	<0.5	<10	<5	50.0	<10	<10	<5	<0.01	0.56	<5	14.2	<1
RE5536311	0.201	23	11.4	<10	<5	153	<10	<10	<5	0.04	76.1	<5	94.9	<1
RE5536312	1.00	118	1.5	<10	<5	124	<10	<10	<5	<0.01	5.49	<5	9.8	<1
RE5536313	0.171	20	1.0	<10	<5	52.6	<10	<10	<5	<0.01	2.71	<5	15.0	<1
RE5536314	0.163	13	1.0	<10	<5	44.2	<10	<10	<5	<0.01	0.34	<5	14.4	<1
RE5536315	1.65	28	1.1	<10	<5	<0.5	<10	<10	<5	<0.01	11.4	<5	2.2	<1
RE5536316	0.301	14	0.9	<10	<5	141	<10	<10	<5	<0.01	4.98	<5	17.2	<1
RE5510186	0.096	<1	7.7	<10	<5	13.2	<10	<10	<5	<0.01	0.13	<5	9.3	<1
RE5510187	0.241	4	3.3	<10	<5	868	<10	<10	<5	<0.01	0.05	<5	9.1	<1
RE5510188	0.244	<1	5.7	<10	<5	13.8	<10	<10	6	0.05	0.10	<5	32.8	<1
RE5510189	0.006	<1	1.1	<10	<5	6.3	<10	<10	<5	<0.01	0.03	<5	3.6	<1
RE5510190	<0.005	<1	10.0	<10	<5	17.7	<10	<10	7	0.06	0.07	<5	26.9	<1
RE5510191	0.063	2	3.2	<10	<5	36.0	<10	<10	<5	<0.01	0.05	<5	4.4	<1
RE5510192	0.288	9	1.7	<10	<5	331	<10	<10	<5	<0.01	0.03	15	8.7	<1
RE5510193	0.251	7	2.9	<10	<5	268	<10	<10	<5	<0.01	0.05	<5	13.8	<1
RE5510194	0.245	5	5.1	<10	<5	250	<10	<10	<5	<0.01	0.06	5	19.8	<1
RE5510195	<0.005	<1	3.1	<10	<5	6.0	<10	<10	<5	<0.01	0.08	<5	22.7	<1

Certified By:



## Certificate of Analysis

AGAT WORK ORDER: 12Y623284

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 23, 2012

DATE RECEIVED: Jul 23, 2012

DATE REPORTED: Jul 28, 2012

SAMPLE TYPE: Rock

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
RE5510196	0.028	3	0.9	<10	<5	27.4	<10	<10	<5	<0.01	0.02	<5	5.0	<1
RE5506973	0.406	19	1.0	<10	17	1190	<10	<10	<5	<0.01	0.01	<5	3.8	<1
RE5506974	0.119	136	0.6	<10	<5	48.6	<10	<10	<5	<0.01	0.01	<5	10.5	<1
RE5506975	0.418	12	<0.5	<10	17	288	<10	<10	<5	<0.01	<0.01	<5	9.7	<1
RE5506976	0.408	12	<0.5	<10	17	341	<10	<10	<5	<0.01	<0.01	<5	3.0	<1
RE5506977	0.405	11	0.6	<10	16	854	<10	<10	<5	<0.01	<0.01	<5	3.4	<1
RE5506978	0.387	11	1.2	<10	13	1000	<10	<10	<5	<0.01	0.03	<5	4.1	<1
RE5506979	0.406	10	0.7	<10	16	1180	<10	<10	<5	<0.01	0.01	<5	3.7	<1
RE5506980	0.384	10	0.9	<10	14	922	<10	<10	<5	<0.01	0.02	<5	6.0	<1
RE5506981	0.433	12	0.5	<10	20	986	<10	<10	<5	<0.01	0.01	6	3.3	<1
RE5506982	0.417	12	1.7	<10	20	313	<10	<10	<5	<0.01	<0.01	<5	5.9	<1
RE5506983	0.375	10	<0.5	<10	15	602	<10	<10	<5	<0.01	<0.01	<5	6.0	<1
RE5506984	0.433	12	<0.5	<10	21	445	<10	<10	<5	<0.01	<0.01	<5	2.3	<1
RE5506985	0.419	11	<0.5	<10	17	322	<10	<10	<5	<0.01	0.01	<5	2.6	<1
RE5506986	0.252	10	1.0	<10	<5	412	<10	<10	<5	<0.01	0.03	<5	9.2	<1
RE5506987	0.459	11	1.7	<10	13	1620	<10	<10	<5	<0.01	0.05	<5	3.8	<1
RE5506988	0.401	11	1.0	<10	15	784	<10	<10	<5	<0.01	0.03	<5	2.8	<1
RE5506989	0.412	11	2.7	<10	16	1900	<10	<10	<5	<0.01	0.08	<5	5.9	<1
RE5506990	0.459	9	1.2	<10	18	1470	<10	<10	<5	<0.01	0.03	<5	4.1	<1
RE5506991	0.494	10	1.9	<10	13	2060	<10	<10	<5	<0.01	0.05	<5	4.2	<1
RE5506992	0.420	10	0.8	<10	19	1560	<10	<10	<5	<0.01	0.03	<5	3.3	<1
RE5506993	<0.005	<1	3.3	<10	<5	19.6	<10	<10	6	<0.01	0.05	<5	14.2	<1
RE5506994	0.006	<1	5.9	<10	<5	18.0	<10	<10	<5	<0.01	0.02	<5	32.0	<1
RE5506995	0.214	15	1.0	<10	<5	51.0	<10	<10	<5	<0.01	0.34	<5	16.0	<1
RE5506996	0.221	9	1.7	<10	<5	67.7	<10	<10	<5	<0.01	0.21	6	17.9	<1
RE5506997	0.236	26	<0.5	<10	<5	52.2	<10	<10	<5	<0.01	0.29	5	15.6	<1
RE5506998	0.210	42	0.6	<10	<5	54.6	<10	<10	<5	<0.01	0.61	5	16.2	<1
RE5506999	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
RE5507001	0.228	44	<0.5	<10	<5	37.0	<10	<10	<5	<0.01	0.32	<5	14.2	<1
RE5507002	0.230	44	<0.5	<10	<5	45.2	<10	<10	<5	<0.01	0.40	5	15.7	<1
RE5507003	0.164	600	<0.5	<10	<5	<0.5	<10	<10	<5	<0.01	2.48	<5	1.3	<1
RE5507004	2.05	1870	<0.5	<10	<5	8.8	<10	55	<5	<0.01	2.33	<5	6.9	2

Certified By:



**AGAT** Laboratories

# Certificate of Analysis

AGAT WORK ORDER: 12Y623284

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

## Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 23, 2012

DATE RECEIVED: Jul 23, 2012

DATE REPORTED: Jul 28, 2012

SAMPLE TYPE: Rock

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
RE5507005	0.219	14	<0.5	<10	<5	63.5	<10	<10	<5	<0.01	0.08	<5	14.3	<1
RE5507006	0.234	20	<0.5	<10	<5	52.1	<10	<10	<5	<0.01	0.26	<5	14.0	<1
RE5507007	0.021	<1	6.6	<10	<5	15.1	<10	<10	<5	<0.01	0.16	<5	27.2	<1
RE5507008	0.299	<1	21.9	<10	<5	291	<10	<10	<5	0.09	0.11	27	249	<1
RE5507009	0.135	<1	15.0	<10	<5	238	<10	<10	<5	0.07	0.25	15	233	<1
RE5242060	2.91	<1	6.4	<10	<5	54.9	<10	<10	<5	<0.01	0.11	<5	13.5	<1
RE5242061	1.43	26	4.9	<10	<5	51.8	<10	<10	<5	<0.01	0.08	<5	11.5	<1
RE5242062	0.106	1	1.1	<10	<5	7.1	<10	<10	<5	<0.01	0.03	<5	8.4	<1
RE5242063	0.039	8	0.6	<10	<5	6.9	<10	<10	<5	<0.01	0.04	<5	3.1	<1
RE5242064	0.017	10	9.7	<10	<5	17.4	<10	<10	<5	<0.01	0.09	<5	10.7	<1
RE5242065	0.164	1	3.4	<10	<5	13.4	<10	<10	<5	<0.01	0.10	<5	5.6	<1
RE5242066	0.044	<1	3.3	<10	<5	4.3	<10	<10	<5	<0.01	0.07	<5	7.6	<1
RE5242067	<0.005	<1	4.4	<10	<5	2.4	<10	<10	6	0.01	0.05	<5	34.0	<1
RE5242068	0.032	<1	3.0	<10	<5	32.0	<10	<10	5	<0.01	0.01	<5	19.2	<1
RE5242069	0.017	<1	2.3	<10	<5	17.8	<10	<10	6	<0.01	0.02	<5	18.6	<1
RE5242070	0.034	2	5.6	<10	<5	53.3	<10	<10	7	<0.01	0.01	7	12.6	<1
RE5242071	0.171	<1	3.8	<10	<5	55.9	<10	<10	8	0.01	0.08	<5	29.0	<1
RE5536334	0.202	28	2.6	<10	<5	29.2	<10	<10	<5	0.01	13.2	<5	11.1	30
RE5536335	0.227	9	<0.5	<10	<5	43.2	<10	<10	<5	<0.01	0.05	<5	17.5	<1

Certified By:



**AGAT** Laboratories

# Certificate of Analysis

AGAT WORK ORDER: 12Y623284

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

## Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 23, 2012

DATE RECEIVED: Jul 23, 2012

DATE REPORTED: Jul 28, 2012

SAMPLE TYPE: Rock

Analyte:	Y	Zn	Zr	As-OL	Zn-OL
Unit:	ppm	ppm	ppm	%	%
RDL:	1	0.5	5	0.01	0.05
Sample Description					
RE5536068	2	55.2	<5		
RE5536069	<1	17.2	<5		
RE5536070	2	31.4	<5		
RE5536071	4	8.6	<5		
RE5536072	<1	2.4	<5		
RE5536073	7	5.4	6		
RE5536074	4	36.7	<5		
RE5536075	3	4.2	5		
RE5536076	6	2.9	<5		
RE5536077	3	42.9	<5		
RE5536078	3	4.8	<5		
RE5536079	2	6.1	<5		
RE5536080	<1	4.6	<5		
RE5536081	2	10.2	<5		
RE5536082	2	8.2	<5		
RE5536083	3	15.8	<5		
RE5536062	3	58.8	<5		
RE5536330	2	17.7	13		
RE5536331	<1	12.4	<5		
RE5536084	1	2.5	<5		
RE5536085	3	7.0	<5		
RE5536086	<1	1.1	<5	8.81	
RE5536087	<1	4.7	<5	3.64	
RE5536088	<1	7.1	<5	24.6	
RE5536089	<1	4.7	<5	1.34	
RE5536090	2	79.7	<5		
RE5536091	4	209	<5		
RE5536092	2	205	<5		
RE5536093	7	282	<5		
RE5536094	2	176	<5		
RE5536095	7	>10000	<5		3.61
RE5536096	3	4610	<5		

Certified By:



**AGAT** Laboratories

# Certificate of Analysis

AGAT WORK ORDER: 12Y623284

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

## Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 23, 2012

DATE RECEIVED: Jul 23, 2012

DATE REPORTED: Jul 28, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Y	Zn	Zr	As-OL	Zn-OL
	Unit:	ppm	ppm	ppm	%	%
	RDL:	1	0.5	5	0.01	0.05
RE5536097		3	184	<5		
RE5536332		2	17.7	11		
RE5536333		<1	14.1	<5		
RE5536098		5	6420	<5		
RE5536099		27	257	5		
RE5536100		4	51.8	<5		
RE5536101		16	150	<5		
RE5536102		15	14.0	9		
RE5536103		4	19.6	8		
RE5536104		16	127	13		
RE5536105		2	42.2	<5		
RE5536106		23	123	12		
RE5536107		2	89.2	<5		
RE5536108		14	50.1	<5		
RE5536109		2	17.7	<5		
RE5536310		2	11.9	<5		
RE5536311		6	52.7	10	4.43	
RE5536312		<1	3.3	<5	4.85	
RE5536313		2	17.3	<5		
RE5536314		1	36.6	<5		
RE5536315		<1	1.0	<5	4.11	
RE5536316		20	62.6	<5		
RE5510186		3	54.9	<5		
RE5510187		8	15.0	<5		
RE5510188		5	74.4	9		
RE5510189		1	7.5	<5		
RE5510190		9	112	13		
RE5510191		4	27.1	<5		
RE5510192		11	12.4	<5		
RE5510193		10	26.1	<5		
RE5510194		13	72.8	<5		
RE5510195		4	42.0	<5		

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y623284

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 23, 2012

DATE RECEIVED: Jul 23, 2012

DATE REPORTED: Jul 28, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Y	Zn	Zr	As-OL	Zn-OL
	Unit:	ppm	ppm	ppm	%	%
	RDL:	1	0.5	5	0.01	0.05
RE5510196		5	13.2	<5		
RE5506973		6	42.9	<5		
RE5506974		2	171	<5		
RE5506975		2	4.5	<5		
RE5506976		2	3.1	<5		
RE5506977		4	5.1	<5		
RE5506978		6	11.1	<5		
RE5506979		3	2.2	<5		
RE5506980		3	3.0	<5		
RE5506981		2	12.0	<5		
RE5506982		10	12.2	<5		
RE5506983		2	4.3	<5		
RE5506984		<1	1.2	<5		
RE5506985		<1	1.6	<5		
RE5506986		2	18.1	<5		
RE5506987		4	9.1	<5		
RE5506988		2	6.5	<5		
RE5506989		6	11.9	<5		
RE5506990		3	6.4	<5		
RE5506991		5	9.0	<5		
RE5506992		2	9.2	<5		
RE5506993		4	73.0	7		
RE5506994		3	89.6	<5		
RE5506995		3	73.5	<5		
RE5506996		5	13.0	<5		
RE5506997		3	454	<5		
RE5506998		3	384	<5		
RE5506999		NRC	NRC	NRC		
RE5507001		2	183	<5		
RE5507002		3	122	<5		
RE5507003		<1	621	<5	1.52	
RE5507004		<1	>10000	<5		6.13

Certified By:





**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y623284

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 23, 2012

DATE RECEIVED: Jul 23, 2012

DATE REPORTED: Jul 28, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Y	Zn	Zr	As-OL	Zn-OL
	Unit:	ppm	ppm	ppm	%	%
	RDL:	1	0.5	5	0.01	0.05
RE5507005		3	107	<5		
RE5507006		1	666	<5		
RE5507007		7	108	<5		
RE5507008		15	154	11		
RE5507009		18	162	<5		
RE5242060		3	57.2	<5		
RE5242061		2	59.9	<5		
RE5242062		1	38.6	<5		
RE5242063		<1	16.1	<5		
RE5242064		5	151	<5		
RE5242065		<1	13.0	<5	1.53	
RE5242066		1	66.9	<5		
RE5242067		3	108	5		
RE5242068		4	44.3	<5		
RE5242069		6	47.5	<5		
RE5242070		12	27.5	<5		
RE5242071		6	96.0	6		
RE5536334		2	17.1	11		
RE5536335		<1	9.3	<5		

Comments: RDL - Reported Detection Limit

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y623284

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 23, 2012

DATE RECEIVED: Jul 23, 2012

DATE REPORTED: Jul 31, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
RE5536068		0.52	<0.001
RE5536069		0.82	0.030
RE5536070		0.64	0.015
RE5536071		0.62	<0.001
RE5536072		0.89	<0.001
RE5536073		1.88	<0.001
RE5536074		1.13	<0.001
RE5536075		0.79	0.022
RE5536076		0.93	<0.001
RE5536077		1.20	2.43
RE5536078		0.71	2.20
RE5536079		0.53	0.200
RE5536080		1.15	0.024
RE5536081		0.99	0.015
RE5536082		0.67	0.065
RE5536083		0.87	0.005
RE5536062		0.79	0.010
RE5536330		0.15	0.241
RE5536331		0.32	0.001
RE5536084		0.90	0.013
RE5536085		0.68	0.044
RE5536086		1.46	0.030
RE5536087		2.13	0.067
RE5536088		1.45	0.106
RE5536089		2.39	0.009
RE5536090		0.75	0.175
RE5536091		0.81	1.89
RE5536092		0.59	1.21
RE5536093		0.83	1.05
RE5536094		0.88	0.146
RE5536095		0.98	0.441

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y623284

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 23, 2012

DATE RECEIVED: Jul 23, 2012

DATE REPORTED: Jul 31, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
RE5536096		1.20	0.117
RE5536097		0.93	0.056
RE5536332		0.15	0.254
RE5536333		0.46	0.001
RE5536098		1.78	0.671
RE5536099		0.81	1.20
RE5536100		0.57	0.026
RE5536101		1.16	0.041
RE5536102		0.80	<0.001
RE5536103		0.69	0.010
RE5536104		1.20	<0.001
RE5536105		1.12	0.043
RE5536106		1.10	0.050
RE5536107		0.85	0.041
RE5536108		1.42	0.041
RE5536109		1.39	0.004
RE5536310		0.60	0.013
RE5536311		0.82	0.016
RE5536312		0.85	0.042
RE5536313		1.08	0.009
RE5536314		0.97	0.014
RE5536315		1.69	0.040
RE5536316		1.14	0.118
RE5510186		0.59	2.81
RE5510187		0.54	0.011
RE5510188		0.44	0.009
RE5510189		0.67	<0.001
RE5510190		0.66	0.002
RE5510191		0.65	0.163
RE5510192		0.55	0.014
RE5510193		0.72	0.002

Certified By:



**AGAT** Laboratories

# Certificate of Analysis

AGAT WORK ORDER: 12Y623284

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

## Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 23, 2012

DATE RECEIVED: Jul 23, 2012

DATE REPORTED: Jul 31, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
RE5510194		0.74	<0.001
RE5510195		0.43	<0.001
RE5510196		0.69	<0.001
RE5506973		0.94	0.003
RE5506974		0.99	0.005
RE5506975		0.97	0.017
RE5506976		0.80	0.002
RE5506977		0.99	<0.001
RE5506978		1.22	0.005
RE5506979		0.98	0.001
RE5506980		0.81	0.002
RE5506981		1.04	0.003
RE5506982		0.93	0.001
RE5506983		1.10	0.029
RE5506984		1.13	<0.001
RE5506985		1.11	<0.001
RE5506986		1.66	0.002
RE5506987		1.21	<0.001
RE5506988		1.01	0.007
RE5506989		1.00	0.030
RE5506990		0.89	0.003
RE5506991		1.05	0.002
RE5506992		1.15	0.023
RE5506993		0.86	0.002
RE5506994		0.94	0.002
RE5506995		0.98	0.481
RE5506996		1.76	0.009
RE5506997		1.02	0.051
RE5506998		1.16	0.084
RE5506999		NRC	NRC
RE5507001		0.98	0.037

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y623284

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 23, 2012

DATE RECEIVED: Jul 23, 2012

DATE REPORTED: Jul 31, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
RE5507002		1.01	0.037
RE5507003		1.04	0.822
RE5507004		1.05	0.660
RE5507005		0.97	0.017
RE5507006		1.50	0.110
RE5507007		0.97	0.022
RE5507008		0.99	0.002
RE5507009		1.24	0.007
RE5242060		0.66	0.633
RE5242061		0.76	0.260
RE5242062		0.79	0.494
RE5242063		1.10	0.791
RE5242064		1.26	0.957
RE5242065		1.01	6.89
RE5242066		0.59	1.55
RE5242067		0.77	0.046
RE5242068		1.15	0.010
RE5242069		0.69	0.005
RE5242070		0.81	0.002
RE5242071		0.92	0.004
RE5536334		0.15	0.206
RE5536335		0.37	0.002

Comments: RDL - Reported Detection Limit

Certified By:

## Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y623284

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis											
RPT Date:		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
<b>Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)</b>											
Au	1	3545937	< 0.001	< 0.001	0.0%	< 0.001	1.46	1.52	96%	90%	110%
<b>Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)</b>											
Au	1	3546026	0.0093	0.0109	15.8%	< 0.001	0.28	0.263	107%	90%	110%
<b>Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)</b>											
Au	1	3546038	0.0072	0.0064	11.8%	< 0.001	0.263	0.263	100%	90%	110%
<b>Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)</b>											
Au	1	3545976	0.041	0.041	0.0%	< 0.001				90%	110%
<b>Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)</b>											
Au	1	3545988	0.0086	0.0085	1.2%	< 0.001				90%	110%
<b>Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)</b>											
Au	1	3546001	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
<b>Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)</b>											
Ag	1	3545937	< 0.2	< 0.2	0.0%	< 0.2				80%	120%
Al	1	3545937	0.572	0.533	7.1%	< 0.01				80%	120%
As	1	3545937	22	21	4.7%	< 1				80%	120%
B	1	3545937	5	4	22.2%	< 5				80%	120%
Ba	1	3545937	71	68	4.3%	< 1				80%	120%
Be	1	3545937	1.0	1.0	0.0%	< 0.5				80%	120%
Bi	1	3545988	2	2	0.0%	< 1				80%	120%
Ca	1	3545937	0.06	0.06	0.0%	< 0.01				80%	120%
Cd	1	3545937	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	3545937	2	2	0.0%	< 1				80%	120%
Co	1	3545937	13.2	13.3	0.8%	< 0.5				80%	120%
Cr	1	3545937	89.7	88.9	0.9%	< 0.5				80%	120%
Cu	1	3545937	11.2	11.3	0.9%	< 0.5	3771	3800	99%	80%	120%
Fe	1	3545937	2.73	2.65	3.0%	< 0.01				80%	120%
Ga	1	3545937	< 5	< 5	0.0%	< 5				80%	120%
Hg	1	3545937	< 1	< 1	0.0%	< 1				80%	120%
In	1	3545937	< 1	< 1	0.0%	< 1				80%	120%
K	1	3545937	0.248	0.234	5.8%	< 0.01				80%	120%
La	1	3545937	3	3	0.0%	< 1				80%	120%
Li	1	3545937	10	9	10.5%	< 1				80%	120%
Mg	1	3545937	0.078	0.074	5.3%	< 0.01				80%	120%
Mn	1	3545937	98	99	1.0%	< 1				80%	120%
Mo	1	3545937	1.5	1.8	18.2%	< 0.5				80%	120%
Na	1	3545937	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Ni	1	3545937	24.7	25.2	2.0%	< 0.5				80%	120%
P	1	3545937	99	90	9.5%	< 10	515	600	86%	80%	120%
Pb	1	3545937	15.9	16.3	2.5%	< 0.5				80%	120%
Rb	1	3545937	17	17	0.0%	< 10	13	13	98%	80%	120%

## Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y623284

PROJECT NO:

ATTENTION TO: Yinghua Chen

### Solid Analysis (Continued)

RPT Date:		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
S	1	3545937	0.0115	0.0111	3.5%	< 0.005				80% 120%
Sb	1	3545937	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	3545937	3.8	3.8	0.0%	< 0.5				80% 120%
Se	1	3545937	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3545937	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3545937	13.7	11.6	16.6%	1.2				80% 120%
Ta	1	3545937	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3545937	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3545937	< 5	< 5	0.0%	< 5	1.4	1.4	101%	80% 120%
Ti	1	3545937	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3545937	0.08	0.08	0.0%	< 0.01				80% 120%
U	1	3545937	< 5	< 5	0.0%	< 5				80% 120%
V	1	3545937	12.8	12.4	3.2%	< 0.5				80% 120%
W	1	3545937	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3545937	2	2	0.0%	< 1				80% 120%
Zn	1	3545937	55.2	55.4	0.4%	< 0.5				80% 120%
Zr	1	3545937	< 5	< 5	0.0%	< 5				80% 120%
<b>Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)</b>										
Ag	1	3545962	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3545962	0.10	0.09	10.5%	< 0.01				80% 120%
As	1	3545962	493	491	0.4%	< 1				80% 120%
B	1	3545962	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3545962	11	10	9.5%	< 1				80% 120%
Be	1	3545962	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	3545962	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3545962	16.4	15.9	3.1%	< 0.01				80% 120%
Cd	1	3545962	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3545962	8	8	0.0%	< 1				80% 120%
Co	1	3545962	0.8	0.8	0.0%	< 0.5				80% 120%
Cr	1	3545962	12.5	12.7	1.6%	< 0.5				80% 120%
Cu	1	3545962	0.7	0.6	15.4%	< 0.5	3968	3800	104%	80% 120%
Fe	1	3545962	0.52	0.50	3.9%	< 0.01				80% 120%
Ga	1	3545962	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3545962	4	5	22.2%	< 1				80% 120%
In	1	3545962	< 1	< 1	0.0%	< 1				80% 120%
K	1	3545962	0.038	0.033	14.1%	< 0.01				80% 120%
La	1	3545962	2	2	0.0%	< 1				80% 120%
Li	1	3545962	< 1	< 1	0.0%	< 1				80% 120%
Mg	1	3545962	10.7	10.4	2.8%	< 0.01				80% 120%
Mn	1	3545962	501	498	0.6%	< 1				80% 120%
Mo	1	3545962	2.3	2.3	0.0%	< 0.5				80% 120%
Na	1	3546013	0.01	0.01	0.0%	< 0.01				80% 120%
Ni	1	3545962	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
P	1	3545962	471	468	0.6%	< 10	573	600	95%	80% 120%



## Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y623284

PROJECT NO:

ATTENTION TO: Yinghua Chen

### Solid Analysis (Continued)

RPT Date:		REPLICATE				Method Blank	REFERENCE MATERIAL				Acceptable Limits	
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery		Lower	Upper
Pb	1	3545962	1.95	2.47	23.5%	< 0.5					80%	120%
Rb	1	3545962	13	13	0.0%	< 10	13	13	100%		80%	120%
S	1	3545962	0.217	0.206	5.2%	< 0.005					80%	120%
Sb	1	3545962	14	13	7.4%	< 1					80%	120%
Sc	1	3545962	0.99	0.95	4.1%	< 0.5					80%	120%
Se	1	3545962	< 10	< 10	0.0%	< 10					80%	120%
Sn	1	3545962	< 5	< 5	0.0%	< 5					80%	120%
Sr	1	3545962	41.5	39.4	5.2%	< 0.5	312	390	80%		80%	120%
Ta	1	3545962	< 10	< 10	0.0%	< 10					80%	120%
Te	1	3545962	< 10	< 10	0.0%	< 10					80%	120%
Th	1	3545962	< 5	< 5	0.0%	< 5	1.5	1.4	108%		80%	120%
Ti	1	3545962	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
Tl	1	3545962	0.20	0.19	5.1%	< 0.01					80%	120%
U	1	3545962	< 5	< 5	0.0%	< 5					80%	120%
V	1	3545962	17.6	15.8	10.8%	< 0.5					80%	120%
W	1	3545962	< 1	< 1	0.0%	< 1					80%	120%
Y	1	3545962	2	2	0.0%	< 1					80%	120%
Zn	1	3545962	79.7	80.3	0.8%	< 0.5					80%	120%
Zr	1	3545962	< 5	< 5	0.0%	< 5					80%	120%

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1	3545988	< 0.2	< 0.2	0.0%	< 0.2					80%	120%
Al	1	3545988	0.08	0.08	0.0%	< 0.01					80%	120%
As	1	3545988	2540	2610	2.7%	< 1					80%	120%
B	1	3545988	< 5	< 5	0.0%	< 5					80%	120%
Ba	1	3545988	12	12	0.0%	< 1					80%	120%
Be	1	3545988	< 0.5	< 0.5	0.0%	< 0.5					80%	120%
Bi	1	3545988	< 1	< 1	0.0%	< 1					80%	120%
Ca	1	3545988	13.6	13.8	1.5%	< 0.01					80%	120%
Cd	1	3545988	< 0.5	0.8		< 0.5					80%	120%
Ce	1	3545988	7	7	0.0%	< 1					80%	120%
Co	1	3545988	0.92	0.96	4.3%	< 0.5					80%	120%
Cr	1	3545988	15.2	17.0	11.2%	< 0.5					80%	120%
Cu	1	3545988	1.40	1.47	4.9%	< 0.5	3920	3800	103%		80%	120%
Fe	1	3545988	0.567	0.563	0.7%	< 0.01					80%	120%
Ga	1	3545988	< 5	< 5	0.0%	< 5					80%	120%
Hg	1	3545988	14	14	0.0%	< 1					80%	120%
In	1	3545988	< 1	< 1	0.0%	< 1					80%	120%
K	1	3545988	0.03	0.03	0.0%	< 0.01					80%	120%
La	1	3545988	2	2	0.0%	< 1					80%	120%
Li	1	3545988	< 1	< 1	0.0%	< 1					80%	120%
Mg	1	3545988	8.72	8.81	1.0%	< 0.01					80%	120%
Mn	1	3545988	666	683	2.5%	< 1					80%	120%
Mo	1	3545988	2.12	2.17	2.3%	< 0.5					80%	120%
Na	1	3545988	< 0.01	< 0.01	0.0%	< 0.01					80%	120%





## Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y623284

PROJECT NO:

ATTENTION TO: Yinghua Chen

### Solid Analysis (Continued)

RPT Date:		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ni	1	3545988	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
P	1	3545988	263	262	0.4%	< 10	548	600	91%	80% 120%
Pb	1	3545988	1.92	2.08	8.0%	< 0.5				80% 120%
Rb	1	3545988	13	13	0.0%	< 10				80% 120%
S	1	3545988	0.171	0.174	1.7%	< 0.005				80% 120%
Sb	1	3545988	20	21	4.9%	< 1				80% 120%
Sc	1	3545988	1.0	1.0	0.0%	< 0.5				80% 120%
Se	1	3545988	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3545988	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3545988	52.6	49.8	5.5%	< 0.5	316	390	81%	80% 120%
Ta	1	3545988	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3545988	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3545988	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3545988	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3545988	2.71	2.70	0.4%	< 0.01				80% 120%
U	1	3545988	< 5	< 5	0.0%	< 5				80% 120%
V	1	3545988	15.0	14.7	2.0%	< 0.5				80% 120%
W	1	3545988	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3545988	2	2	0.0%	< 1				80% 120%
Zn	1	3545988	17.3	17.4	0.6%	< 0.5				80% 120%
Zr	1	3545988	< 5	< 5	0.0%	< 5				80% 120%

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1	3546013	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3546013	0.02	0.02	0.0%	< 0.01				80% 120%
As	1	3546013	21	23	9.1%	< 1				80% 120%
B	1	3546013	< 5	< 5	0.0%	< 5	5.65	7.00	81%	80% 120%
Ba	1	3546013	15	15	0.0%	< 1				80% 120%
Be	1	3546013	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	3546013	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3546013	28.8	30.4	5.4%	< 0.01				80% 120%
Cd	1	3546013	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3546013	18	18	0.0%	< 1				80% 120%
Co	1	3546013	0.8	0.8	0.0%	< 0.5				80% 120%
Cr	1	3546013	1.7	1.7	0.0%	< 0.5				80% 120%
Cu	1	3546013	< 0.5	< 0.5	0.0%	< 0.5	4025	3800	105%	80% 120%
Fe	1	3546013	0.094	0.099	5.2%	< 0.01				80% 120%
Ga	1	3546013	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3546013	< 1	< 1	0.0%	< 1				80% 120%
In	1	3546013	< 1	< 1	0.0%	< 1				80% 120%
K	1	3546013	< 0.01	0.01		< 0.01				80% 120%
La	1	3546013	3	3	0.0%	< 1				80% 120%
Li	1	3546013	< 1	< 1	0.0%	< 1				80% 120%
Mg	1	3546013	1.68	1.78	5.8%	< 0.01				80% 120%
Mn	1	3546013	156	159	1.9%	< 1				80% 120%



## Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y623284

PROJECT NO:

ATTENTION TO: Yinghua Chen

### Solid Analysis (Continued)

RPT Date:		REPLICATE				Method Blank	REFERENCE MATERIAL				Acceptable Limits	
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery		Lower	Upper
Mo	1	3546013	3.7	3.9	5.3%	< 0.5					80%	120%
Na	1	3546013	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
Ni	1	3546013	< 0.5	< 0.5	0.0%	< 0.5					80%	120%
P	1	3546013	258	271	4.9%	< 10	565	600	94%		80%	120%
Pb	1	3546013	< 0.5	< 0.5	0.0%	< 0.5					80%	120%
Rb	1	3546013	11	12	8.7%	< 10					80%	120%
S	1	3546013	0.375	0.394	4.9%	< 0.005					80%	120%
Sb	1	3546013	10	10	0.0%	< 1					80%	120%
Sc	1	3546013	< 0.5	< 0.5	0.0%	< 0.5					80%	120%
Se	1	3546013	< 10	< 10	0.0%	< 10					80%	120%
Sn	1	3546013	15	17	12.5%	< 5					80%	120%
Sr	1	3546013	602	645	6.9%	< 0.5					80%	120%
Ta	1	3546013	< 10	< 10	0.0%	< 10					80%	120%
Te	1	3546013	< 10	< 10	0.0%	< 10					80%	120%
Th	1	3546013	< 5	< 5	0.0%	< 5	1.6	1.4	114%		80%	120%
Ti	1	3546013	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
Tl	1	3546013	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
U	1	3546013	< 5	< 5	0.0%	< 5					80%	120%
V	1	3546013	6.01	5.25	13.5%	< 0.5					80%	120%
W	1	3546013	< 1	< 1	0.0%	< 1					80%	120%
Y	1	3546013	2	2	0.0%	< 1					80%	120%
Zn	1	3546013	4.34	4.39	1.1%	< 0.5					80%	120%
Zr	1	3546013	< 5	< 5	0.0%	< 5					80%	120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)												
Ag	1	3546038	< 0.2	< 0.2	0.0%	< 0.2					80%	120%
Al	1	3546038	5.03	5.05	0.4%	< 0.01					80%	120%
As	1	3546038	176	168	4.7%	< 1					80%	120%
B	1	3546038	18	11		< 5					80%	120%
Ba	1	3546038	455	461	1.3%	< 1					80%	120%
Be	1	3546038	1.5	1.4	6.9%	< 0.5					80%	120%
Bi	1	3546038	4	2		< 1					80%	120%
Ca	1	3546038	4.20	4.26	1.4%	< 0.01					80%	120%
Cd	1	3546038	< 0.5	< 0.5	0.0%	< 0.5					80%	120%
Ce	1	3546038	141	135	4.3%	< 1					80%	120%
Co	1	3546038	41.8	40.2	3.9%	< 0.5					80%	120%
Cr	1	3546038	286	278	2.8%	< 0.5					80%	120%
Cu	1	3546038	264	260	1.5%	< 0.5	3839	3800	101%		80%	120%
Fe	1	3546038	10.2	10.4	1.9%	< 0.01					80%	120%
Ga	1	3546038	31	28	10.2%	< 5					80%	120%
Hg	1	3546038	< 1	< 1	0.0%	< 1					80%	120%
In	1	3546038	2	< 1		< 1					80%	120%
K	1	3546038	0.20	0.20	0.0%	< 0.01					80%	120%
La	1	3546038	73	70	4.2%	< 1					80%	120%
Li	1	3546038	102	103	1.0%	< 1					80%	120%

## Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y623284

PROJECT NO:

ATTENTION TO: Yinghua Chen

### Solid Analysis (Continued)

RPT Date:		REPLICATE				Method Blank	REFERENCE MATERIAL				Acceptable Limits	
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery		Lower	Upper
Mg	1	3546038	3.68	3.74	1.6%	< 0.01					80%	120%
Mn	1	3546038	6370	6240	2.1%	< 1					80%	120%
Mo	1	3546038	6.0	7.6	23.5%	< 0.5					80%	120%
Na	1	3546038	0.02	0.02	0.0%	< 0.01					80%	120%
Ni	1	3546038	176	171	2.9%	< 0.5					80%	120%
P	1	3546038	4080	3900	4.5%	< 10	548	600	91%		80%	120%
Pb	1	3546038	84.9	82.4	3.0%	< 0.5					80%	120%
Rb	1	3546038	35	33	5.9%	< 10					80%	120%
S	1	3546038	0.135	0.139	2.9%	< 0.005					80%	120%
Sb	1	3546038	< 1	< 1	0.0%	< 1					80%	120%
Sc	1	3546038	15.0	14.8	1.3%	< 0.5					80%	120%
Se	1	3546038	< 10	< 10	0.0%	< 10					80%	120%
Sn	1	3546038	< 5	< 5	0.0%	< 5					80%	120%
Sr	1	3546038	238	247	3.7%	< 0.5					80%	120%
Ta	1	3546038	< 10	< 10	0.0%	< 10					80%	120%
Te	1	3546038	< 10	< 10	0.0%	< 10					80%	120%
Th	1	3546038	< 5	< 5	0.0%	< 5					80%	120%
Ti	1	3546038	0.07	0.08	13.3%	< 0.01					80%	120%
Tl	1	3546038	0.25	0.23	8.3%	< 0.01					80%	120%
U	1	3546038	15	13	14.3%	< 5					80%	120%
V	1	3546038	233	226	3.1%	< 0.5					80%	120%
W	1	3546038	< 1	< 1	0.0%	< 1					80%	120%
Y	1	3546038	18	18	0.0%	< 1					80%	120%
Zn	1	3546038	162	158	2.5%	< 0.5					80%	120%
Zr	1	3546038	< 5	< 5	0.0%	< 5					80%	120%

#### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Co	1					< 0.5					80%	120%
Cu	1					< 0.5	3897	3800	102%		80%	120%
P	1					< 10	556	600	93%		80%	120%
Rb	1					< 10	15	13	115%		80%	120%

#### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Cu	1					< 0.5	3861	3800	101%		80%	120%
P	1					< 10	547	600	91%		80%	120%
Rb	1					< 10	15	13	115%		80%	120%
Th	1					< 5	1.4	1.4	100%		80%	120%

#### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Cu	1					< 0.5	3875	3800	101%		80%	120%
P	1					< 10	540	600	90%		80%	120%
Rb	1					< 10	14	13	111%		80%	120%
Sr	1					< 0.5	317	390	81%		80%	120%

Certified By:



## Method Summary

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y623284

PROJECT NO:

ATTENTION TO: Yinghua Chen

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
<b>Solid Analysis</b>			
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
B	MIN-200-12020		ICP/OES
Ba	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
In	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP/OES
Li	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr	MIN-200-12020		ICP/OES
Ta	MIN-200-12020		ICP/OES
Te	MIN-200-12020		ICP/OES
Th	MIN-200-12020		ICP/OES
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP-MS
U	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP/OES
Y	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Zr	MIN-200-12020		ICP/OES
As-OL			AA
Zn-OL			AA
Sample Login Weight	MIN-12009		BALANCE

## Method Summary

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y623284

PROJECT NO:

ATTENTION TO: Yinghua Chen

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES