

CLIENT NAME: ANTHILL RESOURCES (YUKON)
1090-999 WEST HASTINGS STREET
Vancouver, BC V6C2W2
(604) 569-3892

ATTENTION TO: Yinghua Chen

PROJECT NO:

AGAT WORK ORDER: 12Y623581

SOLID ANALYSIS REVIEWED BY: Kevin Motomura, ICP Supervisor

DATE REPORTED: Aug 14, 2012

PAGES (INCLUDING COVER): 77

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

***NOTES**



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
07542	<0.2	1.06	25	<5	36	0.5	5	0.02	<0.5	63	6.5	11.8	33.8	3.54
07543	<0.2	2.21	20	<5	127	1.2	5	0.07	<0.5	41	22.1	25.4	68.8	3.60
07544	<0.2	1.68	26	<5	135	0.8	5	0.10	<0.5	27	8.5	28.8	29.0	3.05
07545	<0.2	1.66	32	<5	116	0.7	4	0.08	<0.5	26	9.5	25.0	25.7	2.98
07546	<0.2	0.04	22	<5	4	<0.5	<1	29.6	<0.5	21	2.1	<0.5	2.8	0.49
07547	<0.2	1.06	10	<5	89	<0.5	6	0.06	<0.5	15	5.8	20.1	35.7	3.47
07548	<0.2	2.04	42	5	128	0.9	6	0.56	<0.5	24	13.7	23.3	27.8	4.19
07549	<0.2	1.17	33	<5	157	<0.5	3	0.09	<0.5	28	9.1	20.5	14.9	2.60
07550	<0.2	1.68	36	<5	250	0.6	5	0.12	<0.5	32	9.4	24.2	22.5	3.04
07551	<0.2	1.25	42	<5	146	<0.5	5	0.07	<0.5	43	6.1	19.0	18.8	2.78
07552	<0.2	1.10	44	<5	381	<0.5	4	0.07	<0.5	31	6.4	16.0	15.1	2.41
07553	<0.2	1.69	25	<5	196	<0.5	4	0.05	<0.5	33	6.2	24.7	15.8	3.40
07554	<0.2	1.33	42	<5	207	<0.5	1	0.04	<0.5	59	3.2	15.5	13.2	2.29
07555	<0.2	1.28	64	<5	292	0.6	3	0.09	<0.5	22	6.5	17.7	21.9	1.84
07556	<0.2	1.10	50	<5	118	<0.5	2	0.11	<0.5	26	4.0	21.3	12.2	1.93
07557	0.5	0.60	91	<5	180	<0.5	<1	1.96	0.7	11	3.2	6.1	38.5	0.74
07558	<0.2	0.75	2790	<5	124	<0.5	3	0.14	<0.5	37	17.6	7.9	21.4	3.54
07559	<0.2	1.32	71	<5	177	<0.5	4	0.04	<0.5	55	5.9	16.8	17.6	3.07
07560	0.2	1.77	75	<5	401	0.6	4	0.54	<0.5	49	11.4	22.5	66.7	2.99
07561	<0.2	1.71	157	<5	287	0.6	4	0.10	<0.5	32	13.2	23.8	29.2	3.27
07562	0.2	1.99	62	<5	140	0.7	4	0.68	<0.5	48	17.0	22.0	76.0	3.81
07563	<0.2	1.63	56	<5	152	0.6	4	0.29	<0.5	47	15.5	19.9	47.0	3.58
07564	<0.2	1.62	46	<5	283	0.5	4	0.13	<0.5	50	11.9	19.9	34.6	3.16
07565	<0.2	1.25	60	<5	76	<0.5	4	0.04	<0.5	39	5.6	22.8	18.6	3.58
07566	<0.2	1.75	25	<5	185	0.6	4	0.07	<0.5	67	12.1	26.6	38.8	3.87
07797	<0.2	1.46	33	<5	183	<0.5	4	0.06	<0.5	31	9.9	26.0	25.9	3.39
07798	<0.2	1.24	21	<5	91	<0.5	4	0.03	<0.5	20	4.8	19.2	16.7	3.51
07799	<0.2	1.31	14	<5	188	<0.5	3	0.07	<0.5	27	6.9	21.5	14.5	2.67
07800	<0.2	1.43	22	<5	110	<0.5	6	0.05	<0.5	34	9.1	24.4	20.7	3.70
07801	<0.2	1.29	22	<5	2870	<0.5	4	0.18	<0.5	38	8.3	19.6	22.8	2.30
07802	0.4	1.53	30	<5	831	0.7	4	0.53	<0.5	37	12.1	24.2	46.7	2.95
07803	<0.2	1.33	26	<5	352	0.5	2	0.39	<0.5	48	10.4	21.5	35.0	2.97

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
07804	<0.2	1.61	26	<5	372	0.6	4	0.13	<0.5	37	10.9	27.9	39.0	2.73
07805	<0.2	1.54	43	<5	351	0.6	4	0.78	<0.5	29	12.6	30.8	41.0	2.87
07806	<0.2	1.90	40	<5	370	0.8	3	0.77	<0.5	35	12.0	36.4	60.0	3.51
07807	<0.2	1.94	35	<5	231	0.6	4	0.50	<0.5	58	16.0	27.9	40.4	3.99
07808	<0.2	1.58	34	<5	201	<0.5	2	0.81	<0.5	42	13.0	25.0	48.9	3.23
07830	<0.2	1.54	202	<5	142	1.0	3	0.19	<0.5	77	11.6	20.0	34.7	2.57
07831	<0.2	1.48	289	<5	206	0.8	3	0.27	<0.5	56	11.9	22.4	35.3	2.94
07832	0.8	1.07	99	<5	168	0.6	4	0.42	<0.5	42	11.4	18.9	27.8	3.26
07833	1.3	1.08	102	<5	281	<0.5	3	0.20	<0.5	41	34.2	19.4	21.8	2.99
07834	0.4	1.18	88	<5	277	0.6	3	0.67	<0.5	31	9.6	18.9	28.2	2.88
07835	<0.2	0.94	213	<5	296	<0.5	3	0.08	<0.5	26	5.8	18.0	18.7	2.36
07836	<0.2	1.06	130	<5	187	<0.5	3	0.35	<0.5	34	5.3	16.7	21.4	2.04
07837	0.3	1.02	75	<5	323	<0.5	2	0.53	<0.5	32	5.6	17.0	19.5	1.94
07838	0.7	1.35	233	<5	550	0.7	3	0.82	<0.5	21	10.7	19.7	41.1	2.70
07839	0.3	1.37	171	<5	495	0.7	3	0.57	<0.5	20	8.8	18.2	32.6	2.46
07840	0.3	1.27	40	<5	282	<0.5	4	0.09	<0.5	29	8.1	19.9	18.9	2.67
07841	0.2	1.55	36	<5	313	0.6	3	0.23	<0.5	40	12.2	24.3	30.8	3.10
07842	1.0	1.30	39	<5	453	<0.5	3	0.39	<0.5	37	9.8	23.4	33.2	2.74
07843	<0.2	1.87	40	<5	412	0.6	3	0.65	<0.5	46	15.3	26.6	60.1	3.51
07844	0.4	1.89	49	<5	335	0.7	3	1.56	<0.5	49	14.4	26.4	69.9	3.35
07845	0.3	1.71	45	<5	231	0.6	3	0.62	<0.5	23	14.1	18.9	71.6	3.86
07846	1.0	1.45	25	<5	217	0.6	3	1.48	<0.5	14	11.5	18.4	63.8	2.73
07847	0.3	1.37	65	<5	139	<0.5	4	0.33	<0.5	51	13.3	18.6	37.5	3.43
07353	2.1	1.69	131	<5	284	0.7	4	0.57	<0.5	46	14.5	21.1	61.8	3.35
07354	1.6	1.42	68	<5	228	<0.5	3	0.48	<0.5	37	10.3	17.8	22.4	2.56
07355	0.4	1.58	64	<5	196	0.7	3	0.52	<0.5	33	13.2	19.4	37.9	2.89
07356	1.4	1.99	283	<5	223	0.9	4	0.73	<0.5	29	13.6	23.6	49.9	3.31
07357	0.9	0.98	60	<5	85	<0.5	3	0.05	<0.5	34	5.8	13.5	21.0	2.09
07358	0.3	1.22	47	<5	319	0.5	4	0.64	2.0	41	13.6	16.4	40.2	2.71
07359	0.4	2.43	38	6	204	1.4	6	0.61	<0.5	41	11.8	28.1	25.0	4.05
07360	0.4	1.95	39	<5	183	0.7	4	1.11	<0.5	50	16.0	24.8	79.7	3.55
07361	<0.2	1.45	37	<5	251	<0.5	3	1.77	<0.5	17	9.9	15.8	53.0	2.74

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
07362	<0.2	1.13	27	<5	175	<0.5	2	0.13	<0.5	48	9.6	14.3	24.8	2.91
07363	<0.2	1.18	26	<5	264	<0.5	4	0.66	<0.5	40	11.9	14.3	33.5	2.42
07364	<0.2	0.98	19	<5	112	<0.5	3	0.10	<0.5	55	7.8	13.0	19.1	2.22
07365	0.4	1.03	25	<5	209	<0.5	3	0.78	<0.5	20	10.6	11.5	36.1	2.52
07366	0.3	1.65	23	<5	163	0.7	5	0.37	<0.5	49	14.1	21.9	94.2	3.79
07367	<0.2	1.32	22	<5	137	<0.5	3	0.67	<0.5	38	12.6	15.9	38.1	2.98
07368	0.4	1.40	25	<5	174	<0.5	3	0.98	<0.5	31	11.7	17.1	31.7	2.63
07369	<0.2	1.34	34	<5	211	<0.5	3	0.85	<0.5	49	13.1	18.5	42.6	3.11
06466	<0.2	1.55	232	<5	206	0.8	4	0.36	<0.5	38	10.6	21.6	21.6	3.24
06467	0.2	1.74	68	<5	166	0.6	5	0.11	<0.5	30	12.4	27.1	33.6	3.64
06468	0.3	1.38	40	<5	203	<0.5	4	0.08	<0.5	31	8.5	20.8	19.6	2.81
06469	<0.2	1.65	37	<5	186	0.5	3	0.04	<0.5	36	10.1	21.8	25.0	3.40
06470	<0.2	1.90	43	<5	1900	0.7	6	0.05	<0.5	49	13.7	24.1	34.2	3.44
06471	0.3	1.57	47	<5	204	<0.5	5	0.05	<0.5	29	6.6	21.5	20.0	3.69
06472	<0.2	1.43	28	<5	162	0.7	5	0.09	<0.5	25	11.4	16.1	14.2	3.60
06473	0.3	1.89	43	<5	212	0.6	4	0.03	<0.5	45	8.9	21.9	20.8	2.89
06474	0.5	1.81	59	<5	210	0.6	3	0.03	<0.5	44	12.1	19.9	25.1	3.16
06475	<0.2	1.58	24	<5	224	0.8	4	0.04	<0.5	55	13.5	20.5	33.9	3.64
06476	0.2	1.02	86	<5	64	0.8	5	0.08	<0.5	56	13.8	7.3	30.0	4.19
06477	<0.2	1.93	32	5	170	<0.5	4	0.02	<0.5	33	10.3	23.4	24.0	3.66
06478	<0.2	1.11	28	<5	115	<0.5	3	0.04	<0.5	34	7.2	18.2	13.4	3.58
06479	<0.2	1.71	20	<5	176	<0.5	3	0.05	<0.5	45	6.8	21.3	11.1	2.68
06480	<0.2	2.01	23	<5	246	0.6	3	0.02	<0.5	58	10.2	20.3	26.1	3.60
06481	<0.2	1.90	18	<5	148	<0.5	3	0.06	<0.5	24	8.2	26.1	9.5	3.68
06482	0.2	2.12	18	<5	200	0.6	4	0.02	<0.5	45	11.7	23.4	27.4	3.47
06483	<0.2	1.89	9	<5	122	<0.5	3	0.04	<0.5	68	10.1	20.6	19.6	2.72
07279	0.3	1.02	84	<5	56	<0.5	4	0.08	<0.5	61	9.1	13.1	25.3	2.57
07280	1.0	0.92	69	<5	139	<0.5	2	0.81	<0.5	22	10.6	8.7	27.3	2.93
07281	0.2	1.53	28	<5	220	<0.5	3	0.89	1.6	33	15.7	17.3	54.7	3.40
07282	0.5	1.33	57	5	276	<0.5	5	0.18	0.5	30	16.0	18.4	65.2	4.28
07283	<0.2	1.17	28	<5	229	<0.5	3	0.50	<0.5	40	10.9	14.3	34.8	2.79
07284	0.3	1.41	30	5	427	<0.5	2	0.65	<0.5	48	13.0	18.0	48.1	3.13

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
07285	0.2	1.60	19	<5	213	<0.5	2	0.24	<0.5	55	14.3	18.5	33.8	2.97
07286	<0.2	0.78	13	<5	151	<0.5	1	0.92	<0.5	21	5.6	10.7	20.5	1.27
07287	0.2	1.73	24	<5	148	0.5	2	0.76	<0.5	41	13.9	18.6	54.5	3.24
07288	<0.2	1.55	26	<5	75	<0.5	5	0.08	<0.5	64	21.1	14.6	39.1	3.99
07289	<0.2	1.14	22	<5	100	<0.5	3	0.39	<0.5	45	13.0	15.3	32.8	3.12
07290	0.5	1.40	18	<5	221	<0.5	2	0.60	<0.5	37	11.2	14.7	28.1	2.45
07291	0.3	1.35	27	<5	147	<0.5	2	1.70	<0.5	18	9.6	13.4	45.2	2.41
07292	<0.2	1.75	19	<5	198	<0.5	4	0.06	<0.5	57	10.8	18.7	23.9	3.12
07293	<0.2	1.43	26	<5	232	<0.5	2	0.12	<0.5	46	6.4	14.3	19.0	2.61
07294	<0.2	1.09	26	<5	155	<0.5	2	1.10	<0.5	20	10.4	11.6	37.3	2.66
07295	<0.2	1.23	21	<5	254	<0.5	3	0.54	<0.5	21	10.6	13.2	30.1	2.78
07296	<0.2	1.19	20	<5	202	<0.5	2	0.95	<0.5	18	9.2	11.6	33.7	2.55
07297	<0.2	1.16	20	<5	268	<0.5	1	1.22	<0.5	28	9.1	11.4	35.5	2.30
07298	<0.2	1.42	22	<5	318	<0.5	2	0.81	<0.5	32	13.6	15.5	33.2	3.08
07299	0.2	1.31	24	<5	261	<0.5	1	1.33	<0.5	28	11.4	13.3	36.3	2.75
07300	0.3	1.60	24	<5	268	0.7	3	0.47	<0.5	43	12.4	19.5	62.4	3.34
07301	<0.2	1.16	21	<5	220	<0.5	<1	1.23	<0.5	22	8.2	11.6	30.7	2.32
07302	0.2	1.28	26	<5	313	<0.5	3	0.84	<0.5	9	10.4	12.1	37.4	2.80
07303	0.3	1.29	26	<5	231	<0.5	2	0.59	<0.5	29	12.4	13.7	41.8	3.04
07567	0.7	1.23	133	<5	118	<0.5	3	0.54	<0.5	39	11.6	13.7	45.9	3.02
07568	0.2	1.12	105	<5	146	<0.5	1	0.48	<0.5	46	6.5	13.4	17.4	2.53
07569	<0.2	1.68	141	<5	134	<0.5	3	0.12	<0.5	49	11.5	18.7	32.0	3.51
07570	<0.2	1.22	282	<5	235	<0.5	3	0.13	<0.5	26	11.8	17.9	38.6	3.53
07571	1.4	0.65	105	<5	45	<0.5	4	1.31	<0.5	70	14.2	5.3	40.4	3.09
07572	<0.2	1.49	92	<5	172	<0.5	4	0.08	<0.5	41	12.8	17.1	24.9	3.28
07573	0.3	1.33	24	<5	204	<0.5	3	0.57	<0.5	25	14.1	17.2	57.7	3.34
07574	0.2	1.69	16	<5	90	<0.5	5	0.10	<0.5	70	23.6	21.9	25.8	4.08
07575	<0.2	1.29	20	5	186	0.6	4	1.15	<0.5	27	13.1	18.0	53.7	2.76
07576	0.4	1.43	28	<5	339	0.6	3	0.92	<0.5	32	11.7	19.8	54.1	2.62
07577	0.2	1.05	39	<5	123	<0.5	<1	1.98	<0.5	17	10.2	13.2	46.0	2.10
07578	<0.2	1.27	76	<5	144	0.5	3	0.24	<0.5	28	13.7	16.1	39.4	3.32
07579	0.3	1.52	34	<5	220	0.6	3	1.09	<0.5	29	12.6	19.2	49.9	3.14

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
07580	<0.2	0.98	33	<5	111	<0.5	2	1.79	<0.5	20	10.7	14.9	38.1	2.37
07581	<0.2	1.13	45	<5	127	<0.5	3	0.59	<0.5	68	14.7	13.0	38.3	3.51
07582	<0.2	0.83	22	<5	134	<0.5	2	1.69	<0.5	15	8.4	16.3	39.0	1.83
07583	<0.2	0.78	22	<5	69	<0.5	3	0.64	<0.5	55	9.6	13.9	34.2	2.71
07584	0.2	1.28	27	<5	92	<0.5	3	0.70	<0.5	39	13.6	15.6	49.9	3.40
07585	<0.2	1.22	37	<5	138	<0.5	3	1.26	<0.5	33	11.9	15.1	34.1	3.02
07586	<0.2	0.97	33	<5	68	<0.5	3	3.72	<0.5	15	16.2	10.5	51.6	3.35
07587	<0.2	1.89	34	<5	180	0.6	5	0.23	<0.5	37	15.0	24.9	61.6	3.85
07588	<0.2	1.52	36	<5	158	<0.5	2	0.08	<0.5	20	8.5	21.7	6.8	2.71
07326	<0.2	1.82	34	<5	236	0.5	3	0.06	<0.5	61	8.9	20.1	17.7	3.23
07327	0.3	0.98	47	<5	171	<0.5	3	0.10	<0.5	72	9.6	11.1	24.1	2.79
07328	0.2	1.37	17	<5	234	<0.5	2	0.49	<0.5	36	8.8	17.6	17.4	2.20
07329	<0.2	1.27	36	<5	132	<0.5	3	0.85	<0.5	34	10.8	15.0	31.0	2.82
07330	<0.2	1.15	31	<5	151	<0.5	3	0.88	<0.5	20	9.2	14.5	35.4	2.53
07331	<0.2	1.20	25	<5	187	<0.5	2	1.09	<0.5	30	11.4	14.3	38.2	2.67
07332	0.2	1.31	27	<5	179	<0.5	2	1.12	<0.5	34	11.4	17.3	47.4	2.88
07333	0.2	1.85	48	<5	263	<0.5	2	0.41	<0.5	39	12.8	23.3	16.9	2.95
07334	<0.2	1.32	25	<5	155	<0.5	2	0.05	<0.5	59	8.9	13.9	35.7	2.43
07335	<0.2	1.59	50	<5	231	0.6	2	0.52	<0.5	30	9.6	22.5	32.8	2.75
07336	<0.2	1.43	81	<5	194	<0.5	<1	0.34	<0.5	29	16.6	18.5	40.2	2.49
07337	<0.2	1.23	84	<5	118	<0.5	2	0.25	<0.5	21	5.6	16.9	9.4	1.82
07338	<0.2	1.12	26	<5	230	<0.5	1	0.14	<0.5	30	6.6	13.2	18.4	2.09
07339	<0.2	1.13	30	<5	161	<0.5	3	0.76	<0.5	30	11.8	12.7	24.9	2.65
07340	<0.2	1.08	14	<5	114	<0.5	3	2.76	<0.5	21	11.6	10.7	19.1	3.00
07341	<0.2	1.66	12	<5	150	<0.5	2	0.15	<0.5	36	8.4	19.6	8.1	1.89
07342	0.2	0.78	84	<5	162	<0.5	2	1.14	<0.5	34	8.7	9.8	37.5	2.13
07343	<0.2	0.88	14	<5	79	<0.5	2	0.05	<0.5	62	7.4	8.7	36.4	2.12
07344	0.2	1.07	28	<5	203	<0.5	2	1.08	<0.5	20	11.2	12.7	49.2	2.76
07345	<0.2	0.91	30	<5	232	<0.5	3	1.62	<0.5	18	8.9	11.4	41.8	2.20
07346	<0.2	0.89	28	<5	270	<0.5	1	2.22	<0.5	16	7.2	10.9	38.5	1.89
07347	<0.2	0.97	34	<5	280	<0.5	<1	1.54	<0.5	27	7.6	12.4	33.7	2.03
07348	<0.2	0.95	30	<5	310	<0.5	3	0.30	<0.5	40	7.3	13.2	29.6	2.16

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
07349	0.3	1.07	60	<5	389	<0.5	2	0.27	0.5	37	10.5	18.8	32.2	2.80
07350	<0.2	1.00	62	<5	472	<0.5	2	0.35	<0.5	38	10.5	14.8	32.6	2.77
07351	0.3	0.91	41	<5	323	<0.5	3	0.23	1.0	32	10.4	14.3	17.2	2.41
07352	<0.2	0.95	46	<5	324	<0.5	3	0.20	<0.5	34	10.6	14.1	22.2	2.61
07304	<0.2	1.76	106	<5	219	0.6	2	0.32	<0.5	37	6.9	16.6	14.7	2.58
07305	<0.2	1.66	93	<5	129	0.5	2	0.21	<0.5	29	7.0	19.7	19.5	2.55
07306	<0.2	1.94	79	<5	238	0.7	3	0.27	<0.5	42	9.3	27.0	32.7	2.88
07307	<0.2	2.37	152	<5	179	1.0	2	0.15	<0.5	47	12.2	24.4	26.8	3.31
07308	<0.2	1.41	122	<5	113	0.8	4	0.06	<0.5	26	11.1	22.5	19.2	3.24
07309	<0.2	3.88	23	<5	463	1.6	4	0.28	<0.5	29	16.4	61.1	60.5	4.24
07310	<0.2	1.22	198	11	269	1.1	8	0.16	<0.5	13	22.9	15.1	40.9	8.52
07311	1.0	1.67	92	7	258	2.0	6	0.32	<0.5	65	38.7	27.5	101	6.96
07312	<0.2	1.80	57	<5	119	0.6	3	0.10	<0.5	22	8.7	29.1	24.5	3.10
07313	<0.2	2.09	35	<5	91	0.7	4	0.11	<0.5	31	12.4	30.9	22.2	3.52
07314	<0.2	3.48	61	6	220	1.4	4	0.40	<0.5	14	22.0	69.7	50.8	4.15
07315	0.3	1.69	220	<5	89	1.0	3	0.24	<0.5	15	11.7	18.5	25.8	2.56
07316	<0.2	1.10	32	<5	89	<0.5	3	0.07	<0.5	35	6.6	19.1	19.5	2.49
07317	<0.2	1.02	31	<5	99	<0.5	2	0.06	<0.5	27	4.4	17.6	15.6	2.25
07318	<0.2	1.05	19	<5	104	<0.5	2	0.06	<0.5	26	5.3	21.7	32.5	2.49
07319	<0.2	1.07	104	<5	138	0.6	3	1.27	<0.5	19	9.8	15.1	25.0	2.38
07320	<0.2	1.29	43	<5	133	0.6	3	0.11	<0.5	23	7.4	23.5	29.4	3.36
07321	0.2	1.52	190	<5	135	0.7	4	0.13	<0.5	26	21.7	23.0	67.4	4.19
07322	<0.2	1.00	33	<5	148	<0.5	2	12.3	<0.5	22	9.6	17.9	24.7	2.31
07323	<0.2	1.57	9	<5	85	0.9	5	0.06	<0.5	23	13.5	20.4	32.6	3.69
07324	<0.2	0.89	16	<5	91	<0.5	2	0.09	<0.5	24	8.2	14.6	17.0	2.43
07325	<0.2	1.23	22	<5	119	<0.5	2	0.12	<0.5	32	6.5	19.1	19.9	2.98
07809	0.5	1.11	38	<5	189	<0.5	4	1.07	<0.5	30	15.2	13.8	58.2	4.07
07810	0.4	1.84	39	<5	123	0.6	3	0.68	0.7	19	22.8	21.6	92.4	4.45
07811	<0.2	1.16	60	<5	79	0.8	3	0.61	<0.5	34	21.0	10.8	71.7	4.64
07812	0.2	1.25	195	<5	112	0.5	4	0.41	<0.5	32	13.0	12.6	42.7	3.54
07813	<0.2	0.27	38	5	104	<0.5	<1	4.15	<0.5	4	5.3	3.5	13.7	1.32
07814	<0.2	1.27	29	<5	230	<0.5	2	0.86	<0.5	21	11.8	13.9	45.6	2.86

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
07815	0.3	1.39	37	7	419	0.5	4	0.75	<0.5	43	12.1	16.7	44.0	3.04
07816	0.2	1.34	36	7	350	0.6	2	1.34	<0.5	30	11.1	14.9	43.2	2.69
07817	<0.2	1.32	44	<5	318	<0.5	2	1.63	<0.5	37	11.2	14.8	44.6	3.01
07818	0.6	1.18	34	<5	1300	0.5	2	0.91	0.6	25	10.8	17.4	57.8	2.77
07819	<0.2	1.08	37	<5	594	<0.5	1	1.02	<0.5	29	9.8	12.7	42.1	2.83
07820	<0.2	1.01	31	<5	394	<0.5	3	0.62	<0.5	34	10.0	11.8	34.1	2.46
07821	<0.2	1.38	33	<5	479	0.5	3	0.56	<0.5	42	11.1	15.1	35.4	2.98
07822	<0.2	1.18	29	<5	430	<0.5	2	1.71	<0.5	18	9.4	11.8	34.0	2.43
07823	<0.2	1.40	33	<5	389	<0.5	2	0.72	<0.5	31	12.0	15.3	35.2	3.09
07824	<0.2	1.35	40	<5	401	0.5	4	0.45	<0.5	36	11.4	15.6	33.8	3.03
07825	<0.2	1.17	35	<5	375	<0.5	3	1.46	<0.5	16	10.9	13.7	36.4	2.89
07826	<0.2	0.96	31	5	320	<0.5	3	1.99	<0.5	18	10.1	10.6	29.9	2.29
07827	<0.2	0.77	41	<5	478	<0.5	2	0.69	<0.5	20	10.1	9.8	38.9	2.60
07828	<0.2	1.16	34	<5	236	<0.5	2	0.69	<0.5	32	11.2	13.2	25.0	2.96
07829	<0.2	0.92	41	<5	419	<0.5	3	0.84	<0.5	24	9.3	12.1	23.0	2.62
06484	<0.2	0.99	14	<5	120	<0.5	3	0.05	<0.5	24	9.0	13.8	13.1	2.59
06485	<0.2	1.68	23	<5	241	<0.5	2	0.17	<0.5	48	9.7	21.5	22.0	3.06
06486	<0.2	1.43	23	<5	246	0.5	3	0.23	<0.5	81	10.7	17.9	30.7	3.10
06487	<0.2	1.37	22	<5	189	<0.5	2	0.09	<0.5	42	8.0	20.3	16.0	2.95
06488	<0.2	1.29	12	<5	296	0.5	3	0.24	<0.5	92	15.3	20.6	32.0	4.08
06489	<0.2	1.04	10	<5	212	<0.5	2	0.17	<0.5	67	9.6	14.3	18.2	2.32
06490	<0.2	1.44	67	<5	333	0.6	2	0.40	<0.5	39	10.2	17.4	31.2	3.08
06491	<0.2	1.34	41	<5	269	0.5	3	0.15	<0.5	59	8.8	14.6	34.0	3.02
06492	0.4	1.30	45	<5	152	0.7	6	0.83	<0.5	35	21.8	17.9	90.8	5.18
06493	0.3	0.63	20	<5	213	<0.5	4	1.41	<0.5	27	12.8	14.8	66.2	3.25
06494	0.2	1.45	23	<5	269	<0.5	2	1.57	0.5	23	15.1	76.4	62.2	3.28
06495	<0.2	1.19	31	5	327	<0.5	3	1.48	<0.5	21	15.0	66.8	51.4	3.19
06496	0.2	1.12	32	<5	247	<0.5	4	1.16	<0.5	23	14.1	46.2	56.2	3.15
06497	<0.2	0.98	36	<5	293	<0.5	2	1.06	<0.5	24	10.6	24.0	41.8	2.69
06498	<0.2	0.31	20	6	149	<0.5	<1	2.45	1.3	3	3.2	12.9	22.9	0.75
06499	<0.2	1.05	60	<5	286	<0.5	2	1.41	<0.5	20	11.7	20.4	34.3	2.73
06500	<0.2	1.38	33	<5	250	0.5	4	0.79	<0.5	37	15.0	18.2	82.6	3.72

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
08001	0.3	1.20	41	6	273	<0.5	5	0.47	<0.5	43	12.7	19.1	48.9	3.62
08002	0.2	0.86	44	<5	251	<0.5	3	1.54	0.5	20	12.8	14.1	46.3	2.44
08003	0.3	1.27	36	<5	449	<0.5	2	1.03	<0.5	25	12.6	19.0	47.0	3.10
08004	<0.2	1.21	32	<5	266	<0.5	4	0.20	<0.5	32	15.8	17.6	69.2	4.67
08005	0.7	1.33	38	<5	509	0.6	4	0.76	3.5	23	16.4	17.9	75.9	4.36
08006	<0.2	0.95	36	7	201	<0.5	4	2.51	0.6	11	13.4	23.6	60.7	3.05
08007	0.2	1.36	44	<5	208	<0.5	2	1.29	<0.5	24	15.9	29.4	65.4	3.86
08008	<0.2	1.07	41	<5	243	<0.5	2	1.35	<0.5	34	10.3	14.4	47.5	2.73
08009	<0.2	1.16	83	<5	283	<0.5	4	1.81	<0.5	19	9.8	17.4	67.7	2.92
08010	<0.2	0.84	36	<5	330	<0.5	3	1.56	<0.5	23	8.3	11.3	33.7	2.29
07757	<0.2	1.90	25	<5	200	0.6	4	0.10	<0.5	52	14.1	24.5	25.1	4.00
07758	0.3	1.62	59	<5	154	0.7	4	0.11	<0.5	50	16.5	22.8	52.5	3.23
07759	0.3	1.76	42	<5	67	0.6	5	<0.01	<0.5	34	11.6	25.7	56.9	4.82
07760	1.5	0.80	477	<5	175	0.8	3	0.14	12.6	46	11.6	11.0	75.9	4.34
07761	<0.2	0.53	28	<5	75	<0.5	3	0.06	<0.5	128	12.9	5.1	26.8	2.02
07762	<0.2	0.22	65	<5	129	<0.5	3	<0.01	<0.5	42	1.6	2.7	15.1	2.49
07763	<0.2	1.47	27	<5	319	0.5	4	0.04	<0.5	32	9.7	19.2	31.1	3.55
07764	<0.2	1.50	26	<5	943	0.5	3	0.06	<0.5	38	11.3	20.0	27.7	3.11
07765	<0.2	1.39	17	<5	161	<0.5	3	0.05	<0.5	40	7.6	19.2	20.9	2.83
07766	0.7	1.33	62	5	91	0.6	6	0.08	<0.5	20	21.2	21.1	95.8	5.21
07767	0.7	1.17	37	<5	185	0.6	5	0.07	<0.5	28	13.6	14.8	45.6	4.05
07768	<0.2	1.65	29	<5	175	0.5	4	0.03	<0.5	34	14.9	19.8	37.4	3.63
07769	<0.2	1.63	23	<5	226	0.5	3	0.03	<0.5	49	13.0	17.3	31.1	3.21
06437	<0.2	1.01	24	<5	268	<0.5	2	0.87	<0.5	28	10.5	12.3	19.3	2.31
06438	0.2	1.10	23	<5	332	<0.5	2	1.11	<0.5	22	9.4	14.3	28.5	2.34
06439	0.3	0.92	27	<5	446	<0.5	1	0.85	0.5	14	8.0	12.4	33.1	2.35
06440	0.2	0.94	24	<5	329	<0.5	2	0.92	<0.5	22	9.1	12.6	31.8	2.44
06441	0.4	1.10	21	5	416	<0.5	3	0.74	<0.5	35	9.6	14.1	30.8	2.35
06442	0.3	1.01	21	<5	409	<0.5	3	0.88	<0.5	18	9.5	13.0	27.0	2.26
06443	0.3	1.24	22	<5	469	0.5	2	0.49	0.5	38	12.8	18.4	42.1	2.73
06444	<0.2	1.50	16	5	200	0.6	4	0.20	<0.5	60	17.0	19.8	44.3	4.00
06445	<0.2	1.14	21	<5	245	<0.5	3	0.92	<0.5	28	10.6	12.4	26.8	2.55

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
06446	<0.2	0.90	21	<5	161	<0.5	3	0.47	<0.5	26	10.9	10.0	26.9	2.57
06447	<0.2	1.18	17	<5	222	<0.5	2	0.27	<0.5	25	9.1	14.5	18.3	2.51
06448	<0.2	0.73	32	<5	158	<0.5	2	0.21	<0.5	42	7.0	8.4	14.8	1.96
06449	<0.2	0.96	31	<5	216	<0.5	1	1.35	<0.5	20	8.0	10.9	31.9	2.20
06450	<0.2	1.21	23	<5	209	<0.5	2	0.31	<0.5	31	12.6	16.9	35.1	3.05
06451	<0.2	1.19	27	<5	145	<0.5	3	0.06	<0.5	39	9.9	16.2	34.4	3.10
06452	<0.2	1.29	20	<5	172	<0.5	2	1.68	<0.5	16	14.0	56.9	66.5	2.82
06453	0.2	1.30	32	<5	211	<0.5	5	0.70	<0.5	25	13.6	17.3	55.8	3.39
06454	<0.2	1.21	28	<5	300	<0.5	3	1.09	<0.5	28	11.2	12.4	31.9	2.70
06455	<0.2	1.28	35	<5	314	0.5	2	0.38	<0.5	44	12.2	15.2	40.8	3.10
06456	<0.2	1.06	29	6	358	<0.5	2	1.76	<0.5	24	8.5	12.5	28.0	2.13
06457	<0.2	0.91	32	<5	323	<0.5	3	0.43	<0.5	27	7.5	12.1	23.1	2.46
06458	<0.2	1.01	40	<5	337	<0.5	3	0.19	<0.5	38	8.5	12.6	24.3	2.33
06459	0.2	1.03	27	<5	264	<0.5	3	0.06	<0.5	42	6.4	13.8	13.6	2.55
06460	<0.2	1.50	83	<5	449	<0.5	2	0.17	<0.5	29	7.2	29.8	60.8	2.25
06461	0.3	1.32	34	<5	348	0.6	4	0.08	<0.5	10	7.2	23.6	19.5	3.64
06462	0.2	1.08	25	<5	536	<0.5	2	0.17	0.8	15	7.6	17.5	8.2	2.47
06463	0.4	0.90	27	<5	676	<0.5	<1	1.39	1.2	18	7.0	15.5	57.3	1.97
06464	1.5	1.04	22	<5	511	<0.5	2	1.70	0.5	15	7.9	12.9	18.4	1.44
06465	3.3	0.46	21	6	780	<0.5	<1	3.88	0.7	3	3.0	4.0	22.9	0.66
07770	<0.2	1.78	27	<5	274	0.6	2	0.05	<0.5	55	12.4	20.1	34.5	3.33
07771	<0.2	2.16	21	<5	360	<0.5	<1	0.18	<0.5	30	8.5	22.4	10.4	3.55
07772	<0.2	1.23	15	<5	144	<0.5	3	0.07	<0.5	39	5.4	15.4	12.4	2.67
07773	<0.2	1.98	26	<5	268	0.7	3	0.08	<0.5	43	7.6	24.3	18.6	2.84
07774	<0.2	1.18	20	<5	179	<0.5	3	0.48	<0.5	23	6.8	17.8	7.3	2.39
07775	<0.2	1.36	21	<5	155	<0.5	2	0.08	<0.5	66	7.7	15.8	24.5	2.63
07776	<0.2	1.57	21	<5	386	0.6	3	0.04	<0.5	46	11.1	19.1	36.5	3.23
07777	<0.2	1.45	13	<5	121	<0.5	3	0.04	<0.5	22	8.6	18.7	5.3	3.01
07778	<0.2	1.30	15	<5	217	<0.5	3	0.12	<0.5	56	7.4	14.5	23.3	2.47
07779	<0.2	1.90	23	6	264	0.7	5	0.03	<0.5	33	8.6	25.7	31.1	3.29
07780	<0.2	1.10	21	<5	120	<0.5	3	0.04	<0.5	28	5.2	15.2	13.9	2.61
07781	<0.2	1.05	24	<5	169	<0.5	4	0.02	<0.5	30	5.3	12.9	18.8	2.26

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
07782		<0.2	1.30	32	<5	441	<0.5	4	0.15	<0.5	26	5.0	17.1	15.3	2.22
07783		<0.2	1.63	29	<5	274	<0.5	4	0.23	<0.5	49	10.9	17.0	26.6	3.22
07784		<0.2	1.42	43	7	636	<0.5	3	0.64	<0.5	45	12.1	15.9	46.2	3.36
07785		<0.2	1.12	29	5	490	<0.5	1	1.68	<0.5	16	10.7	11.8	36.9	2.49
07786		<0.2	1.30	31	6	539	0.5	5	0.46	<0.5	35	12.0	15.7	42.7	2.89
07787		<0.2	1.16	31	5	434	<0.5	3	1.16	<0.5	31	10.6	13.0	34.4	2.64
07788		<0.2	3.92	66	9	318	1.8	6	0.18	<0.5	50	47.2	80.9	106	5.51
07789		<0.2	3.00	314	7	469	2.1	7	0.53	<0.5	39	30.2	64.4	116	5.42
07790		5.2	2.37	242	15	333	1.7	11	0.44	<0.5	31	69.6	44.4	190	12.2
07791		<0.2	2.54	136	<5	179	1.6	5	0.18	<0.5	43	23.9	72.1	76.1	4.60
07792		<0.2	2.03	137	<5	201	1.1	5	0.13	<0.5	30	16.7	46.1	48.2	4.46
07793		<0.2	1.06	263	<5	76	<0.5	6	0.03	<0.5	52	20.0	12.7	32.2	4.46
07794		<0.2	1.50	20	<5	141	<0.5	5	0.06	<0.5	20	4.7	41.1	23.4	3.06
07795		<0.2	0.84	48	<5	97	<0.5	3	0.05	<0.5	19	5.3	16.9	18.2	2.71
07796		<0.2	1.64	42	5	154	0.7	5	0.13	<0.5	29	11.2	30.4	29.4	3.74
07517		<0.2	1.96	21	6	249	0.8	4	0.09	<0.5	46	11.6	23.9	20.1	3.38
07518		0.6	1.16	24	<5	167	<0.5	2	0.13	<0.5	26	5.8	17.9	30.8	2.56
07519		0.2	1.49	34	<5	176	<0.5	2	1.50	0.6	26	13.4	18.1	66.2	2.91
07520		<0.2	1.55	15	<5	225	<0.5	3	0.16	<0.5	53	6.8	16.9	16.3	2.52
07521		0.2	1.58	22	<5	143	<0.5	4	0.56	<0.5	25	13.8	16.0	46.9	3.52
07522		<0.2	1.81	100	<5	144	0.7	2	0.72	<0.5	40	9.9	17.9	34.9	3.21
07523		<0.2	1.57	31	<5	148	0.5	4	0.32	<0.5	21	13.5	21.4	45.3	4.24
07524		0.2	1.28	37	<5	152	0.5	4	1.46	<0.5	7	10.1	15.5	38.0	2.59
07525		<0.2	1.62	50	<5	120	0.5	5	0.09	<0.5	75	10.3	16.7	28.3	3.22
07526		<0.2	1.18	33	6	153	0.6	5	0.27	<0.5	62	13.8	14.2	30.2	3.85
07527		<0.2	1.77	20	<5	218	0.5	4	0.52	<0.5	34	9.8	22.3	28.2	3.37
07528		<0.2	1.29	24	<5	216	<0.5	3	0.90	<0.5	26	14.5	18.7	51.9	3.21
07529		<0.2	1.15	28	6	227	<0.5	3	2.00	<0.5	11	13.8	14.7	44.4	2.93
07530		<0.2	1.29	30	<5	384	0.6	3	1.12	<0.5	22	9.5	15.7	38.8	2.61
07531		<0.2	1.11	23	<5	213	<0.5	1	1.61	<0.5	10	8.7	13.4	28.9	2.29
07532		<0.2	1.42	25	6	335	0.6	4	1.18	<0.5	15	9.6	19.7	39.3	2.69
07533		<0.2	1.15	28	<5	294	<0.5	3	1.26	<0.5	15	8.5	13.2	31.0	2.36

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
07534	<0.2	1.38	44	<5	385	0.5	5	0.50	<0.5	52	8.4	15.6	27.9	2.89
07535	<0.2	1.51	39	<5	391	0.6	4	0.70	<0.5	32	12.2	15.9	40.8	3.11
07536	<0.2	1.20	35	6	254	<0.5	4	0.74	<0.5	29	11.3	13.8	36.6	2.83
07537	<0.2	1.33	33	<5	375	0.5	3	0.61	<0.5	31	11.2	15.0	36.1	2.88
07538	<0.2	1.09	30	<5	283	<0.5	3	0.85	<0.5	18	9.7	12.9	32.8	2.52
07539	0.2	1.16	41	<5	409	0.5	4	0.57	<0.5	28	10.2	13.9	42.1	2.94
07540	<0.2	1.09	39	5	357	<0.5	2	1.12	<0.5	27	10.0	13.1	37.8	2.78
07541	<0.2	1.02	34	<5	390	<0.5	4	0.72	<0.5	17	10.9	13.8	33.5	2.67
07589	<0.2	1.38	15	<5	116	0.5	2	0.13	<0.5	59	14.1	15.3	36.8	3.32
07590	<0.2	1.17	16	<5	73	<0.5	5	0.20	<0.5	56	16.1	15.8	31.0	3.54
07591	<0.2	1.25	15	<5	110	<0.5	4	0.13	<0.5	25	13.5	18.4	36.5	3.40
07592	<0.2	1.02	20	<5	79	<0.5	4	0.04	<0.5	23	8.2	15.2	24.3	2.73
07593	<0.2	1.39	32	<5	183	0.6	5	0.28	<0.5	19	12.2	19.5	41.2	3.50
07594	<0.2	0.83	18	<5	84	<0.5	3	0.04	<0.5	29	5.7	13.9	15.0	2.33
07595	0.2	0.66	17	<5	42	<0.5	2	0.03	<0.5	26	3.4	8.4	11.9	1.61
07596	<0.2	1.19	27	<5	80	0.5	5	0.29	<0.5	65	12.7	14.4	34.6	3.48
07597	<0.2	1.04	33	<5	201	<0.5	2	0.32	<0.5	34	10.6	15.1	28.5	3.14
07598	<0.2	1.13	30	<5	488	<0.5	2	0.97	<0.5	17	9.4	14.5	21.6	2.24
07599	0.3	0.95	80	<5	204	0.6	3	2.09	<0.5	9	8.6	9.7	43.7	2.60
07600	<0.2	1.12	41	<5	204	<0.5	2	0.69	<0.5	19	8.1	14.7	25.8	2.46
07601	<0.2	1.23	27	<5	295	<0.5	3	0.70	<0.5	17	9.6	16.9	22.1	2.29
07602	0.4	1.38	34	<5	558	0.6	3	0.61	<0.5	12	10.5	22.3	43.1	3.25
07603	0.2	1.16	29	<5	197	0.5	4	0.25	0.5	30	15.9	19.5	43.2	3.10
07604	<0.2	1.29	92	<5	158	<0.5	3	0.14	<0.5	52	14.6	14.9	35.9	3.63
07605	<0.2	1.03	77	<5	179	<0.5	4	0.13	<0.5	66	8.5	12.1	18.3	2.60
07606	<0.2	1.68	128	6	47	0.7	9	0.03	<0.5	27	19.1	20.6	108	5.86
07607	<0.2	1.91	80	6	319	0.9	6	0.03	<0.5	34	24.4	20.7	139	4.73
07608	<0.2	1.37	259	<5	292	0.5	3	0.37	<0.5	41	11.2	13.7	38.2	2.91
07609	0.2	1.34	283	<5	281	<0.5	3	0.36	<0.5	37	11.9	13.9	37.4	2.97
08029	0.2	1.05	118	<5	233	<0.5	4	0.22	<0.5	42	10.2	12.1	36.2	2.80
08030	<0.2	1.50	14	<5	163	0.7	4	0.33	<0.5	27	15.9	15.9	28.4	4.14
08011	0.4	0.95	22	<5	120	<0.5	2	0.13	<0.5	23	3.6	12.0	29.5	1.66

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
08012	<0.2	1.93	93	<5	139	1.0	7	0.12	<0.5	31	46.7	18.6	75.3	6.33
08013	<0.2	1.70	13	<5	82	0.6	6	0.06	<0.5	53	9.3	25.2	43.5	4.24
08014	<0.2	1.46	18	8	93	0.6	3	0.27	<0.5	73	35.8	21.5	53.9	2.81
08015	<0.2	1.37	13	<5	68	<0.5	3	0.04	<0.5	39	10.7	16.1	15.0	2.61
08016	<0.2	1.15	16	<5	225	<0.5	3	0.11	<0.5	56	20.8	12.3	19.9	2.68
08017	<0.2	1.23	19	<5	238	0.5	3	0.10	<0.5	41	11.2	17.3	23.4	2.69
08018	<0.2	1.12	24	<5	165	<0.5	4	0.22	<0.5	39	10.3	8.5	21.6	2.34
08019	<0.2	0.74	58	<5	55	<0.5	3	0.05	<0.5	52	10.6	8.5	31.6	2.67
08020	<0.2	1.08	16	<5	109	<0.5	3	0.07	<0.5	15	7.3	20.3	20.7	2.69
08021	<0.2	2.18	17	<5	63	0.6	5	0.14	<0.5	93	16.9	25.5	51.3	4.45
08022	<0.2	0.80	18	<5	74	<0.5	4	1.24	<0.5	34	14.0	17.4	33.6	3.24
08023	<0.2	1.41	13	<5	107	<0.5	4	0.14	<0.5	23	11.5	20.6	24.6	3.49
08024	<0.2	1.33	22	<5	90	<0.5	5	0.08	<0.5	38	9.0	18.4	29.0	3.20
08025	<0.2	1.71	22	<5	3120	0.6	3	0.52	<0.5	15	13.0	22.1	24.9	3.05
08026	<0.2	1.24	27	<5	667	0.5	<1	0.24	<0.5	41	9.4	22.1	24.1	3.18
08027	<0.2	1.29	6	<5	308	0.6	<1	0.04	<0.5	58	9.4	30.1	13.0	4.33
08028	0.2	0.62	12	<5	57	<0.5	<1	0.03	<0.5	29	6.2	8.2	39.7	1.82
06437	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06438	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06439	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06440	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06441	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06442	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06443	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06444	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06445	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06446	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06447	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06448	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06449	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06450	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06451	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
06452		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06453		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06454		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06455		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06456		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06457		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06458		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06459		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06460		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06461		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06462		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06463		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06464		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06465		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
07542	<5	<1	<1	0.10	36	23	0.34	268	1.1	<0.01	13.8	313	31.5	17
07543	7	<1	3	0.09	23	40	0.61	1970	1.4	<0.01	38.0	444	34.5	18
07544	6	<1	<1	0.08	16	27	0.37	632	2.7	<0.01	20.0	434	19.7	21
07545	7	<1	<1	0.07	16	26	0.34	646	2.0	<0.01	18.8	403	18.7	18
07546	<5	<1	<1	<0.01	4	<1	0.20	160	5.2	<0.01	1.3	219	<0.5	18
07547	8	<1	<1	0.05	12	12	0.17	531	1.5	<0.01	12.1	668	12.8	11
07548	8	<1	<1	0.17	16	73	0.82	886	1.8	<0.01	26.1	716	44.1	58
07549	7	<1	2	0.09	17	11	0.22	658	1.5	<0.01	11.6	534	52.7	38
07550	6	<1	<1	0.08	18	22	0.44	384	1.7	<0.01	23.4	321	25.8	27
07551	<5	<1	<1	0.10	24	16	0.28	225	0.8	<0.01	16.1	443	26.7	27
07552	6	<1	4	0.08	18	19	0.27	233	1.7	<0.01	14.9	288	23.4	18
07553	8	<1	<1	0.10	20	19	0.32	474	1.9	<0.01	11.9	344	19.8	30
07554	5	<1	<1	0.09	33	26	0.45	234	0.6	<0.01	6.2	262	18.0	22
07555	6	<1	<1	0.06	13	15	0.17	277	1.9	<0.01	15.1	515	18.7	19
07556	5	<1	3	0.09	15	20	0.28	216	1.1	<0.01	8.9	253	14.9	26
07557	<5	<1	<1	0.05	7	6	0.09	351	1.6	0.02	10.9	593	46.4	15
07558	<5	<1	<1	0.09	21	13	0.11	920	1.1	<0.01	18.5	436	353	15
07559	6	<1	<1	0.12	28	22	0.33	268	2.4	<0.01	16.0	290	20.8	29
07560	6	<1	2	0.12	28	34	0.52	548	2.4	<0.01	33.4	788	22.6	26
07561	6	<1	<1	0.09	19	33	0.44	531	1.2	<0.01	25.1	369	27.1	25
07562	7	<1	<1	0.09	28	51	1.77	960	1.9	<0.01	39.8	680	27.4	19
07563	6	<1	<1	0.08	26	34	0.64	661	2.7	<0.01	30.5	522	24.8	17
07564	6	<1	2	0.10	27	31	0.47	651	2.5	<0.01	22.9	409	24.1	25
07565	9	<1	<1	0.10	23	17	0.37	334	2.2	<0.01	12.8	478	18.9	27
07566	7	<1	2	0.10	35	50	0.56	536	0.5	<0.01	26.4	280	14.2	23
07797	7	<1	<1	0.09	19	23	0.42	922	1.6	<0.01	19.7	501	18.6	32
07798	7	<1	<1	0.05	14	11	0.18	221	1.6	<0.01	11.7	423	15.6	14
07799	7	<1	<1	0.08	16	19	0.34	492	1.7	<0.01	13.6	350	16.3	28
07800	8	<1	<1	0.08	21	27	0.40	528	1.1	<0.01	17.6	422	15.9	21
07801	6	<1	1	0.08	20	26	0.37	555	1.5	<0.01	15.5	297	14.1	22
07802	5	<1	<1	0.10	22	34	0.47	931	2.3	<0.01	28.3	782	18.4	25
07803	<5	<1	<1	0.10	26	34	0.52	511	2.7	<0.01	27.7	639	14.5	18

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
07804	6	<1	<1	0.12	21	30	0.46	608	2.9	<0.01	23.6	621	21.3	26
07805	5	<1	1	0.11	19	32	0.72	678	3.6	<0.01	24.8	882	17.9	31
07806	6	<1	<1	0.15	21	34	0.90	678	3.4	0.02	36.5	1010	18.7	41
07807	8	<1	<1	0.11	30	35	0.73	836	1.1	<0.01	34.5	591	16.1	23
07808	5	<1	<1	0.10	23	28	0.64	895	3.0	<0.01	27.0	718	17.0	23
07830	<5	<1	<1	0.11	38	32	0.52	726	2.3	<0.01	28.8	384	25.3	15
07831	5	<1	2	0.11	30	34	0.56	505	1.6	<0.01	29.8	552	24.8	21
07832	<5	<1	<1	0.08	24	18	0.28	692	3.3	<0.01	20.8	734	30.7	23
07833	<5	<1	<1	0.09	23	13	0.23	2100	4.1	<0.01	16.1	791	38.3	27
07834	5	<1	<1	0.09	19	22	0.41	621	<0.5	<0.01	19.8	582	25.9	26
07835	<5	<1	<1	0.07	15	19	0.36	297	1.4	<0.01	15.9	323	19.8	18
07836	<5	<1	<1	0.07	19	19	0.33	233	<0.5	<0.01	14.8	332	26.1	19
07837	6	<1	<1	0.08	18	20	0.31	262	1.9	<0.01	13.7	385	19.5	24
07838	5	<1	<1	0.09	15	27	0.44	643	1.0	<0.01	26.7	686	37.1	29
07839	6	<1	<1	0.08	14	24	0.46	491	0.5	<0.01	19.9	569	26.5	27
07840	<5	<1	<1	0.06	17	23	0.37	325	1.0	<0.01	18.1	322	16.5	21
07841	<5	<1	<1	0.09	23	30	0.62	706	3.9	<0.01	25.0	742	18.3	24
07842	5	<1	3	0.09	21	27	0.62	611	1.8	<0.01	24.5	693	16.5	18
07843	8	<1	<1	0.08	26	39	0.70	905	2.5	<0.01	33.7	747	20.9	23
07844	6	<1	<1	0.11	30	34	0.75	823	2.9	<0.01	34.8	869	20.4	28
07845	7	<1	<1	0.07	18	33	0.56	645	3.4	<0.01	39.5	700	20.8	16
07846	5	<1	<1	0.05	10	40	0.52	706	1.6	<0.01	23.5	587	12.6	13
07847	5	<1	<1	0.06	29	40	0.54	630	1.7	<0.01	26.5	582	19.5	13
07353	7	<1	<1	0.10	31	41	0.58	661	1.4	<0.01	41.6	728	37.2	31
07354	5	<1	<1	0.08	22	33	0.47	677	1.2	<0.01	20.3	699	44.9	25
07355	5	<1	<1	0.08	20	37	0.57	728	0.7	<0.01	29.2	633	31.0	26
07356	6	<1	<1	0.11	20	44	0.94	668	2.1	<0.01	32.7	703	73.0	41
07357	5	<1	<1	0.06	19	14	0.49	297	1.0	<0.01	13.0	316	34.0	23
07358	<5	<1	<1	0.07	23	30	0.47	474	1.0	<0.01	37.9	798	23.3	15
07359	9	<1	<1	0.10	24	28	0.62	410	<0.5	0.03	28.2	439	36.3	35
07360	7	<1	<1	0.09	28	46	0.77	970	2.3	<0.01	40.2	958	22.7	19
07361	<5	<1	<1	0.09	12	25	0.47	546	2.3	0.01	24.7	964	16.7	18

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
07362	<5	<1	<1	0.08	26	25	0.37	672	2.2	<0.01	21.0	717	23.4	14
07363	5	<1	2	0.07	22	27	0.39	844	1.4	<0.01	21.6	775	20.1	18
07364	<5	<1	<1	0.07	28	20	0.31	446	1.6	<0.01	14.7	543	15.1	15
07365	<5	<1	<1	0.05	13	26	0.47	492	1.9	<0.01	21.5	643	19.7	10
07366	6	<1	4	0.08	28	54	0.67	906	0.7	<0.01	33.7	713	20.6	12
07367	5	<1	<1	0.06	22	36	0.49	708	2.8	<0.01	24.0	678	16.9	11
07368	5	<1	<1	0.06	18	34	0.50	720	1.5	<0.01	19.4	799	17.2	16
07369	5	<1	1	0.07	27	33	0.53	655	2.2	<0.01	30.2	847	18.0	13
06466	6	<1	<1	0.11	20	21	0.34	1030	1.5	<0.01	19.2	843	88.4	35
06467	7	<1	<1	0.10	19	27	0.45	647	2.4	<0.01	24.3	881	35.7	31
06468	6	<1	2	0.11	19	20	0.33	540	1.8	<0.01	15.5	712	33.5	29
06469	6	<1	3	0.09	22	28	0.40	498	0.7	<0.01	21.4	524	23.5	24
06470	6	<1	4	0.10	27	29	0.47	511	2.4	<0.01	28.9	364	33.0	26
06471	6	<1	<1	0.07	19	20	0.28	229	2.1	<0.01	16.1	501	30.2	19
06472	5	<1	<1	0.03	15	18	0.25	536	1.9	<0.01	21.6	311	39.8	11
06473	6	<1	<1	0.07	25	28	0.38	345	1.6	<0.01	21.5	247	25.6	22
06474	6	<1	<1	0.06	25	30	0.41	361	0.7	<0.01	28.4	262	31.5	21
06475	<5	<1	<1	0.07	28	17	0.30	666	1.0	<0.01	33.5	268	26.1	19
06476	<5	<1	<1	0.04	28	13	0.18	772	0.9	<0.01	34.0	420	52.7	12
06477	7	<1	<1	0.06	21	29	0.39	459	1.1	<0.01	23.7	245	34.7	20
06478	<5	<1	<1	0.06	21	15	0.24	431	1.4	<0.01	14.7	390	27.1	22
06479	6	<1	1	0.06	25	23	0.33	340	1.5	<0.01	15.0	256	18.0	21
06480	6	<1	<1	0.07	33	34	0.45	382	0.6	<0.01	26.0	198	20.6	21
06481	8	<1	2	0.05	16	28	0.34	295	1.6	<0.01	15.3	311	22.0	17
06482	5	<1	3	0.06	27	32	0.47	313	1.3	<0.01	26.9	213	23.8	19
06483	7	<1	<1	0.07	34	34	0.51	493	0.6	<0.01	25.4	180	14.7	29
07279	5	<1	<1	0.05	33	24	0.33	365	1.2	<0.01	21.4	551	31.9	12
07280	<5	<1	<1	0.05	15	17	0.24	733	1.9	<0.01	23.4	667	63.5	12
07281	<5	<1	<1	0.05	20	39	0.60	817	1.2	<0.01	39.3	830	23.0	11
07282	6	<1	<1	0.05	20	26	0.34	1000	4.5	<0.01	31.8	1130	29.9	11
07283	<5	<1	<1	0.07	22	25	0.43	435	3.0	<0.01	26.0	705	14.8	14
07284	5	<1	<1	0.09	27	31	0.46	757	2.0	<0.01	35.6	797	21.9	15

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
07285	5	<1	<1	0.09	28	39	0.55	799	1.6	<0.01	27.9	643	17.9	19
07286	<5	<1	<1	0.06	12	15	0.27	454	3.2	0.01	13.4	623	11.9	14
07287	5	<1	<1	0.07	24	42	0.59	758	2.4	<0.01	31.2	799	21.1	16
07288	<5	<1	<1	0.06	35	31	0.41	1220	1.0	<0.01	26.7	659	29.5	12
07289	<5	<1	1	0.04	25	29	0.53	734	0.6	<0.01	30.0	422	22.1	<10
07290	<5	<1	<1	0.08	20	33	0.47	1270	1.9	<0.01	23.9	712	16.0	18
07291	<5	<1	2	0.07	13	37	0.39	506	1.4	0.01	19.0	763	17.4	17
07292	6	<1	2	0.09	30	55	0.42	362	0.5	<0.01	23.4	282	21.8	19
07293	5	<1	<1	0.07	25	38	0.28	253	0.8	<0.01	15.6	260	18.5	16
07294	<5	<1	<1	0.05	13	34	0.32	651	1.1	<0.01	22.3	629	21.1	11
07295	<5	<1	2	0.07	14	34	0.42	520	<0.5	<0.01	21.6	513	21.7	12
07296	<5	<1	<1	0.06	12	30	0.38	526	1.1	<0.01	19.8	636	15.5	11
07297	<5	<1	<1	0.08	17	30	0.38	491	1.2	<0.01	20.7	579	15.4	14
07298	5	<1	1	0.09	19	35	0.47	1290	1.9	<0.01	21.1	677	22.4	16
07299	<5	<1	<1	0.09	17	33	0.45	757	1.2	<0.01	23.4	687	27.2	16
07300	6	<1	<1	0.11	25	46	0.54	588	3.2	<0.01	28.9	641	17.4	18
07301	<5	<1	<1	0.07	14	34	0.46	501	1.2	<0.01	16.4	647	17.4	13
07302	<5	<1	<1	0.07	9	30	0.41	823	2.4	<0.01	20.7	535	20.2	13
07303	<5	<1	<1	0.10	18	33	0.46	672	1.6	<0.01	29.9	625	19.9	14
07567	<5	<1	2	0.08	23	29	0.45	489	1.4	<0.01	31.0	506	29.0	14
07568	<5	<1	<1	0.11	25	23	0.25	332	1.5	<0.01	15.6	271	20.7	24
07569	5	<1	1	0.07	29	57	0.54	412	<0.5	<0.01	27.2	393	19.5	15
07570	5	<1	<1	0.08	18	28	0.39	514	1.9	<0.01	27.6	443	31.7	15
07571	<5	<1	<1	0.09	38	16	0.25	397	1.8	<0.01	29.9	541	40.5	15
07572	<5	<1	1	0.07	24	30	0.39	326	1.2	<0.01	29.9	377	20.8	16
07573	<5	<1	<1	0.06	17	31	0.54	511	1.9	<0.01	34.5	646	22.4	11
07574	8	<1	1	0.06	37	37	0.70	980	<0.5	<0.01	31.9	449	42.9	12
07575	<5	<1	<1	0.08	17	28	0.49	669	2.2	<0.01	26.3	575	30.9	18
07576	<5	<1	3	0.11	19	29	0.47	883	1.8	<0.01	30.1	602	25.0	21
07577	<5	<1	<1	0.07	11	30	0.41	604	1.1	<0.01	21.9	516	15.6	16
07578	<5	<1	<1	0.07	18	33	0.44	583	1.9	<0.01	30.3	436	27.5	15
07579	6	<1	<1	0.08	18	35	0.54	856	1.7	<0.01	29.7	565	27.2	18

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
07580	<5	<1	2	0.06	13	20	0.44	695	1.2	<0.01	24.0	526	28.1	15
07581	<5	<1	<1	0.08	36	23	0.42	664	0.9	<0.01	34.0	472	32.6	15
07582	<5	<1	<1	0.07	9	15	0.33	463	1.0	<0.01	23.1	430	15.6	18
07583	<5	<1	<1	0.06	29	17	0.36	497	2.7	<0.01	26.0	555	24.2	11
07584	<5	<1	4	0.07	23	29	0.54	472	2.3	<0.01	34.4	611	26.7	15
07585	<5	<1	<1	0.08	20	22	0.37	417	0.9	<0.01	31.2	379	22.5	15
07586	<5	<1	<1	0.05	12	24	0.42	540	1.6	<0.01	38.8	477	32.8	15
07587	6	<1	2	0.14	22	45	0.52	512	2.3	<0.01	32.8	357	20.3	21
07588	6	<1	<1	0.04	13	22	0.26	193	1.0	<0.01	13.5	164	13.4	27
07326	<5	<1	1	0.09	33	26	0.40	291	<0.5	<0.01	22.7	202	26.1	27
07327	<5	<1	<1	0.06	37	13	0.27	475	<0.5	<0.01	30.6	323	22.7	15
07328	<5	<1	2	0.07	20	20	0.31	515	0.7	<0.01	19.4	280	15.9	20
07329	<5	<1	<1	0.06	20	28	0.39	485	0.6	<0.01	24.0	410	17.7	16
07330	<5	<1	3	0.05	13	23	0.37	478	1.1	<0.01	21.1	397	16.9	15
07331	<5	<1	<1	0.06	18	25	0.45	831	0.6	<0.01	23.0	683	17.5	14
07332	<5	<1	<1	0.06	20	27	0.46	649	2.6	<0.01	25.5	624	16.7	16
07333	7	<1	<1	0.07	23	38	0.52	495	1.4	<0.01	20.0	277	17.3	25
07334	<5	<1	<1	0.05	31	27	0.42	254	<0.5	<0.01	22.8	154	12.3	14
07335	6	<1	<1	0.09	18	35	0.42	354	0.6	<0.01	24.4	246	17.8	26
07336	<5	<1	<1	0.09	16	26	0.28	660	1.3	0.01	22.5	294	26.2	24
07337	5	<1	<1	0.07	13	15	0.15	162	1.5	<0.01	11.8	327	14.9	14
07338	<5	<1	<1	0.05	17	16	0.24	172	0.9	<0.01	15.2	285	16.3	15
07339	<5	<1	<1	0.06	16	22	0.32	361	1.0	<0.01	30.2	309	22.1	14
07340	<5	<1	<1	0.05	13	16	0.28	335	2.2	<0.01	24.7	241	23.4	21
07341	7	<1	<1	0.05	19	29	0.21	149	<0.5	<0.01	13.0	192	18.6	27
07342	<5	<1	<1	0.08	18	16	0.25	520	1.8	<0.01	26.0	584	18.6	17
07343	<5	<1	<1	0.06	29	12	0.17	157	1.4	<0.01	14.3	207	9.2	10
07344	<5	<1	<1	0.08	13	22	0.41	592	0.8	<0.01	32.8	518	22.0	13
07345	<5	<1	<1	0.08	11	20	0.37	401	1.4	<0.01	24.4	635	17.2	15
07346	<5	<1	<1	0.08	10	16	0.30	418	1.2	0.01	21.5	549	15.1	17
07347	<5	<1	3	0.10	15	20	0.33	495	1.6	<0.01	20.7	613	15.9	18
07348	<5	<1	<1	0.10	21	17	0.26	270	0.8	<0.01	19.9	393	15.7	14

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
07349	<5	<1	2	0.08	21	24	0.44	503	1.6	<0.01	29.2	631	27.6	14
07350	<5	<1	6	0.06	21	24	0.41	572	2.4	<0.01	29.5	612	20.9	12
07351	<5	<1	<1	0.06	18	20	0.36	667	2.0	<0.01	20.2	646	19.4	<10
07352	<5	<1	<1	0.05	20	23	0.40	621	1.5	<0.01	23.6	657	18.5	<10
07304	<5	<1	1	0.21	20	25	0.55	476	0.7	0.02	14.5	840	12.8	58
07305	6	<1	<1	0.09	17	18	0.44	397	2.2	0.01	19.0	990	12.3	28
07306	7	<1	<1	0.20	23	23	0.56	590	1.9	0.01	21.3	919	14.2	56
07307	7	<1	<1	0.21	18	27	0.59	958	1.3	0.01	19.3	639	35.9	65
07308	6	<1	5	0.13	16	15	0.29	969	0.5	<0.01	19.0	526	48.3	42
07309	13	<1	<1	0.92	20	39	1.79	1370	2.8	0.01	29.3	1270	21.0	138
07310	6	<1	<1	0.10	19	10	0.21	3760	1.2	<0.01	35.0	1120	29.5	35
07311	9	<1	<1	0.14	53	21	0.56	5710	2.2	<0.01	95.4	578	31.6	35
07312	8	<1	<1	0.12	15	18	0.49	586	1.6	<0.01	19.3	602	21.2	41
07313	8	<1	<1	0.13	17	26	0.45	873	1.8	<0.01	20.2	812	27.9	48
07314	12	<1	3	0.51	13	40	1.25	845	6.5	0.03	68.0	803	25.6	93
07315	6	<1	<1	0.05	9	15	0.24	604	1.4	0.02	23.7	923	89.9	18
07316	<5	<1	1	0.08	20	12	0.22	308	1.6	<0.01	17.0	706	23.1	17
07317	<5	<1	2	0.07	15	6	0.14	186	2.6	<0.01	12.0	902	15.6	14
07318	6	<1	<1	0.07	16	9	0.15	411	1.4	<0.01	12.9	798	13.3	17
07319	<5	<1	<1	0.07	12	21	0.32	713	1.2	0.01	17.4	1020	26.0	22
07320	7	<1	<1	0.10	15	11	0.25	526	3.1	<0.01	15.9	856	17.9	29
07321	7	<1	2	0.11	18	25	0.42	1230	4.0	<0.01	40.0	1070	26.4	22
07322	5	<1	<1	0.07	12	12	0.35	563	4.2	<0.01	25.3	888	13.0	32
07323	6	<1	<1	0.08	15	32	0.48	981	0.8	<0.01	23.5	1200	16.7	21
07324	5	<1	<1	0.06	15	18	0.34	648	2.0	<0.01	15.8	1010	15.8	12
07325	6	<1	1	0.11	19	15	0.30	466	1.8	<0.01	16.2	801	18.2	32
07809	<5	<1	<1	0.10	20	23	0.45	460	4.0	<0.01	38.2	674	33.8	15
07810	<5	<1	<1	0.10	15	44	0.58	882	4.1	<0.01	49.6	658	46.3	15
07811	<5	<1	<1	0.07	22	35	0.35	932	2.0	<0.01	36.0	556	48.8	11
07812	<5	<1	<1	0.10	21	36	0.44	574	0.9	<0.01	31.9	518	25.9	14
07813	<5	<1	<1	0.06	3	4	1.14	488	2.1	0.02	9.1	706	25.8	12
07814	<5	<1	1	0.10	14	29	0.46	673	1.8	<0.01	30.3	572	21.2	14

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
07815	<5	<1	<1	0.22	24	30	0.51	657	1.0	<0.01	32.7	738	21.8	23
07816	<5	<1	<1	0.16	18	27	0.42	713	1.7	0.01	26.2	631	21.6	22
07817	<5	<1	<1	0.17	21	30	0.45	525	2.9	<0.01	29.5	663	21.6	21
07818	<5	<1	2	0.14	16	25	0.43	523	4.5	<0.01	36.5	730	18.1	18
07819	<5	<1	1	0.14	18	23	0.37	506	1.2	<0.01	27.8	737	22.5	18
07820	<5	<1	1	0.10	19	22	0.32	638	1.7	<0.01	22.6	620	19.5	13
07821	<5	<1	4	0.14	24	29	0.37	564	1.6	<0.01	28.1	365	22.1	20
07822	<5	<1	<1	0.11	11	25	0.34	656	1.6	<0.01	21.0	612	17.4	17
07823	<5	<1	<1	0.13	18	31	0.44	785	1.4	<0.01	27.2	596	22.5	19
07824	<5	<1	<1	0.12	21	28	0.37	525	2.4	<0.01	24.8	401	23.1	19
07825	5	<1	<1	0.10	12	27	0.42	1010	1.6	<0.01	27.6	636	20.0	17
07826	<5	<1	<1	0.09	12	20	0.35	1360	2.0	<0.01	18.7	751	17.1	16
07827	<5	<1	<1	0.07	13	16	0.29	540	1.7	<0.01	23.3	797	27.5	10
07828	<5	<1	<1	0.11	19	28	0.41	393	0.8	<0.01	20.7	659	20.2	14
07829	<5	<1	<1	0.05	15	26	0.38	531	1.9	<0.01	21.8	720	20.4	<10
06484	<5	<1	2	0.04	14	9	0.18	412	<0.5	<0.01	18.1	277	20.0	14
06485	6	<1	<1	0.09	27	24	0.33	373	1.1	<0.01	19.1	233	30.1	33
06486	<5	<1	4	0.11	42	23	0.35	379	0.8	<0.01	26.3	326	17.4	23
06487	5	<1	<1	0.09	24	21	0.37	303	1.1	<0.01	16.6	238	15.2	24
06488	<5	<1	<1	0.07	45	26	0.48	600	2.5	<0.01	34.6	431	6.9	14
06489	<5	<1	<1	0.04	33	18	0.39	288	0.6	<0.01	21.2	227	6.0	11
06490	<5	<1	<1	0.11	24	20	0.35	528	0.7	<0.01	23.1	359	17.7	22
06491	<5	<1	<1	0.06	33	23	0.45	320	<0.5	<0.01	22.8	445	12.9	15
06492	6	<1	3	0.06	29	31	0.55	570	3.8	<0.01	64.9	767	27.0	14
06493	<5	<1	<1	0.08	20	12	0.25	331	18.0	<0.01	56.5	3790	20.9	14
06494	5	<1	2	0.12	16	26	1.26	688	1.2	<0.01	83.1	1130	13.3	31
06495	5	<1	<1	0.08	15	20	0.95	590	1.8	<0.01	73.2	1060	16.4	17
06496	<5	<1	<1	0.07	16	21	0.75	385	2.7	<0.01	54.6	945	17.6	14
06497	<5	<1	<1	0.08	15	20	0.50	338	2.6	<0.01	37.7	675	15.7	15
06498	<5	<1	<1	0.07	3	5	0.31	153	3.2	<0.01	12.5	562	5.5	<10
06499	<5	<1	<1	0.07	13	20	0.47	649	2.8	<0.01	31.0	776	15.8	13
06500	6	<1	<1	0.06	24	34	0.58	410	1.7	<0.01	52.9	496	33.3	12

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
08001	<5	<1	<1	0.12	26	24	0.46	408	1.5	<0.01	37.8	668	21.4	14
08002	<5	<1	<1	0.06	13	17	0.37	585	2.1	<0.01	28.3	782	19.7	13
08003	<5	<1	<1	0.12	16	25	0.46	828	2.1	<0.01	33.3	740	20.6	18
08004	6	<1	<1	0.05	22	27	0.54	302	1.5	<0.01	49.8	552	24.4	<10
08005	<5	<1	<1	0.16	17	25	0.41	485	6.1	<0.01	62.3	1010	24.2	20
08006	<5	<1	<1	0.05	10	19	0.76	527	3.4	<0.01	56.4	943	14.6	13
08007	5	<1	<1	0.06	17	31	0.80	497	2.5	<0.01	61.7	982	16.4	12
08008	<5	<1	<1	0.07	21	22	0.41	503	1.8	<0.01	28.4	502	20.1	13
08009	<5	<1	<1	0.09	13	27	0.45	600	1.8	<0.01	36.1	608	23.4	19
08010	<5	<1	<1	0.09	14	18	0.33	395	1.6	<0.01	20.7	729	18.6	15
07757	5	<1	<1	0.05	29	44	0.73	1170	1.6	<0.01	36.9	477	21.8	16
07758	6	<1	<1	0.06	28	35	0.55	529	2.1	<0.01	37.3	566	35.3	14
07759	6	<1	<1	0.05	24	57	0.65	274	<0.5	<0.01	33.4	334	36.6	<10
07760	5	<1	<1	0.05	28	9	0.15	1070	7.7	<0.01	40.7	380	48.4	12
07761	<5	<1	2	0.07	63	10	0.13	199	<0.5	<0.01	22.6	266	22.9	11
07762	<5	<1	<1	0.11	23	1	0.01	28	7.0	0.02	4.6	382	68.1	12
07763	5	<1	1	0.05	19	27	0.36	349	1.5	<0.01	21.8	485	23.9	15
07764	5	<1	<1	0.05	21	21	0.38	573	2.4	<0.01	22.6	487	26.7	17
07765	7	<1	<1	0.06	22	16	0.29	491	0.9	<0.01	16.4	460	20.1	20
07766	5	<1	<1	0.05	17	15	0.28	1050	17.1	<0.01	53.0	795	36.6	14
07767	7	<1	<1	0.04	20	17	0.22	3200	5.7	<0.01	30.1	634	42.6	11
07768	<5	<1	<1	0.05	21	29	0.40	750	2.9	<0.01	30.5	384	24.0	16
07769	<5	<1	<1	0.07	28	26	0.38	624	1.9	<0.01	25.4	335	22.9	18
06437	<5	<1	3	0.06	16	26	0.35	797	1.7	<0.01	15.7	697	19.8	13
06438	<5	<1	<1	0.09	13	29	0.40	911	1.5	<0.01	20.9	663	19.4	15
06439	<5	<1	2	0.07	10	23	0.38	489	1.9	<0.01	23.0	765	18.0	12
06440	<5	<1	<1	0.06	14	26	0.38	609	1.4	<0.01	22.7	724	19.2	11
06441	<5	<1	<1	0.09	20	28	0.40	619	1.1	<0.01	24.9	723	24.4	15
06442	<5	<1	2	0.07	12	25	0.35	648	1.6	<0.01	21.9	736	19.1	13
06443	<5	<1	<1	0.10	21	28	0.42	630	2.6	<0.01	31.4	767	20.6	16
06444	6	<1	<1	0.10	33	37	0.50	737	1.7	<0.01	31.2	597	19.3	15
06445	<5	<1	1	0.08	16	31	0.41	644	1.3	<0.01	20.4	576	19.1	13

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
06446	<5	<1	<1	0.05	15	27	0.33	596	1.9	<0.01	21.5	558	22.1	<10
06447	<5	<1	<1	0.07	15	34	0.39	513	0.8	<0.01	19.2	429	16.6	13
06448	<5	<1	3	0.07	23	15	0.21	348	1.8	<0.01	13.8	276	15.7	14
06449	<5	<1	<1	0.10	13	22	0.38	454	1.6	<0.01	19.4	507	19.1	16
06450	<5	<1	<1	0.07	19	32	0.44	631	1.2	<0.01	27.3	481	22.3	11
06451	<5	<1	<1	0.06	23	25	0.28	210	2.2	<0.01	26.1	234	19.8	16
06452	<5	<1	<1	0.08	11	30	0.84	525	1.5	<0.01	59.0	564	16.0	17
06453	<5	<1	<1	0.08	17	28	0.53	578	2.3	<0.01	36.3	748	25.5	13
06454	<5	<1	2	0.10	17	26	0.35	537	1.6	<0.01	23.2	414	21.9	14
06455	<5	<1	<1	0.10	25	28	0.37	489	1.3	<0.01	28.9	592	23.5	14
06456	<5	<1	<1	0.11	14	22	0.34	572	1.4	<0.01	19.1	601	17.2	17
06457	<5	<1	3	0.09	16	17	0.22	432	2.2	<0.01	17.1	330	22.1	14
06458	<5	<1	<1	0.08	21	20	0.29	602	1.5	0.01	19.6	586	19.6	13
06459	<5	<1	<1	0.08	23	20	0.25	249	0.9	<0.01	14.8	283	14.1	15
06460	5	<1	2	0.06	17	21	0.37	269	4.1	0.01	15.4	254	21.7	12
06461	5	<1	<1	0.08	11	19	0.28	226	7.1	<0.01	27.5	1720	20.3	22
06462	<5	<1	6	0.07	11	19	0.27	392	2.3	<0.01	15.8	336	17.7	15
06463	<5	<1	<1	0.08	11	20	0.31	223	1.9	<0.01	30.5	747	20.4	15
06464	<5	<1	<1	0.08	9	16	0.27	778	1.5	0.01	10.2	703	24.9	22
06465	<5	<1	<1	0.02	2	2	0.15	1290	2.4	0.01	8.7	810	4.3	<10
07770	6	<1	<1	0.08	29	33	0.45	623	1.8	<0.01	25.7	380	24.6	20
07771	<5	<1	<1	0.08	18	29	0.48	626	2.8	<0.01	14.7	338	19.2	22
07772	5	<1	<1	0.06	21	18	0.18	323	1.5	<0.01	11.0	367	24.7	22
07773	7	<1	<1	0.08	24	28	0.38	373	0.8	<0.01	17.3	347	24.5	27
07774	6	<1	<1	0.06	14	19	0.26	376	1.3	<0.01	11.5	300	15.6	23
07775	<5	<1	<1	0.06	35	43	0.35	350	<0.5	<0.01	19.6	353	18.6	13
07776	5	<1	<1	0.08	26	33	0.37	446	1.8	<0.01	28.5	405	17.1	20
07777	7	<1	<1	0.03	15	28	0.42	428	2.1	<0.01	19.4	368	12.1	10
07778	5	<1	<1	0.09	29	33	0.35	369	1.8	<0.01	19.0	441	17.7	16
07779	6	<1	<1	0.09	20	24	0.40	281	2.6	<0.01	24.2	344	22.5	23
07780	5	<1	<1	0.05	16	17	0.24	211	2.6	<0.01	11.5	324	13.1	14
07781	5	<1	<1	0.07	17	17	0.21	178	1.1	<0.01	14.6	335	14.0	16

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
	Unit: RDL:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
07782		5	<1	3	0.11	15	19	0.24	340	1.1	<0.01	12.9	282	17.7	27
07783		5	<1	<1	0.16	27	37	0.45	520	1.0	0.01	21.3	502	21.7	20
07784		5	<1	<1	0.20	25	29	0.46	690	2.5	0.01	31.1	815	22.2	21
07785		<5	<1	<1	0.11	11	22	0.33	828	1.9	0.01	20.1	712	21.2	15
07786		6	<1	<1	0.12	20	27	0.38	589	1.3	<0.01	30.0	654	22.9	17
07787		<5	<1	<1	0.13	18	24	0.37	618	1.7	<0.01	22.5	659	19.9	17
07788		15	<1	<1	0.82	30	48	1.18	1700	10.0	<0.01	71.2	742	49.2	191
07789		10	<1	<1	0.60	26	44	1.53	2000	4.6	0.01	75.1	1610	31.6	94
07790		11	<1	<1	0.36	29	25	0.82	5990	12.9	<0.01	110	1130	61.0	64
07791		9	<1	<1	0.24	19	38	1.07	1600	3.2	<0.01	67.2	766	33.7	48
07792		7	<1	<1	0.14	19	27	0.65	1430	2.5	0.01	40.4	930	26.5	42
07793		7	<1	<1	0.07	30	4	0.14	355	1.5	<0.01	34.4	576	24.7	18
07794		8	<1	1	0.12	14	11	0.30	402	3.3	<0.01	12.7	1250	14.9	30
07795		6	<1	<1	0.08	13	5	0.15	333	2.3	<0.01	11.3	814	16.8	26
07796		7	<1	<1	0.15	18	25	0.57	771	2.8	<0.01	26.4	706	20.1	36
07517		6	<1	<1	0.19	25	33	0.32	442	1.2	<0.01	23.4	280	30.7	41
07518		5	<1	<1	0.10	16	11	0.17	266	6.3	<0.01	17.2	502	17.2	20
07519		5	<1	<1	0.07	16	39	0.59	1310	1.0	<0.01	36.9	1080	18.2	18
07520		6	<1	<1	0.13	27	23	0.27	396	1.0	<0.01	12.3	270	19.3	33
07521		6	<1	<1	0.07	16	38	0.64	613	2.0	<0.01	33.7	574	19.4	11
07522		6	<1	<1	0.06	24	48	0.49	541	1.4	<0.01	28.7	509	22.5	15
07523		6	<1	2	0.07	16	34	0.40	491	4.3	<0.01	31.8	412	22.3	21
07524		<5	<1	<1	0.05	7	38	0.43	633	1.4	<0.01	21.1	547	22.4	14
07525		7	<1	<1	0.11	39	46	0.43	362	0.9	<0.01	20.7	384	24.5	24
07526		<5	<1	<1	0.09	32	29	0.25	698	<0.5	<0.01	25.8	274	28.2	21
07527		5	<1	<1	0.10	20	71	0.50	464	0.6	<0.01	21.4	354	19.6	24
07528		<5	<1	<1	0.06	16	34	0.48	738	2.7	<0.01	33.8	720	18.2	17
07529		5	<1	<1	0.05	9	29	0.51	649	1.5	<0.01	23.8	860	13.2	12
07530		<5	<1	<1	0.09	13	23	0.38	449	2.3	<0.01	22.1	542	23.6	20
07531		<5	<1	2	0.05	8	24	0.38	432	2.3	<0.01	16.1	508	18.2	15
07532		5	<1	<1	0.09	11	36	0.43	411	2.1	<0.01	22.3	509	21.6	24
07533		<5	<1	<1	0.09	10	27	0.41	469	1.8	<0.01	18.5	548	16.9	18

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
07534	<5	<1	<1	0.13	29	27	0.53	443	2.3	<0.01	19.2	513	16.6	23
07535	6	<1	<1	0.16	19	28	0.43	671	1.7	<0.01	32.6	593	24.1	20
07536	5	<1	<1	0.13	17	26	0.42	616	2.2	<0.01	25.1	639	22.2	16
07537	<5	<1	<1	0.15	18	28	0.38	625	1.6	0.01	28.0	554	24.8	20
07538	<5	<1	<1	0.10	12	25	0.36	505	2.1	<0.01	21.7	486	18.6	14
07539	<5	<1	<1	0.13	17	25	0.37	452	1.6	<0.01	27.8	600	24.0	16
07540	<5	<1	<1	0.14	16	24	0.39	523	1.5	<0.01	23.5	720	21.7	17
07541	<5	<1	<1	0.10	11	22	0.33	617	1.5	<0.01	22.8	627	24.2	13
07589	<5	<1	<1	0.12	33	37	0.47	607	0.8	<0.01	29.7	407	33.9	17
07590	<5	<1	<1	0.06	30	46	0.47	537	1.9	<0.01	33.5	1010	34.5	<10
07591	5	<1	<1	0.05	16	46	0.50	620	1.1	<0.01	30.4	549	29.7	<10
07592	<5	<1	<1	0.04	15	21	0.28	431	1.0	<0.01	17.9	612	25.3	14
07593	<5	<1	<1	0.08	15	34	0.38	763	1.5	<0.01	22.7	964	46.1	19
07594	<5	<1	<1	0.06	17	11	0.17	333	1.4	<0.01	11.6	648	26.2	18
07595	<5	<1	<1	0.04	14	6	0.09	119	0.8	<0.01	6.5	764	29.8	10
07596	<5	<1	<1	0.06	35	39	0.44	510	<0.5	<0.01	29.6	619	30.5	<10
07597	<5	<1	2	0.05	19	30	0.36	459	0.6	<0.01	25.6	476	26.4	<10
07598	<5	<1	<1	0.05	11	29	0.25	581	1.5	<0.01	13.3	876	31.1	16
07599	<5	<1	<1	0.03	10	11	0.17	829	1.8	<0.01	18.1	1060	24.4	12
07600	<5	<1	<1	0.04	13	20	0.20	360	1.1	<0.01	16.3	629	23.6	16
07601	<5	<1	<1	0.06	11	21	0.25	544	1.6	<0.01	15.8	785	20.1	20
07602	<5	<1	<1	0.04	10	34	0.34	446	2.1	<0.01	35.0	1020	21.5	13
07603	<5	<1	<1	0.04	18	37	0.36	566	1.1	<0.01	46.6	946	18.8	<10
07604	<5	<1	<1	0.05	29	41	0.44	738	<0.5	<0.01	30.7	549	31.5	<10
07605	<5	<1	<1	0.07	35	28	0.32	369	1.4	<0.01	18.8	366	21.1	14
07606	7	<1	<1	0.04	22	62	0.62	1780	1.5	<0.01	42.5	830	38.2	<10
07607	5	<1	<1	0.09	24	75	0.65	2680	0.9	<0.01	68.3	369	32.6	12
07608	<5	<1	<1	0.08	23	36	0.41	602	1.7	<0.01	28.8	660	37.1	16
07609	<5	<1	<1	0.08	22	35	0.40	664	1.4	<0.01	28.6	688	38.9	15
08029	<5	<1	<1	0.06	23	28	0.37	487	<0.5	<0.01	25.9	485	33.1	10
08030	6	<1	<1	0.06	17	29	0.26	1220	<0.5	<0.01	26.3	566	50.7	23
08011	5	<1	<1	0.04	14	17	0.17	104	2.2	<0.01	11.6	594	21.0	14

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
08012	6	<1	3	0.05	24	58	0.75	1150	0.6	<0.01	56.8	434	110	<10
08013	8	<1	<1	0.06	32	39	0.45	436	1.7	<0.01	25.0	907	30.4	16
08014	5	<1	<1	0.11	38	40	1.02	668	<0.5	<0.01	42.2	663	110	15
08015	<5	<1	<1	0.06	21	17	0.50	1310	1.5	<0.01	10.5	524	33.0	13
08016	<5	<1	2	0.13	29	11	0.19	4590	2.5	<0.01	15.5	794	30.7	26
08017	5	<1	<1	0.13	22	15	0.23	1020	0.6	<0.01	15.0	835	37.9	29
08018	<5	<1	2	0.13	21	11	0.22	750	<0.5	<0.01	11.6	642	32.4	22
08019	<5	<1	<1	0.07	27	5	0.10	697	1.5	<0.01	12.5	574	626	12
08020	6	<1	<1	0.05	10	15	0.28	340	2.8	<0.01	18.7	368	19.9	14
08021	6	<1	1	0.09	51	77	0.77	756	0.8	<0.01	36.6	783	34.3	13
08022	<5	<1	<1	0.04	20	27	0.43	1080	1.8	<0.01	27.5	635	17.7	<10
08023	6	<1	<1	0.05	14	36	0.47	655	2.1	<0.01	22.5	647	26.8	14
08024	6	<1	<1	0.07	22	34	0.34	390	1.2	<0.01	19.5	498	31.3	19
08025	6	<1	<1	0.06	11	27	0.37	723	1.1	<0.01	17.9	706	27.3	20
08026	6	<1	<1	0.07	19	24	0.31	446	2.2	<0.01	21.0	581	19.6	24
08027	7	<1	<1	0.06	26	28	0.35	282	0.9	<0.01	19.5	358	6.6	25
08028	<5	<1	<1	0.03	14	10	0.12	298	1.8	0.02	8.4	606	13.5	<10
06437	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06438	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06439	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06440	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06441	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06442	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06443	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06444	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06445	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06446	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06447	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06448	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06449	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06450	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06451	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

	Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
	Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
06452		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06453		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06454		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06455		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06456		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06457		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06458		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06459		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06460		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06461		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06462		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06463		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06464		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06465		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
07542	0.029	<1	1.1	<10	<5	6.7	<10	<10	8	<0.01	0.11	<5	11.5	<1
07543	0.032	<1	2.7	<10	<5	7.4	<10	<10	<5	0.01	0.13	<5	45.3	<1
07544	0.029	<1	2.3	<10	<5	11.2	<10	<10	<5	0.03	0.18	<5	62.8	<1
07545	0.029	<1	2.3	<10	<5	8.8	<10	<10	<5	0.02	0.02	<5	59.2	<1
07546	0.418	12	1.1	<10	13	1460	<10	<10	<5	<0.01	<0.01	<5	1.7	<1
07547	0.038	<1	1.1	<10	<5	6.9	<10	<10	<5	0.02	0.12	<5	63.7	<1
07548	0.058	<1	3.8	<10	<5	30.8	<10	<10	<5	0.06	0.23	<5	40.6	<1
07549	0.026	<1	1.5	<10	<5	11.7	<10	<10	<5	0.03	0.14	<5	58.8	<1
07550	0.013	<1	2.9	<10	<5	14.2	<10	<10	6	0.01	0.17	<5	53.7	<1
07551	0.019	<1	1.5	<10	<5	9.9	<10	<10	<5	0.02	0.14	<5	45.9	<1
07552	0.013	<1	1.8	<10	<5	8.9	<10	<10	<5	<0.01	0.11	<5	38.9	<1
07553	0.010	<1	2.6	<10	<5	8.6	<10	<10	<5	0.04	0.19	<5	73.4	<1
07554	0.007	<1	1.5	<10	<5	14.2	<10	<10	9	<0.01	0.11	<5	28.3	<1
07555	0.034	<1	2.3	<10	<5	23.4	<10	<10	<5	0.01	0.11	<5	45.4	<1
07556	0.013	<1	3.1	<10	<5	14.6	<10	<10	<5	0.04	0.16	<5	61.7	<1
07557	0.104	4	1.2	<10	<5	221	<10	<10	<5	0.01	0.07	8	11.8	<1
07558	0.017	<1	1.2	<10	<5	16.0	<10	<10	7	<0.01	0.08	<5	17.9	<1
07559	0.006	<1	2.1	<10	<5	7.2	<10	<10	8	0.02	0.13	<5	37.7	<1
07560	0.026	<1	3.1	<10	<5	47.9	<10	<10	6	0.01	0.16	<5	43.7	<1
07561	0.008	<1	2.8	<10	<5	13.5	<10	<10	8	0.01	0.13	<5	47.7	<1
07562	0.026	<1	4.9	<10	<5	42.0	<10	<10	10	0.02	0.09	<5	34.5	<1
07563	0.016	<1	2.8	<10	<5	27.7	<10	<10	9	0.01	0.08	<5	30.5	<1
07564	0.008	<1	2.6	<10	<5	14.8	<10	<10	8	0.02	0.13	<5	36.9	<1
07565	0.012	<1	1.9	<10	<5	6.7	<10	<10	5	0.06	0.18	<5	68.2	<1
07566	0.008	<1	2.4	<10	<5	10.4	<10	<10	11	0.03	0.11	<5	46.3	<1
07797	0.019	<1	1.9	<10	<5	10.3	<10	<10	<5	0.03	0.14	<5	63.5	<1
07798	0.011	<1	2.2	<10	<5	3.7	<10	<10	<5	0.02	0.15	<5	67.8	<1
07799	0.013	<1	1.8	<10	<5	12.0	<10	<10	<5	0.04	0.14	<5	57.9	<1
07800	0.014	<1	1.8	<10	<5	6.6	<10	<10	<5	0.02	0.11	<5	49.0	<1
07801	0.061	<1	1.7	<10	<5	21.7	<10	<10	<5	0.01	0.12	<5	39.3	<1
07802	0.048	<1	2.6	<10	<5	52.9	<10	<10	<5	0.01	0.10	7	32.5	<1
07803	0.023	<1	2.4	<10	<5	35.1	<10	<10	7	0.02	0.10	<5	36.7	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
07804	0.025	<1	2.4	<10	<5	19.5	<10	<10	<5	0.02	0.18	<5	68.7	<1
07805	0.062	<1	2.5	<10	<5	61.3	<10	<10	5	0.03	0.14	<5	50.8	<1
07806	0.052	<1	3.5	<10	<5	64.9	<10	<10	7	0.07	0.19	<5	67.7	<1
07807	0.029	<1	2.4	<10	<5	42.8	<10	<10	8	0.03	0.11	<5	39.0	<1
07808	0.056	<1	2.1	<10	<5	63.9	<10	<10	6	0.02	0.11	<5	31.1	<1
07830	0.006	<1	2.7	<10	<5	13.7	<10	<10	14	<0.01	0.07	<5	19.9	<1
07831	0.010	<1	2.5	<10	<5	23.9	<10	<10	9	0.03	0.11	<5	28.6	<1
07832	0.047	3	2.6	<10	<5	31.3	<10	<10	<5	<0.01	0.43	<5	28.6	<1
07833	0.056	<1	1.6	<10	<5	20.7	<10	<10	<5	<0.01	0.46	<5	35.9	<1
07834	0.044	1	2.4	<10	<5	35.2	<10	<10	<5	0.02	0.16	<5	25.7	<1
07835	0.014	<1	1.3	<10	<5	6.7	<10	<10	<5	0.02	0.10	<5	20.3	<1
07836	0.015	<1	1.4	<10	<5	20.5	<10	<10	<5	0.01	0.13	<5	24.6	<1
07837	0.029	<1	1.6	<10	<5	33.1	<10	<10	<5	0.02	0.12	<5	29.4	<1
07838	0.058	<1	2.3	<10	<5	49.9	<10	<10	<5	0.02	0.13	<5	27.9	<1
07839	0.038	<1	2.2	<10	<5	35.1	<10	<10	<5	0.01	0.16	<5	29.5	<1
07840	0.009	<1	2.1	<10	<5	10.2	<10	<10	6	0.02	0.12	<5	41.0	<1
07841	0.021	<1	2.4	<10	<5	22.8	<10	<10	6	0.03	0.11	<5	39.2	<1
07842	0.021	<1	2.5	<10	<5	29.6	<10	<10	7	0.04	0.11	<5	37.3	<1
07843	0.036	<1	2.9	<10	<5	47.7	<10	<10	8	0.01	0.11	<5	36.0	<1
07844	0.090	<1	2.7	<10	<5	113	<10	<10	5	0.02	0.12	<5	40.6	<1
07845	0.042	<1	2.7	<10	<5	58.9	<10	<10	<5	<0.01	0.08	<5	26.5	<1
07846	0.075	2	2.2	<10	<5	126	<10	<10	<5	<0.01	0.06	<5	23.6	<1
07847	0.025	<1	1.9	<10	<5	31.2	<10	<10	9	0.01	0.08	<5	29.1	<1
07353	0.056	<1	2.8	<10	<5	38.7	<10	<10	<5	0.02	0.19	<5	27.7	<1
07354	0.047	<1	2.0	<10	<5	27.8	<10	<10	<5	0.01	0.18	<5	26.0	<1
07355	0.048	<1	2.4	<10	<5	33.5	<10	<10	<5	0.01	0.17	<5	24.7	<1
07356	0.049	<1	2.9	<10	<5	38.9	<10	<10	7	0.02	0.23	<5	40.2	<1
07357	0.012	<1	1.2	<10	<5	6.1	<10	<10	<5	0.02	0.14	<5	36.8	<1
07358	0.079	<1	2.4	<10	<5	49.2	<10	<10	6	0.02	0.09	<5	27.5	<1
07359	0.025	<1	4.8	<10	<5	48.8	<10	<10	11	0.05	0.21	<5	45.8	<1
07360	0.068	<1	3.2	<10	<5	112	<10	<10	10	0.01	0.08	7	33.4	<1
07361	0.095	3	1.9	<10	<5	154	<10	<10	<5	0.01	0.09	<5	23.1	<1

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
07362	0.020	<1	1.6	<10	<5	14.7	<10	<10	6	0.01	0.10	<5	29.6	<1
07363	0.044	<1	2.2	<10	<5	53.5	<10	<10	6	<0.01	0.10	<5	24.3	<1
07364	0.019	<1	1.2	<10	<5	13.7	<10	<10	6	0.01	0.08	<5	21.6	<1
07365	0.054	<1	2.2	<10	<5	80.8	<10	<10	5	<0.01	0.06	<5	20.9	<1
07366	0.030	<1	2.8	<10	<5	38.5	<10	<10	12	0.01	0.06	<5	29.1	<1
07367	0.042	<1	2.1	<10	<5	68.6	<10	<10	6	<0.01	0.06	<5	20.9	<1
07368	0.084	<1	2.1	<10	<5	110	<10	<10	<5	<0.01	0.07	6	22.6	<1
07369	0.049	<1	2.6	<10	<5	75.1	<10	<10	6	0.01	0.07	<5	26.5	<1
06466	0.050	<1	1.9	<10	<5	24.8	<10	<10	<5	0.02	0.15	<5	45.5	<1
06467	0.033	<1	1.8	<10	<5	16.5	<10	<10	<5	0.03	0.22	<5	60.9	<1
06468	0.019	<1	1.3	<10	<5	9.0	<10	<10	<5	0.02	0.15	<5	50.4	<1
06469	0.014	<1	1.7	<10	<5	9.4	<10	<10	<5	0.01	0.15	<5	43.7	<1
06470	0.040	<1	2.7	<10	<5	10.7	<10	<10	9	0.02	0.13	<5	41.3	<1
06471	0.024	<1	2.0	<10	<5	10.0	<10	<10	<5	0.03	0.16	<5	57.3	<1
06472	0.010	<1	2.2	<10	<5	9.1	<10	<10	11	<0.01	0.08	<5	30.6	<1
06473	0.009	<1	2.5	<10	<5	6.7	<10	<10	8	0.02	0.14	<5	41.4	<1
06474	<0.005	<1	2.2	<10	<5	6.0	<10	<10	9	0.01	0.11	<5	28.9	<1
06475	<0.005	<1	5.6	<10	<5	5.4	<10	<10	13	0.01	0.12	<5	33.1	<1
06476	0.007	<1	2.1	<10	<5	15.7	<10	<10	12	<0.01	0.08	<5	8.9	<1
06477	<0.005	<1	2.4	<10	<5	3.4	<10	<10	8	<0.01	0.13	<5	37.6	<1
06478	<0.005	<1	1.6	<10	<5	6.8	<10	<10	<5	0.01	0.13	<5	45.9	<1
06479	<0.005	<1	2.4	<10	<5	7.5	<10	<10	6	0.02	0.17	<5	48.9	<1
06480	<0.005	<1	2.1	<10	<5	5.0	<10	<10	8	<0.01	0.12	<5	32.5	<1
06481	<0.005	<1	2.5	<10	<5	6.2	<10	<10	5	0.03	0.18	<5	72.2	<1
06482	<0.005	<1	2.3	<10	<5	3.5	<10	<10	8	0.01	0.12	<5	39.1	<1
06483	<0.005	<1	2.0	<10	<5	7.5	<10	<10	6	0.01	0.14	<5	38.9	<1
07279	0.015	<1	1.1	<10	<5	8.1	<10	<10	6	<0.01	0.08	<5	21.2	<1
07280	0.049	<1	1.8	<10	<5	35.5	<10	<10	<5	<0.01	0.07	<5	14.6	<1
07281	0.046	<1	2.4	<10	<5	59.4	<10	<10	6	<0.01	0.05	<5	19.9	<1
07282	0.029	<1	1.6	<10	<5	20.2	<10	<10	<5	<0.01	0.07	<5	36.8	<1
07283	0.035	<1	1.8	<10	<5	45.5	<10	<10	5	<0.01	0.06	<5	22.2	<1
07284	0.027	<1	3.1	<10	<5	50.5	<10	<10	8	0.01	0.08	<5	32.9	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
07285	0.020	<1	1.9	<10	<5	25.7	<10	<10	7	<0.01	0.08	<5	22.7	<1
07286	0.084	3	1.8	<10	<5	102	<10	<10	<5	<0.01	0.05	<5	14.3	<1
07287	0.054	<1	2.6	<10	<5	64.2	<10	<10	5	<0.01	0.08	<5	22.9	<1
07288	0.018	<1	1.5	<10	<5	12.5	<10	<10	9	<0.01	0.05	<5	19.8	<1
07289	0.016	<1	2.3	<10	<5	43.0	<10	<10	8	<0.01	0.03	<5	14.7	<1
07290	0.049	<1	2.3	<10	<5	59.2	<10	<10	<5	<0.01	0.09	<5	19.8	<1
07291	0.101	3	2.3	<10	<5	145	<10	<10	<5	<0.01	0.07	10	19.6	<1
07292	<0.005	<1	2.0	<10	<5	8.6	<10	<10	6	<0.01	0.10	<5	30.2	<1
07293	<0.005	<1	1.7	<10	<5	22.4	<10	<10	6	<0.01	0.10	<5	29.7	<1
07294	0.046	<1	2.3	<10	<5	66.5	<10	<10	<5	<0.01	0.04	<5	14.3	<1
07295	0.020	<1	2.3	<10	<5	40.4	<10	<10	<5	<0.01	0.05	<5	17.4	<1
07296	0.052	<1	1.7	<10	<5	62.8	<10	<10	<5	<0.01	0.05	<5	14.1	<1
07297	0.066	2	1.8	<10	<5	88.7	<10	<10	<5	<0.01	0.05	<5	15.3	<1
07298	0.045	<1	2.3	<10	<5	60.0	<10	<10	<5	<0.01	0.07	<5	20.9	<1
07299	0.074	1	2.3	<10	<5	131	<10	<10	<5	<0.01	0.06	<5	18.8	<1
07300	0.020	<1	2.9	<10	<5	57.4	<10	<10	7	<0.01	0.08	<5	27.4	<1
07301	0.070	1	1.9	<10	<5	119	<10	<10	<5	<0.01	0.05	<5	16.7	<1
07302	0.036	<1	2.1	<10	<5	69.6	<10	<10	<5	<0.01	0.06	<5	18.7	<1
07303	0.025	<1	2.6	<10	<5	61.6	<10	<10	6	<0.01	0.07	<5	20.2	<1
07567	0.012	<1	2.3	<10	<5	47.4	<10	<10	9	<0.01	0.06	<5	19.8	<1
07568	0.012	<1	1.6	<10	<5	44.3	<10	<10	5	0.02	0.11	<5	26.5	<1
07569	<0.005	<1	2.2	<10	<5	13.8	<10	<10	8	<0.01	0.08	<5	26.8	<1
07570	0.007	<1	1.9	<10	<5	16.0	<10	<10	<5	0.01	0.08	<5	31.7	14
07571	0.020	2	3.0	<10	<5	68.4	<10	<10	16	0.02	0.06	<5	7.2	<1
07572	<0.005	<1	2.0	<10	<5	9.3	<10	<10	7	0.01	0.11	<5	31.0	<1
07573	0.020	<1	2.5	<10	<5	47.4	<10	<10	9	<0.01	0.05	<5	22.5	<1
07574	0.006	<1	1.6	<10	<5	13.5	<10	<10	11	0.02	0.05	<5	21.7	<1
07575	0.058	2	2.1	<10	<5	139	<10	<10	<5	<0.01	0.07	<5	23.3	<1
07576	0.042	<1	2.5	<10	<5	96.7	<10	<10	<5	<0.01	0.10	<5	29.5	<1
07577	0.095	3	1.7	<10	<5	199	<10	<10	<5	<0.01	0.07	6	16.3	<1
07578	0.026	<1	1.9	<10	<5	31.7	<10	<10	5	<0.01	0.07	<5	20.5	<1
07579	0.047	<1	2.5	<10	<5	77.9	<10	<10	<5	<0.01	0.08	<5	26.3	<1

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
07580		0.074	2	1.8	<10	<5	126	<10	<10	<5	<0.01	0.06	6	16.9	<1
07581		0.020	<1	2.2	<10	<5	43.1	<10	<10	13	<0.01	0.06	<5	17.5	<1
07582		0.059	4	1.6	<10	<5	97.3	<10	<10	<5	<0.01	0.06	<5	16.7	<1
07583		0.035	<1	1.6	<10	<5	59.5	<10	<10	5	<0.01	0.06	<5	14.0	<1
07584		0.023	<1	1.9	<10	<5	52.1	<10	<10	6	<0.01	0.06	<5	18.7	<1
07585		0.020	1	2.7	<10	<5	45.9	<10	<10	5	<0.01	0.07	<5	27.2	<1
07586		0.048	2	2.2	<10	<5	137	<10	<10	6	<0.01	0.03	<5	12.1	<1
07587		<0.005	<1	2.3	<10	<5	23.6	<10	<10	8	<0.01	0.09	<5	39.0	<1
07588		<0.005	<1	2.0	<10	<5	8.6	<10	<10	<5	0.01	0.16	<5	61.2	<1
07326		<0.005	<1	2.1	<10	<5	8.1	<10	<10	7	0.01	0.14	<5	37.6	<1
07327		<0.005	<1	3.3	<10	<5	6.9	<10	<10	10	<0.01	0.08	<5	15.8	<1
07328		0.008	1	2.1	<10	<5	32.5	<10	<10	<5	<0.01	0.10	<5	36.1	<1
07329		0.033	<1	2.2	<10	<5	55.8	<10	<10	<5	<0.01	0.06	<5	22.7	<1
07330		0.036	<1	2.0	<10	<5	56.5	<10	<10	<5	<0.01	0.06	<5	22.6	<1
07331		0.047	1	2.1	<10	<5	68.9	<10	<10	<5	<0.01	0.06	<5	21.0	<1
07332		0.045	<1	2.3	<10	<5	78.8	<10	<10	<5	<0.01	0.07	<5	27.1	<1
07333		0.008	<1	2.5	<10	<5	36.5	<10	<10	7	0.01	0.16	<5	44.5	<1
07334		<0.005	<1	1.7	<10	<5	7.9	<10	<10	11	<0.01	0.07	<5	17.3	<1
07335		0.009	<1	3.1	<10	<5	46.1	<10	<10	5	0.02	0.12	<5	47.2	<1
07336		0.013	<1	2.2	<10	<5	34.2	<10	<10	<5	0.01	0.13	<5	40.7	<1
07337		0.009	<1	1.6	<10	<5	23.6	<10	<10	<5	0.01	0.16	<5	57.9	<1
07338		0.008	<1	1.6	<10	<5	16.1	<10	<10	<5	<0.01	0.10	<5	31.2	<1
07339		0.021	<1	1.9	<10	<5	58.2	<10	<10	6	<0.01	0.08	<5	23.5	<1
07340		0.031	2	2.6	<10	<5	116	<10	<10	8	<0.01	0.08	<5	15.3	<1
07341		<0.005	<1	2.3	<10	<5	18.9	<10	<10	<5	0.02	0.18	<5	60.5	<1
07342		0.038	2	1.8	<10	<5	84.8	<10	<10	<5	<0.01	0.07	<5	18.7	<1
07343		<0.005	<1	1.0	<10	<5	8.7	<10	<10	5	<0.01	0.07	<5	21.5	<1
07344		0.042	<1	2.0	<10	<5	84.0	<10	<10	<5	<0.01	0.06	<5	19.5	<1
07345		0.104	3	1.8	<10	<5	115	<10	<10	<5	<0.01	0.06	<5	18.8	<1
07346		0.088	4	1.6	<10	<5	161	<10	<10	<5	<0.01	0.07	<5	20.1	<1
07347		0.063	3	1.8	<10	<5	117	<10	<10	<5	<0.01	0.09	<5	24.4	<1
07348		<0.005	<1	2.0	<10	<5	29.8	<10	<10	<5	0.01	0.09	<5	32.1	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
07349	0.022	2	2.4	<10	<5	28.6	<10	<10	6	0.02	0.10	<5	37.2	<1
07350	0.011	<1	2.3	<10	<5	34.2	<10	<10	6	0.02	0.09	<5	31.0	<1
07351	0.018	<1	1.8	<10	<5	22.0	<10	<10	7	0.01	0.07	<5	28.0	<1
07352	0.005	<1	1.9	<10	<5	21.9	<10	<10	7	0.01	0.07	<5	28.1	<1
07304	0.008	<1	4.9	<10	<5	31.5	<10	<10	<5	0.12	0.26	<5	48.8	<1
07305	0.024	<1	3.1	<10	<5	16.1	<10	<10	<5	0.06	0.17	<5	49.9	<1
07306	0.014	<1	5.2	<10	<5	24.6	<10	<10	6	0.11	0.26	<5	60.4	<1
07307	0.024	<1	5.3	<10	<5	16.0	<10	<10	<5	0.06	0.27	<5	53.5	<1
07308	0.042	<1	2.3	<10	<5	6.5	<10	<10	<5	<0.01	0.31	<5	38.1	<1
07309	0.029	<1	10.4	<10	<5	14.5	<10	<10	<5	0.29	0.41	<5	159	<1
07310	0.051	<1	4.5	<10	<5	7.2	<10	<10	<5	<0.01	0.34	8	34.2	<1
07311	0.029	<1	9.6	<10	<5	20.3	<10	<10	5	0.01	0.37	14	39.3	<1
07312	0.056	<1	2.4	<10	<5	11.3	<10	<10	<5	0.04	0.23	<5	58.6	<1
07313	0.069	<1	1.0	<10	<5	8.1	<10	<10	<5	0.02	0.27	<5	53.8	<1
07314	0.240	<1	10.7	<10	<5	825	<10	<10	<5	0.20	0.47	<5	103	<1
07315	0.072	<1	1.3	<10	<5	27.1	<10	<10	<5	0.03	0.11	<5	31.0	<1
07316	0.045	<1	0.7	<10	<5	8.8	<10	<10	<5	0.02	0.21	<5	47.5	<1
07317	0.072	<1	0.5	<10	<5	9.4	<10	<10	<5	0.01	0.19	<5	54.1	<1
07318	0.066	<1	0.7	<10	<5	8.7	<10	<10	<5	0.02	0.20	<5	59.2	<1
07319	0.132	2	2.0	<10	<5	61.3	<10	<10	<5	0.03	0.15	<5	25.2	<1
07320	0.071	<1	0.7	<10	<5	12.1	<10	<10	<5	0.02	0.18	<5	62.9	<1
07321	0.076	<1	0.9	<10	<5	18.3	<10	<10	<5	0.01	0.17	<5	50.4	<1
07322	0.180	6	2.8	<10	<5	1120	<10	<10	<5	0.02	<0.01	<5	32.4	<1
07323	0.099	<1	0.8	<10	<5	8.4	<10	<10	<5	0.01	0.13	<5	33.8	<1
07324	0.064	<1	<0.5	<10	<5	8.3	<10	<10	<5	<0.01	0.10	<5	30.7	<1
07325	0.064	<1	0.7	<10	<5	13.7	<10	<10	<5	0.01	0.16	<5	44.5	<1
07809	0.056	<1	2.8	<10	<5	87.9	<10	<10	<5	<0.01	0.06	<5	23.6	<1
07810	0.055	<1	2.7	<10	<5	96.4	<10	<10	5	<0.01	0.06	<5	23.9	<1
07811	0.024	<1	2.9	<10	<5	51.8	<10	<10	6	<0.01	0.04	<5	15.1	<1
07812	0.014	<1	2.8	<10	<5	43.8	<10	<10	6	<0.01	0.05	<5	19.3	<1
07813	0.400	5	0.8	<10	<5	282	<10	<10	<5	<0.01	0.02	<5	7.5	<1
07814	0.032	<1	2.4	<10	<5	77.6	<10	<10	<5	<0.01	0.06	<5	21.5	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
07815	0.046	1	3.4	<10	<5	60.7	<10	<10	8	<0.01	0.11	<5	33.4	<1
07816	0.048	3	2.3	<10	<5	106	<10	<10	<5	<0.01	0.08	<5	27.2	<1
07817	0.033	2	2.6	<10	<5	88.3	<10	<10	7	<0.01	0.08	<5	25.8	<1
07818	0.045	3	3.3	<10	<5	92.7	<10	<10	<5	<0.01	0.16	<5	54.8	<1
07819	0.032	2	2.4	<10	<5	68.6	<10	<10	<5	<0.01	0.10	<5	29.3	<1
07820	0.016	1	2.2	<10	<5	52.2	<10	<10	6	<0.01	0.05	<5	21.8	<1
07821	0.016	<1	2.7	<10	<5	48.1	<10	<10	7	<0.01	0.08	<5	26.1	<1
07822	0.064	3	1.7	<10	<5	124	<10	<10	<5	<0.01	0.06	<5	20.7	<1
07823	0.021	<1	2.3	<10	<5	59.0	<10	<10	<5	<0.01	0.06	<5	24.0	<1
07824	0.009	<1	2.8	<10	<5	41.7	<10	<10	5	<0.01	0.08	<5	29.8	<1
07825	0.072	3	2.6	<10	<5	99.6	<10	<10	5	<0.01	0.06	<5	22.0	<1
07826	0.103	3	2.0	<10	<5	126	<10	<10	<5	<0.01	0.06	<5	19.3	<1
07827	0.041	1	2.0	<10	<5	48.6	<10	<10	<5	<0.01	0.09	<5	20.4	<1
07828	0.033	<1	2.3	<10	<5	47.1	<10	<10	6	<0.01	0.06	<5	22.1	<1
07829	0.043	<1	1.9	<10	<5	57.4	<10	<10	<5	<0.01	0.04	<5	18.9	<1
06484	0.008	<1	1.3	<10	<5	5.3	<10	<10	6	0.01	0.09	<5	47.5	<1
06485	0.010	<1	2.3	<10	<5	18.5	<10	<10	7	0.01	0.17	<5	48.6	<1
06486	0.008	<1	2.8	<10	<5	29.1	<10	<10	14	<0.01	0.11	<5	27.4	<1
06487	0.007	<1	2.1	<10	<5	10.9	<10	<10	6	0.02	0.13	<5	49.6	<1
06488	0.010	<1	2.5	<10	<5	23.3	<10	<10	12	0.04	0.07	<5	31.1	<1
06489	0.007	<1	1.6	<10	<5	13.1	<10	<10	9	<0.01	0.05	<5	20.4	<1
06490	0.013	<1	2.7	<10	<5	25.2	<10	<10	8	<0.01	<0.01	<5	26.6	<1
06491	0.005	<1	2.3	<10	<5	11.7	<10	<10	11	<0.01	0.08	<5	22.9	<1
06492	0.052	<1	3.8	<10	<5	60.3	<10	<10	12	<0.01	<0.01	7	18.2	<1
06493	0.049	<1	2.8	<10	<5	104	<10	<10	9	<0.01	<0.01	<5	19.6	<1
06494	0.065	<1	4.9	<10	<5	99.8	<10	<10	<5	0.03	0.16	<5	51.5	<1
06495	0.078	1	3.7	<10	<5	95.7	<10	<10	<5	<0.01	0.09	<5	39.2	<1
06496	0.062	1	3.4	<10	<5	78.7	<10	<10	<5	<0.01	0.07	<5	34.2	<1
06497	0.058	1	2.3	<10	<5	84.9	<10	<10	<5	<0.01	0.17	<5	24.6	<1
06498	0.135	5	0.8	<10	<5	160	<10	<10	<5	<0.01	0.04	<5	9.0	<1
06499	0.085	2	1.9	<10	<5	109	<10	<10	<5	<0.01	0.05	<5	21.7	<1
06500	0.058	<1	2.9	<10	<5	69.7	<10	<10	12	<0.01	0.05	<5	23.4	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
08001		0.023	<1	2.9	<10	<5	41.4	<10	<10	10	<0.01	0.07	<5	28.6	<1
08002		0.101	3	2.0	<10	<5	108	<10	<10	<5	<0.01	0.04	<5	19.9	<1
08003		0.050	<1	2.8	<10	<5	78.5	<10	<10	5	<0.01	0.09	<5	32.4	<1
08004		0.019	<1	3.1	<10	<5	22.9	<10	<10	14	<0.01	0.07	<5	25.7	<1
08005		0.051	<1	3.3	<10	<5	61.4	<10	<10	8	<0.01	0.11	<5	35.6	<1
08006		0.118	2	2.2	<10	<5	180	<10	<10	<5	<0.01	0.04	<5	20.5	<1
08007		0.067	<1	2.8	<10	<5	76.3	<10	<10	<5	<0.01	0.05	<5	27.1	<1
08008		0.055	1	2.4	<10	<5	85.7	<10	<10	<5	<0.01	0.07	<5	24.0	<1
08009		0.087	1	2.7	<10	<5	113	<10	<10	<5	0.01	0.10	<5	29.2	<1
08010		0.077	3	2.0	<10	<5	102	<10	<10	<5	<0.01	0.08	<5	22.9	<1
07757		0.012	<1	2.9	<10	<5	10.6	<10	<10	10	0.02	0.17	<5	38.7	<1
07758		0.019	<1	2.6	<10	<5	9.9	<10	<10	7	0.03	0.11	<5	39.5	<1
07759		0.087	<1	1.7	<10	<5	12.4	<10	<10	11	<0.01	0.05	<5	18.3	<1
07760		0.015	<1	3.1	<10	<5	9.0	<10	<10	7	0.01	0.11	<5	30.1	<1
07761		<0.005	<1	1.4	<10	<5	6.4	<10	<10	20	<0.01	0.05	<5	4.9	<1
07762		0.256	2	1.6	<10	<5	34.2	<10	<10	10	<0.01	0.37	<5	11.1	<1
07763		0.023	<1	1.6	<10	<5	6.0	<10	<10	<5	0.01	0.12	<5	39.2	<1
07764		0.020	<1	2.1	<10	<5	8.5	<10	<10	6	0.02	0.13	<5	42.4	<1
07765		0.015	<1	1.7	<10	<5	8.9	<10	<10	<5	0.02	0.16	<5	43.6	<1
07766		0.024	<1	2.2	<10	<5	5.8	<10	<10	6	0.02	0.14	<5	38.4	<1
07767		0.013	<1	3.0	<10	<5	9.9	<10	<10	<5	<0.01	0.09	7	30.4	<1
07768		<0.005	<1	2.0	<10	<5	6.6	<10	<10	6	0.01	0.11	<5	32.9	<1
07769		0.007	<1	1.8	<10	<5	8.9	<10	<10	7	<0.01	0.13	<5	30.5	<1
06437		0.053	2	2.0	<10	<5	78.1	<10	<10	<5	<0.01	0.07	<5	20.9	<1
06438		0.052	2	2.3	<10	<5	99.2	<10	<10	<5	<0.01	0.08	<5	25.0	<1
06439		0.046	2	2.1	<10	<5	79.8	<10	<10	<5	<0.01	0.09	<5	26.0	<1
06440		0.042	<1	2.1	<10	<5	77.3	<10	<10	<5	<0.01	0.07	<5	21.3	<1
06441		0.027	2	2.6	<10	<5	58.6	<10	<10	6	0.01	0.10	<5	29.4	<1
06442		0.036	2	2.3	<10	<5	60.0	<10	<10	<5	<0.01	0.07	<5	23.7	<1
06443		0.019	<1	2.8	<10	<5	39.6	<10	<10	6	0.01	0.12	<5	40.1	<1
06444		0.020	<1	2.1	<10	<5	18.7	<10	<10	10	<0.01	0.08	<5	32.1	<1
06445		0.042	1	1.9	<10	<5	63.4	<10	<10	<5	<0.01	0.05	<5	18.1	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
06446	0.017	<1	1.8	<10	<5	32.4	<10	<10	<5	<0.01	0.04	<5	12.7	<1
06447	0.013	<1	1.7	<10	<5	25.7	<10	<10	<5	<0.01	0.06	<5	21.9	<1
06448	<0.005	<1	1.1	<10	<5	19.9	<10	<10	7	<0.01	0.08	<5	20.4	<1
06449	0.072	2	1.9	<10	<5	110	<10	<10	<5	<0.01	0.06	<5	15.4	<1
06450	0.011	<1	2.3	<10	<5	27.7	<10	<10	7	<0.01	0.05	<5	20.2	<1
06451	<0.005	<1	1.7	<10	<5	6.3	<10	<10	6	<0.01	0.10	<5	23.8	<1
06452	0.055	2	3.2	<10	<5	82.4	<10	<10	<5	0.03	0.06	<5	31.3	<1
06453	0.021	<1	2.6	<10	<5	48.0	<10	<10	8	<0.01	0.06	<5	22.8	<1
06454	0.025	<1	2.3	<10	<5	64.2	<10	<10	6	<0.01	0.06	<5	20.4	<1
06455	0.008	<1	2.5	<10	<5	29.6	<10	<10	8	<0.01	0.08	<5	25.8	<1
06456	0.071	3	2.0	<10	<5	113	<10	<10	<5	<0.01	0.06	<5	20.7	<1
06457	0.010	<1	1.6	<10	<5	33.9	<10	<10	<5	<0.01	0.07	<5	28.1	<1
06458	0.006	<1	2.0	<10	<5	19.8	<10	<10	<5	0.01	0.07	<5	26.1	<1
06459	<0.005	<1	1.4	<10	<5	8.8	<10	<10	6	0.01	0.09	<5	36.7	<1
06460	0.008	<1	3.2	<10	<5	15.6	<10	<10	<5	0.02	0.14	<5	63.0	<1
06461	0.006	<1	2.2	<10	<5	12.6	<10	<10	<5	0.01	0.20	<5	92.0	<1
06462	<0.005	<1	1.6	<10	<5	17.3	<10	<10	<5	0.01	0.11	<5	46.6	<1
06463	0.063	4	3.0	<10	<5	81.8	<10	<10	<5	<0.01	0.13	<5	47.5	<1
06464	0.064	4	1.8	<10	<5	103	<10	<10	<5	0.02	0.10	<5	32.4	<1
06465	0.282	7	1.0	<10	<5	236	<10	<10	<5	<0.01	0.05	<5	10.4	<1
07770	<0.005	<1	2.0	<10	<5	7.9	<10	<10	7	0.01	0.13	<5	40.7	<1
07771	<0.005	<1	2.0	<10	<5	14.4	<10	<10	<5	0.02	0.18	<5	58.4	<1
07772	0.007	<1	1.5	<10	<5	8.6	<10	<10	<5	0.02	0.12	<5	44.5	<1
07773	<0.005	<1	3.1	<10	<5	9.7	<10	<10	7	0.02	0.19	<5	53.2	<1
07774	0.006	<1	1.8	<10	<5	34.5	<10	<10	<5	0.02	0.12	<5	48.1	<1
07775	<0.005	<1	1.7	<10	<5	8.5	<10	<10	10	0.01	0.09	<5	26.3	<1
07776	<0.005	<1	2.9	<10	<5	8.5	<10	<10	9	<0.01	0.14	<5	36.1	<1
07777	<0.005	<1	1.3	<10	<5	5.1	<10	<10	<5	0.01	0.08	<5	50.4	<1
07778	0.007	<1	1.9	<10	<5	14.6	<10	<10	8	0.01	0.07	<5	21.1	<1
07779	0.006	<1	3.8	<10	<5	6.7	<10	<10	6	0.02	0.19	<5	53.9	<1
07780	0.007	<1	1.5	<10	<5	8.0	<10	<10	5	0.01	0.10	<5	45.4	<1
07781	0.012	<1	1.5	<10	<5	5.0	<10	<10	5	<0.01	0.10	<5	31.0	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
07782	0.010	<1	2.2	<10	<5	14.1	<10	<10	<5	0.01	0.12	<5	44.7	<1
07783	0.017	<1	2.9	<10	<5	24.7	<10	<10	9	0.01	0.06	<5	23.2	<1
07784	0.053	<1	3.6	<10	<5	57.7	<10	<10	9	0.01	0.10	<5	28.7	<1
07785	0.083	2	2.3	<10	<5	115	<10	<10	<5	<0.01	0.06	<5	19.5	<1
07786	0.028	<1	3.0	<10	<5	43.3	<10	<10	8	<0.01	0.07	<5	26.0	<1
07787	0.047	2	2.5	<10	<5	83.4	<10	<10	7	<0.01	0.07	<5	23.5	<1
07788	0.049	<1	12.3	<10	<5	11.4	<10	<10	8	0.19	0.53	<5	180	<1
07789	0.138	<1	13.1	<10	<5	43.6	<10	<10	5	0.17	0.35	<5	142	<1
07790	0.153	<1	13.1	<10	<5	21.0	<10	<10	<5	0.05	0.72	17	91.8	<1
07791	0.112	<1	8.7	<10	<5	20.0	<10	<10	<5	0.08	0.30	<5	184	<1
07792	0.134	<1	3.8	<10	<5	20.5	<10	<10	<5	0.07	0.27	<5	119	<1
07793	0.031	<1	1.6	<10	<5	3.3	<10	<10	8	0.02	0.20	<5	38.7	<1
07794	0.097	<1	0.6	<10	<5	17.3	<10	<10	<5	0.02	0.24	<5	79.9	<1
07795	0.041	<1	<0.5	<10	<5	6.6	<10	<10	<5	<0.01	0.10	<5	50.7	<1
07796	0.032	<1	2.4	<10	<5	11.5	<10	<10	<5	0.07	0.20	<5	65.8	<1
07517	0.009	<1	2.7	<10	<5	10.6	<10	<10	8	0.02	0.16	<5	50.0	<1
07518	0.020	<1	1.8	<10	<5	16.2	<10	<10	<5	0.02	0.13	<5	57.3	<1
07519	0.124	<1	2.5	<10	<5	137	<10	<10	<5	<0.01	0.07	7	24.1	<1
07520	0.010	<1	1.8	<10	<5	16.0	<10	<10	7	0.01	0.14	<5	42.8	<1
07521	0.031	<1	2.2	<10	<5	60.6	<10	<10	6	<0.01	0.06	<5	21.8	<1
07522	0.040	<1	2.7	<10	<5	67.6	<10	<10	5	<0.01	0.06	<5	21.7	<1
07523	0.012	<1	2.8	<10	<5	30.2	<10	<10	7	0.01	0.11	<5	46.0	<1
07524	0.076	2	2.3	<10	<5	135	<10	<10	<5	<0.01	0.06	6	22.2	<1
07525	0.013	<1	2.2	<10	<5	18.1	<10	<10	13	<0.01	0.08	<5	21.6	<1
07526	0.012	<1	3.3	<10	<5	20.8	<10	<10	14	0.01	0.11	<5	27.0	<1
07527	0.021	<1	2.7	<10	<5	49.5	<10	<10	6	0.02	0.13	<5	39.7	<1
07528	0.058	<1	2.9	<10	<5	71.9	<10	<10	<5	0.01	0.07	<5	31.1	<1
07529	0.125	2	2.7	<10	<5	163	<10	<10	<5	<0.01	0.05	<5	25.9	<1
07530	0.057	2	3.2	<10	<5	91.9	<10	<10	<5	<0.01	0.10	<5	30.5	<1
07531	0.084	2	1.9	<10	<5	182	<10	<10	<5	<0.01	0.06	<5	23.7	<1
07532	0.066	2	2.9	<10	<5	143	<10	<10	<5	0.01	0.13	<5	41.1	<1
07533	0.073	3	2.3	<10	<5	139	<10	<10	<5	0.01	0.07	<5	25.4	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
07534		0.011	<1	2.4	<10	<5	29.5	<10	<10	9	0.01	0.11	<5	36.6	<1
07535		0.021	<1	3.7	<10	<5	51.7	<10	<10	9	0.01	0.07	<5	25.9	<1
07536		0.031	1	2.6	<10	<5	63.2	<10	<10	7	<0.01	0.07	<5	22.1	<1
07537		0.028	<1	3.1	<10	<5	51.4	<10	<10	6	<0.01	0.07	<5	24.8	<1
07538		0.032	1	2.0	<10	<5	61.8	<10	<10	<5	<0.01	0.05	<5	19.1	<1
07539		0.023	2	2.9	<10	<5	41.9	<10	<10	6	<0.01	0.09	<5	26.4	<1
07540		0.044	2	2.5	<10	<5	72.6	<10	<10	<5	<0.01	0.09	<5	23.8	<1
07541		0.035	2	2.4	<10	<5	51.8	<10	<10	<5	<0.01	0.07	<5	22.0	<1
07589		0.027	<1	1.8	<10	<5	23.0	<10	<10	8	<0.01	0.06	<5	14.8	<1
07590		0.015	<1	2.0	<10	<5	20.6	<10	<10	11	<0.01	0.03	<5	14.7	<1
07591		0.015	<1	2.1	<10	<5	11.2	<10	<10	8	<0.01	0.04	<5	19.2	<1
07592		0.027	<1	0.9	<10	<5	3.6	<10	<10	<5	0.01	0.07	<5	23.9	<1
07593		0.048	<1	1.9	<10	<5	24.2	<10	<10	<5	0.01	0.08	<5	26.1	<1
07594		0.033	<1	<0.5	<10	<5	5.7	<10	<10	<5	0.01	0.11	<5	33.8	<1
07595		0.033	<1	<0.5	<10	<5	3.8	<10	<10	<5	<0.01	0.08	<5	18.9	<1
07596		0.023	<1	2.1	<10	<5	21.4	<10	<10	9	<0.01	0.04	<5	16.4	<1
07597		0.023	<1	2.1	<10	<5	18.6	<10	<10	5	0.02	0.05	<5	23.3	<1
07598		0.071	2	1.6	<10	<5	57.3	<10	<10	<5	0.02	0.07	<5	26.3	<1
07599		0.157	4	2.4	<10	<5	101	<10	<10	<5	0.01	0.06	10	13.2	<1
07600		0.051	2	1.7	<10	<5	38.8	<10	<10	<5	0.01	0.09	<5	31.0	<1
07601		0.059	1	2.3	<10	<5	37.4	<10	<10	<5	0.01	0.10	<5	34.0	<1
07602		0.052	<1	2.9	<10	<5	39.1	<10	<10	<5	<0.01	0.12	<5	40.9	<1
07603		0.013	<1	2.5	<10	<5	15.6	<10	<10	9	0.02	0.07	<5	30.0	<1
07604		0.007	<1	2.1	<10	<5	15.4	<10	<10	11	<0.01	0.06	<5	18.7	<1
07605		0.007	<1	1.4	<10	<5	18.1	<10	<10	9	<0.01	0.07	<5	21.5	<1
07606		0.035	<1	1.5	<10	<5	11.9	<10	<10	8	<0.01	0.04	<5	15.8	<1
07607		0.034	<1	3.9	<10	<5	13.6	<10	<10	10	<0.01	0.05	9	17.2	<1
07608		0.029	<1	2.1	<10	<5	25.8	<10	<10	7	<0.01	0.09	<5	17.1	<1
07609		0.029	<1	2.0	<10	<5	23.3	<10	<10	6	<0.01	0.09	<5	16.2	<1
08029		0.013	<1	2.0	<10	<5	20.7	<10	<10	10	<0.01	0.06	<5	17.3	<1
08030		0.029	<1	2.7	<10	<5	18.1	<10	<10	6	<0.01	0.11	<5	26.9	<1
08011		0.023	<1	0.9	<10	<5	11.4	<10	<10	<5	0.01	0.09	<5	30.4	<1

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
08012	0.037	<1	6.4	<10	<5	8.7	<10	<10	13	<0.01	0.05	<5	23.2	<1
08013	0.051	<1	0.9	<10	<5	15.5	<10	<10	<5	0.02	0.12	<5	44.6	<1
08014	0.023	<1	1.4	<10	<5	24.8	<10	<10	10	<0.01	0.07	<5	16.0	<1
08015	0.039	<1	0.8	<10	<5	6.8	<10	<10	<5	0.01	0.07	<5	23.8	<1
08016	0.060	<1	0.7	<10	<5	38.8	<10	<10	<5	0.01	0.14	10	26.1	<1
08017	0.037	<1	1.4	<10	<5	17.1	<10	<10	<5	0.02	0.16	<5	40.1	<1
08018	0.043	<1	1.1	<10	<5	25.7	<10	<10	<5	<0.01	0.09	<5	11.5	<1
08019	0.038	<1	0.8	<10	<5	9.7	<10	<10	<5	0.01	0.08	<5	18.3	<1
08020	0.021	<1	1.5	<10	<5	7.8	<10	<10	<5	0.03	0.12	<5	52.9	<1
08021	0.009	<1	2.1	<10	<5	25.1	<10	<10	14	<0.01	0.05	<5	18.4	<1
08022	0.068	<1	1.7	<10	<5	55.1	<10	<10	<5	0.02	0.03	<5	21.1	<1
08023	0.039	<1	1.1	<10	<5	9.5	<10	<10	<5	0.02	0.07	<5	30.9	<1
08024	0.033	<1	1.2	<10	<5	9.4	<10	<10	<5	0.02	0.09	<5	36.2	<1
08025	0.071	<1	2.0	<10	<5	26.0	<10	<10	<5	0.02	0.12	<5	49.5	<1
08026	0.025	2	0.6	<10	<5	16.6	<10	<10	6	0.02	4.29	<5	48.7	1
08027	0.011	<1	0.9	<10	<5	6.0	<10	<10	12	0.04	4.34	<5	54.6	<1
08028	0.026	<1	<0.5	<10	<5	4.6	<10	<10	<5	0.01	1.66	<5	17.7	<1
06437	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06438	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06439	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06440	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06441	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06442	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06443	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06444	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06445	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06446	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06447	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06448	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06449	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06450	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06451	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	TI	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
06452		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06453		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06454		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06455		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06456		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06457		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06458		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06459		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06460		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06461		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06462		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06463		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06464		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
06465		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
07542		4	84.2	<5
07543		4	103	<5
07544		4	80.3	<5
07545		4	76.8	<5
07546		4	5.7	<5
07547		3	58.1	<5
07548		14	110	<5
07549		4	123	<5
07550		5	83.4	<5
07551		4	65.9	<5
07552		3	65.3	<5
07553		3	68.5	<5
07554		3	33.2	<5
07555		6	33.1	<5
07556		4	72.9	7
07557		7	22.1	<5
07558		5	106	<5
07559		4	65.5	<5
07560		10	99.3	<5
07561		5	109	<5
07562		13	109	<5
07563		6	110	<5
07564		6	83.6	<5
07565		3	76.1	<5
07566		4	78.3	<5
07797		4	78.0	<5
07798		2	62.0	<5
07799		3	68.2	<5
07800		3	64.7	<5
07801		3	52.1	<5
07802		10	78.7	<5
07803		7	92.2	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
07804		7	87.9	<5
07805		10	89.4	<5
07806		11	112	<5
07807		8	102	<5
07808		7	94.8	<5
07830		6	94.0	<5
07831		8	98.2	<5
07832		8	118	<5
07833		7	83.7	<5
07834		11	69.5	<5
07835		4	73.0	<5
07836		5	54.6	<5
07837		4	51.9	<5
07838		10	163	<5
07839		9	78.6	<5
07840		4	74.1	<5
07841		7	110	<5
07842		7	98.5	<5
07843		9	118	<5
07844		16	101	<5
07845		12	106	<5
07846		5	65.4	<5
07847		5	99.1	<5
07353		15	165	<5
07354		6	132	<5
07355		9	146	<5
07356		10	231	<5
07357		4	77.8	<5
07358		8	192	<5
07359		14	68.9	<5
07360		11	133	<5
07361		8	73.7	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
07362		5	91.9	<5
07363		7	93.5	<5
07364		3	64.1	<5
07365		6	76.8	<5
07366		7	89.0	<5
07367		6	80.4	<5
07368		6	78.8	<5
07369		8	90.6	<5
06466		9	110	<5
06467		5	149	<5
06468		3	110	<5
06469		3	94.0	<5
06470		5	124	<5
06471		3	60.5	<5
06472		5	56.4	<5
06473		3	67.3	<5
06474		4	74.0	<5
06475		10	85.3	<5
06476		12	88.4	<5
06477		3	81.3	<5
06478		3	68.1	<5
06479		3	67.2	<5
06480		4	70.0	<5
06481		3	74.4	<5
06482		3	84.0	<5
06483		3	67.2	<5
07279		4	86.5	<5
07280		8	191	<5
07281		9	141	<5
07282		8	121	<5
07283		5	99.6	<5
07284		11	115	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
07285		5	94.0	<5
07286		3	68.7	<5
07287		9	96.8	<5
07288		4	88.3	<5
07289		6	77.4	<5
07290		6	82.5	<5
07291		8	63.2	<5
07292		4	77.0	<5
07293		4	50.5	<5
07294		9	65.0	<5
07295		6	75.4	<5
07296		7	58.2	<5
07297		5	57.0	<5
07298		7	68.1	<5
07299		7	119	<5
07300		8	77.2	<5
07301		5	54.7	<5
07302		7	61.3	<5
07303		7	81.7	<5
07567		8	94.7	<5
07568		3	74.0	<5
07569		4	86.2	<5
07570		4	110	<5
07571		9	79.2	9
07572		4	81.0	<5
07573		9	115	<5
07574		4	135	<5
07575		6	128	<5
07576		10	80.7	<5
07577		6	60.4	<5
07578		6	84.0	<5
07579		8	79.5	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
07580		7	78.2	<5
07581		10	89.5	<5
07582		7	46.1	<5
07583		8	86.6	<5
07584		8	138	<5
07585		9	141	<5
07586		9	72.2	<5
07587		3	82.3	<5
07588		2	65.4	<5
07326		4	143	<5
07327		15	69.5	<5
07328		6	57.8	<5
07329		7	57.2	<5
07330		5	53.2	<5
07331		7	59.3	<5
07332		7	60.8	<5
07333		4	52.5	<5
07334		4	50.6	<5
07335		6	87.4	<5
07336		5	56.0	<5
07337		2	49.5	<5
07338		3	39.8	<5
07339		6	48.7	<5
07340		12	54.6	<5
07341		2	66.3	<5
07342		8	56.5	<5
07343		2	24.4	<5
07344		7	57.8	<5
07345		7	62.7	<5
07346		6	49.8	<5
07347		6	60.0	<5
07348		5	83.4	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
07349		6	131	<5
07350		7	115	<5
07351		5	101	<5
07352		6	107	<5
07304		10	79.6	<5
07305		7	93.0	<5
07306		11	107	<5
07307		10	94.5	<5
07308		7	76.5	<5
07309		11	125	<5
07310		25	213	<5
07311		40	117	<5
07312		5	93.1	<5
07313		5	91.9	<5
07314		13	128	<5
07315		4	177	<5
07316		4	74.2	<5
07317		3	89.7	<5
07318		4	54.6	<5
07319		12	69.8	<5
07320		4	82.3	<5
07321		7	137	<5
07322		11	51.1	<5
07323		3	83.2	<5
07324		2	70.5	<5
07325		4	70.4	<5
07809		8	132	<5
07810		7	135	<5
07811		8	109	<5
07812		7	81.4	<5
07813		4	58.7	<5
07814		7	75.2	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
07815		7	117	<5
07816		7	80.4	<5
07817		7	91.4	<5
07818		8	129	<5
07819		7	108	<5
07820		7	72.0	<5
07821		7	74.6	<5
07822		6	70.1	<5
07823		7	98.7	<5
07824		7	79.8	<5
07825		6	87.1	<5
07826		5	75.0	<5
07827		6	108	<5
07828		5	83.0	<5
07829		6	96.1	<5
06484		3	58.9	<5
06485		3	76.3	<5
06486		9	68.4	<5
06487		3	65.1	<5
06488		6	72.3	<5
06489		4	51.0	<5
06490		9	61.5	<5
06491		7	62.7	<5
06492		17	76.0	<5
06493		12	153	<5
06494		11	84.5	<5
06495		9	90.5	<5
06496		9	80.0	<5
06497		7	71.6	<5
06498		3	43.3	<5
06499		5	71.3	<5
06500		9	70.5	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
08001		6	103	<5
08002		5	74.0	<5
08003		8	78.3	<5
08004		7	125	<5
08005		12	346	<5
08006		8	85.1	<5
08007		8	98.4	<5
08008		12	54.1	<5
08009		9	73.0	<5
08010		6	77.8	<5
07757		7	97.4	<5
07758		6	115	<5
07759		3	112	<5
07760		15	793	<5
07761		6	84.4	<5
07762		2	83.6	7
07763		3	79.2	<5
07764		4	84.2	<5
07765		3	59.5	<5
07766		7	230	<5
07767		22	91.5	<5
07768		4	93.8	<5
07769		4	77.8	<5
06437		5	72.0	<5
06438		6	79.8	<5
06439		7	116	<5
06440		7	86.2	<5
06441		8	105	<5
06442		7	89.2	<5
06443		8	117	<5
06444		4	118	<5
06445		6	73.8	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
06446		6	81.2	<5
06447		3	74.0	<5
06448		3	53.1	<5
06449		5	60.0	<5
06450		6	88.6	<5
06451		4	69.1	<5
06452		9	52.6	<5
06453		9	93.8	<5
06454		7	108	<5
06455		7	85.0	<5
06456		5	72.1	<5
06457		3	75.8	<5
06458		7	73.9	<5
06459		3	78.2	<5
06460		3	92.5	<5
06461		3	165	<5
06462		2	147	<5
06463		9	133	<5
06464		3	70.9	<5
06465		3	34.6	<5
07770		5	78.1	<5
07771		3	108	<5
07772		3	66.8	<5
07773		7	81.9	<5
07774		2	71.4	<5
07775		5	59.4	<5
07776		7	88.7	<5
07777		2	77.1	<5
07778		5	63.1	<5
07779		4	80.7	<5
07780		2	57.3	<5
07781		2	50.7	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
07782		4	61.2	<5
07783		6	66.0	<5
07784		8	106	6
07785		6	54.8	<5
07786		7	80.8	<5
07787		6	76.5	<5
07788		12	175	<5
07789		29	212	<5
07790		52	321	<5
07791		11	215	<5
07792		9	142	<5
07793		5	96.4	<5
07794		4	66.1	<5
07795		3	65.5	<5
07796		5	104	<5
07517		4	79.7	<5
07518		4	87.6	<5
07519		9	103	<5
07520		3	48.7	<5
07521		6	96.1	<5
07522		12	56.9	<5
07523		5	114	<5
07524		9	51.7	<5
07525		4	62.7	<5
07526		6	85.3	<5
07527		5	65.4	<5
07528		8	73.2	<5
07529		7	55.9	<5
07530		8	216	<5
07531		5	52.8	<5
07532		6	67.0	<5
07533		6	54.3	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
07534		6	73.3	<5
07535		12	93.0	<5
07536		6	84.2	<5
07537		6	83.9	<5
07538		5	66.5	<5
07539		8	104	<5
07540		6	99.6	<5
07541		5	102	<5
07589		6	86.5	<5
07590		7	97.5	<5
07591		6	96.6	<5
07592		4	75.0	<5
07593		14	119	<5
07594		3	51.7	<5
07595		2	30.2	<5
07596		9	86.3	<5
07597		7	94.1	<5
07598		6	62.2	<5
07599		34	67.8	<5
07600		6	62.2	<5
07601		5	59.2	<5
07602		7	101	<5
07603		7	189	<5
07604		6	93.9	<5
07605		4	74.4	<5
07606		2	126	<5
07607		6	135	7
07608		7	169	<5
07609		6	166	<5
08029		5	103	<5
08030		13	120	<5
08011		2	32.8	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
08012		18	168	8
08013		5	93.3	<5
08014		7	97.6	<5
08015		3	48.6	<5
08016		5	95.3	<5
08017		6	81.2	<5
08018		4	56.5	<5
08019		4	66.4	<5
08020		3	68.0	<5
08021		7	77.1	<5
08022		8	73.9	<5
08023		3	81.8	<5
08024		4	87.4	<5
08025		5	86.3	<5
08026		4	107	<5
08027		4	58.9	<5
08028		2	33.2	<5
06437		NRC	NRC	NRC
06438		NRC	NRC	NRC
06439		NRC	NRC	NRC
06440		NRC	NRC	NRC
06441		NRC	NRC	NRC
06442		NRC	NRC	NRC
06443		NRC	NRC	NRC
06444		NRC	NRC	NRC
06445		NRC	NRC	NRC
06446		NRC	NRC	NRC
06447		NRC	NRC	NRC
06448		NRC	NRC	NRC
06449		NRC	NRC	NRC
06450		NRC	NRC	NRC
06451		NRC	NRC	NRC

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
06452		NRC	NRC	NRC
06453		NRC	NRC	NRC
06454		NRC	NRC	NRC
06455		NRC	NRC	NRC
06456		NRC	NRC	NRC
06457		NRC	NRC	NRC
06458		NRC	NRC	NRC
06459		NRC	NRC	NRC
06460		NRC	NRC	NRC
06461		NRC	NRC	NRC
06462		NRC	NRC	NRC
06463		NRC	NRC	NRC
06464		NRC	NRC	NRC
06465		NRC	NRC	NRC

Comments: RDL - Reported Detection Limit

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
07542		0.35	0.004
07543		0.32	0.003
07544		0.34	0.002
07545		0.35	0.001
07546		0.41	0.021
07547		0.42	0.001
07548		0.31	<0.001
07549		0.40	<0.001
07550		0.34	0.001
07551		0.37	<0.001
07552		0.34	0.002
07553		0.39	0.020
07554		0.32	0.001
07555		0.34	<0.001
07556		0.36	<0.001
07557		0.36	0.002
07558		0.31	0.038
07559		0.40	0.001
07560		0.42	0.004
07561		0.38	0.002
07562		0.37	0.004
07563		0.34	0.002
07564		0.36	0.002
07565		0.37	0.025
07566		0.43	0.002
07797		0.44	0.005
07798		0.33	<0.001
07799		0.42	0.001
07800		0.36	0.022
07801		0.39	0.001
07802		0.36	0.002

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
07803		0.41	0.003
07804		0.34	0.004
07805		0.36	0.001
07806		0.38	0.005
07807		0.38	0.001
07808		0.33	0.002
07830		0.42	0.005
07831		0.44	0.021
07832		0.40	0.027
07833		0.40	0.005
07834		0.37	0.012
07835		0.39	0.019
07836		0.40	0.005
07837		0.46	0.001
07838		0.47	0.004
07839		0.36	0.022
07840		0.45	0.002
07841		0.39	0.003
07842		0.42	0.003
07843		0.39	0.003
07844		0.44	0.003
07845		0.37	0.003
07846		0.39	0.002
07847		0.41	0.001
07353		0.39	0.009
07354		0.36	0.026
07355		0.45	0.003
07356		0.47	0.007
07357		0.43	0.001
07358		0.42	0.007
07359		0.39	0.001

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
07360		0.41	0.023
07361		0.42	0.003
07362		0.48	0.001
07363		0.49	0.001
07364		0.38	0.001
07365		0.47	0.003
07366		0.41	0.007
07367		0.44	0.002
07368		0.41	0.002
07369		0.46	0.004
06466		0.39	0.002
06467		0.41	0.021
06468		0.43	0.001
06469		0.43	0.001
06470		0.38	0.002
06471		0.47	0.005
06472		0.49	<0.001
06473		0.45	0.023
06474		0.39	0.004
06475		0.36	0.003
06476		0.38	0.005
06477		0.39	0.003
06478		0.45	<0.001
06479		0.46	0.002
06480		0.35	0.019
06481		0.44	0.001
06482		0.38	<0.001
06483		0.41	<0.001
07279		0.38	0.003
07280		0.43	0.004
07281		0.36	0.003

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
07282		0.38	0.021
07283		0.40	0.004
07284		0.40	0.004
07285		0.35	0.002
07286		0.44	0.001
07287		0.46	0.002
07288		0.42	<0.001
07289		0.43	0.001
07290		0.40	0.003
07291		0.42	0.003
07292		0.43	0.002
07293		0.49	0.001
07294		0.50	0.019
07295		0.39	0.002
07296		0.48	0.005
07297		0.42	0.001
07298		0.45	0.002
07299		0.42	0.002
07300		0.47	0.003
07301		0.40	0.003
07302		0.42	0.020
07303		0.44	0.003
07567		0.41	0.005
07568		0.39	<0.001
07569		0.48	0.004
07570		0.50	0.004
07571		0.46	0.010
07572		0.30	0.002
07573		0.32	0.003
07574		0.37	0.002
07575		0.35	0.022

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
07576		0.38	0.003
07577		0.42	0.003
07578		0.36	0.006
07579		0.40	0.013
07580		0.37	0.004
07581		0.32	0.004
07582		0.34	0.002
07583		0.39	0.002
07584		0.32	0.004
07585		0.34	0.012
07586		0.37	0.002
07587		0.36	0.001
07588		0.36	<0.001
07326		0.40	0.001
07327		0.37	0.002
07328		0.33	0.002
07329		0.32	0.003
07330		0.34	0.003
07331		0.39	0.002
07332		0.37	0.017
07333		0.40	0.001
07334		0.44	0.002
07335		0.38	0.001
07336		0.42	0.003
07337		0.39	<0.001
07338		0.34	0.002
07339		0.36	0.001
07340		0.41	<0.001
07341		0.34	<0.001
07342		0.36	0.003
07343		0.39	0.011

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
07344		0.38	0.002
07345		0.32	0.004
07346		0.42	<0.001
07347		0.39	0.003
07348		0.35	0.002
07349		0.35	0.007
07350		0.37	0.016
07351		0.42	<0.001
07352		0.40	0.003
07304		0.43	0.003
07305		0.47	0.006
07306		0.41	0.010
07307		0.45	0.018
07308		0.42	0.002
07309		0.37	0.001
07310		0.39	0.006
07311		0.44	0.007
07312		0.37	0.016
07313		0.39	0.003
07314		0.42	0.006
07315		0.41	0.009
07316		0.35	0.004
07317		0.45	0.014
07318		0.42	0.002
07319		0.38	0.005
07320		0.37	0.003
07321		0.39	0.009
07322		0.44	0.002
07323		0.42	0.002
07324		0.45	0.009
07325		0.49	<0.001

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
07809		0.43	0.006
07810		0.47	0.003
07811		0.44	0.003
07812		0.39	0.026
07813		0.41	0.002
07814		0.46	0.004
07815		0.39	0.004
07816		0.41	0.002
07817		0.44	0.003
07818		0.43	0.019
07819		0.37	0.004
07820		0.47	0.003
07821		0.44	0.002
07822		0.40	0.003
07823		0.34	0.003
07824		0.36	0.002
07825		0.41	0.003
07826		0.39	0.002
07827		0.42	0.005
07828		0.46	0.003
07829		0.40	0.032
06484		0.44	0.004
06485		0.41	<0.001
06486		0.36	0.001
06487		0.38	<0.001
06488		0.43	0.001
06489		0.36	0.013
06490		0.38	0.001
06491		0.41	0.004
06492		0.40	0.011
06493		0.34	0.003

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
06494		0.44	0.003
06495		0.41	0.011
06496		0.37	0.009
06497		0.38	0.003
06498		0.40	0.002
06499		0.45	
06500		0.43	0.005
08001		0.46	0.002
08002		0.50	0.003
08003		0.44	0.003
08004		0.48	0.009
08005		0.45	0.015
08006		0.40	0.004
08007		0.42	0.010
08008		0.47	0.002
08009		0.40	0.006
08010		0.42	0.002
07757		0.45	0.002
07758		0.44	0.015
07759		0.38	0.005
07760		0.48	0.005
07761		0.45	0.001
07762		0.41	0.023
07763		0.31	0.001
07764		0.33	0.003
07765		0.37	0.001
07766		0.35	0.005
07767		0.42	0.003
07768		0.39	0.003
07769		0.36	0.011
06437		0.37	0.003

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
06438		0.32	0.195
06439		0.38	0.005
06440		0.36	0.003
06441		0.39	0.014
06442		0.33	0.003
06443		0.34	0.004
06444		0.36	0.009
06445		0.34	0.003
06446		0.36	0.001
06447		0.32	0.012
06448		0.31	0.001
06449		0.32	0.002
06450		0.33	0.002
06451		0.35	0.002
06452		0.39	0.001
06453		0.37	0.013
06454		0.44	0.003
06455		0.41	0.003
06456		0.38	0.006
06457		0.39	<0.001
06458		0.34	0.017
06459		0.40	0.001
06460		0.38	0.001
06461		0.41	0.001
06462		0.35	<0.001
06463		0.36	0.003
06464		0.38	<0.001
06465		0.36	0.004
07770		0.38	0.003
07771		0.34	0.001
07772		0.33	<0.001

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
07773		0.34	0.002
07774		0.36	<0.001
07775		0.38	0.027
07776		0.42	0.005
07777		0.40	<0.001
07778		0.47	0.002
07779		0.44	0.003
07780		0.41	0.005
07781		0.42	0.020
07782		0.37	0.001
07783		0.43	0.002
07784		0.41	0.004
07785		0.44	0.003
07786		0.38	0.003
07787		0.39	0.020
07788		0.41	0.003
07789		0.39	0.007
07790		0.41	0.005
07791		0.37	0.006
07792		0.36	0.006
07793		0.37	0.006
07794		0.38	0.002
07795		0.40	0.003
07796		0.44	0.002
07517		0.42	0.001
07518		0.49	0.002
07519		0.46	0.035
07520		0.43	<0.001
07521		0.44	0.004
07522		0.39	0.003
07523		0.45	0.003

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
07524		0.43	0.016
07525		0.46	0.003
07526		0.40	<0.001
07527		0.41	0.002
07528		0.43	0.008
07529		0.41	0.004
07530		0.43	0.035
07531		0.39	0.002
07532		0.38	0.002
07533		0.39	0.003
07534		0.35	0.004
07535		0.37	0.003
07536		0.41	0.007
07537		0.39	0.003
07538		0.46	0.003
07539		0.43	0.006
07540		0.40	0.006
07541		0.41	0.024
07589		0.36	0.003
07590		0.42	0.002
07591		0.40	0.003
07592		0.43	0.002
07593		0.37	0.007
07594		0.38	0.022
07595		0.40	0.003
07596		0.38	0.006
07597		0.40	0.002
07598		0.36	0.004
07599		0.35	0.283
07600		0.36	0.004
07601		0.39	0.005

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
07602		0.41	0.006
07603		0.45	0.007
07604		0.43	0.007
07605		0.50	0.005
07606		0.47	0.010
07607		0.44	0.009
07608		0.45	0.034
07609		0.40	0.036
08029		0.46	0.004
08030		0.44	0.001
08011		0.47	0.001
08012		0.41	0.010
08013		0.42	0.015
08014		0.44	0.004
08015		0.42	0.001
08016		0.44	<0.001
08017		0.40	0.005
08018		0.39	0.009
08019		0.40	0.014
08020		0.35	0.020
08021		0.32	0.001
08022		0.38	0.004
08023		0.40	0.001
08024		0.37	0.001
08025		0.32	0.001
08026		0.34	0.002
08027		0.41	0.014
08028		0.33	<0.001
06437		NRC	NRC
06438		NRC	NRC
06439		NRC	NRC

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y623581

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 24, 2012

DATE RECEIVED: Jul 24, 2012

DATE REPORTED: Aug 14, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
06440		NRC	NRC
06441		NRC	NRC
06442		NRC	NRC
06443		NRC	NRC
06444		NRC	NRC
06445		NRC	NRC
06446		NRC	NRC
06447		NRC	NRC
06448		NRC	NRC
06449		NRC	NRC
06450		NRC	NRC
06451		NRC	NRC
06452		NRC	NRC
06453		NRC	NRC
06454		NRC	NRC
06455		NRC	NRC
06456		NRC	NRC
06457		NRC	NRC
06458		NRC	NRC
06459		NRC	NRC
06460		NRC	NRC
06461		NRC	NRC
06462		NRC	NRC
06463		NRC	NRC
06464		NRC	NRC
06465		NRC	NRC

Comments: RDL - Reported Detection Limit

Certified By:



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y623581

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis											
RPT Date: Aug 14, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

Au	1	3548876	0.004	0.003	28.6%	< 0.001	0.251	0.263	95%	90%	110%
----	---	---------	-------	-------	-------	---------	-------	-------	-----	-----	------

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1	3548876	< 0.2	< 0.2	0.0%	< 0.2				80%	120%
Al	1	3548876	1.06	1.09	2.8%	< 0.01				80%	120%
As	1	3548876	25	28	11.3%	< 1				80%	120%
B	1	3548876	< 5	< 5	0.0%	< 5	5.64	7.00	81%	80%	120%
Ba	1	3548876	36	37	2.7%	< 1				80%	120%
Be	1	3548876	0.5	0.5	0.0%	< 0.5	0.4	0.4	102%	80%	120%
Bi	1	3548976	3	3	0.0%	< 1				80%	120%
Ca	1	3548876	0.02	0.02	0.0%	< 0.01				80%	120%
Cd	1	3548876	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	3548876	63	64	1.6%	< 1				80%	120%
Co	1	3548876	6.53	6.91	5.7%	< 0.5				80%	120%
Cr	1	3548876	11.8	12.8	8.1%	< 0.5				80%	120%
Cu	1	3548876	33.8	36.4	7.4%	< 0.5	3842	3800	101%	80%	120%
Fe	1	3548876	3.54	3.74	5.5%	< 0.01				80%	120%
Ga	1	3548876	< 5	< 5	0.0%	< 5				80%	120%
Hg	1	3548876	< 1	< 1	0.0%	< 1				80%	120%
In	1	3548876	< 1	< 1	0.0%	< 1				80%	120%
K	1	3548876	0.10	0.10	0.0%	< 0.01				80%	120%
La	1	3548876	36	36	0.0%	< 1				80%	120%
Li	1	3548876	23	25	8.3%	< 1				80%	120%
Mg	1	3548876	0.338	0.357	5.5%	< 0.01				80%	120%
Mn	1	3548876	268	293	8.9%	< 1				80%	120%
Mo	1	3548876	1.06	0.99	6.8%	< 0.5				80%	120%
Na	1	3548876	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Ni	1	3548876	13.8	15.8	13.5%	< 0.5				80%	120%
P	1	3548876	313	327	4.4%	< 10	563	600	94%	80%	120%
Pb	1	3548876	31.5	33.6	6.5%	0.6				80%	120%
Rb	1	3548876	17	18	5.7%	< 10	15	13	117%	80%	120%
S	1	3548876	0.0294	0.0322	9.1%	< 0.005				80%	120%
Sb	1	3548876	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	3548876	1.15	1.43	21.7%	< 0.5				80%	120%
Se	1	3548876	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	3548876	< 5	< 5	0.0%	< 5	8.5	7.1	120%	80%	120%
Sr	1	3548876	6.7	7.3	8.6%	< 0.5	319	390	82%	80%	120%
Ta	1	3548876	< 10	< 10	0.0%	< 10				80%	120%
Te	1	3548876	< 10	< 10	0.0%	< 10				80%	120%
Th	1	3548876	8	9	11.8%	< 5				80%	120%
Ti	1	3548876	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Tl	1	3548876	0.114	0.120	5.1%	< 0.01				80%	120%
U	1	3548876	< 5	< 5	0.0%	< 5				80%	120%
V	1	3548876	11.5	12.4	7.5%	< 0.5				80%	120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y623581

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)											
RPT Date: Aug 14, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
W	1	3548876	< 1	< 1	0.0%	< 1				80%	120%
Y	1	3548876	4	4	0.0%	< 1				80%	120%
Zn	1	3548876	84.2	92.3	9.2%	< 0.5				80%	120%
Zr	1	3548876	< 5	< 5	0.0%	< 5				80%	120%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3548889	< 0.001	< 0.001	0.0%	< 0.001	1.58	1.52	104%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3549189	0.003	< 0.001		< 0.001	0.262	0.263	100%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3548914	0.021	0.022	4.7%	< 0.001	0.261	0.263	99%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3549064	0.0026	0.0023	12.2%	< 0.001	1.64	1.52	108%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3549076	0.003	0.004	28.6%	< 0.001	0.263	0.263	100%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3549089	0.013	< 0.001		< 0.001	1.65	1.52	108%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3549100	0.005	0.021		< 0.001	0.276	0.263	105%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3549114	0.005	0.005	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3549126	0.195	0.007		< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3549139	0.002	0.003		< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3549226	0.036	0.017		< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3549240	0.004	0.003	28.6%	< 0.001				90%	110%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)											
Ag	1	3548901	< 0.2	< 0.2	0.0%	< 0.2				80%	120%
Al	1	3548901	1.46	1.61	9.8%	< 0.01				80%	120%
As	1	3548901	33	35	5.9%	< 1				80%	120%
B	1	3548901	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3548901	183	202	9.9%	< 1				80%	120%
Be	1	3548901	0.5	0.5	0.0%	< 0.5				80%	120%
Bi	1	3548901	4	5	22.2%	< 1				80%	120%
Ca	1	3548901	0.063	0.077	20.0%	< 0.01				80%	120%
Cd	1	3548901	< 0.5	< 0.5	0.0%	< 0.5				80%	120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y623581

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Aug 14, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ce	1	3548901	31	35	12.1%	< 1				80% 120%
Co	1	3548901	9.9	10.1	2.0%	< 0.5				80% 120%
Cr	1	3548901	26.0	28.2	8.1%	< 0.5				80% 120%
Cu	1	3548901	25.9	25.5	1.6%	< 0.5	3672	3800	96%	80% 120%
Fe	1	3548901	3.39	3.61	6.3%	< 0.01				80% 120%
Ga	1	3548901	7	8	13.3%	< 5				80% 120%
Hg	1	3548901	< 1	< 1	0.0%	< 1	1.2	1.3	91%	80% 120%
In	1	3548901	< 1	< 1	0.0%	< 1				80% 120%
K	1	3548901	0.09	0.11	20.0%	< 0.01				80% 120%
La	1	3548901	19	20	5.1%	< 1				80% 120%
Li	1	3548901	23	24	4.3%	< 1				80% 120%
Mg	1	3548901	0.42	0.44	4.7%	< 0.01				80% 120%
Mn	1	3548901	922	938	1.7%	< 1				80% 120%
Mo	1	3549001	1.1	1.1	0.0%	< 0.5				80% 120%
Na	1	3548901	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3548901	19.7	20.2	2.5%	< 0.5				80% 120%
P	1	3548901	501	547	8.8%	< 10	555	600	92%	80% 120%
Pb	1	3548901	18.6	20.4	9.2%	0.5				80% 120%
Rb	1	3548901	32	36	11.8%	< 10	15	13	116%	80% 120%
S	1	3548901	0.019	0.019	0.0%	< 0.005				80% 120%
Sb	1	3548901	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	3548901	1.87	1.85	1.1%	< 0.5				80% 120%
Se	1	3548901	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3548901	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3548901	10.3	11.8	13.6%	< 0.5				80% 120%
Ta	1	3548901	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3548901	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3548901	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3549001	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3548901	0.14	0.20		< 0.01				80% 120%
U	1	3548901	< 5	< 5	0.0%	< 5				80% 120%
V	1	3548901	63.5	68.6	7.7%	< 0.5				80% 120%
W	1	3548901	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3548901	4	4	0.0%	< 1				80% 120%
Zn	1	3548901	78.0	80.7	3.4%	< 0.5				80% 120%
Zr	1	3548901	< 5	< 5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1	3549026	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3548926	1.87	1.90	1.6%	< 0.01				80% 120%
As	1	3548926	40	40	0.0%	< 1				80% 120%
B	1	3548926	< 5	< 5	0.0%	< 5	7.57	7.00	108%	80% 120%
Ba	1	3548926	412	417	1.2%	< 1				80% 120%
Be	1	3548926	0.6	0.6	0.0%	< 0.5				80% 120%
Bi	1	3548926	3	4	28.6%	< 1				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y623581

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Aug 14, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ca	1	3548926	0.65	0.65	0.0%	< 0.01				80% 120%
Cd	1	3548926	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3548926	46	52	12.2%	< 1				80% 120%
Co	1	3548926	15.3	15.4	0.7%	< 0.5				80% 120%
Cr	1	3548926	26.6	27.0	1.5%	< 0.5				80% 120%
Cu	1	3548926	60.1	59.7	0.7%	< 0.5	3784	3800	99%	80% 120%
Fe	1	3548926	3.51	3.50	0.3%	< 0.01				80% 120%
Ga	1	3548926	8	7	13.3%	< 5				80% 120%
Hg	1	3548926	< 1	< 1	0.0%	< 1	1.4	1.3	105%	80% 120%
In	1	3548926	< 1	< 1	0.0%	< 1				80% 120%
K	1	3548926	0.08	0.09	11.8%	< 0.01				80% 120%
La	1	3548926	26	29	10.9%	< 1				80% 120%
Li	1	3548926	39	39	0.0%	< 1				80% 120%
Mg	1	3548926	0.70	0.70	0.0%	< 0.01				80% 120%
Mn	1	3548926	905	912	0.8%	< 1				80% 120%
Mo	1	3548926	2.5	2.4	4.1%	< 0.5				80% 120%
Na	1	3548926	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3548926	33.7	33.9	0.6%	< 0.5				80% 120%
P	1	3548926	747	766	2.5%	< 10	592	600	99%	80% 120%
Pb	1	3548926	20.9	20.6	1.4%	< 0.5				80% 120%
Rb	1	3548926	23	25	8.3%	< 10	15	13	119%	80% 120%
S	1	3548926	0.036	0.035	2.8%	< 0.005				80% 120%
Sb	1	3548926	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	3548926	2.9	2.9	0.0%	< 0.5				80% 120%
Se	1	3548926	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3548926	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3548926	47.7	47.7	0.0%	1.6	313	390	80%	80% 120%
Ta	1	3548926	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3548926	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3548926	8	10	22.2%	< 5	1.5	1.4	106%	80% 120%
Ti	1	3549026	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3548926	0.11	0.11	0.0%	< 0.01				80% 120%
U	1	3548926	< 5	< 5	0.0%	< 5				80% 120%
V	1	3548926	36.0	37.6	4.3%	< 0.5				80% 120%
W	1	3548926	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3548926	9	9	0.0%	< 1				80% 120%
Zn	1	3548926	118	115	2.6%	< 0.5				80% 120%
Zr	1	3548926	< 5	< 5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1	3548951	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3548951	1.65	1.78	7.6%	< 0.01				80% 120%
As	1	3548951	37	40	7.8%	< 1				80% 120%
B	1	3548951	< 5	< 5	0.0%	< 5	5.75	7.00	82%	80% 120%
Ba	1	3548951	186	212	13.1%	< 1				80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y623581

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Aug 14, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Be	1	3548951	0.52	0.59	12.6%	< 0.5				80% 120%
Bi	1	3549051	4	4	0.0%	< 1				80% 120%
Ca	1	3548951	0.040	0.048	18.2%	< 0.01				80% 120%
Cd	1	3548951	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3548951	36	46	24.4%	< 1				80% 120%
Co	1	3548951	10.1	10.2	1.0%	< 0.5				80% 120%
Cr	1	3548951	21.8	24.2	10.4%	< 0.5				80% 120%
Cu	1	3548951	25.0	25.5	2.0%	< 0.5	3650	3800	96%	80% 120%
Fe	1	3548951	3.40	3.41	0.3%	< 0.01				80% 120%
Ga	1	3548951	6	7	15.4%	< 5				80% 120%
Hg	1	3548951	< 1	< 1	0.0%	< 1	1.3	1.3	98%	80% 120%
In	1	3549051	3	< 1		< 1				80% 120%
K	1	3548951	0.09	0.12	28.6%	< 0.01				80% 120%
La	1	3548951	22	26	16.7%	< 1				80% 120%
Li	1	3548951	28	30	6.9%	< 1				80% 120%
Mg	1	3548951	0.40	0.42	4.9%	< 0.01				80% 120%
Mn	1	3548951	498	514	3.2%	< 1				80% 120%
Mo	1	3549051	6.47	4.99	25.8%	< 0.5				80% 120%
Na	1	3548951	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3548951	21.4	22.2	3.7%	< 0.5				80% 120%
P	1	3548951	524	540	3.0%	< 10	557	600	93%	80% 120%
Pb	1	3548951	23.5	23.8	1.3%	< 0.5				80% 120%
Rb	1	3548951	24	31	25.5%	< 10	12	13	91%	80% 120%
S	1	3548951	0.014	0.014	0.0%	< 0.005				80% 120%
Sb	1	3548951	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	3548951	1.74	2.01	14.4%	< 0.5				80% 120%
Se	1	3548951	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3548951	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3548951	9.4	9.9	5.2%	0.5				80% 120%
Ta	1	3548951	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3548951	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3548951	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3549051	0.199	0.226	12.7%	< 0.01				80% 120%
Tl	1	3548951	0.15	0.17	12.5%	< 0.01				80% 120%
U	1	3548951	< 5	< 5	0.0%	< 5				80% 120%
V	1	3548951	43.7	49.0	11.4%	< 0.5				80% 120%
W	1	3548951	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3548951	3	4	28.6%	< 1				80% 120%
Zn	1	3548951	94.0	97.5	3.7%	< 0.5				80% 120%
Zr	1	3548951	< 5	< 5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low Ti) (201073)

Ag	1	3549176	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3549176	2.03	2.31	12.9%	< 0.01				80% 120%
As	1	3549176	137	141	2.9%	< 1				80% 120%
B	1	3549176	5	5	0.0%	< 5				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y623581

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Aug 14, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ba	1	3549176	201	226	11.7%	< 1				80% 120%
Be	1	3549176	1.13	1.17	3.5%	< 0.5				80% 120%
Bi	1	3549176	5	4	22.2%	< 1				80% 120%
Ca	1	3549176	0.133	0.153	14.0%	< 0.01				80% 120%
Cd	1	3549176	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3549176	30	35	15.4%	< 1				80% 120%
Co	1	3549176	16.7	16.9	1.2%	< 0.5				80% 120%
Cr	1	3549176	46.1	48.6	5.3%	< 0.5				80% 120%
Cu	1	3549176	48.2	49.3	2.3%	< 0.5	3790	3800	99%	80% 120%
Fe	1	3549176	4.46	4.85	8.4%	< 0.01				80% 120%
Ga	1	3549176	7	8	13.3%	< 5				80% 120%
Hg	1	3549176	< 1	< 1	0.0%	< 1	1.5	1.3	114%	80% 120%
In	1	3549176	< 1	< 1	0.0%	< 1				80% 120%
K	1	3549176	0.145	0.171	16.5%	< 0.01				80% 120%
La	1	3549176	19	21	10.0%	< 1				80% 120%
Li	1	3549176	27	30	10.5%	< 1				80% 120%
Mg	1	3549176	0.65	0.70	7.4%	< 0.01				80% 120%
Mn	1	3549176	1430	1500	4.8%	< 1				80% 120%
Mo	1	3549176	2.47	3.06	21.3%	< 0.5				80% 120%
Na	1	3549176	0.01	0.01	0.0%	< 0.01				80% 120%
Ni	1	3549176	40.4	40.9	1.2%	< 0.5				80% 120%
P	1	3549176	930	979	5.1%	< 10	567	600	94%	80% 120%
Pb	1	3549176	26.5	28.1	5.9%	< 0.5				80% 120%
Rb	1	3549176	42	48	13.3%	< 10	14	13	108%	80% 120%
S	1	3549176	0.134	0.145	7.9%	< 0.005				80% 120%
Sb	1	3549176	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	3549176	3.8	4.0	5.1%	< 0.5				80% 120%
Se	1	3549176	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3549176	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3549176	20.5	20.6	0.5%	< 0.5	315	390	81%	80% 120%
Ta	1	3549176	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3549176	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3549176	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3549176	0.07	0.08	13.3%	< 0.01				80% 120%
Tl	1	3548976	0.030	0.039	26.1%	< 0.01				80% 120%
U	1	3549176	< 5	< 5	0.0%	< 5				80% 120%
V	1	3549176	119	126	5.7%	< 0.5				80% 120%
W	1	3549176	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3549176	9	10	10.5%	< 1				80% 120%
Zn	1	3549176	142	144	1.4%	< 0.5				80% 120%
Zr	1	3549176	< 5	< 5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1	3549201	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3549201	1.33	1.42	6.5%	< 0.01				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y623581

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Aug 14, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
As	1	3549201	33	35	5.9%	< 1				80% 120%
B	1	3549201	< 5	< 5	0.0%	< 5	5.79	7.00	83%	80% 120%
Ba	1	3549201	375	402	6.9%	< 1				80% 120%
Be	1	3549201	0.5	0.5	0.0%	< 0.5				80% 120%
Bi	1	3549201	3	4	28.6%	< 1				80% 120%
Ca	1	3549201	0.610	0.636	4.2%	< 0.01				80% 120%
Cd	1	3549201	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3549201	31	39	22.9%	< 1				80% 120%
Co	1	3549201	11.2	11.5	2.6%	< 0.5				80% 120%
Cr	1	3549201	15.0	15.6	3.9%	< 0.5				80% 120%
Cu	1	3549201	36.1	37.2	3.0%	< 0.5	3877	3800	102%	80% 120%
Fe	1	3549201	2.88	3.00	4.1%	< 0.01				80% 120%
Ga	1	3549201	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3549201	< 1	< 1	0.0%	< 1				80% 120%
In	1	3549201	< 1	< 1	0.0%	< 1				80% 120%
K	1	3549201	0.154	0.173	11.6%	< 0.01				80% 120%
La	1	3549201	18	22	20.0%	< 1				80% 120%
Li	1	3549201	28	29	3.5%	< 1				80% 120%
Mg	1	3549201	0.383	0.400	4.3%	< 0.01				80% 120%
Mn	1	3549201	625	649	3.8%	< 1				80% 120%
Mo	1	3549201	1.63	2.03	21.9%	< 0.5				80% 120%
Na	1	3549201	0.01	0.01	0.0%	< 0.01				80% 120%
Ni	1	3549201	28.0	25.6	9.0%	< 0.5				80% 120%
P	1	3549201	554	570	2.8%	< 10	587	600	98%	80% 120%
Pb	1	3549201	24.8	24.5	1.2%	< 0.5				80% 120%
Rb	1	3549201	20	21	4.9%	< 10	12	13	91%	80% 120%
S	1	3549201	0.0277	0.0269	2.9%	< 0.005				80% 120%
Sb	1	3549201	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	3549201	3.1	3.1	0.0%	< 0.5				80% 120%
Se	1	3549201	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3549201	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3549201	51.4	53.1	3.3%	< 0.5	317	390	81%	80% 120%
Ta	1	3549201	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3549201	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3549201	6	7	15.4%	< 5	1.4	1.4	97%	80% 120%
Ti	1	3549126	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3549001	0.07	0.05		< 0.01				80% 120%
U	1	3549201	< 5	< 5	0.0%	< 5				80% 120%
V	1	3549201	24.8	27.6	10.7%	< 0.5				80% 120%
W	1	3549201	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3549201	6	6	0.0%	< 1				80% 120%
Zn	1	3549201	83.9	95.3	12.7%	< 0.5				80% 120%
Zr	1	3549201	< 5	< 5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y623581

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Aug 14, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				Acceptable Limits	
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery		Lower	Upper
Ag	1	3549226	0.2	0.2	0.0%	< 0.2					80%	120%
Al	1	3549226	1.34	1.36	1.5%	< 0.01					80%	120%
As	1	3549226	283	284	0.4%	< 1					80%	120%
B	1	3549226	< 5	< 5	0.0%	< 5	5.88	7.00	84%		80%	120%
Ba	1	3549226	281	287	2.1%	< 1					80%	120%
Be	1	3549226	0.5	0.5	0.0%	< 0.5					80%	120%
Bi	1	3549226	3	4	28.6%	< 1					80%	120%
Ca	1	3549226	0.36	0.36	0.0%	< 0.01					80%	120%
Cd	1	3549226	< 0.5	< 0.5	0.0%	< 0.5					80%	120%
Ce	1	3549226	37	39	5.3%	< 1					80%	120%
Co	1	3549226	11.9	11.7	1.7%	< 0.5	5.9	5.0	117%		80%	120%
Cr	1	3549226	13.9	15.0	7.6%	< 0.5					80%	120%
Cu	1	3549226	37.4	37.3	0.3%	< 0.5	3700	3800	97%		80%	120%
Fe	1	3549226	2.97	2.93	1.4%	< 0.01					80%	120%
Ga	1	3549226	< 5	< 5	0.0%	< 5					80%	120%
Hg	1	3549226	< 1	< 1	0.0%	< 1	1.5	1.3	115%		80%	120%
In	1	3549226	< 1	< 1	0.0%	< 1					80%	120%
K	1	3549226	0.081	0.089	9.4%	< 0.01					80%	120%
La	1	3549226	22	23	4.4%	< 1					80%	120%
Li	1	3549226	35	35	0.0%	< 1					80%	120%
Mg	1	3549226	0.40	0.40	0.0%	< 0.01					80%	120%
Mn	1	3549226	664	666	0.3%	< 1					80%	120%
Mo	1	3549151	1.93	1.84	4.8%	< 0.5					80%	120%
Na	1	3549226	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
Ni	1	3549226	28.6	28.6	0.0%	< 0.5					80%	120%
P	1	3549226	688	689	0.1%	< 10	539	600	90%		80%	120%
Pb	1	3549226	38.9	38.9	0.0%	< 0.5					80%	120%
Rb	1	3549226	15	16	6.5%	< 10	15	13	116%		80%	120%
S	1	3549226	0.029	0.029	0.0%	< 0.005	0.93	0.80	117%		80%	120%
Sb	1	3549226	< 1	< 1	0.0%	< 1					80%	120%
Sc	1	3549226	2.0	2.0	0.0%	< 0.5					80%	120%
Se	1	3549226	< 10	< 10	0.0%	< 10					80%	120%
Sn	1	3549226	< 5	< 5	0.0%	< 5					80%	120%
Sr	1	3549226	23.3	23.0	1.3%	< 0.5	311	390	80%		80%	120%
Ta	1	3549226	< 10	< 10	0.0%	< 10					80%	120%
Te	1	3549226	< 10	< 10	0.0%	< 10					80%	120%
Th	1	3549226	6	6	0.0%	< 5					80%	120%
Ti	1	3549226	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
Tl	1	3549026	0.10	0.11	9.5%	< 0.01					80%	120%
U	1	3549226	< 5	< 5	0.0%	< 5					80%	120%
V	1	3549226	16.2	17.4	7.1%	< 0.5					80%	120%
W	1	3549226	< 1	< 1	0.0%	< 1					80%	120%
Y	1	3549226	6	6	0.0%	< 1					80%	120%
Zn	1	3549226	166	171	3.0%	< 0.5					80%	120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y623581

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Aug 14, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Zr	1	3549226	< 5	< 5	0.0%	< 5				80%	120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)											
Cu	1					< 0.5	3727	3800	98%	80%	120%
Hg	1					< 1	1.3	1.3	103%	80%	120%
P	1					< 10	599	600	100%	80%	120%
Rb	1					< 10	14	13	105%	80%	120%
Tl	1	3549051	0.470	0.506	7.4%	< 0.01				80%	120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)											
Co	1					< 0.5				80%	120%
Cu	1					< 0.5	3781	3800	99%	80%	120%
Hg	1					< 1	1.4	1.3	108%	80%	120%
P	1					< 10	579	600	97%	80%	120%
Rb	1					< 10	15	13	119%	80%	120%
Sr	1					< 0.5	314	390	81%	80%	120%
Tl	1	3549076	0.06	0.07	15.4%	< 0.01				80%	120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)											
Cu	1					< 0.5	3732	3800	98%	80%	120%
Hg	1					< 1	1.5	1.3	116%	80%	120%
P	1					< 10	554	600	92%	80%	120%
Rb	1					< 10	14	13	109%	80%	120%
Tl	1	3549100	0.049	0.055	11.5%	< 0.01				80%	120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)											
Cu	1					< 0.5	3806	3800	100%	80%	120%
Hg	1					< 1	1.2	1.3	91%	80%	120%
P	1					< 10	610	600	102%	80%	120%
Rb	1					< 10	15	13	118%	80%	120%
Tl	1	3549126	0.08	0.08	0.0%	< 0.01				80%	120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)											
Co	1					< 0.5				80%	120%
Cu	1					< 0.5	3895	3800	102%	80%	120%
Hg	1					< 1	1	1.3	81%	80%	120%
P	1					< 10	595	600	99%	80%	120%
Sr	1					< 0.5	316	390	81%	80%	120%
Tl	1	3549151	0.13	0.13	0.0%	< 0.01				80%	120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)											
Tl	1	3549176	0.27	0.33	20.0%	< 0.01				80%	120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)											
Tl	1	3549201	0.071	0.080	11.9%	< 0.01				80%	120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)											
Tl	1	3549226	0.087	0.096	9.8%	< 0.01				80%	120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y623581

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Aug 14, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper

Certified By:

Method Summary

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y623581

PROJECT NO:

ATTENTION TO: Yinghua Chen

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
B	MIN-200-12020		ICP/OES
Ba	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
In	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP/OES
Li	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr	MIN-200-12020		ICP/OES
Ta	MIN-200-12020		ICP/OES
Te	MIN-200-12020		ICP/OES
Th	MIN-200-12020		ICP/OES
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP-MS
U	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP/OES
Y	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Zr	MIN-200-12020		ICP/OES
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES