

CLIENT NAME: ANTHILL RESOURCES (YUKON)
1090-999 WEST HASTINGS STREET
Vancouver, BC V6C2W2
(604) 569-3892

ATTENTION TO: Yinghua Chen

PROJECT NO:

AGAT WORK ORDER: 12Y626215

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, Certified Assayer - Director - Technical Services (Mining)

DATE REPORTED: Aug 27, 2012

PAGES (INCLUDING COVER): 9

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

***NOTES**

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y626215

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 31, 2012

DATE RECEIVED: Jul 31, 2012

DATE REPORTED: Aug 27, 2012

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
RE5535419	1.6	0.59	52	17	407	0.5	<1	14.0	15.2	14	2.3	101	85.0	0.66
RE5535420	<0.2	0.58	203	7	289	<0.5	5	14.1	0.8	27	21.1	89.4	57.6	5.43
RE5535421	0.5	0.22	21	<5	14	<0.5	4	2.88	1.1	4	10.2	30.2	22.4	2.48
RE5535422	1.4	0.33	43	10	270	<0.5	<1	11.5	11.4	13	2.7	107	69.8	0.55
RE5535423	0.4	0.40	40	13	595	<0.5	<1	20.1	5.2	19	2.4	40.9	31.6	0.81
RE5535424	1.1	0.26	44	8	206	<0.5	<1	14.3	11.3	8	1.1	83.7	42.2	0.48
RE5535425	<0.2	0.11	39	5	289	<0.5	<1	29.5	0.7	20	1.4	29.1	13.2	0.75
RE5535426	1.1	0.27	47	11	177	<0.5	<1	10.8	12.1	8	1.2	69.2	44.5	0.38
RE5535427	<0.2	1.59	26	<5	212	0.7	7	5.15	0.7	20	13.4	32.6	25.4	2.87
RE5535428	<0.2	2.03	28	<5	206	1.0	3	5.20	0.5	18	13.5	36.2	24.3	3.22
RE5535429	<0.2	0.28	31	9	223	<0.5	<1	23.6	0.9	24	2.7	19.2	11.6	2.14
RE5535430	<0.2	0.58	41	<5	82	0.6	6	9.47	<0.5	<1	11.5	30.4	9.1	4.11
RE5535431	<0.2	0.70	28	<5	72	<0.5	2	6.92	<0.5	3	5.5	62.6	15.9	2.62
RE5240322	<0.2	1.78	29	5	242	1.0	3	5.12	0.6	14	12.7	27.2	29.9	2.84
RE5240323	<0.2	0.08	97	12	28	<0.5	16	13.4	1.2	<1	1.7	10.9	36.8	10.3
RE5240324	0.4	0.39	129	13	48	<0.5	12	6.21	3.3	<1	3.3	29.1	42.7	7.85
RE5240325	<0.2	0.22	34	<5	431	<0.5	<1	25.4	1.3	19	1.9	13.0	11.1	0.52
RE5536260	<0.2	0.22	>10000	<5	20	<0.5	<1	0.43	<0.5	<1	3.3	90.3	12.9	1.15
RE5536261	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y626215

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 31, 2012

DATE RECEIVED: Jul 31, 2012

DATE REPORTED: Aug 27, 2012

SAMPLE TYPE: Rock

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
RE5535419	<5	1	<1	0.24	10	3	0.36	56	28.3	0.01	115	2700	3.2	39
RE5535420	<5	<1	<1	0.24	15	18	3.55	965	4.9	<0.01	67.6	1890	165	27
RE5535421	<5	<1	<1	0.11	4	<1	0.06	169	2.6	<0.01	30.5	810	7.2	12
RE5535422	<5	<1	<1	0.14	9	2	0.35	79	15.0	<0.01	66.9	2210	2.1	25
RE5535423	<5	<1	<1	0.15	7	2	0.32	70	12.8	<0.01	35.7	307	2.5	32
RE5535424	<5	<1	1	0.11	3	1	0.34	48	16.7	<0.01	46.5	675	17.8	22
RE5535425	<5	<1	<1	0.04	7	1	0.26	55	10.7	0.01	12.6	304	<0.5	17
RE5535426	<5	<1	<1	0.10	4	1	0.40	37	19.6	<0.01	63.7	1040	1.1	21
RE5535427	5	<1	<1	0.33	10	30	0.69	453	3.0	0.02	26.7	587	21.0	42
RE5535428	9	<1	<1	0.43	9	37	0.82	428	3.4	0.03	27.6	523	23.1	52
RE5535429	<5	<1	<1	0.13	16	1	0.18	231	7.6	0.01	23.4	591	<0.5	24
RE5535430	<5	<1	<1	0.20	<1	3	3.16	1070	2.6	0.01	24.4	355	7.3	30
RE5535431	<5	<1	3	0.21	2	3	2.34	1570	2.2	<0.01	12.9	333	10.1	29
RE5240322	5	<1	<1	0.38	8	32	1.00	463	3.2	0.04	25.6	690	24.1	49
RE5240323	8	<1	<1	0.03	2	<1	0.17	54	2.8	<0.01	18.8	228	14.7	13
RE5240324	<5	<1	<1	0.13	3	2	0.16	82	7.3	<0.01	64.5	600	15.5	23
RE5240325	<5	<1	<1	0.09	6	1	0.42	98	14.3	<0.01	31.5	471	<0.5	24
RE5536260	<5	69	<1	0.08	<1	2	0.02	72	1.9	<0.01	5.8	84	12.4	<10
RE5536261	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y626215

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 31, 2012

DATE RECEIVED: Jul 31, 2012

DATE REPORTED: Aug 27, 2012

SAMPLE TYPE: Rock

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
RE5535419	1.34	19	5.6	22	<5	479	<10	<10	<5	<0.01	0.67	<5	534	<1
RE5535420	1.25	5	17.4	<10	<5	240	<10	<10	<5	<0.01	5.77	<5	85.0	9
RE5535421	2.44	5	5.1	<10	<5	49.3	<10	<10	<5	<0.01	4.24	<5	18.0	4
RE5535422	1.11	16	4.0	10	<5	451	<10	<10	<5	<0.01	0.45	<5	268	<1
RE5535423	0.437	15	4.4	<10	<5	584	<10	<10	<5	<0.01	1.45	<5	155	<1
RE5535424	0.442	20	3.0	<10	<5	299	<10	<10	<5	<0.01	0.34	<5	341	<1
RE5535425	1.12	18	2.4	<10	<5	1060	<10	<10	<5	<0.01	2.08	<5	115	<1
RE5535426	1.35	18	2.8	<10	<5	319	<10	<10	<5	<0.01	2.54	<5	248	<1
RE5535427	0.086	5	4.5	<10	<5	131	<10	<10	7	<0.01	3.05	<5	32.4	<1
RE5535428	0.266	6	5.3	<10	<5	135	<10	<10	8	<0.01	3.59	<5	36.7	2
RE5535429	1.23	11	5.8	<10	<5	457	<10	<10	<5	<0.01	0.58	<5	37.2	<1
RE5535430	0.126	4	6.5	<10	<5	91.1	<10	<10	<5	<0.01	3.66	<5	40.3	2
RE5535431	0.095	6	5.8	<10	<5	62.9	<10	<10	<5	<0.01	4.14	<5	38.6	1
RE5240322	0.419	5	5.4	<10	<5	128	<10	<10	5	<0.01	1.71	<5	36.1	<1
RE5240323	9.54	14	1.8	55	<5	256	<10	<10	<5	<0.01	6.91	<5	47.3	<1
RE5240324	4.79	10	4.5	22	<5	207	<10	<10	<5	<0.01	6.10	<5	138	2
RE5240325	0.612	14	2.8	<10	<5	605	<10	<10	<5	<0.01	3.61	<5	107	<1
RE5536260	0.907	18	2.2	<10	<5	16.5	<10	<10	<5	<0.01	30.0	<5	5.7	3
RE5536261	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y626215

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 31, 2012

DATE RECEIVED: Jul 31, 2012

DATE REPORTED: Aug 27, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Y	Zn	Zr	As-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	
RE5535419		42	851	8	
RE5535420		12	171	<5	
RE5535421		4	130	<5	
RE5535422		36	607	5	
RE5535423		20	268	<5	
RE5535424		18	529	<5	
RE5535425		14	41.0	6	
RE5535426		19	604	5	
RE5535427		6	96.3	<5	
RE5535428		7	87.9	<5	
RE5535429		12	82.9	14	
RE5535430		14	60.2	<5	
RE5535431		9	43.1	<5	
RE5240322		7	101	5	
RE5240323		14	47.7	<5	
RE5240324		20	198	<5	
RE5240325		19	106	<5	
RE5536260		2	11.9	<5	1.99
RE5536261		NRC	NRC	NRC	

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y626215

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 31, 2012

DATE RECEIVED: Jul 31, 2012

DATE REPORTED: Aug 27, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
RE5535419		1.24	0.085
RE5535420		1.45	<0.001
RE5535421		0.88	<0.001
RE5535422		1.21	<0.001
RE5535423		0.66	<0.001
RE5535424		0.88	0.096
RE5535425		0.92	<0.001
RE5535426		1.25	<0.001
RE5535427		0.67	<0.001
RE5535428		0.69	<0.001
RE5535429		0.97	<0.001
RE5535430		0.72	<0.001
RE5535431		0.80	0.021
RE5240322		0.78	<0.001
RE5240323		1.22	<0.001
RE5240324		0.97	<0.001
RE5240325		1.33	<0.001
RE5536260		1.61	0.020
RE5536261		NRC	NRC

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y626215

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis											
RPT Date: Aug 27, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

Au	1	3574272	0.085	< 0.001		< 0.001	1.44	1.52	95%	90%	110%
----	---	---------	-------	---------	--	---------	------	------	-----	-----	------

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1	3574272	1.56	1.43	8.7%	< 0.2	13.5	13.0	104%	80%	120%
Al	1	3574272	0.59	0.62	5.0%	< 0.01				80%	120%
As	1	3574272	52	55	5.6%	< 1				80%	120%
B	1	3574272	17	19	11.1%	< 5				80%	120%
Ba	1	3574272	407	399	2.0%	< 1				80%	120%
Be	1	3574272	0.5	0.5	0.0%	< 0.5	0.3	0.4	81%	80%	120%
Bi	1	3574272	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	3574272	14.0	12.8	9.0%	< 0.01				80%	120%
Cd	1	3574272	15.2	15.1	0.7%	< 0.5				80%	120%
Ce	1	3574272	14	13	7.4%	< 1				80%	120%
Co	1	3574272	2.34	2.25	3.9%	< 0.5				80%	120%
Cr	1	3574272	101	106	4.8%	< 0.5				80%	120%
Cu	1	3574272	85.0	79.6	6.6%	< 0.5	5731	6000	95%	80%	120%
Fe	1	3574272	0.66	0.61	7.9%	< 0.01				80%	120%
Ga	1	3574272	< 5	< 5	0.0%	< 5				80%	120%
Hg	1	3574272	1	1	0.0%	< 1				80%	120%
In	1	3574272	< 1	< 1	0.0%	< 1				80%	120%
K	1	3574272	0.24	0.25	4.1%	< 0.01				80%	120%
La	1	3574272	10	9	10.5%	< 1				80%	120%
Li	1	3574272	3	3	0.0%	< 1				80%	120%
Mg	1	3574272	0.36	0.34	5.7%	< 0.01				80%	120%
Mn	1	3574272	56	53	5.5%	< 1				80%	120%
Mo	1	3574272	28.3	28.2	0.4%	< 0.5	352	380	92%	80%	120%
Na	1	3574272	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Ni	1	3574272	115	109	5.4%	< 0.5				80%	120%
P	1	3574272	2700	2670	1.1%	< 10	632	600	105%	80%	120%
Pb	1	3574272	3.18	2.72	15.6%	0.6				80%	120%
Rb	1	3574272	39	41	5.0%	< 10	14	13	107%	80%	120%
S	1	3574272	1.34	1.23	8.6%	< 0.005				80%	120%
Sb	1	3574272	19	19	0.0%	< 1				80%	120%
Sc	1	3574272	5.6	5.4	3.6%	< 0.5				80%	120%
Se	1	3574272	22	27	20.4%	< 10	0.8	0.8	100%	80%	120%
Sn	1	3574272	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	3574272	479	444	7.6%	1.0				80%	120%
Ta	1	3574272	< 10	< 10	0.0%	< 10				80%	120%
Te	1	3574272	< 10	< 10	0.0%	< 10				80%	120%
Th	1	3574272	< 5	< 5	0.0%	< 5				80%	120%
Ti	1	3574272	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Tl	1	3574272	13.7	15.6	13.0%	< 0.01				80%	120%
U	1	3574272	< 5	< 5	0.0%	< 5				80%	120%
V	1	3574272	534	568	6.2%	< 0.5				80%	120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y626215

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Aug 27, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										LowerUpper
W	1	3574272	< 1	< 1	0.0%	< 1				80%120%
Y	1	3574272	42	40	4.9%	< 1	7	7	96%	80%120%
Zn	1	3574272	851	809	5.1%	< 0.5				80%120%
Zr	1	3574272	8	7	13.3%	< 5				80%120%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3574285	< 0.001	< 0.001	0.0%	< 0.001	0.25	0.263	95%	90%110%

Certified By:

Method Summary

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y626215

PROJECT NO:

ATTENTION TO: Yinghua Chen

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
B	MIN-200-12020		ICP/OES
Ba	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
In	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP/OES
Li	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr	MIN-200-12020		ICP/OES
Ta	MIN-200-12020		ICP/OES
Te	MIN-200-12020		ICP/OES
Th	MIN-200-12020		ICP/OES
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP-MS
U	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP/OES
Y	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Zr	MIN-200-12020		ICP/OES
As-OL			ICP/OES
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES