

CLIENT NAME: ANTHILL RESOURCES (YUKON)
1090-999 WEST HASTINGS STREET
Vancouver, BC V6C2W2
(604) 569-3892

ATTENTION TO: Yinghua Chen

PROJECT NO:

AGAT WORK ORDER: 12Y626269

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, Certified Assayer - Director - Technical Services (Mining)

DATE REPORTED: Aug 27, 2012

PAGES (INCLUDING COVER): 10

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

***NOTES**

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y626269

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 31, 2012

DATE RECEIVED: Jul 31, 2012

DATE REPORTED: Aug 27, 2012

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
12HESS01	432	0.13	44	<5	47	<0.5	<1	6.67	214	5	8.3	55.1	61.8	2.33
12HESS02	18.1	0.05	4	<5	11	<0.5	<1	1.45	6.5	3	2.5	110	4.2	0.72
12HESS03	18.5	0.04	5	<5	32	<0.5	<1	0.16	4.5	2	1.1	244	41.7	0.54
12HESS04	1.0	0.08	7	<5	9	<0.5	<1	1.82	<0.5	7	4.3	97.3	4.7	1.87
12HESS05	1.1	0.12	1	<5	21	<0.5	<1	0.08	<0.5	8	2.2	160	617	1.54
12HESS06	0.3	0.17	<1	<5	41	<0.5	<1	0.45	<0.5	14	10.9	129	10.5	1.38
12HESS07	1.1	0.09	17	<5	18	<0.5	<1	3.15	<0.5	5	3.8	89.5	24.7	1.63
12HESS08	<0.2	0.04	<1	<5	97	<0.5	<1	0.07	<0.5	11	0.7	140	0.8	0.40
12HESS09	<0.2	0.05	<1	<5	11	<0.5	<1	0.04	<0.5	<1	0.9	150	<0.5	0.55
12HESS10	<0.2	0.61	1	<5	157	<0.5	<1	0.16	<0.5	3	7.0	83.1	2.6	2.26
12HESS11	<0.2	0.13	28	<5	17	<0.5	<1	0.03	<0.5	6	5.0	104	27.4	1.61
12HESS12	<0.2	0.34	8	<5	37	<0.5	<1	0.11	<0.5	9	9.9	150	14.3	1.54
12HESS13	<0.2	0.53	607	<5	67	<0.5	<1	0.02	<0.5	28	15.9	122	6.3	2.96
12HESS14	0.2	0.26	22	<5	109	<0.5	<1	0.08	<0.5	10	4.0	94.5	7.8	1.53
12HESS15	0.5	2.94	9	7	285	1.3	<1	2.37	<0.5	8	7.6	128	42.4	2.39
12HESS16	<0.2	0.32	11	<5	54	<0.5	<1	0.09	<0.5	16	4.2	77.7	5.4	1.26
12HESS17	2.3	0.56	115	9	118	<0.5	<1	5.83	<0.5	16	4.6	52.2	<0.5	2.50

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y626269

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 31, 2012

DATE RECEIVED: Jul 31, 2012

DATE REPORTED: Aug 27, 2012

SAMPLE TYPE: Rock

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
12HESS01	<5	<1	<1	0.08	3	1	2.25	922	2.9	<0.01	12.0	147	>10000	13
12HESS02	<5	<1	<1	0.02	1	<1	0.45	396	3.1	<0.01	5.7	261	1170	<10
12HESS03	<5	<1	<1	0.02	<1	<1	0.05	76	2.9	<0.01	6.3	31	>10000	<10
12HESS04	<5	<1	<1	0.02	3	1	0.18	693	2.2	0.02	6.8	559	189	<10
12HESS05	<5	<1	<1	0.03	4	1	0.03	600	2.0	<0.01	7.6	38	109	<10
12HESS06	<5	<1	<1	0.03	6	3	0.06	1120	1.9	0.02	8.4	107	34.5	<10
12HESS07	<5	<1	<1	0.02	3	1	0.66	903	2.8	<0.01	6.3	1120	39.6	<10
12HESS08	<5	<1	<1	0.02	5	<1	0.01	36	2.6	<0.01	3.8	22	11.4	<10
12HESS09	<5	<1	<1	<0.01	<1	2	0.02	227	1.8	<0.01	4.9	154	5.3	<10
12HESS10	<5	<1	<1	0.03	<1	25	0.26	886	2.0	<0.01	11.1	319	32.0	<10
12HESS11	<5	<1	<1	<0.01	4	<1	0.03	62	4.9	<0.01	17.0	371	5.0	<10
12HESS12	<5	<1	<1	0.08	4	7	0.13	1310	2.1	<0.01	33.5	454	11.1	<10
12HESS13	<5	<1	<1	0.07	13	8	0.13	1000	1.3	<0.01	33.3	99	6.8	<10
12HESS14	<5	<1	<1	0.07	5	5	0.08	280	1.9	<0.01	9.6	118	17.2	<10
12HESS15	9	<1	<1	0.71	5	32	1.04	438	3.8	0.10	23.5	756	5.4	85
12HESS16	<5	<1	<1	0.08	7	7	0.13	476	1.7	0.01	12.9	194	15.0	<10
12HESS17	<5	<1	<1	0.14	8	8	0.69	1050	3.7	<0.01	1.9	259	8.3	21

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y626269

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 31, 2012

DATE RECEIVED: Jul 31, 2012

DATE REPORTED: Aug 27, 2012

SAMPLE TYPE: Rock

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
12HESS01	0.782	42	0.6	<10	<5	141	<10	14	<5	<0.01	0.11	6	<0.5	9
12HESS02	0.054	2	<0.5	<10	<5	43.1	<10	<10	<5	<0.01	0.01	<5	<0.5	<1
12HESS03	0.450	10	<0.5	<10	<5	20.2	<10	<10	<5	<0.01	0.04	<5	<0.5	<1
12HESS04	0.009	<1	1.2	<10	<5	77.8	<10	<10	<5	<0.01	0.01	<5	<0.5	<1
12HESS05	0.036	2	<0.5	<10	<5	4.1	<10	<10	<5	<0.01	0.01	<5	<0.5	<1
12HESS06	0.007	<1	1.3	<10	<5	15.3	<10	<10	<5	<0.01	0.02	<5	0.7	<1
12HESS07	0.026	<1	1.2	<10	<5	98.0	<10	<10	<5	<0.01	<0.01	<5	<0.5	<1
12HESS08	0.041	1	<0.5	<10	<5	4.1	<10	<10	<5	<0.01	<0.01	<5	<0.5	<1
12HESS09	<0.005	<1	<0.5	<10	<5	5.9	<10	<10	<5	<0.01	<0.01	<5	<0.5	<1
12HESS10	0.069	<1	0.6	<10	<5	17.5	<10	<10	<5	<0.01	0.02	<5	1.6	<1
12HESS11	0.017	<1	0.8	<10	<5	7.7	<10	<10	<5	<0.01	0.03	<5	20.8	<1
12HESS12	0.037	5	<0.5	<10	<5	26.8	<10	<10	<5	<0.01	0.04	<5	0.5	<1
12HESS13	0.005	<1	1.5	<10	<5	6.8	<10	<10	8	<0.01	0.04	<5	6.1	<1
12HESS14	0.043	<1	<0.5	<10	<5	5.8	<10	<10	<5	<0.01	0.03	<5	1.2	<1
12HESS15	0.488	<1	5.9	<10	<5	229	<10	<10	<5	0.12	0.31	<5	108	<1
12HESS16	<0.005	<1	0.6	<10	<5	10.1	<10	<10	6	<0.01	0.03	<5	1.7	<1
12HESS17	0.647	<1	3.7	<10	<5	192	<10	<10	<5	<0.01	0.19	<5	4.9	<1

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y626269

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Jul 31, 2012

DATE RECEIVED: Jul 31, 2012

DATE REPORTED: Aug 27, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Y	Zn	Zr	Pb-Fusion	Zn Fusion
	Unit:	ppm	ppm	ppm	%	%
	RDL:	1	0.5	5	0.005	0.005
12HESS01		6	>10000	<5	1.29	3.77
12HESS02		2	1180	<5		
12HESS03		<1	796	<5	2.04	
12HESS04		4	80.2	<5		
12HESS05		2	61.0	<5		
12HESS06		5	70.8	7		
12HESS07		8	34.6	<5		
12HESS08		<1	19.5	<5		
12HESS09		<1	14.6	<5		
12HESS10		2	61.2	<5		
12HESS11		1	75.2	<5		
12HESS12		3	65.1	7		
12HESS13		3	81.6	9		
12HESS14		2	42.7	<5		
12HESS15		7	62.3	<5		
12HESS16		2	47.6	<5		
12HESS17		12	29.9	<5		

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y626269

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Jul 31, 2012

DATE RECEIVED: Jul 31, 2012

DATE REPORTED: Aug 27, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
12HESS01		3.89	0.380
12HESS02		2.67	0.020
12HESS03		0.76	0.010
12HESS04		2.59	<0.001
12HESS05		1.24	<0.001
12HESS06		2.13	<0.001
12HESS07		1.89	<0.001
12HESS08		1.85	0.009
12HESS09		1.89	<0.001
12HESS10		1.63	0.024
12HESS11		1.58	0.002
12HESS12		0.86	<0.001
12HESS13		0.86	0.003
12HESS14		1.68	0.015
12HESS15		1.90	0.013
12HESS16		2.92	<0.001
12HESS17		3.63	0.018

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y626269

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis											
RPT Date: Aug 27, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

Au	1	3574481	0.380	0.365	4.0%	< 0.001	0.277	0.263	105%	90%	110%
----	---	---------	-------	-------	------	---------	-------	-------	------	-----	------

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1	3574481	>100	>100		< 0.2	14.7	13.0	113%	80%	120%
Al	1	3574481	0.13	0.11	16.7%	< 0.01				80%	120%
As	1	3574481	44	44	0.0%	< 1				80%	120%
B	1	3574481	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3574481	47	39	18.6%	< 1				80%	120%
Be	1	3574481	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Bi	1	3574481	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	3574481	6.67	6.61	0.9%	< 0.01				80%	120%
Cd	1	3574481	214	213	0.5%	< 0.5				80%	120%
Ce	1	3574481	5	5	0.0%	< 1				80%	120%
Co	1	3574481	8.26	8.08	2.2%	< 0.5				80%	120%
Cr	1	3574481	55.1	54.9	0.4%	< 0.5				80%	120%
Cu	1	3574481	61.8	61.6	0.3%	< 0.5				80%	120%
Fe	1	3574481	2.33	2.22	4.8%	< 0.01				80%	120%
Ga	1	3574481	< 5	< 5	0.0%	< 5				80%	120%
Hg	1	3574481	< 1	< 1	0.0%	< 1				80%	120%
In	1	3574481	< 1	1		< 1				80%	120%
K	1	3574481	0.08	0.08	0.0%	< 0.01				80%	120%
La	1	3574481	3	3	0.0%	< 1				80%	120%
Li	1	3574481	1	< 1		< 1				80%	120%
Mg	1	3574481	2.25	2.19	2.7%	< 0.01				80%	120%
Mn	1	3574481	922	908	1.5%	< 1				80%	120%
Mo	1	3574481	2.9	2.9	0.0%	< 0.5				80%	120%
Na	1	3574481	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Ni	1	3574481	12.0	11.7	2.5%	< 0.5				80%	120%
P	1	3574481	147	135	8.5%	< 10	659	600	110%	80%	120%
Pb	1	3574481	11600	11600	0.0%	< 0.5				80%	120%
Rb	1	3574481	13	12	8.0%	< 10				80%	120%
S	1	3574481	0.782	0.772	1.3%	< 0.005				80%	120%
Sb	1	3574481	42	42	0.0%	< 1				80%	120%
Sc	1	3574481	0.6	0.6	0.0%	< 0.5				80%	120%
Se	1	3574481	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	3574481	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	3574481	141	138	2.2%	< 0.5				80%	120%
Ta	1	3574481	< 10	< 10	0.0%	< 10				80%	120%
Te	1	3574481	14	13	7.4%	< 10				80%	120%
Th	1	3574481	< 5	< 5	0.0%	< 5				80%	120%
Ti	1	3574481	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Tl	1	3574481	0.11	0.11	0.0%	< 0.01				80%	120%
U	1	3574481	6	6	0.0%	< 5				80%	120%
V	1	3574481	< 0.5	< 0.5	0.0%	0.6				80%	120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y626269

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Aug 27, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
W	1	3574481	9	6		< 1				80%	120%
Y	1	3574481	6	6	0.0%	< 1				80%	120%
Zn	1	3574481	22200	22100	0.5%	< 0.5				80%	120%
Zr	1	3574481	< 5	< 5	0.0%	< 5				80%	120%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3574497	0.0179	0.0165	8.1%	< 0.001				90%	110%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)											
Ag	1					< 0.2	14.5	13.0	111%	80%	120%
Cu	1					< 0.5	6010	6000	100%	80%	120%
Mo	1					< 0.5	355	360	98%	80%	120%
P	1					< 10	634	600	105%	80%	120%

Certified By:

Ron Cardinal

Method Summary

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y626269

PROJECT NO:

ATTENTION TO: Yinghua Chen

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
B	MIN-200-12020		ICP/OES
Ba	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
In	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP/OES
Li	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr	MIN-200-12020		ICP/OES
Ta	MIN-200-12020		ICP/OES
Te	MIN-200-12020		ICP/OES
Th	MIN-200-12020		ICP/OES
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP-MS
U	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP/OES
Y	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Zr	MIN-200-12020		ICP/OES
Pb-Fusion	MIN-200-12001		ICP/OES
Zn Fusion	MIN-200-12001		ICP/OES
Sample Login Weight	MIN-12009		BALANCE

Method Summary

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y626269

PROJECT NO:

ATTENTION TO: Yinghua Chen

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES