

CLIENT NAME: ANTHILL RESOURCES (YUKON)
1090-999 WEST HASTINGS STREET
Vancouver, BC V6C2W2
(604) 569-3892

ATTENTION TO: Yinghua Chen

PROJECT NO:

AGAT WORK ORDER: 12Y627974

SOLID ANALYSIS REVIEWED BY: Kevin Motomura, ICP Supervisor

DATE REPORTED: Aug 13, 2012

PAGES (INCLUDING COVER): 20

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

***NOTES**



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y627974

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Aug 07, 2012

DATE RECEIVED: Aug 06, 2012

DATE REPORTED: Aug 13, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
RE5511015															
RE5511016															
RE5511017															
RE5511018															
RE5535432															
RE5535433															
RE5535434															
RE5535435															
RE5536262															
RE5536263															
RE5536264															
RE5536266															
RE5536267															
RE5536268															
RE5536269															
RE5536270															
RE5536271															
RE5536272															
RE5536273															
RE5242118															
RE5242119															
RE5242120															
RE5242121															
RE5242122															
RE5242123															
RE5242124															
RE5242125															
RE5242126															
RE5242127															
RE5242128															
RE5242129															
RE5242130															

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y627974

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Aug 07, 2012

DATE RECEIVED: Aug 06, 2012

DATE REPORTED: Aug 13, 2012

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
RE5242131														
RE5242132														
RE5242133														
RE5242134														
RE5242135														
RE5242136														
RE5242137														
RE5242138														
RE5242139														
RE5242140	<0.2	0.45	162	10	31	<0.5	11	0.28	<0.5	<1	11.8	23.7	27.7	13.2
RE5242141	<0.2	0.22	64	9	12	<0.5	11	0.12	<0.5	<1	8.6	64.9	34.1	13.5
RE5242142	<0.2	0.10	22	<5	28	<0.5	2	0.09	<0.5	3	0.6	22.7	5.9	1.79
RE5242143	<0.2	0.31	4	6	31	<0.5	1	0.09	<0.5	14	<0.5	7.5	1.4	0.19
RE5242144	<0.2	0.14	23	10	23	0.8	9	12.7	<0.5	<1	21.7	18.2	6.1	7.51
RE5242145	<0.2	0.04	22	<5	4	<0.5	<1	19.9	<0.5	9	1.2	4.8	<0.5	1.06
RE5506635	<0.2	1.62	7	<5	10	<0.5	4	0.43	<0.5	<1	4.6	30.5	6.9	4.82
RE5506636	<0.2	0.38	7	<5	16	<0.5	1	0.42	<0.5	19	2.9	71.5	7.5	1.56
RE5506637	<0.2	0.13	38	<5	12	<0.5	<1	0.07	<0.5	2	2.9	51.6	7.2	0.72
RE5506638	<0.2	0.07	31	<5	16	<0.5	<1	10.9	<0.5	5	2.6	32.1	3.7	0.79
RE5506639	<0.2	0.23	45	<5	21	<0.5	<1	14.2	<0.5	8	5.3	13.0	7.1	1.19
RE5506640	<0.2	0.03	52	<5	10	<0.5	<1	22.7	<0.5	12	0.9	17.9	1.9	0.16
RE5506641	<0.2	0.09	23	<5	21	<0.5	<1	23.9	<0.5	20	1.4	10.5	3.4	0.44
RE5506642	<0.2	0.03	24	<5	10	<0.5	<1	18.6	<0.5	11	0.7	15.7	1.1	0.16
RE5506643	<0.2	0.08	29	26	17	<0.5	6	9.40	<0.5	11	4.0	18.7	3.5	0.52
RE5506644	<0.2	0.01	22	<5	4	<0.5	<1	22.2	<0.5	12	0.9	3.4	0.6	0.12
RE5506645	<0.2	0.02	20	<5	3	<0.5	<1	19.0	1.4	10	0.8	3.8	0.6	0.19
RE5506646	<0.2	0.02	22	<5	13	<0.5	<1	22.4	<0.5	12	0.7	16.7	1.8	0.13
RE5506647	<0.2	1.14	47	26	718	0.8	19	2.25	<0.5	<1	8.7	48.7	188	17.0
RE5506648	<0.2	0.68	67	45	101	0.5	30	2.42	<0.5	<1	13.3	48.2	269	24.4
RE5506649	2.5	1.90	24	8	102	<0.5	8	1.06	4.4	7	15.1	35.8	749	4.90
RE5506650	<0.2	0.01	38	<5	11	<0.5	<1	18.9	<0.5	8	1.2	0.8	<0.5	0.43
RE5506651	1.6	0.40	15	6	894	<0.5	4	0.07	<0.5	14	1.2	33.3	27.5	2.90

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y627974

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Aug 07, 2012

DATE RECEIVED: Aug 06, 2012

DATE REPORTED: Aug 13, 2012

SAMPLE TYPE: Rock

	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
RE5506652		<0.2	0.44	14	<5	447	<0.5	3	1.83	<0.5	2	6.9	49.2	37.9	2.66
RE5506653		<0.2	0.92	4	<5	94	<0.5	1	0.08	<0.5	10	11.6	46.5	35.9	2.85

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y627974

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Aug 07, 2012

DATE RECEIVED: Aug 06, 2012

DATE REPORTED: Aug 13, 2012

SAMPLE TYPE: Rock

	Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
	Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
RE5511015															
RE5511016															
RE5511017															
RE5511018															
RE5535432															
RE5535433															
RE5535434															
RE5535435															
RE5536262															
RE5536263															
RE5536264															
RE5536266															
RE5536267															
RE5536268															
RE5536269															
RE5536270															
RE5536271															
RE5536272															
RE5536273															
RE5242118															
RE5242119															
RE5242120															
RE5242121															
RE5242122															
RE5242123															
RE5242124															
RE5242125															
RE5242126															
RE5242127															
RE5242128															
RE5242129															
RE5242130															

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y627974

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Aug 07, 2012		DATE RECEIVED: Aug 06, 2012				DATE REPORTED: Aug 13, 2012				SAMPLE TYPE: Rock					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
RE5242131															
RE5242132															
RE5242133															
RE5242134															
RE5242135															
RE5242136															
RE5242137															
RE5242138															
RE5242139															
RE5242140		5	<1	<1	0.16	2	3	0.03	306	5.2	<0.01	20.4	692	37.4	16
RE5242141		<5	<1	<1	0.05	<1	2	0.03	175	1.5	<0.01	12.8	426	9.7	<10
RE5242142		<5	<1	<1	0.10	3	<1	<0.01	13	0.7	<0.01	<0.5	131	11.1	<10
RE5242143		<5	<1	<1	0.17	3	8	0.02	4	<0.5	<0.01	<0.5	37	14.8	12
RE5242144		5	<1	<1	0.03	<1	20	0.32	2680	1.7	<0.01	31.9	405	20.3	12
RE5242145		<5	<1	<1	0.02	3	3	11.9	1090	2.6	0.01	<0.5	147	<0.5	13
RE5506635		7	<1	<1	0.05	4	40	0.77	213	2.7	<0.01	27.5	90	10.9	<10
RE5506636		<5	<1	<1	0.08	10	6	0.21	134	2.5	<0.01	7.2	106	8.1	<10
RE5506637		<5	<1	<1	0.04	1	2	0.02	68	1.9	<0.01	4.0	54	14.4	<10
RE5506638		<5	<1	<1	0.04	1	<1	0.57	412	2.1	<0.01	3.3	1390	3.4	13
RE5506639		<5	<1	<1	0.16	3	2	0.12	330	2.3	<0.01	7.8	583	6.9	23
RE5506640		<5	<1	<1	0.01	2	<1	0.11	63	3.3	<0.01	<0.5	189	<0.5	13
RE5506641		<5	<1	<1	0.06	5	1	0.50	343	3.3	<0.01	0.9	586	<0.5	17
RE5506642		<5	<1	<1	0.02	2	<1	0.28	51	3.4	<0.01	<0.5	201	<0.5	13
RE5506643		<5	<1	<1	0.06	2	<1	0.08	117	2.1	<0.01	4.6	217	<0.5	13
RE5506644		<5	<1	<1	<0.01	3	3	9.53	155	2.4	<0.01	<0.5	240	<0.5	12
RE5506645		<5	<1	<1	<0.01	3	3	10.4	253	2.7	<0.01	<0.5	239	<0.5	12
RE5506646		<5	<1	<1	0.01	3	<1	1.36	43	3.3	<0.01	<0.5	330	<0.5	12
RE5506647		19	<1	1	0.27	18	11	1.38	6040	7.8	<0.01	14.1	1660	28.9	39
RE5506648		21	<1	<1	0.17	4	7	1.06	5820	11.6	0.01	12.8	1480	29.0	21
RE5506649		8	<1	2	0.23	9	14	1.19	608	10.8	0.10	30.6	581	273	21
RE5506650		<5	<1	<1	<0.01	2	<1	11.5	231	2.7	<0.01	<0.5	217	<0.5	12
RE5506651		<5	<1	<1	0.17	11	3	0.17	115	6.5	0.01	4.8	442	18.2	14

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y627974

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Aug 07, 2012		DATE RECEIVED: Aug 06, 2012				DATE REPORTED: Aug 13, 2012				SAMPLE TYPE: Rock					
Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	
Sample Description	RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
RE5506652		<5	<1	<1	0.06	4	6	0.86	4410	2.8	<0.01	23.2	413	5.6	<10
RE5506653		6	<1	<1	0.04	8	13	0.66	401	2.7	<0.01	31.4	280	7.8	<10

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y627974

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Aug 07, 2012

DATE RECEIVED: Aug 06, 2012

DATE REPORTED: Aug 13, 2012

SAMPLE TYPE: Rock

	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1
RE5511015															
RE5511016															
RE5511017															
RE5511018															
RE5535432															
RE5535433															
RE5535434															
RE5535435															
RE5536262															
RE5536263															
RE5536264															
RE5536266															
RE5536267															
RE5536268															
RE5536269															
RE5536270															
RE5536271															
RE5536272															
RE5536273															
RE5242118															
RE5242119															
RE5242120															
RE5242121															
RE5242122															
RE5242123															
RE5242124															
RE5242125															
RE5242126															
RE5242127															
RE5242128															
RE5242129															
RE5242130															

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y627974

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Aug 07, 2012

DATE RECEIVED: Aug 06, 2012

DATE REPORTED: Aug 13, 2012

SAMPLE TYPE: Rock

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1
Sample Description														
RE5242131														
RE5242132														
RE5242133														
RE5242134														
RE5242135														
RE5242136														
RE5242137														
RE5242138														
RE5242139														
RE5242140	0.047	6	3.4	<10	<5	6.3	<10	<10	<5	<0.01	5	<5	17.1	<1
RE5242141	0.034	<1	1.1	<10	<5	2.9	<10	<10	<5	<0.01	<5	<5	17.6	<1
RE5242142	0.087	4	<0.5	<10	<5	7.3	<10	<10	<5	<0.01	<5	<5	2.8	<1
RE5242143	0.012	6	1.1	<10	<5	21.5	<10	<10	<5	<0.01	<5	<5	3.6	<1
RE5242144	0.183	<1	3.6	<10	<5	153	<10	<10	<5	<0.01	6	7	14.5	<1
RE5242145	0.238	7	0.7	<10	<5	51.1	<10	<10	<5	<0.01	<5	<5	16.5	<1
RE5506635	0.017	<1	1.4	<10	<5	4.1	<10	<10	<5	<0.01	6	<5	19.1	<1
RE5506636	0.012	<1	0.9	<10	<5	6.5	<10	<10	<5	<0.01	<5	<5	5.9	<1
RE5506637	0.009	3	<0.5	<10	<5	14.5	<10	<10	<5	<0.01	<5	<5	2.3	<1
RE5506638	0.133	9	1.8	<10	<5	124	<10	<10	<5	<0.01	6	<5	5.4	<1
RE5506639	0.179	12	3.6	<10	<5	356	<10	<10	<5	<0.01	<5	<5	5.5	<1
RE5506640	0.287	11	0.6	<10	6	441	<10	<10	<5	<0.01	<5	<5	2.1	<1
RE5506641	0.286	10	1.5	<10	7	629	<10	<10	<5	<0.01	<5	<5	4.9	<1
RE5506642	0.229	10	0.6	<10	<5	386	<10	<10	<5	<0.01	<5	<5	3.1	<1
RE5506643	0.110	8	2.4	<10	<5	187	<10	<10	<5	<0.01	6	<5	2.6	1010
RE5506644	0.270	10	<0.5	<10	<5	151	<10	<10	<5	<0.01	<5	<5	12.1	11
RE5506645	0.250	8	<0.5	<10	<5	122	<10	<10	<5	<0.01	<5	<5	15.3	11
RE5506646	0.273	9	<0.5	<10	6	426	<10	<10	<5	<0.01	<5	<5	5.4	<1
RE5506647	0.716	<1	6.0	<10	<5	205	<10	<10	<5	<0.01	11	15	132	<1
RE5506648	2.16	<1	4.0	<10	<5	185	<10	<10	<5	<0.01	12	15	149	<1
RE5506649	1.18	2	7.9	<10	<5	33.1	<10	<10	<5	0.17	9	<5	77.8	<1
RE5506650	0.231	11	<0.5	<10	<5	44.3	<10	<10	<5	<0.01	<5	<5	16.0	<1
RE5506651	0.411	<1	5.0	<10	<5	20.7	<10	<10	<5	<0.01	<5	<5	46.2	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y627974

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Aug 07, 2012

DATE RECEIVED: Aug 06, 2012

DATE REPORTED: Aug 13, 2012

SAMPLE TYPE: Rock

	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	5	5	0.5	1
RE5506652		0.504	1	1.5	<10	<5	84.1	<10	<10	<5	<0.01	11	9	19.2	<1
RE5506653		0.046	<1	3.1	<10	<5	14.7	<10	<10	<5	<0.01	<5	<5	44.2	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y627974

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Aug 07, 2012

DATE RECEIVED: Aug 06, 2012

DATE REPORTED: Aug 13, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5

RE5511015
RE5511016
RE5511017
RE5511018
RE5535432
RE5535433
RE5535434
RE5535435
RE5536262
RE5536263
RE5536264
RE5536266
RE5536267
RE5536268
RE5536269
RE5536270
RE5536271
RE5536272
RE5536273
RE5242118
RE5242119
RE5242120
RE5242121
RE5242122
RE5242123
RE5242124
RE5242125
RE5242126
RE5242127
RE5242128
RE5242129
RE5242130

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y627974

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Aug 07, 2012

DATE RECEIVED: Aug 06, 2012

DATE REPORTED: Aug 13, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5

RE5242131				
RE5242132				
RE5242133				
RE5242134				
RE5242135				
RE5242136				
RE5242137				
RE5242138				
RE5242139				
RE5242140	6	38.2	<5	
RE5242141	3	62.8	<5	
RE5242142	<1	2.0	<5	
RE5242143	1	1.5	<5	
RE5242144	49	43.7	<5	
RE5242145	4	3.8	<5	
RE5506635	2	103	<5	
RE5506636	2	20.7	<5	
RE5506637	1	10.2	<5	
RE5506638	6	5.4	<5	
RE5506639	9	29.8	<5	
RE5506640	1	5.3	<5	
RE5506641	5	6.6	<5	
RE5506642	1	6.5	<5	
RE5506643	2	13.6	<5	
RE5506644	2	4.4	<5	
RE5506645	2	554	<5	
RE5506646	2	6.5	<5	
RE5506647	7	48.6	<5	
RE5506648	6	47.5	<5	
RE5506649	10	1520	12	
RE5506650	<1	17.2	<5	
RE5506651	3	18.2	17	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y627974

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Aug 07, 2012

DATE RECEIVED: Aug 06, 2012

DATE REPORTED: Aug 13, 2012

SAMPLE TYPE: Rock

	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
Sample Description	RDL:	1	0.5	5
RE5506652		3	38.0	<5
RE5506653		3	63.5	<5

Comments: RDL - Reported Detection Limit

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y627974

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Aug 07, 2012

DATE RECEIVED: Aug 06, 2012

DATE REPORTED: Aug 13, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
RE5511015		1.27	0.009
RE5511016		1.14	0.003
RE5511017		1.54	0.002
RE5511018		1.32	<0.001
RE5535432		0.76	0.002
RE5535433		1.06	<0.001
RE5535434		0.61	0.008
RE5535435		0.70	<0.001
RE5536262		0.71	0.001
RE5536263		1.19	<0.001
RE5536264		0.54	<0.001
RE5536266		0.86	<0.001
RE5536267		0.87	<0.001
RE5536268		0.45	<0.001
RE5536269		0.65	0.001
RE5536270		0.62	0.004
RE5536271		0.89	<0.001
RE5536272		0.76	<0.001
RE5536273		0.67	<0.001
RE5242118		0.77	<0.001
RE5242119		0.79	0.009
RE5242120		0.66	0.004
RE5242121		1.09	<0.001
RE5242122		0.58	<0.001
RE5242123		0.92	<0.001
RE5242124		1.38	0.003
RE5242125		0.56	<0.001
RE5242126		0.66	<0.001
RE5242127		0.95	0.003
RE5242128		0.41	0.001
RE5242129		0.52	<0.001

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y627974

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Aug 07, 2012

DATE RECEIVED: Aug 06, 2012

DATE REPORTED: Aug 13, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
RE5242130		1.16	0.004
RE5242131		0.98	0.024
RE5242132		0.91	0.018
RE5242133		0.89	0.003
RE5242134		0.81	<0.001
RE5242135		0.75	0.008
RE5242136		1.25	0.002
RE5242137		1.06	<0.001
RE5242138		0.55	0.009
RE5242139		0.74	0.008
RE5242140		0.86	0.012
RE5242141		0.66	<0.001
RE5242142		0.80	<0.001
RE5242143		0.77	0.001
RE5242144		1.16	<0.001
RE5242145		0.89	0.009
RE5506635		0.94	<0.001
RE5506636		1.14	<0.001
RE5506637		0.84	0.009
RE5506638		1.06	0.011
RE5506639		1.06	0.017
RE5506640		0.74	0.021
RE5506641		0.80	0.006
RE5506642		0.80	<0.001
RE5506643		0.95	0.031
RE5506644		0.93	<0.001
RE5506645		0.90	<0.001
RE5506646		1.00	0.004
RE5506647		1.27	0.009
RE5506648		0.99	0.015
RE5506649		0.14	2.29

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y627974

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Aug 07, 2012

DATE RECEIVED: Aug 06, 2012

DATE REPORTED: Aug 13, 2012

SAMPLE TYPE: Rock

	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
Sample Description	RDL:	0.01	0.001
RE5506650		0.79	<0.001
RE5506651		1.06	0.029
RE5506652		1.08	0.003
RE5506653		0.84	0.008

Comments: RDL - Reported Detection Limit

Certified By:

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y627974

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis											
RPT Date: Aug 13, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3587649	0.009	0.004		< 0.001	0.578	0.607	95%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3587662	< 0.001	0.009		< 0.001	1.47	1.52	96%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3587675	< 0.001	0.001		< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3587689	0.0082	0.0088	7.1%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3587701	0.021	0.003		< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3587714	0.008	0.005		< 0.001				90%	110%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)											
Ag	1	3587694	< 0.2	< 0.2	0.0%	< 0.2				80%	120%
Al	1	3587694	0.145	0.135	7.1%	< 0.01				80%	120%
As	1	3587694	23	21	9.1%	1				80%	120%
B	1	3587694	10	10	0.0%	< 5				80%	120%
Ba	1	3587694	23	21	9.1%	< 1				80%	120%
Be	1	3587694	0.8	0.8	0.0%	< 0.5				80%	120%
Bi	1	3587694	9	10	10.5%	< 1				80%	120%
Ca	1	3587694	12.7	12.2	4.0%	< 0.01				80%	120%
Cd	1	3587694	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	3587694	< 1	< 1	0.0%	< 1				80%	120%
Co	1	3587694	21.7	21.3	1.9%	< 0.5				80%	120%
Cr	1	3587694	18.2	17.4	4.5%	< 0.5				80%	120%
Cu	1	3587694	6.07	5.82	4.2%	< 0.5	3887	3800	102%	80%	120%
Fe	1	3587694	7.51	7.26	3.4%	< 0.01				80%	120%
Ga	1	3587694	5	6	18.2%	< 5				80%	120%
Hg	1	3587694	< 1	< 1	0.0%	< 1	1.6	1.3	120%	80%	120%
In	1	3587694	< 1	< 1	0.0%	< 1				80%	120%
K	1	3587694	0.025	0.024	4.1%	< 0.01				80%	120%
La	1	3587694	< 1	< 1	0.0%	< 1				80%	120%
Li	1	3587694	20	18	10.5%	< 1				80%	120%
Mg	1	3587694	0.32	0.31	3.2%	< 0.01				80%	120%
Mn	1	3587694	2680	2670	0.4%	< 1				80%	120%
Mo	1	3587694	1.67	1.25	28.8%	< 0.5				80%	120%
Na	1	3587694	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Ni	1	3587694	31.9	31.7	0.6%	< 0.5				80%	120%
P	1	3587694	405	392	3.3%	< 10	586	600	98%	80%	120%
Pb	1	3587694	20.3	20.1	1.0%	< 0.5				80%	120%
Rb	1	3587694	12	12	0.0%	< 10	12	13	93%	80%	120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y627974

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Aug 13, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
S	1	3587694	0.183	0.177	3.3%	< 0.005				80% 120%
Sb	1	3587694	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	3587694	3.59	3.44	4.3%	< 0.5				80% 120%
Se	1	3587694	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3587694	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3587694	153	151	1.3%	< 0.5				80% 120%
Ta	1	3587694	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3587694	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3587694	< 5	< 5	0.0%	< 5	1.6	1.4	118%	80% 120%
Ti	1	3587694	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3587694	6	6	0.0%	< 5				80% 120%
U	1	3587694	7	7	0.0%	< 5				80% 120%
V	1	3587694	14.5	14.9	2.7%	< 0.5				80% 120%
W	1	3587694	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3587694	49	49	0.0%	< 1				80% 120%
Zn	1	3587694	43.7	42.8	2.1%	< 0.5				80% 120%
Zr	1	3587694	< 5	< 5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

Ag	1	3587701	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3587701	0.03	0.03	0.0%	< 0.01				80% 120%
As	1	3587701	52	58	10.9%	< 1				80% 120%
B	1	3587701	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3587701	10	10	0.0%	< 1				80% 120%
Be	1	3587701	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	3587701	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3587701	22.7	24.1	6.0%	< 0.01				80% 120%
Cd	1	3587701	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3587701	12	13	8.0%	< 1				80% 120%
Co	1	3587701	0.9	1.0	10.5%	< 0.5				80% 120%
Cr	1	3587701	17.9	19.2	7.0%	< 0.5				80% 120%
Cu	1	3587701	1.9	2.0	5.1%	< 0.5	3660	3800	96%	80% 120%
Fe	1	3587701	0.16	0.17	6.1%	< 0.01				80% 120%
Ga	1	3587701	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3587701	< 1	< 1	0.0%	< 1	1.3	1.3	98%	80% 120%
In	1	3587701	< 1	< 1	0.0%	< 1				80% 120%
K	1	3587701	0.01	0.01	0.0%	< 0.01				80% 120%
La	1	3587701	2	2	0.0%	< 1				80% 120%
Li	1	3587701	< 1	< 1	0.0%	< 1				80% 120%
Mg	1	3587701	0.11	0.11	0.0%	< 0.01				80% 120%
Mn	1	3587701	63	66	4.7%	< 1				80% 120%
Mo	1	3587701	3.34	3.47	3.8%	< 0.5	357	380	93%	80% 120%
Na	1	3587701	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3587701	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
P	1	3587701	189	220	15.2%	< 10	554	600	92%	80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y627974

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Aug 13, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Pb	1	3587701	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Rb	1	3587701	13	13	0.0%	< 10				80% 120%
S	1	3587701	0.287	0.297	3.4%	< 0.005				80% 120%
Sb	1	3587701	11	10	9.5%	< 1				80% 120%
Sc	1	3587701	0.58	0.53	9.0%	< 0.5				80% 120%
Se	1	3587701	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3587701	6	7	15.4%	< 5				80% 120%
Sr	1	3587701	441	463	4.9%	< 0.5				80% 120%
Ta	1	3587701	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3587701	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3587701	< 5	< 5	0.0%	< 5	1.1	1.4	82%	80% 120%
Ti	1	3587701	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3587701	< 5	< 5	0.0%	< 5				80% 120%
U	1	3587701	< 5	< 5	0.0%	< 5				80% 120%
V	1	3587701	2.06	1.98	4.0%	< 0.5				80% 120%
W	1	3587701	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3587701	1	1	0.0%	< 1				80% 120%
Zn	1	3587701	5.3	5.4	1.9%	< 0.5				80% 120%
Zr	1	3587701	< 5	< 5	0.0%	< 5				80% 120%

Certified By:

Method Summary

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y627974

PROJECT NO:

ATTENTION TO: Yinghua Chen

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
B	MIN-200-12020		ICP/OES
Ba	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
In	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP/OES
Li	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr	MIN-200-12020		ICP/OES
Ta	MIN-200-12020		ICP/OES
Te	MIN-200-12020		ICP/OES
Th	MIN-200-12020		ICP/OES
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP/OES
U	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP/OES
Y	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Zr	MIN-200-12020		ICP/OES
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES