

CLIENT NAME: ANTHILL RESOURCES (YUKON)
1090-999 WEST HASTINGS STREET
Vancouver, BC V6C2W2
(604) 569-3892

ATTENTION TO: Yinghua Chen

PROJECT NO:

AGAT WORK ORDER: 12Y627974

SOLID ANALYSIS REVIEWED BY: Kevin Motomura, ICP Supervisor

DATE REPORTED: Aug 13, 2012

PAGES (INCLUDING COVER): 20

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

***NOTES**



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y627974

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Aug 07, 2012

DATE RECEIVED: Aug 06, 2012

DATE REPORTED: Aug 13, 2012

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
RE5511015	<0.2	4.19	3	<5	504	2.4	<1	0.58	1.9	63	15.0	31.0	109	5.47
RE5511016	<0.2	2.26	6	<5	413	1.1	<1	0.75	3.7	62	51.3	31.4	66.0	6.74
RE5511017	0.6	0.82	2	<5	224	1.1	<1	2.81	<0.5	46	10.3	13.2	25.8	3.34
RE5511018	<0.2	0.57	4	<5	127	<0.5	<1	0.19	<0.5	23	5.1	31.5	26.7	1.59
RE5535432	3.7	0.04	<1	<5	72	<0.5	<1	14.7	<0.5	2	<0.5	30.4	<0.5	0.40
RE5535433	2.9	0.29	7	<5	163	<0.5	<1	12.3	1.3	19	1.1	36.0	4.5	0.49
RE5535434	5.0	0.08	35	<5	19	<0.5	<1	29.4	1.0	1	<0.5	4.4	1.0	0.14
RE5535435	3.9	0.06	6	<5	10	<0.5	<1	22.6	<0.5	<1	<0.5	3.2	<0.5	0.27
RE5536262	0.5	0.90	18	<5	138	0.9	<1	2.22	0.5	40	6.5	26.4	18.4	2.66
RE5536263	0.7	0.15	29	<5	109	<0.5	<1	2.86	1.1	7	1.0	36.6	12.8	2.05
RE5536264	<0.2	0.98	<1	<5	17	<0.5	<1	0.15	<0.5	8	3.2	51.2	7.9	1.83
RE5536266	2.8	0.21	<1	<5	40	<0.5	<1	9.67	<0.5	28	<0.5	12.7	<0.5	0.73
RE5536267	<0.2	1.89	<1	<5	53	0.6	<1	0.53	<0.5	17	3.3	43.8	11.4	3.85
RE5536268	<0.2	1.18	<1	<5	33	<0.5	<1	0.21	<0.5	36	7.6	31.7	37.9	4.76
RE5536269	<0.2	1.36	13	<5	35	<0.5	<1	0.02	<0.5	15	11.5	36.8	23.7	3.03
RE5536270	<0.2	0.90	11	<5	43	<0.5	<1	0.13	<0.5	13	3.1	31.1	13.6	3.11
RE5536271	<0.2	2.46	3	<5	46	<0.5	<1	0.03	<0.5	15	0.8	35.3	12.8	4.43
RE5536272	<0.2	1.64	10	<5	17	<0.5	<1	0.47	<0.5	7	9.0	43.8	6.0	3.44
RE5536273	<0.2	0.87	8	<5	58	0.5	<1	0.08	<0.5	23	6.3	21.4	98.6	12.7
RE5242118	1.7	0.13	10	<5	34	<0.5	<1	6.34	<0.5	2	0.6	31.8	2.4	1.36
RE5242119	1.7	0.14	7	<5	101	<0.5	<1	7.02	<0.5	4	4.9	42.0	<0.5	1.84
RE5242120	1.0	0.52	19	<5	26	<0.5	<1	4.15	<0.5	4	15.2	25.4	11.1	5.55
RE5242121	5.1	0.10	5	<5	18	<0.5	<1	28.0	<0.5	4	<0.5	5.5	2.0	1.08
RE5242122	0.3	0.34	10	<5	19	<0.5	<1	1.25	<0.5	5	<0.5	31.9	<0.5	0.35
RE5242123	5.0	0.05	2	<5	39	<0.5	<1	28.6	<0.5	<1	<0.5	4.0	<0.5	0.07
RE5242124	3.2	0.07	2330	<5	17	2.7	<1	22.0	62.6	<1	<0.5	4.1	<0.5	3.52
RE5242125	4.2	0.43	49	<5	51	<0.5	<1	21.4	1.5	8	2.8	8.9	10.6	1.42
RE5242126	4.3	0.18	4	<5	33	<0.5	<1	22.4	<0.5	1	<0.5	3.5	1.5	0.38
RE5242127	0.7	0.08	8	<5	16	<0.5	<1	2.83	<0.5	3	0.6	61.1	<0.5	1.36
RE5242128	4.9	0.09	2	<5	22	<0.5	<1	23.5	<0.5	6	<0.5	4.7	1.5	0.47
RE5242129	2.7	0.30	18	<5	2500	<0.5	<1	11.3	0.6	4	7.9	70.5	13.7	2.38
RE5242130	<0.2	1.61	36	<5	106	<0.5	<1	2.12	0.6	8	24.4	30.7	33.7	6.50

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y627974

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Aug 07, 2012		DATE RECEIVED: Aug 06, 2012						DATE REPORTED: Aug 13, 2012				SAMPLE TYPE: Rock			
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
RE5242131		<0.2	0.11	129	<5	26	<0.5	<1	0.35	2.7	4	2.9	60.9	4.4	11.8
RE5242132		4.1	0.65	38	8	62	<0.5	<1	21.3	1.1	11	6.5	10.8	20.8	1.91
RE5242133		3.1	0.60	25	<5	80	<0.5	<1	15.5	0.7	13	8.9	19.8	26.9	2.56
RE5242134		4.9	0.07	6	<5	9	<0.5	<1	30.9	<0.5	<1	<0.5	3.0	<0.5	0.22
RE5242135		5.2	0.07	2	<5	37	<0.5	2	32.2	0.6	<1	<0.5	13.7	<0.5	0.50
RE5242136		4.6	0.03	<1	<5	6	<0.5	<1	31.4	<0.5	<1	<0.5	1.8	<0.5	0.24
RE5242137		0.8	2.45	<1	<5	24	<0.5	<1	5.35	<0.5	6	5.8	57.9	<0.5	6.16
RE5242138		<0.2	0.12	252	<5	40	1.5	40	0.32	3.0	5	<0.5	12.1	<0.5	43.2
RE5242139		1.3	2.00	40	<5	75	0.5	<1	5.89	0.7	7	30.3	29.0	25.2	7.15
RE5242140		<0.2	0.45	162	10	31	<0.5	11	0.28	<0.5	<1	11.8	23.7	27.7	13.2
RE5242141		<0.2	0.22	64	9	12	<0.5	11	0.12	<0.5	<1	8.6	64.9	34.1	13.5
RE5242142		<0.2	0.10	22	<5	28	<0.5	2	0.09	<0.5	3	0.6	22.7	5.9	1.79
RE5242143		<0.2	0.31	4	6	31	<0.5	1	0.09	<0.5	14	<0.5	7.5	1.4	0.19
RE5242144		<0.2	0.14	23	10	23	0.8	9	12.7	<0.5	<1	21.7	18.2	6.1	7.51
RE5242145		<0.2	0.04	22	<5	4	<0.5	<1	19.9	<0.5	9	1.2	4.8	<0.5	1.06
RE5506635		<0.2	1.62	7	<5	10	<0.5	4	0.43	<0.5	<1	4.6	30.5	6.9	4.82
RE5506636		<0.2	0.38	7	<5	16	<0.5	1	0.42	<0.5	19	2.9	71.5	7.5	1.56
RE5506637		<0.2	0.13	38	<5	12	<0.5	<1	0.07	<0.5	2	2.9	51.6	7.2	0.72
RE5506638		<0.2	0.07	31	<5	16	<0.5	<1	10.9	<0.5	5	2.6	32.1	3.7	0.79
RE5506639		<0.2	0.23	45	<5	21	<0.5	<1	14.2	<0.5	8	5.3	13.0	7.1	1.19
RE5506640		<0.2	0.03	52	<5	10	<0.5	<1	22.7	<0.5	12	0.9	17.9	1.9	0.16
RE5506641		<0.2	0.09	23	<5	21	<0.5	<1	23.9	<0.5	20	1.4	10.5	3.4	0.44
RE5506642		<0.2	0.03	24	<5	10	<0.5	<1	18.6	<0.5	11	0.7	15.7	1.1	0.16
RE5506643		<0.2	0.08	29	26	17	<0.5	6	9.40	<0.5	11	4.0	18.7	3.5	0.52
RE5506644		<0.2	0.01	22	<5	4	<0.5	<1	22.2	<0.5	12	0.9	3.4	0.6	0.12
RE5506645		<0.2	0.02	20	<5	3	<0.5	<1	19.0	1.4	10	0.8	3.8	0.6	0.19
RE5506646		<0.2	0.02	22	<5	13	<0.5	<1	22.4	<0.5	12	0.7	16.7	1.8	0.13
RE5506647		<0.2	1.14	47	26	718	0.8	19	2.25	<0.5	<1	8.7	48.7	188	17.0
RE5506648		<0.2	0.68	67	45	101	0.5	30	2.42	<0.5	<1	13.3	48.2	269	24.4
RE5506649		2.5	1.90	24	8	102	<0.5	8	1.06	4.4	7	15.1	35.8	749	4.90
RE5506650		<0.2	0.01	38	<5	11	<0.5	<1	18.9	<0.5	8	1.2	0.8	<0.5	0.43
RE5506651		1.6	0.40	15	6	894	<0.5	4	0.07	<0.5	14	1.2	33.3	27.5	2.90

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y627974

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Aug 07, 2012

DATE RECEIVED: Aug 06, 2012

DATE REPORTED: Aug 13, 2012

SAMPLE TYPE: Rock

	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
RE5506652		<0.2	0.44	14	<5	447	<0.5	3	1.83	<0.5	2	6.9	49.2	37.9	2.66
RE5506653		<0.2	0.92	4	<5	94	<0.5	1	0.08	<0.5	10	11.6	46.5	35.9	2.85

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y627974

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Aug 07, 2012		DATE RECEIVED: Aug 06, 2012				DATE REPORTED: Aug 13, 2012				SAMPLE TYPE: Rock					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
RE5511015		9	<1	<1	0.51	28	26	0.81	609	2.4	0.02	48.3	1420	6.0	53
RE5511016		9	<1	<1	0.43	26	23	0.71	1960	1.3	0.02	67.7	1880	8.6	44
RE5511017		<5	<1	<1	0.33	21	8	1.58	937	<0.5	0.03	15.8	970	4.6	33
RE5511018		<5	<1	<1	0.12	9	7	0.25	524	0.9	0.02	15.6	465	3.9	<10
RE5535432		<5	<1	<1	0.02	1	<1	0.83	609	<0.5	<0.01	2.0	195	1.9	<10
RE5535433		<5	<1	<1	0.09	13	<1	0.09	339	1.3	<0.01	9.1	>10000	3.2	<10
RE5535434		<5	<1	<1	0.03	2	<1	0.12	91	<0.5	<0.01	2.8	536	6.6	<10
RE5535435		<5	<1	<1	0.02	2	2	9.94	448	<0.5	<0.01	1.1	691	7.3	<10
RE5536262		<5	<1	<1	0.43	12	5	0.35	220	<0.5	<0.01	17.4	881	6.8	39
RE5536263		<5	<1	<1	0.04	2	<1	0.21	158	1.5	<0.01	12.5	3770	1.0	<10
RE5536264		6	<1	<1	0.04	2	18	0.37	210	<0.5	0.09	11.9	295	19.1	<10
RE5536266		<5	<1	<1	0.09	13	5	2.22	302	<0.5	0.02	3.6	339	6.1	10
RE5536267		6	<1	<1	0.17	6	51	0.67	101	<0.5	0.02	12.7	140	18.2	15
RE5536268		<5	<1	<1	0.16	14	45	0.36	127	<0.5	<0.01	17.7	301	7.5	13
RE5536269		<5	<1	<1	0.24	10	36	0.58	70	9.6	0.01	11.6	291	18.1	18
RE5536270		<5	<1	<1	0.26	3	18	0.29	77	<0.5	0.04	8.7	1560	28.1	19
RE5536271		9	<1	<1	0.28	6	95	0.94	171	<0.5	0.02	17.5	291	8.2	26
RE5536272		<5	<1	<1	0.09	1	68	0.62	211	<0.5	0.01	24.7	2310	4.9	<10
RE5536273		7	<1	<1	0.22	10	12	0.16	97	<0.5	<0.01	16.4	814	28.9	21
RE5242118		<5	<1	<1	0.03	<1	1	0.11	330	0.5	<0.01	8.8	115	2.4	<10
RE5242119		<5	<1	<1	0.02	2	1	2.26	1010	<0.5	<0.01	9.5	65	2.8	<10
RE5242120		<5	<1	<1	0.09	<1	18	0.28	536	1.8	<0.01	27.6	42	55.1	12
RE5242121		<5	<1	<1	0.04	2	3	0.40	413	<0.5	<0.01	3.3	331	6.3	10
RE5242122		<5	<1	<1	0.08	2	2	0.02	35	<0.5	<0.01	1.4	21	5.8	<10
RE5242123		<5	<1	<1	0.01	<1	1	0.18	23	<0.5	0.02	0.8	205	2.6	<10
RE5242124		<5	<1	<1	0.01	1	1	5.01	268	<0.5	<0.01	4.1	246	15.3	<10
RE5242125		<5	<1	<1	0.13	3	12	0.31	243	<0.5	<0.01	14.8	222	10.5	21
RE5242126		<5	<1	<1	0.06	1	5	0.64	112	<0.5	<0.01	3.5	105	5.8	10
RE5242127		<5	<1	<1	0.02	<1	4	0.06	382	0.9	<0.01	5.3	<10	11.0	<10
RE5242128		<5	<1	<1	0.05	4	1	1.28	480	<0.5	<0.01	1.8	312	3.6	<10
RE5242129		<5	<1	<1	0.10	5	5	0.12	303	7.5	<0.01	9.7	123	17.2	13
RE5242130		9	<1	<1	0.13	2	36	0.69	243	<0.5	0.01	33.1	362	84.6	15

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y627974

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Aug 07, 2012

DATE RECEIVED: Aug 06, 2012

DATE REPORTED: Aug 13, 2012

SAMPLE TYPE: Rock

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
RE5242131	<5	<1	<1	0.04	<1	1	0.05	63	3.1	<0.01	10.8	18	35.6	<10
RE5242132	<5	<1	<1	0.26	5	7	0.27	231	<0.5	0.01	16.9	302	11.9	40
RE5242133	<5	<1	<1	0.25	4	7	0.20	276	<0.5	<0.01	23.9	260	10.8	35
RE5242134	<5	<1	<1	0.03	<1	<1	0.26	123	<0.5	<0.01	0.8	131	4.9	<10
RE5242135	<5	<1	<1	0.03	1	1	0.08	349	<0.5	<0.01	3.1	37	4.6	<10
RE5242136	<5	<1	<1	<0.01	<1	<1	0.50	178	<0.5	<0.01	0.7	226	3.1	<10
RE5242137	13	<1	<1	0.02	2	55	0.94	1900	<0.5	<0.01	22.9	164	25.4	<10
RE5242138	38	<1	<1	<0.01	<1	3	0.15	167	<0.5	<0.01	<0.5	290	<0.5	14
RE5242139	9	<1	<1	0.29	2	33	0.67	235	1.0	0.03	38.3	361	99.4	34
RE5242140	5	<1	<1	0.16	2	3	0.03	306	5.2	<0.01	20.4	692	37.4	16
RE5242141	<5	<1	<1	0.05	<1	2	0.03	175	1.5	<0.01	12.8	426	9.7	<10
RE5242142	<5	<1	<1	0.10	3	<1	<0.01	13	0.7	<0.01	<0.5	131	11.1	<10
RE5242143	<5	<1	<1	0.17	3	8	0.02	4	<0.5	<0.01	<0.5	37	14.8	12
RE5242144	5	<1	<1	0.03	<1	20	0.32	2680	1.7	<0.01	31.9	405	20.3	12
RE5242145	<5	<1	<1	0.02	3	3	11.9	1090	2.6	0.01	<0.5	147	<0.5	13
RE5506635	7	<1	<1	0.05	4	40	0.77	213	2.7	<0.01	27.5	90	10.9	<10
RE5506636	<5	<1	<1	0.08	10	6	0.21	134	2.5	<0.01	7.2	106	8.1	<10
RE5506637	<5	<1	<1	0.04	1	2	0.02	68	1.9	<0.01	4.0	54	14.4	<10
RE5506638	<5	<1	<1	0.04	1	<1	0.57	412	2.1	<0.01	3.3	1390	3.4	13
RE5506639	<5	<1	<1	0.16	3	2	0.12	330	2.3	<0.01	7.8	583	6.9	23
RE5506640	<5	<1	<1	0.01	2	<1	0.11	63	3.3	<0.01	<0.5	189	<0.5	13
RE5506641	<5	<1	<1	0.06	5	1	0.50	343	3.3	<0.01	0.9	586	<0.5	17
RE5506642	<5	<1	<1	0.02	2	<1	0.28	51	3.4	<0.01	<0.5	201	<0.5	13
RE5506643	<5	<1	<1	0.06	2	<1	0.08	117	2.1	<0.01	4.6	217	<0.5	13
RE5506644	<5	<1	<1	<0.01	3	3	9.53	155	2.4	<0.01	<0.5	240	<0.5	12
RE5506645	<5	<1	<1	<0.01	3	3	10.4	253	2.7	<0.01	<0.5	239	<0.5	12
RE5506646	<5	<1	<1	0.01	3	<1	1.36	43	3.3	<0.01	<0.5	330	<0.5	12
RE5506647	19	<1	1	0.27	18	11	1.38	6040	7.8	<0.01	14.1	1660	28.9	39
RE5506648	21	<1	<1	0.17	4	7	1.06	5820	11.6	0.01	12.8	1480	29.0	21
RE5506649	8	<1	2	0.23	9	14	1.19	608	10.8	0.10	30.6	581	273	21
RE5506650	<5	<1	<1	<0.01	2	<1	11.5	231	2.7	<0.01	<0.5	217	<0.5	12
RE5506651	<5	<1	<1	0.17	11	3	0.17	115	6.5	0.01	4.8	442	18.2	14

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y627974

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Aug 07, 2012		DATE RECEIVED: Aug 06, 2012				DATE REPORTED: Aug 13, 2012				SAMPLE TYPE: Rock					
Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb	
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm	
Sample Description	RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
RE5506652		<5	<1	<1	0.06	4	6	0.86	4410	2.8	<0.01	23.2	413	5.6	<10
RE5506653		6	<1	<1	0.04	8	13	0.66	401	2.7	<0.01	31.4	280	7.8	<10

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y627974

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Aug 07, 2012

DATE RECEIVED: Aug 06, 2012

DATE REPORTED: Aug 13, 2012

SAMPLE TYPE: Rock

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
RE5511015	0.343	<1	6.1	<10	<5	61.3	<10	<10	10	0.02	0.21	25	60.1	<1
RE5511016	0.121	1	5.5	<10	<5	59.5	<10	<10	10	0.01	0.33	12	51.4	<1
RE5511017	0.098	<1	7.8	<10	<5	102	<10	<10	<5	0.01	0.07	<5	19.8	<1
RE5511018	0.302	<1	1.4	<10	<5	21.1	<10	<10	<5	<0.01	0.04	<5	13.6	<1
RE5535432	0.020	<1	<0.5	<10	<5	195	<10	<10	<5	<0.01	0.06	9	1.6	<1
RE5535433	0.031	<1	1.1	<10	<5	301	<10	<10	<5	<0.01	0.12	8	14.9	<1
RE5535434	0.007	24	0.8	<10	<5	471	<10	<10	<5	<0.01	0.03	18	1.8	<1
RE5535435	0.012	<1	<0.5	<10	<5	107	<10	<10	<5	<0.01	0.02	16	7.0	<1
RE5536262	<0.005	<1	3.4	<10	<5	26.7	<10	<10	7	<0.01	0.11	<5	18.0	<1
RE5536263	0.017	<1	<0.5	<10	<5	86.8	<10	<10	<5	<0.01	0.07	<5	7.9	<1
RE5536264	<0.005	<1	1.4	<10	<5	7.4	<10	<10	8	<0.01	0.02	<5	17.0	<1
RE5536266	0.011	<1	2.1	<10	<5	366	<10	<10	<5	<0.01	0.02	<5	2.6	<1
RE5536267	0.040	<1	2.3	<10	<5	33.8	<10	<10	8	<0.01	0.05	<5	17.4	<1
RE5536268	0.020	<1	0.8	<10	<5	16.7	<10	<10	10	<0.01	0.05	<5	6.9	<1
RE5536269	0.282	<1	1.4	<10	<5	14.9	<10	<10	7	<0.01	0.06	<5	8.9	<1
RE5536270	0.240	3	2.4	<10	<5	204	<10	<10	7	<0.01	0.11	<5	7.3	<1
RE5536271	0.056	<1	2.3	<10	<5	24.0	<10	<10	13	0.01	0.07	<5	16.2	<1
RE5536272	0.005	2	1.1	<10	<5	82.6	<10	<10	7	0.01	0.03	<5	18.0	<1
RE5536273	0.245	<1	0.5	<10	<5	24.8	13	<10	22	<0.01	0.08	6	9.3	1
RE5242118	0.015	<1	0.5	<10	<5	9.1	<10	<10	<5	<0.01	0.10	<5	9.4	<1
RE5242119	0.006	<1	0.6	<10	<5	68.0	<10	<10	<5	<0.01	0.02	<5	8.5	<1
RE5242120	3.75	<1	1.0	<10	<5	233	<10	<10	7	<0.01	0.54	5	4.6	<1
RE5242121	0.259	1	1.0	<10	5	1490	<10	<10	<5	<0.01	0.06	17	0.9	<1
RE5242122	0.033	<1	<0.5	<10	<5	62.4	<10	<10	<5	<0.01	0.04	<5	2.7	<1
RE5242123	0.031	<1	<0.5	<10	6	1860	<10	<10	<5	<0.01	0.02	19	<0.5	<1
RE5242124	0.030	210	<0.5	<10	<5	294	<10	<10	<5	<0.01	0.25	16	3.9	2
RE5242125	0.199	3	1.8	<10	<5	690	<10	<10	<5	<0.01	0.17	11	6.2	<1
RE5242126	0.157	<1	0.7	<10	<5	650	<10	<10	<5	<0.01	0.03	12	0.9	<1
RE5242127	0.009	<1	0.8	<10	<5	40.2	<10	<10	<5	<0.01	0.02	<5	1.8	<1
RE5242128	0.261	<1	0.7	<10	<5	400	<10	<10	<5	<0.01	0.02	18	1.7	<1
RE5242129	0.128	<1	0.9	<10	<5	193	<10	<10	<5	<0.01	0.07	7	4.4	<1
RE5242130	2.96	2	1.6	<10	<5	34.6	<10	<10	9	<0.01	0.07	<5	16.2	<1

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y627974

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Aug 07, 2012		DATE RECEIVED: Aug 06, 2012					DATE REPORTED: Aug 13, 2012					SAMPLE TYPE: Rock			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
RE5242131		12.1	3	<0.5	<10	<5	13.7	13	<10	19	<0.01	0.49	9	<0.5	2
RE5242132		0.223	6	2.4	<10	<5	210	<10	<10	<5	0.01	0.11	13	10.6	<1
RE5242133		0.093	2	2.3	<10	<5	195	<10	<10	8	<0.01	0.07	10	9.7	<1
RE5242134		0.014	<1	<0.5	<10	7	680	<10	<10	<5	<0.01	<0.01	18	4.5	<1
RE5242135		0.006	2	<0.5	<10	7	108	<10	<10	<5	<0.01	0.04	18	1.2	<1
RE5242136		0.007	<1	<0.5	<10	6	458	<10	<10	<5	<0.01	<0.01	18	<0.5	<1
RE5242137		0.029	<1	6.6	<10	<5	39.6	<10	<10	5	<0.01	0.01	7	12.5	<1
RE5242138		0.023	19	<0.5	35	<5	8.3	72	12	73	<0.01	0.02	61	12.1	<1
RE5242139		2.83	2	1.2	<10	<5	76.4	<10	<10	11	0.01	0.10	7	14.3	<1
RE5242140		0.047	6	3.4	<10	<5	6.3	<10	<10	<5	<0.01	1.00	<5	17.1	<1
RE5242141		0.034	<1	1.1	<10	<5	2.9	<10	<10	<5	<0.01	0.45	<5	17.6	<1
RE5242142		0.087	4	<0.5	<10	<5	7.3	<10	<10	<5	<0.01	0.42	<5	2.8	<1
RE5242143		0.012	6	1.1	<10	<5	21.5	<10	<10	<5	<0.01	0.59	<5	3.6	<1
RE5242144		0.183	<1	3.6	<10	<5	153	<10	<10	<5	<0.01	0.07	7	14.5	<1
RE5242145		0.238	7	0.7	<10	<5	51.1	<10	<10	<5	<0.01	0.01	<5	16.5	<1
RE5506635		0.017	<1	1.4	<10	<5	4.1	<10	<10	<5	<0.01	0.02	<5	19.1	<1
RE5506636		0.012	<1	0.9	<10	<5	6.5	<10	<10	<5	<0.01	0.03	<5	5.9	<1
RE5506637		0.009	3	<0.5	<10	<5	14.5	<10	<10	<5	<0.01	0.04	<5	2.3	<1
RE5506638		0.133	9	1.8	<10	<5	124	<10	<10	<5	<0.01	0.04	<5	5.4	<1
RE5506639		0.179	12	3.6	<10	<5	356	<10	<10	<5	<0.01	0.09	<5	5.5	<1
RE5506640		0.287	11	0.6	<10	6	441	<10	<10	<5	<0.01	<0.01	<5	2.1	<1
RE5506641		0.286	10	1.5	<10	7	629	<10	<10	<5	<0.01	0.01	<5	4.9	<1
RE5506642		0.229	10	0.6	<10	<5	386	<10	<10	<5	<0.01	<0.01	<5	3.1	<1
RE5506643		0.110	8	2.4	<10	<5	187	<10	<10	<5	<0.01	0.02	<5	2.6	1010
RE5506644		0.270	10	<0.5	<10	<5	151	<10	<10	<5	<0.01	<0.01	<5	12.1	11
RE5506645		0.250	8	<0.5	<10	<5	122	<10	<10	<5	<0.01	<0.01	<5	15.3	11
RE5506646		0.273	9	<0.5	<10	6	426	<10	<10	<5	<0.01	<0.01	<5	5.4	<1
RE5506647		0.716	<1	6.0	<10	<5	205	<10	<10	<5	<0.01	0.15	15	132	<1
RE5506648		2.16	<1	4.0	<10	<5	185	<10	<10	<5	<0.01	0.16	15	149	<1
RE5506649		1.18	2	7.9	<10	<5	33.1	<10	<10	<5	0.17	0.65	<5	77.8	<1
RE5506650		0.231	11	<0.5	<10	<5	44.3	<10	<10	<5	<0.01	<0.01	<5	16.0	<1
RE5506651		0.411	<1	5.0	<10	<5	20.7	<10	<10	<5	<0.01	0.09	<5	46.2	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y627974

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Aug 07, 2012

DATE RECEIVED: Aug 06, 2012

DATE REPORTED: Aug 13, 2012

SAMPLE TYPE: Rock

	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
RE5506652		0.504	1	1.5	<10	<5	84.1	<10	<10	<5	<0.01	0.03	9	19.2	<1
RE5506653		0.046	<1	3.1	<10	<5	14.7	<10	<10	<5	<0.01	0.03	<5	44.2	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y627974

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Aug 07, 2012

DATE RECEIVED: Aug 06, 2012

DATE REPORTED: Aug 13, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
RE5511015		42	238	12
RE5511016		16	364	7
RE5511017		9	74.4	6
RE5511018		4	46.3	<5
RE5535432		3	2.0	<5
RE5535433		25	97.9	<5
RE5535434		6	86.6	<5
RE5535435		2	39.2	<5
RE5536262		14	25.2	8
RE5536263		6	87.3	<5
RE5536264		2	38.8	9
RE5536266		8	19.9	9
RE5536267		4	76.1	9
RE5536268		3	114	7
RE5536269		2	75.2	13
RE5536270		5	48.7	12
RE5536271		3	93.8	14
RE5536272		6	60.2	12
RE5536273		5	116	15
RE5242118		4	11.3	<5
RE5242119		5	13.2	<5
RE5242120		4	35.3	6
RE5242121		4	5.9	<5
RE5242122		1	1.3	<5
RE5242123		<1	10.9	<5
RE5242124		3	848	23
RE5242125		6	109	6
RE5242126		2	32.5	<5
RE5242127		6	14.3	<5
RE5242128		4	3.6	<5
RE5242129		7	36.3	6
RE5242130		4	61.3	9

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y627974

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Aug 07, 2012

DATE RECEIVED: Aug 06, 2012

DATE REPORTED: Aug 13, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
RE5242131		1	8.2	<5
RE5242132		4	36.4	8
RE5242133		5	56.8	12
RE5242134		2	13.4	<5
RE5242135		6	108	<5
RE5242136		2	5.3	<5
RE5242137		3	128	<5
RE5242138		9	239	17
RE5242139		5	79.3	10
RE5242140		6	38.2	<5
RE5242141		3	62.8	<5
RE5242142		<1	2.0	<5
RE5242143		1	1.5	<5
RE5242144		49	43.7	<5
RE5242145		4	3.8	<5
RE5506635		2	103	<5
RE5506636		2	20.7	<5
RE5506637		1	10.2	<5
RE5506638		6	5.4	<5
RE5506639		9	29.8	<5
RE5506640		1	5.3	<5
RE5506641		5	6.6	<5
RE5506642		1	6.5	<5
RE5506643		2	13.6	<5
RE5506644		2	4.4	<5
RE5506645		2	554	<5
RE5506646		2	6.5	<5
RE5506647		7	48.6	<5
RE5506648		6	47.5	<5
RE5506649		10	1520	12
RE5506650		<1	17.2	<5
RE5506651		3	18.2	17

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y627974

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

DATE SAMPLED: Aug 07, 2012

DATE RECEIVED: Aug 06, 2012

DATE REPORTED: Aug 13, 2012

SAMPLE TYPE: Rock

	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
Sample Description	RDL:	1	0.5	5
RE5506652		3	38.0	<5
RE5506653		3	63.5	<5

Comments: RDL - Reported Detection Limit

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y627974

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Aug 07, 2012

DATE RECEIVED: Aug 06, 2012

DATE REPORTED: Aug 13, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
RE5511015		1.27	0.009
RE5511016		1.14	0.003
RE5511017		1.54	0.002
RE5511018		1.32	<0.001
RE5535432		0.76	0.002
RE5535433		1.06	<0.001
RE5535434		0.61	0.008
RE5535435		0.70	<0.001
RE5536262		0.71	0.001
RE5536263		1.19	<0.001
RE5536264		0.54	<0.001
RE5536266		0.86	<0.001
RE5536267		0.87	<0.001
RE5536268		0.45	<0.001
RE5536269		0.65	0.001
RE5536270		0.62	0.004
RE5536271		0.89	<0.001
RE5536272		0.76	<0.001
RE5536273		0.67	<0.001
RE5242118		0.77	<0.001
RE5242119		0.79	0.009
RE5242120		0.66	0.004
RE5242121		1.09	<0.001
RE5242122		0.58	<0.001
RE5242123		0.92	<0.001
RE5242124		1.38	0.003
RE5242125		0.56	<0.001
RE5242126		0.66	<0.001
RE5242127		0.95	0.003
RE5242128		0.41	0.001
RE5242129		0.52	<0.001

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y627974

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Aug 07, 2012

DATE RECEIVED: Aug 06, 2012

DATE REPORTED: Aug 13, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
RE5242130		1.16	0.004
RE5242131		0.98	0.024
RE5242132		0.91	0.018
RE5242133		0.89	0.003
RE5242134		0.81	<0.001
RE5242135		0.75	0.008
RE5242136		1.25	0.002
RE5242137		1.06	<0.001
RE5242138		0.55	0.009
RE5242139		0.74	0.008
RE5242140		0.86	0.012
RE5242141		0.66	<0.001
RE5242142		0.80	<0.001
RE5242143		0.77	0.001
RE5242144		1.16	<0.001
RE5242145		0.89	0.009
RE5506635		0.94	<0.001
RE5506636		1.14	<0.001
RE5506637		0.84	0.009
RE5506638		1.06	0.011
RE5506639		1.06	0.017
RE5506640		0.74	0.021
RE5506641		0.80	0.006
RE5506642		0.80	<0.001
RE5506643		0.95	0.031
RE5506644		0.93	<0.001
RE5506645		0.90	<0.001
RE5506646		1.00	0.004
RE5506647		1.27	0.009
RE5506648		0.99	0.015
RE5506649		0.14	2.29

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y627974

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Aug 07, 2012

DATE RECEIVED: Aug 06, 2012

DATE REPORTED: Aug 13, 2012

SAMPLE TYPE: Rock

	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
Sample Description	RDL:	0.01	0.001
RE5506650		0.79	<0.001
RE5506651		1.06	0.029
RE5506652		1.08	0.003
RE5506653		0.84	0.008

Comments: RDL - Reported Detection Limit

Certified By:

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y627974

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis											
RPT Date: Aug 13, 2012			REPLICATE			Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3587649	0.009	0.004		< 0.001	0.578	0.607	95%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3587662	< 0.001	0.009		< 0.001	1.47	1.52	96%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3587675	< 0.001	0.001		< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3587689	0.0082	0.0088	7.1%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3587701	0.021	0.003		< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3587714	0.008	0.005		< 0.001				90%	110%
Aqua Regia Digest - Metals Package, ICP-OES finish (201073)											
Ag	1	3587694	< 0.2	< 0.2	0.0%	< 0.2				80%	120%
Al	1	3587694	0.145	0.135	7.1%	< 0.01				80%	120%
As	1	3587694	23	21	9.1%	1				80%	120%
B	1	3587694	10	10	0.0%	< 5				80%	120%
Ba	1	3587694	23	21	9.1%	< 1				80%	120%
Be	1	3587694	0.8	0.8	0.0%	< 0.5	0.3	0.4	85%	80%	120%
Bi	1	3587694	9	10	10.5%	< 1				80%	120%
Ca	1	3587694	12.7	12.2	4.0%	< 0.01				80%	120%
Cd	1	3587694	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	3587694	< 1	< 1	0.0%	< 1				80%	120%
Co	1	3587694	21.7	21.3	1.9%	< 0.5	5.6	5.0	111%	80%	120%
Cr	1	3587694	18.2	17.4	4.5%	< 0.5				80%	120%
Cu	1	3587694	6.07	5.82	4.2%	< 0.5	3887	3800	102%	80%	120%
Fe	1	3587694	7.51	7.26	3.4%	< 0.01				80%	120%
Ga	1	3587694	5	6	18.2%	< 5				80%	120%
Hg	1	3587694	< 1	< 1	0.0%	< 1	1.6	1.3	120%	80%	120%
In	1	3587694	< 1	< 1	0.0%	< 1				80%	120%
K	1	3587694	0.025	0.024	4.1%	< 0.01				80%	120%
La	1	3587694	< 1	< 1	0.0%	< 1				80%	120%
Li	1	3587694	20	18	10.5%	< 1				80%	120%
Mg	1	3587694	0.32	0.31	3.2%	< 0.01				80%	120%
Mn	1	3587694	2680	2670	0.4%	< 1				80%	120%
Mo	1	3587694	1.67	1.25	28.8%	< 0.5				80%	120%
Na	1	3587694	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Ni	1	3587694	31.9	31.7	0.6%	< 0.5				80%	120%
P	1	3587694	405	392	3.3%	< 10	586	600	98%	80%	120%
Pb	1	3587694	20.3	20.1	1.0%	< 0.5				80%	120%
Rb	1	3587694	12	12	0.0%	< 10	12	13	93%	80%	120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y627974

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Aug 13, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
S	1	3587694	0.183	0.177	3.3%	< 0.005				80% 120%
Sb	1	3587694	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	3587694	3.59	3.44	4.3%	< 0.5				80% 120%
Se	1	3587694	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3587694	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3587694	153	151	1.3%	< 0.5				80% 120%
Ta	1	3587694	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3587694	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3587694	< 5	< 5	0.0%	< 5	1.6	1.4	118%	80% 120%
Ti	1	3587694	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3587649	< 5	< 5	0.0%	< 5				80% 120%
U	1	3587694	7	7	0.0%	< 5				80% 120%
V	1	3587694	14.5	14.9	2.7%	< 0.5				80% 120%
W	1	3587694	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3587694	49	49	0.0%	< 1				80% 120%
Zn	1	3587694	43.7	42.8	2.1%	< 0.5				80% 120%
Zr	1	3587694	< 5	< 5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES finish (201073)

Ag	1	3587701	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3587701	0.03	0.03	0.0%	< 0.01				80% 120%
As	1	3587701	52	58	10.9%	< 1				80% 120%
B	1	3587701	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3587701	10	10	0.0%	< 1				80% 120%
Be	1	3587701	< 0.5	< 0.5	0.0%	< 0.5	0.3	0.4	84%	80% 120%
Bi	1	3587701	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3587701	22.7	24.1	6.0%	< 0.01				80% 120%
Cd	1	3587701	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3587701	12	13	8.0%	< 1				80% 120%
Co	1	3587701	0.9	1.0	10.5%	< 0.5	5.7	5.0	115%	80% 120%
Cr	1	3587701	17.9	19.2	7.0%	< 0.5				80% 120%
Cu	1	3587701	1.9	2.0	5.1%	< 0.5	3660	3800	96%	80% 120%
Fe	1	3587701	0.16	0.17	6.1%	< 0.01				80% 120%
Ga	1	3587701	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3587701	< 1	< 1	0.0%	< 1	1.3	1.3	98%	80% 120%
In	1	3587701	< 1	< 1	0.0%	< 1				80% 120%
K	1	3587701	0.01	0.01	0.0%	< 0.01				80% 120%
La	1	3587701	2	2	0.0%	< 1				80% 120%
Li	1	3587701	< 1	< 1	0.0%	< 1				80% 120%
Mg	1	3587701	0.11	0.11	0.0%	< 0.01				80% 120%
Mn	1	3587701	63	66	4.7%	< 1				80% 120%
Mo	1	3587701	3.34	3.47	3.8%	< 0.5	357	380	93%	80% 120%
Na	1	3587701	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3587701	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
P	1	3587701	189	220	15.2%	< 10	554	600	92%	80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y627974

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Aug 13, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Pb	1	3587701	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Rb	1	3587701	13	13	0.0%	< 10	12	13	91%	80% 120%
S	1	3587701	0.287	0.297	3.4%	< 0.005				80% 120%
Sb	1	3587701	11	10	9.5%	< 1				80% 120%
Sc	1	3587701	0.58	0.53	9.0%	< 0.5				80% 120%
Se	1	3587701	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3587701	6	7	15.4%	< 5	8.4	7.1	118%	80% 120%
Sr	1	3587701	441	463	4.9%	< 0.5				80% 120%
Ta	1	3587701	< 10	< 10	0.0%	< 10	0.8	0.9	93%	80% 120%
Te	1	3587701	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3587701	< 5	< 5	0.0%	< 5	1.1	1.4	82%	80% 120%
Ti	1	3587701	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3587675	< 5	< 5	0.0%	< 5				80% 120%
U	1	3587701	< 5	< 5	0.0%	< 5				80% 120%
V	1	3587701	2.06	1.98	4.0%	< 0.5				80% 120%
W	1	3587701	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3587701	1	1	0.0%	< 1				80% 120%
Zn	1	3587701	5.3	5.4	1.9%	< 0.5				80% 120%
Zr	1	3587701	< 5	< 5	0.0%	< 5				80% 120%

Certified By:

Method Summary

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y627974

PROJECT NO:

ATTENTION TO: Yinghua Chen

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
B	MIN-200-12020		ICP/OES
Ba	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
In	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP/OES
Li	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr	MIN-200-12020		ICP/OES
Ta	MIN-200-12020		ICP/OES
Te	MIN-200-12020		ICP/OES
Th	MIN-200-12020		ICP/OES
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP/OES
U	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP/OES
Y	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Zr	MIN-200-12020		ICP/OES
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES