

CLIENT NAME: ANTHILL RESOURCES (YUKON)
1090-999 WEST HASTINGS STREET
Vancouver, BC V6C2W2
(604) 569-3892

ATTENTION TO: Yinghua Chen

PROJECT NO:

AGAT WORK ORDER: 12Y633077

SOLID ANALYSIS REVIEWED BY: Kevin Motomura, ICP Supervisor

DATE REPORTED: Sep 12, 2012

PAGES (INCLUDING COVER): 24

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

***NOTES**



Certificate of Analysis

AGAT WORK ORDER: 12Y633077

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 21, 2012

DATE RECEIVED: Aug 21, 2012

DATE REPORTED: Sep 12, 2012

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
RE5535465	<0.2	0.43	19	102	383	<0.5	1	0.04	6.9	8	1.4	14.6	29.4	21.3
RE5535466	<0.2	0.30	3	256	84	<0.5	32	0.10	7.7	5	0.6	<0.5	<0.5	36.1
RE5535467	<0.2	0.38	20	103	196	<0.5	<1	<0.01	7.8	8	0.7	5.6	<0.5	22.1
RE5535468	<0.2	0.52	22	110	207	<0.5	3	0.09	9.7	12	6.9	3.8	<0.5	22.4
RE5535469	<0.2	0.52	19	149	205	<0.5	6	0.05	8.8	10	4.7	2.9	<0.5	27.6
RE5535470	<0.2	0.51	48	115	250	<0.5	<1	0.05	4.5	11	13.7	4.0	<0.5	25.2
RE5535471	<0.2	0.59	55	51	183	0.5	<1	0.02	1.2	14	3.3	51.0	170	13.0
RE5535472	1.0	0.52	34	20	167	<0.5	<1	2.95	11.6	3	4.9	11.4	25.7	3.38
RE5535473	<0.2	0.51	82	168	113	0.8	11	0.05	0.8	7	3.4	1.3	<0.5	33.2
RE5535474	<0.2	0.06	2	<5	36	<0.5	<1	0.01	<0.5	2	0.8	36.2	<0.5	2.19
RE5535475	1.5	0.77	21	18	3930	0.7	<1	0.70	1.2	7	<0.5	56.1	35.6	0.82
RE5535476	1.5	1.44	4	18	120	<0.5	<1	5.37	0.7	15	13.5	20.7	25.8	3.49
RE5535477	<0.2	0.26	18	7	40	<0.5	<1	0.52	<0.5	13	3.5	32.5	7.2	1.87
RE5535478	0.3	0.09	2	<5	12	<0.5	<1	0.93	16.8	6	2.8	52.4	1.1	0.68
RE5535479	<0.2	0.16	24	<5	21	<0.5	<1	0.28	<0.5	9	7.5	38.8	13.4	1.53
RE5535480	1.0	0.07	2	<5	8	<0.5	<1	2.01	<0.5	4	0.7	64.0	<0.5	0.41
RE5535481	0.5	0.12	4	6	15	<0.5	<1	1.42	<0.5	5	1.4	33.8	<0.5	1.13
RE5535482	<0.2	0.10	6	6	6	<0.5	<1	0.24	1.0	3	2.8	77.1	7.3	1.37
RE5535483	3.2	0.42	41	22	219	<0.5	<1	11.6	1.4	65	14.0	15.8	38.1	3.73
RE5535484	<0.2	1.17	1	17	39	<0.5	<1	0.37	2.1	37	4.9	38.0	37.6	3.98
RE5535485	<0.2	2.34	<1	29	61	<0.5	<1	0.08	1.9	58	18.5	38.1	33.9	6.01
RE5535486	<0.2	0.64	<1	18	91	<0.5	<1	0.02	1.4	47	3.4	18.0	22.5	5.42
RE5535487	<0.2	1.58	3	18	45	0.6	<1	0.02	0.7	48	3.6	21.8	31.5	3.96
RE5535488	2.4	0.83	3	11	40	<0.5	<1	7.18	<0.5	37	7.9	29.3	14.1	1.99
RE5511043	5.5	0.10	2	<5	7	<0.5	1	17.8	<0.5	7	0.6	5.5	<0.5	0.43
RE5511044	6.1	0.02	<1	<5	4	<0.5	<1	26.8	<0.5	2	<0.5	1.2	<0.5	0.07
RE5511045	5.9	0.06	<1	<5	6	<0.5	<1	20.2	<0.5	7	0.7	7.0	0.5	0.32
RE5511046	6.2	0.07	<1	<5	1930	<0.5	<1	30.2	1.2	<1	<0.5	2.7	0.7	0.51
RE5511047	2.1	1.64	<1	19	103	0.6	<1	7.82	1.1	28	12.3	20.7	33.8	3.54
RE5511048	1.9	1.52	2	16	41	0.5	<1	5.28	18.4	23	11.8	25.5	22.9	3.22
RE5511049	2.0	1.92	12	19	93	1.2	<1	0.93	<0.5	21	16.6	35.0	740	4.30
RE5511050	5.8	0.04	<1	<5	49	<0.5	<1	18.6	1.3	<1	<0.5	2.6	3.4	0.44

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y633077

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 21, 2012		DATE RECEIVED: Aug 21, 2012						DATE REPORTED: Sep 12, 2012				SAMPLE TYPE: Rock			
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
RE5511056		<0.2	2.10	2	16	39	<0.5	<1	0.73	<0.5	59	11.2	27.0	24.4	3.82
RE5511057		0.4	0.17	1	<5	7	<0.5	<1	1.17	<0.5	8	3.4	33.7	4.3	1.27
RE5511058		6.0	0.04	1	<5	14	<0.5	<1	28.2	<0.5	5	1.0	2.2	1.5	0.24
RE5511059		4.8	0.05	<1	6	5	<0.5	<1	13.2	1.1	8	0.7	23.2	<0.5	0.87
RE5535760		4.4	0.06	17	6	10	<0.5	<1	12.6	<0.5	4	1.9	22.0	15.0	1.02
RE5535761		1.5	0.04	4	5	4	<0.5	<1	3.73	<0.5	3	0.8	22.5	<0.5	1.30
RE5535762		3.7	0.13	10	5	8	<0.5	<1	9.05	<0.5	7	1.6	23.8	1.7	0.82
RE5535763		2.2	0.07	3	<5	4	<0.5	<1	4.77	<0.5	2	3.4	27.6	12.5	1.06
RE5535764		<0.2	0.15	487	<5	34	<0.5	3	0.13	<0.5	3	3.3	49.4	7.4	1.30
RE5535765		2.3	0.13	23	20	9	<0.5	<1	7.32	<0.5	7	4.2	29.8	6.7	4.07
RE5535766		<0.2	0.05	<1	<5	23	<0.5	<1	0.13	1.0	<1	1.0	81.6	3.2	0.75
RE5535767		<0.2	0.42	909	14	26	0.7	<1	0.59	0.6	7	16.2	17.3	52.7	2.95
RE5535768		4.6	0.29	25	11	20	<0.5	<1	15.4	<0.5	10	6.2	4.3	18.6	1.76
RE5535769		25.3	0.05	72	<5	6	<0.5	<1	2.28	17.3	3	<0.5	40.6	2030	0.34
RE5535770		5.5	0.03	2	7	10	<0.5	<1	16.8	0.6	12	1.6	16.1	4.6	1.15
RE5535771		5.2	0.25	2	11	15	<0.5	<1	19.9	<0.5	21	3.2	6.9	12.1	1.73
RE5535772		<0.2	0.20	2	<5	21	<0.5	<1	0.66	<0.5	30	1.1	55.2	2.2	0.59
RE5535773		0.7	0.04	2	<5	3	<0.5	<1	1.18	1.2	1	1.7	51.4	2.3	0.90
RE5535774		<0.2	1.70	<1	9	13	<0.5	<1	0.12	1.1	4	10.1	23.5	<0.5	3.34
RE5535775		0.2	1.80	5	20	76	<0.5	9	0.01	1.8	8	31.0	22.4	77.6	6.18
RE5535776		<0.2	2.34	3	20	47	<0.5	<1	0.57	<0.5	17	84.2	24.3	23.8	5.16
RE5240332		1.4	0.88	43	15	3540	0.8	<1	0.71	<0.5	7	<0.5	42.9	32.8	0.77
RE5240333		0.2	0.68	50	10	2490	0.6	<1	0.10	<0.5	4	<0.5	29.0	36.4	0.51
RE5240334		0.4	0.52	62	13	2110	<0.5	<1	0.18	1.3	4	<0.5	29.3	55.3	0.83
RE5240335		<0.2	0.64	7	10	70	<0.5	<1	0.04	1.5	9	27.6	11.1	14.1	3.67
RE5240336		<0.2	0.20	15	11	25	<0.5	<1	0.30	1.1	20	10.7	7.7	3.9	4.38
RE5506705		2.8	0.55	37	32	123	<0.5	<1	8.87	<0.5	39	19.4	25.2	61.1	4.27
RE5506706		6.4	0.08	16	6	471	<0.5	<1	21.6	<0.5	13	0.9	4.2	2.7	0.65
RE5506707		5.5	0.04	895	<5	12	<0.5	<1	17.3	0.9	<1	<0.5	8.2	2.4	0.35
RE5506708		0.5	0.06	>10000	9	16	<0.5	11	1.18	18.0	<1	0.7	72.7	2.2	2.68
RE5506709		<0.2	0.05	>10000	7	6	<0.5	17	0.26	<0.5	<1	5.7	37.4	6.9	2.99
RE5239760		3.5	0.04	1140	<5	5	<0.5	<1	8.60	<0.5	<1	<0.5	38.8	<0.5	0.25

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y633077

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 21, 2012

DATE RECEIVED: Aug 21, 2012

DATE REPORTED: Sep 12, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
RE5239761		5.4	0.04	742	<5	6	<0.5	<1	17.1	0.6	<1	<0.5	9.2	<0.5	0.27
RE5239762		<0.2	0.21	118	6	18	<0.5	<1	0.77	<0.5	8	5.6	101	3.3	1.58
RE5239763		<0.2	0.11	119	<5	8	<0.5	<1	0.18	<0.5	4	3.4	54.3	1.5	1.12
RE5239764		0.2	0.15	18	6	12	<0.5	<1	0.78	<0.5	10	4.9	60.1	3.0	1.29
RE5239765		0.4	0.33	15	5	15	<0.5	<1	1.19	1.1	5	3.1	55.9	3.1	1.34
RE5239766		<0.2	1.12	5	12	35	<0.5	<1	0.11	0.7	7	9.3	39.6	13.9	3.01
RE5531426		6.9	0.46	33	15	35	<0.5	<1	26.3	1.7	24	6.9	6.4	10.8	1.88
RE5531427		<0.2	0.65	22	17	30	<0.5	<1	1.76	<0.5	25	32.3	10.1	25.0	4.73
RE5531428		6.6	0.08	16	7	6	<0.5	1	30.1	1.9	7	1.2	2.4	2.4	0.92
RE5531429		<0.2	0.12	29	17	10	<0.5	<1	1.52	1.5	4	2.1	79.6	26.5	5.52
RE5531430		<0.2	1.73	22	19	32	<0.5	<1	0.37	1.2	14	4.0	24.9	21.4	4.21
RE5531431		1.4	0.81	27	16	40	0.6	<1	4.06	1.0	5	12.7	14.3	28.8	3.51
RE5531432		4.5	0.18	24	<5	21	<0.5	<1	11.4	<0.5	17	1.7	16.4	21.3	0.51
RE5531433		3.8	0.30	4	10	36	0.5	<1	10.1	17.3	11	2.4	18.9	3.4	1.22
RE5531434		<0.2	1.28	14	16	51	1.5	<1	0.18	1.4	11	30.7	50.1	24.8	3.95
RE5531435		<0.2	1.39	11	16	6	<0.5	<1	0.30	19.3	9	6.1	44.3	9.3	4.00
RE5531436		<0.2	1.85	26	16	12	<0.5	<1	0.16	0.7	10	7.1	60.5	27.7	4.75
RE5531421		2.6	0.16	5	8	14	<0.5	<1	7.54	1.9	5	3.9	17.8	10.7	2.12
RE5531422		3.7	0.52	<1	31	35	<0.5	<1	18.8	2.0	10	5.1	12.6	12.7	5.52
RE5531423		<0.2	0.53	4	18	68	<0.5	<1	0.82	1.0	28	4.0	29.6	91.9	5.64
RE5531424		<0.2	0.11	<1	9	32	<0.5	<1	0.03	0.8	2	65.3	73.3	1.4	2.83
RE5531425		<0.2	0.01	<1	6	4	<0.5	<1	0.02	0.9	<1	1.4	50.1	<0.5	2.19

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y633077

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 21, 2012		DATE RECEIVED: Aug 21, 2012				DATE REPORTED: Sep 12, 2012				SAMPLE TYPE: Rock					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
RE5535465		11	<1	<1	0.12	1	1	0.03	30	5.1	<0.01	13.2	532	<0.5	20
RE5535466		26	<1	<1	0.06	<1	1	0.03	24	<0.5	<0.01	6.4	194	<0.5	24
RE5535467		9	<1	<1	0.10	2	1	0.03	21	3.2	<0.01	3.0	412	<0.5	21
RE5535468		10	<1	<1	0.17	3	2	0.05	402	5.6	<0.01	161	429	<0.5	23
RE5535469		15	<1	<1	0.16	2	2	0.05	98	6.7	<0.01	204	344	<0.5	27
RE5535470		11	<1	<1	0.16	2	2	0.04	632	21.9	<0.01	218	405	<0.5	24
RE5535471		6	<1	<1	0.15	4	2	0.05	63	58.9	<0.01	20.9	1410	25.6	17
RE5535472		<5	<1	<1	0.22	1	2	0.80	384	6.4	<0.01	21.2	120	17.2	31
RE5535473		16	<1	<1	0.12	<1	2	0.04	59	<0.5	<0.01	27.7	202	<0.5	23
RE5535474		<5	<1	<1	0.03	<1	<1	<0.01	55	1.6	<0.01	4.0	23	<0.5	<10
RE5535475		5	<1	5	0.13	4	2	0.02	18	10.6	<0.01	28.3	6510	14.8	17
RE5535476		<5	<1	<1	0.17	7	82	0.64	150	<0.5	<0.01	24.5	342	14.7	19
RE5535477		<5	<1	<1	0.13	7	3	0.04	85	1.2	0.01	11.5	183	12.6	<10
RE5535478		<5	<1	<1	0.05	3	<1	0.01	89	2.0	<0.01	8.6	61	1.7	<10
RE5535479		<5	<1	<1	0.09	7	<1	0.01	54	6.3	0.01	9.8	123	11.4	<10
RE5535480		<5	<1	<1	0.03	2	<1	0.03	64	2.1	<0.01	3.6	64	1.7	<10
RE5535481		<5	<1	<1	0.06	3	1	0.10	117	1.4	<0.01	5.0	133	2.2	<10
RE5535482		<5	<1	<1	0.03	1	<1	0.02	88	1.9	<0.01	10.3	139	2.2	<10
RE5535483		<5	<1	<1	0.06	20	4	2.93	2760	2.6	0.01	25.5	7400	19.3	12
RE5535484		6	<1	<1	0.12	14	19	0.44	260	0.8	0.03	12.7	288	35.4	10
RE5535485		9	<1	<1	0.17	25	40	0.80	461	0.6	0.03	34.7	276	67.7	18
RE5535486		<5	<1	<1	0.18	22	6	0.13	129	1.0	0.02	6.8	285	78.7	14
RE5535487		<5	<1	<1	0.27	14	44	0.59	86	<0.5	<0.01	13.2	190	21.6	25
RE5535488		<5	<1	<1	0.21	16	24	0.36	411	0.8	<0.01	13.2	320	14.4	20
RE5511043		<5	<1	<1	<0.01	5	4	10.1	316	1.0	<0.01	1.7	291	5.8	<10
RE5511044		<5	<1	<1	<0.01	3	2	2.51	63	1.1	<0.01	0.6	304	3.4	<10
RE5511045		<5	<1	<1	<0.01	4	3	6.12	205	1.0	<0.01	2.3	525	9.2	<10
RE5511046		<5	<1	4	0.02	1	2	0.14	281	0.6	<0.01	3.1	<10	7.1	<10
RE5511047		5	<1	<1	0.25	14	86	0.79	417	<0.5	0.03	28.7	749	22.4	25
RE5511048		<5	<1	<1	0.22	11	87	0.60	336	<0.5	0.03	29.0	929	19.6	21
RE5511049		7	<1	<1	0.23	10	14	1.13	627	12.5	0.10	31.6	550	253	18
RE5511050		<5	<1	<1	0.02	3	2	12.1	241	1.3	<0.01	1.6	179	3.7	<10

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y633077

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 21, 2012		DATE RECEIVED: Aug 21, 2012				DATE REPORTED: Sep 12, 2012				SAMPLE TYPE: Rock					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
RE5511056		6	<1	<1	0.23	27	58	1.30	349	<0.5	<0.01	24.9	216	5.7	18
RE5511057		<5	<1	<1	0.03	4	2	0.09	494	1.3	0.01	7.3	53	1.8	<10
RE5511058		<5	<1	<1	0.02	4	1	1.95	163	0.9	<0.01	3.0	472	5.1	<10
RE5511059		<5	<1	<1	0.02	2	2	2.32	254	1.7	0.01	1.8	1290	0.9	<10
RE5535760		<5	<1	<1	0.03	2	<1	0.13	172	1.4	<0.01	5.5	30	6.2	<10
RE5535761		<5	<1	<1	0.02	1	<1	0.24	287	1.1	<0.01	3.1	34	2.7	<10
RE5535762		<5	<1	<1	0.03	3	<1	0.03	303	1.1	<0.01	6.6	64	6.7	<10
RE5535763		<5	<1	<1	0.02	<1	<1	0.06	325	1.0	<0.01	10.8	94	2.0	<10
RE5535764		<5	<1	<1	0.08	1	<1	0.04	100	2.2	0.01	4.2	<10	81.8	<10
RE5535765		<5	<1	<1	0.02	2	30	1.43	566	1.1	<0.01	6.3	1560	<0.5	<10
RE5535766		<5	<1	<1	<0.01	<1	3	0.04	1310	1.9	<0.01	3.2	88	59.4	<10
RE5535767		<5	<1	<1	0.13	3	5	0.31	317	<0.5	<0.01	37.1	43	18.1	12
RE5535768		<5	<1	<1	0.14	5	2	0.12	190	0.5	<0.01	18.0	90	17.1	17
RE5535769		<5	<1	<1	0.02	1	<1	0.93	45	1.7	<0.01	2.8	1080	170	<10
RE5535770		<5	<1	<1	0.01	6	<1	0.14	1090	1.7	<0.01	1.8	241	4.9	<10
RE5535771		<5	<1	<1	0.06	9	7	0.35	1450	0.9	<0.01	6.1	344	7.9	<10
RE5535772		<5	<1	<1	0.13	14	2	0.02	52	1.5	<0.01	2.8	56	9.7	<10
RE5535773		<5	<1	<1	<0.01	<1	6	0.29	519	2.0	<0.01	4.2	187	257	<10
RE5535774		<5	<1	<1	0.02	<1	51	0.61	360	1.3	<0.01	23.9	243	18.3	<10
RE5535775		5	<1	<1	0.14	3	48	0.60	279	<0.5	0.02	36.4	95	107	14
RE5535776		7	<1	<1	0.12	4	57	0.65	1210	<0.5	0.02	45.4	3070	25.7	11
RE5240332		<5	<1	4	0.14	4	6	0.05	28	20.3	<0.01	20.9	6210	30.4	15
RE5240333		<5	<1	3	0.09	2	2	0.02	6	25.3	<0.01	27.5	2920	25.5	<10
RE5240334		<5	<1	1	0.10	2	2	0.02	7	23.3	<0.01	12.8	2270	24.2	<10
RE5240335		<5	<1	<1	0.07	2	15	0.16	604	<0.5	0.02	24.0	402	2.7	<10
RE5240336		<5	<1	<1	0.07	7	2	0.07	463	<0.5	<0.01	14.9	251	40.9	<10
RE5506705		<5	<1	<1	0.26	19	1	0.07	353	2.9	<0.01	54.0	1440	7.2	25
RE5506706		<5	<1	1	0.04	9	1	0.50	195	1.7	<0.01	5.3	520	6.0	<10
RE5506707		<5	1	<1	0.01	2	1	11.2	396	0.5	0.01	0.7	102	4.9	<10
RE5506708		<5	155	<1	0.03	<1	<1	0.51	94	0.9	<0.01	1.7	72	205	<10
RE5506709		<5	42	<1	0.01	3	<1	0.15	31	6.1	<0.01	0.8	95	296	<10
RE5239760		<5	2	<1	0.01	1	<1	5.40	139	0.9	<0.01	1.2	113	11.9	<10

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y633077

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 21, 2012		DATE RECEIVED: Aug 21, 2012				DATE REPORTED: Sep 12, 2012				SAMPLE TYPE: Rock					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
RE5239761		<5	2	<1	0.01	2	1	11.2	342	1.0	0.01	0.7	99	6.7	<10
RE5239762		<5	<1	<1	0.09	3	10	0.44	157	1.7	0.02	14.4	65	5.7	<10
RE5239763		<5	<1	<1	0.03	2	9	0.11	198	1.4	<0.01	9.6	65	2.5	<10
RE5239764		<5	<1	<1	0.04	4	7	0.04	281	0.9	0.02	10.9	283	9.2	<10
RE5239765		<5	<1	<1	0.03	2	8	0.09	685	1.3	0.02	6.1	879	6.5	<10
RE5239766		<5	<1	<1	0.14	3	23	0.30	195	<0.5	0.03	17.7	269	52.1	<10
RE5531426		<5	<1	<1	0.21	10	3	0.15	231	0.7	0.01	14.0	816	18.9	28
RE5531427		<5	<1	<1	0.35	10	5	0.05	17	1.4	0.01	45.3	3190	27.6	23
RE5531428		<5	<1	<1	0.02	4	1	0.05	411	1.0	<0.01	4.3	300	7.0	<10
RE5531429		<5	<1	<1	0.06	1	1	0.11	151	<0.5	<0.01	11.3	57	13.4	<10
RE5531430		<5	<1	<1	0.20	7	69	0.66	132	<0.5	0.02	16.6	160	44.1	15
RE5531431		<5	<1	<1	0.19	1	28	0.34	492	<0.5	0.02	26.2	260	21.2	15
RE5531432		<5	<1	<1	0.07	8	2	1.27	168	1.3	<0.01	4.0	390	3.7	<10
RE5531433		<5	<1	<1	0.14	5	5	4.42	262	2.3	<0.01	6.6	397	6.1	13
RE5531434		<5	<1	<1	0.22	5	28	0.15	2310	3.4	0.02	48.4	394	16.8	16
RE5531435		5	<1	<1	0.01	3	37	0.51	426	0.9	<0.01	13.2	1850	48.4	<10
RE5531436		<5	<1	<1	0.03	3	50	0.67	464	2.3	<0.01	19.1	734	64.7	<10
RE5531421		<5	<1	<1	0.06	2	2	0.19	521	0.7	<0.01	11.0	166	5.9	10
RE5531422		<5	<1	<1	0.13	5	16	0.28	616	<0.5	<0.01	27.4	119	11.9	23
RE5531423		<5	<1	<1	0.17	12	4	0.06	95	6.0	0.02	5.7	134	49.7	15
RE5531424		<5	<1	<1	0.06	<1	<1	<0.01	23	1.7	<0.01	27.0	10	<0.5	<10
RE5531425		<5	<1	<1	<0.01	<1	2	0.02	230	1.5	<0.01	11.3	<10	<0.5	<10

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y633077

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 21, 2012

DATE RECEIVED: Aug 21, 2012

DATE REPORTED: Sep 12, 2012

SAMPLE TYPE: Rock

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
RE5535465	0.195	<1	<0.5	<10	<5	1.6	34	<10	31	<0.01	0.29	41	66.6	<1
RE5535466	0.381	<1	<0.5	<10	<5	<0.5	65	<10	59	<0.01	0.20	89	25.1	<1
RE5535467	0.298	<1	<0.5	<10	<5	<0.5	36	<10	30	<0.01	0.26	41	59.2	<1
RE5535468	0.127	<1	<0.5	<10	<5	2.9	36	<10	31	<0.01	0.20	50	56.1	<1
RE5535469	0.151	<1	<0.5	<10	<5	0.7	46	<10	38	<0.01	0.25	73	51.2	<1
RE5535470	0.155	<1	<0.5	<10	<5	<0.5	39	<10	29	<0.01	0.28	69	50.4	<1
RE5535471	0.118	4	<0.5	<10	<5	7.6	22	<10	19	<0.01	0.32	30	440	<1
RE5535472	2.19	<1	3.6	<10	<5	315	<10	<10	<5	<0.01	0.91	7	21.5	<1
RE5535473	0.280	<1	<0.5	<10	<5	<0.5	58	<10	41	<0.01	0.19	69	53.9	<1
RE5535474	0.011	<1	<0.5	<10	<5	5.7	<10	<10	<5	<0.01	0.01	<5	2.4	<1
RE5535475	0.224	15	2.6	16	<5	396	<10	<10	<5	<0.01	0.54	13	678	<1
RE5535476	0.663	<1	0.8	<10	<5	272	<10	<10	12	<0.01	0.06	7	15.0	<1
RE5535477	0.163	1	<0.5	<10	<5	33.2	<10	<10	7	<0.01	0.05	<5	7.4	<1
RE5535478	0.075	<1	<0.5	<10	<5	34.8	<10	<10	<5	<0.01	0.01	<5	1.6	<1
RE5535479	0.141	<1	<0.5	<10	<5	12.7	<10	<10	5	<0.01	0.03	<5	1.9	<1
RE5535480	0.122	<1	<0.5	<10	<5	65.9	<10	<10	<5	<0.01	<0.01	<5	<0.5	<1
RE5535481	0.417	<1	<0.5	<10	<5	28.2	<10	<10	<5	<0.01	0.02	<5	<0.5	<1
RE5535482	0.030	<1	<0.5	<10	<5	8.8	<10	<10	<5	<0.01	<0.01	<5	1.5	<1
RE5535483	0.233	<1	1.5	<10	<5	132	<10	<10	<5	<0.01	0.05	10	9.5	<1
RE5535484	0.037	<1	0.5	<10	<5	13.2	<10	<10	16	<0.01	0.04	<5	11.0	<1
RE5535485	0.149	<1	1.2	<10	<5	10.1	<10	<10	20	<0.01	0.05	6	24.4	<1
RE5535486	0.163	<1	<0.5	<10	<5	7.0	<10	<10	18	<0.01	0.06	<5	6.5	1
RE5535487	0.057	<1	2.0	<10	<5	5.8	<10	<10	17	<0.01	0.09	<5	10.3	<1
RE5535488	0.077	<1	2.2	<10	<5	219	<10	<10	6	<0.01	0.06	<5	2.8	<1
RE5511043	<0.005	<1	1.0	<10	<5	190	<10	<10	<5	<0.01	<0.01	12	8.8	<1
RE5511044	<0.005	<1	<0.5	<10	<5	347	<10	<10	<5	<0.01	<0.01	21	<0.5	<1
RE5511045	0.005	1	1.0	<10	<5	208	<10	<10	<5	<0.01	<0.01	12	4.5	<1
RE5511046	0.063	<1	0.8	<10	6	1110	<10	<10	<5	<0.01	0.03	21	4.9	<1
RE5511047	0.278	<1	2.2	<10	<5	447	<10	<10	17	<0.01	0.05	7	10.3	<1
RE5511048	0.455	1	1.3	<10	<5	467	<10	<10	17	<0.01	0.05	6	7.9	<1
RE5511049	1.12	1	4.2	<10	<5	34.8	<10	<10	7	0.14	0.65	6	59.5	<1
RE5511050	0.025	<1	<0.5	<10	<5	29.1	<10	<10	<5	<0.01	<0.01	15	7.7	<1

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y633077

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 21, 2012		DATE RECEIVED: Aug 21, 2012					DATE REPORTED: Sep 12, 2012					SAMPLE TYPE: Rock			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
RE5511056		0.016	<1	0.8	<10	<5	12.2	<10	<10	16	<0.01	0.05	<5	9.9	<1
RE5511057		0.048	<1	<0.5	<10	<5	21.4	<10	<10	<5	<0.01	0.01	<5	<0.5	<1
RE5511058		0.007	<1	0.5	<10	<5	287	<10	<10	<5	<0.01	<0.01	19	<0.5	<1
RE5511059		<0.005	<1	1.5	<10	<5	931	<10	<10	<5	<0.01	<0.01	8	1.8	<1
RE5535760		0.302	1	1.7	<10	<5	344	<10	<10	<5	<0.01	<0.01	10	<0.5	<1
RE5535761		0.134	<1	<0.5	<10	<5	135	<10	<10	<5	<0.01	<0.01	<5	<0.5	<1
RE5535762		0.072	<1	0.6	<10	<5	39.4	<10	<10	<5	<0.01	<0.01	5	1.2	<1
RE5535763		0.011	<1	0.8	<10	<5	129	<10	<10	<5	<0.01	<0.01	<5	<0.5	<1
RE5535764		0.040	4	1.0	<10	<5	21.4	<10	<10	<5	<0.01	0.03	<5	2.9	<1
RE5535765		0.014	3	11.5	<10	<5	358	<10	<10	<5	<0.01	<0.01	10	13.7	<1
RE5535766		<0.005	<1	0.6	<10	<5	7.6	<10	<10	<5	<0.01	<0.01	<5	0.7	<1
RE5535767		2.91	6	2.9	<10	<5	39.8	<10	<10	9	<0.01	0.10	6	5.9	<1
RE5535768		0.086	<1	2.5	<10	<5	484	<10	<10	9	<0.01	0.14	11	1.5	<1
RE5535769		0.027	799	<0.5	<10	<5	42.7	<10	<10	<5	<0.01	0.05	<5	<0.5	<1
RE5535770		0.291	<1	<0.5	<10	<5	641	<10	<10	<5	<0.01	<0.01	12	<0.5	<1
RE5535771		0.752	1	1.2	<10	<5	1150	<10	<10	<5	<0.01	0.02	14	<0.5	<1
RE5535772		0.044	<1	<0.5	<10	<5	31.8	<10	<10	<5	<0.01	0.03	<5	1.4	<1
RE5535773		0.011	<1	<0.5	<10	<5	53.6	<10	<10	<5	<0.01	<0.01	<5	<0.5	<1
RE5535774		<0.005	<1	<0.5	<10	<5	7.1	<10	<10	5	<0.01	<0.01	<5	6.4	<1
RE5535775		1.81	<1	0.8	<10	<5	8.2	<10	<10	11	<0.01	0.04	10	7.8	<1
RE5535776		0.597	<1	1.7	<10	<5	32.2	<10	<10	17	<0.01	0.04	8	7.4	<1
RE5240332		0.091	19	2.9	23	<5	318	<10	<10	<5	<0.01	0.41	12	795	<1
RE5240333		0.075	17	2.0	<10	<5	455	<10	<10	<5	<0.01	0.83	11	453	<1
RE5240334		0.074	14	1.6	12	<5	277	<10	<10	<5	<0.01	0.65	10	566	<1
RE5240335		0.444	<1	0.8	<10	<5	11.1	<10	<10	14	<0.01	0.02	<5	10.3	<1
RE5240336		3.96	<1	<0.5	<10	<5	16.1	<10	<10	25	<0.01	0.03	6	<0.5	1
RE5506705		5.51	<1	4.6	<10	<5	213	<10	<10	11	<0.01	0.23	10	15.8	<1
RE5506706		0.387	<1	<0.5	<10	<5	323	<10	<10	<5	<0.01	0.02	10	<0.5	<1
RE5506707		0.010	3	<0.5	<10	<5	26.6	<10	<10	<5	<0.01	0.19	11	6.1	<1
RE5506708		0.035	74	<0.5	<10	<5	17.4	<10	<10	<5	<0.01	5.99	5	<0.5	<1
RE5506709		0.724	154	<0.5	<10	<5	1.9	<10	<10	<5	<0.01	4.68	<5	<0.5	<1
RE5239760		0.008	3	<0.5	<10	<5	13.2	<10	<10	<5	<0.01	0.16	<5	<0.5	<1

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y633077

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 21, 2012

DATE RECEIVED: Aug 21, 2012

DATE REPORTED: Sep 12, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
RE5239761		0.010	5	<0.5	<10	<5	20.8	<10	<10	<5	<0.01	0.19	11	6.1	<1
RE5239762		0.005	1	1.0	<10	<5	8.0	<10	<10	<5	<0.01	0.03	<5	2.7	<1
RE5239763		0.007	<1	<0.5	<10	<5	5.4	<10	<10	<5	<0.01	0.02	<5	0.7	<1
RE5239764		0.016	<1	0.7	<10	<5	37.9	<10	<10	<5	<0.01	0.01	<5	1.4	<1
RE5239765		0.006	<1	0.7	<10	<5	30.3	<10	<10	6	<0.01	0.01	<5	2.6	<1
RE5239766		0.120	<1	0.9	<10	<5	17.3	<10	<10	12	<0.01	0.04	5	6.7	<1
RE5531426		0.070	13	5.6	<10	<5	667	<10	<10	<5	<0.01	0.09	18	9.3	2
RE5531427		5.37	3	0.9	<10	<5	37.9	<10	<10	10	<0.01	0.25	5	24.0	2
RE5531428		0.040	2	1.4	<10	5	96.4	<10	<10	<5	<0.01	0.03	22	2.5	<1
RE5531429		4.30	12	<0.5	<10	<5	17.3	<10	<10	10	<0.01	0.02	9	<0.5	<1
RE5531430		0.499	<1	1.5	<10	<5	11.4	<10	<10	13	<0.01	0.06	6	7.9	<1
RE5531431		0.863	<1	3.5	<10	<5	159	<10	<10	13	<0.01	0.08	8	5.5	<1
RE5531432		0.017	3	1.0	<10	<5	275	<10	<10	<5	<0.01	0.02	6	<0.5	<1
RE5531433		0.109	<1	1.8	<10	<5	379	<10	<10	<5	<0.01	0.05	9	6.6	<1
RE5531434		0.125	5	2.8	<10	<5	41.1	<10	<10	14	<0.01	0.18	8	5.5	<1
RE5531435		0.576	1	0.6	<10	<5	20.8	<10	<10	10	<0.01	<0.01	5	8.6	<1
RE5531436		0.184	<1	<0.5	<10	<5	12.7	<10	<10	10	<0.01	0.01	8	10.5	<1
RE5531421		0.892	<1	0.9	<10	<5	358	<10	<10	<5	<0.01	0.02	7	<0.5	<1
RE5531422		0.074	<1	0.8	<10	<5	197	<10	<10	12	<0.01	0.05	23	15.1	<1
RE5531423		0.171	<1	<0.5	<10	<5	18.5	<10	<10	11	<0.01	0.04	5	9.5	1
RE5531424		3.04	3	<0.5	<10	<5	7.3	<10	<10	6	<0.01	0.02	<5	1.0	<1
RE5531425		0.012	<1	1.4	<10	<5	3.1	<10	<10	<5	<0.01	<0.01	<5	1.8	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y633077

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 21, 2012

DATE RECEIVED: Aug 21, 2012

DATE REPORTED: Sep 12, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Y	Zn	Zr	As-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	0.01
RE5535465		3	835	9	
RE5535466		3	1380	14	
RE5535467		2	518	8	
RE5535468		4	3890	8	
RE5535469		5	5000	11	
RE5535470		6	4510	9	
RE5535471		6	350	7	
RE5535472		4	104	<5	
RE5535473		13	2220	12	
RE5535474		<1	95.7	<5	
RE5535475		23	101	<5	
RE5535476		4	114	5	
RE5535477		<1	28.0	<5	
RE5535478		1	27.8	<5	
RE5535479		<1	31.4	<5	
RE5535480		1	8.8	<5	
RE5535481		2	4.0	<5	
RE5535482		<1	7.6	<5	
RE5535483		49	127	5	
RE5535484		2	53.9	5	
RE5535485		3	103	<5	
RE5535486		2	23.2	<5	
RE5535487		4	53.0	6	
RE5535488		8	28.2	<5	
RE5511043		5	15.6	<5	
RE5511044		2	<0.5	<5	
RE5511045		6	35.0	<5	
RE5511046		7	5.2	<5	
RE5511047		10	87.0	<5	
RE5511048		8	84.9	<5	
RE5511049		9	1470	13	
RE5511050		1	12.7	<5	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y633077

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 21, 2012

DATE RECEIVED: Aug 21, 2012

DATE REPORTED: Sep 12, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Y	Zn	Zr	As-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	0.01
RE5511056		5	85.7	9	
RE5511057		4	7.2	<5	
RE5511058		5	1.9	<5	
RE5511059		9	6.6	<5	
RE5535760		8	15.2	<5	
RE5535761		3	2.5	<5	
RE5535762		5	8.4	<5	
RE5535763		4	10.6	<5	
RE5535764		<1	19.6	<5	
RE5535765		14	43.9	<5	
RE5535766		1	10.6	<5	
RE5535767		2	70.0	<5	
RE5535768		12	50.5	6	
RE5535769		2	163	<5	
RE5535770		5	5.1	<5	
RE5535771		19	21.0	<5	
RE5535772		1	1.0	<5	
RE5535773		2	11.4	<5	
RE5535774		1	89.5	<5	
RE5535775		2	75.1	10	
RE5535776		19	101	10	
RE5240332		18	66.0	<5	
RE5240333		9	99.4	<5	
RE5240334		7	38.1	<5	
RE5240335		2	75.8	<5	
RE5240336		2	4.6	<5	
RE5506705		10	12.4	9	
RE5506706		7	31.9	<5	
RE5506707		2	8.0	<5	
RE5506708		1	57.7	<5	3.13
RE5506709		<1	4.8	<5	3.88
RE5239760		<1	3.9	<5	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y633077

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 21, 2012

DATE RECEIVED: Aug 21, 2012

DATE REPORTED: Sep 12, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Y	Zn	Zr	As-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	0.01
RE5239761		1	10.7	<5	
RE5239762		1	22.4	<5	
RE5239763		<1	20.0	<5	
RE5239764		3	26.2	<5	
RE5239765		4	14.4	<5	
RE5239766		2	50.2	6	
RE5531426		14	37.3	7	
RE5531427		7	0.6	6	
RE5531428		7	14.7	6	
RE5531429		2	43.6	<5	
RE5531430		2	71.2	14	
RE5531431		9	76.0	12	
RE5531432		6	18.1	7	
RE5531433		7	22.5	10	
RE5531434		12	161	9	
RE5531435		5	63.3	<5	
RE5531436		3	85.3	<5	
RE5531421		4	50.7	<5	
RE5531422		14	74.9	<5	
RE5531423		2	14.3	6	
RE5531424		<1	<0.5	<5	
RE5531425		<1	15.6	<5	

Comments: RDL - Reported Detection Limit

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y633077

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Aug 21, 2012

DATE RECEIVED: Aug 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample Login Weight	Au	Au-Grav
	Unit:	kg	ppm	g/t
	RDL:	0.01	0.001	0.05
RE5535465		0.92	0.003	
RE5535466		0.86	0.001	
RE5535467		0.99	0.002	
RE5535468		1.31	<0.001	
RE5535469		1.18	<0.001	
RE5535470		1.22	<0.001	
RE5535471		0.85	0.004	
RE5535472		0.95	0.003	
RE5535473		0.97	<0.001	
RE5535474		0.92	<0.001	
RE5535475		0.75	0.002	
RE5535476		0.88	0.007	
RE5535477		0.93	0.002	
RE5535478		0.97	<0.001	
RE5535479		0.87	0.002	
RE5535480		1.08	0.002	
RE5535481		0.69	<0.001	
RE5535482		0.94	0.005	
RE5535483		1.14	0.002	
RE5535484		0.75	0.005	
RE5535485		0.73	<0.001	
RE5535486		0.65	0.015	
RE5535487		0.74	0.001	
RE5535488		0.85	<0.001	
RE5511043		1.05	<0.001	
RE5511044		1.37	<0.001	
RE5511045		1.63	<0.001	
RE5511046		1.13	<0.001	
RE5511047		1.44	<0.001	
RE5511048		1.15	0.003	
RE5511049		0.12	2.38	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y633077

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Aug 21, 2012

DATE RECEIVED: Aug 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample Login Weight	Au	Au-Grav
	Unit:	kg	ppm	g/t
	RDL:	0.01	0.001	0.05
RE5511050		1.08	0.002	
RE5511056		0.94	<0.001	
RE5511057		1.36	0.002	
RE5511058		1.39	0.002	
RE5511059		1.40	0.007	
RE5535760		1.08	0.005	
RE5535761		1.40	0.009	
RE5535762		0.88	0.014	
RE5535763		0.96	0.021	
RE5535764		1.59	3.89	
RE5535765		1.06	0.007	
RE5535766		1.81	0.011	
RE5535767		1.55	0.991	
RE5535768		1.07	0.009	
RE5535769		1.82	0.057	
RE5535770		1.18	0.001	
RE5535771		1.10	0.001	
RE5535772		1.00	<0.001	
RE5535773		1.57	0.001	
RE5535774		0.88	0.001	
RE5535775		0.87	0.005	
RE5535776		1.02	0.004	
RE5240332		1.20	0.004	
RE5240333		1.40	<0.001	
RE5240334		1.21	0.002	
RE5240335		0.76	0.003	
RE5240336		1.89	0.010	
RE5506705		0.71	0.007	
RE5506706		0.99	0.010	
RE5506707		1.14	0.262	
RE5506708		0.86	>10	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y633077

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Aug 21, 2012

DATE RECEIVED: Aug 21, 2012

DATE REPORTED: Sep 11, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample Login Weight	Au	Au-Grav
	Unit:	kg	ppm	g/t
	RDL:	0.01	0.001	0.05
RE5506709		0.85	>10	
RE5239760		1.01	0.285	
RE5239761		0.96	0.257	
RE5239762		0.60	0.066	
RE5239763		0.83	0.080	
RE5239764		0.89	0.016	
RE5239765		0.69	0.016	
RE5239766		0.91	0.004	
RE5531426		0.54	0.330	
RE5531427		1.51	0.010	
RE5531428		1.25	0.007	
RE5531429		0.64	0.064	
RE5531430		0.89	0.004	
RE5531431		1.16	<0.001	
RE5531432		1.10	<0.001	
RE5531433		0.95	0.002	
RE5531434		1.03	<0.001	
RE5531435		1.85	0.012	
RE5531436		1.54	0.017	
RE5531421		1.25	<0.001	
RE5531422		0.42	<0.001	
RE5531423		0.75	<0.001	
RE5531424		1.65	0.002	
RE5531425		1.25	<0.001	

Comments: RDL - Reported Detection Limit

Certified By:

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y633077

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis											
RPT Date:		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3631932	< 0.001	< 0.001	0.0%	< 0.001	1.58	1.52	104%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3631942	< 0.001	< 0.001	0.0%	< 0.001	1.48	1.52	97%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3631882	< 0.001	< 0.001	0.0%	< 0.001	0.241	0.263	92%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3631894	0.0092	0.0096	4.3%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3631907	0.001	< 0.001		< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3631919	>10	>10		< 0.001				90%	110%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)											
Ag	1	3631856	< 0.2	< 0.2	0.0%	< 0.2	12.9	13.0	99%	80%	120%
Al	1	3631856	0.427	0.379	11.9%	< 0.01				80%	120%
As	1		25	25	0.0%	< 1				80%	120%
B	1	3631856	102	106	3.8%	< 5				80%	120%
Ba	1	3631856	383	336	13.1%	< 1				80%	120%
Be	1	3631856	< 0.5	< 0.5	0.0%	< 0.5	0.4	0.4	94%	80%	120%
Bi	1		< 1	< 1	0.0%	< 1				80%	120%
Ca	1		0.70	0.70	0.0%	< 0.01				80%	120%
Cd	1	3631856	6.92	7.07	2.1%	< 0.5				80%	120%
Ce	1	3631856	8	7	13.3%	< 1				80%	120%
Co	1		14.5	14.3	1.4%	< 0.5				80%	120%
Cr	1	3631856	14.6	13.2	10.1%	< 0.5				80%	120%
Cu	1		36.7	36.3	1.1%	< 0.5	5428	6000	90%	80%	120%
Fe	1	3631856	21.3	19.8	7.3%	< 0.01				80%	120%
Ga	1	3631856	11	11	0.0%	< 5				80%	120%
Hg	1	3631856	< 1	< 1	0.0%	< 1				80%	120%
In	1	3631856	< 1	< 1	0.0%	< 1				80%	120%
K	1	3631856	0.12	0.11	8.7%	< 0.01				80%	120%
La	1	3631856	1	1	0.0%	< 1				80%	120%
Li	1	3631856	1	1	0.0%	2				80%	120%
Mg	1	3631856	0.03	0.03	0.0%	0.02				80%	120%
Mn	1	3631856	30	27	10.5%	< 1				80%	120%
Mo	1	3631856	5.1	4.6	10.3%	< 0.5				80%	120%
Na	1	3631856	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Ni	1	3631856	13.2	12.8	3.1%	< 0.5				80%	120%
P	1	3631856	532	498	6.6%	< 10	597	600	100%	80%	120%
Pb	1	3631856	< 0.5	< 0.5	0.0%	0.5				80%	120%
Rb	1	3631856	20	20	0.0%	< 10	11	13	82%	80%	120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y633077

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date:		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
S	1	3631856	0.195	0.185	5.3%	< 0.005				80% 120%
Sb	1	3631856	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	3631856	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Se	1	3631856	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3631856	< 5	< 5	0.0%	< 5				80% 120%
Sr	1		38.0	37.6	1.1%	< 0.5				80% 120%
Ta	1	3631856	34	35	2.9%	< 10				80% 120%
Te	1	3631856	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3631856	31	32	3.2%	< 5				80% 120%
Ti	1	3631856	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3631856	0.292	0.264	10.1%	< 0.01				80% 120%
U	1	3631856	41	40	2.5%	< 5				80% 120%
V	1	3631856	66.6	62.0	7.2%	< 0.5				80% 120%
W	1	3631856	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3631856	3	3	0.0%	< 1	6	7	85%	80% 120%
Zn	1	3631856	835	800	4.3%	< 0.5				80% 120%
Zr	1	3631856	9	8	11.8%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1	3631882	6.1	6.0	1.7%	< 0.2	14	13.0	108%	80% 120%
Al	1	3631882	0.02	0.02	0.0%	< 0.01				80% 120%
As	1	3631882	< 1	< 1	0.0%	< 1				80% 120%
B	1	3631882	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3631882	4	5	22.2%	< 1				80% 120%
Be	1	3631882	< 0.5	< 0.5	0.0%	< 0.5	0.4	0.4	92%	80% 120%
Bi	1	3631882	< 1	1		< 1				80% 120%
Ca	1	3631882	26.8	27.6	2.9%	< 0.01				80% 120%
Cd	1	3631882	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3631882	2	2	0.0%	< 1				80% 120%
Co	1	3631882	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Cr	1	3631882	1.2	1.2	0.0%	< 0.5				80% 120%
Cu	1	3631882	< 0.5	< 0.5	0.0%	< 0.5	5733	6000	95%	80% 120%
Fe	1	3631882	0.07	0.07	0.0%	< 0.01				80% 120%
Ga	1	3631882	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3631882	< 1	< 1	0.0%	< 1				80% 120%
In	1	3631882	< 1	1		< 1				80% 120%
K	1	3631882	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
La	1	3631882	3	3	0.0%	< 1				80% 120%
Li	1	3631882	2	2	0.0%	< 1				80% 120%
Mg	1	3631882	2.51	2.58	2.8%	< 0.01				80% 120%
Mn	1	3631882	63	63	0.0%	< 1				80% 120%
Mo	1	3631882	1.1	0.6		< 0.5	322	360	89%	80% 120%
Na	1	3631882	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3631882	0.63	0.80	23.8%	< 0.5				80% 120%
P	1	3631882	304	311	2.3%	< 10	669	600	112%	80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y633077

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date:		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Pb	1	3631882	3.4	4.3	23.4%	< 0.5				80% 120%
Rb	1	3631882	< 10	< 10	0.0%	< 10				80% 120%
S	1	3631882	0.005	0.006	18.2%	< 0.005				80% 120%
Sb	1	3631882	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	3631882	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Se	1	3631882	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3631882	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3631882	347	359	3.4%	< 0.5				80% 120%
Ta	1	3631882	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3631882	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3631882	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3631882	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3631882	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
U	1	3631882	21	20	4.9%	< 5				80% 120%
V	1	3631882	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
W	1	3631882	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3631882	2	2	0.0%	< 1	6	7	80%	80% 120%
Zn	1	3631882	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Zr	1	3631882	< 5	< 5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low Ti) (201073)

Ag	1	3631907	< 0.2	< 0.2	0.0%	< 0.2	14.5	13.0	112%	80% 120%
Al	1	3631907	1.70	1.57	8.0%	< 0.01				80% 120%
As	1	3631907	< 1	< 1	0.0%	< 1				80% 120%
B	1	3631907	9	10	10.5%	< 5				80% 120%
Ba	1	3631907	13	12	8.0%	< 1				80% 120%
Be	1	3631907	< 0.5	< 0.5	0.0%	< 0.5	0.4	0.4	95%	80% 120%
Bi	1	3631907	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3631907	0.124	0.105	16.6%	< 0.01				80% 120%
Cd	1	3631907	1.1	1.2	8.7%	< 0.5				80% 120%
Ce	1	3631907	4	3	28.6%	< 1				80% 120%
Co	1	3631907	10.1	10.0	1.0%	< 0.5				80% 120%
Cr	1	3631907	23.5	21.7	8.0%	< 0.5				80% 120%
Cu	1	3631907	< 0.5	< 0.5	0.0%	< 0.5	5743	6000	95%	80% 120%
Fe	1	3631907	3.34	3.09	7.8%	< 0.01				80% 120%
Ga	1	3631907	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3631907	< 1	< 1	0.0%	< 1				80% 120%
In	1	3631907	< 1	< 1	0.0%	< 1				80% 120%
K	1	3631907	0.02	0.02	0.0%	< 0.01				80% 120%
La	1	3631907	< 1	< 1	0.0%	< 1				80% 120%
Li	1	3631907	51	48	6.1%	< 1				80% 120%
Mg	1	3631907	0.606	0.557	8.4%	< 0.01				80% 120%
Mn	1	3631907	360	353	2.0%	< 1				80% 120%
Mo	1	3631907	1.3	1.4	7.4%	< 0.5	332	360	92%	80% 120%
Na	1	3631907	< 0.01	< 0.01	0.0%	< 0.01				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y633077

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date:		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ni	1	3631907	23.9	23.3	2.5%	< 0.5				80% 120%
P	1	3631907	243	243	0.0%	< 10	667	600	111%	80% 120%
Pb	1	3631907	18.3	18.0	1.7%	< 0.5				80% 120%
Rb	1	3631907	< 10	< 10	0.0%	< 10				80% 120%
S	1	3631907	< 0.005	< 0.005	0.0%	< 0.005				80% 120%
Sb	1	3631907	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	3631907	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Se	1	3631907	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3631907	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3631907	7.1	8.3	15.6%	2.3				80% 120%
Ta	1	3631907	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3631907	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3631907	5	6	18.2%	< 5				80% 120%
Ti	1	3631907	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3631907	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
U	1	3631907	< 5	< 5	0.0%	< 5				80% 120%
V	1	3631907	6.42	6.15	4.3%	< 0.5				80% 120%
W	1	3631907	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3631907	1	1	0.0%	< 1	6	7	84%	80% 120%
Zn	1	3631907	89.5	87.1	2.7%	< 0.5				80% 120%
Zr	1	3631907	< 5	< 5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low Ti) (201073)

Ag	1	3631932	1.4	1.5	6.9%	< 0.2	15	13.0	115%	80% 120%
Al	1	3631932	0.806	0.624	25.5%	< 0.01				80% 120%
As	1	3631932	27	25	7.7%	< 1				80% 120%
B	1	3631932	16	15	6.5%	< 5				80% 120%
Ba	1	3631932	40	34	16.2%	< 1				80% 120%
Be	1	3631932	0.60	0.52	14.3%	< 0.5	0.4	0.4	99%	80% 120%
Bi	1	3631932	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3631932	4.06	3.32	20.1%	< 0.01				80% 120%
Cd	1	3631932	1.0	1.1	9.5%	< 0.5				80% 120%
Ce	1	3631932	5	4	22.2%	< 1				80% 120%
Co	1	3631932	12.7	11.0	14.3%	< 0.5				80% 120%
Cr	1	3631932	14.3	12.2	15.8%	< 0.5				80% 120%
Cu	1	3631932	28.8	24.2	17.4%	< 0.5	5962	6000	99%	80% 120%
Fe	1	3631932	3.51	2.80	22.5%	< 0.01				80% 120%
Ga	1	3631932	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3631932	< 1	< 1	0.0%	< 1				80% 120%
In	1	3631932	< 1	< 1	0.0%	< 1				80% 120%
K	1	3631932	0.191	0.153	22.1%	< 0.01				80% 120%
La	1	3631932	1	< 1		< 1				80% 120%
Li	1	3631932	28	21	28.6%	< 1				80% 120%
Mg	1	3631932	0.339	0.273	21.6%	< 0.01				80% 120%
Mn	1	3631932	492	420	15.8%	< 1				80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y633077

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date:		REPLICATE				Method Blank	REFERENCE MATERIAL				Acceptable Limits	
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery		Lower	Upper
Mo	1	3631932	< 0.5	< 0.5	0.0%	< 0.5	334	360	92%		80%	120%
Na	1	3631932	0.018	0.014	25.0%	< 0.01					80%	120%
Ni	1	3631932	26.2	22.6	14.8%	< 0.5					80%	120%
P	1	3631932	260	212	20.3%	< 10	684	600	114%		80%	120%
Pb	1	3631932	21.2	18.3	14.7%	< 0.5					80%	120%
Rb	1	3631932	15	11		< 10					80%	120%
S	1	3631932	0.863	0.762	12.4%	< 0.005					80%	120%
Sb	1	3631932	< 1	< 1	0.0%	< 1					80%	120%
Sc	1	3631932	3.5	3.0	15.4%	< 0.5					80%	120%
Se	1	3631932	< 10	< 10	0.0%	< 10					80%	120%
Sn	1	3631932	< 5	< 5	0.0%	< 5					80%	120%
Sr	1	3631932	159	135	16.3%	< 0.5					80%	120%
Ta	1	3631932	< 10	< 10	0.0%	< 10					80%	120%
Te	1	3631932	< 10	< 10	0.0%	< 10					80%	120%
Th	1	3631932	13	12	8.0%	< 5					80%	120%
Ti	1	3631932	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
Tl	1	3631932	0.08	0.08	0.0%	< 0.01					80%	120%
U	1	3631932	8	7	13.3%	< 5					80%	120%
V	1	3631932	5.45	4.60	16.9%	< 0.5					80%	120%
W	1	3631932	< 1	< 1	0.0%	< 1					80%	120%
Y	1	3631932	9	8	11.8%	< 1	6	7	92%		80%	120%
Zn	1	3631932	76.0	63.9	17.3%	< 0.5					80%	120%
Zr	1	3631932	12	10	18.2%	< 5					80%	120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1	3631942	< 0.2	< 0.2	0.0%	< 0.2	14.6	13.0	112%		80%	120%
Al	1	3631942	0.01	0.01	0.0%	< 0.01					80%	120%
As	1	3631942	< 1	< 1	0.0%	< 1					80%	120%
B	1	3631942	6	5	18.2%	< 5					80%	120%
Ba	1	3631942	4	5	22.2%	< 1					80%	120%
Be	1	3631942	< 0.5	< 0.5	0.0%	< 0.5	0.4	0.4	99%		80%	120%
Bi	1	3631942	< 1	< 1	0.0%	< 1					80%	120%
Ca	1	3631942	0.02	0.02	0.0%	< 0.01					80%	120%
Cd	1	3631942	0.9	< 0.5		< 0.5					80%	120%
Ce	1	3631942	< 1	< 1	0.0%	< 1					80%	120%
Co	1	3631942	1.4	1.1	24.0%	< 0.5					80%	120%
Cr	1	3631942	50.1	56.6	12.2%	< 0.5					80%	120%
Cu	1	3631942	< 0.5	< 0.5	0.0%	< 0.5	5991	6000	99%		80%	120%
Fe	1	3631942	2.19	2.59	16.7%	< 0.01					80%	120%
Ga	1	3631942	< 5	< 5	0.0%	< 5					80%	120%
Hg	1	3631942	< 1	< 1	0.0%	< 1					80%	120%
In	1	3631942	< 1	< 1	0.0%	< 1					80%	120%
K	1	3631942	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
La	1	3631942	< 1	< 1	0.0%	< 1					80%	120%
Li	1	3631942	2	2	0.0%	< 1					80%	120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y633077

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date:		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Mg	1	3631942	0.02	0.02	0.0%	< 0.01				80% 120%
Mn	1	3631942	230	259	11.9%	< 1				80% 120%
Mo	1	3631942	1.5	1.7	12.5%	< 0.5	338	360	93%	80% 120%
Na	1	3631942	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3631942	11.3	12.7	11.7%	< 0.5				80% 120%
P	1	3631942	< 10	19		< 10	672	600	112%	80% 120%
Pb	1	3631942	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Rb	1	3631942	< 10	< 10	0.0%	< 10				80% 120%
S	1	3631942	0.012	< 0.005		< 0.005				80% 120%
Sb	1	3631942	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	3631942	1.43	1.75	20.1%	< 0.5				80% 120%
Se	1	3631942	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3631942	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3631942	3.12	3.50	11.5%	< 0.5				80% 120%
Ta	1	3631942	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3631942	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3631942	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3631942	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3631942	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
U	1	3631942	< 5	< 5	0.0%	< 5				80% 120%
V	1	3631942	1.8	1.9	5.4%	< 0.5				80% 120%
W	1	3631942	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3631942	< 1	< 1	0.0%	< 1	6	7	89%	80% 120%
Zn	1	3631942	15.6	18.3	15.9%	< 0.5				80% 120%
Zr	1	3631942	< 5	< 5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1					< 0.2	14.6	13.0	113%	80% 120%
Cu	1					< 0.5	5908	6000	98%	80% 120%
Mo	1					< 0.5	332	360	92%	80% 120%
P	1					< 10	680	600	113%	80% 120%
Y	1					< 1	7	7	100%	80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1					< 0.2	14.1	13.0	108%	80% 120%
Be	1					< 0.5	0.4	0.4	108%	80% 120%
Cu	1					< 0.5	5612	6000	93%	80% 120%
Mo	1					< 0.5	318	360	88%	80% 120%
P	1					< 10	640	600	107%	80% 120%
Y	1					< 1	6	7	91%	80% 120%

Certified By:

Method Summary

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y633077

PROJECT NO:

ATTENTION TO: Yinghua Chen

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
B	MIN-200-12020		ICP/OES
Ba	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
In	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP/OES
Li	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr	MIN-200-12020		ICP/OES
Ta	MIN-200-12020		ICP/OES
Te	MIN-200-12020		ICP/OES
Th	MIN-200-12020		ICP/OES
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP-MS
U	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP/OES
Y	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Zr	MIN-200-12020		ICP/OES
As-OL			AA
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES

Method Summary

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y633077

PROJECT NO:

ATTENTION TO: Yinghua Chen

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Au-Grav			GRAVIMETRIC