

CLIENT NAME: ANTHILL RESOURCES (YUKON)
1090-999 WEST HASTINGS STREET
Vancouver, BC V6C2W2
(604) 569-3892

ATTENTION TO: Yinghua Chen

PROJECT NO:

AGAT WORK ORDER: 12Y635007

SOLID ANALYSIS REVIEWED BY: Kevin Motomura, ICP Supervisor

DATE REPORTED: Sep 05, 2012

PAGES (INCLUDING COVER): 23

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

***NOTES**



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635007

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012		DATE RECEIVED: Aug 27, 2012						DATE REPORTED: Sep 05, 2012				SAMPLE TYPE: Rock			
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
RE5536304		7.1	2.91	18	6	71	2.6	3	20.1	4.6	26	87.6	9.0	24.2	0.58
RE5536305		<0.2	1.86	<1	11	114	0.6	<1	0.87	0.9	8	16.2	44.0	74.5	3.06
RE5536306		0.6	0.58	<1	<5	260	<0.5	<1	0.84	4.4	18	8.1	42.7	930	0.48
RE5536307		<0.2	0.41	6	<5	66	<0.5	<1	0.13	2.7	17	2.9	61.0	10.4	1.54
RE5536308		0.9	0.19	3	<5	58	<0.5	<1	2.23	2.3	12	1.3	54.6	4.4	1.80
RE5536309		<0.2	1.22	7	12	116	<0.5	<1	0.16	2.5	13	3.7	33.5	14.0	1.90
RE5536296		0.2	1.22	<1	13	148	<0.5	<1	0.75	1.1	2	9.7	70.8	19.9	2.97
RE5536297		<0.2	0.10	42	<5	30	<0.5	<1	31.4	<0.5	20	1.6	3.8	2.8	0.17
RE5536298		6.5	0.12	3	<5	21	<0.5	1	18.5	4.2	10	1.2	3.5	4.8	0.37
RE5536299		6.4	0.55	12	19	42	0.6	<1	19.5	<0.5	12	16.1	5.7	22.8	3.70
RE5536300		<0.2	0.59	4	14	36	<0.5	<1	0.60	<0.5	11	9.9	42.4	36.6	3.84
RE5536301		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
RE5536302		3.2	0.25	6	19	31	<0.5	<1	6.02	1.1	7	7.9	21.5	12.3	2.92
RE5536303		3.8	0.33	2	7	26	<0.5	<1	7.19	2.8	15	3.1	39.5	7.1	1.54
RE5536281		0.6	0.50	<1	5	3290	<0.5	<1	1.70	2.4	18	8.6	45.1	11.1	1.86
RE5240337		<0.2	0.26	308	<5	99	<0.5	<1	0.19	3.4	5	2.1	67.7	6.2	1.06
RE5240338		<0.2	0.40	213	6	64	<0.5	<1	0.03	3.2	8	3.6	53.5	23.5	1.21
RE5240339		<0.2	0.14	8	7	21	<0.5	<1	0.33	1.8	6	4.2	63.2	3.0	2.24
RE5240340		<0.2	0.23	66	<5	34	<0.5	<1	0.02	3.0	2	12.8	97.4	25.0	1.23
RE5240341		<0.2	0.15	193	<5	32	<0.5	<1	0.08	3.9	2	1.5	64.6	32.2	0.74
RE5240342		<0.2	0.11	42	<5	12	<0.5	<1	<0.01	3.9	<1	0.9	83.9	2.9	0.75
RE5240343		<0.2	0.26	126	<5	24	<0.5	<1	0.01	3.1	4	1.2	54.3	2.3	1.23
RE5240344		<0.2	0.46	30	6	43	<0.5	<1	0.03	1.9	13	4.4	30.5	8.9	2.20
RE5240345		<0.2	0.52	2	9	56	<0.5	<1	0.29	<0.5	6	13.0	30.9	20.5	3.75
RE5240346		<0.2	0.35	65	<5	27	<0.5	<1	0.04	1.8	10	5.4	49.1	8.8	2.07
RE5240347		<0.2	0.62	18	5	149	<0.5	<1	0.02	<0.5	13	4.7	41.9	1.5	3.24
RE5240348		<0.2	0.77	59	<5	105	<0.5	<1	0.05	<0.5	11	7.6	38.1	54.8	3.44
RE5240349		0.5	0.19	452	6	1050	<0.5	<1	0.92	1.3	2	5.7	16.7	30.2	2.77
RE5240350		5.9	0.02	<1	<5	36	<0.5	<1	15.1	4.3	<1	<0.5	3.7	1.0	0.32
RE5240351		<0.2	0.63	2	10	119	<0.5	<1	1.25	<0.5	12	8.9	43.4	65.3	3.23
RE5535777		1.7	0.50	2	6	31	<0.5	<1	4.07	2.5	10	5.1	30.1	10.2	1.73
RE5535778		<0.2	0.16	2	<5	20	<0.5	<1	0.19	4.3	3	0.9	53.9	3.7	0.48

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y635007

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
RE5535779		5.9	0.23	10	8	195	<0.5	<1	20.4	3.6	10	2.9	5.7	4.2	0.84
RE5535780		<0.2	2.08	3	19	159	0.9	<1	0.57	<0.5	27	10.7	25.3	23.5	3.60
RE5535781		6.7	0.28	25	15	66	<0.5	2	21.2	2.6	18	7.0	6.3	15.6	1.60
RE5535782		4.7	0.03	1	<5	5	<0.5	<1	18.4	2.9	<1	<0.5	1.3	<0.5	1.16
RE5535783		4.3	0.70	44	20	60	0.8	<1	7.41	2.9	46	8.5	20.3	51.5	1.74
RE5535784		<0.2	0.40	6	5	117	<0.5	<1	0.32	3.9	12	2.5	40.6	6.2	0.78
RE5535489		<0.2	1.50	4	20	30	0.9	<1	0.12	<0.5	18	17.1	43.1	38.4	4.22
RE5535490		5.1	0.88	<1	15	79	0.6	<1	10.2	3.3	38	5.3	21.9	23.2	1.44
RE5535491		6.8	0.33	65	6	59	<0.5	<1	22.3	4.0	15	3.2	5.3	90.8	0.54
RE5535492		6.7	0.03	5	<5	15	<0.5	<1	24.1	3.9	6	0.5	3.1	4.3	0.54
RE5535493		7.5	0.13	<1	6	37	<0.5	<1	19.9	4.2	10	1.7	8.7	6.4	0.51
RE5535494		4.0	1.79	2	37	167	0.8	<1	14.1	<0.5	62	61.1	246	93.0	6.06
RE5537810		<0.2	0.12	<1	<5	62	<0.5	<1	0.11	3.2	2	2.6	51.8	15.0	1.27
RE5537811		<0.2	0.11	12	<5	15	<0.5	<1	0.16	<0.5	2	1.7	54.4	3.1	1.45
RE5537812		<0.2	0.65	78	<5	22	<0.5	<1	0.08	<0.5	5	8.5	29.6	28.5	10.1
RE5537813		<0.2	1.61	70	23	25	<0.5	<1	0.12	<0.5	9	15.8	44.8	34.2	6.98
RE5537814		3.4	0.48	30	14	52	0.9	<1	6.75	2.2	23	14.4	11.5	49.4	2.17
RE5537815		3.7	0.40	31	14	45	0.7	<1	5.89	3.0	19	18.6	9.6	39.5	1.71
RE5537816		4.6	0.76	47	24	96	1.3	<1	12.2	1.6	13	10.3	11.6	25.7	2.43
RE5537817		<0.2	1.29	<1	53	78	<0.5	21	0.16	<0.5	9	39.5	29.1	36.4	14.2
RE5537818		5.1	0.29	13	16	24	0.7	<1	21.3	<0.5	7	9.0	5.8	7.5	3.21
RE5537819		7.0	0.24	13	10	18	<0.5	<1	25.2	2.8	7	3.6	6.3	7.2	1.37
RE5537820		5.0	0.43	8	6	30	<0.5	<1	14.6	2.9	12	6.2	11.4	14.0	1.46
RE5537821		4.8	0.47	4	13	53	<0.5	<1	10.3	3.3	16	3.5	16.2	6.5	1.28
RE5537822		4.3	0.29	3	8	33	<0.5	<1	8.45	3.8	14	2.0	16.8	2.2	0.88
RE5239767		<0.2	1.32	3	15	69	0.6	<1	0.31	<0.5	7	10.7	41.4	8.3	3.73
RE5239768		<0.2	0.94	15	12	54	<0.5	<1	0.18	1.7	6	9.6	41.3	16.1	2.64
RE5239769		<0.2	1.41	15	11	77	0.7	<1	0.04	<0.5	6	18.8	34.5	17.9	4.49
RE5239770		<0.2	0.81	3	20	42	0.9	<1	0.04	<0.5	4	15.3	23.6	20.8	6.01
RE5239771		7.0	0.06	3	<5	8	<0.5	<1	24.8	4.3	5	0.8	2.0	1.1	0.24
RE5239772		7.7	0.06	1	<5	6	<0.5	<1	21.6	4.4	2	0.5	2.9	1.3	0.15
RE5239773		7.3	0.02	9	<5	5	<0.5	<1	24.1	4.5	<1	<0.5	2.1	<0.5	0.05

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635007

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
RE5239774		7.1	0.03	<1	<5	4	<0.5	2	26.3	4.4	2	<0.5	2.0	<0.5	0.15
RE5239775		6.4	0.02	<1	<5	4	<0.5	<1	14.5	4.5	<1	<0.5	3.0	3.5	0.19
RE5239776		5.9	0.03	<1	<5	3	<0.5	<1	16.9	4.5	1	<0.5	2.4	<0.5	0.16
RE5239777		8.0	0.06	2	<5	7	<0.5	<1	25.2	4.3	8	0.8	1.5	1.4	0.24
RE5239778		<0.2	2.82	10	34	609	0.6	<1	0.72	<0.5	7	19.6	35.8	29.1	6.57
RE5239779		0.5	0.41	<1	6	220	<0.5	<1	1.64	1.1	6	32.9	32.5	8.2	2.75
RE5239780		<0.2	0.15	5	<5	374	<0.5	<1	0.09	1.7	3	4.3	42.2	<0.5	2.29
RE5239781		0.6	0.48	26	15	67	<0.5	<1	1.56	<0.5	5	17.0	42.7	13.1	3.25
RE5239782		<0.2	0.76	2	10	1170	<0.5	<1	0.44	1.8	9	10.9	38.0	81.4	2.41
RE5239783		<0.2	2.12	<1	14	167	1.4	<1	0.06	<0.5	5	13.0	31.8	19.7	3.78
RE5239784		<0.2	0.37	49	6	68	<0.5	<1	0.02	<0.5	12	5.8	53.9	34.5	4.62
RE5239785		<0.2	1.21	2	9	151	<0.5	<1	0.20	1.8	4	9.7	45.8	15.3	2.73
RE5239786		<0.2	1.99	108	17	153	0.6	<1	0.13	<0.5	34	9.0	44.8	154	5.16
RE5239787		<0.2	1.80	2	13	135	0.8	<1	0.15	<0.5	20	13.2	44.0	63.4	3.81
RE5239788		<0.2	1.40	3	8	135	0.6	<1	0.07	2.8	17	10.9	40.1	34.0	2.13
RE5239789		<0.2	2.02	3	14	66	<0.5	1	0.02	<0.5	7	7.2	41.5	10.8	4.06

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635007

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012		DATE RECEIVED: Aug 27, 2012				DATE REPORTED: Sep 05, 2012				SAMPLE TYPE: Rock					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
RE5536304		<5	<1	1	0.05	8	15	0.44	5030	2.2	<0.01	71.4	300	3.6	11
RE5536305		5	<1	<1	0.10	3	43	0.51	1480	0.9	0.02	23.2	41	<0.5	10
RE5536306		<5	<1	<1	0.07	7	11	0.20	2150	1.2	0.02	10.9	85	3.1	<10
RE5536307		<5	<1	<1	0.07	7	6	0.04	263	1.2	<0.01	6.0	58	6.4	<10
RE5536308		<5	<1	<1	0.07	4	<1	0.42	977	1.8	<0.01	2.3	1100	1.8	10
RE5536309		<5	<1	<1	0.25	4	25	0.35	148	<0.5	<0.01	18.5	156	4.3	20
RE5536296		6	<1	<1	0.05	<1	39	0.55	3380	1.0	<0.01	21.3	140	76.7	<10
RE5536297		<5	2	<1	0.05	2	1	0.31	49	16.1	<0.01	1.1	304	<0.5	12
RE5536298		<5	<1	<1	0.06	5	2	0.18	106	0.7	<0.01	3.8	188	11.1	<10
RE5536299		<5	<1	<1	0.21	3	11	0.06	373	0.8	0.02	38.6	135	18.4	31
RE5536300		<5	<1	<1	0.15	2	17	0.12	249	0.9	<0.01	26.7	125	33.8	11
RE5536301		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
RE5536302		<5	<1	<1	0.12	1	3	0.33	524	0.9	0.01	20.5	1130	21.0	14
RE5536303		<5	<1	<1	0.09	4	13	0.15	533	1.0	<0.01	7.1	72	5.5	<10
RE5536281		<5	<1	3	0.10	6	9	0.22	3030	1.1	0.04	11.8	145	2.6	12
RE5240337		<5	<1	<1	0.12	2	2	0.02	92	2.4	0.01	4.7	26	14.8	<10
RE5240338		<5	<1	<1	0.17	5	2	0.02	95	1.5	0.02	5.9	43	15.1	15
RE5240339		<5	<1	<1	0.04	2	2	0.12	680	1.5	0.01	10.2	187	22.4	<10
RE5240340		<5	<1	<1	0.08	7	2	<0.01	151	13.8	0.02	5.9	18	14.0	<10
RE5240341		<5	<1	<1	0.08	1	<1	<0.01	39	4.1	0.01	2.3	20	22.9	<10
RE5240342		<5	<1	<1	0.05	<1	2	<0.01	64	2.5	<0.01	2.8	13	2.2	<10
RE5240343		<5	<1	<1	0.10	2	2	0.01	83	1.7	0.01	2.8	29	6.3	<10
RE5240344		<5	<1	<1	0.16	6	10	0.03	490	0.5	0.03	11.9	136	20.7	17
RE5240345		<5	<1	<1	0.07	3	8	0.14	761	<0.5	<0.01	25.2	55	6.6	11
RE5240346		<5	<1	<1	0.10	4	8	0.03	231	1.7	0.04	11.1	187	26.2	<10
RE5240347		<5	<1	<1	0.06	6	5	0.03	944	6.5	<0.01	10.1	95	13.1	<10
RE5240348		<5	2	<1	0.08	5	7	0.05	678	8.3	<0.01	17.1	72	9.1	<10
RE5240349		<5	3	<1	0.07	2	2	0.03	50	14.7	<0.01	10.4	55	12.3	<10
RE5240350		<5	<1	<1	<0.01	3	<1	9.00	205	0.7	<0.01	1.1	138	2.4	<10
RE5240351		<5	<1	<1	0.19	4	13	0.41	1300	2.2	0.02	19.0	270	14.5	19
RE5535777		<5	<1	<1	0.16	3	17	0.16	282	1.0	<0.01	11.3	64	8.0	20
RE5535778		<5	<1	<1	0.08	<1	1	0.01	43	0.9	<0.01	2.9	49	4.2	<10

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635007

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Rock

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
RE5535779	<5	<1	<1	0.08	5	5	0.17	291	1.1	<0.01	4.5	275	7.9	19
RE5535780	<5	<1	<1	0.51	10	26	0.61	205	5.9	0.02	20.2	102	3.4	49
RE5535781	<5	<1	<1	0.09	7	2	0.74	1890	1.2	<0.01	8.7	433	27.4	14
RE5535782	<5	<1	<1	<0.01	2	<1	11.3	1320	0.6	<0.01	<0.5	105	2.9	13
RE5535783	<5	<1	<1	0.35	22	4	3.69	540	1.8	<0.01	20.5	536	9.5	44
RE5535784	<5	<1	<1	0.20	5	1	0.18	148	1.2	<0.01	5.2	79	7.5	17
RE5535489	7	<1	<1	0.15	9	25	0.41	624	<0.5	0.04	35.3	219	63.4	16
RE5535490	<5	<1	<1	0.26	18	16	4.55	425	0.5	0.02	15.0	434	8.4	34
RE5535491	<5	<1	<1	0.08	9	7	0.47	451	4.1	<0.01	4.3	200	9.8	17
RE5535492	<5	<1	<1	0.01	4	<1	1.46	518	0.7	<0.01	0.9	245	2.5	<10
RE5535493	<5	<1	<1	0.08	4	1	0.16	250	1.4	<0.01	3.1	107	6.5	<10
RE5535494	13	<1	<1	0.21	24	18	0.75	1200	<0.5	<0.01	211	1720	<0.5	26
RE5537810	<5	<1	<1	0.06	<1	<1	0.01	363	2.2	<0.01	6.8	37	10.4	<10
RE5537811	<5	<1	1	0.01	<1	<1	0.01	643	3.0	0.05	3.9	409	2.7	<10
RE5537812	<5	<1	<1	0.10	2	9	0.15	268	3.6	0.01	10.1	948	87.1	15
RE5537813	6	<1	<1	0.16	3	67	0.63	314	<0.5	0.02	26.3	1010	46.6	16
RE5537814	<5	<1	<1	0.27	11	7	3.43	290	18.9	<0.01	29.5	396	24.7	24
RE5537815	<5	<1	<1	0.27	11	5	3.09	270	15.5	<0.01	28.4	373	24.3	25
RE5537816	<5	<1	<1	0.28	5	7	0.57	535	1.3	0.01	22.4	596	20.8	34
RE5537817	7	<1	<1	0.29	3	16	0.22	127	<0.5	0.05	63.1	551	294	38
RE5537818	<5	<1	<1	0.10	4	3	3.40	509	1.1	<0.01	28.6	164	12.1	17
RE5537819	<5	<1	<1	0.07	4	1	0.25	337	<0.5	<0.01	7.4	92	3.8	12
RE5537820	<5	<1	<1	0.16	6	2	0.24	429	0.8	<0.01	16.8	217	7.2	22
RE5537821	<5	<1	<1	0.22	8	5	3.67	273	0.6	<0.01	7.5	375	8.5	28
RE5537822	<5	<1	<1	0.12	6	4	2.47	254	1.0	<0.01	4.8	543	6.9	14
RE5239767	5	<1	<1	0.16	3	25	0.43	1350	<0.5	0.03	26.0	186	36.5	17
RE5239768	<5	<1	<1	0.13	2	15	0.26	805	1.1	0.04	17.4	118	27.6	17
RE5239769	<5	<1	<1	0.21	2	22	0.37	1560	<0.5	0.03	26.4	219	57.6	21
RE5239770	<5	<1	<1	0.13	1	15	0.22	920	<0.5	<0.01	40.5	106	34.5	18
RE5239771	<5	<1	<1	0.03	3	1	1.17	135	1.5	<0.01	1.5	391	5.0	<10
RE5239772	<5	<1	<1	0.03	4	3	6.40	123	1.5	<0.01	2.1	499	5.1	<10
RE5239773	<5	<1	<1	<0.01	2	1	3.24	69	1.6	<0.01	<0.5	262	3.6	<10

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635007

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012		DATE RECEIVED: Aug 27, 2012				DATE REPORTED: Sep 05, 2012				SAMPLE TYPE: Rock					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
RE5239774		<5	<1	<1	0.01	3	2	4.01	85	0.8	<0.01	<0.5	392	3.1	<10
RE5239775		<5	<1	<1	<0.01	2	4	6.70	143	1.1	<0.01	0.6	167	12.4	<10
RE5239776		<5	<1	<1	<0.01	3	4	10.7	146	0.8	<0.01	<0.5	229	2.5	<10
RE5239777		<5	<1	<1	0.04	5	1	0.47	177	1.2	<0.01	1.4	465	6.5	<10
RE5239778		13	<1	<1	0.09	2	76	1.03	1910	<0.5	<0.01	29.1	249	115	14
RE5239779		<5	<1	<1	0.06	2	5	0.90	4700	0.7	<0.01	26.0	54	34.4	<10
RE5239780		<5	<1	<1	0.02	<1	15	0.05	1650	1.3	<0.01	7.1	122	31.1	<10
RE5239781		<5	<1	<1	0.10	1	8	0.58	1510	1.8	<0.01	25.7	206	9.4	<10
RE5239782		<5	<1	2	0.12	4	15	0.35	4500	0.9	<0.01	10.7	63	42.7	11
RE5239783		5	<1	<1	0.23	1	31	0.65	800	0.6	<0.01	32.9	296	12.4	21
RE5239784		<5	<1	<1	0.04	3	3	0.05	147	7.8	0.05	13.7	1520	9.6	<10
RE5239785		<5	<1	<1	0.16	1	25	0.41	2250	1.1	0.03	28.6	325	5.1	14
RE5239786		8	<1	<1	0.28	12	30	0.83	81	7.7	0.02	38.7	2020	13.8	21
RE5239787		5	<1	<1	0.23	7	35	0.67	588	0.8	0.01	40.5	849	5.5	19
RE5239788		<5	<1	<1	0.24	5	26	0.55	590	0.8	0.02	33.4	444	3.9	18
RE5239789		7	<1	<1	0.07	2	37	0.55	144	0.8	0.02	25.6	366	50.5	<10

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635007

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012		DATE RECEIVED: Aug 27, 2012					DATE REPORTED: Sep 05, 2012					SAMPLE TYPE: Rock			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
RE5536304		1.85	2	1.3	<10	<5	865	<10	<10	<5	<0.01	0.02	11	<0.5	<1
RE5536305		0.043	<1	1.5	<10	<5	33.4	<10	<10	12	<0.01	0.04	5	6.7	<1
RE5536306		0.053	<1	1.1	<10	<5	24.2	<10	<10	8	<0.01	0.03	<5	38.0	<1
RE5536307		0.007	2	0.6	<10	<5	7.7	<10	<10	<5	<0.01	0.02	<5	2.1	<1
RE5536308		0.006	<1	0.9	<10	<5	48.1	<10	<10	<5	<0.01	0.02	<5	<0.5	<1
RE5536309		0.102	<1	1.6	<10	<5	10.7	<10	<10	6	<0.01	0.07	<5	10.3	<1
RE5536296		<0.005	<1	4.2	<10	<5	18.2	<10	<10	9	<0.01	0.02	7	9.0	<1
RE5536297		0.406	28	1.2	<10	<5	1270	<10	11	<5	<0.01	0.02	5	5.4	<1
RE5536298		0.009	<1	1.2	<10	<5	229	<10	<10	<5	<0.01	0.01	13	<0.5	<1
RE5536299		0.088	<1	7.0	<10	<5	811	<10	<10	10	<0.01	0.20	19	6.1	<1
RE5536300		0.046	<1	2.0	<10	<5	25.0	<10	<10	12	<0.01	0.06	5	6.6	<1
RE5536301		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
RE5536302		0.587	<1	3.3	<10	<5	213	<10	<10	8	<0.01	0.05	9	1.7	<1
RE5536303		0.195	1	2.8	<10	<5	322	<10	<10	<5	<0.01	0.04	5	2.8	<1
RE5536281		0.092	<1	1.7	<10	<5	385	<10	<10	14	<0.01	0.04	<5	0.5	<1
RE5240337		0.030	3	<0.5	<10	<5	19.8	<10	<10	<5	<0.01	0.04	<5	2.1	<1
RE5240338		0.005	2	<0.5	<10	<5	8.7	<10	<10	<5	<0.01	0.06	<5	3.8	<1
RE5240339		<0.005	<1	1.0	<10	<5	9.4	<10	<10	6	<0.01	0.02	<5	1.4	1
RE5240340		<0.005	2	<0.5	<10	<5	4.4	<10	<10	<5	<0.01	0.03	<5	1.6	<1
RE5240341		0.060	1	<0.5	<10	<5	9.4	<10	<10	<5	<0.01	0.03	<5	1.2	<1
RE5240342		<0.005	2	<0.5	<10	<5	3.9	<10	<10	<5	<0.01	0.01	<5	1.5	<1
RE5240343		0.006	1	<0.5	<10	<5	12.6	<10	<10	<5	<0.01	0.04	<5	1.9	<1
RE5240344		0.009	<1	2.0	<10	<5	10.7	<10	<10	10	<0.01	0.07	<5	2.7	<1
RE5240345		<0.005	<1	2.8	<10	<5	46.7	<10	<10	9	<0.01	0.03	6	15.3	<1
RE5240346		0.036	3	1.6	<10	<5	20.9	<10	<10	5	<0.01	0.04	<5	3.5	<1
RE5240347		0.007	<1	2.7	<10	<5	35.7	<10	<10	9	<0.01	0.13	<5	16.6	<1
RE5240348		0.046	<1	4.3	<10	<5	31.5	<10	<10	7	<0.01	0.16	<5	21.3	<1
RE5240349		0.147	26	<0.5	<10	<5	29.7	<10	<10	<5	0.01	14.3	<5	9.4	27
RE5240350		0.014	<1	<0.5	<10	<5	20.3	<10	<10	<5	<0.01	0.01	10	3.9	<1
RE5240351		0.015	<1	2.1	<10	<5	13.7	<10	<10	8	<0.01	0.08	<5	6.6	<1
RE5535777		0.400	<1	1.5	<10	<5	197	<10	<10	<5	<0.01	0.08	<5	3.5	<1
RE5535778		0.011	<1	<0.5	<10	<5	11.3	<10	<10	<5	<0.01	0.02	<5	1.3	<1

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y635007

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012		DATE RECEIVED: Aug 27, 2012					DATE REPORTED: Sep 05, 2012					SAMPLE TYPE: Rock			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
RE5535779		0.084	2	1.2	<10	<5	551	<10	<10	<5	<0.01	0.03	19	4.7	<1
RE5535780		0.019	<1	4.4	<10	<5	21.4	<10	<10	9	<0.01	0.14	<5	14.6	<1
RE5535781		0.109	1	1.9	<10	<5	497	<10	<10	<5	<0.01	0.04	18	1.0	<1
RE5535782		0.017	<1	<0.5	<10	<5	27.4	<10	<10	<5	<0.01	<0.01	11	5.8	<1
RE5535783		0.160	<1	5.6	<10	<5	122	<10	<10	8	<0.01	0.11	<5	13.2	<1
RE5535784		<0.005	<1	<0.5	<10	<5	55.7	<10	<10	<5	<0.01	0.06	<5	1.6	<1
RE5535489		<0.005	<1	4.8	<10	<5	26.3	10	<10	15	<0.01	0.07	9	14.0	<1
RE5535490		0.016	<1	3.4	<10	<5	224	<10	<10	<5	<0.01	0.06	<5	13.2	<1
RE5535491		0.035	<1	1.4	<10	<5	492	<10	<10	<5	<0.01	0.02	15	0.8	<1
RE5535492		0.010	<1	<0.5	<10	<5	446	<10	<10	<5	<0.01	<0.01	17	<0.5	<1
RE5535493		0.027	1	0.8	<10	<5	963	<10	<10	<5	<0.01	0.02	11	<0.5	<1
RE5535494		0.011	3	24.4	<10	<5	302	10	<10	10	0.02	0.05	14	184	2
RE5537810		<0.005	1	<0.5	<10	<5	10.4	<10	<10	<5	<0.01	0.02	<5	2.7	<1
RE5537811		<0.005	6	1.6	<10	<5	16.7	<10	<10	<5	<0.01	<0.01	<5	3.9	<1
RE5537812		0.047	<1	1.6	<10	<5	29.0	<10	<10	<5	<0.01	0.05	7	6.2	1
RE5537813		0.885	<1	3.0	<10	<5	16.0	14	<10	11	<0.01	0.05	11	11.0	<1
RE5537814		0.822	9	4.4	<10	<5	268	<10	<10	5	<0.01	0.16	7	12.4	<1
RE5537815		1.18	5	4.1	<10	<5	222	<10	<10	8	<0.01	0.17	5	10.4	<1
RE5537816		0.183	9	5.5	<10	<5	515	<10	<10	6	<0.01	0.45	11	8.1	<1
RE5537817		14.0	<1	<0.5	<10	<5	20.6	20	<10	20	0.02	0.07	25	8.2	2
RE5537818		0.260	<1	0.9	<10	<5	432	<10	<10	<5	<0.01	0.08	20	3.5	<1
RE5537819		0.008	2	1.8	<10	<5	53.2	<10	<10	<5	<0.01	0.05	21	7.0	<1
RE5537820		0.007	<1	3.9	<10	<5	358	<10	<10	<5	<0.01	0.09	8	8.6	<1
RE5537821		0.025	<1	3.4	<10	<5	350	<10	<10	<5	<0.01	0.07	9	7.8	<1
RE5537822		0.016	<1	2.7	<10	<5	338	<10	<10	<5	<0.01	0.03	5	2.9	<1
RE5239767		0.011	<1	2.7	<10	<5	18.3	<10	<10	10	<0.01	0.04	7	8.8	<1
RE5239768		0.007	<1	1.8	<10	<5	9.7	<10	<10	7	<0.01	0.04	<5	6.4	<1
RE5239769		0.086	<1	4.3	<10	<5	10.8	<10	<10	9	0.01	0.06	6	8.2	<1
RE5239770		<0.005	<1	5.1	<10	<5	33.0	11	<10	14	<0.01	0.10	12	13.6	<1
RE5239771		0.029	2	0.6	<10	<5	443	<10	<10	<5	<0.01	<0.01	17	<0.5	<1
RE5239772		0.010	<1	<0.5	<10	<5	358	<10	<10	<5	<0.01	<0.01	17	2.4	<1
RE5239773		<0.005	<1	<0.5	<10	<5	515	<10	<10	<5	<0.01	<0.01	19	<0.5	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635007

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Rock

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	TI	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
RE5239774	0.007	<1	<0.5	<10	<5	388	<10	<10	<5	<0.01	<0.01	18	<0.5	<1
RE5239775	0.005	2	<0.5	<10	<5	127	<10	<10	<5	<0.01	<0.01	11	2.3	<1
RE5239776	<0.005	<1	<0.5	<10	<5	85.6	<10	<10	<5	<0.01	<0.01	10	6.4	<1
RE5239777	0.009	<1	0.9	<10	<5	940	<10	<10	<5	<0.01	<0.01	23	<0.5	<1
RE5239778	0.018	<1	2.4	<10	<5	28.5	15	<10	14	<0.01	0.04	14	28.2	<1
RE5239779	<0.005	<1	6.0	<10	<5	236	<10	<10	<5	<0.01	0.02	<5	22.5	<1
RE5239780	0.006	2	<0.5	<10	<5	17.0	<10	<10	<5	<0.01	0.04	<5	2.9	<1
RE5239781	0.021	<1	3.0	<10	<5	39.8	<10	<10	6	<0.01	0.03	7	15.4	<1
RE5239782	0.026	<1	1.1	<10	<5	18.1	<10	<10	6	<0.01	0.03	<5	3.1	<1
RE5239783	<0.005	<1	3.6	<10	<5	9.1	<10	<10	9	<0.01	0.07	6	14.3	<1
RE5239784	0.223	<1	<0.5	<10	<5	96.4	<10	<10	7	<0.01	0.09	6	10.8	<1
RE5239785	0.006	<1	4.8	<10	<5	19.0	<10	<10	5	<0.01	0.07	<5	10.3	<1
RE5239786	1.23	4	4.0	<10	<5	29.0	<10	<10	11	0.01	0.13	<5	43.5	<1
RE5239787	0.007	<1	2.8	<10	<5	16.7	<10	<10	8	<0.01	0.08	<5	21.9	<1
RE5239788	<0.005	<1	1.9	<10	<5	14.0	<10	<10	<5	<0.01	0.08	<5	15.2	<1
RE5239789	0.023	1	1.5	<10	<5	9.0	<10	<10	10	<0.01	0.03	7	9.2	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635007

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
RE5536304		51	128	<5
RE5536305		7	94.7	6
RE5536306		10	39.1	11
RE5536307		2	21.4	6
RE5536308		9	8.1	<5
RE5536309		5	28.2	10
RE5536296		6	74.3	7
RE5536297		2	18.5	<5
RE5536298		5	9.8	<5
RE5536299		18	43.0	6
RE5536300		3	62.4	<5
RE5536301	NRC	NRC	NRC	NRC
RE5536302		12	66.0	7
RE5536303		11	20.1	<5
RE5536281		5	47.8	6
RE5240337		1	16.5	<5
RE5240338		1	28.4	<5
RE5240339		4	30.7	<5
RE5240340		<1	31.5	<5
RE5240341		<1	5.7	<5
RE5240342		<1	7.6	<5
RE5240343		1	13.2	<5
RE5240344		3	41.7	<5
RE5240345		4	102	<5
RE5240346		2	34.9	<5
RE5240347		3	67.5	<5
RE5240348		3	79.8	<5
RE5240349		2	20.5	12
RE5240350		<1	11.5	<5
RE5240351		7	61.1	<5
RE5535777		5	28.8	<5
RE5535778		<1	17.0	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635007

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
RE5535779		7	16.4	7
RE5535780		10	52.7	9
RE5535781		11	24.4	5
RE5535782		1	3.1	<5
RE5535783		14	84.8	9
RE5535784		1	20.8	6
RE5535489		6	134	6
RE5535490		12	61.3	7
RE5535491		7	15.1	<5
RE5535492		3	4.8	<5
RE5535493		3	7.9	<5
RE5535494		14	70.4	8
RE5537810		<1	12.7	<5
RE5537811		4	9.9	<5
RE5537812		2	25.8	9
RE5537813		5	71.9	14
RE5537814		11	70.9	23
RE5537815		10	68.6	22
RE5537816		12	58.8	10
RE5537817		4	36.3	13
RE5537818		9	55.0	11
RE5537819		14	21.4	6
RE5537820		10	41.8	6
RE5537821		9	35.2	10
RE5537822		13	19.7	8
RE5239767		4	99.9	8
RE5239768		4	61.4	9
RE5239769		5	91.7	8
RE5239770		5	107	6
RE5239771		4	16.2	<5
RE5239772		3	16.7	<5
RE5239773		2	18.0	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635007

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
RE5239774		3	2.4	<5
RE5239775		2	50.2	<5
RE5239776		1	5.0	<5
RE5239777		4	4.5	<5
RE5239778		6	139	6
RE5239779		3	182	<5
RE5239780		2	42.3	<5
RE5239781		5	52.3	7
RE5239782		7	52.2	6
RE5239783		7	139	7
RE5239784		2	112	10
RE5239785		6	68.6	6
RE5239786		6	81.1	9
RE5239787		9	119	8
RE5239788		6	72.7	5
RE5239789		3	97.2	<5

Comments: RDL - Reported Detection Limit

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635007

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
RE5536304		0.41	0.002
RE5536305		0.87	0.001
RE5536306		0.79	<0.001
RE5536307		0.84	0.001
RE5536308		1.40	0.001
RE5536309		1.45	<0.001
RE5536296		0.67	<0.001
RE5536297		1.05	0.002
RE5536298		1.16	0.003
RE5536299		0.49	<0.001
RE5536300		0.96	0.001
RE5536301		NRC	NRC
RE5536302		0.67	0.001
RE5536303		1.07	<0.001
RE5536281		0.73	0.004
RE5240337		2.10	0.469
RE5240338		1.14	0.464
RE5240339		1.01	0.005
RE5240340		1.39	0.036
RE5240341		1.21	0.532
RE5240342		1.01	0.085
RE5240343		1.26	0.164
RE5240344		1.17	0.006
RE5240345		0.71	0.002
RE5240346		1.15	0.050
RE5240347		0.83	0.002
RE5240348		0.98	0.002
RE5240349		0.12	0.232
RE5240350		0.44	0.001
RE5240351		1.79	0.001
RE5535777		1.16	0.001

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635007

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
RE5535778		1.03	0.001
RE5535779		1.48	0.001
RE5535780		0.91	<0.001
RE5535781		1.03	<0.001
RE5535782		1.62	0.001
RE5535783		0.82	0.001
RE5535784		1.26	0.002
RE5535489		0.96	0.004
RE5535490		0.60	<0.001
RE5535491		0.71	<0.001
RE5535492		0.72	<0.001
RE5535493		0.90	<0.001
RE5535494		0.62	0.001
RE5537810		1.16	<0.001
RE5537811		1.11	0.007
RE5537812		0.57	0.009
RE5537813		0.96	0.009
RE5537814		0.73	0.012
RE5537815		1.28	0.007
RE5537816		0.66	0.003
RE5537817		0.34	0.013
RE5537818		0.69	<0.001
RE5537819		0.55	<0.001
RE5537820		0.38	0.006
RE5537821		0.25	0.002
RE5537822		0.31	<0.001
RE5239767		0.75	0.002
RE5239768		0.95	0.001
RE5239769		0.76	0.002
RE5239770		0.66	0.002
RE5239771		0.80	0.005

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635007

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 05, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
RE5239772		0.81	0.001
RE5239773		0.79	0.003
RE5239774		0.59	<0.001
RE5239775		0.64	<0.001
RE5239776		0.68	<0.001
RE5239777		0.77	<0.001
RE5239778		0.77	<0.001
RE5239779		0.53	0.004
RE5239780		0.61	<0.001
RE5239781		0.95	<0.001
RE5239782		0.57	<0.001
RE5239783		0.58	<0.001
RE5239784		0.83	0.002
RE5239785		0.66	<0.001
RE5239786		0.58	0.008
RE5239787		0.63	0.001
RE5239788		0.52	<0.001
RE5239789		0.87	<0.001

Comments: RDL - Reported Detection Limit

Certified By:

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y635007

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis											
RPT Date: Sep 05, 2012			REPLICATE			Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3649791	< 0.001	< 0.001	0.0%	< 0.001	0.248	0.263	94%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3649730	0.002	< 0.001		< 0.001	0.265	0.263	101%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3649741	0.002	0.002	0.0%	< 0.001	1.6	1.52	106%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3649754	0.003	< 0.001		< 0.001	1.56	1.52	103%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3649766	0.001	< 0.001		< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3649779	0.003	0.003	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3649791	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)											
Ag	1	3649716	7.1	6.8	4.3%	< 0.2	14.9	14.0	106%	80%	120%
Al	1	3649716	2.91	3.15	7.9%	0.04				80%	120%
As	1	3649716	18	17	5.7%	< 1				80%	120%
B	1	3649716	6	6	0.0%	< 5				80%	120%
Ba	1	3649716	71	76	6.8%	< 1				80%	120%
Be	1	3649716	2.61	2.68	2.6%	< 0.5	0.4	0.4	98%	80%	120%
Bi	1		4	5	22.2%	2				80%	120%
Ca	1	3649716	20.1	22.3	10.4%	0.03				80%	120%
Cd	1	3649716	4.61	4.44	3.8%	< 0.5				80%	120%
Ce	1	3649716	26	26	0.0%	< 1				80%	120%
Co	1	3649716	87.6	89.1	1.7%	< 0.5				80%	120%
Cr	1	3649716	9.04	9.80	8.1%	< 0.5				80%	120%
Cu	1		45.0	42.2	6.4%	< 0.5	5973	6000	99%	80%	120%
Fe	1	3649716	0.581	0.648	10.9%	< 0.01				80%	120%
Ga	1	3649716	< 5	< 5	0.0%	< 5				80%	120%
Hg	1	3649716	< 1	< 1	0.0%	< 1				80%	120%
In	1		2	< 1		< 1				80%	120%
K	1	3649716	0.05	0.05	0.0%	< 0.01				80%	120%
La	1	3649716	8	9	11.8%	< 1				80%	120%
Li	1	3649716	15	16	6.5%	< 1				80%	120%
Mg	1	3649716	0.44	0.47	6.6%	0.02				80%	120%
Mn	1	3649716	5030	5080	1.0%	1				80%	120%
Mo	1	3649716	2.2	2.9	27.5%	< 0.5	329	360	91%	80%	120%
Na	1	3649716	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Ni	1	3649716	71.4	72.1	1.0%	< 0.5				80%	120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y635007

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Sep 05, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				Acceptable Limits	
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery		Lower	Upper
P	1	3649716	300	296	1.3%	< 10	623	600	104%		80%	120%
Pb	1		38.4	36.5	5.1%	0.7					80%	120%
Rb	1	3649716	11	12	8.7%	< 10	11	13	87%		80%	120%
S	1	3649716	1.85	1.88	1.6%	< 0.005					80%	120%
Sb	1		5	5	0.0%	< 1					80%	120%
Sc	1	3649716	1.32	1.36	3.0%	< 0.5					80%	120%
Se	1	3649716	< 10	< 10	0.0%	< 10					80%	120%
Sn	1	3649716	< 5	< 5	0.0%	< 5					80%	120%
Sr	1	3649716	865	938	8.1%	< 1					80%	120%
Ta	1	3649716	< 10	< 10	0.0%	< 10					80%	120%
Te	1	3649716	< 10	< 10	0.0%	< 10					80%	120%
Th	1	3649716	< 5	< 5	0.0%	< 5					80%	120%
Ti	1	3649716	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
Tl	1	3649716	0.02	0.02	0.0%	< 0.01					80%	120%
U	1	3649716	11	14	24.0%	< 5					80%	120%
V	1	3649716	< 0.5	< 0.5	0.0%	< 0.5					80%	120%
W	1	3649716	< 1	< 1	0.0%	< 1					80%	120%
Y	1	3649716	51	52	1.9%	< 1	7	7	97%		80%	120%
Zn	1	3649716	128	131	2.3%	< 0.5					80%	120%
Zr	1	3649716	< 5	< 5	0.0%	< 5					80%	120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)												
Ag	1	3649735	< 0.2	< 0.2	0.0%	< 0.2	15.2	14.0	108%		80%	120%
Al	1	3649735	0.15	0.16	6.5%	< 0.01					80%	120%
As	1	3649735	193	184	4.8%	< 1					80%	120%
B	1	3649735	< 5	< 5	0.0%	< 5					80%	120%
Ba	1	3649735	32	32	0.0%	1					80%	120%
Be	1	3649735	< 0.5	< 0.5	0.0%	< 0.5	0.4	0.4	103%		80%	120%
Bi	1	3649735	< 1	< 1	0.0%	< 1					80%	120%
Ca	1	3649735	0.08	0.05		< 0.01					80%	120%
Cd	1	3649735	3.9	4.0	2.5%	< 0.5					80%	120%
Ce	1	3649735	2	3		< 1					80%	120%
Co	1	3649735	1.5	1.2	22.2%	< 0.5					80%	120%
Cr	1	3649735	64.6	77.0	17.5%	< 0.5					80%	120%
Cu	1	3649735	32.2	4.7		< 0.5	5785	6000	96%		80%	120%
Fe	1	3649735	0.74	0.70	5.6%	0.02					80%	120%
Ga	1	3649735	< 5	< 5	0.0%	< 5					80%	120%
Hg	1	3649735	< 1	< 1	0.0%	< 1					80%	120%
In	1	3649735	< 1	< 1	0.0%	< 1					80%	120%
K	1	3649735	0.08	0.09	11.8%	< 0.01					80%	120%
La	1	3649735	1	2		< 1					80%	120%
Li	1	3649735	< 1	< 1	0.0%	< 1					80%	120%
Mg	1	3649735	< 0.01	< 0.01	0.0%	< 1					80%	120%
Mn	1	3649735	39	39	0.0%	< 1					80%	120%
Mo	1	3649735	4.1	3.0		< 0.5	354	360	98%		80%	120%
Na	1	3649735	0.01	0.01	0.0%	< 0.01					80%	120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y635007

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Sep 05, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ni	1	3649735	2.3	2.4	4.3%	< 0.5				80% 120%
P	1	3649735	20	20	0.0%	< 10	621	600	103%	80% 120%
Pb	1	3649735	22.9	25.6	11.1%	< 0.5	11	13	84%	80% 120%
Rb	1	3649735	< 10	< 10	0.0%	< 10				80% 120%
S	1	3649735	0.0604	0.0617	2.1%	< 0.005				80% 120%
Sb	1	3649735	1	1	0.0%	< 1				80% 120%
Sc	1	3649735	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Se	1	3649735	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3649735	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3649735	9.37	9.25	1.3%	< 1				80% 120%
Ta	1	3649735	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3649735	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3649735	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3649735	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3649735	0.03	0.03	0.0%	< 0.01				80% 120%
U	1	3649735	< 5	< 5	0.0%	< 5				80% 120%
V	1	3649735	1.2	1.5	22.2%	< 0.5				80% 120%
W	1	3649735	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3649735	< 1	< 1	0.0%	< 1	7	7	96%	80% 120%
Zn	1	3649735	5.7	5.7	0.0%	< 0.5				80% 120%
Zr	1	3649735	< 5	< 5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1	3649741	< 0.2	< 0.2	0.0%	< 0.2	14.9	14.0	106%	80% 120%
Al	1	3649741	0.62	0.71	13.5%	< 0.01				80% 120%
As	1	3649741	18	18	0.0%	< 1				80% 120%
B	1	3649741	5	6	18.2%	< 5				80% 120%
Ba	1	3649741	149	174	15.5%	< 1				80% 120%
Be	1	3649741	< 0.5	< 0.5	0.0%	< 0.5	0.4	0.4	94%	80% 120%
Bi	1	3649741	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3649741	0.024	0.029	18.9%	< 0.01				80% 120%
Cd	1	3649741	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3649741	13	15	14.3%	< 1				80% 120%
Co	1	3649741	4.73	5.02	5.9%	< 0.5				80% 120%
Cr	1	3649741	41.9	42.5	1.4%	< 0.5				80% 120%
Cu	1	3649741	1.5	2.0	28.6%	0.6	5816	6000	96%	80% 120%
Fe	1	3649741	3.24	3.52	8.3%	< 0.01				80% 120%
Ga	1	3649741	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3649741	< 1	< 1	0.0%	< 1				80% 120%
In	1	3649741	< 1	< 1	0.0%	< 1				80% 120%
K	1	3649741	0.064	0.073	13.1%	< 0.01				80% 120%
La	1	3649741	6	7	15.4%	< 1				80% 120%
Li	1	3649741	5	6	18.2%	< 1				80% 120%
Mg	1	3649741	0.03	0.03	0.0%	< 0.01				80% 120%
Mn	1	3649741	944	1020	7.7%	< 1				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y635007

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Sep 05, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Mo	1	3649741	6.54	7.37	11.9%	< 0.5	356	360	98%	80%	120%
Na	1	3649741	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Ni	1	3649741	10.1	10.9	7.6%	< 0.5				80%	120%
P	1	3649741	95	107	11.9%	< 10	621	600	103%	80%	120%
Pb	1	3649741	13.1	13.3	1.5%	< 0.5				80%	120%
Rb	1	3649741	< 10	< 10	0.0%	< 10	13	13	100%	80%	120%
S	1	3649741	0.0073	0.0077	5.3%	< 0.005				80%	120%
Sb	1	3649741	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	3649741	2.75	3.08	11.3%	< 0.5				80%	120%
Se	1	3649741	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	3649741	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	3649741	35.7	41.5	15.0%	< 1				80%	120%
Ta	1	3649741	< 10	< 10	0.0%	< 10				80%	120%
Te	1	3649741	< 10	< 10	0.0%	< 10				80%	120%
Th	1	3649741	9	10	10.5%	< 5				80%	120%
Ti	1	3649741	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Tl	1	3649741	0.13	0.12	8.0%	< 0.01				80%	120%
U	1	3649741	< 5	< 5	0.0%	< 5				80%	120%
V	1	3649741	16.6	18.1	8.6%	< 0.5				80%	120%
W	1	3649741	< 1	< 1	0.0%	< 1				80%	120%
Y	1	3649741	3	3	0.0%	< 1	7	7	93%	80%	120%
Zn	1	3649741	67.5	73.6	8.6%	< 0.5				80%	120%
Zr	1	3649741	5	5	0.0%	< 5				80%	120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)											
Ag	1	3649766	4.6	4.5	2.2%	< 0.2	14.6	14.0	104%	80%	120%
Al	1	3649766	0.759	0.741	2.4%	< 0.01				80%	120%
As	1	3649766	47	50	6.2%	< 1				80%	120%
B	1	3649766	24	23	4.3%	< 5				80%	120%
Ba	1	3649766	96	95	1.0%	< 1				80%	120%
Be	1	3649766	1.3	1.3	0.0%	< 0.5				80%	120%
Bi	1	3649766	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	3649766	12.2	12.0	1.7%	< 0.01				80%	120%
Cd	1	3649766	1.64	1.67	1.8%	< 0.5				80%	120%
Ce	1	3649766	13	13	0.0%	< 1				80%	120%
Co	1	3649766	10.3	10.0	3.0%	< 0.5				80%	120%
Cr	1	3649766	11.6	11.4	1.7%	< 0.5				80%	120%
Cu	1	3649766	25.7	25.1	2.4%	< 0.5	5794	6000	96%	80%	120%
Fe	1	3649766	2.43	2.39	1.7%	< 0.01				80%	120%
Ga	1	3649766	< 5	< 5	0.0%	< 5				80%	120%
Hg	1	3649766	< 1	< 1	0.0%	< 1				80%	120%
In	1	3649766	< 1	< 1	0.0%	< 1				80%	120%
K	1	3649766	0.276	0.267	3.3%	< 0.01				80%	120%
La	1	3649766	5	5	0.0%	< 1				80%	120%
Li	1	3649766	7	7	0.0%	< 1				80%	120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y635007

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Sep 05, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Mg	1	3649766	0.573	0.514	10.9%	< 0.01				80% 120%
Mn	1	3649766	535	521	2.7%	< 1				80% 120%
Mo	1	3649766	1.33	1.48	10.7%	< 0.5	338	360	93%	80% 120%
Na	1	3649766	0.01	0.01	0.0%	< 0.01				80% 120%
Ni	1	3649766	22.4	22.0	1.8%	< 0.5				80% 120%
P	1	3649766	596	572	4.1%	< 10	606	600	101%	80% 120%
Pb	1	3649766	20.8	20.1	3.4%	< 0.5				80% 120%
Rb	1	3649766	34	32	6.1%	< 10				80% 120%
S	1	3649766	0.183	0.173	5.6%	< 0.005				80% 120%
Sb	1	3649766	9	9	0.0%	< 1				80% 120%
Sc	1	3649766	5.45	5.21	4.5%	< 0.5				80% 120%
Se	1	3649766	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3649766	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3649766	515	506	1.8%	< 0.5				80% 120%
Ta	1	3649766	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3649766	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3649766	6	6	0.0%	< 5				80% 120%
Ti	1	3649766	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3649766	0.45	0.43	4.5%	< 0.01				80% 120%
U	1	3649766	11	11	0.0%	< 5				80% 120%
V	1	3649766	8.1	7.2	11.8%	< 0.5				80% 120%
W	1	3649766	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3649766	12	12	0.0%	< 1				80% 120%
Zn	1	3649766	58.8	58.0	1.4%	< 0.5				80% 120%
Zr	1	3649766	10	9	10.5%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1	3649791	< 0.2	< 0.2	0.0%	< 0.2	14.6	14.0	104%	80% 120%
Al	1	3649791	1.21	1.27	4.8%	< 0.01				80% 120%
As	1	3649791	2	2	0.0%	< 1				80% 120%
B	1	3649791	9	10	10.5%	< 5				80% 120%
Ba	1	3649791	151	154	2.0%	< 1				80% 120%
Be	1	3649791	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	3649791	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3649791	0.204	0.215	5.3%	< 0.01				80% 120%
Cd	1	3649791	1.77	1.69	4.6%	< 0.5				80% 120%
Ce	1	3649791	4	5	22.2%	< 1				80% 120%
Co	1	3649791	9.7	10.0	3.0%	< 0.5				80% 120%
Cr	1	3649791	45.8	46.1	0.7%	< 0.5				80% 120%
Cu	1	3649791	15.3	15.9	3.8%	< 0.5	5678	6000	94%	80% 120%
Fe	1	3649791	2.73	2.82	3.2%	< 0.01				80% 120%
Ga	1	3649791	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3649791	< 1	< 1	0.0%	< 1				80% 120%
In	1	3649791	< 1	< 1	0.0%	< 1				80% 120%
K	1	3649791	0.164	0.172	4.8%	< 0.01				80% 120%
La	1	3649791	1	1	0.0%	< 1				80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y635007

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Sep 05, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Li	1	3649791	25	27	7.7%	< 1				80% 120%
Mg	1	3649791	0.41	0.43	4.8%	< 0.01				80% 120%
Mn	1	3649791	2250	2330	3.5%	< 1				80% 120%
Mo	1	3649791	1.1	0.7		< 0.5	365	360	101%	80% 120%
Na	1	3649791	0.03	0.03	0.0%	< 0.01				80% 120%
Ni	1	3649791	28.6	28.9	1.0%	< 0.5				80% 120%
P	1	3649791	325	317	2.5%	< 10				80% 120%
Pb	1	3649791	5.1	6.1	17.9%	< 0.5				80% 120%
Rb	1	3649791	14	14	0.0%	< 10				80% 120%
S	1	3649791	0.006	0.006	0.0%	< 0.005				80% 120%
Sb	1	3649791	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	3649791	4.84	5.00	3.3%	< 0.5				80% 120%
Se	1	3649791	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3649791	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3649791	19.0	15.8	18.4%	< 0.5				80% 120%
Ta	1	3649791	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3649791	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3649791	5	5	0.0%	< 5				80% 120%
Ti	1	3649791	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3649791	0.07	0.07	0.0%	< 0.01				80% 120%
U	1	3649791	< 5	< 5	0.0%	< 5				80% 120%
V	1	3649791	10.3	10.3	0.0%	< 0.5				80% 120%
W	1	3649791	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3649791	6	7	15.4%	< 1				80% 120%
Zn	1	3649791	68.6	69.5	1.3%	< 0.5				80% 120%
Zr	1	3649791	6	6	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1					< 0.2	14.3	14.0	102%	80% 120%
Be	1					< 0.5	0.3	0.4	84%	80% 120%
Cu	1					< 0.5	5626	6000	93%	80% 120%
Mo	1					< 0.5	334	360	92%	80% 120%
P	1					< 10	642	600	107%	80% 120%
Y	1					< 1	6	7	80%	80% 120%

Certified By:

Method Summary

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y635007

PROJECT NO:

ATTENTION TO: Yinghua Chen

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
B	MIN-200-12020		ICP/OES
Ba	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
In	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP/OES
Li	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr	MIN-200-12020		ICP/OES
Ta	MIN-200-12020		ICP/OES
Te	MIN-200-12020		ICP/OES
Th	MIN-200-12020		ICP/OES
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP-MS
U	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP/OES
Y	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Zr	MIN-200-12020		ICP/OES
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES