

CLIENT NAME: ANTHILL RESOURCES (YUKON)
1090-999 WEST HASTINGS STREET
Vancouver, BC V6C2W2
(604) 569-3892

ATTENTION TO: Yinghua Chen

PROJECT NO:

AGAT WORK ORDER: 12Y635081

SOLID ANALYSIS REVIEWED BY: Kevin Motomura, ICP Supervisor

DATE REPORTED: Sep 18, 2012

PAGES (INCLUDING COVER): 18

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

***NOTES**



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635081

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 18, 2012

SAMPLE TYPE: Drill Core

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
E5530910	1.4	0.07	50	<5	23	<0.5	<1	3.86	<0.5	4	2.7	54.5	6.9	0.90
E5530911	1.8	0.11	114	<5	6	<0.5	<1	5.59	<0.5	4	1.8	23.9	5.8	0.97
E5530912	2.6	0.12	55	<5	10	<0.5	<1	7.21	<0.5	8	3.8	46.8	7.7	1.15
E5530913	1.2	1.53	1280	7	30	2.2	<1	5.28	0.6	20	43.5	26.1	52.4	2.94
E5530914	1.4	0.09	171	<5	6	<0.5	<1	4.70	<0.5	5	4.5	47.7	4.2	0.80
E5530915	1.1	0.20	647	<5	7	<0.5	<1	3.64	<0.5	4	8.8	24.3	9.7	1.04
E5530916	1.1	0.20	299	<5	8	<0.5	<1	3.65	<0.5	7	8.4	43.3	11.6	1.28
E5530917	2.9	0.44	216	10	27	<0.5	<1	10.9	<0.5	8	5.9	8.2	7.4	0.97
E5530918	3.7	0.13	809	6	13	<0.5	<1	14.0	<0.5	7	3.8	24.0	4.3	0.82
E5530919	4.2	0.09	331	<5	7	<0.5	<1	17.0	<0.5	5	1.9	5.7	1.9	0.47
E5530920	4.4	0.19	347	7	14	<0.5	<1	19.1	<0.5	4	1.5	6.3	2.1	0.63
E5530921	4.0	0.16	325	6	10	<0.5	<1	15.8	<0.5	2	1.3	4.3	1.8	0.60
E5530922	4.2	0.19	215	6	11	<0.5	<1	17.7	<0.5	3	1.3	7.1	2.5	0.50
E5530923	3.9	0.17	481	<5	15	<0.5	<1	17.3	<0.5	4	1.1	3.4	1.9	0.35
E5530924	3.4	0.04	527	<5	5	<0.5	<1	12.9	<0.5	<1	<0.5	10.8	0.5	0.17
E5530925	3.9	0.17	2220	<5	13	<0.5	<1	14.6	<0.5	3	1.3	4.3	2.3	0.33
E5530926	3.8	0.04	1830	<5	40	<0.5	<1	14.6	<0.5	<1	1.0	8.7	<0.5	0.35
E5530927	3.8	0.03	272	<5	8	<0.5	<1	15.7	<0.5	<1	0.5	1.3	3.0	0.14
E5530928	8.8	0.26	2740	8	1080	<0.5	<1	15.8	<0.5	2	1.5	11.8	13.1	0.78
E5530929	4.5	0.04	313	<5	9	<0.5	<1	18.3	<0.5	<1	<0.5	2.2	0.6	0.25
E5530930	4.4	0.03	93	<5	13	<0.5	<1	18.3	<0.5	<1	<0.5	8.4	0.6	0.13
E5530931	4.3	0.03	143	<5	4	<0.5	<1	18.6	<0.5	<1	<0.5	1.7	<0.5	0.21
E5530932	4.0	0.02	115	<5	4	<0.5	<1	16.3	<0.5	<1	<0.5	6.4	<0.5	0.11
E5530933	4.3	0.02	69	<5	3	<0.5	<1	16.8	<0.5	<1	<0.5	2.7	<0.5	0.13
E5530934	4.4	0.03	325	<5	4	<0.5	<1	18.6	<0.5	<1	<0.5	5.3	0.5	0.33
E5530935	4.6	0.04	156	<5	6	<0.5	<1	18.6	<0.5	<1	<0.5	1.0	0.9	0.20
E5530936	4.6	0.03	229	<5	5	<0.5	<1	18.6	<0.5	<1	<0.5	2.9	<0.5	0.19
E5530937	4.2	0.03	226	<5	8	<0.5	<1	18.0	<0.5	<1	<0.5	1.1	<0.5	0.21
E5530938	4.5	0.08	390	<5	10	<0.5	<1	19.8	<0.5	<1	0.6	3.3	2.5	0.45
E5530939	4.2	0.08	199	<5	9	<0.5	<1	18.4	<0.5	1	0.8	2.4	2.2	0.38
E5530940	4.4	0.15	487	5	18	<0.5	<1	17.3	<0.5	2	1.4	4.0	4.0	0.58
E5530941	4.1	0.05	164	<5	10	<0.5	<1	17.3	<0.5	<1	<0.5	2.3	0.6	0.35

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635081

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 18, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
E5530942		4.3	0.06	259	<5	6	<0.5	<1	18.0	<0.5	1	<0.5	3.2	0.9	0.37
E5530943		4.5	0.06	173	<5	5	<0.5	<1	18.0	<0.5	<1	0.6	1.8	1.7	0.35
E5530944		4.6	0.07	354	<5	7	<0.5	<1	18.8	<0.5	1	<0.5	2.8	1.6	0.46
E5530945		4.6	0.06	454	<5	6	<0.5	<1	18.9	<0.5	<1	<0.5	2.2	4.5	0.44
E5530946		4.4	0.04	242	<5	4	<0.5	<1	19.5	<0.5	<1	<0.5	2.6	0.8	0.46
E5530947		4.6	0.04	239	<5	4	<0.5	<1	18.7	<0.5	<1	<0.5	0.9	<0.5	0.45
E5530948		0.6	0.17	456	<5	1010	<0.5	<1	1.03	0.9	2	5.8	16.1	33.1	2.87
E5530949		4.6	0.02	<1	<5	23	<0.5	<1	19.8	<0.5	<1	0.5	0.9	1.0	0.38
E5530950		4.3	0.05	207	<5	5	<0.5	<1	18.8	<0.5	<1	<0.5	1.4	0.8	0.36
E5530951		4.2	0.03	>10000	8	5	<0.5	10	16.9	<0.5	<1	<0.5	0.8	<0.5	2.12
E5530952		4.6	0.03	1250	<5	13	<0.5	<1	19.0	<0.5	<1	<0.5	4.8	0.5	0.45
E5530953		4.2	0.08	507	<5	9	<0.5	<1	18.4	<0.5	1	0.8	3.5	2.6	0.65
E5530954		3.4	0.24	1100	10	22	<0.5	<1	16.5	<0.5	4	3.8	5.1	11.3	1.38
E5530955		4.4	0.06	300	<5	58	<0.5	<1	18.2	<0.5	2	<0.5	3.4	1.4	0.75

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y635081

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012		DATE RECEIVED: Aug 27, 2012						DATE REPORTED: Sep 18, 2012				SAMPLE TYPE: Drill Core			
	Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
	Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
E5530910		<5	<1	<1	0.03	1	<1	1.98	290	1.9	<0.01	4.1	240	1.1	<10
E5530911		<5	<1	<1	0.02	2	<1	3.08	333	1.5	<0.01	3.3	377	<0.5	<10
E5530912		<5	<1	<1	0.04	3	<1	3.88	441	1.4	<0.01	6.4	335	4.9	<10
E5530913		5	2	<1	0.10	4	3	2.21	418	<0.5	<0.01	82.6	3430	28.1	10
E5530914		<5	2	<1	0.04	2	<1	2.63	279	1.8	<0.01	6.9	278	1.1	<10
E5530915		<5	6	<1	0.03	1	<1	1.88	224	2.0	<0.01	11.7	394	3.1	<10
E5530916		<5	<1	<1	0.06	2	1	1.98	232	1.4	<0.01	12.1	322	4.4	<10
E5530917		<5	<1	<1	0.24	4	3	6.85	484	<0.5	0.01	7.2	222	7.5	25
E5530918		5	<1	<1	0.05	4	1	9.18	555	0.8	0.01	4.4	400	18.5	<10
E5530919		<5	<1	<1	0.03	4	1	11.2	562	0.7	0.02	2.5	363	6.1	<10
E5530920		6	<1	<1	0.06	4	1	12.9	749	<0.5	0.02	2.6	464	7.6	<10
E5530921		<5	<1	<1	0.06	3	1	10.5	607	<0.5	0.01	2.1	327	98.6	<10
E5530922		<5	1	<1	0.06	4	1	11.8	569	<0.5	0.02	2.1	372	7.3	<10
E5530923		<5	1	<1	0.05	4	1	11.4	450	<0.5	0.02	1.9	249	7.0	<10
E5530924		<5	<1	<1	0.01	2	<1	8.42	216	0.5	<0.01	0.8	100	2.9	<10
E5530925		<5	10	<1	0.05	3	1	9.72	334	0.6	0.01	1.4	238	5.4	<10
E5530926		<5	41	<1	<0.01	2	<1	9.75	420	0.6	<0.01	0.9	85	4.3	<10
E5530927		<5	<1	<1	<0.01	2	<1	10.7	202	<0.5	<0.01	<0.5	86	2.2	<10
E5530928		<5	59	1	0.14	3	2	10.8	466	4.1	<0.01	4.7	128	5.5	16
E5530929		<5	6	<1	<0.01	2	<1	12.8	364	<0.5	<0.01	0.5	132	2.5	<10
E5530930		<5	<1	<1	<0.01	2	<1	12.7	210	<0.5	0.01	<0.5	117	2.5	<10
E5530931		<5	5	<1	<0.01	2	<1	12.5	307	<0.5	0.01	<0.5	130	2.2	<10
E5530932		<5	<1	<1	<0.01	2	<1	11.3	186	0.6	0.01	<0.5	91	2.0	<10
E5530933		<5	<1	<1	<0.01	2	<1	11.6	270	<0.5	<0.01	<0.5	102	1.9	<10
E5530934		<5	<1	<1	<0.01	2	<1	12.6	498	<0.5	0.01	0.6	99	3.5	<10
E5530935		<5	1	<1	<0.01	3	<1	12.8	311	<0.5	0.01	0.8	226	3.9	<10
E5530936		<5	<1	<1	<0.01	2	<1	12.7	330	<0.5	0.01	<0.5	167	2.1	<10
E5530937		<5	<1	<1	<0.01	2	<1	12.2	338	<0.5	<0.01	0.5	156	4.0	<10
E5530938		<5	3	<1	0.01	3	<1	13.0	679	0.6	0.01	1.7	409	12.3	<10
E5530939		<5	2	<1	0.02	3	<1	12.4	702	0.5	0.02	1.1	325	18.3	<10
E5530940		<5	3	<1	0.05	3	1	11.8	680	<0.5	0.01	2.7	391	14.0	<10
E5530941		<5	<1	<1	0.01	3	<1	11.8	601	0.7	0.01	<0.5	182	4.3	<10

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635081

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012		DATE RECEIVED: Aug 27, 2012				DATE REPORTED: Sep 18, 2012				SAMPLE TYPE: Drill Core					
Sample Description	Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
	Unit: RDL:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
E5530942		<5	3	<1	0.01	3	<1	12.2	619	<0.5	0.01	0.9	459	4.6	<10
E5530943		6	<1	<1	0.01	2	<1	12.1	522	<0.5	0.01	1.3	316	7.0	<10
E5530944		5	2	<1	0.01	3	<1	12.6	668	0.5	0.01	1.3	434	7.1	<10
E5530945		<5	2	<1	0.01	3	<1	12.6	594	<0.5	0.01	1.2	331	6.9	<10
E5530946		<5	<1	<1	<0.01	3	<1	13.0	741	<0.5	0.01	0.6	255	5.8	<10
E5530947		<5	<1	<1	<0.01	2	<1	12.6	732	<0.5	0.01	0.6	266	5.9	<10
E5530948		<5	2	1	0.06	1	2	0.03	45	14.3	0.01	10.5	52	12.3	<10
E5530949		<5	<1	<1	<0.01	2	<1	13.2	217	<0.5	<0.01	1.4	176	2.6	<10
E5530950		<5	<1	<1	<0.01	3	<1	12.8	635	<0.5	0.01	1.1	245	5.4	<10
E5530951		<5	23	<1	<0.01	2	<1	11.8	725	<0.5	0.01	<0.5	249	123	<10
E5530952		5	5	<1	<0.01	2	<1	12.7	690	<0.5	0.01	0.7	235	7.4	<10
E5530953		<5	1	<1	0.02	3	1	12.1	767	<0.5	0.01	1.8	346	7.7	<10
E5530954		5	5	<1	0.10	3	1	10.7	969	<0.5	0.01	7.5	960	34.0	<10
E5530955		<5	3	<1	0.01	3	<1	12.0	1040	<0.5	<0.01	1.4	556	16.9	<10

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635081

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012		DATE RECEIVED: Aug 27, 2012					DATE REPORTED: Sep 18, 2012					SAMPLE TYPE: Drill Core			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
E5530910		0.017	<1	<0.5	<10	<5	4.5	<10	<10	<5	<0.01	0.03	<5	<0.5	<1
E5530911		0.028	1	<0.5	<10	<5	7.5	<10	<10	<5	<0.01	0.04	<5	<0.5	<1
E5530912		0.213	2	<0.5	<10	<5	12.2	<10	<10	<5	<0.01	0.19	5	1.0	<1
E5530913		0.119	9	7.7	<10	<5	26.0	<10	<10	<5	<0.01	0.24	<5	26.2	<1
E5530914		0.048	2	0.6	<10	<5	9.0	<10	<10	<5	<0.01	0.13	<5	<0.5	<1
E5530915		0.072	3	1.3	<10	<5	11.6	<10	<10	<5	<0.01	0.26	<5	1.1	<1
E5530916		0.340	<1	1.2	<10	<5	9.8	<10	<10	<5	<0.01	0.12	<5	1.1	<1
E5530917		0.110	2	1.7	<10	<5	20.3	<10	<10	<5	<0.01	0.31	6	6.4	<1
E5530918		0.122	6	0.6	<10	<5	30.4	<10	<10	<5	<0.01	0.15	7	6.3	<1
E5530919		0.025	4	<0.5	<10	<5	27.3	<10	<10	<5	<0.01	0.17	10	6.8	<1
E5530920		0.019	2	0.7	<10	<5	37.6	<10	<10	<5	<0.01	0.55	11	11.2	<1
E5530921		0.018	8	<0.5	<10	<5	37.5	<10	<10	<5	<0.01	0.24	10	8.2	<1
E5530922		0.015	3	<0.5	<10	<5	44.3	<10	<10	<5	<0.01	0.33	9	9.8	<1
E5530923		0.009	3	<0.5	<10	<5	51.9	<10	<10	<5	<0.01	0.40	9	8.2	<1
E5530924		<0.005	4	<0.5	<10	<5	23.5	<10	<10	<5	<0.01	0.27	8	3.8	<1
E5530925		0.015	11	<0.5	<10	<5	35.4	<10	<10	<5	<0.01	1.08	6	6.5	<1
E5530926		0.010	15	<0.5	<10	<5	22.1	<10	<10	<5	<0.01	0.92	9	5.0	<1
E5530927		<0.005	2	<0.5	<10	<5	16.1	<10	<10	<5	<0.01	0.15	9	5.4	<1
E5530928		0.033	13	<0.5	<10	<5	22.6	<10	<10	<5	<0.01	1.61	10	8.6	15
E5530929		<0.005	6	<0.5	<10	<5	24.8	<10	<10	<5	<0.01	0.27	11	7.9	<1
E5530930		<0.005	1	<0.5	<10	<5	19.0	<10	<10	<5	<0.01	0.14	10	7.5	<1
E5530931		0.006	1	<0.5	<10	<5	16.7	<10	<10	<5	<0.01	0.14	11	7.3	<1
E5530932		<0.005	1	<0.5	<10	<5	11.1	<10	<10	<5	<0.01	0.12	8	5.9	<1
E5530933		0.005	1	<0.5	<10	<5	10.7	<10	<10	<5	<0.01	0.05	11	6.4	<1
E5530934		0.008	3	<0.5	<10	<5	14.9	<10	<10	<5	<0.01	0.14	10	7.4	<1
E5530935		0.008	3	<0.5	<10	<5	26.5	<10	<10	<5	<0.01	0.17	11	7.9	<1
E5530936		<0.005	2	<0.5	<10	<5	20.1	<10	<10	<5	<0.01	0.12	10	7.5	<1
E5530937		<0.005	3	<0.5	<10	<5	27.8	<10	<10	<5	<0.01	0.16	10	7.2	<1
E5530938		0.007	7	<0.5	<10	<5	39.3	<10	<10	<5	<0.01	0.41	11	9.0	<1
E5530939		0.013	6	<0.5	<10	<5	31.3	<10	<10	<5	<0.01	0.46	11	8.8	<1
E5530940		0.009	7	0.7	<10	<5	43.9	<10	<10	<5	<0.01	0.81	10	9.0	<1
E5530941		0.007	<1	<0.5	<10	<5	20.7	<10	<10	<5	<0.01	0.16	9	7.1	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635081

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012		DATE RECEIVED: Aug 27, 2012					DATE REPORTED: Sep 18, 2012					SAMPLE TYPE: Drill Core			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
E5530942		0.010	3	<0.5	<10	<5	26.6	<10	<10	<5	<0.01	0.17	10	8.3	<1
E5530943		0.012	3	<0.5	<10	<5	26.2	<10	<10	<5	<0.01	0.16	9	8.0	<1
E5530944		0.014	6	<0.5	<10	<5	28.4	<10	<10	<5	<0.01	0.26	11	9.3	<1
E5530945		0.010	8	<0.5	<10	<5	26.6	<10	<10	<5	<0.01	0.33	10	8.4	<1
E5530946		0.012	5	<0.5	<10	<5	20.1	<10	<10	<5	<0.01	0.17	12	8.4	<1
E5530947		0.011	4	<0.5	<10	<5	17.8	<10	<10	<5	<0.01	0.16	11	7.4	<1
E5530948		0.145	26	<0.5	<10	<5	26.4	<10	<10	<5	0.01	13.3	<5	8.9	35
E5530949		0.008	<1	<0.5	<10	<5	29.8	<10	<10	<5	<0.01	0.04	11	8.4	<1
E5530950		0.008	8	<0.5	<10	<5	26.6	<10	<10	<5	<0.01	0.17	11	8.8	<1
E5530951		0.491	58	<0.5	<10	<5	27.4	<10	<10	<5	<0.01	3.20	13	7.4	<1
E5530952		0.024	5	<0.5	<10	<5	24.1	<10	<10	<5	<0.01	0.41	11	8.2	<1
E5530953		0.017	10	<0.5	<10	<5	27.3	<10	<10	<5	<0.01	0.39	11	8.2	<1
E5530954		0.025	21	1.8	<10	<5	37.5	<10	<10	<5	<0.01	0.91	11	9.8	<1
E5530955		0.019	8	<0.5	<10	<5	25.5	<10	<10	<5	<0.01	0.31	11	7.7	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635081

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 18, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
E5530910		4	<0.5	<5
E5530911		4	<0.5	<5
E5530912		5	0.8	<5
E5530913		36	31.7	<5
E5530914		4	<0.5	<5
E5530915		5	0.8	<5
E5530916		5	1.5	<5
E5530917		4	1.7	<5
E5530918		5	1.4	<5
E5530919		3	3.7	<5
E5530920		3	4.1	<5
E5530921		2	12.0	<5
E5530922		3	9.4	<5
E5530923		3	3.3	<5
E5530924		<1	1.7	<5
E5530925		2	4.1	<5
E5530926		1	9.6	<5
E5530927		1	5.2	<5
E5530928		3	40.5	<5
E5530929		1	4.1	<5
E5530930		<1	1.4	<5
E5530931		1	1.8	<5
E5530932		<1	1.6	<5
E5530933		<1	5.1	<5
E5530934		1	13.6	<5
E5530935		1	17.5	<5
E5530936		1	6.4	<5
E5530937		1	8.6	<5
E5530938		3	43.6	<5
E5530939		2	18.1	<5
E5530940		3	34.2	<5
E5530941		1	1.2	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635081

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 18, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
E5530942		2	6.3	<5
E5530943		2	13.8	<5
E5530944		2	71.3	<5
E5530945		2	28.6	<5
E5530946		2	13.1	<5
E5530947		2	11.1	<5
E5530948		2	16.2	14
E5530949		<1	13.1	<5
E5530950		2	23.4	<5
E5530951		2	5.0	<5
E5530952		2	20.4	<5
E5530953		3	38.9	<5
E5530954		5	66.2	6
E5530955		3	73.4	<5

Comments: RDL - Reported Detection Limit

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635081

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 18, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
E5530910		2.25	0.002
E5530911		2.99	0.003
E5530912		1.38	<0.001
E5530913		0.57	<0.001
E5530914		2.80	<0.001
E5530915		2.34	0.008
E5530916		1.11	<0.001
E5530917		1.13	<0.001
E5530918		2.51	<0.001
E5530919		3.55	0.002
E5530920		2.73	0.001
E5530921		4.65	0.001
E5530922		2.26	0.005
E5530923		3.74	0.011
E5530924		1.31	0.006
E5530925		3.39	0.037
E5530926		3.72	0.079
E5530927		1.05	0.003
E5530928		0.52	0.043
E5530929		2.94	0.008
E5530930		5.18	<0.001
E5530931		4.10	<0.001
E5530932		4.25	<0.001
E5530933		3.52	0.002
E5530934		3.93	0.022
E5530935		4.91	0.007
E5530936		3.20	0.004
E5530937		2.89	0.009
E5530938		2.23	0.034
E5530939		2.97	0.032
E5530940		3.34	0.049

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635081

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 18, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
E5530941		2.23	0.006
E5530942		3.69	0.015
E5530943		2.56	0.011
E5530944		4.83	0.043
E5530945		4.35	0.032
E5530946		2.48	0.018
E5530947		1.19	0.011
E5530948		0.11	0.211
E5530949		1.17	<0.001
E5530950		3.31	0.021
E5530951		3.14	0.225
E5530952		3.04	0.048
E5530953		4.08	0.268
E5530954		0.95	0.638
E5530955		4.66	0.123

Comments: RDL - Reported Detection Limit

Certified By:

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y635081

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis											
RPT Date: Sep 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3650529	0.002	< 0.001		< 0.001	1.41	1.52	93%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3650541	0.001	< 0.001		< 0.001	0.276	0.263	105%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3650555	0.007	0.007	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3650566	0.018	0.018	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3650575	0.123	0.123	0.0%	< 0.001				90%	110%
Aqua Regia Digest - Metals Package, ICP-OES (Low Ti) (201073)											
Ag	1	3650529	1.36	1.25	8.4%	< 0.2	13.3	14.0	95%	80%	120%
Al	1	3650529	0.065	0.061	6.3%	< 0.01				80%	120%
As	1	3650529	50	44	12.8%	1				80%	120%
B	1	3650529	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3650529	23	19	19.0%	< 1				80%	120%
Be	1	3650529	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Bi	1	3650529	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	3650529	3.86	3.74	3.2%	< 0.01				80%	120%
Cd	1	3650529	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	3650529	4	4	0.0%	< 1				80%	120%
Co	1	3650529	2.67	2.40	10.7%	< 0.5				80%	120%
Cr	1	3650529	54.5	51.9	4.9%	< 0.5				80%	120%
Cu	1	3650529	6.9	5.8	17.3%	< 0.5	5981	6000	99%	80%	120%
Fe	1	3650529	0.899	0.871	3.2%	< 0.01				80%	120%
Ga	1	3650529	< 5	< 5	0.0%	< 5				80%	120%
Hg	1	3650529	< 1	< 1	0.0%	< 1				80%	120%
In	1	3650529	< 1	1		< 1				80%	120%
K	1	3650529	0.025	0.024	4.1%	< 0.01				80%	120%
La	1	3650529	1	1	0.0%	< 1				80%	120%
Li	1	3650529	< 1	< 1	0.0%	< 1				80%	120%
Mg	1	3650529	1.98	1.92	3.1%	< 0.01				80%	120%
Mn	1	3650529	290	273	6.0%	< 1				80%	120%
Mo	1	3650529	1.9	1.7	11.1%	< 0.5	324	360	90%	80%	120%
Na	1	3650529	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Ni	1	3650529	4.12	3.75	9.4%	< 0.5				80%	120%
P	1	3650529	240	222	7.8%	< 10	676	600	113%	80%	120%
Pb	1	3650529	1.14	1.15	0.9%	< 0.5				80%	120%
Rb	1	3650529	< 10	< 10	0.0%	< 10				80%	120%
S	1	3650529	0.0166	0.0145	13.5%	< 0.005				80%	120%
Sb	1	3650529	< 1	< 1	0.0%	< 1				80%	120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y635081

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Sep 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Sc	1	3650529	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Se	1	3650529	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3650529	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3650529	4.5	6.3		< 0.5				80% 120%
Ta	1	3650529	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3650529	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3650529	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3650529	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3650529	0.03	0.03	0.0%	< 0.01				80% 120%
U	1	3650529	< 5	< 5	0.0%	< 5				80% 120%
V	1	3650529	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
W	1	3650529	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3650529	4	3	28.6%	< 1				80% 120%
Zn	1	3650529	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Zr	1	3650529	< 5	< 5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1	3650541	4.0	4.0	0.0%	< 0.2	14.3	14.0	102%	80% 120%
Al	1	3650541	0.16	0.16	0.0%	< 0.01				80% 120%
As	1	3650541	325	326	0.3%	< 1				80% 120%
B	1	3650541	6	6	0.0%	< 5				80% 120%
Ba	1	3650541	10	11	9.5%	< 1				80% 120%
Be	1	3650541	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	3650541	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3650541	15.8	15.8	0.0%	< 0.01				80% 120%
Cd	1	3650541	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3650541	2	2	0.0%	< 1				80% 120%
Co	1	3650541	1.3	1.3	0.0%	< 0.5				80% 120%
Cr	1	3650541	4.3	4.4	2.3%	< 0.5				80% 120%
Cu	1	3650541	1.83	1.91	4.3%	< 0.5	6161	6000	102%	80% 120%
Fe	1	3650541	0.600	0.609	1.5%	< 0.01				80% 120%
Ga	1	3650541	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3650541	< 1	1		< 1				80% 120%
In	1	3650541	< 1	< 1	0.0%	< 1				80% 120%
K	1	3650541	0.055	0.053	3.7%	< 0.01				80% 120%
La	1	3650541	3	3	0.0%	< 1				80% 120%
Li	1	3650541	1	1	0.0%	< 1				80% 120%
Mg	1	3650541	10.5	10.4	1.0%	< 0.01				80% 120%
Mn	1	3650541	607	618	1.8%	< 1				80% 120%
Mo	1	3650541	< 0.5	< 0.5	0.0%	< 0.5	336	360	93%	80% 120%
Na	1	3650541	0.01	0.01	0.0%	< 0.01				80% 120%
Ni	1	3650541	2.09	2.25	7.4%	< 0.5				80% 120%
P	1	3650541	327	329	0.6%	< 10	689	600	115%	80% 120%
Pb	1	3650541	98.6	97.6	1.0%	< 0.5				80% 120%
Rb	1	3650541	< 10	< 10	0.0%	< 10				80% 120%
S	1	3650541	0.018	0.018	0.0%	< 0.005				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y635081

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Sep 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Sb	1	3650541	8	6	28.6%	< 1				80% 120%
Sc	1	3650541	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Se	1	3650541	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3650541	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3650541	37.5	37.6	0.3%	< 0.5				80% 120%
Ta	1	3650541	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3650541	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3650541	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3650541	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3650541	0.24	0.24	0.0%	< 0.01				80% 120%
U	1	3650541	10	10	0.0%	< 5				80% 120%
V	1	3650541	8.18	8.11	0.9%	< 0.5				80% 120%
W	1	3650541	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3650541	2	2	0.0%	< 1	6	7	89%	80% 120%
Zn	1	3650541	12.0	12.4	3.3%	< 0.5				80% 120%
Zr	1	3650541	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Ti) (201073)										
Ag	1	3650555	4.61	4.71	2.1%	< 0.2	13.3	14.0	95%	80% 120%
Al	1	3650555	0.045	0.047	4.3%	< 0.01				80% 120%
As	1	3650555	156	163	4.4%	< 1				80% 120%
B	1	3650555	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3650555	6	6	0.0%	< 1				80% 120%
Be	1	3650555	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	3650555	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3650555	18.6	18.8	1.1%	< 0.01				80% 120%
Cd	1	3650555	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3650555	< 1	< 1	0.0%	< 1				80% 120%
Co	1	3650555	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Cr	1	3650555	1.0	1.1	9.5%	< 0.5				80% 120%
Cu	1	3650555	0.9	0.9	0.0%	< 0.5	5877	6000	97%	80% 120%
Fe	1	3650555	0.202	0.205	1.5%	< 0.01				80% 120%
Ga	1	3650555	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3650555	1	1	0.0%	< 1				80% 120%
In	1	3650555	< 1	< 1	0.0%	< 1				80% 120%
K	1	3650555	< 0.01	0.01		< 0.01				80% 120%
La	1	3650555	3	3	0.0%	< 1				80% 120%
Li	1	3650555	< 1	< 1	0.0%	< 1				80% 120%
Mg	1	3650555	12.8	12.9	0.8%	< 0.01				80% 120%
Mn	1	3650555	311	316	1.6%	< 1				80% 120%
Mo	1	3650555	< 0.5	0.5		< 0.5	309	360	85%	80% 120%
Na	1	3650555	0.01	0.01	0.0%	< 0.01				80% 120%
Ni	1	3650555	0.8	0.8	0.0%	< 0.5				80% 120%
P	1	3650555	226	223	1.3%	< 10	645	600	107%	80% 120%
Pb	1	3650555	3.9	3.9	0.0%	< 0.5				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y635081

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Sep 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Rb	1	3650555	< 10	< 10	0.0%	< 10				80% 120%
S	1	3650555	0.008	0.008	0.0%	< 0.005				80% 120%
Sb	1	3650555	3	5		< 1				80% 120%
Sc	1	3650555	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Se	1	3650555	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3650555	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3650555	26.5	27.4	3.3%	< 0.5				80% 120%
Ta	1	3650555	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3650555	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3650555	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3650555	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3650555	0.17	0.17	0.0%	< 0.01				80% 120%
U	1	3650555	11	9	20.0%	< 5				80% 120%
V	1	3650555	7.9	8.4	6.1%	< 0.5				80% 120%
W	1	3650555	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3650555	1	1	0.0%	< 1				80% 120%
Zn	1	3650555	17.5	17.7	1.1%	< 0.5				80% 120%
Zr	1	3650555	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1	3650566	4.4	4.5	2.2%	< 0.2				80% 120%
Al	1	3650566	0.04	0.04	0.0%	< 0.01				80% 120%
As	1	3650566	242	226	6.8%	< 1				80% 120%
B	1	3650566	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3650566	4	4	0.0%	< 1				80% 120%
Be	1	3650566	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	3650566	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3650566	19.5	18.5	5.3%	< 0.01				80% 120%
Cd	1	3650566	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3650566	< 1	< 1	0.0%	< 1				80% 120%
Co	1	3650566	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Cr	1	3650566	2.6	2.6	0.0%	< 0.5				80% 120%
Cu	1	3650566	0.8	0.6	28.6%	< 0.5				80% 120%
Fe	1	3650566	0.46	0.43	6.7%	< 0.01				80% 120%
Ga	1	3650566	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3650566	< 1	1		< 1				80% 120%
In	1	3650566	< 1	< 1	0.0%	< 1				80% 120%
K	1	3650566	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
La	1	3650566	3	2		< 1				80% 120%
Li	1	3650566	< 1	< 1	0.0%	< 1				80% 120%
Mg	1	3650566	13.0	12.2	6.3%	< 0.01				80% 120%
Mn	1	3650566	741	695	6.4%	< 1				80% 120%
Mo	1	3650566	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Na	1	3650566	0.01	0.01	0.0%	< 0.01				80% 120%
Ni	1	3650566	0.56	0.53	5.5%	< 0.5				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y635081

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Sep 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
P	1	3650566	255	247	3.2%	< 10				80% 120%
Pb	1	3650566	5.8	5.1	12.8%	< 0.5				80% 120%
Rb	1	3650566	< 10	< 10	0.0%	< 10				80% 120%
S	1	3650566	0.012	0.012	0.0%	< 0.005				80% 120%
Sb	1	3650566	5	4	22.2%	< 1				80% 120%
Sc	1	3650566	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Se	1	3650566	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3650566	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3650566	20.1	19.9	1.0%	< 0.5				80% 120%
Ta	1	3650566	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3650566	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3650566	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3650566	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3650566	0.168	0.155	8.0%	< 0.01				80% 120%
U	1	3650566	12	11	8.7%	< 5				80% 120%
V	1	3650566	8.4	6.8	21.1%	< 0.5				80% 120%
W	1	3650566	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3650566	2	2	0.0%	< 1				80% 120%
Zn	1	3650566	13.1	12.1	7.9%	< 0.5				80% 120%
Zr	1	3650566	< 5	< 5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1	3650575	4.4	4.7	6.6%	< 0.2				80% 120%
Al	1	3650575	0.061	0.066	7.9%	< 0.01				80% 120%
As	1	3650575	300	320	6.5%	< 1				80% 120%
B	1	3650575	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3650575	58	59	1.7%	< 1				80% 120%
Be	1	3650575	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	3650575	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3650575	18.2	18.4	1.1%	< 0.01				80% 120%
Cd	1	3650575	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3650575	2	2	0.0%	< 1				80% 120%
Co	1	3650575	< 0.5	0.5		< 0.5				80% 120%
Cr	1	3650575	3.43	3.14	8.8%	< 0.5				80% 120%
Cu	1	3650575	1.4	< 0.5		< 0.5				80% 120%
Fe	1	3650575	0.751	0.795	5.7%	< 0.01				80% 120%
Ga	1	3650575	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3650575	3	3	0.0%	< 1				80% 120%
In	1	3650575	< 1	< 1	0.0%	< 1				80% 120%
K	1	3650575	0.014	0.015	6.9%	< 0.01				80% 120%
La	1	3650575	3	3	0.0%	< 1				80% 120%
Li	1	3650575	< 1	< 1	0.0%	< 1				80% 120%
Mg	1	3650575	12.0	12.7	5.7%	< 0.01				80% 120%
Mn	1	3650575	1040	1110	6.5%	< 1				80% 120%
Mo	1	3650575	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Na	1	3650575	< 0.01	< 0.01	0.0%	< 0.01				80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y635081

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Sep 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ni	1	3650575	1.4	1.3	7.4%	< 0.5				80% 120%
P	1	3650575	556	592	6.3%	< 10				80% 120%
Pb	1	3650575	16.9	17.9	5.7%	< 0.5				80% 120%
Rb	1	3650575	< 10	< 10	0.0%	< 10				80% 120%
S	1	3650575	0.0190	0.0199	4.6%	< 0.005				80% 120%
Sb	1	3650575	8	9	11.8%	< 1				80% 120%
Sc	1	3650575	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Se	1	3650575	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3650575	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3650575	25.5	25.5	0.0%	< 0.5				80% 120%
Ta	1	3650575	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3650575	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3650575	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3650575	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3650575	0.31	0.33	6.3%	< 0.01				80% 120%
U	1	3650575	11	11	0.0%	< 5				80% 120%
V	1	3650575	7.73	8.49	9.4%	< 0.5				80% 120%
W	1	3650575	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3650575	3	3	0.0%	< 1				80% 120%
Zn	1	3650575	73.4	77.1	4.9%	< 0.5				80% 120%
Zr	1	3650575	< 5	< 5	0.0%	< 5				80% 120%

Certified By:

Method Summary

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y635081

PROJECT NO:

ATTENTION TO: Yinghua Chen

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
B	MIN-200-12020		ICP/OES
Ba	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
In	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP/OES
Li	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr	MIN-200-12020		ICP/OES
Ta	MIN-200-12020		ICP/OES
Te	MIN-200-12020		ICP/OES
Th	MIN-200-12020		ICP/OES
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP-MS
U	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP/OES
Y	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Zr	MIN-200-12020		ICP/OES
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES