

CLIENT NAME: ANTHILL RESOURCES (YUKON)
1090-999 WEST HASTINGS STREET
Vancouver, BC V6C2W2
(604) 569-3892

ATTENTION TO: Yinghua Chen

PROJECT NO:

AGAT WORK ORDER: 12Y635220

SOLID ANALYSIS REVIEWED BY: Kevin Motomura, ICP Supervisor

DATE REPORTED: Sep 20, 2012

PAGES (INCLUDING COVER): 76

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

***NOTES**



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
TE5538921	<0.2	1.37	24	<5	67	0.8	4	0.33	0.6	6	17.0	29.1	45.8	3.72
TE5538922	<0.2	1.29	20	<5	99	1.2	1	0.36	0.5	7	16.1	24.3	35.4	2.70
TE5538923	<0.2	1.28	20	<5	70	1.1	4	0.15	0.7	7	23.4	25.3	41.1	4.08
TE5538924	<0.2	1.21	20	<5	102	1.1	4	0.49	0.6	6	12.8	19.4	37.9	2.89
TE5538925	<0.2	1.12	19	<5	62	1.1	6	0.09	0.8	5	28.5	24.2	41.4	4.94
TE5538926	<0.2	1.44	10	<5	65	1.1	3	0.09	0.8	5	26.0	23.8	53.6	4.47
TE5538927	<0.2	1.17	16	<5	65	1.0	<1	0.16	0.6	4	21.9	22.1	37.8	4.19
TE5538928	<0.2	1.22	20	<5	62	0.9	2	0.17	0.6	5	19.8	20.4	34.3	3.90
TE5538929	<0.2	1.17	21	<5	71	1.0	2	0.14	0.7	5	22.7	22.2	37.4	4.34
TE5538930	<0.2	1.24	15	<5	69	1.0	3	0.18	0.7	6	20.2	20.6	35.3	3.83
TE5538931	0.2	0.98	27	<5	161	1.1	3	0.20	0.7	9	25.3	19.8	46.7	3.86
TE5538932	<0.2	1.33	20	<5	124	1.0	1	0.11	0.7	11	38.3	22.7	47.1	4.33
TE5538933	<0.2	1.52	20	6	646	1.5	1	0.35	0.8	5	19.5	32.1	43.0	4.83
TE5538934	<0.2	1.63	24	6	619	1.4	<1	0.79	1.0	6	13.5	25.0	32.3	3.99
TE5538935	<0.2	0.95	21	<5	249	1.2	2	0.40	0.7	10	16.1	20.6	32.0	3.68
TE5538936	<0.2	1.00	22	6	237	1.0	4	0.46	<0.5	11	13.3	19.8	32.4	3.21
TE5538937	<0.2	1.03	21	6	223	1.0	<1	0.59	0.6	12	16.2	22.5	34.1	3.40
TE5538938	<0.2	1.00	25	<5	187	1.0	2	0.50	0.5	11	15.7	22.4	29.5	3.41
TE5538939	<0.2	0.99	29	<5	185	1.0	2	0.52	0.6	11	16.0	21.0	30.1	3.52
TE5538940	<0.2	0.97	22	<5	156	1.0	<1	0.40	0.5	14	13.8	20.0	28.7	3.15
TE5538941	<0.2	0.98	20	<5	166	1.0	<1	0.44	<0.5	15	13.7	20.0	28.0	3.07
TE5538942	<0.2	0.95	26	6	186	1.0	5	0.60	0.5	14	13.9	19.3	33.2	3.01
TE5538943	<0.2	0.96	21	<5	151	0.9	2	0.42	0.5	14	13.5	19.4	26.0	3.07
TE5538944	<0.2	1.02	30	6	180	1.0	1	0.47	0.7	14	15.0	21.0	33.7	3.17
TE5538945	<0.2	0.94	25	<5	147	1.0	<1	0.32	0.6	14	15.5	20.7	27.0	3.22
TE5538946	<0.2	0.92	22	<5	147	0.9	2	0.33	<0.5	14	13.6	19.4	26.7	3.05
TE5538947	<0.2	0.93	21	<5	143	0.9	1	0.34	<0.5	14	13.3	20.7	28.7	3.14
TE5538948	<0.2	0.90	22	<5	165	0.9	<1	0.35	0.6	14	13.9	21.4	25.7	3.14
TE5538949	0.4	0.17	481	<5	2810	<0.5	<1	0.99	0.8	<1	6.8	16.3	33.6	2.84
TE5538950	<0.2	0.06	31	<5	37	<0.5	<1	19.7	<0.5	10	1.8	2.1	2.6	0.42
TE5538951	<0.2	0.92	22	5	161	0.9	<1	0.44	0.6	13	13.7	19.1	27.4	3.13
TE5538952	<0.2	0.87	25	5	130	0.9	5	0.28	0.5	16	12.3	19.7	21.7	2.80

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
TE5538953	<0.2	0.78	17	<5	115	0.8	1	0.26	<0.5	11	11.6	17.8	19.9	2.63
TE5538954	<0.2	0.83	20	<5	124	0.8	5	0.29	<0.5	13	11.9	18.3	21.5	2.76
TE5538955	<0.2	0.84	19	<5	108	0.8	<1	0.23	<0.5	13	12.6	18.8	20.6	2.99
TE5538956	<0.2	0.90	25	<5	171	1.0	<1	0.44	0.6	13	14.1	25.9	33.4	3.29
TE5538957	<0.2	0.89	26	<5	229	0.9	<1	0.40	0.6	13	11.5	25.6	24.8	2.95
TE5538958	<0.2	1.23	24	8	368	1.4	4	0.69	0.8	11	10.2	23.4	34.5	3.03
TE5538959	<0.2	0.72	17	<5	184	0.7	<1	0.29	<0.5	10	9.5	24.9	19.2	2.45
TE5538960	0.2	0.48	31	<5	40	0.7	2	0.37	0.5	12	14.2	8.3	28.3	2.88
TE5538961	<0.2	0.45	25	<5	30	0.6	<1	0.58	0.6	11	13.5	8.7	31.1	3.26
TE5538962	<0.2	0.55	26	<5	35	0.7	<1	0.40	0.7	9	14.1	9.7	32.2	3.20
TE5538963	<0.2	0.43	24	<5	28	0.6	4	0.35	0.5	10	13.4	8.6	30.5	3.21
TE5538964	<0.2	0.49	25	<5	35	0.6	<1	0.48	0.6	9	12.5	9.8	29.4	2.99
TE5538965	<0.2	0.56	24	<5	38	0.7	<1	0.66	0.5	11	12.3	9.1	32.9	3.04
TE5538966	<0.2	1.50	21	<5	60	0.8	2	0.28	0.7	8	18.7	24.1	37.7	3.85
TE5538967	<0.2	1.30	23	<5	63	0.9	<1	0.32	0.5	7	16.9	20.2	44.3	3.28
TE5538968	<0.2	1.18	20	<5	58	0.8	<1	0.37	0.5	7	14.4	18.8	42.7	2.97
TE5538969	<0.2	1.18	16	<5	47	0.7	2	0.24	0.5	7	13.9	19.0	33.8	3.03
TE5538970	<0.2	0.78	22	<5	218	0.9	<1	0.39	0.7	17	13.8	23.7	30.9	3.19
TE5538971	<0.2	0.88	27	5	266	1.0	2	0.51	0.8	14	15.8	24.3	29.9	3.40
TE5538972	<0.2	0.72	27	5	298	1.0	4	1.29	0.9	14	18.8	22.4	38.3	3.89
TE5538973	<0.2	0.87	35	6	218	1.1	<1	0.77	0.7	12	15.6	23.0	32.1	3.60
TE5538974	<0.2	0.66	26	6	215	0.9	2	1.01	0.7	11	18.6	23.9	38.6	3.98
TE5538975	<0.2	0.72	29	<5	244	0.9	<1	1.04	0.6	13	18.7	23.8	37.5	4.39
TE5538976	<0.2	0.78	29	<5	182	1.0	2	0.46	0.6	16	17.2	26.8	36.8	3.44
TE5538977	<0.2	0.75	26	<5	239	1.0	2	0.84	0.5	12	18.0	22.8	40.4	3.91
TE5538978	<0.2	0.65	26	<5	199	0.8	<1	0.54	0.6	10	15.8	24.3	28.4	3.45
TE5538979	<0.2	0.54	27	<5	170	0.8	1	0.49	0.6	9	14.8	18.2	25.6	2.95
TE5538980	<0.2	0.72	27	6	244	1.0	2	0.59	0.7	12	18.0	23.6	32.7	3.92
TE5538981	<0.2	0.73	24	5	262	1.0	<1	0.44	0.7	13	17.7	23.8	30.9	3.86
TE5538982	<0.2	0.67	27	5	201	0.9	4	0.31	0.7	13	16.7	22.4	30.3	3.36
TE5538983	<0.2	0.74	28	7	269	1.0	3	0.43	0.8	12	18.9	27.9	36.5	3.89
TE5538984	<0.2	0.66	24	<5	248	1.0	1	0.36	0.7	10	17.9	22.9	31.7	3.85

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012		DATE RECEIVED: Aug 27, 2012						DATE REPORTED: Sep 20, 2012				SAMPLE TYPE: Soil			
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
TE5538985		<0.2	0.69	23	5	193	1.0	<1	0.39	0.6	17	14.7	29.9	25.1	3.37
TE5538986		<0.2	0.65	27	5	229	1.0	4	0.33	0.7	12	17.1	23.0	31.8	3.76
TE5538987		<0.2	0.65	25	<5	205	1.1	2	0.33	0.7	12	18.5	26.0	34.1	3.84
TE5509790		<0.2	0.62	25	6	234	1.4	<1	0.17	0.8	6	18.4	20.0	39.8	4.22
TE5509791		<0.2	0.63	29	5	233	1.4	2	0.19	0.7	6	18.0	20.7	38.8	4.15
TE5509792		<0.2	0.62	24	5	213	1.4	1	0.15	0.7	5	20.2	26.1	40.4	4.34
TE5509795		<0.2	0.72	28	<5	194	1.3	4	0.15	0.5	7	15.6	21.6	33.3	3.72
TE5509796		<0.2	0.75	32	<5	243	1.5	1	0.19	0.6	6	17.1	24.3	40.0	4.37
TE5509797		<0.2	0.77	28	<5	240	1.3	2	0.27	0.6	6	14.4	21.9	34.1	3.42
TE5509798		<0.2	0.79	26	5	209	1.3	<1	0.22	0.7	7	15.6	22.1	37.7	3.93
TE5509799		<0.2	0.70	28	<5	227	1.4	<1	0.12	0.7	5	16.3	23.2	38.5	4.21
TE5537454		<0.2	0.68	26	5	208	1.5	2	0.16	0.8	7	19.8	23.6	41.6	4.41
TE5537455		<0.2	0.67	34	6	195	1.4	4	0.19	0.8	7	17.6	20.6	41.2	4.15
TE5537456		<0.2	0.64	33	5	186	1.3	5	0.19	0.9	8	17.8	20.8	43.8	4.32
TE5537457		0.2	0.64	67	6	290	1.2	2	0.26	1.1	8	19.0	21.8	51.3	4.46
TE5537458		<0.2	0.71	124	6	250	1.3	<1	0.25	1.0	8	17.7	21.1	45.3	3.97
TE5537807		<0.2	0.73	34	7	236	1.6	2	0.12	1.0	9	19.6	22.9	44.9	3.99
TE5537808		<0.2	0.74	31	7	212	1.5	2	0.10	0.7	8	18.6	23.1	40.1	4.00
TE5537809		<0.2	0.82	28	6	207	1.5	3	0.11	0.7	9	18.2	23.7	40.6	4.05
TE5532204		<0.2	0.79	14	7	168	1.5	1	0.05	1.1	5	24.7	32.4	45.1	4.72
TE5532205		<0.2	0.72	24	7	259	1.8	2	0.06	1.1	7	26.0	28.2	52.9	4.70
TE5532206		<0.2	1.18	24	<5	351	1.8	<1	0.08	0.6	7	21.2	33.4	67.6	4.69
TE5532207		<0.2	0.59	30	6	209	1.6	1	0.08	0.9	8	22.4	23.3	50.7	4.41
TE5532208		<0.2	0.72	28	7	203	1.5	5	0.07	0.8	8	21.6	27.3	44.8	4.33
TE5532209		<0.2	0.76	28	6	229	1.6	2	0.09	0.8	10	21.2	22.8	46.8	4.22
SE5509102		<0.2	0.55	348	<5	120	1.2	2	0.06	0.9	24	26.7	8.7	41.2	4.97
SE5509103		<0.2	1.47	21	<5	125	1.9	<1	0.05	0.8	22	31.3	24.2	50.3	4.35
SE5509104		<0.2	0.45	35	<5	65	0.9	4	0.04	0.8	16	19.9	7.5	37.4	4.20
SE5509105		<0.2	0.44	46	<5	166	1.1	4	0.05	0.9	17	27.8	9.0	45.0	3.99
SE5509106		<0.2	0.78	8	<5	86	1.3	5	0.05	0.9	16	22.5	13.3	40.9	3.86
SE5509107		<0.2	0.62	22	<5	71	1.1	3	0.05	0.7	18	22.2	11.1	37.2	3.87
SE5509108		<0.2	0.54	15	<5	83	1.2	4	0.04	0.8	14	23.1	11.8	42.7	4.01

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012		DATE RECEIVED: Aug 27, 2012						DATE REPORTED: Sep 20, 2012				SAMPLE TYPE: Soil			
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
SE5509109		<0.2	0.44	23	<5	65	1.1	4	0.03	0.9	15	22.1	9.2	37.4	3.88
SE5509110		<0.2	0.32	50	<5	81	1.1	1	0.06	0.8	23	23.5	6.6	43.3	4.84
SE5509111		<0.2	0.40	22	<5	57	0.8	4	0.02	0.8	15	21.6	7.4	32.1	4.00
SE5509112		<0.2	0.88	31	<5	56	0.9	2	0.01	0.9	19	19.7	13.6	39.1	4.12
SE5509113		<0.2	0.27	42	<5	46	0.9	4	0.08	0.7	17	20.8	10.2	39.4	4.14
SE5509114		<0.2	0.39	30	<5	45	0.8	6	0.07	0.9	16	17.8	8.1	38.1	3.47
SE5509115		<0.2	0.37	43	<5	86	1.0	<1	0.05	0.7	23	23.5	6.5	42.7	3.88
SE5509116		<0.2	0.48	83	<5	71	1.2	6	0.06	1.0	22	23.4	8.9	47.6	4.21
SE5509117		<0.2	0.33	79	<5	128	1.1	2	0.05	0.9	18	26.2	7.5	49.8	4.77
SE5509118		<0.2	0.47	101	<5	103	1.1	<1	0.04	0.6	19	24.2	7.5	38.0	3.66
SE5509119		<0.2	0.31	142	<5	90	1.0	3	0.04	0.9	19	24.9	5.4	40.6	3.68
SE5509120		0.6	0.51	37	<5	76	0.9	3	0.02	0.7	19	22.1	7.8	35.4	2.87
SE5509121		<0.2	1.56	10	<5	39	0.8	3	0.03	0.9	17	15.6	25.7	37.0	3.97
SE5509122		<0.2	0.83	72	<5	161	1.4	5	0.05	1.0	24	35.9	13.3	50.3	4.53
SE5509123		<0.2	0.72	59	<5	170	1.4	3	0.04	1.0	15	34.6	12.2	65.3	5.64
SE5509124		<0.2	0.75	67	<5	88	1.2	4	0.04	0.9	14	33.9	11.3	53.8	4.65
SE5509125		<0.2	1.01	11	<5	66	0.9	5	0.04	0.8	21	19.3	16.2	42.8	3.43
SE5509126		<0.2	0.83	16	<5	87	1.0	1	0.04	0.7	20	25.9	15.6	38.0	3.96
SE5509127		<0.2	0.59	21	<5	61	1.0	2	0.03	0.7	15	21.2	11.8	37.8	3.56
TE5539249		0.5	0.17	453	<5	2950	<0.5	2	0.91	0.9	<1	6.2	15.6	32.9	2.64
TE5539250		<0.2	0.05	38	<5	40	<0.5	<1	18.0	<0.5	9	1.4	5.7	2.4	0.38
TE5539251		<0.2	1.25	25	<5	123	1.0	5	0.35	0.8	7	15.2	24.8	32.1	3.41
TE5539252		<0.2	1.70	21	<5	253	1.1	2	0.62	0.5	9	11.0	25.2	29.2	3.15
TE5539253		<0.2	1.23	20	<5	145	1.1	2	0.33	0.7	10	16.1	21.6	39.0	3.44
TE5539254		<0.2	1.42	23	6	154	1.0	1	0.40	0.8	11	15.1	26.1	28.3	3.26
TE5539255		<0.2	1.22	19	<5	196	1.0	2	0.42	0.7	11	14.1	24.3	32.7	3.36
TE5539256		<0.2	1.61	23	7	224	1.1	2	0.45	0.8	10	12.2	29.0	31.6	3.26
TE5539257		<0.2	1.34	20	5	161	1.1	6	0.50	0.8	11	16.2	24.4	38.6	3.48
TE5539258		0.5	1.24	52	<5	940	0.9	1	0.35	0.7	8	13.4	26.7	92.0	2.94
TE5539259		<0.2	1.12	18	<5	160	1.0	2	0.40	0.7	8	15.8	23.3	38.5	3.62
TE5539260		<0.2	1.48	24	5	180	1.0	3	0.36	0.9	15	14.4	26.4	31.0	3.31
TE5539261		<0.2	1.47	24	<5	181	1.2	2	0.47	0.9	11	17.4	28.6	40.3	3.94

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
TE5539262		<0.2	1.69	23	7	232	1.2	3	0.84	0.7	12	12.8	27.1	36.0	3.07
TE5539263		<0.2	1.31	22	6	187	1.1	1	0.42	0.9	14	16.0	25.4	35.8	3.48
TE5539264		<0.2	1.44	23	6	191	1.2	2	0.35	0.9	11	17.7	28.9	42.8	3.94
TE5539265		<0.2	1.65	19	<5	196	1.3	2	0.35	0.8	9	16.9	31.7	39.9	4.36
TE5539266		<0.2	1.31	22	<5	183	1.0	4	0.40	0.6	9	16.1	26.9	36.7	3.84
TE5539267		<0.2	1.51	22	6	194	1.2	4	0.43	0.9	12	18.6	31.3	37.7	4.13
TE5539268		<0.2	1.47	22	<5	568	1.1	<1	0.42	0.9	15	17.1	32.6	34.8	3.95
TE5539269		<0.2	1.23	22	<5	185	1.1	2	0.52	0.8	9	17.2	25.9	36.6	3.69
TE5539270		<0.2	1.45	19	6	170	1.2	6	0.34	1.0	9	18.8	30.2	35.6	3.94
TE5539271		<0.2	1.31	25	5	248	1.0	2	0.42	0.8	11	15.8	27.3	34.8	3.49
TE5539272		<0.2	1.26	14	6	173	1.1	5	0.35	1.0	13	16.5	25.8	35.8	3.44
TE5539273		<0.2	1.48	21	6	389	1.2	2	0.36	0.9	12	17.7	30.9	39.0	3.99
TE5539274		<0.2	1.34	19	<5	170	1.1	2	0.42	0.7	12	16.0	23.5	33.9	3.48
TE5539275		<0.2	1.29	26	<5	173	1.0	<1	0.39	0.6	11	15.3	23.9	31.9	3.43
TE5539276		<0.2	1.33	23	<5	173	1.1	<1	0.37	0.8	12	15.9	26.7	32.6	3.53
TE5539277		<0.2	1.42	22	<5	213	1.1	<1	0.36	0.7	14	15.4	25.7	30.8	3.50
TE5539278		<0.2	1.32	21	5	180	1.1	<1	0.40	0.7	13	15.7	23.6	34.1	3.42
TE5539279		<0.2	1.24	19	<5	197	1.0	<1	0.39	0.8	12	15.8	24.1	30.1	3.32
TE5539280		<0.2	1.41	20	<5	353	1.0	<1	0.32	0.7	11	15.7	28.8	33.8	3.74
TE5539281		<0.2	0.66	17	5	221	1.6	3	0.05	0.9	5	22.3	26.6	46.6	4.55
TE5539282		<0.2	0.78	25	<5	253	1.8	4	0.05	0.9	4	28.9	29.9	53.7	5.70
TE5539283		<0.2	0.72	20	7	222	1.8	3	0.07	1.1	4	24.0	30.4	52.6	5.24
TE5539284		<0.2	1.13	25	12	228	1.2	4	0.34	0.7	5	16.3	31.1	37.6	3.67
TE5539285		<0.2	0.85	24	7	207	1.5	4	0.09	0.9	5	19.3	28.8	42.1	4.33
TE5539286		<0.2	1.17	29	8	382	1.3	<1	0.59	0.6	7	9.5	22.9	29.0	2.52
TE5539287		<0.2	1.15	23	9	280	1.5	3	0.25	0.9	5	15.4	32.4	34.6	3.82
TE5539288		<0.2	1.01	26	9	357	1.4	2	0.73	0.7	4	8.9	22.5	28.9	2.28
TE5539289		<0.2	0.86	23	7	213	1.5	7	0.09	1.1	4	20.7	31.6	42.0	4.76
TE5539290		<0.2	1.07	21	6	368	1.4	<1	0.17	0.7	4	16.3	32.6	28.7	3.87
TE5539291		<0.2	1.09	15	6	265	1.3	4	0.24	0.8	6	13.4	28.9	28.4	3.39
TE5539292		<0.2	1.01	23	6	223	1.4	2	0.18	0.7	7	15.2	27.1	32.3	3.69
TE5539293		<0.2	1.01	23	5	221	1.4	2	0.19	0.8	7	16.6	27.3	34.3	3.86

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012		DATE RECEIVED: Aug 27, 2012					DATE REPORTED: Sep 20, 2012					SAMPLE TYPE: Soil			
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
TE5539294		<0.2	1.02	21	7	210	1.4	3	0.19	0.8	7	15.3	26.9	34.3	3.60
TE5539295		<0.2	0.90	16	6	188	1.3	<1	0.16	0.7	6	13.8	26.2	29.7	3.55
TE5539296		<0.2	1.21	29	6	231	1.4	2	0.31	0.9	12	15.9	23.4	37.0	3.56
TE5539297		<0.2	1.03	22	<5	218	1.4	4	0.19	1.0	8	16.3	27.9	37.5	3.94
TE5539298		<0.2	1.22	26	6	241	1.5	3	0.23	0.9	12	15.4	27.8	37.7	3.93
TE5539299		0.4	0.19	460	<5	1700	<0.5	1	0.95	1.0	<1	6.3	15.4	33.4	2.71
TE5539300		<0.2	0.06	40	<5	40	<0.5	<1	18.9	<0.5	11	1.5	2.0	2.4	0.39
TE5539301		<0.2	1.12	25	<5	216	1.5	3	0.18	0.9	9	17.3	29.3	39.0	4.34
TE5539302		0.3	1.15	25	<5	318	1.5	3	0.64	0.8	5	11.9	33.9	41.3	3.27
TE5539303		<0.2	1.14	24	<5	224	1.5	4	0.21	0.9	9	16.4	31.7	38.9	4.21
TE5539304		<0.2	1.22	26	6	276	1.6	<1	0.21	1.2	9	20.5	31.3	44.6	4.59
TE5539305		<0.2	1.27	22	6	246	1.5	3	0.24	0.8	10	17.2	31.7	38.5	3.91
TE5539306		<0.2	1.06	21	5	298	1.4	3	0.17	0.9	11	19.2	26.7	44.1	4.29
TE5539307		<0.2	1.14	23	<5	335	1.4	4	0.22	0.9	13	18.3	28.0	44.6	4.16
TE5539308		<0.2	0.83	21	<5	207	1.3	2	0.18	0.8	7	18.7	23.7	44.1	4.24
TE5539309		1.0	0.46	62	<5	137	1.2	3	0.38	2.0	14	17.4	13.0	91.8	4.04
TE5509360		0.6	0.66	51	7	168	1.1	<1	0.90	2.5	23	14.1	17.1	58.3	3.57
TE5509361		0.4	0.78	56	5	146	1.3	<1	0.33	1.7	34	20.6	15.2	67.2	4.95
TE5509362		0.3	0.91	48	6	241	1.1	4	0.79	2.1	27	17.7	16.3	61.3	4.44
TE5509363		0.3	0.90	54	6	184	1.2	3	0.62	2.0	21	17.4	17.9	66.6	4.26
TE5509364		<0.2	0.75	41	<5	226	1.6	7	0.13	1.5	11	25.0	18.8	60.3	5.44
TE5509365		<0.2	0.78	33	<5	245	1.6	7	0.16	1.5	11	24.8	19.1	60.1	5.72
TE5509366		0.4	1.27	34	<5	246	1.4	3	0.26	1.5	31	22.7	27.1	70.5	5.45
TE5509367		<0.2	0.78	33	<5	212	1.6	1	0.20	1.4	14	23.0	18.3	59.4	5.58
TE5509368		<0.2	0.82	35	<5	254	1.7	3	0.17	1.3	8	23.7	18.3	51.6	5.40
TE5509369		0.3	1.33	39	7	196	1.4	2	0.51	2.0	25	17.0	22.7	51.0	3.78
TE5509370		<0.2	0.92	34	<5	244	1.6	3	0.22	1.4	14	22.3	19.0	57.9	5.39
TE5509371		<0.2	1.32	33	<5	166	1.5	5	0.43	1.6	6	18.3	25.3	48.0	4.39
TE5509372		<0.2	0.82	32	5	202	1.4	5	0.28	1.4	12	19.9	18.2	51.1	4.77
TE5509373		0.2	0.79	34	<5	195	1.4	3	0.26	1.4	13	20.1	18.4	52.8	4.81
TE5509374		0.3	0.58	43	<5	255	1.4	1	0.28	1.7	5	20.9	15.9	61.4	4.93
TE5509375		<0.2	0.72	32	<5	204	1.5	4	0.24	1.3	11	21.1	17.6	54.0	5.24

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
TE5509376	<0.2	1.25	26	6	226	1.4	2	0.43	0.8	11	15.7	22.5	34.0	3.64
TE5509377	<0.2	0.89	33	<5	220	1.5	4	0.26	1.4	15	21.1	19.7	54.7	5.08
TE5539424	<0.2	1.02	24	<5	218	1.0	<1	0.61	0.7	13	13.2	20.6	31.9	3.18
TE5539425	<0.2	1.19	25	<5	251	1.0	2	0.59	0.9	12	13.7	24.0	26.5	3.55
TE5539426	<0.2	1.26	30	7	156	1.2	2	0.90	0.9	14	13.4	21.3	38.9	3.20
TE5539427	<0.2	1.01	29	5	229	1.1	3	0.61	1.1	12	18.2	24.7	39.2	4.19
TE5539428	<0.2	1.00	29	6	213	1.1	1	0.56	0.9	13	17.5	21.5	36.5	3.85
TE5539429	<0.2	1.02	31	5	229	1.1	<1	0.57	1.0	13	16.8	24.1	32.1	3.96
TE5539430	<0.2	0.89	27	6	260	1.0	<1	0.54	1.0	13	15.1	21.8	31.6	3.68
TE5539431	<0.2	1.08	23	<5	312	0.9	2	0.83	0.9	9	15.4	27.6	26.0	4.07
TE5539432	<0.2	0.97	32	6	198	1.1	3	0.59	1.1	13	19.8	21.9	40.4	3.99
TE5539433	<0.2	0.78	25	<5	210	0.9	<1	0.75	0.9	9	17.4	19.5	31.6	3.68
TE5539434	<0.2	0.73	25	<5	256	0.9	3	0.55	1.1	9	17.7	19.6	35.6	3.93
TE5539435	<0.2	0.86	27	<5	226	0.9	<1	1.04	1.0	10	18.9	19.7	36.4	4.14
TE5539436	<0.2	0.85	29	<5	252	0.9	<1	0.72	0.9	12	18.2	21.1	35.2	4.16
TE5539437	<0.2	0.95	31	7	325	1.0	2	1.06	1.1	12	20.0	25.7	37.4	4.54
TE5539438	<0.2	0.79	28	<5	212	0.9	4	0.87	1.1	10	18.4	19.8	42.4	4.03
TE5539439	<0.2	0.87	30	5	324	1.0	<1	0.93	1.1	11	19.4	21.6	33.2	4.30
TE5539440	<0.2	0.90	28	6	265	1.0	5	0.66	1.0	13	17.2	20.4	34.7	3.92
TE5539441	<0.2	1.10	25	7	290	1.4	6	0.22	1.1	12	20.9	26.0	57.0	4.30
TE5539442	<0.2	0.90	35	<5	187	1.3	2	0.23	1.0	10	19.4	24.1	49.5	4.17
TE5539443	<0.2	1.43	46	8	263	1.5	2	1.37	1.5	50	29.4	91.4	78.3	4.98
TE5539444	<0.2	0.75	29	<5	212	1.5	1	0.26	1.0	7	23.4	30.3	55.3	4.45
TE5539445	<0.2	0.70	30	<5	234	1.6	3	0.24	1.1	6	27.3	32.0	53.9	5.00
TE5539446	<0.2	1.16	26	6	776	1.6	1	0.25	1.2	7	30.6	29.5	67.0	5.13
TE5539447	<0.2	1.46	30	6	657	1.6	2	0.23	1.1	9	30.6	30.6	67.5	5.32
TE5539448	<0.2	1.43	34	7	689	1.6	3	0.23	1.3	9	30.5	31.0	70.0	5.18
TE5539449	0.3	0.22	497	<5	3050	<0.5	2	1.11	0.9	<1	6.9	17.2	36.4	3.15
TE5539450	<0.2	0.06	36	<5	55	<0.5	<1	19.1	<0.5	10	1.7	1.6	2.7	0.40
TE5539451	<0.2	0.07	31	<5	51	<0.5	<1	20.7	<0.5	12	1.9	1.9	3.2	0.45
TE5539452	<0.2	1.06	31	6	587	1.5	4	0.27	1.2	8	28.3	28.3	77.5	4.83
TE5539453	<0.2	1.15	30	6	532	1.6	3	0.24	1.3	8	28.4	29.0	68.2	5.04

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012		DATE RECEIVED: Aug 27, 2012					DATE REPORTED: Sep 20, 2012					SAMPLE TYPE: Soil			
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
TE5539454		<0.2	1.16	25	5	508	1.6	7	0.25	1.3	7	28.8	28.8	66.0	5.11
TE5539455		<0.2	1.20	31	7	648	1.7	4	0.27	1.4	8	29.6	31.2	69.9	5.50
TE5539456		<0.2	1.08	32	<5	413	1.5	<1	0.28	1.3	7	26.7	28.9	61.5	5.23
TE5539457		<0.2	1.18	27	<5	655	1.6	<1	0.28	1.2	8	28.5	30.1	70.0	5.93
TE5539458		<0.2	1.03	28	6	392	1.5	<1	0.25	1.3	7	25.9	27.2	61.0	5.19
TE5539459		<0.2	1.28	30	7	495	1.4	2	0.54	1.2	11	21.5	28.8	41.1	4.89
TE5539460		<0.2	1.14	27	<5	313	1.4	2	0.23	1.0	11	19.2	27.6	44.5	4.47
TE5539461		<0.2	1.06	18	<5	267	1.3	<1	0.21	0.9	12	18.9	25.6	43.4	4.22
TE5539462		<0.2	1.07	29	<5	355	1.4	4	0.32	0.9	11	19.3	27.0	51.4	4.79
TE5539463		<0.2	1.25	22	5	296	1.4	4	0.30	0.9	13	18.2	25.9	44.1	4.38
TE5532145		<0.2	2.42	19	<5	53	1.0	3	0.08	1.4	9	28.7	32.0	47.2	5.17
TE5532146		<0.2	2.35	11	<5	81	0.8	4	0.08	1.3	6	29.8	31.2	47.8	4.91
TE5532147		<0.2	2.31	11	<5	56	0.7	4	0.07	1.4	4	22.1	31.7	41.2	4.94
TE5532148		<0.2	2.18	9	<5	47	0.7	8	0.07	1.2	2	21.8	31.1	39.7	4.79
TE5532149		0.5	0.21	505	<5	4020	<0.5	2	1.07	1.1	<1	7.4	17.4	37.7	3.03
TE5532150		<0.2	0.06	45	<5	47	<0.5	<1	20.3	<0.5	12	1.8	1.8	2.7	0.43
TE5532151		<0.2	2.37	15	<5	44	0.6	6	0.09	1.2	6	20.2	32.4	39.5	5.03
TE5532152		<0.2	2.40	14	<5	45	0.7	4	0.08	1.3	7	22.6	33.1	42.2	5.32
TE5532153		0.2	2.20	19	<5	70	0.7	2	0.19	1.1	6	20.4	31.0	43.5	4.49
TE5532154		<0.2	2.24	16	<5	48	0.6	4	0.08	1.3	4	19.8	30.7	40.5	4.98
TE5532155		<0.2	1.92	13	<5	297	1.0	5	0.14	0.7	4	13.9	28.8	60.6	3.11
TE5532156		0.2	2.01	23	<5	298	1.8	2	0.45	0.7	4	27.0	26.9	111	3.73
TE5532157		<0.2	2.17	15	<5	181	1.0	<1	0.11	0.9	7	23.7	30.1	69.6	4.73
TE5532158		<0.2	2.07	13	<5	96	0.9	2	0.17	1.0	9	24.2	38.6	47.8	4.88
TE5532159		<0.2	1.95	13	<5	116	1.2	1	0.21	1.0	6	22.9	33.9	63.3	4.13
TE5532160		<0.2	2.06	8	<5	117	0.7	1	0.19	1.1	5	20.9	44.4	36.8	4.80
TE5532161		<0.2	1.70	15	<5	88	1.0	2	0.19	0.7	17	21.1	24.0	60.5	4.38
TE5532162		0.3	1.11	72	<5	114	1.0	5	0.90	1.3	22	24.3	20.9	51.5	4.33
TE5532163		<0.2	0.51	118	<5	62	0.8	1	0.32	1.0	9	24.4	19.2	48.3	4.28
TE5532164		<0.2	1.78	15	<5	83	1.2	6	0.18	1.0	15	22.2	26.9	68.8	4.31
TE5532165		<0.2	0.60	108	<5	61	0.7	<1	1.07	0.9	12	19.9	24.8	34.5	3.87
TE5532166		0.2	1.50	15	<5	107	1.9	<1	0.11	1.1	22	56.8	20.9	80.2	5.06

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
TE5532167	<0.2	1.62	15	<5	111	1.7	1	0.15	1.0	18	44.6	23.1	68.5	4.59
TE5532168	0.2	1.28	20	<5	100	1.6	<1	0.18	1.2	17	37.9	24.6	62.1	4.68
TE5532169	<0.2	1.42	13	<5	71	1.1	2	0.13	1.0	9	22.4	28.0	42.9	4.61
TE5532170	<0.2	1.28	23	<5	95	0.7	2	0.39	0.7	10	13.2	21.9	31.6	2.81
TE5532171	0.3	1.66	19	<5	154	1.7	<1	0.31	0.6	8	30.0	25.4	83.0	3.74
TE5532172	<0.2	1.60	21	<5	100	1.2	2	0.24	1.0	7	20.7	23.9	55.8	4.13
TE5532173	0.3	1.55	24	<5	102	2.1	4	0.20	1.3	10	74.5	22.1	86.5	5.57
TE5532174	<0.2	1.58	21	<5	102	1.4	1	0.19	0.8	8	36.9	23.8	69.4	4.50
TE5532175	<0.2	0.86	12	<5	62	0.8	3	0.06	1.2	6	26.3	17.0	52.3	5.11
TE5532176	<0.2	1.38	18	<5	70	0.9	2	0.16	1.2	7	22.6	22.2	53.3	4.54
TE5532177	0.2	1.41	20	<5	76	1.3	3	0.43	1.0	6	23.7	23.4	66.3	3.70
TE5532178	<0.2	1.17	18	<5	135	1.1	2	0.14	0.7	16	18.5	27.7	42.3	3.49
TE5532179	<0.2	0.81	26	<5	117	1.0	2	0.19	0.7	14	17.8	27.0	40.3	3.54
TE5532180	<0.2	1.00	31	<5	440	1.2	4	0.30	0.8	18	20.2	33.6	44.4	3.96
TE5532181	0.2	1.11	31	8	295	1.2	<1	0.77	0.6	7	8.1	23.5	34.9	2.48
TE5532182	<0.2	1.27	31	<5	309	1.2	<1	0.34	0.8	30	18.0	37.8	38.3	4.21
TE5532183	<0.2	1.08	34	<5	235	1.1	4	0.39	0.9	24	19.7	44.2	42.2	3.95
TE5532184	<0.2	1.28	24	5	233	1.0	3	0.52	1.0	27	19.1	45.0	35.6	4.17
TE5532185	<0.2	1.04	26	<5	213	1.0	<1	0.35	0.7	20	17.2	37.7	35.6	3.47
TE5532186	<0.2	1.14	31	<5	258	1.1	2	0.41	0.8	24	16.5	40.9	37.0	3.63
TE5532187	<0.2	1.15	28	6	256	1.1	<1	0.41	0.7	24	17.5	40.6	39.9	3.82
TE5532188	<0.2	1.24	31	5	366	1.2	3	0.74	0.9	28	20.1	45.4	44.2	4.44
TE5532189	0.2	1.56	26	6	260	1.3	2	0.75	0.8	26	14.3	41.1	33.5	3.60
TE5532190	<0.2	1.16	39	6	309	1.2	<1	0.72	0.9	31	17.9	39.2	41.4	4.11
TE5532191	<0.2	1.02	28	6	296	1.1	3	0.65	0.9	29	17.3	37.9	39.5	3.77
TE5532192	<0.2	1.18	30	7	279	1.2	2	0.59	0.9	26	18.8	42.4	41.8	4.13
TE5532193	<0.2	1.16	25	6	325	1.2	3	0.50	0.8	26	16.1	37.1	37.7	3.64
TE5532194	<0.2	0.94	27	6	301	1.1	1	0.56	0.9	22	17.4	37.4	38.7	3.82
TE5532195	<0.2	0.85	32	6	226	1.0	1	0.53	0.8	21	15.4	33.0	33.9	3.27
TE5532196	<0.2	0.89	27	<5	183	1.0	1	0.40	0.7	20	14.7	32.8	31.9	3.30
TE5532197	<0.2	0.92	22	<5	236	1.0	3	0.47	0.9	22	16.4	32.7	31.3	3.74
TE5532199	0.5	0.15	427	<5	2100	<0.5	2	0.90	0.8	<1	5.9	14.0	31.0	2.56

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012		DATE RECEIVED: Aug 27, 2012					DATE REPORTED: Sep 20, 2012					SAMPLE TYPE: Soil			
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
TE5532200		<0.2	0.05	34	<5	42	<0.5	<1	19.4	<0.5	11	1.7	1.6	2.2	0.40
TE5532201		<0.2	0.95	22	<5	235	1.0	4	0.55	0.9	21	16.2	32.3	32.4	3.66
TE5532202		<0.2	0.96	26	<5	209	1.0	2	0.45	0.7	21	15.7	32.2	30.5	3.52
TE5532203		<0.2	0.79	21	5	151	0.9	2	0.33	0.8	19	13.0	27.3	24.6	2.90
TE5539567		<0.2	0.63	25	7	346	1.2	2	0.30	1.6	4	13.8	15.3	33.2	6.47
TE5539568		<0.2	0.72	29	6	270	1.3	2	0.20	1.1	9	17.6	20.1	33.3	4.82
TE5539569		<0.2	0.89	32	5	256	1.5	<1	0.21	1.1	9	19.2	20.9	44.3	4.76
TE5539570		<0.2	0.87	27	6	221	1.4	<1	0.17	1.0	10	19.2	21.5	40.2	4.32
TE5539571		<0.2	0.81	22	<5	201	1.2	2	0.10	0.9	9	18.4	19.8	36.5	3.80
TE5539572		<0.2	0.72	17	<5	142	1.1	2	0.13	0.7	7	13.5	16.2	30.1	3.13
TE5539573		<0.2	0.94	26	5	210	1.3	4	0.33	0.8	10	14.1	20.6	37.6	3.47
TE5539574		<0.2	0.96	20	<5	273	1.4	1	0.18	1.0	9	19.8	27.9	45.0	4.53
TE5539575		<0.2	0.63	12	<5	194	1.0	<1	0.16	0.6	7	13.7	16.8	33.2	3.19
TE5539576		<0.2	1.10	26	7	355	1.1	3	0.72	0.8	10	12.1	23.2	26.6	3.15
TE5539577		<0.2	0.94	21	<5	352	1.4	<1	0.19	1.0	8	20.2	27.4	45.6	4.51
TE5539578		<0.2	0.97	18	<5	670	1.2	<1	0.18	1.0	7	16.8	25.7	36.1	3.95
TE5539579		<0.2	0.89	17	<5	474	1.1	2	0.18	0.7	8	18.5	22.8	36.3	3.93
TE5539580		<0.2	0.94	19	<5	437	1.2	<1	0.17	0.8	8	17.0	24.2	37.1	4.14
TE5539581		<0.2	0.85	18	<5	307	1.1	1	0.16	0.8	8	15.8	23.3	33.7	3.67
TE5539582		<0.2	0.75	12	<5	235	1.1	<1	0.15	0.8	8	16.0	20.4	34.5	3.61
TE5539583		<0.2	0.97	18	<5	223	1.3	1	0.19	1.1	9	19.5	26.0	41.5	4.51
TE5539584		<0.2	0.87	22	<5	228	1.3	6	0.20	0.9	9	18.8	23.8	39.8	4.10
TE5539860		<0.2	2.02	11	<5	40	0.7	<1	0.05	0.9	5	21.7	25.8	39.1	4.84
TE5539861		<0.2	2.06	9	<5	32	0.6	3	0.04	1.1	4	19.9	26.7	35.8	4.78
TE5539862		<0.2	1.93	10	<5	30	0.7	<1	0.04	1.3	3	22.7	27.1	41.3	4.83
TE5539863		<0.2	2.07	11	<5	32	0.7	<1	0.07	0.9	4	22.4	27.0	39.5	4.95
TE5539864		<0.2	1.88	10	<5	29	0.6	4	0.06	1.0	2	21.2	25.4	37.5	4.49
TE5539865		<0.2	1.98	14	<5	30	0.6	2	0.06	1.0	4	18.7	26.6	35.0	4.54
TE5539866		<0.2	1.84	15	<5	25	0.6	2	0.15	1.0	5	17.6	24.8	32.9	4.22
TE5539867		<0.2	1.83	13	<5	33	0.6	<1	0.11	0.9	6	16.8	24.4	33.5	4.12
TE5539868		<0.2	1.76	14	<5	31	0.6	1	0.22	1.0	6	16.1	23.3	34.9	3.73
TE5539869		<0.2	1.83	16	<5	31	0.6	5	0.16	1.0	7	17.7	25.9	37.5	3.98

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
TE5539870		<0.2	1.67	12	<5	32	0.6	3	0.16	0.8	7	16.6	22.6	31.6	3.65
TE5539871		<0.2	1.93	13	<5	35	0.7	5	0.12	1.0	7	20.1	25.7	38.9	4.28
TE5539872		<0.2	1.98	11	<5	29	0.5	<1	0.07	0.9	7	18.7	25.2	31.8	4.31
TE5539873		<0.2	1.78	17	<5	27	0.6	3	0.10	1.1	4	18.9	25.0	38.3	4.43

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012		DATE RECEIVED: Aug 27, 2012				DATE REPORTED: Sep 20, 2012				SAMPLE TYPE: Soil					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
TE5538921		<5	<1	<1	0.09	4	34	0.59	796	2.6	<0.01	33.0	503	32.8	11
TE5538922		<5	<1	<1	0.12	3	27	0.39	573	1.9	0.01	20.7	994	42.4	25
TE5538923		<5	<1	1	0.09	5	26	0.44	1200	0.7	0.01	30.8	503	46.1	17
TE5538924		<5	<1	<1	0.08	4	19	0.39	632	1.8	0.01	24.4	941	31.6	24
TE5538925		<5	<1	<1	0.08	4	24	0.39	1280	0.9	0.01	39.0	360	47.6	11
TE5538926		5	<1	<1	0.06	4	33	0.46	1080	0.5	<0.01	35.4	412	42.3	13
TE5538927		<5	<1	<1	0.08	3	25	0.41	925	1.5	<0.01	31.6	400	49.3	13
TE5538928		<5	<1	<1	0.07	3	26	0.43	779	0.9	<0.01	28.0	386	36.3	14
TE5538929		<5	<1	<1	0.09	3	24	0.41	1040	1.2	0.01	32.1	373	40.6	15
TE5538930		<5	<1	<1	0.08	4	25	0.42	809	0.7	<0.01	27.7	462	38.1	17
TE5538931		<5	<1	<1	0.09	4	19	0.30	1370	1.1	<0.01	29.2	591	67.7	21
TE5538932		<5	<1	<1	0.08	5	27	0.48	1900	0.7	0.01	35.6	364	80.7	14
TE5538933		7	<1	<1	0.08	4	35	0.63	5180	1.3	<0.01	30.9	573	32.2	21
TE5538934		<5	<1	1	0.09	4	35	0.52	5330	1.6	0.01	29.7	928	28.3	33
TE5538935		<5	<1	<1	0.11	5	18	0.36	1130	1.4	<0.01	24.5	399	29.2	21
TE5538936		<5	<1	<1	0.12	6	19	0.35	1540	3.0	<0.01	22.9	445	28.4	22
TE5538937		<5	<1	<1	0.10	6	21	0.54	884	1.0	<0.01	26.6	472	28.6	17
TE5538938		<5	<1	<1	0.10	6	20	0.52	817	1.4	<0.01	26.2	466	24.8	17
TE5538939		<5	<1	<1	0.10	6	20	0.49	893	1.4	<0.01	25.9	418	26.4	16
TE5538940		<5	<1	<1	0.10	7	19	0.40	606	1.6	<0.01	23.5	456	23.6	16
TE5538941		<5	<1	<1	0.11	7	19	0.42	743	1.4	<0.01	23.3	469	30.7	18
TE5538942		<5	<1	<1	0.10	7	18	0.42	917	1.5	<0.01	23.2	457	25.0	18
TE5538943		<5	<1	<1	0.10	7	19	0.41	720	1.1	<0.01	23.0	414	22.4	17
TE5538944		<5	<1	1	0.10	7	19	0.42	838	1.2	<0.01	25.3	456	26.3	19
TE5538945		<5	<1	<1	0.10	6	19	0.40	925	1.2	<0.01	25.4	397	23.5	16
TE5538946		<5	<1	<1	0.09	6	18	0.39	663	1.4	<0.01	23.0	417	23.2	15
TE5538947		<5	<1	2	0.09	6	19	0.42	534	1.1	<0.01	23.6	433	23.1	15
TE5538948		<5	<1	2	0.09	6	18	0.41	698	1.5	<0.01	24.0	429	23.1	15
TE5538949		<5	<1	8	0.06	1	2	0.03	49	17.0	0.01	10.4	106	14.6	<10
TE5538950		<5	<1	<1	0.04	2	1	12.4	245	6.4	<0.01	1.5	393	<0.5	16
TE5538951		<5	<1	3	0.10	6	18	0.41	872	1.5	<0.01	22.9	405	24.0	16
TE5538952		<5	<1	<1	0.09	7	18	0.38	543	2.7	<0.01	21.7	372	18.1	14

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
TE5538953	<5	<1	1	0.08	5	16	0.34	574	1.5	<0.01	20.3	308	18.3	13
TE5538954	<5	<1	<1	0.08	6	17	0.37	537	1.0	<0.01	20.6	371	18.5	13
TE5538955	<5	<1	<1	0.08	6	18	0.37	473	1.2	<0.01	21.7	369	17.6	12
TE5538956	<5	<1	<1	0.13	6	17	0.41	821	1.4	<0.01	28.3	509	20.3	22
TE5538957	<5	<1	<1	0.12	7	18	0.35	773	2.5	<0.01	25.9	538	17.8	25
TE5538958	<5	<1	2	0.13	7	21	0.42	1220	2.3	<0.01	23.0	705	22.1	33
TE5538959	<5	1	<1	0.09	5	15	0.30	600	2.1	<0.01	23.8	409	15.1	18
TE5538960	<5	<1	<1	0.07	6	12	0.16	350	1.7	<0.01	24.4	457	31.3	12
TE5538961	<5	<1	<1	0.05	5	11	0.17	378	2.2	<0.01	26.2	713	29.3	<10
TE5538962	<5	<1	<1	0.05	4	15	0.19	391	1.3	<0.01	25.2	558	32.9	<10
TE5538963	<5	<1	<1	0.04	5	13	0.17	385	1.4	<0.01	25.7	519	28.5	<10
TE5538964	<5	<1	<1	0.05	4	13	0.20	314	2.1	<0.01	25.4	601	27.7	<10
TE5538965	<5	<1	<1	0.05	6	14	0.22	318	2.3	<0.01	23.5	599	29.9	<10
TE5538966	5	<1	<1	0.06	4	39	0.69	1030	1.4	<0.01	32.1	404	29.7	<10
TE5538967	<5	<1	<1	0.06	4	32	0.56	752	1.5	<0.01	28.6	517	28.3	10
TE5538968	<5	<1	<1	0.07	4	28	0.50	570	2.4	<0.01	26.3	512	26.4	11
TE5538969	<5	<1	<1	0.06	4	30	0.52	456	1.0	<0.01	24.9	389	24.2	<10
TE5538970	<5	<1	<1	0.08	9	14	0.40	764	1.5	<0.01	26.9	714	16.5	15
TE5538971	<5	<1	<1	0.10	7	17	0.41	1160	1.4	<0.01	30.3	613	25.6	22
TE5538972	<5	<1	<1	0.09	7	14	0.67	1280	2.1	<0.01	31.1	595	21.9	16
TE5538973	<5	<1	<1	0.10	6	15	0.43	857	1.2	<0.01	27.1	580	24.7	20
TE5538974	<5	<1	<1	0.07	6	14	0.66	1180	1.9	<0.01	30.8	522	20.5	13
TE5538975	<5	<1	<1	0.08	6	15	0.73	1190	1.7	<0.01	31.6	569	19.8	13
TE5538976	<5	<1	5	0.09	7	14	0.36	921	1.9	<0.01	31.8	636	20.3	14
TE5538977	<5	<1	<1	0.09	6	15	0.62	1130	1.3	<0.01	30.0	540	19.7	15
TE5538978	<5	<1	<1	0.08	5	13	0.51	996	2.1	<0.01	29.5	455	17.0	12
TE5538979	<5	<1	1	0.06	5	11	0.44	940	1.6	<0.01	24.5	425	16.3	11
TE5538980	<5	<1	3	0.08	6	15	0.62	1090	1.4	<0.01	30.7	545	20.1	14
TE5538981	<5	<1	<1	0.09	6	14	0.59	1060	1.3	<0.01	29.9	584	22.3	14
TE5538982	<5	<1	<1	0.08	6	13	0.46	991	1.2	<0.01	28.5	503	20.1	13
TE5538983	<5	<1	3	0.09	6	15	0.53	1200	1.2	<0.01	32.7	533	24.6	15
TE5538984	<5	<1	2	0.08	5	14	0.54	1000	2.3	<0.01	29.9	491	21.3	13

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012		DATE RECEIVED: Aug 27, 2012				DATE REPORTED: Sep 20, 2012				SAMPLE TYPE: Soil					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
TE5538985		<5	<1	<1	0.10	8	12	0.34	851	1.5	<0.01	30.7	586	16.5	19
TE5538986		<5	<1	1	0.08	6	13	0.47	899	1.7	<0.01	29.9	527	20.7	14
TE5538987		<5	<1	<1	0.09	6	12	0.40	1110	1.6	<0.01	33.4	477	24.0	16
TE5509790		<5	<1	1	0.08	3	13	0.33	1090	1.4	<0.01	27.5	394	23.8	17
TE5509791		<5	<1	<1	0.09	3	13	0.33	1330	1.5	<0.01	27.3	374	22.9	17
TE5509792		<5	<1	1	0.09	3	13	0.30	1300	1.6	<0.01	31.1	312	23.8	17
TE5509795		<5	<1	2	0.09	3	14	0.31	740	1.4	<0.01	23.4	419	22.6	18
TE5509796		<5	<1	<1	0.08	3	14	0.35	932	1.4	<0.01	26.2	477	25.1	18
TE5509797		<5	<1	<1	0.10	3	14	0.35	769	1.3	<0.01	23.4	546	20.9	23
TE5509798		<5	<1	4	0.09	4	15	0.33	820	1.6	<0.01	23.9	467	22.3	20
TE5509799		<5	<1	<1	0.08	3	14	0.30	877	0.6	<0.01	24.3	348	22.8	17
TE5537454		<5	<1	<1	0.10	4	14	0.31	1170	1.5	<0.01	29.6	378	23.5	18
TE5537455		<5	<1	<1	0.09	4	14	0.32	969	1.8	<0.01	27.8	443	23.6	18
TE5537456		<5	<1	<1	0.08	4	14	0.34	871	1.8	<0.01	28.7	473	23.9	15
TE5537457		<5	<1	<1	0.09	4	13	0.33	832	3.8	<0.01	34.6	622	23.8	17
TE5537458		<5	<1	<1	0.10	4	14	0.35	819	2.8	<0.01	28.6	622	23.6	18
TE5537807		<5	<1	<1	0.12	5	17	0.27	1150	1.3	<0.01	29.9	396	23.1	24
TE5537808		<5	<1	2	0.12	4	18	0.27	1100	1.3	<0.01	28.8	325	23.5	22
TE5537809		<5	<1	2	0.13	4	19	0.29	1000	1.1	<0.01	28.8	332	23.9	24
TE5532204		<5	<1	2	0.12	3	22	0.27	1500	0.7	<0.01	29.5	285	23.9	21
TE5532205		<5	<1	<1	0.12	4	22	0.26	1560	1.0	<0.01	34.4	282	23.1	22
TE5532206		<5	<1	<1	0.13	3	22	0.48	1940	1.4	<0.01	32.6	321	28.2	24
TE5532207		<5	<1	2	0.11	4	14	0.22	1270	0.5	<0.01	33.1	266	24.4	18
TE5532208		<5	<1	<1	0.14	4	19	0.26	1270	0.7	<0.01	35.4	271	23.0	22
TE5532209		<5	<1	2	0.14	5	18	0.26	1250	1.1	<0.01	32.2	331	25.0	23
SE5509102		<5	<1	1	0.10	11	7	0.14	1390	1.6	<0.01	35.9	375	58.0	14
SE5509103		5	<1	<1	0.15	8	23	0.44	2640	1.0	0.02	34.3	612	64.1	28
SE5509104		<5	<1	<1	0.08	8	5	0.08	960	2.0	<0.01	22.5	377	102	13
SE5509105		<5	<1	<1	0.09	8	6	0.09	2000	0.8	<0.01	34.7	341	51.9	13
SE5509106		<5	<1	2	0.11	7	10	0.21	1290	0.5	<0.01	30.0	443	49.4	19
SE5509107		<5	<1	<1	0.13	7	7	0.16	1360	0.6	<0.01	29.1	394	36.2	16
SE5509108		<5	<1	4	0.13	7	8	0.13	1270	0.8	<0.01	32.4	311	30.8	16

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012		DATE RECEIVED: Aug 27, 2012				DATE REPORTED: Sep 20, 2012				SAMPLE TYPE: Soil					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
SE5509109		<5	<1	<1	0.14	7	4	0.08	1090	1.0	<0.01	29.7	350	31.0	15
SE5509110		<5	<1	<1	0.08	11	2	0.06	1310	1.5	0.01	38.2	449	54.5	<10
SE5509111		<5	<1	<1	0.08	8	5	0.09	914	0.5	0.01	28.7	277	26.0	<10
SE5509112		<5	<1	<1	0.10	10	14	0.23	955	<0.5	0.02	30.1	382	38.1	13
SE5509113		<5	<1	<1	0.08	9	1	0.06	999	2.1	0.01	33.8	302	32.6	<10
SE5509114		<5	<1	<1	0.09	8	5	0.08	724	<0.5	0.02	25.7	308	26.6	<10
SE5509115		<5	<1	<1	0.07	11	4	0.09	1110	0.6	<0.01	32.5	386	40.1	<10
SE5509116		<5	<1	2	0.08	10	5	0.13	1120	<0.5	<0.01	35.5	391	44.2	11
SE5509117		<5	<1	<1	0.07	9	3	0.09	1510	0.6	<0.01	37.8	356	49.8	<10
SE5509118		<5	<1	1	0.08	9	6	0.12	1200	0.9	<0.01	32.6	354	45.1	12
SE5509119		<5	<1	<1	0.07	9	3	0.05	1150	0.7	<0.01	35.6	287	52.3	<10
SE5509120		<5	<1	<1	0.08	8	4	0.10	1390	<0.5	0.01	25.4	382	47.4	14
SE5509121		6	<1	<1	0.08	10	29	0.55	608	<0.5	0.02	36.4	269	31.7	12
SE5509122		<5	<1	<1	0.08	9	14	0.24	2310	1.3	<0.01	44.0	486	75.0	15
SE5509123		<5	<1	<1	0.08	7	14	0.24	1700	0.9	<0.01	45.4	401	62.1	12
SE5509124		<5	<1	<1	0.07	7	17	0.24	1820	0.7	<0.01	39.9	440	54.6	10
SE5509125		<5	<1	<1	0.05	11	18	0.36	955	1.3	<0.01	30.8	401	46.3	<10
SE5509126		<5	<1	<1	0.06	10	15	0.24	1580	0.9	<0.01	26.4	514	52.5	11
SE5509127		<5	<1	1	0.09	8	10	0.15	949	0.5	<0.01	30.9	345	37.1	12
TE5539249		<5	<1	12	0.06	1	2	0.03	48	16.7	0.01	9.7	114	14.3	<10
TE5539250		<5	<1	<1	0.04	2	1	11.6	220	6.7	<0.01	6.6	391	<0.5	15
TE5539251		<5	<1	<1	0.11	4	28	0.57	1090	1.3	<0.01	27.0	344	22.7	17
TE5539252		6	<1	<1	0.16	5	27	0.52	863	2.0	0.01	21.1	515	22.5	29
TE5539253		<5	<1	2	0.10	5	27	0.59	1160	1.7	<0.01	27.0	403	23.9	16
TE5539254		6	<1	1	0.12	5	27	0.58	1350	1.4	0.01	24.9	457	26.4	24
TE5539255		<5	<1	<1	0.10	5	26	0.61	954	1.7	<0.01	25.6	438	20.4	16
TE5539256		6	<1	<1	0.14	5	28	0.59	656	2.3	0.01	24.6	505	23.8	26
TE5539257		5	<1	<1	0.12	5	29	0.61	1210	2.0	<0.01	28.3	453	24.1	20
TE5539258		<5	<1	<1	0.11	4	24	0.54	972	1.7	0.01	23.8	438	23.1	17
TE5539259		<5	<1	<1	0.07	4	26	0.61	1130	1.6	<0.01	26.5	383	22.2	12
TE5539260		5	<1	4	0.13	7	26	0.56	901	2.6	0.01	25.4	543	25.2	20
TE5539261		5	<1	2	0.13	5	31	0.67	1250	2.0	0.01	31.2	433	25.1	20

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012		DATE RECEIVED: Aug 27, 2012				DATE REPORTED: Sep 20, 2012				SAMPLE TYPE: Soil					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
TE5539262		5	<1	<1	0.19	6	26	0.58	736	2.0	0.02	24.4	547	25.1	31
TE5539263		5	<1	<1	0.11	7	28	0.63	1110	2.0	<0.01	27.7	447	25.6	18
TE5539264		5	<1	<1	0.12	5	31	0.68	1230	1.5	<0.01	31.7	436	26.8	21
TE5539265		6	<1	<1	0.16	5	35	0.69	1360	2.0	0.01	30.7	449	23.6	21
TE5539266		<5	<1	2	0.10	4	29	0.65	1130	1.8	<0.01	28.7	413	23.2	16
TE5539267		5	<1	<1	0.13	6	32	0.71	1290	1.3	<0.01	33.6	452	26.3	19
TE5539268		5	<1	<1	0.13	7	31	0.70	1200	2.1	0.01	30.4	454	24.8	20
TE5539269		5	<1	<1	0.09	4	27	0.61	1390	2.3	<0.01	29.7	422	25.3	16
TE5539270		6	<1	<1	0.14	5	30	0.60	1410	1.7	0.01	33.1	363	26.8	22
TE5539271		6	<1	<1	0.12	6	27	0.62	1100	1.9	<0.01	27.7	450	24.7	19
TE5539272		5	<1	2	0.11	6	27	0.59	1190	1.8	<0.01	28.1	478	26.2	18
TE5539273		5	<1	<1	0.15	6	30	0.66	1510	2.0	0.01	30.4	446	27.6	21
TE5539274		5	<1	<1	0.12	5	29	0.64	1180	2.5	<0.01	26.9	424	24.4	18
TE5539275		<5	<1	<1	0.11	5	27	0.61	1050	1.8	<0.01	26.1	437	23.5	17
TE5539276		<5	<1	2	0.12	5	27	0.60	1170	1.9	<0.01	28.6	418	24.8	19
TE5539277		<5	6	<1	0.14	7	28	0.60	1000	1.8	0.01	26.6	470	24.2	20
TE5539278		<5	<1	<1	0.12	6	27	0.61	1220	2.1	<0.01	27.1	454	25.0	19
TE5539279		<5	<1	4	0.11	5	26	0.59	1070	2.2	<0.01	25.9	423	23.2	17
TE5539280		<5	<1	4	0.14	5	29	0.62	1310	1.1	0.01	28.2	417	22.1	20
TE5539281		<5	4	<1	0.11	3	26	0.23	1190	0.8	<0.01	29.2	263	16.7	21
TE5539282		<5	1	<1	0.11	3	31	0.26	1750	0.8	<0.01	36.2	268	19.3	18
TE5539283		<5	<1	<1	0.11	3	27	0.25	1350	<0.5	<0.01	32.3	281	18.0	22
TE5539284		5	<1	<1	0.16	3	28	0.51	1120	1.2	0.02	23.8	507	21.4	38
TE5539285		<5	5	<1	0.13	3	31	0.29	1090	0.9	<0.01	27.7	267	17.5	24
TE5539286		<5	<1	<1	0.18	5	25	0.37	643	1.8	0.01	19.5	801	14.6	58
TE5539287		6	<1	2	0.17	3	29	0.44	864	1.6	0.01	25.4	502	21.4	42
TE5539288		<5	<1	1	0.17	3	23	0.42	459	1.8	0.01	19.0	663	15.2	52
TE5539289		<5	<1	3	0.12	3	28	0.30	1280	1.3	<0.01	30.8	259	20.2	24
TE5539290		<5	<1	<1	0.16	2	22	0.34	1290	1.5	0.01	25.4	362	20.8	32
TE5539291		<5	<1	1	0.14	3	21	0.39	939	1.3	0.01	21.4	426	22.3	32
TE5539292		<5	1	3	0.14	3	27	0.36	741	1.8	0.01	23.3	375	19.3	31
TE5539293		<5	<1	1	0.14	3	26	0.36	883	1.2	0.01	24.6	398	20.1	29

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012		DATE RECEIVED: Aug 27, 2012				DATE REPORTED: Sep 20, 2012				SAMPLE TYPE: Soil					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
TE5539294		<5	<1	4	0.15	4	25	0.35	874	1.1	0.01	24.3	372	20.1	30
TE5539295		<5	<1	2	0.12	3	20	0.33	662	1.1	<0.01	21.6	369	18.9	24
TE5539296		5	<1	1	0.15	6	24	0.40	654	2.4	0.01	25.3	498	25.8	32
TE5539297		<5	<1	<1	0.12	4	22	0.38	896	1.8	0.01	26.5	402	24.1	26
TE5539298		<5	<1	<1	0.16	6	27	0.42	834	1.5	0.01	26.9	452	23.9	30
TE5539299		<5	<1	<1	0.07	1	2	0.03	48	17.2	0.01	9.6	114	15.2	<10
TE5539300		<5	<1	<1	0.04	2	1	12.2	238	6.3	<0.01	1.2	402	<0.5	16
TE5539301		<5	<1	1	0.13	4	26	0.41	944	1.1	<0.01	29.6	371	23.5	25
TE5539302		<5	<1	3	0.14	3	21	0.52	728	2.5	0.01	25.0	550	21.0	33
TE5539303		<5	<1	<1	0.13	5	24	0.43	795	1.8	0.01	28.9	434	24.7	26
TE5539304		6	<1	4	0.14	4	26	0.46	1390	1.5	0.01	31.7	386	27.3	27
TE5539305		6	<1	<1	0.17	5	27	0.44	908	1.8	0.01	29.8	457	24.6	32
TE5539306		<5	<1	2	0.14	5	21	0.42	1210	1.7	<0.01	31.7	480	23.1	22
TE5539307		<5	<1	<1	0.15	6	22	0.44	1110	2.5	0.01	30.6	549	25.1	25
TE5539308		<5	<1	<1	0.09	3	17	0.39	1140	1.4	<0.01	29.7	369	23.7	15
TE5539309		<5	<1	3	0.09	6	5	0.15	664	8.4	<0.01	45.7	1680	31.2	15
TE5509360		<5	<1	<1	0.15	9	7	0.31	420	10.6	<0.01	38.9	1630	21.9	38
TE5509361		<5	<1	<1	0.15	13	10	0.21	744	7.1	<0.01	45.5	1600	29.4	24
TE5509362		<5	<1	<1	0.22	12	11	0.32	521	8.0	<0.01	44.0	1670	22.5	35
TE5509363		<5	<1	<1	0.20	9	13	0.30	607	7.6	<0.01	42.2	1340	23.9	31
TE5509364		<5	<1	4	0.10	6	13	0.24	1520	3.4	<0.01	38.3	607	32.5	18
TE5509365		<5	<1	<1	0.11	6	13	0.27	1440	3.0	<0.01	37.5	603	32.9	20
TE5509366		6	<1	<1	0.15	15	22	0.48	1170	4.3	<0.01	41.1	1090	36.1	23
TE5509367		<5	<1	1	0.10	7	13	0.27	1260	3.6	<0.01	36.3	708	29.8	18
TE5509368		<5	<1	<1	0.13	5	13	0.25	1260	2.7	<0.01	35.8	537	35.5	27
TE5509369		6	<1	<1	0.17	11	25	0.44	900	4.5	<0.01	32.2	1350	63.3	37
TE5509370		<5	<1	<1	0.14	7	16	0.31	1310	3.7	<0.01	36.6	668	30.3	23
TE5509371		5	<1	<1	0.16	3	24	0.50	1010	4.3	<0.01	35.2	756	26.2	27
TE5509372		<5	<1	<1	0.11	6	13	0.29	1160	3.6	<0.01	33.4	757	27.8	21
TE5509373		<5	<1	2	0.10	7	13	0.29	1110	3.3	<0.01	34.1	813	28.7	19
TE5509374		<5	<1	<1	0.12	3	7	0.22	1020	5.0	<0.01	39.1	694	28.1	19
TE5509375		<5	<1	<1	0.08	6	13	0.29	1210	4.3	<0.01	34.0	736	29.3	16

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
TE5509376	<5	<1	1	0.16	5	24	0.45	681	2.0	0.01	25.6	581	27.6	36
TE5509377	<5	<1	<1	0.13	7	15	0.32	1120	3.5	<0.01	35.3	733	28.5	22
TE5539424	<5	<1	<1	0.17	6	18	0.38	975	2.2	<0.01	27.1	709	27.6	32
TE5539425	5	<1	3	0.15	5	24	0.41	1590	3.0	<0.01	21.9	593	25.6	32
TE5539426	<5	<1	2	0.21	7	21	0.39	727	2.1	0.01	24.4	779	26.1	45
TE5539427	<5	<1	6	0.14	6	20	0.60	1250	1.9	<0.01	30.8	527	28.4	23
TE5539428	<5	<1	<1	0.14	6	18	0.52	1140	2.4	<0.01	29.5	594	26.1	27
TE5539429	<5	<1	<1	0.16	6	19	0.52	1190	2.0	<0.01	28.6	491	24.5	24
TE5539430	<5	<1	1	0.14	6	17	0.51	1020	1.8	<0.01	26.3	491	22.1	22
TE5539431	<5	<1	<1	0.17	4	21	0.58	1200	2.1	0.01	27.7	510	23.0	22
TE5539432	<5	<1	2	0.14	6	18	0.64	1340	2.0	0.01	31.1	556	25.0	21
TE5539433	<5	<1	4	0.11	4	15	0.60	1180	1.8	<0.01	27.9	419	20.4	17
TE5539434	<5	<1	<1	0.09	5	15	0.65	1140	2.3	<0.01	27.5	472	25.1	14
TE5539435	<5	<1	1	0.12	5	17	0.69	1340	2.4	<0.01	29.3	498	23.4	18
TE5539436	<5	<1	<1	0.11	5	16	0.69	1250	2.0	<0.01	29.2	556	22.4	17
TE5539437	5	<1	<1	0.13	6	19	0.82	1320	2.3	0.01	30.7	544	24.1	19
TE5539438	<5	<1	<1	0.10	5	15	0.67	1230	2.5	<0.01	28.6	520	22.4	16
TE5539439	<5	<1	<1	0.13	5	17	0.73	1270	2.1	<0.01	30.1	514	25.5	18
TE5539440	<5	<1	<1	0.13	6	16	0.62	1100	1.6	<0.01	27.4	556	23.5	19
TE5539441	6	<1	2	0.19	5	21	0.37	1310	1.5	<0.01	34.4	442	33.7	34
TE5539442	<5	<1	<1	0.17	5	17	0.33	1110	1.5	<0.01	34.6	409	29.7	28
TE5539443	9	<1	4	0.19	24	18	0.78	1380	2.6	<0.01	67.8	1420	19.9	43
TE5539444	<5	<1	3	0.17	4	15	0.32	1190	2.3	<0.01	36.2	345	25.6	28
TE5539445	<5	<1	2	0.16	3	14	0.28	1460	1.8	<0.01	39.1	353	27.4	27
TE5539446	5	<1	<1	0.16	3	25	0.57	1880	1.7	0.01	40.2	325	35.9	28
TE5539447	7	<1	3	0.17	4	33	0.68	1950	1.6	0.01	40.1	332	39.2	28
TE5539448	6	<1	3	0.17	4	32	0.66	1980	0.9	0.01	40.4	342	39.0	29
TE5539449	<5	<1	7	0.08	1	3	0.04	53	18.1	0.01	10.5	128	15.9	<10
TE5539450	<5	<1	<1	0.04	2	1	12.3	231	7.3	<0.01	1.1	416	<0.5	15
TE5539451	<5	<1	<1	0.05	2	2	13.5	262	8.1	<0.01	1.6	447	<0.5	16
TE5539452	6	<1	2	0.13	4	23	0.62	1770	2.1	<0.01	39.4	376	39.0	24
TE5539453	6	<1	<1	0.15	4	26	0.64	1740	1.1	0.01	39.6	324	31.1	26

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
TE5539454	6	<1	3	0.14	4	26	0.65	1930	1.8	<0.01	39.7	326	32.7	26
TE5539455	6	<1	<1	0.16	4	27	0.68	1760	1.9	0.01	41.2	340	35.8	27
TE5539456	5	<1	2	0.14	4	24	0.66	1570	1.4	<0.01	38.6	364	27.6	26
TE5539457	6	<1	3	0.15	4	26	0.76	1750	1.4	0.01	40.4	367	31.6	25
TE5539458	<5	<1	1	0.13	4	23	0.65	1540	1.6	<0.01	37.0	312	28.3	22
TE5539459	8	<1	<1	0.19	5	23	0.42	4430	2.0	0.01	31.3	706	23.8	39
TE5539460	5	<1	<1	0.15	5	23	0.44	1120	1.3	0.01	31.5	444	26.0	24
TE5539461	<5	<1	<1	0.14	5	21	0.43	1290	1.4	<0.01	31.2	461	24.7	22
TE5539462	<5	<1	4	0.15	5	21	0.45	1010	1.6	<0.01	31.1	458	29.9	25
TE5539463	5	<1	<1	0.17	6	24	0.47	876	1.9	0.01	29.8	542	24.2	28
TE5532145	8	<1	<1	0.07	6	68	0.83	1370	0.8	<0.01	38.3	344	53.0	12
TE5532146	9	<1	<1	0.08	4	65	0.80	2020	0.5	0.01	45.9	327	37.9	11
TE5532147	8	<1	<1	0.08	3	65	0.80	995	<0.5	0.01	37.6	340	33.6	<10
TE5532148	7	<1	<1	0.06	2	62	0.76	945	<0.5	0.01	36.8	294	34.8	<10
TE5532149	<5	<1	5	0.07	1	3	0.03	54	19.0	0.01	10.5	121	16.2	<10
TE5532150	<5	<1	<1	0.04	2	1	13.0	255	7.2	<0.01	1.3	439	<0.5	15
TE5532151	8	<1	2	0.06	4	64	0.82	846	1.1	0.01	36.9	411	33.6	<10
TE5532152	8	<1	<1	0.07	5	67	0.84	953	<0.5	0.01	38.7	343	35.8	<10
TE5532153	8	<1	<1	0.10	4	58	0.73	640	0.9	0.01	34.3	530	37.4	14
TE5532154	7	<1	<1	0.07	3	61	0.78	876	1.5	0.01	35.6	316	31.7	<10
TE5532155	6	<1	2	0.10	2	39	0.71	568	1.9	0.01	28.6	1120	72.4	18
TE5532156	5	<1	3	0.14	2	43	0.77	760	2.2	0.01	33.0	882	91.4	23
TE5532157	6	<1	<1	0.08	2	53	0.96	1270	1.7	<0.01	36.1	464	60.9	10
TE5532158	6	<1	3	0.11	3	52	1.03	1610	1.9	0.01	41.3	357	32.8	11
TE5532159	6	<1	<1	0.11	3	45	0.83	725	2.2	0.01	37.0	598	34.0	14
TE5532160	7	<1	<1	0.09	3	52	1.00	2010	2.1	0.01	43.5	373	28.9	10
TE5532161	<5	<1	<1	0.07	7	43	0.77	827	2.1	<0.01	32.5	580	34.1	<10
TE5532162	<5	<1	<1	0.13	9	16	0.36	1070	2.5	0.01	43.4	745	41.3	20
TE5532163	<5	<1	<1	0.10	4	8	0.15	958	2.6	<0.01	36.5	590	39.9	11
TE5532164	<5	<1	3	0.07	7	44	0.79	635	2.9	<0.01	35.6	537	35.4	<10
TE5532165	<5	<1	1	0.09	5	11	0.16	949	4.0	<0.01	34.3	652	39.3	12
TE5532166	6	<1	<1	0.10	10	31	0.48	1990	1.8	<0.01	40.4	550	96.3	20

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012		DATE RECEIVED: Aug 27, 2012				DATE REPORTED: Sep 20, 2012				SAMPLE TYPE: Soil					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
TE5532167		6	<1	1	0.11	8	32	0.51	1640	1.6	0.01	35.4	603	78.5	22
TE5532168		<5	<1	<1	0.08	7	23	0.42	1830	2.3	<0.01	39.5	807	72.9	19
TE5532169		6	<1	<1	0.10	4	26	0.52	1190	1.9	0.01	34.3	480	35.6	14
TE5532170		<5	<1	2	0.08	5	22	0.43	673	2.2	0.01	21.8	827	25.2	21
TE5532171		5	<1	<1	0.14	4	32	0.60	762	1.8	0.01	33.3	728	57.5	26
TE5532172		5	<1	<1	0.09	4	32	0.59	547	2.0	0.01	30.8	613	43.4	18
TE5532173		6	<1	2	0.09	3	31	0.51	1930	2.3	<0.01	43.5	672	93.4	20
TE5532174		6	<1	<1	0.09	4	32	0.57	1330	1.7	<0.01	35.7	615	57.6	19
TE5532175		<5	<1	<1	0.06	2	15	0.31	1410	1.0	<0.01	34.9	395	47.6	<10
TE5532176		<5	<1	<1	0.06	3	29	0.55	1020	1.1	<0.01	33.4	488	38.4	<10
TE5532177		<5	<1	2	0.08	3	27	0.60	544	2.2	0.01	31.1	855	48.0	19
TE5532178		<5	<1	1	0.16	6	31	0.50	825	1.3	<0.01	33.0	431	27.7	25
TE5532179		<5	<1	<1	0.14	6	18	0.39	612	1.4	<0.01	38.0	514	23.8	20
TE5532180		<5	<1	1	0.16	9	22	0.51	846	1.7	<0.01	43.4	587	27.2	25
TE5532181		<5	<1	<1	0.25	4	12	0.37	239	2.7	<0.01	21.3	1060	20.9	63
TE5532182		<5	<1	<1	0.21	12	27	0.60	927	2.2	<0.01	39.6	673	22.8	30
TE5532183		6	<1	1	0.15	10	23	0.55	809	2.1	<0.01	44.2	755	21.9	25
TE5532184		6	<1	<1	0.13	12	22	0.50	709	2.7	<0.01	37.8	1060	18.1	25
TE5532185		<5	<1	<1	0.17	9	20	0.49	681	1.7	<0.01	36.3	718	21.7	28
TE5532186		<5	<1	1	0.18	10	22	0.52	614	2.2	<0.01	36.6	800	20.6	30
TE5532187		<5	<1	1	0.18	10	22	0.54	697	2.1	<0.01	39.1	804	21.1	30
TE5532188		6	<1	<1	0.19	12	23	0.64	1190	2.5	<0.01	42.1	923	20.7	28
TE5532189		6	<1	<1	0.15	12	24	0.58	810	2.8	0.01	28.4	918	21.6	34
TE5532190		<5	<1	<1	0.17	13	22	0.63	858	2.4	<0.01	38.5	987	20.3	26
TE5532191		<5	<1	1	0.14	13	19	0.57	789	2.1	<0.01	36.4	953	19.8	23
TE5532192		5	<1	3	0.17	11	22	0.61	923	2.4	<0.01	39.2	873	21.0	26
TE5532193		<5	<1	<1	0.18	11	21	0.56	737	2.1	<0.01	34.7	905	20.0	31
TE5532194		<5	<1	<1	0.11	10	19	0.55	846	2.0	<0.01	35.9	874	19.0	21
TE5532195		<5	<1	3	0.11	9	16	0.48	653	2.0	<0.01	31.3	816	17.3	21
TE5532196		<5	<1	<1	0.10	9	16	0.43	435	3.2	<0.01	27.4	746	17.5	20
TE5532197		<5	<1	<1	0.11	10	17	0.45	1160	2.6	<0.01	29.5	779	17.2	20
TE5532199		<5	<1	<1	0.06	1	2	0.03	45	15.8	0.01	8.9	103	13.4	<10

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
TE5532200	<5	<1	<1	0.04	2	1	12.3	236	6.3	<0.01	1.3	461	<0.5	14
TE5532201	<5	<1	2	0.11	9	17	0.46	975	2.2	<0.01	29.2	804	18.1	22
TE5532202	<5	<1	2	0.11	9	17	0.42	955	1.7	<0.01	28.7	788	16.9	21
TE5532203	<5	<1	<1	0.10	8	15	0.36	552	1.6	<0.01	24.8	714	15.4	18
TE5539567	5	<1	<1	0.07	3	11	0.24	2200	1.6	<0.01	20.1	531	21.5	23
TE5539568	<5	<1	3	0.10	4	13	0.24	2040	1.5	<0.01	26.6	432	24.8	22
TE5539569	<5	<1	<1	0.13	4	16	0.31	1670	1.4	<0.01	30.6	478	26.0	27
TE5539570	<5	<1	2	0.13	4	17	0.30	1350	1.8	<0.01	29.6	394	25.0	25
TE5539571	<5	<1	<1	0.12	3	16	0.29	1410	0.5	<0.01	28.7	251	21.3	19
TE5539572	<5	<1	2	0.09	3	15	0.26	789	0.9	<0.01	21.7	269	19.7	16
TE5539573	<5	<1	<1	0.10	4	18	0.36	744	2.1	<0.01	23.9	504	24.0	23
TE5539574	5	<1	<1	0.10	3	19	0.42	1360	1.7	<0.01	32.1	404	24.9	17
TE5539575	<5	<1	2	0.07	3	13	0.29	974	1.4	<0.01	21.6	317	16.7	12
TE5539576	<5	<1	<1	0.12	4	20	0.43	1120	3.0	0.01	21.1	536	19.8	23
TE5539577	<5	<1	<1	0.11	3	19	0.42	1270	2.0	<0.01	32.3	392	23.6	18
TE5539578	<5	<1	5	0.11	3	20	0.41	1210	1.5	<0.01	27.7	347	22.1	18
TE5539579	<5	<1	<1	0.11	3	18	0.39	1150	1.7	<0.01	26.9	358	22.3	16
TE5539580	<5	<1	3	0.11	3	20	0.40	1090	1.5	<0.01	27.6	337	24.8	17
TE5539581	<5	<1	<1	0.10	3	18	0.36	1050	1.4	<0.01	25.9	340	20.9	16
TE5539582	<5	<1	<1	0.09	3	15	0.34	993	1.2	<0.01	25.4	323	18.9	14
TE5539583	<5	<1	<1	0.11	3	20	0.43	1230	1.5	<0.01	30.9	398	23.2	18
TE5539584	<5	<1	<1	0.10	4	17	0.39	1230	1.8	<0.01	29.8	386	20.9	17
TE5539860	6	<1	<1	0.05	3	50	0.74	1170	0.9	<0.01	34.1	272	35.7	<10
TE5539861	6	<1	<1	0.06	2	51	0.76	919	<0.5	0.01	34.2	238	33.4	<10
TE5539862	7	<1	<1	0.04	2	49	0.71	1060	0.8	<0.01	35.7	300	35.5	<10
TE5539863	7	<1	<1	0.04	2	52	0.77	949	0.7	<0.01	34.4	310	34.7	<10
TE5539864	6	<1	<1	0.04	1	48	0.70	908	<0.5	<0.01	33.5	291	32.0	<10
TE5539865	6	<1	<1	0.05	2	50	0.73	898	<0.5	<0.01	32.7	303	31.2	<10
TE5539866	6	<1	<1	0.04	3	48	0.69	645	0.8	<0.01	30.5	349	27.9	<10
TE5539867	6	<1	<1	0.07	3	47	0.67	717	1.2	<0.01	29.4	346	29.2	<10
TE5539868	6	<1	2	0.07	3	44	0.65	485	2.0	<0.01	28.1	379	28.6	<10
TE5539869	6	<1	<1	0.06	3	47	0.67	541	1.6	<0.01	30.7	343	31.3	<10

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
	Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
TE5539870		5	<1	<1	0.06	3	42	0.62	608	1.8	<0.01	27.4	354	29.1	<10
TE5539871		6	<1	1	0.07	4	49	0.71	762	1.1	<0.01	31.8	407	35.0	<10
TE5539872		6	<1	<1	0.04	3	52	0.72	683	0.6	<0.01	30.7	308	32.7	<10
TE5539873		6	<1	<1	0.04	2	46	0.63	899	1.2	<0.01	32.3	386	33.0	<10

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
TE5538921	0.042	8	3.1	<10	<5	32.8	<10	<10	<5	<0.01	0.04	<5	20.0	<1
TE5538922	0.100	5	3.7	<10	<5	35.2	<10	<10	<5	<0.01	0.08	6	19.5	1
TE5538923	0.042	5	4.3	<10	<5	25.7	<10	<10	<5	<0.01	0.07	<5	20.2	1
TE5538924	0.086	10	3.6	<10	<5	46.7	<10	<10	<5	<0.01	0.07	<5	21.8	<1
TE5538925	0.025	4	4.6	<10	<5	19.0	<10	<10	<5	<0.01	0.06	<5	20.2	<1
TE5538926	0.013	5	4.2	<10	<5	18.5	<10	<10	<5	<0.01	0.05	<5	21.8	<1
TE5538927	0.040	6	3.8	<10	<5	25.3	<10	<10	<5	<0.01	0.05	<5	18.4	3
TE5538928	0.046	8	3.5	<10	<5	26.5	<10	<10	<5	<0.01	0.05	<5	19.0	2
TE5538929	0.037	6	3.9	<10	<5	23.2	<10	<10	<5	<0.01	0.05	<5	19.0	<1
TE5538930	0.039	5	3.8	<10	<5	26.6	<10	<10	<5	<0.01	0.07	<5	18.9	<1
TE5538931	0.049	9	3.1	<10	<5	33.4	<10	<10	<5	<0.01	0.09	<5	20.1	<1
TE5538932	0.017	7	4.3	<10	<5	23.6	<10	<10	<5	<0.01	0.07	<5	18.9	1
TE5538933	0.031	9	5.6	<10	<5	25.8	<10	<10	<5	0.02	0.06	11	38.7	5
TE5538934	0.097	10	4.9	<10	<5	52.3	<10	<10	<5	<0.01	0.07	11	29.7	1
TE5538935	0.034	8	4.3	<10	<5	29.5	<10	<10	<5	0.01	0.05	<5	27.4	2
TE5538936	0.045	8	4.2	<10	<5	37.0	<10	<10	<5	0.01	0.06	<5	24.9	1
TE5538937	0.043	11	4.1	<10	<5	26.8	<10	<10	<5	0.02	0.05	<5	27.9	3
TE5538938	0.038	9	4.0	<10	<5	23.7	<10	<10	<5	0.02	0.05	<5	28.0	2
TE5538939	0.038	9	4.0	<10	<5	23.3	<10	<10	<5	0.02	0.06	<5	27.0	1
TE5538940	0.030	8	3.7	<10	<5	23.3	<10	<10	<5	0.02	0.06	<5	26.2	<1
TE5538941	0.033	9	3.7	<10	<5	25.4	<10	<10	<5	0.02	0.06	<5	26.2	<1
TE5538942	0.044	11	3.8	<10	<5	33.4	<10	<10	<5	0.02	0.06	<5	25.2	<1
TE5538943	0.031	10	3.5	<10	<5	24.6	<10	<10	<5	0.02	0.06	<5	25.2	<1
TE5538944	0.038	7	4.0	<10	<5	28.6	<10	<10	<5	0.02	0.03	<5	26.6	<1
TE5538945	0.020	7	3.5	<10	<5	20.1	<10	<10	<5	0.01	0.03	<5	25.4	<1
TE5538946	0.021	9	3.5	<10	<5	20.7	<10	<10	<5	0.02	0.06	<5	24.7	2
TE5538947	0.024	8	3.6	<10	<5	20.5	<10	<10	<5	0.02	0.05	<5	25.6	2
TE5538948	0.024	7	3.4	<10	<5	21.2	<10	<10	<5	0.02	0.05	<5	25.3	<1
TE5538949	0.184	37	2.6	<10	<5	27.8	<10	<10	<5	0.01	13.5	<5	11.4	34
TE5538950	0.204	21	0.6	<10	<5	51.2	<10	<10	<5	<0.01	0.02	<5	17.8	<1
TE5538951	0.029	8	3.5	<10	<5	24.5	<10	<10	<5	0.02	0.05	<5	24.6	<1
TE5538952	0.019	7	3.3	<10	<5	18.3	<10	<10	<5	0.02	0.05	<5	24.5	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
TE5538953	0.017	6	2.8	<10	<5	16.3	<10	<10	<5	0.02	0.05	<5	20.7	<1
TE5538954	0.019	6	3.0	<10	<5	17.6	<10	<10	<5	0.02	0.05	<5	23.2	<1
TE5538955	0.013	7	3.2	<10	<5	15.2	<10	<10	<5	0.02	0.05	<5	23.6	<1
TE5538956	0.037	11	4.6	<10	<5	34.6	<10	<10	<5	0.01	0.09	<5	32.3	<1
TE5538957	0.045	8	4.0	<10	<5	39.8	<10	<10	<5	0.01	0.07	<5	28.0	3
TE5538958	0.065	9	5.2	<10	<5	56.1	<10	<10	<5	0.01	0.10	<5	32.1	<1
TE5538959	0.030	5	3.1	<10	<5	30.1	<10	<10	<5	<0.01	0.06	<5	23.1	3
TE5538960	0.041	8	3.5	<10	<5	42.7	<10	<10	<5	<0.01	0.05	<5	10.2	<1
TE5538961	0.055	12	3.6	<10	<5	45.7	<10	<10	<5	<0.01	0.04	<5	11.8	<1
TE5538962	0.041	9	3.7	<10	<5	37.4	<10	<10	<5	<0.01	0.05	<5	12.3	<1
TE5538963	0.035	7	3.3	<10	<5	30.4	<10	<10	<5	<0.01	0.04	<5	10.7	<1
TE5538964	0.050	10	3.3	<10	<5	41.7	<10	<10	<5	<0.01	0.04	<5	10.7	<1
TE5538965	0.055	10	3.6	<10	<5	54.3	<10	<10	<5	<0.01	0.04	<5	12.3	<1
TE5538966	0.024	5	2.7	<10	<5	26.2	<10	<10	<5	<0.01	0.03	<5	20.1	<1
TE5538967	0.038	5	2.8	<10	<5	29.7	<10	<10	<5	<0.01	0.04	<5	18.3	<1
TE5538968	0.048	6	2.8	<10	<5	35.5	<10	<10	<5	<0.01	0.04	<5	17.3	<1
TE5538969	0.036	5	2.5	<10	<5	24.2	<10	<10	<5	<0.01	0.03	<5	16.4	<1
TE5538970	0.023	7	4.8	<10	<5	29.7	<10	<10	<5	0.02	0.06	<5	37.2	1
TE5538971	0.053	9	4.7	<10	<5	44.9	<10	<10	<5	0.01	0.08	<5	32.9	3
TE5538972	0.077	11	6.5	<10	<5	54.9	<10	<10	<5	0.02	0.07	<5	35.8	<1
TE5538973	0.082	10	5.6	<10	<5	38.3	<10	<10	<5	<0.01	0.07	<5	33.0	<1
TE5538974	0.119	11	6.0	<10	<5	45.2	<10	<10	<5	0.02	0.06	<5	35.8	<1
TE5538975	0.133	11	6.2	<10	<5	47.7	<10	<10	<5	0.02	0.05	<5	37.2	3
TE5538976	0.021	10	5.6	<10	<5	31.8	<10	<10	<5	0.02	0.06	<5	39.0	<1
TE5538977	0.093	9	5.6	<10	<5	43.7	<10	<10	<5	0.02	0.06	<5	35.2	<1
TE5538978	0.072	8	4.7	<10	<5	30.7	<10	<10	<5	0.01	0.06	<5	30.2	3
TE5538979	0.063	8	4.4	<10	<5	26.8	<10	<10	<5	0.01	0.05	<5	28.4	<1
TE5538980	0.084	10	5.8	<10	<5	37.1	<10	<10	<5	0.02	0.06	<5	36.4	<1
TE5538981	0.071	8	5.6	<10	<5	32.4	<10	<10	<5	0.02	0.06	<5	35.5	<1
TE5538982	0.035	7	5.2	<10	<5	27.7	<10	<10	<5	0.02	0.06	<5	33.9	1
TE5538983	0.067	7	5.4	<10	<5	33.0	<10	<10	<5	0.01	0.07	<5	36.0	<1
TE5538984	0.078	8	5.3	<10	<5	28.1	<10	<10	<5	0.01	0.07	<5	32.0	3

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
TE5538985	0.036	8	4.2	<10	<5	45.4	<10	<10	<5	0.01	0.08	<5	32.8	3
TE5538986	0.064	7	5.2	<10	<5	28.9	<10	<10	<5	0.01	0.07	<5	33.0	<1
TE5538987	0.064	5	5.0	<10	<5	31.9	<10	<10	<5	0.01	0.08	<5	32.2	1
TE5509790	0.034	5	5.6	<10	<5	13.6	<10	<10	<5	<0.01	0.07	<5	32.6	2
TE5509791	0.029	3	5.4	<10	<5	14.7	<10	<10	<5	<0.01	0.07	<5	32.2	4
TE5509792	0.022	5	5.7	<10	<5	13.6	<10	<10	<5	<0.01	0.07	<5	34.5	1
TE5509795	0.029	7	4.8	<10	<5	16.2	<10	<10	<5	<0.01	0.07	<5	31.0	2
TE5509796	0.032	7	5.2	<10	<5	16.6	<10	<10	<5	<0.01	0.06	<5	35.8	5
TE5509797	0.044	8	4.6	<10	<5	19.5	<10	<10	<5	<0.01	0.07	<5	29.5	2
TE5509798	0.027	6	5.1	<10	<5	19.3	<10	<10	<5	<0.01	0.07	<5	33.4	2
TE5509799	0.018	4	5.1	<10	<5	13.7	<10	<10	<5	<0.01	0.07	<5	34.5	4
TE5537454	0.024	6	5.9	<10	<5	15.9	<10	<10	<5	<0.01	0.07	<5	34.9	2
TE5537455	0.039	6	5.7	<10	<5	16.1	<10	<10	<5	<0.01	0.08	<5	33.4	<1
TE5537456	0.075	6	5.7	<10	<5	16.1	<10	<10	<5	<0.01	0.07	<5	34.1	<1
TE5537457	0.142	7	5.7	<10	<5	21.9	<10	<10	<5	<0.01	0.14	<5	33.0	<1
TE5537458	0.118	9	5.2	<10	<5	25.3	<10	<10	<5	<0.01	0.11	<5	33.0	2
TE5537807	0.020	6	6.2	<10	<5	21.5	<10	<10	<5	<0.01	0.10	<5	36.1	<1
TE5537808	0.016	5	6.0	<10	<5	20.9	<10	<10	<5	<0.01	0.09	<5	34.8	5
TE5537809	0.016	5	6.0	<10	<5	22.2	<10	<10	<5	0.01	0.09	<5	35.5	2
TE5532204	0.007	6	6.7	<10	<5	23.0	<10	<10	<5	0.01	0.11	<5	45.6	5
TE5532205	0.009	3	7.9	<10	<5	24.4	<10	<10	<5	0.01	0.14	<5	43.7	5
TE5532206	0.006	4	6.6	<10	<5	19.0	<10	<10	<5	0.01	0.13	<5	44.0	6
TE5532207	0.016	3	6.7	<10	<5	18.2	<10	<10	<5	<0.01	0.10	<5	35.8	4
TE5532208	0.010	3	6.6	<10	<5	23.4	<10	<10	<5	<0.01	0.12	<5	35.1	4
TE5532209	0.016	4	6.5	<10	<5	24.0	<10	<10	<5	<0.01	0.11	<5	35.7	6
SE5509102	0.030	5	6.7	<10	<5	21.6	<10	<10	<5	0.01	0.10	<5	19.2	4
SE5509103	0.028	2	6.2	<10	<5	15.6	<10	<10	<5	0.01	0.14	6	27.2	3
SE5509104	0.017	8	5.0	<10	<5	16.2	<10	<10	5	<0.01	0.24	<5	12.3	2
SE5509105	0.007	4	5.9	<10	<5	27.7	<10	<10	6	<0.01	0.15	<5	13.0	5
SE5509106	0.014	3	5.9	<10	<5	17.7	<10	<10	<5	<0.01	0.11	<5	19.6	3
SE5509107	0.009	5	5.8	<10	<5	15.3	<10	<10	<5	<0.01	0.09	<5	12.6	5
SE5509108	0.008	3	6.3	<10	<5	18.0	<10	<10	<5	<0.01	0.10	<5	13.6	3

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
SE5509109	0.008	5	6.2	<10	<5	14.3	<10	<10	<5	<0.01	0.09	<5	9.6	4
SE5509110	0.017	6	6.3	<10	<5	16.2	<10	<10	<5	<0.01	0.07	<5	9.5	7
SE5509111	0.006	3	5.6	<10	<5	11.2	<10	<10	<5	<0.01	0.05	<5	8.5	2
SE5509112	0.010	2	5.7	<10	<5	11.0	<10	<10	<5	<0.01	0.06	<5	13.2	4
SE5509113	0.006	6	6.1	<10	<5	13.7	<10	<10	<5	<0.01	0.06	<5	7.6	5
SE5509114	<0.005	4	5.5	<10	<5	13.0	<10	<10	<5	<0.01	0.05	<5	8.8	5
SE5509115	0.005	3	6.0	<10	<5	17.1	<10	<10	<5	<0.01	0.07	<5	10.1	5
SE5509116	0.010	5	6.7	<10	<5	17.5	<10	<10	5	<0.01	0.08	<5	11.7	<1
SE5509117	0.006	5	7.6	<10	<5	16.1	<10	<10	<5	<0.01	0.07	<5	12.4	4
SE5509118	0.013	4	5.3	<10	<5	15.5	<10	<10	<5	<0.01	0.08	<5	13.4	3
SE5509119	0.007	5	6.0	<10	<5	13.0	<10	<10	<5	<0.01	0.08	<5	9.4	2
SE5509120	0.013	3	5.0	<10	<5	10.3	<10	<10	<5	<0.01	0.11	<5	13.0	3
SE5509121	<0.005	2	4.7	<10	<5	11.4	<10	<10	<5	<0.01	0.04	<5	17.8	1
SE5509122	0.015	5	6.2	<10	<5	13.7	<10	<10	<5	<0.01	0.10	<5	20.1	8
SE5509123	0.014	4	7.2	<10	<5	13.6	<10	<10	<5	<0.01	0.08	<5	17.9	11
SE5509124	0.014	4	5.9	<10	<5	14.9	<10	<10	<5	<0.01	0.10	<5	14.1	7
SE5509125	0.005	4	5.1	<10	<5	10.9	<10	<10	<5	<0.01	0.06	<5	21.3	2
SE5509126	0.009	4	4.4	<10	<5	10.0	<10	<10	<5	<0.01	0.10	<5	22.9	4
SE5509127	0.006	3	5.0	<10	<5	10.8	<10	<10	<5	<0.01	0.07	<5	11.9	3
TE5539249	0.197	39	2.6	<10	<5	30.3	<10	<10	<5	<0.01	12.1	<5	10.7	34
TE5539250	0.203	21	<0.5	<10	<5	48.6	<10	<10	<5	<0.01	0.02	<5	16.2	<1
TE5539251	0.019	6	4.4	<10	<5	16.9	<10	<10	<5	<0.01	0.06	<5	27.4	3
TE5539252	0.059	7	4.7	<10	<5	36.3	<10	<10	<5	<0.01	0.09	<5	29.5	5
TE5539253	0.025	7	4.4	<10	<5	16.1	<10	<10	<5	0.01	0.07	<5	28.0	4
TE5539254	0.033	8	4.2	<10	<5	36.1	<10	<10	<5	0.02	0.07	<5	31.3	2
TE5539255	0.038	6	4.2	<10	<5	20.3	<10	<10	<5	0.02	0.06	<5	27.9	4
TE5539256	0.040	10	5.0	<10	<5	37.6	<10	<10	<5	0.02	0.07	<5	33.0	6
TE5539257	0.029	9	4.7	<10	<5	23.6	<10	<10	<5	0.01	0.07	<5	29.8	1
TE5539258	0.063	10	3.7	<10	<5	75.1	<10	<10	<5	0.02	0.06	<5	27.4	3
TE5539259	0.031	8	4.2	<10	<5	17.5	<10	<10	<5	0.01	0.05	<5	27.8	3
TE5539260	0.028	7	4.7	<10	<5	22.2	<10	<10	<5	0.03	0.08	<5	33.2	4
TE5539261	0.026	6	5.2	<10	<5	21.9	<10	<10	<5	0.02	0.07	<5	31.6	6

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012		DATE RECEIVED: Aug 27, 2012					DATE REPORTED: Sep 20, 2012					SAMPLE TYPE: Soil			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
TE5539262		0.058	11	5.0	<10	<5	38.9	<10	<10	<5	0.02	0.10	<5	32.7	5
TE5539263		0.034	8	4.7	<10	<5	21.4	<10	<10	<5	0.02	0.06	<5	30.0	5
TE5539264		0.024	9	5.2	<10	<5	20.5	<10	<10	<5	0.02	0.07	<5	32.5	5
TE5539265		0.019	6	5.8	<10	<5	22.5	<10	<10	<5	0.01	0.07	<5	33.2	8
TE5539266		0.029	7	4.7	<10	<5	20.1	<10	<10	<5	0.01	0.06	<5	29.1	7
TE5539267		0.029	6	5.5	<10	<5	23.0	<10	<10	<5	0.02	0.06	<5	33.9	3
TE5539268		0.057	8	5.1	<10	<5	25.4	<10	<10	<5	0.03	0.07	<5	34.3	4
TE5539269		0.030	7	4.7	<10	<5	21.7	<10	<10	<5	0.01	0.07	<5	29.2	4
TE5539270		0.017	9	5.5	<10	<5	21.2	<10	<10	<5	0.01	0.08	<5	32.9	4
TE5539271		0.032	10	4.7	<10	<5	21.5	<10	<10	<5	0.02	0.07	<5	31.3	1
TE5539272		0.027	9	4.7	<10	<5	18.7	<10	<10	<5	0.02	0.07	<5	31.2	1
TE5539273		0.034	10	5.3	<10	<5	24.0	<10	<10	<5	0.02	0.07	<5	34.5	5
TE5539274		0.027	11	4.7	<10	<5	21.6	<10	<10	<5	0.02	0.07	<5	29.7	5
TE5539275		0.029	8	4.4	<10	<5	21.8	<10	<10	<5	0.02	0.06	<5	29.6	5
TE5539276		0.028	7	4.6	<10	<5	20.6	<10	<10	<5	0.02	0.07	<5	30.8	5
TE5539277		0.030	7	4.6	<10	<5	24.9	<10	<10	<5	0.02	0.08	<5	31.3	3
TE5539278		0.028	8	4.5	<10	<5	21.9	<10	<10	<5	0.02	0.06	<5	29.8	5
TE5539279		0.026	8	4.4	<10	<5	18.8	<10	<10	<5	0.02	0.06	<5	29.9	2
TE5539280		0.024	7	4.8	<10	<5	22.4	<10	<10	<5	0.02	0.07	<5	32.0	4
TE5539281		0.005	5	8.0	<10	<5	21.6	<10	<10	<5	<0.01	0.09	<5	41.6	4
TE5539282		0.005	5	9.7	<10	<5	22.3	<10	<10	<5	<0.01	0.15	<5	49.4	7
TE5539283		0.006	5	9.2	<10	<5	20.5	<10	<10	<5	<0.01	0.13	<5	46.2	8
TE5539284		0.044	7	6.1	<10	<5	26.0	<10	<10	<5	0.01	0.11	<5	40.0	4
TE5539285		0.011	4	7.2	<10	<5	24.0	<10	<10	<5	0.01	0.10	<5	40.8	6
TE5539286		0.088	7	6.1	<10	<5	25.8	<10	<10	<5	<0.01	0.09	<5	31.3	3
TE5539287		0.045	7	6.5	<10	<5	30.1	<10	<10	<5	0.01	0.09	<5	41.3	5
TE5539288		0.103	10	6.3	<10	<5	29.7	<10	<10	<5	<0.01	0.11	<5	26.1	2
TE5539289		0.009	2	7.7	<10	<5	19.2	<10	<10	<5	<0.01	0.10	<5	42.5	7
TE5539290		0.023	6	5.9	<10	<5	25.5	<10	<10	<5	<0.01	0.10	<5	38.5	6
TE5539291		0.033	6	5.2	<10	<5	38.6	<10	<10	<5	0.01	0.09	<5	35.1	7
TE5539292		0.026	5	6.2	<10	<5	26.7	<10	<10	<5	0.01	0.10	<5	37.6	4
TE5539293		0.024	7	6.2	<10	<5	26.3	<10	<10	<5	0.01	0.08	<5	38.0	6

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
TE5539294	0.024	5	6.1	<10	<5	25.5	<10	<10	<5	0.01	0.09	<5	37.2	5
TE5539295	0.020	6	5.4	<10	<5	19.7	<10	<10	<5	0.01	0.08	<5	34.9	3
TE5539296	0.037	6	5.4	<10	<5	26.1	<10	<10	<5	<0.01	0.09	<5	31.0	7
TE5539297	0.019	6	5.8	<10	<5	20.4	<10	<10	<5	<0.01	0.07	<5	36.5	4
TE5539298	0.022	7	5.9	<10	<5	26.3	<10	<10	<5	0.01	0.10	<5	38.0	5
TE5539299	0.178	39	2.5	<10	<5	29.9	<10	<10	<5	0.01	11.2	<5	10.6	33
TE5539300	0.216	19	0.5	<10	<5	51.7	<10	<10	<5	<0.01	0.02	<5	18.0	<1
TE5539301	0.013	6	6.1	<10	<5	22.4	<10	<10	<5	0.01	0.09	<5	38.4	9
TE5539302	0.065	10	5.6	<10	<5	50.8	<10	<10	<5	<0.01	0.08	<5	31.9	5
TE5539303	0.018	5	6.0	<10	<5	22.1	<10	<10	<5	<0.01	0.07	<5	37.9	5
TE5539304	0.017	5	6.6	<10	<5	24.3	<10	<10	<5	0.01	0.10	<5	40.2	5
TE5539305	0.026	6	6.2	<10	<5	26.6	<10	<10	<5	0.01	0.10	<5	37.9	4
TE5539306	0.029	5	6.4	<10	<5	26.9	<10	<10	<5	0.01	0.08	<5	37.7	8
TE5539307	0.039	7	6.4	<10	<5	32.6	<10	<10	<5	0.01	0.09	<5	38.3	7
TE5539308	0.026	7	5.8	<10	<5	20.2	<10	<10	<5	<0.01	0.06	<5	33.9	7
TE5539309	0.039	13	4.0	<10	<5	25.1	<10	<10	<5	<0.01	0.30	<5	33.5	7
TE5509360	0.116	16	5.1	<10	<5	52.9	<10	<10	<5	<0.01	0.34	<5	50.5	2
TE5509361	0.033	12	4.2	<10	<5	28.6	<10	<10	<5	<0.01	0.29	<5	44.3	6
TE5509362	0.061	11	5.0	<10	<5	44.3	<10	<10	<5	<0.01	0.28	<5	49.8	8
TE5509363	0.048	12	4.9	<10	<5	35.8	<10	<10	<5	<0.01	0.25	<5	47.5	6
TE5509364	0.021	9	6.8	<10	<5	21.0	<10	<10	<5	<0.01	0.11	<5	33.0	6
TE5509365	0.024	7	6.9	<10	<5	23.1	<10	<10	<5	<0.01	0.11	<5	32.7	9
TE5509366	0.050	8	5.9	<10	<5	31.2	<10	<10	<5	<0.01	0.16	<5	44.0	9
TE5509367	0.030	8	6.5	<10	<5	23.6	<10	<10	<5	<0.01	0.10	<5	34.1	13
TE5509368	0.023	6	6.7	<10	<5	23.0	<10	<10	<5	<0.01	0.08	<5	31.0	9
TE5509369	0.060	11	5.3	<10	<5	29.9	<10	<10	<5	<0.01	0.16	<5	41.3	6
TE5509370	0.025	9	6.4	<10	<5	29.4	<10	<10	<5	<0.01	0.12	<5	34.1	11
TE5509371	0.026	10	5.9	<10	<5	24.9	<10	<10	<5	<0.01	0.15	<5	37.7	7
TE5509372	0.035	8	5.8	<10	<5	24.4	<10	<10	<5	<0.01	0.13	<5	31.7	6
TE5509373	0.034	8	5.8	<10	<5	22.5	<10	<10	<5	<0.01	0.12	<5	32.9	6
TE5509374	0.036	12	6.4	<10	<5	32.4	<10	<10	<5	<0.01	0.13	<5	32.6	5
TE5509375	0.030	10	6.2	<10	<5	20.6	<10	<10	<5	<0.01	0.10	<5	32.0	9

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012		DATE RECEIVED: Aug 27, 2012					DATE REPORTED: Sep 20, 2012					SAMPLE TYPE: Soil			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
TE5509376		0.049	6	5.9	<10	<5	34.8	<10	<10	<5	<0.01	0.10	<5	30.9	5
TE5509377		0.030	7	6.5	<10	<5	27.4	<10	<10	<5	<0.01	0.12	<5	35.5	6
TE5539424		0.083	9	5.0	<10	<5	45.0	<10	<10	<5	<0.01	0.09	<5	23.9	3
TE5539425		0.103	10	4.8	<10	<5	68.7	<10	<10	<5	<0.01	0.10	<5	30.4	6
TE5539426		0.115	13	5.3	<10	<5	46.0	<10	<10	<5	<0.01	0.12	<5	25.4	5
TE5539427		0.115	8	5.7	<10	<5	32.4	<10	<10	<5	<0.01	0.09	<5	30.4	8
TE5539428		0.098	9	5.7	<10	<5	33.0	<10	<10	<5	<0.01	0.10	<5	31.2	3
TE5539429		0.079	9	5.3	<10	<5	33.1	<10	<10	<5	0.01	0.08	<5	30.2	7
TE5539430		0.081	10	5.2	<10	<5	32.6	<10	<10	<5	0.01	0.07	<5	28.4	4
TE5539431		0.079	12	5.3	<10	<5	35.8	<10	<10	<5	0.01	0.07	<5	28.7	6
TE5539432		0.100	11	6.0	<10	<5	34.3	<10	<10	<5	0.02	0.08	<5	33.5	6
TE5539433		0.133	8	5.1	<10	<5	32.5	<10	<10	<5	0.01	0.05	<5	27.0	5
TE5539434		0.125	10	5.6	<10	<5	27.1	<10	<10	<5	0.01	0.05	<5	28.4	3
TE5539435		0.133	12	5.9	<10	<5	40.8	<10	<10	<5	0.01	0.06	<5	30.2	6
TE5539436		0.126	10	5.9	<10	<5	34.8	<10	<10	<5	0.01	0.07	<5	31.0	6
TE5539437		0.136	14	6.4	<10	<5	51.8	<10	<10	<5	0.02	0.06	<5	33.8	7
TE5539438		0.120	10	5.8	<10	<5	35.9	<10	<10	<5	0.01	0.05	<5	30.2	4
TE5539439		0.121	11	6.1	<10	<5	40.6	<10	<10	<5	0.02	0.07	<5	32.0	4
TE5539440		0.089	10	5.7	<10	<5	37.6	<10	<10	<5	0.02	0.07	<5	32.4	8
TE5539441		0.020	8	6.5	<10	<5	34.3	<10	<10	<5	<0.01	0.13	<5	31.4	3
TE5539442		0.025	6	6.0	<10	<5	30.3	<10	<10	<5	<0.01	0.11	<5	27.4	5
TE5539443		0.083	13	14.2	<10	<5	98.3	<10	<10	<5	<0.01	0.14	<5	106	8
TE5539444		0.025	9	7.6	<10	<5	35.9	<10	<10	<5	<0.01	0.11	<5	42.1	1
TE5539445		0.020	7	8.2	<10	<5	36.9	<10	<10	<5	<0.01	0.12	<5	45.3	12
TE5539446		0.058	7	8.4	<10	<5	32.7	<10	<10	<5	<0.01	0.12	<5	40.1	10
TE5539447		0.055	7	8.7	<10	<5	31.4	<10	<10	<5	<0.01	0.14	<5	39.6	8
TE5539448		0.054	6	8.6	<10	<5	31.4	<10	<10	<5	<0.01	0.14	<5	39.4	6
TE5539449		0.237	43	2.8	<10	<5	39.2	<10	<10	<5	0.01	12.1	<5	11.9	37
TE5539450		0.228	17	0.5	<10	<5	52.7	<10	<10	<5	<0.01	0.02	<5	17.2	<1
TE5539451		0.247	19	<0.5	<10	<5	59.0	<10	<10	<5	<0.01	0.02	<5	18.6	<1
TE5539452		0.056	8	8.4	<10	<5	36.2	<10	<10	<5	<0.01	0.11	<5	37.6	11
TE5539453		0.056	6	8.7	<10	<5	31.7	<10	<10	<5	<0.01	0.12	<5	39.6	6

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
TE5539454		0.057	8	8.8	<10	<5	28.1	<10	<10	<5	<0.01	0.12	<5	38.8	5
TE5539455		0.074	8	9.3	<10	<5	34.0	<10	<10	<5	<0.01	0.12	<5	41.9	13
TE5539456		0.059	10	8.7	<10	<5	30.5	<10	<10	<5	<0.01	0.10	<5	39.8	8
TE5539457		0.076	7	9.5	<10	<5	32.3	<10	<10	<5	<0.01	0.10	<5	42.8	13
TE5539458		0.049	8	8.5	<10	<5	27.8	<10	<10	<5	<0.01	0.09	<5	38.5	7
TE5539459		0.133	10	6.5	<10	<5	56.4	<10	<10	<5	<0.01	0.12	8	38.3	8
TE5539460		0.039	7	6.4	<10	<5	27.1	<10	<10	<5	0.01	0.08	<5	37.4	9
TE5539461		0.034	6	6.2	<10	<5	28.7	<10	<10	<5	0.01	0.08	<5	36.4	8
TE5539462		0.037	5	7.0	<10	<5	38.8	<10	<10	<5	<0.01	0.09	<5	38.5	11
TE5539463		0.059	8	6.5	<10	<5	35.7	<10	<10	<5	0.01	0.09	<5	37.1	7
TE5532145		0.010	4	3.8	<10	<5	15.3	<10	<10	<5	<0.01	0.05	<5	24.2	7
TE5532146		0.010	4	3.7	<10	<5	15.0	<10	<10	<5	<0.01	0.05	<5	20.9	6
TE5532147		0.009	5	3.7	<10	<5	11.9	<10	<10	<5	<0.01	0.04	<5	21.2	9
TE5532148		0.011	3	3.4	<10	<5	9.9	<10	<10	<5	<0.01	0.03	<5	19.4	6
TE5532149		0.256	45	2.9	<10	<5	38.4	<10	<10	<5	0.01	13.8	<5	11.9	39
TE5532150		0.251	21	0.6	<10	<5	55.4	<10	<10	<5	<0.01	0.02	<5	18.5	<1
TE5532151		0.013	4	3.2	<10	<5	10.0	<10	<10	<5	<0.01	0.03	<5	21.1	9
TE5532152		0.011	5	3.5	<10	<5	11.8	<10	<10	<5	<0.01	0.04	<5	21.9	10
TE5532153		0.042	7	3.4	<10	<5	16.1	<10	<10	<5	<0.01	0.04	<5	20.3	6
TE5532154		0.010	2	3.8	<10	<5	9.6	<10	<10	<5	<0.01	0.03	<5	20.3	8
TE5532155		0.106	6	2.6	<10	<5	31.2	<10	<10	<5	<0.01	0.08	<5	26.3	7
TE5532156		0.125	8	4.0	<10	<5	107	<10	<10	<5	<0.01	0.06	6	22.2	7
TE5532157		0.024	2	2.6	<10	<5	29.5	<10	<10	<5	<0.01	0.04	<5	27.7	14
TE5532158		0.012	3	2.5	<10	<5	19.4	<10	<10	<5	<0.01	0.04	<5	27.4	11
TE5532159		0.063	5	3.2	<10	<5	38.9	<10	<10	<5	<0.01	0.05	<5	25.0	7
TE5532160		0.013	2	3.0	<10	<5	13.6	<10	<10	<5	<0.01	0.04	<5	28.0	11
TE5532161		0.085	4	2.8	<10	<5	33.3	<10	<10	<5	<0.01	0.04	<5	22.6	9
TE5532162		0.028	17	7.7	<10	<5	59.6	<10	<10	6	0.02	0.16	<5	32.3	10
TE5532163		0.053	11	4.1	<10	<5	38.3	<10	<10	<5	<0.01	0.07	<5	12.0	8
TE5532164		0.057	4	3.0	<10	<5	31.3	<10	<10	<5	<0.01	0.03	<5	24.7	9
TE5532165		0.061	14	4.0	<10	<5	79.0	<10	<10	<5	<0.01	0.07	<5	11.5	11
TE5532166		0.026	4	6.2	<10	<5	30.9	<10	<10	<5	<0.01	0.10	5	21.4	10

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012		DATE RECEIVED: Aug 27, 2012					DATE REPORTED: Sep 20, 2012					SAMPLE TYPE: Soil			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
TE5532167		0.027	5	5.5	<10	<5	27.4	<10	<10	<5	<0.01	0.08	<5	22.5	8
TE5532168		0.031	5	5.3	<10	<5	33.3	<10	<10	<5	<0.01	0.08	<5	21.0	7
TE5532169		0.022	4	4.2	<10	<5	22.9	<10	<10	<5	<0.01	0.05	<5	20.0	5
TE5532170		0.083	6	1.8	<10	<5	47.3	<10	<10	<5	<0.01	0.07	<5	24.5	3
TE5532171		0.071	9	4.2	<10	<5	50.3	<10	<10	<5	<0.01	0.08	<5	21.9	6
TE5532172		0.052	6	3.8	<10	<5	35.8	<10	<10	<5	<0.01	0.04	<5	21.8	5
TE5532173		0.053	8	5.2	<10	<5	35.7	<10	<10	<5	<0.01	0.09	8	21.6	8
TE5532174		0.041	4	4.1	<10	<5	30.6	<10	<10	<5	<0.01	0.06	7	22.7	7
TE5532175		0.098	5	4.6	<10	<5	13.1	<10	<10	<5	<0.01	0.03	<5	19.1	8
TE5532176		0.064	8	3.7	<10	<5	24.0	<10	<10	<5	<0.01	0.03	<5	20.3	10
TE5532177		0.112	11	3.7	<10	<5	64.2	<10	<10	<5	<0.01	0.06	<5	21.9	4
TE5532178		0.019	4	4.6	<10	<5	19.5	<10	<10	<5	<0.01	0.12	<5	24.4	5
TE5532179		0.040	5	4.3	<10	<5	25.4	<10	<10	<5	<0.01	0.10	<5	22.9	7
TE5532180		0.048	6	5.4	<10	<5	51.9	<10	<10	<5	<0.01	0.14	<5	32.7	4
TE5532181		0.176	11	5.9	<10	<5	75.8	<10	<10	<5	<0.01	0.12	<5	25.2	3
TE5532182		0.046	7	5.4	<10	<5	42.6	<10	<10	<5	0.01	0.12	<5	37.6	9
TE5532183		0.040	8	6.2	<10	<5	39.9	<10	<10	<5	<0.01	0.10	<5	43.9	5
TE5532184		0.031	10	6.3	<10	<5	56.7	<10	<10	<5	0.01	0.09	<5	62.5	6
TE5532185		0.060	6	5.6	<10	<5	39.6	<10	<10	<5	<0.01	0.10	<5	37.6	7
TE5532186		0.061	5	5.6	<10	<5	43.6	<10	<10	<5	<0.01	0.10	<5	38.2	9
TE5532187		0.065	9	6.0	<10	<5	47.9	<10	<10	<5	<0.01	0.11	<5	41.7	8
TE5532188		0.072	11	6.8	<10	<5	64.7	<10	<10	<5	0.01	0.10	<5	51.2	8
TE5532189		0.052	10	7.6	<10	<5	67.2	<10	<10	<5	0.01	0.10	<5	54.7	7
TE5532190		0.085	11	6.4	<10	<5	65.5	<10	<10	<5	0.01	0.10	<5	47.2	7
TE5532191		0.077	11	5.9	<10	<5	60.0	<10	<10	<5	0.01	0.08	<5	45.4	4
TE5532192		0.065	12	6.4	<10	<5	59.1	<10	<10	<5	0.01	0.08	<5	48.0	6
TE5532193		0.077	9	5.9	<10	<5	55.4	<10	<10	<5	0.01	0.10	<5	43.4	6
TE5532194		0.069	10	5.8	<10	<5	51.4	<10	<10	<5	0.01	0.07	<5	43.6	5
TE5532195		0.061	9	5.1	<10	<5	47.9	<10	<10	<5	0.01	0.07	<5	38.8	5
TE5532196		0.063	7	5.1	<10	<5	40.7	<10	<10	<5	0.01	0.07	<5	40.3	2
TE5532197		0.052	11	5.2	<10	<5	47.4	<10	<10	<5	0.01	0.07	<5	41.7	4
TE5532199		0.191	34	2.3	<10	<5	23.5	<10	<10	<5	<0.01	9.48	<5	9.4	35

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
TE5532200	0.239	19	0.5	<10	<5	51.2	<10	<10	<5	<0.01	0.02	<5	17.1	<1
TE5532201	0.069	8	5.3	<10	<5	51.2	<10	<10	<5	0.01	0.08	<5	41.0	7
TE5532202	0.042	6	5.3	<10	<5	47.9	<10	<10	<5	0.01	0.08	<5	42.7	6
TE5532203	0.044	10	4.5	<10	<5	34.8	<10	<10	<5	0.01	0.07	<5	35.4	3
TE5539567	0.058	10	4.8	<10	<5	19.2	<10	<10	<5	<0.01	0.08	<5	26.4	6
TE5539568	0.030	5	5.2	<10	<5	14.5	<10	<10	<5	<0.01	0.10	<5	26.2	6
TE5539569	0.026	5	5.6	<10	<5	16.5	<10	<10	<5	<0.01	0.11	<5	28.5	9
TE5539570	0.017	6	5.3	<10	<5	15.3	<10	<10	<5	<0.01	0.09	<5	27.8	6
TE5539571	0.008	4	4.7	<10	<5	12.7	<10	<10	<5	<0.01	0.09	<5	24.5	6
TE5539572	0.013	3	4.0	<10	<5	10.2	<10	<10	<5	<0.01	0.07	<5	20.8	3
TE5539573	0.034	7	4.7	<10	<5	21.3	<10	<10	<5	<0.01	0.08	<5	28.4	6
TE5539574	0.023	6	6.2	<10	<5	20.7	<10	<10	<5	<0.01	0.07	<5	35.2	9
TE5539575	0.024	4	4.2	<10	<5	17.7	<10	<10	<5	<0.01	0.05	<5	23.8	6
TE5539576	0.060	13	5.0	<10	<5	31.8	<10	<10	<5	0.01	0.07	<5	29.8	8
TE5539577	0.035	7	6.3	<10	<5	22.0	<10	<10	<5	0.01	0.08	<5	34.9	6
TE5539578	0.041	6	5.3	<10	<5	24.8	<10	<10	<5	0.01	0.07	<5	30.3	5
TE5539579	0.043	5	5.1	<10	<5	22.1	<10	<10	<5	<0.01	0.07	<5	29.1	10
TE5539580	0.035	4	5.4	<10	<5	21.1	<10	<10	<5	<0.01	0.07	<5	30.6	8
TE5539581	0.034	6	5.0	<10	<5	17.8	<10	<10	<5	<0.01	0.06	<5	28.5	6
TE5539582	0.028	5	4.8	10	<5	17.8	<10	<10	<5	<0.01	0.05	<5	27.1	5
TE5539583	0.028	8	5.9	<10	<5	20.5	<10	<10	<5	<0.01	0.07	<5	33.1	9
TE5539584	0.028	5	5.7	<10	<5	22.5	<10	<10	<5	<0.01	0.07	<5	31.6	8
TE5539860	0.008	2	3.4	<10	<5	8.6	<10	<10	<5	<0.01	0.03	<5	21.3	9
TE5539861	0.006	3	3.4	<10	<5	7.3	<10	<10	<5	<0.01	0.03	<5	20.6	9
TE5539862	0.009	2	3.2	<10	<5	6.5	<10	<10	<5	<0.01	0.03	<5	21.9	8
TE5539863	0.012	5	2.8	<10	<5	8.6	<10	<10	<5	<0.01	0.03	<5	21.6	11
TE5539864	0.010	4	2.8	<10	<5	7.0	<10	<10	<5	<0.01	0.03	<5	19.8	6
TE5539865	0.011	4	3.0	<10	<5	8.5	<10	<10	<5	<0.01	0.03	<5	19.6	6
TE5539866	0.026	3	2.5	<10	<5	14.0	<10	<10	<5	<0.01	0.03	<5	19.5	5
TE5539867	0.026	3	2.7	<10	<5	13.0	<10	<10	<5	<0.01	0.04	<5	17.8	9
TE5539868	0.052	7	2.6	<10	<5	18.1	<10	<10	<5	<0.01	0.03	<5	18.1	7
TE5539869	0.035	6	2.9	<10	<5	15.5	<10	<10	<5	<0.01	0.03	<5	19.8	7

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
TE5539870		0.031	6	2.6	<10	<5	14.5	<10	<10	<5	<0.01	0.04	<5	17.7	6
TE5539871		0.024	4	2.9	<10	<5	13.2	<10	<10	<5	<0.01	0.03	<5	20.2	8
TE5539872		0.012	4	2.4	<10	<5	7.7	<10	<10	<5	<0.01	0.03	<5	19.0	9
TE5539873		0.029	6	2.7	<10	<5	9.5	<10	<10	<5	<0.01	0.03	<5	20.5	6

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
TE5538921		7	109	<5
TE5538922		9	72.7	<5
TE5538923		8	104	<5
TE5538924		13	81.7	<5
TE5538925		6	115	<5
TE5538926		9	116	<5
TE5538927		6	100	<5
TE5538928		7	94.8	<5
TE5538929		7	106	<5
TE5538930		8	98.4	<5
TE5538931		8	97.6	<5
TE5538932		7	104	<5
TE5538933		7	105	<5
TE5538934		9	138	<5
TE5538935		7	89.5	<5
TE5538936		7	77.0	<5
TE5538937		6	85.5	<5
TE5538938		6	83.7	<5
TE5538939		6	85.4	<5
TE5538940		6	78.6	<5
TE5538941		6	77.7	<5
TE5538942		7	76.0	<5
TE5538943		6	76.8	<5
TE5538944		7	79.3	<5
TE5538945		6	78.7	<5
TE5538946		6	75.7	<5
TE5538947		6	78.2	<5
TE5538948		6	76.8	<5
TE5538949		2	17.9	11
TE5538950		1	14.8	<5
TE5538951		6	73.9	<5
TE5538952		5	70.6	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
TE5538953		5	63.9	<5
TE5538954		5	73.5	<5
TE5538955		5	70.5	<5
TE5538956		6	80.4	<5
TE5538957		7	80.9	<5
TE5538958		12	90.0	<5
TE5538959		5	62.9	<5
TE5538960		7	80.3	<5
TE5538961		8	94.6	<5
TE5538962		8	87.6	<5
TE5538963		7	84.5	<5
TE5538964		7	83.0	<5
TE5538965		8	84.6	<5
TE5538966		7	96.8	<5
TE5538967		8	89.1	<5
TE5538968		7	78.6	<5
TE5538969		6	80.8	<5
TE5538970		7	81.8	<5
TE5538971		8	89.3	<5
TE5538972		6	81.3	<5
TE5538973		8	95.5	<5
TE5538974		6	90.1	<5
TE5538975		6	96.1	<5
TE5538976		6	80.3	<5
TE5538977		6	88.3	<5
TE5538978		5	81.6	<5
TE5538979		5	74.8	<5
TE5538980		6	91.0	<5
TE5538981		6	88.5	<5
TE5538982		6	80.6	<5
TE5538983		6	90.2	<5
TE5538984		5	88.0	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
TE5538985		5	80.7	<5
TE5538986		5	89.4	<5
TE5538987		6	85.9	<5
TE5509790		6	98.5	<5
TE5509791		6	96.0	<5
TE5509792		6	101	<5
TE5509795		5	87.1	<5
TE5509796		6	100	<5
TE5509797		6	79.7	<5
TE5509798		6	90.1	<5
TE5509799		5	92.6	<5
TE5537454		6	105	<5
TE5537455		6	106	<5
TE5537456		6	113	<5
TE5537457		6	129	<5
TE5537458		6	109	<5
TE5537807		7	99.8	<5
TE5537808		6	96.1	<5
TE5537809		6	97.0	<5
TE5532204		4	104	<5
TE5532205		6	112	<5
TE5532206		5	102	<5
TE5532207		5	102	<5
TE5532208		5	105	<5
TE5532209		6	101	<5
SE5509102		6	119	<5
SE5509103		12	103	<5
SE5509104		5	93.4	<5
SE5509105		7	102	<5
SE5509106		9	122	<5
SE5509107		9	106	<5
SE5509108		7	104	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
SE5509109		7	107	<5
SE5509110		6	121	<5
SE5509111		4	109	<5
SE5509112		5	102	<5
SE5509113		5	104	<5
SE5509114		5	93.5	<5
SE5509115		6	117	<5
SE5509116		8	123	<5
SE5509117		7	144	<5
SE5509118		7	102	<5
SE5509119		6	114	<5
SE5509120		6	87.6	<5
SE5509121		4	91.1	<5
SE5509122		10	122	<5
SE5509123		7	126	<5
SE5509124		6	104	<5
SE5509125		5	91.9	<5
SE5509126		5	95.9	<5
SE5509127		5	102	<5
TE5539249		2	16.4	11
TE5539250		1	13.0	<5
TE5539251		6	80.6	<5
TE5539252		8	78.3	<5
TE5539253		6	82.8	<5
TE5539254		6	76.9	<5
TE5539255		6	77.2	<5
TE5539256		7	84.6	<5
TE5539257		7	86.4	<5
TE5539258		5	72.3	<5
TE5539259		6	86.7	<5
TE5539260		7	79.7	<5
TE5539261		7	92.7	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
TE5539262		8	78.3	<5
TE5539263		7	83.5	<5
TE5539264		6	93.0	<5
TE5539265		7	90.0	<5
TE5539266		6	83.9	<5
TE5539267		6	94.5	<5
TE5539268		6	87.8	<5
TE5539269		6	86.5	<5
TE5539270		6	95.5	<5
TE5539271		6	81.4	<5
TE5539272		6	86.2	<5
TE5539273		6	90.5	<5
TE5539274		6	80.5	<5
TE5539275		6	78.5	<5
TE5539276		6	84.0	<5
TE5539277		6	81.6	<5
TE5539278		7	80.9	<5
TE5539279		5	78.9	<5
TE5539280		6	83.3	<5
TE5539281		5	107	<5
TE5539282		5	129	<5
TE5539283		5	123	<5
TE5539284		5	80.3	<5
TE5539285		5	99.7	<5
TE5539286		16	61.8	<5
TE5539287		7	85.6	<5
TE5539288		10	49.7	<5
TE5539289		5	103	<5
TE5539290		7	74.8	<5
TE5539291		7	66.1	<5
TE5539292		6	81.7	<5
TE5539293		6	89.7	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
TE5539294		7	85.1	<5
TE5539295		6	73.5	<5
TE5539296		8	83.5	<5
TE5539297		7	94.2	<5
TE5539298		8	90.2	<5
TE5539299		2	17.4	10
TE5539300		1	14.3	<5
TE5539301		7	99.7	<5
TE5539302		10	85.8	<5
TE5539303		7	102	<5
TE5539304		8	108	<5
TE5539305		8	101	<5
TE5539306		6	96.6	<5
TE5539307		7	92.4	<5
TE5539308		5	92.2	<5
TE5539309		12	192	<5
TE5509360		12	250	<5
TE5509361		11	176	<5
TE5509362		10	190	<5
TE5509363		9	195	<5
TE5509364		7	138	<5
TE5509365		7	139	<5
TE5509366		9	153	<5
TE5509367		7	135	<5
TE5509368		7	126	<5
TE5509369		9	265	<5
TE5509370		7	135	<5
TE5509371		7	143	<5
TE5509372		7	126	<5
TE5509373		7	134	<5
TE5509374		7	159	<5
TE5509375		7	136	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
TE5509376		7	91.1	<5
TE5509377		8	139	<5
TE5539424		9	83.5	<5
TE5539425		7	77.3	<5
TE5539426		12	83.8	<5
TE5539427		7	98.9	<5
TE5539428		8	94.1	<5
TE5539429		7	93.4	<5
TE5539430		7	86.4	<5
TE5539431		6	88.6	<5
TE5539432		7	93.8	<5
TE5539433		5	81.1	<5
TE5539434		5	96.0	<5
TE5539435		6	88.6	<5
TE5539436		6	95.6	<5
TE5539437		6	111	<5
TE5539438		6	94.9	<5
TE5539439		6	95.7	<5
TE5539440		6	90.1	<5
TE5539441		7	98.9	<5
TE5539442		7	95.6	<5
TE5539443		13	82.1	<5
TE5539444		6	104	<5
TE5539445		6	122	<5
TE5539446		6	112	<5
TE5539447		6	113	<5
TE5539448		6	114	<5
TE5539449		2	18.1	12
TE5539450		1	13.0	<5
TE5539451		1	16.0	<5
TE5539452		6	113	<5
TE5539453		6	116	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
TE5539454		6	114	<5
TE5539455		6	125	<5
TE5539456		6	117	<5
TE5539457		6	125	<5
TE5539458		5	115	<5
TE5539459		7	88.5	<5
TE5539460		6	98.4	<5
TE5539461		6	91.5	<5
TE5539462		6	101	<5
TE5539463		7	98.6	<5
TE5532145		5	119	<5
TE5532146		4	119	5
TE5532147		4	115	6
TE5532148		3	111	5
TE5532149		2	18.6	13
TE5532150		1	15.5	<5
TE5532151		3	115	<5
TE5532152		4	122	<5
TE5532153		4	106	<5
TE5532154		3	113	5
TE5532155		5	80.2	<5
TE5532156		12	103	<5
TE5532157		6	104	<5
TE5532158		6	107	<5
TE5532159		7	101	<5
TE5532160		6	116	<5
TE5532161		8	95.5	<5
TE5532162		12	148	7
TE5532163		6	117	<5
TE5532164		9	110	<5
TE5532165		8	97.7	<5
TE5532166		12	122	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
TE5532167		11	110	<5
TE5532168		13	111	<5
TE5532169		7	104	<5
TE5532170		5	74.1	<5
TE5532171		11	91.3	<5
TE5532172		10	102	<5
TE5532173		17	153	<5
TE5532174		12	112	<5
TE5532175		6	113	<5
TE5532176		8	105	<5
TE5532177		11	103	<5
TE5532178		7	83.2	<5
TE5532179		6	83.9	<5
TE5532180		8	91.5	<5
TE5532181		15	62.4	<5
TE5532182		8	90.8	<5
TE5532183		8	86.5	<5
TE5532184		8	94.1	<5
TE5532185		7	81.1	<5
TE5532186		8	81.6	<5
TE5532187		8	84.9	<5
TE5532188		8	89.5	<5
TE5532189		20	72.4	<5
TE5532190		9	88.4	<5
TE5532191		8	84.4	<5
TE5532192		8	86.9	<5
TE5532193		8	77.8	<5
TE5532194		7	85.7	<5
TE5532195		7	76.5	<5
TE5532196		6	67.6	<5
TE5532197		7	77.6	<5
TE5532199		2	16.0	10

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
TE5532200		1	14.3	<5
TE5532201		7	78.4	<5
TE5532202		7	73.2	<5
TE5532203		6	63.0	<5
TE5539567		6	95.9	<5
TE5539568		7	105	<5
TE5539569		8	106	<5
TE5539570		7	101	<5
TE5539571		5	86.0	<5
TE5539572		5	75.1	<5
TE5539573		8	86.7	<5
TE5539574		5	99.8	<5
TE5539575		4	70.5	<5
TE5539576		6	77.4	<5
TE5539577		5	100	<5
TE5539578		5	84.2	<5
TE5539579		4	82.9	<5
TE5539580		4	87.0	<5
TE5539581		4	80.1	<5
TE5539582		4	80.2	<5
TE5539583		5	97.6	<5
TE5539584		5	92.6	<5
TE5539860		3	108	<5
TE5539861		3	111	<5
TE5539862		3	116	<5
TE5539863		3	111	<5
TE5539864		3	106	<5
TE5539865		3	105	<5
TE5539866		3	98.9	<5
TE5539867		3	93.9	<5
TE5539868		3	88.5	<5
TE5539869		4	97.7	<5

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
TE5539870		3	85.8	<5
TE5539871		4	101	<5
TE5539872		3	95.1	<5
TE5539873		4	104	<5

Comments: RDL - Reported Detection Limit

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
TE5538921		0.76	0.004
TE5538922		0.76	0.002
TE5538923		0.65	<0.001
TE5538924		0.35	0.003
TE5538925		0.58	0.001
TE5538926		0.70	0.004
TE5538927		0.58	0.002
TE5538928		0.54	<0.001
TE5538929		0.56	<0.001
TE5538930		0.61	<0.001
TE5538931		0.52	0.001
TE5538932		0.76	<0.001
TE5538933		0.71	<0.001
TE5538934		0.35	0.006
TE5538935		0.72	<0.001
TE5538936		0.56	<0.001
TE5538937		0.69	<0.001
TE5538938		0.65	0.007
TE5538939		0.79	<0.001
TE5538940		0.61	<0.001
TE5538941		0.82	0.002
TE5538942		0.62	<0.001
TE5538943		0.70	<0.001
TE5538944		0.54	0.001
TE5538945		0.75	<0.001
TE5538946		0.80	<0.001
TE5538947		0.75	<0.001
TE5538948		0.67	<0.001
TE5538949		0.12	0.228
TE5538950		0.42	0.003
TE5538951		0.66	<0.001

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
TE5538952		0.71	<0.001
TE5538953		0.65	<0.001
TE5538954		0.69	<0.001
TE5538955		0.82	<0.001
TE5538956		0.75	<0.001
TE5538957		0.60	<0.001
TE5538958		0.45	<0.001
TE5538959		0.75	<0.001
TE5538960		0.60	0.003
TE5538961		0.67	0.006
TE5538962		0.53	0.002
TE5538963		0.78	<0.001
TE5538964		0.71	0.003
TE5538965		0.57	0.003
TE5538966		0.84	0.005
TE5538967		0.58	<0.001
TE5538968		0.50	0.001
TE5538969		0.80	<0.001
TE5538970		0.69	<0.001
TE5538971		0.60	0.004
TE5538972		0.60	0.007
TE5538973		0.73	<0.001
TE5538974		0.67	<0.001
TE5538975		0.60	<0.001
TE5538976		0.67	<0.001
TE5538977		0.66	<0.001
TE5538978		0.65	<0.001
TE5538979		0.61	0.001
TE5538980		0.71	<0.001
TE5538981		0.76	<0.001
TE5538982		0.66	<0.001

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
TE5538983		0.75	<0.001
TE5538984		0.72	0.008
TE5538985		0.73	<0.001
TE5538986		0.69	0.004
TE5538987		0.69	<0.001
TE5509790		0.62	<0.001
TE5509791		0.56	0.002
TE5509792		0.46	<0.001
TE5509795		0.43	<0.001
TE5509796		0.54	<0.001
TE5509797		0.37	<0.001
TE5509798		0.58	<0.001
TE5509799		0.71	0.001
TE5537454		0.59	<0.001
TE5537455		0.62	0.004
TE5537456		0.48	<0.001
TE5537457		0.63	<0.001
TE5537458		0.51	0.002
TE5537807		0.55	<0.001
TE5537808		0.47	<0.001
TE5537809		0.63	0.015
TE5532204		0.44	0.002
TE5532205		0.53	0.005
TE5532206		0.45	0.001
TE5532207		0.58	<0.001
TE5532208		0.53	<0.001
TE5532209		0.54	0.001
SE5509102		0.57	0.083
SE5509103		0.56	0.002
SE5509104		0.66	0.002
SE5509105		0.63	<0.001

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
SE5509106		0.67	<0.001
SE5509107		0.53	<0.001
SE5509108		0.60	<0.001
SE5509109		0.60	<0.001
SE5509110		0.55	0.005
SE5509111		0.57	0.005
SE5509112		0.61	0.003
SE5509113		0.77	<0.001
SE5509114		0.57	<0.001
SE5509115		0.58	0.010
SE5509116		0.59	0.095
SE5509117		0.53	0.027
SE5509118		0.62	0.024
SE5509119		0.54	0.099
SE5509120		0.56	0.004
SE5509121		0.54	0.003
SE5509122		0.51	0.024
SE5509123		0.62	0.020
SE5509124		0.60	0.025
SE5509125		0.58	0.002
SE5509126		0.51	<0.001
SE5509127		0.63	0.001
TE5539249		0.15	0.221
TE5539250		0.32	<0.001
TE5539251		0.75	0.001
TE5539252		0.46	<0.001
TE5539253		0.53	<0.001
TE5539254		0.70	<0.001
TE5539255		0.69	<0.001
TE5539256		0.54	0.003
TE5539257		0.88	<0.001

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
TE5539258		0.83	<0.001
TE5539259		0.72	<0.001
TE5539260		0.53	0.004
TE5539261		0.70	<0.001
TE5539262		0.53	<0.001
TE5539263		0.68	<0.001
TE5539264		0.75	<0.001
TE5539265		0.53	<0.001
TE5539266		0.61	<0.001
TE5539267		0.50	0.005
TE5539268		0.60	<0.001
TE5539269		0.58	<0.001
TE5539270		0.54	<0.001
TE5539271		0.61	<0.001
TE5539272		0.58	<0.001
TE5539273		0.70	<0.001
TE5539274		0.57	<0.001
TE5539275		0.67	<0.001
TE5539276		0.50	<0.001
TE5539277		0.73	<0.001
TE5539278		0.53	0.001
TE5539279		0.57	0.001
TE5539280		0.72	<0.001
TE5539281		0.67	<0.001
TE5539282		0.76	<0.001
TE5539283		0.64	<0.001
TE5539284		0.45	0.001
TE5539285		0.66	0.003
TE5539286		0.39	0.003
TE5539287		0.55	0.001
TE5539288		0.32	0.003

Certified By:



PROJECT NO:

Page 51 of 76



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
TE5509370		0.83	<0.001
TE5509371		0.83	<0.001
TE5509372		0.67	<0.001
TE5509373		0.67	<0.001
TE5509374		0.71	<0.001
TE5509375		0.75	0.004
TE5509376		0.61	0.001
TE5509377		0.62	<0.001
TE5539424		0.51	0.001
TE5539425		0.61	<0.001
TE5539426		0.58	<0.001
TE5539427		0.74	<0.001
TE5539428		0.70	0.002
TE5539429		0.97	<0.001
TE5539430		0.79	<0.001
TE5539431		0.27	<0.001
TE5539432		0.77	<0.001
TE5539433		0.74	<0.001
TE5539434		0.83	<0.001
TE5539435		0.84	<0.001
TE5539436		0.83	0.002
TE5539437		0.88	<0.001
TE5539438		0.75	<0.001
TE5539439		0.73	<0.001
TE5539440		0.76	<0.001
TE5539441		0.59	<0.001
TE5539442		0.81	<0.001
TE5539443		0.42	0.006
TE5539444		0.76	<0.001
TE5539445		0.77	<0.001
TE5539446		0.76	0.004

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
TE5539447		0.69	<0.001
TE5539448		0.64	<0.001
TE5539449		0.52	0.196
TE5539450		0.21	<0.001
TE5539451		0.70	<0.001
TE5539452		0.88	<0.001
TE5539453		0.71	<0.001
TE5539454		0.72	<0.001
TE5539455		0.67	<0.001
TE5539456		0.64	<0.001
TE5539457		0.72	<0.001
TE5539458		0.76	<0.001
TE5539459		0.70	<0.001
TE5539460		0.72	0.001
TE5539461		0.77	<0.001
TE5539462		0.69	<0.001
TE5539463		0.72	<0.001
TE5532145		0.87	<0.001
TE5532146		0.91	0.004
TE5532147		0.95	0.002
TE5532148		0.98	<0.001
TE5532149		0.12	0.225
TE5532150		0.39	<0.001
TE5532151		0.86	<0.001
TE5532152		0.94	<0.001
TE5532153		0.66	<0.001
TE5532154		0.87	<0.001
TE5532155		0.55	<0.001
TE5532156		0.33	0.003
TE5532157		0.67	<0.001
TE5532158		0.67	<0.001

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
TE5532159		0.59	<0.001
TE5532160		0.75	<0.001
TE5532161		0.53	<0.001
TE5532162		0.51	0.003
TE5532163		0.54	<0.001
TE5532164		0.46	<0.001
TE5532165		0.54	0.003
TE5532166		0.94	<0.001
TE5532167		0.80	<0.001
TE5532168		0.85	0.005
TE5532169		0.93	<0.001
TE5532170		0.45	0.004
TE5532171		0.46	<0.001
TE5532172		0.72	<0.001
TE5532173		0.91	<0.001
TE5532174		0.92	<0.001
TE5532175		0.79	0.004
TE5532176		0.96	<0.001
TE5532177		0.65	<0.001
TE5532178		0.52	<0.001
TE5532179		0.71	<0.001
TE5532180		0.50	<0.001
TE5532181		0.31	0.007
TE5532182		0.63	<0.001
TE5532183		0.42	<0.001
TE5532184		0.43	<0.001
TE5532185		0.38	<0.001
TE5532186		0.47	<0.001
TE5532187		0.42	<0.001
TE5532188		0.56	<0.001
TE5532189		0.46	<0.001

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
TE5532190		0.42	<0.001
TE5532191		0.53	<0.001
TE5532192		0.50	<0.001
TE5532193		0.37	0.017
TE5532194		0.50	<0.001
TE5532195		0.51	0.002
TE5532196		0.49	0.003
TE5532197		0.41	0.008
TE5532199		0.13	0.242
TE5532200		0.40	<0.001
TE5532201		0.35	<0.001
TE5532202		0.39	<0.001
TE5532203		0.47	<0.001
TE5539567		0.41	0.011
TE5539568		0.62	0.001
TE5539569		0.67	<0.001
TE5539570		0.67	<0.001
TE5539571		0.76	<0.001
TE5539572		0.85	0.002
TE5539573		0.51	<0.001
TE5539574		0.84	<0.001
TE5539575		0.59	<0.001
TE5539576		0.52	<0.001
TE5539577		0.76	<0.001
TE5539578		0.90	<0.001
TE5539579		0.71	<0.001
TE5539580		0.77	<0.001
TE5539581		0.89	0.002
TE5539582		0.79	<0.001
TE5539583		0.66	<0.001
TE5539584		0.81	<0.001

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y635220

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Aug 27, 2012

DATE RECEIVED: Aug 27, 2012

DATE REPORTED: Sep 20, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
TE5539860		0.57	<0.001
TE5539861		0.49	<0.001
TE5539862		0.63	0.001
TE5539863		0.62	<0.001
TE5539864		0.53	<0.001
TE5539865		0.55	0.008
TE5539866		0.48	<0.001
TE5539867		0.60	<0.001
TE5539868		0.32	0.001
TE5539869		0.53	0.003
TE5539870		0.38	<0.001
TE5539871		0.50	<0.001
TE5539872		0.52	0.001
TE5539873		0.51	<0.001

Comments: RDL - Reported Detection Limit

Certified By:

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y635220

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis											
RPT Date: Sep 20, 2012			REPLICATE			Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3651170	0.004	< 0.001		< 0.001	1.67	1.52	110%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3651181	< 0.001	0.002		< 0.001	0.264	0.263	100%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3651195	< 0.001	< 0.001	0.0%	< 0.001	1.53	1.52	101%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3651206	< 0.001	< 0.001	0.0%	< 0.001	1.46	1.52	96%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3651220	0.004	0.002		< 0.001	0.254	0.263	96%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3651231	< 0.001	< 0.001	0.0%	< 0.001	0.26	0.263	99%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3651245	< 0.001	< 0.001	0.0%	< 0.001	1.59	1.52	104%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3651256	< 0.001	< 0.001	0.0%	< 0.001	1.61	1.52	106%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3651270	< 0.001	< 0.001	0.0%	< 0.001	0.268	0.263	102%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3651282	0.0247	0.0220	11.6%	< 0.001	1.42	1.52	94%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3651295	< 0.001	< 0.001	0.0%	< 0.001	1.53	1.52	100%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3651306	< 0.001	< 0.001	0.0%	< 0.001	0.269	0.263	102%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3651320	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3651333	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3651345	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3651357	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3651371	< 0.001	< 0.001	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3651371	< 0.001	< 0.001	0.0%	< 0.001				90%	110%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y635220

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Sep 20, 2012			REPLICATE			Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Au	1	3651381	< 0.001	0.006		< 0.001				90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3651398	< 0.001	< 0.001	0.0%	< 0.001				90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3651409	< 0.001	< 0.001	0.0%	< 0.001				90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3651421	< 0.001	< 0.001	0.0%	< 0.001				90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3651432	< 0.001	0.001		< 0.001				90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3651446	< 0.001	< 0.001	0.0%	< 0.001				90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3651458	< 0.001	< 0.001	0.0%	< 0.001				90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3651471	0.011	< 0.001		< 0.001				90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3651483	< 0.001	< 0.001	0.0%	< 0.001				90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3651495	< 0.001	< 0.001	0.0%	< 0.001				90% 110%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1	3651170	< 0.2	< 0.2	0.0%	< 0.2	13.7	13.0	106%	80% 120%
Al	1	3651170	1.37	1.34	2.2%	< 0.01				80% 120%
As	1	3651170	24	21	13.3%	2				80% 120%
B	1	3651170	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3651170	67	66	1.5%	< 1				80% 120%
Be	1	3651170	0.8	0.8	0.0%	< 0.5				80% 120%
Bi	1	3651170	4	3	28.6%	< 1				80% 120%
Ca	1	3651170	0.33	0.33	0.0%	< 0.01				80% 120%
Cd	1	3651170	0.6	0.6	0.0%	< 0.5				80% 120%
Ce	1	3651170	6	6	0.0%	< 1				80% 120%
Co	1	3651170	17.0	16.9	0.6%	< 0.5				80% 120%
Cr	1	3651170	29.1	30.6	5.0%	< 0.5				80% 120%
Cu	1	3651170	45.8	44.2	3.6%	< 0.5	5796	6000	96%	80% 120%
Fe	1	3651170	3.72	3.65	1.9%	< 0.01				80% 120%
Ga	1	3651170	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3651170	< 1	< 1	0.0%	< 1				80% 120%
In	1	3651170	< 1	< 1	0.0%	< 1				80% 120%
K	1	3651170	0.09	0.09	0.0%	< 0.01				80% 120%
La	1	3651170	4	3	28.6%	< 1				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y635220

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Sep 20, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Li	1	3651170	34	34	0.0%	< 1				80% 120%
Mg	1	3651170	0.59	0.59	0.0%	< 0.01				80% 120%
Mn	1	3651170	796	781	1.9%	< 1				80% 120%
Mo	1	3651170	2.6	1.8		1.0	354	360	98%	80% 120%
Na	1	3651170	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3651170	33.0	33.9	2.7%	< 0.5				80% 120%
P	1	3651170	503	484	3.9%	< 10	694	600	116%	80% 120%
Pb	1	3651170	32.8	32.2	1.8%	0.6				80% 120%
Rb	1	3651170	11	11	0.0%	< 10	12	13	92%	80% 120%
S	1	3651170	0.042	0.041	2.4%	< 0.005				80% 120%
Sb	1	3651170	8	9	11.8%	< 1				80% 120%
Sc	1	3651170	3.1	3.0	3.3%	< 0.5				80% 120%
Se	1	3651170	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3651170	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3651170	32.8	31.9	2.8%	< 0.5				80% 120%
Ta	1	3651170	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3651170	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3651170	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3651170	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3651170	0.04	0.04	0.0%	< 0.01				80% 120%
U	1	3651170	< 5	< 5	0.0%	< 5				80% 120%
V	1	3651170	20.0	19.0	5.1%	< 0.5				80% 120%
W	1	3651170	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3651170	7	7	0.0%	< 1	5	7	74%	80% 120%
Zn	1	3651170	109	105	3.7%	< 0.5				80% 120%
Zr	1	3651170	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1	3651195	< 0.2	< 0.2	0.0%	< 0.2	13.2	13.0	101%	80% 120%
Al	1	3651195	0.92	0.93	1.1%	< 0.01				80% 120%
As	1	3651195	22	24	8.7%	< 1				80% 120%
B	1	3651195	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3651195	147	148	0.7%	< 1				80% 120%
Be	1	3651195	0.92	0.96	4.3%	< 0.5				80% 120%
Bi	1	3651195	2	< 1		< 1				80% 120%
Ca	1	3651195	0.330	0.336	1.8%	< 0.01				80% 120%
Cd	1	3651195	< 0.5	0.6		< 0.5				80% 120%
Ce	1	3651195	14	14	0.0%	< 1				80% 120%
Co	1	3651195	13.6	14.1	3.6%	< 0.5				80% 120%
Cr	1	3651195	19.4	20.1	3.5%	< 0.5				80% 120%
Cu	1	3651195	26.7	28.3	5.8%	< 0.5	5566	6000	92%	80% 120%
Fe	1	3651195	3.05	3.09	1.3%	< 0.01				80% 120%
Ga	1	3651195	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3651195	< 1	< 1	0.0%	< 1				80% 120%
In	1	3651195	< 1	< 1	0.0%	< 1				80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y635220

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Sep 20, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
K	1	3651195	0.09	0.09	0.0%	< 0.01				80% 120%
La	1	3651195	6	7	15.4%	< 1				80% 120%
Li	1	3651195	18	19	5.4%	< 1				80% 120%
Mg	1	3651195	0.39	0.39	0.0%	< 0.01				80% 120%
Mn	1	3651195	663	699	5.3%	< 1				80% 120%
Mo	1	3651195	1.4	1.4	0.0%	< 0.5	345	360	95%	80% 120%
Na	1	3651195	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3651195	23.0	24.1	4.7%	< 0.5				80% 120%
P	1	3651195	417	397	4.9%	< 10	714	600	119%	80% 120%
Pb	1	3651195	23.2	23.1	0.4%	< 0.5				80% 120%
Rb	1	3651195	15	15	0.0%	< 10	13	13	97%	80% 120%
S	1	3651195	0.021	0.021	0.0%	< 0.005				80% 120%
Sb	1	3651195	9	9	0.0%	< 1				80% 120%
Sc	1	3651195	3.5	3.6	2.8%	< 0.5				80% 120%
Se	1	3651195	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3651195	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3651195	20.7	21.0	1.4%	< 0.5				80% 120%
Ta	1	3651195	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3651195	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3651195	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3651195	0.02	0.02	0.0%	< 0.01				80% 120%
Tl	1	3651195	0.06	0.06	0.0%	< 0.01				80% 120%
U	1	3651195	< 5	< 5	0.0%	< 5				80% 120%
V	1	3651195	24.7	25.6	3.6%	< 0.5				80% 120%
W	1	3651195	2	< 1		< 1				80% 120%
Y	1	3651195	6	6	0.0%	< 1	6	7	81%	80% 120%
Zn	1	3651195	75.7	77.7	2.6%	< 0.5				80% 120%
Zr	1	3651195	< 5	< 5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1	3651220	< 0.2	< 0.2	0.0%	< 0.2	13.9	13.0	107%	80% 120%
Al	1	3651220	0.88	0.88	0.0%	< 0.01				80% 120%
As	1	3651220	27	26	3.8%	2				80% 120%
B	1	3651220	5	6	18.2%	< 5				80% 120%
Ba	1	3651220	266	272	2.2%	< 1				80% 120%
Be	1	3651220	1.0	1.0	0.0%	< 0.5				80% 120%
Bi	1	3651220	2	< 1		1				80% 120%
Ca	1	3651220	0.51	0.51	0.0%	< 0.01				80% 120%
Cd	1	3651220	0.78	0.73	6.6%	< 0.5				80% 120%
Ce	1	3651220	14	14	0.0%	< 1				80% 120%
Co	1	3651220	15.8	16.0	1.3%	< 0.5				80% 120%
Cr	1	3651220	24.3	25.0	2.8%	< 0.5				80% 120%
Cu	1	3651220	29.9	30.7	2.6%	< 0.5	5741	6000	95%	80% 120%
Fe	1	3651220	3.40	3.36	1.2%	< 0.01				80% 120%
Ga	1	3651220	< 5	< 5	0.0%	< 5				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y635220

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Sep 20, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Hg	1	3651220	< 1	< 1	0.0%	< 1				80% 120%
In	1	3651220	< 1	< 1	0.0%	< 1				80% 120%
K	1	3651220	0.10	0.10	0.0%	< 0.01				80% 120%
La	1	3651220	7	7	0.0%	< 1				80% 120%
Li	1	3651220	17	17	0.0%	< 1				80% 120%
Mg	1	3651220	0.41	0.41	0.0%	< 0.01				80% 120%
Mn	1	3651220	1160	1170	0.9%	< 1				80% 120%
Mo	1	3651220	1.45	1.73	17.6%	< 0.5	349	360	96%	80% 120%
Na	1	3651220	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3651220	30.3	30.7	1.3%	< 0.5				80% 120%
P	1	3651220	613	627	2.3%	10	706	600	118%	80% 120%
Pb	1	3651220	25.6	23.5	8.6%	< 0.5				80% 120%
Rb	1	3651220	22	23	4.4%	< 10	13	13	99%	80% 120%
S	1	3651220	0.0535	0.0542	1.3%	< 0.005				80% 120%
Sb	1	3651220	9	10	10.5%	< 1				80% 120%
Sc	1	3651220	4.7	4.8	2.1%	< 0.5				80% 120%
Se	1	3651220	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3651220	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3651220	44.9	48.3	7.3%	< 0.5				80% 120%
Ta	1	3651220	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3651220	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3651220	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3651220	0.01	0.01	0.0%	< 0.01				80% 120%
Tl	1	3651220	0.08	0.07	13.3%	< 0.01				80% 120%
U	1	3651220	< 5	< 5	0.0%	< 5				80% 120%
V	1	3651220	32.9	33.4	1.5%	< 0.5				80% 120%
W	1	3651220	3	1		< 1				80% 120%
Y	1	3651220	8	8	0.0%	< 1	6	7	82%	80% 120%
Zn	1	3651220	89.3	89.3	0.0%	< 0.5				80% 120%
Zr	1	3651220	< 5	< 5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1	3651245	< 0.2	< 0.2	0.0%	< 0.2	13.3	13.0	102%	80% 120%
Al	1	3651245	0.68	0.66	3.0%	< 0.01				80% 120%
As	1	3651245	26	27	3.8%	< 1				80% 120%
B	1	3651245	5	4	22.2%	< 5				80% 120%
Ba	1	3651245	208	199	4.4%	< 1				80% 120%
Be	1	3651245	1.47	1.44	2.1%	< 0.5				80% 120%
Bi	1	3651245	2	2	0.0%	< 1				80% 120%
Ca	1	3651245	0.16	0.16	0.0%	< 0.01				80% 120%
Cd	1	3651245	0.8	0.6	28.6%	< 0.5				80% 120%
Ce	1	3651245	7	7	0.0%	< 1				80% 120%
Co	1	3651245	19.8	18.9	4.7%	< 0.5				80% 120%
Cr	1	3651245	23.6	22.5	4.8%	< 0.5				80% 120%
Cu	1	3651245	41.6	41.5	0.2%	< 0.5	5666	6000	94%	80% 120%
Fe	1	3651245	4.41	4.36	1.1%	0.02				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y635220

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Sep 20, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ga	1	3651245	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3651245	< 1	< 1	0.0%	< 1				80% 120%
In	1	3651245	< 1	< 1	0.0%	< 1				80% 120%
K	1	3651245	0.095	0.090	5.4%	< 0.01				80% 120%
La	1	3651245	4	4	0.0%	< 1				80% 120%
Li	1	3651245	14	14	0.0%	< 1				80% 120%
Mg	1	3651245	0.309	0.303	2.0%	< 0.01				80% 120%
Mn	1	3651245	1170	1170	0.0%	< 1				80% 120%
Mo	1	3651245	1.5	1.3	14.3%	< 0.5	338	360	93%	80% 120%
Na	1	3651245	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3651245	29.6	28.8	2.7%	< 0.5				80% 120%
P	1	3651245	378	388	2.6%	< 10	685	600	114%	80% 120%
Pb	1	3651245	23.5	24.0	2.1%	< 0.5				80% 120%
Rb	1	3651245	18	17	5.7%	< 10	11	13	87%	80% 120%
S	1	3651245	0.0236	0.0234	0.9%	< 0.005				80% 120%
Sb	1	3651245	6	3		1				80% 120%
Sc	1	3651245	5.9	5.7	3.4%	< 0.5				80% 120%
Se	1	3651245	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3651245	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3651245	15.9	15.4	3.2%	< 0.5				80% 120%
Ta	1	3651245	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3651245	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3651245	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3651245	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3651245	0.07	0.07	0.0%	< 0.01				80% 120%
U	1	3651245	< 5	< 5	0.0%	< 5				80% 120%
V	1	3651245	34.9	34.1	2.3%	< 0.5				80% 120%
W	1	3651245	2	2	0.0%	< 1				80% 120%
Y	1	3651245	6	6	0.0%	< 1	5	7	73%	80% 120%
Zn	1	3651245	105	100	4.9%	< 0.5				80% 120%
Zr	1	3651245	< 5	< 5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1	3651270	< 0.2	< 0.2	0.0%	< 0.2	13.4	13.0	103%	80% 120%
Al	1	3651270	0.27	0.27	0.0%	< 0.01				80% 120%
As	1	3651270	42	34	21.1%	< 1				80% 120%
B	1	3651270	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3651270	46	44	4.4%	< 1				80% 120%
Be	1	3651270	0.9	0.9	0.0%	< 0.5				80% 120%
Bi	1	3651270	4	4	0.0%	< 1				80% 120%
Ca	1	3651270	0.079	0.074	6.5%	< 0.01				80% 120%
Cd	1	3651270	0.7	0.8	13.3%	< 0.5				80% 120%
Ce	1	3651270	17	17	0.0%	< 1				80% 120%
Co	1	3651270	20.8	20.3	2.4%	< 0.5				80% 120%
Cr	1	3651270	10.2	10.8	5.7%	< 0.5				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y635220

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Sep 20, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				Acceptable Limits	
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery		Lower	Upper
Cu	1	3651270	39.4	38.0	3.6%	< 0.5	5655	6000	94%		80%	120%
Fe	1	3651270	4.14	3.91	5.7%	< 0.01					80%	120%
Ga	1	3651270	< 5	< 5	0.0%	< 5					80%	120%
Hg	1	3651270	< 1	< 1	0.0%	< 1					80%	120%
In	1	3651270	< 1	< 1	0.0%	< 1					80%	120%
K	1	3651270	0.08	0.08	0.0%	< 0.01					80%	120%
La	1	3651270	9	9	0.0%	< 1					80%	120%
Li	1	3651270	1	1	0.0%	< 1					80%	120%
Mg	1	3651270	0.06	0.06	0.0%	< 0.01					80%	120%
Mn	1	3651270	999	967	3.3%	< 1					80%	120%
Mo	1	3651270	2.1	1.5		< 0.5	343	360	95%		80%	120%
Na	1	3651270	0.01	0.01	0.0%	< 0.01					80%	120%
Ni	1	3651270	33.8	34.2	1.2%	< 0.5					80%	120%
P	1	3651270	302	319	5.5%	13	712	600	119%		80%	120%
Pb	1	3651270	32.6	32.2	1.2%	< 0.5					80%	120%
Rb	1	3651270	< 10	< 10	0.0%	< 10	12	13	96%		80%	120%
S	1	3651270	0.006	0.006	0.0%	< 0.005					80%	120%
Sb	1	3651270	6	5	18.2%	< 1					80%	120%
Sc	1	3651270	6.06	5.91	2.5%	< 0.5					80%	120%
Se	1	3651270	< 10	< 10	0.0%	< 10					80%	120%
Sn	1	3651270	< 5	< 5	0.0%	< 5					80%	120%
Sr	1	3651270	13.7	13.6	0.7%	< 0.5					80%	120%
Ta	1	3651270	< 10	< 10	0.0%	< 10					80%	120%
Te	1	3651270	< 10	< 10	0.0%	< 10					80%	120%
Th	1	3651270	< 5	< 5	0.0%	< 5					80%	120%
Ti	1	3651270	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
Tl	1	3651270	0.06	0.06	0.0%	< 0.01					80%	120%
U	1	3651270	< 5	< 5	0.0%	< 5					80%	120%
V	1	3651270	7.58	7.29	3.9%	< 0.5					80%	120%
W	1	3651270	5	2		< 1					80%	120%
Y	1	3651270	5	5	0.0%	< 1	5	7	78%		80%	120%
Zn	1	3651270	104	104	0.0%	< 0.5					80%	120%
Zr	1	3651270	< 5	< 5	0.0%	< 5					80%	120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Ti) (201073)												
Ag	1	3651295	0.5	0.4	22.2%	< 0.2	13.3	13.0	102%		80%	120%
Al	1	3651295	1.24	1.30	4.7%	< 0.01					80%	120%
As	1	3651295	52	48	8.0%	< 1					80%	120%
B	1	3651295	< 5	< 5	0.0%	< 5					80%	120%
Ba	1	3651295	940	977	3.9%	< 1					80%	120%
Be	1	3651295	0.9	0.9	0.0%	< 0.5					80%	120%
Bi	1	3651295	1	< 1		1					80%	120%
Ca	1	3651295	0.355	0.361	1.7%	< 0.01					80%	120%
Cd	1	3651295	0.66	0.57	14.6%	< 0.5					80%	120%
Ce	1	3651295	8	9	11.8%	< 1					80%	120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y635220

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Sep 20, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Co	1	3651295	13.4	13.3	0.7%	< 0.5				80% 120%
Cr	1	3651295	26.7	26.6	0.4%	< 0.5				80% 120%
Cu	1	3651295	92.0	80.9	12.8%	< 0.5	5626	6000	93%	80% 120%
Fe	1	3651295	2.94	3.04	3.3%	< 0.01				80% 120%
Ga	1	3651295	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3651295	< 1	< 1	0.0%	< 1				80% 120%
In	1	3651295	< 1	< 1	0.0%	< 1				80% 120%
K	1	3651295	0.11	0.12	8.7%	< 0.01				80% 120%
La	1	3651295	4	4	0.0%	< 1				80% 120%
Li	1	3651295	24	25	4.1%	< 1				80% 120%
Mg	1	3651295	0.54	0.56	3.6%	< 0.01				80% 120%
Mn	1	3651295	972	973	0.1%	1				80% 120%
Mo	1	3651295	1.7	1.8	5.7%	< 0.5	334	360	92%	80% 120%
Na	1	3651295	0.01	0.01	0.0%	< 0.01				80% 120%
Ni	1	3651295	23.8	23.3	2.1%	< 0.5				80% 120%
P	1	3651295	438	430	1.8%	< 10	718	600	120%	80% 120%
Pb	1	3651295	23.1	22.7	1.7%	0.6				80% 120%
Rb	1	3651295	17	18	5.7%	< 10	12	13	92%	80% 120%
S	1	3651295	0.0634	0.0646	1.9%	< 0.005				80% 120%
Sb	1	3651295	10	7		< 1				80% 120%
Sc	1	3651295	3.72	3.81	2.4%	< 0.5				80% 120%
Se	1	3651295	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3651295	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3651295	75.1	76.6	2.0%	< 0.5				80% 120%
Ta	1	3651295	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3651295	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3651295	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3651295	0.02	0.02	0.0%	< 0.01				80% 120%
Tl	1	3651295	0.064	0.071	10.4%	< 0.01				80% 120%
U	1	3651295	< 5	< 5	0.0%	< 5				80% 120%
V	1	3651295	27.4	28.1	2.5%	< 0.5				80% 120%
W	1	3651295	3	5		< 1				80% 120%
Y	1	3651295	5	5	0.0%	< 1	5	7	79%	80% 120%
Zn	1	3651295	72.3	72.8	0.7%	< 0.5				80% 120%
Zr	1	3651295	< 5	< 5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1	3651320	< 0.2	< 0.2	0.0%	< 0.2	12.6	13.0	97%	80% 120%
Al	1	3651320	0.72	0.80	10.5%	< 0.01				80% 120%
As	1	3651320	20	27	29.8%	< 1				80% 120%
B	1	3651320	7	7	0.0%	< 5				80% 120%
Ba	1	3651320	222	234	5.3%	< 1				80% 120%
Be	1	3651320	1.8	1.8	0.0%	< 0.5				80% 120%
Bi	1	3651320	3	2		< 1				80% 120%
Ca	1	3651320	0.07	0.07	0.0%	< 0.01				80% 120%
Cd	1	3651320	1.05	0.95	10.0%	< 0.5				80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y635220

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Sep 20, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ce	1	3651320	4	6		< 1				80% 120%
Co	1	3651320	24.0	24.5	2.1%	< 0.5				80% 120%
Cr	1	3651320	30.4	31.4	3.2%	< 0.5				80% 120%
Cu	1	3651320	52.6	55.1	4.6%	< 0.5	5435	6000	90%	80% 120%
Fe	1	3651320	5.24	5.33	1.7%	< 0.01				80% 120%
Ga	1	3651320	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3651320	< 1	7		< 1				80% 120%
In	1	3651320	< 1	< 1	0.0%	< 1				80% 120%
K	1	3651320	0.112	0.126	11.8%	< 0.01				80% 120%
La	1	3651320	3	3	0.0%	< 1				80% 120%
Li	1	3651320	27	32	16.9%	< 1				80% 120%
Mg	1	3651320	0.252	0.265	5.0%	< 0.01				80% 120%
Mn	1	3651320	1350	1360	0.7%	< 1				80% 120%
Mo	1	3651320	< 0.5	0.8		< 0.5	325	360	90%	80% 120%
Na	1	3651320	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3651320	32.3	34.0	5.1%	< 0.5				80% 120%
P	1	3651320	281	252	10.9%	11	703	600	117%	80% 120%
Pb	1	3651320	18.0	18.2	1.1%	< 0.5				80% 120%
Rb	1	3651320	22	23	4.4%	< 10	14	13	105%	80% 120%
S	1	3651320	0.006	0.007	15.4%	< 0.005				80% 120%
Sb	1	3651320	5	5	0.0%	1				80% 120%
Sc	1	3651320	9.2	9.4	2.2%	< 0.5				80% 120%
Se	1	3651320	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3651320	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3651320	20.5	24.9	19.4%	< 0.5				80% 120%
Ta	1	3651320	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3651320	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3651320	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3651320	< 0.01	0.01		< 0.01				80% 120%
Tl	1	3651320	0.13	0.13	0.0%	< 0.01				80% 120%
U	1	3651320	< 5	< 5	0.0%	< 5				80% 120%
V	1	3651320	46.2	48.0	3.8%	< 0.5				80% 120%
W	1	3651320	8	5		< 1				80% 120%
Y	1	3651320	5	5	0.0%	< 1	6	7	90%	80% 120%
Zn	1	3651320	123	125	1.6%	< 0.5				80% 120%
Zr	1	3651320	< 5	< 5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1	3651345	< 0.2	< 0.2	0.0%	< 0.2	13	13.0	100%	80% 120%
Al	1	3651345	1.06	1.06	0.0%	< 0.01				80% 120%
As	1	3651345	21	19	10.0%	< 1				80% 120%
B	1	3651345	5	5	0.0%	< 5				80% 120%
Ba	1	3651345	298	301	1.0%	< 1				80% 120%
Be	1	3651345	1.4	1.4	0.0%	< 0.5				80% 120%
Bi	1	3651345	3	4	28.6%	< 1				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y635220

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Sep 20, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ca	1	3651345	0.17	0.17	0.0%	< 0.01				80% 120%
Cd	1	3651345	0.9	1.2	28.6%	< 0.5				80% 120%
Ce	1	3651345	11	12	8.7%	< 1				80% 120%
Co	1	3651345	19.2	19.6	2.1%	< 0.5				80% 120%
Cr	1	3651345	26.7	26.6	0.4%	< 0.5				80% 120%
Cu	1	3651345	44.1	45.9	4.0%	< 0.5	5425	6000	90%	80% 120%
Fe	1	3651345	4.29	4.18	2.6%	< 0.01				80% 120%
Ga	1	3651345	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3651345	< 1	< 1	0.0%	< 1				80% 120%
In	1	3651345	2	2	0.0%	< 1				80% 120%
K	1	3651345	0.14	0.14	0.0%	< 0.01				80% 120%
La	1	3651345	5	6	18.2%	< 1				80% 120%
Li	1	3651345	21	21	0.0%	< 1				80% 120%
Mg	1	3651345	0.417	0.411	1.4%	< 0.01				80% 120%
Mn	1	3651345	1210	1200	0.8%	< 1				80% 120%
Mo	1	3651345	1.70	1.42	17.9%	< 0.5	323	360	89%	80% 120%
Na	1	3651345	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3651345	31.7	31.6	0.3%	< 0.5				80% 120%
P	1	3651345	480	467	2.7%	< 10	702	600	117%	80% 120%
Pb	1	3651345	23.1	24.4	5.5%	< 0.5				80% 120%
Rb	1	3651345	22	23	4.4%	< 10	13	13	101%	80% 120%
S	1	3651345	0.029	0.027	7.1%	< 0.005				80% 120%
Sb	1	3651345	5	5	0.0%	< 1				80% 120%
Sc	1	3651345	6.4	6.4	0.0%	< 0.5				80% 120%
Se	1	3651345	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3651345	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3651345	26.9	27.8	3.3%	< 0.5				80% 120%
Ta	1	3651345	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3651345	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3651345	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3651345	0.01	0.01	0.0%	< 0.01				80% 120%
Tl	1	3651345	0.08	0.08	0.0%	< 0.01				80% 120%
U	1	3651345	< 5	< 5	0.0%	< 5				80% 120%
V	1	3651345	37.7	37.6	0.3%	< 0.5				80% 120%
W	1	3651345	8	3		< 1				80% 120%
Y	1	3651345	6	6	0.0%	< 1	6	7	86%	80% 120%
Zn	1	3651345	96.6	97.4	0.8%	< 0.5				80% 120%
Zr	1	3651345	< 5	< 5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1	3651371	< 0.2	< 0.2	0.0%	< 0.2	13.2	13.0	101%	80% 120%
Al	1	3651371	1.26	1.18	6.6%	< 0.01				80% 120%
As	1	3651371	30	29	3.4%	< 1				80% 120%
B	1	3651371	7	6	15.4%	< 5				80% 120%
Ba	1	3651371	156	149	4.6%	< 1				80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y635220

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Sep 20, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Be	1	3651371	1.2	1.2	0.0%	< 0.5				80% 120%
Bi	1	3651371	2	< 1		< 1				80% 120%
Ca	1	3651371	0.90	0.90	0.0%	< 0.01				80% 120%
Cd	1	3651371	0.9	0.9	0.0%	< 0.5				80% 120%
Ce	1	3651371	14	13	7.4%	< 1				80% 120%
Co	1	3651371	13.4	13.5	0.7%	< 0.5				80% 120%
Cr	1	3651371	21.3	23.8	11.1%	< 0.5				80% 120%
Cu	1	3651371	38.9	39.1	0.5%	< 0.5	5515	4700	117%	80% 120%
Fe	1	3651371	3.20	3.22	0.6%	< 0.01				80% 120%
Ga	1	3651371	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3651371	< 1	< 1	0.0%	< 1				80% 120%
In	1	3651371	2	< 1		< 1				80% 120%
K	1	3651371	0.206	0.169	19.7%	< 0.01				80% 120%
La	1	3651371	7	7	0.0%	< 1				80% 120%
Li	1	3651371	21	20	4.9%	< 1				80% 120%
Mg	1	3651371	0.39	0.39	0.0%	< 0.01				80% 120%
Mn	1	3651371	727	719	1.1%	< 1				80% 120%
Mo	1	3651371	2.1	2.7	25.0%	< 0.5	333	280	119%	80% 120%
Na	1	3651371	0.01	< 0.01		< 0.01				80% 120%
Ni	1	3651371	24.4	25.7	5.2%	< 0.5				80% 120%
P	1	3651371	779	802	2.9%	< 10				80% 120%
Pb	1	3651371	26.1	26.5	1.5%	< 0.5				80% 120%
Rb	1	3651371	45	37	19.5%	< 10	13	13	98%	80% 120%
S	1	3651371	0.115	0.113	1.8%	< 0.005				80% 120%
Sb	1	3651371	13	11	16.7%	< 1				80% 120%
Sc	1	3651371	5.3	4.8	9.9%	< 0.5				80% 120%
Se	1	3651371	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3651371	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3651371	46.0	45.7	0.7%	< 0.5				80% 120%
Ta	1	3651371	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3651371	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3651371	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3651371	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3651371	0.12	0.12	0.0%	< 0.01				80% 120%
U	1	3651371	< 5	< 5	0.0%	< 5				80% 120%
V	1	3651371	25.4	24.4	4.0%	< 0.5				80% 120%
W	1	3651371	5	5	0.0%	< 1				80% 120%
Y	1	3651371	12	12	0.0%	< 1	6	7	84%	80% 120%
Zn	1	3651371	83.8	86.7	3.4%	< 0.5				80% 120%
Zr	1	3651371	< 5	< 5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low Ti) (201073)

Ag	1	3651378	< 0.2	< 0.2	0.0%	< 0.2	13.6	13.0	104%	80% 120%
Al	1	3651378	0.971	0.931	4.2%	< 0.01				80% 120%
As	1	3651378	32	25	24.6%	< 1				80% 120%
B	1	3651378	6	6	0.0%	< 5				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y635220

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Sep 20, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ba	1	3651378	198	197	0.5%	< 1				80% 120%
Be	1	3651378	1.07	1.00	6.8%	< 0.5				80% 120%
Bi	1	3651378	3	4	28.6%	< 1				80% 120%
Ca	1	3651378	0.59	0.56	5.2%	< 0.01				80% 120%
Cd	1	3651378	1.05	1.03	1.9%	< 0.5				80% 120%
Ce	1	3651378	13	12	8.0%	< 1				80% 120%
Co	1	3651378	19.8	18.4	7.3%	< 0.5				80% 120%
Cr	1	3651378	21.9	20.9	4.7%	< 0.5				80% 120%
Cu	1	3651378	40.4	37.5	7.4%	< 0.5	5759	6000	95%	80% 120%
Fe	1	3651378	3.99	3.75	6.2%	< 0.01				80% 120%
Ga	1	3651378	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3651378	< 1	< 1	0.0%	< 1				80% 120%
In	1	3651378	2	3		< 1				80% 120%
K	1	3651378	0.139	0.134	3.7%	< 0.01				80% 120%
La	1	3651378	6	6	0.0%	< 1				80% 120%
Li	1	3651378	18	17	5.7%	< 1				80% 120%
Mg	1	3651378	0.636	0.602	5.5%	< 0.01				80% 120%
Mn	1	3651378	1340	1260	6.2%	< 1				80% 120%
Mo	1	3651378	2.0	1.7	16.2%	< 0.5	349	360	96%	80% 120%
Na	1	3651378	0.01	< 0.01		< 0.01				80% 120%
Ni	1	3651378	31.1	29.1	6.6%	< 0.5				80% 120%
P	1	3651378	556	543	2.4%	< 10				80% 120%
Pb	1	3651378	25.0	23.4	6.6%	< 0.5				80% 120%
Rb	1	3651378	21	20	4.9%	< 10	15	13	115%	80% 120%
S	1	3651378	0.100	0.0895	11.1%	< 0.005				80% 120%
Sb	1	3651378	11	11	0.0%	< 1				80% 120%
Sc	1	3651378	6.0	5.6	6.9%	< 0.5				80% 120%
Se	1	3651378	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3651378	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3651378	34.3	32.6	5.1%	< 0.5				80% 120%
Ta	1	3651378	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3651378	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3651378	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3651378	0.02	0.02	0.0%	< 0.01	0.05	0.07	70%	80% 120%
Tl	1	3651378	0.08	0.08	0.0%	< 0.01				80% 120%
U	1	3651378	< 5	< 5	0.0%	< 5				80% 120%
V	1	3651378	33.5	31.4	6.5%	< 0.5				80% 120%
W	1	3651378	6	4		< 1				80% 120%
Y	1	3651378	7	6	15.4%	< 1	7	7	97%	80% 120%
Zn	1	3651378	93.8	87.5	6.9%	< 0.5				80% 120%
Zr	1	3651378	< 5	< 5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1	3651397	< 0.2	< 0.2	0.0%	< 0.2	13.3	13.0	102%	80% 120%
Al	1	3651397	0.06	0.06	0.0%	< 0.01				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y635220

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Sep 20, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
As	1	3651397	36	35	2.8%	< 1				80% 120%
B	1	3651397	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3651397	55	57	3.6%	< 1				80% 120%
Be	1	3651397	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	3651397	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3651397	19.1	20.7	8.0%	< 0.01				80% 120%
Cd	1	3651397	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3651397	10	11	9.5%	< 1				80% 120%
Co	1	3651397	1.7	1.8	5.7%	< 0.5				80% 120%
Cr	1	3651397	1.61	1.77	9.5%	< 0.5				80% 120%
Cu	1	3651397	2.7	3.4	23.0%	< 0.5	5661	6000	94%	80% 120%
Fe	1	3651397	0.405	0.437	7.6%	< 0.01				80% 120%
Ga	1	3651397	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3651397	< 1	< 1	0.0%	< 1				80% 120%
In	1	3651397	< 1	< 1	0.0%	< 1				80% 120%
K	1	3651397	0.043	0.046	6.7%	< 0.01				80% 120%
La	1	3651397	2	2	0.0%	< 1				80% 120%
Li	1	3651397	1	2		< 1				80% 120%
Mg	1	3651397	12.3	13.4	8.6%	< 0.01				80% 120%
Mn	1	3651397	231	248	7.1%	< 1				80% 120%
Mo	1	3651397	7.3	7.4	1.4%	< 0.5	338	360	93%	80% 120%
Na	1	3651397	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3651397	1.07	1.15	7.2%	< 0.5				80% 120%
P	1	3651397	416	425	2.1%	< 10				80% 120%
Pb	1	3651397	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Rb	1	3651397	15	15	0.0%	< 10	13	13	100%	80% 120%
S	1	3651397	0.228	0.255	11.2%	< 0.005				80% 120%
Sb	1	3651397	17	15	12.5%	< 1				80% 120%
Sc	1	3651397	0.5	0.4	22.2%	< 0.5				80% 120%
Se	1	3651397	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3651397	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3651397	52.7	59.7	12.5%	< 0.5				80% 120%
Ta	1	3651397	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3651397	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3651397	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3651397	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3651397	0.02	0.02	0.0%	< 0.01				80% 120%
U	1	3651397	< 5	< 5	0.0%	< 5				80% 120%
V	1	3651397	17.2	17.8	3.4%	< 0.5				80% 120%
W	1	3651397	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3651397	1	1	0.0%	< 1	6	7	85%	80% 120%
Zn	1	3651397	13.0	14.7	12.3%	< 0.5				80% 120%
Zr	1	3651397	< 5	< 5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y635220

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Sep 20, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				Acceptable Limits	
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery		Lower	Upper
Ag	1	3651421	< 0.2	< 0.2	0.0%	< 0.2	13.9	13.0	107%		80%	120%
Al	1	3651421	1.92	1.88	2.1%	< 0.01					80%	120%
As	1	3651421	13	18		< 1					80%	120%
B	1	3651421	< 5	< 5	0.0%	< 5					80%	120%
Ba	1	3651421	297	290	2.4%	< 1					80%	120%
Be	1	3651421	1.0	1.0	0.0%	< 0.5					80%	120%
Bi	1	3651421	5	4	22.2%	< 1					80%	120%
Ca	1	3651421	0.138	0.134	2.9%	< 0.01					80%	120%
Cd	1	3651421	0.72	0.96	28.6%	< 0.5					80%	120%
Ce	1	3651421	4	4	0.0%	< 1					80%	120%
Co	1	3651421	13.9	14.0	0.7%	< 0.5					80%	120%
Cr	1	3651421	28.8	28.3	1.8%	< 0.5					80%	120%
Cu	1	3651421	60.6	60.4	0.3%	< 0.5	5833	6000	97%		80%	120%
Fe	1	3651421	3.11	3.04	2.3%	< 0.01					80%	120%
Ga	1	3651421	6	6	0.0%	< 5					80%	120%
Hg	1	3651421	< 1	< 1	0.0%	< 1					80%	120%
In	1	3651421	2	1		< 1					80%	120%
K	1	3651421	0.096	0.094	2.1%	< 0.01					80%	120%
La	1	3651421	2	2	0.0%	< 1					80%	120%
Li	1	3651421	39	38	2.6%	< 1					80%	120%
Mg	1	3651421	0.711	0.693	2.6%	< 0.01					80%	120%
Mn	1	3651421	568	574	1.1%	< 1					80%	120%
Mo	1	3651421	1.9	1.7	11.1%	< 0.5	344	360	95%		80%	120%
Na	1	3651421	0.01	0.01	0.0%	< 0.01					80%	120%
Ni	1	3651421	28.6	28.9	1.0%	< 0.5					80%	120%
P	1	3651421	1120	1150	2.6%	< 10					80%	120%
Pb	1	3651421	72.4	76.6	5.6%	< 0.5					80%	120%
Rb	1	3651421	18	17	5.7%	< 10	14	13	105%		80%	120%
S	1	3651421	0.106	0.105	0.9%	< 0.005					80%	120%
Sb	1	3651421	6	5	18.2%	< 1					80%	120%
Sc	1	3651421	2.56	2.51	2.0%	< 0.5					80%	120%
Se	1	3651421	< 10	< 10	0.0%	< 10					80%	120%
Sn	1	3651421	< 5	< 5	0.0%	< 5					80%	120%
Sr	1	3651421	31.2	30.7	1.6%	< 0.5					80%	120%
Ta	1	3651421	< 10	< 10	0.0%	< 10					80%	120%
Te	1	3651421	< 10	< 10	0.0%	< 10					80%	120%
Th	1	3651421	< 5	< 5	0.0%	< 5					80%	120%
Ti	1	3651421	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
Tl	1	3651421	0.076	0.065	15.6%	< 0.01					80%	120%
U	1	3651421	< 5	< 5	0.0%	< 5					80%	120%
V	1	3651421	26.3	26.1	0.8%	< 0.5					80%	120%
W	1	3651421	7	4		< 1					80%	120%
Y	1	3651421	5	5	0.0%	< 1	6	7	86%		80%	120%
Zn	1	3651421	80.2	82.1	2.3%	< 0.5					80%	120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y635220

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Sep 20, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Zr	1	3651421	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1	3651446	< 0.2	< 0.2	0.0%	< 0.2	15.4	13.0	119%	80% 120%
Al	1	3651446	1.00	1.08	7.7%	< 0.01				80% 120%
As	1	3651446	31	28	10.2%	< 1				80% 120%
B	1	3651446	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3651446	440	463	5.1%	< 1				80% 120%
Be	1	3651446	1.2	1.2	0.0%	< 0.5				80% 120%
Bi	1	3651446	4	< 1		< 1				80% 120%
Ca	1	3651446	0.300	0.318	5.8%	< 0.01				80% 120%
Cd	1	3651446	0.8	0.7	13.3%	< 0.5				80% 120%
Ce	1	3651446	18	20	10.5%	< 1				80% 120%
Co	1	3651446	20.2	20.4	1.0%	< 0.5				80% 120%
Cr	1	3651446	33.6	35.0	4.1%	< 0.5				80% 120%
Cu	1	3651446	44.4	45.5	2.4%	< 0.5				80% 120%
Fe	1	3651446	3.96	4.14	4.4%	< 0.01				80% 120%
Ga	1	3651446	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3651446	< 1	< 1	0.0%	< 1				80% 120%
In	1	3651446	1	< 1		< 1				80% 120%
K	1	3651446	0.16	0.18	11.8%	< 0.01				80% 120%
La	1	3651446	9	10	10.5%	< 1				80% 120%
Li	1	3651446	22	23	4.4%	< 1				80% 120%
Mg	1	3651446	0.51	0.53	3.8%	< 0.01				80% 120%
Mn	1	3651446	846	843	0.4%	< 1				80% 120%
Mo	1	3651446	1.7	1.7	0.0%	< 0.5				80% 120%
Na	1	3651446	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3651446	43.4	43.5	0.2%	< 0.5				80% 120%
P	1	3651446	587	609	3.7%	< 10				80% 120%
Pb	1	3651446	27.2	26.7	1.9%	< 0.5				80% 120%
Rb	1	3651446	25	27	7.7%	< 10	16	13	121%	80% 120%
S	1	3651446	0.048	0.049	2.1%	< 0.005				80% 120%
Sb	1	3651446	6	9		< 1				80% 120%
Sc	1	3651446	5.43	5.60	3.1%	< 0.5				80% 120%
Se	1	3651446	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3651446	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3651446	51.9	57.1	9.5%	< 0.5				80% 120%
Ta	1	3651446	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3651446	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3651446	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3651446	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3651446	0.137	0.131	4.5%	< 0.01				80% 120%
U	1	3651446	< 5	< 5	0.0%	< 5				80% 120%
V	1	3651446	32.7	34.1	4.2%	< 0.5				80% 120%
W	1	3651446	4	7		< 1				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y635220

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Sep 20, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				Acceptable Limits	
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery		Lower	Upper
Y	1	3651446	8	8	0.0%	< 1	7	7	100%		80%	120%
Zn	1	3651446	91.5	93.0	1.6%	< 0.5					80%	120%
Zr	1	3651446	< 5	< 5	0.0%	< 5					80%	120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Ti) (201073)												
Ag	1	3651471	< 0.2	< 0.2	0.0%	< 0.2	14.9	13.0	114%		80%	120%
Al	1	3651471	0.627	0.686	9.0%	< 0.01					80%	120%
As	1	3651471	25	30	18.2%	< 1					80%	120%
B	1	3651471	7	5		< 5					80%	120%
Ba	1	3651471	346	381	9.6%	< 1					80%	120%
Be	1	3651471	1.22	1.27	4.0%	< 0.5					80%	120%
Bi	1	3651471	2	3		< 1					80%	120%
Ca	1	3651471	0.30	0.33	9.5%	< 0.01					80%	120%
Cd	1	3651471	1.62	1.76	8.3%	< 0.5					80%	120%
Ce	1	3651471	4	4	0.0%	< 1					80%	120%
Co	1	3651471	13.8	14.9	7.7%	< 0.5					80%	120%
Cr	1	3651471	15.3	16.1	5.1%	< 0.5					80%	120%
Cu	1	3651471	33.2	35.6	7.0%	< 0.5					80%	120%
Fe	1	3651471	6.47	7.07	8.9%	< 0.01					80%	120%
Ga	1	3651471	5	5	0.0%	< 5					80%	120%
Hg	1	3651471	< 1	2		< 1					80%	120%
In	1	3651471	< 1	< 1	0.0%	< 1					80%	120%
K	1	3651471	0.075	0.078	3.9%	< 0.01					80%	120%
La	1	3651471	3	3	0.0%	< 1					80%	120%
Li	1	3651471	11	12	8.7%	< 1					80%	120%
Mg	1	3651471	0.244	0.269	9.7%	< 0.01					80%	120%
Mn	1	3651471	2200	2310	4.9%	< 1					80%	120%
Mo	1	3651471	1.6	2.2		< 0.5	363	360	100%		80%	120%
Na	1	3651471	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
Ni	1	3651471	20.1	21.3	5.8%	< 0.5					80%	120%
P	1	3651471	531	555	4.4%	< 10					80%	120%
Pb	1	3651471	21.5	21.6	0.5%	< 0.5					80%	120%
Rb	1	3651471	23	24	4.3%	< 10	14	13	110%		80%	120%
S	1	3651471	0.0582	0.0637	9.0%	< 0.005					80%	120%
Sb	1	3651471	10	9	10.5%	< 1					80%	120%
Sc	1	3651471	4.85	5.12	5.4%	< 0.5					80%	120%
Se	1	3651471	< 10	< 10	0.0%	< 10					80%	120%
Sn	1	3651471	< 5	< 5	0.0%	< 5					80%	120%
Sr	1	3651471	19.2	20.3	5.6%	< 0.5					80%	120%
Ta	1	3651471	< 10	< 10	0.0%	< 10					80%	120%
Te	1	3651471	< 10	< 10	0.0%	< 10					80%	120%
Th	1	3651471	< 5	< 5	0.0%	< 5					80%	120%
Ti	1	3651471	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
Tl	1	3651471	0.08	0.08	0.0%	< 0.01					80%	120%
U	1	3651471	< 5	< 5	0.0%	< 5					80%	120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y635220

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Sep 20, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
V	1	3651471	26.4	27.3	3.4%	< 0.5				80% 120%
W	1	3651471	6	12		< 1				80% 120%
Y	1	3651471	6	7	15.4%	< 1	6	7	88%	80% 120%
Zn	1	3651471	95.9	99.7	3.9%	< 0.5				80% 120%
Zr	1	3651471	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Ti) (201073)										
Ag	1	3651496	< 0.2	< 0.2	0.0%	< 0.2	14.3	13.0	110%	80% 120%
Al	1	3651496	1.98	2.07	4.4%	< 0.01				80% 120%
As	1	3651496	14	9		< 1				80% 120%
B	1	3651496	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3651496	30	32	6.5%	< 1				80% 120%
Be	1	3651496	0.6	0.6	0.0%	< 0.5				80% 120%
Bi	1	3651496	2	2	0.0%	< 1				80% 120%
Ca	1	3651496	0.062	0.065	4.7%	< 0.01				80% 120%
Cd	1	3651496	1.0	1.1	9.5%	< 0.5				80% 120%
Ce	1	3651496	4	5	22.2%	< 1				80% 120%
Co	1	3651496	18.7	19.9	6.2%	< 0.5				80% 120%
Cr	1	3651496	26.6	28.3	6.2%	< 0.5				80% 120%
Cu	1	3651496	35.0	38.5	9.5%	< 0.5	6032	6000	100%	80% 120%
Fe	1	3651496	4.54	4.72	3.9%	< 0.01				80% 120%
Ga	1	3651496	6	7	15.4%	< 5				80% 120%
Hg	1	3651496	< 1	< 1	0.0%	< 1				80% 120%
In	1	3651496	< 1	< 1	0.0%	< 1				80% 120%
K	1	3651496	0.05	0.05	0.0%	< 0.01				80% 120%
La	1	3651496	2	3		< 1				80% 120%
Li	1	3651496	50	52	3.9%	< 1				80% 120%
Mg	1	3651496	0.73	0.76	4.0%	< 0.01				80% 120%
Mn	1	3651496	898	977	8.4%	< 1				80% 120%
Mo	1	3651496	< 0.5	< 0.5	0.0%	< 0.5	347	360	96%	80% 120%
Na	1	3651496	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3651496	32.7	35.3	7.6%	< 0.5				80% 120%
P	1	3651496	303	307	1.3%	< 10				80% 120%
Pb	1	3651496	31.2	33.0	5.6%	< 0.5				80% 120%
Rb	1	3651496	< 10	< 10	0.0%	< 10	14	13	109%	80% 120%
S	1	3651496	0.0108	0.0099	8.7%	< 0.005				80% 120%
Sb	1	3651496	4	5	22.2%	< 1				80% 120%
Sc	1	3651496	3.0	3.2	6.5%	< 0.5				80% 120%
Se	1	3651496	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3651496	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3651496	8.55	9.20	7.3%	< 0.5				80% 120%
Ta	1	3651496	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3651496	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3651496	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3651496	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3651496	0.03	0.03	0.0%	< 0.01				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y635220

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Sep 20, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
U	1	3651496	< 5	< 5	0.0%	< 5				80% 120%
V	1	3651496	19.6	21.0	6.9%	< 0.5				80% 120%
W	1	3651496	6	7	15.4%	< 1				80% 120%
Y	1	3651496	3	3	0.0%	< 1	6	7	92%	80% 120%
Zn	1	3651496	105	112	6.5%	< 0.5				80% 120%
Zr	1	3651496	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1					< 0.2	14.6	13.0	113%	80% 120%
Mo	1					< 0.5	360	360	100%	80% 120%
Rb	1					< 10	15	13	118%	80% 120%
Y	1					< 1	7	7	98%	80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1					< 0.2	14.4	13.0	111%	80% 120%
Mo	1					< 0.5	356	360	98%	80% 120%
Rb	1					< 10	14	13	110%	80% 120%
Y	1					< 1	6	7	89%	80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1					< 0.2	14.4	13.0	111%	80% 120%
Cu	1					< 0.5	6042	6000	100%	80% 120%
Mo	1					< 0.5	353	360	98%	80% 120%
Rb	1					< 10	13	13	97%	80% 120%
Y	1					< 1	6	7	80%	80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1					< 0.2	14	13.0	108%	80% 120%
Cu	1					< 0.5	5845	6000	97%	80% 120%
Mo	1					< 0.5	344	360	95%	80% 120%
Rb	1					< 10	13	13	99%	80% 120%
Y	1					< 1	6	7	85%	80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1					< 0.2	14.9	13.0	114%	80% 120%
Rb	1					< 10	14	13	104%	80% 120%
Y	1					< 1	6	7	91%	80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1					< 0.2	13.7	13.0	105%	80% 120%
Cu	1					< 0.5	5747	6000	95%	80% 120%
Mo	1					< 0.5	335	360	93%	80% 120%
Rb	1					< 10	12	13	91%	80% 120%
Y	1					< 1	5	7	76%	80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1					< 0.2	13.2	13.0	101%	80% 120%
Cu	1					< 0.5	5546	6000	92%	80% 120%
Mo	1					< 0.5	323	360	89%	80% 120%
Rb	1					< 10	12	13	92%	80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y635220

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Sep 20, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Y	1					< 1	5	7	76%	80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1					< 0.2	13.6	13.0	104%	80% 120%
Cu	1					< 0.5	5720	6000	95%	80% 120%
Mo	1					< 0.5	340	360	94%	80% 120%
Rb	1					< 10	13	13	96%	80% 120%
Se	1					< 10	1	0.8	127%	80% 120%
Y	1					< 1	6	7	80%	80% 120%

Certified By:

Method Summary

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y635220

PROJECT NO:

ATTENTION TO: Yinghua Chen

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
B	MIN-200-12020		ICP/OES
Ba	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
In	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP/OES
Li	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr	MIN-200-12020		ICP/OES
Ta	MIN-200-12020		ICP/OES
Te	MIN-200-12020		ICP/OES
Th	MIN-200-12020		ICP/OES
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP-MS
U	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP/OES
Y	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Zr	MIN-200-12020		ICP/OES
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES