

CLIENT NAME: ANTHILL RESOURCES (YUKON)
1090-999 WEST HASTINGS STREET
Vancouver, BC V6C2W2
(604) 569-3892

ATTENTION TO: Yinghua Chen

PROJECT NO:

AGAT WORK ORDER: 12Y640270

SOLID ANALYSIS REVIEWED BY: Ron Cardinali, Certified Assayer - Director - Technical Services (Mining)

DATE REPORTED: Oct 02, 2012

PAGES (INCLUDING COVER): 43

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

***NOTES**

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y640270

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 11, 2012

DATE RECEIVED: Sep 10, 2012

DATE REPORTED: Oct 02, 2012

SAMPLE TYPE: Drill Core

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
E5531201	<0.2	0.02	134	<5	4	<0.5	<1	16.9	<0.5	<1	<0.5	4.5	<0.5	0.10
E5531202	0.4	0.02	140	<5	4	<0.5	<1	17.5	<0.5	<1	<0.5	1.7	<0.5	0.08
E5531203	0.5	0.01	118	<5	3	<0.5	<1	17.1	<0.5	<1	<0.5	2.4	<0.5	0.09
E5531204	0.5	0.02	246	<5	6	<0.5	<1	17.1	<0.5	<1	<0.5	2.2	<0.5	0.10
E5531205	0.5	0.02	216	<5	10	<0.5	<1	17.0	<0.5	<1	<0.5	2.1	<0.5	0.12
E5531206	0.5	0.01	178	<5	6	<0.5	<1	17.1	<0.5	<1	<0.5	1.2	<0.5	0.10
E5531207	0.4	0.02	245	<5	7	<0.5	<1	16.3	<0.5	<1	<0.5	1.5	<0.5	0.09
E5531208	0.4	0.02	179	<5	6	<0.5	<1	17.5	<0.5	<1	<0.5	1.4	<0.5	0.08
E5531209	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
E5531210	0.5	0.01	171	<5	6	<0.5	1	17.2	<0.5	<1	<0.5	2.0	<0.5	0.09
E5531211	0.4	0.02	156	<5	8	<0.5	<1	17.3	<0.5	<1	<0.5	1.7	<0.5	0.09
E5531212	0.7	0.04	1080	<5	31	<0.5	<1	16.8	<0.5	<1	<0.5	3.2	<0.5	0.44
E5531213	0.5	0.02	449	<5	16	<0.5	<1	15.2	<0.5	<1	<0.5	3.4	<0.5	0.33
E5531214	0.4	0.02	369	<5	13	<0.5	<1	15.3	<0.5	<1	<0.5	2.8	<0.5	0.43
E5531215	0.4	0.02	271	<5	10	<0.5	<1	15.4	<0.5	<1	0.9	6.8	<0.5	0.41
E5531216	1.5	0.06	546	<5	16	<0.5	<1	14.2	<0.5	<1	0.6	7.5	<0.5	0.52
E5531217	0.8	0.17	608	<5	35	<0.5	<1	4.24	<0.5	3	4.3	26.2	5.6	0.89
E5531218	1.0	0.18	361	<5	27	<0.5	<1	6.26	<0.5	3	4.3	23.5	4.5	0.87
E5531219	0.9	0.18	151	<5	301	<0.5	<1	6.79	<0.5	2	4.6	24.6	6.1	0.74
E5531220	0.3	0.35	356	<5	49	<0.5	<1	2.29	<0.5	3	7.5	30.4	13.2	1.19
E5531221	0.9	0.09	192	<5	17	<0.5	<1	5.99	<0.5	3	2.0	33.4	1.2	0.85
E5531222	0.6	0.33	223	<5	112	0.6	<1	3.45	<0.5	4	10.4	28.2	18.8	1.91
E5531223	1.0	0.30	85	<5	43	0.6	<1	4.55	<0.5	5	9.4	28.5	19.7	1.93
E5531224	0.4	0.39	100	<5	34	0.7	<1	2.97	<0.5	5	11.9	26.7	28.5	2.10
E5531225	0.8	0.17	208	<5	15	<0.5	<1	5.35	<0.5	4	3.9	30.0	6.9	1.65
E5531226	0.3	0.42	242	<5	46	0.9	<1	2.05	<0.5	6	18.7	20.8	33.8	2.18
E5531227	0.2	0.12	22	<5	2210	<0.5	<1	1.23	<0.5	3	1.1	43.7	3.3	0.68
E5531228	0.2	0.15	19	<5	2260	<0.5	<1	1.29	<0.5	3	2.6	51.3	5.4	0.76
E5531229	0.2	0.12	13	<5	2110	<0.5	<1	1.10	<0.5	3	0.6	57.4	2.9	0.66
E5531230	0.2	0.09	10	<5	671	<0.5	<1	1.40	<0.5	3	1.0	42.8	1.6	0.71
E5531231	0.3	0.57	44	<5	113	1.3	<1	0.76	<0.5	7	21.4	15.8	33.9	3.02
E5531232	<0.2	0.59	12	<5	140	1.3	<1	0.91	<0.5	7	15.7	18.3	32.5	3.19

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y640270

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 11, 2012		DATE RECEIVED: Sep 10, 2012						DATE REPORTED: Oct 02, 2012				SAMPLE TYPE: Drill Core			
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
E5531233		0.3	0.18	8	<5	96	<0.5	<1	1.38	<0.5	5	3.2	35.9	3.7	1.79
E5531234		<0.2	0.56	21	<5	47	1.2	<1	1.32	<0.5	6	16.7	8.8	30.2	3.25
E5531235		<0.2	0.57	15	<5	82	1.3	<1	1.42	<0.5	6	12.9	9.0	38.4	3.00
E5531236		<0.2	0.46	11	<5	297	1.1	<1	0.83	<0.5	7	20.0	18.7	36.5	4.04
E5531237		1.7	0.68	46	5	213	1.1	<1	2.93	5.2	11	13.4	26.2	117	3.10
E5531238		1.3	0.63	41	<5	151	1.0	<1	2.34	5.7	9	12.3	31.8	125	2.90
E5531239		0.4	0.16	507	<5	1190	<0.5	<1	0.93	0.9	<1	7.1	15.9	36.4	2.78
E5531240		<0.2	0.02	80	<5	22	<0.5	<1	18.6	<0.5	10	1.6	1.5	1.3	0.40
E5531241		<0.2	0.48	72	6	215	1.0	<1	1.86	0.8	5	19.7	20.3	61.6	3.25
E5531242		<0.2	0.74	68	10	838	1.2	<1	2.33	<0.5	4	15.8	25.7	18.4	2.95
E5531243		<0.2	0.69	59	9	1240	1.2	<1	1.49	<0.5	3	9.5	29.3	59.5	3.32
E5531244		<0.2	1.21	55	7	655	1.3	<1	0.86	<0.5	3	19.9	22.8	49.0	3.88
E5531245		<0.2	0.65	44	6	209	1.2	<1	0.78	<0.5	3	15.7	12.5	54.9	3.93
E5531246		<0.2	1.12	46	7	163	1.4	4	0.62	<0.5	4	18.8	21.4	46.5	3.96
E5531247		<0.2	1.49	41	6	128	1.4	<1	0.40	0.6	5	20.6	24.3	39.2	3.85
E5531248		<0.2	1.41	51	9	180	1.5	<1	0.97	<0.5	4	15.4	21.4	46.7	2.96
E5531249		<0.2	1.66	56	11	184	1.4	<1	3.25	0.6	4	12.0	21.1	32.2	3.35
E5531250		<0.2	1.26	35	8	138	1.3	6	0.70	<0.5	7	18.2	22.9	44.7	3.57
E5531251		<0.2	1.81	49	9	151	1.2	4	0.54	0.6	8	19.2	34.1	44.2	4.09
E5531252		<0.2	1.23	47	6	122	0.9	1	0.98	0.5	10	14.5	28.8	25.5	3.37
E5531253		<0.2	1.37	50	7	76	1.3	<1	0.44	<0.5	7	21.0	31.4	25.8	3.80
E5531254		<0.2	0.88	40	9	88	1.1	2	0.52	<0.5	7	13.3	25.4	101	3.35
E5531255		0.7	1.14	45	9	344	1.3	<1	0.86	0.5	10	20.3	26.0	48.2	4.51
E5531256		<0.2	1.77	71	16	180	1.0	<1	8.13	2.0	73	32.1	61.7	86.0	6.53
E5531257		<0.2	0.81	161	10	849	0.9	<1	10.1	1.2	58	27.5	77.0	53.2	5.83
E5531258		<0.2	1.56	71	27	268	1.6	<1	9.04	1.9	78	39.0	124	87.5	6.52
E5531259		<0.2	2.33	79	25	372	1.2	<1	11.5	1.2	73	32.3	137	75.2	5.86
E5531260		<0.2	3.19	73	28	345	1.2	2	10.1	1.8	83	31.9	189	83.9	6.26
E5531261		<0.2	3.70	62	26	1470	1.1	<1	10.7	1.6	80	34.7	199	84.5	6.37
E5531262		<0.2	3.07	81	18	412	0.9	<1	13.9	1.2	64	29.7	158	69.6	5.28
E5531263		<0.2	2.75	73	19	427	0.9	<1	13.9	1.6	65	28.8	146	66.5	5.01
E5531264		<0.2	0.87	142	17	762	1.1	<1	9.52	1.2	50	28.8	113	65.8	4.61

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y640270

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 11, 2012

DATE RECEIVED: Sep 10, 2012

DATE REPORTED: Oct 02, 2012

SAMPLE TYPE: Drill Core

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
E5531265	<0.2	3.49	70	24	407	1.4	<1	7.53	1.7	94	36.8	179	80.5	6.62
E5531266	<0.2	0.17	519	<5	20	<0.5	<1	14.9	<0.5	12	3.2	5.8	4.8	0.66
E5531267	<0.2	0.09	669	<5	18	<0.5	<1	16.5	<0.5	12	2.0	4.2	1.8	0.45
E5531268	<0.2	0.02	780	<5	17	<0.5	<1	15.7	<0.5	9	1.6	3.0	<0.5	0.43
E5531269	<0.2	0.02	640	<5	10	<0.5	<1	14.8	<0.5	8	1.2	3.5	<0.5	0.27
E5531270	<0.2	0.01	419	<5	7	<0.5	<1	12.1	<0.5	6	0.8	6.6	<0.5	0.22
E5531271	<0.2	0.01	553	<5	10	<0.5	<1	15.4	<0.5	9	1.2	3.7	<0.5	0.25
E5531272	<0.2	0.02	462	<5	6	<0.5	<1	16.2	<0.5	9	1.5	3.5	0.9	0.30
E5531273	<0.2	0.03	277	<5	5	<0.5	<1	16.6	<0.5	10	1.6	1.9	1.1	0.27
E5531274	<0.2	0.02	323	<5	5	<0.5	<1	16.7	<0.5	9	1.4	1.9	<0.5	0.23
E5531275	<0.2	0.02	296	<5	5	<0.5	<1	16.4	<0.5	9	1.0	1.8	<0.5	0.35
E5531276	<0.2	0.05	527	<5	10	<0.5	<1	15.8	<0.5	9	1.4	3.1	2.3	0.53
E5531277	<0.2	0.04	408	<5	6	<0.5	<1	15.0	<0.5	9	1.4	3.8	1.4	0.57
E5531278	<0.2	0.04	393	<5	7	<0.5	<1	15.6	<0.5	10	1.4	4.6	1.7	0.56
E5531279	0.3	0.16	482	<5	1430	<0.5	<1	0.97	0.8	1	6.6	15.6	35.7	2.84
E5531280	<0.2	0.01	80	<5	26	<0.5	<1	18.1	<0.5	10	1.7	0.7	<0.5	0.40
E5531281	<0.2	0.09	332	<5	8	<0.5	<1	16.1	<0.5	10	2.2	3.9	2.5	0.76
E5531282	<0.2	0.06	316	<5	6	<0.5	<1	16.0	<0.5	11	1.5	3.9	1.6	0.66
E5531283	<0.2	0.06	586	<5	7	<0.5	<1	15.5	0.6	9	1.8	4.8	3.4	0.80
E5531284	0.9	0.05	846	<5	7	<0.5	<1	15.5	1.8	9	1.6	4.9	4.0	0.87
E5531285	<0.2	0.04	728	<5	10	<0.5	<1	16.0	0.5	10	1.4	3.6	1.8	0.75
E5531286	<0.2	0.04	418	<5	7	<0.5	<1	17.3	<0.5	10	1.6	1.5	1.3	0.68
E5531287	<0.2	0.04	421	<5	6	<0.5	<1	17.2	<0.5	11	1.7	1.3	1.1	0.72
E5531288	<0.2	0.09	285	<5	11	<0.5	<1	17.1	<0.5	11	1.8	1.1	2.3	0.88
E5531289	<0.2	0.07	344	<5	8	<0.5	<1	17.5	<0.5	12	1.8	1.3	2.1	0.92
E5531290	<0.2	0.05	199	<5	8	<0.5	<1	16.9	<0.5	10	1.4	0.9	<0.5	0.74
E5531291	<0.2	0.10	561	<5	11	<0.5	<1	16.8	<0.5	11	2.4	2.5	4.8	1.13
E5531292	<0.2	0.09	426	<5	13	<0.5	<1	16.6	<0.5	10	2.0	1.9	2.0	0.84
E5531293	<0.2	0.05	372	<5	7	<0.5	<1	16.5	<0.5	10	1.9	1.8	3.2	0.71
E5531294	<0.2	0.04	257	<5	5	<0.5	<1	17.2	<0.5	11	1.7	1.3	1.2	0.62
E5531295	<0.2	0.05	356	<5	6	<0.5	<1	17.0	<0.5	11	1.5	1.3	2.1	0.78
E5531296	<0.2	0.05	340	<5	6	<0.5	<1	16.8	<0.5	10	1.6	2.1	2.5	0.81

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y640270

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 11, 2012		DATE RECEIVED: Sep 10, 2012						DATE REPORTED: Oct 02, 2012				SAMPLE TYPE: Drill Core			
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
E5531297		<0.2	0.04	271	<5	5	<0.5	<1	16.6	<0.5	10	1.5	1.4	1.8	0.72
E5531298		<0.2	0.18	915	6	17	<0.5	<1	15.7	<0.5	11	2.6	3.2	12.2	1.29
E5531299		<0.2	0.09	277	<5	8	<0.5	<1	15.6	<0.5	11	1.8	4.6	3.7	0.90
E5531300		<0.2	0.07	337	<5	7	<0.5	<1	15.7	<0.5	10	1.7	2.5	2.6	1.03
E5531301		<0.2	0.16	1060	6	15	<0.5	<1	14.6	6.1	10	2.9	5.8	11.9	1.21
E5531302		<0.2	0.07	705	<5	6	<0.5	<1	14.7	<0.5	9	1.8	4.5	1.9	0.79
E5531303		<0.2	0.06	766	<5	6	<0.5	<1	15.5	<0.5	9	1.4	3.1	1.6	0.71
E5531304		<0.2	0.03	521	<5	6	<0.5	<1	14.7	<0.5	8	1.4	4.0	0.6	0.71
E5531305		<0.2	0.07	1130	<5	8	<0.5	<1	16.2	<0.5	10	1.8	3.1	2.6	0.82
E5531306		<0.2	0.03	367	<5	4	<0.5	<1	15.4	<0.5	9	1.2	2.3	0.7	0.45
E5531307		<0.2	0.05	453	<5	5	<0.5	<1	15.6	<0.5	10	1.5	2.0	1.5	0.48
E5531308		<0.2	0.04	368	<5	6	<0.5	<1	17.3	<0.5	11	1.6	1.0	0.6	0.46
E5531309		<0.2	0.06	784	<5	8	<0.5	<1	16.9	<0.5	11	1.6	2.2	2.0	0.58
E5531310		<0.2	0.04	619	<5	6	<0.5	<1	18.5	<0.5	10	1.5	1.0	1.1	0.74
E5531311		<0.2	0.03	464	<5	5	<0.5	<1	19.0	<0.5	11	1.2	0.8	0.8	0.63
E5531312		<0.2	0.05	670	<5	8	<0.5	<1	18.3	<0.5	11	1.7	2.1	2.1	0.82
E5531313		<0.2	0.04	4360	<5	6	<0.5	<1	17.7	<0.5	10	1.7	1.3	0.9	0.99
E5531314		<0.2	0.08	4120	<5	9	<0.5	<1	17.5	<0.5	10	2.1	3.1	3.6	1.27
E5531315		1.9	0.12	1290	6	89	<0.5	<1	16.6	0.5	12	2.4	3.4	7.5	1.41
E5531316		<0.2	0.18	1010	6	23	<0.5	<1	15.9	<0.5	11	3.0	4.8	6.4	1.30
E5531317		<0.2	0.24	1120	7	14	<0.5	<1	15.1	<0.5	13	4.2	5.1	11.1	1.29
E5531318		<0.2	0.09	>10000	9	8	<0.5	<1	12.3	<0.5	4	2.6	7.8	6.1	5.05
E5531319		<0.2	0.12	>10000	6	23	<0.5	<1	16.2	0.9	7	2.8	3.9	5.2	2.74
E5531320		<0.2	0.05	3850	<5	7	<0.5	<1	18.5	<0.5	9	1.5	1.6	0.5	0.62
E5531321		<0.2	0.06	5250	<5	8	<0.5	<1	17.7	<0.5	9	2.0	2.4	1.6	0.89
E5531322		<0.2	0.06	>10000	6	10	<0.5	<1	13.8	<0.5	4	2.3	3.6	5.0	3.54
E5531323		<0.2	0.11	>10000	8	10	<0.5	<1	14.0	<0.5	4	3.9	4.5	7.1	4.11
E5531324		<0.2	0.09	>10000	<5	8	<0.5	<1	15.4	<0.5	7	2.1	4.0	5.1	2.76
E5531325		<0.2	0.03	3560	<5	5	<0.5	<1	17.5	<0.5	9	1.1	1.4	0.6	0.86
E5531326		<0.2	0.04	704	<5	6	<0.5	<1	18.0	<0.5	10	1.4	2.0	0.6	0.79
E5531327		<0.2	0.03	656	<5	6	<0.5	<1	16.5	<0.5	9	1.4	4.3	0.8	0.53
E5531328		<0.2	0.06	1810	<5	6	<0.5	<1	17.0	<0.5	10	1.7	3.8	3.2	0.83

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y640270

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 11, 2012

DATE RECEIVED: Sep 10, 2012

DATE REPORTED: Oct 02, 2012

SAMPLE TYPE: Drill Core

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
E5531329	<0.2	0.12	2930	<5	11	<0.5	<1	16.7	0.6	10	2.3	5.1	8.0	1.27
E5531330	<0.2	0.03	820	<5	4	<0.5	<1	16.9	<0.5	10	1.5	3.7	0.8	0.50
E5531331	<0.2	0.03	425	<5	4	<0.5	<1	17.1	<0.5	10	1.2	3.0	<0.5	0.37
E5531332	<0.2	0.03	442	<5	5	<0.5	<1	16.9	<0.5	10	1.4	1.7	1.1	0.55
E5531333	<0.2	0.02	522	<5	5	<0.5	<1	17.0	<0.5	10	1.2	1.5	1.1	0.58
E5531334	<0.2	0.02	364	<5	5	<0.5	<1	16.5	<0.5	10	1.3	2.7	<0.5	0.41
E5531335	<0.2	0.03	403	<5	5	<0.5	<1	16.4	<0.5	9	1.3	2.9	1.3	0.40
E5531336	<0.2	0.11	1190	<5	9	<0.5	<1	15.9	<0.5	10	4.3	6.0	7.3	0.89
E5531337	<0.2	0.04	193	<5	4	<0.5	<1	15.8	<0.5	9	1.5	3.5	<0.5	0.42
E5531338	<0.2	0.04	367	<5	5	<0.5	<1	16.0	<0.5	9	1.5	2.7	0.7	0.53
E5531339	<0.2	0.08	796	<5	6	<0.5	<1	16.6	<0.5	11	2.0	3.4	2.0	1.09
E5531340	<0.2	0.11	1220	<5	11	<0.5	<1	15.4	<0.5	10	2.0	5.7	3.6	1.16
E5531341	<0.2	0.06	788	<5	6	<0.5	<1	15.1	<0.5	9	1.4	4.4	1.1	0.66
E5531342	<0.2	0.09	816	<5	14	<0.5	<1	16.8	<0.5	10	2.1	3.4	4.1	1.35
E5531343	<0.2	0.21	845	6	199	<0.5	<1	15.1	<0.5	10	3.6	8.7	9.0	1.60
E5531344	<0.2	0.37	1520	9	16	<0.5	<1	13.4	<0.5	9	4.9	10.1	16.9	2.05
E5531345	<0.2	0.14	1340	<5	11	<0.5	<1	20.6	<0.5	10	2.2	7.3	3.8	1.52
E5531346	<0.2	0.14	980	<5	9	<0.5	<1	15.4	<0.5	10	2.6	6.7	4.9	0.92
E5531347	<0.2	0.05	358	<5	4	<0.5	<1	17.7	<0.5	11	1.6	2.0	0.5	0.33
E5531348	<0.2	0.09	294	<5	5	<0.5	<1	17.8	<0.5	11	1.7	3.2	1.7	0.43
E5531349	<0.2	0.10	304	<5	7	<0.5	<1	17.1	0.6	12	1.8	4.0	3.1	0.91
E5531350	<0.2	0.70	339	15	35	<0.5	<1	10.2	<0.5	11	9.9	17.9	23.5	1.94
E5531351	<0.2	0.06	756	<5	6	<0.5	<1	15.9	1.3	10	1.7	5.8	2.5	0.91
E5531352	<0.2	0.05	431	<5	4	<0.5	<1	16.2	<0.5	10	1.4	5.3	1.2	0.49
E5531353	<0.2	0.05	710	<5	6	<0.5	<1	16.4	<0.5	10	1.4	5.4	1.2	0.48
E5531354	<0.2	0.03	709	<5	5	<0.5	<1	18.4	<0.5	11	1.3	2.1	1.1	0.62
E5531355	<0.2	0.03	398	<5	11	<0.5	<1	17.9	<0.5	10	1.4	3.1	<0.5	0.39
E5531356	<0.2	0.03	362	<5	12	<0.5	<1	17.7	<0.5	11	1.3	3.4	1.5	0.34
E5531357	4.3	0.03	389	<5	15	<0.5	<1	15.6	0.6	<1	<0.5	4.2	1.6	0.40
E5531358	3.6	0.25	939	<5	14	<0.5	<1	15.1	<0.5	6	3.4	5.8	7.4	1.36
E5531359	0.4	0.18	439	<5	1380	<0.5	<1	1.04	0.8	2	5.7	16.3	32.3	2.97
E5531360	3.8	0.02	3	<5	19	<0.5	<1	18.7	<0.5	<1	<0.5	1.5	<0.5	0.43

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y640270

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 11, 2012

DATE RECEIVED: Sep 10, 2012

DATE REPORTED: Oct 02, 2012

SAMPLE TYPE: Drill Core

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
E5531361	4.3	0.03	419	<5	20	<0.5	<1	16.8	0.9	<1	<0.5	4.7	<0.5	0.45
E5531362	0.4	0.17	427	<5	1210	<0.5	<1	1.00	0.8	2	5.4	15.7	30.6	2.83
E5531363	4.1	0.01	7	<5	61	<0.5	<1	18.3	<0.5	<1	<0.5	0.6	<0.5	0.40
E5531364	4.7	0.04	802	<5	9	<0.5	<1	16.8	<0.5	<1	<0.5	4.9	<0.5	0.33
E5531365	4.4	0.03	311	<5	4	<0.5	<1	17.8	<0.5	<1	<0.5	3.0	<0.5	0.45
E5531366	4.0	0.04	693	<5	4	<0.5	<1	17.3	<0.5	<1	<0.5	3.2	<0.5	0.75
E5531367	4.1	0.05	473	<5	4	<0.5	<1	17.9	<0.5	<1	<0.5	2.8	<0.5	0.60
E5531368	3.8	0.03	340	<5	3	<0.5	<1	19.1	<0.5	<1	3.0	1.4	<0.5	0.32
E5531369	3.6	0.12	415	<5	14	<0.5	<1	17.2	1.5	3	1.2	4.1	<0.5	1.05
E5531370	3.6	0.15	258	5	22	<0.5	<1	17.3	<0.5	4	1.6	3.4	<0.5	1.44
E5531371	3.9	0.23	129	7	19	<0.5	<1	17.2	<0.5	6	2.0	5.4	1.2	1.27

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y640270

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 11, 2012

DATE RECEIVED: Sep 10, 2012

DATE REPORTED: Oct 02, 2012

SAMPLE TYPE: Drill Core

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
E5531201	7	<1	<1	<0.01	2	<1	11.9	169	0.6	<0.01	<0.5	174	2.7	<10
E5531202	9	<1	<1	<0.01	2	<1	12.1	138	<0.5	<0.01	<0.5	162	2.2	<10
E5531203	9	<1	<1	<0.01	2	<1	11.8	151	<0.5	<0.01	<0.5	148	3.3	<10
E5531204	8	<1	<1	<0.01	2	<1	12.0	151	<0.5	<0.01	<0.5	157	2.6	<10
E5531205	9	1	<1	<0.01	2	<1	11.6	180	<0.5	<0.01	<0.5	166	3.1	<10
E5531206	10	<1	<1	<0.01	2	<1	11.8	184	<0.5	<0.01	<0.5	142	2.5	<10
E5531207	10	2	<1	<0.01	2	<1	11.7	161	<0.5	<0.01	<0.5	140	2.5	<10
E5531208	9	1	<1	<0.01	2	<1	12.3	153	<0.5	<0.01	<0.5	134	1.9	<10
E5531209	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
E5531210	9	<1	<1	<0.01	2	<1	12.2	171	0.6	<0.01	<0.5	116	3.0	<10
E5531211	9	<1	<1	<0.01	2	<1	12.2	161	<0.5	<0.01	<0.5	137	2.1	<10
E5531212	10	6	<1	<0.01	2	<1	11.2	666	0.5	<0.01	<0.5	144	4.4	<10
E5531213	9	1	<1	<0.01	2	<1	10.3	652	0.6	<0.01	<0.5	91	3.2	<10
E5531214	8	2	<1	<0.01	2	<1	10.2	737	<0.5	<0.01	<0.5	82	2.1	<10
E5531215	8	<1	<1	<0.01	2	<1	10.6	712	1.5	<0.01	<0.5	91	4.2	<10
E5531216	9	<1	<1	0.01	2	<1	9.60	759	<0.5	<0.01	1.0	136	3.9	<10
E5531217	9	<1	<1	0.07	<1	<1	2.33	297	0.9	<0.01	6.8	326	6.0	<10
E5531218	9	<1	<1	0.08	1	<1	3.86	331	1.3	<0.01	6.4	169	9.2	<10
E5531219	10	<1	<1	0.09	1	<1	4.09	244	1.1	<0.01	7.6	139	13.0	<10
E5531220	8	<1	<1	0.16	1	<1	1.03	212	1.1	<0.01	13.1	153	14.4	<10
E5531221	9	<1	<1	0.04	1	<1	3.48	437	1.5	<0.01	3.0	416	9.7	<10
E5531222	8	<1	1	0.17	1	<1	1.41	365	1.0	<0.01	18.3	198	20.1	12
E5531223	9	<1	<1	0.16	2	<1	1.97	541	1.4	<0.01	16.3	251	14.9	13
E5531224	8	<1	<1	0.21	2	1	1.16	338	0.6	<0.01	25.1	252	20.0	14
E5531225	8	<1	<1	0.09	2	<1	2.47	638	1.2	<0.01	8.2	230	5.2	<10
E5531226	8	<1	<1	0.22	2	2	0.83	313	0.5	<0.01	34.4	129	43.0	15
E5531227	7	<1	2	0.07	1	<1	0.52	294	1.7	<0.01	4.3	44	4.3	<10
E5531228	6	<1	3	0.07	1	<1	0.54	301	1.7	<0.01	6.7	70	5.4	<10
E5531229	6	<1	2	0.06	1	<1	0.47	267	2.0	<0.01	3.3	26	2.9	<10
E5531230	6	<1	<1	0.05	1	<1	0.60	306	1.8	<0.01	2.9	22	2.9	<10
E5531231	8	<1	<1	0.30	4	4	0.77	179	4.1	<0.01	36.9	244	13.1	22
E5531232	8	<1	<1	0.31	2	4	0.91	260	<0.5	<0.01	28.0	237	11.9	23

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y640270

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 11, 2012		DATE RECEIVED: Sep 10, 2012				DATE REPORTED: Oct 02, 2012				SAMPLE TYPE: Drill Core					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
E5531233		7	<1	<1	0.09	2	3	0.74	348	1.3	<0.01	7.1	51	<0.5	<10
E5531234		8	<1	<1	0.34	2	4	0.96	343	<0.5	<0.01	30.8	300	26.4	28
E5531235		9	<1	<1	0.35	1	4	0.97	337	<0.5	<0.01	23.6	326	20.3	31
E5531236		8	<1	<1	0.23	2	11	0.91	598	<0.5	<0.01	30.2	224	16.7	19
E5531237		10	<1	2	0.31	4	13	1.52	728	26.2	0.01	44.5	1410	14.8	30
E5531238		10	<1	<1	0.29	4	11	1.20	633	25.2	0.01	45.8	1170	15.5	27
E5531239		<5	<1	<1	0.06	1	2	0.03	51	19.4	<0.01	9.7	92	14.8	<10
E5531240		<5	3	<1	0.01	2	<1	12.2	227	13.8	<0.01	<0.5	234	<0.5	<10
E5531241		<5	<1	<1	0.22	2	12	1.04	1030	6.7	<0.01	30.2	439	13.0	22
E5531242		<5	<1	<1	0.37	1	13	1.05	1200	5.1	0.01	27.0	205	9.0	48
E5531243		<5	<1	<1	0.33	1	11	0.69	1020	4.1	0.01	19.6	207	10.2	48
E5531244		5	<1	4	0.28	1	30	0.91	964	3.5	0.01	32.5	203	30.6	33
E5531245		<5	<1	<1	0.29	2	18	0.78	690	4.3	0.01	27.8	222	14.4	30
E5531246		<5	<1	<1	0.29	2	28	0.88	520	4.8	0.01	30.8	218	23.6	30
E5531247		6	<1	1	0.31	2	34	0.87	507	3.4	0.01	32.2	241	22.2	36
E5531248		6	<1	<1	0.35	1	29	0.78	729	3.2	0.01	28.3	234	10.4	49
E5531249		6	<1	3	0.38	<1	33	0.97	2190	6.2	0.01	23.0	264	11.1	57
E5531250		5	<1	<1	0.30	3	27	0.88	803	3.3	0.01	31.6	240	18.5	37
E5531251		7	<1	<1	0.32	3	38	1.05	711	2.8	0.02	33.6	290	16.4	41
E5531252		<5	<1	<1	0.24	3	27	0.83	806	5.3	0.02	24.0	263	21.9	29
E5531253		6	<1	<1	0.29	2	29	0.91	593	2.6	0.02	36.3	261	34.1	34
E5531254		<5	<1	<1	0.26	3	22	0.76	625	4.7	0.02	24.8	202	20.1	29
E5531255		5	<1	<1	0.32	4	29	1.11	528	6.0	0.02	37.1	275	35.2	38
E5531256		10	<1	<1	0.10	31	61	3.23	1400	13.3	0.02	46.5	2440	4.2	20
E5531257		5	<1	<1	0.09	25	33	4.88	1210	15.3	0.02	54.1	2650	2.3	17
E5531258		10	<1	4	0.36	33	48	3.75	1270	13.1	0.02	62.2	2550	4.4	66
E5531259		11	<1	4	0.38	31	57	4.20	1150	14.5	0.13	49.5	2400	3.5	72
E5531260		14	<1	<1	0.51	37	74	3.93	1140	13.0	0.19	58.3	2590	2.1	103
E5531261		15	<1	<1	0.32	36	97	4.66	1020	15.1	0.34	59.1	2610	5.5	68
E5531262		13	<1	3	0.17	29	87	4.41	1300	17.9	0.25	48.9	2030	1.4	41
E5531263		13	<1	<1	0.18	28	78	4.14	1210	18.6	0.20	48.1	2240	3.5	43
E5531264		7	<1	<1	0.31	20	13	5.17	1120	13.1	0.02	52.0	1590	<0.5	47

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y640270

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 11, 2012		DATE RECEIVED: Sep 10, 2012				DATE REPORTED: Oct 02, 2012				SAMPLE TYPE: Drill Core					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
E5531265		16	<1	<1	0.24	45	105	5.31	1310	13.6	0.36	97.9	2830	5.5	52
E5531266		<5	4	<1	0.07	3	2	9.51	618	12.0	0.02	2.7	510	<0.5	13
E5531267		<5	2	<1	0.02	3	2	11.0	561	11.8	0.02	1.0	306	0.5	<10
E5531268		<5	<1	<1	<0.01	2	<1	10.5	455	11.4	0.01	<0.5	214	<0.5	<10
E5531269		<5	6	<1	<0.01	1	<1	9.82	239	9.8	<0.01	<0.5	204	<0.5	<10
E5531270		<5	1	<1	<0.01	1	<1	7.96	237	8.1	<0.01	<0.5	143	13.2	<10
E5531271		<5	3	<1	<0.01	1	<1	10.1	279	13.0	0.01	<0.5	171	<0.5	<10
E5531272		<5	3	<1	<0.01	2	<1	10.5	407	11.6	0.01	<0.5	150	27.5	<10
E5531273		<5	4	<1	<0.01	2	<1	11.1	428	12.4	0.01	<0.5	334	9.1	<10
E5531274		<5	<1	<1	<0.01	1	<1	11.1	373	13.4	0.01	<0.5	207	<0.5	<10
E5531275		<5	<1	<1	<0.01	2	<1	10.9	541	13.2	0.01	<0.5	190	<0.5	<10
E5531276		<5	2	<1	0.02	2	<1	10.4	661	13.3	0.01	<0.5	290	3.5	<10
E5531277		<5	13	<1	0.01	2	<1	9.78	748	11.4	0.01	<0.5	331	67.6	<10
E5531278		<5	11	<1	<0.01	2	<1	10.2	739	12.7	0.01	<0.5	276	90.4	<10
E5531279		<5	<1	<1	0.06	1	2	0.03	49	17.2	0.01	9.5	108	14.6	<10
E5531280		<5	<1	<1	0.01	2	<1	11.6	268	12.1	<0.01	<0.5	233	<0.5	<10
E5531281		<5	<1	<1	0.03	2	<1	10.4	946	12.3	0.01	<0.5	368	7.3	<10
E5531282		<5	<1	<1	0.02	2	<1	10.2	850	11.5	0.01	<0.5	499	21.0	<10
E5531283		<5	6	<1	0.02	2	<1	9.90	845	12.5	0.01	0.6	419	228	<10
E5531284		<5	6	<1	0.02	2	<1	9.99	830	12.6	<0.01	0.5	503	5620	<10
E5531285		<5	<1	<1	<0.01	2	<1	10.3	941	12.9	<0.01	<0.5	429	19.6	<10
E5531286		<5	<1	<1	<0.01	2	<1	11.2	932	13.5	0.01	<0.5	396	16.7	<10
E5531287		<5	<1	<1	<0.01	2	<1	11.3	1000	13.9	0.01	<0.5	436	<0.5	<10
E5531288		<5	1	<1	0.03	2	<1	11.0	1060	15.9	0.01	<0.5	474	<0.5	<10
E5531289		<5	<1	<1	0.02	2	<1	11.0	1060	12.3	0.01	<0.5	603	<0.5	<10
E5531290		<5	<1	<1	0.01	2	<1	10.9	895	15.5	<0.01	<0.5	297	<0.5	<10
E5531291		<5	2	<1	0.03	2	<1	10.4	1100	13.1	<0.01	1.6	404	3.3	<10
E5531292		<5	4	<1	0.03	2	<1	10.5	1040	12.5	<0.01	<0.5	482	<0.5	<10
E5531293		<5	<1	<1	0.01	2	<1	10.7	935	11.8	0.01	0.7	702	3.6	<10
E5531294		<5	<1	<1	0.01	2	<1	11.1	952	13.0	0.01	<0.5	381	<0.5	<10
E5531295		<5	<1	<1	0.02	2	<1	10.9	1020	12.3	0.01	<0.5	454	<0.5	<10
E5531296		<5	2	<1	0.02	2	<1	10.7	1000	11.2	0.01	<0.5	530	13.5	<10

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y640270

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 11, 2012		DATE RECEIVED: Sep 10, 2012				DATE REPORTED: Oct 02, 2012				SAMPLE TYPE: Drill Core					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
E5531297		<5	<1	<1	0.01	2	<1	10.8	985	13.3	0.01	<0.5	456	4.6	<10
E5531298		<5	4	<1	0.08	3	1	9.96	1020	12.1	0.01	2.8	404	36.2	13
E5531299		<5	2	<1	0.03	2	<1	9.88	1060	12.4	0.01	1.0	935	15.3	<10
E5531300		<5	<1	<1	0.02	2	<1	10.1	1190	11.1	0.01	0.6	635	150	<10
E5531301		<5	28	<1	0.06	2	<1	9.08	1110	11.5	0.01	3.5	966	73.4	12
E5531302		<5	<1	<1	0.02	2	<1	9.49	915	11.3	0.01	0.7	432	11.3	<10
E5531303		<5	2	<1	0.01	2	<1	9.94	893	12.6	0.01	<0.5	376	4.8	<10
E5531304		<5	<1	<1	<0.01	1	<1	9.45	924	11.2	<0.01	<0.5	263	39.5	<10
E5531305		<5	2	<1	0.02	2	<1	10.3	1040	11.8	<0.01	<0.5	392	12.6	<10
E5531306		<5	<1	<1	<0.01	2	<1	9.84	696	11.8	0.01	<0.5	402	<0.5	<10
E5531307		<5	<1	<1	0.02	2	<1	10.1	684	12.4	0.01	<0.5	451	<0.5	<10
E5531308		<5	<1	<1	<0.01	2	<1	11.3	859	12.4	0.01	<0.5	446	<0.5	<10
E5531309		<5	<1	<1	0.02	2	<1	10.8	759	12.2	0.01	<0.5	508	<0.5	<10
E5531310		<5	5	<1	<0.01	2	<1	11.9	919	17.1	0.01	<0.5	559	<0.5	<10
E5531311		<5	<1	<1	<0.01	2	<1	12.1	818	15.1	0.01	<0.5	448	<0.5	<10
E5531312		<5	<1	<1	0.02	2	<1	11.6	961	15.5	0.01	<0.5	455	1.5	<10
E5531313		<5	2	<1	<0.01	2	<1	11.0	936	14.8	0.01	<0.5	298	5.7	<10
E5531314		<5	1	<1	0.03	2	<1	11.0	1090	17.3	0.01	1.8	458	16.5	<10
E5531315		<5	<1	<1	0.05	3	<1	10.2	1370	15.3	<0.01	1.9	447	11.5	11
E5531316		<5	5	<1	0.07	3	1	9.90	1140	13.6	0.01	3.7	706	35.1	13
E5531317		<5	3	<1	0.11	4	1	9.46	853	12.8	0.01	6.6	657	64.3	16
E5531318		<5	42	<1	0.03	2	<1	7.35	857	11.7	<0.01	1.8	288	170	<10
E5531319		<5	44	<1	0.02	1	<1	8.98	535	15.7	<0.01	2.9	344	108	<10
E5531320		<5	2	<1	<0.01	1	<1	11.2	438	15.3	<0.01	<0.5	225	1.8	<10
E5531321		<5	5	<1	<0.01	1	<1	10.7	614	15.2	<0.01	0.7	328	8.6	<10
E5531322		<5	37	<1	0.01	<1	<1	7.90	925	11.3	<0.01	1.2	358	126	<10
E5531323		<5	30	1	0.03	1	<1	8.05	690	12.6	<0.01	3.7	372	147	<10
E5531324		5	12	<1	0.02	1	<1	9.58	1110	14.6	<0.01	0.9	579	52.3	<10
E5531325		<5	<1	<1	<0.01	1	<1	11.3	827	14.2	0.01	<0.5	397	<0.5	<10
E5531326		<5	<1	<1	<0.01	2	<1	11.2	922	14.9	0.01	<0.5	435	<0.5	<10
E5531327		<5	<1	<1	<0.01	1	<1	10.5	685	13.5	0.01	<0.5	312	<0.5	<10
E5531328		<5	2	<1	0.01	1	<1	10.7	821	14.0	0.01	<0.5	513	3.1	<10

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y640270

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 11, 2012		DATE RECEIVED: Sep 10, 2012				DATE REPORTED: Oct 02, 2012				SAMPLE TYPE: Drill Core					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
E5531329		<5	3	<1	0.03	2	<1	10.3	953	14.4	<0.01	1.8	878	19.2	<10
E5531330		<5	<1	<1	<0.01	1	<1	10.9	666	15.8	0.01	<0.5	455	<0.5	<10
E5531331		<5	3	<1	<0.01	2	<1	11.1	549	14.1	0.01	<0.5	401	<0.5	<10
E5531332		<5	<1	<1	<0.01	2	<1	10.7	769	14.0	0.01	<0.5	461	<0.5	<10
E5531333		<5	3	<1	<0.01	2	<1	11.1	869	14.7	0.01	<0.5	239	<0.5	<10
E5531334		<5	<1	<1	<0.01	2	<1	10.7	664	15.2	0.01	<0.5	408	<0.5	<10
E5531335		<5	<1	<1	<0.01	2	<1	10.7	629	14.4	0.01	<0.5	414	<0.5	<10
E5531336		<5	<1	<1	0.02	2	1	9.69	776	13.9	<0.01	2.5	1190	14.8	<10
E5531337		<5	<1	<1	0.01	2	<1	10.2	668	13.9	0.01	<0.5	239	<0.5	<10
E5531338		<5	<1	<1	0.01	1	<1	10.2	740	12.9	<0.01	<0.5	299	<0.5	<10
E5531339		<5	<1	<1	0.02	2	<1	10.4	1200	13.7	0.01	1.0	448	2.5	<10
E5531340		<5	<1	<1	0.02	2	<1	9.63	1150	16.0	<0.01	0.8	580	84.8	<10
E5531341		<5	4	<1	<0.01	1	<1	9.67	773	14.3	<0.01	<0.5	424	<0.5	<10
E5531342		<5	1	<1	0.03	2	<1	10.5	1320	13.0	0.01	1.5	540	14.0	10
E5531343		<5	4	<1	0.08	2	1	9.09	1300	12.1	0.01	3.7	555	331	14
E5531344		<5	3	<1	0.15	3	2	8.25	1090	10.9	0.01	7.5	426	83.7	20
E5531345		<5	<1	<1	0.04	2	1	13.3	970	12.8	0.01	1.6	950	29.0	10
E5531346		<5	<1	<1	0.04	2	1	9.76	746	12.6	0.01	2.5	704	21.6	11
E5531347		<5	<1	<1	0.01	2	<1	11.6	556	16.3	0.01	<0.5	373	<0.5	<10
E5531348		<5	1	<1	0.03	2	<1	11.8	684	12.5	0.02	0.7	383	38.8	<10
E5531349		<5	<1	<1	0.04	3	<1	10.9	987	14.5	0.01	1.6	477	75.2	10
E5531350		6	<1	<1	0.33	3	3	4.47	441	10.8	<0.01	15.3	1940	47.2	35
E5531351		<5	6	<1	0.02	2	<1	10.4	983	14.3	0.01	<0.5	382	211	<10
E5531352		<5	<1	<1	0.02	2	<1	10.8	661	14.1	0.01	<0.5	339	3.9	<10
E5531353		<5	2	<1	0.01	1	<1	10.6	690	14.7	0.01	<0.5	561	<0.5	<10
E5531354		<5	<1	<1	<0.01	2	<1	12.1	911	13.8	0.01	<0.5	351	<0.5	<10
E5531355		<5	<1	<1	<0.01	2	<1	11.9	644	13.7	0.01	<0.5	364	<0.5	<10
E5531356		<5	5	<1	<0.01	2	<1	12.0	693	15.8	0.01	<0.5	418	<0.5	<10
E5531357		10	2	<1	<0.01	2	<1	10.9	618	0.7	0.01	0.5	353	37.4	<10
E5531358		11	6	<1	0.11	5	1	10.1	820	<0.5	0.01	8.4	485	59.0	<10
E5531359		<5	2	2	0.07	1	2	0.04	49	14.1	0.01	10.4	48	10.7	<10
E5531360		10	<1	<1	0.01	2	<1	12.9	233	<0.5	<0.01	1.3	171	3.2	<10

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y640270

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 11, 2012

DATE RECEIVED: Sep 10, 2012

DATE REPORTED: Oct 02, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
	Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
E5531361		10	4	<1	<0.01	2	<1	11.1	629	<0.5	0.01	0.8	323	324	<10
E5531362		<5	2	<1	0.06	1	2	0.04	46	14.0	0.01	10.0	43	11.7	<10
E5531363		9	<1	1	<0.01	2	<1	12.4	219	<0.5	<0.01	1.1	154	4.2	<10
E5531364		9	2	<1	<0.01	2	<1	11.3	537	<0.5	0.01	0.7	375	9.3	<10
E5531365		11	<1	<1	<0.01	2	<1	11.9	714	<0.5	0.01	<0.5	302	5.8	<10
E5531366		10	2	<1	0.01	3	<1	11.5	925	<0.5	0.01	0.7	447	68.7	<10
E5531367		10	<1	<1	0.01	3	<1	11.9	821	<0.5	0.01	0.9	401	57.4	<10
E5531368		12	<1	<1	<0.01	4	<1	12.9	871	3.5	0.01	<0.5	194	16.2	<10
E5531369		11	2	<1	0.05	4	1	11.3	1180	<0.5	0.01	3.5	308	58.7	<10
E5531370		9	1	<1	0.06	4	1	10.3	1450	<0.5	0.01	3.4	290	15.7	<10
E5531371		12	<1	<1	0.10	5	2	10.1	1280	<0.5	0.01	4.5	272	12.0	<10

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y640270

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 11, 2012		DATE RECEIVED: Sep 10, 2012					DATE REPORTED: Oct 02, 2012					SAMPLE TYPE: Drill Core			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
E5531201		<0.005	2	<0.5	<10	<5	20.5	<10	<10	<5	<0.01	0.12	<5	6.8	<1
E5531202		<0.005	<1	<0.5	<10	<5	16.5	<10	<10	<5	<0.01	0.12	<5	6.8	<1
E5531203		<0.005	<1	<0.5	<10	<5	15.0	<10	<10	<5	<0.01	0.09	<5	6.3	<1
E5531204		<0.005	2	<0.5	<10	<5	32.3	<10	<10	<5	<0.01	0.28	<5	6.3	<1
E5531205		<0.005	<1	<0.5	<10	<5	31.0	<10	<10	<5	<0.01	0.18	<5	6.0	<1
E5531206		<0.005	1	<0.5	<10	<5	21.6	<10	<10	<5	<0.01	0.18	<5	6.6	<1
E5531207		<0.005	2	<0.5	<10	<5	23.3	<10	<10	<5	<0.01	0.24	<5	6.6	<1
E5531208		<0.005	1	<0.5	<10	<5	21.2	<10	<10	<5	<0.01	0.22	<5	6.6	<1
E5531209		NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC	NRC
E5531210		<0.005	2	<0.5	<10	<5	15.2	<10	<10	<5	<0.01	0.23	<5	7.0	<1
E5531211		<0.005	<1	<0.5	<10	<5	18.8	<10	<10	<5	<0.01	0.19	<5	6.6	<1
E5531212		0.005	5	<0.5	<10	<5	63.7	<10	<10	<5	<0.01	1.17	<5	5.9	<1
E5531213		0.005	2	<0.5	<10	<5	37.3	<10	<10	<5	<0.01	0.52	<5	5.4	<1
E5531214		0.005	2	<0.5	<10	<5	30.2	<10	<10	<5	<0.01	0.41	<5	4.4	<1
E5531215		0.006	2	<0.5	<10	<5	30.0	<10	<10	<5	<0.01	0.28	<5	4.9	<1
E5531216		0.007	3	<0.5	<10	<5	39.6	<10	<10	<5	<0.01	0.62	<5	4.9	<1
E5531217		0.022	3	1.5	<10	<5	22.8	<10	<10	<5	<0.01	0.56	<5	<0.5	<1
E5531218		0.055	3	1.1	<10	<5	41.4	<10	<10	<5	<0.01	0.20	<5	1.6	<1
E5531219		0.278	2	1.1	<10	<5	44.3	<10	<10	<5	<0.01	0.21	<5	1.3	<1
E5531220		0.553	3	2.7	<10	<5	32.8	<10	<10	<5	<0.01	0.31	<5	1.1	<1
E5531221		0.117	2	0.6	<10	<5	42.2	<10	<10	<5	<0.01	0.09	<5	<0.5	<1
E5531222		0.973	2	2.8	<10	<5	35.6	<10	<10	<5	<0.01	0.29	<5	1.0	<1
E5531223		0.825	2	2.3	<10	<5	38.7	<10	<10	<5	<0.01	0.29	<5	<0.5	1
E5531224		1.05	<1	3.5	<10	<5	34.1	<10	<10	<5	<0.01	0.30	<5	1.9	<1
E5531225		0.343	<1	0.9	<10	<5	36.0	<10	<10	<5	<0.01	0.14	<5	<0.5	<1
E5531226		1.89	2	2.2	<10	<5	31.6	<10	<10	<5	<0.01	0.48	<5	2.2	<1
E5531227		0.135	<1	0.8	<10	<5	31.9	<10	<10	<5	<0.01	0.04	<5	<0.5	<1
E5531228		0.167	1	1.2	<10	<5	32.8	<10	<10	<5	<0.01	0.06	<5	<0.5	<1
E5531229		0.081	1	0.6	<10	<5	26.0	<10	<10	<5	<0.01	0.04	<5	<0.5	<1
E5531230		0.051	<1	0.7	<10	<5	21.7	<10	<10	<5	<0.01	0.04	<5	<0.5	<1
E5531231		0.404	<1	4.2	<10	<5	33.3	<10	<10	<5	<0.01	0.22	<5	5.8	<1
E5531232		0.256	<1	4.4	<10	<5	34.2	<10	<10	<5	<0.01	0.21	<5	6.9	<1

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y640270

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 11, 2012		DATE RECEIVED: Sep 10, 2012					DATE REPORTED: Oct 02, 2012					SAMPLE TYPE: Drill Core			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
E5531233		0.044	<1	1.1	<10	<5	26.9	<10	<10	<5	<0.01	0.05	<5	<0.5	<1
E5531234		1.27	<1	4.3	<10	<5	36.3	<10	<10	<5	<0.01	0.26	<5	4.2	<1
E5531235		1.06	<1	4.6	<10	<5	43.8	<10	<10	<5	<0.01	0.26	<5	4.2	<1
E5531236		0.515	<1	5.4	<10	<5	47.0	<10	<10	<5	<0.01	0.20	<5	6.0	<1
E5531237		0.972	5	4.6	<10	<5	104	<10	<10	<5	<0.01	0.64	9	105	<1
E5531238		0.994	5	4.2	<10	<5	87.3	<10	<10	<5	<0.01	0.37	8	94.1	<1
E5531239		0.152	50	2.6	12	<5	24.2	<10	<10	<5	<0.01	11.0	<5	11.7	29
E5531240		0.236	35	<0.5	<10	560	48.9	<10	12	<5	<0.01	0.02	<5	17.0	<1
E5531241		0.254	25	5.4	<10	<5	53.0	<10	<10	<5	<0.01	0.19	<5	22.3	3
E5531242		0.159	27	7.5	<10	<5	64.5	<10	<10	<5	<0.01	0.23	<5	30.7	<1
E5531243		0.057	24	7.1	<10	<5	49.0	<10	<10	<5	0.01	0.20	<5	30.5	2
E5531244		0.183	23	6.3	<10	<5	46.0	<10	<10	<5	<0.01	0.15	<5	23.5	4
E5531245		0.208	22	6.6	<10	<5	45.5	<10	<10	<5	<0.01	0.16	<5	19.1	4
E5531246		0.361	21	5.6	<10	<5	36.9	<10	<10	<5	<0.01	0.22	<5	25.2	7
E5531247		0.336	13	5.3	<10	<5	28.5	<10	<10	<5	<0.01	0.21	<5	25.9	8
E5531248		0.147	23	5.5	16	<5	54.3	<10	<10	<5	<0.01	0.25	<5	25.1	1
E5531249		0.082	28	5.6	<10	19	163	<10	<10	<5	<0.01	0.20	<5	25.7	<1
E5531250		0.276	21	5.2	16	<5	44.0	<10	<10	<5	<0.01	0.22	<5	24.9	2
E5531251		0.169	20	5.6	<10	<5	38.7	<10	<10	<5	<0.01	0.18	<5	35.1	8
E5531252		0.272	21	4.4	<10	<5	52.6	<10	<10	<5	<0.01	0.22	<5	26.4	3
E5531253		0.617	17	5.5	<10	<5	35.9	<10	<10	<5	<0.01	0.32	<5	31.4	4
E5531254		0.233	21	4.6	<10	<5	41.0	<10	<10	<5	<0.01	0.20	<5	24.0	3
E5531255		0.675	19	5.7	<10	<5	65.5	<10	<10	<5	<0.01	0.30	<5	31.7	2
E5531256		0.156	42	13.0	<10	176	451	<10	11	<5	<0.01	0.12	<5	186	3
E5531257		0.231	37	12.0	<10	247	659	<10	<10	<5	<0.01	0.17	<5	162	4
E5531258		0.161	43	20.2	<10	207	457	<10	13	<5	<0.01	0.22	<5	183	2
E5531259		0.169	44	17.1	<10	302	599	<10	11	<5	<0.01	0.17	<5	173	6
E5531260		0.169	29	18.7	<10	249	511	<10	<10	<5	0.02	0.21	<5	198	4
E5531261		0.188	29	17.7	<10	272	621	<10	10	<5	0.03	0.14	<5	222	6
E5531262		0.186	38	13.7	<10	385	727	<10	11	<5	0.03	0.08	<5	181	5
E5531263		0.189	44	14.3	<10	389	750	<10	<10	<5	0.02	0.11	<5	180	8
E5531264		0.253	32	16.0	<10	230	453	<10	11	<5	<0.01	0.17	<5	129	2

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y640270

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 11, 2012		DATE RECEIVED: Sep 10, 2012					DATE REPORTED: Oct 02, 2012					SAMPLE TYPE: Drill Core			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
E5531265		0.143	26	17.5	<10	163	585	<10	<10	<5	0.03	0.13	<5	210	7
E5531266		0.184	44	1.4	<10	417	58.5	<10	<10	<5	<0.01	0.23	<5	17.6	<1
E5531267		0.192	35	0.9	<10	484	56.5	<10	<10	<5	<0.01	0.16	<5	17.6	<1
E5531268		0.176	30	<0.5	<10	459	54.2	<10	11	<5	<0.01	0.16	<5	15.0	<1
E5531269		0.162	35	<0.5	<10	427	45.2	<10	<10	<5	<0.01	0.15	<5	14.3	<1
E5531270		0.133	38	<0.5	<10	321	29.3	<10	<10	<5	<0.01	0.10	<5	12.2	<1
E5531271		0.171	42	<0.5	<10	440	34.9	<10	<10	<5	<0.01	0.10	<5	14.0	<1
E5531272		0.183	52	<0.5	<10	476	38.2	<10	12	<5	<0.01	0.11	<5	14.5	<1
E5531273		0.194	55	0.5	<10	490	45.5	<10	13	<5	<0.01	0.10	<5	15.3	<1
E5531274		0.190	46	<0.5	<10	496	41.5	<10	11	<5	<0.01	0.05	<5	15.6	<1
E5531275		0.190	40	<0.5	<10	485	46.3	<10	11	<5	<0.01	0.06	<5	14.7	<1
E5531276		0.186	47	0.8	<10	459	50.5	<10	10	<5	<0.01	0.16	<5	15.8	<1
E5531277		0.179	55	0.6	<10	429	42.1	<10	10	<5	<0.01	0.14	<5	14.4	<1
E5531278		0.180	55	0.7	<10	447	44.0	<10	11	<5	<0.01	0.13	<5	15.6	<1
E5531279		0.150	46	2.4	<10	<5	25.6	<10	<10	<5	0.01	15.0	<5	11.0	34
E5531280		0.210	45	<0.5	<10	538	56.8	<10	<10	<5	<0.01	0.02	<5	16.3	<1
E5531281		0.189	53	1.2	<10	468	42.6	<10	<10	<5	<0.01	0.25	<5	17.4	<1
E5531282		0.187	47	0.9	<10	465	42.6	<10	13	<5	<0.01	0.15	<5	16.4	<1
E5531283		0.189	78	0.8	<10	450	40.6	<10	10	<5	<0.01	0.49	<5	16.2	<1
E5531284		0.211	612	<0.5	<10	444	40.6	<10	11	<5	<0.01	0.80	<5	15.9	<1
E5531285		0.185	54	0.8	<10	464	71.1	<10	11	<5	<0.01	0.94	<5	15.1	<1
E5531286		0.218	62	0.6	<10	508	86.1	<10	10	<5	<0.01	0.37	<5	16.5	<1
E5531287		0.209	51	0.5	<10	502	88.0	<10	11	<5	<0.01	0.31	5	16.1	<1
E5531288		0.195	47	0.7	<10	505	106	<10	11	<5	<0.01	0.21	5	17.0	<1
E5531289		0.197	52	0.9	<10	524	114	<10	12	<5	<0.01	0.25	5	17.2	<1
E5531290		0.188	40	<0.5	<10	496	107	<10	12	<5	<0.01	0.09	<5	15.7	<1
E5531291		0.190	66	1.6	<10	486	99.7	<10	13	<5	<0.01	0.37	<5	18.0	<1
E5531292		0.190	50	1.3	<10	481	85.1	<10	10	<5	<0.01	0.43	<5	16.5	<1
E5531293		0.205	59	0.7	<10	481	58.8	<10	11	<5	<0.01	0.21	5	15.7	<1
E5531294		0.202	53	0.5	<10	502	53.6	<10	11	<5	<0.01	0.10	<5	16.7	<1
E5531295		0.207	47	0.6	<10	490	58.3	<10	<10	<5	<0.01	0.16	<5	16.4	<1
E5531296		0.208	46	0.7	<10	498	51.3	<10	10	<5	<0.01	0.16	<5	16.7	<1

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y640270

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 11, 2012		DATE RECEIVED: Sep 10, 2012					DATE REPORTED: Oct 02, 2012					SAMPLE TYPE: Drill Core			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
E5531297		0.204	43	0.6	<10	478	55.5	<10	<10	<5	<0.01	0.16	<5	16.1	<1
E5531298		0.194	57	1.3	<10	454	52.3	<10	10	<5	<0.01	0.71	<5	16.9	<1
E5531299		0.201	48	0.9	<10	449	61.2	<10	12	<5	<0.01	0.24	5	15.7	<1
E5531300		0.195	44	0.8	<10	452	50.4	<10	<10	<5	<0.01	0.22	6	16.3	<1
E5531301		0.191	60	1.6	<10	416	47.0	<10	11	<5	<0.01	0.87	5	17.2	<1
E5531302		0.171	46	1.1	<10	424	42.4	<10	10	<5	<0.01	0.42	<5	15.2	<1
E5531303		0.196	45	0.8	<10	450	47.5	<10	10	<5	<0.01	0.50	<5	15.3	<1
E5531304		0.218	53	0.7	<10	431	54.7	<10	<10	<5	<0.01	0.37	<5	15.0	<1
E5531305		0.199	53	1.1	<10	478	51.9	<10	<10	<5	<0.01	0.59	5	17.4	<1
E5531306		0.177	38	<0.5	<10	442	44.3	<10	<10	<5	<0.01	0.16	<5	14.4	<1
E5531307		0.181	43	0.6	<10	457	46.0	<10	<10	<5	<0.01	0.23	<5	15.2	<1
E5531308		0.200	35	<0.5	<10	518	50.0	<10	<10	<5	<0.01	0.21	<5	16.0	<1
E5531309		0.204	38	0.7	<10	501	86.0	<10	<10	<5	<0.01	0.35	<5	16.7	<1
E5531310		0.224	45	<0.5	<10	536	84.3	<10	11	<5	<0.01	0.21	<5	17.2	<1
E5531311		0.218	45	<0.5	<10	551	81.8	<10	10	<5	<0.01	0.18	<5	17.1	<1
E5531312		0.224	52	0.5	<10	521	78.8	<10	<10	<5	<0.01	0.34	<5	18.3	<1
E5531313		0.430	65	<0.5	<10	506	93.5	<10	11	<5	<0.01	1.01	<5	18.3	<1
E5531314		0.492	62	1.3	<10	498	86.0	<10	12	<5	<0.01	1.38	<5	18.9	<1
E5531315		0.219	55	1.9	<10	469	51.0	<10	11	<5	<0.01	0.82	<5	17.9	4
E5531316		0.214	67	2.1	<10	439	50.2	<10	11	<5	<0.01	0.75	5	19.1	<1
E5531317		0.191	68	3.0	<10	407	54.6	<10	<10	<5	<0.01	0.83	<5	18.8	1
E5531318		2.85	229	2.3	<10	310	41.0	<10	14	<5	<0.01	7.02	5	18.3	6
E5531319		0.250	169	1.3	<10	446	85.7	<10	12	<5	<0.01	6.49	5	17.4	<1
E5531320		0.267	66	<0.5	<10	532	65.9	<10	13	<5	<0.01	0.91	<5	17.0	<1
E5531321		0.276	77	0.7	<10	499	79.5	<10	12	<5	<0.01	1.12	<5	17.6	<1
E5531322		0.860	190	2.3	<10	361	77.2	<10	12	<5	<0.01	7.46	<5	17.9	3
E5531323		0.858	175	2.0	<10	374	68.5	<10	12	<5	<0.01	5.81	<5	18.0	4
E5531324		1.65	124	1.4	<10	419	56.6	<10	13	<5	<0.01	3.22	<5	18.7	6
E5531325		0.316	56	<0.5	<10	508	67.7	<10	<10	<5	<0.01	0.51	<5	16.1	<1
E5531326		0.260	47	<0.5	<10	519	62.8	<10	11	<5	<0.01	0.16	<5	17.0	<1
E5531327		0.204	45	<0.5	<10	470	59.8	<10	<10	<5	<0.01	0.16	<5	15.4	<1
E5531328		0.321	53	0.6	<10	474	65.0	<10	13	<5	<0.01	0.39	<5	17.3	<1

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y640270

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 11, 2012		DATE RECEIVED: Sep 10, 2012					DATE REPORTED: Oct 02, 2012					SAMPLE TYPE: Drill Core			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
E5531329		0.206	64	1.1	<10	466	72.5	<10	14	<5	<0.01	0.73	5	18.4	<1
E5531330		0.210	46	<0.5	<10	484	59.9	<10	11	<5	<0.01	0.17	<5	16.3	<1
E5531331		0.199	39	<0.5	<10	485	58.1	<10	12	<5	<0.01	0.07	<5	14.9	<1
E5531332		0.195	40	<0.5	<10	485	55.9	<10	12	<5	<0.01	0.11	<5	16.0	<1
E5531333		0.196	39	<0.5	<10	472	54.7	<10	12	<5	<0.01	0.12	<5	16.8	<1
E5531334		0.192	49	<0.5	<10	454	60.7	<10	12	<5	<0.01	0.07	<5	17.2	<1
E5531335		0.192	43	<0.5	<10	461	70.9	<10	12	<5	<0.01	0.08	<5	15.4	<1
E5531336		0.197	49	1.4	<10	438	86.9	<10	10	<5	<0.01	0.35	5	18.0	<1
E5531337		0.206	53	<0.5	<10	432	61.4	<10	11	<5	<0.01	0.05	<5	16.1	<1
E5531338		0.193	49	<0.5	<10	447	67.0	<10	<10	<5	<0.01	0.09	<5	15.9	<1
E5531339		0.194	60	1.0	<10	461	53.6	<10	10	<5	<0.01	0.20	5	17.2	<1
E5531340		0.179	55	0.9	<10	422	73.5	<10	12	<5	<0.01	0.41	<5	16.8	1
E5531341		0.170	49	<0.5	<10	413	55.5	<10	<10	<5	<0.01	0.21	<5	15.5	<1
E5531342		0.210	41	1.1	<10	481	57.5	<10	<10	<5	<0.01	0.25	<5	18.7	<1
E5531343		0.281	76	2.5	<10	416	60.6	<10	13	<5	<0.01	0.40	<5	21.4	2
E5531344		0.213	59	3.4	<10	349	50.3	<10	12	<5	<0.01	0.81	<5	22.8	2
E5531345		0.285	46	1.1	<10	636	85.0	<10	<10	<5	<0.01	0.37	<5	18.4	6
E5531346		0.186	46	1.6	<10	420	78.2	<10	11	<5	<0.01	0.31	<5	18.2	<1
E5531347		0.206	49	<0.5	<10	513	49.2	<10	10	<5	<0.01	0.07	<5	16.4	<1
E5531348		0.215	39	0.6	<10	511	49.8	<10	<10	<5	<0.01	0.09	<5	17.8	<1
E5531349		0.273	49	0.9	<10	483	45.9	<10	13	<5	<0.01	0.12	<5	16.8	1
E5531350		2.01	44	5.1	<10	235	89.7	<10	<10	<5	<0.01	0.87	5	19.1	3
E5531351		0.239	49	0.7	<10	440	39.4	<10	10	<5	<0.01	0.23	<5	16.7	<1
E5531352		0.202	45	<0.5	<10	455	44.1	<10	13	<5	<0.01	0.19	<5	17.0	<1
E5531353		0.189	48	<0.5	<10	455	56.0	<10	11	<5	<0.01	0.22	<5	17.2	<1
E5531354		0.223	51	<0.5	<10	535	48.5	<10	10	<5	<0.01	0.24	<5	17.2	<1
E5531355		0.206	51	<0.5	<10	525	53.4	<10	10	<5	<0.01	0.13	<5	16.7	<1
E5531356		0.208	47	<0.5	<10	507	46.3	<10	13	<5	<0.01	0.11	<5	16.3	<1
E5531357		0.013	3	<0.5	<10	<5	24.1	<10	<10	<5	<0.01	0.19	11	5.6	<1
E5531358		0.050	33	2.3	<10	<5	39.1	<10	<10	<5	<0.01	0.82	10	7.8	<1
E5531359		0.142	26	<0.5	<10	<5	29.7	<10	<10	<5	0.01	9.33	<5	8.7	33
E5531360		0.025	<1	<0.5	<10	<5	21.9	<10	<10	<5	<0.01	0.02	13	8.0	<1

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y640270

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 11, 2012

DATE RECEIVED: Sep 10, 2012

DATE REPORTED: Oct 02, 2012

SAMPLE TYPE: Drill Core

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	TI	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
E5531361	0.029	6	<0.5	<10	<5	21.9	<10	<10	<5	<0.01	0.26	13	5.4	<1
E5531362	0.136	25	<0.5	<10	<5	27.8	<10	<10	<5	0.01	8.47	<5	8.5	32
E5531363	0.019	<1	<0.5	<10	<5	32.2	<10	<10	<5	<0.01	<0.01	12	6.8	<1
E5531364	0.010	5	<0.5	<10	<5	43.2	<10	<10	<5	<0.01	0.39	12	6.0	<1
E5531365	0.014	<1	<0.5	<10	<5	23.9	<10	<10	<5	<0.01	0.16	11	6.1	<1
E5531366	0.036	5	<0.5	<10	<5	23.6	<10	<10	<5	<0.01	0.31	12	6.6	<1
E5531367	0.041	5	<0.5	<10	<5	20.6	<10	<10	<5	<0.01	0.17	11	6.4	<1
E5531368	0.009	3	<0.5	<10	<5	23.4	<10	<10	<5	<0.01	0.12	12	7.3	<1
E5531369	0.295	9	0.6	<10	<5	28.2	<10	<10	<5	<0.01	0.31	13	6.9	<1
E5531370	0.389	14	0.9	<10	<5	30.7	<10	<10	<5	<0.01	0.39	13	6.7	<1
E5531371	0.481	3	1.3	<10	<5	55.9	<10	<10	<5	<0.01	0.31	12	7.1	<1

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y640270

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 11, 2012

DATE RECEIVED: Sep 10, 2012

DATE REPORTED: Oct 02, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Y	Zn	Zr	As-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	
E5531201		1	3.7	<5	
E5531202		1	4.1	<5	
E5531203		1	3.9	<5	
E5531204		1	6.4	<5	
E5531205		1	8.6	<5	
E5531206		1	8.1	<5	
E5531207		1	9.8	<5	
E5531208		1	7.6	<5	
E5531209		NRC	NRC	NRC	
E5531210		1	6.4	<5	
E5531211		1	6.7	<5	
E5531212		2	45.6	<5	
E5531213		1	29.2	<5	
E5531214		1	23.3	<5	
E5531215		<1	19.0	<5	
E5531216		2	37.1	<5	
E5531217		4	28.2	<5	
E5531218		3	7.0	<5	
E5531219		2	5.4	<5	
E5531220		4	11.3	<5	
E5531221		3	4.6	<5	
E5531222		6	24.4	<5	
E5531223		6	19.1	<5	
E5531224		7	39.1	<5	
E5531225		4	11.6	<5	
E5531226		5	29.3	<5	
E5531227		1	11.2	<5	
E5531228		2	17.2	<5	
E5531229		1	20.0	<5	
E5531230		1	4.1	<5	
E5531231		5	66.7	<5	
E5531232		5	58.0	<5	

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y640270

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 11, 2012 DATE RECEIVED: Sep 10, 2012 DATE REPORTED: Oct 02, 2012 SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Y	Zn	Zr	As-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	
E5531233		2	8.1	<5	
E5531234		6	35.7	<5	
E5531235		6	34.9	<5	
E5531236		6	77.2	<5	
E5531237		17	453	8	
E5531238		15	504	7	
E5531239		2	19.6	11	
E5531240		<1	18.8	<5	
E5531241		7	81.1	<5	
E5531242		6	43.6	<5	
E5531243		5	32.1	<5	
E5531244		7	82.9	<5	
E5531245		6	55.6	<5	
E5531246		7	88.2	<5	
E5531247		7	81.0	<5	
E5531248		7	77.7	<5	
E5531249		9	69.5	<5	
E5531250		8	93.4	<5	
E5531251		8	99.4	<5	
E5531252		7	80.5	<5	
E5531253		7	84.5	<5	
E5531254		5	96.9	<5	
E5531255		7	96.6	<5	
E5531256		9	68.8	<5	
E5531257		10	67.4	<5	
E5531258		11	64.5	<5	
E5531259		9	56.6	<5	
E5531260		12	57.8	<5	
E5531261		10	61.5	<5	
E5531262		8	50.7	<5	
E5531263		8	46.7	<5	
E5531264		8	49.4	<5	

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y640270

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 11, 2012 DATE RECEIVED: Sep 10, 2012 DATE REPORTED: Oct 02, 2012 SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Y	Zn	Zr	As-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	
E5531265		13	53.1	<5	
E5531266		3	64.0	<5	
E5531267		2	27.8	<5	
E5531268		1	24.6	<5	
E5531269		<1	19.8	<5	
E5531270		<1	27.3	<5	
E5531271		<1	50.6	<5	
E5531272		1	91.9	<5	
E5531273		1	143	<5	
E5531274		1	110	<5	
E5531275		1	44.4	<5	
E5531276		2	110	<5	
E5531277		2	186	<5	
E5531278		2	215	<5	
E5531279		2	17.5	10	
E5531280		<1	18.1	<5	
E5531281		2	159	<5	
E5531282		2	102	<5	
E5531283		2	315	<5	
E5531284		2	601	<5	
E5531285		2	202	<5	
E5531286		2	186	<5	
E5531287		3	226	<5	
E5531288		3	175	<5	
E5531289		4	140	<5	
E5531290		2	141	<5	
E5531291		4	369	<5	
E5531292		4	180	<5	
E5531293		3	192	<5	
E5531294		2	114	<5	
E5531295		3	187	<5	
E5531296		3	112	<5	

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y640270

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 11, 2012

DATE RECEIVED: Sep 10, 2012

DATE REPORTED: Oct 02, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Y	Zn	Zr	As-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	
E5531297		3	84.6	<5	
E5531298		3	356	<5	
E5531299		5	173	<5	
E5531300		4	138	<5	
E5531301		4	1520	<5	
E5531302		2	94.6	<5	
E5531303		2	80.1	<5	
E5531304		2	32.2	<5	
E5531305		3	133	<5	
E5531306		2	39.4	<5	
E5531307		2	66.5	<5	
E5531308		2	35.3	<5	
E5531309		3	62.8	<5	
E5531310		3	21.3	<5	
E5531311		2	14.8	<5	
E5531312		2	39.9	<5	
E5531313		2	41.1	<5	
E5531314		3	25.1	<5	
E5531315		5	113	<5	
E5531316		5	35.9	<5	
E5531317		5	92.9	<5	
E5531318		3	55.7	<5	5.62
E5531319		4	917	<5	3.26
E5531320		2	94.3	<5	
E5531321		3	129	<5	
E5531322		6	442	<5	4.04
E5531323		3	261	<5	4.40
E5531324		3	33.6	<5	2.34
E5531325		2	29.6	<5	
E5531326		3	19.4	<5	
E5531327		2	30.0	<5	
E5531328		3	68.0	<5	

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y640270

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 11, 2012

DATE RECEIVED: Sep 10, 2012

DATE REPORTED: Oct 02, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Y	Zn	Zr	As-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	
E5531329		4	249	<5	
E5531330		2	30.1	<5	
E5531331		2	22.2	<5	
E5531332		2	26.3	<5	
E5531333		2	31.3	<5	
E5531334		2	24.9	<5	
E5531335		2	24.6	<5	
E5531336		4	132	<5	
E5531337		2	13.0	<5	
E5531338		2	26.5	<5	
E5531339		3	71.0	<5	
E5531340		3	108	<5	
E5531341		2	36.5	<5	
E5531342		3	22.8	<5	
E5531343		4	21.2	<5	
E5531344		4	78.2	<5	
E5531345		4	26.0	<5	
E5531346		3	82.6	<5	
E5531347		2	20.7	<5	
E5531348		2	26.9	<5	
E5531349		3	259	<5	
E5531350		10	43.2	11	
E5531351		2	294	<5	
E5531352		2	116	<5	
E5531353		2	55.1	<5	
E5531354		2	61.7	<5	
E5531355		2	37.4	<5	
E5531356		2	38.6	<5	
E5531357		2	253	<5	
E5531358		5	89.7	5	
E5531359		2	17.7	13	
E5531360		<1	12.1	<5	

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y640270

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 11, 2012

DATE RECEIVED: Sep 10, 2012

DATE REPORTED: Oct 02, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Y	Zn	Zr	As-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	
E5531361		2	346	<5	
E5531362		2	17.8	13	
E5531363		<1	15.2	<5	
E5531364		2	117	<5	
E5531365		2	36.9	<5	
E5531366		2	79.3	<5	
E5531367		2	47.2	<5	
E5531368		1	45.8	<5	
E5531369		3	369	<5	
E5531370		4	61.1	<5	
E5531371		5	12.9	5	

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y640270

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Sep 11, 2012

DATE RECEIVED: Sep 10, 2012

DATE REPORTED: Oct 02, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
E5531201		1.50	0.005
E5531202		3.53	0.020
E5531203		3.94	0.003
E5531204		4.12	0.004
E5531205		3.58	0.002
E5531206		3.48	0.001
E5531207		1.49	0.003
E5531208		1.68	0.003
E5531209		NRC	NRC
E5531210		2.77	0.002
E5531211		2.45	0.003
E5531212		3.35	0.003
E5531213		3.37	<0.001
E5531214		4.07	0.004
E5531215		4.56	0.022
E5531216		2.24	0.008
E5531217		1.87	0.011
E5531218		3.41	0.007
E5531219		2.32	0.004
E5531220		0.70	0.008
E5531221		1.38	0.003
E5531222		3.30	0.001
E5531223		3.88	<0.001
E5531224		1.17	0.002
E5531225		1.99	0.019
E5531226		0.51	0.035
E5531227		5.10	0.018
E5531228		2.37	<0.001
E5531229		2.44	0.001
E5531230		3.52	<0.001
E5531231		3.37	0.001

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y640270

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Sep 11, 2012

DATE RECEIVED: Sep 10, 2012

DATE REPORTED: Oct 02, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
E5531232		2.87	0.001
E5531233		3.73	0.001
E5531234		4.13	0.001
E5531235		2.82	<0.001
E5531236		4.60	<0.001
E5531237		1.10	0.004
E5531238		1.01	0.027
E5531239		0.11	0.218
E5531240		0.74	<0.001
E5531241		2.86	0.001
E5531242		2.38	<0.001
E5531243		3.39	<0.001
E5531244		2.49	<0.001
E5531245		0.95	<0.001
E5531246		4.42	<0.001
E5531247		1.56	<0.001
E5531248		3.24	<0.001
E5531249		2.51	0.002
E5531250		4.66	<0.001
E5531251		3.30	0.002
E5531252		3.01	0.002
E5531253		2.47	<0.001
E5531254		2.04	<0.001
E5531255		3.30	<0.001
E5531256		3.92	<0.001
E5531257		4.12	<0.001
E5531258		2.44	<0.001
E5531259		2.04	0.002
E5531260		5.34	<0.001
E5531261		5.31	<0.001
E5531262		2.30	<0.001

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y640270

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Sep 11, 2012 DATE RECEIVED: Sep 10, 2012 DATE REPORTED: Oct 02, 2012 SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
E5531263		2.99	<0.001
E5531264		4.66	<0.001
E5531265		1.99	0.002
E5531266		3.48	0.002
E5531267		1.85	0.004
E5531268		4.77	0.011
E5531269		6.14	0.009
E5531270		4.95	0.011
E5531271		2.20	0.016
E5531272		3.81	0.013
E5531273		2.32	0.007
E5531274		3.79	0.005
E5531275		2.45	0.012
E5531276		3.93	0.024
E5531277		1.69	0.014
E5531278		1.75	0.012
E5531279		0.12	0.217
E5531280		0.52	<0.001
E5531281		1.40	0.032
E5531282		4.68	0.008
E5531283		3.53	0.019
E5531284		3.03	0.039
E5531285		4.73	0.072
E5531286		4.59	0.057
E5531287		5.25	0.045
E5531288		5.19	0.029
E5531289		2.54	0.027
E5531290		3.09	0.010
E5531291		2.76	0.003
E5531292		4.46	0.063
E5531293		5.28	0.053

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y640270

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Sep 11, 2012

DATE RECEIVED: Sep 10, 2012

DATE REPORTED: Oct 02, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
E5531294		5.11	0.035
E5531295		2.75	0.273
E5531296		1.41	0.464
E5531297		2.27	0.351
E5531298		2.77	2.92
E5531299		2.53	0.274
E5531300		1.28	0.230
E5531301		3.07	0.353
E5531302		5.13	0.496
E5531303		4.20	0.397
E5531304		2.67	0.345
E5531305		1.98	1.12
E5531306		3.73	0.075
E5531307		5.50	0.282
E5531308		3.42	0.065
E5531309		4.97	0.212
E5531310		3.84	0.304
E5531311		2.66	0.118
E5531312		3.94	0.129
E5531313		1.42	0.333
E5531314		3.84	0.450
E5531315		3.85	0.083
E5531316		2.68	0.031
E5531317		1.54	0.069
E5531318		4.03	3.52
E5531319		1.06	1.20
E5531320		3.52	0.117
E5531321		1.87	0.229
E5531322		4.01	2.13
E5531323		2.26	4.68
E5531324		3.65	1.07

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y640270

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Sep 11, 2012

DATE RECEIVED: Sep 10, 2012

DATE REPORTED: Oct 02, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
E5531325		1.89	0.181
E5531326		2.36	0.106
E5531327		4.36	0.069
E5531328		1.81	0.261
E5531329		3.34	0.444
E5531330		5.43	0.030
E5531331		4.51	0.014
E5531332		2.79	0.019
E5531333		1.80	0.008
E5531334		3.39	0.011
E5531335		5.71	0.007
E5531336		1.27	0.095
E5531337		2.30	0.005
E5531338		3.08	0.010
E5531339		3.55	0.027
E5531340		3.02	0.057
E5531341		1.79	0.027
E5531342		1.19	0.079
E5531343		3.30	0.123
E5531344		1.68	0.258
E5531345		2.07	0.047
E5531346		1.85	0.040
E5531347		2.83	0.007
E5531348		3.28	0.015
E5531349		3.56	0.012
E5531350		2.26	0.016
E5531351		3.73	0.013
E5531352		3.81	0.010
E5531353		3.28	0.011
E5531354		2.20	0.005
E5531355		2.23	0.009

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y640270

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Sep 11, 2012

DATE RECEIVED: Sep 10, 2012

DATE REPORTED: Oct 02, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
E5531356		2.63	0.008
E5531357		1.54	0.021
E5531358		1.46	0.087
E5531359		0.12	0.221
E5531360		0.56	<0.001
E5531361		1.60	0.044
E5531362		0.12	0.236
E5531363		0.55	0.002
E5531364		2.60	0.026
E5531365		1.79	0.010
E5531366		3.47	0.022
E5531367		2.78	0.021
E5531368		4.29	0.007
E5531369		2.98	0.145
E5531370		1.02	0.170
E5531371		4.25	0.005

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y640270

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis											
RPT Date: Oct 02, 2012			REPLICATE			Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3692735	0.005	< 0.001		< 0.001	0.256	0.263	97%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3692747	< 0.001	0.001		< 0.001	1.52	1.52	100%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3692761	0.035	0.038	8.2%	< 0.001	1.42	1.52	93%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3692772	0.004	0.006		< 0.001	0.258	0.263	98%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3692786	0.002	0.015		< 0.001	1.41	1.52	93%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3692797	< 0.001	0.010		< 0.001	0.251	0.263	95%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3692811	0.024	0.025	4.1%	< 0.001	1.37	1.52	90%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3692822	0.045	0.045	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3692836	0.353	0.354	0.3%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3692848	0.129	0.128	0.8%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3692862	0.106	0.106	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3692874	0.010	0.011	9.5%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3692888	0.010	0.010	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3692899	0.002	0.001		< 0.001				90%	110%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)											
Ag	1	3692899	4.1	4.1	0.0%	< 0.2	13.7	13.0	105%	80%	120%
Al	1	3692899	0.01	0.01	0.0%	< 0.01				80%	120%
As	1	3692735	134	140	4.4%	< 1				80%	120%
B	1	3692899	< 5	< 5	0.0%	< 5	6.5	7.00	93%	80%	120%
Ba	1	3692899	61	62	1.6%	< 1				80%	120%
Be	1	3692899	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Bi	1	3692899	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	3692899	18.3	18.8	2.7%	< 0.01				80%	120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y640270

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)											
RPT Date: Oct 02, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Cd	1	3692899	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	3692899	< 1	< 1	0.0%	< 1				80%	120%
Co	1	3692899	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Cr	1	3692899	0.60	0.53	12.4%	< 0.5				80%	120%
Cu	1	3692899	< 0.5	< 0.5	0.0%	< 0.5	6047	6000	100%	80%	120%
Fe	1	3692899	0.40	0.41	2.5%	< 0.01				80%	120%
Ga	1	3692899	9	10	10.5%	< 5				80%	120%
Hg	1	3692899	< 1	< 1	0.0%	< 1				80%	120%
In	1	3692735	< 1	< 1	0.0%	< 1				80%	120%
K	1	3692899	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
La	1	3692899	2	2	0.0%	< 1				80%	120%
Li	1	3692899	< 1	< 1	0.0%	< 1				80%	120%
Mg	1	3692899	12.4	12.4	0.0%	< 0.01				80%	120%
Mn	1	3692899	219	217	0.9%	< 1				80%	120%
Mo	1	3692899	< 0.5	< 0.5	0.0%	< 0.5	317	350	90%	80%	120%
Na	1	3692899	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Ni	1	3692899	1.15	1.27	9.9%	< 0.5				80%	120%
P	1	3692899	154	155	0.6%	< 10	582	600	97%	80%	120%
Pb	1	3692735	2.66	2.37	11.5%	1.2				80%	120%
Rb	1	3692899	< 10	< 10	0.0%	< 10	12	13	89%	80%	120%
S	1	3692899	0.0192	0.0208	8.0%	< 0.005				80%	120%
Sb	1	3692899	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	3692899	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Se	1	3692899	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	3692899	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	3692899	32.2	32.9	2.2%	2.4				80%	120%
Ta	1	3692899	< 10	< 10	0.0%	< 10				80%	120%
Te	1	3692899	< 10	< 10	0.0%	< 10				80%	120%
Th	1	3692899	< 5	< 5	0.0%	< 5	1.1	1.4	76%	80%	120%
Ti	1	3692899	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Tl	1	3692899	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
U	1	3692899	12	12	0.0%	< 5				80%	120%
V	1	3692899	6.8	7.6	11.1%	< 0.5				80%	120%
W	1	3692899	< 1	< 1	0.0%	< 1				80%	120%
Y	1	3692899	< 1	< 1	0.0%	< 1	6	7	79%	80%	120%
Zn	1	3692899	15.2	15.1	0.7%	< 0.5				80%	120%
Zr	1	3692899	< 5	< 5	0.0%	< 5				80%	120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)											
Ag	1	3692797	< 0.2	< 0.2	0.0%	< 0.2	13.7	13.0	105%	80%	120%
Al	1	3692747	0.02	0.02	0.0%	< 0.01				80%	120%
As	1	3692747	449	453	0.9%	< 1				80%	120%
B	1	3692747	< 5	< 5	0.0%	< 5	6.58	7.00	94%	80%	120%
Ba	1	3692747	16	16	0.0%	< 1				80%	120%
Be	1	3692747	< 0.5	< 0.5	0.0%	< 0.5	0.3	0.4	71%	80%	120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y640270

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 02, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Bi	1	3692747	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3692747	15.2	15.0	1.3%	< 0.01				80% 120%
Cd	1	3692747	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3692747	< 1	< 1	0.0%	< 1				80% 120%
Co	1	3692747	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Cr	1	3692747	3.40	3.21	5.7%	< 0.5				80% 120%
Cu	1	3692747	< 0.5	< 0.5	0.0%	< 0.5	5960	6000	99%	80% 120%
Fe	1	3692747	0.33	0.33	0.0%	< 0.01				80% 120%
Ga	1	3692747	9	9	0.0%	< 5				80% 120%
Hg	1	3692747	1	1	0.0%	< 1				80% 120%
In	1	3692747	< 1	< 1	0.0%	< 1				80% 120%
K	1	3692747	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
La	1	3692747	2	2	0.0%	< 1				80% 120%
Li	1	3692747	< 1	< 1	0.0%	< 1				80% 120%
Mg	1	3692747	10.3	10.3	0.0%	< 0.01				80% 120%
Mn	1	3692747	652	662	1.5%	< 1				80% 120%
Mo	1	3692797	17.9	16.7	6.9%	< 0.5	342	350	97%	80% 120%
Na	1	3692747	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3692747	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
P	1	3692747	91	88	3.4%	< 10	641	600	107%	80% 120%
Pb	1	3692747	3.16	3.04	3.9%	< 0.5				80% 120%
Rb	1	3692747	< 10	< 10	0.0%	< 10	12	13	92%	80% 120%
S	1	3692747	0.0051	0.0055	7.5%	< 0.005				80% 120%
Sb	1	3692747	2	2	0.0%	< 1				80% 120%
Sc	1	3692747	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Se	1	3692747	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3692747	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3692747	37.3	35.9	3.8%	< 0.5				80% 120%
Ta	1	3692747	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3692747	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3692747	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3692747	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3692747	0.52	0.53	1.9%	< 0.01				80% 120%
U	1	3692747	< 5	< 5	0.0%	< 5				80% 120%
V	1	3692747	5.40	4.73	13.2%	< 0.5				80% 120%
W	1	3692747	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3692747	1	1	0.0%	< 1	6	7	83%	80% 120%
Zn	1	3692747	29.2	29.5	1.0%	< 0.5				80% 120%
Zr	1	3692747	< 5	< 5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low Tl) (201073)

Ag	1	3692761	0.3	0.4	28.6%	< 0.2	14.3	13.0	110%	80% 120%
Al	1	3692761	0.420	0.413	1.7%	< 0.01				80% 120%
As	1	3692761	242	244	0.8%	< 1				80% 120%
B	1	3692761	< 5	< 5	0.0%	< 5	8.37	7.00	120%	80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y640270

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 02, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ba	1	3692761	46	45	2.2%	< 1				80% 120%
Be	1	3692761	0.94	0.96	2.1%	< 0.5				80% 120%
Bi	1	3692761	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3692761	2.05	2.04	0.5%	< 0.01				80% 120%
Cd	1	3692761	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3692761	6	6	0.0%	< 1				80% 120%
Co	1	3692761	18.7	18.9	1.1%	< 0.5				80% 120%
Cr	1	3692761	20.8	21.8	4.7%	< 0.5				80% 120%
Cu	1	3692761	33.8	35.0	3.5%	< 0.5	5930	6000	98%	80% 120%
Fe	1	3692761	2.18	2.16	0.9%	< 0.01				80% 120%
Ga	1	3692761	8	8	0.0%	< 5				80% 120%
Hg	1	3692761	< 1	< 1	0.0%	< 1				80% 120%
In	1	3692761	< 1	< 1	0.0%	< 1				80% 120%
K	1	3692761	0.22	0.22	0.0%	< 0.01				80% 120%
La	1	3692761	2	2	0.0%	< 1				80% 120%
Li	1	3692811	< 1	< 1	0.0%	< 1				80% 120%
Mg	1	3692761	0.83	0.83	0.0%	< 0.01				80% 120%
Mn	1	3692761	313	322	2.8%	< 1				80% 120%
Mo	1	3692761	0.5	0.5	0.0%	< 0.5	345	350	98%	80% 120%
Na	1	3692761	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3692761	34.4	34.9	1.4%	< 0.5				80% 120%
P	1	3692761	129	132	2.3%	< 10	634	600	106%	80% 120%
Pb	1	3692761	43.0	42.7	0.7%	< 0.5				80% 120%
Rb	1	3692761	15	16	6.5%	< 10	12	13	89%	80% 120%
S	1	3692761	1.89	1.91	1.1%	< 0.005				80% 120%
Sb	1	3692761	2	2	0.0%	< 1				80% 120%
Sc	1	3692761	2.21	2.27	2.7%	< 0.5				80% 120%
Se	1	3692761	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3692761	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3692761	31.6	30.2	4.5%	< 0.5				80% 120%
Ta	1	3692761	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3692761	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3692761	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3692761	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3692761	0.48	0.56	15.4%	< 0.01				80% 120%
U	1	3692761	< 5	< 5	0.0%	< 5				80% 120%
V	1	3692761	2.2	2.2	0.0%	< 0.5				80% 120%
W	1	3692761	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3692761	5	5	0.0%	< 1	6	7	84%	80% 120%
Zn	1	3692761	29.3	29.9	2.0%	< 0.5				80% 120%
Zr	1	3692761	< 5	< 5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1	3692772	1.71	1.62	5.4%	< 0.2	14.1	13.0	108%	80% 120%
Al	1	3692772	0.68	0.69	1.5%	< 0.01				80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y640270

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)											
RPT Date: Oct 02, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
As	1	3692772	46	43	6.7%	< 1				80%	120%
B	1	3692772	5	5	0.0%	< 5				80%	120%
Ba	1	3692772	213	220	3.2%	< 1				80%	120%
Be	1	3692772	1.1	1.1	0.0%	< 0.5				80%	120%
Bi	1	3692772	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	3692772	2.93	2.95	0.7%	< 0.01				80%	120%
Cd	1	3692772	5.22	5.12	1.9%	< 0.5				80%	120%
Ce	1	3692772	11	11	0.0%	< 1				80%	120%
Co	1	3692772	13.4	13.1	2.3%	< 0.5				80%	120%
Cr	1	3692772	26.2	26.4	0.8%	< 0.5				80%	120%
Cu	1	3692772	117	117	0.0%	< 0.5				80%	120%
Fe	1	3692772	3.10	3.11	0.3%	< 0.01				80%	120%
Ga	1	3692772	10	10	0.0%	< 5				80%	120%
Hg	1	3692772	< 1	< 1	0.0%	< 1				80%	120%
In	1	3692822	< 1	< 1	0.0%	< 1				80%	120%
K	1	3692772	0.31	0.31	0.0%	< 0.01				80%	120%
La	1	3692772	4	5	22.2%	< 1				80%	120%
Li	1	3692772	13	14	7.4%	< 1				80%	120%
Mg	1	3692772	1.52	1.53	0.7%	< 0.01				80%	120%
Mn	1	3692772	728	726	0.3%	< 1				80%	120%
Mo	1	3692772	26.2	26.1	0.4%	< 0.5	327	350	93%	80%	120%
Na	1	3692772	0.01	0.01	0.0%	< 0.01				80%	120%
Ni	1	3692772	44.5	44.3	0.5%	< 0.5				80%	120%
P	1	3692772	1410	1390	1.4%	< 10	640	600	106%	80%	120%
Pb	1	3692772	14.8	14.5	2.0%	< 0.5				80%	120%
Rb	1	3692772	30	30	0.0%	< 10	12	13	90%	80%	120%
S	1	3692772	0.972	0.964	0.8%	< 0.005				80%	120%
Sb	1	3692772	5	6	18.2%	< 1				80%	120%
Sc	1	3692772	4.64	4.67	0.6%	< 0.5				80%	120%
Se	1	3692772	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	3692772	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	3692772	104	104	0.0%	< 0.5				80%	120%
Ta	1	3692772	< 10	< 10	0.0%	< 10				80%	120%
Te	1	3692772	< 10	< 10	0.0%	< 10				80%	120%
Th	1	3692772	< 5	< 5	0.0%	< 5				80%	120%
Ti	1	3692772	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Tl	1	3692772	0.637	0.523	19.7%	< 0.01				80%	120%
U	1	3692772	9	9	0.0%	< 5				80%	120%
V	1	3692772	105	106	0.9%	< 0.5				80%	120%
W	1	3692772	< 1	< 1	0.0%	< 1				80%	120%
Y	1	3692772	17	17	0.0%	< 1	7	7	100%	80%	120%
Zn	1	3692772	453	452	0.2%	< 0.5				80%	120%
Zr	1	3692772	8	8	0.0%	< 5				80%	120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y640270

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 02, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Ag	1	3692836	< 0.2	< 0.2	0.0%	< 0.2	13	13.0	100%	80%	120%
Al	1	3692836	0.157	0.165	5.0%	< 0.01				80%	120%
As	1	3692836	1060	1050	0.9%	< 1				80%	120%
B	1	3692836	6	6	0.0%	< 5				80%	120%
Ba	1	3692836	15	16	6.5%	< 1				80%	120%
Be	1	3692836	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Bi	1	3692836	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	3692836	14.6	14.5	0.7%	< 0.01	2.21	2.21	100%	80%	120%
Cd	1	3692836	6.1	6.4	4.8%	< 0.5				80%	120%
Ce	1	3692836	10	10	0.0%	< 1				80%	120%
Co	1	3692836	2.95	3.01	2.0%	< 0.5				80%	120%
Cr	1	3692836	5.77	5.74	0.5%	< 0.5				80%	120%
Cu	1	3692836	11.9	11.8	0.8%	< 0.5	5796	6000	96%	80%	120%
Fe	1	3692836	1.21	1.23	1.6%	< 0.01				80%	120%
Ga	1	3692836	< 5	< 5	0.0%	< 5				80%	120%
Hg	1	3692836	28	27	3.6%	< 1				80%	120%
In	1	3692836	< 1	< 1	0.0%	< 1				80%	120%
K	1	3692836	0.063	0.067	6.2%	< 0.01				80%	120%
La	1	3692836	2	2	0.0%	< 1				80%	120%
Li	1	3692836	< 1	1		< 1				80%	120%
Mg	1	3692836	9.08	9.22	1.5%	< 0.01				80%	120%
Mn	1	3692836	1110	1120	0.9%	< 1				80%	120%
Mo	1	3692836	11.5	12.1	5.1%	< 0.5	302	350	86%	80%	120%
Na	1	3692836	0.01	0.01	0.0%	< 0.01				80%	120%
Ni	1	3692836	3.5	3.8	8.2%	< 0.5				80%	120%
P	1	3692836	966	954	1.3%	< 10	697	600	116%	80%	120%
Pb	1	3692836	73.4	73.5	0.1%	< 0.5				80%	120%
Rb	1	3692836	12	11	8.7%	< 10	11	13	84%	80%	120%
S	1	3692836	0.191	0.186	2.7%	< 0.005				80%	120%
Sb	1	3692836	60	62	3.3%	< 1				80%	120%
Sc	1	3692836	1.6	1.6	0.0%	< 0.5				80%	120%
Se	1	3692836	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	3692836	416	417	0.2%	< 5				80%	120%
Sr	1	3692836	47.0	46.5	1.1%	< 0.5				80%	120%
Ta	1	3692836	< 10	< 10	0.0%	< 10				80%	120%
Te	1	3692836	11	11	0.0%	< 10				80%	120%
Th	1	3692836	< 5	< 5	0.0%	< 5				80%	120%
Ti	1	3692836	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Tl	1	3692786	0.18	0.19	5.4%	< 0.01				80%	120%
U	1	3692836	5	5	0.0%	< 5				80%	120%
V	1	3692836	17.2	16.6	3.6%	< 0.5				80%	120%
W	1	3692836	< 1	< 1	0.0%	< 1				80%	120%
Y	1	3692836	4	5	22.2%	< 1	5	7	73%	80%	120%
Zn	1	3692836	1520	1530	0.7%	< 0.5				80%	120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y640270

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 02, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Zr	1	3692836	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1	3692848	< 0.2	< 0.2	0.0%	< 0.2	14.1	13.0	109%	80% 120%
Al	1	3692848	0.055	0.057	3.6%	< 0.01				80% 120%
As	1	3692848	670	660	1.5%	< 1				80% 120%
B	1	3692848	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3692848	8	7	13.3%	< 1				80% 120%
Be	1	3692848	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	3692848	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3692848	18.3	18.4	0.5%	< 0.01				80% 120%
Cd	1	3692848	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3692848	11	11	0.0%	< 1				80% 120%
Co	1	3692848	1.7	1.7	0.0%	< 0.5				80% 120%
Cr	1	3692848	2.05	1.84	10.8%	< 0.5				80% 120%
Cu	1	3692848	2.12	2.03	4.3%	< 0.5	5909	6000	98%	80% 120%
Fe	1	3692848	0.822	0.839	2.0%	< 0.01				80% 120%
Ga	1	3692848	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3692848	< 1	< 1	0.0%	< 1				80% 120%
In	1	3692848	< 1	< 1	0.0%	< 1				80% 120%
K	1	3692848	0.02	0.02	0.0%	< 0.01				80% 120%
La	1	3692848	2	2	0.0%	< 1				80% 120%
Li	1	3692848	< 1	< 1	0.0%	< 1				80% 120%
Mg	1	3692848	11.6	11.7	0.9%	< 0.01				80% 120%
Mn	1	3692848	961	956	0.5%	< 1				80% 120%
Mo	1	3692848	15.5	17.1	9.8%	< 0.5	351	350	100%	80% 120%
Na	1	3692848	0.01	0.01	0.0%	< 0.01				80% 120%
Ni	1	3692848	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
P	1	3692848	455	433	5.0%	< 10	632	600	105%	80% 120%
Pb	1	3692848	1.52	1.98	26.3%	< 0.5				80% 120%
Rb	1	3692848	< 10	< 10	0.0%	< 10	13	13	99%	80% 120%
S	1	3692848	0.224	0.224	0.0%	< 0.005				80% 120%
Sb	1	3692848	52	49	5.9%	< 1				80% 120%
Sc	1	3692848	0.52	0.57	9.2%	< 0.5				80% 120%
Se	1	3692848	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3692848	521	530	1.7%	< 5				80% 120%
Sr	1	3692848	78.8	82.5	4.6%	< 0.5				80% 120%
Ta	1	3692848	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3692848	10	12	18.2%	< 10				80% 120%
Th	1	3692848	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3692848	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3692797	0.08	0.08	0.0%	< 0.01				80% 120%
U	1	3692848	< 5	< 5	0.0%	< 5				80% 120%
V	1	3692848	18.3	18.7	2.2%	< 0.5				80% 120%
W	1	3692848	< 1	< 1	0.0%	< 1				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y640270

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 02, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Y	1	3692848	2	2	0.0%	< 1	6	7	85%	80% 120%
Zn	1	3692848	39.9	39.3	1.5%	< 0.5				80% 120%
Zr	1	3692848	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1	3692862	< 0.2	< 0.2	0.0%	< 0.2	13.7	13.0	106%	80% 120%
Al	1	3692862	0.04	0.04	0.0%	< 0.01				80% 120%
As	1	3692862	704	698	0.9%	< 1				80% 120%
B	1	3692862	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3692862	6	6	0.0%	< 1				80% 120%
Be	1	3692862	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	3692862	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3692862	18.0	17.6	2.2%	< 0.01				80% 120%
Cd	1	3692862	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3692862	10	10	0.0%	< 1				80% 120%
Co	1	3692862	1.42	1.51	6.1%	< 0.5				80% 120%
Cr	1	3692862	2.0	2.0	0.0%	< 0.5				80% 120%
Cu	1	3692862	0.6	0.6	0.0%	< 0.5	5767	6000	96%	80% 120%
Fe	1	3692862	0.79	0.79	0.0%	< 0.01				80% 120%
Ga	1	3692862	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3692862	< 1	3		< 1				80% 120%
In	1	3692862	< 1	< 1	0.0%	< 1				80% 120%
K	1	3692862	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
La	1	3692862	2	2	0.0%	< 1				80% 120%
Li	1	3692862	< 1	< 1	0.0%	< 1				80% 120%
Mg	1	3692862	11.2	11.1	0.9%	< 0.01				80% 120%
Mn	1	3692862	922	926	0.4%	< 1				80% 120%
Mo	1	3692862	14.9	13.9	6.9%	< 0.5	345	350	98%	80% 120%
Na	1	3692862	0.01	< 0.01	< 0.01	< 0.01				80% 120%
Ni	1	3692862	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
P	1	3692862	435	384	12.5%	< 10	630	600	105%	80% 120%
Pb	1	3692862	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Rb	1	3692862	< 10	< 10	0.0%	< 10	12	13	94%	80% 120%
S	1	3692862	0.260	0.250	3.9%	< 0.005				80% 120%
Sb	1	3692862	47	56	17.5%	< 1				80% 120%
Sc	1	3692862	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Se	1	3692862	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3692862	519	499	3.9%	< 5				80% 120%
Sr	1	3692862	62.8	60.8	3.2%	< 0.5				80% 120%
Ta	1	3692862	< 10	< 10	0.0%	< 10	0.7	0.9	74%	80% 120%
Te	1	3692862	11	10	9.5%	< 10				80% 120%
Th	1	3692862	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3692862	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3692811	0.16	0.17	6.1%	< 0.01				80% 120%
U	1	3692862	< 5	< 5	0.0%	< 5				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y640270

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 02, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
V	1	3692862	17.0	16.7	1.8%	< 0.5				80% 120%
W	1	3692862	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3692862	3	3	0.0%	< 1	6	7	82%	80% 120%
Zn	1	3692862	19.4	17.1	12.6%	< 0.5				80% 120%
Zr	1	3692862	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1	3692874	< 0.2	< 0.2	0.0%	< 0.2				80% 120%
Al	1	3692874	0.04	0.04	0.0%	< 0.01				80% 120%
As	1	3692874	367	365	0.5%	< 1				80% 120%
B	1	3692874	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3692874	5	5	0.0%	< 1				80% 120%
Be	1	3692874	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	3692874	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3692874	16.0	15.5	3.2%	< 0.01				80% 120%
Cd	1	3692874	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3692874	9	9	0.0%	< 1				80% 120%
Co	1	3692874	1.47	1.44	2.1%	< 0.5				80% 120%
Cr	1	3692874	2.7	3.0	10.5%	< 0.5				80% 120%
Cu	1	3692874	0.7	0.9	25.0%	< 0.5				80% 120%
Fe	1	3692874	0.53	0.53	0.0%	< 0.01				80% 120%
Ga	1	3692874	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3692874	< 1	2		< 1				80% 120%
In	1	3692874	< 1	< 1	0.0%	< 1				80% 120%
K	1	3692874	0.01	0.01	0.0%	< 0.01				80% 120%
La	1	3692874	1	1	0.0%	< 1				80% 120%
Li	1	3692874	< 1	< 1	0.0%	< 1				80% 120%
Mg	1	3692874	10.2	10.1	1.0%	< 0.01				80% 120%
Mn	1	3692874	740	734	0.8%	< 1				80% 120%
Mo	1	3692874	12.9	13.4	3.8%	< 0.5				80% 120%
Na	1	3692874	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3692874	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
P	1	3692874	299	329	9.6%	< 10				80% 120%
Pb	1	3692874	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Rb	1	3692874	< 10	< 10	0.0%	< 10	16	13	127%	80% 120%
S	1	3692874	0.193	0.187	3.2%	< 0.005				80% 120%
Sb	1	3692874	49	52	5.9%	< 1				80% 120%
Sc	1	3692874	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Se	1	3692874	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3692874	447	420	6.2%	< 5				80% 120%
Sr	1	3692874	67.0	68.4	2.1%	< 0.5				80% 120%
Ta	1	3692874	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3692874	< 10	13		< 10				80% 120%
Th	1	3692874	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3692874	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
TI	1	3692822	0.31	0.33	6.3%	< 0.01				80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y640270

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 02, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
U	1	3692874	< 5	< 5	0.0%	< 5				80% 120%
V	1	3692874	15.9	16.0	0.6%	< 0.5				80% 120%
W	1	3692874	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3692874	2	2	0.0%	< 1	7	7	106%	80% 120%
Zn	1	3692874	26.5	25.5	3.8%	< 0.5				80% 120%
Zr	1	3692874	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Ti) (201073)										
Ag	1	3692888	< 0.2	< 0.2	0.0%	< 0.2	13.9	13.0	107%	80% 120%
Al	1	3692888	0.05	0.05	0.0%	< 0.01				80% 120%
As	1	3692888	431	436	1.2%	< 1				80% 120%
B	1	3692888	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3692888	4	4	0.0%	< 1				80% 120%
Be	1	3692888	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	3692888	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3692888	16.2	16.7	3.0%	< 0.01				80% 120%
Cd	1	3692888	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3692888	10	10	0.0%	< 1				80% 120%
Co	1	3692888	1.4	1.6	13.3%	< 0.5				80% 120%
Cr	1	3692888	5.3	5.3	0.0%	< 0.5				80% 120%
Cu	1	3692888	1.2	1.2	0.0%	< 0.5	5874	4700	125%	80% 120%
Fe	1	3692888	0.490	0.496	1.2%	< 0.01				80% 120%
Ga	1	3692888	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3692888	< 1	4		< 1				80% 120%
In	1	3692888	< 1	< 1	0.0%	< 1				80% 120%
K	1	3692888	0.015	0.015	0.0%	< 0.01				80% 120%
La	1	3692888	2	1		< 1				80% 120%
Li	1	3692888	< 1	< 1	0.0%	< 1				80% 120%
Mg	1	3692888	10.8	10.9	0.9%	< 0.01				80% 120%
Mn	1	3692888	661	650	1.7%	< 1				80% 120%
Mo	1	3692888	14.1	15.1	6.8%	< 0.5	340	280	121%	80% 120%
Na	1	3692888	0.01	0.01	0.0%	< 0.01				80% 120%
Ni	1	3692888	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
P	1	3692888	339	348	2.6%	< 10	760	600	127%	80% 120%
Pb	1	3692888	3.9	6.0		< 0.5				80% 120%
Rb	1	3692888	< 10	< 10	0.0%	< 10	13	13	101%	80% 120%
S	1	3692888	0.202	0.206	2.0%	< 0.005				80% 120%
Sb	1	3692888	45	43	4.5%	< 1				80% 120%
Sc	1	3692888	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Se	1	3692888	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3692888	455	481	5.6%	< 5				80% 120%
Sr	1	3692888	44.1	44.6	1.1%	< 0.5				80% 120%
Ta	1	3692888	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3692888	13	< 10		< 10				80% 120%
Th	1	3692888	< 5	< 5	0.0%	< 5				80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y640270

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 02, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ti	1	3692888	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ti	1	3692836	0.874	0.907	3.7%	< 0.01				80% 120%
U	1	3692888	< 5	< 5	0.0%	< 5				80% 120%
V	1	3692888	17.0	15.8	7.3%	< 0.5				80% 120%
W	1	3692888	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3692888	2	2	0.0%	< 1	6	7	86%	80% 120%
Zn	1	3692888	116	116	0.0%	< 0.5				80% 120%
Zr	1	3692888	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Ti) (201073)										
Ti	1	3692848	0.337	0.305	10.0%	< 0.01				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Ti) (201073)										
Ti	1	3692862	0.16	0.16	0.0%	< 0.01				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Ti) (201073)										
Ti	1	3692874	0.09	0.09	0.0%	< 0.01				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Ti) (201073)										
Ti	1	3692888	0.194	0.201	3.5%	< 0.01				80% 120%

Certified By:

Ron Cardinal

Method Summary

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y640270

PROJECT NO:

ATTENTION TO: Yinghua Chen

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
B	MIN-200-12020		ICP/OES
Ba	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
In	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP/OES
Li	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr	MIN-200-12020		ICP/OES
Ta	MIN-200-12020		ICP/OES
Te	MIN-200-12020		ICP/OES
Th	MIN-200-12020		ICP/OES
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP-MS
U	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP/OES
Y	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Zr	MIN-200-12020		ICP/OES
As-OL			ICP/OES
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES