

CLIENT NAME: ANTHILL RESOURCES (YUKON)
1090-999 WEST HASTINGS STREET
Vancouver, BC V6C2W2
(604) 569-3892

ATTENTION TO: Yinghua Chen

PROJECT NO:

AGAT WORK ORDER: 12Y641686

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, Certified Assayer - Director - Technical Services (Mining)

DATE REPORTED: Sep 28, 2012

PAGES (INCLUDING COVER): 7

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

***NOTES**

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y641686

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 13, 2012

DATE RECEIVED: Sep 13, 2012

DATE REPORTED: Sep 28, 2012

SAMPLE TYPE: Rock

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
RE5529537	1.3	0.31	10	<5	25	<0.5	<1	9.80	<0.5	22	3.6	18.4	18.0	1.33
RE5529538	0.2	0.35	19	<5	23	<0.5	<1	1.72	<0.5	8	8.0	16.7	16.1	2.76
RE5529539	<0.2	0.03	2	<5	8	<0.5	<1	26.9	<0.5	7	<0.5	5.6	<0.5	0.75
RE5529540	<0.2	0.09	12	<5	15	<0.5	<1	27.3	<0.5	7	2.9	5.9	<0.5	1.99
RE5529541	<0.2	0.08	9	<5	17	<0.5	<1	27.3	<0.5	5	0.8	2.7	<0.5	0.39
RE5529542	0.2	0.03	85	<5	4	<0.5	<1	2.47	<0.5	2	12.6	28.6	12.7	3.56
RE5239837	0.7	0.39	10	<5	99	<0.5	<1	10.4	<0.5	27	4.1	20.4	4.0	1.57
RE5239838	<0.2	0.02	1	<5	10	<0.5	<1	32.0	<0.5	1	<0.5	4.9	<0.5	0.18
RE5239839	<0.2	0.25	<1	<5	25	<0.5	<1	28.5	<0.5	21	1.4	3.7	5.5	0.84
Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
RE5529537	12	<1	<1	0.09	10	3	3.47	264	<0.5	<0.01	8.0	440	8.4	12
RE5529538	9	<1	<1	0.17	3	2	0.53	981	0.6	0.02	18.5	120	11.5	12
RE5529539	6	<1	<1	<0.01	3	<1	0.41	240	<0.5	<0.01	1.6	268	3.5	<10
RE5529540	8	<1	<1	0.03	4	3	0.39	1200	<0.5	<0.01	5.1	227	23.5	<10
RE5529541	9	<1	<1	0.01	4	1	1.70	223	1.9	<0.01	2.5	512	7.6	<10
RE5529542	6	<1	<1	<0.01	<1	<1	0.30	953	1.0	<0.01	24.7	483	51.0	<10
RE5239837	12	<1	<1	0.11	13	5	5.12	341	<0.5	<0.01	10.0	347	7.3	13
RE5239838	7	<1	<1	<0.01	1	<1	0.36	77	0.6	<0.01	0.6	131	4.9	<10
RE5239839	9	<1	<1	0.07	11	6	0.46	1350	<0.5	<0.01	3.2	917	8.6	<10

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y641686

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 13, 2012

DATE RECEIVED: Sep 13, 2012

DATE REPORTED: Sep 28, 2012

SAMPLE TYPE: Rock

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	TI	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
RE5529537	0.007	<1	1.9	<10	<5	151	<10	<10	<5	<0.01	0.02	<5	8.2	<1
RE5529538	<0.005	8	3.1	<10	<5	125	<10	<10	6	<0.01	1.20	<5	0.7	<1
RE5529539	0.145	1	0.5	<10	6	1150	<10	<10	<5	<0.01	<0.01	<5	<0.5	<1
RE5529540	1.03	2	0.6	<10	6	1350	<10	<10	<5	<0.01	2.15	<5	<0.5	<1
RE5529541	0.135	6	<0.5	<10	6	848	<10	<10	<5	<0.01	0.34	<5	<0.5	<1
RE5529542	2.67	1	<0.5	<10	<5	103	<10	<10	<5	<0.01	1.90	<5	<0.5	<1
RE5239837	0.021	<1	3.4	<10	<5	359	<10	<10	7	<0.01	1.10	<5	12.1	<1
RE5239838	0.023	1	<0.5	<10	7	829	<10	<10	<5	<0.01	0.57	<5	<0.5	<1
RE5239839	<0.005	<1	2.4	<10	6	1860	<10	<10	<5	<0.01	0.09	<5	<0.5	<1
Analyte:	Y	Zn	Zr											
Unit:	ppm	ppm	ppm											
RDL:	1	0.5	5											
Sample Description														
RE5529537	9	33.7	15											
RE5529538	6	61.8	9											
RE5529539	4	69.7	<5											
RE5529540	6	6.6	<5											
RE5529541	4	9.7	<5											
RE5529542	3	8.2	<5											
RE5239837	11	53.5	12											
RE5239838	2	2.3	<5											
RE5239839	18	25.9	8											

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y641686

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Sep 13, 2012

DATE RECEIVED: Sep 13, 2012

DATE REPORTED: Sep 28, 2012

SAMPLE TYPE: Rock

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
RE5529537		1.12	0.003
RE5529538		0.61	0.003
RE5529539		0.92	<0.001
RE5529540		0.44	<0.001
RE5529541		0.72	<0.001
RE5529542		0.61	0.005
RE5239837		0.61	0.542
RE5239838		0.66	0.508
RE5239839		0.57	<0.001

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y641686

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis											
RPT Date: Sep 28, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

Au	1	3705566	0.003	< 0.001		< 0.001	1.55	1.52	102%	90%	110%
----	---	---------	-------	---------	--	---------	------	------	------	-----	------

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1	3705566	1.25	1.21	3.3%	< 0.2	12.6	13.0	97%	80%	120%
Al	1	3705566	0.31	0.32	3.2%	< 0.01				80%	120%
As	1	3705566	10	5		< 1				80%	120%
B	1	3705566	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3705566	25	26	3.9%	< 1				80%	120%
Be	1	3705566	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Bi	1	3705566	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	3705566	9.80	10.0	2.0%	< 0.01				80%	120%
Cd	1	3705566	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	3705566	22	22	0.0%	< 1				80%	120%
Co	1	3705566	3.61	3.65	1.1%	< 0.5				80%	120%
Cr	1	3705566	18.4	18.5	0.5%	< 0.5				80%	120%
Cu	1	3705566	18.0	15.4	15.6%	< 0.5	5270	6000	87%	80%	120%
Fe	1	3705566	1.33	1.33	0.0%	< 0.01				80%	120%
Ga	1	3705566	12	11	8.7%	< 5				80%	120%
Hg	1	3705566	< 1	< 1	0.0%	< 1				80%	120%
In	1	3705566	< 1	< 1	0.0%	< 1				80%	120%
K	1	3705566	0.09	0.09	0.0%	< 0.01				80%	120%
La	1	3705566	10	10	0.0%	< 1				80%	120%
Li	1	3705566	3	4	28.6%	< 1				80%	120%
Mg	1	3705566	3.47	3.49	0.6%	< 0.01				80%	120%
Mn	1	3705566	264	265	0.4%	< 1				80%	120%
Mo	1	3705566	< 0.5	< 0.5	0.0%	< 0.5	307	350	87%	80%	120%
Na	1	3705566	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Ni	1	3705566	8.0	8.0	0.0%	< 0.5				80%	120%
P	1	3705566	440	441	0.2%	< 10	583	600	97%	80%	120%
Pb	1	3705566	8.44	9.64	13.3%	< 0.5				80%	120%
Rb	1	3705566	12	11	8.7%	< 10				80%	120%
S	1	3705566	0.007	0.007	0.0%	< 0.005				80%	120%
Sb	1	3705566	< 1	1		< 1				80%	120%
Sc	1	3705566	1.9	1.9	0.0%	< 0.5				80%	120%
Se	1	3705566	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	3705566	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	3705566	151	151	0.0%	< 0.5				80%	120%
Ta	1	3705566	< 10	< 10	0.0%	< 10	0.9	0.9	105%	80%	120%
Te	1	3705566	< 10	< 10	0.0%	< 10				80%	120%
Th	1	3705566	< 5	< 5	0.0%	< 5				80%	120%
Ti	1	3705566	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Tl	1	3705566	0.02	< 0.01		< 0.01				80%	120%
U	1	3705566	< 5	< 5	0.0%	< 5				80%	120%
V	1	3705566	8.2	7.3	11.6%	< 0.5				80%	120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y641686

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Sep 28, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										LowerUpper
W	1	3705566	< 1	< 1	0.0%	< 1				80%120%
Y	1	3705566	9	9	0.0%	< 1	7	7	100%	80%120%
Zn	1	3705566	33.7	33.6	0.3%	< 0.5				80%120%
Zr	1	3705566	15	15	0.0%	< 5				80%120%

Certified By:

Method Summary

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y641686

PROJECT NO:

ATTENTION TO: Yinghua Chen

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
B	MIN-200-12020		ICP/OES
Ba	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
In	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP/OES
Li	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr	MIN-200-12020		ICP/OES
Ta	MIN-200-12020		ICP/OES
Te	MIN-200-12020		ICP/OES
Th	MIN-200-12020		ICP/OES
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP-MS
U	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP/OES
Y	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Zr	MIN-200-12020		ICP/OES
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES