

CLIENT NAME: ANTHILL RESOURCES (YUKON)
1090-999 WEST HASTINGS STREET
Vancouver, BC V6C2W2
(604) 569-3892

ATTENTION TO: Yinghua Chen

PROJECT NO:

AGAT WORK ORDER: 12Y642724

SOLID ANALYSIS REVIEWED BY: Yufei Chen, Analyst

DATE REPORTED: Oct 09, 2012

PAGES (INCLUDING COVER): 11

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

***NOTES**



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y642724

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 17, 2012		DATE RECEIVED: Sep 17, 2012					DATE REPORTED: Oct 09, 2012					SAMPLE TYPE: Drill Core			
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
E5532337		0.6	0.02	84	<5	14	<0.5	<1	16.8	<0.5	<1	<0.5	4.8	<0.5	0.11
E5532338		0.8	0.01	93	<5	16	<0.5	<1	17.0	<0.5	<1	<0.5	1.9	<0.5	0.09
E5532339		1.5	0.02	103	<5	10	<0.5	<1	16.9	<0.5	<1	<0.5	4.2	<0.5	0.11
E5532340		1.2	0.03	315	<5	20	<0.5	<1	16.5	<0.5	<1	<0.5	3.5	<0.5	0.29
E5532341		1.4	0.04	188	<5	21	<0.5	<1	14.5	<0.5	<1	<0.5	4.6	<0.5	0.46
E5532342		1.2	0.10	392	<5	52	<0.5	<1	13.4	<0.5	2	2.0	10.8	4.4	1.02
E5532343		1.6	0.06	698	<5	42	<0.5	<1	14.9	<0.5	1	2.1	7.1	2.0	0.77
E5532344		1.6	0.03	198	<5	29	<0.5	<1	16.3	0.7	<1	0.5	3.4	<0.5	0.44
E5532345		1.1	0.03	436	<5	36	<0.5	1	16.7	<0.5	<1	<0.5	2.1	<0.5	0.51
E5532346		1.4	0.05	619	<5	44	<0.5	<1	16.4	<0.5	1	<0.5	2.4	<0.5	0.42
E5532347		1.6	0.11	2440	<5	29	<0.5	<1	13.4	<0.5	1	2.0	5.5	<0.5	0.72
E5532348		0.8	0.18	194	<5	27	<0.5	<1	4.80	<0.5	4	6.2	29.0	8.6	1.16
E5532349		0.7	0.25	150	<5	59	<0.5	<1	4.23	<0.5	3	10.2	22.0	7.9	1.40
E5532350		0.5	0.06	84	<5	9	<0.5	<1	2.72	<0.5	1	1.7	40.0	3.0	1.07
E5532351		1.5	0.06	>10000	<5	43	<0.5	<1	15.1	<0.5	1	0.7	5.2	<0.5	0.52
E5532352		0.6	0.05	170	<5	188	<0.5	<1	4.05	<0.5	1	1.9	33.6	1.5	1.28
E5532353		0.7	0.33	288	<5	36	<0.5	<1	2.96	<0.5	4	8.7	30.5	11.6	1.94
E5532354		0.9	0.31	121	<5	263	<0.5	<1	4.99	<0.5	3	8.9	24.6	13.8	1.41
E5532355		0.5	0.29	105	<5	219	<0.5	<1	2.88	<0.5	4	7.1	31.7	9.4	1.30
E5532356		0.6	0.31	262	<5	68	<0.5	<1	3.25	<0.5	5	8.5	33.0	11.8	1.42
E5532357		0.8	0.25	1800	<5	23	<0.5	<1	4.63	<0.5	3	6.2	34.9	6.4	1.48
E5532358		0.7	0.37	7110	<5	16	<0.5	<1	4.83	<0.5	3	7.2	36.8	10.1	1.42
E5532359		0.7	0.30	1300	<5	14	<0.5	<1	4.04	<0.5	4	5.4	38.0	6.6	1.32
E5532360		0.6	0.20	144	<5	13	<0.5	<1	3.48	<0.5	4	4.2	42.0	5.9	1.10
E5532361		0.4	0.21	151	<5	14	<0.5	<1	2.82	<0.5	3	4.9	36.5	6.5	1.49
E5532362		1.1	0.18	92	<5	21	<0.5	<1	6.99	<0.5	5	4.6	29.6	5.4	1.33
E5532363		0.2	0.46	477	<5	26	0.6	<1	1.48	<0.5	4	12.8	25.1	19.6	1.97
E5532364		0.8	0.19	116	<5	34	<0.5	<1	5.51	<0.5	3	4.7	30.7	5.9	1.32

Certified By:

Y. Chen



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y642724

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 17, 2012		DATE RECEIVED: Sep 17, 2012				DATE REPORTED: Oct 09, 2012				SAMPLE TYPE: Drill Core					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
E5532337		10	2	<1	<0.01	2	<1	11.6	170	0.6	<0.01	<0.5	211	4.0	<10
E5532338		11	1	<1	<0.01	2	<1	11.8	158	<0.5	<0.01	<0.5	211	2.7	<10
E5532339		10	1	<1	<0.01	2	<1	11.6	203	<0.5	<0.01	<0.5	231	4.5	<10
E5532340		9	<1	<1	<0.01	3	1	11.2	462	<0.5	<0.01	0.7	312	7.7	<10
E5532341		10	<1	<1	<0.01	2	<1	9.60	747	<0.5	<0.01	0.8	320	4.1	<10
E5532342		11	3	<1	0.03	2	1	8.60	683	0.6	<0.01	4.5	431	29.3	<10
E5532343		10	3	<1	0.01	2	1	9.82	658	0.5	<0.01	4.7	269	7.4	<10
E5532344		11	11	<1	<0.01	2	<1	11.0	553	0.6	<0.01	0.9	303	19.8	<10
E5532345		10	4	<1	<0.01	3	<1	11.2	783	<0.5	<0.01	0.8	265	11.3	<10
E5532346		10	2	<1	0.01	2	1	10.8	686	<0.5	<0.01	0.9	279	8.4	<10
E5532347		9	1	<1	0.04	2	<1	8.64	634	<0.5	<0.01	2.0	187	8.7	<10
E5532348		8	2	<1	0.09	<1	<1	1.48	266	0.9	<0.01	7.8	216	16.3	<10
E5532349		7	1	<1	0.13	1	<1	1.31	288	0.8	<0.01	9.6	201	15.3	11
E5532350		7	<1	<1	0.03	<1	<1	1.29	329	1.2	<0.01	3.8	178	5.0	<10
E5532351		10	2	<1	0.01	2	1	10.3	689	<0.5	<0.01	1.2	345	11.0	<10
E5532352		7	<1	<1	0.02	<1	<1	1.99	427	1.2	<0.01	4.1	163	5.6	<10
E5532353		8	<1	<1	0.16	1	<1	1.32	302	0.8	<0.01	11.3	188	25.2	12
E5532354		10	2	<1	0.15	1	<1	2.05	306	0.7	<0.01	11.5	210	20.2	15
E5532355		8	1	<1	0.14	<1	<1	1.18	184	1.1	<0.01	9.1	304	20.4	12
E5532356		9	2	<1	0.14	2	1	1.49	231	2.2	<0.01	11.4	502	25.1	12
E5532357		8	6	<1	0.07	<1	1	2.00	276	1.3	<0.01	9.0	362	19.4	<10
E5532358		9	9	<1	0.08	1	2	2.65	321	1.0	<0.01	10.3	283	19.3	<10
E5532359		8	4	<1	0.09	<1	1	2.10	295	1.2	<0.01	7.1	213	16.5	<10
E5532360		7	1	<1	0.08	1	<1	1.74	301	1.6	<0.01	6.4	197	20.6	<10
E5532361		7	1	<1	0.09	<1	1	1.31	312	1.0	<0.01	7.0	169	18.6	<10
E5532362		7	1	<1	0.10	1	<1	0.85	368	0.8	<0.01	6.9	220	15.6	12
E5532363		6	1	<1	0.25	2	2	0.33	140	<0.5	<0.01	19.8	100	26.7	19
E5532364		8	<1	<1	0.10	1	<1	1.24	531	1.0	<0.01	7.0	274	13.7	11

Certified By:

Y. Chen



Certificate of Analysis

AGAT WORK ORDER: 12Y642724

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 17, 2012

DATE RECEIVED: Sep 17, 2012

DATE REPORTED: Oct 09, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
E5532337		<0.005	<1	<0.5	<10	<5	35.7	<10	<10	<5	<0.01	0.04	<5	5.9	<1
E5532338		<0.005	<1	<0.5	<10	<5	34.0	<10	<10	<5	<0.01	0.05	<5	5.4	1
E5532339		0.006	2	<0.5	<10	<5	26.2	<10	<10	<5	<0.01	0.04	<5	5.4	<1
E5532340		0.041	2	<0.5	<10	<5	48.2	<10	<10	<5	<0.01	0.12	<5	5.3	<1
E5532341		0.027	1	<0.5	<10	<5	39.7	<10	<10	<5	<0.01	0.06	<5	4.1	<1
E5532342		0.300	3	1.3	<10	<5	132	<10	<10	<5	<0.01	0.50	<5	11.9	<1
E5532343		0.228	3	1.0	<10	<5	109	<10	<10	<5	<0.01	0.37	<5	12.9	<1
E5532344		0.101	2	<0.5	<10	<5	83.3	<10	<10	<5	<0.01	0.10	<5	6.1	<1
E5532345		0.061	4	<0.5	<10	<5	91.1	<10	<10	<5	<0.01	0.19	<5	6.6	<1
E5532346		0.035	4	<0.5	<10	<5	93.9	<10	<10	<5	<0.01	0.23	<5	6.8	<1
E5532347		0.029	13	0.8	<10	<5	67.6	<10	<10	<5	<0.01	0.70	<5	4.8	<1
E5532348		0.959	3	1.5	<10	<5	39.3	<10	<10	<5	<0.01	0.42	<5	<0.5	<1
E5532349		1.25	4	2.4	<10	<5	38.4	<10	<10	<5	<0.01	0.55	<5	<0.5	<1
E5532350		0.573	1	0.7	<10	<5	13.6	<10	<10	<5	<0.01	0.12	<5	<0.5	<1
E5532351		0.983	6	<0.5	<10	<5	78.9	<10	<10	<5	<0.01	0.22	<5	5.8	<1
E5532352		0.609	2	<0.5	<10	<5	19.3	<10	<10	<5	<0.01	0.09	<5	<0.5	<1
E5532353		1.88	3	2.0	<10	<5	19.7	<10	<10	<5	<0.01	0.49	<5	<0.5	<1
E5532354		1.34	2	2.0	<10	<5	44.7	<10	<10	<5	<0.01	0.43	<5	<0.5	<1
E5532355		1.13	2	1.8	<10	<5	25.9	<10	<10	<5	<0.01	0.36	<5	<0.5	<1
E5532356		1.31	2	2.6	<10	<5	25.0	<10	<10	<5	<0.01	0.58	<5	<0.5	<1
E5532357		1.52	5	3.0	<10	<5	14.2	<10	<10	<5	<0.01	1.22	<5	6.3	<1
E5532358		1.30	9	4.4	<10	<5	65.4	<10	<10	<5	<0.01	1.32	<5	15.4	<1
E5532359		1.09	3	2.7	<10	<5	40.8	<10	<10	<5	<0.01	0.60	<5	6.0	<1
E5532360		0.783	3	1.6	<10	<5	15.6	<10	<10	<5	<0.01	0.40	<5	1.1	<1
E5532361		1.12	3	1.7	<10	<5	16.5	<10	<10	<5	<0.01	0.39	<5	<0.5	<1
E5532362		1.25	1	1.1	<10	<5	65.3	<10	<10	<5	<0.01	0.26	<5	<0.5	<1
E5532363		2.17	3	2.4	<10	<5	12.5	<10	<10	<5	<0.01	0.45	<5	2.3	<1
E5532364		1.13	2	1.2	<10	<5	62.4	<10	<10	<5	<0.01	0.24	<5	<0.5	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y642724

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 17, 2012

DATE RECEIVED: Sep 17, 2012

DATE REPORTED: Oct 09, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Y	Zn	Zr	As-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	0.01
E5532337		1	21.7	<5	
E5532338		1	24.3	<5	
E5532339		2	15.1	<5	
E5532340		2	24.3	<5	
E5532341		2	7.2	<5	
E5532342		3	72.3	<5	
E5532343		3	147	<5	
E5532344		2	732	<5	
E5532345		2	286	<5	
E5532346		2	126	<5	
E5532347		3	193	<5	
E5532348		4	104	<5	
E5532349		4	10.2	<5	
E5532350		2	2.0	<5	
E5532351		2	96.6	<5	1.54
E5532352		2	3.1	<5	
E5532353		3	9.4	<5	
E5532354		5	22.2	<5	
E5532355		5	5.3	<5	
E5532356		6	12.7	<5	
E5532357		6	41.3	<5	
E5532358		6	31.1	<5	
E5532359		5	15.1	<5	
E5532360		4	10.9	<5	
E5532361		3	8.5	<5	
E5532362		5	4.3	<5	
E5532363		3	5.3	5	
E5532364		5	17.6	<5	

Comments: RDL - Reported Detection Limit

Certified By:

Y. Chen



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y642724

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Sep 17, 2012

DATE RECEIVED: Sep 17, 2012

DATE REPORTED: Oct 09, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
E5532337		4.82	0.002
E5532338		4.89	<0.001
E5532339		3.18	<0.001
E5532340		4.57	0.002
E5532341		2.54	<0.001
E5532342		4.00	0.021
E5532343		4.74	0.003
E5532344		4.71	0.003
E5532345		5.34	0.004
E5532346		5.18	<0.001
E5532347		1.77	0.004
E5532348		4.84	<0.001
E5532349		1.29	<0.001
E5532350		2.32	0.002
E5532351		3.20	0.007
E5532352		4.27	<0.001
E5532353		3.83	0.003
E5532354		5.10	<0.001
E5532355		4.42	<0.001
E5532356		4.57	<0.001
E5532357		1.67	<0.001
E5532358		3.12	<0.001
E5532359		3.54	<0.001
E5532360		2.99	<0.001
E5532361		3.07	<0.001
E5532362		3.86	<0.001
E5532363		3.54	<0.001
E5532364		4.61	<0.001

Comments: RDL - Reported Detection Limit

Certified By:

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y642724

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis											
RPT Date: Oct 09, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)											
Ag	1	3715698	0.6	1.4		< 0.2	12.9	13.0	99%	80%	120%
Al	1	3715698	0.02	0.02	0.0%	< 0.01				80%	120%
As	1	3715698	84	85	1.2%	< 1				80%	120%
B	1	3715698	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3715698	14	15	6.9%	< 1				80%	120%
Be	1	3715698	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Bi	1	3715698	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	3715698	16.8	17.0	1.2%	< 0.01				80%	120%
Cd	1	3715698	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	3715698	< 1	< 1	0.0%	< 1				80%	120%
Co	1	3715698	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Cr	1	3715698	4.8	4.8	0.0%	< 0.5				80%	120%
Cu	1	3715698	< 0.5	< 0.5	0.0%	0.5	5641	6000	94%	80%	120%
Fe	1	3715698	0.11	0.11	0.0%	< 0.01				80%	120%
Ga	1	3715698	10	11	9.5%	< 5				80%	120%
Hg	1	3715698	2	2	0.0%	< 1				80%	120%
In	1	3715698	< 1	< 1	0.0%	< 1				80%	120%
K	1	3715698	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
La	1	3715698	2	2	0.0%	< 1				80%	120%
Li	1	3715698	< 1	< 1	0.0%	< 1				80%	120%
Mg	1	3715698	11.6	11.5	0.9%	< 0.01				80%	120%
Mn	1	3715698	170	173	1.7%	< 1				80%	120%
Mo	1	3715698	0.6	< 0.5		< 0.5	326	360	90%	80%	120%
Na	1	3715698	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Ni	1	3715698	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
P	1	3715698	211	205	2.9%	< 10	628	600	104%	80%	120%
Pb	1	3715698	4.00	3.94	1.5%	< 0.5				80%	120%
Rb	1	3715698	< 10	< 10	0.0%	< 10				80%	120%
S	1	3715698	< 0.005	< 0.005	0.0%	< 0.005				80%	120%
Sb	1	3715698	< 1	< 1	0.0%	< 1				80%	120%
Sc	1	3715698	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Se	1	3715698	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	3715698	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	3715698	35.7	34.9	2.3%	< 0.5				80%	120%
Ta	1	3715698	< 10	< 10	0.0%	< 10				80%	120%
Te	1	3715698	< 10	< 10	0.0%	< 10				80%	120%
Th	1	3715698	< 5	< 5	0.0%	< 5				80%	120%
Ti	1	3715698	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Tl	1	3715698	0.04	0.04	0.0%	< 0.01				80%	120%
U	1	3715698	< 5	< 5	0.0%	< 5				80%	120%
V	1	3715698	5.9	5.2	12.6%	< 0.5				80%	120%
W	1	3715698	< 1	1		< 1				80%	120%
Y	1	3715698	1	1	0.0%	< 1				80%	120%
Zn	1	3715698	21.7	22.1	1.8%	< 0.5				80%	120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y642724

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 09, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Zr	1	3715698	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1	3715710	0.72	0.76	5.4%	< 0.2	13.3	13.0	102%	80% 120%
Al	1	3715710	0.25	0.25	0.0%	< 0.01				80% 120%
As	1	3715710	150	151	0.7%	< 1				80% 120%
B	1	3715710	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3715710	59	60	1.7%	< 1				80% 120%
Be	1	3715710	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	3715710	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3715710	4.23	4.26	0.7%	< 0.01				80% 120%
Cd	1	3715710	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3715710	3	3	0.0%	< 1				80% 120%
Co	1	3715710	10.2	10.4	1.9%	< 0.5				80% 120%
Cr	1	3715710	22.0	20.7	6.1%	< 0.5				80% 120%
Cu	1	3715710	7.9	7.9	0.0%	< 0.5	5691	6000	94%	80% 120%
Fe	1	3715710	1.40	1.41	0.7%	< 0.01				80% 120%
Ga	1	3715710	7	7	0.0%	< 5				80% 120%
Hg	1	3715710	1	1	0.0%	< 1				80% 120%
In	1	3715710	< 1	< 1	0.0%	< 1				80% 120%
K	1	3715710	0.13	0.13	0.0%	< 0.01				80% 120%
La	1	3715710	1	< 1	< 1	< 1				80% 120%
Li	1	3715710	< 1	< 1	0.0%	< 1				80% 120%
Mg	1	3715710	1.31	1.31	0.0%	< 0.01				80% 120%
Mn	1	3715710	288	291	1.0%	< 1				80% 120%
Mo	1	3715710	0.8	0.6	28.6%	< 0.5	320	360	88%	80% 120%
Na	1	3715710	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3715710	9.59	9.54	0.5%	< 0.5				80% 120%
P	1	3715710	201	196	2.5%	< 10	637	600	106%	80% 120%
Pb	1	3715710	15.3	15.0	2.0%	< 0.5				80% 120%
Rb	1	3715710	11	10	9.5%	< 10				80% 120%
S	1	3715710	1.25	1.24	0.8%	< 0.005				80% 120%
Sb	1	3715710	4	4	0.0%	< 1				80% 120%
Sc	1	3715710	2.37	2.32	2.1%	< 0.5				80% 120%
Se	1	3715710	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3715710	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3715710	38.4	38.1	0.8%	< 0.5				80% 120%
Ta	1	3715710	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3715710	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3715710	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3715710	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3715710	0.55	0.55	0.0%	< 0.01				80% 120%
U	1	3715710	< 5	< 5	0.0%	< 5				80% 120%
V	1	3715710	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
W	1	3715710	< 1	< 1	0.0%	< 1				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y642724

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 09, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Y	1	3715710	4	4	0.0%	< 1				80% 120%
Zn	1	3715710	10.2	10.0	2.0%	< 0.5				80% 120%
Zr	1	3715710	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Ti) (201073)										
Ag	1	3715723	1.1	1.1	0.0%	< 0.2				80% 120%
Al	1	3715723	0.18	0.18	0.0%	< 0.01				80% 120%
As	1	3715723	92	86	6.7%	< 1				80% 120%
B	1	3715723	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3715723	21	21	0.0%	< 1				80% 120%
Be	1	3715723	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	3715723	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3715723	6.99	6.88	1.6%	< 0.01				80% 120%
Cd	1	3715723	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3715723	5	5	0.0%	< 1				80% 120%
Co	1	3715723	4.6	4.5	2.2%	< 0.5				80% 120%
Cr	1	3715723	29.6	29.5	0.3%	< 0.5				80% 120%
Cu	1	3715723	5.4	5.4	0.0%	< 0.5				80% 120%
Fe	1	3715723	1.33	1.32	0.8%	< 0.01				80% 120%
Ga	1	3715723	7	6	15.4%	< 5				80% 120%
Hg	1	3715723	1	< 1		< 1				80% 120%
In	1	3715723	< 1	< 1	0.0%	< 1				80% 120%
K	1	3715723	0.10	0.10	0.0%	< 0.01				80% 120%
La	1	3715723	1	1	0.0%	< 1				80% 120%
Li	1	3715723	< 1	< 1	0.0%	< 1				80% 120%
Mg	1	3715723	0.85	0.84	1.2%	< 0.01				80% 120%
Mn	1	3715723	368	368	0.0%	< 1				80% 120%
Mo	1	3715723	0.82	0.62	27.8%	< 0.5				80% 120%
Na	1	3715723	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3715723	6.88	6.84	0.6%	< 0.5				80% 120%
P	1	3715723	220	222	0.9%	< 10				80% 120%
Pb	1	3715723	15.6	16.1	3.2%	< 0.5				80% 120%
Rb	1	3715723	12	12	0.0%	< 10				80% 120%
S	1	3715723	1.25	1.28	2.4%	< 0.005				80% 120%
Sb	1	3715723	1	2		< 1				80% 120%
Sc	1	3715723	1.1	1.1	0.0%	< 0.5				80% 120%
Se	1	3715723	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3715723	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3715723	65.3	65.7	0.6%	< 0.5				80% 120%
Ta	1	3715723	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3715723	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3715723	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3715723	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3715723	0.256	0.251	2.0%	< 0.01				80% 120%
U	1	3715723	< 5	< 5	0.0%	< 5				80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y642724

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 09, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
V	1	3715723	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
W	1	3715723	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3715723	5	5	0.0%	< 1				80% 120%
Zn	1	3715723	4.3	4.6	6.7%	< 0.5				80% 120%
Zr	1	3715723	< 5	< 5	0.0%	< 5				80% 120%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3715698	0.002	< 0.001		< 0.001	1.41	1.52	93%	90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3715710	< 0.001	0.007		< 0.001	0.263	0.263	100%	90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3715723	< 0.001	< 0.001	0.0%	< 0.001				90% 110%

Certified By:

Y. Chen

Method Summary

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y642724

PROJECT NO:

ATTENTION TO: Yinghua Chen

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
B	MIN-200-12020		ICP/OES
Ba	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
In	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP/OES
Li	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr	MIN-200-12020		ICP/OES
Ta	MIN-200-12020		ICP/OES
Te	MIN-200-12020		ICP/OES
Th	MIN-200-12020		ICP/OES
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP-MS
U	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP/OES
Y	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Zr	MIN-200-12020		ICP/OES
As-OL			AA
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES