

CLIENT NAME: ANTHILL RESOURCES (YUKON)
1090-999 WEST HASTINGS STREET
Vancouver, BC V6C2W2
(604) 569-3892

ATTENTION TO: Yinghua Chen

PROJECT NO:

AGAT WORK ORDER: 12Y642727

SOLID ANALYSIS REVIEWED BY: Kevin Motomura, ICP Supervisor

DATE REPORTED: Oct 11, 2012

PAGES (INCLUDING COVER): 42

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

***NOTES**



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y642727

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 17, 2012		DATE RECEIVED: Sep 17, 2012						DATE REPORTED: Oct 11, 2012				SAMPLE TYPE: Drill Core			
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
E5531372		0.2	0.16	175	<5	35	<0.5	<1	18.2	<0.5	4	1.3	6.5	8.4	1.02
E5531373		<0.2	0.08	793	<5	8	<0.5	<1	19.0	<0.5	3	0.7	3.3	4.4	0.85
E5531374		<0.2	0.05	3170	<5	20	<0.5	<1	18.2	<0.5	1	1.4	2.4	4.3	0.59
E5531375		<0.2	0.05	7440	<5	6	<0.5	<1	18.3	<0.5	1	<0.5	2.0	4.0	0.76
E5531376		1.1	0.07	7120	<5	8	<0.5	<1	18.9	<0.5	1	<0.5	2.5	3.6	0.70
E5531377		0.2	0.05	5440	<5	9	<0.5	<1	18.2	<0.5	<1	<0.5	1.6	2.1	0.53
E5531378		0.7	0.06	8230	<5	42	<0.5	<1	17.8	<0.5	2	<0.5	2.5	3.4	0.80
E5531379		0.2	0.06	1480	<5	6	<0.5	<1	18.2	<0.5	1	<0.5	3.8	2.6	0.74
E5531380		0.3	0.08	1410	<5	10	<0.5	<1	18.9	<0.5	2	0.5	3.4	3.0	0.60
E5531381		1.0	0.09	2410	<5	20	<0.5	<1	18.5	<0.5	2	0.7	3.7	4.9	0.73
E5531382		1.1	0.03	383	<5	31	<0.5	<1	18.1	<0.5	<1	<0.5	1.5	1.2	0.20
E5531383		1.0	0.04	540	<5	25	<0.5	<1	17.9	<0.5	<1	<0.5	2.1	1.4	0.18
E5531384		0.8	0.02	428	<5	25	<0.5	<1	18.5	<0.5	<1	<0.5	1.1	0.9	0.18
E5531385		1.2	0.03	782	<5	64	<0.5	<1	18.1	<0.5	<1	<0.5	1.6	1.3	0.19
E5531386		0.3	0.02	290	<5	24	<0.5	<1	18.5	<0.5	<1	<0.5	1.0	1.1	0.14
E5531387		<0.2	0.03	776	<5	28	<0.5	<1	19.2	<0.5	<1	<0.5	1.5	1.2	0.27
E5531388		<0.2	0.05	1040	<5	50	<0.5	<1	18.1	<0.5	<1	<0.5	2.1	2.2	0.48
E5531389		1.3	0.06	4910	<5	43	<0.5	<1	16.7	<0.5	<1	<0.5	3.3	2.3	0.52
E5531390		1.2	0.06	>10000	<5	47	<0.5	<1	17.2	<0.5	<1	0.6	3.8	7.0	0.54
E5531391		1.1	0.07	>10000	<5	43	<0.5	<1	17.5	<0.5	1	0.5	4.1	3.6	0.54
E5531392		1.2	0.03	9050	<5	56	<0.5	<1	16.7	2.3	<1	<0.5	5.3	3.2	0.34
E5531393		1.2	0.09	>10000	<5	81	<0.5	<1	17.0	1.2	1	0.8	5.2	3.4	0.56
E5531394		1.2	0.06	7810	<5	64	<0.5	<1	18.6	<0.5	<1	<0.5	4.0	2.2	0.56
E5531395		1.7	0.07	1130	<5	62	<0.5	<1	17.2	<0.5	<1	0.6	4.1	5.5	0.46
E5531396		1.0	0.03	1260	<5	46	<0.5	<1	15.3	<0.5	<1	<0.5	4.4	1.2	0.31
E5531397		0.6	0.10	1080	<5	56	<0.5	<1	17.7	2.1	1	1.3	6.6	6.6	0.97
E5531398		0.2	0.10	972	<5	52	<0.5	<1	18.3	<0.5	1	0.7	3.3	2.3	0.59
E5531399		<0.2	0.11	1120	<5	43	<0.5	<1	18.5	<0.5	1	0.9	5.5	2.8	0.67
E5531400		0.5	0.14	1030	<5	46	<0.5	<1	18.2	<0.5	2	1.2	4.9	4.6	0.63
E5531401		<0.2	0.09	479	<5	40	<0.5	<1	18.6	<0.5	<1	0.6	2.7	1.8	0.45
E5531402		<0.2	0.04	288	<5	27	<0.5	<1	19.4	<0.5	<1	<0.5	1.4	1.1	0.24
E5531403		0.4	0.04	494	<5	30	<0.5	<1	18.3	<0.5	<1	<0.5	1.2	1.2	0.30

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y642727

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 17, 2012

DATE RECEIVED: Sep 17, 2012

DATE REPORTED: Oct 11, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
E5531404		0.8	0.23	622	<5	82	<0.5	<1	17.1	<0.5	2	2.0	4.1	3.1	0.77
E5531405		0.4	0.03	657	<5	30	<0.5	<1	15.9	<0.5	<1	<0.5	3.6	0.6	1.13
E5531406		1.2	0.28	683	<5	86	<0.5	<1	16.5	<0.5	2	2.3	5.6	4.2	0.83
E5531407		0.3	0.18	456	<5	2840	<0.5	<1	1.08	<0.5	2	4.8	16.9	33.7	3.04
E5531408		0.4	0.02	29	<5	21	<0.5	<1	19.5	<0.5	<1	0.5	1.4	2.7	0.41
E5531409		0.6	0.05	1600	<5	32	<0.5	<1	15.9	<0.5	<1	<0.5	5.1	0.9	1.18
E5532210		0.7	0.18	243	<5	84	<0.5	<1	15.2	<0.5	4	2.8	15.1	5.7	1.50
E5532211		23.8	0.63	447	<5	86	0.6	<1	1.77	<0.5	5	17.2	12.5	66.7	2.76
E5532212		1.2	0.37	243	<5	114	<0.5	<1	8.91	<0.5	4	8.0	11.2	19.7	1.64
E5532213		1.1	0.28	84	<5	39	<0.5	<1	7.25	<0.5	5	7.1	19.8	11.7	1.51
E5532214		0.5	0.27	137	<5	23	<0.5	<1	3.61	<0.5	4	9.4	13.2	22.4	1.94
E5532215		1.4	0.46	138	<5	49	0.8	<1	3.29	<0.5	4	12.2	22.6	34.7	2.53
E5532216		0.4	0.12	105	<5	135	<0.5	<1	3.01	<0.5	3	2.8	29.1	5.5	1.51
E5532217		0.5	0.19	49	<5	28	<0.5	<1	2.62	<0.5	3	3.1	40.5	7.0	1.27
E5532218		1.2	0.13	54	<5	29	<0.5	<1	14.5	<0.5	5	3.3	19.9	6.4	1.00
E5532219		0.9	0.18	57	<5	37	<0.5	<1	7.63	<0.5	4	5.1	22.3	12.7	1.50
E5532220		1.5	0.10	30	<5	50	<0.5	<1	16.7	<0.5	4	2.5	11.2	5.4	0.79
E5532221		1.0	0.30	94	<5	99	0.6	<1	8.39	<0.5	4	7.5	14.8	20.8	2.17
E5532222		2.0	0.17	19	<5	21	<0.5	<1	2.33	<0.5	2	4.7	34.6	8.5	0.73
E5532223		3.8	0.36	68	<5	130	0.6	<1	4.29	<0.5	4	9.4	27.1	25.7	2.52
E5532224		1.0	0.35	75	<5	146	0.6	<1	1.59	<0.5	3	10.9	22.8	23.1	2.57
E5532225		0.2	0.12	13	<5	25	<0.5	<1	1.15	<0.5	3	2.5	45.7	4.7	1.19
E5532226		<0.2	0.12	9	<5	34	<0.5	<1	0.81	<0.5	4	1.9	41.1	3.1	0.93
E5532227		<0.2	0.10	7	<5	12	<0.5	<1	0.76	<0.5	4	2.2	41.6	4.2	1.03
E5532228		0.2	0.15	14	<5	160	<0.5	<1	1.41	<0.5	5	3.0	41.2	4.5	1.13
E5532229		<0.2	0.23	10	<5	20	<0.5	<1	0.33	<0.5	8	3.5	52.1	4.7	1.25
E5532230		3.9	0.47	91	<5	645	0.9	<1	0.36	<0.5	6	13.6	26.9	36.7	1.58
E5532231		0.2	0.12	12	<5	116	<0.5	<1	1.82	<0.5	5	3.7	64.9	3.8	1.36
E5532232		0.4	0.38	61	<5	159	0.6	<1	0.98	<0.5	4	9.8	36.7	16.1	1.41
E5532233		<0.2	0.14	12	<5	74	<0.5	<1	1.07	<0.5	4	3.8	49.5	10.2	1.31
E5532234		<0.2	0.19	17	<5	253	<0.5	<1	0.81	<0.5	6	4.6	51.7	11.3	1.70
E5532235		<0.2	0.24	14	<5	482	<0.5	<1	1.13	<0.5	5	5.5	42.7	7.9	1.73

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y642727

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 17, 2012		DATE RECEIVED: Sep 17, 2012				DATE REPORTED: Oct 11, 2012				SAMPLE TYPE: Drill Core					
Sample Description	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:		0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
E5532236		<0.2	0.33	13	<5	73	<0.5	<1	0.61	<0.5	6	5.5	31.5	11.9	2.21
E5532237		0.3	0.20	10	<5	97	<0.5	<1	0.95	<0.5	7	3.8	44.3	3.9	1.57
E5532238		<0.2	0.58	22	<5	91	1.1	<1	0.71	<0.5	18	14.8	12.7	25.5	2.98
E5532239		<0.2	0.51	14	<5	78	1.0	<1	0.40	<0.5	9	18.0	8.9	29.4	3.92
E5532240		<0.2	0.58	168	<5	295	1.2	<1	0.25	<0.5	7	18.3	8.9	32.0	3.69
E5532241		0.7	0.21	154	<5	36	<0.5	<1	4.15	<0.5	8	4.1	15.8	7.2	1.54
E5532242		1.2	0.11	150	<5	10	<0.5	<1	14.2	<0.5	4	3.1	12.6	3.1	0.55
E5532243		1.5	0.18	397	<5	25	<0.5	<1	16.7	<0.5	2	4.0	5.6	4.2	0.90
E5532244		1.0	0.09	939	<5	19	<0.5	<1	17.1	<0.5	2	0.9	4.7	2.0	0.56
E5532245		0.9	0.03	442	<5	10	<0.5	<1	16.3	<0.5	<1	<0.5	4.8	1.0	0.28
E5532246		1.2	0.02	437	<5	9	<0.5	<1	15.1	<0.5	<1	<0.5	3.7	3.2	0.26
E5532247		0.2	0.21	442	<5	3220	<0.5	<1	1.07	<0.5	2	4.8	68.3	36.3	3.10
E5532248		1.4	0.01	2	<5	16	<0.5	<1	18.7	<0.5	<1	0.5	4.7	1.8	0.38
E5532249		1.1	0.02	293	<5	8	<0.5	<1	16.1	<0.5	<1	<0.5	3.6	1.1	0.24
E5532250		1.2	0.02	392	<5	8	<0.5	<1	16.1	<0.5	<1	<0.5	5.1	5.8	0.17
E5532251		1.2	0.02	198	<5	5	<0.5	<1	17.1	<0.5	<1	<0.5	7.7	1.5	0.12
E5532252		1.4	0.02	232	<5	11	<0.5	<1	17.1	<0.5	<1	<0.5	7.2	1.5	0.21
E5532253		0.9	0.04	248	<5	8	<0.5	<1	17.8	<0.5	<1	<0.5	2.9	1.5	0.28
E5532254		1.3	0.03	272	<5	9	<0.5	<1	18.5	<0.5	<1	<0.5	3.0	1.7	0.28
E5532255		1.2	0.08	651	<5	22	<0.5	<1	17.8	<0.5	<1	1.3	3.1	7.6	0.42
E5532256		1.5	0.03	292	<5	6	<0.5	<1	17.5	<0.5	<1	<0.5	5.0	6.1	0.19
E5532257		1.1	0.02	255	<5	8	<0.5	<1	18.3	<0.5	<1	<0.5	2.8	1.6	0.27
E5532258		1.3	0.05	269	<5	8	<0.5	<1	18.2	0.7	<1	<0.5	2.9	1.8	0.44
E5532259		1.3	0.06	474	<5	11	<0.5	<1	17.6	0.9	<1	0.6	4.6	2.9	0.41
E5532260		1.3	0.08	508	<5	12	<0.5	<1	16.7	6.7	1	1.0	3.7	2.9	0.43
E5532261		1.3	0.04	210	<5	5	<0.5	<1	18.0	0.9	<1	<0.5	3.5	1.7	0.35
E5532262		1.4	0.04	270	<5	8	<0.5	<1	18.4	0.6	<1	<0.5	2.2	1.4	0.34
E5532263		1.5	0.08	686	<5	12	<0.5	<1	17.3	<0.5	1	1.2	3.8	3.0	0.81
E5532264		1.2	0.08	813	<5	11	<0.5	<1	18.2	<0.5	2	0.9	3.2	2.8	0.79
E5532265		1.5	0.08	288	<5	8	<0.5	<1	18.6	<0.5	1	0.7	3.0	2.7	0.78
E5532266		0.7	0.13	269	<5	10	<0.5	<1	18.2	<0.5	3	1.7	3.5	5.5	1.15
E5532267		1.4	0.05	144	<5	6	<0.5	<1	18.2	<0.5	2	<0.5	3.0	1.8	0.66

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y642727

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 17, 2012

DATE RECEIVED: Sep 17, 2012

DATE REPORTED: Oct 11, 2012

SAMPLE TYPE: Drill Core

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
E5532268	1.4	0.03	97	<5	7	<0.5	<1	18.6	<0.5	<1	<0.5	1.9	0.9	0.56
E5532269	1.2	0.03	403	<5	40	<0.5	<1	18.2	<0.5	<1	<0.5	2.4	1.1	0.78
E5532270	0.6	0.04	530	<5	8	<0.5	<1	18.0	<0.5	1	0.5	2.9	2.5	1.04
E5532271	1.5	0.12	446	<5	11	<0.5	<1	16.8	<0.5	3	1.2	5.8	5.2	0.97
E5532272	0.6	0.10	216	<5	9	<0.5	<1	17.0	<0.5	2	1.8	3.2	4.0	0.98
E5532273	1.5	0.13	222	<5	9	<0.5	<1	16.6	<0.5	2	1.3	7.0	3.5	0.99
E5532274	1.5	0.09	397	<5	7	<0.5	<1	14.3	<0.5	2	1.0	8.2	7.3	0.90
E5532275	1.1	0.05	>10000	<5	8	<0.5	<1	0.62	<0.5	1	2.2	38.0	3.6	5.34
E5532276	1.2	0.04	4130	<5	12	<0.5	<1	7.64	<0.5	<1	0.9	41.7	2.8	1.12
E5532277	1.4	0.03	5040	<5	4	<0.5	<1	9.33	<0.5	<1	0.6	17.8	1.3	1.05
E5532278	1.1	0.04	>10000	<5	61	<0.5	<1	4.14	<0.5	<1	2.2	62.0	3.0	2.55
E5532279	1.2	0.04	702	<5	12	<0.5	<1	16.0	<0.5	<1	0.7	4.9	2.2	0.72
E5532280	1.2	0.04	539	<5	6	<0.5	<1	16.3	<0.5	1	0.7	12.6	1.4	0.76
E5532281	1.3	0.04	796	<5	23	<0.5	<1	14.8	<0.5	<1	0.6	5.8	1.7	0.64
E5532282	1.4	0.03	498	<5	5	<0.5	<1	16.6	<0.5	<1	<0.5	6.8	1.8	0.53
E5532283	0.9	0.03	>10000	<5	26	<0.5	<1	15.0	<0.5	<1	1.0	8.1	1.4	1.43
E5532284	0.7	0.02	9590	<5	4	<0.5	<1	14.2	<0.5	<1	0.5	12.1	0.9	1.54
E5532285	1.4	0.03	4260	<5	3	<0.5	<1	16.6	<0.5	<1	<0.5	3.7	1.0	0.96
E5532286	1.5	0.01	453	<5	4	<0.5	<1	17.5	<0.5	<1	<0.5	6.3	0.9	0.41
E5532287	0.7	0.15	863	<5	11	<0.5	<1	15.7	<0.5	3	2.2	5.7	5.1	1.36
E5532288	0.5	0.14	632	<5	10	<0.5	<1	15.7	<0.5	3	2.0	6.6	4.5	1.23
E5532289	0.2	0.18	416	<5	2730	<0.5	<1	1.04	<0.5	2	4.5	16.0	32.3	2.91
E5532290	1.4	0.01	6	<5	20	<0.5	<1	18.1	<0.5	<1	<0.5	2.0	1.4	0.38
E5532291	0.7	0.17	805	<5	13	<0.5	<1	15.5	<0.5	3	2.5	5.1	6.8	1.27
E5532292	1.2	0.12	372	<5	8	<0.5	<1	17.0	<0.5	3	1.2	7.0	4.9	0.88
E5532293	1.3	0.14	203	<5	7	<0.5	<1	17.8	<0.5	2	1.0	4.2	4.8	0.80
E5532294	1.3	0.09	155	<5	4	<0.5	<1	17.4	<0.5	2	0.8	3.0	7.2	0.74
E5532295	1.7	0.07	172	<5	4	<0.5	<1	18.0	<0.5	1	<0.5	2.8	3.3	0.71
E5532296	1.6	0.08	130	<5	4	<0.5	<1	17.5	<0.5	1	0.8	2.7	3.8	0.78
E5532297	1.7	0.15	272	<5	6	<0.5	<1	17.7	<0.5	3	0.9	3.2	5.4	0.61
E5532298	0.6	0.06	253	<5	5	<0.5	<1	18.3	<0.5	<1	1.4	8.7	6.1	0.38
E5532299	1.1	0.10	292	<5	6	<0.5	<1	18.5	<0.5	2	0.6	2.9	3.8	0.60

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y642727

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 17, 2012		DATE RECEIVED: Sep 17, 2012					DATE REPORTED: Oct 11, 2012					SAMPLE TYPE: Drill Core			
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
E5532300		1.1	0.09	532	<5	7	<0.5	<1	18.2	<0.5	3	0.6	5.2	4.8	0.46
E5532301		0.5	0.04	323	<5	4	<0.5	<1	18.4	<0.5	<1	<0.5	3.0	2.1	0.21
E5532302		1.5	0.04	183	<5	3	<0.5	<1	18.4	<0.5	<1	<0.5	4.0	1.7	0.35
E5532303		0.6	0.05	789	<5	6	<0.5	<1	18.0	<0.5	1	<0.5	3.0	4.0	0.46
E5532304		0.3	0.04	348	<5	4	<0.5	<1	18.7	<0.5	<1	<0.5	13.1	1.9	0.39
E5532305		1.6	0.04	352	<5	4	<0.5	<1	17.7	<0.5	<1	<0.5	3.4	1.7	0.34
E5532306		1.0	0.03	419	<5	12	<0.5	<1	18.7	<0.5	<1	<0.5	6.3	1.7	0.24
E5532307		1.3	0.02	572	<5	4	<0.5	<1	18.2	3.1	<1	<0.5	3.9	5.9	0.30
E5532308		1.5	0.02	538	<5	4	<0.5	<1	17.6	5.1	<1	<0.5	6.7	10.6	0.23
E5532309		0.9	0.02	263	<5	3	<0.5	<1	18.8	<0.5	<1	<0.5	2.4	2.3	0.16
E5532310		<0.2	0.03	477	<5	5	<0.5	<1	18.1	<0.5	<1	<0.5	5.8	1.8	0.21
E5532311		0.9	0.02	342	<5	3	<0.5	<1	18.6	<0.5	<1	<0.5	5.6	1.1	0.17
E5532312		1.0	0.03	273	<5	4	<0.5	<1	18.6	<0.5	<1	<0.5	3.2	1.6	0.14
E5532313		0.2	0.03	292	<5	4	<0.5	<1	19.0	<0.5	<1	<0.5	3.3	1.7	0.14
E5532314		1.2	0.03	229	<5	5	<0.5	<1	18.4	<0.5	<1	<0.5	9.3	1.6	0.25
E5532315		1.5	0.02	296	<5	38	<0.5	<1	18.1	<0.5	<1	<0.5	3.2	1.9	0.21
E5532316		1.5	0.02	106	<5	4	<0.5	<1	18.7	<0.5	<1	<0.5	7.1	1.1	0.20
E5532317		1.0	0.03	178	<5	5	<0.5	<1	18.6	<0.5	<1	<0.5	2.2	1.3	0.11
E5532318		1.3	0.03	184	<5	5	<0.5	<1	18.4	<0.5	<1	<0.5	4.3	5.3	0.15
E5532319		0.9	0.05	226	<5	5	<0.5	<1	18.1	<0.5	<1	<0.5	2.9	2.6	0.17
E5532320		1.2	0.03	596	<5	4	<0.5	<1	17.7	<0.5	<1	<0.5	5.0	1.8	0.29
E5532321		0.9	0.02	344	<5	4	<0.5	<1	16.2	<0.5	<1	<0.5	7.7	1.5	0.18
E5532322		<0.2	0.04	256	<5	7	<0.5	<1	20.1	<0.5	<1	<0.5	2.5	1.1	0.21
E5532323		1.3	0.07	682	<5	7	<0.5	<1	19.1	<0.5	<1	0.6	3.1	2.4	0.30
E5532324		1.5	0.17	707	<5	8	<0.5	<1	17.1	<0.5	2	1.2	13.7	5.6	0.81
E5532325		0.9	0.14	937	<5	13	<0.5	<1	16.5	<0.5	3	1.0	7.8	5.1	1.14
E5532326		0.5	0.13	742	<5	13	<0.5	<1	17.4	<0.5	2	0.8	14.9	4.8	0.98
E5532327		0.4	0.06	565	<5	5	<0.5	<1	18.4	<0.5	1	0.7	5.7	3.5	0.89
E5532328		0.8	0.06	850	<5	5	<0.5	<1	17.1	<0.5	2	0.7	6.5	<0.5	0.93
E5532329		<0.2	0.18	436	<5	2700	<0.5	<1	1.08	<0.5	2	4.7	17.2	34.6	2.99
E5532330		<0.2	0.02	9	<5	23	<0.5	<1	19.5	<0.5	<1	<0.5	1.7	5.5	0.41
E5532331		0.6	0.08	2120	<5	7	<0.5	<1	16.3	4.0	1	0.8	6.8	5.6	1.47

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y642727

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 17, 2012		DATE RECEIVED: Sep 17, 2012					DATE REPORTED: Oct 11, 2012					SAMPLE TYPE: Drill Core			
Sample Description	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
E5532332		1.2	0.06	923	<5	6	<0.5	<1	17.7	<0.5	<1	0.5	11.8	2.1	0.69
E5532333		0.9	0.06	1220	<5	49	<0.5	<1	19.4	<0.5	<1	0.6	2.7	2.5	0.49
E5532334		1.3	0.06	502	<5	35	<0.5	<1	19.2	<0.5	1	<0.5	5.6	2.8	0.37
E5532335		0.6	0.03	125	<5	19	<0.5	<1	19.1	<0.5	<1	<0.5	2.2	0.8	0.21
E5532336		0.9	0.03	126	<5	22	<0.5	<1	19.2	<0.5	<1	<0.5	3.7	3.7	0.12

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y642727

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 17, 2012		DATE RECEIVED: Sep 17, 2012				DATE REPORTED: Oct 11, 2012				SAMPLE TYPE: Drill Core					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
E5531372		10	<1	<1	0.04	4	2	11.2	1270	0.5	0.02	2.9	340	6.9	<10
E5531373		11	<1	<1	0.02	4	<1	11.4	1070	<0.5	0.01	1.2	382	7.1	<10
E5531374		10	<1	<1	<0.01	4	1	12.0	857	1.4	0.01	0.8	267	7.9	<10
E5531375		9	<1	<1	<0.01	3	<1	12.3	1030	<0.5	0.01	0.7	234	7.9	<10
E5531376		10	<1	<1	0.01	3	<1	12.4	899	<0.5	0.01	1.6	441	9.6	<10
E5531377		10	8	<1	<0.01	3	1	12.0	786	<0.5	0.01	0.8	239	5.0	<10
E5531378		10	1	<1	0.01	3	<1	11.2	1030	<0.5	0.01	1.3	274	7.1	<10
E5531379		10	2	<1	0.01	3	<1	12.3	1000	<0.5	0.01	1.0	258	6.7	<10
E5531380		11	2	<1	0.01	3	1	12.6	796	<0.5	0.01	0.9	390	7.0	<10
E5531381		11	5	<1	0.01	4	1	12.0	889	<0.5	0.01	1.5	291	13.2	<10
E5531382		11	22	<1	<0.01	2	<1	12.4	246	<0.5	<0.01	0.5	173	4.8	<10
E5531383		10	12	<1	<0.01	2	<1	12.1	206	<0.5	<0.01	<0.5	346	4.8	<10
E5531384		9	24	<1	<0.01	2	<1	12.6	243	<0.5	<0.01	<0.5	152	3.4	<10
E5531385		9	7	<1	<0.01	2	<1	12.5	346	<0.5	<0.01	0.8	255	4.9	<10
E5531386		10	4	<1	<0.01	2	<1	12.8	237	<0.5	<0.01	<0.5	179	3.1	<10
E5531387		10	<1	<1	<0.01	2	<1	13.0	439	<0.5	<0.01	<0.5	223	3.7	<10
E5531388		10	2	<1	0.01	2	1	12.0	718	<0.5	<0.01	0.9	288	10.0	<10
E5531389		10	1	1	0.02	3	1	11.3	720	<0.5	<0.01	1.1	358	11.8	<10
E5531390		11	2	<1	0.01	2	1	11.3	741	0.7	<0.01	1.1	311	15.8	<10
E5531391		9	2	<1	0.01	3	1	11.6	702	<0.5	<0.01	1.3	364	9.4	<10
E5531392		10	32	<1	<0.01	2	1	11.1	526	1.0	<0.01	<0.5	194	12.1	<10
E5531393		10	31	1	0.01	3	1	11.3	721	0.7	<0.01	1.9	296	18.2	<10
E5531394		11	2	<1	<0.01	2	1	12.2	793	<0.5	<0.01	0.9	320	7.5	<10
E5531395		10	1	<1	0.02	2	1	11.5	682	<0.5	<0.01	1.0	323	6.4	<10
E5531396		10	2	<1	<0.01	2	1	9.94	462	<0.5	<0.01	0.8	159	438	<10
E5531397		10	39	<1	0.03	3	1	11.8	875	0.7	<0.01	2.8	365	89.1	<10
E5531398		10	2	<1	0.02	2	1	12.1	646	<0.5	<0.01	1.8	356	12.2	<10
E5531399		11	3	<1	0.02	3	1	11.9	690	<0.5	<0.01	1.8	325	12.9	<10
E5531400		10	7	2	0.02	3	2	11.9	634	0.5	<0.01	2.9	652	14.8	<10
E5531401		10	3	<1	0.02	2	1	12.3	554	<0.5	<0.01	1.4	287	6.7	<10
E5531402		10	<1	<1	<0.01	2	1	13.2	399	<0.5	<0.01	0.6	157	4.1	<10
E5531403		10	<1	<1	<0.01	2	1	12.2	428	<0.5	<0.01	<0.5	155	3.3	<10

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y642727

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 17, 2012		DATE RECEIVED: Sep 17, 2012				DATE REPORTED: Oct 11, 2012				SAMPLE TYPE: Drill Core					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
E5531404		11	<1	1	0.07	3	3	10.4	731	<0.5	<0.01	3.7	212	7.6	10
E5531405		10	<1	<1	<0.01	2	1	10.4	1150	<0.5	<0.01	<0.5	112	1.6	<10
E5531406		11	1	<1	0.08	3	4	10.2	712	<0.5	<0.01	4.8	210	8.8	10
E5531407		<5	2	3	0.07	1	2	0.04	49	15.3	0.01	10.9	46	10.9	<10
E5531408		9	<1	<1	0.01	2	1	13.1	209	0.6	<0.01	1.2	159	3.3	<10
E5531409		10	<1	<1	0.01	2	1	9.84	1180	<0.5	<0.01	0.6	127	2.6	<10
E5532210		10	1	1	0.07	2	2	5.10	797	0.7	<0.01	4.7	342	10.8	<10
E5532211		7	4	<1	0.36	2	2	0.51	189	16.4	<0.01	33.1	110	32.5	21
E5532212		9	2	1	0.20	2	1	2.44	435	<0.5	<0.01	15.9	217	16.4	18
E5532213		9	<1	<1	0.12	1	3	1.46	371	0.8	<0.01	7.1	509	12.0	<10
E5532214		8	<1	<1	0.14	1	2	0.75	206	0.9	<0.01	17.6	140	21.0	<10
E5532215		8	1	<1	0.27	1	3	0.70	222	0.8	<0.01	22.7	126	23.1	19
E5532216		8	<1	1	0.06	<1	1	1.06	240	1.2	<0.01	4.8	123	3.2	<10
E5532217		8	<1	<1	0.11	<1	<1	1.02	242	1.7	<0.01	5.3	116	3.8	<10
E5532218		6	<1	<1	0.08	2	<1	0.48	405	0.8	<0.01	5.2	484	8.7	<10
E5532219		6	<1	1	0.11	1	<1	0.45	190	1.1	<0.01	8.1	216	14.4	<10
E5532220		7	<1	<1	0.06	2	<1	0.42	375	0.8	<0.01	4.0	317	8.0	<10
E5532221		9	<1	2	0.18	1	1	1.13	350	0.6	<0.01	15.3	164	21.5	15
E5532222		6	<1	<1	0.09	<1	1	0.63	191	3.0	<0.01	6.7	153	5.7	<10
E5532223		8	<1	<1	0.21	1	4	0.96	350	3.3	<0.01	17.6	184	12.9	15
E5532224		8	<1	<1	0.18	1	4	0.87	284	1.2	<0.01	20.5	220	11.8	11
E5532225		7	<1	<1	0.06	1	2	0.48	320	2.0	<0.01	5.0	18	6.4	<10
E5532226		<5	<1	<1	0.06	2	2	0.33	254	1.8	<0.01	4.3	20	6.9	<10
E5532227		<5	<1	<1	0.05	2	1	0.33	243	1.8	<0.01	4.2	14	4.9	<10
E5532228		<5	<1	<1	0.07	2	3	0.40	205	1.8	<0.01	5.7	32	6.2	<10
E5532229		<5	<1	<1	0.10	3	4	0.23	166	2.3	<0.01	6.9	24	5.8	<10
E5532230		5	<1	1	0.25	2	5	0.31	108	4.6	0.01	18.6	60	17.3	17
E5532231		7	<1	<1	0.06	2	3	0.66	558	3.2	<0.01	6.4	18	4.7	<10
E5532232		7	<1	<1	0.21	2	8	0.41	251	1.8	0.01	14.0	20	8.3	15
E5532233		5	<1	<1	0.07	2	4	0.45	273	2.6	<0.01	6.5	19	3.5	<10
E5532234		6	<1	<1	0.09	2	5	0.45	174	2.3	<0.01	7.7	18	3.3	<10
E5532235		7	<1	<1	0.11	2	8	0.52	299	1.8	<0.01	9.2	21	4.0	<10

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y642727

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 17, 2012		DATE RECEIVED: Sep 17, 2012				DATE REPORTED: Oct 11, 2012				SAMPLE TYPE: Drill Core					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
E5532236		6	<1	1	0.16	3	8	0.48	133	1.4	0.01	10.7	20	4.7	<10
E5532237		6	<1	2	0.10	3	5	0.50	211	1.5	<0.01	7.2	22	6.3	<10
E5532238		8	<1	1	0.29	5	7	0.71	163	<0.5	0.02	26.8	910	13.5	24
E5532239		8	<1	1	0.27	3	7	0.85	281	<0.5	0.02	26.6	263	6.7	23
E5532240		8	<1	2	0.30	3	9	0.79	209	<0.5	0.03	28.9	89	18.6	26
E5532241		9	<1	<1	0.08	3	1	2.54	639	0.5	<0.01	7.0	149	5.3	<10
E5532242		9	<1	<1	0.04	3	1	8.87	519	<0.5	0.01	3.4	458	4.0	<10
E5532243		11	1	<1	0.08	3	2	10.9	1000	<0.5	0.01	3.8	297	10.7	<10
E5532244		9	2	<1	0.02	3	<1	11.4	645	<0.5	0.01	1.4	265	10.6	<10
E5532245		9	<1	<1	<0.01	2	<1	11.0	248	0.5	<0.01	<0.5	92	4.3	<10
E5532246		8	<1	<1	<0.01	2	<1	10.0	243	<0.5	<0.01	<0.5	90	3.2	<10
E5532247		<5	2	4	0.08	2	2	0.05	59	15.9	0.01	12.2	53	15.3	<10
E5532248		12	<1	<1	<0.01	2	<1	12.4	219	<0.5	<0.01	1.2	151	3.3	<10
E5532249		9	<1	<1	<0.01	2	<1	11.0	261	<0.5	<0.01	<0.5	94	4.9	<10
E5532250		10	<1	<1	<0.01	2	<1	10.9	174	0.7	0.01	<0.5	94	3.8	<10
E5532251		10	<1	<1	<0.01	2	<1	11.6	178	0.7	0.01	<0.5	95	2.4	<10
E5532252		10	<1	<1	<0.01	2	<1	12.0	303	<0.5	0.01	<0.5	111	2.1	<10
E5532253		11	<1	<1	0.01	2	<1	12.2	417	<0.5	0.01	0.6	109	6.5	<10
E5532254		10	2	<1	<0.01	3	<1	12.8	403	<0.5	0.01	0.7	159	7.9	<10
E5532255		10	6	<1	0.02	2	<1	12.2	534	<0.5	0.01	1.5	191	20.6	<10
E5532256		10	2	<1	<0.01	2	<1	12.1	389	0.8	0.01	<0.5	149	6.5	<10
E5532257		10	1	<1	<0.01	2	<1	12.6	486	<0.5	0.01	<0.5	157	4.5	<10
E5532258		12	<1	<1	0.01	2	<1	12.3	701	<0.5	0.01	0.7	252	35.3	<10
E5532259		10	<1	<1	0.02	3	<1	12.0	611	0.6	0.01	1.1	249	15.7	<10
E5532260		10	2	<1	0.03	3	1	11.3	588	<0.5	0.01	1.1	242	46.6	<10
E5532261		11	<1	<1	0.01	2	<1	12.3	655	0.7	0.01	0.8	255	10.8	<10
E5532262		9	<1	<1	<0.01	2	<1	12.5	785	<0.5	0.01	0.6	248	9.0	<10
E5532263		11	2	<1	0.03	3	<1	11.6	911	<0.5	0.01	1.4	221	6.7	<10
E5532264		11	1	<1	0.02	3	<1	12.1	943	<0.5	0.01	1.2	339	7.8	<10
E5532265		11	<1	<1	0.02	3	<1	12.0	897	<0.5	0.01	1.2	228	8.7	<10
E5532266		11	1	<1	0.05	4	<1	12.1	1160	<0.5	0.01	2.8	497	13.8	<10
E5532267		10	<1	<1	0.01	3	<1	12.3	1010	<0.5	0.01	1.0	487	6.6	<10

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y642727

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 17, 2012		DATE RECEIVED: Sep 17, 2012				DATE REPORTED: Oct 11, 2012				SAMPLE TYPE: Drill Core					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
E5532268		11	<1	<1	<0.01	3	<1	12.6	877	<0.5	0.01	<0.5	298	5.1	<10
E5532269		11	<1	<1	<0.01	2	<1	11.9	1030	<0.5	0.01	<0.5	236	6.6	<10
E5532270		12	<1	<1	0.01	3	<1	11.7	1140	<0.5	<0.01	1.3	411	20.3	<10
E5532271		11	2	<1	0.05	4	<1	11.0	944	<0.5	0.01	3.2	474	179	<10
E5532272		10	1	<1	0.04	4	1	11.4	1190	1.2	0.01	2.4	394	12.3	<10
E5532273		11	2	<1	0.06	3	<1	10.9	1140	<0.5	0.01	2.5	384	14.1	<10
E5532274		10	2	<1	0.04	2	<1	9.09	1010	1.1	<0.01	1.8	334	10.8	<10
E5532275		<5	42	<1	0.03	<1	<1	0.32	72	0.8	<0.01	3.6	331	86.6	<10
E5532276		10	8	<1	0.02	<1	<1	4.54	560	0.7	<0.01	2.1	356	23.5	<10
E5532277		10	7	<1	0.01	1	<1	5.97	613	0.7	<0.01	1.3	172	23.3	<10
E5532278		10	22	<1	0.02	<1	<1	2.38	299	1.2	<0.01	3.2	292	141	<10
E5532279		9	4	<1	0.01	2	<1	10.5	762	<0.5	0.01	1.8	287	16.5	<10
E5532280		11	1	<1	0.01	3	<1	10.8	994	<0.5	0.01	1.1	529	15.3	<10
E5532281		9	3	1	0.01	2	<1	10.0	813	<0.5	<0.01	1.1	420	16.5	<10
E5532282		11	1	<1	<0.01	2	<1	11.3	795	<0.5	0.01	0.5	320	10.1	<10
E5532283		12	7	<1	<0.01	2	<1	9.73	849	<0.5	0.01	1.4	685	29.8	<10
E5532284		9	9	1	<0.01	2	<1	9.19	941	<0.5	<0.01	1.0	458	19.2	<10
E5532285		10	5	<1	<0.01	2	<1	10.9	854	<0.5	0.01	0.9	347	12.4	<10
E5532286		10	<1	<1	<0.01	3	<1	11.8	629	0.6	0.01	<0.5	101	4.1	<10
E5532287		12	6	<1	0.07	3	1	10.4	1490	<0.5	0.01	3.7	270	19.6	<10
E5532288		10	5	<1	0.06	3	<1	10.4	1440	0.5	0.01	3.2	233	13.2	<10
E5532289		<5	2	3	0.07	1	2	0.04	47	14.2	0.01	10.1	44	9.6	<10
E5532290		12	<1	<1	<0.01	2	<1	12.2	213	0.6	<0.01	1.3	167	2.6	<10
E5532291		11	5	1	0.08	3	1	10.2	1360	<0.5	0.01	4.5	319	14.2	<10
E5532292		11	4	<1	0.05	4	<1	11.2	1050	<0.5	0.01	2.9	307	11.4	<10
E5532293		11	2	<1	0.05	3	1	11.9	997	<0.5	0.02	2.3	313	9.2	<10
E5532294		10	<1	<1	0.03	3	<1	11.8	965	<0.5	0.02	1.8	278	6.5	<10
E5532295		10	<1	<1	0.02	3	<1	12.2	909	<0.5	0.02	1.1	311	7.3	<10
E5532296		11	<1	<1	0.02	3	<1	12.0	1010	<0.5	0.02	1.3	312	8.9	<10
E5532297		11	1	<1	0.05	4	1	11.9	709	<0.5	0.02	2.1	581	14.8	<10
E5532298		9	<1	1	0.02	3	<1	12.4	661	<0.5	0.02	1.2	257	7.2	<10
E5532299		11	<1	<1	0.03	4	1	12.0	785	<0.5	0.02	2.0	247	8.1	<10

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y642727

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 17, 2012		DATE RECEIVED: Sep 17, 2012				DATE REPORTED: Oct 11, 2012				SAMPLE TYPE: Drill Core					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
E5532300		10	1	<1	0.04	4	<1	12.3	453	<0.5	0.02	1.9	227	10.9	<10
E5532301		10	<1	<1	0.01	3	<1	12.7	234	1.0	0.01	0.7	411	7.1	<10
E5532302		10	<1	<1	0.01	2	<1	12.7	509	<0.5	0.01	0.6	258	4.6	<10
E5532303		12	<1	<1	0.01	3	<1	12.6	761	<0.5	0.01	0.6	476	5.9	<10
E5532304		10	<1	<1	0.01	3	<1	12.6	590	0.5	0.01	0.6	390	5.5	<10
E5532305		9	<1	<1	0.01	3	<1	12.3	527	<0.5	0.01	0.6	322	5.7	<10
E5532306		10	<1	<1	<0.01	3	<1	12.7	309	<0.5	0.01	0.7	207	11.6	<10
E5532307		9	17	<1	<0.01	2	<1	12.6	389	0.6	0.01	<0.5	125	6.0	<10
E5532308		11	23	<1	<0.01	2	<1	12.3	232	<0.5	0.01	<0.5	157	15.6	<10
E5532309		9	<1	<1	<0.01	2	<1	12.9	194	<0.5	0.01	<0.5	166	13.1	<10
E5532310		11	<1	<1	<0.01	3	<1	12.4	240	<0.5	0.01	<0.5	230	6.5	<10
E5532311		9	<1	<1	<0.01	2	<1	12.7	194	<0.5	0.01	<0.5	152	4.9	<10
E5532312		10	<1	<1	<0.01	2	<1	12.6	137	<0.5	0.01	0.6	279	10.9	<10
E5532313		10	<1	<1	<0.01	2	<1	13.3	144	0.6	0.01	<0.5	296	11.4	<10
E5532314		10	<1	<1	<0.01	2	<1	12.7	335	<0.5	0.01	<0.5	170	5.6	<10
E5532315		11	<1	<1	<0.01	2	<1	12.6	241	<0.5	<0.01	<0.5	172	6.5	<10
E5532316		11	<1	<1	<0.01	2	<1	12.8	311	0.6	0.01	<0.5	155	3.7	<10
E5532317		9	<1	<1	<0.01	2	<1	12.8	150	0.5	0.01	<0.5	224	3.8	<10
E5532318		10	<1	<1	<0.01	2	<1	12.9	180	0.8	0.01	<0.5	208	12.8	<10
E5532319		10	<1	<1	0.01	2	<1	12.1	177	<0.5	0.01	0.5	294	11.0	<10
E5532320		11	<1	<1	<0.01	2	<1	12.0	254	0.6	0.01	<0.5	274	23.8	<10
E5532321		10	<1	<1	<0.01	2	<1	11.1	178	<0.5	<0.01	<0.5	160	4.5	<10
E5532322		11	<1	<1	<0.01	2	<1	10.5	288	<0.5	<0.01	<0.5	157	4.7	<10
E5532323		10	4	<1	<0.01	2	<1	11.4	269	<0.5	0.01	0.6	182	37.5	<10
E5532324		11	1	<1	0.06	3	1	11.2	810	<0.5	0.01	3.1	283	20.1	<10
E5532325		9	<1	<1	0.05	3	1	10.7	1110	<0.5	0.01	3.5	542	25.2	<10
E5532326		11	2	<1	0.04	3	<1	11.5	1050	<0.5	0.01	3.8	476	18.0	<10
E5532327		10	2	<1	0.01	3	<1	12.1	1090	<0.5	0.01	1.4	478	37.0	<10
E5532328		11	3	<1	0.01	3	<1	11.4	1160	<0.5	0.01	1.9	732	38.8	<10
E5532329		<5	2	3	0.07	1	2	0.04	49	14.8	0.01	10.9	47	10.7	<10
E5532330		10	<1	<1	0.01	2	<1	12.7	216	<0.5	<0.01	1.2	132	5.3	<10
E5532331		11	19	<1	0.02	2	<1	10.4	1110	0.5	0.01	2.4	330	652	<10

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y642727

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 17, 2012

DATE RECEIVED: Sep 17, 2012

DATE REPORTED: Oct 11, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
	Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
E5532332		10	1	<1	0.01	2	<1	11.9	878	<0.5	0.01	1.6	485	25.1	<10
E5532333		12	4	<1	<0.01	3	1	12.7	672	<0.5	<0.01	0.7	302	26.2	<10
E5532334		11	<1	<1	<0.01	3	<1	12.9	696	<0.5	<0.01	1.2	334	8.0	<10
E5532335		11	<1	<1	<0.01	2	<1	13.0	400	<0.5	<0.01	<0.5	173	3.5	<10
E5532336		8	<1	<1	<0.01	2	<1	13.3	179	0.7	<0.01	<0.5	188	2.6	<10

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y642727

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 17, 2012

DATE RECEIVED: Sep 17, 2012

DATE REPORTED: Oct 11, 2012

SAMPLE TYPE: Drill Core

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
E5531372	0.253	1	0.9	<10	<5	31.3	<10	<10	<5	<0.01	0.31	<5	8.5	<1
E5531373	0.083	3	<0.5	<10	<5	70.8	<10	<10	<5	<0.01	0.17	<5	7.2	<1
E5531374	0.214	4	<0.5	<10	<5	31.2	<10	<10	<5	<0.01	0.14	<5	6.5	<1
E5531375	0.482	5	<0.5	<10	<5	35.8	<10	<10	<5	<0.01	0.13	<5	7.1	<1
E5531376	0.527	3	<0.5	<10	<5	35.8	<10	<10	<5	<0.01	0.19	<5	7.2	<1
E5531377	0.341	4	<0.5	<10	<5	41.3	<10	<10	<5	<0.01	0.21	<5	6.3	<1
E5531378	0.555	4	<0.5	<10	<5	36.9	<10	<10	<5	<0.01	0.16	<5	6.1	<1
E5531379	0.142	5	<0.5	<10	<5	30.1	<10	<10	<5	<0.01	0.20	<5	7.0	<1
E5531380	0.026	4	<0.5	<10	<5	54.7	<10	<10	<5	<0.01	0.23	<5	8.1	<1
E5531381	0.020	10	<0.5	<10	<5	70.9	<10	<10	<5	<0.01	0.81	<5	8.2	<1
E5531382	<0.005	4	<0.5	<10	<5	48.7	<10	<10	<5	<0.01	0.25	<5	6.5	<1
E5531383	0.008	3	<0.5	<10	<5	62.5	<10	<10	<5	<0.01	0.42	<5	7.0	<1
E5531384	0.006	<1	<0.5	<10	<5	62.2	<10	<10	<5	<0.01	0.38	<5	6.5	<1
E5531385	0.007	2	<0.5	<10	<5	52.8	<10	<10	<5	<0.01	0.34	<5	6.9	<1
E5531386	<0.005	2	<0.5	<10	<5	43.3	<10	<10	<5	<0.01	0.16	<5	7.7	<1
E5531387	0.029	3	<0.5	<10	<5	62.2	<10	<10	<5	<0.01	0.09	<5	7.1	<1
E5531388	0.055	3	<0.5	<10	<5	101	<10	<10	<5	<0.01	0.22	<5	7.7	<1
E5531389	0.358	2	<0.5	<10	<5	92.1	<10	<10	<5	<0.01	0.17	<5	7.7	<1
E5531390	0.741	6	<0.5	<10	<5	110	<10	<10	<5	<0.01	0.33	<5	7.3	<1
E5531391	0.918	5	<0.5	<10	<5	97.0	<10	<10	<5	<0.01	0.20	<5	7.3	<1
E5531392	0.583	5	<0.5	<10	<5	119	<10	<10	<5	<0.01	0.10	<5	6.3	<1
E5531393	0.977	6	<0.5	<10	<5	129	<10	<10	<5	<0.01	0.26	<5	8.6	<1
E5531394	0.498	3	<0.5	<10	<5	102	<10	<10	<5	<0.01	0.14	<5	7.5	<1
E5531395	0.177	2	<0.5	<10	<5	85.4	<10	<10	<5	<0.01	0.13	<5	6.7	<1
E5531396	0.119	32	<0.5	<10	<5	91.4	<10	<10	<5	<0.01	1.11	<5	5.4	<1
E5531397	0.571	12	0.9	<10	<5	113	<10	<10	<5	<0.01	0.96	<5	9.3	<1
E5531398	0.018	6	0.5	<10	<5	110	<10	<10	<5	<0.01	0.40	<5	8.9	<1
E5531399	0.016	3	0.8	<10	<5	102	<10	<10	<5	<0.01	0.51	<5	9.6	<1
E5531400	0.012	4	<0.5	<10	<5	142	<10	<10	<5	<0.01	0.59	<5	8.4	<1
E5531401	0.008	2	<0.5	<10	<5	125	<10	<10	<5	<0.01	0.25	<5	8.0	<1
E5531402	0.006	2	<0.5	<10	<5	82.0	<10	<10	<5	<0.01	0.15	<5	7.1	<1
E5531403	0.006	2	<0.5	<10	<5	90.8	<10	<10	<5	<0.01	0.23	<5	6.8	<1

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y642727

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 17, 2012

DATE RECEIVED: Sep 17, 2012

DATE REPORTED: Oct 11, 2012

SAMPLE TYPE: Drill Core

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
E5531404	0.019	3	0.9	<10	<5	142	<10	<10	<5	<0.01	0.43	<5	8.5	<1
E5531405	0.111	4	<0.5	<10	<5	54.9	<10	<10	<5	<0.01	0.55	<5	4.5	<1
E5531406	0.024	4	1.2	<10	<5	146	<10	<10	<5	<0.01	0.43	<5	9.3	<1
E5531407	0.178	27	<0.5	<10	<5	34.4	<10	<10	<5	0.01	12.8	<5	8.7	37
E5531408	<0.005	<1	<0.5	<10	<5	30.1	<10	<10	<5	<0.01	0.01	<5	8.5	<1
E5531409	0.287	3	<0.5	<10	<5	52.1	<10	<10	<5	<0.01	0.35	<5	4.5	<1
E5532210	0.625	5	1.0	<10	<5	174	<10	<10	<5	<0.01	0.49	<5	0.6	<1
E5532211	2.84	6	3.7	<10	<5	20.7	<10	<10	<5	<0.01	0.72	<5	2.0	31
E5532212	1.43	3	2.4	<10	<5	86.4	<10	<10	<5	<0.01	0.36	<5	<0.5	<1
E5532213	0.900	2	1.4	<10	<5	75.5	<10	<10	<5	<0.01	0.23	<5	<0.5	<1
E5532214	1.66	3	3.1	<10	<5	30.3	<10	<10	<5	<0.01	0.28	<5	<0.5	<1
E5532215	2.14	3	3.7	<10	<5	36.0	<10	<10	<5	<0.01	0.25	<5	0.6	1
E5532216	0.478	2	1.0	<10	<5	22.5	<10	<10	<5	<0.01	0.26	<5	<0.5	<1
E5532217	0.467	1	0.8	<10	<5	13.7	<10	<10	<5	<0.01	0.07	<5	<0.5	<1
E5532218	0.683	1	1.4	<10	<5	199	<10	<10	<5	<0.01	0.08	<5	<0.5	<1
E5532219	1.25	3	1.7	<10	<5	95.3	<10	<10	<5	<0.01	0.09	<5	<0.5	<1
E5532220	0.554	2	1.0	<10	<5	252	<10	<10	<5	<0.01	0.07	<5	<0.5	<1
E5532221	1.33	<1	3.3	<10	<5	178	<10	<10	<5	<0.01	0.17	<5	<0.5	<1
E5532222	0.233	2	1.4	<10	<5	19.6	<10	<10	<5	<0.01	0.06	<5	<0.5	3
E5532223	0.649	<1	2.5	<10	<5	117	<10	<10	<5	<0.01	0.12	<5	<0.5	5
E5532224	0.306	1	3.1	<10	<5	64.7	<10	<10	<5	<0.01	0.12	<5	1.6	2
E5532225	0.072	2	<0.5	<10	<5	21.0	<10	<10	<5	<0.01	0.04	<5	<0.5	<1
E5532226	0.054	1	<0.5	<10	<5	16.4	<10	<10	<5	<0.01	0.03	<5	<0.5	<1
E5532227	0.053	1	<0.5	<10	<5	15.0	<10	<10	<5	<0.01	0.03	<5	<0.5	<1
E5532228	0.104	<1	<0.5	<10	<5	20.2	<10	<10	<5	<0.01	0.05	<5	<0.5	<1
E5532229	0.083	<1	<0.5	<10	<5	14.9	<10	<10	<5	<0.01	0.05	<5	<0.5	<1
E5532230	0.339	<1	1.6	<10	<5	35.2	<10	<10	<5	<0.01	0.11	<5	2.5	7
E5532231	0.080	1	<0.5	<10	<5	32.8	<10	<10	<5	<0.01	0.03	<5	<0.5	<1
E5532232	0.299	<1	1.1	<10	<5	31.6	<10	<10	<5	<0.01	0.09	<5	<0.5	<1
E5532233	0.057	1	1.1	<10	<5	25.2	<10	<10	<5	<0.01	0.03	<5	<0.5	<1
E5532234	0.055	1	0.9	<10	<5	26.6	<10	<10	<5	<0.01	0.03	<5	<0.5	<1
E5532235	0.092	1	0.9	<10	<5	29.3	<10	<10	<5	<0.01	0.05	<5	<0.5	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y642727

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 17, 2012

DATE RECEIVED: Sep 17, 2012

DATE REPORTED: Oct 11, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
E5532236		0.077	<1	1.0	<10	<5	23.6	<10	<10	<5	<0.01	0.05	<5	0.7	<1
E5532237		0.048	1	0.9	<10	<5	22.7	<10	<10	<5	<0.01	0.03	<5	<0.5	<1
E5532238		0.327	<1	3.3	<10	<5	39.7	<10	<10	<5	<0.01	0.12	<5	2.9	<1
E5532239		0.262	<1	3.8	<10	<5	27.1	<10	<10	<5	<0.01	0.11	<5	4.3	<1
E5532240		0.321	<1	4.4	<10	<5	36.9	<10	<10	<5	<0.01	0.14	<5	5.0	<1
E5532241		0.018	2	1.2	<10	<5	4.3	<10	<10	<5	<0.01	0.11	<5	<0.5	<1
E5532242		0.014	3	0.6	<10	<5	28.2	<10	<10	<5	<0.01	0.10	<5	3.8	<1
E5532243		0.023	7	0.8	<10	<5	38.3	<10	<10	<5	<0.01	0.23	<5	7.8	<1
E5532244		0.011	6	<0.5	<10	<5	30.8	<10	<10	<5	<0.01	0.15	<5	6.5	<1
E5532245		0.006	3	<0.5	<10	<5	29.7	<10	<10	<5	<0.01	0.08	<5	5.0	<1
E5532246		0.005	1	<0.5	<10	<5	27.2	<10	<10	<5	<0.01	0.07	<5	3.7	<1
E5532247		0.202	34	<0.5	<10	<5	42.2	<10	<10	<5	0.01	13.0	<5	9.5	35
E5532248		0.006	1	<0.5	<10	<5	25.5	<10	<10	<5	<0.01	0.01	<5	6.9	<1
E5532249		0.006	2	<0.5	<10	<5	25.6	<10	<10	<5	<0.01	0.07	<5	4.7	<1
E5532250		0.006	3	<0.5	<10	<5	13.4	<10	<10	<5	<0.01	0.08	<5	4.1	<1
E5532251		0.006	3	<0.5	<10	<5	10.4	<10	<10	<5	<0.01	0.04	<5	5.3	<1
E5532252		0.007	3	<0.5	<10	<5	10.3	<10	<10	<5	<0.01	0.03	<5	5.4	<1
E5532253		0.012	6	<0.5	<10	<5	19.5	<10	<10	<5	<0.01	0.04	<5	6.5	<1
E5532254		0.016	7	<0.5	<10	<5	20.9	<10	<10	<5	<0.01	0.05	<5	7.3	<1
E5532255		0.008	16	<0.5	<10	<5	20.4	<10	<10	<5	<0.01	0.13	<5	6.7	<1
E5532256		0.009	4	<0.5	<10	<5	18.6	<10	<10	<5	<0.01	0.04	<5	6.0	<1
E5532257		0.008	4	<0.5	<10	<5	21.7	<10	<10	<5	<0.01	0.06	<5	6.7	<1
E5532258		0.009	8	<0.5	<10	<5	23.3	<10	<10	<5	<0.01	0.08	<5	6.5	<1
E5532259		0.011	20	<0.5	<10	<5	36.5	<10	<10	<5	<0.01	0.12	<5	6.6	<1
E5532260		0.017	19	<0.5	<10	<5	30.1	<10	<10	<5	<0.01	0.17	<5	5.9	<1
E5532261		0.011	11	<0.5	<10	<5	24.0	<10	<10	<5	<0.01	0.08	<5	6.4	<1
E5532262		0.008	8	<0.5	<10	<5	32.1	<10	<10	<5	<0.01	0.11	<5	6.3	<1
E5532263		0.010	9	<0.5	<10	<5	45.0	<10	<10	<5	<0.01	0.33	<5	7.2	<1
E5532264		0.009	10	0.6	<10	<5	35.1	<10	<10	<5	<0.01	0.33	<5	7.4	<1
E5532265		0.011	3	<0.5	<10	<5	39.4	<10	<10	<5	<0.01	0.16	<5	7.0	<1
E5532266		0.015	7	0.8	<10	<5	42.0	<10	<10	<5	<0.01	0.30	<5	8.5	<1
E5532267		0.019	3	<0.5	<10	<5	30.2	<10	<10	<5	<0.01	0.12	<5	6.8	<1

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y642727

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 17, 2012		DATE RECEIVED: Sep 17, 2012					DATE REPORTED: Oct 11, 2012					SAMPLE TYPE: Drill Core			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
E5532268		0.012	4	<0.5	<10	<5	23.7	<10	<10	<5	<0.01	0.04	<5	6.4	<1
E5532269		0.028	5	<0.5	<10	<5	25.5	<10	<10	<5	<0.01	0.15	<5	6.1	<1
E5532270		0.043	10	<0.5	<10	<5	35.4	<10	<10	<5	<0.01	0.37	<5	6.2	<1
E5532271		0.089	43	0.8	<10	<5	31.5	<10	<10	<5	<0.01	0.63	<5	6.1	<1
E5532272		0.060	9	0.9	<10	<5	25.7	<10	<10	<5	<0.01	0.44	<5	7.4	<1
E5532273		0.148	14	1.1	<10	<5	25.8	<10	<10	<5	<0.01	0.59	<5	6.9	<1
E5532274		0.099	21	0.7	<10	<5	20.7	<10	<10	<5	<0.01	0.61	<5	4.4	<1
E5532275		3.93	326	<0.5	<10	<5	5.7	<10	<10	6	<0.01	13.7	7	<0.5	<1
E5532276		0.578	72	<0.5	<10	<5	10.7	<10	<10	<5	<0.01	2.90	<5	<0.5	<1
E5532277		0.437	57	<0.5	<10	<5	13.5	<10	<10	<5	<0.01	2.34	<5	<0.5	<1
E5532278		1.76	170	<0.5	<10	<5	6.7	<10	<10	<5	<0.01	7.43	<5	<0.5	<1
E5532279		0.230	22	<0.5	<10	<5	13.0	<10	<10	<5	<0.01	1.56	<5	4.9	<1
E5532280		0.050	11	0.7	<10	<5	12.9	<10	<10	<5	<0.01	0.57	<5	5.5	<1
E5532281		0.103	16	0.5	<10	<5	13.4	<10	<10	<5	<0.01	0.82	<5	4.6	<1
E5532282		0.017	7	<0.5	<10	<5	19.8	<10	<10	<5	<0.01	0.28	<5	5.3	<1
E5532283		0.520	32	0.6	<10	<5	20.2	<10	<10	<5	<0.01	2.45	<5	4.0	<1
E5532284		0.668	40	0.7	<10	<5	14.2	<10	<10	<5	<0.01	3.22	<5	4.6	<1
E5532285		0.416	26	<0.5	<10	<5	15.4	<10	<10	<5	<0.01	1.83	<5	5.6	<1
E5532286		0.023	3	<0.5	<10	<5	13.6	<10	<10	<5	<0.01	0.13	<5	5.1	<1
E5532287		0.054	34	1.7	<10	<5	15.3	<10	<10	<5	<0.01	1.56	<5	7.9	<1
E5532288		0.061	25	1.5	<10	<5	14.6	<10	<10	<5	<0.01	1.04	<5	7.4	<1
E5532289		0.166	25	<0.5	<10	<5	33.7	<10	<10	<5	0.01	13.3	<5	8.2	34
E5532290		0.016	<1	<0.5	<10	<5	23.9	<10	<10	<5	<0.01	0.02	<5	6.1	<1
E5532291		0.207	24	1.9	<10	<5	16.1	<10	<10	<5	<0.01	1.54	<5	8.1	<1
E5532292		0.032	16	1.1	<10	<5	22.6	<10	<10	<5	<0.01	0.83	<5	7.0	<1
E5532293		0.017	12	0.9	<10	<5	20.9	<10	<10	5	<0.01	0.42	<5	7.8	<1
E5532294		0.019	6	<0.5	<10	<5	17.4	<10	<10	<5	<0.01	0.29	<5	7.2	<1
E5532295		0.018	7	<0.5	<10	<5	17.5	<10	<10	<5	<0.01	0.22	<5	6.9	<1
E5532296		0.021	4	<0.5	<10	<5	19.5	<10	<10	<5	<0.01	0.14	<5	6.9	<1
E5532297		0.023	6	0.5	<10	<5	36.3	<10	<10	<5	<0.01	0.29	<5	7.2	<1
E5532298		0.010	3	<0.5	<10	<5	23.3	<10	<10	<5	<0.01	0.11	<5	7.0	<1
E5532299		0.015	6	0.7	<10	<5	32.2	<10	<10	<5	<0.01	0.19	<5	7.3	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y642727

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 17, 2012		DATE RECEIVED: Sep 17, 2012					DATE REPORTED: Oct 11, 2012					SAMPLE TYPE: Drill Core			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
E5532300		0.016	9	0.6	<10	<5	29.0	<10	<10	<5	<0.01	0.21	<5	8.2	<1
E5532301		0.007	4	<0.5	<10	<5	32.7	<10	<10	<5	<0.01	0.13	<5	7.7	<1
E5532302		0.005	4	<0.5	<10	<5	33.0	<10	<10	<5	<0.01	0.09	<5	6.6	<1
E5532303		0.011	5	<0.5	<10	<5	26.5	<10	<10	<5	<0.01	0.22	<5	6.9	<1
E5532304		0.011	4	<0.5	<10	<5	27.7	<10	<10	<5	<0.01	0.13	<5	6.8	<1
E5532305		0.009	5	<0.5	<10	<5	27.8	<10	<10	<5	<0.01	0.13	<5	6.1	<1
E5532306		0.007	4	<0.5	<10	<5	27.0	<10	<10	<5	<0.01	0.13	<5	7.1	<1
E5532307		0.006	5	<0.5	<10	<5	22.6	<10	<10	<5	<0.01	0.08	<5	6.9	<1
E5532308		0.015	3	<0.5	<10	<5	24.2	<10	<10	<5	<0.01	0.13	<5	5.5	<1
E5532309		0.006	3	<0.5	<10	<5	28.5	<10	<10	<5	<0.01	0.09	<5	6.6	<1
E5532310		0.008	4	<0.5	<10	<5	38.7	<10	<10	<5	<0.01	0.15	<5	6.8	<1
E5532311		<0.005	4	<0.5	<10	<5	22.6	<10	<10	<5	<0.01	0.11	<5	6.2	<1
E5532312		0.007	5	<0.5	<10	<5	31.5	<10	<10	<5	<0.01	0.10	<5	6.8	<1
E5532313		0.008	5	<0.5	<10	<5	31.4	<10	<10	<5	<0.01	0.10	<5	7.2	<1
E5532314		0.006	3	<0.5	<10	<5	22.9	<10	<10	<5	<0.01	0.08	<5	6.4	<1
E5532315		0.007	3	<0.5	<10	<5	34.7	<10	<10	<5	<0.01	0.10	<5	6.9	<1
E5532316		0.007	2	<0.5	<10	<5	18.8	<10	<10	<5	<0.01	0.04	<5	6.5	<1
E5532317		0.005	3	<0.5	<10	<5	24.2	<10	<10	<5	<0.01	0.07	<5	6.8	<1
E5532318		0.008	1	<0.5	<10	<5	35.6	<10	<10	<5	<0.01	0.07	<5	6.9	<1
E5532319		0.014	4	<0.5	<10	<5	33.8	<10	<10	<5	<0.01	0.10	<5	6.3	<1
E5532320		0.014	5	<0.5	<10	<5	26.0	<10	<10	<5	<0.01	0.16	<5	6.1	<1
E5532321		<0.005	3	<0.5	<10	<5	23.5	<10	<10	<5	<0.01	0.11	<5	5.5	<1
E5532322		<0.005	2	<0.5	<10	<5	26.9	<10	<10	<5	<0.01	0.09	<5	5.0	<1
E5532323		0.021	5	<0.5	<10	<5	35.6	<10	<10	<5	<0.01	0.18	<5	6.2	<1
E5532324		0.060	8	<0.5	<10	<5	26.2	<10	<10	<5	<0.01	0.39	<5	7.7	<1
E5532325		0.111	7	0.7	<10	<5	24.8	<10	<10	<5	<0.01	0.43	<5	8.3	<1
E5532326		0.081	5	0.7	<10	<5	21.5	<10	<10	<5	<0.01	0.29	<5	8.6	<1
E5532327		0.030	4	<0.5	<10	<5	25.7	<10	<10	<5	<0.01	0.21	<5	7.5	<1
E5532328		0.057	6	<0.5	<10	<5	29.4	<10	<10	<5	<0.01	0.26	<5	7.8	<1
E5532329		0.169	25	<0.5	<10	<5	30.9	<10	<10	<5	0.01	13.8	<5	9.1	35
E5532330		0.007	<1	<0.5	<10	<5	28.1	<10	<10	<5	<0.01	0.01	<5	6.8	<1
E5532331		0.261	24	0.8	<10	<5	43.1	<10	<10	<5	<0.01	0.97	<5	7.7	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y642727

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 17, 2012

DATE RECEIVED: Sep 17, 2012

DATE REPORTED: Oct 11, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
E5532332		0.054	7	<0.5	<10	<5	45.7	<10	<10	<5	<0.01	0.24	<5	7.5	<1
E5532333		0.009	6	<0.5	<10	<5	109	<10	<10	<5	<0.01	0.40	<5	7.3	<1
E5532334		0.007	3	<0.5	<10	<5	64.7	<10	<10	<5	<0.01	0.16	<5	7.7	<1
E5532335		<0.005	1	<0.5	<10	<5	38.2	<10	<10	<5	<0.01	0.04	<5	7.3	<1
E5532336		<0.005	2	<0.5	<10	<5	41.9	<10	<10	<5	<0.01	0.03	<5	7.2	<1

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y642727

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 17, 2012 DATE RECEIVED: Sep 17, 2012 DATE REPORTED: Oct 11, 2012 SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Y	Zn	Zr	As-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	0.01
E5531372		4	14.3	<5	
E5531373		4	28.6	<5	
E5531374		3	17.4	<5	
E5531375		3	16.2	<5	
E5531376		3	14.5	<5	
E5531377		2	16.1	<5	
E5531378		3	4.2	<5	
E5531379		3	36.9	<5	
E5531380		3	27.5	<5	
E5531381		3	96.3	<5	
E5531382		1	60.6	<5	
E5531383		2	69.9	<5	
E5531384		1	67.0	<5	
E5531385		2	235	<5	
E5531386		1	74.0	<5	
E5531387		1	28.1	<5	
E5531388		2	128	<5	
E5531389		2	75.0	<5	
E5531390		2	150	<5	1.48
E5531391		2	172	<5	1.76
E5531392		2	1680	<5	
E5531393		3	1130	<5	1.89
E5531394		3	117	<5	
E5531395		2	41.3	<5	
E5531396		1	71.9	<5	
E5531397		3	2060	<5	
E5531398		3	119	<5	
E5531399		3	112	<5	
E5531400		3	133	<5	
E5531401		2	96.4	<5	
E5531402		1	56.9	<5	
E5531403		1	43.2	<5	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y642727

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 17, 2012

DATE RECEIVED: Sep 17, 2012

DATE REPORTED: Oct 11, 2012

SAMPLE TYPE: Drill Core

Analyte:	Y	Zn	Zr	As-OL
Unit:	ppm	ppm	ppm	%
RDL:	1	0.5	5	0.01

Sample Description

E5531404	3	37.5	<5	
E5531405	1	11.3	<5	
E5531406	3	39.9	<5	
E5531407	2	18.5	14	
E5531408	<1	13.7	<5	
E5531409	2	19.0	<5	
E5532210	5	16.7	<5	
E5532211	5	39.9	7	
E5532212	6	15.5	<5	
E5532213	7	4.9	<5	
E5532214	5	6.0	<5	
E5532215	6	14.6	6	
E5532216	4	4.7	<5	
E5532217	3	6.6	<5	
E5532218	6	2.6	<5	
E5532219	6	6.1	<5	
E5532220	5	2.1	<5	
E5532221	6	15.2	<5	
E5532222	3	8.7	<5	
E5532223	5	31.8	<5	
E5532224	4	32.5	<5	
E5532225	1	16.8	<5	
E5532226	<1	9.1	<5	
E5532227	<1	15.1	<5	
E5532228	1	12.9	<5	
E5532229	<1	17.0	<5	
E5532230	1	44.9	<5	
E5532231	2	18.9	<5	
E5532232	2	28.0	<5	
E5532233	2	9.9	<5	
E5532234	1	15.2	<5	
E5532235	2	19.3	<5	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y642727

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 17, 2012

DATE RECEIVED: Sep 17, 2012

DATE REPORTED: Oct 11, 2012

SAMPLE TYPE: Drill Core

Analyte:	Y	Zn	Zr	As-OL
Unit:	ppm	ppm	ppm	%
RDL:	1	0.5	5	0.01

Sample Description

E5532236	1	21.1	<5	
E5532237	1	11.8	<5	
E5532238	10	52.2	<5	
E5532239	5	54.0	<5	
E5532240	3	54.5	<5	
E5532241	3	18.9	<5	
E5532242	3	55.6	<5	
E5532243	3	128	<5	
E5532244	2	80.9	<5	
E5532245	<1	18.3	<5	
E5532246	<1	17.2	<5	
E5532247	3	25.6	19	
E5532248	<1	11.8	<5	
E5532249	<1	15.5	<5	
E5532250	<1	15.6	<5	
E5532251	<1	9.3	<5	
E5532252	<1	38.9	<5	
E5532253	1	67.7	<5	
E5532254	1	74.2	<5	
E5532255	1	171	<5	
E5532256	<1	54.1	<5	
E5532257	1	61.1	<5	
E5532258	1	295	<5	
E5532259	2	552	<5	
E5532260	2	1020	<5	
E5532261	1	202	<5	
E5532262	1	121	<5	
E5532263	2	225	<5	
E5532264	3	141	<5	
E5532265	2	73.5	<5	
E5532266	4	55.6	<5	
E5532267	3	37.5	<5	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y642727

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 17, 2012

DATE RECEIVED: Sep 17, 2012

DATE REPORTED: Oct 11, 2012

SAMPLE TYPE: Drill Core

Analyte:	Y	Zn	Zr	As-OL
Unit:	ppm	ppm	ppm	%
RDL:	1	0.5	5	0.01
Sample Description				
E5532268	2	33.6	<5	
E5532269	2	43.9	<5	
E5532270	3	21.8	<5	
E5532271	3	54.1	<5	
E5532272	3	33.9	<5	
E5532273	3	14.2	<5	
E5532274	3	13.3	<5	
E5532275	2	18.3	<5	4.37
E5532276	2	14.4	<5	
E5532277	2	45.8	<5	
E5532278	2	58.8	<5	2.02
E5532279	2	36.3	<5	
E5532280	3	67.0	<5	
E5532281	3	55.7	<5	
E5532282	2	110	<5	
E5532283	3	78.3	<5	1.16
E5532284	2	44.2	<5	
E5532285	2	23.1	<5	
E5532286	1	14.3	<5	
E5532287	4	55.7	<5	
E5532288	4	42.3	<5	
E5532289	2	16.7	13	
E5532290	<1	10.3	<5	
E5532291	5	7.6	<5	
E5532292	4	8.1	<5	
E5532293	4	6.4	<5	
E5532294	4	17.6	<5	
E5532295	3	48.9	<5	
E5532296	3	36.8	<5	
E5532297	5	55.9	<5	
E5532298	2	29.0	<5	
E5532299	3	99.7	<5	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y642727

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 17, 2012

DATE RECEIVED: Sep 17, 2012

DATE REPORTED: Oct 11, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Y	Zn	Zr	As-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	0.01
E5532300		3	103	<5	
E5532301		2	36.2	<5	
E5532302		2	32.5	<5	
E5532303		3	40.6	<5	
E5532304		3	31.9	<5	
E5532305		3	32.2	<5	
E5532306		2	38.0	<5	
E5532307		1	2090	<5	
E5532308		2	1680	<5	
E5532309		1	54.0	<5	
E5532310		2	47.8	<5	
E5532311		1	32.3	<5	
E5532312		2	30.5	<5	
E5532313		2	32.1	<5	
E5532314		1	25.0	<5	
E5532315		1	37.9	<5	
E5532316		1	14.9	<5	
E5532317		1	33.6	<5	
E5532318		1	39.6	<5	
E5532319		2	65.1	<5	
E5532320		2	62.6	<5	
E5532321		1	53.6	<5	
E5532322		1	62.5	<5	
E5532323		2	180	<5	
E5532324		2	168	<5	
E5532325		4	155	<5	
E5532326		3	169	<5	
E5532327		3	129	<5	
E5532328		3	206	<5	
E5532329		2	18.1	13	
E5532330		<1	17.8	<5	
E5532331		3	1880	<5	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y642727

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 17, 2012 DATE RECEIVED: Sep 17, 2012 DATE REPORTED: Oct 11, 2012 SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Y	Zn	Zr	As-OL
	Unit:	ppm	ppm	ppm	%
	RDL:	1	0.5	5	0.01
E5532332		3	130	<5	
E5532333		3	163	<5	
E5532334		3	72.0	<5	
E5532335		2	15.2	<5	
E5532336		2	15.8	<5	

Comments: RDL - Reported Detection Limit

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y642727

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Sep 17, 2012

DATE RECEIVED: Sep 17, 2012

DATE REPORTED: Oct 11, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Sample Login Weight	Au	Au-Grav
	Unit:	kg	ppm	g/t
	RDL:	0.01	0.001	0.05
E5531372		1.78	0.005	
E5531373		4.23	0.008	
E5531374		1.58	0.012	
E5531375		1.28	0.022	
E5531376		4.54	0.037	
E5531377		2.49	0.012	
E5531378		2.07	0.014	
E5531379		2.83	0.012	
E5531380		2.30	0.052	
E5531381		2.48	0.092	
E5531382		4.66	0.005	
E5531383		4.10	0.003	
E5531384		2.09	0.005	
E5531385		4.08	0.002	
E5531386		2.34	0.007	
E5531387		1.97	<0.001	
E5531388		4.58	0.004	
E5531389		3.41	0.006	
E5531390		3.39	0.015	
E5531391		3.63	0.009	
E5531392		0.39	<0.001	
E5531393		6.25	0.005	
E5531394		2.02	0.002	
E5531395		0.94	0.002	
E5531396		3.80	<0.001	
E5531397		1.64	0.034	
E5531398		3.67	0.002	
E5531399		1.55	0.012	
E5531400		0.32	0.006	
E5531401		1.98	0.003	
E5531402		3.79	<0.001	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y642727

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Sep 17, 2012

DATE RECEIVED: Sep 17, 2012

DATE REPORTED: Oct 11, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Sample Login Weight	Au	Au-Grav
	Unit:	kg	ppm	g/t
	RDL:	0.01	0.001	0.05
E5531403		3.17	<0.001	
E5531404		0.75	<0.001	
E5531405		2.40	<0.001	
E5531406		0.85	<0.001	
E5531407		0.11	0.259	
E5531408		0.57	<0.001	
E5531409		5.08	0.003	
E5532210		2.00	0.004	
E5532211		0.66	<0.001	
E5532212		3.34	<0.001	
E5532213		1.15	<0.001	
E5532214		1.44	<0.001	
E5532215		1.17	<0.001	
E5532216		1.59	<0.001	
E5532217		2.21	<0.001	
E5532218		2.02	<0.001	
E5532219		2.95	<0.001	
E5532220		2.64	<0.001	
E5532221		3.54	<0.001	
E5532222		3.50	<0.001	
E5532223		2.47	<0.001	
E5532224		1.76	<0.001	
E5532225		4.84	<0.001	
E5532226		3.73	<0.001	
E5532227		4.86	<0.001	
E5532228		3.54	0.003	
E5532229		3.45	<0.001	
E5532230		2.46	<0.001	
E5532231		3.70	<0.001	
E5532232		1.28	<0.001	
E5532233		3.00	<0.001	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y642727

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Sep 17, 2012

DATE RECEIVED: Sep 17, 2012

DATE REPORTED: Oct 11, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Sample Login Weight	Au	Au-Grav
	Unit:	kg	ppm	g/t
	RDL:	0.01	0.001	0.05
E5532234		3.99	<0.001	
E5532235		2.11	0.003	
E5532236		3.82	<0.001	
E5532237		1.56	0.023	
E5532238		3.52	<0.001	
E5532239		5.03	0.025	
E5532240		5.01	<0.001	
E5532241		0.38	<0.001	
E5532242		3.48	0.001	
E5532243		1.62	0.006	
E5532244		1.80	0.032	
E5532245		4.99	0.013	
E5532246		2.17	0.004	
E5532247		0.11	0.277	
E5532248		0.83	<0.001	
E5532249		4.14	0.013	
E5532250		4.30	0.003	
E5532251		4.33	0.003	
E5532252		3.60	<0.001	
E5532253		3.57	0.002	
E5532254		1.60	0.001	
E5532255		1.62	0.008	
E5532256		3.55	0.021	
E5532257		4.02	0.006	
E5532258		2.90	0.011	
E5532259		4.01	0.018	
E5532260		3.42	0.005	
E5532261		4.73	0.006	
E5532262		3.91	0.006	
E5532263		4.34	0.042	
E5532264		3.43	0.077	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y642727

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Sep 17, 2012 DATE RECEIVED: Sep 17, 2012 DATE REPORTED: Oct 11, 2012 SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Sample Login Weight	Au	Au-Grav
	Unit:	kg	ppm	g/t
	RDL:	0.01	0.001	0.05
E5532265		3.14	0.097	
E5532266		3.93	0.308	
E5532267		4.71	0.084	
E5532268		4.63	0.020	
E5532269		4.38	0.040	
E5532270		2.45	0.201	
E5532271		3.46	0.277	
E5532272		3.95	0.739	
E5532273		3.05	3.63	
E5532274		5.40	3.05	
E5532275		3.10	>10	75.3
E5532276		4.34	>10	18.2
E5532277		3.69	>10	17.2
E5532278		3.94	>10	25.1
E5532279		5.37	6.09	
E5532280		3.96	3.11	
E5532281		1.93	5.00	
E5532282		3.99	0.955	
E5532283		3.36	>10	17.4
E5532284		4.61	>10	25.7
E5532285		4.56	>10	9.91
E5532286		3.70	0.900	
E5532287		1.88	>10	10.7
E5532288		2.19	9.67	
E5532289		0.11	0.256	
E5532290		0.56	0.070	
E5532291		4.03	>10	8.01
E5532292		4.64	4.16	
E5532293		1.44	1.61	
E5532294		4.04	0.855	
E5532295		3.89	1.11	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y642727

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Sep 17, 2012

DATE RECEIVED: Sep 17, 2012

DATE REPORTED: Oct 11, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Sample Login Weight	Au	Au-Grav
	Unit:	kg	ppm	g/t
	RDL:	0.01	0.001	0.05
E5532296		2.65	0.596	
E5532297		2.62	0.554	
E5532298		4.45	0.067	
E5532299		4.01	0.248	
E5532300		2.88	0.120	
E5532301		4.71	0.025	
E5532302		4.82	0.015	
E5532303		3.35	0.045	
E5532304		3.17	0.027	
E5532305		3.16	0.021	
E5532306		4.86	0.016	
E5532307		3.21	0.025	
E5532308		4.02	0.011	
E5532309		4.81	0.013	
E5532310		4.05	0.009	
E5532311		4.96	0.013	
E5532312		3.51	0.005	
E5532313		5.40	0.007	
E5532314		5.36	0.006	
E5532315		4.41	0.011	
E5532316		2.54	0.004	
E5532317		4.89	0.009	
E5532318		4.12	0.003	
E5532319		3.20	0.011	
E5532320		3.13	0.013	
E5532321		3.43	0.006	
E5532322		4.56	0.002	
E5532323		4.55	0.023	
E5532324		2.98	0.280	
E5532325		3.59	0.176	
E5532326		4.91	0.128	

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y642727

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Sep 17, 2012

DATE RECEIVED: Sep 17, 2012

DATE REPORTED: Oct 11, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Sample Login Weight	Au	Au-Grav
	Unit:	kg	ppm	g/t
	RDL:	0.01	0.001	0.05
E5532327		1.97	0.017	
E5532328		2.07	0.031	
E5532329		0.11	0.228	
E5532330		0.63	<0.001	
E5532331		3.94	0.078	
E5532332		4.45	0.068	
E5532333		3.68	0.015	
E5532334		5.30	0.006	
E5532335		2.96	0.003	
E5532336		2.54	<0.001	

Comments: RDL - Reported Detection Limit

Certified By:

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y642727

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis											
RPT Date: Oct 11, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)											
Ag	1	3715732	0.2	0.4		< 0.2	13.8	13.0	106%	80%	120%
Al	1	3715732	0.156	0.148	5.3%	< 0.01				80%	120%
As	1	3715732	175	162	7.7%	< 1				80%	120%
B	1	3715732	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3715732	35	34	2.9%	< 1				80%	120%
Be	1	3715732	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Bi	1	3715732	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	3715732	18.2	17.5	3.9%	< 0.01				80%	120%
Cd	1	3715732	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	3715732	4	4	0.0%	< 1				80%	120%
Co	1	3715732	1.29	1.15	11.5%	< 0.5				80%	120%
Cr	1	3715732	6.52	6.15	5.8%	< 0.5				80%	120%
Cu	1	3715732	8.4	4.5		< 0.5	6106	6000	101%	80%	120%
Fe	1	3715732	1.02	0.99	3.0%	< 0.01				80%	120%
Ga	1	3715732	10	12	18.2%	< 5				80%	120%
Hg	1	3715732	< 1	< 1	0.0%	< 1				80%	120%
In	1	3715732	< 1	1		< 1				80%	120%
K	1	3715732	0.04	0.04	0.0%	< 0.01				80%	120%
La	1	3715732	4	4	0.0%	< 1				80%	120%
Li	1	3715732	2	1		< 1				80%	120%
Mg	1	3715732	11.2	10.9	2.7%	< 0.01				80%	120%
Mn	1	3715732	1270	1220	4.0%	< 1				80%	120%
Mo	1	3715732	0.5	< 0.5		< 0.5	352	360	97%	80%	120%
Na	1	3715732	0.02	0.02	0.0%	< 0.01				80%	120%
Ni	1	3715732	2.87	2.68	6.8%	< 0.5				80%	120%
P	1	3715732	340	332	2.4%	< 10	631	600	105%	80%	120%
Pb	1	3715732	6.9	6.9	0.0%	< 0.5				80%	120%
Rb	1	3715732	< 10	< 10	0.0%	< 10				80%	120%
S	1	3715732	0.253	0.246	2.8%	< 0.005				80%	120%
Sb	1	3715732	1	3		< 1				80%	120%
Sc	1	3715732	0.9	0.9	0.0%	< 0.5				80%	120%
Se	1	3715732	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	3715732	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	3715732	31.3	30.0	4.2%	< 0.5				80%	120%
Ta	1	3715732	< 10	< 10	0.0%	< 10				80%	120%
Te	1	3715732	< 10	< 10	0.0%	< 10				80%	120%
Th	1	3715732	< 5	< 5	0.0%	< 5				80%	120%
Ti	1	3715732	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Tl	1	3715732	0.309	0.301	2.6%	< 0.01				80%	120%
U	1	3715732	< 5	< 5	0.0%	< 5				80%	120%
V	1	3715732	8.5	7.4	13.8%	< 0.5				80%	120%
W	1	3715732	< 1	< 1	0.0%	< 1				80%	120%
Y	1	3715732	4	4	0.0%	< 1	7	7	100%	80%	120%
Zn	1	3715732	14.3	13.1	8.8%	< 0.5				80%	120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y642727

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 11, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Zr	1	3715732	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1	3715757	0.59	0.67	12.7%	< 0.2	12.3	13.0	94%	80% 120%
Al	1	3715757	0.10	0.10	0.0%	< 0.01				80% 120%
As	1	3715757	1080	1150	6.3%	< 1				80% 120%
B	1	3715757	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3715757	56	56	0.0%	< 1				80% 120%
Be	1	3715757	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	3715757	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3715757	17.7	17.9	1.1%	< 0.01				80% 120%
Cd	1	3715757	2.1	2.1	0.0%	< 0.5				80% 120%
Ce	1	3715757	1	1	0.0%	< 1				80% 120%
Co	1	3715757	1.28	1.23	4.0%	< 0.5				80% 120%
Cr	1	3715757	6.6	7.4	11.4%	< 0.5				80% 120%
Cu	1	3715757	6.63	6.85	3.3%	< 0.5	5585	6000	93%	80% 120%
Fe	1	3715757	0.966	0.985	1.9%	< 0.01				80% 120%
Ga	1	3715757	10	11	9.5%	< 5				80% 120%
Hg	1	3715757	39	39	0.0%	< 1				80% 120%
In	1	3715757	< 1	1		< 1				80% 120%
K	1	3715757	0.03	0.03	0.0%	< 0.01				80% 120%
La	1	3715757	3	3	0.0%	< 1				80% 120%
Li	1	3715757	1	1	0.0%	< 1				80% 120%
Mg	1	3715757	11.8	12.0	1.7%	< 0.01				80% 120%
Mn	1	3715757	875	891	1.8%	< 1				80% 120%
Mo	1	3715757	0.7	< 0.5		< 0.5	323	360	89%	80% 120%
Na	1	3715757	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3715757	2.83	2.86	1.1%	< 0.5				80% 120%
P	1	3715757	365	370	1.4%	< 10	588	600	98%	80% 120%
Pb	1	3715757	89.1	89.3	0.2%	< 0.5				80% 120%
Rb	1	3715757	< 10	< 10	0.0%	< 10				80% 120%
S	1	3715757	0.571	0.588	2.9%	< 0.005				80% 120%
Sb	1	3715757	12	12	0.0%	< 1				80% 120%
Sc	1	3715757	0.9	0.9	0.0%	< 0.5				80% 120%
Se	1	3715757	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3715757	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3715757	113	118	4.3%	< 0.5				80% 120%
Ta	1	3715757	< 10	< 10	0.0%	< 10	0.9	0.9	97%	80% 120%
Te	1	3715757	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3715757	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3715757	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3715757	0.96	1.01	5.1%	< 0.01				80% 120%
U	1	3715757	< 5	< 5	0.0%	< 5				80% 120%
V	1	3715757	9.3	9.7	4.2%	< 0.5				80% 120%
W	1	3715757	< 1	< 1	0.0%	< 1				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y642727

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 11, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				Acceptable Limits	
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery		Lower	Upper
Y	1	3715757	3	3	0.0%	< 1	8	7	114%		80%	120%
Zn	1	3715757	2060	2070	0.5%	< 0.5					80%	120%
Zr	1	3715757	< 5	< 5	0.0%	< 5					80%	120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Tl) (201073)												
Ag	1	3715782	2.0	1.9	5.1%	< 0.2	13.9	13.0	107%		80%	120%
Al	1	3715782	0.17	0.17	0.0%	< 0.01					80%	120%
As	1	3715782	19	16	17.1%	< 1					80%	120%
B	1	3715782	< 5	< 5	0.0%	< 5					80%	120%
Ba	1	3715782	21	20	4.9%	< 1					80%	120%
Be	1	3715782	< 0.5	< 0.5	0.0%	< 0.5					80%	120%
Bi	1	3715782	< 1	< 1	0.0%	< 1					80%	120%
Ca	1	3715782	2.33	2.27	2.6%	< 0.01					80%	120%
Cd	1	3715782	< 0.5	< 0.5	0.0%	< 0.5					80%	120%
Ce	1	3715782	2	2	0.0%	< 1					80%	120%
Co	1	3715782	4.7	4.0	16.1%	< 0.5					80%	120%
Cr	1	3715782	34.6	33.1	4.4%	< 0.5					80%	120%
Cu	1	3715782	8.46	7.58	11.0%	0.8					80%	120%
Fe	1	3715782	0.73	0.71	2.8%	< 0.01					80%	120%
Ga	1	3715782	6	6	0.0%	< 5					80%	120%
Hg	1	3715782	< 1	< 1	0.0%	< 1					80%	120%
In	1	3715782	< 1	< 1	0.0%	< 1					80%	120%
K	1	3715782	0.09	0.09	0.0%	< 0.01					80%	120%
La	1	3715782	< 1	< 1	0.0%	< 1					80%	120%
Li	1	3715782	1	< 1		< 1					80%	120%
Mg	1	3715782	0.63	0.62	1.6%	< 0.01					80%	120%
Mn	1	3715782	191	181	5.4%	< 1					80%	120%
Mo	1	3715782	3.04	3.11	2.3%	< 0.5					80%	120%
Na	1	3715782	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
Ni	1	3715782	6.65	6.38	4.1%	< 0.5					80%	120%
P	1	3715782	153	152	0.7%	< 10	642	600	107%		80%	120%
Pb	1	3715782	5.7	6.2	8.4%	< 0.5					80%	120%
Rb	1	3715782	< 10	< 10	0.0%	< 10	12	13	92%		80%	120%
S	1	3715782	0.233	0.224	3.9%	< 0.005					80%	120%
Sb	1	3715782	2	2	0.0%	< 1					80%	120%
Sc	1	3715782	1.38	1.21	13.1%	< 0.5					80%	120%
Se	1	3715782	< 10	< 10	0.0%	< 10					80%	120%
Sn	1	3715782	< 5	< 5	0.0%	< 5					80%	120%
Sr	1	3715782	19.6	19.8	1.0%	0.6					80%	120%
Ta	1	3715782	< 10	< 10	0.0%	< 10					80%	120%
Te	1	3715782	< 10	< 10	0.0%	< 10					80%	120%
Th	1	3715782	< 5	< 5	0.0%	< 5					80%	120%
Ti	1	3715782	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
Tl	1	3715782	0.06	0.06	0.0%	< 0.01					80%	120%
U	1	3715782	< 5	< 5	0.0%	< 5					80%	120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y642727

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 11, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
V	1	3715782	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
W	1	3715782	3	2		< 1				80% 120%
Y	1	3715782	3	3	0.0%	< 1	6	7	84%	80% 120%
Zn	1	3715782	8.7	8.7	0.0%	< 0.5				80% 120%
Zr	1	3715782	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Ti) (201073)										
Ag	1	3715807	0.2	0.3		< 0.2	14.1	13.0	109%	80% 120%
Al	1	3715807	0.21	0.21	0.0%	< 0.01				80% 120%
As	1	3715807	442	427	3.5%	< 1				80% 120%
B	1	3715807	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3715807	3220	2640	19.8%	< 1				80% 120%
Be	1	3715807	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	3715807	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3715807	1.07	1.05	1.9%	< 0.01				80% 120%
Cd	1	3715807	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3715807	2	2	0.0%	< 1				80% 120%
Co	1	3715807	4.80	4.86	1.2%	< 0.5				80% 120%
Cr	1	3715807	68.3	63.2	7.8%	< 0.5				80% 120%
Cu	1	3715807	36.3	34.8	4.2%	0.5				80% 120%
Fe	1	3715807	3.10	3.11	0.3%	< 0.01				80% 120%
Ga	1	3715807	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3715807	2	2	0.0%	< 1				80% 120%
In	1	3715807	4	4	0.0%	< 1				80% 120%
K	1	3715807	0.08	0.08	0.0%	< 0.01				80% 120%
La	1	3715807	2	2	0.0%	< 1				80% 120%
Li	1	3715807	2	2	0.0%	< 1				80% 120%
Mg	1	3715807	0.05	0.04	22.2%	< 0.01				80% 120%
Mn	1	3715807	59	56	5.2%	< 1				80% 120%
Mo	1	3715807	15.9	15.3	3.8%	< 0.5				80% 120%
Na	1	3715807	0.01	0.01	0.0%	< 0.01				80% 120%
Ni	1	3715807	12.2	11.8	3.3%	< 0.5				80% 120%
P	1	3715807	53	51	3.8%	< 10	630	600	105%	80% 120%
Pb	1	3715807	15.3	14.2	7.5%	< 0.5				80% 120%
Rb	1	3715807	< 10	< 10	0.0%	< 10				80% 120%
S	1	3715807	0.202	0.180	11.5%	< 0.005				80% 120%
Sb	1	3715807	34	29	15.9%	< 1				80% 120%
Sc	1	3715807	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Se	1	3715807	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3715807	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3715807	42.2	35.7	16.7%	0.5				80% 120%
Ta	1	3715807	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3715807	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3715807	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3715807	0.01	0.01	0.0%	< 0.01				80% 120%
Tl	1	3715807	13.0	12.3	5.5%	< 0.01				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y642727

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 11, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
U	1	3715807	< 5	< 5	0.0%	< 5				80% 120%
V	1	3715807	9.54	8.94	6.5%	< 0.5				80% 120%
W	1	3715807	35	35	0.0%	< 1				80% 120%
Y	1	3715807	3	3	0.0%	< 1	7	7	100%	80% 120%
Zn	1	3715807	25.6	24.3	5.2%	< 0.5				80% 120%
Zr	1	3715807	19	18	5.4%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Ti) (201073)										
Ag	1	3715832	0.6	1.4		< 0.2	12.7	13.0	98%	80% 120%
Al	1	3715832	0.10	0.10	0.0%	< 0.01				80% 120%
As	1	3715832	216	209	3.3%	< 1				80% 120%
B	1	3715832	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3715832	9	9	0.0%	< 1				80% 120%
Be	1	3715832	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	3715832	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3715832	17.0	17.2	1.2%	< 0.01				80% 120%
Cd	1	3715832	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3715832	2	2	0.0%	< 1				80% 120%
Co	1	3715832	1.8	1.0		< 0.5				80% 120%
Cr	1	3715832	3.2	3.1	3.2%	< 0.5				80% 120%
Cu	1	3715832	4.0	2.9		< 0.5	5779	6000	96%	80% 120%
Fe	1	3715832	0.98	0.98	0.0%	< 0.01				80% 120%
Ga	1	3715832	10	11	9.5%	< 5				80% 120%
Hg	1	3715832	1	1	0.0%	< 1				80% 120%
In	1	3715832	< 1	< 1	0.0%	< 1				80% 120%
K	1	3715832	0.04	0.04	0.0%	< 0.01				80% 120%
La	1	3715832	4	3	28.6%	< 1				80% 120%
Li	1	3715832	1	< 1		< 1				80% 120%
Mg	1	3715832	11.4	11.3	0.9%	< 0.01				80% 120%
Mn	1	3715832	1190	1200	0.8%	< 1				80% 120%
Mo	1	3715832	1.2	< 0.5		< 0.5	330	360	91%	80% 120%
Na	1	3715832	0.01	0.01	0.0%	< 0.01				80% 120%
Ni	1	3715832	2.42	2.33	3.8%	< 0.5				80% 120%
P	1	3715832	394	379	3.9%	< 10	589	600	98%	80% 120%
Pb	1	3715832	12.3	11.7	5.0%	< 0.5				80% 120%
Rb	1	3715832	< 10	< 10	0.0%	< 10				80% 120%
S	1	3715832	0.060	0.060	0.0%	< 0.005				80% 120%
Sb	1	3715832	9	9	0.0%	< 1				80% 120%
Sc	1	3715832	0.9	0.9	0.0%	< 0.5				80% 120%
Se	1	3715832	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3715832	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3715832	25.7	24.0	6.8%	< 0.5				80% 120%
Ta	1	3715832	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3715832	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3715832	< 5	< 5	0.0%	< 5				80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y642727

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 11, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ti	1	3715832	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
TI	1	3715832	0.438	0.435	0.7%	< 0.01				80% 120%
U	1	3715832	< 5	< 5	0.0%	< 5				80% 120%
V	1	3715832	7.40	7.21	2.6%	< 0.5				80% 120%
W	1	3715832	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3715832	3	3	0.0%	< 1	8	7	114%	80% 120%
Zn	1	3715832	33.9	32.8	3.3%	< 0.5				80% 120%
Zr	1	3715832	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1	3715857	1.7	0.8		< 0.2	13.2	13.0	102%	80% 120%
Al	1	3715857	0.15	0.15	0.0%	< 0.01				80% 120%
As	1	3715857	272	272	0.0%	< 1				80% 120%
B	1	3715857	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3715857	6	6	0.0%	< 1				80% 120%
Be	1	3715857	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	3715857	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3715857	17.7	17.9	1.1%	< 0.01				80% 120%
Cd	1	3715857	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3715857	3	3	0.0%	< 1				80% 120%
Co	1	3715857	0.9	1.1	20.0%	< 0.5				80% 120%
Cr	1	3715857	3.2	3.3	3.1%	< 0.5				80% 120%
Cu	1	3715857	5.4	5.4	0.0%	< 0.5	5716	6000	95%	80% 120%
Fe	1	3715857	0.61	0.61	0.0%	< 0.01				80% 120%
Ga	1	3715857	11	11	0.0%	< 5				80% 120%
Hg	1	3715857	1	< 1		< 1				80% 120%
In	1	3715857	< 1	< 1	0.0%	< 1				80% 120%
K	1	3715857	0.05	0.05	0.0%	< 0.01				80% 120%
La	1	3715857	4	4	0.0%	< 1				80% 120%
Li	1	3715857	1	1	0.0%	< 1				80% 120%
Mg	1	3715857	11.9	11.9	0.0%	< 0.01				80% 120%
Mn	1	3715857	709	723	2.0%	< 1				80% 120%
Mo	1	3715857	< 0.5	< 0.5	0.0%	< 0.5	333	360	92%	80% 120%
Na	1	3715857	0.02	0.02	0.0%	< 0.01				80% 120%
Ni	1	3715857	2.10	2.03	3.4%	< 0.5				80% 120%
P	1	3715857	581	582	0.2%	< 10	603	600	100%	80% 120%
Pb	1	3715857	14.8	14.3	3.4%	< 0.5				80% 120%
Rb	1	3715857	< 10	< 10	0.0%	< 10				80% 120%
S	1	3715857	0.023	0.023	0.0%	< 0.005				80% 120%
Sb	1	3715857	6	7	15.4%	< 1				80% 120%
Sc	1	3715857	0.5	0.5	0.0%	< 0.5				80% 120%
Se	1	3715857	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3715857	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3715857	36.3	39.2	7.7%	< 0.5				80% 120%
Ta	1	3715857	< 10	< 10	0.0%	< 10				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y642727

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 11, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Te	1	3715857	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3715857	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3715857	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3715857	0.29	0.29	0.0%	< 0.01				80% 120%
U	1	3715857	< 5	< 5	0.0%	< 5				80% 120%
V	1	3715857	7.2	7.1	1.4%	< 0.5				80% 120%
W	1	3715857	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3715857	5	5	0.0%	< 1	7	7	100%	80% 120%
Zn	1	3715857	55.9	56.2	0.5%	< 0.5				80% 120%
Zr	1	3715857	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Tl) (201073)										
Ag	1	3715882	< 0.2	< 0.2	0.0%	< 0.2	13.9	13.0	107%	80% 120%
Al	1	3715882	0.04	0.04	0.0%	< 0.01				80% 120%
As	1	3715882	256	255	0.4%	< 1				80% 120%
B	1	3715882	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3715882	7	7	0.0%	< 1				80% 120%
Be	1	3715882	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	3715882	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3715882	20.1	19.8	1.5%	< 0.01				80% 120%
Cd	1	3715882	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3715882	< 1	< 1	0.0%	< 1				80% 120%
Co	1	3715882	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Cr	1	3715882	2.53	2.59	2.3%	< 0.5				80% 120%
Cu	1	3715882	1.1	2.5		< 0.5				80% 120%
Fe	1	3715882	0.21	0.21	0.0%	< 0.01				80% 120%
Ga	1	3715882	11	9	20.0%	< 5				80% 120%
Hg	1	3715882	< 1	< 1	0.0%	< 1				80% 120%
In	1	3715882	< 1	< 1	0.0%	< 1				80% 120%
K	1	3715882	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
La	1	3715882	2	2	0.0%	< 1				80% 120%
Li	1	3715882	< 1	< 1	0.0%	< 1				80% 120%
Mg	1	3715882	10.5	10.4	1.0%	< 0.01				80% 120%
Mn	1	3715882	288	285	1.0%	< 1				80% 120%
Mo	1	3715882	< 0.5	< 0.5	0.0%	< 0.5	354	360	98%	80% 120%
Na	1	3715882	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3715882	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
P	1	3715882	157	154	1.9%	< 10	657	600	109%	80% 120%
Pb	1	3715882	4.7	4.4	6.6%	< 0.5				80% 120%
Rb	1	3715882	< 10	< 10	0.0%	< 10				80% 120%
S	1	3715882	< 0.005	< 0.005	0.0%	< 0.005				80% 120%
Sb	1	3715882	2	2	0.0%	< 1				80% 120%
Sc	1	3715882	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Se	1	3715882	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3715882	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3715882	26.9	26.4	1.9%	< 0.5				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y642727

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 11, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ta	1	3715882	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3715882	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3715882	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3715882	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3715882	0.09	0.09	0.0%	< 0.01				80% 120%
U	1	3715882	< 5	< 5	0.0%	< 5				80% 120%
V	1	3715882	5.0	4.7	6.2%	< 0.5				80% 120%
W	1	3715882	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3715882	1	1	0.0%	< 1	6	7	81%	80% 120%
Zn	1	3715882	62.5	62.1	0.6%	< 0.5				80% 120%
Zr	1	3715882	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1					< 0.2	13.2	13.0	102%	80% 120%
Cu	1					< 0.5	5917	6000	98%	80% 120%
Mo	1					< 0.5	331	360	91%	80% 120%
P	1					< 10	615	600	103%	80% 120%
Y	1					< 1	7	7	100%	80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1					< 0.2	13.8	13.0	106%	80% 120%
Cu	1					< 0.5	5916	6000	98%	80% 120%
Mo	1					< 0.5	340	360	94%	80% 120%
P	1					< 10	611	600	102%	80% 120%
Y	1					< 1	6	7	80%	80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1					< 0.2	14.1	13.0	108%	80% 120%
Mo	1					< 0.5	336	360	93%	80% 120%
P	1					< 10	642	600	107%	80% 120%
Y	1					< 1	7	7	100%	80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1					< 0.2	13.1	13.0	101%	80% 120%
Cu	1					< 0.5	5872	6000	97%	80% 120%
Mo	1					< 0.5	316	360	87%	80% 120%
P	1					< 10	578	600	96%	80% 120%
Y	1					< 1	7	7	100%	80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1					< 0.2	13.6	13.0	105%	80% 120%
Cu	1					< 0.5	6093	6000	101%	80% 120%
Mo	1					< 0.5	335	360	93%	80% 120%
P	1					< 10	592	600	99%	80% 120%
Y	1					< 1	7	7	100%	80% 120%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3715732	0.006	0.001		< 0.001	0.269	0.263	102%	90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3715894	0.006	0.005	18.2%	< 0.001	1.62	1.52	107%	90% 110%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y642727

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 11, 2012			REPLICATE			Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3715757	0.034	0.035	2.9%	< 0.001	0.266	0.263	101%	90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3715769	0.0032	0.0039	19.7%	< 0.001	1.66	1.52	109%	90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3715782	< 0.001	< 0.001	0.0%	< 0.001	0.258	0.263	98%	90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3715794	< 0.001	< 0.001	0.0%	< 0.001	1.46	1.52	96%	90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3715807	0.277	0.248	11.0%	< 0.001	0.255	0.263	97%	90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3715819	0.0180	0.0172	4.5%	< 0.001				90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3715832	0.739	0.724	2.1%	< 0.001				90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3715844	27.4	27.5	0.4%	< 0.001				90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3715857	0.554	0.539	2.7%	< 0.001				90% 110%

Certified By:

Method Summary

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y642727

PROJECT NO:

ATTENTION TO: Yinghua Chen

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
B	MIN-200-12020		ICP/OES
Ba	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
In	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP/OES
Li	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr	MIN-200-12020		ICP/OES
Ta	MIN-200-12020		ICP/OES
Te	MIN-200-12020		ICP/OES
Th	MIN-200-12020		ICP/OES
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP-MS
U	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP/OES
Y	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Zr	MIN-200-12020		ICP/OES
As-OL			AA
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES

Method Summary

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y642727

PROJECT NO:

ATTENTION TO: Yinghua Chen

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Au-Grav			GRAVIMETRIC