

**CLIENT NAME: ANTHILL RESOURCES (YUKON)**  
**1090-999 WEST HASTINGS STREET**  
**Vancouver, BC V6C2W2**  
**(604) 569-3892**

**ATTENTION TO: Yinghua Chen**

**PROJECT NO:**

**AGAT WORK ORDER: 12Y643186**

**SOLID ANALYSIS REVIEWED BY: Yufei Chen, Analyst**

**DATE REPORTED: Oct 09, 2012**

**PAGES (INCLUDING COVER): 22**

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

**\*NOTES**



## Certificate of Analysis

AGAT WORK ORDER: 12Y643186

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 18, 2012		DATE RECEIVED: Sep 17, 2012						DATE REPORTED: Oct 09, 2012				SAMPLE TYPE: Drill Core			
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
E5532365		0.3	0.31	150	<5	54	<0.5	<1	2.16	<0.5	6	8.3	45.1	13.3	1.86
E5532366		0.5	0.14	115	<5	14	<0.5	<1	3.11	<0.5	4	5.3	40.5	4.9	0.92
E5532367		0.6	0.21	183	<5	34	<0.5	<1	3.29	<0.5	4	4.5	49.9	5.9	1.14
E5532368		0.7	0.19	192	<5	21	<0.5	<1	3.25	<0.5	4	5.6	40.8	6.4	1.14
E5532369		0.4	0.17	423	<5	3610	<0.5	<1	0.94	<0.5	2	4.4	16.2	29.5	2.80
E5532370		1.1	0.02	<1	<5	16	<0.5	2	16.5	<0.5	<1	<0.5	2.1	<0.5	0.35
E5532371		0.3	0.23	320	<5	32	<0.5	<1	1.76	<0.5	3	8.1	40.4	11.0	1.80
E5532372		0.4	0.35	138	<5	66	0.7	<1	2.18	<0.5	5	11.8	23.7	18.7	2.16
E5532373		<0.2	0.24	36	<5	42	<0.5	<1	1.30	<0.5	3	5.5	56.5	7.2	1.62
E5532374		0.5	0.37	1890	<5	57	0.7	<1	2.87	<0.5	5	10.6	34.4	13.0	2.24
E5532375		0.3	0.41	1570	<5	152	0.7	<1	2.10	<0.5	6	9.4	39.0	16.8	2.10
E5532376		<0.2	0.45	318	<5	134	0.7	<1	1.23	<0.5	4	9.0	31.0	16.1	1.88
E5532377		<0.2	0.47	661	<5	279	1.0	<1	0.78	<0.5	4	13.7	20.6	29.1	3.29
E5532378		<0.2	0.10	499	<5	9	<0.5	<1	1.15	<0.5	3	2.1	50.6	1.3	1.29
E5532379		<0.2	0.09	946	<5	42	<0.5	<1	0.96	<0.5	4	2.3	54.2	1.1	0.79
E5532380		<0.2	0.10	612	<5	16	<0.5	<1	1.18	<0.5	7	2.5	56.8	1.0	0.91
E5532381		<0.2	0.15	58	<5	43	<0.5	<1	0.90	<0.5	7	3.3	58.5	2.3	0.87
E5532382		<0.2	0.65	343	<5	274	1.2	<1	0.76	<0.5	17	16.4	20.6	35.3	3.39
E5532383		<0.2	0.57	76	<5	136	1.2	<1	0.75	<0.5	10	14.7	18.4	32.2	3.84
E5532384		<0.2	0.65	42	<5	91	1.4	<1	0.67	<0.5	11	17.7	14.2	46.5	3.88
E5532385		<0.2	0.57	14	<5	94	0.9	<1	1.11	<0.5	10	13.3	17.1	31.9	4.63
E5532386		<0.2	0.60	8	<5	69	1.2	<1	0.40	<0.5	11	16.9	11.6	35.9	4.34
E5532387		<0.2	0.35	2	<5	97	<0.5	<1	1.96	<0.5	10	6.7	27.5	14.4	3.19
E5532388		<0.2	0.69	9	<5	79	1.2	<1	0.43	<0.5	9	18.2	12.8	32.3	3.99
E5532389		<0.2	0.62	8	<5	82	1.2	<1	0.76	<0.5	14	17.5	13.4	27.1	4.28
E5532390		<0.2	0.74	4	<5	111	1.3	<1	1.01	<0.5	14	16.1	13.3	34.3	4.29
E5532391		<0.2	0.66	2	<5	161	1.2	<1	0.72	<0.5	11	16.1	12.6	36.1	4.36
E5532392		<0.2	0.63	5	<5	187	1.3	<1	0.65	<0.5	15	16.3	11.5	41.8	4.21
E5532393		<0.2	0.56	3	<5	135	0.9	<1	0.83	<0.5	13	14.6	12.8	22.0	4.67
E5532394		1.4	0.14	38	<5	22	<0.5	<1	11.5	<0.5	10	4.4	21.0	0.9	0.93
E5532395		<0.2	0.05	14	<5	11	<0.5	<1	24.1	<0.5	12	1.0	2.4	<0.5	0.28
E5532396		1.2	0.07	51	<5	9	<0.5	<1	14.0	<0.5	5	1.4	7.2	<0.5	0.56

Certified By:

*Y. Chen*



# AGAT Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y643186

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 18, 2012		DATE RECEIVED: Sep 17, 2012						DATE REPORTED: Oct 09, 2012				SAMPLE TYPE: Drill Core			
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
E5532397		1.4	0.13	127	<5	13	<0.5	<1	14.1	<0.5	3	1.8	5.8	<0.5	0.68
E5532398		1.6	0.22	233	5	17	<0.5	<1	14.1	<0.5	3	3.3	7.0	0.7	0.85
E5532399		1.4	0.12	74	<5	11	<0.5	<1	15.9	<0.5	3	1.4	3.8	<0.5	0.46
E5532400		1.2	0.04	109	<5	4	<0.5	<1	15.3	<0.5	<1	<0.5	4.0	<0.5	0.26
E5532401		1.4	0.03	244	<5	5	<0.5	<1	14.8	<0.5	<1	<0.5	3.5	<0.5	0.35
E5532402		1.2	0.03	243	<5	5	<0.5	1	15.5	<0.5	<1	<0.5	4.1	<0.5	0.31
E5532403		1.4	0.02	83	<5	5	<0.5	<1	15.6	<0.5	<1	<0.5	3.4	<0.5	0.18
E5532404		1.5	0.02	129	<5	4	<0.5	1	14.6	<0.5	<1	<0.5	5.4	<0.5	0.18
E5532405		1.3	0.02	103	<5	5	<0.5	<1	14.5	<0.5	<1	<0.5	4.7	<0.5	0.18
E5532406		1.2	0.02	199	<5	13	<0.5	<1	14.4	<0.5	<1	0.8	3.9	<0.5	0.20
E5532407		1.3	0.02	185	<5	4	<0.5	<1	14.7	<0.5	<1	<0.5	4.4	<0.5	0.20
E5532408		1.4	0.03	193	<5	4	<0.5	<1	14.3	<0.5	<1	<0.5	5.2	<0.5	0.21
E5532409		0.5	0.17	436	<5	1420	<0.5	<1	0.99	<0.5	2	5.5	16.9	30.6	2.89
E5532410		1.4	0.02	<1	<5	21	<0.5	<1	16.7	<0.5	<1	<0.5	1.3	<0.5	0.38
E5532411		1.3	0.02	95	<5	5	<0.5	<1	15.2	<0.5	<1	<0.5	4.5	<0.5	0.13
E5532412		1.3	0.02	96	<5	3	<0.5	<1	15.5	<0.5	<1	<0.5	3.9	<0.5	0.11
E5532413		1.2	0.02	158	<5	4	<0.5	<1	15.7	<0.5	<1	<0.5	3.2	<0.5	0.14
E5532414		1.0	0.04	166	<5	6	<0.5	<1	16.8	<0.5	<1	0.5	2.2	<0.5	0.22
E5532415		1.3	0.03	123	<5	16	<0.5	<1	16.3	<0.5	<1	<0.5	3.8	<0.5	0.19
E5532416		1.2	0.03	164	<5	5	<0.5	<1	16.8	<0.5	<1	<0.5	3.5	<0.5	0.20
E5532417		1.3	0.06	244	<5	7	<0.5	<1	17.2	<0.5	1	<0.5	3.1	<0.5	0.44
E5532418		0.8	0.06	131	<5	8	<0.5	<1	17.1	<0.5	2	1.1	3.6	<0.5	0.75
E5532419		0.8	0.12	179	<5	18	<0.5	2	15.5	<0.5	5	1.3	5.5	<0.5	1.21
E5532420		1.0	0.05	95	<5	14	<0.5	<1	16.0	<0.5	2	0.6	4.2	<0.5	1.15
E5532421		0.7	0.04	80	<5	4	<0.5	<1	16.5	<0.5	2	<0.5	3.6	<0.5	1.10
E5532422		0.8	0.04	93	<5	6	<0.5	<1	16.5	<0.5	1	<0.5	3.2	<0.5	1.06
E5532423		0.8	0.23	451	5	20	<0.5	<1	14.4	<0.5	5	3.6	7.9	4.7	1.96
E5532424		1.1	0.04	178	<5	4	<0.5	2	15.7	<0.5	<1	<0.5	5.2	<0.5	0.84
E5532425		0.6	0.04	165	<5	4	<0.5	<1	16.9	<0.5	3	<0.5	3.4	<0.5	1.26
E5532426		0.2	0.08	67	<5	10	<0.5	<1	16.8	<0.5	4	0.9	2.4	<0.5	1.42
E5532427		0.5	0.07	66	<5	7	<0.5	<1	16.9	<0.5	2	<0.5	2.2	<0.5	0.97
E5532428		1.5	0.03	160	<5	4	<0.5	<1	16.6	<0.5	<1	<0.5	3.0	<0.5	0.61

Certified By:

*Y. Chen*



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y643186

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 18, 2012

DATE RECEIVED: Sep 17, 2012

DATE REPORTED: Oct 09, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
E5532429		0.5	0.06	356	<5	8	<0.5	<1	16.9	<0.5	2	<0.5	4.1	<0.5	0.95
E5532430		0.8	0.05	267	<5	12	<0.5	<1	16.4	<0.5	2	<0.5	2.8	<0.5	0.83
E5532431		1.2	0.07	483	<5	7	<0.5	<1	17.1	<0.5	2	<0.5	2.4	<0.5	0.71
E5532432		0.9	0.08	149	<5	7	<0.5	2	15.9	<0.5	2	<0.5	3.7	<0.5	0.79
E5532433		0.6	0.09	342	<5	9	<0.5	<1	15.8	1.0	5	0.8	5.8	<0.5	1.18
E5532434		0.4	0.12	2030	<5	14	<0.5	<1	1.89	28.0	2	2.5	32.5	42.9	0.89
E5532435		1.2	0.08	271	<5	7	<0.5	<1	15.0	<0.5	4	0.7	6.0	<0.5	1.00
E5532436		0.6	0.07	160	<5	7	<0.5	<1	16.2	<0.5	2	1.1	4.4	<0.5	1.04
E5532437		1.5	0.05	122	<5	23	<0.5	<1	15.3	<0.5	<1	<0.5	6.8	<0.5	0.41
E5532438		1.3	0.05	228	<5	7	<0.5	<1	15.2	<0.5	<1	<0.5	4.6	<0.5	0.52
E5532439		1.6	0.08	356	<5	9	<0.5	<1	15.3	<0.5	1	<0.5	4.7	<0.5	0.62
E5532440		1.4	0.05	213	<5	7	<0.5	<1	15.9	<0.5	<1	<0.5	3.8	<0.5	0.36
E5532441		1.2	0.05	333	<5	21	<0.5	<1	15.7	<0.5	<1	<0.5	1.6	<0.5	0.46
E5532442		1.4	0.03	314	<5	3	<0.5	<1	15.9	<0.5	<1	<0.5	2.5	<0.5	0.37
E5532443		1.2	0.03	373	<5	3	<0.5	<1	16.1	<0.5	<1	<0.5	2.9	<0.5	0.39
E5532444		1.2	0.05	1490	<5	5	<0.5	<1	14.9	<0.5	<1	<0.5	2.7	<0.5	0.56
E5532445		1.6	0.05	1470	<5	6	<0.5	<1	15.4	<0.5	1	<0.5	3.7	<0.5	0.59
E5532446		0.7	0.15	4740	<5	37	<0.5	<1	16.0	<0.5	6	1.4	3.4	<0.5	0.96
E5664068		1.4	0.16	514	<5	11	<0.5	<1	15.3	<0.5	8	1.6	4.4	<0.5	0.65

Certified By:

*Y. Chen*



# Certificate of Analysis

AGAT WORK ORDER: 12Y643186

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

**Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)**

DATE SAMPLED: Sep 18, 2012

DATE RECEIVED: Sep 17, 2012

DATE REPORTED: Oct 09, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte: Unit: RDL:	Ga ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Rb ppm
		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
E5532365		7	1	<1	0.17	1	1	0.97	192	1.3	<0.01	12.8	210	33.2	12
E5532366		9	<1	<1	0.08	1	<1	1.65	257	1.7	<0.01	6.9	311	10.2	<10
E5532367		8	1	<1	0.09	1	<1	1.72	317	2.1	<0.01	6.7	352	10.6	<10
E5532368		9	<1	<1	0.08	1	<1	1.68	313	1.9	<0.01	6.9	336	12.5	<10
E5532369		<5	2	5	0.06	1	2	0.03	48	14.3	0.01	10.6	54	11.4	<10
E5532370		10	<1	<1	0.01	2	1	11.1	201	<0.5	<0.01	1.2	155	2.2	<10
E5532371		8	1	<1	0.10	1	2	0.84	243	1.2	<0.01	12.1	143	29.1	<10
E5532372		8	<1	<1	0.18	1	3	1.07	320	0.6	<0.01	20.7	292	19.9	16
E5532373		7	<1	<1	0.12	2	2	0.65	258	2.9	<0.01	7.1	48	6.2	<10
E5532374		9	3	1	0.17	1	3	1.23	509	1.0	<0.01	22.2	503	16.2	16
E5532375		8	2	<1	0.20	2	3	0.88	357	<0.5	<0.01	21.5	634	14.9	17
E5532376		6	2	<1	0.20	2	8	0.66	216	<0.5	<0.01	17.4	126	11.0	16
E5532377		7	2	<1	0.23	2	4	0.62	359	<0.5	<0.01	25.5	177	22.8	19
E5532378		6	1	<1	0.04	1	2	0.41	288	3.5	<0.01	4.3	36	6.4	<10
E5532379		<5	4	<1	0.04	2	<1	0.40	321	2.5	<0.01	4.4	17	3.9	<10
E5532380		5	3	<1	0.04	3	1	0.44	385	2.5	<0.01	5.0	44	5.3	<10
E5532381		<5	<1	<1	0.06	3	2	0.31	331	2.4	<0.01	5.5	30	4.7	<10
E5532382		8	<1	2	0.29	5	11	0.66	327	<0.5	0.02	29.0	1250	13.7	31
E5532383		8	<1	2	0.27	4	10	0.80	365	<0.5	0.02	27.2	110	13.5	27
E5532384		7	<1	<1	0.31	4	12	0.82	356	<0.5	0.02	30.7	118	11.4	31
E5532385		8	<1	<1	0.25	4	12	1.06	498	<0.5	0.02	27.3	181	8.8	25
E5532386		8	<1	2	0.28	4	9	0.83	246	<0.5	0.02	33.4	203	12.7	28
E5532387		9	<1	<1	0.10	4	17	1.06	725	<0.5	0.01	12.6	56	9.2	10
E5532388		8	<1	<1	0.32	3	12	0.80	226	<0.5	0.02	31.9	84	12.1	29
E5532389		8	<1	<1	0.29	4	9	0.90	478	<0.5	0.02	29.6	484	14.7	29
E5532390		9	<1	1	0.34	5	11	1.04	512	<0.5	0.03	29.2	337	11.3	34
E5532391		8	<1	<1	0.31	4	11	0.83	605	<0.5	0.03	29.6	228	10.2	32
E5532392		8	<1	2	0.30	5	10	0.80	599	<0.5	0.03	29.0	609	9.1	31
E5532393		7	<1	1	0.26	5	11	0.94	618	<0.5	0.03	29.4	89	12.4	26
E5532394		8	<1	<1	0.07	4	1	2.20	471	0.6	<0.01	5.6	484	5.6	<10
E5532395		7	<1	<1	0.03	6	<1	0.96	445	<0.5	<0.01	1.3	249	5.0	<10
E5532396		10	<1	<1	0.03	4	1	9.04	667	<0.5	0.01	1.9	340	4.3	<10

Certified By:



# Certificate of Analysis

AGAT WORK ORDER: 12Y643186

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

**Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)**

DATE SAMPLED: Sep 18, 2012		DATE RECEIVED: Sep 17, 2012				DATE REPORTED: Oct 09, 2012				SAMPLE TYPE: Drill Core					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
E5532397		10	<1	<1	0.06	3	1	9.33	659	<0.5	<0.01	2.8	762	7.1	<10
E5532398		10	1	<1	0.10	2	1	8.76	598	<0.5	0.01	5.8	1260	15.9	13
E5532399		9	<1	<1	0.05	3	1	10.4	590	<0.5	0.01	2.1	394	7.9	<10
E5532400		10	<1	<1	0.01	2	<1	10.6	539	<0.5	0.01	<0.5	96	6.1	<10
E5532401		11	2	<1	<0.01	2	<1	10.1	658	<0.5	<0.01	<0.5	111	51.1	<10
E5532402		10	1	<1	<0.01	2	<1	10.5	438	<0.5	<0.01	<0.5	156	15.1	<10
E5532403		8	1	<1	<0.01	2	<1	10.6	319	<0.5	0.01	<0.5	141	7.5	<10
E5532404		9	<1	<1	<0.01	2	<1	10.2	268	0.5	0.01	<0.5	102	88.6	<10
E5532405		10	<1	<1	<0.01	2	<1	10.2	278	<0.5	0.01	<0.5	104	42.7	<10
E5532406		9	1	<1	<0.01	2	<1	10.1	336	<0.5	<0.01	<0.5	97	2.7	<10
E5532407		9	<1	<1	<0.01	2	<1	9.85	257	0.6	<0.01	<0.5	110	6.9	<10
E5532408		9	<1	<1	<0.01	2	<1	9.77	281	<0.5	<0.01	<0.5	114	3.0	<10
E5532409		<5	3	2	0.06	1	2	0.04	49	14.4	0.01	10.7	57	10.7	<10
E5532410		9	<1	<1	0.01	2	<1	11.2	234	<0.5	<0.01	1.3	202	2.8	<10
E5532411		10	<1	<1	<0.01	2	<1	10.4	200	<0.5	<0.01	<0.5	104	2.8	<10
E5532412		11	<1	<1	<0.01	2	<1	10.9	237	<0.5	0.01	<0.5	90	2.0	<10
E5532413		10	<1	<1	<0.01	2	<1	11.1	271	<0.5	0.01	<0.5	99	2.8	<10
E5532414		10	<1	<1	0.01	3	<1	11.7	289	<0.5	0.01	0.8	180	3.4	<10
E5532415		8	<1	<1	<0.01	2	<1	11.3	239	0.6	0.01	0.5	172	3.4	<10
E5532416		8	1	<1	<0.01	3	<1	11.8	278	<0.5	0.01	0.5	197	3.4	<10
E5532417		10	<1	<1	0.02	3	<1	11.5	602	<0.5	0.01	1.0	233	5.3	<10
E5532418		11	<1	<1	0.02	4	<1	11.6	934	1.4	0.01	0.7	207	4.7	<10
E5532419		11	1	<1	0.05	4	<1	10.0	1310	<0.5	0.01	2.4	292	6.8	<10
E5532420		11	<1	<1	0.02	3	<1	10.7	1380	<0.5	0.01	0.8	362	6.3	<10
E5532421		11	<1	<1	0.01	3	<1	10.9	1350	<0.5	<0.01	0.6	253	6.4	<10
E5532422		11	<1	<1	0.02	3	<1	11.0	1320	<0.5	0.01	0.5	251	7.5	<10
E5532423		11	3	<1	0.11	4	1	8.96	1370	<0.5	<0.01	6.3	724	19.2	15
E5532424		10	<1	<1	0.01	3	<1	10.5	1120	<0.5	0.01	<0.5	231	2.3	<10
E5532425		10	<1	<1	0.01	4	<1	10.8	1440	<0.5	0.01	0.5	497	4.9	<10
E5532426		10	<1	<1	0.04	4	<1	10.6	1480	<0.5	0.01	1.6	437	6.6	<10
E5532427		10	<1	<1	0.03	3	<1	11.1	1280	<0.5	0.01	0.8	352	4.8	<10
E5532428		10	<1	<1	<0.01	3	<1	11.5	886	<0.5	0.01	<0.5	356	3.2	<10

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y643186

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 18, 2012

DATE RECEIVED: Sep 17, 2012

DATE REPORTED: Oct 09, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
	Unit: RDL:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
E5532429		11	2	<1	0.02	3	<1	11.2	1350	<0.5	<0.01	1.2	549	7.5	<10
E5532430		12	<1	<1	0.01	3	<1	11.0	1190	<0.5	<0.01	0.9	385	6.2	<10
E5532431		11	1	<1	0.02	3	<1	11.3	1040	<0.5	0.01	1.2	385	9.2	<10
E5532432		10	<1	<1	0.03	3	<1	10.7	1170	<0.5	0.01	0.9	292	5.9	<10
E5532433		9	3	<1	0.04	5	<1	10.4	1360	<0.5	0.01	2.4	392	50.9	<10
E5532434		8	76	<1	0.06	1	<1	0.95	157	1.6	<0.01	5.4	574	197	<10
E5532435		10	1	<1	0.03	4	<1	10.1	1150	<0.5	0.01	1.4	310	11.9	<10
E5532436		9	1	<1	0.03	3	<1	10.7	1250	0.9	0.01	1.1	396	7.5	<10
E5532437		10	<1	<1	0.02	2	<1	10.5	685	<0.5	0.01	<0.5	213	10.4	<10
E5532438		10	<1	<1	0.02	2	<1	10.2	844	<0.5	0.01	0.6	219	6.0	<10
E5532439		11	1	<1	0.03	3	<1	10.4	928	<0.5	0.01	1.0	367	9.3	<10
E5532440		10	<1	<1	0.02	3	<1	10.8	591	<0.5	0.01	0.5	320	2.8	<10
E5532441		8	3	<1	0.02	3	<1	10.5	713	<0.5	0.01	0.6	317	8.9	<10
E5532442		10	<1	<1	0.01	2	<1	10.7	641	<0.5	0.01	<0.5	416	4.4	<10
E5532443		10	1	<1	<0.01	2	<1	10.8	660	<0.5	0.01	<0.5	261	5.6	<10
E5532444		10	2	<1	0.02	2	<1	9.86	671	<0.5	0.01	0.9	499	10.4	<10
E5532445		9	11	<1	0.02	3	<1	10.6	756	<0.5	0.01	1.3	299	13.4	<10
E5532446		10	4	<1	0.05	6	1	10.7	711	<0.5	0.02	3.0	310	18.6	<10
E5664068		11	1	<1	0.06	7	1	10.5	696	<0.5	0.02	3.0	333	9.0	10

Certified By:

*Y. Chen.*



# AGAT Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y643186

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 18, 2012

DATE RECEIVED: Sep 17, 2012

DATE REPORTED: Oct 09, 2012

SAMPLE TYPE: Drill Core

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
E5532365	1.88	3	1.5	<10	<5	12.1	<10	<10	<5	<0.01	0.34	<5	<0.5	<1
E5532366	0.648	2	0.8	<10	<5	9.2	<10	<10	<5	<0.01	0.19	<5	<0.5	<1
E5532367	0.749	3	1.3	<10	<5	23.8	<10	<10	<5	<0.01	0.24	<5	<0.5	<1
E5532368	0.816	3	1.5	<10	<5	23.3	<10	<10	<5	<0.01	0.24	<5	<0.5	<1
E5532369	0.205	27	<0.5	<10	<5	34.9	<10	<10	<5	0.01	15.2	<5	8.8	32
E5532370	0.019	1	<0.5	<10	<5	22.9	<10	<10	<5	<0.01	0.07	<5	5.9	<1
E5532371	1.64	4	1.6	<10	<5	14.6	<10	<10	<5	<0.01	0.26	<5	<0.5	<1
E5532372	0.853	<1	2.9	<10	<5	38.6	<10	<10	<5	<0.01	0.18	<5	1.0	<1
E5532373	0.087	<1	1.6	<10	<5	25.4	<10	<10	<5	<0.01	0.06	<5	<0.5	<1
E5532374	1.07	<1	3.0	<10	<5	76.4	<10	<10	<5	<0.01	0.22	<5	2.4	<1
E5532375	0.995	<1	3.1	<10	<5	69.2	<10	<10	<5	<0.01	0.21	<5	3.1	<1
E5532376	0.600	<1	2.7	<10	<5	45.3	<10	<10	<5	<0.01	0.20	<5	1.5	<1
E5532377	1.07	<1	4.3	<10	<5	22.7	<10	<10	<5	<0.01	0.26	<5	3.9	<1
E5532378	0.711	<1	<0.5	<10	<5	16.8	<10	<10	<5	<0.01	0.18	<5	<0.5	<1
E5532379	0.263	<1	<0.5	<10	<5	13.0	<10	<10	<5	<0.01	0.46	<5	<0.5	<1
E5532380	0.192	<1	<0.5	<10	<5	16.7	<10	<10	<5	<0.01	0.41	<5	<0.5	<1
E5532381	0.168	<1	<0.5	<10	<5	17.9	<10	<10	<5	<0.01	0.06	<5	<0.5	<1
E5532382	0.475	<1	4.6	<10	<5	35.9	<10	<10	6	<0.01	0.17	<5	8.5	<1
E5532383	0.318	<1	5.2	<10	<5	28.3	<10	<10	5	<0.01	0.12	<5	7.8	<1
E5532384	0.348	<1	6.2	<10	<5	39.3	<10	<10	6	<0.01	0.17	<5	9.6	<1
E5532385	0.242	<1	5.2	<10	<5	35.1	<10	<10	6	<0.01	0.12	<5	9.1	<1
E5532386	0.327	<1	5.0	<10	<5	31.6	<10	<10	7	<0.01	0.14	<5	6.5	<1
E5532387	0.098	<1	2.4	<10	<5	24.7	<10	<10	<5	<0.01	0.05	<5	<0.5	<1
E5532388	0.361	<1	4.7	<10	<5	32.4	<10	<10	6	<0.01	0.15	<5	6.9	<1
E5532389	0.352	<1	5.8	<10	<5	36.7	<10	<10	7	<0.01	0.14	<5	8.4	<1
E5532390	0.269	<1	6.3	<10	<5	46.1	<10	<10	7	<0.01	0.13	<5	10.1	<1
E5532391	0.273	<1	6.4	<10	<5	41.1	<10	<10	7	<0.01	0.14	<5	9.1	<1
E5532392	0.291	<1	6.5	<10	<5	45.1	<10	<10	7	<0.01	0.13	<5	8.7	<1
E5532393	0.222	<1	5.3	<10	<5	33.6	<10	<10	7	<0.01	0.10	<5	8.7	<1
E5532394	0.237	<1	1.1	<10	<5	57.3	<10	<10	<5	<0.01	0.10	<5	<0.5	<1
E5532395	0.109	1	<0.5	<10	<5	131	<10	<10	<5	<0.01	0.03	<5	<0.5	<1
E5532396	0.018	1	<0.5	<10	<5	23.5	<10	<10	<5	<0.01	0.08	<5	3.9	<1

Certified By:

*Y. Chen*





**AGAT** Laboratories

# Certificate of Analysis

AGAT WORK ORDER: 12Y643186

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

## Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 18, 2012

DATE RECEIVED: Sep 17, 2012

DATE REPORTED: Oct 09, 2012

SAMPLE TYPE: Drill Core

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
E5532397	0.027	2	1.1	<10	<5	29.8	<10	<10	<5	<0.01	0.24	<5	6.9	<1
E5532398	0.014	5	2.1	<10	<5	38.7	<10	<10	<5	<0.01	0.53	<5	8.6	<1
E5532399	0.030	3	0.6	<10	<5	42.1	<10	<10	<5	<0.01	0.22	<5	6.1	<1
E5532400	0.006	4	<0.5	<10	<5	19.9	<10	<10	<5	<0.01	0.05	<5	4.6	<1
E5532401	0.007	12	<0.5	<10	<5	19.7	<10	<10	<5	<0.01	0.07	<5	3.9	<1
E5532402	0.007	4	<0.5	<10	<5	17.1	<10	<10	<5	<0.01	0.04	<5	4.7	<1
E5532403	<0.005	1	<0.5	<10	<5	17.8	<10	<10	<5	<0.01	0.02	<5	4.9	<1
E5532404	0.007	26	<0.5	<10	<5	17.1	<10	<10	<5	<0.01	0.05	<5	3.7	<1
E5532405	0.007	9	<0.5	<10	<5	18.6	<10	<10	<5	<0.01	0.04	<5	4.0	<1
E5532406	0.009	2	<0.5	<10	<5	24.3	<10	<10	<5	<0.01	0.05	<5	4.2	<1
E5532407	0.006	2	<0.5	<10	<5	19.8	<10	<10	<5	<0.01	0.06	<5	4.2	<1
E5532408	0.006	2	<0.5	<10	<5	22.0	<10	<10	<5	<0.01	0.07	<5	3.7	<1
E5532409	0.152	25	<0.5	<10	<5	26.4	<10	<10	<5	0.01	15.4	<5	8.8	32
E5532410	0.016	<1	<0.5	<10	<5	28.9	<10	<10	<5	<0.01	0.07	<5	5.3	<1
E5532411	0.006	1	<0.5	<10	<5	18.4	<10	<10	<5	<0.01	0.03	<5	4.5	<1
E5532412	0.007	2	<0.5	<10	<5	14.8	<10	<10	<5	<0.01	0.03	<5	4.5	<1
E5532413	0.006	2	<0.5	<10	<5	15.5	<10	<10	<5	<0.01	0.03	<5	5.3	<1
E5532414	0.012	2	<0.5	<10	<5	29.2	<10	<10	<5	<0.01	0.08	<5	6.4	<1
E5532415	0.008	1	<0.5	<10	<5	18.8	<10	<10	<5	<0.01	0.07	<5	5.2	<1
E5532416	0.007	4	<0.5	<10	<5	31.2	<10	<10	<5	<0.01	0.07	<5	6.0	<1
E5532417	0.011	3	<0.5	<10	<5	25.7	<10	<10	<5	<0.01	0.25	<5	5.7	<1
E5532418	0.021	4	<0.5	<10	<5	22.3	<10	<10	<5	<0.01	0.15	<5	5.9	<1
E5532419	0.129	2	1.0	<10	<5	18.1	<10	<10	<5	<0.01	0.36	<5	5.1	<1
E5532420	0.027	3	<0.5	<10	<5	19.7	<10	<10	<5	<0.01	0.12	<5	5.5	<1
E5532421	0.015	1	<0.5	<10	<5	23.3	<10	<10	<5	<0.01	0.11	<5	5.1	<1
E5532422	0.020	2	<0.5	<10	<5	17.3	<10	<10	<5	<0.01	0.11	<5	5.3	<1
E5532423	0.220	7	1.3	<10	<5	20.9	<10	<10	6	<0.01	0.83	<5	6.1	<1
E5532424	0.023	3	<0.5	<10	<5	8.6	<10	<10	<5	<0.01	0.07	<5	4.2	<1
E5532425	0.027	4	<0.5	<10	<5	17.9	<10	<10	<5	<0.01	0.08	<5	5.1	<1
E5532426	0.090	2	<0.5	<10	<5	22.1	<10	<10	<5	<0.01	0.23	<5	6.0	<1
E5532427	0.108	1	<0.5	<10	<5	13.8	<10	<10	<5	<0.01	0.11	<5	5.3	<1
E5532428	0.036	2	<0.5	<10	<5	18.8	<10	<10	<5	<0.01	0.14	<5	5.9	<1

Certified By:

*Y. Chen*



**AGAT** Laboratories

# Certificate of Analysis

AGAT WORK ORDER: 12Y643186

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

## Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 18, 2012

DATE RECEIVED: Sep 17, 2012

DATE REPORTED: Oct 09, 2012

SAMPLE TYPE: Drill Core

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
E5532429	0.018	3	<0.5	<10	<5	27.6	<10	<10	<5	<0.01	0.44	<5	5.5	<1
E5532430	0.018	2	<0.5	<10	<5	20.9	<10	<10	<5	<0.01	0.44	<5	4.9	<1
E5532431	0.023	5	<0.5	<10	<5	25.6	<10	<10	<5	<0.01	0.25	<5	6.2	<1
E5532432	0.021	3	<0.5	<10	<5	23.7	<10	<10	<5	<0.01	0.21	<5	4.9	<1
E5532433	0.071	20	0.5	<10	<5	26.2	<10	<10	<5	<0.01	0.36	<5	5.7	<1
E5532434	0.722	70	0.6	<10	<5	9.8	<10	<10	<5	<0.01	1.18	<5	<0.5	<1
E5532435	0.026	10	<0.5	<10	<5	15.5	<10	<10	<5	<0.01	0.31	<5	4.8	<1
E5532436	0.021	2	<0.5	<10	<5	21.6	<10	<10	<5	<0.01	0.22	<5	5.5	<1
E5532437	0.012	4	<0.5	<10	<5	21.7	<10	<10	<5	<0.01	0.14	<5	4.8	<1
E5532438	0.011	3	<0.5	<10	<5	16.1	<10	<10	<5	<0.01	0.18	<5	4.1	<1
E5532439	0.016	5	<0.5	<10	<5	23.7	<10	<10	<5	<0.01	0.44	<5	5.2	<1
E5532440	0.008	1	<0.5	<10	<5	22.5	<10	<10	<5	<0.01	0.15	<5	4.7	<1
E5532441	0.012	3	<0.5	<10	<5	21.4	<10	<10	<5	<0.01	0.12	<5	5.8	<1
E5532442	0.008	2	<0.5	<10	<5	20.6	<10	<10	<5	<0.01	0.11	<5	4.5	<1
E5532443	0.008	2	<0.5	<10	<5	22.6	<10	<10	<5	<0.01	0.14	<5	4.9	<1
E5532444	0.052	5	<0.5	<10	<5	22.5	<10	<10	<5	<0.01	0.61	<5	4.4	<1
E5532445	0.086	8	<0.5	<10	<5	27.7	<10	<10	<5	<0.01	0.57	<5	5.5	<1
E5532446	0.423	18	1.2	<10	<5	38.0	<10	<10	<5	<0.01	0.92	<5	7.3	<1
E5664068	0.053	4	1.2	<10	<5	31.4	<10	<10	5	<0.01	0.35	<5	6.8	<1

Certified By:

*Y. Chen*



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y643186

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 18, 2012

DATE RECEIVED: Sep 17, 2012

DATE REPORTED: Oct 09, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
E5532365		4	5.2	<5
E5532366		3	5.3	<5
E5532367		4	10.0	<5
E5532368		4	9.2	<5
E5532369		2	16.9	13
E5532370		<1	9.7	<5
E5532371		2	22.6	<5
E5532372		5	32.2	<5
E5532373		2	21.2	<5
E5532374		6	13.6	<5
E5532375		6	14.7	<5
E5532376		3	24.9	<5
E5532377		4	71.7	<5
E5532378		<1	10.9	<5
E5532379		<1	17.6	<5
E5532380		<1	11.4	<5
E5532381		<1	8.6	<5
E5532382		14	57.1	<5
E5532383		4	65.0	<5
E5532384		5	72.2	<5
E5532385		5	64.7	<5
E5532386		5	69.0	<5
E5532387		4	38.4	<5
E5532388		3	66.6	<5
E5532389		9	59.3	<5
E5532390		7	69.2	<5
E5532391		7	68.5	<5
E5532392		11	69.1	<5
E5532393		4	73.3	<5
E5532394		6	2.9	<5
E5532395		5	2.1	<5
E5532396		3	5.2	<5

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y643186

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 18, 2012

DATE RECEIVED: Sep 17, 2012

DATE REPORTED: Oct 09, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
E5532397		3	2.9	<5
E5532398		5	2.9	<5
E5532399		3	8.3	<5
E5532400		1	4.3	<5
E5532401		1	20.1	<5
E5532402		1	49.1	<5
E5532403		<1	15.5	<5
E5532404		<1	15.9	<5
E5532405		<1	20.1	<5
E5532406		<1	64.7	<5
E5532407		1	20.2	<5
E5532408		<1	22.1	<5
E5532409		2	17.6	14
E5532410		<1	11.0	<5
E5532411		<1	21.8	<5
E5532412		<1	8.3	<5
E5532413		<1	14.0	<5
E5532414		1	23.2	<5
E5532415		1	14.3	<5
E5532416		1	26.8	<5
E5532417		2	43.7	<5
E5532418		2	32.1	<5
E5532419		3	83.1	<5
E5532420		3	18.7	<5
E5532421		2	7.3	<5
E5532422		2	6.8	<5
E5532423		5	16.0	7
E5532424		2	4.9	<5
E5532425		3	11.6	<5
E5532426		4	6.8	<5
E5532427		2	9.4	<5
E5532428		2	16.7	<5

Certified By:

*Y. Chen*



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y643186

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 18, 2012

DATE RECEIVED: Sep 17, 2012

DATE REPORTED: Oct 09, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
E5532429		3	34.8	<5
E5532430		3	27.9	<5
E5532431		3	34.4	<5
E5532432		2	27.6	<5
E5532433		4	830	<5
E5532434		2	8690	6
E5532435		4	344	<5
E5532436		3	64.8	<5
E5532437		2	35.7	<5
E5532438		2	29.2	<5
E5532439		2	42.8	<5
E5532440		2	14.4	<5
E5532441		2	145	<5
E5532442		2	11.1	<5
E5532443		2	17.9	<5
E5532444		2	24.6	<5
E5532445		2	30.1	<5
E5532446		4	20.6	<5
E5664068		5	11.7	<5

Comments: RDL - Reported Detection Limit

Certified By:

*Y. Chen*



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y643186

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Sep 18, 2012      DATE RECEIVED: Sep 17, 2012      DATE REPORTED: Oct 09, 2012      SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
E5532365		3.43	<0.001
E5532366		4.61	<0.001
E5532367		2.89	0.001
E5532368		1.39	0.001
E5532369		0.12	0.253
E5532370		0.89	<0.001
E5532371		2.90	<0.001
E5532372		4.74	0.005
E5532373		1.73	0.010
E5532374		4.61	<0.001
E5532375		4.12	<0.001
E5532376		1.87	0.011
E5532377		2.81	<0.001
E5532378		1.96	0.002
E5532379		4.62	<0.001
E5532380		4.05	<0.001
E5532381		3.79	<0.001
E5532382		4.71	<0.001
E5532383		4.79	<0.001
E5532384		4.79	0.011
E5532385		5.28	<0.001
E5532386		2.42	<0.001
E5532387		2.41	<0.001
E5532388		1.80	<0.001
E5532389		6.59	<0.001
E5532390		4.27	<0.001
E5532391		4.66	<0.001
E5532392		4.61	<0.001
E5532393		4.58	<0.001
E5532394		3.21	<0.001
E5532395		1.54	<0.001

Certified By:



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y643186

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Sep 18, 2012

DATE RECEIVED: Sep 17, 2012

DATE REPORTED: Oct 09, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
E5532396		4.74	0.013
E5532397		3.74	0.013
E5532398		0.93	0.016
E5532399		3.48	0.005
E5532400		4.45	0.007
E5532401		4.87	0.040
E5532402		4.63	0.016
E5532403		4.65	0.007
E5532404		3.70	0.018
E5532405		3.60	0.022
E5532406		5.27	0.015
E5532407		5.22	0.011
E5532408		2.27	0.018
E5532409		0.11	0.246
E5532410		0.70	0.001
E5532411		4.77	0.012
E5532412		4.87	<0.001
E5532413		4.48	<0.001
E5532414		4.97	0.008
E5532415		4.51	0.017
E5532416		5.03	0.017
E5532417		4.97	0.012
E5532418		4.04	0.013
E5532419		2.48	0.005
E5532420		5.56	0.016
E5532421		3.23	0.004
E5532422		3.59	<0.001
E5532423		2.51	0.003
E5532424		3.51	0.011
E5532425		4.86	0.010
E5532426		5.41	0.003

Certified By:

*Y. Chen*



**AGAT** Laboratories

## Certificate of Analysis

AGAT WORK ORDER: 12Y643186

PROJECT NO:

5623 McADAM ROAD  
MISSISSAUGA, ONTARIO  
CANADA L4Z 1N9  
TEL (905)501-9998  
FAX (905)501-0589  
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

### Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Sep 18, 2012

DATE RECEIVED: Sep 17, 2012

DATE REPORTED: Oct 09, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
E5532427		5.11	0.006
E5532428		5.53	0.013
E5532429		4.64	0.042
E5532430		4.45	0.029
E5532431		4.62	0.011
E5532432		2.61	0.041
E5532433		4.08	0.547
E5532434		2.57	1.97
E5532435		5.52	0.132
E5532436		4.54	0.029
E5532437		5.27	0.014
E5532438		4.87	0.015
E5532439		4.72	0.019
E5532440		5.02	0.010
E5532441		5.00	0.022
E5532442		4.81	0.042
E5532443		2.42	0.051
E5532444		4.19	0.537
E5532445		4.44	0.239
E5532446		2.48	1.22
E5664068		3.53	0.482

Comments: RDL - Reported Detection Limit

Certified By:

*Y. Chen*



## Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y643186

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis											
RPT Date: Oct 09, 2012			REPLICATE			Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)											
Ag	1	3719810	0.35	0.37	5.6%	< 0.2	13.2	13.0	102%	80%	120%
Al	1	3719810	0.31	0.32	3.2%	< 0.01				80%	120%
As	1	3719810	150	145	3.4%	< 1				80%	120%
B	1	3719810	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3719810	54	54	0.0%	< 1				80%	120%
Be	1	3719810	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Bi	1	3719810	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	3719810	2.16	2.13	1.4%	< 0.01				80%	120%
Cd	1	3719810	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Ce	1	3719810	6	5	18.2%	< 1				80%	120%
Co	1	3719810	8.33	8.25	1.0%	< 0.5				80%	120%
Cr	1	3719810	45.1	45.9	1.8%	< 0.5				80%	120%
Cu	1	3719810	13.3	11.3	16.3%	< 0.5	5951	6000	99%	80%	120%
Fe	1	3719810	1.86	1.83	1.6%	< 0.01				80%	120%
Ga	1	3719810	7	7	0.0%	< 5				80%	120%
Hg	1	3719810	1	1	0.0%	< 1				80%	120%
In	1	3719810	< 1	< 1	0.0%	< 1				80%	120%
K	1	3719810	0.17	0.17	0.0%	< 0.01				80%	120%
La	1	3719810	1	1	0.0%	< 1				80%	120%
Li	1	3719810	1	1	0.0%	< 1				80%	120%
Mg	1	3719810	0.966	0.958	0.8%	< 0.01				80%	120%
Mn	1	3719810	192	190	1.0%	< 1				80%	120%
Mo	1	3719810	1.3	0.8		< 0.5	334	360	92%	80%	120%
Na	1	3719810	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Ni	1	3719810	12.8	12.6	1.6%	< 0.5				80%	120%
P	1	3719810	210	207	1.4%	< 10	677	600	112%	80%	120%
Pb	1	3719810	33.2	32.8	1.2%	< 0.5				80%	120%
Rb	1	3719810	12	14	15.4%	< 10				80%	120%
S	1	3719810	1.88	1.88	0.0%	< 0.005				80%	120%
Sb	1	3719810	3	3	0.0%	< 1				80%	120%
Sc	1	3719810	1.5	1.5	0.0%	< 0.5				80%	120%
Se	1	3719810	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	3719810	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	3719810	12.1	12.0	0.8%	0.5				80%	120%
Ta	1	3719810	< 10	< 10	0.0%	< 10				80%	120%
Te	1	3719810	< 10	< 10	0.0%	< 10				80%	120%
Th	1	3719810	< 5	< 5	0.0%	< 5				80%	120%
Ti	1	3719810	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Tl	1	3719810	0.336	0.345	2.6%	< 0.01				80%	120%
U	1	3719810	< 5	< 5	0.0%	< 5				80%	120%
V	1	3719810	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
W	1	3719810	< 1	< 1	0.0%	< 1				80%	120%
Y	1	3719810	4	4	0.0%	< 1	6	7	85%	80%	120%
Zn	1	3719810	5.2	5.2	0.0%	< 0.5				80%	120%

## Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y643186

PROJECT NO:

ATTENTION TO: Yinghua Chen

### Solid Analysis (Continued)

RPT Date: Oct 09, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Zr	1	3719810	< 5	< 5	0.0%	< 5				80% 120%
<b>Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)</b>										
Ag	1	3719835	< 0.2	< 0.2	0.0%	< 0.2	13.7	13.0	105%	80% 120%
Al	1	3719835	0.74	0.75	1.3%	< 0.01				80% 120%
As	1	3719835	4	6		< 1				80% 120%
B	1	3719835	< 5	< 5	0.0%	< 5	5.95	7.00	85%	80% 120%
Ba	1	3719835	111	113	1.8%	< 1				80% 120%
Be	1	3719835	1.3	1.3	0.0%	< 0.5				80% 120%
Bi	1	3719835	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3719835	1.01	1.03	2.0%	< 0.01				80% 120%
Cd	1	3719835	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3719835	14	14	0.0%	< 1				80% 120%
Co	1	3719835	16.1	17.8	10.0%	< 0.5				80% 120%
Cr	1	3719835	13.3	14.7	10.0%	< 0.5				80% 120%
Cu	1	3719835	34.3	35.8	4.3%	< 0.5	5886	6000	98%	80% 120%
Fe	1	3719835	4.29	4.38	2.1%	0.01				80% 120%
Ga	1	3719835	9	9	0.0%	< 5				80% 120%
Hg	1	3719835	< 1	< 1	0.0%	< 1				80% 120%
In	1	3719835	1	2		< 1				80% 120%
K	1	3719835	0.344	0.350	1.7%	< 0.01				80% 120%
La	1	3719835	5	6	18.2%	< 1				80% 120%
Li	1	3719835	11	12	8.7%	< 1				80% 120%
Mg	1	3719835	1.04	1.05	1.0%	< 0.01				80% 120%
Mn	1	3719835	512	507	1.0%	< 1				80% 120%
Mo	1	3719835	< 0.5	1.8		< 0.5	338	360	93%	80% 120%
Na	1	3719835	0.03	0.03	0.0%	< 0.01				80% 120%
Ni	1	3719835	29.2	28.9	1.0%	< 0.5				80% 120%
P	1	3719835	337	330	2.1%	< 10	673	600	112%	80% 120%
Pb	1	3719835	11.3	12.1	6.8%	< 0.5				80% 120%
Rb	1	3719835	34	34	0.0%	< 10				80% 120%
S	1	3719835	0.269	0.264	1.9%	< 0.005				80% 120%
Sb	1	3719835	< 1	< 1	0.0%	< 1				80% 120%
Sc	1	3719835	6.3	6.3	0.0%	< 0.5				80% 120%
Se	1	3719835	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3719835	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3719835	46.1	48.2	4.5%	< 0.5				80% 120%
Ta	1	3719835	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3719835	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3719835	7	7	0.0%	< 5				80% 120%
Ti	1	3719835	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3719835	0.135	0.137	1.5%	< 0.01				80% 120%
U	1	3719835	< 5	< 5	0.0%	< 5				80% 120%
V	1	3719835	10.1	10.0	1.0%	< 0.5				80% 120%
W	1	3719835	< 1	< 1	0.0%	< 1				80% 120%

## Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y643186

PROJECT NO:

ATTENTION TO: Yinghua Chen

### Solid Analysis (Continued)

RPT Date: Oct 09, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				Acceptable Limits	
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery		Lower	Upper
Y	1	3719835	7	7	0.0%	< 1	6	7	80%		80%	120%
Zn	1	3719835	69.2	69.6	0.6%	< 0.5					80%	120%
Zr	1	3719835	< 5	< 5	0.0%	< 5					80%	120%
<b>Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)</b>												
Ag	1	3719860	1.3	1.4	7.4%	< 0.2	14	13.0	108%		80%	120%
Al	1	3719860	0.03	0.03	0.0%	< 0.01					80%	120%
As	1	3719860	123	123	0.0%	< 1					80%	120%
B	1	3719860	< 5	< 5	0.0%	< 5					80%	120%
Ba	1	3719860	16	15	6.5%	< 1					80%	120%
Be	1	3719860	< 0.5	< 0.5	0.0%	< 0.5					80%	120%
Bi	1	3719860	< 1	< 1	0.0%	< 1					80%	120%
Ca	1	3719860	16.3	16.2	0.6%	< 0.01					80%	120%
Cd	1	3719860	< 0.5	< 0.5	0.0%	< 0.5					80%	120%
Ce	1	3719860	< 1	< 1	0.0%	< 1					80%	120%
Co	1	3719860	< 0.5	< 0.5	0.0%	< 0.5					80%	120%
Cr	1	3719860	3.81	4.06	6.4%	< 0.5					80%	120%
Cu	1	3719860	< 0.5	< 0.5	0.0%	< 0.5	5961	6000	99%		80%	120%
Fe	1	3719860	0.189	0.183	3.2%	< 0.01					80%	120%
Ga	1	3719860	8	9	11.8%	< 5					80%	120%
Hg	1	3719860	< 1	< 1	0.0%	< 1					80%	120%
In	1	3719860	< 1	< 1	0.0%	< 1					80%	120%
K	1	3719860	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
La	1	3719860	2	2	0.0%	< 1					80%	120%
Li	1	3719860	< 1	< 1	0.0%	< 1					80%	120%
Mg	1	3719860	11.3	11.5	1.8%	< 0.01					80%	120%
Mn	1	3719860	239	242	1.2%	< 1					80%	120%
Mo	1	3719860	0.6	< 0.5		< 0.5	335	360	93%		80%	120%
Na	1	3719860	0.01	0.01	0.0%	< 0.01					80%	120%
Ni	1	3719860	0.5	0.8		< 0.5					80%	120%
P	1	3719860	172	168	2.4%	< 10	686	600	114%		80%	120%
Pb	1	3719860	3.38	2.84	17.4%	< 0.5					80%	120%
Rb	1	3719860	< 10	< 10	0.0%	< 10					80%	120%
S	1	3719860	0.008	0.008	0.0%	< 0.005					80%	120%
Sb	1	3719860	1	2		< 1					80%	120%
Sc	1	3719860	< 0.5	< 0.5	0.0%	< 0.5					80%	120%
Se	1	3719860	< 10	< 10	0.0%	< 10					80%	120%
Sn	1	3719860	< 5	< 5	0.0%	< 5					80%	120%
Sr	1	3719860	18.8	18.8	0.0%	< 0.5					80%	120%
Ta	1	3719860	< 10	< 10	0.0%	< 10					80%	120%
Te	1	3719860	< 10	< 10	0.0%	< 10					80%	120%
Th	1	3719860	< 5	< 5	0.0%	< 5					80%	120%
Ti	1	3719860	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
Tl	1	3719860	0.07	0.07	0.0%	< 0.01					80%	120%
U	1	3719860	< 5	< 5	0.0%	< 5					80%	120%



## Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y643186

PROJECT NO:

ATTENTION TO: Yinghua Chen

### Solid Analysis (Continued)

RPT Date: Oct 09, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
V	1	3719860	5.24	6.46	20.9%	< 0.5				80% 120%
W	1	3719860	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3719860	1	1	0.0%	< 1				80% 120%
Zn	1	3719860	14.3	14.5	1.4%	< 0.5				80% 120%
Zr	1	3719860	< 5	< 5	0.0%	< 5				80% 120%
<b>Aqua Regia Digest - Metals Package, ICP-OES (Low Ti) (201073)</b>										
Ag	1	3719885	1.4	0.7		< 0.2	13.7	13.0	105%	80% 120%
Al	1	3719885	0.05	0.05	0.0%	< 0.01				80% 120%
As	1	3719885	213	216	1.4%	< 1				80% 120%
B	1	3719885	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3719885	7	7	0.0%	< 1				80% 120%
Be	1	3719885	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	3719885	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3719885	15.9	16.3	2.5%	< 0.01				80% 120%
Cd	1	3719885	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3719885	< 1	1		< 1				80% 120%
Co	1	3719885	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Cr	1	3719885	3.82	3.89	1.8%	< 0.5				80% 120%
Cu	1	3719885	< 0.5	< 0.5	0.0%	< 0.5	6132	6000	102%	80% 120%
Fe	1	3719885	0.36	0.36	0.0%	< 0.01				80% 120%
Ga	1	3719885	10	10	0.0%	< 5				80% 120%
Hg	1	3719885	< 1	< 1	0.0%	< 1				80% 120%
In	1	3719885	< 1	< 1	0.0%	< 1				80% 120%
K	1	3719885	0.02	0.02	0.0%	< 0.01				80% 120%
La	1	3719885	3	3	0.0%	< 1				80% 120%
Li	1	3719885	< 1	< 1	0.0%	< 1				80% 120%
Mg	1	3719885	10.8	11.0	1.8%	< 0.01				80% 120%
Mn	1	3719885	591	600	1.5%	< 1				80% 120%
Mo	1	3719885	< 0.5	< 0.5	0.0%	< 0.5	338	360	93%	80% 120%
Na	1	3719885	0.01	0.01	0.0%	< 0.01				80% 120%
Ni	1	3719885	0.5	0.5	0.0%	< 0.5				80% 120%
P	1	3719885	320	335	4.6%	< 10	688	600	115%	80% 120%
Pb	1	3719885	2.8	3.3	16.4%	< 0.5				80% 120%
Rb	1	3719885	< 10	< 10	0.0%	< 10	11	13	86%	80% 120%
S	1	3719885	0.0076	0.0070	8.2%	< 0.005				80% 120%
Sb	1	3719885	1	2		< 1				80% 120%
Sc	1	3719885	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Se	1	3719885	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3719885	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3719885	22.5	21.9	2.7%	< 0.5				80% 120%
Ta	1	3719885	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3719885	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3719885	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3719885	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3719885	0.15	0.15	0.0%	< 0.01				80% 120%



## Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y643186

PROJECT NO:

ATTENTION TO: Yinghua Chen

### Solid Analysis (Continued)

RPT Date: Oct 09, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper

U	1	3719885	< 5	< 5	0.0%	< 5				80% 120%
V	1	3719885	4.74	5.08	6.9%	< 0.5				80% 120%
W	1	3719885	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3719885	2	2	0.0%	< 1				80% 120%
Zn	1	3719885	14.4	14.1	2.1%	< 0.5				80% 120%
Zr	1	3719885	< 5	< 5	0.0%	< 5				80% 120%

#### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1					< 0.2	14.1	13.0	108%	80% 120%
Cu	1					< 0.5	6080	6000	101%	80% 120%
Mo	1					< 0.5	335	360	93%	80% 120%
P	1					< 10	680	600	113%	80% 120%
Rb	1					< 10	12	13	90%	80% 120%
Y	1					< 1	6	7	82%	80% 120%

#### Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1					< 0.2	13.4	13.0	103%	80% 120%
Cu	1					< 0.5	5924	6000	98%	80% 120%
Mo	1					< 0.5	319	360	88%	80% 120%
P	1					< 10	645	600	107%	80% 120%
Rb	1					< 10	10	13	81%	80% 120%
Y	1					< 1	6	7	84%	80% 120%

#### Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

Au	1	3719810	< 0.001	< 0.001	0.0%	< 0.001	0.25	0.263	95%	90% 110%
----	---	---------	---------	---------	------	---------	------	-------	-----	----------

#### Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

Au	1	3719822	< 0.001	< 0.001	0.0%	< 0.001	1.56	1.52	102%	90% 110%
----	---	---------	---------	---------	------	---------	------	------	------	----------

#### Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

Au	1	3719835	< 0.001	0.002		< 0.001	0.245	0.264	92%	90% 110%
----	---	---------	---------	-------	--	---------	-------	-------	-----	----------

#### Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

Au	1	3719847	0.0158	0.0140	12.1%	< 0.001	1.55	1.52	101%	90% 110%
----	---	---------	--------	--------	-------	---------	------	------	------	----------

#### Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

Au	1	3719860	0.0172	0.0200	15.1%	< 0.001				90% 110%
----	---	---------	--------	--------	-------	---------	--	--	--	----------

#### Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

Au	1	3719872	0.0056	0.0051	9.3%	< 0.001				90% 110%
----	---	---------	--------	--------	------	---------	--	--	--	----------

#### Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

Au	1	3719885	0.0104	0.0113	8.3%	< 0.001				90% 110%
----	---	---------	--------	--------	------	---------	--	--	--	----------

**Certified By:**

*Y. Chen*

## Method Summary

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y643186

PROJECT NO:

ATTENTION TO: Yinghua Chen

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
<b>Solid Analysis</b>			
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
B	MIN-200-12020		ICP/OES
Ba	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
In	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP/OES
Li	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr	MIN-200-12020		ICP/OES
Ta	MIN-200-12020		ICP/OES
Te	MIN-200-12020		ICP/OES
Th	MIN-200-12020		ICP/OES
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP-MS
U	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP/OES
Y	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Zr	MIN-200-12020		ICP/OES
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES