

CLIENT NAME: ANTHILL RESOURCES (YUKON)
1090-999 WEST HASTINGS STREET
Vancouver, BC V6C2W2
(604) 569-3892

ATTENTION TO: Yinghua Chen

PROJECT NO:

AGAT WORK ORDER: 12Y645097

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, Certified Assayer - Director - Technical Services (Mining)

DATE REPORTED: Oct 11, 2012

PAGES (INCLUDING COVER): 23

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

***NOTES**

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y645097

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 24, 2012		DATE RECEIVED: Sep 24, 2012					DATE REPORTED: Oct 11, 2012					SAMPLE TYPE: Drill Core			
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
E5664210		<0.2	1.08	115	<5	61	<0.5	<1	2.92	1.3	6	8.0	41.7	10.4	2.94
E5664211		<0.2	1.05	47	<5	73	<0.5	7	0.24	1.1	9	10.1	31.4	9.4	2.90
E5664212		<0.2	2.16	39	<5	86	0.8	<1	0.09	1.8	5	18.6	44.0	32.5	4.95
E5664213		0.2	0.42	35	<5	48	<0.5	6	0.12	<0.5	3	5.2	41.6	8.0	1.56
E5664214		<0.2	0.13	61	<5	17	<0.5	<1	0.34	<0.5	4	3.9	52.5	3.7	1.06
E5664215		<0.2	0.12	44	<5	17	<0.5	3	0.21	<0.5	3	3.5	42.8	3.2	1.13
E5664216		<0.2	0.11	46	<5	13	<0.5	<1	0.31	<0.5	3	3.8	47.1	3.5	1.11
E5664217		<0.2	0.28	74	<5	42	<0.5	<1	0.60	0.9	3	9.3	32.5	24.6	2.71
E5664218		<0.2	0.30	74	<5	44	0.5	1	0.58	0.8	2	10.4	29.2	23.9	2.72
E5664219		0.4	0.15	532	<5	2140	<0.5	6	0.95	1.6	1	6.9	15.8	33.9	3.05
E5664220		<0.2	0.02	174	<5	20	<0.5	<1	18.7	<0.5	11	2.0	1.2	0.9	0.45
E5664221		<0.2	0.39	75	<5	66	0.6	<1	1.31	1.0	2	13.1	8.5	36.5	3.38
E5664222		<0.2	0.34	120	5	41	0.6	<1	1.65	1.4	3	15.7	9.3	28.9	3.74
E5664223		<0.2	0.36	36	<5	49	0.6	<1	0.09	1.1	3	15.1	14.6	31.7	3.53
E5664224		<0.2	0.31	78	<5	37	0.6	3	0.41	1.2	2	13.9	12.0	29.7	3.49
E5664225		<0.2	0.40	78	<5	44	0.8	<1	0.16	1.6	5	18.2	10.3	44.1	4.19
E5664226		<0.2	0.34	29	<5	45	0.6	<1	0.04	1.3	2	13.9	15.9	26.4	3.83
E5664227		<0.2	0.36	94	<5	39	0.7	8	0.72	1.1	3	16.9	7.8	33.7	4.19
E5664228		<0.2	0.36	88	5	39	0.6	<1	1.36	1.2	3	15.8	10.7	31.3	3.55
E5664229		<0.2	0.34	83	<5	38	0.6	9	0.46	1.3	1	16.1	6.2	38.4	4.02
E5664230		<0.2	0.41	92	<5	45	0.5	6	0.64	1.1	5	13.1	9.1	31.6	3.77
E5664231		<0.2	0.39	67	<5	41	0.5	10	0.35	1.3	3	15.5	5.5	34.0	4.04
E5664232		<0.2	0.33	82	<5	35	0.5	<1	0.75	1.3	3	15.0	5.9	29.9	4.05
E5664233		<0.2	0.32	87	<5	36	<0.5	<1	0.60	1.0	3	14.8	7.7	28.4	3.50
E5664234		<0.2	0.35	113	<5	32	0.5	<1	1.31	1.0	3	15.5	7.2	16.4	3.18
E5664235		<0.2	0.34	100	<5	28	<0.5	<1	1.56	1.1	3	14.2	5.7	21.0	3.69
E5664236		<0.2	0.33	119	<5	31	0.5	<1	3.21	1.3	3	13.8	7.2	26.8	3.92
E5664237		<0.2	0.33	144	<5	31	0.5	4	1.59	1.2	2	14.6	6.8	27.8	4.05
E5664238		<0.2	0.31	190	<5	26	<0.5	<1	4.44	1.8	3	13.0	13.2	15.2	4.46
E5664239		<0.2	0.33	142	<5	31	0.6	<1	3.50	1.7	2	13.5	5.6	35.6	3.75
E5664240		<0.2	0.37	139	<5	33	0.6	<1	3.05	1.2	4	14.4	6.8	27.8	3.80
E5664241		<0.2	0.34	147	<5	30	0.6	1	3.10	1.8	2	14.0	3.9	24.5	4.06

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y645097

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 24, 2012		DATE RECEIVED: Sep 24, 2012					DATE REPORTED: Oct 11, 2012					SAMPLE TYPE: Drill Core			
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
E5664242		<0.2	0.38	138	<5	35	0.6	13	2.78	1.0	3	13.4	9.3	26.2	3.35
E5664243		<0.2	0.31	157	6	29	<0.5	<1	7.04	1.6	4	11.3	6.8	23.4	4.13
E5664244		<0.2	0.27	153	<5	29	<0.5	<1	6.15	1.3	5	9.1	13.7	26.2	2.94
E5664245		<0.2	0.29	222	<5	31	<0.5	<1	7.49	1.1	6	10.2	5.5	28.6	3.02
E5664246		<0.2	0.27	362	<5	28	<0.5	<1	2.82	1.3	2	12.8	12.2	32.5	3.13
E5664247		<0.2	0.28	362	5	29	<0.5	<1	6.76	1.0	6	11.7	5.1	25.0	2.91
E5664248		<0.2	0.27	165	<5	28	<0.5	<1	7.26	1.2	5	10.1	7.9	24.9	3.01
E5664249		<0.2	0.29	171	<5	27	<0.5	<1	5.19	1.1	4	8.8	8.1	22.6	2.69
E5664250		<0.2	0.33	229	<5	31	<0.5	<1	3.50	1.1	3	12.1	14.6	30.2	2.90
E5664251		<0.2	0.38	230	<5	40	0.5	<1	2.89	0.7	3	6.9	11.5	29.0	2.80
E5664252		5.5	0.30	231	<5	151	<0.5	<1	2.72	1.5	5	7.7	20.4	28.0	3.35
E5664253		0.2	0.40	340	<5	32	0.8	<1	0.75	0.9	3	17.6	10.9	216	4.07
E5664254		<0.2	0.33	317	<5	27	0.8	9	0.23	1.7	3	18.4	8.7	45.1	5.17
E5664255		<0.2	0.40	445	<5	34	0.9	<1	0.64	1.0	7	16.0	8.6	34.6	4.37
E5664256		<0.2	0.39	486	<5	37	1.0	<1	0.21	1.5	4	19.3	7.3	43.8	5.20
E5664257		<0.2	0.45	328	<5	41	0.9	<1	0.38	1.4	5	19.2	7.4	52.9	4.78
E5664258		0.4	0.17	525	<5	837	<0.5	<1	0.95	1.3	1	6.4	15.3	33.1	3.08
E5664259		<0.2	0.03	173	<5	19	<0.5	<1	19.5	<0.5	11	2.3	0.9	1.5	0.45
E5664260		<0.2	0.42	187	<5	37	0.9	10	0.72	1.8	7	17.5	9.8	51.0	5.39
E5664261		<0.2	0.39	355	<5	33	0.9	2	0.29	1.6	6	18.4	9.1	39.6	5.10
E5664262		<0.2	0.37	362	<5	40	0.6	<1	3.26	1.0	2	9.6	11.7	27.5	3.32
E5664263		<0.2	0.23	635	<5	26	<0.5	<1	2.10	0.7	2	9.4	45.4	22.4	2.25
E5664264		<0.2	0.38	5480	<5	37	0.7	<1	3.43	1.5	5	12.2	14.6	26.5	3.72
E5664265		<0.2	0.38	1450	<5	39	0.9	<1	1.58	1.6	5	17.0	10.4	52.6	5.00
E5664266		<0.2	0.41	2180	<5	40	1.0	<1	0.78	1.6	6	17.4	9.6	46.6	5.16
E5664267		<0.2	0.41	124	<5	39	1.1	10	0.14	1.6	8	20.2	7.2	49.3	5.93
E5664268		<0.2	0.43	104	<5	39	1.0	<1	0.16	1.4	9	18.6	5.2	46.3	5.67
E5664269		<0.2	0.42	108	<5	39	1.1	11	0.13	1.4	8	17.6	6.2	47.3	5.34
E5664270		<0.2	0.40	108	<5	35	1.1	4	0.12	1.4	9	17.5	4.7	50.4	5.16
E5664271		<0.2	<0.01	<1	<5	<1	<0.5	<1	<0.01	<0.5	<1	<0.5	<0.5	<0.5	<0.01
E5664272		<0.2	0.42	108	<5	38	1.2	9	0.16	1.8	11	19.3	6.0	51.0	5.34
E5664273		<0.2	0.47	96	<5	41	1.3	3	0.13	1.8	10	18.1	5.4	51.8	5.51

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y645097

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 24, 2012

DATE RECEIVED: Sep 24, 2012

DATE REPORTED: Oct 11, 2012

SAMPLE TYPE: Drill Core

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
E5664274	<0.2	0.42	158	<5	36	1.2	6	0.15	1.7	10	19.9	6.5	51.5	5.89
E5664275	<0.2	0.37	106	<5	34	0.8	13	0.08	1.8	9	17.9	7.8	47.6	5.49
E5664276	<0.2	0.51	103	<5	44	0.9	17	0.12	1.7	10	17.2	6.5	49.8	5.16
E5664277	<0.2	0.40	89	<5	34	0.9	17	0.14	1.6	11	17.8	5.7	48.4	5.34
E5664278	<0.2	0.42	83	<5	37	0.9	5	0.14	1.8	11	17.0	5.7	50.3	5.39
E5664279	<0.2	0.42	116	<5	38	0.9	20	0.16	1.8	11	18.2	7.3	51.0	5.27
E5664280	<0.2	0.41	90	<5	37	0.9	8	0.14	1.6	8	17.7	6.5	47.7	5.27
E5664281	<0.2	0.53	91	<5	47	1.0	4	0.14	1.6	10	18.3	8.8	53.7	5.59
E5664282	<0.2	0.44	129	<5	40	0.8	10	0.64	1.7	9	17.6	8.8	44.5	5.14
E5664283	<0.2	0.45	108	<5	40	0.8	13	0.26	1.7	8	17.7	10.6	43.4	4.90
E5664284	<0.2	0.49	124	<5	43	0.8	<1	0.39	1.2	9	17.9	10.8	43.9	4.56
E5664285	<0.2	0.30	136	<5	24	<0.5	<1	1.57	0.9	4	8.7	54.4	14.2	2.51
E5664286	<0.2	0.28	125	<5	22	<0.5	11	1.45	0.7	5	10.3	29.1	12.3	2.20
E5664287	<0.2	0.19	188	<5	17	<0.5	<1	1.11	0.6	3	6.7	58.1	11.7	1.53
E5664288	<0.2	0.24	416	<5	20	<0.5	9	0.64	<0.5	4	9.9	44.5	9.0	0.99

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y645097

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 24, 2012		DATE RECEIVED: Sep 24, 2012				DATE REPORTED: Oct 11, 2012				SAMPLE TYPE: Drill Core					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
E5664210		5	<1	1	0.09	2	25	0.45	547	14.6	0.02	16.5	467	13.2	13
E5664211		5	<1	<1	0.12	2	22	0.39	540	6.1	0.02	22.1	535	11.4	13
E5664212		10	<1	<1	0.16	1	59	0.92	595	1.9	0.02	36.6	296	27.7	18
E5664213		<5	<1	<1	0.06	1	9	0.14	447	3.0	0.02	9.4	135	13.0	<10
E5664214		<5	<1	<1	0.05	1	<1	0.09	373	5.9	0.02	4.7	172	9.2	<10
E5664215		<5	<1	<1	0.05	1	<1	0.09	281	5.5	0.02	5.5	94	8.2	<10
E5664216		<5	<1	<1	0.05	1	1	0.14	353	7.0	0.02	5.4	115	7.4	<10
E5664217		<5	<1	<1	0.15	1	2	0.15	626	6.8	<0.01	11.7	224	11.3	12
E5664218		<5	<1	<1	0.16	1	2	0.18	585	8.0	<0.01	12.8	219	9.0	14
E5664219		<5	<1	2	0.06	1	2	0.03	49	21.7	<0.01	9.4	145	14.8	<10
E5664220		<5	4	<1	0.01	2	<1	12.1	227	21.5	<0.01	0.6	143	<0.5	11
E5664221		<5	<1	<1	0.23	1	2	0.23	873	10.0	<0.01	14.8	273	14.7	21
E5664222		<5	<1	<1	0.20	1	3	0.21	767	7.9	<0.01	17.6	431	11.9	20
E5664223		<5	<1	2	0.20	1	3	0.06	702	2.3	<0.01	21.0	143	19.8	16
E5664224		<5	<1	<1	0.19	1	2	0.10	483	7.4	<0.01	17.6	280	21.7	15
E5664225		<5	<1	1	0.22	2	2	0.12	380	4.8	<0.01	22.2	543	25.5	18
E5664226		<5	<1	2	0.19	1	2	0.06	426	1.5	<0.01	20.5	110	24.0	15
E5664227		<5	<1	1	0.21	1	2	0.42	437	6.9	<0.01	21.7	255	16.9	18
E5664228		<5	<1	<1	0.20	1	1	0.47	702	7.7	<0.01	18.2	818	37.0	20
E5664229		<5	<1	<1	0.22	<1	2	0.34	360	6.3	<0.01	20.2	158	20.5	19
E5664230		<5	<1	2	0.23	2	2	0.19	460	7.2	<0.01	19.1	814	16.7	19
E5664231		<5	<1	1	0.24	1	2	0.26	335	5.3	<0.01	21.8	265	18.7	19
E5664232		<5	<1	<1	0.20	1	1	0.44	486	7.8	<0.01	21.8	514	13.8	18
E5664233		<5	<1	<1	0.19	1	2	0.21	609	6.5	<0.01	20.8	321	16.6	16
E5664234		<5	<1	<1	0.22	1	4	0.48	422	7.8	<0.01	19.6	411	8.2	20
E5664235		<5	<1	1	0.21	1	5	0.54	482	7.5	<0.01	20.8	383	9.6	19
E5664236		<5	1	<1	0.21	<1	2	0.83	870	11.5	<0.01	21.8	470	21.6	24
E5664237		<5	<1	<1	0.20	<1	2	0.36	659	11.0	<0.01	25.9	229	20.3	19
E5664238		<5	<1	<1	0.18	<1	3	1.23	700	14.1	<0.01	21.3	593	22.2	21
E5664239		<5	<1	<1	0.21	<1	<1	0.96	687	13.3	<0.01	19.7	326	14.8	24
E5664240		<5	<1	<1	0.23	1	1	0.90	597	13.8	<0.01	22.2	504	17.8	25
E5664241		<5	<1	<1	0.21	1	1	0.93	609	12.8	<0.01	22.9	344	16.8	23

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y645097

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 24, 2012		DATE RECEIVED: Sep 24, 2012				DATE REPORTED: Oct 11, 2012				SAMPLE TYPE: Drill Core					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
E5664242		<5	<1	<1	0.24	1	1	0.85	471	11.6	<0.01	21.6	403	16.3	25
E5664243		<5	<1	<1	0.19	<1	1	1.29	685	19.3	<0.01	19.7	550	19.1	24
E5664244		<5	<1	<1	0.16	<1	<1	0.74	518	16.4	<0.01	14.9	408	8.6	22
E5664245		<5	<1	<1	0.18	1	<1	0.62	539	22.0	<0.01	14.1	328	8.9	24
E5664246		<5	<1	<1	0.17	<1	<1	0.57	407	11.0	<0.01	15.6	452	12.4	18
E5664247		<5	<1	2	0.17	1	<1	0.45	487	18.5	<0.01	22.1	634	17.7	25
E5664248		<5	<1	<1	0.17	<1	1	0.75	554	20.2	<0.01	16.4	443	10.0	23
E5664249		<5	<1	<1	0.17	<1	6	0.76	545	16.6	<0.01	13.1	370	6.0	21
E5664250		<5	<1	<1	0.20	<1	1	0.74	481	11.0	<0.01	17.0	398	20.2	22
E5664251		<5	<1	<1	0.24	<1	2	0.85	560	11.2	<0.01	10.0	270	5.3	23
E5664252		<5	<1	<1	0.18	1	2	0.84	599	16.2	<0.01	10.9	686	7.3	19
E5664253		<5	<1	<1	0.19	2	3	0.76	642	7.1	0.01	32.8	175	29.8	15
E5664254		<5	<1	1	0.16	2	2	0.86	588	4.7	<0.01	38.4	169	18.5	14
E5664255		<5	<1	<1	0.21	3	2	0.83	404	6.2	0.01	33.3	803	13.3	17
E5664256		<5	2	<1	0.22	3	<1	0.80	587	4.3	0.01	42.2	317	18.5	18
E5664257		<5	<1	<1	0.24	3	1	0.83	609	3.7	0.02	37.3	383	14.2	20
E5664258		<5	<1	3	0.06	1	2	0.03	48	21.1	<0.01	9.1	155	13.5	<10
E5664259		<5	<1	<1	0.02	2	<1	12.2	263	26.5	<0.01	0.6	400	<0.5	12
E5664260		<5	<1	<1	0.22	4	5	1.10	1300	7.7	0.02	36.4	362	22.0	19
E5664261		<5	<1	<1	0.20	3	3	0.87	1310	5.1	0.01	37.3	208	16.9	16
E5664262		<5	<1	<1	0.22	<1	1	1.05	546	9.7	<0.01	14.2	313	14.6	22
E5664263		<5	<1	1	0.14	<1	<1	0.73	399	10.1	<0.01	12.3	254	16.2	14
E5664264		<5	<1	1	0.20	2	<1	1.29	460	12.8	0.01	26.0	344	19.0	22
E5664265		<5	<1	<1	0.20	2	<1	0.98	657	8.3	0.01	36.5	432	24.6	18
E5664266		<5	<1	<1	0.20	3	2	0.95	807	7.3	0.02	36.6	509	27.1	18
E5664267		<5	2	<1	0.22	4	<1	1.05	924	3.7	0.02	41.6	435	21.3	17
E5664268		<5	<1	<1	0.22	4	1	1.02	840	5.6	0.02	37.5	494	24.0	17
E5664269		<5	5	3	0.21	4	<1	0.97	896	3.1	0.02	37.3	512	22.9	18
E5664270		<5	<1	3	0.20	4	1	0.92	851	3.4	0.02	37.9	351	20.4	17
E5664271		<5	1	<1	<0.01	<1	<1	<0.01	<1	<0.5	<0.01	<0.5	<10	1.0	<10
E5664272		<5	<1	<1	0.21	5	1	0.99	910	6.1	0.02	40.3	646	19.5	18
E5664273		<5	4	2	0.24	5	2	1.02	918	4.2	0.02	38.5	452	23.6	20

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y645097

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 24, 2012

DATE RECEIVED: Sep 24, 2012

DATE REPORTED: Oct 11, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
	Unit: RDL:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
E5664274		<5	1	1	0.21	5	2	1.04	912	2.4	0.02	41.8	572	16.7	18
E5664275		<5	<1	1	0.19	5	1	0.96	918	3.5	0.01	38.7	286	22.6	16
E5664276		<5	<1	1	0.26	5	1	0.96	831	2.7	0.02	37.4	432	26.2	22
E5664277		<5	<1	<1	0.21	5	<1	1.00	892	2.5	0.02	38.1	529	21.4	17
E5664278		<5	<1	1	0.22	5	1	1.00	928	3.6	0.02	37.8	500	29.0	18
E5664279		<5	3	<1	0.22	5	1	0.97	844	1.8	0.02	38.1	603	30.0	18
E5664280		<5	2	<1	0.22	4	2	0.97	752	3.6	0.02	37.2	413	24.6	18
E5664281		<5	<1	2	0.28	5	2	1.02	734	2.4	0.02	38.6	425	23.4	23
E5664282		<5	<1	<1	0.23	4	1	1.06	767	6.1	0.02	34.8	383	25.7	20
E5664283		<5	6	2	0.23	4	1	0.88	539	4.8	0.02	36.1	347	19.6	20
E5664284		<5	<1	<1	0.24	4	2	0.76	436	7.2	0.02	34.3	397	15.2	19
E5664285		<5	<1	<1	0.12	2	1	0.67	736	10.8	0.01	16.3	270	13.6	12
E5664286		<5	<1	<1	0.12	2	1	0.58	575	8.1	0.01	14.4	205	9.2	11
E5664287		<5	<1	<1	0.09	1	<1	0.36	398	7.6	<0.01	11.7	210	4.4	<10
E5664288		<5	<1	<1	0.10	2	<1	0.20	232	8.8	<0.01	11.1	141	8.2	<10

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y645097

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 24, 2012		DATE RECEIVED: Sep 24, 2012					DATE REPORTED: Oct 11, 2012					SAMPLE TYPE: Drill Core			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
E5664210		0.083	64	2.3	18	<5	144	<10	15	<5	<0.01	0.03	<5	15.1	7
E5664211		0.014	31	2.9	<10	<5	10.5	<10	<10	<5	<0.01	0.04	<5	15.1	8
E5664212		0.012	17	3.8	65	<5	11.0	<10	<10	<5	<0.01	0.06	<5	28.1	9
E5664213		0.011	16	1.4	<10	<5	7.5	<10	<10	<5	<0.01	0.02	<5	6.5	3
E5664214		0.044	25	1.1	<10	<5	16.3	<10	<10	<5	<0.01	0.01	<5	2.8	2
E5664215		0.046	21	1.0	18	<5	11.8	<10	<10	<5	<0.01	0.02	<5	3.1	3
E5664216		0.065	32	0.9	<10	<5	15.6	<10	<10	<5	<0.01	0.01	<5	3.2	3
E5664217		0.022	37	4.3	11	<5	24.6	<10	13	<5	<0.01	0.05	<5	5.4	7
E5664218		0.023	47	4.5	44	<5	29.4	<10	14	<5	<0.01	0.05	<5	5.7	5
E5664219		0.159	74	2.3	27	<5	24.8	<10	12	<5	<0.01	12.2	<5	10.2	37
E5664220		0.208	72	<0.5	<10	777	53.9	<10	19	<5	<0.01	<0.01	<5	14.9	<1
E5664221		0.127	59	6.9	27	<5	37.6	<10	17	<5	<0.01	0.08	<5	7.4	7
E5664222		0.075	51	7.6	<10	<5	51.1	<10	16	<5	<0.01	0.07	<5	7.0	8
E5664223		0.037	19	6.0	<10	<5	10.9	<10	<10	<5	<0.01	0.08	<5	6.4	7
E5664224		0.053	35	5.0	<10	<5	19.6	<10	12	<5	<0.01	0.07	<5	5.5	7
E5664225		0.081	30	6.0	<10	<5	21.2	<10	<10	<5	<0.01	0.07	<5	7.6	8
E5664226		0.013	16	6.0	<10	<5	9.0	<10	<10	<5	<0.01	0.07	<5	6.2	8
E5664227		0.562	38	6.5	<10	<5	47.5	<10	11	<5	<0.01	0.07	<5	8.2	12
E5664228		0.318	52	6.6	<10	<5	85.5	<10	15	<5	<0.01	0.07	<5	7.7	7
E5664229		0.475	39	7.1	<10	<5	34.1	<10	12	<5	<0.01	0.07	<5	7.7	8
E5664230		0.363	47	6.8	14	<5	44.7	<10	12	<5	<0.01	0.07	<5	7.3	7
E5664231		0.623	29	6.2	<10	<5	30.4	<10	10	<5	<0.01	0.07	<5	7.2	7
E5664232		0.818	54	6.5	<10	<5	61.1	<10	13	<5	<0.01	0.06	<5	7.5	9
E5664233		0.351	47	6.3	<10	<5	35.1	<10	12	<5	<0.01	0.07	<5	6.0	4
E5664234		0.563	54	6.6	<10	<5	69.9	<10	16	<5	<0.01	0.07	<5	8.4	11
E5664235		0.898	60	6.5	<10	<5	82.7	<10	15	<5	<0.01	0.07	<5	8.2	7
E5664236		1.09	70	8.4	29	6	142	<10	16	<5	<0.01	0.09	<5	8.9	7
E5664237		0.635	59	8.6	<10	<5	60.1	<10	12	<5	<0.01	0.08	<5	7.8	4
E5664238		0.831	70	7.1	<10	71	151	<10	22	<5	<0.01	0.07	<5	10.4	10
E5664239		0.670	85	8.7	<10	20	138	<10	15	<5	<0.01	0.08	<5	9.3	8
E5664240		1.09	69	8.5	<10	7	138	<10	16	<5	<0.01	0.09	<5	9.2	13
E5664241		0.916	68	9.2	32	<5	132	<10	19	<5	<0.01	0.09	<5	9.2	10

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y645097

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 24, 2012

DATE RECEIVED: Sep 24, 2012

DATE REPORTED: Oct 11, 2012

SAMPLE TYPE: Drill Core

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
E5664242	0.986	62	8.4	<10	8	115	<10	15	<5	<0.01	0.09	<5	9.0	8
E5664243	1.07	79	6.3	<10	184	279	<10	20	<5	<0.01	0.08	<5	9.6	6
E5664244	0.625	70	5.1	<10	132	278	<10	17	<5	<0.01	0.06	<5	7.9	6
E5664245	0.488	77	5.5	34	205	349	<10	16	<5	<0.01	0.06	<5	7.5	6
E5664246	0.711	65	6.1	65	<5	95.4	<10	14	<5	<0.01	0.07	<5	7.7	8
E5664247	1.19	86	5.7	<10	166	334	<10	18	<5	<0.01	0.09	<5	7.7	6
E5664248	0.638	78	5.5	<10	200	325	<10	18	<5	<0.01	0.07	<5	7.6	4
E5664249	0.395	73	5.6	<10	100	192	<10	21	<5	<0.01	0.06	<5	8.9	4
E5664250	1.11	59	5.3	<10	21	115	<10	16	<5	<0.01	0.08	<5	8.2	4
E5664251	0.566	50	5.5	<10	<5	87.1	<10	16	<5	<0.01	0.08	<5	9.0	7
E5664252	0.372	67	5.5	30	<5	94.2	<10	16	<5	<0.01	0.06	<5	9.0	16
E5664253	1.16	49	6.7	<10	<5	35.3	<10	15	<5	<0.01	0.07	<5	12.2	11
E5664254	0.662	30	7.8	<10	<5	17.8	<10	<10	<5	<0.01	0.05	<5	12.5	9
E5664255	0.720	47	6.9	<10	<5	35.2	<10	12	<5	<0.01	0.07	<5	9.9	6
E5664256	0.970	27	7.5	22	<5	15.1	<10	12	<5	<0.01	0.07	<5	10.0	8
E5664257	0.588	37	7.1	23	<5	24.6	<10	11	<5	<0.01	0.07	<5	10.4	8
E5664258	0.134	72	2.3	<10	<5	27.1	<10	14	<5	<0.01	12.7	<5	10.2	39
E5664259	0.228	86	<0.5	<10	810	49.2	<10	23	<5	<0.01	0.01	<5	15.3	<1
E5664260	0.338	46	7.8	<10	<5	44.7	<10	17	<5	<0.01	0.07	<5	10.8	13
E5664261	0.339	37	7.4	<10	<5	23.8	<10	12	<5	<0.01	0.07	<5	12.3	13
E5664262	1.33	66	5.2	<10	15	118	<10	16	<5	<0.01	0.09	<5	9.1	9
E5664263	1.06	51	3.4	<10	<5	84.3	<10	12	<5	<0.01	0.06	<5	6.8	4
E5664264	1.84	59	6.9	<10	8	171	<10	19	<5	<0.01	0.08	<5	10.0	7
E5664265	1.72	59	7.1	<10	<5	90.1	<10	17	<5	<0.01	0.07	<5	10.4	6
E5664266	1.10	51	6.5	34	<5	51.9	<10	17	<5	<0.01	0.08	<5	11.7	14
E5664267	0.243	23	7.8	24	<5	14.8	<10	<10	<5	<0.01	0.07	<5	11.2	6
E5664268	0.322	24	7.1	<10	<5	16.3	<10	<10	<5	<0.01	0.07	<5	11.4	12
E5664269	0.224	25	7.1	<10	<5	15.9	<10	<10	<5	<0.01	0.07	<5	11.3	12
E5664270	0.211	19	7.0	<10	<5	12.3	<10	<10	<5	<0.01	0.07	<5	10.5	7
E5664271	<0.005	<1	<0.5	<10	<5	<0.5	<10	<10	<5	<0.01	<0.01	<5	<0.5	<1
E5664272	0.186	18	8.0	<10	<5	16.7	<10	13	<5	<0.01	0.07	<5	11.3	9
E5664273	0.185	22	7.6	<10	<5	14.7	<10	<10	<5	<0.01	0.07	<5	12.3	14

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y645097

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 24, 2012

DATE RECEIVED: Sep 24, 2012

DATE REPORTED: Oct 11, 2012

SAMPLE TYPE: Drill Core

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	TI	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
E5664274	0.402	24	7.8	12	<5	17.6	<10	10	<5	<0.01	0.07	<5	12.6	16
E5664275	0.160	21	7.7	40	<5	34.1	<10	<10	<5	<0.01	0.07	<5	13.3	11
E5664276	0.131	24	7.2	<10	<5	14.7	<10	<10	<5	<0.01	0.08	<5	12.1	9
E5664277	0.131	20	6.9	<10	<5	15.6	<10	<10	<5	<0.01	0.07	<5	10.6	13
E5664278	0.138	23	7.3	<10	<5	17.5	<10	<10	<5	<0.01	0.07	<5	11.0	13
E5664279	0.197	16	7.0	<10	<5	19.8	<10	<10	<5	<0.01	0.09	<5	10.9	8
E5664280	0.166	15	6.4	<10	<5	12.7	<10	<10	<5	<0.01	0.06	<5	10.7	14
E5664281	0.143	24	7.3	35	<5	17.5	<10	<10	<5	<0.01	0.08	<5	11.9	14
E5664282	0.143	42	6.4	18	<5	28.6	<10	12	<5	<0.01	0.07	<5	10.8	13
E5664283	0.148	41	6.0	23	<5	20.6	<10	<10	<5	<0.01	0.07	<5	10.7	12
E5664284	0.184	38	5.9	<10	<5	27.4	<10	12	<5	<0.01	0.07	<5	11.6	15
E5664285	0.124	56	3.0	14	<5	51.0	<10	17	<5	<0.01	0.04	<5	7.2	5
E5664286	0.118	49	2.7	<10	<5	49.8	<10	14	<5	<0.01	0.04	<5	6.5	4
E5664287	0.281	48	1.9	<10	<5	37.6	<10	11	<5	<0.01	0.03	<5	5.1	3
E5664288	0.204	40	1.4	<10	<5	23.7	<10	<10	<5	<0.01	0.03	<5	4.3	2

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y645097

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 24, 2012

DATE RECEIVED: Sep 24, 2012

DATE REPORTED: Oct 11, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
E5664210		5	54.2	<5
E5664211		7	65.4	<5
E5664212		6	109	<5
E5664213		2	37.7	<5
E5664214		1	23.1	<5
E5664215		1	24.1	<5
E5664216		1	12.4	<5
E5664217		3	30.1	<5
E5664218		3	31.4	<5
E5664219		2	18.7	10
E5664220		<1	18.8	<5
E5664221		5	47.8	<5
E5664222		6	20.7	<5
E5664223		4	40.9	<5
E5664224		4	49.1	<5
E5664225		6	71.4	<5
E5664226		4	53.1	<5
E5664227		4	70.2	<5
E5664228		6	72.3	<5
E5664229		4	71.8	<5
E5664230		6	55.0	<5
E5664231		4	69.9	<5
E5664232		5	41.2	<5
E5664233		5	24.5	<5
E5664234		5	14.8	<5
E5664235		5	15.4	<5
E5664236		6	17.4	<5
E5664237		6	17.8	<5
E5664238		7	18.4	<5
E5664239		6	18.6	<5
E5664240		6	15.8	<5
E5664241		6	18.8	<5

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y645097

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 24, 2012

DATE RECEIVED: Sep 24, 2012

DATE REPORTED: Oct 11, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
E5664242		6	17.7	<5
E5664243		9	16.9	<5
E5664244		7	14.4	<5
E5664245		7	32.6	<5
E5664246		5	39.1	<5
E5664247		8	21.0	<5
E5664248		8	22.0	<5
E5664249		7	20.0	<5
E5664250		5	42.5	<5
E5664251		4	73.0	<5
E5664252		7	45.4	<5
E5664253		2	102	<5
E5664254		2	108	<5
E5664255		5	94.1	<5
E5664256		3	83.8	<5
E5664257		3	117	<5
E5664258		2	19.8	10
E5664259		1	21.8	<5
E5664260		3	103	<5
E5664261		3	40.9	<5
E5664262		4	62.2	<5
E5664263		3	41.3	<5
E5664264		5	70.3	<5
E5664265		4	99.5	<5
E5664266		4	101	<5
E5664267		3	112	<5
E5664268		3	103	<5
E5664269		3	108	<5
E5664270		3	113	<5
E5664271		<1	<0.5	<5
E5664272		4	106	<5
E5664273		3	116	<5

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y645097

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Sep 24, 2012

DATE RECEIVED: Sep 24, 2012

DATE REPORTED: Oct 11, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
E5664274		4	112	<5
E5664275		3	99.5	<5
E5664276		4	109	<5
E5664277		4	105	<5
E5664278		4	109	<5
E5664279		5	115	<5
E5664280		3	111	<5
E5664281		4	102	<5
E5664282		4	97.6	<5
E5664283		3	97.6	<5
E5664284		4	79.2	<5
E5664285		2	52.4	<5
E5664286		3	36.1	<5
E5664287		2	32.8	<5
E5664288		2	24.8	<5

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y645097

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Sep 24, 2012

DATE RECEIVED: Sep 24, 2012

DATE REPORTED: Oct 11, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
E5664210		0.74	<0.001
E5664211		0.61	0.002
E5664212		0.34	<0.001
E5664213		2.10	<0.001
E5664214		3.82	<0.001
E5664215		3.24	<0.001
E5664216		2.00	<0.001
E5664217		3.40	<0.001
E5664218		1.48	<0.001
E5664219		0.12	0.243
E5664220		0.58	<0.001
E5664221		2.03	<0.001
E5664222		1.27	<0.001
E5664223		2.10	<0.001
E5664224		3.05	0.002
E5664225		2.89	0.002
E5664226		0.96	0.001
E5664227		4.60	0.003
E5664228		4.30	<0.001
E5664229		3.39	<0.001
E5664230		4.01	<0.001
E5664231		2.37	<0.001
E5664232		4.76	<0.001
E5664233		3.00	0.001
E5664234		3.36	0.003
E5664235		3.69	0.008
E5664236		3.00	0.002
E5664237		2.95	0.005
E5664238		3.45	0.011
E5664239		4.89	0.002
E5664240		4.51	0.002

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y645097

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Sep 24, 2012 DATE RECEIVED: Sep 24, 2012 DATE REPORTED: Oct 11, 2012 SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
E5664241		4.66	0.003
E5664242		2.03	0.004
E5664243		3.56	0.003
E5664244		3.68	0.001
E5664245		2.53	0.007
E5664246		2.87	0.036
E5664247		2.17	0.025
E5664248		4.24	<0.001
E5664249		4.00	<0.001
E5664250		3.70	0.004
E5664251		2.48	0.004
E5664252		4.19	0.080
E5664253		4.37	0.280
E5664254		3.70	0.130
E5664255		3.24	0.836
E5664256		3.94	0.446
E5664257		2.40	0.351
E5664258		0.11	0.240
E5664259		0.72	<0.001
E5664260		4.78	0.077
E5664261		0.80	0.180
E5664262		3.16	0.162
E5664263		3.00	0.651
E5664264		2.48	1.64
E5664265		2.53	0.734
E5664266		1.83	1.08
E5664267		2.56	0.007
E5664268		4.02	0.006
E5664269		3.42	0.002
E5664270		4.54	0.003
E5664271		4.66	0.001

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y645097

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Sep 24, 2012

DATE RECEIVED: Sep 24, 2012

DATE REPORTED: Oct 11, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
E5664272		2.49	<0.001
E5664273		3.83	0.002
E5664274		2.20	0.267
E5664275		3.37	0.002
E5664276		5.53	0.001
E5664277		4.68	<0.001
E5664278		4.33	0.001
E5664279		2.86	0.008
E5664280		4.06	0.002
E5664281		2.48	<0.001
E5664282		4.73	0.003
E5664283		3.33	0.003
E5664284		2.35	0.003
E5664285		4.59	0.011
E5664286		3.89	0.025
E5664287		2.93	0.050
E5664288		3.88	0.095

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y645097

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis											
RPT Date: Oct 11, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)											
Ag	1	3739221	< 0.2	< 0.2	0.0%	< 0.2	13.8	13.0	106%	80%	120%
Al	1	3739221	1.08	1.03	4.7%	< 0.01				80%	120%
As	1	3739221	115	74		< 1				80%	120%
B	1	3739221	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3739221	61	58	5.0%	< 1				80%	120%
Be	1	3739221	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Bi	1	3739221	< 1	< 1	0.0%	< 1				80%	120%
Ca	1	3739221	2.92	2.78	4.9%	< 0.01				80%	120%
Cd	1	3739221	1.28	1.21	5.6%	< 0.5				80%	120%
Ce	1	3739221	6	6	0.0%	< 1				80%	120%
Co	1	3739221	7.98	7.42	7.3%	< 0.5				80%	120%
Cr	1	3739221	41.7	40.3	3.4%	< 0.5				80%	120%
Cu	1	3739221	10.4	10.0	3.9%	< 0.5	5919	6000	98%	80%	120%
Fe	1	3739221	2.94	2.80	4.9%	< 0.01				80%	120%
Ga	1	3739221	5	5	0.0%	< 5				80%	120%
Hg	1	3739221	< 1	< 1	0.0%	< 1				80%	120%
In	1	3739221	1	< 1		< 1				80%	120%
K	1	3739221	0.089	0.083	7.0%	< 0.01				80%	120%
La	1	3739221	2	2	0.0%	< 1				80%	120%
Li	1	3739221	25	24	4.1%	< 1				80%	120%
Mg	1	3739221	0.451	0.431	4.5%	< 0.01				80%	120%
Mn	1	3739221	547	533	2.6%	< 1				80%	120%
Mo	1	3739221	14.6	11.4	24.6%	1.4	347	360	96%	80%	120%
Na	1	3739221	0.02	0.02	0.0%	< 0.01				80%	120%
Ni	1	3739221	16.5	16.3	1.2%	< 0.5				80%	120%
P	1	3739221	467	401	15.2%	< 10	621	600	103%	80%	120%
Pb	1	3739221	13.2	11.2	16.4%	< 0.5				80%	120%
Rb	1	3739221	13	13	0.0%	< 10	11	13	86%	80%	120%
S	1	3739221	0.0833	0.0793	4.9%	< 0.005				80%	120%
Sb	1	3739221	64	51	22.6%	< 1				80%	120%
Sc	1	3739221	2.27	2.18	4.0%	< 0.5				80%	120%
Se	1	3739221	18	< 10		< 10				80%	120%
Sn	1	3739221	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	3739221	144	138	4.3%	< 0.5				80%	120%
Ta	1	3739221	< 10	< 10	0.0%	< 10				80%	120%
Te	1	3739221	15	17	12.5%	< 10				80%	120%
Th	1	3739221	< 5	< 5	0.0%	< 5				80%	120%
Ti	1	3739221	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Tl	1	3739221	0.03	0.03	0.0%	< 0.01				80%	120%
U	1	3739221	< 5	< 5	0.0%	< 5				80%	120%
V	1	3739221	15.1	14.7	2.7%	< 0.5				80%	120%
W	1	3739221	7	9	25.0%	< 1				80%	120%
Y	1	3739221	5	4	22.2%	< 1	7	7	100%	80%	120%
Zn	1	3739221	54.2	54.3	0.2%	1.5				80%	120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y645097

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 11, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Zr	1	3739221	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1	3739233	< 0.2	< 0.2	0.0%	< 0.2	13.5	13.0	104%	80% 120%
Al	1	3739233	0.34	0.36	5.7%	< 0.01				80% 120%
As	1	3739233	120	101	17.2%	9				80% 120%
B	1	3739233	5	5	0.0%	< 5				80% 120%
Ba	1	3739233	41	44	7.1%	< 1				80% 120%
Be	1	3739233	0.6	0.6	0.0%	< 0.5				80% 120%
Bi	1	3739233	< 1	17		< 1				80% 120%
Ca	1	3739233	1.65	1.71	3.6%	< 0.01				80% 120%
Cd	1	3739233	1.4	1.5	6.9%	< 0.5				80% 120%
Ce	1	3739233	3	4	28.6%	< 1				80% 120%
Co	1	3739233	15.7	16.3	3.8%	< 0.5				80% 120%
Cr	1	3739233	9.3	9.1	2.2%	< 0.5				80% 120%
Cu	1	3739233	28.9	29.7	2.7%	< 0.5	5926	6000	98%	80% 120%
Fe	1	3739233	3.74	3.92	4.7%	< 0.01				80% 120%
Ga	1	3739233	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3739233	< 1	< 1	0.0%	< 1				80% 120%
In	1	3739233	< 1	1		< 1				80% 120%
K	1	3739233	0.201	0.211	4.9%	< 0.01				80% 120%
La	1	3739233	1	1	0.0%	< 1				80% 120%
Li	1	3739233	3	3	0.0%	< 1				80% 120%
Mg	1	3739233	0.211	0.220	4.2%	< 0.01				80% 120%
Mn	1	3739233	767	780	1.7%	< 1				80% 120%
Mo	1	3739233	7.95	9.21	14.7%	< 0.5	341	360	94%	80% 120%
Na	1	3739233	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3739233	17.6	18.0	2.2%	< 0.5				80% 120%
P	1	3739233	431	478	10.3%	< 10	640	600	106%	80% 120%
Pb	1	3739233	11.9	11.1	7.0%	< 0.5				80% 120%
Rb	1	3739233	20	20	0.0%	< 10	12	13	89%	80% 120%
S	1	3739233	0.0753	0.0797	5.7%	< 0.005				80% 120%
Sb	1	3739233	51	61	17.9%	< 1				80% 120%
Sc	1	3739233	7.65	7.84	2.5%	< 0.5				80% 120%
Se	1	3739233	< 10	12		< 10				80% 120%
Sn	1	3739233	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3739233	51.1	53.6	4.8%	< 0.5				80% 120%
Ta	1	3739233	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3739233	16	16	0.0%	< 10				80% 120%
Th	1	3739233	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3739233	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3739233	0.07	0.07	0.0%	< 0.01				80% 120%
U	1	3739233	< 5	< 5	0.0%	< 5				80% 120%
V	1	3739233	7.0	7.2	2.8%	< 0.5				80% 120%
W	1	3739233	8	10	22.2%	< 1				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y645097

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 11, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				Acceptable Limits	
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery		Lower	Upper
Y	1	3739233	6	6	0.0%	< 1	7	7	100%		80%	120%
Zn	1	3739233	20.7	21.8	5.2%	< 0.5					80%	120%
Zr	1	3739233	< 5	< 5	0.0%	< 5					80%	120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Tl) (201073)												
Ag	1	3739246	< 0.2	< 0.2	0.0%	< 0.2	13.5	13.0	104%		80%	120%
Al	1	3739246	0.34	0.34	0.0%	< 0.01					80%	120%
As	1	3739246	100	89	11.6%	< 1					80%	120%
B	1	3739246	< 5	< 5	0.0%	< 5					80%	120%
Ba	1	3739246	28	28	0.0%	< 1					80%	120%
Be	1	3739246	0.5	0.5	0.0%	< 0.5					80%	120%
Bi	1	3739246	< 1	< 1	0.0%	< 1					80%	120%
Ca	1	3739246	1.56	1.50	3.9%	< 0.01					80%	120%
Cd	1	3739246	1.1	1.2	8.7%	< 0.5					80%	120%
Ce	1	3739246	3	3	0.0%	< 1					80%	120%
Co	1	3739246	14.2	14.1	0.7%	< 0.5					80%	120%
Cr	1	3739246	5.7	5.8	1.7%	< 0.5					80%	120%
Cu	1	3739246	21.0	21.7	3.3%	< 0.5	5762	6000	96%		80%	120%
Fe	1	3739246	3.69	3.55	3.9%	< 0.01					80%	120%
Ga	1	3739246	< 5	< 5	0.0%	< 5					80%	120%
Hg	1	3739246	< 1	< 1	0.0%	< 1					80%	120%
In	1	3739246	1	< 1		< 1					80%	120%
K	1	3739246	0.207	0.202	2.4%	< 0.01					80%	120%
La	1	3739246	1	1	0.0%	< 1					80%	120%
Li	1	3739246	5	5	0.0%	< 1					80%	120%
Mg	1	3739246	0.54	0.52	3.8%	< 0.01					80%	120%
Mn	1	3739246	482	503	4.3%	< 1					80%	120%
Mo	1	3739246	7.54	9.88	26.9%	< 0.5	328	360	91%		80%	120%
Na	1	3739246	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
Ni	1	3739246	20.8	21.1	1.4%	< 0.5					80%	120%
P	1	3739246	383	495	25.5%	< 10	721	600	120%		80%	120%
Pb	1	3739246	9.6	13.0		< 0.5					80%	120%
Rb	1	3739246	19	20	5.1%	< 10	11	13	84%		80%	120%
S	1	3739246	0.898	0.870	3.2%	< 0.005					80%	120%
Sb	1	3739246	60	48	22.2%	< 1					80%	120%
Sc	1	3739246	6.53	6.77	3.6%	< 0.5					80%	120%
Se	1	3739246	< 10	14		< 10					80%	120%
Sn	1	3739246	< 5	< 5	0.0%	< 5	5.92	7.1	83%		80%	120%
Sr	1	3739246	82.7	79.2	4.3%	< 0.5					80%	120%
Ta	1	3739246	< 10	< 10	0.0%	< 10					80%	120%
Te	1	3739246	15	16	6.5%	< 10					80%	120%
Th	1	3739246	< 5	< 5	0.0%	< 5					80%	120%
Ti	1	3739246	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
Tl	1	3739246	0.07	0.07	0.0%	< 0.01					80%	120%
U	1	3739246	< 5	< 5	0.0%	< 5					80%	120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y645097

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 11, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
V	1	3739246	8.2	8.2	0.0%	< 0.5				80% 120%
W	1	3739246	7	6	15.4%	< 1				80% 120%
Y	1	3739246	5	5	0.0%	< 1	8	7	114%	80% 120%
Zn	1	3739246	15.4	15.7	1.9%	< 0.5				80% 120%
Zr	1	3739246	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Ti) (201073)										
Ag	1	3739271	< 0.2	< 0.2	0.0%	< 0.2	13.2	13.0	101%	80% 120%
Al	1	3739271	0.42	0.40	4.9%	< 0.01				80% 120%
As	1	3739271	187	203	8.2%	< 1				80% 120%
B	1	3739271	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3739271	37	35	5.6%	< 1				80% 120%
Be	1	3739271	0.9	0.9	0.0%	< 0.5				80% 120%
Bi	1	3739271	10	12	18.2%	< 1				80% 120%
Ca	1	3739271	0.72	0.69	4.3%	< 0.01				80% 120%
Cd	1	3739271	1.8	1.8	0.0%	< 0.5				80% 120%
Ce	1	3739271	7	6	15.4%	< 1				80% 120%
Co	1	3739271	17.5	17.5	0.0%	< 0.5				80% 120%
Cr	1	3739271	9.8	9.7	1.0%	< 0.5				80% 120%
Cu	1	3739271	51.0	50.8	0.4%	< 0.5	5748	6000	95%	80% 120%
Fe	1	3739271	5.39	5.19	3.8%	< 0.01				80% 120%
Ga	1	3739271	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3739271	< 1	< 1	0.0%	< 1				80% 120%
In	1	3739271	< 1	< 1	0.0%	< 1				80% 120%
K	1	3739271	0.22	0.21	4.7%	< 0.01				80% 120%
La	1	3739271	4	4	0.0%	< 1				80% 120%
Li	1	3739271	5	5	0.0%	< 1				80% 120%
Mg	1	3739271	1.10	1.05	4.7%	< 0.01				80% 120%
Mn	1	3739271	1300	1280	1.6%	< 1				80% 120%
Mo	1	3739271	7.7	7.2	6.7%	< 0.5	329	360	91%	80% 120%
Na	1	3739271	0.02	0.02	0.0%	< 0.01				80% 120%
Ni	1	3739271	36.4	36.1	0.8%	< 0.5				80% 120%
P	1	3739271	362	303	17.7%	< 10	656	600	109%	80% 120%
Pb	1	3739271	22.0	22.6	2.7%	< 0.5				80% 120%
Rb	1	3739271	19	18	5.4%	< 10	11	13	86%	80% 120%
S	1	3739271	0.338	0.330	2.4%	< 0.005				80% 120%
Sb	1	3739271	46	52	12.2%	< 1				80% 120%
Sc	1	3739271	7.76	7.73	0.4%	< 0.5				80% 120%
Se	1	3739271	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3739271	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3739271	44.7	42.4	5.3%	< 0.5				80% 120%
Ta	1	3739271	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3739271	17	15	12.5%	< 10				80% 120%
Th	1	3739271	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3739271	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3739271	0.07	0.07	0.0%	< 0.01				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y645097

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 11, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
U	1	3739271	< 5	< 5	0.0%	< 5				80% 120%
V	1	3739271	10.8	10.6	1.9%	< 0.5				80% 120%
W	1	3739271	13	10	26.1%	< 1				80% 120%
Y	1	3739271	3	3	0.0%	< 1	8	7	114%	80% 120%
Zn	1	3739271	103	101	2.0%	< 0.5				80% 120%
Zr	1	3739271	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Ti) (201073)										
Ag	1	3739296	< 0.2	< 0.2	0.0%	< 0.2	12.8	13.0	98%	80% 120%
Al	1	3739296	0.295	0.293	0.7%	< 0.01				80% 120%
As	1	3739296	136	134	1.5%	< 1				80% 120%
B	1	3739296	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3739296	24	23	4.3%	< 1				80% 120%
Be	1	3739296	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	3739296	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3739296	1.57	1.55	1.3%	< 0.01				80% 120%
Cd	1	3739296	0.9	1.0	10.5%	< 0.5				80% 120%
Ce	1	3739296	4	4	0.0%	< 1				80% 120%
Co	1	3739296	8.73	8.80	0.8%	< 0.5				80% 120%
Cr	1	3739296	54.4	55.3	1.6%	< 0.5				80% 120%
Cu	1	3739296	14.2	13.9	2.1%	< 0.5	5577	6000	92%	80% 120%
Fe	1	3739296	2.51	2.47	1.6%	< 0.01				80% 120%
Ga	1	3739296	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3739296	< 1	< 1	0.0%	< 1				80% 120%
In	1	3739296	< 1	< 1	0.0%	< 1				80% 120%
K	1	3739296	0.12	0.12	0.0%	< 0.01				80% 120%
La	1	3739296	2	2	0.0%	< 1				80% 120%
Li	1	3739296	1	< 1		< 1				80% 120%
Mg	1	3739296	0.67	0.66	1.5%	< 0.01				80% 120%
Mn	1	3739296	736	733	0.4%	< 1				80% 120%
Mo	1	3739296	10.8	12.1	11.4%	< 0.5	316	360	87%	80% 120%
Na	1	3739296	0.01	0.01	0.0%	< 0.01				80% 120%
Ni	1	3739296	16.3	15.9	2.5%	< 0.5				80% 120%
P	1	3739296	270	143		< 10	690	600	115%	80% 120%
Pb	1	3739296	13.6	14.0	2.9%	< 0.5				80% 120%
Rb	1	3739296	12	12	0.0%	< 10	12	13	89%	80% 120%
S	1	3739296	0.124	0.123	0.8%	< 0.005				80% 120%
Sb	1	3739296	56	59	5.2%	< 1				80% 120%
Sc	1	3739296	3.0	3.0	0.0%	< 0.5				80% 120%
Se	1	3739296	14	< 10		< 10				80% 120%
Sn	1	3739296	< 5	< 5	0.0%	< 5	6.8	7.1	95%	80% 120%
Sr	1	3739296	51.0	50.0	2.0%	< 0.5				80% 120%
Ta	1	3739296	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3739296	17	13	26.7%	< 10				80% 120%
Th	1	3739296	< 5	< 5	0.0%	< 5				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y645097

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 11, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ti	1	3739296	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
TI	1	3739296	0.04	0.04	0.0%	< 0.01				80% 120%
U	1	3739296	< 5	< 5	0.0%	< 5				80% 120%
V	1	3739296	7.2	6.9	4.3%	< 0.5				80% 120%
W	1	3739296	5	6	18.2%	< 1				80% 120%
Y	1	3739296	2	2	0.0%	< 1	6	7	85%	80% 120%
Zn	1	3739296	52.4	52.8	0.8%	< 0.5				80% 120%
Zr	1	3739296	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1					< 0.2	13.7	13.0	106%	80% 120%
Cu	1					< 0.5	5968	6000	99%	80% 120%
Mo	1					< 0.5	338	360	93%	80% 120%
P	1					< 10	640	600	106%	80% 120%
Rb	1					< 10	12	13	94%	80% 120%
Y	1					< 1	6	7	82%	80% 120%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3739221	< 0.001	< 0.001	0.0%	< 0.001	0.596	0.607	98%	90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3739233	< 0.001	0.001		< 0.001	1.5	1.52	99%	90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3739246	0.008	0.002		< 0.001	0.264	0.263	100%	90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3739257	0.036	0.042	15.4%	< 0.001	1.44	1.52	95%	90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3739271	0.0771	0.0810	4.9%	< 0.001				90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3739283	< 0.001	< 0.001	0.0%	< 0.001				90% 110%

Certified By:


Method Summary

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y645097

PROJECT NO:

ATTENTION TO: Yinghua Chen

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
B	MIN-200-12020		ICP/OES
Ba	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
In	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP/OES
Li	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr	MIN-200-12020		ICP/OES
Ta	MIN-200-12020		ICP/OES
Te	MIN-200-12020		ICP/OES
Th	MIN-200-12020		ICP/OES
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP-MS
U	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP/OES
Y	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Zr	MIN-200-12020		ICP/OES
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES