

CLIENT NAME: ANTHILL RESOURCES (YUKON)
1090-999 WEST HASTINGS STREET
Vancouver, BC V6C2W2
(604) 569-3892

ATTENTION TO: Yinghua Chen

PROJECT NO:

AGAT WORK ORDER: 12Y647826

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, Certified Assayer - Director - Technical Services (Mining)

DATE REPORTED: Oct 18, 2012

PAGES (INCLUDING COVER): 36

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

***NOTES**

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 12Y647826

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
TE5537031 (-)	0.3	1.10	<1	8	175	1.1	6	0.62	1.7	8	39.3	19.2	43.3	2.64
TE5537032 (-)	0.3	1.39	2	5	208	1.7	8	0.47	1.9	10	24.9	21.8	57.3	2.87
TE5537033 (-)	0.2	1.64	<1	<5	133	1.7	16	0.17	2.6	13	30.1	28.4	70.5	4.35
TE5537034 (-)	<0.2	1.34	7	<5	107	1.2	3	0.12	2.4	9	25.8	23.0	55.7	4.08
TE5537035 (-)	<0.2	1.46	<1	<5	111	1.3	17	0.14	2.4	9	27.2	25.7	65.8	4.44
TE5537036 (-)	0.2	1.08	120	<5	102	1.0	18	0.23	2.8	4	17.0	18.0	44.2	3.95
TE5537037 (-)	<0.2	1.29	<1	<5	90	1.0	11	0.15	1.9	9	20.4	21.8	44.2	3.98
TE5537038 (-)	0.2	1.29	<1	<5	100	1.0	20	0.16	2.0	9	22.2	24.1	55.8	4.25
TE5537039 (-)	<0.2	1.31	<1	<5	98	1.0	2	0.13	2.3	9	21.0	21.1	45.0	4.32
TE5537040 (-)	<0.2	1.27	<1	<5	100	1.0	15	0.16	1.7	8	19.8	20.3	43.1	4.14
TE5537041 (-)	<0.2	1.05	<1	<5	79	0.8	4	0.12	2.1	6	18.4	22.1	39.6	3.66
TE5537042 (-)	<0.2	1.21	<1	<5	84	0.9	17	0.15	1.8	8	18.4	19.5	37.6	3.87
TE5537043 (-)	<0.2	1.21	<1	<5	84	0.9	<1	0.23	1.8	8	16.5	19.2	33.2	3.51
TE5537044 (-)	<0.2	1.23	<1	<5	87	0.9	16	0.17	1.6	8	16.4	19.7	34.9	3.72
TE5537045 (-)	<0.2	1.23	6	<5	114	1.0	15	0.23	1.7	7	15.6	21.1	45.3	3.49
TE5537046 (-)	<0.2	1.32	<1	5	109	1.0	19	0.20	1.7	8	16.0	22.4	47.6	3.76
TE5537047 (-)	<0.2	1.19	<1	<5	135	0.9	<1	0.23	2.1	8	16.1	20.0	39.1	3.55
TE5537048 (-)	<0.2	1.23	<1	5	138	0.9	5	0.21	2.2	9	16.8	20.5	40.6	3.71
TE5537049 (-)	0.4	0.19	472	<5	1970	<0.5	<1	1.04	1.9	1	6.8	17.2	34.8	2.96
TE5537050 (-)	<0.2	0.06	<1	<5	48	<0.5	<1	19.0	<0.5	12	2.1	2.6	3.4	0.40
TE5537051 (-)	<0.2	1.33	2	6	123	1.0	<1	0.28	2.1	9	17.3	22.6	48.0	3.78
TE5537052 (-)	0.2	1.45	<1	<5	316	0.9	14	0.39	2.9	33	18.4	28.2	58.2	3.76
TE5537053 (-)	<0.2	2.33	<1	<5	32	0.7	18	0.08	2.3	40	35.0	34.2	63.8	5.04
TE5537054 (-)	<0.2	2.33	<1	5	26	0.6	28	0.07	2.7	51	30.8	35.8	57.2	4.82
TE5537055 (-)	<0.2	2.40	<1	<5	25	0.6	33	0.07	2.4	46	28.4	34.7	52.5	4.99
TE5537056 (-)	<0.2	2.19	<1	<5	27	0.6	18	0.07	2.8	42	27.0	32.6	56.7	4.56
TE5537057 (-)	<0.2	2.45	<1	<5	27	0.6	<1	0.08	2.5	49	26.4	35.7	54.8	5.09
TE5537058 (-)	<0.2	2.28	<1	<5	23	0.5	17	0.06	2.6	41	25.0	34.6	49.0	4.73
TE5537059 (-)	<0.2	2.13	<1	<5	23	0.6	13	0.06	2.8	58	24.1	32.4	54.4	4.63
TE5537060 (-)	<0.2	1.90	<1	<5	19	<0.5	22	0.06	2.3	47	19.4	28.1	45.9	4.37
TE5537061 (-)	<0.2	2.20	<1	<5	25	0.5	26	0.08	2.9	45	23.6	32.2	52.0	4.75
TE5537062 (-)	<0.2	2.20	<1	<5	20	<0.5	13	0.08	2.7	57	21.0	31.9	44.7	4.78

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y647826

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
TE5537063 (-)	<0.2	2.29	<1	<5	23	0.5	41	0.10	2.9	60	22.0	33.0	49.0	4.83
TE5537064 (-)	<0.2	2.08	<1	<5	38	0.7	19	0.09	2.8	45	25.0	28.4	46.5	4.35
TE5537065 (-)	<0.2	2.06	<1	<5	37	0.6	9	0.09	2.5	42	24.0	28.7	47.7	4.33
TE5537066 (-)	<0.2	2.22	<1	<5	22	<0.5	17	0.08	2.7	46	22.0	37.5	51.1	4.75
TE5537067 (-)	<0.2	2.23	<1	<5	25	0.5	13	0.09	2.5	50	21.8	31.1	46.0	4.77
TE5537068 (-)	<0.2	1.88	<1	<5	34	0.6	12	0.19	2.1	55	25.5	25.0	58.1	4.76
TE5537069 (-)	<0.2	1.71	<1	<5	28	0.6	12	0.16	2.2	50	25.0	23.8	56.8	4.48
TE5537070 (-)	<0.2	2.04	<1	5	26	0.6	7	0.13	2.6	53	22.9	29.5	51.7	4.55
TE5538210 (-)	<0.2	2.11	<1	<5	27	0.5	4	0.10	2.5	50	22.1	28.6	47.7	4.77
TE5538211 (-)	<0.2	2.13	<1	<5	33	0.8	14	0.18	2.2	44	25.5	29.7	52.3	4.63
TE5538212 (-)	<0.2	1.90	<1	<5	26	0.7	<1	0.16	2.2	38	21.8	27.2	47.1	4.16
TE5538213 (-)	<0.2	2.16	<1	<5	27	0.6	10	0.10	2.7	53	22.2	30.3	47.6	4.81
TE5538214 (-)	<0.2	1.92	<1	<5	21	<0.5	13	0.11	2.3	40	19.9	28.0	41.5	4.34
TE5538215 (-)	<0.2	2.02	<1	<5	20	<0.5	7	0.09	2.6	44	20.1	29.0	40.3	4.49
TE5538216 (-)	<0.2	2.27	<1	<5	25	0.5	<1	0.14	2.4	48	20.8	33.8	55.4	4.74
TE5538217 (-)	<0.2	2.28	<1	<5	24	0.5	21	0.11	2.9	53	22.2	34.7	57.6	4.77
TE5538218 (-)	<0.2	2.11	<1	<5	18	<0.5	15	0.10	2.6	44	19.9	30.3	41.5	4.66
TE5538219 (-)	<0.2	2.02	<1	<5	20	<0.5	21	0.09	2.6	51	20.2	31.2	41.7	4.49
TE5538220 (-)	<0.2	2.09	<1	<5	19	<0.5	27	0.09	2.5	47	19.3	31.1	40.3	4.53
TE5538221 (-)	<0.2	2.20	<1	<5	23	<0.5	2	0.10	2.2	48	20.9	30.8	42.4	4.83
TE5538222 (-)	<0.2	2.16	<1	<5	20	<0.5	11	0.09	2.5	44	19.7	39.6	45.1	4.66
TE5538223 (-)	0.4	0.86	17	<5	162	1.5	8	0.12	3.2	9	19.5	19.6	86.5	4.60
TE5538224 (-)	0.3	1.05	19	<5	255	1.7	<1	0.14	2.5	10	23.6	21.0	76.9	4.63
TE5538225 (-)	0.4	1.49	4	<5	269	1.3	4	0.18	3.0	18	27.3	21.5	76.5	5.29
TE5538226 (-)	0.3	1.27	11	<5	256	1.6	<1	0.13	3.0	14	27.0	21.8	83.2	5.16
TE5538227 (-)	0.3	1.15	107	5	267	1.8	<1	0.20	3.1	12	26.6	21.1	86.5	5.22
TE5538228 (-)	0.3	1.31	19	<5	272	1.6	14	0.15	3.1	12	25.8	22.5	80.5	5.32
TE5538229 (-)	0.3	1.17	12	<5	239	1.4	15	0.15	2.9	10	24.3	19.9	74.5	4.81
TE5538230 (-)	0.5	0.96	125	7	210	1.1	7	0.53	3.1	28	21.0	16.7	81.7	4.12
TE5538231 (-)	0.3	1.29	102	<5	266	1.5	20	0.18	2.5	12	24.7	20.4	76.1	5.18
TE5538232 (-)	0.4	1.25	12	<5	271	1.4	9	0.23	2.5	13	25.3	20.5	77.5	4.95
TE5538233 (-)	0.4	1.23	11	5	286	1.4	<1	0.25	2.7	14	23.6	20.1	75.3	4.76

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y647826

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
TE5538234 (-)	0.3	1.28	9	<5	268	1.4	19	0.27	2.4	13	23.3	20.5	77.7	4.93
TE5538235 (-)	<0.2	1.24	100	<5	288	1.2	6	0.21	3.1	10	21.8	20.7	69.6	4.94
TE5538236 (-)	0.3	1.19	110	<5	189	1.2	22	0.17	3.3	11	21.1	20.4	62.5	4.38
TE5538237 (-)	0.5	1.05	14	6	219	0.9	15	0.32	2.8	32	22.1	15.1	82.7	4.13
TE5538238 (-)	0.4	1.11	5	6	251	1.0	<1	0.38	2.8	34	22.3	15.8	82.4	4.41
TE5538239 (-)	0.3	1.04	10	6	242	0.9	<1	0.35	2.6	31	19.9	14.2	74.4	4.16
TE5538240 (-)	0.3	1.05	130	6	231	0.9	12	0.40	2.2	29	17.9	15.1	68.2	3.78
TE5538241 (-)	<0.2	1.38	3	5	168	1.2	38	0.21	2.6	12	21.1	23.3	62.4	4.85
TE5538242 (-)	0.2	1.21	<1	<5	241	1.1	14	0.18	2.2	11	20.1	20.4	60.1	4.41
TE5538243 (-)	0.2	1.24	<1	<5	204	1.2	<1	0.18	2.3	11	20.3	20.8	62.3	4.67
TE5538244 (-)	0.2	1.20	<1	<5	256	1.2	11	0.19	2.7	11	21.0	20.2	66.4	4.62
TE5538245 (-)	0.2	1.31	7	<5	254	1.2	12	0.17	2.5	12	22.3	22.3	62.9	4.88
TE5538246 (-)	<0.2	1.30	75	<5	271	1.2	14	0.21	2.5	11	22.2	23.2	63.8	4.57
TE5538247 (-)	<0.2	1.31	4	<5	317	1.2	2	0.19	2.1	11	20.9	23.7	68.8	4.45
TE5538248 (-)	<0.2	1.21	<1	<5	296	1.1	22	0.21	2.1	10	17.8	21.2	59.8	3.95
TE5538249 (-)	0.4	0.16	455	<5	2350	<0.5	1	0.99	1.5	1	6.7	16.0	32.3	2.81
TE5538250 (-)	<0.2	0.05	<1	<5	42	<0.5	<1	18.5	<0.5	12	2.2	2.0	4.6	0.39
TE5538251 (-)	<0.2	1.28	7	<5	215	1.4	33	0.24	3.4	12	25.1	20.5	82.9	5.47
TE5538252 (-)	0.3	1.16	11	6	192	1.5	5	0.22	3.3	13	26.1	19.3	84.1	5.35
TE5538253 (-)	0.3	1.18	4	6	193	1.5	<1	0.21	3.1	13	25.5	19.5	82.3	5.37
TE5538254 (-)	0.2	1.16	6	<5	202	1.4	18	0.23	3.1	13	25.6	18.7	84.1	5.48
TE5538255 (-)	0.3	0.71	173	<5	49	1.2	32	0.43	2.5	18	29.5	10.3	61.2	5.38
TE5538256 (-)	0.3	0.49	110	<5	52	0.9	10	0.37	2.0	17	24.7	7.4	52.0	4.80
TE5538257 (-)	0.3	0.49	116	<5	46	0.8	14	0.76	1.9	14	20.9	7.0	39.6	3.78
TE5538258 (-)	<0.2	0.60	235	8	52	0.5	<1	8.45	1.2	16	11.9	10.2	28.8	2.20
TE5538259 (-)	<0.2	0.39	1	5	39	<0.5	<1	10.2	1.1	13	10.6	5.7	25.7	1.83
TE5538260 (-)	<0.2	0.28	12	5	35	0.6	<1	8.56	1.4	20	14.0	4.1	30.5	2.23
TE5538261 (-)	<0.2	0.28	1	<5	28	<0.5	<1	9.71	0.8	21	10.1	3.7	23.4	1.67
TE5538262 (-)	<0.2	0.27	2	<5	21	<0.5	<1	11.1	0.9	16	7.2	4.1	16.6	1.27
TE5538263 (-)	<0.2	0.26	262	<5	24	<0.5	<1	11.6	1.2	19	7.6	3.3	17.0	1.33
TE5538264 (-)	<0.2	1.17	<1	<5	57	0.9	4	0.33	1.7	14	17.2	18.7	39.0	2.99
TE5538265 (-)	<0.2	1.26	107	6	69	1.0	13	0.46	2.0	15	18.0	19.0	42.4	3.48

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647826

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Soil

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
TE5538266 (-)	<0.2	0.36	<1	<5	25	<0.5	<1	10.8	0.7	18	7.3	5.0	18.4	1.37
TE5538267 (-)	<0.2	0.33	<1	<5	23	<0.5	<1	11.4	1.2	16	6.5	4.6	14.9	1.24
TE5538268 (-)	<0.2	0.43	<1	<5	25	<0.5	<1	10.3	0.7	16	7.5	5.8	17.6	1.43
TE5538269 (-)	<0.2	0.71	<1	<5	33	0.6	<1	4.37	1.4	14	10.0	10.1	23.0	2.00
TE5538270 (-)	<0.2	0.65	<1	<5	31	<0.5	<1	5.71	1.5	16	8.2	9.3	18.8	1.81
TE5538271 (-)	<0.2	0.67	226	<5	40	0.5	3	5.02	0.9	15	10.2	9.9	27.4	2.06
TE5538272 (-)	<0.2	0.76	<1	5	42	0.7	<1	3.60	1.3	15	10.4	10.5	29.8	2.27
TE5538273 (-)	<0.2	0.65	197	<5	32	<0.5	6	3.68	0.7	13	8.9	9.9	21.8	1.79
TE5538274 (-)	<0.2	0.65	<1	<5	37	<0.5	<1	5.00	0.8	14	7.9	9.5	20.5	1.92
TE5538275 (-)	<0.2	0.64	<1	6	37	0.5	<1	3.83	1.1	14	9.4	9.5	23.6	1.95
TE5538276 (-)	<0.2	0.65	<1	<5	34	0.5	<1	3.50	1.2	13	9.1	9.3	21.5	1.92
TE5538277 (-)	<0.2	1.47	<1	6	100	1.0	<1	3.44	2.0	16	17.4	20.7	44.5	3.50
TE5538278 (-)	<0.2	0.77	217	<5	28	0.5	<1	1.76	1.1	16	9.0	10.8	19.9	2.09
TE5538279 (-)	<0.2	0.75	<1	<5	40	0.6	6	2.34	1.1	15	8.7	11.0	21.2	2.11
TE5538280 (-)	<0.2	0.72	<1	<5	39	0.6	<1	3.27	1.5	16	9.8	11.6	25.1	2.08
TE5538281 (-)	<0.2	1.38	<1	<5	100	0.7	7	0.67	1.7	23	10.6	21.6	25.9	2.85
TE5536470 (-)	<0.2	1.80	<1	<5	29	0.6	3	0.09	2.4	48	27.0	26.0	55.7	4.33
TE5536471 (-)	<0.2	2.11	<1	<5	34	0.6	<1	0.10	2.6	38	25.3	32.9	51.6	4.75
TE5536472 (-)	<0.2	2.00	<1	5	26	0.6	32	0.15	2.6	35	23.0	30.2	45.3	4.46
TE5536473 (-)	<0.2	2.09	<1	<5	25	0.5	4	0.13	2.3	33	20.5	32.2	43.6	4.61
TE5536474 (-)	<0.2	1.98	<1	<5	27	0.5	8	0.14	2.3	30	21.5	31.5	46.3	4.34
TE5536475 (-)	<0.2	2.25	<1	<5	16	<0.5	9	0.08	2.8	23	18.3	30.7	27.8	4.68
TE5536476 (-)	<0.2	2.36	<1	<5	21	<0.5	29	0.09	2.3	22	17.5	31.2	29.9	4.88
TE5536477 (-)	<0.2	2.44	<1	<5	17	<0.5	6	0.06	2.8	17	19.0	32.0	27.2	5.07
TE5536478 (-)	<0.2	2.20	<1	<5	19	<0.5	15	0.07	2.6	17	18.6	31.0	27.1	4.59
TE5536479 (-)	<0.2	1.56	<1	<5	37	0.7	15	0.14	2.2	34	20.6	22.7	44.4	3.80
TE5536480 (-)	<0.2	1.60	<1	<5	45	0.7	27	0.15	1.7	30	21.6	24.0	51.8	3.90
TE5536481 (-)	<0.2	1.66	<1	<5	40	0.7	6	0.12	1.9	34	24.5	25.0	55.7	3.94
TE5536482 (-)	<0.2	1.68	<1	<5	46	0.8	25	0.12	2.1	31	26.5	37.6	70.6	4.18
TE5536483 (-)	<0.2	1.87	<1	<5	43	0.9	8	0.08	2.8	35	34.1	30.1	80.1	4.39
TE5536484 (-)	<0.2	1.87	<1	<5	46	0.8	14	0.06	2.2	35	28.2	29.2	60.8	4.43
TE5536485 (-)	<0.2	1.71	<1	<5	40	0.9	2	0.10	2.3	36	33.8	25.4	65.1	4.52

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647826

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Soil

	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
TE5536486 (-)		<0.2	1.59	<1	<5	43	1.0	16	0.24	2.2	27	20.6	23.5	63.8	3.87

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y647826

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
TE5537031 (-)	7	<1	1	0.10	3	22	0.38	2940	17.9	0.02	19.6	1210	39.8	20
TE5537032 (-)	5	<1	<1	0.10	4	30	0.41	1120	18.0	0.01	26.6	955	53.4	24
TE5537033 (-)	9	<1	<1	0.08	5	37	0.55	1430	9.4	<0.01	38.3	668	57.5	19
TE5537034 (-)	7	2	3	0.05	3	31	0.49	1230	7.9	<0.01	32.7	488	48.7	12
TE5537035 (-)	7	<1	<1	0.05	4	34	0.55	1290	6.9	<0.01	36.1	478	49.2	12
TE5537036 (-)	6	<1	<1	0.05	2	20	0.37	586	11.0	<0.01	27.6	430	142	11
TE5537037 (-)	7	<1	<1	0.05	3	30	0.50	882	9.4	<0.01	30.3	380	39.0	<10
TE5537038 (-)	7	<1	3	0.05	3	30	0.52	1080	7.4	<0.01	33.8	472	46.9	<10
TE5537039 (-)	5	4	<1	0.05	3	32	0.52	1000	11.8	<0.01	31.7	362	42.1	<10
TE5537040 (-)	6	7	4	0.05	3	30	0.50	971	10.7	<0.01	30.2	433	36.3	<10
TE5537041 (-)	6	<1	2	0.04	2	27	0.44	899	8.8	<0.01	30.7	330	32.3	<10
TE5537042 (-)	<5	3	<1	0.05	3	29	0.48	800	6.8	<0.01	28.8	356	34.9	<10
TE5537043 (-)	6	<1	1	0.06	3	29	0.49	498	10.0	<0.01	25.2	421	31.3	<10
TE5537044 (-)	5	3	<1	0.05	3	30	0.49	562	7.7	<0.01	26.6	363	30.5	<10
TE5537045 (-)	5	<1	2	0.07	3	28	0.47	613	7.5	<0.01	27.3	433	33.0	13
TE5537046 (-)	6	<1	3	0.07	3	31	0.50	601	6.1	<0.01	28.0	444	32.5	12
TE5537047 (-)	5	11	<1	0.05	4	29	0.45	648	9.2	<0.01	26.3	481	31.4	14
TE5537048 (-)	6	<1	2	0.05	4	30	0.46	710	9.4	<0.01	26.8	418	31.6	13
TE5537049 (-)	<5	<1	<1	0.07	1	2	0.03	52	32.7	0.01	9.9	128	13.4	<10
TE5537050 (-)	<5	<1	<1	0.04	2	1	12.3	242	42.5	<0.01	1.0	589	<0.5	18
TE5537051 (-)	6	<1	<1	0.07	4	31	0.54	785	10.4	<0.01	29.3	412	29.7	13
TE5537052 (-)	6	<1	<1	0.09	15	31	0.68	785	12.8	<0.01	50.0	1240	28.0	17
TE5537053 (-)	9	<1	<1	0.03	16	62	1.01	1300	5.5	<0.01	42.1	328	46.1	<10
TE5537054 (-)	10	<1	1	0.02	22	62	1.00	1260	6.0	<0.01	43.9	432	39.7	<10
TE5537055 (-)	9	5	1	0.02	19	64	1.03	1110	4.4	<0.01	42.0	402	37.3	<10
TE5537056 (-)	8	<1	<1	0.03	18	58	0.94	1110	2.7	<0.01	39.5	332	43.2	<10
TE5537057 (-)	9	6	<1	0.03	21	65	1.05	1020	3.3	<0.01	42.1	440	37.5	<10
TE5537058 (-)	9	2	<1	0.02	17	60	0.99	970	3.8	<0.01	40.9	319	33.4	<10
TE5537059 (-)	9	<1	1	0.03	26	54	0.92	819	5.3	<0.01	39.6	370	29.0	<10
TE5537060 (-)	8	6	<1	0.02	21	48	0.84	732	0.9	<0.01	35.9	262	29.7	<10
TE5537061 (-)	9	7	<1	0.03	20	57	0.96	899	6.0	<0.01	39.1	388	35.2	<10
TE5537062 (-)	8	<1	3	0.03	25	57	0.98	812	4.2	<0.01	38.9	334	26.8	<10

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y647826

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
TE5537063 (-)	8	<1	<1	0.03	26	59	0.99	754	4.6	<0.01	39.6	410	31.6	<10
TE5537064 (-)	8	1	<1	0.04	20	61	0.82	898	6.7	<0.01	36.1	390	38.5	<10
TE5537065 (-)	9	<1	<1	0.04	19	61	0.80	853	2.8	<0.01	35.6	412	35.6	<10
TE5537066 (-)	8	4	<1	0.03	21	58	0.98	924	5.2	<0.01	42.7	315	28.6	<10
TE5537067 (-)	8	6	<1	0.03	22	60	0.96	859	5.9	<0.01	38.1	374	34.2	<10
TE5537068 (-)	7	<1	<1	0.04	24	52	0.85	1140	8.6	<0.01	38.6	550	39.1	<10
TE5537069 (-)	6	<1	1	0.04	21	49	0.78	1170	10.1	<0.01	37.0	529	36.1	<10
TE5537070 (-)	7	3	2	0.04	23	55	0.89	902	6.8	<0.01	38.4	455	37.1	<10
TE5538210 (-)	7	<1	1	0.03	22	57	0.93	930	5.4	<0.01	37.4	383	34.0	<10
TE5538211 (-)	8	<1	<1	0.06	19	61	0.87	1010	7.8	<0.01	36.5	574	41.4	<10
TE5538212 (-)	7	<1	1	0.05	17	55	0.79	775	6.0	<0.01	32.9	571	40.3	<10
TE5538213 (-)	7	<1	<1	0.03	23	58	0.94	901	4.2	<0.01	38.8	342	31.5	<10
TE5538214 (-)	8	<1	2	0.03	18	53	0.86	854	4.1	<0.01	36.0	338	28.0	<10
TE5538215 (-)	9	<1	<1	0.03	19	55	0.90	856	4.2	<0.01	37.0	378	31.1	<10
TE5538216 (-)	8	<1	2	0.03	21	57	1.00	770	4.6	<0.01	38.7	560	31.2	<10
TE5538217 (-)	9	8	<1	0.03	23	57	1.01	821	6.6	<0.01	39.2	445	32.9	<10
TE5538218 (-)	7	<1	<1	0.02	19	57	0.94	838	1.8	<0.01	37.5	394	27.8	<10
TE5538219 (-)	8	4	2	0.03	22	55	0.90	865	5.3	<0.01	38.4	384	26.3	<10
TE5538220 (-)	8	1	2	0.02	21	56	0.92	749	1.1	<0.01	37.5	329	27.7	<10
TE5538221 (-)	7	1	1	0.03	21	59	0.97	872	6.3	<0.01	38.3	376	29.7	<10
TE5538222 (-)	7	<1	<1	0.02	20	58	0.97	836	5.0	<0.01	43.2	341	32.3	<10
TE5538223 (-)	6	3	3	0.06	3	16	0.31	1150	13.8	<0.01	42.5	753	28.9	11
TE5538224 (-)	6	<1	<1	0.07	3	21	0.37	2010	13.0	<0.01	40.2	600	42.4	11
TE5538225 (-)	6	4	<1	0.08	6	31	0.56	1690	14.9	<0.01	39.1	899	40.0	13
TE5538226 (-)	7	3	<1	0.08	5	26	0.46	1850	10.3	<0.01	43.2	602	46.5	13
TE5538227 (-)	7	<1	2	0.09	4	23	0.42	1710	15.6	<0.01	44.7	777	44.2	15
TE5538228 (-)	7	<1	<1	0.07	4	28	0.49	1850	11.4	<0.01	42.3	594	39.6	12
TE5538229 (-)	6	<1	5	0.06	4	25	0.44	1680	9.9	<0.01	39.3	613	41.1	12
TE5538230 (-)	<5	<1	4	0.12	11	14	0.43	947	17.6	<0.01	42.4	1360	29.4	24
TE5538231 (-)	7	<1	<1	0.08	4	27	0.48	1690	13.1	<0.01	41.0	693	41.0	13
TE5538232 (-)	7	<1	5	0.09	5	25	0.48	1690	15.5	<0.01	43.1	792	36.3	14
TE5538233 (-)	6	4	3	0.09	5	25	0.48	1450	13.6	<0.01	41.1	839	36.2	14

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y647826

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
TE5538234 (-)	6	<1	<1	0.09	5	26	0.51	1510	15.6	<0.01	40.7	875	38.3	14
TE5538235 (-)	7	<1	<1	0.06	4	28	0.52	1520	13.2	<0.01	37.8	879	38.6	<10
TE5538236 (-)	7	<1	<1	0.06	4	27	0.49	1410	8.8	<0.01	36.1	704	32.1	<10
TE5538237 (-)	5	<1	<1	0.10	13	17	0.40	1180	17.9	<0.01	40.8	1220	30.8	15
TE5538238 (-)	5	<1	7	0.12	13	19	0.44	1140	17.2	<0.01	40.6	1460	31.8	16
TE5538239 (-)	6	<1	<1	0.11	13	18	0.42	957	17.2	<0.01	37.8	1360	24.8	15
TE5538240 (-)	5	<1	4	0.11	12	18	0.42	769	16.7	<0.01	34.5	1400	25.6	17
TE5538241 (-)	6	3	3	0.07	4	31	0.60	1220	10.8	<0.01	37.2	731	30.2	10
TE5538242 (-)	6	<1	<1	0.07	4	27	0.52	1340	9.5	<0.01	33.8	670	34.0	<10
TE5538243 (-)	6	<1	1	0.07	4	29	0.54	1310	12.3	<0.01	35.3	811	36.6	<10
TE5538244 (-)	5	<1	<1	0.07	4	27	0.51	1410	11.1	<0.01	36.2	730	35.9	<10
TE5538245 (-)	6	<1	<1	0.07	4	30	0.55	1500	10.5	<0.01	37.3	726	35.6	<10
TE5538246 (-)	6	<1	<1	0.07	4	30	0.55	1500	9.0	<0.01	37.0	635	37.3	11
TE5538247 (-)	6	<1	7	0.07	4	30	0.56	1300	11.1	<0.01	35.1	593	35.5	11
TE5538248 (-)	5	<1	5	0.07	4	27	0.53	965	10.3	<0.01	30.8	639	34.4	11
TE5538249 (-)	<5	<1	5	0.06	1	2	0.03	49	31.7	0.01	9.3	180	14.3	<10
TE5538250 (-)	<5	<1	<1	0.04	2	1	11.9	236	45.3	<0.01	0.8	429	<0.5	17
TE5538251 (-)	7	<1	<1	0.06	4	30	0.51	1550	13.5	<0.01	43.3	952	39.6	<10
TE5538252 (-)	6	5	<1	0.05	4	27	0.46	1580	14.8	<0.01	45.1	1020	42.4	<10
TE5538253 (-)	6	<1	7	0.06	5	27	0.46	1540	12.2	<0.01	45.1	1050	37.3	<10
TE5538254 (-)	6	3	<1	0.06	5	26	0.44	1560	10.3	<0.01	44.7	1100	40.2	<10
TE5538255 (-)	<5	2	<1	0.06	5	25	0.30	631	9.7	<0.01	58.4	1130	54.9	<10
TE5538256 (-)	<5	<1	<1	0.05	4	13	0.16	556	14.3	<0.01	48.9	879	47.3	<10
TE5538257 (-)	<5	<1	1	0.05	3	14	0.19	335	14.8	<0.01	35.2	1010	37.8	11
TE5538258 (-)	<5	<1	2	0.07	5	12	0.27	194	34.7	<0.01	22.5	1050	24.0	23
TE5538259 (-)	<5	<1	<1	0.07	3	9	2.40	391	37.4	<0.01	18.2	753	20.4	19
TE5538260 (-)	<5	3	<1	0.06	6	6	3.89	518	30.6	<0.01	22.6	971	27.4	17
TE5538261 (-)	<5	3	2	0.05	7	6	4.78	378	27.9	<0.01	15.0	817	13.0	17
TE5538262 (-)	<5	2	<1	0.04	5	8	5.90	332	34.1	<0.01	10.1	730	11.1	16
TE5538263 (-)	<5	<1	<1	0.05	6	7	5.96	333	31.6	<0.01	10.7	689	11.4	17
TE5538264 (-)	5	<1	<1	0.08	5	34	0.44	607	12.1	<0.01	25.7	591	30.4	13
TE5538265 (-)	5	4	<1	0.08	6	37	0.51	720	12.2	<0.01	27.6	651	30.9	13

Certified By:



Certificate of Analysis

AGAT WORK ORDER: 12Y647826

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Soil

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
TE5538266 (-)	<5	<1	<1	0.05	5	10	5.70	359	32.6	<0.01	10.7	769	9.5	17
TE5538267 (-)	<5	<1	<1	0.04	5	10	6.01	334	34.0	<0.01	8.7	665	9.7	16
TE5538268 (-)	<5	<1	<1	0.04	5	12	5.53	360	25.8	<0.01	10.3	746	11.5	16
TE5538269 (-)	<5	<1	<1	0.05	5	21	2.76	268	21.5	<0.01	14.1	791	16.9	14
TE5538270 (-)	<5	<1	<1	0.05	6	19	3.51	298	21.7	<0.01	13.1	765	12.5	15
TE5538271 (-)	<5	<1	<1	0.06	5	19	3.03	458	18.5	<0.01	16.2	789	18.5	15
TE5538272 (-)	<5	<1	<1	0.06	5	21	2.27	377	19.3	<0.01	16.1	844	21.2	14
TE5538273 (-)	<5	<1	1	0.05	5	19	2.37	375	20.3	<0.01	13.2	637	13.8	13
TE5538274 (-)	<5	<1	<1	0.05	5	20	3.13	331	25.5	<0.01	13.3	677	17.7	13
TE5538275 (-)	<5	<1	<1	0.06	5	19	2.29	425	21.9	<0.01	15.0	768	18.0	14
TE5538276 (-)	<5	<1	<1	0.06	5	19	2.14	369	21.6	<0.01	14.2	768	17.9	13
TE5538277 (-)	7	<1	1	0.14	5	34	0.63	778	29.1	<0.01	29.6	414	26.6	20
TE5538278 (-)	<5	<1	<1	0.05	6	22	1.27	250	16.7	<0.01	15.7	568	15.2	<10
TE5538279 (-)	<5	<1	<1	0.06	5	20	1.47	306	16.0	<0.01	15.2	665	16.4	14
TE5538280 (-)	<5	<1	<1	0.05	6	20	1.90	435	17.8	<0.01	16.9	819	21.3	14
TE5538281 (-)	6	<1	2	0.06	9	35	0.63	569	13.6	<0.01	21.8	648	20.0	14
TE5536470 (-)	7	<1	2	0.03	20	46	0.73	1160	3.6	<0.01	36.1	348	37.8	<10
TE5536471 (-)	6	<1	<1	0.04	15	55	0.88	1190	4.9	<0.01	40.0	377	37.0	<10
TE5536472 (-)	8	<1	<1	0.03	14	56	0.85	1060	10.0	<0.01	38.7	422	35.4	<10
TE5536473 (-)	7	<1	<1	0.04	13	58	0.88	925	4.1	<0.01	39.0	544	32.2	<10
TE5536474 (-)	7	<1	2	0.04	12	54	0.83	960	6.8	<0.01	37.7	462	30.2	<10
TE5536475 (-)	8	<1	<1	0.02	9	66	0.91	715	4.5	<0.01	35.6	307	27.9	<10
TE5536476 (-)	8	<1	<1	0.03	8	69	0.95	652	7.3	<0.01	35.7	334	28.3	<10
TE5536477 (-)	9	<1	<1	0.02	6	73	0.98	809	2.3	<0.01	36.3	180	28.2	<10
TE5536478 (-)	8	<1	3	0.03	6	64	0.89	783	4.8	<0.01	35.7	236	29.9	<10
TE5536479 (-)	6	2	3	0.04	14	42	0.65	841	5.0	<0.01	31.1	550	34.9	<10
TE5536480 (-)	6	4	<1	0.04	12	42	0.67	908	3.8	<0.01	31.7	489	38.0	<10
TE5536481 (-)	6	<1	1	0.04	14	46	0.70	1040	4.7	<0.01	33.2	381	38.9	<10
TE5536482 (-)	7	<1	<1	0.04	13	46	0.72	1240	5.9	<0.01	43.1	473	46.0	<10
TE5536483 (-)	6	5	1	0.04	14	49	0.79	1410	2.8	<0.01	37.3	530	51.0	<10
TE5536484 (-)	8	<1	<1	0.03	14	49	0.82	1290	2.8	<0.01	37.3	420	41.0	<10
TE5536485 (-)	6	<1	<1	0.04	14	42	0.69	1260	5.1	<0.01	36.8	511	51.6	<10

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647826

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Soil

	Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
	Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
TE5536486 (-)		<5	4	3	0.06	11	40	0.65	503	11.0	<0.01	33.1	732	54.4	11

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y647826

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
TE5537031 (-)	0.220	64	<0.5	<10	<5	105	<10	15	<5	<0.01	0.16	7	16.8	4
TE5537032 (-)	0.130	65	<0.5	52	<5	140	<10	13	<5	<0.01	0.11	<5	18.4	6
TE5537033 (-)	0.017	35	1.8	<10	<5	40.4	<10	<10	<5	<0.01	0.10	<5	24.1	2
TE5537034 (-)	0.011	39	<0.5	<10	<5	30.7	<10	<10	<5	<0.01	0.07	<5	20.3	8
TE5537035 (-)	0.012	32	0.7	<10	<5	38.7	<10	<10	<5	<0.01	0.07	<5	21.3	7
TE5537036 (-)	0.008	65	<0.5	<10	<5	32.7	<10	14	<5	<0.01	0.06	<5	17.5	9
TE5537037 (-)	0.009	32	<0.5	<10	<5	30.0	<10	10	<5	<0.01	0.05	<5	19.2	8
TE5537038 (-)	0.008	38	<0.5	35	<5	32.2	<10	14	<5	<0.01	0.05	<5	19.5	9
TE5537039 (-)	0.012	26	<0.5	<10	<5	27.0	<10	<10	<5	<0.01	0.04	<5	19.2	11
TE5537040 (-)	0.014	22	<0.5	<10	<5	29.1	<10	13	<5	<0.01	0.05	<5	17.9	7
TE5537041 (-)	0.014	37	<0.5	30	<5	21.2	<10	<10	<5	<0.01	0.03	<5	16.1	10
TE5537042 (-)	0.007	38	<0.5	<10	<5	27.7	<10	12	<5	<0.01	0.04	<5	17.9	8
TE5537043 (-)	0.017	40	<0.5	13	<5	39.5	<10	15	<5	<0.01	0.04	<5	17.9	9
TE5537044 (-)	0.012	37	<0.5	16	<5	30.0	<10	11	<5	<0.01	0.04	<5	17.9	10
TE5537045 (-)	0.019	45	<0.5	<10	<5	41.6	<10	13	<5	<0.01	0.05	<5	17.4	5
TE5537046 (-)	0.013	42	<0.5	<10	<5	37.4	<10	<10	<5	<0.01	0.05	<5	18.9	7
TE5537047 (-)	0.013	34	<0.5	31	<5	32.3	<10	12	<5	<0.01	0.04	<5	18.9	6
TE5537048 (-)	0.011	36	<0.5	<10	<5	30.4	<10	<10	<5	<0.01	0.06	<5	19.1	6
TE5537049 (-)	0.171	112	<0.5	<10	<5	28.3	<10	26	<5	0.01	13.3	<5	10.4	34
TE5537050 (-)	0.213	121	<0.5	<10	190	50.6	<10	34	<5	<0.01	0.03	<5	15.6	<1
TE5537051 (-)	0.026	48	<0.5	<10	<5	40.4	<10	12	<5	<0.01	0.05	<5	19.8	3
TE5537052 (-)	0.038	52	<0.5	47	<5	44.9	<10	14	<5	0.01	0.14	<5	50.8	8
TE5537053 (-)	0.007	<1	<0.5	39	<5	8.6	<10	12	<5	<0.01	0.04	5	20.6	10
TE5537054 (-)	<0.005	12	<0.5	16	<5	8.5	<10	10	<5	<0.01	0.03	5	21.7	8
TE5537055 (-)	<0.005	21	<0.5	<10	<5	8.5	<10	10	<5	<0.01	0.02	<5	21.5	9
TE5537056 (-)	<0.005	28	<0.5	<10	<5	9.1	<10	12	<5	<0.01	0.02	<5	20.4	9
TE5537057 (-)	<0.005	39	<0.5	<10	<5	9.3	<10	<10	<5	<0.01	0.02	<5	21.9	14
TE5537058 (-)	<0.005	17	<0.5	13	<5	7.1	<10	11	<5	<0.01	0.02	<5	21.1	8
TE5537059 (-)	<0.005	39	<0.5	30	<5	9.1	<10	14	5	<0.01	0.03	<5	21.2	5
TE5537060 (-)	<0.005	20	<0.5	<10	<5	8.7	<10	11	<5	<0.01	0.02	<5	18.5	11
TE5537061 (-)	<0.005	22	<0.5	<10	<5	10.5	<10	<10	<5	<0.01	0.02	<5	20.6	11
TE5537062 (-)	0.005	17	<0.5	<10	<5	10.1	<10	<10	<5	<0.01	0.02	<5	20.2	8

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y647826

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
TE5537063 (-)	0.006	30	<0.5	62	<5	12.6	<10	10	<5	<0.01	0.02	<5	20.9	15
TE5537064 (-)	0.006	23	<0.5	15	<5	13.9	<10	13	6	<0.01	0.03	5	18.7	15
TE5537065 (-)	<0.005	33	<0.5	<10	<5	12.8	<10	<10	6	<0.01	0.03	<5	18.5	9
TE5537066 (-)	0.007	30	<0.5	<10	<5	10.7	<10	<10	<5	<0.01	0.02	<5	20.1	11
TE5537067 (-)	0.006	28	<0.5	<10	<5	11.6	<10	11	<5	<0.01	0.02	<5	20.2	26
TE5537068 (-)	0.038	31	<0.5	95	<5	20.5	<10	10	<5	<0.01	0.03	<5	18.0	21
TE5537069 (-)	0.038	44	<0.5	67	<5	15.6	<10	12	<5	<0.01	0.03	<5	17.1	9
TE5537070 (-)	0.020	28	<0.5	<10	<5	15.7	<10	12	<5	<0.01	0.02	<5	19.8	7
TE5538210 (-)	0.016	3	<0.5	<10	<5	13.0	<10	<10	<5	<0.01	0.02	<5	19.0	12
TE5538211 (-)	0.017	45	<0.5	<10	<5	20.3	<10	12	5	<0.01	0.04	5	18.9	16
TE5538212 (-)	0.026	37	<0.5	<10	<5	18.5	<10	<10	<5	<0.01	0.03	<5	17.1	9
TE5538213 (-)	0.010	11	<0.5	<10	<5	13.3	<10	10	<5	<0.01	0.02	<5	19.6	13
TE5538214 (-)	0.017	31	<0.5	<10	<5	12.7	<10	<10	<5	<0.01	0.02	<5	18.3	8
TE5538215 (-)	0.017	27	<0.5	<10	<5	10.2	<10	11	<5	<0.01	0.02	<5	18.5	11
TE5538216 (-)	0.022	35	<0.5	<10	<5	16.5	<10	<10	<5	<0.01	0.02	7	21.5	12
TE5538217 (-)	0.015	42	<0.5	<10	<5	14.3	<10	<10	<5	<0.01	0.02	6	22.0	12
TE5538218 (-)	0.021	22	<0.5	<10	<5	11.3	<10	14	<5	<0.01	0.02	<5	19.0	12
TE5538219 (-)	0.023	30	<0.5	<10	<5	10.9	<10	<10	5	<0.01	0.02	<5	19.1	10
TE5538220 (-)	<0.005	19	<0.5	18	<5	11.3	<10	17	<5	<0.01	0.02	<5	19.4	9
TE5538221 (-)	0.016	27	<0.5	<10	<5	12.0	<10	14	<5	<0.01	0.02	<5	20.3	16
TE5538222 (-)	0.012	21	<0.5	<10	<5	11.7	<10	13	<5	<0.01	0.01	<5	20.4	11
TE5538223 (-)	0.012	33	2.6	32	<5	14.2	<10	10	<5	<0.01	0.18	<5	32.5	8
TE5538224 (-)	0.007	38	2.9	<10	<5	22.5	<10	<10	<5	<0.01	0.12	5	27.8	9
TE5538225 (-)	0.014	55	2.1	35	<5	23.2	<10	10	<5	<0.01	0.13	<5	32.1	12
TE5538226 (-)	0.007	44	2.8	15	<5	22.8	<10	10	<5	<0.01	0.14	<5	31.3	11
TE5538227 (-)	0.016	51	3.5	<10	<5	25.6	<10	11	<5	<0.01	0.12	<5	31.6	15
TE5538228 (-)	0.005	29	2.8	16	<5	25.1	<10	<10	<5	<0.01	0.12	<5	30.7	16
TE5538229 (-)	0.009	38	2.2	72	<5	19.1	<10	14	<5	<0.01	0.12	<5	26.6	19
TE5538230 (-)	0.084	75	1.6	116	<5	44.4	<10	20	<5	<0.01	0.19	<5	38.6	7
TE5538231 (-)	0.013	46	2.2	71	<5	23.0	<10	<10	<5	<0.01	0.13	<5	28.1	17
TE5538232 (-)	0.026	44	2.1	<10	<5	27.5	<10	10	<5	<0.01	0.15	<5	29.7	16
TE5538233 (-)	0.038	53	1.8	<10	<5	28.5	<10	11	<5	<0.01	0.15	<5	29.2	13

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y647826

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
TE5538234 (-)	0.034	51	1.9	<10	<5	28.8	<10	13	<5	<0.01	0.14	<5	27.8	12
TE5538235 (-)	0.090	55	1.1	<10	<5	24.1	<10	16	<5	<0.01	0.10	<5	24.7	15
TE5538236 (-)	0.024	38	0.7	<10	<5	18.4	<10	12	<5	<0.01	0.09	<5	24.0	15
TE5538237 (-)	0.056	68	0.8	<10	<5	30.5	<10	16	<5	<0.01	0.19	5	32.0	7
TE5538238 (-)	0.064	70	0.9	<10	<5	35.5	<10	13	<5	<0.01	0.18	<5	30.8	12
TE5538239 (-)	0.063	69	0.5	<10	<5	33.2	<10	18	<5	<0.01	0.16	<5	28.6	14
TE5538240 (-)	0.061	60	<0.5	28	<5	36.1	<10	14	<5	<0.01	0.13	<5	27.5	3
TE5538241 (-)	0.036	47	1.1	<10	<5	24.1	<10	12	<5	<0.01	0.07	<5	25.6	12
TE5538242 (-)	0.051	50	0.5	68	<5	23.0	<10	<10	<5	<0.01	0.08	<5	23.4	8
TE5538243 (-)	0.042	24	1.0	33	<5	20.5	<10	14	<5	<0.01	0.07	<5	23.7	7
TE5538244 (-)	0.056	56	1.0	<10	<5	21.4	<10	10	<5	<0.01	0.08	<5	24.4	9
TE5538245 (-)	0.046	40	1.0	28	<5	22.8	<10	11	<5	<0.01	0.08	<5	25.9	12
TE5538246 (-)	0.055	40	<0.5	<10	<5	27.5	<10	14	<5	<0.01	0.08	5	24.3	9
TE5538247 (-)	0.064	49	0.6	14	<5	26.4	<10	11	<5	<0.01	0.07	5	23.9	15
TE5538248 (-)	0.064	32	<0.5	<10	<5	24.6	<10	12	<5	<0.01	0.07	<5	21.7	11
TE5538249 (-)	0.175	109	<0.5	<10	<5	26.1	<10	20	<5	0.01	13.1	<5	9.6	39
TE5538250 (-)	0.209	143	<0.5	<10	208	49.2	<10	42	<5	<0.01	0.02	<5	15.5	<1
TE5538251 (-)	0.079	50	2.1	57	<5	26.9	<10	12	<5	<0.01	0.11	<5	28.3	8
TE5538252 (-)	0.074	59	2.5	<10	<5	24.7	<10	12	<5	<0.01	0.12	<5	28.4	14
TE5538253 (-)	0.081	46	2.3	31	<5	27.7	<10	13	<5	<0.01	0.12	<5	28.4	12
TE5538254 (-)	0.073	54	2.2	<10	<5	24.9	<10	14	<5	<0.01	0.13	5	28.3	18
TE5538255 (-)	0.116	84	2.6	<10	<5	40.0	<10	18	<5	<0.01	0.14	<5	13.2	13
TE5538256 (-)	0.069	63	1.8	<10	<5	41.9	<10	16	<5	<0.01	0.14	<5	9.1	15
TE5538257 (-)	0.079	82	1.0	<10	<5	67.9	<10	19	<5	<0.01	0.09	<5	9.3	9
TE5538258 (-)	0.242	139	<0.5	<10	<5	150	<10	30	<5	<0.01	0.07	<5	14.6	4
TE5538259 (-)	0.155	134	<0.5	<10	<5	229	<10	36	<5	<0.01	0.06	<5	12.0	2
TE5538260 (-)	0.166	138	<0.5	<10	<5	103	<10	26	<5	<0.01	0.18	5	11.5	4
TE5538261 (-)	0.126	121	<0.5	<10	<5	92.1	<10	33	<5	<0.01	0.06	<5	12.1	4
TE5538262 (-)	0.131	124	<0.5	<10	<5	91.2	<10	35	<5	<0.01	0.04	<5	12.5	3
TE5538263 (-)	0.140	152	<0.5	<10	<5	106	<10	33	<5	<0.01	0.05	<5	12.9	4
TE5538264 (-)	0.052	40	<0.5	<10	<5	39.3	<10	14	<5	<0.01	0.06	<5	14.2	6
TE5538265 (-)	0.058	54	<0.5	<10	<5	50.1	<10	15	<5	<0.01	0.06	<5	14.8	10

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y647826

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Soil

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
TE5538266 (-)	0.139	152	<0.5	<10	<5	95.5	<10	34	<5	<0.01	0.04	<5	13.0	3
TE5538267 (-)	0.137	136	<0.5	<10	<5	94.2	<10	31	<5	<0.01	0.04	<5	13.0	<1
TE5538268 (-)	0.132	131	<0.5	<10	<5	83.2	<10	27	<5	<0.01	0.03	<5	13.0	3
TE5538269 (-)	0.076	117	<0.5	<10	<5	40.6	<10	27	<5	<0.01	0.04	<5	13.0	4
TE5538270 (-)	0.081	111	<0.5	12	<5	45.2	<10	28	<5	<0.01	0.04	<5	13.1	3
TE5538271 (-)	0.083	136	<0.5	<10	<5	49.1	<10	27	<5	<0.01	0.05	<5	13.4	7
TE5538272 (-)	0.064	87	<0.5	41	<5	40.8	<10	29	<5	<0.01	0.05	<5	13.1	5
TE5538273 (-)	0.062	99	<0.5	<10	<5	35.5	<10	27	<5	<0.01	0.03	<5	11.5	3
TE5538274 (-)	0.079	99	<0.5	<10	<5	41.1	<10	29	<5	<0.01	0.03	<5	12.7	4
TE5538275 (-)	0.076	102	<0.5	<10	<5	46.5	<10	28	<5	<0.01	0.04	<5	12.2	4
TE5538276 (-)	0.073	117	<0.5	<10	<5	35.9	<10	32	<5	<0.01	0.04	<5	11.9	4
TE5538277 (-)	0.039	106	<0.5	<10	<5	179	<10	27	<5	<0.01	0.07	<5	18.0	7
TE5538278 (-)	0.050	78	<0.5	<10	<5	24.9	<10	18	<5	<0.01	0.03	<5	11.6	4
TE5538279 (-)	0.059	99	<0.5	<10	<5	40.9	<10	25	<5	<0.01	0.05	<5	12.3	4
TE5538280 (-)	0.063	111	<0.5	<10	<5	48.9	<10	26	<5	<0.01	0.05	<5	13.1	4
TE5538281 (-)	0.046	79	<0.5	<10	<5	42.1	<10	17	<5	0.02	0.06	<5	22.1	8
TE5536470 (-)	<0.005	13	<0.5	<10	<5	15.3	<10	<10	<5	<0.01	0.04	<5	17.9	9
TE5536471 (-)	0.007	8	<0.5	23	<5	15.1	<10	12	<5	<0.01	0.04	<5	19.8	13
TE5536472 (-)	0.017	25	<0.5	48	<5	18.4	<10	<10	<5	<0.01	0.03	<5	18.7	11
TE5536473 (-)	0.018	35	<0.5	<10	<5	17.2	<10	<10	<5	<0.01	0.02	<5	19.1	12
TE5536474 (-)	0.016	27	<0.5	<10	<5	19.2	<10	<10	<5	<0.01	0.03	5	18.5	11
TE5536475 (-)	<0.005	16	<0.5	<10	<5	10.4	<10	<10	<5	<0.01	0.02	<5	18.7	13
TE5536476 (-)	<0.005	26	<0.5	52	<5	10.1	<10	12	<5	<0.01	0.02	<5	19.7	13
TE5536477 (-)	<0.005	14	<0.5	<10	<5	6.0	<10	11	<5	<0.01	0.02	<5	19.7	14
TE5536478 (-)	<0.005	18	<0.5	<10	<5	8.3	<10	10	<5	<0.01	0.02	<5	19.0	6
TE5536479 (-)	<0.005	33	<0.5	21	<5	25.3	<10	<10	5	<0.01	0.03	<5	16.0	7
TE5536480 (-)	<0.005	32	<0.5	<10	<5	28.8	<10	11	<5	<0.01	0.04	<5	16.5	11
TE5536481 (-)	<0.005	25	<0.5	<10	<5	23.1	<10	11	<5	<0.01	0.04	5	16.4	6
TE5536482 (-)	0.010	25	<0.5	<10	<5	23.4	<10	<10	<5	<0.01	0.04	5	16.9	14
TE5536483 (-)	<0.005	20	<0.5	<10	<5	12.8	<10	<10	<5	<0.01	0.05	5	19.9	7
TE5536484 (-)	<0.005	2	<0.5	<10	<5	10.1	<10	<10	<5	<0.01	0.04	<5	21.5	10
TE5536485 (-)	0.007	26	<0.5	13	<5	14.1	<10	12	<5	<0.01	0.06	<5	19.6	13

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647826

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Soil

	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
TE5536486 (-)		0.047	53	<0.5	72	<5	31.2	<10	11	<5	<0.01	0.08	<5	21.0	7

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647826

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
TE5537031 (-)		10	105	<5
TE5537032 (-)		15	149	<5
TE5537033 (-)		13	138	<5
TE5537034 (-)		9	113	<5
TE5537035 (-)		9	121	<5
TE5537036 (-)		5	300	<5
TE5537037 (-)		7	117	<5
TE5537038 (-)		7	126	<5
TE5537039 (-)		7	115	<5
TE5537040 (-)		6	107	<5
TE5537041 (-)		5	102	<5
TE5537042 (-)		6	104	<5
TE5537043 (-)		5	93.1	<5
TE5537044 (-)		6	100	<5
TE5537045 (-)		6	100	<5
TE5537046 (-)		6	104	<5
TE5537047 (-)		6	99.2	<5
TE5537048 (-)		6	101	<5
TE5537049 (-)		2	21.6	11
TE5537050 (-)		1	30.9	<5
TE5537051 (-)		7	105	<5
TE5537052 (-)		10	245	<5
TE5537053 (-)		4	110	<5
TE5537054 (-)		4	115	<5
TE5537055 (-)		4	112	<5
TE5537056 (-)		4	107	<5
TE5537057 (-)		4	114	<5
TE5537058 (-)		3	111	<5
TE5537059 (-)		4	110	<5
TE5537060 (-)		4	99.7	<5
TE5537061 (-)		4	109	<5
TE5537062 (-)		4	106	<5

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647826

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
TE5537063 (-)		4	111	<5
TE5537064 (-)		5	110	<5
TE5537065 (-)		4	105	<5
TE5537066 (-)		4	111	<5
TE5537067 (-)		4	110	<5
TE5537068 (-)		6	110	<5
TE5537069 (-)		6	108	<5
TE5537070 (-)		5	112	<5
TE5538210 (-)		5	103	<5
TE5538211 (-)		5	115	<5
TE5538212 (-)		5	107	<5
TE5538213 (-)		5	109	<5
TE5538214 (-)		4	105	<5
TE5538215 (-)		4	102	<5
TE5538216 (-)		6	107	<5
TE5538217 (-)		7	111	<5
TE5538218 (-)		4	103	<5
TE5538219 (-)		4	107	<5
TE5538220 (-)		4	104	<5
TE5538221 (-)		4	111	<5
TE5538222 (-)		4	111	<5
TE5538223 (-)		9	222	<5
TE5538224 (-)		8	154	<5
TE5538225 (-)		9	134	<5
TE5538226 (-)		8	165	<5
TE5538227 (-)		9	161	<5
TE5538228 (-)		8	157	<5
TE5538229 (-)		7	145	<5
TE5538230 (-)		12	175	<5
TE5538231 (-)		8	152	<5
TE5538232 (-)		9	154	<5
TE5538233 (-)		9	151	<5

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647826

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
TE5538234 (-)		8	150	<5
TE5538235 (-)		7	139	<5
TE5538236 (-)		7	127	<5
TE5538237 (-)		12	169	<5
TE5538238 (-)		12	169	<5
TE5538239 (-)		10	155	<5
TE5538240 (-)		10	142	<5
TE5538241 (-)		7	131	<5
TE5538242 (-)		7	122	<5
TE5538243 (-)		7	130	<5
TE5538244 (-)		7	132	<5
TE5538245 (-)		7	129	<5
TE5538246 (-)		7	127	<5
TE5538247 (-)		7	123	<5
TE5538248 (-)		7	104	<5
TE5538249 (-)		2	17.5	11
TE5538250 (-)		1	23.6	<5
TE5538251 (-)		9	152	<5
TE5538252 (-)		9	156	<5
TE5538253 (-)		9	158	<5
TE5538254 (-)		10	153	<5
TE5538255 (-)		17	164	<5
TE5538256 (-)		14	133	<5
TE5538257 (-)		13	120	<5
TE5538258 (-)		9	122	<5
TE5538259 (-)		6	106	<5
TE5538260 (-)		8	127	<5
TE5538261 (-)		6	98.8	<5
TE5538262 (-)		5	69.3	<5
TE5538263 (-)		5	80.3	<5
TE5538264 (-)		8	103	<5
TE5538265 (-)		9	106	<5

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647826

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
TE5538266 (-)		5	73.1	<5
TE5538267 (-)		4	69.2	<5
TE5538268 (-)		4	67.5	<5
TE5538269 (-)		6	81.4	<5
TE5538270 (-)		5	78.6	<5
TE5538271 (-)		6	87.7	<5
TE5538272 (-)		8	93.6	<5
TE5538273 (-)		5	83.0	<5
TE5538274 (-)		5	75.7	<5
TE5538275 (-)		6	95.8	<5
TE5538276 (-)		6	85.5	<5
TE5538277 (-)		7	84.2	<5
TE5538278 (-)		5	65.7	<5
TE5538279 (-)		6	93.3	<5
TE5538280 (-)		6	93.2	<5
TE5538281 (-)		8	77.3	<5
TE5536470 (-)		7	95.8	<5
TE5536471 (-)		7	101	<5
TE5536472 (-)		6	108	<5
TE5536473 (-)		5	104	<5
TE5536474 (-)		5	102	<5
TE5536475 (-)		4	107	<5
TE5536476 (-)		4	109	<5
TE5536477 (-)		3	113	<5
TE5536478 (-)		3	110	<5
TE5536479 (-)		5	91.8	<5
TE5536480 (-)		5	90.4	<5
TE5536481 (-)		5	94.0	<5
TE5536482 (-)		6	98.9	<5
TE5536483 (-)		7	97.8	<5
TE5536484 (-)		5	103	<5
TE5536485 (-)		7	104	<5

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647826

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Soil

	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
Sample Description	RDL:	1	0.5	5
TE5536486 (-)		8	107	<5

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647826

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Au	Sample Login Weight
	Unit:	ppm	kg
	RDL:	0.001	0.01
TE5537031 (-)		NSS	0.25
TE5537032 (-)		0.004	0.41
TE5537033 (-)		<0.001	0.68
TE5537034 (-)		<0.001	0.54
TE5537035 (-)		0.012	0.59
TE5537036 (-)		0.004	0.57
TE5537037 (-)		<0.001	0.86
TE5537038 (-)		<0.001	0.56
TE5537039 (-)		<0.001	0.54
TE5537040 (-)		<0.001	0.44
TE5537041 (-)		<0.001	0.49
TE5537042 (-)		<0.001	0.38
TE5537043 (-)		0.002	0.42
TE5537044 (-)		<0.001	0.68
TE5537045 (-)		0.001	0.68
TE5537046 (-)		0.002	0.59
TE5537047 (-)		0.001	0.50
TE5537048 (-)		0.001	0.57
TE5537049 (-)		0.239	0.12
TE5537050 (-)		<0.001	0.37
TE5537051 (-)		0.004	0.63
TE5537052 (-)		0.005	0.47
TE5537053 (-)		0.011	0.52
TE5537054 (-)		<0.001	0.61
TE5537055 (-)		<0.001	0.49
TE5537056 (-)		<0.001	0.50
TE5537057 (-)		<0.001	0.54
TE5537058 (-)		<0.001	0.63
TE5537059 (-)		<0.001	0.62
TE5537060 (-)		<0.001	0.50
TE5537061 (-)		<0.001	0.63

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647826

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Au	Sample Login Weight
	Unit:	ppm	kg
	RDL:	0.001	0.01
TE5537062 (-)		<0.001	0.63
TE5537063 (-)		<0.001	0.48
TE5537064 (-)		<0.001	0.60
TE5537065 (-)		<0.001	0.56
TE5537066 (-)		0.027	0.68
TE5537067 (-)		0.002	0.70
TE5537068 (-)		<0.001	0.63
TE5537069 (-)		<0.001	0.51
TE5537070 (-)		<0.001	0.61
TE5538210 (-)		0.008	0.58
TE5538211 (-)		<0.001	0.35
TE5538212 (-)		<0.001	0.40
TE5538213 (-)		<0.001	0.43
TE5538214 (-)		<0.001	0.43
TE5538215 (-)		<0.001	0.34
TE5538216 (-)		<0.001	0.69
TE5538217 (-)		<0.001	0.77
TE5538218 (-)		<0.001	0.57
TE5538219 (-)		<0.001	0.63
TE5538220 (-)		<0.001	0.55
TE5538221 (-)		<0.001	0.50
TE5538222 (-)		<0.001	0.50
TE5538223 (-)		<0.001	0.52
TE5538224 (-)		<0.001	0.65
TE5538225 (-)		<0.001	0.71
TE5538226 (-)		<0.001	0.65
TE5538227 (-)		<0.001	0.53
TE5538228 (-)		0.001	0.65
TE5538229 (-)		0.002	0.52
TE5538230 (-)		0.003	0.48
TE5538231 (-)		<0.001	0.56

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647826

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Au	Sample Login Weight
	Unit:	ppm	kg
	RDL:	0.001	0.01
TE5538232 (-)		0.001	0.52
TE5538233 (-)		0.017	0.54
TE5538234 (-)		0.002	0.55
TE5538235 (-)		0.002	0.42
TE5538236 (-)		0.002	0.55
TE5538237 (-)		0.005	0.54
TE5538238 (-)		0.011	0.63
TE5538239 (-)		0.004	0.63
TE5538240 (-)		0.002	0.40
TE5538241 (-)		<0.001	0.48
TE5538242 (-)		<0.001	0.64
TE5538243 (-)		<0.001	0.47
TE5538244 (-)		0.003	0.47
TE5538245 (-)		<0.001	0.47
TE5538246 (-)		<0.001	0.60
TE5538247 (-)		<0.001	0.41
TE5538248 (-)		<0.001	0.45
TE5538249 (-)		0.233	0.12
TE5538250 (-)		<0.001	0.32
TE5538251 (-)		<0.001	0.53
TE5538252 (-)		<0.001	0.49
TE5538253 (-)		<0.001	0.54
TE5538254 (-)		0.001	0.50
TE5538255 (-)		0.005	0.44
TE5538256 (-)		0.002	0.57
TE5538257 (-)		<0.001	0.37
TE5538258 (-)		0.001	0.36
TE5538259 (-)		0.001	0.77
TE5538260 (-)		0.003	0.57
TE5538261 (-)		0.001	0.50
TE5538262 (-)		<0.001	0.52

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647826

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Au	Sample Login Weight
	Unit:	ppm	kg
	RDL:	0.001	0.01
TE5538263 (-)		<0.001	0.61
TE5538264 (-)		<0.001	0.48
TE5538265 (-)		<0.001	0.45
TE5538266 (-)		0.004	0.58
TE5538267 (-)		<0.001	0.53
TE5538268 (-)		<0.001	0.53
TE5538269 (-)		<0.001	0.46
TE5538270 (-)		<0.001	0.56
TE5538271 (-)		<0.001	0.49
TE5538272 (-)		0.002	0.48
TE5538273 (-)		<0.001	0.62
TE5538274 (-)		<0.001	0.53
TE5538275 (-)		<0.001	0.40
TE5538276 (-)		<0.001	0.34
TE5538277 (-)		<0.001	0.71
TE5538278 (-)		<0.001	0.53
TE5538279 (-)		<0.001	0.49
TE5538280 (-)		<0.001	0.70
TE5538281 (-)		0.005	0.50
TE5536470 (-)		<0.001	0.77
TE5536471 (-)		<0.001	0.58
TE5536472 (-)		<0.001	0.49
TE5536473 (-)		<0.001	0.58
TE5536474 (-)		<0.001	0.49
TE5536475 (-)		<0.001	0.62
TE5536476 (-)		<0.001	0.45
TE5536477 (-)		0.003	0.49
TE5536478 (-)		<0.001	0.52
TE5536479 (-)		<0.001	0.48
TE5536480 (-)		<0.001	0.57
TE5536481 (-)		<0.001	0.44

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647826

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Soil

Sample Description	Analyte:	Au	Sample Login Weight
	Unit:	ppm	kg
	RDL:	0.001	0.01
TE5536482 (-)		<0.001	0.68
TE5536483 (-)		<0.001	0.54
TE5536484 (-)		<0.001	0.55
TE5536485 (-)		<0.001	0.63
TE5536486 (-)		<0.001	0.46

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y647826

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis											
RPT Date: Oct 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)											
Ag	1	3768274	< 0.2	< 0.2	0.0%	< 0.2	14.3	13.0	110%	80%	120%
Al	1	3768274	2.19	2.39	8.7%	< 0.01				80%	120%
As	1	3768274	< 1	< 1	0.0%	< 1				80%	120%
B	1	3768274	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3768274	27	31	13.8%	< 1				80%	120%
Be	1	3768274	0.6	0.6	0.0%	< 0.5				80%	120%
Bi	1	3768274	18	15	18.2%	< 1				80%	120%
Ca	1	3768274	0.072	0.079	9.3%	< 0.01				80%	120%
Cd	1	3768274	2.78	2.70	2.9%	< 0.5				80%	120%
Ce	1	3768274	42	46	9.1%	< 1				80%	120%
Co	1	3768274	27.0	27.8	2.9%	< 0.5				80%	120%
Cr	1	3768274	32.6	34.0	4.2%	< 0.5				80%	120%
Cu	1	3768274	56.7	60.4	6.3%	< 0.5	5964	6000	99%	80%	120%
Fe	1	3768274	4.56	5.01	9.4%	< 0.01				80%	120%
Ga	1	3768274	8	9	11.8%	< 5				80%	120%
Hg	1	3768274	< 1	< 1	0.0%	< 1				80%	120%
In	1	3768274	< 1	< 1	0.0%	< 1				80%	120%
K	1	3768274	0.03	0.03	0.0%	< 0.01				80%	120%
La	1	3768274	18	19	5.4%	< 1				80%	120%
Li	1	3768274	58	63	8.3%	< 1				80%	120%
Mg	1	3768274	0.94	1.02	8.2%	< 0.01				80%	120%
Mn	1	3768274	1110	1140	2.7%	< 1				80%	120%
Mo	1	3768274	2.7	1.5		< 0.5				80%	120%
Na	1	3768274	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Ni	1	3768274	39.5	42.1	6.4%	< 0.5				80%	120%
P	1	3768274	332	379	13.2%	< 10				80%	120%
Pb	1	3768274	43.2	39.6	8.7%	< 0.5				80%	120%
Rb	1	3768274	< 10	< 10	0.0%	< 10	12	13	92%	80%	120%
S	1	3768274	< 0.005	< 0.005	0.0%	< 0.005				80%	120%
Sb	1	3768274	28	32	13.3%	2				80%	120%
Sc	1	3768274	< 0.5	< 0.5	0.0%	< 0.5				80%	120%
Se	1	3768274	< 10	< 10	0.0%	< 10				80%	120%
Sn	1	3768274	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	3768274	9.11	10.3	12.3%	< 0.5				80%	120%
Ta	1	3768274	< 10	< 10	0.0%	< 10				80%	120%
Te	1	3768274	12	10	18.2%	< 10				80%	120%
Th	1	3768274	< 5	< 5	0.0%	< 5				80%	120%
Ti	1	3768274	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Tl	1	3768274	0.024	0.026	8.0%	< 0.01				80%	120%
U	1	3768274	< 5	< 5	0.0%	< 5				80%	120%
V	1	3768274	20.4	21.1	3.4%	< 0.5				80%	120%
W	1	3768274	9	12	28.6%	< 1				80%	120%
Y	1	3768274	4	4	0.0%	< 1	6	7	80%	80%	120%
Zn	1	3768274	107	111	3.7%	< 0.5				80%	120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y647826

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Zr	1	3768274	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1	3768299	< 0.2	< 0.2	0.0%	< 0.2	14.1	13.0	108%	80% 120%
Al	1	3768299	2.09	2.21	5.6%	< 0.01				80% 120%
As	1	3768299	< 1	< 1	0.0%	< 1				80% 120%
B	1	3768299	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3768299	19	20	5.1%	< 1				80% 120%
Be	1	3768299	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	3768299	27	11		< 1				80% 120%
Ca	1	3768299	0.09	0.09	0.0%	< 0.01				80% 120%
Cd	1	3768299	2.51	2.76	9.5%	< 0.5				80% 120%
Ce	1	3768299	47	47	0.0%	< 1				80% 120%
Co	1	3768299	19.3	19.7	2.1%	< 0.5				80% 120%
Cr	1	3768299	31.1	31.4	1.0%	< 0.5				80% 120%
Cu	1	3768299	40.3	40.0	0.7%	< 0.5	5740	6000	95%	80% 120%
Fe	1	3768299	4.53	4.80	5.8%	< 0.01				80% 120%
Ga	1	3768299	8	7	13.3%	< 5				80% 120%
Hg	1	3768299	1	< 1		< 1				80% 120%
In	1	3768299	2	< 1		< 1				80% 120%
K	1	3768299	0.024	0.026	8.0%	< 0.01				80% 120%
La	1	3768299	21	20	4.9%	< 1				80% 120%
Li	1	3768299	56	59	5.2%	< 1				80% 120%
Mg	1	3768299	0.92	0.97	5.3%	< 0.01				80% 120%
Mn	1	3768299	749	772	3.0%	< 1				80% 120%
Mo	1	3768299	1.1	3.0		< 0.5	358	360	99%	80% 120%
Na	1	3768299	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3768299	37.5	37.7	0.5%	< 0.5				80% 120%
P	1	3768299	329	353	7.0%	< 10				80% 120%
Pb	1	3768299	27.7	29.3	5.6%	< 0.5				80% 120%
Rb	1	3768299	< 10	< 10	0.0%	< 10	12	13	92%	80% 120%
S	1	3768299	< 0.005	0.006		< 0.005				80% 120%
Sb	1	3768299	19	14		2				80% 120%
Sc	1	3768299	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Se	1	3768299	18	< 10		< 10				80% 120%
Sn	1	3768299	< 5	< 5	0.0%	5				80% 120%
Sr	1	3768299	11.3	12.1	6.8%	< 0.5				80% 120%
Ta	1	3768299	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3768299	17	10		< 10				80% 120%
Th	1	3768299	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3768299	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3768299	0.02	0.02	0.0%	< 0.01				80% 120%
U	1	3768299	< 5	< 5	0.0%	< 5				80% 120%
V	1	3768299	19.4	20.0	3.0%	< 0.5				80% 120%
W	1	3768299	9	13		< 1				80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y647826

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				Acceptable Limits	
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery		Lower	Upper
Y	1	3768299	4	4	0.0%	< 1	6	7	80%		80%	120%
Zn	1	3768299	104	107	2.8%	< 0.5					80%	120%
Zr	1	3768299	< 5	< 5	0.0%	< 5					80%	120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)												
Ag	1	3768324	0.2	0.2	0.0%	< 0.2	13.2	13.0	101%		80%	120%
Al	1	3768324	1.31	1.25	4.7%	< 0.01					80%	120%
As	1	3768324	7	7	0.0%	< 1					80%	120%
B	1	3768324	< 5	< 5	0.0%	< 5					80%	120%
Ba	1	3768324	254	238	6.5%	< 1					80%	120%
Be	1	3768324	1.2	1.2	0.0%	< 0.5					80%	120%
Bi	1	3768324	12	27		< 1					80%	120%
Ca	1	3768324	0.17	0.17	0.0%	< 0.01					80%	120%
Cd	1	3768324	2.5	2.9	14.8%	< 0.5					80%	120%
Ce	1	3768324	12	11	8.7%	< 1					80%	120%
Co	1	3768324	22.3	21.9	1.8%	< 0.5	5.4	5.0	108%		80%	120%
Cr	1	3768324	22.3	21.6	3.2%	< 0.5					80%	120%
Cu	1	3768324	62.9	69.0	9.2%	< 0.5	5490	6000	91%		80%	120%
Fe	1	3768324	4.88	4.79	1.9%	< 0.01	1.25	1.31	96%		80%	120%
Ga	1	3768324	6	7	15.4%	< 5					80%	120%
Hg	1	3768324	< 1	4		< 1					80%	120%
In	1	3768324	< 1	3		< 1					80%	120%
K	1	3768324	0.070	0.062	12.1%	< 0.01					80%	120%
La	1	3768324	4	4	0.0%	< 1					80%	120%
Li	1	3768324	30	29	3.4%	< 1					80%	120%
Mg	1	3768324	0.55	0.54	1.8%	< 0.01					80%	120%
Mn	1	3768324	1500	1480	1.3%	< 1					80%	120%
Mo	1	3768324	10.5	12.2	15.0%	< 0.5	337	360	93%		80%	120%
Na	1	3768324	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
Ni	1	3768324	37.3	37.2	0.3%	< 0.5					80%	120%
P	1	3768324	726	707	2.7%	< 10	597	600	99%		80%	120%
Pb	1	3768324	35.6	34.9	2.0%	0.6					80%	120%
Rb	1	3768324	< 10	< 10	0.0%	< 10	11	13	85%		80%	120%
S	1	3768324	0.046	0.047	2.2%	< 0.005					80%	120%
Sb	1	3768324	40	50	22.2%	8					80%	120%
Sc	1	3768324	0.96	0.95	1.0%	< 0.5					80%	120%
Se	1	3768324	28	65		< 10					80%	120%
Sn	1	3768324	< 5	< 5	0.0%	< 5					80%	120%
Sr	1	3768324	22.8	21.9	4.0%	< 0.5					80%	120%
Ta	1	3768324	< 10	< 10	0.0%	< 10					80%	120%
Te	1	3768324	11	9	20.0%	< 10					80%	120%
Th	1	3768324	< 5	< 5	0.0%	< 5					80%	120%
Ti	1	3768324	< 0.01	< 0.01	0.0%	< 0.01	0.07	0.07	96%		80%	120%
Tl	1	3768324	0.081	0.074	9.0%	< 0.01					80%	120%
U	1	3768324	< 5	< 5	0.0%	< 5					80%	120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y647826

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
V	1	3768324	25.9	24.8	4.3%	< 0.5				80% 120%
W	1	3768324	12	9	28.6%	< 1				80% 120%
Y	1	3768324	7	7	0.0%	< 1	7	7	100%	80% 120%
Zn	1	3768324	129	123	4.8%	< 0.5				80% 120%
Zr	1	3768324	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Ti) (201073)										
Ag	1	3768329	< 0.2	< 0.2	0.0%	< 0.2	13.2	13.0	101%	80% 120%
Al	1	3768329	0.05	0.05	0.0%	< 0.01				80% 120%
As	1	3768329	< 1	< 1	0.0%	< 1				80% 120%
B	1	3768329	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3768329	42	38	10.0%	< 1				80% 120%
Be	1	3768329	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	3768329	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3768329	18.5	18.6	0.5%	< 0.01				80% 120%
Cd	1	3768329	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3768329	12	12	0.0%	< 1				80% 120%
Co	1	3768329	2.2	2.2	0.0%	< 0.5				80% 120%
Cr	1	3768329	2.0	2.4	18.2%	< 0.5				80% 120%
Cu	1	3768329	4.55	3.50	26.1%	< 0.5	5490	6000	91%	80% 120%
Fe	1	3768329	0.39	0.39	0.0%	< 0.01				80% 120%
Ga	1	3768329	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3768329	< 1	< 1	0.0%	1				80% 120%
In	1	3768329	< 1	< 1	0.0%	< 1				80% 120%
K	1	3768329	0.04	0.04	0.0%	< 0.01				80% 120%
La	1	3768329	2	2	0.0%	< 1				80% 120%
Li	1	3768329	1	1	0.0%	< 1				80% 120%
Mg	1	3768329	11.9	11.9	0.0%	< 0.01				80% 120%
Mn	1	3768329	236	236	0.0%	< 1				80% 120%
Mo	1	3768329	45.3	40.3	11.7%	< 0.5	337	360	93%	80% 120%
Na	1	3768329	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3768329	0.8	1.2		< 0.5				80% 120%
P	1	3768329	429	553	25.3%	< 10				80% 120%
Pb	1	3768329	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Rb	1	3768329	17	18	5.7%	< 10	11	13	85%	80% 120%
S	1	3768329	0.209	0.207	1.0%	< 0.005				80% 120%
Sb	1	3768329	143	148	3.4%	< 1				80% 120%
Sc	1	3768329	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Se	1	3768329	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3768329	208	164	23.7%	< 5				80% 120%
Sr	1	3768329	49.2	48.6	1.2%	< 0.5				80% 120%
Ta	1	3768329	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3768329	42	40	4.9%	< 10				80% 120%
Th	1	3768329	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3768329	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3768329	0.02	0.02	0.0%	< 0.01				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y647826

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
U	1	3768329	< 5	< 5	0.0%	< 5				80% 120%
V	1	3768329	15.5	15.2	2.0%	< 0.5				80% 120%
W	1	3768329	< 1	< 1	0.0%	< 1				80% 120%
Y	1	3768329	1	1	0.0%	< 1	7	7	100%	80% 120%
Zn	1	3768329	23.6	25.1	6.2%	< 0.5				80% 120%
Zr	1	3768329	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Ti) (201073)										
Ag	1	3768349	< 0.2	< 0.2	0.0%	< 0.2	14.3	13.0	110%	80% 120%
Al	1	3768349	0.648	0.685	5.6%	< 0.01				80% 120%
As	1	3768349	< 1	< 1	0.0%	< 1				80% 120%
B	1	3768349	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3768349	31	31	0.0%	< 1				80% 120%
Be	1	3768349	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	3768349	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3768349	5.71	5.99	4.8%	< 0.01				80% 120%
Cd	1	3768349	1.5	0.9		< 0.5				80% 120%
Ce	1	3768349	16	16	0.0%	< 1				80% 120%
Co	1	3768349	8.2	8.6	4.8%	< 0.5				80% 120%
Cr	1	3768349	9.3	9.5	2.1%	< 0.5				80% 120%
Cu	1	3768349	18.8	19.3	2.6%	< 0.5	6073	6000	101%	80% 120%
Fe	1	3768349	1.81	1.92	5.9%	< 0.01				80% 120%
Ga	1	3768349	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3768349	< 1	< 1	0.0%	< 1				80% 120%
In	1	3768349	< 1	< 1	0.0%	< 1				80% 120%
K	1	3768349	0.05	0.05	0.0%	< 0.01				80% 120%
La	1	3768349	6	5	18.2%	< 1				80% 120%
Li	1	3768349	19	21	10.0%	< 1				80% 120%
Mg	1	3768349	3.51	3.70	5.3%	< 0.01				80% 120%
Mn	1	3768349	298	304	2.0%	< 1				80% 120%
Mo	1	3768349	21.7	27.7	24.3%	< 0.5	364	360	101%	80% 120%
Na	1	3768349	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3768349	13.1	13.3	1.5%	< 0.5				80% 120%
P	1	3768349	765	708	7.7%	< 10				80% 120%
Pb	1	3768349	12.5	17.5		< 0.5				80% 120%
Rb	1	3768349	15	16	6.5%	< 10	12	13	94%	80% 120%
S	1	3768349	0.081	0.085	4.8%	< 0.005				80% 120%
Sb	1	3768349	111	119	7.0%	< 1				80% 120%
Sc	1	3768349	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Se	1	3768349	12	< 10		< 10				80% 120%
Sn	1	3768349	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3768349	45.2	47.7	5.4%	< 0.5				80% 120%
Ta	1	3768349	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3768349	28	31	10.2%	< 10				80% 120%
Th	1	3768349	< 5	< 5	0.0%	< 5				80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y647826

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ti	1	3768349	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3768349	0.036	0.034	5.7%	< 0.01				80% 120%
U	1	3768349	< 5	< 5	0.0%	< 5				80% 120%
V	1	3768349	13.1	13.6	3.7%	< 0.5				80% 120%
W	1	3768349	3	3	0.0%	< 1				80% 120%
Y	1	3768349	5	5	0.0%	< 1	6	7	82%	80% 120%
Zn	1	3768349	78.6	75.7	3.8%	< 0.5				80% 120%
Zr	1	3768349	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1	3768368	< 0.2	< 0.2	0.0%	< 0.2	14.4	13.0	111%	80% 120%
Al	1	3768368	2.44	2.48	1.6%	< 0.01				80% 120%
As	1	3768368	< 1	< 1	0.0%	< 1				80% 120%
B	1	3768368	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3768368	17	18	5.7%	< 1				80% 120%
Be	1	3768368	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	3768368	6	< 1		< 1				80% 120%
Ca	1	3768368	0.06	0.06	0.0%	< 0.01				80% 120%
Cd	1	3768368	2.8	2.3	19.6%	< 0.5				80% 120%
Ce	1	3768368	17	17	0.0%	< 1				80% 120%
Co	1	3768368	19.0	19.2	1.0%	< 0.5				80% 120%
Cr	1	3768368	32.0	32.4	1.2%	< 0.5				80% 120%
Cu	1	3768368	27.2	28.2	3.6%	< 0.5	5973	6000	99%	80% 120%
Fe	1	3768368	5.07	5.12	1.0%	< 0.01				80% 120%
Ga	1	3768368	9	8	11.8%	< 5				80% 120%
Hg	1	3768368	< 1	5		< 1				80% 120%
In	1	3768368	< 1	< 1	0.0%	< 1				80% 120%
K	1	3768368	0.02	0.02	0.0%	< 0.01				80% 120%
La	1	3768368	6	6	0.0%	< 1				80% 120%
Li	1	3768368	73	74	1.4%	< 1				80% 120%
Mg	1	3768368	0.983	0.997	1.4%	< 0.01				80% 120%
Mn	1	3768368	809	837	3.4%	< 1				80% 120%
Mo	1	3768368	2.3	7.4		< 0.5	364	360	101%	80% 120%
Na	1	3768368	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3768368	36.3	36.7	1.1%	< 0.5				80% 120%
P	1	3768368	180	219	19.5%	< 10				80% 120%
Pb	1	3768368	28.2	28.1	0.4%	< 0.5				80% 120%
Rb	1	3768368	< 10	< 10	0.0%	< 10	13	13	101%	80% 120%
S	1	3768368	< 0.005	< 0.005	0.0%	< 0.005				80% 120%
Sb	1	3768368	14	10		< 1				80% 120%
Sc	1	3768368	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Se	1	3768368	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3768368	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3768368	6.01	6.60	9.4%	< 0.5				80% 120%
Ta	1	3768368	< 10	< 10	0.0%	< 10				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y647826

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Te	1	3768368	11	10	9.5%	< 10				80% 120%
Th	1	3768368	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3768368	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3768368	0.02	0.02	0.0%	< 0.01				80% 120%
U	1	3768368	< 5	< 5	0.0%	< 5				80% 120%
V	1	3768368	19.7	19.4	1.5%	< 0.5				80% 120%
W	1	3768368	14	10		< 1				80% 120%
Y	1	3768368	3	3	0.0%	< 1	6	7	89%	80% 120%
Zn	1	3768368	113	113	0.0%	< 0.5				80% 120%
Zr	1	3768368	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Tl) (201073)										
Ag	1	3768374	< 0.2	< 0.2	0.0%	< 0.2	13.6	13.0	105%	80% 120%
Al	1	3768374	1.87	1.84	1.6%	< 0.01				80% 120%
As	1	3768374	< 1	< 1	0.0%	< 1				80% 120%
B	1	3768374	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3768374	43	42	2.4%	< 1				80% 120%
Be	1	3768374	0.92	0.96	4.3%	< 0.5				80% 120%
Bi	1	3768374	8	12		< 1				80% 120%
Ca	1	3768374	0.08	0.08	0.0%	< 0.01				80% 120%
Cd	1	3768374	2.80	2.62	6.6%	< 0.5				80% 120%
Ce	1	3768374	35	32	9.0%	< 1				80% 120%
Co	1	3768374	34.1	35.3	3.5%	< 0.5				80% 120%
Cr	1	3768374	30.1	31.1	3.3%	< 0.5				80% 120%
Cu	1	3768374	80.1	82.2	2.6%	< 0.5	5687	6000	94%	80% 120%
Fe	1	3768374	4.39	4.33	1.4%	< 0.01				80% 120%
Ga	1	3768374	6	8	28.6%	< 5				80% 120%
Hg	1	3768374	5	< 1		< 1				80% 120%
In	1	3768374	1	2		< 1				80% 120%
K	1	3768374	0.04	0.04	0.0%	< 0.01				80% 120%
La	1	3768374	14	13	7.4%	< 1				80% 120%
Li	1	3768374	49	47	4.2%	< 1				80% 120%
Mg	1	3768374	0.791	0.772	2.4%	< 0.01				80% 120%
Mn	1	3768374	1410	1440	2.1%	< 1				80% 120%
Mo	1	3768374	2.8	4.6		< 0.5	344	360	95%	80% 120%
Na	1	3768374	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3768374	37.3	38.8	3.9%	< 0.5				80% 120%
P	1	3768374	530	458	14.6%	< 10				80% 120%
Pb	1	3768374	51.0	56.4	10.1%	< 0.5				80% 120%
Rb	1	3768374	< 10	< 10	0.0%	< 10	12	13	91%	80% 120%
S	1	3768374	< 0.005	< 0.005	0.0%	< 0.005				80% 120%
Sb	1	3768374	20	28		< 1				80% 120%
Sc	1	3768374	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Se	1	3768374	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3768374	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3768374	12.8	12.6	1.6%	< 0.5				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y647826

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ta	1	3768374	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3768374	< 10	12		< 10				80% 120%
Th	1	3768374	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3768374	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3768374	0.05	0.05	0.0%	< 0.01				80% 120%
U	1	3768374	5	5	0.0%	< 5				80% 120%
V	1	3768374	19.9	20.3	2.0%	< 0.5				80% 120%
W	1	3768374	7	13		< 1				80% 120%
Y	1	3768374	7	7	0.0%	< 1	7	7	100%	80% 120%
Zn	1	3768374	97.8	99.9	2.1%	< 0.5				80% 120%
Zr	1	3768374	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1					< 0.2	13.7	13.0	105%	80% 120%
Cu	1					< 0.5	5716	6000	95%	80% 120%
Mo	1					< 0.5	353	360	98%	80% 120%
P	1					< 10	661	600	110%	80% 120%
Rb	1					< 10	11	13	86%	80% 120%
Y	1					< 1	7	7	100%	80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1					< 0.2	13.9	13.0	107%	80% 120%
Cu	1					< 0.5	5961	6000	99%	80% 120%
Mo	1					< 0.5	362	360	100%	80% 120%
P	1					< 10	661	600	110%	80% 120%
Rb	1					< 10	12	13	94%	80% 120%
Y	1					< 1	6	7	84%	80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1					< 0.2	14.2	13.0	109%	80% 120%
Cu	1					< 0.5	5951	6000	99%	80% 120%
Mo	1					< 0.5	358	360	99%	80% 120%
Rb	1					< 10	12	13	96%	80% 120%
Y	1					< 1	6	7	86%	80% 120%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3768324	< 0.001	< 0.001	0.0%	< 0.001	1.47	1.52	97%	90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3768336	< 0.001	< 0.001	0.0%	< 0.001	0.266	0.263	101%	90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3768349	< 0.001	< 0.001	0.0%	< 0.001	0.262	0.263	100%	90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3768361	< 0.001	< 0.001	0.0%	< 0.001				90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3768374	< 0.001	< 0.001	0.0%	< 0.001				90% 110%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y647826

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

Au	1	3768312	0.026	0.006		< 0.001				90%	110%
----	---	---------	-------	-------	--	---------	--	--	--	-----	------

Certified By:

Ron Cardinal

Method Summary

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y647826

PROJECT NO:

ATTENTION TO: Yinghua Chen

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
B	MIN-200-12020		ICP/OES
Ba	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
In	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP/OES
Li	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr	MIN-200-12020		ICP/OES
Ta	MIN-200-12020		ICP/OES
Te	MIN-200-12020		ICP/OES
Th	MIN-200-12020		ICP/OES
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP-MS
U	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP/OES
Y	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Zr	MIN-200-12020		ICP/OES
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES
Sample Login Weight	MIN-12009		BALANCE