

CLIENT NAME: ANTHILL RESOURCES (YUKON)
1090-999 WEST HASTINGS STREET
Vancouver, BC V6C2W2
(604) 569-3892

ATTENTION TO: Yinghua Chen

PROJECT NO:

AGAT WORK ORDER: 12Y647898

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, Certified Assayer - Director - Technical Services (Mining)

DATE REPORTED: Oct 18, 2012

PAGES (INCLUDING COVER): 46

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

***NOTES**



Certificate of Analysis

AGAT WORK ORDER: 12Y647898

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012		DATE RECEIVED: Oct 02, 2012					DATE REPORTED: Oct 18, 2012					SAMPLE TYPE: Drill Core			
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
E5664396		<0.2	0.24	196	<5	24	0.8	<1	2.41	1.4	<1	16.6	2.4	41.6	3.29
E5664397		<0.2	0.13	161	<5	16	<0.5	<1	5.23	1.2	2	4.5	8.2	11.6	2.55
E5664398		<0.2	0.13	147	<5	15	<0.5	<1	6.29	1.2	2	5.0	7.4	10.4	2.49
E5664399		0.4	0.19	502	<5	1860	<0.5	5	1.09	0.9	<1	7.7	17.4	34.4	3.16
E5664400		<0.2	0.02	<1	<5	22	<0.5	<1	19.8	<0.5	10	2.5	<0.5	1.8	0.39
E5664401		<0.2	0.29	129	<5	34	0.6	<1	2.00	1.2	<1	17.1	2.4	31.5	2.98
E5664402		<0.2	0.06	184	<5	8	<0.5	<1	7.83	0.9	4	2.8	7.3	2.0	1.18
E5664403		<0.2	0.06	<1	<5	8	<0.5	<1	5.50	1.0	<1	5.1	11.4	1.2	2.83
E5664404		<0.2	0.11	<1	<5	14	<0.5	<1	12.3	<0.5	7	3.9	3.1	4.3	0.99
E5664405		<0.2	0.34	161	<5	37	0.7	<1	4.25	1.7	<1	17.5	2.6	54.8	3.99
E5664406		<0.2	0.27	147	<5	28	0.6	<1	3.97	1.8	<1	14.5	2.6	42.6	3.59
E5664407		<0.2	0.21	182	<5	21	<0.5	<1	7.11	1.7	2	10.2	2.3	32.2	3.11
E5664411		<0.2	0.07	190	<5	7	<0.5	<1	12.9	0.5	6	4.6	7.2	6.1	1.53
E5664412		<0.2	0.20	186	<5	16	<0.5	<1	5.64	1.3	1	15.8	8.3	25.3	3.06
E5664413		<0.2	0.28	168	<5	17	0.5	<1	3.02	1.2	<1	17.9	7.7	28.3	3.74
E5664414		<0.2	0.25	160	<5	25	<0.5	<1	2.84	1.1	1	14.9	6.3	24.1	3.01
E5664418		<0.2	0.42	173	<5	30	<0.5	<1	3.98	0.7	1	8.8	12.7	19.7	2.88
E5664419		<0.2	0.11	14	<5	8	<0.5	<1	11.7	0.6	5	5.7	7.7	9.5	1.59
E5664420		<0.2	0.30	203	<5	20	0.5	<1	3.46	1.3	<1	16.3	4.3	52.3	3.72
E5664421		<0.2	0.11	178	<5	15	<0.5	5	1.65	<0.5	<1	6.2	15.2	11.6	1.62
E5664422		<0.2	0.29	143	<5	32	<0.5	<1	2.67	1.2	<1	14.7	4.4	31.8	3.31
E5664423		<0.2	0.07	171	<5	7	<0.5	<1	1.67	0.6	<1	3.1	22.2	5.7	1.56
E5664424		<0.2	0.06	139	<5	5	<0.5	<1	1.64	<0.5	<1	2.7	21.9	4.1	1.30
E5664425		<0.2	0.24	174	<5	23	<0.5	<1	2.43	<0.5	1	12.4	10.4	22.4	2.24
E5664426		<0.2	0.20	162	<5	21	<0.5	<1	1.91	<0.5	<1	14.2	3.2	25.8	2.44
E5664427		<0.2	0.26	176	<5	28	0.5	<1	2.63	1.0	<1	18.0	3.8	26.3	3.01
E5664428		<0.2	0.16	157	<5	17	<0.5	<1	2.83	0.5	2	8.9	14.0	13.7	2.16
E5664429		<0.2	0.21	112	<5	22	<0.5	<1	2.06	0.9	1	10.1	13.6	23.9	2.07
E5664430		<0.2	0.18	187	<5	17	<0.5	<1	2.11	<0.5	1	8.8	10.2	13.7	2.14
E5664431		<0.2	0.18	226	<5	17	<0.5	<1	2.13	0.7	1	10.8	7.8	17.0	2.27
E5664432		<0.2	0.11	251	<5	11	<0.5	2	1.48	0.6	<1	11.3	13.3	18.7	1.92
E5664433		<0.2	0.15	239	<5	15	<0.5	<1	2.84	0.6	<1	10.3	7.9	19.4	2.61

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647898

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Drill Core

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
E5664434	<0.2	0.26	122	<5	27	0.5	<1	1.64	1.0	<1	18.7	3.1	33.4	2.90
E5664435	<0.2	0.15	186	<5	16	<0.5	<1	8.73	<0.5	5	8.7	4.6	23.7	1.95
E5664436	<0.2	0.27	212	<5	29	0.6	<1	3.25	0.6	<1	12.3	2.3	39.1	3.28
E5664437	<0.2	0.11	179	<5	11	<0.5	<1	3.58	0.5	3	5.0	13.9	8.9	2.32
E5664438	<0.2	0.14	11	<5	14	<0.5	<1	3.79	0.8	5	5.5	12.9	10.2	2.29
E5664439	0.4	0.18	481	<5	1920	<0.5	<1	1.02	1.2	<1	7.1	16.7	32.7	2.96
E5664440	<0.2	0.01	1	<5	21	<0.5	<1	19.8	<0.5	10	2.5	<0.5	1.1	0.40
E5664441	<0.2	0.22	175	<5	24	<0.5	<1	4.31	0.6	2	10.7	4.4	29.7	2.82
E5664442	<0.2	0.20	173	<5	22	0.5	<1	2.99	0.6	<1	12.3	2.5	30.6	3.00
E5664443	<0.2	0.18	226	<5	20	<0.5	<1	4.06	0.9	1	9.3	7.3	15.6	2.95
E5664444	<0.2	0.25	108	<5	29	0.8	<1	1.19	0.9	<1	15.5	2.5	42.3	3.59
E5664445	<0.2	0.22	170	<5	26	0.6	<1	1.49	1.2	<1	14.8	2.4	50.9	3.63
E5664446	<0.2	0.30	202	<5	33	0.7	3	1.37	1.3	<1	18.6	2.5	34.1	3.92
E5664447	<0.2	0.20	192	<5	23	0.5	<1	1.39	1.1	<1	17.4	2.2	39.3	3.21
E5664448	<0.2	0.30	156	<5	31	0.6	<1	1.07	1.1	<1	14.0	2.9	40.8	3.65
E5664449	<0.2	0.25	165	<5	28	0.6	9	1.13	1.3	<1	17.5	3.3	40.7	3.80
E5664450	<0.2	0.25	188	<5	28	0.7	7	0.76	1.2	<1	17.6	2.6	42.3	3.64
E5664460	<0.2	1.01	<1	<5	54	1.0	24	0.07	1.3	<1	16.2	26.3	<0.5	4.60
E5664461	<0.2	1.49	<1	<5	85	0.5	<1	0.38	1.5	4	11.4	25.7	9.5	3.50
E5664462	<0.2	0.31	104	<5	37	0.6	<1	0.68	1.1	<1	11.3	4.1	34.8	3.71
E5664463	<0.2	0.26	136	<5	31	0.7	8	0.67	1.0	<1	13.6	3.8	28.5	3.75
E5664464	<0.2	0.25	114	<5	27	0.6	1	1.24	1.6	<1	13.3	3.0	39.9	3.80
E5664465	<0.2	0.28	123	<5	29	0.7	<1	0.72	1.1	<1	16.3	2.2	22.9	3.75
E5664466	<0.2	0.32	11	<5	28	0.6	7	0.43	1.3	<1	15.7	3.4	40.3	3.91
E5664467	<0.2	0.29	12	<5	25	0.6	<1	1.57	1.2	<1	13.3	4.3	31.5	3.27
E5664468	<0.2	0.34	147	<5	27	0.7	7	1.18	1.1	<1	14.5	2.8	34.6	3.55
E5664469	<0.2	0.30	143	<5	28	0.6	2	0.89	1.4	1	17.6	2.3	35.3	3.92
E5664470	<0.2	0.32	14	<5	29	0.7	14	0.83	1.3	<1	16.4	2.7	34.0	3.86
E5664471	<0.2	0.30	16	<5	25	0.7	12	0.11	1.2	<1	14.6	3.3	27.4	3.72
E5664472	<0.2	0.27	15	<5	23	<0.5	7	1.64	1.5	<1	15.4	2.8	44.6	3.96
E5664473	0.3	0.31	103	<5	32	0.7	26	0.45	1.7	1	16.4	3.6	34.0	4.01
E5664474	<0.2	0.58	23	<5	27	0.7	14	0.23	0.7	2	14.6	5.8	46.0	3.76

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y647898

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Drill Core

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
E5664475	<0.2	0.99	14	<5	30	0.8	14	0.05	1.1	1	11.8	9.9	52.9	3.76
E5664476	<0.2	0.53	14	<5	30	0.6	2	2.11	1.2	<1	11.6	8.0	29.1	3.58
E5664477	<0.2	0.75	172	<5	28	0.7	18	1.33	1.0	<1	15.0	7.6	42.0	4.09
E5664478	<0.2	0.71	11	<5	28	0.7	<1	0.99	1.4	<1	14.5	7.0	39.3	3.86
E5664479	0.4	0.18	494	<5	2580	<0.5	<1	1.07	1.4	<1	6.8	16.5	32.5	3.10
E5664480	<0.2	0.02	3	<5	30	<0.5	<1	20.3	<0.5	10	2.5	<0.5	1.4	0.40
E5664481	<0.2	0.68	103	<5	25	0.7	16	0.66	1.2	<1	11.3	6.9	48.0	3.73
E5664482	<0.2	0.51	14	<5	22	<0.5	11	1.44	1.2	<1	15.4	5.5	40.1	4.04
E5664483	<0.2	0.57	21	<5	26	0.7	14	0.50	1.3	<1	14.7	5.8	44.6	3.51
E5664484	<0.2	0.74	126	<5	30	0.6	<1	1.01	1.1	3	15.6	7.4	33.7	3.89
E5664485	<0.2	0.50	34	<5	27	1.0	16	0.08	1.4	<1	27.9	4.9	68.8	3.86
E5664486	<0.2	0.28	104	<5	21	0.9	12	0.34	0.9	<1	16.9	3.7	48.9	3.29
E5664487	<0.2	0.23	47	<5	25	0.5	18	0.03	1.1	<1	5.5	4.3	14.2	3.37
E5664488	<0.2	0.25	121	<5	25	0.8	10	0.20	1.1	<1	12.7	4.1	30.3	3.54
E5664489	<0.2	0.23	118	<5	22	0.5	<1	0.41	<0.5	1	9.9	9.3	11.6	2.30
E5664490	<0.2	0.20	275	<5	20	<0.5	26	0.48	0.8	2	7.9	8.7	13.4	2.51
E5664491	0.2	0.28	2470	<5	28	<0.5	26	0.04	2.1	<1	5.5	3.1	12.8	7.28
E5664492	<0.2	0.29	109	<5	24	0.7	13	0.04	1.0	2	14.3	7.6	44.4	2.55
E5664493	<0.2	0.31	146	<5	29	0.6	23	0.18	0.7	3	16.5	7.5	28.7	3.22
E5664494	<0.2	0.18	157	<5	17	<0.5	<1	1.39	<0.5	2	6.1	13.9	6.3	1.91
E5664495	<0.2	0.34	172	<5	33	0.8	<1	0.82	1.5	4	16.6	8.4	34.2	3.80
E5664496	<0.2	0.39	105	<5	38	1.0	11	0.44	1.5	6	17.7	7.2	44.3	3.95
E5664497	<0.2	0.42	148	<5	46	1.3	12	0.27	1.1	4	21.6	5.7	47.8	3.93
E5664498	<0.2	0.24	108	<5	24	0.5	19	0.32	<0.5	2	17.6	15.5	22.8	2.10
E5664499	<0.2	0.46	114	<5	30	<0.5	6	0.31	0.7	8	23.7	6.3	19.7	2.09
E5664500	<0.2	0.30	146	<5	22	<0.5	10	0.76	<0.5	2	7.0	7.5	3.9	1.22
E5664501	<0.2	0.28	13	<5	23	<0.5	<1	1.50	<0.5	1	5.7	10.2	3.0	1.50
E5664502	<0.2	0.21	125	<5	19	<0.5	<1	0.72	<0.5	2	4.5	11.8	2.7	0.85
E5664503	<0.2	0.18	120	<5	15	<0.5	<1	0.83	<0.5	3	3.8	11.8	1.7	0.99
E5664504	<0.2	0.17	100	<5	13	<0.5	2	0.51	<0.5	2	3.9	14.5	2.4	0.78
E5664505	<0.2	0.27	108	<5	23	<0.5	5	0.33	<0.5	3	3.7	12.0	3.3	0.94
E5664506	<0.2	0.16	129	<5	17	<0.5	<1	0.34	<0.5	3	3.7	18.5	2.0	1.13

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y647898

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Drill Core

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
E5664507	<0.2	0.17	155	<5	18	<0.5	<1	0.12	0.5	2	4.4	23.0	3.2	1.64
E5664508	<0.2	0.54	139	<5	58	0.8	13	0.13	1.0	5	7.7	7.1	35.6	3.48
E5664509	<0.2	0.53	58	<5	58	0.7	33	0.13	0.8	3	9.0	5.4	40.0	3.14
E5664510	<0.2	0.51	158	<5	53	0.7	<1	0.63	1.2	3	13.5	4.8	37.2	3.20
E5664511	<0.2	0.31	155	<5	32	0.7	12	0.77	0.6	3	14.3	2.7	38.1	3.37
E5664512	<0.2	0.34	160	<5	36	0.6	<1	2.14	1.1	3	13.3	2.9	32.3	3.35
E5664513	<0.2	0.29	179	<5	31	0.7	<1	1.17	0.9	2	14.9	2.9	37.7	3.69
E5664514	<0.2	0.31	237	<5	32	<0.5	3	1.79	1.2	3	15.4	3.1	33.4	3.34
E5664515	<0.2	0.31	115	<5	37	0.6	<1	0.23	0.9	2	14.2	2.7	36.9	2.16
E5664516	<0.2	0.05	173	<5	7	<0.5	<1	6.14	0.7	4	2.2	8.3	3.1	1.39
E5664517	<0.2	0.06	197	<5	7	<0.5	<1	6.22	<0.5	4	2.8	6.1	3.0	1.35
E5664518	0.4	0.17	464	<5	1550	<0.5	<1	0.98	1.2	<1	6.7	16.2	31.7	2.86
E5664519	<0.2	0.02	234	<5	32	<0.5	<1	19.3	<0.5	10	2.2	<0.5	2.7	0.42
E5664520	<0.2	0.30	126	<5	29	0.8	6	0.34	0.7	1	14.9	5.5	32.1	3.49
E5664521	<0.2	0.33	114	<5	34	0.7	12	0.38	1.1	3	10.7	3.6	37.8	2.90
E5664522	<0.2	0.32	129	<5	33	0.6	15	0.49	0.9	5	11.0	3.1	40.2	2.90
E5664523	<0.2	0.34	107	<5	34	<0.5	<1	0.39	0.5	5	12.7	2.9	24.0	2.70
E5664524	<0.2	0.30	142	<5	32	0.5	<1	0.54	0.8	3	12.4	3.0	33.6	2.19
E5664525	<0.2	0.35	175	<5	34	0.5	28	0.75	0.9	3	9.9	4.1	38.8	3.56
E5664526	<0.2	0.28	2110	<5	31	<0.5	16	0.79	0.7	1	19.8	1.9	32.6	3.64
E5664527	<0.2	0.26	6560	<5	27	<0.5	<1	0.46	0.7	1	12.0	4.4	19.6	3.41
E5664528	<0.2	0.24	6410	<5	24	<0.5	15	1.58	1.1	3	15.1	3.3	30.4	4.79
E5664529	<0.2	0.24	298	<5	24	<0.5	6	0.99	0.9	3	17.7	5.2	38.8	3.83
E5664530	<0.2	0.27	102	<5	30	0.5	11	0.40	1.1	3	17.6	3.3	39.3	3.96
E5664531	<0.2	0.24	360	<5	26	<0.5	<1	1.97	1.6	4	16.9	3.2	40.7	4.86
E5664532	<0.2	0.27	131	<5	30	0.6	30	0.11	1.6	3	17.0	3.4	42.5	4.85
E5664533	<0.2	0.41	144	<5	39	0.7	19	0.41	1.7	9	19.9	4.0	29.1	5.46
E5664534	<0.2	0.26	111	<5	29	0.8	22	0.11	1.4	4	19.4	3.3	50.2	4.48
E5664535	<0.2	0.28	101	<5	29	0.9	18	0.09	1.8	5	18.2	3.2	49.4	5.33
E5664536	<0.2	0.50	43	<5	50	1.1	26	0.15	1.2	5	20.4	4.5	46.3	5.33
E5664537	<0.2	0.43	34	<5	44	1.0	11	0.08	1.6	4	18.0	4.2	39.5	5.06
E5664538	<0.2	0.43	18	<5	44	1.0	6	0.06	1.5	3	17.6	7.6	37.7	5.15

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647898

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Drill Core

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
E5664539	<0.2	0.49	14	<5	47	0.9	13	0.07	1.6	4	20.5	5.5	39.4	5.22
E5664540	<0.2	0.54	43	<5	49	0.8	21	0.12	1.7	5	26.2	7.4	49.3	5.38
E5664541	<0.2	0.44	32	<5	42	1.0	19	0.10	2.0	6	19.9	4.4	50.6	5.77
E5664542	<0.2	0.37	34	<5	34	0.9	39	0.11	1.7	5	20.5	7.0	47.5	5.64
E5664543	<0.2	0.49	29	<5	45	0.9	23	0.09	1.8	5	20.6	5.8	44.7	5.41
E5664544	<0.2	0.45	35	<5	43	0.8	28	0.12	2.0	4	19.2	6.4	44.8	5.32
E5664545	<0.2	0.46	54	<5	44	0.9	12	0.13	1.9	5	20.1	3.9	47.1	5.55
E5664546	<0.2	0.57	47	<5	53	0.8	7	0.12	1.6	5	21.0	7.3	41.1	5.35
E5664547	<0.2	0.52	51	<5	48	0.8	22	0.13	1.6	6	17.9	5.0	45.9	5.48
E5664548	<0.2	0.54	105	<5	50	0.9	31	0.13	1.7	6	18.7	6.4	49.6	5.52
E5664549	<0.2	0.47	67	<5	45	0.9	11	0.12	2.1	6	20.1	4.3	49.0	5.56
E5664550	<0.2	0.50	109	<5	44	0.9	6	0.19	2.1	8	21.3	6.6	53.9	5.64
E5664551	<0.2	0.59	55	<5	52	0.9	23	0.09	1.8	6	22.0	5.3	49.2	5.13
E5664552	<0.2	0.62	103	<5	51	0.9	19	0.10	1.8	6	20.7	10.9	45.5	5.84
E5664553	<0.2	0.51	118	<5	46	1.0	25	0.10	1.1	8	19.0	4.1	53.4	5.35
E5664554	<0.2	0.45	180	<5	41	0.8	<1	0.51	1.7	5	22.2	7.3	51.9	5.59
E5664555	<0.2	0.58	144	<5	55	0.7	3	0.15	1.2	8	18.1	4.7	34.7	5.12
E5664556	<0.2	0.64	130	<5	62	0.7	5	0.20	1.4	9	19.1	7.2	36.1	5.23
E5664557	0.4	0.19	482	<5	1830	<0.5	<1	1.06	1.1	<1	7.1	16.9	33.7	3.10
E5664558	<0.2	0.02	<1	<5	20	<0.5	<1	19.7	<0.5	10	2.1	<0.5	1.1	0.39
E5664559	<0.2	0.48	34	<5	47	0.7	25	0.08	1.7	4	20.7	4.5	48.6	5.26
E5539710	0.2	0.50	30	<5	48	0.8	5	0.08	1.6	4	25.8	9.0	69.6	4.84
E5539711	<0.2	0.57	119	<5	48	0.8	<1	0.35	1.2	3	21.4	8.4	33.2	4.48
E5539712	<0.2	0.48	146	<5	41	0.8	5	0.71	1.2	7	19.3	11.3	72.4	4.36
E5539713	<0.2	0.67	200	<5	43	0.7	8	1.09	0.8	9	19.3	21.2	61.2	3.34
E5539714	<0.2	1.15	181	<5	40	0.7	<1	1.36	2.4	5	26.0	17.2	9.4	5.54
E5539715	<0.2	0.50	7	<5	34	0.7	1	0.39	1.9	4	23.2	12.3	41.8	4.77
E5539716	<0.2	0.60	114	<5	38	0.6	2	0.28	2.0	4	21.5	8.5	6.0	5.20
E5539717	<0.2	0.55	24	<5	40	0.6	5	0.30	1.4	6	22.2	15.6	50.5	5.14
E5539718	<0.2	0.47	161	<5	33	0.6	<1	0.73	1.4	6	18.1	5.9	45.9	4.50
E5539719	<0.2	0.50	144	<5	39	0.6	28	0.39	1.6	7	19.3	10.2	38.9	4.56
E5539720	<0.2	0.37	187	<5	25	<0.5	<1	2.33	1.5	4	19.4	11.4	95.0	3.88

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647898

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Drill Core

Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
Sample Description														
E5539721	<0.2	0.45	223	<5	31	<0.5	<1	2.89	1.5	4	14.6	28.1	77.7	3.49
E5539722	<0.2	0.58	148	<5	41	0.6	<1	0.82	1.1	3	21.9	5.3	23.3	4.56
E5539723	<0.2	0.55	2	<5	48	0.6	15	0.40	1.4	4	21.1	7.8	5.6	4.63
E5539724	<0.2	0.49	108	<5	37	0.6	10	0.73	1.1	4	20.4	5.5	21.1	4.37
E5539725	<0.2	1.57	<1	<5	46	0.7	14	0.38	1.2	4	21.7	17.2	0.9	4.52
E5539726	<0.2	0.50	<1	<5	37	0.7	9	0.27	1.2	4	25.2	5.9	148	4.69
E5539727	<0.2	0.55	139	<5	38	0.7	8	0.77	1.1	6	18.7	8.2	39.8	3.52
E5539728	<0.2	0.59	22	<5	41	0.8	12	0.37	1.7	5	23.0	5.2	45.5	4.10
E5539729	<0.2	0.52	<1	<5	32	0.7	<1	0.28	1.6	4	19.2	8.0	50.5	4.22
E5539730	<0.2	0.51	116	<5	29	0.6	6	0.59	1.2	6	22.6	5.3	44.1	3.87
E5539731	<0.2	0.53	<1	<5	32	0.6	<1	0.42	1.4	5	18.9	8.9	37.0	3.82
E5539732	<0.2	0.62	<1	<5	34	0.6	20	0.50	1.3	3	18.2	7.4	38.5	3.83
E5539733	0.3	1.19	2	<5	74	0.6	6	0.25	0.8	6	8.9	19.5	15.4	2.70
E5539734	<0.2	0.89	10	<5	43	<0.5	21	0.48	0.9	5	8.0	49.0	8.7	2.21
E5539735	<0.2	1.95	5	<5	68	0.6	19	0.24	1.1	4	12.3	42.0	16.1	3.80
E5539736	<0.2	0.83	<1	<5	70	0.9	7	0.41	1.5	4	8.9	10.1	32.4	3.35
E5539737	<0.2	0.49	5	<5	53	0.8	7	0.31	1.4	2	10.8	12.3	39.1	3.83
E5539738	<0.2	0.58	4	<5	62	0.8	15	0.25	1.3	3	11.1	10.5	37.6	3.68
E5539739	0.4	0.18	466	<5	1670	<0.5	<1	1.01	1.1	<1	6.7	16.4	33.4	2.95
E5539741	<0.2	0.52	134	<5	49	0.8	<1	0.57	0.8	3	11.6	6.8	30.0	2.94
E5539742	<0.2	0.40	155	<5	37	0.5	<1	1.56	0.8	3	9.5	28.5	21.6	2.93
E5539743	<0.2	0.47	144	<5	43	0.7	<1	1.01	0.9	3	8.3	9.3	32.6	2.49
E5539744	<0.2	0.62	148	<5	53	0.9	<1	1.01	1.2	3	14.0	11.5	39.4	3.48
E5539745	<0.2	0.64	17	<5	55	0.8	<1	1.07	1.1	3	14.9	5.9	34.5	3.47
E5539746	0.3	0.16	405	<5	1430	<0.5	<1	0.89	0.9	<1	6.2	14.4	29.6	2.60
E5539747	<0.2	0.04	<1	<5	18	<0.5	<1	18.5	<0.5	10	2.2	1.8	3.6	0.45
E5539748	<0.2	0.63	144	<5	52	0.8	<1	1.28	1.1	4	12.4	13.6	30.0	3.17
E5539749	<0.2	0.66	14	<5	53	0.9	<1	1.27	1.4	3	15.4	7.2	33.9	3.59
E5539740	<0.2	0.04	270	<5	23	<0.5	<1	18.5	<0.5	10	2.2	0.9	1.5	0.38

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647898

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012		DATE RECEIVED: Oct 02, 2012				DATE REPORTED: Oct 18, 2012				SAMPLE TYPE: Drill Core					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
E5664396		<5	<1	<1	0.14	<1	2	0.51	344	15.7	<0.01	24.8	339	27.1	14
E5664397		<5	<1	3	0.08	<1	2	0.82	690	24.9	<0.01	4.8	295	8.0	12
E5664398		<5	<1	<1	0.07	<1	2	0.78	671	28.7	<0.01	5.1	313	5.6	13
E5664399		<5	<1	3	0.07	1	2	0.03	55	23.7	0.01	10.6	174	16.3	<10
E5664400		<5	<1	<1	0.01	1	<1	12.8	236	47.1	<0.01	0.5	292	<0.5	<10
E5664401		<5	<1	2	0.18	<1	2	0.57	315	15.5	<0.01	27.0	545	27.2	18
E5664402		<5	2	1	0.03	<1	2	0.38	536	38.9	<0.01	2.0	286	<0.5	10
E5664403		<5	<1	2	0.03	<1	2	0.97	708	26.9	<0.01	4.0	145	<0.5	<10
E5664404		<5	<1	<1	0.06	1	4	0.34	437	50.0	<0.01	3.1	196	<0.5	13
E5664405		<5	<1	<1	0.20	<1	1	0.80	512	24.4	<0.01	28.0	546	29.6	21
E5664406		<5	<1	3	0.16	<1	1	0.81	553	22.2	<0.01	22.2	554	18.7	20
E5664407		<5	1	1	0.13	<1	2	0.81	678	36.4	<0.01	14.9	434	15.4	20
E5664411		<5	<1	<1	0.03	<1	2	0.59	499	44.3	<0.01	6.0	194	1.6	11
E5664412		<5	<1	<1	0.10	<1	4	0.91	612	30.2	<0.01	20.4	267	14.8	15
E5664413		<5	<1	1	0.12	1	5	1.17	517	17.6	<0.01	27.0	424	26.7	14
E5664414		<5	<1	<1	0.16	<1	2	0.89	396	18.5	<0.01	22.9	174	22.6	14
E5664418		<5	3	<1	0.19	1	13	0.85	552	18.7	<0.01	12.5	269	18.6	19
E5664419		<5	<1	<1	0.04	<1	4	0.43	525	38.7	<0.01	5.5	291	4.9	11
E5664420		<5	<1	<1	0.16	<1	3	0.81	441	21.4	<0.01	25.4	369	21.2	16
E5664421		<5	<1	1	0.08	<1	<1	0.51	431	13.3	<0.01	8.7	269	11.7	<10
E5664422		<5	<1	2	0.20	<1	<1	0.91	434	16.7	<0.01	22.1	256	25.9	17
E5664423		<5	<1	<1	0.05	<1	<1	0.53	531	17.6	<0.01	3.7	486	8.7	<10
E5664424		<5	<1	<1	0.04	<1	<1	0.52	499	14.2	<0.01	3.1	292	7.6	<10
E5664425		<5	<1	<1	0.16	<1	<1	0.70	409	16.7	<0.01	18.4	281	17.5	14
E5664426		<5	<1	<1	0.15	<1	<1	0.51	252	13.2	<0.01	19.1	201	22.5	12
E5664427		<5	<1	<1	0.18	<1	<1	0.74	298	16.3	<0.01	24.8	210	28.4	16
E5664428		<5	<1	<1	0.11	<1	<1	0.87	715	19.7	<0.01	11.8	270	11.2	11
E5664429		<5	<1	<1	0.14	<1	<1	0.67	497	14.3	<0.01	13.6	211	10.0	12
E5664430		<5	<1	<1	0.12	<1	<1	0.73	548	19.0	<0.01	11.8	262	15.8	11
E5664431		<5	<1	<1	0.11	<1	<1	0.75	498	15.9	<0.01	12.9	223	19.7	11
E5664432		<5	<1	<1	0.07	<1	<1	0.46	306	15.0	<0.01	8.1	181	11.0	<10
E5664433		<5	<1	2	0.10	2	<1	0.82	541	23.0	<0.01	8.5	190	19.7	<10

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647898

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Drill Core

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
E5664434	<5	<1	2	0.16	<1	<1	0.35	217	16.9	<0.01	29.4	196	47.2	12
E5664435	<5	<1	1	0.10	<1	<1	0.55	427	37.4	<0.01	12.6	189	10.1	15
E5664436	<5	<1	2	0.18	<1	<1	0.75	366	16.9	<0.01	18.5	324	13.3	16
E5664437	<5	<1	2	0.06	<1	<1	0.85	821	19.7	<0.01	5.9	747	7.0	<10
E5664438	<5	<1	<1	0.07	<1	<1	0.81	772	21.1	<0.01	5.9	1060	12.4	<10
E5664439	<5	<1	2	0.07	1	2	0.03	52	25.7	0.01	10.0	108	15.9	<10
E5664440	<5	<1	<1	0.01	2	<1	12.9	246	42.5	<0.01	<0.5	325	<0.5	<10
E5664441	<5	<1	1	0.15	<1	<1	0.67	380	25.0	<0.01	17.3	303	19.1	15
E5664442	<5	<1	2	0.13	<1	<1	0.73	374	17.1	<0.01	20.6	401	23.0	13
E5664443	<5	<1	<1	0.12	<1	<1	1.04	596	23.5	<0.01	12.3	378	19.1	14
E5664444	<5	<1	2	0.17	<1	<1	0.83	354	16.6	<0.01	25.4	236	13.3	14
E5664445	<5	<1	<1	0.15	<1	<1	0.91	407	10.8	<0.01	21.6	220	17.5	14
E5664446	<5	<1	1	0.19	1	1	0.87	422	14.7	<0.01	25.5	712	28.4	16
E5664447	<5	<1	2	0.14	<1	1	0.83	369	15.3	<0.01	26.6	195	23.5	12
E5664448	<5	<1	2	0.18	1	3	0.86	280	14.8	<0.01	23.1	649	22.4	15
E5664449	<5	<1	2	0.17	<1	2	0.80	321	15.6	<0.01	30.5	148	36.7	14
E5664450	<5	5	<1	0.17	<1	2	0.60	270	13.6	<0.01	31.6	213	38.7	13
E5664460	<5	10	2	0.14	<1	30	0.62	312	3.1	0.02	32.3	127	28.0	13
E5664461	6	<1	<1	0.09	2	40	0.61	646	11.0	0.01	19.4	359	26.1	<10
E5664462	<5	<1	<1	0.13	1	3	0.30	684	11.7	<0.01	16.9	197	17.9	10
E5664463	<5	<1	<1	0.15	1	1	0.42	471	9.7	<0.01	18.0	208	13.5	11
E5664464	<5	<1	<1	0.14	<1	1	0.63	603	13.7	<0.01	17.9	268	26.0	12
E5664465	<5	<1	<1	0.15	1	2	0.22	429	9.3	<0.01	18.9	240	40.2	12
E5664466	<5	<1	1	0.16	1	3	0.49	389	10.1	<0.01	19.7	194	19.8	13
E5664467	<5	<1	<1	0.14	<1	3	0.62	738	15.7	<0.01	16.6	185	23.3	13
E5664468	<5	<1	<1	0.16	<1	3	0.78	463	12.4	<0.01	18.8	245	24.2	14
E5664469	<5	<1	1	0.16	1	1	0.63	546	10.0	<0.01	25.4	344	33.3	13
E5664470	<5	<1	1	0.16	<1	2	0.45	592	13.8	<0.01	24.4	267	36.1	13
E5664471	<5	<1	2	0.15	1	2	0.11	293	7.2	<0.01	22.8	81	22.0	10
E5664472	<5	<1	<1	0.14	1	2	0.66	715	17.3	<0.01	25.0	223	25.0	13
E5664473	<5	<1	<1	0.13	1	2	0.18	674	9.0	<0.01	21.0	237	36.3	11
E5664474	<5	<1	<1	0.16	1	10	0.29	208	8.9	<0.01	22.3	378	22.9	12

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y647898

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Drill Core

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
E5664475	<5	8	1	0.17	1	24	0.37	123	3.7	<0.01	24.9	102	17.4	12
E5664476	<5	<1	<1	0.15	<1	10	0.55	770	15.9	<0.01	18.1	510	30.2	15
E5664477	<5	<1	<1	0.17	<1	16	0.90	478	15.0	<0.01	22.1	237	18.9	15
E5664478	<5	<1	1	0.16	<1	16	0.78	405	12.0	<0.01	21.3	221	20.6	14
E5664479	<5	<1	<1	0.07	1	2	0.03	51	26.4	0.01	9.7	175	12.9	<10
E5664480	<5	13	<1	0.01	2	<1	12.3	246	39.3	<0.01	<0.5	287	<0.5	<10
E5664481	<5	<1	<1	0.15	<1	16	0.70	295	9.0	<0.01	20.0	195	20.5	12
E5664482	<5	3	2	0.14	<1	10	0.92	412	13.2	<0.01	24.3	219	13.5	13
E5664483	<5	<1	<1	0.15	<1	11	0.44	230	11.9	<0.01	22.1	206	21.1	12
E5664484	<5	<1	1	0.18	2	16	0.89	349	14.5	<0.01	23.3	695	26.7	15
E5664485	<5	9	2	0.17	5	8	0.16	191	13.6	<0.01	32.6	109	31.9	12
E5664486	<5	<1	<1	0.13	<1	2	0.16	295	10.2	<0.01	26.1	120	42.9	<10
E5664487	<5	1	1	0.15	<1	<1	0.03	81	1.3	<0.01	11.3	138	37.0	<10
E5664488	<5	<1	1	0.14	<1	2	0.15	206	5.5	<0.01	19.2	242	26.1	10
E5664489	<5	<1	<1	0.14	<1	<1	0.45	290	10.6	<0.01	17.7	153	15.2	<10
E5664490	<5	<1	3	0.12	1	<1	0.35	256	12.1	<0.01	17.0	164	12.5	<10
E5664491	<5	9	<1	0.16	1	1	0.02	24	6.4	<0.01	12.9	159	69.7	10
E5664492	<5	<1	1	0.13	1	<1	0.12	111	1.0	<0.01	20.5	111	13.4	<10
E5664493	<5	<1	3	0.16	1	<1	0.26	294	8.5	<0.01	28.0	128	21.3	11
E5664494	<5	<1	<1	0.09	1	1	0.47	503	14.1	<0.01	10.5	222	11.8	<10
E5664495	<5	<1	<1	0.18	2	2	0.77	466	9.6	<0.01	34.9	373	27.9	15
E5664496	<5	<1	<1	0.20	3	2	0.62	431	11.9	<0.01	36.4	416	16.9	16
E5664497	<5	11	2	0.23	2	2	0.82	453	9.9	0.01	42.9	257	23.0	19
E5664498	<5	<1	<1	0.12	5	<1	0.16	245	14.5	<0.01	14.5	108	20.6	<10
E5664499	<5	4	2	0.14	2	2	0.08	308	11.5	<0.01	19.9	713	13.8	<10
E5664500	<5	<1	<1	0.08	1	4	0.21	436	11.6	0.01	7.4	172	12.9	<10
E5664501	<5	<1	<1	0.11	<1	1	0.43	791	13.8	0.03	7.2	221	16.1	<10
E5664502	<5	3	2	0.08	1	1	0.19	321	12.7	0.02	5.0	86	7.7	<10
E5664503	<5	<1	<1	0.06	1	<1	0.20	348	9.4	0.01	3.9	108	8.2	<10
E5664504	<5	<1	<1	0.05	<1	<1	0.13	230	10.5	<0.01	3.1	88	3.5	<10
E5664505	<5	<1	2	0.09	1	2	0.10	196	10.5	<0.01	5.0	121	7.2	<10
E5664506	<5	<1	<1	0.07	1	<1	0.05	212	10.3	<0.01	5.7	51	6.4	<10

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647898

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Drill Core

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
E5664507	<5	<1	<1	0.08	1	1	0.02	232	7.2	<0.01	8.4	69	9.8	<10
E5664508	<5	2	<1	0.29	2	2	0.05	83	7.2	0.01	19.7	544	17.8	21
E5664509	<5	2	2	0.30	2	3	0.24	186	6.3	0.01	17.6	234	24.6	22
E5664510	<5	<1	<1	0.28	2	4	0.58	298	8.3	0.01	20.7	332	13.8	22
E5664511	<5	<1	<1	0.17	2	2	0.46	366	13.0	<0.01	23.5	411	29.2	14
E5664512	<5	<1	<1	0.20	2	1	1.01	854	12.9	<0.01	19.7	447	24.6	19
E5664513	<5	<1	2	0.17	1	2	0.74	471	14.8	<0.01	23.6	340	27.3	15
E5664514	<5	7	<1	0.19	1	1	0.82	624	17.8	<0.01	24.4	370	36.9	17
E5664515	<5	4	3	0.19	2	1	0.29	153	6.4	<0.01	26.1	108	25.3	14
E5664516	<5	<1	<1	0.03	<1	<1	0.79	1650	28.9	<0.01	2.0	277	5.2	<10
E5664517	<5	<1	<1	0.03	<1	<1	0.73	1500	31.0	<0.01	2.1	304	3.6	<10
E5664518	<5	<1	2	0.06	1	2	0.03	50	25.3	0.01	9.8	152	12.6	<10
E5664519	<5	9	<1	0.01	2	<1	12.6	249	45.0	<0.01	<0.5	226	<0.5	<10
E5664520	<5	<1	1	0.18	1	1	0.10	121	10.0	<0.01	22.9	138	27.7	11
E5664521	<5	4	<1	0.19	2	1	0.19	188	11.8	<0.01	21.0	302	26.0	14
E5664522	<5	<1	<1	0.18	2	2	0.66	312	8.6	<0.01	20.5	457	20.5	14
E5664523	<5	<1	1	0.20	2	2	0.57	496	8.3	<0.01	16.8	445	27.7	15
E5664524	<5	<1	1	0.18	2	2	0.45	354	9.3	<0.01	19.6	269	25.9	14
E5664525	<5	<1	<1	0.20	2	2	0.72	571	11.1	<0.01	20.3	376	18.7	15
E5664526	<5	<1	<1	0.17	1	<1	0.38	288	11.9	<0.01	29.9	194	48.4	13
E5664527	<5	<1	<1	0.15	1	<1	0.20	149	10.3	<0.01	19.9	95	13.4	10
E5664528	<5	<1	<1	0.13	2	1	0.68	732	15.9	<0.01	30.0	203	21.1	11
E5664529	<5	<1	<1	0.12	2	7	0.88	840	12.8	<0.01	33.6	129	17.3	10
E5664530	<5	<1	1	0.15	3	1	0.84	911	7.6	0.01	37.2	160	15.6	12
E5664531	<5	1	<1	0.13	3	3	1.47	1420	13.7	0.01	33.5	225	34.6	13
E5664532	<5	<1	2	0.15	3	<1	0.98	942	7.1	0.01	37.6	147	18.1	11
E5664533	<5	2	<1	0.20	5	<1	1.21	1620	7.2	0.02	36.9	1390	36.3	15
E5664534	<5	2	2	0.14	3	<1	0.97	913	4.2	0.01	38.9	171	19.5	10
E5664535	<5	11	<1	0.15	4	<1	1.07	1420	4.4	0.01	35.3	158	16.0	11
E5664536	<5	13	3	0.26	3	2	1.15	926	6.5	0.02	38.5	176	19.8	19
E5664537	<5	2	<1	0.24	3	3	1.13	904	1.3	0.02	32.5	165	12.7	17
E5664538	<5	7	<1	0.24	3	6	1.16	910	2.4	0.02	32.3	75	17.7	17

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647898

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012		DATE RECEIVED: Oct 02, 2012				DATE REPORTED: Oct 18, 2012				SAMPLE TYPE: Drill Core					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
E5664539		<5	10	2	0.26	3	9	1.14	597	2.9	0.02	33.9	174	20.4	18
E5664540		<5	2	<1	0.28	3	7	0.96	610	3.8	0.02	38.7	352	38.7	19
E5664541		<5	11	<1	0.23	4	5	1.17	1590	3.9	0.02	35.9	222	50.2	17
E5664542		<5	11	2	0.20	4	5	1.13	1320	1.7	0.02	35.3	275	30.1	14
E5664543		<5	10	<1	0.25	3	5	1.10	655	4.7	0.02	34.1	225	21.4	18
E5664544		<5	<1	2	0.24	3	4	1.09	660	3.1	0.02	33.5	345	27.9	17
E5664545		<5	10	1	0.24	3	3	1.16	1150	7.3	0.02	38.7	369	37.1	17
E5664546		<5	3	<1	0.30	4	4	1.16	1060	6.3	0.03	38.1	331	46.4	22
E5664547		<5	8	<1	0.27	4	4	1.20	1250	4.9	0.02	35.8	364	38.0	21
E5664548		<5	6	<1	0.28	4	3	1.12	1150	5.3	0.03	37.7	358	27.7	20
E5664549		<5	11	2	0.24	4	2	1.11	1330	4.9	0.02	41.9	380	28.0	18
E5664550		<5	5	<1	0.25	5	10	1.21	1060	9.1	0.02	43.1	402	27.1	19
E5664551		<5	7	2	0.30	4	8	1.05	875	4.1	0.03	41.7	206	21.2	22
E5664552		<5	<1	<1	0.29	4	16	1.21	870	5.2	0.03	38.2	280	30.1	21
E5664553		<5	<1	<1	0.26	5	4	1.04	1220	5.6	0.03	44.6	274	14.9	18
E5664554		<5	<1	3	0.23	4	5	1.24	1180	10.6	0.02	41.0	271	36.4	18
E5664555		<5	<1	2	0.30	4	2	1.03	791	5.0	0.03	35.6	418	15.7	21
E5664556		<5	15	<1	0.33	4	2	1.06	802	4.7	0.03	34.7	503	16.9	24
E5664557		<5	<1	7	0.07	1	2	0.03	54	29.1	0.01	10.1	135	17.8	<10
E5664558		<5	<1	<1	0.01	2	<1	12.8	217	41.2	<0.01	<0.5	278	<0.5	<10
E5664559		<5	<1	<1	0.26	3	2	1.05	678	1.9	0.02	34.4	144	15.6	18
E5539710		<5	<1	<1	0.26	3	7	0.87	453	4.3	0.03	32.2	99	385	18
E5539711		<5	<1	<1	0.27	2	15	0.93	403	7.8	0.03	33.4	134	17.4	19
E5539712		<5	<1	1	0.22	4	9	1.10	498	13.4	0.02	35.4	203	14.9	17
E5539713		<5	<1	<1	0.23	5	12	0.89	424	10.7	0.03	30.7	202	25.2	17
E5539714		<5	<1	<1	0.20	3	26	1.42	937	14.6	0.03	43.5	219	64.7	18
E5539715		<5	<1	2	0.19	3	11	1.11	368	9.9	0.03	37.8	199	84.3	14
E5539716		<5	5	<1	0.23	3	15	1.30	529	8.4	0.04	33.3	181	35.4	18
E5539717		<5	3	1	0.24	4	10	1.15	847	8.5	0.04	33.6	199	26.0	18
E5539718		<5	<1	<1	0.20	4	10	1.15	1870	10.5	0.03	27.7	223	26.1	15
E5539719		<5	1	2	0.23	4	8	1.07	2180	9.2	0.03	35.1	254	18.5	16
E5539720		<5	2	<1	0.16	2	12	1.53	1080	18.6	0.03	24.3	158	134	14

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647898

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Drill Core

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
E5539721	<5	<1	<1	0.19	2	12	1.51	1150	21.2	0.03	21.9	144	116	17
E5539722	<5	<1	<1	0.24	2	8	0.91	676	11.7	0.03	37.1	223	85.3	19
E5539723	<5	<1	<1	0.24	2	7	1.03	715	7.6	0.03	31.2	166	23.6	19
E5539724	<5	<1	1	0.20	2	7	1.05	684	13.4	0.03	31.8	225	25.3	16
E5539725	<5	2	<1	0.27	3	30	1.32	664	10.4	0.03	33.7	169	5.6	22
E5539726	<5	<1	<1	0.21	2	8	1.07	858	7.3	0.03	34.1	222	14.3	16
E5539727	<5	2	<1	0.22	3	4	1.03	2120	11.5	0.04	27.2	207	91.2	17
E5539728	<5	<1	<1	0.23	3	5	1.10	2500	8.2	0.04	32.0	214	60.1	17
E5539729	<5	<1	<1	0.19	3	7	1.09	1120	8.5	0.04	29.1	166	46.4	14
E5539730	<5	<1	3	0.19	3	7	1.12	1970	11.3	0.04	27.1	225	91.2	15
E5539731	<5	<1	<1	0.20	3	7	1.08	2120	8.8	0.04	26.7	237	51.2	15
E5539732	<5	<1	1	0.18	2	12	1.02	1110	10.7	0.04	26.3	128	5.4	15
E5539733	<5	3	2	0.19	2	26	0.43	699	7.5	0.03	17.2	333	16.0	16
E5539734	<5	<1	2	0.13	2	16	0.33	723	10.2	0.03	13.6	182	19.1	11
E5539735	7	5	<1	0.21	2	39	0.70	880	10.0	0.03	24.0	189	22.3	18
E5539736	<5	<1	<1	0.30	2	15	0.69	517	13.7	0.02	17.4	481	14.2	24
E5539737	<5	3	2	0.26	2	6	0.50	482	7.7	0.01	17.6	130	10.8	20
E5539738	<5	4	3	0.30	2	6	0.50	432	7.8	0.01	17.7	130	13.9	22
E5539739	<5	<1	6	0.07	1	2	0.03	50	29.4	0.01	9.4	147	14.1	<10
E5539741	<5	<1	<1	0.27	2	2	0.18	527	12.6	0.01	16.6	186	24.8	20
E5539742	<5	<1	<1	0.21	2	1	0.26	1010	15.7	<0.01	14.1	264	19.9	17
E5539743	<5	<1	<1	0.25	1	2	0.32	645	16.2	0.01	12.2	159	27.2	19
E5539744	<5	<1	1	0.32	2	3	0.69	410	16.4	0.01	18.9	250	17.0	26
E5539745	<5	<1	<1	0.33	2	3	0.73	399	14.6	0.01	19.0	243	19.9	26
E5539746	<5	<1	<1	0.06	1	2	0.03	44	28.8	<0.01	8.7	112	14.3	<10
E5539747	<5	4	<1	0.03	2	<1	12.5	216	39.5	<0.01	0.5	226	<0.5	<10
E5539748	<5	<1	<1	0.32	2	3	0.72	626	19.0	0.01	17.4	343	29.2	26
E5539749	<5	<1	3	0.33	2	3	0.65	627	19.4	0.01	20.9	180	33.1	28
E5539740	<5	7	<1	0.02	1	<1	11.8	217	42.6	<0.01	<0.5	265	<0.5	<10

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647898

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012		DATE RECEIVED: Oct 02, 2012					DATE REPORTED: Oct 18, 2012					SAMPLE TYPE: Drill Core			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
E5664396		0.547	81	7.4	40	<5	125	<10	16	<5	<0.01	0.04	<5	7.3	9
E5664397		0.163	92	3.2	<10	<5	221	<10	15	<5	<0.01	0.03	<5	5.7	6
E5664398		0.211	74	3.4	<10	<5	229	<10	20	<5	<0.01	0.03	<5	5.9	5
E5664399		0.160	102	2.6	50	<5	30.9	<10	15	<5	0.01	13.7	<5	12.1	35
E5664400		0.206	103	<0.5	<10	308	50.0	<10	23	<5	<0.01	0.01	<5	14.5	<1
E5664401		0.853	83	6.9	<10	<5	98.6	<10	14	<5	<0.01	0.08	<5	7.8	7
E5664402		0.180	105	1.2	<10	<5	355	<10	26	<5	<0.01	0.01	<5	3.7	2
E5664403		0.160	95	1.5	<10	<5	130	<10	28	<5	<0.01	0.01	<5	6.4	8
E5664404		0.263	94	1.5	<10	99	728	<10	20	<5	<0.01	0.03	<5	3.5	1
E5664405		1.34	87	8.6	<10	<5	205	<10	16	<5	<0.01	0.08	<5	9.2	14
E5664406		1.21	103	7.7	<10	<5	187	<10	19	<5	<0.01	0.07	<5	8.8	2
E5664407		0.777	92	6.0	56	<5	312	<10	23	<5	<0.01	0.06	<5	7.3	5
E5664411		0.433	100	2.7	<10	97	389	<10	22	<5	<0.01	0.02	<5	9.1	3
E5664412		0.699	104	6.9	<10	<5	193	<10	19	<5	<0.01	0.06	<5	14.8	7
E5664413		1.47	89	8.5	<10	<5	132	<10	18	<5	<0.01	0.09	<5	16.4	9
E5664414		1.61	84	5.8	<10	<5	115	<10	16	<5	<0.01	0.07	<5	9.2	9
E5664418		0.336	79	4.9	<10	<5	136	<10	13	<5	<0.01	0.07	<5	12.3	8
E5664419		0.349	85	3.4	<10	68	326	<10	18	<5	<0.01	0.02	<5	9.7	4
E5664420		0.779	90	10.1	32	<5	120	<10	20	<5	<0.01	0.10	<5	13.4	10
E5664421		0.755	71	2.1	<10	<5	55.9	<10	12	<5	<0.01	0.04	<5	4.0	2
E5664422		1.43	78	7.5	26	<5	106	<10	21	<5	<0.01	0.12	<5	8.1	7
E5664423		0.705	72	1.5	<10	<5	56.9	<10	13	<5	<0.01	0.02	<5	3.9	4
E5664424		0.458	60	1.1	22	<5	50.5	<10	14	<5	<0.01	0.02	<5	3.7	2
E5664425		0.779	73	4.8	<10	<5	93.6	<10	16	<5	<0.01	0.06	<5	6.5	5
E5664426		1.26	68	3.8	<10	<5	70.4	<10	14	<5	<0.01	0.07	<5	5.4	5
E5664427		1.45	90	6.1	16	<5	97.9	<10	20	<5	<0.01	0.07	<5	7.3	8
E5664428		0.695	85	2.9	<10	<5	86.4	<10	15	<5	<0.01	0.04	<5	6.2	4
E5664429		0.935	87	3.4	<10	<5	69.3	<10	13	<5	<0.01	0.04	<5	5.7	5
E5664430		1.04	84	2.7	<10	<5	76.1	<10	14	<5	<0.01	0.05	<5	5.4	4
E5664431		1.23	79	2.9	<10	<5	82.7	<10	14	<5	<0.01	0.05	<5	5.6	6
E5664432		1.18	83	1.6	<10	<5	47.8	<10	14	<5	<0.01	0.03	<5	4.2	5
E5664433		0.959	79	2.5	<10	<5	79.6	<10	15	<5	<0.01	0.04	<5	5.1	7

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y647898

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Drill Core

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
E5664434	2.27	81	2.9	<10	<5	53.2	<10	14	<5	<0.01	0.09	<5	5.6	8
E5664435	0.685	99	3.0	<10	<5	361	<10	22	<5	<0.01	0.05	<5	5.3	3
E5664436	0.707	85	7.0	<10	<5	129	<10	19	<5	<0.01	0.07	<5	7.7	8
E5664437	0.354	81	2.4	<10	<5	120	<10	16	<5	<0.01	0.02	<5	5.1	5
E5664438	0.378	92	2.3	<10	<5	140	<10	17	<5	<0.01	0.03	<5	4.8	5
E5664439	0.155	103	2.4	<10	<5	28.9	<10	11	<5	<0.01	12.9	<5	11.4	35
E5664440	0.213	115	<0.5	<10	313	56.5	<10	27	<5	<0.01	0.01	<5	15.1	<1
E5664441	0.949	91	4.9	<10	<5	162	<10	19	<5	<0.01	0.06	<5	5.8	8
E5664442	1.06	92	4.9	<10	<5	101	<10	16	<5	<0.01	0.07	<5	6.0	9
E5664443	0.880	89	3.7	<10	<5	152	<10	20	<5	<0.01	0.05	<5	6.8	7
E5664444	0.567	82	6.8	<10	<5	55.5	<10	13	<5	<0.01	0.06	<5	8.5	8
E5664445	0.921	82	6.5	30	<5	74.1	<10	14	<5	<0.01	0.07	<5	7.7	9
E5664446	1.39	83	6.5	<10	<5	75.8	<10	14	<5	<0.01	0.09	<5	8.0	10
E5664447	1.16	75	5.8	<10	<5	70.8	<10	13	<5	<0.01	0.08	<5	7.0	10
E5664448	1.01	72	6.6	<10	<5	65.0	<10	17	<5	<0.01	0.08	<5	9.0	10
E5664449	1.72	74	6.9	<10	<5	63.5	<10	16	<5	<0.01	0.10	<5	8.5	11
E5664450	1.99	70	6.0	<10	<5	42.7	<10	12	<5	<0.01	0.10	<5	7.9	10
E5664460	0.009	27	2.5	36	<5	5.3	<10	<10	<5	0.01	0.05	<5	30.5	11
E5664461	0.019	42	2.8	20	<5	21.5	<10	<10	<5	<0.01	0.03	<5	18.1	11
E5664462	0.044	60	5.3	67	<5	32.9	<10	11	<5	<0.01	0.04	<5	7.4	12
E5664463	0.067	59	5.4	<10	<5	33.5	<10	13	<5	<0.01	0.04	<5	6.8	10
E5664464	0.165	72	5.8	49	<5	63.9	<10	13	<5	<0.01	0.05	<5	7.0	12
E5664465	0.091	63	6.8	27	<5	31.7	<10	11	<5	<0.01	0.05	<5	6.3	9
E5664466	0.272	51	6.0	<10	<5	30.9	<10	11	<5	<0.01	0.05	<5	7.9	11
E5664467	0.316	94	5.7	27	<5	88.1	<10	14	<5	<0.01	0.05	<5	7.2	8
E5664468	0.611	63	6.4	<10	<5	82.0	<10	12	<5	<0.01	0.05	<5	7.8	10
E5664469	0.907	61	6.8	<10	<5	60.3	<10	14	<5	<0.01	0.06	<5	7.7	12
E5664470	0.876	69	6.7	11	<5	61.7	<10	15	<5	<0.01	0.05	<5	7.2	8
E5664471	0.302	24	5.8	<10	<5	12.6	<10	<10	<5	<0.01	0.05	<5	5.0	11
E5664472	0.562	92	8.0	14	<5	109	<10	16	<5	<0.01	0.05	<5	7.7	11
E5664473	0.090	50	6.4	<10	<5	34.4	<10	<10	<5	<0.01	0.06	<5	6.7	15
E5664474	0.199	32	5.9	15	<5	23.7	<10	<10	<5	<0.01	0.05	<5	8.3	13

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647898

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Drill Core

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
E5664475	0.026	16	5.1	<10	<5	10.6	<10	<10	<5	<0.01	0.05	<5	10.9	12
E5664476	0.150	76	6.1	10	<5	92.7	<10	15	<5	<0.01	0.04	<5	9.1	11
E5664477	0.378	67	6.5	<10	<5	78.8	<10	13	<5	<0.01	0.05	<5	11.1	12
E5664478	0.265	68	6.4	<10	<5	60.8	<10	13	<5	<0.01	0.05	<5	10.4	15
E5664479	0.171	102	2.4	<10	<5	28.6	<10	14	<5	<0.01	13.6	<5	11.5	37
E5664480	0.211	111	<0.5	<10	335	58.6	<10	21	<5	<0.01	0.01	<5	14.1	<1
E5664481	0.113	55	6.2	<10	<5	38.3	<10	15	<5	<0.01	0.06	<5	10.1	12
E5664482	0.729	69	7.2	18	<5	93.4	<10	17	<5	<0.01	0.04	<5	10.2	8
E5664483	0.331	52	5.9	<10	<5	34.2	<10	11	<5	<0.01	0.05	<5	9.0	11
E5664484	0.893	70	5.2	<10	<5	68.4	<10	11	<5	<0.01	0.06	<5	10.6	12
E5664485	0.226	26	6.1	25	<5	12.3	<10	<10	<5	<0.01	0.06	<5	8.6	10
E5664486	0.210	48	5.6	<10	<5	22.3	<10	11	<5	<0.01	0.04	<5	5.5	11
E5664487	0.017	9	4.3	<10	<5	12.8	<10	<10	<5	<0.01	0.05	<5	4.6	10
E5664488	0.201	33	3.6	12	<5	18.8	<10	<10	<5	<0.01	0.05	<5	6.3	13
E5664489	0.159	42	2.4	<10	<5	18.4	<10	<10	<5	<0.01	0.05	<5	5.6	7
E5664490	0.702	54	2.4	13	<5	22.0	<10	<10	<5	<0.01	0.04	<5	5.4	6
E5664491	5.78	26	2.4	<10	<5	10.6	<10	<10	<5	<0.01	0.05	<5	6.5	18
E5664492	0.100	12	3.5	<10	<5	7.7	<10	<10	<5	<0.01	0.05	<5	5.6	7
E5664493	0.084	36	4.0	<10	<5	13.3	<10	<10	<5	<0.01	0.05	<5	7.4	10
E5664494	0.041	64	2.1	<10	<5	57.5	<10	18	<5	<0.01	0.03	<5	4.8	5
E5664495	0.381	61	5.5	<10	<5	38.9	<10	16	<5	<0.01	0.07	<5	9.5	9
E5664496	0.136	55	6.9	<10	<5	29.6	<10	10	<5	<0.01	0.07	<5	10.4	8
E5664497	0.336	47	7.0	56	<5	21.5	<10	11	<5	<0.01	0.08	<5	11.1	14
E5664498	0.039	32	2.2	37	<5	17.5	<10	<10	<5	<0.01	0.04	<5	4.8	7
E5664499	0.029	45	2.3	<10	<5	24.4	<10	<10	<5	<0.01	0.04	<5	4.6	5
E5664500	0.045	52	1.7	<10	<5	35.2	<10	12	<5	<0.01	0.02	<5	3.5	2
E5664501	0.122	64	2.1	<10	<5	70.7	<10	11	<5	<0.01	0.03	<5	5.4	4
E5664502	0.083	54	1.3	11	<5	35.0	<10	<10	<5	<0.01	0.03	<5	3.3	2
E5664503	0.067	55	1.2	<10	<5	38.2	<10	13	<5	<0.01	0.02	<5	2.9	2
E5664504	0.038	43	0.9	29	<5	26.3	<10	<10	<5	<0.01	0.02	<5	2.2	1
E5664505	0.043	40	1.3	64	<5	18.9	<10	<10	<5	<0.01	0.02	<5	2.5	2
E5664506	0.049	42	1.3	<10	<5	9.8	<10	<10	<5	<0.01	0.02	<5	1.9	2

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647898

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Drill Core

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
E5664507	<0.005	18	1.4	19	<5	3.4	<10	<10	<5	<0.01	0.02	<5	2.1	4
E5664508	0.019	36	5.6	26	<5	22.9	<10	<10	<5	<0.01	0.10	<5	9.1	10
E5664509	0.111	23	5.5	24	<5	19.6	<10	<10	<5	<0.01	0.10	<5	9.8	10
E5664510	0.155	62	6.7	<10	<5	38.7	<10	13	<5	<0.01	0.08	<5	10.3	8
E5664511	0.364	65	6.2	<10	<5	43.2	<10	13	<5	<0.01	0.05	<5	8.0	9
E5664512	0.318	86	6.7	47	<5	104	<10	14	<5	<0.01	0.06	<5	8.7	9
E5664513	0.593	73	6.4	16	<5	56.8	<10	15	<5	<0.01	0.06	<5	8.4	8
E5664514	1.11	79	5.5	23	<5	79.2	<10	16	<5	<0.01	0.09	<5	7.9	9
E5664515	0.694	42	4.5	47	<5	14.9	<10	<10	<5	<0.01	0.07	<5	6.9	5
E5664516	0.227	90	0.9	<10	<5	227	<10	24	<5	<0.01	<0.01	<5	4.7	2
E5664517	0.227	93	0.9	<10	<5	223	<10	21	<5	<0.01	<0.01	<5	4.4	2
E5664518	0.143	91	2.4	19	<5	28.2	<10	15	<5	<0.01	12.3	<5	11.1	35
E5664519	0.207	94	<0.5	<10	267	52.1	<10	20	<5	<0.01	0.01	<5	14.4	<1
E5664520	0.895	43	4.5	<10	<5	13.5	<10	<10	<5	<0.01	0.06	<5	5.8	11
E5664521	0.407	51	4.6	<10	<5	25.4	<10	10	<5	<0.01	0.06	<5	7.0	8
E5664522	0.112	50	5.1	20	<5	32.3	<10	<10	<5	<0.01	0.05	<5	8.1	7
E5664523	0.296	41	4.5	<10	<5	28.5	<10	<10	<5	<0.01	0.06	<5	7.8	8
E5664524	0.190	50	4.8	<10	<5	36.0	<10	11	<5	<0.01	0.05	<5	7.6	4
E5664525	0.116	59	6.0	27	<5	49.9	<10	10	<5	<0.01	0.05	<5	9.5	10
E5664526	2.30	69	6.7	30	<5	44.6	<10	14	<5	<0.01	0.06	<5	7.6	11
E5664527	2.37	55	4.4	85	<5	29.0	<10	<10	<5	<0.01	0.05	<5	5.8	10
E5664528	3.85	77	3.4	<10	<5	82.7	<10	20	<5	<0.01	0.04	<5	7.0	9
E5664529	0.809	79	6.5	<10	<5	62.2	<10	18	<5	<0.01	0.04	<5	9.2	8
E5664530	0.298	51	6.2	28	<5	26.5	<10	10	<5	<0.01	0.03	<5	8.6	14
E5664531	0.975	91	6.2	<10	<5	101	<10	18	<5	<0.01	0.05	<5	9.3	12
E5664532	0.321	25	7.1	<10	<5	14.4	<10	<10	<5	<0.01	0.04	<5	9.1	12
E5664533	0.219	60	7.9	<10	<5	35.4	<10	<10	<5	<0.01	0.06	<5	11.3	19
E5664534	0.229	27	7.2	54	<5	12.2	<10	<10	<5	<0.01	0.04	<5	8.7	14
E5664535	0.075	23	7.7	<10	<5	13.3	<10	<10	<5	<0.01	0.04	<5	9.7	18
E5664536	0.172	31	7.6	22	<5	14.9	<10	<10	<5	<0.01	0.07	<5	11.0	16
E5664537	0.092	24	7.2	<10	<5	9.6	<10	<10	<5	<0.01	0.07	<5	10.3	17
E5664538	0.131	12	7.6	24	<5	8.7	<10	<10	<5	<0.01	0.07	<5	10.6	13

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y647898

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Drill Core

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
E5664539	0.351	18	7.1	<10	<5	9.7	<10	<10	<5	<0.01	0.07	<5	11.4	15
E5664540	0.806	24	7.4	<10	<5	13.0	<10	12	<5	<0.01	0.08	<5	11.5	17
E5664541	0.226	36	7.6	<10	<5	12.6	<10	<10	<5	<0.01	0.07	<5	12.1	14
E5664542	0.107	25	8.3	17	<5	12.2	<10	<10	<5	<0.01	0.06	<5	11.7	15
E5664543	0.158	17	7.8	<10	<5	9.5	<10	11	<5	<0.01	0.07	<5	12.3	13
E5664544	0.294	31	7.5	<10	<5	9.5	<10	11	<5	<0.01	0.07	<5	11.5	20
E5664545	0.350	30	7.0	35	<5	11.6	<10	<10	<5	<0.01	0.07	<5	11.5	18
E5664546	0.346	33	6.9	<10	<5	11.5	<10	<10	<5	<0.01	0.11	<5	12.0	18
E5664547	0.148	31	7.8	<10	<5	11.6	<10	<10	<5	<0.01	0.08	<5	12.0	15
E5664548	0.198	42	7.8	<10	<5	11.5	<10	<10	<5	<0.01	0.08	<5	11.9	18
E5664549	0.153	31	7.2	<10	<5	11.7	<10	<10	<5	<0.01	0.07	<5	12.1	14
E5664550	0.112	33	7.4	<10	<5	15.9	<10	<10	<5	<0.01	0.07	<5	12.9	15
E5664551	0.161	24	7.7	<10	<5	11.0	<10	<10	<5	<0.01	0.09	<5	12.3	14
E5664552	0.360	35	5.9	47	<5	11.7	<10	<10	<5	<0.01	0.09	<5	15.2	20
E5664553	0.121	36	6.6	37	<5	13.9	<10	<10	<5	<0.01	0.09	<5	11.7	17
E5664554	0.300	61	7.0	17	<5	29.0	<10	14	<5	<0.01	0.08	<5	12.1	13
E5664555	0.359	31	7.6	<10	<5	14.4	<10	<10	<5	<0.01	0.09	<5	11.2	14
E5664556	0.410	38	7.6	<10	<5	16.8	<10	<10	<5	<0.01	0.09	<5	11.4	17
E5664557	0.155	104	2.5	<10	<5	30.1	<10	14	<5	0.01	13.3	<5	11.8	36
E5664558	0.207	99	<0.5	<10	294	53.4	<10	21	<5	<0.01	<0.01	<5	14.8	<1
E5664559	0.521	29	8.2	26	<5	7.8	<10	<10	<5	<0.01	0.08	<5	10.5	18
E5539710	1.01	22	7.0	<10	<5	9.3	<10	<10	<5	<0.01	0.08	<5	12.5	20
E5539711	0.799	41	4.6	<10	<5	17.4	<10	11	<5	<0.01	0.08	<5	13.3	17
E5539712	0.187	49	6.3	32	<5	47.2	<10	<10	<5	<0.01	0.07	<5	14.2	14
E5539713	0.330	62	5.4	<10	<5	48.2	<10	13	<5	<0.01	0.08	<5	14.3	9
E5539714	1.18	72	7.3	<10	<5	51.5	<10	18	<5	<0.01	0.07	<5	20.5	15
E5539715	0.831	48	4.3	<10	<5	22.3	<10	11	<5	<0.01	0.06	<5	15.5	13
E5539716	0.084	36	5.4	<10	<5	18.5	<10	<10	<5	<0.01	0.07	<5	15.4	17
E5539717	0.361	39	5.8	<10	<5	18.1	<10	<10	<5	<0.01	0.07	<5	12.7	15
E5539718	0.133	55	5.7	33	<5	33.3	<10	12	<5	<0.01	0.05	<5	11.2	13
E5539719	0.090	56	6.2	<10	<5	19.9	<10	10	<5	<0.01	0.07	<5	10.3	14
E5539720	0.469	87	4.7	<10	<5	102	<10	21	<5	<0.01	0.04	<5	12.1	12

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y647898

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012		DATE RECEIVED: Oct 02, 2012					DATE REPORTED: Oct 18, 2012					SAMPLE TYPE: Drill Core			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
E5539721		0.349	82	4.8	<10	<5	114	<10	18	<5	<0.01	0.05	<5	12.2	11
E5539722		1.18	72	5.8	<10	<5	26.6	<10	17	<5	<0.01	0.07	<5	11.8	13
E5539723		0.204	45	5.9	19	<5	15.2	<10	<10	<5	<0.01	0.07	<5	11.4	15
E5539724		0.698	61	4.8	71	<5	29.5	<10	11	<5	<0.01	0.05	<5	11.4	12
E5539725		0.038	54	5.1	<10	<5	22.3	<10	13	<5	<0.01	0.07	<5	22.3	17
E5539726		0.563	25	5.6	43	<5	12.7	<10	11	<5	<0.01	0.06	<5	13.2	10
E5539727		0.057	61	5.9	26	<5	26.6	<10	15	<5	<0.01	0.06	<5	10.6	9
E5539728		0.012	49	6.2	<10	<5	14.7	<10	<10	<5	<0.01	0.06	<5	11.0	11
E5539729		0.010	50	5.5	<10	<5	12.3	<10	11	<5	<0.01	0.05	<5	12.2	9
E5539730		0.015	61	5.0	18	<5	17.1	<10	15	<5	<0.01	0.05	<5	10.9	14
E5539731		0.060	52	4.7	27	<5	15.7	<10	<10	<5	<0.01	0.06	<5	11.0	10
E5539732		0.066	58	4.2	<10	<5	18.0	<10	11	<5	<0.01	0.04	<5	12.8	11
E5539733		0.062	40	3.3	<10	<5	17.8	<10	<10	<5	<0.01	0.06	<5	15.9	7
E5539734		0.044	39	2.4	<10	<5	25.0	<10	11	<5	<0.01	0.05	<5	12.1	6
E5539735		0.026	34	3.5	<10	<5	14.4	<10	<10	<5	<0.01	0.05	<5	21.9	11
E5539736		0.019	52	5.3	47	<5	37.6	<10	<10	<5	<0.01	0.07	<5	13.8	9
E5539737		0.017	51	6.1	25	<5	25.5	<10	12	<5	<0.01	0.06	<5	10.6	12
E5539738		0.019	38	5.9	97	<5	23.5	<10	<10	<5	<0.01	0.08	<5	11.2	12
E5539739		0.147	96	2.5	<10	<5	30.0	<10	12	<5	0.01	12.9	<5	11.4	35
E5539741		0.091	67	4.9	<10	<5	30.7	<10	12	<5	<0.01	0.10	<5	7.8	8
E5539742		0.087	76	3.9	<10	<5	63.4	<10	14	<5	<0.01	0.07	<5	7.0	8
E5539743		0.126	73	4.6	14	<5	46.5	<10	14	<5	<0.01	0.06	<5	7.6	6
E5539744		0.484	61	6.7	<10	<5	79.0	<10	15	<5	<0.01	0.09	<5	10.6	10
E5539745		0.545	68	6.6	38	<5	81.0	<10	12	<5	<0.01	0.09	<5	10.7	10
E5539746		0.128	95	2.2	31	<5	26.3	<10	13	<5	<0.01	11.8	<5	9.8	30
E5539747		0.203	120	0.6	<10	224	52.1	<10	27	<5	<0.01	0.02	<5	14.9	<1
E5539748		0.567	84	6.3	19	<5	92.5	<10	15	<5	<0.01	0.09	<5	10.2	10
E5539749		0.741	78	7.2	<10	<5	86.7	<10	14	<5	<0.01	0.10	<5	10.8	10
E5539740		0.180	113	<0.5	<10	212	56.3	<10	26	<5	<0.01	<0.01	<5	14.9	<1

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647898

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
E5664396		6	25.3	<5
E5664397		7	21.1	<5
E5664398		7	26.5	<5
E5664399		2	23.7	10
E5664400		<1	29.1	<5
E5664401		6	22.1	5
E5664402		3	17.4	<5
E5664403		5	15.2	<5
E5664404		5	23.0	<5
E5664405		7	80.3	<5
E5664406		7	52.6	<5
E5664407		7	62.9	<5
E5664411		7	20.3	<5
E5664412		6	39.7	<5
E5664413		6	51.5	<5
E5664414		4	19.5	<5
E5664418		6	25.3	<5
E5664419		7	23.1	<5
E5664420		6	63.9	<5
E5664421		2	34.2	<5
E5664422		4	46.0	<5
E5664423		2	140	<5
E5664424		2	68.8	<5
E5664425		4	40.1	<5
E5664426		3	45.1	<5
E5664427		5	36.1	<5
E5664428		4	58.4	<5
E5664429		3	36.0	<5
E5664430		3	47.1	<5
E5664431		3	28.2	<5
E5664432		2	36.0	<5
E5664433		3	43.6	<5

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647898

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
E5664434		3	30.7	<5
E5664435		5	60.8	<5
E5664436		5	50.1	<5
E5664437		5	34.0	<5
E5664438		7	38.3	<5
E5664439		2	21.0	9
E5664440		<1	37.7	<5
E5664441		4	72.4	<5
E5664442		4	82.2	<5
E5664443		4	51.5	<5
E5664444		3	71.3	<5
E5664445		3	57.4	<5
E5664446		5	52.6	<5
E5664447		3	62.1	<5
E5664448		4	82.6	<5
E5664449		3	72.7	<5
E5664450		3	62.6	<5
E5664460		4	84.9	<5
E5664461		4	76.7	<5
E5664462		3	74.4	<5
E5664463		4	77.2	<5
E5664464		4	78.7	<5
E5664465		4	89.3	<5
E5664466		4	94.8	<5
E5664467		4	72.5	<5
E5664468		4	81.7	<5
E5664469		4	106	<5
E5664470		5	109	<5
E5664471		4	69.8	<5
E5664472		5	96.7	<5
E5664473		5	91.5	<5
E5664474		5	94.7	<5

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647898

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
E5664475		4	94.7	<5
E5664476		5	79.0	<5
E5664477		4	88.6	<5
E5664478		4	87.7	<5
E5664479		2	21.8	9
E5664480		<1	29.9	<5
E5664481		3	94.3	<5
E5664482		4	90.3	<5
E5664483		4	90.8	<5
E5664484		5	82.3	<5
E5664485		4	115	<5
E5664486		4	95.4	<5
E5664487		2	64.0	<5
E5664488		2	86.1	<5
E5664489		2	50.8	<5
E5664490		2	48.1	<5
E5664491		1	23.0	<5
E5664492		1	71.3	<5
E5664493		3	85.5	<5
E5664494		3	57.5	<5
E5664495		4	287	<5
E5664496		6	107	<5
E5664497		5	121	<5
E5664498		2	76.2	<5
E5664499		4	68.7	<5
E5664500		2	51.8	<5
E5664501		2	25.4	<5
E5664502		1	20.4	<5
E5664503		2	22.2	<5
E5664504		1	16.0	<5
E5664505		2	22.1	<5
E5664506		2	15.7	<5

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647898

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
E5664507		1	23.1	<5
E5664508		4	60.2	<5
E5664509		3	57.7	<5
E5664510		5	64.1	<5
E5664511		5	81.8	<5
E5664512		5	82.7	<5
E5664513		4	91.9	<5
E5664514		4	98.6	<5
E5664515		3	86.9	<5
E5664516		4	37.3	<5
E5664517		4	38.6	<5
E5664518		2	20.5	9
E5664519		<1	30.3	<5
E5664520		3	80.1	<5
E5664521		4	77.9	<5
E5664522		4	86.2	<5
E5664523		4	83.3	<5
E5664524		3	93.0	<5
E5664525		4	96.0	<5
E5664526		3	77.6	<5
E5664527		2	57.7	<5
E5664528		3	89.7	<5
E5664529		2	116	<5
E5664530		2	102	<5
E5664531		3	95.9	<5
E5664532		2	116	<5
E5664533		6	114	<5
E5664534		2	120	<5
E5664535		2	112	<5
E5664536		3	126	<5
E5664537		3	115	<5
E5664538		2	119	<5

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647898

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
E5664539		3	127	<5
E5664540		3	116	<5
E5664541		2	137	<5
E5664542		3	115	<5
E5664543		3	139	<5
E5664544		3	129	<5
E5664545		3	130	<5
E5664546		3	132	<5
E5664547		3	126	<5
E5664548		3	118	<5
E5664549		3	130	<5
E5664550		3	140	<5
E5664551		2	115	<5
E5664552		3	140	<5
E5664553		3	144	<5
E5664554		3	143	<5
E5664555		4	112	<5
E5664556		5	107	<5
E5664557		2	25.0	10
E5664558		<1	28.5	<5
E5664559		2	117	<5
E5539710		2	76.5	<5
E5539711		2	78.6	<5
E5539712		3	108	<5
E5539713		3	111	<5
E5539714		3	144	<5
E5539715		2	128	<5
E5539716		2	127	<5
E5539717		2	91.8	<5
E5539718		3	81.9	<5
E5539719		3	89.7	<5
E5539720		3	133	<5

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647898

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
E5539721		3	89.6	<5
E5539722		3	86.9	<5
E5539723		2	105	<5
E5539724		2	84.0	<5
E5539725		2	134	<5
E5539726		2	102	<5
E5539727		3	79.1	<5
E5539728		3	101	<5
E5539729		3	111	<5
E5539730		3	101	<5
E5539731		3	94.7	<5
E5539732		3	99.4	<5
E5539733		4	61.9	<5
E5539734		3	52.9	<5
E5539735		4	85.3	<5
E5539736		5	63.0	<5
E5539737		4	77.0	<5
E5539738		4	73.1	<5
E5539739		2	20.4	10
E5539741		4	75.2	<5
E5539742		4	50.3	<5
E5539743		3	55.8	<5
E5539744		5	73.2	<5
E5539745		4	71.4	<5
E5539746		2	20.5	8
E5539747		<1	27.7	<5
E5539748		5	82.1	<5
E5539749		5	99.0	<5
E5539740		<1	30.2	<5

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647898

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Au	Sample Login Weight
	Unit:	ppm	kg
	RDL:	0.001	0.01
E5664396		0.003	1.97
E5664397		0.001	1.12
E5664398		0.001	0.58
E5664399		0.251	0.12
E5664400		0.002	0.58
E5664401		0.002	1.13
E5664402		<0.001	2.84
E5664403		0.001	1.94
E5664404		0.008	1.67
E5664405		0.002	3.39
E5664406		0.002	3.91
E5664407		0.001	2.13
E5664411		0.008	3.41
E5664412		0.016	2.03
E5664413		0.018	3.22
E5664414		0.021	1.82
E5664418		0.009	1.26
E5664419		0.017	2.98
E5664420		0.022	1.62
E5664421		0.023	3.01
E5664422		0.051	3.03
E5664423		0.068	3.27
E5664424		0.040	0.78
E5664425		0.018	0.85
E5664426		0.006	1.25
E5664427		0.004	3.02
E5664428		0.009	0.89
E5664429		0.015	3.20
E5664430		0.045	2.62
E5664431		0.107	4.36
E5664432		0.350	1.13

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647898

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Au	Sample Login Weight
	Unit:	ppm	kg
	RDL:	0.001	0.01
E5664433		0.057	1.62
E5664434		0.091	3.25
E5664435		0.012	3.22
E5664436		0.002	2.97
E5664437		0.001	3.24
E5664438		0.002	1.52
E5664439		0.232	0.12
E5664440		0.002	0.53
E5664441		0.007	3.98
E5664442		0.019	4.44
E5664443		0.025	2.94
E5664444		0.025	4.76
E5664445		0.014	3.83
E5664446		0.012	4.10
E5664447		0.022	1.51
E5664448		0.021	4.58
E5664449		0.004	4.64
E5664450		0.015	4.03
E5664460		0.002	1.32
E5664461		0.002	0.59
E5664462		0.004	2.18
E5664463		0.003	3.87
E5664464		0.002	2.34
E5664465		0.002	2.07
E5664466		0.002	4.44
E5664467		0.002	4.75
E5664468		0.002	4.07
E5664469		0.003	4.37
E5664470		0.001	3.80
E5664471		0.008	0.39
E5664472		0.002	0.92

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647898

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Au	Sample Login Weight
	Unit:	ppm	kg
	RDL:	0.001	0.01
E5664473		0.002	0.51
E5664474		0.002	1.97
E5664475		0.002	2.18
E5664476		0.002	3.25
E5664477		0.002	4.63
E5664478		0.007	2.36
E5664479		0.239	0.12
E5664480		0.002	0.55
E5664481		0.001	3.08
E5664482		0.001	3.40
E5664483		0.002	4.64
E5664484		0.002	5.15
E5664485		0.007	1.74
E5664486		0.003	2.80
E5664487		0.004	1.79
E5664488		0.022	3.12
E5664489		0.008	4.58
E5664490		0.011	4.37
E5664491		0.137	0.55
E5664492		0.005	2.46
E5664493		0.007	2.46
E5664494		0.002	2.88
E5664495		0.002	4.38
E5664496		0.002	3.84
E5664497		0.009	3.40
E5664498		0.005	2.94
E5664499		0.011	2.14
E5664500		0.010	2.77
E5664501		0.006	4.02
E5664502		0.006	4.37
E5664503		0.007	3.74

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647898

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Au	Sample Login Weight
	Unit:	ppm	kg
	RDL:	0.001	0.01
E5664504		0.005	4.03
E5664505		0.012	3.04
E5664506		0.011	2.87
E5664507		0.005	2.25
E5664508		0.013	2.12
E5664509		0.003	2.30
E5664510		0.002	2.84
E5664511		0.001	3.80
E5664512		0.007	4.38
E5664513		0.001	4.48
E5664514		0.002	3.52
E5664515		0.002	0.92
E5664516		0.002	2.42
E5664517		0.002	1.13
E5664518		0.233	0.11
E5664519		0.002	0.56
E5664520		0.015	1.90
E5664521		0.010	2.11
E5664522		0.001	2.34
E5664523		0.001	2.03
E5664524		0.002	3.06
E5664525		0.004	3.28
E5664526		0.629	2.80
E5664527		1.59	2.46
E5664528		1.51	2.27
E5664529		0.148	2.99
E5664530		0.014	1.97
E5664531		0.706	1.95
E5664532		0.003	4.06
E5664533		0.003	2.56
E5664534		0.004	4.98

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647898

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Au	Sample Login Weight
	Unit:	ppm	kg
	RDL:	0.001	0.01
E5664535		0.003	2.10
E5664536		0.002	4.55
E5664537		<0.001	4.55
E5664538		0.002	4.03
E5664539		0.001	3.97
E5664540		0.003	3.52
E5664541		0.003	4.52
E5664542		0.007	4.69
E5664543		0.002	5.17
E5664544		0.003	4.24
E5664545		0.003	5.10
E5664546		0.003	2.89
E5664547		0.003	4.79
E5664548		0.002	4.20
E5664549		0.003	4.40
E5664550		0.002	3.77
E5664551		0.002	3.22
E5664552		0.012	3.88
E5664553		0.004	4.29
E5664554		0.010	3.48
E5664555		0.005	3.33
E5664556		0.006	1.52
E5664557		0.239	0.12
E5664558		0.007	0.93
E5664559		0.007	4.27
E5539710		0.019	2.41
E5539711		0.013	1.43
E5539712		0.012	2.07
E5539713		0.044	1.32
E5539714		0.076	3.02
E5539715		0.010	2.93

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647898

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Au	Sample Login Weight
	Unit:	ppm	kg
	RDL:	0.001	0.01
E5539716		0.001	2.89
E5539717		0.002	2.75
E5539718		0.008	3.86
E5539719		0.006	3.10
E5539720		0.061	3.23
E5539721		0.082	2.65
E5539722		0.015	3.59
E5539723		0.003	3.21
E5539724		0.018	3.49
E5539725		0.002	1.66
E5539726		0.002	3.56
E5539727		0.002	4.07
E5539728		0.005	4.70
E5539729		0.001	4.75
E5539730		0.002	4.55
E5539731		0.002	4.94
E5539732		0.002	5.00
E5539733		0.001	2.63
E5539734		0.009	3.13
E5539735		0.009	1.82
E5539736		0.001	3.13
E5539737		0.006	2.60
E5539738		0.002	1.26
E5539739		0.237	0.12
E5539741		0.002	0.53
E5539742		0.018	2.91
E5539743		0.002	3.66
E5539744		0.002	3.99
E5539745		0.002	1.56
E5539746		0.239	1.30
E5539747		0.002	0.54

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y647898

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Oct 01, 2012

DATE RECEIVED: Oct 02, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Au	Sample Login Weight
	Unit:	ppm	kg
	RDL:	0.001	0.01
E5539748		0.002	4.14
E5539749		0.002	3.55
E5539740		0.003	0.63

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y647898

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis											
RPT Date: Oct 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)											
Ag	1	3769135	< 0.2	< 0.2	0.0%	< 0.2	15.2	13.0	117%	80%	120%
Al	1	3769135	0.24	0.26	8.0%	< 0.01				80%	120%
As	1	3769135	196	132		< 1				80%	120%
B	1	3769135	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3769135	24	26	8.0%	< 1				80%	120%
Be	1	3769135	0.8	0.8	0.0%	< 0.5				80%	120%
Bi	1	3769135	< 1	< 1	0.0%	5				80%	120%
Ca	1	3769135	2.41	2.40	0.4%	< 0.01				80%	120%
Cd	1	3769135	1.4	1.3	7.4%	< 0.5				80%	120%
Ce	1	3769135	< 1	< 1	0.0%	< 1				80%	120%
Co	1	3769135	16.6	16.0	3.7%	< 0.5				80%	120%
Cr	1	3769135	2.4	2.2	8.7%	< 0.5				80%	120%
Cu	1	3769135	41.6	44.3	6.3%	< 0.5				80%	120%
Fe	1	3769135	3.29	3.27	0.6%	< 0.01				80%	120%
Ga	1	3769135	< 5	< 5	0.0%	< 5				80%	120%
Hg	1	3769135	< 1	< 1	0.0%	4				80%	120%
In	1	3769135	< 1	1		< 1				80%	120%
K	1	3769135	0.137	0.146	6.4%	< 0.01				80%	120%
La	1	3769135	< 1	< 1	0.0%	< 1				80%	120%
Li	1	3769135	2	2	0.0%	< 1				80%	120%
Mg	1	3769135	0.506	0.504	0.4%	< 0.01				80%	120%
Mn	1	3769135	344	342	0.6%	< 1				80%	120%
Mo	1	3769135	15.7	20.5	26.5%	< 0.5				80%	120%
Na	1	3769135	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Ni	1	3769135	24.8	24.6	0.8%	< 0.5				80%	120%
P	1	3769135	339	337	0.6%	< 10	716	600	119%	80%	120%
Pb	1	3769135	27.1	22.6	18.1%	1.2				80%	120%
Rb	1	3769135	14	14	0.0%	< 10	12	13	94%	80%	120%
S	1	3769135	0.547	0.539	1.5%	< 0.005				80%	120%
Sb	1	3769135	81	94	14.9%	< 1				80%	120%
Sc	1	3769135	7.4	7.6	2.7%	< 0.5				80%	120%
Se	1	3769135	40	< 10		28				80%	120%
Sn	1	3769135	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	3769135	125	123	1.6%	< 0.5				80%	120%
Ta	1	3769135	< 10	< 10	0.0%	< 10				80%	120%
Te	1	3769135	16	15	6.5%	< 10				80%	120%
Th	1	3769135	< 5	< 5	0.0%	< 5				80%	120%
Ti	1	3769135	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Tl	1	3769135	0.045	0.054	18.2%	< 0.01				80%	120%
U	1	3769135	< 5	< 5	0.0%	< 5				80%	120%
V	1	3769135	7.35	7.48	1.8%	< 0.5				80%	120%
W	1	3769135	9	9	0.0%	< 1				80%	120%
Y	1	3769135	6	6	0.0%	< 1	6	7	81%	80%	120%
Zn	1	3769135	25.3	30.6	19.0%	1.4				80%	120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y647898

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Zr	1	3769135	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1	3769160	< 0.2	< 0.2	0.0%	< 0.2	15.3	13.0	118%	80% 120%
Al	1	3769160	0.26	0.26	0.0%	< 0.01				80% 120%
As	1	3769160	176	195	10.2%	< 1				80% 120%
B	1	3769160	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3769160	28	26	7.4%	< 1				80% 120%
Be	1	3769160	0.5	0.5	0.0%	< 0.5				80% 120%
Bi	1	3769160	< 1	< 1	0.0%	4				80% 120%
Ca	1	3769160	2.63	2.56	2.7%	< 0.01				80% 120%
Cd	1	3769160	1.0	1.3	26.1%	< 0.5				80% 120%
Ce	1	3769160	< 1	< 1	0.0%	< 1				80% 120%
Co	1	3769160	18.0	17.8	1.1%	< 0.5				80% 120%
Cr	1	3769160	3.8	3.7	2.7%	< 0.5				80% 120%
Cu	1	3769160	26.3	25.9	1.5%	< 0.5				80% 120%
Fe	1	3769160	3.01	2.92	3.0%	< 0.01				80% 120%
Ga	1	3769160	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3769160	< 1	< 1	0.0%	3				80% 120%
In	1	3769160	< 1	< 1	0.0%	< 1				80% 120%
K	1	3769160	0.18	0.18	0.0%	< 0.01				80% 120%
La	1	3769160	< 1	< 1	0.0%	< 1				80% 120%
Li	1	3769160	< 1	< 1	0.0%	< 1				80% 120%
Mg	1	3769160	0.74	0.73	1.4%	< 0.01				80% 120%
Mn	1	3769160	298	296	0.7%	< 1				80% 120%
Mo	1	3769160	16.3	15.5	5.0%	< 0.5				80% 120%
Na	1	3769160	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3769160	24.8	24.8	0.0%	< 0.5				80% 120%
P	1	3769160	210	215	2.4%	< 10	722	600	120%	80% 120%
Pb	1	3769160	28.4	26.8	5.8%	0.6				80% 120%
Rb	1	3769160	16	16	0.0%	< 10	13	13	98%	80% 120%
S	1	3769160	1.45	1.42	2.1%	< 0.005				80% 120%
Sb	1	3769160	90	75	18.2%	2				80% 120%
Sc	1	3769160	6.1	6.0	1.7%	< 0.5				80% 120%
Se	1	3769160	16	< 10		14				80% 120%
Sn	1	3769160	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3769160	97.9	96.0	2.0%	< 0.5				80% 120%
Ta	1	3769160	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3769160	20	16	22.2%	< 10				80% 120%
Th	1	3769160	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3769160	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3769160	0.07	0.07	0.0%	< 0.01				80% 120%
U	1	3769160	< 5	< 5	0.0%	< 5				80% 120%
V	1	3769160	7.3	7.3	0.0%	< 0.5				80% 120%
W	1	3769160	8	7	13.3%	< 1				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y647898

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Y	1	3769160	5	5	0.0%	< 1	6	7	85%	80% 120%
Zn	1	3769160	36.1	35.6	1.4%	0.7				80% 120%
Zr	1	3769160	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Ti) (201073)										
Ag	1	3769185	< 0.2	< 0.2	0.0%	< 0.2	13.5	13.0	104%	80% 120%
Al	1	3769185	1.49	1.52	2.0%	< 0.01				80% 120%
As	1	3769185	< 1	7		< 1				80% 120%
B	1	3769185	< 5	< 5	0.0%	< 5	7	7.00	100%	80% 120%
Ba	1	3769185	85	85	0.0%	< 1				80% 120%
Be	1	3769185	0.5	0.5	0.0%	< 0.5				80% 120%
Bi	1	3769185	< 1	5		2				80% 120%
Ca	1	3769185	0.38	0.39	2.6%	< 0.01				80% 120%
Cd	1	3769185	1.48	1.20	20.9%	< 0.5				80% 120%
Ce	1	3769185	4	4	0.0%	< 1				80% 120%
Co	1	3769185	11.4	11.3	0.9%	< 0.5				80% 120%
Cr	1	3769185	25.7	26.0	1.2%	< 0.5				80% 120%
Cu	1	3769185	9.5	10.7	11.9%	< 0.5	5723	6000	95%	80% 120%
Fe	1	3769185	3.50	3.56	1.7%	< 0.01				80% 120%
Ga	1	3769185	6	5	18.2%	< 5				80% 120%
Hg	1	3769185	< 1	2		3				80% 120%
In	1	3769185	< 1	< 1	0.0%	< 1				80% 120%
K	1	3769185	0.09	0.09	0.0%	< 0.01				80% 120%
La	1	3769185	2	2	0.0%	< 1				80% 120%
Li	1	3769185	40	41	2.5%	< 1				80% 120%
Mg	1	3769185	0.61	0.61	0.0%	< 0.01				80% 120%
Mn	1	3769185	646	652	0.9%	< 1				80% 120%
Mo	1	3769185	11.0	10.7	2.8%	< 0.5	329	360	91%	80% 120%
Na	1	3769185	0.01	0.01	0.0%	< 0.01				80% 120%
Ni	1	3769185	19.4	19.9	2.5%	< 0.5				80% 120%
P	1	3769185	359	304	16.6%	< 10	575	600	96%	80% 120%
Pb	1	3769185	26.1	30.2	14.6%	3.1				80% 120%
Rb	1	3769185	< 10	< 10	0.0%	< 10	11	13	88%	80% 120%
S	1	3769185	0.019	0.019	0.0%	< 0.005				80% 120%
Sb	1	3769185	42	51	19.4%	3				80% 120%
Sc	1	3769185	2.8	2.8	0.0%	< 0.5				80% 120%
Se	1	3769185	20	< 10		13				80% 120%
Sn	1	3769185	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3769185	21.5	22.4	4.1%	< 0.5				80% 120%
Ta	1	3769185	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3769185	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3769185	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3769185	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3769185	0.03	0.03	0.0%	< 0.01				80% 120%
U	1	3769185	< 5	< 5	0.0%	< 5				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y647898

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				Acceptable Limits	
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery		Lower	Upper
V	1	3769185	18.1	18.4	1.6%	< 0.5					80%	120%
W	1	3769185	11	11	0.0%	< 1					80%	120%
Y	1	3769185	4	4	0.0%	< 1	7	7	100%		80%	120%
Zn	1	3769185	76.7	74.8	2.5%	1.0					80%	120%
Zr	1	3769185	< 5	< 5	0.0%	< 5					80%	120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Ti) (201073)												
Ag	1	3769210	< 0.2	< 0.2	0.0%	< 0.2	14.4	13.0	110%		80%	120%
Al	1	3769210	0.278	0.269	3.3%	< 0.01					80%	120%
As	1	3769210	104	97	7.0%	5					80%	120%
B	1	3769210	< 5	< 5	0.0%	< 5	7	7.00	100%		80%	120%
Ba	1	3769210	21	20	4.9%	< 1					80%	120%
Be	1	3769210	0.9	0.9	0.0%	< 0.5					80%	120%
Bi	1	3769210	12	16	28.6%	7					80%	120%
Ca	1	3769210	0.34	0.33	3.0%	< 0.01					80%	120%
Cd	1	3769210	0.95	0.74	24.9%	< 0.5					80%	120%
Ce	1	3769210	< 1	< 1	0.0%	< 1					80%	120%
Co	1	3769210	16.9	16.6	1.8%	< 0.5					80%	120%
Cr	1	3769210	3.74	3.77	0.8%	< 0.5					80%	120%
Cu	1	3769210	48.9	48.3	1.2%	< 0.5	5874	6000	97%		80%	120%
Fe	1	3769210	3.29	3.15	4.3%	< 0.01					80%	120%
Ga	1	3769210	< 5	< 5	0.0%	< 5					80%	120%
Hg	1	3769210	< 1	< 1	0.0%	2					80%	120%
In	1	3769210	< 1	< 1	0.0%	< 1					80%	120%
K	1	3769210	0.13	0.13	0.0%	< 0.01					80%	120%
La	1	3769210	< 1	< 1	0.0%	< 1					80%	120%
Li	1	3769210	2	2	0.0%	< 1					80%	120%
Mg	1	3769210	0.156	0.153	1.9%	< 0.01					80%	120%
Mn	1	3769210	295	291	1.4%	< 1					80%	120%
Mo	1	3769210	10.2	7.3		< 0.5	353	360	98%		80%	120%
Na	1	3769210	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
Ni	1	3769210	26.1	26.0	0.4%	< 0.5					80%	120%
P	1	3769210	120	142	16.8%	< 10	663	600	111%		80%	120%
Pb	1	3769210	42.9	40.8	5.0%	< 0.5					80%	120%
Rb	1	3769210	< 10	< 10	0.0%	< 10	11	13	84%		80%	120%
S	1	3769210	0.210	0.209	0.5%	< 0.005					80%	120%
Sb	1	3769210	48	43	11.0%	7					80%	120%
Sc	1	3769210	5.60	5.44	2.9%	< 0.5					80%	120%
Se	1	3769210	< 10	< 10	0.0%	< 10					80%	120%
Sn	1	3769210	< 5	< 5	0.0%	< 5					80%	120%
Sr	1	3769210	22.3	22.2	0.4%	< 0.5					80%	120%
Ta	1	3769210	< 10	< 10	0.0%	< 10					80%	120%
Te	1	3769210	11	10	9.5%	< 10					80%	120%
Th	1	3769210	< 5	< 5	0.0%	< 5					80%	120%
Ti	1	3769210	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
Tl	1	3769210	0.045	0.047	4.3%	< 0.01					80%	120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y647898

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
U	1	3769210	< 5	< 5	0.0%	< 5				80% 120%
V	1	3769210	5.5	5.5	0.0%	< 0.5				80% 120%
W	1	3769210	11	8		< 1				80% 120%
Y	1	3769210	4	4	0.0%	< 1	7	7	100%	80% 120%
Zn	1	3769210	95.4	100	4.7%	< 0.5				80% 120%
Zr	1	3769210	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Ti) (201073)										
Ag	1	3769215	0.2	< 0.2		< 0.2	14.8	13.0	114%	80% 120%
Al	1	3769215	0.276	0.262	5.2%	< 0.01				80% 120%
As	1	3769215	2470	2510	1.6%	< 1				80% 120%
B	1	3769215	< 5	< 5	0.0%	< 5	7	7.00	100%	80% 120%
Ba	1	3769215	28	27	3.6%	< 1				80% 120%
Be	1	3769215	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	3769215	26	26	0.0%	< 1				80% 120%
Ca	1	3769215	0.04	0.04	0.0%	< 0.01				80% 120%
Cd	1	3769215	2.1	2.3	9.1%	< 0.5				80% 120%
Ce	1	3769215	< 1	< 1	0.0%	< 1				80% 120%
Co	1	3769215	5.5	5.7	3.6%	< 0.5				80% 120%
Cr	1	3769215	3.06	2.99	2.3%	< 0.5				80% 120%
Cu	1	3769215	12.8	13.0	1.6%	< 0.5	6023	6000	100%	80% 120%
Fe	1	3769215	7.28	7.04	3.4%	< 0.01				80% 120%
Ga	1	3769215	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3769215	9	7	25.0%	8				80% 120%
In	1	3769215	< 1	2		< 1				80% 120%
K	1	3769215	0.158	0.153	3.2%	< 0.01				80% 120%
La	1	3769215	1	1	0.0%	< 1				80% 120%
Li	1	3769215	1	1	0.0%	< 1				80% 120%
Mg	1	3769215	0.02	0.02	0.0%	< 0.01				80% 120%
Mn	1	3769215	24	24	0.0%	< 1				80% 120%
Mo	1	3769215	6.4	3.9		< 0.5	352	360	97%	80% 120%
Na	1	3769215	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3769215	12.9	13.1	1.5%	< 0.5				80% 120%
P	1	3769215	159	103		< 10	704	600	117%	80% 120%
Pb	1	3769215	69.7	72.3	3.7%	1.6				80% 120%
Rb	1	3769215	10	10	0.0%	< 10	11	13	87%	80% 120%
S	1	3769215	5.78	5.57	3.7%	< 0.005				80% 120%
Sb	1	3769215	26	35	29.5%	2				80% 120%
Sc	1	3769215	2.40	2.46	2.5%	< 0.5				80% 120%
Se	1	3769215	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3769215	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3769215	10.6	10.5	0.9%	< 0.5				80% 120%
Ta	1	3769215	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3769215	9	11	20.0%	< 10				80% 120%
Th	1	3769215	< 5	< 5	0.0%	< 5				80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y647898

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ti	1	3769215	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3769215	0.05	0.05	0.0%	< 0.01				80% 120%
U	1	3769215	< 5	< 5	0.0%	< 5				80% 120%
V	1	3769215	6.5	6.2	4.7%	< 0.5				80% 120%
W	1	3769215	18	21	15.4%	< 1				80% 120%
Y	1	3769215	1	1	0.0%	< 1	7	7	100%	80% 120%
Zn	1	3769215	23.0	24.0	4.3%	< 0.5				80% 120%
Zr	1	3769215	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1	3769235	< 0.2	< 0.2	0.0%	< 0.2	14.8	13.0	114%	80% 120%
Al	1	3769235	0.312	0.327	4.7%	< 0.01				80% 120%
As	1	3769235	155	137	12.3%	< 1				80% 120%
B	1	3769235	< 5	< 5	0.0%	< 5	8	7.00	114%	80% 120%
Ba	1	3769235	32	33	3.1%	< 1				80% 120%
Be	1	3769235	0.7	0.7	0.0%	< 0.5				80% 120%
Bi	1	3769235	12	< 1		< 1				80% 120%
Ca	1	3769235	0.77	0.79	2.6%	< 0.01				80% 120%
Cd	1	3769235	0.6	0.9		< 0.5				80% 120%
Ce	1	3769235	3	3	0.0%	< 1				80% 120%
Co	1	3769235	14.3	13.8	3.6%	< 0.5				80% 120%
Cr	1	3769235	2.7	2.7	0.0%	< 0.5				80% 120%
Cu	1	3769235	38.1	37.8	0.8%	< 0.5	6053	6000	100%	80% 120%
Fe	1	3769235	3.37	3.41	1.2%	< 0.01				80% 120%
Ga	1	3769235	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3769235	< 1	< 1	0.0%	< 1				80% 120%
In	1	3769235	< 1	1		< 1				80% 120%
K	1	3769235	0.171	0.179	4.6%	< 0.01				80% 120%
La	1	3769235	2	2	0.0%	< 1				80% 120%
Li	1	3769235	2	3		< 1				80% 120%
Mg	1	3769235	0.462	0.467	1.1%	< 0.01				80% 120%
Mn	1	3769235	366	365	0.3%	< 1				80% 120%
Mo	1	3769235	13.0	13.3	2.3%	< 0.5	351	360	97%	80% 120%
Na	1	3769235	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3769235	23.5	23.1	1.7%	< 0.5				80% 120%
P	1	3769235	411	398	3.2%	< 10	665	600	110%	80% 120%
Pb	1	3769235	29.2	25.8	12.4%	< 0.5				80% 120%
Rb	1	3769235	14	14	0.0%	< 10	11	13	88%	80% 120%
S	1	3769235	0.364	0.359	1.4%	< 0.005				80% 120%
Sb	1	3769235	65	58	11.4%	< 1				80% 120%
Sc	1	3769235	6.15	6.12	0.5%	< 0.5				80% 120%
Se	1	3769235	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3769235	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3769235	43.2	44.4	2.7%	< 0.5				80% 120%
Ta	1	3769235	< 10	< 10	0.0%	< 10				80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y647898

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Te	1	3769235	13	12	8.0%	< 10				80% 120%
Th	1	3769235	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3769235	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3769235	0.053	0.061	14.0%	< 0.01				80% 120%
U	1	3769235	< 5	< 5	0.0%	< 5				80% 120%
V	1	3769235	8.0	8.0	0.0%	< 0.5				80% 120%
W	1	3769235	9	9	0.0%	< 1				80% 120%
Y	1	3769235	5	5	0.0%	< 1	7	7	100%	80% 120%
Zn	1	3769235	81.8	79.7	2.6%	< 0.5				80% 120%
Zr	1	3769235	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Tl) (201073)										
Ag	1	3769254	< 0.2	< 0.2	0.0%	< 0.2	14.1	13.0	108%	80% 120%
Al	1	3769254	0.275	0.289	5.0%	< 0.01				80% 120%
As	1	3769254	102	108	5.7%	< 1				80% 120%
B	1	3769254	< 5	< 5	0.0%	< 5	7	7.00	100%	80% 120%
Ba	1	3769254	30	31	3.3%	< 1				80% 120%
Be	1	3769254	0.5	0.5	0.0%	< 0.5				80% 120%
Bi	1	3769254	11	3		< 1				80% 120%
Ca	1	3769254	0.40	0.42	4.9%	< 0.01				80% 120%
Cd	1	3769254	1.12	0.93	18.5%	< 0.5				80% 120%
Ce	1	3769254	3	4	28.6%	< 1				80% 120%
Co	1	3769254	17.6	16.9	4.1%	< 0.5				80% 120%
Cr	1	3769254	3.29	3.22	2.2%	< 0.5				80% 120%
Cu	1	3769254	39.3	37.3	5.2%	< 0.5	5745	6000	95%	80% 120%
Fe	1	3769254	3.96	4.21	6.1%	< 0.01				80% 120%
Ga	1	3769254	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3769254	< 1	< 1	0.0%	< 1				80% 120%
In	1	3769254	1	< 1		< 1				80% 120%
K	1	3769254	0.150	0.158	5.2%	< 0.01				80% 120%
La	1	3769254	3	3	0.0%	< 1				80% 120%
Li	1	3769254	1	1	0.0%	< 1				80% 120%
Mg	1	3769254	0.845	0.894	5.6%	< 0.01				80% 120%
Mn	1	3769254	911	891	2.2%	< 1				80% 120%
Mo	1	3769254	7.6	8.4	10.0%	< 0.5	340	360	94%	80% 120%
Na	1	3769254	0.01	0.01	0.0%	< 0.01				80% 120%
Ni	1	3769254	37.2	35.8	3.8%	< 0.5				80% 120%
P	1	3769254	160	139	14.0%	< 10	658	600	110%	80% 120%
Pb	1	3769254	15.6	11.3		< 0.5				80% 120%
Rb	1	3769254	12	11	8.7%	< 10	11	13	87%	80% 120%
S	1	3769254	0.298	0.307	3.0%	< 0.005				80% 120%
Sb	1	3769254	51	53	3.8%	< 1				80% 120%
Sc	1	3769254	6.2	5.9	5.0%	< 0.5				80% 120%
Se	1	3769254	28	< 10		< 10				80% 120%
Sn	1	3769254	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3769254	26.5	27.0	1.9%	< 0.5				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y647898

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Ta	1	3769254	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3769254	10	11	9.5%	< 10				80% 120%
Th	1	3769254	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3769254	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3769254	0.03	0.04	28.6%	< 0.01				80% 120%
U	1	3769254	< 5	< 5	0.0%	< 5				80% 120%
V	1	3769254	8.6	8.4	2.4%	< 0.5				80% 120%
W	1	3769254	14	15	6.9%	< 1				80% 120%
Y	1	3769254	2	2	0.0%	< 1	7	7	100%	80% 120%
Zn	1	3769254	102	106	3.8%	< 0.5				80% 120%
Zr	1	3769254	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1	3769260	< 0.2	< 0.2	0.0%	< 0.2	13.9	13.0	107%	80% 120%
Al	1	3769260	0.497	0.493	0.8%	< 0.01				80% 120%
As	1	3769260	43	46	6.7%	< 1				80% 120%
B	1	3769260	< 5	< 5	0.0%	< 5	7	7.00	100%	80% 120%
Ba	1	3769260	50	51	2.0%	< 1				80% 120%
Be	1	3769260	1.1	1.1	0.0%	< 0.5				80% 120%
Bi	1	3769260	26	7		< 1				80% 120%
Ca	1	3769260	0.147	0.143	2.8%	< 0.01				80% 120%
Cd	1	3769260	1.2	1.7		< 0.5				80% 120%
Ce	1	3769260	5	5	0.0%	< 1				80% 120%
Co	1	3769260	20.4	20.6	1.0%	< 0.5				80% 120%
Cr	1	3769260	4.5	4.4	2.2%	< 0.5				80% 120%
Cu	1	3769260	46.3	46.6	0.6%	< 0.5	5588	6000	93%	80% 120%
Fe	1	3769260	5.33	5.19	2.7%	< 0.01				80% 120%
Ga	1	3769260	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3769260	13	1		< 1				80% 120%
In	1	3769260	3	3	0.0%	< 1				80% 120%
K	1	3769260	0.26	0.26	0.0%	< 0.01				80% 120%
La	1	3769260	3	3	0.0%	< 1				80% 120%
Li	1	3769260	2	2	0.0%	< 1				80% 120%
Mg	1	3769260	1.15	1.12	2.6%	< 0.01				80% 120%
Mn	1	3769260	926	895	3.4%	< 1				80% 120%
Mo	1	3769260	6.5	6.5	0.0%	< 0.5	329	360	91%	80% 120%
Na	1	3769260	0.02	0.02	0.0%	< 0.01				80% 120%
Ni	1	3769260	38.5	37.4	2.9%	< 0.5				80% 120%
P	1	3769260	176	158	10.8%	< 10	692	600	115%	80% 120%
Pb	1	3769260	19.8	20.9	5.4%	< 0.5				80% 120%
Rb	1	3769260	19	19	0.0%	< 10	11	13	87%	80% 120%
S	1	3769260	0.172	0.169	1.8%	< 0.005				80% 120%
Sb	1	3769260	31	25	21.4%	< 1				80% 120%
Sc	1	3769260	7.61	7.34	3.6%	< 0.5				80% 120%
Se	1	3769260	22	< 10		< 10				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y647898

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Sn	1	3769260	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3769260	14.9	14.9	0.0%	< 0.5				80% 120%
Ta	1	3769260	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3769260	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3769260	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3769260	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3769260	0.07	0.07	0.0%	< 0.01				80% 120%
U	1	3769260	< 5	< 5	0.0%	< 5				80% 120%
V	1	3769260	11.0	11.2	1.8%	< 0.5				80% 120%
W	1	3769260	16	14	13.3%	< 1				80% 120%
Y	1	3769260	3	3	0.0%	< 1	8	7	114%	80% 120%
Zn	1	3769260	126	127	0.8%	< 0.5				80% 120%
Zr	1	3769260	< 5	< 5	0.0%	< 5				80% 120%

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

Ag	1	3769285	< 0.2	< 0.2	0.0%	< 0.2	12.7	13.0	98%	80% 120%
Al	1	3769285	0.57	0.63	10.0%	< 0.01				80% 120%
As	1	3769285	119	85		< 1				80% 120%
B	1	3769285	< 5	< 5	0.0%	< 5	7.12	7.00	102%	80% 120%
Ba	1	3769285	48	52	8.0%	< 1				80% 120%
Be	1	3769285	0.82	0.86	4.8%	< 0.5				80% 120%
Bi	1	3769285	< 1	1		< 1				80% 120%
Ca	1	3769285	0.348	0.345	0.9%	< 0.01	2.23	2.21	100%	80% 120%
Cd	1	3769285	1.25	1.42	12.7%	< 0.5				80% 120%
Ce	1	3769285	3	4	28.6%	< 1				80% 120%
Co	1	3769285	21.4	21.1	1.4%	< 0.5				80% 120%
Cr	1	3769285	8.43	8.66	2.7%	< 0.5				80% 120%
Cu	1	3769285	33.2	34.5	3.8%	< 0.5	5253	6000	87%	80% 120%
Fe	1	3769285	4.48	4.47	0.2%	< 0.01				80% 120%
Ga	1	3769285	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3769285	< 1	< 1	0.0%	< 1				80% 120%
In	1	3769285	< 1	2		< 1				80% 120%
K	1	3769285	0.27	0.29	7.1%	< 0.01				80% 120%
La	1	3769285	2	3		< 1				80% 120%
Li	1	3769285	15	16	6.5%	< 1				80% 120%
Mg	1	3769285	0.926	0.920	0.7%	< 0.01				80% 120%
Mn	1	3769285	403	407	1.0%	< 1				80% 120%
Mo	1	3769285	7.8	8.5	8.6%	< 0.5	305	360	84%	80% 120%
Na	1	3769285	0.03	0.03	0.0%	< 0.01				80% 120%
Ni	1	3769285	33.4	33.1	0.9%	< 0.5				80% 120%
P	1	3769285	134	148	9.9%	< 10	561	600	94%	80% 120%
Pb	1	3769285	17.4	17.8	2.3%	< 0.5				80% 120%
Rb	1	3769285	19	22	14.6%	< 10	11	13	82%	80% 120%
S	1	3769285	0.799	0.793	0.8%	< 0.005	0.82	0.80	102%	80% 120%
Sb	1	3769285	41	39	5.0%	< 1				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y647898

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Sc	1	3769285	4.63	4.77	3.0%	< 0.5				80% 120%
Se	1	3769285	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3769285	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3769285	17.4	18.4	5.6%	< 0.5				80% 120%
Ta	1	3769285	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3769285	11	13	16.7%	< 10				80% 120%
Th	1	3769285	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3769285	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3769285	0.084	0.087	3.5%	< 0.01				80% 120%
U	1	3769285	< 5	< 5	0.0%	< 5				80% 120%
V	1	3769285	13.3	14.4	7.9%	< 0.5				80% 120%
W	1	3769285	17	9		< 1				80% 120%
Y	1	3769285	2	2	0.0%	< 1				80% 120%
Zn	1	3769285	78.6	77.0	2.1%	< 0.5				80% 120%
Zr	1	3769285	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1	3769310	< 0.2	< 0.2	0.0%	< 0.2	14.6	13.0	112%	80% 120%
Al	1	3769310	0.83	0.86	3.6%	< 0.01				80% 120%
As	1	3769310	< 1	9		< 1				80% 120%
B	1	3769310	< 5	< 5	0.0%	< 5				80% 120%
Ba	1	3769310	70	72	2.8%	< 1				80% 120%
Be	1	3769310	0.9	0.9	0.0%	< 0.5				80% 120%
Bi	1	3769310	7	15		< 1				80% 120%
Ca	1	3769310	0.41	0.41	0.0%	< 0.01				80% 120%
Cd	1	3769310	1.5	0.6		< 0.5				80% 120%
Ce	1	3769310	4	5	22.2%	< 1				80% 120%
Co	1	3769310	8.9	8.5	4.6%	< 0.5				80% 120%
Cr	1	3769310	10.1	9.81	2.9%	< 0.5				80% 120%
Cu	1	3769310	32.4	31.1	4.1%	< 0.5	5957	6000	99%	80% 120%
Fe	1	3769310	3.35	3.37	0.6%	< 0.01				80% 120%
Ga	1	3769310	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3769310	< 1	< 1	0.0%	< 1				80% 120%
In	1	3769310	< 1	< 1	0.0%	< 1				80% 120%
K	1	3769310	0.303	0.319	5.1%	< 0.01				80% 120%
La	1	3769310	2	2	0.0%	< 1				80% 120%
Li	1	3769310	15	15	0.0%	< 1				80% 120%
Mg	1	3769310	0.686	0.681	0.7%	< 0.01				80% 120%
Mn	1	3769310	517	498	3.7%	< 1				80% 120%
Mo	1	3769310	13.7	9.2		< 0.5	355	360	98%	80% 120%
Na	1	3769310	0.02	0.02	0.0%	< 0.01				80% 120%
Ni	1	3769310	17.4	16.3	6.5%	< 0.5				80% 120%
P	1	3769310	481	425	12.4%	< 10	616	600	102%	80% 120%
Pb	1	3769310	14.2	10.3		< 0.5				80% 120%
Rb	1	3769310	24	24	0.0%	< 10	11	13	88%	80% 120%
S	1	3769310	0.019	0.019	0.0%	< 0.005				80% 120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y647898

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Sb	1	3769310	52	47	10.1%	< 1				80% 120%
Sc	1	3769310	5.3	5.2	1.9%	< 0.5				80% 120%
Se	1	3769310	47	< 10		< 10				80% 120%
Sn	1	3769310	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3769310	37.6	37.3	0.8%	< 0.5				80% 120%
Ta	1	3769310	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3769310	< 10	< 10	0.0%	< 10				80% 120%
Th	1	3769310	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3769310	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3769310	0.075	0.080	6.5%	< 0.01				80% 120%
U	1	3769310	< 5	< 5	0.0%	< 5				80% 120%
V	1	3769310	13.8	13.6	1.5%	< 0.5				80% 120%
W	1	3769310	9	10	10.5%	< 1				80% 120%
Y	1	3769310	5	5	0.0%	< 1	7	7	100%	80% 120%
Zn	1	3769310	63.0	58.5	7.4%	< 0.5				80% 120%
Zr	1	3769310	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Ti) (201073)										
Ag	1	3774016	< 0.2	< 0.2	0.0%	< 0.2	14.8	13.0	114%	80% 120%
Al	1	3774016	0.04	0.04	0.0%	< 0.01				80% 120%
As	1	3774016	270	252	6.9%	< 1				80% 120%
B	1	3774016	< 5	< 5	0.0%	< 5	8	7.00	114%	80% 120%
Ba	1	3774016	23	23	0.0%	< 1				80% 120%
Be	1	3774016	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	3774016	< 1	< 1	0.0%	< 1				80% 120%
Ca	1	3774016	18.5	18.3	1.1%	< 0.01				80% 120%
Cd	1	3774016	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Ce	1	3774016	10	10	0.0%	< 1				80% 120%
Co	1	3774016	2.2	1.9	14.6%	< 0.5				80% 120%
Cr	1	3774016	0.9	1.3		< 0.5				80% 120%
Cu	1	3774016	1.5	1.0		< 0.5	6008	6000	100%	80% 120%
Fe	1	3774016	0.379	0.374	1.3%	< 0.01				80% 120%
Ga	1	3774016	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3774016	7	< 1		< 1				80% 120%
In	1	3774016	< 1	< 1	0.0%	< 1				80% 120%
K	1	3774016	0.02	0.02	0.0%	< 0.01				80% 120%
La	1	3774016	1	1	0.0%	< 1				80% 120%
Li	1	3774016	< 1	< 1	0.0%	< 1				80% 120%
Mg	1	3774016	11.8	11.9	0.8%	< 0.01				80% 120%
Mn	1	3774016	217	210	3.3%	< 1				80% 120%
Mo	1	3774016	42.6	43.0	0.9%	< 0.5	352	360	97%	80% 120%
Na	1	3774016	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3774016	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
P	1	3774016	265	262	1.1%	< 10	612	600	102%	80% 120%
Pb	1	3774016	< 0.5	< 0.5	0.0%	< 0.5				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y647898

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				Acceptable Limits	
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery		Lower	Upper
Rb	1	3774016	< 10	< 10	0.0%	< 10	12	13	90%		80%	120%
S	1	3774016	0.180	0.178	1.1%	< 0.005					80%	120%
Sb	1	3774016	113	124	9.3%	< 1					80%	120%
Sc	1	3774016	< 0.5	< 0.5	0.0%	< 0.5					80%	120%
Se	1	3774016	< 10	< 10	0.0%	< 10					80%	120%
Sn	1	3774016	212	232	9.0%	< 5					80%	120%
Sr	1	3774016	56.3	55.5	1.4%	< 0.5					80%	120%
Ta	1	3774016	< 10	< 10	0.0%	< 10					80%	120%
Te	1	3774016	26	26	0.0%	< 10					80%	120%
Th	1	3774016	< 5	< 5	0.0%	< 5					80%	120%
Ti	1	3774016	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
Tl	1	3774016	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
U	1	3774016	< 5	< 5	0.0%	< 5					80%	120%
V	1	3774016	14.9	14.4	3.4%	< 0.5					80%	120%
W	1	3774016	< 1	< 1	0.0%	< 1					80%	120%
Y	1	3774016	< 1	< 1	0.0%	< 1	6	7	80%		80%	120%
Zn	1	3774016	30.2	26.2	14.2%	< 0.5					80%	120%
Zr	1	3774016	< 5	< 5	0.0%	< 5					80%	120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)												
Ag	1					< 0.2	14.4	13.0	110%		80%	120%
Cu	1					< 0.5	5868	6000	97%		80%	120%
Mo	1					< 0.5	340	360	94%		80%	120%
P	1					< 10	625	600	104%		80%	120%
Rb	1					< 10	12	13	91%		80%	120%
Y	1					< 1	6	7	81%		80%	120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)												
Ag	1					< 0.2	13.2	13.0	102%		80%	120%
B	1					< 5	7	7.00	100%		80%	120%
Cu	1					< 0.5	5733	6000	95%		80%	120%
Mo	1					< 0.5	341	360	94%		80%	120%
P	1					< 10	669	600	112%		80%	120%
Rb	1					< 10	11	13	84%		80%	120%
Y	1					< 1	7	7	100%		80%	120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)												
Ag	1					< 0.2	13.1	13.0	101%		80%	120%
B	1					< 5	8	7.00	114%		80%	120%
Cu	1					< 0.5	5824	6000	97%		80%	120%
Mo	1					< 0.5	345	360	95%		80%	120%
P	1					< 10	625	600	104%		80%	120%
Rb	1					< 10	12	13	89%		80%	120%
Y	1					< 1	7	7	100%		80%	120%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)												
Au	1	3769273	0.003	0.003	0.0%	< 0.001	1.58	1.52	103%		90%	110%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y647898

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3769285	0.013	0.013	0.0%	< 0.001	0.271	0.263	103%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3769296	0.015	0.014	6.9%	< 0.001	0.29	0.263	110%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3769249	0.0038	0.0046	19.0%	< 0.001	1.46	1.52	96%	90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3769310	0.001	0.001	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3769197	0.002	0.002	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3769310	0.001	0.001	0.0%	< 0.001				90%	110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)											
Au	1	3774016	0.003	0.001		< 0.001				90%	110%

Certified By:

Ron Cardinal

Method Summary

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y647898

PROJECT NO:

ATTENTION TO: Yinghua Chen

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
B	MIN-200-12020		ICP/OES
Ba	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
In	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP/OES
Li	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr	MIN-200-12020		ICP/OES
Ta	MIN-200-12020		ICP/OES
Te	MIN-200-12020		ICP/OES
Th	MIN-200-12020		ICP/OES
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP-MS
U	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP/OES
Y	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Zr	MIN-200-12020		ICP/OES
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES
Sample Login Weight	MIN-12009		BALANCE