

CLIENT NAME: ANTHILL RESOURCES (YUKON)
1090-999 WEST HASTINGS STREET
Vancouver, BC V6C2W2
(604) 569-3892

ATTENTION TO: Yinghua Chen

PROJECT NO:

AGAT WORK ORDER: 12Y648713

SOLID ANALYSIS REVIEWED BY: Ron Cardinall, Certified Assayer - Director - Technical Services (Mining)

DATE REPORTED: Oct 18, 2012

PAGES (INCLUDING COVER): 16

Should you require any information regarding this analysis please contact your client services representative at (905) 501-9998

***NOTES**

All samples are stored at no charge for 90 days. Please contact the lab if you require additional sample storage time.



Certificate of Analysis

AGAT WORK ORDER: 12Y648713

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 03, 2012		DATE RECEIVED: Oct 03, 2012						DATE REPORTED: Oct 18, 2012				SAMPLE TYPE: Drill Core			
	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
Sample Description	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
E5539783		<0.2	0.35	199	<5	36	0.8	2	2.64	1.7	2	13.4	3.0	44.7	3.72
E5539784		<0.2	0.27	15	<5	44	1.0	<1	5.93	1.4	5	8.9	2.6	32.1	2.39
E5539785		<0.2	0.19	254	<5	34	<0.5	<1	10.4	1.7	9	8.1	2.2	23.4	1.83
E5539786		<0.2	0.17	226	<5	24	<0.5	<1	4.29	0.9	4	5.0	4.6	16.3	1.33
E5539787		<0.2	0.06	212	<5	7	<0.5	<1	10.4	0.8	8	3.7	5.8	6.6	0.93
E5539788		<0.2	0.21	12	<5	20	0.5	<1	5.91	1.0	5	7.2	2.8	22.2	2.00
E5539789		<0.2	0.18	13	<5	18	0.6	12	1.74	1.0	2	6.3	6.0	15.8	1.45
E5539790		<0.2	0.22	162	<5	22	0.5	<1	2.78	1.6	2	13.5	1.9	41.3	3.08
E5539791		<0.2	0.08	13	<5	10	<0.5	<1	13.3	1.5	11	3.1	5.0	7.4	1.02
E5539792		0.2	0.24	192	<5	25	0.6	1	2.20	1.4	2	5.5	2.6	25.7	2.39
E5539793		<0.2	0.25	243	<5	25	<0.5	<1	3.27	1.8	3	12.8	3.9	37.4	3.17
E5539794		<0.2	0.15	246	<5	15	<0.5	<1	8.23	1.2	6	5.4	5.5	15.7	2.04
E5539795		<0.2	0.10	227	<5	10	<0.5	<1	6.70	0.6	5	4.4	9.2	9.6	1.19
E5539796		<0.2	0.21	229	<5	20	<0.5	<1	3.74	1.6	3	9.3	4.3	28.6	2.25
E5539797		<0.2	0.31	228	<5	29	<0.5	<1	6.13	1.7	6	13.9	4.0	38.0	2.86
E5539798		<0.2	0.04	18	<5	6	<0.5	<1	12.6	0.8	10	3.3	7.5	4.0	0.77
E5539799		<0.2	0.28	189	<5	28	0.6	14	0.15	1.5	2	19.1	2.8	36.4	3.28
E5539800		<0.2	0.28	230	6	26	0.6	<1	4.44	1.5	4	7.5	2.4	34.1	2.86
E5539801		<0.2	0.25	239	<5	26	<0.5	<1	4.29	1.4	4	13.9	2.2	35.9	2.62
E5539802		<0.2	0.26	184	<5	25	<0.5	<1	2.37	1.3	3	13.7	2.0	40.2	3.29
E5539803		<0.2	0.24	20	5	25	<0.5	7	7.42	1.5	7	12.3	2.0	36.1	2.68
E5539804		<0.2	0.18	238	<5	20	<0.5	<1	10.1	1.1	8	9.1	2.0	24.9	2.18
E5539805		<0.2	0.19	271	<5	21	<0.5	<1	6.60	1.5	6	11.8	1.9	30.4	2.56
E5539806		<0.2	0.22	209	<5	22	<0.5	<1	5.91	1.3	5	9.5	2.2	29.6	2.27
E5539807		<0.2	0.22	20	<5	25	<0.5	<1	5.28	1.5	4	11.9	1.8	33.0	2.81
E5539808		<0.2	0.28	11	6	29	<0.5	2	2.31	1.3	2	13.9	2.2	40.1	3.17
E5539809		<0.2	0.13	207	<5	14	<0.5	<1	8.48	0.6	6	6.3	4.1	18.1	1.63
E5539810		<0.2	0.07	176	<5	7	<0.5	<1	2.95	0.8	2	3.0	5.1	4.3	1.41
E5539811		<0.2	0.27	19	<5	26	0.7	<1	2.89	1.6	3	13.9	2.1	48.9	3.95
E5539812		<0.2	0.25	19	<5	26	<0.5	<1	6.01	1.6	5	13.1	2.4	38.1	3.22
E5539813		<0.2	0.16	239	<5	15	<0.5	<1	6.86	1.4	6	10.2	2.6	22.1	1.94
E5539814		<0.2	0.07	233	<5	9	<0.5	<1	10.5	<0.5	8	3.7	4.3	4.5	1.09

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y648713

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 03, 2012

DATE RECEIVED: Oct 03, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cu	Fe
	Unit:	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
	RDL:	0.2	0.01	1	5	1	0.5	1	0.01	0.5	1	0.5	0.5	0.5	0.01
E5539815		<0.2	0.24	243	<5	19	<0.5	5	4.32	1.0	5	8.0	2.7	23.5	1.70
E5539816		<0.2	0.26	224	5	34	<0.5	<1	5.02	1.2	5	10.6	1.9	30.4	2.81
E5539817		<0.2	0.29	276	<5	35	0.7	<1	4.35	2.1	5	13.8	2.1	42.8	3.59
E5539818		<0.2	0.29	270	5	33	0.7	<1	4.19	1.9	5	13.4	1.9	41.7	3.46
E5539819		0.4	0.15	433	<5	2010	<0.5	<1	0.93	1.6	1	6.3	15.3	32.7	2.66
E5539820		<0.2	0.02	<1	<5	18	<0.5	<1	18.7	0.5	11	2.0	<0.5	1.5	0.41
E5539821		<0.2	0.33	110	<5	46	0.8	22	0.26	1.5	3	11.0	2.3	45.9	4.28
E5539822		<0.2	0.06	285	<5	13	<0.5	<1	13.3	<0.5	10	3.9	3.6	4.1	0.89
E5539823		<0.2	0.09	285	<5	10	<0.5	<1	10.4	1.0	9	4.4	4.0	9.2	1.51
E5539824		<0.2	0.29	58	<5	30	0.8	8	0.06	1.3	1	14.5	2.3	45.6	3.13
E5539825		<0.2	0.46	171	<5	42	0.9	23	0.59	1.5	6	9.9	5.4	54.7	2.89
E5539826		<0.2	0.21	198	<5	19	0.6	4	1.82	1.0	3	4.6	9.3	21.8	1.64
E5539827		<0.2	0.22	131	<5	21	1.2	14	0.08	1.3	1	5.1	9.8	21.4	2.37
E5539828		<0.2	0.02	17	<5	1	<0.5	<1	0.05	<0.5	<1	1.2	9.0	2.0	0.45
E5539829		<0.2	0.07	373	<5	7	<0.5	3	0.03	0.6	<1	3.8	13.3	5.9	1.13
E5539830		<0.2	0.19	318	<5	22	0.6	<1	2.49	1.6	3	10.2	6.3	19.7	2.36
E5539831		<0.2	0.25	181	<5	28	0.6	8	0.41	0.8	3	10.6	3.6	33.7	1.79
E5539832		<0.2	0.23	240	<5	24	<0.5	25	2.62	1.0	4	7.7	7.9	25.3	2.28
E5539833		<0.2	0.23	1490	5	25	<0.5	<1	2.99	1.3	5	8.7	10.4	11.6	2.87
E5539834		<0.2	0.05	1210	<5	5	<0.5	4	0.64	0.5	<1	3.2	16.3	2.0	0.93
E5539835		1.6	0.23	425	<5	23	<0.5	10	1.51	0.6	7	15.5	5.9	84.2	1.46
E5539836		<0.2	0.26	174	<5	28	0.6	1	0.99	<0.5	7	16.4	3.8	14.8	1.15
E5539837		<0.2	0.27	198	<5	29	0.6	<1	1.94	1.4	7	17.9	2.8	50.1	3.40
E5539838		<0.2	0.28	101	<5	28	0.6	15	0.50	2.4	7	18.0	4.1	48.6	5.29
E5539839		<0.2	0.25	66	<5	28	0.7	3	0.09	1.9	7	19.1	4.6	44.3	4.47

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y648713

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 03, 2012

DATE RECEIVED: Oct 03, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Drill Core

Analyte:	Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description														
E5539783	<5	<1	2	0.20	<1	<1	0.37	327	23.4	<0.01	21.4	676	23.5	21
E5539784	<5	<1	<1	0.15	<1	<1	0.19	372	32.5	<0.01	14.4	448	15.5	21
E5539785	<5	<1	<1	0.11	1	<1	0.20	442	41.5	<0.01	10.9	630	9.1	20
E5539786	<5	<1	<1	0.11	<1	<1	0.17	249	26.2	<0.01	6.5	268	7.3	15
E5539787	<5	<1	1	0.03	<1	<1	0.10	324	44.1	<0.01	2.8	309	<0.5	12
E5539788	<5	<1	1	0.13	<1	<1	0.03	298	27.7	<0.01	11.7	276	13.0	18
E5539789	<5	<1	<1	0.10	<1	<1	0.02	142	18.3	<0.01	8.9	231	10.2	10
E5539790	<5	<1	<1	0.13	<1	<1	0.12	256	20.3	<0.01	21.9	551	25.3	16
E5539791	<5	3	<1	0.04	<1	<1	0.09	421	49.1	<0.01	3.1	460	<0.5	14
E5539792	<5	2	1	0.15	<1	<1	0.02	141	21.5	<0.01	12.5	556	19.0	15
E5539793	<5	<1	1	0.16	<1	<1	0.21	341	22.0	<0.01	20.6	393	17.9	18
E5539794	<5	<1	<1	0.09	<1	<1	0.08	386	32.9	<0.01	8.1	542	7.8	17
E5539795	<5	<1	<1	0.06	<1	<1	0.16	314	35.9	<0.01	4.7	162	7.0	13
E5539796	<5	<1	1	0.13	<1	<1	0.03	255	27.0	<0.01	14.0	361	20.3	16
E5539797	<5	<1	1	0.19	<1	<1	0.20	412	29.6	<0.01	20.1	1190	22.0	23
E5539798	<5	2	<1	0.03	1	<1	0.05	456	41.3	<0.01	2.9	300	<0.5	12
E5539799	<5	<1	1	0.17	<1	<1	0.02	53	7.1	<0.01	29.4	309	40.7	13
E5539800	<5	<1	2	0.16	<1	<1	0.05	207	27.2	<0.01	16.4	303	21.6	20
E5539801	<5	<1	1	0.16	<1	<1	0.34	339	29.5	<0.01	20.8	452	17.0	21
E5539802	<5	<1	3	0.15	<1	<1	0.72	411	20.5	<0.01	21.6	487	18.6	16
E5539803	<5	<1	<1	0.16	1	<1	0.52	547	37.3	<0.01	17.9	498	16.6	23
E5539804	<5	<1	<1	0.11	1	<1	0.40	453	42.5	<0.01	12.4	483	10.4	20
E5539805	<5	<1	2	0.11	<1	<1	0.47	447	31.0	<0.01	13.9	544	18.5	18
E5539806	<5	<1	2	0.13	<1	<1	0.13	325	29.5	<0.01	10.6	371	12.4	18
E5539807	<5	<1	<1	0.13	<1	<1	0.37	394	30.4	<0.01	15.4	584	21.3	19
E5539808	<5	<1	2	0.18	<1	<1	0.59	358	21.3	<0.01	20.2	350	22.3	19
E5539809	<5	<1	<1	0.07	<1	<1	0.17	367	41.1	<0.01	7.6	325	6.1	15
E5539810	<5	<1	<1	0.04	<1	<1	0.36	335	23.9	<0.01	1.9	236	4.8	<10
E5539811	<5	<1	<1	0.16	<1	<1	0.43	318	20.5	<0.01	22.5	658	24.0	17
E5539812	<5	<1	1	0.16	<1	<1	0.58	453	33.0	<0.01	18.3	709	23.0	20
E5539813	<5	<1	<1	0.08	<1	<1	0.13	315	36.0	<0.01	11.0	465	10.4	15
E5539814	<5	<1	<1	0.03	<1	<1	0.05	400	39.7	<0.01	4.1	274	<0.5	12

Certified By:



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y648713

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 03, 2012		DATE RECEIVED: Oct 03, 2012				DATE REPORTED: Oct 18, 2012				SAMPLE TYPE: Drill Core					
Analyte:		Ga	Hg	In	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	Rb
Unit:		ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:		5	1	1	0.01	1	1	0.01	1	0.5	0.01	0.5	10	0.5	10
Sample Description															
E5539815		<5	<1	<1	0.11	<1	<1	0.06	268	22.0	<0.01	10.6	631	15.6	16
E5539816		<5	<1	2	0.14	<1	<1	0.19	341	26.5	<0.01	14.6	294	17.2	18
E5539817		<5	<1	<1	0.16	<1	<1	0.17	359	27.4	<0.01	18.5	870	26.5	19
E5539818		<5	<1	<1	0.16	<1	<1	0.17	338	25.0	<0.01	18.9	637	21.7	19
E5539819		<5	<1	10	0.06	1	2	0.03	47	26.4	<0.01	8.7	165	14.2	<10
E5539820		<5	1	<1	0.01	1	<1	12.3	225	39.0	<0.01	<0.5	398	<0.5	12
E5539821		<5	<1	2	0.16	<1	<1	0.03	80	11.9	<0.01	22.8	460	28.8	12
E5539822		<5	<1	<1	0.03	1	<1	0.05	475	43.2	<0.01	2.7	231	<0.5	12
E5539823		<5	<1	2	0.05	1	<1	0.06	367	42.2	<0.01	5.2	230	1.7	14
E5539824		<5	<1	4	0.17	<1	<1	0.02	62	5.5	<0.01	26.0	191	28.7	11
E5539825		<5	<1	3	0.24	1	<1	0.03	61	15.1	<0.01	25.3	2490	32.8	18
E5539826		<5	<1	1	0.11	<1	<1	0.02	128	16.4	<0.01	8.7	246	16.5	11
E5539827		<5	<1	<1	0.11	<1	<1	0.02	58	6.5	<0.01	14.0	352	24.6	<10
E5539828		<5	<1	<1	0.01	<1	<1	0.01	28	3.7	<0.01	1.3	31	3.7	<10
E5539829		<5	<1	1	0.04	<1	<1	<0.01	34	4.1	<0.01	5.2	15	5.9	<10
E5539830		<5	<1	1	0.11	<1	<1	0.07	338	20.3	<0.01	12.6	410	21.6	11
E5539831		<5	<1	3	0.15	1	<1	0.21	224	16.1	<0.01	16.1	232	17.6	12
E5539832		<5	9	2	0.13	1	1	0.86	641	20.1	<0.01	10.8	604	12.6	15
E5539833		<5	<1	2	0.14	2	<1	1.03	816	28.7	<0.01	14.6	600	8.9	17
E5539834		<5	<1	<1	0.03	<1	<1	0.23	158	16.9	<0.01	3.7	97	3.7	<10
E5539835		<5	<1	2	0.13	3	3	0.51	306	18.0	<0.01	33.8	355	17.8	13
E5539836		<5	<1	1	0.15	3	1	0.37	211	14.0	0.01	37.2	294	10.3	13
E5539837		<5	<1	2	0.16	3	<1	1.00	636	19.5	0.01	38.8	289	10.5	16
E5539838		<5	14	2	0.16	4	<1	1.13	944	12.5	0.01	37.5	317	13.7	13
E5539839		<5	<1	2	0.15	4	<1	0.90	764	1.6	0.01	39.8	278	11.5	12

Certified By:

Ron Cardinal



Certificate of Analysis

AGAT WORK ORDER: 12Y648713

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 03, 2012		DATE RECEIVED: Oct 03, 2012					DATE REPORTED: Oct 18, 2012					SAMPLE TYPE: Drill Core			
	Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
	Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
Sample Description	RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
E5539783		1.14	118	3.3	<10	<5	90.2	<10	29	<5	<0.01	0.07	<5	6.4	9
E5539784		0.511	136	1.3	<10	<5	177	<10	30	<5	<0.01	0.05	<5	4.4	6
E5539785		0.488	150	<0.5	<10	<5	561	<10	29	<5	<0.01	0.04	<5	4.1	4
E5539786		0.128	121	<0.5	<10	<5	207	<10	26	<5	<0.01	0.05	<5	3.2	4
E5539787		0.270	127	<0.5	<10	<5	387	<10	37	<5	<0.01	<0.01	<5	1.8	2
E5539788		0.293	119	<0.5	<10	<5	92.3	<10	31	<5	<0.01	0.05	<5	2.6	5
E5539789		0.174	96	<0.5	<10	<5	34.9	<10	26	<5	<0.01	0.04	<5	1.6	3
E5539790		0.844	117	2.6	43	<5	49.9	<10	31	<5	<0.01	0.06	<5	4.5	7
E5539791		0.361	146	<0.5	<10	54	449	<10	35	<5	<0.01	0.01	<5	2.2	2
E5539792		0.058	84	1.2	<10	<5	30.5	<10	26	<5	<0.01	0.04	<5	3.6	4
E5539793		0.786	112	1.8	17	<5	67.5	<10	28	<5	<0.01	0.06	<5	5.2	8
E5539794		0.231	139	<0.5	17	<5	225	<10	30	<5	<0.01	0.03	<5	3.0	4
E5539795		0.427	131	<0.5	<10	<5	259	<10	24	<5	<0.01	0.02	<5	2.2	3
E5539796		0.657	118	<0.5	<10	<5	57.7	<10	30	<5	<0.01	0.04	<5	2.7	3
E5539797		1.61	127	2.5	<10	<5	156	<10	32	<5	<0.01	0.07	<5	6.1	6
E5539798		0.173	145	<0.5	<10	33	203	<10	36	<5	<0.01	<0.01	<5	1.2	<1
E5539799		1.85	50	2.8	<10	<5	9.3	<10	12	<5	<0.01	0.06	<5	3.5	7
E5539800		0.113	133	3.0	<10	<5	113	<10	31	<5	<0.01	0.04	<5	4.2	7
E5539801		1.29	107	2.5	<10	<5	243	<10	32	<5	<0.01	0.07	<5	5.4	6
E5539802		1.40	102	4.3	44	<5	98.9	<10	26	<5	<0.01	0.07	<5	6.3	9
E5539803		1.45	122	2.7	<10	<5	251	<10	36	<5	<0.01	0.06	<5	6.0	5
E5539804		0.606	145	1.3	85	<5	395	<10	36	<5	<0.01	0.05	<5	4.6	5
E5539805		0.590	125	1.9	<10	<5	246	<10	35	<5	<0.01	0.04	<5	5.0	6
E5539806		0.319	123	0.9	<10	<5	197	<10	32	<5	<0.01	0.04	<5	4.2	5
E5539807		0.770	131	2.2	<10	<5	226	<10	31	<5	<0.01	0.05	<5	5.4	5
E5539808		1.55	113	3.0	<10	<5	89.1	<10	27	<5	<0.01	0.06	<5	6.5	5
E5539809		0.447	139	<0.5	<10	<5	319	<10	33	<5	<0.01	0.02	<5	3.1	3
E5539810		0.184	105	<0.5	<10	<5	96.0	<10	23	<5	<0.01	0.01	<5	3.0	4
E5539811		1.33	110	4.6	<10	<5	88.4	<10	30	<5	<0.01	0.09	<5	6.8	10
E5539812		1.49	136	2.1	<10	<5	257	<10	32	<5	<0.01	0.06	<5	5.7	10
E5539813		0.559	144	<0.5	<10	<5	230	<10	31	<5	<0.01	0.03	<5	2.6	4
E5539814		0.157	156	<0.5	22	<5	170	<10	35	<5	<0.01	<0.01	<5	1.5	3

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y648713

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 03, 2012

DATE RECEIVED: Oct 03, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Drill Core

Analyte:	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	W
Unit:	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
RDL:	0.005	1	0.5	10	5	0.5	10	10	5	0.01	0.01	5	0.5	1
Sample Description														
E5539815	0.542	107	<0.5	<10	<5	61.8	<10	34	<5	<0.01	0.03	<5	2.5	4
E5539816	0.641	119	1.0	<10	<5	66.1	<10	27	<5	<0.01	0.05	<5	4.2	5
E5539817	0.798	134	3.2	<10	<5	125	<10	32	<5	<0.01	0.05	<5	4.9	7
E5539818	0.806	113	3.0	<10	<5	117	<10	28	<5	<0.01	0.05	<5	5.2	10
E5539819	0.159	120	<0.5	13	<5	24.0	<10	19	<5	<0.01	12.1	<5	8.9	38
E5539820	0.236	161	<0.5	<10	184	55.0	<10	39	<5	<0.01	<0.01	<5	14.4	<1
E5539821	0.009	66	3.3	<10	<5	10.8	<10	14	<5	<0.01	0.05	<5	3.8	13
E5539822	0.175	140	<0.5	<10	52	138	<10	39	<5	<0.01	<0.01	<5	1.5	1
E5539823	0.152	149	<0.5	<10	<5	196	<10	43	<5	<0.01	0.01	<5	1.9	2
E5539824	0.990	25	1.2	<10	<5	7.1	<10	<10	<5	<0.01	0.04	<5	3.8	9
E5539825	0.551	85	2.0	<10	<5	44.2	<10	16	<5	<0.01	0.06	<5	6.1	7
E5539826	0.037	109	<0.5	<10	<5	10.6	<10	25	<5	<0.01	0.03	<5	2.1	2
E5539827	0.065	40	<0.5	<10	<5	9.7	<10	<10	<5	<0.01	0.03	<5	2.9	5
E5539828	0.027	12	<0.5	<10	<5	2.2	<10	<10	<5	<0.01	<0.01	<5	<0.5	1
E5539829	0.381	5	<0.5	<10	<5	1.2	<10	<10	<5	<0.01	0.01	<5	<0.5	3
E5539830	1.32	114	<0.5	99	<5	68.0	<10	25	<5	<0.01	0.03	<5	2.2	6
E5539831	0.371	63	<0.5	40	<5	21.4	<10	15	<5	<0.01	0.06	<5	4.8	3
E5539832	0.221	108	0.7	<10	<5	109	<10	25	<5	<0.01	0.04	<5	7.1	5
E5539833	1.23	116	2.0	<10	<5	134	<10	27	<5	<0.01	0.05	<5	6.9	5
E5539834	0.505	69	<0.5	<10	<5	29.0	<10	14	<5	<0.01	0.01	<5	2.6	2
E5539835	0.772	111	<0.5	<10	<5	82.5	<10	26	<5	<0.01	0.06	<5	6.0	5
E5539836	0.590	92	<0.5	<10	<5	51.1	<10	23	<5	<0.01	0.06	<5	5.4	2
E5539837	0.711	120	3.1	<10	<5	82.7	<10	28	<5	<0.01	0.07	<5	7.7	10
E5539838	0.270	76	3.8	<10	<5	30.9	<10	23	<5	<0.01	0.06	<5	8.8	17
E5539839	0.180	39	3.3	<10	<5	15.1	<10	12	<5	<0.01	0.07	<5	7.9	13

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y648713

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 03, 2012

DATE RECEIVED: Oct 03, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
E5539783		7	83.2	<5
E5539784		7	54.5	<5
E5539785		7	28.0	<5
E5539786		5	30.3	<5
E5539787		4	28.3	<5
E5539788		6	44.5	<5
E5539789		4	37.8	<5
E5539790		7	66.3	<5
E5539791		5	17.1	<5
E5539792		6	51.9	<5
E5539793		7	58.5	<5
E5539794		6	42.4	<5
E5539795		4	22.5	<5
E5539796		6	51.0	<5
E5539797		9	50.9	6
E5539798		5	21.2	<5
E5539799		5	73.4	5
E5539800		6	71.7	<5
E5539801		6	68.5	<5
E5539802		6	81.1	<5
E5539803		7	50.9	<5
E5539804		7	49.1	<5
E5539805		7	54.5	<5
E5539806		7	50.0	<5
E5539807		7	67.1	<5
E5539808		5	68.8	<5
E5539809		5	32.6	<5
E5539810		3	10.7	<5
E5539811		7	77.6	<5
E5539812		7	53.7	<5
E5539813		5	38.2	<5
E5539814		4	23.4	<5

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y648713

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)

DATE SAMPLED: Oct 03, 2012

DATE RECEIVED: Oct 03, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Y	Zn	Zr
	Unit:	ppm	ppm	ppm
	RDL:	1	0.5	5
E5539815		6	38.1	<5
E5539816		6	49.3	<5
E5539817		8	69.2	6
E5539818		8	58.8	6
E5539819		2	19.1	10
E5539820		<1	31.3	<5
E5539821		7	87.9	5
E5539822		4	18.8	<5
E5539823		5	37.8	<5
E5539824		5	65.7	<5
E5539825		12	69.7	9
E5539826		4	49.6	<5
E5539827		5	66.6	<5
E5539828		<1	6.4	<5
E5539829		<1	17.8	<5
E5539830		4	52.4	<5
E5539831		4	70.1	<5
E5539832		5	53.0	<5
E5539833		6	34.2	<5
E5539834		1	11.6	<5
E5539835		4	138	<5
E5539836		3	99.5	<5
E5539837		5	98.5	<5
E5539838		3	95.8	<5
E5539839		3	60.2	<5

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y648713

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Oct 03, 2012

DATE RECEIVED: Oct 03, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
E5539783		4.66	0.002
E5539784		2.99	0.001
E5539785		1.52	<0.001
E5539786		1.50	<0.001
E5539787		3.12	<0.001
E5539788		1.74	<0.001
E5539789		2.50	<0.001
E5539790		4.01	<0.001
E5539791		3.21	0.005
E5539792		2.09	0.002
E5539793		2.41	0.002
E5539794		3.80	<0.001
E5539795		3.73	<0.001
E5539796		4.67	0.004
E5539797		2.80	0.005
E5539798		1.99	<0.001
E5539799		1.00	0.031
E5539800		2.62	0.021
E5539801		4.23	<0.001
E5539802		4.89	<0.001
E5539803		2.15	<0.001
E5539804		5.41	<0.001
E5539805		5.05	<0.001
E5539806		2.11	<0.001
E5539807		4.79	<0.001
E5539808		3.59	<0.001
E5539809		4.71	<0.001
E5539810		1.35	<0.001
E5539811		4.98	<0.001
E5539812		4.33	<0.001
E5539813		4.22	<0.001

Certified By:

Ron Cardinal



AGAT Laboratories

Certificate of Analysis

AGAT WORK ORDER: 12Y648713

PROJECT NO:

5623 McADAM ROAD
MISSISSAUGA, ONTARIO
CANADA L4Z 1N9
TEL (905)501-9998
FAX (905)501-0589
<http://www.agatlabs.com>

CLIENT NAME: ANTHILL RESOURCES (YUKON)

ATTENTION TO: Yinghua Chen

Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)

DATE SAMPLED: Oct 03, 2012

DATE RECEIVED: Oct 03, 2012

DATE REPORTED: Oct 18, 2012

SAMPLE TYPE: Drill Core

Sample Description	Analyte:	Sample Login Weight	Au
	Unit:	kg	ppm
	RDL:	0.01	0.001
E5539814		4.18	0.004
E5539815		4.93	<0.001
E5539816		2.40	<0.001
E5539817		2.59	0.010
E5539818		1.20	0.011
E5539819		0.12	0.207
E5539820		0.82	0.002
E5539821		3.01	0.010
E5539822		4.21	<0.001
E5539823		2.54	<0.001
E5539824		3.92	0.006
E5539825		3.17	0.020
E5539826		3.26	0.015
E5539827		1.26	0.120
E5539828		0.84	0.071
E5539829		0.34	0.282
E5539830		2.41	0.154
E5539831		4.00	0.021
E5539832		2.99	0.012
E5539833		2.80	0.257
E5539834		3.45	0.671
E5539835		3.64	0.386
E5539836		3.17	0.032
E5539837		2.35	0.032
E5539838		1.04	0.015
E5539839		0.41	0.002

Comments: RDL - Reported Detection Limit

Certified By:

Ron Cardinal

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y648713

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis											
RPT Date: Oct 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits	
										Lower	Upper
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)											
Ag	1	3777302	< 0.2	< 0.2	0.0%	< 0.2	13.7	13.0	105%	80%	120%
Al	1	3777302	0.35	0.35	0.0%	< 0.01				80%	120%
As	1	3777302	199	184	7.8%	< 1				80%	120%
B	1	3777302	< 5	< 5	0.0%	< 5				80%	120%
Ba	1	3777302	36	36	0.0%	< 1				80%	120%
Be	1	3777302	0.8	0.8	0.0%	< 0.5				80%	120%
Bi	1	3777302	2	< 1		3				80%	120%
Ca	1	3777302	2.64	2.63	0.4%	< 0.01	2.15	2.21	97%	80%	120%
Cd	1	3777302	1.66	1.48	11.5%	< 0.5				80%	120%
Ce	1	3777302	2	2	0.0%	< 1				80%	120%
Co	1	3777302	13.4	14.0	4.4%	< 0.5				80%	120%
Cr	1	3777302	3.01	2.84	5.8%	< 0.5				80%	120%
Cu	1	3777302	44.7	45.8	2.4%	< 0.5	5691	6000	94%	80%	120%
Fe	1	3777302	3.72	3.70	0.5%	< 0.01				80%	120%
Ga	1	3777302	< 5	< 5	0.0%	< 5				80%	120%
Hg	1	3777302	< 1	< 1	0.0%	< 1				80%	120%
In	1	3777302	2	3		< 1				80%	120%
K	1	3777302	0.20	0.20	0.0%	< 0.01				80%	120%
La	1	3777302	< 1	< 1	0.0%	< 1				80%	120%
Li	1	3777302	< 1	< 1	0.0%	< 1				80%	120%
Mg	1	3777302	0.37	0.37	0.0%	< 0.01				80%	120%
Mn	1	3777302	327	332	1.5%	< 1				80%	120%
Mo	1	3777302	23.4	22.3	4.8%	< 0.5	337	360	93%	80%	120%
Na	1	3777302	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Ni	1	3777302	21.4	21.7	1.4%	< 0.5				80%	120%
P	1	3777302	676	661	2.2%	< 10				80%	120%
Pb	1	3777302	23.5	22.3	5.2%	1.3				80%	120%
Rb	1	3777302	21	21	0.0%	< 10	11	13	84%	80%	120%
S	1	3777302	1.14	1.14	0.0%	< 0.005				80%	120%
Sb	1	3777302	118	113	4.3%	< 1				80%	120%
Sc	1	3777302	3.3	3.5	5.9%	< 0.5				80%	120%
Se	1	3777302	< 10	26		< 10				80%	120%
Sn	1	3777302	< 5	< 5	0.0%	< 5				80%	120%
Sr	1	3777302	90.2	89.4	0.9%	< 0.5				80%	120%
Ta	1	3777302	< 10	< 10	0.0%	< 10				80%	120%
Te	1	3777302	29	27	7.1%	< 10				80%	120%
Th	1	3777302	< 5	< 5	0.0%	< 5				80%	120%
Ti	1	3777302	< 0.01	< 0.01	0.0%	< 0.01				80%	120%
Tl	1	3777302	0.07	0.07	0.0%	< 0.01				80%	120%
U	1	3777302	< 5	< 5	0.0%	< 5				80%	120%
V	1	3777302	6.4	6.4	0.0%	< 0.5				80%	120%
W	1	3777302	9	9	0.0%	< 1				80%	120%
Y	1	3777302	7	7	0.0%	< 1				80%	120%
Zn	1	3777302	83.2	86.7	4.1%	< 0.5				80%	120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y648713

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
Zr	1	3777302	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1	3777327	< 0.2	< 0.2	0.0%	< 0.2	13.3	13.0	102%	80% 120%
Al	1	3777327	0.28	0.31	10.2%	< 0.01				80% 120%
As	1	3777327	11	18		< 1				80% 120%
B	1	3777327	6	5	18.2%	< 5				80% 120%
Ba	1	3777327	29	32	9.8%	< 1				80% 120%
Be	1	3777327	< 0.5	< 0.5	0.0%	< 0.5				80% 120%
Bi	1	3777327	2	6		< 1				80% 120%
Ca	1	3777327	2.31	2.45	5.9%	< 0.01	2.17	2.21	98%	80% 120%
Cd	1	3777327	1.30	1.56	18.2%	< 0.5				80% 120%
Ce	1	3777327	2	2	0.0%	< 1				80% 120%
Co	1	3777327	13.9	14.6	4.9%	< 0.5				80% 120%
Cr	1	3777327	2.2	2.4	8.7%	< 0.5				80% 120%
Cu	1	3777327	40.1	41.3	2.9%	< 0.5	5581	6000	93%	80% 120%
Fe	1	3777327	3.17	3.35	5.5%	< 0.01				80% 120%
Ga	1	3777327	< 5	< 5	0.0%	< 5				80% 120%
Hg	1	3777327	< 1	< 1	0.0%	6				80% 120%
In	1	3777327	2	1		< 1				80% 120%
K	1	3777327	0.18	0.19	5.4%	< 0.01				80% 120%
La	1	3777327	< 1	< 1	0.0%	< 1				80% 120%
Li	1	3777327	< 1	< 1	0.0%	< 1				80% 120%
Mg	1	3777327	0.59	0.61	3.3%	< 0.01				80% 120%
Mn	1	3777327	358	365	1.9%	< 1				80% 120%
Mo	1	3777327	21.3	19.9	6.8%	< 0.5	326	360	90%	80% 120%
Na	1	3777327	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Ni	1	3777327	20.2	20.4	1.0%	< 0.5				80% 120%
P	1	3777327	350	454	25.9%	< 10	708	600	118%	80% 120%
Pb	1	3777327	22.3	20.3	9.4%	< 0.5				80% 120%
Rb	1	3777327	19	20	5.1%	< 10	11	13	85%	80% 120%
S	1	3777327	1.55	1.62	4.4%	< 0.005				80% 120%
Sb	1	3777327	113	101	11.2%	< 1				80% 120%
Sc	1	3777327	3.02	3.16	4.5%	< 0.5				80% 120%
Se	1	3777327	< 10	< 10	0.0%	< 10				80% 120%
Sn	1	3777327	< 5	< 5	0.0%	< 5				80% 120%
Sr	1	3777327	89.1	92.3	3.5%	< 0.5				80% 120%
Ta	1	3777327	< 10	< 10	0.0%	< 10				80% 120%
Te	1	3777327	27	29	7.1%	< 10				80% 120%
Th	1	3777327	< 5	< 5	0.0%	< 5				80% 120%
Ti	1	3777327	< 0.01	< 0.01	0.0%	< 0.01				80% 120%
Tl	1	3777327	0.063	0.068	7.6%	< 0.01				80% 120%
U	1	3777327	< 5	< 5	0.0%	< 5				80% 120%
V	1	3777327	6.52	7.27	10.9%	< 0.5				80% 120%
W	1	3777327	5	9		< 1				80% 120%

Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y648713

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL				Acceptable Limits	
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery		Lower	Upper
Y	1	3777327	5	5	0.0%	< 1	7	7	100%		80%	120%
Zn	1	3777327	68.8	69.3	0.7%	< 0.5					80%	120%
Zr	1	3777327	< 5	< 5	0.0%	< 5					80%	120%
Aqua Regia Digest - Metals Package, ICP-OES (Low Ti) (201073)												
Ag	1	3777352	< 0.2	< 0.2	0.0%	< 0.2	12.7	13.0	98%		80%	120%
Al	1	3777352	0.227	0.236	3.9%	< 0.01					80%	120%
As	1	3777352	1490	1560	4.6%	< 1					80%	120%
B	1	3777352	5	4	22.2%	< 5					80%	120%
Ba	1	3777352	25	25	0.0%	< 1					80%	120%
Be	1	3777352	< 0.5	< 0.5	0.0%	< 0.5					80%	120%
Bi	1	3777352	< 1	< 1	0.0%	< 1					80%	120%
Ca	1	3777352	2.99	3.10	3.6%	< 0.01	2.18	2.21	98%		80%	120%
Cd	1	3777352	1.3	0.9	< 0.5	< 0.5					80%	120%
Ce	1	3777352	5	5	0.0%	< 1					80%	120%
Co	1	3777352	8.72	8.78	0.7%	< 0.5					80%	120%
Cr	1	3777352	10.4	10.4	0.0%	< 0.5					80%	120%
Cu	1	3777352	11.6	12.1	4.2%	< 0.5	5513	6000	91%		80%	120%
Fe	1	3777352	2.87	2.98	3.8%	< 0.01					80%	120%
Ga	1	3777352	< 5	< 5	0.0%	< 5					80%	120%
Hg	1	3777352	< 1	< 1	0.0%	< 1					80%	120%
In	1	3777352	2	1	< 1	< 1					80%	120%
K	1	3777352	0.141	0.147	4.2%	< 0.01					80%	120%
La	1	3777352	2	2	0.0%	< 1					80%	120%
Li	1	3777352	< 1	< 1	0.0%	< 1					80%	120%
Mg	1	3777352	1.03	1.08	4.7%	< 0.01					80%	120%
Mn	1	3777352	816	822	0.7%	< 1					80%	120%
Mo	1	3777352	28.7	26.1	9.5%	< 0.5	315	360	87%		80%	120%
Na	1	3777352	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
Ni	1	3777352	14.6	14.4	1.4%	< 0.5					80%	120%
P	1	3777352	600	671	11.2%	< 10	634	600	106%		80%	120%
Pb	1	3777352	8.93	10.4	15.2%	< 0.5					80%	120%
Rb	1	3777352	17	17	0.0%	< 10	11	13	86%		80%	120%
S	1	3777352	1.23	1.27	3.2%	< 0.005					80%	120%
Sb	1	3777352	116	120	3.4%	< 1					80%	120%
Sc	1	3777352	1.97	1.91	3.1%	< 0.5					80%	120%
Se	1	3777352	< 10	< 10	0.0%	< 10					80%	120%
Sn	1	3777352	< 5	< 5	0.0%	< 5					80%	120%
Sr	1	3777352	134	139	3.7%	< 0.5					80%	120%
Ta	1	3777352	< 10	< 10	0.0%	< 10					80%	120%
Te	1	3777352	27	31	13.8%	< 10					80%	120%
Th	1	3777352	< 5	< 5	0.0%	< 5					80%	120%
Ti	1	3777352	< 0.01	< 0.01	0.0%	< 0.01					80%	120%
Tl	1	3777352	0.046	0.045	2.2%	< 0.01					80%	120%
U	1	3777352	< 5	< 5	0.0%	< 5					80%	120%



Quality Assurance

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y648713

PROJECT NO:

ATTENTION TO: Yinghua Chen

Solid Analysis (Continued)

RPT Date: Oct 18, 2012		REPLICATE				Method Blank	REFERENCE MATERIAL			
PARAMETER	Batch	Sample Id	Original	Rep #1	RPD		Result Value	Expect Value	Recovery	Acceptable Limits
										Lower Upper
V	1	3777352	6.88	7.35	6.6%	< 0.5				80% 120%
W	1	3777352	5	8		< 1				80% 120%
Y	1	3777352	6	6	0.0%	< 1	7	7	100%	80% 120%
Zn	1	3777352	34.2	36.5	6.5%	< 0.5				80% 120%
Zr	1	3777352	< 5	< 5	0.0%	< 5				80% 120%
Aqua Regia Digest - Metals Package, ICP-OES (Low TI) (201073)										
Ag	1					< 0.2	13.5	13.0	104%	80% 120%
Cu	1					< 0.5	5873	6000	97%	80% 120%
Mo	1					< 0.5	341	360	94%	80% 120%
Rb	1					< 10	12	13	92%	80% 120%
Y	1					< 1	7	7	100%	80% 120%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3777302	0.0016	0.0012	28.6%	< 0.001	0.275	0.263	104%	90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3777313	< 0.001	< 0.001	0.0%	< 0.001	1.57	1.52	103%	90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3777327	< 0.001	< 0.001	0.0%	< 0.001				90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3777339	0.002	< 0.001		< 0.001				90% 110%
Fire Assay - Trace Au, ICP-OES finish (202552) (50g charge)										
Au	1	3777352	0.257	0.262	1.9%	< 0.001				90% 110%

Certified By:

Ron Cardinal

Method Summary

CLIENT NAME: ANTHILL RESOURCES (YUKON)

AGAT WORK ORDER: 12Y648713

PROJECT NO:

ATTENTION TO: Yinghua Chen

PARAMETER	AGAT S.O.P	LITERATURE REFERENCE	ANALYTICAL TECHNIQUE
Solid Analysis			
Ag	MIN-200-12020		ICP/OES
Al	MIN-200-12020		ICP/OES
As	MIN-200-12020		ICP/OES
B	MIN-200-12020		ICP/OES
Ba	MIN-200-12020		ICP/OES
Be	MIN-200-12020		ICP/OES
Bi	MIN-200-12020		ICP/OES
Ca	MIN-200-12020		ICP/OES
Cd	MIN-200-12020		ICP/OES
Ce	MIN-200-12020		ICP/OES
Co	MIN-200-12020		ICP/OES
Cr	MIN-200-12020		ICP/OES
Cu	MIN-200-12020		ICP/OES
Fe	MIN-200-12020		ICP/OES
Ga	MIN-200-12020		ICP/OES
Hg	MIN-200-12020		ICP/OES
In	MIN-200-12020		ICP/OES
K	MIN-200-12020		ICP/OES
La	MIN-200-12020		ICP/OES
Li	MIN-200-12020		ICP/OES
Mg	MIN-200-12020		ICP/OES
Mn	MIN-200-12020		ICP/OES
Mo	MIN-200-12020		ICP/OES
Na	MIN-200-12020		ICP/OES
Ni	MIN-200-12020		ICP/OES
P	MIN-200-12020		ICP/OES
Pb	MIN-200-12020		ICP/OES
Rb	MIN-200-12020		ICP/OES
S	MIN-200-12020		ICP/OES
Sb	MIN-200-12020		ICP/OES
Sc	MIN-200-12020		ICP/OES
Se	MIN-200-12020		ICP/OES
Sn	MIN-200-12020		ICP/OES
Sr	MIN-200-12020		ICP/OES
Ta	MIN-200-12020		ICP/OES
Te	MIN-200-12020		ICP/OES
Th	MIN-200-12020		ICP/OES
Ti	MIN-200-12020		ICP/OES
Tl	MIN-200-12020		ICP-MS
U	MIN-200-12020		ICP/OES
V	MIN-200-12020		ICP/OES
W	MIN-200-12020		ICP/OES
Y	MIN-200-12020		ICP/OES
Zn	MIN-200-12020		ICP/OES
Zr	MIN-200-12020		ICP/OES
Sample Login Weight	MIN-12009		BALANCE
Au	MIN-200-12006	BUGBEE, E: A Textbook of Fire Assaying	ICP-OES