



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 1
Finalized Date: 4-MAR-2012
This copy reported on
20-MAR-2012
Account: STRGOL

CERTIFICATE WH12011913

Project: Eagle Gold

P.O. No.: EGP12-026

This report is for 90 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 16-FEB-2012.

The following have access to data associated with this certificate:

SUZANNE BYRON
BILL KEATS

AUDREY CHEN

RICHARD ELIASON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-36	Fine Crushing - 85% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: SUZANNE BYRON
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Comments: Additional Au-AA24 check assay for sample M363136 reports 0.272 ppm.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - A
Total # Pages: 4 (A - C)
Finalized Date: 4-MAR-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12011913

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-GRA22 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
M363101		9.20	0.234		<0.5	7.71	182	1430	3.4	<2	2.62	<0.5	7	46	31	2.92
M363102		5.01	0.134		<0.5	7.61	120	1600	3.1	2	2.77	<0.5	7	55	35	3.27
M363103		4.66	0.026		<0.5	7.89	85	1610	3.0	<2	2.72	<0.5	9	54	26	3.41
M363104		8.55	0.128		<0.5	7.74	105	1560	3.1	<2	2.61	<0.5	7	46	31	3.10
M363105		5.31	0.121		<0.5	7.78	187	1480	3.1	2	2.69	<0.5	7	44	23	3.03
M363106		4.08	0.056		<0.5	7.61	90	1570	3.2	<2	2.57	<0.5	7	42	38	2.97
M363107		5.24	0.065		<0.5	7.75	236	1570	3.0	4	2.55	<0.5	7	44	34	2.99
M363108		4.86	0.065		<0.5	7.78	125	1480	3.1	3	2.48	<0.5	8	41	37	2.90
M363109		7.79	0.486		2.1	7.46	324	1060	2.9	11	2.91	19.3	6	41	63	3.19
M363110		0.04	0.354		0.9	7.81	16	810	1.9	<2	2.45	<0.5	14	51	3380	5.15
M363111		6.30	0.055		<0.5	6.85	286	990	2.7	2	3.90	2.8	7	40	40	2.95
M363112		6.60	0.197		<0.5	7.58	124	1560	3.0	5	2.42	<0.5	7	43	30	2.92
M363113		6.60	0.188		<0.5	6.84	264	1160	3.0	6	2.91	<0.5	6	44	34	2.76
M363114		8.51	0.489		0.7	6.97	1060	750	3.0	33	3.02	2.8	11	42	53	2.81
M363115		4.15	0.055		<0.5	6.99	217	1190	3.0	4	2.95	7.3	7	50	24	3.01
M363116		0.72	<0.005		<0.5	0.09	7	20	<0.5	<2	22.3	<0.5	1	1	3	0.50
M363117		7.42	0.160		<0.5	4.70	104	590	1.3	5	1.27	<0.5	7	45	16	2.47
M363118		6.40	0.012		<0.5	7.14	107	940	2.2	<2	1.28	<0.5	10	67	21	2.89
M363119		4.23	0.275		<0.5	4.17	110	510	1.1	9	0.92	<0.5	4	44	17	1.90
M363120		6.38	0.101		0.5	4.78	90	500	1.5	2	0.55	2.3	3	33	21	1.55
M363121		5.32	0.328		0.9	3.92	108	420	1.3	5	0.10	4.9	1	37	23	1.46
M363122		5.21	0.272		1.3	3.70	108	380	1.2	8	0.07	4.6	3	33	23	1.44
M363123		4.94	0.089		1.0	4.17	60	440	1.2	5	0.61	2.9	5	35	19	1.53
M363124		6.29	0.205		<0.5	3.34	62	340	0.9	13	0.86	0.8	5	34	14	1.38
M363125		5.53	0.253		<0.5	2.99	110	330	0.8	8	0.31	2.7	8	30	11	1.78
M363126		4.86	0.040		1.0	6.11	263	720	1.5	4	0.06	<0.5	4	58	21	4.02
M363127		4.81	<0.005		<0.5	9.34	35	980	2.8	<2	1.22	9.9	16	70	29	3.77
M363128		5.24	1.050		<0.5	9.01	1070	850	3.4	23	3.92	<0.5	25	73	119	3.90
M363129		<0.02	0.937		<0.5	9.03	978	840	3.4	23	3.82	<0.5	24	71	114	3.85
M363130		6.38	0.023		<0.5	9.32	187	960	2.6	4	4.37	<0.5	18	84	100	4.93
M363131		5.38	>10.0	10.20	2.0	9.30	1775	1130	3.8	237	3.42	<0.5	32	117	88	3.92
M363132		4.69	5.52		3.6	6.87	691	590	2.6	125	2.70	<0.5	25	102	45	3.50
M363133		6.72	0.041		<0.5	6.81	34	750	1.9	2	0.57	<0.5	8	47	12	2.21
M363134		7.10	2.69		<0.5	5.81	526	570	1.8	31	1.85	<0.5	17	82	25	2.80
M363135		5.47	0.147		<0.5	5.78	63	590	1.3	2	1.56	<0.5	16	87	22	3.30
M363136		5.75	0.723		<0.5	2.44	31	220	0.5	8	0.37	<0.5	4	26	4	1.15
M363137		4.26	0.056		<0.5	2.95	251	190	0.7	3	0.54	<0.5	8	42	8	1.57
M363138		6.25	1.475		<0.5	6.27	3290	370	2.2	55	4.02	0.5	48	304	46	6.02
M363139		4.94	0.013		<0.5	7.62	42	1050	2.4	<2	0.74	<0.5	17	83	24	3.97
M363140		6.76	0.109		<0.5	6.66	557	540	1.7	5	1.95	<0.5	21	81	27	4.19

Comments: Additional Au-AA24 check assay for sample M363136 reports 0.272 ppm.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - B
Total # Pages: 4 (A - C)
Finalized Date: 4-MAR-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12011913

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
M363101		20	3.22	30	1.14	387	<1	1.71	16	700	11	0.12	<5	8	488	20
M363102		20	3.52	30	1.26	457	<1	1.64	13	770	10	0.15	<5	9	518	<20
M363103		20	3.30	30	1.38	526	<1	1.59	13	780	13	0.08	<5	10	521	20
M363104		20	3.34	30	1.19	426	<1	1.48	12	740	11	0.08	<5	9	454	20
M363105		20	3.29	30	1.15	444	<1	1.33	13	710	23	0.05	8	9	399	20
M363106		20	3.34	30	1.16	427	<1	1.62	10	680	12	0.17	<5	8	498	20
M363107		20	3.45	30	1.20	388	<1	1.60	12	690	11	0.16	<5	8	510	20
M363108		20	3.44	30	1.10	372	<1	1.62	11	670	11	0.18	<5	8	480	<20
M363109		20	3.48	40	0.80	1225	<1	0.21	9	690	1430	0.36	622	8	227	20
M363110		20	3.21	20	1.49	526	268	2.56	24	1060	13	0.50	<5	13	461	<20
M363111		20	3.41	30	0.64	1030	<1	0.31	9	650	117	0.24	59	7	220	<20
M363112		20	3.48	30	0.94	387	<1	1.10	11	710	13	0.13	15	8	371	20
M363113		20	2.99	30	0.92	433	<1	1.31	11	610	17	0.22	8	8	418	<20
M363114		20	3.07	30	0.86	614	<1	0.62	15	640	35	0.40	38	8	311	<20
M363115		20	3.57	30	1.02	774	<1	0.84	12	640	206	0.34	111	8	363	<20
M363116		<10	0.04	<10	13.25	231	<1	0.01	4	170	<2	0.01	<5	<1	52	<20
M363117		10	2.18	30	0.54	651	<1	0.43	24	150	13	0.15	24	7	122	<20
M363118		20	3.69	30	0.61	281	10	0.97	25	350	5	0.13	15	10	155	<20
M363119		10	1.60	20	0.31	211	<1	0.86	13	110	4	0.12	12	5	102	<20
M363120		10	2.13	20	0.23	442	<1	0.07	8	210	92	0.11	81	4	35	<20
M363121		10	1.77	20	0.15	232	<1	0.02	5	200	104	0.08	87	4	28	<20
M363122		10	1.66	20	0.15	207	<1	0.02	5	130	135	0.05	105	4	32	<20
M363123		10	1.86	20	0.22	427	<1	0.02	4	240	76	0.27	79	5	35	<20
M363124		10	1.48	20	0.21	359	<1	0.13	5	110	54	0.14	61	3	51	<20
M363125		10	1.10	20	0.14	512	<1	0.39	8	100	8	0.02	152	3	38	<20
M363126		20	2.71	40	0.23	69	<1	0.12	7	310	312	0.68	279	9	92	20
M363127		20	3.57	50	0.76	293	<1	1.16	35	410	14	0.10	17	12	157	20
M363128		30	3.24	30	0.96	260	<1	1.00	42	530	17	0.59	5	11	327	20
M363129		30	3.27	40	0.96	255	<1	0.98	40	530	18	0.58	<5	12	320	20
M363130		30	3.21	30	1.11	381	<1	1.33	39	500	15	0.59	<5	13	358	20
M363131		30	3.98	30	0.85	412	<1	0.19	74	860	25	0.25	54	14	285	20
M363132		20	2.98	30	0.69	692	<1	0.16	61	830	78	0.14	67	12	144	<20
M363133		20	3.53	30	0.46	150	<1	1.11	17	300	22	0.06	12	8	122	<20
M363134		10	2.20	30	0.71	328	<1	0.82	41	440	15	0.14	10	9	146	<20
M363135		10	2.09	30	0.81	467	<1	1.06	54	500	10	0.10	8	9	133	<20
M363136		10	0.70	10	0.15	127	<1	0.78	5	70	4	0.01	<5	2	36	<20
M363137		10	0.70	20	0.22	191	<1	0.88	16	110	4	0.02	12	4	50	<20
M363138		20	2.60	30	3.25	814	<1	1.00	197	1170	22	0.30	53	23	283	<20
M363139		20	2.32	40	1.08	216	<1	2.01	49	360	3	0.11	32	12	167	20
M363140		20	2.78	30	1.55	422	2	1.29	60	860	6	0.13	21	11	215	<20

Comments: Additional Au-AA24 check assay for sample M363136 reports 0.272 ppm.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - C
Total # Pages: 4 (A - C)
Finalized Date: 4-MAR-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12011913

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
M363101		0.31	<10	<10	53	<10	48
M363102		0.34	<10	<10	62	20	54
M363103		0.35	<10	<10	62	40	61
M363104		0.32	<10	<10	56	10	55
M363105		0.31	<10	<10	55	10	77
M363106		0.30	<10	<10	51	<10	47
M363107		0.31	<10	<10	52	10	43
M363108		0.29	<10	<10	49	10	105
M363109		0.28	<10	<10	49	20	3790
M363110		0.37	<10	10	139	<10	75
M363111		0.29	<10	<10	50	20	462
M363112		0.31	<10	<10	53	10	48
M363113		0.29	<10	<10	51	10	53
M363114		0.29	<10	<10	49	20	490
M363115		0.28	<10	<10	50	20	1460
M363116		<0.01	<10	10	1	<10	16
M363117		0.21	<10	<10	43	10	32
M363118		0.33	<10	<10	66	10	48
M363119		0.19	<10	<10	33	20	43
M363120		0.15	<10	<10	26	10	477
M363121		0.16	<10	<10	29	30	780
M363122		0.15	<10	<10	26	20	799
M363123		0.16	<10	<10	29	20	475
M363124		0.13	<10	<10	23	20	165
M363125		0.12	<10	<10	20	10	729
M363126		0.27	<10	<10	53	10	317
M363127		0.35	<10	<10	73	<10	1165
M363128		0.36	<10	<10	81	500	79
M363129		0.36	<10	<10	81	510	76
M363130		0.43	<10	<10	96	70	93
M363131		0.46	<10	<10	109	100	74
M363132		0.36	<10	<10	84	40	101
M363133		0.23	<10	<10	44	<10	40
M363134		0.30	<10	<10	57	20	58
M363135		0.32	<10	<10	67	20	53
M363136		0.09	<10	<10	15	<10	13
M363137		0.12	<10	<10	23	10	36
M363138		0.52	<10	<10	148	280	143
M363139		0.34	<10	<10	79	10	39
M363140		0.46	<10	<10	102	20	79

Comments: Additional Au-AA24 check assay for sample M363136 reports 0.272 ppm.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 3 - A
Total # Pages: 4 (A - C)
Finalized Date: 4-MAR-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12011913

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-GRA22 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
M363141		4.20	0.011		<0.5	6.85	79	850	1.9	3	0.66	1.1	13	60	15	3.39
M363142		2.56	0.355		4.6	6.40	227	780	2.0	3	0.12	2.5	7	58	49	3.13
M363143		7.13	0.143		<0.5	4.37	106	470	1.0	4	0.33	0.6	8	46	9	2.26
M363144		6.70	<0.005		<0.5	3.47	37	270	0.7	2	0.79	<0.5	6	41	3	1.86
M363145		5.73	0.005		<0.5	9.25	41	930	2.2	<2	0.81	<0.5	14	76	5	3.90
M363146		5.64	0.121		<0.5	6.80	78	680	1.6	4	0.84	<0.5	11	71	9	2.83
M363147		4.51	0.078		<0.5	9.02	43	1190	2.2	3	1.45	<0.5	13	68	8	3.36
M363148		5.02	0.086		<0.5	3.51	21	240	0.7	4	0.75	<0.5	6	34	7	2.22
M363149		4.52	0.081		<0.5	6.55	67	600	1.7	4	0.93	<0.5	10	50	10	2.97
M363150		0.06	0.349		1.0	7.65	12	810	1.9	3	2.48	<0.5	18	52	3410	5.22
M363151		5.70	0.012		<0.5	10.30	37	1090	2.4	2	0.83	<0.5	15	89	16	4.66
M363152		4.41	<0.005		<0.5	4.19	25	450	1.1	<2	1.22	<0.5	5	37	3	1.17
M363153		4.79	<0.005		<0.5	4.17	14	460	1.0	2	0.42	<0.5	7	44	2	1.19
M363154		5.69	0.011		<0.5	5.11	52	640	1.5	<2	0.94	<0.5	7	46	6	1.85
M363155		5.46	0.057		<0.5	7.80	150	1540	3.3	<2	2.59	<0.5	11	36	5	2.55
M363156		1.05	<0.005		<0.5	0.09	5	20	<0.5	<2	21.1	<0.5	3	2	1	0.47
M363157		6.23	0.676		<0.5	7.12	616	1510	3.2	6	2.20	<0.5	15	31	7	2.28
M363158		6.54	0.145		<0.5	7.09	561	1520	3.2	2	2.40	<0.5	10	32	13	2.34
M363159		7.30	0.155		<0.5	6.94	159	1530	3.0	3	2.45	<0.5	8	31	16	2.32
M363160		4.72	0.385		<0.5	6.87	146	1280	2.9	7	2.59	<0.5	6	31	16	2.18
M363161		5.08	0.344		<0.5	7.03	107	1470	2.9	7	2.28	0.5	6	28	16	2.33
M363162		5.16	0.282		<0.5	6.69	152	1440	2.9	10	2.43	<0.5	7	30	17	2.35
M363163		5.19	2.92		<0.5	7.58	204	1590	3.2	25	2.38	<0.5	8	31	22	2.53
M363164		6.18	1.985		<0.5	7.77	145	1670	3.2	11	2.45	<0.5	7	35	20	2.64
M363165		5.52	0.216		<0.5	7.80	181	1620	3.2	7	2.49	<0.5	7	33	20	2.61
M363166		4.92	0.172		<0.5	7.69	124	1630	3.2	6	2.43	<0.5	7	32	24	2.53
M363167		6.00	0.231		<0.5	6.91	112	1490	3.1	5	2.24	<0.5	7	32	35	2.53
M363168		3.74	0.643		<0.5	7.21	110	1600	2.8	34	2.30	<0.5	7	34	20	2.49
M363169		<0.02	0.829		<0.5	7.26	125	1620	2.9	24	2.35	<0.5	7	34	20	2.54
M363170		5.28	0.199		<0.5	7.11	675	1560	3.1	<2	2.34	<0.5	7	32	21	2.52
M363171		4.10	0.057		<0.5	7.11	84	1300	2.9	<2	2.50	<0.5	7	33	18	2.46
M363172		4.61	0.230		<0.5	7.06	693	1470	3.1	9	2.54	<0.5	7	42	31	2.51
M363173		5.98	0.042		<0.5	6.95	107	1480	3.0	2	2.68	<0.5	7	39	28	2.69
M363174		6.39	0.096		<0.5	7.10	91	1520	2.9	2	2.16	<0.5	7	30	20	2.35
M363175		5.81	0.103		<0.5	6.90	188	1430	2.9	3	2.27	<0.5	7	32	24	2.39
M363176		4.82	0.475		<0.5	6.97	106	1380	2.9	14	2.68	<0.5	6	29	23	2.42
M363177		6.32	0.136		0.6	7.17	343	1250	3.0	9	2.29	<0.5	7	29	28	2.23
M363178		3.29	0.173		<0.5	7.25	81	1510	3.1	<2	2.30	<0.5	7	33	18	2.43
M363179		5.31	0.727		<0.5	7.13	283	1400	2.9	26	2.22	<0.5	9	34	28	2.46
M363180		4.89	0.073		<0.5	6.33	148	840	2.6	4	4.11	<0.5	5	23	15	2.70

Comments: Additional Au-AA24 check assay for sample M363136 reports 0.272 ppm.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 3 - B
Total # Pages: 4 (A - C)
Finalized Date: 4-MAR-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12011913

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
M363141		20	2.79	40	0.81	372	<1	0.93	24	240	8	0.03	13	10	99	20
M363142		20	2.89	40	0.37	250	2	0.18	15	310	494	0.08	149	10	79	<20
M363143		10	1.89	20	0.34	193	<1	0.73	12	170	13	0.03	13	6	51	<20
M363144		10	1.16	20	0.33	256	<1	0.98	11	90	4	0.02	<5	4	64	<20
M363145		20	3.79	50	0.93	242	<1	1.07	33	400	7	0.04	<5	13	131	20
M363146		20	2.73	40	0.63	204	<1	1.22	26	230	7	0.07	<5	10	120	20
M363147		20	3.80	50	0.92	228	<1	1.27	32	870	19	0.06	<5	13	229	20
M363148		10	1.59	10	0.36	148	<1	0.50	16	320	9	0.05	8	3	58	<20
M363149		20	3.13	30	0.63	211	<1	0.45	26	270	7	0.07	13	8	96	20
M363150		20	3.15	10	1.50	512	268	2.60	21	1090	17	0.50	<5	13	470	<20
M363151		30	3.85	50	1.12	274	<1	0.82	40	280	8	0.08	12	15	118	20
M363152		10	1.81	20	0.17	251	<1	0.27	7	120	8	0.02	6	5	58	<20
M363153		10	1.84	30	0.16	110	7	0.43	6	320	6	0.02	<5	5	66	<20
M363154		10	2.45	30	0.35	294	<1	0.28	14	200	10	0.07	6	6	84	<20
M363155		20	3.37	40	0.89	221	<1	1.64	19	740	16	0.07	<5	7	463	20
M363156		<10	0.03	<10	12.60	220	<1	0.01	<1	170	<2	0.01	<5	<1	48	<20
M363157		20	3.22	40	0.82	158	1	1.66	19	620	15	0.09	<5	6	449	20
M363158		20	3.62	30	0.84	214	1	1.60	20	620	21	0.10	<5	6	424	<20
M363159		20	3.57	30	0.65	235	1	1.47	19	620	15	0.11	<5	6	409	<20
M363160		20	3.59	30	0.53	476	4	0.82	18	620	31	0.11	15	6	299	<20
M363161		20	3.74	30	0.70	321	2	1.16	17	600	43	0.11	5	6	377	20
M363162		20	3.76	30	0.69	334	1	1.13	18	590	30	0.12	9	6	368	<20
M363163		20	3.74	40	0.83	250	3	1.66	19	650	17	0.15	<5	7	476	20
M363164		20	3.96	30	0.85	280	2	1.72	20	640	19	0.13	<5	7	500	20
M363165		20	3.67	40	0.87	278	3	1.71	21	640	21	0.13	<5	7	501	20
M363166		20	3.76	40	0.84	264	6	1.71	20	650	22	0.13	<5	7	485	20
M363167		20	3.60	30	0.79	277	1	1.58	20	610	16	0.19	<5	6	460	<20
M363168		20	3.84	30	0.78	282	2	1.52	18	620	40	0.12	12	6	459	20
M363169		20	3.88	30	0.79	293	3	1.58	20	650	36	0.12	8	6	468	<20
M363170		20	3.77	30	0.74	281	<1	1.55	19	620	20	0.17	<5	6	452	20
M363171		20	3.68	30	0.73	617	1	0.79	15	570	14	0.15	5	7	315	20
M363172		20	3.94	30	0.88	473	1	1.05	16	650	18	0.22	6	8	377	<20
M363173		20	3.67	30	0.79	493	3	1.21	16	640	16	0.16	<5	7	411	<20
M363174		20	3.81	30	0.67	265	<1	1.38	18	620	24	0.12	<5	6	417	20
M363175		20	3.55	30	0.73	318	<1	1.29	19	610	17	0.16	<5	6	398	<20
M363176		20	3.79	30	0.66	606	1	0.82	18	610	37	0.24	21	6	328	<20
M363177		20	3.73	30	0.58	328	<1	0.89	17	590	24	0.21	15	6	330	<20
M363178		20	3.60	30	0.74	247	<1	1.56	19	610	26	0.10	5	6	454	20
M363179		20	3.77	30	0.68	313	3	1.09	20	610	22	0.30	13	6	379	<20
M363180		20	3.12	30	0.72	1770	20	0.30	14	560	18	0.11	13	5	237	<20

Comments: Additional Au-AA24 check assay for sample M363136 reports 0.272 ppm.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 3 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 4-MAR-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12011913

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
M363141		0.32	<10	<10	63	<10	285
M363142		0.28	<10	<10	69	20	513
M363143		0.22	<10	<10	41	<10	105
M363144		0.16	<10	<10	28	<10	17
M363145		0.42	<10	<10	85	10	47
M363146		0.35	<10	<10	67	10	27
M363147		0.42	<10	<10	79	10	38
M363148		0.14	<10	<10	19	10	19
M363149		0.27	<10	<10	48	10	33
M363150		0.38	<10	10	141	<10	76
M363151		0.50	<10	<10	101	10	66
M363152		0.18	<10	<10	32	10	15
M363153		0.18	<10	<10	33	10	14
M363154		0.23	<10	<10	39	10	31
M363155		0.34	<10	10	41	10	39
M363156		<0.01	<10	<10	3	<10	19
M363157		0.29	<10	<10	35	10	20
M363158		0.29	<10	<10	34	40	31
M363159		0.30	<10	<10	34	10	29
M363160		0.29	<10	<10	35	20	41
M363161		0.28	<10	<10	33	20	93
M363162		0.29	<10	<10	34	20	75
M363163		0.31	<10	<10	37	20	69
M363164		0.32	<10	<10	38	40	44
M363165		0.32	<10	<10	37	10	39
M363166		0.32	<10	<10	37	20	38
M363167		0.30	<10	<10	35	50	38
M363168		0.30	10	<10	35	30	40
M363169		0.31	<10	<10	36	20	41
M363170		0.30	10	<10	35	30	39
M363171		0.26	<10	<10	35	30	38
M363172		0.29	<10	<10	45	20	32
M363173		0.30	<10	<10	42	30	38
M363174		0.29	<10	<10	35	20	44
M363175		0.29	<10	<10	33	10	35
M363176		0.28	<10	<10	33	50	29
M363177		0.28	<10	<10	33	20	26
M363178		0.30	<10	<10	34	10	34
M363179		0.29	<10	<10	34	40	32
M363180		0.24	10	<10	29	80	26

Comments: Additional Au-AA24 check assay for sample M363136 reports 0.272 ppm.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 4 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 4-MAR-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12011913

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-GRA22 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
M363181		4.50	0.105		<0.5	7.27	81	1350	3.0	4	1.67	<0.5	7	30	23	2.71
M363182		4.24	0.037		<0.5	7.13	127	750	3.1	<2	2.17	1.9	5	28	18	1.94
M363183		6.02	0.076		<0.5	6.90	116	1470	2.9	4	2.18	<0.5	7	33	22	2.43
M363184		5.90	0.081		<0.5	7.25	43	1520	3.1	2	2.35	<0.5	6	31	25	2.50
M363185		5.90	0.057		<0.5	6.98	153	1510	2.9	9	2.46	<0.5	8	34	19	2.56
M363186		6.33	0.088		<0.5	6.91	119	1450	2.9	2	2.42	<0.5	8	33	25	2.50
M363187		5.86	0.154		<0.5	7.11	206	1560	3.0	6	2.34	<0.5	6	33	16	2.43
M363188		6.18	0.083		<0.5	7.07	202	1540	3.0	4	2.27	<0.5	7	31	23	2.55
M363189		5.55	0.047		<0.5	6.97	272	1400	2.9	4	2.14	<0.5	6	31	19	2.33
M363190		0.07	0.845		2.1	7.20	5	610	0.9	<2	3.18	<0.5	20	39	7180	7.35

Comments: Additional Au-AA24 check assay for sample M363136 reports 0.272 ppm.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 4 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 4-MAR-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12011913

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
M363181		20	4.04	40	0.47	348	9	0.65	18	620	21	0.17	13	6	250	20
M363182		20	3.49	40	0.37	707	1	0.06	16	660	28	0.41	26	6	117	<20
M363183		20	3.72	30	0.73	217	9	1.45	18	580	18	0.14	<5	6	435	<20
M363184		20	3.67	30	0.80	221	5	1.57	19	640	17	0.15	<5	7	459	20
M363185		20	3.55	30	0.71	312	<1	1.37	18	640	32	0.15	5	6	435	<20
M363186		20	3.65	30	0.74	311	6	1.35	19	620	18	0.17	<5	6	428	<20
M363187		20	3.67	30	0.73	350	3	1.28	19	630	34	0.14	8	6	411	<20
M363188		20	3.53	30	0.83	256	1	1.58	18	630	15	0.14	<5	7	461	<20
M363189		20	3.50	30	0.73	240	<1	1.52	18	570	16	0.13	<5	6	435	20
M363190		10	2.81	10	2.01	614	561	2.34	15	1120	15	0.93	<5	17	570	<20

Comments: Additional Au-AA24 check assay for sample M363136 reports 0.272 ppm.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 4 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 4-MAR-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12011913

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
M363181		0.29	<10	<10	34	20	36
M363182		0.29	<10	<10	35	60	165
M363183		0.29	<10	<10	36	20	27
M363184		0.30	<10	<10	35	20	28
M363185		0.30	<10	<10	36	20	38
M363186		0.29	<10	<10	36	40	35
M363187		0.30	<10	<10	36	20	43
M363188		0.31	<10	<10	35	20	34
M363189		0.27	10	<10	32	10	33
M363190		0.36	<10	10	184	10	85

Comments: Additional Au-AA24 check assay for sample M363136 reports 0.272 ppm.