



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 1
Finalized Date: 21-FEB-2012
This copy reported on
20-MAR-2012
Account: STRGOL

CERTIFICATE WH12026838

Project: Eagle Gold

P.O. No.: EGP12-023

This report is for 91 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 10-FEB-2012.

The following have access to data associated with this certificate:

SUZANNE BYRON
BILL KEATS

AUDREY CHEN

RICHARD ELIASON

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-36	Fine Crushing - 85% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: SUZANNE BYRON
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Comments: Additional Au-AA24 check assay for sample M364569 reports 0.912 ppm.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - A
Total # Pages: 4 (A - C)
Finalized Date: 21-FEB-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12026838

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
M364539		5.65	0.118	<0.5	6.99	76	1510	2.9	<2	2.09	<0.5	9	32	17	2.32	20
M364540		6.43	0.067	<0.5	7.31	50	1560	3.1	<2	2.31	<0.5	9	31	31	2.38	20
M364541		5.88	0.111	<0.5	6.91	107	1550	2.8	<2	2.33	<0.5	9	28	26	2.35	20
M364542		5.95	0.275	<0.5	6.85	100	1490	2.7	<2	2.32	<0.5	9	30	22	2.04	20
M364543		5.37	0.218	<0.5	6.86	137	1650	2.8	<2	2.56	<0.5	10	28	21	2.22	20
M364544		5.99	0.445	<0.5	6.93	156	1610	2.6	<2	2.16	<0.5	8	29	21	2.06	20
M364545		6.22	0.245	<0.5	6.92	88	1480	2.9	<2	2.07	<0.5	10	30	23	2.25	20
M364546		6.46	0.192	<0.5	6.52	136	1400	2.7	<2	2.25	<0.5	10	29	22	2.13	20
M364547		5.99	0.926	<0.5	6.35	293	1310	3.5	9	2.60	<0.5	7	25	22	1.66	20
M364548		6.04	2.76	<0.5	6.58	102	1260	4.2	23	2.09	<0.5	6	25	31	1.44	20
M364549		6.43	0.759	<0.5	6.53	142	1550	3.0	4	1.94	<0.5	8	27	15	1.85	20
M364550		0.06	0.843	2.0	7.17	<5	610	0.8	<2	3.19	<0.5	21	37	7140	7.20	20
M364551		5.00	0.933	<0.5	6.49	80	1450	3.0	7	2.49	<0.5	9	28	23	2.02	20
M364552		6.64	0.229	<0.5	6.85	74	1580	2.8	<2	2.34	<0.5	8	27	23	2.23	20
M364553		5.78	0.509	<0.5	7.11	72	1580	2.9	<2	2.53	<0.5	9	32	20	2.44	20
M364554		6.46	0.913	3.4	7.05	185	1550	3.0	9	2.23	<0.5	10	28	91	2.93	20
M364555		6.15	1.585	<0.5	6.82	147	1560	2.9	8	2.37	<0.5	6	25	27	2.29	20
M364556		0.97	<0.005	<0.5	0.10	<5	30	<0.5	<2	20.2	<0.5	<1	1	1	0.46	<10
M364557		5.85	4.98	<0.5	6.46	115	1470	2.7	22	2.51	<0.5	8	28	19	2.06	20
M364558		4.99	2.14	<0.5	7.14	47	1600	2.9	2	2.41	<0.5	7	28	16	2.39	20
M364559		4.84	0.766	<0.5	6.86	72	1560	2.8	4	2.47	<0.5	7	33	21	2.37	20
M364560		5.94	0.536	<0.5	6.48	48	1530	2.5	8	3.03	<0.5	7	29	25	2.34	20
M364561		6.71	0.629	<0.5	6.77	45	1480	2.9	14	3.01	<0.5	8	28	25	2.26	20
M364562		5.10	0.196	<0.5	7.02	45	1470	2.9	4	2.72	<0.5	7	27	23	2.29	20
M364563		5.45	0.400	<0.5	7.21	26	1520	3.1	7	2.48	<0.5	8	30	29	2.39	20
M364564		6.20	0.610	<0.5	7.03	48	1540	2.8	4	2.93	<0.5	8	28	23	2.43	20
M364565		5.52	2.86	<0.5	6.94	123	1480	3.1	75	2.13	<0.5	6	32	27	1.93	20
M364566		5.98	0.345	<0.5	7.24	193	1620	2.9	11	2.25	<0.5	8	32	23	2.37	20
M364567		5.48	0.116	<0.5	7.26	62	1560	3.1	7	2.33	<0.5	7	30	25	2.37	20
M364568		6.66	0.408	<0.5	7.10	36	1270	3.1	9	2.11	<0.5	5	28	17	2.01	20
M364569		<0.02	0.613	<0.5	7.06	34	1270	3.0	9	2.09	<0.5	5	27	17	1.98	20
M364570		6.03	0.848	<0.5	7.07	51	1480	2.9	16	2.42	<0.5	7	32	22	2.21	20
M364571		6.13	0.229	<0.5	7.06	86	1520	3.0	2	2.37	<0.5	6	30	22	2.27	20
M364572		5.76	0.324	<0.5	6.87	56	1440	3.1	3	2.34	<0.5	6	30	24	2.21	20
M364573		5.18	0.538	<0.5	6.67	125	1430	2.9	6	2.59	<0.5	9	26	25	2.12	20
M364574		3.40	0.150	<0.5	6.97	66	1460	2.9	<2	2.68	<0.5	7	24	21	2.12	20
M364575		4.47	0.180	<0.5	6.56	68	1490	2.6	3	2.59	<0.5	7	24	27	2.07	20
M364576		6.82	0.336	<0.5	6.35	72	1400	2.6	4	3.30	<0.5	7	26	18	2.08	20
M364577		7.78	0.169	<0.5	7.21	53	1480	3.0	2	2.35	<0.5	8	28	19	2.40	20
M364578		6.54	0.373	<0.5	6.63	39	1390	3.0	<2	2.82	<0.5	6	24	18	2.05	20

Comments: Additional Au-AA24 check assay for sample M364569 reports 0.912 ppm.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - B
Total # Pages: 4 (A - C)
Finalized Date: 21-FEB-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12026838

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
M364539		3.64	30	0.73	231	<1	1.86	18	620	14	0.11	<5	6	503	20	0.29
M364540		3.63	30	0.76	226	1	1.85	17	640	14	0.14	<5	7	522	20	0.30
M364541		3.87	30	0.69	211	1	1.63	18	630	22	0.26	6	6	473	20	0.29
M364542		3.84	30	0.64	196	1	1.59	17	590	17	0.11	<5	6	486	20	0.28
M364543		4.07	30	0.77	211	2	1.77	20	630	16	0.11	<5	6	547	20	0.29
M364544		4.40	30	0.66	189	2	1.56	20	610	17	0.13	6	6	475	20	0.28
M364545		3.75	30	0.69	223	3	1.65	20	600	23	0.12	<5	6	505	20	0.28
M364546		3.64	30	0.68	213	2	1.41	17	560	21	0.13	<5	6	470	20	0.26
M364547		3.66	20	0.55	186	2	1.45	13	480	18	0.13	<5	5	437	<20	0.19
M364548		3.70	20	0.46	138	3	1.58	7	420	16	0.17	<5	4	394	<20	0.15
M364549		4.16	30	0.63	164	4	1.38	15	520	19	0.11	7	5	417	20	0.23
M364550		2.85	10	2.05	614	564	2.40	14	1140	16	0.94	<5	17	584	<20	0.35
M364551		3.82	30	0.66	206	3	1.38	16	560	19	0.10	7	6	437	20	0.26
M364552		3.85	30	0.71	232	2	1.60	18	630	20	0.14	<5	6	492	20	0.29
M364553		3.57	30	0.77	286	2	1.82	18	660	26	0.08	<5	7	535	20	0.31
M364554		3.72	30	0.76	280	2	1.41	18	630	337	0.59	8	7	473	20	0.29
M364555		4.05	30	0.65	221	2	1.21	20	550	49	0.31	10	6	423	20	0.26
M364556		0.05	<10	12.05	199	1	0.01	4	200	<2	0.01	<5	<1	47	<20	<0.01
M364557		3.77	30	0.63	202	1	1.53	18	560	20	0.09	6	6	455	20	0.26
M364558		4.04	30	0.76	252	4	1.69	19	610	23	0.06	5	7	506	20	0.29
M364559		3.58	30	0.74	227	2	1.70	21	640	15	0.13	<5	6	496	20	0.30
M364560		3.51	30	0.81	298	<1	1.57	20	620	22	0.11	<5	6	500	20	0.29
M364561		3.64	30	0.73	277	1	1.63	20	590	23	0.10	<5	6	501	20	0.29
M364562		3.63	30	0.75	276	1	1.65	20	610	25	0.09	<5	6	492	20	0.29
M364563		3.70	30	0.73	269	1	1.65	20	630	28	0.13	<5	6	496	20	0.30
M364564		3.58	30	0.75	299	1	1.64	21	640	27	0.10	<5	6	503	20	0.30
M364565		3.92	30	0.61	186	4	1.56	16	530	20	0.13	<5	6	413	20	0.23
M364566		3.98	30	0.71	209	1	1.63	20	640	20	0.16	<5	7	465	20	0.29
M364567		3.97	30	0.73	225	1	1.65	20	620	20	0.14	<5	6	477	20	0.29
M364568		4.14	30	0.58	225	2	1.65	14	500	31	0.10	<5	6	412	30	0.24
M364569		4.13	30	0.58	222	2	1.62	13	490	29	0.10	<5	5	406	30	0.23
M364570		3.76	30	0.68	233	1	1.56	18	600	23	0.12	<5	6	450	20	0.28
M364571		3.87	30	0.69	219	2	1.57	20	600	20	0.10	<5	6	457	20	0.28
M364572		3.80	30	0.64	207	2	1.65	18	570	16	0.10	<5	6	467	20	0.27
M364573		3.77	30	0.66	202	1	1.51	19	590	15	0.11	<5	6	445	20	0.28
M364574		4.07	30	0.67	229	2	1.42	17	560	18	0.07	9	6	453	20	0.26
M364575		4.13	30	0.68	204	1	1.45	19	550	18	0.12	8	6	458	20	0.26
M364576		3.84	30	0.88	238	4	1.52	17	540	19	0.09	<5	5	498	20	0.26
M364577		3.72	30	0.71	258	1	1.75	20	610	24	0.08	8	7	486	20	0.29
M364578		3.85	20	0.56	261	1	1.62	16	530	28	0.05	5	5	482	20	0.25

Comments: Additional Au-AA24 check assay for sample M364569 reports 0.912 ppm.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 2 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 21-FEB-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12026838

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
M364539		<10	<10	36	20	28
M364540		<10	<10	37	20	26
M364541		<10	<10	35	20	24
M364542		<10	<10	34	30	26
M364543		<10	<10	35	20	25
M364544		<10	<10	35	30	25
M364545		<10	<10	34	20	39
M364546		<10	<10	32	30	38
M364547		<10	10	32	30	36
M364548		<10	10	33	20	36
M364549		<10	<10	32	40	33
M364550		<10	<10	178	10	85
M364551		<10	<10	31	30	28
M364552		<10	<10	35	20	40
M364553		<10	<10	39	20	58
M364554		<10	<10	36	30	56
M364555		<10	10	33	30	84
M364556		10	<10	3	<10	17
M364557		10	<10	34	40	28
M364558		<10	<10	36	30	48
M364559		<10	<10	38	20	36
M364560		<10	<10	36	40	55
M364561		<10	<10	34	30	52
M364562		<10	<10	35	30	57
M364563		10	<10	36	40	55
M364564		<10	<10	36	30	62
M364565		<10	10	33	10	38
M364566		<10	<10	36	30	33
M364567		10	<10	36	30	35
M364568		<10	10	29	10	40
M364569		<10	10	29	10	39
M364570		10	<10	34	30	37
M364571		10	<10	36	20	32
M364572		10	10	34	20	27
M364573		<10	10	35	20	28
M364574		<10	10	32	10	32
M364575		10	10	32	40	24
M364576		<10	<10	31	30	27
M364577		<10	<10	36	20	47
M364578		10	10	31	20	53

Comments: Additional Au-AA24 check assay for sample M364569 reports 0.912 ppm.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 3 - A
Total # Pages: 4 (A - C)
Finalized Date: 21-FEB-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12026838

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
M364579		5.19	0.442	<0.5	7.42	57	1560	3.0	<2	2.51	<0.5	7	29	21	2.49	20
M364580		5.74	0.494	<0.5	7.08	82	1490	2.8	8	2.37	<0.5	8	33	26	2.39	20
M364581		5.61	0.962	<0.5	7.43	104	1520	2.9	8	2.57	<0.5	9	30	34	2.59	20
M364582		5.25	1.100	<0.5	6.87	50	1520	2.8	6	2.34	<0.5	7	31	22	2.38	20
M364583		5.95	6.39	<0.5	6.88	3000	1570	2.8	33	2.81	<0.5	7	27	20	2.62	20
M364584		5.26	0.731	<0.5	6.98	54	1530	3.0	<2	2.44	<0.5	8	30	12	2.37	20
M364585		5.09	1.115	<0.5	6.78	73	1490	2.9	4	2.79	<0.5	6	31	11	2.30	20
M364586		5.00	0.479	<0.5	6.91	67	1570	2.9	4	2.35	<0.5	7	29	16	2.18	20
M364587		5.10	0.553	<0.5	6.55	56	1440	2.8	2	2.60	<0.5	6	29	14	2.20	20
M364588		6.00	0.325	<0.5	6.96	34	1510	3.0	<2	2.37	<0.5	8	30	14	2.35	20
M364589		6.14	0.281	<0.5	7.10	55	1550	3.0	<2	2.47	<0.5	6	31	14	2.43	20
M364590		0.07	0.852	1.6	7.21	7	620	0.9	<2	3.18	<0.5	20	38	7240	7.22	10
M364591		5.94	0.111	<0.5	7.47	42	1680	3.2	2	2.47	<0.5	8	34	13	2.52	20
M364592		6.73	0.616	1.3	7.28	882	1200	3.0	8	2.53	<0.5	7	34	148	3.06	20
M364593		6.15	0.705	7.1	7.27	5890	1290	2.8	20	1.81	2.7	12	30	792	5.13	20
M364594		5.87	1.070	0.6	7.45	351	1620	2.9	14	2.17	1.0	7	32	23	2.74	20
M364595		5.61	0.336	<0.5	7.09	83	1590	3.0	<2	2.30	<0.5	8	37	19	2.39	20
M364596		0.83	<0.005	<0.5	0.34	<5	60	<0.5	<2	20.4	<0.5	1	8	<1	0.50	<10
M364597		4.10	0.176	<0.5	7.03	78	1600	3.0	<2	2.31	<0.5	9	36	28	2.51	20
M364598		5.29	0.854	<0.5	7.35	285	1730	2.6	3	2.14	<0.5	9	30	23	2.51	20
M364599		6.62	0.621	1.6	7.41	4490	1260	2.9	6	2.44	7.6	8	31	50	3.37	20
M364600		5.74	1.270	<0.5	7.34	154	1580	3.0	4	2.81	<0.5	10	41	23	2.82	20
M364601		6.19	1.305	<0.5	7.06	64	1660	3.0	16	2.23	<0.5	7	32	8	2.32	20
M364602		5.08	1.395	<0.5	7.27	231	1640	3.0	6	2.50	<0.5	8	30	16	2.43	20
M364603		6.07	0.637	<0.5	7.09	926	1730	2.6	<2	2.22	<0.5	10	29	18	2.46	20
M364604		5.28	1.825	1.7	7.04	7860	1280	2.7	10	1.64	0.5	10	29	30	3.46	20
M364605		6.10	2.22	<0.5	6.91	126	1440	2.7	18	2.48	1.1	8	37	15	3.03	20
M364606		5.14	0.734	<0.5	7.37	108	1400	2.6	2	2.31	<0.5	9	29	20	2.60	20
M364607		5.68	1.155	<0.5	6.97	149	1710	2.5	17	2.39	<0.5	8	33	24	2.54	20
M364608		6.39	1.355	<0.5	7.27	154	1780	2.7	20	2.49	<0.5	7	33	18	2.58	20
M364609		4.91	3.29	<0.5	7.35	389	1860	2.6	43	2.48	<0.5	10	33	25	2.56	20
M364610		0.07	0.985	<0.5	7.80	1680	280	1.0	<2	5.86	<0.5	39	178	62	8.20	20
M364611		5.74	0.187	13.5	6.43	147	1610	2.5	<2	3.00	1.0	6	27	38	2.50	20
M364612		8.44	1.130	7.1	7.42	136	1740	2.8	21	2.56	<0.5	9	34	32	2.53	20
M364613		5.79	0.652	<0.5	7.32	78	1720	2.9	23	2.82	<0.5	7	29	22	2.47	20
M364614		5.12	2.37	<0.5	6.98	113	1610	2.6	32	2.38	<0.5	9	27	19	2.24	20
M364615		6.17	1.570	<0.5	7.43	45	1720	2.8	7	2.30	<0.5	7	33	22	2.52	20
M364616		0.77	<0.005	<0.5	0.12	<5	20	<0.5	<2	20.7	<0.5	<1	1	<1	0.45	<10
M364617		5.72	1.070	<0.5	7.15	478	1610	2.5	17	2.64	<0.5	8	29	20	2.38	20
M364618		3.97	7.11	<0.5	6.97	1405	1460	2.6	156	2.89	<0.5	15	28	11	2.27	20

Comments: Additional Au-AA24 check assay for sample M364569 reports 0.912 ppm.



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 3 - B
Total # Pages: 4 (A - C)
Finalized Date: 21-FEB-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12026838

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
M364579		3.88	30	0.73	255	1	1.79	20	640	25	0.09	<5	7	521	20	0.30
M364580		3.72	30	0.73	222	1	1.71	19	620	17	0.10	7	6	486	20	0.29
M364581		3.70	40	0.78	240	2	1.70	22	620	18	0.20	<5	7	501	20	0.29
M364582		3.62	30	0.71	288	1	1.65	21	620	29	0.09	<5	6	488	20	0.29
M364583		3.73	30	0.80	275	2	1.58	19	610	34	0.23	10	6	500	20	0.29
M364584		3.46	30	0.78	263	6	1.61	20	620	16	0.04	<5	6	492	20	0.29
M364585		3.67	30	0.70	258	3	1.69	18	590	16	0.05	<5	6	495	20	0.28
M364586		3.96	30	0.67	227	3	1.57	19	600	20	0.07	<5	6	492	20	0.28
M364587		3.62	30	0.65	254	1	1.52	18	590	20	0.12	<5	6	467	20	0.27
M364588		3.59	30	0.72	284	1	1.74	18	590	24	0.06	<5	6	502	20	0.28
M364589		3.69	30	0.75	271	3	1.72	19	620	23	0.08	<5	7	504	20	0.29
M364590		2.90	10	2.01	598	573	2.40	17	1110	12	0.91	<5	17	576	<20	0.34
M364591		3.84	30	0.78	273	3	1.70	19	650	25	0.07	6	7	505	20	0.30
M364592		3.56	30	0.55	434	2	1.02	18	620	68	0.70	<5	7	286	20	0.29
M364593		3.51	30	0.71	721	1	0.92	18	610	432	1.92	33	7	289	20	0.28
M364594		3.88	40	0.77	485	7	1.31	20	640	154	0.21	30	7	422	20	0.30
M364595		3.76	30	0.76	266	7	1.60	18	620	24	0.10	7	7	478	20	0.29
M364596		0.24	<10	12.50	190	1	0.01	3	230	<2	<0.01	<5	1	44	<20	0.02
M364597		3.52	30	0.83	259	2	1.64	20	640	24	0.11	8	7	474	20	0.30
M364598		4.04	40	0.82	414	3	1.24	20	670	30	0.23	24	7	404	20	0.30
M364599		3.68	40	0.68	613	1	0.97	18	620	815	1.22	237	7	337	20	0.29
M364600		3.81	30	1.02	324	1	1.65	17	700	22	0.12	<5	9	503	20	0.31
M364601		3.98	30	0.75	248	2	1.68	18	630	24	0.04	<5	6	488	20	0.29
M364602		4.09	30	0.77	293	1	1.67	18	620	23	0.06	9	7	498	20	0.29
M364603		4.42	30	0.72	259	5	1.32	16	620	36	0.16	6	6	396	20	0.28
M364604		3.55	40	0.74	484	4	0.93	15	570	208	0.75	19	7	300	20	0.27
M364605		3.73	30	0.89	542	3	1.02	19	550	120	0.23	<5	7	357	20	0.32
M364606		3.69	40	0.76	342	2	1.33	19	650	38	0.12	12	7	385	20	0.29
M364607		3.93	30	0.79	259	4	1.45	19	660	24	0.15	7	7	463	20	0.30
M364608		3.88	40	0.86	245	2	1.69	20	690	22	0.10	<5	7	518	20	0.33
M364609		4.22	30	0.85	230	3	1.51	21	700	19	0.11	<5	7	529	20	0.33
M364610		0.67	10	4.09	1280	1	2.26	137	1450	7	0.54	<5	19	411	<20	1.00
M364611		3.57	30	0.85	365	1	1.25	18	610	54	0.23	<5	6	476	20	0.25
M364612		4.12	40	0.81	254	2	1.63	20	660	27	0.12	<5	7	522	20	0.31
M364613		4.08	30	0.78	249	2	1.64	20	680	22	0.10	<5	7	523	20	0.32
M364614		4.10	30	0.73	218	3	1.39	18	620	20	0.08	5	6	476	20	0.28
M364615		3.93	30	0.82	252	2	1.57	20	670	22	0.08	<5	7	513	20	0.32
M364616		0.07	<10	12.45	189	1	0.01	<1	220	<2	<0.01	<5	<1	45	<20	<0.01
M364617		3.98	30	0.79	223	4	1.45	19	620	23	0.12	5	7	463	20	0.29
M364618		3.78	30	0.74	245	2	1.42	20	570	25	0.12	8	6	467	20	0.26

Comments: Additional Au-AA24 check assay for sample M364569 reports 0.912 ppm.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 3 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 21-FEB-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12026838

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
M364579		<10	<10	37	20	45
M364580		<10	<10	35	10	30
M364581		<10	<10	36	20	32
M364582		<10	<10	36	20	65
M364583		10	10	36	20	38
M364584		<10	10	35	20	36
M364585		<10	10	34	20	28
M364586		<10	<10	34	20	34
M364587		<10	<10	32	30	32
M364588		<10	<10	34	10	51
M364589		<10	10	37	10	48
M364590		<10	<10	184	<10	88
M364591		<10	<10	37	20	44
M364592		<10	<10	36	20	50
M364593		<10	<10	35	20	464
M364594		<10	<10	37	70	219
M364595		<10	<10	36	30	42
M364596		<10	<10	7	<10	14
M364597		<10	<10	40	20	49
M364598		<10	<10	39	30	44
M364599		<10	<10	36	20	1370
M364600		<10	<10	49	30	50
M364601		<10	<10	35	30	40
M364602		<10	<10	37	20	46
M364603		<10	<10	36	30	52
M364604		<10	<10	35	20	138
M364605		<10	<10	42	20	212
M364606		<10	<10	36	30	50
M364607		<10	<10	40	30	37
M364608		<10	<10	41	30	41
M364609		<10	<10	41	20	31
M364610		<10	<10	157	<10	120
M364611		<10	<10	33	70	237
M364612		<10	<10	38	40	53
M364613		<10	<10	38	20	33
M364614		<10	<10	35	20	32
M364615		<10	<10	40	30	52
M364616		<10	<10	3	<10	13
M364617		<10	<10	35	20	32
M364618		<10	<10	32	20	31

Comments: Additional Au-AA24 check assay for sample M364569 reports 0.912 ppm.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 4 - A
 Total # Pages: 4 (A - C)
 Finalized Date: 21-FEB-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12026838

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
M364619		6.72	1.035	<0.5	7.33	63	1550	3.1	30	2.30	<0.5	7	29	14	2.37	20
M364620		5.91	3.99	<0.5	6.97	83	1520	2.8	80	2.37	<0.5	8	33	19	2.30	20
M364621		5.60	0.582	<0.5	7.48	72	1730	2.9	24	2.17	<0.5	7	30	18	2.40	20
M364622		5.77	0.366	<0.5	7.47	94	1660	2.9	25	2.24	<0.5	7	26	17	2.29	20
M364623		5.09	1.575	<0.5	7.03	47	1580	3.0	38	2.21	<0.5	8	31	14	2.37	20
M364624		5.92	0.969	<0.5	7.28	78	1600	2.9	39	2.26	<0.5	7	31	19	2.31	20
M364625		5.07	0.393	<0.5	7.49	66	1730	3.3	14	2.47	<0.5	7	31	13	2.52	20
M364626		5.94	0.948	<0.5	7.16	64	1730	2.8	14	2.70	<0.5	8	33	14	2.42	20
M364627		6.26	0.173	<0.5	8.16	98	1870	3.2	2	2.68	<0.5	9	32	34	2.49	20
M364628		6.53	1.100	<0.5	7.56	147	1770	3.1	21	2.44	<0.5	9	35	20	2.48	20
M364629		<0.02	1.005	<0.5	7.75	151	1760	3.1	17	2.44	<0.5	8	34	17	2.47	20

Comments: Additional Au-AA24 check assay for sample M364569 reports 0.912 ppm.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 4 - B
 Total # Pages: 4 (A - C)
 Finalized Date: 21-FEB-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12026838

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
M364619		3.98	30	0.74	247	4	1.53	19	600	24	0.07	<5	6	480	20	0.29
M364620		3.84	30	0.71	246	3	1.45	19	580	24	0.10	<5	7	465	20	0.27
M364621		4.41	30	0.76	250	2	1.69	19	640	26	0.08	<5	7	492	20	0.30
M364622		4.48	40	0.72	246	3	1.62	19	610	30	0.10	<5	7	490	20	0.28
M364623		3.98	30	0.73	234	3	1.63	19	600	22	0.08	<5	6	476	20	0.29
M364624		3.99	40	0.75	239	2	1.60	17	610	25	0.08	<5	7	475	20	0.29
M364625		4.15	30	0.78	280	2	1.78	18	670	25	0.06	<5	7	513	20	0.32
M364626		3.95	30	0.77	250	2	1.61	20	660	19	0.06	<5	7	509	20	0.31
M364627		4.28	40	0.76	262	6	1.73	34	690	31	0.09	5	7	486	20	0.32
M364628		4.08	30	0.75	248	3	1.67	19	640	21	0.10	<5	7	483	20	0.31
M364629		4.16	30	0.76	246	4	1.66	19	650	21	0.10	<5	7	487	20	0.31

Comments: Additional Au-AA24 check assay for sample M364569 reports 0.912 ppm.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 4 - C
 Total # Pages: 4 (A - C)
 Finalized Date: 21-FEB-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12026838

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		TI	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
M364619		<10	<10	36	20	49
M364620		<10	<10	35	20	46
M364621		<10	<10	37	30	49
M364622		<10	<10	34	60	48
M364623		<10	<10	36	20	43
M364624		<10	<10	35	30	45
M364625		<10	<10	39	30	53
M364626		<10	<10	38	30	34
M364627		<10	<10	39	40	59
M364628		<10	<10	37	20	36
M364629		<10	<10	37	20	36

Comments: Additional Au-AA24 check assay for sample M364569 reports 0.912 ppm.