



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
SUITE 584 - 1055 DUNSMUIR STREET  
PO BOX 49215  
VANCOUVER BC V7X 1K8

Page: 1  
Finalized Date: 20-APR-2012  
Account: STRGOL

**CERTIFICATE WH12074942**

Project: Eagle Gold

P.O. No.: EGP12-063

This report is for 86 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 5-APR-2012.

The following have access to data associated with this certificate:

SUZANNE BYRON  
BILL KEATS

AUDREY CHEN  
HELENA KUIKKA

RICHARD ELIASON

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-36	Fine Crushing - 85% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION  
ATTN: HELENA KUIKKA  
SUITE 584 - 1055 DUNSMUIR STREET  
PO BOX 49215  
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Comments: Additional Au-AA24 check assay on sample # M384577 reports 0.338ppm and 0.666ppm.

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
SUITE 584 - 1055 DUNSMUIR STREET  
PO BOX 49215  
VANCOUVER BC V7X 1K8

Page: 2 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 20-APR-2012  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH12074942**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-GR22 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
M384500		6.17	0.024		<0.5	7.11	58	1550	3.3	<2	2.42	<0.5	7	32	32	2.43
M384501		5.30	0.008		<0.5	7.10	53	1520	3.2	<2	2.34	<0.5	7	29	13	2.38
M384502		5.00	0.038		<0.5	6.94	82	1500	3.0	<2	2.25	<0.5	7	29	21	2.27
M384503		5.47	0.080		<0.5	7.33	39	1620	3.2	<2	2.48	<0.5	8	31	46	2.45
M384504		6.73	0.046		<0.5	7.11	25	1620	3.1	<2	2.56	<0.5	7	32	44	2.42
M384505		5.20	0.076		<0.5	7.20	34	1520	3.2	<2	2.84	<0.5	6	31	35	2.34
M384506		6.26	0.321		<0.5	7.29	31	1630	3.5	<2	2.63	<0.5	6	32	35	2.44
M384507		6.27	0.157		<0.5	7.59	58	1650	3.4	4	2.61	<0.5	7	34	50	2.63
M384508		5.89	0.272		<0.5	7.95	36	1740	3.5	5	2.68	<0.5	6	33	44	2.70
M384509		5.86	0.214		<0.5	7.04	43	1470	3.0	4	2.64	<0.5	5	29	36	2.19
M384510		0.08	0.354		0.9	7.51	15	800	1.9	2	2.47	<0.5	14	50	3510	5.20
M384511		5.56	0.252		<0.5	7.50	38	1520	3.2	5	2.58	<0.5	7	29	59	2.24
M384512		5.81	1.005		<0.5	7.41	39	1650	3.2	18	2.39	<0.5	7	32	41	2.44
M384513		5.91	0.015		<0.5	7.05	16	1450	3.2	<2	2.27	<0.5	7	30	24	2.37
M384514		6.26	0.235		<0.5	7.10	34	1630	3.4	2	2.35	<0.5	6	28	27	2.19
M384515		6.83	0.168		<0.5	7.15	38	1560	2.9	5	2.42	<0.5	5	28	25	2.24
M384516		1.15	<0.005		<0.5	0.10	<5	20	<0.5	<2	21.5	<0.5	1	1	1	0.49
M384517		6.47	0.045		<0.5	7.15	30	1190	3.2	<2	2.75	<0.5	6	27	24	2.42
M384518		6.01	0.108		<0.5	7.54	71	1600	3.3	<2	2.22	<0.5	7	29	47	2.36
M384519		6.75	0.234		<0.5	7.37	90	1820	3.2	5	2.15	<0.5	6	28	34	2.44
M384520		6.84	0.095		<0.5	7.56	136	1720	3.2	3	2.47	<0.5	7	29	28	2.37
M384521		6.45	0.117		<0.5	7.39	55	1610	3.4	4	2.64	<0.5	7	27	40	2.49
M384522		6.19	0.066		<0.5	7.72	58	1650	3.6	<2	2.38	<0.5	7	27	39	2.57
M384523		6.72	0.688		<0.5	7.37	83	1340	3.3	29	2.52	<0.5	7	24	38	2.27
M384524		6.19	0.072		<0.5	7.49	55	1510	3.5	<2	2.32	<0.5	6	25	27	2.33
M384525		6.60	0.367		<0.5	7.07	75	1430	3.0	5	2.47	<0.5	8	26	40	2.19
M384526		6.82	0.184		<0.5	7.19	102	1660	3.0	8	2.80	<0.5	7	25	32	2.28
M384527		6.77	0.277		<0.5	7.76	43	1680	3.3	6	2.50	<0.5	6	29	33	2.43
M384528		5.64	0.025		<0.5	7.87	71	1530	3.3	<2	2.75	<0.5	7	29	26	2.54
M384529		<0.02	0.024		<0.5	7.87	72	1530	3.3	<2	2.76	<0.5	7	29	27	2.53
M384530		6.87	0.046		<0.5	7.69	105	1610	3.3	<2	2.56	<0.5	7	32	33	2.59
M384531		6.24	0.055		<0.5	7.71	50	1440	3.2	<2	2.58	<0.5	6	26	34	2.35
M384532		6.14	0.120		<0.5	7.70	84	1650	3.3	3	2.26	<0.5	6	30	31	2.58
M384533		5.25	0.024		<0.5	7.59	119	1520	3.4	2	2.13	<0.5	7	31	34	2.46
M384534		5.75	0.631		<0.5	6.78	40	1440	3.1	15	1.90	<0.5	6	30	43	2.24
M384535		5.50	0.041		<0.5	7.12	48	1520	3.3	2	2.35	<0.5	7	29	35	2.34
M384536		6.07	0.048		<0.5	7.07	27	1490	3.2	<2	2.23	<0.5	7	29	31	2.32
M384537		6.87	0.054		<0.5	7.23	31	1510	3.0	<2	2.23	<0.5	6	27	40	2.38
M384538		5.77	0.159		<0.5	7.31	42	1460	2.9	4	2.28	<0.5	6	26	33	2.43
M384539		5.38	1.755		<0.5	7.21	50	1660	2.6	40	2.66	<0.5	5	26	42	2.40

Comments: Additional Au-AA24 check assay on sample # M384577 reports 0.338ppm and 0.666ppm.



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
SUITE 584 - 1055 DUNSMUIR STREET  
PO BOX 49215  
VANCOUVER BC V7X 1K8

Page: 2 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 20-APR-2012  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH12074942**

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
M384500		20	3.55	30	0.80	176	1	1.80	20	630	19	0.20	<5	6	480	20
M384501		20	3.41	30	0.83	246	2	1.76	19	620	20	0.11	<5	6	481	20
M384502		20	3.46	30	0.80	200	1	1.65	19	590	17	0.15	<5	6	462	20
M384503		20	3.56	30	0.88	176	5	1.77	21	660	14	0.25	<5	7	498	20
M384504		20	3.44	30	0.78	196	2	1.77	21	640	10	0.24	<5	7	485	20
M384505		20	3.48	30	0.77	178	1	1.74	21	650	14	0.29	<5	7	476	20
M384506		20	3.43	30	0.87	194	1	1.93	21	690	13	0.20	<5	7	509	20
M384507		20	3.50	40	0.87	200	11	1.87	26	710	18	0.24	<5	7	527	20
M384508		20	3.85	40	0.85	199	1	1.89	24	710	18	0.27	<5	8	537	20
M384509		20	3.66	30	0.59	206	1	1.57	21	620	17	0.25	<5	6	429	20
M384510		20	3.15	20	1.49	538	274	2.58	23	1080	16	0.50	<5	13	472	<20
M384511		20	3.94	30	0.61	165	1	1.81	20	630	15	0.28	<5	7	493	20
M384512		20	3.99	40	0.72	197	1	1.69	22	630	14	0.25	<5	7	494	30
M384513		20	3.21	40	0.68	211	<1	1.68	18	590	16	0.15	<5	7	468	20
M384514		20	3.59	40	0.53	160	1	1.64	19	610	14	0.20	<5	7	439	20
M384515		20	4.11	30	0.55	169	1	1.62	19	610	14	0.17	<5	6	455	20
M384516		<10	0.06	<10	12.70	205	<1	0.01	1	190	<2	0.01	<5	<1	44	<20
M384517		20	3.28	30	0.68	213	<1	1.59	20	630	16	0.16	<5	7	417	20
M384518		20	4.05	40	0.55	182	<1	1.64	20	640	18	0.35	<5	7	424	20
M384519		20	4.14	30	0.68	183	<1	1.54	21	620	14	0.17	<5	7	454	20
M384520		20	4.15	30	0.42	159	<1	1.64	22	640	14	0.34	<5	7	402	20
M384521		20	3.89	30	0.65	186	<1	1.57	20	630	18	0.26	<5	7	474	20
M384522		20	3.95	40	0.73	181	<1	1.61	21	640	17	0.26	<5	7	481	20
M384523		20	4.12	30	0.62	149	3	1.44	20	600	16	0.28	<5	7	430	20
M384524		20	3.88	40	0.75	195	1	1.58	21	610	21	0.17	<5	7	481	20
M384525		20	4.10	30	0.56	174	1	1.44	22	600	15	0.29	<5	6	430	20
M384526		20	4.51	30	0.61	182	<1	1.38	20	610	17	0.30	<5	6	483	20
M384527		20	4.36	40	0.76	181	<1	1.68	23	690	11	0.28	<5	7	497	20
M384528		20	3.74	40	0.75	255	1	1.85	21	660	18	0.20	<5	7	497	20
M384529		20	3.78	30	0.73	254	1	1.87	22	670	16	0.20	<5	7	503	20
M384530		20	3.81	40	0.78	260	1	1.83	21	660	18	0.21	<5	7	515	30
M384531		20	4.15	30	0.67	234	1	1.68	18	600	23	0.22	<5	7	469	20
M384532		20	3.86	40	0.82	259	1	1.76	21	660	23	0.19	<5	7	507	20
M384533		20	3.59	40	0.80	204	1	1.75	21	650	16	0.22	<5	7	468	20
M384534		20	3.67	30	0.76	164	1	1.59	19	580	11	0.24	<5	6	475	20
M384535		20	3.76	30	0.84	202	9	1.65	22	620	15	0.19	<5	7	526	20
M384536		20	3.61	40	0.79	181	2	1.74	20	610	15	0.18	<5	7	504	20
M384537		20	3.74	40	0.87	188	1	1.41	20	620	16	0.19	<5	7	514	20
M384538		20	3.55	40	0.81	223	1	1.64	19	620	16	0.18	<5	7	499	20
M384539		20	4.88	30	0.73	203	40	1.40	22	620	16	0.27	5	7	501	20

Comments: Additional Au-AA24 check assay on sample # M384577 reports 0.338ppm and 0.666ppm.



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
SUITE 584 - 1055 DUNSMUIR STREET  
PO BOX 49215  
VANCOUVER BC V7X 1K8

Page: 2 - C  
Total # Pages: 4 (A - C)  
Finalized Date: 20-APR-2012  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH12074942**

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti %	ME-ICP61 Ti ppm	ME-ICP61 U ppm	ME-ICP61 V ppm	ME-ICP61 W ppm	ME-ICP61 Zn ppm
		0.01	10	10	1	10	2
M384500		0.30	<10	<10	35	10	23
M384501		0.31	<10	<10	35	10	39
M384502		0.29	<10	<10	34	20	26
M384503		0.32	<10	<10	38	40	23
M384504		0.32	<10	<10	37	20	24
M384505		0.31	<10	<10	37	40	19
M384506		0.33	<10	<10	40	10	24
M384507		0.33	<10	<10	39	30	25
M384508		0.34	<10	<10	40	20	22
M384509		0.29	<10	<10	36	30	23
M384510		0.38	<10	<10	140	<10	75
M384511		0.31	<10	<10	36	50	18
M384512		0.31	<10	<10	37	40	21
M384513		0.28	<10	<10	33	10	27
M384514		0.29	<10	<10	34	10	21
M384515		0.29	<10	<10	34	20	22
M384516		<0.01	<10	10	2	<10	14
M384517		0.30	<10	<10	35	10	28
M384518		0.31	<10	<10	37	20	27
M384519		0.30	<10	<10	34	30	23
M384520		0.31	<10	<10	37	20	26
M384521		0.30	<10	<10	35	30	23
M384522		0.31	<10	<10	36	30	22
M384523		0.29	<10	<10	34	70	19
M384524		0.29	<10	<10	34	20	30
M384525		0.28	<10	<10	33	40	21
M384526		0.29	<10	<10	34	60	21
M384527		0.32	<10	<10	38	20	18
M384528		0.32	<10	<10	37	10	31
M384529		0.32	<10	<10	38	10	32
M384530		0.32	<10	<10	38	10	35
M384531		0.28	<10	<10	33	10	29
M384532		0.31	<10	<10	35	10	42
M384533		0.32	<10	<10	39	10	27
M384534		0.28	<10	<10	33	40	19
M384535		0.32	<10	<10	36	20	21
M384536		0.30	<10	<10	35	30	19
M384537		0.30	<10	<10	35	40	22
M384538		0.29	<10	<10	34	30	24
M384539		0.29	<10	<10	37	1480	20

Comments: Additional Au-AA24 check assay on sample # M384577 reports 0.338ppm and 0.666ppm.



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
SUITE 584 - 1055 DUNSMUIR STREET  
PO BOX 49215  
VANCOUVER BC V7X 1K8

Page: 3 - A  
Total # Pages: 4 (A - C)  
Finalized Date: 20-APR-2012  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH12074942**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-GRA22 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
M384540		7.22	1.920		<0.5	7.40	41	1730	3.1	27	2.51	<0.5	7	31	35	2.65
M384541		5.99	0.215		<0.5	7.31	72	1610	2.8	3	2.03	<0.5	7	28	54	2.52
M384542		5.31	0.135		<0.5	6.73	221	1520	2.6	3	2.58	1.6	6	27	45	2.14
M384543		6.00	0.446		<0.5	7.03	104	1630	2.9	15	2.10	<0.5	9	26	30	2.24
M384544		5.79	0.170		<0.5	7.15	48	1420	3.2	6	1.97	<0.5	6	26	27	2.23
M384545		5.49	3.39		<0.5	6.68	111	1560	2.6	55	2.66	<0.5	9	28	18	2.11
M384546		5.06	0.339		<0.5	7.34	86	1590	3.2	12	2.19	<0.5	7	28	32	2.30
M384547		5.43	0.380		<0.5	7.22	33	1610	2.9	6	2.44	<0.5	8	29	34	2.39
M384548		7.47	0.171		<0.5	6.99	32	1460	3.1	2	2.29	<0.5	7	29	27	2.33
M384549		5.53	0.156		<0.5	7.09	46	1520	3.0	4	2.28	<0.5	7	30	29	2.35
M384550		0.11	0.346		0.6	7.20	14	770	1.8	3	2.38	<0.5	14	49	3220	5.01
M384551		8.95	0.650		<0.5	7.18	137	1570	3.0	6	2.56	<0.5	9	30	33	2.42
M384552		6.75	0.302		<0.5	7.19	55	1550	3.0	4	2.65	<0.5	7	28	28	2.33
M384553		6.54	0.054		<0.5	7.10	33	1570	3.0	2	2.86	<0.5	6	27	24	2.20
M384554		5.88	0.086		<0.5	7.03	40	1490	3.1	4	2.51	<0.5	8	25	46	2.00
M384555		7.17	0.132		<0.5	7.32	20	1710	3.3	5	2.48	<0.5	6	30	34	2.45
M384556		1.09	<0.005		<0.5	0.16	<5	20	<0.5	<2	20.9	<0.5	<1	2	1	0.47
M384557		5.89	0.136		<0.5	7.18	29	1630	3.1	3	2.57	<0.5	7	33	31	2.54
M384558		7.31	0.092		<0.5	7.32	26	1630	3.2	5	2.52	<0.5	9	38	42	2.68
M384559		8.40	0.086		<0.5	7.25	16	1650	3.1	4	2.51	<0.5	8	35	56	2.64
M384560		5.80	0.645		<0.5	6.95	54	1640	2.8	6	2.80	<0.5	7	33	47	2.53
M384561		4.62	0.285		<0.5	7.17	833	1450	2.8	5	1.96	<0.5	7	26	24	2.11
M384562		6.05	1.260		<0.5	7.08	623	1490	2.6	14	2.28	<0.5	6	23	23	1.95
M384563		5.61	0.956		<0.5	7.15	152	1550	2.7	9	1.95	<0.5	6	24	24	1.94
M384564		5.09	0.077		<0.5	6.96	17	1490	3.1	3	2.26	<0.5	7	30	51	2.36
M384565		6.42	0.135		<0.5	7.20	47	1500	3.0	5	2.20	<0.5	7	31	36	2.40
M384566		3.99	0.135		<0.5	7.10	39	1520	2.9	3	2.41	<0.5	8	31	41	2.44
M384567		7.28	0.135		<0.5	7.35	128	1600	3.1	5	2.56	<0.5	7	35	25	2.54
M384568		5.53	0.139		<0.5	7.42	185	1570	2.8	3	2.56	<0.5	11	31	36	2.57
M384569		<0.02	0.262		<0.5	7.54	201	1620	2.9	4	2.63	<0.5	10	33	37	2.62
M384570		5.50	0.053		<0.5	7.55	73	1560	3.2	6	2.41	<0.5	7	33	36	2.64
M384571		4.74	0.157		<0.5	7.48	49	1540	3.2	4	2.58	<0.5	7	31	35	2.52
M384572		6.24	0.044		<0.5	7.26	73	1510	3.1	3	2.62	<0.5	7	31	32	2.43
M384573		5.95	0.267		<0.5	7.04	91	1270	3.0	6	2.08	<0.5	6	26	42	1.82
M384574		6.36	0.579		<0.5	7.08	100	1590	2.8	9	2.13	<0.5	7	27	35	2.22
M384575		6.32	0.148		<0.5	7.30	46	1500	3.1	4	2.12	<0.5	7	29	36	2.36
M384576		4.91	0.339		<0.5	7.11	47	1470	3.1	7	2.50	<0.5	7	28	48	2.29
M384577		3.93	0.232		<0.5	7.13	98	1530	3.1	6	2.31	<0.5	8	28	40	2.38
M384578		6.55	4.55		<0.5	7.46	191	1520	3.2	20	2.24	<0.5	8	30	32	2.41
M384579		5.25	0.118		<0.5	7.49	97	1650	3.1	<2	2.59	<0.5	7	32	46	2.55

Comments: Additional Au-AA24 check assay on sample # M384577 reports 0.338ppm and 0.666ppm.



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
SUITE 584 - 1055 DUNSMUIR STREET  
PO BOX 49215  
VANCOUVER BC V7X 1K8

Page: 3 - B  
Total # Pages: 4 (A - C)  
Finalized Date: 20-APR-2012  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH12074942**

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
M384540		20	3.98	30	0.78	233	1	1.59	22	680	17	0.23	5	7	499	20
M384541		20	4.04	40	0.61	186	2	1.40	21	600	18	0.53	12	7	404	20
M384542		20	4.25	30	0.50	301	1	0.97	19	550	61	0.57	17	6	344	20
M384543		20	4.07	30	0.63	218	1	1.29	19	600	34	0.22	19	6	395	20
M384544		20	3.91	30	0.68	173	<1	1.49	17	540	16	0.18	5	6	415	20
M384545		20	3.84	30	0.63	230	1	1.34	19	590	16	0.16	9	6	424	20
M384546		20	3.87	30	0.69	181	<1	1.50	19	620	15	0.22	5	6	453	20
M384547		20	4.14	40	0.80	228	1	1.46	20	640	12	0.22	<5	7	492	20
M384548		20	3.43	30	0.80	206	1	1.66	19	610	9	0.17	<5	6	483	20
M384549		20	3.79	30	0.81	186	<1	1.61	20	610	14	0.20	<5	6	487	20
M384550		20	2.99	10	1.45	496	259	2.46	22	1040	12	0.46	<5	12	438	<20
M384551		20	3.79	30	0.81	180	4	1.59	21	620	14	0.21	<5	7	483	20
M384552		20	3.84	30	0.69	199	<1	1.50	21	610	15	0.18	6	6	436	20
M384553		20	3.75	30	0.68	220	<1	1.48	20	610	15	0.20	<5	6	470	20
M384554		20	4.09	30	0.67	157	<1	1.43	20	590	11	0.23	6	6	468	20
M384555		20	3.82	40	0.90	180	<1	1.51	21	680	10	0.17	6	7	509	20
M384556		<10	0.10	<10	12.60	211	<1	0.02	1	180	<2	<0.01	<5	<1	53	<20
M384557		20	3.75	30	0.95	200	<1	1.57	20	660	12	0.16	5	7	508	20
M384558		20	3.63	40	0.89	197	2	1.70	23	730	15	0.23	<5	7	512	20
M384559		20	3.76	30	0.86	215	<1	1.69	20	670	15	0.26	7	7	509	20
M384560		20	4.09	30	0.86	231	<1	1.42	21	660	12	0.25	14	7	473	20
M384561		20	4.22	30	0.66	177	<1	1.46	17	560	18	0.28	15	6	414	20
M384562		20	4.46	30	0.63	189	6	1.36	16	540	19	0.24	13	6	423	20
M384563		20	4.63	30	0.53	163	2	1.28	15	570	15	0.23	12	7	369	20
M384564		20	3.80	30	0.78	199	1	1.52	20	600	12	0.25	6	6	476	20
M384565		20	3.84	30	0.82	192	<1	1.57	20	620	15	0.20	12	7	488	20
M384566		20	3.82	30	0.81	219	1	1.54	20	630	12	0.21	<5	7	493	20
M384567		20	3.86	30	0.80	266	<1	1.71	19	660	16	0.18	<5	7	508	20
M384568		20	4.10	30	0.78	236	<1	1.60	22	620	11	0.25	<5	6	492	20
M384569		20	4.24	30	0.79	237	1	1.66	20	640	13	0.27	6	7	501	20
M384570		20	3.69	40	0.83	272	<1	1.81	21	650	12	0.21	<5	7	521	20
M384571		20	3.63	30	0.82	227	2	1.70	20	660	14	0.17	7	7	511	20
M384572		20	3.86	30	0.73	229	<1	1.66	19	620	14	0.19	5	6	502	20
M384573		20	4.38	30	0.58	127	<1	1.43	18	440	15	0.23	<5	5	440	20
M384574		20	4.01	40	0.76	171	<1	1.51	20	600	13	0.17	5	6	464	20
M384575		20	3.66	30	0.79	189	<1	1.69	19	620	12	0.18	6	6	480	20
M384576		20	4.00	30	0.75	186	<1	1.58	18	600	13	0.24	<5	6	482	20
M384577		20	3.68	30	0.81	198	<1	1.58	22	620	12	0.17	<5	6	486	20
M384578		20	3.84	40	0.74	207	<1	1.75	19	620	15	0.20	<5	6	489	20
M384579		20	4.33	40	0.76	205	<1	1.63	22	660	16	0.26	<5	7	518	20

Comments: Additional Au-AA24 check assay on sample # M384577 reports 0.338ppm and 0.666ppm.



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
 SUITE 584 - 1055 DUNSMUIR STREET  
 PO BOX 49215  
 VANCOUVER BC V7X 1K8

Page: 3 - C  
 Total # Pages: 4 (A - C)  
 Finalized Date: 20-APR-2012  
 Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH12074942**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
M384540		0.32	<10	<10	39	90	23
M384541		0.28	<10	<10	34	30	24
M384542		0.25	<10	<10	31	30	263
M384543		0.27	<10	<10	32	60	42
M384544		0.26	<10	<10	29	20	23
M384545		0.28	<10	<10	33	20	39
M384546		0.29	<10	<10	34	50	32
M384547		0.30	<10	<10	35	90	34
M384548		0.29	<10	<10	34	30	30
M384549		0.30	<10	<10	34	80	28
M384550		0.35	<10	<10	134	<10	75
M384551		0.30	<10	<10	36	20	24
M384552		0.30	<10	<10	35	20	28
M384553		0.29	<10	<10	35	20	29
M384554		0.27	<10	<10	32	20	17
M384555		0.31	<10	<10	38	20	22
M384556		<0.01	<10	<10	2	<10	12
M384557		0.32	<10	<10	39	20	22
M384558		0.33	<10	<10	41	10	24
M384559		0.32	<10	<10	39	10	25
M384560		0.32	<10	<10	39	20	25
M384561		0.24	<10	<10	28	10	29
M384562		0.23	<10	<10	28	20	27
M384563		0.23	<10	<10	27	20	27
M384564		0.30	<10	<10	34	20	27
M384565		0.30	<10	<10	35	10	28
M384566		0.30	<10	<10	35	10	30
M384567		0.31	<10	<10	37	10	36
M384568		0.29	<10	<10	35	40	28
M384569		0.30	<10	<10	36	40	29
M384570		0.32	<10	<10	37	<10	38
M384571		0.32	<10	<10	38	10	32
M384572		0.30	<10	<10	35	20	30
M384573		0.23	<10	<10	27	20	14
M384574		0.29	<10	<10	33	30	24
M384575		0.30	<10	<10	34	40	28
M384576		0.29	<10	<10	33	50	25
M384577		0.30	<10	<10	34	30	28
M384578		0.29	<10	<10	33	20	31
M384579		0.32	<10	<10	38	30	25

Comments: Additional Au-AA24 check assay on sample # M384577 reports 0.338ppm and 0.666ppm.



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
 SUITE 584 - 1055 DUNSMUIR STREET  
 PO BOX 49215  
 VANCOUVER BC V7X 1K8

Page: 4 - A  
 Total # Pages: 4 (A - C)  
 Finalized Date: 20-APR-2012  
 Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH12074942**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-GRA22 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
M384580		4.57	0.990		<0.5	7.18	118	1570	3.1	7	2.46	<0.5	10	32	37	2.45
M384581		7.01	0.524		<0.5	7.03	104	1530	2.8	8	2.15	<0.5	7	29	32	2.18
M384582		5.67	0.422		<0.5	7.42	112	1650	2.9	5	2.32	<0.5	7	31	43	2.45
M384583		5.27	1.400		<0.5	7.15	81	1490	3.0	23	1.97	<0.5	8	30	41	2.45
M384584		6.62	0.080		<0.5	6.93	23	1470	3.0	<2	2.98	<0.5	7	29	35	2.51
M384585		5.95	>10.0	11.90	<0.5	7.11	68	1740	2.4	184	2.67	<0.5	6	28	24	2.28

Comments: Additional Au-AA24 check assay on sample # M384577 reports 0.338ppm and 0.666ppm.





ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
 SUITE 584 - 1055 DUNSMUIR STREET  
 PO BOX 49215  
 VANCOUVER BC V7X 1K8

Page: 4 - B  
 Total # Pages: 4 (A - C)  
 Finalized Date: 20-APR-2012  
 Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH12074942**

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
M384580		20	4.05	30	0.76	193	1	1.68	21	640	18	0.21	<5	7	514	20
M384581		20	4.27	40	0.68	141	<1	1.49	19	580	12	0.23	<5	6	458	20
M384582		20	4.32	40	0.75	166	<1	1.62	22	620	14	0.26	<5	7	510	30
M384583		20	3.71	40	0.79	205	2	1.64	21	610	15	0.20	<5	7	466	20
M384584		20	3.69	30	0.78	250	1	1.62	20	630	16	0.16	<5	7	512	20
M384585		20	5.25	30	0.65	235	7	1.33	19	610	22	0.18	7	7	461	20

Comments: Additional Au-AA24 check assay on sample # M384577 reports 0.338ppm and 0.666ppm.



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
 SUITE 584 - 1055 DUNSMUIR STREET  
 PO BOX 49215  
 VANCOUVER BC V7X 1K8

Page: 4 - C  
 Total # Pages: 4 (A - C)  
 Finalized Date: 20-APR-2012  
 Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH12074942**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
M384580		0.30	<10	<10	37	20	22
M384581		0.28	<10	<10	33	20	16
M384582		0.29	<10	<10	35	30	19
M384583		0.29	<10	<10	35	40	26
M384584		0.31	<10	<10	36	50	26
M384585		0.29	<10	<10	36	30	27

Comments: Additional Au-AA24 check assay on sample # M384577 reports 0.338ppm and 0.666ppm.