



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
SUITE 584 - 1055 DUNSMUIR STREET  
PO BOX 49215  
VANCOUVER BC V7X 1K8

Page: 1  
Finalized Date: 27-APR-2012  
This copy reported on  
1-MAY-2012  
Account: STRGOL

**CERTIFICATE WH12088892**

Project: Re-assays from WH12054325

P.O. No.:

This report is for 31 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 23-APR-2012.

The following have access to data associated with this certificate:

AUDREY CHEN  
HELENA KUIKKA

RICHARD ELIASON

BILL KEATS

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION  
ATTN: HELENA KUIKKA  
SUITE 584 - 1055 DUNSMUIR STREET  
PO BOX 49215  
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Comments: \*\*RE-ANALYSIS RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12054325\*\*

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
 SUITE 584 - 1055 DUNSMUIR STREET  
 PO BOX 49215  
 VANCOUVER BC V7X 1K8

Page: 2 - A  
 Total # Pages: 2 (A - C)  
 Finalized Date: 27-APR-2012  
 Account: STRGOL

Project: Re-assays from WH12054325

**CERTIFICATE OF ANALYSIS WH1208892**

Sample Description	Method Analyte Units LOR	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01
M386270		0.079	<0.5	7.59	82	1670	3.3	3	2.31	<0.5	12	35	66	2.81	20	3.87
M386271		0.212	<0.5	7.82	42	1670	3.2	6	2.49	<0.5	8	31	46	2.74	20	3.81
M386272		0.066	0.7	7.83	36	1780	3.2	2	2.40	<0.5	10	35	93	3.13	20	4.01
M386273		0.042	0.5	7.12	92	960	3.9	<2	2.80	1.1	6	27	40	2.08	20	3.47
M386274		0.067	<0.5	7.14	83	1300	4.2	3	2.29	<0.5	5	29	30	1.90	20	3.51
M386275		0.073	<0.5	7.59	58	1500	4.1	2	2.18	<0.5	6	29	35	2.26	20	3.91
M386276		0.014	<0.5	7.34	116	1260	4.9	<2	1.87	<0.5	5	35	18	1.94	20	3.34
M386277		0.150	<0.5	7.46	127	1250	4.9	7	2.06	<0.5	5	29	28	1.79	20	3.57
M386278		0.123	<0.5	7.46	267	1240	4.9	5	1.78	<0.5	5	30	39	1.83	20	3.55
M386279		0.750	<0.5	7.27	446	1270	5.1	44	1.72	<0.5	6	29	64	1.77	20	3.46
M386280		0.226	0.5	6.92	676	1140	4.5	26	2.24	<0.5	6	28	79	1.70	20	3.51
M386281		0.055	<0.5	7.72	411	1260	5.1	5	1.86	<0.5	6	28	88	1.83	20	3.62
M386282		0.092	<0.5	7.65	256	1220	5.0	6	1.72	<0.5	6	30	60	1.75	20	3.36
M386283		0.285	<0.5	7.40	369	1350	4.9	9	2.12	<0.5	6	28	39	1.78	20	3.65
M386284		0.082	<0.5	7.32	71	1370	4.6	4	2.14	<0.5	6	29	40	1.91	20	3.66
M386285		0.102	<0.5	7.08	33	1520	3.1	7	2.10	<0.5	8	31	42	2.61	20	3.73
M386286		0.419	<0.5	7.28	39	1470	3.0	19	2.11	<0.5	9	33	66	2.62	20	4.21
M386287		0.263	<0.5	7.33	134	1290	2.6	24	2.18	<0.5	12	27	30	2.11	20	4.29
M386288		0.210	<0.5	7.59	44	1580	3.3	3	2.34	<0.5	11	35	59	2.82	20	3.80
M386289		0.085	<0.5	7.18	50	1490	3.2	2	2.06	<0.5	10	29	52	2.39	20	4.03
M386290		0.334	0.8	7.43	15	780	1.9	<2	2.41	<0.5	15	48	3300	5.04	20	3.05
M386291		0.322	<0.5	7.25	84	1420	3.1	13	2.26	<0.5	12	32	80	2.59	20	4.02
M386292		0.155	<0.5	7.28	38	1580	3.0	12	2.20	<0.5	9	33	65	2.61	20	3.85
M386293		0.416	<0.5	7.18	49	1490	2.7	19	1.94	<0.5	9	28	61	2.52	20	4.07
M386294		0.158	<0.5	7.22	55	1440	3.0	6	2.22	<0.5	10	30	59	2.49	20	3.81
M386295		0.349	0.8	6.76	65	930	2.9	14	3.13	1.1	9	30	61	2.82	20	3.50
M386296		0.200	<0.5	7.17	83	1370	2.7	9	2.11	<0.5	11	32	80	2.60	20	3.92
M386297		0.554	1.4	6.89	72	1310	2.6	33	1.98	1.1	9	28	59	2.79	20	3.77
M386298		0.108	0.8	7.26	92	1110	3.1	3	2.39	2.4	7	31	76	3.09	20	3.71
M386299		0.096	<0.5	7.06	64	1430	3.1	6	2.11	<0.5	8	31	47	2.61	20	3.63
M386300		0.046	<0.5	7.04	63	1520	3.0	<2	1.89	0.7	9	28	49	2.51	20	3.67

Comments: \*\*RE-ANALYSIS RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12054325\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
SUITE 584 - 1055 DUNSMUIR STREET  
PO BOX 49215  
VANCOUVER BC V7X 1K8

Page: 2 - B  
Total # Pages: 2 (A - C)  
Finalized Date: 27-APR-2012  
Account: STRGOL

Project: Re-assays from WH12054325

**CERTIFICATE OF ANALYSIS WH1208892**

Sample Description	Method Analyte Units LOR	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20	ME-ICP61 Ti % 0.01	ME-ICP61 Tl ppm 10
M386270		40	0.80	228	2	1.59	21	680	21	0.31	<5	7	508	20	0.32	<10
M386271		50	0.83	260	2	1.32	19	680	33	0.24	10	7	473	20	0.30	<10
M386272		40	0.76	278	2	1.45	23	720	41	0.46	<5	7	498	20	0.33	<10
M386273		30	0.42	375	1	0.67	10	480	84	0.55	7	5	245	<20	0.19	<10
M386274		20	0.40	238	1	1.76	11	490	24	0.23	9	5	345	<20	0.18	<10
M386275		30	0.60	208	1	1.66	15	560	25	0.24	<5	6	439	20	0.24	<10
M386276		30	0.58	208	1	2.00	10	460	20	0.17	<5	5	417	<20	0.17	<10
M386277		20	0.49	200	1	1.96	7	470	23	0.28	6	5	401	20	0.16	<10
M386278		30	0.45	177	1	1.88	9	460	25	0.33	7	5	376	<20	0.16	<10
M386279		20	0.51	130	1	1.91	8	470	24	0.35	<5	5	408	<20	0.16	<10
M386280		20	0.62	186	1	1.51	9	440	42	0.39	6	4	360	<20	0.15	<10
M386281		30	0.49	129	<1	1.84	9	470	19	0.39	<5	5	398	<20	0.16	<10
M386282		30	0.53	129	1	1.90	9	460	18	0.34	<5	5	413	<20	0.16	<10
M386283		20	0.61	204	1	1.88	8	460	31	0.26	7	5	438	<20	0.16	<10
M386284		30	0.52	264	7	1.76	10	490	27	0.22	<5	5	389	<20	0.18	<10
M386285		30	0.76	257	4	1.63	18	610	29	0.20	<5	6	484	20	0.29	<10
M386286		30	0.72	219	5	1.60	17	610	24	0.31	<5	6	482	20	0.28	<10
M386287		30	0.59	235	1	1.61	14	600	27	0.15	<5	7	450	20	0.23	<10
M386288		40	0.77	228	1	1.76	20	660	25	0.28	<5	7	529	20	0.31	<10
M386289		30	0.64	213	1	1.58	17	570	25	0.26	<5	6	448	20	0.28	<10
M386290		20	1.48	502	260	2.50	22	1050	18	0.47	<5	13	449	<20	0.37	<10
M386291		30	0.67	191	3	1.46	20	580	28	0.41	<5	6	426	20	0.27	<10
M386292		30	0.72	214	6	1.48	19	630	24	0.31	6	7	445	20	0.30	<10
M386293		40	0.67	218	1	1.44	19	560	31	0.30	<5	6	420	40	0.27	<10
M386294		30	0.70	220	<1	1.57	18	570	27	0.25	<5	6	444	20	0.28	<10
M386295		30	0.81	632	5	0.62	18	560	107	0.22	11	6	315	20	0.27	<10
M386296		30	0.65	246	1	1.24	20	610	39	0.40	18	7	363	20	0.29	<10
M386297		30	0.65	350	1	1.04	19	550	94	0.49	20	6	307	20	0.26	<10
M386298		40	0.71	511	2	0.51	20	620	101	0.69	14	7	243	20	0.28	<10
M386299		30	0.57	250	<1	1.43	19	620	24	0.20	5	6	378	20	0.29	<10
M386300		30	0.54	264	2	1.18	16	580	44	0.19	10	6	380	20	0.27	<10

Comments: \*\*RE-ANALYSIS RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12054325\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
 SUITE 584 - 1055 DUNSMUIR STREET  
 PO BOX 49215  
 VANCOUVER BC V7X 1K8

Page: 2 - C  
 Total # Pages: 2 (A - C)  
 Finalized Date: 27-APR-2012  
 Account: STRGOL

Project: Re-assays from WH12054325

**CERTIFICATE OF ANALYSIS WH12088892**

Sample Description	Method Analyte Units LOR	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
M386270		<10	38	80	28
M386271		<10	38	50	48
M386272		<10	40	20	52
M386273		10	35	20	229
M386274		20	36	10	46
M386275		10	37	30	44
M386276		20	35	10	46
M386277		20	35	20	52
M386278		20	36	30	69
M386279		20	35	10	29
M386280		20	34	20	40
M386281		20	36	10	25
M386282		20	35	10	27
M386283		20	36	10	43
M386284		10	34	90	64
M386285		10	35	70	52
M386286		10	33	90	36
M386287		10	27	20	42
M386288		10	36	30	32
M386289		10	32	50	36
M386290		<10	137	<10	77
M386291		<10	32	70	26
M386292		<10	35	30	36
M386293		<10	31	100	43
M386294		<10	33	40	50
M386295		<10	32	70	259
M386296		<10	35	70	40
M386297		<10	31	90	196
M386298		<10	36	30	415
M386299		<10	35	20	37
M386300		<10	33	10	61

Comments: \*\*RE-ANALYSIS RESULTS FOR SAMPLES ORIGINALLY REPORTED ON CERTIFICATE WH12054325\*\*