



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
SUITE 584 - 1055 DUNSMUIR STREET  
PO BOX 49215  
VANCOUVER BC V7X 1K8

Page: 1  
Finalized Date: 25-MAY-2012  
This copy reported on  
5-JUN-2012  
Account: STRGOL

**CERTIFICATE WH12103907**

Project: Eagle Gold

P.O. No.: EGP12-083

This report is for 68 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 9-MAY-2012.

The following have access to data associated with this certificate:

AUDREY CHEN  
HELENA KUIKKA

RICHARD ELIASON

BILL KEATS

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-36	Fine Crushing - 85% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION  
ATTN: HELENA KUIKKA  
SUITE 584 - 1055 DUNSMUIR STREET  
PO BOX 49215  
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Comments: \*\*Corrected Copy for Au-AA24 on Samples M385271-M385300.\*\*

Signature:

  
Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
SUITE 584 - 1055 DUNSMUIR STREET  
PO BOX 49215  
VANCOUVER BC V7X 1K8

Page: 2 - A  
Total # Pages: 3 (A - C)  
Finalized Date: 25-MAY-2012  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH12103907**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
M385271		6.00	0.258	<0.5	7.44	73	1530	3.4	11	2.19	<0.5	7	27	59	2.28	20
M385272		5.09	0.308	<0.5	7.24	69	1490	3.4	5	2.20	<0.5	6	25	41	2.24	20
M385273		5.43	0.179	<0.5	6.70	850	1230	2.8	4	1.86	<0.5	6	24	40	2.00	20
M385274		4.65	0.492	<0.5	5.64	195	850	2.3	4	2.24	<0.5	5	21	28	1.75	10
M385275		5.13	0.034	<0.5	7.27	100	1450	3.2	2	2.28	<0.5	7	28	37	2.36	20
M385276		5.94	0.442	<0.5	7.22	122	1460	3.2	6	2.13	<0.5	8	33	44	2.20	20
M385277		7.37	0.144	<0.5	7.14	338	1470	3.2	7	2.14	<0.5	7	29	46	2.30	20
M385278		7.34	2.84	0.8	6.91	1430	1150	3.6	55	1.36	<0.5	6	23	54	1.47	20
M385279		5.87	1.120	<0.5	6.97	3530	1380	3.8	18	1.58	<0.5	5	26	54	1.65	20
M385280		6.50	0.366	<0.5	7.28	1670	1320	3.6	12	1.84	<0.5	5	25	63	1.98	20
M385281		4.87	0.243	<0.5	6.69	100	1260	2.7	8	2.76	<0.5	6	24	33	1.97	20
M385282		6.08	0.212	<0.5	7.28	76	1540	2.9	6	1.93	<0.5	6	26	36	2.27	20
M385283		6.71	0.056	<0.5	7.19	60	1420	2.9	4	2.04	<0.5	7	25	29	2.25	20
M385284		5.33	0.049	<0.5	7.31	51	1570	3.0	2	2.02	<0.5	7	27	27	2.27	20
M385285		6.85	0.074	<0.5	7.35	49	1580	3.1	3	1.93	<0.5	6	27	36	2.33	20
M385286		6.38	0.087	<0.5	7.47	47	1550	3.2	<2	2.30	<0.5	7	29	38	2.33	20
M385287		6.75	0.222	<0.5	7.00	66	1400	2.7	2	2.21	<0.5	6	25	36	2.12	20
M385288		4.77	0.124	<0.5	7.05	37	1400	2.7	4	2.45	<0.5	7	26	46	2.09	20
M385289		5.47	0.119	<0.5	6.01	53	810	2.7	<2	4.66	<0.5	6	22	29	1.64	20
M385290		0.06	0.996	<0.5	7.57	1515	250	0.9	<2	5.49	<0.5	38	177	58	7.79	20
M385291		6.73	0.202	<0.5	7.23	62	1440	3.0	4	2.14	<0.5	6	30	29	2.22	20
M385292		4.88	0.050	<0.5	6.92	41	1360	2.9	<2	1.95	<0.5	6	26	24	2.13	20
M385293		5.33	0.312	<0.5	7.07	55	1410	2.8	2	2.27	<0.5	7	26	32	2.07	20
M385294		5.92	0.071	<0.5	7.41	42	1490	3.2	2	2.19	<0.5	7	28	31	2.28	20
M385295		6.18	0.303	<0.5	7.10	36	1450	3.1	7	2.07	<0.5	6	29	27	2.21	20
M385296		1.64	<0.005	<0.5	0.07	<5	10	<0.5	<2	20.7	<0.5	1	1	<1	0.46	<10
M385297		6.72	0.176	<0.5	7.36	27	1600	3.5	2	2.45	<0.5	6	34	34	2.38	20
M385298		4.60	0.846	<0.5	7.24	92	1610	2.9	18	3.01	<0.5	8	31	34	2.31	20
M385299		4.66	0.558	<0.5	7.44	37	1580	3.5	8	2.26	<0.5	7	39	31	2.40	20
M385300		4.29	0.874	<0.5	7.22	106	1610	3.3	9	2.36	<0.5	10	29	40	2.32	20
M385301		4.95	0.092	<0.5	7.58	38	1610	3.5	<2	2.48	<0.5	8	32	70	2.50	20
M385302		2.75	0.247	<0.5	7.41	39	1630	3.2	<2	2.57	<0.5	7	31	53	2.39	20
M385303		4.22	0.065	<0.5	7.60	15	1660	3.3	<2	2.56	<0.5	7	31	50	2.66	20
M385304		5.03	0.223	<0.5	7.49	32	1620	3.4	<2	2.37	<0.5	8	30	40	2.32	20
M385305		5.65	0.887	<0.5	7.54	29	1460	3.2	17	3.01	<0.5	7	31	30	2.29	20
M385306		6.82	0.110	<0.5	7.39	6	1300	3.1	<2	3.06	<0.5	9	54	40	3.20	20
M385307		7.49	0.357	<0.5	7.58	24	1480	2.9	5	3.19	<0.5	11	65	38	3.73	20
M385308		5.17	0.135	<0.5	7.54	17	1510	3.3	<2	2.87	<0.5	9	49	43	3.14	20
M385309		6.95	0.701	0.6	7.17	32	1580	2.8	11	2.83	<0.5	7	47	47	2.90	20
M385310		0.07	0.333	1.2	8.03	18	840	2.0	<2	2.56	<0.5	15	54	3610	5.45	20

Comments: \*\*Corrected Copy for Au-AA24 on Samples M385271-M385300.\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
SUITE 584 - 1055 DUNSMUIR STREET  
PO BOX 49215  
VANCOUVER BC V7X 1K8

Page: 2 - B  
Total # Pages: 3 (A - C)  
Finalized Date: 25-MAY-2012  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH12103907**

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
M385271		3.80	30	0.78	130	2	1.50	20	630	12	0.29	<5	7	472	20	0.30
M385272		3.78	30	0.77	169	5	1.35	16	590	12	0.24	<5	6	453	20	0.27
M385273		3.19	30	0.68	140	3	1.02	20	510	15	0.24	<5	6	347	20	0.25
M385274		2.47	30	0.40	160	4	0.77	13	440	60	0.49	15	5	242	20	0.20
M385275		3.38	30	0.74	190	<1	1.61	22	600	16	0.21	<5	6	457	20	0.30
M385276		3.69	30	0.72	144	1	1.58	19	580	15	0.26	<5	6	455	20	0.28
M385277		3.48	30	0.76	160	2	1.57	22	600	12	0.27	<5	6	445	20	0.30
M385278		3.56	30	0.36	81	3	1.27	14	400	58	0.37	21	4	287	20	0.16
M385279		3.73	20	0.52	88	<1	1.28	11	420	45	0.42	10	4	348	<20	0.15
M385280		3.70	30	0.63	125	3	1.17	14	490	16	0.31	11	5	355	20	0.21
M385281		3.55	30	0.61	194	3	0.85	18	550	18	0.25	10	6	346	20	0.26
M385282		3.53	30	0.76	150	2	1.36	20	590	15	0.22	<5	6	434	20	0.29
M385283		3.39	30	0.73	160	<1	1.50	20	580	13	0.20	<5	6	442	20	0.28
M385284		3.54	30	0.76	162	1	1.58	19	580	16	0.18	<5	6	460	20	0.29
M385285		3.51	30	0.83	160	1	1.55	21	600	18	0.22	<5	6	470	20	0.29
M385286		3.55	30	0.79	178	<1	1.57	22	620	14	0.26	<5	7	465	20	0.30
M385287		3.40	30	0.73	179	1	1.37	20	600	14	0.22	<5	6	427	20	0.28
M385288		3.46	30	0.75	193	4	1.18	20	600	20	0.31	<5	6	399	20	0.29
M385289		3.00	30	0.40	297	<1	0.95	18	550	21	0.50	5	5	379	20	0.26
M385290		0.61	20	3.96	1230	1	2.06	141	1370	7	0.51	<5	18	381	<20	0.95
M385291		3.49	30	0.75	183	7	1.51	21	560	16	0.20	<5	6	451	20	0.28
M385292		3.29	30	0.74	180	<1	1.46	20	550	18	0.15	<5	6	447	20	0.27
M385293		3.59	40	0.78	145	3	1.36	20	560	12	0.21	<5	6	450	20	0.27
M385294		3.75	30	0.80	183	1	1.60	21	600	17	0.20	<5	6	486	20	0.30
M385295		3.36	30	0.78	145	1	1.59	22	590	14	0.17	<5	6	466	20	0.29
M385296		0.02	<10	13.15	193	<1	0.01	5	150	<2	0.01	<5	<1	43	<20	<0.01
M385297		3.62	40	0.85	155	1	1.76	19	680	10	0.19	<5	7	521	20	0.31
M385298		4.51	30	0.99	236	4	1.42	15	670	11	0.15	<5	8	497	20	0.30
M385299		3.76	30	0.84	188	4	1.72	18	680	11	0.18	<5	8	523	20	0.32
M385300		4.06	30	0.85	176	1	1.52	21	680	12	0.24	<5	7	502	20	0.31
M385301		3.85	40	0.84	175	<1	1.76	20	690	11	0.24	<5	7	513	20	0.32
M385302		4.04	40	0.86	177	1	1.48	20	690	11	0.30	<5	7	517	20	0.32
M385303		3.66	40	0.84	220	<1	1.80	21	710	9	0.28	<5	7	532	20	0.32
M385304		3.94	40	0.79	180	2	1.67	18	690	12	0.24	<5	7	507	20	0.32
M385305		3.75	30	0.71	257	<1	1.59	19	670	14	0.23	<5	7	482	20	0.31
M385306		3.86	30	1.24	371	3	1.52	14	720	11	0.22	<5	10	543	20	0.31
M385307		4.06	30	1.41	433	1	1.64	17	820	10	0.23	<5	10	562	20	0.36
M385308		3.87	30	1.19	330	<1	1.76	17	750	14	0.24	<5	9	552	20	0.33
M385309		4.11	40	1.01	240	5	1.43	15	720	9	0.28	<5	8	483	20	0.31
M385310		3.26	20	1.55	558	276	2.65	21	1170	14	0.52	<5	14	485	<20	0.39

Comments: \*\*Corrected Copy for Au-AA24 on Samples M385271-M385300.\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
 SUITE 584 - 1055 DUNSMUIR STREET  
 PO BOX 49215  
 VANCOUVER BC V7X 1K8

Page: 2 - C  
 Total # Pages: 3 (A - C)  
 Finalized Date: 25-MAY-2012  
 Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH12103907**

Sample Description	Method Analyte Units LOR	ME-ICP61 TI ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
M385271		<10	<10	36	10	12
M385272		<10	<10	33	20	20
M385273		<10	<10	28	10	12
M385274		<10	<10	23	20	28
M385275		<10	<10	33	10	20
M385276		<10	<10	32	40	13
M385277		<10	<10	34	30	15
M385278		<10	<10	28	20	51
M385279		<10	10	32	10	20
M385280		<10	10	32	20	22
M385281		<10	<10	31	30	26
M385282		<10	<10	32	50	16
M385283		<10	<10	32	20	18
M385284		10	<10	33	10	19
M385285		<10	<10	33	20	17
M385286		<10	<10	35	20	17
M385287		<10	<10	31	20	18
M385288		<10	<10	33	20	25
M385289		<10	<10	30	30	41
M385290		<10	<10	145	<10	118
M385291		<10	<10	31	20	19
M385292		<10	<10	30	30	29
M385293		<10	<10	31	30	13
M385294		<10	<10	34	20	22
M385295		<10	<10	33	10	14
M385296		<10	<10	1	<10	11
M385297		<10	10	38	20	17
M385298		<10	10	42	30	21
M385299		<10	10	40	10	22
M385300		<10	<10	37	20	18
M385301		<10	10	38	20	32
M385302		<10	<10	37	20	16
M385303		<10	10	39	20	20
M385304		<10	10	37	30	18
M385305		<10	10	39	10	26
M385306		<10	10	58	10	35
M385307		<10	10	70	70	46
M385308		<10	10	55	10	34
M385309		<10	10	50	30	22
M385310		<10	10	147	<10	78

Comments: \*\*Corrected Copy for Au-AA24 on Samples M385271-M385300.\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
 SUITE 584 - 1055 DUNSMUIR STREET  
 PO BOX 49215  
 VANCOUVER BC V7X 1K8

Page: 3 - A  
 Total # Pages: 3 (A - C)  
 Finalized Date: 25-MAY-2012  
 Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH12103907**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
M385311		5.88	0.309	0.6	7.88	34	1590	3.1	5	2.98	<0.5	9	40	63	3.00	20
M385312		5.31	0.131	1.5	7.41	39	1130	3.1	<2	2.97	0.8	9	33	91	2.57	20
M385313		6.60	0.110	<0.5	8.24	87	1820	3.6	<2	3.45	<0.5	9	31	47	2.88	20
M385314		5.46	0.328	<0.5	7.94	93	1610	3.3	4	2.41	<0.5	8	32	39	2.53	20
M385315		5.52	0.623	<0.5	7.21	110	1470	2.8	38	2.34	<0.5	10	29	41	2.30	20
M385316		1.76	<0.005	<0.5	0.11	<5	30	<0.5	<2	21.5	<0.5	<1	3	1	0.48	<10
M385317		5.43	2.39	<0.5	7.58	70	1740	3.1	32	2.53	<0.5	10	33	65	2.58	20
M385318		4.33	0.300	<0.5	7.37	31	1700	3.0	<2	2.07	<0.5	6	32	50	2.36	20
M385319		4.68	0.246	<0.5	7.81	36	1660	3.3	5	2.36	<0.5	7	30	46	2.53	20
M385320		3.98	0.647	<0.5	7.65	29	1670	3.2	16	2.24	<0.5	7	34	87	2.76	20
M385321		6.80	0.273	<0.5	7.60	46	1600	3.1	6	2.62	<0.5	7	32	48	2.37	20
M385322		6.29	0.138	<0.5	7.42	39	1570	3.1	<2	2.77	<0.5	8	32	46	2.45	20
M385323		5.22	0.736	<0.5	7.57	100	1720	3.1	11	2.37	<0.5	8	33	39	2.47	20
M385324		6.08	0.775	0.6	7.04	136	1460	2.8	16	2.48	0.7	9	26	39	2.26	20
M385325		5.34	0.230	<0.5	7.33	45	1460	3.2	3	2.51	<0.5	8	33	36	2.09	20
M385326		6.31	1.000	<0.5	7.27	41	1580	3.1	28	2.21	<0.5	6	28	32	2.34	20
M385327		4.52	1.420	<0.5	7.48	39	1610	3.1	32	2.04	<0.5	8	29	27	2.32	20
M385328		7.81	0.088	<0.5	7.53	75	1570	3.1	<2	2.29	<0.5	9	26	41	2.31	20
M385329		<0.02	0.096	<0.5	7.53	66	1580	3.1	<2	2.25	<0.5	8	26	39	2.22	20
M385330		3.72	0.898	<0.5	6.44	77	1300	2.6	23	2.65	<0.5	7	24	48	1.71	20
M385331		5.69	0.325	0.8	6.96	67	1410	3.1	9	1.93	<0.5	7	24	37	2.10	20
M385332		5.69	0.188	0.5	6.96	65	1590	3.0	6	2.38	<0.5	7	26	50	2.21	20
M385333		5.82	0.117	0.5	7.00	39	1520	3.0	4	2.16	<0.5	7	26	49	2.49	20
M385334		5.42	0.277	0.8	7.26	67	1680	3.0	6	2.27	<0.5	9	27	52	2.68	20
M385335		5.96	0.220	1.1	6.62	64	1500	2.9	7	2.90	<0.5	8	25	51	1.98	20
M385336		5.92	0.855	0.6	6.97	95	1530	3.2	18	2.32	<0.5	9	32	35	2.38	20
M385337		5.20	0.556	0.6	6.90	65	1510	3.2	12	2.19	<0.5	8	28	35	2.33	20
M385338		1.25	0.019	0.5	7.08	26	1570	3.4	<2	2.06	<0.5	7	29	36	2.37	20

Comments: \*\*Corrected Copy for Au-AA24 on Samples M385271-M385300.\*\*



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
SUITE 584 - 1055 DUNSMUIR STREET  
PO BOX 49215  
VANCOUVER BC V7X 1K8

Page: 3 - B  
Total # Pages: 3 (A - C)  
Finalized Date: 25-MAY-2012  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH12103907**

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
M385311		3.92	40	0.80	405	1	1.28	19	760	57	0.41	19	9	422	20	0.33
M385312		3.93	40	0.73	698	<1	0.53	17	720	137	0.33	23	7	266	20	0.31
M385313		4.52	30	0.86	387	<1	1.69	20	740	28	0.43	<5	7	569	20	0.33
M385314		4.10	40	0.80	224	<1	1.68	19	660	14	0.22	<5	7	507	20	0.31
M385315		4.21	30	0.76	172	<1	1.54	21	650	14	0.22	10	7	434	20	0.29
M385316		0.05	<10	12.90	215	<1	0.01	<1	180	2	0.01	<5	<1	50	<20	<0.01
M385317		4.39	40	0.94	169	<1	1.62	22	700	10	0.36	<5	8	541	20	0.32
M385318		4.10	40	0.89	149	<1	1.56	18	690	9	0.28	<5	7	506	20	0.30
M385319		4.17	40	0.85	183	<1	1.66	18	680	13	0.27	<5	7	513	20	0.31
M385320		4.54	40	0.78	170	<1	1.60	21	670	12	0.52	<5	7	503	20	0.31
M385321		3.99	40	0.76	198	<1	1.65	18	680	15	0.29	<5	7	476	20	0.31
M385322		3.87	40	0.75	218	<1	1.66	20	680	17	0.31	<5	7	479	20	0.31
M385323		4.07	30	0.79	180	<1	1.68	20	700	14	0.25	5	7	508	20	0.32
M385324		3.93	30	0.55	293	14	1.18	17	610	81	0.30	32	6	344	20	0.27
M385325		3.81	40	0.65	244	<1	1.44	17	640	22	0.21	12	7	385	20	0.31
M385326		3.96	40	0.71	175	1	1.52	18	610	15	0.21	<5	7	451	30	0.29
M385327		4.08	40	0.65	181	1	1.49	19	660	23	0.26	8	7	398	20	0.30
M385328		3.75	40	0.92	210	<1	1.29	19	660	13	0.18	5	7	481	20	0.30
M385329		3.81	40	0.89	200	<1	1.30	18	660	13	0.18	5	7	480	20	0.30
M385330		3.78	30	0.40	226	1	1.37	16	570	33	0.21	13	5	335	20	0.26
M385331		3.84	30	0.51	229	4	1.10	24	580	65	0.24	12	6	317	20	0.27
M385332		4.21	30	0.53	230	1	1.22	17	590	21	0.29	13	6	389	20	0.28
M385333		3.96	30	0.59	217	<1	1.29	18	610	20	0.32	15	6	363	20	0.28
M385334		4.22	30	0.63	252	1	1.22	18	610	40	0.34	20	6	385	20	0.29
M385335		3.80	30	0.51	306	1	1.23	18	600	66	0.33	13	6	382	20	0.29
M385336		3.76	30	0.80	169	1	1.64	18	620	18	0.24	<5	6	484	20	0.30
M385337		3.71	30	0.82	170	1	1.45	19	610	20	0.22	5	6	468	20	0.29
M385338		3.48	30	0.89	188	<1	1.56	18	630	21	0.19	7	6	494	20	0.31

Comments: \*\*Corrected Copy for Au-AA24 on Samples M385271-M385300.\*\*



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
 SUITE 584 - 1055 DUNSMUIR STREET  
 PO BOX 49215  
 VANCOUVER BC V7X 1K8

Page: 3 - C  
 Total # Pages: 3 (A - C)  
 Finalized Date: 25-MAY-2012  
 Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH12103907**

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
M385311		<10	10	48	20	98
M385312		<10	<10	41	20	168
M385313		<10	10	38	10	43
M385314		<10	10	36	10	24
M385315		<10	10	36	20	19
M385316		<10	10	2	<10	15
M385317		<10	<10	40	180	15
M385318		<10	10	38	10	14
M385319		<10	10	37	10	22
M385320		<10	10	36	10	17
M385321		<10	10	37	20	22
M385322		<10	10	38	30	25
M385323		<10	10	40	30	33
M385324		<10	<10	32	10	130
M385325		<10	<10	39	20	56
M385326		<10	10	34	30	20
M385327		<10	10	36	20	34
M385328		<10	<10	36	10	23
M385329		<10	10	35	10	23
M385330		<10	10	30	20	29
M385331		<10	<10	32	20	52
M385332		<10	<10	35	10	26
M385333		<10	<10	34	10	27
M385334		<10	<10	35	20	56
M385335		<10	<10	35	20	100
M385336		<10	<10	36	20	20
M385337		<10	<10	35	20	21
M385338		<10	<10	37	10	23

Comments: \*\*Corrected Copy for Au-AA24 on Samples M385271-M385300.\*\*