



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 1
Finalized Date: 26-MAY-2012
Account: STRGOL

CERTIFICATE WH12107680

Project: Eagle Gold

P.O. No.: EGP12-090

This report is for 68 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 16-MAY-2012.

The following have access to data associated with this certificate:

AUDREY CHEN
HELENA KUIKKA

RICHARD ELIASON

BILL KEATS

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|------------------------------------|
| WEI-21 | Received Sample Weight |
| LOG-24 | Pulp Login - Rcd w/o Barcode |
| LOG-21 | Sample logging - ClientBarCode |
| CRU-36 | Fine Crushing - 85% <2mm |
| CRU-QC | Crushing QC Test |
| PUL-QC | Pulverizing QC Test |
| SPL-21 | Split sample - riffle splitter |
| PUL-32 | Pulverize 1000g to 85% < 75 um |
| BAG-01 | Bulk Master for Storage |
| LOG-21d | Sample logging - ClientBarCode Dup |
| SPL-21d | Split sample - duplicate |
| PUL-32d | Pulverize Split -Dup 85% <75um |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|------------------------------|------------|
| Au-AA24 | Au 50g FA AA finish | AAS |
| ME-ICP61 | 33 element four acid ICP-AES | ICP-AES |

To: STRATAGOLD CORPORATION
ATTN: HELENA KUIKKA
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 26-MAY-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12107680

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA24 Au ppm | ME-ICP61 Ag ppm | ME-ICP61 Al % | ME-ICP61 As ppm | ME-ICP61 Ba ppm | ME-ICP61 Be ppm | ME-ICP61 Bi ppm | ME-ICP61 Ca % | ME-ICP61 Cd ppm | ME-ICP61 Co ppm | ME-ICP61 Cr ppm | ME-ICP61 Cu ppm | ME-ICP61 Fe % | ME-ICP61 Ga ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|
| | | 0.02 | 0.005 | 0.5 | 0.01 | 5 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 | 10 |
| M386385 | | 5.79 | 0.031 | <0.5 | 4.62 | 198 | 840 | 1.7 | 4 | 1.48 | <0.5 | 6 | 36 | 23 | 1.63 | 10 |
| M386386 | | 4.82 | 0.029 | <0.5 | 2.63 | 327 | 390 | 0.5 | <2 | 0.57 | <0.5 | 4 | 33 | 10 | 1.06 | 10 |
| M386387 | | 5.49 | <0.005 | <0.5 | 2.92 | 28 | 410 | 0.5 | <2 | 0.30 | <0.5 | 5 | 39 | 4 | 1.19 | 10 |
| M386388 | | 5.46 | 0.014 | <0.5 | 3.12 | 128 | 380 | 0.9 | 2 | 0.50 | <0.5 | 6 | 27 | 14 | 1.46 | 10 |
| M386389 | | 3.82 | 0.035 | <0.5 | 6.88 | 342 | 1380 | 2.4 | <2 | 1.02 | <0.5 | 10 | 30 | 31 | 2.44 | 20 |
| M386390 | | 0.06 | 0.860 | 2.0 | 7.30 | 7 | 620 | 0.9 | <2 | 3.18 | <0.5 | 22 | 38 | 7530 | 7.24 | 20 |
| M386391 | | 6.40 | 0.078 | <0.5 | 7.04 | 593 | 1450 | 2.9 | 3 | 2.64 | <0.5 | 9 | 34 | 64 | 2.67 | 20 |
| M386392 | | 6.99 | 0.031 | <0.5 | 7.31 | 216 | 1510 | 2.8 | <2 | 2.27 | <0.5 | 8 | 30 | 43 | 2.30 | 20 |
| M386393 | | 5.61 | 0.045 | <0.5 | 7.41 | 100 | 1580 | 3.0 | <2 | 2.47 | <0.5 | 8 | 35 | 53 | 2.55 | 20 |
| M386394 | | 4.80 | 0.037 | <0.5 | 7.23 | 90 | 1460 | 2.9 | <2 | 2.36 | <0.5 | 7 | 32 | 26 | 2.34 | 20 |
| M386395 | | 5.83 | 0.041 | <0.5 | 7.27 | 92 | 1280 | 3.5 | <2 | 2.07 | <0.5 | 7 | 30 | 30 | 2.18 | 20 |
| M386396 | | 1.58 | <0.005 | <0.5 | 0.10 | <5 | 30 | <0.5 | 2 | 20.5 | <0.5 | <1 | 1 | <1 | 0.46 | <10 |
| M386397 | | 6.49 | 0.050 | <0.5 | 7.77 | 636 | 1590 | 3.2 | <2 | 2.38 | <0.5 | 8 | 33 | 28 | 2.63 | 20 |
| M386398 | | 6.58 | 0.053 | <0.5 | 7.36 | 101 | 1500 | 3.0 | <2 | 2.25 | <0.5 | 7 | 30 | 32 | 2.35 | 20 |
| M386399 | | 5.77 | 0.041 | <0.5 | 7.61 | 97 | 1680 | 2.9 | <2 | 2.37 | <0.5 | 7 | 33 | 35 | 2.60 | 20 |
| M386400 | | 6.11 | 0.065 | <0.5 | 7.44 | 85 | 1310 | 3.6 | 3 | 2.05 | <0.5 | 7 | 25 | 14 | 2.14 | 20 |
| M385701 | | 5.04 | 0.099 | <0.5 | 6.73 | 110 | 1250 | 3.7 | 7 | 2.21 | <0.5 | 7 | 23 | 33 | 2.16 | 20 |
| M385702 | | 3.78 | 0.040 | <0.5 | 7.45 | 63 | 1500 | 2.9 | 5 | 1.81 | <0.5 | 6 | 27 | 32 | 2.24 | 20 |
| M385703 | | 5.30 | 0.456 | <0.5 | 6.99 | 197 | 1440 | 2.2 | 21 | 2.08 | <0.5 | 6 | 27 | 36 | 1.92 | 20 |
| M385704 | | 5.66 | 0.831 | <0.5 | 7.24 | 151 | 1540 | 2.9 | 6 | 2.05 | <0.5 | 8 | 39 | 37 | 2.57 | 20 |
| M385705 | | 5.49 | 0.069 | <0.5 | 7.46 | 314 | 1470 | 2.8 | 2 | 2.12 | <0.5 | 7 | 29 | 41 | 2.36 | 20 |
| M385706 | | 5.26 | 0.144 | <0.5 | 7.62 | 448 | 1600 | 3.1 | 3 | 2.13 | <0.5 | 8 | 29 | 40 | 2.53 | 20 |
| M385707 | | 5.99 | 0.027 | <0.5 | 7.38 | 304 | 1390 | 3.3 | <2 | 1.98 | <0.5 | 7 | 28 | 22 | 2.26 | 20 |
| M385708 | | 5.28 | 0.056 | <0.5 | 7.43 | 340 | 1490 | 3.1 | <2 | 2.42 | <0.5 | 8 | 29 | 39 | 2.46 | 20 |
| M385709 | | 7.37 | 0.077 | <0.5 | 7.45 | 502 | 1520 | 3.0 | 3 | 2.27 | <0.5 | 8 | 31 | 46 | 2.49 | 20 |
| M385710 | | 0.06 | 0.350 | 0.9 | 7.73 | 13 | 820 | 2.0 | <2 | 2.48 | <0.5 | 16 | 52 | 3690 | 5.22 | 20 |
| M385711 | | 5.01 | 0.031 | <0.5 | 7.58 | 105 | 1630 | 3.0 | <2 | 2.50 | <0.5 | 8 | 31 | 31 | 2.67 | 20 |
| M385712 | | 7.34 | 0.028 | <0.5 | 7.73 | 114 | 1630 | 3.1 | <2 | 2.57 | <0.5 | 8 | 34 | 24 | 2.66 | 20 |
| M385713 | | 5.66 | 0.066 | <0.5 | 6.60 | 372 | 1410 | 2.6 | <2 | 2.18 | <0.5 | 8 | 29 | 33 | 2.30 | 20 |
| M385714 | | 6.71 | 0.019 | <0.5 | 7.05 | 136 | 1320 | 3.0 | <2 | 2.06 | <0.5 | 7 | 32 | 18 | 2.18 | 20 |
| M385715 | | 5.46 | 0.050 | <0.5 | 7.34 | 374 | 1360 | 3.3 | <2 | 2.00 | <0.5 | 9 | 27 | 29 | 2.28 | 20 |
| M385716 | | 1.30 | <0.005 | <0.5 | 0.12 | <5 | 30 | <0.5 | <2 | 19.8 | <0.5 | 1 | 1 | 1 | 0.46 | <10 |
| M385717 | | 5.63 | 0.154 | <0.5 | 7.47 | 169 | 1470 | 3.1 | 3 | 2.20 | <0.5 | 8 | 30 | 33 | 2.58 | 20 |
| M385718 | | 5.02 | 0.670 | <0.5 | 7.31 | 61 | 1580 | 3.2 | <2 | 2.36 | <0.5 | 8 | 29 | 27 | 2.44 | 20 |
| M385719 | | 6.40 | 0.043 | <0.5 | 7.58 | 90 | 1660 | 3.0 | <2 | 2.38 | <0.5 | 8 | 28 | 41 | 2.45 | 20 |
| M385720 | | 5.49 | 0.064 | <0.5 | 7.34 | 90 | 1400 | 3.4 | <2 | 2.21 | <0.5 | 6 | 27 | 26 | 2.31 | 20 |
| M385721 | | 6.81 | 0.526 | <0.5 | 6.43 | 95 | 1360 | 2.8 | 36 | 2.16 | <0.5 | 6 | 27 | 44 | 2.25 | 20 |
| M385722 | | 5.57 | 0.064 | <0.5 | 6.79 | 101 | 1430 | 2.9 | 7 | 2.44 | <0.5 | 6 | 30 | 34 | 2.32 | 20 |
| M385723 | | 5.87 | 1.950 | 1.1 | 6.76 | 65 | 1460 | 2.8 | 84 | 2.23 | <0.5 | 7 | 27 | 42 | 2.33 | 20 |
| M385724 | | 5.52 | 0.082 | <0.5 | 7.16 | 47 | 1570 | 3.1 | 8 | 2.25 | <0.5 | 8 | 32 | 36 | 2.44 | 20 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 2 - B
 Total # Pages: 3 (A - C)
 Finalized Date: 26-MAY-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12107680

| Sample Description | Method Analyte Units LOR | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | ME-ICP61 | |
|--------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|-------|
| | | K | La | Mg | Mn | Mo | Na | Ni | P | Pb | S | Sb | Sc | Sr | Th | Ti |
| | | % | ppm | % | ppm | ppm | % | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | % |
| | | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 1 | 10 | 2 | 0.01 | 5 | 1 | 1 | 20 | 0.01 |
| M386385 | | 2.05 | 30 | 0.48 | 153 | 1 | 1.00 | 17 | 340 | 17 | 0.15 | <5 | 5 | 248 | 20 | 0.22 |
| M386386 | | 1.26 | 20 | 0.14 | 161 | <1 | 0.56 | 5 | 80 | 2 | 0.07 | <5 | 3 | 62 | <20 | 0.11 |
| M386387 | | 1.21 | 20 | 0.19 | 143 | <1 | 0.76 | 6 | 70 | 2 | 0.02 | <5 | 3 | 55 | <20 | 0.12 |
| M386388 | | 1.45 | 20 | 0.21 | 242 | 1 | 0.19 | 9 | 80 | 27 | 0.08 | <5 | 4 | 51 | <20 | 0.14 |
| M386389 | | 3.06 | 40 | 0.50 | 240 | <1 | 0.97 | 20 | 560 | 20 | 0.19 | 9 | 7 | 260 | 20 | 0.28 |
| M386390 | | 2.78 | 10 | 2.09 | 624 | 587 | 2.48 | 15 | 1160 | 12 | 0.96 | <5 | 17 | 581 | <20 | 0.36 |
| M386391 | | 3.16 | 30 | 0.79 | 359 | 3 | 1.19 | 19 | 700 | 28 | 0.34 | 11 | 7 | 401 | 20 | 0.32 |
| M386392 | | 3.52 | 40 | 0.71 | 201 | 3 | 1.56 | 17 | 630 | 16 | 0.22 | <5 | 7 | 461 | 20 | 0.29 |
| M386393 | | 3.32 | 40 | 0.81 | 259 | 2 | 1.61 | 19 | 680 | 17 | 0.29 | <5 | 7 | 484 | 20 | 0.32 |
| M386394 | | 3.50 | 30 | 0.79 | 249 | <1 | 1.61 | 16 | 590 | 19 | 0.15 | <5 | 7 | 466 | 20 | 0.28 |
| M386395 | | 3.54 | 30 | 0.69 | 200 | <1 | 1.66 | 14 | 540 | 18 | 0.18 | <5 | 7 | 422 | 20 | 0.25 |
| M386396 | | 0.04 | <10 | 12.95 | 208 | <1 | 0.02 | <1 | 190 | <2 | <0.01 | <5 | <1 | 47 | <20 | <0.01 |
| M386397 | | 3.52 | 30 | 0.86 | 271 | 1 | 1.75 | 18 | 670 | 15 | 0.17 | <5 | 7 | 520 | 20 | 0.31 |
| M386398 | | 3.55 | 40 | 0.78 | 235 | 2 | 1.60 | 18 | 610 | 16 | 0.20 | <5 | 7 | 470 | 20 | 0.29 |
| M386399 | | 3.62 | 40 | 0.84 | 243 | 2 | 1.69 | 20 | 700 | 16 | 0.22 | <5 | 7 | 518 | 20 | 0.32 |
| M386400 | | 3.70 | 30 | 0.65 | 246 | <1 | 1.73 | 17 | 530 | 27 | 0.09 | <5 | 6 | 437 | 20 | 0.25 |
| M385701 | | 3.36 | 30 | 0.81 | 199 | <1 | 1.41 | 15 | 520 | 18 | 0.16 | <5 | 6 | 423 | 20 | 0.24 |
| M385702 | | 3.64 | 30 | 0.75 | 163 | 2 | 1.53 | 18 | 600 | 19 | 0.17 | <5 | 7 | 491 | 20 | 0.28 |
| M385703 | | 4.13 | 40 | 0.59 | 150 | 4 | 1.11 | 17 | 570 | 14 | 0.13 | <5 | 6 | 359 | 20 | 0.25 |
| M385704 | | 3.47 | 30 | 0.86 | 285 | 6 | 1.44 | 16 | 630 | 18 | 0.17 | <5 | 7 | 461 | 20 | 0.28 |
| M385705 | | 3.59 | 40 | 0.59 | 186 | 5 | 1.39 | 20 | 680 | 15 | 0.23 | <5 | 7 | 376 | 20 | 0.30 |
| M385706 | | 3.59 | 40 | 0.82 | 202 | 1 | 1.52 | 18 | 660 | 13 | 0.27 | <5 | 7 | 476 | 20 | 0.31 |
| M385707 | | 3.68 | 30 | 0.72 | 205 | <1 | 1.63 | 14 | 560 | 20 | 0.17 | <5 | 6 | 429 | 20 | 0.27 |
| M385708 | | 3.43 | 40 | 0.80 | 202 | 5 | 1.58 | 17 | 630 | 16 | 0.25 | <5 | 7 | 469 | 20 | 0.30 |
| M385709 | | 3.59 | 40 | 0.79 | 215 | 1 | 1.66 | 18 | 640 | 15 | 0.30 | <5 | 7 | 490 | 20 | 0.30 |
| M385710 | | 3.13 | 20 | 1.53 | 534 | 279 | 2.62 | 24 | 1140 | 11 | 0.51 | <5 | 13 | 469 | <20 | 0.39 |
| M385711 | | 3.49 | 40 | 0.86 | 269 | <1 | 1.77 | 20 | 690 | 16 | 0.21 | <5 | 7 | 523 | 20 | 0.32 |
| M385712 | | 3.27 | 40 | 0.88 | 288 | <1 | 1.75 | 21 | 690 | 14 | 0.17 | <5 | 8 | 528 | 20 | 0.33 |
| M385713 | | 2.80 | 30 | 0.74 | 184 | <1 | 1.49 | 18 | 590 | 13 | 0.25 | <5 | 6 | 454 | 20 | 0.28 |
| M385714 | | 3.60 | 40 | 0.74 | 223 | 1 | 1.48 | 20 | 560 | 20 | 0.15 | <5 | 6 | 402 | 20 | 0.26 |
| M385715 | | 3.49 | 30 | 0.73 | 197 | <1 | 1.62 | 17 | 580 | 16 | 0.22 | <5 | 7 | 419 | 20 | 0.28 |
| M385716 | | 0.06 | <10 | 12.55 | 201 | <1 | 0.01 | <1 | 190 | <2 | 0.01 | <5 | <1 | 46 | <20 | <0.01 |
| M385717 | | 3.47 | 40 | 0.79 | 201 | <1 | 1.70 | 19 | 620 | 14 | 0.33 | <5 | 7 | 473 | 20 | 0.28 |
| M385718 | | 3.50 | 30 | 0.80 | 223 | <1 | 1.65 | 18 | 650 | 15 | 0.18 | <5 | 7 | 495 | 20 | 0.30 |
| M385719 | | 3.80 | 40 | 0.81 | 201 | <1 | 1.60 | 19 | 660 | 17 | 0.24 | <5 | 7 | 479 | 20 | 0.31 |
| M385720 | | 3.58 | 30 | 0.74 | 194 | 1 | 1.58 | 17 | 570 | 18 | 0.19 | <5 | 7 | 435 | 20 | 0.28 |
| M385721 | | 3.21 | 30 | 0.69 | 175 | 3 | 1.42 | 21 | 560 | 21 | 0.27 | <5 | 6 | 428 | 20 | 0.26 |
| M385722 | | 3.35 | 40 | 0.74 | 199 | 2 | 1.48 | 22 | 580 | 18 | 0.20 | <5 | 6 | 456 | 20 | 0.27 |
| M385723 | | 3.60 | 30 | 0.75 | 210 | 20 | 1.37 | 18 | 590 | 99 | 0.25 | 42 | 6 | 439 | 20 | 0.28 |
| M385724 | | 3.86 | 40 | 0.71 | 241 | 2 | 1.53 | 21 | 650 | 25 | 0.22 | 9 | 6 | 446 | 20 | 0.31 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 26-MAY-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12107680

| Sample Description | Method Analyte Units LOR | ME-ICP61 Ti ppm 10 | ME-ICP61 U ppm 10 | ME-ICP61 V ppm 1 | ME-ICP61 W ppm 10 | ME-ICP61 Zn ppm 2 |
|--------------------|-----------------------------------|-----------------------------|----------------------------|---------------------------|----------------------------|----------------------------|
| M386385 | | <10 | <10 | 29 | 120 | 17 |
| M386386 | | <10 | <10 | 17 | 60 | 5 |
| M386387 | | <10 | <10 | 19 | <10 | 8 |
| M386388 | | <10 | <10 | 23 | 10 | 73 |
| M386389 | | <10 | <10 | 37 | 20 | 32 |
| M386390 | | <10 | <10 | 186 | 10 | 87 |
| M386391 | | <10 | <10 | 40 | 20 | 52 |
| M386392 | | <10 | <10 | 34 | 60 | 27 |
| M386393 | | <10 | <10 | 41 | 40 | 36 |
| M386394 | | <10 | <10 | 35 | 10 | 37 |
| M386395 | | <10 | <10 | 32 | 20 | 28 |
| M386396 | | <10 | <10 | 2 | <10 | 13 |
| M386397 | | <10 | <10 | 39 | 20 | 40 |
| M386398 | | <10 | <10 | 36 | 60 | 36 |
| M386399 | | <10 | <10 | 39 | 70 | 35 |
| M386400 | | <10 | <10 | 29 | 30 | 47 |
| M385701 | | <10 | <10 | 28 | 30 | 25 |
| M385702 | | <10 | <10 | 33 | 10 | 23 |
| M385703 | | <10 | <10 | 33 | 20 | 20 |
| M385704 | | <10 | <10 | 43 | 30 | 44 |
| M385705 | | <10 | <10 | 38 | 30 | 28 |
| M385706 | | <10 | <10 | 36 | 60 | 25 |
| M385707 | | <10 | <10 | 32 | 10 | 28 |
| M385708 | | <10 | <10 | 34 | 20 | 26 |
| M385709 | | <10 | <10 | 36 | 30 | 30 |
| M385710 | | <10 | <10 | 144 | <10 | 76 |
| M385711 | | <10 | <10 | 39 | 180 | 39 |
| M385712 | | <10 | <10 | 39 | <10 | 41 |
| M385713 | | <10 | <10 | 34 | 10 | 22 |
| M385714 | | <10 | <10 | 31 | 30 | 34 |
| M385715 | | <10 | <10 | 32 | 20 | 44 |
| M385716 | | <10 | <10 | 4 | <10 | 13 |
| M385717 | | <10 | <10 | 34 | 20 | 23 |
| M385718 | | <10 | <10 | 36 | 10 | 30 |
| M385719 | | <10 | <10 | 37 | 10 | 28 |
| M385720 | | <10 | <10 | 33 | 10 | 28 |
| M385721 | | <10 | <10 | 32 | 10 | 34 |
| M385722 | | <10 | <10 | 34 | <10 | 36 |
| M385723 | | <10 | <10 | 35 | 20 | 51 |
| M385724 | | <10 | <10 | 38 | 40 | 51 |



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 3 - A
Total # Pages: 3 (A - C)
Finalized Date: 26-MAY-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12107680

| Sample Description | Method Analyte Units LOR | WEI-21 Recvd Wt. kg | Au-AA24 Au ppm | ME-ICP61 Ag ppm | ME-ICP61 Al % | ME-ICP61 As ppm | ME-ICP61 Ba ppm | ME-ICP61 Be ppm | ME-ICP61 Bi ppm | ME-ICP61 Ca % | ME-ICP61 Cd ppm | ME-ICP61 Co ppm | ME-ICP61 Cr ppm | ME-ICP61 Cu ppm | ME-ICP61 Fe % | ME-ICP61 Ga ppm |
|--------------------|-----------------------------------|---------------------------|----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|
| | | 0.02 | 0.005 | 0.5 | 0.01 | 5 | 10 | 0.5 | 2 | 0.01 | 0.5 | 1 | 1 | 1 | 0.01 | 10 |
| M385725 | | 3.83 | 0.061 | 0.9 | 6.56 | 79 | 560 | 2.6 | 8 | 3.18 | 0.5 | 6 | 27 | 45 | 2.07 | 20 |
| M385726 | | 8.50 | 0.878 | 0.6 | 6.87 | 131 | 1400 | 2.6 | 39 | 2.73 | <0.5 | 8 | 26 | 62 | 2.57 | 20 |
| M385727 | | 6.10 | 0.145 | <0.5 | 6.80 | 48 | 1530 | 2.8 | 5 | 2.46 | <0.5 | 8 | 29 | 68 | 2.40 | 20 |
| M385728 | | 5.65 | 0.238 | <0.5 | 6.86 | 52 | 1540 | 2.9 | 4 | 1.90 | <0.5 | 7 | 30 | 38 | 2.33 | 20 |
| M385729 | | <0.02 | 0.211 | <0.5 | 7.45 | 66 | 1580 | 3.0 | 8 | 2.03 | <0.5 | 7 | 29 | 37 | 2.34 | 20 |
| M385730 | | 6.15 | 1.375 | <0.5 | 7.34 | 49 | 1530 | 3.1 | 46 | 2.39 | <0.5 | 8 | 37 | 36 | 2.52 | 20 |
| M385731 | | 5.06 | 0.035 | <0.5 | 7.30 | 127 | 1540 | 3.0 | 5 | 2.58 | <0.5 | 8 | 33 | 29 | 2.43 | 20 |
| M385732 | | 6.48 | 6.01 | 2.0 | 7.07 | 122 | 1330 | 2.8 | 107 | 2.22 | <0.5 | 6 | 31 | 80 | 2.58 | 20 |
| M385733 | | 5.16 | 0.082 | <0.5 | 7.62 | 70 | 1610 | 3.1 | 4 | 2.51 | <0.5 | 8 | 35 | 58 | 2.59 | 20 |
| M385734 | | 5.12 | 1.040 | 1.0 | 6.46 | 242 | 1350 | 2.3 | 23 | 1.98 | <0.5 | 7 | 41 | 89 | 2.73 | 20 |
| M385735 | | 5.68 | 0.539 | 0.5 | 7.16 | 112 | 1450 | 2.6 | 13 | 2.21 | <0.5 | 7 | 32 | 58 | 2.23 | 20 |
| M385736 | | 6.13 | 0.056 | <0.5 | 7.32 | 69 | 1590 | 3.1 | 2 | 2.46 | <0.5 | 7 | 35 | 50 | 2.57 | 20 |
| M385737 | | 4.60 | 2.01 | <0.5 | 6.94 | 43 | 1470 | 2.8 | 19 | 2.16 | <0.5 | 7 | 36 | 39 | 2.29 | 20 |
| M385738 | | 4.92 | 0.108 | <0.5 | 6.89 | 33 | 1480 | 2.8 | 4 | 2.31 | <0.5 | 6 | 31 | 25 | 2.36 | 20 |
| M385739 | | 5.73 | 1.115 | <0.5 | 6.99 | 39 | 1500 | 3.1 | 25 | 2.19 | <0.5 | 6 | 33 | 24 | 2.35 | 20 |
| M385740 | | 5.57 | 0.126 | <0.5 | 7.16 | 35 | 1550 | 2.7 | 5 | 2.17 | <0.5 | 6 | 34 | 39 | 2.43 | 20 |
| M385741 | | 5.44 | 0.286 | <0.5 | 7.15 | 33 | 1600 | 3.0 | 2 | 2.35 | <0.5 | 7 | 34 | 30 | 2.50 | 20 |
| M385742 | | 4.45 | 0.387 | <0.5 | 6.91 | 33 | 1520 | 3.1 | 8 | 2.03 | <0.5 | 7 | 35 | 54 | 2.38 | 20 |
| M385743 | | 3.82 | 0.285 | <0.5 | 7.42 | 40 | 1480 | 3.3 | 7 | 2.00 | <0.5 | 7 | 37 | 47 | 2.44 | 20 |
| M385744 | | 3.70 | 1.080 | <0.5 | 6.87 | 28 | 1380 | 3.2 | 21 | 1.87 | <0.5 | 6 | 31 | 24 | 2.25 | 20 |
| M385745 | | 5.94 | 0.299 | <0.5 | 7.12 | 30 | 1450 | 3.5 | 11 | 2.19 | <0.5 | 6 | 34 | 22 | 2.33 | 20 |
| M385746 | | 5.79 | 2.41 | <0.5 | 7.14 | 28 | 1460 | 2.8 | 31 | 2.32 | <0.5 | 7 | 43 | 34 | 2.41 | 20 |
| M385747 | | 5.48 | 0.077 | <0.5 | 7.14 | 28 | 1450 | 3.0 | 3 | 2.31 | <0.5 | 7 | 32 | 24 | 2.40 | 20 |
| M385748 | | 6.61 | 0.035 | <0.5 | 6.77 | 26 | 1340 | 2.8 | 3 | 2.07 | <0.5 | 6 | 28 | 22 | 2.18 | 20 |
| M385749 | | 6.88 | 0.358 | <0.5 | 7.14 | 31 | 1470 | 3.2 | 10 | 2.08 | <0.5 | 7 | 31 | 29 | 2.37 | 20 |
| M385750 | | 0.06 | 1.520 | <0.5 | 6.55 | 1330 | 610 | 9.1 | <2 | 0.02 | <0.5 | 2 | 248 | 32 | 3.29 | 20 |
| M363566 | | 5.79 | 0.459 | <0.5 | 6.97 | 27 | 1430 | 3.0 | 12 | 2.21 | <0.5 | 7 | 31 | 20 | 2.32 | 20 |
| M363567 | | 7.07 | 0.269 | <0.5 | 7.25 | 28 | 1550 | 3.0 | 8 | 2.26 | <0.5 | 8 | 31 | 25 | 2.49 | 20 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 3 - B
 Total # Pages: 3 (A - C)
 Finalized Date: 26-MAY-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12107680

| Sample Description | Method Analyte Units LOR | ME-ICP61 K % | ME-ICP61 La ppm | ME-ICP61 Mg % | ME-ICP61 Mn ppm | ME-ICP61 Mo ppm | ME-ICP61 Na % | ME-ICP61 Ni ppm | ME-ICP61 P ppm | ME-ICP61 Pb ppm | ME-ICP61 S % | ME-ICP61 Sb ppm | ME-ICP61 Sc ppm | ME-ICP61 Sr ppm | ME-ICP61 Th ppm | ME-ICP61 Ti % |
|--------------------|-----------------------------------|--------------------|-----------------------|---------------------|-----------------------|-----------------------|---------------------|-----------------------|----------------------|-----------------------|--------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|
| | | 0.01 | 10 | 0.01 | 5 | 1 | 0.01 | 1 | 10 | 2 | 0.01 | 5 | 1 | 1 | 20 | 0.01 |
| M385725 | | 3.27 | 30 | 0.58 | 458 | 1 | 0.14 | 16 | 590 | 59 | 0.42 | 46 | 6 | 200 | 20 | 0.26 |
| M385726 | | 3.70 | 30 | 0.71 | 285 | 1 | 1.16 | 18 | 600 | 128 | 0.32 | 33 | 6 | 377 | 20 | 0.28 |
| M385727 | | 3.68 | 30 | 0.73 | 171 | 1 | 1.61 | 18 | 630 | 16 | 0.31 | <5 | 6 | 476 | 20 | 0.29 |
| M385728 | | 3.54 | 30 | 0.64 | 218 | 2 | 1.52 | 19 | 630 | 28 | 0.22 | 9 | 6 | 430 | 20 | 0.29 |
| M385729 | | 3.64 | 50 | 0.67 | 214 | 2 | 1.54 | 19 | 640 | 30 | 0.23 | 8 | 7 | 457 | 20 | 0.29 |
| M385730 | | 3.66 | 40 | 0.72 | 254 | 1 | 1.59 | 20 | 660 | 42 | 0.23 | 10 | 7 | 470 | 20 | 0.31 |
| M385731 | | 3.53 | 40 | 0.79 | 246 | 1 | 1.82 | 19 | 670 | 18 | 0.24 | <5 | 7 | 521 | 20 | 0.31 |
| M385732 | | 3.44 | 40 | 0.71 | 237 | 4 | 1.21 | 17 | 630 | 152 | 0.67 | 54 | 6 | 395 | 20 | 0.27 |
| M385733 | | 3.59 | 40 | 0.81 | 205 | 3 | 1.72 | 21 | 700 | 21 | 0.37 | 11 | 7 | 520 | 20 | 0.32 |
| M385734 | | 3.62 | 40 | 0.63 | 186 | 5 | 1.09 | 21 | 540 | 73 | 0.75 | 34 | 6 | 380 | 20 | 0.24 |
| M385735 | | 4.56 | 40 | 0.75 | 348 | 1 | 0.95 | 19 | 650 | 87 | 0.47 | 33 | 7 | 333 | 20 | 0.29 |
| M385736 | | 3.67 | 40 | 0.79 | 213 | 2 | 1.81 | 21 | 680 | 17 | 0.29 | <5 | 7 | 524 | 20 | 0.31 |
| M385737 | | 3.78 | 40 | 0.72 | 215 | 1 | 1.65 | 19 | 630 | 21 | 0.20 | <5 | 7 | 467 | 20 | 0.29 |
| M385738 | | 3.45 | 30 | 0.67 | 268 | 1 | 1.68 | 19 | 610 | 27 | 0.14 | 5 | 6 | 479 | 20 | 0.29 |
| M385739 | | 3.49 | 40 | 0.73 | 237 | 2 | 1.69 | 18 | 630 | 24 | 0.14 | <5 | 6 | 474 | 20 | 0.29 |
| M385740 | | 3.97 | 40 | 0.68 | 232 | 3 | 1.59 | 19 | 640 | 22 | 0.20 | <5 | 7 | 475 | 20 | 0.29 |
| M385741 | | 3.63 | 30 | 0.75 | 261 | 2 | 1.70 | 19 | 640 | 26 | 0.15 | 5 | 7 | 488 | 20 | 0.31 |
| M385742 | | 3.79 | 40 | 0.67 | 169 | 4 | 1.60 | 17 | 620 | 19 | 0.33 | <5 | 6 | 447 | 20 | 0.30 |
| M385743 | | 3.80 | 40 | 0.67 | 147 | 1 | 1.76 | 21 | 620 | 19 | 0.28 | <5 | 7 | 475 | 20 | 0.31 |
| M385744 | | 3.62 | 40 | 0.68 | 217 | 3 | 1.65 | 18 | 570 | 27 | 0.14 | <5 | 6 | 422 | 20 | 0.27 |
| M385745 | | 3.60 | 40 | 0.68 | 237 | 1 | 1.79 | 20 | 610 | 24 | 0.15 | <5 | 6 | 469 | 20 | 0.29 |
| M385746 | | 3.67 | 40 | 0.68 | 252 | 1 | 1.61 | 19 | 590 | 21 | 0.25 | <5 | 6 | 459 | 20 | 0.28 |
| M385747 | | 3.66 | 40 | 0.71 | 220 | 1 | 1.73 | 18 | 610 | 19 | 0.17 | <5 | 6 | 481 | 20 | 0.28 |
| M385748 | | 3.38 | 40 | 0.68 | 214 | 1 | 1.53 | 17 | 550 | 22 | 0.12 | <5 | 6 | 447 | 20 | 0.26 |
| M385749 | | 3.65 | 40 | 0.68 | 239 | 1 | 1.68 | 21 | 610 | 24 | 0.16 | <5 | 6 | 471 | 20 | 0.30 |
| M385750 | | 2.65 | 40 | 0.31 | 63 | 2 | 0.07 | 22 | 310 | 20 | 0.01 | 91 | 14 | 94 | 20 | 0.26 |
| M363566 | | 3.93 | 30 | 0.78 | 269 | 2 | 1.57 | 17 | 600 | 27 | 0.10 | <5 | 6 | 432 | 20 | 0.28 |
| M363567 | | 3.58 | 40 | 0.77 | 243 | 1 | 1.68 | 20 | 630 | 23 | 0.12 | 5 | 7 | 499 | 20 | 0.30 |



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 3 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 26-MAY-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12107680

| Sample Description | Method Analyte Units LOR | ME-ICP61 Ti ppm 10 | ME-ICP61 U ppm 10 | ME-ICP61 V ppm 1 | ME-ICP61 W ppm 10 | ME-ICP61 Zn ppm 2 |
|--------------------|-----------------------------------|-----------------------------|----------------------------|---------------------------|----------------------------|----------------------------|
| M385725 | | <10 | <10 | 34 | 370 | 116 |
| M385726 | | <10 | <10 | 34 | 60 | 58 |
| M385727 | | <10 | <10 | 36 | 10 | 21 |
| M385728 | | <10 | <10 | 36 | 10 | 43 |
| M385729 | | <10 | <10 | 37 | 10 | 43 |
| M385730 | | <10 | <10 | 39 | 10 | 67 |
| M385731 | | <10 | <10 | 38 | 10 | 29 |
| M385732 | | <10 | <10 | 35 | 30 | 75 |
| M385733 | | <10 | <10 | 41 | 20 | 42 |
| M385734 | | <10 | <10 | 30 | 60 | 28 |
| M385735 | | <10 | <10 | 39 | 40 | 62 |
| M385736 | | <10 | <10 | 39 | 10 | 29 |
| M385737 | | <10 | <10 | 37 | 10 | 42 |
| M385738 | | <10 | <10 | 35 | 20 | 56 |
| M385739 | | <10 | <10 | 37 | 20 | 47 |
| M385740 | | <10 | <10 | 36 | 30 | 44 |
| M385741 | | <10 | <10 | 38 | 10 | 52 |
| M385742 | | <10 | <10 | 37 | 20 | 25 |
| M385743 | | <10 | <10 | 41 | 10 | 26 |
| M385744 | | <10 | 10 | 33 | 20 | 48 |
| M385745 | | <10 | <10 | 35 | 10 | 44 |
| M385746 | | <10 | <10 | 34 | 20 | 43 |
| M385747 | | <10 | <10 | 34 | <10 | 40 |
| M385748 | | <10 | <10 | 32 | 10 | 44 |
| M385749 | | <10 | <10 | 36 | 10 | 52 |
| M385750 | | <10 | <10 | 90 | 10 | 48 |
| M363566 | | <10 | <10 | 35 | 10 | 58 |
| M363567 | | <10 | <10 | 37 | 10 | 51 |