



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 1
Finalized Date: 9-JUN-2012
Account: STRGOL

CERTIFICATE WH12109344

Project: Eagle Gold

P.O. No.: EGP12-106

This report is for 66 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 1-JUN-2012.

The following have access to data associated with this certificate:

AUDREY CHEN
HELENA KUIKKA

RICHARD ELIASON

BILL KEATS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-36	Fine Crushing - 85% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: HELENA KUIKKA
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 9-JUN-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12109344

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
M395070		4.61	0.334	<0.5	6.94	2440	1480	2.7	7	2.30	<0.5	19	32	34	2.51	20
M395071		5.95	0.186	<0.5	7.29	404	1510	2.6	10	2.29	<0.5	13	31	45	2.38	20
M395072		4.83	0.048	<0.5	7.39	44	1460	3.1	3	2.28	<0.5	7	32	26	2.24	20
M395073		5.94	0.023	<0.5	7.52	30	1530	3.0	2	2.37	<0.5	7	33	23	2.42	20
M395074		5.55	0.031	<0.5	7.28	60	1450	3.3	2	2.33	<0.5	7	31	28	2.28	20
M395075		7.60	0.083	<0.5	7.44	39	1550	3.0	6	2.45	<0.5	7	33	33	2.35	20
M395076		5.04	0.055	<0.5	7.32	43	1570	2.8	2	2.33	<0.5	7	34	28	2.40	20
M395077		6.55	0.158	<0.5	7.31	138	1520	2.9	3	2.44	<0.5	9	34	41	2.46	20
M395078		5.17	0.048	<0.5	7.35	31	1560	2.7	4	2.43	<0.5	7	30	25	2.44	20
M395079		5.72	0.041	<0.5	7.01	24	1590	2.7	<2	2.46	<0.5	7	32	27	2.46	20
M395080		6.97	0.085	<0.5	7.37	108	1620	2.9	2	2.43	<0.5	9	32	36	2.51	20
M395081		6.18	0.038	<0.5	7.20	25	1410	3.0	8	2.33	<0.5	6	30	37	2.33	20
M395082		5.67	0.060	<0.5	7.34	155	1460	3.0	<2	2.53	<0.5	8	33	48	2.55	20
M395083		5.49	0.025	<0.5	7.33	87	1410	3.1	<2	2.36	<0.5	7	30	24	2.35	20
M395084		6.16	0.024	<0.5	7.71	40	1540	3.1	<2	2.53	<0.5	8	35	19	2.63	20
M395085		3.94	0.031	<0.5	7.56	46	1610	2.9	<2	2.67	<0.5	8	33	29	2.65	20
M395086		5.12	0.018	<0.5	7.32	45	1590	2.8	<2	2.49	<0.5	7	32	15	2.57	20
M395087		6.48	0.045	<0.5	7.24	72	1340	3.1	<2	3.22	0.8	7	31	15	2.41	20
M395088		4.79	0.027	<0.5	7.44	131	1600	3.3	<2	2.52	<0.5	8	32	17	2.67	20
M395089		3.45	0.037	<0.5	7.25	180	1450	3.1	<2	2.39	<0.5	7	32	11	2.52	20
M395090		0.05	0.839	2.0	7.15	<5	620	0.9	<2	3.18	<0.5	20	39	7250	7.37	10
M395091		6.41	0.048	<0.5	7.38	535	1430	3.3	<2	2.37	<0.5	8	29	36	2.31	20
M395092		6.15	0.087	<0.5	7.45	361	1510	3.1	<2	2.45	<0.5	7	31	28	2.48	20
M395093		4.99	0.485	<0.5	7.41	97	1450	3.0	19	2.33	<0.5	8	31	38	2.50	20
M395094		6.35	0.100	<0.5	7.83	73	1600	3.0	7	2.49	<0.5	7	34	53	2.59	20
M395095		6.34	0.072	<0.5	7.69	428	1530	2.8	5	2.28	<0.5	10	33	51	2.54	20
M395096		0.99	<0.005	<0.5	0.07	7	20	<0.5	<2	19.7	<0.5	<1	1	3	0.44	<10
M395097		6.66	0.025	<0.5	7.17	190	1480	2.9	<2	2.40	<0.5	7	32	24	2.45	20
M395098		5.92	0.028	<0.5	7.80	197	1580	3.2	<2	2.51	<0.5	6	33	26	2.63	20
M395099		4.87	0.060	<0.5	7.32	693	1560	3.1	3	2.33	<0.5	6	32	36	2.52	20
M395100		4.31	0.134	<0.5	7.47	256	1560	3.0	3	2.26	<0.5	10	32	29	2.56	20
M392101		4.85	0.043	<0.5	7.60	234	1600	3.1	<2	2.41	<0.5	7	33	41	2.67	20
M392102		4.40	0.034	<0.5	7.44	319	1450	3.2	2	2.22	<0.5	7	30	33	2.50	20
M392103		6.46	0.033	<0.5	7.55	344	1600	3.1	<2	2.24	<0.5	9	33	25	2.65	20
M392104		6.12	0.012	<0.5	7.36	98	1600	3.2	<2	2.20	<0.5	8	30	25	2.43	20
M392105		7.40	0.028	<0.5	7.31	289	1490	2.9	<2	2.29	<0.5	7	31	34	2.46	20
M392106		7.38	0.023	<0.5	7.48	176	1480	3.4	<2	2.40	<0.5	7	31	17	2.42	20
M392107		5.67	0.020	<0.5	7.50	288	1540	3.1	<2	2.56	<0.5	7	31	28	2.57	20
M392108		5.34	0.041	<0.5	6.63	349	1390	2.8	3	2.32	<0.5	6	30	46	2.43	20
M392109		6.44	0.062	<0.5	7.35	68	1490	2.9	<2	2.09	<0.5	7	31	41	2.37	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 9-JUN-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12109344

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
M395070		3.37	30	0.76	200	3	1.53	20	610	17	0.35	<5	7	460	20	0.29
M395071		3.93	30	0.74	175	1	1.55	22	610	17	0.33	<5	7	460	20	0.28
M395072		3.71	40	0.74	193	<1	1.68	18	600	20	0.17	<5	7	477	20	0.28
M395073		3.70	30	0.78	191	<1	1.74	21	640	20	0.16	<5	7	495	20	0.29
M395074		3.33	30	0.71	209	<1	1.75	19	620	17	0.21	<5	7	483	20	0.28
M395075		3.79	30	0.74	205	2	1.72	19	650	17	0.20	<5	7	509	20	0.29
M395076		3.46	40	0.77	212	4	1.63	20	660	17	0.17	<5	7	502	20	0.31
M395077		3.68	30	0.78	170	2	1.67	20	630	20	0.26	<5	7	488	20	0.29
M395078		3.59	40	0.81	223	1	1.61	20	640	19	0.17	5	7	492	20	0.30
M395079		3.48	30	0.78	218	1	1.69	21	660	18	0.18	6	7	508	20	0.31
M395080		3.73	30	0.80	201	2	1.66	20	700	17	0.23	<5	7	509	20	0.31
M395081		3.69	30	0.69	173	1	1.67	18	610	19	0.23	<5	6	454	20	0.28
M395082		3.45	30	0.75	229	4	1.66	24	610	21	0.24	<5	7	446	20	0.30
M395083		3.50	30	0.70	210	2	1.66	20	590	21	0.16	<5	7	432	20	0.29
M395084		3.47	40	0.77	285	3	1.79	23	640	21	0.13	<5	7	489	20	0.31
M395085		3.40	30	0.79	298	3	1.80	22	660	21	0.18	<5	7	508	<20	0.33
M395086		3.27	30	0.78	309	3	1.76	22	650	19	0.11	<5	7	493	<20	0.32
M395087		3.30	30	0.75	403	5	1.45	22	600	101	0.12	8	7	392	20	0.30
M395088		3.33	30	0.77	314	2	1.83	22	660	21	0.14	<5	7	477	<20	0.33
M395089		3.44	30	0.73	309	1	1.74	20	610	23	0.11	<5	7	451	<20	0.30
M395090		2.78	<10	2.03	621	576	2.39	17	1130	18	0.95	5	17	551	<20	0.37
M395091		3.69	30	0.71	229	4	1.74	21	590	20	0.19	<5	7	442	<20	0.30
M395092		3.48	30	0.76	240	3	1.72	21	630	22	0.19	<5	7	474	<20	0.31
M395093		3.49	30	0.74	208	3	1.74	20	570	21	0.21	<5	7	458	20	0.29
M395094		4.12	30	0.80	216	3	1.77	24	650	24	0.27	<5	7	486	20	0.32
M395095		4.39	40	0.75	217	3	1.56	19	600	23	0.27	<5	7	452	20	0.30
M395096		0.04	<10	11.70	198	1	0.01	6	170	2	0.01	<5	<1	40	<20	<0.01
M395097		3.40	30	0.77	273	3	1.69	20	620	22	0.19	<5	7	460	20	0.30
M395098		3.69	40	0.77	297	3	1.76	23	640	24	0.22	<5	7	476	20	0.32
M395099		3.45	30	0.76	250	5	1.69	22	620	18	0.24	<5	7	473	20	0.31
M395100		4.05	30	0.80	255	3	1.58	22	620	22	0.21	<5	7	445	20	0.30
M392101		3.71	30	0.81	228	2	1.66	22	660	20	0.27	<5	7	476	<20	0.32
M392102		3.64	30	0.70	241	2	1.70	22	590	22	0.23	<5	7	446	20	0.29
M392103		3.43	30	0.80	301	3	1.78	24	630	23	0.20	<5	7	493	<20	0.33
M392104		3.44	30	0.73	282	2	1.73	21	620	23	0.17	<5	7	475	<20	0.31
M392105		3.63	30	0.71	265	2	1.64	18	590	26	0.22	<5	6	466	<20	0.29
M392106		3.56	30	0.72	302	3	1.78	20	580	30	0.14	<5	7	469	20	0.29
M392107		3.56	30	0.76	318	3	1.73	23	620	24	0.21	5	7	478	20	0.31
M392108		3.37	30	0.74	273	3	1.53	22	570	23	0.25	<5	6	431	<20	0.28
M392109		3.94	30	0.69	236	6	1.46	20	610	37	0.24	<5	7	375	20	0.30



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 9-JUN-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12109344

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
M395070		<10	<10	36	50	27
M395071		<10	<10	33	20	21
M395072		<10	<10	34	60	27
M395073		<10	<10	35	20	24
M395074		<10	<10	33	<10	30
M395075		<10	<10	36	40	28
M395076		<10	<10	37	20	31
M395077		<10	<10	37	30	20
M395078		10	<10	37	120	26
M395079		<10	<10	37	20	27
M395080		<10	<10	38	20	25
M395081		<10	<10	34	10	23
M395082		<10	<10	36	30	33
M395083		10	<10	34	20	29
M395084		10	<10	37	100	46
M395085		10	<10	38	20	47
M395086		10	<10	38	20	49
M395087		<10	<10	35	20	215
M395088		10	<10	39	10	57
M395089		10	<10	36	50	53
M395090		10	<10	186	10	87
M395091		10	<10	35	30	32
M395092		10	<10	37	20	37
M395093		10	<10	36	40	30
M395094		<10	<10	38	90	30
M395095		<10	<10	35	300	29
M395096		10	10	3	<10	14
M395097		<10	<10	35	30	38
M395098		<10	<10	37	20	46
M395099		<10	10	36	10	35
M395100		<10	<10	39	140	39
M392101		10	<10	39	30	34
M392102		<10	10	33	30	36
M392103		<10	<10	40	30	54
M392104		10	<10	36	40	52
M392105		10	<10	34	90	43
M392106		<10	<10	34	20	53
M392107		10	<10	36	40	53
M392108		10	<10	33	60	42
M392109		<10	<10	36	70	87



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 3 - A
 Total # Pages: 3 (A - C)
 Finalized Date: 9-JUN-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12109344

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
M392110		0.05	0.823	1.8	7.44	<5	640	0.9	<2	3.23	<0.5	21	40	7340	7.56	10
M392111		6.11	0.140	<0.5	7.28	46	1550	2.9	3	2.38	<0.5	8	29	62	2.50	20
M392112		6.34	0.092	<0.5	7.17	37	1520	2.8	4	2.55	<0.5	7	30	30	2.41	20
M392113		4.42	0.138	<0.5	7.14	132	1590	2.6	5	2.21	<0.5	8	30	28	2.27	20
M392114		3.00	0.026	<0.5	7.12	37	1470	2.6	<2	2.23	<0.5	6	31	21	2.28	20
M392115		5.61	0.038	<0.5	7.09	25	1390	2.9	<2	2.09	<0.5	6	33	46	2.24	20
M392116		0.86	<0.005	<0.5	0.08	<5	30	<0.5	<2	20.7	<0.5	2	2	4	0.50	<10
M392117		7.77	0.127	<0.5	7.08	59	1450	3.0	3	2.03	<0.5	7	30	39	2.18	20
M392118		3.50	0.028	<0.5	7.33	140	1450	3.2	<2	2.32	<0.5	7	33	37	2.46	20
M392119		3.79	0.051	<0.5	7.13	280	1490	2.9	<2	2.24	<0.5	7	31	36	2.51	20
M392120		4.50	0.017	<0.5	7.15	80	1350	3.1	<2	2.66	<0.5	7	30	23	2.37	20
M392121		4.48	0.022	<0.5	7.36	82	1450	3.1	2	2.32	<0.5	9	31	34	2.41	20
M392122		4.85	0.030	<0.5	7.04	62	1370	3.0	<2	2.27	<0.5	6	29	40	2.38	20
M392123		5.31	0.098	<0.5	6.87	224	1170	2.7	3	2.39	1.0	6	29	26	2.25	20
M392124		4.09	0.021	<0.5	7.18	55	1360	3.3	<2	2.21	<0.5	6	32	35	2.32	20
M392125		3.80	0.036	<0.5	7.45	40	1520	3.3	<2	2.36	<0.5	7	30	53	2.52	20
M392126		5.57	0.015	<0.5	7.43	36	1470	3.1	<2	2.36	<0.5	7	39	31	2.51	20
M392127		6.07	0.045	<0.5	7.38	40	1480	3.1	<2	2.38	<0.5	7	38	46	2.45	20
M392128		5.80	0.170	<0.5	7.16	113	1420	3.0	3	2.34	<0.5	11	31	46	2.45	20
M392129		<0.02	0.117	<0.5	7.20	103	1410	3.0	4	2.29	<0.5	10	32	46	2.39	20
M392130		5.54	0.030	<0.5	7.00	73	1370	2.9	<2	2.23	<0.5	7	29	35	2.29	20
M392131		6.31	0.039	<0.5	6.82	135	1290	2.8	<2	2.20	<0.5	7	28	35	2.14	20
M392132		4.19	0.019	<0.5	7.04	41	1410	3.2	<2	2.26	<0.5	7	33	23	2.50	20
M392133		6.12	0.018	<0.5	7.47	116	1490	3.1	<2	2.43	<0.5	7	34	30	2.45	20
M392134		6.32	0.022	<0.5	7.04	156	1440	2.9	<2	2.33	<0.5	8	32	21	2.46	20
M392135		3.51	0.020	<0.5	6.90	50	1390	2.9	<2	2.12	<0.5	6	29	18	2.33	20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 3 - B
 Total # Pages: 3 (A - C)
 Finalized Date: 9-JUN-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12109344

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
M392110		2.83	10	2.08	631	590	2.42	19	1140	15	0.96	<5	18	562	<20	0.37
M392111		3.57	30	0.76	270	3	1.61	23	620	25	0.20	<5	7	452	20	0.29
M392112		3.55	30	0.74	284	4	1.60	20	610	24	0.13	<5	7	432	<20	0.30
M392113		4.30	30	0.71	263	5	1.52	21	600	24	0.16	<5	6	457	20	0.29
M392114		3.72	30	0.69	282	3	1.57	20	590	28	0.09	<5	6	436	20	0.29
M392115		3.73	30	0.69	206	5	1.51	19	550	24	0.21	<5	6	416	20	0.27
M392116		0.05	<10	12.25	197	2	0.01	7	160	<2	0.07	<5	<1	44	<20	<0.01
M392117		4.03	30	0.66	190	3	1.47	19	570	24	0.20	<5	6	404	20	0.27
M392118		3.59	30	0.79	269	3	1.67	19	620	31	0.20	<5	7	470	20	0.31
M392119		3.81	30	0.76	318	2	1.61	20	640	34	0.17	<5	7	452	20	0.31
M392120		3.52	30	0.73	315	1	1.71	18	580	39	0.12	<5	6	472	20	0.29
M392121		3.57	30	0.74	272	2	1.67	21	590	33	0.17	<5	7	464	20	0.30
M392122		3.47	30	0.72	247	2	1.60	21	570	30	0.19	<5	6	445	20	0.29
M392123		3.33	30	0.68	446	3	1.12	18	590	177	0.17	66	6	325	20	0.27
M392124		3.50	30	0.74	257	2	1.62	17	590	25	0.19	7	7	437	20	0.29
M392125		3.50	40	0.77	220	2	1.71	21	650	23	0.28	<5	7	496	20	0.31
M392126		3.34	30	0.77	262	2	1.77	22	630	29	0.19	<5	7	505	20	0.31
M392127		3.55	40	0.78	237	1	1.64	19	640	28	0.23	<5	7	464	20	0.31
M392128		3.53	30	0.72	250	2	1.62	21	620	31	0.22	<5	7	456	20	0.29
M392129		3.50	30	0.73	241	1	1.57	19	610	29	0.21	<5	7	448	20	0.29
M392130		3.44	30	0.67	241	3	1.63	18	560	29	0.23	<5	6	445	20	0.28
M392131		3.46	30	0.66	234	2	1.53	17	540	31	0.20	<5	6	416	20	0.26
M392132		3.19	30	0.77	291	1	1.77	21	620	31	0.16	<5	7	471	20	0.31
M392133		3.37	30	0.78	264	1	1.81	19	630	30	0.21	<5	7	504	20	0.31
M392134		3.20	30	0.76	292	2	1.70	22	610	28	0.16	<5	7	467	20	0.30
M392135		3.16	30	0.75	282	1	1.59	19	590	26	0.13	<5	6	429	20	0.29



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 3 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 9-JUN-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12109344

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
M392110		<10	10	190	10	88
M392111		<10	<10	36	40	45
M392112		<10	<10	36	30	49
M392113		10	<10	34	60	43
M392114		<10	<10	34	80	61
M392115		<10	<10	32	90	32
M392116		<10	10	3	10	15
M392117		10	<10	33	40	31
M392118		<10	<10	36	70	51
M392119		<10	<10	36	40	66
M392120		<10	<10	33	30	58
M392121		<10	<10	36	20	56
M392122		<10	<10	34	30	46
M392123		<10	<10	33	50	211
M392124		<10	<10	34	10	38
M392125		<10	<10	36	20	29
M392126		<10	<10	37	10	40
M392127		<10	<10	37	20	36
M392128		<10	<10	35	20	44
M392129		<10	<10	35	20	44
M392130		<10	<10	32	30	52
M392131		<10	<10	31	10	37
M392132		<10	<10	37	10	63
M392133		<10	<10	37	10	43
M392134		<10	<10	36	10	48
M392135		<10	<10	34	20	52