



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 1
Finalized Date: 19-JUN-2012
This copy reported on
3-JUL-2012
Account: STRGOL

CERTIFICATE WH12126919

Project: Eagle Gold

P.O. No.: EGP12-109

This report is for 45 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 6-JUN-2012.

The following have access to data associated with this certificate:

AUDREY CHEN
HELENA KUIKKA

RICHARD ELIASON

BILL KEATS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-36	Fine Crushing - 85% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
Au-GRA22	Au 50 g FA-GRAV finish	WST-SIM
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: HELENA KUIKKA
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Comments: **Corrected Copy for Au-AA24 on Samples M392203-M392247.**

Signature:



Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 19-JUN-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12126919

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-GRA22 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
M392203		3.70	0.064		<0.5	7.38	32	1600	2.7	<2	2.28	<0.5	8	36	32	2.71
M392204		5.38	0.271		<0.5	7.52	124	1620	2.9	5	2.37	<0.5	10	34	46	2.65
M392205		4.22	0.195		<0.5	7.63	68	1560	2.9	8	2.54	<0.5	11	40	43	2.82
M392206		5.75	0.235		<0.5	7.53	21	1550	2.8	5	2.57	<0.5	9	36	25	2.60
M392207		4.06	0.337		<0.5	8.00	42	1540	3.0	8	2.65	<0.5	9	44	45	2.82
M392208		3.61	0.048		<0.5	7.34	32	1430	3.0	<2	2.44	<0.5	8	39	35	2.68
M392209		4.58	0.067		<0.5	7.20	257	1380	2.8	<2	2.33	<0.5	8	36	28	2.60
M392210		0.09	0.978		<0.5	7.37	1590	260	1.0	<2	5.63	<0.5	37	177	63	8.01
M392211		6.40	4.94		7.0	7.39	176	1420	3.0	16	2.65	<0.5	8	37	69	3.32
M392212		4.74	0.239		<0.5	7.17	86	1470	2.6	3	2.58	<0.5	8	34	41	2.71
M392213		5.45	0.255		<0.5	7.58	36	1580	2.8	3	2.39	<0.5	8	39	36	2.81
M392214		5.69	0.031		<0.5	7.72	58	1570	3.0	<2	2.76	<0.5	9	39	24	2.72
M392215		5.24	4.83		<0.5	7.30	106	1320	3.0	59	2.40	<0.5	8	36	27	2.60
M392216		1.77	<0.005		<0.5	0.07	<5	20	<0.5	<2	21.1	<0.5	<1	2	1	0.47
M392217		3.70	1.825		<0.5	7.65	21	1460	3.0	19	2.33	<0.5	9	36	38	2.81
M392218		2.48	0.627		<0.5	7.24	79	1510	2.8	11	2.11	<0.5	8	35	48	2.45
M392219		3.45	>10.0	35.4	<0.5	7.14	279	1230	2.6	354	2.26	<0.5	8	36	45	2.19
M392220		4.84	0.224		<0.5	7.05	41	960	2.3	4	1.74	<0.5	5	27	23	1.79
M392221		6.35	1.320		<0.5	7.09	50	1290	2.7	24	2.65	<0.5	9	60	53	3.15
M392222		5.60	0.657		<0.5	7.48	56	1350	2.8	13	2.50	<0.5	10	63	56	3.10
M392223		3.51	1.260		<0.5	7.29	408	1520	2.8	17	2.14	<0.5	13	42	45	2.86
M392224		2.98	0.652		<0.5	7.41	57	1500	2.7	10	2.32	<0.5	8	41	47	2.81
M392225		4.11	0.909		<0.5	7.36	60	1520	3.0	8	2.52	<0.5	8	42	38	2.73
M392226		5.61	7.60		<0.5	7.83	60	1540	3.1	78	2.26	<0.5	9	40	52	2.80
M392227		3.96	0.412		<0.5	7.50	41	1370	3.0	7	2.31	<0.5	9	46	39	2.75
M392228		5.20	0.109		<0.5	7.43	36	1220	2.9	2	2.22	<0.5	8	44	27	2.40
M392229		<0.02	0.153		<0.5	7.43	39	1200	2.9	3	2.21	<0.5	8	45	27	2.51
M392230		3.52	0.229		<0.5	7.54	19	1370	3.3	3	2.61	<0.5	9	51	47	3.00
M392231		5.39	0.332		1.2	7.42	230	340	2.5	5	3.04	1.8	9	57	44	3.03
M392232		4.83	0.394		<0.5	7.41	410	1170	3.0	7	2.84	0.6	10	61	26	3.16
M392233		4.77	0.140		<0.5	7.50	28	1310	3.0	3	2.99	<0.5	8	54	25	2.73
M392234		6.32	0.408		<0.5	7.65	36	1300	3.1	2	2.56	<0.5	9	55	30	2.99
M392235		6.02	0.617		<0.5	7.75	122	1450	2.7	4	2.26	<0.5	9	59	46	3.47
M392236		5.89	2.18		<0.5	7.24	32	1220	2.9	23	2.56	<0.5	10	55	32	2.98
M392237		3.16	5.61		<0.5	7.54	28	1270	2.9	78	2.49	<0.5	9	55	39	3.11
M392238		6.97	2.73		<0.5	7.57	378	1350	3.0	22	2.56	<0.5	9	54	35	3.12
M392239		6.68	5.77		<0.5	7.39	8450	1420	2.7	59	2.48	<0.5	20	56	45	3.76
M392240		4.68	0.439		<0.5	7.55	25	1270	2.8	7	2.69	<0.5	9	53	40	3.01
M392241		5.23	0.210		<0.5	7.80	51	1320	3.0	2	2.83	<0.5	10	61	24	3.27
M392242		6.02	0.099		<0.5	7.13	79	1250	2.7	2	2.34	<0.5	8	53	33	2.84

Comments: **Corrected Copy for Au-AA24 on Samples M392203-M392247.**



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 19-JUN-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12126919

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ga	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
		ppm 10	% 0.01	ppm 10	% 0.01	ppm 5	ppm 1	% 0.01	ppm 1	ppm 10	ppm 2	% 0.01	ppm 5	ppm 1	ppm 1	ppm 20
M392203		20	3.66	30	0.98	343	1	1.42	14	660	33	0.16	12	7	424	20
M392204		20	3.68	30	0.91	293	3	1.59	16	670	29	0.21	6	7	497	20
M392205		20	3.58	40	0.92	284	4	1.67	16	680	23	0.20	<5	7	539	20
M392206		20	3.54	40	0.94	319	2	1.66	17	670	26	0.08	11	7	501	20
M392207		20	3.72	40	0.94	324	1	1.68	16	680	21	0.23	<5	8	545	20
M392208		20	3.68	40	0.83	294	2	1.66	15	600	27	0.18	<5	7	499	20
M392209		20	3.56	30	0.78	306	2	1.64	15	600	30	0.21	<5	7	476	20
M392210		20	0.62	10	3.97	1225	2	2.12	133	1390	6	0.50	<5	18	396	<20
M392211		20	3.38	40	0.89	464	2	1.25	15	660	709	0.85	14	7	428	20
M392212		20	3.51	30	0.83	360	1	1.51	15	640	28	0.18	10	7	453	20
M392213		20	3.55	40	0.92	295	2	1.64	16	690	28	0.22	<5	8	505	20
M392214		20	3.32	40	0.94	333	2	1.71	16	680	25	0.12	<5	8	546	20
M392215		20	3.44	30	0.82	333	22	1.60	14	580	45	0.12	9	7	482	20
M392216		<10	0.03	<10	13.15	201	<1	0.01	<1	160	<2	0.01	<5	<1	47	<20
M392217		20	3.50	40	0.87	330	2	1.68	19	640	33	0.17	<5	7	536	20
M392218		20	3.59	30	0.73	260	2	1.55	17	650	29	0.17	6	7	446	20
M392219		20	4.22	30	0.65	229	8	1.49	12	610	29	0.27	<5	8	422	20
M392220		20	4.53	20	0.56	182	2	1.51	7	550	28	0.13	<5	7	368	<20
M392221		20	3.64	30	1.20	289	2	1.45	14	640	17	0.25	<5	10	519	20
M392222		20	3.73	40	1.18	272	3	1.50	18	660	21	0.26	<5	10	530	20
M392223		20	3.66	40	0.88	221	3	1.61	19	650	17	0.26	<5	7	522	20
M392224		20	3.68	40	1.03	241	2	1.59	20	650	21	0.22	<5	8	518	20
M392225		20	3.59	40	0.95	269	2	1.66	19	660	23	0.19	<5	8	525	20
M392226		20	4.28	40	0.88	244	9	1.59	18	630	25	0.28	<5	7	513	20
M392227		20	4.11	30	0.96	277	2	1.52	17	630	28	0.22	<5	8	475	20
M392228		20	4.14	30	0.88	270	3	1.59	16	600	21	0.16	<5	8	428	20
M392229		20	4.07	30	0.87	282	1	1.56	16	600	19	0.16	5	8	422	20
M392230		20	3.68	40	1.09	356	2	1.51	18	700	21	0.23	10	9	475	20
M392231		20	2.96	40	0.88	1225	5	0.03	20	630	133	1.00	66	10	164	20
M392232		20	3.35	40	1.40	565	3	1.44	23	630	46	0.21	9	10	441	20
M392233		20	3.72	40	1.27	373	4	1.71	19	640	22	0.13	<5	9	523	20
M392234		20	3.81	40	1.22	327	2	1.68	17	650	18	0.17	<5	9	483	20
M392235		20	4.59	40	1.28	303	5	1.40	22	680	21	0.37	<5	9	407	20
M392236		20	3.86	30	1.19	321	2	1.70	20	630	21	0.17	<5	8	487	20
M392237		20	3.82	40	1.15	315	2	1.71	19	650	23	0.19	<5	9	495	20
M392238		20	3.64	40	1.07	333	3	1.59	22	670	35	0.18	<5	9	508	20
M392239		20	3.88	40	1.17	316	11	1.56	24	680	745	0.70	6	9	490	20
M392240		20	3.70	40	1.19	359	2	1.60	20	660	260	0.20	<5	9	501	20
M392241		20	3.62	40	1.31	413	2	1.72	22	690	24	0.14	<5	9	523	20
M392242		20	3.52	30	1.04	337	3	1.56	19	610	22	0.15	<5	8	501	20

Comments: **Corrected Copy for Au-AA24 on Samples M392203-M392247.**



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - C
Total # Pages: 3 (A - C)
Finalized Date: 19-JUN-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12126919

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
M392203		0.31	<10	<10	41	10	58
M392204		0.30	<10	<10	39	10	49
M392205		0.31	<10	<10	42	10	44
M392206		0.32	<10	<10	42	20	50
M392207		0.31	<10	<10	45	10	50
M392208		0.29	<10	<10	39	10	46
M392209		0.28	<10	<10	37	10	57
M392210		0.95	<10	<10	149	<10	116
M392211		0.30	<10	<10	41	20	148
M392212		0.29	<10	<10	39	10	60
M392213		0.31	<10	<10	43	10	55
M392214		0.32	<10	<10	42	10	54
M392215		0.27	<10	<10	36	10	68
M392216		<0.01	<10	10	1	<10	13
M392217		0.29	<10	10	40	10	68
M392218		0.30	<10	10	41	10	43
M392219		0.23	<10	10	35	10	24
M392220		0.16	<10	10	25	10	16
M392221		0.29	<10	10	55	10	32
M392222		0.30	<10	10	57	10	34
M392223		0.29	<10	10	43	20	26
M392224		0.30	<10	10	43	10	25
M392225		0.30	<10	10	44	20	33
M392226		0.29	<10	10	40	20	33
M392227		0.28	<10	10	46	30	42
M392228		0.25	<10	10	41	20	28
M392229		0.25	<10	10	42	30	28
M392230		0.32	<10	<10	52	10	34
M392231		0.28	<10	<10	55	30	339
M392232		0.29	<10	10	57	130	110
M392233		0.29	<10	10	54	50	40
M392234		0.30	<10	10	53	20	35
M392235		0.30	<10	10	55	100	41
M392236		0.30	<10	10	53	40	34
M392237		0.30	<10	10	52	10	33
M392238		0.31	<10	10	53	50	38
M392239		0.30	<10	10	51	790	36
M392240		0.31	<10	10	51	10	42
M392241		0.32	<10	10	58	10	50
M392242		0.28	<10	10	49	<10	41

Comments: **Corrected Copy for Au-AA24 on Samples M392203-M392247.**



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 3 - A
 Total # Pages: 3 (A - C)
 Finalized Date: 19-JUN-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12126919

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-GRA22 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.05	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
M392243		5.99	1.030		<0.5	7.38	60	1460	3.0	11	2.63	<0.5	10	55	72	3.11
M392244		6.03	1.630		<0.5	7.27	149	1430	2.9	17	2.97	<0.5	10	50	53	3.07
M392245		5.97	0.417		<0.5	7.27	78	1670	3.1	7	2.74	<0.5	8	43	42	2.96
M392246		6.79	1.215		<0.5	7.17	107	1530	2.9	12	2.43	<0.5	10	42	45	2.96
M392247		3.60	0.945		2.4	7.42	1175	1040	2.8	17	2.34	4.5	14	53	90	3.99

Comments: **Corrected Copy for Au-AA24 on Samples M392203-M392247.**



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 3 - B
 Total # Pages: 3 (A - C)
 Finalized Date: 19-JUN-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12126919

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
M392243		20	3.87	40	1.12	331	3	1.69	17	680	26	0.34	<5	8	566	20
M392244		20	3.61	40	1.07	328	3	1.65	17	680	18	0.28	<5	8	553	20
M392245		20	3.48	40	0.99	324	2	1.75	22	730	381	0.20	<5	7	578	20
M392246		20	3.46	40	0.90	321	2	1.53	20	650	26	0.27	<5	8	515	20
M392247		20	3.56	40	0.91	569	2	0.67	17	610	531	1.74	22	9	294	20

Comments: **Corrected Copy for Au-AA24 on Samples M392203-M392247.**



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 3 - C
Total # Pages: 3 (A - C)
Finalized Date: 19-JUN-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12126919

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ti	Ti	U	V	W	Zn
		%	ppm	ppm	ppm	ppm	ppm
		0.01	10	10	1	10	2
M392243		0.30	<10	10	53	10	38
M392244		0.30	<10	10	51	10	31
M392245		0.33	<10	10	48	10	36
M392246		0.30	<10	10	43	20	34
M392247		0.28	<10	10	51	20	761

Comments: **Corrected Copy for Au-AA24 on Samples M392203-M392247.**