



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 1
Finalized Date: 16-JUN-2012
Account: STRGOL

CERTIFICATE WH12126950

Project: Eagle Gold

P.O. No.: EGP12-110

This report is for 40 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 6-JUN-2012.

The following have access to data associated with this certificate:

AUDREY CHEN
HELENA KUIKKA

RICHARD ELIASON

BILL KEATS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-36	Fine Crushing - 85% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: HELENA KUIKKA
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 16-JUN-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12126950

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
M392248		4.58	0.135	<0.5	7.33	48	1470	2.8	6	2.16	<0.5	8	50	46	2.92	20
M392249		4.25	0.365	<0.5	7.01	55	1360	2.7	11	2.92	<0.5	8	47	45	2.79	20
M392250		0.10	1.060	<0.5	7.54	1755	270	1.0	<2	5.61	<0.5	38	188	64	7.92	20
M392251		5.96	0.480	<0.5	7.58	66	1420	3.1	14	2.70	<0.5	9	49	67	2.91	20
M392252		7.00	1.190	<0.5	7.45	39	1380	3.0	15	2.66	<0.5	9	56	36	2.81	20
M392253		5.20	0.577	1.3	7.14	94	1160	2.9	7	2.97	0.6	7	52	27	2.73	20
M392254		5.65	0.122	<0.5	7.61	12	1410	3.1	4	2.68	<0.5	10	57	39	3.00	20
M392255		5.98	0.775	<0.5	7.19	17	1380	3.0	16	2.68	<0.5	9	53	39	2.87	20
M392256		1.48	<0.005	<0.5	0.11	<5	20	<0.5	<2	20.7	<0.5	4	2	2	0.45	<10
M392257		5.61	1.315	<0.5	7.29	13	1480	3.0	30	2.60	<0.5	11	53	51	2.97	20
M392258		6.21	0.599	<0.5	7.62	23	1510	3.0	14	2.66	<0.5	13	56	81	3.14	20
M392259		5.44	0.430	<0.5	7.07	3310	1350	2.7	12	2.64	<0.5	10	45	43	3.01	20
M392260		5.66	0.168	<0.5	7.54	28	1640	3.0	4	2.85	<0.5	10	53	29	3.09	20
M392261		5.73	0.279	<0.5	7.63	37	1480	3.0	6	2.63	<0.5	10	53	46	3.03	20
M392262		5.73	0.212	<0.5	7.25	18	1440	2.9	6	2.65	<0.5	10	53	44	2.91	20
M392263		4.25	0.181	<0.5	7.82	9	1530	3.0	3	2.93	<0.5	9	59	14	3.17	20
M392264		5.40	0.086	<0.5	7.55	21	1510	2.8	2	3.36	<0.5	10	51	39	3.12	20
M392265		3.73	0.030	<0.5	7.56	16	1520	2.8	<2	3.04	<0.5	9	58	20	3.26	20
M392266		3.76	0.710	7.6	6.46	63	550	2.7	11	4.33	0.7	12	42	127	5.20	20
M392267		4.53	0.557	0.7	7.33	28	1420	2.8	13	2.72	0.5	9	56	24	3.06	20
M392268		4.44	0.033	0.8	7.50	21	1380	3.0	3	2.99	<0.5	8	55	24	2.91	20
M392269		<0.02	0.030	0.5	7.63	17	1410	3.0	<2	2.96	<0.5	9	55	24	3.04	20
M392270		5.04	0.186	<0.5	7.35	88	1470	2.9	2	2.69	<0.5	12	52	38	2.90	20
M392271		6.38	0.397	<0.5	6.82	52	1440	2.6	11	2.58	<0.5	10	38	56	2.95	20
M392272		6.56	0.025	<0.5	7.46	19	1410	3.0	2	2.91	<0.5	9	46	27	2.71	20
M392273		4.32	0.028	<0.5	7.60	19	1400	3.0	<2	2.67	<0.5	9	58	15	3.08	20
M392274		2.72	1.245	4.1	7.03	190	660	2.9	21	4.53	1.4	7	47	43	5.61	20
M392275		6.67	0.194	<0.5	7.45	10	1430	2.9	4	2.80	<0.5	9	55	27	3.24	20
M392276		2.78	0.284	<0.5	7.64	19	1510	3.1	5	2.57	<0.5	10	61	34	3.11	20
M392277		3.51	0.268	<0.5	7.34	15	1390	3.0	7	2.47	<0.5	10	59	30	3.14	20
M392278		3.70	0.156	<0.5	7.44	9	1030	2.7	5	3.85	<0.5	11	55	35	3.04	20
M392279		5.38	0.325	<0.5	7.78	13	1550	3.0	11	2.85	<0.5	10	62	37	3.27	20
M392280		4.80	0.239	<0.5	7.29	10	1500	2.8	2	3.04	<0.5	10	59	30	3.15	20
M392281		5.78	0.292	<0.5	7.49	25	1450	2.7	8	2.96	<0.5	11	58	50	3.20	20
M392282		3.98	0.098	<0.5	7.45	14	1370	2.8	5	4.13	<0.5	10	54	55	2.90	20
M392283		6.02	0.171	<0.5	7.64	24	1500	3.0	5	3.00	<0.5	12	59	44	3.31	20
M392284		5.09	0.653	<0.5	7.55	18	1480	2.9	16	2.89	<0.5	9	59	45	3.12	20
M392285		4.38	0.152	<0.5	7.48	20	1490	3.0	6	2.82	<0.5	12	58	79	3.28	20
M392286		3.56	0.709	<0.5	7.42	62	1430	2.9	34	3.44	<0.5	12	43	61	2.92	20
M392287		5.66	0.023	<0.5	7.49	<5	1440	3.4	<2	2.41	<0.5	9	37	64	2.62	20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 2 - B
 Total # Pages: 2 (A - C)
 Finalized Date: 16-JUN-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12126950

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
M392248		3.62	40	1.14	344	4	1.61	14	640	22	0.16	7	8	485	20	0.30
M392249		3.81	30	0.98	325	3	1.54	14	620	21	0.29	<5	8	471	20	0.27
M392250		0.62	20	3.94	1260	2	2.14	144	1410	8	0.55	<5	19	406	<20	0.96
M392251		3.78	40	1.02	282	3	1.65	15	660	19	0.30	<5	8	550	20	0.30
M392252		3.73	40	1.15	331	2	1.68	15	640	712	0.19	<5	8	537	20	0.29
M392253		3.25	40	0.93	561	2	1.22	9	580	142	0.32	6	8	386	30	0.25
M392254		3.57	30	1.21	393	3	1.76	13	680	29	0.19	<5	9	544	30	0.30
M392255		3.43	30	1.11	331	2	1.74	12	670	26	0.17	<5	8	547	20	0.30
M392256		0.05	<10	12.30	194	1	0.01	<1	180	4	0.01	<5	<1	48	<20	<0.01
M392257		3.83	30	1.13	307	2	1.74	14	710	20	0.23	<5	8	582	20	0.31
M392258		3.99	40	1.17	323	4	1.70	16	690	28	0.37	<5	9	590	30	0.31
M392259		3.13	40	0.99	339	2	1.49	12	650	25	0.37	9	8	460	30	0.29
M392260		3.30	40	1.14	368	4	1.74	14	740	26	0.16	5	8	592	30	0.33
M392261		3.70	40	1.08	324	3	1.56	11	680	27	0.24	7	8	510	30	0.30
M392262		3.53	40	1.09	325	5	1.53	12	650	22	0.20	<5	8	509	30	0.29
M392263		3.31	40	1.23	426	3	1.78	13	710	29	0.08	<5	9	622	30	0.32
M392264		3.64	40	1.34	493	3	1.39	12	680	29	0.19	14	8	566	30	0.30
M392265		3.44	40	1.42	517	2	1.47	11	720	25	0.08	11	8	587	30	0.32
M392266		2.86	40	0.52	1035	2	0.25	10	560	1305	3.80	33	7	171	20	0.22
M392267		3.25	30	1.11	454	2	1.54	11	650	75	0.13	6	9	528	20	0.29
M392268		3.36	30	1.06	534	2	1.47	12	690	129	0.13	7	9	489	30	0.30
M392269		3.37	40	1.10	535	3	1.48	11	680	112	0.13	10	9	501	30	0.30
M392270		3.50	40	1.19	379	4	1.66	10	690	33	0.16	<5	8	593	30	0.31
M392271		3.52	30	0.96	498	4	1.01	13	600	68	0.30	12	7	416	20	0.27
M392272		3.40	40	1.03	461	3	1.34	11	640	32	0.14	12	8	458	30	0.29
M392273		3.33	30	1.19	479	2	1.64	11	650	35	0.07	7	9	488	30	0.29
M392274		2.62	40	0.83	1585	2	0.81	14	610	3810	2.99	560	8	265	20	0.25
M392275		3.48	30	1.24	486	2	1.77	13	670	34	0.10	12	8	547	20	0.30
M392276		3.59	30	1.30	377	2	1.91	12	680	24	0.07	5	9	581	30	0.31
M392277		3.49	30	1.22	371	2	1.85	11	660	23	0.09	<5	9	557	30	0.29
M392278		3.13	40	1.11	419	3	1.70	11	680	21	0.20	5	9	436	30	0.29
M392279		3.50	30	1.15	382	3	1.78	14	700	24	0.15	<5	10	569	20	0.32
M392280		3.36	30	1.17	397	11	1.86	12	700	25	0.13	<5	9	594	20	0.31
M392281		3.31	40	1.14	352	4	1.74	14	660	19	0.20	<5	9	574	20	0.30
M392282		3.20	40	1.05	459	6	1.74	13	660	17	0.22	5	9	615	30	0.29
M392283		3.22	30	1.18	384	2	1.84	16	720	17	0.20	<5	9	604	20	0.33
M392284		3.25	40	1.14	366	4	1.74	13	700	19	0.19	<5	9	568	30	0.31
M392285		3.53	30	1.12	337	10	1.81	15	710	19	0.32	<5	9	589	20	0.31
M392286		3.52	40	1.01	354	4	1.60	14	680	30	0.32	17	8	546	20	0.29
M392287		3.40	40	0.82	224	2	1.82	14	650	21	0.26	<5	7	526	30	0.30



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 2 - C
 Total # Pages: 2 (A - C)
 Finalized Date: 16-JUN-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12126950

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
M392248		<10	10	49	10	33
M392249		<10	10	47	20	33
M392250		<10	10	148	<10	120
M392251		<10	10	48	20	26
M392252		<10	10	52	20	36
M392253		<10	<10	46	10	173
M392254		<10	<10	53	10	51
M392255		<10	<10	50	10	40
M392256		<10	<10	1	<10	15
M392257		<10	<10	51	10	33
M392258		<10	<10	51	20	40
M392259		<10	<10	45	10	43
M392260		<10	<10	52	10	51
M392261		<10	<10	51	110	41
M392262		<10	<10	49	190	41
M392263		<10	<10	56	<10	53
M392264		<10	<10	52	10	46
M392265		<10	<10	55	10	49
M392266		<10	<10	42	30	239
M392267		<10	<10	52	10	168
M392268		<10	<10	53	10	118
M392269		<10	<10	53	<10	110
M392270		<10	<10	52	10	54
M392271		<10	<10	41	10	70
M392272		<10	<10	46	10	66
M392273		<10	<10	55	10	57
M392274		<10	<10	48	20	341
M392275		<10	<10	55	20	44
M392276		<10	<10	59	10	40
M392277		<10	<10	57	10	39
M392278		<10	<10	54	20	38
M392279		<10	<10	59	10	46
M392280		<10	<10	60	10	46
M392281		<10	<10	55	10	36
M392282		<10	<10	51	300	33
M392283		<10	<10	58	10	38
M392284		<10	<10	56	<10	38
M392285		<10	<10	55	10	32
M392286		<10	<10	47	10	28
M392287		<10	<10	41	10	25