



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 1
Finalized Date: 3-JUL-2012
Account: STRGOL

CERTIFICATE WH12139375

Project: Eagle Gold

P.O. No.: EGP12-112

This report is for 67 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 19-JUN-2012.

The following have access to data associated with this certificate:

AUDREY CHEN
BILL KEATS

RICHARD ELIASON
HELENA KUIKKA

JOANNA ETTLINGER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-36	Fine Crushing - 85% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: HELENA KUIKKA
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 3-JUL-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12139375

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
M393067		3.57	0.274	<0.5	7.09	1830	1440	3.1	19	2.32	<0.5	8	29	66	2.73	20
M393068		4.94	0.256	<0.5	7.18	512	1650	2.9	19	2.30	<0.5	10	31	39	2.62	20
M393069		<0.02	0.181	<0.5	7.59	587	1750	3.0	20	2.45	<0.5	11	33	42	2.73	20
M393070		1.63	0.071	<0.5	7.56	878	1680	3.0	5	2.34	<0.5	7	31	37	2.64	20
M393071		5.64	0.027	<0.5	7.47	51	1580	3.0	2	2.32	<0.5	8	28	19	2.52	20
M393072		3.94	0.058	<0.5	7.39	1085	1710	3.0	2	2.48	<0.5	10	31	21	2.80	20
M393073		4.76	0.049	<0.5	7.55	308	1660	3.1	4	2.45	<0.5	9	31	19	2.77	20
M393074		4.54	0.031	<0.5	7.31	186	1480	3.0	<2	2.32	<0.5	8	27	19	2.57	20
M393075		5.04	0.047	1.3	6.72	335	800	2.6	3	3.06	1.0	9	25	32	2.52	20
M393076		2.46	0.016	<0.5	7.08	96	1380	3.1	2	1.85	<0.5	7	26	19	2.30	20
M393077		4.72	0.008	<0.5	7.10	110	1380	3.0	<2	2.26	<0.5	7	27	11	2.29	20
M393078		4.61	0.051	<0.5	7.23	30	1350	2.9	7	2.14	<0.5	7	25	24	2.38	20
M393079		3.45	0.008	<0.5	7.29	71	1430	3.3	2	2.12	<0.5	7	26	13	2.34	20
M393080		3.87	0.015	<0.5	7.19	115	1520	2.8	<2	2.08	<0.5	8	25	47	2.29	20
M393081		3.44	0.013	0.5	7.29	67	1250	3.0	2	2.66	1.0	8	25	31	2.44	20
M393082		3.36	0.013	<0.5	7.31	99	1550	3.0	3	2.44	<0.5	8	29	26	2.62	20
M393083		3.60	0.006	<0.5	7.27	69	1610	3.0	<2	2.43	<0.5	9	29	12	2.63	20
M393084		3.17	0.023	<0.5	7.54	268	1610	3.0	<2	2.31	<0.5	9	30	17	2.69	20
M393085		2.63	0.006	<0.5	7.19	49	1390	2.5	<2	3.45	<0.5	6	25	16	2.43	20
M393086		4.33	0.012	<0.5	7.47	54	1530	3.2	<2	2.49	<0.5	7	29	15	2.65	20
M393087		4.90	0.042	<0.5	7.16	786	1200	2.9	<2	3.04	<0.5	13	29	21	2.92	20
M393088		2.47	0.030	<0.5	7.58	134	1570	3.3	<2	2.42	<0.5	7	32	33	2.81	20
M393089		6.35	0.032	<0.5	7.50	78	1540	3.1	<2	2.35	<0.5	8	35	56	2.63	20
M393090		0.10	0.849	2.3	7.49	6	640	0.9	<2	3.32	<0.5	20	40	7330	7.66	20
M393091		3.42	0.090	<0.5	7.47	34	1390	3.1	15	2.42	<0.5	8	43	48	2.90	20
M393092		4.17	0.059	<0.5	7.18	28	1350	3.0	6	2.55	<0.5	11	51	64	3.16	20
M393093		5.88	0.157	<0.5	7.42	370	1420	3.0	7	2.88	<0.5	10	51	51	3.22	20
M393094		4.23	0.042	<0.5	7.50	91	1400	3.1	6	2.75	<0.5	8	46	46	3.04	20
M393095		5.95	0.066	<0.5	7.23	165	1310	3.1	4	2.44	<0.5	8	46	66	2.97	20
M393096		1.47	<0.005	<0.5	0.10	<5	20	<0.5	<2	21.3	<0.5	<1	2	2	0.48	<10
M393097		5.38	0.068	<0.5	7.31	250	1240	3.3	6	2.74	<0.5	8	47	50	2.93	20
M393098		4.51	0.022	<0.5	7.55	33	1330	3.4	<2	2.30	<0.5	8	43	25	2.74	20
M393099		6.39	0.042	<0.5	7.19	150	1290	3.0	4	2.14	<0.5	7	40	47	2.63	20
M393100		3.29	0.349	1.3	7.09	888	1220	3.1	32	2.29	<0.5	12	37	48	2.81	20
M393101		2.90	0.068	<0.5	7.62	186	1450	3.3	5	2.41	<0.5	6	39	33	2.78	20
M393102		3.93	0.044	<0.5	7.09	148	1430	2.7	5	2.13	<0.5	8	40	82	2.72	20
M393103		4.85	0.077	<0.5	7.51	717	1470	3.0	6	2.34	<0.5	8	38	55	2.67	20
M393104		2.44	0.058	<0.5	7.48	1175	1560	2.8	3	2.18	<0.5	7	34	39	2.76	20
M393105		4.19	0.055	<0.5	7.70	220	1370	3.1	5	2.59	4.2	7	38	57	2.80	20
M393106		5.28	0.522	<0.5	7.68	229	1590	3.0	59	2.29	0.5	10	37	76	3.06	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 3-JUL-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12139375

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
M393067		3.93	30	0.82	284	1	1.38	21	630	22	0.50	5	7	396	20	0.30
M393068		3.56	30	0.85	268	2	1.56	22	690	18	0.24	<5	7	480	20	0.32
M393069		3.77	30	0.89	281	2	1.65	23	740	20	0.27	<5	7	514	20	0.34
M393070		4.02	30	0.80	287	2	1.65	20	670	22	0.29	<5	7	492	20	0.32
M393071		3.64	30	0.80	297	1	1.65	18	630	23	0.12	<5	6	464	20	0.29
M393072		3.57	30	0.88	337	2	1.70	22	720	22	0.18	<5	7	511	20	0.33
M393073		3.44	30	0.89	330	2	1.71	21	690	22	0.16	<5	7	508	20	0.33
M393074		3.64	30	0.76	315	3	1.58	19	630	24	0.15	<5	6	445	20	0.30
M393075		3.34	30	0.64	807	7	0.53	19	610	103	0.40	13	6	202	20	0.27
M393076		3.69	30	0.76	272	2	1.50	18	560	24	0.09	<5	6	370	20	0.27
M393077		3.63	30	0.71	308	2	1.63	17	580	25	0.07	<5	6	433	20	0.26
M393078		3.58	30	0.74	276	1	1.58	18	570	26	0.12	<5	6	420	20	0.27
M393079		3.73	30	0.76	304	2	1.62	19	600	28	0.07	<5	6	418	20	0.28
M393080		4.16	30	0.80	278	5	1.40	17	610	24	0.14	<5	6	409	20	0.28
M393081		3.69	30	0.69	631	1	1.10	19	650	101	0.30	14	7	341	20	0.29
M393082		3.65	30	0.74	349	4	1.46	19	670	25	0.18	<5	7	436	20	0.31
M393083		3.45	30	0.82	360	2	1.70	20	680	26	0.07	<5	7	487	20	0.32
M393084		3.59	30	0.88	350	2	1.70	20	680	27	0.11	<5	7	484	20	0.33
M393085		3.62	40	1.16	485	1	1.08	17	570	33	0.07	<5	6	402	20	0.28
M393086		3.60	30	0.82	355	1	1.66	19	640	32	0.08	<5	7	454	20	0.30
M393087		3.76	30	0.75	959	<1	0.88	17	620	44	0.37	9	6	295	20	0.28
M393088		3.56	40	0.87	293	1	1.72	20	680	25	0.23	<5	7	485	20	0.31
M393089		3.89	30	0.87	274	1	1.70	17	650	24	0.26	<5	7	486	20	0.30
M393090		2.86	10	2.14	620	588	2.52	16	1170	18	0.98	<5	18	585	<20	0.36
M393091		3.50	40	1.08	316	3	1.70	14	650	26	0.23	<5	8	499	20	0.29
M393092		3.37	30	1.26	343	2	1.59	15	680	23	0.28	<5	9	495	20	0.31
M393093		3.60	30	1.35	429	2	1.68	11	690	22	0.30	<5	9	531	20	0.30
M393094		3.60	30	1.14	374	2	1.67	13	660	26	0.20	<5	8	508	20	0.29
M393095		3.90	30	1.05	317	2	1.60	13	630	27	0.31	<5	8	467	20	0.28
M393096		0.06	<10	13.10	203	<1	0.01	<1	160	3	0.01	<5	<1	45	<20	<0.01
M393097		3.76	30	1.03	368	1	1.63	11	610	30	0.18	<5	8	476	20	0.28
M393098		3.71	30	0.98	335	1	1.71	11	600	34	0.13	<5	8	477	20	0.28
M393099		4.03	30	0.98	300	1	1.46	12	580	29	0.19	<5	7	445	20	0.26
M393100		3.42	30	0.90	334	1	1.53	13	560	60	0.28	12	7	412	20	0.26
M393101		3.85	40	0.96	325	1	1.81	15	640	27	0.16	<5	7	506	20	0.29
M393102		3.91	40	0.89	217	2	1.52	17	610	22	0.35	<5	7	467	20	0.28
M393103		3.91	40	0.88	244	6	1.65	17	650	22	0.28	<5	7	491	20	0.30
M393104		4.20	40	0.85	279	1	1.56	18	650	27	0.27	<5	7	467	20	0.29
M393105		3.76	40	0.78	403	3	1.30	18	660	73	0.30	36	7	392	20	0.30
M393106		4.20	40	0.85	306	1	1.46	18	650	38	0.51	12	7	448	20	0.30



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 3-JUL-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12139375

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
M393067		<10	<10	38	20	57
M393068		<10	<10	38	40	45
M393069		<10	<10	39	40	49
M393070		<10	<10	38	30	49
M393071		<10	<10	34	10	52
M393072		<10	<10	39	30	61
M393073		<10	<10	38	10	60
M393074		<10	<10	33	250	56
M393075		<10	<10	32	50	206
M393076		<10	<10	31	20	49
M393077		<10	<10	30	10	56
M393078		<10	<10	30	10	49
M393079		<10	<10	32	10	61
M393080		<10	<10	32	40	46
M393081		<10	<10	35	20	216
M393082		<10	<10	36	50	74
M393083		<10	<10	38	20	78
M393084		<10	<10	38	40	75
M393085		<10	<10	33	30	71
M393086		<10	<10	36	10	72
M393087		<10	<10	35	10	107
M393088		<10	<10	39	10	43
M393089		<10	<10	38	10	39
M393090		<10	10	186	<10	87
M393091		<10	<10	46	10	40
M393092		<10	<10	56	10	44
M393093		<10	10	56	<10	47
M393094		<10	10	50	10	45
M393095		<10	10	48	20	41
M393096		<10	<10	3	<10	14
M393097		<10	10	49	30	45
M393098		<10	10	44	10	49
M393099		<10	<10	42	30	41
M393100		<10	10	37	10	47
M393101		<10	10	41	10	47
M393102		<10	<10	39	40	27
M393103		<10	10	39	20	35
M393104		<10	<10	37	10	49
M393105		<10	<10	40	20	700
M393106		<10	<10	40	10	102



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 3 - A
 Total # Pages: 3 (A - C)
 Finalized Date: 3-JUL-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12139375

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
M393107		4.26	0.111	0.5	7.37	60	1510	2.9	8	2.49	1.0	8	32	52	2.80	20
M393108		2.03	0.021	<0.5	7.44	30	1460	3.0	<2	1.63	<0.5	6	29	30	2.66	20
M393109		4.80	0.127	<0.5	7.42	167	1480	3.0	4	2.22	<0.5	8	36	40	2.80	20
M393110		0.10	0.855	2.1	7.50	8	640	0.9	<2	3.34	<0.5	21	40	7480	7.71	20
M393111		5.65	0.092	<0.5	7.04	24	1340	3.0	6	3.18	<0.5	7	45	39	2.81	20
M393112		4.91	0.069	<0.5	7.28	68	1400	3.1	<2	2.76	<0.5	9	51	33	3.17	20
M393113		3.26	0.042	<0.5	7.16	33	1370	2.9	3	2.82	<0.5	9	46	34	3.09	20
M393114		5.53	0.023	<0.5	6.96	16	1400	3.1	<2	2.79	<0.5	10	48	33	2.96	20
M393115		3.12	0.064	<0.5	7.19	39	1380	3.0	<2	2.33	<0.5	8	37	43	2.65	20
M393116		1.44	<0.005	<0.5	0.08	<5	20	<0.5	<2	20.8	<0.5	<1	2	2	0.47	<10
M393117		5.89	0.128	<0.5	7.31	48	1450	3.0	<2	2.52	<0.5	8	36	45	2.79	20
M393118		4.79	0.109	<0.5	6.87	47	1360	2.8	5	2.38	<0.5	7	34	60	2.59	20
M393119		6.48	0.088	<0.5	7.13	60	1500	3.0	6	2.48	<0.5	8	39	56	2.78	20
M393120		5.91	0.139	<0.5	7.19	114	1230	3.1	6	3.09	<0.5	8	41	72	2.78	20
M393121		3.57	0.027	<0.5	7.20	84	1270	3.1	<2	2.52	<0.5	8	46	35	2.74	20
M393122		4.29	0.040	<0.5	7.11	172	1270	3.0	<2	2.74	<0.5	9	47	39	2.74	20
M393123		3.41	0.168	<0.5	7.23	67	1510	2.9	5	2.36	<0.5	7	54	34	3.14	20
M393124		5.29	0.201	<0.5	7.33	37	1370	2.8	10	2.09	<0.5	9	48	45	2.92	20
M393125		4.71	0.061	<0.5	7.02	21	1290	3.0	<2	2.38	<0.5	8	53	25	2.84	20
M393126		7.04	0.159	<0.5	7.10	20	1400	2.9	6	2.65	<0.5	9	51	34	3.04	20
M393127		4.09	0.164	<0.5	7.22	53	1370	2.9	4	3.50	<0.5	9	57	22	3.25	20
M393128		4.25	0.057	<0.5	7.26	22	1430	2.9	<2	3.18	<0.5	8	51	29	3.11	20
M393129		<0.02	0.043	<0.5	7.37	16	1450	3.0	3	3.24	<0.5	9	52	30	3.19	20
M393130		4.61	0.697	<0.5	7.12	25	1450	2.7	20	2.40	<0.5	8	43	36	2.99	20
M393131		6.87	0.036	<0.5	7.25	284	1350	3.0	2	2.72	<0.5	8	42	36	2.91	20
M393132		4.75	0.017	<0.5	7.16	49	1360	3.2	4	3.04	<0.5	8	50	18	2.94	20
M393133		5.63	0.031	<0.5	7.47	19	1360	2.8	<2	2.54	<0.5	6	39	24	2.61	20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 3 - B
 Total # Pages: 3 (A - C)
 Finalized Date: 3-JUL-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12139375

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
M393107		3.49	40	0.95	359	10	1.47	19	660	135	0.26	10	7	479	20	0.30
M393108		3.47	40	0.95	314	1	2.05	15	610	29	0.12	<5	7	566	20	0.29
M393109		3.76	30	0.95	314	3	2.01	15	660	27	0.24	7	8	560	20	0.30
M393110		2.90	10	2.16	622	594	2.49	27	1170	20	0.97	<5	18	580	<20	0.36
M393111		3.37	30	0.92	375	3	1.89	12	640	27	0.12	<5	8	564	20	0.28
M393112		3.40	30	1.12	399	1	1.89	13	670	28	0.15	<5	9	563	20	0.30
M393113		3.57	30	1.14	365	16	1.70	19	710	25	0.16	<5	8	565	20	0.30
M393114		3.47	30	1.05	372	1	1.79	18	700	25	0.12	<5	8	520	20	0.31
M393115		3.70	30	0.78	304	4	1.84	16	610	27	0.14	<5	7	495	20	0.28
M393116		0.04	<10	12.70	199	<1	0.01	<1	160	3	<0.01	<5	<1	42	<20	<0.01
M393117		3.49	30	0.84	282	1	1.81	18	650	25	0.20	<5	7	493	20	0.30
M393118		3.62	30	0.74	239	2	1.77	15	600	21	0.20	6	6	475	20	0.28
M393119		3.45	30	0.88	255	1	1.77	18	660	21	0.22	<5	7	518	20	0.30
M393120		3.71	40	0.95	353	2	1.44	15	650	28	0.27	7	8	431	20	0.28
M393121		3.71	30	0.96	486	1	1.54	15	620	59	0.13	<5	7	433	20	0.28
M393122		3.73	30	0.99	518	<1	1.42	14	630	58	0.16	5	7	416	20	0.27
M393123		3.46	30	1.30	543	<1	1.83	14	740	23	0.13	9	8	562	20	0.32
M393124		3.68	40	1.11	351	2	1.91	15	630	20	0.17	<5	8	545	20	0.28
M393125		3.31	30	1.20	401	2	1.95	14	660	25	0.11	<5	8	560	20	0.29
M393126		3.41	30	1.19	416	1	1.95	13	680	24	0.15	<5	8	579	20	0.30
M393127		3.23	30	1.21	472	1	1.88	14	710	20	0.12	<5	9	562	20	0.31
M393128		3.23	30	1.14	423	<1	1.95	13	700	21	0.11	<5	9	552	20	0.32
M393129		3.34	30	1.15	437	<1	1.98	14	730	27	0.12	<5	9	564	20	0.32
M393130		3.41	30	1.09	385	1	2.11	16	700	26	0.13	6	8	521	20	0.31
M393131		3.61	30	0.91	388	<1	1.86	15	640	27	0.15	<5	7	510	20	0.29
M393132		3.32	30	0.93	434	<1	1.87	12	680	26	0.06	<5	8	535	20	0.30
M393133		3.63	40	0.85	386	1	1.56	15	640	24	0.04	<5	7	465	20	0.30



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 3 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 3-JUL-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12139375

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
M393107		<10	<10	38	30	187
M393108		<10	10	37	10	52
M393109		<10	10	43	50	46
M393110		<10	10	192	<10	86
M393111		<10	10	49	10	42
M393112		<10	10	53	<10	50
M393113		<10	10	53	40	48
M393114		<10	<10	51	10	50
M393115		<10	<10	41	10	44
M393116		<10	<10	3	<10	16
M393117		<10	10	40	10	36
M393118		<10	10	37	10	27
M393119		<10	<10	41	10	29
M393120		<10	10	44	60	45
M393121		10	<10	45	10	92
M393122		<10	<10	46	20	101
M393123		<10	<10	55	10	49
M393124		<10	<10	46	70	39
M393125		<10	<10	50	10	50
M393126		<10	<10	53	20	54
M393127		<10	<10	58	10	56
M393128		<10	<10	55	20	56
M393129		10	<10	55	10	56
M393130		<10	<10	48	80	60
M393131		<10	<10	44	10	58
M393132		<10	<10	51	10	64
M393133		<10	<10	43	10	63