



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
SUITE 584 - 1055 DUNSMUIR STREET  
PO BOX 49215  
VANCOUVER BC V7X 1K8

Page: 1  
Finalized Date: 9-JUL-2012  
Account: STRGOL

**CERTIFICATE WH12139377**

Project: Eagle Gold

P.O. No.: EGP12-115

This report is for 67 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 19-JUN-2012.

The following have access to data associated with this certificate:

AUDREY CHEN  
BILL KEATS

RICHARD ELIASON  
HELENA KUIKKA

JOANNA ETTLINGER

**SAMPLE PREPARATION**

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-36	Fine Crushing - 85% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um

**ANALYTICAL PROCEDURES**

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION  
ATTN: HELENA KUIKKA  
SUITE 584 - 1055 DUNSMUIR STREET  
PO BOX 49215  
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
SUITE 584 - 1055 DUNSMUIR STREET  
PO BOX 49215  
VANCOUVER BC V7X 1K8

Page: 2 - A  
Total # Pages: 3 (A - C)  
Finalized Date: 9-JUL-2012  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH12139377**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-AA24 Au Check ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
M393199		4.25	1.140		<0.5	7.34	41	1540	2.9	30	2.45	<0.5	9	43	44	2.77
M393200		4.12	0.440		<0.5	7.38	86	1540	2.8	14	2.50	<0.5	11	47	62	2.81
M393201		3.95	0.203		<0.5	7.28	66	1330	2.7	2	2.31	0.6	7	37	66	2.84
M393202		3.20	0.500		<0.5	6.71	91	1450	2.7	14	2.43	<0.5	10	37	65	2.61
M393203		6.78	0.297		<0.5	7.60	334	1540	3.1	16	2.83	<0.5	12	45	72	2.96
M393204		3.95	0.172		<0.5	7.18	37	1480	3.0	6	2.59	<0.5	9	41	62	2.89
M393205		3.67	0.168		<0.5	7.28	74	1520	3.0	7	2.76	<0.5	8	40	49	2.68
M393206		3.81	0.056		<0.5	7.54	32	1590	3.1	4	2.55	<0.5	9	37	49	2.75
M393207		8.61	0.320		4.5	7.15	172	960	2.8	8	3.67	6.3	8	39	66	2.86
M393208		4.33	0.056		<0.5	6.94	23	1440	2.9	2	2.60	<0.5	9	46	34	2.84
M393209		5.49	0.682		<0.5	6.93	41	1350	2.9	20	2.37	<0.5	9	46	50	2.71
M393210		0.02	0.946		<0.5	7.41	1350	270	1.0	<2	5.70	<0.5	40	177	62	8.08
M393211		6.33	0.139		<0.5	6.98	58	1400	2.8	7	2.55	<0.5	10	58	52	2.92
M393212		5.85	0.105		<0.5	7.08	78	1450	2.8	2	2.65	<0.5	9	55	56	2.93
M393213		6.62	0.175		<0.5	7.40	56	1440	3.0	6	2.49	<0.5	10	57	43	3.00
M393214		7.26	0.093		<0.5	7.45	20	1480	3.0	3	2.45	<0.5	9	53	36	2.94
M393215		3.91	0.451	0.320	<0.5	7.18	28	1390	2.9	20	2.62	<0.5	11	60	24	3.01
M393216		0.86	<0.005		<0.5	0.10	<5	20	<0.5	<2	21.4	<0.5	<1	1	3	0.48
M393217		7.09	0.456	0.411	0.9	7.65	35	1360	3.3	15	2.63	<0.5	11	60	39	2.97
M393218		6.12	0.031	0.070	<0.5	5.85	47	1070	2.4	4	2.00	<0.5	9	47	26	2.23
M393219		7.32	0.389		7.3	6.79	699	790	2.6	13	3.17	9.6	7	46	70	5.47
M393220		6.06	0.115		0.9	7.45	28	1320	3.1	5	3.18	3.2	8	49	39	3.23
M393221		5.56	0.975		17.6	7.28	4650	970	3.0	35	2.62	10.9	15	53	81	4.17
M393222		6.26	0.076		0.8	6.86	40	1340	2.8	3	3.02	2.2	9	48	44	3.23
M393223		3.38	0.087		<0.5	7.10	44	1450	3.0	4	2.68	<0.5	10	47	79	2.74
M393224		2.88	0.116		<0.5	6.98	61	1420	2.5	4	2.45	<0.5	9	48	47	2.78
M393225		4.33	0.128		<0.5	7.39	42	1540	2.9	7	2.38	<0.5	10	43	86	2.93
M393226		4.42	0.915		<0.5	7.09	40	1420	2.8	56	2.48	<0.5	11	52	57	3.04
M393227		5.54	0.184		<0.5	7.03	102	1480	2.7	6	2.30	<0.5	10	39	61	2.76
M393228		3.83	0.143		<0.5	6.88	21	1470	2.8	4	2.25	<0.5	11	42	80	3.00
M393229		<0.02	0.135		<0.5	6.91	18	1470	2.8	3	2.25	<0.5	10	41	76	2.91
M393230		3.29	0.214		<0.5	6.97	11	1390	2.9	12	2.39	<0.5	10	48	75	2.76
M393231		3.84	0.023		<0.5	7.15	6	1590	3.2	2	2.85	<0.5	9	42	68	2.57
M393232		2.84	0.119		<0.5	7.38	13	1600	3.3	4	2.67	<0.5	9	44	79	2.74
M393233		6.28	0.224		<0.5	7.07	29	1530	2.9	8	2.51	<0.5	10	41	85	2.75
M393234		5.62	0.421		<0.5	6.73	40	1420	2.8	19	2.35	<0.5	12	41	95	2.52
M393235		5.92	0.070		<0.5	7.24	24	1620	2.7	17	2.66	<0.5	9	50	56	2.66
M393236		4.59	0.064		<0.5	7.23	17	1300	3.2	3	2.45	<0.5	8	36	35	2.40
M393237		4.40	0.376		<0.5	7.18	12	1270	3.4	18	2.28	<0.5	7	39	47	2.35
M393238		5.86	0.042		<0.5	7.17	61	1410	3.1	2	2.64	<0.5	10	39	53	2.56



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
SUITE 584 - 1055 DUNSMUIR STREET  
PO BOX 49215  
VANCOUVER BC V7X 1K8

Page: 2 - B  
Total # Pages: 3 (A - C)  
Finalized Date: 9-JUL-2012  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH12139377**

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
M393199		20	3.64	40	1.07	299	3	1.83	17	680	18	0.31	11	8	562	20
M393200		20	3.81	40	1.05	289	8	1.76	15	670	18	0.32	6	8	552	20
M393201		20	3.65	30	0.87	346	2	1.25	17	650	42	0.58	20	7	355	20
M393202		20	3.85	30	0.88	270	2	1.70	17	590	21	0.26	11	7	477	<20
M393203		20	3.96	30	1.00	312	3	1.81	18	700	26	0.34	5	8	555	20
M393204		20	3.64	30	0.94	337	4	1.80	17	640	30	0.30	14	7	522	<20
M393205		20	3.77	30	1.08	358	3	1.84	16	660	21	0.18	19	8	521	20
M393206		20	3.64	40	0.97	342	2	1.76	19	670	23	0.24	14	8	508	20
M393207		20	3.43	40	0.62	1060	7	0.59	16	620	735	0.66	131	7	225	20
M393208		20	3.33	30	1.04	392	2	1.72	16	640	33	0.12	15	8	488	<20
M393209		20	3.54	30	1.10	344	3	1.73	16	640	20	0.19	11	8	491	20
M393210		20	0.62	10	3.95	1280	3	2.13	142	1400	10	0.52	6	19	389	<20
M393211		20	3.66	30	1.29	396	3	1.72	14	640	20	0.21	8	9	526	20
M393212		20	3.56	30	1.26	374	2	1.86	15	670	22	0.22	7	9	553	<20
M393213		20	3.70	30	1.35	449	3	2.00	16	670	27	0.15	10	9	591	<20
M393214		20	3.53	40	1.22	411	3	2.04	16	690	30	0.13	<5	9	562	20
M393215		20	3.56	30	1.29	464	3	1.89	13	640	37	0.11	7	9	522	20
M393216		<10	0.05	<10	12.70	214	<1	0.01	2	170	2	<0.01	<5	<1	48	<20
M393217		20	3.77	40	1.26	461	3	1.65	14	620	85	0.20	10	10	469	20
M393218		10	2.64	30	1.03	342	2	1.31	11	480	17	0.14	<5	7	393	20
M393219		20	3.07	40	1.18	3400	3	0.38	9	590	6720	1.78	3140	9	240	<20
M393220		20	3.61	40	1.04	728	2	0.99	15	660	284	0.28	54	9	379	20
M393221		20	3.38	40	0.92	1065	7	0.36	12	600	2120	1.16	66	9	210	20
M393222		20	3.65	30	1.02	657	3	1.01	15	640	194	0.29	37	8	370	<20
M393223		20	3.68	30	1.03	381	2	1.85	14	640	25	0.27	<5	8	596	20
M393224		20	3.46	30	1.22	357	3	1.94	16	660	19	0.18	9	8	567	<20
M393225		20	3.65	40	1.08	299	4	1.84	16	670	20	0.30	8	8	565	20
M393226		20	3.45	30	1.19	360	2	1.89	16	660	24	0.19	8	9	569	20
M393227		20	3.79	30	1.02	292	6	1.58	16	650	21	0.27	15	8	524	<20
M393228		20	3.45	30	1.01	259	2	1.70	17	670	17	0.62	8	7	551	20
M393229		20	3.47	30	1.00	255	3	1.72	16	660	14	0.58	9	7	560	20
M393230		20	3.43	30	1.03	259	4	1.81	14	640	15	0.26	<5	8	566	20
M393231		20	3.45	30	0.86	238	3	1.85	17	710	15	0.25	<5	7	581	20
M393232		20	3.48	40	1.01	215	2	1.74	17	730	14	0.29	<5	8	549	20
M393233		20	3.44	30	0.98	231	2	1.79	16	700	15	0.32	<5	7	543	20
M393234		20	3.68	30	0.85	178	5	1.50	13	630	14	0.36	<5	7	478	20
M393235		20	4.15	30	0.88	252	2	1.54	14	700	193	0.25	<5	7	499	20
M393236		20	3.44	40	0.87	291	2	1.68	13	610	20	0.17	<5	7	475	20
M393237		20	3.61	30	0.76	268	2	1.75	13	550	20	0.23	<5	7	444	20
M393238		20	3.36	30	0.87	314	2	1.68	14	640	22	0.21	<5	7	506	20



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
 SUITE 584 - 1055 DUNSMUIR STREET  
 PO BOX 49215  
 VANCOUVER BC V7X 1K8

Page: 2 - C  
 Total # Pages: 3 (A - C)  
 Finalized Date: 9-JUL-2012  
 Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH12139377**

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ti	Ti	U	V	W	Zn
		% 0.01	ppm 10	ppm 10	ppm 1	ppm 10	ppm 2
M393199		0.31	<10	10	49	60	36
M393200		0.31	<10	10	50	20	31
M393201		0.28	<10	<10	42	30	122
M393202		0.29	<10	<10	40	50	31
M393203		0.32	10	<10	47	10	42
M393204		0.30	<10	<10	44	20	59
M393205		0.31	<10	<10	47	10	35
M393206		0.32	10	<10	43	10	40
M393207		0.27	<10	<10	40	70	1080
M393208		0.30	<10	<10	48	20	57
M393209		0.29	<10	<10	50	60	36
M393210		0.96	10	<10	149	<10	118
M393211		0.30	10	<10	57	20	37
M393212		0.31	<10	<10	58	20	43
M393213		0.31	<10	<10	60	40	48
M393214		0.32	10	<10	55	10	54
M393215		0.30	<10	10	58	10	59
M393216		<0.01	<10	20	3	<10	15
M393217		0.28	<10	10	57	110	88
M393218		0.23	<10	10	44	40	39
M393219		0.25	<10	10	51	50	1720
M393220		0.30	<10	<10	53	20	546
M393221		0.25	<10	10	52	50	1750
M393222		0.29	<10	<10	51	20	397
M393223		0.30	10	<10	48	20	39
M393224		0.31	10	<10	52	30	38
M393225		0.31	10	<10	46	100	36
M393226		0.31	10	<10	54	30	42
M393227		0.29	10	<10	45	20	35
M393228		0.30	<10	<10	46	10	25
M393229		0.29	<10	<10	47	10	25
M393230		0.30	<10	<10	50	10	25
M393231		0.32	<10	<10	46	10	26
M393232		0.34	<10	<10	50	10	24
M393233		0.31	<10	<10	46	50	23
M393234		0.29	<10	<10	41	70	18
M393235		0.31	<10	<10	45	100	25
M393236		0.28	<10	<10	41	<10	38
M393237		0.26	<10	10	37	10	31
M393238		0.30	<10	<10	43	10	40



ALS Canada Ltd.  
2103 Dollarton Hwy  
North Vancouver BC V7H 0A7  
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
SUITE 584 - 1055 DUNSMUIR STREET  
PO BOX 49215  
VANCOUVER BC V7X 1K8

Page: 3 - A  
Total # Pages: 3 (A - C)  
Finalized Date: 9-JUL-2012  
Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH12139377**

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	Au-AA24 Au Check ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %
		0.02	0.005	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01
M393239		5.75	0.036		<0.5	7.42	21	1410	3.0	5	2.45	<0.5	8	38	49	2.64
M393240		5.47	0.098		<0.5	7.38	256	1600	2.9	4	2.17	<0.5	9	37	43	2.68
M393241		5.57	0.422		<0.5	7.17	15	1460	2.7	29	2.77	<0.5	11	48	66	2.98
M393242		4.93	0.026		<0.5	6.94	11	1510	2.6	3	3.77	<0.5	10	52	39	2.95
M393243		4.74	0.008		<0.5	7.15	18	1480	2.8	<2	3.14	<0.5	11	56	27	3.06
M393244		4.51	0.213		1.3	6.75	39	1180	2.5	8	2.96	<0.5	11	47	66	3.21
M393245		7.51	0.144		<0.5	7.29	16	1450	2.8	10	2.73	<0.5	10	51	48	2.99
M393246		4.20	0.074		<0.5	7.38	7	1370	2.8	6	2.53	<0.5	9	43	68	2.59
M393247		3.66	0.211		<0.5	7.41	31	1440	2.6	18	2.74	<0.5	12	53	82	2.98
M393248		3.49	0.086		<0.5	7.38	16	1430	2.8	9	2.84	<0.5	10	57	70	3.05
M393249		6.43	0.067		<0.5	7.19	16	1440	2.9	6	2.86	<0.5	10	52	81	3.04
M393250		0.02	1.005		<0.5	7.56	1415	270	1.0	<2	5.62	<0.5	40	184	62	7.82
M393251		5.35	0.165		<0.5	7.23	878	1520	2.6	3	2.40	<0.5	15	51	54	3.05
M393252		5.75	0.477		<0.5	6.59	35	1320	2.6	31	2.39	<0.5	9	47	79	2.84
M393253		4.92	0.180		<0.5	7.29	14	1420	2.8	7	2.64	<0.5	11	54	64	2.91
M393254		3.87	0.031		<0.5	6.44	29	960	2.2	4	1.71	<0.5	6	27	38	1.74
M393255		5.99	0.447	0.767	<0.5	6.78	17	1200	2.9	34	2.19	<0.5	9	38	56	2.48
M393256		0.69	<0.005		<0.5	0.08	<5	20	<0.5	<2	19.8	<0.5	1	1	1	0.44
M393257		5.86	0.077		<0.5	7.05	14	1270	3.0	10	2.46	<0.5	9	38	51	2.64
M393258		5.66	0.420		<0.5	6.87	20	1360	2.7	22	2.27	<0.5	9	40	39	2.61
M393259		5.79	0.096		<0.5	6.76	5	1310	2.9	5	2.22	<0.5	8	40	42	2.55
M393260		4.62	0.284		<0.5	6.87	12	1300	3.3	6	2.21	<0.5	8	40	48	2.60
M393261		3.70	0.366		1.2	6.90	29	980	2.8	26	2.30	0.7	9	34	94	2.19
M393262		3.75	0.107		1.1	7.19	32	920	2.9	7	2.27	1.1	9	35	107	2.15
M393263		4.48	0.229		1.8	6.78	88	1060	2.5	11	2.42	0.7	10	44	127	2.66
M393264		5.58	0.355		0.7	6.67	40	1230	2.7	29	2.32	<0.5	10	47	124	2.58
M393265		4.48	0.058		<0.5	7.01	6	1270	2.7	<2	2.32	<0.5	8	53	81	2.52



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
 SUITE 584 - 1055 DUNSMUIR STREET  
 PO BOX 49215  
 VANCOUVER BC V7X 1K8

Page: 3 - B  
 Total # Pages: 3 (A - C)  
 Finalized Date: 9-JUL-2012  
 Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH12139377**

Sample Description	Method Analyte Units LOR	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20
M393239		20	3.39	40	0.88	327	4	1.76	14	640	21	0.21	<5	7	513	20
M393240		20	3.85	40	0.86	246	2	1.67	14	640	22	0.25	5	7	490	20
M393241		20	3.25	40	1.01	336	3	1.67	12	670	22	0.27	<5	8	523	20
M393242		20	2.99	30	1.12	483	3	1.82	14	710	18	0.16	<5	8	575	<20
M393243		20	3.15	30	1.16	474	2	1.78	12	730	23	0.14	<5	8	583	20
M393244		20	3.06	30	0.96	429	4	1.35	13	600	93	0.67	7	8	406	20
M393245		20	3.20	30	1.14	386	2	1.73	12	690	21	0.22	<5	8	550	20
M393246		20	3.29	40	1.02	290	2	1.67	11	640	16	0.21	<5	8	546	20
M393247		20	3.44	40	1.19	333	3	1.59	12	700	16	0.28	<5	8	546	20
M393248		20	3.45	30	1.25	370	2	1.63	12	690	16	0.24	<5	9	544	20
M393249		20	3.42	30	1.13	356	2	1.70	12	680	19	0.30	<5	8	537	20
M393250		20	0.62	20	3.94	1295	2	2.14	140	1440	5	0.51	5	18	399	<20
M393251		20	3.47	40	1.17	328	2	1.52	12	670	16	0.41	<5	9	481	20
M393252		20	3.38	30	1.08	308	12	1.44	11	620	17	0.34	<5	7	445	20
M393253		20	3.31	50	1.25	377	3	1.61	10	660	22	0.24	<5	9	547	20
M393254		20	3.89	20	0.58	181	3	1.45	5	500	19	0.20	<5	7	382	<20
M393255		20	3.39	30	0.97	280	2	1.62	9	600	20	0.21	<5	6	489	20
M393256		<10	0.04	<10	11.85	210	1	0.01	<1	190	<2	0.01	<5	<1	42	<20
M393257		20	3.45	30	0.97	315	2	1.66	10	630	21	0.22	<5	7	510	20
M393258		20	3.39	40	0.94	292	13	1.48	10	600	22	0.22	<5	7	461	20
M393259		20	3.47	30	0.94	271	2	1.62	11	600	21	0.20	<5	7	461	20
M393260		20	3.28	30	1.00	315	2	1.56	10	620	22	0.20	<5	7	476	20
M393261		20	3.50	30	0.77	855	3	0.55	9	530	119	0.40	74	6	270	20
M393262		20	3.50	40	0.71	903	3	0.48	11	560	149	0.42	85	7	234	20
M393263		20	3.80	40	0.92	540	7	0.49	10	600	93	0.60	53	8	288	20
M393264		20	4.17	30	0.92	230	2	1.09	17	580	44	0.48	23	8	406	20
M393265		20	4.19	30	0.98	240	1	1.33	11	560	22	0.29	6	8	447	20



ALS Canada Ltd.  
 2103 Dollarton Hwy  
 North Vancouver BC V7H 0A7  
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION  
 SUITE 584 - 1055 DUNSMUIR STREET  
 PO BOX 49215  
 VANCOUVER BC V7X 1K8

Page: 3 - C  
 Total # Pages: 3 (A - C)  
 Finalized Date: 9-JUL-2012  
 Account: STRGOL

Project: Eagle Gold

**CERTIFICATE OF ANALYSIS WH12139377**

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti %	ME-ICP61 Ti ppm	ME-ICP61 U ppm	ME-ICP61 V ppm	ME-ICP61 W ppm	ME-ICP61 Zn ppm
		0.01	10	10	1	10	2
M393239		0.30	<10	10	42	10	44
M393240		0.29	<10	<10	41	10	32
M393241		0.31	<10	<10	50	10	40
M393242		0.32	<10	<10	56	<10	49
M393243		0.32	<10	<10	58	<10	54
M393244		0.27	<10	<10	48	10	81
M393245		0.31	<10	10	53	<10	42
M393246		0.28	<10	10	46	40	32
M393247		0.31	<10	<10	54	40	36
M393248		0.31	<10	<10	56	40	39
M393249		0.31	<10	<10	54	20	38
M393250		0.96	<10	<10	152	<10	119
M393251		0.29	<10	<10	53	20	35
M393252		0.27	<10	<10	48	300	34
M393253		0.30	<10	<10	54	50	45
M393254		0.17	<10	10	26	30	18
M393255		0.29	<10	10	41	20	32
M393256		<0.01	<10	10	2	<10	12
M393257		0.29	<10	<10	41	30	38
M393258		0.27	<10	<10	40	110	41
M393259		0.28	<10	<10	41	10	35
M393260		0.28	<10	10	42	10	38
M393261		0.23	<10	<10	39	30	135
M393262		0.23	<10	<10	39	30	200
M393263		0.24	<10	<10	46	90	140
M393264		0.25	10	<10	48	130	57
M393265		0.24	10	<10	54	100	33