



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 1
Finalized Date: 7-JUL-2012
This copy reported on
9-JUL-2012
Account: STRGOL

CERTIFICATE WH12142075

Project: Eagle Gold

P.O. No.: EGP12-121

This report is for 68 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 20-JUN-2012.

The following have access to data associated with this certificate:

AUDREY CHEN
BILL KEATS

RICHARD ELIASON
HELENA KUIKKA

JOANNA ETTLINGER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-36	Fine Crushing - 85% <2mm
SPL-22Y	Split Sample - Boyd Rotary Splitter
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: HELENA KUIKKA
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 2 - A
 Total # Pages: 3 (A - C)
 Finalized Date: 7-JUL-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12142075

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
M391183		2.78	1.580	<0.5	7.86	290	1730	2.8	73	2.56	<0.5	17	44	95	3.19	20
M391184		3.54	0.031	1.0	7.93	718	1270	2.9	4	2.95	0.9	9	40	59	2.59	20
M391185		3.71	0.087	2.6	7.77	258	780	3.0	4	2.32	41.9	7	45	164	2.97	20
M391186		3.92	0.285	6.9	7.23	92	1380	2.8	15	2.92	2.7	9	42	48	3.20	20
M391187		4.16	0.014	0.5	7.62	64	1370	2.9	<2	2.74	2.1	8	45	22	2.89	20
M391188		4.50	9.18	75.1	7.10	61	870	2.7	596	3.50	5.9	8	36	44	2.66	20
M391189		4.74	2.16	0.8	7.38	83	1290	2.8	68	2.36	1.2	8	37	47	2.65	20
M391190		0.06	1.495	<0.5	6.77	1285	610	8.7	<2	0.02	<0.5	2	233	33	3.24	20
M391191		5.65	0.199	<0.5	7.48	168	1500	3.0	18	2.19	<0.5	10	42	58	2.71	20
M391192		6.37	0.228	<0.5	7.23	210	1420	3.0	20	2.31	<0.5	11	35	46	2.68	20
M391193		4.39	1.085	<0.5	7.70	103	1420	3.0	6	2.53	<0.5	8	41	45	2.81	20
M391194		4.07	0.093	<0.5	7.62	96	1470	3.1	2	2.44	0.9	9	53	42	2.92	20
M391195		2.85	0.057	<0.5	7.50	28	1190	3.3	4	3.17	0.6	8	47	26	2.97	20
M391196		1.60	<0.005	<0.5	0.10	<5	20	<0.5	<2	21.3	<0.5	1	1	1	0.45	<10
M391197		4.24	0.659	3.1	7.43	338	920	2.9	10	3.52	3.5	11	42	44	4.40	20
M391198		3.97	0.343	2.2	7.36	372	990	2.9	10	2.89	8.8	9	44	67	4.03	20
M391199		4.34	0.409	<0.5	7.60	267	1320	3.3	15	2.31	<0.5	9	49	56	2.95	20
M391200		3.42	0.189	<0.5	7.61	138	1380	3.4	10	2.55	<0.5	9	55	46	3.06	20
M391201		4.68	0.451	<0.5	7.45	144	1140	2.7	21	2.29	<0.5	11	56	75	3.41	20
M391202		5.96	0.538	<0.5	7.20	89	1130	3.1	30	2.74	<0.5	7	52	36	2.77	20
M391203		5.76	0.052	<0.5	7.44	470	1200	3.2	5	2.68	<0.5	9	49	48	2.87	20
M391204		2.54	0.046	<0.5	7.44	72	1270	3.2	4	2.65	<0.5	6	53	72	3.04	20
M391205		2.59	0.244	5.4	7.34	664	830	3.2	2	4.01	16.2	9	42	77	3.64	20
M391206		3.72	0.163	<0.5	7.53	1840	1190	3.0	11	2.70	<0.5	11	52	52	3.11	20
M391207		2.42	0.192	<0.5	7.22	868	1280	3.0	16	2.36	<0.5	11	43	99	2.84	20
M391208		3.08	0.571	<0.5	7.27	643	1140	3.0	48	2.69	<0.5	11	47	56	3.04	20
M391209		4.28	0.144	<0.5	7.65	160	1140	2.8	13	2.34	<0.5	9	46	45	2.80	20
M391210		0.05	1.500	<0.5	6.90	1315	620	9.0	<2	0.02	<0.5	2	239	33	3.30	20
M391211		5.05	0.155	<0.5	7.68	183	1290	3.0	11	2.75	<0.5	11	53	45	3.18	20
M391212		5.41	0.089	<0.5	7.76	1765	1450	3.1	4	2.73	<0.5	8	43	34	2.78	20
M391213		6.30	0.352	<0.5	7.43	112	1280	3.1	17	2.30	<0.5	9	46	63	2.84	20
M391214		3.87	0.860	<0.5	7.02	421	1220	3.9	43	1.93	<0.5	8	34	55	1.96	20
M391215		3.79	0.224	<0.5	6.58	236	1140	3.3	11	1.87	<0.5	5	34	53	1.71	20
M391216		0.88	<0.005	<0.5	0.14	<5	40	<0.5	<2	21.1	<0.5	1	1	2	0.46	<10
M391217		2.84	0.310	<0.5	7.21	145	1170	3.2	15	2.08	<0.5	7	46	47	2.43	20
M391218		5.41	0.153	<0.5	7.45	336	1330	3.0	7	2.40	<0.5	9	43	45	2.89	20
M391219		6.15	0.107	<0.5	7.43	71	1340	2.8	7	2.53	<0.5	10	44	49	2.68	20
M391220		5.67	0.076	<0.5	7.63	796	1420	2.9	6	2.58	<0.5	8	42	45	2.88	20
M391221		5.39	0.183	<0.5	7.52	204	1290	3.0	10	2.82	<0.5	10	53	47	2.86	20
M391222		5.77	0.170	<0.5	7.32	127	1360	2.9	21	2.79	<0.5	9	51	58	2.91	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 7-JUL-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12142075

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
M391183		4.16	40	0.91	348	2	1.55	19	710	18	0.44	6	8	547	20	0.32
M391184		3.86	40	0.59	887	2	0.71	20	740	149	0.32	35	8	315	20	0.33
M391185		3.54	40	0.66	1440	1	0.14	18	720	680	1.12	137	8	158	20	0.29
M391186		3.59	40	0.94	922	3	0.99	22	700	339	0.25	18	7	390	20	0.30
M391187		3.77	40	0.87	591	2	0.91	21	750	159	0.39	13	8	383	20	0.32
M391188		3.16	40	0.71	896	3	0.64	17	630	1540	0.52	454	7	319	20	0.27
M391189		3.63	40	0.78	521	6	0.94	19	630	120	0.38	24	7	368	20	0.28
M391190		2.56	40	0.32	66	2	0.07	23	330	25	0.01	90	14	92	20	0.26
M391191		4.02	40	0.88	283	4	1.53	18	650	22	0.23	11	7	472	20	0.29
M391192		3.51	40	0.81	316	2	1.57	18	600	25	0.26	6	7	460	20	0.27
M391193		4.14	40	0.87	343	3	1.57	14	640	28	0.28	9	8	482	20	0.28
M391194		3.73	40	1.04	409	3	1.40	15	700	38	0.23	6	8	474	20	0.30
M391195		3.74	30	1.12	690	2	1.48	14	750	67	0.12	10	8	474	20	0.33
M391196		0.04	<10	13.05	198	<1	0.01	<1	180	2	<0.01	<5	<1	49	<20	<0.01
M391197		3.37	40	1.19	1700	5	1.07	14	700	5430	1.50	2350	8	427	20	0.30
M391198		3.62	40	1.13	1280	3	0.92	12	680	2000	1.33	613	8	357	20	0.29
M391199		3.80	40	1.11	416	2	1.61	12	690	38	0.24	20	8	489	20	0.30
M391200		3.61	40	1.07	418	4	1.72	15	690	35	0.25	15	8	534	20	0.31
M391201		4.28	40	1.20	384	3	1.40	21	710	25	0.48	<5	9	436	20	0.32
M391202		3.90	30	1.06	408	4	1.47	13	690	21	0.21	5	8	473	20	0.30
M391203		3.74	30	1.21	419	5	1.66	16	730	21	0.18	10	8	505	20	0.32
M391204		3.54	30	1.23	476	3	1.69	15	760	18	0.23	14	8	530	20	0.34
M391205		3.52	40	1.12	2360	5	0.50	19	700	4710	0.73	1775	8	274	30	0.29
M391206		4.02	40	1.05	547	4	1.15	16	710	42	0.38	22	8	387	30	0.30
M391207		4.28	30	1.08	453	2	1.25	14	700	31	0.38	18	8	392	20	0.30
M391208		3.83	30	1.19	395	3	1.46	18	680	21	0.42	9	8	483	20	0.30
M391209		3.87	30	1.23	373	9	1.75	16	690	23	0.12	11	8	516	20	0.31
M391210		2.61	40	0.32	67	2	0.07	22	330	25	0.01	92	14	94	20	0.27
M391211		3.62	30	1.21	446	2	1.92	16	730	22	0.27	9	8	557	20	0.32
M391212		3.71	30	0.99	354	3	1.82	17	700	25	0.24	<5	8	559	20	0.31
M391213		3.93	40	0.97	317	8	1.62	14	670	28	0.28	<5	8	482	20	0.30
M391214		3.54	30	0.56	182	4	1.78	11	480	17	0.36	7	5	370	20	0.18
M391215		3.49	30	0.55	165	3	1.57	9	420	12	0.26	<5	5	335	20	0.15
M391216		0.06	<10	12.90	214	<1	0.02	<1	190	<2	<0.01	<5	<1	46	<20	0.01
M391217		3.74	30	0.88	265	9	1.65	13	580	21	0.24	<5	7	423	20	0.25
M391218		3.67	40	0.95	314	5	1.69	17	650	25	0.26	<5	8	508	20	0.29
M391219		3.49	40	0.96	315	3	1.69	16	660	23	0.22	<5	8	527	20	0.30
M391220		3.52	40	0.94	338	3	1.75	16	690	23	0.25	<5	8	572	20	0.31
M391221		3.92	40	1.18	387	4	1.71	17	720	26	0.21	<5	8	548	20	0.32
M391222		3.98	30	1.14	358	4	1.68	14	700	28	0.25	<5	7	558	20	0.31



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 7-JUL-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12142075

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
M391183		<10	<10	42	40	35
M391184		<10	<10	43	20	225
M391185		<10	<10	40	30	6710
M391186		<10	<10	43	30	472
M391187		<10	<10	45	20	374
M391188		<10	<10	38	20	981
M391189		<10	10	38	30	229
M391190		<10	<10	89	10	50
M391191		<10	<10	39	30	34
M391192		<10	10	35	20	46
M391193		<10	10	41	40	45
M391194		<10	10	48	30	173
M391195		<10	10	52	20	139
M391196		<10	<10	3	<10	16
M391197		<10	10	46	20	642
M391198		<10	10	46	30	1515
M391199		<10	10	49	20	49
M391200		<10	10	49	20	48
M391201		<10	<10	61	90	58
M391202		<10	10	48	60	48
M391203		<10	10	51	10	46
M391204		<10	10	53	10	41
M391205		<10	<10	48	30	2590
M391206		<10	10	48	50	51
M391207		<10	10	48	20	36
M391208		<10	10	49	20	41
M391209		<10	10	49	20	43
M391210		<10	<10	92	10	51
M391211		<10	10	50	20	53
M391212		<10	10	45	<10	57
M391213		<10	10	45	20	50
M391214		<10	10	34	20	30
M391215		<10	10	30	20	24
M391216		<10	<10	4	<10	15
M391217		<10	10	41	20	43
M391218		<10	10	43	20	44
M391219		<10	10	44	20	48
M391220		<10	10	44	20	51
M391221		<10	<10	53	10	49
M391222		<10	<10	51	20	44



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 3 - A
Total # Pages: 3 (A - C)
Finalized Date: 7-JUL-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12142075

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
M391223		6.42	0.121	<0.5	7.24	757	1510	2.7	6	2.77	<0.5	10	50	55	2.88	20
M391224		4.96	0.064	<0.5	7.59	261	1610	3.2	5	2.81	<0.5	8	46	37	2.74	20
M391225		3.02	0.060	<0.5	7.53	106	1570	3.0	5	2.42	<0.5	9	48	52	2.97	20
M391226		3.65	0.028	<0.5	7.60	146	1630	3.1	<2	2.75	<0.5	10	49	41	3.02	20
M391227		5.82	0.091	<0.5	7.42	61	1340	2.8	5	2.75	<0.5	8	52	37	3.09	20
M391228		5.87	0.918	<0.5	7.35	100	1260	2.8	3	2.52	<0.5	9	54	37	2.90	20
M391229		<0.02	0.084	<0.5	7.36	149	1250	2.8	4	2.53	<0.5	10	57	36	3.06	20
M391230		4.48	0.068	<0.5	7.46	183	1250	3.0	6	2.74	<0.5	9	52	37	2.93	20
M391231		4.43	0.057	<0.5	7.54	143	1340	3.1	4	2.78	<0.5	10	57	51	3.13	20
M391232		6.21	0.129	<0.5	7.38	112	1350	3.1	7	2.63	<0.5	10	55	85	3.06	20
M391233		4.13	0.219	1.4	6.87	190	1090	2.6	11	3.79	7.6	9	53	81	3.51	20
M391234		4.36	0.247	3.0	7.50	163	1210	2.9	18	2.65	1.2	11	48	113	3.15	20
M391235		4.20	0.232	0.5	7.40	1675	1610	2.9	16	2.39	<0.5	10	55	86	3.01	20
M391236		4.87	0.042	<0.5	7.34	361	1360	2.8	7	2.98	<0.5	9	54	58	2.89	20
M391237		5.98	0.178	1.2	6.92	421	920	3.8	12	2.73	13.2	3	29	80	1.87	20
M391238		4.50	0.082	<0.5	7.44	719	1430	4.7	10	1.97	<0.5	4	31	57	1.76	20
M391239		4.95	0.218	<0.5	7.50	857	1590	2.9	36	2.81	<0.5	10	48	42	2.97	20
M391240		4.81	0.206	<0.5	7.34	454	1630	3.0	16	2.91	<0.5	9	46	46	2.91	20
M391241		3.87	0.373	2.5	6.62	631	930	2.6	26	3.19	<0.5	9	47	109	2.78	20
M391242		3.85	0.227	0.5	7.19	506	960	2.7	3	3.79	<0.5	8	44	45	2.75	20
M391243		7.21	0.042	<0.5	7.59	133	1610	2.8	4	2.71	<0.5	8	43	69	3.03	20
M391244		2.97	0.074	1.1	7.35	202	890	2.7	2	2.80	1.9	9	50	68	2.85	20
M391245		3.01	0.180	1.0	7.43	323	790	3.1	7	3.36	1.1	10	44	57	2.87	20
M391246		5.20	0.043	<0.5	7.49	63	1620	3.1	7	2.44	<0.5	9	42	64	2.85	20
M391247		6.14	0.082	<0.5	7.55	644	1460	3.0	14	2.50	<0.5	11	49	91	3.13	20
M391248		4.20	0.156	<0.5	7.47	222	1640	3.0	10	2.59	<0.5	8	40	55	2.92	20
M391249		3.43	0.036	<0.5	7.47	596	1650	3.1	6	2.46	<0.5	11	49	69	3.15	20
M391250		0.06	1.020	<0.5	7.33	1670	260	0.9	<2	5.57	<0.5	38	178	62	7.99	20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 3 - B
 Total # Pages: 3 (A - C)
 Finalized Date: 7-JUL-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12142075

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
M391223		3.90	30	0.98	312	3	1.69	16	700	24	0.31	<5	7	546	20	0.31
M391224		3.58	30	1.01	316	2	1.90	19	730	20	0.16	<5	8	570	20	0.33
M391225		3.81	40	1.06	294	2	1.68	19	710	19	0.22	<5	7	543	20	0.32
M391226		3.47	40	1.00	323	3	1.90	19	730	20	0.23	<5	7	593	20	0.34
M391227		3.78	30	1.16	391	2	1.82	15	700	20	0.18	<5	8	563	20	0.31
M391228		3.79	30	1.21	377	2	1.72	14	680	22	0.17	<5	8	531	20	0.31
M391229		3.77	40	1.18	392	2	1.74	14	680	23	0.20	<5	8	537	20	0.30
M391230		3.81	30	1.18	370	2	1.74	14	680	22	0.20	<5	8	531	20	0.31
M391231		3.81	30	1.21	362	4	1.83	14	720	21	0.23	<5	8	568	20	0.32
M391232		3.78	30	1.18	332	3	1.79	16	710	20	0.34	5	8	542	20	0.32
M391233		3.58	40	1.09	784	2	1.07	12	620	249	0.98	12	7	457	20	0.27
M391234		3.81	40	0.97	456	2	0.75	18	700	270	0.88	15	8	357	20	0.31
M391235		4.02	40	1.04	321	4	1.50	17	720	63	0.43	9	8	499	20	0.32
M391236		3.84	30	1.22	389	2	1.74	15	720	20	0.18	13	8	547	20	0.32
M391237		3.23	20	0.50	484	2	1.16	7	430	856	0.63	57	4	278	<20	0.15
M391238		3.74	20	0.53	151	2	1.90	9	460	19	0.36	<5	5	389	<20	0.16
M391239		3.56	30	1.01	298	2	1.68	17	710	25	0.33	<5	8	551	20	0.32
M391240		3.52	30	0.94	320	2	1.55	16	690	23	0.32	<5	7	531	20	0.31
M391241		3.62	30	0.80	418	2	0.55	16	670	57	0.49	21	7	314	20	0.29
M391242		3.52	40	0.76	450	2	0.61	15	700	26	0.42	10	7	341	20	0.31
M391243		3.76	40	0.94	331	3	1.49	16	680	24	0.39	12	8	497	20	0.31
M391244		3.49	40	0.66	610	7	0.98	14	700	128	0.59	11	8	270	20	0.29
M391245		3.37	40	0.73	740	2	0.60	16	700	136	0.57	15	8	265	20	0.30
M391246		3.70	40	0.99	339	2	1.53	17	700	36	0.26	6	8	505	20	0.32
M391247		3.61	40	0.95	302	5	1.60	16	680	24	0.40	9	8	474	20	0.31
M391248		3.56	40	1.04	298	2	1.71	17	700	20	0.26	<5	7	556	20	0.31
M391249		3.41	30	1.03	292	2	1.67	17	710	18	0.31	<5	8	567	20	0.32
M391250		0.62	10	3.91	1270	2	2.10	130	1390	9	0.54	<5	17	388	<20	0.94



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 3 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 7-JUL-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12142075

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
M391223		<10	<10	46	30	41
M391224		<10	<10	47	10	42
M391225		<10	<10	45	20	35
M391226		<10	<10	48	10	38
M391227		<10	<10	51	<10	45
M391228		<10	<10	52	20	51
M391229		<10	<10	50	20	49
M391230		<10	<10	51	20	45
M391231		<10	10	53	10	36
M391232		<10	<10	51	10	30
M391233		<10	<10	44	40	1245
M391234		<10	<10	48	30	229
M391235		<10	<10	47	20	73
M391236		<10	<10	53	40	35
M391237		<10	10	34	20	2030
M391238		<10	10	36	10	27
M391239		<10	<10	47	10	39
M391240		<10	<10	46	20	37
M391241		<10	<10	41	20	48
M391242		<10	<10	46	20	73
M391243		<10	<10	45	20	36
M391244		<10	<10	49	30	344
M391245		<10	<10	45	20	202
M391246		<10	<10	47	10	57
M391247		<10	<10	45	10	36
M391248		<10	<10	46	10	32
M391249		<10	<10	47	20	30
M391250		<10	<10	149	10	118