



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 1
Finalized Date: 19-JUL-2012
Account: STRGOL

CERTIFICATE WH12149963

Project: Eagle Gold

P.O. No.: EGP12-126

This report is for 39 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 28-JUN-2012.

The following have access to data associated with this certificate:

AUDREY CHEN
HELENA KUIKKA

RICHARD ELIASON

JOANNA ETTLINGER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-36	Fine Crushing - 85% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: HELENA KUIKKA
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - A
Total # Pages: 2 (A - C)
Finalized Date: 19-JUL-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12149963

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
M393501		5.40	0.207	<0.5	7.75	153	1570	2.9	24	2.48	<0.5	9	67	115	3.25	20
M393502		5.82	0.211	0.6	7.52	314	1370	3.1	20	2.62	<0.5	10	64	103	3.15	20
M393503		4.80	0.056	<0.5	7.99	942	1360	3.4	4	2.57	<0.5	11	65	81	3.21	20
M393504		7.54	0.130	<0.5	7.79	192	1370	3.2	18	2.46	<0.5	12	74	103	3.37	20
M393505		7.84	0.393	<0.5	6.96	896	1250	2.6	33	2.12	<0.5	12	62	98	2.92	10
M393506		4.48	0.153	<0.5	7.19	171	1470	2.6	26	2.22	<0.5	8	53	110	2.69	20
M393507		4.62	0.599	<0.5	7.23	683	1400	2.8	66	2.61	<0.5	11	48	155	2.71	20
M393508		4.18	0.145	<0.5	7.52	228	1560	2.9	15	1.97	<0.5	10	55	125	2.99	20
M393509		4.36	0.383	1.2	7.30	2530	1030	2.8	11	2.99	0.8	26	51	132	3.58	20
M393510		0.14	1.520	<0.5	6.85	1260	640	9.3	<2	0.02	<0.5	3	250	33	3.33	20
M393511		3.90	0.167	1.5	6.94	328	890	2.7	12	3.38	1.3	10	46	83	2.61	20
M393512		5.66	0.021	<0.5	7.36	162	1340	3.0	3	3.80	<0.5	7	49	63	2.50	20
M393513		6.08	0.139	<0.5	7.77	369	1240	3.2	6	2.71	<0.5	18	60	75	3.18	20
M393514		5.52	0.048	<0.5	7.60	32	1340	2.9	4	2.45	<0.5	9	63	54	3.12	20
M393515		4.86	0.077	<0.5	7.74	133	1260	3.0	4	2.58	0.6	8	56	49	2.89	20
M393516		1.68	<0.005	<0.5	0.09	<5	20	<0.5	3	20.7	<0.5	1	1	3	0.47	<10
M393517		3.10	0.135	0.6	7.56	96	1010	2.9	16	2.95	0.5	14	62	35	3.02	20
M393518		3.96	0.800	<0.5	7.35	464	1260	2.7	54	2.58	<0.5	12	60	68	2.83	20
M393519		6.88	0.033	<0.5	7.22	101	1360	3.0	7	2.85	<0.5	10	64	62	3.22	20
M393520		8.92	0.030	<0.5	7.47	100	1290	2.9	8	2.96	<0.5	10	60	40	3.04	20
M393521		7.02	0.048	<0.5	7.10	938	1380	2.7	9	2.75	<0.5	11	55	66	2.99	20
M393522		6.62	0.043	<0.5	7.18	867	1390	2.8	7	2.79	<0.5	11	56	56	2.94	20
M393523		5.72	0.016	<0.5	6.89	104	1230	2.9	2	2.82	<0.5	9	64	62	2.90	20
M393524		4.04	0.396	1.2	7.24	373	900	2.7	6	4.63	0.6	11	57	70	4.14	20
M393525		6.50	0.152	<0.5	7.13	349	1280	3.0	34	2.58	<0.5	14	67	115	3.09	20
M393526		6.12	0.077	<0.5	7.27	136	1330	2.8	10	2.52	<0.5	12	55	111	3.17	20
M393527		6.80	0.149	<0.5	7.17	99	1240	2.9	15	2.89	<0.5	10	58	91	3.00	20
M393528		5.86	0.033	<0.5	7.24	82	1220	2.9	3	3.27	<0.5	10	61	75	3.02	20
M393529		<0.02	0.052	<0.5	7.00	125	1240	2.9	5	3.22	<0.5	11	61	82	2.94	20
M393530		8.60	0.141	<0.5	6.87	216	1440	2.8	31	2.58	<0.5	10	53	76	3.25	20
M393531		5.26	0.311	<0.5	7.01	132	1400	3.0	33	2.48	<0.5	10	54	64	3.04	20
M393532		6.20	0.124	<0.5	6.41	1915	1240	4.3	21	2.08	<0.5	10	39	91	2.04	20
M393533		2.28	0.496	<0.5	6.62	470	1220	4.2	43	2.42	<0.5	6	31	64	1.50	20
M393534		2.78	0.110	<0.5	6.81	264	1360	3.1	17	3.08	<0.5	11	46	120	2.55	20
M393535		5.54	0.264	<0.5	7.04	238	1470	3.1	75	2.19	<0.5	11	53	126	2.69	20
M393536		6.46	0.241	<0.5	7.03	353	1430	2.8	37	2.09	<0.5	11	48	99	3.04	20
M393537		5.82	0.313	<0.5	6.68	313	1290	2.6	38	2.01	<0.5	11	50	114	2.76	20
M393538		7.00	0.092	<0.5	7.06	220	1460	3.0	21	2.16	<0.5	9	52	121	2.94	20
M393539		8.22	0.052	<0.5	7.02	183	1480	3.1	4	2.36	<0.5	8	52	95	2.58	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - B
Total # Pages: 2 (A - C)
Finalized Date: 19-JUL-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12149963

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
M393501		4.18	40	1.14	302	3	1.51	17	730	23	0.47	13	9	506	20	0.31
M393502		4.11	30	1.09	394	10	1.45	18	650	72	0.48	21	9	467	20	0.28
M393503		4.39	30	1.14	352	5	1.69	15	670	27	0.37	5	9	538	20	0.29
M393504		4.01	40	1.20	342	4	1.67	15	660	25	0.45	7	8	541	20	0.29
M393505		3.58	40	1.03	265	8	1.49	13	620	22	0.47	9	8	464	20	0.26
M393506		4.21	30	0.98	255	10	1.34	17	610	16	0.40	8	7	473	20	0.27
M393507		4.40	40	0.88	240	8	1.31	18	650	18	0.53	14	7	447	20	0.28
M393508		4.18	30	1.15	237	11	1.45	17	670	16	0.39	17	8	483	20	0.31
M393509		4.25	40	0.64	538	10	0.53	18	650	111	1.26	26	7	253	20	0.27
M393510		2.64	40	0.32	64	2	0.08	23	320	21	0.01	91	14	97	20	0.27
M393511		3.71	30	0.52	551	3	0.24	15	620	122	0.55	26	7	206	20	0.26
M393512		4.10	30	0.74	454	4	1.21	18	660	27	0.35	16	7	397	20	0.29
M393513		4.05	40	1.16	506	2	1.09	20	680	48	0.43	14	9	382	20	0.32
M393514		3.93	30	1.16	433	4	1.53	19	680	34	0.27	9	8	444	20	0.30
M393515		3.72	40	1.20	478	3	1.42	15	660	52	0.23	5	9	408	20	0.29
M393516		0.05	<10	12.55	197	<1	0.01	6	210	<2	0.01	<5	<1	49	<20	<0.01
M393517		3.70	40	1.22	568	1	1.18	19	630	52	0.17	5	9	387	20	0.29
M393518		3.87	40	1.19	335	18	1.60	18	630	24	0.27	<5	8	474	20	0.29
M393519		3.73	30	1.46	386	6	1.81	22	700	19	0.14	<5	9	519	20	0.33
M393520		3.78	30	1.30	380	1	1.84	22	660	19	0.15	<5	9	541	20	0.32
M393521		3.66	30	1.16	312	1	1.71	17	660	17	0.28	<5	8	513	20	0.32
M393522		3.73	30	1.18	324	2	1.74	19	680	18	0.24	<5	8	518	20	0.33
M393523		3.86	30	1.16	386	3	1.55	19	660	19	0.19	8	8	421	20	0.33
M393524		3.44	40	1.14	825	2	0.84	18	640	101	1.76	22	9	320	20	0.30
M393525		4.62	40	1.23	293	2	1.52	19	640	16	0.36	<5	8	455	20	0.34
M393526		4.68	30	1.27	259	3	1.57	17	680	20	0.42	<5	9	463	20	0.33
M393527		3.99	30	1.24	271	3	1.70	18	670	18	0.37	<5	8	508	20	0.33
M393528		3.87	40	1.20	319	4	1.73	20	690	17	0.28	<5	9	529	20	0.34
M393529		3.95	30	1.17	307	3	1.79	20	700	20	0.31	<5	8	536	20	0.34
M393530		3.79	30	1.19	280	4	1.67	19	680	15	0.30	<5	8	507	20	0.34
M393531		3.62	30	1.18	258	4	1.68	20	680	18	0.22	<5	8	504	20	0.34
M393532		4.24	20	0.65	150	2	1.78	12	440	10	0.37	<5	5	389	<20	0.18
M393533		3.89	20	0.55	126	1	1.91	7	410	10	0.27	<5	4	387	<20	0.15
M393534		4.77	30	0.79	204	4	1.39	16	610	23	0.42	<5	6	413	20	0.30
M393535		4.37	30	0.98	180	4	1.64	17	660	18	0.47	<5	7	502	20	0.34
M393536		4.18	40	0.93	202	5	1.58	17	610	21	0.46	<5	7	482	20	0.31
M393537		4.34	30	0.86	206	2	1.61	16	590	25	0.47	<5	7	438	20	0.29
M393538		4.16	30	0.94	210	3	1.56	18	630	23	0.46	<5	7	481	20	0.32
M393539		4.22	30	0.92	249	3	1.56	17	660	46	0.36	9	7	459	20	0.33



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 2 - C
 Total # Pages: 2 (A - C)
 Finalized Date: 19-JUL-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12149963

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
M393501		<10	<10	52	80	43
M393502		<10	<10	48	40	73
M393503		<10	<10	50	80	41
M393504		<10	<10	50	30	39
M393505		<10	<10	43	60	34
M393506		<10	<10	37	90	23
M393507		<10	<10	40	130	24
M393508		10	<10	47	80	31
M393509		<10	<10	42	70	150
M393510		<10	<10	90	10	50
M393511		<10	<10	38	50	252
M393512		10	<10	41	20	57
M393513		<10	<10	54	60	84
M393514		<10	<10	49	20	103
M393515		<10	<10	48	20	133
M393516		<10	<10	1	<10	13
M393517		<10	<10	52	20	106
M393518		<10	<10	51	10	39
M393519		<10	<10	56	10	35
M393520		<10	<10	55	<10	39
M393521		<10	<10	49	<10	29
M393522		<10	<10	50	<10	31
M393523		<10	<10	54	10	32
M393524		<10	<10	52	20	132
M393525		<10	<10	56	20	29
M393526		<10	<10	54	20	24
M393527		<10	<10	52	10	25
M393528		<10	<10	53	<10	28
M393529		<10	<10	54	<10	28
M393530		<10	<10	51	30	28
M393531		<10	<10	51	20	33
M393532		<10	<10	37	20	21
M393533		<10	<10	32	20	15
M393534		<10	<10	42	30	30
M393535		<10	<10	44	40	23
M393536		<10	<10	40	60	27
M393537		<10	<10	38	50	29
M393538		<10	<10	41	20	30
M393539		<10	<10	43	20	62