



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 1
Finalized Date: 20-JUL-2012
Account: STRGOL

CERTIFICATE WH12149964

Project: Eagle Gold

P.O. No.: EGP12-127

This report is for 42 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 28-JUN-2012.

The following have access to data associated with this certificate:

AUDREY CHEN
HELENA KUIKKA

RICHARD ELIASON

JOANNA ETTLINGER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-36	Fine Crushing - 85% <2mm
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: HELENA KUIKKA
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 20-JUL-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12149964

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
M394351		4.84	0.005	<0.5	8.87	233	1420	2.1	<2	0.55	<0.5	14	78	19	4.37	20
M394352		6.40	0.007	<0.5	5.35	190	660	1.1	2	0.41	<0.5	8	57	8	2.19	10
M394353		4.32	0.005	<0.5	6.00	200	690	1.4	<2	0.61	<0.5	7	60	10	2.30	20
M394354		6.74	0.008	<0.5	9.86	272	1250	2.7	<2	0.65	<0.5	10	85	14	2.69	30
M394355		3.20	0.079	<0.5	7.71	814	1480	2.7	6	1.04	<0.5	8	36	24	2.16	20
M394356		0.90	<0.005	<0.5	0.18	5	30	<0.5	<2	20.1	<0.5	<1	4	1	0.42	<10
M394357		3.56	1.725	<0.5	7.01	466	1510	2.7	52	2.12	<0.5	10	32	49	2.28	20
M394358		4.06	0.824	<0.5	7.31	703	1420	2.9	13	1.77	<0.5	8	30	33	2.11	20
M394359		3.36	0.103	<0.5	7.05	439	1440	2.7	5	1.85	<0.5	7	28	26	2.23	20
M394360		3.12	0.145	<0.5	7.90	358	1360	3.4	5	1.82	<0.5	7	30	24	2.20	20
M394361		4.48	0.271	<0.5	7.80	499	1410	3.0	11	2.36	<0.5	9	43	72	2.88	20
M394362		4.22	0.379	<0.5	7.77	1180	1430	3.0	8	2.37	<0.5	11	46	70	2.85	20
M394363		5.92	0.498	<0.5	7.80	236	1570	3.2	11	2.15	<0.5	8	36	32	2.64	20
M394364		2.28	1.165	<0.5	7.56	440	1600	2.9	21	1.69	<0.5	10	37	65	2.57	20
M394365		3.48	1.225	<0.5	7.95	360	1690	3.1	44	1.84	<0.5	9	35	71	2.49	20
M394366		3.20	0.411	0.7	6.53	620	1330	2.3	9	2.47	<0.5	7	34	44	2.32	20
M394367		3.58	1.440	<0.5	6.70	608	1130	2.5	53	2.83	<0.5	14	29	63	2.45	20
M394368		1.66	0.320	<0.5	7.60	553	1620	2.6	13	1.67	<0.5	9	30	35	2.39	20
M394369		<0.02	0.444	<0.5	7.64	554	1620	2.7	11	1.65	<0.5	9	33	36	2.43	20
M394370		5.36	0.469	0.7	7.38	962	1210	3.1	12	2.14	0.7	12	32	74	3.12	20
M394371		3.74	1.480	0.7	7.43	755	1420	3.0	22	1.92	<0.5	8	27	37	2.29	20
M394372		5.00	2.89	1.3	7.14	242	1530	2.6	76	2.31	<0.5	6	31	21	2.38	20
M394373		3.74	1.190	<0.5	7.81	506	1740	2.7	20	1.91	<0.5	11	30	62	2.63	20
M394374		2.46	0.131	<0.5	7.89	215	1750	3.0	3	2.03	<0.5	8	31	41	2.65	20
M394375		5.02	0.401	<0.5	7.51	517	1590	2.8	9	1.87	<0.5	10	29	51	2.44	20
M394376		3.86	0.470	0.5	7.53	839	1630	2.5	19	1.76	<0.5	12	31	69	2.76	20
M394377		4.52	0.249	<0.5	7.79	238	1520	2.8	6	1.93	<0.5	8	30	49	2.77	20
M394378		4.06	0.322	0.5	7.75	221	1670	2.9	16	2.35	<0.5	8	32	42	2.73	20
M394379		5.04	0.119	<0.5	8.24	210	1320	3.0	2	2.05	0.6	6	33	59	2.95	20
M394380		5.82	0.269	0.6	7.92	484	1820	2.8	8	1.92	<0.5	10	31	48	2.58	20
M394381		3.50	0.393	0.5	7.79	130	1700	2.8	6	2.29	<0.5	8	32	35	2.77	20
M394382		2.78	1.745	0.9	7.99	212	1640	2.9	38	1.76	<0.5	7	32	42	2.68	20
M394383		4.70	2.49	1.0	7.54	1535	1830	2.4	55	0.68	<0.5	16	31	123	3.45	20
M394384		4.20	0.781	0.8	8.11	839	1000	3.7	23	0.28	0.8	13	29	167	3.77	20
M394385		3.86	0.885	1.1	7.12	870	1350	2.6	27	0.97	0.8	10	25	68	3.03	20
M394386		4.36	0.252	<0.5	7.68	1015	1850	2.7	9	0.81	3.8	12	30	81	3.08	20
M394387		2.62	0.097	<0.5	7.80	408	1890	2.9	10	1.42	1.3	10	31	62	2.88	20
M394388		3.40	0.108	<0.5	7.85	571	1540	2.7	5	1.82	1.9	5	28	30	2.50	20
M394389		1.96	0.771	1.2	7.84	908	1640	2.9	19	1.03	1.5	9	27	64	2.96	20
M394390		0.14	0.856	2.3	7.85	6	650	0.9	2	3.38	<0.5	21	41	7670	7.80	20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 2 - B
 Total # Pages: 3 (A - C)
 Finalized Date: 20-JUL-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12149964

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
M394351		3.48	30	0.55	284	2	0.88	35	470	10	0.01	<5	14	113	20	0.36
M394352		2.42	30	0.34	192	<1	0.57	18	210	10	0.01	<5	7	75	<20	0.24
M394353		2.88	30	0.38	223	1	1.10	20	140	20	0.01	<5	8	93	20	0.28
M394354		4.94	40	0.41	185	1	1.19	26	390	15	0.01	<5	13	141	20	0.42
M394355		4.18	40	0.32	135	1	1.34	18	740	20	0.02	<5	7	268	20	0.29
M394356		0.09	<10	12.25	176	<1	0.01	1	170	<2	<0.01	<5	<1	39	<20	0.01
M394357		3.57	30	0.64	210	<1	1.47	16	610	22	0.14	<5	6	423	20	0.29
M394358		3.78	40	0.65	171	<1	1.52	17	560	23	0.12	<5	6	413	30	0.28
M394359		3.49	40	0.68	219	1	1.52	16	580	23	0.03	<5	6	421	20	0.28
M394360		4.23	40	0.65	223	1	1.64	16	550	24	0.03	<5	6	420	20	0.25
M394361		3.98	30	0.94	279	2	1.64	14	620	17	0.32	<5	8	499	20	0.28
M394362		4.03	30	0.95	268	2	1.64	15	640	18	0.34	<5	8	505	20	0.28
M394363		3.73	30	0.77	266	1	1.73	20	650	18	0.07	5	7	471	20	0.30
M394364		3.75	40	0.64	201	2	1.51	19	660	19	0.04	7	7	415	20	0.29
M394365		4.28	40	0.59	203	3	1.60	18	630	21	0.12	7	7	409	20	0.28
M394366		4.19	30	0.23	278	5	1.03	14	590	45	0.11	13	5	202	<20	0.27
M394367		3.52	30	0.34	323	5	1.32	17	570	20	0.10	11	6	283	20	0.25
M394368		4.03	30	0.42	223	4	1.28	17	650	23	0.06	19	6	295	20	0.28
M394369		4.06	30	0.42	222	4	1.30	16	650	23	0.06	20	6	299	20	0.28
M394370		3.91	30	0.36	548	4	0.65	20	650	82	0.05	51	6	212	20	0.28
M394371		4.31	30	0.35	345	3	1.08	14	570	54	0.04	33	6	252	20	0.25
M394372		4.16	30	0.41	376	3	1.08	14	600	70	0.07	39	6	293	20	0.27
M394373		4.47	40	0.45	293	4	1.23	20	680	46	0.14	33	7	320	20	0.29
M394374		3.81	40	0.72	280	1	1.60	20	680	22	0.03	7	7	462	20	0.31
M394375		4.22	30	0.56	244	3	1.38	16	620	25	0.07	12	6	385	20	0.28
M394376		3.96	40	0.61	293	2	1.16	18	640	48	0.18	27	7	316	20	0.27
M394377		3.93	40	0.60	348	2	1.10	16	640	45	0.22	19	7	320	20	0.28
M394378		4.02	30	0.66	385	3	1.33	21	680	46	0.21	20	7	406	20	0.30
M394379		4.15	40	0.69	499	2	0.74	15	660	70	0.28	27	7	243	20	0.30
M394380		4.33	40	0.61	350	2	1.24	18	680	54	0.17	33	7	345	20	0.29
M394381		4.51	30	0.72	623	1	1.10	18	680	67	0.26	39	7	332	20	0.29
M394382		4.58	40	0.69	326	1	1.18	19	640	101	0.25	58	7	331	20	0.28
M394383		4.69	40	0.43	261	7	0.74	15	560	98	0.36	70	6	238	20	0.25
M394384		3.89	50	0.44	327	3	0.32	22	590	112	0.21	59	8	148	20	0.26
M394385		3.89	40	0.50	429	3	0.77	17	570	112	0.25	60	6	187	20	0.22
M394386		4.35	40	0.50	357	2	0.94	20	690	48	0.20	32	7	250	20	0.28
M394387		3.97	40	0.72	268	2	1.45	21	720	36	0.08	40	7	388	20	0.32
M394388		4.44	40	0.49	653	3	0.64	11	640	95	0.10	64	7	206	20	0.27
M394389		4.35	40	0.41	352	4	0.61	17	640	240	0.23	108	7	188	20	0.28
M394390		2.99	10	2.14	655	608	2.55	17	1210	17	1.00	<5	18	622	<20	0.37



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 20-JUL-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12149964

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
M394351		<10	<10	88	20	78
M394352		<10	<10	48	10	45
M394353		<10	<10	54	20	30
M394354		<10	<10	94	<10	59
M394355		<10	<10	40	20	63
M394356		<10	<10	4	<10	13
M394357		<10	<10	34	40	55
M394358		<10	<10	33	10	51
M394359		<10	<10	33	30	68
M394360		<10	10	31	40	60
M394361		<10	10	44	20	40
M394362		<10	10	44	50	54
M394363		<10	10	38	10	57
M394364		<10	<10	37	50	53
M394365		<10	10	35	10	35
M394366		<10	<10	33	20	35
M394367		<10	<10	32	30	38
M394368		<10	<10	35	20	46
M394369		<10	<10	35	20	47
M394370		<10	<10	36	30	133
M394371		<10	<10	32	40	62
M394372		<10	<10	34	30	60
M394373		<10	<10	37	40	54
M394374		<10	<10	38	10	54
M394375		<10	<10	34	1040	52
M394376		<10	<10	34	40	67
M394377		<10	<10	35	30	70
M394378		<10	<10	37	40	103
M394379		<10	<10	39	30	131
M394380		<10	<10	37	40	80
M394381		<10	<10	37	40	119
M394382		<10	<10	35	40	68
M394383		<10	<10	34	100	89
M394384		<10	<10	36	70	191
M394385		<10	<10	28	30	286
M394386		<10	<10	36	80	516
M394387		<10	<10	39	160	313
M394388		<10	<10	34	70	278
M394389		<10	<10	35	40	535
M394390		<10	10	197	<10	88



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 3 - A
 Total # Pages: 3 (A - C)
 Finalized Date: 20-JUL-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12149964

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
M394391		3.80	0.195	<0.5	7.67	689	1530	2.9	5	2.26	0.7	8	29	42	2.53	20
M394392		4.62	0.658	0.5	7.24	500	1470	2.8	18	2.71	0.5	9	27	35	2.64	20



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 3 - B
 Total # Pages: 3 (A - C)
 Finalized Date: 20-JUL-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12149964

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
M394391		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
M394392		3.84	30	0.52	344	3	1.34	16	660	66	0.06	40	6	358	20	0.29
		3.71	30	0.57	422	2	1.27	17	620	51	0.05	26	6	367	20	0.28



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 3 - C
Total # Pages: 3 (A - C)
Finalized Date: 20-JUL-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12149964

Sample Description	Method Analyte Units LOR	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Tl	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
M394391		<10	<10	36	40	168
M394392		<10	<10	35	40	127