



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 1
Finalized Date: 20-JUL-2012
Account: STRGOL

CERTIFICATE WH12149967

Project: Eagle Gold

P.O. No.: EGP12-129

This report is for 67 Drill Core samples submitted to our lab in Whitehorse, YT, Canada on 28-JUN-2012.

The following have access to data associated with this certificate:

AUDREY CHEN
HELENA KUIKKA

RICHARD ELIASON

JOANNA ETTLINGER

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-21	Sample logging - ClientBarCode
CRU-36	Fine Crushing - 85% <2mm
PUL-QC	Pulverizing QC Test
SPL-21	Split sample - riffle splitter
PUL-32	Pulverize 1000g to 85% < 75 um
BAG-01	Bulk Master for Storage
LOG-21d	Sample logging - ClientBarCode Dup
SPL-21d	Split sample - duplicate
PUL-32d	Pulverize Split -Dup 85% <75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS
ME-ICP61	33 element four acid ICP-AES	ICP-AES

To: STRATAGOLD CORPORATION
ATTN: HELENA KUIKKA
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

Signature:


Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - A
Total # Pages: 3 (A - C)
Finalized Date: 20-JUL-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12149967

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
M394167		4.34	<0.005	<0.5	9.73	53	850	2.6	<2	0.49	<0.5	15	96	40	4.38	30
M394168		4.42	<0.005	<0.5	7.03	39	630	1.5	<2	0.55	<0.5	9	74	13	3.25	20
M394169		<0.02	<0.005	<0.5	6.48	25	580	1.5	6	0.49	<0.5	8	70	21	3.01	20
M394170		5.92	0.005	<0.5	8.32	77	810	2.7	14	0.45	<0.5	13	86	27	3.83	30
M394171		6.10	<0.005	<0.5	10.15	46	920	3.0	17	0.45	<0.5	14	101	29	4.56	30
M394172		2.32	<0.005	<0.5	5.84	38	610	1.5	14	0.81	<0.5	9	77	9	2.49	20
M394173		3.98	0.005	<0.5	4.08	90	340	1.1	11	1.61	<0.5	5	41	8	1.62	10
M394174		4.10	<0.005	<0.5	3.05	77	240	0.6	12	1.07	<0.5	4	48	10	1.32	10
M394175		6.54	0.007	<0.5	3.16	84	390	0.6	14	1.73	<0.5	4	52	19	1.42	10
M394176		6.82	<0.005	<0.5	8.44	64	760	2.1	26	1.16	<0.5	14	87	20	4.03	20
M394177		8.78	<0.005	<0.5	8.53	28	750	2.1	16	0.84	<0.5	12	73	22	3.95	20
M394178		3.82	<0.005	<0.5	9.52	7	940	2.5	13	0.90	<0.5	15	99	34	4.55	30
M394179		7.68	<0.005	<0.5	9.60	18	930	2.8	10	0.58	<0.5	17	100	35	4.38	30
M394180		7.04	<0.005	<0.5	7.64	21	670	2.0	4	1.03	<0.5	14	83	34	3.76	20
M394181		7.02	<0.005	<0.5	8.96	45	900	2.5	8	1.55	<0.5	15	89	55	4.35	30
M394182		6.50	0.040	<0.5	5.43	181	610	1.5	8	2.12	<0.5	10	86	38	2.92	10
M394183		5.56	<0.005	<0.5	5.07	30	520	1.3	30	0.59	<0.5	10	90	17	2.75	10
M394184		5.28	<0.005	<0.5	7.99	27	800	2.2	5	1.16	<0.5	11	85	28	2.77	20
M394185		6.84	<0.005	<0.5	9.10	50	830	2.9	10	0.68	<0.5	14	101	21	3.52	20
M394186		5.68	0.264	3.4	3.25	752	140	1.0	11	0.39	8.3	5	59	18	6.34	10
M394187		5.40	<0.005	<0.5	3.14	46	200	0.8	6	1.07	<0.5	3	73	2	1.14	10
M394188		5.46	<0.005	<0.5	3.05	22	320	0.8	<2	0.61	<0.5	2	43	2	1.14	10
M394189		4.80	<0.005	<0.5	3.85	22	390	1.0	19	0.65	<0.5	5	49	6	1.36	10
M394190		0.18	0.993	0.8	7.37	1660	260	1.3	25	5.46	<0.5	36	168	61	7.78	20
M394191		5.96	<0.005	<0.5	5.10	32	470	1.2	4	0.91	<0.5	5	42	7	1.83	10
M394192		6.62	<0.005	<0.5	6.13	127	550	1.6	3	0.72	<0.5	10	57	21	3.30	20
M394193		3.12	0.015	<0.5	6.37	221	500	1.6	9	1.18	<0.5	12	53	45	4.01	20
M394194		6.82	<0.005	<0.5	5.54	32	430	1.3	11	0.69	<0.5	12	65	14	3.63	10
M394195		5.06	<0.005	<0.5	9.97	35	1030	2.7	12	1.44	<0.5	19	87	33	4.31	30
M394196		1.94	<0.005	<0.5	0.12	<5	20	<0.5	17	20.0	<0.5	2	2	1	0.44	<10
M394197		8.26	<0.005	<0.5	9.58	15	950	2.6	<2	1.06	<0.5	14	81	32	4.30	30
M394198		6.06	<0.005	<0.5	4.14	10	250	1.2	10	0.86	1.6	4	32	6	0.63	10
M394199		8.88	<0.005	<0.5	4.34	11	430	1.4	11	0.31	<0.5	6	45	9	1.14	10
M394200		5.06	<0.005	<0.5	3.28	9	420	0.8	12	0.32	<0.5	4	40	8	0.63	10
M394201		4.42	<0.005	<0.5	2.33	8	270	0.6	14	0.30	<0.5	4	42	3	0.55	10
M394202		4.10	<0.005	<0.5	7.44	39	760	1.9	8	1.20	<0.5	9	65	19	2.84	20
M394203		5.34	<0.005	<0.5	8.10	21	1020	2.7	12	1.16	<0.5	13	69	18	3.19	20
M394204		3.88	<0.005	<0.5	8.59	29	1000	2.9	14	0.94	<0.5	13	69	20	3.46	20
M394205		2.06	0.017	<0.5	7.39	869	1530	2.5	<2	2.04	<0.5	8	31	12	2.45	20
M394206		4.88	0.019	<0.5	7.43	354	1510	3.2	<2	2.06	<0.5	7	30	9	2.33	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 2 - B
Total # Pages: 3 (A - C)
Finalized Date: 20-JUL-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12149967

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
M394167		3.60	30	1.02	366	4	0.84	41	260	20	0.31	14	13	169	20	0.42
M394168		2.72	40	0.83	463	3	0.54	23	200	14	0.09	9	9	110	20	0.30
M394169		2.44	30	0.78	424	2	0.53	28	180	23	0.09	8	8	96	20	0.28
M394170		3.82	20	0.92	352	3	1.30	40	350	24	0.20	10	10	138	20	0.42
M394171		4.17	20	0.93	348	1	0.87	44	890	19	0.20	16	13	128	20	0.47
M394172		1.83	30	0.58	406	<1	0.61	20	170	11	0.05	<5	8	134	20	0.27
M394173		1.32	20	0.39	528	<1	0.19	11	130	10	0.06	11	5	108	20	0.19
M394174		0.82	20	0.22	328	<1	0.62	9	100	4	0.06	5	3	68	20	0.15
M394175		0.64	20	0.33	460	<1	0.64	8	130	6	0.11	<5	3	132	<20	0.14
M394176		2.93	50	0.96	429	<1	1.16	33	920	17	0.11	7	12	189	30	0.41
M394177		2.90	40	0.91	396	<1	0.93	30	370	14	0.12	6	11	163	30	0.37
M394178		3.27	40	1.00	435	<1	0.89	37	1840	15	0.21	5	13	150	30	0.44
M394179		3.55	40	0.88	297	1	0.68	42	370	15	0.30	18	13	127	30	0.44
M394180		2.67	40	0.81	485	1	0.47	32	250	11	0.28	32	10	109	20	0.33
M394181		3.43	40	1.02	389	<1	0.68	40	670	15	0.32	<5	12	191	20	0.43
M394182		1.64	30	0.64	410	2	0.61	17	200	10	0.24	<5	7	202	20	0.26
M394183		1.90	30	0.57	202	2	0.80	18	120	4	0.08	<5	7	103	20	0.33
M394184		3.17	50	0.63	279	<1	0.71	24	330	10	0.14	10	11	149	30	0.37
M394185		3.62	50	0.70	371	1	0.66	36	350	17	0.08	21	14	101	30	0.40
M394186		1.31	20	0.21	185	1	0.05	12	110	1895	5.89	828	4	39	<20	0.11
M394187		1.33	20	0.24	506	9	0.12	7	80	41	0.20	10	3	42	<20	0.14
M394188		1.28	20	0.16	136	<1	0.71	7	90	5	0.02	6	3	49	<20	0.15
M394189		1.55	30	0.23	151	<1	0.78	9	110	3	0.02	<5	4	68	20	0.19
M394190		0.61	10	3.89	1230	<1	2.11	132	1380	10	0.55	<5	18	377	20	0.95
M394191		2.34	30	0.41	197	<1	0.68	12	360	16	0.05	7	6	107	20	0.19
M394192		2.15	30	0.68	310	<1	0.56	21	310	14	0.15	<5	9	88	20	0.26
M394193		2.31	40	0.86	396	3	0.71	24	630	5	0.35	<5	10	124	20	0.47
M394194		2.15	30	0.77	371	2	0.82	17	800	9	0.10	<5	9	96	20	0.49
M394195		4.33	40	0.99	496	<1	0.87	42	320	9	0.16	<5	15	179	30	0.50
M394196		0.04	<10	11.95	188	<1	0.01	<1	190	4	<0.01	<5	<1	42	<20	<0.01
M394197		4.11	40	0.95	428	<1	0.55	38	510	24	0.18	5	14	145	30	0.46
M394198		1.73	20	0.17	299	<1	0.06	6	160	101	0.18	6	4	39	<20	0.11
M394199		1.71	30	0.19	103	<1	0.35	11	150	6	0.09	10	5	44	<20	0.16
M394200		1.59	20	0.12	65	<1	0.45	8	100	5	0.06	6	4	49	<20	0.09
M394201		1.14	20	0.09	62	<1	0.33	5	100	4	0.02	<5	2	36	<20	0.07
M394202		3.48	40	0.78	322	5	0.57	26	270	8	0.18	8	10	135	20	0.34
M394203		3.02	40	0.83	325	<1	0.60	29	260	15	0.17	<5	11	189	30	0.40
M394204		3.96	50	0.91	259	<1	0.93	36	470	17	0.10	7	12	178	30	0.38
M394205		3.58	30	0.94	289	1	1.18	21	610	22	0.10	<5	7	408	20	0.32
M394206		3.74	30	0.88	284	1	1.44	20	630	24	0.09	<5	7	449	20	0.30



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 2 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 20-JUL-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12149967

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
M394167		<10	<10	93	<10	109
M394168		<10	<10	58	<10	46
M394169		<10	<10	54	<10	48
M394170		<10	<10	90	<10	67
M394171		<10	<10	101	<10	99
M394172		<10	<10	51	<10	49
M394173		<10	<10	35	20	35
M394174		<10	<10	22	10	17
M394175		<10	<10	21	20	19
M394176		<10	<10	78	<10	83
M394177		<10	<10	76	<10	68
M394178		<10	<10	91	<10	85
M394179		<10	<10	94	<10	76
M394180		<10	<10	66	10	60
M394181		<10	<10	89	10	58
M394182		<10	<10	46	30	37
M394183		<10	<10	51	10	34
M394184		<10	<10	73	<10	32
M394185		<10	<10	89	10	75
M394186		<10	<10	27	10	1495
M394187		<10	<10	24	10	92
M394188		<10	<10	24	10	9
M394189		<10	<10	32	10	10
M394190		<10	<10	144	<10	112
M394191		<10	<10	39	<10	19
M394192		<10	<10	62	10	51
M394193		<10	<10	69	<10	61
M394194		<10	<10	85	<10	39
M394195		<10	<10	100	<10	53
M394196		<10	<10	<1	<10	12
M394197		<10	<10	91	<10	74
M394198		<10	<10	22	<10	325
M394199		<10	<10	33	<10	18
M394200		<10	<10	22	<10	6
M394201		<10	<10	14	<10	4
M394202		<10	<10	68	10	40
M394203		<10	<10	77	<10	81
M394204		<10	<10	81	10	66
M394205		<10	<10	39	10	43
M394206		<10	10	35	10	49



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 3 - A
Total # Pages: 3 (A - C)
Finalized Date: 20-JUL-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12149967

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.005	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
M394207		4.08	0.053	<0.5	7.60	551	1550	3.0	<2	2.54	<0.5	7	32	27	2.43	20
M394208		7.08	0.041	<0.5	7.56	289	1540	3.1	<2	2.27	<0.5	7	34	27	2.30	20
M394209		5.20	0.077	<0.5	7.54	827	1570	3.1	<2	2.45	<0.5	7	36	30	2.56	20
M394210		0.14	0.352	0.9	8.01	18	790	2.0	<2	2.48	<0.5	14	50	3490	5.18	20
M394211		7.26	0.041	<0.5	7.46	358	1500	3.2	2	2.21	<0.5	7	34	27	2.33	20
M394212		6.12	0.044	<0.5	7.46	365	1480	3.0	<2	2.54	<0.5	8	37	31	2.43	20
M394213		5.92	0.054	<0.5	7.37	567	1320	3.0	2	3.03	<0.5	6	28	48	2.39	20
M394214		6.50	0.031	<0.5	7.71	225	1460	3.1	<2	2.58	<0.5	5	27	16	2.32	20
M394215		3.88	0.029	<0.5	7.04	354	1390	3.1	<2	2.52	<0.5	7	31	18	2.23	20
M394216		0.90	<0.005	<0.5	0.10	<5	20	<0.5	<2	20.9	<0.5	<1	2	<1	0.39	<10
M394217		7.40	0.082	<0.5	7.38	389	1290	2.8	5	2.92	<0.5	7	31	22	2.36	20
M394218		4.08	0.061	<0.5	7.47	753	1440	3.2	<2	3.15	<0.5	6	29	18	2.27	20
M394219		4.20	0.069	<0.5	7.62	1210	1290	3.0	<2	3.31	<0.5	7	33	22	2.24	20
M394220		6.86	0.097	<0.5	7.75	1470	1640	3.3	2	2.76	<0.5	8	36	27	2.66	20
M394221		5.82	0.058	<0.5	7.61	631	1590	3.1	<2	2.45	<0.5	8	36	32	2.50	20
M394222		5.86	0.070	<0.5	7.43	564	1590	3.1	<2	2.59	<0.5	8	34	30	2.50	20
M394223		5.84	0.177	<0.5	7.51	716	1610	3.1	4	2.54	<0.5	8	34	21	2.62	20
M394224		4.94	0.036	<0.5	7.68	498	1580	3.1	<2	2.31	<0.5	8	33	20	2.56	20
M394225		3.18	0.050	<0.5	7.93	487	1680	3.5	<2	2.46	<0.5	8	37	28	2.69	20
M394226		4.82	0.044	<0.5	7.24	459	1510	2.9	3	2.15	<0.5	8	32	27	2.37	20
M394227		7.02	0.422	<0.5	7.09	213	1520	2.8	<2	2.16	<0.5	6	32	30	2.27	20
M394228		4.72	0.066	<0.5	6.99	255	1470	2.9	6	2.32	<0.5	7	32	18	2.31	20
M394229		<0.02	0.073	<0.5	7.31	171	1530	2.9	4	2.37	<0.5	7	35	17	2.26	20
M394230		5.26	0.089	<0.5	7.39	587	1530	3.1	<2	2.39	<0.5	7	35	26	2.44	20
M394231		3.62	0.088	<0.5	7.75	401	1610	3.1	12	2.53	<0.5	8	35	24	2.52	20
M394232		5.52	0.028	<0.5	7.36	300	1300	2.9	<2	2.81	<0.5	7	33	33	2.66	20
M394233		4.34	0.022	<0.5	7.76	49	1620	3.1	3	2.38	<0.5	7	36	42	2.81	20



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
SUITE 584 - 1055 DUNSMUIR STREET
PO BOX 49215
VANCOUVER BC V7X 1K8

Page: 3 - B
Total # Pages: 3 (A - C)
Finalized Date: 20-JUL-2012
Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12149967

Sample Description	Method Analyte Units LOR	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
M394207		3.63	30	1.07	328	1	1.21	19	640	23	0.11	<5	7	483	20	0.31
M394208		3.78	30	0.85	215	2	1.64	20	640	21	0.16	<5	7	477	20	0.31
M394209		3.56	30	0.84	282	1	1.64	21	650	24	0.24	<5	7	485	20	0.31
M394210		3.13	20	1.52	518	267	2.50	22	1080	18	0.50	<5	14	461	<20	0.38
M394211		3.63	30	0.80	238	4	1.65	20	630	24	0.18	<5	7	469	20	0.31
M394212		3.57	40	0.82	281	3	1.28	20	640	23	0.16	8	7	424	20	0.31
M394213		3.63	40	0.85	307	15	1.18	19	610	25	0.14	19	7	424	20	0.30
M394214		3.34	40	0.91	257	1	1.20	17	650	21	0.08	14	7	437	20	0.28
M394215		3.73	30	0.78	271	1	1.21	19	570	23	0.07	15	6	431	20	0.30
M394216		0.04	<10	12.70	197	<1	0.01	<1	190	2	<0.01	<5	<1	48	<20	<0.01
M394217		3.52	30	0.83	300	2	1.22	19	630	24	0.10	20	7	428	20	0.30
M394218		3.72	40	0.84	283	2	0.95	20	630	23	0.10	17	7	421	20	0.30
M394219		3.65	40	0.86	308	<1	1.21	19	610	23	0.13	19	7	461	20	0.29
M394220		3.47	30	0.91	307	1	1.57	22	700	22	0.27	<5	7	501	20	0.33
M394221		3.55	30	0.89	259	1	1.62	23	680	22	0.23	<5	7	494	20	0.33
M394222		3.45	30	0.89	280	1	1.60	23	690	21	0.22	<5	7	493	20	0.33
M394223		3.24	40	0.85	294	8	1.69	21	670	22	0.22	<5	7	503	20	0.32
M394224		3.49	40	0.88	276	2	1.71	22	670	25	0.15	<5	7	498	20	0.32
M394225		3.61	40	0.89	329	1	1.77	24	690	30	0.19	<5	7	530	20	0.34
M394226		3.44	30	0.82	230	9	1.68	21	620	22	0.14	<5	7	464	20	0.30
M394227		3.39	30	0.81	217	2	1.64	16	620	20	0.14	<5	7	467	20	0.30
M394228		3.27	30	0.76	288	2	1.66	21	610	24	0.13	<5	6	482	20	0.30
M394229		3.35	30	0.80	285	3	1.67	19	640	23	0.12	<5	7	491	20	0.30
M394230		3.57	30	0.79	286	2	1.70	20	640	26	0.18	<5	7	486	20	0.31
M394231		3.72	40	0.86	320	10	1.81	19	680	28	0.17	<5	7	516	20	0.33
M394232		3.31	30	0.90	353	1	1.66	19	640	25	0.14	5	7	492	20	0.31
M394233		3.63	40	0.86	321	2	1.73	21	680	28	0.18	<5	7	514	20	0.33



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: 604 984 0221 Fax: 604 984 0218 www.alsglobal.com

To: STRATAGOLD CORPORATION
 SUITE 584 - 1055 DUNSMUIR STREET
 PO BOX 49215
 VANCOUVER BC V7X 1K8

Page: 3 - C
 Total # Pages: 3 (A - C)
 Finalized Date: 20-JUL-2012
 Account: STRGOL

Project: Eagle Gold

CERTIFICATE OF ANALYSIS WH12149967

Sample Description	Method Analyte Units LOR	ME-ICP61 Ti ppm 10	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2
M394207		<10	10	38	20	42
M394208		<10	10	37	50	32
M394209		<10	10	37	20	48
M394210		<10	20	137	<10	75
M394211		<10	10	36	30	40
M394212		<10	<10	36	20	44
M394213		<10	10	35	10	46
M394214		<10	10	34	20	37
M394215		<10	10	35	20	45
M394216		<10	<10	2	<10	15
M394217		<10	10	35	20	50
M394218		<10	<10	35	20	46
M394219		<10	10	33	20	44
M394220		<10	10	39	30	48
M394221		<10	10	38	20	44
M394222		<10	10	40	20	50
M394223		<10	10	39	10	52
M394224		<10	10	39	10	51
M394225		<10	10	44	10	71
M394226		<10	<10	36	20	43
M394227		<10	<10	35	20	38
M394228		<10	<10	34	10	59
M394229		<10	<10	35	10	60
M394230		<10	10	36	20	55
M394231		<10	10	40	10	67
M394232		<10	10	37	20	58
M394233		<10	10	38	20	62